

TAC Claims Assessment Work Report
Prospecting, Rock and Soil Geochemical Surveys

Field Work Done July 6 – 9, 2011

NTS 105D05 and 105D06

Latitude 60° 22' N

Longitude 135° 30' W

UTM None 8N

6692000N 472000E

By

Paul Reynolds, P. Geo.

September 16, 2011

Table of Contents

Summary	1
Location and Access	2
Climate, Topography and Vegetation	2
Claim Status	2
History	3
Regional Geology	3
Property Geology	3
Alteration and Mineralization	4
2011 Exploration Program	6
Conclusions	8
References	8

List of Figures

Figure 1	Location Map	Appendix V
Figure 2	Claim Map	Appendix V
Figure 3	Regional Geology	Appendix V
Figure 4	Traverse & Sample Locations	Appendix V
Figure 5	Rhyolite Zone – Au Rock Geochemistry	Appendix V
Figure 6	No Name Creek Zone – Au Rock Geochemistry	Appendix V
Figure 7	Rhyolite Zone – Au Soil Geochemistry	Appendix V
Figure 8	No Name Creek Zone – Au Soil Geochemistry	Appendix V

Appendices

Appendix I	Statement of Qualifications
Appendix II	Statement of Costs
Appendix III	Rock Sample Descriptions and Selected Results
Appendix IV	Analytical Certificates
Appendix V	Figures

Summary

The TAC property consists of 182 claims and is located 45 kilometres south-southwest of Whitehorse, Yukon Territory. The registered owners of the property are Timothy Young of Calgary, Alberta and Chris Baldys of Maple Ridge, British Columbia. Central Resources Corp., has an option to earn a 100% interest in the property and was the project operator.

The TAC claims are underlain by early Eocene Skukum Group volcanics which lie unconformably on Cretaceous and Jurassic granitic intrusives and Paleozoic to Permian metamorphic rocks.

Exploration in 2011 consisted of prospecting, soil sampling and rock sampling. There are three known gold mineralized showings on the TAC property. Gold mineralized zones appear to be structurally controlled. There appears to be more than one gold mineralizing event and gold mineralization is present in both granodiorite and rhyolite. There have been multiple volcanic eruptions which have led to the emplacement of numerous volcanic rocks on the property and the relationship between the various rock types is poorly understood. There are many areas with moderate to intense hydrothermal alteration.

Outcrop exposure on the property is poor, generally restricted to stream valleys breaks in slope. A program of ground magnetic surveying may help differentiate between some of the geological units.

Location and Access

The TAC property is located 45 kilometres south-southwest of Whitehorse and 18 kilometres north of the Mt. Skukum gold-silver deposit within map sheet 105 D5.

Access to the property is by helicopter. A rough 4-wheel drive road east of Alligator Lake passes within eight kilometres and another one follows Watson River to within three kilometres of the property. A well maintained gravel road along the Wheaton River valley provides access to the Mt Skukum deposit and the mill site. The distance from the mill site to TAC claims is 16 kilometres.

The 2011 work program utilized daily helicopter access from Whitehorse for a three man crew. One way trip to the project area requires approximately 0.4 hour flight time.

Climate, Topography and Vegetation

Climate of the TAC property area is typical of uplands in southern Yukon with harsh winters and moderate summers enhanced by periods of extended daylight lasting up to 20 hours. The exploration field season extends from early June through to October.

The property is characterized by moderate to rugged alpine topography with elevations ranging from 1,130 metres in the creek valley at the northeast corner of the property to in excess of 2,100 metres on top of many of the surrounding peaks. In general, the mid slopes of the property are relatively subdued with deeply incised creek valleys. The area has been affected by alpine and continental glaciation which at the time of its maximum extent covered the area to an elevation of approximately 2,000 metres. Alpine glaciation is still active at higher elevations.

The property is mostly above tree line. Vegetation consists of alpine shrubs and grasses with dwarf birch and willow in the lower valleys. Later Creek, No Name Creek and Ibex Creek flow throughout the field season whereas many smaller creeks are dry after July.

Claim Status

The property consists of 182 contiguous quartz claims located on NTS map sheets 105D05 and 105D06. The claims are all within the Whitehorse Mining District. Claim status is as follows.

Claim Names	Grant Numbers	Recording Date	Expiry Date
TAC 1 - 182	YD12201 – YD12382	July 31, 2009	July 31, 2012

The registered owners of the property are Timothy Young of Calgary, Alberta and Chris Baldys of Maple Ridge, British Columbia.

History

Recent exploration in the area of the TAC property peaked in the 1980's with the discovery of the Mt. Skukum gold – silver deposit situated 16 kilometers south of the TAC property. Agip Canada Ltd., conducted exploration programs of geological mapping and rock geochemistry during 1982. Kerr Addison Mines explored the area encompassing the TAC claims during the mid 1980's. Work by Kerr Addison included geological mapping, soil and rock geochemistry, hand trenching and diamond drilling. Kerr Addison collected 317 rock samples from the Later Creek area. Of these, 152 samples returned anomalous gold values ($\text{Au} > 30 \text{ ppb}$) with 18 of these exceeding 1,000 ppb gold.

In 1986, Kerr Addison drilled nine shallow holes (933 metres total). The holes were drilled from three locations. The azimuth and inclination of the holes are unknown. The author has been unable to locate copies of the drill logs however the best sample from drilling reportedly returned 850 ppb gold from rhyolite tuffs (C. Baldys, personal communication).

Regional Geology

Regionally the area of the TAC property is underlain by early Eocene volcanic rocks of the Skukum Group. The volcanic rocks are intermediate to felsic in composition and unconformably overlie Paleozoic to Proterozoic metasedimentary rocks and Cretaceous and Jurassic granitic rocks. The Skukum Group volcanic rocks lie along the northeast margin of the Coast Crystalline Complex where they are preserved as erosional remnants within down-faulted blocks in areas of higher elevation.

The Coast Crystalline Complex forms a southwesterly facing magmatic arc within the Intermontane Belt which represents an allochthonous block accreted to the North American craton during the Mesozoic. Deposition of Skukum Group volcanics was coincident with a period of widespread deformation during which large bodies of quartz monzonite were emplaced in both the Coast Crystalline Complex and the Yukon Crystalline Terrane. Magmatic intrusion was associated with widespread eruption of pyroclastic material throughout the southern Yukon and northern British Columbia.

Property Geology

The Later Creek area is underlain by a pile of felsic to intermediate volcanics belonging to the Skukum Group. This volcanic sequence was mapped in detail in 1985 at the headwaters of Later Creek (C. Baldys, et al, 1985). The Skukum volcanics exposed on the property include rhyolite to andesite tuffs, flows, sills and dykes. This volcanic sequence unconformably overlies Paleozoic metasediments and granitic intrusions of Jurassic age.

The main components of the Tertiary volcanic stratigraphy are the Upper Tuff and the Lower Tuff. The latter unit hosts the gold mineralization of the Rhyolite Zone. The above volcanic sequences were mapped in detail in the past and are described as follows (Baldys, 2010):

Upper Tuff

This volcanic sequence consists of rhyolite lapilli tuffs and volcanic breccias outcropping at higher elevations and overlying the lower sequence of pyroclastic volcanics (Lower Tuff). It consists of dark grey groundmass with multicolored heterolithic clasts. The clast size is variable but generally between 0.5 and 3.0 cm comprising up to 70% of the rock volume. Towards its base this unit grades into volcanic breccia. Locally the unit is pyritic, and exhibits variable degrees of argillic, sericitic or propylitic alteration and are variably silicified fractured.

Lower Tuff

This rhyolitic pyroclastic sequence is generally light to medium grey, weathering to light grey to brown or buff and exhibiting distinct flow banding often with feldspar phenocrysts. Ash to lapilli size groundmass is quartz and K-spar rich (rhyolite) as determined from staining and thin section study in the past. These rocks contain fragments ranging from lapilli to breccia in size that are typically rhyolitic and locally metasedimentary in composition. This sequence is generally devoid of outcrop exposures away from the banks of the Later Creek. The rhyolitic tuffs are susceptible to silicification and sericitic alteration along a prominent shear and fracture zone (Rhyolite Zone) observed along the banks of Later Creek. The Lower Tuff is shallow dipping at 15° to the south-west. This unit is unconformably overlain by the Upper Tuff.

To the north the above pyroclastic sequences are believed to have been intruded by a large, possibly hypabyssal, rhyolite porphyry body. This prominent subvolcanic? intrusion has yet to be included on the current geological maps of this area. It may be representing an unrecognized dome complex upon which the pyroclastic tuffs (Upper and Lower Tuff) with the interceding bands of rhyolitic lavas have accumulated. Also exposed in the area are pendants and inclusions of Paleozoic metasediments. The overall picture is of a volcanic-subvolcanic complex emplaced at the edge of an older intrusive event (Baldys, 2010).

Alteration and Mineralization

The Rhyolite Zone is characterized by a gossan which measures 800 x 500 metres and surrounds a large hydrothermal alteration zone. The alteration zone measures on surface a minimum 500 metres in length and 60 to 180 metres in width at surface. It is situated near the headwaters of the Later Creek in the west-central part of the TAC claims and appears to be open in both strike directions. The alteration zone consists of silicified and sericitized rhyolitic tuffs carrying low-grade gold values in quartz-stringer stockworks and breccias. On surface, mineralization disappears under overburden and the capping sequence of Upper Tuffs.

The bedrock is poorly exposed; however, extensive sampling by Kerr Addison in 1985 along the banks of Later Creek has defined a zone, 160 metres wide, with gold values in a range of 420 to 1,600 ppb based on 13 chip samples. A total of 21 samples were collected from the Rhyolite Zone and the area immediately surrounding it in 2011. Of the 21 samples collected, 13 samples exceeded 50 ppb gold, 12 samples exceeded 100 ppb gold and four samples exceeded 500 ppb gold. The highest value obtained

was 1,099 ppb (1.1 grams per tonne) gold. Sample descriptions and analytical results for gold, arsenic and antimony are included in Appendix I.

The Rhyolite Zone strikes in an apparent northeasterly direction. The dip direction is unknown. The zone is entirely covered by overburden along the 350 metre distance between the outcroppings in Later Creek and the Upper Tuff contact. Further northeast the zone appears to be capped by the near-flat lying Upper Tuff sequence.

The Rhyolite Zone also traverses the western slopes of the Later Creek valley where it is almost entirely covered by the colluvial talus originating from higher elevations. Outcroppings of rhyolite tuffs show variable degrees of alteration as evidenced by silicification and sericitization. Local hydrothermal breccias and quartz stringer-stockworks of epithermal origin have been identified in boulder trains (Baldys, 2010).

The Creek Zone is located 200 metres northwest of the Rhyolite Zone. This zone is 5 metres by 10 metres in size and is exposed on the west bank of the Later Creek. Two grab outcrop samples collected from it during the course of fieldwork done in 2010 produced 0.95 and 0.51 ppm gold.

The No Name Creek Zone is characterized by moderately altered and silicified granodiorite in close proximity to quartz-feldspar porphyry. Nine grab samples were collected from an area of about 200 metres by 200 metres. Of the nine samples collected, five samples exceeded 100 ppb gold, two samples exceeded 500 ppb gold and one sample exceeded 1,000 ppb gold. The highest value obtained was 3,887 ppb (3.9 grams per tonne) gold. Sample descriptions and analytical results for gold, arsenic and antimony are included in Appendix I.

2011 Exploration Program

A total of 11 man days were spent on the TAC property from July 6 – 9, 2011. A three man field crew stayed in Whitehorse and utilized daily set outs by helicopter from Whitehorse to the property.

Exploration work consisted of prospecting, rock sampling and soil sampling. Soil sampling was of limited extent and was conducted in two separate areas. Prospecting traverses and rock sample locations are plotted on Figure 4.

Soil Geochemistry

A soil orientation survey was conducted at the Rhyolite Zone. At the No Name Creek Zone, the two soil lines from last year were extended to provide better coverage. Soils were generally collected from the B horizon, using a shovel. Sample sites were marked in the field and a handheld GPS was used to record the sample locations. A total of 74 soil samples were collected in total.

Soil samples were delivered to Acme Analytical Laboratories prep facility in Whitehorse. Soil samples were dried and sieved to -80 mesh. A 100 gram sample of this prepared material was shipped to Acme's lab in Vancouver, BC for analysis. Analysis consisted of aqua regia digestion followed by ICP-MS analysis.

Soil sample results for the Rhyolite Zone are plotted on Figure 7 and results for the No Name Creek Zone are plotted on Figure 8.

Anomalous soil results from the Rhyolite Zone are probably, in part, a result of collecting mineralized talus. Many of the sample sites immediately uphill of the outcropping mineralized zone had very little soil and the sample medium was in fact hydrothermally altered rubble.

Soil sampling at the No Name Creek Zone seems to be more effective and the soil grid should be expanded. Currently the soil density is too low to be meaningful.

Rock Geochemistry

A total of 21 rock samples were collected from the Rhyolite Zone and the area immediately surrounding it in 2011. Of the 21 samples collected, 13 samples exceeded 50 ppb gold, 12 samples exceeded 100 ppb gold and four samples exceeded 500 ppb gold. The highest value obtained was 1,099 ppb (1.1 grams per tonne) gold. Sample descriptions and analytical results for gold, arsenic and antimony are included in Appendix I and sample locations and results are plotted on Figure 5. Significant results are listed in Table 1.

Table 1: Significant Rock Sample Results – Rhyolite Zone

Showing	Sample	UTM East	UTM North	Sample Type	Sample Width (m)	Lithology	Gold (ppb)	As (ppm)	Sb (ppm)
Rhyolite	578007	471075	6692032	Outcrop Chip	0.50	Granodiorite	814	2729.70	3.7
Rhyolite	578009	470971	6692039	Outcrop Grab		Rhyolite	312	1070.80	4.5
Rhyolite	578010	470974	6692064	Outcrop Chip	1.00	Rhyolite	1099	4053.30	30.7
Rhyolite	579852	471185	6692134	Float Grab		Rhyolite	682	181.40	6.6
Rhyolite	579866	471003	6692005	Float Grab		Quartz	227	643.20	4.3
Rhyolite	579867	470981	6692004	Outcrop Chip	0.60	Rhyolite	212	3841.60	37.4
Rhyolite	579868	470981	6692004	Outcrop Chip	2.50	Rhyolite	470	3900.30	48.2
Rhyolite	579869	470981	6692004	Outcrop Chip	4.00	Rhyolite	312	1258.60	20.6
Rhyolite	579870	470935	6692111	Outcrop Chip	4.50	Rhyolite	205	1712.60	13.8
Rhyolite	579871	470935	6692111	Outcrop Chip	6.50	Rhyolite	425	1597.50	17.7
Rhyolite	579873	471045	6692193	Float Grab		Rhyolite	433	1252.40	46.8
Rhyolite	579874	471050	6692200	Outcrop Grab		Brecciated phyllite	777	157.10	16.7

While following up an anomalous gold result from last year, a new mineralized zone was discovered. The No Name Creek Zone is characterized by moderately altered and silicified granodiorite in close proximity to quartz-feldspar porphyry. Nine grab samples were collected from an area of about 200 metres by 200 metres. Of the nine samples collected, five samples exceeded 100 ppb gold, two samples exceeded 500 ppb gold and one sample exceeded 1,000 ppb gold. The highest value obtained was 3,887 ppb (3.9 grams per tonne) gold. Sample descriptions and analytical results for gold, arsenic and antimony are included in Appendix I and sample locations and results are plotted on Figure 6. Significant results are listed in Table 2.

Table 2: Significant Rock Sample Results – No Name Creek Zone

Showing	Sample	UTM East	UTM North	Sample Type	Sample Width (m)	Lithology	Gold (ppb)	As (ppm)	Sb (ppm)
No Name Creek	578004	472829	6690992	Outcrop Grab		Granodiorite	108	7.60	1.1
No Name Creek	579858	472904	6691008	Outcrop Grab		Quartz-feldspar porphyry	197	5.20	0.8
No Name Creek	579859	472904	6691008	Outcrop Grab		Granodiorite	3887	19.20	1.1
No Name Creek	579860	472901	6690988	Outcrop Grab		Quartz	657	26.50	1.0
No Name Creek	579861	472884	6690902	Outcrop Grab		Qtz-pyrite shear zone	257	16.70	0.9

Gold mineralization appears within granodiorite at both the Rhyolite Zone and the No Name Creek Zone whereas it was previously thought to only occur within the rhyolite. Although there are not enough samples to do any meaningful statistics, it is interesting to note that there appears to be a stronger gold-arsenic-antimony association at the Rhyolite Zone than at the No Name Creek Zone. This suggests that there are multiple gold mineralizing events.

Conclusions

There are three known gold mineralized showings on the TAC property. Gold mineralized zones appear to be structurally controlled. There appears to be more than one gold mineralizing event and gold mineralization is present in both granodiorite and rhyolite. There have been multiple volcanic eruptions which have led to the emplacement of numerous volcanic rocks on the property and the relationship between the various rock types is poorly understood. There are many areas with moderate to intense hydrothermal alteration.

Outcrop exposure on the property is poor, generally restricted to stream valleys breaks in slope. A program of ground magnetic surveying may help differentiate between some of the geological units.

References

- Baldys, C., 2010: TAC Claims Assessment Work Report. September 3, 2010.
- Hart, C.J.R. et al, 1990: Geological Map of Alligator Lake (105D/6) Map Area.
- McDonald, B., 1987: Geology and Genesis of the Mount Skukum Tertiary Epithermal Gold – Silver Vein Deposit, Southwestern Yukon Territory. UBC Masters Thesis. April 1987.

APPENDIX I

STATEMENT OF QUALIFICATIONS

Statement of Qualifications

I, Paul Reynolds, of Vancouver, British Columbia, do hereby certify that:

1. I am a geologist residing at 4035 West 31st Avenue, Vancouver, BC, V6S 1Y7.
2. I graduated from the University of British Columbia with a Bachelor of Science degree in geology in 1987 and I have practiced my profession continuously since 1987.
3. I am a member of the Association of Professional Engineers and Geoscientists of British Columbia (member no. 19603).
4. Since 1987, I have been involved in mineral exploration for base and precious metals. I have conducted this work in Canada, the western United States, Argentina, Bolivia, Guyana and Peru.
5. The field work described in this report was conducted under my supervision.

Dated at Vancouver, British Columbia, this 23rd day of September, 2011.

Paul Reynolds, P. Geo.

APPENDIX II

STATEMENT OF COSTS

Statement of Costs

Item	Cost (\$)
Personnel	
Paul Reynolds, P. Geo. (6 days @ \$625/day)	3,750.00
Chris Baldys, P. Eng. (4.5 days @ \$450/day)	2,025.00
James Henderson (4.2 days @ \$250/day)	1,050.00
Expenses	
Helicopter (5.2 hrs @ \$1,050/hr)	5,460.00
Jet fuel	1,025.54
Field supplies	110.08
Car rental	785.19
Fuel	51.21
J. Henderson travel from Dawson	524.60
Food & lodging	2,488.67
Analytical costs - rock	1,092.50
Analytical costs - soil	1,190.25
Report writing & GIS (Paul Reynolds, P. Geo.; 3 days @ \$625/day)	1,875.00
Total	\$21,428.04

APPENDIX III

ROCK SAMPLE DESCRIPTIONS AND SELECTED RESULTS

2011 Rock Sample Results

Sample	Showing	UTM Zone	UTM East	UTM North	Elev m	Sample Medium	Sampler	Sample Type	Sample Width m	Sample Description	3B Au ppb	1DX As ppm	1DX Au ppb	1DX Sb ppb
578001		8V	471149	6692415	1677.6	Rock	Paul Reynolds	Float Grab		Fine grain andesitic to rhyolitic tuff. Tan - green colour. Siliceous. Trace py, rusty on frac's	1	1.2	0.25	0.5
578006		8V	472714	6690949	1425.2	Silt	Paul Reynolds	Silt		Very small sediment sample from creek. Collected by hand.		4.5	23.30	0.8
578011		8V	471122	6692050	1585	Rock	Paul Reynolds	Drill Core			35	49.3	18.10	0.5
578012		8V	471122	6692050	1585	Rock	Paul Reynolds	Drill Core			144	498.4	143.00	7.1
578013		8V	471122	6692050	1585	Rock	Paul Reynolds	Drill Core			16	34.7	20.50	2.7
578014		8V	471122	6692050	1585	Rock	Paul Reynolds	Drill Core			1	18.8	2.40	0.4
578015		8V	471122	6692050	1585	Rock	Paul Reynolds	Drill Core			1	3.2	0.25	0.6
578016		8V	471122	6692050	1585	Rock	Paul Reynolds	Drill Core			1	37.2	0.25	0.3
578017		8V	473879	6692444	1487.4	Rock	Paul Reynolds	Outcrop Grab		Rusty quartz eye porphyry dyke approximately 15 m wide and trending 045. Minor Py.	1	2.5	3.80	0.1
578018		8V	474022	6692495	1491.7	Rock	Paul Reynolds	Outcrop Grab		Light grey granodiorite. Sericite altered, trace Py.	4	13.6	1.10	0.3
578019		8V	474065	6692526	1492.6	Rock	Paul Reynolds	Outcrop Grab		Medium green to grey granodiorite from prominent rusty outcrop at junction of creeks. Minor sericite, minor Py.	6	10.8	3.30	0.3
578020		8V	474121	6692567	1513.3	Rock	Paul Reynolds	Outcrop Grab		Rusty granodiorite.	7	21.9	5.00	0.7
579856		8V	471215	6692396	1682.8	Rock	Chris Baldys	Float Grab		Grey silica rich rock with 1%-2% fine disseminated Py. Massive fine grained silica. Somewhat clastic or porphyritic texture.	1	1.4	0.25	0.5
579857		8V	471152	6692370	1652	Rock	Chris Baldys	Float Grab		Grey silica rich rock with 1%-2% fine disseminated Py. Massive fine grained silica. Somewhat clastic texture.	1	1.2	0.25	0.3
579875		8V	471070	6692201	1561.2	Rock	Chris Baldys	Float Grab		Rusty phyllite with vuggy limonitic texture due to weathering.	21	126.0	11.60	4.7
579876		8V	472525	6693085	1937.3	Rock	Chris Baldys	Float Grab		Rusty feldspar porphyry.	2	2.9	1.30	0.1
579877		8V	472603	6693235	1894	Rock	Chris Baldys	Outcrop Grab		Rusty rhyolite with weak sericite alteration.	4	1.4	0.60	0.1
579878		8V	472791	6693179	1791.6	Rock	Chris Baldys	Float Grab		Hematitic volcanic with minor coarse quartz veinlets up to 0.5 cm.	22	1.5	19.80	0.1
579879		8V	472916	6693118	1741.3	Rock	Chris Baldys	Float Grab		Extremely limonitic, weakly hematitic tuff with minor Py remaining.	3	3.0	3.10	0.1

Sample	Showing	UTM Zone	UTM East	UTM North	Elev m	Sample Medium	Sampler	Sample Type	Sample Width m	Sample Description	3B Au ppb	1DX As ppm	1DX Au ppb	1DX Sb ppb
579880		8V	474096	6692662	1509.7	Rock	Chris Baldys	Outcrop Grab		Rusty granodiorite with 1%-3% Py. Silicified, bleached and chloritized.	1	4.2	0.25	0.6
579881		8V	472810	6690917	1376.5	Rock	Chris Baldys	Float Grab		Hornfels(?) or phyllite. Bleached, limonitic.	1	1.6	1.70	0.3
578002	No Name Creek	8V	472795	6690957	1420.7	Rock	Paul Reynolds	Outcrop Grab		Altered granodiorite. Py & limonite on frac's	2	1.0	8.70	0.7
578003	No Name Creek	8V	472827	6690952	1414	Rock	Paul Reynolds	Outcrop Grab		Altered granodiorite. Py & limonite on frac's	11	2.0	2.50	1.4
578004	No Name Creek	8V	472829	6690992	1432.3	Rock	Paul Reynolds	Outcrop Grab		Highly altered, hornfelsed, granodiorite. Minor to moderate py.	108	7.6	85.10	1.1
578005	No Name Creek	8V	472801	6690879	1410.3	Rock	Paul Reynolds	Float Grab		Angular boulders of quartz eye-feldspar porphyry. Likely subcrop.	1	0.9	0.90	0.1
579858	No Name Creek	8V	472904	6691008	1388.7	Rock	Chris Baldys	Outcrop Grab		Extremely silicified quartz-feldspar porphyry with banded grey quartz.	197	5.2	176.50	0.8
579859	No Name Creek	8V	472904	6691008	1388.7	Rock	Chris Baldys	Outcrop Grab		Silicified, biotite altered granodiorite at contact with quartz-feldspar porphyry running NW-SE. Trace to 3% Py +/- Aspy. The quartz-feldspar porphyry is totally altered to "fluidized" textured silica. 0.4 to 1.5 m thick.	3887	19.2	4071.50	1.1
579860	No Name Creek	8V	472901	6690988	1389.6	Rock	Chris Baldys	Outcrop Grab		Sub-crop of extreme silica zone. Coarse quartz with abundant limonitic frac's. Trace to 1% fine Py.	657	26.5	1012.60	1.0
579861	No Name Creek	8V	472884	6690902	1364.6	Rock	Chris Baldys	Outcrop Grab		Quartz-pyrite shear zone. Limonitic, strongly fractured. 3% Py.	257	16.7	338.10	0.9
579862	No Name Creek	8V	472884	6690902	1364.6	Rock	Chris Baldys	Outcrop Grab		Silicified granodiorite with minimum 4% Py. Limonitic fracture zone within 2 m shear.	15	2.1	11.40	0.4
578007	Rhyolite	8V	471075	6692032	1548.7	Rock	Paul Reynolds	Outcrop Chip	0.50	Tan to grey, siliceous granodiorite within shear zone. Moderate py	814	2729.7	3807.10	3.7
578008	Rhyolite	8V	471009	6691939	1491.7	Rock	Paul Reynolds	Outcrop Chip	0.75	Highly altered, siliceous granodiorite within small shear trending 095 and dipping steeply west.	46	6.7	20.90	0.4
578009	Rhyolite	8V	470971	6692039	1491.7	Rock	Paul Reynolds	Outcrop Grab		Grey, siliceous rhyolite tuff(?) with minor to mod py & Aspy(?) from main Rhyolite Zone.	312	1070.8	407.60	4.5
578010	Rhyolite	8V	470974	6692064	1498.7	Rock	Paul Reynolds	Outcrop Chip	1.00	Siliceous rhyolite with py & Aspy from old trench at Rhyolite Zone.	1099	4053.3	1251.00	30.7
579851	Rhyolite	8V	471175	6692132	1573.7	Rock	Chris Baldys	Float Grab		Orange, weak weathering coarse grey quartz with pitted texture. Composite float from near location of 8225024. 2 pieces 10 m apart.	14	6.6	10.60	0.5
579852	Rhyolite	8V	471185	6692134	1576.7	Rock	Chris Baldys	Float Grab		Extremely silicified rhyolite float with minor needly hematite(?)/stibnite(?)	682	181.4	726.80	6.6

Sample	Showing	UTM Zone	UTM East	UTM North	Elev m	Sample Medium	Sampler	Sample Type	Sample Width m	Sample Description	3B Au ppb	1DX As ppm	1DX Au ppb	1DX Sb ppb
579853	Rhyolite	8V	471185	6692171	1570.9	Rock	Chris Baldys	Float Grab		Grey silica rich rock with 5%-6% fine disseminated and bleby Py +/- Aspy. Massive fine grained silica.	3	2.7	0.25	0.5
579854	Rhyolite	8V	471242	6692240	1611.2	Rock	Chris Baldys	Float Grab		Grey silica rich rock with 5%-6% fine disseminated and bleby Py +/- Aspy. Massive fine grained silica.	4	3.4	0.25	0.5
579855	Rhyolite	8V	471278	6692236	1620.6	Rock	Chris Baldys	Outcrop Grab		Quartz-feldspar porphyry at contact with epidote skarn. Rusty on frac's, altered feldspars, silicified, weakly pyritic +/- epidote.	1	2.3	0.25	0.4
579863	Rhyolite	8V	471098	6692022	1557.5	Rock	Chris Baldys	Outcrop Panel	2.00	Silicified and sericitized, pyritic rhyolite. Pannel sample 1.2 by 2.0 m.	37	66.3	30.10	1.0
579864	Rhyolite	8V	471002	6692007	1489.6	Rock	Chris Baldys	Outcrop Grab		Siliceous granodiorite with clusters of pyrrhotite, biotite(?) and magnetite(?).	1	6.2	0.25	0.2
579865	Rhyolite	8V	471003	6692005	1490.8	Rock	Chris Baldys	Float Grab		100% grey silica/fine quartz. Limonitic.	90	182.6	84.00	2.3
579866	Rhyolite	8V	471003	6692005	1490.8	Rock	Chris Baldys	Float Grab		100% silica/quartz. Generally fine grey silica with trace Py.	227	643.2	227.80	4.3
579867	Rhyolite	8V	470981	6692004	1488.9	Rock	Chris Baldys	Outcrop Chip	0.60	Rhyolite lithic tuff.	212	3841.6	227.10	37.4
579868	Rhyolite	8V	470981	6692004	1488.9	Rock	Chris Baldys	Outcrop Chip	2.50	Rhyolite lithic tuff. Sample starts at end of sample 579867.	470	3900.3	463.70	48.2
579869	Rhyolite	8V	470981	6692004	1488.9	Rock	Chris Baldys	Outcrop Chip	4.00	Rhyolite. Locally strong silicification in tuffaceous rock but locally has a hint of porphyritic texture. 2%-3% Py +/- Aspy. Pervasive quartz-sericite alteration. Sample is a continuation of 579868.	312	1258.6	259.20	20.6
579870	Rhyolite	8V	470935	6692111	1504.2	Rock	Chris Baldys	Outcrop Chip	4.50	Sericite-silica altered rhyolite with 2%-3% Py +/- Aspy.	205	1712.6	186.20	13.8
579871	Rhyolite	8V	470935	6692111	1504.2	Rock	Chris Baldys	Outcrop Chip	6.50	Sericite-silica altered rhyolite with 2%-3% Py +/- Aspy. Sample continues south from sample 579870.	425	1597.5	400.10	17.7
579872	Rhyolite	8V	470953	6692226	1538.9	Rock	Chris Baldys	Float Grab		Massive blue-grey silica with 4%-7% fine disseminated Py and trace Aspy. Likely altered rhyolite.	18	69.6	18.80	0.8
579873	Rhyolite	8V	471045	6692193	1557.5	Rock	Chris Baldys	Float Grab		Brecciated rhyolite with silica-sericite alteration.	433	1252.4	432.50	46.8
579874	Rhyolite	8V	471050	6692200	1564.2	Rock	Chris Baldys	Outcrop Grab		Quartz-calcite cemented breccia of siliceous metasediment. Dark to light grey dirty sugary quartz replaced phyllite(?) and other grey massive chunks of rhyolite flow.	777	157.1	622.40	16.7

APPENDIX IV
ANALYTICAL CERTIFICATES



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Central Resources Corporation**

510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Submitted By: Paul Reynolds

Receiving Lab: Canada-Whitehorse

Received: July 11, 2011

Report Date: August 16, 2011

Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI11000525.1

CLIENT JOB INFORMATION

Project: TAC
Shipment ID:
P.O. Number
Number of Samples: 51

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Central Resources Corporation
510-1199 West Pender St
Vancouver BC V6E 2R1
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	50	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	50	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	50	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Central Resources Corporation**
510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC
Report Date: August 16, 2011

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

WHI11000525.1

	Method Analyte Unit MDL	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
578001	Rock	0.95	<2	2.2	4.5	6.5	37	<0.1	1.3	1.3	364	1.76	1.2	<0.5	6.2	10	0.1	0.5	<0.1	11	0.25
578002	Rock	0.54	2	0.1	2.1	6.0	48	0.4	2.3	2.7	275	1.61	1.0	8.7	3.1	78	0.1	0.7	<0.1	28	0.38
578003	Rock	0.71	11	0.3	2.6	12.3	60	2.5	2.5	3.8	303	1.60	2.0	2.5	2.6	91	0.3	1.4	0.1	21	0.48
578004	Rock	1.10	108	0.2	1.9	3.5	48	<0.1	2.5	3.7	405	1.69	7.6	85.1	3.0	75	<0.1	1.1	<0.1	29	1.03
578005	Rock	0.93	<2	0.7	3.6	7.6	39	<0.1	0.6	0.3	62	0.56	0.9	0.9	13.7	3	<0.1	<0.1	<0.1	<2	0.02
578007	Rock	0.77	814	5.6	2.9	12.6	6	1.8	0.7	0.4	35	0.99	2730	3807	3.8	4	<0.1	3.7	0.1	3	0.07
578008	Rock	1.29	46	1.2	91.3	20.4	129	0.3	77.2	19.5	1058	4.18	6.7	20.9	3.8	41	0.2	0.4	0.2	123	0.75
578009	Rock	1.04	312	3.2	4.8	14.4	26	0.6	1.7	2.6	27	0.98	1071	407.6	6.7	5	0.1	4.5	0.2	<2	0.08
578010	Rock	1.06	1099	4.9	5.2	15.3	38	0.8	2.9	3.6	52	1.19	4053	1251	7.9	15	0.1	30.7	0.1	2	0.16
578011	Rock	0.92	35	1.1	8.2	16.7	45	<0.1	5.0	4.8	201	1.03	49.3	18.1	7.8	26	0.2	0.5	0.2	2	0.38
578012	Rock	0.79	144	1.7	11.2	18.7	53	0.7	6.6	7.1	113	4.41	498.4	143.0	7.4	54	0.1	7.1	0.4	3	0.55
578013	Rock	0.80	16	3.2	3.0	12.5	102	1.3	0.2	4.4	954	3.35	34.7	20.5	3.5	101	0.2	2.7	<0.1	4	2.39
578014	Rock	0.74	<2	3.4	2.7	7.4	108	<0.1	0.3	4.8	910	3.56	18.8	2.4	3.5	47	0.2	0.4	<0.1	6	0.83
578015	Rock	0.75	<2	3.8	8.4	8.7	104	<0.1	5.0	3.6	517	2.22	3.2	<0.5	4.0	14	0.3	0.6	0.2	14	0.35
578016	Rock	0.72	<2	0.2	5.5	4.9	67	<0.1	1.9	5.6	264	2.06	37.2	<0.5	4.1	54	0.1	0.3	<0.1	21	0.64
578017	Rock	0.65	<2	3.6	3.1	17.1	43	<0.1	1.0	0.4	202	0.86	2.5	3.8	19.5	3	0.3	<0.1	<0.1	<2	0.07
578018	Rock	0.89	4	1.2	2.4	23.5	73	0.9	0.5	0.6	460	0.73	13.6	1.1	8.2	61	0.2	0.3	0.4	<2	1.36
578019	Rock	1.15	6	1.9	49.8	82.3	119	<0.1	14.0	8.9	843	3.09	10.8	3.3	5.3	125	0.5	0.3	0.4	55	1.19
578020	Rock	0.77	7	0.9	12.7	16.6	49	2.6	3.5	2.2	458	2.15	21.9	5.0	2.5	78	0.1	0.7	0.4	31	0.51
579851	Rock	2.33	14	0.4	14.1	34.6	115	1.9	9.0	1.1	366	0.61	6.6	10.6	0.2	10	2.3	0.5	1.9	6	0.98
579852	Rock	1.49	682	9.6	228.7	9.3	16	25.2	3.0	0.9	36	1.19	181.4	726.8	0.2	4	0.6	6.6	7.4	2	0.09
579853	Rock	1.95	3	3.0	7.0	5.4	47	0.5	2.3	2.6	466	1.84	2.7	<0.5	5.2	11	0.8	0.5	0.1	13	0.21
579854	Rock	2.33	4	2.9	4.1	5.5	29	2.5	2.0	2.2	421	1.76	3.4	<0.5	5.9	9	<0.1	0.5	0.1	12	0.25
579855	Rock	1.45	<2	3.2	5.0	8.1	26	<0.1	0.6	2.7	279	1.64	2.3	<0.5	12.1	18	<0.1	0.4	<0.1	13	0.32
579856	Rock	1.61	<2	2.4	4.0	7.2	69	1.9	1.7	1.9	322	1.69	1.4	<0.5	4.5	8	0.2	0.5	<0.1	10	0.22
579857	Rock	0.82	<2	2.1	5.1	7.2	31	<0.1	1.4	1.7	325	1.66	1.2	<0.5	4.9	10	0.2	0.3	<0.1	10	0.21
579858	Rock	2.14	197	1.4	3.6	10.7	21	0.1	0.7	0.5	101	0.50	5.2	176.5	8.3	66	<0.1	0.8	0.2	3	0.13
579859	Rock	2.93	3887	0.6	3.6	5.7	57	0.2	2.5	3.6	327	1.72	19.2	4071	3.0	44	0.1	1.1	<0.1	19	0.35
579860	Rock	2.49	657	10.7	1.6	7.3	3	0.5	0.8	0.2	22	0.54	26.5	1013	0.5	5	<0.1	1.0	0.2	<2	<0.01
579861	Rock	2.06	257	3.7	5.7	23.4	16	0.2	6.1	10.5	112	2.05	16.7	338.1	1.7	41	<0.1	0.9	0.7	12	0.26



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Central Resources Corporation**
510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC
Report Date: August 16, 2011

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

WHI11000525.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	
0.2	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
578001	Rock	0.026	14	12	0.18	45	0.093	<20	0.85	0.117	0.13	0.3	<0.01	<0.1	<0.05	3.9	<0.5	7	<0.2
578002	Rock	0.052	6	8	0.44	143	0.023	<20	1.01	0.074	0.18	<0.1	<0.01	<0.1	<0.05	2.1	<0.5	4	<0.2
578003	Rock	0.053	6	7	0.39	121	0.061	<20	1.03	0.095	0.12	<0.1	<0.01	<0.1	<0.05	1.5	<0.5	4	<0.2
578004	Rock	0.054	5	8	0.50	98	0.071	<20	2.67	0.325	0.48	0.7	<0.01	0.2	0.20	2.2	<0.5	8	<0.2
578005	Rock	0.004	10	4	<0.01	15	0.008	<20	0.35	0.082	0.14	0.1	<0.01	<0.1	<0.05	0.5	0.6	4	<0.2
578007	Rock	0.033	8	3	0.05	78	0.015	<20	0.46	0.005	0.25	0.3	<0.01	0.3	0.18	0.5	0.7	2	<0.2
578008	Rock	0.072	8	116	1.61	47	0.062	<20	2.64	<0.001	0.11	<0.1	<0.01	<0.1	<0.05	5.5	<0.5	7	<0.2
578009	Rock	0.029	7	3	0.06	63	0.007	<20	0.45	0.005	0.29	0.2	<0.01	0.5	0.78	0.4	0.6	1	<0.2
578010	Rock	0.025	12	5	0.07	73	0.001	<20	0.55	0.016	0.31	<0.1	<0.01	0.5	0.91	0.4	1.5	2	<0.2
578011	Rock	0.029	6	3	0.22	47	0.014	<20	1.14	0.077	0.27	0.2	<0.01	0.3	0.13	0.5	<0.5	3	<0.2
578012	Rock	0.039	5	2	0.11	50	0.004	<20	1.22	0.128	0.27	0.4	<0.01	0.5	5.03	0.5	<0.5	2	<0.2
578013	Rock	0.087	10	2	0.47	57	0.031	<20	1.57	0.095	0.20	0.4	<0.01	0.2	0.94	2.7	0.7	8	<0.2
578014	Rock	0.094	10	3	0.64	44	0.109	<20	2.12	0.267	0.08	0.7	<0.01	<0.1	0.83	3.0	0.6	10	<0.2
578015	Rock	0.028	13	19	0.28	32	0.075	<20	1.04	0.146	0.16	0.5	<0.01	0.1	0.20	2.4	<0.5	7	<0.2
578016	Rock	0.073	8	6	0.61	63	0.070	<20	1.74	0.154	0.28	0.1	<0.01	0.4	<0.05	2.2	<0.5	7	<0.2
578017	Rock	0.001	39	4	<0.01	15	0.004	<20	0.37	0.099	0.14	<0.1	<0.01	<0.1	0.05	1.7	1.0	3	<0.2
578018	Rock	0.006	4	5	0.17	34	0.007	<20	2.66	0.071	0.22	<0.1	<0.01	0.1	0.48	0.6	<0.5	6	<0.2
578019	Rock	0.089	5	34	1.02	74	0.095	<20	3.38	0.381	0.21	0.3	<0.01	0.3	0.64	3.6	<0.5	10	<0.2
578020	Rock	0.088	5	12	0.53	56	0.090	<20	1.77	0.152	0.10	0.3	<0.01	<0.1	0.34	1.5	<0.5	6	0.7
579851	Rock	0.079	7	16	0.61	449	0.007	<20	0.17	0.008	0.01	0.2	<0.01	<0.1	<0.05	1.3	<0.5	<1	2.9
579852	Rock	0.031	<1	35	0.02	15	0.003	<20	0.06	0.003	<0.01	0.1	<0.01	<0.1	<0.05	0.1	0.6	<1	2.4
579853	Rock	0.027	13	17	0.23	54	0.071	<20	0.88	0.143	0.14	0.3	<0.01	0.1	0.37	3.0	<0.5	6	<0.2
579854	Rock	0.029	15	18	0.22	32	0.079	<20	0.79	0.134	0.17	0.5	<0.01	0.2	0.41	2.9	<0.5	5	<0.2
579855	Rock	0.041	11	6	0.41	52	0.050	<20	1.32	0.084	0.16	0.2	<0.01	<0.1	0.09	1.3	<0.5	5	<0.2
579856	Rock	0.024	12	15	0.17	24	0.083	<20	0.58	0.118	0.15	0.4	<0.01	0.2	0.42	3.0	<0.5	5	<0.2
579857	Rock	0.028	11	16	0.19	35	0.081	<20	0.74	0.145	0.15	0.3	<0.01	0.1	0.30	3.2	<0.5	5	<0.2
579858	Rock	0.014	9	5	0.09	121	0.004	<20	0.58	0.051	0.15	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	2	<0.2
579859	Rock	0.055	8	8	0.41	62	0.040	<20	1.35	0.114	0.19	0.2	<0.01	<0.1	0.22	1.4	<0.5	5	<0.2
579860	Rock	0.004	4	11	<0.01	95	0.002	<20	0.21	0.005	0.19	0.5	0.05	<0.1	0.13	0.2	<0.5	<1	<0.2
579861	Rock	0.033	4	19	0.19	46	0.035	<20	0.57	0.029	0.12	0.5	<0.01	<0.1	0.48	1.0	1.0	3	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Central Resources Corporation**
510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC
Report Date: August 16, 2011

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

WHI11000525.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
579862	Rock	1.13	15	0.2	6.5	12.2	34	<0.1	2.5	10.4	271	1.47	2.1	11.4	4.1	38	<0.1	0.4	0.1	14
579863	Rock	2.99	37	4.0	4.6	13.6	10	1.6	1.3	0.2	21	0.51	66.3	30.1	8.8	3	<0.1	1.0	0.2	<2
579864	Rock	1.73	<2	1.4	4.9	44.2	87	0.4	8.5	3.7	285	0.78	6.2	<0.5	5.3	31	1.0	0.2	0.2	<2
579865	Rock	1.12	90	1.0	1.7	3.9	2	1.3	0.5	0.1	17	0.21	182.6	84.0	1.9	2	<0.1	2.3	<0.1	<2
579866	Rock	1.19	227	2.0	1.6	4.4	1	0.7	0.7	0.2	20	0.32	643.2	227.8	1.3	3	<0.1	4.3	0.1	<2
579867	Rock	1.28	212	3.4	22.0	14.2	21	1.6	14.9	5.3	26	1.87	3842	227.1	4.6	5	0.2	37.4	0.2	8
579868	Rock	2.26	470	7.8	41.4	62.9	245	1.1	18.3	8.1	42	2.28	3900	463.7	6.3	5	1.3	48.2	0.4	6
579869	Rock	4.74	312	4.6	59.9	45.7	74	2.5	24.3	11.3	571	3.65	1259	259.2	2.8	33	0.2	20.6	0.3	35
579870	Rock	2.90	205	1.2	3.6	15.2	14	2.3	1.3	1.6	22	0.90	1713	186.2	7.4	7	<0.1	13.8	<0.1	2
579871	Rock	6.19	425	23.5	3.0	14.0	8	3.0	1.7	1.5	28	0.99	1597	400.1	7.0	9	<0.1	17.7	<0.1	2
579872	Rock	1.34	18	10.9	4.1	10.8	108	0.5	0.1	3.8	553	3.08	69.6	18.8	4.4	46	0.2	0.8	<0.1	<2
579873	Rock	3.94	433	20.5	6.4	39.1	148	7.8	24.4	4.4	264	5.35	1252	432.5	1.5	18	2.3	46.8	0.2	28
579874	Rock	2.91	777	0.3	12.3	11.2	90	>100	50.1	14.6	71	0.70	157.1	622.4	0.4	7	1.4	16.7	<0.1	7
579875	Rock	2.52	21	4.3	45.8	5.9	37	1.1	29.5	1.2	52	0.81	126.0	11.6	2.5	14	0.2	4.7	<0.1	18
579876	Rock	0.74	2	1.2	0.1	8.9	71	<0.1	0.2	0.2	76	1.28	2.9	1.3	10.6	5	0.3	0.1	<0.1	<2
579877	Rock	0.91	4	2.5	<0.1	23.3	66	0.2	0.9	0.5	167	0.87	1.4	0.6	7.5	5	0.2	<0.1	<0.1	4
579878	Rock	0.85	22	0.3	1.1	10.7	1423	0.5	0.2	2.4	8913	11.27	1.5	19.8	8.1	5	4.8	<0.1	1.3	3
579879	Rock	2.00	3	0.6	780.1	583.1	894	24.9	<0.1	0.1	209	4.74	3.0	3.1	5.5	3	0.3	<0.1	27.6	2
579880	Rock	1.04	<2	2.7	23.2	7.5	38	0.6	5.3	4.2	406	2.52	4.2	<0.5	2.8	78	<0.1	0.6	0.3	47
579881	Rock	0.92	<2	1.0	3.6	7.8	79	0.2	1.9	1.2	317	1.72	1.6	1.7	7.8	15	0.1	0.3	0.1	11
579882	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Central Resources Corporation**
510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC
Report Date: August 16, 2011

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

WHI11000525.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
579862	Rock	0.059	9	8	0.33	91	0.049	<20	0.85	0.087	0.17	<0.1	<0.01	<0.1	<0.05	1.1	<0.5	3
579863	Rock	0.008	9	5	0.02	53	<0.001	<20	0.38	0.005	0.25	<0.1	<0.01	0.2	<0.05	0.4	<0.5	<1
579864	Rock	0.021	6	6	0.13	73	0.003	<20	1.24	0.076	0.39	<0.1	<0.01	0.2	0.11	0.5	<0.5	3
579865	Rock	0.005	7	5	0.02	38	<0.001	<20	0.28	0.006	0.23	<0.1	<0.01	0.2	<0.05	0.2	<0.5	<1
579866	Rock	0.016	4	11	<0.01	34	<0.001	<20	0.21	0.003	0.16	<0.1	<0.01	0.1	<0.05	0.5	<0.5	<1
579867	Rock	0.060	9	11	0.03	51	0.015	<20	0.42	0.005	0.27	0.4	0.01	0.8	1.30	0.8	1.8	1
579868	Rock	0.045	7	9	0.04	55	0.019	<20	0.34	0.003	0.23	0.3	0.04	0.6	2.21	0.6	1.0	<1
579869	Rock	0.116	4	56	0.57	41	0.121	<20	1.56	0.020	0.21	1.1	<0.01	0.7	0.49	2.7	0.8	5
579870	Rock	0.034	6	3	0.03	62	0.003	<20	0.42	0.006	0.22	0.2	0.01	0.2	0.56	0.3	<0.5	1
579871	Rock	0.026	9	6	0.03	86	0.003	<20	0.42	0.005	0.25	0.2	0.01	0.4	0.63	0.4	<0.5	1
579872	Rock	0.065	10	7	0.35	57	0.158	<20	1.53	0.124	0.12	0.5	<0.01	<0.1	1.59	2.6	<0.5	8
579873	Rock	0.049	3	29	1.00	46	0.056	<20	0.75	0.002	0.03	1.4	0.04	0.5	<0.05	2.5	<0.5	3
579874	Rock	0.025	3	21	0.27	11	0.006	<20	0.26	0.002	0.02	0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1
579875	Rock	0.050	8	32	0.11	64	0.023	<20	0.45	0.003	0.13	0.5	<0.01	<0.1	<0.05	1.8	<0.5	1
579876	Rock	0.008	14	7	<0.01	85	0.004	<20	0.31	0.058	0.09	<0.1	<0.01	<0.1	<0.05	3.0	<0.5	2
579877	Rock	0.009	36	10	0.03	69	0.007	<20	0.48	0.058	0.19	<0.1	<0.01	0.2	<0.05	1.1	<0.5	3
579878	Rock	0.003	24	4	0.06	27	0.004	<20	3.52	0.002	0.11	<0.1	0.01	<0.1	<0.05	2.6	<0.5	15
579879	Rock	0.003	13	6	<0.01	91	0.001	<20	0.29	0.008	0.15	<0.1	<0.01	<0.1	0.18	1.6	<0.5	3
579880	Rock	0.106	9	30	0.51	76	0.130	<20	1.02	0.096	0.06	0.2	<0.01	<0.1	0.38	3.6	<0.5	5
579881	Rock	0.023	15	12	0.17	68	0.082	<20	0.82	0.070	0.17	0.3	<0.01	0.1	<0.05	3.7	<0.5	5
579882	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Central Resources Corporation

510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC

Report Date: August 16, 2011

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI11000525.1

	Method Analyte Unit MDL	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
578019	Rock	1.15	6	1.9	49.8	82.3	119	<0.1	14.0	8.9	843	3.09	10.8	3.3	5.3	125	0.5	0.3	0.4	55	1.19
REP 578019	QC			1.7	50.8	82.3	113	0.1	14.0	8.8	872	3.03	11.4	3.1	5.5	131	0.5	0.4	0.4	55	1.18
579859	Rock	2.93	3887	0.6	3.6	5.7	57	0.2	2.5	3.6	327	1.72	19.2	4071	3.0	44	0.1	1.1	<0.1	19	0.35
REP 579859	QC		3846																		
579881	Rock	0.92	<2	1.0	3.6	7.8	79	0.2	1.9	1.2	317	1.72	1.6	1.7	7.8	15	0.1	0.3	0.1	11	0.15
REP 579881	QC			1.0	3.9	7.5	81	0.2	2.1	1.2	325	1.73	1.5	4.2	7.6	14	0.1	0.4	0.1	12	0.15
Core Reject Duplicates																					
578010	Rock	1.06	1099	4.9	5.2	15.3	38	0.8	2.9	3.6	52	1.19	4053	1251	7.9	15	0.1	30.7	0.1	2	0.16
DUP 578010	QC		1141	4.9	4.9	14.4	38	0.8	2.7	3.3	45	1.15	4097	1380	7.5	14	0.2	31.7	0.1	<2	0.15
579875	Rock	2.52	21	4.3	45.8	5.9	37	1.1	29.5	1.2	52	0.81	126.0	11.6	2.5	14	0.2	4.7	<0.1	18	0.11
DUP 579875	QC		16	3.8	41.4	5.8	33	1.2	27.3	1.2	39	0.70	118.0	5.7	2.4	14	0.2	4.7	<0.1	17	0.11
Reference Materials																					
STD DS8	Standard			13.4	111.1	135.9	324	1.9	39.9	8.0	616	2.50	27.6	114.9	7.4	67	2.5	4.9	6.7	41	0.74
STD DS8	Standard			14.0	110.0	118.6	323	1.7	37.2	7.8	639	2.51	28.2	86.9	6.1	69	2.3	4.7	5.5	43	0.73
STD DS8	Standard			13.8	114.9	126.6	309	1.5	39.2	7.9	619	2.48	28.0	99.0	5.8	63	2.5	4.2	6.2	40	0.70
STD OREAS45CA	Standard			1.0	507.6	20.6	60	0.3	249.4	92.7	907	16.16	4.2	39.7	6.9	14	0.1	0.1	0.2	207	0.43
STD OREAS45CA	Standard			0.9	522.2	20.2	61	0.2	261.4	89.6	940	16.58	4.4	38.7	7.0	15	<0.1	0.1	0.3	217	0.40
STD OREAS45CA	Standard			0.9	511.2	20.8	67	<0.1	251.1	97.3	941	16.62	4.6	40.1	6.8	16	0.1	<0.1	0.2	230	0.40
STD OXC88	Standard		205																		
STD OXC88	Standard		194																		
STD OXC88	Standard		207																		
STD OXC88	Standard		191																		
STD OXH82	Standard		1298																		
STD OXH82	Standard		1302																		
STD OXH82	Standard		1287																		
STD OXH82	Standard		1362																		
STD OXC88 Expected			203																		
STD OXH82 Expected			1278																		



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Central Resources Corporation

510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC

Report Date: August 16, 2011

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI11000525.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1
Pulp Duplicates																		
578019	Rock	0.089	5	34	1.02	74	0.095	<20	3.38	0.381	0.21	0.3	<0.01	0.3	0.64	3.6	<0.5	10
REP 578019	QC	0.089	5	35	1.03	78	0.099	<20	3.41	0.388	0.20	0.3	<0.01	0.3	0.63	3.7	<0.5	10
579859	Rock	0.055	8	8	0.41	62	0.040	<20	1.35	0.114	0.19	0.2	<0.01	<0.1	0.22	1.4	<0.5	5
REP 579859	QC																	
579881	Rock	0.023	15	12	0.17	68	0.082	<20	0.82	0.070	0.17	0.3	<0.01	0.1	<0.05	3.7	<0.5	5
REP 579881	QC	0.023	14	15	0.17	72	0.081	<20	0.83	0.071	0.17	0.3	<0.01	0.1	<0.05	3.3	<0.5	6
Core Reject Duplicates																		
578010	Rock	0.025	12	5	0.07	73	0.001	<20	0.55	0.016	0.31	<0.1	<0.01	0.5	0.91	0.4	1.5	2
DUP 578010	QC	0.028	11	5	0.06	59	0.001	<20	0.47	0.014	0.27	0.1	<0.01	0.5	0.92	0.3	1.0	1
579875	Rock	0.050	8	32	0.11	64	0.023	<20	0.45	0.003	0.13	0.5	<0.01	<0.1	<0.05	1.8	<0.5	1
DUP 579875	QC	0.045	7	27	0.10	56	0.020	<20	0.40	0.003	0.11	0.3	<0.01	<0.1	<0.05	1.6	<0.5	1
Reference Materials																		
STD DS8	Standard	0.080	15	112	0.61	307	0.115	<20	0.93	0.093	0.43	2.9	0.20	5.5	0.17	2.0	5.4	5
STD DS8	Standard	0.078	15	122	0.62	299	0.119	<20	0.93	0.091	0.36	2.4	0.16	5.2	0.17	2.0	5.8	5
STD DS8	Standard	0.079	13	109	0.62	285	0.105	<20	0.95	0.100	0.42	2.7	0.21	5.5	0.16	2.0	5.8	4
STD OREAS45CA	Standard	0.039	16	724	0.15	164	0.127	<20	3.62	0.010	0.07	<0.1	0.02	<0.1	<0.05	36.6	0.8	18
STD OREAS45CA	Standard	0.036	16	732	0.14	163	0.144	<20	3.82	0.007	0.06	<0.1	0.03	<0.1	<0.05	37.6	<0.5	19
STD OREAS45CA	Standard	0.037	15	765	0.14	163	0.126	<20	3.87	0.007	0.07	<0.1	0.04	<0.1	<0.05	36.7	0.8	20
STD OXC88	Standard																	
STD OXC88	Standard																	
STD OXC88	Standard																	
STD OXC88	Standard																	
STD OXH82	Standard																	
STD OXH82	Standard																	
STD OXH82	Standard																	
STD OXH82	Standard																	
STD OXC88 Expected																		
STD OXH82 Expected																		



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Central Resources Corporation**

510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC

Report Date: August 16, 2011

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

WHI11000525.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS8 Expected				13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	4.8	6.67	41.1	0.7
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	43	7	15	0.1	0.13	0.19	215	0.4265
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.03	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank		2	0.1	1.6	3.4	46	<0.1	3.6	4.3	575	1.97	<0.5	<0.5	5.4	71	<0.1	<0.1	<0.1	36	0.56
G1	Prep Blank		<2	0.1	1.4	2.9	46	<0.1	3.7	4.4	564	1.90	<0.5	<0.5	4.9	63	<0.1	<0.1	<0.1	35	0.50



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Central Resources Corporation**

510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC

Report Date: August 16, 2011

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

WHI11000525.1

		1DX P %	1DX La ppm	1DX Cr ppm	1DX Mg %	1DX Ba ppm	1DX Ti %	1DX B ppm	1DX Al %	1DX Na %	1DX K %	1DX W ppm	1DX Hg ppm	1DX Tl ppm	1DX S %	1DX Sc ppm	1DX Se ppm	1DX Ga ppm	1DX Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	5.4	0.1679	2.3	5.23	4.7	5
STD OREAS45CA Expected		0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																			
G1	Prep Blank	0.077	11	11	0.60	230	0.131	<20	1.09	0.114	0.47	<0.1	0.02	0.3	<0.05	1.9	<0.5	5	<0.2
G1	Prep Blank	0.076	9	10	0.59	212	0.126	<20	1.02	0.100	0.47	<0.1	0.01	0.3	<0.05	1.9	<0.5	5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Central Resources Corporation**

510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Submitted By: Paul Reynolds

Receiving Lab: Canada-Whitehorse

Received: July 12, 2011

Report Date: August 09, 2011

Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI11000535.1

CLIENT JOB INFORMATION

Project: TAC
Shipment ID:
P.O. Number
Number of Samples: 74

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Central Resources Corporation
510-1199 West Pender St
Vancouver BC V6E 2R1
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	74	Dry at 60C			WHI
SS80	74	Dry at 60C sieve 100g to -80 mesh			WHI
1DX1	74	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Central Resources Corporation**
510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC
Report Date: August 09, 2011

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI11000535.1

	Method Analyte Unit MDL	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1
578006	Soil	1.6	11.9	35.9	98	0.5	170.6	16.8	620	2.66	4.5	23.3	2.1	43	0.6	0.8	0.2	39	0.40	0.099	13
WP406	Soil	0.9	11.6	24.6	99	0.3	11.1	8.2	448	2.48	3.8	14.9	4.0	28	0.6	0.4	0.2	40	0.23	0.058	14
WP407	Soil	1.4	11.8	24.1	121	0.5	9.6	11.1	2485	1.77	4.1	5.4	1.2	52	1.6	0.4	0.3	33	0.41	0.065	8
WP408	Soil	1.1	14.1	38.5	128	0.5	11.6	7.7	651	2.17	5.3	59.4	4.2	52	0.8	0.5	0.3	35	0.41	0.076	14
WP409	Soil	2.8	21.4	58.9	166	0.7	11.0	8.9	879	2.34	4.6	12.4	3.1	45	1.1	0.5	1.6	42	0.34	0.060	13
WP411	Soil	1.0	13.3	32.2	137	1.1	10.3	6.2	428	2.05	4.1	65.1	3.1	35	0.9	0.3	0.5	32	0.25	0.050	14
WP412	Soil	1.2	13.6	29.7	130	0.6	11.6	7.7	409	2.37	4.1	13.6	3.9	34	0.9	0.3	0.4	44	0.26	0.045	11
WP413	Soil	2.2	21.6	63.4	157	3.2	10.7	9.5	663	2.87	52.5	296.4	1.2	79	0.8	8.4	0.4	39	0.26	0.090	15
WP414	Soil	1.8	18.6	33.4	123	1.0	8.9	8.1	542	2.09	12.2	142.0	0.8	50	1.1	1.4	0.3	36	0.27	0.079	12
WP415	Soil	1.6	24.4	43.3	146	0.7	11.7	9.9	652	2.34	7.6	56.0	2.2	60	1.2	0.7	0.5	41	0.33	0.073	13
WP416	Soil	1.4	22.2	42.4	161	1.2	10.8	7.3	431	2.26	7.2	68.7	0.9	66	1.4	0.7	0.5	41	0.41	0.068	8
WP417	Soil	2.0	16.7	53.5	205	0.5	9.9	6.4	723	2.35	4.4	3.4	6.6	32	1.3	0.2	0.4	33	0.37	0.085	46
WP418	Soil	4.2	16.3	60.7	217	0.5	9.6	6.1	681	2.71	4.8	1.6	7.8	31	1.4	0.2	0.6	39	0.36	0.087	43
WP440	Soil	3.5	26.7	150.3	404	0.7	7.4	4.6	1315	2.40	4.5	2.1	7.8	21	2.0	<0.1	1.4	22	0.24	0.060	77
WP442	Soil	5.9	16.5	88.8	271	0.3	6.3	4.8	1217	2.41	4.7	<0.5	8.3	18	2.2	0.2	0.5	23	0.22	0.055	68
WP444	Soil	3.7	24.2	97.1	630	0.9	14.5	7.3	820	2.65	5.5	2.4	14.7	32	2.9	0.1	1.0	25	0.32	0.074	210
J1	Soil	0.6	10.0	18.5	80	0.2	10.0	5.7	300	2.21	3.6	17.5	3.8	28	0.4	0.3	0.2	44	0.29	0.054	12
J2	Soil	0.7	10.2	22.0	67	0.3	11.0	8.3	405	2.25	5.4	6.6	5.4	24	0.4	0.3	0.3	42	0.27	0.095	16
J3	Soil	0.4	9.4	16.7	92	0.3	9.4	5.5	276	2.04	3.1	2.9	3.1	24	0.4	0.2	0.2	35	0.25	0.076	10
J4	Soil	0.8	8.8	15.1	84	0.3	8.5	5.5	566	2.00	3.4	8.9	3.2	25	0.5	0.2	0.2	33	0.22	0.109	10
J5	Soil	0.6	7.6	11.8	80	0.3	7.5	5.2	269	2.01	2.8	5.1	3.7	23	0.5	0.3	0.2	37	0.22	0.044	10
J6	Soil	0.5	5.6	11.1	66	0.1	6.4	3.9	347	1.50	1.8	<0.5	3.3	31	0.4	0.1	0.1	28	0.29	0.066	10
J7	Soil	0.4	6.9	12.9	68	0.3	7.1	3.9	255	1.73	2.6	13.3	5.5	28	0.3	0.3	0.1	32	0.23	0.047	10
J8	Soil	0.7	10.2	18.3	80	0.3	11.1	5.7	327	2.19	3.7	2.7	4.0	31	0.7	0.2	0.2	38	0.24	0.063	12
J9	Soil	0.6	9.4	16.3	89	0.2	10.7	7.3	732	2.04	3.0	6.1	3.0	50	0.8	0.2	0.2	35	0.40	0.103	10
J10	Soil	1.6	10.6	20.8	94	0.4	11.0	12.6	1012	2.46	3.7	1.4	3.6	32	0.5	0.2	0.2	46	0.26	0.049	11
J11	Soil	0.7	10.4	17.9	72	0.6	9.9	6.9	361	2.14	4.1	<0.5	4.6	34	0.3	0.2	0.2	39	0.30	0.084	17
J12	Soil	0.6	9.6	14.8	71	0.2	11.8	6.6	349	2.13	3.9	<0.5	4.2	37	0.3	0.1	0.1	37	0.35	0.068	13
J13	Soil	0.4	6.8	13.3	58	<0.1	7.4	4.7	338	1.62	3.2	2.4	3.3	35	0.2	0.2	0.1	28	0.28	0.056	11
K1	Soil	1.4	21.9	23.2	94	0.7	10.8	11.8	462	2.90	13.2	131.9	1.8	63	0.3	1.1	0.4	41	0.28	0.113	12



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Central Resources Corporation**
510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC
Report Date: August 09, 2011

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI11000535.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
578006	Soil	71	1.47	113	0.047	<20	1.81	0.014	0.12	0.4	0.03	2.1	<0.1	<0.05	5	<0.5
WP406	Soil	19	0.55	86	0.074	<20	1.67	0.009	0.20	0.7	0.03	2.1	0.1	<0.05	6	<0.5
WP407	Soil	15	0.33	314	0.052	<20	1.10	0.011	0.14	0.3	0.07	1.3	0.1	0.09	5	<0.5
WP408	Soil	19	0.54	135	0.050	<20	1.61	0.010	0.25	3.3	0.02	1.8	0.1	0.06	6	<0.5
WP409	Soil	20	0.55	135	0.056	<20	1.59	0.010	0.15	0.3	0.04	1.8	0.1	0.05	6	<0.5
WP411	Soil	18	0.49	90	0.041	<20	1.55	0.009	0.12	1.3	0.05	1.7	<0.1	<0.05	6	<0.5
WP412	Soil	22	0.51	127	0.063	<20	1.76	0.009	0.15	0.4	0.02	1.9	0.1	0.08	6	<0.5
WP413	Soil	19	0.43	182	0.039	<20	1.86	0.023	0.15	10.7	0.06	1.3	<0.1	0.19	6	0.6
WP414	Soil	16	0.43	128	0.040	<20	1.71	0.013	0.10	11.0	0.06	1.2	0.1	0.10	5	<0.5
WP415	Soil	18	0.54	125	0.054	<20	2.03	0.010	0.14	1.3	0.04	1.7	0.2	0.07	7	<0.5
WP416	Soil	20	0.49	115	0.053	<20	1.55	0.009	0.21	1.5	0.05	1.3	0.1	0.06	6	<0.5
WP417	Soil	18	0.42	101	0.045	<20	1.42	0.014	0.10	0.2	0.03	2.3	0.1	0.07	5	<0.5
WP418	Soil	21	0.40	99	0.049	<20	1.29	0.014	0.10	0.1	<0.01	2.2	0.1	<0.05	5	<0.5
WP440	Soil	<1	0.23	75	0.028	<20	1.68	0.009	0.09	0.1	0.03	2.6	0.2	<0.05	7	0.9
WP442	Soil	14	0.22	93	0.035	<20	1.07	0.009	0.08	<0.1	<0.01	2.4	0.2	<0.05	5	<0.5
WP444	Soil	16	0.29	125	0.038	<20	2.69	0.012	0.12	<0.1	0.05	3.9	0.2	<0.05	9	1.1
J1	Soil	20	0.55	87	0.082	<20	1.94	0.013	0.11	<0.1	0.03	2.5	<0.1	<0.05	7	<0.5
J2	Soil	19	0.38	110	0.061	<20	2.10	0.010	0.12	0.2	0.04	2.1	0.1	0.05	6	<0.5
J3	Soil	18	0.41	103	0.061	<20	1.83	0.011	0.14	0.1	0.02	1.8	<0.1	<0.05	6	<0.5
J4	Soil	17	0.36	98	0.059	<20	1.60	0.010	0.11	0.2	0.02	1.8	0.1	0.05	6	<0.5
J5	Soil	17	0.38	82	0.083	<20	1.35	0.011	0.14	0.1	0.02	1.8	<0.1	<0.05	6	<0.5
J6	Soil	14	0.33	64	0.064	<20	1.18	0.010	0.11	<0.1	0.02	1.5	<0.1	<0.05	5	<0.5
J7	Soil	15	0.37	73	0.061	<20	1.41	0.009	0.10	<0.1	0.02	1.6	<0.1	<0.05	5	<0.5
J8	Soil	20	0.47	98	0.075	<20	1.55	0.010	0.19	<0.1	0.03	1.9	<0.1	<0.05	6	<0.5
J9	Soil	19	0.46	128	0.056	<20	1.37	0.010	0.18	0.2	0.02	1.6	0.1	0.06	6	<0.5
J10	Soil	20	0.47	129	0.089	<20	1.51	0.012	0.13	0.3	0.04	2.0	0.1	<0.05	7	<0.5
J11	Soil	18	0.47	104	0.062	<20	1.89	0.013	0.10	0.3	0.04	2.0	<0.1	0.06	6	<0.5
J12	Soil	19	0.53	92	0.061	<20	1.81	0.014	0.12	0.5	0.02	2.0	<0.1	<0.05	6	<0.5
J13	Soil	12	0.39	53	0.046	<20	1.30	0.010	0.07	0.4	0.01	1.5	<0.1	0.06	4	<0.5
K1	Soil	18	0.49	154	0.053	<20	1.93	0.017	0.14	3.7	0.03	1.7	0.1	0.12	6	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Central Resources Corporation**
510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC
Report Date: August 09, 2011

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI11000535.1

	Method Analyte Unit MDL	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1
K2	Soil	0.6	8.2	11.8	113	0.2	7.1	5.3	424	1.82	2.6	6.0	1.4	32	0.5	0.4	0.2	30	0.26	0.073	10
K3	Soil	0.7	6.7	12.5	87	0.2	8.5	6.0	274	1.79	2.2	5.6	2.3	25	0.4	0.2	0.2	37	0.19	0.031	8
K4	Soil	1.2	9.4	19.1	75	0.3	8.1	5.8	638	1.77	4.0	7.2	2.3	38	0.2	0.2	0.2	35	0.22	0.035	12
K5	Soil	0.5	5.9	10.0	72	0.1	6.5	4.6	275	1.47	1.6	4.3	2.6	27	0.4	0.2	0.1	27	0.23	0.051	10
K6	Soil	0.6	9.7	16.7	82	0.1	8.9	6.5	383	2.02	3.7	6.6	2.3	23	0.6	0.2	0.2	38	0.23	0.079	10
K7	Soil	1.5	11.2	19.6	109	0.2	9.8	10.6	1677	1.96	3.3	4.7	1.0	22	0.8	0.3	0.3	36	0.15	0.061	8
K8	Soil	0.4	5.9	8.9	57	<0.1	6.3	3.6	172	1.56	2.0	4.5	2.2	27	0.4	0.4	0.1	30	0.19	0.032	8
K9	Soil	0.6	8.1	13.3	62	0.3	7.6	4.9	508	1.52	2.8	5.0	1.1	30	0.5	0.4	0.1	26	0.24	0.082	10
K10	Soil	0.4	8.3	11.6	61	0.2	7.8	4.9	328	1.76	2.7	3.5	3.7	28	0.3	0.2	0.1	32	0.28	0.065	12
K11	Soil	1.2	15.1	23.2	137	0.8	20.4	8.0	496	2.79	3.9	14.7	5.4	74	0.4	0.4	0.2	44	0.50	0.062	19
K12	Soil	0.8	7.9	12.4	62	0.4	8.1	3.9	212	1.67	3.5	3.4	1.4	18	0.5	0.3	0.2	29	0.16	0.048	8
K13	Soil	0.8	9.9	16.6	90	0.8	10.8	6.3	390	2.35	4.2	9.3	2.0	31	0.4	0.4	0.2	39	0.20	0.043	10
WP1010	Soil	1.8	12.5	54.3	79	0.4	11.4	5.5	428	2.08	17.7	6.8	0.6	44	0.6	0.6	0.3	33	0.53	0.078	11
WP1011	Soil	1.0	12.5	20.5	78	0.4	9.7	5.7	409	1.94	16.8	9.1	0.9	15	0.4	1.4	0.2	27	0.20	0.078	12
WP1012	Soil	1.7	10.8	23.7	69	0.5	8.9	6.1	765	2.15	43.6	9.9	0.4	27	0.2	1.5	0.3	27	0.29	0.061	11
WP1013	Soil	2.3	15.8	34.6	91	0.6	8.9	4.6	283	2.00	90.4	21.3	1.2	33	0.6	2.5	0.3	21	0.24	0.075	11
WP1014	Soil	2.0	16.2	25.7	96	1.7	13.4	4.6	320	2.05	114.6	29.0	0.3	31	1.0	2.5	0.4	28	0.23	0.086	12
WP1015	Soil	1.4	11.3	28.6	80	1.4	10.6	7.2	673	1.67	120.6	43.6	6.8	25	0.2	2.4	0.3	13	0.28	0.053	19
WP1016	Soil	4.4	25.9	47.9	111	17.5	18.7	13.4	1070	2.46	701.5	506.0	2.4	33	0.7	11.9	0.4	22	0.28	0.098	29
WP1017	Soil	2.8	11.5	36.2	69	7.6	8.6	6.5	539	1.76	528.0	164.2	6.3	29	0.2	7.3	0.3	14	0.21	0.049	16
WP1019	Soil	3.9	30.3	69.4	200	0.7	16.4	15.1	1726	3.20	37.0	6.1	4.5	19	1.4	1.0	0.5	36	0.18	0.057	21
WP1020	Soil	1.3	14.9	22.5	124	0.7	14.2	6.4	588	2.46	42.4	9.6	1.1	18	1.3	1.0	0.4	43	0.18	0.056	8
WP1021	Soil	1.5	16.1	30.6	77	1.4	12.6	3.7	233	1.74	26.0	10.0	1.8	22	0.4	0.7	0.6	33	0.26	0.046	17
WP1022	Soil	1.3	12.8	23.8	83	1.0	13.0	7.1	304	2.73	35.6	13.5	3.8	19	0.6	0.7	0.4	49	0.19	0.047	12
WP1023	Soil	1.3	18.4	29.4	109	0.8	17.6	7.9	445	2.70	14.6	7.3	2.5	21	0.9	0.4	0.4	46	0.19	0.044	11
WP1024	Soil	1.5	13.2	80.0	112	1.6	10.1	8.7	1256	1.14	15.2	4.5	1.6	27	1.3	0.4	0.5	8	0.20	0.037	23
WP1026	Soil	1.1	20.1	40.7	115	0.7	17.7	10.5	655	2.58	27.8	9.5	6.0	29	0.8	0.9	0.4	34	0.41	0.066	18
WP1075	Soil	1.1	11.2	14.8	108	0.7	10.7	6.1	443	1.96	19.9	119.1	0.9	58	2.0	1.0	0.3	33	0.42	0.080	20
WP1076	Soil	1.2	12.4	20.2	110	0.7	11.4	6.3	487	2.08	16.2	46.8	1.4	49	0.8	0.9	0.2	35	0.35	0.081	18
WP1078	Soil	2.6	22.4	149.9	136	0.7	12.2	7.5	661	1.87	5.6	30.6	7.4	42	0.8	0.5	0.4	32	0.39	0.093	18



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Central Resources Corporation**
510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC
Report Date: August 09, 2011

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI11000535.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
K2	Soil	15	0.36	106	0.053	<20	1.23	0.010	0.14	0.2	0.01	1.2	<0.1	<0.05	5	<0.5
K3	Soil	16	0.37	98	0.084	<20	0.96	0.010	0.14	0.1	0.02	1.5	<0.1	<0.05	6	<0.5
K4	Soil	15	0.33	113	0.062	<20	1.28	0.010	0.12	0.3	0.02	1.5	<0.1	<0.05	6	<0.5
K5	Soil	13	0.36	57	0.058	<20	0.94	0.008	0.18	0.1	0.01	1.1	<0.1	<0.05	4	<0.5
K6	Soil	17	0.42	111	0.057	<20	1.43	0.013	0.11	0.1	0.03	1.5	<0.1	<0.05	6	<0.5
K7	Soil	17	0.35	134	0.060	<20	1.35	0.012	0.11	0.2	0.04	1.2	0.1	0.05	6	0.5
K8	Soil	14	0.33	61	0.062	<20	1.00	0.008	0.11	0.1	0.03	1.2	<0.1	<0.05	5	<0.5
K9	Soil	14	0.30	72	0.038	<20	1.16	0.009	0.08	0.2	0.03	1.1	<0.1	<0.05	4	<0.5
K10	Soil	15	0.39	74	0.061	<20	1.19	0.011	0.09	0.6	0.02	1.4	<0.1	<0.05	5	<0.5
K11	Soil	36	0.86	134	0.069	<20	2.66	0.017	0.16	0.3	0.04	2.7	0.1	<0.05	9	<0.5
K12	Soil	14	0.31	46	0.043	<20	1.30	0.010	0.08	1.2	0.04	1.3	0.1	<0.05	5	<0.5
K13	Soil	22	0.46	89	0.046	<20	1.97	0.010	0.07	0.5	0.05	1.7	0.1	<0.05	7	<0.5
WP1010	Soil	19	0.43	98	0.020	<20	1.65	0.014	0.10	0.2	0.07	0.9	0.2	0.06	6	<0.5
WP1011	Soil	14	0.41	82	0.031	<20	1.42	0.009	0.11	0.1	0.03	1.0	0.1	<0.05	4	0.6
WP1012	Soil	14	0.35	116	0.017	<20	1.47	0.010	0.10	0.2	0.04	0.6	0.2	<0.05	5	<0.5
WP1013	Soil	11	0.32	115	0.032	<20	1.40	0.010	0.11	0.2	0.05	1.0	0.2	0.06	4	<0.5
WP1014	Soil	11	0.38	140	0.026	<20	1.47	0.013	0.11	0.1	0.05	0.8	0.2	0.13	5	<0.5
WP1015	Soil	11	0.32	100	0.022	<20	1.23	0.008	0.15	0.2	0.04	1.4	0.3	<0.05	4	<0.5
WP1016	Soil	23	0.31	154	0.020	<20	1.52	0.009	0.15	0.3	0.29	1.3	0.5	0.13	4	0.5
WP1017	Soil	10	0.36	97	0.018	<20	1.58	0.013	0.19	0.3	0.04	1.2	0.6	0.05	4	<0.5
WP1019	Soil	20	0.40	93	0.061	<20	2.01	0.010	0.08	0.5	0.08	2.6	0.2	<0.05	7	0.6
WP1020	Soil	23	0.45	171	0.073	<20	1.57	0.008	0.13	0.2	0.04	1.5	0.2	0.06	7	<0.5
WP1021	Soil	18	0.32	149	0.047	<20	1.30	0.010	0.09	0.2	0.06	1.7	0.2	<0.05	6	<0.5
WP1022	Soil	21	0.49	110	0.090	<20	2.16	0.012	0.10	0.2	0.08	2.3	0.1	<0.05	7	<0.5
WP1023	Soil	26	0.59	95	0.085	<20	2.20	0.012	0.14	0.2	0.08	2.1	0.1	0.06	7	<0.5
WP1024	Soil	11	0.23	143	0.011	<20	1.23	0.005	0.11	0.2	0.06	1.0	0.4	<0.05	4	<0.5
WP1026	Soil	19	0.56	126	0.047	<20	2.07	0.009	0.17	0.2	0.06	2.3	0.3	<0.05	5	<0.5
WP1075	Soil	18	0.46	91	0.036	<20	1.62	0.011	0.11	2.4	0.02	1.4	<0.1	0.05	6	<0.5
WP1076	Soil	22	0.47	104	0.040	<20	1.80	0.012	0.12	1.4	0.01	1.9	<0.1	<0.05	5	<0.5
WP1078	Soil	19	0.51	79	0.042	<20	1.27	0.010	0.16	1.2	0.03	1.8	<0.1	<0.05	5	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Central Resources Corporation
510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC
Report Date: August 09, 2011

Page: 4 of 4 **Part** 1

CERTIFICATE OF ANALYSIS

WHI11000535.1

	Method Analyte Unit MDL	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1
WP1079	Soil	4.0	189.5	714.4	229	4.9	12.9	8.6	888	2.52	6.2	39.1	2.9	41	1.3	0.5	0.5	43	0.37	0.088	20
WP1080	Soil	2.1	22.0	48.3	183	0.4	9.3	7.0	728	2.17	3.7	7.2	4.1	31	1.6	0.3	0.4	30	0.33	0.074	31
WP1081	Soil	0.9	14.2	16.1	103	0.4	14.9	10.8	1205	2.16	11.5	19.6	1.7	58	0.7	0.3	0.2	39	0.44	0.078	9
WP1082	Soil	1.2	15.6	22.6	119	0.8	16.2	13.1	1437	2.93	5.9	8.8	2.1	86	1.0	0.3	0.3	56	0.68	0.073	10
WP1083	Soil	0.9	13.1	15.5	84	0.7	13.2	7.1	418	2.41	4.6	9.6	1.5	54	0.3	0.4	0.2	45	0.39	0.057	8
WP1001	Soil	2.8	10.9	31.1	60	3.5	6.6	3.1	368	1.80	526.3	110.0	0.9	26	0.7	3.6	0.4	20	0.16	0.049	12
WP1002	Soil	4.7	38.4	78.7	158	2.7	13.0	14.0	1087	3.50	299.9	122.5	3.4	32	0.6	2.4	0.7	31	0.16	0.082	24
WP1003	Soil	2.8	17.4	39.2	86	0.9	12.6	6.8	659	2.47	95.6	12.5	2.1	22	0.5	1.5	0.5	36	0.20	0.064	15
WP1004	Soil	5.3	8.6	37.0	39	6.3	7.4	3.1	168	2.56	745.4	138.9	7.1	55	0.1	17.9	0.4	15	0.10	0.062	32
WP1005	Soil	1.7	13.1	29.8	75	3.0	10.8	5.2	305	2.24	413.1	157.6	2.0	22	0.3	5.7	0.4	31	0.15	0.056	13
WP1006	Soil	2.1	20.7	33.6	108	0.9	13.6	8.1	670	2.28	117.5	20.3	0.8	27	0.6	2.4	0.5	32	0.24	0.077	12
WP1007	Soil	2.2	12.6	25.9	85	1.2	10.9	6.6	629	1.85	82.2	21.3	0.3	22	0.4	2.2	0.3	23	0.16	0.080	12
WP1008	Soil	3.1	11.7	25.4	79	1.4	9.1	5.3	248	2.42	899.8	109.9	1.4	36	0.3	13.9	0.3	20	0.17	0.063	19
WP1009	Soil	1.3	20.0	22.2	100	1.7	9.8	5.2	503	1.97	32.4	7.7	0.4	49	0.4	1.0	0.3	28	0.57	0.136	17



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Central Resources Corporation

510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC

Report Date: August 09, 2011

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI11000535.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
WP1079	Soil	23	0.62	91	0.055	<20	1.69	0.012	0.15	0.7	0.02	1.9	0.1	<0.05	6	<0.5
WP1080	Soil	17	0.39	92	0.043	<20	1.13	0.012	0.10	0.1	0.04	2.0	0.1	<0.05	4	<0.5
WP1081	Soil	25	0.61	183	0.057	<20	1.52	0.012	0.23	0.5	0.03	1.6	<0.1	0.05	5	<0.5
WP1082	Soil	29	0.84	148	0.080	<20	2.17	0.013	0.38	0.6	0.07	2.4	0.1	<0.05	8	<0.5
WP1083	Soil	23	0.57	96	0.070	<20	1.54	0.010	0.16	1.4	0.03	1.6	0.1	0.05	6	<0.5
WP1001	Soil	9	0.13	132	0.028	<20	0.74	0.009	0.15	0.3	0.04	0.8	0.2	0.11	4	<0.5
WP1002	Soil	17	0.38	119	0.041	<20	1.98	0.017	0.12	0.2	0.05	2.2	0.3	0.13	6	0.6
WP1003	Soil	20	0.38	109	0.041	<20	1.81	0.011	0.09	0.3	0.05	1.6	0.2	0.06	6	0.6
WP1004	Soil	12	0.19	307	0.010	<20	0.76	0.016	0.29	<0.1	0.03	1.0	0.9	0.45	2	0.6
WP1005	Soil	16	0.36	128	0.036	<20	1.44	0.012	0.13	0.2	0.03	1.3	0.3	0.05	5	<0.5
WP1006	Soil	17	0.43	158	0.044	<20	1.70	0.012	0.09	0.2	0.01	1.3	0.2	<0.05	5	0.6
WP1007	Soil	14	0.34	112	0.016	<20	1.45	0.010	0.09	0.2	<0.01	0.4	0.2	<0.05	4	<0.5
WP1008	Soil	10	0.28	94	0.022	<20	1.00	0.015	0.11	0.2	<0.01	0.8	0.3	0.08	3	<0.5
WP1009	Soil	16	0.40	103	0.013	<20	1.79	0.012	0.09	0.2	0.03	0.5	0.2	0.07	5	0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Central Resources Corporation**

510-1199 West Pender St

Vancouver BC V6E 2R1 Canada

Project: TAC

Report Date: August 09, 2011

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI11000535.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
WP406	Soil	0.9	11.6	24.6	99	0.3	11.1	8.2	448	2.48	3.8	14.9	4.0	28	0.6	0.4	0.2	40	0.23	0.058	14
REP WP406	QC	0.8	12.0	24.4	95	0.3	11.4	8.0	450	2.38	3.9	33.9	3.6	28	0.7	0.4	0.3	40	0.22	0.059	13
WP1024	Soil	1.5	13.2	80.0	112	1.6	10.1	8.7	1256	1.14	15.2	4.5	1.6	27	1.3	0.4	0.5	8	0.20	0.037	23
REP WP1024	QC	1.2	13.7	84.5	117	1.1	8.3	9.2	1362	1.16	15.4	4.7	2.0	26	1.2	0.5	0.4	9	0.21	0.036	21
Reference Materials																					
STD DS8	Standard	13.3	107.4	130.3	327	1.7	38.8	7.7	621	2.56	27.1	109.9	6.7	66	2.1	4.9	6.1	40	0.70	0.082	14
STD DS8	Standard	13.5	108.4	119.8	302	1.7	37.4	7.3	583	2.36	25.6	125.7	6.5	66	2.2	5.2	6.1	42	0.64	0.078	13
STD DS8	Standard	14.2	110.8	124.8	306	1.7	38.4	7.4	608	2.55	24.8	100.2	6.9	66	2.3	5.0	6.0	42	0.68	0.077	14
STD OREAS45CA	Standard	0.9	537.5	22.3	67	0.3	257.5	95.1	1021	17.47	4.4	39.5	7.2	16	0.2	<0.1	0.2	213	0.43	0.040	16
STD OREAS45CA	Standard	0.9	495.1	20.2	57	0.2	234.1	87.2	898	15.46	4.6	38.3	6.8	15	<0.1	<0.1	0.2	199	0.39	0.035	14
STD OREAS45CA	Standard	1.1	528.1	20.6	63	0.3	251.0	92.2	934	17.87	4.9	45.0	7.3	17	0.1	0.2	0.2	209	0.41	0.034	16
STD DS8 Expected		13.44	110	123	312	1.69	38.1	7.5	615	2.46	26	107	6.89	67.7	2.38	4.8	6.67	41.1	0.7	0.08	14.6
STD OREAS45CA Expected		1	494	20	60	0.275	240	92	943	15.69	3.8	43	7	15	0.1	0.13	0.19	215	0.4265	0.0385	15.9
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Central Resources Corporation**

510-1199 West Pender St
Vancouver BC V6E 2R1 Canada

Project: TAC

Report Date: August 09, 2011

Page: 1 of 1 Part 2


QUALITY CONTROL REPORT

WHI11000535.1

	Method Analyte Unit MDL	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
WP406	Soil	19	0.55	86	0.074	<20	1.67	0.009	0.20	0.7	0.03	2.1	0.1	<0.05	6	<0.5	<0.2
REP WP406	QC	19	0.54	87	0.072	<20	1.64	0.010	0.18	0.4	0.03	2.0	<0.1	<0.05	6	<0.5	<0.2
WP1024	Soil	11	0.23	143	0.011	<20	1.23	0.005	0.11	0.2	0.06	1.0	0.4	<0.05	4	<0.5	<0.2
REP WP1024	QC	7	0.24	152	0.011	<20	1.22	0.005	0.12	0.2	0.04	1.0	0.5	<0.05	4	<0.5	<0.2
Reference Materials																	
STD DS8	Standard	111	0.62	294	0.106	<20	0.92	0.082	0.41	2.8	0.20	2.0	5.8	0.18	5	4.9	5.0
STD DS8	Standard	111	0.55	280	0.114	<20	0.85	0.091	0.42	2.4	0.19	2.2	5.0	0.16	4	5.0	4.6
STD DS8	Standard	115	0.61	282	0.113	<20	0.89	0.077	0.42	3.5	0.21	2.0	5.6	0.18	5	4.7	4.8
STD OREAS45CA	Standard	746	0.14	173	0.125	<20	3.75	0.012	0.07	<0.1	0.05	38.4	<0.1	<0.05	20	<0.5	<0.2
STD OREAS45CA	Standard	653	0.14	158	0.130	<20	3.41	0.012	0.07	<0.1	<0.01	33.8	<0.1	<0.05	17	<0.5	<0.2
STD OREAS45CA	Standard	710	0.15	164	0.133	<20	3.71	0.013	0.08	<0.1	0.02	36.7	<0.1	0.05	19	0.9	<0.2
STD DS8 Expected		115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	0.192	2.3	5.4	0.1679	4.7	5.23	5
STD OREAS45CA Expected		709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	39.7	0.07	0.021	18.4	0.5	
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

APPENDIX V

FIGURES





TAC Claims Claim Map

Whitehorse Mining District, Yukon


Figure 2

Scale: 1:50,000 NTS: 105D05, 105D06


Projection: Albers Datum: NAD 83

Alligator Lake

Red claims denotes work done July 6 - 9, 2011




60°20'00"N
135°30'00"W




Geology Legend for Figure 3


Period	Epoch, Age	Group, Plutonic or Volcanic Suite	Map Symbol (Figure 3)	Lithology
Tertiary	Miocene - Pliocene		MPMC	Basalt flows
	Lower Eocene	Skukum Group	IES	Rhyolite and andesite flows, tuffs, breccia, domes, dykes
	Paleocene - Eocene	Nisling Range Plutonic Suite	ETN	Granodiorite, quartz monzonite, quartz diorite
Cretaceous	mid	Whitehorse Pluton	mKW	Granodiorite, quartz diorite
Jurassic	mid	Alligator Quartz Monzonite	MJB	Foliated hornblende quartz monzonite
	early	Long Lake Plutonic Suite	EJga	Grey weathering, coarse grained hornblende-biotite granite and granodiorite with pink K-feldspar megacrysts
Triassic	upper	Povoas Fm	UTrP	Dark green to black, augite phyric basalt, andesite, agglomerate and breccia
Proterozoic - Paleozoic		Nisling Assemblage	PPN	Biotite-muscovite-quartz – feldspar schist, quartzite, micaceous quartzite, chlorite-biotite orthogneiss and crystalline limestone



TAC Claims
Traverse & Sample Locations
Whitehorse Mining District, Yukon
Figure 4
Scale: 1:20,000 NTS: 105D05, 105D06
Projection: UTM Zone 8N Datum: NAD 83

Legend
[Red Outline] TAC Property Outline
Soils
• Soils
▲ Rocks





TAC Claims

Au Rock Geochemistry

No Name Creek Zone

Whitehorse Mining District, Yukon

Figure 6

Scale: 1:2,500 NTS: 105D05, 105D06

Projection: UTM Zone 8N Datum: NAD 83

Sample	Showing	Sample Type	Sample Width	3B Au ppb	1DX As ppm	1Dx Au ppb	1Dx Sb ppm
578002	No Name Creek	Outcrop Grab		2	1.00	8.7	0.7
578003	No Name Creek	Outcrop Grab		11	2.00	2.5	1.4
578004	No Name Creek	Outcrop Grab		108	7.60	85.1	1.1
578005	No Name Creek	Float Grab		1	0.90	0.9	0.05
579858	No Name Creek	Outcrop Grab		197	5.20	176.5	0.8
579859	No Name Creek	Outcrop Grab		3887	19.20	4072	1.1
579860	No Name Creek	Outcrop Grab		657	26.50	1013	1
579861	No Name Creek	Outcrop Grab		257	16.70	338.1	0.9
579862	No Name Creek	Outcrop Grab		15	2.10	11.4	0.4

Legend

TAC Claims Outline_region

Soils

Rocks

