

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOCHEMICAL SAMPLING

at the

JJJ PROPERTY

JJJ 1-24 YD34661-YD34684

NTS 115J/09

Latitude 62°36'N; Longitude 138°14'W

located in the

Whitehorse Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

CENTRAL RESOURCES CORP.
and
STRATEGIC METALS LTD.

by

H. Smith, B.Sc. Geology, P.Geo.
November 2010

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY AND CLIMATE	2
GEOLOGY	3
PROPERTY GEOLOGY	3
REGIONAL MINERALIZATION	4
STREAM SEDIMENT AND SOIL GEOCHEMISTRY	4
DISCUSSION AND CONCLUSIONS	5
REFERENCES	7

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	SAMPLING AND ANALYTICAL PROCEDURES
III	CERTIFICATES OF ANALYSIS

TABLES

I	Lithological Units	2
---	--------------------	---

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	2
4	Geology	3
5	Sample Locations	4
6	Gold Geochemistry	4
7	Arsenic Geochemistry	4
8	Antimony Geochemistry	4

INTRODUCTION

The JJJ property was staked to cover a drainage that had produced a strongly anomalous gold value from a stream sediment sample. The property lies near the centre of the Dawson Range Gold Belt of western Yukon. Central Resources Corp. can earn a 100% interest in the property subject to an option agreement with Strategic Metals Ltd.

This report describes a one day exploration program that was conducted by Archer, Cathro & Associates (1981) Limited in summer 2010 on behalf of Central Resources. The work was performed on July 13 and comprised geochemical sampling. The author directed the program, and her Statement of Qualifications is in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The JJJ property consists of 24 contiguous mineral claims, which are located on NTS map sheet 115J/09 at latitude 62°36' north and longitude 138°14' west (Figure 1). The property covers an area of approximately 486 ha (4.86 sq km). The claims are registered with the Whitehorse Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
JJJ 1-24	YD34661-YD34684	April 29, 2011

* Expiry date does not include 2010 work that has not yet been filed for assessment credit.

Access to and from the property was provided by a Bell 206B helicopter owned and operated by Capital Helicopters (1995) Inc. of Whitehorse from a temporary base at the Klaza Property near the former Mount Nansen Mine. The Klaza property is located 75 km to the southeast of the JJJ property and 70 km by road west of the community of Carmacks.

HISTORY AND PREVIOUS WORK


In 1974, Archer, Cathro & Associates Ltd. conducted regional exploration in the Dawson Range district (including the area now covered by the JJJ property) for the Klotassin Joint Venture (KJV). KJV was made up of Newconex Canadian Exploration Ltd., Marietta Resources International Ltd., and Molybdenum Corporation of America. Work performed included 1:50,000 scale reconnaissance-style prospecting, mapping and soil sampling (Cathro, 1974).

KJV collected 15 soil samples from the area now covered by the JJJ property. Those samples were analyzed for copper, molybdenum, lead and zinc. Compared to regional thresholds, they produced background level values for copper (8 to 34 ppm), lead (14-26 ppm) and molybdenum (0 to 1 ppm), and weakly anomalous values for zinc (39 to 108 ppm). KJV also collected two stream sediment samples that yielded 21 and 7 ppm copper, 18 and 14 ppm lead, 92 and 77 ppm zinc and below detection limit molybdenum (Cathro, 1974).

**CENTRAL RESOURCES CORP.
STRATEGIC METALS LTD.**


FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PROPERTY LOCATION
JJJ PROPERTY



FILE: ...2010/SELWYN/JJJ/FIGURES/LOCATION

DATE: NOV 2010





In 1980, Archer Cathro did work in the Dawson Range as part of the NAT Joint Venture (NAT JV), which comprised Chevron Canada Limited and Armco Mineral Exploration Ltd. Part of the NAT JV program involved reanalyses of over 5000 previously collected geochemical sample splits for gold, silver, arsenic and lead. None of the soil samples collected from the JJJ property were reanalyzed; however, sample splits from the stream sediment samples mentioned above yielded 96 ppb gold and less than 5 ppb gold, respectively. Both samples returned less than 0.4 g/t silver, 25 ppm lead and 10 ppm arsenic (Archer and Onasick, 1980).

In 1986, the Geological Survey of Canada (GSC) conducted a low-density stream sediment and water sampling survey on NTS map sheet 115J (Friske et al., 1986). Although this survey encompassed the JJJ area, none of the creeks draining the property were sampled. A sample taken about 250 m west of the property in an area underlain by the same geological suite as that seen at the JJJ property returned 99th percentile gold (60 ppb). The anomalous sample now lies within First Nations settlement land.

The Yukon Minfile map for NTS sheet 115J shows historical placer gold workings on the Selwyn River down stream from the JJJ property. Work was performed in the late 1930s, but there is no published report of exploration or production activities from this area (Debicki, 1959).

Strategic staked the JJJ claims in April 2010 to cover the gold-in-stream sediment anomaly discovered by NAT JV. Central Resources signed an optional purchase agreement with Strategic in June 2010.



GEOMORPHOLOGY AND CLIMATE

The JJJ property is situated in the central part of the Dawson Range and is drained by creeks that flow directly into the Selwyn River, which is part of the Yukon River watershed. The area escaped Pleistocene glaciation and as a result the landscapes are mature with dendritic drainages forming radial fans off the flanks of upland domes.

The property is characterized by a west facing slope with moderate relief and a broad, approximately north-south trending ridge line. Elevations range from about 850 to 1310 m above sea level. Outcrop is rare.

Most of the property lies below treeline and is thickly vegetated with poplar and spruce trees surrounded by an understory of buckbrush, moss and Labrador tea. Permafrost is prevalent where moss and organic matter exceed 50 cm thickness.

Climate in the JJJ area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, arctic cold fronts often cover the area and snowfall can occur in any month. The property is mostly snow free from late May to late September.



ANCESTRAL NORTH AMERICA

- MP Mackenzie Platform
- SB Selwyn Basin
- RT Richardson Trough

TERRANES

DISPLACED CONTINENTAL MARGIN

- AA Arctic Alaska
- CA Cassiar
- PC Porcupine

PERICRATONIC TERRANES

- YT Yukon-Tanana / Slide Mountain

ACCRETED TERRANES

- ST Stikinia / Cache Creek
- AX Alexander
- WR Wrangellia
- CG Chugach

**CAPITAL RESOURCES CORP.
STRATEGIC METALS LTD.**

FIGURE 3
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**TECTONIC SETTING
JJJ PROPERTY**



DRAWN BY: M.Kammerer

PROJECT: JJJ

FILE:P:\2010\SELWYN\JJJ

DATE: 2010

GEOLOGY

In 1974, the Geological Survey of Canada published a geological map of the Snag area (NTS map sheet 115J) at 1:250,000 scale (Templeman-Kluit, 1974). Also in 1974, KJV performed 1:50,000 scale geological mapping on 115J/09 (Cathro, 1974). In 1995, the Yukon Geological Survey performed 1:100,000 scale geological mapping of 115J/9 and 10 and 115I/12, which includes the JJJ property (Johnston, 1995). Gordey and Makepeace (2003) later completed a Yukon-wide geological compilation, which updated the lithological unit names in the JJJ area.

The JJJ property is located within the Yukon-Tanana Terrane (YTT) as shown on Figure 3. The YTT represents a continental arc that developed along the ancient Pacific margin of North America from late Devonian to Permian. Figure 4 illustrates geology as mapped by KJV. Rock types described during 1974 mapping have been re-assigned to equivalent suites from the current Yukon Geological Survey geological compilation. The four main lithological units are described in the Table I.

Table I – Lithological Units (after Gordey and Makepeace, 2003)



Unit Name	Age	Map Name	Description
Nisling Range Suite	Early Tertiary	ETNg	Leucocratic, biotite granite; biotite-hornblende granite to leucocratic granodiorite with sparse alkali feldspar crystals.
Prospector Mountain Suite	Late Cretaceous to Tertiary	LKfP	Grey, fine to coarse grained, massive, quartz-feldspar porphyry dykes.
Whitehorse Suite	Mid Cretaceous	mKgW	Biotite-hornblende granodiorite, hornblende-quartz diorite and hornblende diorite; leucocratic, biotite-hornblende granodiorite with sparse grey-pink potassium feldspar phenocrysts.
		mKdW	Hornblende diorite, biotite-hornblende-quartz diorite and mesocratic, often strongly magnetic, hypersthene-hornblende diorite, quartz diorite and gabbro.
Pelly Gneiss Suite	Late Devonian to Mississippian	DMgPW	Foliated medium grained, homogeneous biotite granite gneiss to hornblende granodiorite gneiss; massive to strongly foliated dioritic to granodioritic gneiss; includes interfoliated amphibolite, quartz-mica schist and phyllite.

PROPERTY GEOLOGY

No detailed geological mapping has been done on the JJJ property. Based on published data discussed in the previous section, all exposures on the property are assigned to the Whitehorse or Nisling Range Suites.

No faults have been mapped on the JJJ property.

There is no documented mineralization on the JJJ property.



EARLY TERTIARY
NISLING RANGE SUITE
Leucocratic, biotite granite; biotite-hornblende granite to leucocratic granodiorite with sparse alkali feldspar crystals.

LATE CRETACEOUS TO TERTIARY
PROSPECTOR MOUNTAIN SUITE
LkFp Grey, fine to coarse grained, massive, quartz-feldspar porphyry dykes.

MID CRETACEOUS
WHITEHORSE SUITE
mKgw Biotite-hornblende granodiorite, hornblende-quartz diorite and hornblende diorite; leucocratic, biotite-hornblende granodiorite with sparse grey-pink potassium feldspar phenocrysts.
mKdW Hornblende diorite, biotite-hornblende-quartz diorite and mesocratic, often strongly magnetic, hypersthene-hornblende diorite, quartz diorite and gabbro.

LATE DEVONIAN TO MISSISSIPPIAN
PELLY GNEISS SUITE
DMgPW Foliated medium grained, homogenous biotite granite gneiss to hornblende granodiorite gneiss; massive to strongly foliated dioritic to granodioritic gneiss; includes interfoliated amphibolite, quartz-mica schist and phyllite.

**CENTRAL RESOURCES CORP.
STRATEGIC METALS LTD.**

FIGURE 4
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
GEOLOGY
JJJ PROPERTY

0 1 km
UTM ZONE 7, NAD 83, 115J/09

FILE: ...2010/SELWYN/JJJ/F_4 DATE: NOVEMBER 2010

REGIONAL MINERALIZATION

Kaminak Gold Corporation is actively exploring its Coffee property, which also lies within the Dawson Range, 65 km northwest of the JJJ property. Kaminak has recently identified a granite-hosted environment for gold mineralization at its “Kona Zone” on the Coffee property. The granite has been described as equigranular and non-magnetic with a primary composition of plagioclase, potassium feldspar, quartz, biotite and hornblende. Alteration within the mineralized zone typically consists of clay, sericite and limonite. The depth of supergene oxidation is approximately 60 m. Gold is hosted in near-vertical brittle structural zones within the granite. Sulphides are dominated by pyrite, which occurs as disseminations replacing mafic minerals and less commonly as veins, fracture fillings and sulphidic-matrix in fault breccias. Drill highlights at the Kona Zone include 2.2 g/t gold over 57 m and 1.9 g/t gold over 23 m, respectively. The Kona Zone has been described as a gold system with arsenic and antimony pathfinders (Carpenter, 2010).

STREAM SEDIMENT AND SOIL GEOCHEMISTRY


Previous soil sampling on the JJJ property consisted of three sample lines (spaced 1000 m apart) oriented approximately parallel to the Selwyn River. Fifteen samples were collected at about 300 m spacings. Samples were analyzed for copper, molybdenum, lead and zinc. In general, copper, molybdenum and lead values were background compared to regional thresholds, while zinc values were weakly anomalous.


The 2010 soil samples were taken using hand held augers on five contour lines (Figure 5). Results for gold, arsenic and antimony are plotted on Figures 6 to 8, respectively. Sampling and Analytical Procedures for 2010 samples are in Appendix II, while Certificates of Analysis are in Appendix III.



A total of 84 soil samples were collected in 2010. A few of these samples returned moderately to strongly anomalous results for gold (up to 209 ppb) and moderately elevated values for antimony (up to 4 ppm) and arsenic (up to 26 ppm). Values for copper, molybdenum and lead were background, while zinc values were slightly elevated (up to 133 ppm).


The best gold-in-soil results occur in two areas (Anomalies A and B). Anomaly A is located in the headwaters of the creek that returned the 96 ppb gold-in-stream sediment value. It comprises four samples taken over a 300 m strike length, which yielded (from north to south) 209 ppb, 10 ppb, 16 ppb and 36 ppb gold, respectively. Elsewhere in the Dawson Range greater than 20 ppb gold-in-soil is considered moderately anomalous. Values for other elements from these samples are background compared to regional thresholds.

Anomaly B lies 800 m northeast of Anomaly A. It is an isolated value of 76 ppb gold with low results for other elements. This anomaly lies on the edge of a large saddle that may mark a fault. Anomalies A and B may be related to a single structural feature; however, the soil sample line located between them did not return elevated gold values.









The only moderately anomalous arsenic value on the property lies immediately south of Anomaly A. Antimony values are more anomalous than arsenic when compared to regional thresholds, with values ranging from 1 to 4 ppm. In general the western half of the property is more anomalous for antimony than the eastern half, which may be due to downhill dispersion. There is a poor correlation between gold, arsenic and antimony.

DISCUSSION AND CONCLUSIONS

The JJJ property lies within the Dawson Range Gold Belt in a geological setting that resemble that of Kona Zone at Kaminak's Coffee Property. Some of the similarities between the JJJ and Kona Zone targets include:

- 1) Lithology – both are largely underlain by Early Jurassic to Early Tertiary intrusive suites.
- 2) Structure – both feature gold-in-soil anomalies associated with known or inferred structural zones.
- 3) Geochemistry – both appear to host gold systems with arsenic and antimony as pathfinder elements. Neither property shows any direct affinity to porphyry copper style mineralization, which is common in the district.

Based on the results from 2010 exploration program, the JJJ property definitely warrants additional work to better assess the character and extent of the geochemical anomalies and to search for mineralization that might be the source of these anomalies. Exploration at Coffee property and elsewhere in the Dawson Range has shown that soil geochemical response is very subdued unless the samples are collected near the soil-bedrock interface. Thus, future work at the JJJ property should focus on deep auger soil sampling at 50 m spacings on lines spaced 100 m apart in the northern half of the property. The sample lines should be oriented north-south, approximately perpendicular to the inferred fault structure. This program would comprise approximately 1000 soil samples.

Detailed mapping and prospecting on the JJJ property should be deferred until the results from soil sampling are known.

Future work should be conducted from a temporary fly camp on the JJJ property. Ideally the camp would be moved to and from nearby properties also being explored by Central Resources. If a three person crew is performing the work, the program should take about six days including mobilization and demobilization of the camp and crew. If soil sampling produces significant results, follow up work should include mapping and prospecting, which could be completed from Carmacks using daily helicopter setouts and pickups.

Consideration should be given to staking approximately 10 to 20 additional claims on the northeastern corner of the property to cover the projected extension of the geochemically anomalous trend. This staking could be done prior to or during the field program.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Heather Smith, B.Sc. Geology, P.Geo.

REFERENCES

- Archer, A. R. and Onasick, E.P.
 1980 NAT Joint Venture Final Report. Internal report prepared by Archer, Cathro & Associates Ltd. for Chevron Canada Limited and Armco Mineral Exploration Ltd.
- Carpenter, R.
 2010 Kaminak Gold Corporation's website: www.kaminak.com. Project pipeline: http://www.kaminak.com/projects/core_projects/yukon_gold/
- Cathro, R.J.
 1974 Regional Exploration in the Dawson Range District, Yukon for Klotassin Joint Venture. Internal report prepared by Archer, Cathro & Associates Ltd.
- Debicki, R.L.
 1959 Yukon Mineral Industry 1941 to 1959. Compiled and edited by R.L. Debicki.
- Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C. and Durham, C.C.
 1986 Regional stream sediment and water geochemical reconnaissance data (115J); Geological Survey of Canada, Open File 1363.
- Gordey, S.P. and Makepeace, A.J. (compilers)
 2003 Yukon digital geology, version 2.0, Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- Johnston, S.T.
 1995 Geological compilation with interpretation from geophysical surveys of the northern Dawson Range, Central Yukon (115J/9 & 10; 115I/12). For Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open 1995-2(G).
- Templeman-Kluit, D.J.
 1974 Reconnaissance Geology of Aishihik Lake, Snag and Part of Stewart River map areas, West Central Yukon; Geological Survey of Canada, Map 17-1973.

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Heather Smith, geologist, with business addresses in Vancouver, British Columbia and Whitehorse, Yukon Territory and residential address at #604-175 West 1 Street, North Vancouver, British Columbia, V7M 3N9 do hereby certify that:

1. I graduated from the University of British Columbia in 2006 with a B. Sc in Geological Sciences.
2. From 2004 to present, I have been actively engaged in mineral exploration in the Yukon Territory, British Columbia and Northwest Territories.
3. I am a Professional Geoscientist (P.Ge.) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 150000).
4. I have personally directed the fieldwork reported herein and have interpreted all data resulting from this work.

Heather Smith, B.Sc., P.Ge.

APPENDIX II
SAMPLING AND ANALYTICAL PROCEDURES

2010 Soil Geochemical Samples

All 2010 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 10 to 30 cm deep holes dug by hand-held auger. They were placed into individually pre-numbered Kraft paper bags.

The soil samples were sent to ALS Chemex, where they were dried, screened to -180 microns, dissolved in aqua regia solution and then analyzed for 35 elements using the inductively coupled plasma with atomic emission spectroscopy technique (ME-ICP41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21).

APPENDIX III
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 29-JUL-2010
 Account: F

CERTIFICATE VA10098849

Project: SELWYN
 P.O. No.: JJJ
 This report is for 84 Soil samples submitted to our lab in Vancouver, BC, Canada on 21-JUL-2010.
 The following have access to data associated with this certificate:
 JOAN MARIACHER BILL WENGZYNOWSKI

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: ARCHER, CATHRO AND ASSOCIATES (1981) LIMITED
 ATTN: JOAN MARIACHER
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2010
 Account: F

Project: SELWYN

CERTIFICATE OF ANALYSIS VA10098849

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC96689		0.36	0.2	2.61	5	<10	350	0.6	<2	0.66	<0.5	10	35	36	4.40	10
CC96690		0.24	0.3	2.02	4	<10	470	0.7	<2	1.03	0.6	14	30	57	3.57	10
CC96691		0.16	0.5	2.11	7	<10	390	0.8	<2	0.82	<0.5	8	32	38	3.21	10
CC96692		0.26	0.3	1.92	6	<10	220	0.6	<2	0.54	<0.5	10	29	18	3.55	10
CC96693		0.42	<0.2	2.56	7	<10	270	0.6	<2	0.45	<0.5	9	35	17	3.91	10
CC96694		0.32	0.2	2.96	4	<10	290	1.0	<2	0.75	<0.5	10	35	23	4.11	10
CC96695		0.28	0.3	2.21	7	<10	200	0.7	<2	0.46	<0.5	9	34	20	3.21	10
CC96696		0.28	0.3	2.94	11	<10	210	1.3	<2	0.29	<0.5	11	40	29	3.57	10
CC96697		0.26	<0.2	2.25	8	<10	120	<0.5	<2	0.14	<0.5	8	26	10	4.40	10
CC96698		0.26	0.3	1.37	2	<10	100	<0.5	<2	0.20	<0.5	4	18	7	2.48	10
CC96699		0.26	<0.2	1.75	26	<10	110	<0.5	2	0.15	<0.5	5	22	9	3.03	10
CC96700		0.26	0.3	2.05	5	<10	240	0.5	2	0.55	<0.5	9	33	17	3.23	10
CC96701		0.30	0.2	2.22	9	<10	200	0.5	<2	0.41	<0.5	10	33	14	3.48	10
CC96702		0.38	0.4	2.10	8	<10	240	0.6	<2	0.52	<0.5	10	35	19	3.27	10
CC96703		0.32	0.2	2.02	6	<10	210	<0.5	<2	0.51	<0.5	10	33	13	3.38	10
CC96704		0.38	0.2	1.97	8	<10	430	0.7	<2	0.70	<0.5	12	45	25	3.96	10
CC96705		0.34	<0.2	1.86	4	<10	850	0.7	2	0.81	<0.5	16	25	13	2.42	10
CC96706		0.36	0.4	2.04	3	<10	400	0.9	<2	0.70	<0.5	10	27	14	3.90	10
CC96707		0.36	<0.2	2.31	<2	<10	370	0.7	<2	0.59	<0.5	13	30	15	4.47	10
CC96708		0.34	0.2	2.18	2	<10	310	0.5	<2	0.57	<0.5	11	30	14	4.11	10
CC96709		0.30	<0.2	1.80	3	<10	230	<0.5	<2	0.41	0.5	8	22	8	4.47	10
CC96710		0.34	<0.2	2.63	10	<10	420	0.7	<2	0.61	<0.5	13	43	19	4.41	10
CC96711		0.28	<0.2	3.15	2	<10	570	0.7	<2	0.55	<0.5	16	31	18	5.57	10
CC96712		0.30	<0.2	2.36	3	<10	420	0.7	<2	0.72	<0.5	13	27	22	4.61	10
CC96713		0.34	<0.2	1.81	9	<10	390	0.6	2	0.63	<0.5	12	27	13	4.69	10
CC97495		0.38	<0.2	2.01	8	<10	290	0.5	<2	0.52	<0.5	11	26	12	4.26	10
CC97496		0.34	0.3	1.03	<2	<10	460	1.0	<2	0.36	<0.5	7	11	6	3.57	<10
CC97497		0.32	<0.2	1.58	<2	<10	500	0.7	<2	0.89	<0.5	12	22	12	3.73	<10
CC97498		0.36	<0.2	2.12	2	<10	540	0.6	<2	0.73	<0.5	18	30	16	4.66	10
CC97499		0.34	<0.2	1.69	<2	<10	390	0.6	<2	0.55	<0.5	10	25	11	3.82	<10
CC97500		0.34	<0.2	1.78	3	<10	240	<0.5	<2	0.37	<0.5	9	28	9	3.51	10
CC97501		0.34	0.2	1.71	<2	<10	400	0.6	<2	0.57	<0.5	9	25	12	3.46	<10
CC97502		0.34	<0.2	1.26	3	<10	160	<0.5	<2	0.41	<0.5	7	16	6	2.60	<10
CC97503		0.32	<0.2	1.99	9	<10	350	0.7	<2	0.59	<0.5	13	36	19	3.54	10
CC97504		0.36	<0.2	2.46	7	<10	330	0.5	<2	0.43	<0.5	12	40	15	3.90	10
CC97505		0.36	<0.2	1.82	4	<10	200	<0.5	<2	0.16	<0.5	6	20	8	3.17	10
CC97506		0.38	<0.2	2.05	6	<10	260	0.5	<2	0.46	<0.5	10	30	9	3.70	10
CC97507		0.32	<0.2	2.57	4	<10	450	0.9	<2	0.83	<0.5	10	33	16	3.50	10
CC97508		0.36	<0.2	1.68	5	<10	300	0.8	<2	0.47	<0.5	10	25	10	3.48	10
CC97509		0.36	<0.2	2.94	7	<10	210	0.7	2	0.25	<0.5	13	40	14	4.00	10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2010
 Account: F

Project: SELWYN

CERTIFICATE OF ANALYSIS VA10098849

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
CC96689	1	0.21	70	1.00	881	<1	0.04	22	1300	6	0.04	<2	10	38	<20
CC96690	2	0.13	70	0.68	2030	<1	0.04	26	1340	9	0.09	<2	5	83	<20
CC96691	<1	0.08	80	0.58	593	<1	0.04	21	1650	8	0.14	<2	4	74	<20
CC96692	<1	0.13	50	0.72	840	<1	0.03	16	900	9	0.05	<2	6	45	<20
CC96693	1	0.12	40	0.80	644	<1	0.03	19	600	8	0.02	<2	6	33	<20
CC96694	1	0.25	150	0.82	766	<1	0.03	18	1050	11	0.06	<2	11	52	30
CC96695	1	0.08	40	0.59	574	<1	0.02	18	430	14	0.02	<2	5	30	<20
CC96696	1	0.08	70	0.72	663	<1	0.03	26	430	8	0.01	<2	7	21	20
CC96697	<1	0.10	10	0.72	701	<1	0.02	12	440	10	0.01	<2	4	13	<20
CC96698	<1	0.08	20	0.35	245	1	0.02	7	160	6	0.01	<2	3	16	<20
CC96699	<1	0.07	10	0.37	298	<1	0.01	10	180	17	0.01	<2	3	14	<20
CC96700	<1	0.09	20	0.66	554	<1	0.03	20	600	14	0.02	<2	5	37	<20
CC96701	1	0.08	20	0.67	567	<1	0.02	20	370	16	0.01	<2	4	26	<20
CC96702	<1	0.08	30	0.70	716	<1	0.03	21	640	14	0.03	<2	5	34	<20
CC96703	1	0.10	20	0.77	618	<1	0.02	16	640	11	0.02	<2	5	34	<20
CC96704	<1	0.10	20	0.99	694	<1	0.04	26	1040	12	0.04	<2	6	56	<20
CC96705	1	0.15	40	0.51	3230	<1	0.06	12	840	13	0.06	<2	6	59	<20
CC96706	<1	0.18	70	0.65	847	<1	0.04	13	950	10	0.04	<2	8	63	20
CC96707	<1	0.21	50	0.90	1050	<1	<0.01	15	970	12	0.02	<2	8	55	20
CC96708	1	0.21	40	0.87	818	<1	<0.01	14	880	11	0.01	<2	7	44	<20
CC96709	<1	0.28	40	0.58	474	<1	<0.01	7	420	10	0.01	<2	5	42	<20
CC96710	<1	0.18	40	0.78	616	<1	0.01	25	500	10	<0.01	<2	8	59	<20
CC96711	<1	0.45	40	1.02	1240	<1	0.01	17	950	10	<0.01	<2	11	48	20
CC96712	1	0.30	110	0.85	941	<1	<0.01	15	1150	13	<0.01	4	11	48	20
CC96713	<1	0.29	50	0.78	983	<1	0.01	11	1310	10	<0.01	<2	8	43	20
CC97495	<1	0.15	30	0.74	758	<1	<0.01	11	1040	11	0.02	<2	5	38	<20
CC97496	<1	0.22	60	0.18	782	<1	<0.01	4	1250	28	<0.01	<2	6	30	30
CC97497	<1	0.16	30	0.50	1070	<1	0.01	11	960	11	0.03	2	7	85	<20
CC97498	<1	0.31	50	0.84	1620	<1	0.01	13	1160	12	0.03	<2	9	71	<20
CC97499	<1	0.22	50	0.58	755	<1	<0.01	10	530	14	0.02	<2	6	55	<20
CC97500	1	0.19	30	0.64	507	<1	<0.01	11	420	12	<0.01	<2	4	31	<20
CC97501	<1	0.14	40	0.51	541	<1	<0.01	13	740	13	0.02	<2	5	47	<20
CC97502	<1	0.09	30	0.49	389	<1	<0.01	7	970	11	<0.01	<2	4	25	<20
CC97503	<1	0.17	30	0.62	1280	<1	<0.01	20	340	14	<0.01	3	7	45	<20
CC97504	<1	0.20	20	0.70	644	<1	<0.01	22	350	12	<0.01	<2	5	36	<20
CC97505	<1	0.10	40	0.32	288	<1	<0.01	8	250	15	<0.01	2	3	21	<20
CC97506	<1	0.15	40	0.66	604	<1	<0.01	14	440	20	<0.01	3	5	41	<20
CC97507	<1	0.14	50	0.61	856	<1	<0.01	17	960	19	0.03	<2	8	74	<20
CC97508	<1	0.16	40	0.52	793	<1	<0.01	10	720	17	0.01	<2	6	36	20
CC97509	<1	0.10	20	0.72	731	<1	<0.01	21	320	13	<0.01	<2	6	26	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2010
 Account: F

Project: SELWYN

CERTIFICATE OF ANALYSIS VA10098849

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
CC96689		0.20	<10	<10	86	<10	106	0.004
CC96690		0.11	<10	<10	68	<10	92	0.008
CC96691		0.07	<10	<10	61	<10	65	0.002
CC96692		0.14	<10	<10	73	<10	81	0.006
CC96693		0.15	<10	<10	78	<10	74	0.003
CC96694		0.13	<10	<10	78	<10	86	0.006
CC96695		0.07	<10	<10	74	<10	55	0.003
CC96696		0.10	<10	<10	75	<10	57	0.006
CC96697		0.15	<10	<10	88	<10	71	0.002
CC96698		0.07	<10	<10	62	<10	39	0.003
CC96699		0.07	<10	<10	81	<10	47	0.002
CC96700		0.10	<10	<10	64	<10	67	0.036
CC96701		0.10	<10	<10	72	<10	67	0.016
CC96702		0.10	<10	<10	64	<10	76	0.010
CC96703		0.13	<10	<10	70	<10	86	0.209
CC96704		0.12	<10	<10	83	<10	96	0.006
CC96705		0.07	<10	<10	53	<10	95	0.004
CC96706		0.08	<10	<10	58	<10	109	0.005
CC96707		0.16	<10	<10	80	<10	109	0.007
CC96708		0.17	<10	<10	78	<10	97	0.004
CC96709		0.15	<10	<10	98	<10	80	0.002
CC96710		0.11	<10	<10	82	<10	81	0.003
CC96711		0.19	<10	<10	101	<10	107	0.001
CC96712		0.16	<10	<10	80	<10	90	0.006
CC96713		0.12	<10	<10	75	<10	98	0.001
CC97495		0.16	<10	<10	83	<10	97	0.003
CC97496		0.02	<10	<10	42	<10	79	<0.001
CC97497		0.06	<10	<10	60	<10	61	0.004
CC97498		0.13	<10	<10	83	<10	99	0.001
CC97499		0.11	<10	<10	71	<10	79	0.006
CC97500		0.14	<10	<10	74	<10	81	0.001
CC97501		0.07	<10	<10	56	<10	86	0.005
CC97502		0.08	<10	<10	47	<10	63	0.001
CC97503		0.10	10	<10	64	<10	64	0.004
CC97504		0.11	<10	<10	80	<10	67	<0.001
CC97505		0.05	<10	<10	67	<10	53	0.004
CC97506		0.07	<10	<10	65	<10	89	0.001
CC97507		0.05	<10	<10	58	<10	97	0.012
CC97508		0.07	<10	<10	55	<10	89	0.004
CC97509		0.11	<10	10	87	<10	75	0.004



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2010
 Account: F

Project: SELWYN

CERTIFICATE OF ANALYSIS VA10098849

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC97510		0.34	<0.2	2.83	5	<10	160	0.7	<2	0.33	<0.5	13	43	19	4.15	10
CC97511		0.26	<0.2	2.27	3	<10	220	0.6	<2	0.83	<0.5	11	33	17	3.41	10
CC97512		0.20	<0.2	1.98	<2	<10	260	0.5	<2	1.11	<0.5	10	27	20	2.82	10
CC97513		0.26	<0.2	2.37	6	<10	240	0.5	<2	0.12	<0.5	13	36	12	3.62	10
CC97514		0.32	<0.2	2.53	6	<10	270	0.7	<2	0.50	<0.5	12	37	20	3.68	10
CC97515		0.32	<0.2	2.44	9	<10	150	0.5	<2	0.28	<0.5	11	30	13	3.90	10
CC97516		0.28	<0.2	2.37	4	<10	360	0.6	<2	0.34	<0.5	11	34	12	3.42	10
CC97517		0.26	<0.2	1.75	<2	<10	350	1.0	<2	0.30	<0.5	9	17	8	3.57	10
CC97518		0.32	<0.2	2.24	4	<10	270	0.6	<2	0.65	<0.5	10	29	13	3.50	10
CC97519		0.26	0.2	1.79	5	<10	380	0.6	<2	1.03	<0.5	9	28	20	2.67	<10
CC97520		0.32	<0.2	1.80	<2	<10	230	0.8	<2	0.48	<0.5	9	22	8	3.46	<10
CC97521		0.26	<0.2	2.34	<2	<10	270	0.7	<2	0.49	<0.5	11	32	12	4.09	10
CC97522		0.22	<0.2	2.69	7	<10	150	0.5	<2	0.15	<0.5	11	36	14	3.86	10
CC97523		0.28	<0.2	2.61	7	<10	300	0.5	<2	0.31	<0.5	9	28	10	4.29	10
CC97524		0.26	0.2	2.44	8	<10	400	0.6	<2	0.43	<0.5	13	34	16	3.73	10
CC96435		0.26	<0.2	2.61	9	<10	290	0.7	<2	0.33	<0.5	10	35	24	4.46	10
CC96436		0.30	<0.2	3.41	13	<10	450	1.0	<2	0.41	<0.5	17	45	31	4.79	10
CC96437		0.34	<0.2	3.22	11	<10	410	1.0	<2	0.63	<0.5	15	39	26	4.86	10
CC96438		0.30	<0.2	2.85	10	<10	260	0.7	<2	0.52	<0.5	13	40	27	4.08	10
CC96439		0.36	<0.2	2.52	7	<10	270	0.5	<2	0.56	<0.5	10	39	23	3.61	10
CC96440		0.30	<0.2	2.38	5	<10	180	0.5	<2	0.45	<0.5	12	33	17	3.74	10
CC96441		0.20	<0.2	1.78	8	<10	180	<0.5	2	0.26	<0.5	7	23	10	2.99	10
CC96442		0.28	<0.2	2.55	10	<10	220	0.6	<2	0.34	<0.5	12	34	20	3.53	10
CC96443		0.30	<0.2	1.80	4	<10	230	1.0	<2	0.34	<0.5	11	21	8	4.00	<10
CC96444		0.24	<0.2	2.17	7	<10	340	0.8	<2	0.63	<0.5	15	52	15	4.11	10
CC96445		0.28	<0.2	3.11	9	<10	550	1.6	<2	0.55	<0.5	16	35	14	6.19	10
CC96466		0.28	<0.2	2.81	4	<10	260	1.0	<2	0.32	<0.5	18	25	9	4.55	10
CC96467		0.24	<0.2	2.45	9	<10	110	0.5	<2	0.18	<0.5	7	34	11	3.49	10
CC96468		0.30	<0.2	2.54	5	<10	230	1.0	<2	0.40	<0.5	13	21	13	4.04	10
CC96469		0.24	<0.2	2.69	5	<10	450	1.5	<2	0.75	<0.5	13	39	15	4.40	10
CC96470		0.28	<0.2	3.36	12	<10	400	1.2	<2	0.38	<0.5	14	48	28	4.19	10
CC96471		0.30	<0.2	2.10	6	<10	160	0.5	<2	0.38	<0.5	12	36	18	3.40	10
CC96472		0.26	<0.2	2.23	5	<10	210	0.6	<2	0.37	<0.5	13	32	14	3.79	10
CC96473		0.28	<0.2	2.64	8	<10	250	0.7	<2	0.27	<0.5	15	33	14	3.94	10
CC96474		0.26	<0.2	1.91	4	<10	370	0.8	<2	0.34	<0.5	12	22	11	3.64	10
CC96475		0.36	<0.2	1.74	3	<10	300	0.6	<2	0.43	<0.5	11	25	9	3.35	10
CC96476		0.28	0.2	2.53	7	<10	360	0.6	<2	0.38	<0.5	14	34	12	3.88	10
CC96477		0.32	<0.2	2.24	6	<10	200	0.6	<2	0.40	<0.5	12	28	11	3.60	10
CC96478		0.24	<0.2	2.30	7	<10	190	0.7	<2	0.34	<0.5	14	28	10	3.79	10
CC96479		0.30	<0.2	2.58	4	<10	290	0.9	<2	0.57	<0.5	11	25	10	4.18	10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2010
 Account: F

Project: SELWYN

CERTIFICATE OF ANALYSIS VA10098849

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC97510		<1	0.16	40	0.81	648	<1	<0.01	23	440	16	<0.01	<2	7	26	20
CC97511		1	0.10	40	0.71	781	<1	<0.01	14	820	15	0.03	<2	6	45	<20
CC97512		<1	0.09	40	0.57	859	<1	<0.01	15	790	12	0.04	<2	5	69	<20
CC97513		<1	0.07	10	0.52	638	1	<0.01	20	330	12	<0.01	2	4	12	<20
CC97514		<1	0.09	40	0.74	676	<1	<0.01	19	550	13	<0.01	2	6	29	<20
CC97515		1	0.10	10	0.65	652	<1	<0.01	18	950	15	<0.01	2	4	18	<20
CC97516		<1	0.13	20	0.70	528	<1	<0.01	20	270	15	<0.01	2	5	31	20
CC97517		<1	0.24	30	0.42	828	<1	<0.01	8	500	20	<0.01	2	4	24	20
CC97518		<1	0.16	30	0.69	799	<1	<0.01	11	920	16	0.02	<2	6	46	20
CC97519		<1	0.08	40	0.51	729	<1	<0.01	15	970	12	0.07	2	4	77	<20
CC97520		<1	0.17	50	0.63	747	<1	<0.01	12	980	19	<0.01	3	6	31	30
CC97521		1	0.19	40	0.79	939	<1	<0.01	15	880	18	0.01	<2	7	37	20
CC97522		<1	0.08	10	0.63	318	<1	<0.01	21	320	12	<0.01	<2	4	15	<20
CC97523		1	0.13	20	0.71	639	<1	<0.01	15	420	15	<0.01	2	5	28	<20
CC97524		<1	0.15	20	0.63	1080	2	0.02	21	430	14	0.02	<2	5	38	<20
CC96435		<1	0.15	40	0.72	667	2	0.02	20	600	12	0.02	<2	7	27	<20
CC96436		1	0.16	60	0.87	1060	2	0.02	28	1150	13	0.02	<2	11	30	20
CC96437		<1	0.33	60	0.99	1060	1	0.02	27	1310	12	0.02	<2	11	41	20
CC96438		1	0.16	30	0.84	689	1	0.03	28	990	10	0.01	<2	6	31	<20
CC96439		1	0.14	20	0.77	497	1	0.03	26	1000	10	0.02	<2	6	37	<20
CC96440		<1	0.14	30	0.78	770	1	0.02	21	1050	8	0.01	<2	6	24	<20
CC96441		<1	0.08	30	0.47	342	2	0.01	13	440	10	0.01	<2	4	21	<20
CC96442		1	0.12	30	0.68	545	1	0.02	23	810	9	0.02	<2	6	22	<20
CC96443		<1	0.11	20	0.34	1125	1	0.02	14	1210	19	0.01	<2	6	18	20
CC96444		<1	0.14	40	0.84	858	1	0.04	27	1550	10	0.01	<2	7	54	<20
CC96445		1	0.30	80	0.97	2280	1	0.03	27	1390	22	0.02	<2	10	42	40
CC96466		<1	0.36	50	0.79	1635	<1	0.02	14	1440	10	0.02	<2	7	15	20
CC96467		<1	0.07	20	0.49	273	1	0.02	15	520	11	0.02	<2	4	15	<20
CC96468		<1	0.15	30	0.73	846	<1	0.02	17	1080	12	0.01	<2	6	22	<20
CC96469		<1	0.18	50	0.68	932	1	0.02	24	1710	11	0.01	<2	10	53	20
CC96470		<1	0.14	50	0.64	825	1	0.02	30	1020	13	0.02	<2	8	32	20
CC96471		1	0.09	20	0.69	623	1	0.02	20	790	10	0.01	<2	5	23	<20
CC96472		1	0.11	30	0.74	946	1	0.02	21	760	11	0.01	<2	6	24	<20
CC96473		<1	0.14	20	0.60	990	2	0.02	21	740	14	0.02	<2	6	18	<20
CC96474		1	0.14	40	0.55	1075	1	0.02	14	880	18	0.01	<2	5	20	20
CC96475		<1	0.11	30	0.57	695	1	0.02	14	940	13	0.01	<2	5	25	<20
CC96476		<1	0.09	20	0.66	878	1	0.02	21	530	15	0.01	<2	6	29	<20
CC96477		1	0.11	30	0.72	915	1	0.02	16	800	28	0.01	<2	5	24	<20
CC96478		<1	0.10	30	0.53	1015	1	0.02	17	1020	21	0.01	<2	5	20	20
CC96479		1	0.34	40	0.82	1030	1	0.02	14	1590	16	0.02	<2	8	33	30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2010
 Account: F

Project: SELWYN

CERTIFICATE OF ANALYSIS VA10098849

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
CC97510		0.15	<10	<10	85	<10	79	<0.001
CC97511		0.11	<10	<10	70	<10	77	0.002
CC97512		0.08	<10	<10	57	<10	79	0.003
CC97513		0.09	<10	<10	83	<10	61	0.003
CC97514		0.13	<10	<10	78	<10	68	0.001
CC97515		0.13	<10	<10	78	<10	71	0.002
CC97516		0.11	<10	<10	72	<10	63	0.002
CC97517		0.03	<10	<10	47	<10	74	0.003
CC97518		0.12	<10	<10	65	<10	95	0.003
CC97519		0.06	<10	<10	52	<10	73	0.005
CC97520		0.09	<10	<10	55	<10	85	0.005
CC97521		0.12	<10	<10	71	<10	93	0.004
CC97522		0.12	<10	<10	75	<10	60	<0.001
CC97523		0.10	10	<10	79	<10	74	0.002
CC97524		0.08	<10	<10	78	<10	65	0.002
CC96435		0.16	<10	<10	105	<10	78	0.004
CC96436		0.13	<10	<10	95	<10	88	0.003
CC96437		0.20	<10	<10	96	<10	115	0.004
CC96438		0.17	<10	<10	84	<10	85	0.004
CC96439		0.15	<10	<10	74	<10	77	0.004
CC96440		0.18	<10	<10	80	<10	80	0.005
CC96441		0.13	<10	<10	75	<10	51	0.002
CC96442		0.13	<10	<10	74	<10	65	0.002
CC96443		0.04	<10	<10	58	<10	79	<0.001
CC96444		0.14	<10	<10	74	<10	92	0.003
CC96445		0.16	<10	<10	85	<10	133	0.001
CC96466		0.19	<10	<10	77	<10	98	0.003
CC96467		0.10	<10	<10	79	<10	45	0.002
CC96468		0.08	<10	<10	79	<10	83	0.002
CC96469		0.07	<10	<10	68	<10	91	0.001
CC96470		0.07	<10	<10	83	<10	77	0.005
CC96471		0.14	<10	<10	74	<10	66	0.002
CC96472		0.12	<10	<10	77	<10	78	0.002
CC96473		0.09	<10	<10	75	<10	82	0.003
CC96474		0.09	<10	<10	61	<10	80	0.003
CC96475		0.10	<10	<10	65	<10	74	0.002
CC96476		0.10	<10	<10	72	<10	79	0.003
CC96477		0.12	<10	<10	69	<10	76	0.076
CC96478		0.07	<10	<10	66	<10	79	0.004
CC96479		0.14	<10	<10	71	<10	105	<0.001



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2010
 Account: F

Project: SELWYN

CERTIFICATE OF ANALYSIS VA10098849

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC96480		0.26	<0.2	2.70	6	<10	350	1.2	<2	0.58	<0.5	10	30	13	3.75	10
CC96481		0.28	<0.2	2.26	5	<10	300	1.0	<2	0.46	<0.5	10	29	12	3.72	10
CC96482		0.34	<0.2	1.90	6	<10	280	0.9	<2	0.33	<0.5	10	28	14	3.51	10
CC96483		0.36	<0.2	1.68	2	<10	340	1.1	<2	0.33	<0.5	8	24	8	3.05	10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2010
 Account: F

Project: SELWYN

CERTIFICATE OF ANALYSIS VA10098849

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm
		1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC96480		<1	0.14	60	0.65	1445	1	0.02	17	1020	17	0.04	<2	9	52	20
CC96481		1	0.13	50	0.70	838	1	0.02	16	650	16	0.03	<2	9	45	20
CC96482		<1	0.12	30	0.60	730	1	0.02	19	540	11	0.03	<2	6	30	<20
CC96483		<1	0.12	40	0.42	703	1	0.02	13	650	19	0.03	<2	6	32	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 29-JUL-2010
 Account: F

Project: SELWYN

CERTIFICATE OF ANALYSIS VA10098849

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-ICP21
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
		0.01	10	10	1	10	2	0.001
CC96480		0.07	<10	<10	63	<10	105	0.003
CC96481		0.09	<10	<10	63	<10	93	0.003
CC96482		0.08	<10	<10	64	<10	76	0.004
CC96483		0.03	<10	<10	52	<10	68	0.001

Qw28791

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578



AFFIDAVIT

I, Joan Mariacher, of Vancouver, B.C. make oath and say:

That to the best of my knowledge the attached Statement of Expenditures for exploration work on the JJJ 1-24 mineral claims on Claim Sheet 115J/9 is accurate.


Joan Mariacher

Sworn before me at Vancouver, B.C.

this 19th day of April 2011.



Barrister & Solicitor

IAN J. TALBOT
Barrister & Solicitor
281 East 5th Street
North Vancouver
British Columbia
Canada V7L 1L8

Statement of Expenditures
JJJ 1-24 Mineral Claims
April 15, 2011



Labour

H. Smith (geologist) September to December 2010 – 9 1/2 hrs @ \$75/hr	\$ 798.00
N. Sheshi (field assistant) July 2010 – 1 day @ \$336/day	376.32
B. Alladice (field assistant) July 2010 – 1 day @ \$328/day	367.36
C. Beck (field assistant) July 2010 – 1 day @ \$304/day	340.48
	<u>1,882.16</u>

Expenses

Field room and board – 3 mandays @ \$125/manday	420.00
Capital Helicopters	2,367.75
ALS Chemex	<u>1,875.46</u>
	4,663.21

Total	<u>\$6,545.37</u>
-------	-------------------

CAPITAL HELICOPTERS (1995) INC.

Suite 3 - 25 Pilgrim Place, Whitehorse, Y.T. Y1A 6E6
 Phone: (867) 668-6200 Fax: (867) 668-6201
 capitalheli@polarcom.com



Charter and Contract Service

INVOICE

NO. 11306-11311



SOLD TO

Archer Cathro
 Suite 1016, 510 West Hastings
 Vancouver, B. C. V6B 1L8

SHIP TO

Archer Cathro
 Suite 1016, 510 West Hastings
 Vancouver, B. C. V6B 1L8

ITEM NO.	QUANTITY	UNIT	DESCRIPTION	GST	PST	UNIT PRICE	AMOUNT
July 7	4.1	hrs	DDD Klaza camp-S/O and P/U Klotassen 1.2 Selwyn	G	MMM	1,025.00	4,202.50
July 8	3.6	hrs	EEE Klaza camp-S/O and P/U Klotassen 1.4 Selwyn	G	MMM	1,025.00	3,690.00
July 9	5.2	hrs	QQQ Klaza camp-S/O and P/U Klotassen 2.8 Selwyn	G	KKK	1,025.00	5,330.00
July 10	3.4	hrs	CCC Klaza camp-S/O and P/U Klotassen 1.4 Selwyn	G	OOO	1,025.00	3,485.00
July 12	1.8	hrs	1.0 BBB 0.8 Klaza camp-S/O and P/U Klotassen 1.8 Selwyn	G		1,025.00	1,845.00
July 14/13	5.2	hrs	HHH Klaza camp-S/O and P/U Klotassen 3. Selwyn	G	JJJ	1,025.00	5,330.00
July 15 OK	2.8	hrs	BBB Klaza camp-S/O and P/U Klotassen 2.8 Selwyn	G		1,025.00	2,870.00
	26.1						
			G - GST 5.00%				
			GST				1,337.63
<p>Handwritten notes: 14.4 Klotassen - 14760.00, 11.7 Selwyn - 11992.50, NAO ✓</p>							
Capital Helicopters (1995) Inc. GST: #899587984							
Thank You! Your Business Is Appreciated! Fuel Price includes Federal and Yukon Tax							
TOTAL							28,090.13

3.8 NA BBB - 4089.75
 1.4 ✓ CCC - 1506.75
 1.2 ✓ DDD - 1291.50
 1.4 ✓ EEE - 1506.75
 3.0 ✓ HHH - 3228.75
 0.8 ✓ III - 861.00
 2.8 ✓ QQQ - 3013.50
 2.2 ✓ JJJ - 2367.75
 2.4 ✓ KKK - 2583.00
 5.1 ✓ MMM - 5488.88
 2.0 ✓ OOO - 2152.50



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981) LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

INVOICE NUMBER 2111333

BILLING INFORMATION

Certificate: **VA10098849**

Sample Type: **Soil**

Account: **F**

Date: **29-JUL-2010**

Project: **SELWYN A**

P.O. No.: **# 555**

Quote: **ALSM-CW10-030-F**

Terms: **Net 30 Days**

Comments: **C1**

QUANTITY	CODE	ANALYSED FOR DESCRIPTION	UNIT PRICE	TOTAL
84	PREP-41	Dry, Sieve (180 um) Soil	0.96	80.64
25.42	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.80	45.76
84	ME-ICP41	35 Element Aqua Regia ICP-AES	4.92	413.28
84	GEO-AR01	Aqua regia digestion	2.45	205.80
84	Au-ICP21	Au 30g FA ICP-AES Finish	11.06	929.04

A Selwyn NAD

To: ARCHER, CATHRO AND ASSOCIATES (1981) LIMITED
 ATTN: JOAN MARIACHER
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

SUBTOTAL (CAD) \$ 1,674.52
 R100938885 HST BC \$ 200.94
TOTAL PAYABLE (CAD) \$ 1,875.46

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
 Bank: Royal Bank of Canada
 SWIFT: ROYCCAT2
 Address: Vancouver, BC, CAN
 Account: 003-00010-1001098

Please Remit Payments To :
ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7

