



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 [www.alsglobal.com](http://www.alsglobal.com)

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 1  
Finalized Date: 2- OCT- 2011  
Account: EIAHAO

**CERTIFICATE WH11161847**

Project: HAO11- 01

P.O. No.:

This report is for 5 Rock samples submitted to our lab in Whitehorse, YT, Canada on 18- AUG- 2011.

The following have access to data associated with this certificate:

EQUITY ENG EMAIL

MURRAY JONES

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA23	Au 30g FA- AA finish	AAS
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: EQUITY EXPLORATION CONSULTANTS LTD.  
ATTN: MURRAY JONES  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 [www.alsglobal.com](http://www.alsglobal.com)

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 2- OCT- 2011  
 Account: EIAHAO

Project: HAO11- 01

**CERTIFICATE OF ANALYSIS WH11161847**

Sample Description	Method Analyte Units LOR	WB- 21 Recvd Wt. kg	Au- AA23 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
L645993		1.13	0.005	0.2	1.13	2	10	80	0.5	2	1.20	0.5	2	2	50	0.70
L645994		1.11	0.005	0.2	0.13	2	10	80	0.5	2	0.10	0.5	1	10	21	0.80
L645995		1.35	<0.005	<0.2	1.51	2	<10	80	<0.5	<2	1.20	<0.5	10	16	17	1.81
L645996		2.34	0.014	0.6	0.14	2	<10	70	<0.5	<2	0.76	<0.5	51	195	633	0.92
L645997		1.33	0.005	0.2	0.27	107	10	10	0.5	2	0.20	0.5	2	1005	2	1.80



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 [www.alsglobal.com](http://www.alsglobal.com)

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Finalized Date: 2- OCT- 2011  
 Account: EIAHAO

Project: HAO11-01

**CERTIFICATE OF ANALYSIS WH11161847**

Sample Description	Method Analyte Units LOR	ME- ICP41 Ca ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
L645993		10	1	0.00	10	0.01	000	1	0.15	7	100	0	0.00	0	0	01
L645994		10	1	0.01	10	0.00	11	1	0.00	2	100	2	0.00	2	1	12
L645995		<10	1	0.07	<10	1.04	241	<1	0.13	14	330	4	0.01	<2	6	28
L645996		<10	<1	0.02	<10	0.67	100	<1	0.05	1350	20	2	0.29	<2	4	7
L645997		10	1	0.01	10	0.00	000	1	0.00	110	00	0	0.01	0	1	10



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 [www.alsglobal.com](http://www.alsglobal.com)

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 2- OCT- 2011  
 Account: EIAHAO

Project: HAO11-01

**CERTIFICATE OF ANALYSIS WH11161847**

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Tl	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
L645993		20	0.10	10	10	1	10	20
L645994		20	0.02	10	10	1	10	11
L645995		<20	0.06	<10	<10	40	<10	20
L645996		<20	0.03	<10	<10	23	<10	11
L645997		20	0.02	10	10	1	10	20