Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Submitted By:	Dallas Davis
Receiving Lab:	Canada-Whitehorse
Received:	June 15, 2011
Report Date:	July 26, 2011
Page:	1 of 2

CERTIFICATE OF ANALYSIS WHI11000207.2

CLIENT JOB INFORMATION

Project:	Gold World Resources
Shipment ID:	
P.O. Number	
Number of Samples:	30

SAMPLE DISPOSAL

DISP-PLP	Dispose of Pulp After 90 days
DISP-RJT	Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	30	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1EX	30	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN
G6	2	Lead collection fire assay fusion - Grav finish	30	Completed	VAN
7TD1	4	4-acid Digestion ICP-ES Finish	0.5	Completed	VAN
7TD.1	2	4 Acid digestion ICP-ES analysis	0.1	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : G613-Ag & 7TD-Cu Pb Zn included.

Invoice To: Dalmin Corporation
407 Dufferin St.
Fredericton NB E3B 3A8
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
“*” asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

CERTIFICATE OF ANALYSIS WHI11000207.2

	Method	WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
579554	Rock	0.40	3.6	13.8	30.1	63	0.3	4.4	7.5	321	2.51	5	2.8	<0.1	10.2	16	<0.1	0.8	0.4	59	0.10
579555	Rock	0.16	0.7	41.6	8.7	73	<0.1	4.3	19.3	940	4.23	3	1.2	<0.1	4.0	592	0.2	0.3	0.1	167	4.68
579556	Rock	0.20	0.3	9.1	16.1	33	0.2	2.9	4.7	299	1.67	6	6.6	<0.1	5.2	461	<0.1	0.4	<0.1	23	1.01
579557	Rock	0.20	0.4	5.4	15.8	55	<0.1	4.4	5.4	503	2.11	2	2.3	<0.1	10.0	460	<0.1	0.6	<0.1	51	0.89
579558	Rock	0.16	0.8	6.3	16.8	64	<0.1	14.4	9.6	482	2.88	3	3.2	<0.1	8.9	725	<0.1	0.6	0.2	72	1.63
579559	Rock	0.24	0.4	35.4	20.7	64	0.2	3.6	2.2	509	2.03	1	1.3	<0.1	4.1	681	0.3	0.5	0.3	46	2.35
579560	Rock	0.14	3.8	3239	7.5	8909	0.5	4.7	10.2	2722	3.04	5	0.9	<0.1	3.4	830	612.7	0.9	0.6	22	16.88
579561	Rock	0.90	1.7	66.9	885.6	761	5.7	3.8	9.6	1535	2.85	73	3.3	<0.1	9.2	105	31.3	11.8	<0.1	80	3.37
579562	Rock	0.76	6.7	803.6	9527	9816	67.2	4.3	11.5	1664	3.55	36	1.7	1.4	4.4	114	488.3	120.7	0.3	70	3.70
579563	Rock	0.83	7.7	>10000	>10000	>10000	>200	2.8	21.1	304	5.68	37	0.9	4.8	0.5	8	>4000	487.1	6.6	7	0.27
579564	Rock	0.57	15.0	>10000	>10000	3781	>200	3.5	9.2	498	2.74	26	4.8	14.2	0.3	104	252.8	16.1	1072	7	1.63
579565	Rock	0.40	0.4	119.7	370.3	247	2.7	6.3	12.4	763	3.48	5	1.6	<0.1	7.4	308	17.0	1.5	2.4	114	1.26
579566	Rock	0.36	7.7	855.5	>10000	3412	40.6	41.3	10.6	359	6.24	915	4.7	0.4	3.2	18	24.9	45.8	4.7	53	0.16
579567	Rock	0.71	0.9	63.9	155.7	715	1.5	231.0	34.5	3782	5.81	24	3.3	<0.1	8.5	210	37.8	3.7	1.1	194	6.03
579568	Rock	0.42	0.5	68.1	4245	219	85.0	3.3	0.6	49	1.50	251	0.2	1.3	0.4	3	2.4	9.3	82.2	6	0.03
579569	Rock	0.79	1.2	13.5	23.0	47	0.4	18.2	5.1	1187	1.30	2	1.2	<0.1	1.2	104	0.3	0.5	0.8	27	2.16
579570	Rock	0.40	0.2	8.7	20.0	42	0.1	3.7	7.0	481	2.16	4	1.5	<0.1	9.3	204	0.3	0.6	0.1	47	0.92
579571	Rock	0.53	1.6	5.7	>10000	105	10.7	1.8	4.6	1258	2.91	3	0.8	<0.1	2.7	134	1.7	10.1	2.1	7	2.91
579572	Rock	0.60	3.1	36.1	19.4	5	1.0	4.5	13.2	32	2.37	20	<0.1	<0.1	0.1	2	<0.1	0.2	0.1	5	0.01
579573	Rock	0.69	1.0	3.7	31.5	204	0.5	3.9	18.0	7586	7.37	8	1.8	<0.1	1.5	732	2.0	2.8	<0.1	40	16.47
579574	Rock	0.59	1.1	2.6	25.2	166	1.1	2.6	6.7	3568	5.01	<1	3.2	<0.1	1.5	720	1.9	4.8	2.3	51	19.81
579575	Rock	0.51	0.2	3.2	18.5	61	<0.1	4.4	11.1	712	3.13	2	2.1	<0.1	10.1	507	0.1	0.5	<0.1	93	3.03
579576	Rock	0.31	3.0	13.7	10.8	72	<0.1	5.9	6.9	623	2.65	4	0.9	<0.1	6.4	265	0.1	0.4	<0.1	69	1.09
579577	Rock	0.35	0.5	95.9	15.1	78	0.2	29.5	11.8	416	3.26	4	1.2	<0.1	10.3	312	0.1	0.7	0.2	89	1.59
579578	Rock	0.34	4.1	6.3	16.0	35	<0.1	2.4	2.8	342	1.57	2	1.1	<0.1	5.1	505	0.2	0.3	0.2	51	1.48
579579	Rock	0.37	17.9	93.1	12.0	84	0.2	31.4	12.0	957	3.66	6	3.9	<0.1	6.6	55	0.2	0.9	0.7	279	1.11
579580	Rock	0.22	5.0	3.3	36.1	13	0.2	0.7	0.2	30	0.74	142	5.8	<0.1	17.9	54	0.5	11.3	0.2	3	0.05
579581	Rock	0.20	0.8	4.7	12.2	57	<0.1	4.3	10.2	679	2.81	7	1.4	<0.1	7.8	611	0.6	1.4	<0.1	88	2.72
579551	Rock	0.73	20.8	250.2	700.5	394	1.0	45.6	26.9	1801	5.90	10	2.3	<0.1	18.4	330	2.0	2.6	0.1	176	1.43
579552	Rock	0.56	1.5	14.7	6395	7885	3.8	10.0	6.3	1514	1.82	9	1.2	<0.1	3.8	171	111.4	4.1	1.1	40	4.20

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

CERTIFICATE OF ANALYSIS WHI11000207.2

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S
	Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1
579554	Rock	0.033	16.4	8	0.65	567	0.145	6.29	0.034	2.82	0.3	2.7	32	5.2	6.7	5.1	0.4	2	8	46.6	0.4
579555	Rock	0.064	13.4	5	2.13	915	0.397	9.15	2.839	1.64	0.7	15.0	26	2.1	12.9	4.5	0.3	<1	18	20.0	0.2
579556	Rock	0.042	10.0	3	0.80	492	0.184	7.62	4.357	0.82	0.3	19.8	19	0.5	8.3	4.5	0.4	2	5	22.9	0.1
579557	Rock	0.036	23.5	9	0.80	522	0.202	8.08	3.819	1.34	0.3	22.3	42	1.0	10.9	15.8	0.9	2	8	21.7	<0.1
579558	Rock	0.128	32.5	17	1.25	1570	0.319	8.20	3.788	1.87	0.8	140.1	60	0.7	8.4	8.8	0.5	1	7	27.0	<0.1
579559	Rock	0.036	15.5	4	0.42	1841	0.129	8.37	2.909	3.59	0.6	6.8	28	1.4	9.4	7.0	0.5	3	4	22.3	<0.1
579560	Rock	0.036	18.5	3	0.74	255	0.141	4.26	0.575	0.90	7.7	4.5	31	5.0	19.2	6.5	0.5	2	6	167.4	<0.1
579561	Rock	0.058	17.8	7	0.95	633	0.242	7.04	0.087	3.34	5.3	10.0	34	1.4	9.0	6.1	0.5	<1	8	117.6	0.6
579562	Rock	0.099	17.4	11	0.90	666	0.304	6.31	0.021	2.82	5.6	78.8	32	1.8	9.9	4.7	0.3	<1	7	85.6	2.7
579563	Rock	0.002	0.9	<1	0.20	15	0.010	0.64	0.002	0.20	0.2	0.8	2	0.9	0.9	0.2	<0.1	<1	<1	19.2	>10
579564	Rock	0.005	1.8	1	0.18	32	0.018	0.72	0.011	0.21	0.6	1.9	4	3.4	3.3	0.4	<0.1	<1	<1	31.1	3.2
579565	Rock	0.075	22.4	11	1.44	1466	0.335	8.57	1.010	4.01	1.4	6.9	40	1.7	12.5	5.8	0.3	2	12	33.0	0.2
579566	Rock	0.104	11.9	129	0.87	58	0.119	2.35	0.013	0.62	1.4	23.4	20	3.2	7.8	2.0	<0.1	1	9	39.6	0.4
579567	Rock	0.204	28.1	382	5.69	594	0.483	6.53	0.171	2.41	3.8	72.3	57	2.1	23.4	6.8	0.3	2	30	87.2	0.7
579568	Rock	0.011	3.7	12	0.03	16	0.015	0.32	0.008	0.13	0.8	3.1	7	2.3	0.6	0.3	<0.1	<1	<1	13.2	0.1
579569	Rock	0.007	3.0	10	0.85	163	0.062	1.48	0.015	0.47	0.3	3.2	5	2.5	4.4	0.8	<0.1	<1	3	23.9	<0.1
579570	Rock	0.031	22.5	8	0.48	917	0.171	5.61	1.558	2.73	0.5	4.8	38	1.2	9.4	6.1	0.5	<1	8	8.3	0.2
579571	Rock	0.015	10.0	2	0.37	1820	0.087	3.29	0.026	1.63	0.5	4.2	20	0.7	10.7	4.2	0.2	<1	5	53.8	0.9
579572	Rock	<0.001	0.5	2	0.04	62	0.004	0.17	0.013	0.05	<0.1	0.3	<1	<0.1	0.1	0.1	<0.1	<1	<1	4.2	1.8
579573	Rock	0.005	5.9	<1	3.58	469	0.038	1.61	0.010	0.30	0.1	2.6	11	0.1	12.1	0.9	<0.1	<1	4	24.5	<0.1
579574	Rock	0.013	8.4	15	5.38	1133	0.066	3.13	0.004	0.20	0.7	4.6	15	1.0	20.5	3.1	0.2	1	4	62.0	0.2
579575	Rock	0.063	22.4	7	1.07	1230	0.282	7.86	2.697	1.35	0.4	23.7	41	0.9	12.0	7.5	0.7	2	10	14.7	<0.1
579576	Rock	0.041	16.0	6	1.24	453	0.215	7.50	3.666	1.56	0.2	4.7	27	0.7	7.9	6.2	0.4	1	9	21.8	0.1
579577	Rock	0.030	33.1	50	1.50	593	0.385	6.49	1.669	3.80	0.8	9.6	65	2.2	15.2	11.5	0.8	<1	13	32.0	0.4
579578	Rock	0.057	17.7	5	0.25	287	0.192	7.58	2.791	3.47	0.3	11.9	33	1.4	9.1	10.9	0.6	2	5	8.2	0.6
579579	Rock	0.403	34.7	59	1.36	1154	0.279	5.23	0.179	2.00	0.7	13.9	55	1.9	26.5	7.5	0.4	2	11	26.6	0.2
579580	Rock	0.004	8.8	2	0.02	135	0.061	5.64	3.089	1.91	0.7	299.9	11	4.4	23.1	25.3	1.5	2	<1	24.4	<0.1
579581	Rock	0.059	15.8	8	1.03	1279	0.269	7.80	2.722	1.26	0.3	10.3	29	0.7	9.9	6.0	0.4	<1	8	12.1	<0.1
579551	Rock	0.022	50.8	95	2.54	407	0.641	11.67	1.661	4.25	1.4	7.6	98	2.2	12.4	15.0	0.8	2	32	27.8	0.9
579552	Rock	0.041	10.0	40	0.95	210	0.147	2.35	0.024	0.88	0.7	6.5	18	0.8	6.8	3.1	0.2	<1	5	32.5	0.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

CERTIFICATE OF ANALYSIS WHI11000207.2

	Method	1EX	1EX	G6Gr	7TD	7TD	7TD	7TD.1
	Analyte	Rb	Hf	Ag	Cu	Pb	Zn	Pb
	Unit	ppm	ppm	gm/t	%	%	%	%
	MDL	0.1	0.1	50	0.001	0.02	0.01	0.02
579554	Rock	137.4	0.1	N.A.	N.A.	N.A.	N.A.	
579555	Rock	30.2	0.7	N.A.	N.A.	N.A.	N.A.	
579556	Rock	19.3	1.3	N.A.	N.A.	N.A.	N.A.	
579557	Rock	37.1	0.6	N.A.	N.A.	N.A.	N.A.	
579558	Rock	77.8	3.4	N.A.	N.A.	N.A.	N.A.	
579559	Rock	84.5	0.3	N.A.	N.A.	N.A.	N.A.	
579560	Rock	41.9	0.2	N.A.	N.A.	N.A.	N.A.	
579561	Rock	113.9	0.5	N.A.	N.A.	N.A.	N.A.	
579562	Rock	104.1	1.9	N.A.	N.A.	N.A.	N.A.	
579563	Rock	8.3	<0.1	827	1.462	>10	11.79	26.28
579564	Rock	8.9	<0.1	854	1.130	>10	0.36	14.68
579565	Rock	218.1	0.4	N.A.	N.A.	N.A.	N.A.	
579566	Rock	56.6	0.6	N.A.	0.085	1.80	0.35	
579567	Rock	138.3	2.0	N.A.	N.A.	N.A.	N.A.	
579568	Rock	10.0	<0.1	N.A.	N.A.	N.A.	N.A.	
579569	Rock	19.1	<0.1	N.A.	N.A.	N.A.	N.A.	
579570	Rock	68.3	0.1	N.A.	N.A.	N.A.	N.A.	
579571	Rock	48.0	0.1	N.A.	<0.001	1.37	0.01	
579572	Rock	1.4	<0.1	N.A.	N.A.	N.A.	N.A.	
579573	Rock	9.3	<0.1	N.A.	N.A.	N.A.	N.A.	
579574	Rock	6.4	0.1	N.A.	N.A.	N.A.	N.A.	
579575	Rock	61.3	1.1	N.A.	N.A.	N.A.	N.A.	
579576	Rock	29.0	0.2	N.A.	N.A.	N.A.	N.A.	
579577	Rock	82.7	0.5	N.A.	N.A.	N.A.	N.A.	
579578	Rock	94.9	0.5	N.A.	N.A.	N.A.	N.A.	
579579	Rock	114.5	0.4	N.A.	N.A.	N.A.	N.A.	
579580	Rock	126.6	8.5	N.A.	N.A.	N.A.	N.A.	
579581	Rock	69.9	0.5	N.A.	N.A.	N.A.	N.A.	
579551	Rock	100.2	0.2	N.A.	N.A.	N.A.	N.A.	
579552	Rock	25.9	0.1	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

QUALITY CONTROL REPORT WHI11000207.2

	Method	WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
579564	Rock	0.57	15.0	>10000	>10000	3781	>200	3.5	9.2	498	2.74	26	4.8	14.2	0.3	104	252.8	16.1	1072	7	1.63
REP 579564	QC																				
579567	Rock	0.71	0.9	63.9	155.7	715	1.5	231.0	34.5	3782	5.81	24	3.3	<0.1	8.5	210	37.8	3.7	1.1	194	6.03
REP 579567	QC		0.9	62.8	152.9	724	1.6	226.6	33.1	3779	5.80	26	3.3	<0.1	8.4	205	39.7	3.7	1.1	196	6.04
579572	Rock	0.60	3.1	36.1	19.4	5	1.0	4.5	13.2	32	2.37	20	<0.1	<0.1	0.1	2	<0.1	0.2	0.1	5	0.01
REP 579572	QC		2.7	33.9	16.4	5	0.9	5.3	13.9	32	2.29	22	<0.1	<0.1	0.1	2	<0.1	0.2	0.1	5	0.01
Core Reject Duplicates																					
579579	Rock	0.37	17.9	93.1	12.0	84	0.2	31.4	12.0	957	3.66	6	3.9	<0.1	6.6	55	0.2	0.9	0.7	279	1.11
DUP 579579	QC		17.9	97.5	11.4	80	0.3	31.4	11.6	945	3.63	7	4.0	<0.1	6.6	55	0.2	0.9	0.7	291	1.10
Reference Materials																					
STD AGPROOF	Standard																				
STD CCU-1C	Standard																				
STD CDN-ME-3	Standard																				
STD CZN-3	Standard																				
STD OREAS131B	Standard																				
STD OREAS24P	Standard		1.4	50.6	2.6	108	<0.1	142.9	44.7	1092	7.14	2	0.6	<0.1	2.7	371	0.5	0.1	<0.1	155	5.83
STD OREAS45C	Standard		2.2	630.4	24.2	84	0.4	342.5	108.7	1165	18.56	11	1.9	<0.1	9.8	33	0.2	0.7	0.2	265	0.49
STD OREAS45C	Standard		1.8	605.2	22.7	79	0.4	334.8	101.0	1157	17.40	11	2.1	<0.1	10.3	36	0.2	0.7	0.2	252	0.46
STD PTC-1A	Standard																				
STD R4T	Standard																				
STD SU-1B	Standard																				
STD OREAS24P Expected			1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158	5.83
STD OREAS45C Expected			2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270	0.482
STD CDN-ME-3 Expected																					
STD AGPROOF Expected																					
STD R4T Expected																					
STD OREAS131B Expected																					
STD SU-1B Expected																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

QUALITY CONTROL REPORT WHI11000207.2

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S
	Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1
Pulp Duplicates																					
579564	Rock	0.005	1.8	1	0.18	32	0.018	0.72	0.011	0.21	0.6	1.9	4	3.4	3.3	0.4	<0.1	<1	<1	31.1	3.2
REP 579564	QC																				
579567	Rock	0.204	28.1	382	5.69	594	0.483	6.53	0.171	2.41	3.8	72.3	57	2.1	23.4	6.8	0.3	2	30	87.2	0.7
REP 579567	QC	0.198	27.5	394	5.68	579	0.480	6.46	0.166	2.36	4.1	74.9	56	2.1	22.6	6.6	0.3	2	30	84.6	0.7
579572	Rock	<0.001	0.5	2	0.04	62	0.004	0.17	0.013	0.05	<0.1	0.3	<1	<0.1	0.1	0.1	<0.1	<1	<1	4.2	1.8
REP 579572	QC	<0.001	0.5	2	0.04	61	0.004	0.17	0.013	0.05	<0.1	0.4	<1	<0.1	0.1	0.1	<0.1	<1	<1	4.0	1.7
Core Reject Duplicates																					
579579	Rock	0.403	34.7	59	1.36	1154	0.279	5.23	0.179	2.00	0.7	13.9	55	1.9	26.5	7.5	0.4	2	11	26.6	0.2
DUP 579579	QC	0.427	36.5	59	1.30	1133	0.262	5.08	0.192	2.03	0.6	14.4	57	1.7	27.6	7.3	0.4	2	11	25.2	0.2
Reference Materials																					
STD AGPROOF	Standard																				
STD CCU-1C	Standard																				
STD CDN-ME-3	Standard																				
STD CZN-3	Standard																				
STD OREAS131B	Standard																				
STD OREAS24P	Standard	0.120	16.8	183	3.94	260	1.054	7.37	2.394	0.63	0.4	132.8	33	1.5	19.0	17.3	1.1	<1	19	7.5	<0.1
STD OREAS45C	Standard	0.052	26.3	964	0.25	275	1.178	7.39	0.100	0.34	1.0	169.4	48	2.8	11.4	22.7	1.3	<1	60	15.8	<0.1
STD OREAS45C	Standard	0.049	25.1	926	0.24	266	1.072	7.15	0.093	0.33	1.2	167.6	47	2.7	10.8	20.6	1.4	<1	56	15.9	<0.1
STD PTC-1A	Standard																				
STD R4T	Standard																				
STD SU-1B	Standard																				
STD OREAS24P Expected		0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7	
STD OREAS45C Expected		0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69	0.021
STD CDN-ME-3 Expected																					
STD AGPROOF Expected																					
STD R4T Expected																					
STD OREAS131B Expected																					
STD SU-1B Expected																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

QUALITY CONTROL REPORT WHI11000207.2

	Method	1EX	1EX	G6Gr	7TD	7TD	7TD	7TD.1
	Analyte	Rb	Hf	Ag	Cu	Pb	Zn	Pb
	Unit	ppm	ppm	gm/t	%	%	%	%
	MDL	0.1	0.1	50	0.001	0.02	0.01	0.02
Pulp Duplicates								
579564	Rock	8.9	<0.1	854	1.130	>10	0.36	14.68
REP 579564	QC							14.76
579567	Rock	138.3	2.0	N.A.	N.A.	N.A.	N.A.	
REP 579567	QC	131.5	2.5					
579572	Rock	1.4	<0.1	N.A.	N.A.	N.A.	N.A.	
REP 579572	QC	1.4	<0.1					
Core Reject Duplicates								
579579	Rock	114.5	0.4	N.A.	N.A.	N.A.	N.A.	
DUP 579579	QC	89.8	0.3	N.A.	N.A.	N.A.	N.A.	
Reference Materials								
STD AGPROOF	Standard			95				
STD CCU-1C	Standard							0.35
STD CDN-ME-3	Standard			259				
STD CZN-3	Standard							0.11
STD OREAS131B	Standard				0.022	1.81	3.07	
STD OREAS24P	Standard	17.6	3.3					
STD OREAS45C	Standard	21.4	4.0					
STD OREAS45C	Standard	20.1	4.2					
STD PTC-1A	Standard							<0.02
STD R4T	Standard				0.504	1.52	3.38	
STD SU-1B	Standard				1.179	<0.02	0.03	
STD OREAS24P Expected		22.4	3.6					
STD OREAS45C Expected		24	4.27					
STD CDN-ME-3 Expected				276				
STD AGPROOF Expected				94				
STD R4T Expected					0.502	1.518	3.376	
STD OREAS131B Expected					0.0216	1.86	3.14	
STD SU-1B Expected					1.185	0.0058	0.0235	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

QUALITY CONTROL REPORT WHI11000207.2

		WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
STD CZN-3 Expected																					
STD CCU-1C Expected																					
STD PTC-1A Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		0.1	2.5	20.5	56	<0.1	3.7	4.7	720	2.35	1	2.4	<0.1	7.1	719	<0.1	<0.1	<0.1	52	2.46
G1	Prep Blank		<0.1	2.2	20.2	55	<0.1	3.7	5.0	760	2.33	1	2.8	<0.1	7.6	711	<0.1	<0.1	0.1	51	2.41

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

QUALITY CONTROL REPORT WHI11000207.2

		1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1	1EX S % 0.1
STD CZN-3 Expected																					
STD CCU-1C Expected																					
STD PTC-1A Expected																					
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	0.080	20.4	6	0.62	1099	0.228	7.28	2.810	1.88	0.1	12.8	43	1.4	11.9	24.8	1.5	3	5	38.9	<0.1
G1	Prep Blank	0.081	22.0	5	0.65	1146	0.248	7.65	2.783	2.35	0.2	12.5	48	1.5	12.7	25.1	1.5	3	5	39.9	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

QUALITY CONTROL REPORT WHI11000207.2

		1EX Rb ppm 0.1	1EX Hf ppm 0.1	G6Gr Ag gm/t 50	7TD Cu % 0.001	7TD Pb % 0.02	7TD Zn % 0.01	7TD.1 Pb % 0.02
STD CZN-3 Expected								0.113
STD CCU-1C Expected								0.34
STD PTC-1A Expected								0.05
BLK	Blank	<0.1	<0.1					
BLK	Blank	<0.1	<0.1					
BLK	Blank			<50				
BLK	Blank			<50				
BLK	Blank				<0.001	<0.02	<0.01	
BLK	Blank							<0.02
Prep Wash								
G1	Prep Blank	96.2	0.7	N.A.	N.A.	N.A.	N.A.	
G1	Prep Blank	117.3	0.7	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Submitted By:	Dallas Davis
Receiving Lab:	Canada-Whitehorse
Received:	June 29, 2011
Report Date:	July 26, 2011
Page:	1 of 2

CERTIFICATE OF ANALYSIS WHI11000351.2

CLIENT JOB INFORMATION

Project:	Gold World Resources
Shipment ID:	
P.O. Number	
Number of Samples:	17

SAMPLE DISPOSAL

DISP-PLP	Dispose of Pulp After 90 days
DISP-RJT	Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	17	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1EX	17	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN
G6Gr	2	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN
7TD1	5	4-acid Digestion ICP-ES Finish	0.5	Completed	VAN
7TD.1	2	4 Acid digestion ICP-ES analysis	0.1	Completed	VAN

ADDITIONAL COMMENTS

Version 2, 7TD Cu Pb Zn OL added

Invoice To: Dalmin Corporation
407 Dufferin St.
Fredericton NB E3B 3A8
Canada

CC: Hermann Derbuch

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
“*” asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

CERTIFICATE OF ANALYSIS WHI11000351.2

	Method	WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
579582	Rock	0.39	5.7	4.5	8.9	28	0.6	0.3	1.3	106	1.07	5	2.2	0.3	1.0	14	0.2	4.6	<0.1	22	0.17
579583	Rock	0.53	4.4	4.9	8.6	12	0.2	0.4	1.1	148	0.72	4	0.9	0.3	0.5	33	0.2	8.4	0.4	64	0.09
579584	Rock	0.81	5.0	2681	879.9	542	65.7	2.5	8.1	877	1.86	13	8.6	0.4	2.0	36	36.8	96.8	3.9	61	2.65
579585	Rock	0.51	302.0	2535	1529	620	>200	1.5	2.1	86	1.02	5	3.2	1.5	1.7	76	6.7	32.5	2.0	46	0.11
579586	Rock	0.56	10.6	275.2	53.2	66	9.8	2.6	9.9	150	2.07	15	2.1	0.6	4.1	16	2.8	57.0	1.1	49	0.12
579587	Rock	0.63	2.0	1132	14.6	55	0.7	5.1	12.2	654	2.99	3	3.6	0.3	13.5	504	0.1	0.7	0.1	92	2.48
579588	Rock	0.62	117.8	331.3	10.0	55	0.5	4.3	11.6	743	3.11	3	2.9	0.3	9.3	358	0.3	0.9	<0.1	97	2.30
579589	Rock	0.55	15.0	1467	1131	876	2.1	4.5	11.7	970	3.09	2	3.4	0.3	9.3	673	3.0	1.2	0.7	94	2.60
579590	Rock	0.55	34.1	4369	351.9	213	52.9	3.3	9.9	1036	2.72	<1	5.5	0.3	8.1	406	1.1	2.5	116.5	72	2.10
579591	Rock	0.74	3.9	87.4	33.3	51	3.5	1.2	3.5	160	0.81	9	0.9	0.5	2.5	41	0.7	8.8	0.3	32	0.25
579592	Rock	0.56	1.4	1208	>10000	7815	122.9	2.4	7.0	2417	6.75	93	2.4	6.9	0.7	239	334.2	14.3	0.4	21	5.70
579593	Rock	0.42	1.1	1388	>10000	>10000	80.4	2.6	8.0	2399	6.64	84	1.5	3.4	1.2	194	970.0	14.9	0.2	34	5.03
579594	Rock	0.33	1.0	911.7	>10000	>10000	39.3	4.5	11.1	2863	5.63	60	2.1	1.9	2.1	260	548.9	6.7	0.1	55	6.94
579595	Rock	0.58	3.4	20.4	976.3	620	3.8	0.6	1.1	1116	0.67	8	0.2	0.4	0.3	208	28.3	2.0	<0.1	6	2.76
579596	Rock	1.41	21.2	2942	>10000	>10000	>200	2.6	42.3	212	15.58	371	0.9	63.8	0.2	4	3953	276.5	7.5	2	0.02
579597	Rock	0.64	9.6	84.1	1972	917	22.9	2.5	9.8	87	4.75	146	0.7	7.0	2.3	8	35.2	36.2	0.2	16	0.14
579598	Rock	1.00	7.0	427.9	>10000	>10000	>200	5.2	24.8	248	12.26	197	1.1	80.4	0.4	16	880.8	100.5	3.8	11	0.27

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

CERTIFICATE OF ANALYSIS WHI11000351.2

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S
	Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1
579582	Rock	0.037	2.3	1	0.14	228	0.099	1.79	0.036	0.69	1.5	23.7	6	3.8	4.4	1.8	<0.1	<1	3	114.5	<0.1
579583	Rock	0.016	1.8	1	0.13	146	0.056	1.67	0.020	0.74	0.8	11.3	5	0.3	2.9	1.0	<0.1	2	2	140.2	<0.1
579584	Rock	0.015	7.5	3	0.32	338	0.058	2.84	0.013	1.20	2.2	4.4	12	0.2	6.5	1.1	<0.1	<1	3	67.5	<0.1
579585	Rock	0.009	3.6	3	0.18	2490	0.045	2.27	0.012	1.17	5.2	3.2	7	0.2	1.8	1.0	<0.1	<1	2	103.9	0.1
579586	Rock	0.022	8.9	4	0.20	278	0.108	3.28	0.015	1.69	3.9	6.8	13	0.2	3.6	2.0	0.2	<1	4	75.6	<0.1
579587	Rock	0.055	16.4	9	1.18	2077	0.268	7.48	2.424	2.25	29.2	17.4	32	0.8	10.4	5.9	0.5	<1	10	20.3	<0.1
579588	Rock	0.054	17.5	9	1.35	2146	0.273	7.55	2.408	2.42	0.6	13.7	34	0.7	9.4	5.6	0.4	<1	10	23.4	<0.1
579589	Rock	0.051	19.2	9	1.07	1209	0.261	6.90	2.536	1.50	1.1	12.2	36	0.7	11.1	5.3	0.4	<1	9	15.0	<0.1
579590	Rock	0.035	16.3	7	0.83	2661	0.182	5.48	1.707	1.05	1.2	12.3	28	0.4	6.9	3.5	0.3	<1	6	10.7	0.2
579591	Rock	0.011	3.6	3	0.15	202	0.058	2.00	0.018	0.94	1.1	4.1	7	0.2	2.4	1.3	0.1	2	2	145.8	<0.1
579592	Rock	0.017	10.3	4	0.44	15	0.059	1.73	0.010	0.61	1.4	15.7	21	0.5	3.9	0.9	<0.1	<1	2	44.3	6.7
579593	Rock	0.033	12.1	7	0.55	35	0.117	2.67	0.013	1.10	1.7	32.0	26	0.9	4.9	1.8	<0.1	<1	3	46.0	7.5
579594	Rock	0.055	14.9	9	0.68	27	0.170	3.83	0.020	1.68	2.5	48.1	33	1.2	7.5	2.4	0.2	<1	5	31.8	4.9
579595	Rock	0.003	3.7	<1	0.12	346	0.013	0.63	0.004	0.28	0.4	0.7	7	0.2	3.8	0.3	<0.1	<1	<1	12.7	0.4
579596	Rock	<0.001	1.3	<1	0.08	25	0.003	0.25	0.001	0.06	0.3	0.3	2	5.5	0.5	0.2	<0.1	<1	<1	12.1	>10
579597	Rock	0.012	37.4	2	0.08	42	0.041	1.07	0.007	0.51	1.9	1.6	62	1.0	3.9	1.1	<0.1	<1	2	17.8	5.2
579598	Rock	0.012	3.3	<1	0.19	11	0.027	0.97	0.004	0.35	0.7	7.4	7	2.3	2.6	0.5	<0.1	<1	<1	16.4	>10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

CERTIFICATE OF ANALYSIS WHI11000351.2

	Method	1EX	1EX	G6Gr	7TD	7TD	7TD	7TD.1
	Analyte	Rb	Hf	Ag	Cu	Pb	Zn	Pb
	Unit	ppm	ppm	gm/t	%	%	%	%
	MDL	0.1	0.1	50	0.001	0.02	0.01	0.02
579582	Rock	42.7	0.6		N.A.	N.A.	N.A.	
579583	Rock	56.4	0.3		N.A.	N.A.	N.A.	
579584	Rock	54.7	0.2		N.A.	N.A.	N.A.	
579585	Rock	57.0	0.2	267	N.A.	N.A.	N.A.	
579586	Rock	76.3	0.3		N.A.	N.A.	N.A.	
579587	Rock	71.9	0.9		N.A.	N.A.	N.A.	
579588	Rock	95.2	0.7		N.A.	N.A.	N.A.	
579589	Rock	42.1	0.6		N.A.	N.A.	N.A.	
579590	Rock	46.3	0.5		N.A.	N.A.	N.A.	
579591	Rock	44.2	0.2		N.A.	N.A.	N.A.	
579592	Rock	26.9	0.3		0.116	6.02	0.78	
579593	Rock	47.9	0.8		0.136	5.34	2.16	
579594	Rock	74.1	1.1		0.090	1.69	1.20	
579595	Rock	10.0	<0.1		N.A.	N.A.	N.A.	
579596	Rock	2.7	<0.1	490	0.301	>10	8.82	30.62
579597	Rock	20.8	<0.1		N.A.	N.A.	N.A.	
579598	Rock	13.7	0.2		0.041	>10	2.29	18.53

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

QUALITY CONTROL REPORT WHI11000351.2

	Method	WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
579587	Rock	0.63	2.0	1132	14.6	55	0.7	5.1	12.2	654	2.99	3	3.6	0.3	13.5	504	0.1	0.7	0.1	92	2.48
REP 579587	QC		2.3	1145	16.7	55	0.8	4.6	12.3	654	2.97	3	3.2	0.3	10.2	504	0.2	0.7	0.1	89	2.46
579596	Rock	1.41	21.2	2942	>10000	>10000	>200	2.6	42.3	212	15.58	371	0.9	63.8	0.2	4	3953	276.5	7.5	2	0.02
REP 579596	QC																				
Reference Materials																					
STD AGPROOF	Standard																				
STD CCU-1C	Standard																				
STD CDN-ME-3	Standard																				
STD CZN-3	Standard																				
STD OREAS131B	Standard																				
STD OREAS24P	Standard		1.6	52.3	1.9	117	<0.1	153.4	50.0	1152	7.53	<1	0.6	<0.1	2.9	366	0.1	0.3	<0.1	165	6.24
STD OREAS45C	Standard		2.1	590.9	21.6	83	0.3	331.2	100.7	910	17.22	12	1.9	0.3	8.8	34	0.3	1.0	0.2	271	0.47
STD OREAS45C	Standard		2.1	582.4	22.2	72	0.3	319.2	101.4	1122	16.60	10	2.0	<0.1	9.0	31	0.1	0.8	0.2	244	0.44
STD PTC-1A	Standard																				
STD R4T	Standard																				
STD SU-1B	Standard																				
STD CDN-ME-3 Expected																					
STD AGPROOF Expected																					
STD OREAS24P Expected			1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158	5.83
STD OREAS45C Expected			2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270	0.482
STD R4T Expected																					
STD OREAS131B Expected																					
STD SU-1B Expected																					
STD CZN-3 Expected																					
STD CCU-1C Expected																					
STD PTC-1A Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

QUALITY CONTROL REPORT WHI11000351.2

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S
	Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1
Pulp Duplicates																					
579587	Rock	0.055	16.4	9	1.18	2077	0.268	7.48	2.424	2.25	29.2	17.4	32	0.8	10.4	5.9	0.5	<1	10	20.3	<0.1
REP 579587	QC	0.051	19.4	9	1.18	2064	0.266	7.33	2.419	2.21	27.1	19.3	36	0.7	10.4	5.9	0.5	1	9	19.6	<0.1
579596	Rock	<0.001	1.3	<1	0.08	25	0.003	0.25	0.001	0.06	0.3	0.3	2	5.5	0.5	0.2	<0.1	<1	<1	12.1	>10
REP 579596	QC																				
Reference Materials																					
STD AGPROOF	Standard																				
STD CCU-1C	Standard																				
STD CDN-ME-3	Standard																				
STD CZN-3	Standard																				
STD OREAS131B	Standard																				
STD OREAS24P	Standard	0.135	18.6	205	4.17	272	1.114	7.88	2.430	0.66	0.4	139.5	36	1.5	21.6	19.9	1.2	1	21	7.7	<0.1
STD OREAS45C	Standard	0.050	22.9	935	0.25	272	1.139	7.01	0.097	0.34	1.1	161.2	45	2.8	11.1	21.2	1.2	<1	56	16.5	<0.1
STD OREAS45C	Standard	0.048	25.4	987	0.23	250	1.074	7.01	0.092	0.32	1.0	150.8	48	2.6	11.5	20.8	1.1	<1	57	13.8	<0.1
STD PTC-1A	Standard																				
STD R4T	Standard																				
STD SU-1B	Standard																				
STD CDN-ME-3 Expected																					
STD AGPROOF Expected																					
STD OREAS24P Expected		0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7	
STD OREAS45C Expected		0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69	0.021
STD R4T Expected																					
STD OREAS131B Expected																					
STD SU-1B Expected																					
STD CZN-3 Expected																					
STD CCU-1C Expected																					
STD PTC-1A Expected																					
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

QUALITY CONTROL REPORT WHI11000351.2

	Method	1EX	1EX	G6Gr	7TD	7TD	7TD	7TD.1
	Analyte	Rb	Hf	Ag	Cu	Pb	Zn	Pb
	Unit	ppm	ppm	gm/t	%	%	%	%
	MDL	0.1	0.1	50	0.001	0.02	0.01	0.02
Pulp Duplicates								
579587	Rock	71.9	0.9		N.A.	N.A.	N.A.	
REP 579587	QC	71.9	0.9					
579596	Rock	2.7	<0.1	490	0.301	>10	8.82	30.62
REP 579596	QC							30.66
Reference Materials								
STD AGPROOF	Standard			96				
STD CCU-1C	Standard							0.25
STD CDN-ME-3	Standard			258				
STD CZN-3	Standard							0.05
STD OREAS131B	Standard				0.022	1.92	3.23	
STD OREAS24P	Standard	19.3	3.5					
STD OREAS45C	Standard	21.8	4.0					
STD OREAS45C	Standard	19.8	4.0					
STD PTC-1A	Standard							0.05
STD R4T	Standard				0.517	1.57	3.40	
STD SU-1B	Standard				1.250	<0.02	0.02	
STD CDN-ME-3 Expected				276				
STD AGPROOF Expected				94				
STD OREAS24P Expected		22.4	3.6					
STD OREAS45C Expected		24	4.27					
STD R4T Expected					0.502	1.518	3.376	
STD OREAS131B Expected					0.0216	1.86	3.14	
STD SU-1B Expected					1.185	0.0058	0.0235	
STD CZN-3 Expected								0.113
STD CCU-1C Expected								0.34
STD PTC-1A Expected								0.05
BLK	Blank	<0.1	<0.1					
BLK	Blank			<50				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

QUALITY CONTROL REPORT WHI11000351.2

		WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		0.1	1.8	16.9	51	<0.1	3.6	4.5	744	2.39	<1	2.7	0.3	7.3	712	<0.1	<0.1	<0.1	51	2.38
G1	Prep Blank		0.4	3.5	18.4	56	<0.1	6.0	4.6	699	2.20	2	2.7	0.3	6.9	655	<0.1	0.2	<0.1	49	2.16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

QUALITY CONTROL REPORT WHI11000351.2

		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1
BLK	Blank																				
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	0.081	23.9	5	0.62	896	0.223	7.43	2.682	2.90	<0.1	12.9	51	1.4	14.1	22.8	1.3	3	5	32.8	<0.1
G1	Prep Blank	0.087	23.7	6	0.61	1008	0.220	7.01	2.519	2.99	0.1	14.0	51	1.3	13.3	22.5	1.3	2	5	32.5	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 26, 2011

QUALITY CONTROL REPORT WHI11000351.2

		1EX Rb ppm 0.1	1EX Hf ppm 0.1	G6Gr Ag gm/t 50	7TD Cu % 0.001	7TD Pb % 0.02	7TD Zn % 0.01	7TD.1 Pb % 0.02
BLK	Blank			<50				
BLK	Blank	<0.1	<0.1					
BLK	Blank				<0.001	<0.02	<0.01	
BLK	Blank							<0.02
Prep Wash								
G1	Prep Blank	109.0	0.7		N.A.	N.A.	N.A.	
G1	Prep Blank	104.5	0.7		N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Submitted By:	Dallas Davis
Receiving Lab:	Canada-Whitehorse
Received:	July 20, 2011
Report Date:	July 27, 2011
Page:	1 of 2

CERTIFICATE OF ANALYSIS WHI11000351R.2

CLIENT JOB INFORMATION

Project:	Gold World Resources
Shipment ID:	
P.O. Number	
Number of Samples:	1

SAMPLE DISPOSAL

DISP-PLP	Dispose of Pulp After 90 days
DISP-RJT	Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
G6	1	Lead collection fire assay fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Version 2, 7TD Cu Pb Zn OL added

Invoice To: Dalmin Corporation
407 Dufferin St.
Fredericton NB E3B 3A8
Canada

CC: Hermann Derbuch

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 27, 2011

CERTIFICATE OF ANALYSIS WHI11000351R.2

		Method	G6Gr
		Analyte	Ag
		Unit	gm/t
		MDL	50
579598	Rock		338

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: July 27, 2011

QUALITY CONTROL REPORT WHI11000351R.2

	Method	G6Gr
	Analyte	Ag
	Unit	gm/t
	MDL	50
Reference Materials		
STD AGPROOF	Standard	97
STD CDN-ME-3	Standard	265
STD CDN-ME-3 Expected		276
STD AGPROOF Expected		94
BLK	Blank	<50
BLK	Blank	<50

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Submitted By: Dallas Davis
Receiving Lab: Canada-Whitehorse
Received: July 08, 2011
Report Date: August 12, 2011

CERTIFICATE OF ANALYSIS WHI11000513.2

CLIENT JOB INFORMATION

Project: Gold World Resources
Shipment ID:
P.O. Number
Number of Samples: 28

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	28	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1EX	28	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN
8BR	1	Hydrobromic acid digestion AA 0.5 g/200 mL	0.5	Completed	VAN
G6	1	Lead collection fire assay fusion - Grav finish	30	Completed	VAN
7TD1	9	4-acid Digestion ICP-ES Finish	0.5	Completed	VAN
7KP1	4	Phosphoric acid leach, ICP-ES analysis	0.5	Completed	VAN
7TD.1	1	4 Acid digestion ICP-ES analysis	0.1	Completed	VAN

ADDITIONAL COMMENTS

Version 2: 7TD, G6Gr, 7KP, 8BR analysis included

Invoice To: Dalmin Corporation
407 Dufferin St.
Fredericton NB E3B 3A8
Canada

CC: Hermann Derbuch

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: August 12, 2011

CERTIFICATE OF ANALYSIS WHI11000513.2

	Method	WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
579530	Rock	0.54	1.7	542.8	13.3	99	0.9	2.7	1.7	485	0.97	1	1.1	<0.1	3.8	816	1.2	0.4	1.4	23	2.71
579531	Rock	0.37	4.7	>10000	9.4	>10000	120.6	1.6	15.3	5438	9.19	<1	2.1	0.9	0.9	15	2129	1.6	627.0	26	7.73
579532	Rock	0.47	6.5	79.6	18.9	125	0.2	17.8	6.7	438	2.19	2	3.6	<0.1	15.9	721	2.9	0.2	1.4	54	1.58
579533	Rock	0.71	6.1	2491	4.6	6979	0.8	9.7	4.2	2737	1.76	2	0.9	<0.1	2.3	85	286.6	0.9	5.6	28	4.05
579534	Rock	0.57	8.8	48.4	33.8	59	<0.1	9.9	5.1	335	2.13	3	1.8	<0.1	8.7	533	0.5	0.1	0.2	47	1.04
579535	Rock	0.56	18.9	101.6	14.8	9240	1.6	21.5	7.0	>10000	9.11	<1	0.6	0.2	1.6	26	270.2	0.3	167.8	33	11.30
579536	Rock	0.65	32.6	500.6	0.9	>10000	8.6	3.9	12.3	6190	8.02	<1	0.5	1.0	0.2	15	2665	0.3	922.0	6	5.13
579537	Rock	0.56	1.7	288.0	118.4	409	2.1	2.7	2.4	410	1.54	42	1.4	<0.1	4.3	1041	11.0	0.2	7.0	32	1.76
579538	Rock	0.81	323.5	6263	1.9	752	14.7	1.3	2.9	7316	5.27	1	1.8	<0.1	2.1	9	27.8	0.5	16.6	59	11.10
579539	Rock	0.98	1.2	31.5	17.8	76	2.2	3.8	9.8	980	2.51	4	3.5	<0.1	11.0	249	1.1	2.2	0.2	86	3.27
579503	Rock	0.37	2.8	814.4	>10000	5022	183.7	0.6	6.2	420	2.48	29	2.1	1.5	0.8	83	185.3	10.5	0.6	8	1.63
579504	Rock	0.44	2.6	2713	>10000	5515	130.9	1.7	3.6	2333	1.32	3	2.4	0.4	3.7	428	311.1	4.1	<0.1	39	10.55
579505	Rock	0.81	2.2	20.6	211.7	89	3.7	1.3	3.0	1161	1.43	28	0.3	<0.1	1.1	210	3.3	2.4	0.2	19	3.60
579506	Rock	0.74	0.9	1219	3840	>10000	52.7	1.2	9.5	1269	2.81	38	0.8	0.8	1.0	178	1031	7.9	0.2	14	4.48
579507	Rock	0.92	10.3	605.8	>10000	977	29.8	11.6	12.2	2122	6.62	7	9.3	0.9	7.4	690	33.1	11.2	0.7	204	5.92
579508	Rock	0.50	6.3	1569	>10000	864	36.4	5.6	11.0	1634	4.49	6	5.0	<0.1	6.7	284	24.8	7.5	1.0	80	3.02
579509	Rock	0.61	4.3	178.3	2583	318	10.5	3.8	2.5	770	2.57	4	3.4	<0.1	12.1	269	5.5	6.3	8.9	94	2.26
579511	Rock	0.45	0.5	131.2	4810	2298	19.9	0.9	2.1	1726	1.69	17	0.6	0.2	1.2	258	111.0	6.1	0.1	11	7.02
579512	Rock	0.51	1.4	312.3	67.3	112	0.9	76.8	21.1	1147	4.47	2	2.3	<0.1	5.8	583	1.1	0.9	0.8	190	3.96
579513	Rock	0.87	70.5	2194	57.9	98	3.3	11.6	23.7	278	3.70	5	1.9	0.4	2.0	415	1.4	0.4	161.6	48	1.26
579514	Rock	0.65	3.8	95.8	22.6	16	0.4	0.5	2.0	69	0.81	4	0.2	<0.1	0.1	91	<0.1	0.2	1.3	7	0.10
579515	Rock	0.62	2.3	234.7	23.9	93	0.5	10.2	10.6	916	3.87	3	0.9	<0.1	4.2	1027	0.2	0.2	2.2	107	3.64
579516	Rock	0.77	5.0	1063	54.6	327	4.8	5.4	5.5	229	1.52	8	1.6	<0.1	5.2	351	14.0	1.2	59.6	38	0.27
579517	Rock	0.70	31.8	7.9	72.0	18	0.8	1.0	1.7	103	0.95	8	0.9	<0.1	3.2	27	0.3	8.3	0.6	29	0.06
579518	Rock	1.04	17.7	>10000	>10000	>10000	>200	3.8	19.5	316	12.21	538	8.7	10.7	<0.1	21	3937	>4000	14.5	2	0.05
579599	Rock	0.33	6.5	521.3	>10000	836	129.6	0.4	0.9	48	5.89	210	36.3	10.3	0.7	182	35.6	21.3	0.2	16	0.06
579600	Rock	0.62	1.2	356.3	5559	1709	26.9	4.4	11.4	4575	4.20	52	2.4	0.2	5.3	501	116.3	84.3	0.1	67	11.31
579519	Rock	0.89	3.3	49.2	407.7	1198	3.0	2.5	8.4	2078	2.57	140	3.2	<0.1	12.3	39	76.4	11.5	<0.1	68	2.78

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: August 12, 2011

CERTIFICATE OF ANALYSIS WHI11000513.2

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S
	Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1
579530	Rock	0.027	15.4	4	0.23	1487	0.117	5.58	2.200	1.86	0.7	9.8	24	4.9	7.4	7.6	0.4	3	3	7.6	<0.1
579531	Rock	0.062	6.7	9	0.30	9	0.033	2.59	0.019	<0.01	>200	14.7	6	184.2	8.6	3.1	0.1	6	<1	7.7	5.3
579532	Rock	0.034	35.8	36	0.66	964	0.327	7.18	2.951	2.10	2.4	10.1	72	2.3	12.3	12.9	0.8	2	9	33.2	<0.1
579533	Rock	0.033	8.5	11	0.46	29	0.053	1.47	0.152	0.04	6.2	9.7	13	41.2	8.0	3.1	0.2	2	3	34.6	<0.1
579534	Rock	0.034	27.2	19	0.67	1774	0.243	6.84	1.988	2.79	0.9	8.2	52	1.6	7.8	9.5	0.6	2	7	35.5	0.1
579535	Rock	0.026	3.7	60	1.37	9	0.093	1.24	0.035	0.01	1.3	8.6	6	45.9	6.9	3.2	0.1	5	7	7.9	0.6
579536	Rock	0.033	0.7	8	0.39	11	0.003	0.51	0.016	<0.01	>200	1.3	1	20.7	2.8	<0.1	<0.1	1	<1	3.2	3.6
579537	Rock	0.037	12.6	7	0.30	2214	0.153	6.76	2.668	2.66	14.0	8.5	24	3.3	9.1	8.1	0.4	2	4	24.1	<0.1
579538	Rock	0.044	20.3	5	0.33	10	0.127	4.40	0.010	<0.01	>200	29.3	27	281.4	27.3	7.8	0.4	1	4	5.9	0.3
579539	Rock	0.057	21.7	5	0.83	695	0.250	7.22	1.679	2.39	3.1	9.0	40	1.5	11.0	5.7	0.4	<1	9	20.4	0.4
579503	Rock	0.007	1.9	<1	0.15	33	0.022	0.82	0.008	0.30	7.0	2.2	3	0.9	2.4	0.5	<0.1	<1	<1	27.4	2.5
579504	Rock	0.025	12.8	<1	0.39	172	0.091	3.16	0.380	1.19	1.6	5.0	21	1.1	10.8	2.0	0.2	<1	4	11.8	0.6
579505	Rock	0.012	3.2	<1	0.26	117	0.035	1.47	0.005	0.66	1.9	1.9	6	0.4	4.3	0.8	<0.1	<1	1	16.6	0.8
579506	Rock	0.009	4.0	<1	0.20	26	0.030	1.11	0.010	0.42	0.8	2.6	8	0.8	4.7	0.6	<0.1	<1	<1	43.1	3.2
579507	Rock	0.107	33.1	74	2.14	513	0.456	7.51	0.229	1.03	4.1	18.1	66	1.8	18.5	7.4	0.4	<1	22	31.3	<0.1
579508	Rock	0.032	13.9	5	1.96	942	0.170	6.16	0.724	1.66	2.5	8.9	24	0.8	10.0	3.3	0.3	<1	5	28.2	0.1
579509	Rock	0.063	36.4	8	1.01	1432	0.307	7.21	2.111	2.56	2.4	8.0	60	1.1	11.9	6.0	0.4	1	9	15.6	<0.1
579511	Rock	0.011	6.5	<1	0.22	158	0.026	1.08	0.012	0.38	0.9	2.9	11	0.3	7.1	0.5	<0.1	<1	1	37.9	0.9
579512	Rock	0.046	24.2	112	1.37	691	0.481	7.34	3.944	2.19	2.2	13.7	48	10.1	18.1	10.7	0.5	2	18	10.9	0.5
579513	Rock	0.039	16.0	8	0.35	249	0.103	3.69	1.708	0.45	>200	4.0	24	3.4	8.4	2.7	0.1	8	5	17.3	1.9
579514	Rock	0.003	1.0	<1	0.05	719	0.011	1.35	0.524	0.72	7.3	0.8	2	0.5	0.8	0.2	<0.1	<1	<1	7.5	<0.1
579515	Rock	0.123	20.9	19	1.17	2010	0.305	7.99	3.071	3.04	34.1	5.1	38	5.1	14.1	7.0	0.4	3	9	13.3	0.5
579516	Rock	0.040	13.7	6	0.45	1502	0.131	5.95	3.276	2.55	6.1	8.0	27	2.9	5.7	8.7	0.5	1	4	15.6	0.3
579517	Rock	0.014	4.3	3	0.22	295	0.069	2.20	0.021	1.11	3.5	3.4	6	0.6	1.6	1.6	0.1	1	2	102.6	<0.1
579518	Rock	<0.001	<0.1	<1	0.03	16	<0.001	0.21	0.002	0.06	0.2	<0.1	<1	1.1	0.8	<0.1	<0.1	<1	<1	4.9	>10
579599	Rock	0.010	14.5	2	0.05	472	0.027	1.04	0.008	0.41	0.9	3.6	24	0.8	4.6	0.4	<0.1	<1	2	37.3	0.7
579600	Rock	0.040	26.0	4	0.92	210	0.171	4.68	0.016	1.82	3.5	23.9	46	0.7	23.9	3.2	0.2	<1	7	98.3	1.3
579519	Rock	0.059	21.6	5	0.61	583	0.245	6.33	0.031	2.13	5.7	10.0	37	1.5	6.8	5.5	0.4	<1	9	10.0	0.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: August 12, 2011

CERTIFICATE OF ANALYSIS WHI11000513.2

	Method	1EX	1EX	8BR	G6Gr	7TD	7TD	7TD	7KP	7TD.1
	Analyte	Rb	Hf	Sb	Ag	Pb	Zn	Cu	W	Pb
	Unit	ppm	ppm	%	gm/t	%	%	%	%	%
	MDL	0.1	0.1	0.01	50	0.02	0.01	0.001	0.005	0.02
579530	Rock	53.1	0.4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579531	Rock	0.4	0.5	N.A.	N.A.	<0.02	6.04	4.524	0.141	
579532	Rock	87.1	0.3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579533	Rock	2.0	0.5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579534	Rock	106.6	0.3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579535	Rock	0.5	0.3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579536	Rock	0.6	<0.1	N.A.	N.A.	<0.02	8.36	0.051	0.853	
579537	Rock	66.2	0.3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579538	Rock	0.3	0.9	N.A.	N.A.	N.A.	N.A.	N.A.	0.070	
579539	Rock	102.0	0.4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579503	Rock	9.9	<0.1	N.A.	N.A.	4.11	0.49	0.082	N.A.	
579504	Rock	49.7	0.2	N.A.	N.A.	1.53	0.56	0.286	N.A.	
579505	Rock	26.4	<0.1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579506	Rock	17.3	<0.1	N.A.	N.A.	0.39	2.56	0.120	N.A.	
579507	Rock	59.1	1.1	N.A.	N.A.	1.68	0.10	0.061	N.A.	
579508	Rock	79.8	0.5	N.A.	N.A.	2.10	0.09	0.168	N.A.	
579509	Rock	138.0	0.5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579511	Rock	14.5	<0.1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579512	Rock	100.2	0.6	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579513	Rock	17.7	0.2	N.A.	N.A.	N.A.	N.A.	N.A.	0.239	
579514	Rock	17.4	<0.1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579515	Rock	76.9	0.4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579516	Rock	127.5	0.3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579517	Rock	53.5	0.1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579518	Rock	2.8	<0.1	0.73	1554	>10	8.92	3.265	N.A.	47.63
579599	Rock	14.6	<0.1	N.A.	N.A.	7.31	0.10	0.058	N.A.	
579600	Rock	59.4	0.8	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
579519	Rock	98.4	0.4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: August 12, 2011

QUALITY CONTROL REPORT WHI11000513.2

	Method	WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
579536	Rock	0.65	32.6	500.6	0.9	>10000	8.6	3.9	12.3	6190	8.02	<1	0.5	1.0	0.2	15	2665	0.3	922.0	6	5.13
REP 579536	QC																				
579513	Rock	0.87	70.5	2194	57.9	98	3.3	11.6	23.7	278	3.70	5	1.9	0.4	2.0	415	1.4	0.4	161.6	48	1.26
REP 579513	QC		70.3	2258	61.6	97	3.4	11.0	25.4	283	3.83	4	1.9	0.3	2.2	442	1.8	0.5	173.9	50	1.30
579518	Rock	1.04	17.7	>10000	>10000	>10000	>200	3.8	19.5	316	12.21	538	8.7	10.7	<0.1	21	3937	>4000	14.5	2	0.05
REP 579518	QC																				
Core Reject Duplicates																					
579511	Rock	0.45	0.5	131.2	4810	2298	19.9	0.9	2.1	1726	1.69	17	0.6	0.2	1.2	258	111.0	6.1	0.1	11	7.02
DUP 579511	QC		0.5	121.9	4537	2284	21.1	0.5	1.9	1718	1.58	18	0.7	2.1	1.3	265	108.2	6.9	0.1	11	7.10
Reference Materials																					
STD AGPROOF	Standard																				
STD CCU-1C	Standard																				
STD CD-1	Standard																				
STD CD-1	Standard																				
STD CDN-ME-3	Standard																				
STD CZN-3	Standard																				
STD NBLG	Standard																				
STD OREAS131B	Standard																				
STD OREAS24P	Standard		1.2	50.2	2.7	111	<0.1	145.9	45.9	1022	7.06	<1	0.7	<0.1	2.7	356	0.1	0.1	<0.1	156	5.36
STD OREAS45C	Standard		2.5	602.4	22.8	86	0.4	331.9	109.1	1109	18.21	11	2.2	<0.1	10.4	36	0.1	0.8	0.2	260	0.46
STD PTC-1A	Standard																				
STD R4T	Standard																				
STD SU-1B	Standard																				
STD W107	Standard																				
STD OREAS24P Expected			1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158	5.83
STD OREAS45C Expected			2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270	0.482
STD R4T Expected																					
STD OREAS131B Expected																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: August 12, 2011

QUALITY CONTROL REPORT WHI11000513.2

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S
	Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1
Pulp Duplicates																					
579536	Rock	0.033	0.7	8	0.39	11	0.003	0.51	0.016	<0.01	>200	1.3	1	20.7	2.8	<0.1	<0.1	1	<1	3.2	3.6
REP 579536	QC																				
579513	Rock	0.039	16.0	8	0.35	249	0.103	3.69	1.708	0.45	>200	4.0	24	3.4	8.4	2.7	0.1	8	5	17.3	1.9
REP 579513	QC	0.040	17.1	8	0.37	243	0.107	3.98	1.770	0.46	>200	4.7	26	3.5	8.9	3.0	0.2	6	5	17.8	1.9
579518	Rock	<0.001	<0.1	<1	0.03	16	<0.001	0.21	0.002	0.06	0.2	<0.1	<1	1.1	0.8	<0.1	<0.1	<1	<1	4.9	>10
REP 579518	QC																				
Core Reject Duplicates																					
579511	Rock	0.011	6.5	<1	0.22	158	0.026	1.08	0.012	0.38	0.9	2.9	11	0.3	7.1	0.5	<0.1	<1	1	37.9	0.9
DUP 579511	QC	0.011	6.2	<1	0.22	133	0.027	1.10	0.010	0.37	0.9	2.0	10	0.3	7.2	0.6	<0.1	<1	1	38.2	0.9
Reference Materials																					
STD AGPROOF	Standard																				
STD CCU-1C	Standard																				
STD CD-1	Standard																				
STD CD-1	Standard																				
STD CDN-ME-3	Standard																				
STD CZN-3	Standard																				
STD NBLG	Standard																				
STD OREAS131B	Standard																				
STD OREAS24P	Standard	0.120	17.6	186	3.87	275	0.985	7.28	2.245	0.61	0.4	128.1	35	1.6	19.8	18.0	1.0	<1	18	7.8	<0.1
STD OREAS45C	Standard	0.050	26.7	996	0.25	277	1.124	7.15	0.090	0.33	1.7	164.2	50	2.8	11.9	21.8	1.4	<1	58	15.3	<0.1
STD PTC-1A	Standard																				
STD R4T	Standard																				
STD SU-1B	Standard																				
STD W107	Standard																				
STD OREAS24P Expected		0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7	
STD OREAS45C Expected		0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69	0.021
STD R4T Expected																					
STD OREAS131B Expected																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: August 12, 2011

QUALITY CONTROL REPORT WHI11000513.2

	Method	1EX	1EX	8BR	G6Gr	7TD	7TD	7TD	7KP	7TD.1
	Analyte	Rb	Hf	Sb	Ag	Pb	Zn	Cu	W	Pb
	Unit	ppm	ppm	%	gm/t	%	%	%	%	%
	MDL	0.1	0.1	0.01	50	0.02	0.01	0.001	0.005	0.02
Pulp Duplicates										
579536	Rock	0.6	<0.1	N.A.	N.A.	<0.02	8.36	0.051	0.853	
REP 579536	QC					<0.02	8.31	0.052	0.880	
579513	Rock	17.7	0.2	N.A.	N.A.	N.A.	N.A.	N.A.	0.239	
REP 579513	QC	19.1	0.2							
579518	Rock	2.8	<0.1	0.73	1554	>10	8.92	3.265	N.A.	47.63
REP 579518	QC			0.73	1738					
Core Reject Duplicates										
579511	Rock	14.5	<0.1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
DUP 579511	QC	14.3	<0.1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
Reference Materials										
STD AGPROOF	Standard				97					
STD CCU-1C	Standard									0.25
STD CD-1	Standard			3.53						
STD CD-1	Standard			3.53						
STD CDN-ME-3	Standard				265					
STD CZN-3	Standard									0.05
STD NBLG	Standard								<0.005	
STD OREAS131B	Standard					1.92	3.23	0.022		
STD OREAS24P	Standard	18.2	3.3							
STD OREAS45C	Standard	20.7	3.9							
STD PTC-1A	Standard									0.05
STD R4T	Standard					1.57	3.40	0.517		
STD SU-1B	Standard					<0.02	0.02	1.250		
STD W107	Standard								0.427	
STD OREAS24P Expected		22.4	3.6							
STD OREAS45C Expected		24	4.27							
STD R4T Expected						1.518	3.376	0.502		
STD OREAS131B Expected						1.86	3.14	0.0216		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: August 12, 2011

QUALITY CONTROL REPORT WHI11000513.2

		WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
STD SU-1B Expected																					
STD CZN-3 Expected																					
STD CCU-1C Expected																					
STD PTC-1A Expected																					
STD CDN-ME-3 Expected																					
STD AGPROOF Expected																					
STD CD-1 Expected																					
STD W107 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		0.2	3.8	20.2	54	<0.1	5.6	5.0	722	2.22	3	3.3	<0.1	8.3	703	<0.1	0.2	<0.1	51	2.21
G1	Prep Blank		0.1	3.4	18.7	51	<0.1	4.6	5.2	722	2.27	<1	3.1	<0.1	8.6	710	<0.1	<0.1	<0.1	52	2.19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: August 12, 2011

QUALITY CONTROL REPORT WHI11000513.2

		1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1	1EX S % 0.1
STD SU-1B Expected																					
STD CZN-3 Expected																					
STD CCU-1C Expected																					
STD PTC-1A Expected																					
STD CDN-ME-3 Expected																					
STD AGPROOF Expected																					
STD CD-1 Expected																					
STD W107 Expected																					
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	0.076	24.7	3	0.58	980	0.239	6.80	2.502	2.52	0.1	13.0	50	1.4	14.7	23.1	1.4	2	5	34.1	<0.1
G1	Prep Blank	0.075	25.5	6	0.62	990	0.238	6.99	2.570	2.41	0.2	12.6	50	1.4	14.8	23.3	1.5	3	5	33.9	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: August 12, 2011

QUALITY CONTROL REPORT WHI11000513.2

		1EX Rb ppm 0.1	1EX Hf ppm 0.1	8BR Sb % 0.01	G6Gr Ag gm/t 50	7TD Pb % 0.02	7TD Zn % 0.01	7TD Cu % 0.001	7KP W % 0.005	7TD.1 Pb % 0.02
STD SU-1B Expected						0.0058	0.0235	1.185		
STD CZN-3 Expected										0.113
STD CCU-1C Expected										0.34
STD PTC-1A Expected										0.05
STD CDN-ME-3 Expected					276					
STD AGPROOF Expected					94					
STD CD-1 Expected				3.57						
STD W107 Expected									0.42	
BLK	Blank	<0.1	<0.1							
BLK	Blank					<0.02	<0.01	<0.001		
BLK	Blank									<0.02
BLK	Blank				<50					
BLK	Blank				<50					
BLK	Blank			<0.01						
BLK	Blank								<0.005	
Prep Wash										
G1	Prep Blank	112.4	0.8	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
G1	Prep Blank	104.3	0.8	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Submitted By:	Dallas Davis
Receiving Lab:	Canada-Whitehorse
Received:	July 19, 2011
Report Date:	October 13, 2011
Page:	1 of 2

CERTIFICATE OF ANALYSIS WHI11000660.3

CLIENT JOB INFORMATION

Project:	Gold World Resources
Shipment ID:	
P.O. Number	
Number of Samples:	27

SAMPLE DISPOSAL

DISP-PLP	Dispose of Pulp After 90 days
DISP-RJT	Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	27	Crush, split and pulverize 250 g rock to 200 mesh			WHI
G6	12	Lead collection fire assay fusion - Grav finish	30	Completed	VAN
1EX	27	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN
7TD2	13	4 Acid digestion ICP-ES analysis.	0.5	Completed	VAN
7TD.1	4	4 Acid digestion ICP-ES analysis	0.1	Completed	VAN
7AR	10	1:1:1 Aqua Regia Digestion ICP-ES Finish	1	Completed	VAN
7AR.1	7	1:1:1 Aqua Regia Digestion ICP-ES Finish	0.1	Completed	VAN

ADDITIONAL COMMENTS

Version 3: 7TD2 for Samples 579546 & 579547 included.

Invoice To: Dalmin Corporation
407 Dufferin St.
Fredericton NB E3B 3A8
Canada

CC: Hermann Derbuch

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

CERTIFICATE OF ANALYSIS WHI11000660.3

	Method	WGHT	G6Gr	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Ag	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	50	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
579520	Rock	0.79	N.A.	0.1	1476	3.5	69	5.8	0.9	1.3	129	0.67	<1	0.2	0.1	0.4	15	1.9	0.6	0.3	4
579521	Rock	0.49	N.A.	0.2	682.1	4.7	9	1.3	1.0	1.1	75	0.60	9	0.3	<0.1	1.0	10	0.2	0.7	0.2	5
579522	Rock	1.06	N.A.	2.1	3.9	226.4	152	0.7	6.3	11.5	2359	4.65	<1	2.1	<0.1	4.7	361	1.3	2.4	<0.1	34
579523	Rock	0.95	N.A.	3.3	192.4	9.7	18	0.6	10.2	41.3	131	4.80	52	0.5	<0.1	0.3	4	<0.1	0.5	1.8	8
579540	Rock	0.65	N.A.	0.5	6.3	30.7	64	<0.1	3.6	7.7	627	3.08	2	2.9	<0.1	11.0	788	1.7	2.0	0.1	93
579541	Rock	0.91	N.A.	0.9	26.1	11.1	80	<0.1	106.4	31.5	1195	5.57	6	1.0	<0.1	3.0	570	0.1	3.2	0.1	174
579542	Rock	0.59	N.A.	0.5	17.0	14.1	91	<0.1	7.2	5.6	910	3.19	2	0.7	<0.1	2.5	424	0.4	0.4	<0.1	88
579543	Rock	0.78	N.A.	<0.1	80.4	1122	1102	30.1	125.6	20.1	2637	4.74	129	3.5	<0.1	8.4	236	41.8	120.2	58.7	143
579544	Rock	1.01	N.A.	0.4	7.4	8.7	37	<0.1	8.9	3.6	192	0.98	2	0.4	<0.1	1.7	10	0.4	1.1	0.3	10
579545	Rock	0.41	351	18.1	114.2	>10000	97	>200	1.7	1.7	43	1.19	33	0.3	0.3	0.2	18	6.7	14.3	550.6	6
579546	Rock	1.18	N.A.	59.2	546.5	>10000	>10000	166.8	1.6	6.5	61	2.59	64	1.7	0.5	<0.1	25	383.3	41.2	95.4	5
579547	Rock	1.28	N.A.	0.7	3804	>10000	>10000	>200	1.7	29.8	1155	6.50	108	2.0	1.9	4.9	102	3044	246.9	20.2	36
579548	Rock	0.88	N.A.	0.6	79.2	1052	746	6.5	2.7	9.0	909	2.90	11	4.5	<0.1	13.2	69	31.5	9.0	0.5	67
579549	Rock	0.76	290	17.7	3809	>10000	>10000	>200	5.2	36.6	201	14.58	374	0.3	15.1	<0.1	4	2748	183.1	5.5	3
579550	Rock	1.04	1268	3.0	>10000	>10000	>10000	>200	6.1	60.8	811	11.67	244	0.5	16.9	0.8	59	2808	2567	61.7	11
579524	Rock	0.82	143	9.3	517.0	>10000	>10000	159.9	3.5	21.3	372	8.01	360	1.2	39.2	3.1	29	429.9	124.2	2.0	41
579525	Rock	0.53	730	21.3	7770	>10000	>10000	>200	5.9	58.3	453	22.65	436	0.4	192.9	0.2	22	1547	2646	4.2	5
579526	Rock	0.56	490	4.0	4361	>10000	>10000	>200	2.7	13.7	954	4.12	138	1.3	1.7	5.5	58	2361	559.0	4.9	50
579527	Rock	0.41	98	4.1	981.2	>10000	>10000	88.7	1.9	11.2	692	4.88	141	0.6	3.4	2.2	50	2295	85.8	3.1	35
579528	Rock	0.71	53	3.0	372.1	8980	6523	52.2	1.8	12.2	1703	6.76	138	0.5	5.6	0.6	179	251.3	132.5	0.4	10
579529	Rock	0.52	202	14.6	5870	>10000	>10000	>200	6.0	101.8	301	13.79	279	0.2	11.0	0.2	10	>4000	319.5	1.8	5
583001	Rock	0.62	529	5.4	8255	>10000	>10000	>200	1.9	27.5	252	6.93	108	0.2	4.8	0.1	8	3320	450.9	31.1	4
583002	Rock	0.44	1744	12.1	6297	>10000	>10000	>200	0.7	13.0	638	6.79	60	0.5	14.8	1.2	29	3639	2017	3.8	11
583003	Rock	0.56	302	13.3	2561	>10000	>10000	>200	0.6	21.2	286	8.30	195	0.8	30.2	0.6	6	3908	195.0	6.1	6
583004	Rock	0.72	N.A.	0.2	25.4	378.7	362	4.2	3.0	9.7	705	2.54	5	3.2	0.1	9.9	382	14.5	8.8	<0.1	82
583005	Rock	0.68	N.A.	0.6	16.6	505.3	269	0.7	0.2	13.5	1425	6.21	5	1.7	<0.1	4.5	816	7.0	2.1	<0.1	223
583006	Rock	0.93	N.A.	0.5	96.1	88.2	63	0.6	1.3	5.6	320	2.68	15	2.9	<0.1	6.6	402	1.9	1.7	0.6	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

CERTIFICATE OF ANALYSIS WHI11000660.3

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
579520	Rock	0.31	0.004	0.7	9	0.13	100	0.006	0.41	0.016	0.19	<0.1	0.5	1	0.3	0.9	0.2	<0.1	<1	<1	3.1
579521	Rock	0.04	0.012	1.5	13	0.02	26	0.012	0.67	0.379	0.11	<0.1	0.9	3	0.3	1.0	0.4	<0.1	<1	<1	2.8
579522	Rock	9.37	0.021	12.5	9	1.39	593	0.094	3.92	0.252	1.33	0.3	2.1	25	0.4	19.3	2.3	0.2	1	5	37.5
579523	Rock	0.06	0.010	1.2	24	0.25	52	0.025	0.86	0.142	0.21	0.2	0.9	2	0.4	1.6	0.9	<0.1	<1	<1	13.6
579540	Rock	2.93	0.064	21.3	15	1.12	1457	0.299	7.49	2.759	1.81	0.9	13.4	42	0.8	13.3	6.6	0.5	1	10	33.9
579541	Rock	5.79	0.110	14.5	224	4.00	588	0.621	8.10	2.227	1.11	2.6	100.5	30	1.1	19.3	4.4	0.3	2	23	64.4
579542	Rock	1.39	0.108	11.6	13	0.69	476	0.289	8.76	5.133	1.26	1.0	8.5	26	1.6	21.9	13.9	0.7	3	12	27.1
579543	Rock	8.14	0.184	24.3	241	2.69	249	0.258	5.02	0.029	1.77	5.9	53.8	52	5.4	18.9	4.5	0.2	1	18	279.4
579544	Rock	0.16	0.025	5.5	15	0.24	90	0.056	0.57	0.037	0.20	0.3	2.2	11	0.4	2.5	1.8	<0.1	<1	1	8.7
579545	Rock	0.05	0.003	0.3	13	0.03	25	0.009	0.25	0.013	0.11	0.7	0.9	<1	0.7	0.2	0.2	<0.1	<1	<1	10.5
579546	Rock	<0.01	0.003	0.5	9	0.03	67	0.005	0.29	0.006	0.06	0.3	1.1	<1	0.8	0.4	<0.1	<0.1	<1	<1	23.8
579547	Rock	2.22	0.028	7.8	9	0.53	63	0.088	2.71	0.012	1.15	2.8	4.6	17	0.9	4.7	2.0	0.2	<1	4	18.7
579548	Rock	1.73	0.066	18.4	14	0.94	195	0.224	5.17	0.021	2.11	5.0	10.9	36	1.5	7.1	5.3	0.4	1	8	29.3
579549	Rock	0.17	0.007	0.5	9	0.12	8	0.002	0.23	0.002	0.08	0.2	<0.1	1	2.3	0.7	<0.1	<0.1	<1	<1	15.0
579550	Rock	1.84	0.011	1.4	6	0.16	12	0.023	0.76	0.003	0.32	0.5	1.5	5	0.8	2.6	0.2	<0.1	<1	<1	9.7
579524	Rock	0.82	0.024	7.0	8	0.32	71	0.081	2.78	0.011	1.29	4.4	3.8	13	3.3	3.2	1.7	0.1	<1	3	23.0
579525	Rock	0.77	0.008	0.4	8	0.14	25	0.004	0.28	0.005	0.08	0.1	0.6	2	7.6	1.3	<0.1	<0.1	<1	<1	27.2
579526	Rock	2.07	0.035	12.7	7	0.55	89	0.121	3.38	0.012	1.54	3.1	6.0	24	2.2	4.6	2.5	0.1	<1	5	28.1
579527	Rock	1.50	0.014	4.5	5	0.30	54	0.049	2.33	0.009	1.06	1.7	2.8	10	1.5	3.2	0.9	<0.1	<1	2	21.1
579528	Rock	4.17	0.007	4.2	5	0.43	29	0.022	2.26	0.008	0.80	1.4	1.8	11	0.6	5.7	0.5	<0.1	<1	1	85.3
579529	Rock	0.36	0.005	1.2	9	0.19	11	0.003	0.49	0.002	0.14	0.3	0.2	2	1.6	0.7	0.1	<0.1	<1	<1	25.5
583001	Rock	0.25	0.004	0.8	4	0.18	30	0.004	0.61	0.003	0.19	0.4	0.2	2	0.7	1.1	<0.1	<0.1	<1	<1	14.7
583002	Rock	1.14	0.011	1.9	4	0.19	25	0.023	0.82	0.003	0.33	0.3	1.5	5	1.8	2.7	0.1	<0.1	<1	<1	19.6
583003	Rock	0.10	0.006	2.5	2	0.28	16	0.013	0.91	0.003	0.31	0.5	0.9	4	0.9	0.9	0.3	<0.1	<1	<1	26.7
583004	Rock	2.10	0.059	21.6	8	1.00	1942	0.262	7.27	1.959	3.70	1.2	12.8	41	0.8	11.9	6.5	0.6	2	8	22.6
583005	Rock	3.63	0.197	18.0	<1	1.66	1867	0.891	8.16	2.972	2.22	0.6	122.3	40	0.7	29.7	8.1	0.4	1	25	37.4
583006	Rock	2.90	0.058	21.3	11	0.25	390	0.208	7.10	2.078	1.07	0.8	22.0	44	3.4	14.9	12.4	0.7	3	6	17.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

CERTIFICATE OF ANALYSIS WHI11000660.3

	Method	1EX	1EX	1EX	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	S	Rb	Hf	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr
	Unit	%	ppm	ppm	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%	%	%
	MDL	0.1	0.1	0.1	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	0.001
579520	Rock	0.1	6.3	<0.1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
579521	Rock	<0.1	3.6	<0.1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
579522	Rock	0.3	43.7	<0.1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
579523	Rock	3.6	4.7	<0.1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
579540	Rock	<0.1	62.6	0.7	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
579541	Rock	<0.1	64.5	2.3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
579542	Rock	<0.1	34.0	0.4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
579543	Rock	1.1	110.2	1.6	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
579544	Rock	0.1	9.1	<0.1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
579545	Rock	1.2	7.2	<0.1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
579546	Rock	3.3	4.8	<0.1	0.006	0.054	9.85	1.00	167	<0.001	<0.001	<0.01	2.78	<0.02	<0.01	0.037	<0.01	0.01	0.01	<0.01	0.006
579547	Rock	9.5	42.1	0.3	<0.001	0.410	8.51	6.61	295	<0.001	0.003	0.12	6.94	<0.02	0.01	0.320	0.02	<0.01	2.20	0.03	0.005
579548	Rock	1.0	76.0	0.5	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
579549	Rock	>10	4.1	<0.1	0.002	0.393	7.77	7.17	>300	<0.001	0.004	0.02	15.28	0.04	<0.01	0.289	0.02	<0.01	0.16	<0.01	0.002
579550	Rock	>10	12.8	0.1	<0.001	1.161	>10	6.61	>300	<0.001	0.007	0.09	13.05	<0.02	<0.01	0.321	0.33	0.01	1.91	<0.01	0.004
579524	Rock	9.2	57.9	0.1	0.001	0.059	4.08	1.16	160	<0.001	0.002	0.04	8.94	0.05	<0.01	0.046	0.02	<0.01	0.86	0.02	0.002
579525	Rock	>10	3.9	<0.1	0.003	0.857	2.42	3.87	>300	<0.001	0.006	0.05	23.23	0.04	<0.01	0.167	0.27	<0.01	0.81	<0.01	0.001
579526	Rock	5.9	64.1	0.3	<0.001	0.480	2.57	5.73	>300	<0.001	0.001	0.11	4.57	0.02	<0.01	0.262	0.06	<0.01	2.19	0.04	0.001
579527	Rock	6.7	43.3	0.1	<0.001	0.109	1.57	5.60	95	<0.001	0.001	0.08	5.27	0.02	<0.01	0.256	<0.01	<0.01	1.54	0.01	<0.001
579528	Rock	7.2	33.0	<0.1	<0.001	0.039	0.91	0.66	56	<0.001	0.001	0.16	7.42	<0.02	0.03	0.026	0.01	<0.01	4.22	<0.01	<0.001
579529	Rock	>10	7.1	<0.1	0.002	0.649	1.12	10.87	223	<0.001	0.011	0.03	14.95	0.05	<0.01	0.452	0.03	<0.01	0.33	<0.01	<0.001
583001	Rock	>10	11.1	<0.1	<0.001	0.873	>10	8.92	>300	<0.001	0.003	0.03	7.51	0.02	<0.01	0.370	0.05	<0.01	0.28	<0.01	0.004
583002	Rock	>10	13.7	<0.1	0.001	0.667	>10	9.67	>300	<0.001	0.001	0.07	7.37	<0.02	<0.01	0.403	0.23	<0.01	1.17	<0.01	0.004
583003	Rock	>10	12.8	<0.1	0.002	0.280	>10	11.22	>300	<0.001	0.002	0.03	9.18	0.03	<0.01	0.453	0.02	<0.01	0.11	<0.01	0.004
583004	Rock	0.3	161.4	0.7	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
583005	Rock	<0.1	53.7	3.4	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
583006	Rock	0.8	28.2	0.9	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

CERTIFICATE OF ANALYSIS WHI11000660.3

	Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD.1	7AR	7AR.1
	Analyte	Mg	Al	Na	K	W	S	Pb	Ag	Pb
	Unit	%	%	%	%	%	%	%	gm/t	%
	MDL	0.01	0.01	0.01	0.01	0.01	0.05	0.02	2	0.01
579520	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
579521	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
579522	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
579523	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
579540	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
579541	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
579542	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
579543	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
579544	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
579545	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.		>300	4.71
579546	Rock	0.03	0.34	<0.01	0.08	<0.01	3.36			
579547	Rock	0.55	2.87	<0.01	1.22	<0.01	10.79		273	8.22
579548	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
579549	Rock	0.13	0.30	<0.01	0.08	<0.01	22.12		>300	7.56
579550	Rock	0.17	0.82	<0.01	0.34	<0.01	21.33	23.48	>300	20.96
579524	Rock	0.36	3.00	<0.01	1.41	<0.01	10.89			
579525	Rock	0.16	0.33	<0.01	0.09	<0.01	29.72		>300	
579526	Rock	0.58	3.55	<0.01	1.65	<0.01	6.91		>300	
579527	Rock	0.32	2.49	<0.01	1.15	<0.01	7.84			
579528	Rock	0.44	2.32	<0.01	0.82	<0.01	8.02			
579529	Rock	0.21	0.54	<0.01	0.15	<0.01	22.47		214	
583001	Rock	0.20	0.67	<0.01	0.21	<0.01	14.16	14.75	>300	13.14
583002	Rock	0.21	0.89	<0.01	0.35	<0.01	15.18	17.17	>300	15.59
583003	Rock	0.30	0.99	<0.01	0.33	<0.01	18.43	24.20	>300	22.51
583004	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
583005	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
583006	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

QUALITY CONTROL REPORT WHI11000660.3

	Method	WGHT	G6Gr	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Ag	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	50	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
579541	Rock	0.91	N.A.	0.9	26.1	11.1	80	<0.1	106.4	31.5	1195	5.57	6	1.0	<0.1	3.0	570	0.1	3.2	0.1	174
REP 579541	QC			1.1	26.8	11.6	84	<0.1	109.5	32.7	1225	5.84	6	1.0	<0.1	3.0	598	0.2	3.1	0.1	181
579550	Rock	1.04	1268	3.0	>10000	>10000	>10000	>200	6.1	60.8	811	11.67	244	0.5	16.9	0.8	59	2808	2567	61.7	11
REP 579550	QC																				
583001	Rock	0.62	529	5.4	8255	>10000	>10000	>200	1.9	27.5	252	6.93	108	0.2	4.8	0.1	8	3320	450.9	31.1	4
REP 583001	QC		523																		
583002	Rock	0.44	1744	12.1	6297	>10000	>10000	>200	0.7	13.0	638	6.79	60	0.5	14.8	1.2	29	3639	2017	3.8	11
REP 583002	QC																				
583003	Rock	0.56	302	13.3	2561	>10000	>10000	>200	0.6	21.2	286	8.30	195	0.8	30.2	0.6	6	3908	195.0	6.1	6
REP 583003	QC																				
Core Reject Duplicates																					
579520	Rock	0.79	N.A.	0.1	1476	3.5	69	5.8	0.9	1.3	129	0.67	<1	0.2	0.1	0.4	15	1.9	0.6	0.3	4
DUP 579520	QC		N.A.	<0.1	1427	2.9	70	5.6	0.8	1.3	123	0.64	<1	0.2	<0.1	0.4	19	1.7	0.6	0.3	4
Reference Materials																					
STD CCU-1C	Standard																				
STD CCU-1C	Standard																				
STD CDN-ME-3	Standard		272																		
STD CDN-ME-3	Standard		255																		
STD CZN-3	Standard																				
STD CZN-3	Standard																				
STD GBM997-6	Standard																				
STD OREAS131B	Standard																				
STD OREAS131B	Standard																				
STD OREAS153A	Standard																				
STD OREAS24P	Standard			1.3	46.6	2.8	116	<0.1	133.8	42.2	1079	7.11	<1	0.6	<0.1	2.6	362	<0.1	<0.1	<0.1	154
STD OREAS24P	Standard			1.4	46.4	8.3	106	<0.1	129.3	41.2	999	6.97	2	0.6	<0.1	2.4	361	0.3	<0.1	<0.1	152
STD OREAS45C	Standard			2.2	627.7	24.0	81	0.3	332.3	101.6	1194	18.46	11	2.2	<0.1	10.5	39	0.1	0.8	0.2	267
STD OREAS45C	Standard			2.1	585.3	23.1	86	<0.1	324.8	98.3	1132	16.83	10	2.1	<0.1	9.7	31	0.3	0.5	0.2	250

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

QUALITY CONTROL REPORT WHI11000660.3

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
Pulp Duplicates																					
579541	Rock	5.79	0.110	14.5	224	4.00	588	0.621	8.10	2.227	1.11	2.6	100.5	30	1.1	19.3	4.4	0.3	2	23	64.4
REP 579541	QC	6.00	0.116	14.9	228	4.09	606	0.656	8.25	2.228	1.13	2.6	107.5	30	1.0	19.4	4.5	0.3	2	25	63.0
579550	Rock	1.84	0.011	1.4	6	0.16	12	0.023	0.76	0.003	0.32	0.5	1.5	5	0.8	2.6	0.2	<0.1	<1	<1	9.7
REP 579550	QC																				
583001	Rock	0.25	0.004	0.8	4	0.18	30	0.004	0.61	0.003	0.19	0.4	0.2	2	0.7	1.1	<0.1	<0.1	<1	<1	14.7
REP 583001	QC																				
583002	Rock	1.14	0.011	1.9	4	0.19	25	0.023	0.82	0.003	0.33	0.3	1.5	5	1.8	2.7	0.1	<0.1	<1	<1	19.6
REP 583002	QC																				
583003	Rock	0.10	0.006	2.5	2	0.28	16	0.013	0.91	0.003	0.31	0.5	0.9	4	0.9	0.9	0.3	<0.1	<1	<1	26.7
REP 583003	QC																				
Core Reject Duplicates																					
579520	Rock	0.31	0.004	0.7	9	0.13	100	0.006	0.41	0.016	0.19	<0.1	0.5	1	0.3	0.9	0.2	<0.1	<1	<1	3.1
DUP 579520	QC	0.31	0.005	0.6	11	0.12	88	0.006	0.38	0.012	0.19	<0.1	0.4	1	0.2	0.9	0.2	<0.1	<1	<1	2.9
Reference Materials																					
STD CCU-1C	Standard																				
STD CCU-1C	Standard																				
STD CDN-ME-3	Standard																				
STD CDN-ME-3	Standard																				
STD CZN-3	Standard																				
STD CZN-3	Standard																				
STD GBM997-6	Standard																				
STD OREAS131B	Standard																				
STD OREAS131B	Standard																				
STD OREAS153A	Standard																				
STD OREAS24P	Standard	5.47	0.134	17.0	182	3.89	275	1.033	7.21	2.308	0.64	0.3	132.6	35	1.6	21.1	19.4	1.0	1	19	7.0
STD OREAS24P	Standard	5.44	0.129	16.0	188	3.83	255	0.993	7.15	2.230	0.61	0.3	127.5	32	1.5	19.7	17.6	1.0	1	18	8.4
STD OREAS45C	Standard	0.51	0.056	25.4	947	0.24	299	1.148	7.34	0.097	0.37	1.0	160.5	51	3.1	13.2	23.0	1.4	2	60	18.8
STD OREAS45C	Standard	0.45	0.049	23.9	889	0.23	264	1.079	6.94	0.099	0.33	0.9	162.7	48	2.5	12.1	20.5	1.3	1	57	15.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

QUALITY CONTROL REPORT WHI11000660.3

	Method	1EX	1EX	1EX	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
	Analyte	S	Rb	Hf	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr
	Unit	%	ppm	ppm	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%	%	%
	MDL	0.1	0.1	0.1	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	0.001
Pulp Duplicates																					
579541	Rock	<0.1	64.5	2.3	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 579541	QC	<0.1	65.6	2.3																	
579550	Rock	>10	12.8	0.1	<0.001	1.161	>10	6.61	>300	<0.001	0.007	0.09	13.05	<0.02	<0.01	0.321	0.33	0.01	1.91	<0.01	0.004
REP 579550	QC																				
583001	Rock	>10	11.1	<0.1	<0.001	0.873	>10	8.92	>300	<0.001	0.003	0.03	7.51	0.02	<0.01	0.370	0.05	<0.01	0.28	<0.01	0.004
REP 583001	QC																				
583002	Rock	>10	13.7	<0.1	0.001	0.667	>10	9.67	>300	<0.001	0.001	0.07	7.37	<0.02	<0.01	0.403	0.23	<0.01	1.17	<0.01	0.004
REP 583002	QC				0.001	0.647	>10	9.42	>300	<0.001	0.001	0.07	7.03	<0.02	<0.01	0.390	0.24	<0.01	1.12	<0.01	0.004
583003	Rock	>10	12.8	<0.1	0.002	0.280	>10	11.22	>300	<0.001	0.002	0.03	9.18	0.03	<0.01	0.453	0.02	<0.01	0.11	<0.01	0.004
REP 583003	QC																				
Core Reject Duplicates																					
579520	Rock	0.1	6.3	<0.1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
DUP 579520	QC	0.1	6.3	<0.1	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
Reference Materials																					
STD CCU-1C	Standard																				
STD CCU-1C	Standard																				
STD CDN-ME-3	Standard																				
STD CDN-ME-3	Standard																				
STD CZN-3	Standard																				
STD CZN-3	Standard																				
STD GBM997-6	Standard																				
STD OREAS131B	Standard				<0.001	0.022	1.85	3.26	34	0.002	0.002	0.18	5.83	<0.02	<0.01	0.009	<0.01	<0.01	5.51	0.06	0.003
STD OREAS131B	Standard				<0.001	0.022	1.85	3.19	35	0.003	0.002	0.18	5.84	<0.02	<0.01	0.009	<0.01	<0.01	5.43	0.05	0.003
STD OREAS153A	Standard				0.018	0.708	<0.02	<0.01	<2	<0.001	<0.001	0.03	3.47	<0.02	<0.01	<0.001	<0.01	<0.01	1.07	0.06	0.002
STD OREAS24P	Standard	<0.1	21.2	3.1																	
STD OREAS24P	Standard	<0.1	18.6	3.3																	
STD OREAS45C	Standard	<0.1	25.2	4.7																	
STD OREAS45C	Standard	<0.1	20.1	3.9																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

QUALITY CONTROL REPORT WHI11000660.3

	Method	7TD	7TD	7TD	7TD	7TD	7TD	7TD.1	7AR	7AR.1
	Analyte	Mg	Al	Na	K	W	S	Pb	Ag	Pb
	Unit	%	%	%	%	%	%	%	gm/t	%
	MDL	0.01	0.01	0.01	0.01	0.01	0.05	0.02	2	0.01
Pulp Duplicates										
579541	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
REP 579541	QC									
579550	Rock	0.17	0.82	<0.01	0.34	<0.01	21.33	23.48	>300	20.96
REP 579550	QC									21.01
583001	Rock	0.20	0.67	<0.01	0.21	<0.01	14.16	14.75	>300	13.14
REP 583001	QC									
583002	Rock	0.21	0.89	<0.01	0.35	<0.01	15.18	17.17	>300	15.59
REP 583002	QC	0.20	0.86	<0.01	0.34	<0.01	14.62			
583003	Rock	0.30	0.99	<0.01	0.33	<0.01	18.43	24.20	>300	22.51
REP 583003	QC							24.52		
Core Reject Duplicates										
579520	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
DUP 579520	QC	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
Reference Materials										
STD CCU-1C	Standard							0.36		
STD CCU-1C	Standard									0.38
STD CDN-ME-3	Standard									
STD CDN-ME-3	Standard									
STD CZN-3	Standard							0.09		
STD CZN-3	Standard									0.10
STD GBM997-6	Standard									21.86
STD OREAS131B	Standard	3.20	4.66	0.14	3.57	<0.01	5.28			
STD OREAS131B	Standard	3.13	4.67	0.13	3.49	<0.01	5.02			
STD OREAS153A	Standard	1.79	7.26	2.35	1.49	<0.01	1.23			
STD OREAS24P	Standard									
STD OREAS24P	Standard									
STD OREAS45C	Standard									
STD OREAS45C	Standard									

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

QUALITY CONTROL REPORT WHI11000660.3

		WGHT	G6Gr	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Ag	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	50	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
STD PTC-1A	Standard																				
STD PTC-1A	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD R4T	Standard																				
STD SU-1B	Standard																				
STD SU-1B	Standard																				
STD R4T Expected																					
STD OREAS24P Expected				1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
STD OREAS45C Expected				2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270
STD R4A Expected																					
STD CZN-3 Expected																					
STD PTC-1A Expected																					
STD CCU-1C Expected																					
STD GBM997-6 Expected																					
STD CDN-ME-3 Expected			276																		
STD OREAS131B Expected																					
STD SU-1B Expected																					
STD OREAS153A Expected																					
BLK	Blank																				
BLK	Blank		<50																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	4.0	<1	0.9	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<50																		
BLK	Blank																				
Prep Wash																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

QUALITY CONTROL REPORT WHI11000660.3

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
STD PTC-1A	Standard																				
STD PTC-1A	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD R4T	Standard																				
STD SU-1B	Standard																				
STD SU-1B	Standard																				
STD R4T Expected																					
STD OREAS24P Expected		5.83	0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7
STD OREAS45C Expected		0.482	0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69
STD R4A Expected																					
STD CZN-3 Expected																					
STD PTC-1A Expected																					
STD CCU-1C Expected																					
STD GBM997-6 Expected																					
STD CDN-ME-3 Expected																					
STD OREAS131B Expected																					
STD SU-1B Expected																					
STD OREAS153A Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

QUALITY CONTROL REPORT WHI11000660.3

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1	7TD Mo % 0.001	7TD Cu % 0.001	7TD Pb % 0.02	7TD Zn % 0.01	7TD Ag gm/t 2	7TD Ni % 0.001	7TD Co % 0.001	7TD Mn % 0.01	7TD Fe % 0.01	7TD As % 0.02	7TD Sr % 0.01	7TD Cd % 0.001	7TD Sb % 0.01	7TD Bi % 0.01	7TD Ca % 0.01	7TD P % 0.01	7TD Cr % 0.001
STD PTC-1A	Standard																				
STD PTC-1A	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD R4T	Standard				0.063	0.511	1.48	3.43	88	0.351	0.041	0.09	24.41	<0.02	0.02	0.019	0.01	<0.01	2.21	0.04	0.019
STD SU-1B	Standard				<0.001	1.187	<0.02	0.03	7	1.955	0.066	0.07	25.38	<0.02	0.03	<0.001	<0.01	<0.01	2.24	0.06	0.032
STD SU-1B	Standard				<0.001	1.185	<0.02	0.03	7	2.016	0.069	0.07	26.14	<0.02	0.03	<0.001	<0.01	<0.01	2.22	0.06	0.033
STD R4T Expected					0.062	0.502	1.518	3.376	86	0.344	0.039	0.086	24.07	0.0087	0.0185	0.018	0.0138	0.0018	2.166	0.045	0.018
STD OREAS24P Expected			22.4	3.6																	
STD OREAS45C Expected		0.021	24	4.27																	
STD R4A Expected																					
STD CZN-3 Expected																					
STD PTC-1A Expected																					
STD CCU-1C Expected																					
STD GBM997-6 Expected																					
STD CDN-ME-3 Expected																					
STD OREAS131B Expected					0.0003	0.0216	1.86	3.14	33.3	0.0025	0.00181	0.1717	5.705	0.0072	0.0026	0.0089	0.005		5.28	0.0536	0.002
STD SU-1B Expected					0.0004	1.185	0.0058	0.0235	6.4	1.97	0.0672	0.0703	25.54	0.00025	0.03	0.0003	2E-05	0.0003	2.21	0.06	0.032
STD OREAS153A Expected					0.0177	0.712		0.0053		0.001		0.026	3.422						1.2	0.055	0.0016
BLK	Blank				<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.001
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1																	
BLK	Blank	<0.1	<0.1	<0.1																	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank				<0.001	<0.001	<0.02	<0.01	<2	<0.001	<0.001	<0.01	<0.01	<0.02	<0.01	<0.001	<0.01	<0.01	<0.01	<0.01	<0.001
Prep Wash																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

QUALITY CONTROL REPORT WHI11000660.3

		7TD	7TD	7TD	7TD	7TD	7TD	7TD.1	7AR	7AR.1
		Mg	Al	Na	K	W	S	Pb	Ag	Pb
		%	%	%	%	%	%	%	gm/t	%
		0.01	0.01	0.01	0.01	0.01	0.05	0.02	2	0.01
STD PTC-1A	Standard							0.05		
STD PTC-1A	Standard									0.07
STD R4A	Standard								85	
STD R4A	Standard								85	
STD R4T	Standard	1.41	3.90	0.92	1.19	<0.01	12.60			
STD SU-1B	Standard	1.76	4.38	1.69	0.62	<0.01	8.81			
STD SU-1B	Standard	1.78	4.55	1.76	0.64	<0.01	9.11			
STD R4T Expected		1.384	3.897	0.9	1.153	0.00016	12.9903			
STD OREAS24P Expected										
STD OREAS45C Expected										
STD R4A Expected									86	
STD CZN-3 Expected								0.113		0.113
STD PTC-1A Expected								0.05		
STD CCU-1C Expected								0.34		0.34
STD GBM997-6 Expected										23.75
STD CDN-ME-3 Expected										
STD OREAS131B Expected		3.128	4.57	0.139	3.34		5.01			
STD SU-1B Expected		1.79	4.39	1.662	0.6	0.0007	9			
STD OREAS153A Expected		1.83	7.6845	2.3215	1.43		1.26			
BLK	Blank	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05			
BLK	Blank									
BLK	Blank									
BLK	Blank									
BLK	Blank							<0.02		
BLK	Blank								<2	
BLK	Blank									<0.01
BLK	Blank									
BLK	Blank	<0.01	<0.01	<0.01	<0.01	<0.01	<0.05			
Prep Wash										

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

QUALITY CONTROL REPORT WHI11000660.3

		WGHT	G6Gr	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Ag	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	50	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
G1	Prep Blank		N.A.	0.2	1.7	18.0	55	<0.1	4.0	5.3	757	2.29	<1	2.9	<0.1	8.5	729	<0.1	<0.1	<0.1	49
G1	Prep Blank		N.A.	0.1	1.8	18.7	52	<0.1	3.9	5.5	731	2.29	3	2.7	<0.1	7.7	742	<0.1	0.3	0.1	50

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

QUALITY CONTROL REPORT WHI11000660.3

		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
G1	Prep Blank	2.25	0.086	27.4	10	0.68	1051	0.236	7.75	2.545	3.04	0.1	13.5	57	1.5	15.9	25.4	1.4	3	5	37.2
G1	Prep Blank	2.33	0.086	23.8	13	0.65	1073	0.238	7.70	2.640	3.00	0.1	13.4	51	1.6	16.1	25.3	1.4	2	5	33.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

QUALITY CONTROL REPORT WHI11000660.3

		1EX	1EX	1EX	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD	7TD
		S	Rb	Hf	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Sr	Cd	Sb	Bi	Ca	P	Cr
		%	ppm	ppm	%	%	%	%	gm/t	%	%	%	%	%	%	%	%	%	%	%	%
		0.1	0.1	0.1	0.001	0.001	0.02	0.01	2	0.001	0.001	0.01	0.01	0.02	0.01	0.001	0.01	0.01	0.01	0.01	0.001
G1	Prep Blank	<0.1	129.5	0.8	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank	<0.1	123.4	0.7	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: October 13, 2011

QUALITY CONTROL REPORT WHI11000660.3

		7TD	7TD	7TD	7TD	7TD	7TD	7TD.1	7AR	7AR.1
		Mg	Al	Na	K	W	S	Pb	Ag	Pb
		%	%	%	%	%	%	%	gm/t	%
		0.01	0.01	0.01	0.01	0.01	0.05	0.02	2	0.01
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Submitted By: Dallas Davis
Receiving Lab: Canada-Whitehorse
Received: August 01, 2011
Report Date: September 23, 2011
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI11000899.1

CLIENT JOB INFORMATION

Project: Gold World Resources
Shipment ID:
P.O. Number
Number of Samples: 9

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	9	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1EX	9	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN
7AR.1	2	1:1:1 Aqua Regia Digestion ICP-ES Finish	0.1	Completed	VAN
G6	2	Lead collection fire assay fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Dalmin Corporation
407 Dufferin St.
Fredericton NB E3B 3A8
Canada

CC: Hermann Derbuch

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: September 23, 2011

CERTIFICATE OF ANALYSIS WHI11000899.1

	Method	WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
583007	Rock	0.90	1.7	4.9	65.9	740	0.3	1.4	20.2	441	0.60	<1	0.6	<0.1	0.7	5	27.9	1.3	0.7	8	0.44
583008	Rock	0.97	17.4	28.6	>10000	312	>200	1.8	2.7	61	1.04	18	5.5	0.3	0.6	11	17.2	13.7	1071	3	0.02
583009	Rock	1.00	0.6	8.6	213.9	318	1.6	4.0	8.7	745	2.99	<1	2.3	<0.1	9.5	603	9.1	1.5	1.9	94	2.59
583010	Rock	1.01	1.2	301.9	2290	739	69.0	1.5	2.8	89	1.26	799	1.2	<0.1	1.1	<1	53.7	19.7	118.7	11	0.13
583011	Rock	0.74	5.5	5905	>10000	808	>200	1.2	4.0	66	4.28	81	2.9	1.3	1.2	80	27.5	122.3	2828	13	0.07
583012	Rock	0.84	2.2	383.2	2683	1288	20.6	5.0	13.9	1586	3.75	11	1.9	<0.1	4.4	216	132.2	7.3	5.0	84	4.22
583013	Rock	0.61	0.1	21.0	485.5	72	6.0	2.5	3.2	328	1.92	7	1.5	<0.1	2.7	363	2.3	5.3	7.0	24	0.81
583014	Rock	0.56	1.6	106.2	26.1	171	0.4	50.1	44.3	2446	10.60	3	0.5	<0.1	0.4	280	0.8	1.4	1.4	483	5.98
583015	Rock	0.60	0.8	249.1	160.4	487	9.3	7.3	4.4	125	1.28	160	0.3	0.2	<0.1	9	4.9	6.5	21.2	32	0.07

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: September 23, 2011

CERTIFICATE OF ANALYSIS WHI11000899.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S
	Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1
583007	Rock	0.002	2.1	6	0.07	267	0.011	1.37	0.015	0.67	0.6	1.0	5	0.8	2.6	0.2	<0.1	<1	<1	14.7	<0.1
583008	Rock	0.003	1.9	4	0.02	125	0.007	0.46	0.009	0.16	0.2	0.6	3	0.5	1.6	0.2	<0.1	<1	<1	32.1	0.7
583009	Rock	0.059	21.2	6	1.14	1279	0.284	7.65	3.397	1.80	1.1	10.6	39	1.0	12.7	6.3	0.5	2	10	21.0	0.3
583010	Rock	0.006	1.9	5	0.15	175	0.026	0.90	0.011	0.34	0.6	1.1	3	2.4	1.2	0.4	<0.1	<1	<1	23.7	0.2
583011	Rock	0.028	3.9	5	0.13	30	0.056	0.95	0.010	0.35	0.8	6.9	7	4.9	1.8	0.9	<0.1	<1	<1	17.8	3.1
583012	Rock	0.118	16.1	10	1.20	188	0.412	7.32	1.239	2.56	4.3	63.1	33	1.6	12.1	6.6	0.4	1	8	40.0	1.6
583013	Rock	0.051	17.6	5	0.47	2270	0.168	7.39	1.814	3.38	2.2	55.6	32	0.6	5.7	5.2	0.3	2	3	23.5	<0.1
583014	Rock	0.151	5.0	53	5.35	430	0.632	7.04	1.164	1.23	1.0	12.3	15	4.1	25.3	8.0	0.3	<1	57	32.8	0.7
583015	Rock	0.005	1.2	15	0.38	42	0.014	0.66	0.009	0.12	3.3	1.5	2	1.9	1.6	0.2	<0.1	<1	2	48.4	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: September 23, 2011

CERTIFICATE OF ANALYSIS WHI11000899.1

	Method	1EX	1EX	7AR.1	7AR.1	G6Gr
	Analyte	Rb	Hf	Pb	Ag	Ag
	Unit	ppm	ppm	%	gm/t	gm/t
	MDL	0.1	0.1	0.01	2	50
583007	Rock	43.5	<0.1			N.A.
583008	Rock	11.2	<0.1	5.18	>300	559
583009	Rock	73.8	0.5			N.A.
583010	Rock	22.6	<0.1			N.A.
583011	Rock	16.5	0.2	19.20	>300	2265
583012	Rock	116.3	1.6			N.A.
583013	Rock	116.3	1.7			N.A.
583014	Rock	78.0	0.7			N.A.
583015	Rock	10.2	<0.1			N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: September 23, 2011

QUALITY CONTROL REPORT WHI11000899.1

	Method	WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
583011	Rock	0.74	5.5	5905	>10000	808	>200	1.2	4.0	66	4.28	81	2.9	1.3	1.2	80	27.5	122.3	2828	13	0.07
REP 583011	QC																				
Reference Materials																					
STD CCU-1C	Standard																				
STD CDN-ME-3	Standard																				
STD CZN-3	Standard																				
STD GBM997-6	Standard																				
STD OREAS24P	Standard		1.2	47.7	10.1	113	<0.1	146.3	45.8	1118	7.38	3	0.7	<0.1	2.7	380	0.1	<0.1	0.2	165	5.80
STD OREAS24P	Standard		1.3	51.6	4.7	121	<0.1	144.5	45.0	1132	7.35	2	0.7	<0.1	2.8	375	0.4	0.3	0.2	160	5.89
STD OREAS45C	Standard		1.8	651.3	24.0	81	0.3	336.6	105.3	1184	18.72	12	2.3	<0.1	10.8	36	<0.1	0.9	0.2	291	0.51
STD OREAS45C	Standard		2.4	624.5	25.0	93	0.3	345.2	102.3	1191	18.00	11	2.1	<0.1	10.0	37	<0.1	0.3	<0.1	266	0.48
STD PTC-1A	Standard																				
STD CZN-3 Expected																					
STD CCU-1C Expected																					
STD GBM997-6 Expected																					
STD OREAS24P Expected			1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158	5.83
STD OREAS45C Expected			2.26	620	24	83	0.28	333	104	1160	18.33	10.1	2.4	0.045	10.2	36.4	0.15	0.79	0.21	270	0.482
STD CDN-ME-3 Expected																					
BLK	Blank																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		0.2	3.4	19.4	49	<0.1	2.0	4.4	729	2.31	<1	2.7	<0.1	8.5	712	<0.1	<0.1	0.1	47	2.44

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: September 23, 2011

QUALITY CONTROL REPORT WHI11000899.1

	Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S
	Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1
Pulp Duplicates																					
583011	Rock	0.028	3.9	5	0.13	30	0.056	0.95	0.010	0.35	0.8	6.9	7	4.9	1.8	0.9	<0.1	<1	<1	17.8	3.1
REP 583011	QC																				
Reference Materials																					
STD CCU-1C	Standard																				
STD CDN-ME-3	Standard																				
STD CZN-3	Standard																				
STD GBM997-6	Standard																				
STD OREAS24P	Standard	0.140	18.0	194	4.11	268	0.998	7.50	2.553	0.67	1.1	129.3	36	1.6	20.6	18.7	1.1	1	21	9.3	<0.1
STD OREAS24P	Standard	0.133	17.6	190	4.03	276	1.082	7.67	2.462	0.66	0.5	128.9	36	1.7	20.2	18.2	1.1	1	20	7.1	<0.1
STD OREAS45C	Standard	0.053	26.9	975	0.27	278	1.172	7.34	0.100	0.36	1.1	167.6	54	2.7	12.8	22.2	1.4	<1	63	17.2	<0.1
STD OREAS45C	Standard	0.050	25.1	979	0.26	271	1.247	7.35	0.106	0.36	1.2	167.1	51	2.7	12.6	22.8	1.4	<1	61	16.0	<0.1
STD PTC-1A	Standard																				
STD CZN-3 Expected																					
STD CCU-1C Expected																					
STD GBM997-6 Expected																					
STD OREAS24P Expected		0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7	
STD OREAS45C Expected		0.051	26.2	962	0.25	270	1.1313	7.59	0.097	0.36	1.06	169.7	54	2.9	12.9	23.05	1.43		59.03	15.69	0.021
STD CDN-ME-3 Expected																					
BLK	Blank																				
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	0.080	24.1	5	0.56	1089	0.234	7.52	2.817	3.28	<0.1	10.8	53	1.6	14.2	23.2	1.4	3	5	31.6	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

AcmeLabs Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Dalmin Corporation**
407 Dufferin St.
Fredericton NB E3B 3A8 Canada

Project: Gold World Resources
Report Date: September 23, 2011

QUALITY CONTROL REPORT WHI11000899.1

	Method	1EX	1EX	7AR.1	7AR.1	G6Gr
	Analyte	Rb	Hf	Pb	Ag	Ag
	Unit	ppm	ppm	%	gm/t	gm/t
	MDL	0.1	0.1	0.01	2	50
Pulp Duplicates						
583011	Rock	16.5	0.2	19.20	>300	2265
REP 583011	QC			18.82	>300	
Reference Materials						
STD CCU-1C	Standard			0.29	130	
STD CDN-ME-3	Standard					281
STD CZN-3	Standard			0.09	44	
STD GBM997-6	Standard			22.80	>300	
STD OREAS24P	Standard	20.4	3.4			
STD OREAS24P	Standard	19.9	3.4			
STD OREAS45C	Standard	24.7	4.6			
STD OREAS45C	Standard	24.0	4.6			
STD PTC-1A	Standard			<0.01	58	
STD CZN-3 Expected				0.113	45	
STD CCU-1C Expected				0.34	129	
STD GBM997-6 Expected				23.75	437	
STD OREAS24P Expected		22.4	3.6			
STD OREAS45C Expected		24	4.27			
STD CDN-ME-3 Expected						276
BLK	Blank			<0.01	<2	
BLK	Blank	<0.1	<0.1			
BLK	Blank					<50
Prep Wash						
G1	Prep Blank	113.9	0.5			N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Quality Analysis ... *Innovative Technologies*

Date Submitted:	22-Aug-11
Invoice No.:	A11-9127
Invoice Date:	07-Oct-11
Your Reference:	Gold Worl Res. Inc.

Dallas Davis
151 Brunswick St.
Fredericton NB E3B1G7
Canada

ATTN: Dallas Davis

CERTIFICATE OF ANALYSIS

9 Rock samples were submitted for analysis.

The following analytical package was requested: Code 1H INAA(INAAGEO)/Total Digestion ICP(TOTAL)

REPORT **A11-9127**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:
Elements which exceed the upper limits should be analyzed by assay techniques. Some elements are reported by multiple techniques. These are indicated by MULT.

CERTIFIED BY :

Emmanuel Eseme , Ph.D.
Quality Control

ISO/IEC 17025
SCC Accredited
LAB 266
LAB 266
Accrédité CCN

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Activation Laboratories Ltd. Report: A11-9127

Analyte Symbol	Au	Ag	Cu	Cd	Mo	Pb	Ni	Zn	S	Al	As	Ba	Be	Bi	Br	Ca	Co	Cr	Cs	Eu	Fe	Hf	Hg	Ir
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb
Detection Limit	2	0.3	1	0.3	1	3	1	1	0.01	0.01	0.5	50	1	2	0.5	0.01	1	2	1	0.2	0.01	1	1	5
Analysis Method	INAA	MULT INAA / TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	MULT INAA / TD-ICP	MULT INAA / TD-ICP	TD-ICP	TD-ICP	INAA	INAA	TD-ICP	TD-ICP	INAA	TD-ICP	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
DD278A	95	4.0	102	1.0	4	26	9	55	0.23	4.56	57.0	1400	1	< 2	< 0.5	3.30	14	12	3	0.9	3.17	3	< 1	< 5
DD278B	43	2.0	72	0.6	3	26	5	75	0.17	4.65	54.0	4200	1	< 2	< 0.5	1.33	3	< 2	7	1.0	2.30	7	< 1	< 5
DD279A	< 2	1.3	67	0.5	1	73	56	59	0.14	4.08	70.5	1700	1	< 2	< 0.5	11.9	18	118	< 1	1.2	3.32	3	< 1	< 5
DD281A	37	0.7	22	< 0.3	2	8	85	52	0.09	5.02	61.3	1700	2	< 2	< 0.5	3.45	20	221	3	1.2	3.53	3	< 1	< 5
DD284A	< 2	< 0.3	11	0.3	< 1	10	6	46	0.04	5.05	15.6	1500	1	< 2	< 0.5	2.72	10	14	9	0.9	2.71	2	< 1	< 5
DD284B	45	1.0	11	< 0.3	2	14	1	80	0.03	4.40	26.2	1600	2	< 2	< 0.5	0.16	< 1	5	9	0.8	1.65	6	< 1	< 5
DD285A	< 2	1.4	15	0.8	4	68	2	171	0.02	4.42	34.9	< 50	4	< 2	0.9	0.12	< 1	5	8	< 0.2	1.30	9	< 1	< 5
DD285B	< 2	0.8	10	< 0.3	4	12	1	59	< 0.01	2.71	32.8	< 50	3	< 2	< 0.5	0.05	< 1	< 2	8	< 0.2	1.30	9	< 1	< 5
DD287A	1790	98.8	354	68.2	8	1920	12	625	0.46	2.39	2140	1100	2	< 2	< 0.5	0.23	9	45	9	< 0.2	2.94	< 1	< 1	< 5

Activation Laboratories Ltd. Report: A11-9127

Analyte Symbol	K	Li	Mg	Mn	Na	P	Rb	Sb	Sc	Se	Sr	Ta	Ti	Th	U	V	W	Y	La	Ce	Nd	Sm	Sn	Tb
Unit Symbol	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
Detection Limit	0.01	1	0.01	1	0.01	0.001	15	0.1	0.1	3	1	0.5	0.01	0.2	0.5	2	1	1	0.5	3	5	0.1	0.01	0.5
Analysis Method	TD-ICP	TD-ICP	TD-ICP	TD-ICP	INAA	TD-ICP	INAA	INAA	INAA	INAA	TD-ICP	INAA	TD-ICP	INAA	INAA	TD-ICP	INAA	TD-ICP	INAA	INAA	INAA	INAA	INAA	INAA
DD278A	2.37	29	1.25	874	2.58	0.056	70	3.8	9.5	< 3	459	< 0.5	0.29	9.1	3.3	91	< 1	10	16.5	30	15	3.0	< 0.01	< 0.5
DD278B	3.34	49	0.30	775	1.97	0.013	107	8.9	7.6	< 3	184	1.9	0.12	16.1	5.9	5	< 1	21	38.6	72	34	5.3	< 0.01	< 0.5
DD279A	1.44	48	2.31	1240	1.99	0.145	36	4.6	11.9	< 3	898	< 0.5	0.32	14.0	2.8	104	5	11	43.2	67	30	4.8	< 0.01	< 0.5
DD281A	3.35	27	3.06	853	1.81	0.127	98	1.9	13.4	< 3	518	< 0.5	0.35	16.1	4.8	118	4	14	28.7	48	27	4.9	< 0.01	< 0.5
DD284A	2.49	37	0.74	669	2.49	0.054	102	1.5	8.9	< 3	401	< 0.5	0.28	11.9	3.9	82	< 1	10	22.4	41	13	3.0	< 0.01	< 0.5
DD284B	2.89	45	0.20	129	1.76	0.008	107	3.7	4.2	< 3	80	< 0.5	0.10	19.3	5.0	4	6	20	36.2	68	34	5.6	< 0.01	< 0.5
DD285A	3.38	46	0.05	171	1.12	0.004	169	2.1	2.1	< 3	19	2.3	0.10	27.9	9.7	2	8	35	30.6	94	29	5.5	< 0.01	1.0
DD285B	2.34	168	0.06	71	0.14	0.004	181	4.9	1.8	< 3	7	1.5	0.09	26.5	8.5	< 2	7	17	14.6	17	12	2.3	< 0.01	0.8
DD287A	1.80	56	0.25	151	0.05	0.034	105	73.0	4.8	< 3	29	< 0.5	0.13	5.9	6.7	48	10	5	13.2	18	10	2.1	< 0.01	< 0.5

Analyte Symbol	Yb	Lu	Mass
Unit Symbol	ppm	ppm	g
Detection Limit	0.2	0.05	
Analysis Method	INAA	INAA	INAA
DD278A	1.4	0.13	31.8
DD278B	2.4	0.43	28.9
DD279A	0.9	< 0.05	30.8
DD281A	1.3	0.14	31.4
DD284A	1.1	0.14	28.0
DD284B	2.8	0.49	29.7
DD285A	4.6	0.74	28.0
DD285B	4.1	0.68	27.8
DD287A	0.5	< 0.05	28.9

Quality Control

Analyte Symbol	Au	Ag	Ag	Cu	Cd	Mo	Pb	Ni	Ni	Zn	Zn	S	Al	As	Ba	Be	Bi	Br	Ca	Co	Cr	Cs	Eu	Fe
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Detection Limit	2	0.3	5	1	0.3	1	3	1	20	1	50	0.01	0.01	0.5	50	1	2	0.5	0.01	1	2	1	0.2	0.01
Analysis Method	INAA	TD-ICP	INAA	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	INAA	TD-ICP	INAA	TD-ICP	TD-ICP	INAA	INAA	TD-ICP	TD-ICP	INAA	TD-ICP	INAA	INAA	INAA	INAA	INAA
GXR-1 Meas		32.0		1140	3.0	15	769	47		795		0.25	1.58			1	1390		0.95					
GXR-1 Cert		31.0		1110	3.30	18.0	730	41.0		760		0.257	3.52			1.22	1380		0.960					
GXR-4 Meas		3.2		6490	0.4	313	43	41		75		1.78	4.36			2	11		1.11					
GXR-4 Cert		4.00		6520	0.860	310	52.0	42.0		73.0		1.77	7.20			1.90	19.0		1.01					
SDC-1 Meas		< 0.3		27	< 0.3	< 1	22	35		104		0.05	5.08			3	< 2		1.12					
SDC-1 Cert		0.0410		30.0	0.0800	0.250	25.0	38.0		103		0.0650	8.34			3.00	2.60		1.00					
SCO-1 Meas		< 0.3		28	< 0.3	< 1	27	28		102			4.80			2	< 2		2.04					
SCO-1 Cert		0.134		28.7	0.140	1.37	31.0	27.0		103			7.24			1.84	0.370		1.87					
GXR-6 Meas		0.4		66	0.4	< 1	96	27		137		0.01	9.16			1	< 2		0.21					
GXR-6 Cert		1.30		66.0	1.00	2.40	101	27.0		118		0.0160	17.7			1.40	0.290		0.180					
DNC-1a Meas				96				242		58														
DNC-1a Cert				100				247		70.0														
OREAS 13b (4-Acid) Meas		0.8		2300		12		2150		113		1.17												
OREAS 13b (4-Acid) Cert		0.86		2300.000		9.0		2247		133		1.20												
DMMAS 114 Meas	2100													1820	1500					43	91			3.44
DMMAS 114 Cert	2199													1624	1561					42	84			3.31
Method Blank Method Blank		< 0.3		< 1	< 0.3	< 1	< 3	< 1		< 1		< 0.01	< 0.01			< 1	< 2		< 0.01					
Method Blank Method Blank	< 2		< 5						< 20		< 50			< 0.5	< 50			< 0.5		< 1	< 2	< 1	< 0.2	< 0.01

Quality Control

Analyte Symbol	Hf	Hg	Ir	K	Li	Mg	Mn	Na	P	Rb	Sb	Sc	Se	Sr	Ta	Ti	Th	U	V	W	Y	La	Ce	Nd
Unit Symbol	ppm	ppm	ppb	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	1	1	5	0.01	1	0.01	1	0.01	0.001	15	0.1	0.1	3	1	0.5	0.01	0.2	0.5	2	1	1	0.5	3	5
Analysis Method	INAA	INAA	INAA	TD-ICP	TD-ICP	TD-ICP	TD-ICP	INAA	TD-ICP	INAA	INAA	INAA	INAA	TD-ICP	INAA	TD-ICP	INAA	INAA	TD-ICP	INAA	TD-ICP	INAA	INAA	INAA
GXR-1 Meas				0.04	8	0.23	994		0.059					302					92		27			
GXR-1 Cert				0.0500	8.20	0.217	852		0.0650					275					80.0		32.0			
GXR-4 Meas				4.21	11	1.71	158		0.130					205					91		13			
GXR-4 Cert				4.01	11.1	1.66	155		0.120					221					87.0		14.0			
SDC-1 Meas				2.68	34	1.01	926		0.051					165		0.09			35		29			
SDC-1 Cert				2.72	34.0	1.02	883		0.0690					183		0.606			102		40.0			
SCO-1 Meas				2.18	43	1.59	421		0.081					160		0.33			130		18			
SCO-1 Cert				2.30	45.0	1.64	410		0.0900					174		0.380			131		26.0			
GXR-6 Meas				1.81	37	0.65	1150		0.036					43					133		13			
GXR-6 Cert				1.87	32.0	0.609	1010		0.0350					35.0					186		14.0			
DNC-1a Meas					5									130					146		14			
DNC-1a Cert					5.20									144					148		18.0			
OREAS 13b (4-Acid) Meas																								
OREAS 13b (4-Acid) Cert																								
DMMAS 114 Meas								1.90			11.0	7.1						17.4				17.6	25	
DMMAS 114 Cert								1.78			11.2	6.5						17.4				15.1	23.7	
Method Blank Method Blank				< 0.01	< 1	< 0.01	3		0.001					< 1		< 0.01			< 2		< 1			
Method Blank Method Blank	< 1	< 1	< 5					< 0.01		< 15	< 0.1	< 0.1	< 3		< 0.5		< 0.2	< 0.5		< 1		< 0.5	< 3	< 5

Quality Control

Analyte Symbol	Sm	Sn	Tb	Yb	Lu	Mass
Unit Symbol	ppm	%	ppm	ppm	ppm	g
Detection Limit	0.1	0.01	0.5	0.2	0.05	
Analysis Method	INAA	INAA	INAA	INAA	INAA	INAA
GXR-1 Meas						
GXR-1 Cert						
GXR-4 Meas						
GXR-4 Cert						
SDC-1 Meas						
SDC-1 Cert						
SCO-1 Meas						
SCO-1 Cert						
GXR-6 Meas						
GXR-6 Cert						
DNC-1a Meas						
DNC-1a Cert						
OREAS 13b (4-Acid) Meas						
OREAS 13b (4-Acid) Cert						
DMMAS 114 Meas	2.7					
DMMAS 114 Cert	2.4					
Method Blank Method Blank						
Method Blank Method Blank	< 0.1	< 0.01	< 0.5	< 0.2	< 0.05	30.0