

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

STREAM SEDIMENT AND SOIL GEOCHEMICAL SAMPLING

at the

BANDA PROPERTY

Banda 1-40 YD124103 – YD124142

NTS 95D/02

Latitude 60°14'N; Longitude 126°40'W

located in the

Watson Lake Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

PRECIPITATE GOLD CORP.
and
STRATEGIC METALS LTD.

by

H. Smith, B.Sc., P.Geo.

October 2011

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY AND CLIMATE	2
GEOLOGY	2
STREAM SEDIMENT AND SOIL GEOCHEMISTRY	3
DISCUSSION AND CONCLUSIONS	3
REFERENCES	5

APPENDICES

- I STATEMENT OF QUALIFICATIONS
- II CERTIFICATES OF ANALYSIS

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	2
4	Regional Geology	2
5	Soil Sample Locations	3
6	Antimony Geochemistry	3
7	Molybdenum Geochemistry	3
8	Zinc Geochemistry	3

TABLES

I	Geochemical Thresholds	3
---	------------------------	---

INTRODUCTION

The Banda property is located in southeastern Yukon and covers the headwaters of a creek that yielded anomalous gold and antimony values from a government stream sediment sample. The property is owned by Strategic Metals Ltd. and is under option to Precipitate Gold Corp.

This report describes a one day geochemical sampling program conducted by Archer, Cathro and Associates (1981) Limited in summer 2011 on behalf of Precipitate Gold. The work was performed on June 9. The author directed the program and her Statement of Qualifications is in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Banda property consists of 40 contiguous mineral claims, located in southeastern Yukon at latitude 60°14' north and longitude 126°40' west on NTS map sheet 95D/02 (Figure 1). The property covers an area of about 800 hectares (8 km²). The claims are registered with the Watson Lake Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date</u>
Banda 1-40	YD124103-YD124142	February 24, 2012*

*Expiry date does not include 2011 work that has not yet been filed for assessment credit.

Access to the property was provided by a Hughes 500D helicopter operated by Kluane Airways from Coal River, B.C., which is located approximately 70 km south of the property. All personnel stayed at the Coal River Lodge.

The community of Watson Lake is the nearest supply centre. It lies 120 km west of the property. The closest road access is from the Alaska Highway, which at its nearest point is 60 km southwest of the property. The Alaska Highway is usable in all seasons by two wheel drive vehicles.

HISTORY AND PREVIOUS WORK

The Yukon Geological Survey (YGS) compiled data from residual total field aeromagnetic surveys that have been flown at various times over much of Yukon (Yukon Geological Survey, 2010). This compilation demarcated a four kilometre long, northeast-elongated magnetic high that lies three kilometres south of the Banda property (Figure 2).

In 1995, the Geological Survey of Canada (GSC) completed a regional stream sediment sampling survey on NTS map sheet 95D (Friske et al., 1996). One stream sediment sample was collected from a creek draining the Banda property (Figure 2). This sample returned strongly anomalous values for gold (11 ppb) and antimony (3.5 ppm), but near background values for all other elements.

**PRECIPITATE GOLD CORP.
STRATEGIC METALS LTD.**

FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


**PROPERTY LOCATION
BANDA PROPERTY**





UTM ZONE 9, NAD 83, 95D/02

FILE: ...Banda-F_1-Property_Location.wor

DATE: OCTOBER 2011





BANDA D124103	BANDA D124108	BANDA D124107	BANDA D124108	BANDA D124111	BANDA D124113	BANDA D124112	BANDA D124117	BANDA D124119	BANDA D124121
BANDA D124104	BANDA D124108	BANDA D124108	BANDA D124110	BANDA D124112	BANDA D124112	BANDA D124116	BANDA D124118	BANDA D124120	BANDA D124122
BANDA D124123	BANDA D124123	BANDA D124127	BANDA D124129	BANDA D124131	BANDA D124133	BANDA D124133	BANDA D124138	BANDA D124139	BANDA D124144
BANDA D124124	BANDA D124126	BANDA D124128	BANDA D124130	BANDA D124132	BANDA D124134	BANDA D124134	BANDA D124138	BANDA D124140	BANDA D124144

Magnetic high - unmapped pluton?

+ RGS stream sediment sample with 3.5 ppm antimony and 11 ppb gold.

In February 2011, Strategic Metals staked the Banda property.

GEOMORPHOLOGY AND CLIMATE

The Banda property is drained by Lootz Creek, which ultimately connects to the Arctic Ocean via the Liard and Mackenzie rivers.

Local elevations on the property range from 740 to 960 m above sea level. Topographic relief is gentle. The property lies entirely below treeline and is heavily forested. Vegetation primarily comprises black spruce and lodgepole pine with an understory of low shrubs and moss.

Much of the overburden in the region is associated with the most recent Cordilleran ice sheet, the McConnell glaciation, which is believed to have covered south and central Yukon between 26,500 and 10,000 years ago (Yukon Geological Survey, 2010). The area was covered by the Liard Lobe of the ice sheet, which moved in an eastward to north-eastward direction. Bedrock on the property is mostly obscured by glacial till.

The climate in the Banda area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. The property is mostly snow free from mid-May to late October.

GEOLOGY


The GCS performed geological mapping on the Coal River map sheet (NTS 095D) at a 1:250,000 in 1969 (Gabielse and Blusson, 1969) and the Yukon Geological Survey in 2009 and 2010 (Pigage et. al., 2010).

The property lies within Selwyn Basin (Figure 3), a tectonic element comprising deep water clastic rocks with minor carbonate facies, which accumulated along the North American continental margin during Paleozoic time (Pigage, 2004).

The Banda property area is underlain by Ordovician Sunblood Formation and Silurian to Devonian Road River Group. The Sunblood formation is composed of light to dark grey, light brownish grey-, buff- or orange-weathering, mottled, thin to thick bedded dolostone or limestone. The Road River Group comprises dark grey to black, pale grey-weathering, locally calcareous or dolomitic, locally graptolitic, recessive shale or siltstone; lesser very fine-grained sandstone, bedded chert, dolostone and limestone (Figure 4).

The eastern two-thirds of the property features Sunblood Formation that has been juxtaposed against Road River Group by a high angle thrust fault. Bedding within the Sunblood Formation show crenulation folds, likely due to complex regional-scale deformation.


Based on the GSC magnetic data there may be an unmapped pluton about three kilometres south of the Banda property.



**PRECIPITATE GOLD CORP.
STRATEGIC METALS LTD.**


FIGURE 3
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
TECTONIC SETTING
BANDA PROPERTY

0 500 1000 2500 m
UTM ZONE 9, NAD 83, 95D/02




SDRR DEVONIAN TO MISSISSIPPIAN
 Road River Group
 Dark grey to black, pale grey-weathering, locally calcareous or dolomitic, locally graptolitic, recessive shale or siltstone; lesser very fine-grained sandstone, bedded chert, dolostone and limestone.

OS MIDDLE ORDOVICIAN
 Sunblood Formation
 Light to dark grey, light brownish grey-, buff- or orange-weathering, mottled, thin- to thick-bedded dolostone or limestone; commonly bioturbated; locally laminated.



**PRECIPITATE GOLD CORP.
 STRATEGIC METALS LTD.**

FIGURE 4
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
REGIONAL GEOLOGY
 BANDA PROPERTY



STREAM SEDIMENT AND SOIL GEOCHEMISTRY

In 2011, Precipitate collected 82 contour soil samples and nine stream sediment samples. Soil samples were collected at 100 m spacings from 10 to 40 cm deep holes dug by hand-held auger. Stream sediment samples were collected at sporadic intervals from the main creek draining the property. They were placed into individually pre-numbered Kraft paper bags. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. All soil sample locations were recorded using hand-held GPS units.

The soil samples were sent to ALS Chemex in Whitehorse, Yukon and/or Vancouver, B.C., where they were dried, screened to -180 microns, and then analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 25 g charge was further analysed for gold by aqua regia digestion with inductively coupled plasma mass spectroscopy finish (Au-TL43).

Sample locations are shown on Figure 5, while results for antimony, molybdenum and zinc are illustrated thematically on Figures 6 to 8. Certificates of Analysis are provided in Appendix II. Table I lists the ranges of values that define weak, moderate and strong geochemical anomalies.



Table I – Geochemical Thresholds

Element	Weak	Moderate	Strong
Antimony(ppm)	$\geq 2 < 5$	$\geq 5 < 7.3$	
Molybdenum (ppm)	$\geq 2 < 5$	$\geq 5 < 10$	$\geq 10 \leq 16.5$
Zinc (ppm)	$\geq 200 < 500$	$\geq 500 < 535$	

Geochemical sampling yielded moderately to strongly anomalous values for antimony, molybdenum and zinc, while values for other elements of interest were background to weakly anomalous. Elevated values are roughly aligned in an east-northeast orientation. Within this trend, antimony values are strongest downstream from the fault. In most instances, stream sediment sampling yielded higher values than deep auger soil sampling, which is not surprising given the strongly glaciated terrain.

DISCUSSION AND CONCLUSIONS

Precipitate Gold's 2011 exploration program was designed to test the headwaters of a creek that yielded moderately to strongly anomalous values for gold and antimony, which are key components in Carlin-style gold deposits. The program was successful in that it was able to reproduce and expand the antimony anomaly; however, sampling was unable to reproduce the anomalous gold value and failed to identify high values for other Carlin-type pathfinder elements (arsenic, mercury and thallium). Overall the geochemical data are disappointing, and additional work should only be done if nearby properties yield more encouraging results.




**PRECIPITATE GOLD CORP.
STRATEGIC METALS LTD.**



FIGURE 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SOIL SAMPLE LOCATIONS
BANDA PROPERTY

0 2 km

UTM ZONE 9, NAD 83, 095D/02

FILE: ...2011/BANDA/FIGURES/SOIL_SAMPLE_LOC DATE: OCTOBER 2011





Mo Soil (ppm)

- 10 ≥ 16.5
- 5 ≥ 10
- 2 ≥ 5
- 1 ≥ 2
- 0 ≥ 1

Mo Silt (ppm)



- ✚ 5 ≥ 8.76
- ✚ 2 ≥ 5
- ✚ 1 ≥ 2
- ✚ 0 ≥ 1

**PRECIPITATE GOLD CORP.
 STRATEGIC METALS LTD.**

FIGURE 7
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
MOLYBDENUM GEOCHEMISTRY
 BANDA PROPERTY

0 2 km
 UTM ZONE 9, NAD 83, 095D/02

FILE: ...2011/BANDA/FIGURES/MOLYBDENUM DATE: OCTOBER 2011



**PRECIPITATE GOLD CORP.
STRATEGIC METALS LTD.**

FIGURE 8
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ZINC GEOCHEMISTRY
BANDA PROPERTY

0 2 km
UTM ZONE 9, NAD 83, 095D/02

FILE: ...2011/BANDA/FIGURES/ZINC DATE: OCTOBER 2011

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Heather Smith, B.Sc., P.Geo.

REFERENCES

- Friske, P.W.B., McCurdy, M.W., Balma, R.G., Day, S.J.A., Lynch, J.J. and Durham, C.C.
 1996 Regional Stream Sediment and Water Geochemical Data, Southeastern Yukon
 (Parts of NTS 95D and 105A); Geological Survey of Canada Open File 3293.
- Gabrielse, H. and Blusson, S.L.
 1969 Geology of Coal River map sheet, Yukon Territory and District of Mackenzie (95D);
 Geological Survey of Canada, Paper 68-38, 22 p.
- Pigage, L.C.
 2004 Bedrock geology compilation of the Anvil District (parts of 105K/2, 3, 5, 7 and 11),
 central Yukon; Yukon Geological Survey, Bulletin 15.
- Pigage, L.C., Abbott, J.G. and Roots, C.F.
 2010 Bedrock geology of Coal River map area (NTS95D), Yukon (1:250 000 scale);
 Yukon Geological Survey, Open File 2010-(in press).
- Yukon Geological Survey
 2010 Geoprocess File Summary Report for Coal River Map Area N.T.S. 095D;
 Available at: [http://ygsftp.gov.yk.ca/publications/openfile/2002/of2002_8d
 _geoprocess_file/documents/map_specific/095d.pdf](http://ygsftp.gov.yk.ca/publications/openfile/2002/of2002_8d_geoprocess_file/documents/map_specific/095d.pdf)

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Heather Smith, geologist, with business addresses in Vancouver, British Columbia and Whitehorse, Yukon Territory and residential address at #604-175 West 1 Street, North Vancouver, British Columbia, V7M 3N9 do hereby certify that:

1. I graduated from the University of British Columbia in 2006 with a B. Sc. in Geological Sciences.
2. From 2004 to present, I have been actively engaged in mineral exploration in the Yukon Territory, British Columbia and Northwest Territories.
3. I am a Professional Geoscientist (P.Ge.) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 150000).
4. I have personally directed the fieldwork reported herein and have interpreted all data resulting from this work.

Heather Smith, B.Sc., P.Ge.

APPENDIX II
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ARCHER, CATHRO AND ASSOCIATES (1981) LIMITED**
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 23- JUN- 2011
Account: F

CERTIFICATE WH11107171

Project: Fireside - BANDA
 P.O. No.:
 This report is for 92 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14- JUN- 2011.
 The following have access to data associated with this certificate:
 DOUG EATON SARAH EATON JOAN MARIACHER

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- TL43	Trace Level Au - 25g AR	ICP- MS
ME- MS41	51 anal. aqua regia ICPMS	

To: **ARCHER, CATHRO AND ASSOCIATES (1981) LIMITED**
ATTN: JOAN MARIACHER
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- JUN- 2011
 Account: F

Project: Fireside - BANDA

CERTIFICATE OF ANALYSIS WH11107171

Sample Description	Method Analyte Units LOR	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
CC114170		0.26	0.001	0.05	0.89	6.2	<0.2	<10	150	0.55	0.13	0.30	1.00	30.2	3.8	18
CC114171		0.14	<0.001	0.03	0.92	4.7	<0.2	<10	170	0.57	0.12	0.62	1.86	23.5	3.8	15
CC114172		0.20	<0.001	0.03	0.84	3.0	<0.2	<10	130	0.21	0.13	0.07	0.45	24.6	2.2	13
CC114173		0.20	<0.001	0.04	1.08	5.2	<0.2	<10	100	0.31	0.16	0.06	0.70	23.0	3.3	17
CC114174		0.22	0.001	0.19	0.88	12.4	<0.2	<10	180	0.87	0.13	4.18	3.52	32.8	6.9	19
CC114175		0.24	<0.001	0.02	0.79	5.0	<0.2	<10	150	0.42	0.09	0.09	0.59	24.7	3.5	15
CC114176		0.20	0.001	0.05	0.91	7.1	<0.2	<10	140	0.57	0.13	0.15	2.42	29.9	5.1	21
CC114177		0.28	0.001	0.02	1.22	7.1	<0.2	<10	160	0.51	0.18	0.14	0.52	27.6	5.7	21
CC114178		0.18	<0.001	0.01	1.00	6.3	<0.2	<10	110	0.45	0.17	0.08	1.00	23.8	5.0	18
CC114179		0.32	0.001	0.07	0.95	8.1	<0.2	<10	160	0.66	0.14	2.28	1.25	31.9	5.6	22
CC114180		0.20	<0.001	0.01	1.64	9.2	<0.2	<10	200	0.65	0.19	0.39	1.54	26.5	10.2	29
CC114181		0.24	0.003	0.04	1.28	7.6	<0.2	<10	210	0.68	0.18	0.37	1.00	35.8	8.4	32
CC114182		0.22	0.008	0.01	1.08	4.2	<0.2	<10	110	0.36	0.17	0.14	0.41	30.9	4.3	20
CC114183		0.20	<0.001	0.09	1.04	11.7	<0.2	<10	180	0.93	0.12	2.29	1.63	35.3	4.9	25
CC114184		0.20	<0.001	0.02	1.05	4.0	<0.2	<10	140	0.37	0.15	0.19	0.52	24.0	4.2	18
CC114185		0.26	0.001	0.01	1.16	5.1	<0.2	<10	130	0.41	0.14	0.14	0.70	24.9	4.8	19
CC114186		0.24	0.001	0.02	1.01	9.0	<0.2	<10	110	0.56	0.13	0.08	1.11	24.3	4.4	23
CC114187		0.20	0.003	0.01	1.02	5.6	<0.2	<10	130	0.36	0.14	0.12	0.65	26.2	4.8	20
CC114188		0.24	0.001	0.01	1.01	2.9	<0.2	<10	120	0.25	0.14	0.11	0.39	24.7	3.9	17
CC114189		0.20	0.001	0.03	1.25	4.1	<0.2	<10	150	0.45	0.18	0.16	0.85	26.8	5.0	23
CC114190		0.18	<0.001	0.04	0.95	7.8	<0.2	<10	140	0.70	0.13	0.28	3.53	27.3	5.0	22
CC95885		0.16	<0.001	0.03	0.82	5.4	<0.2	<10	140	0.50	0.12	0.25	1.34	26.5	3.8	16
CC95886		0.12	0.002	0.06	0.98	5.7	<0.2	<10	150	0.58	0.18	0.90	2.18	25.3	5.3	21
CC95887		0.20	0.001	0.02	1.30	7.9	<0.2	<10	150	0.46	0.21	0.14	0.63	34.1	5.5	23
CC95888		0.18	0.001	0.03	1.03	9.0	<0.2	<10	170	0.64	0.14	0.14	0.73	34.5	5.2	22
CC95889		0.16	0.001	0.09	0.87	14.2	<0.2	<10	140	0.92	0.12	0.45	2.39	38.5	5.9	24
CC95890		0.18	<0.001	0.18	0.85	12.8	<0.2	<10	140	0.76	0.17	1.39	2.37	31.9	6.8	21
CC95891		0.12	<0.001	0.55	0.82	11.2	<0.2	<10	200	0.71	0.13	1.15	3.40	34.3	6.2	22
CC95892		0.20	0.001	0.20	0.56	9.8	<0.2	<10	110	0.59	0.10	5.74	2.63	25.5	4.2	17
CC95893		0.16	<0.001	0.03	1.05	8.4	<0.2	<10	140	0.49	0.17	0.16	1.87	32.5	5.7	20
CC95894		0.16	0.001	0.03	1.19	6.7	<0.2	<10	170	0.51	0.18	0.21	1.81	32.6	6.6	23
CC95895		0.20	<0.001	0.03	1.03	7.8	<0.2	<10	150	0.66	0.13	0.14	1.59	33.0	5.3	22
CC95896		0.16	0.004	0.03	1.09	7.5	<0.2	<10	160	0.68	0.17	0.28	0.92	35.1	5.4	26
CC95897		0.16	0.003	0.02	1.01	3.7	<0.2	<10	150	0.35	0.12	0.19	0.84	24.0	3.9	18
CC95898		0.14	0.005	0.02	1.15	3.6	<0.2	<10	120	0.35	0.16	0.14	0.66	27.4	5.3	22
CC95899		0.16	<0.001	0.02	0.96	5.1	<0.2	<10	110	0.32	0.14	0.13	0.55	27.8	3.6	18
CC95900		0.16	0.001	0.02	0.82	3.8	<0.2	<10	90	0.20	0.15	0.10	0.28	25.6	3.1	16
CC114191		0.14	0.001	0.03	1.30	5.8	<0.2	<10	150	0.64	0.22	0.23	1.28	32.6	5.6	25
CC114192		0.12	0.005	0.02	0.99	4.6	<0.2	<10	130	0.38	0.16	0.15	0.80	27.3	4.4	19
CC114193		0.18	0.001	0.01	1.31	5.7	<0.2	<10	110	0.44	0.21	0.15	0.79	28.6	5.8	25

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- JUN- 2011
 Account: F

Project: Fireside - BANDA

CERTIFICATE OF ANALYSIS WH11107171

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
CC114170		0.47	6.3	1.54	3.02	0.09	0.03	0.03	0.020	0.05	18.3	8.2	0.28	94	4.38	<0.01
CC114171		0.39	5.7	1.32	3.28	0.09	0.04	0.03	0.019	0.04	13.5	6.2	0.34	104	3.83	<0.01
CC114172		0.40	2.6	1.17	4.10	0.08	0.04	0.01	0.013	0.02	12.5	8.8	0.14	57	2.25	<0.01
CC114173		0.58	3.6	1.89	4.60	0.08	0.03	0.01	0.017	0.04	12.6	11.9	0.19	91	2.99	<0.01
CC114174		0.57	18.9	1.77	2.94	0.11	0.05	0.08	0.025	0.09	18.5	7.6	2.15	247	8.27	0.01
CC114175		0.45	4.1	1.28	2.83	0.09	0.05	0.01	0.016	0.04	14.2	6.7	0.14	113	4.64	<0.01
CC114176		0.53	6.8	1.78	3.44	0.10	0.04	0.01	0.021	0.05	15.8	7.6	0.23	154	5.43	<0.01
CC114177		0.76	5.6	2.16	4.09	0.09	0.03	0.04	0.019	0.04	14.2	12.5	0.32	190	2.35	<0.01
CC114178		0.65	4.9	2.10	4.66	0.09	<0.02	0.01	0.018	0.05	13.2	10.5	0.17	176	4.03	<0.01
CC114179		0.43	13.7	1.72	2.91	0.10	0.06	0.05	0.020	0.05	17.9	7.4	1.21	267	3.62	<0.01
CC114180		0.90	10.6	2.53	4.76	0.09	0.05	0.02	0.025	0.04	14.2	12.3	0.46	202	5.08	<0.01
CC114181		0.60	16.3	2.31	4.28	0.11	0.09	0.04	0.024	0.05	19.6	10.4	0.44	355	1.90	<0.01
CC114182		0.85	3.9	1.81	4.37	0.10	0.05	0.01	0.015	0.03	17.3	13.8	0.36	149	1.21	<0.01
CC114183		0.58	11.6	1.93	2.77	0.11	0.06	0.04	0.027	0.06	21.8	7.0	1.35	155	11.50	<0.01
CC114184		0.68	4.1	1.54	4.21	0.09	0.03	0.01	0.017	0.03	13.2	11.2	0.29	130	1.63	<0.01
CC114185		0.50	4.9	1.77	4.56	0.08	0.02	0.01	0.018	0.03	13.3	11.2	0.23	119	4.94	<0.01
CC114186		0.54	9.4	1.86	4.04	0.08	<0.02	0.01	0.021	0.03	13.2	9.7	0.16	76	8.46	<0.01
CC114187		0.66	5.4	1.84	3.67	0.09	0.04	0.01	0.015	0.03	14.1	12.3	0.33	146	1.52	<0.01
CC114188		0.65	3.0	1.39	4.35	0.09	0.03	0.01	0.014	0.03	13.3	12.2	0.27	107	1.04	<0.01
CC114189		0.85	4.1	1.87	4.65	0.08	0.03	0.02	0.018	0.03	14.4	12.8	0.37	146	1.03	<0.01
CC114190		0.57	12.0	1.69	3.38	0.09	0.02	0.02	0.018	0.05	14.7	8.0	0.21	209	6.06	<0.01
CC95885		0.60	6.8	1.34	2.86	0.09	0.02	0.02	0.016	0.05	14.4	7.1	0.16	78	5.89	<0.01
CC95886		0.41	8.9	1.91	4.03	0.09	0.03	0.03	0.021	0.05	13.6	9.3	0.34	243	3.45	<0.01
CC95887		0.83	6.0	2.24	5.61	0.10	0.05	0.01	0.022	0.05	17.3	13.7	0.32	165	4.35	<0.01
CC95888		0.59	8.5	1.89	3.18	0.10	0.09	0.02	0.018	0.06	17.5	8.0	0.21	151	6.97	<0.01
CC95889		0.58	13.9	2.00	2.69	0.11	0.06	0.04	0.026	0.08	22.7	6.8	0.24	147	15.30	<0.01
CC95890		0.51	15.3	2.00	3.03	0.10	0.04	0.05	0.022	0.07	17.7	7.1	0.78	318	14.65	<0.01
CC95891		0.44	14.3	1.84	2.48	0.11	0.05	0.06	0.020	0.07	19.2	6.0	0.51	361	8.35	<0.01
CC95892		0.40	15.8	1.36	1.92	0.09	0.05	0.07	0.016	0.08	15.4	4.7	3.06	181	7.83	0.01
CC95893		0.77	6.5	2.04	3.87	0.10	0.02	0.01	0.022	0.05	18.3	12.0	0.25	190	3.92	<0.01
CC95894		0.75	7.1	2.02	4.25	0.10	0.04	0.01	0.021	0.05	18.1	11.9	0.30	285	3.02	<0.01
CC95895		0.60	6.6	1.88	3.63	0.10	0.06	0.02	0.021	0.04	17.8	8.6	0.21	182	3.87	<0.01
CC95896		0.44	7.0	2.14	3.46	0.10	0.08	0.02	0.022	0.04	20.8	9.3	0.36	181	1.70	<0.01
CC95897		0.59	4.0	1.46	3.84	0.08	0.04	0.02	0.013	0.03	13.4	8.9	0.26	152	1.67	<0.01
CC95898		0.85	4.1	1.75	4.44	0.09	0.04	<0.01	0.019	0.03	15.0	12.0	0.35	150	1.20	<0.01
CC95899		0.56	5.0	1.62	4.30	0.09	0.04	0.01	0.017	0.03	16.0	10.1	0.18	82	2.75	<0.01
CC95900		0.62	3.5	1.25	3.55	0.09	0.05	0.03	0.011	0.03	14.1	9.1	0.20	77	1.86	<0.01
CC114191		0.97	4.9	2.17	4.71	0.10	0.04	0.02	0.020	0.05	16.4	11.5	0.35	216	1.97	<0.01
CC114192		0.85	4.7	1.68	4.07	0.08	0.05	0.04	0.016	0.04	15.6	10.0	0.28	188	2.54	<0.01
CC114193		0.89	5.1	2.50	5.36	0.09	0.07	0.03	0.020	0.04	15.3	14.5	0.33	156	2.51	<0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- JUN- 2011
 Account: F

Project: Fireside - BANDA

CERTIFICATE OF ANALYSIS WH11107171

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
CC114170		0.59	22.7	200	11.5	6.8	0.001	0.01	1.73	2.4	0.7	0.5	6.2	<0.01	0.03	3.6
CC114171		0.66	19.8	230	11.9	4.7	0.001	0.02	1.19	2.1	0.7	0.5	9.8	<0.01	0.02	2.2
CC114172		0.88	6.8	90	10.3	4.5	<0.001	0.01	0.65	0.9	<0.2	0.6	4.7	<0.01	0.01	3.2
CC114173		1.21	10.3	180	10.3	7.4	<0.001	0.01	0.79	1.2	<0.2	0.7	4.9	<0.01	0.03	3.0
CC114174		0.57	47.9	640	18.7	7.2	<0.001	0.02	4.49	3.7	1.6	0.5	31.5	<0.01	0.03	3.4
CC114175		0.63	19.5	120	11.9	6.9	<0.001	0.01	1.64	1.3	0.6	0.5	3.7	<0.01	0.02	3.0
CC114176		1.40	31.5	140	14.6	8.2	<0.001	0.01	1.96	1.9	0.7	0.6	6.4	<0.01	0.01	3.7
CC114177		0.95	18.3	200	12.7	7.6	0.001	0.01	1.09	1.7	0.2	0.6	6.8	<0.01	0.02	4.0
CC114178		1.17	14.1	230	14.1	8.6	<0.001	0.01	1.24	1.1	0.4	0.7	5.6	<0.01	0.03	1.9
CC114179		0.77	36.0	540	15.6	5.3	<0.001	0.01	1.59	3.3	0.7	0.4	23.4	<0.01	0.03	4.2
CC114180		1.24	35.0	490	19.0	10.5	<0.001	0.01	1.44	2.2	0.7	0.6	9.0	<0.01	0.03	3.8
CC114181		1.07	32.2	420	14.9	7.2	<0.001	0.01	1.05	4.1	0.5	0.6	16.6	<0.01	0.03	5.6
CC114182		0.95	13.5	260	11.4	8.3	<0.001	0.01	0.41	1.6	0.4	0.6	8.1	<0.01	0.02	4.4
CC114183		0.45	49.2	720	21.7	7.6	0.001	0.02	2.55	4.5	1.6	0.5	18.2	<0.01	0.03	4.1
CC114184		0.97	13.4	170	11.6	6.2	<0.001	0.01	0.46	1.5	0.5	0.6	7.7	<0.01	0.01	3.3
CC114185		0.98	17.5	200	13.5	7.1	<0.001	0.01	0.60	1.5	0.2	0.6	6.8	<0.01	0.02	3.1
CC114186		1.01	37.4	680	16.3	7.0	0.001	0.01	1.90	1.6	1.0	0.6	5.0	<0.01	0.03	2.2
CC114187		0.86	16.6	140	12.1	8.5	<0.001	0.01	0.60	1.5	0.2	0.5	6.8	<0.01	0.02	3.9
CC114188		0.97	11.1	100	10.7	7.2	<0.001	0.01	0.33	1.3	0.2	0.6	6.5	<0.01	0.02	3.4
CC114189		0.97	14.7	160	13.3	6.6	<0.001	0.01	0.38	1.7	0.2	0.7	7.4	<0.01	0.02	4.1
CC114190		0.72	32.8	660	19.3	8.3	<0.001	0.01	1.76	1.9	0.8	0.5	8.1	<0.01	0.04	2.6
CC95885		0.53	23.6	220	10.1	8.0	0.001	0.02	1.64	1.6	0.8	0.5	7.8	<0.01	0.02	2.5
CC95886		1.34	20.2	450	12.5	4.3	0.001	0.03	1.31	2.6	1.2	0.6	14.2	<0.01	0.03	1.3
CC95887		1.52	20.0	210	13.8	8.8	<0.001	0.01	1.57	1.8	0.5	0.8	8.5	<0.01	0.03	4.4
CC95888		0.68	34.1	210	15.3	9.0	<0.001	0.01	2.58	2.3	0.8	0.5	5.8	<0.01	0.03	4.6
CC95889		0.46	54.3	560	18.2	9.1	0.001	0.01	4.77	4.0	2.0	0.5	8.8	<0.01	0.04	3.7
CC95890		0.77	40.9	480	16.3	6.3	0.001	0.02	5.83	3.1	1.4	0.5	13.9	<0.01	0.02	2.8
CC95891		0.51	41.1	740	16.9	5.9	0.002	0.03	4.73	3.2	2.5	0.4	14.7	<0.01	0.03	2.2
CC95892		0.49	36.3	600	14.0	5.1	0.001	0.02	4.20	2.7	1.6	0.4	35.6	<0.01	0.04	3.0
CC95893		0.97	21.5	200	14.5	9.7	<0.001	0.01	1.75	1.9	0.6	0.6	8.0	<0.01	0.03	3.7
CC95894		1.03	23.3	210	14.2	8.3	<0.001	0.01	1.47	2.1	0.6	0.6	8.8	<0.01	0.01	4.3
CC95895		0.80	24.4	180	17.0	7.9	<0.001	0.01	1.60	2.1	0.4	0.5	6.5	<0.01	0.03	4.1
CC95896		1.08	24.4	210	15.7	4.8	<0.001	0.01	0.92	3.2	0.5	0.5	10.5	<0.01	0.02	5.7
CC95897		0.94	13.5	110	13.7	6.1	<0.001	0.01	0.62	1.4	0.2	0.5	7.0	<0.01	0.01	3.2
CC95898		1.32	14.7	120	10.7	8.6	<0.001	0.01	0.43	1.7	0.2	0.7	7.7	<0.01	0.01	3.8
CC95899		0.94	15.1	210	13.5	7.4	<0.001	0.01	1.00	1.4	0.4	0.6	7.5	<0.01	0.03	3.3
CC95900		0.97	12.5	120	10.5	6.8	<0.001	0.01	0.58	1.3	0.2	0.5	6.2	<0.01	0.03	3.3
CC114191		1.26	20.6	230	15.4	12.3	<0.001	0.01	0.64	2.4	<0.2	0.6	8.2	<0.01	0.03	4.4
CC114192		1.04	16.1	190	13.2	9.8	<0.001	0.01	0.75	1.5	0.2	0.6	7.0	<0.01	0.03	3.5
CC114193		1.53	16.3	260	13.1	10.0	<0.001	0.01	0.60	1.7	0.3	0.7	8.0	<0.01	0.02	4.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- JUN- 2011
 Account: F

Project: Fireside - BANDA

CERTIFICATE OF ANALYSIS WH11107171

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC114170		0.014	0.18	0.97	75	0.16	7.85	234	1.1
CC114171		0.013	0.19	0.99	70	0.28	7.83	200	1.3
CC114172		0.023	0.14	0.35	57	0.16	1.60	119	1.1
CC114173		0.021	0.13	0.39	61	0.23	1.67	136	1.1
CC114174		0.013	0.36	1.26	97	0.15	16.50	338	2.4
CC114175		0.015	0.21	0.61	75	0.12	2.80	228	2.1
CC114176		0.030	0.22	0.85	79	0.14	4.62	344	2.3
CC114177		0.023	0.18	0.78	61	0.21	3.27	170	1.4
CC114178		0.023	0.17	0.45	78	0.19	2.11	214	<0.5
CC114179		0.025	0.20	1.00	71	0.20	13.55	194	2.5
CC114180		0.029	0.27	0.61	70	0.24	3.64	256	1.8
CC114181		0.054	0.16	1.02	57	0.24	11.00	137	3.9
CC114182		0.033	0.13	0.55	38	0.21	2.94	137	2.1
CC114183		0.009	0.50	1.67	100	0.15	19.35	283	2.4
CC114184		0.026	0.16	0.48	44	0.20	2.47	133	1.3
CC114185		0.025	0.22	0.48	53	0.22	2.36	176	1.1
CC114186		0.018	0.29	0.71	114	0.18	3.85	236	0.9
CC114187		0.023	0.18	0.54	42	0.17	2.58	122	1.4
CC114188		0.026	0.15	0.40	38	0.29	1.97	91	1.1
CC114189		0.031	0.18	0.58	55	0.24	2.51	203	1.0
CC114190		0.014	0.31	0.86	123	0.23	6.04	266	0.9
CC95885		0.012	0.21	0.83	62	0.19	4.71	167	0.9
CC95886		0.025	0.17	1.37	81	0.21	10.40	217	0.9
CC95887		0.031	0.23	0.62	76	0.26	3.13	251	2.2
CC95888		0.017	0.29	1.00	97	0.15	6.38	285	3.9
CC95889		0.008	0.48	2.07	147	0.16	17.30	429	2.2
CC95890		0.017	0.29	1.49	133	0.21	13.10	334	1.6
CC95891		0.011	0.37	1.56	102	0.14	15.95	433	1.6
CC95892		0.012	0.32	1.43	95	0.15	12.95	310	2.1
CC95893		0.021	0.22	0.80	77	0.23	5.23	257	1.2
CC95894		0.022	0.20	0.78	70	0.20	4.79	257	1.7
CC95895		0.018	0.21	0.83	78	0.15	4.95	221	2.5
CC95896		0.037	0.16	1.20	62	0.16	11.45	143	3.4
CC95897		0.021	0.15	0.55	50	0.17	2.55	178	1.5
CC95898		0.039	0.13	0.49	42	0.17	2.49	148	1.6
CC95899		0.028	0.15	0.41	67	0.17	2.39	154	1.6
CC95900		0.029	0.12	0.43	45	0.17	2.40	96	1.9
CC114191		0.030	0.23	0.98	58	0.19	5.34	274	2.0
CC114192		0.028	0.21	0.53	49	0.16	3.03	187	1.9
CC114193		0.043	0.15	0.45	53	0.37	2.47	171	2.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- JUN- 2011
 Account: F

Project: Fireside - BANDA

CERTIFICATE OF ANALYSIS WH11107171

Sample Description	Method Analyte Units LOR	WEI- 21	Au- TL43	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC114194		0.16	<0.001	0.02	1.14	4.7	<0.2	<10	180	0.45	0.17	0.16	1.55	27.9	5.2	22
CC114195		0.14	<0.001	0.02	1.07	10.8	<0.2	<10	160	0.72	0.14	0.20	1.16	26.9	5.6	24
CC114196		0.12	<0.001	0.05	1.22	4.8	<0.2	<10	180	0.52	0.22	0.31	3.90	27.2	5.7	24
CC114197		0.18	0.002	0.01	1.25	3.9	<0.2	<10	140	0.33	0.16	0.09	0.67	25.3	4.2	20
CC114198		0.18	0.002	0.02	1.18	3.3	<0.2	<10	140	0.33	0.16	0.19	0.60	27.0	4.3	22
CC114199		0.14	<0.001	0.11	0.35	4.8	<0.2	<10	90	0.46	0.07	7.60	1.74	21.0	2.5	12
CC114200		0.14	0.001	0.01	1.31	4.7	<0.2	<10	180	0.42	0.19	0.22	1.21	27.5	5.8	23
CC114201		0.14	<0.001	0.02	1.00	6.5	<0.2	<10	110	0.38	0.17	0.07	0.69	24.9	3.8	18
CC114202		0.20	0.001	0.11	0.94	8.8	<0.2	<10	240	0.68	0.17	4.07	1.42	32.6	6.0	20
CC114203		0.18	<0.001	0.05	0.69	6.1	<0.2	<10	110	0.39	0.13	0.18	1.55	19.80	4.2	16
CC114204		0.18	0.002	0.02	0.87	3.9	<0.2	<10	150	0.32	0.11	0.51	0.59	26.5	3.2	13
CC114369		0.12	0.001	0.15	0.43	3.1	<0.2	<10	180	0.43	0.08	4.28	4.25	20.9	3.1	14
CC114370		0.24	<0.001	0.09	0.34	7.1	<0.2	<10	180	0.30	0.05	5.82	1.62	18.60	3.0	9
CC114371		0.28	<0.001	0.21	0.35	8.1	<0.2	<10	200	0.43	0.08	5.63	7.27	18.10	3.7	12
CC114372		0.14	<0.001	0.16	0.29	8.0	<0.2	<10	160	0.45	0.07	5.82	7.94	18.40	3.0	14
CC114373		0.30	<0.001	0.22	0.26	9.8	<0.2	<10	130	0.43	0.08	6.23	5.73	20.1	3.1	13
CC114374		0.20	<0.001	0.20	0.27	9.8	<0.2	<10	130	0.44	0.08	6.54	7.04	19.10	3.4	13
CC114375		0.30	<0.001	0.17	0.23	9.4	<0.2	<10	100	0.42	0.07	6.94	4.13	19.80	2.8	14
CC114376		0.22	<0.001	0.14	0.32	5.4	<0.2	<10	170	0.36	0.06	6.45	6.28	16.40	2.8	13
CC114377		0.14	<0.001	0.03	1.39	8.4	<0.2	<10	260	0.70	0.23	0.32	1.54	37.4	8.1	24
CC114378		0.18	0.002	0.19	1.01	10.7	<0.2	<10	240	0.70	0.21	3.02	0.79	33.6	7.8	20
CC114379		0.24	0.001	0.02	1.37	8.5	<0.2	<10	210	0.67	0.23	0.32	0.46	39.6	6.6	26
CC114380		0.24	0.001	0.11	0.44	10.3	<0.2	<10	120	0.63	0.11	9.74	2.81	24.6	4.9	12
CC114381		0.14	0.001	0.18	0.61	10.3	<0.2	<10	80	0.71	0.12	8.40	1.46	27.2	5.2	16
CC114382		0.16	0.001	0.10	1.07	11.0	<0.2	<10	130	1.13	0.18	4.02	2.58	47.2	7.3	24
CC114383		0.14	<0.001	0.05	0.27	1.4	<0.2	<10	130	0.19	0.03	6.00	1.50	14.00	1.4	9
CC114384		0.16	<0.001	0.22	0.72	16.3	<0.2	<10	110	0.96	0.12	6.26	6.13	44.8	4.7	26
CC114385		0.20	<0.001	0.14	0.60	8.0	<0.2	<10	120	0.55	0.10	8.78	1.95	21.8	4.0	13
CC114338		0.18	0.001	0.03	1.20	6.6	<0.2	<10	190	0.65	0.19	0.22	1.24	38.1	5.9	25
CC114339		0.22	0.002	0.07	0.97	7.6	<0.2	<10	150	0.51	0.13	3.42	1.80	25.8	4.8	18
CC114340		0.20	<0.001	0.02	1.34	7.1	<0.2	<10	200	0.58	0.22	0.33	1.48	35.5	7.2	25
CC114341		0.18	0.003	0.06	1.35	5.9	<0.2	<10	190	0.61	0.20	0.21	1.52	30.7	6.5	25
CC114342		0.22	<0.001	0.03	1.04	3.2	<0.2	<10	110	0.28	0.13	0.07	0.93	29.3	3.8	17
CC114343		0.16	0.001	0.12	1.27	12.3	<0.2	<10	280	1.14	0.16	1.85	4.54	37.2	5.9	27
CC114344		0.24	0.001	0.09	1.36	10.4	<0.2	<10	180	1.09	0.15	0.71	0.86	38.3	6.6	26
CC114345		0.16	0.002	0.10	0.80	11.3	<0.2	<10	130	0.66	0.13	0.32	2.13	33.1	4.7	22
CC114346		0.18	0.001	0.06	1.18	8.7	<0.2	<10	180	0.54	0.16	0.34	0.87	33.9	6.3	23
CC114347		0.18	0.002	0.10	0.97	9.4	<0.2	<10	140	0.76	0.16	0.33	1.30	36.8	5.5	23
CC114348		0.18	0.001	0.03	1.15	6.0	<0.2	<10	130	0.51	0.17	0.11	0.82	33.4	5.3	22
CC114349		0.24	0.001	0.08	1.20	7.8	<0.2	<10	190	0.71	0.17	0.47	1.53	30.7	5.4	24



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- JUN- 2011
 Account: F

Project: Fireside - BANDA

CERTIFICATE OF ANALYSIS WH11107171

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
CC114194		0.65	5.6	1.90	4.55	0.09	0.04	0.02	0.018	0.04	14.7	8.5	0.22	294	3.87	<0.01
CC114195		0.53	10.1	1.92	3.24	0.10	0.04	0.02	0.018	0.04	14.6	8.1	0.23	159	5.90	<0.01
CC114196		1.23	8.1	2.11	5.08	0.09	<0.02	0.04	0.023	0.05	14.1	12.0	0.29	561	2.97	<0.01
CC114197		0.79	4.2	1.76	4.61	0.09	0.02	0.01	0.015	0.03	13.9	12.5	0.29	128	1.90	<0.01
CC114198		0.70	4.2	1.61	4.70	0.09	0.04	0.01	0.014	0.03	14.9	12.1	0.33	117	1.63	<0.01
CC114199		0.32	13.0	0.70	1.24	0.10	0.05	0.08	0.012	0.04	12.6	3.4	4.38	113	3.97	0.01
CC114200		0.70	5.0	2.00	4.72	0.09	0.05	0.02	0.018	0.04	15.3	10.5	0.32	230	1.78	<0.01
CC114201		0.56	6.2	1.79	4.43	0.09	<0.02	0.01	0.016	0.03	14.4	9.3	0.15	99	4.01	<0.01
CC114202		0.53	15.3	1.79	3.09	0.10	0.05	0.06	0.018	0.05	18.2	9.1	2.38	250	2.76	0.01
CC114203		0.43	5.4	1.56	2.52	0.08	0.04	0.02	0.014	0.03	10.3	5.6	0.18	258	2.19	<0.01
CC114204		0.38	4.8	1.13	3.04	0.09	0.03	0.02	0.012	0.03	15.2	7.6	0.37	84	1.93	<0.01
CC114369		0.41	17.4	0.73	1.43	0.10	0.06	0.10	0.011	0.05	13.3	3.9	2.05	151	1.74	0.01
CC114370		0.29	6.9	1.14	1.13	0.10	0.04	0.05	0.008	0.05	11.3	3.2	3.17	265	2.14	0.01
CC114371		0.37	16.2	1.12	1.15	0.10	0.05	0.09	0.012	0.06	11.3	3.0	2.86	370	4.72	0.01
CC114372		0.48	18.0	0.87	0.98	0.10	0.04	0.11	0.011	0.06	11.4	2.7	3.11	206	6.72	0.01
CC114373		0.41	13.9	0.98	0.94	0.10	0.04	0.07	0.011	0.07	11.9	2.4	3.63	225	8.64	0.01
CC114374		0.45	16.5	0.96	1.01	0.09	0.04	0.07	0.010	0.07	12.3	2.6	3.52	244	8.76	0.01
CC114375		0.38	12.4	0.91	0.90	0.10	0.03	0.06	0.010	0.07	12.3	2.3	4.12	199	8.21	0.01
CC114376		0.46	11.6	0.79	1.10	0.09	0.04	0.07	0.009	0.05	10.3	3.1	3.68	248	3.14	0.01
CC114377		0.70	7.5	2.50	4.96	0.10	0.09	0.03	0.022	0.05	18.3	12.4	0.35	352	1.98	<0.01
CC114378		0.45	16.6	2.11	3.49	0.11	0.07	0.08	0.019	0.06	18.4	11.9	1.81	354	3.96	0.01
CC114379		0.56	7.3	2.59	4.26	0.11	0.11	0.02	0.021	0.05	19.5	12.2	0.44	200	1.78	<0.01
CC114380		0.55	16.1	1.32	1.44	0.10	0.07	0.07	0.013	0.09	13.9	3.7	4.42	263	9.83	0.01
CC114381		0.50	13.4	1.49	1.89	0.11	0.07	0.06	0.016	0.05	19.5	4.6	5.04	292	5.26	0.01
CC114382		0.55	14.2	1.96	3.19	0.12	0.08	0.06	0.022	0.07	27.6	8.2	2.35	377	3.90	0.01
CC114383		0.34	4.6	0.38	0.84	0.09	0.04	0.06	0.005	0.04	8.1	2.6	3.55	140	0.49	0.01
CC114384		0.46	19.4	1.52	1.98	0.12	0.06	0.06	0.017	0.06	27.4	6.0	3.68	408	10.00	0.01
CC114385		0.38	11.8	1.21	1.72	0.10	0.05	0.09	0.013	0.06	12.9	5.1	4.50	228	2.23	0.01
CC114338		0.61	6.5	2.16	4.00	0.10	0.10	0.03	0.020	0.05	20.7	12.0	0.39	168	1.78	<0.01
CC114339		0.54	8.3	1.62	3.31	0.09	0.04	0.04	0.016	0.05	15.2	8.6	2.05	168	4.93	0.01
CC114340		0.76	6.0	2.31	4.31	0.10	0.06	0.02	0.018	0.05	18.3	12.9	0.47	281	2.28	<0.01
CC114341		0.78	4.8	2.23	4.73	0.09	0.05	0.01	0.018	0.05	16.8	11.3	0.34	158	2.26	<0.01
CC114342		0.69	3.2	1.48	3.73	0.10	0.02	0.01	0.014	0.04	15.8	11.7	0.21	93	2.57	<0.01
CC114343		0.60	13.8	2.23	3.24	0.14	0.06	0.07	0.030	0.09	24.1	8.6	1.14	150	5.97	0.01
CC114344		0.86	12.8	2.05	3.47	0.13	0.10	0.04	0.027	0.10	20.1	10.0	0.50	127	9.34	0.01
CC114345		0.49	9.7	1.78	2.48	0.12	0.06	0.04	0.019	0.09	18.7	7.1	0.26	145	6.61	0.01
CC114346		0.69	8.6	2.10	3.43	0.13	0.05	0.03	0.018	0.06	18.6	11.5	0.40	163	4.32	<0.01
CC114347		0.72	12.3	1.93	2.95	0.13	0.03	0.04	0.020	0.06	20.5	8.6	0.31	154	8.82	0.01
CC114348		0.81	5.5	1.88	3.72	0.12	0.02	0.02	0.017	0.05	17.7	10.8	0.28	141	4.22	0.01
CC114349		0.64	8.0	2.03	3.47	0.12	0.05	0.04	0.019	0.06	18.3	8.3	0.42	184	4.19	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- JUN- 2011
 Account: F

Project: Fireside - BANDA

CERTIFICATE OF ANALYSIS WH11107171

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
CC114194		1.23	20.5	250	15.0	7.7	<0.001	0.01	0.94	1.6	0.3	0.7	7.0	<0.01	0.03	3.4
CC114195		0.64	39.9	520	19.3	6.7	<0.001	0.01	1.99	2.1	0.8	0.5	7.1	<0.01	0.04	3.1
CC114196		1.18	21.9	610	15.1	18.3	<0.001	0.02	1.02	1.9	0.7	0.6	10.4	<0.01	0.02	1.3
CC114197		1.05	14.5	190	10.6	7.4	<0.001	0.01	0.43	1.5	0.2	0.6	5.7	<0.01	0.02	2.8
CC114198		1.16	15.5	120	12.1	7.1	<0.001	0.01	0.39	1.7	0.2	0.7	7.5	<0.01	0.03	3.4
CC114199		0.48	27.7	770	12.5	3.2	0.001	0.02	1.92	2.0	0.8	0.3	45.4	<0.01	0.02	1.3
CC114200		1.21	15.8	160	12.4	7.0	<0.001	0.01	0.71	1.9	0.2	0.7	8.0	<0.01	0.03	3.4
CC114201		1.08	17.6	450	11.1	5.9	<0.001	0.01	1.11	1.3	0.4	0.6	6.3	<0.01	0.03	1.9
CC114202		0.76	29.5	510	16.0	6.0	<0.001	0.02	2.09	3.2	0.9	0.5	27.8	<0.01	0.04	3.3
CC114203		0.76	16.7	310	15.4	6.2	<0.001	0.01	1.28	1.4	0.2	0.4	5.8	<0.01	0.02	2.5
CC114204		0.55	14.9	190	11.3	5.2	<0.001	0.01	0.99	1.4	<0.2	0.5	7.3	<0.01	0.02	2.7
CC114369		0.32	31.6	790	9.0	5.3	0.007	0.06	1.91	1.8	2.0	0.3	28.5	<0.01	0.03	1.2
CC114370		0.23	17.4	920	6.7	4.3	0.009	0.06	1.44	1.4	1.4	0.2	36.5	<0.01	0.02	1.4
CC114371		0.24	33.0	900	9.7	4.9	0.015	0.08	4.32	1.6	2.7	0.3	37.4	<0.01	0.04	1.1
CC114372		0.19	36.9	920	9.3	5.4	0.006	0.05	5.61	1.5	1.8	0.2	41.2	<0.01	0.04	1.0
CC114373		0.16	34.0	920	8.9	4.9	0.005	0.04	7.30	1.7	2.0	0.3	40.2	<0.01	0.03	1.6
CC114374		0.16	39.0	860	9.8	5.2	0.006	0.05	6.90	1.7	2.4	0.3	44.3	<0.01	0.04	1.4
CC114375		0.15	30.2	930	8.5	4.5	0.004	0.04	6.53	1.8	1.6	0.2	43.4	<0.01	0.03	1.9
CC114376		0.23	35.4	860	9.2	5.8	0.007	0.06	2.42	1.4	1.8	0.2	42.7	<0.01	0.03	1.0
CC114377		1.15	24.2	190	17.6	7.1	<0.001	0.01	0.80	3.1	0.4	0.7	10.2	<0.01	0.03	4.8
CC114378		0.79	34.8	820	15.7	5.0	<0.001	0.02	1.26	3.0	0.7	0.5	27.4	<0.01	0.03	2.7
CC114379		0.97	23.3	140	15.0	6.0	<0.001	0.01	0.65	3.4	0.3	0.6	9.1	<0.01	0.04	6.0
CC114380		0.30	39.6	620	16.6	4.8	0.001	0.02	3.75	2.7	0.7	0.3	59.0	<0.01	0.03	3.2
CC114381		0.36	29.5	790	22.6	5.6	<0.001	0.03	2.29	2.9	1.0	0.3	41.6	<0.01	0.03	1.1
CC114382		0.72	39.3	500	29.1	7.2	<0.001	0.02	2.34	4.7	1.0	0.5	22.8	<0.01	0.04	3.2
CC114383		0.15	19.4	770	4.3	5.7	0.006	0.06	0.48	1.0	1.6	0.2	36.7	<0.01	0.01	0.9
CC114384		0.29	50.2	730	28.4	7.2	0.001	0.04	4.47	2.8	2.2	0.3	36.4	<0.01	0.04	1.2
CC114385		0.33	23.9	750	14.9	5.0	0.001	0.02	1.98	2.4	0.8	0.3	53.1	<0.01	0.02	1.7
CC114338		0.88	23.2	160	12.9	7.7	<0.001	0.01	1.31	3.0	0.4	0.6	8.3	<0.01	0.02	5.7
CC114339		0.77	26.3	350	11.9	6.0	<0.001	0.01	2.69	2.7	0.6	0.5	21.3	<0.01	0.03	2.9
CC114340		1.09	22.2	190	12.6	9.1	<0.001	0.01	1.07	2.7	0.4	0.6	8.9	<0.01	0.03	4.8
CC114341		1.42	22.3	170	12.7	9.1	<0.001	0.01	1.24	2.2	0.4	0.6	8.0	<0.01	0.04	4.1
CC114342		1.05	13.5	140	9.9	9.6	<0.001	0.02	0.73	1.3	0.2	0.6	4.7	<0.01	0.01	3.5
CC114343		0.59	71.4	470	15.8	10.1	0.001	0.03	4.23	5.2	1.9	0.5	13.7	<0.01	0.02	4.5
CC114344		0.63	49.6	420	16.1	12.5	0.001	0.02	4.21	3.9	1.0	0.6	9.3	<0.01	0.03	5.4
CC114345		0.69	34.7	300	12.9	9.1	<0.001	0.02	5.47	2.8	1.1	0.4	6.6	<0.01	0.03	4.3
CC114346		0.88	25.7	230	12.1	9.6	<0.001	0.02	2.85	2.4	0.6	0.5	7.2	<0.01	0.02	4.6
CC114347		0.73	36.4	390	11.6	10.6	<0.001	0.03	3.85	4.1	1.4	0.5	6.8	<0.01	0.02	3.7
CC114348		1.04	22.3	150	11.9	10.1	<0.001	0.02	1.81	1.9	0.4	0.6	6.0	<0.01	0.02	4.1
CC114349		1.14	26.4	240	13.5	8.9	<0.001	0.02	2.48	3.0	0.7	0.6	7.6	<0.01	0.02	4.3

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- JUN- 2011
 Account: F

Project: Fireside - BANDA

CERTIFICATE OF ANALYSIS WH11107171

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC114194		0.028	0.24	0.68	75	0.17	3.41	238	1.6
CC114195		0.013	0.37	0.85	99	0.16	8.22	238	1.7
CC114196		0.026	0.28	1.27	68	0.20	6.42	351	<0.5
CC114197		0.023	0.18	0.41	52	0.27	2.40	178	0.7
CC114198		0.031	0.20	0.49	54	0.18	2.67	162	1.6
CC114199		0.009	0.29	1.35	59	0.09	14.15	190	1.8
CC114200		0.030	0.15	0.53	62	0.19	3.85	172	1.4
CC114201		0.022	0.18	0.40	73	0.19	2.69	131	<0.5
CC114202		0.020	0.22	0.80	58	0.13	13.65	176	2.0
CC114203		0.021	0.15	0.51	53	0.12	3.73	194	1.7
CC114204		0.014	0.23	0.53	52	0.12	4.09	151	1.3
CC114369		0.010	0.81	1.38	54	0.13	12.85	191	1.9
CC114370		0.008	0.27	1.25	53	0.05	9.87	151	1.3
CC114371		0.007	0.39	1.86	81	0.06	12.40	390	1.8
CC114372		0.006	0.56	1.60	73	0.08	13.40	404	1.5
CC114373		0.006	0.40	1.86	104	0.08	13.50	504	1.5
CC114374		0.006	0.49	1.87	97	0.09	13.45	535	1.5
CC114375		0.006	0.36	1.86	106	0.09	13.25	425	1.6
CC114376		0.007	0.89	1.38	56	0.06	11.05	407	1.3
CC114377		0.025	0.20	0.92	58	0.19	8.17	185	3.2
CC114378		0.020	0.18	1.14	43	0.23	13.50	109	2.1
CC114379		0.027	0.16	0.98	50	0.16	9.15	129	4.2
CC114380		0.009	0.53	1.50	73	0.10	13.75	287	3.9
CC114381		0.010	0.45	1.13	67	0.14	24.6	149	2.0
CC114382		0.014	0.55	1.06	103	0.16	27.3	225	2.3
CC114383		0.007	1.68	1.28	38	<0.05	7.72	126	1.3
CC114384		0.006	0.57	2.02	209	0.17	29.6	349	1.9
CC114385		0.010	0.29	0.99	50	0.10	13.10	175	1.6
CC114338		0.032	0.15	0.84	56	0.16	8.31	164	4.2
CC114339		0.018	0.24	0.93	85	0.15	10.35	241	1.9
CC114340		0.027	0.17	0.83	56	0.17	5.65	220	2.3
CC114341		0.031	0.21	0.74	71	0.16	4.64	275	1.9
CC114342		0.023	0.19	0.42	52	0.15	2.20	203	0.9
CC114343		0.011	0.54	1.76	150	0.14	24.1	510	2.6
CC114344		0.011	0.44	1.28	133	0.14	12.50	369	5.1
CC114345		0.015	0.27	1.10	118	0.11	8.97	367	3.5
CC114346		0.022	0.20	0.82	82	0.14	6.95	243	2.8
CC114347		0.017	0.40	1.29	101	0.23	13.90	290	1.2
CC114348		0.028	0.24	0.70	72	0.16	3.61	237	1.1
CC114349		0.026	0.24	1.06	89	0.14	9.29	328	2.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- JUN- 2011
 Account: F

Project: Fireside - BANDA

CERTIFICATE OF ANALYSIS WH11107171

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- TL43 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC114350		0.18	0.001	0.02	1.52	5.4	<0.2	<10	190	0.46	0.17	0.11	0.96	31.5	6.5	24
CC114131		0.14	0.001	0.02	1.31	6.8	<0.2	<10	150	0.34	0.20	0.11	0.84	28.9	5.0	23
CC114132		0.24	0.001	0.02	1.50	5.5	<0.2	<10	210	0.54	0.21	0.20	0.59	36.4	7.3	28
CC114133		0.26	0.003	0.06	1.23	8.5	<0.2	<10	190	0.62	0.18	2.57	1.40	35.1	7.3	25
CC114134		0.32	0.002	0.14	1.25	6.9	<0.2	<10	240	0.67	0.18	1.90	2.23	32.2	7.4	25
CC114135		0.28	0.001	0.02	1.45	4.3	<0.2	<10	160	0.51	0.16	0.11	0.74	27.4	5.6	23
CC114136		0.30	0.002	0.02	1.55	7.8	<0.2	<10	210	0.69	0.17	0.16	0.64	36.1	7.0	31
CC114137		0.20	<0.001	0.04	1.29	5.4	<0.2	<10	200	0.55	0.19	0.21	1.98	34.2	6.5	24
CC114138		0.24	0.001	0.07	1.21	7.9	<0.2	<10	160	0.66	0.17	0.55	1.33	35.3	5.9	24
CC114139		0.22	0.001	0.03	1.04	5.3	<0.2	<10	130	0.54	0.14	0.32	1.12	29.8	4.2	19
CC114140		0.22	0.001	0.06	0.48	8.9	<0.2	<10	70	0.58	0.08	7.29	1.44	22.9	3.7	13
CC114141		0.24	0.001	0.06	0.90	8.0	<0.2	<10	130	0.61	0.14	0.38	1.58	31.7	5.0	22



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- JUN- 2011
 Account: F

Project: Fireside - BANDA

CERTIFICATE OF ANALYSIS WH11107171

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC114350		0.81	5.6	1.95	4.92	0.11	0.03	0.02	0.020	0.03	16.3	12.0	0.25	196	5.83	<0.01
CC114131		0.66	5.7	2.34	5.04	0.10	<0.02	0.01	0.020	0.04	15.2	14.9	0.25	174	4.04	<0.01
CC114132		0.97	5.9	2.30	4.75	0.12	0.09	0.04	0.023	0.04	17.4	13.1	0.40	286	1.61	<0.01
CC114133		0.71	17.8	2.01	3.54	0.12	0.05	0.05	0.021	0.06	18.7	10.7	1.35	364	3.59	0.01
CC114134		0.75	17.0	2.01	3.62	0.12	0.05	0.05	0.023	0.06	17.8	11.0	1.16	441	2.24	0.01
CC114135		0.99	6.3	1.88	4.40	0.11	0.07	0.02	0.020	0.05	14.8	12.7	0.25	156	2.88	0.01
CC114136		0.87	11.3	2.28	3.75	0.12	0.13	0.03	0.022	0.05	18.2	11.3	0.36	191	3.20	0.01
CC114137		1.03	8.2	2.10	4.36	0.11	<0.02	0.03	0.022	0.07	17.7	13.7	0.34	437	2.59	0.01
CC114138		0.76	11.7	1.99	3.52	0.12	0.03	0.04	0.020	0.05	18.3	10.3	0.48	215	3.14	<0.01
CC114139		0.65	6.7	1.50	3.35	0.10	0.06	0.03	0.017	0.04	16.5	8.5	0.29	124	4.39	<0.01
CC114140		0.38	11.5	1.13	1.21	0.11	0.04	0.04	0.013	0.05	13.6	3.3	3.76	143	16.45	0.01
CC114141		0.59	9.1	1.89	2.43	0.11	0.03	0.03	0.018	0.05	15.4	6.8	0.31	195	6.56	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- JUN- 2011
 Account: F

Project: Fireside - BANDA

CERTIFICATE OF ANALYSIS WH11107171

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC114350		1.24	23.4	210	14.8	9.2	<0.001	0.02	1.23	2.0	0.4	0.8	6.4	<0.01	0.01	4.0
CC114131		1.33	16.7	340	14.1	9.0	<0.001	0.01	1.19	1.6	0.2	0.7	6.6	<0.01	0.02	2.8
CC114132		1.34	18.7	160	12.9	9.5	<0.001	0.02	0.78	2.9	0.3	0.7	9.1	<0.01	0.02	5.5
CC114133		0.88	36.0	500	15.5	8.6	<0.001	0.03	1.86	3.7	0.7	0.5	27.2	<0.01	0.03	4.9
CC114134		0.89	32.3	630	16.5	10.3	<0.001	0.03	1.88	3.4	0.6	0.5	19.9	<0.01	0.02	3.4
CC114135		1.14	22.3	320	14.0	12.4	<0.001	0.02	1.13	1.8	0.2	0.7	7.0	<0.01	0.02	3.8
CC114136		0.93	35.0	220	16.0	10.5	<0.001	0.02	1.65	3.1	0.5	0.6	8.6	<0.01	0.01	6.0
CC114137		1.03	24.4	420	14.1	20.3	<0.001	0.02	1.38	2.3	0.4	0.6	9.7	<0.01	0.01	2.7
CC114138		0.99	31.8	340	15.1	9.8	<0.001	0.02	1.71	3.1	0.4	0.6	10.5	<0.01	0.02	4.1
CC114139		0.82	23.9	250	13.6	8.0	<0.001	0.02	1.28	2.2	0.4	0.5	6.9	<0.01	0.01	3.8
CC114140		0.32	39.1	710	13.3	4.1	<0.001	0.03	2.14	2.5	1.1	0.2	39.0	<0.01	0.01	1.9
CC114141		0.80	37.4	490	15.4	8.4	<0.001	0.02	1.37	2.6	0.5	0.4	8.9	<0.01	0.01	3.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 23- JUN- 2011
 Account: F

Project: Fireside - BANDA

CERTIFICATE OF ANALYSIS WH11107171

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC114350		0.027	0.29	0.59	84	0.19	2.93	273	1.9
CC114131		0.025	0.18	0.50	78	0.21	2.46	174	<0.5
CC114132		0.041	0.15	1.10	60	0.20	5.23	168	4.1
CC114133		0.033	0.22	1.00	68	0.14	10.65	183	2.7
CC114134		0.028	0.22	0.76	69	0.17	12.25	223	1.7
CC114135		0.027	0.19	0.53	63	0.14	2.89	286	3.3
CC114136		0.033	0.25	0.89	76	0.14	5.29	168	6.3
CC114137		0.022	0.24	0.88	65	0.16	5.04	313	<0.5
CC114138		0.023	0.24	0.97	70	0.14	8.86	210	1.5
CC114139		0.019	0.27	0.77	72	0.20	6.96	206	3.0
CC114140		0.009	0.35	1.63	68	0.11	15.15	187	1.8
CC114141		0.019	0.36	1.31	56	0.13	8.90	243	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCHER, CATHRO AND ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23- JUN- 2011
Account: F

Project: Fireside - BANDA

CERTIFICATE OF ANALYSIS WH11107171

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

0955 1 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568


Fax: 604-688-2568



AFFIDAVIT

I, Joan Mariacher, of Vancouver, B.C. make oath and say:

That to the best of my knowledge the attached Statement of Expenditures for exploration work on the Banda 1-40 mineral claims on claim sheets 95D/2 and 7 is accurate.


Joan Mariacher

Sworn before me at Vancouver, B.C.

this 3rd day of February 2012.


Barrister & Solicitor

IAN J. TALBOT
Barrister & Solicitor
281 East 5th Street
North Vancouver
British Columbia
Canada V7L 1L8

Statement of Expenditures
Banda 1-40 Mineral Claims
January 26, 2012



Labour

H. Smith (geologist) October 2011 – 9 hours @ \$90/hours	\$ 907.20
N. Bueckert (field assistant) June 2011 – 1 day @ \$480/day	456.96
M. Down (field assistant) June 2011 – 1 day @ \$344/day	385.28
N. Linford (field assistant) June 2011 – 1 day @ \$344/day	<u>385.28</u>
	2,134.72

Expenses (including management fee)

Field room and board – 3 days @ \$125/day	453.60
Outbound Aviation – 1.7 hr Hughes 500D @ \$1075/hr plus fuel	2,072.39
North 60 – JetA	1,268.65
ALS Chemex	<u>2,534.05</u>
	6,328.69

Total	<u>\$8,463.41</u>
-------	-------------------