

095514

GEOCHEMICAL
REPORT

ML 1- 8 CLAIMS

GRANT #
YC30939 -YC30946

NTS # 106 L \ 4

LAT: 66° 07' N
LONG: 135° 47' W

DAWSON MINING DISTRICT



AUTHOR OF REPORT SHAWN RYAN
WORK PERFORMED SEPTEMBER 6, 2005
DATE OF REPORT NOVEMBER 10, 2005⁶

TABLE OF CONTENT

SUMMARY	P.3
1.0 INTRODUCTION	P.3
2.0 LOCATIONS AND ACCESS	P.3
3.0 PROPERTY DESCRIPTION	P.3
4.0 PHYSIOGRAPHY	P.3
5.0 REGIONAL AND PROPERTY GEOLOGY	P.4
5.1 PROPERTY GEOLOGY	P.4
6.0 WORK PROGRAM / METHODS	P.4
6.1 SOIL WORK	P.4
7.0 INTERPRETATION	P.4
7.1 SOIL WORK	P.4
8.0 RECOMMENDATION	P.4
9.0 REFERENCES CITED	P.5
10.0 COST	P.5
11.0 QUALIFICATION	P.6
Claim Map	Appendix
Zinc Soil Map	Figure 1
Lead Soil Map	Figure 2
Assay Data	Appendix
Soil GPS Data	Appendix

SUMMARY

The ML Claims seen 1 man days of soil sampling taking place in Early September of 2005. In total there was 31 soil collected. The soil sampling expanded the 2004 soil anomalies.

1.0 INTRODUCTION

The ML 1-8, YC30939 -YC30946 claims will be renewed for three years.

2.0 LOCATIONS AND ACCESS

The ML 1 - 8 claims are located on NTS 106 L / 4 in the Dawson Mining District. The Property lies 285 kilometer north east of Dawson City, Yukon. Access is via helicopter from Dawson City, Yukon.

3.0 PROPERTY DESCRIPTION

The Property consists of 8 full Quartz mining claims, which are registered in the Dawson Mining District. The Property covers 161.6 hectares or 400 acres.

4.0 PHYSIOGRAPHY

The property lies between the elevations of 2500 feet and 3100 feet. The property is partially covered with boreal forest vegetation such as white spruce and black spruce on the lower elevation and tundra on the ridge top.

5.0 PROPERTY GEOLOGY

5.1 PROPERTY GEOLOGY (excerpt from Minfile 106L 033)

The ML claims cover part of a window of Lower Cambrian Iltyd Formation limestone exposed by faulting in the core of a broad anticline, through Middle Cambrian Slats Creek and Taiga Formation shale.

6.0 WORK PROGRAM / METHODS

The ML claims seen 1 man day of soil work. Tyson Foxcroft worked one day on September 6, 2005 and collected 31 soil samples.

6.1 SOIL WORK

The soil work consists of soil sampling with soil augers at an average depth of 60 centimeter. Soil sample where place in Kraft soil bags with sample numbers marked on the bags. A sample description of the color, depth, slope, horizon and UTM location was noted in field notes. A Garmin 76 GPS was used to get the exact UTM location. All GPS soil sample location where electronically downloaded every evening back in base camp. Soil sample where taken at 100 meters intervals on soil traverse lines. All assay where process at the Acme Lab in Vancouver with Group 1DX: ICP - MS on 15 grams.

7.0 INTERPRETATION

7.1 SOIL WORK

The soil work expanded the 2004 soil anomaly. Values also exceeded the 2004 survey with values of over 10,000 ppm in zinc and 5,400 ppm in lead.

8.0 RECOMMENDATION

I would recommend expanding the soil survey on 50 meters soil spacing across the entire claim block.

9.0 REFERENCES CITED

Geochemical Report , ML Group, Assessment report 090021.

YTG Minfile 106L 033

10.0 COST

Assay Cost 31 sample @ \$18.00 per sample	\$558.00
Wage 1 man days @ \$250.00 per day	\$250.00
Helicopter Travel 1.0 hours at \$1200.00 per hour	\$1,200.00
Truck + Gas 2 days \$120.00 per day	\$120.00
Report Writing	\$350.00

Total	\$2,480.00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson city.

I have worked in the exploration business for the last 22 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked for the last 8 years as a local prospector for myself.

I have being trained to run various geophysical instruments and surveys such as magnetic surveys, max-min surveys, induce polarity surveys and Vlf surveys.

I have overseen the ML Claims soil Survey.


I own 100 % of the ML Claims.

Dated this 10 of November 2006 in Dawson City, Yukon.

Respectfully submitted

A handwritten signature in black ink, appearing to read 'Shawn Ryan', written in a cursive style.

Shawn Ryan



M O U N T A I N





Figure 1



SAMPLES	GPS_ID	Datum	Easting	Northing	Date_Time	Elevation	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn
RW-01400	RW01400	NAD83-8W	463497	7332679	20050906	908.9	1.5	15.8	946.8	1641	1.3	32.8	9.6	1887
RW-01401	RW01401	NAD83-8W	463585	7332629	20050906	865	2.1	19.2	906.5	2628	1.8	31.3	9.1	1715
RW-01402	RW01402	NAD83-8W	463671	7332582	20050906	847.3	2.2	22.2	1239.7	3040	2.7	28.2	9	967
RW-01403	RW01403	NAD83-8W	463762	7332525	20050906	894	1.9	22.1	423.5	3209	2.5	27.9	9.7	2535
RW-01404	RW01404	NAD83-8W	463842	7332476	20050906	911.7	1.4	16.9	102.9	496	0.7	26.2	8.8	688
RW-01405	RW01405	NAD83-8W	463884	7332554	20050906	914.4	1.5	17.6	319.6	334	0.5	25	9.9	1144
RW-01406	RW01406	NAD83-8W	463935	7332640	20050906	919.9	2.5	18.3	429.3	979	1.5	27.6	8.9	675
RW-01407	RW01407	NAD83-8W	463988	7332725	20050906	915.6	2	17.4	139.2	391	0.4	28.1	8.6	417
RW-01408	RW01408	NAD83-8W	464036	7332816	20050906	912.6	3	31	706.7	824	1.3	34.6	11.1	578
RW-01409	RW01409	NAD83-8W	464087	7332898	20050906	908.3	2.5	29.2	689.6	1785	1.3	42.3	12.6	602
RW-01410	RW01410	NAD83-8W	464139	7332983	20050906	904	0.6	23.2	643.2	789	1.1	27.1	7.9	139
RW-01411	RW01411	NAD83-8W	464186	7333078	20050906	890.6	2.2	27.3	951.9	2292	2.3	33.6	13.6	2222
RW-01412	RW01412	NAD83-8W	464239	7333159	20050906	889.7	3.4	48.3	472.5	1795	2	123	22	1997
RW-01413	RW01413	NAD83-8W	464304	7333245	20050906	871.1	1.9	25.3	653.8	1258	2.5	57	16.9	1924
RW-01414	RW01414	NAD83-8W	464346	7333341	20050906	848.9	7.8	32.3	114.8	458	0.7	25.3	7.4	487
RW-01415	RW01415	NAD83-8W	464432	7333286	20050906	868.1	6.8	36.8	144.4	469	0.7	22.7	6.4	340
RW-01416	RW01416	NAD83-8W	464514	7333238	20050906	896.4	5	23.6	143.1	437	0.2	19.6	7.3	292
RW-01417	RW01417	NAD83-8W	464602	7333181	20050906	919.3	5.3	29.4	54	128	0.4	19.3	9.7	249
RW-01418	RW01418	NAD83-8W	464688	7333129	20050906	933.6	7.9	44.1	92.2	397	0.8	26.6	9.1	358
RW-01419	RW01419	NAD83-8W	464630	7333046	20050906	934.8	7.5	27.5	53.6	140	0.3	18.7	6.3	120
RW-01420	RW01420	NAD83-8W	464587	7332963	20050906	932.7	4.5	21.1	88.8	127	0.4	12.8	3.6	66
RW-01421	RW01421	NAD83-8W	464534	7332879	20050906	929.3	6.8	19.9	106.8	177	0.4	15.2	5.9	153
RW-01422	RW01422	NAD83-8W	464484	7332792	20050906	918.4	2.3	20	118.8	246	0.5	22.5	9.9	1416
RW-01423	RW01423	NAD83-8W	464439	7332706	20050906	907.1	3.6	23.2	195.3	443	1	29.5	11.1	1031
RW-01424	RW01424	NAD83-8W	464386	7332614	20050906	895.5	2	28.4	331.4	1376	1.2	32.6	11	380
RW-01425	RW01425	NAD83-8W	464330	7332528	20050906	888.2	1.4	24.6	171.4	474	0.6	31	10.6	268
RW-01609	RW01609	NAD83-8W	464708	7332829	20050906	923.2	16.3	28.9	112	27	0.6	5.3	1.3	16
RW-01610	RW01610	NAD83-8W	463772	7332622	20050906	864.7	9.2	55.2	5396.6	10001	5	216.1	59.8	3472
RW-06064	RW06064	NAD83-8W	463472	7333036	20050906	940.6	1.3	21.5	2722.5	10001	7.9	25.7	8.5	986
RW-06065	RW06065	NAD83-8W	463428	7332955	20050906	951.3	1.4	20.6	415.8	1360	0.8	27.3	10.1	992
RW-06066	RW06066	NAD83-8W	463372	7332870	20050906	955.5	1.5	22	125.3	453	0.4	28	11.1	824
RW-06067	RW06067	NAD83-8W	463325	7332781	20050906	915.9	6.8	21.9	2488	3993	3.9	24.7	8.8	1757
RW-06068	RW06068	NAD83-8W	463411	7332735	20050906	931.8	1.3	20.8	346.1	1848	0.9	24.2	10.8	1436

SAMPLES	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al
RW-01400	1.71	14.5	0.6	1.4	1	150	5	2.1	0.1	17	21.53	0.04	8	9.5	0.19	429	0.006	4	0.73
RW-01401	2.12	15	0.6	2.4	1	100	3.7	2.3	0.1	21	17.63	0.051	9	11.3	0.24	1048	0.007	5	0.83
RW-01402	2.99	20.5	0.8	1.7	3.6	66	7	4.2	0.1	36	7.82	0.054	14	17.4	0.33	710	0.028	7	0.9
RW-01403	3.2	18.5	0.5	1	1.5	23	4.4	2.7	0.2	32	2.4	0.057	16	18.9	0.31	693	0.007	5	1.04
RW-01404	2.48	12.2	0.4	2.3	2.9	65	1.2	0.9	0.2	34	8.65	0.022	11	19.3	0.38	1201	0.011	4	1.1
RW-01405	2.21	10.8	0.5	0.9	1.3	21	1.7	1.1	0.2	39	1.62	0.067	14	22	0.34	261	0.008	6	1.32
RW-01406	2.23	13.2	0.6	0	3	72	1.5	1.6	0.1	30	8.45	0.035	12	21	0.32	1033	0.012	4	0.94
RW-01407	2.27	12.6	0.5	1.8	4.1	17	1.2	1.4	0.2	39	1.24	0.048	18	24.6	0.33	394	0.009	5	1.34
RW-01408	3.22	15	0.6	2.6	6	18	2.1	2.8	0.2	42	0.8	0.045	22	27.4	0.33	1340	0.011	3	1.4
RW-01409	2.93	16.8	0.8	0.8	4.7	43	5	2.1	0.2	41	2.25	0.049	16	23.6	0.37	681	0.01	3	1.62
RW-01410	2	10.1	0.7	2.4	6.5	15	1	2.2	0.2	47	0.38	0.041	20	28.7	0.39	838	0.007	2	1.72
RW-01411	3.05	15.5	0.9	0.7	1.8	24	11.7	2.8	0.3	38	1.44	0.075	17	21.3	0.34	1204	0.011	4	1.49
RW-01412	3.8	17.8	0.9	0.8	2.6	42	10.1	2.8	0.2	28	5.53	0.053	11	16.2	0.23	1389	0.009	4	3.01
RW-01413	3.91	22.6	0.8	2.5	1.6	57	3.3	3.6	0.1	29	7.81	0.059	11	15.5	0.24	1790	0.01	4	1.43
RW-01414	2.53	18	0.9	1.1	4.4	13	2	2.6	0.3	28	0.85	0.04	25	14.1	0.28	474	0.003	4	1.04
RW-01415	2.59	15.6	1.1	1.4	4.5	8	2	3.8	0.3	30	0.37	0.039	25	14.3	0.3	295	0.001	3	1.04
RW-01416	2.24	12.5	0.8	0.6	5.4	6	1.6	2.5	0.3	19	0.14	0.027	27	11	0.3	201	0.003	1	0.8
RW-01417	2.83	9.4	1.2	0	7.2	8	0.5	1.3	0.3	15	0.16	0.035	24	15.3	0.35	197	0.002	3	1.01
RW-01418	2.71	17	1.3	0.6	5.8	11	1.6	5.1	0.4	19	0.18	0.032	23	11.4	0.3	206	0.001	4	0.85
RW-01419	2.6	15.8	1.1	0	7.9	7	0.7	2.3	0.3	16	0.12	0.028	27	13.3	0.33	348	0.001	3	0.87
RW-01420	1.72	11.8	0.9	0.7	6	6	0.5	2	0.3	27	0.13	0.026	29	15.3	0.28	461	0.002	3	1.06
RW-01421	2.07	17.4	0.9	0	7	9	0.6	1.9	0.3	23	0.16	0.022	34	15	0.26	913	0.003	3	0.87
RW-01422	2.57	12.2	0.6	3.5	1.2	30	2.1	1.3	0.2	43	3.08	0.089	17	22.2	0.32	692	0.007	4	1.53
RW-01423	2.54	20.2	0.5	0.7	2.5	19	2.6	2.3	0.3	35	1.29	0.063	19	20.8	0.28	565	0.004	4	1.39
RW-01424	2.65	14.1	0.6	3	5.5	31	1.7	1.7	0.2	48	1.77	0.066	19	28.8	0.43	425	0.026	3	1.38
RW-01425	2.55	13.7	0.6	1.9	5.7	22	1.4	1.3	0.2	47	1.2	0.054	18	28.8	0.37	522	0.012	4	1.47
RW-01609	2.23	23.7	2.1	0	6.4	34	0	2	0.4	9	0.03	0.021	24	7.7	0.05	166	0.001	2	0.45
RW-01610	20.34	43.3	5.1	2.1	2.1	10	25.1	6.9	0.1	16	0.88	0.037	8	8.6	0.07	878	0.002	3	1.74
RW-06064	2.27	25.2	0.4	1.9	1.8	107	13	7.2	0.1	26	12.65	0.04	8	15.4	0.46	1530	0.01	4	0.8
RW-06065	2.17	11.3	0.5	2.1	3.4	44	2	1.2	0.2	35	4.19	0.042	13	19.8	0.33	681	0.013	4	1.14
RW-06066	2.47	11.7	0.5	2.6	3.1	39	2.1	0.8	0.2	42	4.59	0.029	13	24	0.38	415	0.011	4	1.26
RW-06067	2.19	23.4	1	2.3	2	9	6.9	6	0.3	29	0.43	0.053	20	14.6	0.15	922	0.003	2	0.82
RW-06068	2.7	12	0.4	3.3	1.8	25	4.3	1.1	0.2	44	2.25	0.053	14	25.2	0.35	1332	0.009	2	1.41

SAMPLES	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Analysis	Acme_file
RW-01400	0.005	0.06	0.1	0.11	1.5	0.3	0.09	2	0.6	GROUP 1DX - 15 GM	A507813
RW-01401	0.007	0.08	0.1	0.18	1.7	0.3	0.12	2	0.8	GROUP 1DX - 15 GM	A507813
RW-01402	0.009	0.12	0.2	0.21	2.4	0.3	0.14	3	0.9	GROUP 1DX - 15 GM	A507813
RW-01403	0.007	0.09	0.1	0.13	2.4	0.3	0.12	3	1.1	GROUP 1DX - 15 GM	A507813
RW-01404	0.008	0.1	0.1	0.05	2.8	0.2	0.07	4	0.6	GROUP 1DX - 15 GM	A507813
RW-01405	0.008	0.12	0.1	0.07	2.5	0.2	0.14	5	0.6	GROUP 1DX - 15 GM	A507813
RW-01406	0.007	0.12	0.1	0.13	2.7	0.2	0	4	0.7	GROUP 1DX - 15 GM	A507813
RW-01407	0.006	0.14	0.1	0.09	3.5	0.2	0	5	0.5	GROUP 1DX - 15 GM	A507813
RW-01408	0.006	0.15	0.1	0.34	4.1	0.3	0	5	0.6	GROUP 1DX - 15 GM	A507813
RW-01409	0.007	0.11	0.1	0.23	3.8	0.3	0	5	0.6	GROUP 1DX - 15 GM	A507813
RW-01410	0.006	0.11	0.1	0.2	4.2	0.3	0	5	0	GROUP 1DX - 15 GM	A507813
RW-01411	0.008	0.1	0.2	0.48	2.7	0.3	0.07	4	1.1	GROUP 1DX - 15 GM	A507813
RW-01412	0.007	0.08	0.1	0.34	5.9	0.8	0.09	3	1.2	GROUP 1DX - 15 GM	A507813
RW-01413	0.007	0.08	0.1	0.23	2.2	0.6	0.14	3	1.1	GROUP 1DX - 15 GM	A507813
RW-01414	0.003	0.13	0	0.15	2.5	0.5	0.07	3	2.1	GROUP 1DX - 15 GM	A507813
RW-01415	0.003	0.12	0	0.13	2.1	0.3	0	3	3.2	GROUP 1DX - 15 GM	A507813
RW-01416	0.002	0.09	0	0.09	1.8	0.2	0	3	2.4	GROUP 1DX - 15 GM	A507813
RW-01417	0.003	0.13	0	0.1	2.7	0.2	0	3	2.5	GROUP 1DX - 15 GM	A507813
RW-01418	0.004	0.13	0	0.12	2.3	0.3	0.06	3	5.6	GROUP 1DX - 15 GM	A507813
RW-01419	0.002	0.13	0	0.09	2.1	0.3	0	3	2.6	GROUP 1DX - 15 GM	A507813
RW-01420	0.003	0.13	0.1	0.09	2.3	0.3	0	3	1.5	GROUP 1DX - 15 GM	A507813
RW-01421	0.003	0.11	0	0.09	2.1	0.3	0	3	1.4	GROUP 1DX - 15 GM	A507813
RW-01422	0.007	0.08	0.1	0.07	2.2	0.2	0.1	4	0.9	GROUP 1DX - 15 GM	A507813
RW-01423	0.004	0.12	0	0.12	2.9	0.3	0.07	4	1	GROUP 1DX - 15 GM	A507813
RW-01424	0.008	0.1	0.2	0.21	3.9	0.1	0	5	0.5	GROUP 1DX - 15 GM	A507813
RW-01425	0.007	0.1	0.1	0.07	4.2	0.2	0	5	0.5	GROUP 1DX - 15 GM	A507813
RW-01609	0.007	0.27	0	0.14	2.2	0.5	0.71	1	2.2	GROUP 1DX - 15 GM	A507813
RW-01610	0.003	0.06	0	3.22	1.9	3.1	0	3	0.5	GROUP 1DX - 15 GM	A507813
RW-06064	0.006	0.05	0.1	0.97	1.9	0.2	0.1	3	0.9	GROUP 1DX - 15 GM	A507813
RW-06065	0.008	0.11	0.1	0.13	2.9	0.2	0	4	0.7	GROUP 1DX - 15 GM	A507813
RW-06066	0.008	0.12	0.1	0.07	3.3	0.1	0	4	0	GROUP 1DX - 15 GM	A507813
RW-06067	0.004	0.14	0.1	0.95	2.4	1	0.17	3	1.5	GROUP 1DX - 15 GM	A507813
RW-06068	0.008	0.06	0.1	0.13	2.5	0.1	0.07	4	0.8	GROUP 1DX - 15 GM	A507813