



COPPER RIDGE EXPLORATIONS INC.

095517

December 9, 2010

Dawson Mining Recorder
Box 249
Dawson City, Yukon, Canada
Y0B 1G0

Dear Sir / Madam

Please accept the attached report to support the Applications for Certificates of Work submitted for the Yukon Olympic Project at your office on June 28, 2010 (NHem 1-22, 25-29) and August 4, 2010 (Hem, various and Heg, various).

Regards,

J. Greg Dawson, P. Geo
President
Copper Ridge Explorations Inc.



11th Floor, 888 Dunsmuir Street
Vancouver, British Columbia
Canada V6C 3K4
T 604 648 4653
F 604 642 0604

E info@copper-ridge.com
W www.copper-ridge.com

KRX - TSX-V

ASSESSMENT REPORT 2010 DIAMOND DRILL PROGRAM YUKON OLYMPIC PROPERTY

NTS: 116 G/01, Dawson Mining District, Yukon Territory

138° 12' N 65° 03' W

December 9, 2010

Grant Number	Claim Name
YC19966-YC19971	Hem 1-6
YC20973-YC21050	Hem 1-78
YC21135-YC21144	Hem 79-88
YC21595-YC21601	Heg 1-7
YC21603 -YC21606	Heg 9-17
YC21613-YC21614	Heg19-20
YC21615-YC21670	Hem 123-178
YC21673-YC21682	Hem 181-190
YC21711-YC21760	Hem 219-268
YC21809-YC21812	Hem 317-320
YC21814-YC21826	Hem 322-334
YC33691-YC33712	NHem 1-22
YC33715-YC33719	NHem 25-29

Work Completed between the 17th day of May and the 24th day of June, 2010

PREPARED FOR:
COPPER RIDGE EXPLORATIONS INC.

11th Floor- 888 Dunsmuir St.

Vancouver, British Columbia

Canada, V6C 3K4

Tel: 604-648-4653 Fax: 604-642-0604

PREPARED BY:
AURORA GEOSCIENCES LTD.

Western Office: 34A Laberge Road, Whitehorse, YT, Y1A 5Y9

Phone: (867) 668-7672 Fax: (867) 393-3577

www.aurorageosciences.com

Author
Dave White, P. Geol.

Contents

INTRODUCTION AND SUMMARY	1
PROPERTY DESCRIPTION	2
PROPERTY HISTORY	3
REGIONAL GEOLOGY	4
PROPERTY GEOLOGY	5
2010 EXPLORATION PROGRAM	6
GEOLOGY	6
ALTERATION	7
MINERALIZATION	7
DRILL RESULTS	8
YO10-01	8
YO10-02	8
YO10-03	8
YO10-04	8
YO10-05	9
DISCUSSION	15
GEOCHEMICAL ANALYTICAL METHODS	15
PERSONNEL ON PROPERTY	16
REFERENCES:.....	17

List of Figures

FIGURE 1. LOCATION OF THE YUKON OLYMPIC PROJECT.....	1
FIGURE 2 PLAN MAP OF 2010 DIAMOND DRILLING AT THE BLACKSTONE TARGET.....	10
FIGURE 3. DRILL SECTION OF DDH YO10-01 AND YO10-05.....	11
FIGURE 4. DRILL SECTION OF DDH YO10-02	12
FIGURE 5. DRILL SECTION OF DDH YO10-03.....	13
FIGURE 6. DRILL SECTION OF DDH YO10-04.....	14

List of Tables

TABLE 1. YUKON OLYMPIC PROPERTY CLAIMS.....	2
TABLE 2. 2010 DIAMOND DRILL PROGRAM LITHOLOGY SUMMARY.....	7
TABLE 3. 2010 DRILL HOLE SUMMARY.....	8

List of Appendices

Appendix I Diamond Drill logs
Appendix II Assay Certificates
Appendix III Cost Statement and Supporting Invoices
Appendix IV Claim Map

Introduction and Summary

Aurora Geosciences Ltd. of Whitehorse was contracted by REC Minerals Corp. to conduct a diamond drill program on the Blackstone target of the Yukon Olympic property (Figure 1). The Yukon Olympic property is 100% owned by Copper Ridge Explorations Inc. REC Minerals held an option to earn up to 65% of the property from Copper Ridge and funded the program. REC Minerals has since terminated its option on the property.

A total of 1277.26 metres were drilled in 5 holes on the Blackstone target between May 17th and June 24th, 2010. Program operations were conducted at Blackstone Outfitters lodge, located at kilometer 128 of the Dempster Highway. A helicopter from Dawson City was utilized for drill moves. This program was designed to test Induced Polarization (IP) anomalies over the Blackstone target modeled from surveys completed in 2003 and 2004 and 2006. Program management was co-facilitated by Copper Ridge Explorations Inc. and Aurora Geosciences Ltd.



Figure 1. Location of the Yukon Olympic Project.

Three chargeable anomalies were tested on IP survey lines 1, 2, and 3 (Figure 3). Holes YO10-01 and YO10-05 tested the Line 1 anomaly. YO10-01 was lost at 120 meters in overburden due to poor hole conditions. Hole YO10-05 drilled 47 meters of overburden, then limestone to a depth of 300.3 meters. The IP anomaly was not explained by either hole. YO10-02 and YO10-03 tested the Line 3 anomaly. YO10-02 drilled 324 meters of variably brecciated rock. Brecciated intervals included chlorite, hematite, felsic, and jasper units. Brecciated intervals were distinguished by principal alteration type as clast lithology was often indefinable. Best-grade mineralization includes: 0.007 g/t Au from 19.49 to 23.49 meters and 1270 ppm Cu from 213.93 to 214.46 meters. YO10-03 tested the same anomaly approximately 250 meters south along Line 3. This hole was drilled to 181.36 meters and did not reach the centre of the chargeable anomaly. The hole finished in weakly graphitic and locally hematized mudstone. Best-grade intervals include: 0.006 g/t Au from 42.54 to 44.54 meters and 1220 ppm Cu from 37.51 to 38.10m. YO10-04 intersected limestone and interbedded sandstone and mudstone. It did not drill deep enough to test the modeled IP anomaly. A short interval of hematite breccia shows 5% pyrite and 10% specular hematite. Samples from this interval returned best-grade assays of 0.006 g/t Au from 317.20 to 319.2 meters and 333 ppm Cu from 197.22 to 199.22 meters.

Property Description

The Yukon Olympic property consists of 272 quartz mining claims, approximately 5,359 ha, located in the Dawson Mining Division, NTS 116G/01, Yukon Territory, Canada, as more fully described below in Table I (the "Property") and show in Appendix IV. The Property is owned 100% by Copper Ridge.

Table 1. Yukon Olympic Property Claims

Grant Number	Claim Name	Claim Expiry Date (yy/mm/dd)	Number of Claims
YC19966-YC19971	Hem 1-6	17-02-02	6
YC20973-YC21050	Hem 1-78	16-02-02	78
YC21135-YC21144	Hem 79-88	15-02-02	10
YC21595-YC21601	Heg 1-7	15-02-02	7
YC21603 -YC21606	Heg 9-17	15-02-02	9
YC21613-YC21614	Heg19-20	15-02-02	2
YC21615-YC21670	Hem 123-178	15-02-02	56
YC21673-YC21682	Hem 181-190	15-02-02	10
YC21711-YC21760	Hem 219-268	15-02-02	50
YC21809-YC21812	Hem 317-320	15-02-02	4
YC21814-YC21826	Hem 322-334	15-02-02	13
YC33691-YC33712	NHem 1-22	15-06-15	22
YC33715-YC33719	NHem 25-29	15-06-15	5

Property History

Although the area has been prospected over the years and copper showings have been known in this area along the Dempster Highway since the 1950s, no previous exploration work on the Property is reported prior to 1993. Recent exploration activity is listed below:

1993 Pamicon Developments Ltd. and Equity Engineering Ltd. jointly conducted a small work program consisting of limited geological mapping, prospecting and soil geochemical sampling. This work was carried out on the Devil claims (now known as HEM 1-6 claims) located on the west side of the Dempster highway at approximately Kilometre 134. A total of 21 rock samples and 32 soil samples were collected and assayed. The claims were allowed to lapse in 1994.

2001 Shawn Ryan prospected the area of the Devil claims and re-staked the ground.

2002 Copper Ridge acquired an option from Shawn Ryan. In June and July of 2002, Copper Ridge contracted Aurum Geological Consultants Inc. ("Aurum Geological") to carry out a Phase I exploration of the Property. Work included regional scale mapping in the area east of Blackstone River in the Spectacular Creek valley and the laying out of 110 km of grid lines, over which 95 km of ground magnetic surveys, covering an area of approximately 20 km (E-W) by 10 km (N-S), were carried out by Ryanwood Explorations Inc. The survey identified a large magnetic anomaly measuring 2.5 km by 1.5 km. In addition, between July 15 and August 3, Aurora Geosciences Ltd. ("Aurora Geosciences") was contracted to conduct a gravity survey on the Property. A total of 261 points were surveyed in an area of approximately 20 km (E-W) by 10 km (N-S). The survey identified a large Bouguer gravity anomaly measuring 8 km by 1 km.

2002 In the fall of 2002, Copper Ridge optioned the Property to Canadian Empire Exploration Ltd. ("Canadian Empire"). Canadian Empire contracted SJ Geophysics Ltd. to assess and model the gravity data collected by Aurora Geosciences. A 4 km by 10 km block was extracted from the raw Bouguer gravity data to create an inversion model to determine the causative source of the gravity feature. A block model showing the distribution of densities defined three high-density targets.

2002 In 2002, a diamond drilling program was conducted on the Property by Canadian Empire, contracted to E. Caron Diamond Drilling Ltd. from Whitehorse. Drilling commenced October 30, 2002 and was completed on November 22, 2002. A total of 773.43 m were drilled in two holes. The first hole focused on the modelled gravity target in the western part of the Property. Unfortunately, at a final length of 563 m the hole was still in the overlying carbonate rocks and therefore did not reach the targeted gravity anomaly that was predicted to occur in the underlying Proterozoic rocks. The second hole, drilled at the Highway showing, intersected breccia but only minor copper values.

2003 Canadian Empire contracted Aurora Geosciences to conduct IP, magnetics and gravity surveys on four widely spaced, north-south lines across the gravity anomaly, for a total of 20.25 km, and covering an area roughly 10 km by 5 km. Ryanwood Explorations cut the lines and collected ground magnetometer readings. Using 250 m dipole spacing, the IP survey penetrated to depths of in excess of 500 m but was unable to clearly define the unconformity on the western side of the Property.

2004 Canadian Empire dropped their option and the Property was returned to Copper Ridge. Janina subsequently acquired an option on the Property and contracted Aurora Geosciences to complete a winter program that included a detailed gravity survey accompanied by magnetics and IP surveys at the eastern end of the main gravity trend. Ryanwood was contracted to establish a grid of 6 lines for a total of 31.05 km. The survey successfully defined the gravity and magnetic details of the eastern or Blackstone anomaly, while the IP survey provided partial results on only one line due to the frozen ground.

2005 Janina completed a drill program totalling 503.6 m in five cored holes from three set-ups. One of the holes did not reach bedrock. The remaining four holes all intersected hematitic breccia, from top to bottom, but with relatively low total iron content, mostly in the form of jasper. Chalcopyrite mineralization was observed through much of the core as disseminated blebs and along fractures. Anomalous results include 0.071% Cu over 9.8 m or 0.02% Cu over 19.5 m, both starting at 4.2 m depth in hole YO-05-02, 0.02% Cu over 30.0 m starting at 74.0 m, also in hole YO-05-02 and 0.061% Cu over 6.75 m in hole YO-05-03, the subject of this report.

2006 Janina dropped its option on the Property. Copper Ridge completed a program of 15.9 km of line cutting followed by IP, magnetics and gravity surveys, also the subject of this report.

2009 In 2009, REC Minerals acquired an option to earn up to 65% of the property.

Regional Geology

The majority of the map sheet is underlain by strongly deformed marine rocks and lesser non-marine, arkosic sedimentary rocks from Cretaceous to Cambrian in age that unconformably overlie the oldest rocks exposed in the map sheet, consisting of Proterozoic Quartet Group argillite, shale and siltstone. The Proterozoic sedimentary rocks have been intruded by gabbro and hematite breccia bodies, also of Proterozoic age. The following list provides a brief description of the sedimentary rocks observed within the immediate vicinity of the Property:

Formation	Description
Ford Lake Formation (Upper Devonian to Permian)	generally fine to coarse grained clastic succession. equivalent to Canol, Imperial and (possibly?) Tuttle Assemblages.
Bouvette Formation (Upper Cambrian to Lower Devonian)	grey and buff weathering dolomite and limestone.
Road River Group	black graptolitic shale, limestone and minor.

Formation	Description
(Cambrian to Devonian)	chert with mappable subdivisions of sandstone.
Quartet Group (Lower Proterozoic)	black weathering shale, finely laminated dark grey. weathering siltstone, and thin to thickly interbedded planar to cross-laminated light grey weathering siltstone and fine grained sandstone; minor interbeds of orange weathering dolostone in upper part.

The Property lies along a major, east-west trending crustal structure as indicated by regional aeromagnetic surveys. The Monster and Olympic IOCG properties appear to lie along this same structure in the Ogilvie Mountains to the west. It can be seen that the Yukon Olympic property occurs at a flexure point along the structure coincident with a large magnetic high, possibly reflecting a buried intrusive center.

Recent studies have suggested that the Stuart Shelf area of Australia, a crustal segment that hosts the Olympic Dam Cu-Au-Ag-U deposit, and the Ogilvie-Wernecke trend in the Yukon were portions of the same land mass 1.6 billion years ago, at the time of breccia formation. This work also suggests that the breccias and mineralization in both areas formed in response to extensional tectonics and related intrusive activity that affected the entire belt.

Property Geology

The Yukon Olympic property is located on the northern limb of the Chapman Anticline, which is bisected by east-west trending thrust faults. The Property is underlain by Proterozoic age rocks consisting of argillite, shale and siltstone. These rocks have been intruded by a variety of gabbroic magmatic rocks and related hematitic breccia bodies. The main breccia mass, situated east of the Blackstone River along Spectacular Creek, covers an area of approximately 1 km by 1.5 km, with additional occurrences noted intermittently up to 6 km to the west (Figure 3). The breccias are of Proterozoic age and correlate with many known hematitic breccias elsewhere in the Ogilvie Mountains to the west as well as in the Wernecke Mountains further to the east.

The Proterozoic rocks are in turn overlain unconformably by Paleozoic sedimentary rocks, consisting of predominantly massive to bedded Cambrian limestone and dolostone overlain by basinal shale to siltstone sequences. Over most of the western part of the Property, this major Proterozoic to Paleozoic unconformity dips gently to the north at about 8 degrees. The trend of the unconformity is east-west overall, with sharp changes in strike as the contact roughly follows topography. On the eastern part of the Property near Spectacular Creek, however, the unconformity rotates and strikes sharply to the north, cross-cutting topography. The dip of the contact between the Proterozoic and Paleozoic rocks in

this area must therefore be steeply dipping, with some component of fault contact between the two successions.

Hematitic breccias are exposed over an area approximately 1 km by 1.5 km along Spectacular Creek, east of the Blackstone River. Although detailed study of the breccia has not been carried out, there are two distinct varieties. The first is monolithic to polymictic breccia, pink to pale coloured, with disseminated hematite common in a fine-grained matrix. The second variety is dark green, chloritic breccia that typically contains massive to disseminated specular hematite and is associated with mafic intrusive rocks. This latter breccia variety has slightly elevated magnetic susceptibility. Copper mineralization is most often associated with this breccia variety and with the mafic intrusive rocks.

Bedrock grab samples from the Yukon Olympic property have shown that the breccias are locally enriched in copper, molybdenum, cobalt, fluorine, rare earth elements and barium, with local minor gold and uranium enrichment. Chalcopyrite and locally bornite mineralization have been observed within the breccias and related intrusive rocks throughout the Property. Analysis of grab samples has returned up to 0.9% Cu. Minor cobalt mineralization has also been observed. The exposed areas of hematitic breccia mineralization have not yet been systematically sampled.

2010 Exploration Program

Geology

A total of three definable lithologies and four breccia units are logged in the 2010 program (Table 1). Cambrian Bouvette Formation limestone is mapped to overlie the northern part of the property and is intersected in YO10-04 and YO10-05. This unit is little disturbed and lacks brecciated or altered intervals related to copper-gold mineralization. The Proterozoic Quartet Group siliciclastic rocks underlie the Bouvette Formation carbonates. Interbedded mudstone and sandstones are intersected in holes YO10-03 and YO10-04. Mudstone is the principal host lithology in YO10-03 and underlies limestone in YO10-04. Brecciation and associated copper-gold mineralization is hosted in the Quartet Group in both of these holes.

Four breccia units logged during the 2010 program are defined by principal alteration or clast lithology where discernable. The brecciated intervals occur in the Quartet Group. All brecciated units range from matrix to clast supported and are heterolithic to monolithic. While most brecciated intervals are subangular, some are described to have subrounded clasts. Alteration is primarily hosted in the matrix with subordinate clast alteration. There may be more than one phase of alteration present in any interval. For example, chlorite and hematite alteration is common in all brecciated intervals.

Table 2. 2010 diamond drill program lithology summary

Lithology	Description
Chlorite Breccia	Matrix to clast supported, grey/green in colour, subangular to subrounded clasts, locally hematized, clasts are commonly red, matrix is commonly green and chloritized.
Hematite Breccia	Matrix to clast supported, dark red to purple, subrounded to subangular heterolithic to monolithic clasts (bedding is locally preserved), may be intercalated with chlorite breccia, or have a strongly chloritic matrix; specular hematite in matrix locally observed.
Jasper Breccia	Clast to matrix supported; dark red/purple/brown heterolithic; locally chloritic
Felsic Breccia	Clast supported, light grey to pink clasts in black to green matrix
Gabbro	Very fine grained; grey to green; patchy hematite and potassic(?) alteration; locally chloritic, trace disseminated pyrite.
Limestone (Bouvette Formation– Cambrian)	Varying from light to medium grey. Massive to laminated to clastic. 5-10% calcite veining, variable mud content, some intervals are quartz flooded, some voids and vugs, stylolites in some zones.
Mudstone/Sandstone (Quartet Group – L. Proterozoic)	Light grey/green to black carbonaceous finely laminated. Locally chloritized and silicified.

Alteration

Alteration is intimately associated with brecciation. Hematite and chlorite are the principal alteration minerals. Field observations show that in most cases these minerals comprise the matrix mineralogy. Breccia clasts show a range from margin and contact to pervasive alteration.

Mineralization

Finely disseminated pyrite and chalcopyrite are associated with brecciation. Where brecciation is intense, these sulphides occur in the matrix. Where brecciation is less significant, sulphides are associated with fractures.

Drill Results

Five holes completed on the Blackstone target are discussed below (summarized in Table 2). Text logs are summarized in Appendix I. The core is currently stored at Fischer Contracting's yard in Dawson City.

Table 3. 2010 Drill hole summary

Hole_ID	TD	NorthingNAD83z7	EastingNAD83z7	Elevatio (m)	Azimuth	Declination
YO10-01	120	7220029	635166	886	21	-75
YO10-02	335.8	7218643	635502	867	0	-90
YO10-03	181.36	7218422	635368	863	0	-90
YO10-04	339.8	7219150	635170	834	0	-90
YO10-05	300.3	7219970	635135	873	356	-70

YO10-01

Hole YO10-01 was collared to test a chargeable anomaly on IP survey Line 1. Due to difficulties in drilling this hole did not reach the targeted depth (Figure 4). The hole was lost in excessive overburden.

YO10-02

Hole YO10-02 was collared to test a large chargeability anomaly on Line 3. Chlorite, hematite, felsic, and jasper breccias were intersected from the base of the overburden to the final depth of 335.8 meters (Figure 5). The chargeability anomaly is modeled to be at a depth of approximately 310 meters. Intercalated chlorite and felsic breccia are logged at this depth. Chlorite breccia and discontinuous quartz veining host trace to 1% disseminated pyrite is logged from 295.84 to 323.89 meters. This interval is host to low grade, but consistent copper and gold values. There are two intervals of elevated copper-gold mineralization. A 12.98 meter interval of chlorite and hematite breccia near surface shows elevated copper-gold values relative to background. Results include: 159.7 ppm Cu and 0.005 Au from 11.3 to 24.28 meters. A second weakly anomalous interval from 206 to 221.4 meters returned 263.6 ppm Cu, including 1066 ppm Cu over 1.96 meters from 212.5 to 214.46 meters. Anomalous copper values in this interval are hosted in felsic breccia.

YO10-03

Hole YO10-03 was collared to test the same IP response targeted in YO10-02. The hole was collared in Quartet Group mudstone. Chlorite, jasper and felsic breccia associated with weakly anomalous copper-gold values was intersected between 29.9 and 103.2 meters (Figure 6). Elevated copper-gold values are coincident with the brecciated units. One 0.59 meter sample from 37.51 to 38.10 meters returned 1220 ppm Cu. Felsic breccia from 40.6 to 45 meters shows consistently weakly anomalous gold values as high as 0.008 g/t. YO10-03 was stopped prior to testing the peak chargeable anomaly modeled at this location due to the lack of breccia and any visible mineralization.

YO10-04

Hole YO10-04 was collared to test a modeled chargeable anomaly on Line 2. This hole was collared in Bouvette Formation limestone and finished in interbedded Quartet Group mudstone and sandstone (Figure 7). One interval of hematite breccia associated with weakly elevated copper values was intersected from 195.2 to 212.6 meters. A best-grade assay returned 320 ppm Cu from 197.22 to 199.22

meters. The hole was terminated short of the centre of the modelled anomaly due to the lack breccia or any visible mineralization.

YO10-05

YO10-05 was a second attempt to test the chargeability anomaly on line 1 after hole YO10-01 was lost in overburden. YO10-05 drilled 300.3 meters of limestone (Figure 4). Alteration or brecciation related to mineralization was not observed. No samples were collected.




Figure 2 Plan map of 2010 diamond drilling at the Blackstone target.




Figure 3. Drill Section of DDH YO10-01 and YO10-05




Figure 4. Drill Section of DDH Yo10-02




Figure 5. Drill Section of DDH YO10-03




Figure 6. Drill Section of DDH YO10-04

Discussion

The five holes completed during the 2010 exploration program were designed to test chargeability anomalies as modeled from data collected in 2003 and 2004. The IP anomalies tested in this program are coincident with the Blackstone target and were interpreted in the context of an IOCG-type deposit model. For more detailed discussion on mineralization hosted at the Blackstone target see Carlson (2006).

The author of this report did not log the core drilled in 2010; however, after reading the available literature and examining photographs of the core, the following discussion on alteration is presented. It is proposed that felsic, jasper, and hematite breccias as defined in the 2010 logging are showing (1) the degree of pervasive hematization, (2) the breccia clast composition, and (3) the concentration and texture of hematite hosted in the matrix. Hematization in the felsic breccia unit is constrained to the matrix and very fine-grained to massive. As a result, primary textures and bedding are recognizable in the brecciated lithology(s). Jasper breccia shows moderately pervasive hematization and variable hematite and chlorite content in the matrix. Hematite breccia is the most pervasively hematized; clasts are described by colour, primary textures are not distinguished, specular hematite is disseminated to semi-massive along fractures and in the matrix. This interpretation of alteration logged in 2010 accommodates hematization and chloritization as the two principle alteration types and is consistent with alteration described in Carlson (2006).

Copper-gold mineralization intersected during the 2010 program is logged in chlorite, hematite, jasper and felsic breccias, or in the context of the discussion above, hematite- and chlorite-altered breccias, hosted in the Proterozoic Quartet Group. Anomalous copper-gold values are commonly associated with chlorite alteration. Fracture- and matrix-hosted to pervasive chlorite alteration is associated with all brecciated intervals.

Additional drilling and study is required on the anomalous copper-gold intervals to determine the geochemical, lithological, structural controls on the brecciated intervals. There remain many questions pertaining to brecciation and mineralization. Are there multiple generations of brecciation? Is there a definable prospective generation? Is there a subtle mineral or clast-composition associated with sulphide mineralization? Is there a particular chlorite geochemistry or trace element geochemistry associated with a particular texture of hematite that provides a vector to anomalous copper-gold-bearing breccias? Can such intervals be interpreted in a structural or geophysical context? A shortwave infrared study (SWIR) survey would be a cost effective field-based study to address questions regarding the geochemistry of chlorite.

Geochemical Analytical Methods

Samples were handled in compliance with NI 43-101 standards. Samples were stored in a secure location in camp before they were shipped to the ALS preparation facility in Whitehorse by Aurora personnel in sealed and tagged bags.

ALS Laboratory Group is ISO 9000:2008, 17025 accredited.

Rock samples were crushed to 70% of material passing 2 mm mesh. They were then split using a riffle splitter into representative sub-samples. These sub samples are then pulverized to 85% of material passing <75 um mesh. The samples were analyzed by: 1) 51 element Aqua Regia ICP-MS/AES with a 15g sample for Au consideration (ALS TL42-PKG), 2) High grade samples of Au and Cu were re-analysed by Au-AA21 and Cu-OG46, respectively.

Geochemical Analytical Certificates for the 2009 program are included in Appendix II.

Personnel on Property

Drilling was conducted by Kluanne Drilling of Whitehorse, YT. Helicopter support was provided by Fireweed Helicopters sourced out of Dawson City. Geological, camp and program logistical support was provided by Aurora Geosciences Ltd. of Whitehorse.

Aurora Geosciences Ltd. staff Greg Stone and Shauna Cornish were present on the property from June 01st to June 24th 2010, in the capacity of program geologist and geotech/first-aid attendant, respectively.

Core was split; half sampled for assay and half returned to the core box. The core is presently stored in Dawson City.

Respectfully submitted,

AURORA GEOSCIENCES LTD.


David White, P.Geol

References:

Carlson, Gerald, G., 2006. Yukon Olympic Project Assessment Report on the 2005 Drill Program, Dawson Mining Division, NTS 116G/01, Yukon Territory, p. 61

Appendix I *Diamond Drill logs*

YO10-01, YO10-02, YO10-03, YO10-04, YO10-05

REC Minerals Corp. Yukon Olympic Project

Date Started: June 04, 2010
Date Completed: June 07, 2010

HOLE NUMBER: YQ-10-01
Hole Location: 835166 E
7220029 N

Hole Length: 120 meters
Azimuth at Collar: 021 degrees
Inclination at Collar: -75 degrees
Overburden: 120 meters

GRID: n/a
Claim:
Datum: NAD 83
Zone: Zone 07
Elevation: 886.0 meters asl.
Core Size: NQ

Logged By: G. Stone
Drill Contractor: Kluanne Drilling

TARGET: Modeled IP chargeable response anomaly A on line 1.
SUMMARY: Hole lost at 120 meters in overburden

TOTAL SAMPLES: none
SAMPLE SERIES: no samples collected
STANDARDS: n/a
DUPLICATES: n/a
BLANKS: n/a

Prepared By:



REC Minerals Corp.
 Diamond Drill Log
 HOLE NUMBER: YO-10-01

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)			SAMPLE DATA			
			Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m) To (m)	Interval (m)

0.0 10.0 20.0 30.0 40.0 50.0 60.0 70.0 80.0 90.0 100.0 110.0 120.0	0.00 - 120.00 OVB: Overburden: Hole did not reach bedrock																			
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

REC Minerals Corp. Yukon Olympic Project

Date Started: June 08, 2010
Date Completed: June 12, 2010

HOLE NUMBER: YO-10-02

Hole Location: 635502 E
7218643 N

Hole Length: 335.80 meters

Azimuth at Collar: vertical

Inclination at Collar: -90 degrees

Overburden: 11.30 meters

GRID: n/a

Claim:

Datum: NAD 83

Zone: Zone 07

Elevation: 867.0 meters asl.

Core Size: NQ

Logged By: G. Stone

Drill Contractor: Kluanne Drilling

TARGET: Target is IP chargeable anomaly C on line 3

SUMMARY: Collared in brecciated rock. Brecciated rocks include: Jasper Breccia (matrix supported, monolithic or heterolithic clasts); Felsic Breccia (clast supported, pink to grey, heterolithic); Chlorite breccia (light to dark green, heterolithic); Hematite breccia (matrix to clast supported, dark red to purple, heterolithic to monolithic). Hole terminated in lith green clast supported chlorite breccia. Pyrite is disseminated in Tr amounts throughout the hole; hematite and

TOTAL SAMPLES: 173

SAMPLE SERIES: no samples collected

STANDARDS: 1823020, 40, 60, 80, 100, 120, 140, 160, 180, 200 (total 10)

DUPLICATES: 1823008, 28, 48, 68, 88, 108, 128, 148, 168, 188 (duplicate is of preceding sample)

BLANKS: 1823010, 30, 50, 70, 90, 110, 130, 150, 170, 190

Prepared By:



REC Minerals Corp.
Diamond Drill Log
 HOLE NUMBER: YO-10-02

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)			SAMPLE DATA			
			Core Recovery	Cp.	Py.	Hmt.	Sample No. From (m) To (m) Interval (m)	Au (g/t)	Cu (ppt)
0.0		0.00 - 11.30 OVB: Overburden: Hole did not reach bedrock							
10.0		11.30 - 12.29 JB: Clast supported Jasper breccia. Dark red/purple, heterolithic. Up to 70% clasts. Most clasts are red/purple/brown jasper. Few green chlorite altered clasts. Clasts are subrounded from 0.5-2cm, rare to 5cm.							
		12.29 - 12.39 SND: Sand seam							
		12.39 - 15.30 HB: Matrix supported hematite breccia. Dark red/purple with patchy preserved bedding at irregular angles. Zones from 5-50cm of green chloritic breccia with ~5% qz/ca blebs and trace disseminated cpy, py, spec. Clasts are subangular to subrounded. 20-30% clasts.							
20.0		15.30 - 15.80 OVB: Rotten gravel and mud							
		15.80 - 16.94 HB: Same as 12.39-15.24m							
		16.94 - 17.49 SND: Sand seam							
30.0		17.49 - 24.28 CB: Matrix supported Chlorite Breccia. Grey/green. Irregular preserved bedding. 5-10% qz/ca blebs and veins. 20-30% subrounded to subangular clasts. Trace disseminated cpy and py. Patchy Hematite alteration, weak chlorite alteration in clasts and matrix							
		24.28 - 34.71 HB: Matrix supported hematite breccia. Dark red/purple. Heterolithic subangular clasts 2-15mm. Hairline fracture controlled quartz veins. Up to 80% clasts. Some green chloritic clasts. Some preserved bedding in clasts-possible sed origin? Patchy chlorite alteration. <1% disseminated specular hematite.							
		34.71 - 48.09 G: V.v. fine grained, grey/ green with red and orange altered zones, possibly weak brecciation or just alteration. 1-5% quartz blebs. Patchy hematite and potassic alteration. Trace disseminated pyrite. Trace fracture controlled specular hematite							

Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (ppt)
				1					
			Tr	81	11.30	13.30	2.00	0.01	13.00
Tr	Tr	Tr		94	13.30	15.30	2.00	0.00	148.00
Tr	Tr	Tr		98	15.80	16.94	1.14	0.01	114.50
				100	17.49	19.49	2.00	0.01	51.00
Tr	Tr			89	19.49	21.49	2.00	0.00	63.40
				92	21.49	23.49	2.00	0.01	207.00
				95	23.49	24.28	0.79	0.01	279.00
				96	24.28	26.28	2.00	0.01	40.00
				90	26.28	28.28	2.00	0.00	68.80
		Tr		87	28.28	30.28	2.00	0.00	27.00
				84	30.28	32.28	2.00	0.00	19.40
				91	32.28	34.28	2.00	0.00	27.40
				88	34.28	34.71	0.43	0.00	27.90
				86	34.71	34.71	2.00	0.00	17.40
				94	36.71	38.71	2.00	0.00	8.00

REC Minerals Corp.
Diamond Drill Log
 HOLE NUMBER: YO-10-02

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)			SAMPLE DATA						
			Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (ppm)
160.0	[Red Breccia]	155.65 - 178.00 JB: Matrix supported jasper breccia. Dark purple/red, very fine grained. 5-50% subangular clasts are hematite altered red, matrix is green chlorite altered in some sections. <1% quartz/calcite veins at irregular angles, few with trace disseminated pyrite. Lower contact is 20cm if healed fault.	100				1823088	155.65	157.65	2.00	0.00	2.20
			93				1823091	157.65	159.65	2.00	0.00	8.00
			77				1823092	159.65	161.65	2.00	0.00	4.30
			100				1823093	161.65	163.65	2.00	0.00	8.50
			96				1823094	163.65	165.65	2.00	0.00	7.30
170.0						Tr	1823095	165.65	167.65	2.00	0.00	1.40
							1823096	167.65	169.65	2.00	0.00	3.80
							1823097	169.65	171.65	2.00	0.00	5.80
							1823098	171.65	173.65	2.00	0.00	4.80
							1823099	173.65	175.65	2.00	0.00	3.10
180.0	[Green Breccia]	178.00 - 186.04 CB: Chlorite breccia. Grey/green with 30-70% subangular to subrounded clasts up to 10cm 1-2% qz/cx veins up to 1cm thick at irregular angles. 1-2% disseminated pyrite from 179.7-182m. Trace disseminated pyrite in rest. Trace disseminated specular hematite. Lower contact grades from green chl to red jasper over ~80cm with sharp unconformable contact at 186.04m.	93				1823101	175.65	178.00	2.35	0.00	8.00
							1823102	178.00	180.00	2.00	0.00	25.10
					1.0			1823103	180.00	182.00	2.00	0.00
	[Red Breccia]	186.04 - 198.37 JB: Dark red/purple jasper breccia. Zones of very fine grained massive dark purple, zones of up to 80% purple/red clasts in chlorite matrix.				Tr	1823104	182.00	184.00	2.00	0.00	9.30
							1823105	184.00	186.00	2.00	0.00	43.10
							1823107	186.00	188.00	2.00	0.00	7.70
							1823108	188.00	190.00	2.00	0.00	2.70
190.0							Tr	1823109	190.00	192.00	2.00	<0.001
						1823111	192.00	194.00	2.00	0.00	1.10	

Total Depth = 335.80 meters
 Hole Number: YO-10-02

Prepared By: 

REC Minerals Corp.
 Diamond Drill Log
 HOLE NUMBER: YO-10-02

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)		SAMPLE DATA	
			Cu	Py.	Interval (m)	Au (g/t)

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	Cu	Py.	Hmt.	Sample No.	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (ppm)
198.37 - 211.04	CB: Chlorite breccia. 40-60% subrounded clasts up to 15cm. Green chlorite matrix. Clasts are from dark red/purple to light pink. Faint preserved bedding in some clasts.										
211.04 - 220.83	FB: Light grey massive to brecciated. Massive zones and clasts are fine grained light grey felsic. Matrix is black. Red staining in host rock around hairline quartz veins.										
220.83 - 251.40	CB: 10-70% Subangular clasts up to 20cm, some with preserved bedding. 1-2% quartz veins and blebs up to 5mm. Light green chloritic matrix with some pink/red clasts. Trace disseminated pyrite.										
194.00			0.00			1823112	194.00	196.00	2.00	0.00	8.30
196.00			0.00			1823113	196.00	198.00	2.00	0.00	4.60
198.00			0.00			1823114	198.00	200.00	2.00	0.00	1.60
200.00			0.00			1823115	200.00	202.00	2.00	0.00	6.50
202.00			0.00			1823116	202.00	204.00	2.00	0.00	12.20
204.00			0.00			1823117	204.00	206.00	2.00	0.00	32.80
206.00			0.00			1823118	206.00	208.00	2.00	0.00	170.50
208.00			0.00			1823119	208.00	210.00	2.00	0.00	72.60
210.00			0.00			1823121	210.00	211.04	1.04	0.00	80.80
211.04			0.00			1823123	211.04	212.50	1.46	0.00	148.00
212.50			0.73	<0.001		1823123	212.50	213.23	0.73	<0.001	0
213.23			0.70	<0.001		1823124	213.23	213.93	0.70	<0.001	0
213.93			0.33	<0.001		1823125	213.93	214.48	0.55	<0.001	0
214.48			0.44	0.00		1823126	214.48	214.90	0.42	0.00	38.30
214.90			0.00			1823128	214.90	216.40	1.50	0.00	294.00
216.40			0.00			1823129	216.40	217.40	1.00	0.00	83.70
217.40			<0.001			1823131	217.40	218.40	1.00	<0.001	148.00
218.40			0.00			1823132	218.40	219.40	1.00	0.00	117.00
219.40			0.00			1823133	219.40	221.40	2.00	0.00	8.00
221.40			0.00			1823134	221.40	223.40	2.00	0.00	5.80
223.40			0.00			1823135	223.40	225.40	2.00	0.00	3.50
225.40			0.00			1823136	225.40	227.40	2.00	0.00	3.50
227.40			0.00			1823137	227.40	229.40	2.00	0.00	3.50
229.40			0.00			1823138	229.40	231.40	2.00	0.00	3.50
231.40			0.00			1823139	231.40	233.40	2.00	0.00	3.50

Total Depth = 335.80 meters
 Hole Number: YO-10-02

REC Minerals Corp.
Diamond Drill Log
 HOLE NUMBER: YO-10-02

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)			SAMPLE DATA		
			Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m) To (m) Interval (m)

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m) To (m) Interval (m)	Au (g/t)	Cu (ppm)
310.0							023187	311.00 313.00 2.00	0.00	12.80
							023188	313.00 315.00 2.00	0.00	18.80
							023189	315.00 317.00 2.00	0.00	18.80
							023191	317.00 319.00 2.00	0.00	10.20
							023192	319.00 321.00 2.00	0.00	27.30
							023193	321.00 322.00 1.00	0.00	107.50
							023194	322.00 323.89 1.89	0.01	84.20
		323.89 - 328.21 FB: Felsic breccia. Fine grained, light grey/pink clasts. Black to dark green matrix. Clast supported.					023195	323.89 325.89 2.00	<0.001	17.90
							023196	325.89 327.00 1.11	<0.001	5.40
							023197	327.00 328.21 1.21	<0.001	6.90
		328.21 - 331.56 CB: Clast supported chlorite breccia. Light pink/red clasts in chlorite matrix.					023198	328.21 330.00 1.79	<0.001	47.40
							023199	330.00 331.56 1.56	0.00	14.80
		331.56 - 334.47 FB: Felsic breccia. Fine grained, light grey/pink clasts. Black to dark green matrix. Clast supported.					023201	331.56 333.56 2.00	0.00	59.90
							023202	333.56 334.47 0.91	0.00	20.20
		334.47 - 335.80 CB: Light green clast supported chlorite breccia. Preserved bedding in clasts.					023203	334.47 335.80 1.33	0.00	17.50

Total Depth = 335.80 meters
 Hole Number: YO-10-02

Prepared By: 

REC Minerals Corp. Yukon Olympic Project

Date Started: June 15, 2010
Date Completed: June 12, 2010

HOLE NUMBER: YO-10-03
Hole Location: 635368 E
7218422 N
Hole Length: 181.36 meters
Azimuth at Collar: vertical
Inclination at Collar: -90 degrees
Overburden: 11.30 meters

GRID: n/a
Claim:
Datum: NAD 83
Zone: Zone 07
Elevation: 863.0 meters asl.
Core Size: NQ

Logged By: G. Stone
Drill Contractor: Kluanne Drilling

TARGET: Target is IP chargeable anomaly C on line 3

SUMMARY: Collared in mudstone; brecciated rock intersected to TD after a fault at 29.9m. Brecciated rocks include: Jasper Breccia (matrix supported, monolithic or heterolithic clasts); Felsic Breccia (clast supported, pink to grey, heterolithic); Chlorite breccia (light to dark green, heterolithic). Hole terminated in mudstone with weakly graphitic intervals. Peak chalcopyrite 37.51-38.55m 1-3%; peak pyrite 87.8-98.20m 2-3%. Best grade Au: 0.006ppm 42.54-44.54m; Cu:

TOTAL SAMPLES: 57

SAMPLE SERIES: 1823204 - 1823271

STANDARDS: 1823220, 40, 80 (Total 3)

DUPLICATES: 1823208, 28, 46, 66 (Field duplicate of preceding sample)

BLANKS: 1823210, 30, 50, 70

Prepared By:



REC Minerals Corp.
Diamond Drill Log
 HOLE NUMBER: YO-10-03

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)			SAMPLE DATA			
			Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m)	To (m)

40.0		39.70 - 40.60 JB: Matrix supported jasper breccia. Dark red/purple 10-30% monolithic subrounded clasts.	82			1823217	38.55	39.67	1.12	0.00	18.50
			100	Tr		1823218	39.67	40.64	0.97	0.00	37.90
						1823219	40.64	41.79	1.15	0.01	198.00
						1823221	41.79	42.54	0.75	0.00	13.00
		40.60 - 45.00 FB: Clast supported heterolithic felsic breccia. Light pink and grey subangular fragments. 41.79m-42.54m is a zone of chloritic breccia. 44.65-44.9m trace cpy on fractures	89			1823223	42.54	44.54	2.00	0.01	28.80
			88	Tr		1823223	44.54	45.00	0.46	0.01	98.20
						1823224	45.00	47.00	2.00	0.00	34.90
		45.00 - 57.40 JB: Dark red/purple with green chlorite zones. Cpy/py tend to increase with chlorite presence, often rimming fragments in chlorite matrix. Trace cpy 51.05-52m.	95			1823225	47.00	48.00	2.00	0.00	21.80
50.0			97	Tr		1823227	48.00	51.00	2.00	0.00	28.90
						1823228	51.00	52.00	1.00	0.00	84.70
			96	Tr	Tr	1823229	52.00	54.00	2.00	0.00	18.10
			99			1823231	54.00	56.00	2.00	0.00	8.00
		57.40 - 63.30 CB: Light green heterolithic chlorite breccia. 40-70% subrounded clasts up to 15cm. Some clasts have preserved bedding.	100		1.0	1823232	56.00	57.39	1.39	0.00	214.00
60.0						1823233	57.39	58.39	2.00	0.00	20.40
			98			1823234	58.39	61.39	2.00	0.00	24.80
						1823235	61.39	63.25	1.86	0.00	180.00
		63.30 - 70.70 JB: Dark red/purple Patchy green chlorite alteration in matrix. Heterolithic subrounded purple/red clasts	95			1823236	63.25	64.25	1.00	0.00	53.40
						1823237	64.25	65.25	1.00	0.00	68.70
						1823238	65.25	66.25	1.00	0.00	52.10
			100	Tr		1823239	66.25	68.25	2.00	0.00	7.40
70.0		70.70 - 72.20 CB: Light green heterolithic chlorite breccia. 40-70% subrounded clasts up to 15cm. Some clasts have preserved bedding.	96			1823241	68.25	70.69	2.44	0.00	8.00
						1823242	70.69	72.22	1.53	0.00	60.20
						1823243	72.22	74.22	2.00	0.00	5.10
		72.20 - 87.80 JB: Dark red/purple Patchy green chlorite alteration in matrix. Heterolithic subrounded purple/red clasts. Trace cpy in 15cm heterolithic clast of breccia with fragments up to 0.5cm	96			1823244	74.22	76.22	2.00	0.00	34.70
						1823245	76.22	78.22	2.00	0.00	4.80

Total Depth = 181.36 meters
 Hole Number: YO-10-03



REC Minerals Corp.
 Diamond Drill Log
 HOLE NUMBER: YO-10-03

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)			SAMPLE DATA			
			Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m)	To (m)



96										
95										
91					1823267	120.00	122.00	2.00	0.00	5.00
96										
92										
96										
95					1823268	130.00	132.00	2.00	<0.001	1.40
95										
97										
96										
96					1823269	140.00	142.00	2.00	<0.001	18.20
98										
96										
99										
96										

Total Depth = 181.38 meters
 Hole Number: YO-10-03

Prepared By: 

REC Minerals Corp. Yukon Olympic Project

Date Started: June 15, 2010
Date Completed: June 19, 2010

HOLE NUMBER: YO-10-04
Hole Location: 635170 E
7219150 N
Hole Length: 339.8 meters
Azimuth at Collar: vertical
Inclination at Collar: -90 degrees
Overburden: 7.8 meters

GRID: n/a
Claim:
Datum: NAD 83
Zone: Zone 07
Elevation: 834.0 meters asl.
Core Size: NQ

Logged By: G. Stone
Drill Contractor: Klvanne Drilling

TARGET: Center of chargeability anomaly near centre of magnetic anomaly on line 2

SUMMARY: Collared in limestone. Interbedded sandstone and calcareous mudstone at 139m to TD. Heterolithic brecciated intervals occur with variable chlorite and hematite veins from 188m to 289m. Graphite is noted in veins and fracture surfaces between 294m and 333m. Hematite (Tr-10%) and pyrite (Tr-5%) are most concentrated between 195 and 294 meters. Best grade values: 0.006 g/t Au 317.20-319.2m; Cu: 333ppm 197.22-199.22m.

TOTAL SAMPLES: 35 samples

SAMPLE SERIES: 1823272 - 1823300, 18241001 - 1841012

STANDARDS: 1823280, 300

DUPLICATES: 1823286, 1841006 (duplicate of preceding sample)

BLANKS: 1823290, 1841010

Prepared By:



REC Minerals Corp.
 Diamond Drill Log
 HOLE NUMBER: YO-10-04

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)			SAMPLE DATA		
			Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m) To (m) Interval (m)

80.0		78.90 - 84.40 LMST: Dark grey heterolithic limestone conglomerate with 2-3% disseminated and clast rimming pyrite.				1823273	79.00	81.00	2.00	0.00	3.50
90.0		84.40 - 118.40 LMST: Limestone. Varying from light to medium grey. Massive to laminated to clastic. 5-10% calcite veining. Strong HCl reaction. Veins often containing clasts of host rock.									
100.0											
110.0											
						1823274	114.00	115.00	1.00	0.00	13.00

Total Depth = 339.8 meters
 Hole Number: YO-10-04

Prepared By: 

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)	SAMPLE DATA
			Core Recovery	Au (g/t)
			Cp. Py. Hmt.	Sample No. From (m) To (m) Interval (m)
				Cu (ppm)

120.0		100							
	118.40 - 120.90 LMST: Dark grey heterolithic limestone conglomerate with 2-3% disseminated and clast rimming pyrite.			421275	119.00	120.00	1.00	0.00	8.90
	120.90 - 134.80 LMST: Limestone. Varying from light to medium grey. Massive to laminated to clastic. 5-10% calcite veining. Strong HCl reaction. Veins often containing clasts of host rock. Sand seams from: 10.37-10.67m; 11-11.64m; 15.86-16.16m; 16.5-19.96m; 17.16-17.6m; 17.9-18.4m; 21-21.69m; 34.79-36m; 46.63-47.23m; 54.21-54.41m; 62.53-62.76m; 103.63-104.88m.	88							
		87							
		86							
		81							
130.0		80							
	134.80 - 136.60 LMST: Limestone conglomerate with 1% disseminated pyrite	79							
		78							
	136.60 - 139.00 LMST: Limestone. Varying from light to medium grey. Massive to laminated to clastic. 5-10% calcite veining. Strong HCl reaction. Veins often containing clasts of host rock.	77							
		76							
	139.00 - 156.50 M5: Weakly calcareous light grey mudstone. 1-5% quartz/ca veining. Massive, laminated and conglomerate sections. Weak HCl reaction. Patchy trace disseminated pyrite.	75							
		74							
		73							
		72							
		71							
		70							
140.0		69							
		68							
		67							
		66							
		65							
		64							
		63							
		62							
		61							
		60							
150.0		59							
		58							
		57							
		56							
		55							

REC Minerals Corp.
Diamond Drill Log
 HOLE NUMBER: YO-10-04

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)			SAMPLE DATA		
			Cop Recovery	Py.	Hmt.	Sample No.	From (m)	To (m)



245.00 - 282.60
 MS: 10% Hairline to 1cm thick qz/ca/hem/py veins. White to pink/red. Trace vein disseminated hematite and pyrite. Irregular and discontinuous. 5% chlorite/graphite veins up to 15cm thick. Trace pyrite in chlorite veins. Trc trc chalcopyrite. Cpy and py often fracture coating.

Depth (m)	Cop	Py.	Hmt.	Sample No.	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (g/t)
94									
87									
95									
90									
94									
93									
93									
90									
96									
91				1823288	262.00	263.00	1.00	0.00	4.10
98	Tr	Tr	Tr						
95				1841001	268.50	269.50	1.00	0.00	5.80

REC Minerals Corp.
Diamond Drill Log
 HOLE NUMBER: YO-10-04

SCALE (meters)	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)	SAMPLE DATA
Lithology		Core Recovery Cp. Py. Hmt.	Sample No. From (m) To (m) Interval (m) Au (g/t) Cu (ppm)

270.0																																							
280.0																																							
282.60 - 286.60	MS/SS: Silicious carbonates. Light grey, fine grained weak HCl reaction. Laminated, massive and clastic zones. Sandstone to mudstones.																																						
286.60 - 289.50	MS: 10-20% hematite veins. Trace amounts of magnetite and pyrite in veins as well. Veins at irregular angles. Up to 15cm thick. 5% pink/white qz/ca/hem stained veins up to 1cm thick. Discontinuous and irregular.																																						
289.50 - 289.50	HB: 3cm thick Heterolithic hematite breccia vein. 10% specular hematite. Clasts are <.5cm.																																						
289.50 - 294.60	MS/SS: Silicious carbonates. Light grey, fine grained weak HCl reaction. Laminated, massive and clastic zones. Sandstone to mudstones.																																						
294.60 - 333.80	MS: 10-15% qz/ca/hem veins. Hairline to 2cm thick at irregular angles. White and pink/red. Pink staining of host rock around these veins - possible product of drilling? Graphite in veins, often at fracture. 5% chlorite veins.																																						
300.0																																							
310.0																																							
94																																							
96																																							
91																																							
97																																							
93																																							
97																																							
96	Tr	10.0	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:15%;">1841003</td> <td style="width:10%;">288.60</td> <td style="width:10%;">289.80</td> <td style="width:10%;">1.20</td> <td style="width:10%;">0.00</td> <td style="width:10%;">11.20</td> </tr> <tr> <td>1841004</td> <td>289.80</td> <td>290.95</td> <td>1.15</td> <td>0.00</td> <td>3.80</td> </tr> <tr> <td>1841005</td> <td>290.95</td> <td>293.00</td> <td>2.05</td> <td>0.00</td> <td>3.70</td> </tr> <tr> <td>1841007</td> <td>293.00</td> <td>294.60</td> <td>1.60</td> <td>0.00</td> <td>18.40</td> </tr> <tr> <td>1841008</td> <td>294.60</td> <td>295.60</td> <td>1.00</td> <td>0.00</td> <td>1.40</td> </tr> <tr> <td>1841008</td> <td>301.75</td> <td>303.75</td> <td>2.00</td> <td>0.01</td> <td>2.20</td> </tr> </table>	1841003	288.60	289.80	1.20	0.00	11.20	1841004	289.80	290.95	1.15	0.00	3.80	1841005	290.95	293.00	2.05	0.00	3.70	1841007	293.00	294.60	1.60	0.00	18.40	1841008	294.60	295.60	1.00	0.00	1.40	1841008	301.75	303.75	2.00	0.01	2.20
1841003	288.60	289.80	1.20	0.00	11.20																																		
1841004	289.80	290.95	1.15	0.00	3.80																																		
1841005	290.95	293.00	2.05	0.00	3.70																																		
1841007	293.00	294.60	1.60	0.00	18.40																																		
1841008	294.60	295.60	1.00	0.00	1.40																																		
1841008	301.75	303.75	2.00	0.01	2.20																																		
90																																							
98																																							
93																																							
94																																							
94																																							
92																																							

Total Depth = 339.8 meters
 Hole Number: YO-10-04

Prepared By: 

REC Minerals Corp. Yukon Olympic Project

Date Started: June 20, 2010
Date Completed: June 24, 2010

HOLE NUMBER: YO-10-05
Hole Location: 835135 E
7219970 N
Hole Length: 300.3 8 meters
Azimuth at Collar: vertical
Inclination at Collar: -90 degrees
Overburden: 47.3 meters

GRID: n/a
Claim:
Datum: NAD 83
Zone: Zone 07
Elevation: 873.0 meters asl.
Core Size: NQ

Logged By: R.J. Robinson
Drill Contractor: Klvanne Drilling

TARGET: Follow up hole to YO10-01. Target is IP chargeable anomaly A on line 1.

SUMMARY: Limestone. Varying from light to medium grey. Massive to laminated to clastic. 5-10% calcite veining. Strong HCl reaction. Zones more and less muddy, more and less quartz flooded, some voids and vugs. Moderate stylolites in some zones.


TOTAL SAMPLES: no samples
SAMPLE SERIES: no samples
STANDARDS: no samples
DUPLICATES: no samples
BLANKS: no samples

Prepared By:



REC Minerals Corp.
 Diamond Drill Log
 HOLE NUMBER: YO-10-05

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)			SAMPLE DATA			
			Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m) To (m)	Interval (m)

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m) To (m)	Interval (m)	Au (g/t)	Cu (ppm)
0.0		0.00 - 47.30 DVB: Overburden									
10.0											
20.0											
30.0											

REC Minerals Corp.
Diamond Drill Log
 HOLE NUMBER: YO-10-05

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)	SAMPLE DATA
			<small>Core Recovery</small> Cp. Py. Hmt.	<small>Sample No. From (m) To (m) Interval (m)</small> Au (g/t) Cu (ppm)

40.0				
50.0		47.30 - 52.90 LMST BX: Med grey limestone breccia. Med Grey clasts in lighter grey matrix. Hazey with minor calcite stringers and weak silicification.		
		52.90 - 53.80 LMST: vuggy with 5% voids		
		53.80 - 59.00 LMST BX: Med grey limestone breccia. Med Grey clasts in lighter grey matrix. Hazey with minor calcite stringers and weak silicification in discrete zones.		
		59.00 - 59.40 LMST: Broken and muddy for 10 cm, then vuggy with 4% voids.		
60.0		59.40 - 60.40 LMST: Vuggy, with 8% voids.		
		60.40 - 63.60 LMST: Med grey limestone breccia. Med Grey clasts in lighter grey matrix. Hazey with minor calcite stringers and weak silicification in discrete zones. 40 cm stylolites at 61.0 angled 30° to core axis.		
		63.60 - 64.90 LMST QTZ: QZ fragments in carbonate matrix with minor vugs.		
70.0		64.90 - 65.40 LMST: Stylolitic banded at 40° to core axis		
		65.40 - 66.60 LMST QTZ: Quartz carbonate breccia. Quartz flooded with indistinct hazey carbonate clasts.		
		66.60 - 70.80 LMST: Brecciated Limestone		

Total Depth = 300.3 8 meters
 Hole Number: YO-10-05



REC Minerals Corp.
 Diamond Drill Log
 HOLE NUMBER: YO-10-05


SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)			SAMPLE DATA		
			Core Recovery	Cp.	Py.	Hmt.	Sample No. From (m) To (m) Interval (m)	Au (g/t)
80.0		70.80 - 78.40 LMST: Banded lighter and darker grey lst. Banding 50° to core axis. Minor vugs (<1%) to 1cm.						
		78.40 - 79.10 LMST QTZ: LST fragments in quartz and carbonate matrix						
		79.10 - 88.10 LMST: Banded and brecciated Limestone with siliceous clasts in narrow zones as well as narrow zones of quartz veins with carbonate clasts and carbonate zones with siliceous clasts. Some sand and mud seams to 50 cm.						
90.0		88.10 - 91.30 LMST: As above but with more vugs. Varies between 2% and 5% vugs and cavities to 5cm long by 5 mm wide.						
		91.30 - 96.00 LMST: Grey and tan banded and brecciated Limestone with bands 1mm to 1 cm. 20 cm zone of coarse grained recrystallized Limestone at top of interval.						
		96.00 - 100.10 LMST: Tan brecciated Limestone. Clasts to 4cm. Minor siliceous zones, mud seams and fractures parallel to core axis.						
100.0		100.10 - 102.00 LMST: Tan/gry mottled. Minor banding 50° to core axis.						
		102.00 - 102.50 LMST: Banded black and grey. Black bands to 1mm, grey bands to 1cm. 45° to core axis.						
		102.50 - 107.20 LMST: Tan hazey mottled, banded, brecciated limestone. Minor dk gry frags, minor vugs.						
		107.20 - 108.80 LMST: Brown and tan banded. 60% brn 40% tan. Brn bands to 3mm, tan to 5mm.						
110.0		108.80 - 141.20 LMST: Light and dark grey banded and brecciated. Strong sulfur smell on fresh breaks - fetid. Zones of coarser grained recrystallized LST. Minor quartz flooded zones. Minor stylolites.						

Total Depth = 300.3 8 meters
 Hole Number: YO-10-05

Prepared By: 

REC Minerals Corp.
Diamond Drill Log
 HOLE NUMBER: YO-10-05

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)		SAMPLE DATA			
			Core Recovery	Py.	Hmt.	Sample No.	From (m)	To (m)


SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	Core Recovery	Py.	Hmt.	Sample No.	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (ppm)
120.0											
130.0											
140.0		141.20 - 146.30 LMST: Brown-grey banded and brecciated. Looks cooked. Still fetid. 1-2% vugs to 1mm. 30cm band with 5% vugs to 3mm. Rusty fracture contact at base with abundant stylolites.									
		146.30 - 150.00 LMST: Hazy grey amorphous with faint banding and brecciation visible.									
150.0		150.00 - 162.70 LMST: Brown/tan/grey banded and brecciated. Strong sulfur smell, minor vuggy zones with up to 2%vugs to 1mm. Minor wispy calcite stringers to 1mm at all angles to core axis.									

Total Depth = 300.3 8 meters
 Hole Number: YO-10-05

Prepared By: 

REC Minerals Corp.
 Diamond Drill Log
 HOLE NUMBER: YO-10-05

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)			SAMPLE DATA		
			Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m) To (m) Interval (m)




Total Depth = 300.3 8 meters
 Hole Number: YO-10-05

Prepared By: 

REC Minerals Corp.
Diamond Drill Log
 HOLE NUMBER: YO-10-05

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)			SAMPLE DATA			
			Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m) To (m)	Interval (m)



Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (ppm)
		1.0							

Total Depth = 300.3 8 meters
 Hole Number: YO-10-05

Prepared By: 

REC Minerals Corp.
Diamond Drill Log
 HOLE NUMBER: YO-10-05

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	METALLIC MINERALS (%)			SAMPLE DATA		
			Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m) To (m) Interval (m)

SCALE (meters)	Lithology	LITHOLOGIC DESCRIPTION	Core Recovery	Cp.	Py.	Hmt.	Sample No.	From (m) To (m) Interval (m)	Au (g/t)	Cu (ppm)
270.0	[Lithology pattern]	272.90 - 274.40 LMST: Thin bedded black muddy limestone. Core to bedding angle=30°.								
280.0		274.40 - 298.10 LMST: As at 205 above.								
290.0	[Lithology pattern]									
300.0		298.10 - 300.30 LMST: Brown/tan altered limestone with rusty fractures. Banded, fragmental and crystallized.								

Total Depth = 300.3 8 meters
 Hole Number: YO-10-05

Prepared By: 

Appendix II *Assay Certificates*



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 1

Finalized Date: 25-JUL-2010

Account: AURGEO

CERTIFICATE WH10089478

Project: REC-10517-YK

P.O. No.:

This report is for 89 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30-JUN-2010.

The following have access to data associated with this certificate:

MIKE POWER
DAVE WHITE

JIM ROBINSON

GARY VIVIAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-TL42	Trace Level Au - 15 g AR	ICP-MS
ME-MS41	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: AURORA GEOSCIENCES LTD.
ATTN: DAVE WHITE
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 2 - A
Total # Pages: 4 (A - E)
Plus Appendix Pages
Finalized Date: 25-JUL-2010
Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	Method Analyte Units LOR	WEI-21	Au-TL42	ME-MS41	ME-MS41	MF-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
1823074		8.66	0.002	0.03	1.20	3.5	<0.2	<10	1470	0.82	0.39	4.05	0.03	37.3	8.9	13
1823075		5.77	0.002	0.03	1.19	4.2	<0.2	<10	840	0.94	0.30	3.90	0.02	40.3	8.7	15
1823076		7.38	0.002	0.03	1.13	4.5	<0.2	<10	620	1.10	0.25	3.96	0.03	43.2	7.1	12
1823077		3.14	0.002	0.04	1.17	3.8	<0.2	<10	190	1.02	0.25	4.48	0.01	41.4	7.0	12
1823078		6.39	0.002	0.06	1.18	3.6	<0.2	<10	390	1.12	0.43	4.22	0.01	36.0	7.4	12
1823079		5.61	0.001	0.06	1.22	3.1	<0.2	<10	100	0.98	0.34	4.46	0.01	38.1	8.1	12
1823080		0.09	0.323	2.68	1.76	48.9	0.9	<10	220	0.43	0.92	2.45	1.68	16.45	16.1	53
1823081		6.11	0.002	0.04	1.31	2.5	<0.2	<10	800	0.76	0.28	4.18	0.01	37.0	9.2	15
1823082		5.89	0.002	0.05	1.38	2.7	<0.2	<10	1150	0.82	0.40	4.17	0.01	43.1	10.2	17
1823083		7.15	0.002	0.05	1.28	3.0	<0.2	<10	580	1.04	0.36	4.11	0.02	36.6	8.5	14
1823084		6.70	0.002	0.08	1.19	4.5	<0.2	<10	280	1.01	0.39	4.22	0.01	36.9	7.7	13
1823085		8.31	0.002	0.07	1.13	4.1	<0.2	<10	310	1.07	0.42	3.84	0.01	35.1	7.0	12
1823086		2.81	0.002	0.07	1.06	3.7	<0.2	<10	470	1.00	0.36	3.79	0.01	33.8	6.7	12
1823087		7.26	0.002	0.06	1.29	3.8	<0.2	<10	730	1.27	0.32	3.68	0.01	41.6	7.0	14
1823088		7.18	0.002	0.07	1.55	4.0	<0.2	<10	380	1.08	0.28	3.82	0.01	50.6	9.3	18
1823089		6.90	0.002	0.04	1.24	3.2	<0.2	<10	880	1.13	0.17	4.24	0.02	53.4	7.4	16
1823090		0.74	0.001	0.04	0.20	7	<0.2	<10	20	0.22	0.02	>25.0	0.21	6.02	1.8	3
1823091		5.80	0.003	0.05	0.28	5.6	<0.2	<10	700	0.38	0.27	5.92	0.03	50.4	3.7	18
1823092		6.61	0.002	0.07	0.58	4.0	<0.2	<10	180	0.39	0.51	5.37	0.01	35.9	4.8	21
1823093		4.88	0.002	0.04	0.70	5.0	<0.2	<10	160	0.45	0.56	5.61	0.02	59.2	5.3	21
1823094		7.77	0.002	0.07	0.41	4.4	<0.2	<10	470	0.43	0.58	5.83	0.02	48.1	4.9	17
1823095		5.98	0.002	0.03	0.28	3.6	<0.2	<10	2090	0.41	0.34	5.57	0.02	37.7	3.6	16
1823096		5.73	0.002	0.03	0.46	3.9	<0.2	<10	300	0.40	0.30	5.59	0.02	44.4	4.5	18
1823097		6.48	0.001	0.04	0.80	4.3	<0.2	<10	370	0.47	0.64	4.92	0.03	35.5	6.2	22
1823098		6.03	0.002	0.04	0.39	4.9	<0.2	<10	400	0.47	0.41	6.25	0.04	29.8	4.5	14
1823099		6.23	0.001	0.05	1.49	4.1	<0.2	<10	1150	1.39	0.64	2.92	0.02	59.4	8.2	18
1823100		0.10	0.848	4.81	1.57	20.4	1.1	<10	80	0.29	2.22	0.77	2.27	9.44	11.8	40
1823101		7.37	0.004	0.05	1.28	3.9	<0.2	<10	1000	1.09	0.42	3.51	0.02	61.6	7.0	20
1823102		6.31	0.002	0.10	1.30	5.1	<0.2	<10	280	1.14	0.88	4.54	0.01	42.9	9.5	14
1823103		8.72	0.001	0.11	1.41	3.9	<0.2	10	1640	1.43	0.64	4.76	0.01	41.1	8.6	15
1823104		6.70	0.001	0.06	1.25	4.0	<0.2	10	130	1.29	0.34	4.62	0.01	43.4	7.1	13
1823105		7.95	0.001	0.05	1.32	3.6	<0.2	<10	490	1.23	0.18	4.57	0.01	48.7	7.0	15
1823106		2.79	0.001	0.05	1.36	3.3	<0.2	<10	520	1.28	0.18	4.49	0.01	49.1	7.2	15
1823107		7.17	0.001	0.07	0.65	5.0	<0.2	<10	360	0.43	0.64	6.38	0.03	49.8	6.3	18
1823108		6.11	0.001	0.03	0.40	4.0	<0.2	<10	550	0.25	0.36	6.32	0.02	47.0	4.4	19
1823109		6.40	<0.001	0.01	0.48	4.6	<0.2	<10	1180	0.27	0.44	5.71	0.03	30.1	5.2	17
1823110		1.00	0.001	0.02	0.17	9	<0.2	<10	<10	0.11	0.05	>25.0	0.19	5.94	1.6	2
1823111		6.60	0.001	0.01	0.48	3.8	<0.2	<10	770	0.30	0.50	5.28	0.04	38.4	4.4	19
1823112		6.49	0.001	0.03	0.37	3.8	<0.2	<10	600	0.24	0.48	5.51	0.03	62.7	4.2	22
1823113		6.58	0.001	0.02	0.14	3.3	<0.2	<10	400	0.22	0.33	6.90	0.04	22.6	4.0	16



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
 3506 MCDONALD DRIVE
 YELLOWKNIFE NT X1A 2H1

Page: 2 - B
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2010
 Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	MF-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	HI	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Units
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	LOR
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	
1823074		0.52	1.6	2.26	3.92	0.06	0.17	0.01	0.038	0.30	19.8	22.6	3.09	2560	0.20	0.04	
1823075		0.53	1.1	2.28	3.99	0.06	0.17	0.01	0.031	0.33	21.2	23.8	3.00	2350	0.20	0.04	
1823076		0.62	5.8	2.28	3.76	0.06	0.22	<0.01	0.033	0.37	22.4	19.1	2.71	2750	0.38	0.03	
1823077		0.58	6.9	2.39	3.92	0.06	0.26	0.01	0.040	0.36	21.4	19.6	2.98	3500	0.39	0.02	
1823078		0.64	7.3	2.29	3.90	0.05	0.30	0.01	0.044	0.38	18.8	20.7	2.87	3270	0.54	0.03	
1823079		0.58	3.1	2.43	4.04	0.06	0.28	<0.01	0.038	0.33	18.7	23.0	3.08	3600	0.49	0.02	
1823080		1.04	5070	4.72	6.13	0.11	0.23	0.24	0.113	0.21	8.4	15.3	1.09	752	51.6	0.10	
1823081		0.42	2.2	2.25	4.50	0.07	0.31	0.01	0.031	0.27	19.1	24.6	3.19	2980	0.38	0.01	
1823082		0.37	2.2	2.33	4.50	0.07	0.32	0.01	0.029	0.24	22.2	27.4	3.42	2770	0.50	0.01	
1823083		0.57	13.1	2.40	4.43	0.07	0.31	0.01	0.032	0.32	18.5	22.4	2.99	2900	0.48	0.01	
1823084		0.60	7.0	2.45	3.88	0.05	0.30	0.01	0.044	0.33	18.7	22.8	2.94	2960	0.85	0.02	
1823085		0.65	5.3	2.20	3.74	0.05	0.27	0.01	0.041	0.36	17.7	20.9	2.61	2320	0.51	0.02	
1823086		0.62	4.6	2.20	3.56	0.05	0.26	0.01	0.035	0.32	17.3	20.5	2.67	2430	0.47	0.02	
1823087		0.74	13.0	2.30	4.26	0.06	0.32	<0.01	0.034	0.42	20.8	23.9	2.67	2370	0.40	0.03	
1823088		0.60	2.6	2.49	4.87	0.07	0.28	0.01	0.030	0.33	26.0	32.9	3.26	2430	0.26	0.02	
1823089		0.69	2.2	2.35	4.27	0.07	0.22	0.01	0.035	0.36	27.4	22.4	3.10	2790	0.16	0.03	
1823090		0.10	8.1	0.42	0.51	<0.05	0.06	0.01	0.008	0.04	3.2	4.0	0.47	313	0.34	0.02	
1823091		0.08	6.0	1.84	1.97	0.06	0.17	0.01	0.041	0.16	25.5	3.4	3.40	3210	0.24	0.03	
1823092		0.17	4.3	2.04	4.44	0.06	0.26	<0.01	0.030	0.19	17.6	9.7	3.24	2610	0.26	0.02	
1823093		0.21	6.5	1.99	4.95	0.07	0.21	<0.01	0.026	0.19	25.6	13.1	3.27	2550	0.26	0.02	
1823094		0.18	7.3	1.79	2.84	0.06	0.28	<0.01	0.029	0.16	22.8	7.5	3.47	2900	0.29	0.03	
1823095		0.13	1.4	1.58	1.99	0.05	0.21	<0.01	0.025	0.14	18.2	4.8	3.26	2770	0.12	0.05	
1823096		0.15	3.6	1.75	3.00	0.06	0.19	<0.01	0.027	0.17	19.4	8.6	3.44	2680	0.14	0.03	
1823097		0.23	5.6	2.05	5.31	0.07	0.22	<0.01	0.030	0.23	18.1	15.9	3.32	2400	0.19	0.03	
1823098		0.16	4.6	1.94	2.38	0.05	0.18	<0.01	0.036	0.16	15.1	7.3	3.86	3310	0.18	0.03	
1823099		0.77	3.1	2.34	5.52	0.07	0.28	<0.01	0.028	0.43	34.9	30.5	2.64	1280	0.26	0.03	
1823100		0.46	>10000	3.77	5.51	0.10	0.20	0.11	0.121	0.14	4.8	12.1	0.69	413	205	0.11	
1823101		0.70	6.0	2.32	5.01	0.07	0.24	0.01	0.034	0.39	32.9	24.0	2.82	1560	0.33	0.04	
1823102		0.67	25.1	2.31	4.28	0.06	0.32	0.01	0.040	0.33	21.9	25.3	3.09	2460	0.77	0.02	
1823103		0.87	82.4	2.37	4.66	0.06	0.35	0.01	0.049	0.43	21.1	23.6	3.33	2870	0.49	0.04	
1823104		0.79	9.3	2.12	4.30	0.06	0.33	0.01	0.036	0.38	22.0	24.0	3.29	2470	0.36	0.03	
1823105		0.62	43.1	2.11	4.99	0.07	0.41	<0.01	0.036	0.38	25.2	20.1	3.20	2470	0.36	0.01	
1823106		0.64	43.9	2.15	5.08	0.06	0.41	<0.01	0.034	0.38	25.7	21.2	3.19	2460	0.23	0.01	
1823107		0.23	7.7	1.84	3.76	0.06	0.30	<0.01	0.036	0.21	23.7	8.5	3.70	3110	0.47	0.01	
1823108		0.12	2.7	1.58	2.60	0.07	0.27	<0.01	0.032	0.15	21.6	5.0	3.56	2780	0.28	0.01	
1823109		0.14	2.0	1.96	2.85	0.06	0.21	<0.01	0.031	0.16	14.0	6.3	3.41	2390	0.16	<0.01	
1823110		0.09	11.4	0.31	0.45	<0.05	0.06	<0.01	0.007	0.03	3.1	3.8	0.42	344	0.23	0.01	
1823111		0.13	1.1	1.84	3.20	0.08	0.18	<0.01	0.029	0.14	19.1	7.0	3.46	2080	0.12	0.02	
1823112		0.09	9.3	1.46	3.25	0.09	0.21	<0.01	0.031	0.14	27.4	4.5	3.37	2270	0.31	0.02	
1823113		0.05	4.6	1.28	1.24	0.06	0.12	<0.01	0.034	0.09	10.0	1.9	3.59	2340	0.16	0.01	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
 3506 MCDONALD DRIVE
 YELLOWKNIFE NT X1A 2H1

Page: 2 - C
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2010
 Account: AURGED

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	Nb	Ni	P	Pb	Rb	Ra	S	Sb	Sc	Su	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I823074		<0.05	17.9	610	2.8	15.1	0.001	0.05	0.56	4.2	0.2	0.4	45.8	<0.01	0.02	7.9
I823075		0.08	18.3	600	3.1	15.4	0.001	0.03	0.67	4.3	0.2	0.4	35.1	<0.01	0.02	8.3
I823076		<0.05	14.4	610	3.3	18.4	<0.001	0.03	0.70	4.5	0.2	0.4	26.2	<0.01	0.01	8.3
I823077		<0.05	14.2	610	2.0	17.6	0.001	0.04	0.43	4.8	0.2	0.4	18.4	<0.01	0.01	8.3
I823078		<0.05	14.4	570	2.1	18.5	<0.001	0.09	0.48	4.8	0.2	0.4	19.8	<0.01	0.01	7.4
I823079		<0.05	15.6	590	1.8	16.2	0.001	0.08	0.39	4.3	0.2	0.4	14.9	<0.01	0.01	7.2
I823080		0.18	78.1	900	43.4	11.6	0.183	1.52	7.05	7.1	4.3	2.1	87.4	<0.01	0.27	1.6
I823081		<0.05	19.0	850	1.6	12.3	0.001	0.15	0.31	4.1	0.4	0.3	26.3	<0.01	0.02	8.3
I823082		<0.05	20.3	760	1.9	10.9	0.001	0.18	0.29	4.0	0.4	0.3	32.8	<0.01	0.02	11.4
I823083		0.05	15.4	620	1.8	15.1	0.001	0.16	0.42	4.7	0.3	0.4	16.7	<0.01	0.01	8.0
I823084		<0.05	14.6	620	2.1	17.1	0.001	0.09	0.46	4.3	0.2	0.4	16.8	<0.01	0.02	8.2
I823085		<0.05	13.0	600	2.2	18.4	0.001	0.10	0.48	4.2	0.2	0.4	15.7	<0.01	0.01	7.0
I823086		<0.05	12.7	590	2.0	18.5	0.001	0.10	0.45	4.1	0.2	0.4	18.7	<0.01	0.01	8.8
I823087		<0.05	14.6	640	2.2	20.9	0.001	0.07	0.54	4.8	0.2	0.5	18.4	0.01	0.01	7.9
I823088		<0.05	21.5	670	2.2	16.7	0.001	0.02	0.48	4.1	0.2	0.4	21.9	<0.01	0.02	9.3
I823089		0.06	16.0	640	2.9	19.0	0.001	0.05	0.75	4.8	0.2	0.5	28.3	0.01	0.02	9.5
I823090		0.12	5.5	280	4.9	1.6	<0.001	0.17	0.16	1.8	0.2	<0.2	484	<0.01	0.01	0.8
I823091		0.13	5.1	570	2.2	4.0	0.001	0.04	0.48	7.0	0.2	0.4	36.8	<0.01	0.02	8.9
I823092		0.06	15.0	620	1.9	8.5	0.001	0.02	0.33	7.2	0.2	0.4	19.3	<0.01	0.02	10.2
I823093		0.06	18.6	670	2.4	7.4	<0.001	0.02	0.52	6.1	0.2	0.4	29.0	<0.01	0.01	11.4
I823094		0.09	10.7	670	2.7	5.9	0.001	0.03	0.58	5.9	0.2	0.4	25.1	<0.01	0.01	12.5
I823095		0.09	6.0	640	2.4	4.5	0.001	0.07	0.49	5.7	<0.2	0.3	41.4	<0.01	0.01	11.2
I823096		0.08	10.5	670	2.3	5.7	<0.001	0.02	0.55	5.5	0.2	0.3	24.1	<0.01	0.01	12.0
I823097		0.07	20.0	640	2.8	7.9	<0.001	0.02	0.71	5.5	0.2	0.4	24.0	<0.01	0.01	10.7
I823098		0.11	9.5	590	2.9	5.5	0.001	0.02	0.77	5.6	0.2	0.3	27.8	<0.01	0.01	9.7
I823099		<0.05	23.2	710	2.1	20.5	0.001	0.08	0.71	4.6	0.2	0.6	27.4	<0.01	0.02	10.2
I823100		0.29	31.3	550	39.8	6.5	1.215	1.76	22.3	5.2	4.7	0.6	42.1	0.01	0.63	1.2
I823101		<0.05	19.7	890	2.8	18.2	0.003	0.04	0.75	5.3	0.2	0.6	30.3	<0.01	0.02	10.3
I823102		<0.05	18.9	630	2.2	17.0	0.001	0.12	0.50	4.5	0.4	0.4	18.5	<0.01	0.03	8.1
I823103		<0.05	15.8	600	2.0	21.8	0.001	0.13	0.53	5.1	0.3	0.5	35.7	0.01	0.01	8.6
I823104		<0.05	15.9	580	1.7	18.3	0.001	0.07	0.45	4.7	0.2	0.4	15.8	<0.01	0.01	8.4
I823105		0.14	15.4	660	1.9	18.0	0.001	0.08	0.38	4.9	0.3	0.5	20.2	<0.01	0.01	8.2
I823106		0.16	15.8	640	1.6	18.1	0.001	0.06	0.40	4.7	0.3	0.5	20.1	<0.01	0.02	8.1
I823107		0.17	10.3	630	1.9	7.3	0.001	0.09	0.32	5.4	0.3	0.3	28.2	<0.01	0.01	9.2
I823108		0.19	5.5	680	1.6	4.4	<0.001	0.04	0.37	4.9	0.3	0.3	32.2	<0.01	0.01	10.3
I823109		0.22	7.2	690	2.5	4.8	<0.001	0.03	0.79	4.5	0.2	0.4	37.2	<0.01	0.01	9.9
I823110		0.21	2.6	210	8.2	1.1	0.001	0.10	0.13	1.5	0.3	<0.2	485	<0.01	0.03	0.5
I823111		0.15	7.9	620	3.0	3.9	<0.001	0.02	0.80	5.9	0.4	0.3	34.2	<0.01	0.02	10.6
I823112		0.14	5.5	650	2.1	3.3	0.001	0.04	0.54	6.6	0.4	0.3	30.2	<0.01	0.01	11.8
I823113		0.19	2.6	580	2.4	1.8	0.001	0.03	0.68	4.9	0.4	0.2	41.1	<0.01	<0.01	9.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 2 - D

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG48	Au-ICP21	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08
	Analyte	Ti	Ti	U	V	W	Y	Zn	Zr	Cu	Au	SiO2	Al2O3	Fe2O3	CaO	MgO
Units		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%	%	%	%
LOA		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.001	0.01	0.01	0.01	0.01	0.01
I823074		0.011	0.04	1.29	15	0.10	9.85	45	6.3							
I823075		0.013	0.04	1.27	15	0.14	9.83	47	6.2							
I823076		0.010	0.05	1.37	16	0.13	10.40	41	8.2							
I823077		0.007	0.06	1.15	16	0.10	11.00	35	11.0							
I823078		0.008	0.08	1.25	16	0.10	10.80	34	11.6							
I823079		0.005	0.07	1.08	16	0.07	10.90	42	11.8							
I823080		0.068	0.23	0.63	76	2.31	11.75	198	6.7			57.34	9.17	4.06	5.92	5.62
I823081		0.005	0.07	0.99	15	0.06	10.90	40	12.2							
I823082		0.005	0.06	1.13	16	0.08	11.55	42	12.6							
I823083		0.008	0.08	1.07	18	0.12	11.10	36	11.4							
I823084		0.008	0.10	1.17	17	0.13	11.30	37	11.9							
I823085		0.006	0.08	1.01	17	0.12	9.85	33	10.8							
I823086		0.008	0.08	0.99	16	0.10	9.78	32	10.3							
I823087		0.007	0.08	1.19	19	0.11	10.95	35	12.5							
I823088		0.008	0.05	1.49	17	0.10	11.25	52	11.0							
I823089		0.011	0.05	1.39	19	0.12	11.35	46	7.8							
I823090		<0.005	0.02	1.56	5	<0.05	3.38	25	2.4							
I823091		0.009	0.02	1.67	20	0.17	10.95	22	6.3							
I823092		0.007	0.02	1.53	24	0.11	9.62	29	9.9							
I823093		0.008	0.03	1.15	27	0.11	9.77	38	7.1							
I823094		0.009	0.02	2.38	21	0.13	10.25	26	9.0							
I823095		0.008	0.02	1.43	19	0.11	9.65	22	7.3							
I823096		0.008	0.02	1.07	21	0.11	10.90	33	7.7							
I823097		0.011	0.03	1.10	26	0.11	10.15	51	8.4							
I823098		0.012	0.02	1.29	18	0.14	12.10	38	6.2							
I823099		0.009	0.07	1.74	20	0.11	10.75	49	10.9							
I823100		0.125	0.10	0.36	57	4.51	7.47	148	6.1	1.245	0.960					
I823101		0.012	0.05	1.39	22	0.14	11.40	52	8.5							
I823102		0.005	0.08	1.37	15	0.09	12.65	42	13.1							
I823103		0.006	0.08	1.70	17	0.06	13.80	42	14.6			52.43	11.03	4.31	8.97	6.17
I823104		0.005	0.09	1.27	15	0.07	12.25	39	13.3							
I823105		0.008	0.07	1.58	16	0.06	13.55	44	15.8							
I823106		0.005	0.08	1.28	17	0.05	13.20	44	15.4							
I823107		0.005	0.05	0.94	20	0.08	11.75	33	10.7							
I823108		0.006	0.02	0.72	21	0.08	10.75	28	9.7							
I823109		0.014	0.02	0.97	20	0.15	10.15	37	7.0							
I823110		<0.005	<0.02	1.17	3	<0.05	3.25	18	2.4							
I823111		0.012	<0.02	1.22	26	0.10	10.30	40	6.3							
I823112		0.006	0.02	1.00	25	0.08	10.80	26	7.1							
I823113		0.007	0.02	0.88	18	0.09	11.55	25	4.1			51.00	6.91	2.07	11.31	8.28



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 2 - E

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	Method Analyte Units LOR	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	
		Na2O %	K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %
I823074 I823075 I823076 I823077 I823078		0.01	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01
I823079 I823080 I823081 I823082 I823083		0.04	4.54	<0.01	0.52	0.39	0.143	0.01	0.13	10.45	96.33
I823084 I823085 I823086 I823087 I823088											
I823089 I823090 I823091 I823092 I823093											
I823094 I823095 I823096 I823097 I823098											
I823099 I823100 I823101 I823102 I823103		0.04	5.31	0.01	0.54	0.39	0.134	0.01	0.26	12.10	99.70
I823104 I823105 I823106 I823107 I823108											
I823109 I823110 I823111 I823112 I823113		0.10	5.66	<0.01	0.42	0.33	0.131	0.01	0.06	15.80	100.10

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 3 - A

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	Method Analyte Units LOR	WEI-21	Au-TL42	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cr ppm	Cr ppm
I823114		7.07	0.001	0.02	1.24	3.2	<0.2	<10	1450	0.97	0.41	5.10	0.03	108.5	8.3	17	
I823115		6.88	0.001	0.05	1.24	4.8	<0.2	<10	560	1.01	0.78	5.02	0.03	106.0	9.5	16	
I823116		6.27	0.001	0.05	0.94	4.6	<0.2	<10	1550	0.58	0.56	5.41	0.02	71.4	9.6	19	
I823117		7.12	0.001	0.13	1.15	18.3	<0.2	<10	150	0.83	1.12	4.40	0.02	65.1	15.1	25	
I823118		6.49	0.001	0.15	1.08	11.9	<0.2	<10	170	0.62	0.83	4.36	0.02	76.7	6.2	22	
I823119		6.16	0.001	0.12	0.27	11.8	<0.2	<10	120	0.27	1.37	6.72	0.05	51.6	5.4	15	
I823120		0.07	0.362	2.74	1.69	54.2	0.5	<10	150	0.30	1.00	2.45	1.88	16.05	18.9	53	
I823121		2.99	0.001	0.15	0.40	11.1	<0.2	<10	50	0.22	4.71	5.63	0.08	82.3	7.1	27	
I823122		5.00	0.001	0.15	0.19	7.1	<0.2	<10	1970	0.19	3.39	7.50	0.04	50.3	4.9	15	
I823123		2.39	<0.001	0.47	0.09	73.8	<0.2	<10	50	0.17	0.26	7.44	0.38	27.6	4.7	11	
I823124		2.24	<0.001	0.34	0.10	95.9	<0.2	<10	30	0.14	1.04	7.24	0.32	31.9	6.1	12	
I823125		1.85	<0.001	0.39	0.09	74.9	<0.2	<10	40	0.14	0.37	7.54	0.16	28.5	4.5	14	
I823126		1.32	0.001	0.37	0.11	24.9	<0.2	<10	60	0.16	0.35	7.51	0.07	29.0	4.5	14	
I823127		0.90	<0.001	0.29	0.10	19.8	<0.2	<10	20	0.19	0.35	7.74	0.06	29.9	4.6	14	
I823128		4.64	0.001	0.08	0.13	7.9	<0.2	<10	30	0.20	0.96	6.19	0.02	31.1	2.7	13	
I823129		3.23	0.001	0.13	0.10	7.0	<0.2	<10	60	0.13	1.11	6.56	0.02	25.4	3.5	13	
I823130		0.98	<0.001	0.01	0.21	6	<0.2	<10	10	0.07	0.02	>25.0	0.23	5.25	1.7	3	
I823131		3.18	<0.001	0.16	0.11	20.0	<0.2	<10	110	0.20	1.69	6.79	0.05	21.4	5.3	12	
I823132		3.31	0.001	0.31	0.13	44.9	<0.2	<10	50	0.17	3.60	6.91	0.25	21.0	6.3	14	
I823133		6.42	0.001	0.21	0.25	65.8	<0.2	<10	20	0.19	1.07	8.00	0.08	36.3	10.1	20	
I823134		6.41	0.001	0.09	0.92	14.0	<0.2	<10	30	0.56	1.22	5.98	0.01	34.3	9.6	22	
I823135		6.31	0.002	0.12	1.34	5.3	<0.2	<10	90	1.27	1.07	4.69	0.02	43.9	10.4	17	
I823136		6.60	0.001	0.04	1.25	4.2	<0.2	<10	190	1.36	0.31	3.87	0.01	52.1	5.4	16	
I823137		7.13	0.001	0.07	0.92	4.2	<0.2	<10	40	0.79	0.82	5.15	0.01	37.1	6.0	15	
I823138		6.47	0.002	0.03	0.93	4.0	<0.2	<10	570	0.74	0.54	5.58	0.03	43.4	7.5	16	
I823139		7.63	0.001	0.15	1.52	14.6	<0.2	<10	300	1.57	1.36	4.65	0.01	51.2	12.2	17	
I823140		0.10	0.763	4.78	1.60	21.7	1.0	<10	90	0.18	1.98	0.81	1.95	7.93	12.2	42	
I823141		5.35	0.006	0.12	1.23	12.0	<0.2	<10	40	1.55	1.11	4.09	0.02	54.4	8.7	14	
I823142		6.78	0.001	0.09	1.25	15.6	<0.2	<10	40	1.30	0.68	4.23	0.02	70.6	7.9	14	
I823143		6.82	0.001	0.08	0.92	5.8	<0.2	<10	90	0.95	0.54	4.61	0.01	42.3	6.4	13	
I823144		6.10	0.001	0.09	0.90	5.9	<0.2	<10	20	0.63	0.47	4.87	0.02	47.0	7.5	16	
I823145		6.83	<0.001	0.06	0.85	5.7	<0.2	<10	20	0.73	0.40	4.82	0.03	51.8	6.0	15	
I823146		3.16	<0.001	0.06	0.88	5.7	<0.2	<10	20	0.76	0.40	4.64	0.02	51.0	6.1	16	
I823147		7.03	0.001	0.08	1.14	5.2	<0.2	<10	20	1.08	0.34	4.43	0.02	41.3	7.3	14	
I823148		7.08	0.001	0.09	1.23	4.9	<0.2	<10	20	1.27	0.31	4.28	0.02	40.6	7.9	14	
I823149		7.43	0.001	0.11	1.24	4.8	<0.2	<10	1500	1.45	0.46	4.01	0.02	40.1	11.2	14	
I823150		0.85	<0.001	0.02	0.33	11	<0.2	<10	40	0.11	0.03	>25.0	0.21	8.04	1.9	3	
I823151		6.61	<0.001	0.06	1.07	5.1	<0.2	<10	300	1.00	0.28	4.28	0.02	46.3	8.4	15	
I823152		6.88	<0.001	0.01	0.92	4.4	<0.2	<10	1460	0.88	0.59	4.75	0.03	49.1	7.7	15	
I823153		6.46	<0.001	0.04	0.85	4.0	<0.2	<10	530	0.66	0.56	5.51	0.02	42.5	6.0	13	



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
 3506 MCDONALD DRIVE
 YELLOWKNIFE NT X1A 2H1

Page: 3 - B
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2010
 Account: AURGE0

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.006	0.01	0.2	0.1	0.01	5	0.05	0.01
I823114		0.54	1.8	2.15	5.05	0.07	0.25	<0.01	0.035	0.31	30.5	19.0	3.70	2330	0.25	<0.01
I823115		0.49	8.5	2.46	5.15	0.11	0.28	<0.01	0.103	0.25	29.1	22.3	3.79	2410	0.55	0.02
I823116		0.38	12.2	1.88	5.09	0.11	0.25	<0.01	0.035	0.19	27.4	17.8	3.89	2620	0.82	0.02
I823117		0.48	32.8	2.04	7.30	0.11	0.43	0.01	0.032	0.21	29.8	23.6	3.51	2080	0.70	0.01
I823118		0.52	170.5	1.99	6.27	0.12	0.42	0.01	0.047	0.20	38.7	21.3	3.26	2040	0.30	0.01
I823119		0.10	72.8	1.38	2.21	0.08	0.19	0.01	0.045	0.11	22.1	3.6	4.03	2770	0.99	0.02
I823120		0.86	5060	4.55	5.70	0.10	0.22	0.24	0.105	0.19	8.0	12.9	1.08	729	51.8	0.08
I823121		0.07	80.8	1.40	4.27	0.13	0.27	0.01	0.031	0.11	34.5	5.2	3.42	2160	0.95	0.01
I823122		0.06	148.0	1.42	1.70	0.07	0.21	0.01	0.040	0.11	20.9	2.0	4.14	2830	6.17	<0.01
I823123		<0.05	1190	1.13	0.60	<0.05	0.15	0.14	0.045	0.11	11.3	0.8	4.08	2440	0.52	0.01
I823124		<0.05	782	1.14	0.70	0.05	0.18	0.09	0.043	0.12	12.8	0.8	3.97	2290	5.59	0.01
I823125		<0.05	1270	1.12	0.63	<0.05	0.19	0.06	0.035	0.10	11.8	0.9	4.15	2330	0.25	0.01
I823126		<0.05	825	1.04	0.72	0.05	0.28	0.02	0.038	0.12	11.8	1.0	4.17	2270	0.22	0.01
I823127		<0.05	623	1.08	0.70	0.05	0.18	0.05	0.036	0.10	12.2	1.0	4.29	2350	0.18	0.01
I823128		0.05	39.3	0.93	0.88	<0.05	0.20	0.01	0.024	0.14	12.3	1.0	3.24	2110	1.64	0.01
I823129		<0.05	294	0.94	0.63	<0.05	0.25	<0.01	0.026	0.12	10.6	0.8	3.47	2250	1.92	0.01
I823130		0.09	12.3	0.32	0.51	<0.05	0.08	<0.01	0.007	0.03	2.9	3.5	0.49	281	0.22	0.01
I823131		<0.05	83.7	0.90	0.77	<0.05	0.22	0.01	0.024	0.12	9.7	1.2	3.64	2180	2.54	0.01
I823132		0.05	148.0	1.04	1.17	0.06	0.22	0.08	0.028	0.12	9.3	1.5	3.68	2410	2.69	0.01
I823133		0.06	117.0	1.34	2.49	0.06	0.17	0.01	0.027	0.10	16.4	3.4	3.29	2420	0.80	0.01
I823134		0.31	8.0	2.15	5.81	0.06	0.37	0.01	0.038	0.22	14.7	16.1	3.74	2930	0.74	0.01
I823135		0.56	5.8	2.42	5.45	0.07	0.39	0.02	0.040	0.35	25.0	21.0	3.31	2450	0.59	0.01
I823136		0.63	3.5	2.53	5.07	0.07	0.42	0.01	0.037	0.37	27.2	19.4	2.71	2260	0.81	0.01
I823137		0.33	3.5	2.08	3.58	0.06	0.43	0.01	0.056	0.28	18.6	14.1	3.18	2670	0.60	0.01
I823138		0.35	3.5	1.95	3.85	0.06	0.31	0.01	0.063	0.26	21.5	15.5	3.55	2770	0.32	0.01
I823139		0.74	5.2	2.63	5.89	0.07	0.41	0.02	0.062	0.41	28.7	22.4	3.38	2590	1.47	0.01
I823140		0.39	>10000	3.72	5.40	0.12	0.20	0.12	0.109	0.15	4.0	9.8	0.70	424	213	0.09
I823141		0.68	3.2	2.36	4.82	0.09	0.43	0.02	0.048	0.32	27.1	20.6	2.97	2250	3.28	0.02
I823142		0.84	4.4	2.47	4.93	0.11	0.48	0.01	0.068	0.30	36.1	21.5	3.19	2490	1.44	0.02
I823143		0.42	3.2	1.97	3.59	0.07	0.49	0.01	0.062	0.24	19.8	18.5	3.04	2510	0.72	0.02
I823144		0.31	8.3	1.90	3.60	0.08	0.46	0.01	0.074	0.21	21.3	18.2	3.43	2670	0.95	0.02
I823145		0.34	2.1	1.72	3.48	0.08	0.45	0.01	0.078	0.20	24.4	19.0	3.38	2550	1.64	0.02
I823146		0.35	1.9	1.73	3.61	0.08	0.47	0.01	0.076	0.19	24.1	20.8	3.30	2430	1.39	0.02
I823147		0.50	2.7	1.88	4.43	0.07	0.39	0.01	0.073	0.25	20.0	26.1	3.30	2230	0.66	0.02
I823148		0.81	11.3	1.93	4.76	0.07	0.40	0.01	0.043	0.28	20.5	27.1	3.25	2240	0.88	0.02
I823149		0.68	5.9	1.84	4.87	0.07	0.43	0.01	0.036	0.29	19.6	29.6	3.15	2050	1.25	0.03
I823150		0.12	9.6	0.51	0.78	<0.05	0.09	0.02	0.011	0.08	4.2	7.2	0.53	301	0.35	0.02
I823151		0.47	5.4	1.70	4.37	0.07	0.44	0.01	0.045	0.24	22.4	27.5	3.25	2240	0.62	0.02
I823152		0.33	4.3	1.93	3.77	0.08	0.25	0.01	0.054	0.19	23.8	23.0	3.61	2320	0.19	0.03
I823153		0.33	33.6	1.58	3.46	0.06	0.25	0.01	0.045	0.19	19.1	22.3	3.42	2460	0.88	0.02

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex
 EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
 3506 MCDONALD DRIVE
 YELLOWKNIFE NT X1A 2H1

Page: 3 - C
 Total # Pages: 4 (A - E)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2010
 Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm	Th ppm
I823114	0.18	13.9	650	2.5	15.2	0.001	0.04	0.65	4.3	0.3	0.4	40.6	<0.01	0.01	9.7
I823115	0.12	15.8	610	2.3	12.8	0.001	0.10	0.67	4.9	0.5	0.4	34.5	<0.01	0.01	10.2
I823116	0.12	13.1	610	1.9	8.6	0.001	0.06	0.30	5.2	0.4	0.4	37.1	<0.01	0.01	10.3
I823117	0.10	19.4	720	3.8	9.3	<0.001	0.18	0.66	6.4	0.5	0.8	15.3	<0.01	0.01	12.6
I823118	0.11	15.2	670	3.2	9.3	0.001	0.10	0.83	5.2	0.4	0.5	14.8	<0.01	0.01	10.8
I823119	0.13	5.6	560	3.9	2.9	<0.001	0.09	0.85	5.0	0.4	0.2	20.3	<0.01	0.01	9.2
I823120	0.20	72.4	900	45.7	9.5	0.166	1.45	6.47	7.2	4.8	2.1	88.3	<0.01	0.27	1.5
I823121	0.13	9.2	600	3.6	2.3	0.001	0.06	0.41	7.2	0.5	0.2	19.1	<0.01	0.01	11.4
I823122	0.18	3.5	560	4.0	2.1	0.001	0.20	0.44	4.6	0.2	0.2	41.2	<0.01	0.01	8.7
I823123	0.17	5.9	660	2.2	1.8	<0.001	0.21	0.46	4.2	0.2	0.2	22.3	<0.01	0.01	9.1
I823124	0.17	4.9	670	7.2	2.0	<0.001	0.25	0.43	4.5	0.3	<0.2	24.1	<0.01	0.01	10.0
I823125	0.16	3.4	790	3.4	1.6	<0.001	0.22	0.46	4.1	0.3	0.9	21.8	<0.01	0.01	12.5
I823126	0.16	3.4	770	3.0	1.9	<0.001	0.13	0.37	4.4	0.3	0.2	23.8	<0.01	0.01	12.2
I823127	0.17	3.4	760	2.9	1.7	0.001	0.11	0.47	4.5	0.3	0.2	24.0	<0.01	0.01	11.6
I823128	0.17	1.7	580	2.0	2.2	<0.001	0.01	0.32	4.5	0.3	<0.2	19.3	<0.01	0.01	8.3
I823129	0.16	1.4	700	1.8	2.0	<0.001	0.03	0.56	4.0	0.3	<0.2	21.5	<0.01	0.01	10.1
I823130	0.23	1.1	250	4.5	1.1	<0.001	0.09	0.11	1.5	0.4	<0.2	528	<0.01	0.02	0.4
I823131	0.16	2.5	630	5.0	1.9	0.001	0.02	2.01	4.5	0.3	<0.2	22.7	<0.01	0.01	9.3
I823132	0.17	7.3	610	6.9	2.1	<0.001	0.08	0.31	4.9	0.4	0.2	20.0	<0.01	0.01	8.7
I823133	0.16	6.2	580	5.6	2.0	<0.001	0.19	0.59	5.6	0.3	0.2	50.3	<0.01	0.01	7.7
I823134	0.17	13.1	610	1.8	7.9	0.001	0.20	0.61	5.7	0.3	0.4	16.0	<0.01	0.02	9.0
I823135	0.16	14.9	640	2.2	16.1	0.001	0.12	0.50	5.1	0.5	0.5	17.3	<0.01	0.02	8.3
I823136	0.17	9.5	720	1.8	16.9	0.002	0.07	0.66	4.4	0.3	0.5	14.5	<0.01	0.01	9.7
I823137	0.17	6.8	710	1.6	10.4	0.001	0.11	0.34	3.7	0.3	0.3	14.6	<0.01	0.01	8.0
I823138	0.18	7.6	770	2.8	10.9	<0.001	0.04	0.68	4.3	0.3	0.3	29.0	<0.01	0.02	9.3
I823139	0.16	13.0	650	2.8	19.6	0.003	0.24	0.85	5.1	0.3	0.6	17.1	<0.01	0.02	8.7
I823140	0.34	26.6	570	37.5	5.6	1.275	1.79	19.20	4.6	5.2	0.6	43.6	<0.01	0.60	1.0
I823141	0.09	9.1	660	2.6	16.5	0.002	0.20	0.67	5.0	0.5	0.4	12.8	<0.01	0.02	9.8
I823142	0.10	9.4	660	2.0	16.2	0.001	0.13	0.84	4.8	0.5	0.4	13.5	<0.01	0.01	9.5
I823143	0.09	6.8	700	1.9	12.2	<0.001	0.10	0.43	4.1	0.4	0.3	15.3	<0.01	0.02	10.0
I823144	0.09	9.2	810	13.8	9.5	0.001	0.13	0.43	4.1	0.4	0.3	14.6	<0.01	0.01	12.7
I823145	0.09	9.3	800	2.5	8.4	0.003	0.10	0.38	4.0	0.4	0.3	14.6	<0.01	0.01	11.3
I823146	0.09	10.2	820	2.3	9.3	0.003	0.10	0.39	4.1	0.4	0.3	14.5	<0.01	0.01	12.1
I823147	0.09	11.8	670	2.2	12.7	0.001	0.10	0.44	4.0	0.3	0.4	14.1	<0.01	0.01	9.2
I823148	0.08	12.7	620	2.3	14.9	<0.001	0.11	0.44	4.2	0.4	0.4	13.7	<0.01	0.01	8.5
I823149	0.08	12.9	680	2.1	15.7	0.001	0.18	0.44	4.5	0.3	0.4	28.2	<0.01	<0.01	8.9
I823150	0.15	0.4	360	5.4	2.1	<0.001	0.21	0.19	2.0	0.3	<0.2	563	<0.01	0.02	0.6
I823151	0.09	12.3	710	1.7	12.0	<0.001	0.08	0.37	4.1	0.4	0.3	24.9	<0.01	0.01	9.4
I823152	0.11	11.4	730	2.8	9.1	<0.001	0.05	0.59	3.8	0.4	0.3	47.3	<0.01	0.01	8.7
I823153	0.10	10.5	650	1.6	9.0	<0.001	0.04	0.46	3.6	0.4	0.3	43.0	<0.01	0.01	8.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0216 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 3 - D
Total # Pages: 4 (A - E)
Plus Appendix Pages
Finalized Date: 25-JUL-2010
Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46	Au-ICP21	ME-XRF08	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Cu %	Au ppm	SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.001	0.01	0.01	0.01	0.01	0.01
1823114		0.011	0.05	1.56	19	0.08	12.80	66	8.5							
1823115		0.009	0.05	1.49	18	0.09	13.10	58	9.5							
1823116		0.005	0.04	0.80	22	0.05	11.45	38	8.3							
1823117		<0.005	0.16	1.44	31	<0.05	10.95	43	15.7							
1823118		0.005	0.15	2.32	38	<0.05	10.80	44	14.7							
1823119		<0.005	0.08	1.10	19	0.06	10.80	32	6.4							
1823120		0.059	0.23	0.78	75	2.44	11.85	182	6.2							
1823121		<0.005	0.14	1.82	32	0.09	10.65	35	8.8							
1823122		<0.005	0.05	0.87	24	0.05	12.35	23	8.7							
1823123		<0.005	<0.02	0.44	12	<0.05	12.20	237	4.5							
1823124		<0.005	0.28	0.56	14	<0.05	13.55	168	5.7							
1823125		<0.005	<0.02	0.54	15	0.05	12.90	90	5.7							
1823126		<0.005	<0.02	0.61	15	<0.05	14.00	34	9.2							
1823127		<0.005	<0.02	0.60	15	<0.05	13.75	33	5.9							
1823128		<0.005	0.07	0.58	16	<0.05	10.60	12	6.3			55.76	7.59	1.39	6.72	5.31
1823129		<0.005	0.06	0.89	15	<0.05	11.80	9	8.2							
1823130		<0.005	<0.02	1.26	2	<0.05	3.17	23	2.6							
1823131		<0.005	0.09	0.63	15	<0.05	12.00	17	7.3							
1823132		<0.005	0.06	0.71	17	<0.05	11.55	144	7.5							
1823133		<0.005	0.13	1.27	23	<0.05	8.80	25	5.8							
1823134		<0.005	0.07	1.46	28	0.09	12.10	34	13.0							
1823135		0.007	0.07	3.17	18	0.05	12.80	43	14.8							
1823136		0.008	0.05	1.45	19	0.13	11.95	36	15.2							
1823137		0.005	0.05	1.49	14	<0.05	12.50	30	15.5							
1823138		0.009	0.04	1.54	16	0.08	13.25	47	11.9							
1823139		0.006	0.09	1.70	22	0.07	13.50	45	15.6							
1823140		0.127	0.09	0.31	59	4.59	7.07	148	5.7	1.290	0.868					
1823141		0.005	0.07	1.52	17	0.05	12.70	33	16.5							
1823142		0.005	0.09	1.69	20	0.06	13.40	34	17.5			54.14	9.89	4.50	6.67	5.89
1823143		<0.005	0.05	2.09	13	0.06	13.00	28	19.5							
1823144		<0.005	0.05	1.88	15	<0.05	13.95	30	17.3							
1823145		<0.005	0.05	1.88	14	<0.05	13.85	31	16.5							
1823146		<0.005	0.05	1.88	15	<0.05	13.85	32	17.0							
1823147		<0.005	0.05	1.35	16	<0.05	11.80	39	14.3							
1823148		<0.005	0.06	1.45	16	<0.05	11.30	39	15.4							
1823149		<0.005	0.06	1.44	16	<0.05	11.50	38	16.0							
1823150		<0.005	<0.02	0.90	4	<0.05	4.27	29	3.5							
1823151		<0.005	0.05	1.32	16	<0.05	12.15	34	16.4							
1823152		0.009	0.03	1.26	17	0.06	12.25	43	9.3			55.32	7.81	3.12	7.54	6.16
1823153		<0.005	0.03	1.32	17	<0.05	12.80	32	9.1							



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 3 - E

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGE0

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	Method Analyte Units LOR	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
		Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
		%	%	%	%	%	%	%	%	%	%
I823114 I823115 I823116 I823117 I823118		0.01	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01
I823119 I823120 I823121 I823122 I823123											
I823124 I823125 I823126 I823127 I823128		0.09	6.36	0.01	0.38	0.27	0.123	0.01	0.04	13.25	99.29
I823129 I823130 I823131 I823132 I823133											
I823134 I823135 I823136 I823137 I823138											
I823139 I823140 I823141 I823142 I823143		0.04	4.93	0.01	0.55	0.35	0.153	0.01	0.04	11.65	98.82
I823144 I823145 I823146 I823147 I823148											
I823149 I823150 I823151 I823152 I823153		0.08	4.53	0.01	0.55	0.32	0.182	0.01	0.23	12.45	98.28



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 4 - A

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	Method Analyte Units LOR	WEI-21	Au-FL42	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Recvd WL	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Co	Co	Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I823154		6.73	<0.001	0.01	1.03	4.2	<0.2	<10	1290	1.08	0.48	4.59	0.03	54.6	9.3	13
I823155		6.65	<0.001	0.01	1.17	2.1	<0.2	<10	510	1.69	0.24	4.17	0.02	58.4	8.2	13
I823156		7.42	<0.001	0.04	0.89	4.5	<0.2	<10	580	0.78	0.47	5.14	0.02	37.2	7.5	15
I823157		7.18	<0.001	0.08	1.01	5.3	<0.2	<10	130	1.52	0.64	3.97	0.02	35.5	9.0	12
I823158		6.63	0.001	0.03	1.15	2.6	<0.2	<10	20	1.08	0.09	4.00	0.01	29.8	5.5	12
I823159		7.19	<0.001	0.25	0.99	8.5	<0.2	<10	30	1.16	1.76	4.64	0.03	31.2	11.1	12
I823160		0.12	0.356	2.56	1.71	53.9	0.3	<10	180	0.36	0.83	2.40	1.79	17.10	15.8	51
I823161		6.96	0.002	0.12	1.12	7.4	<0.2	<10	30	1.79	0.64	4.17	0.02	33.0	7.3	13
I823162		6.41	0.001	0.10	0.85	7.7	<0.2	<10	430	1.16	0.39	4.57	0.02	35.4	6.7	10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 4 - B
Total # Pages: 4 (A - E)
Plus Appendix Pages
Finalized Date: 25-JUL-2010
Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Pb	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I823154		0.54	1.7	1.81	4.06	0.08	0.25	<0.01	0.033	0.25	24.7	25.6	3.45	2130	0.21	0.03
I823155		0.82	0.9	1.71	4.45	0.08	0.26	<0.01	0.034	0.31	25.1	26.4	3.16	2200	0.06	0.02
I823156		0.33	3.2	1.70	3.30	0.07	0.29	0.01	0.033	0.18	14.3	21.1	3.60	2640	0.18	0.02
I823157		0.69	4.8	1.58	3.82	0.07	0.33	0.01	0.032	0.28	14.6	24.1	3.00	2050	0.51	0.02
I823158		0.51	2.3	1.75	4.24	0.07	0.23	<0.01	0.026	0.21	11.9	28.9	3.28	2020	0.14	0.02
I823159		0.56	8.9	1.73	3.69	0.07	0.31	0.01	0.034	0.25	11.8	23.6	3.43	2350	2.03	0.02
I823160		0.97	4880	4.59	5.92	0.12	0.21	0.23	0.100	0.20	8.5	18.5	1.09	725	50.0	0.09
I823161		0.89	2.8	1.67	3.95	0.09	0.31	0.01	0.032	0.36	12.5	18.1	2.98	2210	0.45	0.02
I823162		0.49	8.8	1.67	3.29	0.07	0.33	0.01	0.043	0.24	11.8	18.7	3.20	2330	0.17	0.03



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 4 - C

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
Units		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I823154		0.11	11.7	700	3.2	13.4	0.001	0.05	0.85	4.4	0.4	0.4	46.9	<0.01	<0.01	9.4
I823155		0.10	11.1	630	2.0	17.7	<0.001	0.02	0.49	4.6	0.3	0.5	27.9	<0.01	0.01	8.0
I823156		0.10	10.1	830	2.6	8.8	0.001	0.07	0.28	3.9	0.4	0.3	29.7	<0.01	0.01	10.9
I823157		0.09	10.7	650	3.3	15.0	0.001	0.14	0.33	3.8	0.4	0.4	15.5	<0.01	0.01	8.6
I823158		0.09	12.5	590	1.3	10.7	0.002	0.04	0.21	3.7	0.3	0.3	14.1	<0.01	0.01	7.3
I823159		0.09	9.9	620	6.7	12.7	0.005	0.20	0.41	3.7	0.5	0.3	15.5	<0.01	0.01	9.2
I823160		0.19	71.3	850	43.2	10.7	0.160	1.41	5.81	6.8	4.8	1.8	85.3	<0.01	0.25	1.4
I823161		<0.05	9.4	610	4.7	17.8	0.002	0.14	0.44	4.0	0.4	0.4	13.5	<0.01	0.01	9.0
I823162		0.10	6.7	610	2.2	12.4	0.001	0.14	0.35	3.8	0.4	0.3	20.4	<0.01	0.01	7.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 4 - D

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46	Au-ICP21	ME-XRF08	ME-XRF06	ME-XRF08	ME-XRF06	ME-XRF08	
		Ti	Ti	U	V	W	Y	Zn	Zr	Cu	Au	SiO2	Al2O3	Fe2O3	CaO	MgO
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%	%	%	%
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.001	0.01	0.01	0.01	0.01	0.01
I823154		0.011	0.04	1.99	13	0.05	12.75	40	8.3							
I823155		0.007	0.05	1.15	13	<0.05	11.80	37	8.8							
I823156		0.005	0.10	1.55	37	<0.05	16.05	33	10.3							
I823157		<0.005	0.10	1.23	12	<0.05	11.95	32	12.5							
I823158		<0.005	0.04	0.67	13	<0.05	10.40	41	8.2							
I823159		<0.005	0.12	1.25	19	<0.05	14.45	37	10.4							
I823160		0.065	0.22	0.82	74	2.17	11.80	177	8.7							
I823161		0.006	0.13	1.24	17	0.05	12.95	36	12.2							
I823162		0.005	0.04	1.34	10	<0.05	12.20	33	11.8		57.34	8.69	2.90	7.17	5.72	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 4 - E

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Sample Description	Method Analyte Units LOR	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
		Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
		%	%	%	%	%	%	%	%	%	%
I823154		0.01	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01
I823155											
I823158											
I823157											
I823158											
I823159											
I823160											
I823181											
I823182		0.05	4.92	0.01	0.48	0.33	0.138	0.01	0.10	11.70	99.58



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25-JUL-2010
Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089478

Method	CERTIFICATE COMMENTS
ME-MS41	Interference: Ca > 10% on ICP-MS As, ICP-AES results shown.
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 1

Finalized Date: 25-JUL-2010

Account: AURGEO

CERTIFICATE WH10089479

Project: REC-10517-YK

P.O. No.:

This report is for 41 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30-JUN-2010.

The following have access to data associated with this certificate:

MIKE POWER
DAVE WHITE

JIM ROBINSON

GARY VIVIAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-22d	Sample login - Rcd w/o BarCode dup
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-TL42	Trace Level Au - 15 g AR	ICP-MS
ME-MS41	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: AURORA GEOSCIENCES LTD.
ATTN: DAVE WHITE
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Collin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 2 - A
Total # Pages: 3 (A - E)
Plus Appendix Pages
Finalized Date: 25-JUL-2010
Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089479

Sample Description	Method	WFI-21	Au-TL42	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Ba	Bi	Ca	Cd	Co	Co	
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
LOW		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	
I823163		5.93	0.001	0.05	1.15	7.0	<0.2	<10	730	1.95	0.42	4.21	0.04	72.4	6.1	14
I823164		3.97	0.001	0.40	1.56	57.3	<0.2	<10	510	2.09	1.54	3.22	0.02	67.2	10.6	20
I823165		5.89	0.001	0.07	0.43	6.3	<0.2	<10	1950	0.54	0.27	6.92	0.03	46.8	5.8	13
I823166		3.71	0.001	0.06	0.51	5.6	<0.2	<10	1420	0.65	0.23	6.75	0.03	47.3	6.2	14
I823167		6.44	0.001	0.08	1.07	8.0	<0.2	<10	570	0.92	0.70	5.21	0.05	79.0	9.6	22
I823168		6.33	0.001	0.15	0.71	8.5	<0.2	<10	390	0.63	0.41	5.55	0.04	65.1	7.1	20
I823169		6.59	0.001	0.55	0.89	43.0	<0.2	<10	660	1.04	1.49	5.54	0.03	51.3	9.7	18
I823170		0.63	0.001	0.01	0.09	3	<0.2	<10	10	0.08	0.03	>25.0	0.17	4.13	1.2	1
I823171		7.06	0.001	0.17	0.98	17.7	<0.2	<10	780	1.62	0.83	5.90	0.04	56.2	8.4	14
I823172		7.14	0.001	0.34	1.52	13.3	<0.2	<10	650	2.37	1.10	3.83	0.04	50.0	8.2	17
I823173		6.88	0.002	0.24	1.30	8.1	<0.2	<10	540	1.88	0.72	4.08	0.03	45.5	7.4	15
I823174		6.67	0.001	0.04	1.52	3.8	<0.2	<10	2080	1.76	0.20	3.74	0.04	58.7	6.4	16
I823175		6.47	0.001	0.03	1.25	8.9	<0.2	<10	1350	1.17	0.51	5.54	0.08	64.9	8.3	20
I823176		6.32	0.002	0.04	0.57	5.5	<0.2	<10	540	0.54	0.26	6.34	0.04	74.4	5.4	13
I823177		7.19	0.002	0.35	1.19	9.7	<0.2	10	180	1.03	1.06	5.21	0.04	45.0	9.9	16
I823178		7.07	0.002	0.34	1.50	15.1	<0.2	<10	280	1.61	1.66	4.44	0.03	40.3	15.3	17
I823179		5.91	0.002	0.44	1.64	25.2	<0.2	<10	50	1.70	2.19	3.93	0.02	48.7	19.3	19
I823180		0.10	0.758	4.64	1.53	21.3	0.6	<10	90	0.20	1.95	0.76	2.34	9.02	11.3	40
I823181		6.02	0.006	0.43	1.78	25.5	<0.2	<10	40	1.58	1.64	4.06	0.02	50.0	20.1	19
I823182		6.32	0.002	0.36	1.65	11.7	<0.2	<10	30	1.70	0.90	3.92	0.02	47.4	13.9	19
I823183		6.63	0.002	0.31	1.38	12.3	<0.2	<10	30	1.12	0.76	4.53	0.03	44.4	11.4	17
I823184		7.33	0.002	0.56	1.68	51.5	<0.2	10	40	2.20	2.42	3.92	0.11	43.0	21.3	19
I823185		6.19	0.001	0.24	1.53	23.1	<0.2	<10	40	1.97	0.84	4.06	0.02	45.1	10.5	17
I823186		3.73	0.002	0.26	1.59	24.3	<0.2	10	40	1.91	1.01	4.09	0.02	43.1	11.1	17
I823187		6.46	0.002	0.28	1.36	29.4	<0.2	<10	40	1.09	1.04	4.75	0.05	36.6	13.1	15
I823188		6.53	0.001	0.27	1.39	13.3	<0.2	<10	30	1.26	0.83	4.59	0.02	38.9	9.4	15
I823189		6.83	0.001	0.58	1.49	21.9	<0.2	<10	30	1.71	0.78	4.10	0.02	37.5	10.1	16
I823190CD		<0.02	0.001	0.57	1.47	21.7	<0.2	<10	30	1.72	0.76	4.30	0.03	38.1	10.1	16
I823191		6.82	0.002	0.47	1.57	26.7	<0.2	<10	50	1.63	1.19	3.62	0.03	40.3	11.6	17
I823192		6.22	0.002	0.36	1.25	36.5	<0.2	<10	110	1.32	1.02	4.48	0.05	42.2	10.1	15
I823193		3.18	0.002	0.53	1.21	42.4	<0.2	<10	30	1.27	1.32	4.51	0.10	40.5	10.3	15
I823194		6.53	0.007	0.59	1.56	47.2	<0.2	<10	30	1.53	1.72	3.74	0.06	45.9	13.7	16
I823195		6.26	<0.001	0.24	0.16	30.7	<0.2	<10	30	0.21	0.34	7.62	0.04	51.1	4.3	10
I823196		2.91	<0.001	0.08	0.13	3.7	<0.2	<10	60	0.18	0.05	6.74	0.02	38.5	2.9	6
I823197		4.31	<0.001	0.13	0.15	11.2	<0.2	<10	40	0.23	0.24	7.16	0.03	50.0	3.5	8
I823198		6.31	<0.001	0.25	0.71	20.0	<0.2	<10	40	0.53	0.58	5.86	0.04	47.4	7.2	17
I823199		4.81	0.001	0.29	0.75	21.5	<0.2	<10	100	0.52	0.73	5.08	0.02	48.5	6.8	18
I823200		0.09	0.340	2.82	1.71	54.5	0.4	<10	160	0.32	0.92	2.37	1.71	17.75	15.7	50
I823201		7.10	0.003	0.29	0.19	48.9	<0.2	<10	30	0.16	0.81	6.36	0.04	37.2	5.2	10
I823202		2.76	0.001	0.28	0.36	38.4	<0.2	<10	30	0.31	1.07	5.84	0.08	44.3	6.0	15



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 2 - B
Total # Pages: 3 (A - E)
Plus Appendix Pages
Finalized Date: 25-JUL-2010
Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	Cs	Cu	Fe	Ga	Ge	Hi	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I823163		0.89	3.5	1.71	5.20	0.08	0.25	0.02	0.031	0.44	25.2	20.8	2.92	1870	0.16	0.02
I823164		0.99	25.6	2.01	7.55	0.09	0.52	0.02	0.039	0.49	23.8	31.6	2.61	1820	0.69	0.02
I823165		0.25	19.0	1.72	2.57	0.06	0.17	0.01	0.045	0.19	17.8	7.8	4.18	3400	0.18	0.03
I823166		0.27	17.9	1.71	3.14	0.07	0.17	0.01	0.044	0.19	17.8	10.4	4.07	3320	0.12	0.03
I823167		0.56	6.1	2.08	7.67	0.09	0.25	0.02	0.053	0.31	32.0	23.8	3.67	2610	0.23	0.03
I823168		0.33	3.0	1.83	5.61	0.09	0.27	0.01	0.045	0.27	27.9	13.8	3.45	2940	0.31	0.02
I823169		0.46	19.7	2.13	5.09	0.07	0.51	0.02	0.046	0.32	26.1	17.2	3.46	2840	1.16	0.02
I823170		0.06	12.0	0.15	0.36	<0.05	0.04	0.01	0.005	0.02	2.2	2.2	0.41	317	0.10	0.02
I823171		0.63	9.4	2.14	4.31	0.07	0.29	0.02	0.078	0.40	26.8	17.8	3.60	3350	0.39	0.02
I823172		1.00	8.6	2.13	6.23	0.08	0.38	0.01	0.039	0.54	25.7	29.4	2.88	1980	0.76	0.02
I823173		0.87	5.9	1.80	5.66	0.07	0.43	0.01	0.035	0.48	27.0	25.4	2.86	2190	0.66	0.02
I823174		0.92	1.1	1.91	6.40	0.07	0.31	0.01	0.035	0.49	33.2	28.4	2.94	1900	0.20	0.02
I823175		0.87	5.3	2.62	5.73	0.11	0.28	0.01	0.081	0.34	45.5	22.6	3.86	3090	0.24	0.02
I823176		0.29	2.6	1.75	3.14	0.09	0.28	<0.01	0.081	0.22	39.7	9.7	3.86	3590	1.94	0.02
I823177		0.46	17.1	2.22	5.27	0.07	0.52	0.02	0.055	0.33	24.4	26.4	3.48	3270	0.48	0.02
I823178		0.69	13.2	2.41	6.26	0.08	0.39	0.02	0.052	0.43	22.0	31.7	3.25	2930	0.64	0.02
I823179		0.76	22.9	2.57	5.86	0.08	0.55	0.02	0.050	0.47	25.8	37.4	3.14	2760	1.04	0.02
I823180		0.43	>10000	3.63	5.12	0.12	0.20	0.12	0.104	0.13	4.4	11.5	0.68	395	201	0.10
I823181		0.83	20.6	2.78	6.59	0.08	0.47	0.02	0.049	0.48	26.8	38.1	3.28	3170	1.46	0.02
I823182		0.80	8.3	2.68	6.38	0.09	0.45	0.01	0.056	0.41	25.3	36.0	3.17	3210	0.67	0.02
I823183		0.51	6.4	2.56	5.26	0.09	0.32	0.02	0.061	0.30	23.7	32.5	3.41	3660	0.62	0.03
I823184		0.93	20.0	2.80	6.53	0.08	0.41	0.01	0.089	0.53	22.7	38.2	3.09	2800	2.30	0.02
I823185		0.87	7.2	2.41	5.93	0.09	0.38	0.01	0.053	0.47	23.7	35.6	3.15	2930	0.96	0.02
I823186		0.87	9.8	2.48	6.08	0.08	0.37	0.01	0.057	0.46	22.6	35.5	3.22	3000	1.35	0.02
I823187		0.58	12.6	2.43	5.15	0.08	0.38	0.01	0.081	0.33	19.1	32.3	3.51	3340	1.47	0.02
I823188		0.81	16.8	2.36	5.16	0.07	0.44	0.01	0.077	0.35	19.9	32.3	3.48	3160	0.52	0.02
I823189		0.73	16.9	2.39	5.70	0.08	0.42	0.01	0.052	0.43	18.3	33.6	3.21	2810	0.80	0.02
I823190CD		0.74	17.2	2.40	5.65	0.08	0.45	0.02	0.051	0.41	18.5	34.2	3.23	2830	0.79	0.02
I823191		0.82	10.2	2.31	5.97	0.08	0.42	0.01	0.029	0.43	19.3	41.2	3.05	2200	0.82	0.02
I823192		0.64	27.3	2.08	4.78	0.08	0.39	0.01	0.028	0.38	20.8	26.7	3.29	2640	1.00	0.02
I823193		0.57	107.5	2.01	5.11	0.07	0.38	0.01	0.026	0.38	20.0	26.6	3.24	2510	1.27	0.02
I823194		0.75	94.2	2.19	6.46	0.09	0.46	0.01	0.033	0.42	22.4	36.8	3.16	2030	1.15	0.02
I823195		0.13	17.9	1.30	0.95	0.05	0.26	0.01	0.040	0.14	12.4	2.0	4.18	3380	0.68	0.02
I823196		0.11	5.4	1.17	0.71	<0.05	0.15	<0.01	0.034	0.13	8.9	1.0	3.95	3160	0.44	0.03
I823197		0.12	6.9	1.27	0.86	0.05	0.15	0.01	0.036	0.14	11.0	1.6	3.89	3320	0.91	0.02
I823198		0.27	47.4	1.94	4.20	0.07	0.26	0.01	0.033	0.21	15.2	15.9	3.78	3660	0.51	0.03
I823199		0.26	14.6	1.78	4.56	0.08	0.27	0.01	0.033	0.24	19.3	17.2	3.37	2790	0.71	0.02
I823200		0.96	4890	4.52	6.10	0.12	0.20	0.24	0.105	0.20	8.9	15.1	1.08	714	51.2	0.09
I823201		0.13	59.9	1.40	1.11	0.05	0.30	0.01	0.022	0.17	17.0	1.8	3.65	3220	0.69	0.02
I823202		0.23	20.2	1.52	2.56	0.06	0.33	0.01	0.029	0.20	23.4	6.8	3.47	3250	0.79	0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 2 - C
Total # Pages: 3 (A - E)
Plus Appendix Pages
Finalized Date: 25-JUL-2010
Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089479

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Ra	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I823183		0.05	10.1	620	3.4	22.1	<0.001	0.05	0.84	5.2	0.2	0.8	31.7	<0.01	0.01	10.3
I823184		<0.05	20.7	700	5.9	25.2	0.004	0.33	0.88	5.5	0.4	0.7	19.8	<0.01	0.02	12.2
I823185		0.08	7.5	580	3.7	7.1	0.001	0.08	0.73	4.8	0.3	0.4	54.1	<0.01	0.01	9.8
I823186		0.08	8.8	620	3.3	7.7	0.001	0.08	0.69	4.8	0.4	0.4	45.2	<0.01	0.01	11.0
I823187		0.07	20.4	690	4.2	13.5	<0.001	0.06	0.87	8.1	0.3	0.7	31.8	<0.01	0.01	13.3
I823188		0.08	13.8	600	5.1	10.1	<0.001	0.10	0.71	5.7	0.3	0.5	25.6	<0.01	0.01	11.6
I823189		0.06	14.4	610	8.7	14.1	0.001	0.48	0.84	5.7	0.4	0.8	33.7	<0.01	0.01	11.0
I823170		0.13	2.3	150	5.0	0.9	<0.001	0.08	0.09	0.7	0.3	<0.2	508	<0.01	0.03	0.4
I823171		0.08	10.6	620	5.5	19.0	<0.001	0.19	0.88	4.9	0.4	0.8	35.7	<0.01	0.01	11.2
I823172		0.05	18.0	620	6.4	27.7	0.002	0.30	0.98	5.3	0.4	0.7	28.7	<0.01	0.02	9.9
I823173		<0.05	16.2	590	4.7	24.2	0.001	0.20	0.73	5.3	0.3	0.8	25.0	<0.01	0.01	8.8
I823174		<0.05	17.1	620	2.5	24.0	0.001	0.08	0.85	5.4	0.3	0.8	50.0	<0.01	0.01	8.8
I823175		0.08	13.7	650	4.4	16.8	<0.001	0.05	1.32	4.8	0.3	0.6	46.2	<0.01	0.01	12.5
I823176		0.08	8.0	580	2.8	9.2	0.001	0.03	0.70	4.1	0.3	0.4	31.0	<0.01	0.02	10.5
I823177		<0.05	14.5	640	7.5	15.3	0.001	0.29	0.71	4.9	0.5	0.4	21.9	<0.01	0.02	9.8
I823178		<0.05	17.9	660	21.9	21.0	0.001	0.44	0.82	5.3	0.4	0.6	20.3	<0.01	0.02	8.9
I823179		0.08	17.3	630	14.8	24.8	0.001	0.46	0.74	5.6	0.6	0.6	15.7	<0.01	0.02	8.1
I823180		0.23	27.5	520	37.5	5.9	1.245	1.66	20.5	4.7	4.9	0.6	40.2	<0.01	0.58	1.3
I823181		0.09	17.9	610	11.4	25.2	0.002	0.37	0.79	8.0	0.6	0.7	18.8	<0.01	0.02	8.3
I823182		0.09	16.2	620	8.3	21.8	0.002	0.27	0.62	5.4	0.5	0.6	17.0	<0.01	0.02	8.8
I823183		0.09	14.1	630	7.1	14.8	0.001	0.23	0.49	4.5	0.6	0.4	17.5	<0.01	0.02	8.9
I823184		0.09	17.6	600	29.5	27.5	0.002	0.54	0.81	5.8	0.5	0.8	18.4	<0.01	0.02	8.7
I823185		0.10	14.7	590	18.3	24.9	0.001	0.32	0.83	5.3	0.5	0.7	17.0	<0.01	0.01	8.7
I823186		0.09	14.8	580	20.0	25.2	0.002	0.35	0.63	5.4	0.4	0.7	17.0	<0.01	0.01	8.6
I823187		0.10	14.0	540	18.2	16.8	0.002	0.31	0.58	4.4	0.5	0.4	17.1	<0.01	0.03	7.0
I823188		0.10	13.8	570	13.5	18.1	0.001	0.26	0.59	4.7	0.4	0.5	16.8	<0.01	0.01	7.4
I823189		0.10	13.8	590	15.7	22.5	0.001	0.41	0.62	5.1	0.4	0.8	16.5	<0.01	0.01	8.7
I823190CD		0.10	14.0	590	15.4	21.8	0.001	0.41	0.84	5.0	0.4	0.6	16.6	<0.01	0.02	8.6
I823191		0.09	16.3	620	9.4	22.1	0.001	0.45	0.59	4.8	0.4	0.6	15.1	<0.01	0.01	8.8
I823192		0.09	14.1	570	8.5	19.9	0.001	0.35	0.63	5.1	0.5	0.5	17.9	<0.01	0.02	8.1
I823193		0.09	14.0	530	7.8	19.0	0.002	0.35	0.81	5.5	0.5	0.5	16.7	<0.01	0.02	7.8
I823194		0.09	18.9	660	13.7	22.2	0.002	0.41	0.73	5.4	0.5	0.7	15.4	<0.01	0.02	9.8
I823195		0.11	2.4	670	8.8	4.5	0.001	0.11	0.25	4.2	0.4	0.2	21.1	<0.01	<0.01	12.8
I823196		0.11	1.5	560	1.5	3.9	0.001	0.08	0.12	3.8	0.3	<0.2	20.8	<0.01	0.01	8.5
I823197		0.10	2.0	580	2.9	4.3	0.001	0.10	0.18	4.0	0.4	<0.2	20.3	<0.01	0.01	10.0
I823198		0.10	11.6	530	5.1	8.8	0.001	0.18	0.49	5.5	0.4	0.4	18.0	<0.01	0.01	9.1
I823199		0.09	12.1	590	5.8	9.8	<0.001	0.22	0.31	5.4	0.4	0.4	18.1	<0.01	0.02	10.9
I823200		0.18	71.4	880	42.9	11.1	0.167	1.38	5.83	7.1	4.8	2.0	86.4	<0.01	0.28	1.4
I823201		0.09	3.5	520	6.5	5.5	0.002	0.19	0.45	5.8	0.5	0.2	18.2	<0.01	0.01	8.9
I823202		0.10	8.0	510	11.4	7.4	0.001	0.18	0.37	5.0	0.4	0.3	17.5	<0.01	0.01	8.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 2 - D

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089479

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46	Au-ICP21	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Cu %	Au ppm	SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %
I823183		0.010	0.13	1.83	17	0.07	12.35	40	8.5							
I823184		0.006	1.05	2.13	23	0.05	14.80	54	20.0							
I823185		0.011	0.06	0.84	21	0.07	13.00	31	5.7							
I823186		0.010	0.04	0.91	21	0.07	12.75	33	5.8							
I823187		0.012	0.16	1.19	28	0.08	12.20	50	8.6							
I823188		0.011	0.29	1.18	24	0.07	12.05	34	9.6							
I823189		0.008	1.63	3.02	22	0.06	14.20	35	19.1							
I823170		<0.005	0.02	1.45	2	<0.05	2.25	10	1.8							
I823171		0.011	0.42	1.64	20	0.08	15.20	48	11.1							
I823172		0.008	0.37	2.48	19	<0.05	14.10	52	14.8							
I823173		0.006	0.25	2.29	17	<0.05	13.15	42	17.3							
I823174		0.008	0.10	2.28	19	0.05	12.75	61	11.2			56.75	10.79	3.48	5.39	5.37
I823175		0.014	0.06	2.55	29	0.22	14.90	97	10.2							
I823176		0.007	0.04	3.82	22	0.12	14.15	53	10.2							
I823177		0.005	1.96	3.04	17	<0.05	14.60	59	19.7							
I823178		0.005	2.20	2.05	18	<0.05	13.70	59	16.3							
I823179		0.005	1.00	2.10	21	<0.05	13.70	52	21.5							
I823180		0.118	0.10	0.35	54	4.21	7.13	130	5.9	1.285	0.894					
I823181		0.008	1.03	1.73	22	<0.05	14.20	57	18.5							
I823182		0.005	1.32	1.58	21	<0.05	14.15	54	17.2							
I823183		<0.005	1.08	1.28	18	<0.05	13.85	51	12.3			54.25	9.46	4.13	7.27	6.06
I823184		0.005	1.18	1.96	22	<0.05	13.35	86	16.3							
I823185		0.005	0.84	1.58	20	<0.05	13.10	48	14.4							
I823186		0.005	1.05	1.52	21	<0.05	13.20	50	14.5							
I823187		<0.005	1.06	1.34	17	<0.05	13.70	57	14.5							
I823188		<0.005	1.55	1.80	18	<0.05	13.00	46	16.7							
I823189		0.005	1.97	1.71	19	<0.05	13.10	58	16.4							
I823190CD		0.005	1.96	1.71	18	<0.05	13.35	58	16.9							
I823191		0.005	1.32	1.55	19	<0.05	12.35	63	15.3							
I823192		0.008	0.83	1.50	17	<0.05	13.90	59	15.5							
I823193		<0.005	0.50	1.24	18	<0.05	13.40	66	14.7							
I823194		0.005	0.77	1.58	23	<0.05	13.40	68	18.7							
I823195		<0.005	0.25	0.88	16	<0.05	12.15	17	8.9			49.59	5.41	1.99	11.48	6.64
I823196		<0.005	0.08	0.51	13	<0.05	9.86	10	5.1							
I823197		<0.005	0.29	0.68	12	<0.05	11.15	16	5.4							
I823198		<0.005	0.54	0.81	20	<0.05	13.55	57	9.6							
I823199		<0.005	0.82	0.91	23	<0.05	11.45	64	10.4							
I823200		0.066	0.21	0.60	74	2.02	11.85	176	6.7							
I823201		<0.005	0.39	1.25	16	<0.05	11.15	19	10.8							
I823202		<0.005	0.48	1.62	20	<0.05	11.40	45	12.0							



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 2 - E

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089479

Sample Description	Method	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	
	Analyte	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SiO	BaO	LOI	Total
	Units	%	%	%	%	%	%	%	%	%	%
LOI											
I823163 I823164 I823165 I823166 I823167		0.01	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01
I823168 I823169 I823170 I823171 I823172											
I823173 I823174 I823175 I823176 I823177		0.05	5.49	0.01	0.52	0.25	0.134	0.01	0.33	10.05	98.02
I823178 I823179 I823180 I823181 I823182											
I823183 I823184 I823185 I823186 I823187		0.09	4.95	0.01	0.56	0.52	0.146	0.01	0.05	12.05	99.55
I823188 I823189 I823180CD I823191 I823192											
I823193 I823194 I823195 I823196 I823197		0.10	4.31	<0.01	0.48	0.47	0.147	0.01	0.03	17.40	98.26
I823198 I823199 I823200 I823201 I823202											

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 3 - A
Total # Pages: 3 (A - E)
Plus Appendix Pages
Finalized Date: 25-JUL-2010
Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089479

Method	WEI-21	Au-TL42	ME-MS41	ME-MS41	ME-MS41	MF-M641	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
Analyte	Recvd WL	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Co	Co	Cr	Cr
Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	
1823203	4.28	0.001	0.33	1.45	48.1	<0.2	10	20	0.86	0.54	6.82	0.33	38.9	11.8	21	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 3 - B

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS	WH10089479
--------------------------------	-------------------

	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
Method Analyte Units LOR	Cs	Cu	Fe	Ga	Ge	Hi	Hg	In	K	La	Li	Mg	Mn	Mo	Na
Sample Description	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
1823203	0.43	17.5	3.19	7.19	0.09	0.38	0.03	0.034	0.28	18.5	33.3	4.83	4610	0.83	0.02

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 3 - C

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Ti	Th
Units		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.01	0.01	0.01	0.2
1823203		0.11	21.5	500	15.9	15.3	0.004	0.24	0.39	5.8	0.4	0.5	20.1	<0.01	0.02	7.3

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 3 - D

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089479

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46	Au ICP21	ME-XRF06	ME-XRF08	ME-XRF06	ME-XRF06	ME-XRF06	
	Analyte	Ti	Ti	U	V	W	Y	Zn	Zr	Cu	Au	SiO2	Al2O3	Fe2O3	CaO	MgO
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%	%	%	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.001	0.01	0.01	0.01	0.01	0.01
I823203		<0.005	0.27	1.54	28	<0.05	14.20	206	14.5							

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 3 - E

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089479

Method	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08
Analyte	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total	
Units	%	%	%	%	%	%	%	%	%	%	
LOR	0.01	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	
Sample Description											
1823203											

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089479

Method	CERTIFICATE COMMENTS
ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g)



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 1

Finalized Date: 25-JUL-2010

Account: AURGEO

CERTIFICATE WH10089490

Project: REC-10517-YK

P.O. No.:

This report is for 69 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30-JUN-2010.

The following have access to data associated with this certificate:

MIKE POWER
DAVE WHITE

JIM ROBINSON

GARY VIVIAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample logIn - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp LogIn - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-TL42	Trace Level Au - 15 g AR	ICP-MS
ME-MS41	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: AURORA GEOSCIENCES LTD.
ATTN: DAVE WHITE
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 2 - A

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089490

Sample Description	WEI-21	Au-TL42	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Recvd WL	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Co	Co	Cr
Method Analyte Units LOR	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I823204	9.56	0.001	0.32	1.12	3.8	<0.2	<10	390	1.20	0.13	0.11	0.05	55.9	4.4	26
I823205	3.56	0.002	0.13	1.49	4.6	<0.2	<10	270	1.82	0.14	0.08	0.03	59.3	5.9	30
I823206	1.53	0.003	0.16	1.48	4.0	<0.2	<10	220	1.85	0.21	0.18	0.02	60.4	6.1	32
I823207	6.12	0.002	0.20	1.66	8.7	<0.2	<10	470	3.87	0.31	0.13	0.07	76.1	6.3	30
I823208	5.13	0.002	0.17	1.91	8.7	<0.2	<10	310	2.67	0.24	0.82	0.05	82.0	6.9	31
I823209	1.62	0.003	0.12	1.90	5.3	<0.2	<10	480	3.36	0.32	0.64	0.09	80.5	6.9	33
I823210	0.86	0.002	0.02	0.25	8	<0.2	<10	20	0.21	0.02	>25.0	0.19	7.28	1.8	3
I823211	5.59	0.002	0.12	0.24	5.5	<0.2	<10	180	0.37	0.26	6.56	0.13	45.7	5.2	16
I823212	6.29	0.003	0.06	0.27	4.1	<0.2	<10	230	0.32	0.16	5.69	0.11	42.3	5.4	20
I823213	4.60	0.002	0.14	0.33	5.4	<0.2	<10	870	0.31	0.09	4.73	0.23	31.8	8.6	24
I823214	2.16	0.003	0.21	0.50	4.3	<0.2	<10	440	0.32	0.08	4.98	0.20	11.85	8.5	34
I823215	2.36	0.005	1.31	0.45	6.7	<0.2	<10	100	0.24	0.18	3.68	0.28	15.10	9.7	38
I823216	1.23	0.003	0.35	0.40	5.3	<0.2	<10	100	0.38	0.08	4.06	0.20	38.7	6.8	27
I823217	1.32	0.003	0.89	0.21	10.4	<0.2	<10	40	0.24	0.83	5.65	0.04	20.1	9.1	24
I823218	5.69	0.003	0.18	0.23	5.2	<0.2	<10	900	0.33	0.18	5.44	0.31	31.0	9.5	24
I823219	3.57	0.008	3.03	0.31	46.6	<0.2	<10	80	0.30	0.42	5.90	0.17	10.00	27.5	28
I823220	0.10	0.759	4.54	1.59	21.7	1.0	<10	90	0.21	1.84	0.78	2.14	8.57	11.3	40
I823221	1.84	0.004	0.19	2.30	7.0	<0.2	<10	400	1.34	0.40	7.71	0.08	28.0	10.7	27
I823222	5.74	0.006	1.16	0.27	16.4	<0.2	<10	130	0.42	1.27	6.55	0.09	27.5	10.1	17
I823223	1.23	0.005	1.00	0.22	5.9	<0.2	<10	310	0.26	2.11	5.50	0.09	13.80	8.3	19
I823224	4.78	0.004	0.18	0.29	4.5	<0.2	<10	270	0.35	0.62	6.19	0.07	33.5	7.1	14
I823225	4.39	0.003	0.28	0.88	3.9	<0.2	<10	350	0.89	0.76	4.98	0.05	50.3	9.2	17
I823226	2.27	0.002	0.23	0.88	4.1	<0.2	<10	330	0.89	0.60	5.28	0.04	50.7	9.5	16
I823227	6.24	0.002	0.18	1.12	4.2	<0.2	<10	1140	1.05	0.47	5.48	0.08	47.2	10.6	18
I823228	3.02	0.002	0.40	1.51	15.2	<0.2	<10	480	1.98	1.01	4.30	0.04	44.3	11.2	17
I823229	6.96	0.001	0.10	1.59	2.3	<0.2	<10	1150	1.66	0.18	4.07	0.03	57.1	9.7	17
I823230	0.90	0.002	0.01	0.29	7	<0.2	<10	10	0.16	0.05	>25.0	0.17	7.44	2.0	2
I823231	6.35	0.001	0.10	1.83	1.7	<0.2	<10	3110	1.59	0.21	4.42	0.03	48.1	10.0	18
I823232	4.23	0.001	0.18	1.67	2.8	<0.2	<10	700	1.77	0.06	4.72	0.12	55.9	13.2	17
I823233	7.02	0.002	0.23	1.45	7.1	<0.2	<10	80	1.37	0.15	5.10	0.02	45.7	10.1	15
I823234	6.88	0.001	0.67	1.48	11.3	<0.2	<10	160	1.44	0.27	4.82	0.03	35.8	11.7	15
I823235	5.57	0.003	0.99	1.56	14.4	<0.2	<10	60	1.41	0.22	4.23	0.03	36.1	12.2	15
I823236	3.08	0.002	0.18	1.74	2.7	<0.2	<10	80	1.11	0.05	4.21	0.06	52.9	12.2	18
I823237	3.46	0.001	0.12	1.57	1.9	<0.2	<10	730	1.36	0.06	4.48	0.07	51.0	9.5	14
I823238	2.89	0.001	0.10	1.50	2.6	<0.2	<10	1610	1.23	0.08	4.73	0.05	46.8	9.5	14
I823239	6.06	0.002	0.08	1.20	2.7	<0.2	<10	2280	0.98	0.09	5.49	0.07	36.7	8.8	14
I823240	0.07	0.395	2.65	1.70	51.2	0.3	<10	180	0.32	0.96	2.36	1.58	14.60	15.4	51
I823241	8.91	0.003	0.07	0.80	3.2	<0.2	<10	1780	0.84	0.27	5.82	0.07	35.4	7.7	15
I823242	5.07	0.001	0.24	1.15	4.7	<0.2	<10	520	0.83	0.62	5.51	0.03	33.9	6.8	14
I823243	6.28	0.002	0.09	1.32	4.6	<0.2	<10	1460	1.65	0.29	4.07	0.05	44.9	8.9	16



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 2 - B
Total # Pages: 3 (A - E)
Plus Appendix Pages
Finalized Date: 25-JUL-2010
Account: AURCEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089490

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I823204		0.83	11.4	1.17	5.86	0.09	0.27	<0.01	0.011	0.40	27.1	24.1	0.67	138	0.12	0.01
I823205		1.70	16.5	1.70	7.21	0.10	0.35	<0.01	0.013	0.46	29.7	32.1	0.96	121	0.09	0.01
I823206		1.60	20.9	1.64	6.95	0.10	0.33	<0.01	0.017	0.49	29.8	29.7	0.94	197	0.10	0.01
I823207		2.79	13.7	1.45	7.07	0.13	0.29	0.01	0.030	0.66	38.2	28.7	0.88	121	0.09	0.01
I823208		2.31	86.0	2.18	8.11	0.13	0.30	0.01	0.039	0.54	39.8	32.9	1.48	473	0.12	0.01
I823209		2.39	23.4	1.99	8.50	0.14	0.34	<0.01	0.038	0.65	43.3	35.1	1.29	525	0.13	0.01
I823210		0.13	11.3	0.41	0.67	<0.05	0.08	0.01	0.009	0.06	3.8	4.7	0.45	312	0.38	0.01
I823211		0.20	40.4	1.45	1.49	0.09	0.36	0.01	0.031	0.17	21.2	3.6	3.91	2680	0.18	0.01
I823212		0.11	3.1	1.45	1.86	0.10	0.28	0.01	0.025	0.23	19.8	2.2	3.24	2210	0.21	0.02
I823213		0.10	81.7	1.28	2.68	0.08	0.38	0.01	0.026	0.23	14.1	2.7	2.60	1990	0.31	0.03
I823214		0.08	83.4	1.32	3.30	0.06	0.34	0.01	0.030	0.36	5.0	3.7	2.92	2080	0.14	0.02
I823215		0.10	1220	1.33	3.98	0.06	0.42	0.04	0.034	0.29	7.0	8.0	1.99	1430	0.28	0.02
I823216		0.23	309	1.23	3.54	0.10	0.43	0.02	0.035	0.26	18.4	5.4	2.01	1570	0.24	0.02
I823217		0.06	18.5	1.39	1.41	0.06	0.57	<0.01	0.032	0.23	8.7	1.9	3.15	1970	1.40	0.02
I823218		0.06	37.9	1.60	1.56	0.08	0.35	<0.01	0.044	0.23	13.9	2.0	3.10	2140	0.27	0.03
I823219		0.11	199.0	2.51	2.85	0.07	0.57	0.03	0.052	0.21	4.1	4.6	3.39	2000	1.92	0.02
I823220		0.40	>10000	3.47	4.98	0.12	0.20	0.11	0.109	0.14	4.2	10.1	0.68	404	202	0.09
I823221		0.92	13.0	4.22	11.10	0.10	0.50	<0.01	0.092	0.32	12.3	47.9	5.34	2700	1.33	0.02
I823222		0.19	28.6	1.52	1.84	0.08	0.41	0.01	0.067	0.20	12.9	3.3	3.84	2180	0.89	0.01
I823223		0.10	98.2	1.37	1.51	<0.05	0.51	<0.01	0.051	0.20	5.9	1.9	3.10	1740	1.09	0.01
I823224		0.17	34.9	1.26	1.83	0.06	0.42	<0.01	0.082	0.24	18.5	2.9	3.63	2380	0.20	0.02
I823225		0.52	21.6	1.51	4.85	0.08	0.48	<0.01	0.093	0.36	23.4	14.0	3.34	1820	0.15	0.02
I823226		0.50	45.5	1.55	4.98	0.08	0.47	0.01	0.094	0.33	23.2	14.3	3.57	1960	0.17	0.02
I823227		0.85	26.9	1.65	4.55	0.08	0.36	0.01	0.099	0.38	22.3	18.2	3.78	1880	0.27	0.03
I823228		1.16	84.7	1.99	5.14	0.09	0.48	<0.01	0.048	0.52	21.1	28.9	3.33	1490	1.41	0.02
I823229		1.16	18.1	1.70	5.41	0.08	0.35	<0.01	0.043	0.54	27.4	27.0	3.26	1440	0.32	0.03
I823230		0.13	11.5	0.42	0.74	<0.05	0.07	<0.01	0.009	0.06	3.9	5.2	0.53	342	0.26	0.01
I823231		1.07	8.0	1.81	5.19	0.08	0.37	0.01	0.043	0.60	23.2	28.1	3.49	1580	0.44	0.04
I823232		1.10	214	1.54	5.70	0.10	0.34	<0.01	0.080	0.56	27.3	31.2	3.59	2040	0.13	0.03
I823233		1.01	20.4	1.79	4.75	0.08	0.34	0.01	0.051	0.39	21.4	34.6	3.78	1780	0.36	0.02
I823234		1.07	24.6	1.84	4.64	0.06	0.35	0.01	0.042	0.40	16.5	33.5	3.44	1560	0.76	0.02
I823235		1.07	150.0	1.97	4.75	0.07	0.37	0.01	0.039	0.45	17.0	35.2	3.36	1460	0.53	0.02
I823236		0.92	53.4	1.85	5.18	0.09	0.31	0.01	0.045	0.37	28.1	39.4	3.72	1780	0.07	0.02
I823237		1.01	58.7	1.57	4.74	0.09	0.30	<0.01	0.043	0.44	25.1	30.4	3.57	1740	0.07	0.03
I823238		0.99	52.1	1.56	4.57	0.08	0.33	<0.01	0.035	0.42	22.8	28.7	3.39	1800	0.12	0.05
I823239		0.68	7.4	1.73	4.12	0.07	0.27	<0.01	0.036	0.33	18.0	22.7	3.88	1960	0.12	0.06
I823240		0.85	4740	4.42	5.39	0.10	0.20	0.28	0.100	0.20	7.4	18.2	1.09	704	50.8	0.08
I823241		0.44	6.0	1.81	3.10	0.05	0.25	<0.01	0.044	0.25	15.1	19.9	3.93	2240	0.22	0.05
I823242		0.57	60.2	1.71	3.73	0.06	0.36	0.01	0.034	0.27	10.1	34.8	4.19	1850	0.81	0.03
I823243		0.97	5.1	1.98	4.18	0.06	0.29	0.01	0.037	0.46	21.5	29.9	3.14	1440	0.30	0.04



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 2 - C
Total # Pages: 3 (A - E)
Plus Appendix Pages
Finalized Date: 25-JUL-2010
Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089490

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	
I823204	<0.05	13.8	230	2.5	16.0	<0.001	0.02	0.34	2.9	0.2	0.5	5.9	<0.01	0.01	7.0	
I823205	<0.05	20.5	240	3.1	23.3	<0.001	0.01	0.36	3.7	0.3	0.8	5.0	<0.01	<0.01	8.4	
I823206	<0.05	19.1	240	3.6	23.3	<0.001	0.02	0.40	3.9	0.2	0.6	5.4	<0.01	<0.01	8.0	
I823207	<0.05	22.0	280	8.1	38.3	0.001	0.02	0.70	5.4	0.3	0.9	5.9	<0.01	0.01	10.3	
I823208	<0.05	24.1	370	7.7	30.5	0.001	0.02	0.60	5.6	0.4	0.8	8.0	<0.01	<0.01	10.6	
I823209	<0.05	22.0	320	5.5	33.6	<0.001	0.02	0.63	6.1	0.4	1.0	8.0	<0.01	<0.01	10.5	
I823210	0.12	2.5	330	5.8	2.1	<0.001	0.23	0.16	1.7	0.4	<0.2	529	<0.01	0.03	0.8	
I823211	0.10	5.5	700	3.4	4.0	0.001	0.04	1.36	5.7	0.6	0.3	30.4	<0.01	0.02	11.2	
I823212	0.10	7.7	670	3.7	4.2	<0.001	0.03	1.21	6.7	0.4	0.4	23.8	<0.01	0.02	11.0	
I823213	0.05	14.7	700	2.7	3.6	0.001	0.07	0.59	8.2	0.5	0.3	20.4	<0.01	0.01	10.4	
I823214	0.05	14.4	690	2.2	4.8	0.001	0.08	0.30	8.9	0.4	0.4	22.0	<0.01	0.02	11.1	
I823215	0.06	16.2	680	6.7	5.2	0.002	0.39	0.75	8.2	0.7	0.6	18.3	<0.01	0.04	11.8	
I823216	0.06	10.7	580	3.1	4.7	<0.001	0.10	0.98	7.8	0.4	0.3	15.7	<0.01	0.02	10.1	
I823217	0.09	7.9	590	13.1	3.6	0.003	0.42	0.68	7.0	0.4	0.3	22.0	0.01	0.01	9.4	
I823218	0.17	7.2	590	5.1	3.6	0.001	0.14	1.52	7.2	0.5	0.5	23.3	<0.01	0.03	10.2	
I823219	0.09	27.9	590	17.9	4.2	0.005	1.48	1.27	7.9	0.9	0.5	18.4	<0.01	0.11	9.9	
I823220	0.22	27.0	570	38.1	5.2	1.230	1.77	17.85	5.0	4.7	0.6	43.3	<0.01	0.52	1.1	
I823221	<0.05	25.0	620	4.0	17.5	0.002	0.10	0.27	5.3	0.8	0.8	19.7	<0.01	0.02	6.4	
I823222	0.05	9.5	570	15.0	4.1	0.004	0.35	0.57	8.2	0.6	0.3	19.8	<0.01	0.05	7.1	
I823223	0.13	6.2	550	36.2	4.4	0.002	0.45	0.30	7.0	0.5	0.3	20.0	<0.01	0.02	9.2	
I823224	0.16	5.0	550	5.1	6.4	0.001	0.02	0.83	6.0	0.4	0.4	23.3	<0.01	0.01	9.3	
I823225	0.13	14.2	620	3.6	14.7	0.001	0.01	0.81	5.8	0.4	0.6	21.5	<0.01	0.02	10.5	
I823226	0.13	15.1	630	3.5	13.7	0.001	0.02	0.63	5.8	0.5	0.6	22.6	<0.01	0.01	10.2	
I823227	0.13	15.4	570	3.1	17.7	0.003	0.08	0.65	5.3	0.8	0.5	30.7	<0.01	0.01	8.6	
I823228	0.11	18.9	660	25.8	26.7	0.007	0.33	0.91	5.3	0.5	0.7	21.4	<0.01	0.02	9.1	
I823229	0.11	18.1	640	3.2	28.1	0.003	0.04	0.77	5.1	0.4	0.7	31.2	<0.01	0.01	9.4	
I823230	0.27	3.8	270	6.7	2.0	0.001	0.17	0.14	1.9	0.3	<0.2	534	<0.01	0.03	0.7	
I823231	0.11	15.6	610	2.8	25.4	0.002	0.08	0.69	4.8	0.3	0.6	59.8	<0.01	<0.01	7.9	
I823232	<0.05	16.5	650	3.9	27.3	0.005	0.05	0.55	5.2	0.5	0.7	29.6	<0.01	0.01	8.5	
I823233	<0.05	15.4	670	6.3	19.4	0.003	0.12	0.48	4.5	0.6	0.5	17.5	<0.01	0.02	7.5	
I823234	<0.05	15.3	670	15.8	20.2	0.002	0.32	0.54	4.4	0.5	0.5	19.4	<0.01	0.01	7.3	
I823235	<0.05	14.9	650	20.8	21.5	0.005	0.49	0.86	4.4	0.6	0.5	15.0	<0.01	0.01	7.4	
I823236	<0.05	16.4	670	2.6	18.2	0.003	0.02	0.54	4.0	0.5	0.5	15.5	<0.01	0.01	8.1	
I823237	<0.05	14.2	660	2.3	21.1	0.005	0.04	0.52	4.4	0.5	0.5	26.4	<0.01	0.01	7.9	
I823238	<0.05	13.6	680	2.4	20.2	0.004	0.09	0.56	4.2	0.5	0.5	42.6	<0.01	<0.01	7.6	
I823239	0.05	13.5	600	3.2	15.0	0.002	0.09	0.57	4.5	0.4	0.4	50.1	<0.01	0.01	7.3	
I823240	0.15	72.3	890	44.2	9.3	0.155	1.41	8.14	7.8	4.6	1.9	82.0	<0.01	0.29	1.4	
I823241	0.09	10.3	570	4.5	10.5	0.002	0.07	1.05	5.9	0.3	0.4	40.1	<0.01	0.02	8.0	
I823242	0.05	11.2	650	6.5	12.4	0.001	0.05	0.68	4.8	0.2	0.4	25.2	<0.01	0.01	7.9	
I823243	0.07	13.4	650	4.0	22.2	0.002	0.14	1.16	5.8	0.4	0.7	35.2	<0.01	0.01	8.8	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 2 - D
Total # Pages: 3 (A - E)
Plus Appendix Pages
Finalized Date: 25-JUL-2010
Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089490

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG48	Au-ICP21	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	
	Analyte	Ti	Ti	U	V	W	Y	Zn	Zr	Cu	Au	SiO2	Al2O3	Fe2O3	CaO	MgO
Units		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%	%	%	%
LOI		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.001	0.01	0.01	0.01	0.01	0.01
I823204		0.005	0.08	0.36	17	0.44	4.51	31	9.6							
I823205		0.008	0.11	0.52	23	0.14	5.63	45	11.4							
I823206		0.008	0.10	0.48	24	0.14	5.65	44	11.4							
I823207		0.009	0.11	0.55	20	0.16	7.15	79	9.1							
I823208		0.010	0.13	0.60	25	0.08	6.65	64	9.5							
I823209		0.008	0.16	0.58	25	0.24	8.82	72	10.9							
I823210		<0.005	0.02	0.89	7	<0.05	3.28	26	2.8			50.41	7.10	2.23	10.35	6.46
I823211		0.011	0.04	1.67	26	0.13	12.50	50	11.5							
I823212		0.013	0.05	1.75	31	0.12	10.80	48	10.0							
I823213		0.007	0.18	1.80	32	0.18	10.10	91	12.7							
I823214		0.009	0.05	1.72	37	0.12	10.55	91	12.0							
I823215		0.008	0.94	2.72	37	<0.05	9.16	86	16.1							
I823216		0.005	0.27	1.16	31	0.16	10.45	73	17.3							
I823217		<0.005	3.11	4.23	29	0.14	11.25	13	21.0							
I823218		0.016	0.25	2.58	32	0.39	11.10	94	12.8							
I823219		<0.005	9.03	4.91	34	<0.05	11.85	43	20.1							
I823220		0.125	0.13	0.34	55	4.23	7.17	131	5.8	1.275	0.956					
I823221		0.005	0.41	5.10	32	1.12	17.30	108	20.1							
I823222		<0.005	1.61	2.13	24	0.14	11.00	34	14.4			47.60	8.52	2.46	10.47	6.45
I823223		<0.005	2.69	3.20	26	<0.05	10.80	24	17.5							
I823224		0.010	0.13	2.15	23	0.18	11.80	39	15.3							
I823225		0.008	0.09	1.91	23	0.56	12.45	54	17.5							
I823226		0.008	0.09	1.84	24	0.42	12.85	56	17.0							
I823227		0.007	0.13	1.78	20	0.21	13.50	55	13.4							
I823228		<0.005	0.95	2.45	22	0.06	13.50	48	19.0							
I823229		0.007	0.12	1.50	20	0.05	12.85	56	13.7							
I823230		<0.005	0.02	1.03	4	<0.05	3.83	23	2.8							
I823231		0.006	0.09	1.64	21	0.05	12.60	54	13.9							
I823232		0.007	0.11	1.50	21	0.07	13.20	74	12.6							
I823233		<0.005	0.30	1.34	20	<0.05	12.90	39	13.5							
I823234		<0.005	1.59	1.48	20	<0.05	12.35	37	14.0							
I823235		0.005	2.40	1.42	20	<0.05	12.30	36	14.6			55.96	10.32	3.48	6.24	6.32
I823236		0.008	0.09	1.20	18	0.61	12.40	65	12.7							
I823237		0.006	0.08	1.32	17	<0.05	12.35	60	11.8							
I823238		0.005	0.13	1.52	16	0.05	12.40	59	13.1							
I823239		0.009	0.06	1.38	18	0.05	11.40	69	9.5							
I823240		0.081	0.22	0.57	73	2.14	10.95	184	6.3							
I823241		0.012	0.05	1.49	19	0.10	10.65	57	9.2							
I823242		<0.005	0.23	1.23	18	0.07	10.60	44	15.6							
I823243		0.011	0.12	2.03	20	0.12	10.50	57	10.9							



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
 3506 MCDONALD DRIVE
 YELLOWKNIFE NT X1A 2H1

Page: 2 - E
 Total # Pages: 3 (A - E)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2010
 Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089490

Sample Description	Method Analyte Units LOR	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08
		Na2O %	K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %
I823204 I823205 I823206 I823207 I823208		0.01	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01
I823209 I823210 I823211 I823212 I823213		0.12	5.57	0.01	0.47	0.36	0.141	0.01	0.08	15.70	99.00
I823214 I823215 I823216 I823217 I823218											
I823219 I823220 I823221 I823222 I823223		0.09	6.69	0.01	0.39	0.29	0.120	0.01	0.07	15.85	98.82
I823224 I823225 I823226 I823227 I823228											
I823229 I823230 I823231 I823232 I823233											
I823234 I823235 I823236 I823237 I823238		0.13	4.38	0.01	0.58	0.20	0.138	0.01	0.04	11.00	98.80
I823239 I823240 I823241 I823242 I823243											



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 3 - A
Total # Pages: 3 (A - E)
Plus Appendix Pages
Finalized Date: 25-JUL-2010
Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089490

Sample Description	Method Analyte Units LOR	WEI-21	Au-TL42	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt	Au	Ag	Al	As	Au	B	Ba	Bo	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
1823244		6.05	0.001	0.10	0.96	3.4	<0.2	<10	1200	0.87	0.34	5.53	0.05	36.7	6.6	12
1823245		6.16	0.001	0.08	1.26	4.8	<0.2	<10	3040	1.34	0.25	4.19	0.08	45.3	8.9	14
1823246		3.42	0.001	0.08	1.16	4.8	<0.2	<10	2980	1.21	0.24	4.36	0.08	44.1	8.8	14
1823247		6.39	0.001	0.08	1.22	3.8	<0.2	<10	900	1.15	0.38	5.12	0.06	47.2	9.7	14
1823248		7.51	0.001	0.10	1.63	1.9	<0.2	<10	2910	1.51	0.25	3.49	0.05	42.7	10.5	16
1823249		6.60	0.001	0.08	1.71	2.6	<0.2	<10	1460	1.66	0.39	2.80	0.04	53.9	11.1	17
1823250		0.84	0.001	0.01	0.22	7	<0.2	<10	60	0.17	0.03	>25.0	0.20	6.68	1.9	2
1823251		5.87	0.001	0.09	0.48	5.8	<0.2	<10	2070	0.57	0.53	5.10	0.09	38.2	6.9	14
1823252		5.18	0.001	0.22	0.85	5.8	<0.2	<10	2770	0.71	1.75	4.86	0.10	36.6	8.1	16
1823253		3.75	<0.001	0.36	0.80	8.7	<0.2	<10	160	0.99	0.52	5.54	0.04	24.8	8.1	16
1823254		4.56	0.002	0.96	1.01	11.5	<0.2	<10	240	1.35	0.66	5.03	0.28	29.3	17.0	15
1823255		7.09	0.002	0.10	0.86	3.8	<0.2	<10	2640	0.88	0.23	5.60	0.19	26.2	10.3	14
1823256		2.77	<0.001	0.10	0.50	8.0	<0.2	<10	2760	0.83	0.63	6.77	0.16	27.5	8.5	12
1823257		5.44	0.002	0.11	0.83	5.1	<0.2	<10	2310	0.81	0.34	6.63	0.24	34.3	8.3	14
1823258		6.70	0.001	0.39	0.72	6.1	<0.2	<10	270	0.60	0.40	5.70	0.07	34.7	9.2	17
1823259		5.15	0.002	0.91	1.06	9.1	<0.2	<10	400	1.30	0.69	5.09	0.05	24.6	15.8	16
1823260		0.10	0.761	4.73	1.54	20.0	0.7	<10	90	0.19	2.02	0.75	2.02	8.29	11.4	39
1823261		8.77	0.003	0.09	1.28	4.0	<0.2	<10	1160	1.30	0.14	4.40	0.14	42.0	8.7	17
1823262		6.24	0.004	0.07	0.85	3.9	<0.2	<10	1340	0.79	0.34	5.73	0.08	32.5	7.9	14
1823263		3.54	0.011	0.20	0.80	2.8	<0.2	<10	2460	0.57	0.62	7.91	0.10	44.4	9.9	26
1823264		3.69	<0.001	0.10	1.58	0.8	<0.2	<10	860	1.48	0.27	0.15	<0.01	64.2	8.9	31
1823265		5.97	<0.001	0.15	1.47	0.6	<0.2	10	130	1.70	0.18	0.95	0.03	67.5	8.0	20
1823266		3.63	0.001	0.03	1.39	0.5	<0.2	10	210	1.92	0.18	0.60	0.02	73.7	7.1	20
1823267		6.72	0.001	0.05	1.54	0.4	<0.2	10	130	2.34	0.14	0.59	0.01	75.0	7.1	24
1823268		6.31	<0.001	0.03	1.48	1.1	<0.2	10	110	1.93	0.11	0.08	<0.01	74.1	5.9	25
1823269		2.82	<0.001	0.09	1.68	7.0	<0.2	20	160	2.25	0.46	0.08	<0.01	72.4	7.3	26
1823270		0.83	0.001	0.01	0.27	7	<0.2	<10	20	0.13	0.03	>25.0	0.24	6.85	1.6	3
1823271		2.17	0.001	0.22	1.61	12.4	<0.2	20	110	1.88	1.67	0.15	0.01	84.2	12.5	24
1823272	bag number unclear extra sample	3.66	0.001	0.11	1.09	1.7	<0.2	<10	190	0.66	0.09	0.07	0.02	47.9	4.7	28



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
 3506 MCDONALD DRIVE
 YELLOWKNIFE NT X1A 2H1

Page: 3 - B
 Total # Pages: 3 (A - E)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2010
 Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089490

Sample Description	Method	ME-MS41	ME-MS41	MF-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units LOK	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
I823244		0.55	34.7	1.80	3.19	0.06	0.23	<0.01	0.038	0.28	18.9	24.6	3.89	1990	0.13	0.04
I823245		0.77	4.8	1.67	4.06	0.07	0.27	0.01	0.032	0.42	22.9	28.5	3.20	1320	0.25	0.07
I823246		0.67	4.0	1.68	3.87	0.07	0.28	0.01	0.032	0.38	22.5	28.1	3.20	1350	0.26	0.07
I823247		0.66	6.5	1.98	4.12	0.07	0.27	0.01	0.039	0.34	24.4	31.0	3.76	1500	0.18	0.03
I823248		0.84	7.3	2.09	5.03	0.07	0.28	0.01	0.029	0.42	20.9	40.4	3.23	1280	0.11	0.06
I823249		1.08	4.1	1.94	5.86	0.07	0.33	0.01	0.030	0.45	26.3	38.4	2.90	1120	0.13	0.04
I823250		0.11	12.3	0.35	0.61	<0.05	0.05	0.01	0.010	0.04	3.5	8.0	0.48	302	0.26	0.01
I823251		0.33	17.1	1.48	2.28	0.06	0.29	0.01	0.045	0.22	21.6	10.5	3.89	2260	0.18	0.06
I823252		0.43	20.8	1.55	4.12	0.06	0.32	0.01	0.037	0.26	20.3	14.2	3.18	1630	0.22	0.07
I823253		0.50	23.8	1.53	4.81	0.05	0.44	0.02	0.043	0.29	11.6	21.9	3.64	1900	0.48	0.02
I823254		0.87	41.7	1.98	4.22	0.06	0.42	0.07	0.041	0.32	14.8	26.2	3.48	1730	1.10	0.02
I823255		0.48	10.7	1.83	4.16	0.06	0.28	0.01	0.041	0.25	17.5	19.5	3.92	1600	0.13	0.07
I823256		0.27	8.5	3.16	2.41	0.07	0.21	0.01	0.056	0.17	15.7	11.1	4.24	2380	0.23	0.07
I823257		0.40	11.6	1.90	3.04	0.06	0.22	0.01	0.051	0.22	15.7	14.9	4.25	2110	0.20	0.06
I823258		0.42	111.5	1.90	4.24	0.06	0.33	0.02	0.038	0.22	14.9	18.4	3.84	2180	0.41	0.02
I823259		0.68	19.2	1.96	5.53	0.06	0.43	0.03	0.033	0.33	15.3	26.3	3.57	1690	0.82	0.02
I823260		0.40	>10000	3.47	4.76	0.11	0.18	0.11	0.109	0.13	4.0	12.4	0.69	387	196.0	0.08
I823261		0.62	23.4	2.12	5.37	0.07	0.32	0.01	0.040	0.29	19.9	21.0	3.43	1390	0.15	0.01
I823262		0.44	2.7	1.89	3.83	0.06	0.25	0.01	0.057	0.24	18.4	18.9	4.15	1920	0.20	0.04
I823263		0.34	34.9	2.67	3.89	0.08	0.22	0.02	0.062	0.16	21.0	16.9	5.18	2440	0.25	0.06
I823264		1.90	15.0	2.30	8.42	0.09	0.19	<0.01	0.015	0.40	32.8	27.9	1.18	90	0.06	0.02
I823265		3.44	4.7	1.80	5.06	0.09	0.18	<0.01	0.042	0.60	33.0	28.0	1.21	581	0.06	0.01
I823266		3.81	4.1	1.56	4.92	0.09	0.19	<0.01	0.033	0.83	38.1	23.7	0.84	331	0.06	0.01
I823267		3.56	5.9	1.83	5.75	0.10	0.20	<0.01	0.027	0.64	37.7	25.6	1.06	438	0.05	0.01
I823268		3.21	1.4	1.65	5.45	0.10	0.19	<0.01	0.022	0.58	36.4	24.4	0.83	55	<0.05	<0.01
I823269		4.29	18.2	1.85	5.99	0.10	0.23	0.01	0.026	0.70	36.4	29.7	0.89	63	0.28	0.01
I823270		0.13	11.0	0.40	0.63	<0.05	0.06	0.01	0.009	0.05	3.8	6.7	0.47	332	0.21	0.01
I823271		4.18	6.3	1.72	5.60	0.10	0.19	0.01	0.028	0.83	41.8	32.2	0.87	58	0.62	0.01
I823040 bag number unclear extra sample		0.79	17.1	1.44	5.42	0.07	0.22	<0.01	0.006	0.26	22.8	25.0	0.84	84	0.07	0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 3 - C
Total # Pages: 3 (A - E)
Plus Appendix Pages
Finalized Date: 25-JUL-2010
Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089490

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Ti	
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	
I823244		0.07	8.1	590	3.6	13.1	0.001	0.02	0.90	4.8	0.3	0.4	34.4	<0.01	0.01	7.4
I823245		0.06	12.1	620	3.7	19.8	0.002	0.07	0.89	5.2	0.3	0.8	68.0	<0.01	0.01	8.4
I823246		0.06	12.1	640	3.5	17.2	0.002	0.07	0.84	5.1	0.3	0.5	67.9	<0.01	0.01	8.3
I823247		0.08	13.5	680	5.2	16.7	0.001	0.01	1.00	5.5	0.3	0.5	32.7	<0.01	0.01	9.2
I823248		0.06	20.1	630	3.4	20.7	0.005	0.06	0.82	5.3	0.3	0.8	59.7	<0.01	0.01	8.2
I823249		<0.05	23.8	700	3.5	24.3	0.005	0.02	0.95	5.0	0.2	0.7	36.8	<0.01	0.01	9.2
I823250		0.13	<0.2	240	5.4	1.8	0.001	0.11	0.17	2.1	0.3	<0.2	552	<0.01	0.02	0.5
I823251		0.10	5.7	670	4.8	9.1	0.001	0.04	1.18	5.4	0.3	0.4	47.5	<0.01	0.01	11.7
I823252		0.09	10.4	640	4.8	11.3	0.002	0.06	1.08	5.7	0.3	0.8	75.5	<0.01	0.01	10.3
I823253		0.05	13.7	610	5.5	13.1	0.001	0.14	0.55	6.9	0.3	0.5	18.0	<0.01	0.01	9.2
I823254		0.05	18.8	610	19.6	15.9	0.005	0.51	0.71	5.8	0.4	0.5	18.5	<0.01	0.01	8.7
I823255		0.08	13.2	580	3.4	11.8	0.002	0.08	0.83	5.7	0.3	0.4	59.4	<0.01	0.01	8.1
I823256		0.20	7.5	520	6.1	6.6	0.001	0.08	2.13	5.8	0.3	0.3	73.2	<0.01	<0.01	8.1
I823257		0.11	10.7	520	4.1	9.8	0.002	0.08	1.05	6.5	0.3	0.3	70.8	<0.01	0.01	7.9
I823258		0.08	14.4	520	3.9	9.8	0.001	0.25	0.57	6.7	0.4	0.4	23.1	<0.01	0.01	7.6
I823259		0.05	19.3	580	7.9	16.2	0.002	0.43	0.70	6.3	0.6	0.6	21.8	<0.01	0.01	8.6
I823260		0.23	29.0	540	38.8	5.4	1.210	1.67	20.7	5.3	4.8	0.8	38.9	<0.01	0.59	1.0
I823261		0.08	18.1	610	2.8	14.5	0.001	0.15	0.76	5.6	0.3	0.5	32.8	<0.01	0.01	9.2
I823262		0.07	10.9	590	2.9	10.9	0.001	0.03	0.83	5.7	0.3	0.4	34.8	<0.01	0.01	7.3
I823263		0.09	11.5	480	2.7	6.1	0.002	0.07	0.88	6.6	0.4	0.3	56.5	<0.01	0.03	6.2
I823264		<0.05	26.9	230	1.7	25.0	<0.001	0.02	0.58	4.6	0.2	0.5	10.5	<0.01	<0.01	8.8
I823265		<0.05	25.3	190	2.7	37.5	<0.001	<0.01	1.11	5.4	0.2	0.8	15.8	<0.01	0.01	8.8
I823266		<0.05	24.4	200	2.3	36.3	<0.001	<0.01	1.13	5.1	0.2	0.8	16.0	<0.01	0.01	9.5
I823267		0.06	24.4	250	2.4	45.2	<0.001	<0.01	1.01	5.4	0.2	0.7	23.5	<0.01	0.01	10.2
I823268		<0.05	22.8	250	1.7	37.2	<0.001	<0.01	0.75	4.7	0.2	0.8	22.1	<0.01	0.01	9.8
I823269		<0.05	22.3	250	2.2	42.3	<0.001	<0.01	0.99	5.2	0.3	0.8	24.4	<0.01	<0.01	10.5
I823270		0.17	<0.2	280	6.3	2.0	<0.001	0.12	0.18	2.0	0.3	<0.2	576	<0.01	0.02	0.5
I823271		<0.05	28.0	270	3.2	41.9	<0.001	<0.01	0.84	5.2	0.3	0.7	28.1	<0.01	0.01	11.3
I823042 bag number verified extra sample		<0.05	17.5	230	1.5	11.9	<0.001	<0.01	0.29	2.7	<0.2	0.3	3.7	<0.01	<0.01	8.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 3 - D

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089490

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46	Au-ICP21	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	Tl	Tl	U	V	W	Y	Zn	Zr	Cu	Au	SiO2	Al2O3	Fe2O3	CaO	MgO
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	%	%	%	%	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.001	0.01	0.01	0.01	0.01	0.01
I823244		0.010	0.04	1.41	18	0.08	10.90	55	8.7							
I823245		0.008	0.08	1.46	18	0.06	10.30	59	10.5							
I823246		0.008	0.07	1.39	17	0.07	10.50	58	10.5							
I823247		0.012	0.07	1.82	19	0.09	12.20	86	9.7							
I823248		0.010	0.08	1.55	18	0.06	10.75	70	10.2							
I823249		0.008	0.07	1.77	18	0.05	11.45	69	12.9							
I823250		<0.005	<0.02	0.88	8	0.05	3.47	21	2.6							
I823251		0.012	0.03	1.96	21	0.11	11.15	55	11.0			51.29	7.73	2.55	9.67	6.72
I823252		0.011	0.04	2.38	28	0.10	9.80	62	12.7							
I823253		<0.005	0.45	2.04	23	<0.05	10.95	38	18.8							
I823254		<0.005	1.04	1.71	17	<0.05	11.55	113	18.0							
I823255		0.011	0.04	1.57	20	0.07	12.00	83	11.4							
I823256		0.027	0.03	2.14	23	0.24	13.05	68	7.2							
I823257		0.013	0.05	1.69	18	0.12	12.30	95	8.3							
I823258		<0.005	0.33	1.33	20	0.05	11.10	49	13.6							
I823259		<0.005	1.46	1.97	22	0.05	11.60	54	18.2							
I823260		0.119	0.09	0.35	54	3.97	8.79	136	5.6	1.295	0.910					
I823261		0.008	0.06	1.42	21	0.08	11.55	77	10.8							
I823262		0.010	0.04	1.31	20	0.11	11.30	67	9.2							
I823263		0.011	0.03	1.59	29	0.13	11.50	71	7.8							
I823264		0.008	0.10	0.58	22	<0.05	5.72	58	6.9							
I823265		0.007	0.12	0.50	14	0.12	6.92	42	5.2			64.88	14.06	3.71	1.37	2.97
I823266		0.007	0.13	0.52	13	<0.05	6.85	38	5.2							
I823267		0.011	0.18	0.55	15	<0.05	8.02	41	6.4							
I823268		0.008	0.12	0.46	15	<0.05	6.43	39	6.3							
I823269		0.010	0.11	0.54	16	<0.05	7.37	39	7.5							
I823270		<0.005	<0.02	0.80	8	<0.05	3.82	26	2.5							
I823271		0.007	0.09	0.41	14	<0.05	7.11	51	5.1			65.19	15.77	3.41	0.11	2.64
I823043 bag number matches alpha sample		<0.005	0.05	0.26	17	0.12	3.99	32	8.7							



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 3 - E

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089490

Sample Description	Method Analyte Units LOR	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF06	ME-XRF08	ME-XRF08	ME-XRF06	ME-XRF08	ME-XRF06	ME-XRF06
		Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
		%	%	%	%	%	%	%	%	%	%
I823244 I823245 I823246 I823247 I823248		0.01	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01
I823249 I823250 I823251 I823252 I823253		0.11	5.25	0.01	0.55	0.33	0.150	0.01	0.34	14.85	99.57
I823254 I823255 I823256 I823257 I823258											
I823259 I823260 I823261 I823262 I823263											
I823264 I823265 I823266 I823267 I823268		0.05	6.94	0.01	0.49	0.08	0.052	0.01	0.13	4.64	99.20
I823269 I823270 I823271 <small>I823015 bag number unclear extra sample</small>		0.05	7.10	0.02	0.58	0.01	0.068	0.01	0.15	3.58	98.69



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 McDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 25-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089490

Method	CERTIFICATE COMMENTS
ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 1

Finalized Date: 7-JUL-2010

Account: AURGEO

CERTIFICATE WH10089491

Project: REC-10517-YK

P.O. No.:

This report is for 40 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30-JUN-2010.

The following have access to data associated with this certificate:

MIKE POWER
DAVE WHITE

JIM ROBINSON

GARY VIVIAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

To: AURORA GEOSCIENCES LTD.
ATTN: DAVE WHITE
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 7-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089491

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02
I823272		7.17
I823273		6.74
I823274		3.45
I823275		3.82
I823276		6.83
I823277		6.83
I823278		5.92
I823279		4.32
I823280		0.11
I823281		3.40
I823282		5.56
I823283		3.53
I823284		3.79
I823285		3.48
I823286		1.64
I823287		6.69
I823288		6.46
I823289		7.30
I823290		1.15
I823291		6.93
I823292		7.92
I823293		7.19
I823294		6.88
I823295		7.48
I823296		5.11
I823297		4.40
I823298		3.79
I823299		3.78
I823300		0.14
I841001		4.47
I841003		5.01
I841004		4.27
I841005		7.88
I841006		3.68
I841007		6.34
I841008		3.71
I841009		3.71
I841010		0.74
I841011		8.54
I841012		3.16



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 1
Finalized Date: 27-JUL-2010
Account: AURGEO

CERTIFICATE WH10089492

Project: REC-10517-YK

P.O. No.:

This report is for 73 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30-JUN-2010.

The following have access to data associated with this certificate:

MIKE POWER
DAVE WHITE

JIM ROBINSON

GARY VIVIAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-TL42	Trace Level Au - 15 g AR	ICP-MS
ME-MS41	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: AURORA GEOSCIENCES LTD.
ATTN: DAVE WHITE
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd

2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
 3506 MCDONALD DRIVE
 YELLOWKNIFE NT X1A 2H1

Page: 2 - A
 Total # Pages: 3 (A - E)
 Plus Appendix Pages
 Finalized Date: 27-JUL-2010
 Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089492

Sample Description	Method	WEI-21	Au-TL42	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt	Au	Ag	Al	As	Au	B	Ba	Bu	Bi	Ca	Cd	Ce	Co	Cr
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I823001		3.54	0.010	0.16	1.65	11.7	<0.2	<10	1590	0.85	3.96	5.90	0.20	33.0	16.0	24
I823002		5.23	0.004	0.08	1.59	7.7	<0.2	<10	1110	1.02	1.93	7.92	0.12	33.9	12.1	18
I823003		4.77	0.005	0.04	1.56	6.8	<0.2	<10	1280	1.20	1.43	7.65	0.10	28.5	13.0	17
I823004		7.13	0.005	0.13	1.65	7.4	<0.2	<10	1000	1.43	1.26	7.60	0.12	28.9	12.7	15
I823005		6.18	0.003	0.08	1.76	13.6	<0.2	<10	430	1.56	1.77	7.43	0.13	30.8	16.0	18
I823006		2.96	0.007	0.08	1.75	11.0	<0.2	<10	330	1.57	1.45	7.12	0.10	31.0	15.6	18
I823007		6.01	0.007	0.06	1.58	9.0	<0.2	<10	250	1.51	1.47	8.24	0.13	32.8	14.4	17
I823008		2.88	0.005	0.26	1.74	25.6	<0.2	<10	420	1.60	3.90	7.57	0.08	27.7	17.8	17
I823009		6.57	0.007	<0.01	1.46	5.3	<0.2	<10	1150	1.17	2.01	6.56	0.26	39.8	13.4	17
I823010		0.88	0.004	<0.01	0.22	12	<0.2	<10	20	0.14	0.05	>25.0	0.32	5.56	1.9	3
I823011		5.61	0.002	0.01	0.86	6.8	<0.2	<10	610	0.84	0.32	6.20	0.26	34.1	9.2	20
I823012		5.70	0.002	0.02	1.13	9.7	<0.2	<10	1350	1.41	0.33	4.06	1.59	39.2	6.8	19
I823013		6.83	0.002	0.04	0.93	13.6	<0.2	<10	1310	1.13	0.36	4.16	1.54	35.1	6.0	12
I823014		5.52	0.002	0.12	1.37	8.1	<0.2	<10	1400	1.54	0.58	3.88	0.56	43.5	8.0	15
I823015		1.49	0.004	1.72	1.04	8.8	<0.2	<10	360	1.21	2.20	6.30	0.07	26.8	10.5	14
I823016		6.34	0.002	0.33	1.30	5.3	<0.2	<10	890	1.39	1.59	4.52	0.09	31.4	12.1	14
I823017		6.40	0.001	0.06	1.30	3.7	<0.2	<10	1410	1.35	1.06	4.28	0.08	36.0	10.7	13
I823018		8.26	0.001	0.14	1.13	4.4	<0.2	<10	750	1.02	1.06	4.77	0.10	30.6	9.9	12
I823019		5.89	0.001	0.08	1.33	4.9	<0.2	<10	2320	1.43	1.18	4.02	0.16	32.5	10.2	13
I823020		0.09	0.800	4.06	1.46	18.5	0.9	<10	80	0.15	1.65	0.67	1.94	7.25	9.6	37
I823021		7.17	0.006	0.19	0.72	7.2	<0.2	<10	1580	0.67	1.25	5.65	0.12	25.2	9.1	11
I823022		4.99	0.002	0.23	0.84	13.7	<0.2	<10	480	0.87	1.35	5.63	0.09	28.1	10.8	14
I823023		4.65	0.002	0.12	1.40	6.2	<0.2	<10	1520	1.99	1.70	3.74	0.23	38.1	12.9	15
I823024		5.43	0.002	<0.01	1.30	4.9	<0.2	<10	840	1.31	1.10	4.26	0.08	47.5	7.3	16
I823025		6.89	0.002	<0.01	1.05	3.8	<0.2	<10	1020	1.07	0.93	3.41	0.10	46.4	7.7	15
I823026		3.10	0.002	<0.01	1.08	3.8	<0.2	<10	1140	1.01	0.77	3.57	0.09	43.4	7.0	15
I823027		6.90	0.001	0.04	1.18	5.2	<0.2	<10	730	0.89	1.01	4.17	0.07	50.7	6.3	16
I823028		6.94	0.002	0.02	0.51	8.9	<0.2	<10	1840	0.68	1.51	5.84	0.08	33.6	5.8	18
I823029		5.83	0.002	0.01	1.29	6.1	<0.2	<10	340	1.45	1.24	3.49	0.04	46.7	7.6	15
I823030		0.81	0.001	<0.01	0.14	6	<0.2	<10	10	0.13	0.02	>25.0	0.19	3.95	1.5	2
I823031		7.42	0.002	0.05	1.09	7.5	<0.2	<10	1260	1.35	1.45	4.69	0.06	33.2	8.5	13
I823032		5.85	0.002	0.10	1.15	7.7	<0.2	<10	780	1.09	1.38	4.42	0.04	27.9	10.2	14
I823033		6.03	0.002	0.12	1.21	4.4	<0.2	<10	250	1.22	1.04	4.06	0.02	30.5	10.4	15
I823034		6.16	0.001	0.12	1.41	3.8	<0.2	<10	150	1.02	0.84	3.64	0.01	28.0	10.2	14
I823035		6.32	<0.001	0.09	1.06	3.7	<0.2	<10	40	1.05	0.57	4.49	0.02	31.7	7.0	13
I823036		6.09	0.002	0.03	0.68	4.9	<0.2	<10	440	0.86	0.58	5.16	0.03	28.2	6.0	12
I823037		6.86	0.001	0.06	0.89	6.4	<0.2	<10	290	0.92	0.86	4.78	0.03	23.0	8.5	14
I823038		6.76	<0.001	0.01	1.09	3.8	<0.2	<10	60	0.79	0.37	4.39	0.02	13.70	9.5	16
I823039		6.36	<0.001	0.04	0.96	4.8	<0.2	<10	200	0.60	0.42	4.45	<0.01	33.3	6.8	17
I823040		0.08	0.372	2.66	1.76	55.6	0.3	<10	180	0.36	0.93	2.49	1.69	16.00	16.0	54



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 2 - B

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089492

Sample Description	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Ca ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
1823001	0.27	403	5.03	5.59	0.09	0.38	0.02	0.098	0.30	18.4	34.8	4.31	3140	1.54	0.04
1823002	0.28	146.0	3.15	4.65	0.08	0.26	0.01	0.103	0.33	18.4	35.3	5.06	4500	0.54	0.03
1823003	0.29	114.5	3.14	4.73	0.06	0.35	0.01	0.099	0.30	13.6	39.5	5.06	4500	0.44	0.04
1823004	0.28	51.9	3.11	4.75	0.07	0.33	0.01	0.087	0.34	14.2	43.8	4.84	4790	0.73	0.03
1823005	0.31	53.4	3.35	5.59	0.08	0.44	0.02	0.074	0.34	15.1	50.5	4.91	4490	1.05	0.02
1823006	0.30	59.3	3.32	5.38	0.08	0.43	0.02	0.070	0.33	15.3	50.3	4.86	4420	1.02	0.02
1823007	0.31	207	3.09	5.49	0.08	0.37	0.02	0.086	0.33	15.8	44.5	5.39	4910	0.82	0.02
1823008	0.30	279	3.45	5.43	0.09	0.39	0.05	0.058	0.35	12.8	44.9	5.06	4320	1.83	0.02
1823009	0.27	40.0	3.63	5.85	0.10	0.23	0.01	0.062	0.23	18.4	38.0	5.78	4140	0.58	0.04
1823010	0.10	11.0	0.32	0.57	<0.05	0.07	0.01	0.010	0.05	2.8	6.6	0.49	329	0.45	0.02
1823011	0.26	88.6	2.78	3.76	0.07	0.36	0.02	0.081	0.34	17.1	18.7	3.83	2880	0.83	0.03
1823012	0.53	27.9	2.95	4.13	0.07	0.45	0.01	0.130	0.51	19.8	23.3	2.42	1830	0.85	0.04
1823013	0.49	19.4	2.51	3.08	0.06	0.51	0.01	0.071	0.40	17.3	21.2	2.49	2360	0.98	0.04
1823014	0.63	27.4	2.51	4.75	0.08	0.47	0.01	0.050	0.57	22.3	27.7	2.67	2550	0.87	0.04
1823015	0.50	27.9	2.68	3.78	0.07	0.45	0.04	0.054	0.40	13.0	20.7	3.81	3760	1.18	0.02
1823016	0.58	17.4	2.12	4.47	0.06	0.48	0.03	0.039	0.38	15.5	29.9	3.31	2800	0.85	0.03
1823017	0.57	8.0	2.10	4.64	0.06	0.40	0.03	0.040	0.36	17.6	30.2	3.07	2570	0.45	0.04
1823018	0.43	8.1	1.89	4.14	0.06	0.40	0.01	0.041	0.29	15.1	27.2	3.29	2650	0.52	0.03
1823019	0.51	9.2	2.01	4.80	0.06	0.28	0.02	0.037	0.32	16.2	28.9	3.12	1810	0.39	0.06
1823020	0.36	>10000	3.36	4.47	0.10	0.19	0.12	0.103	0.13	3.6	9.2	0.67	369	175.0	0.08
1823021	0.37	46.5	1.77	2.95	0.05	0.34	0.02	0.047	0.23	11.4	12.5	3.34	3310	0.83	0.02
1823022	0.38	35.9	1.98	3.86	0.06	0.42	0.04	0.045	0.27	14.0	23.0	3.49	3120	0.85	0.02
1823023	0.76	38.1	2.31	5.37	0.07	0.54	0.03	0.054	0.44	19.1	34.5	2.73	2130	0.87	0.04
1823024	0.54	8.8	2.27	4.98	0.08	0.34	0.02	0.039	0.34	24.7	30.0	3.33	1410	0.30	0.03
1823025	0.46	5.4	1.81	4.80	0.07	0.27	0.01	0.038	0.31	24.7	26.8	2.67	1590	0.17	0.03
1823026	0.46	5.7	1.86	4.44	0.07	0.26	0.01	0.037	0.31	23.1	24.2	2.78	1590	0.14	0.03
1823027	0.51	9.0	2.03	4.81	0.05	0.28	0.02	0.051	0.35	28.6	21.7	3.18	1620	0.28	0.03
1823028	0.29	14.2	2.41	2.98	0.07	0.24	0.01	0.055	0.18	18.2	13.8	3.88	2180	0.43	0.05
1823029	0.70	5.7	2.48	4.99	0.09	0.29	0.03	0.048	0.33	27.2	31.5	2.88	1300	0.19	0.02
1823030	0.09	7.7	0.23	0.37	<0.05	0.04	<0.01	0.005	0.02	2.0	4.7	0.49	258	0.18	0.02
1823031	0.63	14.7	2.09	4.11	0.06	0.36	0.01	0.054	0.30	17.5	25.7	3.27	2080	0.39	0.04
1823032	0.53	16.8	2.40	4.20	0.06	0.50	0.02	0.049	0.27	13.9	25.8	3.09	2230	0.84	0.03
1823033	0.67	11.4	2.26	5.18	0.07	0.53	0.02	0.043	0.30	15.9	32.3	3.01	2250	0.74	0.01
1823034	0.64	39.7	2.49	4.96	0.07	0.55	0.02	0.043	0.28	14.8	33.8	3.02	2250	0.58	0.02
1823035	0.53	12.9	2.24	4.08	0.06	0.44	0.03	0.042	0.27	16.7	24.6	3.14	2710	0.60	0.01
1823036	0.42	11.5	1.98	3.05	0.07	0.43	0.01	0.047	0.23	13.4	15.8	3.43	2910	0.47	0.02
1823037	0.45	12.5	1.98	4.07	0.06	0.44	0.01	0.040	0.23	8.0	21.3	3.31	2430	0.89	0.02
1823038	0.45	14.5	2.24	4.73	0.06	0.51	0.01	0.034	0.22	6.0	27.1	3.22	2660	0.33	0.01
1823039	0.37	3.6	2.48	4.28	0.07	0.40	<0.01	0.038	0.21	10.5	18.8	3.19	2640	0.56	0.01
1823040	0.97	4980	4.81	6.34	0.12	0.21	0.25	0.120	0.21	8.4	15.6	1.10	740	53.5	0.09



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 2 - C
Total # Pages: 3 (A - E)
Plus Appendix Pages
Finalized Date: 27-JUL-2010
Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089492

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
1823001		0.14	21.0	590	4.6	13.9	0.001	0.13	1.20	7.1	0.4	0.8	52.9	0.01	0.08	6.3
1823002		0.09	19.0	500	2.5	15.6	0.001	0.06	0.88	5.9	0.3	0.3	50.7	<0.01	0.01	5.2
1823003		0.07	15.9	500	2.4	13.8	0.001	0.08	0.68	6.4	0.3	0.3	50.7	<0.01	0.01	5.4
1823004		0.07	16.4	510	2.8	14.9	0.001	0.10	0.56	6.1	0.3	0.3	38.9	<0.01	0.01	4.7
1823005		0.07	19.4	530	2.2	15.6	0.001	0.11	0.54	6.7	0.3	0.3	23.2	<0.01	0.02	5.1
1823008		0.07	19.9	530	2.0	14.8	0.001	0.09	0.54	6.5	0.3	0.3	21.4	<0.01	0.01	5.0
1823007		0.08	17.6	480	2.2	15.1	<0.001	0.11	0.51	6.4	0.4	0.3	30.2	<0.01	0.01	4.6
1823008		0.08	19.1	530	5.1	15.2	0.001	0.48	0.50	6.2	0.5	0.3	22.4	0.01	0.02	3.9
1823009		0.12	18.5	470	3.5	10.3	0.001	0.04	1.02	5.0	0.4	0.3	55.7	0.01	0.01	4.0
1823010		0.26	<0.2	230	5.4	1.7	<0.001	0.10	0.31	1.7	0.3	<0.2	553	<0.01	0.03	0.4
1823011		0.10	11.5	580	3.0	13.0	0.001	0.04	0.83	7.5	0.3	0.6	34.7	<0.01	0.02	7.2
1823012		0.09	15.2	660	5.8	21.0	0.001	0.05	0.66	6.3	0.3	1.1	33.5	<0.01	0.02	8.4
1823013		0.07	12.7	690	5.2	18.4	0.001	0.05	0.67	5.0	0.3	0.8	38.5	<0.01	0.03	7.6
1823014		0.07	15.1	700	4.7	25.7	0.002	0.08	0.70	6.2	0.4	0.8	43.7	<0.01	0.01	9.1
1823015		0.09	10.4	560	12.9	16.9	0.004	0.47	0.65	6.5	0.4	0.5	40.8	<0.01	0.01	7.3
1823016		<0.05	14.3	620	11.3	16.7	0.006	0.32	0.44	5.2	0.3	0.5	37.8	<0.01	0.02	7.4
1823017		0.05	13.2	610	4.1	16.3	0.006	0.15	0.43	5.4	0.3	0.5	38.4	<0.01	0.02	7.5
1823018		0.05	10.6	620	9.3	12.6	0.002	0.16	0.40	4.9	0.3	0.4	29.4	<0.01	0.01	7.2
1823019		0.05	13.1	560	6.0	14.8	0.003	0.12	0.68	5.2	0.3	0.5	66.7	<0.01	0.02	6.6
1823020		0.21	23.2	540	33.8	4.6	1.035	1.67	16.40	4.3	4.3	0.5	38.3	<0.01	0.53	1.0
1823021		0.06	9.1	520	7.6	10.0	0.002	0.20	0.56	4.8	0.3	0.3	45.1	<0.01	0.02	6.9
1823022		<0.05	12.8	580	7.7	11.2	0.005	0.39	0.53	6.3	0.5	0.4	33.6	<0.01	0.01	6.8
1823023		0.06	15.4	660	6.2	21.2	0.004	0.22	0.95	7.0	0.5	0.6	26.7	<0.01	0.02	9.3
1823024		0.07	13.3	690	4.9	15.0	0.002	0.04	0.83	6.0	0.3	0.5	30.3	<0.01	0.01	9.8
1823025		0.06	12.0	670	3.5	13.4	0.001	0.03	0.69	5.4	0.3	0.5	31.7	<0.01	0.01	8.5
1823026		0.06	11.3	680	3.3	13.5	0.001	0.03	0.66	5.2	0.3	0.5	34.0	<0.01	0.01	8.1
1823027		0.10	13.8	670	3.6	15.4	0.001	0.02	0.69	4.8	0.2	0.5	34.0	<0.01	0.01	9.0
1823028		0.17	6.0	590	5.8	6.5	0.002	0.06	1.11	6.0	0.3	0.4	56.7	<0.01	0.01	8.4
1823029		0.11	17.6	690	4.1	16.3	0.001	0.01	0.88	6.0	0.3	0.5	19.4	<0.01	0.02	8.9
1823030		0.18	<0.2	210	3.4	0.7	0.001	0.08	0.11	1.2	0.3	<0.2	604	<0.01	0.02	0.3
1823031		0.07	13.9	630	3.5	14.7	0.002	0.11	0.66	5.7	0.4	0.4	41.2	<0.01	0.02	7.4
1823032		0.05	14.5	620	3.7	12.7	0.002	0.34	0.52	5.3	0.4	0.4	26.6	<0.01	0.02	7.1
1823033		0.05	17.7	800	3.6	15.3	0.003	0.21	0.48	5.9	0.4	0.5	23.2	<0.01	0.02	7.6
1823034		0.05	16.7	670	2.9	13.7	0.010	0.22	0.40	5.1	0.5	0.4	16.2	<0.01	0.01	7.0
1823035		0.05	13.5	610	3.9	13.1	0.010	0.13	0.42	5.6	0.4	0.4	16.8	<0.01	0.02	7.6
1823036		0.07	8.8	600	2.4	10.7	0.003	0.08	0.49	5.3	0.4	0.4	29.8	<0.01	0.01	8.6
1823037		0.07	14.0	650	3.1	11.0	0.001	0.11	0.50	5.4	0.3	0.4	23.8	<0.01	0.01	9.0
1823038		0.05	17.8	650	1.6	10.5	0.001	0.09	0.35	5.2	0.3	0.4	15.0	<0.01	0.01	9.7
1823039		<0.05	16.6	640	1.8	9.8	0.001	0.09	0.35	4.9	0.4	0.5	18.7	<0.01	<0.01	10.5
1823040		0.13	80.0	900	44.8	10.6	0.171	1.43	6.03	8.0	5.1	2.1	89.9	<0.01	0.28	1.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: 2 - D

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089492

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Cu %	SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %	Na2O %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.01	0.01	0.01	0.01	0.01	0.01
1823001		0.026	0.05	1.83	35	0.81	12.95	97	14.3							
1823002		0.010	0.04	1.33	15	0.08	14.50	82	11.5							
1823003		0.009	0.04	1.75	15	0.15	14.15	62	13.0							
1823004		0.006	0.33	1.20	14	0.14	14.60	62	12.8							
1823005		<0.005	0.05	1.42	15	0.07	15.00	62	17.7							
1823006		<0.005	0.05	1.34	15	0.08	14.25	62	16.4							
1823007		0.005	0.05	1.25	17	0.07	16.75	83	14.3							
1823008		<0.005	0.13	1.73	16	<0.05	15.70	89	16.0							
1823009		0.015	0.04	1.42	25	0.23	17.55	136	6.2							
1823010		<0.005	<0.02	0.86	7	<0.05	2.93	25	2.6							
1823011		0.013	0.03	1.00	32	0.34	13.85	109	13.9		46.36	9.06	5.39	9.97	6.62	0.06
1823012		0.015	0.06	1.20	28	0.47	12.45	150	16.3							
1823013		0.010	0.05	2.12	20	0.40	14.00	109	19.8							
1823014		0.009	0.36	2.14	22	0.35	14.60	54	19.9							
1823015		0.008	2.93	1.75	18	0.13	15.00	30	15.8							
1823016		<0.005	1.63	1.37	15	0.05	12.65	36	18.2							
1823017		<0.005	0.38	1.05	16	0.12	12.80	37	15.8							
1823018		<0.005	0.54	1.08	14	0.05	12.35	36	15.5							
1823019		0.009	0.49	1.18	14	0.05	11.40	47	9.3							
1823020		0.107	0.09	0.28	52	3.71	6.25	130	4.8	1.290						
1823021		<0.005	0.65	1.04	14	0.08	11.95	34	12.8							
1823022		<0.005	0.63	1.05	19	0.06	12.45	39	15.2							
1823023		0.008	0.32	1.74	18	0.09	15.10	58	20.2							
1823024		0.012	0.06	1.36	18	0.08	13.75	42	11.7							
1823025		0.010	0.04	1.15	17	0.07	12.00	47	9.7							
1823026		0.010	0.04	1.15	17	0.07	11.65	46	9.3							
1823027		0.011	0.05	1.29	19	0.07	12.75	44	9.0		56.28	10.19	3.72	6.10	5.51	0.05
1823028		0.018	0.02	1.61	21	0.23	13.60	37	8.0							
1823029		0.014	0.05	1.73	17	0.11	12.55	40	9.5							
1823030		<0.005	<0.02	1.07	5	<0.05	2.03	15	1.8							
1823031		0.009	0.05	1.60	14	0.08	13.55	39	12.8							
1823032		0.007	0.21	2.29	14	0.05	13.20	33	18.7							
1823033		0.006	0.12	1.92	16	0.06	14.00	34	20.5							
1823034		<0.005	0.14	1.81	16	0.08	13.20	36	21.9		57.10	10.77	4.67	5.44	5.59	0.04
1823035		0.005	0.12	1.30	14	0.13	13.00	28	17.4							
1823036		0.007	0.07	1.29	16	0.13	12.75	26	15.3							
1823037		0.007	0.06	1.33	14	0.10	11.95	33	16.7							
1823038		0.005	0.06	1.12	15	0.10	12.30	30	20.2							
1823039		0.007	0.06	1.24	17	0.16	11.05	28	14.9							
1823040		0.068	0.21	0.60	78	2.13	11.15	185	6.2							



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 2 - E

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089492

Sample Description	Method	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	Au-ICP21
	Analyte	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total	Total	Au
	Units	%	%	%	%	%	%	%	%	%	%	ppm
LOR		0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.001
1823001 1823002 1823003 1823004 1823005												
1823006 1823007 1823008 1823009 1823010												
1823011 1823012 1823013 1823014 1823015		5.50	0.01	0.41	0.38	0.128	0.01	0.10	15.20	99.23		
1823016 1823017 1823018 1823019 1823020												1.000
1823021 1823022 1823023 1823024 1823025												
1823026 1823027 1823028 1823029 1823030		5.55	0.01	0.54	0.22	0.142	0.01	0.12	10.60	99.05		
1823031 1823032 1823033 1823034 1823035		5.10	0.01	0.55	0.32	0.145	0.01	0.05	9.59	99.59		
1823036 1823037 1823038 1823039 1823040												

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
 3506 MCDONALD DRIVE
 YELLOWKNIFE NT X1A 2H1

Page: 3 - A
 Total # Pages: 3 (A - E)
 Plus Appendix Pages
 Finalized Date: 27-JUL-2010
 Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089492

Sample Description	Method	WEI-21	Au-TL42	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Rocvd WL	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I823041		6.10	<0.001	0.06	0.79	5.2	<0.2	<10	250	0.44	0.66	5.15	0.04	37.7	6.0	19
I823042		6.68	0.002	0.08	1.23	3.6	<0.2	<10	110	0.92	0.71	4.43	<0.01	45.8	7.4	17
I823043		5.55	0.002	0.07	0.90	2.0	<0.2	<10	50	0.85	0.60	4.66	<0.01	30.0	6.9	12
I823044		7.01	0.001	0.04	1.41	2.3	<0.2	<10	30	1.21	0.37	4.05	<0.01	48.9	8.2	16
I823045		10.89	0.001	0.05	1.32	2.5	<0.2	<10	60	0.88	0.45	3.63	<0.01	39.6	8.1	16
I823046		3.84	<0.001	0.05	1.26	2.1	<0.2	<10	100	0.81	0.37	3.60	<0.01	38.9	7.4	15
I823047		2.86	0.001	0.06	0.53	3.3	<0.2	<10	130	0.41	0.23	4.85	0.02	40.0	4.5	16
I823048		6.71	0.001	0.07	0.35	5.1	<0.2	<10	120	0.18	0.28	5.55	<0.01	32.1	4.2	19
I823049		5.78	0.001	0.07	0.83	4.6	<0.2	<10	40	0.41	0.37	5.02	<0.01	48.4	7.3	17
I823050		0.87	<0.001	0.01	0.23	7	<0.2	<10	10	0.13	0.02	>25.0	0.21	6.60	1.6	2
I823051		6.41	<0.001	0.04	0.47	3.4	<0.2	<10	120	0.23	0.18	5.81	<0.01	38.2	3.9	16
I823052		2.14	0.001	0.02	0.74	4.0	<0.2	<10	140	0.36	0.08	4.76	<0.01	48.5	4.1	22
I823053		6.47	<0.001	0.04	1.12	4.5	<0.2	<10	50	1.05	0.21	3.26	<0.01	34.9	6.1	15
I823054		6.81	<0.001	0.03	1.14	2.8	<0.2	<10	290	0.93	0.15	4.42	<0.01	54.7	6.5	14
I823055		6.15	<0.001	0.04	1.30	2.9	<0.2	<10	370	1.18	0.20	4.07	0.01	61.2	6.5	18
I823056		6.82	<0.001	0.03	0.97	2.4	<0.2	<10	780	0.67	0.11	4.23	<0.01	44.2	5.9	11
I823057		5.71	<0.001	0.03	0.98	3.1	<0.2	<10	490	0.83	0.20	3.85	<0.01	41.3	6.2	11
I823058		6.59	0.003	0.03	1.03	1.8	<0.2	<10	590	0.64	0.25	4.07	<0.01	38.9	7.0	13
I823059		5.87	0.002	0.02	1.08	1.8	<0.2	<10	350	0.73	0.11	3.80	<0.01	41.1	7.0	12
I823060		0.09	0.810	4.50	1.46	21.0	1.0	<10	80	0.19	2.11	0.76	2.06	9.08	10.4	39
I823061		7.02	0.005	0.03	1.03	2.1	<0.2	<10	260	0.78	0.31	3.91	<0.01	38.7	7.0	12
I823062		4.30	0.003	0.14	0.94	3.5	<0.2	<10	230	0.89	0.22	3.50	<0.01	37.3	6.1	11
I823063		7.01	0.003	0.01	0.85	3.1	<0.2	<10	1390	0.89	0.23	3.70	0.01	37.8	5.6	10
I823064		6.44	0.005	0.01	0.91	4.5	<0.2	<10	1150	1.12	0.28	4.33	0.01	45.3	5.7	13
I823065		6.93	0.002	0.01	0.94	3.8	<0.2	<10	630	0.98	0.15	3.63	0.02	43.3	6.6	14
I823066		2.54	0.004	0.01	0.93	4.1	<0.2	<10	710	0.86	0.14	3.91	0.03	44.8	6.7	13
I823067		5.93	0.004	0.01	0.82	5.7	<0.2	<10	1320	1.16	0.19	4.10	0.02	40.4	6.5	12
I823068		6.62	0.002	0.01	0.92	4.0	<0.2	<10	560	0.98	0.14	4.18	0.01	47.3	6.0	13
I823069		5.75	0.003	0.01	0.88	4.2	<0.2	<10	580	1.08	0.12	3.98	0.01	43.8	5.7	11
I823070		0.77	0.004	0.01	0.15	7	<0.2	<10	10	0.10	0.01	>25.0	0.20	5.91	1.5	2
I823071		6.32	0.002	0.01	1.08	4.5	<0.2	<10	530	1.27	0.17	3.07	0.02	45.7	7.1	14
I823072		6.31	0.003	0.02	1.11	5.4	<0.2	<10	880	1.04	0.33	3.43	<0.01	43.9	7.5	13
I823073		6.60	0.004	0.02	1.08	5.9	<0.2	<10	2040	0.83	0.37	4.31	0.01	46.8	8.2	14



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
 3506 MCDONALD DRIVE
 YELLOWKNIFE NT X1A 2H1

Page: 3 - B
 Total # Pages: 3 (A - E)
 Plus Appendix Pages
 Finalized Date: 27-JUL-2010
 Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089492

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I823041		0.34	8.4	2.19	3.78	0.06	0.35	0.01	0.037	0.29	12.8	10.8	3.42	2550	0.40	0.02
I823042		0.55	4.6	2.32	4.94	0.08	0.44	<0.01	0.042	0.40	23.2	23.2	3.25	2330	0.43	0.02
I823043		0.47	4.8	2.28	3.71	0.07	0.38	0.01	0.043	0.24	14.5	19.1	3.16	2850	0.67	0.01
I823044		0.77	2.2	2.67	5.28	0.09	0.48	<0.01	0.043	0.32	24.3	31.8	3.12	2740	0.50	0.01
I823045		0.53	6.5	2.44	5.23	0.07	0.47	0.01	0.033	0.24	19.6	30.3	3.04	2230	0.70	0.01
I823046		0.49	5.8	2.38	5.00	0.07	0.45	0.01	0.030	0.23	19.2	29.0	2.95	2220	0.74	0.01
I823047		0.25	4.0	1.86	3.02	0.06	0.44	0.02	0.029	0.15	20.0	11.1	2.67	2790	0.77	0.01
I823048		0.13	1.4	1.76	2.71	0.05	0.37	0.01	0.031	0.12	16.9	6.2	3.23	2910	1.10	0.01
I823049		0.30	2.0	1.99	3.86	0.07	0.47	0.01	0.027	0.17	21.1	13.6	3.21	2650	0.70	0.01
I823050		0.11	11.2	0.35	0.61	<0.05	0.06	0.01	0.009	0.04	3.3	6.1	0.45	271	0.30	0.01
I823051		0.23	2.1	1.99	3.28	0.07	0.35	<0.01	0.028	0.14	15.6	10.0	3.52	3060	0.51	0.01
I823052		0.36	2.4	2.50	4.61	0.07	0.42	<0.01	0.025	0.27	18.4	13.9	3.08	2790	0.42	0.02
I823053		0.75	1.6	2.33	4.64	0.07	0.49	0.01	0.028	0.32	16.8	24.2	2.36	1820	0.57	0.01
I823054		0.58	3.7	2.40	4.32	0.08	0.38	<0.01	0.036	0.29	27.4	24.9	3.13	2740	0.62	0.01
I823055		0.63	6.8	2.30	4.89	0.09	0.40	<0.01	0.040	0.41	31.1	25.1	2.81	2660	0.72	0.02
I823056		0.45	2.4	2.05	3.64	0.07	0.30	0.01	0.035	0.21	21.9	21.4	2.90	2710	0.27	0.02
I823057		0.54	5.1	2.03	3.68	0.08	0.31	<0.01	0.033	0.23	20.6	21.7	2.75	2720	0.60	0.01
I823058		0.45	13.4	1.91	3.80	0.06	0.31	0.01	0.037	0.20	19.2	24.2	2.94	2510	0.43	0.01
I823059		0.49	1.6	1.86	3.85	0.07	0.30	<0.01	0.038	0.21	20.4	24.5	2.86	2400	0.34	0.01
I823060		0.41	>10000	3.60	5.00	0.12	0.18	0.09	0.127	0.13	4.2	10.8	0.86	381	191.0	0.08
I823061		0.52	7.0	1.92	3.62	0.07	0.33	0.01	0.037	0.22	18.8	22.9	2.80	2480	0.46	0.01
I823062		0.54	5.0	1.83	3.38	0.07	0.31	<0.01	0.031	0.23	18.3	20.4	2.49	2250	0.44	0.01
I823063		0.50	2.2	1.93	3.13	0.08	0.22	<0.01	0.038	0.23	18.5	16.9	2.59	1780	0.18	0.02
I823064		0.60	0.9	2.30	3.42	0.07	0.25	<0.01	0.044	0.28	22.4	19.3	2.95	2330	0.23	0.02
I823065		0.52	1.5	2.08	3.45	0.07	0.24	<0.01	0.036	0.23	21.0	22.3	2.70	1690	0.24	0.02
I823066		0.47	1.7	2.01	3.54	0.07	0.26	<0.01	0.041	0.24	22.0	22.3	2.89	1820	0.24	0.02
I823067		0.60	2.5	2.38	3.30	0.07	0.25	<0.01	0.054	0.27	20.1	20.6	3.00	2430	0.27	0.02
I823068		0.49	0.9	2.17	3.37	0.07	0.25	<0.01	0.041	0.26	23.6	19.8	2.98	2800	0.20	0.02
I823069		0.58	1.7	1.97	3.28	0.07	0.22	<0.01	0.044	0.27	21.4	18.0	2.81	2210	0.33	0.02
I823070		0.08	6.7	0.30	0.40	<0.05	0.05	<0.01	0.007	0.03	3.0	4.1	0.37	244	0.19	0.01
I823071		0.70	2.9	2.27	3.87	0.07	0.22	<0.01	0.032	0.30	22.1	23.2	2.31	1730	0.41	0.01
I823072		0.59	4.6	2.06	3.95	0.07	0.24	<0.01	0.037	0.27	21.0	25.3	2.68	1900	0.22	0.02
I823073		0.46	10.8	2.23	3.75	0.07	0.27	<0.01	0.039	0.22	22.6	25.2	3.05	2400	0.40	0.03



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd

2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
 3506 MCDONALD DRIVE
 YELLOWKNIFE NT X1A 2H1

Page: 3 - C
 Total # Pages: 3 (A - E)
 Plus Appendix Pages
 Finalized Date: 27-JUL-2010
 Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089492

Sample Description	Method Analyte Units LDR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm 0.05	Ni ppm 0.2	P ppm 10	Pb ppm 0.2	Rb ppm 0.1	Ra ppm 0.001	S % 0.01	Sb ppm 0.05	Se ppm 0.1	Se ppm 0.2	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.01	Te ppm 0.01	Th ppm 0.2
I823041		0.07	10.6	600	2.8	10.7	0.001	0.06	0.55	5.2	0.3	0.6	22.4	<0.01	0.01	9.4
I823042		<0.05	15.1	600	2.2	18.4	0.002	0.12	0.54	5.6	0.5	0.6	19.1	<0.01	<0.01	9.3
I823043		<0.05	12.9	530	1.7	11.6	0.005	0.18	0.40	5.0	0.4	0.4	16.3	<0.01	0.01	8.9
I823044		<0.05	18.8	650	1.7	16.8	0.002	0.07	0.45	5.2	0.4	0.5	14.5	<0.01	<0.01	10.2
I823045		<0.05	17.8	660	1.7	11.6	0.002	0.10	0.35	4.3	0.4	0.4	13.7	<0.01	0.01	9.2
I823046		<0.05	16.4	630	1.5	11.5	0.002	0.08	0.33	4.3	0.3	0.4	14.1	<0.01	0.01	8.6
I823047		0.05	8.9	620	1.5	6.0	0.002	0.04	0.29	5.8	0.4	0.4	15.5	<0.01	0.01	9.6
I823048		<0.05	8.4	620	1.7	3.9	0.006	0.09	0.20	6.3	0.3	0.4	20.0	<0.01	0.02	10.2
I823049		<0.05	14.4	580	1.7	7.7	0.001	0.11	0.27	5.3	0.3	0.4	15.9	<0.01	<0.01	9.7
I823050		0.12	0.9	240	5.5	1.4	0.001	0.15	0.14	1.7	0.3	<0.2	500	<0.01	0.03	0.5
I823051		0.05	10.9	550	1.4	5.7	0.002	0.05	0.21	5.4	0.3	0.4	24.2	<0.01	0.01	9.2
I823052		0.05	15.8	630	1.6	11.5	0.001	0.02	0.45	6.0	0.3	0.6	17.9	<0.01	0.01	10.8
I823053		<0.05	18.1	680	1.7	17.5	0.001	0.05	0.49	4.9	0.3	0.6	14.9	<0.01	0.01	9.7
I823054		<0.05	16.1	620	1.7	14.8	0.002	0.04	0.44	5.0	0.3	0.5	19.4	<0.01	0.01	9.0
I823055		<0.05	15.0	630	1.9	19.8	0.001	0.03	0.48	5.2	0.3	0.6	18.8	<0.01	0.02	9.7
I823056		<0.05	13.6	600	1.4	10.7	0.001	0.04	0.36	4.2	0.3	0.4	29.4	<0.01	0.01	7.8
I823057		<0.05	13.2	620	1.7	11.8	0.001	0.05	0.39	4.3	0.3	0.4	25.3	<0.01	0.01	7.9
I823058		<0.05	15.9	620	1.5	10.1	0.001	0.06	0.30	3.8	0.3	0.3	26.7	<0.01	0.01	8.3
I823059		<0.05	16.5	620	1.4	10.9	<0.001	0.04	0.31	4.0	0.2	0.3	19.8	<0.01	0.01	8.1
I823060		0.20	28.4	520	38.5	5.4	1.165	1.59	21.6	5.0	4.9	0.6	41.7	<0.01	0.80	1.1
I823061		<0.05	14.9	640	1.6	11.4	0.001	0.05	0.34	4.3	0.3	0.4	17.4	<0.01	<0.01	8.0
I823062		<0.05	12.8	590	1.4	11.7	0.001	0.03	0.35	4.2	0.3	0.4	16.5	<0.01	0.01	6.5
I823063		0.05	10.8	600	2.5	11.5	0.001	0.05	0.61	4.1	0.2	0.4	40.8	<0.01	0.01	7.0
I823064		0.06	14.0	600	2.6	14.5	0.003	0.05	0.70	5.5	0.3	0.5	40.3	<0.01	0.01	8.3
I823065		0.05	17.2	630	2.6	12.1	0.003	0.03	0.61	4.4	0.2	0.4	27.3	<0.01	0.01	8.5
I823066		0.05	18.8	630	2.8	11.8	0.002	0.03	0.61	4.3	0.2	0.4	29.9	<0.01	0.01	9.0
I823067		0.06	15.1	620	2.8	14.3	0.001	0.05	0.75	4.9	0.3	0.5	46.7	<0.01	0.01	8.6
I823068		<0.05	13.7	610	2.0	13.0	0.001	0.03	0.50	4.4	0.3	0.4	26.4	<0.01	0.01	8.0
I823069		0.05	12.2	580	2.4	13.8	0.001	0.03	0.68	4.8	0.3	0.4	27.8	<0.01	<0.01	7.5
I823070		0.13	<0.2	230	4.6	1.0	0.001	0.14	0.15	1.6	0.3	<0.2	465	<0.01	0.02	0.5
I823071		0.05	14.6	630	3.2	15.4	0.001	0.03	0.83	4.8	0.3	0.5	27.1	<0.01	<0.01	8.0
I823072		<0.05	16.0	620	2.7	13.6	0.001	0.04	0.63	4.3	0.2	0.4	34.3	<0.01	0.01	8.1
I823073		<0.05	16.6	710	2.7	10.6	0.001	0.07	0.66	4.0	0.3	0.4	62.3	<0.01	0.01	10.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
3506 MCDONALD DRIVE
YELLOWKNIFE NT X1A 2H1

Page: 3 - D
Total # Pages: 3 (A - E)
Plus Appendix Pages
Finalized Date: 27-JUL-2010
Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089492

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Cu-OG46	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08
	Analyte	Ti	Ti	U	V	W	Y	Zn	Zr	Cu	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
Units		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%
LOR		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.01	0.01	0.01	0.01	0.01	0.01
I823041		0.012	0.06	1.08	22	0.21	11.30	32	13.0							
I823042		0.008	0.08	1.85	20	0.07	12.60	30	15.7							
I823043		0.005	0.09	1.64	15	0.12	11.75	22	13.8							
I823044		0.007	0.06	1.72	18	0.15	14.10	33	17.7							
I823045		0.006	0.07	1.34	17	0.11	12.50	35	18.4							
I823046		0.005	0.06	1.53	17	0.11	12.15	33	16.1							
I823047		<0.005	0.10	1.75	17	0.11	11.95	22	14.6							
I823048		<0.005	0.04	2.00	19	0.05	11.20	15	12.8	50.99	8.81	2.89	8.73	5.42	0.07	
I823049		0.005	0.05	2.06	17	0.08	11.65	20	16.3							
I823050		<0.005	<0.02	1.37	4	<0.05	3.24	22	2.4							
I823051		0.005	0.03	2.08	18	0.06	10.55	17	12.2							
I823052		0.010	0.03	1.80	23	0.10	11.10	23	15.0							
I823053		0.008	0.05	1.76	17	0.11	11.25	26	17.7							
I823054		0.007	0.05	1.89	17	0.10	12.50	29	14.1							
I823055		0.007	0.08	1.18	19	0.07	12.85	34	14.4							
I823056		0.005	0.04	1.20	13	0.07	11.15	32	10.7							
I823057		<0.005	0.03	1.24	13	<0.05	11.05	27	11.2	55.62	10.28	4.28	5.88	5.37	0.04	
I823058		<0.005	0.02	1.06	11	<0.05	10.45	30	11.5							
I823059		<0.005	0.03	1.03	13	<0.05	10.10	31	11.5							
I823060		0.117	0.09	0.34	53	3.85	6.53	129	5.2	1.290						
I823061		<0.005	0.03	1.00	14	<0.05	10.30	31	11.7							
I823062		0.005	0.03	1.18	13	0.29	9.56	27	11.4							
I823063		0.009	0.03	1.06	14	0.06	9.22	33	6.8							
I823064		0.011	0.03	1.45	17	0.09	11.25	35	8.4							
I823065		0.010	0.02	1.15	17	0.08	9.99	41	8.7							
I823066		0.010	0.02	1.11	16	0.08	10.25	43	8.6							
I823067		0.008	0.06	1.57	16	0.13	11.40	40	8.8							
I823068		0.008	0.03	1.18	14	0.07	10.80	31	8.8							
I823069		0.009	0.03	1.14	14	0.07	9.94	36	6.8							
I823070		<0.005	<0.02	1.23	3	<0.05	2.78	17	1.8							
I823071		0.011	0.03	1.34	19	0.09	9.41	39	7.0	57.96	11.71	4.91	4.39	4.79	0.05	
I823072		0.009	0.04	1.53	15	<0.05	9.50	41	8.0							
I823073		0.010	0.02	1.38	14	0.06	10.50	46	9.0							



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.
 3506 MCDONALD DRIVE
 YELLOWKNIFE NT X1A 2H1

Page: 3 - E
 Total # Pages: 3 (A - E)
 Plus Appendix Pages
 Finalized Date: 27-JUL-2010
 Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089492

Sample Description	Method Analyte Units LOR	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	ME-XRF08	Au-ICP21
		K2O %	CaO %	SiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	Au ppm
1823041 1823042 1823043 1823044 1823045		0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.001
1823046 1823047 1823048 1823049 1823050		6.68	0.01	0.53	0.40	0.137	0.01	0.04	13.45	98.16	
1823051 1823052 1823053 1823054 1823055											
1823056 1823057 1823058 1823059 1823060		5.18	0.01	0.54	0.38	0.143	0.01	0.09	10.50	98.32	1.035
1823061 1823062 1823063 1823064 1823065											
1823066 1823067 1823068 1823069 1823070											
1823071 1823072 1823073		5.71	0.01	0.80	0.24	0.144	0.01	0.10	8.38	98.99	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: AURORA GEOSCIENCES LTD.

3506 MCDONALD DRIVE

YELLOWKNIFE NT X1A 2H1

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 27-JUL-2010

Account: AURGEO

Project: REC-10517-YK

CERTIFICATE OF ANALYSIS WH10089492

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

Appendix III *Cost Statement and Supporting Invoices*

Yukon Olympic Project
Statement of Costs

Helicopter

Fireweed Helicopters \$30,136.00 (as per Aurora Invoice 9574)

Diamond Drilling

Kluane Drilling \$169,546.21

Geology and Logistics

Aurora Geosciences \$66,415.47

Fuel for Helicopter and Drill

\$21,435.02 (as per Aurora invoice 9574)

Total

\$287,532.70



MSSI
JUL 06 2010

Kluane Drilling Ltd.

14 MacDonald Rd., Whitehorse, Yukon Y1A 4L2
Tel: (867) 633-4800 Fax: (867) 633-3641
kluanedrilling@northwestel.net

POSTED
06/30/10

CLIENT:

REC Minerals
330 Bay Street, Suite 820
Toronto, ON M5H 2S8

CONTRACT NO.: YO2010
PROJECT NAME: Yukon Olympic
RIGS: 1
INVOICE NUMBER: 7875
INVOICE DATE: 6-Jul-10
INVOICE PERIOD
FROM: 16-Jun-2010
TO: 30-Jun-2010
METERS DRILLED: 632.46
AVG. METERS PER SHIFT:
TOTAL INVOICE: \$43,015.16

SUMMARY OF CHARGEABLES:	TOTAL
NW	27.43
NTW	605.03
DRILLING AND CASING CHARGEABLES	61,266.32
HOURLY CHARGEABLES	16,540.00
CONSUMABLES, EQUIPMENT AND SUPPLIES	6,776.93
OTHER CHARGEABLES	0.00
TOTAL CHARGEABLES	84,583.25

PUMP MAN, NON DRILLING FOREMAN, EQUIPMENT

EQUIPMENT CHARGES	0.00
TOTAL PUMP MAN, NON DRILLING FOREMAN, EQUIPMENT	0.00

ADDITIONAL CHARGES:

DESCRIPTION	UNITS		
DEMOBILIZATION			2,150.00
REFLEX SURVEY TOOL	0.50 /MONTH	2600.00 /MONTH	1,300.00
TOTAL ADDITIONAL CHARGES			3,450.00

SUBTOTAL		88,033.25
GST	BN 10286 1168 RT 001	4,401.66
TOTAL INVOICE		92,434.91
LESS CREDIT FOR ADVANCE		49,419.75
PAYMENT DUE		43,015.16

PLEASE MAKE PAYMENT TO:

KLUANE DRILLING LTD.
BANK: CANADIAN IMPERIAL BANK OF COMMERCE
ADDRESS: 110 MAIN STREET, WHITEHORSE, YT, Y1A 2A8
TRANSIT NO.: 80
ACCOUNT NO.: 5107717

THANK YOU FOR YOUR BUSINESS!

YUKON OLYMPIC



Kluane Drilling Ltd.
 14 MacDonald Rd., Whitehorse, Yukon Y1A 4L2
 Tel: (867) 633-4800 Fax: (867) 633-3641
kluanedrilling@northwestel.net

POSTED
07.11.2010

CLIENT:

REC Minerals
 330 Bay Street, Suite 820
 Toronto, ON M5H 2S8

CONTRACT NO:	YO2010
PROJECT NAME:	Yukon Olympic
RIGS:	1
INVOICE NUMBER:	7867
INVOICE DATE:	18-Jun-10
INVOICE PERIOD:	
FROM:	1-Jun-2010
TO:	15-Jun-2010
METERS DRILLED:	568.45
AVG. METERS PER SHIFT:	
TOTAL INVOICE:	\$60,008.36

MSSI

JUL 05 2010

SUMMARY OF CHARGEABLES:

	TOTAL
NW	35.66
BW	0.00
NTW	531.57
BTW	1.22
DRILLING AND CASING CHARGEABLES	55,029.20
HOURLY CHARGEABLES	17,380.00
CONSUMABLES, EQUIPMENT AND SUPPLIES	3,503.76
OTHER CHARGEABLES	0.00
TOTAL CHARGEABLES	75,912.96

111

211

7

PUMP MAN, NON DRILLING FOREMAN, EQUIPMENT

EQUIPMENT CHARGES	0.00
TOTAL PUMP MAN, NON DRILLING FOREMAN, EQUIPMENT	0.00

ADDITIONAL CHARGES:

DESCRIPTION	UNITS	
BIT WEAR CHARGE		0.00
MOBILIZATION TO YUKON OLYMPIC		4,300.00
REFLEX SURVEY TOOL	0.50 /MONTH	2600.00 /MONTH
		1,300.00
TOTAL ADDITIONAL CHARGES		5,600.00

SUBTOTAL **81,512.96**

GST	BN 10286 1168 RT 001	4,075.65
TOTAL INVOICE		85,588.61
LESS CREDIT FOR ADVANCE		25,580.25

PAYMENT DUE **60,008.36**

PLEASE MAKE PAYMENT TO:

KLUANE DRILLING LTD.
 BANK: CANADIAN IMPERIAL BANK OF COMMERCE
 ADDRESS: 110 MAIN STREET, WHITEHORSE, YT, Y1A 2A8
 TRANSIT NO.: 80
 ACCOUNT NO.: 5107717

THANK YOU FOR YOUR BUSINESS!

*Attached
 July 5/2010*



Aurora Geosciences Ltd.

3506 McDonald Drive
 Yellowknife NT
 X1A 2H1

Invoice

Date: 7/15/2010
 Invoice #: 9605

Tel: 867-920-2729 Fax: 867-920-2739

E-mail: accounting@aurora-geosciences.com

Invoice To

REC Mineral Corp.
 330 Bay Street, Suite 820
 Toronto, ON M5H 2S8

P.O. No.	Project
	REC-10517-YT Yukon Olympic Drilling

Description	Qty	Unit	Rate	Amount	Tax
YUKON OLYMPIC DRILLING					
Service Invoice - June 26 - July 10, 2010					
Project support; D White - June 26 - July 10	3.25	Hrs	90.00	292.50T	G
Expediting; S Murray - June 26 - 29	5.25	Hrs	80.00	420.00T	G
Job preparation; S Murray - June 28	1.5	Hrs	40.00	60.00T	G
Trenching & drill program; J Robinson - June 29 - July 2	14	Hrs	90.00	1,260.00T	G
Expediting/Camp; G Sawatzky - June 26 & 29	2	Days	350.00	700.00T	G
Expediting/Camp; JF Mongrain - June 26 & 27	2	Days	350.00	700.00T	G
Project manager; J Robinson - June 26 - 28	3	Days	750.00	2,250.00T	G
Drill Geologist; G Stone - June 26 & 27	2	Days	550.00	1,100.00T	G
First Aid/ Core tech; S Comish - June 26 & 27	2	Days	350.00	700.00T	G
EQUIPMENT					
Truck rental - June 26 & 27	2	Days	150.00	300.00T	G
Geology/pad building trailer rental - June 26 & 27	2	Days	205.00	410.00T	G
GST on Sales			5.00%	409.63	

Approved by:		Subtotal	58,192.50
Terms	Net 15 Days, 2% Monthly	GST	\$409.63
Bank Info:	RBC Institute #003, Transit #09879, Account #1013606	Total	58,602.13
GST/HST No.	886365816		



Aurora Geosciences Ltd.
 3506 McDonald Drive
 Yellowknife NT
 X1A 2H1

Invoice

Date Invoice #

6/30/2010 9574

Tel: 867-920-2729 Fax: 867-920-2739

E-mail: accounting@aurora-geosciences.com

Invoice To

REC Mineral Corp.
 330 Bay Street, Suite 820
 Toronto, ON M5H 2S8

PAID

POSTED
 07/02/10

P.O. No.	Project
	REC-10517-YT Yukon Olympic Drilling

Description	Qty	Unit	Rate	Amount	Tax
YUKON OLYMPIC DRILLING					
Expense Invoice - June 30, 2010					
Assaying			68.60	68.60T	G
Explosives & pad supplies			2,756.80	2,756.80T	G
Accommodation & meals			119.14	119.14T	G
Government fees			100.00	100.00	.
Food - taxable			17.50	17.50T	G
Field supplies			1,470.66	1,470.66T	G
Gas/propane			695.30	695.30T	G
Administration charge on expenses (15%)			784.20	784.20T	G
Helicopter			30,136.00	30,136.00T	G
Bulk fuel			21,435.02	21,435.02T	G
Administration charge on expenses (10%)			5,157.10	5,157.10T	G
Client advance applied			-65,872.34	-65,872.34	.
GST on Sales			5.00%	3,132.02	.
Approved by:			Subtotal		\$-3,132.02
Terms	Net 15 Days, 2% Monthly		GST		\$3,132.02
Bank Info:	RBC Institute #003, Transit #09879, Account #1013606		Total		\$0.00
GST/HST No.	886365816				



Aurora Geosciences Ltd.
 3506 McDonald Drive
 Yellowknife NT
 X1A 2H1

Invoice

Tel: 867-920-2729 Fax: 867-920-2739

Date: 6/30/2010 Invoice #: 9579

E-mail: accounting@auroraqeosciences.com

Invoice To

REC Mineral Corp.
 330 Bay Street, Suite 820
 Toronto, ON M5H 2S8

PAID


POSTED
 67102110

P.O. No.	Project
	REC-10517-YT Yukon Olympic Drilling

Description	Qty	Unit	Rate	Amount	Tax
YUKON OLYMPIC DRILLING					
Service Invoice - June 11 - 25, 2010					
Project support; D White - June 11 - 25	5.75	Hrs	90.00	517.50T	G
Expediting; S Murray - June 11 - 25	5.5	Hrs	80.00	440.00T	G
Job preparation; S Murray & W Kanpanuk - June 11 - 25	3.5	Hrs	40.00	140.00T	G
Trail & pad building; M Olsen - June 17 - 20	8	Days	350.00	2,800.00T	G
Drill geologist; G Stone - June 11 - 25	15	Days	550.00	8,250.00T	G
First aid & core tech; S Cornish - June 11 - 25	15	Days	350.00	5,250.00T	G
EQUIPMENT					
Truck rental - June 11 - 25	15	Days	150.00	2,250.00T	G
Geology/pad building/trailer rental - June 11 - 25	15	Days	205.00	3,075.00T	G
Client advance applied			-6,383.22	-6,383.22	
GST on Sales			5.00%	1,136.13	

Approved by:		Subtotal	\$16,339.28
Terms	Net 15 Days, 2% Monthly	GST	\$1,136.13
Bank Info:	RBC Institute #003, Transit #09879, Account #1013606	Total	\$17,475.41
GST/HST No.	856365816		

Appendix IV *Claim Map*



Claim Map with Drill Hole Locations