

**Silver Quest Resources Ltd.**

**2010 GEOCHEMICAL REPORT ON THE  
HENDERSON PROPERTY**

Located in the Henderson Creek Area  
Dawson Mining District  
NTS 115O/11, 115O/12 and 115O/6  
Centred at 63°30' N Latitude; 139°22' W Longitude

**Grant Numbers**

YD64401 – 4473  
YD64523 – 4538  
YD64541 – 4650  
YD64653 – 4850  
YD64901 – 5094  
YD65097 – 5111  
YD65113 – 5141

**Claim Names**

Hendy 1 – 73  
Hendy 123 – 138  
Hendy 141 – 250  
Hendy 253 – 450  
Hendy 501 – 694  
Hendy 697 – 711  
Hendy 713 – 741

Work Conducted September 12 – 17, 2010

-prepared for-

**SILVER QUEST RESOURCES LTD.**

Suite 1410, 650 West Georgia Street  
Vancouver, British Columbia, Canada, V6B 4N8

-prepared by-

Darcy Baker, Ph.D.

**EQUITY EXPLORATION CONSULTANTS LTD.**

Suite 200, 900 West Hastings Street  
Vancouver, British Columbia, Canada, V6C 1E5

April 15, 2011

## TABLE OF CONTENTS

|                                                                                 |   |
|---------------------------------------------------------------------------------|---|
| TABLE OF CONTENTS .....                                                         | 1 |
| LIST OF APPENDICES .....                                                        | 1 |
| LIST OF TABLES .....                                                            | 1 |
| LIST OF FIGURES .....                                                           | 1 |
| 1.0 SUMMARY .....                                                               | 2 |
| 2.0 INTRODUCTION .....                                                          | 2 |
| 3.0 PROPERTY DESCRIPTION AND LOCATION .....                                     | 2 |
| 4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY ..... | 5 |
| 5.0 HISTORY .....                                                               | 5 |
| 5.1 Previous Work .....                                                         | 5 |
| 5.2 2010 Exploration Program .....                                              | 5 |
| 6.0 REGIONAL GEOLOGY AND MINERALIZATION .....                                   | 6 |
| 6.1 Geology .....                                                               | 6 |
| 6.2 Mineralization .....                                                        | 6 |
| 7.0 SOIL GEOCHEMISTRY .....                                                     | 8 |
| 8.0 PROPERTY GEOLOGY AND MINERALIZATION .....                                   | 8 |
| 9.0 DISCUSSION AND CONCLUSIONS .....                                            | 8 |

## LIST OF APPENDICES

Appendix A: Bibliography  
Appendix B: Statement of Expenditures  
Appendix C: Laboratory Certificates  
Appendix D: Data Disc  
Appendix E: Geologist's Certificates

## LIST OF TABLES

|                                          |   |
|------------------------------------------|---|
| Table 1: Henderson Property Claims ..... | 2 |
|------------------------------------------|---|

## LIST OF FIGURES

|                                                                              |             |
|------------------------------------------------------------------------------|-------------|
| Figure 1: Location Map .....                                                 | 3           |
| Figure 2: Tenure information .....                                           | 4           |
| Figure 3: Regional Geology surrounding the Sessenta and Ogo properties ..... | 7           |
| Figure 4: Sample Locations .....                                             | back pocket |
| Figure 5a: Au Soil Geochemistry .....                                        | back pocket |
| Figure 5b: As Soil Geochemistry .....                                        | back pocket |
| Figure 5c: Sb Soil Geochemistry .....                                        | back pocket |
| Figure 5d: Mo Soil Geochemistry .....                                        | back pocket |

## 1.0 SUMMARY

On behalf of Silver Quest Resources Ltd. ("Silver Quest"), Equity Exploration Consultants Ltd. ("Equity") completed geochemical sampling at the Henderson Property during September, 2010. The Henderson Property comprises 635 quartz claims located east of the Yukon River immediately north of Henderson Creek in the White Gold district of the Yukon Territory.

Work in 2010 consisted of six days of surface soil geochemical sampling by a crew of up to eight people. In total, 1056 soil samples were collected during the programme at 100 m spacing along N-S trending lines spaced 500 m apart. Results generally returned low values of precious metals and gold pathfinder elements. Seven small regions, however, exhibit elevated gold and/ or molybdenum. Highest gold values are 27 to 44 ppb (seven samples).

Follow-up sampling and prospecting is warranted within these sparsely sampled geochemically anomalous regions. The soil grid should be extended across the remainder of the property.

## 2.0 INTRODUCTION

During the 2010 field season, Equity was contracted by Silver Quest to carry out the sampling work on the central part of the Henderson Property as part of a larger exploration program focused at the Boulevard Property located 75 km to the southwest. This report describes the work completed and summarizes the results.

## 3.0 PROPERTY DESCRIPTION AND LOCATION

The Henderson Property is located in the Dawson Range of the west-central Yukon Territory, on the eastern side of the Yukon River (Figure 1). The southern part of the property is centred on the North Henderson Creek where it meets Henderson Creek and the northern part of the property covers Reindeer Creek.

The property comprises 635 quartz claims in a single contiguous block (Figure 2). All of these claims were staked in June of 2010 by contractors on behalf of Silver Quest but at the date of writing, the claims are still in the individual staker's names and the claim application status is still pending (Table 1).

**Table 1: Henderson Property Claims**

| Grant Numbers                                                                                                              | Claim Names                                                                                                                    | Recording Dates              | Expiry Dates*                | Owners                                                                                                                                           |
|----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| YD64401 – 4473<br>YD64523 – 4538<br>YD64541 – 4650<br>YD64653 – 4850<br>YD64901 – 5094<br>YD65097 – 5111<br>YD65113 – 5141 | Hendy 1 – 73<br>Hendy 123 – 138<br>Hendy 141 – 250<br>Hendy 253 – 450<br>Hendy 501 – 694<br>Hendy 697 – 711<br>Hendy 713 – 741 | June 25 and<br>July 15, 2010 | June 25 and<br>July 15, 2011 | <u>A mixture of:</u><br>Chad Niddery<br>Brandon Duncan<br>Declan O'Donovan<br>Conor O'Donovan<br>Mark Hockley<br>Neil Chambers<br>Jeffery Bridge |

\*N.B. expiry date does not include credit for 2010 work



0 150 300  
kilometers




Silver Quest Resources Ltd.

**HENDERSON Project  
LOCATION  
MAP**



|             |              |                 |             |          |
|-------------|--------------|-----------------|-------------|----------|
| Date:       | FEB 2011     | Scale:          | 1:7,000,000 | Figure   |
| U.T.M. Zone | UTM7 - NAD83 | Mining District | WHITEHORSE  | <b>1</b> |
| N.T.S.      | 115J/13      | State/Province  | YUKON       |          |



10 km



|                                                                                       |                            |                         |             |
|---------------------------------------------------------------------------------------|----------------------------|-------------------------|-------------|
| Silver Quest Resources Ltd.                                                           |                            |                         |             |
| Henderson Project<br>Tenure Map                                                       |                            |                         |             |
|  | Date: March 2011           | Scale: 1:150,000        | Figure<br>2 |
|                                                                                       | U.T.M. Zone: UTM 7 - NAD83 | Mining District: Dawson |             |
|                                                                                       | N.T.S. 1150/06.11.12       | Province: Yukon         |             |

## 4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY

The Henderson Property is located 65 km south of Dawson City, Yukon. The topography of the area is characterized by rolling hills typical of the Dawson Ranges. Vegetation is sparse, with lower elevations covered by spruce, birch, aspen, alder and willow, whereas higher elevations have thick moss, grasses and scrub birch. Creek valleys are filled with thick willow and alder thickets. North-facing slopes locally exhibit permafrost, which complicates soil sampling. South-facing slopes are more typically vegetated by deciduous trees such as aspen and birch. Drainage systems vary from well channelled, discrete streams to swamps in broader, flat-bottomed valleys.

The area has a sub-arctic continental climate, with cold winters and cool, wet summers. Exploration can be carried out on the property from June until October.

Direct access to most of the property is via helicopter and several helicopter bases are located in Dawson City. Alternatively, several boat operators in Dawson City and a barge operating out of Minto Landing are available for hire to transport supplies to points along the Yukon (such as the Olgilvie) where they can be subsequently mobilized by helicopter to the property. During the 2010 program, personnel were mobilized from the Boulevard camp via Hughes 500D helicopter. The southern part of the property is accessible by a gravel road used for placer mining which links the area to Dawson City.

A gravel airstrip near the Henderson Creek placer camp is located about 10 km east of the core of the property.

## 5.0 HISTORY

### 5.1 Previous Work

No historic hardrock exploration work or Minfile occurrences are documented on the ground now covered by the Henderson Property. Henderson and North Henderson Creeks have seen placer gold mining in the past and Henderson Creek is still an active placer operation.

The bedrock geology of the region was most recently mapped and compiled by Gordey and Ryan (2005); the section of this map which shows the geology underlying the Henderson Property is shown in Figure 3.

### 5.2 2010 Exploration Program

Between September 12 and 17, crews of soil samplers were dispatched to the Henderson Property from Boulevard Camp, 75 km to the south. Soil samples were collected at 100 m intervals along N-S lines spaced 500 m apart. These grid lines are about 10 km long and were designed to extend soil coverage completed by another contractor which covered the southern part of the property. Unfortunately samples from the earlier work to the south were never delivered to the analytical laboratory so the only information available is from the central part of the property as described herein.

In total, 1056 soil samples were collected during the 2010 program and were submitted to the ALS Laboratory Group preparation facility in Whitehorse and were analysed for a 51-element high precision suite (ME-MS41) and gold by 30 g fire assay (Au-AA23). Assay certificates of analysis are presented in an Appendix at the end of this report. Soil sample sites are marked with blue and orange flagging and a Tyvek tag. All sample locations were recorded by hand-held GPS. Field observation data and GPS location data was merged into a database for plotting and interpretation.

A magnetic declination of 22° E was used for all compass measurements. All maps and UTM coordinates are referenced to the 1983 North American Datum (NAD-83; Zone 7).

## 6.0 REGIONAL GEOLOGY AND MINERALIZATION

### 6.1 Geology

The Henderson Property is located within the Yukon-Tanana Terrane in west-central Yukon, a pericratonic terrane of continental affinity that occupies a position between the ancestral continental margin of North America and outboard accreted terranes (Colpron, 2006). The pericratonic terranes were accreted in the Early Jurassic, while subsequent outboard exotic terranes began accreting in the Early to mid-Cretaceous. At this time, the pericratonic package was intruded by a voluminous, northwest-to southeast-trending plutonic suite, referred to as the Dawson Range plutonic belt by Hart et al. (2004) (Klotassin batholith of Templeman-Kluit, 1974), which generally lies west of the Henderson Property.


The 1:250,000 geological map of Gordey and Ryan (2005) shows that the Henderson Property is mostly underlain by deformed Devonian-Mississippian rocks divided into tonalitic or intermediate to mafic orthogneiss (DMogt) and K-feldspar-rich granitic orthogneiss (DMogg; Figure 3). Minor deformed sedimentary rocks, including marble, locally crop out within the property boundary.

### 6.2 Mineralization

Several creeks in the region have been mined for placer gold for many decades but the significant bedrock sources of gold have been only been discovered in recent years. The Golden Saddle deposit (located 30 km south of Henderson) was discovered in 2008 by a junior explorer and subsequently acquired by Kinross Gold on June 30, 2010. Pre-2010 drilling defined an indicated open pit mine resource of 9.7 M tonnes at 3.19 g/t Au for 990,840 contained ounces for the Golden Saddle deposit (2011). Mineralization at the Golden Saddle is associated with an E-W, steeply north-dipping normal fault formed during middle Cretaceous to early Tertiary extension (MacKenzie et al., 2010). This structure is tectonically late (post-dates ductile deformation fabrics) and forms the boundary between two broadly different Permian amphibolite-facies metamorphic rock packages – one to the south of predominantly quartzite (with minor marble and quartz-pebble conglomerate) and one to the north comprising hornblende, biotite and felsic gneiss. Gold mineralization and associated alteration are strongly controlled by rock type with more brittle and coherent quartzite and felsic gneiss units hosting much higher grade gold (MacKenzie et al., 2010). Hornblende and biotite gneissic rocks seemingly did not fracture as proficiently and therefore are much poorer host-rocks for gold. Quartz veins are not common at the Golden Saddle but gold is hosted predominantly in fractures and minor quartz breccias with a strong pyrite-gold association.

A second significant gold discovery in the region was announced in spring 2010 at the Coffee property (Carpenter, 2011) which lies 68 km south of the Henderson property. No resource has been calculated for the Coffee but early drill results include intercepts of 17.1 g/t Au over 15.5 m and 6.3 g/t Au over 35 m within a 15 km long Au in soil anomaly. Unlike at Golden Saddle, however, gold is hosted in both N-S and E-W trending structures at Coffee (Carpenter, 2011) but at both locations gold-bearing structures overprint regional gneissic and schistose deformation fabrics indicating that gold is tectonically late. Gold-bearing zones at Coffee are characterised by silicification plus sericite-clay alteration with variable As-Ag-Sb-Ba-Mo enrichment but the dominant sulphide phase is arsenic-rich pyrite. Like at the Golden Saddle, gold mineralization at Coffee is hosted by many different rock-types including augen orthogneiss, hornblende-biotite granite, schist and dacite dykes.

According to regional geological mapping, the Henderson Property is underlain by a package of orthogneiss rocks which comprise a prospective host rock at Coffee. As such, minor soil geochemical anomalies are worth follow up work.



Gordey, S.P. and Ryan, J.J., 2005, Geology, Stewart River (115NO), Yukon; Geological Survey of Canada, Open File 4970, 1 coloured map, scale 1:250,000

- - - contact, assumed  
 - - - contact, approx.  
 - - - fault, assumed  
 - - - fault, approx.

4 km

Silver Quest Resources Ltd.

## Henderson Project Regional Geology

|             |               |                 |            |        |
|-------------|---------------|-----------------|------------|--------|
| Date:       | March 2011    | Scale:          | 1:100,000  | Figure |
| U.T.M. Zone | UTM 7 - NAD83 | Mining District | Whitehorse | 3      |
| N.T.S.      | 115N/02       | Province        | Yukon      |        |

## 7.0 SOIL GEOCHEMISTRY

Soil results for the 2010 Henderson program have been compared with the larger (14,000+) database of soil analyses from numerous Silver Quest properties across the Dawson Range. Based on this larger dataset, seven areas are underlain by anomalous Au and/or Mo in soil (Figures 5a and 5d).

Given that soil sampling at Henderson has only been completed on widely-spaced lines, these seven anomalies are quite large and are greater than 500 m in at least one dimension. The most significant region is in the north-central part of the property where two separate Au anomalies outline a west-northwest trending area of elevated Au-in-soil about 4.5 km long. Values are not significantly elevated (10-30 ppb Au) but these data are significant since they are clearly elevated relative to surrounding areas. A 500 m by 200 m Mo-in-soil anomaly coincides with part of the gold anomaly. This area is worthy of more detailed, in-fill soil sampling. Other smaller soil anomalies are also worth some in-fill soil sampling and/or mapping and prospecting.

## 8.0 PROPERTY GEOLOGY AND MINERALIZATION

No mapping was conducted on the Henderson Property in 2010 so little is known of the property geology apart from the geological mapping of Gordey and Ryan (2005).

## 9.0 DISCUSSION AND CONCLUSIONS

The Henderson Property is an early-stage property in the emerging White Gold district. Little work has been completed but the 2010 programme has provided even geochemical coverage of the middle third of the property, albeit at sparse sample density. Seven regions of anomalous Au and/or Mo in soil are present when the data are compared with a larger soil sample database to determine anomalous thresholds.

These regions are worth follow-up, more detailed soil sampling as well as prospecting and mapping. The northern and southern parts of the property should also be covered with reconnaissance level soil geochemistry.

Respectfully submitted,



Darcy Baker Ph.D., P.Geo.

EQUITY EXPLORATION CONSULTANTS LTD.

Vancouver, British Columbia

April 14, 2011

## **Appendix A: Bibliography**

## REFERENCES

- Kinross Gold Corporation (2011), White Gold Exploration Project, <http://www.kinross.com/operations/dp-white-gold,-yukon.aspx>.
- Carpenter, R. (2011), Geology of New Lode Gold Discoveries in the Coffee Creek Area; White Gold District, West-Central Yukon: Mineral Exploration Roundup 2011, Vancouver, BC, 2011, p. 48-50.
- Colpron, M. (2006), Tectonic assembly map of the Yukon -- Tanana and related terranes in Yukon and British Columbia (1:1,000,000), Yukon Geological Survey Open File 2006-1.
- Hart, J. R., Goldfarb, R., Lewis, L. L., and Mair, J. L. (2004), The northern Cordilleran mid-Cretaceous plutonic province: Ilmenite/magnetite-series granitoids and intrusion-related mineralization: Resource Geology, v. 54, p. 253-280.
- MacKenzie, D., Craw, D., Cooley, M., and Fleming, A. (2010), Lithogeochemical localization of disseminated gold in the White River area, Yukon, Canada: Mineralium Deposita, v. 45, p. 683-705.
- Templeman-Kluit, D. J. (1974), Reconnaissance geology of Aishihik Lake, Snag and part of Stewart River areas, west-central Yukon (115H, 115K-J and 115N-O), Geological Survey of Canada, Paper 73-41, p. 97.

## **Appendix B: Statement of Expenditures**

**STATEMENT OF EXPENDITURES**  
**HENDERSON (Hendy claims)**

|                               | number | rate       | cost               |
|-------------------------------|--------|------------|--------------------|
| rock samples                  | 0      | \$28.00    | \$0.00             |
| silt samples                  | 0      | \$28.00    | \$0.00             |
| soil samples                  | 1056   | \$28.00    | \$29,568.00        |
| Prospector/mapping days       | 0      | \$475.00   | \$0.00             |
| Sampler days                  | 30     | \$275.00   | \$8,250.00         |
| camp/shared costs per man day | 30     | \$441.48   | \$13,244.37        |
| Heli hours (wet)              | 12.50  | \$1,324.00 | \$16,550.00        |
|                               |        |            | <u>\$67,612.37</u> |
| Project Supervision           |        | 12.00%     | <u>\$8,113.48</u>  |
|                               |        |            | \$75,725.86        |

635 claims

\$119.25 per claim

Work completed between Sept. 12 & 17, 2010

---

## **Appendix C: Laboratory Certificates**



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 1  
Finalized Date: 1-OCT-2010  
Account: EIASQI

**CERTIFICATE VA10134525**

Project: SQI10-06

P.O. No.: SQI10-06\_29

This report is for 200 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-21   | Sample logging - ClientBarCode |
| PUL-31   | Pulverize split to 85% <75 um  |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION               | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23  | Au 30g FA-AA finish       | AAS        |
| ME-MS41  | 51 anal. aqua regia ICPMS |            |

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**ATTN: DARCY BAKER**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I098927            |                                   | 0.38                      | 0.006                | 0.16                 | 1.42               | 8.9                  | <0.2                 | <10                 | 320                  | 0.43                 | 0.13                 | 0.94               | 0.27                 | 28.0                 | 9.9                  | 26                   |
| I098928            |                                   | 0.48                      | 0.006                | 0.08                 | 1.57               | 11.0                 | <0.2                 | <10                 | 310                  | 0.53                 | 0.12                 | 0.63               | 0.20                 | 33.5                 | 14.5                 | 29                   |
| I098929            |                                   | 0.34                      | <0.005               | 0.13                 | 1.44               | 8.7                  | <0.2                 | <10                 | 310                  | 0.43                 | 0.10                 | 1.10               | 0.21                 | 30.5                 | 9.4                  | 26                   |
| I098930            |                                   | 0.46                      | <0.005               | 0.05                 | 1.46               | 6.2                  | <0.2                 | <10                 | 220                  | 0.32                 | 0.07                 | 0.34               | 0.06                 | 22.0                 | 8.5                  | 28                   |
| I098931            |                                   | 0.56                      | <0.005               | 0.09                 | 1.83               | 6.9                  | <0.2                 | <10                 | 210                  | 0.26                 | 0.11                 | 0.17               | 0.07                 | 22.5                 | 10.2                 | 23                   |
| I098932            |                                   | 0.52                      | <0.005               | 0.07                 | 2.35               | 9.8                  | <0.2                 | <10                 | 200                  | 0.53                 | 0.19                 | 0.13               | 0.10                 | 28.1                 | 8.7                  | 32                   |
| I098933            |                                   | 0.34                      | <0.005               | 0.01                 | 0.14               | 2.1                  | <0.2                 | <10                 | 20                   | <0.05                | 0.16                 | 0.09               | 0.03                 | 11.25                | 2.3                  | 3                    |
| I098934            |                                   | 0.50                      | <0.005               | 0.22                 | 1.85               | 6.3                  | <0.2                 | <10                 | 210                  | 0.77                 | 0.50                 | 0.48               | 0.08                 | 169.5                | 6.4                  | 19                   |
| I098935            |                                   | 0.46                      | <0.005               | 0.06                 | 1.51               | 7.2                  | <0.2                 | <10                 | 230                  | 0.27                 | 0.13                 | 0.31               | 0.07                 | 31.3                 | 7.5                  | 27                   |
| I098936            |                                   | 0.44                      | <0.005               | 0.06                 | 1.78               | 9.5                  | <0.2                 | <10                 | 120                  | 0.35                 | 0.56                 | 0.13               | 0.25                 | 33.3                 | 7.6                  | 22                   |
| I098937            |                                   | 0.50                      | <0.005               | 0.11                 | 1.78               | 7.0                  | <0.2                 | <10                 | 180                  | 0.28                 | 0.12                 | 0.30               | 0.21                 | 19.15                | 12.3                 | 24                   |
| I098938            |                                   | 0.46                      | <0.005               | 0.14                 | 1.73               | 6.0                  | <0.2                 | <10                 | 180                  | 0.19                 | 0.08                 | 0.19               | 0.10                 | 19.75                | 15.4                 | 23                   |
| I098939            |                                   | 0.48                      | <0.005               | 0.12                 | 1.31               | 7.9                  | <0.2                 | <10                 | 110                  | 0.12                 | 0.11                 | 0.14               | 0.06                 | 18.30                | 5.3                  | 18                   |
| I098940            |                                   | 0.50                      | <0.005               | 0.07                 | 2.18               | 6.4                  | <0.2                 | <10                 | 130                  | 0.21                 | 0.05                 | 0.20               | 0.08                 | 25.2                 | 9.9                  | 24                   |
| I098941            |                                   | 0.42                      | <0.005               | 0.08                 | 1.81               | 7.1                  | <0.2                 | <10                 | 150                  | 0.23                 | 0.08                 | 0.23               | 0.07                 | 23.1                 | 9.7                  | 26                   |
| I098942            |                                   | 0.48                      | <0.005               | 0.07                 | 3.58               | 8.9                  | <0.2                 | <10                 | 310                  | 0.52                 | 0.03                 | 0.14               | 0.05                 | 12.75                | 17.6                 | 26                   |
| I098943            |                                   | 0.50                      | <0.005               | 0.07                 | 1.94               | 6.0                  | <0.2                 | <10                 | 100                  | 0.31                 | 0.04                 | 0.21               | 0.08                 | 29.6                 | 9.4                  | 25                   |
| I098944            |                                   | 0.58                      | <0.005               | 0.12                 | 1.57               | 8.3                  | <0.2                 | <10                 | 260                  | 0.40                 | 0.72                 | 0.50               | 0.15                 | 29.6                 | 9.0                  | 29                   |
| I098945            |                                   | 0.50                      | 0.007                | 0.09                 | 1.40               | 6.7                  | <0.2                 | <10                 | 230                  | 0.21                 | 0.14                 | 0.40               | 0.16                 | 23.5                 | 8.1                  | 24                   |
| I098946            |                                   | 0.42                      | <0.005               | 0.14                 | 1.43               | 6.5                  | <0.2                 | <10                 | 230                  | 0.27                 | 0.08                 | 0.40               | 0.17                 | 22.1                 | 8.5                  | 24                   |
| I098947            |                                   | 0.52                      | <0.005               | 0.04                 | 3.47               | 1.5                  | <0.2                 | <10                 | 150                  | 0.53                 | <0.01                | 0.17               | 0.07                 | 45.7                 | 15.6                 | 17                   |
| I098948            |                                   | 0.52                      | 0.005                | 0.02                 | 1.96               | 9.8                  | <0.2                 | <10                 | 110                  | 0.16                 | 0.08                 | 0.16               | 0.09                 | 15.95                | 7.8                  | 35                   |
| I098949            |                                   | 0.50                      | <0.005               | 0.04                 | 1.57               | 7.5                  | <0.2                 | <10                 | 120                  | 0.25                 | 0.08                 | 0.27               | 0.08                 | 32.0                 | 6.7                  | 30                   |
| I098950            |                                   | 0.68                      | <0.005               | 0.14                 | 1.74               | 8.0                  | <0.2                 | <10                 | 180                  | 0.27                 | 0.11                 | 0.31               | 0.18                 | 36.9                 | 10.2                 | 29                   |
| I099101            |                                   | 0.40                      | <0.005               | 0.21                 | 2.58               | 8.8                  | <0.2                 | <10                 | 320                  | 0.27                 | 0.15                 | 0.68               | 0.59                 | 16.50                | 19.4                 | 51                   |
| I099102            |                                   | 0.28                      | 0.013                | 0.48                 | 3.03               | 51.0                 | <0.2                 | <10                 | 420                  | 0.43                 | 0.18                 | 1.07               | 0.82                 | 18.20                | 19.8                 | 57                   |
| I099103            |                                   | 0.36                      | 0.024                | 0.42                 | 2.87               | 75.6                 | <0.2                 | <10                 | 320                  | 0.32                 | 0.20                 | 0.89               | 0.45                 | 14.45                | 19.4                 | 58                   |
| I099104            |                                   | 0.34                      | 0.045                | 0.43                 | 3.06               | 160.5                | <0.2                 | <10                 | 340                  | 0.36                 | 0.22                 | 0.99               | 0.22                 | 14.50                | 23.2                 | 65                   |
| I099105            |                                   | 0.50                      | 0.018                | 0.27                 | 2.51               | 73.9                 | <0.2                 | <10                 | 280                  | 0.25                 | 0.20                 | 0.57               | 0.14                 | 13.05                | 15.2                 | 54                   |
| I099106            |                                   | 0.38                      | 0.005                | 0.54                 | 2.05               | 4.2                  | <0.2                 | <10                 | 400                  | 0.32                 | 0.12                 | 1.61               | 1.31                 | 21.8                 | 20.6                 | 39                   |
| I099107            |                                   | 0.48                      | 0.011                | 0.43                 | 2.68               | 39.2                 | <0.2                 | <10                 | 400                  | 0.40                 | 0.19                 | 0.90               | 1.23                 | 20.5                 | 24.8                 | 51                   |
| I099108            |                                   | 0.32                      | 0.018                | 0.45                 | 3.19               | 61.2                 | <0.2                 | <10                 | 410                  | 0.40                 | 0.19                 | 1.09               | 0.48                 | 20.0                 | 18.3                 | 59                   |
| I099109            |                                   | 0.38                      | 0.014                | 0.41                 | 2.82               | 84.4                 | <0.2                 | <10                 | 320                  | 0.31                 | 0.19                 | 1.23               | 0.46                 | 14.65                | 19.4                 | 60                   |
| I099110            |                                   | 0.34                      | 0.030                | 0.51                 | 2.89               | 85.7                 | <0.2                 | <10                 | 340                  | 0.32                 | 0.20                 | 1.00               | 0.25                 | 15.15                | 18.2                 | 60                   |
| I099111            |                                   | 0.30                      | 0.013                | 0.19                 | 1.96               | 39.2                 | <0.2                 | <10                 | 280                  | 0.21                 | 0.14                 | 1.34               | 0.37                 | 13.40                | 16.4                 | 41                   |
| I099112            |                                   | 0.30                      | 0.009                | 0.30                 | 2.16               | 9.2                  | <0.2                 | <10                 | 260                  | 0.20                 | 0.10                 | 0.90               | 0.20                 | 12.35                | 8.5                  | 39                   |
| I099113            |                                   | 0.34                      | 0.006                | 0.10                 | 2.03               | 20.1                 | <0.2                 | <10                 | 220                  | 0.23                 | 0.11                 | 0.97               | 0.20                 | 12.90                | 15.7                 | 47                   |
| I099114            |                                   | 0.34                      | <0.005               | 0.01                 | 0.14               | 1.9                  | <0.2                 | <10                 | 20                   | <0.05                | <0.01                | 0.09               | 0.04                 | 11.60                | 2.3                  | 3                    |
| I099115            |                                   | 0.38                      | 0.010                | 0.20                 | 2.73               | 34.6                 | <0.2                 | <10                 | 310                  | 0.40                 | 0.24                 | 0.68               | 0.19                 | 18.05                | 18.5                 | 62                   |
| I099116            |                                   | 0.42                      | 0.014                | 0.21                 | 2.74               | 42.7                 | <0.2                 | <10                 | 300                  | 0.37                 | 0.29                 | 0.58               | 0.19                 | 19.40                | 18.5                 | 60                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I098927            |                                   | 0.40    | 27.9    | 2.48    | 4.79    | 0.07    | 0.10    | 0.04    | 0.023   | 0.06    | 14.9    | 12.0    | 0.55    | 375     | 0.84    |
| I098928            |                                   | 0.53    | 26.4    | 2.88    | 5.46    | 0.08    | 0.07    | 0.03    | 0.027   | 0.07    | 17.2    | 13.5    | 0.55    | 672     | 1.06    |
| I098929            |                                   | 0.52    | 29.6    | 2.47    | 4.88    | 0.08    | 0.08    | 0.04    | 0.023   | 0.07    | 16.1    | 12.5    | 0.55    | 393     | 0.86    |
| I098930            |                                   | 0.50    | 14.9    | 2.39    | 5.01    | 0.05    | 0.14    | 0.01    | 0.019   | 0.08    | 11.9    | 12.5    | 0.53    | 375     | 0.73    |
| I098931            |                                   | 0.79    | 12.8    | 3.01    | 7.33    | 0.05    | 0.04    | 0.02    | 0.020   | 0.13    | 10.8    | 14.7    | 0.46    | 753     | 1.15    |
| I098932            |                                   | 0.98    | 16.1    | 3.30    | 7.96    | 0.06    | 0.09    | 0.20    | 0.027   | 0.07    | 19.0    | 14.3    | 0.44    | 416     | 1.35    |
| I098933            |                                   | 0.09    | 1.9     | 0.74    | 0.65    | <0.05   | 0.08    | 0.01    | <0.005  | 0.04    | 5.7     | 1.3     | 0.04    | 165     | 0.31    |
| I098934            |                                   | 1.00    | 21.8    | 2.49    | 7.19    | 0.14    | 0.06    | 0.04    | 0.030   | 0.09    | 104.0   | 16.8    | 0.35    | 515     | 1.45    |
| I098935            |                                   | 0.48    | 18.4    | 2.44    | 5.14    | 0.06    | 0.13    | 0.03    | 0.023   | 0.05    | 17.0    | 13.0    | 0.51    | 248     | 0.74    |
| I098936            |                                   | 0.98    | 19.7    | 3.06    | 7.11    | 0.06    | 0.03    | 0.01    | 0.041   | 0.12    | 13.6    | 14.0    | 0.40    | 265     | 1.97    |
| I098937            |                                   | 0.53    | 11.6    | 3.09    | 6.61    | 0.05    | 0.05    | 0.02    | 0.021   | 0.22    | 9.3     | 13.1    | 0.60    | 554     | 0.99    |
| I098938            |                                   | 0.74    | 14.9    | 3.21    | 6.90    | 0.05    | 0.03    | 0.03    | 0.016   | 0.26    | 9.2     | 11.8    | 0.61    | 846     | 1.46    |
| I098939            |                                   | 0.56    | 11.7    | 2.24    | 8.19    | <0.05   | 0.03    | 0.01    | 0.015   | 0.07    | 9.7     | 6.5     | 0.35    | 175     | 1.60    |
| I098940            |                                   | 0.78    | 24.0    | 3.38    | 7.55    | 0.06    | 0.05    | 0.02    | 0.017   | 0.22    | 10.7    | 13.9    | 0.78    | 331     | 1.12    |
| I098941            |                                   | 0.59    | 22.5    | 2.83    | 6.61    | 0.06    | 0.03    | 0.02    | 0.019   | 0.14    | 12.8    | 12.2    | 0.65    | 325     | 0.75    |
| I098942            |                                   | 1.31    | 57.4    | 5.08    | 9.58    | 0.09    | 0.10    | 0.02    | 0.020   | 0.69    | 7.5     | 23.5    | 1.58    | 829     | 0.92    |
| I098943            |                                   | 0.83    | 41.4    | 3.08    | 6.89    | 0.07    | 0.08    | 0.02    | 0.020   | 0.30    | 15.8    | 14.5    | 0.69    | 330     | 0.76    |
| I098944            |                                   | 0.71    | 23.2    | 2.63    | 5.40    | 0.07    | 0.07    | 0.04    | 0.024   | 0.05    | 16.0    | 13.4    | 0.53    | 306     | 0.81    |
| I098945            |                                   | 0.61    | 15.2    | 2.30    | 5.00    | 0.06    | 0.03    | 0.03    | 0.018   | 0.05    | 12.7    | 11.7    | 0.48    | 273     | 0.81    |
| I098946            |                                   | 0.76    | 15.2    | 2.34    | 5.42    | 0.05    | 0.02    | 0.04    | 0.020   | 0.05    | 12.0    | 11.8    | 0.49    | 312     | 0.91    |
| I098947            |                                   | 2.29    | 74.9    | 5.46    | 14.10   | 0.28    | 0.04    | 0.02    | 0.025   | 1.79    | 46.9    | 25.7    | 1.86    | 939     | 0.73    |
| I098948            |                                   | 0.57    | 12.1    | 3.33    | 6.16    | 0.05    | 0.05    | 0.01    | 0.020   | 0.05    | 8.7     | 12.4    | 0.53    | 240     | 2.18    |
| I098949            |                                   | 0.74    | 13.6    | 2.43    | 5.73    | 0.07    | 0.05    | 0.03    | 0.021   | 0.05    | 19.6    | 14.2    | 0.47    | 160     | 1.38    |
| I098950            |                                   | 0.80    | 15.8    | 2.84    | 6.41    | 0.07    | 0.03    | 0.05    | 0.025   | 0.06    | 24.4    | 15.4    | 0.51    | 374     | 1.37    |
| I099101            |                                   | 1.48    | 24.0    | 3.36    | 8.20    | 0.11    | 0.04    | 0.05    | 0.021   | 0.39    | 8.0     | 16.3    | 1.45    | 590     | 1.26    |
| I099102            |                                   | 1.83    | 33.0    | 3.58    | 9.11    | 0.11    | 0.04    | 0.06    | 0.026   | 0.35    | 9.4     | 20.9    | 1.57    | 690     | 1.31    |
| I099103            |                                   | 1.85    | 34.1    | 3.73    | 8.46    | 0.12    | 0.04    | 0.05    | 0.021   | 0.55    | 7.3     | 19.2    | 1.77    | 514     | 0.83    |
| I099104            |                                   | 2.34    | 33.6    | 4.11    | 9.69    | 0.12    | 0.05    | 0.04    | 0.026   | 0.57    | 7.0     | 19.4    | 1.90    | 747     | 1.15    |
| I099105            |                                   | 1.63    | 25.0    | 3.11    | 7.84    | 0.11    | 0.04    | 0.03    | 0.022   | 0.46    | 6.4     | 15.2    | 1.55    | 323     | 0.80    |
| I099106            |                                   | 1.10    | 43.7    | 2.46    | 5.87    | 0.11    | 0.04    | 0.10    | 0.020   | 0.27    | 10.2    | 11.5    | 0.98    | 1120    | 1.31    |
| I099107            |                                   | 1.64    | 33.9    | 3.40    | 8.83    | 0.12    | 0.04    | 0.06    | 0.025   | 0.29    | 10.1    | 17.7    | 1.35    | 962     | 2.03    |
| I099108            |                                   | 1.91    | 35.9    | 3.66    | 9.19    | 0.12    | 0.04    | 0.06    | 0.026   | 0.33    | 10.3    | 21.4    | 1.62    | 563     | 1.39    |
| I099109            |                                   | 1.93    | 37.0    | 3.54    | 8.69    | 0.12    | 0.04    | 0.04    | 0.022   | 0.46    | 7.5     | 18.3    | 1.72    | 569     | 1.02    |
| I099110            |                                   | 1.99    | 35.0    | 3.57    | 8.92    | 0.11    | 0.05    | 0.06    | 0.024   | 0.45    | 8.0     | 18.4    | 1.68    | 521     | 1.03    |
| I099111            |                                   | 1.18    | 27.2    | 2.48    | 6.33    | 0.09    | 0.04    | 0.05    | 0.018   | 0.32    | 6.4     | 10.5    | 1.18    | 810     | 1.10    |
| I099112            |                                   | 1.33    | 31.7    | 2.09    | 7.57    | 0.09    | 0.05    | 0.06    | 0.019   | 0.32    | 6.1     | 9.5     | 1.34    | 250     | 0.41    |
| I099113            |                                   | 1.02    | 19.5    | 2.43    | 7.67    | 0.08    | 0.03    | 0.03    | 0.015   | 0.24    | 6.4     | 9.5     | 1.38    | 546     | 0.97    |
| I099114            |                                   | 0.08    | 2.0     | 0.76    | 0.67    | <0.05   | 0.07    | <0.01   | <0.005  | 0.05    | 5.9     | 1.4     | 0.04    | 167     | 0.31    |
| I099115            |                                   | 1.58    | 33.1    | 3.45    | 8.75    | 0.11    | 0.06    | 0.04    | 0.025   | 0.40    | 8.6     | 14.1    | 1.63    | 510     | 1.24    |
| I099116            |                                   | 1.60    | 36.8    | 3.57    | 8.80    | 0.11    | 0.05    | 0.03    | 0.025   | 0.37    | 9.1     | 14.6    | 1.58    | 429     | 1.32    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I098927            |                                   | 1.40    | 24.4    | 660     | 8.0     | 6.8     | <0.001  | 0.03    | 0.61    | 4.6     | 0.9     | 0.4     | 51.3    | <0.01   | 0.02    |
| I098928            |                                   | 1.76    | 22.3    | 600     | 8.9     | 8.5     | 0.001   | 0.02    | 0.61    | 4.9     | 0.9     | 0.5     | 39.0    | 0.01    | 0.04    |
| I098929            |                                   | 1.72    | 24.7    | 610     | 7.8     | 9.4     | <0.001  | 0.04    | 0.65    | 4.7     | 1.3     | 0.5     | 56.0    | 0.01    | 0.03    |
| I098930            |                                   | 1.95    | 16.8    | 180     | 6.9     | 11.6    | <0.001  | 0.02    | 0.42    | 3.8     | 0.3     | 0.5     | 28.2    | <0.01   | 0.02    |
| I098931            |                                   | 2.70    | 13.8    | 250     | 8.1     | 26.4    | <0.001  | 0.02    | 0.35    | 3.2     | 0.3     | 0.7     | 17.4    | <0.01   | 0.02    |
| I098932            |                                   | 2.20    | 20.8    | 280     | 10.5    | 14.9    | <0.001  | 0.02    | 0.52    | 3.9     | 0.4     | 1.1     | 14.6    | <0.01   | 0.03    |
| I098933            |                                   | 0.16    | 3.9     | 120     | 1.6     | 2.3     | <0.001  | 0.02    | 0.12    | 0.7     | 0.2     | <0.2    | 8.1     | <0.01   | <0.01   |
| I098934            |                                   | 2.30    | 14.8    | 320     | 13.2    | 20.4    | 0.001   | 0.03    | 0.40    | 4.7     | 1.0     | 1.2     | 34.4    | 0.01    | 0.03    |
| I098935            |                                   | 1.33    | 17.7    | 310     | 8.6     | 7.7     | <0.001  | 0.02    | 0.48    | 4.3     | 0.4     | 0.6     | 23.5    | <0.01   | 0.03    |
| I098936            |                                   | 3.92    | 16.6    | 410     | 12.7    | 27.0    | <0.001  | 0.02    | 0.43    | 3.3     | 0.4     | 1.5     | 15.5    | <0.01   | 0.05    |
| I098937            |                                   | 2.31    | 15.6    | 240     | 9.8     | 21.8    | <0.001  | 0.02    | 0.39    | 3.2     | 0.3     | 0.7     | 24.9    | <0.01   | 0.03    |
| I098938            |                                   | 2.64    | 12.9    | 250     | 7.7     | 36.2    | <0.001  | 0.02    | 0.35    | 2.6     | 0.3     | 0.7     | 15.5    | <0.01   | 0.02    |
| I098939            |                                   | 2.15    | 9.5     | 270     | 7.7     | 13.6    | <0.001  | 0.02    | 0.31    | 2.5     | 0.2     | 0.8     | 13.5    | <0.01   | 0.03    |
| I098940            |                                   | 3.67    | 14.5    | 430     | 5.9     | 29.2    | <0.001  | 0.02    | 0.36    | 3.2     | 0.4     | 0.7     | 17.9    | <0.01   | 0.03    |
| I098941            |                                   | 1.95    | 17.3    | 460     | 7.1     | 17.0    | <0.001  | 0.02    | 0.40    | 3.6     | 0.4     | 0.6     | 18.3    | <0.01   | 0.02    |
| I098942            |                                   | 1.68    | 18.5    | 170     | 6.0     | 52.0    | <0.001  | 0.02    | 0.39    | 3.6     | 0.4     | 0.5     | 14.4    | <0.01   | 0.06    |
| I098943            |                                   | 3.15    | 14.6    | 400     | 6.4     | 38.0    | <0.001  | 0.02    | 0.39    | 3.7     | 0.3     | 0.7     | 15.8    | <0.01   | 0.02    |
| I098944            |                                   | 1.71    | 20.1    | 640     | 8.2     | 10.3    | <0.001  | 0.03    | 0.57    | 4.9     | 0.8     | 0.5     | 32.6    | <0.01   | 0.03    |
| I098945            |                                   | 1.44    | 15.2    | 610     | 6.9     | 8.5     | <0.001  | 0.04    | 0.38    | 3.7     | 0.6     | 0.4     | 26.4    | <0.01   | 0.02    |
| I098946            |                                   | 1.52    | 15.2    | 570     | 6.9     | 9.6     | <0.001  | 0.04    | 0.36    | 3.4     | 0.6     | 0.5     | 27.6    | <0.01   | 0.03    |
| I098947            |                                   | 4.17    | 5.8     | 740     | 3.1     | 133.5   | <0.001  | 0.04    | 0.08    | 10.7    | 0.6     | 1.5     | 10.8    | 0.01    | 0.02    |
| I098948            |                                   | 1.93    | 16.5    | 320     | 7.0     | 10.1    | <0.001  | 0.03    | 0.39    | 2.8     | 0.3     | 0.5     | 13.0    | <0.01   | 0.03    |
| I098949            |                                   | 1.95    | 16.2    | 520     | 7.7     | 9.6     | <0.001  | 0.03    | 0.37    | 3.8     | 0.5     | 0.5     | 19.3    | <0.01   | 0.02    |
| I098950            |                                   | 1.91    | 16.2    | 640     | 14.1    | 14.6    | <0.001  | 0.04    | 0.35    | 4.2     | 0.6     | 0.7     | 24.2    | <0.01   | 0.02    |
| I099101            |                                   | 1.36    | 28.7    | 470     | 6.3     | 40.4    | 0.001   | 0.10    | 1.04    | 6.2     | 1.4     | 0.4     | 34.6    | <0.01   | 0.07    |
| I099102            |                                   | 1.37    | 34.9    | 630     | 8.6     | 41.9    | 0.002   | 0.15    | 7.00    | 7.4     | 2.1     | 0.5     | 49.1    | <0.01   | 0.07    |
| I099103            |                                   | 1.39    | 30.0    | 480     | 8.2     | 49.2    | 0.001   | 0.13    | 23.6    | 7.2     | 1.3     | 0.5     | 34.3    | <0.01   | 0.08    |
| I099104            |                                   | 1.52    | 33.4    | 470     | 9.8     | 48.2    | 0.001   | 0.11    | 23.1    | 7.9     | 1.3     | 0.6     | 39.0    | <0.01   | 0.07    |
| I099105            |                                   | 1.27    | 25.9    | 470     | 6.8     | 40.2    | <0.001  | 0.04    | 18.20   | 6.8     | 0.8     | 0.6     | 23.2    | <0.01   | 0.07    |
| I099106            |                                   | 0.94    | 25.8    | 1110    | 4.6     | 26.5    | 0.002   | 0.20    | 0.69    | 4.4     | 2.3     | 0.4     | 58.6    | 0.01    | 0.09    |
| I099107            |                                   | 1.28    | 34.0    | 790     | 8.1     | 36.9    | 0.002   | 0.11    | 4.71    | 6.5     | 2.6     | 0.5     | 49.8    | <0.01   | 0.10    |
| I099108            |                                   | 1.42    | 35.7    | 600     | 9.5     | 40.3    | 0.001   | 0.15    | 8.93    | 7.7     | 2.0     | 0.5     | 50.7    | <0.01   | 0.09    |
| I099109            |                                   | 1.50    | 32.4    | 550     | 8.1     | 45.6    | <0.001  | 0.29    | 28.7    | 6.9     | 1.3     | 0.6     | 47.4    | 0.01    | 0.08    |
| I099110            |                                   | 1.46    | 31.3    | 550     | 8.8     | 47.0    | 0.001   | 0.32    | 25.5    | 7.7     | 1.5     | 0.5     | 41.5    | 0.01    | 0.08    |
| I099111            |                                   | 1.12    | 23.9    | 700     | 5.6     | 28.2    | <0.001  | 0.24    | 16.65   | 4.1     | 1.1     | 0.4     | 52.1    | <0.01   | 0.07    |
| I099112            |                                   | 1.56    | 20.6    | 630     | 4.2     | 26.8    | 0.001   | 0.32    | 5.74    | 5.1     | 1.2     | 0.5     | 34.7    | <0.01   | 0.02    |
| I099113            |                                   | 1.47    | 24.4    | 540     | 4.3     | 18.3    | 0.001   | 0.09    | 4.22    | 4.8     | 0.9     | 0.5     | 37.3    | 0.01    | 0.06    |
| I099114            |                                   | 0.20    | 3.9     | 120     | 1.7     | 2.4     | <0.001  | 0.01    | 0.11    | 0.6     | <0.2    | <0.2    | 9.3     | <0.01   | 0.01    |
| I099115            |                                   | 1.42    | 29.9    | 640     | 7.3     | 34.8    | 0.001   | 0.04    | 5.55    | 7.9     | 0.9     | 0.6     | 28.8    | <0.01   | 0.09    |
| I099116            |                                   | 1.37    | 30.0    | 590     | 7.7     | 34.3    | 0.001   | 0.04    | 6.25    | 8.1     | 1.0     | 0.5     | 26.1    | <0.01   | 0.10    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I098927            |                                   | 0.072   | 0.05    | 1.38    | 49      | 0.22    | 9.28    | 56      |
| I098928            |                                   | 0.089   | 0.07    | 1.05    | 62      | 0.33    | 8.72    | 56      |
| I098929            |                                   | 0.078   | 0.07    | 4.79    | 50      | 0.27    | 10.35   | 51      |
| I098930            |                                   | 0.102   | 0.08    | 0.64    | 55      | 0.16    | 3.39    | 46      |
| I098931            |                                   | 0.099   | 0.14    | 0.64    | 64      | 0.19    | 2.24    | 50      |
| I098932            |                                   | 0.081   | 0.14    | 0.78    | 73      | 0.24    | 3.12    | 54      |
| I098933            |                                   | 0.007   | 0.03    | 0.35    | 4       | 0.05    | 2.36    | 5       |
| I098934            |                                   | 0.042   | 0.15    | 4.48    | 44      | 0.45    | 18.25   | 39      |
| I098935            |                                   | 0.077   | 0.07    | 0.85    | 49      | 0.17    | 5.53    | 50      |
| I098936            |                                   | 0.076   | 0.16    | 2.38    | 56      | 0.20    | 4.01    | 55      |
| I098937            |                                   | 0.103   | 0.12    | 0.39    | 67      | 0.17    | 2.18    | 61      |
| I098938            |                                   | 0.128   | 0.17    | 0.41    | 72      | 0.19    | 1.95    | 57      |
| I098939            |                                   | 0.110   | 0.10    | 0.37    | 66      | 0.19    | 2.01    | 32      |
| I098940            |                                   | 0.164   | 0.18    | 0.48    | 76      | 0.20    | 2.53    | 58      |
| I098941            |                                   | 0.125   | 0.12    | 0.47    | 63      | 0.22    | 3.70    | 55      |
| I098942            |                                   | 0.243   | 0.32    | 0.35    | 116     | 0.18    | 2.00    | 149     |
| I098943            |                                   | 0.144   | 0.21    | 0.67    | 64      | 0.21    | 4.25    | 60      |
| I098944            |                                   | 0.088   | 0.09    | 0.81    | 54      | 0.28    | 7.86    | 60      |
| I098945            |                                   | 0.072   | 0.09    | 0.69    | 53      | 0.21    | 5.20    | 52      |
| I098946            |                                   | 0.072   | 0.10    | 0.75    | 52      | 0.23    | 4.98    | 51      |
| I098947            |                                   | 0.263   | 0.78    | 1.28    | 116     | 0.22    | 12.55   | 109     |
| I098948            |                                   | 0.104   | 0.08    | 0.49    | 74      | 0.30    | 2.42    | 53      |
| I098949            |                                   | 0.086   | 0.09    | 1.05    | 54      | 0.39    | 6.01    | 48      |
| I098950            |                                   | 0.082   | 0.11    | 1.30    | 59      | 0.19    | 7.10    | 68      |
| I099101            |                                   | 0.134   | 0.25    | 0.90    | 90      | 0.16    | 7.06    | 93      |
| I099102            |                                   | 0.131   | 0.27    | 1.03    | 97      | 0.12    | 10.40   | 104     |
| I099103            |                                   | 0.149   | 0.29    | 0.71    | 93      | 0.30    | 7.88    | 111     |
| I099104            |                                   | 0.148   | 0.32    | 0.68    | 103     | 0.88    | 6.89    | 92      |
| I099105            |                                   | 0.136   | 0.23    | 0.54    | 85      | 0.15    | 5.20    | 65      |
| I099106            |                                   | 0.072   | 0.23    | 1.77    | 61      | 0.10    | 13.85   | 68      |
| I099107            |                                   | 0.106   | 0.24    | 1.28    | 89      | 0.14    | 10.80   | 107     |
| I099108            |                                   | 0.134   | 0.27    | 1.06    | 98      | 0.21    | 11.45   | 113     |
| I099109            |                                   | 0.141   | 0.27    | 0.69    | 92      | 0.16    | 8.33    | 98      |
| I099110            |                                   | 0.141   | 0.29    | 0.85    | 96      | 0.13    | 8.85    | 88      |
| I099111            |                                   | 0.090   | 0.21    | 0.54    | 62      | 0.11    | 6.01    | 60      |
| I099112            |                                   | 0.113   | 0.18    | 0.62    | 55      | 0.09    | 6.38    | 59      |
| I099113            |                                   | 0.104   | 0.13    | 0.48    | 70      | 0.13    | 4.22    | 62      |
| I099114            |                                   | 0.007   | 0.03    | 0.34    | 4       | 0.05    | 2.22    | 5       |
| I099115            |                                   | 0.148   | 0.25    | 0.63    | 101     | 0.19    | 5.78    | 75      |
| I099116            |                                   | 0.144   | 0.25    | 0.71    | 102     | 0.18    | 7.17    | 75      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.2 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|
| I099117            |                                   | 0.36                              | 0.010                         | 0.26                         | 2.76                       | 41.8                        | <0.2                        | <10                       | 310                        | 0.34                         | 0.20                         | 0.82                       | 0.26                         | 14.10                        | 19.0                        | 55                        |
| I099118            |                                   | 0.32                              | 0.009                         | 0.22                         | 2.16                       | 27.2                        | <0.2                        | <10                       | 310                        | 0.29                         | 0.18                         | 1.01                       | 0.49                         | 15.65                        | 15.9                        | 43                        |
| I099119            |                                   | 0.44                              | 0.007                         | 0.14                         | 2.43                       | 33.6                        | <0.2                        | <10                       | 290                        | 0.27                         | 0.21                         | 0.72                       | 0.22                         | 14.70                        | 20.8                        | 51                        |
| I099120            |                                   | 0.40                              | 0.008                         | 0.18                         | 2.36                       | 28.8                        | <0.2                        | <10                       | 290                        | 0.28                         | 0.21                         | 0.69                       | 0.26                         | 17.80                        | 20.2                        | 50                        |
| I099121            |                                   | 0.38                              | 0.018                         | 0.34                         | 3.33                       | 45.1                        | <0.2                        | <10                       | 440                        | 0.40                         | 0.23                         | 0.96                       | 0.35                         | 16.05                        | 17.7                        | 68                        |
| I099122            |                                   | 0.46                              | 0.018                         | 0.79                         | 3.04                       | 27.2                        | <0.2                        | <10                       | 480                        | 0.42                         | 0.35                         | 1.10                       | 0.42                         | 20.5                         | 15.6                        | 61                        |
| I099123            |                                   | 0.54                              | 0.014                         | 0.31                         | 3.44                       | 30.4                        | <0.2                        | <10                       | 420                        | 0.38                         | 0.49                         | 0.67                       | 0.25                         | 14.85                        | 18.7                        | 73                        |
| I099124            |                                   | 0.44                              | 0.005                         | 0.14                         | 1.72                       | 8.5                         | <0.2                        | <10                       | 190                        | 0.24                         | 0.20                         | 0.51                       | 0.27                         | 13.60                        | 12.2                        | 39                        |
| I099125            |                                   | 0.64                              | 0.005                         | 0.12                         | 2.67                       | 10.2                        | <0.2                        | <10                       | 260                        | 0.40                         | 0.17                         | 0.44                       | 0.15                         | 17.70                        | 17.7                        | 55                        |
| I099126            |                                   | 0.50                              | 0.006                         | 0.15                         | 2.76                       | 17.9                        | <0.2                        | <10                       | 240                        | 0.35                         | 0.20                         | 0.42                       | 0.18                         | 16.30                        | 15.0                        | 54                        |
| I099127            |                                   | 0.42                              | 0.005                         | 0.24                         | 1.68                       | 7.9                         | <0.2                        | <10                       | 200                        | 0.22                         | 0.13                         | 0.34                       | 0.32                         | 11.25                        | 13.1                        | 34                        |
| I099128            |                                   | 0.62                              | 0.007                         | 0.23                         | 2.02                       | 10.5                        | <0.2                        | <10                       | 220                        | 0.33                         | 0.14                         | 0.40                       | 0.36                         | 14.55                        | 13.4                        | 33                        |
| I099129            |                                   | 0.62                              | 0.007                         | 0.22                         | 3.02                       | 17.5                        | <0.2                        | <10                       | 250                        | 0.40                         | 0.22                         | 0.40                       | 0.17                         | 16.10                        | 14.9                        | 47                        |
| I099130            |                                   | 0.46                              | <0.005                        | 0.01                         | 0.13                       | 1.9                         | <0.2                        | <10                       | 20                         | <0.05                        | <0.01                        | 0.09                       | 0.04                         | 10.75                        | 2.2                         | 3                         |
| I099131            |                                   | 0.64                              | 0.021                         | 0.33                         | 3.53                       | 9.7                         | <0.2                        | <10                       | 360                        | 0.39                         | 0.23                         | 0.62                       | 0.65                         | 12.65                        | 23.9                        | 59                        |
| I099132            |                                   | 0.66                              | 0.010                         | 0.26                         | 3.21                       | 13.7                        | <0.2                        | <10                       | 340                        | 0.45                         | 0.35                         | 0.45                       | 0.45                         | 18.80                        | 16.8                        | 53                        |
| I099133            |                                   | 0.52                              | 0.009                         | 0.44                         | 2.02                       | 9.3                         | <0.2                        | <10                       | 350                        | 0.38                         | 0.19                         | 0.62                       | 0.87                         | 17.80                        | 16.7                        | 31                        |
| I099134            |                                   | 0.42                              | <0.005                        | 0.09                         | 1.16                       | 4.1                         | <0.2                        | <10                       | 100                        | 0.21                         | 0.05                         | 0.15                       | 0.10                         | 13.85                        | 4.2                         | 15                        |
| I099135            |                                   | 0.44                              | <0.005                        | 0.20                         | 1.94                       | 4.0                         | <0.2                        | <10                       | 200                        | 0.19                         | 0.07                         | 0.35                       | 0.10                         | 19.50                        | 6.8                         | 27                        |
| I099136            |                                   | 0.56                              | <0.005                        | 0.19                         | 2.18                       | 6.5                         | <0.2                        | <10                       | 340                        | 0.36                         | 0.12                         | 0.85                       | 0.18                         | 41.3                         | 13.0                        | 32                        |
| I099137            |                                   | 0.42                              | <0.005                        | 0.10                         | 2.07                       | 6.6                         | <0.2                        | <10                       | 220                        | 0.23                         | 0.28                         | 0.46                       | 0.15                         | 23.0                         | 9.2                         | 33                        |
| I099138            |                                   | 0.52                              | <0.005                        | 0.11                         | 1.71                       | 29.5                        | <0.2                        | <10                       | 190                        | 0.22                         | 0.34                         | 0.43                       | 0.16                         | 22.6                         | 8.7                         | 25                        |
| I099139            |                                   | 0.58                              | <0.005                        | 0.06                         | 2.50                       | 10.1                        | <0.2                        | <10                       | 310                        | 0.19                         | 0.10                         | 0.50                       | 0.11                         | 19.50                        | 20.3                        | 16                        |
| I099140            |                                   | 0.34                              | <0.005                        | 0.07                         | 2.79                       | 5.1                         | <0.2                        | <10                       | 350                        | 0.44                         | 0.15                         | 0.44                       | 0.10                         | 23.0                         | 13.8                        | 16                        |
| I099141            |                                   | 0.64                              | <0.005                        | 0.06                         | 2.02                       | 5.2                         | <0.2                        | <10                       | 200                        | 0.23                         | 0.07                         | 0.52                       | 0.10                         | 19.65                        | 11.7                        | 26                        |
| I099142            |                                   | 0.50                              | <0.005                        | 0.12                         | 1.70                       | 4.6                         | <0.2                        | <10                       | 160                        | 0.25                         | 0.08                         | 0.57                       | 0.15                         | 28.7                         | 14.7                        | 25                        |
| I099143            |                                   | 0.50                              | <0.005                        | 0.08                         | 2.07                       | 5.5                         | <0.2                        | <10                       | 210                        | 0.25                         | 0.46                         | 0.67                       | 0.12                         | 25.0                         | 13.5                        | 27                        |
| I099144            |                                   | 0.68                              | <0.005                        | 0.08                         | 1.49                       | 3.9                         | <0.2                        | <10                       | 190                        | 0.14                         | 0.05                         | 0.43                       | 0.12                         | 15.15                        | 7.4                         | 17                        |
| I099145            |                                   | 0.38                              | <0.005                        | 0.04                         | 2.46                       | 7.3                         | <0.2                        | <10                       | 190                        | 0.30                         | 0.12                         | 0.38                       | 0.12                         | 22.4                         | 14.6                        | 27                        |
| I099146            |                                   | 0.44                              | 0.012                         | 0.05                         | 2.62                       | 7.6                         | <0.2                        | <10                       | 230                        | 0.30                         | 0.15                         | 0.45                       | 0.11                         | 20.7                         | 15.8                        | 28                        |
| I099147            |                                   | 0.42                              | <0.005                        | 0.04                         | 2.47                       | 10.6                        | <0.2                        | <10                       | 250                        | 0.38                         | 0.07                         | 0.35                       | 0.07                         | 23.1                         | 16.4                        | 36                        |
| I099148            |                                   | 0.24                              | <0.005                        | 0.03                         | 0.17                       | 0.7                         | <0.2                        | <10                       | 20                         | <0.05                        | 0.05                         | 0.06                       | 0.02                         | 2.00                         | 1.0                         | 3                         |
| I099149            |                                   | 0.34                              | <0.005                        | 0.37                         | 1.56                       | 4.8                         | <0.2                        | <10                       | 120                        | 0.20                         | 0.14                         | 0.32                       | 0.10                         | 12.75                        | 6.2                         | 21                        |
| I099150            |                                   | 0.58                              | <0.005                        | 0.21                         | 1.22                       | 5.8                         | <0.2                        | <10                       | 80                         | 0.22                         | 0.11                         | 0.13                       | 0.07                         | 8.32                         | 4.5                         | 16                        |
| I099151            |                                   | 0.40                              | <0.005                        | 0.14                         | 1.24                       | 3.5                         | <0.2                        | <10                       | 110                        | 0.20                         | 0.11                         | 0.17                       | 0.08                         | 9.59                         | 4.8                         | 15                        |
| I099152            |                                   | 0.50                              | <0.005                        | 0.11                         | 2.49                       | 7.4                         | <0.2                        | <10                       | 250                        | 0.44                         | 0.12                         | 0.36                       | 0.04                         | 21.6                         | 12.8                        | 36                        |
| I099153            |                                   | 0.56                              | <0.005                        | 0.14                         | 2.80                       | 14.8                        | <0.2                        | <10                       | 200                        | 0.36                         | 0.14                         | 0.32                       | 0.13                         | 16.95                        | 15.6                        | 35                        |
| I099154            |                                   | 0.40                              | <0.005                        | 0.16                         | 2.27                       | 14.4                        | <0.2                        | <10                       | 290                        | 0.36                         | 0.17                         | 0.52                       | 0.14                         | 16.80                        | 9.6                         | 24                        |
| I099155            |                                   | 0.58                              | <0.005                        | 0.16                         | 1.34                       | 9.4                         | <0.2                        | <10                       | 140                        | 0.16                         | 0.11                         | 0.36                       | 0.07                         | 10.60                        | 6.5                         | 20                        |
| I099156            |                                   | 0.54                              | <0.005                        | 0.18                         | 1.93                       | 12.1                        | <0.2                        | <10                       | 210                        | 0.28                         | 0.11                         | 1.01                       | 0.13                         | 19.75                        | 10.5                        | 28                        |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099117            |                                   | 1.70    | 24.8    | 3.29    | 8.81    | 0.10    | 0.04    | 0.04    | 0.024   | 0.37    | 7.0     | 14.5    | 1.50    | 660     | 1.49    |
| I099118            |                                   | 1.23    | 27.0    | 2.79    | 6.71    | 0.09    | 0.04    | 0.05    | 0.019   | 0.34    | 7.4     | 10.8    | 1.25    | 802     | 1.30    |
| I099119            |                                   | 1.50    | 21.6    | 3.24    | 8.01    | 0.10    | 0.04    | 0.03    | 0.022   | 0.36    | 6.9     | 12.1    | 1.45    | 706     | 1.26    |
| I099120            |                                   | 1.49    | 22.8    | 3.04    | 8.04    | 0.11    | 0.04    | 0.04    | 0.022   | 0.33    | 8.1     | 12.7    | 1.34    | 1070    | 1.13    |
| I099121            |                                   | 2.46    | 29.9    | 3.89    | 10.25   | 0.14    | 0.05    | 0.05    | 0.024   | 0.80    | 8.5     | 18.1    | 1.97    | 507     | 0.89    |
| I099122            |                                   | 1.89    | 41.5    | 3.23    | 8.71    | 0.11    | 0.05    | 0.07    | 0.024   | 0.46    | 10.8    | 13.7    | 1.52    | 455     | 1.19    |
| I099123            |                                   | 2.41    | 26.8    | 4.26    | 10.60   | 0.13    | 0.04    | 0.03    | 0.027   | 0.62    | 7.3     | 14.7    | 2.02    | 330     | 1.15    |
| I099124            |                                   | 1.00    | 23.1    | 2.28    | 6.49    | 0.07    | 0.02    | 0.04    | 0.017   | 0.11    | 6.9     | 8.8     | 0.79    | 468     | 1.29    |
| I099125            |                                   | 1.69    | 36.8    | 3.39    | 8.28    | 0.10    | 0.04    | 0.03    | 0.021   | 0.32    | 8.8     | 15.8    | 1.41    | 488     | 0.72    |
| I099126            |                                   | 1.63    | 27.3    | 3.21    | 8.80    | 0.10    | 0.04    | 0.08    | 0.021   | 0.31    | 8.3     | 16.0    | 1.45    | 435     | 0.67    |
| I099127            |                                   | 1.02    | 22.7    | 2.26    | 6.45    | 0.06    | 0.02    | 0.05    | 0.015   | 0.16    | 5.7     | 8.2     | 0.79    | 549     | 1.03    |
| I099128            |                                   | 1.00    | 28.9    | 2.67    | 7.08    | 0.07    | 0.02    | 0.05    | 0.018   | 0.20    | 7.2     | 10.5    | 0.91    | 629     | 1.24    |
| I099129            |                                   | 1.33    | 31.4    | 3.52    | 9.52    | 0.08    | 0.03    | 0.04    | 0.026   | 0.29    | 8.0     | 15.3    | 1.34    | 365     | 1.14    |
| I099130            |                                   | 0.08    | 1.6     | 0.68    | 0.62    | <0.05   | 0.06    | <0.01   | <0.005  | 0.04    | 5.5     | 1.3     | 0.04    | 165     | 0.43    |
| I099131            |                                   | 2.79    | 50.1    | 5.02    | 10.50   | 0.11    | 0.03    | 0.04    | 0.023   | 0.61    | 6.6     | 17.2    | 2.07    | 894     | 0.98    |
| I099132            |                                   | 1.99    | 40.3    | 4.11    | 9.71    | 0.10    | 0.04    | 0.16    | 0.027   | 0.49    | 9.5     | 17.9    | 1.63    | 442     | 1.01    |
| I099133            |                                   | 1.02    | 42.5    | 2.84    | 6.63    | 0.07    | 0.02    | 0.11    | 0.025   | 0.17    | 9.1     | 8.2     | 0.70    | 1020    | 1.69    |
| I099134            |                                   | 0.94    | 13.6    | 1.42    | 4.75    | <0.05   | 0.02    | 0.03    | 0.016   | 0.05    | 7.7     | 5.8     | 0.20    | 119     | 0.60    |
| I099135            |                                   | 1.47    | 14.8    | 2.03    | 7.21    | 0.06    | 0.04    | 0.09    | 0.026   | 0.06    | 11.0    | 13.8    | 0.50    | 191     | 0.47    |
| I099136            |                                   | 1.31    | 23.5    | 3.00    | 7.44    | 0.08    | 0.06    | 0.06    | 0.032   | 0.08    | 24.0    | 15.0    | 0.52    | 1040    | 1.03    |
| I099137            |                                   | 1.56    | 17.3    | 2.88    | 7.92    | 0.07    | 0.05    | 0.04    | 0.031   | 0.08    | 12.5    | 13.9    | 0.67    | 366     | 0.85    |
| I099138            |                                   | 1.99    | 14.6    | 2.69    | 7.63    | 0.06    | 0.03    | 0.05    | 0.024   | 0.11    | 11.9    | 10.9    | 0.59    | 389     | 0.94    |
| I099139            |                                   | 3.48    | 7.7     | 3.58    | 9.35    | 0.12    | 0.05    | 0.04    | 0.024   | 0.43    | 9.7     | 13.4    | 0.98    | 1290    | 0.59    |
| I099140            |                                   | 3.51    | 15.2    | 3.96    | 10.50   | 0.12    | 0.06    | 0.03    | 0.031   | 0.55    | 11.6    | 14.4    | 1.06    | 626     | 0.52    |
| I099141            |                                   | 1.95    | 12.0    | 3.14    | 7.24    | 0.10    | 0.06    | 0.03    | 0.023   | 0.26    | 9.8     | 12.4    | 0.86    | 429     | 0.53    |
| I099142            |                                   | 1.30    | 15.8    | 2.44    | 6.24    | 0.07    | 0.04    | 0.05    | 0.022   | 0.07    | 15.4    | 9.8     | 0.52    | 927     | 0.94    |
| I099143            |                                   | 2.01    | 14.6    | 3.23    | 8.14    | 0.09    | 0.06    | 0.04    | 0.025   | 0.25    | 13.4    | 14.2    | 0.89    | 539     | 0.88    |
| I099144            |                                   | 1.65    | 12.1    | 2.08    | 5.97    | 0.06    | 0.03    | 0.03    | 0.016   | 0.19    | 7.7     | 8.6     | 0.55    | 314     | 0.55    |
| I099145            |                                   | 2.36    | 16.6    | 3.84    | 9.04    | 0.11    | 0.08    | 0.13    | 0.030   | 0.24    | 11.3    | 17.4    | 0.97    | 467     | 0.93    |
| I099146            |                                   | 2.64    | 16.6    | 3.99    | 9.12    | 0.11    | 0.08    | 0.02    | 0.031   | 0.32    | 10.3    | 18.0    | 1.07    | 512     | 0.87    |
| I099147            |                                   | 1.89    | 31.6    | 3.73    | 7.93    | 0.09    | 0.09    | 0.01    | 0.026   | 0.19    | 11.9    | 14.6    | 0.97    | 415     | 1.13    |
| I099148            |                                   | 0.43    | 2.1     | 0.55    | 1.96    | <0.05   | <0.02   | 0.01    | <0.005  | 0.03    | 0.9     | 0.6     | 0.05    | 34      | 0.22    |
| I099149            |                                   | 0.95    | 14.9    | 2.21    | 7.64    | 0.06    | 0.04    | 0.04    | 0.018   | 0.10    | 7.3     | 6.6     | 0.43    | 186     | 1.18    |
| I099150            |                                   | 1.16    | 9.2     | 1.95    | 5.91    | <0.05   | 0.05    | 0.03    | 0.014   | 0.06    | 4.1     | 6.5     | 0.22    | 130     | 0.73    |
| I099151            |                                   | 0.73    | 15.4    | 1.67    | 4.95    | <0.05   | 0.02    | 0.03    | 0.014   | 0.05    | 4.8     | 4.8     | 0.23    | 177     | 0.54    |
| I099152            |                                   | 1.25    | 25.8    | 3.22    | 6.47    | 0.09    | 0.30    | 0.02    | 0.027   | 0.08    | 9.5     | 13.3    | 0.75    | 336     | 0.57    |
| I099153            |                                   | 2.77    | 20.8    | 4.07    | 9.80    | 0.11    | 0.16    | 0.02    | 0.034   | 0.13    | 7.2     | 17.4    | 0.83    | 440     | 1.03    |
| I099154            |                                   | 1.89    | 16.3    | 2.96    | 7.21    | 0.08    | 0.06    | 0.05    | 0.029   | 0.10    | 8.5     | 10.4    | 0.42    | 473     | 1.25    |
| I099155            |                                   | 1.04    | 11.4    | 1.97    | 5.52    | 0.06    | 0.05    | 0.02    | 0.016   | 0.11    | 5.2     | 7.4     | 0.46    | 190     | 0.48    |
| I099156            |                                   | 1.40    | 17.0    | 2.96    | 6.01    | 0.09    | 0.09    | 0.04    | 0.026   | 0.15    | 9.4     | 11.3    | 0.73    | 393     | 0.82    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099117            |                                   | 1.34    | 29.2    | 640     | 6.5     | 35.6    | <0.001  | 0.08    | 3.12    | 6.1     | 0.8     | 0.6     | 33.5    | <0.01   | 0.08    |
| I099118            |                                   | 1.22    | 24.1    | 760     | 5.5     | 28.6    | <0.001  | 0.08    | 3.59    | 5.0     | 1.0     | 0.4     | 37.7    | <0.01   | 0.07    |
| I099119            |                                   | 1.36    | 25.9    | 560     | 6.1     | 31.4    | 0.001   | 0.06    | 3.72    | 6.1     | 0.8     | 0.5     | 30.3    | <0.01   | 0.08    |
| I099120            |                                   | 1.35    | 26.0    | 600     | 7.1     | 32.0    | 0.001   | 0.06    | 4.53    | 6.6     | 0.9     | 0.6     | 30.5    | <0.01   | 0.08    |
| I099121            |                                   | 1.81    | 35.9    | 560     | 7.7     | 50.5    | 0.003   | 0.11    | 7.60    | 8.0     | 1.6     | 0.6     | 38.8    | <0.01   | 0.09    |
| I099122            |                                   | 1.35    | 35.7    | 840     | 9.4     | 39.9    | 0.003   | 0.18    | 4.67    | 6.8     | 2.6     | 0.5     | 48.6    | <0.01   | 0.09    |
| I099123            |                                   | 1.52    | 35.5    | 570     | 9.9     | 50.5    | 0.001   | 0.05    | 2.49    | 9.5     | 1.6     | 0.6     | 29.3    | <0.01   | 0.15    |
| I099124            |                                   | 1.00    | 21.0    | 730     | 5.4     | 14.8    | <0.001  | 0.05    | 0.64    | 3.1     | 0.6     | 0.5     | 27.1    | <0.01   | 0.05    |
| I099125            |                                   | 1.58    | 30.5    | 610     | 6.1     | 28.6    | 0.001   | 0.02    | 0.98    | 5.5     | 0.5     | 0.6     | 24.1    | <0.01   | 0.05    |
| I099126            |                                   | 1.65    | 28.7    | 540     | 8.4     | 29.8    | 0.001   | 0.02    | 2.84    | 5.8     | 0.5     | 0.6     | 24.2    | <0.01   | 0.05    |
| I099127            |                                   | 1.00    | 18.2    | 570     | 5.4     | 17.4    | <0.001  | 0.04    | 1.06    | 3.3     | 0.6     | 0.4     | 23.4    | <0.01   | 0.05    |
| I099128            |                                   | 1.08    | 20.8    | 690     | 7.5     | 21.0    | <0.001  | 0.05    | 1.44    | 3.8     | 0.6     | 0.4     | 25.4    | <0.01   | 0.05    |
| I099129            |                                   | 1.49    | 26.2    | 520     | 8.7     | 29.3    | <0.001  | 0.03    | 2.60    | 6.5     | 0.6     | 0.6     | 22.6    | <0.01   | 0.06    |
| I099130            |                                   | 0.16    | 3.7     | 120     | 1.5     | 2.1     | <0.001  | <0.01   | 0.11    | 0.6     | <0.2    | <0.2    | 7.3     | <0.01   | <0.01   |
| I099131            |                                   | 1.04    | 29.0    | 490     | 18.5    | 45.4    | <0.001  | 0.02    | 1.27    | 10.4    | 0.7     | 0.4     | 25.4    | <0.01   | 0.08    |
| I099132            |                                   | 1.36    | 27.3    | 470     | 15.3    | 40.6    | <0.001  | 0.02    | 1.64    | 9.0     | 0.6     | 0.5     | 23.6    | <0.01   | 0.06    |
| I099133            |                                   | 0.78    | 20.1    | 810     | 16.0    | 18.3    | <0.001  | 0.07    | 1.16    | 3.5     | 0.9     | 0.4     | 35.3    | 0.01    | 0.06    |
| I099134            |                                   | 1.01    | 7.8     | 240     | 4.8     | 8.3     | <0.001  | 0.01    | 0.16    | 2.6     | 0.3     | 0.4     | 14.0    | <0.01   | 0.02    |
| I099135            |                                   | 1.56    | 15.3    | 470     | 6.9     | 12.5    | <0.001  | 0.03    | 0.23    | 5.1     | 0.4     | 0.7     | 26.5    | <0.01   | 0.02    |
| I099136            |                                   | 1.73    | 19.5    | 780     | 7.4     | 13.5    | 0.001   | 0.06    | 0.35    | 7.2     | 0.9     | 0.7     | 55.0    | <0.01   | 0.04    |
| I099137            |                                   | 1.85    | 19.0    | 600     | 7.1     | 13.8    | 0.001   | 0.03    | 0.25    | 6.0     | 0.5     | 0.7     | 33.7    | <0.01   | 0.02    |
| I099138            |                                   | 1.57    | 14.2    | 590     | 6.8     | 17.9    | <0.001  | 0.04    | 0.32    | 4.3     | 0.5     | 0.7     | 29.5    | <0.01   | 0.03    |
| I099139            |                                   | 2.64    | 10.2    | 840     | 8.1     | 44.1    | <0.001  | 0.03    | 0.30    | 6.4     | 0.5     | 0.9     | 29.4    | <0.01   | 0.02    |
| I099140            |                                   | 2.57    | 10.4    | 560     | 6.0     | 46.2    | <0.001  | 0.03    | 0.37    | 8.0     | 0.4     | 1.1     | 29.8    | <0.01   | 0.02    |
| I099141            |                                   | 1.99    | 15.4    | 810     | 5.3     | 27.8    | <0.001  | 0.02    | 0.22    | 5.7     | 0.5     | 0.7     | 31.6    | 0.01    | 0.02    |
| I099142            |                                   | 1.51    | 14.7    | 780     | 5.9     | 13.4    | <0.001  | 0.07    | 0.31    | 4.6     | 0.8     | 0.5     | 35.2    | 0.01    | 0.02    |
| I099143            |                                   | 2.74    | 15.3    | 800     | 5.8     | 31.2    | <0.001  | 0.06    | 0.31    | 6.5     | 0.6     | 0.8     | 37.4    | <0.01   | 0.03    |
| I099144            |                                   | 1.52    | 9.3     | 700     | 4.6     | 23.9    | <0.001  | 0.11    | 0.24    | 3.7     | 0.5     | 0.5     | 30.0    | <0.01   | 0.02    |
| I099145            |                                   | 2.68    | 17.5    | 650     | 6.0     | 28.9    | <0.001  | 0.07    | 0.48    | 6.7     | 0.5     | 0.8     | 24.1    | <0.01   | 0.03    |
| I099146            |                                   | 2.48    | 18.1    | 720     | 5.8     | 36.8    | <0.001  | 0.03    | 0.50    | 7.1     | 0.5     | 0.8     | 26.7    | <0.01   | 0.03    |
| I099147            |                                   | 2.51    | 21.0    | 570     | 4.9     | 24.4    | <0.001  | 0.02    | 0.55    | 6.0     | 0.5     | 0.7     | 22.7    | <0.01   | 0.04    |
| I099148            |                                   | 0.36    | 1.6     | 80      | 1.9     | 3.7     | <0.001  | <0.01   | 0.07    | 0.5     | <0.2    | 0.2     | 7.3     | <0.01   | 0.01    |
| I099149            |                                   | 1.88    | 11.3    | 350     | 5.6     | 14.3    | <0.001  | 0.02    | 0.30    | 3.6     | 0.4     | 0.6     | 22.3    | <0.01   | 0.02    |
| I099150            |                                   | 1.46    | 6.1     | 250     | 5.2     | 10.1    | <0.001  | 0.01    | 0.23    | 2.6     | 0.3     | 0.5     | 13.3    | <0.01   | 0.02    |
| I099151            |                                   | 1.05    | 8.2     | 260     | 4.2     | 7.6     | <0.001  | 0.01    | 0.24    | 2.5     | 0.3     | 0.4     | 15.9    | <0.01   | 0.02    |
| I099152            |                                   | 0.88    | 22.4    | 430     | 5.9     | 10.1    | <0.001  | <0.01   | 0.34    | 6.3     | 0.5     | 0.7     | 24.1    | <0.01   | 0.02    |
| I099153            |                                   | 2.29    | 19.8    | 620     | 6.9     | 17.5    | <0.001  | <0.01   | 0.63    | 7.3     | 0.5     | 0.8     | 19.4    | <0.01   | 0.02    |
| I099154            |                                   | 1.62    | 12.8    | 540     | 7.1     | 10.3    | <0.001  | 0.02    | 0.51    | 6.6     | 0.5     | 0.5     | 30.4    | <0.01   | 0.03    |
| I099155            |                                   | 1.71    | 10.2    | 330     | 4.5     | 14.7    | <0.001  | 0.01    | 0.47    | 4.3     | 0.3     | 0.5     | 21.0    | <0.01   | 0.01    |
| I099156            |                                   | 2.13    | 14.0    | 780     | 5.7     | 19.8    | <0.001  | 0.03    | 0.63    | 6.1     | 0.6     | 0.7     | 44.9    | <0.01   | 0.02    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 3 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I099117            |                                   | 0.126   | 0.24    | 0.67    | 92      | 0.17    | 5.15    | 85      |
| I099118            |                                   | 0.108   | 0.23    | 0.56    | 74      | 0.15    | 6.28    | 70      |
| I099119            |                                   | 0.130   | 0.24    | 0.53    | 85      | 0.16    | 4.70    | 68      |
| I099120            |                                   | 0.127   | 0.22    | 0.59    | 80      | 0.16    | 5.94    | 73      |
| I099121            |                                   | 0.169   | 0.36    | 0.98    | 101     | 0.19    | 9.44    | 89      |
| I099122            |                                   | 0.109   | 0.29    | 1.70    | 90      | 0.19    | 13.10   | 76      |
| I099123            |                                   | 0.167   | 0.36    | 1.12    | 119     | 0.25    | 5.52    | 88      |
| I099124            |                                   | 0.090   | 0.10    | 0.53    | 59      | 0.19    | 4.09    | 53      |
| I099125            |                                   | 0.165   | 0.19    | 0.53    | 80      | 0.20    | 5.06    | 85      |
| I099126            |                                   | 0.172   | 0.21    | 0.50    | 81      | 0.26    | 4.59    | 98      |
| I099127            |                                   | 0.097   | 0.12    | 0.51    | 55      | 0.19    | 3.51    | 68      |
| I099128            |                                   | 0.105   | 0.12    | 0.56    | 64      | 0.23    | 4.73    | 79      |
| I099129            |                                   | 0.157   | 0.19    | 0.56    | 103     | 0.25    | 4.99    | 86      |
| I099130            |                                   | 0.007   | 0.03    | 0.33    | 4       | <0.05   | 2.14    | 4       |
| I099131            |                                   | 0.174   | 0.29    | 0.42    | 123     | 0.34    | 5.80    | 197     |
| I099132            |                                   | 0.158   | 0.27    | 0.58    | 101     | 0.34    | 7.59    | 174     |
| I099133            |                                   | 0.068   | 0.10    | 0.77    | 63      | 0.47    | 7.60    | 77      |
| I099134            |                                   | 0.072   | 0.08    | 0.92    | 34      | 0.12    | 2.91    | 21      |
| I099135            |                                   | 0.115   | 0.15    | 1.68    | 47      | 0.13    | 5.34    | 43      |
| I099136            |                                   | 0.111   | 0.17    | 3.51    | 71      | 0.18    | 12.85   | 48      |
| I099137            |                                   | 0.137   | 0.15    | 1.57    | 71      | 0.18    | 5.59    | 57      |
| I099138            |                                   | 0.116   | 0.17    | 1.21    | 70      | 0.22    | 4.87    | 55      |
| I099139            |                                   | 0.239   | 0.35    | 0.97    | 86      | 0.17    | 6.22    | 79      |
| I099140            |                                   | 0.222   | 0.35    | 1.02    | 98      | 0.26    | 6.82    | 75      |
| I099141            |                                   | 0.187   | 0.23    | 0.87    | 80      | 0.18    | 6.13    | 65      |
| I099142            |                                   | 0.101   | 0.14    | 2.13    | 52      | 0.17    | 7.81    | 53      |
| I099143            |                                   | 0.196   | 0.23    | 1.43    | 84      | 0.36    | 6.62    | 70      |
| I099144            |                                   | 0.117   | 0.17    | 1.12    | 51      | 0.37    | 4.46    | 45      |
| I099145            |                                   | 0.243   | 0.23    | 1.00    | 104     | 0.58    | 6.75    | 70      |
| I099146            |                                   | 0.252   | 0.28    | 1.07    | 105     | 0.41    | 7.41    | 74      |
| I099147            |                                   | 0.215   | 0.25    | 0.84    | 102     | 0.41    | 5.92    | 58      |
| I099148            |                                   | 0.040   | 0.03    | 0.06    | 15      | 0.05    | 0.39    | 10      |
| I099149            |                                   | 0.140   | 0.13    | 0.60    | 67      | 0.27    | 2.96    | 44      |
| I099150            |                                   | 0.095   | 0.08    | 0.36    | 52      | 0.21    | 2.18    | 25      |
| I099151            |                                   | 0.088   | 0.07    | 0.46    | 45      | 0.33    | 2.61    | 27      |
| I099152            |                                   | 0.152   | 0.15    | 0.69    | 82      | 0.22    | 5.26    | 51      |
| I099153            |                                   | 0.206   | 0.19    | 0.53    | 116     | 0.35    | 5.26    | 65      |
| I099154            |                                   | 0.112   | 0.13    | 0.77    | 82      | 0.32    | 6.34    | 47      |
| I099155            |                                   | 0.120   | 0.12    | 0.41    | 56      | 0.23    | 3.65    | 37      |
| I099156            |                                   | 0.140   | 0.16    | 1.14    | 78      | 0.36    | 7.37    | 54      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099157            |                                   | 0.38                      | <0.005               | 0.09                 | 1.61               | 9.2                  | <0.2                 | <10                 | 170                  | 0.19                 | 0.12                 | 0.55               | 0.14                 | 16.70                | 8.0                  | 27                   |
| I099158            |                                   | 0.44                      | <0.005               | 0.01                 | 0.15               | 1.9                  | <0.2                 | <10                 | 30                   | 0.09                 | 0.02                 | 0.07               | 0.03                 | 11.70                | 2.0                  | 5                    |
| I099159            |                                   | 0.38                      | <0.005               | 0.34                 | 1.59               | 8.3                  | <0.2                 | <10                 | 140                  | 0.36                 | 0.11                 | 0.88               | 0.15                 | 20.3                 | 11.7                 | 32                   |
| I099160            |                                   | 0.52                      | <0.005               | 0.38                 | 2.68               | 108.5                | <0.2                 | <10                 | 350                  | 0.66                 | 0.18                 | 0.67               | 0.24                 | 30.0                 | 13.8                 | 33                   |
| I099161            |                                   | 0.40                      | <0.005               | 0.26                 | 2.27               | 30.5                 | <0.2                 | <10                 | 240                  | 0.62                 | 0.68                 | 0.46               | 0.25                 | 24.1                 | 10.5                 | 30                   |
| I099162            |                                   | 0.36                      | <0.005               | 0.12                 | 2.31               | 37.8                 | <0.2                 | <10                 | 200                  | 0.48                 | 0.18                 | 0.36               | 0.11                 | 27.8                 | 10.8                 | 26                   |
| I099163            |                                   | 0.42                      | <0.005               | 0.12                 | 2.95               | 6.1                  | <0.2                 | <10                 | 290                  | 0.67                 | 0.10                 | 0.20               | 0.07                 | 30.1                 | 22.0                 | 75                   |
| I099164            |                                   | 0.40                      | <0.005               | 0.06                 | 2.36               | 10.9                 | <0.2                 | <10                 | 210                  | 0.29                 | 0.19                 | 0.18               | 0.06                 | 15.60                | 12.5                 | 42                   |
| I099165            |                                   | 0.36                      | <0.005               | 0.08                 | 0.17               | 1.9                  | <0.2                 | <10                 | 30                   | 0.09                 | 0.02                 | 0.07               | 0.04                 | 9.96                 | 2.1                  | 5                    |
| I099166            |                                   | 0.42                      | <0.005               | 0.10                 | 2.12               | 4.9                  | <0.2                 | <10                 | 200                  | 0.41                 | 0.12                 | 0.35               | 0.10                 | 18.25                | 18.0                 | 47                   |
| I099167            |                                   | 0.40                      | <0.005               | 0.25                 | 2.34               | 9.6                  | <0.2                 | <10                 | 100                  | 1.27                 | 0.11                 | 1.45               | 0.07                 | 44.0                 | 15.9                 | 93                   |
| I099168            |                                   | 0.56                      | <0.005               | 0.15                 | 2.09               | 11.4                 | <0.2                 | <10                 | 160                  | 0.39                 | 0.18                 | 0.49               | 0.07                 | 19.55                | 9.3                  | 37                   |
| I099169            |                                   | 0.54                      | <0.005               | 0.07                 | 2.51               | 11.3                 | <0.2                 | <10                 | 180                  | 0.33                 | 0.19                 | 0.24               | 0.08                 | 17.95                | 9.6                  | 50                   |
| I099170            |                                   | 0.32                      | <0.005               | 0.09                 | 0.86               | 4.0                  | <0.2                 | <10                 | 50                   | 0.10                 | 0.08                 | 0.04               | 0.08                 | 10.00                | 4.2                  | 23                   |
| I099171            |                                   | 0.54                      | 0.035                | 0.16                 | 1.50               | 43.5                 | <0.2                 | <10                 | 140                  | 0.36                 | 0.16                 | 0.26               | 0.09                 | 22.5                 | 10.3                 | 39                   |
| I099172            |                                   | 0.56                      | <0.005               | 0.10                 | 2.65               | 12.3                 | <0.2                 | <10                 | 100                  | 0.34                 | 0.15                 | 0.11               | 0.09                 | 15.05                | 10.8                 | 43                   |
| I099173            |                                   | 0.56                      | <0.005               | 0.12                 | 1.86               | 15.1                 | <0.2                 | <10                 | 180                  | 0.35                 | 0.16                 | 0.33               | 0.05                 | 20.9                 | 8.9                  | 32                   |
| I099174            |                                   | 0.46                      | <0.005               | 0.10                 | 2.37               | 16.3                 | <0.2                 | <10                 | 200                  | 0.35                 | 0.23                 | 0.15               | 0.11                 | 15.95                | 14.9                 | 47                   |
| I099175            |                                   | 0.58                      | <0.005               | 0.08                 | 2.54               | 11.3                 | <0.2                 | <10                 | 150                  | 0.47                 | 0.14                 | 0.19               | 0.05                 | 13.40                | 14.3                 | 58                   |
| I099176            |                                   | 0.60                      | <0.005               | 0.11                 | 1.70               | 32.4                 | <0.2                 | <10                 | 180                  | 0.54                 | 0.17                 | 0.57               | 0.07                 | 28.1                 | 12.9                 | 45                   |
| I099177            |                                   | 0.46                      | <0.005               | 0.20                 | 1.65               | 37.0                 | <0.2                 | <10                 | 130                  | 0.79                 | 0.15                 | 1.38               | 0.07                 | 22.6                 | 24.7                 | 195                  |
| I099178            |                                   | 0.48                      | <0.005               | 0.13                 | 1.82               | 159.0                | <0.2                 | <10                 | 160                  | 0.66                 | 0.12                 | 1.42               | 0.11                 | 26.4                 | 16.9                 | 51                   |
| I099179            |                                   | 0.56                      | <0.005               | 0.15                 | 1.89               | 166.0                | <0.2                 | <10                 | 170                  | 0.60                 | 0.12                 | 1.42               | 0.10                 | 25.1                 | 16.1                 | 47                   |
| I099180            |                                   | 0.54                      | <0.005               | 0.20                 | 1.79               | 71.8                 | <0.2                 | <10                 | 180                  | 0.58                 | 0.15                 | 1.96               | 0.21                 | 24.3                 | 15.1                 | 44                   |
| I099181            |                                   | 0.42                      | <0.005               | 0.13                 | 1.97               | 7.1                  | <0.2                 | <10                 | 170                  | 0.27                 | 0.17                 | 0.35               | 0.08                 | 15.00                | 10.1                 | 35                   |
| I099182            |                                   | 0.64                      | <0.005               | 0.13                 | 1.92               | 7.3                  | <0.2                 | <10                 | 160                  | 0.34                 | 0.13                 | 0.24               | 0.08                 | 25.4                 | 14.6                 | 39                   |
| I099183            |                                   | 0.40                      | <0.005               | 0.18                 | 1.32               | 9.9                  | <0.2                 | <10                 | 60                   | 0.15                 | 0.20                 | 0.09               | 0.19                 | 14.20                | 4.9                  | 28                   |
| I099184            |                                   | 0.40                      | <0.005               | 0.19                 | 2.17               | 11.3                 | <0.2                 | <10                 | 190                  | 0.33                 | 0.17                 | 0.20               | 0.11                 | 17.40                | 10.6                 | 40                   |
| I099185            |                                   | 0.42                      | <0.005               | 0.03                 | 2.42               | 13.5                 | <0.2                 | <10                 | 160                  | 0.40                 | 0.16                 | 0.23               | 0.15                 | 16.30                | 15.8                 | 47                   |
| I099186            |                                   | 0.40                      | <0.005               | 0.03                 | 3.24               | 11.5                 | <0.2                 | <10                 | 210                  | 0.57                 | 0.17                 | 0.20               | 0.11                 | 21.4                 | 20.9                 | 45                   |
| I099187            |                                   | 0.40                      | <0.005               | 0.05                 | 0.56               | 1.6                  | <0.2                 | <10                 | 40                   | 0.23                 | 0.07                 | 0.05               | 0.04                 | 11.65                | 2.1                  | 8                    |
| I099188            |                                   | 0.50                      | <0.005               | 0.03                 | 1.82               | 13.0                 | <0.2                 | <10                 | 90                   | 0.31                 | 0.14                 | 0.12               | 0.10                 | 25.8                 | 9.1                  | 32                   |
| I099189            |                                   | 0.52                      | <0.005               | 0.05                 | 2.31               | 10.3                 | <0.2                 | <10                 | 170                  | 0.45                 | 0.16                 | 0.18               | 0.08                 | 26.9                 | 13.3                 | 41                   |
| I099190            |                                   | 0.38                      | <0.005               | 0.03                 | 0.69               | 5.0                  | <0.2                 | <10                 | 60                   | 0.19                 | 0.10                 | 0.09               | 0.10                 | 12.45                | 2.5                  | 16                   |
| I099191            |                                   | 0.48                      | <0.005               | 0.03                 | 2.12               | 10.9                 | <0.2                 | <10                 | 70                   | 0.25                 | 0.13                 | 0.10               | 0.11                 | 18.85                | 11.3                 | 51                   |
| I099192            |                                   | 0.36                      | <0.005               | 0.03                 | 0.86               | 5.6                  | <0.2                 | <10                 | 40                   | 0.20                 | 0.16                 | 0.06               | 0.09                 | 19.45                | 4.3                  | 17                   |
| I099193            |                                   | 0.58                      | <0.005               | 0.02                 | 2.13               | 6.8                  | <0.2                 | <10                 | 80                   | 0.29                 | 0.11                 | 0.10               | 0.05                 | 23.9                 | 12.5                 | 42                   |
| I099194            |                                   | 0.40                      | <0.005               | 0.02                 | 1.46               | 5.3                  | <0.2                 | <10                 | 50                   | 0.25                 | 0.12                 | 0.08               | 0.05                 | 22.7                 | 8.0                  | 30                   |
| I099195            |                                   | 0.38                      | <0.005               | 0.04                 | 0.98               | 4.5                  | <0.2                 | <10                 | 70                   | 0.20                 | 0.13                 | 0.14               | 0.05                 | 14.75                | 4.1                  | 16                   |
| I099196            |                                   | 0.62                      | <0.005               | 0.04                 | 2.13               | 8.0                  | <0.2                 | <10                 | 210                  | 0.45                 | 0.19                 | 0.34               | 0.06                 | 20.4                 | 9.7                  | 34                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099157            |                                   | 1.24    | 14.3    | 2.25    | 6.48    | 0.06    | 0.05    | 0.04    | 0.021   | 0.08    | 8.4     | 11.7    | 0.58    | 229     | 0.73    |
| I099158            |                                   | 0.08    | 1.9     | 0.75    | 0.59    | <0.05   | 0.08    | <0.01   | <0.005  | 0.05    | 5.7     | 1.4     | 0.04    | 171     | 0.29    |
| I099159            |                                   | 0.45    | 27.8    | 2.83    | 4.72    | 0.09    | 0.09    | 0.03    | 0.021   | 0.07    | 9.5     | 11.0    | 0.67    | 478     | 0.55    |
| I099160            |                                   | 2.91    | 17.7    | 3.59    | 8.24    | 0.12    | 0.15    | 0.10    | 0.037   | 0.15    | 16.0    | 14.4    | 0.74    | 682     | 0.98    |
| I099161            |                                   | 3.08    | 17.5    | 3.14    | 7.26    | 0.09    | 0.11    | 0.04    | 0.053   | 0.13    | 12.8    | 12.6    | 0.56    | 421     | 2.00    |
| I099162            |                                   | 2.80    | 13.4    | 3.18    | 7.06    | 0.09    | 0.10    | 0.07    | 0.028   | 0.15    | 12.9    | 13.6    | 0.67    | 388     | 0.75    |
| I099163            |                                   | 2.05    | 32.8    | 3.98    | 8.94    | 0.11    | 0.04    | 0.01    | 0.025   | 0.56    | 18.4    | 23.7    | 1.18    | 345     | 0.58    |
| I099164            |                                   | 1.09    | 18.8    | 3.65    | 6.90    | 0.07    | 0.03    | 0.03    | 0.025   | 0.06    | 7.5     | 15.3    | 0.52    | 259     | 1.37    |
| I099165            |                                   | 0.08    | 1.8     | 0.86    | 0.66    | <0.05   | 0.08    | <0.01   | <0.005  | 0.06    | 5.0     | 1.1     | 0.04    | 190     | 0.27    |
| I099166            |                                   | 0.90    | 13.7    | 3.11    | 6.39    | 0.06    | 0.03    | 0.01    | 0.019   | 0.17    | 7.5     | 13.7    | 0.69    | 356     | 0.79    |
| I099167            |                                   | 0.56    | 41.1    | 4.60    | 8.76    | 0.15    | 0.15    | 0.02    | 0.051   | 0.05    | 24.6    | 16.7    | 1.03    | 411     | 0.44    |
| I099168            |                                   | 0.70    | 15.1    | 2.83    | 7.38    | 0.07    | 0.11    | 0.02    | 0.026   | 0.03    | 9.5     | 11.0    | 0.48    | 228     | 0.97    |
| I099169            |                                   | 1.19    | 12.7    | 3.58    | 7.94    | 0.07    | 0.09    | 0.01    | 0.028   | 0.03    | 8.9     | 18.0    | 0.56    | 199     | 1.24    |
| I099170            |                                   | 0.57    | 11.8    | 1.42    | 3.82    | <0.05   | <0.02   | 0.02    | 0.010   | 0.08    | 4.0     | 5.9     | 0.25    | 66      | 0.52    |
| I099171            |                                   | 0.98    | 17.6    | 3.44    | 6.47    | 0.08    | 0.06    | 0.01    | 0.023   | 0.11    | 11.3    | 10.0    | 0.43    | 277     | 1.63    |
| I099172            |                                   | 1.05    | 20.2    | 4.42    | 8.15    | 0.07    | 0.06    | 0.02    | 0.024   | 0.13    | 7.0     | 21.5    | 0.56    | 277     | 1.48    |
| I099173            |                                   | 1.03    | 15.4    | 2.68    | 5.96    | 0.07    | 0.08    | 0.01    | 0.026   | 0.03    | 10.3    | 10.5    | 0.35    | 436     | 1.17    |
| I099174            |                                   | 1.18    | 17.2    | 3.97    | 8.44    | 0.07    | 0.08    | 0.03    | 0.032   | 0.06    | 7.8     | 15.4    | 0.56    | 482     | 1.55    |
| I099175            |                                   | 1.08    | 39.1    | 3.96    | 7.07    | 0.08    | 0.05    | 0.02    | 0.029   | 0.08    | 7.2     | 17.8    | 0.66    | 243     | 1.04    |
| I099176            |                                   | 1.65    | 29.3    | 2.85    | 5.80    | 0.09    | 0.05    | 0.03    | 0.025   | 0.04    | 16.9    | 14.1    | 0.59    | 464     | 1.08    |
| I099177            |                                   | 1.37    | 45.8    | 3.04    | 4.58    | 0.10    | 0.07    | 0.04    | 0.022   | 0.03    | 11.4    | 10.7    | 1.12    | 473     | 0.31    |
| I099178            |                                   | 0.82    | 45.1    | 2.85    | 4.93    | 0.08    | 0.08    | 0.04    | 0.024   | 0.04    | 13.4    | 11.2    | 0.62    | 362     | 0.59    |
| I099179            |                                   | 0.81    | 44.0    | 3.04    | 4.81    | 0.08    | 0.08    | 0.03    | 0.025   | 0.04    | 13.0    | 10.7    | 0.65    | 374     | 0.55    |
| I099180            |                                   | 0.56    | 51.7    | 2.81    | 4.66    | 0.08    | 0.07    | 0.05    | 0.023   | 0.04    | 13.0    | 12.7    | 0.80    | 571     | 0.49    |
| I099181            |                                   | 0.84    | 23.8    | 2.70    | 6.26    | 0.06    | 0.08    | 0.01    | 0.022   | 0.03    | 7.3     | 11.3    | 0.61    | 153     | 0.83    |
| I099182            |                                   | 1.14    | 26.3    | 2.87    | 6.09    | 0.08    | 0.02    | 0.02    | 0.019   | 0.10    | 13.9    | 16.7    | 0.56    | 306     | 0.91    |
| I099183            |                                   | 0.75    | 12.4    | 2.62    | 7.63    | 0.05    | 0.03    | 0.02    | 0.014   | 0.06    | 7.1     | 6.4     | 0.35    | 205     | 1.36    |
| I099184            |                                   | 0.91    | 19.4    | 3.67    | 8.43    | 0.07    | 0.03    | 0.01    | 0.023   | 0.06    | 8.6     | 14.0    | 0.56    | 265     | 1.52    |
| I099185            |                                   | 1.07    | 25.3    | 3.44    | 6.46    | 0.07    | <0.02   | 0.02    | 0.028   | 0.08    | 8.1     | 21.8    | 0.71    | 289     | 0.68    |
| I099186            |                                   | 1.40    | 23.1    | 3.63    | 6.18    | 0.08    | 0.05    | 0.02    | 0.035   | 0.05    | 9.7     | 19.6    | 0.66    | 351     | 1.10    |
| I099187            |                                   | 0.34    | 12.7    | 0.91    | 2.31    | <0.05   | <0.02   | 0.05    | 0.009   | 0.02    | 5.9     | 0.9     | 0.04    | 29      | 0.54    |
| I099188            |                                   | 0.85    | 18.0    | 3.14    | 5.88    | 0.08    | <0.02   | 0.03    | 0.024   | 0.06    | 13.5    | 15.9    | 0.48    | 209     | 0.99    |
| I099189            |                                   | 1.09    | 23.7    | 3.40    | 6.10    | 0.09    | 0.06    | 0.03    | 0.028   | 0.10    | 13.8    | 17.5    | 0.66    | 282     | 1.01    |
| I099190            |                                   | 0.69    | 14.1    | 1.08    | 3.71    | <0.05   | <0.02   | 0.02    | 0.008   | 0.06    | 6.6     | 3.6     | 0.14    | 38      | 0.58    |
| I099191            |                                   | 1.47    | 20.8    | 4.13    | 7.33    | 0.08    | <0.02   | 0.02    | 0.022   | 0.17    | 7.3     | 17.4    | 0.78    | 232     | 1.28    |
| I099192            |                                   | 0.55    | 15.1    | 1.71    | 5.54    | 0.05    | <0.02   | 0.02    | 0.014   | 0.06    | 8.6     | 3.7     | 0.22    | 95      | 0.96    |
| I099193            |                                   | 1.29    | 21.2    | 3.87    | 7.73    | 0.08    | <0.02   | 0.01    | 0.021   | 0.26    | 11.2    | 17.4    | 0.76    | 161     | 1.18    |
| I099194            |                                   | 1.22    | 17.1    | 2.65    | 6.12    | 0.06    | <0.02   | 0.02    | 0.020   | 0.19    | 10.5    | 11.1    | 0.54    | 118     | 1.01    |
| I099195            |                                   | 0.57    | 10.8    | 1.62    | 4.84    | <0.05   | <0.02   | 0.02    | 0.013   | 0.03    | 9.1     | 5.6     | 0.21    | 81      | 0.79    |
| I099196            |                                   | 0.84    | 13.7    | 2.99    | 6.60    | 0.07    | 0.10    | 0.02    | 0.025   | 0.03    | 10.0    | 13.2    | 0.41    | 193     | 0.91    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099157            |                                   | 1.71    | 13.1    | 480     | 5.8     | 13.5    | <0.001  | 0.02    | 0.32    | 4.3     | 0.4     | 0.6     | 35.7    | <0.01   | 0.02    |
| I099158            |                                   | 0.17    | 3.4     | 130     | 1.6     | 2.3     | <0.001  | <0.01   | 0.11    | 0.6     | <0.2    | <0.2    | 8.8     | <0.01   | <0.01   |
| I099159            |                                   | 1.51    | 21.9    | 750     | 5.1     | 6.2     | <0.001  | 0.02    | 0.38    | 5.2     | 0.6     | 0.4     | 41.8    | <0.01   | 0.02    |
| I099160            |                                   | 2.18    | 16.1    | 520     | 13.6    | 19.5    | <0.001  | 0.01    | 0.99    | 8.4     | 0.6     | 0.7     | 33.9    | <0.01   | 0.02    |
| I099161            |                                   | 2.08    | 16.4    | 430     | 18.6    | 20.3    | <0.001  | 0.01    | 1.59    | 5.6     | 0.5     | 1.0     | 28.2    | <0.01   | 0.03    |
| I099162            |                                   | 2.15    | 13.6    | 550     | 10.7    | 22.7    | <0.001  | 0.01    | 1.72    | 6.0     | 0.5     | 0.7     | 21.9    | <0.01   | 0.02    |
| I099163            |                                   | 1.46    | 45.2    | 420     | 5.4     | 50.1    | <0.001  | 0.01    | 0.21    | 4.9     | 0.5     | 0.5     | 14.3    | <0.01   | 0.02    |
| I099164            |                                   | 1.88    | 26.8    | 260     | 8.8     | 10.0    | <0.001  | 0.01    | 0.51    | 3.3     | 0.4     | 0.6     | 18.7    | <0.01   | 0.03    |
| I099165            |                                   | 0.15    | 3.4     | 120     | 1.5     | 2.4     | <0.001  | <0.01   | 0.12    | 0.6     | <0.2    | <0.2    | 8.1     | <0.01   | <0.01   |
| I099166            |                                   | 1.76    | 26.2    | 720     | 6.7     | 17.6    | <0.001  | <0.01   | 0.28    | 3.3     | 0.3     | 0.5     | 27.6    | <0.01   | 0.02    |
| I099167            |                                   | 0.96    | 53.3    | 900     | 7.8     | 4.9     | <0.001  | 0.02    | 0.54    | 12.9    | 0.9     | 1.2     | 83.3    | 0.01    | 0.02    |
| I099168            |                                   | 1.64    | 16.5    | 220     | 9.7     | 4.6     | <0.001  | <0.01   | 0.38    | 4.3     | 0.3     | 0.7     | 28.5    | <0.01   | 0.03    |
| I099169            |                                   | 1.55    | 27.8    | 180     | 10.2    | 8.1     | <0.001  | <0.01   | 0.42    | 3.9     | 0.3     | 0.7     | 20.0    | <0.01   | 0.03    |
| I099170            |                                   | 0.52    | 11.9    | 330     | 3.3     | 10.1    | <0.001  | 0.01    | 0.22    | 0.8     | 0.3     | 0.4     | 8.7     | <0.01   | 0.02    |
| I099171            |                                   | 1.63    | 21.8    | 190     | 10.2    | 32.1    | <0.001  | <0.01   | 1.34    | 3.2     | 0.3     | 0.6     | 17.0    | <0.01   | 0.03    |
| I099172            |                                   | 2.94    | 22.2    | 330     | 7.9     | 19.4    | <0.001  | 0.01    | 0.46    | 3.4     | 0.4     | 0.7     | 10.8    | 0.01    | 0.04    |
| I099173            |                                   | 1.37    | 15.9    | 190     | 8.0     | 7.5     | <0.001  | 0.01    | 0.38    | 4.0     | 0.4     | 0.7     | 25.5    | <0.01   | 0.02    |
| I099174            |                                   | 1.78    | 22.5    | 260     | 10.1    | 19.9    | <0.001  | <0.01   | 0.59    | 3.6     | 0.3     | 0.7     | 14.8    | <0.01   | 0.03    |
| I099175            |                                   | 1.88    | 30.1    | 330     | 6.5     | 15.3    | <0.001  | <0.01   | 0.33    | 4.2     | 0.4     | 0.5     | 16.0    | <0.01   | 0.03    |
| I099176            |                                   | 1.15    | 32.5    | 490     | 8.3     | 10.3    | <0.001  | 0.01    | 0.77    | 5.1     | 0.6     | 0.5     | 32.5    | <0.01   | 0.03    |
| I099177            |                                   | 1.10    | 215     | 540     | 8.7     | 4.6     | <0.001  | 0.04    | 0.71    | 5.8     | 0.9     | 0.4     | 60.5    | <0.01   | 0.03    |
| I099178            |                                   | 1.32    | 47.0    | 480     | 9.2     | 4.9     | <0.001  | 0.04    | 1.43    | 5.3     | 0.7     | 0.4     | 69.4    | <0.01   | 0.03    |
| I099179            |                                   | 1.24    | 44.8    | 540     | 9.2     | 4.9     | <0.001  | 0.04    | 1.37    | 5.3     | 0.7     | 0.4     | 65.5    | <0.01   | 0.03    |
| I099180            |                                   | 1.15    | 46.0    | 680     | 10.2    | 5.0     | <0.001  | 0.04    | 0.83    | 4.3     | 0.8     | 0.4     | 85.7    | <0.01   | 0.04    |
| I099181            |                                   | 1.61    | 26.5    | 210     | 8.0     | 5.5     | <0.001  | 0.01    | 0.30    | 3.8     | 0.3     | 0.6     | 23.8    | <0.01   | 0.03    |
| I099182            |                                   | 1.30    | 29.1    | 420     | 6.4     | 15.0    | <0.001  | 0.03    | 0.26    | 3.3     | 0.5     | 0.5     | 20.7    | <0.01   | 0.03    |
| I099183            |                                   | 1.66    | 12.1    | 270     | 8.1     | 11.2    | <0.001  | 0.01    | 0.41    | 2.2     | 0.3     | 0.7     | 10.3    | <0.01   | 0.03    |
| I099184            |                                   | 1.69    | 23.1    | 320     | 9.1     | 10.2    | <0.001  | <0.01   | 0.47    | 3.4     | 0.4     | 0.6     | 19.5    | <0.01   | 0.03    |
| I099185            |                                   | 1.70    | 33.9    | 350     | 7.9     | 15.6    | <0.001  | <0.01   | 0.29    | 3.5     | 0.4     | 0.6     | 20.8    | <0.01   | 0.03    |
| I099186            |                                   | 2.16    | 38.3    | 360     | 8.8     | 10.8    | <0.001  | <0.01   | 0.57    | 4.6     | 0.6     | 0.5     | 19.0    | 0.01    | 0.04    |
| I099187            |                                   | 0.22    | 4.8     | 270     | 2.8     | 2.1     | <0.001  | <0.01   | 0.13    | 0.6     | 0.5     | <0.2    | 8.9     | <0.01   | 0.02    |
| I099188            |                                   | 1.58    | 22.0    | 250     | 7.5     | 9.5     | <0.001  | <0.01   | 0.90    | 3.3     | 0.6     | 0.4     | 14.0    | 0.01    | 0.03    |
| I099189            |                                   | 1.77    | 27.8    | 230     | 10.6    | 14.6    | <0.001  | <0.01   | 0.36    | 4.6     | 0.6     | 0.4     | 17.5    | <0.01   | 0.03    |
| I099190            |                                   | 0.71    | 7.1     | 160     | 5.6     | 9.8     | <0.001  | <0.01   | 0.10    | 1.0     | 0.4     | 0.3     | 13.0    | <0.01   | 0.02    |
| I099191            |                                   | 1.94    | 34.4    | 300     | 5.9     | 21.2    | <0.001  | <0.01   | 0.36    | 3.1     | 0.6     | 0.4     | 11.1    | <0.01   | 0.04    |
| I099192            |                                   | 0.40    | 13.0    | 370     | 5.6     | 8.0     | <0.001  | <0.01   | 0.19    | 0.8     | 0.4     | 0.4     | 9.4     | <0.01   | 0.03    |
| I099193            |                                   | 2.50    | 32.8    | 310     | 5.7     | 30.6    | <0.001  | <0.01   | 0.24    | 3.2     | 0.4     | 0.5     | 12.5    | <0.01   | 0.03    |
| I099194            |                                   | 1.39    | 20.9    | 380     | 5.2     | 22.1    | <0.001  | 0.01    | 0.17    | 2.0     | 0.5     | 0.4     | 12.3    | <0.01   | 0.03    |
| I099195            |                                   | 0.84    | 8.9     | 180     | 5.6     | 6.6     | <0.001  | <0.01   | 0.20    | 1.8     | 0.4     | 0.3     | 14.8    | <0.01   | 0.02    |
| I099196            |                                   | 1.47    | 22.4    | 180     | 10.1    | 7.0     | <0.001  | <0.01   | 0.35    | 4.1     | 0.4     | 0.5     | 30.3    | <0.01   | 0.03    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      | Zr      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       | 0.5     |
| I099157            |                                   | 0.131   | 0.12    | 0.72    | 60      | 0.22    | 4.80    | 47      | 1.9     |
| I099158            |                                   | 0.013   | 0.03    | 0.34    | 7       | 0.05    | 2.29    | 7       | 3.3     |
| I099159            |                                   | 0.129   | 0.06    | 0.69    | 77      | 0.19    | 8.43    | 57      | 3.6     |
| I099160            |                                   | 0.147   | 0.22    | 1.40    | 90      | 0.45    | 10.00   | 78      | 5.9     |
| I099161            |                                   | 0.124   | 0.17    | 0.95    | 77      | 0.26    | 7.18    | 87      | 3.9     |
| I099162            |                                   | 0.154   | 0.20    | 0.97    | 84      | 0.26    | 7.18    | 62      | 3.9     |
| I099163            |                                   | 0.169   | 0.33    | 0.60    | 72      | 0.13    | 5.98    | 84      | 1.3     |
| I099164            |                                   | 0.099   | 0.12    | 0.43    | 78      | 0.25    | 2.45    | 58      | 1.4     |
| I099165            |                                   | 0.012   | 0.03    | 0.30    | 7       | 0.07    | 2.14    | 7       | 3.1     |
| I099166            |                                   | 0.135   | 0.13    | 0.50    | 67      | 0.14    | 2.53    | 78      | 1.3     |
| I099167            |                                   | 0.027   | 0.07    | 0.71    | 77      | 0.17    | 20.0    | 84      | 3.2     |
| I099168            |                                   | 0.081   | 0.11    | 0.65    | 78      | 0.18    | 4.06    | 45      | 4.6     |
| I099169            |                                   | 0.090   | 0.12    | 0.44    | 86      | 0.17    | 2.62    | 49      | 4.1     |
| I099170            |                                   | 0.049   | 0.06    | 0.27    | 35      | 0.12    | 1.75    | 25      | <0.5    |
| I099171            |                                   | 0.068   | 0.10    | 0.35    | 71      | 0.21    | 2.74    | 54      | 2.4     |
| I099172            |                                   | 0.156   | 0.14    | 0.36    | 83      | 0.18    | 2.66    | 63      | 2.3     |
| I099173            |                                   | 0.079   | 0.12    | 0.60    | 67      | 0.16    | 4.64    | 41      | 3.4     |
| I099174            |                                   | 0.112   | 0.14    | 0.38    | 92      | 0.18    | 2.27    | 72      | 3.6     |
| I099175            |                                   | 0.108   | 0.11    | 0.42    | 80      | 0.19    | 2.72    | 57      | 1.8     |
| I099176            |                                   | 0.059   | 0.12    | 1.10    | 60      | 0.19    | 9.30    | 51      | 1.7     |
| I099177            |                                   | 0.062   | 0.12    | 1.16    | 55      | 0.19    | 9.05    | 54      | 2.6     |
| I099178            |                                   | 0.068   | 0.07    | 0.59    | 59      | 0.20    | 8.65    | 57      | 3.2     |
| I099179            |                                   | 0.074   | 0.07    | 0.58    | 62      | 0.25    | 8.47    | 59      | 3.1     |
| I099180            |                                   | 0.070   | 0.05    | 0.64    | 56      | 0.20    | 10.05   | 55      | 2.6     |
| I099181            |                                   | 0.086   | 0.11    | 0.58    | 68      | 0.18    | 2.56    | 42      | 3.1     |
| I099182            |                                   | 0.101   | 0.12    | 0.78    | 58      | 0.12    | 5.22    | 58      | 0.8     |
| I099183            |                                   | 0.112   | 0.09    | 0.36    | 75      | 0.14    | 1.90    | 41      | 1.1     |
| I099184            |                                   | 0.124   | 0.12    | 0.44    | 90      | 0.18    | 2.95    | 54      | 1.2     |
| I099185            |                                   | 0.103   | 0.14    | 0.38    | 65      | 0.22    | 3.12    | 75      | 1.0     |
| I099186            |                                   | 0.092   | 0.10    | 0.56    | 65      | 0.20    | 3.81    | 65      | 4.1     |
| I099187            |                                   | 0.024   | 0.03    | 0.35    | 17      | <0.05   | 3.40    | 8       | <0.5    |
| I099188            |                                   | 0.066   | 0.10    | 0.59    | 56      | 0.15    | 4.83    | 49      | 1.1     |
| I099189            |                                   | 0.110   | 0.14    | 0.78    | 65      | 0.14    | 6.20    | 61      | 4.3     |
| I099190            |                                   | 0.062   | 0.09    | 0.42    | 25      | 0.05    | 2.71    | 16      | <0.5    |
| I099191            |                                   | 0.126   | 0.15    | 0.43    | 77      | 0.13    | 4.08    | 66      | 0.9     |
| I099192            |                                   | 0.037   | 0.05    | 0.51    | 46      | 0.06    | 4.49    | 25      | <0.5    |
| I099193            |                                   | 0.151   | 0.16    | 0.50    | 72      | 0.09    | 4.49    | 64      | 1.2     |
| I099194            |                                   | 0.094   | 0.13    | 0.63    | 50      | 0.08    | 4.51    | 46      | 0.5     |
| I099195            |                                   | 0.058   | 0.06    | 0.42    | 44      | 0.12    | 2.77    | 23      | <0.5    |
| I099196            |                                   | 0.071   | 0.10    | 0.68    | 71      | 0.14    | 4.03    | 45      | 5.3     |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099197            |                                   | 0.46                      | <0.005               | 0.07                 | 1.57               | 6.8                  | <0.2                 | <10                 | 120                  | 0.29                 | 0.17                 | 0.12               | 0.09                 | 21.1                 | 12.2                 | 25                   |
| I099198            |                                   | 0.50                      | <0.005               | 0.05                 | 1.74               | 8.9                  | <0.2                 | <10                 | 100                  | 0.28                 | 0.19                 | 0.15               | 0.06                 | 17.30                | 7.1                  | 31                   |
| I099199            |                                   | 0.34                      | <0.005               | 0.02                 | 0.17               | 1.9                  | <0.2                 | <10                 | 40                   | 0.15                 | 0.02                 | 0.09               | 0.04                 | 10.25                | 2.3                  | 3                    |
| I099200            |                                   | 0.48                      | <0.005               | 0.04                 | 2.09               | 5.7                  | <0.2                 | <10                 | 160                  | 0.43                 | 0.14                 | 0.41               | 0.06                 | 25.1                 | 10.6                 | 39                   |
| I099207            |                                   | 0.34                      | <0.005               | 0.04                 | 2.19               | 4.4                  | <0.2                 | <10                 | 220                  | 0.38                 | 0.13                 | 0.64               | 0.25                 | 24.7                 | 14.0                 | 69                   |
| I099208            |                                   | 0.34                      | <0.005               | 0.10                 | 2.61               | 3.9                  | <0.2                 | <10                 | 350                  | 0.44                 | 0.15                 | 1.09               | 0.27                 | 27.7                 | 14.4                 | 116                  |
| I099209            |                                   | 0.28                      | <0.005               | 0.10                 | 2.36               | 3.6                  | <0.2                 | <10                 | 230                  | 0.40                 | 0.12                 | 0.51               | 0.11                 | 23.0                 | 16.0                 | 94                   |
| I099210            |                                   | 0.32                      | <0.005               | 0.10                 | 2.20               | 3.8                  | <0.2                 | <10                 | 180                  | 0.40                 | 0.14                 | 0.32               | 0.17                 | 25.3                 | 13.3                 | 70                   |
| I099211            |                                   | 0.46                      | <0.005               | 0.09                 | 2.77               | 4.5                  | <0.2                 | <10                 | 210                  | 0.56                 | 0.20                 | 0.33               | 0.14                 | 44.5                 | 15.1                 | 82                   |
| I099212            |                                   | 0.38                      | <0.005               | 0.09                 | 2.55               | 4.0                  | <0.2                 | <10                 | 200                  | 0.72                 | 0.19                 | 0.43               | 0.17                 | 43.0                 | 14.7                 | 84                   |
| I099213            |                                   | 0.46                      | <0.005               | 0.15                 | 2.66               | 12.7                 | <0.2                 | <10                 | 290                  | 1.06                 | 0.53                 | 0.63               | 0.22                 | 77.8                 | 11.0                 | 83                   |
| I099214            |                                   | 0.30                      | 0.007                | 0.17                 | 2.16               | 21.9                 | <0.2                 | <10                 | 280                  | 1.49                 | 0.35                 | 0.84               | 0.53                 | 119.5                | 12.6                 | 56                   |
| I099215            |                                   | 0.34                      | <0.005               | 0.13                 | 1.94               | 14.2                 | <0.2                 | <10                 | 290                  | 0.76                 | 0.19                 | 1.04               | 0.36                 | 64.0                 | 11.0                 | 43                   |
| I099216            |                                   | 0.40                      | 0.005                | 0.13                 | 2.37               | 5.4                  | <0.2                 | <10                 | 240                  | 0.56                 | 0.16                 | 0.52               | 0.17                 | 32.0                 | 10.9                 | 44                   |
| I099217            |                                   | 0.40                      | <0.005               | 0.12                 | 2.58               | 9.4                  | <0.2                 | <10                 | 290                  | 0.47                 | 0.16                 | 0.47               | 0.15                 | 27.3                 | 9.9                  | 49                   |
| I099218            |                                   | 0.46                      | 0.006                | 0.11                 | 2.55               | 3.7                  | <0.2                 | <10                 | 190                  | 0.39                 | 0.19                 | 0.41               | 0.23                 | 20.2                 | 9.6                  | 40                   |
| I099219            |                                   | 0.52                      | <0.005               | 0.02                 | 0.16               | 1.9                  | <0.2                 | <10                 | 30                   | 0.16                 | 0.02                 | 0.09               | 0.04                 | 10.05                | 2.2                  | 4                    |
| I099220            |                                   | 0.32                      | <0.005               | 0.16                 | 2.31               | 8.1                  | <0.2                 | <10                 | 190                  | 0.34                 | 0.14                 | 0.43               | 0.20                 | 17.25                | 12.2                 | 46                   |
| I099221            |                                   | 0.24                      | 0.007                | 0.24                 | 2.60               | 6.7                  | <0.2                 | <10                 | 220                  | 0.30                 | 0.16                 | 0.48               | 0.33                 | 15.05                | 15.3                 | 58                   |
| I099222            |                                   | 0.38                      | 0.006                | 0.15                 | 3.16               | 4.7                  | <0.2                 | <10                 | 340                  | 0.32                 | 0.12                 | 0.43               | 0.24                 | 14.30                | 19.5                 | 59                   |
| I099223            |                                   | 0.32                      | 0.009                | 0.31                 | 2.39               | 32.0                 | <0.2                 | <10                 | 760                  | 0.37                 | 0.26                 | 1.07               | 1.08                 | 18.55                | 30.4                 | 41                   |
| I099224            |                                   | 0.34                      | 0.008                | 0.17                 | 2.31               | 33.8                 | <0.2                 | <10                 | 270                  | 0.39                 | 0.33                 | 0.65               | 0.23                 | 16.10                | 14.9                 | 39                   |
| I099225            |                                   | 0.40                      | <0.005               | 0.12                 | 2.74               | 4.5                  | <0.2                 | <10                 | 300                  | 0.70                 | 0.10                 | 0.50               | 0.05                 | 39.0                 | 20.3                 | 143                  |
| I099226            |                                   | 0.30                      | <0.005               | 0.03                 | 2.64               | 7.0                  | <0.2                 | <10                 | 160                  | 0.56                 | 0.11                 | 0.28               | 0.10                 | 25.4                 | 17.1                 | 124                  |
| I099227            |                                   | 0.24                      | <0.005               | 0.21                 | 0.38               | 0.9                  | <0.2                 | <10                 | 130                  | 0.40                 | 0.08                 | 0.26               | 0.18                 | 45.4                 | 2.2                  | 9                    |
| I099228            |                                   | 0.24                      | <0.005               | 0.44                 | 1.44               | 5.2                  | <0.2                 | <10                 | 120                  | 0.43                 | 0.24                 | 0.17               | 0.29                 | 34.2                 | 5.1                  | 27                   |
| I099229            |                                   | 0.40                      | <0.005               | 0.13                 | 1.56               | 6.7                  | <0.2                 | <10                 | 250                  | 0.61                 | 0.69                 | 0.17               | 0.05                 | 117.5                | 9.8                  | 27                   |
| I099230            |                                   | 0.32                      | <0.005               | 0.12                 | 0.98               | 5.8                  | <0.2                 | <10                 | 170                  | 0.32                 | 0.75                 | 0.11               | 0.18                 | 46.9                 | 5.1                  | 17                   |
| I099231            |                                   | 0.28                      | <0.005               | 0.26                 | 1.47               | 9.3                  | <0.2                 | <10                 | 160                  | 0.40                 | 0.75                 | 0.29               | 0.11                 | 45.4                 | 7.3                  | 26                   |
| I099232            |                                   | 0.44                      | <0.005               | 0.12                 | 2.23               | 7.5                  | <0.2                 | <10                 | 250                  | 0.57                 | 0.44                 | 0.33               | 0.12                 | 38.6                 | 11.5                 | 43                   |
| I099233            |                                   | 0.30                      | <0.005               | 0.09                 | 2.17               | 6.2                  | <0.2                 | <10                 | 350                  | 0.47                 | 0.15                 | 0.36               | 0.08                 | 27.7                 | 14.1                 | 45                   |
| I099234            |                                   | 0.28                      | <0.005               | 0.17                 | 1.43               | 3.1                  | <0.2                 | <10                 | 300                  | 0.41                 | 0.13                 | 0.71               | 0.13                 | 41.4                 | 9.3                  | 30                   |
| I099235            |                                   | 0.28                      | <0.005               | 0.06                 | 0.31               | 0.8                  | <0.2                 | <10                 | 60                   | 0.16                 | 0.05                 | 0.11               | 0.08                 | 10.50                | 1.5                  | 7                    |
| I099236            |                                   | 0.36                      | <0.005               | 0.03                 | 3.21               | 6.0                  | <0.2                 | <10                 | 200                  | 0.71                 | 0.08                 | 0.34               | 0.05                 | 24.1                 | 21.9                 | 95                   |
| I099237            |                                   | 0.44                      | <0.005               | 0.04                 | 2.14               | 16.5                 | <0.2                 | <10                 | 130                  | 0.54                 | 0.16                 | 0.23               | 0.08                 | 35.9                 | 11.8                 | 45                   |
| I099238            |                                   | 0.44                      | <0.005               | 0.01                 | 0.16               | 1.9                  | <0.2                 | <10                 | 30                   | 0.17                 | 0.01                 | 0.09               | 0.04                 | 11.10                | 2.3                  | 3                    |
| I099239            |                                   | 0.22                      | <0.005               | 0.05                 | 1.09               | 5.1                  | <0.2                 | <10                 | 60                   | 0.23                 | 0.12                 | 0.12               | 0.09                 | 19.40                | 6.2                  | 28                   |
| I099240            |                                   | 0.36                      | <0.005               | 0.03                 | 2.37               | 18.2                 | <0.2                 | <10                 | 130                  | 0.33                 | 0.11                 | 0.22               | 0.04                 | 33.7                 | 12.5                 | 46                   |
| I099241            |                                   | 0.32                      | 0.010                | 0.04                 | 1.19               | 6.4                  | <0.2                 | <10                 | 90                   | 0.30                 | 0.21                 | 0.14               | 0.11                 | 20.0                 | 5.7                  | 22                   |
| I099242            |                                   | 0.36                      | <0.005               | 0.03                 | 2.31               | 6.8                  | <0.2                 | <10                 | 130                  | 0.36                 | 0.11                 | 0.17               | 0.10                 | 32.0                 | 17.0                 | 44                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099197            |                                   | 0.78    | 14.8    | 3.11    | 7.05    | 0.06    | <0.02   | 0.02    | 0.022   | 0.05    | 8.3     | 11.7    | 0.33    | 426     | 1.39    |
| I099198            |                                   | 0.72    | 13.5    | 3.08    | 7.26    | 0.07    | <0.02   | 0.02    | 0.025   | 0.06    | 8.7     | 13.9    | 0.38    | 165     | 1.17    |
| I099199            |                                   | 0.09    | 2.1     | 0.94    | 0.69    | <0.05   | 0.06    | 0.01    | <0.005  | 0.06    | 5.2     | 1.6     | 0.04    | 186     | 0.29    |
| I099200            |                                   | 0.78    | 16.7    | 3.34    | 5.80    | 0.08    | <0.02   | 0.02    | 0.030   | 0.05    | 14.7    | 13.2    | 0.53    | 253     | 0.78    |
| I099207            |                                   | 1.07    | 14.8    | 2.68    | 6.56    | 0.10    | 0.02    | 0.14    | 0.021   | 0.25    | 12.0    | 15.5    | 1.04    | 491     | 1.00    |
| I099208            |                                   | 1.36    | 26.3    | 2.94    | 7.25    | 0.12    | 0.04    | 0.04    | 0.023   | 0.32    | 13.9    | 16.8    | 1.48    | 585     | 0.99    |
| I099209            |                                   | 1.26    | 17.1    | 2.85    | 6.98    | 0.10    | 0.02    | 0.04    | 0.019   | 0.26    | 11.4    | 12.8    | 1.27    | 701     | 1.07    |
| I099210            |                                   | 1.45    | 14.5    | 2.74    | 7.40    | 0.11    | 0.02    | 0.05    | 0.021   | 0.22    | 12.4    | 12.5    | 1.07    | 570     | 1.07    |
| I099211            |                                   | 1.69    | 19.0    | 3.25    | 8.05    | 0.15    | 0.04    | 0.04    | 0.023   | 0.32    | 22.3    | 15.8    | 1.32    | 459     | 0.95    |
| I099212            |                                   | 2.03    | 18.2    | 2.89    | 7.42    | 0.14    | 0.05    | 0.02    | 0.022   | 0.45    | 23.2    | 13.9    | 1.27    | 615     | 0.82    |
| I099213            |                                   | 1.68    | 22.2    | 2.74    | 8.56    | 0.16    | 0.13    | 0.05    | 0.028   | 0.53    | 38.9    | 14.0    | 1.36    | 367     | 0.78    |
| I099214            |                                   | 1.69    | 24.3    | 2.39    | 6.77    | 0.18    | 0.16    | 0.05    | 0.024   | 0.46    | 51.9    | 9.5     | 0.93    | 750     | 1.03    |
| I099215            |                                   | 1.33    | 20.0    | 2.36    | 5.80    | 0.13    | 0.07    | 0.06    | 0.021   | 0.23    | 29.8    | 9.9     | 0.64    | 807     | 0.92    |
| I099216            |                                   | 1.27    | 19.0    | 2.55    | 6.80    | 0.11    | 0.05    | 0.04    | 0.023   | 0.24    | 15.9    | 12.2    | 0.73    | 347     | 0.32    |
| I099217            |                                   | 1.41    | 19.4    | 3.16    | 7.20    | 0.10    | 0.05    | 0.05    | 0.023   | 0.25    | 14.2    | 12.5    | 0.81    | 246     | 0.41    |
| I099218            |                                   | 0.87    | 28.2    | 2.55    | 7.43    | 0.09    | 0.02    | 0.05    | 0.028   | 0.12    | 9.8     | 13.9    | 1.31    | 578     | 0.38    |
| I099219            |                                   | 0.08    | 2.0     | 0.84    | 0.61    | <0.05   | 0.05    | 0.01    | <0.005  | 0.05    | 5.1     | 1.6     | 0.04    | 177     | 0.32    |
| I099220            |                                   | 0.79    | 24.0    | 3.33    | 6.58    | 0.08    | <0.02   | 0.06    | 0.027   | 0.08    | 8.3     | 11.0    | 1.19    | 797     | 1.03    |
| I099221            |                                   | 0.70    | 34.1    | 3.47    | 7.68    | 0.10    | <0.02   | 0.07    | 0.028   | 0.10    | 7.5     | 11.8    | 1.50    | 916     | 0.85    |
| I099222            |                                   | 0.89    | 38.9    | 4.22    | 8.40    | 0.11    | <0.02   | 0.03    | 0.023   | 0.28    | 6.4     | 12.2    | 1.81    | 1060    | 0.41    |
| I099223            |                                   | 1.17    | 39.0    | 3.81    | 6.59    | 0.11    | <0.02   | 0.05    | 0.018   | 0.39    | 8.7     | 10.4    | 1.13    | 7580    | 3.00    |
| I099224            |                                   | 1.49    | 27.1    | 2.90    | 6.52    | 0.12    | <0.02   | 0.03    | 0.018   | 0.39    | 7.6     | 10.6    | 1.17    | 513     | 0.72    |
| I099225            |                                   | 2.30    | 45.1    | 3.78    | 8.33    | 0.16    | 0.04    | 0.02    | 0.020   | 0.70    | 21.0    | 20.9    | 2.02    | 494     | 0.67    |
| I099226            |                                   | 1.72    | 20.8    | 3.91    | 8.18    | 0.12    | 0.02    | 0.01    | 0.018   | 0.43    | 11.7    | 19.6    | 1.61    | 410     | 1.02    |
| I099227            |                                   | 0.39    | 15.0    | 0.62    | 2.09    | 0.09    | <0.02   | 0.06    | 0.010   | 0.03    | 37.1    | 1.1     | 0.06    | 106     | 0.38    |
| I099228            |                                   | 1.23    | 34.9    | 1.95    | 5.43    | 0.08    | <0.02   | 0.07    | 0.020   | 0.09    | 24.9    | 7.1     | 0.37    | 129     | 1.36    |
| I099229            |                                   | 0.70    | 23.0    | 2.80    | 4.36    | 0.15    | 0.29    | 0.02    | 0.017   | 0.14    | 62.9    | 9.2     | 0.51    | 274     | 2.22    |
| I099230            |                                   | 0.74    | 15.7    | 2.10    | 4.70    | 0.08    | <0.02   | 0.03    | 0.014   | 0.08    | 25.8    | 5.3     | 0.29    | 253     | 2.15    |
| I099231            |                                   | 1.22    | 24.5    | 2.37    | 5.15    | 0.09    | <0.02   | 0.05    | 0.019   | 0.12    | 27.8    | 7.3     | 0.61    | 339     | 1.74    |
| I099232            |                                   | 1.05    | 29.8    | 3.23    | 6.61    | 0.09    | 0.05    | 0.05    | 0.033   | 0.07    | 20.2    | 14.3    | 0.94    | 374     | 0.94    |
| I099233            |                                   | 0.74    | 26.1    | 3.11    | 7.14    | 0.09    | <0.02   | 0.03    | 0.023   | 0.12    | 14.6    | 14.4    | 0.89    | 354     | 0.97    |
| I099234            |                                   | 0.95    | 15.8    | 1.96    | 5.39    | 0.11    | 0.02    | 0.06    | 0.021   | 0.12    | 30.0    | 9.4     | 0.61    | 518     | 0.83    |
| I099235            |                                   | 0.31    | 7.9     | 0.54    | 1.95    | <0.05   | <0.02   | 0.03    | 0.005   | 0.03    | 7.3     | 1.3     | 0.06    | 47      | 0.43    |
| I099236            |                                   | 2.17    | 23.6    | 4.14    | 8.17    | 0.12    | 0.06    | 0.01    | 0.016   | 0.88    | 15.5    | 25.0    | 2.04    | 517     | 0.66    |
| I099237            |                                   | 1.44    | 21.5    | 3.50    | 7.32    | 0.09    | <0.02   | 0.02    | 0.027   | 0.18    | 22.6    | 14.8    | 0.67    | 355     | 1.34    |
| I099238            |                                   | 0.09    | 2.1     | 0.81    | 0.68    | <0.05   | 0.06    | <0.01   | <0.005  | 0.05    | 5.6     | 1.9     | 0.04    | 172     | 0.31    |
| I099239            |                                   | 1.14    | 14.5    | 2.00    | 5.91    | 0.06    | <0.02   | 0.03    | 0.012   | 0.11    | 10.8    | 6.5     | 0.34    | 146     | 0.92    |
| I099240            |                                   | 0.97    | 24.3    | 3.49    | 7.45    | 0.10    | 0.02    | 0.01    | 0.021   | 0.18    | 21.2    | 15.2    | 0.80    | 215     | 0.96    |
| I099241            |                                   | 0.61    | 15.2    | 2.09    | 5.57    | 0.05    | <0.02   | 0.02    | 0.017   | 0.07    | 7.6     | 7.7     | 0.26    | 194     | 1.45    |
| I099242            |                                   | 1.52    | 23.3    | 3.75    | 6.06    | 0.09    | <0.02   | 0.02    | 0.024   | 0.36    | 12.4    | 19.6    | 0.82    | 342     | 1.27    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    | 0.2     |
| I099197            |                                   | 1.75    | 15.2    | 300     | 7.3     | 10.7    | <0.001  | <0.01   | 0.40    | 2.4     | 0.4     | 0.5     | 15.5    | <0.01   | 0.03    | 2.4     |
| I099198            |                                   | 1.93    | 16.6    | 220     | 8.7     | 11.2    | <0.001  | <0.01   | 0.35    | 3.1     | 0.5     | 0.6     | 15.9    | <0.01   | 0.04    | 3.1     |
| I099199            |                                   | 0.17    | 3.9     | 120     | 1.7     | 2.8     | <0.001  | <0.01   | 0.12    | 0.7     | <0.2    | <0.2    | 9.2     | <0.01   | <0.01   | 2.2     |
| I099200            |                                   | 1.42    | 24.8    | 280     | 8.2     | 8.6     | <0.001  | <0.01   | 0.26    | 4.4     | 0.5     | 0.6     | 28.2    | <0.01   | 0.03    | 5.1     |
| I099207            |                                   | 2.05    | 27.7    | 710     | 7.4     | 34.9    | 0.001   | 0.03    | 0.23    | 4.8     | 0.8     | 0.4     | 40.4    | <0.01   | 0.02    | 2.1     |
| I099208            |                                   | 1.83    | 46.5    | 880     | 7.1     | 35.0    | 0.001   | 0.07    | 0.25    | 6.0     | 1.1     | 0.4     | 51.8    | 0.01    | 0.03    | 2.3     |
| I099209            |                                   | 1.92    | 34.0    | 680     | 7.9     | 31.0    | <0.001  | 0.03    | 0.20    | 4.9     | 0.7     | 0.5     | 32.6    | <0.01   | 0.02    | 2.1     |
| I099210            |                                   | 2.35    | 28.1    | 650     | 9.6     | 30.5    | <0.001  | 0.02    | 0.22    | 4.4     | 0.8     | 0.7     | 28.0    | <0.01   | 0.02    | 2.4     |
| I099211            |                                   | 2.76    | 33.2    | 730     | 11.8    | 39.1    | <0.001  | <0.01   | 0.22    | 6.1     | 0.7     | 0.7     | 25.0    | <0.01   | 0.03    | 5.9     |
| I099212            |                                   | 2.46    | 35.1    | 850     | 14.2    | 47.6    | 0.001   | <0.01   | 0.20    | 5.6     | 0.7     | 0.9     | 30.0    | <0.01   | 0.03    | 5.8     |
| I099213            |                                   | 2.82    | 32.6    | 660     | 22.2    | 62.3    | 0.001   | 0.05    | 0.74    | 6.8     | 1.5     | 1.1     | 37.5    | 0.01    | 0.08    | 9.1     |
| I099214            |                                   | 2.70    | 25.3    | 760     | 27.9    | 56.3    | 0.001   | 0.05    | 0.81    | 5.4     | 1.5     | 0.9     | 50.0    | 0.01    | 0.08    | 7.8     |
| I099215            |                                   | 1.76    | 21.2    | 870     | 14.9    | 37.2    | 0.001   | 0.07    | 0.47    | 4.3     | 1.2     | 0.5     | 64.7    | 0.01    | 0.07    | 2.3     |
| I099216            |                                   | 1.83    | 19.8    | 670     | 11.3    | 32.0    | <0.001  | 0.02    | 0.33    | 6.5     | 0.8     | 0.5     | 33.7    | <0.01   | 0.03    | 4.1     |
| I099217            |                                   | 1.93    | 21.6    | 610     | 11.4    | 29.5    | <0.001  | 0.02    | 0.35    | 6.3     | 0.8     | 0.5     | 33.2    | <0.01   | 0.03    | 3.4     |
| I099218            |                                   | 1.30    | 18.3    | 430     | 7.9     | 18.2    | <0.001  | 0.02    | 0.32    | 7.2     | 0.6     | 0.4     | 28.0    | <0.01   | 0.05    | 2.5     |
| I099219            |                                   | 0.17    | 3.8     | 130     | 1.6     | 2.5     | <0.001  | <0.01   | 0.12    | 0.7     | <0.2    | <0.2    | 9.5     | <0.01   | 0.01    | 1.8     |
| I099220            |                                   | 1.16    | 19.2    | 710     | 6.5     | 13.2    | <0.001  | 0.03    | 0.29    | 6.2     | 0.7     | 0.4     | 29.4    | <0.01   | 0.06    | 1.5     |
| I099221            |                                   | 1.03    | 24.0    | 750     | 7.4     | 11.9    | 0.001   | 0.02    | 0.32    | 7.0     | 0.7     | 0.4     | 32.4    | <0.01   | 0.06    | 1.5     |
| I099222            |                                   | 0.70    | 23.0    | 540     | 5.3     | 19.1    | <0.001  | <0.01   | 0.28    | 9.9     | 0.5     | 0.2     | 22.9    | <0.01   | 0.05    | 2.1     |
| I099223            |                                   | 1.08    | 27.0    | 670     | 18.1    | 30.7    | 0.002   | 0.11    | 3.41    | 5.8     | 1.5     | 0.3     | 47.4    | <0.01   | 0.09    | 1.4     |
| I099224            |                                   | 1.41    | 19.7    | 580     | 7.9     | 32.1    | <0.001  | 0.03    | 3.96    | 5.7     | 0.8     | 0.3     | 28.4    | <0.01   | 0.07    | 2.2     |
| I099225            |                                   | 1.36    | 43.0    | 720     | 9.6     | 68.1    | <0.001  | <0.01   | 0.23    | 5.0     | 0.7     | 0.5     | 30.9    | <0.01   | 0.02    | 5.1     |
| I099226            |                                   | 1.87    | 35.6    | 600     | 8.2     | 46.1    | <0.001  | <0.01   | 0.24    | 3.5     | 0.4     | 0.5     | 24.0    | <0.01   | 0.02    | 3.8     |
| I099227            |                                   | 0.22    | 6.2     | 540     | 5.8     | 6.9     | <0.001  | 0.01    | 0.11    | 0.6     | 0.9     | <0.2    | 24.1    | 0.01    | 0.03    | <0.2    |
| I099228            |                                   | 0.87    | 16.6    | 780     | 17.5    | 22.3    | <0.001  | 0.04    | 0.26    | 1.5     | 1.0     | 0.3     | 20.0    | <0.01   | 0.04    | 0.3     |
| I099229            |                                   | 1.06    | 19.5    | 370     | 20.6    | 16.5    | <0.001  | 0.14    | 0.34    | 4.7     | 0.7     | <0.2    | 31.8    | <0.01   | 0.03    | 23.5    |
| I099230            |                                   | 0.85    | 9.3     | 430     | 23.5    | 18.7    | <0.001  | 0.02    | 0.24    | 1.5     | 0.8     | <0.2    | 12.4    | <0.01   | 0.04    | 1.8     |
| I099231            |                                   | 1.20    | 14.4    | 640     | 20.2    | 27.6    | <0.001  | 0.03    | 0.26    | 2.7     | 0.9     | 0.3     | 21.0    | 0.01    | 0.03    | 2.4     |
| I099232            |                                   | 1.90    | 22.7    | 440     | 20.2    | 15.5    | <0.001  | <0.01   | 0.40    | 5.5     | 0.7     | 0.6     | 21.7    | <0.01   | 0.03    | 7.1     |
| I099233            |                                   | 1.22    | 25.2    | 570     | 6.7     | 16.5    | <0.001  | <0.01   | 0.24    | 4.1     | 0.6     | 0.3     | 21.8    | <0.01   | 0.04    | 1.7     |
| I099234            |                                   | 1.20    | 19.2    | 550     | 5.7     | 27.2    | <0.001  | 0.02    | 0.20    | 4.5     | 1.0     | 0.4     | 37.7    | 0.01    | 0.03    | 2.9     |
| I099235            |                                   | 0.31    | 3.6     | 210     | 2.9     | 4.2     | <0.001  | <0.01   | 0.10    | 1.0     | 0.3     | <0.2    | 10.1    | <0.01   | 0.02    | 0.4     |
| I099236            |                                   | 1.53    | 47.5    | 800     | 7.5     | 80.1    | <0.001  | <0.01   | 0.25    | 3.0     | 0.4     | 1.0     | 21.8    | <0.01   | 0.03    | 6.9     |
| I099237            |                                   | 2.08    | 30.9    | 250     | 16.9    | 28.7    | <0.001  | <0.01   | 0.59    | 4.3     | 0.6     | 0.6     | 20.1    | <0.01   | 0.05    | 6.2     |
| I099238            |                                   | 0.16    | 4.1     | 120     | 1.7     | 2.9     | <0.001  | <0.01   | 0.12    | 0.8     | <0.2    | <0.2    | 9.2     | <0.01   | 0.01    | 2.0     |
| I099239            |                                   | 1.49    | 18.0    | 310     | 9.8     | 17.1    | <0.001  | 0.01    | 0.23    | 1.8     | 0.4     | 0.2     | 13.4    | <0.01   | 0.04    | 0.9     |
| I099240            |                                   | 1.63    | 29.6    | 250     | 5.6     | 22.9    | <0.001  | <0.01   | 0.43    | 4.2     | 0.5     | 0.2     | 19.9    | <0.01   | 0.04    | 5.7     |
| I099241            |                                   | 0.70    | 13.6    | 370     | 6.5     | 10.5    | <0.001  | <0.01   | 0.27    | 1.6     | 0.4     | 0.2     | 15.7    | <0.01   | 0.04    | 0.2     |
| I099242            |                                   | 2.86    | 37.8    | 380     | 6.3     | 36.3    | <0.001  | <0.01   | 0.29    | 3.6     | 0.6     | <0.2    | 15.6    | <0.01   | 0.04    | 5.7     |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I099197            |                                   | 0.078   | 0.12    | 0.39    | 64      | 0.11    | 3.30    | 49      |
| I099198            |                                   | 0.092   | 0.09    | 0.44    | 68      | 0.18    | 3.28    | 36      |
| I099199            |                                   | 0.008   | 0.03    | 0.32    | 5       | <0.05   | 2.31    | 3       |
| I099200            |                                   | 0.073   | 0.08    | 0.59    | 62      | 0.13    | 6.09    | 54      |
| I099207            |                                   | 0.135   | 0.16    | 0.96    | 72      | 0.13    | 6.45    | 67      |
| I099208            |                                   | 0.135   | 0.17    | 1.33    | 82      | 0.20    | 9.59    | 76      |
| I099209            |                                   | 0.146   | 0.17    | 1.24    | 79      | 0.17    | 5.33    | 61      |
| I099210            |                                   | 0.145   | 0.20    | 1.70    | 69      | 0.18    | 4.81    | 59      |
| I099211            |                                   | 0.174   | 0.28    | 2.55    | 76      | 0.22    | 7.60    | 69      |
| I099212            |                                   | 0.161   | 0.32    | 1.87    | 69      | 0.37    | 8.46    | 63      |
| I099213            |                                   | 0.147   | 0.39    | 7.03    | 64      | 0.19    | 14.75   | 83      |
| I099214            |                                   | 0.114   | 0.31    | 7.10    | 52      | 0.27    | 21.1    | 69      |
| I099215            |                                   | 0.088   | 0.20    | 4.27    | 57      | 0.17    | 15.05   | 69      |
| I099216            |                                   | 0.125   | 0.17    | 2.64    | 65      | 0.14    | 8.78    | 57      |
| I099217            |                                   | 0.123   | 0.19    | 2.09    | 81      | 0.14    | 7.43    | 70      |
| I099218            |                                   | 0.107   | 0.12    | 0.86    | 83      | 0.13    | 6.49    | 114     |
| I099219            |                                   | 0.007   | 0.03    | 0.31    | 4       | <0.05   | 2.22    | 4       |
| I099220            |                                   | 0.093   | 0.10    | 0.74    | 90      | 1.97    | 5.91    | 90      |
| I099221            |                                   | 0.089   | 0.09    | 0.65    | 98      | 0.13    | 5.99    | 138     |
| I099222            |                                   | 0.106   | 0.11    | 0.50    | 135     | 0.14    | 6.08    | 118     |
| I099223            |                                   | 0.101   | 0.23    | 0.75    | 81      | 0.19    | 9.33    | 108     |
| I099224            |                                   | 0.120   | 0.18    | 0.69    | 76      | 0.23    | 6.39    | 85      |
| I099225            |                                   | 0.190   | 0.53    | 1.12    | 91      | 0.20    | 6.38    | 77      |
| I099226            |                                   | 0.192   | 0.39    | 0.65    | 99      | 0.20    | 3.62    | 64      |
| I099227            |                                   | 0.023   | 0.06    | 0.78    | 11      | 0.05    | 13.40   | 13      |
| I099228            |                                   | 0.055   | 0.13    | 2.09    | 38      | 0.13    | 8.75    | 38      |
| I099229            |                                   | 0.088   | 0.17    | 2.94    | 42      | 0.12    | 9.70    | 46      |
| I099230            |                                   | 0.054   | 0.13    | 2.65    | 35      | 0.12    | 7.29    | 38      |
| I099231            |                                   | 0.078   | 0.18    | 3.05    | 39      | 0.14    | 9.65    | 47      |
| I099232            |                                   | 0.119   | 0.17    | 1.25    | 65      | 0.16    | 7.23    | 74      |
| I099233            |                                   | 0.138   | 0.12    | 0.86    | 73      | 0.14    | 6.42    | 46      |
| I099234            |                                   | 0.091   | 0.18    | 1.01    | 41      | 0.16    | 20.4    | 47      |
| I099235            |                                   | 0.029   | 0.04    | 0.35    | 14      | 0.05    | 3.63    | 11      |
| I099236            |                                   | 0.240   | 0.50    | 0.64    | 80      | 0.23    | 4.03    | 73      |
| I099237            |                                   | 0.135   | 0.19    | 0.99    | 66      | 0.20    | 6.70    | 75      |
| I099238            |                                   | 0.007   | 0.04    | 0.35    | 4       | <0.05   | 2.47    | 4       |
| I099239            |                                   | 0.109   | 0.11    | 0.64    | 50      | 0.15    | 3.28    | 46      |
| I099240            |                                   | 0.131   | 0.16    | 0.68    | 69      | 0.12    | 6.63    | 63      |
| I099241            |                                   | 0.055   | 0.07    | 0.45    | 46      | 0.12    | 2.83    | 27      |
| I099242            |                                   | 0.142   | 0.23    | 0.77    | 60      | 0.14    | 6.01    | 68      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099243            |                                   | 0.32                      | <0.005               | 0.04                 | 1.75               | 6.6                  | <0.2                 | <10                 | 100                  | 0.26                 | 0.11                 | 0.15               | 0.04                 | 18.00                | 9.2                  | 41                   |
| I099244            |                                   | 0.26                      | <0.005               | 0.04                 | 0.87               | 2.6                  | <0.2                 | <10                 | 90                   | 0.22                 | 0.07                 | 0.10               | 0.11                 | 9.81                 | 4.2                  | 11                   |
| I099245            |                                   | 0.34                      | <0.005               | 0.02                 | 2.72               | 2.1                  | <0.2                 | <10                 | 150                  | 0.57                 | 0.05                 | 0.33               | 0.03                 | 25.7                 | 20.5                 | 225                  |
| I099246            |                                   | 0.42                      | <0.005               | 0.02                 | 3.92               | 3.4                  | <0.2                 | <10                 | 490                  | 0.60                 | 0.03                 | 0.39               | 0.04                 | 15.15                | 30.5                 | 7                    |
| I099247            |                                   | 0.38                      | <0.005               | 0.04                 | 1.66               | 8.1                  | <0.2                 | <10                 | 350                  | 0.36                 | 0.15                 | 0.32               | 0.06                 | 15.65                | 10.2                 | 26                   |
| I099248            |                                   | 0.36                      | <0.005               | 0.01                 | 0.74               | 7.2                  | <0.2                 | <10                 | 50                   | 0.20                 | 0.13                 | 0.10               | 0.08                 | 10.40                | 3.7                  | 16                   |
| I099249            |                                   | 0.40                      | <0.005               | 0.03                 | 1.36               | 14.7                 | <0.2                 | <10                 | 70                   | 0.48                 | 0.17                 | 0.13               | 0.11                 | 24.2                 | 8.6                  | 36                   |
| I099250            |                                   | 0.34                      | <0.005               | 0.07                 | 1.98               | 3.2                  | <0.2                 | <10                 | 290                  | 0.55                 | 0.06                 | 0.42               | 0.08                 | 39.3                 | 14.1                 | 116                  |
| I099301            |                                   | 0.26                      | <0.005               | 0.12                 | 1.80               | 2.7                  | <0.2                 | <10                 | 230                  | 0.44                 | 0.11                 | 0.84               | 0.30                 | 32.2                 | 15.4                 | 85                   |
| I099302            |                                   | 0.40                      | <0.005               | 0.13                 | 1.56               | 7.9                  | <0.2                 | <10                 | 230                  | 0.42                 | 0.13                 | 0.85               | 0.20                 | 31.0                 | 21.8                 | 65                   |
| I099303            |                                   | 0.60                      | <0.005               | 0.10                 | 2.67               | 5.6                  | <0.2                 | <10                 | 200                  | 0.57                 | 0.15                 | 0.45               | 0.20                 | 38.7                 | 20.7                 | 86                   |
| I099304            |                                   | 0.56                      | <0.005               | 0.15                 | 2.65               | 6.6                  | <0.2                 | <10                 | 160                  | 0.61                 | 0.25                 | 0.39               | 0.19                 | 39.1                 | 19.2                 | 71                   |
| I099305            |                                   | 0.42                      | <0.005               | 0.12                 | 2.35               | 5.0                  | <0.2                 | <10                 | 160                  | 0.51                 | 0.19                 | 0.39               | 0.14                 | 34.0                 | 16.7                 | 81                   |
| I099306            |                                   | 0.54                      | 0.006                | 0.07                 | 1.92               | 4.8                  | <0.2                 | <10                 | 110                  | 0.43                 | 0.24                 | 0.34               | 0.17                 | 31.9                 | 11.1                 | 49                   |
| I099307            |                                   | 0.48                      | <0.005               | 0.10                 | 2.42               | 3.7                  | <0.2                 | <10                 | 200                  | 0.56                 | 0.28                 | 0.38               | 0.17                 | 38.3                 | 10.3                 | 93                   |
| I099308            |                                   | 0.64                      | <0.005               | 0.17                 | 2.96               | 9.9                  | <0.2                 | <10                 | 350                  | 1.15                 | 0.26                 | 0.60               | 0.21                 | 61.9                 | 10.5                 | 57                   |
| I099309            |                                   | 0.30                      | <0.005               | 0.25                 | 1.83               | 8.0                  | <0.2                 | <10                 | 330                  | 0.74                 | 0.16                 | 1.15               | 0.58                 | 82.7                 | 12.9                 | 32                   |
| I099310            |                                   | 0.56                      | 0.005                | 0.15                 | 2.92               | 5.4                  | <0.2                 | <10                 | 360                  | 0.65                 | 0.17                 | 0.40               | 0.10                 | 31.6                 | 14.5                 | 55                   |
| I099311            |                                   | 0.48                      | <0.005               | 0.09                 | 2.66               | 4.5                  | <0.2                 | <10                 | 250                  | 0.37                 | 0.10                 | 0.41               | 0.10                 | 16.95                | 15.7                 | 34                   |
| I099312            |                                   | 0.36                      | 0.006                | 0.22                 | 2.05               | 4.7                  | <0.2                 | <10                 | 250                  | 0.32                 | 0.12                 | 0.55               | 0.25                 | 21.8                 | 28.4                 | 41                   |
| I099313            |                                   | 0.40                      | 0.006                | 0.15                 | 2.52               | 5.5                  | <0.2                 | <10                 | 170                  | 0.19                 | 0.15                 | 0.35               | 0.17                 | 13.00                | 12.9                 | 46                   |
| I099314            |                                   | 0.20                      | NSS                  | 0.15                 | 1.03               | 4.4                  | <0.2                 | <10                 | 210                  | 0.19                 | 0.08                 | 0.76               | 0.67                 | 16.15                | 22.2                 | 24                   |
| I099315            |                                   | 0.34                      | 0.029                | 0.24                 | 0.89               | 25.8                 | <0.2                 | <10                 | 480                  | 0.31                 | 0.08                 | 1.92               | 2.75                 | 22.8                 | 35.0                 | 10                   |
| I099316            |                                   | 0.34                      | 0.008                | 0.20                 | 2.73               | 12.8                 | <0.2                 | <10                 | 360                  | 0.29                 | 0.21                 | 1.36               | 0.63                 | 12.80                | 16.3                 | 43                   |
| I099317            |                                   | 0.42                      | 0.008                | 0.26                 | 3.07               | 19.4                 | <0.2                 | <10                 | 340                  | 0.31                 | 0.26                 | 0.87               | 0.97                 | 14.35                | 19.9                 | 50                   |
| I099318            |                                   | 0.40                      | 0.010                | 0.21                 | 3.08               | 20.0                 | <0.2                 | <10                 | 360                  | 0.33                 | 0.33                 | 0.93               | 1.44                 | 14.95                | 18.6                 | 49                   |
| I099319            |                                   | 0.46                      | 0.012                | 0.38                 | 2.55               | 26.1                 | <0.2                 | <10                 | 330                  | 0.38                 | 0.31                 | 0.90               | 1.58                 | 15.30                | 17.6                 | 43                   |
| I099320            |                                   | 0.38                      | 0.014                | 0.55                 | 2.60               | 29.1                 | <0.2                 | <10                 | 390                  | 0.50                 | 0.29                 | 1.02               | 1.78                 | 25.2                 | 16.5                 | 40                   |
| I099321            |                                   | 0.24                      | <0.005               | 0.39                 | 1.86               | 21.2                 | <0.2                 | <10                 | 410                  | 0.46                 | 0.23                 | 1.02               | 1.90                 | 27.4                 | 20.5                 | 28                   |
| I099322            |                                   | 0.32                      | 0.013                | 0.38                 | 2.58               | 49.8                 | <0.2                 | <10                 | 300                  | 0.36                 | 0.33                 | 0.60               | 0.54                 | 15.55                | 14.9                 | 43                   |
| I099323            |                                   | 0.28                      | 0.021                | 0.73                 | 1.64               | 40.2                 | <0.2                 | <10                 | 410                  | 0.49                 | 0.18                 | 0.96               | 1.89                 | 27.7                 | 17.0                 | 23                   |
| I099324            |                                   | 0.28                      | 0.014                | 0.46                 | 1.75               | 39.4                 | <0.2                 | <10                 | 500                  | 0.60                 | 0.23                 | 0.76               | 2.25                 | 33.9                 | 42.1                 | 28                   |
| I099325            |                                   | 0.58                      | 0.014                | 0.29                 | 2.93               | 42.2                 | <0.2                 | <10                 | 330                  | 0.43                 | 0.34                 | 0.46               | 0.22                 | 19.05                | 16.5                 | 54                   |
| I099326            |                                   | 0.42                      | 0.018                | 0.31                 | 2.30               | 51.9                 | <0.2                 | <10                 | 280                  | 0.32                 | 0.33                 | 0.40               | 0.38                 | 14.35                | 11.7                 | 42                   |
| I099327            |                                   | 0.28                      | 0.014                | 0.57                 | 1.37               | 34.5                 | <0.2                 | <10                 | 270                  | 0.31                 | 0.28                 | 0.44               | 0.93                 | 15.30                | 13.5                 | 28                   |
| I099328            |                                   | 0.28                      | <0.005               | 0.07                 | 0.37               | 1.6                  | <0.2                 | <10                 | 30                   | 0.08                 | 0.08                 | 0.03               | 0.11                 | 4.29                 | 2.0                  | 9                    |
| I099329            |                                   | 0.30                      | 0.008                | 0.26                 | 1.25               | 3.4                  | <0.2                 | <10                 | 200                  | 0.46                 | 0.16                 | 0.52               | 0.27                 | 48.4                 | 9.7                  | 16                   |
| I099330            |                                   | 0.46                      | <0.005               | 0.03                 | 2.46               | 10.9                 | <0.2                 | <10                 | 130                  | 0.31                 | 0.22                 | 0.29               | 0.09                 | 16.75                | 11.7                 | 33                   |
| I099331            |                                   | 0.14                      | 0.007                | 0.15                 | 0.97               | 3.2                  | <0.2                 | <10                 | 100                  | 0.21                 | 0.18                 | 0.15               | 0.43                 | 14.20                | 3.7                  | 15                   |
| I099332            |                                   | 0.32                      | <0.005               | 0.09                 | 1.93               | 6.0                  | <0.2                 | <10                 | 160                  | 0.47                 | 0.28                 | 0.12               | 0.08                 | 42.0                 | 5.8                  | 23                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099243            |                                   | 0.84    | 19.4    | 2.99    | 7.45    | 0.08    | <0.02   | 0.02    | 0.018   | 0.16    | 9.2     | 15.7    | 0.63    | 160     | 1.07    |
| I099244            |                                   | 0.73    | 8.5     | 1.40    | 4.27    | <0.05   | <0.02   | 0.03    | 0.008   | 0.15    | 5.2     | 4.0     | 0.34    | 124     | 0.53    |
| I099245            |                                   | 2.75    | 9.6     | 3.90    | 7.98    | 0.12    | <0.02   | 0.01    | 0.013   | 0.59    | 13.3    | 12.4    | 1.99    | 342     | 1.52    |
| I099246            |                                   | 1.81    | 34.3    | 5.34    | 6.59    | 0.14    | 0.02    | 0.01    | 0.008   | 1.03    | 7.4     | 20.3    | 2.27    | 436     | 0.70    |
| I099247            |                                   | 0.47    | 17.5    | 2.71    | 6.04    | 0.06    | <0.02   | 0.02    | 0.021   | 0.07    | 7.9     | 11.0    | 0.45    | 251     | 1.24    |
| I099248            |                                   | 0.49    | 8.2     | 1.56    | 5.54    | <0.05   | <0.02   | 0.01    | 0.009   | 0.05    | 5.3     | 4.2     | 0.15    | 241     | 0.83    |
| I099249            |                                   | 0.72    | 20.8    | 3.74    | 7.04    | 0.07    | <0.02   | 0.03    | 0.021   | 0.07    | 12.9    | 6.4     | 0.26    | 507     | 1.70    |
| I099250            |                                   | 2.52    | 26.2    | 2.47    | 5.61    | 0.09    | <0.02   | 0.06    | 0.012   | 0.42    | 27.0    | 13.6    | 1.12    | 261     | 0.76    |
| I099301            |                                   | 1.47    | 23.3    | 2.19    | 5.69    | 0.10    | 0.05    | 0.07    | 0.017   | 0.35    | 16.5    | 12.2    | 1.15    | 957     | 0.86    |
| I099302            |                                   | 0.98    | 25.5    | 3.26    | 4.95    | 0.11    | 0.03    | 0.04    | 0.018   | 0.13    | 17.2    | 10.2    | 0.79    | 1530    | 1.72    |
| I099303            |                                   | 1.80    | 19.2    | 3.45    | 8.60    | 0.14    | 0.04    | 0.02    | 0.026   | 0.46    | 18.8    | 21.0    | 1.37    | 1020    | 1.22    |
| I099304            |                                   | 1.67    | 20.5    | 3.41    | 8.34    | 0.15    | 0.07    | 0.03    | 0.029   | 0.28    | 19.8    | 20.1    | 1.19    | 716     | 1.32    |
| I099305            |                                   | 2.14    | 16.8    | 3.06    | 7.87    | 0.12    | 0.03    | 0.03    | 0.025   | 0.39    | 17.6    | 15.1    | 1.21    | 732     | 1.22    |
| I099306            |                                   | 1.54    | 14.5    | 2.72    | 7.69    | 0.09    | 0.06    | 0.01    | 0.019   | 0.26    | 15.3    | 11.9    | 0.97    | 488     | 1.20    |
| I099307            |                                   | 1.49    | 14.9    | 2.56    | 7.72    | 0.13    | 0.05    | 0.03    | 0.021   | 0.55    | 23.3    | 12.7    | 1.50    | 445     | 0.86    |
| I099308            |                                   | 2.66    | 25.4    | 2.99    | 9.50    | 0.15    | 0.08    | 0.05    | 0.035   | 0.55    | 35.9    | 15.7    | 0.91    | 274     | 0.53    |
| I099309            |                                   | 1.10    | 26.0    | 2.26    | 5.53    | 0.13    | 0.04    | 0.07    | 0.021   | 0.17    | 39.7    | 8.7     | 0.49    | 1330    | 1.19    |
| I099310            |                                   | 1.89    | 37.2    | 3.55    | 8.09    | 0.14    | 0.06    | 0.02    | 0.026   | 0.32    | 16.6    | 14.6    | 0.88    | 354     | 0.43    |
| I099311            |                                   | 1.40    | 28.0    | 3.49    | 8.01    | 0.10    | <0.02   | 0.02    | 0.021   | 0.25    | 8.0     | 15.9    | 1.20    | 629     | 0.53    |
| I099312            |                                   | 0.80    | 24.5    | 3.04    | 6.60    | 0.09    | <0.02   | 0.07    | 0.022   | 0.06    | 8.8     | 9.7     | 1.10    | 2790    | 1.53    |
| I099313            |                                   | 0.80    | 21.4    | 3.13    | 8.40    | 0.07    | 0.02    | 0.04    | 0.024   | 0.06    | 6.4     | 10.2    | 1.24    | 713     | 0.68    |
| I099314            |                                   | 0.37    | 20.1    | 1.91    | 3.23    | 0.05    | <0.02   | 0.10    | 0.011   | 0.08    | 5.8     | 3.6     | 0.52    | 3370    | 1.37    |
| I099315            |                                   | 0.19    | 58.9    | 3.87    | 1.37    | 0.07    | 0.05    | 0.10    | 0.008   | 0.04    | 9.8     | 1.4     | 0.16    | 9020    | 2.72    |
| I099316            |                                   | 0.91    | 37.9    | 3.32    | 7.61    | 0.08    | 0.03    | 0.05    | 0.019   | 0.32    | 6.6     | 10.6    | 1.30    | 795     | 0.93    |
| I099317            |                                   | 1.06    | 36.8    | 4.02    | 8.60    | 0.09    | 0.03    | 0.06    | 0.024   | 0.31    | 7.0     | 12.4    | 1.41    | 1100    | 1.14    |
| I099318            |                                   | 1.06    | 45.7    | 3.95    | 9.08    | 0.09    | 0.03    | 0.05    | 0.023   | 0.32    | 7.5     | 13.2    | 1.50    | 833     | 1.04    |
| I099319            |                                   | 1.07    | 41.3    | 3.25    | 7.21    | 0.08    | 0.02    | 0.06    | 0.048   | 0.19    | 7.6     | 10.4    | 1.06    | 1160    | 1.37    |
| I099320            |                                   | 1.05    | 67.1    | 3.18    | 6.78    | 0.09    | 0.03    | 0.10    | 0.021   | 0.19    | 11.9    | 10.0    | 0.94    | 1340    | 1.51    |
| I099321            |                                   | 0.78    | 60.0    | 2.37    | 4.89    | 0.07    | 0.02    | 0.08    | 0.020   | 0.14    | 12.6    | 6.6     | 0.65    | 1410    | 1.16    |
| I099322            |                                   | 1.30    | 36.0    | 3.30    | 7.65    | 0.07    | 0.02    | 0.06    | 0.021   | 0.20    | 7.6     | 12.4    | 1.00    | 820     | 1.27    |
| I099323            |                                   | 0.74    | 63.4    | 2.12    | 4.01    | 0.07    | 0.02    | 0.12    | 0.020   | 0.10    | 13.1    | 5.8     | 0.49    | 1030    | 1.36    |
| I099324            |                                   | 0.82    | 68.2    | 2.94    | 4.84    | 0.08    | 0.02    | 0.11    | 0.027   | 0.10    | 14.1    | 6.2     | 0.55    | 3630    | 2.02    |
| I099325            |                                   | 1.56    | 37.9    | 3.71    | 8.86    | 0.09    | 0.03    | 0.04    | 0.024   | 0.33    | 9.3     | 14.6    | 1.44    | 546     | 1.03    |
| I099326            |                                   | 1.53    | 29.4    | 3.06    | 7.23    | 0.08    | 0.02    | 0.05    | 0.020   | 0.21    | 7.0     | 12.8    | 1.08    | 427     | 0.96    |
| I099327            |                                   | 1.00    | 57.4    | 2.32    | 5.17    | 0.05    | 0.02    | 0.06    | 0.019   | 0.08    | 7.2     | 5.8     | 0.58    | 944     | 1.32    |
| I099328            |                                   | 0.38    | 10.5    | 0.98    | 2.87    | <0.05   | <0.02   | 0.02    | 0.006   | 0.02    | 2.3     | 0.8     | 0.06    | 46      | 0.65    |
| I099329            |                                   | 1.10    | 23.1    | 1.81    | 4.13    | 0.06    | <0.02   | 0.07    | 0.022   | 0.04    | 28.7    | 4.7     | 0.22    | 800     | 1.29    |
| I099330            |                                   | 1.77    | 14.9    | 4.11    | 9.87    | 0.07    | 0.10    | 0.01    | 0.029   | 0.09    | 8.6     | 21.8    | 0.67    | 500     | 1.04    |
| I099331            |                                   | 0.79    | 27.2    | 1.79    | 4.47    | <0.05   | <0.02   | 0.06    | 0.018   | 0.06    | 8.2     | 3.6     | 0.18    | 135     | 0.91    |
| I099332            |                                   | 1.03    | 19.1    | 2.52    | 6.56    | 0.06    | 0.06    | 0.07    | 0.025   | 0.05    | 27.1    | 9.4     | 0.28    | 205     | 0.83    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099243            |                                   | 2.14    | 25.8    | 180     | 7.0     | 20.5    | <0.001  | <0.01   | 0.23    | 3.6     | 0.4     | 0.3     | 14.6    | <0.01   | 0.04    |
| I099244            |                                   | 0.77    | 5.1     | 340     | 3.6     | 12.8    | <0.001  | 0.01    | 0.12    | 0.8     | 0.4     | <0.2    | 13.6    | <0.01   | 0.02    |
| I099245            |                                   | 1.36    | 94.5    | 380     | 4.2     | 53.8    | <0.001  | <0.01   | 0.17    | 4.7     | 0.3     | 0.3     | 22.9    | <0.01   | 0.03    |
| I099246            |                                   | 0.96    | 9.4     | 820     | 2.2     | 56.4    | <0.001  | <0.01   | 0.16    | 1.9     | 0.4     | <0.2    | 26.3    | <0.01   | 0.03    |
| I099247            |                                   | 1.33    | 16.3    | 380     | 7.6     | 9.6     | <0.001  | <0.01   | 0.40    | 3.0     | 0.5     | 0.3     | 27.4    | <0.01   | 0.04    |
| I099248            |                                   | 0.53    | 6.6     | 380     | 5.1     | 10.2    | <0.001  | <0.01   | 0.33    | 1.1     | 0.3     | 0.4     | 9.2     | <0.01   | 0.02    |
| I099249            |                                   | 0.93    | 14.9    | 660     | 8.0     | 13.8    | <0.001  | <0.01   | 1.23    | 3.2     | 0.4     | 0.6     | 11.3    | <0.01   | 0.06    |
| I099250            |                                   | 1.25    | 53.8    | 810     | 3.7     | 44.0    | <0.001  | 0.03    | 0.17    | 2.2     | 0.7     | <0.2    | 32.2    | <0.01   | 0.03    |
| I099301            |                                   | 2.07    | 63.0    | 960     | 7.9     | 36.4    | <0.001  | 0.08    | 0.27    | 4.9     | 1.0     | 0.3     | 47.0    | <0.01   | 0.04    |
| I099302            |                                   | 1.42    | 55.3    | 1150    | 6.2     | 19.8    | <0.001  | 0.08    | 0.33    | 3.9     | 1.1     | 0.2     | 50.0    | 0.01    | 0.07    |
| I099303            |                                   | 2.58    | 38.2    | 870     | 12.5    | 45.1    | <0.001  | <0.01   | 0.21    | 5.1     | 0.6     | 0.6     | 37.4    | <0.01   | 0.04    |
| I099304            |                                   | 2.91    | 36.4    | 680     | 14.0    | 42.7    | <0.001  | <0.01   | 0.26    | 5.6     | 0.7     | 0.6     | 32.2    | <0.01   | 0.04    |
| I099305            |                                   | 2.80    | 34.9    | 810     | 10.5    | 45.5    | <0.001  | 0.01    | 0.23    | 4.9     | 0.7     | 0.7     | 31.9    | <0.01   | 0.04    |
| I099306            |                                   | 2.80    | 25.3    | 470     | 10.0    | 34.5    | <0.001  | <0.01   | 0.21    | 4.0     | 0.4     | 0.7     | 26.4    | <0.01   | 0.04    |
| I099307            |                                   | 2.51    | 35.0    | 770     | 12.8    | 50.7    | <0.001  | 0.02    | 0.16    | 5.3     | 0.6     | 0.6     | 28.4    | <0.01   | 0.06    |
| I099308            |                                   | 3.13    | 29.1    | 680     | 25.6    | 62.0    | <0.001  | 0.02    | 0.33    | 8.8     | 0.9     | 1.0     | 40.8    | 0.01    | 0.06    |
| I099309            |                                   | 1.48    | 21.3    | 1010    | 14.7    | 28.9    | <0.001  | 0.09    | 0.60    | 3.9     | 1.3     | 0.3     | 81.0    | 0.01    | 0.07    |
| I099310            |                                   | 1.83    | 27.8    | 650     | 11.5    | 35.6    | <0.001  | <0.01   | 0.26    | 8.5     | 0.6     | 0.3     | 30.5    | <0.01   | 0.05    |
| I099311            |                                   | 1.11    | 21.5    | 610     | 6.0     | 23.2    | <0.001  | <0.01   | 0.23    | 6.3     | 0.5     | <0.2    | 25.6    | <0.01   | 0.03    |
| I099312            |                                   | 0.82    | 19.5    | 1110    | 5.9     | 10.6    | <0.001  | 0.07    | 0.32    | 4.9     | 0.9     | <0.2    | 40.5    | <0.01   | 0.06    |
| I099313            |                                   | 0.92    | 21.1    | 700     | 7.4     | 12.0    | <0.001  | 0.06    | 0.24    | 6.5     | 0.4     | 0.5     | 22.8    | <0.01   | 0.03    |
| I099314            |                                   | 0.42    | 13.6    | 1130    | 4.5     | 8.1     | <0.001  | 0.12    | 0.34    | 2.3     | 0.6     | 8.7     | 44.4    | <0.01   | 0.04    |
| I099315            |                                   | 0.21    | 18.7    | 1150    | 2.4     | 3.7     | 0.005   | 0.30    | 3.08    | 1.6     | 1.4     | 0.3     | 56.4    | <0.01   | 0.11    |
| I099316            |                                   | 1.12    | 24.5    | 790     | 8.4     | 32.9    | <0.001  | 0.12    | 1.70    | 5.8     | 0.6     | 0.4     | 41.3    | <0.01   | 0.04    |
| I099317            |                                   | 1.22    | 27.2    | 660     | 11.8    | 32.0    | 0.001   | 0.10    | 1.78    | 7.2     | 0.6     | 0.5     | 34.3    | <0.01   | 0.05    |
| I099318            |                                   | 1.19    | 28.1    | 620     | 10.0    | 34.3    | 0.001   | 0.09    | 2.10    | 7.4     | 0.7     | 0.4     | 38.9    | <0.01   | 0.07    |
| I099319            |                                   | 0.88    | 24.6    | 870     | 17.2    | 25.3    | <0.001  | 0.11    | 2.68    | 4.5     | 0.7     | 0.4     | 42.7    | <0.01   | 0.05    |
| I099320            |                                   | 0.83    | 27.7    | 1110    | 17.6    | 25.6    | 0.001   | 0.15    | 3.55    | 3.9     | 1.1     | 0.4     | 48.7    | <0.01   | 0.06    |
| I099321            |                                   | 0.72    | 23.0    | 960     | 19.8    | 17.5    | 0.001   | 0.12    | 2.25    | 3.2     | 0.8     | 0.3     | 53.8    | <0.01   | 0.05    |
| I099322            |                                   | 1.01    | 24.8    | 820     | 15.1    | 25.4    | <0.001  | 0.08    | 3.73    | 4.6     | 0.6     | 0.5     | 33.1    | <0.01   | 0.05    |
| I099323            |                                   | 0.62    | 21.0    | 1360    | 6.1     | 13.0    | 0.001   | 0.17    | 3.78    | 2.4     | 1.2     | 0.3     | 58.3    | <0.01   | 0.05    |
| I099324            |                                   | 0.50    | 26.2    | 1390    | 10.9    | 13.5    | 0.001   | 0.16    | 2.75    | 2.0     | 1.1     | 0.3     | 52.2    | <0.01   | 0.07    |
| I099325            |                                   | 1.30    | 31.0    | 650     | 10.6    | 33.0    | <0.001  | 0.03    | 4.38    | 6.4     | 0.6     | 0.5     | 25.5    | <0.01   | 0.05    |
| I099326            |                                   | 1.04    | 23.8    | 670     | 9.9     | 25.5    | <0.001  | 0.04    | 4.05    | 4.1     | 0.5     | 0.5     | 25.2    | <0.01   | 0.07    |
| I099327            |                                   | 0.79    | 20.4    | 650     | 9.3     | 14.1    | <0.001  | 0.05    | 3.54    | 2.4     | 0.6     | 0.4     | 30.3    | <0.01   | 0.07    |
| I099328            |                                   | 0.29    | 4.8     | 250     | 2.9     | 2.5     | <0.001  | 0.01    | 0.22    | 0.8     | 0.2     | 0.3     | 8.5     | <0.01   | 0.01    |
| I099329            |                                   | 0.55    | 13.0    | 790     | 7.1     | 8.4     | <0.001  | 0.05    | 0.30    | 1.6     | 0.7     | 0.4     | 41.7    | <0.01   | 0.02    |
| I099330            |                                   | 2.84    | 19.3    | 460     | 11.5    | 17.8    | <0.001  | 0.01    | 0.39    | 4.9     | 0.3     | 1.0     | 25.8    | <0.01   | 0.05    |
| I099331            |                                   | 0.50    | 11.6    | 710     | 7.7     | 6.9     | <0.001  | 0.03    | 0.32    | 0.7     | 0.4     | 0.5     | 14.6    | <0.01   | 0.03    |
| I099332            |                                   | 1.56    | 13.1    | 300     | 8.1     | 7.9     | <0.001  | 0.02    | 0.31    | 4.8     | 0.5     | 0.6     | 14.0    | <0.01   | 0.07    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 1 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I099243            |                                   | 0.147   | 0.14    | 0.50    | 65      | 0.11    | 3.95    | 47      |
| I099244            |                                   | 0.071   | 0.07    | 0.32    | 40      | 0.10    | 1.48    | 22      |
| I099245            |                                   | 0.162   | 0.28    | 0.62    | 68      | 0.18    | 3.38    | 55      |
| I099246            |                                   | 0.358   | 0.34    | 0.51    | 120     | 0.41    | 1.57    | 63      |
| I099247            |                                   | 0.091   | 0.08    | 0.46    | 63      | 0.15    | 2.98    | 35      |
| I099248            |                                   | 0.051   | 0.05    | 0.22    | 52      | 0.11    | 1.20    | 25      |
| I099249            |                                   | 0.058   | 0.07    | 0.54    | 91      | 0.22    | 3.34    | 52      |
| I099250            |                                   | 0.117   | 0.25    | 0.99    | 46      | 0.14    | 3.71    | 40      |
| I099301            |                                   | 0.106   | 0.27    | 1.49    | 51      | 0.36    | 9.43    | 61      |
| I099302            |                                   | 0.082   | 0.17    | 1.67    | 68      | 0.17    | 10.55   | 53      |
| I099303            |                                   | 0.173   | 0.32    | 1.69    | 85      | 0.24    | 6.42    | 69      |
| I099304            |                                   | 0.170   | 0.30    | 2.03    | 79      | 0.72    | 7.67    | 72      |
| I099305            |                                   | 0.152   | 0.31    | 1.58    | 73      | 0.20    | 6.40    | 61      |
| I099306            |                                   | 0.163   | 0.24    | 0.88    | 71      | 0.40    | 5.63    | 59      |
| I099307            |                                   | 0.152   | 0.35    | 1.93    | 69      | 0.28    | 7.19    | 72      |
| I099308            |                                   | 0.148   | 0.42    | 4.23    | 81      | 0.29    | 12.80   | 83      |
| I099309            |                                   | 0.068   | 0.17    | 3.86    | 60      | 0.26    | 20.0    | 65      |
| I099310            |                                   | 0.139   | 0.23    | 1.35    | 104     | 0.21    | 10.40   | 70      |
| I099311            |                                   | 0.127   | 0.16    | 0.66    | 90      | 0.18    | 6.38    | 76      |
| I099312            |                                   | 0.070   | 0.14    | 0.97    | 80      | 0.17    | 6.36    | 68      |
| I099313            |                                   | 0.116   | 0.11    | 0.54    | 111     | <0.05   | 3.85    | 90      |
| I099314            |                                   | 0.036   | 0.11    | 0.56    | 49      | <0.05   | 4.54    | 85      |
| I099315            |                                   | 0.017   | 0.48    | 0.64    | 55      | <0.05   | 13.85   | 68      |
| I099316            |                                   | 0.115   | 0.20    | 0.59    | 95      | 0.09    | 6.27    | 141     |
| I099317            |                                   | 0.137   | 0.21    | 0.73    | 111     | 0.18    | 6.27    | 177     |
| I099318            |                                   | 0.146   | 0.19    | 0.64    | 113     | 0.10    | 7.58    | 186     |
| I099319            |                                   | 0.099   | 0.17    | 0.66    | 87      | <0.05   | 6.90    | 173     |
| I099320            |                                   | 0.081   | 0.19    | 0.93    | 78      | <0.05   | 11.95   | 163     |
| I099321            |                                   | 0.064   | 0.12    | 0.89    | 54      | <0.05   | 11.70   | 134     |
| I099322            |                                   | 0.111   | 0.16    | 0.61    | 82      | 0.06    | 5.34    | 146     |
| I099323            |                                   | 0.040   | 0.13    | 1.13    | 40      | <0.05   | 11.95   | 82      |
| I099324            |                                   | 0.040   | 0.17    | 1.23    | 55      | <0.05   | 11.00   | 92      |
| I099325            |                                   | 0.146   | 0.21    | 0.68    | 91      | 0.12    | 6.25    | 114     |
| I099326            |                                   | 0.118   | 0.15    | 0.54    | 72      | 0.20    | 4.22    | 107     |
| I099327            |                                   | 0.073   | 0.10    | 0.75    | 54      | 0.05    | 4.64    | 72      |
| I099328            |                                   | 0.042   | 0.04    | 0.27    | 27      | <0.05   | 0.74    | 16      |
| I099329            |                                   | 0.044   | 0.08    | 3.42    | 39      | <0.05   | 9.40    | 33      |
| I099330            |                                   | 0.183   | 0.20    | 0.80    | 106     | 0.18    | 4.93    | 69      |
| I099331            |                                   | 0.035   | 0.08    | 1.04    | 38      | 0.05    | 2.10    | 36      |
| I099332            |                                   | 0.102   | 0.13    | 1.81    | 57      | 0.08    | 6.36    | 34      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: Appendix 1**  
**Total # Appendix Pages: 1**  
**Finalized Date: 1 - OCT - 2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS VA10134525**

| Method                 | CERTIFICATE COMMENTS                                                                                                                  |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| ALL METHODS<br>ME-MS41 | NSS is non-sufficient sample.<br>Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 1  
Finalized Date: 30-SEP-2010  
Account: EIASQI

**CERTIFICATE VA10134526**

Project: SQI10-06

P.O. No.: SQI10-06\_29

This report is for 200 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-21   | Sample logging - ClientBarCode |
| PUL-31   | Pulverize split to 85% <75 um  |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION               | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23  | Au 30g FA-AA finish       | AAS        |
| ME-MS41  | 51 anal. aqua regia ICPMS |            |

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**ATTN: DARCY BAKER**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I098351            |                                   | 0.38                      | <0.005               | 0.11                 | 1.89               | 12.7                 | <0.2                 | <10                 | 270                  | 0.32                 | 0.12                 | 0.66               | 0.20                 | 25.5                 | 18.4                 | 91                   |
| I098352            |                                   | 0.36                      | 0.005                | 0.10                 | 2.27               | 16.1                 | <0.2                 | <10                 | 400                  | 0.32                 | 0.11                 | 0.76               | 0.30                 | 33.6                 | 28.3                 | 103                  |
| I098353            |                                   | 0.38                      | <0.005               | 0.08                 | 2.24               | 9.2                  | <0.2                 | <10                 | 280                  | 0.40                 | 0.10                 | 0.68               | 0.13                 | 30.5                 | 26.8                 | 112                  |
| I098354            |                                   | 0.28                      | 0.005                | 0.12                 | 1.89               | 7.2                  | <0.2                 | <10                 | 290                  | 0.43                 | 0.14                 | 0.74               | 0.22                 | 41.7                 | 15.3                 | 71                   |
| I098355            |                                   | 0.40                      | 0.005                | 0.07                 | 2.10               | 19.9                 | <0.2                 | <10                 | 220                  | 0.37                 | 0.20                 | 0.55               | 0.14                 | 27.2                 | 16.4                 | 88                   |
| I098356            |                                   | 0.42                      | 0.014                | 0.08                 | 2.11               | 8.2                  | <0.2                 | <10                 | 170                  | 0.40                 | 0.31                 | 0.41               | 0.14                 | 30.7                 | 10.1                 | 85                   |
| I098357            |                                   | 0.34                      | 0.005                | 0.13                 | 2.19               | 7.5                  | <0.2                 | <10                 | 190                  | 0.37                 | 0.57                 | 0.44               | 0.19                 | 34.1                 | 18.1                 | 83                   |
| I098358            |                                   | 0.42                      | 0.015                | 0.19                 | 2.24               | 26.5                 | <0.2                 | <10                 | 270                  | 0.27                 | 0.15                 | 0.75               | 0.43                 | 16.10                | 14.3                 | 41                   |
| I098359            |                                   | 0.38                      | <0.005               | 0.17                 | 0.93               | 5.3                  | <0.2                 | <10                 | 100                  | 0.16                 | 0.19                 | 0.21               | 0.78                 | 8.55                 | 5.2                  | 18                   |
| I098360            |                                   | 0.44                      | <0.005               | 0.01                 | 0.15               | 1.8                  | <0.2                 | <10                 | 40                   | 0.13                 | 0.02                 | 0.09               | 0.04                 | 9.72                 | 2.1                  | 3                    |
| I098361            |                                   | 0.40                      | 0.005                | 0.08                 | 2.35               | 9.3                  | <0.2                 | <10                 | 260                  | 0.26                 | 0.16                 | 0.33               | 0.25                 | 12.70                | 16.9                 | 36                   |
| I098362            |                                   | 0.40                      | 0.005                | 0.15                 | 2.78               | 9.6                  | <0.2                 | <10                 | 210                  | 0.27                 | 0.19                 | 0.32               | 0.33                 | 11.90                | 14.2                 | 46                   |
| I098363            |                                   | 0.42                      | 0.011                | 0.16                 | 2.21               | 15.0                 | <0.2                 | <10                 | 200                  | 0.29                 | 0.18                 | 0.36               | 0.47                 | 13.20                | 14.9                 | 38                   |
| I098364            |                                   | 0.42                      | 0.013                | 0.16                 | 2.36               | 27.8                 | <0.2                 | <10                 | 250                  | 0.27                 | 0.16                 | 0.46               | 0.17                 | 12.60                | 13.8                 | 33                   |
| I098365            |                                   | 0.42                      | 0.020                | 0.23                 | 2.68               | 48.8                 | <0.2                 | <10                 | 300                  | 0.27                 | 0.17                 | 0.49               | 0.18                 | 14.20                | 16.2                 | 42                   |
| I098366            |                                   | 0.46                      | 0.013                | 0.17                 | 3.01               | 27.9                 | <0.2                 | <10                 | 280                  | 0.34                 | 0.14                 | 0.44               | 0.11                 | 16.40                | 19.8                 | 46                   |
| I098367            |                                   | 0.44                      | 0.008                | 0.22                 | 3.09               | 9.7                  | <0.2                 | <10                 | 340                  | 0.33                 | 0.21                 | 0.46               | 0.13                 | 18.60                | 18.3                 | 45                   |
| I098368            |                                   | 0.38                      | <0.005               | 0.13                 | 3.64               | 6.0                  | <0.2                 | <10                 | 260                  | 0.35                 | 0.24                 | 0.46               | 0.11                 | 17.85                | 19.8                 | 65                   |
| I098369            |                                   | 0.46                      | <0.005               | 0.15                 | 3.04               | 8.5                  | <0.2                 | <10                 | 250                  | 0.31                 | 0.22                 | 0.41               | 0.11                 | 13.70                | 21.5                 | 55                   |
| I098370            |                                   | 0.34                      | 0.008                | 0.30                 | 2.40               | 14.2                 | <0.2                 | <10                 | 290                  | 0.37                 | 0.27                 | 0.48               | 0.52                 | 16.05                | 11.0                 | 37                   |
| I098371            |                                   | 0.42                      | 0.007                | 0.15                 | 3.04               | 7.9                  | <0.2                 | <10                 | 270                  | 0.40                 | 0.28                 | 0.47               | 0.12                 | 16.55                | 16.4                 | 57                   |
| I098372            |                                   | 0.46                      | 0.007                | 0.23                 | 2.86               | 9.4                  | <0.2                 | <10                 | 260                  | 0.44                 | 0.34                 | 0.39               | 0.15                 | 15.60                | 15.6                 | 48                   |
| I098373            |                                   | 0.54                      | 0.008                | 0.18                 | 3.27               | 19.0                 | <0.2                 | <10                 | 330                  | 0.43                 | 0.38                 | 0.43               | 0.19                 | 17.90                | 17.8                 | 51                   |
| I098374            |                                   | 0.46                      | 0.007                | 0.16                 | 3.26               | 17.4                 | <0.2                 | <10                 | 320                  | 0.40                 | 0.38                 | 0.43               | 0.20                 | 16.55                | 17.7                 | 49                   |
| I098375            |                                   | 0.50                      | 0.016                | 0.43                 | 3.27               | 18.4                 | <0.2                 | <10                 | 570                  | 0.49                 | 0.49                 | 0.46               | 0.30                 | 24.1                 | 19.6                 | 54                   |
| I098376            |                                   | 0.50                      | 0.115                | 0.50                 | 2.74               | 174.5                | <0.2                 | <10                 | 590                  | 0.52                 | 0.59                 | 0.49               | 0.24                 | 24.1                 | 14.2                 | 38                   |
| I098377            |                                   | 0.30                      | <0.005               | 0.06                 | 1.61               | 9.9                  | <0.2                 | <10                 | 90                   | 0.76                 | 0.22                 | 0.23               | 0.19                 | 39.4                 | 10.1                 | 26                   |
| I098378            |                                   | 0.36                      | <0.005               | 0.04                 | 0.37               | 1.2                  | <0.2                 | <10                 | 40                   | 0.08                 | 0.11                 | 0.05               | 0.08                 | 6.45                 | 1.3                  | 7                    |
| I098379            |                                   | 0.36                      | <0.005               | 0.11                 | 1.87               | 6.3                  | <0.2                 | <10                 | 220                  | 0.76                 | 0.23                 | 0.46               | 0.21                 | 75.6                 | 11.6                 | 31                   |
| I098380            |                                   | 0.30                      | <0.005               | 0.15                 | 1.84               | 5.3                  | <0.2                 | <10                 | 300                  | 0.73                 | 0.12                 | 0.57               | 0.16                 | 48.7                 | 19.9                 | 32                   |
| I098381            |                                   | 0.42                      | 0.028                | 0.19                 | 2.66               | 38.2                 | <0.2                 | <10                 | 460                  | 0.42                 | 0.30                 | 0.44               | 0.26                 | 20.3                 | 12.8                 | 38                   |
| I098382            |                                   | 0.50                      | 0.008                | 0.27                 | 2.64               | 10.5                 | <0.2                 | <10                 | 300                  | 0.37                 | 0.40                 | 0.47               | 0.16                 | 19.50                | 13.4                 | 38                   |
| I098383            |                                   | 0.50                      | 0.009                | 0.28                 | 3.71               | 9.2                  | <0.2                 | <10                 | 370                  | 0.30                 | 0.42                 | 0.69               | 0.17                 | 14.00                | 21.3                 | 58                   |
| I098384            |                                   | 0.36                      | 0.012                | 0.21                 | 3.24               | 46.0                 | <0.2                 | <10                 | 290                  | 0.32                 | 0.28                 | 0.40               | 0.20                 | 15.15                | 21.0                 | 53                   |
| I098385            |                                   | 0.32                      | 0.015                | 0.35                 | 1.59               | 40.5                 | <0.2                 | <10                 | 220                  | 0.24                 | 0.18                 | 0.37               | 0.43                 | 11.40                | 11.9                 | 26                   |
| I098386            |                                   | 0.48                      | 0.044                | 0.31                 | 2.92               | 83.1                 | <0.2                 | <10                 | 340                  | 0.30                 | 0.19                 | 0.52               | 0.19                 | 15.20                | 21.7                 | 54                   |
| I098387            |                                   | 0.32                      | 0.029                | 0.43                 | 2.21               | 120.0                | <0.2                 | <10                 | 320                  | 0.28                 | 0.18                 | 0.73               | 0.32                 | 16.80                | 15.1                 | 34                   |
| I098388            |                                   | 0.46                      | 0.009                | 0.22                 | 2.50               | 15.6                 | <0.2                 | <10                 | 200                  | 0.28                 | 0.18                 | 0.43               | 0.18                 | 14.25                | 14.2                 | 38                   |
| I098389            |                                   | 0.42                      | <0.005               | 0.16                 | 2.62               | 4.0                  | <0.2                 | <10                 | 710                  | 0.37                 | 0.14                 | 0.56               | 0.14                 | 16.15                | 15.1                 | 61                   |
| I098390            |                                   | 0.38                      | 0.008                | 0.40                 | 1.95               | 6.2                  | <0.2                 | <10                 | 350                  | 0.81                 | 0.27                 | 0.50               | 0.20                 | 71.0                 | 18.3                 | 61                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I098351            |                                   | 1.41    | 19.2    | 2.95    | 6.52    | 0.10    | 0.04    | 0.04    | 0.020   | 0.18    | 12.9    | 11.6    | 1.04    | 643     | 0.81    |
| I098352            |                                   | 1.37    | 19.3    | 3.56    | 7.05    | 0.12    | 0.04    | 0.04    | 0.020   | 0.33    | 14.1    | 12.4    | 1.39    | 3870    | 1.44    |
| I098353            |                                   | 1.50    | 15.1    | 3.56    | 6.42    | 0.11    | 0.05    | 0.02    | 0.017   | 0.46    | 15.0    | 12.5    | 1.47    | 1460    | 0.97    |
| I098354            |                                   | 1.31    | 23.0    | 2.67    | 6.38    | 0.10    | 0.05    | 0.05    | 0.021   | 0.15    | 22.2    | 11.2    | 0.88    | 678     | 0.87    |
| I098355            |                                   | 1.69    | 14.5    | 3.11    | 7.93    | 0.12    | 0.05    | 0.03    | 0.021   | 0.34    | 14.1    | 12.2    | 1.31    | 845     | 1.18    |
| I098356            |                                   | 1.36    | 17.8    | 2.48    | 7.91    | 0.12    | 0.05    | 0.03    | 0.024   | 0.22    | 16.4    | 15.5    | 1.11    | 317     | 0.70    |
| I098357            |                                   | 1.43    | 16.0    | 3.11    | 7.79    | 0.13    | 0.08    | 0.04    | 0.028   | 0.29    | 18.7    | 15.8    | 1.22    | 788     | 1.24    |
| I098358            |                                   | 0.93    | 30.5    | 2.97    | 6.61    | 0.11    | 0.04    | 0.04    | 0.020   | 0.28    | 7.8     | 13.1    | 1.23    | 784     | 0.56    |
| I098359            |                                   | 0.41    | 16.8    | 1.81    | 5.89    | <0.05   | <0.02   | 0.03    | 0.014   | 0.07    | 4.5     | 4.7     | 0.27    | 197     | 1.17    |
| I098360            |                                   | 0.08    | 1.9     | 0.75    | 0.63    | <0.05   | 0.08    | <0.01   | <0.005  | 0.05    | 4.9     | 1.7     | 0.04    | 172     | 0.29    |
| I098361            |                                   | 1.46    | 35.1    | 3.28    | 7.44    | 0.10    | 0.04    | 0.02    | 0.025   | 0.25    | 6.2     | 14.2    | 1.05    | 533     | 0.72    |
| I098362            |                                   | 0.93    | 51.9    | 3.76    | 9.79    | 0.10    | 0.04    | 0.03    | 0.042   | 0.16    | 5.8     | 15.7    | 1.51    | 546     | 1.35    |
| I098363            |                                   | 0.80    | 64.0    | 3.36    | 7.28    | 0.10    | 0.03    | 0.02    | 0.035   | 0.14    | 6.3     | 13.0    | 1.18    | 522     | 1.10    |
| I098364            |                                   | 0.96    | 33.2    | 3.40    | 7.80    | 0.08    | 0.03    | 0.05    | 0.025   | 0.15    | 6.3     | 14.6    | 1.01    | 445     | 0.83    |
| I098365            |                                   | 1.51    | 28.2    | 3.45    | 8.42    | 0.09    | 0.03    | 0.05    | 0.024   | 0.25    | 7.2     | 15.7    | 1.27    | 487     | 0.74    |
| I098366            |                                   | 1.80    | 37.2    | 4.01    | 8.92    | 0.13    | 0.03    | 0.07    | 0.023   | 0.41    | 8.1     | 15.7    | 1.57    | 610     | 0.68    |
| I098367            |                                   | 1.30    | 39.9    | 3.89    | 8.86    | 0.11    | 0.04    | 0.06    | 0.021   | 0.41    | 9.7     | 15.7    | 1.43    | 713     | 0.79    |
| I098368            |                                   | 1.25    | 34.1    | 4.22    | 10.80   | 0.13    | 0.03    | 0.02    | 0.023   | 0.45    | 8.7     | 14.8    | 1.82    | 580     | 0.75    |
| I098369            |                                   | 1.34    | 29.6    | 4.47    | 10.50   | 0.12    | 0.03    | 0.08    | 0.022   | 0.46    | 6.8     | 13.6    | 1.87    | 588     | 0.80    |
| I098370            |                                   | 1.65    | 34.0    | 3.08    | 7.79    | 0.10    | 0.02    | 0.05    | 0.024   | 0.26    | 8.4     | 11.3    | 1.00    | 493     | 1.02    |
| I098371            |                                   | 1.50    | 30.4    | 3.70    | 9.15    | 0.12    | 0.03    | 0.03    | 0.019   | 0.53    | 8.4     | 15.0    | 1.65    | 531     | 0.71    |
| I098372            |                                   | 1.47    | 51.2    | 3.65    | 8.19    | 0.11    | 0.03    | 0.03    | 0.020   | 0.36    | 7.8     | 14.1    | 1.43    | 409     | 0.84    |
| I098373            |                                   | 1.61    | 38.9    | 3.84    | 9.63    | 0.13    | 0.05    | 0.02    | 0.025   | 0.44    | 8.6     | 16.1    | 1.51    | 498     | 0.92    |
| I098374            |                                   | 1.58    | 38.2    | 3.81    | 9.14    | 0.12    | 0.04    | 0.02    | 0.022   | 0.46    | 8.0     | 14.9    | 1.53    | 533     | 0.86    |
| I098375            |                                   | 2.73    | 41.2    | 4.29    | 9.93    | 0.14    | 0.04    | 0.04    | 0.028   | 0.50    | 11.2    | 18.0    | 1.54    | 865     | 1.23    |
| I098376            |                                   | 2.84    | 39.2    | 3.99    | 8.21    | 0.13    | 0.05    | 0.07    | 0.034   | 0.40    | 13.7    | 13.1    | 1.18    | 687     | 1.09    |
| I098377            |                                   | 7.17    | 12.3    | 2.74    | 6.20    | 0.10    | 0.05    | 0.03    | 0.033   | 0.07    | 23.8    | 12.1    | 0.45    | 501     | 4.66    |
| I098378            |                                   | 0.59    | 7.6     | 0.61    | 3.03    | <0.05   | <0.02   | 0.02    | 0.008   | 0.02    | 4.0     | 1.4     | 0.05    | 33      | 0.45    |
| I098379            |                                   | 2.46    | 20.1    | 2.72    | 6.23    | 0.12    | 0.08    | 0.05    | 0.032   | 0.06    | 35.5    | 12.9    | 0.55    | 431     | 0.84    |
| I098380            |                                   | 1.60    | 21.3    | 3.03    | 6.54    | 0.11    | 0.04    | 0.05    | 0.026   | 0.08    | 22.3    | 9.7     | 0.73    | 1400    | 1.18    |
| I098381            |                                   | 2.51    | 31.5    | 3.60    | 8.49    | 0.12    | 0.03    | 0.03    | 0.028   | 0.29    | 10.0    | 13.5    | 1.16    | 477     | 0.85    |
| I098382            |                                   | 1.95    | 32.8    | 3.79    | 8.31    | 0.12    | 0.04    | 0.04    | 0.027   | 0.30    | 9.9     | 15.3    | 1.23    | 440     | 0.83    |
| I098383            |                                   | 2.41    | 49.2    | 4.90    | 10.80   | 0.15    | 0.06    | 0.02    | 0.021   | 0.76    | 7.8     | 16.8    | 2.27    | 652     | 0.75    |
| I098384            |                                   | 2.38    | 35.0    | 4.20    | 10.55   | 0.14    | 0.04    | 0.03    | 0.024   | 0.54    | 7.5     | 17.6    | 1.68    | 713     | 0.97    |
| I098385            |                                   | 1.00    | 27.1    | 2.28    | 5.93    | 0.07    | 0.02    | 0.06    | 0.019   | 0.12    | 5.7     | 10.0    | 0.69    | 384     | 0.70    |
| I098386            |                                   | 1.44    | 57.9    | 3.82    | 8.62    | 0.11    | 0.04    | 0.09    | 0.026   | 0.31    | 7.7     | 15.1    | 1.51    | 653     | 0.74    |
| I098387            |                                   | 1.23    | 43.3    | 3.04    | 7.00    | 0.06    | 0.03    | 0.07    | 0.024   | 0.14    | 8.8     | 10.6    | 0.91    | 676     | 0.99    |
| I098388            |                                   | 0.88    | 44.5    | 3.50    | 8.20    | 0.06    | 0.03    | 0.05    | 0.028   | 0.12    | 7.0     | 12.4    | 1.08    | 381     | 1.06    |
| I098389            |                                   | 1.57    | 48.8    | 3.44    | 7.72    | 0.09    | 0.03    | 0.04    | 0.019   | 0.56    | 8.0     | 15.1    | 1.74    | 452     | 0.73    |
| I098390            |                                   | 1.56    | 56.6    | 2.75    | 6.63    | 0.16    | 0.08    | 0.09    | 0.027   | 0.27    | 67.3    | 12.3    | 1.06    | 641     | 1.00    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I098351            |                                   | 1.75    | 45.5    | 880     | 8.2     | 26.2    | <0.001  | 0.05    | 0.27    | 5.1     | 0.7     | 0.5     | 38.3    | <0.01   | 0.03    |
| I098352            |                                   | 1.68    | 47.3    | 1070    | 7.1     | 33.0    | <0.001  | 0.04    | 0.23    | 4.5     | 0.6     | 0.4     | 39.6    | <0.01   | 0.02    |
| I098353            |                                   | 1.79    | 47.1    | 1100    | 7.0     | 39.1    | <0.001  | 0.03    | 0.18    | 4.5     | 0.5     | 0.5     | 33.0    | <0.01   | 0.02    |
| I098354            |                                   | 1.62    | 41.0    | 800     | 7.9     | 27.6    | <0.001  | 0.06    | 0.26    | 4.3     | 0.9     | 0.4     | 45.9    | <0.01   | 0.03    |
| I098355            |                                   | 2.02    | 39.4    | 760     | 8.3     | 43.3    | <0.001  | 0.03    | 0.24    | 4.6     | 0.5     | 0.8     | 36.1    | <0.01   | 0.04    |
| I098356            |                                   | 2.03    | 38.8    | 700     | 10.8    | 35.8    | <0.001  | 0.03    | 0.32    | 5.5     | 0.7     | 0.7     | 30.2    | <0.01   | 0.06    |
| I098357            |                                   | 2.36    | 37.8    | 700     | 14.2    | 38.1    | 0.001   | 0.03    | 0.54    | 5.7     | 1.0     | 1.0     | 32.1    | <0.01   | 0.10    |
| I098358            |                                   | 0.89    | 22.7    | 600     | 7.6     | 23.2    | 0.001   | 0.05    | 1.22    | 6.4     | 0.7     | 2.1     | 29.0    | <0.01   | 0.04    |
| I098359            |                                   | 0.77    | 10.4    | 240     | 11.0    | 8.4     | <0.001  | 0.01    | 0.41    | 2.2     | 0.3     | 0.5     | 15.0    | <0.01   | 0.04    |
| I098360            |                                   | 0.15    | 4.1     | 120     | 1.6     | 2.7     | <0.001  | <0.01   | 0.10    | 0.7     | <0.2    | <0.2    | 7.9     | <0.01   | <0.01   |
| I098361            |                                   | 1.06    | 22.4    | 440     | 5.4     | 23.2    | <0.001  | <0.01   | 0.82    | 7.3     | 0.4     | 0.4     | 20.7    | <0.01   | 0.05    |
| I098362            |                                   | 1.20    | 23.6    | 390     | 6.7     | 13.5    | <0.001  | <0.01   | 0.53    | 8.7     | 0.4     | 0.6     | 19.6    | <0.01   | 0.07    |
| I098363            |                                   | 1.03    | 22.4    | 430     | 5.5     | 13.7    | <0.001  | 0.02    | 1.00    | 7.0     | 0.6     | 0.5     | 19.6    | <0.01   | 0.09    |
| I098364            |                                   | 1.10    | 22.6    | 510     | 6.2     | 15.3    | <0.001  | 0.01    | 1.94    | 6.1     | 0.5     | 0.4     | 24.1    | <0.01   | 0.04    |
| I098365            |                                   | 1.08    | 25.5    | 520     | 6.3     | 23.7    | <0.001  | 0.03    | 2.54    | 7.3     | 0.5     | 0.4     | 24.5    | <0.01   | 0.04    |
| I098366            |                                   | 1.07    | 27.1    | 510     | 5.8     | 34.0    | <0.001  | 0.01    | 1.01    | 8.4     | 0.6     | 0.4     | 21.2    | <0.01   | 0.04    |
| I098367            |                                   | 1.04    | 27.7    | 590     | 8.3     | 37.5    | <0.001  | 0.02    | 3.29    | 7.2     | 0.7     | 0.3     | 20.5    | <0.01   | 0.04    |
| I098368            |                                   | 1.22    | 31.4    | 470     | 13.0    | 42.9    | <0.001  | 0.02    | 0.40    | 8.5     | 0.5     | 0.4     | 22.0    | <0.01   | 0.05    |
| I098369            |                                   | 1.20    | 24.4    | 600     | 7.0     | 33.5    | <0.001  | 0.02    | 0.39    | 7.6     | 0.5     | 0.5     | 18.8    | <0.01   | 0.04    |
| I098370            |                                   | 0.98    | 21.9    | 630     | 12.0    | 26.7    | <0.001  | 0.04    | 0.86    | 5.3     | 0.5     | 0.5     | 29.9    | <0.01   | 0.04    |
| I098371            |                                   | 1.43    | 32.0    | 720     | 6.6     | 40.9    | <0.001  | 0.02    | 0.75    | 5.4     | 0.5     | 0.5     | 22.6    | <0.01   | 0.05    |
| I098372            |                                   | 1.35    | 28.8    | 630     | 8.0     | 32.1    | 0.001   | 0.02    | 0.75    | 5.0     | 0.6     | 0.4     | 21.9    | <0.01   | 0.06    |
| I098373            |                                   | 1.26    | 31.3    | 540     | 10.5    | 38.8    | <0.001  | 0.01    | 0.86    | 6.9     | 0.5     | 0.4     | 23.0    | <0.01   | 0.06    |
| I098374            |                                   | 1.15    | 30.0    | 570     | 10.1    | 38.0    | <0.001  | 0.01    | 0.82    | 6.5     | 0.5     | 0.4     | 21.8    | <0.01   | 0.06    |
| I098375            |                                   | 1.04    | 28.8    | 590     | 20.1    | 40.7    | 0.001   | 0.01    | 0.71    | 9.2     | 0.7     | 0.6     | 23.2    | <0.01   | 0.07    |
| I098376            |                                   | 0.92    | 23.7    | 640     | 21.6    | 35.6    | 0.001   | 0.02    | 3.27    | 9.4     | 0.8     | 0.5     | 26.3    | <0.01   | 0.08    |
| I098377            |                                   | 1.36    | 15.9    | 540     | 35.0    | 14.6    | <0.001  | 0.02    | 0.34    | 3.2     | 0.6     | 0.7     | 18.3    | <0.01   | 0.03    |
| I098378            |                                   | 0.28    | 3.2     | 160     | 5.6     | 3.4     | <0.001  | <0.01   | 0.11    | 0.7     | 0.2     | 0.3     | 7.8     | <0.01   | 0.02    |
| I098379            |                                   | 1.45    | 21.6    | 570     | 14.7    | 11.3    | 0.001   | <0.01   | 0.44    | 5.8     | 0.9     | 0.6     | 32.7    | 0.01    | 0.03    |
| I098380            |                                   | 0.90    | 21.2    | 960     | 6.5     | 14.4    | <0.001  | 0.04    | 0.38    | 5.4     | 1.1     | 0.5     | 41.9    | 0.01    | 0.03    |
| I098381            |                                   | 1.13    | 24.6    | 620     | 12.8    | 27.9    | <0.001  | <0.01   | 1.12    | 7.5     | 0.6     | 0.5     | 25.9    | <0.01   | 0.04    |
| I098382            |                                   | 1.11    | 22.9    | 590     | 13.6    | 29.4    | <0.001  | 0.05    | 0.77    | 7.4     | 0.6     | 0.4     | 23.3    | <0.01   | 0.05    |
| I098383            |                                   | 0.78    | 31.8    | 700     | 14.7    | 60.9    | <0.001  | 0.12    | 0.79    | 9.3     | 0.6     | 0.3     | 25.4    | <0.01   | 0.07    |
| I098384            |                                   | 1.28    | 29.8    | 480     | 13.7    | 45.7    | <0.001  | 0.10    | 4.33    | 7.9     | 0.5     | 0.4     | 20.5    | <0.01   | 0.05    |
| I098385            |                                   | 0.75    | 17.3    | 480     | 9.7     | 16.2    | <0.001  | 0.11    | 8.57    | 3.4     | 0.5     | 0.4     | 22.1    | <0.01   | 0.03    |
| I098386            |                                   | 1.00    | 33.9    | 460     | 7.1     | 28.2    | <0.001  | 0.09    | 21.4    | 9.0     | 0.6     | 0.3     | 24.4    | <0.01   | 0.07    |
| I098387            |                                   | 1.09    | 20.5    | 900     | 6.4     | 16.5    | <0.001  | 0.08    | 21.8    | 4.9     | 0.6     | 0.4     | 36.5    | <0.01   | 0.05    |
| I098388            |                                   | 1.46    | 21.4    | 440     | 6.9     | 12.6    | <0.001  | 0.02    | 2.45    | 6.3     | 0.4     | 0.5     | 22.9    | <0.01   | 0.05    |
| I098389            |                                   | 1.11    | 29.4    | 660     | 6.6     | 46.1    | <0.001  | 0.05    | 0.27    | 5.4     | 0.5     | 0.5     | 27.0    | <0.01   | 0.03    |
| I098390            |                                   | 1.17    | 28.3    | 1270    | 31.2    | 41.3    | <0.001  | 0.07    | 0.31    | 5.8     | 1.3     | 0.6     | 32.8    | 0.01    | 0.02    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I098351            |                                   | 0.121              | 0.19                 | 1.22                | 68                  | 0.15                | 7.32                | 59                   | 1.8                  |
| I098352            |                                   | 0.147              | 0.28                 | 1.04                | 80                  | 0.16                | 7.62                | 77                   | 1.7                  |
| I098353            |                                   | 0.145              | 0.28                 | 0.99                | 81                  | 0.15                | 6.21                | 65                   | 2.1                  |
| I098354            |                                   | 0.112              | 0.20                 | 2.35                | 61                  | 0.16                | 12.10               | 59                   | 2.1                  |
| I098355            |                                   | 0.152              | 0.25                 | 1.37                | 78                  | 0.15                | 5.90                | 75                   | 1.8                  |
| I098356            |                                   | 0.146              | 0.23                 | 2.52                | 68                  | 0.16                | 6.31                | 67                   | 2.2                  |
| I098357            |                                   | 0.147              | 0.27                 | 3.11                | 60                  | 0.19                | 6.97                | 81                   | 3.4                  |
| I098358            |                                   | 0.109              | 0.15                 | 0.83                | 80                  | 0.23                | 7.22                | 103                  | 1.2                  |
| I098359            |                                   | 0.076              | 0.07                 | 0.35                | 60                  | 0.12                | 1.93                | 42                   | <0.5                 |
| I098360            |                                   | 0.008              | 0.03                 | 0.32                | 4                   | <0.05               | 2.08                | 5                    | 2.8                  |
| I098361            |                                   | 0.120              | 0.18                 | 0.42                | 88                  | 0.22                | 5.18                | 91                   | 1.6                  |
| I098362            |                                   | 0.145              | 0.10                 | 0.42                | 113                 | 0.15                | 3.86                | 141                  | 1.5                  |
| I098363            |                                   | 0.119              | 0.09                 | 0.46                | 91                  | 0.15                | 4.89                | 120                  | 1.1                  |
| I098364            |                                   | 0.126              | 0.10                 | 0.46                | 94                  | 0.15                | 4.09                | 73                   | 1.1                  |
| I098365            |                                   | 0.129              | 0.14                 | 0.45                | 98                  | 0.13                | 4.92                | 83                   | 1.1                  |
| I098366            |                                   | 0.157              | 0.20                 | 0.47                | 112                 | 0.19                | 5.87                | 82                   | 1.2                  |
| I098367            |                                   | 0.153              | 0.24                 | 0.63                | 107                 | 0.15                | 9.59                | 89                   | 1.3                  |
| I098368            |                                   | 0.172              | 0.24                 | 0.52                | 123                 | 0.20                | 5.87                | 111                  | 1.2                  |
| I098369            |                                   | 0.180              | 0.20                 | 0.40                | 126                 | 0.17                | 4.97                | 93                   | 1.3                  |
| I098370            |                                   | 0.112              | 0.14                 | 0.65                | 75                  | 0.20                | 6.70                | 114                  | 0.6                  |
| I098371            |                                   | 0.172              | 0.24                 | 0.47                | 91                  | 0.26                | 4.53                | 95                   | 1.2                  |
| I098372            |                                   | 0.148              | 0.20                 | 0.55                | 77                  | 0.27                | 4.60                | 109                  | 1.2                  |
| I098373            |                                   | 0.177              | 0.24                 | 0.53                | 101                 | 0.66                | 5.72                | 114                  | 2.0                  |
| I098374            |                                   | 0.173              | 0.23                 | 0.50                | 100                 | 0.35                | 5.11                | 116                  | 1.7                  |
| I098375            |                                   | 0.152              | 0.26                 | 0.67                | 106                 | 0.44                | 10.20               | 142                  | 1.2                  |
| I098376            |                                   | 0.117              | 0.23                 | 0.76                | 86                  | 0.31                | 13.55               | 115                  | 1.2                  |
| I098377            |                                   | 0.099              | 0.14                 | 1.54                | 59                  | 0.17                | 10.40               | 58                   | 1.5                  |
| I098378            |                                   | 0.035              | 0.05                 | 0.32                | 20                  | 0.05                | 1.10                | 14                   | <0.5                 |
| I098379            |                                   | 0.101              | 0.12                 | 2.42                | 64                  | 0.21                | 23.0                | 67                   | 2.3                  |
| I098380            |                                   | 0.103              | 0.15                 | 1.54                | 65                  | 0.12                | 17.50               | 49                   | 1.0                  |
| I098381            |                                   | 0.137              | 0.16                 | 0.66                | 86                  | 0.22                | 7.99                | 108                  | 1.0                  |
| I098382            |                                   | 0.136              | 0.19                 | 0.65                | 87                  | 0.48                | 9.97                | 92                   | 1.2                  |
| I098383            |                                   | 0.205              | 0.34                 | 0.45                | 136                 | 0.63                | 8.07                | 128                  | 2.1                  |
| I098384            |                                   | 0.183              | 0.28                 | 0.48                | 117                 | 0.23                | 5.87                | 106                  | 1.4                  |
| I098385            |                                   | 0.086              | 0.11                 | 0.47                | 58                  | 0.21                | 3.90                | 56                   | 0.5                  |
| I098386            |                                   | 0.138              | 0.17                 | 0.50                | 110                 | 0.18                | 6.77                | 78                   | 1.5                  |
| I098387            |                                   | 0.091              | 0.10                 | 0.63                | 82                  | 0.14                | 7.27                | 72                   | 1.2                  |
| I098388            |                                   | 0.123              | 0.10                 | 0.53                | 94                  | 0.18                | 4.81                | 75                   | 1.3                  |
| I098389            |                                   | 0.216              | 0.28                 | 0.72                | 96                  | 0.14                | 6.10                | 82                   | 1.1                  |
| I098390            |                                   | 0.098              | 0.20                 | 3.09                | 60                  | 0.12                | 41.9                | 40                   | 2.2                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I098391            |                                   | 0.36                      | <0.005               | 0.07                 | 3.80               | 6.0                  | <0.2                 | <10                 | 160                  | 1.69                 | 0.90                 | 0.10               | 0.09                 | 40.3                 | 21.5                 | 23                   |
| I098392            |                                   | 0.40                      | <0.005               | 0.04                 | 1.18               | 6.7                  | <0.2                 | <10                 | 90                   | 0.29                 | 0.80                 | 0.13               | 0.10                 | 48.0                 | 4.1                  | 17                   |
| I098393            |                                   | 0.38                      | <0.005               | 0.12                 | 1.80               | 5.9                  | <0.2                 | <10                 | 190                  | 0.39                 | 0.33                 | 0.39               | 0.18                 | 35.1                 | 8.6                  | 31                   |
| I098394            |                                   | 0.38                      | <0.005               | 0.08                 | 2.06               | 4.2                  | <0.2                 | <10                 | 130                  | 0.45                 | 0.25                 | 0.41               | 0.11                 | 25.4                 | 11.0                 | 45                   |
| I098395            |                                   | 0.40                      | <0.005               | 0.10                 | 2.72               | 4.5                  | <0.2                 | <10                 | 320                  | 0.73                 | 0.17                 | 0.70               | 0.14                 | 76.2                 | 22.0                 | 68                   |
| I098396            |                                   | 0.36                      | <0.005               | 0.04                 | 2.31               | 7.5                  | <0.2                 | <10                 | 190                  | 0.63                 | 0.20                 | 0.43               | 0.07                 | 33.3                 | 15.3                 | 57                   |
| I098397            |                                   | 0.26                      | <0.005               | 0.11                 | 2.20               | 6.6                  | <0.2                 | <10                 | 280                  | 0.70                 | 0.19                 | 0.63               | 0.06                 | 42.1                 | 16.7                 | 83                   |
| I098398            |                                   | 0.32                      | <0.005               | 0.24                 | 1.04               | 2.4                  | <0.2                 | <10                 | 150                  | 0.37                 | 0.14                 | 0.22               | 0.13                 | 23.2                 | 4.8                  | 21                   |
| I098399            |                                   | 0.30                      | <0.005               | 0.11                 | 1.91               | 12.5                 | <0.2                 | <10                 | 140                  | 0.31                 | 0.26                 | 0.31               | 0.20                 | 19.75                | 9.3                  | 34                   |
| I098400            |                                   | 0.30                      | <0.005               | 0.15                 | 1.47               | 8.2                  | <0.2                 | <10                 | 100                  | 0.25                 | 0.61                 | 0.12               | 0.07                 | 31.5                 | 5.1                  | 25                   |
| I098401            |                                   | 0.42                      | 0.005                | 0.12                 | 1.81               | 7.0                  | <0.2                 | <10                 | 120                  | 0.47                 | 0.24                 | 0.25               | 0.14                 | 31.1                 | 7.4                  | 30                   |
| I098402            |                                   | 0.34                      | 0.007                | 0.31                 | 2.76               | 11.5                 | <0.2                 | <10                 | 110                  | 1.19                 | 0.75                 | 0.19               | 0.15                 | 39.3                 | 14.9                 | 41                   |
| I098403            |                                   | 0.26                      | <0.005               | 0.12                 | 0.83               | 2.7                  | <0.2                 | <10                 | 130                  | 0.14                 | 0.20                 | 0.16               | 0.08                 | 13.65                | 3.0                  | 19                   |
| I098404            |                                   | 0.32                      | <0.005               | 0.14                 | 2.18               | 6.7                  | <0.2                 | <10                 | 180                  | 0.50                 | 0.15                 | 0.45               | 0.07                 | 35.3                 | 15.3                 | 67                   |
| I098405            |                                   | 0.34                      | <0.005               | 0.03                 | 2.45               | 6.2                  | <0.2                 | <10                 | 180                  | 0.36                 | 0.14                 | 0.66               | 0.07                 | 17.90                | 19.0                 | 119                  |
| I098406            |                                   | 0.34                      | <0.005               | 0.10                 | 2.40               | 9.1                  | <0.2                 | <10                 | 210                  | 0.53                 | 0.17                 | 0.36               | 0.07                 | 27.9                 | 14.2                 | 52                   |
| I098407            |                                   | 0.36                      | <0.005               | 0.01                 | 0.14               | 1.8                  | <0.2                 | <10                 | 30                   | 0.10                 | 0.02                 | 0.09               | 0.04                 | 11.20                | 2.2                  | 4                    |
| I098408            |                                   | 0.36                      | <0.005               | 0.09                 | 2.46               | 5.4                  | <0.2                 | <10                 | 400                  | 0.41                 | 0.16                 | 0.28               | 0.16                 | 17.30                | 18.4                 | 54                   |
| I098409            |                                   | 0.42                      | 0.005                | 0.11                 | 2.34               | 7.4                  | <0.2                 | <10                 | 120                  | 0.50                 | 0.24                 | 0.16               | 0.08                 | 22.6                 | 12.3                 | 48                   |
| I098410            |                                   | 0.32                      | <0.005               | 0.15                 | 1.49               | 11.7                 | <0.2                 | <10                 | 110                  | 0.32                 | 0.31                 | 0.19               | 0.58                 | 33.9                 | 7.8                  | 29                   |
| I098411            |                                   | 0.30                      | 0.005                | 0.31                 | 2.01               | 16.1                 | <0.2                 | <10                 | 190                  | 0.87                 | 0.46                 | 0.23               | 0.34                 | 112.5                | 15.4                 | 34                   |
| I098412            |                                   | 0.30                      | 0.010                | 0.16                 | 1.53               | 6.4                  | <0.2                 | <10                 | 170                  | 0.51                 | 0.22                 | 0.23               | 0.18                 | 29.8                 | 13.3                 | 26                   |
| I098413            |                                   | 0.32                      | <0.005               | 0.14                 | 1.49               | 14.2                 | <0.2                 | <10                 | 150                  | 0.41                 | 0.17                 | 0.15               | 0.13                 | 23.6                 | 13.0                 | 31                   |
| I098414            |                                   | 0.34                      | <0.005               | 0.09                 | 1.86               | 31.8                 | <0.2                 | <10                 | 140                  | 0.27                 | 0.17                 | 0.24               | 0.27                 | 19.45                | 14.2                 | 33                   |
| I098415            |                                   | 0.26                      | <0.005               | 0.30                 | 2.00               | 90.9                 | <0.2                 | <10                 | 160                  | 0.53                 | 0.14                 | 0.39               | 0.10                 | 49.5                 | 10.5                 | 41                   |
| I098416            |                                   | 0.42                      | <0.005               | 0.09                 | 2.36               | 96.4                 | <0.2                 | <10                 | 180                  | 0.38                 | 0.15                 | 0.24               | 0.13                 | 19.85                | 18.4                 | 44                   |
| I098417            |                                   | 0.32                      | <0.005               | 0.10                 | 2.21               | 58.0                 | <0.2                 | <10                 | 150                  | 0.23                 | 0.17                 | 0.27               | 0.11                 | 19.05                | 12.9                 | 51                   |
| I098418            |                                   | 0.40                      | <0.005               | 0.08                 | 2.42               | 11.5                 | <0.2                 | <10                 | 210                  | 0.36                 | 0.18                 | 0.34               | 0.08                 | 14.75                | 17.3                 | 46                   |
| I098419            |                                   | 0.38                      | <0.005               | 0.09                 | 2.37               | 43.6                 | <0.2                 | <10                 | 220                  | 0.47                 | 0.15                 | 0.51               | 0.06                 | 29.8                 | 18.6                 | 53                   |
| I098420            |                                   | 0.44                      | <0.005               | 0.04                 | 3.17               | 74.1                 | <0.2                 | <10                 | 320                  | 0.43                 | 0.10                 | 0.35               | 0.07                 | 12.95                | 19.5                 | 79                   |
| I098421            |                                   | 0.36                      | <0.005               | 0.11                 | 2.27               | 55.7                 | <0.2                 | <10                 | 200                  | 0.51                 | 0.16                 | 0.20               | 0.07                 | 34.0                 | 14.2                 | 44                   |
| I098422            |                                   | 0.36                      | <0.005               | 0.20                 | 2.14               | 38.2                 | <0.2                 | <10                 | 210                  | 0.75                 | 0.19                 | 0.25               | 0.28                 | 31.8                 | 15.2                 | 45                   |
| I098423            |                                   | 0.42                      | <0.005               | 0.14                 | 2.79               | 48.8                 | <0.2                 | <10                 | 130                  | 0.84                 | 0.14                 | 0.62               | 0.13                 | 31.3                 | 21.1                 | 67                   |
| I098424            |                                   | 0.32                      | <0.005               | 0.09                 | 2.74               | 8.6                  | <0.2                 | <10                 | 320                  | 0.63                 | 0.22                 | 0.43               | 0.08                 | 18.85                | 23.5                 | 61                   |
| I098425            |                                   | 0.30                      | <0.005               | 0.03                 | 2.06               | 4.3                  | <0.2                 | <10                 | 280                  | 0.29                 | 0.10                 | 0.47               | 0.16                 | 14.60                | 12.9                 | 129                  |
| I098426            |                                   | 0.30                      | <0.005               | 0.05                 | 3.00               | 5.8                  | <0.2                 | <10                 | 390                  | 0.68                 | 0.11                 | 0.41               | 0.09                 | 47.4                 | 21.2                 | 94                   |
| I098427            |                                   | 0.38                      | <0.005               | 0.04                 | 2.76               | 8.3                  | <0.2                 | <10                 | 380                  | 0.54                 | 0.03                 | 0.65               | 0.06                 | 40.4                 | 22.6                 | 103                  |
| I098428            |                                   | 0.40                      | <0.005               | 0.46                 | 1.89               | 11.7                 | <0.2                 | <10                 | 490                  | 0.48                 | 0.15                 | 0.33               | 0.59                 | 24.7                 | 12.5                 | 33                   |
| I098429            |                                   | 0.38                      | <0.005               | 0.16                 | 1.82               | 11.2                 | <0.2                 | <10                 | 490                  | 0.42                 | 0.23                 | 0.38               | 0.43                 | 29.3                 | 13.6                 | 25                   |
| I098430            |                                   | 0.30                      | <0.005               | 0.25                 | 2.11               | 6.9                  | <0.2                 | <10                 | 580                  | 0.38                 | 0.12                 | 0.27               | 0.11                 | 17.35                | 10.8                 | 64                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I098391            |                                   | 4.92    | 25.4    | 5.93    | 13.15   | 0.11    | 0.21    | 0.02    | 0.052   | 0.88    | 23.4    | 18.5    | 2.37    | 775     | 1.01    |
| I098392            |                                   | 1.05    | 11.6    | 2.19    | 7.50    | 0.06    | 0.08    | 0.02    | 0.019   | 0.13    | 28.7    | 5.4     | 0.50    | 199     | 2.12    |
| I098393            |                                   | 1.08    | 16.5    | 2.65    | 5.96    | 0.06    | 0.05    | 0.05    | 0.024   | 0.06    | 18.7    | 10.2    | 0.63    | 208     | 0.80    |
| I098394            |                                   | 1.16    | 17.6    | 2.78    | 7.27    | 0.06    | 0.03    | 0.04    | 0.080   | 0.07    | 13.0    | 14.7    | 1.03    | 223     | 0.62    |
| I098395            |                                   | 1.48    | 33.5    | 3.88    | 9.55    | 0.14    | 0.08    | 0.04    | 0.030   | 0.44    | 44.4    | 20.4    | 1.64    | 519     | 0.93    |
| I098396            |                                   | 1.25    | 18.4    | 3.65    | 8.14    | 0.07    | 0.09    | 0.01    | 0.029   | 0.20    | 20.9    | 18.0    | 1.22    | 409     | 0.96    |
| I098397            |                                   | 1.16    | 23.9    | 3.22    | 7.42    | 0.09    | 0.05    | 0.03    | 0.027   | 0.19    | 32.2    | 15.6    | 1.15    | 420     | 0.97    |
| I098398            |                                   | 0.78    | 21.2    | 1.24    | 4.55    | <0.05   | <0.02   | 0.03    | 0.016   | 0.08    | 15.7    | 4.9     | 0.21    | 88      | 0.55    |
| I098399            |                                   | 0.99    | 15.4    | 4.10    | 9.39    | 0.06    | 0.06    | 0.01    | 0.026   | 0.07    | 10.2    | 12.6    | 0.50    | 334     | 2.30    |
| I098400            |                                   | 0.67    | 13.3    | 2.65    | 7.50    | <0.05   | 0.12    | 0.02    | 0.020   | 0.07    | 17.0    | 9.2     | 0.37    | 150     | 2.32    |
| I098401            |                                   | 0.87    | 15.3    | 2.78    | 7.67    | 0.06    | 0.15    | 0.02    | 0.022   | 0.09    | 17.1    | 11.5    | 0.66    | 238     | 1.13    |
| I098402            |                                   | 1.52    | 36.8    | 3.42    | 7.11    | 0.07    | 0.42    | 0.06    | 0.047   | 0.08    | 16.9    | 14.2    | 0.71    | 272     | 1.41    |
| I098403            |                                   | 0.58    | 11.7    | 1.12    | 5.70    | <0.05   | 0.02    | 0.01    | 0.014   | 0.07    | 7.9     | 3.5     | 0.20    | 73      | 0.69    |
| I098404            |                                   | 0.88    | 28.0    | 3.27    | 7.51    | 0.07    | 0.09    | 0.02    | 0.020   | 0.15    | 25.4    | 14.7    | 1.10    | 413     | 1.18    |
| I098405            |                                   | 2.54    | 16.4    | 4.15    | 13.05   | 0.13    | 0.04    | 0.01    | 0.016   | 0.60    | 9.0     | 13.0    | 2.16    | 443     | 1.49    |
| I098406            |                                   | 1.05    | 27.1    | 3.36    | 7.61    | 0.06    | 0.09    | 0.02    | 0.027   | 0.09    | 14.7    | 15.5    | 0.83    | 372     | 0.88    |
| I098407            |                                   | 0.08    | 2.0     | 0.73    | 0.60    | <0.05   | 0.08    | <0.01   | <0.005  | 0.04    | 5.7     | 1.2     | 0.04    | 164     | 0.27    |
| I098408            |                                   | 1.24    | 14.6    | 3.74    | 10.40   | 0.06    | 0.03    | 0.02    | 0.022   | 0.10    | 6.3     | 17.1    | 1.34    | 994     | 0.96    |
| I098409            |                                   | 1.01    | 21.1    | 3.56    | 8.90    | 0.05    | 0.12    | 0.01    | 0.029   | 0.08    | 11.2    | 13.7    | 0.83    | 363     | 1.49    |
| I098410            |                                   | 0.69    | 86.9    | 2.87    | 6.78    | 0.05    | 0.06    | 0.02    | 0.024   | 0.11    | 16.3    | 10.9    | 0.50    | 278     | 1.52    |
| I098411            |                                   | 0.81    | 112.5   | 3.62    | 7.81    | 0.11    | 0.16    | 0.03    | 0.032   | 0.14    | 47.0    | 9.9     | 0.59    | 1590    | 2.91    |
| I098412            |                                   | 0.78    | 21.7    | 2.71    | 7.11    | 0.05    | 0.03    | 0.02    | 0.022   | 0.06    | 16.3    | 8.1     | 0.41    | 668     | 1.44    |
| I098413            |                                   | 0.72    | 16.7    | 2.48    | 6.79    | 0.05    | 0.02    | 0.03    | 0.017   | 0.07    | 15.2    | 8.8     | 0.40    | 851     | 1.34    |
| I098414            |                                   | 0.43    | 17.0    | 3.37    | 6.67    | <0.05   | 0.02    | 0.02    | 0.025   | 0.13    | 6.9     | 11.4    | 0.53    | 606     | 1.31    |
| I098415            |                                   | 0.82    | 26.4    | 2.73    | 7.39    | 0.07    | 0.03    | 0.04    | 0.020   | 0.10    | 28.7    | 18.8    | 0.62    | 404     | 1.11    |
| I098416            |                                   | 0.81    | 18.7    | 3.42    | 7.65    | 0.05    | 0.02    | 0.01    | 0.028   | 0.05    | 9.0     | 14.4    | 0.64    | 855     | 1.13    |
| I098417            |                                   | 0.76    | 24.2    | 3.92    | 8.39    | 0.06    | 0.05    | 0.01    | 0.028   | 0.07    | 8.9     | 19.8    | 0.81    | 343     | 1.52    |
| I098418            |                                   | 0.66    | 21.5    | 3.94    | 8.32    | 0.05    | 0.07    | 0.01    | 0.024   | 0.12    | 7.8     | 21.2    | 0.85    | 537     | 1.39    |
| I098419            |                                   | 0.68    | 25.7    | 3.71    | 7.64    | 0.06    | 0.16    | 0.02    | 0.029   | 0.05    | 14.9    | 19.3    | 0.80    | 542     | 0.87    |
| I098420            |                                   | 2.54    | 31.2    | 4.92    | 9.10    | 0.08    | 0.08    | 0.01    | 0.019   | 0.77    | 6.5     | 34.2    | 1.71    | 543     | 1.07    |
| I098421            |                                   | 0.53    | 20.2    | 3.50    | 7.07    | 0.05    | 0.09    | 0.01    | 0.032   | 0.10    | 14.6    | 14.2    | 0.66    | 316     | 1.09    |
| I098422            |                                   | 0.68    | 17.4    | 3.52    | 7.35    | 0.05    | 0.04    | 0.01    | 0.033   | 0.10    | 13.3    | 10.9    | 0.53    | 594     | 1.14    |
| I098423            |                                   | 1.22    | 26.9    | 4.51    | 9.20    | 0.07    | 0.08    | 0.02    | 0.027   | 0.20    | 12.0    | 19.1    | 0.94    | 456     | 1.47    |
| I098424            |                                   | 1.90    | 22.5    | 4.15    | 7.86    | 0.08    | 0.06    | 0.01    | 0.018   | 0.60    | 7.2     | 20.3    | 1.68    | 604     | 1.66    |
| I098425            |                                   | 0.92    | 9.8     | 2.75    | 6.57    | 0.06    | 0.02    | 0.02    | 0.013   | 0.17    | 8.0     | 14.8    | 1.09    | 396     | 1.01    |
| I098426            |                                   | 1.62    | 17.7    | 4.39    | 8.78    | 0.10    | 0.11    | 0.02    | 0.022   | 0.45    | 20.4    | 18.9    | 1.80    | 740     | 1.16    |
| I098427            |                                   | 2.10    | 12.0    | 3.85    | 7.43    | 0.13    | 0.06    | 0.01    | 0.009   | 0.69    | 19.2    | 17.7    | 2.11    | 503     | 0.55    |
| I098428            |                                   | 2.40    | 33.6    | 3.36    | 6.59    | 0.05    | 0.03    | 0.02    | 0.024   | 0.20    | 11.8    | 16.3    | 0.78    | 333     | 2.19    |
| I098429            |                                   | 2.18    | 37.9    | 4.01    | 7.21    | 0.07    | 0.02    | 0.02    | 0.023   | 0.44    | 16.3    | 11.7    | 0.64    | 375     | 4.01    |
| I098430            |                                   | 2.28    | 22.1    | 3.32    | 7.80    | 0.06    | 0.03    | 0.03    | 0.021   | 0.33    | 8.0     | 17.4    | 0.90    | 345     | 1.73    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I098391            |                                   | 0.88    | 11.4    | 300     | 54.1    | 113.0   | <0.001  | 0.02    | 0.46    | 13.1    | 0.5     | 1.4     | 9.8     | <0.01   | 0.02    |
| I098392            |                                   | 1.74    | 7.7     | 270     | 39.2    | 27.2    | <0.001  | 0.02    | 0.53    | 2.5     | 0.3     | 0.8     | 14.5    | <0.01   | 0.03    |
| I098393            |                                   | 1.61    | 19.2    | 620     | 16.9    | 13.3    | <0.001  | 0.04    | 0.41    | 4.9     | 0.5     | 0.5     | 32.1    | <0.01   | 0.02    |
| I098394            |                                   | 1.21    | 22.5    | 660     | 11.0    | 13.5    | <0.001  | 0.04    | 0.42    | 5.3     | 0.6     | 0.6     | 27.7    | <0.01   | 0.01    |
| I098395            |                                   | 1.77    | 33.8    | 860     | 8.8     | 59.4    | <0.001  | 0.02    | 0.28    | 7.4     | 0.8     | 0.7     | 37.0    | <0.01   | 0.01    |
| I098396            |                                   | 1.49    | 24.4    | 450     | 12.1    | 32.4    | <0.001  | 0.01    | 0.32    | 5.0     | 0.2     | 0.9     | 27.5    | <0.01   | 0.01    |
| I098397            |                                   | 1.47    | 33.2    | 700     | 11.4    | 30.7    | <0.001  | 0.03    | 0.32    | 5.2     | 0.6     | 0.8     | 37.8    | <0.01   | 0.02    |
| I098398            |                                   | 0.79    | 11.7    | 240     | 5.8     | 15.3    | <0.001  | 0.01    | 0.13    | 2.0     | 0.4     | 0.4     | 19.3    | <0.01   | 0.02    |
| I098399            |                                   | 2.35    | 16.2    | 540     | 14.6    | 21.5    | <0.001  | 0.01    | 0.65    | 3.2     | 0.3     | 0.8     | 25.4    | <0.01   | 0.05    |
| I098400            |                                   | 2.12    | 10.4    | 200     | 52.8    | 17.6    | <0.001  | 0.02    | 0.46    | 2.7     | 0.3     | 0.7     | 14.5    | <0.01   | 0.02    |
| I098401            |                                   | 2.34    | 15.9    | 180     | 25.6    | 31.7    | <0.001  | 0.01    | 0.35    | 3.5     | 0.3     | 0.7     | 22.3    | <0.01   | 0.02    |
| I098402            |                                   | 2.36    | 27.8    | 270     | 265     | 22.6    | <0.001  | 0.01    | 0.61    | 5.1     | 0.5     | 0.8     | 18.6    | 0.01    | 0.03    |
| I098403            |                                   | 1.20    | 7.9     | 160     | 10.0    | 14.0    | <0.001  | 0.01    | 0.15    | 1.9     | 0.3     | 0.5     | 17.1    | <0.01   | 0.02    |
| I098404            |                                   | 1.83    | 28.7    | 460     | 7.6     | 24.8    | <0.001  | 0.01    | 0.29    | 4.4     | 0.3     | 0.6     | 31.2    | <0.01   | 0.03    |
| I098405            |                                   | 1.98    | 34.6    | 780     | 9.0     | 69.3    | <0.001  | 0.01    | 0.20    | 4.4     | 0.2     | 0.8     | 39.7    | <0.01   | 0.02    |
| I098406            |                                   | 1.90    | 29.5    | 510     | 8.8     | 18.2    | <0.001  | 0.01    | 0.40    | 4.9     | 0.4     | 0.6     | 28.9    | <0.01   | 0.03    |
| I098407            |                                   | 0.24    | 3.6     | 130     | 1.6     | 2.1     | <0.001  | <0.01   | 0.11    | 0.6     | 0.2     | <0.2    | 7.8     | <0.01   | 0.01    |
| I098408            |                                   | 2.59    | 21.5    | 480     | 7.0     | 28.2    | <0.001  | 0.01    | 0.28    | 3.6     | 0.3     | 0.9     | 25.5    | <0.01   | 0.03    |
| I098409            |                                   | 1.99    | 23.6    | 190     | 13.1    | 22.7    | <0.001  | 0.01    | 0.50    | 4.5     | 0.3     | 0.8     | 17.0    | <0.01   | 0.02    |
| I098410            |                                   | 1.89    | 16.2    | 330     | 31.4    | 25.9    | <0.001  | 0.02    | 0.90    | 3.6     | 0.3     | 0.6     | 20.7    | <0.01   | 0.04    |
| I098411            |                                   | 1.77    | 19.5    | 330     | 81.3    | 25.8    | <0.001  | 0.02    | 0.53    | 6.9     | 0.9     | 0.8     | 22.5    | <0.01   | 0.06    |
| I098412            |                                   | 1.55    | 14.7    | 230     | 17.4    | 18.1    | <0.001  | 0.01    | 0.47    | 3.9     | 0.3     | 0.7     | 21.2    | <0.01   | 0.03    |
| I098413            |                                   | 1.89    | 15.7    | 300     | 10.0    | 12.7    | <0.001  | 0.01    | 0.39    | 2.8     | 0.3     | 0.5     | 15.0    | <0.01   | 0.02    |
| I098414            |                                   | 1.37    | 22.0    | 350     | 7.3     | 11.2    | <0.001  | 0.01    | 0.69    | 2.9     | 0.2     | 0.4     | 23.5    | <0.01   | 0.03    |
| I098415            |                                   | 1.56    | 29.1    | 290     | 6.3     | 15.3    | <0.001  | 0.01    | 0.90    | 4.4     | 0.5     | 0.5     | 32.3    | <0.01   | 0.03    |
| I098416            |                                   | 1.51    | 30.7    | 290     | 7.0     | 10.9    | <0.001  | 0.01    | 0.82    | 3.9     | 0.2     | 0.5     | 23.0    | <0.01   | 0.03    |
| I098417            |                                   | 1.62    | 31.2    | 260     | 8.3     | 16.5    | <0.001  | 0.01    | 1.02    | 4.3     | 0.2     | 0.5     | 20.8    | <0.01   | 0.03    |
| I098418            |                                   | 2.12    | 26.6    | 340     | 8.1     | 16.2    | <0.001  | 0.03    | 0.43    | 3.5     | 0.3     | 0.6     | 31.1    | <0.01   | 0.03    |
| I098419            |                                   | 2.06    | 31.7    | 320     | 9.5     | 10.0    | <0.001  | 0.01    | 0.93    | 5.6     | 0.4     | 0.6     | 41.9    | <0.01   | 0.02    |
| I098420            |                                   | 1.89    | 38.2    | 290     | 6.5     | 73.3    | <0.001  | 0.01    | 0.68    | 4.1     | 0.4     | 0.6     | 31.4    | <0.01   | 0.03    |
| I098421            |                                   | 1.63    | 28.8    | 230     | 8.9     | 11.7    | <0.001  | 0.01    | 0.84    | 4.4     | 0.3     | 0.5     | 20.8    | <0.01   | 0.03    |
| I098422            |                                   | 1.29    | 25.8    | 270     | 38.9    | 14.5    | <0.001  | 0.01    | 0.81    | 4.9     | 0.3     | 0.7     | 23.2    | <0.01   | 0.02    |
| I098423            |                                   | 3.01    | 41.9    | 310     | 11.7    | 22.0    | <0.001  | 0.01    | 1.42    | 4.9     | 0.3     | 0.7     | 32.7    | <0.01   | 0.04    |
| I098424            |                                   | 1.86    | 26.4    | 280     | 11.8    | 55.3    | <0.001  | <0.01   | 0.31    | 4.8     | 0.2     | 0.4     | 31.5    | <0.01   | 0.04    |
| I098425            |                                   | 1.92    | 14.4    | 440     | 4.4     | 23.8    | <0.001  | 0.02    | 0.25    | 2.3     | 0.2     | 0.5     | 35.6    | <0.01   | 0.02    |
| I098426            |                                   | 1.98    | 34.8    | 450     | 5.8     | 45.8    | <0.001  | 0.01    | 0.39    | 6.6     | 0.3     | 0.5     | 33.0    | <0.01   | 0.02    |
| I098427            |                                   | 1.55    | 35.6    | 840     | 3.0     | 61.2    | <0.001  | 0.01    | 0.16    | 3.4     | 0.3     | 0.3     | 33.2    | <0.01   | 0.01    |
| I098428            |                                   | 1.42    | 29.3    | 540     | 8.3     | 20.3    | <0.001  | 0.02    | 0.48    | 4.7     | 0.8     | 0.5     | 24.0    | <0.01   | 0.06    |
| I098429            |                                   | 1.17    | 47.2    | 1830    | 8.7     | 31.7    | <0.001  | 0.06    | 0.67    | 1.9     | 1.1     | 0.5     | 39.9    | <0.01   | 0.07    |
| I098430            |                                   | 1.83    | 25.3    | 720     | 6.5     | 43.5    | <0.001  | 0.01    | 0.23    | 5.0     | 0.4     | 0.4     | 18.0    | <0.01   | 0.03    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I098391            |                                   | 0.273   | 0.97    | 0.96    | 157     | 0.15    | 8.53    | 94      |
| I098392            |                                   | 0.114   | 0.21    | 1.57    | 53      | 0.12    | 6.70    | 50      |
| I098393            |                                   | 0.102   | 0.15    | 1.64    | 55      | 0.48    | 8.77    | 61      |
| I098394            |                                   | 0.103   | 0.12    | 1.45    | 62      | 0.13    | 6.42    | 61      |
| I098395            |                                   | 0.203   | 0.35    | 1.91    | 84      | 0.15    | 25.1    | 75      |
| I098396            |                                   | 0.156   | 0.22    | 0.96    | 83      | 0.15    | 7.29    | 57      |
| I098397            |                                   | 0.117   | 0.19    | 1.38    | 68      | 0.29    | 17.05   | 48      |
| I098398            |                                   | 0.062   | 0.09    | 0.72    | 27      | 0.08    | 8.32    | 22      |
| I098399            |                                   | 0.115   | 0.13    | 0.42    | 91      | 0.19    | 2.51    | 63      |
| I098400            |                                   | 0.097   | 0.12    | 0.76    | 66      | 0.14    | 2.93    | 44      |
| I098401            |                                   | 0.130   | 0.19    | 0.96    | 68      | 0.13    | 5.56    | 54      |
| I098402            |                                   | 0.118   | 0.21    | 1.32    | 72      | 0.20    | 8.79    | 80      |
| I098403            |                                   | 0.086   | 0.11    | 0.50    | 34      | 0.10    | 2.45    | 21      |
| I098404            |                                   | 0.160   | 0.20    | 0.75    | 79      | 0.13    | 6.03    | 49      |
| I098405            |                                   | 0.279   | 0.37    | 0.53    | 150     | 0.17    | 3.16    | 66      |
| I098406            |                                   | 0.136   | 0.22    | 0.83    | 75      | 0.16    | 5.25    | 53      |
| I098407            |                                   | 0.009   | 0.03    | 0.35    | 5       | <0.05   | 2.18    | 5       |
| I098408            |                                   | 0.212   | 0.21    | 0.51    | 88      | 0.18    | 2.48    | 72      |
| I098409            |                                   | 0.135   | 0.18    | 0.52    | 85      | 0.15    | 3.04    | 46      |
| I098410            |                                   | 0.105   | 0.11    | 0.78    | 66      | 0.16    | 3.75    | 72      |
| I098411            |                                   | 0.097   | 0.22    | 3.36    | 66      | 0.12    | 24.5    | 112     |
| I098412            |                                   | 0.080   | 0.10    | 0.79    | 68      | 0.14    | 6.73    | 43      |
| I098413            |                                   | 0.104   | 0.12    | 0.64    | 55      | 0.16    | 5.28    | 48      |
| I098414            |                                   | 0.056   | 0.07    | 0.68    | 60      | 0.11    | 3.96    | 58      |
| I098415            |                                   | 0.064   | 0.12    | 1.14    | 54      | 0.14    | 14.45   | 48      |
| I098416            |                                   | 0.066   | 0.11    | 0.35    | 70      | 0.13    | 3.52    | 66      |
| I098417            |                                   | 0.076   | 0.08    | 0.39    | 76      | 0.15    | 4.54    | 66      |
| I098418            |                                   | 0.138   | 0.14    | 0.40    | 77      | 0.13    | 2.76    | 76      |
| I098419            |                                   | 0.134   | 0.11    | 0.85    | 73      | 0.14    | 7.78    | 60      |
| I098420            |                                   | 0.217   | 0.31    | 0.38    | 83      | 0.17    | 3.24    | 81      |
| I098421            |                                   | 0.084   | 0.09    | 0.62    | 70      | 0.11    | 4.39    | 58      |
| I098422            |                                   | 0.058   | 0.13    | 0.48    | 69      | 0.18    | 3.69    | 64      |
| I098423            |                                   | 0.146   | 0.17    | 0.66    | 73      | 0.22    | 5.84    | 101     |
| I098424            |                                   | 0.195   | 0.24    | 0.28    | 77      | 0.14    | 3.31    | 74      |
| I098425            |                                   | 0.145   | 0.14    | 0.32    | 52      | 0.16    | 2.32    | 52      |
| I098426            |                                   | 0.158   | 0.25    | 0.61    | 78      | 0.16    | 7.09    | 67      |
| I098427            |                                   | 0.198   | 0.38    | 0.58    | 69      | 0.17    | 7.52    | 59      |
| I098428            |                                   | 0.113   | 0.20    | 0.97    | 80      | 0.13    | 5.23    | 92      |
| I098429            |                                   | 0.104   | 0.24    | 1.24    | 76      | 0.12    | 7.82    | 162     |
| I098430            |                                   | 0.145   | 0.21    | 0.47    | 81      | 0.13    | 4.63    | 75      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I098431            |                                   | 0.32                      | <0.005               | 0.39                 | 1.44               | 2.1                  | <0.2                 | <10                 | 600                  | 0.30                 | 0.09                 | 0.31               | 0.08                 | 13.65                | 6.6                  | 59                   |
| I098432            |                                   | 0.36                      | 0.005                | 0.13                 | 1.08               | 14.4                 | <0.2                 | <10                 | 110                  | 0.20                 | 0.22                 | 0.15               | 0.38                 | 25.8                 | 5.1                  | 29                   |
| I098433            |                                   | 0.34                      | <0.005               | 0.32                 | 2.29               | 33.5                 | <0.2                 | <10                 | 490                  | 1.21                 | 0.15                 | 0.59               | 0.21                 | 58.1                 | 16.1                 | 60                   |
| I098434            |                                   | 0.30                      | <0.005               | 0.21                 | 1.40               | 8.8                  | <0.2                 | <10                 | 200                  | 0.23                 | 0.15                 | 0.31               | 0.38                 | 26.1                 | 6.1                  | 36                   |
| I098435            |                                   | 0.36                      | <0.005               | 0.58                 | 1.43               | 4.4                  | <0.2                 | <10                 | 320                  | 0.31                 | 0.15                 | 0.19               | 0.54                 | 23.3                 | 6.6                  | 38                   |
| I098436            |                                   | 0.36                      | <0.005               | 0.28                 | 1.48               | 7.2                  | <0.2                 | <10                 | 270                  | 0.28                 | 0.21                 | 0.21               | 0.62                 | 25.7                 | 7.9                  | 32                   |
| I098437            |                                   | 0.40                      | 0.007                | 0.51                 | 1.51               | 9.6                  | <0.2                 | <10                 | 390                  | 0.31                 | 0.24                 | 0.24               | 0.49                 | 32.5                 | 6.5                  | 38                   |
| I098438            |                                   | 0.42                      | <0.005               | 0.02                 | 0.17               | 2.2                  | <0.2                 | <10                 | 30                   | 0.10                 | 0.02                 | 0.09               | 0.04                 | 11.25                | 2.3                  | 4                    |
| I098439            |                                   | 0.36                      | 0.006                | 0.79                 | 1.46               | 12.6                 | <0.2                 | <10                 | 360                  | 0.26                 | 0.20                 | 0.22               | 0.82                 | 31.2                 | 5.5                  | 34                   |
| I098440            |                                   | 0.38                      | <0.005               | 0.22                 | 1.79               | 15.9                 | <0.2                 | <10                 | 510                  | 0.86                 | 0.22                 | 0.47               | 0.31                 | 49.4                 | 16.7                 | 55                   |
| I098441            |                                   | 0.32                      | <0.005               | 0.19                 | 1.06               | 3.3                  | <0.2                 | <10                 | 250                  | 0.16                 | 0.15                 | 0.19               | 0.17                 | 14.10                | 4.9                  | 39                   |
| I098442            |                                   | 0.34                      | <0.005               | 0.18                 | 1.67               | 7.5                  | <0.2                 | <10                 | 300                  | 0.37                 | 0.13                 | 0.47               | 0.15                 | 14.85                | 11.9                 | 56                   |
| I098443            |                                   | 0.34                      | <0.005               | 0.49                 | 1.99               | 9.1                  | <0.2                 | <10                 | 360                  | 0.45                 | 0.17                 | 0.31               | 0.91                 | 22.7                 | 13.7                 | 37                   |
| I098444            |                                   | 0.36                      | 0.010                | 0.49                 | 1.71               | 10.9                 | <0.2                 | <10                 | 340                  | 0.36                 | 0.17                 | 0.23               | 0.76                 | 22.9                 | 10.0                 | 44                   |
| I098445            |                                   | 0.34                      | <0.005               | 0.26                 | 2.33               | 8.1                  | <0.2                 | <10                 | 440                  | 0.67                 | 0.13                 | 0.35               | 0.28                 | 25.6                 | 17.2                 | 68                   |
| I098446            |                                   | 0.34                      | <0.005               | 0.21                 | 1.73               | 9.2                  | <0.2                 | <10                 | 360                  | 0.36                 | 0.16                 | 0.36               | 0.21                 | 19.95                | 11.8                 | 37                   |
| I098447            |                                   | 0.34                      | <0.005               | 0.77                 | 1.60               | 4.2                  | <0.2                 | <10                 | 1030                 | 0.41                 | 0.13                 | 0.50               | 0.97                 | 19.80                | 12.3                 | 37                   |
| I098448            |                                   | 0.44                      | <0.005               | 0.31                 | 1.97               | 4.6                  | <0.2                 | <10                 | 470                  | 0.53                 | 0.17                 | 0.41               | 0.34                 | 30.6                 | 16.3                 | 39                   |
| I098449            |                                   | 0.38                      | 0.005                | 1.08                 | 2.09               | 5.9                  | <0.2                 | <10                 | 320                  | 0.66                 | 0.18                 | 0.15               | 0.24                 | 75.4                 | 7.7                  | 55                   |
| I098450            |                                   | 0.30                      | <0.005               | 0.32                 | 1.62               | 6.6                  | <0.2                 | <10                 | 250                  | 0.32                 | 0.16                 | 0.16               | 0.36                 | 29.6                 | 9.3                  | 34                   |
| I098498            |                                   | 0.48                      | <0.005               | 0.12                 | 2.31               | 10.6                 | <0.2                 | <10                 | 160                  | 0.44                 | 0.18                 | 0.36               | 0.18                 | 29.7                 | 10.4                 | 27                   |
| I098499            |                                   | 0.38                      | <0.005               | 0.18                 | 1.89               | 12.0                 | <0.2                 | <10                 | 170                  | 0.28                 | 0.15                 | 0.38               | 0.13                 | 22.3                 | 8.8                  | 22                   |
| I098500            |                                   | 0.40                      | <0.005               | 0.33                 | 2.28               | 41.8                 | <0.2                 | <10                 | 280                  | 0.43                 | 0.40                 | 0.95               | 0.21                 | 33.3                 | 11.3                 | 22                   |
| I098560            |                                   | 0.26                      | 0.027                | 0.87                 | 4.26               | 61.4                 | <0.2                 | <10                 | 520                  | 0.55                 | 0.74                 | 1.15               | 0.61                 | 25.0                 | 29.3                 | 86                   |
| I098561            |                                   | 0.20                      | 0.036                | 0.74                 | 2.88               | 40.9                 | <0.2                 | <10                 | 440                  | 0.61                 | 0.51                 | 2.29               | 0.80                 | 24.8                 | 17.5                 | 58                   |
| I098562            |                                   | 0.30                      | 0.023                | 0.45                 | 3.29               | 43.1                 | <0.2                 | <10                 | 340                  | 0.42                 | 0.55                 | 0.74               | 0.34                 | 18.50                | 18.9                 | 61                   |
| I098563            |                                   | 0.24                      | 0.011                | 0.28                 | 2.91               | 25.8                 | <0.2                 | <10                 | 360                  | 0.39                 | 0.44                 | 0.87               | 0.31                 | 16.40                | 15.8                 | 57                   |
| I098564            |                                   | 0.20                      | 0.013                | 0.30                 | 1.33               | 14.1                 | <0.2                 | <10                 | 450                  | 0.48                 | 0.19                 | 2.26               | 2.71                 | 27.7                 | 10.4                 | 22                   |
| I098565            |                                   | 0.26                      | 0.013                | 0.39                 | 2.96               | 31.2                 | <0.2                 | <10                 | 390                  | 0.39                 | 0.41                 | 1.13               | 0.83                 | 17.05                | 16.4                 | 61                   |
| I098566            |                                   | 0.30                      | 0.017                | 0.50                 | 3.30               | 35.2                 | <0.2                 | <10                 | 450                  | 0.42                 | 0.45                 | 1.24               | 0.55                 | 18.10                | 19.8                 | 65                   |
| I098567            |                                   | 0.34                      | 0.018                | 0.38                 | 2.98               | 16.1                 | <0.2                 | <10                 | 420                  | 0.40                 | 0.30                 | 0.89               | 0.20                 | 18.75                | 12.8                 | 57                   |
| I098568            |                                   | 0.16                      | 0.016                | 0.45                 | 2.20               | 39.4                 | <0.2                 | <10                 | 700                  | 0.47                 | 0.33                 | 2.01               | 2.01                 | 24.8                 | 31.4                 | 37                   |
| I098569            |                                   | 0.36                      | 0.021                | 0.40                 | 2.82               | 44.7                 | <0.2                 | <10                 | 390                  | 0.45                 | 0.46                 | 1.02               | 0.31                 | 14.90                | 14.7                 | 51                   |
| I098570            |                                   | 0.26                      | 0.021                | 0.54                 | 2.44               | 49.5                 | <0.2                 | <10                 | 480                  | 0.56                 | 0.39                 | 1.84               | 0.85                 | 24.0                 | 18.5                 | 44                   |
| I098571            |                                   | 0.42                      | 0.029                | 0.53                 | 2.63               | 51.8                 | <0.2                 | <10                 | 350                  | 0.42                 | 0.43                 | 0.70               | 0.46                 | 18.80                | 17.4                 | 51                   |
| I098572            |                                   | 0.40                      | 0.045                | 0.53                 | 2.51               | 43.6                 | <0.2                 | <10                 | 340                  | 0.43                 | 0.42                 | 0.73               | 0.39                 | 17.15                | 15.1                 | 48                   |
| I098573            |                                   | 0.30                      | 0.025                | 0.83                 | 2.16               | 60.3                 | <0.2                 | <10                 | 490                  | 0.68                 | 0.34                 | 1.52               | 0.69                 | 33.7                 | 18.0                 | 34                   |
| I098574            |                                   | 0.36                      | 0.029                | 0.49                 | 2.84               | 46.5                 | <0.2                 | <10                 | 330                  | 0.41                 | 0.38                 | 0.73               | 0.60                 | 20.7                 | 22.4                 | 54                   |
| I098575            |                                   | 0.38                      | 0.015                | 0.29                 | 3.21               | 36.4                 | <0.2                 | <10                 | 330                  | 0.45                 | 0.31                 | 0.63               | 0.20                 | 15.70                | 16.4                 | 64                   |
| I098576            |                                   | 0.26                      | 0.018                | 0.36                 | 2.80               | 31.7                 | <0.2                 | <10                 | 290                  | 0.30                 | 0.43                 | 0.67               | 0.25                 | 14.20                | 15.3                 | 58                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I098431            |                                   | 2.11    | 19.0    | 2.06    | 6.51    | 0.05    | <0.02   | 0.02    | 0.012   | 0.24    | 7.2     | 7.6     | 0.68    | 165     | 0.96    |
| I098432            |                                   | 1.38    | 22.6    | 2.53    | 6.07    | 0.05    | <0.02   | 0.02    | 0.013   | 0.11    | 13.7    | 7.2     | 0.31    | 238     | 2.14    |
| I098433            |                                   | 7.63    | 64.3    | 4.89    | 7.28    | 0.12    | 0.05    | 0.02    | 0.037   | 0.49    | 38.7    | 15.2    | 0.96    | 479     | 2.50    |
| I098434            |                                   | 1.87    | 21.1    | 2.16    | 5.96    | 0.07    | 0.02    | 0.04    | 0.017   | 0.11    | 13.9    | 9.9     | 0.56    | 175     | 1.67    |
| I098435            |                                   | 1.55    | 23.7    | 2.12    | 6.62    | 0.05    | <0.02   | 0.03    | 0.020   | 0.09    | 12.6    | 10.7    | 0.43    | 198     | 2.33    |
| I098436            |                                   | 1.05    | 29.2    | 2.46    | 6.97    | 0.06    | <0.02   | 0.02    | 0.024   | 0.07    | 14.3    | 9.6     | 0.40    | 263     | 2.91    |
| I098437            |                                   | 1.11    | 27.3    | 2.65    | 8.02    | 0.05    | 0.02    | 0.02    | 0.024   | 0.11    | 17.2    | 7.9     | 0.44    | 268     | 3.24    |
| I098438            |                                   | 0.09    | 2.7     | 0.73    | 0.81    | <0.05   | 0.10    | <0.01   | <0.005  | 0.05    | 5.6     | 1.5     | 0.04    | 160     | 0.33    |
| I098439            |                                   | 1.61    | 40.7    | 2.77    | 5.51    | 0.07    | 0.02    | 0.08    | 0.024   | 0.10    | 16.5    | 7.2     | 0.41    | 119     | 3.18    |
| I098440            |                                   | 2.06    | 57.7    | 4.37    | 6.39    | 0.09    | 0.05    | 0.05    | 0.043   | 0.19    | 27.0    | 11.5    | 0.59    | 789     | 2.27    |
| I098441            |                                   | 1.03    | 20.4    | 1.52    | 5.84    | <0.05   | <0.02   | 0.01    | 0.056   | 0.11    | 7.8     | 6.2     | 0.40    | 131     | 0.75    |
| I098442            |                                   | 1.23    | 19.7    | 2.89    | 6.04    | 0.05    | 0.09    | 0.02    | 0.024   | 0.06    | 7.0     | 10.3    | 0.52    | 425     | 1.41    |
| I098443            |                                   | 0.83    | 26.2    | 2.92    | 6.16    | <0.05   | 0.11    | 0.02    | 0.028   | 0.07    | 11.3    | 11.7    | 0.49    | 565     | 2.14    |
| I098444            |                                   | 1.63    | 29.2    | 3.04    | 7.05    | 0.06    | 0.04    | 0.01    | 0.022   | 0.16    | 11.0    | 10.5    | 0.55    | 509     | 2.66    |
| I098445            |                                   | 2.38    | 47.4    | 3.57    | 6.90    | 0.06    | 0.02    | 0.01    | 0.026   | 0.20    | 12.1    | 14.7    | 0.85    | 375     | 2.32    |
| I098446            |                                   | 0.70    | 14.1    | 2.93    | 5.88    | 0.05    | 0.07    | 0.01    | 0.022   | 0.13    | 9.4     | 10.0    | 0.49    | 556     | 1.60    |
| I098447            |                                   | 0.83    | 16.8    | 2.64    | 5.36    | 0.05    | 0.04    | 0.02    | 0.019   | 0.28    | 9.1     | 9.7     | 0.57    | 873     | 1.42    |
| I098448            |                                   | 1.11    | 25.6    | 2.99    | 6.93    | 0.06    | 0.02    | 0.02    | 0.028   | 0.26    | 15.9    | 15.7    | 0.68    | 889     | 1.53    |
| I098449            |                                   | 3.36    | 57.7    | 3.32    | 5.99    | 0.12    | 0.03    | 0.01    | 0.024   | 0.38    | 42.4    | 12.2    | 0.70    | 88      | 3.30    |
| I098450            |                                   | 1.80    | 17.8    | 2.66    | 7.21    | 0.06    | 0.02    | 0.02    | 0.023   | 0.16    | 15.8    | 13.4    | 0.48    | 524     | 1.82    |
| I098498            |                                   | 1.88    | 15.1    | 3.19    | 8.43    | 0.07    | 0.06    | 0.04    | 0.026   | 0.11    | 15.1    | 15.4    | 0.71    | 382     | 0.81    |
| I098499            |                                   | 1.88    | 16.3    | 2.62    | 7.49    | 0.06    | 0.04    | 0.06    | 0.022   | 0.11    | 11.8    | 11.6    | 0.59    | 384     | 0.90    |
| I098500            |                                   | 2.25    | 19.7    | 3.06    | 8.12    | 0.07    | 0.04    | 0.08    | 0.026   | 0.14    | 19.3    | 17.7    | 0.77    | 533     | 0.94    |
| I098560            |                                   | 2.42    | 44.8    | 4.18    | 11.95   | 0.12    | 0.05    | 0.06    | 0.034   | 0.46    | 9.8     | 18.0    | 1.97    | 1500    | 1.08    |
| I098561            |                                   | 1.57    | 63.0    | 2.73    | 7.77    | 0.11    | 0.06    | 0.09    | 0.025   | 0.30    | 13.8    | 11.8    | 1.18    | 1340    | 0.96    |
| I098562            |                                   | 1.57    | 34.7    | 3.46    | 8.98    | 0.09    | 0.04    | 0.05    | 0.026   | 0.28    | 9.2     | 12.5    | 1.29    | 600     | 1.03    |
| I098563            |                                   | 1.61    | 29.0    | 3.19    | 8.61    | 0.08    | 0.04    | 0.04    | 0.023   | 0.23    | 8.6     | 12.5    | 1.26    | 525     | 0.96    |
| I098564            |                                   | 0.61    | 64.3    | 1.53    | 3.10    | 0.07    | 0.04    | 0.10    | 0.015   | 0.08    | 14.9    | 4.3     | 0.44    | 1300    | 1.18    |
| I098565            |                                   | 1.64    | 28.9    | 3.19    | 8.22    | 0.09    | 0.05    | 0.05    | 0.023   | 0.31    | 8.7     | 13.0    | 1.37    | 826     | 1.04    |
| I098566            |                                   | 1.98    | 36.1    | 3.60    | 9.40    | 0.11    | 0.04    | 0.06    | 0.027   | 0.50    | 8.9     | 17.1    | 1.69    | 755     | 0.99    |
| I098567            |                                   | 1.89    | 33.1    | 2.97    | 8.82    | 0.11    | 0.05    | 0.05    | 0.022   | 0.55    | 9.1     | 17.6    | 1.61    | 258     | 0.54    |
| I098568            |                                   | 1.24    | 47.9    | 2.61    | 6.14    | 0.08    | 0.03    | 0.08    | 0.020   | 0.32    | 10.1    | 9.3     | 0.96    | 6350    | 2.40    |
| I098569            |                                   | 1.77    | 32.0    | 3.17    | 7.75    | 0.09    | 0.04    | 0.05    | 0.063   | 0.41    | 7.5     | 13.1    | 1.25    | 503     | 0.86    |
| I098570            |                                   | 1.41    | 53.0    | 2.88    | 6.53    | 0.09    | 0.05    | 0.09    | 0.022   | 0.28    | 12.1    | 10.5    | 0.98    | 2050    | 1.32    |
| I098571            |                                   | 1.72    | 29.3    | 3.25    | 7.50    | 0.09    | 0.04    | 0.04    | 0.023   | 0.41    | 8.6     | 12.9    | 1.25    | 870     | 0.93    |
| I098572            |                                   | 1.63    | 28.4    | 2.99    | 7.01    | 0.10    | 0.04    | 0.20    | 0.022   | 0.39    | 8.1     | 12.1    | 1.17    | 720     | 0.83    |
| I098573            |                                   | 1.02    | 61.2    | 2.88    | 5.64    | 0.08    | 0.04    | 0.09    | 0.022   | 0.13    | 15.6    | 9.1     | 0.66    | 1660    | 1.59    |
| I098574            |                                   | 1.65    | 28.3    | 3.17    | 7.62    | 0.08    | 0.03    | 0.05    | 0.022   | 0.39    | 8.4     | 11.9    | 1.19    | 1250    | 1.24    |
| I098575            |                                   | 2.29    | 22.9    | 3.56    | 9.18    | 0.11    | 0.06    | 0.04    | 0.020   | 0.73    | 7.8     | 15.2    | 1.85    | 360     | 0.69    |
| I098576            |                                   | 1.71    | 26.5    | 3.14    | 8.43    | 0.08    | 0.03    | 0.04    | 0.022   | 0.24    | 7.1     | 11.3    | 1.34    | 509     | 0.95    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I098431            |                                   | 1.27    | 13.3    | 390     | 3.8     | 39.9    | <0.001  | 0.01    | 0.14    | 4.2     | 0.3     | 0.4     | 25.4    | <0.01   | 0.03    |
| I098432            |                                   | 0.99    | 21.0    | 610     | 9.0     | 14.6    | <0.001  | 0.02    | 0.48    | 1.4     | 0.5     | 0.5     | 13.7    | <0.01   | 0.05    |
| I098433            |                                   | 1.21    | 58.2    | 1070    | 12.4    | 42.3    | <0.001  | 0.01    | 0.61    | 8.9     | 1.0     | 0.5     | 23.4    | <0.01   | 0.06    |
| I098434            |                                   | 1.30    | 21.6    | 780     | 7.9     | 15.8    | 0.001   | 0.03    | 0.23    | 3.0     | 0.9     | 0.4     | 25.6    | <0.01   | 0.04    |
| I098435            |                                   | 0.84    | 22.4    | 610     | 6.8     | 16.5    | <0.001  | 0.01    | 0.26    | 2.7     | 0.5     | 0.6     | 16.4    | <0.01   | 0.04    |
| I098436            |                                   | 0.64    | 23.5    | 780     | 8.6     | 13.5    | <0.001  | 0.01    | 0.21    | 1.8     | 0.7     | 0.6     | 20.0    | <0.01   | 0.05    |
| I098437            |                                   | 1.39    | 22.2    | 1250    | 9.5     | 14.9    | <0.001  | 0.05    | 0.27    | 3.9     | 0.9     | 0.6     | 26.2    | <0.01   | 0.05    |
| I098438            |                                   | 0.26    | 4.0     | 120     | 1.8     | 2.6     | <0.001  | <0.01   | 0.11    | 0.7     | <0.2    | <0.2    | 8.9     | <0.01   | 0.01    |
| I098439            |                                   | 1.02    | 23.4    | 1090    | 8.0     | 15.2    | <0.001  | 0.04    | 0.30    | 2.7     | 3.1     | 0.4     | 25.1    | <0.01   | 0.07    |
| I098440            |                                   | 1.08    | 56.5    | 800     | 10.5    | 22.5    | <0.001  | 0.01    | 0.66    | 8.5     | 1.1     | 0.6     | 31.7    | <0.01   | 0.06    |
| I098441            |                                   | 0.62    | 24.7    | 450     | 4.8     | 12.3    | <0.001  | 0.01    | 0.13    | 1.0     | 0.4     | 0.4     | 15.8    | <0.01   | 0.03    |
| I098442            |                                   | 1.38    | 29.8    | 290     | 5.6     | 9.9     | <0.001  | <0.01   | 0.57    | 4.8     | 0.2     | 0.5     | 27.0    | <0.01   | 0.02    |
| I098443            |                                   | 1.66    | 30.3    | 680     | 8.1     | 12.8    | <0.001  | 0.01    | 0.53    | 4.1     | 0.5     | 0.6     | 27.8    | <0.01   | 0.03    |
| I098444            |                                   | 1.52    | 38.5    | 890     | 8.1     | 21.1    | <0.001  | 0.01    | 0.49    | 3.7     | 0.5     | 0.6     | 19.0    | <0.01   | 0.06    |
| I098445            |                                   | 1.28    | 48.4    | 800     | 6.3     | 20.6    | <0.001  | <0.01   | 0.57    | 4.7     | 0.8     | 0.5     | 22.4    | <0.01   | 0.05    |
| I098446            |                                   | 1.66    | 19.6    | 380     | 8.2     | 12.4    | <0.001  | 0.01    | 0.46    | 3.7     | 0.3     | 0.5     | 24.8    | <0.01   | 0.02    |
| I098447            |                                   | 1.43    | 25.0    | 760     | 6.5     | 19.0    | <0.001  | 0.01    | 0.35    | 3.4     | 0.3     | 0.4     | 30.2    | <0.01   | 0.03    |
| I098448            |                                   | 1.25    | 29.8    | 1470    | 7.8     | 21.3    | <0.001  | 0.01    | 0.32    | 3.8     | 0.4     | 0.5     | 26.6    | <0.01   | 0.04    |
| I098449            |                                   | 1.04    | 30.2    | 950     | 7.8     | 42.9    | 0.001   | 0.03    | 0.26    | 3.4     | 1.4     | 0.4     | 28.8    | <0.01   | 0.10    |
| I098450            |                                   | 1.74    | 18.8    | 880     | 9.9     | 27.1    | <0.001  | 0.01    | 0.26    | 3.1     | 0.4     | 0.6     | 18.0    | <0.01   | 0.03    |
| I098498            |                                   | 2.43    | 16.1    | 600     | 11.8    | 20.6    | <0.001  | 0.03    | 0.40    | 5.4     | 0.5     | 0.7     | 24.9    | <0.01   | 0.02    |
| I098499            |                                   | 1.78    | 12.4    | 650     | 6.5     | 20.0    | <0.001  | 0.04    | 0.40    | 4.6     | 0.5     | 0.6     | 26.1    | <0.01   | 0.02    |
| I098500            |                                   | 1.79    | 14.0    | 770     | 6.6     | 22.3    | <0.001  | 0.05    | 0.52    | 5.9     | 0.7     | 0.6     | 50.3    | <0.01   | 0.03    |
| I098560            |                                   | 1.51    | 45.3    | 760     | 12.3    | 42.6    | 0.005   | 0.10    | 2.54    | 11.5    | 1.4     | 0.7     | 52.7    | <0.01   | 0.17    |
| I098561            |                                   | 1.27    | 37.4    | 1070    | 7.9     | 27.0    | 0.007   | 0.22    | 2.70    | 6.3     | 2.6     | 0.4     | 89.4    | <0.01   | 0.17    |
| I098562            |                                   | 1.31    | 33.2    | 650     | 11.7    | 28.7    | 0.001   | 0.06    | 1.98    | 7.7     | 0.8     | 0.5     | 37.3    | <0.01   | 0.14    |
| I098563            |                                   | 1.56    | 29.6    | 710     | 8.2     | 27.3    | <0.001  | 0.07    | 1.19    | 6.2     | 0.8     | 0.5     | 45.0    | <0.01   | 0.09    |
| I098564            |                                   | 0.76    | 28.0    | 1420    | 4.7     | 11.4    | 0.002   | 0.21    | 1.72    | 1.9     | 1.8     | 0.2     | 106.5   | <0.01   | 0.10    |
| I098565            |                                   | 1.55    | 30.6    | 710     | 10.2    | 33.7    | 0.001   | 0.10    | 1.81    | 6.5     | 1.5     | 0.6     | 50.4    | <0.01   | 0.08    |
| I098566            |                                   | 1.71    | 35.0    | 690     | 9.7     | 46.6    | 0.004   | 0.13    | 4.58    | 7.5     | 1.9     | 0.5     | 53.5    | <0.01   | 0.09    |
| I098567            |                                   | 1.81    | 28.9    | 600     | 9.0     | 45.2    | 0.004   | 0.15    | 4.94    | 7.3     | 1.3     | 0.5     | 39.7    | <0.01   | 0.04    |
| I098568            |                                   | 1.11    | 31.3    | 1040    | 7.0     | 25.8    | 0.003   | 0.20    | 9.24    | 4.4     | 1.8     | 0.3     | 93.0    | <0.01   | 0.11    |
| I098569            |                                   | 1.55    | 25.4    | 800     | 9.5     | 35.2    | 0.002   | 0.10    | 7.98    | 6.2     | 1.0     | 0.5     | 48.6    | <0.01   | 0.09    |
| I098570            |                                   | 1.39    | 26.9    | 980     | 11.1    | 25.7    | 0.004   | 0.17    | 11.10   | 5.1     | 1.8     | 0.4     | 85.9    | <0.01   | 0.12    |
| I098571            |                                   | 1.51    | 26.0    | 650     | 16.2    | 33.7    | <0.001  | 0.04    | 10.65   | 7.0     | 0.9     | 0.5     | 35.2    | <0.01   | 0.08    |
| I098572            |                                   | 1.45    | 24.4    | 700     | 16.9    | 31.2    | 0.002   | 0.05    | 10.65   | 6.5     | 0.9     | 0.4     | 34.1    | <0.01   | 0.10    |
| I098573            |                                   | 1.08    | 24.9    | 1150    | 10.0    | 15.2    | 0.001   | 0.16    | 8.68    | 4.0     | 1.9     | 0.3     | 77.7    | <0.01   | 0.13    |
| I098574            |                                   | 1.38    | 28.0    | 700     | 9.5     | 32.4    | <0.001  | 0.05    | 6.58    | 6.4     | 0.8     | 0.4     | 35.1    | <0.01   | 0.08    |
| I098575            |                                   | 1.67    | 28.0    | 620     | 8.1     | 47.2    | <0.001  | 0.02    | 6.46    | 7.5     | 0.6     | 0.5     | 29.4    | <0.01   | 0.05    |
| I098576            |                                   | 1.47    | 27.0    | 640     | 9.6     | 24.9    | <0.001  | 0.05    | 3.43    | 6.6     | 0.7     | 0.5     | 38.0    | <0.01   | 0.10    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 4 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-SEP-2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I098431            |                                   | 0.122              | 0.20                 | 0.38                | 61                  | 0.09                | 3.81                | 50                   | 0.5                  |
| I098432            |                                   | 0.061              | 0.12                 | 0.55                | 79                  | 0.13                | 3.74                | 83                   | <0.5                 |
| I098433            |                                   | 0.098              | 0.35                 | 2.31                | 80                  | 0.07                | 18.65               | 121                  | 2.3                  |
| I098434            |                                   | 0.092              | 0.17                 | 1.03                | 56                  | 0.29                | 6.99                | 93                   | 0.7                  |
| I098435            |                                   | 0.065              | 0.13                 | 0.76                | 67                  | 0.10                | 4.68                | 75                   | <0.5                 |
| I098436            |                                   | 0.055              | 0.11                 | 1.03                | 73                  | 0.13                | 5.73                | 88                   | <0.5                 |
| I098437            |                                   | 0.083              | 0.13                 | 1.07                | 69                  | 0.16                | 6.11                | 98                   | 0.8                  |
| I098438            |                                   | 0.009              | 0.03                 | 0.36                | 5                   | <0.05               | 2.32                | 5                    | 3.4                  |
| I098439            |                                   | 0.066              | 0.18                 | 2.02                | 61                  | 0.30                | 8.52                | 92                   | 0.6                  |
| I098440            |                                   | 0.072              | 0.28                 | 1.98                | 79                  | 0.11                | 14.75               | 113                  | 2.2                  |
| I098441            |                                   | 0.064              | 0.08                 | 0.48                | 44                  | 0.08                | 2.90                | 38                   | <0.5                 |
| I098442            |                                   | 0.081              | 0.14                 | 0.38                | 72                  | 0.13                | 2.92                | 41                   | 3.0                  |
| I098443            |                                   | 0.086              | 0.14                 | 0.65                | 71                  | 0.15                | 4.64                | 90                   | 4.6                  |
| I098444            |                                   | 0.107              | 0.19                 | 0.68                | 77                  | 0.17                | 4.91                | 100                  | 1.8                  |
| I098445            |                                   | 0.101              | 0.18                 | 0.77                | 91                  | 0.15                | 5.82                | 91                   | 0.5                  |
| I098446            |                                   | 0.099              | 0.10                 | 0.40                | 64                  | 0.15                | 3.11                | 64                   | 2.8                  |
| I098447            |                                   | 0.098              | 0.10                 | 0.41                | 60                  | 0.14                | 3.67                | 131                  | 1.4                  |
| I098448            |                                   | 0.096              | 0.11                 | 0.79                | 61                  | 0.10                | 7.06                | 101                  | 0.7                  |
| I098449            |                                   | 0.108              | 0.45                 | 1.88                | 123                 | 0.10                | 11.95               | 108                  | 1.0                  |
| I098450            |                                   | 0.101              | 0.16                 | 1.02                | 67                  | 0.17                | 6.05                | 88                   | 0.7                  |
| I098498            |                                   | 0.156              | 0.16                 | 1.63                | 81                  | 0.20                | 7.76                | 68                   | 2.2                  |
| I098499            |                                   | 0.122              | 0.15                 | 1.32                | 66                  | 0.21                | 6.29                | 53                   | 1.1                  |
| I098500            |                                   | 0.109              | 0.16                 | 2.65                | 71                  | 0.32                | 13.05               | 65                   | 1.1                  |
| I098560            |                                   | 0.126              | 0.40                 | 0.96                | 124                 | 0.23                | 9.48                | 136                  | 2.2                  |
| I098561            |                                   | 0.072              | 0.29                 | 1.43                | 80                  | 0.19                | 18.55               | 105                  | 2.5                  |
| I098562            |                                   | 0.106              | 0.22                 | 0.95                | 93                  | 1.40                | 7.10                | 89                   | 1.7                  |
| I098563            |                                   | 0.118              | 0.18                 | 0.76                | 88                  | 0.33                | 7.07                | 79                   | 1.5                  |
| I098564            |                                   | 0.032              | 0.13                 | 1.26                | 33                  | 0.19                | 20.1                | 76                   | 1.3                  |
| I098565            |                                   | 0.111              | 0.22                 | 1.14                | 91                  | 0.16                | 8.13                | 104                  | 1.9                  |
| I098566            |                                   | 0.132              | 0.29                 | 1.17                | 95                  | 0.18                | 9.26                | 101                  | 1.9                  |
| I098567            |                                   | 0.150              | 0.28                 | 0.93                | 83                  | 0.18                | 9.60                | 75                   | 2.4                  |
| I098568            |                                   | 0.082              | 0.36                 | 1.23                | 63                  | 0.21                | 11.20               | 102                  | 1.5                  |
| I098569            |                                   | 0.121              | 0.25                 | 1.00                | 82                  | 0.35                | 6.65                | 87                   | 1.8                  |
| I098570            |                                   | 0.085              | 0.22                 | 1.43                | 70                  | 0.23                | 14.15               | 74                   | 1.9                  |
| I098571            |                                   | 0.132              | 0.24                 | 1.02                | 87                  | 0.56                | 7.09                | 71                   | 2.0                  |
| I098572            |                                   | 0.123              | 0.23                 | 0.96                | 81                  | 0.29                | 7.09                | 68                   | 1.8                  |
| I098573            |                                   | 0.061              | 0.16                 | 2.02                | 71                  | 0.17                | 17.95               | 50                   | 1.6                  |
| I098574            |                                   | 0.120              | 0.25                 | 1.14                | 85                  | 0.24                | 6.94                | 71                   | 1.5                  |
| I098575            |                                   | 0.189              | 0.35                 | 0.76                | 99                  | 0.30                | 4.83                | 69                   | 2.7                  |
| I098576            |                                   | 0.130              | 0.19                 | 0.77                | 87                  | 0.25                | 5.10                | 74                   | 1.4                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I098577            |                                   | 0.42                      | <0.005               | 0.08                 | 2.28               | 7.0                  | <0.2                 | <10                 | 190                  | 0.38                 | 0.14                 | 0.43               | 0.07                 | 26.0                 | 10.5                 | 35                   |
| I098578            |                                   | 0.34                      | <0.005               | 0.11                 | 2.08               | 7.4                  | <0.2                 | <10                 | 150                  | 0.24                 | 0.16                 | 0.29               | 0.06                 | 13.60                | 7.3                  | 23                   |
| I098579            |                                   | 0.46                      | <0.005               | 0.09                 | 3.03               | 12.5                 | <0.2                 | <10                 | 250                  | 0.40                 | 0.16                 | 0.26               | 0.13                 | 16.95                | 16.0                 | 46                   |
| I098580            |                                   | 0.34                      | <0.005               | 0.15                 | 3.07               | 10.6                 | <0.2                 | <10                 | 200                  | 0.39                 | 0.19                 | 0.40               | 0.07                 | 18.55                | 11.5                 | 31                   |
| I098581            |                                   | 0.36                      | <0.005               | 0.05                 | 3.50               | 16.5                 | <0.2                 | <10                 | 170                  | 0.40                 | 0.16                 | 0.31               | 0.17                 | 21.4                 | 13.8                 | 28                   |
| I098582            |                                   | 0.44                      | 0.007                | 0.56                 | 2.55               | 14.8                 | <0.2                 | <10                 | 150                  | 0.51                 | 0.17                 | 0.30               | 0.11                 | 18.25                | 12.4                 | 37                   |
| I098583            |                                   | 0.32                      | <0.005               | 0.02                 | 0.16               | 2.2                  | <0.2                 | <10                 | 30                   | 0.11                 | 0.03                 | 0.09               | 0.04                 | 10.55                | 2.4                  | 4                    |
| I098584            |                                   | 0.46                      | <0.005               | 0.12                 | 2.94               | 11.2                 | <0.2                 | <10                 | 200                  | 0.46                 | 0.20                 | 0.26               | 0.12                 | 20.5                 | 11.9                 | 32                   |
| I098585            |                                   | 0.50                      | 0.005                | 0.31                 | 2.59               | 24.4                 | <0.2                 | <10                 | 190                  | 0.52                 | 0.18                 | 0.34               | 0.09                 | 24.4                 | 9.9                  | 36                   |
| I098586            |                                   | 0.34                      | <0.005               | 0.20                 | 2.14               | 3.5                  | <0.2                 | <10                 | 170                  | 0.31                 | 0.12                 | 0.39               | 0.11                 | 15.15                | 8.8                  | 13                   |
| I098587            |                                   | 0.46                      | <0.005               | 0.12                 | 1.99               | 5.7                  | <0.2                 | <10                 | 130                  | 0.35                 | 0.14                 | 0.22               | 0.08                 | 16.75                | 9.2                  | 23                   |
| I098588            |                                   | 0.38                      | <0.005               | 0.56                 | 1.98               | 7.5                  | <0.2                 | <10                 | 120                  | 0.33                 | 0.28                 | 0.25               | 0.22                 | 16.75                | 7.3                  | 23                   |
| I098589            |                                   | 0.42                      | <0.005               | 0.19                 | 2.35               | 8.0                  | <0.2                 | <10                 | 140                  | 0.42                 | 0.24                 | 0.31               | 0.09                 | 20.1                 | 9.7                  | 33                   |
| I098590            |                                   | 0.42                      | <0.005               | 0.14                 | 2.89               | 10.4                 | <0.2                 | <10                 | 170                  | 0.51                 | 0.19                 | 0.20               | 0.13                 | 19.50                | 15.8                 | 36                   |
| I098591            |                                   | 0.46                      | <0.005               | 0.10                 | 2.50               | 10.8                 | <0.2                 | <10                 | 140                  | 0.34                 | 0.20                 | 0.23               | 0.08                 | 17.50                | 12.1                 | 38                   |
| I098592            |                                   | 0.34                      | <0.005               | 0.13                 | 2.46               | 8.7                  | <0.2                 | <10                 | 200                  | 0.41                 | 0.20                 | 0.31               | 0.35                 | 17.30                | 13.7                 | 37                   |
| I098593            |                                   | 0.34                      | <0.005               | 0.11                 | 2.62               | 9.5                  | <0.2                 | <10                 | 190                  | 0.43                 | 0.17                 | 0.19               | 0.16                 | 17.65                | 13.0                 | 35                   |
| I098594            |                                   | 0.40                      | <0.005               | 0.16                 | 1.92               | 7.1                  | <0.2                 | <10                 | 140                  | 0.27                 | 0.22                 | 0.22               | 0.07                 | 17.60                | 6.7                  | 28                   |
| I098595            |                                   | 0.34                      | <0.005               | 0.07                 | 3.73               | 11.9                 | <0.2                 | <10                 | 190                  | 0.61                 | 0.17                 | 0.23               | 0.16                 | 17.70                | 18.3                 | 48                   |
| I098596            |                                   | 0.34                      | <0.005               | 0.05                 | 3.47               | 12.7                 | <0.2                 | <10                 | 200                  | 0.51                 | 0.18                 | 0.21               | 0.19                 | 16.50                | 17.7                 | 48                   |
| I098597            |                                   | 0.42                      | 0.006                | 0.08                 | 2.44               | 10.6                 | <0.2                 | <10                 | 180                  | 0.36                 | 0.19                 | 0.24               | 0.25                 | 16.40                | 12.0                 | 31                   |
| I098598            |                                   | 0.32                      | <0.005               | 0.04                 | 2.47               | 12.2                 | <0.2                 | <10                 | 150                  | 0.37                 | 0.20                 | 0.18               | 0.14                 | 16.55                | 11.3                 | 35                   |
| I098599            |                                   | 0.32                      | <0.005               | 0.05                 | 2.00               | 6.3                  | <0.2                 | <10                 | 150                  | 0.37                 | 0.14                 | 0.22               | 0.07                 | 17.40                | 8.3                  | 24                   |
| I098600            |                                   | 0.28                      | <0.005               | 0.10                 | 3.26               | 13.0                 | <0.2                 | <10                 | 190                  | 0.59                 | 0.30                 | 0.19               | 0.15                 | 19.00                | 11.9                 | 44                   |
| I098601            |                                   | 0.16                      | <0.005               | 0.34                 | 1.25               | 3.9                  | <0.2                 | <10                 | 120                  | 0.26                 | 0.14                 | 0.15               | 0.07                 | 15.80                | 4.9                  | 14                   |
| I098602            |                                   | 0.32                      | <0.005               | 0.20                 | 2.40               | 7.2                  | <0.2                 | <10                 | 190                  | 0.44                 | 0.18                 | 0.24               | 0.09                 | 26.9                 | 10.6                 | 24                   |
| I098603            |                                   | 0.26                      | <0.005               | 0.11                 | 2.03               | 7.3                  | <0.2                 | <10                 | 140                  | 0.25                 | 0.15                 | 0.21               | 0.10                 | 14.80                | 10.1                 | 22                   |
| I098604            |                                   | 0.40                      | <0.005               | 0.11                 | 1.69               | 5.4                  | <0.2                 | <10                 | 320                  | 0.40                 | 0.15                 | 0.53               | 0.07                 | 35.3                 | 10.7                 | 28                   |
| I098605            |                                   | 0.42                      | <0.005               | 0.12                 | 1.77               | 5.4                  | <0.2                 | <10                 | 390                  | 0.42                 | 0.15                 | 0.40               | 0.07                 | 30.3                 | 12.1                 | 29                   |
| I098606            |                                   | 0.34                      | <0.005               | 0.05                 | 1.91               | 7.0                  | <0.2                 | <10                 | 250                  | 0.34                 | 0.15                 | 0.23               | 0.15                 | 20.7                 | 10.8                 | 28                   |
| I098607            |                                   | 0.32                      | <0.005               | 0.07                 | 2.04               | 9.3                  | <0.2                 | <10                 | 190                  | 0.37                 | 0.14                 | 0.12               | 0.08                 | 21.1                 | 8.3                  | 31                   |
| I098608            |                                   | 0.32                      | <0.005               | 0.07                 | 1.62               | 7.1                  | <0.2                 | <10                 | 230                  | 0.28                 | 0.15                 | 0.25               | 0.09                 | 18.20                | 9.8                  | 27                   |
| I098609            |                                   | 0.40                      | <0.005               | 0.09                 | 1.18               | 5.8                  | <0.2                 | <10                 | 210                  | 0.26                 | 0.19                 | 0.17               | 0.16                 | 18.55                | 9.3                  | 20                   |
| I098610            |                                   | 0.34                      | <0.005               | 0.08                 | 1.37               | 7.1                  | <0.2                 | <10                 | 210                  | 0.23                 | 0.15                 | 0.20               | 0.15                 | 18.40                | 9.6                  | 23                   |
| I098611            |                                   | 0.38                      | 0.007                | 0.12                 | 1.66               | 4.3                  | <0.2                 | <10                 | 300                  | 0.28                 | 0.16                 | 0.35               | 0.12                 | 19.90                | 5.6                  | 24                   |
| I098612            |                                   | 0.54                      | <0.005               | 0.12                 | 1.70               | 8.3                  | <0.2                 | <10                 | 300                  | 0.41                 | 0.19                 | 0.43               | 0.19                 | 31.6                 | 8.4                  | 28                   |
| I098613            |                                   | 0.48                      | <0.005               | 0.07                 | 1.62               | 6.2                  | <0.2                 | <10                 | 310                  | 0.35                 | 0.16                 | 0.21               | 0.11                 | 22.6                 | 8.2                  | 25                   |
| I098614            |                                   | 0.38                      | <0.005               | 0.12                 | 1.71               | 7.8                  | <0.2                 | <10                 | 270                  | 0.28                 | 0.17                 | 0.13               | 0.08                 | 18.30                | 7.8                  | 25                   |
| I098615            |                                   | 0.42                      | <0.005               | 0.05                 | 2.02               | 8.3                  | <0.2                 | <10                 | 200                  | 0.45                 | 0.25                 | 0.19               | 0.15                 | 48.1                 | 6.9                  | 30                   |
| I098616            |                                   | 0.44                      | 0.005                | 0.11                 | 1.74               | 9.4                  | <0.2                 | <10                 | 350                  | 0.47                 | 0.18                 | 0.75               | 0.28                 | 39.7                 | 10.1                 | 28                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I098577            |                                   | 1.00    | 21.6    | 3.25    | 7.03    | 0.06    | 0.16    | 0.02    | 0.027   | 0.11    | 13.6    | 18.5    | 0.72    | 388     | 0.69    |
| I098578            |                                   | 0.91    | 14.3    | 2.62    | 7.72    | <0.05   | 0.07    | 0.02    | 0.022   | 0.07    | 6.8     | 11.4    | 0.41    | 229     | 1.29    |
| I098579            |                                   | 1.74    | 23.7    | 4.00    | 8.13    | 0.06    | 0.24    | 0.02    | 0.035   | 0.07    | 8.0     | 17.4    | 0.73    | 353     | 1.04    |
| I098580            |                                   | 2.22    | 21.3    | 4.59    | 12.25   | 0.06    | 0.13    | 0.01    | 0.029   | 0.11    | 8.9     | 27.3    | 0.83    | 409     | 1.31    |
| I098581            |                                   | 4.12    | 22.4    | 5.50    | 13.10   | 0.08    | 0.10    | 0.01    | 0.027   | 0.31    | 10.1    | 35.3    | 1.06    | 564     | 1.18    |
| I098582            |                                   | 2.14    | 20.1    | 4.14    | 8.64    | 0.05    | 0.09    | 0.05    | 0.035   | 0.06    | 9.3     | 20.1    | 0.60    | 363     | 2.06    |
| I098583            |                                   | 0.10    | 2.4     | 0.80    | 0.82    | <0.05   | 0.09    | <0.01   | <0.005  | 0.05    | 5.3     | 1.6     | 0.04    | 174     | 0.31    |
| I098584            |                                   | 1.70    | 21.0    | 4.41    | 11.40   | 0.05    | 0.09    | 0.02    | 0.029   | 0.14    | 9.5     | 23.5    | 0.72    | 417     | 2.73    |
| I098585            |                                   | 1.70    | 22.5    | 3.73    | 9.05    | 0.05    | 0.07    | 0.04    | 0.031   | 0.06    | 14.6    | 19.9    | 0.61    | 373     | 1.39    |
| I098586            |                                   | 2.10    | 16.0    | 2.64    | 7.26    | 0.05    | 0.02    | 0.03    | 0.018   | 0.12    | 7.5     | 11.7    | 0.72    | 306     | 0.58    |
| I098587            |                                   | 1.74    | 16.5    | 2.64    | 6.53    | 0.05    | 0.02    | 0.04    | 0.023   | 0.06    | 7.9     | 11.7    | 0.54    | 310     | 0.75    |
| I098588            |                                   | 1.53    | 13.3    | 3.16    | 10.35   | <0.05   | 0.05    | 0.03    | 0.028   | 0.06    | 8.6     | 12.6    | 0.48    | 298     | 1.92    |
| I098589            |                                   | 1.74    | 18.4    | 3.51    | 8.58    | 0.05    | 0.07    | 0.02    | 0.027   | 0.06    | 10.1    | 14.4    | 0.62    | 330     | 1.45    |
| I098590            |                                   | 1.62    | 19.5    | 4.26    | 9.46    | 0.06    | 0.17    | 0.02    | 0.036   | 0.07    | 9.4     | 16.5    | 0.64    | 616     | 1.68    |
| I098591            |                                   | 1.36    | 16.3    | 4.19    | 9.09    | 0.06    | 0.05    | 0.01    | 0.030   | 0.05    | 8.9     | 17.6    | 0.61    | 360     | 1.71    |
| I098592            |                                   | 1.05    | 17.8    | 3.83    | 8.73    | 0.06    | 0.10    | 0.01    | 0.032   | 0.05    | 8.5     | 12.4    | 0.52    | 629     | 1.64    |
| I098593            |                                   | 1.39    | 18.9    | 3.73    | 8.40    | 0.05    | 0.06    | 0.03    | 0.031   | 0.07    | 8.5     | 15.9    | 0.57    | 644     | 1.43    |
| I098594            |                                   | 0.86    | 13.6    | 3.06    | 9.40    | <0.05   | 0.08    | 0.01    | 0.022   | 0.04    | 8.9     | 11.0    | 0.37    | 255     | 1.65    |
| I098595            |                                   | 1.25    | 24.2    | 4.08    | 7.89    | 0.06    | 0.27    | 0.03    | 0.042   | 0.06    | 8.4     | 15.8    | 0.66    | 445     | 1.77    |
| I098596            |                                   | 1.35    | 21.2    | 4.58    | 8.76    | 0.05    | 0.22    | 0.03    | 0.044   | 0.06    | 8.0     | 18.4    | 0.68    | 603     | 1.89    |
| I098597            |                                   | 1.46    | 16.1    | 4.07    | 10.25   | <0.05   | 0.09    | 0.01    | 0.030   | 0.10    | 8.2     | 17.8    | 0.64    | 385     | 1.71    |
| I098598            |                                   | 1.05    | 17.6    | 4.24    | 10.20   | 0.05    | 0.07    | 0.02    | 0.032   | 0.05    | 8.4     | 18.1    | 0.49    | 302     | 1.68    |
| I098599            |                                   | 0.94    | 17.6    | 2.56    | 6.63    | <0.05   | 0.04    | 0.03    | 0.022   | 0.06    | 9.0     | 11.3    | 0.43    | 196     | 0.82    |
| I098600            |                                   | 1.56    | 17.8    | 5.10    | 11.30   | 0.06    | 0.10    | 0.02    | 0.082   | 0.06    | 9.4     | 20.2    | 0.55    | 311     | 2.33    |
| I098601            |                                   | 0.93    | 12.3    | 1.61    | 5.35    | <0.05   | 0.04    | 0.03    | 0.014   | 0.05    | 9.2     | 6.4     | 0.21    | 147     | 0.88    |
| I098602            |                                   | 2.21    | 21.8    | 3.67    | 9.86    | 0.05    | 0.10    | 0.02    | 0.030   | 0.13    | 16.7    | 16.5    | 0.57    | 407     | 1.81    |
| I098603            |                                   | 1.62    | 13.7    | 3.27    | 8.94    | <0.05   | 0.09    | 0.01    | 0.022   | 0.09    | 8.1     | 18.4    | 0.52    | 328     | 1.89    |
| I098604            |                                   | 0.61    | 13.7    | 2.83    | 5.71    | 0.05    | 0.10    | 0.02    | 0.023   | 0.21    | 13.7    | 10.4    | 0.43    | 845     | 1.34    |
| I098605            |                                   | 0.54    | 10.5    | 2.85    | 5.74    | 0.06    | 0.03    | 0.02    | 0.020   | 0.21    | 17.1    | 10.1    | 0.45    | 1240    | 0.90    |
| I098606            |                                   | 0.83    | 10.7    | 2.91    | 6.61    | 0.05    | 0.02    | 0.02    | 0.022   | 0.09    | 10.8    | 13.1    | 0.45    | 643     | 1.32    |
| I098607            |                                   | 0.76    | 13.4    | 2.93    | 6.43    | 0.05    | 0.03    | 0.01    | 0.023   | 0.06    | 11.8    | 15.7    | 0.48    | 279     | 1.19    |
| I098608            |                                   | 0.48    | 10.8    | 2.61    | 5.54    | 0.05    | 0.03    | 0.02    | 0.020   | 0.12    | 9.4     | 11.0    | 0.40    | 607     | 1.04    |
| I098609            |                                   | 0.51    | 10.6    | 2.13    | 5.48    | <0.05   | 0.04    | 0.02    | 0.064   | 0.06    | 10.6    | 7.1     | 0.26    | 705     | 1.06    |
| I098610            |                                   | 0.57    | 11.4    | 2.46    | 5.57    | <0.05   | 0.04    | 0.01    | 0.017   | 0.07    | 10.1    | 8.8     | 0.33    | 707     | 1.11    |
| I098611            |                                   | 0.50    | 13.7    | 2.12    | 6.38    | 0.05    | 0.03    | 0.02    | 0.019   | 0.06    | 11.8    | 8.3     | 0.38    | 193     | 0.77    |
| I098612            |                                   | 0.57    | 23.1    | 2.60    | 5.52    | 0.06    | 0.08    | 0.03    | 0.022   | 0.07    | 17.9    | 14.5    | 0.55    | 301     | 0.78    |
| I098613            |                                   | 0.69    | 9.8     | 2.44    | 5.65    | 0.05    | 0.07    | 0.02    | 0.018   | 0.10    | 12.8    | 11.1    | 0.39    | 392     | 0.77    |
| I098614            |                                   | 0.90    | 12.8    | 2.50    | 6.98    | 0.05    | 0.04    | 0.02    | 0.019   | 0.05    | 10.8    | 10.7    | 0.35    | 320     | 1.44    |
| I098615            |                                   | 0.70    | 20.4    | 2.74    | 7.29    | 0.06    | 0.04    | 0.04    | 0.025   | 0.08    | 28.7    | 12.8    | 0.44    | 196     | 1.27    |
| I098616            |                                   | 0.61    | 27.9    | 2.75    | 5.55    | 0.08    | 0.09    | 0.05    | 0.023   | 0.08    | 22.5    | 15.0    | 0.56    | 376     | 0.78    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I098577            |                                   | 2.10    | 19.9    | 310     | 7.1     | 17.4    | <0.001  | <0.01   | 0.39    | 5.7     | 0.3     | 0.7     | 32.6    | <0.01   | 0.02    |
| I098578            |                                   | 2.31    | 14.2    | 290     | 7.3     | 16.1    | <0.001  | 0.01    | 0.30    | 3.2     | 0.2     | 0.6     | 26.7    | <0.01   | 0.02    |
| I098579            |                                   | 1.97    | 34.1    | 250     | 8.1     | 13.6    | <0.001  | 0.01    | 0.50    | 4.7     | 0.3     | 0.7     | 29.4    | <0.01   | 0.02    |
| I098580            |                                   | 3.38    | 15.8    | 300     | 12.9    | 22.3    | <0.001  | 0.01    | 0.48    | 5.2     | 0.3     | 1.2     | 30.3    | <0.01   | 0.03    |
| I098581            |                                   | 4.77    | 13.8    | 400     | 15.4    | 48.0    | <0.001  | 0.01    | 0.81    | 6.5     | 0.4     | 1.3     | 24.2    | <0.01   | 0.02    |
| I098582            |                                   | 2.27    | 21.0    | 430     | 10.0    | 10.5    | <0.001  | 0.01    | 0.63    | 5.1     | 0.3     | 0.7     | 25.4    | <0.01   | 0.03    |
| I098583            |                                   | 0.27    | 4.0     | 130     | 1.8     | 2.4     | <0.001  | <0.01   | 0.12    | 0.7     | <0.2    | <0.2    | 8.8     | <0.01   | <0.01   |
| I098584            |                                   | 3.56    | 19.1    | 360     | 11.8    | 27.6    | <0.001  | 0.01    | 0.51    | 3.9     | 0.3     | 1.0     | 27.7    | <0.01   | 0.03    |
| I098585            |                                   | 2.05    | 19.2    | 300     | 14.6    | 11.6    | <0.001  | 0.01    | 0.69    | 5.5     | 0.3     | 0.8     | 30.2    | <0.01   | 0.03    |
| I098586            |                                   | 1.55    | 8.7     | 530     | 4.8     | 13.4    | <0.001  | 0.02    | 0.25    | 4.2     | 0.4     | 0.5     | 44.7    | <0.01   | 0.01    |
| I098587            |                                   | 1.67    | 14.7    | 340     | 5.4     | 9.7     | <0.001  | 0.01    | 0.34    | 4.0     | 0.3     | 0.6     | 21.3    | <0.01   | 0.01    |
| I098588            |                                   | 2.74    | 10.9    | 250     | 22.3    | 15.5    | <0.001  | 0.01    | 0.48    | 4.0     | 0.3     | 1.1     | 25.2    | <0.01   | 0.04    |
| I098589            |                                   | 2.14    | 19.1    | 250     | 9.8     | 14.6    | <0.001  | 0.01    | 0.46    | 4.5     | 0.3     | 0.8     | 25.3    | <0.01   | 0.02    |
| I098590            |                                   | 2.15    | 21.7    | 290     | 8.6     | 13.9    | <0.001  | 0.01    | 0.78    | 4.6     | 0.3     | 0.8     | 20.8    | 0.01    | 0.03    |
| I098591            |                                   | 2.03    | 20.4    | 280     | 9.2     | 13.6    | <0.001  | 0.01    | 0.55    | 3.8     | 0.3     | 0.7     | 23.8    | <0.01   | 0.03    |
| I098592            |                                   | 1.86    | 20.7    | 250     | 10.0    | 13.1    | <0.001  | 0.01    | 0.58    | 3.7     | 0.2     | 0.8     | 29.9    | <0.01   | 0.03    |
| I098593            |                                   | 2.04    | 21.2    | 320     | 8.4     | 12.2    | <0.001  | 0.01    | 0.65    | 4.1     | 0.3     | 0.7     | 21.4    | <0.01   | 0.02    |
| I098594            |                                   | 1.91    | 10.8    | 180     | 10.7    | 12.6    | <0.001  | <0.01   | 0.49    | 3.4     | 0.2     | 0.9     | 21.9    | <0.01   | 0.02    |
| I098595            |                                   | 2.14    | 32.7    | 470     | 8.5     | 12.0    | <0.001  | 0.01    | 0.59    | 5.2     | 0.3     | 0.7     | 25.2    | 0.01    | 0.03    |
| I098596            |                                   | 2.18    | 32.4    | 510     | 9.2     | 13.6    | <0.001  | 0.01    | 0.61    | 4.8     | 0.3     | 0.7     | 22.0    | 0.01    | 0.04    |
| I098597            |                                   | 2.13    | 18.1    | 420     | 10.8    | 15.1    | <0.001  | 0.01    | 0.53    | 4.3     | 0.3     | 0.8     | 21.9    | <0.01   | 0.03    |
| I098598            |                                   | 2.44    | 18.0    | 370     | 9.9     | 9.2     | <0.001  | 0.01    | 0.51    | 4.1     | 0.4     | 0.7     | 18.8    | 0.01    | 0.03    |
| I098599            |                                   | 1.91    | 15.2    | 270     | 6.5     | 10.0    | <0.001  | 0.01    | 0.41    | 3.6     | 0.3     | 0.6     | 23.0    | 0.01    | 0.02    |
| I098600            |                                   | 2.45    | 20.2    | 530     | 11.5    | 13.3    | <0.001  | 0.01    | 0.66    | 4.9     | 0.4     | 0.9     | 19.5    | 0.01    | 0.04    |
| I098601            |                                   | 1.28    | 7.6     | 250     | 5.8     | 10.8    | <0.001  | 0.01    | 0.23    | 2.5     | 0.3     | 0.4     | 18.7    | 0.01    | 0.03    |
| I098602            |                                   | 2.46    | 13.9    | 270     | 9.6     | 25.3    | <0.001  | 0.01    | 0.41    | 5.8     | 0.4     | 0.8     | 23.4    | 0.01    | 0.03    |
| I098603            |                                   | 2.30    | 13.1    | 270     | 9.0     | 20.4    | <0.001  | 0.01    | 0.39    | 4.1     | 0.3     | 0.7     | 18.8    | <0.01   | 0.02    |
| I098604            |                                   | 2.10    | 18.2    | 370     | 8.7     | 24.6    | <0.001  | 0.01    | 0.30    | 5.3     | 0.3     | 0.5     | 30.2    | <0.01   | 0.01    |
| I098605            |                                   | 1.72    | 19.6    | 410     | 8.0     | 17.4    | <0.001  | 0.01    | 0.32    | 4.9     | 0.3     | 0.5     | 36.2    | <0.01   | 0.02    |
| I098606            |                                   | 1.88    | 18.5    | 720     | 8.3     | 15.6    | <0.001  | 0.01    | 0.40    | 3.3     | <0.2    | 0.7     | 24.0    | <0.01   | 0.01    |
| I098607            |                                   | 1.97    | 19.4    | 330     | 8.0     | 14.8    | <0.001  | 0.01    | 0.48    | 3.2     | 0.3     | 0.6     | 14.9    | <0.01   | 0.02    |
| I098608            |                                   | 1.50    | 17.3    | 320     | 8.1     | 13.3    | <0.001  | 0.01    | 0.37    | 2.8     | 0.2     | 0.5     | 23.3    | <0.01   | 0.02    |
| I098609            |                                   | 1.36    | 11.9    | 470     | 7.6     | 10.5    | <0.001  | 0.01    | 0.27    | 2.4     | <0.2    | 0.5     | 16.4    | <0.01   | 0.01    |
| I098610            |                                   | 1.42    | 13.9    | 430     | 8.0     | 12.4    | <0.001  | <0.01   | 0.33    | 2.8     | 0.2     | 0.5     | 19.3    | <0.01   | 0.01    |
| I098611            |                                   | 1.37    | 15.9    | 250     | 7.1     | 8.0     | <0.001  | 0.01    | 0.27    | 3.8     | 0.3     | 0.6     | 27.1    | <0.01   | 0.01    |
| I098612            |                                   | 1.65    | 21.3    | 490     | 8.7     | 10.7    | <0.001  | 0.01    | 0.53    | 4.5     | 0.5     | 0.5     | 31.9    | <0.01   | 0.03    |
| I098613            |                                   | 2.16    | 17.6    | 190     | 8.3     | 19.1    | <0.001  | <0.01   | 0.31    | 3.2     | <0.2    | 0.6     | 22.9    | <0.01   | 0.02    |
| I098614            |                                   | 1.86    | 16.5    | 200     | 9.1     | 12.4    | <0.001  | 0.01    | 0.37    | 3.0     | 0.2     | 0.7     | 17.7    | <0.01   | 0.01    |
| I098615            |                                   | 1.81    | 17.5    | 370     | 11.1    | 14.4    | <0.001  | 0.02    | 0.51    | 4.0     | 0.6     | 0.7     | 21.9    | 0.01    | 0.03    |
| I098616            |                                   | 1.74    | 24.7    | 610     | 8.8     | 11.9    | <0.001  | 0.02    | 0.61    | 5.2     | 0.8     | 0.5     | 44.2    | 0.01    | 0.02    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I098577            |                                   | 0.164   | 0.14    | 1.15    | 79      | 0.11    | 6.63    | 48      |
| I098578            |                                   | 0.132   | 0.13    | 0.68    | 70      | 0.15    | 2.50    | 32      |
| I098579            |                                   | 0.156   | 0.12    | 0.50    | 91      | 0.15    | 3.32    | 52      |
| I098580            |                                   | 0.220   | 0.23    | 0.57    | 112     | 0.15    | 4.54    | 58      |
| I098581            |                                   | 0.241   | 0.39    | 0.63    | 117     | 0.25    | 5.13    | 76      |
| I098582            |                                   | 0.118   | 0.14    | 0.91    | 89      | 0.17    | 4.64    | 50      |
| I098583            |                                   | 0.009   | 0.03    | 0.33    | 5       | <0.05   | 2.39    | 4       |
| I098584            |                                   | 0.180   | 0.21    | 0.58    | 104     | 0.16    | 3.72    | 60      |
| I098585            |                                   | 0.129   | 0.17    | 1.65    | 92      | 0.12    | 7.41    | 60      |
| I098586            |                                   | 0.138   | 0.12    | 0.61    | 73      | 0.14    | 6.12    | 36      |
| I098587            |                                   | 0.104   | 0.13    | 0.78    | 64      | 0.15    | 5.49    | 36      |
| I098588            |                                   | 0.155   | 0.16    | 0.80    | 97      | 0.20    | 4.64    | 45      |
| I098589            |                                   | 0.135   | 0.16    | 0.67    | 91      | 0.19    | 4.74    | 51      |
| I098590            |                                   | 0.139   | 0.14    | 0.55    | 98      | 0.15    | 4.64    | 61      |
| I098591            |                                   | 0.131   | 0.12    | 0.39    | 96      | 0.16    | 2.98    | 53      |
| I098592            |                                   | 0.124   | 0.13    | 0.41    | 95      | 0.12    | 3.03    | 68      |
| I098593            |                                   | 0.118   | 0.12    | 0.43    | 85      | 0.13    | 3.45    | 54      |
| I098594            |                                   | 0.126   | 0.14    | 0.38    | 98      | 0.09    | 3.11    | 36      |
| I098595            |                                   | 0.137   | 0.11    | 0.63    | 87      | 0.15    | 3.69    | 76      |
| I098596            |                                   | 0.135   | 0.13    | 0.50    | 95      | 0.16    | 3.37    | 83      |
| I098597            |                                   | 0.148   | 0.14    | 0.40    | 103     | 0.14    | 3.23    | 60      |
| I098598            |                                   | 0.157   | 0.11    | 0.42    | 104     | 0.16    | 3.23    | 61      |
| I098599            |                                   | 0.122   | 0.10    | 0.46    | 62      | 0.17    | 3.77    | 37      |
| I098600            |                                   | 0.135   | 0.14    | 0.55    | 115     | 0.16    | 3.76    | 80      |
| I098601            |                                   | 0.078   | 0.09    | 0.68    | 39      | 0.14    | 2.79    | 20      |
| I098602            |                                   | 0.159   | 0.17    | 1.50    | 89      | 0.27    | 6.60    | 44      |
| I098603            |                                   | 0.144   | 0.14    | 0.51    | 82      | 0.13    | 2.91    | 45      |
| I098604            |                                   | 0.096   | 0.11    | 0.46    | 54      | 0.27    | 4.08    | 45      |
| I098605            |                                   | 0.083   | 0.12    | 0.46    | 57      | 0.13    | 3.72    | 54      |
| I098606            |                                   | 0.076   | 0.14    | 0.39    | 63      | 0.15    | 2.18    | 75      |
| I098607            |                                   | 0.078   | 0.13    | 0.37    | 66      | 0.17    | 2.13    | 65      |
| I098608            |                                   | 0.069   | 0.09    | 0.30    | 57      | 0.12    | 1.84    | 45      |
| I098609            |                                   | 0.067   | 0.08    | 0.34    | 52      | 0.12    | 1.73    | 33      |
| I098610            |                                   | 0.072   | 0.08    | 0.33    | 57      | 0.12    | 1.88    | 40      |
| I098611            |                                   | 0.063   | 0.09    | 0.44    | 48      | 0.17    | 3.34    | 37      |
| I098612            |                                   | 0.086   | 0.08    | 0.99    | 51      | 0.21    | 7.30    | 55      |
| I098613            |                                   | 0.064   | 0.12    | 0.68    | 56      | 0.10    | 3.64    | 47      |
| I098614            |                                   | 0.072   | 0.12    | 0.40    | 63      | 0.17    | 2.22    | 34      |
| I098615            |                                   | 0.078   | 0.12    | 1.98    | 57      | 0.19    | 10.65   | 49      |
| I098616            |                                   | 0.078   | 0.08    | 1.35    | 52      | 0.25    | 11.45   | 59      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I098617            |                                   | 0.28                      | <0.005               | 0.10                 | 1.65               | 8.5                  | <0.2                 | <10                 | 330                  | 0.39                 | 0.15                 | 0.67               | 0.22                 | 35.5                 | 9.8                  | 27                   |
| I098618            |                                   | 0.24                      | <0.005               | 0.10                 | 1.47               | 6.8                  | <0.2                 | <10                 | 270                  | 0.30                 | 0.15                 | 0.40               | 0.43                 | 26.0                 | 7.7                  | 23                   |
| I098619            |                                   | 0.34                      | <0.005               | 0.27                 | 1.74               | 7.6                  | <0.2                 | <10                 | 370                  | 0.66                 | 0.19                 | 0.45               | 0.47                 | 54.6                 | 10.8                 | 27                   |
| I098620            |                                   | 0.30                      | <0.005               | 0.12                 | 1.57               | 6.9                  | <0.2                 | <10                 | 300                  | 0.42                 | 0.16                 | 0.23               | 0.18                 | 23.4                 | 10.2                 | 27                   |
| I098621            |                                   | 0.42                      | <0.005               | 0.10                 | 1.68               | 9.9                  | <0.2                 | <10                 | 360                  | 0.43                 | 0.15                 | 0.40               | 0.11                 | 31.3                 | 10.0                 | 31                   |
| I098622            |                                   | 0.36                      | 0.006                | 0.08                 | 2.03               | 9.5                  | <0.2                 | <10                 | 230                  | 0.37                 | 0.15                 | 0.15               | 0.05                 | 21.7                 | 15.2                 | 32                   |
| I098623            |                                   | 0.32                      | <0.005               | 0.02                 | 0.15               | 2.3                  | <0.2                 | <10                 | 30                   | 0.10                 | 0.02                 | 0.06               | 0.04                 | 9.91                 | 2.4                  | 3                    |
| I098624            |                                   | 0.42                      | 0.007                | 0.09                 | 1.85               | 8.9                  | <0.2                 | <10                 | 300                  | 0.43                 | 0.16                 | 0.40               | 0.12                 | 31.4                 | 11.4                 | 30                   |
| I098625            |                                   | 0.42                      | <0.005               | 0.10                 | 1.73               | 9.0                  | <0.2                 | <10                 | 260                  | 0.36                 | 0.18                 | 0.39               | 0.14                 | 33.0                 | 8.1                  | 29                   |
| I098626            |                                   | 0.42                      | <0.005               | 0.05                 | 1.80               | 8.4                  | <0.2                 | <10                 | 150                  | 0.23                 | 0.16                 | 0.19               | 0.11                 | 22.5                 | 6.4                  | 27                   |
| I098627            |                                   | 0.38                      | <0.005               | 0.13                 | 1.61               | 7.3                  | <0.2                 | <10                 | 190                  | 0.27                 | 0.27                 | 0.23               | 0.10                 | 29.1                 | 8.3                  | 22                   |
| I098628            |                                   | 0.56                      | <0.005               | 0.15                 | 2.17               | 7.4                  | <0.2                 | <10                 | 250                  | 0.33                 | 0.20                 | 0.28               | 0.14                 | 28.9                 | 8.5                  | 26                   |
| I098629            |                                   | 0.46                      | <0.005               | 0.10                 | 1.87               | 6.3                  | <0.2                 | <10                 | 220                  | 0.27                 | 0.17                 | 0.33               | 0.13                 | 29.7                 | 7.3                  | 25                   |
| I098651            |                                   | 0.48                      | <0.005               | 0.12                 | 2.12               | 5.1                  | <0.2                 | <10                 | 230                  | 0.29                 | 0.11                 | 0.42               | 0.12                 | 19.30                | 13.0                 | 103                  |
| I098652            |                                   | 0.40                      | <0.005               | 0.10                 | 2.11               | 5.5                  | <0.2                 | <10                 | 200                  | 0.27                 | 0.11                 | 0.41               | 0.13                 | 17.85                | 13.1                 | 96                   |
| I098653            |                                   | 0.60                      | <0.005               | 0.08                 | 2.77               | 7.2                  | <0.2                 | <10                 | 280                  | 0.44                 | 0.11                 | 0.49               | 0.13                 | 29.7                 | 19.1                 | 141                  |
| I098654            |                                   | 0.28                      | <0.005               | 0.09                 | 2.06               | 5.8                  | <0.2                 | <10                 | 190                  | 0.33                 | 0.10                 | 0.52               | 0.13                 | 26.5                 | 15.0                 | 93                   |
| I098655            |                                   | 0.28                      | <0.005               | 0.11                 | 1.74               | 5.3                  | <0.2                 | <10                 | 160                  | 0.26                 | 0.11                 | 0.47               | 0.16                 | 24.3                 | 9.4                  | 75                   |
| I098656            |                                   | 0.46                      | 0.010                | 0.08                 | 1.80               | 5.2                  | <0.2                 | <10                 | 120                  | 0.21                 | 0.15                 | 0.38               | 0.12                 | 21.7                 | 9.1                  | 78                   |
| I098657            |                                   | 0.54                      | 0.008                | 0.17                 | 2.34               | 29.9                 | <0.2                 | <10                 | 310                  | 0.36                 | 0.19                 | 0.81               | 0.28                 | 22.6                 | 14.5                 | 40                   |
| I098658            |                                   | 0.28                      | 0.011                | 0.39                 | 1.87               | 33.5                 | <0.2                 | <10                 | 300                  | 0.34                 | 0.15                 | 0.68               | 0.43                 | 19.25                | 10.5                 | 31                   |
| I098659            |                                   | 0.26                      | 0.005                | 0.25                 | 0.88               | 17.4                 | <0.2                 | <10                 | 180                  | 0.14                 | 0.12                 | 0.27               | 0.70                 | 8.60                 | 6.2                  | 16                   |
| I098660            |                                   | 0.44                      | 0.019                | 0.16                 | 2.13               | 49.8                 | <0.2                 | <10                 | 240                  | 0.26                 | 0.19                 | 0.46               | 0.41                 | 15.20                | 12.4                 | 32                   |
| I098661            |                                   | 0.30                      | 0.014                | 0.65                 | 1.28               | 10.0                 | <0.2                 | <10                 | 220                  | 0.32                 | 0.20                 | 0.44               | 1.59                 | 15.30                | 8.6                  | 22                   |
| I098662            |                                   | 0.36                      | 0.007                | 0.20                 | 2.37               | 14.5                 | <0.2                 | <10                 | 170                  | 0.17                 | 0.23                 | 0.28               | 0.45                 | 11.60                | 18.1                 | 38                   |
| I098663            |                                   | 0.36                      | <0.005               | 0.08                 | 0.54               | 2.3                  | <0.2                 | <10                 | 40                   | 0.08                 | 0.09                 | 0.02               | 0.13                 | 4.32                 | 2.6                  | 8                    |
| I098664            |                                   | 0.54                      | 0.009                | 0.23                 | 2.29               | 10.5                 | <0.2                 | <10                 | 270                  | 0.23                 | 0.15                 | 0.34               | 0.24                 | 12.40                | 18.1                 | 31                   |
| I098665            |                                   | 0.44                      | 0.023                | 0.33                 | 2.28               | 28.3                 | <0.2                 | <10                 | 240                  | 0.21                 | 0.24                 | 0.36               | 0.17                 | 12.95                | 16.4                 | 38                   |
| I098666            |                                   | 0.56                      | 0.009                | 0.34                 | 2.37               | 12.1                 | <0.2                 | <10                 | 210                  | 0.30                 | 0.29                 | 0.37               | 0.16                 | 15.10                | 16.9                 | 38                   |
| I098667            |                                   | 0.40                      | 0.008                | 0.42                 | 2.00               | 6.7                  | <0.2                 | <10                 | 320                  | 0.25                 | 0.29                 | 0.57               | 0.53                 | 14.10                | 20.5                 | 37                   |
| I098668            |                                   | 0.40                      | 0.016                | 0.45                 | 2.77               | 10.6                 | <0.2                 | <10                 | 370                  | 0.27                 | 0.40                 | 0.97               | 0.31                 | 16.60                | 20.2                 | 48                   |
| I098669            |                                   | 0.48                      | 0.027                | 0.46                 | 2.85               | 46.1                 | <0.2                 | <10                 | 470                  | 0.46                 | 0.75                 | 0.55               | 0.86                 | 22.1                 | 17.4                 | 43                   |
| I098670            |                                   | 0.48                      | 0.009                | 0.24                 | 2.63               | 17.1                 | <0.2                 | <10                 | 270                  | 0.38                 | 0.40                 | 0.47               | 0.22                 | 20.8                 | 14.7                 | 44                   |
| I098671            |                                   | 0.38                      | 0.007                | 0.28                 | 2.95               | 8.4                  | <0.2                 | <10                 | 270                  | 0.30                 | 0.47                 | 0.39               | 0.13                 | 16.50                | 20.1                 | 61                   |
| I098672            |                                   | 0.66                      | 0.057                | 0.29                 | 2.66               | 132.0                | <0.2                 | <10                 | 300                  | 0.34                 | 0.17                 | 0.40               | 0.15                 | 17.05                | 18.6                 | 39                   |
| I098673            |                                   | 0.40                      | 0.020                | 0.22                 | 2.48               | 60.5                 | <0.2                 | <10                 | 240                  | 0.29                 | 0.17                 | 0.37               | 0.11                 | 16.05                | 15.7                 | 40                   |
| I098674            |                                   | 0.34                      | 0.018                | 0.37                 | 2.30               | 65.0                 | <0.2                 | <10                 | 260                  | 0.28                 | 0.20                 | 0.54               | 0.23                 | 15.95                | 17.7                 | 33                   |
| I098675            |                                   | 0.52                      | 0.008                | 0.02                 | 0.16               | 3.1                  | <0.2                 | <10                 | 40                   | 0.10                 | 0.02                 | 0.06               | 0.04                 | 11.25                | 2.5                  | 4                    |
| I098676            |                                   | 0.42                      | <0.005               | 0.05                 | 0.58               | 4.7                  | <0.2                 | <10                 | 70                   | 0.10                 | 0.25                 | 0.07               | 0.14                 | 12.15                | 2.9                  | 12                   |
| I098677            |                                   | 0.36                      | <0.005               | 0.03                 | 0.23               | 0.9                  | <0.2                 | <10                 | 30                   | <0.05                | 0.08                 | 0.03               | 0.19                 | 3.18                 | 1.0                  | 5                    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I098617            |                                   | 0.65    | 26.3    | 2.67    | 5.22    | 0.08    | 0.07    | 0.04    | 0.021   | 0.08    | 18.3    | 13.5    | 0.57    | 423     | 0.94    |
| I098618            |                                   | 0.59    | 22.6    | 2.27    | 5.32    | 0.06    | 0.03    | 0.04    | 0.020   | 0.07    | 14.6    | 11.2    | 0.45    | 392     | 1.19    |
| I098619            |                                   | 0.53    | 40.5    | 2.55    | 5.68    | 0.08    | 0.05    | 0.06    | 0.025   | 0.10    | 26.0    | 10.2    | 0.44    | 864     | 1.02    |
| I098620            |                                   | 0.60    | 16.7    | 2.62    | 5.63    | 0.05    | 0.07    | 0.02    | 0.021   | 0.11    | 12.3    | 10.2    | 0.38    | 609     | 1.21    |
| I098621            |                                   | 0.65    | 23.7    | 2.74    | 5.27    | 0.06    | 0.11    | 0.02    | 0.024   | 0.06    | 15.9    | 12.8    | 0.52    | 389     | 0.65    |
| I098622            |                                   | 0.70    | 19.4    | 2.73    | 6.02    | 0.05    | 0.06    | 0.01    | 0.025   | 0.05    | 11.2    | 15.4    | 0.44    | 566     | 0.84    |
| I098623            |                                   | 0.09    | 2.3     | 0.77    | 0.76    | <0.05   | 0.09    | <0.01   | <0.005  | 0.05    | 5.3     | 1.7     | 0.04    | 163     | 0.30    |
| I098624            |                                   | 0.74    | 24.8    | 2.79    | 5.88    | 0.06    | 0.05    | 0.05    | 0.026   | 0.07    | 16.5    | 14.7    | 0.52    | 387     | 0.76    |
| I098625            |                                   | 0.59    | 24.5    | 2.72    | 5.52    | 0.07    | 0.10    | 0.04    | 0.023   | 0.07    | 19.0    | 14.6    | 0.52    | 268     | 0.74    |
| I098626            |                                   | 0.80    | 12.7    | 2.50    | 6.45    | 0.06    | 0.05    | 0.01    | 0.021   | 0.06    | 14.0    | 12.9    | 0.44    | 180     | 0.85    |
| I098627            |                                   | 0.87    | 13.9    | 2.28    | 7.18    | 0.05    | 0.02    | 0.02    | 0.020   | 0.06    | 18.7    | 11.1    | 0.33    | 311     | 1.00    |
| I098628            |                                   | 0.76    | 17.3    | 2.82    | 7.00    | 0.06    | 0.04    | 0.04    | 0.028   | 0.06    | 18.3    | 14.6    | 0.48    | 317     | 0.75    |
| I098629            |                                   | 0.87    | 14.1    | 2.47    | 6.52    | 0.06    | 0.03    | 0.04    | 0.022   | 0.07    | 18.6    | 14.3    | 0.50    | 212     | 0.64    |
| I098651            |                                   | 1.42    | 18.3    | 2.70    | 7.62    | 0.06    | 0.03    | 0.06    | 0.019   | 0.18    | 10.4    | 12.8    | 1.15    | 279     | 0.76    |
| I098652            |                                   | 1.39    | 16.7    | 2.80    | 7.66    | 0.07    | 0.04    | 0.03    | 0.019   | 0.17    | 9.6     | 13.3    | 1.20    | 326     | 0.71    |
| I098653            |                                   | 1.90    | 21.1    | 3.76    | 9.34    | 0.09    | 0.05    | 0.02    | 0.022   | 0.43    | 16.0    | 19.5    | 1.77    | 619     | 0.74    |
| I098654            |                                   | 1.52    | 15.0    | 2.78    | 7.34    | 0.08    | 0.05    | 0.04    | 0.017   | 0.19    | 14.4    | 12.7    | 1.20    | 453     | 0.78    |
| I098655            |                                   | 1.35    | 13.6    | 2.28    | 6.49    | 0.08    | 0.04    | 0.04    | 0.017   | 0.11    | 13.6    | 10.1    | 0.95    | 239     | 0.64    |
| I098656            |                                   | 1.25    | 11.8    | 2.25    | 7.07    | 0.08    | 0.05    | 0.04    | 0.017   | 0.09    | 12.0    | 10.2    | 0.99    | 236     | 0.58    |
| I098657            |                                   | 1.93    | 33.7    | 3.27    | 7.96    | 0.08    | 0.05    | 0.04    | 0.024   | 0.34    | 13.7    | 13.9    | 0.89    | 514     | 1.12    |
| I098658            |                                   | 1.17    | 36.1    | 2.66    | 5.92    | 0.05    | 0.03    | 0.06    | 0.023   | 0.18    | 10.2    | 10.0    | 0.62    | 391     | 0.93    |
| I098659            |                                   | 0.63    | 18.9    | 1.48    | 4.36    | <0.05   | <0.02   | 0.03    | 0.013   | 0.09    | 4.4     | 4.7     | 0.27    | 352     | 0.69    |
| I098660            |                                   | 1.34    | 34.4    | 3.12    | 6.86    | 0.07    | 0.04    | 0.04    | 0.026   | 0.15    | 7.9     | 13.8    | 0.90    | 380     | 0.78    |
| I098661            |                                   | 1.03    | 63.6    | 2.10    | 5.32    | <0.05   | 0.02    | 0.08    | 0.024   | 0.10    | 7.8     | 5.1     | 0.51    | 404     | 0.78    |
| I098662            |                                   | 0.76    | 42.9    | 4.00    | 9.45    | 0.07    | 0.03    | 0.02    | 0.029   | 0.10    | 5.7     | 15.0    | 1.40    | 673     | 1.64    |
| I098663            |                                   | 0.50    | 11.1    | 1.02    | 3.70    | <0.05   | <0.02   | 0.01    | 0.007   | 0.04    | 2.1     | 2.4     | 0.17    | 57      | 0.57    |
| I098664            |                                   | 0.93    | 49.2    | 3.82    | 7.71    | 0.08    | 0.03    | 0.02    | 0.024   | 0.26    | 5.9     | 13.8    | 1.39    | 567     | 0.76    |
| I098665            |                                   | 1.00    | 40.0    | 3.54    | 7.70    | 0.07    | 0.03    | 0.02    | 0.022   | 0.21    | 6.4     | 14.0    | 1.28    | 444     | 0.83    |
| I098666            |                                   | 1.03    | 40.3    | 3.57    | 7.63    | 0.08    | 0.03    | 0.04    | 0.022   | 0.23    | 7.3     | 13.5    | 1.14    | 404     | 0.76    |
| I098667            |                                   | 0.99    | 59.6    | 3.02    | 6.38    | 0.07    | 0.03    | 0.04    | 0.020   | 0.23    | 6.7     | 10.5    | 1.04    | 973     | 0.98    |
| I098668            |                                   | 1.66    | 44.6    | 3.88    | 8.22    | 0.09    | 0.04    | 0.06    | 0.016   | 0.48    | 8.4     | 14.7    | 1.57    | 663     | 0.80    |
| I098669            |                                   | 2.36    | 70.5    | 3.82    | 8.37    | 0.11    | 0.05    | 0.07    | 0.027   | 0.46    | 10.9    | 16.7    | 1.39    | 397     | 0.96    |
| I098670            |                                   | 1.41    | 38.4    | 3.23    | 7.89    | 0.09    | 0.04    | 0.04    | 0.024   | 0.36    | 10.2    | 15.6    | 1.21    | 370     | 0.80    |
| I098671            |                                   | 1.87    | 40.9    | 4.30    | 9.35    | 0.08    | 0.04    | 0.02    | 0.020   | 0.48    | 8.2     | 17.7    | 1.67    | 517     | 0.96    |
| I098672            |                                   | 1.38    | 44.1    | 3.70    | 8.12    | 0.08    | 0.04    | 0.07    | 0.023   | 0.26    | 8.5     | 16.3    | 1.30    | 517     | 0.72    |
| I098673            |                                   | 1.17    | 42.3    | 3.57    | 8.02    | 0.08    | 0.04    | 0.04    | 0.024   | 0.19    | 7.9     | 16.0    | 1.21    | 328     | 0.63    |
| I098674            |                                   | 1.00    | 47.6    | 3.56    | 8.06    | 0.07    | 0.03    | 0.04    | 0.028   | 0.17    | 7.9     | 14.2    | 1.03    | 709     | 1.05    |
| I098675            |                                   | 0.10    | 4.1     | 0.83    | 0.87    | <0.05   | 0.09    | <0.01   | <0.005  | 0.06    | 5.7     | 1.7     | 0.04    | 171     | 0.29    |
| I098676            |                                   | 0.92    | 10.8    | 1.37    | 6.99    | <0.05   | 0.02    | 0.01    | 0.011   | 0.04    | 6.1     | 1.6     | 0.09    | 259     | 1.43    |
| I098677            |                                   | 0.37    | 6.2     | 0.49    | 1.91    | <0.05   | <0.02   | 0.02    | 0.005   | 0.03    | 1.8     | 0.5     | 0.03    | 31      | 0.38    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I098617            |                                   | 1.72    | 22.7    | 650     | 7.5     | 12.3    | 0.001   | 0.02    | 0.58    | 4.9     | 0.6     | 0.5     | 43.0    | <0.01   | 0.02    |
| I098618            |                                   | 1.46    | 17.7    | 520     | 7.1     | 10.6    | <0.001  | 0.02    | 0.42    | 4.0     | 0.4     | 0.5     | 28.9    | <0.01   | 0.02    |
| I098619            |                                   | 1.59    | 33.1    | 590     | 9.1     | 12.1    | <0.001  | 0.02    | 0.42    | 5.2     | 0.9     | 0.5     | 34.9    | 0.01    | 0.02    |
| I098620            |                                   | 1.51    | 20.1    | 490     | 8.5     | 13.9    | <0.001  | 0.01    | 0.40    | 3.5     | 0.3     | 0.6     | 21.5    | <0.01   | 0.02    |
| I098621            |                                   | 1.38    | 23.9    | 680     | 8.0     | 8.8     | <0.001  | 0.01    | 0.46    | 5.4     | 0.3     | 0.6     | 30.0    | <0.01   | 0.01    |
| I098622            |                                   | 1.62    | 19.7    | 200     | 8.7     | 9.9     | <0.001  | 0.01    | 0.44    | 4.0     | 0.2     | 0.6     | 17.1    | 0.01    | 0.02    |
| I098623            |                                   | 0.19    | 4.5     | 130     | 1.7     | 2.5     | <0.001  | <0.01   | 0.11    | 0.7     | <0.2    | <0.2    | 8.0     | <0.01   | 0.01    |
| I098624            |                                   | 1.60    | 23.2    | 530     | 8.5     | 10.5    | <0.001  | 0.01    | 0.48    | 5.3     | 0.5     | 0.6     | 29.5    | 0.02    | 0.02    |
| I098625            |                                   | 1.71    | 21.6    | 640     | 8.6     | 9.0     | <0.001  | 0.01    | 0.53    | 4.9     | 0.4     | 0.6     | 29.9    | <0.01   | 0.02    |
| I098626            |                                   | 1.81    | 15.9    | 420     | 8.4     | 10.7    | <0.001  | <0.01   | 0.33    | 3.7     | 0.3     | 0.6     | 17.6    | <0.01   | 0.01    |
| I098627            |                                   | 1.58    | 12.3    | 350     | 7.8     | 13.3    | <0.001  | <0.01   | 0.28    | 3.5     | 0.2     | 0.7     | 20.9    | <0.01   | 0.01    |
| I098628            |                                   | 1.88    | 16.1    | 440     | 8.4     | 11.4    | <0.001  | 0.01    | 0.34    | 4.9     | 0.4     | 0.7     | 23.2    | <0.01   | 0.02    |
| I098629            |                                   | 1.87    | 14.6    | 540     | 7.9     | 13.6    | <0.001  | 0.02    | 0.32    | 3.9     | 0.4     | 0.6     | 28.1    | <0.01   | 0.02    |
| I098651            |                                   | 1.98    | 41.8    | 740     | 6.4     | 25.5    | <0.001  | 0.05    | 0.22    | 4.3     | 0.5     | 0.5     | 26.8    | <0.01   | 0.02    |
| I098652            |                                   | 1.99    | 40.2    | 700     | 6.2     | 26.1    | <0.001  | 0.05    | 0.21    | 4.4     | 0.4     | 0.6     | 26.1    | <0.01   | 0.01    |
| I098653            |                                   | 2.48    | 56.6    | 850     | 7.6     | 44.5    | <0.001  | 0.03    | 0.21    | 5.4     | 0.4     | 0.7     | 31.4    | <0.01   | 0.02    |
| I098654            |                                   | 2.00    | 40.7    | 740     | 8.5     | 28.2    | <0.001  | 0.04    | 0.21    | 4.5     | 0.4     | 0.6     | 31.0    | <0.01   | 0.01    |
| I098655            |                                   | 1.73    | 33.0    | 670     | 8.6     | 22.9    | <0.001  | 0.05    | 0.21    | 3.8     | 0.5     | 0.5     | 27.9    | <0.01   | 0.02    |
| I098656            |                                   | 1.85    | 32.1    | 540     | 8.7     | 19.3    | <0.001  | 0.04    | 0.18    | 3.9     | 0.4     | 0.6     | 24.9    | <0.01   | 0.01    |
| I098657            |                                   | 1.92    | 25.5    | 590     | 9.8     | 41.4    | <0.001  | 0.05    | 2.17    | 6.8     | 0.5     | 0.6     | 32.8    | <0.01   | 0.05    |
| I098658            |                                   | 1.47    | 20.3    | 640     | 7.7     | 20.0    | <0.001  | 0.06    | 2.01    | 4.8     | 0.5     | 0.4     | 33.3    | <0.01   | 0.04    |
| I098659            |                                   | 0.74    | 10.7    | 310     | 4.3     | 11.6    | <0.001  | 0.01    | 0.68    | 2.0     | 0.2     | 0.3     | 20.8    | <0.01   | 0.03    |
| I098660            |                                   | 1.37    | 23.0    | 490     | 6.6     | 15.7    | <0.001  | 0.02    | 2.00    | 5.2     | 0.3     | 0.4     | 24.6    | <0.01   | 0.03    |
| I098661            |                                   | 0.89    | 16.6    | 720     | 5.8     | 10.6    | <0.001  | 0.04    | 0.74    | 3.2     | 0.4     | 0.4     | 25.7    | <0.01   | 0.05    |
| I098662            |                                   | 1.51    | 21.3    | 410     | 9.2     | 11.1    | <0.001  | <0.01   | 1.29    | 7.2     | 0.2     | 0.5     | 17.6    | <0.01   | 0.08    |
| I098663            |                                   | 0.59    | 4.0     | 160     | 3.2     | 2.8     | <0.001  | <0.01   | 0.20    | 1.5     | <0.2    | 0.3     | 6.5     | <0.01   | 0.02    |
| I098664            |                                   | 1.01    | 19.8    | 560     | 7.4     | 15.9    | <0.001  | 0.01    | 0.92    | 7.7     | 0.3     | 0.4     | 16.9    | <0.01   | 0.03    |
| I098665            |                                   | 1.19    | 21.7    | 520     | 7.3     | 18.2    | <0.001  | 0.02    | 1.72    | 6.5     | 0.3     | 0.4     | 20.2    | <0.01   | 0.05    |
| I098666            |                                   | 1.32    | 23.0    | 560     | 7.0     | 21.7    | 0.001   | 0.01    | 1.09    | 5.7     | 0.3     | 0.4     | 19.8    | <0.01   | 0.04    |
| I098667            |                                   | 0.98    | 24.9    | 680     | 9.3     | 21.3    | <0.001  | 0.05    | 2.30    | 4.0     | 0.5     | 0.3     | 27.9    | 0.01    | 0.05    |
| I098668            |                                   | 1.29    | 26.0    | 700     | 9.2     | 43.2    | <0.001  | 0.08    | 0.65    | 6.8     | 0.6     | 0.3     | 35.7    | <0.01   | 0.07    |
| I098669            |                                   | 1.45    | 25.2    | 560     | 49.8    | 41.9    | 0.001   | 0.03    | 1.49    | 8.0     | 0.5     | 0.5     | 23.6    | <0.01   | 0.08    |
| I098670            |                                   | 1.69    | 25.9    | 470     | 10.3    | 33.9    | 0.001   | 0.04    | 1.22    | 6.1     | 0.3     | 0.5     | 23.5    | <0.01   | 0.06    |
| I098671            |                                   | 1.58    | 31.6    | 460     | 16.4    | 41.0    | <0.001  | 0.01    | 0.79    | 7.2     | 0.4     | 0.4     | 19.2    | <0.01   | 0.06    |
| I098672            |                                   | 1.16    | 25.4    | 530     | 6.6     | 25.0    | <0.001  | 0.02    | 31.6    | 7.5     | 0.4     | 0.4     | 22.6    | <0.01   | 0.04    |
| I098673            |                                   | 1.36    | 25.9    | 440     | 6.7     | 19.3    | <0.001  | 0.02    | 4.83    | 7.2     | 0.2     | 0.4     | 21.5    | <0.01   | 0.03    |
| I098674            |                                   | 1.17    | 20.3    | 760     | 6.4     | 17.4    | <0.001  | 0.04    | 12.85   | 6.5     | 0.5     | 0.5     | 28.9    | <0.01   | 0.05    |
| I098675            |                                   | 0.20    | 4.3     | 120     | 1.8     | 3.0     | <0.001  | <0.01   | 0.38    | 0.8     | <0.2    | 0.2     | 9.2     | <0.01   | 0.01    |
| I098676            |                                   | 0.90    | 5.4     | 240     | 9.4     | 12.1    | <0.001  | <0.01   | 0.33    | 0.9     | <0.2    | 0.7     | 11.0    | <0.01   | 0.01    |
| I098677            |                                   | 0.14    | 2.4     | 220     | 2.6     | 3.3     | <0.001  | <0.01   | 0.10    | 0.2     | <0.2    | 0.2     | 8.2     | <0.01   | 0.01    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 6 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I098617            |                                   | 0.089   | 0.08    | 0.72    | 51      | 0.15    | 8.85    | 54      |
| I098618            |                                   | 0.073   | 0.07    | 0.71    | 48      | 0.15    | 5.63    | 46      |
| I098619            |                                   | 0.065   | 0.06    | 2.68    | 49      | 0.16    | 15.55   | 42      |
| I098620            |                                   | 0.071   | 0.08    | 0.80    | 56      | 0.17    | 4.69    | 58      |
| I098621            |                                   | 0.078   | 0.07    | 0.84    | 57      | 0.23    | 7.20    | 48      |
| I098622            |                                   | 0.076   | 0.10    | 0.53    | 62      | 0.15    | 3.32    | 42      |
| I098623            |                                   | <0.005  | 0.03    | 0.31    | 4       | <0.05   | 1.92    | 5       |
| I098624            |                                   | 0.083   | 0.09    | 0.77    | 57      | 0.32    | 7.57    | 53      |
| I098625            |                                   | 0.093   | 0.08    | 0.77    | 54      | 0.29    | 7.92    | 58      |
| I098626            |                                   | 0.083   | 0.11    | 0.57    | 56      | 0.16    | 3.64    | 45      |
| I098627            |                                   | 0.076   | 0.10    | 0.65    | 51      | 0.16    | 4.85    | 40      |
| I098628            |                                   | 0.088   | 0.10    | 1.19    | 55      | 0.22    | 5.45    | 58      |
| I098629            |                                   | 0.087   | 0.11    | 0.96    | 50      | 0.16    | 5.63    | 55      |
| I098651            |                                   | 0.135   | 0.16    | 0.90    | 61      | 0.13    | 4.12    | 55      |
| I098652            |                                   | 0.149   | 0.18    | 0.72    | 68      | 0.14    | 3.81    | 58      |
| I098653            |                                   | 0.195   | 0.26    | 0.78    | 92      | 0.20    | 4.97    | 69      |
| I098654            |                                   | 0.146   | 0.21    | 0.89    | 68      | 0.26    | 4.81    | 57      |
| I098655            |                                   | 0.119   | 0.16    | 0.98    | 51      | 0.14    | 4.52    | 53      |
| I098656            |                                   | 0.128   | 0.15    | 0.89    | 52      | 0.22    | 3.77    | 53      |
| I098657            |                                   | 0.115   | 0.20    | 0.81    | 82      | 0.27    | 8.56    | 75      |
| I098658            |                                   | 0.072   | 0.12    | 0.74    | 64      | 0.17    | 9.00    | 62      |
| I098659            |                                   | 0.046   | 0.06    | 0.30    | 38      | 0.08    | 2.57    | 35      |
| I098660            |                                   | 0.099   | 0.10    | 0.38    | 71      | 0.32    | 7.52    | 74      |
| I098661            |                                   | 0.054   | 0.06    | 0.45    | 46      | 0.11    | 6.40    | 62      |
| I098662            |                                   | 0.118   | 0.08    | 0.29    | 111     | 0.19    | 3.74    | 119     |
| I098663            |                                   | 0.041   | 0.04    | 0.18    | 30      | 0.06    | 1.05    | 17      |
| I098664            |                                   | 0.107   | 0.10    | 0.37    | 110     | 0.14    | 4.54    | 77      |
| I098665            |                                   | 0.122   | 0.11    | 0.41    | 100     | 0.49    | 4.38    | 67      |
| I098666            |                                   | 0.129   | 0.14    | 0.43    | 93      | 0.23    | 5.52    | 69      |
| I098667            |                                   | 0.096   | 0.12    | 0.68    | 79      | 0.16    | 6.40    | 68      |
| I098668            |                                   | 0.129   | 0.26    | 0.74    | 97      | 0.25    | 9.68    | 92      |
| I098669            |                                   | 0.136   | 0.28    | 0.75    | 89      | 0.29    | 10.90   | 252     |
| I098670            |                                   | 0.133   | 0.22    | 0.76    | 81      | 0.54    | 6.91    | 81      |
| I098671            |                                   | 0.168   | 0.24    | 0.56    | 110     | 0.55    | 6.69    | 96      |
| I098672            |                                   | 0.120   | 0.14    | 0.52    | 95      | 0.24    | 6.46    | 81      |
| I098673            |                                   | 0.124   | 0.12    | 0.50    | 97      | 0.17    | 5.84    | 64      |
| I098674            |                                   | 0.095   | 0.10    | 0.62    | 93      | 0.19    | 6.46    | 73      |
| I098675            |                                   | <0.005  | 0.04    | 0.32    | 5       | <0.05   | 2.42    | 5       |
| I098676            |                                   | 0.075   | 0.06    | 0.28    | 59      | 0.09    | 1.60    | 26      |
| I098677            |                                   | 0.012   | 0.03    | 0.14    | 15      | <0.05   | 0.63    | 11      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: Appendix 1**  
**Total # Appendix Pages: 1**  
**Finalized Date: 30-SEP-2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS VA10134526**

| Method  | CERTIFICATE COMMENTS                                                                                 |
|---------|------------------------------------------------------------------------------------------------------|
| ME-MS41 | Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 1  
Finalized Date: 5-OCT-2010  
Account: EIASQI

**CERTIFICATE VA10134527**

Project: SQI10-06

P.O. No.: SQI10-06\_29

This report is for 200 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-21   | Sample logging - ClientBarCode |
| PUL-31   | Pulverize split to 85% <75 um  |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION               | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23  | Au 30g FA-AA finish       | AAS        |
| ME-MS41  | 51 anal. aqua regia ICPMS |            |

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**ATTN: DARCY BAKER**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I098678            |                                   | 0.36                      | <0.005               | 0.10                 | 1.11               | 5.8                  | <0.2                 | <10                 | 160                  | 0.31                 | 0.17                 | 0.33               | 0.36                 | 13.60                | 5.0                  | 18                   |
| I098679            |                                   | 0.54                      | 0.038                | 0.34                 | 2.65               | 97.5                 | <0.2                 | <10                 | 330                  | 0.27                 | 0.28                 | 0.44               | 0.20                 | 12.70                | 18.0                 | 42                   |
| I098680            |                                   | 0.44                      | <0.005               | 0.12                 | 1.02               | 6.7                  | <0.2                 | <10                 | 100                  | 0.26                 | 0.19                 | 0.13               | 0.38                 | 10.15                | 3.2                  | 16                   |
| I098681            |                                   | 0.48                      | <0.005               | 0.07                 | 1.70               | 8.1                  | <0.2                 | <10                 | 290                  | 0.34                 | 0.17                 | 0.23               | 0.07                 | 23.8                 | 8.0                  | 27                   |
| I098682            |                                   | 0.38                      | <0.005               | 0.03                 | 3.60               | 6.5                  | <0.2                 | <10                 | 590                  | 0.88                 | 0.06                 | 0.88               | 0.07                 | 26.3                 | 21.2                 | 16                   |
| I098683            |                                   | 0.44                      | <0.005               | 0.11                 | 2.13               | 6.1                  | <0.2                 | <10                 | 320                  | 0.42                 | 0.12                 | 0.28               | 0.10                 | 20.0                 | 21.8                 | 43                   |
| I098684            |                                   | 0.40                      | <0.005               | 0.03                 | 2.78               | 5.9                  | <0.2                 | <10                 | 420                  | 0.49                 | 0.06                 | 0.50               | 0.04                 | 24.1                 | 16.6                 | 149                  |
| I098685            |                                   | 0.44                      | <0.005               | 0.03                 | 2.05               | 7.5                  | <0.2                 | <10                 | 280                  | 0.35                 | 0.08                 | 0.33               | 0.05                 | 9.06                 | 16.4                 | 20                   |
| I098686            |                                   | 0.42                      | <0.005               | 0.05                 | 1.95               | 8.8                  | <0.2                 | <10                 | 220                  | 0.45                 | 0.18                 | 0.18               | 0.07                 | 20.0                 | 9.0                  | 33                   |
| I098687            |                                   | 0.28                      | 0.007                | 0.31                 | 1.58               | 8.3                  | <0.2                 | <10                 | 960                  | 0.71                 | 0.11                 | 1.53               | 1.26                 | 50.7                 | 12.5                 | 40                   |
| I098688            |                                   | 0.48                      | <0.005               | 0.25                 | 1.41               | 10.7                 | <0.2                 | <10                 | 270                  | 0.36                 | 0.13                 | 0.15               | 0.14                 | 23.8                 | 8.3                  | 28                   |
| I098689            |                                   | 0.42                      | <0.005               | 0.76                 | 1.34               | 4.2                  | <0.2                 | <10                 | 420                  | 0.36                 | 0.17                 | 0.25               | 0.81                 | 27.0                 | 8.0                  | 25                   |
| I098690            |                                   | 0.42                      | <0.005               | 0.42                 | 1.65               | 6.0                  | <0.2                 | <10                 | 460                  | 0.42                 | 0.16                 | 0.36               | 0.93                 | 17.75                | 9.9                  | 32                   |
| I098691            |                                   | 0.40                      | <0.005               | 0.40                 | 1.47               | 5.9                  | <0.2                 | <10                 | 370                  | 0.40                 | 0.18                 | 0.27               | 0.46                 | 22.9                 | 14.4                 | 24                   |
| I098692            |                                   | 0.48                      | <0.005               | 0.08                 | 1.82               | 6.6                  | <0.2                 | <10                 | 220                  | 0.34                 | 0.14                 | 0.36               | 0.10                 | 26.7                 | 7.3                  | 25                   |
| I098693            |                                   | 0.26                      | <0.005               | 0.09                 | 1.57               | 6.8                  | <0.2                 | <10                 | 220                  | 0.38                 | 0.14                 | 0.43               | 0.13                 | 33.2                 | 8.8                  | 25                   |
| I098694            |                                   | 0.40                      | <0.005               | 0.09                 | 1.31               | 6.4                  | <0.2                 | <10                 | 230                  | 0.34                 | 0.12                 | 0.68               | 0.19                 | 28.6                 | 9.9                  | 23                   |
| I098695            |                                   | 0.34                      | <0.005               | 0.09                 | 1.54               | 10.5                 | <0.2                 | <10                 | 380                  | 0.54                 | 0.16                 | 0.77               | 0.22                 | 29.5                 | 12.0                 | 29                   |
| I098696            |                                   | 0.66                      | <0.005               | 0.11                 | 1.36               | 8.0                  | <0.2                 | <10                 | 260                  | 0.38                 | 0.15                 | 0.63               | 0.20                 | 32.0                 | 8.9                  | 26                   |
| I098697            |                                   | 0.54                      | <0.005               | 0.09                 | 1.38               | 6.7                  | <0.2                 | <10                 | 220                  | 0.29                 | 0.13                 | 0.56               | 0.11                 | 26.0                 | 6.7                  | 25                   |
| I098698            |                                   | 0.32                      | <0.005               | 0.05                 | 1.76               | 7.5                  | <0.2                 | <10                 | 210                  | 0.33                 | 0.15                 | 0.24               | 0.15                 | 21.5                 | 7.8                  | 25                   |
| I098699            |                                   | 0.42                      | <0.005               | 0.07                 | 1.37               | 8.1                  | <0.2                 | <10                 | 240                  | 0.38                 | 0.13                 | 0.59               | 0.11                 | 25.3                 | 8.3                  | 25                   |
| I098700            |                                   | 0.52                      | 0.008                | 0.14                 | 1.49               | 9.7                  | <0.2                 | <10                 | 330                  | 0.49                 | 0.15                 | 0.79               | 0.21                 | 30.0                 | 10.3                 | 27                   |
| I098701            |                                   | 0.46                      | <0.005               | 0.16                 | 2.06               | 17.1                 | <0.2                 | <10                 | 170                  | 0.32                 | 0.14                 | 0.37               | 0.11                 | 20.9                 | 9.6                  | 24                   |
| I098702            |                                   | 0.42                      | <0.005               | 0.11                 | 1.59               | 11.2                 | <0.2                 | <10                 | 110                  | 0.22                 | 0.11                 | 0.25               | 0.07                 | 13.50                | 6.5                  | 19                   |
| I098703            |                                   | 0.54                      | <0.005               | 0.05                 | 2.64               | 25.1                 | <0.2                 | <10                 | 190                  | 0.57                 | 0.14                 | 0.27               | 0.19                 | 17.30                | 12.6                 | 25                   |
| I098704            |                                   | 0.40                      | 0.005                | 0.29                 | 1.89               | 256                  | <0.2                 | <10                 | 300                  | 0.45                 | 0.12                 | 0.47               | 0.59                 | 25.5                 | 10.7                 | 19                   |
| I098705            |                                   | 0.36                      | 0.007                | 0.41                 | 2.22               | 210                  | <0.2                 | <10                 | 250                  | 0.53                 | 1.23                 | 1.28               | 0.27                 | 34.4                 | 11.8                 | 18                   |
| I098706            |                                   | 0.48                      | 0.006                | 0.23                 | 2.51               | 15.2                 | <0.2                 | <10                 | 210                  | 0.39                 | 0.31                 | 0.81               | 0.11                 | 23.2                 | 13.3                 | 22                   |
| I098707            |                                   | 0.38                      | <0.005               | 0.20                 | 2.55               | 17.7                 | <0.2                 | <10                 | 210                  | 0.35                 | 0.19                 | 0.82               | 0.16                 | 20.1                 | 10.6                 | 28                   |
| I098708            |                                   | 0.30                      | <0.005               | 0.19                 | 2.00               | 11.5                 | <0.2                 | <10                 | 280                  | 0.53                 | 0.17                 | 0.86               | 0.39                 | 31.1                 | 10.9                 | 25                   |
| I098709            |                                   | 0.12                      | <0.005               | 0.02                 | 0.22               | 1.8                  | <0.2                 | <10                 | 50                   | 0.11                 | 0.02                 | 0.11               | 0.03                 | 11.35                | 2.3                  | 4                    |
| I098710            |                                   | 0.48                      | <0.005               | 0.10                 | 2.52               | 10.2                 | <0.2                 | <10                 | 260                  | 0.51                 | 0.17                 | 0.83               | 0.14                 | 32.5                 | 13.1                 | 27                   |
| I098711            |                                   | 0.48                      | <0.005               | 0.14                 | 2.06               | 8.5                  | <0.2                 | <10                 | 240                  | 0.38                 | 0.19                 | 0.64               | 0.13                 | 19.45                | 10.1                 | 23                   |
| I098712            |                                   | 0.50                      | <0.005               | 0.06                 | 2.25               | 32.0                 | <0.2                 | <10                 | 250                  | 0.31                 | 0.14                 | 0.59               | 0.10                 | 21.8                 | 10.7                 | 26                   |
| I098713            |                                   | 0.50                      | <0.005               | 0.07                 | 2.15               | 11.6                 | <0.2                 | <10                 | 180                  | 0.52                 | 0.24                 | 0.36               | 0.13                 | 23.2                 | 12.4                 | 26                   |
| I098714            |                                   | 0.48                      | <0.005               | 0.06                 | 1.87               | 10.8                 | <0.2                 | <10                 | 120                  | 0.61                 | 0.33                 | 0.28               | 0.18                 | 39.2                 | 8.3                  | 24                   |
| I098715            |                                   | 0.46                      | <0.005               | 0.12                 | 1.70               | 8.0                  | <0.2                 | <10                 | 120                  | 0.83                 | 0.25                 | 0.38               | 0.16                 | 51.2                 | 6.5                  | 21                   |
| I098716            |                                   | 0.46                      | <0.005               | 0.16                 | 2.89               | 27.0                 | <0.2                 | <10                 | 190                  | 0.87                 | 0.52                 | 0.61               | 0.11                 | 47.1                 | 13.5                 | 32                   |
| I098717            |                                   | 0.50                      | <0.005               | 0.07                 | 2.31               | 8.2                  | <0.2                 | <10                 | 180                  | 0.83                 | 0.25                 | 0.47               | 0.20                 | 63.0                 | 10.4                 | 30                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I098678            |                                   | 1.37    | 14.4    | 2.29    | 6.64    | <0.05   | 0.03    | 0.04    | 0.019   | 0.04    | 7.3     | 7.1     | 0.16    | 472     | 1.22    |
| I098679            |                                   | 1.92    | 29.8    | 3.91    | 7.63    | 0.08    | 0.04    | 0.04    | 0.021   | 0.37    | 6.5     | 15.8    | 1.45    | 568     | 0.79    |
| I098680            |                                   | 1.17    | 13.3    | 2.34    | 6.57    | <0.05   | 0.03    | 0.02    | 0.018   | 0.03    | 5.6     | 4.3     | 0.12    | 163     | 1.21    |
| I098681            |                                   | 0.78    | 10.9    | 3.03    | 6.11    | <0.05   | 0.08    | 0.01    | 0.023   | 0.09    | 9.4     | 13.0    | 0.45    | 270     | 1.14    |
| I098682            |                                   | 2.84    | 18.3    | 6.57    | 9.62    | 0.13    | 0.05    | 0.01    | 0.021   | 1.07    | 9.4     | 23.5    | 1.99    | 694     | 0.68    |
| I098683            |                                   | 1.32    | 18.5    | 3.44    | 6.75    | 0.05    | 0.03    | 0.02    | 0.020   | 0.19    | 8.6     | 15.3    | 0.95    | 1250    | 0.91    |
| I098684            |                                   | 2.22    | 16.7    | 3.45    | 6.54    | 0.08    | 0.06    | 0.01    | 0.014   | 0.38    | 14.7    | 20.9    | 1.86    | 292     | 0.59    |
| I098685            |                                   | 0.64    | 19.0    | 2.97    | 5.54    | 0.05    | 0.06    | 0.01    | 0.013   | 0.11    | 5.0     | 20.7    | 1.06    | 278     | 0.66    |
| I098686            |                                   | 0.91    | 15.4    | 3.02    | 6.74    | <0.05   | 0.11    | 0.02    | 0.026   | 0.06    | 10.8    | 13.1    | 0.41    | 303     | 1.61    |
| I098687            |                                   | 0.84    | 32.9    | 2.64    | 4.87    | 0.07    | 0.06    | 0.04    | 0.025   | 0.11    | 32.9    | 12.1    | 0.63    | 696     | 1.03    |
| I098688            |                                   | 0.57    | 16.8    | 2.66    | 4.94    | 0.05    | 0.06    | 0.01    | 0.022   | 0.04    | 12.9    | 9.2     | 0.37    | 266     | 1.44    |
| I098689            |                                   | 0.82    | 16.0    | 2.55    | 5.86    | 0.05    | 0.02    | 0.02    | 0.018   | 0.09    | 14.0    | 9.2     | 0.35    | 473     | 1.83    |
| I098690            |                                   | 0.92    | 19.0    | 2.86    | 5.83    | 0.05    | 0.03    | 0.02    | 0.025   | 0.09    | 9.9     | 11.2    | 0.45    | 527     | 2.20    |
| I098691            |                                   | 1.18    | 17.5    | 2.45    | 5.94    | 0.05    | <0.02   | 0.02    | 0.020   | 0.07    | 13.1    | 11.2    | 0.32    | 870     | 1.48    |
| I098692            |                                   | 0.77    | 15.2    | 2.78    | 6.17    | 0.06    | 0.04    | 0.03    | 0.021   | 0.09    | 16.5    | 14.2    | 0.53    | 233     | 0.76    |
| I098693            |                                   | 0.79    | 18.1    | 2.65    | 5.37    | 0.07    | 0.06    | 0.03    | 0.021   | 0.09    | 18.8    | 14.9    | 0.51    | 284     | 0.75    |
| I098694            |                                   | 0.65    | 18.0    | 2.43    | 4.36    | 0.07    | 0.05    | 0.03    | 0.019   | 0.10    | 16.1    | 13.9    | 0.54    | 491     | 0.73    |
| I098695            |                                   | 0.54    | 31.6    | 2.85    | 4.93    | 0.07    | 0.10    | 0.03    | 0.024   | 0.09    | 15.4    | 15.8    | 0.63    | 476     | 0.97    |
| I098696            |                                   | 0.67    | 25.2    | 2.58    | 4.39    | 0.07    | 0.11    | 0.03    | 0.021   | 0.08    | 16.8    | 13.8    | 0.56    | 302     | 0.71    |
| I098697            |                                   | 0.59    | 18.1    | 2.37    | 4.29    | 0.06    | 0.08    | 0.03    | 0.018   | 0.06    | 14.1    | 12.8    | 0.52    | 218     | 0.70    |
| I098698            |                                   | 0.69    | 12.5    | 2.93    | 6.34    | 0.06    | 0.05    | 0.01    | 0.019   | 0.07    | 10.7    | 13.3    | 0.44    | 231     | 1.38    |
| I098699            |                                   | 0.57    | 15.4    | 2.41    | 4.28    | 0.05    | 0.05    | 0.02    | 0.019   | 0.05    | 14.0    | 11.6    | 0.45    | 339     | 1.07    |
| I098700            |                                   | 0.55    | 29.1    | 2.74    | 4.62    | 0.07    | 0.11    | 0.03    | 0.023   | 0.07    | 16.0    | 13.2    | 0.55    | 454     | 0.75    |
| I098701            |                                   | 1.92    | 16.0    | 3.27    | 8.49    | 0.06    | 0.07    | 0.03    | 0.024   | 0.10    | 12.6    | 16.8    | 0.74    | 335     | 1.02    |
| I098702            |                                   | 1.64    | 10.8    | 2.38    | 7.01    | 0.05    | 0.04    | 0.02    | 0.018   | 0.05    | 7.6     | 13.4    | 0.49    | 199     | 0.88    |
| I098703            |                                   | 1.96    | 16.4    | 3.87    | 9.44    | 0.07    | 0.07    | 0.04    | 0.034   | 0.07    | 9.4     | 26.1    | 0.71    | 405     | 1.46    |
| I098704            |                                   | 3.01    | 16.8    | 2.93    | 6.06    | 0.05    | 0.02    | 0.78    | 0.027   | 0.09    | 15.7    | 17.1    | 0.53    | 735     | 0.92    |
| I098705            |                                   | 3.35    | 18.9    | 3.29    | 6.57    | 0.08    | 0.06    | 0.50    | 0.024   | 0.15    | 25.5    | 20.3    | 0.75    | 699     | 1.03    |
| I098706            |                                   | 2.24    | 16.9    | 4.01    | 8.52    | 0.09    | 0.07    | 0.03    | 0.024   | 0.20    | 14.7    | 18.4    | 1.03    | 585     | 0.78    |
| I098707            |                                   | 2.02    | 17.0    | 3.72    | 8.58    | 0.08    | 0.08    | 0.11    | 0.032   | 0.19    | 12.1    | 18.5    | 0.82    | 462     | 0.90    |
| I098708            |                                   | 1.66    | 23.1    | 3.10    | 6.94    | 0.08    | 0.06    | 0.06    | 0.027   | 0.17    | 25.7    | 15.1    | 0.65    | 696     | 0.90    |
| I098709            |                                   | 0.10    | 2.9     | 1.04    | 0.82    | <0.05   | 0.12    | 0.01    | <0.005  | 0.09    | 5.8     | 1.5     | 0.05    | 203     | 0.36    |
| I098710            |                                   | 2.04    | 15.3    | 3.85    | 7.11    | 0.08    | 0.13    | 0.04    | 0.027   | 0.19    | 17.5    | 18.8    | 0.85    | 775     | 0.75    |
| I098711            |                                   | 1.08    | 15.4    | 3.19    | 6.43    | 0.06    | 0.08    | 0.04    | 0.022   | 0.13    | 9.4     | 14.5    | 0.67    | 397     | 0.83    |
| I098712            |                                   | 1.41    | 14.8    | 3.58    | 6.57    | 0.06    | 0.12    | 0.08    | 0.021   | 0.18    | 10.1    | 17.3    | 0.82    | 451     | 0.94    |
| I098713            |                                   | 1.95    | 13.8    | 3.39    | 6.77    | 0.06    | 0.19    | 0.02    | 0.026   | 0.10    | 12.0    | 15.9    | 0.59    | 679     | 1.22    |
| I098714            |                                   | 0.93    | 16.4    | 2.95    | 7.53    | 0.07    | 0.14    | 0.02    | 0.045   | 0.09    | 28.8    | 13.2    | 0.48    | 375     | 1.18    |
| I098715            |                                   | 1.44    | 17.9    | 2.28    | 7.12    | 0.09    | 0.10    | 0.03    | 0.028   | 0.09    | 34.2    | 12.3    | 0.34    | 395     | 1.04    |
| I098716            |                                   | 2.06    | 19.4    | 3.94    | 9.57    | 0.09    | 0.26    | 0.03    | 0.045   | 0.10    | 33.0    | 24.0    | 0.69    | 576     | 1.16    |
| I098717            |                                   | 1.36    | 17.1    | 3.07    | 7.29    | 0.09    | 0.29    | 0.02    | 0.032   | 0.09    | 37.1    | 18.1    | 0.48    | 527     | 0.76    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I098678            |                                   | 1.60    | 11.6    | 330     | 10.3    | 7.2     | <0.001  | 0.02    | 0.44    | 2.0     | 0.5     | 0.7     | 26.3    | <0.01   | 0.03    |
| I098679            |                                   | 1.26    | 23.4    | 480     | 11.8    | 28.4    | <0.001  | 0.03    | 7.24    | 5.6     | 0.4     | 0.4     | 21.7    | <0.01   | 0.05    |
| I098680            |                                   | 1.66    | 7.7     | 290     | 11.2    | 5.3     | <0.001  | 0.02    | 0.47    | 1.7     | 0.3     | 0.7     | 12.1    | <0.01   | 0.03    |
| I098681            |                                   | 1.83    | 15.0    | 290     | 10.9    | 19.4    | <0.001  | 0.01    | 0.43    | 2.7     | 0.2     | 0.9     | 22.8    | <0.01   | 0.02    |
| I098682            |                                   | 1.27    | 11.5    | 1300    | 4.3     | 68.1    | <0.001  | 0.01    | 0.26    | 4.8     | 0.4     | 0.5     | 58.2    | <0.01   | 0.02    |
| I098683            |                                   | 1.21    | 23.0    | 470     | 6.0     | 29.9    | <0.001  | 0.01    | 0.30    | 4.2     | 0.3     | 0.7     | 24.3    | <0.01   | 0.02    |
| I098684            |                                   | 1.78    | 32.7    | 640     | 4.6     | 32.6    | <0.001  | 0.01    | 0.25    | 3.9     | 0.3     | 0.4     | 34.7    | <0.01   | 0.02    |
| I098685            |                                   | 1.12    | 16.4    | 470     | 3.9     | 14.0    | <0.001  | 0.01    | 0.27    | 3.0     | 0.2     | 0.4     | 21.3    | <0.01   | 0.02    |
| I098686            |                                   | 1.82    | 19.7    | 220     | 9.4     | 11.2    | <0.001  | 0.01    | 0.50    | 3.4     | 0.3     | 0.8     | 19.9    | <0.01   | 0.03    |
| I098687            |                                   | 0.98    | 34.5    | 850     | 6.4     | 14.8    | 0.001   | 0.05    | 0.62    | 4.9     | 1.8     | 0.5     | 111.5   | <0.01   | 0.04    |
| I098688            |                                   | 1.07    | 19.5    | 240     | 7.2     | 6.8     | <0.001  | 0.01    | 0.36    | 3.5     | 0.3     | 0.5     | 13.2    | <0.01   | 0.03    |
| I098689            |                                   | 1.26    | 21.0    | 970     | 7.3     | 9.9     | <0.001  | 0.01    | 0.25    | 3.0     | 0.4     | 0.5     | 19.4    | <0.01   | 0.03    |
| I098690            |                                   | 1.53    | 24.5    | 600     | 8.7     | 14.0    | <0.001  | 0.02    | 0.42    | 3.7     | 0.4     | 0.6     | 29.8    | <0.01   | 0.03    |
| I098691            |                                   | 1.27    | 16.4    | 590     | 8.8     | 16.4    | <0.001  | 0.02    | 0.33    | 2.8     | 0.4     | 0.6     | 24.6    | <0.01   | 0.03    |
| I098692            |                                   | 2.19    | 14.7    | 510     | 7.0     | 16.2    | <0.001  | 0.01    | 0.34    | 4.2     | 0.4     | 0.6     | 27.2    | <0.01   | 0.02    |
| I098693            |                                   | 2.24    | 15.6    | 670     | 7.2     | 15.5    | <0.001  | 0.01    | 0.43    | 4.4     | 0.6     | 0.5     | 31.7    | <0.01   | 0.03    |
| I098694            |                                   | 1.90    | 18.0    | 750     | 6.4     | 13.9    | 0.001   | 0.03    | 0.48    | 3.9     | 0.6     | 0.4     | 40.6    | <0.01   | 0.02    |
| I098695            |                                   | 1.76    | 29.1    | 740     | 8.8     | 9.7     | <0.001  | 0.02    | 0.81    | 5.2     | 0.7     | 0.5     | 43.9    | <0.01   | 0.03    |
| I098696            |                                   | 1.82    | 21.2    | 750     | 8.1     | 10.3    | 0.001   | 0.02    | 0.62    | 4.6     | 0.7     | 0.4     | 38.1    | <0.01   | 0.03    |
| I098697            |                                   | 1.70    | 17.9    | 670     | 7.1     | 8.7     | 0.001   | 0.02    | 0.48    | 3.8     | 0.5     | 0.4     | 37.1    | <0.01   | 0.02    |
| I098698            |                                   | 2.73    | 14.6    | 360     | 7.6     | 12.5    | <0.001  | 0.01    | 0.35    | 3.5     | 0.3     | 0.6     | 21.2    | <0.01   | 0.03    |
| I098699            |                                   | 1.65    | 14.7    | 570     | 6.7     | 9.2     | <0.001  | 0.01    | 0.38    | 3.6     | 0.5     | 0.5     | 36.1    | <0.01   | 0.03    |
| I098700            |                                   | 1.75    | 26.2    | 670     | 8.0     | 9.8     | <0.001  | 0.02    | 0.57    | 5.0     | 0.7     | 0.5     | 48.2    | <0.01   | 0.03    |
| I098701            |                                   | 2.39    | 15.0    | 320     | 7.9     | 20.4    | <0.001  | 0.01    | 0.50    | 5.6     | 0.4     | 0.7     | 26.5    | <0.01   | 0.03    |
| I098702            |                                   | 1.89    | 11.4    | 220     | 7.5     | 14.1    | <0.001  | 0.01    | 0.32    | 3.8     | 0.3     | 0.6     | 20.5    | <0.01   | 0.02    |
| I098703            |                                   | 2.85    | 17.3    | 460     | 8.4     | 13.1    | <0.001  | 0.02    | 0.64    | 5.9     | 0.5     | 0.9     | 20.9    | <0.01   | 0.03    |
| I098704            |                                   | 0.95    | 10.3    | 670     | 23.2    | 13.3    | <0.001  | 0.04    | 0.84    | 5.8     | 0.5     | 0.5     | 29.8    | <0.01   | 0.02    |
| I098705            |                                   | 2.12    | 11.9    | 780     | 13.2    | 22.2    | <0.001  | 0.07    | 1.03    | 7.6     | 0.8     | 0.5     | 63.9    | 0.01    | 0.07    |
| I098706            |                                   | 3.49    | 14.2    | 750     | 7.7     | 23.7    | <0.001  | 0.02    | 0.64    | 7.3     | 0.5     | 0.8     | 40.7    | 0.01    | 0.04    |
| I098707            |                                   | 2.92    | 17.0    | 540     | 7.2     | 24.3    | <0.001  | 0.02    | 0.68    | 7.8     | 0.6     | 0.8     | 47.7    | <0.01   | 0.03    |
| I098708            |                                   | 1.98    | 16.4    | 760     | 8.1     | 24.9    | <0.001  | 0.02    | 0.47    | 5.8     | 0.6     | 0.6     | 48.6    | <0.01   | 0.02    |
| I098709            |                                   | 0.16    | 3.9     | 120     | 1.8     | 3.8     | <0.001  | <0.01   | 0.15    | 0.7     | <0.2    | 0.2     | 11.3    | <0.01   | 0.01    |
| I098710            |                                   | 2.32    | 15.4    | 570     | 6.9     | 23.1    | <0.001  | 0.01    | 0.58    | 6.8     | 0.5     | 0.6     | 43.5    | <0.01   | 0.02    |
| I098711            |                                   | 1.95    | 13.2    | 400     | 7.2     | 16.4    | <0.001  | 0.01    | 0.46    | 4.7     | 0.3     | 0.5     | 39.2    | <0.01   | 0.03    |
| I098712            |                                   | 2.17    | 15.3    | 550     | 6.0     | 21.5    | <0.001  | 0.01    | 0.44    | 4.9     | 0.4     | 0.5     | 33.3    | <0.01   | 0.03    |
| I098713            |                                   | 1.89    | 15.7    | 200     | 11.7    | 16.3    | <0.001  | 0.02    | 0.53    | 4.1     | 0.3     | 0.6     | 24.1    | <0.01   | 0.04    |
| I098714            |                                   | 2.40    | 14.4    | 160     | 18.2    | 10.1    | <0.001  | 0.01    | 0.59    | 4.1     | 0.5     | 0.7     | 23.2    | <0.01   | 0.03    |
| I098715            |                                   | 2.31    | 14.2    | 260     | 20.4    | 17.1    | <0.001  | 0.01    | 0.42    | 3.5     | 0.7     | 0.7     | 29.1    | <0.01   | 0.03    |
| I098716            |                                   | 2.45    | 21.8    | 350     | 18.6    | 21.0    | <0.001  | 0.01    | 0.54    | 6.3     | 0.6     | 0.9     | 38.1    | <0.01   | 0.05    |
| I098717            |                                   | 2.13    | 16.6    | 290     | 13.4    | 16.8    | <0.001  | 0.01    | 0.43    | 5.1     | 0.6     | 0.7     | 29.8    | <0.01   | 0.03    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 2 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I098678            |                                   | 0.081              | 0.09                 | 0.48                | 57                  | 0.13                | 2.45                | 56                   | 1.2                  |
| I098679            |                                   | 0.176              | 0.20                 | 0.44                | 99                  | 0.21                | 4.43                | 83                   | 1.4                  |
| I098680            |                                   | 0.091              | 0.08                 | 0.50                | 66                  | 0.13                | 2.07                | 36                   | 1.0                  |
| I098681            |                                   | 0.086              | 0.11                 | 0.57                | 62                  | 0.14                | 2.53                | 52                   | 3.0                  |
| I098682            |                                   | 0.255              | 0.34                 | 0.53                | 121                 | 0.14                | 4.64                | 97                   | 1.9                  |
| I098683            |                                   | 0.112              | 0.12                 | 0.37                | 67                  | 0.14                | 2.89                | 71                   | 0.8                  |
| I098684            |                                   | 0.178              | 0.21                 | 0.34                | 54                  | 0.11                | 2.48                | 50                   | 2.1                  |
| I098685            |                                   | 0.152              | 0.09                 | 0.25                | 59                  | 0.15                | 1.59                | 48                   | 1.8                  |
| I098686            |                                   | 0.091              | 0.11                 | 0.46                | 66                  | 0.15                | 2.51                | 47                   | 4.3                  |
| I098687            |                                   | 0.051              | 0.08                 | 7.32                | 46                  | 0.15                | 13.50               | 55                   | 1.8                  |
| I098688            |                                   | 0.056              | 0.08                 | 0.52                | 58                  | 0.10                | 3.10                | 57                   | 2.3                  |
| I098689            |                                   | 0.053              | 0.09                 | 0.58                | 51                  | 0.10                | 3.28                | 79                   | 0.5                  |
| I098690            |                                   | 0.083              | 0.10                 | 0.50                | 63                  | 0.19                | 3.11                | 92                   | 1.2                  |
| I098691            |                                   | 0.065              | 0.11                 | 0.49                | 53                  | 0.22                | 3.74                | 72                   | <0.5                 |
| I098692            |                                   | 0.119              | 0.10                 | 0.88                | 56                  | 0.18                | 6.11                | 60                   | 1.4                  |
| I098693            |                                   | 0.114              | 0.11                 | 1.09                | 53                  | 0.46                | 7.54                | 59                   | 2.6                  |
| I098694            |                                   | 0.090              | 0.09                 | 1.29                | 49                  | 0.35                | 8.07                | 60                   | 1.7                  |
| I098695            |                                   | 0.096              | 0.07                 | 0.52                | 57                  | 0.31                | 10.15               | 66                   | 3.8                  |
| I098696            |                                   | 0.094              | 0.10                 | 0.71                | 52                  | 0.25                | 9.28                | 65                   | 4.3                  |
| I098697            |                                   | 0.093              | 0.07                 | 0.78                | 50                  | 0.27                | 6.72                | 57                   | 2.7                  |
| I098698            |                                   | 0.109              | 0.11                 | 0.46                | 65                  | 0.17                | 2.98                | 48                   | 1.5                  |
| I098699            |                                   | 0.084              | 0.06                 | 1.30                | 51                  | 0.28                | 5.71                | 45                   | 1.8                  |
| I098700            |                                   | 0.091              | 0.06                 | 1.97                | 53                  | 0.22                | 10.45               | 54                   | 4.6                  |
| I098701            |                                   | 0.166              | 0.13                 | 1.13                | 79                  | 0.13                | 6.12                | 60                   | 2.6                  |
| I098702            |                                   | 0.117              | 0.11                 | 0.53                | 60                  | 0.14                | 3.24                | 39                   | 1.8                  |
| I098703            |                                   | 0.147              | 0.15                 | 0.64                | 89                  | 0.17                | 6.20                | 66                   | 2.5                  |
| I098704            |                                   | 0.048              | 0.17                 | 1.90                | 53                  | 0.11                | 8.66                | 134                  | <0.5                 |
| I098705            |                                   | 0.122              | 0.20                 | 2.76                | 69                  | 0.61                | 22.5                | 97                   | 1.9                  |
| I098706            |                                   | 0.223              | 0.18                 | 1.02                | 94                  | 0.39                | 10.35               | 71                   | 2.5                  |
| I098707            |                                   | 0.184              | 0.20                 | 1.18                | 91                  | 0.30                | 9.18                | 70                   | 2.9                  |
| I098708            |                                   | 0.136              | 0.12                 | 1.71                | 68                  | 0.21                | 15.05               | 67                   | 1.9                  |
| I098709            |                                   | 0.010              | 0.04                 | 0.33                | 5                   | <0.05               | 2.27                | 5                    | 3.7                  |
| I098710            |                                   | 0.174              | 0.18                 | 1.19                | 83                  | 0.26                | 9.74                | 61                   | 4.9                  |
| I098711            |                                   | 0.142              | 0.11                 | 0.82                | 71                  | 0.17                | 4.97                | 51                   | 3.0                  |
| I098712            |                                   | 0.183              | 0.15                 | 0.67                | 82                  | 0.25                | 5.64                | 57                   | 4.3                  |
| I098713            |                                   | 0.135              | 0.13                 | 0.55                | 76                  | 0.29                | 4.42                | 51                   | 6.9                  |
| I098714            |                                   | 0.104              | 0.11                 | 0.74                | 72                  | 0.28                | 9.83                | 53                   | 5.6                  |
| I098715            |                                   | 0.090              | 0.09                 | 0.79                | 52                  | 0.23                | 16.85               | 40                   | 3.9                  |
| I098716            |                                   | 0.148              | 0.16                 | 1.09                | 86                  | 0.28                | 14.30               | 66                   | 10.7                 |
| I098717            |                                   | 0.123              | 0.11                 | 1.44                | 70                  | 0.18                | 14.90               | 54                   | 10.4                 |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I098718            |                                   | 0.50                      | <0.005               | 0.10                 | 2.33               | 10.0                 | <0.2                 | <10                 | 170                  | 0.72                 | 0.18                 | 0.53               | 0.11                 | 47.9                 | 10.6                 | 29                   |
| I098719            |                                   | 0.56                      | <0.005               | 0.09                 | 1.88               | 6.9                  | <0.2                 | <10                 | 160                  | 0.49                 | 0.16                 | 0.69               | 0.13                 | 37.0                 | 9.2                  | 27                   |
| I098720            |                                   | 0.56                      | <0.005               | 0.07                 | 1.61               | 7.0                  | <0.2                 | <10                 | 140                  | 0.31                 | 0.11                 | 0.66               | 0.12                 | 17.05                | 8.8                  | 27                   |
| I098721            |                                   | 0.42                      | <0.005               | 0.10                 | 1.69               | 9.8                  | <0.2                 | <10                 | 150                  | 0.39                 | 0.15                 | 0.68               | 0.22                 | 29.6                 | 11.5                 | 25                   |
| I098722            |                                   | 0.52                      | <0.005               | 0.11                 | 1.68               | 8.9                  | <0.2                 | <10                 | 150                  | 0.39                 | 0.13                 | 0.67               | 0.22                 | 30.2                 | 11.1                 | 26                   |
| I098723            |                                   | 0.64                      | <0.005               | 0.06                 | 1.64               | 7.5                  | <0.2                 | <10                 | 150                  | 0.43                 | 0.11                 | 0.65               | 0.10                 | 27.4                 | 9.6                  | 30                   |
| I098724            |                                   | 0.64                      | <0.005               | 0.05                 | 2.45               | 107.0                | <0.2                 | <10                 | 180                  | 0.41                 | 0.16                 | 0.40               | 0.14                 | 25.8                 | 11.5                 | 32                   |
| I098725            |                                   | 0.62                      | 0.006                | 0.02                 | 3.06               | 10.5                 | <0.2                 | <10                 | 240                  | 0.77                 | 0.16                 | 0.32               | 0.07                 | 42.7                 | 14.1                 | 52                   |
| I098726            |                                   | 0.52                      | <0.005               | 0.03                 | 3.29               | 12.9                 | <0.2                 | <10                 | 170                  | 0.57                 | 0.16                 | 0.15               | 0.21                 | 17.30                | 13.2                 | 39                   |
| I098727            |                                   | 0.58                      | <0.005               | 0.02                 | 1.83               | 13.7                 | <0.2                 | <10                 | 120                  | 0.85                 | 0.17                 | 0.29               | 0.35                 | 87.2                 | 12.8                 | 28                   |
| I098728            |                                   | 0.58                      | <0.005               | 0.07                 | 2.17               | 25.2                 | <0.2                 | <10                 | 150                  | 0.46                 | 0.19                 | 0.24               | 0.08                 | 18.00                | 9.5                  | 29                   |
| I098729            |                                   | 0.54                      | <0.005               | 0.08                 | 0.79               | 3.9                  | <0.2                 | <10                 | 70                   | 0.28                 | 0.18                 | 0.13               | 0.27                 | 16.65                | 2.7                  | 11                   |
| I098730            |                                   | 0.44                      | <0.005               | 0.02                 | 1.34               | 3.0                  | <0.2                 | <10                 | 90                   | 0.11                 | 0.16                 | 0.07               | 0.02                 | 39.8                 | 4.9                  | 24                   |
| I098731            |                                   | 0.44                      | <0.005               | 0.06                 | 2.15               | 23.6                 | <0.2                 | <10                 | 140                  | 0.38                 | 0.10                 | 0.22               | 0.37                 | 20.7                 | 15.1                 | 58                   |
| I098732            |                                   | 0.48                      | <0.005               | 0.05                 | 2.89               | 8.0                  | <0.2                 | <10                 | 160                  | 0.62                 | 0.09                 | 0.29               | 0.07                 | 23.9                 | 19.0                 | 69                   |
| I098733            |                                   | 0.44                      | <0.005               | 0.17                 | 0.99               | 7.3                  | <0.2                 | <10                 | 280                  | 0.30                 | 0.09                 | 2.51               | 0.29                 | 20.1                 | 38.3                 | 16                   |
| I098734            |                                   | 0.52                      | <0.005               | 0.11                 | 1.88               | 9.0                  | <0.2                 | <10                 | 170                  | 0.44                 | 0.14                 | 0.79               | 0.08                 | 57.8                 | 13.2                 | 45                   |
| I098735            |                                   | 0.08                      | <0.005               | 0.01                 | 0.11               | 2.0                  | <0.2                 | <10                 | 30                   | 0.09                 | 0.02                 | 0.09               | 0.04                 | 8.64                 | 2.2                  | 3                    |
| I098736            |                                   | 0.44                      | <0.005               | 0.16                 | 2.28               | 22.5                 | <0.2                 | <10                 | 200                  | 0.45                 | 0.07                 | 0.94               | 0.09                 | 24.9                 | 29.3                 | 70                   |
| I098737            |                                   | 0.52                      | <0.005               | 0.07                 | 1.85               | 13.4                 | <0.2                 | <10                 | 160                  | 0.49                 | 0.13                 | 0.58               | 0.13                 | 32.0                 | 8.5                  | 43                   |
| I098738            |                                   | 0.50                      | <0.005               | 0.10                 | 1.68               | 11.1                 | <0.2                 | <10                 | 190                  | 0.34                 | 0.10                 | 0.79               | 0.11                 | 29.8                 | 12.3                 | 49                   |
| I098739            |                                   | 0.50                      | <0.005               | 0.89                 | 1.69               | 11.5                 | <0.2                 | <10                 | 180                  | 0.65                 | 0.11                 | 1.21               | 0.20                 | 29.8                 | 16.4                 | 52                   |
| I098740            |                                   | 0.68                      | <0.005               | 0.08                 | 1.96               | 15.1                 | <0.2                 | <10                 | 150                  | 0.33                 | 0.13                 | 0.53               | 0.12                 | 21.1                 | 11.9                 | 51                   |
| I098741            |                                   | 0.66                      | <0.005               | 0.03                 | 1.28               | 15.7                 | <0.2                 | <10                 | 100                  | 0.16                 | 0.12                 | 0.21               | 0.06                 | 29.1                 | 7.0                  | 22                   |
| I098742            |                                   | 0.60                      | <0.005               | 0.02                 | 1.95               | 5.0                  | <0.2                 | <10                 | 120                  | 0.18                 | 0.06                 | 0.12               | 0.05                 | 44.3                 | 14.5                 | 58                   |
| I098743            |                                   | 0.48                      | <0.005               | 0.20                 | 1.55               | 32.8                 | <0.2                 | <10                 | 200                  | 0.29                 | 0.17                 | 0.26               | 0.07                 | 21.5                 | 6.6                  | 26                   |
| I098744            |                                   | 0.52                      | <0.005               | 0.08                 | 1.95               | 6.6                  | <0.2                 | <10                 | 260                  | 0.37                 | 0.12                 | 0.24               | 0.08                 | 17.80                | 15.1                 | 31                   |
| I098745            |                                   | 0.44                      | <0.005               | 0.02                 | 2.20               | 10.1                 | <0.2                 | <10                 | 150                  | 0.43                 | 0.15                 | 0.18               | 0.07                 | 22.7                 | 11.3                 | 33                   |
| I098746            |                                   | 0.46                      | <0.005               | 0.04                 | 2.14               | 6.4                  | <0.2                 | <10                 | 310                  | 0.50                 | 0.09                 | 0.70               | 0.04                 | 21.2                 | 16.9                 | 19                   |
| I098747            |                                   | 0.54                      | <0.005               | 0.04                 | 1.64               | 9.8                  | <0.2                 | <10                 | 130                  | 0.34                 | 0.15                 | 0.20               | 0.05                 | 38.9                 | 7.5                  | 25                   |
| I098748            |                                   | 0.48                      | <0.005               | 0.04                 | 1.85               | 12.4                 | <0.2                 | <10                 | 180                  | 0.34                 | 0.16                 | 0.22               | 0.05                 | 34.3                 | 9.4                  | 31                   |
| I098749            |                                   | 0.40                      | <0.005               | 0.09                 | 1.38               | 8.7                  | <0.2                 | <10                 | 110                  | 0.16                 | 0.18                 | 0.11               | 0.08                 | 23.7                 | 4.6                  | 23                   |
| I098750            |                                   | 0.52                      | <0.005               | 0.10                 | 1.82               | 8.3                  | <0.2                 | <10                 | 160                  | 0.26                 | 0.19                 | 0.12               | 0.07                 | 23.7                 | 5.5                  | 27                   |
| I098751            |                                   | 0.32                      | <0.005               | 0.04                 | 0.31               | 1.2                  | <0.2                 | <10                 | 50                   | 0.10                 | 0.08                 | 0.08               | 0.15                 | 4.20                 | 1.4                  | 7                    |
| I098752            |                                   | 0.46                      | <0.005               | 0.08                 | 1.60               | 6.2                  | <0.2                 | <10                 | 180                  | 0.55                 | 0.19                 | 0.31               | 0.23                 | 39.3                 | 8.2                  | 27                   |
| I098753            |                                   | 0.28                      | <0.005               | 0.06                 | 1.35               | 5.6                  | <0.2                 | <10                 | 80                   | 0.24                 | 0.19                 | 0.13               | 0.13                 | 12.10                | 3.9                  | 31                   |
| I098754            |                                   | 0.34                      | 0.008                | 0.42                 | 3.48               | 30.5                 | <0.2                 | <10                 | 380                  | 3.23                 | 0.28                 | 0.36               | 0.28                 | >500                 | 10.6                 | 47                   |
| I098755            |                                   | 0.38                      | <0.005               | 0.08                 | 1.74               | 24.3                 | <0.2                 | <10                 | 140                  | 0.46                 | 0.19                 | 0.45               | 0.11                 | 41.9                 | 10.1                 | 33                   |
| I098756            |                                   | 0.44                      | <0.005               | 0.11                 | 2.13               | 61.8                 | <0.2                 | <10                 | 180                  | 0.66                 | 0.20                 | 0.46               | 0.12                 | 77.1                 | 12.7                 | 39                   |
| I098757            |                                   | 0.42                      | <0.005               | 0.02                 | 2.49               | 114.5                | <0.2                 | <10                 | 110                  | 0.67                 | 0.18                 | 0.16               | 0.08                 | 54.6                 | 19.7                 | 67                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I098718            |                                   | 1.65    | 16.3    | 3.45    | 8.18    | 0.10    | 0.17    | 0.02    | 0.028   | 0.14    | 35.0    | 19.5    | 0.68    | 391     | 0.66    |
| I098719            |                                   | 1.16    | 16.1    | 2.95    | 6.09    | 0.07    | 0.11    | 0.04    | 0.026   | 0.12    | 23.8    | 15.9    | 0.63    | 383     | 0.51    |
| I098720            |                                   | 0.59    | 16.8    | 2.60    | 5.60    | 0.05    | 0.05    | 0.03    | 0.020   | 0.05    | 8.6     | 11.9    | 0.56    | 272     | 0.73    |
| I098721            |                                   | 1.11    | 21.2    | 2.70    | 5.63    | 0.06    | 0.05    | 0.05    | 0.023   | 0.06    | 15.3    | 15.0    | 0.55    | 619     | 0.87    |
| I098722            |                                   | 1.01    | 21.4    | 2.71    | 5.51    | 0.05    | 0.05    | 0.07    | 0.024   | 0.06    | 15.7    | 14.3    | 0.56    | 662     | 0.84    |
| I098723            |                                   | 0.68    | 28.2    | 2.78    | 5.35    | 0.07    | 0.14    | 0.02    | 0.022   | 0.06    | 14.0    | 13.2    | 0.61    | 335     | 0.51    |
| I098724            |                                   | 1.18    | 21.2    | 3.49    | 7.37    | 0.06    | 0.24    | 0.02    | 0.030   | 0.08    | 10.3    | 16.3    | 0.65    | 324     | 0.68    |
| I098725            |                                   | 0.84    | 31.7    | 3.84    | 7.68    | 0.07    | 0.56    | 0.02    | 0.039   | 0.04    | 23.1    | 15.7    | 0.64    | 366     | 1.16    |
| I098726            |                                   | 1.09    | 20.1    | 4.12    | 9.21    | 0.06    | 0.26    | 0.01    | 0.039   | 0.04    | 8.4     | 18.1    | 0.48    | 270     | 1.38    |
| I098727            |                                   | 1.29    | 21.3    | 2.88    | 6.04    | 0.08    | 0.34    | 0.02    | 0.045   | 0.06    | 36.9    | 12.9    | 0.39    | 615     | 0.67    |
| I098728            |                                   | 1.29    | 17.7    | 3.52    | 8.68    | 0.05    | 0.17    | 0.01    | 0.029   | 0.04    | 9.0     | 13.9    | 0.37    | 277     | 1.77    |
| I098729            |                                   | 0.81    | 13.4    | 1.08    | 4.20    | <0.05   | <0.02   | 0.02    | 0.014   | 0.03    | 9.1     | 3.7     | 0.12    | 133     | 0.54    |
| I098730            |                                   | 1.81    | 18.2    | 2.50    | 7.76    | 0.06    | 0.02    | 0.01    | 0.015   | 0.37    | 22.6    | 7.7     | 0.52    | 153     | 1.49    |
| I098731            |                                   | 2.34    | 29.3    | 3.87    | 8.23    | 0.09    | 0.03    | 0.02    | 0.015   | 0.43    | 9.3     | 18.4    | 1.00    | 257     | 1.31    |
| I098732            |                                   | 1.91    | 30.9    | 4.48    | 9.13    | 0.09    | 0.05    | 0.01    | 0.018   | 0.35    | 14.0    | 28.4    | 1.21    | 274     | 1.14    |
| I098733            |                                   | 0.30    | 27.7    | 2.77    | 2.27    | 0.06    | 0.05    | 0.05    | 0.009   | 0.02    | 14.5    | 3.9     | 0.17    | 3570    | 0.74    |
| I098734            |                                   | 1.19    | 33.2    | 3.21    | 6.46    | 0.07    | 0.04    | 0.05    | 0.031   | 0.06    | 23.7    | 19.5    | 0.72    | 240     | 0.55    |
| I098735            |                                   | 0.08    | 2.7     | 0.77    | 0.54    | <0.05   | 0.04    | 0.01    | <0.005  | 0.03    | 4.4     | 1.2     | 0.05    | 180     | 0.29    |
| I098736            |                                   | 2.01    | 30.8    | 4.73    | 6.95    | 0.11    | 0.04    | 0.04    | 0.023   | 0.59    | 18.0    | 26.5    | 1.19    | 725     | 1.06    |
| I098737            |                                   | 1.13    | 28.2    | 2.67    | 6.00    | 0.06    | 0.05    | 0.04    | 0.028   | 0.06    | 16.5    | 15.5    | 0.62    | 160     | 0.24    |
| I098738            |                                   | 1.21    | 26.0    | 3.54    | 6.38    | 0.07    | 0.03    | 0.03    | 0.028   | 0.08    | 15.9    | 12.3    | 0.64    | 339     | 1.00    |
| I098739            |                                   | 0.87    | 39.9    | 3.73    | 5.56    | 0.07    | 0.05    | 0.11    | 0.023   | 0.05    | 16.2    | 13.7    | 0.80    | 651     | 0.79    |
| I098740            |                                   | 1.30    | 23.0    | 3.79    | 7.74    | 0.07    | 0.05    | 0.02    | 0.028   | 0.07    | 11.0    | 17.8    | 0.84    | 244     | 1.15    |
| I098741            |                                   | 0.51    | 16.0    | 2.66    | 6.37    | 0.06    | 0.02    | 0.02    | 0.020   | 0.05    | 15.4    | 7.9     | 0.34    | 135     | 1.20    |
| I098742            |                                   | 0.90    | 14.7    | 3.68    | 7.49    | 0.10    | <0.02   | 0.01    | 0.031   | 0.25    | 30.3    | 13.8    | 0.74    | 206     | 0.57    |
| I098743            |                                   | 0.83    | 11.0    | 2.54    | 7.01    | 0.05    | 0.05    | 0.01    | 0.021   | 0.05    | 11.1    | 12.0    | 0.37    | 195     | 1.13    |
| I098744            |                                   | 0.98    | 13.9    | 3.65    | 7.25    | 0.07    | 0.07    | 0.01    | 0.018   | 0.38    | 8.1     | 17.1    | 0.94    | 425     | 1.11    |
| I098745            |                                   | 1.20    | 15.8    | 3.69    | 8.54    | 0.07    | 0.11    | 0.01    | 0.025   | 0.09    | 16.5    | 18.5    | 0.65    | 227     | 0.97    |
| I098746            |                                   | 1.65    | 19.7    | 3.75    | 7.71    | 0.08    | 0.03    | 0.02    | 0.016   | 0.40    | 10.7    | 19.4    | 1.25    | 338     | 1.06    |
| I098747            |                                   | 1.00    | 11.5    | 2.94    | 9.13    | 0.06    | 0.05    | 0.01    | 0.026   | 0.11    | 20.0    | 11.2    | 0.45    | 228     | 1.75    |
| I098748            |                                   | 0.74    | 12.0    | 3.48    | 7.56    | 0.06    | 0.07    | 0.01    | 0.024   | 0.05    | 20.6    | 14.4    | 0.49    | 264     | 1.43    |
| I098749            |                                   | 0.87    | 11.1    | 2.53    | 8.16    | <0.05   | 0.03    | 0.02    | 0.018   | 0.04    | 13.4    | 7.2     | 0.28    | 133     | 1.51    |
| I098750            |                                   | 0.94    | 13.8    | 2.87    | 7.02    | 0.05    | 0.07    | 0.01    | 0.023   | 0.04    | 14.2    | 10.9    | 0.31    | 144     | 1.36    |
| I098751            |                                   | 0.54    | 6.7     | 0.73    | 2.14    | <0.05   | <0.02   | 0.02    | 0.008   | 0.03    | 2.5     | 0.7     | 0.04    | 67      | 0.51    |
| I098752            |                                   | 1.73    | 20.4    | 2.22    | 4.99    | 0.07    | 0.04    | 0.04    | 0.027   | 0.05    | 18.8    | 9.0     | 0.41    | 292     | 0.91    |
| I098753            |                                   | 0.88    | 12.5    | 2.05    | 4.79    | <0.05   | 0.03    | 0.03    | 0.019   | 0.04    | 6.4     | 5.0     | 0.23    | 133     | 1.14    |
| I098754            |                                   | 3.56    | 59.9    | 3.73    | 12.35   | 1.11    | 0.31    | 0.12    | 0.060   | 0.07    | 560     | 12.4    | 0.40    | 439     | 1.75    |
| I098755            |                                   | 1.92    | 16.2    | 3.14    | 5.73    | 0.08    | 0.04    | 0.03    | 0.034   | 0.06    | 24.3    | 11.2    | 0.48    | 355     | 2.31    |
| I098756            |                                   | 2.06    | 29.5    | 3.31    | 6.28    | 0.14    | 0.08    | 0.06    | 0.037   | 0.09    | 47.4    | 14.3    | 0.66    | 299     | 0.96    |
| I098757            |                                   | 3.11    | 35.3    | 4.33    | 6.20    | 0.10    | 0.03    | 0.02    | 0.028   | 0.21    | 24.6    | 24.9    | 1.19    | 467     | 1.25    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I098718            |                                   | 2.42    | 15.9    | 450     | 10.4    | 19.3    | <0.001  | 0.01    | 0.50    | 6.3     | 0.6     | 0.7     | 34.0    | <0.01   | 0.02    |
| I098719            |                                   | 1.79    | 16.4    | 590     | 8.2     | 15.4    | <0.001  | 0.01    | 0.40    | 5.4     | 0.6     | 0.6     | 38.9    | <0.01   | 0.02    |
| I098720            |                                   | 1.69    | 17.5    | 470     | 5.4     | 6.2     | <0.001  | 0.02    | 0.30    | 4.1     | 0.4     | 0.5     | 39.9    | <0.01   | 0.02    |
| I098721            |                                   | 1.50    | 19.1    | 630     | 7.9     | 11.2    | <0.001  | 0.02    | 0.43    | 4.9     | 0.6     | 0.5     | 39.9    | <0.01   | 0.02    |
| I098722            |                                   | 1.43    | 17.9    | 610     | 6.8     | 10.3    | <0.001  | 0.02    | 0.38    | 4.6     | 0.6     | 0.5     | 38.9    | <0.01   | 0.02    |
| I098723            |                                   | 1.54    | 23.1    | 660     | 6.1     | 8.1     | <0.001  | 0.01    | 0.39    | 5.4     | 0.6     | 0.5     | 39.0    | <0.01   | 0.02    |
| I098724            |                                   | 1.50    | 21.6    | 450     | 8.5     | 13.4    | <0.001  | 0.01    | 0.56    | 5.3     | 0.3     | 0.7     | 29.8    | <0.01   | 0.02    |
| I098725            |                                   | 0.61    | 31.5    | 140     | 9.7     | 7.9     | <0.001  | 0.01    | 0.54    | 6.4     | 0.4     | 0.7     | 36.6    | <0.01   | 0.03    |
| I098726            |                                   | 2.02    | 30.9    | 220     | 11.6    | 9.7     | <0.001  | 0.01    | 0.54    | 4.3     | 0.3     | 0.8     | 17.4    | 0.01    | 0.03    |
| I098727            |                                   | 1.51    | 19.8    | 230     | 60.6    | 14.8    | <0.001  | 0.01    | 0.74    | 4.3     | 0.5     | 0.7     | 23.2    | <0.01   | 0.02    |
| I098728            |                                   | 1.47    | 19.1    | 240     | 10.7    | 11.6    | <0.001  | 0.01    | 0.68    | 4.0     | 0.3     | 0.9     | 23.1    | <0.01   | 0.03    |
| I098729            |                                   | 0.49    | 6.2     | 310     | 6.7     | 8.3     | <0.001  | 0.02    | 0.20    | 0.9     | 0.4     | 0.5     | 12.2    | <0.01   | 0.01    |
| I098730            |                                   | 2.75    | 12.2    | 300     | 7.1     | 40.7    | <0.001  | 0.17    | 0.15    | 1.8     | 0.4     | 0.7     | 23.5    | <0.01   | 0.03    |
| I098731            |                                   | 2.64    | 47.6    | 320     | 11.4    | 43.9    | <0.001  | 0.05    | 0.21    | 2.9     | 0.5     | 0.5     | 22.0    | <0.01   | 0.03    |
| I098732            |                                   | 2.23    | 47.3    | 440     | 6.3     | 36.7    | <0.001  | 0.03    | 0.23    | 3.6     | 0.5     | 0.5     | 23.0    | <0.01   | 0.02    |
| I098733            |                                   | 0.59    | 32.7    | 740     | 14.6    | 2.4     | <0.001  | 0.11    | 0.22    | 1.8     | 1.4     | 0.2     | 134.5   | 0.01    | 0.05    |
| I098734            |                                   | 1.50    | 35.8    | 590     | 7.8     | 12.5    | <0.001  | 0.05    | 0.39    | 5.1     | 0.8     | 0.6     | 50.9    | <0.01   | 0.04    |
| I098735            |                                   | 0.20    | 3.9     | 110     | 1.4     | 1.7     | <0.001  | 0.01    | 0.15    | 0.6     | <0.2    | <0.2    | 5.7     | <0.01   | 0.01    |
| I098736            |                                   | 2.16    | 47.2    | 700     | 5.2     | 53.7    | 0.001   | 0.05    | 0.40    | 5.9     | 0.8     | 0.6     | 44.5    | <0.01   | 0.04    |
| I098737            |                                   | 1.53    | 27.5    | 480     | 10.3    | 9.7     | <0.001  | 0.03    | 0.60    | 5.4     | 0.6     | 0.6     | 37.0    | <0.01   | 0.06    |
| I098738            |                                   | 1.66    | 29.1    | 460     | 6.7     | 11.2    | <0.001  | 0.03    | 0.41    | 5.5     | 0.6     | 0.6     | 39.9    | <0.01   | 0.03    |
| I098739            |                                   | 1.39    | 39.3    | 640     | 32.5    | 10.9    | <0.001  | 0.04    | 1.89    | 5.8     | 0.8     | 0.5     | 63.2    | <0.01   | 0.04    |
| I098740            |                                   | 1.90    | 31.1    | 360     | 11.3    | 16.8    | <0.001  | 0.01    | 0.41    | 4.9     | 0.4     | 0.7     | 31.4    | <0.01   | 0.03    |
| I098741            |                                   | 1.35    | 16.0    | 180     | 5.6     | 9.2     | <0.001  | <0.01   | 0.30    | 3.0     | 0.3     | 0.5     | 17.1    | <0.01   | 0.03    |
| I098742            |                                   | 1.10    | 52.4    | 300     | 3.3     | 22.5    | <0.001  | 0.01    | 0.15    | 4.2     | 0.5     | 0.6     | 10.8    | <0.01   | 0.02    |
| I098743            |                                   | 1.48    | 15.3    | 180     | 10.9    | 11.4    | <0.001  | <0.01   | 0.61    | 3.0     | 0.3     | 0.7     | 21.9    | <0.01   | 0.03    |
| I098744            |                                   | 1.75    | 18.6    | 280     | 6.4     | 32.8    | <0.001  | 0.01    | 0.43    | 3.0     | 0.3     | 0.6     | 21.9    | <0.01   | 0.02    |
| I098745            |                                   | 1.86    | 18.8    | 300     | 7.7     | 19.0    | <0.001  | 0.01    | 0.42    | 3.8     | 0.4     | 0.7     | 18.4    | <0.01   | 0.03    |
| I098746            |                                   | 1.22    | 16.3    | 930     | 4.5     | 43.1    | <0.001  | 0.01    | 0.20    | 3.5     | 0.4     | 0.6     | 38.9    | <0.01   | 0.02    |
| I098747            |                                   | 2.19    | 16.8    | 220     | 9.2     | 21.3    | <0.001  | 0.01    | 0.35    | 4.0     | 0.4     | 1.0     | 19.6    | <0.01   | 0.03    |
| I098748            |                                   | 1.87    | 19.8    | 210     | 8.9     | 14.4    | <0.001  | 0.01    | 0.46    | 3.5     | 0.3     | 0.7     | 20.7    | <0.01   | 0.03    |
| I098749            |                                   | 1.92    | 11.3    | 200     | 10.1    | 11.3    | <0.001  | 0.02    | 0.41    | 2.6     | 0.4     | 0.8     | 12.7    | <0.01   | 0.03    |
| I098750            |                                   | 1.55    | 13.1    | 190     | 12.5    | 14.9    | <0.001  | <0.01   | 0.38    | 3.0     | 0.3     | 0.7     | 13.8    | <0.01   | 0.03    |
| I098751            |                                   | 0.24    | 3.6     | 190     | 3.6     | 3.2     | <0.001  | 0.01    | 0.13    | 0.6     | 0.2     | 0.3     | 9.8     | <0.01   | 0.01    |
| I098752            |                                   | 1.14    | 19.6    | 360     | 12.2    | 8.2     | <0.001  | 0.01    | 0.37    | 3.4     | 0.6     | 0.7     | 26.4    | <0.01   | 0.02    |
| I098753            |                                   | 1.12    | 17.0    | 220     | 9.9     | 4.4     | 0.001   | 0.01    | 0.33    | 1.8     | 0.3     | 0.6     | 11.1    | <0.01   | 0.02    |
| I098754            |                                   | 1.63    | 37.7    | 950     | 19.7    | 17.1    | 0.001   | 0.05    | 0.61    | 10.6    | 6.4     | 0.7     | 35.8    | 0.04    | 0.04    |
| I098755            |                                   | 1.43    | 18.8    | 470     | 12.6    | 13.0    | <0.001  | 0.02    | 0.51    | 4.0     | 0.6     | 0.6     | 28.8    | <0.01   | 0.02    |
| I098756            |                                   | 1.53    | 29.7    | 530     | 14.6    | 17.1    | <0.001  | 0.01    | 1.24    | 6.1     | 1.0     | 0.6     | 29.8    | <0.01   | 0.03    |
| I098757            |                                   | 0.72    | 43.5    | 270     | 9.3     | 28.2    | <0.001  | <0.01   | 1.29    | 5.2     | 0.6     | 0.3     | 13.5    | <0.01   | 0.03    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 3 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 5 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I098718            |                                   | 0.154   | 0.13    | 1.49    | 75      | 0.17    | 14.95   | 60      |
| I098719            |                                   | 0.127   | 0.10    | 1.30    | 65      | 0.25    | 11.90   | 57      |
| I098720            |                                   | 0.116   | 0.07    | 0.49    | 65      | 0.14    | 5.47    | 48      |
| I098721            |                                   | 0.101   | 0.08    | 1.09    | 60      | 0.18    | 10.50   | 58      |
| I098722            |                                   | 0.105   | 0.08    | 1.12    | 62      | 0.27    | 10.25   | 55      |
| I098723            |                                   | 0.134   | 0.06    | 0.53    | 66      | 0.22    | 10.00   | 49      |
| I098724            |                                   | 0.154   | 0.11    | 0.52    | 78      | 0.18    | 5.50    | 58      |
| I098725            |                                   | 0.132   | 0.11    | 0.69    | 87      | 0.10    | 6.27    | 65      |
| I098726            |                                   | 0.106   | 0.10    | 0.47    | 85      | 0.12    | 3.32    | 63      |
| I098727            |                                   | 0.116   | 0.10    | 0.68    | 61      | 0.24    | 8.07    | 123     |
| I098728            |                                   | 0.098   | 0.12    | 0.44    | 80      | 0.13    | 3.53    | 44      |
| I098729            |                                   | 0.044   | 0.06    | 0.35    | 28      | 0.07    | 3.34    | 20      |
| I098730            |                                   | 0.171   | 0.24    | 1.01    | 50      | 0.05    | 3.30    | 44      |
| I098731            |                                   | 0.195   | 0.52    | 0.47    | 70      | 0.13    | 3.94    | 133     |
| I098732            |                                   | 0.199   | 0.27    | 0.62    | 74      | 0.11    | 5.03    | 84      |
| I098733            |                                   | 0.032   | 0.08    | 0.79    | 24      | 0.08    | 15.50   | 19      |
| I098734            |                                   | 0.079   | 0.13    | 0.99    | 53      | 0.12    | 10.35   | 57      |
| I098735            |                                   | 0.007   | 0.03    | 0.26    | 4       | <0.05   | 1.96    | 5       |
| I098736            |                                   | 0.153   | 0.31    | 0.70    | 63      | 0.14    | 9.51    | 89      |
| I098737            |                                   | 0.095   | 0.13    | 0.80    | 55      | 0.20    | 8.13    | 65      |
| I098738            |                                   | 0.101   | 0.12    | 0.70    | 61      | 0.26    | 9.23    | 63      |
| I098739            |                                   | 0.084   | 0.10    | 0.86    | 58      | 0.22    | 9.51    | 91      |
| I098740            |                                   | 0.126   | 0.19    | 0.45    | 68      | 0.29    | 4.68    | 82      |
| I098741            |                                   | 0.072   | 0.08    | 0.46    | 53      | 0.16    | 6.08    | 41      |
| I098742            |                                   | 0.083   | 0.14    | 0.57    | 49      | 0.06    | 9.57    | 69      |
| I098743            |                                   | 0.083   | 0.11    | 0.37    | 63      | 0.14    | 2.68    | 29      |
| I098744            |                                   | 0.168   | 0.13    | 0.30    | 74      | 0.14    | 2.30    | 61      |
| I098745            |                                   | 0.147   | 0.14    | 0.44    | 77      | 0.16    | 3.23    | 44      |
| I098746            |                                   | 0.181   | 0.25    | 0.47    | 73      | 0.11    | 3.58    | 59      |
| I098747            |                                   | 0.108   | 0.15    | 0.62    | 66      | 0.21    | 4.14    | 48      |
| I098748            |                                   | 0.099   | 0.09    | 0.41    | 77      | 0.16    | 4.91    | 42      |
| I098749            |                                   | 0.100   | 0.11    | 0.33    | 69      | 0.16    | 2.35    | 32      |
| I098750            |                                   | 0.093   | 0.11    | 0.41    | 70      | 0.15    | 2.90    | 35      |
| I098751            |                                   | 0.036   | 0.03    | 0.20    | 22      | 0.62    | 0.89    | 15      |
| I098752            |                                   | 0.087   | 0.07    | 2.15    | 52      | 0.15    | 10.85   | 46      |
| I098753            |                                   | 0.080   | 0.06    | 0.49    | 51      | 0.14    | 2.81    | 32      |
| I098754            |                                   | 0.073   | 0.11    | 7.86    | 61      | 0.33    | 191.0   | 68      |
| I098755            |                                   | 0.080   | 0.11    | 2.36    | 60      | 0.17    | 10.00   | 58      |
| I098756            |                                   | 0.112   | 0.14    | 2.65    | 60      | 0.15    | 19.65   | 68      |
| I098757            |                                   | 0.099   | 0.20    | 1.09    | 55      | 0.07    | 10.20   | 77      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I098758            |                                   | 0.26                      | <0.005               | 0.14                 | 0.29               | 1.9                  | <0.2                 | <10                 | 60                   | 0.09                 | 0.07                 | 0.05               | 0.40                 | 5.84                 | 1.0                  | 7                    |
| I098759            |                                   | 0.62                      | <0.005               | 0.13                 | 1.63               | 7.0                  | <0.2                 | <10                 | 180                  | 0.33                 | 0.12                 | 0.16               | 0.06                 | 14.10                | 6.6                  | 16                   |
| I098760            |                                   | 0.46                      | <0.005               | 0.04                 | 2.38               | 10.8                 | <0.2                 | <10                 | 150                  | 0.51                 | 0.22                 | 0.16               | 0.15                 | 29.9                 | 12.6                 | 36                   |
| I098761            |                                   | 0.36                      | <0.005               | 0.01                 | 0.36               | 1.3                  | <0.2                 | <10                 | 40                   | 0.07                 | 0.08                 | 0.05               | 0.08                 | 4.95                 | 1.3                  | 6                    |
| I098762            |                                   | 0.48                      | <0.005               | 0.03                 | 1.78               | 8.6                  | <0.2                 | <10                 | 130                  | 0.27                 | 0.31                 | 0.13               | 0.23                 | 17.50                | 6.2                  | 24                   |
| I098763            |                                   | 0.24                      | <0.005               | 0.06                 | 0.45               | 1.5                  | <0.2                 | <10                 | 60                   | 0.14                 | 0.09                 | 0.06               | 0.10                 | 8.45                 | 1.3                  | 8                    |
| I098764            |                                   | 0.62                      | <0.005               | 0.04                 | 2.57               | 8.0                  | <0.2                 | <10                 | 180                  | 0.59                 | 0.18                 | 0.30               | 0.08                 | 52.7                 | 11.6                 | 40                   |
| I098765            |                                   | 0.36                      | <0.005               | 0.04                 | 2.40               | 9.7                  | <0.2                 | <10                 | 210                  | 0.52                 | 0.37                 | 0.22               | 0.11                 | 34.9                 | 9.5                  | 36                   |
| I098766            |                                   | 0.40                      | 0.007                | 0.04                 | 1.42               | 5.6                  | <0.2                 | <10                 | 130                  | 0.24                 | 0.20                 | 0.14               | 0.13                 | 15.50                | 6.8                  | 21                   |
| I098767            |                                   | 0.32                      | <0.005               | 0.14                 | 2.04               | 9.1                  | <0.2                 | <10                 | 180                  | 0.66                 | 0.18                 | 0.27               | 0.13                 | 61.3                 | 5.1                  | 25                   |
| I098768            |                                   | 0.66                      | <0.005               | 0.10                 | 2.32               | 14.9                 | <0.2                 | <10                 | 210                  | 0.48                 | 0.18                 | 0.35               | 0.09                 | 39.9                 | 12.3                 | 40                   |
| I098769            |                                   | 0.24                      | <0.005               | 0.04                 | 0.56               | 4.2                  | <0.2                 | <10                 | 130                  | 0.09                 | 0.20                 | 0.17               | 0.18                 | 9.82                 | 2.0                  | 10                   |
| I098770            |                                   | 0.58                      | <0.005               | 0.07                 | 1.99               | 10.2                 | <0.2                 | <10                 | 210                  | 0.74                 | 0.24                 | 0.37               | 0.15                 | 73.6                 | 10.8                 | 34                   |
| I098771            |                                   | 0.38                      | <0.005               | 0.06                 | 1.58               | 6.4                  | <0.2                 | <10                 | 140                  | 0.25                 | 0.17                 | 0.31               | 0.11                 | 29.0                 | 6.6                  | 25                   |
| I098772            |                                   | 0.52                      | <0.005               | 0.09                 | 2.06               | 12.5                 | <0.2                 | <10                 | 170                  | 0.37                 | 0.22                 | 0.27               | 0.11                 | 39.1                 | 7.6                  | 31                   |
| I098773            |                                   | 0.30                      | <0.005               | 0.13                 | 1.74               | 6.8                  | <0.2                 | <10                 | 260                  | 0.58                 | 0.20                 | 0.31               | 0.19                 | 59.5                 | 9.5                  | 26                   |
| I098774            |                                   | 0.48                      | 0.005                | 0.06                 | 1.69               | 7.1                  | <0.2                 | <10                 | 160                  | 0.39                 | 0.19                 | 0.32               | 0.11                 | 38.1                 | 9.8                  | 27                   |
| I098775            |                                   | 0.36                      | <0.005               | 0.05                 | 2.12               | 7.9                  | <0.2                 | <10                 | 220                  | 0.58                 | 0.21                 | 0.28               | 0.10                 | 57.0                 | 9.9                  | 32                   |
| I098776            |                                   | 0.26                      | <0.005               | 0.03                 | 1.78               | 9.3                  | <0.2                 | <10                 | 130                  | 0.47                 | 0.19                 | 0.18               | 0.15                 | 34.6                 | 9.7                  | 30                   |
| I098777            |                                   | 0.38                      | <0.005               | 0.03                 | 2.03               | 12.6                 | <0.2                 | <10                 | 150                  | 0.50                 | 0.25                 | 0.19               | 0.09                 | 35.0                 | 8.7                  | 34                   |
| I098778            |                                   | 0.56                      | 0.005                | 0.11                 | 1.76               | 13.7                 | <0.2                 | <10                 | 230                  | 1.67                 | 0.16                 | 0.67               | 0.08                 | 70.6                 | 18.7                 | 62                   |
| I098779            |                                   | 0.30                      | <0.005               | 0.05                 | 1.03               | 5.2                  | <0.2                 | <10                 | 80                   | 0.17                 | 0.17                 | 0.12               | 0.18                 | 16.45                | 3.9                  | 18                   |
| I098780            |                                   | 0.32                      | <0.005               | 0.05                 | 1.47               | 11.0                 | <0.2                 | <10                 | 100                  | 0.17                 | 0.28                 | 0.31               | 0.21                 | 17.25                | 4.2                  | 21                   |
| I098781            |                                   | 0.50                      | <0.005               | 0.04                 | 2.10               | 8.0                  | <0.2                 | <10                 | 190                  | 0.54                 | 0.18                 | 0.41               | 0.08                 | 68.3                 | 8.5                  | 37                   |
| I098782            |                                   | 0.32                      | <0.005               | 0.05                 | 1.78               | 9.4                  | <0.2                 | <10                 | 160                  | 0.56                 | 0.21                 | 0.26               | 0.11                 | 37.2                 | 6.7                  | 28                   |
| I098783            |                                   | 0.32                      | <0.005               | 0.03                 | 1.64               | 7.4                  | <0.2                 | <10                 | 100                  | 0.34                 | 0.19                 | 0.19               | 0.13                 | 21.2                 | 6.9                  | 25                   |
| I098784            |                                   | 0.38                      | 0.006                | 0.05                 | 1.91               | 7.7                  | <0.2                 | <10                 | 250                  | 0.84                 | 0.19                 | 0.40               | 0.07                 | 107.5                | 9.8                  | 33                   |
| I098785            |                                   | 0.40                      | <0.005               | 0.08                 | 1.83               | 8.4                  | <0.2                 | <10                 | 260                  | 0.54                 | 0.17                 | 0.61               | 0.18                 | 44.5                 | 9.7                  | 31                   |
| I098786            |                                   | 0.50                      | <0.005               | 0.09                 | 1.70               | 7.5                  | <0.2                 | <10                 | 220                  | 0.36                 | 0.15                 | 0.49               | 0.14                 | 29.6                 | 9.1                  | 29                   |
| I098787            |                                   | 0.46                      | <0.005               | 0.09                 | 1.39               | 8.2                  | <0.2                 | <10                 | 190                  | 0.32                 | 0.12                 | 1.59               | 0.19                 | 26.7                 | 11.0                 | 29                   |
| I098788            |                                   | 0.36                      | <0.005               | 0.06                 | 1.42               | 5.8                  | <0.2                 | <10                 | 170                  | 0.27                 | 0.11                 | 0.83               | 0.20                 | 19.95                | 9.0                  | 26                   |
| I098789            |                                   | 0.46                      | <0.005               | 0.10                 | 1.58               | 6.5                  | <0.2                 | <10                 | 170                  | 0.25                 | 0.16                 | 0.10               | 0.13                 | 23.8                 | 9.0                  | 24                   |
| I098790            |                                   | 0.38                      | <0.005               | 0.04                 | 2.46               | 8.1                  | <0.2                 | <10                 | 250                  | 0.47                 | 0.12                 | 0.25               | 0.05                 | 23.4                 | 12.7                 | 27                   |
| I098791            |                                   | 0.34                      | <0.005               | 0.05                 | 1.70               | 8.5                  | <0.2                 | <10                 | 240                  | 0.34                 | 0.11                 | 0.25               | 0.07                 | 26.0                 | 13.8                 | 27                   |
| I098792            |                                   | 0.58                      | <0.005               | 0.06                 | 2.12               | 6.6                  | <0.2                 | <10                 | 460                  | 0.41                 | 0.12                 | 0.41               | 0.06                 | 31.1                 | 14.3                 | 35                   |
| I098793            |                                   | 0.48                      | <0.005               | 0.03                 | 2.43               | 8.6                  | <0.2                 | <10                 | 160                  | 0.39                 | 0.11                 | 0.31               | 0.04                 | 20.5                 | 15.1                 | 75                   |
| I098794            |                                   | 0.54                      | <0.005               | 0.04                 | 2.15               | 8.8                  | <0.2                 | <10                 | 150                  | 0.55                 | 0.15                 | 0.33               | 0.07                 | 33.0                 | 17.0                 | 181                  |
| I098795            |                                   | 0.38                      | <0.005               | 0.04                 | 1.40               | 3.1                  | <0.2                 | <10                 | 200                  | 0.24                 | 0.09                 | 0.30               | 0.08                 | 30.6                 | 9.0                  | 119                  |
| I098796            |                                   | 0.52                      | <0.005               | 0.05                 | 1.54               | 6.7                  | <0.2                 | <10                 | 170                  | 0.28                 | 0.17                 | 0.20               | 0.07                 | 15.05                | 6.8                  | 27                   |
| I098797            |                                   | 0.58                      | <0.005               | 0.03                 | 1.56               | 6.8                  | <0.2                 | <10                 | 160                  | 0.26                 | 0.16                 | 0.18               | 0.05                 | 18.20                | 5.5                  | 29                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I098758            |                                   | 0.28    | 7.6     | 0.48    | 1.65    | <0.05   | <0.02   | 0.04    | 0.006   | 0.03    | 3.4     | 0.6     | 0.04    | 26      | 0.35    |
| I098759            |                                   | 1.93    | 14.4    | 2.83    | 6.57    | <0.05   | 0.10    | 0.02    | 0.024   | 0.03    | 7.5     | 9.1     | 0.35    | 217     | 1.26    |
| I098760            |                                   | 0.96    | 18.8    | 3.40    | 7.65    | 0.06    | 0.08    | 0.02    | 0.033   | 0.07    | 17.5    | 11.6    | 0.50    | 647     | 1.61    |
| I098761            |                                   | 0.37    | 4.0     | 0.57    | 2.85    | <0.05   | <0.02   | 0.02    | 0.006   | 0.03    | 2.9     | 1.1     | 0.05    | 212     | 0.32    |
| I098762            |                                   | 1.09    | 13.6    | 3.06    | 6.39    | <0.05   | 0.03    | 0.02    | 0.024   | 0.05    | 9.3     | 10.8    | 0.30    | 296     | 1.06    |
| I098763            |                                   | 0.41    | 11.2    | 0.77    | 2.84    | <0.05   | <0.02   | 0.04    | 0.008   | 0.03    | 6.0     | 0.8     | 0.05    | 57      | 0.46    |
| I098764            |                                   | 0.85    | 31.1    | 3.18    | 6.32    | 0.09    | 0.14    | 0.03    | 0.035   | 0.05    | 27.8    | 12.1    | 0.62    | 246     | 0.84    |
| I098765            |                                   | 0.98    | 24.1    | 3.18    | 6.65    | 0.07    | 0.09    | 0.03    | 0.044   | 0.05    | 20.6    | 13.4    | 0.56    | 246     | 0.72    |
| I098766            |                                   | 0.49    | 15.5    | 2.31    | 7.12    | <0.05   | 0.04    | 0.02    | 0.021   | 0.04    | 8.5     | 4.6     | 0.18    | 448     | 1.18    |
| I098767            |                                   | 0.81    | 20.8    | 2.32    | 6.46    | 0.11    | 0.04    | 0.05    | 0.035   | 0.05    | 48.4    | 6.3     | 0.22    | 179     | 0.92    |
| I098768            |                                   | 0.86    | 29.7    | 3.04    | 6.61    | 0.08    | 0.06    | 0.03    | 0.032   | 0.05    | 20.5    | 13.9    | 0.62    | 280     | 0.85    |
| I098769            |                                   | 0.38    | 10.1    | 1.05    | 5.25    | <0.05   | 0.02    | 0.01    | 0.008   | 0.04    | 5.3     | 1.4     | 0.09    | 231     | 1.03    |
| I098770            |                                   | 0.94    | 26.6    | 2.85    | 6.13    | 0.11    | 0.11    | 0.03    | 0.032   | 0.05    | 32.8    | 12.9    | 0.54    | 383     | 1.10    |
| I098771            |                                   | 0.91    | 12.3    | 2.12    | 5.53    | 0.06    | 0.05    | 0.03    | 0.028   | 0.05    | 16.7    | 8.4     | 0.41    | 246     | 0.93    |
| I098772            |                                   | 1.05    | 19.2    | 2.81    | 6.75    | 0.06    | 0.04    | 0.04    | 0.037   | 0.05    | 21.6    | 11.6    | 0.49    | 191     | 1.00    |
| I098773            |                                   | 0.91    | 22.2    | 2.35    | 6.40    | 0.06    | 0.03    | 0.05    | 0.032   | 0.06    | 28.7    | 8.2     | 0.37    | 337     | 1.13    |
| I098774            |                                   | 0.74    | 13.2    | 2.38    | 5.47    | 0.07    | 0.07    | 0.02    | 0.031   | 0.06    | 18.9    | 10.5    | 0.43    | 553     | 0.87    |
| I098775            |                                   | 0.97    | 19.9    | 2.74    | 6.27    | 0.08    | 0.11    | 0.02    | 0.039   | 0.05    | 26.6    | 13.1    | 0.49    | 290     | 0.86    |
| I098776            |                                   | 1.02    | 15.3    | 2.74    | 5.92    | 0.06    | 0.04    | 0.02    | 0.034   | 0.07    | 17.6    | 9.9     | 0.45    | 455     | 1.10    |
| I098777            |                                   | 0.91    | 17.1    | 3.08    | 6.28    | 0.07    | 0.12    | 0.03    | 0.038   | 0.06    | 19.3    | 11.5    | 0.47    | 247     | 1.29    |
| I098778            |                                   | 1.78    | 46.8    | 4.42    | 5.57    | 0.16    | 0.11    | 0.04    | 0.039   | 0.14    | 47.6    | 10.4    | 0.67    | 509     | 0.87    |
| I098779            |                                   | 0.40    | 11.7    | 1.87    | 5.01    | <0.05   | 0.02    | 0.02    | 0.019   | 0.04    | 9.3     | 4.5     | 0.18    | 163     | 0.94    |
| I098780            |                                   | 0.47    | 11.1    | 2.79    | 7.76    | 0.05    | 0.03    | 0.01    | 0.025   | 0.09    | 9.6     | 5.6     | 0.23    | 493     | 1.39    |
| I098781            |                                   | 0.68    | 25.6    | 2.89    | 6.26    | 0.12    | 0.21    | 0.03    | 0.030   | 0.06    | 47.2    | 13.0    | 0.56    | 240     | 0.66    |
| I098782            |                                   | 0.77    | 15.9    | 2.86    | 7.23    | 0.07    | 0.07    | 0.03    | 0.030   | 0.06    | 23.0    | 9.3     | 0.31    | 251     | 1.21    |
| I098783            |                                   | 0.70    | 12.9    | 2.64    | 5.65    | <0.05   | 0.05    | 0.02    | 0.027   | 0.07    | 11.3    | 9.7     | 0.34    | 297     | 1.01    |
| I098784            |                                   | 0.99    | 27.4    | 2.89    | 5.88    | 0.17    | 0.24    | 0.03    | 0.038   | 0.07    | 75.3    | 13.0    | 0.49    | 294     | 0.65    |
| I098785            |                                   | 0.68    | 23.6    | 2.79    | 5.42    | 0.08    | 0.13    | 0.04    | 0.029   | 0.06    | 24.2    | 11.8    | 0.49    | 312     | 0.72    |
| I098786            |                                   | 0.69    | 22.2    | 2.58    | 5.15    | 0.07    | 0.05    | 0.04    | 0.024   | 0.05    | 15.1    | 11.1    | 0.48    | 308     | 0.85    |
| I098787            |                                   | 0.72    | 31.8    | 2.71    | 4.37    | 0.10    | 0.14    | 0.02    | 0.020   | 0.10    | 13.5    | 11.9    | 0.74    | 455     | 0.66    |
| I098788            |                                   | 0.58    | 20.4    | 2.29    | 4.47    | 0.07    | 0.06    | 0.03    | 0.021   | 0.06    | 10.1    | 10.9    | 0.54    | 328     | 0.50    |
| I098789            |                                   | 1.00    | 11.9    | 3.03    | 6.53    | <0.05   | 0.02    | 0.02    | 0.019   | 0.08    | 7.9     | 10.5    | 0.35    | 386     | 1.06    |
| I098790            |                                   | 1.61    | 17.2    | 3.90    | 7.68    | 0.07    | 0.04    | 0.01    | 0.021   | 0.26    | 11.4    | 18.6    | 0.95    | 323     | 1.36    |
| I098791            |                                   | 0.95    | 16.3    | 2.94    | 6.98    | 0.08    | 0.02    | 0.02    | 0.020   | 0.20    | 12.7    | 14.0    | 0.76    | 333     | 0.92    |
| I098792            |                                   | 1.07    | 21.1    | 3.24    | 6.70    | 0.09    | 0.06    | 0.07    | 0.022   | 0.20    | 19.1    | 18.7    | 0.93    | 417     | 0.66    |
| I098793            |                                   | 2.22    | 16.4    | 3.67    | 7.44    | 0.09    | 0.07    | 0.01    | 0.018   | 0.28    | 13.4    | 24.1    | 1.19    | 338     | 0.90    |
| I098794            |                                   | 1.33    | 21.6    | 3.70    | 6.89    | 0.09    | 0.16    | 0.02    | 0.034   | 0.08    | 18.9    | 15.3    | 0.94    | 362     | 1.14    |
| I098795            |                                   | 1.13    | 16.2    | 1.89    | 5.19    | 0.06    | <0.02   | 0.02    | 0.016   | 0.06    | 19.2    | 7.6     | 0.68    | 150     | 0.70    |
| I098796            |                                   | 1.00    | 12.3    | 2.39    | 5.77    | <0.05   | 0.02    | 0.01    | 0.020   | 0.04    | 7.9     | 11.1    | 0.35    | 216     | 1.09    |
| I098797            |                                   | 0.72    | 10.8    | 2.53    | 6.10    | 0.05    | 0.04    | 0.02    | 0.020   | 0.04    | 10.1    | 10.7    | 0.36    | 146     | 0.94    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I098758            |                                   | 0.13    | 3.3     | 270     | 12.0    | 2.8     | <0.001  | 0.01    | 0.17    | 0.5     | 0.3     | 0.2     | 9.5     | <0.01   | 0.02    |
| I098759            |                                   | 0.78    | 8.8     | 280     | 8.4     | 8.1     | <0.001  | <0.01   | 0.49    | 4.0     | 0.3     | 0.6     | 17.7    | <0.01   | 0.02    |
| I098760            |                                   | 1.45    | 23.5    | 230     | 10.4    | 13.8    | <0.001  | <0.01   | 0.67    | 4.1     | 0.4     | 1.0     | 17.7    | <0.01   | 0.03    |
| I098761            |                                   | 0.25    | 1.6     | 250     | 3.7     | 3.4     | <0.001  | <0.01   | 0.08    | 0.5     | 0.2     | 0.3     | 7.1     | <0.01   | 0.01    |
| I098762            |                                   | 1.22    | 15.6    | 320     | 13.4    | 9.6     | <0.001  | <0.01   | 0.61    | 2.7     | 0.3     | 0.8     | 14.2    | <0.01   | 0.03    |
| I098763            |                                   | 0.33    | 2.7     | 290     | 4.7     | 4.9     | <0.001  | 0.01    | 0.10    | 0.7     | 0.3     | 0.4     | 8.4     | <0.01   | 0.01    |
| I098764            |                                   | 1.33    | 28.3    | 260     | 8.7     | 9.5     | <0.001  | <0.01   | 0.41    | 6.8     | 0.6     | 0.7     | 23.4    | <0.01   | 0.02    |
| I098765            |                                   | 1.81    | 25.7    | 310     | 15.7    | 9.6     | <0.001  | <0.01   | 0.41    | 4.7     | 0.6     | 1.5     | 19.2    | <0.01   | 0.02    |
| I098766            |                                   | 1.36    | 7.7     | 300     | 9.9     | 8.4     | <0.001  | <0.01   | 0.32    | 2.6     | 0.3     | 0.8     | 16.5    | <0.01   | 0.03    |
| I098767            |                                   | 1.11    | 15.7    | 430     | 11.4    | 7.8     | <0.001  | 0.02    | 0.30    | 3.5     | 0.9     | 0.6     | 27.8    | <0.01   | 0.03    |
| I098768            |                                   | 1.29    | 27.7    | 430     | 9.5     | 11.0    | <0.001  | 0.01    | 0.44    | 5.8     | 0.7     | 0.6     | 29.2    | <0.01   | 0.03    |
| I098769            |                                   | 0.90    | 4.9     | 350     | 7.8     | 6.0     | <0.001  | <0.01   | 0.26    | 1.5     | 0.2     | 0.7     | 16.4    | <0.01   | 0.02    |
| I098770            |                                   | 1.68    | 23.7    | 440     | 11.7    | 11.0    | <0.001  | 0.01    | 0.40    | 6.1     | 0.9     | 0.7     | 29.7    | 0.01    | 0.03    |
| I098771            |                                   | 1.87    | 14.3    | 450     | 11.4    | 10.3    | <0.001  | 0.02    | 0.23    | 3.0     | 0.5     | 0.7     | 22.9    | <0.01   | 0.02    |
| I098772            |                                   | 2.14    | 18.3    | 440     | 11.1    | 10.9    | <0.001  | 0.02    | 0.28    | 4.0     | 0.6     | 0.9     | 20.6    | <0.01   | 0.02    |
| I098773            |                                   | 1.26    | 16.0    | 620     | 12.0    | 13.1    | <0.001  | 0.04    | 0.26    | 2.8     | 0.8     | 0.7     | 27.0    | <0.01   | 0.03    |
| I098774            |                                   | 1.61    | 16.2    | 440     | 13.4    | 11.8    | <0.001  | <0.01   | 0.29    | 3.5     | 0.5     | 0.8     | 23.2    | <0.01   | 0.02    |
| I098775            |                                   | 1.54    | 19.3    | 300     | 12.4    | 12.2    | <0.001  | <0.01   | 0.32    | 5.0     | 0.6     | 0.9     | 22.5    | <0.01   | 0.03    |
| I098776            |                                   | 1.33    | 18.2    | 480     | 10.3    | 14.8    | <0.001  | 0.01    | 0.27    | 3.0     | 0.4     | 0.9     | 15.0    | <0.01   | 0.03    |
| I098777            |                                   | 1.82    | 21.1    | 270     | 11.0    | 11.3    | <0.001  | <0.01   | 0.41    | 3.8     | 0.5     | 1.0     | 16.2    | <0.01   | 0.03    |
| I098778            |                                   | 0.71    | 59.7    | 580     | 11.4    | 21.8    | <0.001  | 0.01    | 0.50    | 9.8     | 1.0     | 0.6     | 37.9    | 0.01    | 0.03    |
| I098779            |                                   | 0.92    | 9.6     | 250     | 9.1     | 5.6     | <0.001  | 0.01    | 0.28    | 1.9     | 0.3     | 0.6     | 10.6    | <0.01   | 0.02    |
| I098780            |                                   | 1.53    | 10.2    | 490     | 12.9    | 8.4     | <0.001  | <0.01   | 0.42    | 2.7     | 0.3     | 0.9     | 18.0    | <0.01   | 0.04    |
| I098781            |                                   | 1.54    | 22.0    | 400     | 11.1    | 11.4    | <0.001  | <0.01   | 0.40    | 5.8     | 0.7     | 0.7     | 30.8    | <0.01   | 0.03    |
| I098782            |                                   | 1.56    | 14.8    | 330     | 10.4    | 13.1    | <0.001  | 0.01    | 0.39    | 4.4     | 0.4     | 0.9     | 23.8    | <0.01   | 0.04    |
| I098783            |                                   | 1.48    | 14.0    | 320     | 10.7    | 14.3    | <0.001  | 0.01    | 0.31    | 3.1     | 0.3     | 0.8     | 15.7    | <0.01   | 0.03    |
| I098784            |                                   | 1.30    | 21.7    | 480     | 14.2    | 13.6    | <0.001  | <0.01   | 0.42    | 6.7     | 1.1     | 0.7     | 31.4    | 0.01    | 0.03    |
| I098785            |                                   | 1.50    | 20.3    | 530     | 9.6     | 9.8     | <0.001  | 0.01    | 0.43    | 5.2     | 0.7     | 0.6     | 40.5    | <0.01   | 0.03    |
| I098786            |                                   | 1.42    | 20.6    | 580     | 9.2     | 8.6     | <0.001  | 0.03    | 0.39    | 4.7     | 0.7     | 0.4     | 36.0    | <0.01   | 0.03    |
| I098787            |                                   | 1.25    | 27.4    | 840     | 6.7     | 9.4     | <0.001  | 0.02    | 0.48    | 5.1     | 0.5     | 0.4     | 61.3    | <0.01   | 0.03    |
| I098788            |                                   | 1.39    | 22.7    | 720     | 5.9     | 9.8     | <0.001  | 0.03    | 0.36    | 4.5     | 0.6     | 0.4     | 47.7    | <0.01   | 0.03    |
| I098789            |                                   | 1.56    | 14.9    | 410     | 9.5     | 19.7    | <0.001  | 0.02    | 0.45    | 2.5     | 0.3     | 0.7     | 9.6     | <0.01   | 0.03    |
| I098790            |                                   | 1.25    | 16.7    | 700     | 6.6     | 26.0    | <0.001  | 0.01    | 0.36    | 3.2     | 0.3     | 0.5     | 22.3    | <0.01   | 0.03    |
| I098791            |                                   | 0.90    | 15.3    | 740     | 5.9     | 21.0    | <0.001  | 0.01    | 0.25    | 3.9     | 0.4     | 0.5     | 21.0    | <0.01   | 0.03    |
| I098792            |                                   | 1.35    | 22.8    | 690     | 6.5     | 26.4    | <0.001  | 0.02    | 0.24    | 4.9     | 0.5     | 0.4     | 30.3    | <0.01   | 0.03    |
| I098793            |                                   | 1.55    | 27.8    | 510     | 8.2     | 39.8    | <0.001  | 0.02    | 0.24    | 3.4     | 0.4     | 0.5     | 22.8    | <0.01   | 0.03    |
| I098794            |                                   | 1.19    | 62.3    | 300     | 9.8     | 12.6    | <0.001  | 0.03    | 0.62    | 7.3     | 0.5     | 0.6     | 26.1    | <0.01   | 0.03    |
| I098795            |                                   | 0.61    | 43.4    | 290     | 5.6     | 10.1    | <0.001  | 0.03    | 0.15    | 1.7     | 0.4     | 0.4     | 24.7    | <0.01   | 0.02    |
| I098796            |                                   | 1.23    | 12.8    | 210     | 9.7     | 12.2    | <0.001  | 0.02    | 0.30    | 2.8     | 0.3     | 0.5     | 21.6    | <0.01   | 0.03    |
| I098797            |                                   | 1.39    | 13.0    | 170     | 9.1     | 9.4     | <0.001  | 0.03    | 0.31    | 3.4     | 0.4     | 0.6     | 19.9    | <0.01   | 0.03    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I098758            |                                   | 0.022   | 0.02    | 0.34    | 11      | <0.05   | 1.29    | 8       |
| I098759            |                                   | 0.048   | 0.08    | 0.46    | 60      | 0.09    | 2.89    | 35      |
| I098760            |                                   | 0.088   | 0.11    | 0.58    | 81      | 0.15    | 3.51    | 57      |
| I098761            |                                   | 0.038   | 0.04    | 0.16    | 17      | <0.05   | 0.87    | 12      |
| I098762            |                                   | 0.081   | 0.07    | 0.59    | 59      | 0.18    | 2.77    | 53      |
| I098763            |                                   | 0.039   | 0.02    | 0.31    | 19      | 0.05    | 1.37    | 12      |
| I098764            |                                   | 0.127   | 0.08    | 0.75    | 69      | 0.12    | 11.50   | 52      |
| I098765            |                                   | 0.115   | 0.09    | 0.82    | 69      | 0.17    | 10.10   | 58      |
| I098766            |                                   | 0.109   | 0.08    | 0.49    | 65      | 0.11    | 2.78    | 30      |
| I098767            |                                   | 0.069   | 0.06    | 1.06    | 46      | 0.15    | 14.70   | 31      |
| I098768            |                                   | 0.105   | 0.08    | 1.66    | 64      | 0.13    | 11.55   | 56      |
| I098769            |                                   | 0.085   | 0.06    | 0.24    | 39      | 0.12    | 1.25    | 36      |
| I098770            |                                   | 0.117   | 0.09    | 3.16    | 63      | 0.24    | 22.8    | 62      |
| I098771            |                                   | 0.090   | 0.09    | 1.31    | 52      | 0.26    | 9.71    | 56      |
| I098772            |                                   | 0.087   | 0.13    | 2.26    | 61      | 0.24    | 11.60   | 58      |
| I098773            |                                   | 0.057   | 0.08    | 2.41    | 51      | 0.19    | 13.35   | 49      |
| I098774            |                                   | 0.103   | 0.07    | 1.10    | 56      | 0.14    | 8.50    | 57      |
| I098775            |                                   | 0.102   | 0.10    | 1.61    | 58      | 0.17    | 10.65   | 54      |
| I098776            |                                   | 0.100   | 0.11    | 0.96    | 57      | 0.21    | 5.38    | 51      |
| I098777            |                                   | 0.100   | 0.12    | 0.90    | 62      | 0.15    | 7.18    | 52      |
| I098778            |                                   | 0.065   | 0.16    | 1.66    | 65      | 0.15    | 33.7    | 83      |
| I098779            |                                   | 0.064   | 0.06    | 0.30    | 49      | 0.14    | 2.36    | 33      |
| I098780            |                                   | 0.098   | 0.09    | 0.39    | 82      | 0.13    | 2.38    | 54      |
| I098781            |                                   | 0.136   | 0.08    | 1.00    | 67      | 0.15    | 17.75   | 53      |
| I098782            |                                   | 0.099   | 0.09    | 0.60    | 72      | 0.16    | 7.84    | 42      |
| I098783            |                                   | 0.098   | 0.08    | 0.57    | 63      | 0.22    | 3.24    | 44      |
| I098784            |                                   | 0.117   | 0.10    | 3.11    | 60      | 0.21    | 33.0    | 59      |
| I098785            |                                   | 0.110   | 0.08    | 2.19    | 61      | 0.18    | 11.55   | 55      |
| I098786            |                                   | 0.092   | 0.07    | 1.47    | 60      | 0.15    | 8.80    | 59      |
| I098787            |                                   | 0.111   | 0.08    | 0.50    | 63      | 0.18    | 10.40   | 56      |
| I098788            |                                   | 0.097   | 0.06    | 0.53    | 52      | 0.18    | 7.22    | 50      |
| I098789            |                                   | 0.083   | 0.12    | 0.40    | 65      | 0.15    | 1.88    | 51      |
| I098790            |                                   | 0.159   | 0.18    | 0.42    | 73      | 0.18    | 2.96    | 52      |
| I098791            |                                   | 0.116   | 0.12    | 0.53    | 76      | 0.16    | 4.09    | 47      |
| I098792            |                                   | 0.145   | 0.14    | 0.97    | 64      | 0.17    | 8.06    | 57      |
| I098793            |                                   | 0.191   | 0.28    | 0.55    | 76      | 0.18    | 3.78    | 57      |
| I098794            |                                   | 0.105   | 0.10    | 1.06    | 77      | 0.19    | 6.82    | 67      |
| I098795            |                                   | 0.063   | 0.09    | 0.74    | 42      | 0.09    | 4.95    | 30      |
| I098796            |                                   | 0.078   | 0.09    | 0.36    | 55      | 0.12    | 2.27    | 34      |
| I098797            |                                   | 0.093   | 0.09    | 0.39    | 67      | 0.13    | 2.94    | 30      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I098798            |                                   | 0.28                      | <0.005               | 0.02                 | 3.05               | 6.8                  | <0.2                 | <10                 | 480                  | 0.57                 | 0.05                 | 0.36               | 0.05                 | 18.70                | 20.5                 | 38                   |
| I098799            |                                   | 0.38                      | <0.005               | 0.05                 | 2.41               | 8.6                  | <0.2                 | <10                 | 360                  | 0.41                 | 0.16                 | 0.23               | 0.07                 | 19.00                | 14.7                 | 29                   |
| I098800            |                                   | 0.34                      | <0.005               | 0.04                 | 0.80               | 3.1                  | <0.2                 | <10                 | 180                  | 0.16                 | 0.08                 | 0.14               | 0.03                 | 8.83                 | 3.7                  | 14                   |
| I098801            |                                   | 0.34                      | 0.006                | 0.12                 | 0.09               | 11.2                 | <0.2                 | <10                 | 20                   | 0.08                 | 0.11                 | 0.07               | 0.10                 | 9.35                 | 2.0                  | 2                    |
| I098802            |                                   | 0.72                      | 0.019                | 0.44                 | 2.80               | 38.9                 | <0.2                 | <10                 | 380                  | 0.34                 | 0.41                 | 0.64               | 0.30                 | 15.30                | 16.2                 | 45                   |
| I098803            |                                   | 0.64                      | 0.024                | 0.68                 | 2.68               | 32.7                 | <0.2                 | <10                 | 480                  | 0.44                 | 0.38                 | 0.94               | 0.99                 | 20.0                 | 16.7                 | 36                   |
| I098804            |                                   | 0.66                      | 0.014                | 0.40                 | 2.86               | 39.9                 | <0.2                 | <10                 | 400                  | 0.38                 | 0.44                 | 0.74               | 0.63                 | 17.35                | 16.8                 | 43                   |
| I098805            |                                   | 0.58                      | 0.011                | 0.28                 | 1.89               | 21.8                 | <0.2                 | <10                 | 220                  | 0.28                 | 0.36                 | 0.55               | 0.81                 | 13.80                | 8.3                  | 32                   |
| I098806            |                                   | 0.64                      | 0.040                | 0.52                 | 2.31               | 23.1                 | <0.2                 | <10                 | 230                  | 0.28                 | 0.39                 | 0.48               | 0.25                 | 11.65                | 7.4                  | 40                   |
| I098807            |                                   | 0.78                      | 0.015                | 0.58                 | 3.15               | 51.6                 | <0.2                 | <10                 | 320                  | 0.41                 | 0.50                 | 0.55               | 0.44                 | 14.15                | 14.5                 | 52                   |
| I098808            |                                   | 0.58                      | 0.011                | 0.68                 | 2.38               | 10.2                 | <0.2                 | <10                 | 290                  | 0.38                 | 0.31                 | 0.60               | 0.39                 | 19.20                | 19.5                 | 37                   |
| I098809            |                                   | 0.54                      | 0.017                | 0.38                 | 2.28               | 34.0                 | <0.2                 | <10                 | 300                  | 0.28                 | 0.43                 | 0.46               | 1.15                 | 16.20                | 17.8                 | 39                   |
| I098810            |                                   | 0.80                      | 0.047                | 0.29                 | 2.52               | 138.5                | <0.2                 | <10                 | 250                  | 0.25                 | 0.13                 | 0.40               | 0.19                 | 11.60                | 13.9                 | 38                   |
| I098811            |                                   | 0.70                      | 0.026                | 0.23                 | 2.29               | 117.0                | <0.2                 | <10                 | 280                  | 0.25                 | 0.20                 | 0.46               | 0.21                 | 14.25                | 18.7                 | 37                   |
| I098812            |                                   | 0.82                      | 0.017                | 0.29                 | 1.74               | 60.3                 | <0.2                 | <10                 | 220                  | 0.20                 | 0.14                 | 0.46               | 0.31                 | 9.64                 | 11.5                 | 23                   |
| I098851            |                                   | 0.50                      | <0.005               | 0.06                 | 2.20               | 4.9                  | <0.2                 | <10                 | 240                  | 0.71                 | 0.18                 | 0.33               | 0.09                 | 52.2                 | 13.4                 | 49                   |
| I098852            |                                   | 0.32                      | <0.005               | 0.03                 | 1.30               | 5.0                  | <0.2                 | <10                 | 100                  | 0.19                 | 0.16                 | 0.11               | 0.07                 | 13.00                | 5.8                  | 28                   |
| I098853            |                                   | 0.22                      | <0.005               | 0.04                 | 1.35               | 6.6                  | <0.2                 | <10                 | 170                  | 0.22                 | 0.12                 | 0.16               | 0.06                 | 13.40                | 7.3                  | 25                   |
| I098854            |                                   | 0.34                      | <0.005               | 0.08                 | 1.26               | 5.8                  | <0.2                 | <10                 | 70                   | 0.26                 | 0.21                 | 0.09               | 0.10                 | 17.85                | 5.2                  | 25                   |
| I098855            |                                   | 0.38                      | <0.005               | 0.06                 | 1.70               | 8.7                  | <0.2                 | <10                 | 70                   | 0.36                 | 0.28                 | 0.12               | 0.08                 | 33.3                 | 8.9                  | 46                   |
| I098856            |                                   | 0.24                      | <0.005               | 0.10                 | 0.41               | 1.8                  | <0.2                 | <10                 | 40                   | 0.08                 | 0.13                 | 0.04               | 0.17                 | 6.24                 | 1.7                  | 9                    |
| I098857            |                                   | 0.64                      | <0.005               | 0.01                 | 0.16               | 1.5                  | <0.2                 | <10                 | 30                   | 0.11                 | 0.02                 | 0.09               | 0.03                 | 10.75                | 2.2                  | 3                    |
| I098858            |                                   | 0.28                      | <0.005               | 0.82                 | 1.82               | 7.4                  | <0.2                 | <10                 | 290                  | 1.55                 | 0.32                 | 0.65               | 0.59                 | 308                  | 8.2                  | 28                   |
| I098859            |                                   | 0.44                      | 0.009                | 0.05                 | 1.72               | 7.5                  | <0.2                 | <10                 | 160                  | 0.51                 | 0.38                 | 0.15               | 0.10                 | 42.5                 | 9.0                  | 31                   |
| I098860            |                                   | 0.46                      | <0.005               | 0.07                 | 2.25               | 12.3                 | <0.2                 | <10                 | 160                  | 0.36                 | 0.18                 | 0.26               | 0.14                 | 19.45                | 11.8                 | 37                   |
| I098861            |                                   | 0.38                      | <0.005               | 0.11                 | 1.02               | 7.2                  | <0.2                 | <10                 | 120                  | 0.16                 | 0.16                 | 0.10               | 0.24                 | 20.8                 | 9.2                  | 20                   |
| I098862            |                                   | 0.38                      | <0.005               | 0.09                 | 1.39               | 7.1                  | <0.2                 | <10                 | 140                  | 0.22                 | 0.19                 | 0.11               | 0.15                 | 17.05                | 9.2                  | 23                   |
| I098863            |                                   | 0.46                      | <0.005               | 0.14                 | 1.97               | 9.2                  | <0.2                 | <10                 | 120                  | 0.30                 | 0.17                 | 0.10               | 0.13                 | 20.6                 | 10.1                 | 32                   |
| I098864            |                                   | 0.46                      | <0.005               | 0.18                 | 2.30               | 9.1                  | <0.2                 | <10                 | 140                  | 0.35                 | 0.20                 | 0.08               | 0.19                 | 18.50                | 17.0                 | 33                   |
| I098865            |                                   | 0.30                      | <0.005               | 0.04                 | 1.50               | 5.0                  | <0.2                 | <10                 | 370                  | 0.21                 | 0.16                 | 0.22               | 0.45                 | 11.55                | 13.8                 | 32                   |
| I098866            |                                   | 0.44                      | <0.005               | 0.05                 | 1.58               | 5.8                  | <0.2                 | <10                 | 110                  | 0.28                 | 0.17                 | 0.11               | 0.21                 | 12.25                | 9.1                  | 30                   |
| I098867            |                                   | 0.40                      | <0.005               | 0.05                 | 2.66               | 5.7                  | <0.2                 | <10                 | 90                   | 0.48                 | 0.09                 | 0.09               | 0.16                 | 11.20                | 12.8                 | 59                   |
| I098868            |                                   | 0.58                      | <0.005               | 0.05                 | 2.80               | 9.7                  | <0.2                 | <10                 | 100                  | 0.50                 | 0.10                 | 0.16               | 0.12                 | 11.30                | 21.9                 | 62                   |
| I098869            |                                   | 0.42                      | <0.005               | 0.05                 | 2.35               | 4.1                  | <0.2                 | <10                 | 260                  | 0.37                 | 0.10                 | 0.15               | 0.13                 | 14.25                | 23.0                 | 54                   |
| I098870            |                                   | 0.46                      | <0.005               | 0.08                 | 1.89               | 7.4                  | <0.2                 | <10                 | 230                  | 0.61                 | 0.16                 | 0.51               | 0.12                 | 25.2                 | 17.1                 | 39                   |
| I098871            |                                   | 0.44                      | <0.005               | 0.07                 | 2.23               | 17.9                 | <0.2                 | <10                 | 230                  | 0.48                 | 0.10                 | 0.48               | 0.18                 | 15.70                | 21.6                 | 89                   |
| I098872            |                                   | 0.32                      | 0.005                | 0.06                 | 1.87               | 8.8                  | <0.2                 | <10                 | 230                  | 0.51                 | 0.14                 | 0.70               | 0.13                 | 22.9                 | 14.7                 | 45                   |
| I098873            |                                   | 0.34                      | <0.005               | 0.08                 | 2.14               | 12.1                 | <0.2                 | <10                 | 350                  | 0.52                 | 0.14                 | 0.44               | 0.22                 | 24.7                 | 15.4                 | 45                   |
| I098874            |                                   | 0.24                      | <0.005               | 0.08                 | 1.39               | 7.5                  | <0.2                 | <10                 | 180                  | 0.19                 | 0.12                 | 0.54               | 0.28                 | 10.70                | 7.5                  | 30                   |
| I098875            |                                   | 0.34                      | <0.005               | 0.13                 | 2.03               | 82.0                 | <0.2                 | <10                 | 200                  | 0.59                 | 0.14                 | 0.33               | 0.20                 | 36.1                 | 14.7                 | 44                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I098798            |                                   | 2.52    | 31.0    | 4.46    | 8.95    | 0.12    | 0.03    | 0.01    | 0.013   | 0.95    | 7.6     | 21.2    | 2.11    | 498     | 0.70    |
| I098799            |                                   | 1.20    | 20.8    | 3.68    | 7.18    | 0.06    | 0.03    | 0.01    | 0.026   | 0.19    | 10.7    | 19.2    | 0.79    | 278     | 1.03    |
| I098800            |                                   | 0.61    | 10.1    | 1.33    | 3.40    | <0.05   | <0.02   | 0.02    | 0.009   | 0.05    | 4.8     | 5.2     | 0.26    | 73      | 0.47    |
| I098801            |                                   | 0.08    | 6.9     | 0.54    | 0.44    | <0.05   | 0.04    | <0.01   | 0.038   | 0.02    | 4.7     | 1.2     | 0.04    | 138     | 0.23    |
| I098802            |                                   | 1.98    | 34.2    | 3.12    | 7.89    | 0.10    | 0.03    | 0.05    | 0.024   | 0.35    | 7.2     | 13.0    | 1.19    | 669     | 1.08    |
| I098803            |                                   | 1.53    | 52.9    | 2.87    | 6.68    | 0.09    | 0.03    | 0.07    | 0.024   | 0.24    | 9.8     | 11.0    | 0.87    | 1180    | 1.39    |
| I098804            |                                   | 1.92    | 43.1    | 3.42    | 8.22    | 0.09    | 0.03    | 0.05    | 0.027   | 0.29    | 8.5     | 12.8    | 1.11    | 992     | 1.48    |
| I098805            |                                   | 1.32    | 28.2    | 2.15    | 6.55    | 0.06    | 0.02    | 0.04    | 0.021   | 0.09    | 7.0     | 8.1     | 0.64    | 345     | 1.12    |
| I098806            |                                   | 1.71    | 24.3    | 2.24    | 7.27    | 0.07    | 0.02    | 0.06    | 0.021   | 0.13    | 6.1     | 10.5    | 0.87    | 209     | 0.80    |
| I098807            |                                   | 2.18    | 33.1    | 3.39    | 9.13    | 0.09    | 0.03    | 0.06    | 0.029   | 0.28    | 7.5     | 14.5    | 1.27    | 473     | 1.34    |
| I098808            |                                   | 1.26    | 41.4    | 3.36    | 6.96    | 0.07    | 0.03    | 0.10    | 0.027   | 0.17    | 9.7     | 11.2    | 0.81    | 1120    | 1.62    |
| I098809            |                                   | 1.83    | 45.4    | 3.19    | 7.37    | 0.08    | 0.02    | 0.04    | 0.022   | 0.26    | 8.1     | 14.0    | 1.14    | 804     | 1.08    |
| I098810            |                                   | 1.44    | 27.6    | 3.41    | 6.15    | 0.07    | 0.03    | 0.05    | 0.019   | 0.25    | 5.9     | 13.9    | 1.19    | 426     | 0.57    |
| I098811            |                                   | 1.78    | 31.6    | 3.33    | 7.40    | 0.07    | 0.03    | 0.06    | 0.023   | 0.19    | 7.2     | 14.8    | 1.04    | 749     | 1.00    |
| I098812            |                                   | 0.91    | 30.7    | 2.71    | 6.87    | 0.06    | 0.02    | 0.04    | 0.020   | 0.15    | 5.0     | 11.1    | 0.83    | 412     | 0.76    |
| I098851            |                                   | 1.68    | 21.8    | 3.24    | 7.92    | 0.15    | 0.11    | 0.01    | 0.025   | 0.34    | 31.9    | 17.7    | 1.23    | 451     | 0.80    |
| I098852            |                                   | 0.68    | 9.6     | 2.61    | 7.62    | <0.05   | 0.02    | 0.01    | 0.013   | 0.11    | 6.9     | 6.9     | 0.56    | 199     | 0.99    |
| I098853            |                                   | 2.32    | 12.8    | 2.14    | 7.14    | 0.06    | <0.02   | 0.02    | 0.010   | 0.35    | 6.8     | 5.8     | 0.83    | 201     | 0.98    |
| I098854            |                                   | 0.72    | 14.3    | 2.16    | 7.19    | 0.05    | 0.02    | 0.03    | 0.018   | 0.05    | 10.7    | 6.7     | 0.29    | 121     | 0.83    |
| I098855            |                                   | 0.96    | 24.1    | 3.16    | 8.48    | 0.07    | 0.06    | 0.02    | 0.019   | 0.11    | 18.5    | 11.0    | 0.79    | 247     | 2.14    |
| I098856            |                                   | 0.38    | 10.6    | 1.19    | 4.26    | <0.05   | <0.02   | 0.02    | 0.008   | 0.03    | 3.4     | 1.0     | 0.05    | 54      | 0.50    |
| I098857            |                                   | 0.09    | 2.0     | 0.72    | 0.67    | <0.05   | 0.06    | <0.01   | <0.005  | 0.05    | 5.6     | 1.4     | 0.05    | 168     | 0.26    |
| I098858            |                                   | 1.65    | 66.6    | 2.38    | 6.83    | 0.59    | 0.23    | 0.14    | 0.033   | 0.10    | 213     | 7.0     | 0.33    | 322     | 1.55    |
| I098859            |                                   | 1.05    | 22.9    | 2.73    | 5.84    | 0.08    | 0.03    | 0.04    | 0.026   | 0.05    | 24.9    | 12.1    | 0.46    | 283     | 1.12    |
| I098860            |                                   | 0.67    | 20.8    | 3.48    | 7.52    | <0.05   | 0.06    | 0.02    | 0.032   | 0.07    | 11.0    | 13.5    | 0.53    | 329     | 1.60    |
| I098861            |                                   | 0.63    | 17.5    | 2.51    | 6.27    | <0.05   | 0.02    | 0.02    | 0.019   | 0.09    | 12.3    | 7.1     | 0.32    | 270     | 1.40    |
| I098862            |                                   | 0.74    | 12.0    | 2.61    | 6.89    | <0.05   | 0.02    | 0.03    | 0.021   | 0.05    | 8.9     | 9.7     | 0.34    | 405     | 1.30    |
| I098863            |                                   | 0.65    | 17.4    | 3.50    | 7.31    | <0.05   | 0.02    | 0.02    | 0.022   | 0.04    | 11.6    | 12.4    | 0.46    | 273     | 1.38    |
| I098864            |                                   | 1.00    | 18.2    | 3.82    | 9.35    | <0.05   | 0.07    | 0.02    | 0.031   | 0.03    | 9.5     | 19.6    | 0.36    | 476     | 2.08    |
| I098865            |                                   | 0.66    | 12.2    | 2.91    | 7.34    | <0.05   | 0.02    | 0.03    | 0.018   | 0.06    | 5.6     | 10.9    | 0.44    | 1180    | 1.23    |
| I098866            |                                   | 0.81    | 12.3    | 3.16    | 7.64    | <0.05   | 0.02    | 0.01    | 0.016   | 0.04    | 6.1     | 11.0    | 0.39    | 185     | 1.29    |
| I098867            |                                   | 0.98    | 17.2    | 3.91    | 8.01    | <0.05   | 0.04    | 0.02    | 0.016   | 0.08    | 5.1     | 21.8    | 0.86    | 289     | 1.00    |
| I098868            |                                   | 0.87    | 24.1    | 4.22    | 8.62    | <0.05   | 0.03    | 0.02    | 0.015   | 0.11    | 5.5     | 31.3    | 1.16    | 310     | 1.17    |
| I098869            |                                   | 1.00    | 19.1    | 3.52    | 7.74    | <0.05   | 0.04    | 0.01    | 0.019   | 0.09    | 6.0     | 22.8    | 0.83    | 509     | 0.99    |
| I098870            |                                   | 0.55    | 16.5    | 3.06    | 6.23    | <0.05   | 0.10    | 0.01    | 0.030   | 0.07    | 10.8    | 9.6     | 0.42    | 702     | 1.01    |
| I098871            |                                   | 1.23    | 27.4    | 4.05    | 7.09    | <0.05   | 0.06    | 0.01    | 0.022   | 0.20    | 7.0     | 15.2    | 0.82    | 718     | 1.04    |
| I098872            |                                   | 0.52    | 22.6    | 3.22    | 5.66    | <0.05   | 0.21    | 0.03    | 0.026   | 0.25    | 10.7    | 12.4    | 0.59    | 540     | 0.92    |
| I098873            |                                   | 0.78    | 27.5    | 3.32    | 6.59    | <0.05   | 0.06    | 0.03    | 0.029   | 0.07    | 12.6    | 14.9    | 0.69    | 1060    | 1.17    |
| I098874            |                                   | 0.49    | 17.1    | 2.47    | 5.15    | <0.05   | 0.05    | 0.02    | 0.016   | 0.16    | 5.4     | 9.2     | 0.47    | 373     | 0.89    |
| I098875            |                                   | 0.73    | 24.5    | 3.60    | 6.56    | 0.06    | 0.12    | 0.03    | 0.032   | 0.11    | 16.8    | 11.8    | 0.61    | 626     | 1.62    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I098798            |                                   | 0.96    | 28.2    | 1220    | 3.7     | 63.8    | <0.001  | 0.02    | 0.23    | 2.7     | 0.3     | 0.3     | 23.7    | <0.01   | 0.02    |
| I098799            |                                   | 1.57    | 18.6    | 680     | 8.0     | 26.9    | <0.001  | 0.03    | 0.42    | 3.2     | 0.4     | 0.5     | 18.7    | <0.01   | 0.04    |
| I098800            |                                   | 0.53    | 6.6     | 290     | 3.9     | 11.6    | <0.001  | 0.02    | 0.14    | 1.3     | 0.3     | 0.3     | 13.2    | <0.01   | 0.02    |
| I098801            |                                   | 0.14    | 3.6     | 120     | 30.3    | 1.6     | <0.001  | 0.01    | 0.17    | 0.6     | <0.2    | 0.2     | 5.5     | <0.01   | 0.01    |
| I098802            |                                   | 1.18    | 26.7    | 750     | 13.2    | 32.6    | <0.001  | 0.09    | 4.91    | 6.6     | 0.8     | 0.4     | 34.3    | <0.01   | 0.08    |
| I098803            |                                   | 0.99    | 27.2    | 990     | 10.5    | 25.6    | <0.001  | 0.13    | 4.83    | 4.9     | 1.1     | 0.4     | 52.9    | <0.01   | 0.10    |
| I098804            |                                   | 1.22    | 28.9    | 730     | 13.6    | 30.9    | <0.001  | 0.34    | 4.92    | 6.3     | 0.8     | 0.5     | 44.4    | <0.01   | 0.10    |
| I098805            |                                   | 1.05    | 20.2    | 600     | 9.6     | 18.8    | <0.001  | 0.14    | 2.45    | 4.2     | 0.6     | 0.4     | 36.7    | <0.01   | 0.06    |
| I098806            |                                   | 0.99    | 23.0    | 720     | 10.8    | 19.0    | <0.001  | 0.32    | 2.54    | 5.2     | 0.6     | 0.4     | 31.8    | <0.01   | 0.06    |
| I098807            |                                   | 1.22    | 31.3    | 720     | 14.1    | 28.0    | <0.001  | 0.18    | 5.40    | 8.1     | 0.7     | 0.5     | 35.7    | <0.01   | 0.09    |
| I098808            |                                   | 0.91    | 24.4    | 920     | 17.9    | 21.3    | <0.001  | 0.14    | 0.94    | 5.6     | 0.9     | 0.4     | 33.2    | <0.01   | 0.07    |
| I098809            |                                   | 0.93    | 25.3    | 570     | 23.6    | 27.4    | <0.001  | 0.10    | 13.65   | 4.6     | 0.6     | 0.4     | 29.4    | <0.01   | 0.06    |
| I098810            |                                   | 0.91    | 20.5    | 490     | 6.1     | 21.5    | <0.001  | 0.09    | 28.1    | 5.7     | 0.4     | 0.3     | 18.8    | <0.01   | 0.05    |
| I098811            |                                   | 1.13    | 23.6    | 490     | 7.4     | 22.4    | <0.001  | 0.09    | 17.00   | 6.7     | 0.5     | 0.4     | 24.7    | <0.01   | 0.06    |
| I098812            |                                   | 0.99    | 16.4    | 490     | 5.3     | 15.8    | <0.001  | 0.09    | 14.95   | 5.5     | 0.4     | 0.4     | 25.0    | <0.01   | 0.05    |
| I098851            |                                   | 1.65    | 27.5    | 510     | 14.3    | 52.4    | <0.001  | 0.03    | 0.29    | 5.9     | 0.5     | 0.7     | 27.6    | <0.01   | 0.02    |
| I098852            |                                   | 1.56    | 11.4    | 330     | 7.7     | 16.4    | <0.001  | 0.03    | 0.24    | 2.1     | 0.2     | 0.7     | 12.8    | <0.01   | 0.03    |
| I098853            |                                   | 1.26    | 13.4    | 320     | 6.5     | 31.5    | <0.001  | 0.04    | 0.18    | 1.8     | 0.3     | 0.7     | 19.6    | <0.01   | 0.03    |
| I098854            |                                   | 1.38    | 11.2    | 340     | 19.3    | 11.1    | <0.001  | 0.05    | 0.30    | 2.3     | 0.5     | 0.6     | 13.5    | <0.01   | 0.04    |
| I098855            |                                   | 2.00    | 19.9    | 310     | 20.8    | 22.3    | <0.001  | 0.08    | 0.35    | 3.6     | 0.4     | 0.7     | 21.3    | <0.01   | 0.03    |
| I098856            |                                   | 0.57    | 4.0     | 180     | 5.5     | 4.0     | <0.001  | 0.08    | 0.19    | 0.8     | 0.2     | 0.5     | 6.0     | <0.01   | 0.02    |
| I098857            |                                   | 0.21    | 3.9     | 120     | 1.6     | 2.4     | <0.001  | 0.07    | 0.10    | 0.8     | <0.2    | <0.2    | 8.7     | <0.01   | 0.01    |
| I098858            |                                   | 1.18    | 23.8    | 1170    | 60.5    | 29.1    | <0.001  | 0.17    | 0.43    | 6.8     | 4.5     | 0.5     | 59.4    | 0.03    | 0.04    |
| I098859            |                                   | 1.17    | 21.0    | 340     | 17.3    | 14.7    | <0.001  | 0.08    | 0.44    | 4.2     | 0.7     | 0.6     | 17.1    | <0.01   | 0.03    |
| I098860            |                                   | 1.88    | 23.4    | 280     | 8.5     | 14.3    | <0.001  | 0.02    | 0.57    | 3.6     | 0.3     | 0.6     | 27.2    | <0.01   | 0.05    |
| I098861            |                                   | 1.05    | 17.2    | 430     | 6.5     | 18.4    | 0.001   | 0.03    | 0.31    | 2.4     | 0.3     | 0.6     | 14.9    | <0.01   | 0.04    |
| I098862            |                                   | 1.40    | 12.7    | 440     | 8.1     | 13.5    | <0.001  | 0.01    | 0.40    | 2.7     | <0.2    | 0.7     | 15.0    | <0.01   | 0.04    |
| I098863            |                                   | 1.37    | 21.6    | 480     | 8.5     | 8.9     | <0.001  | 0.02    | 0.57    | 3.2     | <0.2    | 0.6     | 12.0    | <0.01   | 0.04    |
| I098864            |                                   | 1.95    | 18.3    | 420     | 9.7     | 10.8    | <0.001  | 0.01    | 0.64    | 3.5     | 0.2     | 0.8     | 11.0    | <0.01   | 0.06    |
| I098865            |                                   | 1.83    | 17.9    | 410     | 7.6     | 20.5    | <0.001  | 0.01    | 0.43    | 2.3     | 0.2     | 0.6     | 24.1    | <0.01   | 0.05    |
| I098866            |                                   | 1.72    | 17.5    | 270     | 8.3     | 11.0    | <0.001  | 0.01    | 0.52    | 2.2     | <0.2    | 0.7     | 12.8    | <0.01   | 0.04    |
| I098867            |                                   | 2.46    | 36.1    | 340     | 6.6     | 20.8    | <0.001  | 0.01    | 0.37    | 2.7     | 0.2     | 0.5     | 10.1    | <0.01   | 0.04    |
| I098868            |                                   | 2.35    | 42.0    | 310     | 6.8     | 18.4    | <0.001  | 0.01    | 0.65    | 3.0     | <0.2    | 0.5     | 15.2    | <0.01   | 0.04    |
| I098869            |                                   | 1.68    | 32.5    | 240     | 6.3     | 19.5    | <0.001  | 0.01    | 0.35    | 3.2     | <0.2    | 0.5     | 15.6    | <0.01   | 0.03    |
| I098870            |                                   | 1.42    | 24.8    | 170     | 13.3    | 8.5     | <0.001  | 0.01    | 0.46    | 6.9     | 0.3     | 0.7     | 32.6    | <0.01   | 0.03    |
| I098871            |                                   | 1.77    | 50.9    | 270     | 5.5     | 28.6    | <0.001  | 0.01    | 0.65    | 5.7     | 0.2     | 0.5     | 28.1    | <0.01   | 0.03    |
| I098872            |                                   | 1.76    | 28.7    | 310     | 7.9     | 26.5    | 0.001   | 0.01    | 0.60    | 6.4     | 0.5     | 0.5     | 43.4    | <0.01   | 0.04    |
| I098873            |                                   | 1.82    | 36.9    | 270     | 7.3     | 13.0    | 0.001   | 0.02    | 0.51    | 5.0     | 0.7     | 0.6     | 38.6    | <0.01   | 0.05    |
| I098874            |                                   | 1.54    | 19.1    | 200     | 6.0     | 30.6    | <0.001  | 0.02    | 0.46    | 3.2     | 0.3     | 0.5     | 35.8    | <0.01   | 0.03    |
| I098875            |                                   | 1.39    | 27.2    | 350     | 11.8    | 14.6    | 0.001   | 0.01    | 1.53    | 6.9     | 0.4     | 0.5     | 24.9    | <0.01   | 0.04    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I098798            |                                   | 0.272   | 0.40    | 0.52    | 89      | 0.12    | 2.72    | 81      |
| I098799            |                                   | 0.138   | 0.15    | 0.43    | 78      | 0.19    | 2.65    | 55      |
| I098800            |                                   | 0.068   | 0.08    | 0.30    | 32      | 0.08    | 1.63    | 19      |
| I098801            |                                   | 0.008   | 0.03    | 0.35    | 4       | <0.05   | 2.00    | 17      |
| I098802            |                                   | 0.121   | 0.23    | 0.77    | 84      | 0.29    | 5.64    | 92      |
| I098803            |                                   | 0.085   | 0.20    | 1.05    | 68      | 0.24    | 11.30   | 100     |
| I098804            |                                   | 0.113   | 0.21    | 0.86    | 90      | 0.27    | 7.59    | 108     |
| I098805            |                                   | 0.086   | 0.11    | 0.68    | 59      | 0.23    | 5.31    | 69      |
| I098806            |                                   | 0.094   | 0.14    | 0.77    | 63      | 0.25    | 4.21    | 69      |
| I098807            |                                   | 0.123   | 0.21    | 0.72    | 97      | 0.26    | 5.10    | 96      |
| I098808            |                                   | 0.087   | 0.16    | 0.92    | 77      | 0.23    | 9.12    | 75      |
| I098809            |                                   | 0.117   | 0.14    | 0.58    | 88      | 0.17    | 6.00    | 98      |
| I098810            |                                   | 0.135   | 0.13    | 0.36    | 91      | 0.15    | 4.17    | 78      |
| I098811            |                                   | 0.117   | 0.14    | 0.43    | 90      | 0.79    | 5.43    | 69      |
| I098812            |                                   | 0.096   | 0.07    | 0.37    | 78      | 0.17    | 3.81    | 65      |
| I098851            |                                   | 0.155   | 0.38    | 1.10    | 60      | 0.13    | 8.41    | 68      |
| I098852            |                                   | 0.158   | 0.11    | 0.40    | 72      | 0.09    | 2.01    | 37      |
| I098853            |                                   | 0.164   | 0.22    | 0.47    | 62      | 0.10    | 2.58    | 42      |
| I098854            |                                   | 0.102   | 0.12    | 0.52    | 58      | 0.13    | 2.36    | 24      |
| I098855            |                                   | 0.152   | 0.18    | 1.07    | 74      | 0.15    | 4.42    | 54      |
| I098856            |                                   | 0.057   | 0.05    | 0.22    | 33      | 0.06    | 0.81    | 19      |
| I098857            |                                   | 0.009   | 0.03    | 0.35    | 5       | <0.05   | 2.31    | 5       |
| I098858            |                                   | 0.052   | 0.17    | 8.70    | 35      | 0.23    | 131.5   | 54      |
| I098859            |                                   | 0.071   | 0.12    | 1.55    | 56      | 0.18    | 9.73    | 52      |
| I098860            |                                   | 0.079   | 0.09    | 0.51    | 72      | 0.19    | 3.92    | 52      |
| I098861            |                                   | 0.072   | 0.08    | 0.49    | 55      | 0.13    | 5.74    | 36      |
| I098862            |                                   | 0.073   | 0.09    | 0.32    | 62      | 0.14    | 2.22    | 41      |
| I098863            |                                   | 0.066   | 0.09    | 0.36    | 75      | 0.16    | 3.21    | 54      |
| I098864            |                                   | 0.065   | 0.12    | 0.44    | 89      | 0.16    | 2.82    | 63      |
| I098865            |                                   | 0.104   | 0.10    | 0.24    | 69      | 0.14    | 1.82    | 73      |
| I098866            |                                   | 0.098   | 0.13    | 0.29    | 74      | 0.11    | 1.55    | 53      |
| I098867            |                                   | 0.168   | 0.14    | 0.25    | 70      | 0.10    | 2.14    | 111     |
| I098868            |                                   | 0.178   | 0.11    | 0.29    | 74      | 0.12    | 2.13    | 106     |
| I098869            |                                   | 0.126   | 0.13    | 0.31    | 65      | 0.11    | 2.62    | 75      |
| I098870            |                                   | 0.077   | 0.10    | 0.44    | 61      | 0.15    | 4.17    | 56      |
| I098871            |                                   | 0.144   | 0.14    | 0.28    | 82      | 0.14    | 2.53    | 80      |
| I098872            |                                   | 0.107   | 0.06    | 0.51    | 66      | 0.21    | 5.32    | 54      |
| I098873            |                                   | 0.097   | 0.09    | 0.48    | 67      | 0.19    | 5.89    | 57      |
| I098874            |                                   | 0.098   | 0.06    | 0.25    | 56      | 0.17    | 2.00    | 45      |
| I098875            |                                   | 0.071   | 0.11    | 0.45    | 64      | 0.16    | 4.93    | 61      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I098876            |                                   | 0.24                      | <0.005               | 0.05                 | 1.25               | 5.4                  | <0.2                 | <10                 | 270                  | 0.24                 | 0.12                 | 0.85               | 0.45                 | 13.45                | 9.5                  | 24                   |
| I098877            |                                   | 0.24                      | <0.005               | 0.05                 | 1.90               | 13.3                 | <0.2                 | <10                 | 150                  | 0.35                 | 0.16                 | 0.33               | 0.10                 | 16.10                | 10.6                 | 42                   |
| I098878            |                                   | 0.28                      | <0.005               | 0.09                 | 2.04               | 16.2                 | <0.2                 | <10                 | 200                  | 1.04                 | 0.21                 | 0.56               | 0.19                 | 78.9                 | 13.2                 | 34                   |
| I098879            |                                   | 0.24                      | <0.005               | 0.05                 | 1.97               | 18.6                 | <0.2                 | <10                 | 190                  | 0.63                 | 0.17                 | 0.52               | 0.12                 | 25.8                 | 13.8                 | 64                   |
| I098880            |                                   | 0.34                      | <0.005               | 0.04                 | 1.69               | 13.3                 | <0.2                 | <10                 | 180                  | 0.62                 | 0.19                 | 0.54               | 0.12                 | 27.6                 | 20.5                 | 147                  |
| I098881            |                                   | 0.50                      | <0.005               | 0.06                 | 1.75               | 8.0                  | <0.2                 | <10                 | 230                  | 0.41                 | 0.15                 | 0.30               | 0.08                 | 24.5                 | 10.8                 | 32                   |
| I098882            |                                   | 0.34                      | <0.005               | 0.04                 | 1.70               | 6.6                  | <0.2                 | <10                 | 260                  | 0.45                 | 0.15                 | 0.16               | 0.12                 | 23.3                 | 12.6                 | 29                   |
| I098883            |                                   | 0.36                      | <0.005               | 0.08                 | 1.90               | 6.6                  | <0.2                 | <10                 | 280                  | 0.54                 | 0.15                 | 0.67               | 0.28                 | 51.6                 | 11.8                 | 27                   |
| I098884            |                                   | 0.40                      | <0.005               | 0.07                 | 1.58               | 6.5                  | <0.2                 | <10                 | 280                  | 0.29                 | 0.13                 | 0.29               | 0.11                 | 19.20                | 9.4                  | 24                   |
| I098885            |                                   | 0.24                      | 0.005                | 0.18                 | 1.05               | 6.0                  | <0.2                 | <10                 | 420                  | 0.53                 | 0.13                 | 1.39               | 3.01                 | 24.1                 | 9.8                  | 20                   |
| I098886            |                                   | 0.44                      | <0.005               | 0.10                 | 1.59               | 8.0                  | <0.2                 | <10                 | 280                  | 0.43                 | 0.23                 | 0.54               | 0.34                 | 32.0                 | 10.3                 | 27                   |
| I098887            |                                   | 0.36                      | <0.005               | 0.12                 | 1.40               | 8.1                  | <0.2                 | <10                 | 250                  | 0.44                 | 0.16                 | 0.66               | 0.62                 | 29.7                 | 9.9                  | 25                   |
| I098888            |                                   | 0.46                      | <0.005               | 0.05                 | 1.36               | 8.7                  | <0.2                 | <10                 | 240                  | 0.35                 | 0.16                 | 0.59               | 0.29                 | 23.3                 | 9.6                  | 27                   |
| I098889            |                                   | 0.44                      | <0.005               | 0.10                 | 1.82               | 10.1                 | <0.2                 | <10                 | 340                  | 0.58                 | 0.20                 | 0.46               | 0.26                 | 36.0                 | 13.1                 | 32                   |
| I098901            |                                   | 0.46                      | <0.005               | 0.03                 | 1.66               | 5.9                  | <0.2                 | <10                 | 120                  | 0.18                 | 0.12                 | 0.21               | 0.05                 | 27.2                 | 10.5                 | 32                   |
| I098902            |                                   | 0.44                      | <0.005               | 0.12                 | 1.19               | 5.8                  | <0.2                 | <10                 | 160                  | 0.28                 | 0.12                 | 0.37               | 0.16                 | 31.1                 | 11.9                 | 28                   |
| I098903            |                                   | 0.44                      | <0.005               | 0.04                 | 1.74               | 6.3                  | <0.2                 | <10                 | 160                  | 0.30                 | 0.12                 | 0.41               | 0.11                 | 19.15                | 20.5                 | 46                   |
| I098904            |                                   | 0.36                      | <0.005               | 0.04                 | 1.62               | 6.6                  | <0.2                 | <10                 | 150                  | 0.32                 | 0.12                 | 0.43               | 0.12                 | 19.55                | 20.3                 | 46                   |
| I098905            |                                   | 0.42                      | <0.005               | 0.04                 | 1.35               | 7.3                  | <0.2                 | <10                 | 80                   | 0.15                 | 0.16                 | 0.12               | 0.13                 | 12.30                | 7.1                  | 26                   |
| I098906            |                                   | 0.32                      | <0.005               | 0.03                 | 2.25               | 9.1                  | <0.2                 | <10                 | 260                  | 0.48                 | 0.15                 | 0.26               | 0.07                 | 17.45                | 12.6                 | 38                   |
| I098907            |                                   | 0.38                      | <0.005               | 0.07                 | 2.19               | 8.9                  | <0.2                 | <10                 | 290                  | 0.50                 | 0.16                 | 0.25               | 0.06                 | 32.4                 | 11.1                 | 52                   |
| I098908            |                                   | 0.46                      | <0.005               | 0.03                 | 1.62               | 6.1                  | <0.2                 | <10                 | 160                  | 0.23                 | 0.15                 | 0.14               | 0.08                 | 18.90                | 6.2                  | 25                   |
| I098909            |                                   | 0.38                      | <0.005               | 0.05                 | 2.58               | 5.7                  | <0.2                 | <10                 | 490                  | 0.49                 | 0.09                 | 0.44               | 0.06                 | 23.9                 | 15.1                 | 22                   |
| I098910            |                                   | 0.44                      | <0.005               | 0.09                 | 2.33               | 9.7                  | <0.2                 | <10                 | 300                  | 0.34                 | 0.18                 | 0.24               | 0.10                 | 17.35                | 14.1                 | 36                   |
| I098911            |                                   | 0.40                      | <0.005               | 0.04                 | 2.25               | 7.6                  | <0.2                 | <10                 | 300                  | 0.43                 | 0.12                 | 0.39               | 0.10                 | 31.5                 | 12.1                 | 32                   |
| I098912            |                                   | 0.36                      | <0.005               | 0.04                 | 0.31               | 0.9                  | <0.2                 | <10                 | 90                   | 0.06                 | 0.06                 | 0.06               | 0.06                 | 6.15                 | 1.0                  | 6                    |
| I098913            |                                   | 0.38                      | <0.005               | 0.11                 | 1.86               | 4.9                  | <0.2                 | <10                 | 380                  | 0.62                 | 0.21                 | 0.41               | 0.11                 | 107.0                | 8.4                  | 24                   |
| I098914            |                                   | 0.30                      | <0.005               | 0.08                 | 1.87               | 10.3                 | <0.2                 | <10                 | 280                  | 0.55                 | 0.15                 | 0.51               | 0.09                 | 30.2                 | 11.1                 | 36                   |
| I098915            |                                   | 0.52                      | <0.005               | 0.11                 | 2.16               | 7.0                  | <0.2                 | <10                 | 350                  | 0.59                 | 0.10                 | 1.16               | 0.22                 | 61.8                 | 24.9                 | 44                   |
| I098916            |                                   | 0.72                      | <0.005               | 0.07                 | 2.82               | 5.7                  | <0.2                 | <10                 | 360                  | 0.63                 | 0.09                 | 0.60               | 0.07                 | 33.7                 | 24.8                 | 75                   |
| I098917            |                                   | 0.38                      | <0.005               | 0.03                 | 2.25               | 4.7                  | <0.2                 | <10                 | 190                  | 0.40                 | 0.08                 | 0.33               | 0.05                 | 17.50                | 15.6                 | 47                   |
| I098918            |                                   | 0.46                      | <0.005               | 0.04                 | 1.19               | 3.0                  | <0.2                 | <10                 | 160                  | 0.24                 | 0.07                 | 0.19               | 0.05                 | 16.80                | 6.0                  | 22                   |
| I098919            |                                   | 0.62                      | <0.005               | 0.08                 | 2.03               | 9.5                  | <0.2                 | <10                 | 320                  | 0.58                 | 0.20                 | 0.60               | 0.08                 | 40.6                 | 10.5                 | 32                   |
| I098920            |                                   | 0.50                      | 0.005                | 0.10                 | 1.53               | 8.8                  | <0.2                 | <10                 | 290                  | 0.42                 | 0.14                 | 0.85               | 0.16                 | 30.9                 | 9.6                  | 26                   |
| I098921            |                                   | 0.50                      | 0.006                | 0.09                 | 1.62               | 8.0                  | <0.2                 | <10                 | 270                  | 0.47                 | 0.14                 | 0.67               | 0.13                 | 43.8                 | 11.1                 | 26                   |
| I098922            |                                   | 0.56                      | <0.005               | 0.09                 | 1.58               | 7.8                  | <0.2                 | <10                 | 250                  | 0.43                 | 0.14                 | 0.62               | 0.11                 | 45.8                 | 9.8                  | 25                   |
| I098923            |                                   | 0.56                      | 0.007                | 0.12                 | 1.71               | 6.2                  | <0.2                 | <10                 | 240                  | 0.44                 | 0.14                 | 0.65               | 0.11                 | 60.4                 | 9.7                  | 24                   |
| I098924            |                                   | 0.62                      | 0.006                | 0.09                 | 1.67               | 5.9                  | <0.2                 | <10                 | 270                  | 0.40                 | 0.15                 | 0.66               | 0.23                 | 45.6                 | 7.3                  | 27                   |
| I098925            |                                   | 0.54                      | 0.007                | 0.15                 | 1.65               | 8.7                  | <0.2                 | <10                 | 370                  | 0.53                 | 0.22                 | 0.97               | 0.48                 | 30.1                 | 8.6                  | 28                   |
| I098926            |                                   | 0.48                      | <0.005               | 0.13                 | 1.61               | 7.7                  | <0.2                 | <10                 | 360                  | 0.48                 | 0.18                 | 0.96               | 0.44                 | 28.3                 | 8.0                  | 29                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I098876            |                                   | 0.26    | 11.0    | 2.15    | 4.57    | <0.05   | 0.03    | 0.02    | 0.016   | 0.26    | 6.7     | 6.7     | 0.37    | 928     | 1.07    |
| I098877            |                                   | 0.52    | 20.2    | 3.01    | 6.05    | <0.05   | 0.07    | 0.02    | 0.021   | 0.23    | 7.1     | 10.7    | 0.67    | 231     | 0.96    |
| I098878            |                                   | 0.50    | 20.7    | 3.22    | 7.03    | 0.06    | 0.21    | 0.02    | 0.037   | 0.28    | 30.9    | 9.9     | 0.48    | 503     | 1.49    |
| I098879            |                                   | 0.78    | 16.5    | 3.27    | 6.48    | <0.05   | 0.12    | 0.01    | 0.026   | 0.43    | 12.3    | 13.6    | 0.75    | 508     | 1.21    |
| I098880            |                                   | 0.64    | 22.6    | 3.05    | 5.77    | 0.06    | 0.13    | 0.02    | 0.025   | 0.37    | 13.7    | 11.7    | 1.25    | 524     | 1.03    |
| I098881            |                                   | 0.57    | 15.4    | 2.86    | 5.89    | <0.05   | 0.05    | 0.01    | 0.023   | 0.14    | 14.1    | 14.9    | 0.50    | 381     | 1.13    |
| I098882            |                                   | 0.63    | 12.0    | 2.80    | 5.71    | <0.05   | 0.09    | 0.01    | 0.023   | 0.08    | 12.0    | 11.5    | 0.42    | 740     | 0.98    |
| I098883            |                                   | 0.81    | 27.6    | 3.07    | 6.48    | 0.06    | 0.12    | 0.03    | 0.026   | 0.21    | 31.4    | 20.5    | 0.67    | 513     | 0.75    |
| I098884            |                                   | 0.58    | 12.4    | 2.62    | 5.51    | <0.05   | 0.05    | 0.03    | 0.021   | 0.08    | 9.2     | 10.0    | 0.42    | 926     | 0.94    |
| I098885            |                                   | 0.56    | 70.1    | 1.77    | 3.42    | <0.05   | 0.06    | 0.06    | 0.018   | 0.08    | 13.7    | 6.9     | 0.36    | 541     | 0.80    |
| I098886            |                                   | 0.53    | 28.0    | 2.50    | 5.55    | <0.05   | 0.10    | 0.05    | 0.022   | 0.12    | 21.5    | 14.2    | 0.50    | 328     | 0.94    |
| I098887            |                                   | 0.54    | 22.9    | 2.31    | 4.78    | <0.05   | 0.09    | 0.04    | 0.021   | 0.09    | 19.1    | 12.3    | 0.47    | 396     | 1.10    |
| I098888            |                                   | 0.53    | 17.9    | 2.52    | 4.43    | <0.05   | 0.13    | 0.02    | 0.019   | 0.08    | 11.9    | 12.1    | 0.57    | 358     | 0.83    |
| I098889            |                                   | 0.45    | 26.5    | 2.85    | 6.02    | 0.05    | 0.12    | 0.03    | 0.027   | 0.06    | 19.4    | 13.0    | 0.49    | 679     | 0.85    |
| I098901            |                                   | 0.69    | 19.9    | 3.05    | 5.92    | <0.05   | 0.05    | 0.01    | 0.030   | 0.05    | 15.1    | 12.3    | 0.49    | 204     | 1.20    |
| I098902            |                                   | 0.60    | 18.2    | 2.67    | 5.26    | <0.05   | 0.04    | 0.03    | 0.023   | 0.04    | 19.3    | 8.8     | 0.24    | 538     | 1.22    |
| I098903            |                                   | 0.78    | 22.7    | 3.38    | 5.52    | <0.05   | 0.06    | 0.01    | 0.022   | 0.04    | 10.7    | 14.0    | 0.57    | 447     | 0.77    |
| I098904            |                                   | 0.80    | 23.6    | 3.35    | 5.34    | <0.05   | 0.06    | 0.02    | 0.022   | 0.04    | 10.9    | 13.2    | 0.54    | 394     | 0.71    |
| I098905            |                                   | 0.57    | 13.4    | 2.97    | 6.43    | <0.05   | 0.03    | 0.02    | 0.017   | 0.05    | 6.3     | 10.6    | 0.33    | 151     | 1.55    |
| I098906            |                                   | 0.86    | 16.0    | 3.40    | 7.49    | <0.05   | 0.10    | 0.01    | 0.027   | 0.08    | 9.4     | 16.2    | 0.71    | 269     | 1.53    |
| I098907            |                                   | 1.40    | 23.0    | 3.32    | 7.63    | 0.08    | 0.04    | 0.02    | 0.026   | 0.11    | 18.1    | 20.1    | 0.74    | 226     | 1.31    |
| I098908            |                                   | 0.71    | 12.5    | 2.67    | 7.35    | 0.05    | 0.10    | 0.01    | 0.018   | 0.09    | 9.7     | 11.9    | 0.32    | 222     | 1.28    |
| I098909            |                                   | 2.12    | 17.9    | 4.24    | 7.81    | 0.09    | 0.12    | 0.01    | 0.020   | 0.86    | 10.0    | 19.9    | 1.18    | 540     | 0.85    |
| I098910            |                                   | 1.14    | 19.7    | 3.86    | 7.20    | 0.07    | 0.03    | 0.01    | 0.028   | 0.11    | 8.9     | 21.2    | 0.62    | 256     | 1.38    |
| I098911            |                                   | 1.66    | 12.7    | 3.24    | 8.85    | 0.08    | 0.03    | 0.02    | 0.019   | 0.30    | 17.0    | 17.6    | 0.90    | 362     | 1.12    |
| I098912            |                                   | 0.37    | 5.0     | 0.42    | 2.52    | <0.05   | <0.02   | 0.02    | <0.005  | 0.03    | 3.2     | 1.3     | 0.05    | 36      | 0.33    |
| I098913            |                                   | 1.38    | 19.3    | 2.51    | 7.19    | 0.12    | 0.05    | 0.03    | 0.022   | 0.22    | 97.4    | 14.4    | 0.67    | 222     | 0.99    |
| I098914            |                                   | 0.51    | 20.1    | 2.96    | 5.50    | 0.08    | 0.15    | 0.02    | 0.025   | 0.08    | 14.6    | 14.4    | 0.56    | 449     | 0.84    |
| I098915            |                                   | 1.67    | 26.8    | 3.59    | 6.64    | 0.11    | 0.07    | 0.04    | 0.024   | 0.31    | 33.7    | 16.9    | 1.04    | 1020    | 0.47    |
| I098916            |                                   | 2.92    | 30.5    | 4.92    | 9.21    | 0.18    | 0.03    | 0.02    | 0.028   | 0.93    | 20.5    | 36.9    | 1.65    | 455     | 0.76    |
| I098917            |                                   | 2.29    | 19.5    | 3.67    | 8.18    | 0.11    | 0.03    | 0.01    | 0.011   | 0.52    | 9.7     | 21.3    | 1.33    | 404     | 0.67    |
| I098918            |                                   | 1.28    | 14.7    | 1.87    | 5.22    | 0.07    | 0.02    | 0.07    | 0.009   | 0.26    | 11.9    | 9.0     | 0.51    | 166     | 0.44    |
| I098919            |                                   | 0.71    | 34.6    | 3.19    | 6.22    | 0.09    | 0.13    | 0.04    | 0.025   | 0.15    | 21.6    | 18.1    | 0.64    | 482     | 0.90    |
| I098920            |                                   | 0.57    | 26.6    | 2.62    | 4.90    | 0.09    | 0.07    | 0.03    | 0.020   | 0.11    | 16.0    | 15.4    | 0.54    | 498     | 0.81    |
| I098921            |                                   | 0.56    | 21.0    | 2.73    | 5.12    | 0.09    | 0.05    | 0.03    | 0.020   | 0.11    | 22.0    | 15.7    | 0.51    | 558     | 0.99    |
| I098922            |                                   | 0.59    | 22.0    | 2.57    | 4.97    | 0.09    | 0.07    | 0.03    | 0.020   | 0.14    | 22.5    | 15.8    | 0.50    | 523     | 0.88    |
| I098923            |                                   | 0.83    | 23.3    | 2.75    | 6.07    | 0.11    | 0.07    | 0.04    | 0.020   | 0.25    | 34.5    | 20.1    | 0.60    | 513     | 0.83    |
| I098924            |                                   | 0.57    | 23.0    | 2.39    | 5.17    | 0.09    | 0.06    | 0.05    | 0.020   | 0.11    | 22.8    | 16.0    | 0.53    | 263     | 0.72    |
| I098925            |                                   | 0.56    | 36.4    | 2.44    | 5.23    | 0.07    | 0.07    | 0.04    | 0.026   | 0.07    | 16.0    | 14.3    | 0.51    | 439     | 0.81    |
| I098926            |                                   | 0.52    | 31.2    | 2.37    | 4.90    | 0.07    | 0.06    | 0.03    | 0.022   | 0.07    | 14.8    | 13.5    | 0.50    | 453     | 0.77    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I098876            |                                   | 1.16    | 15.3    | 490     | 6.0     | 15.2    | <0.001  | 0.02    | 0.37    | 2.5     | 0.3     | 0.4     | 43.0    | <0.01   | 0.03    |
| I098877            |                                   | 1.63    | 26.2    | 220     | 7.7     | 17.0    | <0.001  | 0.01    | 0.45    | 3.7     | <0.2    | 0.5     | 19.8    | <0.01   | 0.04    |
| I098878            |                                   | 1.62    | 21.1    | 220     | 18.5    | 17.2    | <0.001  | 0.01    | 0.78    | 5.6     | 0.6     | 1.0     | 30.3    | 0.01    | 0.04    |
| I098879            |                                   | 1.65    | 36.2    | 220     | 11.1    | 31.0    | <0.001  | 0.01    | 0.68    | 5.6     | 0.3     | 0.7     | 34.5    | <0.01   | 0.03    |
| I098880            |                                   | 1.43    | 115.0   | 190     | 11.7    | 19.2    | <0.001  | 0.02    | 0.61    | 6.5     | 0.5     | 0.6     | 36.3    | <0.01   | 0.03    |
| I098881            |                                   | 2.27    | 17.6    | 450     | 7.9     | 19.5    | <0.001  | 0.01    | 0.43    | 4.5     | 0.2     | 0.6     | 29.2    | <0.01   | 0.02    |
| I098882            |                                   | 1.53    | 18.4    | 440     | 9.4     | 11.8    | <0.001  | <0.01   | 0.48    | 4.1     | <0.2    | 0.6     | 17.6    | <0.01   | 0.04    |
| I098883            |                                   | 2.87    | 21.1    | 710     | 7.3     | 26.8    | 0.001   | 0.01    | 0.59    | 6.0     | 1.6     | 0.6     | 39.6    | 0.01    | 0.04    |
| I098884            |                                   | 1.73    | 16.4    | 230     | 6.7     | 11.1    | <0.001  | 0.01    | 0.38    | 3.7     | 0.2     | 0.6     | 26.7    | <0.01   | 0.04    |
| I098885            |                                   | 1.13    | 43.8    | 740     | 6.3     | 9.5     | 0.001   | 0.06    | 0.66    | 2.6     | 2.1     | 0.3     | 70.5    | 0.01    | 0.05    |
| I098886            |                                   | 2.62    | 19.4    | 480     | 7.9     | 16.0    | <0.001  | 0.03    | 0.61    | 4.9     | 1.0     | 0.6     | 43.6    | <0.01   | 0.05    |
| I098887            |                                   | 1.76    | 19.5    | 680     | 7.6     | 11.9    | 0.001   | 0.03    | 0.65    | 4.3     | 1.1     | 0.5     | 45.8    | <0.01   | 0.04    |
| I098888            |                                   | 1.55    | 20.3    | 790     | 7.9     | 8.4     | 0.001   | 0.01    | 0.62    | 4.3     | 0.6     | 0.4     | 38.1    | <0.01   | 0.04    |
| I098889            |                                   | 1.90    | 23.8    | 350     | 9.5     | 7.9     | 0.001   | 0.01    | 0.62    | 6.3     | 0.8     | 0.6     | 37.1    | <0.01   | 0.04    |
| I098901            |                                   | 1.40    | 23.7    | 240     | 5.5     | 10.0    | <0.001  | 0.02    | 0.26    | 4.4     | 0.3     | 0.5     | 19.5    | <0.01   | 0.03    |
| I098902            |                                   | 0.96    | 20.2    | 290     | 6.0     | 12.6    | <0.001  | 0.01    | 0.30    | 4.6     | 0.4     | 0.6     | 27.4    | <0.01   | 0.03    |
| I098903            |                                   | 1.52    | 41.1    | 260     | 8.9     | 6.0     | <0.001  | 0.01    | 0.23    | 4.7     | 0.2     | 0.5     | 39.6    | <0.01   | 0.04    |
| I098904            |                                   | 1.60    | 42.2    | 280     | 9.2     | 6.7     | <0.001  | 0.01    | 0.23    | 4.8     | 0.4     | 0.5     | 41.7    | <0.01   | 0.04    |
| I098905            |                                   | 1.61    | 17.5    | 250     | 6.7     | 11.4    | <0.001  | 0.01    | 0.42    | 2.2     | <0.2    | 0.6     | 13.7    | <0.01   | 0.04    |
| I098906            |                                   | 1.69    | 20.1    | 240     | 8.2     | 15.3    | <0.001  | 0.01    | 0.55    | 4.1     | <0.2    | 0.7     | 23.3    | <0.01   | 0.03    |
| I098907            |                                   | 1.74    | 26.9    | 400     | 8.7     | 26.9    | <0.001  | 0.03    | 0.41    | 3.7     | 0.4     | 0.6     | 24.4    | <0.01   | 0.03    |
| I098908            |                                   | 1.47    | 13.6    | 230     | 8.4     | 14.7    | <0.001  | 0.02    | 0.41    | 2.9     | 0.2     | 0.8     | 17.0    | <0.01   | 0.03    |
| I098909            |                                   | 1.33    | 15.1    | 790     | 5.6     | 68.6    | <0.001  | 0.02    | 0.29    | 3.3     | 0.3     | 0.6     | 29.3    | <0.01   | 0.03    |
| I098910            |                                   | 1.67    | 22.6    | 340     | 8.7     | 21.3    | <0.001  | 0.02    | 0.47    | 2.8     | 0.3     | 0.6     | 21.7    | <0.01   | 0.04    |
| I098911            |                                   | 1.27    | 17.0    | 680     | 6.7     | 36.1    | 0.001   | 0.02    | 0.29    | 3.1     | 0.4     | 0.7     | 31.2    | <0.01   | 0.03    |
| I098912            |                                   | 0.22    | 2.1     | 190     | 2.8     | 5.0     | <0.001  | 0.02    | 0.07    | 0.6     | 0.2     | 0.3     | 10.0    | <0.01   | 0.01    |
| I098913            |                                   | 1.12    | 15.5    | 690     | 31.9    | 28.8    | 0.001   | 0.03    | 0.27    | 3.3     | 0.6     | 0.8     | 37.4    | <0.01   | 0.04    |
| I098914            |                                   | 1.67    | 24.7    | 280     | 8.2     | 10.0    | <0.001  | 0.02    | 0.48    | 6.5     | 0.6     | 0.5     | 36.9    | <0.01   | 0.03    |
| I098915            |                                   | 1.18    | 27.0    | 1050    | 7.0     | 45.8    | <0.001  | 0.03    | 0.28    | 6.1     | 1.0     | 0.5     | 64.6    | 0.01    | 0.03    |
| I098916            |                                   | 1.42    | 49.2    | 910     | 4.8     | 76.1    | <0.001  | 0.01    | 0.19    | 6.1     | 0.5     | 0.6     | 32.4    | <0.01   | 0.03    |
| I098917            |                                   | 1.14    | 22.7    | 1050    | 4.7     | 56.3    | <0.001  | 0.02    | 0.15    | 2.8     | 0.3     | 0.5     | 21.7    | <0.01   | 0.03    |
| I098918            |                                   | 0.63    | 7.9     | 520     | 3.7     | 29.5    | <0.001  | 0.02    | 0.11    | 1.7     | 0.4     | 0.5     | 16.9    | <0.01   | 0.05    |
| I098919            |                                   | 1.95    | 27.5    | 520     | 11.0    | 20.5    | <0.001  | 0.02    | 0.60    | 6.3     | 0.6     | 0.6     | 38.4    | <0.01   | 0.03    |
| I098920            |                                   | 1.85    | 21.6    | 780     | 7.3     | 13.2    | 0.001   | 0.04    | 0.59    | 4.7     | 0.8     | 0.4     | 52.0    | <0.01   | 0.03    |
| I098921            |                                   | 1.81    | 20.0    | 680     | 6.9     | 14.4    | <0.001  | 0.03    | 0.44    | 4.6     | 0.6     | 0.5     | 43.9    | <0.01   | 0.03    |
| I098922            |                                   | 1.99    | 18.8    | 690     | 6.9     | 16.3    | <0.001  | 0.03    | 0.46    | 4.7     | 0.7     | 0.5     | 38.5    | <0.01   | 0.03    |
| I098923            |                                   | 2.78    | 19.1    | 870     | 6.7     | 30.4    | 0.001   | 0.03    | 0.40    | 5.3     | 0.7     | 0.6     | 40.1    | <0.01   | 0.03    |
| I098924            |                                   | 1.79    | 19.4    | 700     | 7.5     | 13.0    | 0.001   | 0.03    | 0.45    | 4.6     | 0.7     | 0.5     | 41.5    | <0.01   | 0.03    |
| I098925            |                                   | 1.62    | 28.3    | 660     | 10.7    | 12.0    | <0.001  | 0.04    | 0.63    | 4.7     | 0.9     | 0.5     | 56.8    | <0.01   | 0.04    |
| I098926            |                                   | 1.59    | 24.6    | 650     | 7.7     | 10.9    | 0.001   | 0.04    | 0.60    | 4.5     | 0.9     | 0.5     | 54.1    | <0.01   | 0.03    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 5 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I098876            |                                   | 0.061   | 0.06    | 0.23    | 43      | 0.11    | 1.88    | 50      |
| I098877            |                                   | 0.100   | 0.11    | 0.32    | 55      | 0.12    | 2.35    | 48      |
| I098878            |                                   | 0.064   | 0.14    | 0.73    | 50      | 0.24    | 11.30   | 48      |
| I098879            |                                   | 0.114   | 0.14    | 0.35    | 56      | 0.20    | 4.09    | 44      |
| I098880            |                                   | 0.089   | 0.10    | 0.44    | 54      | 0.31    | 7.56    | 42      |
| I098881            |                                   | 0.089   | 0.10    | 0.55    | 59      | 0.24    | 3.43    | 48      |
| I098882            |                                   | 0.082   | 0.09    | 0.41    | 61      | 0.17    | 2.66    | 54      |
| I098883            |                                   | 0.109   | 0.12    | 1.69    | 59      | 0.26    | 15.10   | 75      |
| I098884            |                                   | 0.073   | 0.08    | 0.37    | 56      | 0.18    | 2.59    | 41      |
| I098885            |                                   | 0.049   | 0.04    | 1.41    | 38      | 0.33    | 10.55   | 64      |
| I098886            |                                   | 0.089   | 0.07    | 1.09    | 52      | 0.29    | 9.28    | 63      |
| I098887            |                                   | 0.069   | 0.07    | 0.86    | 47      | 0.21    | 8.30    | 65      |
| I098888            |                                   | 0.085   | 0.07    | 0.69    | 52      | 0.24    | 6.96    | 63      |
| I098889            |                                   | 0.078   | 0.06    | 1.06    | 59      | 0.22    | 9.83    | 48      |
| I098901            |                                   | 0.073   | 0.09    | 0.61    | 54      | 0.16    | 6.50    | 53      |
| I098902            |                                   | 0.041   | 0.09    | 0.60    | 46      | 0.11    | 6.77    | 45      |
| I098903            |                                   | 0.094   | 0.11    | 0.49    | 52      | 0.14    | 4.58    | 55      |
| I098904            |                                   | 0.093   | 0.11    | 0.51    | 50      | 0.16    | 4.90    | 54      |
| I098905            |                                   | 0.090   | 0.07    | 0.28    | 68      | 0.17    | 1.70    | 41      |
| I098906            |                                   | 0.113   | 0.11    | 0.38    | 78      | 0.15    | 2.65    | 54      |
| I098907            |                                   | 0.137   | 0.20    | 0.70    | 77      | 0.21    | 4.06    | 50      |
| I098908            |                                   | 0.093   | 0.12    | 0.39    | 69      | 0.12    | 2.29    | 41      |
| I098909            |                                   | 0.228   | 0.30    | 0.47    | 81      | 0.16    | 3.41    | 64      |
| I098910            |                                   | 0.126   | 0.14    | 0.39    | 79      | 0.23    | 2.51    | 54      |
| I098911            |                                   | 0.143   | 0.22    | 0.62    | 76      | 0.27    | 4.93    | 58      |
| I098912            |                                   | 0.029   | 0.04    | 0.20    | 13      | 0.07    | 0.91    | 9       |
| I098913            |                                   | 0.113   | 0.16    | 1.45    | 57      | 0.21    | 11.55   | 47      |
| I098914            |                                   | 0.111   | 0.08    | 0.99    | 69      | 0.23    | 7.01    | 48      |
| I098915            |                                   | 0.128   | 0.26    | 1.89    | 64      | 0.25    | 15.85   | 85      |
| I098916            |                                   | 0.204   | 0.42    | 1.03    | 85      | 0.20    | 7.39    | 98      |
| I098917            |                                   | 0.213   | 0.35    | 0.47    | 87      | 0.16    | 3.28    | 60      |
| I098918            |                                   | 0.101   | 0.15    | 0.59    | 40      | 0.11    | 3.05    | 29      |
| I098919            |                                   | 0.116   | 0.11    | 0.71    | 67      | 0.20    | 11.95   | 63      |
| I098920            |                                   | 0.097   | 0.08    | 1.05    | 58      | 0.21    | 8.69    | 57      |
| I098921            |                                   | 0.093   | 0.09    | 1.48    | 57      | 0.33    | 10.80   | 57      |
| I098922            |                                   | 0.095   | 0.09    | 1.57    | 56      | 0.36    | 10.80   | 53      |
| I098923            |                                   | 0.112   | 0.17    | 1.69    | 59      | 0.37    | 12.80   | 61      |
| I098924            |                                   | 0.089   | 0.09    | 1.56    | 55      | 0.30    | 11.10   | 62      |
| I098925            |                                   | 0.075   | 0.06    | 1.31    | 52      | 0.34    | 9.72    | 74      |
| I098926            |                                   | 0.078   | 0.06    | 1.22    | 53      | 0.35    | 9.23    | 64      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: Appendix 1**  
**Total # Appendix Pages: 1**  
**Finalized Date: 5 - OCT - 2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS VA10134527**

| Method  | CERTIFICATE COMMENTS                                                                                 |
|---------|------------------------------------------------------------------------------------------------------|
| ME-MS41 | Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 1  
Finalized Date: **3-OCT-2010**  
Account: **EIASQI**

**CERTIFICATE VA10134528**

Project: SQI10-06

P.O. No.: SQI10-06\_29

This report is for 173 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                       |
|----------|-----------------------------------|
| WEI-21   | Received Sample Weight            |
| LOG-21   | Sample logging - ClientBarCode    |
| PUL-31   | Pulverize split to 85% <75 um     |
| EXTRA-01 | Extra Sample received in Shipment |
| LOG-22   | Sample login - Rcd w/o BarCode    |
| SCR-41   | Screen to -180um and save both    |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION               | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23  | Au 30g FA-AA finish       | AAS        |
| ME-MS41  | 51 anal. aqua regia ICPMS |            |

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**ATTN: DARCY BAKER**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099333            |                                   | 0.40                      | <0.005               | 0.10                 | 2.54               | 8.4                  | <0.2                 | <10                 | 220                  | 0.75                 | 0.33                 | 0.25               | 0.11                 | 71.3                 | 7.8                  | 28                   |
| I099334            |                                   | 0.46                      | <0.005               | 0.06                 | 2.18               | 4.1                  | <0.2                 | <10                 | 200                  | 0.30                 | 0.15                 | 0.24               | 0.08                 | 18.90                | 7.0                  | 23                   |
| I099335            |                                   | 0.40                      | 0.008                | 0.23                 | 1.75               | 5.1                  | <0.2                 | <10                 | 170                  | 0.27                 | 0.12                 | 0.20               | 0.04                 | 15.65                | 5.7                  | 18                   |
| I099337            |                                   | 0.48                      | <0.005               | 0.07                 | 2.74               | 6.4                  | <0.2                 | <10                 | 260                  | 0.43                 | 0.17                 | 0.69               | 0.12                 | 30.9                 | 12.7                 | 30                   |
| I099338            |                                   | 0.32                      | <0.005               | 0.06                 | 0.83               | 2.2                  | <0.2                 | <10                 | 60                   | 0.11                 | 0.11                 | 0.13               | 0.09                 | 9.84                 | 3.1                  | 15                   |
| I099339            |                                   | 0.44                      | 0.006                | 0.08                 | 2.02               | 5.4                  | <0.2                 | <10                 | 170                  | 0.27                 | 0.15                 | 0.64               | 0.15                 | 26.3                 | 10.2                 | 29                   |
| I099340            |                                   | 0.34                      | 0.006                | 0.23                 | 1.59               | 6.2                  | <0.2                 | <10                 | 120                  | 0.33                 | 0.14                 | 0.26               | 0.11                 | 23.0                 | 6.0                  | 24                   |
| I099341            |                                   | 0.40                      | <0.005               | 0.10                 | 1.33               | 4.9                  | <0.2                 | <10                 | 110                  | 0.18                 | 0.13                 | 0.23               | 0.11                 | 16.35                | 4.7                  | 17                   |
| I099342            |                                   | 0.38                      | <0.005               | 0.04                 | 2.16               | 9.3                  | <0.2                 | <10                 | 140                  | 0.31                 | 0.15                 | 0.17               | 0.07                 | 14.25                | 8.3                  | 30                   |
| I099343            |                                   | 0.48                      | <0.005               | 0.04                 | 3.98               | 12.2                 | <0.2                 | <10                 | 190                  | 0.49                 | 0.15                 | 0.25               | 0.14                 | 24.1                 | 16.3                 | 38                   |
| I099344            |                                   | 0.44                      | <0.005               | 0.04                 | 2.79               | 10.2                 | <0.2                 | <10                 | 180                  | 0.46                 | 0.13                 | 0.34               | 0.12                 | 18.50                | 14.0                 | 38                   |
| I099345            |                                   | 0.50                      | <0.005               | 0.04                 | 2.82               | 9.9                  | <0.2                 | <10                 | 200                  | 0.36                 | 0.17                 | 0.27               | 0.13                 | 18.45                | 12.2                 | 29                   |
| I099346            |                                   | 0.52                      | <0.005               | 0.04                 | 2.80               | 10.1                 | <0.2                 | <10                 | 190                  | 0.46                 | 0.14                 | 0.36               | 0.07                 | 24.2                 | 10.9                 | 39                   |
| I099347            |                                   | 0.46                      | <0.005               | 0.04                 | 1.47               | 6.1                  | <0.2                 | <10                 | 120                  | 0.19                 | 0.12                 | 0.16               | 0.07                 | 9.75                 | 5.5                  | 21                   |
| I099348            |                                   | 0.44                      | <0.005               | 0.07                 | 0.64               | 1.0                  | <0.2                 | <10                 | 70                   | 0.14                 | 0.09                 | 0.16               | 0.05                 | 22.5                 | 1.5                  | 8                    |
| I099349            |                                   | 0.52                      | 0.007                | 0.08                 | 1.79               | 4.7                  | <0.2                 | <10                 | 160                  | 0.24                 | 0.12                 | 0.71               | 0.11                 | 29.8                 | 11.3                 | 25                   |
| I099350            |                                   | 0.40                      | <0.005               | 0.03                 | 1.04               | 3.8                  | <0.2                 | <10                 | 90                   | 0.19                 | 0.12                 | 0.11               | 0.05                 | 18.90                | 4.2                  | 32                   |
| I099351            |                                   | 0.30                      | <0.005               | 0.48                 | 1.57               | 9.3                  | <0.2                 | <10                 | 330                  | 0.31                 | 0.16                 | 0.21               | 0.36                 | 22.6                 | 8.3                  | 28                   |
| I099352            |                                   | 0.30                      | 0.006                | 0.75                 | 1.68               | 9.5                  | <0.2                 | <10                 | 230                  | 0.23                 | 0.17                 | 0.13               | 0.38                 | 16.05                | 6.5                  | 73                   |
| I099353            |                                   | 0.16                      | <0.005               | 0.96                 | 0.87               | 4.5                  | <0.2                 | <10                 | 160                  | 0.16                 | 0.13                 | 0.11               | 0.32                 | 12.50                | 3.7                  | 19                   |
| I099354            |                                   | 0.28                      | 0.007                | 1.15                 | 0.90               | 4.7                  | <0.2                 | <10                 | 480                  | 0.34                 | 0.19                 | 0.17               | 6.47                 | 20.1                 | 9.6                  | 25                   |
| I099355            |                                   | 0.32                      | <0.005               | 0.42                 | 1.75               | 3.7                  | <0.2                 | <10                 | 1190                 | 0.37                 | 0.20                 | 0.37               | 1.08                 | 22.0                 | 12.8                 | 28                   |
| I099356            |                                   | 0.34                      | <0.005               | 0.51                 | 1.38               | 5.1                  | <0.2                 | <10                 | 400                  | 0.22                 | 0.15                 | 0.19               | 0.62                 | 21.2                 | 8.8                  | 26                   |
| I099357            |                                   | 0.28                      | <0.005               | 0.01                 | 0.14               | 1.9                  | <0.2                 | <10                 | 40                   | 0.10                 | 0.02                 | 0.10               | 0.04                 | 12.40                | 2.1                  | 3                    |
| I099358            |                                   | 0.28                      | <0.005               | 0.82                 | 1.26               | 4.8                  | <0.2                 | <10                 | 390                  | 0.32                 | 0.15                 | 0.22               | 0.27                 | 19.20                | 13.1                 | 25                   |
| I099359            |                                   | 0.28                      | <0.005               | 0.34                 | 1.19               | 3.1                  | <0.2                 | <10                 | 680                  | 0.32                 | 0.12                 | 0.28               | 0.92                 | 14.60                | 15.5                 | 19                   |
| I099360            |                                   | 0.20                      | 0.010                | 0.23                 | 1.42               | 5.1                  | <0.2                 | <10                 | 540                  | 0.39                 | 0.18                 | 0.23               | 0.28                 | 23.1                 | 7.2                  | 30                   |
| I099361            |                                   | 0.28                      | 0.009                | 0.61                 | 1.66               | 7.4                  | <0.2                 | <10                 | 380                  | 0.35                 | 0.15                 | 0.20               | 0.33                 | 18.00                | 7.8                  | 33                   |
| I099362            |                                   | 0.30                      | 0.010                | 0.92                 | 1.36               | 8.3                  | <0.2                 | <10                 | 500                  | 0.27                 | 0.17                 | 0.28               | 0.21                 | 18.30                | 8.3                  | 31                   |
| I099363            |                                   | 0.32                      | <0.005               | 0.45                 | 2.53               | 10.5                 | <0.2                 | <10                 | 250                  | 0.53                 | 0.23                 | 0.13               | 0.14                 | 19.10                | 12.2                 | 42                   |
| I099364            |                                   | 0.30                      | <0.005               | 0.10                 | 1.59               | 15.1                 | <0.2                 | <10                 | 280                  | 0.37                 | 0.13                 | 0.79               | 0.22                 | 30.3                 | 16.6                 | 26                   |
| I099365            |                                   | 0.16                      | <0.005               | 0.04                 | 1.92               | 7.6                  | <0.2                 | <10                 | 200                  | 0.40                 | 0.14                 | 0.30               | 0.08                 | 23.5                 | 12.2                 | 30                   |
| I099366            |                                   | 0.22                      | <0.005               | 0.04                 | 2.69               | 2.5                  | <0.2                 | <10                 | 200                  | 0.41                 | 0.11                 | 0.42               | 0.08                 | 28.3                 | 13.6                 | 17                   |
| I099367            |                                   | 0.26                      | 0.006                | 0.08                 | 1.93               | 9.2                  | <0.2                 | <10                 | 240                  | 0.33                 | 0.16                 | 0.34               | 0.09                 | 20.6                 | 8.2                  | 31                   |
| I099368            |                                   | 0.34                      | <0.005               | 0.10                 | 1.72               | 6.8                  | <0.2                 | <10                 | 260                  | 0.29                 | 0.13                 | 0.28               | 0.13                 | 18.00                | 8.9                  | 30                   |
| I099369            |                                   | 0.14                      | <0.005               | 0.04                 | 1.62               | 5.5                  | <0.2                 | <10                 | 220                  | 0.36                 | 0.15                 | 0.31               | 0.11                 | 36.5                 | 8.7                  | 27                   |
| I099370            |                                   | 0.38                      | <0.005               | 0.04                 | 2.17               | 8.2                  | <0.2                 | <10                 | 170                  | 0.44                 | 0.17                 | 0.13               | 0.10                 | 25.4                 | 8.7                  | 31                   |
| I099371            |                                   | 0.32                      | <0.005               | 0.03                 | 2.45               | 10.5                 | <0.2                 | <10                 | 110                  | 0.35                 | 0.17                 | 0.10               | 0.09                 | 19.90                | 8.6                  | 34                   |
| I099372            |                                   | 0.20                      | 0.025                | 0.05                 | 1.65               | 6.2                  | <0.2                 | <10                 | 150                  | 0.42                 | 0.13                 | 0.24               | 0.08                 | 47.3                 | 7.0                  | 25                   |
| I099373            |                                   | 5.00                      | <0.005               | 0.07                 | 1.59               | 5.2                  | <0.2                 | <10                 | 120                  | 0.34                 | 0.16                 | 0.25               | 0.11                 | 46.9                 | 6.9                  | 23                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: 2 - B**  
**Total # Pages: 6 (A - D)**  
**Plus Appendix Pages**  
**Finalized Date: 3-OCT-2010**  
**Account: EIASQI**

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099333            |                                   | 1.42    | 27.2    | 3.24    | 7.74    | 0.08    | 0.08    | 0.10    | 0.036   | 0.06    | 42.0    | 14.2    | 0.40    | 317     | 0.99    |
| I099334            |                                   | 2.45    | 12.0    | 3.05    | 6.36    | <0.05   | 0.02    | 0.02    | 0.023   | 0.08    | 9.0     | 13.7    | 0.59    | 309     | 0.75    |
| I099335            |                                   | 1.74    | 13.4    | 2.18    | 5.49    | <0.05   | 0.02    | 0.04    | 0.021   | 0.06    | 7.3     | 8.6     | 0.27    | 212     | 0.72    |
| I099337            |                                   | 2.92    | 17.7    | 4.15    | 9.07    | 0.09    | 0.08    | 0.03    | 0.034   | 0.19    | 15.5    | 30.7    | 1.00    | 532     | 0.54    |
| I099338            |                                   | 0.89    | 10.2    | 1.89    | 5.77    | <0.05   | 0.02    | 0.02    | 0.011   | 0.05    | 4.9     | 2.9     | 0.20    | 92      | 0.49    |
| I099339            |                                   | 1.73    | 16.7    | 3.16    | 7.22    | 0.06    | 0.05    | 0.03    | 0.027   | 0.09    | 12.9    | 19.0    | 0.72    | 422     | 0.63    |
| I099340            |                                   | 0.85    | 26.7    | 2.42    | 7.06    | 0.05    | 0.04    | 0.03    | 0.023   | 0.05    | 11.4    | 8.5     | 0.33    | 143     | 0.74    |
| I099341            |                                   | 0.76    | 13.2    | 1.92    | 6.37    | <0.05   | 0.04    | 0.02    | 0.016   | 0.05    | 8.0     | 7.0     | 0.23    | 193     | 0.73    |
| I099342            |                                   | 1.25    | 16.4    | 3.38    | 7.64    | 0.05    | 0.05    | 0.02    | 0.028   | 0.05    | 6.7     | 14.1    | 0.44    | 183     | 1.28    |
| I099343            |                                   | 2.61    | 25.1    | 5.61    | 10.70   | 0.08    | 0.14    | 0.03    | 0.040   | 0.27    | 8.5     | 33.2    | 0.85    | 505     | 1.49    |
| I099344            |                                   | 1.28    | 22.3    | 3.91    | 7.19    | 0.05    | 0.04    | 0.03    | 0.035   | 0.07    | 8.7     | 16.7    | 0.60    | 372     | 1.06    |
| I099345            |                                   | 1.93    | 17.4    | 4.35    | 10.50   | 0.06    | 0.07    | 0.02    | 0.036   | 0.12    | 8.4     | 25.0    | 0.67    | 530     | 1.66    |
| I099346            |                                   | 1.29    | 22.2    | 3.96    | 7.11    | 0.06    | 0.10    | 0.02    | 0.033   | 0.06    | 12.2    | 16.6    | 0.70    | 254     | 1.07    |
| I099347            |                                   | 0.91    | 12.8    | 2.44    | 5.35    | <0.05   | 0.05    | 0.01    | 0.019   | 0.03    | 4.6     | 8.7     | 0.30    | 184     | 0.80    |
| I099348            |                                   | 0.81    | 8.1     | 0.79    | 3.10    | <0.05   | <0.02   | 0.02    | 0.007   | 0.04    | 12.8    | 2.4     | 0.11    | 71      | 0.45    |
| I099349            |                                   | 1.28    | 15.4    | 2.91    | 5.74    | 0.08    | 0.07    | 0.04    | 0.024   | 0.11    | 14.9    | 14.7    | 0.64    | 586     | 0.53    |
| I099350            |                                   | 0.82    | 13.4    | 1.79    | 4.89    | <0.05   | 0.02    | 0.02    | 0.015   | 0.06    | 9.6     | 4.8     | 0.34    | 111     | 0.65    |
| I099351            |                                   | 1.10    | 15.2    | 2.64    | 5.65    | 0.05    | 0.02    | 0.02    | 0.020   | 0.06    | 11.0    | 11.4    | 0.43    | 309     | 1.52    |
| I099352            |                                   | 1.04    | 17.4    | 3.16    | 6.91    | 0.05    | 0.02    | 0.02    | 0.017   | 0.06    | 7.2     | 8.3     | 0.57    | 186     | 1.70    |
| I099353            |                                   | 0.72    | 12.5    | 1.99    | 4.60    | <0.05   | <0.02   | 0.02    | 0.011   | 0.05    | 5.7     | 4.2     | 0.20    | 130     | 1.10    |
| I099354            |                                   | 0.85    | 21.8    | 3.60    | 4.73    | 0.05    | <0.02   | 0.02    | 0.025   | 0.06    | 8.6     | 3.9     | 0.16    | 2040    | 1.93    |
| I099355            |                                   | 1.11    | 20.1    | 3.01    | 5.98    | 0.05    | 0.02    | 0.01    | 0.024   | 0.07    | 10.9    | 8.9     | 0.40    | 732     | 1.48    |
| I099356            |                                   | 0.63    | 11.4    | 2.62    | 4.70    | <0.05   | 0.03    | 0.01    | 0.018   | 0.08    | 10.0    | 9.2     | 0.42    | 501     | 0.96    |
| I099357            |                                   | 0.09    | 10.0    | 0.73    | 0.61    | <0.05   | 0.08    | 0.01    | <0.005  | 0.05    | 5.5     | 1.4     | 0.04    | 171     | 0.31    |
| I099358            |                                   | 0.84    | 17.4    | 2.40    | 4.89    | 0.05    | 0.03    | 0.01    | 0.018   | 0.09    | 9.3     | 7.6     | 0.35    | 363     | 1.11    |
| I099359            |                                   | 1.14    | 13.8    | 2.31    | 4.13    | <0.05   | 0.02    | 0.02    | 0.015   | 0.06    | 6.8     | 7.0     | 0.24    | 370     | 1.56    |
| I099360            |                                   | 1.16    | 45.3    | 3.20    | 5.29    | 0.06    | <0.02   | 0.02    | 0.025   | 0.25    | 11.4    | 11.9    | 0.58    | 417     | 2.60    |
| I099361            |                                   | 0.57    | 19.9    | 2.75    | 5.11    | 0.05    | 0.05    | 0.03    | 0.022   | 0.07    | 8.9     | 10.8    | 0.46    | 216     | 2.03    |
| I099362            |                                   | 0.47    | 20.4    | 2.62    | 4.78    | 0.05    | 0.02    | 0.02    | 0.019   | 0.11    | 9.1     | 9.3     | 0.49    | 236     | 1.74    |
| I099363            |                                   | 2.18    | 21.5    | 3.75    | 6.85    | 0.05    | 0.04    | 0.03    | 0.035   | 0.04    | 9.3     | 18.9    | 0.42    | 156     | 1.37    |
| I099364            |                                   | 0.69    | 20.4    | 3.78    | 4.70    | 0.08    | 0.03    | 0.04    | 0.020   | 0.11    | 14.1    | 12.4    | 0.57    | 1280    | 1.34    |
| I099365            |                                   | 0.80    | 13.5    | 2.99    | 5.95    | <0.05   | 0.04    | 0.02    | 0.023   | 0.18    | 11.8    | 11.7    | 0.46    | 586     | 1.07    |
| I099366            |                                   | 1.90    | 14.5    | 4.08    | 8.58    | 0.09    | 0.03    | 0.02    | 0.049   | 0.97    | 15.6    | 15.5    | 1.30    | 640     | 1.08    |
| I099367            |                                   | 0.59    | 18.6    | 3.00    | 5.63    | 0.05    | 0.11    | 0.02    | 0.024   | 0.07    | 10.9    | 14.3    | 0.56    | 294     | 1.12    |
| I099368            |                                   | 0.53    | 13.2    | 2.72    | 5.23    | 0.05    | 0.06    | 0.02    | 0.023   | 0.11    | 8.6     | 10.8    | 0.42    | 353     | 0.93    |
| I099369            |                                   | 0.76    | 19.9    | 2.43    | 5.81    | 0.06    | 0.08    | 0.02    | 0.020   | 0.09    | 26.3    | 10.7    | 0.45    | 486     | 0.94    |
| I099370            |                                   | 0.89    | 13.3    | 3.10    | 6.84    | 0.05    | 0.04    | 0.02    | 0.026   | 0.04    | 11.5    | 13.3    | 0.39    | 312     | 1.12    |
| I099371            |                                   | 0.92    | 18.9    | 3.85    | 7.75    | 0.06    | 0.04    | 0.01    | 0.030   | 0.07    | 11.6    | 16.9    | 0.42    | 223     | 1.21    |
| I099372            |                                   | 0.75    | 21.4    | 2.60    | 5.76    | 0.07    | 0.05    | 0.02    | 0.023   | 0.12    | 30.5    | 11.4    | 0.42    | 309     | 0.78    |
| I099373            |                                   | 0.76    | 19.2    | 2.47    | 5.79    | 0.08    | 0.04    | 0.03    | 0.019   | 0.09    | 34.6    | 11.3    | 0.42    | 314     | 0.77    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099333            |                                   | 2.53    | 16.9    | 440     | 9.1     | 11.5    | <0.001  | 0.03    | 0.43    | 6.3     | 0.8     | 0.8     | 23.0    | <0.01   | 0.09    |
| I099334            |                                   | 1.28    | 12.0    | 340     | 7.9     | 15.2    | <0.001  | 0.01    | 0.37    | 3.8     | 0.2     | 0.6     | 19.4    | <0.01   | 0.02    |
| I099335            |                                   | 1.17    | 9.8     | 230     | 6.0     | 9.4     | <0.001  | 0.01    | 0.31    | 3.6     | 0.3     | 0.5     | 19.1    | <0.01   | 0.02    |
| I099337            |                                   | 3.37    | 17.4    | 820     | 11.5    | 34.1    | <0.001  | 0.02    | 0.46    | 7.4     | 0.5     | 1.0     | 35.7    | <0.01   | 0.02    |
| I099338            |                                   | 1.47    | 6.7     | 160     | 6.1     | 10.7    | <0.001  | 0.01    | 0.22    | 1.9     | 0.2     | 0.6     | 10.7    | <0.01   | 0.02    |
| I099339            |                                   | 2.29    | 18.4    | 730     | 7.5     | 18.8    | <0.001  | 0.02    | 0.34    | 5.3     | 0.4     | 0.7     | 36.8    | <0.01   | 0.03    |
| I099340            |                                   | 1.74    | 15.4    | 310     | 6.8     | 9.5     | <0.001  | 0.02    | 0.27    | 3.6     | 0.5     | 0.6     | 23.3    | <0.01   | 0.03    |
| I099341            |                                   | 1.58    | 9.9     | 210     | 6.2     | 11.7    | <0.001  | 0.01    | 0.27    | 2.5     | 0.3     | 0.6     | 20.0    | <0.01   | 0.03    |
| I099342            |                                   | 2.00    | 20.4    | 260     | 7.9     | 8.8     | <0.001  | 0.01    | 0.46    | 3.3     | 0.3     | 0.7     | 15.6    | <0.01   | 0.03    |
| I099343            |                                   | 4.51    | 26.5    | 540     | 10.2    | 37.2    | <0.001  | 0.01    | 0.60    | 6.1     | 0.5     | 1.2     | 18.5    | 0.01    | 0.04    |
| I099344            |                                   | 1.88    | 29.5    | 530     | 7.7     | 10.5    | <0.001  | 0.01    | 0.49    | 4.4     | 0.5     | 0.6     | 24.9    | 0.01    | 0.04    |
| I099345            |                                   | 2.59    | 18.7    | 400     | 9.9     | 22.3    | <0.001  | 0.01    | 0.62    | 5.2     | 0.3     | 1.1     | 22.5    | <0.01   | 0.03    |
| I099346            |                                   | 2.19    | 23.5    | 410     | 7.8     | 9.6     | <0.001  | 0.01    | 0.45    | 4.9     | 0.4     | 0.7     | 25.9    | 0.01    | 0.03    |
| I099347            |                                   | 1.48    | 12.6    | 190     | 6.6     | 7.2     | <0.001  | 0.01    | 0.31    | 2.4     | 0.2     | 0.5     | 15.0    | <0.01   | 0.02    |
| I099348            |                                   | 0.71    | 3.5     | 180     | 3.7     | 9.0     | <0.001  | 0.01    | 0.12    | 1.4     | 0.2     | 0.4     | 15.5    | <0.01   | 0.01    |
| I099349            |                                   | 2.51    | 14.1    | 730     | 6.9     | 17.9    | <0.001  | 0.03    | 0.35    | 5.2     | 0.6     | 0.7     | 38.9    | <0.01   | 0.02    |
| I099350            |                                   | 0.86    | 10.7    | 230     | 5.8     | 13.1    | <0.001  | 0.02    | 0.20    | 1.7     | 0.3     | 0.5     | 11.8    | <0.01   | 0.02    |
| I099351            |                                   | 1.37    | 23.2    | 490     | 7.7     | 15.1    | <0.001  | 0.01    | 0.40    | 2.7     | 0.3     | 0.5     | 18.1    | <0.01   | 0.03    |
| I099352            |                                   | 1.81    | 32.6    | 370     | 7.1     | 18.1    | <0.001  | 0.01    | 0.45    | 2.2     | 0.4     | 0.6     | 11.5    | <0.01   | 0.04    |
| I099353            |                                   | 0.88    | 10.7    | 350     | 5.5     | 12.5    | <0.001  | 0.01    | 0.34    | 1.3     | 0.3     | 0.5     | 10.3    | <0.01   | 0.03    |
| I099354            |                                   | 0.76    | 24.6    | 1630    | 9.3     | 15.6    | <0.001  | 0.01    | 0.72    | 2.8     | 0.5     | 0.5     | 18.6    | <0.01   | 0.05    |
| I099355            |                                   | 1.55    | 25.6    | 1110    | 9.2     | 11.6    | <0.001  | 0.01    | 0.35    | 3.3     | 0.3     | 0.6     | 32.1    | <0.01   | 0.04    |
| I099356            |                                   | 1.45    | 17.6    | 300     | 6.7     | 12.8    | <0.001  | <0.01   | 0.39    | 2.4     | 0.2     | 0.5     | 14.4    | <0.01   | 0.02    |
| I099357            |                                   | 0.16    | 4.0     | 130     | 1.5     | 2.6     | <0.001  | <0.01   | 0.11    | 0.6     | <0.2    | <0.2    | 8.3     | <0.01   | 0.01    |
| I099358            |                                   | 1.21    | 19.5    | 470     | 7.3     | 15.8    | <0.001  | 0.01    | 0.35    | 2.7     | 0.3     | 0.5     | 17.4    | <0.01   | 0.03    |
| I099359            |                                   | 0.80    | 18.2    | 790     | 8.1     | 9.2     | 0.001   | 0.02    | 0.30    | 2.1     | 0.3     | 0.4     | 26.9    | <0.01   | 0.04    |
| I099360            |                                   | 1.20    | 28.9    | 660     | 9.4     | 13.4    | 0.001   | 0.08    | 0.29    | 3.5     | 0.4     | 0.5     | 22.9    | <0.01   | 0.09    |
| I099361            |                                   | 1.17    | 22.5    | 370     | 7.6     | 9.5     | <0.001  | 0.02    | 0.49    | 3.2     | 0.6     | 0.5     | 18.4    | <0.01   | 0.04    |
| I099362            |                                   | 1.25    | 17.8    | 390     | 6.3     | 6.9     | <0.001  | 0.04    | 0.39    | 3.0     | 0.6     | 0.4     | 25.4    | <0.01   | 0.04    |
| I099363            |                                   | 1.69    | 29.8    | 320     | 11.1    | 12.6    | 0.001   | 0.02    | 0.60    | 3.2     | 0.4     | 0.6     | 13.6    | <0.01   | 0.05    |
| I099364            |                                   | 1.50    | 20.5    | 720     | 7.1     | 13.8    | 0.001   | 0.06    | 0.44    | 4.0     | 0.7     | 0.4     | 50.1    | <0.01   | 0.03    |
| I099365            |                                   | 1.96    | 18.6    | 420     | 8.1     | 19.3    | 0.001   | 0.01    | 0.47    | 3.6     | 0.3     | 0.6     | 25.4    | <0.01   | 0.03    |
| I099366            |                                   | 3.28    | 9.4     | 540     | 5.3     | 85.0    | <0.001  | 0.01    | 0.17    | 2.9     | 0.3     | 0.4     | 40.0    | <0.01   | 0.02    |
| I099367            |                                   | 1.26    | 20.5    | 400     | 8.3     | 8.4     | <0.001  | 0.01    | 0.55    | 4.2     | 0.2     | 0.5     | 24.0    | <0.01   | 0.03    |
| I099368            |                                   | 1.82    | 18.1    | 350     | 7.5     | 13.3    | <0.001  | 0.01    | 0.40    | 3.3     | 0.2     | 0.5     | 24.8    | <0.01   | 0.03    |
| I099369            |                                   | 2.00    | 17.1    | 340     | 8.0     | 18.0    | 0.001   | 0.01    | 0.38    | 3.8     | 0.4     | 0.6     | 28.2    | <0.01   | 0.02    |
| I099370            |                                   | 1.33    | 19.3    | 240     | 9.8     | 11.7    | <0.001  | 0.01    | 0.51    | 3.1     | 0.2     | 0.7     | 12.9    | <0.01   | 0.03    |
| I099371            |                                   | 2.39    | 19.7    | 330     | 11.3    | 13.6    | 0.001   | 0.01    | 0.52    | 4.3     | 0.3     | 0.8     | 10.6    | <0.01   | 0.05    |
| I099372            |                                   | 2.18    | 15.6    | 380     | 8.5     | 18.7    | <0.001  | 0.01    | 0.40    | 4.1     | 0.3     | 0.8     | 19.9    | <0.01   | 0.03    |
| I099373            |                                   | 2.39    | 12.9    | 280     | 9.4     | 15.9    | 0.001   | 0.01    | 0.33    | 3.7     | 0.4     | 0.8     | 20.5    | <0.01   | 0.02    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 2 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I099333            |                                   | 0.129   | 0.13    | 2.85    | 71      | 0.35    | 11.75   | 43      |
| I099334            |                                   | 0.082   | 0.14    | 0.52    | 66      | 0.15    | 3.79    | 46      |
| I099335            |                                   | 0.058   | 0.11    | 0.91    | 48      | 0.12    | 4.56    | 31      |
| I099337            |                                   | 0.203   | 0.27    | 2.65    | 88      | 0.22    | 8.73    | 85      |
| I099338            |                                   | 0.108   | 0.09    | 0.37    | 55      | 0.08    | 1.57    | 26      |
| I099339            |                                   | 0.148   | 0.13    | 1.49    | 74      | 0.18    | 6.83    | 68      |
| I099340            |                                   | 0.108   | 0.08    | 1.19    | 58      | 0.15    | 4.89    | 33      |
| I099341            |                                   | 0.106   | 0.08    | 0.47    | 51      | 0.13    | 2.99    | 34      |
| I099342            |                                   | 0.117   | 0.08    | 0.41    | 76      | 0.14    | 2.56    | 41      |
| I099343            |                                   | 0.248   | 0.30    | 0.53    | 114     | 0.23    | 4.69    | 68      |
| I099344            |                                   | 0.127   | 0.11    | 0.51    | 81      | 0.17    | 4.05    | 65      |
| I099345            |                                   | 0.155   | 0.17    | 0.50    | 101     | 0.15    | 3.95    | 65      |
| I099346            |                                   | 0.160   | 0.14    | 0.94    | 90      | 0.28    | 5.32    | 58      |
| I099347            |                                   | 0.095   | 0.08    | 0.30    | 57      | 0.11    | 1.90    | 41      |
| I099348            |                                   | 0.059   | 0.07    | 0.45    | 20      | 0.13    | 4.03    | 17      |
| I099349            |                                   | 0.160   | 0.14    | 0.95    | 71      | 0.21    | 9.22    | 56      |
| I099350            |                                   | 0.087   | 0.11    | 0.54    | 44      | 0.10    | 2.60    | 22      |
| I099351            |                                   | 0.072   | 0.11    | 0.44    | 62      | 0.17    | 3.15    | 59      |
| I099352            |                                   | 0.128   | 0.13    | 0.34    | 86      | 0.19    | 2.16    | 51      |
| I099353            |                                   | 0.074   | 0.07    | 0.28    | 51      | 0.18    | 1.45    | 36      |
| I099354            |                                   | 0.051   | 0.09    | 0.82    | 75      | 0.16    | 4.70    | 163     |
| I099355            |                                   | 0.078   | 0.13    | 0.66    | 60      | 0.21    | 3.58    | 127     |
| I099356            |                                   | 0.085   | 0.08    | 0.37    | 60      | 0.16    | 2.76    | 91      |
| I099357            |                                   | 0.008   | 0.04    | 0.34    | 5       | <0.05   | 2.20    | 6       |
| I099358            |                                   | 0.082   | 0.09    | 0.42    | 57      | 0.07    | 3.50    | 63      |
| I099359            |                                   | 0.052   | 0.10    | 0.61    | 43      | <0.05   | 3.01    | 123     |
| I099360            |                                   | 0.088   | 0.12    | 0.59    | 60      | 0.09    | 4.30    | 73      |
| I099361            |                                   | 0.080   | 0.10    | 0.47    | 70      | 0.09    | 2.89    | 71      |
| I099362            |                                   | 0.094   | 0.10    | 0.50    | 67      | 0.08    | 3.21    | 61      |
| I099363            |                                   | 0.076   | 0.15    | 0.51    | 78      | 0.17    | 3.22    | 54      |
| I099364            |                                   | 0.091   | 0.10    | 0.84    | 73      | 0.13    | 8.37    | 66      |
| I099365            |                                   | 0.098   | 0.13    | 0.47    | 63      | 0.13    | 2.85    | 57      |
| I099366            |                                   | 0.225   | 0.35    | 0.56    | 90      | 0.09    | 2.99    | 77      |
| I099367            |                                   | 0.095   | 0.09    | 0.43    | 71      | 0.15    | 4.08    | 56      |
| I099368            |                                   | 0.085   | 0.10    | 0.34    | 62      | 0.15    | 2.34    | 52      |
| I099369            |                                   | 0.097   | 0.11    | 1.16    | 58      | 0.14    | 7.58    | 51      |
| I099370            |                                   | 0.079   | 0.13    | 0.46    | 73      | 0.10    | 2.46    | 53      |
| I099371            |                                   | 0.097   | 0.13    | 0.75    | 78      | 0.18    | 3.53    | 54      |
| I099372            |                                   | 0.097   | 0.14    | 1.57    | 52      | 0.18    | 9.25    | 52      |
| I099373            |                                   | 0.103   | 0.12    | 1.71    | 53      | 0.29    | 8.68    | 56      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099374            |                                   | 0.38                      | 0.011                | 0.09                 | 1.95               | 7.5                  | <0.2                 | <10                 | 200                  | 0.43                 | 0.17                 | 0.32               | 0.14                 | 48.2                 | 8.4                  | 28                   |
| I099375            |                                   | 0.16                      | 0.010                | 0.17                 | 1.48               | 6.1                  | <0.2                 | <10                 | 180                  | 0.31                 | 0.17                 | 0.34               | 0.24                 | 35.4                 | 6.7                  | 23                   |
| I099376            |                                   | 0.36                      | 0.007                | 0.07                 | 1.49               | 5.9                  | <0.2                 | <10                 | 110                  | 0.25                 | 0.13                 | 0.25               | 0.11                 | 27.3                 | 7.2                  | 22                   |
| I099377            |                                   | 0.42                      | 0.005                | 0.11                 | 1.66               | 9.7                  | <0.2                 | <10                 | 320                  | 0.47                 | 0.15                 | 0.56               | 0.16                 | 38.3                 | 9.8                  | 31                   |
| I099378            |                                   | 0.28                      | <0.005               | 0.06                 | 1.61               | 6.9                  | <0.2                 | <10                 | 230                  | 0.43                 | 0.14                 | 0.40               | 0.08                 | 45.2                 | 6.9                  | 28                   |
| I099379            |                                   | 0.38                      | <0.005               | 0.02                 | 0.14               | 2.0                  | <0.2                 | <10                 | 20                   | 0.11                 | 0.02                 | 0.09               | 0.04                 | 11.65                | 2.1                  | 4                    |
| I099380            |                                   | 0.34                      | <0.005               | 0.12                 | 1.81               | 8.0                  | <0.2                 | <10                 | 220                  | 0.31                 | 0.15                 | 0.34               | 0.11                 | 25.2                 | 7.7                  | 32                   |
| I099381            |                                   | 0.44                      | 0.008                | 0.06                 | 1.80               | 9.1                  | <0.2                 | <10                 | 280                  | 0.50                 | 0.17                 | 0.42               | 0.08                 | 39.8                 | 9.8                  | 31                   |
| I099382            |                                   | 0.36                      | <0.005               | 0.17                 | 1.84               | 7.6                  | <0.2                 | <10                 | 380                  | 0.57                 | 0.17                 | 0.66               | 0.18                 | 36.8                 | 10.8                 | 31                   |
| I099383            |                                   | 0.28                      | 0.014                | 0.04                 | 1.95               | 10.6                 | <0.2                 | <10                 | 200                  | 0.47                 | 0.14                 | 0.25               | 0.06                 | 28.1                 | 8.9                  | 38                   |
| I099384            |                                   | 0.30                      | 0.007                | 0.08                 | 1.69               | 7.7                  | <0.2                 | <10                 | 220                  | 0.47                 | 0.20                 | 0.32               | 0.08                 | 44.7                 | 8.6                  | 29                   |
| I099385            |                                   | 0.36                      | 0.009                | 0.06                 | 1.75               | 5.9                  | <0.2                 | <10                 | 180                  | 0.33                 | 0.18                 | 0.27               | 0.07                 | 32.6                 | 8.9                  | 24                   |
| I099386            |                                   | 0.34                      | 0.010                | 0.08                 | 1.28               | 4.1                  | <0.2                 | <10                 | 190                  | 0.30                 | 0.09                 | 0.52               | 0.14                 | 27.6                 | 7.4                  | 20                   |
| I099387            |                                   | 0.34                      | 0.005                | 0.06                 | 1.32               | 5.9                  | <0.2                 | <10                 | 170                  | 0.33                 | 0.13                 | 0.30               | 0.09                 | 28.1                 | 6.9                  | 25                   |
| I099388            |                                   | 0.26                      | <0.005               | 0.12                 | 1.58               | 3.9                  | <0.2                 | <10                 | 230                  | 0.30                 | 0.17                 | 0.35               | 0.16                 | 27.8                 | 5.3                  | 25                   |
| I099389            |                                   | 0.28                      | <0.005               | 0.16                 | 1.94               | 7.1                  | <0.2                 | <10                 | 310                  | 0.38                 | 0.22                 | 0.48               | 0.18                 | 32.5                 | 10.8                 | 30                   |
| I099390            |                                   | 0.32                      | <0.005               | 0.11                 | 1.58               | 5.7                  | <0.2                 | <10                 | 210                  | 0.34                 | 0.16                 | 0.30               | 0.13                 | 26.4                 | 5.4                  | 25                   |
| I099391            |                                   | 0.26                      | <0.005               | 0.14                 | 1.94               | 6.7                  | <0.2                 | <10                 | 320                  | 0.46                 | 0.21                 | 0.40               | 0.16                 | 32.9                 | 8.5                  | 29                   |
| I099392            |                                   | 0.28                      | 0.005                | 0.09                 | 1.59               | 6.9                  | <0.2                 | <10                 | 210                  | 0.31                 | 0.16                 | 0.32               | 0.15                 | 26.6                 | 5.3                  | 26                   |
| I099393            |                                   | 0.30                      | <0.005               | 0.10                 | 1.54               | 6.6                  | <0.2                 | <10                 | 240                  | 0.37                 | 0.16                 | 0.35               | 0.17                 | 29.3                 | 6.6                  | 28                   |
| I099394            |                                   | 0.32                      | <0.005               | 0.17                 | 2.23               | 11.0                 | <0.2                 | <10                 | 380                  | 0.44                 | 0.22                 | 0.43               | 0.16                 | 33.5                 | 7.9                  | 38                   |
| I099395            |                                   | 0.28                      | 0.015                | 0.07                 | 1.51               | 6.5                  | <0.2                 | <10                 | 260                  | 0.33                 | 0.13                 | 0.38               | 0.12                 | 38.6                 | 9.7                  | 28                   |
| I099501            |                                   | 0.30                      | <0.005               | 0.18                 | 1.29               | 4.5                  | <0.2                 | <10                 | 320                  | 0.19                 | 0.11                 | 0.82               | 0.42                 | 37.5                 | 78.8                 | 53                   |
| I099502            |                                   | 0.28                      | <0.005               | 0.07                 | 1.96               | 8.3                  | <0.2                 | <10                 | 180                  | 0.20                 | 0.10                 | 0.58               | 0.13                 | 21.9                 | 16.0                 | 87                   |
| I099503            |                                   | 0.18                      | <0.005               | 0.19                 | 1.08               | 8.2                  | <0.2                 | <10                 | 520                  | 0.33                 | 0.07                 | 1.49               | 1.08                 | 58.1                 | 37.7                 | 41                   |
| I099504            |                                   | 0.18                      | <0.005               | 0.23                 | 0.87               | 7.9                  | <0.2                 | <10                 | 430                  | 0.34                 | 0.05                 | 2.00               | 0.74                 | 31.8                 | 20.8                 | 33                   |
| I099505            |                                   | 0.40                      | <0.005               | 0.06                 | 2.19               | 4.5                  | <0.2                 | <10                 | 210                  | 0.23                 | 0.10                 | 0.57               | 0.20                 | 28.4                 | 13.0                 | 108                  |
| I099506            |                                   | 0.18                      | 0.027                | 0.51                 | 1.92               | 42.0                 | <0.2                 | <10                 | 290                  | 0.65                 | 0.34                 | 1.54               | 0.29                 | 96.1                 | 11.1                 | 92                   |
| I099507            |                                   | 0.12                      | <0.005               | 0.27                 | 0.99               | 19.6                 | <0.2                 | <10                 | 150                  | 0.16                 | 0.15                 | 0.16               | 1.06                 | 19.55                | 5.0                  | 21                   |
| I099508            |                                   | 0.18                      | <0.005               | 0.09                 | 2.93               | 5.2                  | <0.2                 | <10                 | 300                  | 0.24                 | 0.18                 | 0.35               | 0.18                 | 12.50                | 15.1                 | 33                   |
| I099509            |                                   | 0.12                      | <0.005               | 0.29                 | 0.47               | 3.2                  | <0.2                 | <10                 | 90                   | <0.05                | 0.08                 | 0.13               | 0.91                 | 4.92                 | 3.9                  | 10                   |
| I099510            |                                   | 0.20                      | <0.005               | 0.05                 | 0.25               | 1.6                  | <0.2                 | <10                 | 20                   | <0.05                | 0.06                 | 0.04               | 0.11                 | 2.33                 | 1.9                  | 6                    |
| I099511            |                                   | 0.16                      | 0.012                | 0.19                 | 1.91               | 29.1                 | <0.2                 | <10                 | 320                  | 0.17                 | 0.12                 | 1.79               | 0.63                 | 10.90                | 13.1                 | 34                   |
| I099512            |                                   | 0.16                      | 0.007                | 0.18                 | 2.24               | 24.9                 | <0.2                 | <10                 | 380                  | 0.22                 | 0.13                 | 1.29               | 0.88                 | 14.60                | 17.9                 | 40                   |
| I099513            |                                   | 0.22                      | <0.005               | 0.18                 | 2.80               | 10.6                 | <0.2                 | <10                 | 400                  | 0.26                 | 0.17                 | 1.02               | 0.49                 | 15.45                | 19.4                 | 49                   |
| I099515            |                                   | 0.18                      | <0.005               | 0.07                 | 2.20               | 3.5                  | <0.2                 | <10                 | 240                  | 0.17                 | 0.14                 | 0.21               | 0.25                 | 9.81                 | 12.8                 | 23                   |
| I099516            |                                   | 0.36                      | 0.005                | 0.06                 | 2.69               | 6.3                  | <0.2                 | <10                 | 160                  | 0.24                 | 0.10                 | 0.24               | 0.24                 | 15.65                | 12.8                 | 46                   |
| I099517            |                                   | 0.20                      | <0.005               | 0.09                 | 1.89               | 5.9                  | <0.2                 | <10                 | 40                   | <0.05                | 0.08                 | 0.05               | 0.14                 | 4.01                 | 13.4                 | 13                   |
| I099518            |                                   | 0.16                      | <0.005               | 0.23                 | 0.60               | 1.5                  | <0.2                 | <10                 | 40                   | <0.05                | 0.07                 | 0.09               | 0.08                 | 4.23                 | 2.7                  | 8                    |
| I099519            |                                   | 0.26                      | 0.007                | 0.36                 | 3.41               | 21.3                 | <0.2                 | <10                 | 350                  | 0.31                 | 0.44                 | 0.48               | 0.24                 | 17.75                | 25.0                 | 50                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099374            |                                   | 0.81    | 21.8    | 2.92    | 6.30    | 0.08    | 0.05    | 0.04    | 0.024   | 0.07    | 28.3    | 13.9    | 0.50    | 262     | 1.01    |
| I099375            |                                   | 0.88    | 18.5    | 2.09    | 5.44    | 0.05    | 0.02    | 0.08    | 0.020   | 0.06    | 20.2    | 9.1     | 0.35    | 165     | 1.18    |
| I099376            |                                   | 0.79    | 11.6    | 2.28    | 5.08    | 0.05    | <0.02   | 0.04    | 0.017   | 0.05    | 15.0    | 10.7    | 0.42    | 245     | 0.89    |
| I099377            |                                   | 0.60    | 33.4    | 2.78    | 4.90    | 0.07    | 0.11    | 0.05    | 0.025   | 0.06    | 18.7    | 11.8    | 0.51    | 370     | 0.85    |
| I099378            |                                   | 0.75    | 23.4    | 2.49    | 4.90    | 0.07    | 0.15    | 0.03    | 0.025   | 0.07    | 27.3    | 11.4    | 0.42    | 243     | 0.96    |
| I099379            |                                   | 0.09    | 2.6     | 0.72    | 0.65    | <0.05   | 0.07    | 0.01    | <0.005  | 0.04    | 5.7     | 1.3     | 0.04    | 170     | 0.33    |
| I099380            |                                   | 0.61    | 17.2    | 2.60    | 5.28    | <0.05   | 0.04    | 0.03    | 0.023   | 0.06    | 12.7    | 11.3    | 0.44    | 259     | 0.92    |
| I099381            |                                   | 0.73    | 30.6    | 2.81    | 5.14    | 0.06    | 0.24    | 0.03    | 0.025   | 0.06    | 18.3    | 11.8    | 0.49    | 423     | 1.17    |
| I099382            |                                   | 0.71    | 28.1    | 2.65    | 5.62    | 0.06    | 0.04    | 0.04    | 0.027   | 0.05    | 17.7    | 10.3    | 0.43    | 568     | 0.92    |
| I099383            |                                   | 0.64    | 20.7    | 2.89    | 5.23    | 0.05    | 0.09    | 0.02    | 0.028   | 0.05    | 13.1    | 11.8    | 0.50    | 223     | 0.93    |
| I099384            |                                   | 0.67    | 24.9    | 2.82    | 5.19    | 0.07    | 0.12    | 0.03    | 0.024   | 0.08    | 24.8    | 14.6    | 0.55    | 272     | 1.48    |
| I099385            |                                   | 0.66    | 18.7    | 2.71    | 5.50    | 0.07    | 0.04    | 0.03    | 0.020   | 0.15    | 17.3    | 12.4    | 0.59    | 297     | 1.14    |
| I099386            |                                   | 0.45    | 19.8    | 2.02    | 3.94    | 0.06    | 0.03    | 0.04    | 0.016   | 0.13    | 14.1    | 8.9     | 0.47    | 233     | 1.05    |
| I099387            |                                   | 0.51    | 17.8    | 2.02    | 3.94    | 0.05    | 0.04    | 0.03    | 0.018   | 0.04    | 13.7    | 8.9     | 0.36    | 239     | 0.64    |
| I099388            |                                   | 0.65    | 16.2    | 1.83    | 4.80    | 0.05    | 0.02    | 0.06    | 0.022   | 0.04    | 13.0    | 8.7     | 0.32    | 156     | 0.57    |
| I099389            |                                   | 0.79    | 18.7    | 2.50    | 5.84    | 0.05    | 0.02    | 0.07    | 0.025   | 0.05    | 14.9    | 10.6    | 0.39    | 445     | 0.92    |
| I099390            |                                   | 0.59    | 16.1    | 2.03    | 4.68    | <0.05   | <0.02   | 0.05    | 0.022   | 0.04    | 12.7    | 8.4     | 0.30    | 158     | 0.60    |
| I099391            |                                   | 0.65    | 25.3    | 2.78    | 6.04    | 0.05    | 0.02    | 0.05    | 0.028   | 0.05    | 15.9    | 9.3     | 0.35    | 391     | 1.53    |
| I099392            |                                   | 0.67    | 15.9    | 2.15    | 4.79    | <0.05   | <0.02   | 0.05    | 0.022   | 0.04    | 13.0    | 9.6     | 0.35    | 153     | 0.67    |
| I099393            |                                   | 0.65    | 19.9    | 2.22    | 4.66    | 0.06    | 0.02    | 0.03    | 0.023   | 0.04    | 14.5    | 9.9     | 0.36    | 211     | 0.74    |
| I099394            |                                   | 0.77    | 25.6    | 3.24    | 7.20    | 0.05    | 0.03    | 0.06    | 0.031   | 0.05    | 17.9    | 12.4    | 0.46    | 212     | 1.17    |
| I099395            |                                   | 0.52    | 23.1    | 2.43    | 5.15    | 0.05    | 0.07    | 0.04    | 0.020   | 0.09    | 19.2    | 13.0    | 0.52    | 351     | 0.85    |
| I099501            |                                   | 0.85    | 22.1    | 5.33    | 4.67    | 0.08    | 0.04    | 0.13    | 0.017   | 0.08    | 12.7    | 6.8     | 0.64    | 5940    | 3.05    |
| I099502            |                                   | 1.32    | 15.6    | 3.03    | 7.06    | 0.08    | 0.05    | 0.02    | 0.021   | 0.15    | 11.4    | 15.3    | 1.08    | 458     | 0.72    |
| I099503            |                                   | 0.60    | 42.7    | 2.58    | 3.15    | 0.08    | 0.05    | 0.09    | 0.015   | 0.08    | 22.4    | 5.1     | 0.55    | 6930    | 2.63    |
| I099504            |                                   | 0.45    | 48.2    | 1.96    | 2.21    | 0.05    | 0.05    | 0.12    | 0.013   | 0.07    | 17.7    | 3.3     | 0.51    | 4020    | 1.98    |
| I099505            |                                   | 1.45    | 17.3    | 2.47    | 7.16    | 0.08    | 0.08    | 0.04    | 0.022   | 0.20    | 15.2    | 15.9    | 1.24    | 497     | 0.28    |
| I099506            |                                   | 1.32    | 48.3    | 2.32    | 7.20    | 0.15    | 0.10    | 0.08    | 0.064   | 0.41    | 80.9    | 14.2    | 1.16    | 357     | 1.12    |
| I099507            |                                   | 0.81    | 20.7    | 1.66    | 5.45    | <0.05   | 0.02    | 0.06    | 0.015   | 0.09    | 12.4    | 3.3     | 0.23    | 310     | 1.22    |
| I099508            |                                   | 2.12    | 25.8    | 4.09    | 9.40    | 0.08    | 0.04    | 0.02    | 0.026   | 0.50    | 6.6     | 13.8    | 0.90    | 465     | 0.74    |
| I099509            |                                   | 0.61    | 14.5    | 1.25    | 3.41    | <0.05   | <0.02   | 0.03    | 0.009   | 0.05    | 2.5     | 2.2     | 0.11    | 125     | 0.63    |
| I099510            |                                   | 0.23    | 6.5     | 0.87    | 2.39    | <0.05   | <0.02   | 0.02    | <0.005  | 0.03    | 1.2     | 0.7     | 0.06    | 45      | 0.51    |
| I099511            |                                   | 1.22    | 49.9    | 2.74    | 5.63    | 0.06    | 0.03    | 0.07    | 0.016   | 0.22    | 6.5     | 11.5    | 1.07    | 563     | 0.75    |
| I099512            |                                   | 1.52    | 40.7    | 3.30    | 7.15    | 0.07    | 0.04    | 0.06    | 0.020   | 0.24    | 7.6     | 13.5    | 1.24    | 730     | 0.87    |
| I099513            |                                   | 1.57    | 41.0    | 3.82    | 8.59    | 0.07    | 0.04    | 0.06    | 0.021   | 0.36    | 8.0     | 16.5    | 1.44    | 852     | 0.93    |
| I099515            |                                   | 1.61    | 24.2    | 3.24    | 7.37    | 0.06    | 0.02    | 0.07    | 0.017   | 0.41    | 5.0     | 10.4    | 0.62    | 534     | 0.61    |
| I099516            |                                   | 0.95    | 23.2    | 3.34    | 7.82    | 0.05    | 0.10    | 0.03    | 0.027   | 0.08    | 8.0     | 17.2    | 0.85    | 260     | 0.71    |
| I099517            |                                   | 1.27    | 19.6    | 3.92    | 11.00   | 0.05    | <0.02   | 0.06    | 0.011   | 0.12    | 2.1     | 6.3     | 0.78    | 329     | 0.81    |
| I099518            |                                   | 0.50    | 10.7    | 1.01    | 2.96    | <0.05   | <0.02   | 0.04    | 0.007   | 0.05    | 2.3     | 1.7     | 0.12    | 58      | 0.60    |
| I099519            |                                   | 2.81    | 31.4    | 4.87    | 11.15   | 0.09    | 0.02    | 0.05    | 0.031   | 0.56    | 8.0     | 18.2    | 1.39    | 2630    | 1.01    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    | 0.2     |
| I099374            |                                   | 1.98    | 16.2    | 500     | 9.4     | 12.4    | <0.001  | 0.01    | 0.42    | 4.6     | 0.5     | 0.7     | 25.3    | <0.01   | 0.03    | 8.2     |
| I099375            |                                   | 1.38    | 13.9    | 710     | 7.7     | 12.0    | <0.001  | 0.05    | 0.36    | 2.9     | 0.6     | 0.6     | 30.6    | <0.01   | 0.03    | 1.3     |
| I099376            |                                   | 1.34    | 11.9    | 520     | 7.7     | 10.6    | 0.001   | 0.02    | 0.29    | 2.7     | 0.4     | 0.6     | 21.6    | <0.01   | 0.03    | 1.9     |
| I099377            |                                   | 1.43    | 24.9    | 570     | 8.8     | 8.6     | <0.001  | 0.01    | 0.61    | 5.3     | 0.6     | 0.5     | 38.6    | <0.01   | 0.04    | 5.6     |
| I099378            |                                   | 1.77    | 17.2    | 340     | 9.3     | 13.4    | <0.001  | 0.01    | 0.43    | 4.8     | 0.4     | 0.6     | 28.4    | <0.01   | 0.03    | 9.9     |
| I099379            |                                   | 0.17    | 4.1     | 120     | 1.7     | 2.3     | <0.001  | 0.01    | 0.11    | 0.7     | <0.2    | <0.2    | 7.8     | <0.01   | <0.01   | 2.2     |
| I099380            |                                   | 1.39    | 18.6    | 380     | 7.8     | 9.5     | 0.001   | 0.01    | 0.43    | 3.9     | 0.3     | 0.6     | 25.0    | <0.01   | 0.03    | 4.0     |
| I099381            |                                   | 1.09    | 23.3    | 300     | 8.6     | 11.3    | <0.001  | 0.01    | 0.60    | 5.3     | 0.4     | 0.6     | 28.5    | <0.01   | 0.04    | 9.9     |
| I099382            |                                   | 1.34    | 23.1    | 340     | 9.3     | 11.0    | 0.001   | 0.01    | 0.51    | 5.0     | 0.5     | 0.6     | 38.3    | <0.01   | 0.03    | 3.5     |
| I099383            |                                   | 1.03    | 24.2    | 130     | 7.9     | 8.1     | <0.001  | 0.01    | 0.56    | 4.4     | 0.3     | 0.5     | 24.4    | <0.01   | 0.02    | 4.6     |
| I099384            |                                   | 1.31    | 17.8    | 400     | 9.1     | 12.7    | 0.001   | 0.01    | 0.58    | 4.8     | 0.6     | 0.6     | 26.8    | <0.01   | 0.03    | 7.2     |
| I099385            |                                   | 1.67    | 14.0    | 370     | 7.3     | 17.8    | <0.001  | 0.01    | 0.34    | 3.8     | 0.3     | 0.5     | 23.8    | <0.01   | 0.02    | 5.1     |
| I099386            |                                   | 1.40    | 13.5    | 610     | 5.5     | 12.1    | 0.001   | 0.04    | 0.31    | 3.7     | 0.5     | 0.3     | 30.7    | <0.01   | 0.02    | 2.8     |
| I099387            |                                   | 1.20    | 13.6    | 510     | 6.4     | 7.5     | <0.001  | <0.01   | 0.36    | 3.5     | 0.4     | 0.4     | 22.3    | <0.01   | 0.02    | 4.5     |
| I099388            |                                   | 1.01    | 13.0    | 580     | 7.7     | 8.8     | <0.001  | 0.03    | 0.31    | 3.6     | 0.4     | 0.5     | 27.5    | <0.01   | 0.03    | 1.7     |
| I099389            |                                   | 1.30    | 16.8    | 660     | 9.2     | 11.5    | <0.001  | 0.03    | 0.40    | 4.5     | 0.6     | 0.6     | 38.5    | <0.01   | 0.02    | 2.4     |
| I099390            |                                   | 1.08    | 12.6    | 590     | 7.7     | 8.3     | 0.001   | 0.02    | 0.35    | 3.8     | 0.5     | 0.5     | 24.4    | <0.01   | 0.02    | 2.3     |
| I099391            |                                   | 1.20    | 15.7    | 620     | 8.9     | 9.8     | 0.001   | 0.03    | 0.35    | 3.9     | 0.6     | 0.6     | 33.7    | <0.01   | 0.04    | 1.8     |
| I099392            |                                   | 1.08    | 13.9    | 520     | 7.6     | 7.4     | <0.001  | 0.01    | 0.37    | 3.6     | 0.4     | 0.5     | 25.9    | <0.01   | 0.03    | 2.5     |
| I099393            |                                   | 1.08    | 15.8    | 570     | 7.2     | 7.0     | <0.001  | 0.02    | 0.37    | 3.9     | 0.4     | 0.5     | 27.2    | <0.01   | 0.02    | 3.3     |
| I099394            |                                   | 1.26    | 22.5    | 670     | 10.0    | 9.7     | <0.001  | 0.03    | 0.37    | 4.6     | 0.6     | 0.6     | 40.4    | <0.01   | 0.04    | 1.8     |
| I099395            |                                   | 1.55    | 17.5    | 530     | 7.2     | 11.4    | <0.001  | 0.01    | 0.35    | 5.1     | 0.3     | 0.5     | 31.6    | <0.01   | 0.02    | 5.9     |
| I099501            |                                   | 1.01    | 51.4    | 1330    | 4.3     | 12.8    | <0.001  | 0.13    | 0.39    | 3.0     | 0.9     | 0.3     | 49.8    | <0.01   | 0.04    | 1.0     |
| I099502            |                                   | 1.87    | 46.4    | 910     | 6.2     | 23.4    | <0.001  | 0.05    | 0.25    | 5.1     | 0.4     | 0.6     | 37.5    | <0.01   | 0.03    | 2.4     |
| I099503            |                                   | 0.66    | 110.5   | 1550    | 3.4     | 11.5    | 0.001   | 0.19    | 0.78    | 2.5     | 1.2     | 0.2     | 71.7    | <0.01   | 0.05    | 0.6     |
| I099504            |                                   | 0.49    | 95.9    | 1630    | 2.5     | 8.7     | 0.001   | 0.23    | 0.76    | 1.7     | 1.4     | 0.2     | 93.5    | <0.01   | 0.04    | 0.4     |
| I099505            |                                   | 1.98    | 51.9    | 600     | 8.5     | 33.1    | <0.001  | 0.05    | 0.38    | 5.8     | 0.4     | 0.6     | 35.8    | <0.01   | 0.02    | 3.6     |
| I099506            |                                   | 2.02    | 41.8    | 580     | 9.9     | 40.2    | 0.002   | 0.09    | 1.25    | 4.1     | 2.0     | 0.8     | 71.6    | 0.01    | 0.09    | 3.1     |
| I099507            |                                   | 0.75    | 11.8    | 600     | 17.2    | 11.6    | <0.001  | 0.04    | 0.83    | 1.8     | 0.4     | 0.4     | 18.9    | <0.01   | 0.04    | 0.3     |
| I099508            |                                   | 1.17    | 19.7    | 740     | 8.0     | 36.0    | <0.001  | 0.02    | 0.42    | 8.2     | 0.3     | 0.4     | 24.4    | <0.01   | 0.06    | 2.0     |
| I099509            |                                   | 0.56    | 7.5     | 190     | 3.2     | 7.3     | <0.001  | 0.02    | 0.41    | 1.6     | 0.2     | 0.3     | 14.1    | <0.01   | 0.03    | 0.3     |
| I099510            |                                   | 0.25    | 3.2     | 220     | 1.9     | 1.7     | <0.001  | 0.02    | 0.22    | 0.6     | 0.2     | 0.2     | 6.4     | <0.01   | 0.03    | <0.2    |
| I099511            |                                   | 0.84    | 21.4    | 700     | 4.6     | 20.1    | 0.002   | 0.16    | 4.40    | 5.1     | 0.8     | 0.3     | 60.7    | <0.01   | 0.05    | 0.4     |
| I099512            |                                   | 0.98    | 24.2    | 760     | 5.3     | 26.2    | <0.001  | 0.09    | 2.66    | 5.8     | 0.6     | 0.3     | 51.4    | <0.01   | 0.05    | 0.4     |
| I099513            |                                   | 1.13    | 27.7    | 720     | 6.5     | 36.9    | <0.001  | 0.09    | 1.48    | 6.8     | 0.7     | 0.4     | 40.4    | <0.01   | 0.05    | 0.7     |
| I099515            |                                   | 0.96    | 15.0    | 590     | 5.6     | 25.4    | <0.001  | 0.01    | 0.30    | 6.1     | 0.3     | 0.3     | 16.1    | <0.01   | 0.07    | 1.2     |
| I099516            |                                   | 1.58    | 25.6    | 500     | 6.7     | 11.0    | <0.001  | 0.01    | 0.30    | 6.0     | 0.3     | 0.5     | 17.4    | <0.01   | 0.03    | 2.3     |
| I099517            |                                   | 0.64    | 9.9     | 340     | 4.2     | 8.4     | <0.001  | 0.04    | 0.57    | 4.4     | 0.4     | 0.3     | 6.6     | <0.01   | 0.03    | 0.4     |
| I099518            |                                   | 0.29    | 3.7     | 360     | 2.7     | 3.9     | <0.001  | 0.03    | 0.27    | 1.2     | 0.3     | 0.2     | 10.5    | <0.01   | 0.03    | <0.2    |
| I099519            |                                   | 0.75    | 26.9    | 760     | 8.5     | 37.6    | <0.001  | 0.04    | 1.10    | 11.0    | 0.4     | 0.4     | 31.2    | <0.01   | 0.13    | 1.3     |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I099374            |                                   | 0.100   | 0.11    | 1.67    | 61      | 0.28    | 10.10   | 61      |
| I099375            |                                   | 0.061   | 0.09    | 1.31    | 42      | 0.19    | 7.03    | 52      |
| I099376            |                                   | 0.078   | 0.10    | 1.02    | 57      | 0.21    | 4.74    | 53      |
| I099377            |                                   | 0.091   | 0.07    | 2.71    | 59      | 0.16    | 11.60   | 54      |
| I099378            |                                   | 0.101   | 0.10    | 1.54    | 55      | 0.13    | 10.55   | 46      |
| I099379            |                                   | 0.008   | 0.03    | 0.39    | 4       | <0.05   | 2.47    | 5       |
| I099380            |                                   | 0.084   | 0.07    | 0.65    | 60      | 0.20    | 4.73    | 47      |
| I099381            |                                   | 0.115   | 0.10    | 0.94    | 61      | 0.17    | 7.21    | 53      |
| I099382            |                                   | 0.076   | 0.09    | 0.79    | 64      | 0.20    | 9.54    | 45      |
| I099383            |                                   | 0.085   | 0.08    | 0.55    | 67      | 0.11    | 3.78    | 48      |
| I099384            |                                   | 0.110   | 0.10    | 1.46    | 60      | 0.20    | 11.70   | 58      |
| I099385            |                                   | 0.124   | 0.11    | 0.82    | 60      | 0.13    | 5.65    | 52      |
| I099386            |                                   | 0.090   | 0.08    | 1.06    | 47      | 0.25    | 7.91    | 48      |
| I099387            |                                   | 0.080   | 0.06    | 2.16    | 45      | 0.09    | 6.71    | 44      |
| I099388            |                                   | 0.067   | 0.08    | 2.09    | 42      | 0.15    | 6.80    | 42      |
| I099389            |                                   | 0.073   | 0.11    | 2.41    | 55      | 0.11    | 8.45    | 51      |
| I099390            |                                   | 0.065   | 0.08    | 2.29    | 61      | 0.10    | 6.59    | 41      |
| I099391            |                                   | 0.065   | 0.08    | 3.18    | 59      | 0.10    | 8.85    | 46      |
| I099392            |                                   | 0.066   | 0.08    | 2.16    | 51      | 0.25    | 6.48    | 43      |
| I099393            |                                   | 0.070   | 0.06    | 2.53    | 50      | 0.16    | 7.83    | 45      |
| I099394            |                                   | 0.057   | 0.08    | 3.24    | 61      | 0.22    | 8.92    | 54      |
| I099395            |                                   | 0.091   | 0.08    | 2.70    | 54      | 0.25    | 10.45   | 49      |
| I099501            |                                   | 0.061   | 0.30    | 1.31    | 63      | 0.13    | 6.97    | 52      |
| I099502            |                                   | 0.132   | 0.14    | 1.09    | 75      | 0.15    | 5.93    | 62      |
| I099503            |                                   | 0.036   | 0.29    | 2.48    | 48      | 0.12    | 15.80   | 67      |
| I099504            |                                   | 0.022   | 0.19    | 2.63    | 31      | 0.08    | 16.35   | 60      |
| I099505            |                                   | 0.158   | 0.21    | 1.29    | 63      | 0.13    | 6.58    | 60      |
| I099506            |                                   | 0.105   | 0.25    | 9.71    | 48      | 0.29    | 80.1    | 55      |
| I099507            |                                   | 0.060   | 0.05    | 0.79    | 56      | 0.21    | 3.56    | 38      |
| I099508            |                                   | 0.125   | 0.22    | 0.49    | 96      | 0.23    | 5.06    | 82      |
| I099509            |                                   | 0.046   | 0.06    | 0.15    | 30      | 0.08    | 1.27    | 25      |
| I099510            |                                   | 0.035   | 0.02    | 0.10    | 24      | 0.06    | 0.51    | 13      |
| I099511            |                                   | 0.082   | 0.11    | 1.10    | 76      | 0.10    | 8.92    | 74      |
| I099512            |                                   | 0.103   | 0.13    | 1.33    | 92      | 0.12    | 8.22    | 92      |
| I099513            |                                   | 0.126   | 0.18    | 1.16    | 105     | 0.13    | 8.00    | 119     |
| I099515            |                                   | 0.093   | 0.17    | 0.28    | 74      | 0.17    | 4.12    | 64      |
| I099516            |                                   | 0.120   | 0.09    | 0.35    | 83      | 0.18    | 4.25    | 56      |
| I099517            |                                   | 0.098   | 0.08    | 0.14    | 109     | 0.25    | 1.53    | 57      |
| I099518            |                                   | 0.036   | 0.04    | 0.21    | 22      | 0.06    | 1.49    | 13      |
| I099519            |                                   | 0.129   | 0.27    | 0.52    | 124     | 0.24    | 6.54    | 121     |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.2 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|
| I099520            |                                   | 0.22                              | <0.005                        | 0.10                         | 2.56                       | 5.3                         | <0.2                        | <10                       | 260                        | 0.24                         | 0.12                         | 0.36                       | 0.39                         | 16.10                        | 13.4                        | 58                        |
| I099521            |                                   | 0.42                              | <0.005                        | 0.05                         | 2.04                       | 7.8                         | <0.2                        | <10                       | 350                        | 0.59                         | 0.17                         | 0.34                       | 0.08                         | 71.6                         | 9.9                         | 43                        |
| I099522            |                                   | 0.18                              | <0.005                        | 0.02                         | 0.90                       | 5.2                         | <0.2                        | <10                       | 80                         | 0.12                         | 0.13                         | 0.12                       | 0.07                         | 18.35                        | 4.7                         | 24                        |
| I099523            |                                   | 0.26                              | <0.005                        | 0.02                         | 2.35                       | 5.6                         | <0.2                        | <10                       | 210                        | 0.47                         | 0.11                         | 0.31                       | 0.09                         | 21.7                         | 18.9                        | 93                        |
| I099524            |                                   | 0.14                              | <0.005                        | 0.18                         | 2.27                       | 9.3                         | <0.2                        | <10                       | 230                        | 0.60                         | 0.17                         | 0.31                       | 0.14                         | 40.8                         | 11.1                        | 51                        |
| I099525            |                                   | 0.26                              | <0.005                        | 0.06                         | 0.36                       | 1.3                         | <0.2                        | <10                       | 50                         | 0.09                         | 0.07                         | 0.07                       | 0.05                         | 10.15                        | 1.7                         | 8                         |
| I099526            |                                   | 0.36                              | <0.005                        | 0.02                         | 0.64                       | 2.9                         | <0.2                        | <10                       | 50                         | 0.10                         | 0.19                         | 0.08                       | 0.04                         | 13.80                        | 2.4                         | 12                        |
| I099527            |                                   | 0.26                              | <0.005                        | 0.05                         | 0.87                       | 4.3                         | <0.2                        | <10                       | 80                         | 0.09                         | 0.24                         | 0.06                       | 0.06                         | 13.60                        | 2.9                         | 14                        |
| I099528            |                                   | 0.30                              | <0.005                        | 0.06                         | 1.89                       | 10.1                        | <0.2                        | <10                       | 90                         | 0.21                         | 0.35                         | 0.12                       | 0.11                         | 16.80                        | 6.7                         | 32                        |
| I099529            |                                   | 0.30                              | <0.005                        | 0.05                         | 0.73                       | 2.6                         | <0.2                        | <10                       | 90                         | 0.09                         | 0.11                         | 0.08                       | 0.09                         | 11.50                        | 1.9                         | 11                        |
| I099530            |                                   | 0.24                              | <0.005                        | 0.03                         | 0.42                       | 2.7                         | <0.2                        | <10                       | 60                         | <0.05                        | 0.09                         | 0.06                       | 0.13                         | 6.30                         | 1.9                         | 9                         |
| I099531            |                                   | 0.18                              | <0.005                        | 0.08                         | 0.91                       | 3.0                         | <0.2                        | <10                       | 100                        | 0.10                         | 0.11                         | 0.07                       | 0.19                         | 18.70                        | 2.8                         | 16                        |
| I099532            |                                   | 0.38                              | <0.005                        | 0.01                         | 0.13                       | 1.8                         | <0.2                        | <10                       | 30                         | <0.05                        | <0.01                        | 0.06                       | 0.04                         | 11.90                        | 2.2                         | 3                         |
| I099533            |                                   | 0.24                              | <0.005                        | 0.03                         | 1.71                       | 7.5                         | <0.2                        | <10                       | 130                        | 0.33                         | 0.15                         | 0.18                       | 0.12                         | 36.1                         | 7.0                         | 29                        |
| I099534            |                                   | 0.32                              | <0.005                        | 0.02                         | 1.34                       | 6.2                         | <0.2                        | <10                       | 80                         | 0.20                         | 0.22                         | 0.13                       | 0.12                         | 19.50                        | 5.5                         | 22                        |
| I099535            |                                   | 0.34                              | <0.005                        | 0.03                         | 1.84                       | 6.1                         | <0.2                        | <10                       | 160                        | 0.61                         | 0.32                         | 0.22                       | 0.09                         | 67.0                         | 8.2                         | 27                        |
| I099536            |                                   | 0.26                              | <0.005                        | 0.11                         | 2.42                       | 8.4                         | <0.2                        | <10                       | 210                        | 0.73                         | 0.28                         | 0.23                       | 0.14                         | 96.0                         | 14.4                        | 40                        |
| I099537            |                                   | 5.00                              | <0.005                        | 0.24                         | 2.60                       | 7.4                         | <0.2                        | <10                       | 450                        | 0.95                         | 0.25                         | 0.68                       | 0.30                         | 212                          | 8.0                         | 35                        |
| I099538            |                                   | 0.34                              | <0.005                        | 0.08                         | 1.86                       | 5.9                         | <0.2                        | <10                       | 180                        | 0.46                         | 0.27                         | 0.31                       | 0.13                         | 52.7                         | 8.5                         | 34                        |
| I099539            |                                   | 0.30                              | <0.005                        | 0.16                         | 1.48                       | 5.3                         | <0.2                        | <10                       | 200                        | 0.40                         | 0.19                         | 0.34                       | 0.27                         | 45.9                         | 8.4                         | 26                        |
| I099540            |                                   | 0.32                              | <0.005                        | 0.12                         | 1.61                       | 6.1                         | <0.2                        | <10                       | 200                        | 0.28                         | 0.19                         | 0.54                       | 0.17                         | 26.8                         | 6.6                         | 28                        |
| I099541            |                                   | 0.26                              | <0.005                        | 0.13                         | 1.58                       | 7.0                         | <0.2                        | <10                       | 210                        | 0.29                         | 0.12                         | 1.21                       | 0.27                         | 20.4                         | 10.0                        | 30                        |
| I099542            |                                   | 0.32                              | <0.005                        | 0.12                         | 1.60                       | 7.5                         | <0.2                        | <10                       | 240                        | 0.32                         | 0.14                         | 0.77                       | 0.17                         | 28.2                         | 10.1                        | 30                        |
| I099543            |                                   | 0.36                              | <0.005                        | 0.12                         | 1.88                       | 8.5                         | <0.2                        | <10                       | 210                        | 0.34                         | 0.16                         | 0.55                       | 0.24                         | 32.1                         | 12.1                        | 33                        |
| I099544            |                                   | 0.44                              | 0.005                         | 0.11                         | 1.62                       | 6.9                         | <0.2                        | <10                       | 200                        | 0.25                         | 0.14                         | 0.55                       | 0.17                         | 22.2                         | 8.2                         | 34                        |
| I099545            |                                   | 0.34                              | <0.005                        | 0.47                         | 2.17                       | 4.1                         | <0.2                        | <10                       | 520                        | 0.98                         | 0.28                         | 0.40                       | 0.62                         | 64.6                         | 16.5                        | 57                        |
| I099546            |                                   | 0.20                              | <0.005                        | 0.46                         | 1.79                       | 7.6                         | <0.2                        | <10                       | 540                        | 0.39                         | 0.18                         | 0.14                       | 0.84                         | 24.3                         | 16.7                        | 26                        |
| I099547            |                                   | 0.28                              | <0.005                        | 0.43                         | 2.36                       | 9.9                         | <0.2                        | <10                       | 570                        | 0.28                         | 0.15                         | 0.22                       | 0.34                         | 15.50                        | 12.9                        | 56                        |
| I099548            |                                   | 0.28                              | <0.005                        | 0.90                         | 1.77                       | 11.1                        | <0.2                        | <10                       | 380                        | 0.34                         | 0.18                         | 0.26                       | 0.21                         | 16.30                        | 11.8                        | 35                        |
| I099549            |                                   | 0.26                              | <0.005                        | 0.62                         | 1.59                       | 8.0                         | <0.2                        | <10                       | 360                        | 0.37                         | 0.17                         | 0.18                       | 0.51                         | 19.05                        | 13.2                        | 34                        |
| I099550            |                                   | 0.32                              | <0.005                        | 1.32                         | 1.43                       | 6.3                         | <0.2                        | <10                       | 570                        | 0.31                         | 0.14                         | 0.29                       | 0.88                         | 18.70                        | 11.3                        | 28                        |
| I099551            |                                   | 0.38                              | <0.005                        | 0.16                         | 1.53                       | 8.0                         | <0.2                        | <10                       | 230                        | 0.35                         | 0.19                         | 0.17                       | 0.12                         | 28.2                         | 8.1                         | 25                        |
| I099552            |                                   | 0.34                              | <0.005                        | 0.08                         | 1.59                       | 7.1                         | <0.2                        | <10                       | 390                        | 0.35                         | 0.18                         | 0.50                       | 0.15                         | 22.7                         | 8.3                         | 25                        |
| I099553            |                                   | 0.34                              | 0.006                         | 0.07                         | 1.26                       | 5.7                         | <0.2                        | <10                       | 190                        | 0.20                         | 0.14                         | 0.32                       | 0.07                         | 15.85                        | 7.6                         | 20                        |
| I099554            |                                   | 0.48                              | <0.005                        | 0.11                         | 1.18                       | 5.2                         | <0.2                        | <10                       | 210                        | 0.17                         | 0.13                         | 0.20                       | 0.07                         | 13.15                        | 7.2                         | 17                        |
| I099555            |                                   | 0.54                              | <0.005                        | 0.07                         | 1.43                       | 6.2                         | <0.2                        | <10                       | 180                        | 0.22                         | 0.13                         | 0.19                       | 0.06                         | 18.60                        | 7.4                         | 25                        |
| I099556            |                                   | 0.52                              | <0.005                        | 0.11                         | 2.27                       | 8.6                         | <0.2                        | <10                       | 330                        | 0.32                         | 0.15                         | 0.23                       | 0.26                         | 17.95                        | 11.2                        | 29                        |
| I099557            |                                   | 0.56                              | <0.005                        | 0.08                         | 1.89                       | 7.5                         | <0.2                        | <10                       | 190                        | 0.31                         | 0.15                         | 0.20                       | 0.06                         | 16.85                        | 12.4                        | 27                        |
| I099558            |                                   | 0.40                              | <0.005                        | 0.05                         | 4.05                       | 5.6                         | <0.2                        | <10                       | 240                        | 0.43                         | 0.08                         | 0.13                       | 0.05                         | 9.03                         | 23.9                        | 23                        |
| I099559            |                                   | 0.40                              | <0.005                        | 0.09                         | 1.72                       | 6.3                         | <0.2                        | <10                       | 330                        | 0.33                         | 0.18                         | 0.18                       | 0.13                         | 15.80                        | 12.7                        | 26                        |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099520            |                                   | 1.08    | 36.6    | 3.37    | 9.03    | 0.08    | 0.04    | 0.04    | 0.026   | 0.21    | 7.9     | 15.1    | 1.57    | 615     | 0.65    |
| I099521            |                                   | 0.54    | 31.2    | 3.05    | 6.53    | 0.10    | 0.24    | 0.05    | 0.032   | 0.05    | 43.6    | 13.3    | 0.59    | 359     | 0.73    |
| I099522            |                                   | 0.72    | 9.8     | 1.64    | 8.61    | <0.05   | <0.02   | 0.02    | 0.011   | 0.06    | 9.6     | 5.4     | 0.37    | 179     | 0.78    |
| I099523            |                                   | 2.13    | 38.1    | 3.39    | 8.10    | 0.09    | 0.03    | 0.02    | 0.010   | 0.53    | 13.0    | 21.6    | 1.66    | 440     | 0.65    |
| I099524            |                                   | 1.25    | 29.6    | 3.12    | 8.07    | 0.06    | 0.05    | 0.07    | 0.027   | 0.14    | 23.7    | 12.9    | 0.68    | 283     | 1.07    |
| I099525            |                                   | 0.51    | 6.9     | 0.64    | 3.08    | <0.05   | <0.02   | 0.02    | 0.006   | 0.03    | 9.2     | 1.4     | 0.07    | 53      | 0.46    |
| I099526            |                                   | 0.73    | 6.7     | 1.10    | 5.12    | <0.05   | 0.02    | 0.01    | 0.009   | 0.05    | 11.7    | 2.9     | 0.13    | 118     | 0.83    |
| I099527            |                                   | 0.52    | 9.9     | 1.55    | 6.05    | <0.05   | 0.02    | 0.03    | 0.012   | 0.04    | 22.2    | 3.3     | 0.16    | 99      | 1.03    |
| I099528            |                                   | 0.93    | 9.6     | 3.18    | 8.32    | <0.05   | 0.06    | 0.03    | 0.024   | 0.05    | 14.0    | 10.8    | 0.41    | 304     | 1.57    |
| I099529            |                                   | 0.42    | 6.9     | 0.97    | 4.63    | <0.05   | <0.02   | 0.02    | 0.012   | 0.03    | 9.4     | 3.2     | 0.10    | 63      | 0.63    |
| I099530            |                                   | 0.25    | 9.7     | 1.05    | 3.80    | <0.05   | <0.02   | 0.02    | 0.007   | 0.03    | 3.4     | 1.0     | 0.05    | 115     | 0.70    |
| I099531            |                                   | 0.36    | 9.8     | 1.28    | 4.96    | <0.05   | 0.02    | 0.03    | 0.018   | 0.04    | 11.5    | 2.7     | 0.10    | 101     | 0.61    |
| I099532            |                                   | 0.08    | 2.6     | 0.65    | 0.67    | <0.05   | 0.08    | <0.01   | <0.005  | 0.04    | 5.9     | 1.4     | 0.04    | 153     | 0.27    |
| I099533            |                                   | 0.62    | 15.3    | 2.45    | 6.12    | 0.05    | 0.06    | 0.05    | 0.029   | 0.06    | 23.3    | 10.5    | 0.37    | 233     | 0.88    |
| I099534            |                                   | 0.67    | 9.1     | 1.93    | 4.93    | <0.05   | 0.05    | 0.02    | 0.027   | 0.04    | 12.6    | 8.2     | 0.32    | 195     | 0.60    |
| I099535            |                                   | 0.91    | 18.7    | 2.59    | 6.15    | 0.09    | 0.25    | 0.02    | 0.038   | 0.04    | 55.6    | 12.9    | 0.44    | 232     | 0.68    |
| I099536            |                                   | 1.17    | 23.2    | 3.09    | 8.15    | 0.06    | 0.32    | 0.04    | 0.046   | 0.07    | 59.2    | 14.6    | 0.51    | 654     | 1.06    |
| I099537            |                                   | 1.19    | 30.1    | 2.84    | 8.60    | 0.22    | 0.17    | 0.08    | 0.043   | 0.08    | 136.5   | 11.8    | 0.43    | 393     | 0.94    |
| I099538            |                                   | 1.18    | 14.9    | 2.66    | 6.28    | <0.05   | 0.18    | 0.02    | 0.033   | 0.13    | 41.0    | 10.6    | 0.49    | 329     | 0.64    |
| I099539            |                                   | 0.73    | 21.2    | 2.13    | 5.57    | <0.05   | 0.04    | 0.05    | 0.023   | 0.06    | 27.2    | 8.8     | 0.38    | 373     | 0.86    |
| I099540            |                                   | 0.88    | 14.7    | 2.07    | 5.91    | <0.05   | 0.04    | 0.05    | 0.022   | 0.07    | 15.5    | 10.7    | 0.45    | 277     | 0.84    |
| I099541            |                                   | 0.56    | 25.3    | 2.51    | 4.76    | <0.05   | 0.07    | 0.03    | 0.022   | 0.09    | 10.2    | 11.5    | 0.62    | 423     | 0.56    |
| I099542            |                                   | 0.57    | 20.6    | 2.56    | 4.96    | <0.05   | 0.06    | 0.04    | 0.025   | 0.07    | 14.7    | 11.0    | 0.52    | 637     | 0.69    |
| I099543            |                                   | 0.66    | 22.6    | 2.89    | 5.79    | <0.05   | 0.07    | 0.04    | 0.027   | 0.09    | 16.2    | 13.0    | 0.58    | 530     | 0.73    |
| I099544            |                                   | 0.81    | 18.1    | 2.40    | 5.26    | <0.05   | 0.04    | 0.03    | 0.021   | 0.10    | 12.2    | 11.7    | 0.58    | 269     | 0.61    |
| I099545            |                                   | 3.73    | 34.1    | 4.26    | 7.27    | <0.05   | 0.06    | 0.01    | 0.045   | 0.68    | 32.0    | 18.7    | 0.86    | 1620    | 1.88    |
| I099546            |                                   | 1.08    | 25.2    | 2.61    | 6.81    | 0.06    | 0.02    | 0.02    | 0.027   | 0.04    | 10.7    | 11.8    | 0.38    | 2320    | 1.86    |
| I099547            |                                   | 1.24    | 34.0    | 3.71    | 7.04    | 0.06    | 0.02    | 0.02    | 0.024   | 0.15    | 7.4     | 19.1    | 0.80    | 423     | 1.48    |
| I099548            |                                   | 0.95    | 22.6    | 3.00    | 6.14    | 0.06    | 0.06    | 0.02    | 0.021   | 0.05    | 8.8     | 11.6    | 0.48    | 845     | 1.66    |
| I099549            |                                   | 0.77    | 16.1    | 2.95    | 6.03    | 0.06    | 0.02    | 0.01    | 0.021   | 0.13    | 9.7     | 11.8    | 0.48    | 480     | 1.42    |
| I099550            |                                   | 0.49    | 17.0    | 2.62    | 5.09    | 0.06    | 0.03    | 0.02    | 0.018   | 0.13    | 9.1     | 8.2     | 0.43    | 936     | 1.56    |
| I099551            |                                   | 0.47    | 17.6    | 2.57    | 5.22    | 0.06    | 0.03    | 0.02    | 0.019   | 0.08    | 15.1    | 8.0     | 0.38    | 489     | 0.97    |
| I099552            |                                   | 0.51    | 19.2    | 2.45    | 5.46    | 0.06    | 0.07    | 0.03    | 0.020   | 0.09    | 12.2    | 10.9    | 0.43    | 597     | 1.05    |
| I099553            |                                   | 0.45    | 12.4    | 2.23    | 4.28    | <0.05   | 0.04    | 0.02    | 0.014   | 0.13    | 8.1     | 8.0     | 0.38    | 493     | 0.86    |
| I099554            |                                   | 0.38    | 8.9     | 2.25    | 4.75    | 0.05    | 0.03    | 0.02    | 0.013   | 0.10    | 6.8     | 9.0     | 0.42    | 417     | 0.79    |
| I099555            |                                   | 0.37    | 12.7    | 2.56    | 4.96    | 0.05    | 0.07    | 0.02    | 0.016   | 0.08    | 8.6     | 10.7    | 0.55    | 296     | 0.75    |
| I099556            |                                   | 0.61    | 13.5    | 3.31    | 6.26    | 0.06    | 0.03    | 0.02    | 0.020   | 0.22    | 8.5     | 14.1    | 0.77    | 549     | 0.84    |
| I099557            |                                   | 0.57    | 11.8    | 3.00    | 5.98    | 0.06    | 0.06    | 0.01    | 0.022   | 0.10    | 8.0     | 14.1    | 0.59    | 588     | 0.87    |
| I099558            |                                   | 2.56    | 6.5     | 5.75    | 12.55   | 0.13    | 0.05    | 0.01    | 0.013   | 1.77    | 4.3     | 30.6    | 2.16    | 1010    | 0.64    |
| I099559            |                                   | 0.63    | 12.1    | 2.97    | 6.30    | 0.05    | 0.07    | 0.02    | 0.020   | 0.09    | 7.7     | 11.1    | 0.45    | 1180    | 1.02    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099520            |                                   | 1.03    | 25.8    | 620     | 7.9     | 16.5    | <0.001  | 0.02    | 0.31    | 9.9     | 0.3     | 0.5     | 24.7    | <0.01   | 0.03    |
| I099521            |                                   | 1.14    | 25.0    | 340     | 9.9     | 7.1     | <0.001  | 0.01    | 0.46    | 8.7     | 0.6     | 0.6     | 32.2    | <0.01   | 0.03    |
| I099522            |                                   | 0.68    | 10.4    | 370     | 7.6     | 9.9     | <0.001  | 0.01    | 0.22    | 1.0     | 0.2     | 0.6     | 19.3    | <0.01   | 0.02    |
| I099523            |                                   | 1.18    | 46.4    | 520     | 9.5     | 45.3    | <0.001  | 0.01    | 0.20    | 2.2     | 0.3     | 0.5     | 35.1    | <0.01   | 0.02    |
| I099524            |                                   | 1.17    | 25.4    | 840     | 10.8    | 19.3    | <0.001  | 0.06    | 0.35    | 4.3     | 0.6     | 0.6     | 34.7    | <0.01   | 0.04    |
| I099525            |                                   | 0.47    | 3.5     | 170     | 5.1     | 6.4     | <0.001  | 0.01    | 0.13    | 1.0     | <0.2    | 0.4     | 12.1    | <0.01   | 0.01    |
| I099526            |                                   | 1.09    | 4.9     | 190     | 9.7     | 9.9     | <0.001  | 0.01    | 0.16    | 1.5     | 0.2     | 0.9     | 11.8    | <0.01   | 0.01    |
| I099527            |                                   | 1.22    | 7.2     | 260     | 12.6    | 7.0     | <0.001  | 0.01    | 0.30    | 1.6     | 0.2     | 1.1     | 11.8    | <0.01   | 0.02    |
| I099528            |                                   | 2.11    | 15.5    | 440     | 18.9    | 11.0    | <0.001  | 0.01    | 0.40    | 3.2     | 0.2     | 1.0     | 14.0    | <0.01   | 0.03    |
| I099529            |                                   | 0.81    | 5.2     | 170     | 7.0     | 4.2     | <0.001  | 0.01    | 0.14    | 1.6     | <0.2    | 0.6     | 11.1    | <0.01   | 0.01    |
| I099530            |                                   | 0.44    | 4.4     | 290     | 4.0     | 2.8     | <0.001  | 0.01    | 0.23    | 0.8     | 0.2     | 0.5     | 10.8    | <0.01   | 0.02    |
| I099531            |                                   | 0.67    | 7.7     | 290     | 8.0     | 4.5     | <0.001  | 0.02    | 0.18    | 1.8     | 0.3     | 0.5     | 12.5    | <0.01   | 0.02    |
| I099532            |                                   | 0.19    | 3.7     | 130     | 1.6     | 2.2     | <0.001  | <0.01   | 0.10    | 0.6     | <0.2    | <0.2    | 8.2     | <0.01   | <0.01   |
| I099533            |                                   | 1.53    | 15.5    | 360     | 11.0    | 7.8     | <0.001  | 0.02    | 0.36    | 3.7     | 0.4     | 0.6     | 20.5    | <0.01   | 0.03    |
| I099534            |                                   | 1.49    | 11.1    | 210     | 12.5    | 5.8     | <0.001  | 0.01    | 0.24    | 2.8     | 0.3     | 0.9     | 14.1    | <0.01   | 0.01    |
| I099535            |                                   | 1.46    | 14.2    | 410     | 21.5    | 7.9     | <0.001  | 0.01    | 0.29    | 4.5     | 0.5     | 1.1     | 21.7    | <0.01   | 0.02    |
| I099536            |                                   | 1.91    | 18.2    | 410     | 19.9    | 13.9    | <0.001  | 0.01    | 0.39    | 6.3     | 0.7     | 0.9     | 24.8    | 0.01    | 0.03    |
| I099537            |                                   | 1.56    | 19.9    | 770     | 14.7    | 11.3    | 0.001   | 0.06    | 0.40    | 6.2     | 1.8     | 0.8     | 64.9    | 0.02    | 0.03    |
| I099538            |                                   | 1.68    | 13.6    | 440     | 17.4    | 17.6    | <0.001  | 0.01    | 0.27    | 4.5     | 0.4     | 0.9     | 24.7    | <0.01   | 0.02    |
| I099539            |                                   | 1.21    | 13.3    | 530     | 11.6    | 9.1     | <0.001  | 0.03    | 0.28    | 3.2     | 0.5     | 0.6     | 28.1    | <0.01   | 0.02    |
| I099540            |                                   | 1.45    | 15.7    | 640     | 9.6     | 11.6    | <0.001  | 0.04    | 0.34    | 3.6     | 0.4     | 0.6     | 42.6    | <0.01   | 0.02    |
| I099541            |                                   | 1.51    | 22.1    | 890     | 5.8     | 10.9    | <0.001  | 0.04    | 0.46    | 4.4     | 0.4     | 0.4     | 61.9    | <0.01   | 0.02    |
| I099542            |                                   | 1.45    | 18.6    | 680     | 7.0     | 8.5     | <0.001  | 0.03    | 0.37    | 4.2     | 0.5     | 0.5     | 47.5    | <0.01   | 0.03    |
| I099543            |                                   | 1.70    | 19.5    | 640     | 8.1     | 10.5    | <0.001  | 0.02    | 0.41    | 4.7     | 0.5     | 0.6     | 37.3    | <0.01   | 0.03    |
| I099544            |                                   | 1.31    | 18.4    | 790     | 7.9     | 12.6    | <0.001  | 0.03    | 0.25    | 3.5     | 0.3     | 0.5     | 34.5    | <0.01   | 0.02    |
| I099545            |                                   | 1.29    | 49.3    | 1030    | 17.6    | 58.2    | 0.001   | 0.01    | 0.29    | 7.1     | 0.4     | 0.9     | 29.0    | <0.01   | 0.04    |
| I099546            |                                   | 1.08    | 40.6    | 340     | 8.9     | 9.8     | <0.001  | 0.01    | 0.41    | 3.3     | 0.6     | 0.6     | 16.4    | <0.01   | 0.06    |
| I099547            |                                   | 1.39    | 43.1    | 650     | 7.7     | 15.4    | <0.001  | 0.01    | 0.42    | 3.2     | 0.7     | 0.5     | 16.8    | <0.01   | 0.06    |
| I099548            |                                   | 1.18    | 22.1    | 500     | 9.1     | 7.5     | <0.001  | 0.01    | 0.45    | 3.7     | 0.7     | 0.6     | 20.1    | <0.01   | 0.04    |
| I099549            |                                   | 1.15    | 23.1    | 1510    | 7.7     | 12.5    | <0.001  | 0.01    | 0.35    | 3.2     | 0.5     | 0.5     | 13.9    | <0.01   | 0.04    |
| I099550            |                                   | 1.04    | 23.8    | 700     | 6.6     | 12.3    | <0.001  | 0.01    | 0.37    | 3.0     | 0.5     | 0.4     | 19.9    | <0.01   | 0.04    |
| I099551            |                                   | 1.48    | 16.3    | 240     | 8.3     | 8.7     | <0.001  | 0.01    | 0.37    | 3.6     | 0.5     | 0.5     | 15.7    | <0.01   | 0.04    |
| I099552            |                                   | 1.63    | 18.1    | 270     | 8.0     | 15.2    | <0.001  | 0.01    | 0.37    | 3.7     | 0.5     | 0.5     | 36.1    | <0.01   | 0.04    |
| I099553            |                                   | 1.36    | 12.7    | 180     | 6.3     | 17.5    | <0.001  | 0.01    | 0.32    | 2.6     | 0.4     | 0.4     | 22.2    | <0.01   | 0.03    |
| I099554            |                                   | 1.59    | 11.1    | 220     | 7.5     | 11.9    | <0.001  | 0.01    | 0.25    | 2.2     | 0.3     | 0.4     | 16.1    | <0.01   | 0.02    |
| I099555            |                                   | 1.40    | 14.6    | 170     | 7.5     | 7.9     | <0.001  | <0.01   | 0.33    | 3.2     | 0.3     | 0.4     | 17.1    | <0.01   | 0.02    |
| I099556            |                                   | 2.17    | 18.5    | 540     | 8.8     | 21.2    | <0.001  | 0.01    | 0.42    | 2.8     | 0.5     | 0.5     | 21.2    | <0.01   | 0.03    |
| I099557            |                                   | 1.63    | 15.5    | 250     | 7.9     | 16.6    | <0.001  | 0.01    | 0.38    | 2.8     | 0.4     | 0.6     | 18.7    | <0.01   | 0.03    |
| I099558            |                                   | 3.17    | 12.6    | 540     | 4.7     | 143.5   | <0.001  | 0.01    | 0.16    | 3.5     | 0.4     | 0.7     | 11.2    | <0.01   | 0.02    |
| I099559            |                                   | 1.36    | 18.8    | 390     | 8.8     | 15.4    | <0.001  | <0.01   | 0.37    | 2.8     | 0.3     | 0.6     | 17.2    | <0.01   | 0.03    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I099520            |                                   | 0.119   | 0.11    | 0.37    | 103     | 0.13    | 5.17    | 115     |
| I099521            |                                   | 0.115   | 0.05    | 1.98    | 66      | 0.15    | 20.7    | 55      |
| I099522            |                                   | 0.083   | 0.07    | 0.46    | 48      | 0.12    | 2.20    | 29      |
| I099523            |                                   | 0.183   | 0.22    | 0.79    | 74      | 0.17    | 3.29    | 64      |
| I099524            |                                   | 0.096   | 0.13    | 3.90    | 66      | 0.19    | 8.24    | 57      |
| I099525            |                                   | 0.042   | 0.05    | 0.56    | 17      | 0.07    | 1.92    | 11      |
| I099526            |                                   | 0.072   | 0.07    | 0.59    | 30      | 0.10    | 2.49    | 20      |
| I099527            |                                   | 0.074   | 0.08    | 0.79    | 44      | 0.16    | 3.48    | 25      |
| I099528            |                                   | 0.109   | 0.09    | 0.80    | 81      | 0.27    | 4.45    | 52      |
| I099529            |                                   | 0.058   | 0.06    | 0.38    | 26      | 0.07    | 2.91    | 18      |
| I099530            |                                   | 0.046   | 0.03    | 0.17    | 30      | 0.07    | 1.15    | 19      |
| I099531            |                                   | 0.058   | 0.04    | 0.39    | 28      | 0.07    | 3.62    | 28      |
| I099532            |                                   | <0.005  | 0.03    | 0.33    | 1       | <0.05   | 2.29    | 4       |
| I099533            |                                   | 0.090   | 0.06    | 0.90    | 56      | 0.15    | 7.06    | 46      |
| I099534            |                                   | 0.084   | 0.07    | 0.63    | 47      | 0.13    | 5.13    | 44      |
| I099535            |                                   | 0.102   | 0.07    | 2.28    | 57      | 0.19    | 22.4    | 54      |
| I099536            |                                   | 0.118   | 0.12    | 2.42    | 69      | 0.22    | 22.0    | 68      |
| I099537            |                                   | 0.079   | 0.08    | 3.71    | 52      | 0.34    | 61.1    | 64      |
| I099538            |                                   | 0.134   | 0.13    | 1.75    | 60      | 0.16    | 11.65   | 64      |
| I099539            |                                   | 0.078   | 0.08    | 1.77    | 51      | 0.17    | 11.15   | 52      |
| I099540            |                                   | 0.086   | 0.10    | 1.11    | 44      | 0.25    | 7.94    | 60      |
| I099541            |                                   | 0.100   | 0.07    | 0.71    | 58      | 0.16    | 7.81    | 67      |
| I099542            |                                   | 0.097   | 0.07    | 0.96    | 60      | 0.23    | 9.64    | 56      |
| I099543            |                                   | 0.110   | 0.08    | 1.09    | 71      | 0.18    | 9.95    | 68      |
| I099544            |                                   | 0.106   | 0.09    | 0.73    | 62      | 0.14    | 6.12    | 66      |
| I099545            |                                   | 0.115   | 0.21    | 0.75    | 76      | 0.13    | 11.90   | 176     |
| I099546            |                                   | 0.049   | 0.13    | 0.46    | 63      | 0.14    | 3.27    | 122     |
| I099547            |                                   | 0.105   | 0.11    | 0.47    | 91      | 0.19    | 2.53    | 77      |
| I099548            |                                   | 0.065   | 0.11    | 0.63    | 76      | 0.18    | 3.49    | 60      |
| I099549            |                                   | 0.068   | 0.09    | 0.42    | 68      | 0.30    | 3.24    | 77      |
| I099550            |                                   | 0.055   | 0.07    | 0.37    | 61      | 0.15    | 2.91    | 99      |
| I099551            |                                   | 0.065   | 0.07    | 0.79    | 63      | 0.17    | 4.92    | 43      |
| I099552            |                                   | 0.067   | 0.07    | 0.61    | 58      | 0.18    | 4.61    | 53      |
| I099553            |                                   | 0.072   | 0.06    | 0.35    | 53      | 0.16    | 2.46    | 37      |
| I099554            |                                   | 0.077   | 0.07    | 0.27    | 54      | 0.18    | 1.81    | 39      |
| I099555            |                                   | 0.089   | 0.07    | 0.39    | 59      | 0.18    | 2.34    | 45      |
| I099556            |                                   | 0.114   | 0.13    | 0.32    | 74      | 0.18    | 1.75    | 83      |
| I099557            |                                   | 0.088   | 0.10    | 0.36    | 67      | 0.19    | 1.78    | 50      |
| I099558            |                                   | 0.400   | 0.64    | 0.31    | 132     | 0.18    | 1.03    | 118     |
| I099559            |                                   | 0.076   | 0.09    | 0.30    | 70      | 0.19    | 1.90    | 56      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.2 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|
| I099560            |                                   | 0.34                              | <0.005                        | 0.09                         | 1.75                       | 5.8                         | <0.2                        | <10                       | 390                        | 0.31                         | 0.15                         | 0.22                       | 0.12                         | 16.00                        | 11.4                        | 25                        |
| I099561            |                                   | 0.42                              | <0.005                        | 0.07                         | 1.76                       | 5.3                         | <0.2                        | <10                       | 200                        | 0.30                         | 0.15                         | 0.22                       | 0.07                         | 15.60                        | 11.4                        | 25                        |
| I099562            |                                   | 0.38                              | <0.005                        | 0.06                         | 1.99                       | 7.0                         | <0.2                        | <10                       | 140                        | 0.22                         | 0.15                         | 0.17                       | 0.07                         | 15.65                        | 9.9                         | 27                        |
| I099563            |                                   | 0.66                              | <0.005                        | 0.06                         | 1.92                       | 5.7                         | <0.2                        | <10                       | 150                        | 0.29                         | 0.12                         | 0.23                       | 0.04                         | 25.9                         | 9.3                         | 25                        |
| I099601            |                                   | 0.44                              | <0.005                        | 0.02                         | 2.55                       | 8.4                         | <0.2                        | <10                       | 220                        | 0.39                         | 0.11                         | 0.09                       | 0.05                         | 14.50                        | 12.8                        | 23                        |
| I099602            |                                   | 0.44                              | <0.005                        | 0.02                         | 1.53                       | 3.0                         | <0.2                        | <10                       | 230                        | 0.22                         | 0.06                         | 0.26                       | 0.03                         | 13.05                        | 13.7                        | 16                        |
| I099603            |                                   | 0.46                              | <0.005                        | 0.01                         | 2.81                       | 5.4                         | <0.2                        | <10                       | 160                        | 0.36                         | 0.03                         | 0.34                       | 0.03                         | 13.70                        | 19.8                        | 12                        |
| I099604            |                                   | 0.54                              | <0.005                        | 0.04                         | 2.79                       | 5.9                         | <0.2                        | <10                       | 340                        | 0.40                         | 0.09                         | 0.41                       | 0.05                         | 26.8                         | 18.6                        | 34                        |
| I099605            |                                   | 0.48                              | <0.005                        | 0.02                         | 2.93                       | 3.7                         | <0.2                        | <10                       | 310                        | 0.67                         | 0.08                         | 0.51                       | 0.04                         | 35.8                         | 23.3                        | 31                        |
| I099606            |                                   | 0.58                              | <0.005                        | 0.02                         | 2.38                       | 14.5                        | <0.2                        | <10                       | 240                        | 0.50                         | 0.06                         | 0.42                       | 0.04                         | 16.85                        | 23.2                        | 76                        |
| I099607            |                                   | 0.38                              | <0.005                        | 0.11                         | 1.07                       | 10.1                        | <0.2                        | <10                       | 120                        | 0.16                         | 0.08                         | 0.33                       | 0.08                         | 10.45                        | 7.9                         | 31                        |
| I099608            |                                   | 0.58                              | <0.005                        | 0.10                         | 1.65                       | 38.0                        | <0.2                        | <10                       | 90                         | 0.27                         | 0.11                         | 0.20                       | 0.05                         | 16.80                        | 11.4                        | 49                        |
| I099609            |                                   | 0.08                              | <0.005                        | 0.02                         | 0.13                       | 2.2                         | <0.2                        | <10                       | 30                         | 0.08                         | 0.02                         | 0.09                       | 0.03                         | 10.85                        | 2.0                         | 3                         |
| I099610            |                                   | 0.60                              | <0.005                        | 0.06                         | 2.00                       | 17.4                        | <0.2                        | <10                       | 170                        | 0.33                         | 0.11                         | 0.47                       | 0.05                         | 22.4                         | 10.9                        | 47                        |
| I099611            |                                   | 0.46                              | 0.007                         | 0.23                         | 1.64                       | 22.3                        | <0.2                        | <10                       | 160                        | 0.31                         | 0.09                         | 0.45                       | 0.13                         | 24.8                         | 11.4                        | 46                        |
| I099612            |                                   | 0.56                              | <0.005                        | 0.07                         | 1.64                       | 9.3                         | <0.2                        | <10                       | 190                        | 0.28                         | 0.17                         | 0.21                       | 0.06                         | 39.6                         | 6.9                         | 27                        |
| I099613            |                                   | 0.50                              | <0.005                        | 0.14                         | 1.63                       | 3.6                         | <0.2                        | <10                       | 100                        | 0.35                         | 0.21                         | 0.22                       | 0.06                         | 62.4                         | 7.2                         | 17                        |
| I099614            |                                   | 0.50                              | <0.005                        | 0.19                         | 2.04                       | 5.6                         | <0.2                        | <10                       | 170                        | 0.25                         | 0.26                         | 0.42                       | 0.18                         | 36.2                         | 8.2                         | 21                        |
| I099615            |                                   | 0.54                              | <0.005                        | 0.08                         | 1.71                       | 7.0                         | <0.2                        | <10                       | 150                        | 0.27                         | 0.16                         | 0.28                       | 0.08                         | 35.2                         | 6.3                         | 25                        |
| I099616            |                                   | 0.52                              | 0.007                         | 0.27                         | 1.44                       | 5.1                         | <0.2                        | <10                       | 180                        | 0.29                         | 0.16                         | 0.22                       | 0.13                         | 36.3                         | 4.5                         | 19                        |
| I099617            |                                   | 0.60                              | <0.005                        | 0.09                         | 2.24                       | 6.0                         | <0.2                        | <10                       | 220                        | 0.40                         | 0.10                         | 0.24                       | 0.17                         | 34.1                         | 11.3                        | 17                        |
| I099618            |                                   | 0.48                              | 0.005                         | 0.10                         | 1.72                       | 8.5                         | <0.2                        | <10                       | 240                        | 0.29                         | 0.14                         | 0.29                       | 0.12                         | 28.0                         | 11.5                        | 26                        |
| I099619            |                                   | 0.56                              | <0.005                        | 0.13                         | 1.82                       | 10.0                        | <0.2                        | <10                       | 190                        | 0.27                         | 0.15                         | 0.27                       | 0.07                         | 22.1                         | 7.7                         | 28                        |
| I099620            |                                   | 0.58                              | <0.005                        | 0.06                         | 2.15                       | 10.9                        | <0.2                        | <10                       | 160                        | 0.30                         | 0.16                         | 0.21                       | 0.10                         | 20.9                         | 8.8                         | 28                        |
| I099621            |                                   | 0.44                              | <0.005                        | 0.13                         | 1.41                       | 5.2                         | <0.2                        | <10                       | 160                        | 0.17                         | 0.11                         | 0.34                       | 0.07                         | 26.9                         | 7.1                         | 26                        |
| I099622            |                                   | 0.56                              | <0.005                        | 0.08                         | 1.54                       | 6.0                         | <0.2                        | <10                       | 170                        | 0.17                         | 0.12                         | 0.35                       | 0.06                         | 25.1                         | 7.3                         | 29                        |
| I099623            |                                   | 0.56                              | <0.005                        | 0.17                         | 1.87                       | 9.9                         | <0.2                        | <10                       | 300                        | 0.33                         | 0.13                         | 0.49                       | 0.10                         | 56.6                         | 8.8                         | 25                        |
| I099624            |                                   | 0.48                              | <0.005                        | 0.09                         | 2.24                       | 10.6                        | <0.2                        | <10                       | 210                        | 0.39                         | 0.16                         | 0.24                       | 0.06                         | 39.7                         | 12.7                        | 29                        |
| I099625            |                                   | 0.46                              | <0.005                        | 0.15                         | 1.71                       | 5.3                         | <0.2                        | <10                       | 190                        | 0.32                         | 0.15                         | 0.19                       | 0.12                         | 19.20                        | 8.7                         | 23                        |
| I099626            |                                   | 0.46                              | <0.005                        | 0.07                         | 2.29                       | 11.3                        | <0.2                        | <10                       | 170                        | 0.32                         | 0.19                         | 0.12                       | 0.11                         | 20.1                         | 8.6                         | 33                        |
| I099627            |                                   | 0.48                              | <0.005                        | 0.07                         | 2.32                       | 6.8                         | <0.2                        | <10                       | 160                        | 0.31                         | 0.12                         | 0.15                       | 0.06                         | 34.0                         | 9.6                         | 22                        |
| I099628            |                                   | 0.44                              | <0.005                        | 0.13                         | 2.46                       | 4.4                         | <0.2                        | <10                       | 170                        | 0.45                         | 0.09                         | 0.25                       | 0.06                         | 54.7                         | 11.8                        | 30                        |
| I099629            |                                   | 0.40                              | <0.005                        | 0.11                         | 1.97                       | 9.5                         | <0.2                        | <10                       | 260                        | 0.38                         | 0.18                         | 0.25                       | 0.10                         | 28.3                         | 11.1                        | 28                        |
| I099630            |                                   | 0.50                              | <0.005                        | 0.11                         | 2.09                       | 11.0                        | <0.2                        | <10                       | 200                        | 0.37                         | 0.15                         | 0.17                       | 0.07                         | 39.3                         | 8.0                         | 32                        |
| I099631            |                                   | 0.44                              | <0.005                        | 0.19                         | 1.88                       | 8.6                         | <0.2                        | <10                       | 510                        | 0.47                         | 0.16                         | 0.37                       | 0.19                         | 37.6                         | 14.4                        | 31                        |
| I099632            |                                   | 0.50                              | <0.005                        | 0.19                         | 2.23                       | 4.6                         | <0.2                        | <10                       | 370                        | 0.41                         | 0.18                         | 0.19                       | 0.24                         | 24.9                         | 14.7                        | 26                        |
| I099633            |                                   | 0.50                              | <0.005                        | 0.08                         | 2.65                       | 8.8                         | <0.2                        | <10                       | 160                        | 0.43                         | 0.18                         | 0.20                       | 0.17                         | 23.9                         | 8.3                         | 25                        |
| I319559            |                                   | 0.76                              | 0.060                         | 1.58                         | 2.84                       | 96.6                        | <0.2                        | <10                       | 300                        | 0.35                         | 0.54                         | 0.63                       | 0.70                         | 16.90                        | 17.5                        | 44                        |
| I319560            |                                   | 0.82                              | 0.072                         | 1.57                         | 2.65                       | 68.5                        | <0.2                        | <10                       | 330                        | 0.35                         | 0.47                         | 0.66                       | 0.52                         | 15.70                        | 15.5                        | 45                        |
| I319561            |                                   | 0.60                              | 0.053                         | 1.22                         | 2.36                       | 61.9                        | <0.2                        | <10                       | 330                        | 0.39                         | 0.42                         | 0.87                       | 0.89                         | 19.80                        | 14.2                        | 38                        |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099560            |                                   | 0.74    | 12.0    | 2.86    | 5.94    | 0.05    | 0.03    | 0.03    | 0.018   | 0.19    | 7.5     | 12.1    | 0.57    | 1600    | 0.71    |
| I099561            |                                   | 0.45    | 10.2    | 2.93    | 6.07    | 0.06    | 0.02    | 0.02    | 0.018   | 0.18    | 7.2     | 10.1    | 0.50    | 736     | 0.76    |
| I099562            |                                   | 0.91    | 14.2    | 3.22    | 7.42    | 0.07    | 0.03    | 0.07    | 0.014   | 0.13    | 8.2     | 14.4    | 0.78    | 349     | 1.14    |
| I099563            |                                   | 0.78    | 23.4    | 2.99    | 5.71    | 0.08    | 0.08    | 0.03    | 0.017   | 0.14    | 14.2    | 16.8    | 0.70    | 290     | 0.59    |
| I099601            |                                   | 2.50    | 14.9    | 4.31    | 6.81    | 0.09    | 0.04    | 0.01    | 0.022   | 0.29    | 7.0     | 22.1    | 0.88    | 316     | 0.92    |
| I099602            |                                   | 1.64    | 27.0    | 2.50    | 5.37    | 0.07    | <0.02   | 0.02    | 0.008   | 0.33    | 7.7     | 16.8    | 1.03    | 222     | 0.38    |
| I099603            |                                   | 2.76    | 89.8    | 4.15    | 6.58    | 0.10    | 0.02    | <0.01   | 0.008   | 0.74    | 5.5     | 17.7    | 2.34    | 493     | 0.35    |
| I099604            |                                   | 3.47    | 25.0    | 4.41    | 8.28    | 0.12    | 0.03    | 0.01    | 0.013   | 0.70    | 12.6    | 19.1    | 1.79    | 459     | 0.82    |
| I099605            |                                   | 5.27    | 19.4    | 4.56    | 9.77    | 0.13    | 0.02    | 0.01    | 0.009   | 1.15    | 19.4    | 22.5    | 2.20    | 610     | 0.57    |
| I099606            |                                   | 2.22    | 32.5    | 4.44    | 5.86    | 0.10    | 0.04    | 0.01    | 0.014   | 0.62    | 10.0    | 21.9    | 1.59    | 423     | 0.67    |
| I099607            |                                   | 0.95    | 17.3    | 2.01    | 5.01    | 0.05    | <0.02   | 0.02    | 0.012   | 0.12    | 5.8     | 8.7     | 0.43    | 251     | 0.69    |
| I099608            |                                   | 1.13    | 25.4    | 3.49    | 6.47    | 0.08    | 0.06    | 0.02    | 0.024   | 0.12    | 8.8     | 14.9    | 0.69    | 247     | 0.90    |
| I099609            |                                   | 0.09    | 2.3     | 0.72    | 0.63    | <0.05   | 0.07    | 0.01    | <0.005  | 0.04    | 5.5     | 1.0     | 0.04    | 163     | 0.29    |
| I099610            |                                   | 0.86    | 23.6    | 3.20    | 6.51    | 0.07    | 0.08    | 0.02    | 0.028   | 0.06    | 11.8    | 13.6    | 0.70    | 226     | 0.62    |
| I099611            |                                   | 1.21    | 28.0    | 3.44    | 5.75    | 0.09    | 0.04    | 0.02    | 0.029   | 0.11    | 13.2    | 8.9     | 0.61    | 265     | 0.72    |
| I099612            |                                   | 0.66    | 15.2    | 2.47    | 6.13    | 0.07    | 0.05    | 0.03    | 0.021   | 0.07    | 22.2    | 11.9    | 0.45    | 191     | 0.87    |
| I099613            |                                   | 1.36    | 12.8    | 2.67    | 6.94    | 0.10    | 0.08    | 0.01    | 0.018   | 0.28    | 45.3    | 14.8    | 0.57    | 385     | 0.62    |
| I099614            |                                   | 0.83    | 11.6    | 2.69    | 7.52    | 0.09    | 0.05    | 0.03    | 0.024   | 0.13    | 27.8    | 14.3    | 0.51    | 464     | 1.24    |
| I099615            |                                   | 0.69    | 12.5    | 2.46    | 6.02    | 0.07    | 0.12    | 0.02    | 0.022   | 0.05    | 21.0    | 13.7    | 0.45    | 195     | 0.67    |
| I099616            |                                   | 0.52    | 14.7    | 1.93    | 6.63    | 0.07    | 0.04    | 0.04    | 0.021   | 0.06    | 23.2    | 7.2     | 0.30    | 157     | 0.74    |
| I099617            |                                   | 2.48    | 10.0    | 3.64    | 8.85    | 0.08    | 0.05    | 0.02    | 0.017   | 0.58    | 12.9    | 25.4    | 0.73    | 617     | 0.83    |
| I099618            |                                   | 0.61    | 13.7    | 2.73    | 5.68    | 0.07    | 0.06    | 0.03    | 0.024   | 0.12    | 15.8    | 13.7    | 0.50    | 756     | 0.94    |
| I099619            |                                   | 0.63    | 13.4    | 2.86    | 6.24    | 0.06    | 0.08    | 0.02    | 0.022   | 0.10    | 12.2    | 14.7    | 0.53    | 221     | 0.87    |
| I099620            |                                   | 0.80    | 11.5    | 3.21    | 8.15    | 0.06    | 0.04    | 0.02    | 0.026   | 0.13    | 9.7     | 16.2    | 0.49    | 298     | 1.41    |
| I099621            |                                   | 0.67    | 11.3    | 2.28    | 6.12    | 0.08    | 0.06    | 0.02    | 0.017   | 0.18    | 17.9    | 10.5    | 0.55    | 255     | 0.80    |
| I099622            |                                   | 0.68    | 11.8    | 2.49    | 6.37    | 0.07    | 0.07    | 0.02    | 0.018   | 0.17    | 16.8    | 11.3    | 0.58    | 251     | 0.89    |
| I099623            |                                   | 0.70    | 18.1    | 3.03    | 6.48    | 0.12    | 0.05    | 0.04    | 0.026   | 0.11    | 46.6    | 15.5    | 0.52    | 436     | 0.95    |
| I099624            |                                   | 0.92    | 18.2    | 3.43    | 8.11    | 0.09    | 0.07    | 0.02    | 0.029   | 0.18    | 23.0    | 14.0    | 0.57    | 729     | 1.13    |
| I099625            |                                   | 0.59    | 9.5     | 2.74    | 7.49    | 0.05    | 0.03    | 0.02    | 0.023   | 0.08    | 8.3     | 9.6     | 0.39    | 293     | 0.99    |
| I099626            |                                   | 0.68    | 12.4    | 3.53    | 7.72    | 0.06    | 0.02    | 0.02    | 0.029   | 0.08    | 9.4     | 14.0    | 0.48    | 323     | 1.11    |
| I099627            |                                   | 1.35    | 9.8     | 3.70    | 8.95    | 0.08    | 0.08    | 0.01    | 0.022   | 0.43    | 12.4    | 24.7    | 0.80    | 536     | 0.73    |
| I099628            |                                   | 1.60    | 13.8    | 3.83    | 9.65    | 0.10    | 0.06    | 0.02    | 0.023   | 0.51    | 28.5    | 19.0    | 0.98    | 796     | 0.68    |
| I099629            |                                   | 0.72    | 20.6    | 2.82    | 6.87    | 0.06    | 0.04    | 0.04    | 0.027   | 0.07    | 14.5    | 11.2    | 0.44    | 620     | 0.76    |
| I099630            |                                   | 0.75    | 16.0    | 2.97    | 6.90    | 0.09    | 0.05    | 0.11    | 0.026   | 0.06    | 23.8    | 15.8    | 0.49    | 239     | 0.91    |
| I099631            |                                   | 0.78    | 33.2    | 3.07    | 6.40    | 0.09    | 0.05    | 0.06    | 0.028   | 0.14    | 19.2    | 13.4    | 0.53    | 2100    | 0.88    |
| I099632            |                                   | 1.55    | 16.1    | 3.32    | 8.86    | 0.06    | 0.02    | 0.03    | 0.028   | 0.11    | 11.5    | 13.4    | 0.47    | 3260    | 0.94    |
| I099633            |                                   | 1.13    | 11.0    | 3.37    | 9.56    | 0.06    | 0.02    | 0.02    | 0.027   | 0.05    | 8.7     | 16.6    | 0.54    | 395     | 1.03    |
| I319559            |                                   | 1.84    | 32.5    | 3.16    | 8.37    | 0.11    | 0.03    | 0.10    | 0.032   | 0.23    | 8.4     | 12.1    | 0.96    | 664     | 1.33    |
| I319560            |                                   | 1.86    | 34.6    | 3.00    | 7.98    | 0.09    | 0.03    | 0.08    | 0.027   | 0.29    | 7.8     | 11.8    | 1.17    | 800     | 1.09    |
| I319561            |                                   | 1.56    | 48.3    | 2.61    | 7.13    | 0.09    | 0.03    | 0.09    | 0.028   | 0.18    | 9.8     | 9.8     | 0.92    | 921     | 1.07    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099560            |                                   | 1.86    | 16.9    | 490     | 7.5     | 28.7    | <0.001  | 0.01    | 0.31    | 2.9     | 0.4     | 0.5     | 19.9    | <0.01   | 0.03    |
| I099561            |                                   | 1.70    | 15.7    | 410     | 7.6     | 20.9    | <0.001  | 0.01    | 0.33    | 2.4     | 0.4     | 0.6     | 18.1    | <0.01   | 0.03    |
| I099562            |                                   | 2.58    | 15.3    | 320     | 6.4     | 29.0    | <0.001  | 0.01    | 0.32    | 3.0     | 0.4     | 0.6     | 15.5    | <0.01   | 0.03    |
| I099563            |                                   | 1.92    | 14.8    | 410     | 6.7     | 22.2    | <0.001  | <0.01   | 0.35    | 3.4     | 0.5     | 0.4     | 15.9    | <0.01   | 0.02    |
| I099601            |                                   | 1.63    | 13.2    | 370     | 6.7     | 32.1    | <0.001  | 0.01    | 0.30    | 3.5     | 0.5     | 0.6     | 9.9     | <0.01   | 0.03    |
| I099602            |                                   | 0.62    | 17.3    | 560     | 3.4     | 31.7    | <0.001  | 0.01    | 0.11    | 1.7     | 0.4     | 0.3     | 20.1    | <0.01   | 0.02    |
| I099603            |                                   | 0.69    | 24.4    | 1130    | 3.1     | 63.8    | <0.001  | 0.01    | 0.11    | 1.6     | 0.4     | 0.2     | 18.3    | <0.01   | 0.01    |
| I099604            |                                   | 0.98    | 18.1    | 1290    | 4.5     | 61.0    | <0.001  | 0.01    | 0.18    | 3.2     | 0.5     | 0.4     | 22.4    | <0.01   | 0.02    |
| I099605            |                                   | 0.64    | 17.1    | 1680    | 8.4     | 108.5   | <0.001  | 0.01    | 0.10    | 2.5     | 0.4     | 0.5     | 25.2    | <0.01   | 0.01    |
| I099606            |                                   | 0.57    | 49.6    | 820     | 4.3     | 53.8    | <0.001  | <0.01   | 0.36    | 4.4     | 0.4     | 0.3     | 20.1    | <0.01   | 0.03    |
| I099607            |                                   | 0.81    | 19.8    | 230     | 4.1     | 16.2    | <0.001  | 0.01    | 0.26    | 2.8     | 0.5     | 0.3     | 22.5    | <0.01   | 0.03    |
| I099608            |                                   | 1.14    | 35.0    | 260     | 5.8     | 20.3    | <0.001  | 0.01    | 0.96    | 4.4     | 0.5     | 0.5     | 13.6    | <0.01   | 0.03    |
| I099609            |                                   | 0.14    | 3.7     | 120     | 1.6     | 2.0     | <0.001  | <0.01   | 0.13    | 0.7     | <0.2    | <0.2    | 7.2     | <0.01   | <0.01   |
| I099610            |                                   | 1.16    | 28.7    | 470     | 7.0     | 10.5    | <0.001  | <0.01   | 0.56    | 5.2     | 0.5     | 0.5     | 29.0    | <0.01   | 0.02    |
| I099611            |                                   | 0.94    | 38.6    | 580     | 6.8     | 15.8    | <0.001  | <0.01   | 0.74    | 5.8     | 0.4     | 0.5     | 26.2    | <0.01   | 0.03    |
| I099612            |                                   | 1.53    | 15.7    | 240     | 8.1     | 10.5    | <0.001  | <0.01   | 0.38    | 4.0     | 0.4     | 0.6     | 18.1    | <0.01   | 0.02    |
| I099613            |                                   | 2.82    | 8.9     | 360     | 7.1     | 43.4    | <0.001  | <0.01   | 0.24    | 4.3     | 0.6     | 0.8     | 15.8    | <0.01   | 0.01    |
| I099614            |                                   | 2.68    | 11.7    | 500     | 15.6    | 22.3    | <0.001  | 0.01    | 0.33    | 3.8     | 0.5     | 0.7     | 27.1    | <0.01   | 0.03    |
| I099615            |                                   | 1.61    | 12.8    | 400     | 9.9     | 10.8    | <0.001  | <0.01   | 0.36    | 4.0     | 0.5     | 0.6     | 19.9    | <0.01   | 0.02    |
| I099616            |                                   | 1.69    | 9.5     | 230     | 16.2    | 8.0     | <0.001  | 0.01    | 0.25    | 3.5     | 0.4     | 0.6     | 18.1    | <0.01   | 0.03    |
| I099617            |                                   | 4.39    | 11.7    | 480     | 6.4     | 77.4    | <0.001  | <0.01   | 0.28    | 3.7     | 0.4     | 0.9     | 21.9    | <0.01   | 0.02    |
| I099618            |                                   | 1.68    | 17.5    | 340     | 7.8     | 14.5    | <0.001  | <0.01   | 0.42    | 4.2     | 0.4     | 0.5     | 25.5    | <0.01   | 0.02    |
| I099619            |                                   | 1.76    | 16.4    | 270     | 8.3     | 13.9    | <0.001  | <0.01   | 0.42    | 3.8     | 0.4     | 0.6     | 25.5    | <0.01   | 0.03    |
| I099620            |                                   | 2.14    | 18.1    | 310     | 9.1     | 17.6    | <0.001  | <0.01   | 0.50    | 3.6     | 0.3     | 0.7     | 21.9    | <0.01   | 0.04    |
| I099621            |                                   | 1.63    | 16.3    | 300     | 6.4     | 21.1    | <0.001  | 0.01    | 0.29    | 3.6     | 0.3     | 0.5     | 25.8    | <0.01   | 0.02    |
| I099622            |                                   | 1.61    | 17.7    | 310     | 6.8     | 20.0    | <0.001  | <0.01   | 0.30    | 3.7     | 0.3     | 0.5     | 26.7    | <0.01   | 0.02    |
| I099623            |                                   | 2.21    | 17.0    | 580     | 7.3     | 17.4    | <0.001  | 0.02    | 0.41    | 4.8     | 0.8     | 0.6     | 36.0    | 0.01    | 0.03    |
| I099624            |                                   | 2.78    | 18.2    | 480     | 8.4     | 31.2    | <0.001  | 0.01    | 0.47    | 5.4     | 0.5     | 0.7     | 21.9    | <0.01   | 0.04    |
| I099625            |                                   | 1.95    | 14.0    | 430     | 8.9     | 10.2    | <0.001  | 0.01    | 0.41    | 3.1     | 0.3     | 0.8     | 20.0    | <0.01   | 0.03    |
| I099626            |                                   | 1.73    | 20.6    | 620     | 10.3    | 11.4    | <0.001  | 0.01    | 0.62    | 3.5     | 0.4     | 0.8     | 13.9    | <0.01   | 0.04    |
| I099627            |                                   | 3.57    | 15.2    | 510     | 7.1     | 59.7    | <0.001  | <0.01   | 0.35    | 4.8     | 0.3     | 1.0     | 13.9    | <0.01   | 0.03    |
| I099628            |                                   | 3.19    | 17.7    | 470     | 6.0     | 67.4    | <0.001  | 0.01    | 0.29    | 6.4     | 0.5     | 0.9     | 20.5    | <0.01   | 0.02    |
| I099629            |                                   | 1.58    | 18.8    | 340     | 9.5     | 12.6    | <0.001  | 0.01    | 0.43    | 4.4     | 0.5     | 0.6     | 24.3    | <0.01   | 0.04    |
| I099630            |                                   | 1.61    | 19.8    | 230     | 8.7     | 11.2    | <0.001  | 0.01    | 0.46    | 4.6     | 0.5     | 0.6     | 17.8    | <0.01   | 0.03    |
| I099631            |                                   | 1.78    | 35.3    | 770     | 8.8     | 19.0    | <0.001  | 0.01    | 0.54    | 6.1     | 0.7     | 0.6     | 34.9    | <0.01   | 0.04    |
| I099632            |                                   | 2.12    | 17.3    | 690     | 9.4     | 29.8    | <0.001  | 0.01    | 0.42    | 3.4     | 0.4     | 0.8     | 20.0    | <0.01   | 0.05    |
| I099633            |                                   | 1.50    | 15.6    | 310     | 10.3    | 17.0    | <0.001  | 0.01    | 0.62    | 3.8     | 0.4     | 0.8     | 19.7    | <0.01   | 0.04    |
| I319559            |                                   | 1.04    | 28.4    | 780     | 25.4    | 23.0    | <0.001  | 0.06    | 10.25   | 6.6     | 0.9     | 0.5     | 34.1    | <0.01   | 0.15    |
| I319560            |                                   | 1.01    | 25.1    | 830     | 31.3    | 24.9    | <0.001  | 0.07    | 16.90   | 5.9     | 0.9     | 0.5     | 36.7    | <0.01   | 0.11    |
| I319561            |                                   | 0.96    | 25.1    | 920     | 26.8    | 20.0    | <0.001  | 0.09    | 12.65   | 4.7     | 1.1     | 0.5     | 49.5    | <0.01   | 0.11    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 3 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I099560            |                                   | 0.094   | 0.12    | 0.30    | 65      | 0.17    | 2.03    | 56      |
| I099561            |                                   | 0.093   | 0.10    | 0.26    | 71      | 0.18    | 1.61    | 54      |
| I099562            |                                   | 0.142   | 0.14    | 0.34    | 85      | 0.21    | 1.99    | 56      |
| I099563            |                                   | 0.128   | 0.14    | 0.70    | 62      | 0.18    | 4.26    | 60      |
| I099601            |                                   | 0.170   | 0.20    | 0.37    | 94      | 0.13    | 2.37    | 61      |
| I099602            |                                   | 0.119   | 0.20    | 0.29    | 54      | 0.09    | 2.10    | 41      |
| I099603            |                                   | 0.224   | 0.50    | 0.28    | 67      | 0.12    | 1.82    | 73      |
| I099604            |                                   | 0.230   | 0.37    | 0.53    | 93      | 2.53    | 3.43    | 77      |
| I099605            |                                   | 0.263   | 0.59    | 0.50    | 116     | 0.14    | 3.66    | 92      |
| I099606            |                                   | 0.162   | 0.29    | 0.46    | 74      | 0.14    | 3.48    | 78      |
| I099607            |                                   | 0.082   | 0.10    | 0.34    | 44      | 0.23    | 2.62    | 42      |
| I099608            |                                   | 0.107   | 0.14    | 0.38    | 66      | 0.16    | 3.86    | 67      |
| I099609            |                                   | 0.007   | 0.03    | 0.34    | 4       | 0.05    | 2.15    | 4       |
| I099610            |                                   | 0.124   | 0.10    | 0.64    | 64      | 0.19    | 4.72    | 59      |
| I099611            |                                   | 0.110   | 0.13    | 0.57    | 62      | 0.20    | 6.23    | 74      |
| I099612            |                                   | 0.087   | 0.10    | 0.67    | 58      | 0.21    | 5.06    | 41      |
| I099613            |                                   | 0.129   | 0.27    | 1.89    | 47      | 0.16    | 9.42    | 65      |
| I099614            |                                   | 0.111   | 0.14    | 1.28    | 53      | 0.25    | 7.28    | 73      |
| I099615            |                                   | 0.098   | 0.09    | 0.96    | 55      | 0.20    | 6.30    | 53      |
| I099616            |                                   | 0.087   | 0.09    | 0.97    | 44      | 0.19    | 5.18    | 41      |
| I099617            |                                   | 0.180   | 0.42    | 0.95    | 62      | 0.37    | 3.12    | 84      |
| I099618            |                                   | 0.094   | 0.09    | 0.64    | 56      | 0.36    | 3.93    | 47      |
| I099619            |                                   | 0.102   | 0.09    | 0.59    | 63      | 0.24    | 3.48    | 47      |
| I099620            |                                   | 0.099   | 0.14    | 0.42    | 71      | 0.19    | 2.46    | 57      |
| I099621            |                                   | 0.111   | 0.11    | 0.90    | 56      | 0.17    | 3.91    | 41      |
| I099622            |                                   | 0.113   | 0.11    | 0.82    | 61      | 0.25    | 3.77    | 43      |
| I099623            |                                   | 0.101   | 0.11    | 1.47    | 60      | 0.22    | 12.75   | 46      |
| I099624            |                                   | 0.136   | 0.16    | 0.78    | 75      | 0.19    | 6.49    | 51      |
| I099625            |                                   | 0.089   | 0.12    | 0.34    | 64      | 0.18    | 1.87    | 48      |
| I099626            |                                   | 0.095   | 0.11    | 0.37    | 78      | 0.21    | 2.10    | 62      |
| I099627            |                                   | 0.171   | 0.30    | 0.65    | 69      | 0.15    | 3.33    | 70      |
| I099628            |                                   | 0.169   | 0.35    | 1.16    | 72      | 0.14    | 6.59    | 79      |
| I099629            |                                   | 0.084   | 0.09    | 0.79    | 62      | 0.21    | 4.57    | 45      |
| I099630            |                                   | 0.087   | 0.11    | 0.71    | 68      | 0.35    | 6.54    | 45      |
| I099631            |                                   | 0.097   | 0.10    | 0.72    | 63      | 0.21    | 8.55    | 57      |
| I099632            |                                   | 0.111   | 0.24    | 0.42    | 68      | 0.19    | 2.82    | 120     |
| I099633            |                                   | 0.061   | 0.14    | 0.50    | 70      | 0.16    | 2.29    | 88      |
| I319559            |                                   | 0.101   | 0.20    | 0.75    | 81      | 1.07    | 6.44    | 96      |
| I319560            |                                   | 0.112   | 0.20    | 0.70    | 77      | 0.19    | 5.86    | 103     |
| I319561            |                                   | 0.086   | 0.16    | 0.87    | 66      | 0.17    | 8.32    | 94      |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 6 - A  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3 - OCT - 2010  
 Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.2 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|
| I319562            |                                   | 0.76                              | 0.060                         | 1.15                         | 2.38                       | 47.8                        | <0.2                        | <10                       | 320                        | 0.38                         | 0.41                         | 0.81                       | 1.28                         | 19.90                        | 12.7                        | 39                        |
| I319563            |                                   | 0.76                              | 0.177                         | 0.83                         | 2.79                       | 69.9                        | <0.2                        | <10                       | 280                        | 0.32                         | 0.50                         | 0.46                       | 0.44                         | 14.90                        | 14.1                        | 48                        |
| I319564            |                                   | 0.84                              | 0.047                         | 0.88                         | 2.70                       | 56.7                        | <0.2                        | <10                       | 290                        | 0.33                         | 0.43                         | 0.46                       | 0.43                         | 14.60                        | 15.0                        | 54                        |
| I319565            |                                   | 0.66                              | 0.044                         | 0.92                         | 2.92                       | 52.3                        | <0.2                        | <10                       | 380                        | 0.38                         | 0.41                         | 0.70                       | 0.87                         | 18.40                        | 16.5                        | 50                        |
| I319566            |                                   | 0.68                              | 0.057                         | 0.69                         | 2.74                       | 58.8                        | <0.2                        | <10                       | 370                        | 0.38                         | 0.42                         | 0.77                       | 0.76                         | 18.65                        | 16.4                        | 48                        |
| I319567            |                                   | 0.52                              | 0.038                         | 1.22                         | 3.56                       | 44.3                        | <0.2                        | <10                       | 540                        | 0.42                         | 0.39                         | 1.19                       | 1.58                         | 25.0                         | 18.9                        | 46                        |
| I319568            |                                   | 0.68                              | 0.017                         | 0.37                         | 2.79                       | 42.1                        | <0.2                        | <10                       | 360                        | 0.35                         | 0.40                         | 0.83                       | 0.33                         | 13.75                        | 13.1                        | 46                        |
| I319569            |                                   | 0.56                              | 0.025                         | 0.56                         | 2.41                       | 43.5                        | <0.2                        | <10                       | 600                        | 0.54                         | 0.34                         | 1.67                       | 1.17                         | 26.3                         | 15.0                        | 36                        |
| I319570            |                                   | 0.70                              | 0.043                         | 0.38                         | 2.95                       | 61.0                        | <0.2                        | <10                       | 390                        | 0.32                         | 0.46                         | 0.63                       | 0.31                         | 14.30                        | 20.3                        | 52                        |
| I319789            |                                   | 0.36                              | <0.005                        | 0.05                         | 1.94                       | 5.5                         | <0.2                        | <10                       | 410                        | 0.39                         | 0.07                         | 0.40                       | 0.06                         | 31.4                         | 14.8                        | 56                        |
| I319790            |                                   | 0.42                              | <0.005                        | 0.06                         | 2.17                       | 5.2                         | <0.2                        | <10                       | 360                        | 0.38                         | 0.08                         | 0.40                       | 0.06                         | 31.0                         | 14.8                        | 41                        |
| I319787            |                                   | 0.36                              | <0.005                        | 0.02                         | 2.22                       | 3.5                         | <0.2                        | <10                       | 250                        | 0.56                         | 0.04                         | 0.64                       | 0.04                         | 24.4                         | 16.7                        | 48                        |
| I319788            |                                   | 0.32                              | 0.007                         | 0.08                         | 2.00                       | 5.0                         | <0.2                        | <10                       | 440                        | 0.34                         | 0.10                         | 0.40                       | 0.07                         | 29.1                         | 14.7                        | 45                        |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: 6 - B**  
**Total # Pages: 6 (A - D)**  
**Plus Appendix Pages**  
**Finalized Date: 3 - OCT - 2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I319562            |                                   | 1.56    | 48.0    | 2.60    | 7.31    | 0.08    | 0.03    | 0.10    | 0.027   | 0.15    | 9.6     | 10.1    | 0.93    | 680     | 1.04    |
| I319563            |                                   | 2.02    | 30.7    | 3.25    | 8.43    | 0.10    | 0.03    | 0.05    | 0.028   | 0.39    | 7.3     | 12.8    | 1.33    | 379     | 0.82    |
| I319564            |                                   | 2.06    | 34.1    | 3.22    | 8.20    | 0.10    | 0.03    | 0.05    | 0.022   | 0.46    | 7.2     | 12.0    | 1.38    | 411     | 0.79    |
| I319565            |                                   | 1.76    | 42.6    | 3.11    | 8.63    | 0.10    | 0.03    | 0.08    | 0.025   | 0.35    | 8.8     | 11.5    | 1.21    | 863     | 1.09    |
| I319566            |                                   | 1.69    | 41.4    | 3.11    | 8.05    | 0.10    | 0.04    | 0.08    | 0.028   | 0.33    | 9.2     | 11.7    | 1.14    | 786     | 1.11    |
| I319567            |                                   | 1.70    | 54.1    | 3.39    | 9.90    | 0.12    | 0.06    | 0.12    | 0.029   | 0.38    | 12.0    | 12.9    | 1.18    | 1200    | 1.32    |
| I319568            |                                   | 1.98    | 35.6    | 3.22    | 8.28    | 0.09    | 0.03    | 0.06    | 0.024   | 0.38    | 6.6     | 11.4    | 1.24    | 455     | 1.00    |
| I319569            |                                   | 1.60    | 80.1    | 2.70    | 6.41    | 0.10    | 0.05    | 0.09    | 0.023   | 0.27    | 12.7    | 10.3    | 0.91    | 1330    | 1.15    |
| I319570            |                                   | 2.18    | 33.3    | 3.72    | 8.99    | 0.09    | 0.04    | 0.03    | 0.021   | 0.50    | 6.8     | 13.6    | 1.51    | 565     | 1.00    |
| I319789            |                                   | 0.98    | 19.2    | 2.84    | 6.03    | 0.09    | 0.03    | 0.03    | 0.012   | 0.33    | 20.1    | 13.4    | 1.13    | 241     | 0.48    |
| I319790            |                                   | 1.24    | 19.9    | 3.23    | 6.48    | 0.08    | 0.04    | 0.03    | 0.014   | 0.47    | 21.3    | 14.4    | 1.11    | 346     | 0.42    |
| I319787            |                                   | 1.41    | 17.2    | 2.69    | 5.07    | 0.10    | 0.06    | 0.02    | 0.007   | 0.36    | 26.6    | 15.7    | 1.61    | 274     | 0.34    |
| I319788            |                                   | 1.07    | 23.0    | 2.67    | 6.31    | 0.06    | 0.03    | 0.04    | 0.013   | 0.24    | 19.1    | 11.4    | 1.04    | 233     | 0.60    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 6 - C  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3 - OCT - 2010  
 Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Nb<br>ppm<br>0.05 | ME-MS41<br>Ni<br>ppm<br>0.2 | ME-MS41<br>P<br>ppm<br>10 | ME-MS41<br>Pb<br>ppm<br>0.2 | ME-MS41<br>Rb<br>ppm<br>0.1 | ME-MS41<br>Re<br>ppm<br>0.001 | ME-MS41<br>S<br>%<br>0.01 | ME-MS41<br>Sb<br>ppm<br>0.05 | ME-MS41<br>Sc<br>ppm<br>0.1 | ME-MS41<br>Se<br>ppm<br>0.2 | ME-MS41<br>Sn<br>ppm<br>0.2 | ME-MS41<br>Sr<br>ppm<br>0.2 | ME-MS41<br>Ta<br>ppm<br>0.01 | ME-MS41<br>Te<br>ppm<br>0.01 | ME-MS41<br>Th<br>ppm<br>0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I319562            |                                   | 0.96                         | 25.8                        | 940                       | 22.9                        | 19.0                        | <0.001                        | 0.10                      | 10.65                        | 4.8                         | 0.9                         | 0.5                         | 49.2                        | <0.01                        | 0.10                         | 0.4                         |
| I319563            |                                   | 1.19                         | 26.1                        | 580                       | 29.4                        | 30.9                        | <0.001                        | 0.03                      | 20.3                         | 7.3                         | 0.7                         | 0.5                         | 24.6                        | <0.01                        | 0.10                         | 1.8                         |
| I319564            |                                   | 1.25                         | 27.4                        | 640                       | 23.1                        | 34.9                        | <0.001                        | 0.03                      | 27.8                         | 6.6                         | 0.6                         | 0.5                         | 23.7                        | <0.01                        | 0.11                         | 1.8                         |
| I319565            |                                   | 1.05                         | 29.5                        | 810                       | 21.5                        | 28.6                        | <0.001                        | 0.08                      | 14.30                        | 6.0                         | 0.9                         | 0.5                         | 40.4                        | <0.01                        | 0.10                         | 0.7                         |
| I319566            |                                   | 1.10                         | 27.9                        | 850                       | 21.5                        | 26.8                        | <0.001                        | 0.09                      | 14.45                        | 5.8                         | 1.0                         | 0.5                         | 43.3                        | <0.01                        | 0.11                         | 0.8                         |
| I319567            |                                   | 1.29                         | 34.0                        | 890                       | 10.8                        | 33.4                        | 0.001                         | 0.11                      | 11.05                        | 8.5                         | 1.4                         | 0.5                         | 66.2                        | 0.01                         | 0.10                         | 1.1                         |
| I319568            |                                   | 1.13                         | 25.1                        | 850                       | 10.3                        | 29.9                        | <0.001                        | 0.10                      | 5.32                         | 6.2                         | 0.8                         | 0.5                         | 40.6                        | <0.01                        | 0.10                         | 1.1                         |
| I319569            |                                   | 0.96                         | 31.4                        | 1050                      | 9.3                         | 24.4                        | 0.003                         | 0.16                      | 5.78                         | 4.5                         | 1.8                         | 0.4                         | 79.9                        | <0.01                        | 0.12                         | 0.5                         |
| I319570            |                                   | 1.31                         | 27.7                        | 650                       | 12.2                        | 42.1                        | <0.001                        | 0.05                      | 5.91                         | 7.3                         | 0.6                         | 0.5                         | 30.0                        | <0.01                        | 0.08                         | 2.1                         |
| I319789            |                                   | 1.09                         | 25.1                        | 660                       | 3.6                         | 27.2                        | <0.001                        | 0.02                      | 0.36                         | 3.2                         | 0.3                         | 0.4                         | 25.2                        | <0.01                        | 0.01                         | 4.4                         |
| I319790            |                                   | 1.08                         | 18.8                        | 930                       | 4.3                         | 39.1                        | <0.001                        | 0.02                      | 0.25                         | 3.3                         | 0.2                         | 0.4                         | 24.9                        | <0.01                        | 0.01                         | 4.5                         |
| I319787            |                                   | 1.11                         | 26.5                        | 1220                      | 2.4                         | 28.3                        | <0.001                        | 0.02                      | 0.13                         | 2.5                         | 0.2                         | 0.3                         | 32.0                        | <0.01                        | 0.01                         | 4.4                         |
| I319788            |                                   | 1.19                         | 23.7                        | 560                       | 5.9                         | 27.2                        | <0.001                        | 0.03                      | 0.24                         | 3.1                         | 0.4                         | 0.4                         | 30.6                        | <0.01                        | 0.01                         | 2.6                         |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 6 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      | Zr      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       | 0.5     |
| I319562            |                                   | 0.088   | 0.14    | 0.94    | 67      | 0.18    | 8.23    | 107     | 0.8     |
| I319563            |                                   | 0.143   | 0.25    | 0.54    | 87      | 0.68    | 4.51    | 115     | 1.3     |
| I319564            |                                   | 0.156   | 0.27    | 0.52    | 87      | 0.30    | 4.34    | 109     | 1.3     |
| I319565            |                                   | 0.114   | 0.20    | 0.70    | 79      | 0.22    | 7.44    | 110     | 0.8     |
| I319566            |                                   | 0.111   | 0.21    | 0.77    | 79      | 0.23    | 8.56    | 104     | 1.1     |
| I319567            |                                   | 0.101   | 0.26    | 1.14    | 82      | 0.26    | 16.25   | 132     | 1.7     |
| I319568            |                                   | 0.118   | 0.22    | 0.82    | 89      | 0.25    | 5.10    | 104     | 1.3     |
| I319569            |                                   | 0.075   | 0.21    | 1.31    | 65      | 0.19    | 14.00   | 106     | 1.4     |
| I319570            |                                   | 0.146   | 0.29    | 0.58    | 98      | 0.34    | 4.97    | 109     | 1.8     |
| I319789            |                                   | 0.161   | 0.14    | 0.74    | 65      | 0.12    | 3.93    | 48      | 1.5     |
| I319790            |                                   | 0.179   | 0.21    | 0.69    | 72      | 0.12    | 4.06    | 62      | 1.7     |
| I319787            |                                   | 0.162   | 0.17    | 0.49    | 57      | 0.12    | 2.86    | 49      | 2.8     |
| I319788            |                                   | 0.146   | 0.16    | 0.84    | 57      | 0.15    | 5.62    | 45      | 1.3     |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: Appendix 1**  
**Total # Appendix Pages: 1**  
**Finalized Date: 3 - OCT - 2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS VA10134528**

| Method  | CERTIFICATE COMMENTS                                                                                 |
|---------|------------------------------------------------------------------------------------------------------|
| ME-MS41 | Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 1  
Finalized Date: 8-OCT-2010  
Account: EIASQI

**CERTIFICATE WH10135032**

Project: SQI10-06  
P.O. No.: SQI10-06\_30  
This report is for 260 Soil samples submitted to our lab in Whitehorse, YT, Canada on 21-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-21   | Sample logging - ClientBarCode |
| PUL-31   | Pulverize split to 85% <75 um  |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION               | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23  | Au 30g FA-AA finish       | AAS        |
| ME-MS41  | 51 anal. aqua regia ICPMS |            |

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**ATTN: DARCY BAKER**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I000001            |                                   | 0.30                      | 0.007                | 0.16                 | 1.02               | 7.4                  | <0.2                 | <10                 | 320                  | 0.27                 | 0.16                 | 1.44               | 0.17                 | 14.35                | 7.9                  | 20                   |
| I000002            |                                   | 0.50                      | 0.005                | 0.08                 | 1.94               | 4.8                  | <0.2                 | <10                 | 210                  | 0.26                 | 0.14                 | 0.48               | 0.18                 | 29.9                 | 10.8                 | 30                   |
| I000003            |                                   | 0.36                      | 0.006                | 0.08                 | 1.58               | 5.0                  | <0.2                 | <10                 | 240                  | 0.25                 | 0.12                 | 0.52               | 0.11                 | 29.8                 | 9.0                  | 27                   |
| I000004            |                                   | 0.26                      | 0.024                | 0.15                 | 0.90               | 71.5                 | <0.2                 | <10                 | 310                  | 0.24                 | 3.43                 | 2.66               | 0.58                 | 15.60                | 6.5                  | 16                   |
| I000005            |                                   | 0.32                      | 0.007                | 0.07                 | 1.46               | 7.5                  | <0.2                 | <10                 | 300                  | 0.29                 | 0.17                 | 0.89               | 0.29                 | 25.6                 | 9.2                  | 23                   |
| I000006            |                                   | 0.52                      | <0.005               | 0.04                 | 1.93               | 6.5                  | <0.2                 | <10                 | 240                  | 0.32                 | 0.15                 | 0.48               | 0.19                 | 33.5                 | 9.6                  | 27                   |
| I000007            |                                   | 0.36                      | <0.005               | 0.14                 | 1.76               | 7.5                  | <0.2                 | <10                 | 540                  | 0.41                 | 0.13                 | 0.81               | 0.65                 | 69.8                 | 40.1                 | 22                   |
| I000008            |                                   | 0.46                      | <0.005               | 0.04                 | 1.86               | 6.5                  | <0.2                 | <10                 | 110                  | 0.28                 | 0.14                 | 0.33               | 0.08                 | 25.9                 | 9.2                  | 27                   |
| I000009            |                                   | 0.48                      | 0.006                | 0.04                 | 1.68               | 4.4                  | <0.2                 | <10                 | 210                  | 0.23                 | 0.14                 | 0.27               | 0.06                 | 19.10                | 9.5                  | 22                   |
| I000010            |                                   | 0.32                      | <0.005               | 0.05                 | 1.85               | 5.1                  | <0.2                 | <10                 | 190                  | 0.23                 | 0.15                 | 0.22               | 0.08                 | 17.55                | 8.4                  | 22                   |
| I000011            |                                   | 0.28                      | <0.005               | 0.04                 | 1.76               | 6.6                  | <0.2                 | <10                 | 220                  | 0.25                 | 0.14                 | 0.26               | 0.06                 | 21.9                 | 10.2                 | 29                   |
| I000012            |                                   | 0.38                      | <0.005               | 0.11                 | 1.72               | 6.7                  | <0.2                 | <10                 | 300                  | 0.34                 | 0.14                 | 1.06               | 0.17                 | 34.1                 | 11.2                 | 25                   |
| I000013            |                                   | 0.26                      | <0.005               | 0.06                 | 1.47               | 2.9                  | <0.2                 | <10                 | 190                  | 0.29                 | 0.09                 | 1.73               | 0.28                 | 47.6                 | 11.0                 | 13                   |
| I000014            |                                   | 0.22                      | <0.005               | 0.16                 | 1.32               | 2.8                  | <0.2                 | <10                 | 220                  | 0.22                 | 0.16                 | 0.21               | 0.28                 | 61.7                 | 12.5                 | 18                   |
| I000015            |                                   | 0.24                      | <0.005               | 0.08                 | 1.09               | 3.4                  | <0.2                 | <10                 | 280                  | 0.30                 | 0.10                 | 2.36               | 0.65                 | 30.9                 | 9.4                  | 16                   |
| I000016            |                                   | 0.38                      | <0.005               | 0.02                 | 2.17               | 6.8                  | <0.2                 | <10                 | 180                  | 0.27                 | 0.14                 | 0.29               | 0.06                 | 19.85                | 9.5                  | 27                   |
| I000017            |                                   | 0.38                      | <0.005               | 0.08                 | 1.83               | 6.8                  | <0.2                 | <10                 | 220                  | 0.32                 | 0.17                 | 0.24               | 0.15                 | 28.0                 | 11.1                 | 22                   |
| I000018            |                                   | 0.44                      | <0.005               | 0.09                 | 1.50               | 7.3                  | <0.2                 | <10                 | 260                  | 0.30                 | 0.15                 | 0.55               | 0.25                 | 25.6                 | 9.9                  | 23                   |
| I000019            |                                   | 0.24                      | 0.007                | 0.16                 | 1.00               | 5.5                  | <0.2                 | <10                 | 400                  | 0.38                 | 0.11                 | 1.65               | 0.31                 | 30.9                 | 8.5                  | 17                   |
| I000151            |                                   | 0.20                      | <0.005               | 0.06                 | 1.11               | 6.1                  | <0.2                 | <10                 | 170                  | 0.19                 | 0.11                 | 0.70               | 0.11                 | 17.20                | 8.1                  | 22                   |
| I000152            |                                   | 0.16                      | 0.007                | 0.07                 | 0.37               | 1.1                  | <0.2                 | <10                 | 280                  | 0.19                 | 0.05                 | 1.32               | 1.02                 | 10.80                | 2.1                  | 10                   |
| I000153            |                                   | 0.38                      | <0.005               | 0.05                 | 1.81               | 8.1                  | <0.2                 | <10                 | 320                  | 0.51                 | 0.14                 | 0.49               | 0.09                 | 33.9                 | 9.5                  | 28                   |
| I000154            |                                   | 0.34                      | <0.005               | 0.01                 | 0.11               | 2.1                  | <0.2                 | <10                 | 30                   | 0.11                 | 0.03                 | 0.09               | 0.04                 | 9.85                 | 2.4                  | 4                    |
| I000155            |                                   | 0.28                      | <0.005               | 0.08                 | 2.99               | 2.9                  | <0.2                 | <10                 | 310                  | 0.41                 | 0.10                 | 0.76               | 0.04                 | 19.35                | 19.7                 | 18                   |
| I000156            |                                   | 0.32                      | <0.005               | 0.10                 | 1.98               | 8.5                  | <0.2                 | <10                 | 390                  | 0.44                 | 0.15                 | 0.35               | 0.09                 | 27.4                 | 19.5                 | 30                   |
| I000157            |                                   | 0.22                      | <0.005               | 0.11                 | 2.00               | 5.7                  | <0.2                 | <10                 | 260                  | 0.30                 | 0.13                 | 0.30               | 0.08                 | 15.65                | 12.7                 | 25                   |
| I000158            |                                   | 0.28                      | <0.005               | 0.07                 | 2.22               | 8.4                  | <0.2                 | <10                 | 330                  | 0.47                 | 0.12                 | 0.53               | 0.05                 | 33.5                 | 16.6                 | 37                   |
| I000159            |                                   | 0.42                      | <0.005               | 0.08                 | 2.16               | 7.8                  | <0.2                 | <10                 | 310                  | 0.43                 | 0.12                 | 0.37               | 0.06                 | 19.85                | 15.0                 | 37                   |
| I000160            |                                   | 0.28                      | <0.005               | 0.04                 | 3.32               | 4.4                  | <0.2                 | <10                 | 270                  | 0.39                 | 0.06                 | 0.37               | 0.04                 | 10.50                | 25.0                 | 40                   |
| I000161            |                                   | 0.26                      | <0.005               | 0.10                 | 2.68               | 9.8                  | <0.2                 | <10                 | 240                  | 0.58                 | 0.13                 | 0.35               | 0.06                 | 23.9                 | 17.3                 | 41                   |
| I000162            |                                   | 0.44                      | <0.005               | 0.07                 | 2.47               | 5.2                  | <0.2                 | <10                 | 250                  | 0.42                 | 0.09                 | 0.33               | 0.08                 | 17.20                | 21.3                 | 38                   |
| I000163            |                                   | 0.28                      | <0.005               | 0.07                 | 1.73               | 7.7                  | <0.2                 | <10                 | 210                  | 0.32                 | 0.12                 | 0.24               | 0.06                 | 16.25                | 11.5                 | 34                   |
| I000164            |                                   | 0.26                      | <0.005               | 0.07                 | 2.83               | 4.1                  | <0.2                 | <10                 | 280                  | 0.43                 | 0.11                 | 0.37               | 0.08                 | 12.45                | 22.2                 | 33                   |
| I000165            |                                   | 0.26                      | <0.005               | 0.15                 | 2.27               | 5.5                  | <0.2                 | <10                 | 260                  | 0.39                 | 0.10                 | 0.23               | 0.05                 | 14.25                | 18.5                 | 34                   |
| I000166            |                                   | 0.22                      | <0.005               | 0.06                 | 1.71               | 7.0                  | <0.2                 | <10                 | 220                  | 0.34                 | 0.14                 | 0.16               | 0.06                 | 17.05                | 9.5                  | 29                   |
| I000167            |                                   | 0.36                      | <0.005               | 0.06                 | 1.73               | 4.8                  | <0.2                 | <10                 | 340                  | 0.33                 | 0.15                 | 0.31               | 0.08                 | 16.80                | 13.7                 | 29                   |
| I000168            |                                   | 0.22                      | <0.005               | 0.04                 | 1.38               | 6.6                  | <0.2                 | <10                 | 190                  | 0.18                 | 0.11                 | 0.19               | 0.04                 | 13.15                | 9.8                  | 24                   |
| I000169            |                                   | 0.14                      | <0.005               | 0.13                 | 1.83               | 5.8                  | <0.2                 | <10                 | 220                  | 0.32                 | 0.12                 | 0.18               | 0.04                 | 16.25                | 10.8                 | 29                   |
| I098630            |                                   | 0.42                      | <0.005               | 0.12                 | 1.78               | 6.7                  | <0.2                 | <10                 | 210                  | 0.32                 | 0.19                 | 0.37               | 0.13                 | 35.6                 | 8.3                  | 23                   |
| I098631            |                                   | 0.38                      | <0.005               | 0.10                 | 1.67               | 7.3                  | <0.2                 | <10                 | 180                  | 0.34                 | 0.19                 | 0.30               | 0.16                 | 33.9                 | 8.4                  | 23                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - B  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I000001            |                                   | 0.43    | 29.1    | 1.73    | 3.18    | 0.05    | 0.03    | 0.07    | 0.016   | 0.04    | 7.4     | 5.2     | 0.38    | 688     | 1.69    |
| I000002            |                                   | 0.75    | 21.6    | 2.88    | 6.33    | 0.07    | 0.03    | 0.05    | 0.020   | 0.15    | 16.7    | 12.1    | 0.77    | 363     | 1.11    |
| I000003            |                                   | 0.58    | 18.4    | 2.45    | 5.08    | 0.07    | 0.03    | 0.04    | 0.018   | 0.09    | 15.5    | 9.7     | 0.60    | 310     | 0.77    |
| I000004            |                                   | 0.33    | 26.7    | 1.48    | 2.58    | 0.05    | 0.04    | 0.07    | 0.012   | 0.06    | 8.0     | 5.6     | 0.35    | 892     | 1.61    |
| I000005            |                                   | 0.51    | 22.6    | 2.39    | 4.57    | 0.06    | 0.03    | 0.04    | 0.020   | 0.08    | 12.7    | 8.3     | 0.50    | 575     | 1.31    |
| I000006            |                                   | 0.77    | 19.5    | 2.92    | 6.14    | 0.07    | 0.05    | 0.03    | 0.021   | 0.18    | 17.4    | 12.0    | 0.59    | 349     | 0.72    |
| I000007            |                                   | 0.60    | 25.8    | 3.58    | 5.38    | 0.10    | 0.04    | 0.06    | 0.020   | 0.17    | 34.3    | 10.0    | 0.61    | 5510    | 4.00    |
| I000008            |                                   | 0.71    | 15.0    | 3.36    | 6.54    | 0.06    | 0.07    | 0.03    | 0.025   | 0.26    | 11.3    | 10.6    | 0.60    | 349     | 1.05    |
| I000009            |                                   | 0.50    | 8.6     | 2.66    | 6.61    | <0.05   | 0.05    | 0.01    | 0.018   | 0.14    | 8.9     | 8.9     | 0.42    | 405     | 0.99    |
| I000010            |                                   | 0.77    | 12.0    | 2.92    | 7.25    | 0.05    | 0.04    | 0.01    | 0.019   | 0.11    | 9.3     | 11.0    | 0.52    | 362     | 0.95    |
| I000011            |                                   | 0.54    | 17.2    | 2.79    | 5.74    | 0.05    | 0.03    | 0.02    | 0.023   | 0.08    | 9.8     | 9.8     | 0.48    | 401     | 0.75    |
| I000012            |                                   | 0.69    | 24.6    | 2.88    | 5.56    | 0.07    | 0.09    | 0.03    | 0.021   | 0.20    | 19.3    | 13.4    | 0.62    | 543     | 0.88    |
| I000013            |                                   | 0.88    | 17.8    | 2.42    | 5.58    | 0.16    | 0.08    | 0.07    | 0.019   | 0.36    | 79.3    | 9.7     | 0.50    | 1340    | 1.15    |
| I000014            |                                   | 0.82    | 24.9    | 2.43    | 6.11    | 0.06    | 0.03    | 0.04    | 0.022   | 0.13    | 29.6    | 5.9     | 0.32    | 1820    | 2.23    |
| I000015            |                                   | 0.54    | 24.3    | 1.75    | 3.44    | 0.08    | 0.05    | 0.08    | 0.018   | 0.12    | 30.8    | 5.7     | 0.34    | 976     | 0.90    |
| I000016            |                                   | 0.85    | 11.0    | 3.30    | 7.19    | 0.06    | 0.06    | 0.01    | 0.022   | 0.16    | 9.2     | 14.9    | 0.58    | 348     | 1.16    |
| I000017            |                                   | 0.69    | 15.6    | 2.86    | 7.15    | 0.06    | 0.03    | 0.02    | 0.024   | 0.09    | 17.9    | 14.2    | 0.42    | 395     | 1.33    |
| I000018            |                                   | 0.57    | 16.9    | 2.40    | 5.42    | 0.07    | 0.05    | 0.04    | 0.020   | 0.10    | 14.3    | 14.2    | 0.51    | 374     | 0.75    |
| I000019            |                                   | 0.48    | 26.8    | 1.65    | 3.14    | 0.08    | 0.06    | 0.08    | 0.017   | 0.06    | 20.5    | 8.2     | 0.29    | 865     | 0.90    |
| I000151            |                                   | 0.50    | 11.7    | 1.99    | 3.98    | 0.05    | 0.05    | 0.03    | 0.017   | 0.06    | 8.9     | 10.1    | 0.46    | 334     | 0.88    |
| I000152            |                                   | 0.25    | 17.6    | 0.56    | 1.27    | <0.05   | <0.02   | 0.07    | 0.007   | 0.05    | 6.5     | 0.9     | 0.15    | 31      | 0.69    |
| I000153            |                                   | 0.54    | 33.8    | 2.57    | 5.95    | 0.09    | 0.21    | 0.04    | 0.021   | 0.09    | 19.3    | 12.1    | 0.49    | 314     | 0.85    |
| I000154            |                                   | 0.10    | 1.7     | 0.60    | 0.56    | <0.05   | 0.06    | <0.01   | <0.005  | 0.03    | 5.0     | 1.4     | 0.04    | 158     | 0.29    |
| I000155            |                                   | 2.70    | 20.0    | 4.04    | 9.04    | 0.13    | 0.17    | 0.02    | 0.009   | 1.32    | 10.6    | 17.1    | 1.60    | 936     | 0.83    |
| I000156            |                                   | 0.55    | 19.1    | 2.94    | 6.28    | 0.06    | 0.14    | 0.02    | 0.025   | 0.10    | 10.9    | 13.8    | 0.49    | 1740    | 1.19    |
| I000157            |                                   | 0.87    | 12.4    | 3.07    | 7.09    | 0.05    | 0.04    | 0.02    | 0.018   | 0.25    | 8.4     | 16.5    | 0.69    | 682     | 1.01    |
| I000158            |                                   | 0.54    | 29.5    | 3.53    | 6.74    | 0.09    | 0.16    | 0.03    | 0.023   | 0.28    | 14.4    | 17.3    | 0.91    | 660     | 0.84    |
| I000159            |                                   | 0.68    | 18.5    | 3.31    | 6.49    | 0.07    | 0.13    | 0.02    | 0.021   | 0.32    | 9.3     | 13.1    | 0.79    | 753     | 1.45    |
| I000160            |                                   | 1.63    | 13.6    | 4.87    | 9.75    | 0.10    | 0.09    | 0.01    | 0.011   | 1.18    | 5.1     | 21.6    | 2.04    | 823     | 0.77    |
| I000161            |                                   | 1.07    | 30.0    | 4.08    | 8.36    | 0.10    | 0.15    | 0.01    | 0.025   | 0.55    | 12.7    | 18.2    | 1.08    | 581     | 1.17    |
| I000162            |                                   | 0.73    | 17.9    | 3.55    | 7.67    | 0.07    | 0.06    | 0.01    | 0.016   | 0.28    | 8.1     | 16.7    | 1.19    | 503     | 0.70    |
| I000163            |                                   | 0.64    | 11.6    | 2.96    | 5.42    | 0.07    | 0.07    | 0.01    | 0.018   | 0.35    | 8.3     | 14.5    | 0.77    | 322     | 0.80    |
| I000164            |                                   | 0.91    | 12.5    | 3.75    | 8.57    | 0.06    | 0.05    | 0.02    | 0.018   | 0.07    | 5.3     | 18.1    | 1.21    | 1120    | 0.85    |
| I000165            |                                   | 1.11    | 27.4    | 3.61    | 7.23    | 0.08    | 0.05    | 0.01    | 0.016   | 0.65    | 7.5     | 15.0    | 1.19    | 886     | 0.77    |
| I000166            |                                   | 0.58    | 13.1    | 2.75    | 5.42    | 0.06    | 0.08    | 0.01    | 0.022   | 0.09    | 8.7     | 13.2    | 0.50    | 290     | 0.96    |
| I000167            |                                   | 0.51    | 11.6    | 2.86    | 6.30    | 0.05    | 0.04    | 0.01    | 0.021   | 0.15    | 8.5     | 12.6    | 0.54    | 760     | 0.93    |
| I000168            |                                   | 0.46    | 9.5     | 2.68    | 5.76    | 0.05    | 0.07    | 0.01    | 0.013   | 0.21    | 6.7     | 10.3    | 0.60    | 474     | 0.74    |
| I000169            |                                   | 0.56    | 17.8    | 2.95    | 6.26    | 0.06    | 0.06    | 0.01    | 0.018   | 0.25    | 8.1     | 13.2    | 0.75    | 404     | 0.85    |
| I098630            |                                   | 0.87    | 12.8    | 2.45    | 6.51    | 0.08    | 0.03    | 0.04    | 0.022   | 0.06    | 23.7    | 17.1    | 0.46    | 247     | 0.81    |
| I098631            |                                   | 0.64    | 12.9    | 2.48    | 5.94    | 0.07    | 0.04    | 0.03    | 0.022   | 0.06    | 19.5    | 15.6    | 0.45    | 263     | 0.80    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    | 0.2     |
| I000001            |                                   | 0.79    | 16.9    | 1080    | 6.9     | 4.2     | 0.001   | 0.10    | 0.61    | 2.5     | 1.0     | 0.4     | 80.7    | <0.01   | 0.04    | 0.5     |
| I000002            |                                   | 2.13    | 17.9    | 670     | 7.7     | 21.3    | <0.001  | 0.02    | 0.37    | 4.5     | 0.6     | 0.5     | 31.7    | <0.01   | 0.03    | 2.9     |
| I000003            |                                   | 1.62    | 18.2    | 690     | 6.8     | 13.6    | 0.001   | 0.02    | 0.36    | 4.3     | 0.4     | 0.5     | 31.7    | <0.01   | 0.02    | 3.0     |
| I000004            |                                   | 0.89    | 20.4    | 1000    | 6.4     | 5.4     | 0.001   | 0.14    | 0.63    | 2.0     | 1.3     | 0.3     | 179.0   | <0.01   | 0.06    | 0.6     |
| I000005            |                                   | 1.48    | 20.3    | 750     | 6.7     | 10.9    | 0.001   | 0.03    | 0.46    | 3.5     | 0.9     | 0.4     | 55.7    | <0.01   | 0.04    | 1.2     |
| I000006            |                                   | 2.40    | 17.4    | 620     | 7.8     | 22.9    | 0.001   | 0.01    | 0.50    | 4.8     | 0.5     | 0.6     | 32.3    | <0.01   | 0.02    | 4.3     |
| I000007            |                                   | 1.61    | 30.1    | 990     | 6.4     | 19.6    | 0.001   | 0.07    | 0.56    | 4.0     | 1.2     | 0.4     | 55.4    | <0.01   | 0.03    | 2.4     |
| I000008            |                                   | 2.46    | 16.4    | 330     | 8.9     | 26.8    | <0.001  | <0.01   | 0.39    | 5.9     | 0.3     | 0.7     | 22.9    | <0.01   | 0.02    | 7.7     |
| I000009            |                                   | 2.32    | 13.2    | 260     | 7.6     | 16.5    | 0.001   | <0.01   | 0.28    | 3.5     | <0.2    | 0.6     | 21.5    | <0.01   | 0.02    | 3.8     |
| I000010            |                                   | 2.52    | 15.8    | 330     | 9.0     | 18.0    | 0.001   | <0.01   | 0.30    | 3.5     | <0.2    | 0.6     | 20.6    | <0.01   | 0.03    | 3.8     |
| I000011            |                                   | 1.63    | 20.5    | 310     | 7.4     | 10.3    | <0.001  | <0.01   | 0.37    | 3.9     | 0.2     | 0.5     | 22.9    | <0.01   | 0.02    | 2.4     |
| I000012            |                                   | 2.51    | 22.0    | 680     | 7.3     | 22.2    | 0.001   | 0.03    | 0.59    | 5.2     | 0.9     | 0.5     | 60.0    | <0.01   | 0.02    | 4.7     |
| I000013            |                                   | 3.91    | 12.0    | 750     | 4.0     | 42.6    | 0.001   | 0.06    | 0.33    | 5.5     | 1.6     | 0.6     | 79.1    | 0.01    | 0.02    | 4.5     |
| I000014            |                                   | 2.15    | 11.9    | 420     | 6.6     | 20.1    | 0.001   | 0.01    | 0.30    | 3.5     | 0.6     | 0.5     | 19.3    | <0.01   | 0.04    | 2.5     |
| I000015            |                                   | 1.42    | 19.9    | 940     | 4.6     | 17.8    | 0.001   | 0.08    | 0.40    | 3.1     | 1.5     | 0.3     | 116.0   | 0.01    | 0.03    | 0.9     |
| I000016            |                                   | 3.27    | 15.9    | 270     | 8.3     | 24.7    | <0.001  | <0.01   | 0.39    | 3.5     | 0.2     | 0.6     | 24.9    | <0.01   | 0.03    | 7.6     |
| I000017            |                                   | 1.89    | 13.9    | 480     | 9.4     | 17.2    | <0.001  | 0.03    | 0.35    | 3.8     | 0.6     | 0.6     | 23.9    | <0.01   | 0.02    | 3.8     |
| I000018            |                                   | 1.72    | 17.2    | 620     | 7.6     | 13.6    | <0.001  | 0.04    | 0.48    | 4.1     | 0.8     | 0.5     | 40.7    | <0.01   | 0.03    | 3.5     |
| I000019            |                                   | 0.79    | 18.1    | 1020    | 5.1     | 9.1     | <0.001  | 0.14    | 0.66    | 2.2     | 1.6     | 0.3     | 102.0   | 0.01    | 0.03    | 0.7     |
| I000151            |                                   | 1.03    | 14.2    | 830     | 5.8     | 8.5     | <0.001  | 0.06    | 0.36    | 3.1     | 0.8     | 0.3     | 39.7    | <0.01   | 0.02    | 1.6     |
| I000152            |                                   | 0.39    | 11.5    | 820     | 1.8     | 5.3     | 0.001   | 0.14    | 0.21    | 0.6     | 1.1     | <0.2    | 96.8    | 0.01    | 0.01    | <0.2    |
| I000153            |                                   | 1.81    | 26.5    | 350     | 7.0     | 13.0    | 0.001   | 0.03    | 0.60    | 5.8     | 0.9     | 0.5     | 37.2    | <0.01   | 0.03    | 4.1     |
| I000154            |                                   | 0.18    | 4.4     | 130     | 1.4     | 2.0     | <0.001  | 0.02    | 0.12    | 0.6     | 0.2     | <0.2    | 5.5     | <0.01   | <0.01   | 1.6     |
| I000155            |                                   | 5.33    | 14.5    | 630     | 3.5     | 89.0    | <0.001  | 0.04    | 0.25    | 3.7     | 0.6     | 0.5     | 51.0    | <0.01   | 0.02    | 5.5     |
| I000156            |                                   | 1.72    | 21.4    | 310     | 8.2     | 12.1    | <0.001  | 0.03    | 0.44    | 4.7     | 0.6     | 0.5     | 28.7    | <0.01   | 0.04    | 4.2     |
| I000157            |                                   | 2.83    | 17.3    | 680     | 6.6     | 30.8    | <0.001  | 0.03    | 0.39    | 3.0     | 0.4     | 0.5     | 33.5    | <0.01   | 0.02    | 3.7     |
| I000158            |                                   | 1.48    | 25.1    | 220     | 6.9     | 18.6    | <0.001  | 0.03    | 0.49    | 7.8     | 0.6     | 0.5     | 31.6    | <0.01   | 0.02    | 7.1     |
| I000159            |                                   | 1.60    | 22.9    | 320     | 6.7     | 23.1    | <0.001  | 0.03    | 0.41    | 5.4     | 0.3     | 0.4     | 26.6    | <0.01   | 0.02    | 4.6     |
| I000160            |                                   | 2.54    | 18.3    | 550     | 3.9     | 80.4    | <0.001  | 0.03    | 0.22    | 6.6     | 0.3     | 0.3     | 24.7    | <0.01   | 0.01    | 5.1     |
| I000161            |                                   | 1.77    | 27.2    | 410     | 7.7     | 47.5    | <0.001  | 0.03    | 0.57    | 7.5     | 0.6     | 0.5     | 27.3    | <0.01   | 0.03    | 5.6     |
| I000162            |                                   | 1.64    | 21.3    | 350     | 6.1     | 25.2    | <0.001  | 0.02    | 0.33    | 5.4     | 0.3     | 0.4     | 25.9    | <0.01   | 0.02    | 4.9     |
| I000163            |                                   | 1.61    | 20.6    | 260     | 6.6     | 30.2    | <0.001  | 0.03    | 0.42    | 3.6     | 0.3     | 0.4     | 20.2    | <0.01   | 0.02    | 3.9     |
| I000164            |                                   | 2.53    | 18.4    | 460     | 5.8     | 12.4    | <0.001  | 0.03    | 0.28    | 3.7     | 0.4     | 0.5     | 30.0    | <0.01   | 0.02    | 5.7     |
| I000165            |                                   | 2.90    | 18.3    | 370     | 5.5     | 53.6    | <0.001  | 0.03    | 0.34    | 4.4     | 0.4     | 0.4     | 21.7    | <0.01   | 0.02    | 4.7     |
| I000166            |                                   | 1.30    | 19.2    | 260     | 7.7     | 12.7    | <0.001  | 0.03    | 0.46    | 3.1     | 0.4     | 0.5     | 16.4    | <0.01   | 0.02    | 3.1     |
| I000167            |                                   | 1.58    | 17.2    | 700     | 7.6     | 19.4    | <0.001  | 0.02    | 0.38    | 3.3     | 0.2     | 0.5     | 24.8    | <0.01   | 0.02    | 2.7     |
| I000168            |                                   | 1.62    | 13.3    | 300     | 5.5     | 20.8    | <0.001  | 0.03    | 0.40    | 2.5     | 0.3     | 0.5     | 16.3    | <0.01   | 0.02    | 2.6     |
| I000169            |                                   | 1.80    | 17.3    | 270     | 6.1     | 22.4    | <0.001  | 0.03    | 0.37    | 4.4     | 0.3     | 0.5     | 17.1    | <0.01   | 0.02    | 3.3     |
| I098630            |                                   | 1.67    | 14.0    | 560     | 8.8     | 13.8    | <0.001  | 0.04    | 0.33    | 3.3     | 0.9     | 0.6     | 33.4    | <0.01   | 0.03    | 2.4     |
| I098631            |                                   | 1.60    | 14.0    | 530     | 8.7     | 10.8    | <0.001  | 0.03    | 0.35    | 3.5     | 0.6     | 0.5     | 25.2    | <0.01   | 0.02    | 5.0     |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - D  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I000001            |                                   | 0.041   | 0.13    | 0.75    | 35      | 0.23    | 6.09    | 40      |
| I000002            |                                   | 0.126   | 0.17    | 1.18    | 64      | 0.17    | 6.68    | 74      |
| I000003            |                                   | 0.101   | 0.12    | 1.05    | 54      | 0.12    | 7.46    | 59      |
| I000004            |                                   | 0.037   | 0.06    | 3.58    | 27      | 0.23    | 6.61    | 53      |
| I000005            |                                   | 0.078   | 0.07    | 0.81    | 54      | 0.25    | 7.64    | 48      |
| I000006            |                                   | 0.124   | 0.14    | 0.81    | 61      | 0.15    | 7.91    | 61      |
| I000007            |                                   | 0.083   | 0.12    | 3.83    | 61      | 0.15    | 16.65   | 70      |
| I000008            |                                   | 0.126   | 0.13    | 0.93    | 73      | 0.19    | 4.59    | 60      |
| I000009            |                                   | 0.110   | 0.13    | 0.42    | 61      | 0.11    | 2.68    | 38      |
| I000010            |                                   | 0.129   | 0.13    | 0.42    | 66      | 0.11    | 2.59    | 53      |
| I000011            |                                   | 0.092   | 0.09    | 0.39    | 62      | 0.21    | 3.05    | 46      |
| I000012            |                                   | 0.104   | 0.12    | 0.86    | 57      | 0.29    | 10.95   | 66      |
| I000013            |                                   | 0.093   | 0.17    | 2.63    | 50      | 0.12    | 46.6    | 42      |
| I000014            |                                   | 0.099   | 0.12    | 1.11    | 57      | 0.16    | 7.49    | 31      |
| I000015            |                                   | 0.045   | 0.06    | 4.18    | 35      | 0.10    | 24.7    | 33      |
| I000016            |                                   | 0.134   | 0.15    | 0.48    | 75      | 0.15    | 2.77    | 49      |
| I000017            |                                   | 0.098   | 0.10    | 0.77    | 63      | 0.24    | 4.69    | 42      |
| I000018            |                                   | 0.089   | 0.09    | 0.69    | 50      | 0.39    | 6.15    | 61      |
| I000019            |                                   | 0.034   | 0.07    | 0.92    | 31      | 0.12    | 16.00   | 35      |
| I000151            |                                   | 0.066   | 0.06    | 0.52    | 46      | 0.27    | 4.86    | 57      |
| I000152            |                                   | 0.017   | 0.02    | 0.37    | 10      | <0.05   | 3.64    | 11      |
| I000153            |                                   | 0.112   | 0.08    | 1.33    | 57      | 0.30    | 18.90   | 41      |
| I000154            |                                   | 0.008   | 0.03    | 0.31    | 5       | 0.06    | 2.23    | 4       |
| I000155            |                                   | 0.300   | 0.56    | 0.64    | 90      | 0.19    | 3.67    | 116     |
| I000156            |                                   | 0.096   | 0.09    | 0.46    | 67      | 0.24    | 3.72    | 49      |
| I000157            |                                   | 0.130   | 0.13    | 0.35    | 63      | 0.16    | 1.92    | 55      |
| I000158            |                                   | 0.127   | 0.10    | 0.53    | 79      | 0.17    | 5.83    | 56      |
| I000159            |                                   | 0.138   | 0.14    | 0.40    | 75      | 0.18    | 3.18    | 63      |
| I000160            |                                   | 0.267   | 0.42    | 0.41    | 123     | 0.12    | 2.46    | 92      |
| I000161            |                                   | 0.187   | 0.25    | 0.81    | 95      | 0.19    | 4.35    | 73      |
| I000162            |                                   | 0.184   | 0.15    | 0.37    | 98      | 0.12    | 2.15    | 75      |
| I000163            |                                   | 0.136   | 0.13    | 0.34    | 68      | 0.15    | 2.25    | 46      |
| I000164            |                                   | 0.203   | 0.19    | 0.31    | 93      | 0.13    | 1.53    | 114     |
| I000165            |                                   | 0.173   | 0.26    | 0.40    | 88      | 0.14    | 1.94    | 67      |
| I000166            |                                   | 0.088   | 0.09    | 0.37    | 62      | 0.17    | 2.16    | 49      |
| I000167            |                                   | 0.098   | 0.11    | 0.35    | 64      | 0.27    | 2.29    | 64      |
| I000168            |                                   | 0.127   | 0.10    | 0.29    | 67      | 0.15    | 1.62    | 38      |
| I000169            |                                   | 0.128   | 0.13    | 0.43    | 74      | 0.15    | 2.38    | 48      |
| I098630            |                                   | 0.077   | 0.11    | 1.16    | 53      | 0.36    | 6.56    | 55      |
| I098631            |                                   | 0.079   | 0.09    | 1.03    | 52      | 0.39    | 6.10    | 55      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.2 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|
| I098632            |                                   | 0.28                              | 0.007                         | 0.10                         | 1.36                       | 4.0                         | <0.2                        | <10                       | 130                        | 0.20                         | 0.19                         | 0.26                       | 0.08                         | 30.7                         | 6.3                         | 17                        |
| I098633            |                                   | 0.30                              | <0.005                        | 0.13                         | 2.33                       | 4.2                         | <0.2                        | <10                       | 230                        | 0.44                         | 0.21                         | 0.41                       | 0.13                         | 65.9                         | 11.4                        | 20                        |
| I098634            |                                   | 0.36                              | 0.005                         | 0.09                         | 2.06                       | 4.3                         | <0.2                        | <10                       | 210                        | 0.32                         | 0.12                         | 0.40                       | 0.10                         | 36.1                         | 9.6                         | 24                        |
| I098635            |                                   | 0.42                              | <0.005                        | 0.05                         | 1.55                       | 5.5                         | <0.2                        | <10                       | 180                        | 0.28                         | 0.12                         | 0.40                       | 0.09                         | 28.8                         | 8.6                         | 22                        |
| I098636            |                                   | 0.44                              | 0.005                         | 0.06                         | 1.59                       | 5.8                         | <0.2                        | <10                       | 190                        | 0.35                         | 0.12                         | 0.41                       | 0.08                         | 32.2                         | 8.1                         | 23                        |
| I098637            |                                   | 0.34                              | <0.005                        | 0.11                         | 2.12                       | 7.5                         | <0.2                        | <10                       | 260                        | 0.38                         | 0.17                         | 0.48                       | 0.14                         | 34.7                         | 9.6                         | 29                        |
| I098638            |                                   | 0.40                              | 0.006                         | 0.04                         | 1.40                       | 7.0                         | <0.2                        | <10                       | 190                        | 0.23                         | 0.14                         | 0.28                       | 0.08                         | 18.35                        | 6.9                         | 22                        |
| I098639            |                                   | 0.40                              | <0.005                        | 0.06                         | 1.75                       | 2.6                         | <0.2                        | <10                       | 150                        | 0.29                         | 0.16                         | 0.18                       | 0.15                         | 23.3                         | 9.2                         | 19                        |
| I098640            |                                   | 0.36                              | <0.005                        | 0.15                         | 2.04                       | 5.3                         | <0.2                        | <10                       | 390                        | 0.51                         | 0.15                         | 0.34                       | 0.14                         | 22.0                         | 15.5                        | 24                        |
| I098641            |                                   | 0.34                              | <0.005                        | 0.12                         | 1.67                       | 6.1                         | <0.2                        | <10                       | 210                        | 0.27                         | 0.16                         | 0.25                       | 0.10                         | 19.25                        | 7.4                         | 23                        |
| I098642            |                                   | 0.34                              | <0.005                        | 0.09                         | 1.81                       | 6.9                         | <0.2                        | <10                       | 150                        | 0.24                         | 0.15                         | 0.15                       | 0.07                         | 22.7                         | 8.9                         | 23                        |
| I098643            |                                   | 0.46                              | <0.005                        | 0.06                         | 1.69                       | 9.1                         | <0.2                        | <10                       | 120                        | 0.20                         | 0.15                         | 0.19                       | 0.04                         | 19.35                        | 6.4                         | 24                        |
| I098644            |                                   | 0.46                              | <0.005                        | 0.13                         | 1.79                       | 5.5                         | <0.2                        | <10                       | 180                        | 0.21                         | 0.17                         | 0.19                       | 0.08                         | 21.4                         | 6.2                         | 22                        |
| I098645            |                                   | 0.34                              | <0.005                        | 0.18                         | 2.43                       | 2.7                         | <0.2                        | <10                       | 300                        | 0.39                         | 0.09                         | 0.66                       | 0.10                         | 66.6                         | 10.8                        | 19                        |
| I098646            |                                   | 0.42                              | <0.005                        | 0.06                         | 2.74                       | 2.4                         | <0.2                        | <10                       | 270                        | 0.30                         | 0.05                         | 0.40                       | 0.06                         | 27.7                         | 16.7                        | 15                        |
| I098647            |                                   | 0.40                              | <0.005                        | 0.06                         | 1.41                       | 5.2                         | <0.2                        | <10                       | 230                        | 0.29                         | 0.10                         | 0.31                       | 0.04                         | 28.7                         | 8.1                         | 24                        |
| I098648            |                                   | 0.44                              | <0.005                        | 0.03                         | 2.68                       | 7.3                         | <0.2                        | <10                       | 160                        | 0.48                         | 0.08                         | 0.14                       | 0.06                         | 19.75                        | 13.8                        | 22                        |
| I098649            |                                   | 0.52                              | <0.005                        | 0.01                         | 0.09                       | 2.0                         | <0.2                        | <10                       | 20                         | 0.09                         | 0.02                         | 0.10                       | 0.04                         | 10.50                        | 2.1                         | 3                         |
| I098650            |                                   | 0.48                              | <0.005                        | 0.05                         | 1.41                       | 6.0                         | <0.2                        | <10                       | 80                         | 0.19                         | 0.14                         | 0.10                       | 0.07                         | 16.30                        | 6.0                         | 18                        |
| I098892            |                                   | 0.38                              | <0.005                        | 0.16                         | 2.02                       | 5.7                         | <0.2                        | <10                       | 160                        | 0.27                         | 0.15                         | 0.22                       | 0.09                         | 22.3                         | 8.0                         | 27                        |
| I098893            |                                   | 0.36                              | <0.005                        | 0.07                         | 1.35                       | 5.2                         | <0.2                        | <10                       | 130                        | 0.16                         | 0.10                         | 0.22                       | 0.13                         | 18.75                        | 6.2                         | 20                        |
| I098894            |                                   | 0.42                              | <0.005                        | 0.07                         | 1.83                       | 7.4                         | <0.2                        | <10                       | 160                        | 0.27                         | 0.13                         | 0.30                       | 0.14                         | 23.6                         | 8.3                         | 25                        |
| I098895            |                                   | 0.42                              | <0.005                        | 0.10                         | 1.65                       | 6.1                         | <0.2                        | <10                       | 180                        | 0.24                         | 0.13                         | 0.29                       | 0.14                         | 22.6                         | 8.2                         | 23                        |
| I098896            |                                   | 0.48                              | <0.005                        | 0.10                         | 1.73                       | 6.4                         | <0.2                        | <10                       | 170                        | 0.24                         | 0.12                         | 0.28                       | 0.14                         | 23.0                         | 8.8                         | 24                        |
| I098897            |                                   | 0.42                              | <0.005                        | 0.09                         | 1.55                       | 5.3                         | <0.2                        | <10                       | 180                        | 0.26                         | 0.11                         | 0.30                       | 0.13                         | 24.4                         | 7.9                         | 21                        |
| I098898            |                                   | 0.52                              | 0.005                         | 0.07                         | 1.83                       | 6.0                         | <0.2                        | <10                       | 160                        | 0.31                         | 0.13                         | 0.26                       | 0.15                         | 37.1                         | 9.8                         | 23                        |
| I098899            |                                   | 0.44                              | <0.005                        | 0.09                         | 1.72                       | 5.6                         | <0.2                        | <10                       | 210                        | 0.34                         | 0.14                         | 0.47                       | 0.22                         | 31.0                         | 12.2                        | 23                        |
| I098900            |                                   | 0.38                              | <0.005                        | 0.11                         | 1.84                       | 6.6                         | <0.2                        | <10                       | 250                        | 0.35                         | 0.16                         | 0.51                       | 0.14                         | 25.9                         | 9.0                         | 27                        |
| I099251            |                                   | 0.40                              | 0.005                         | 0.04                         | 1.73                       | 8.2                         | <0.2                        | <10                       | 220                        | 0.35                         | 0.17                         | 0.24                       | 0.09                         | 23.9                         | 7.5                         | 32                        |
| I099252            |                                   | 0.44                              | 0.005                         | 0.09                         | 1.57                       | 6.9                         | <0.2                        | <10                       | 210                        | 0.30                         | 0.14                         | 0.36                       | 0.19                         | 22.0                         | 6.4                         | 25                        |
| I099253            |                                   | 0.34                              | 0.005                         | 0.14                         | 1.68                       | 7.7                         | <0.2                        | <10                       | 290                        | 0.41                         | 0.15                         | 0.47                       | 0.17                         | 32.6                         | 10.0                        | 29                        |
| I099254            |                                   | 0.34                              | 0.005                         | 0.10                         | 1.80                       | 8.2                         | <0.2                        | <10                       | 180                        | 0.36                         | 0.17                         | 0.24                       | 0.11                         | 28.9                         | 8.1                         | 29                        |
| I099255            |                                   | 0.50                              | <0.005                        | 0.10                         | 1.88                       | 8.3                         | <0.2                        | <10                       | 160                        | 0.32                         | 0.16                         | 0.25                       | 0.06                         | 28.8                         | 7.9                         | 30                        |
| I099256            |                                   | 0.24                              | <0.005                        | 0.10                         | 1.56                       | 4.4                         | <0.2                        | <10                       | 160                        | 0.33                         | 0.15                         | 0.19                       | 0.04                         | 43.8                         | 8.1                         | 24                        |
| I099257            |                                   | 0.46                              | <0.005                        | 0.11                         | 2.11                       | 9.8                         | <0.2                        | <10                       | 240                        | 0.32                         | 0.18                         | 0.16                       | 0.12                         | 18.30                        | 9.6                         | 31                        |
| I099258            |                                   | 0.36                              | <0.005                        | 0.04                         | 1.79                       | 13.3                        | <0.2                        | <10                       | 130                        | 0.23                         | 0.19                         | 0.13                       | 0.06                         | 22.7                         | 6.6                         | 28                        |
| I099259            |                                   | 0.22                              | <0.005                        | 0.08                         | 1.73                       | 3.3                         | <0.2                        | <10                       | 100                        | 0.32                         | 0.15                         | 0.20                       | 0.08                         | 37.4                         | 6.2                         | 13                        |
| I099260            |                                   | 0.32                              | <0.005                        | 0.06                         | 1.78                       | 5.7                         | <0.2                        | <10                       | 120                        | 0.32                         | 0.12                         | 0.20                       | 0.08                         | 26.0                         | 8.7                         | 24                        |
| I099261            |                                   | 0.30                              | <0.005                        | 0.03                         | 2.00                       | 5.6                         | <0.2                        | <10                       | 100                        | 0.25                         | 0.10                         | 0.18                       | 0.06                         | 22.5                         | 8.1                         | 24                        |
| I099262            |                                   | 0.28                              | <0.005                        | 0.04                         | 1.83                       | 5.3                         | <0.2                        | <10                       | 130                        | 0.33                         | 0.10                         | 0.23                       | 0.05                         | 38.0                         | 8.8                         | 23                        |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I098632            |                                   | 0.66    | 66.6    | 2.03    | 5.37    | 0.06    | 0.03    | 0.08    | 0.014   | 0.09    | 22.2    | 11.0    | 0.40    | 258     | 0.74    |
| I098633            |                                   | 0.99    | 16.3    | 3.18    | 8.16    | 0.13    | 0.07    | 0.05    | 0.022   | 0.43    | 38.6    | 17.4    | 0.63    | 646     | 1.10    |
| I098634            |                                   | 0.73    | 16.7    | 2.78    | 6.84    | 0.10    | 0.07    | 0.03    | 0.020   | 0.30    | 21.9    | 16.8    | 0.63    | 444     | 0.95    |
| I098635            |                                   | 0.69    | 13.4    | 2.41    | 5.51    | 0.07    | 0.09    | 0.02    | 0.018   | 0.12    | 17.3    | 16.2    | 0.49    | 344     | 0.79    |
| I098636            |                                   | 0.68    | 14.9    | 2.50    | 5.58    | 0.08    | 0.10    | 0.03    | 0.019   | 0.11    | 19.4    | 17.1    | 0.50    | 301     | 0.86    |
| I098637            |                                   | 0.80    | 17.9    | 3.01    | 7.18    | 0.09    | 0.09    | 0.04    | 0.026   | 0.15    | 22.8    | 18.5    | 0.56    | 332     | 0.97    |
| I098638            |                                   | 0.45    | 10.1    | 2.47    | 5.97    | 0.06    | 0.07    | 0.01    | 0.015   | 0.24    | 10.5    | 15.5    | 0.51    | 257     | 0.99    |
| I098639            |                                   | 0.89    | 7.8     | 2.76    | 9.30    | 0.06    | 0.03    | 0.01    | 0.018   | 0.13    | 11.8    | 15.9    | 0.42    | 558     | 0.94    |
| I098640            |                                   | 1.10    | 13.6    | 3.26    | 6.81    | 0.08    | 0.07    | 0.02    | 0.022   | 0.28    | 12.0    | 19.8    | 0.70    | 1080    | 0.87    |
| I098641            |                                   | 0.70    | 16.1    | 2.51    | 6.96    | 0.06    | 0.11    | 0.02    | 0.018   | 0.10    | 10.7    | 13.9    | 0.56    | 267     | 0.93    |
| I098642            |                                   | 0.68    | 12.8    | 2.85    | 6.93    | 0.06    | 0.07    | 0.02    | 0.018   | 0.13    | 13.1    | 16.5    | 0.55    | 334     | 1.25    |
| I098643            |                                   | 0.71    | 9.3     | 2.68    | 6.98    | 0.06    | 0.14    | 0.01    | 0.017   | 0.06    | 10.6    | 12.7    | 0.48    | 202     | 0.80    |
| I098644            |                                   | 0.68    | 13.6    | 2.34    | 7.74    | 0.05    | 0.03    | 0.02    | 0.018   | 0.07    | 13.0    | 10.2    | 0.46    | 177     | 0.83    |
| I098645            |                                   | 1.09    | 15.5    | 3.73    | 8.88    | 0.11    | 0.04    | 0.04    | 0.023   | 0.43    | 52.4    | 21.8    | 1.17    | 594     | 0.62    |
| I098646            |                                   | 1.40    | 21.2    | 4.15    | 7.59    | 0.13    | 0.05    | 0.02    | 0.010   | 1.15    | 25.6    | 26.8    | 1.36    | 772     | 0.47    |
| I098647            |                                   | 0.45    | 17.7    | 2.29    | 4.32    | 0.06    | 0.04    | 0.02    | 0.017   | 0.05    | 15.6    | 11.7    | 0.50    | 324     | 0.55    |
| I098648            |                                   | 1.31    | 14.6    | 3.94    | 7.49    | 0.08    | 0.02    | 0.01    | 0.017   | 0.55    | 10.0    | 21.2    | 1.04    | 483     | 0.63    |
| I098649            |                                   | 0.08    | 1.8     | 0.61    | 0.47    | <0.05   | 0.05    | <0.01   | <0.005  | 0.02    | 5.1     | 1.2     | 0.04    | 161     | 0.30    |
| I098650            |                                   | 0.62    | 9.3     | 2.33    | 6.52    | 0.05    | 0.04    | 0.01    | 0.014   | 0.10    | 8.0     | 9.4     | 0.38    | 224     | 0.84    |
| I098892            |                                   | 1.03    | 31.3    | 2.80    | 6.59    | 0.07    | 0.03    | 0.05    | 0.022   | 0.19    | 13.1    | 11.7    | 0.61    | 247     | 0.91    |
| I098893            |                                   | 0.57    | 14.4    | 2.17    | 4.59    | 0.06    | 0.02    | 0.03    | 0.015   | 0.06    | 9.6     | 9.2     | 0.45    | 214     | 0.87    |
| I098894            |                                   | 0.80    | 13.4    | 2.69    | 5.44    | <0.05   | 0.04    | 0.03    | 0.021   | 0.07    | 14.8    | 14.8    | 0.56    | 250     | 0.74    |
| I098895            |                                   | 0.70    | 13.2    | 2.42    | 5.52    | 0.06    | 0.03    | 0.03    | 0.017   | 0.06    | 11.7    | 12.9    | 0.53    | 233     | 0.69    |
| I098896            |                                   | 0.63    | 14.1    | 2.62    | 5.48    | 0.06    | 0.02    | 0.04    | 0.018   | 0.07    | 11.7    | 13.3    | 0.54    | 292     | 0.68    |
| I098897            |                                   | 0.58    | 15.3    | 2.43    | 4.98    | 0.06    | 0.02    | 0.14    | 0.016   | 0.10    | 12.7    | 11.4    | 0.53    | 284     | 0.65    |
| I098898            |                                   | 0.74    | 13.7    | 2.71    | 6.08    | 0.07    | 0.03    | 0.04    | 0.019   | 0.12    | 22.6    | 16.1    | 0.54    | 344     | 0.75    |
| I098899            |                                   | 0.53    | 17.0    | 2.51    | 5.68    | 0.07    | 0.03    | 0.03    | 0.021   | 0.15    | 15.3    | 11.3    | 0.46    | 743     | 2.10    |
| I098900            |                                   | 0.54    | 19.3    | 2.48    | 5.53    | 0.06    | 0.05    | 0.05    | 0.024   | 0.05    | 13.4    | 10.9    | 0.37    | 347     | 2.08    |
| I099251            |                                   | 0.54    | 19.8    | 2.66    | 5.33    | 0.06    | 0.05    | 0.01    | 0.020   | 0.05    | 12.4    | 14.2    | 0.49    | 258     | 1.59    |
| I099252            |                                   | 0.56    | 16.4    | 2.30    | 5.41    | 0.05    | 0.02    | 0.03    | 0.017   | 0.06    | 11.8    | 12.1    | 0.44    | 312     | 1.92    |
| I099253            |                                   | 0.51    | 25.1    | 2.62    | 5.30    | 0.08    | 0.08    | 0.03    | 0.022   | 0.06    | 16.0    | 13.7    | 0.54    | 388     | 0.94    |
| I099254            |                                   | 0.52    | 24.0    | 2.70    | 5.78    | 0.08    | 0.05    | 0.03    | 0.022   | 0.06    | 16.6    | 12.0    | 0.44    | 272     | 1.09    |
| I099255            |                                   | 0.56    | 24.1    | 2.83    | 6.22    | 0.08    | 0.05    | 0.02    | 0.024   | 0.06    | 17.9    | 14.8    | 0.51    | 261     | 1.49    |
| I099256            |                                   | 0.69    | 16.4    | 2.62    | 6.66    | 0.07    | 0.04    | 0.01    | 0.016   | 0.13    | 28.8    | 14.7    | 0.49    | 456     | 2.67    |
| I099257            |                                   | 0.77    | 15.4    | 3.20    | 6.89    | 0.05    | 0.03    | 0.02    | 0.024   | 0.08    | 8.6     | 14.6    | 0.51    | 715     | 1.26    |
| I099258            |                                   | 0.77    | 14.3    | 3.49    | 8.41    | 0.07    | 0.03    | 0.02    | 0.024   | 0.04    | 10.4    | 12.9    | 0.45    | 179     | 1.26    |
| I099259            |                                   | 1.18    | 21.0    | 2.60    | 7.80    | 0.05    | 0.02    | 0.03    | 0.014   | 0.35    | 13.4    | 12.2    | 0.54    | 378     | 3.36    |
| I099260            |                                   | 0.93    | 19.6    | 2.77    | 5.98    | 0.07    | 0.03    | 0.02    | 0.016   | 0.16    | 13.3    | 16.8    | 0.57    | 319     | 1.27    |
| I099261            |                                   | 1.02    | 31.5    | 3.10    | 6.36    | 0.07    | 0.03    | 0.02    | 0.018   | 0.17    | 14.2    | 16.3    | 0.61    | 307     | 13.70   |
| I099262            |                                   | 0.82    | 22.8    | 2.88    | 6.56    | 0.09    | 0.05    | 0.09    | 0.019   | 0.29    | 25.4    | 16.0    | 0.72    | 415     | 2.77    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I098632            |                                   | 1.62    | 9.3     | 480     | 11.2    | 15.4    | <0.001  | 0.04    | 0.30    | 2.7     | 0.6     | 5.6     | 21.8    | <0.01   | 0.01    |
| I098633            |                                   | 2.79    | 13.1    | 630     | 7.8     | 44.5    | <0.001  | 0.05    | 0.27    | 6.8     | 0.8     | 0.7     | 34.2    | <0.01   | 0.01    |
| I098634            |                                   | 2.41    | 14.7    | 490     | 5.7     | 32.0    | <0.001  | 0.04    | 0.30    | 5.1     | 0.6     | 0.6     | 33.6    | <0.01   | 0.02    |
| I098635            |                                   | 2.43    | 14.1    | 410     | 6.4     | 21.1    | <0.001  | 0.03    | 0.40    | 3.6     | 0.5     | 0.5     | 32.8    | <0.01   | 0.02    |
| I098636            |                                   | 2.47    | 14.3    | 380     | 6.9     | 19.7    | <0.001  | 0.03    | 0.40    | 3.8     | 0.5     | 0.5     | 33.4    | <0.01   | 0.01    |
| I098637            |                                   | 2.47    | 18.1    | 440     | 8.3     | 23.0    | <0.001  | 0.04    | 0.50    | 5.0     | 0.8     | 0.6     | 38.0    | <0.01   | 0.03    |
| I098638            |                                   | 2.84    | 14.0    | 210     | 6.7     | 24.4    | <0.001  | 0.03    | 0.35    | 2.9     | 0.4     | 0.6     | 21.9    | <0.01   | 0.02    |
| I098639            |                                   | 3.44    | 11.0    | 2020    | 8.2     | 19.0    | <0.001  | 0.03    | 0.25    | 3.0     | 0.3     | 0.9     | 13.6    | <0.01   | 0.02    |
| I098640            |                                   | 2.26    | 19.4    | 2530    | 7.4     | 34.7    | <0.001  | 0.03    | 0.36    | 4.0     | 0.5     | 0.5     | 26.5    | <0.01   | 0.03    |
| I098641            |                                   | 1.84    | 14.2    | 220     | 7.3     | 20.6    | <0.001  | 0.02    | 0.32    | 3.4     | 0.3     | 0.6     | 23.4    | <0.01   | 0.03    |
| I098642            |                                   | 2.23    | 13.1    | 260     | 7.2     | 24.4    | <0.001  | 0.03    | 0.34    | 3.4     | 0.5     | 0.6     | 15.5    | <0.01   | 0.03    |
| I098643            |                                   | 1.50    | 12.0    | 130     | 7.6     | 14.8    | <0.001  | 0.02    | 0.37    | 3.1     | 0.3     | 0.7     | 18.9    | <0.01   | 0.03    |
| I098644            |                                   | 1.75    | 12.1    | 250     | 7.7     | 13.5    | <0.001  | <0.01   | 0.27    | 3.5     | 0.5     | 0.6     | 18.0    | <0.01   | 0.02    |
| I098645            |                                   | 2.68    | 9.6     | 690     | 6.7     | 36.9    | <0.001  | 0.02    | 0.16    | 9.2     | 0.8     | 0.6     | 40.1    | <0.01   | 0.03    |
| I098646            |                                   | 2.50    | 9.1     | 610     | 3.8     | 75.8    | <0.001  | 0.01    | 0.13    | 4.1     | 0.5     | 0.3     | 22.3    | <0.01   | 0.01    |
| I098647            |                                   | 1.11    | 14.5    | 490     | 5.6     | 7.1     | <0.001  | <0.01   | 0.28    | 4.5     | 0.4     | 0.4     | 23.1    | <0.01   | 0.02    |
| I098648            |                                   | 2.26    | 13.8    | 470     | 5.4     | 56.8    | <0.001  | <0.01   | 0.24    | 3.8     | 0.3     | 0.4     | 14.5    | <0.01   | 0.03    |
| I098649            |                                   | 0.17    | 4.0     | 140     | 1.6     | 1.7     | <0.001  | <0.01   | 0.11    | 0.6     | 0.2     | <0.2    | 6.4     | <0.01   | <0.01   |
| I098650            |                                   | 2.00    | 6.7     | 170     | 6.4     | 13.6    | <0.001  | <0.01   | 0.26    | 2.4     | 0.3     | 0.5     | 9.8     | <0.01   | 0.02    |
| I098892            |                                   | 1.97    | 14.4    | 510     | 6.6     | 31.7    | <0.001  | 0.02    | 0.37    | 3.4     | 0.9     | 0.5     | 20.0    | <0.01   | 0.04    |
| I098893            |                                   | 1.42    | 10.8    | 510     | 5.2     | 10.6    | <0.001  | 0.01    | 0.27    | 2.5     | 0.5     | 0.4     | 16.4    | <0.01   | 0.03    |
| I098894            |                                   | 2.11    | 15.1    | 590     | 8.2     | 13.3    | <0.001  | 0.02    | 0.31    | 3.7     | 0.5     | 0.5     | 23.5    | <0.01   | 0.02    |
| I098895            |                                   | 1.61    | 14.1    | 510     | 6.8     | 12.6    | <0.001  | 0.01    | 0.30    | 3.5     | 0.6     | 0.4     | 23.4    | <0.01   | 0.03    |
| I098896            |                                   | 1.54    | 13.4    | 600     | 6.6     | 12.3    | <0.001  | 0.01    | 0.28    | 3.4     | 0.6     | 0.4     | 20.3    | <0.01   | 0.03    |
| I098897            |                                   | 1.46    | 12.1    | 600     | 5.8     | 13.7    | <0.001  | 0.01    | 0.26    | 3.4     | 0.6     | 0.4     | 21.2    | <0.01   | 0.02    |
| I098898            |                                   | 1.90    | 13.4    | 570     | 6.8     | 18.3    | <0.001  | 0.01    | 0.27    | 3.8     | 0.6     | 0.5     | 19.2    | <0.01   | 0.03    |
| I098899            |                                   | 1.57    | 13.6    | 540     | 6.6     | 20.6    | <0.001  | 0.01    | 0.30    | 4.2     | 0.7     | 0.5     | 33.8    | <0.01   | 0.03    |
| I098900            |                                   | 1.32    | 14.6    | 520     | 7.5     | 8.1     | <0.001  | 0.02    | 0.36    | 4.5     | 0.8     | 0.5     | 37.6    | <0.01   | 0.03    |
| I099251            |                                   | 1.32    | 18.8    | 210     | 9.2     | 8.9     | <0.001  | <0.01   | 0.45    | 4.0     | 0.4     | 0.6     | 21.5    | <0.01   | 0.03    |
| I099252            |                                   | 1.40    | 15.1    | 440     | 7.2     | 11.9    | <0.001  | <0.01   | 0.29    | 3.5     | 0.5     | 0.6     | 22.3    | <0.01   | 0.03    |
| I099253            |                                   | 1.48    | 21.1    | 520     | 7.6     | 10.6    | <0.001  | <0.01   | 0.47    | 5.2     | 0.9     | 0.5     | 33.3    | <0.01   | 0.04    |
| I099254            |                                   | 1.42    | 17.6    | 490     | 8.1     | 8.2     | <0.001  | <0.01   | 0.39    | 4.7     | 0.6     | 0.5     | 19.6    | <0.01   | 0.03    |
| I099255            |                                   | 1.61    | 18.4    | 420     | 8.4     | 9.8     | <0.001  | <0.01   | 0.41    | 4.4     | 0.6     | 0.6     | 22.3    | <0.01   | 0.03    |
| I099256            |                                   | 2.44    | 12.9    | 260     | 8.6     | 31.2    | <0.001  | <0.01   | 0.28    | 4.0     | 0.5     | 0.7     | 19.6    | <0.01   | 0.03    |
| I099257            |                                   | 1.80    | 20.2    | 460     | 8.5     | 14.3    | <0.001  | <0.01   | 0.48    | 3.4     | 0.4     | 0.6     | 15.7    | <0.01   | 0.04    |
| I099258            |                                   | 1.82    | 16.6    | 210     | 9.5     | 9.9     | <0.001  | <0.01   | 0.48    | 3.7     | 0.4     | 0.7     | 12.5    | <0.01   | 0.05    |
| I099259            |                                   | 2.83    | 6.3     | 680     | 5.5     | 49.5    | <0.001  | 0.02    | 0.15    | 2.0     | 0.6     | 1.4     | 16.8    | <0.01   | 0.03    |
| I099260            |                                   | 2.46    | 15.0    | 430     | 6.0     | 30.3    | <0.001  | <0.01   | 0.35    | 3.3     | 0.6     | 0.5     | 15.4    | <0.01   | 0.03    |
| I099261            |                                   | 2.96    | 13.1    | 340     | 5.7     | 30.8    | <0.001  | <0.01   | 0.29    | 3.2     | 0.5     | 0.6     | 13.5    | <0.01   | 0.03    |
| I099262            |                                   | 2.31    | 13.4    | 520     | 5.5     | 38.7    | <0.001  | <0.01   | 0.32    | 5.1     | 0.5     | 0.9     | 16.1    | <0.01   | 0.03    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 3 - D  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I098632            |                                   | 0.077              | 0.09                 | 0.93                | 41                  | 0.21                | 5.24                | 53                   | 0.6                  |
| I098633            |                                   | 0.120              | 0.21                 | 3.00                | 64                  | 0.18                | 12.15               | 62                   | 2.1                  |
| I098634            |                                   | 0.122              | 0.15                 | 2.27                | 59                  | 0.16                | 7.14                | 51                   | 2.5                  |
| I098635            |                                   | 0.104              | 0.12                 | 1.55                | 48                  | 0.21                | 5.74                | 46                   | 3.1                  |
| I098636            |                                   | 0.109              | 0.11                 | 1.91                | 51                  | 0.24                | 6.00                | 46                   | 3.5                  |
| I098637            |                                   | 0.109              | 0.13                 | 0.99                | 58                  | 0.28                | 6.53                | 57                   | 2.8                  |
| I098638            |                                   | 0.109              | 0.10                 | 0.38                | 57                  | 0.17                | 3.23                | 43                   | 2.2                  |
| I098639            |                                   | 0.110              | 0.20                 | 0.44                | 51                  | 0.15                | 2.87                | 67                   | 1.2                  |
| I098640            |                                   | 0.127              | 0.14                 | 0.44                | 65                  | 0.14                | 3.70                | 71                   | 2.5                  |
| I098641            |                                   | 0.119              | 0.11                 | 0.53                | 62                  | 0.15                | 3.35                | 49                   | 3.4                  |
| I098642            |                                   | 0.120              | 0.12                 | 0.82                | 65                  | 0.18                | 2.96                | 47                   | 2.1                  |
| I098643            |                                   | 0.118              | 0.10                 | 0.51                | 65                  | 0.19                | 2.64                | 41                   | 4.1                  |
| I098644            |                                   | 0.105              | 0.11                 | 0.55                | 54                  | 0.16                | 3.22                | 48                   | 1.0                  |
| I098645            |                                   | 0.138              | 0.18                 | 2.04                | 84                  | 0.12                | 14.35               | 76                   | 0.8                  |
| I098646            |                                   | 0.246              | 0.38                 | 0.94                | 93                  | 0.13                | 6.42                | 73                   | 1.9                  |
| I098647            |                                   | 0.090              | 0.06                 | 0.69                | 49                  | 0.14                | 6.56                | 45                   | 1.8                  |
| I098648            |                                   | 0.150              | 0.26                 | 0.44                | 84                  | 0.14                | 1.99                | 55                   | 1.0                  |
| I098649            |                                   | 0.006              | 0.03                 | 0.29                | 4                   | <0.05               | 2.07                | 6                    | 2.0                  |
| I098650            |                                   | 0.107              | 0.09                 | 0.34                | 65                  | 0.12                | 1.73                | 30                   | 1.8                  |
| I098892            |                                   | 0.119              | 0.16                 | 0.87                | 58                  | 0.25                | 3.78                | 60                   | 1.1                  |
| I098893            |                                   | 0.091              | 0.08                 | 0.56                | 49                  | 0.28                | 3.37                | 47                   | 0.7                  |
| I098894            |                                   | 0.116              | 0.12                 | 0.64                | 60                  | 0.26                | 4.70                | 57                   | 1.2                  |
| I098895            |                                   | 0.094              | 0.10                 | 0.65                | 53                  | 0.18                | 4.37                | 60                   | 0.9                  |
| I098896            |                                   | 0.097              | 0.09                 | 0.66                | 57                  | 0.36                | 4.22                | 61                   | 0.8                  |
| I098897            |                                   | 0.091              | 0.09                 | 0.67                | 52                  | 0.18                | 4.69                | 58                   | 0.8                  |
| I098898            |                                   | 0.095              | 0.12                 | 0.92                | 55                  | 0.19                | 6.07                | 67                   | 0.9                  |
| I098899            |                                   | 0.086              | 0.09                 | 2.04                | 54                  | 0.19                | 6.24                | 56                   | 1.1                  |
| I098900            |                                   | 0.074              | 0.06                 | 2.05                | 53                  | 0.37                | 5.92                | 48                   | 2.0                  |
| I099251            |                                   | 0.079              | 0.07                 | 0.91                | 60                  | 0.17                | 4.20                | 47                   | 2.3                  |
| I099252            |                                   | 0.062              | 0.07                 | 0.85                | 51                  | 0.18                | 4.61                | 52                   | 0.9                  |
| I099253            |                                   | 0.080              | 0.07                 | 1.41                | 53                  | 0.21                | 8.51                | 51                   | 2.9                  |
| I099254            |                                   | 0.082              | 0.07                 | 1.17                | 54                  | 0.45                | 6.92                | 49                   | 1.6                  |
| I099255            |                                   | 0.093              | 0.09                 | 1.32                | 59                  | 0.25                | 6.01                | 50                   | 2.3                  |
| I099256            |                                   | 0.106              | 0.16                 | 1.45                | 60                  | 0.19                | 6.93                | 42                   | 1.2                  |
| I099257            |                                   | 0.092              | 0.13                 | 0.44                | 72                  | 0.23                | 2.07                | 53                   | 1.0                  |
| I099258            |                                   | 0.107              | 0.12                 | 0.46                | 87                  | 0.26                | 2.76                | 42                   | 1.3                  |
| I099259            |                                   | 0.099              | 0.24                 | 0.81                | 52                  | 0.20                | 3.14                | 44                   | <0.5                 |
| I099260            |                                   | 0.116              | 0.18                 | 0.63                | 56                  | 0.16                | 3.87                | 54                   | 1.2                  |
| I099261            |                                   | 0.137              | 0.20                 | 0.76                | 65                  | 0.23                | 3.50                | 52                   | 1.5                  |
| I099262            |                                   | 0.118              | 0.23                 | 1.10                | 60                  | 0.19                | 6.28                | 52                   | 1.7                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - A  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.2 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|
| I099263            |                                   | 0.32                              | <0.005                        | 0.10                         | 1.74                       | 5.1                         | <0.2                        | <10                       | 140                        | 0.31                         | 0.11                         | 0.26                       | 0.07                         | 21.6                         | 9.0                         | 60                        |
| I099264            |                                   | 0.34                              | 0.007                         | 0.09                         | 1.53                       | 6.6                         | <0.2                        | <10                       | 230                        | 0.33                         | 0.13                         | 0.33                       | 0.12                         | 33.7                         | 7.6                         | 32                        |
| I099265            |                                   | 0.32                              | <0.005                        | 0.28                         | 1.66                       | 4.3                         | <0.2                        | <10                       | 230                        | 0.29                         | 0.17                         | 0.26                       | 0.13                         | 36.6                         | 4.6                         | 22                        |
| I099266            |                                   | 0.24                              | <0.005                        | 0.49                         | 2.19                       | 8.4                         | <0.2                        | <10                       | 290                        | 0.55                         | 0.23                         | 0.30                       | 0.20                         | 51.6                         | 6.7                         | 29                        |
| I099267            |                                   | 0.46                              | 0.006                         | 0.13                         | 1.93                       | 7.2                         | <0.2                        | <10                       | 200                        | 0.39                         | 0.17                         | 0.26                       | 0.10                         | 37.9                         | 6.4                         | 28                        |
| I099268            |                                   | 0.26                              | <0.005                        | 0.13                         | 2.30                       | 7.9                         | <0.2                        | <10                       | 300                        | 0.63                         | 0.16                         | 0.47                       | 0.15                         | 76.5                         | 9.6                         | 32                        |
| I099269            |                                   | 0.32                              | <0.005                        | 0.15                         | 1.86                       | 6.9                         | <0.2                        | <10                       | 200                        | 0.35                         | 0.15                         | 0.28                       | 0.10                         | 28.3                         | 9.0                         | 28                        |
| I099270            |                                   | 0.32                              | <0.005                        | 0.14                         | 1.20                       | 4.7                         | <0.2                        | <10                       | 120                        | 0.15                         | 0.19                         | 0.24                       | 0.10                         | 18.45                        | 5.3                         | 19                        |
| I099271            |                                   | 0.36                              | <0.005                        | 0.11                         | 1.92                       | 6.0                         | <0.2                        | <10                       | 170                        | 0.29                         | 0.15                         | 0.21                       | 0.10                         | 26.4                         | 13.9                        | 32                        |
| I099272            |                                   | 0.30                              | <0.005                        | 0.18                         | 1.66                       | 5.8                         | <0.2                        | <10                       | 150                        | 0.20                         | 0.16                         | 0.16                       | 0.07                         | 19.05                        | 5.5                         | 23                        |
| I099273            |                                   | 0.40                              | 0.007                         | 0.08                         | 2.02                       | 7.2                         | <0.2                        | <10                       | 150                        | 0.34                         | 0.12                         | 0.17                       | 0.04                         | 30.7                         | 8.4                         | 31                        |
| I099274            |                                   | 0.24                              | <0.005                        | 0.02                         | 1.88                       | 4.8                         | <0.2                        | <10                       | 130                        | 0.27                         | 0.09                         | 0.20                       | 0.04                         | 33.5                         | 9.8                         | 26                        |
| I099275            |                                   | 0.40                              | <0.005                        | 0.04                         | 2.27                       | 9.9                         | <0.2                        | <10                       | 110                        | 0.30                         | 0.19                         | 0.12                       | 0.11                         | 21.5                         | 8.6                         | 31                        |
| I099276            |                                   | 0.26                              | <0.005                        | 0.05                         | 1.92                       | 4.9                         | <0.2                        | <10                       | 90                         | 0.17                         | 0.22                         | 0.11                       | 0.10                         | 20.6                         | 8.9                         | 18                        |
| I099277            |                                   | 0.26                              | <0.005                        | 0.04                         | 2.20                       | 10.0                        | <0.2                        | <10                       | 120                        | 0.29                         | 0.17                         | 0.12                       | 0.09                         | 21.8                         | 10.3                        | 30                        |
| I099278            |                                   | 0.22                              | <0.005                        | 0.09                         | 2.36                       | 1.7                         | <0.2                        | <10                       | 180                        | 0.28                         | 0.05                         | 0.46                       | 0.06                         | 41.8                         | 13.9                        | 14                        |
| I099279            |                                   | 0.28                              | <0.005                        | 0.01                         | 0.10                       | 1.8                         | <0.2                        | <10                       | 10                         | 0.09                         | 0.02                         | 0.10                       | 0.03                         | 11.05                        | 2.2                         | 3                         |
| I099280            |                                   | 0.34                              | <0.005                        | 0.13                         | 1.97                       | 3.8                         | <0.2                        | <10                       | 120                        | 0.20                         | 0.10                         | 0.22                       | 0.08                         | 30.4                         | 9.5                         | 18                        |
| I099281            |                                   | 0.30                              | <0.005                        | 0.03                         | 3.18                       | 1.5                         | <0.2                        | <10                       | 130                        | 0.36                         | 0.03                         | 0.14                       | 0.06                         | 19.00                        | 16.4                        | 12                        |
| I099282            |                                   | 0.30                              | <0.005                        | 0.28                         | 2.05                       | 3.3                         | <0.2                        | <10                       | 130                        | 0.25                         | 0.32                         | 0.22                       | 0.08                         | 24.9                         | 8.6                         | 19                        |
| I099283            |                                   | 0.34                              | <0.005                        | 0.03                         | 1.96                       | 5.8                         | <0.2                        | <10                       | 120                        | 0.23                         | 0.11                         | 0.16                       | 0.04                         | 17.85                        | 7.8                         | 26                        |
| I099284            |                                   | 0.34                              | <0.005                        | 0.08                         | 2.23                       | 6.6                         | <0.2                        | <10                       | 270                        | 0.33                         | 0.16                         | 0.32                       | 0.13                         | 30.6                         | 10.9                        | 31                        |
| I099285            |                                   | 0.36                              | <0.005                        | 0.06                         | 1.75                       | 7.1                         | <0.2                        | <10                       | 150                        | 0.23                         | 0.12                         | 0.26                       | 0.08                         | 30.2                         | 8.1                         | 26                        |
| I099286            |                                   | 0.32                              | 0.008                         | 0.06                         | 1.43                       | 6.1                         | <0.2                        | <10                       | 140                        | 0.25                         | 0.10                         | 0.28                       | 0.10                         | 27.2                         | 8.2                         | 22                        |
| I099287            |                                   | 0.36                              | <0.005                        | 0.05                         | 1.66                       | 5.8                         | <0.2                        | <10                       | 170                        | 0.30                         | 0.11                         | 0.31                       | 0.10                         | 34.8                         | 9.1                         | 26                        |
| I099288            |                                   | 0.56                              | <0.005                        | 0.09                         | 1.71                       | 5.7                         | <0.2                        | <10                       | 190                        | 0.29                         | 0.11                         | 0.28                       | 0.15                         | 26.9                         | 10.1                        | 24                        |
| I099289            |                                   | 0.36                              | <0.005                        | 0.04                         | 1.86                       | 6.7                         | <0.2                        | <10                       | 130                        | 0.25                         | 0.12                         | 0.26                       | 0.07                         | 22.1                         | 9.7                         | 24                        |
| I099290            |                                   | 0.44                              | <0.005                        | 0.05                         | 2.02                       | 6.8                         | <0.2                        | <10                       | 210                        | 0.33                         | 0.12                         | 0.37                       | 0.06                         | 35.0                         | 11.0                        | 29                        |
| I099291            |                                   | 0.24                              | <0.005                        | 0.07                         | 1.66                       | 5.4                         | <0.2                        | <10                       | 110                        | 0.18                         | 0.14                         | 0.19                       | 0.06                         | 19.25                        | 8.8                         | 22                        |
| I099292            |                                   | 0.44                              | <0.005                        | 0.06                         | 1.74                       | 6.5                         | <0.2                        | <10                       | 180                        | 0.26                         | 0.12                         | 0.35                       | 0.07                         | 30.1                         | 10.0                        | 23                        |
| I099293            |                                   | 0.48                              | <0.005                        | 0.02                         | 1.91                       | 5.6                         | <0.2                        | <10                       | 150                        | 0.31                         | 0.10                         | 0.23                       | 0.09                         | 25.3                         | 10.5                        | 26                        |
| I099294            |                                   | 0.48                              | <0.005                        | 0.13                         | 2.11                       | 4.8                         | <0.2                        | <10                       | 220                        | 0.31                         | 0.12                         | 0.48                       | 0.12                         | 41.8                         | 10.6                        | 24                        |
| I099295            |                                   | 0.32                              | <0.005                        | 0.05                         | 2.32                       | 5.1                         | <0.2                        | <10                       | 190                        | 0.27                         | 0.10                         | 0.38                       | 0.05                         | 26.1                         | 14.4                        | 25                        |
| I099296            |                                   | 0.30                              | <0.005                        | 0.09                         | 2.11                       | 4.2                         | <0.2                        | <10                       | 180                        | 0.28                         | 0.09                         | 0.29                       | 0.09                         | 38.8                         | 12.3                        | 20                        |
| I099297            |                                   | 0.38                              | <0.005                        | 0.08                         | 2.25                       | 8.0                         | <0.2                        | <10                       | 160                        | 0.31                         | 0.12                         | 0.26                       | 0.08                         | 24.1                         | 11.8                        | 29                        |
| I099298            |                                   | 0.36                              | <0.005                        | 0.04                         | 1.96                       | 4.7                         | <0.2                        | <10                       | 120                        | 0.17                         | 0.12                         | 0.13                       | 0.04                         | 18.95                        | 10.8                        | 17                        |
| I099299            |                                   | 0.22                              | <0.005                        | 0.29                         | 1.30                       | 2.5                         | <0.2                        | <10                       | 150                        | 0.18                         | 0.11                         | 0.18                       | 0.14                         | 23.7                         | 7.1                         | 15                        |
| I099300            |                                   | 0.30                              | 0.005                         | 0.75                         | 1.97                       | 3.2                         | <0.2                        | <10                       | 360                        | 0.41                         | 0.11                         | 0.92                       | 0.36                         | 177.0                        | 18.8                        | 21                        |
| I099396            |                                   | 0.30                              | 0.007                         | 0.07                         | 1.77                       | 8.0                         | <0.2                        | <10                       | 170                        | 0.30                         | 0.13                         | 0.21                       | 0.05                         | 21.5                         | 8.9                         | 28                        |
| I099397            |                                   | 0.22                              | <0.005                        | 0.04                         | 2.84                       | 6.8                         | <0.2                        | <10                       | 150                        | 0.32                         | 0.10                         | 0.15                       | 0.07                         | 13.70                        | 16.2                        | 21                        |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - B  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099263            |                                   | 0.73    | 23.6    | 2.56    | 5.80    | 0.07    | 0.03    | 0.03    | 0.017   | 0.08    | 12.8    | 14.5    | 0.79    | 228     | 4.03    |
| I099264            |                                   | 0.61    | 19.5    | 2.50    | 4.69    | 0.07    | 0.03    | 0.03    | 0.021   | 0.04    | 17.0    | 12.8    | 0.44    | 222     | 0.71    |
| I099265            |                                   | 0.94    | 15.1    | 2.02    | 5.91    | 0.06    | 0.02    | 0.06    | 0.020   | 0.04    | 20.9    | 9.1     | 0.34    | 136     | 1.24    |
| I099266            |                                   | 0.90    | 21.8    | 2.82    | 6.95    | 0.08    | 0.02    | 0.08    | 0.027   | 0.06    | 31.7    | 11.7    | 0.38    | 228     | 1.44    |
| I099267            |                                   | 0.83    | 17.7    | 2.63    | 6.18    | 0.07    | 0.02    | 0.05    | 0.023   | 0.05    | 20.3    | 15.2    | 0.44    | 178     | 1.04    |
| I099268            |                                   | 0.77    | 25.5    | 3.00    | 6.87    | 0.12    | 0.07    | 0.05    | 0.026   | 0.10    | 42.1    | 16.7    | 0.49    | 519     | 1.57    |
| I099269            |                                   | 0.79    | 16.8    | 2.70    | 6.32    | 0.07    | 0.02    | 0.03    | 0.022   | 0.07    | 19.3    | 13.6    | 0.51    | 313     | 0.90    |
| I099270            |                                   | 0.59    | 9.7     | 2.05    | 6.13    | 0.06    | 0.02    | 0.02    | 0.014   | 0.09    | 10.1    | 9.0     | 0.38    | 259     | 1.06    |
| I099271            |                                   | 0.87    | 12.1    | 3.07    | 8.19    | <0.05   | 0.02    | 0.03    | 0.017   | 0.15    | 13.4    | 12.7    | 0.61    | 1280    | 1.13    |
| I099272            |                                   | 0.90    | 13.9    | 2.33    | 6.69    | <0.05   | <0.02   | 0.04    | 0.020   | 0.06    | 10.7    | 8.9     | 0.43    | 174     | 0.62    |
| I099273            |                                   | 0.73    | 23.4    | 2.93    | 5.88    | 0.05    | 0.08    | 0.02    | 0.022   | 0.08    | 22.7    | 14.6    | 0.65    | 282     | 0.70    |
| I099274            |                                   | 0.84    | 14.2    | 2.86    | 5.94    | 0.05    | 0.04    | 0.10    | 0.015   | 0.28    | 19.2    | 13.1    | 0.78    | 394     | 0.64    |
| I099275            |                                   | 1.08    | 12.8    | 3.72    | 7.62    | 0.05    | 0.04    | 0.05    | 0.029   | 0.05    | 12.7    | 15.0    | 0.54    | 250     | 1.22    |
| I099276            |                                   | 1.07    | 67.6    | 3.08    | 9.87    | 0.05    | <0.02   | 0.03    | 0.055   | 0.37    | 13.4    | 10.6    | 0.74    | 634     | 0.88    |
| I099277            |                                   | 0.87    | 17.4    | 3.16    | 6.79    | 0.05    | 0.03    | 0.04    | 0.027   | 0.10    | 11.7    | 15.7    | 0.57    | 287     | 0.88    |
| I099278            |                                   | 0.70    | 6.0     | 3.37    | 8.73    | 0.12    | 0.02    | 0.02    | 0.011   | 0.55    | 33.2    | 19.9    | 1.14    | 779     | 0.44    |
| I099279            |                                   | 0.08    | 1.7     | 0.64    | 0.51    | <0.05   | 0.04    | 0.01    | <0.005  | 0.03    | 5.7     | 1.0     | 0.04    | 166     | 0.28    |
| I099280            |                                   | 0.86    | 10.0    | 2.84    | 7.89    | 0.07    | 0.02    | 0.05    | 0.013   | 0.41    | 23.0    | 16.2    | 0.79    | 389     | 0.49    |
| I099281            |                                   | 1.12    | 16.6    | 4.54    | 10.25   | 0.12    | 0.04    | 0.02    | 0.007   | 1.11    | 20.3    | 21.5    | 1.54    | 652     | 0.51    |
| I099282            |                                   | 0.85    | 14.4    | 2.86    | 6.55    | 0.05    | 0.02    | 0.05    | 0.011   | 0.37    | 17.2    | 10.9    | 0.76    | 351     | 0.59    |
| I099283            |                                   | 0.63    | 12.9    | 2.79    | 5.78    | <0.05   | 0.06    | 0.02    | 0.016   | 0.08    | 9.6     | 11.6    | 0.55    | 249     | 0.59    |
| I099284            |                                   | 0.72    | 21.3    | 3.06    | 6.93    | 0.05    | 0.04    | 0.02    | 0.020   | 0.20    | 15.7    | 17.0    | 0.73    | 388     | 0.95    |
| I099285            |                                   | 0.72    | 14.9    | 2.51    | 6.38    | 0.08    | 0.04    | 0.02    | 0.019   | 0.07    | 15.4    | 13.8    | 0.51    | 216     | 0.83    |
| I099286            |                                   | 0.57    | 13.0    | 2.23    | 5.21    | 0.08    | 0.03    | 0.03    | 0.015   | 0.12    | 15.2    | 11.7    | 0.48    | 234     | 0.81    |
| I099287            |                                   | 0.70    | 17.2    | 2.46    | 5.74    | 0.09    | 0.08    | 0.02    | 0.021   | 0.09    | 18.6    | 14.8    | 0.55    | 246     | 0.63    |
| I099288            |                                   | 0.69    | 12.1    | 2.50    | 5.77    | 0.07    | 0.03    | 0.03    | 0.019   | 0.10    | 15.7    | 14.9    | 0.51    | 278     | 0.72    |
| I099289            |                                   | 0.78    | 11.7    | 2.80    | 6.53    | 0.08    | 0.07    | 0.02    | 0.020   | 0.09    | 11.8    | 16.5    | 0.60    | 298     | 0.72    |
| I099290            |                                   | 0.74    | 14.8    | 2.89    | 7.39    | 0.10    | 0.08    | 0.02    | 0.021   | 0.11    | 20.7    | 17.0    | 0.64    | 364     | 0.95    |
| I099291            |                                   | 0.75    | 11.1    | 2.56    | 6.83    | 0.08    | 0.04    | 0.02    | 0.017   | 0.10    | 10.7    | 11.6    | 0.55    | 329     | 0.95    |
| I099292            |                                   | 0.76    | 15.3    | 2.73    | 6.45    | 0.10    | 0.06    | 0.03    | 0.021   | 0.13    | 16.8    | 15.4    | 0.64    | 315     | 0.76    |
| I099293            |                                   | 0.79    | 14.4    | 2.89    | 6.24    | 0.09    | 0.07    | 0.01    | 0.018   | 0.15    | 15.4    | 17.4    | 0.70    | 347     | 0.76    |
| I099294            |                                   | 0.78    | 14.1    | 2.87    | 7.30    | 0.10    | 0.04    | 0.05    | 0.021   | 0.24    | 30.7    | 21.9    | 0.75    | 432     | 0.59    |
| I099295            |                                   | 1.10    | 12.1    | 3.43    | 8.41    | 0.11    | 0.09    | 0.01    | 0.022   | 0.58    | 16.3    | 18.2    | 0.97    | 550     | 0.92    |
| I099296            |                                   | 0.85    | 15.8    | 3.36    | 8.30    | 0.12    | 0.05    | 0.03    | 0.023   | 0.46    | 23.1    | 15.2    | 0.90    | 398     | 0.87    |
| I099297            |                                   | 0.74    | 13.7    | 3.32    | 7.82    | 0.09    | 0.08    | 0.08    | 0.030   | 0.25    | 13.9    | 20.1    | 0.69    | 358     | 0.86    |
| I099298            |                                   | 1.00    | 12.9    | 3.12    | 9.80    | 0.09    | 0.07    | 0.01    | 0.013   | 0.57    | 9.6     | 9.5     | 0.93    | 391     | 0.77    |
| I099299            |                                   | 0.99    | 13.6    | 2.19    | 7.54    | 0.08    | 0.02    | 0.04    | 0.012   | 0.29    | 15.9    | 6.6     | 0.48    | 288     | 1.31    |
| I099300            |                                   | 0.77    | 26.4    | 2.96    | 7.68    | 0.25    | 0.07    | 0.12    | 0.030   | 0.22    | 136.0   | 12.9    | 0.68    | 3360    | 1.43    |
| I099396            |                                   | 0.62    | 17.4    | 2.63    | 6.28    | 0.07    | 0.11    | 0.01    | 0.019   | 0.06    | 11.3    | 12.4    | 0.49    | 230     | 1.27    |
| I099397            |                                   | 1.60    | 12.1    | 4.51    | 9.88    | 0.11    | 0.03    | 0.01    | 0.013   | 1.01    | 6.7     | 15.5    | 1.38    | 590     | 1.16    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - C  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099263            |                                   | 1.71    | 35.1    | 610     | 6.7     | 12.3    | <0.001  | <0.01   | 0.29    | 3.5     | 0.4     | 0.5     | 20.9    | <0.01   | 0.02    |
| I099264            |                                   | 1.15    | 16.8    | 650     | 7.9     | 7.5     | <0.001  | 0.01    | 0.39    | 4.7     | 0.6     | 0.4     | 23.3    | <0.01   | 0.03    |
| I099265            |                                   | 1.03    | 12.5    | 660     | 7.3     | 8.6     | <0.001  | 0.04    | 0.22    | 3.1     | 0.9     | 0.6     | 25.6    | <0.01   | 0.04    |
| I099266            |                                   | 1.07    | 17.1    | 940     | 8.5     | 11.6    | <0.001  | 0.04    | 0.33    | 3.7     | 1.2     | 0.7     | 28.4    | <0.01   | 0.05    |
| I099267            |                                   | 1.32    | 16.0    | 630     | 9.1     | 11.7    | <0.001  | 0.01    | 0.26    | 4.3     | 0.6     | 0.6     | 21.6    | <0.01   | 0.03    |
| I099268            |                                   | 1.90    | 19.8    | 480     | 8.9     | 17.7    | <0.001  | 0.02    | 0.45    | 7.2     | 1.3     | 0.7     | 38.3    | 0.01    | 0.04    |
| I099269            |                                   | 1.52    | 17.5    | 560     | 8.6     | 16.1    | <0.001  | 0.01    | 0.30    | 3.7     | 0.6     | 0.6     | 24.8    | <0.01   | 0.04    |
| I099270            |                                   | 1.54    | 9.0     | 220     | 10.8    | 19.8    | <0.001  | <0.01   | 0.22    | 3.7     | 0.4     | 0.6     | 20.2    | <0.01   | 0.02    |
| I099271            |                                   | 2.21    | 13.8    | 390     | 8.2     | 32.6    | <0.001  | 0.03    | 0.35    | 3.8     | 0.4     | 0.7     | 19.8    | <0.01   | 0.04    |
| I099272            |                                   | 1.25    | 12.0    | 620     | 8.8     | 13.1    | <0.001  | 0.03    | 0.22    | 2.4     | 0.6     | 0.6     | 16.2    | <0.01   | 0.04    |
| I099273            |                                   | 1.44    | 19.6    | 220     | 7.4     | 13.1    | <0.001  | 0.02    | 0.44    | 4.7     | 0.5     | 0.5     | 15.2    | <0.01   | 0.03    |
| I099274            |                                   | 2.60    | 15.4    | 250     | 5.1     | 37.6    | <0.001  | 0.02    | 0.33    | 3.9     | 0.4     | 0.4     | 16.1    | <0.01   | 0.02    |
| I099275            |                                   | 2.17    | 16.4    | 290     | 10.1    | 12.6    | <0.001  | 0.03    | 0.52    | 4.5     | 0.6     | 0.7     | 12.5    | 0.01    | 0.05    |
| I099276            |                                   | 2.06    | 8.5     | 600     | 5.9     | 36.7    | <0.001  | 0.04    | 0.20    | 3.6     | 0.6     | 6.9     | 13.6    | <0.01   | 0.04    |
| I099277            |                                   | 2.31    | 20.1    | 280     | 8.4     | 14.6    | <0.001  | 0.03    | 0.50    | 3.4     | 0.6     | 0.5     | 14.7    | 0.01    | 0.05    |
| I099278            |                                   | 2.02    | 7.1     | 1210    | 4.6     | 47.7    | <0.001  | 0.03    | 0.12    | 6.4     | 0.5     | 0.5     | 22.2    | <0.01   | 0.01    |
| I099279            |                                   | 0.18    | 3.9     | 150     | 1.5     | 1.7     | <0.001  | 0.02    | 0.11    | 0.5     | <0.2    | <0.2    | 5.8     | <0.01   | <0.01   |
| I099280            |                                   | 2.73    | 9.9     | 620     | 7.0     | 40.2    | <0.001  | 0.04    | 0.20    | 4.4     | 0.6     | 0.5     | 18.7    | <0.01   | 0.02    |
| I099281            |                                   | 3.68    | 6.5     | 550     | 10.9    | 83.7    | <0.001  | 0.03    | 0.09    | 3.4     | 0.3     | 0.4     | 10.6    | <0.01   | 0.02    |
| I099282            |                                   | 2.39    | 9.5     | 550     | 6.1     | 36.9    | <0.001  | 0.04    | 0.18    | 2.9     | 0.5     | 0.6     | 16.7    | <0.01   | 0.02    |
| I099283            |                                   | 1.42    | 13.7    | 180     | 6.4     | 10.6    | <0.001  | 0.02    | 0.32    | 3.1     | 0.3     | 0.5     | 14.2    | <0.01   | 0.02    |
| I099284            |                                   | 2.07    | 18.3    | 500     | 7.4     | 22.4    | <0.001  | 0.03    | 0.46    | 4.4     | 0.5     | 0.6     | 26.6    | <0.01   | 0.03    |
| I099285            |                                   | 1.74    | 14.9    | 460     | 6.8     | 12.2    | <0.001  | 0.01    | 0.42    | 3.7     | 0.5     | 0.5     | 20.0    | <0.01   | 0.02    |
| I099286            |                                   | 1.85    | 12.4    | 550     | 5.7     | 13.7    | <0.001  | 0.01    | 0.35    | 3.2     | 0.4     | 0.4     | 19.1    | <0.01   | 0.02    |
| I099287            |                                   | 1.66    | 16.4    | 490     | 6.6     | 15.1    | <0.001  | 0.01    | 0.40    | 4.2     | 0.4     | 0.5     | 24.6    | <0.01   | 0.02    |
| I099288            |                                   | 1.78    | 14.2    | 460     | 6.4     | 12.6    | <0.001  | 0.01    | 0.37    | 3.7     | 0.4     | 0.4     | 21.9    | <0.01   | 0.02    |
| I099289            |                                   | 2.07    | 15.0    | 480     | 6.4     | 15.7    | <0.001  | 0.01    | 0.34    | 3.7     | 0.4     | 0.5     | 18.6    | <0.01   | 0.02    |
| I099290            |                                   | 1.92    | 16.6    | 410     | 6.2     | 17.9    | <0.001  | 0.01    | 0.35    | 5.2     | 0.5     | 0.6     | 24.4    | <0.01   | 0.02    |
| I099291            |                                   | 2.36    | 12.3    | 410     | 5.8     | 23.7    | <0.001  | <0.01   | 0.37    | 3.5     | 0.4     | 0.5     | 16.0    | <0.01   | 0.02    |
| I099292            |                                   | 2.23    | 14.8    | 460     | 6.2     | 20.0    | <0.001  | 0.01    | 0.35    | 4.3     | 0.5     | 0.8     | 25.4    | <0.01   | 0.03    |
| I099293            |                                   | 1.74    | 15.3    | 350     | 5.6     | 19.3    | <0.001  | <0.01   | 0.34    | 3.6     | 0.4     | 0.6     | 18.1    | <0.01   | 0.02    |
| I099294            |                                   | 2.36    | 13.7    | 580     | 5.9     | 29.7    | 0.001   | 0.02    | 0.24    | 5.2     | 0.7     | 0.5     | 32.4    | <0.01   | 0.02    |
| I099295            |                                   | 3.24    | 14.2    | 450     | 6.0     | 58.2    | <0.001  | 0.01    | 0.31    | 5.2     | 0.5     | 0.6     | 24.5    | <0.01   | 0.03    |
| I099296            |                                   | 3.47    | 11.5    | 380     | 6.7     | 44.7    | <0.001  | 0.02    | 0.27    | 6.6     | 0.6     | 0.6     | 21.1    | <0.01   | 0.02    |
| I099297            |                                   | 2.69    | 18.2    | 210     | 7.7     | 28.4    | <0.001  | 0.01    | 0.49    | 6.4     | 0.5     | 0.6     | 22.2    | <0.01   | 0.02    |
| I099298            |                                   | 3.73    | 7.1     | 220     | 7.5     | 57.2    | <0.001  | 0.01    | 0.20    | 4.4     | 0.3     | 0.6     | 12.2    | <0.01   | 0.02    |
| I099299            |                                   | 2.54    | 7.8     | 490     | 5.4     | 53.5    | <0.001  | 0.02    | 0.22    | 4.7     | 0.5     | 0.5     | 18.8    | <0.01   | 0.02    |
| I099300            |                                   | 2.09    | 13.4    | 900     | 5.2     | 36.8    | 0.001   | 0.05    | 0.42    | 10.6    | 1.6     | 0.5     | 56.5    | 0.01    | 0.05    |
| I099396            |                                   | 1.56    | 18.9    | 280     | 7.9     | 10.6    | <0.001  | <0.01   | 0.44    | 3.4     | 0.3     | 0.5     | 20.2    | <0.01   | 0.02    |
| I099397            |                                   | 3.88    | 12.6    | 450     | 6.5     | 95.6    | <0.001  | 0.01    | 0.31    | 2.7     | 0.3     | 0.4     | 13.6    | <0.01   | 0.03    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 4 - D  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I099263            |                                   | 0.105              | 0.09                 | 0.84                | 58                  | 0.23                | 4.33                | 51                   | 1.4                  |
| I099264            |                                   | 0.073              | 0.07                 | 1.00                | 52                  | 0.17                | 8.07                | 57                   | 0.9                  |
| I099265            |                                   | 0.052              | 0.11                 | 2.34                | 40                  | 0.30                | 7.15                | 43                   | <0.5                 |
| I099266            |                                   | 0.047              | 0.11                 | 3.74                | 51                  | 0.20                | 11.35               | 58                   | <0.5                 |
| I099267            |                                   | 0.071              | 0.11                 | 2.08                | 54                  | 0.82                | 6.95                | 56                   | 0.5                  |
| I099268            |                                   | 0.084              | 0.11                 | 4.79                | 59                  | 0.23                | 22.1                | 63                   | 1.7                  |
| I099269            |                                   | 0.085              | 0.11                 | 1.03                | 57                  | 0.24                | 6.16                | 55                   | 0.7                  |
| I099270            |                                   | 0.089              | 0.08                 | 0.51                | 55                  | 0.26                | 3.02                | 44                   | 0.8                  |
| I099271            |                                   | 0.106              | 0.14                 | 0.51                | 69                  | 0.27                | 3.25                | 49                   | 1.0                  |
| I099272            |                                   | 0.072              | 0.14                 | 0.70                | 51                  | 0.24                | 2.99                | 35                   | <0.5                 |
| I099273            |                                   | 0.099              | 0.13                 | 1.02                | 61                  | 0.15                | 5.63                | 48                   | 4.7                  |
| I099274            |                                   | 0.151              | 0.22                 | 0.55                | 62                  | 0.13                | 4.90                | 48                   | 2.0                  |
| I099275            |                                   | 0.098              | 0.15                 | 0.77                | 74                  | 0.26                | 3.33                | 48                   | 2.1                  |
| I099276            |                                   | 0.104              | 0.18                 | 0.65                | 76                  | 0.15                | 3.31                | 87                   | <0.5                 |
| I099277            |                                   | 0.100              | 0.13                 | 0.53                | 67                  | 0.26                | 2.95                | 54                   | 1.6                  |
| I099278            |                                   | 0.128              | 0.28                 | 1.24                | 69                  | 0.53                | 5.82                | 154                  | 0.7                  |
| I099279            |                                   | 0.009              | 0.03                 | 0.30                | 6                   | <0.05               | 2.09                | 8                    | 2.2                  |
| I099280            |                                   | 0.129              | 0.21                 | 1.06                | 60                  | 0.41                | 4.26                | 71                   | 0.8                  |
| I099281            |                                   | 0.215              | 0.38                 | 0.62                | 97                  | 0.10                | 2.56                | 83                   | 2.1                  |
| I099282            |                                   | 0.129              | 0.18                 | 0.77                | 60                  | 0.20                | 3.09                | 62                   | 0.7                  |
| I099283            |                                   | 0.111              | 0.10                 | 0.44                | 61                  | 0.16                | 2.53                | 49                   | 2.8                  |
| I099284            |                                   | 0.124              | 0.14                 | 0.71                | 71                  | 0.21                | 5.97                | 74                   | 1.6                  |
| I099285            |                                   | 0.104              | 0.10                 | 0.71                | 59                  | 0.35                | 5.07                | 50                   | 1.5                  |
| I099286            |                                   | 0.099              | 0.09                 | 0.66                | 55                  | 0.38                | 5.10                | 44                   | 1.2                  |
| I099287            |                                   | 0.120              | 0.11                 | 0.68                | 56                  | 0.27                | 6.29                | 50                   | 4.1                  |
| I099288            |                                   | 0.097              | 0.10                 | 0.66                | 57                  | 0.26                | 5.15                | 49                   | 0.9                  |
| I099289            |                                   | 0.112              | 0.11                 | 0.59                | 63                  | 0.18                | 3.99                | 51                   | 2.9                  |
| I099290            |                                   | 0.130              | 0.13                 | 0.91                | 67                  | 0.22                | 7.05                | 51                   | 3.7                  |
| I099291            |                                   | 0.124              | 0.12                 | 0.44                | 63                  | 0.18                | 2.65                | 48                   | 1.7                  |
| I099292            |                                   | 0.129              | 0.13                 | 0.75                | 63                  | 0.19                | 5.39                | 53                   | 2.8                  |
| I099293            |                                   | 0.132              | 0.14                 | 0.56                | 67                  | 0.21                | 3.67                | 66                   | 3.2                  |
| I099294            |                                   | 0.119              | 0.15                 | 1.19                | 67                  | 0.20                | 10.30               | 75                   | 1.3                  |
| I099295            |                                   | 0.179              | 0.28                 | 0.59                | 80                  | 0.21                | 4.53                | 74                   | 3.6                  |
| I099296            |                                   | 0.148              | 0.21                 | 0.84                | 81                  | 0.14                | 6.32                | 63                   | 1.6                  |
| I099297            |                                   | 0.132              | 0.15                 | 0.56                | 78                  | 0.16                | 3.18                | 53                   | 3.6                  |
| I099298            |                                   | 0.221              | 0.28                 | 0.42                | 89                  | 0.13                | 2.63                | 52                   | 2.4                  |
| I099299            |                                   | 0.116              | 0.18                 | 0.70                | 58                  | 0.13                | 4.29                | 39                   | 0.6                  |
| I099300            |                                   | 0.082              | 0.20                 | 3.53                | 63                  | 0.18                | 37.6                | 57                   | 0.8                  |
| I099396            |                                   | 0.102              | 0.10                 | 0.47                | 62                  | 0.21                | 3.15                | 41                   | 4.7                  |
| I099397            |                                   | 0.269              | 0.37                 | 0.30                | 106                 | 0.27                | 1.67                | 72                   | 1.3                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - A  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099398            |                                   | 0.24                      | <0.005               | 0.05                 | 1.87               | 7.4                  | <0.2                 | <10                 | 180                  | 0.38                 | 0.11                 | 0.22               | 0.05                 | 32.4                 | 10.0                 | 31                   |
| I099399            |                                   | 0.20                      | <0.005               | 0.09                 | 1.12               | 3.2                  | <0.2                 | <10                 | 130                  | 0.24                 | 0.26                 | 0.09               | 0.13                 | 24.4                 | 2.8                  | 16                   |
| I099400            |                                   | 0.22                      | <0.005               | 0.08                 | 1.74               | 7.0                  | <0.2                 | <10                 | 210                  | 0.47                 | 0.19                 | 0.24               | 0.09                 | 38.6                 | 9.0                  | 32                   |
| I099401            |                                   | 0.34                      | <0.005               | 0.07                 | 2.12               | 9.5                  | <0.2                 | <10                 | 250                  | 0.35                 | 0.14                 | 0.19               | 0.37                 | 21.9                 | 13.0                 | 37                   |
| I099402            |                                   | 0.36                      | 0.010                | 0.72                 | 2.33               | 13.5                 | <0.2                 | <10                 | 330                  | 0.54                 | 0.17                 | 0.16               | 1.03                 | 16.50                | 15.0                 | 50                   |
| I099403            |                                   | 0.30                      | <0.005               | 0.76                 | 2.31               | 11.0                 | <0.2                 | <10                 | 350                  | 0.46                 | 0.21                 | 0.20               | 0.74                 | 16.75                | 12.9                 | 43                   |
| I099404            |                                   | 0.38                      | <0.005               | 0.21                 | 2.13               | 6.3                  | <0.2                 | <10                 | 320                  | 0.38                 | 0.21                 | 0.24               | 0.28                 | 24.3                 | 14.9                 | 62                   |
| I099405            |                                   | 0.36                      | <0.005               | 0.29                 | 1.75               | 9.2                  | <0.2                 | <10                 | 320                  | 0.29                 | 0.17                 | 0.25               | 0.11                 | 18.20                | 8.9                  | 34                   |
| I099406            |                                   | 0.30                      | 0.005                | 0.44                 | 1.87               | 1.4                  | <0.2                 | <10                 | 310                  | 0.67                 | 0.26                 | 0.17               | 1.05                 | 47.3                 | 11.2                 | 40                   |
| I099407            |                                   | 0.24                      | 0.005                | 0.10                 | 1.65               | 8.7                  | <0.2                 | <10                 | 250                  | 0.39                 | 0.15                 | 0.49               | 0.14                 | 23.7                 | 10.9                 | 29                   |
| I099408            |                                   | 0.28                      | <0.005               | 0.09                 | 1.39               | 6.3                  | <0.2                 | <10                 | 270                  | 0.35                 | 0.12                 | 0.70               | 0.32                 | 28.3                 | 15.3                 | 25                   |
| I099409            |                                   | 0.28                      | 0.006                | 0.10                 | 1.49               | 8.0                  | <0.2                 | <10                 | 350                  | 0.44                 | 0.16                 | 0.75               | 0.41                 | 25.2                 | 10.5                 | 26                   |
| I099410            |                                   | 0.24                      | <0.005               | 0.13                 | 1.36               | 7.4                  | <0.2                 | <10                 | 250                  | 0.40                 | 0.13                 | 0.97               | 0.23                 | 35.1                 | 8.9                  | 24                   |
| I099411            |                                   | 0.38                      | 0.005                | 0.06                 | 1.90               | 6.5                  | <0.2                 | <10                 | 270                  | 0.49                 | 0.14                 | 0.35               | 0.06                 | 23.3                 | 11.3                 | 28                   |
| I099412            |                                   | 0.38                      | <0.005               | 0.03                 | 2.06               | 10.8                 | <0.2                 | <10                 | 210                  | 0.39                 | 0.15                 | 0.20               | 0.07                 | 17.25                | 9.8                  | 35                   |
| I099413            |                                   | 0.30                      | <0.005               | 0.02                 | 1.94               | 7.6                  | <0.2                 | <10                 | 270                  | 0.64                 | 0.16                 | 0.30               | 0.06                 | 46.2                 | 10.6                 | 33                   |
| I099414            |                                   | 0.34                      | 0.005                | 0.07                 | 1.63               | 7.8                  | <0.2                 | <10                 | 260                  | 0.44                 | 0.15                 | 0.40               | 0.12                 | 31.9                 | 8.3                  | 28                   |
| I099415            |                                   | 0.26                      | <0.005               | 0.08                 | 1.66               | 7.9                  | <0.2                 | <10                 | 230                  | 0.33                 | 0.15                 | 0.33               | 0.09                 | 34.9                 | 8.3                  | 26                   |
| I099416            |                                   | 0.40                      | <0.005               | 0.03                 | 1.43               | 2.8                  | <0.2                 | <10                 | 140                  | 0.35                 | 0.07                 | 0.35               | 0.07                 | 51.4                 | 5.8                  | 11                   |
| I099417            |                                   | 0.32                      | <0.005               | 0.05                 | 1.74               | 5.8                  | <0.2                 | <10                 | 180                  | 0.38                 | 0.13                 | 0.34               | 0.10                 | 45.4                 | 9.5                  | 22                   |
| I099418            |                                   | 0.36                      | <0.005               | 0.08                 | 1.56               | 6.7                  | <0.2                 | <10                 | 220                  | 0.47                 | 0.14                 | 1.12               | 0.17                 | 41.6                 | 9.2                  | 25                   |
| I099419            |                                   | 0.40                      | 0.005                | 0.04                 | 1.95               | 9.2                  | <0.2                 | <10                 | 290                  | 0.57                 | 0.16                 | 0.45               | 0.08                 | 52.3                 | 12.3                 | 31                   |
| I099420            |                                   | 0.32                      | <0.005               | 0.06                 | 1.39               | 6.7                  | <0.2                 | <10                 | 200                  | 0.27                 | 0.13                 | 0.29               | 0.05                 | 23.0                 | 6.6                  | 24                   |
| I099421            |                                   | 0.28                      | <0.005               | 0.01                 | 0.16               | 2.0                  | <0.2                 | <10                 | 40                   | 0.10                 | 0.02                 | 0.09               | 0.03                 | 10.50                | 2.3                  | 4                    |
| I099422            |                                   | 0.30                      | <0.005               | 0.20                 | 1.98               | 8.8                  | <0.2                 | <10                 | 310                  | 0.72                 | 0.18                 | 0.43               | 0.11                 | 70.6                 | 14.6                 | 31                   |
| I099423            |                                   | 0.28                      | 0.005                | 0.07                 | 1.08               | 5.4                  | <0.2                 | <10                 | 190                  | 0.21                 | 0.15                 | 0.27               | 0.09                 | 23.8                 | 5.2                  | 19                   |
| I099424            |                                   | 0.28                      | 0.007                | 0.06                 | 1.71               | 7.6                  | <0.2                 | <10                 | 270                  | 0.39                 | 0.15                 | 0.38               | 0.06                 | 31.2                 | 8.0                  | 28                   |
| I099425            |                                   | 0.32                      | <0.005               | 0.11                 | 1.44               | 5.9                  | <0.2                 | <10                 | 250                  | 0.35                 | 0.16                 | 0.30               | 0.09                 | 29.5                 | 7.2                  | 22                   |
| I099426            |                                   | 0.34                      | <0.005               | 0.04                 | 1.33               | 5.8                  | <0.2                 | <10                 | 210                  | 0.33                 | 0.15                 | 0.25               | 0.05                 | 38.7                 | 5.3                  | 22                   |
| I099427            |                                   | 0.32                      | <0.005               | 0.38                 | 2.24               | 8.4                  | <0.2                 | <10                 | 350                  | 0.97                 | 0.32                 | 0.33               | 0.17                 | 56.1                 | 24.1                 | 30                   |
| I099428            |                                   | 0.30                      | 0.005                | 0.11                 | 1.72               | 7.3                  | <0.2                 | <10                 | 210                  | 0.48                 | 0.21                 | 0.28               | 0.09                 | 40.6                 | 9.7                  | 27                   |
| I099429            |                                   | 0.28                      | <0.005               | 0.25                 | 1.99               | 7.0                  | <0.2                 | <10                 | 210                  | 0.63                 | 0.19                 | 0.27               | 0.11                 | 44.6                 | 9.5                  | 28                   |
| I099430            |                                   | 0.34                      | <0.005               | 0.09                 | 1.89               | 8.5                  | <0.2                 | <10                 | 280                  | 0.56                 | 0.19                 | 0.33               | 0.09                 | 37.7                 | 10.5                 | 29                   |
| I099431            |                                   | 0.34                      | <0.005               | 0.13                 | 2.35               | 10.8                 | <0.2                 | <10                 | 190                  | 0.42                 | 0.21                 | 0.20               | 0.09                 | 25.7                 | 8.7                  | 34                   |
| I099432            |                                   | 0.30                      | 0.008                | 0.23                 | 3.16               | 15.4                 | <0.2                 | <10                 | 330                  | 0.71                 | 0.38                 | 0.22               | 0.13                 | 42.7                 | 12.6                 | 38                   |
| I099433            |                                   | 0.30                      | 0.005                | 0.15                 | 1.88               | 6.8                  | <0.2                 | <10                 | 150                  | 0.32                 | 0.19                 | 0.20               | 0.07                 | 28.6                 | 6.8                  | 25                   |
| I099434            |                                   | 0.32                      | <0.005               | 0.06                 | 1.25               | 5.3                  | <0.2                 | <10                 | 150                  | 0.34                 | 0.14                 | 0.25               | 0.06                 | 39.4                 | 7.3                  | 23                   |
| I099435            |                                   | 0.28                      | 0.007                | 0.13                 | 1.71               | 7.2                  | <0.2                 | <10                 | 150                  | 0.35                 | 0.23                 | 0.23               | 0.14                 | 30.9                 | 6.6                  | 26                   |
| I099436            |                                   | 0.34                      | 0.019                | 0.09                 | 2.12               | 9.0                  | 0.2                  | <10                 | 160                  | 0.46                 | 0.20                 | 0.23               | 0.05                 | 30.6                 | 8.3                  | 29                   |
| I099437            |                                   | 0.32                      | 0.005                | 0.11                 | 1.66               | 4.2                  | <0.2                 | <10                 | 170                  | 0.44                 | 0.18                 | 0.25               | 0.06                 | 38.5                 | 10.0                 | 24                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - B  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099398            |                                   | 0.75    | 19.7    | 2.75    | 5.63    | 0.08    | 0.06    | 0.02    | 0.019   | 0.08    | 19.5    | 14.2    | 0.64    | 284     | 0.81    |
| I099399            |                                   | 0.74    | 10.9    | 1.36    | 7.81    | 0.06    | 0.02    | 0.02    | 0.014   | 0.04    | 12.6    | 4.5     | 0.12    | 108     | 1.06    |
| I099400            |                                   | 0.79    | 25.6    | 2.43    | 5.65    | 0.09    | 0.06    | 0.03    | 0.022   | 0.04    | 19.8    | 12.5    | 0.44    | 248     | 0.88    |
| I099401            |                                   | 1.13    | 26.9    | 2.82    | 7.13    | 0.07    | 0.02    | 0.01    | 0.029   | 0.07    | 11.7    | 13.1    | 0.63    | 515     | 1.30    |
| I099402            |                                   | 1.75    | 57.0    | 3.06    | 6.50    | <0.05   | 0.03    | 0.03    | 0.028   | 0.18    | 9.7     | 17.7    | 0.82    | 217     | 2.32    |
| I099403            |                                   | 1.20    | 25.6    | 3.38    | 6.40    | <0.05   | 0.03    | 0.02    | 0.027   | 0.08    | 9.1     | 14.6    | 0.56    | 215     | 1.98    |
| I099404            |                                   | 1.77    | 39.6    | 3.50    | 8.35    | 0.05    | 0.02    | 0.01    | 0.035   | 0.21    | 14.0    | 17.5    | 0.92    | 566     | 1.68    |
| I099405            |                                   | 0.93    | 20.9    | 2.80    | 5.74    | <0.05   | 0.12    | 0.01    | 0.022   | 0.05    | 9.6     | 10.6    | 0.48    | 205     | 1.14    |
| I099406            |                                   | 3.80    | 95.8    | 3.36    | 6.97    | 0.17    | <0.02   | 0.02    | 0.029   | 0.60    | 25.8    | 15.0    | 0.97    | 326     | 7.51    |
| I099407            |                                   | 0.65    | 21.4    | 2.71    | 5.13    | <0.05   | 0.06    | 0.03    | 0.022   | 0.06    | 12.1    | 12.3    | 0.51    | 330     | 1.18    |
| I099408            |                                   | 0.61    | 21.6    | 2.47    | 4.23    | <0.05   | 0.03    | 0.04    | 0.018   | 0.09    | 13.9    | 11.8    | 0.55    | 1220    | 0.84    |
| I099409            |                                   | 0.49    | 31.7    | 2.57    | 4.60    | <0.05   | 0.06    | 0.02    | 0.021   | 0.09    | 13.3    | 11.0    | 0.51    | 490     | 0.98    |
| I099410            |                                   | 0.46    | 30.8    | 2.31    | 4.19    | 0.06    | 0.07    | 0.06    | 0.019   | 0.07    | 20.5    | 13.4    | 0.49    | 441     | 0.88    |
| I099411            |                                   | 0.69    | 13.0    | 2.84    | 5.99    | <0.05   | 0.03    | 0.01    | 0.023   | 0.19    | 12.9    | 10.6    | 0.49    | 631     | 1.01    |
| I099412            |                                   | 0.58    | 17.4    | 2.92    | 5.48    | <0.05   | 0.04    | 0.02    | 0.026   | 0.06    | 9.1     | 12.6    | 0.47    | 290     | 1.05    |
| I099413            |                                   | 0.68    | 24.4    | 3.00    | 5.86    | 0.05    | 0.30    | 0.02    | 0.023   | 0.08    | 27.1    | 13.2    | 0.51    | 294     | 0.88    |
| I099414            |                                   | 0.53    | 23.2    | 2.60    | 5.00    | <0.05   | 0.07    | 0.03    | 0.020   | 0.06    | 17.6    | 11.9    | 0.46    | 307     | 0.71    |
| I099415            |                                   | 0.61    | 15.8    | 2.58    | 5.28    | <0.05   | 0.09    | 0.03    | 0.020   | 0.05    | 18.8    | 14.9    | 0.46    | 251     | 0.78    |
| I099416            |                                   | 1.37    | 7.2     | 2.52    | 5.89    | 0.07    | 0.06    | 0.01    | 0.015   | 0.32    | 40.1    | 17.8    | 0.43    | 338     | 0.49    |
| I099417            |                                   | 0.93    | 11.8    | 2.70    | 6.06    | 0.05    | 0.08    | 0.01    | 0.021   | 0.11    | 31.1    | 22.7    | 0.43    | 368     | 1.32    |
| I099418            |                                   | 0.64    | 31.9    | 2.41    | 4.80    | 0.07    | 0.13    | 0.05    | 0.018   | 0.10    | 22.0    | 15.3    | 0.41    | 407     | 2.50    |
| I099419            |                                   | 0.67    | 22.4    | 2.98    | 6.04    | <0.05   | 0.20    | 0.01    | 0.028   | 0.11    | 22.6    | 14.1    | 0.48    | 916     | 1.04    |
| I099420            |                                   | 0.55    | 14.1    | 2.34    | 4.77    | <0.05   | 0.09    | 0.04    | 0.016   | 0.11    | 14.2    | 13.1    | 0.45    | 247     | 0.72    |
| I099421            |                                   | 0.09    | 2.1     | 0.88    | 0.66    | <0.05   | 0.07    | <0.01   | <0.005  | 0.06    | 5.4     | 1.4     | 0.04    | 184     | 0.36    |
| I099422            |                                   | 0.63    | 26.4    | 3.00    | 6.15    | 0.06    | 0.12    | 0.03    | 0.030   | 0.11    | 35.8    | 14.9    | 0.48    | 1190    | 1.41    |
| I099423            |                                   | 0.50    | 11.8    | 1.98    | 4.63    | <0.05   | 0.03    | 0.01    | 0.015   | 0.07    | 13.5    | 9.1     | 0.33    | 216     | 1.28    |
| I099424            |                                   | 0.52    | 18.8    | 2.56    | 5.07    | <0.05   | 0.11    | 0.02    | 0.024   | 0.06    | 17.3    | 12.9    | 0.48    | 294     | 1.33    |
| I099425            |                                   | 0.50    | 15.3    | 2.25    | 5.05    | <0.05   | 0.03    | 0.08    | 0.017   | 0.07    | 15.5    | 9.6     | 0.37    | 711     | 2.01    |
| I099426            |                                   | 0.62    | 18.4    | 2.18    | 4.46    | <0.05   | 0.11    | 0.02    | 0.017   | 0.06    | 20.1    | 10.0    | 0.34    | 216     | 1.51    |
| I099427            |                                   | 0.83    | 40.0    | 3.34    | 8.26    | 0.07    | 0.06    | 0.04    | 0.033   | 0.11    | 29.5    | 9.3     | 0.38    | 1510    | 4.70    |
| I099428            |                                   | 0.62    | 22.9    | 2.53    | 5.46    | <0.05   | 0.05    | 0.05    | 0.023   | 0.07    | 23.5    | 11.6    | 0.41    | 452     | 3.12    |
| I099429            |                                   | 0.67    | 28.3    | 2.84    | 6.12    | <0.05   | 0.04    | 0.09    | 0.025   | 0.07    | 30.7    | 11.7    | 0.47    | 334     | 2.71    |
| I099430            |                                   | 0.57    | 29.6    | 2.73    | 6.31    | 0.05    | 0.03    | 0.03    | 0.023   | 0.05    | 20.1    | 14.1    | 0.46    | 343     | 1.94    |
| I099431            |                                   | 0.76    | 20.0    | 3.27    | 6.87    | <0.05   | 0.11    | 0.02    | 0.028   | 0.06    | 14.3    | 15.0    | 0.55    | 293     | 1.88    |
| I099432            |                                   | 0.83    | 35.3    | 4.31    | 10.50   | 0.06    | 0.16    | 0.04    | 0.039   | 0.11    | 26.8    | 13.7    | 0.54    | 435     | 4.10    |
| I099433            |                                   | 0.63    | 19.0    | 2.55    | 6.31    | 0.05    | 0.07    | 0.02    | 0.022   | 0.05    | 18.5    | 12.4    | 0.44    | 190     | 1.58    |
| I099434            |                                   | 0.54    | 22.8    | 2.08    | 4.23    | <0.05   | 0.07    | 0.02    | 0.018   | 0.06    | 22.9    | 10.2    | 0.41    | 272     | 0.97    |
| I099435            |                                   | 0.61    | 18.7    | 2.50    | 6.55    | <0.05   | 0.04    | 0.02    | 0.024   | 0.07    | 20.2    | 11.1    | 0.47    | 210     | 1.67    |
| I099436            |                                   | 0.76    | 21.7    | 2.90    | 6.12    | <0.05   | 0.12    | 0.02    | 0.025   | 0.05    | 18.0    | 15.8    | 0.51    | 212     | 2.30    |
| I099437            |                                   | 0.59    | 21.9    | 2.33    | 5.59    | 0.05    | 0.04    | 0.02    | 0.022   | 0.10    | 25.6    | 18.6    | 0.52    | 289     | 1.78    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - C  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099398            |                                   | 1.40    | 21.9    | 330     | 6.8     | 10.8    | <0.001  | 0.01    | 0.43    | 3.8     | 0.4     | 0.4     | 18.7    | <0.01   | 0.02    |
| I099399            |                                   | 1.05    | 6.0     | 220     | 10.7    | 9.3     | <0.001  | 0.01    | 0.23    | 1.9     | 0.3     | 0.9     | 12.6    | <0.01   | 0.02    |
| I099400            |                                   | 1.52    | 19.5    | 380     | 8.3     | 9.2     | <0.001  | 0.01    | 0.49    | 5.2     | 0.7     | 0.6     | 20.5    | <0.01   | 0.02    |
| I099401            |                                   | 1.11    | 30.5    | 710     | 8.5     | 15.5    | <0.001  | 0.01    | 0.57    | 3.1     | 0.5     | 0.5     | 21.7    | <0.01   | 0.04    |
| I099402            |                                   | 0.97    | 58.0    | 320     | 7.9     | 20.9    | <0.001  | 0.01    | 0.38    | 4.2     | 0.7     | 0.5     | 17.4    | <0.01   | 0.05    |
| I099403            |                                   | 1.41    | 30.9    | 410     | 9.5     | 15.6    | <0.001  | 0.02    | 0.61    | 3.4     | 0.5     | 0.6     | 22.2    | <0.01   | 0.05    |
| I099404            |                                   | 1.77    | 34.2    | 1260    | 7.8     | 23.1    | <0.001  | 0.02    | 0.26    | 5.0     | 0.4     | 0.6     | 30.0    | <0.01   | 0.05    |
| I099405            |                                   | 1.35    | 21.0    | 340     | 8.3     | 11.6    | <0.001  | 0.03    | 0.46    | 3.8     | 0.3     | 0.5     | 23.7    | <0.01   | 0.03    |
| I099406            |                                   | 0.96    | 51.5    | 990     | 10.3    | 56.1    | <0.001  | 0.21    | 0.10    | 4.0     | 2.6     | 0.5     | 28.3    | <0.01   | 0.11    |
| I099407            |                                   | 1.44    | 19.3    | 600     | 7.6     | 8.3     | <0.001  | 0.07    | 0.45    | 4.4     | 0.6     | 0.5     | 32.6    | <0.01   | 0.03    |
| I099408            |                                   | 1.38    | 20.3    | 740     | 6.4     | 11.4    | <0.001  | 0.10    | 0.46    | 4.0     | 0.7     | 0.4     | 46.0    | <0.01   | 0.01    |
| I099409            |                                   | 1.50    | 24.1    | 550     | 7.9     | 13.5    | <0.001  | 0.06    | 0.55    | 4.4     | 0.9     | 0.4     | 43.7    | <0.01   | 0.04    |
| I099410            |                                   | 1.38    | 21.4    | 780     | 6.8     | 9.8     | <0.001  | 0.07    | 0.61    | 4.3     | 1.0     | 0.4     | 53.1    | <0.01   | 0.04    |
| I099411            |                                   | 1.91    | 17.8    | 480     | 7.6     | 23.7    | <0.001  | 0.05    | 0.35    | 4.5     | 0.3     | 0.6     | 30.4    | <0.01   | 0.03    |
| I099412            |                                   | 1.19    | 22.3    | 300     | 7.9     | 8.9     | <0.001  | 0.04    | 0.56    | 3.3     | 0.2     | 0.5     | 23.8    | <0.01   | 0.03    |
| I099413            |                                   | 0.97    | 18.9    | 310     | 9.6     | 14.2    | <0.001  | 0.04    | 0.54    | 5.6     | 0.5     | 0.6     | 28.4    | <0.01   | 0.03    |
| I099414            |                                   | 1.42    | 17.7    | 540     | 8.0     | 10.0    | <0.001  | 0.05    | 0.47    | 4.9     | 0.5     | 0.5     | 30.6    | 0.01    | 0.03    |
| I099415            |                                   | 1.61    | 15.6    | 530     | 8.3     | 10.9    | <0.001  | 0.05    | 0.40    | 4.5     | 0.4     | 0.5     | 26.9    | <0.01   | 0.02    |
| I099416            |                                   | 2.71    | 6.6     | 510     | 4.9     | 44.8    | <0.001  | 0.05    | 0.16    | 4.1     | 0.3     | 0.8     | 22.1    | <0.01   | 0.01    |
| I099417            |                                   | 2.82    | 13.0    | 540     | 8.7     | 25.2    | <0.001  | 0.05    | 0.24    | 4.3     | 0.3     | 0.7     | 27.7    | <0.01   | 0.02    |
| I099418            |                                   | 2.89    | 20.1    | 450     | 7.7     | 15.1    | <0.001  | 0.12    | 0.51    | 5.2     | 1.2     | 0.6     | 67.7    | 0.01    | 0.03    |
| I099419            |                                   | 2.82    | 20.7    | 310     | 10.0    | 19.3    | <0.001  | 0.05    | 0.48    | 6.5     | 0.4     | 0.8     | 37.4    | <0.01   | 0.04    |
| I099420            |                                   | 2.53    | 14.2    | 200     | 7.6     | 18.3    | <0.001  | 0.05    | 0.34    | 3.6     | 0.3     | 0.6     | 25.6    | <0.01   | 0.02    |
| I099421            |                                   | 0.17    | 4.1     | 130     | 1.5     | 2.8     | <0.001  | 0.05    | 0.12    | 0.7     | <0.2    | <0.2    | 10.2    | <0.01   | <0.01   |
| I099422            |                                   | 2.12    | 21.2    | 350     | 9.2     | 16.4    | <0.001  | 0.05    | 0.47    | 5.7     | 0.7     | 0.7     | 36.7    | <0.01   | 0.03    |
| I099423            |                                   | 1.86    | 12.0    | 310     | 6.5     | 12.6    | <0.001  | 0.05    | 0.30    | 2.9     | 0.3     | 0.5     | 23.3    | <0.01   | 0.01    |
| I099424            |                                   | 1.69    | 16.3    | 430     | 8.1     | 8.3     | <0.001  | 0.05    | 0.43    | 4.8     | 0.5     | 0.6     | 31.7    | <0.01   | 0.02    |
| I099425            |                                   | 1.95    | 13.9    | 250     | 7.0     | 15.0    | <0.001  | 0.05    | 0.34    | 3.4     | 0.4     | 0.6     | 28.9    | <0.01   | 0.02    |
| I099426            |                                   | 2.18    | 12.3    | 170     | 8.1     | 13.2    | <0.001  | 0.04    | 0.34    | 4.0     | 0.3     | 0.7     | 24.4    | <0.01   | 0.02    |
| I099427            |                                   | 2.28    | 19.5    | 550     | 12.3    | 19.4    | <0.001  | 0.05    | 0.42    | 4.8     | 0.7     | 0.9     | 34.8    | <0.01   | 0.05    |
| I099428            |                                   | 1.88    | 15.2    | 340     | 9.0     | 12.7    | <0.001  | 0.04    | 0.38    | 4.5     | 0.5     | 0.7     | 26.2    | <0.01   | 0.03    |
| I099429            |                                   | 1.87    | 17.2    | 460     | 10.5    | 13.3    | <0.001  | 0.06    | 0.44    | 4.6     | 0.6     | 0.7     | 27.8    | <0.01   | 0.04    |
| I099430            |                                   | 1.42    | 19.0    | 310     | 9.9     | 11.4    | <0.001  | 0.04    | 0.42    | 4.7     | 0.5     | 0.6     | 29.9    | <0.01   | 0.02    |
| I099431            |                                   | 1.87    | 17.5    | 290     | 10.4    | 11.9    | <0.001  | 0.04    | 0.45    | 4.9     | 0.4     | 0.7     | 21.7    | <0.01   | 0.03    |
| I099432            |                                   | 2.52    | 23.3    | 400     | 16.1    | 16.6    | <0.001  | 0.05    | 0.51    | 6.6     | 0.7     | 1.1     | 25.4    | <0.01   | 0.05    |
| I099433            |                                   | 1.67    | 14.1    | 280     | 9.8     | 11.7    | <0.001  | 0.04    | 0.34    | 3.9     | 0.4     | 0.7     | 18.4    | <0.01   | 0.02    |
| I099434            |                                   | 1.63    | 13.5    | 310     | 7.1     | 11.2    | <0.001  | 0.04    | 0.32    | 4.0     | 0.5     | 0.6     | 21.8    | <0.01   | 0.03    |
| I099435            |                                   | 1.73    | 16.0    | 320     | 9.8     | 13.9    | <0.001  | 0.04    | 0.34    | 3.7     | 0.2     | 0.7     | 21.9    | <0.01   | 0.03    |
| I099436            |                                   | 1.52    | 17.5    | 390     | 9.3     | 11.6    | <0.001  | 0.04    | 0.44    | 4.5     | 0.4     | 0.7     | 21.0    | <0.01   | 0.03    |
| I099437            |                                   | 1.98    | 13.2    | 470     | 8.2     | 17.7    | <0.001  | 0.04    | 0.28    | 4.4     | 0.4     | 0.9     | 21.8    | <0.01   | 0.02    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 5 - D  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I099398            |                                   | 0.107              | 0.11                 | 0.68                | 60                  | 0.28                | 5.08                | 48                   | 2.3                  |
| I099399            |                                   | 0.070              | 0.09                 | 0.65                | 50                  | 0.11                | 3.46                | 22                   | 0.5                  |
| I099400            |                                   | 0.088              | 0.10                 | 2.02                | 55                  | 0.28                | 10.55               | 45                   | 2.5                  |
| I099401            |                                   | 0.080              | 0.11                 | 0.60                | 70                  | 0.19                | 2.96                | 70                   | 0.6                  |
| I099402            |                                   | 0.110              | 0.18                 | 0.68                | 80                  | 0.12                | 4.40                | 182                  | 1.4                  |
| I099403            |                                   | 0.088              | 0.16                 | 0.56                | 79                  | 0.22                | 2.54                | 88                   | 1.8                  |
| I099404            |                                   | 0.130              | 0.14                 | 0.90                | 93                  | 0.15                | 5.18                | 95                   | 0.8                  |
| I099405            |                                   | 0.085              | 0.09                 | 0.51                | 66                  | 0.20                | 3.80                | 42                   | 4.9                  |
| I099406            |                                   | 0.107              | 0.40                 | 3.49                | 110                 | 0.19                | 14.00               | 211                  | <0.5                 |
| I099407            |                                   | 0.079              | 0.08                 | 0.83                | 62                  | 0.20                | 7.08                | 56                   | 2.6                  |
| I099408            |                                   | 0.080              | 0.09                 | 1.01                | 47                  | 0.17                | 8.37                | 65                   | 1.4                  |
| I099409            |                                   | 0.083              | 0.05                 | 1.01                | 55                  | 0.20                | 8.25                | 60                   | 2.6                  |
| I099410            |                                   | 0.072              | 0.06                 | 1.24                | 49                  | 0.27                | 13.85               | 57                   | 2.8                  |
| I099411            |                                   | 0.087              | 0.11                 | 0.47                | 61                  | 0.19                | 3.16                | 52                   | 1.2                  |
| I099412            |                                   | 0.080              | 0.07                 | 0.38                | 64                  | 0.16                | 2.30                | 46                   | 2.4                  |
| I099413            |                                   | 0.101              | 0.09                 | 1.21                | 61                  | 0.18                | 9.26                | 53                   | 12.9                 |
| I099414            |                                   | 0.089              | 0.07                 | 1.34                | 55                  | 0.29                | 8.84                | 52                   | 3.2                  |
| I099415            |                                   | 0.086              | 0.08                 | 1.28                | 56                  | 0.27                | 7.80                | 49                   | 4.0                  |
| I099416            |                                   | 0.095              | 0.24                 | 2.27                | 36                  | 0.17                | 10.45               | 56                   | 2.7                  |
| I099417            |                                   | 0.085              | 0.16                 | 2.43                | 51                  | 0.17                | 10.45               | 52                   | 2.8                  |
| I099418            |                                   | 0.082              | 0.09                 | 63.0                | 47                  | 0.19                | 15.85               | 46                   | 5.7                  |
| I099419            |                                   | 0.097              | 0.11                 | 5.42                | 60                  | 0.19                | 9.31                | 49                   | 9.2                  |
| I099420            |                                   | 0.090              | 0.08                 | 1.01                | 53                  | 0.19                | 5.61                | 39                   | 3.4                  |
| I099421            |                                   | 0.009              | 0.03                 | 0.31                | 5                   | 0.05                | 2.43                | 3                    | 3.1                  |
| I099422            |                                   | 0.086              | 0.09                 | 2.58                | 58                  | 0.38                | 13.05               | 46                   | 4.5                  |
| I099423            |                                   | 0.077              | 0.08                 | 1.23                | 46                  | 0.17                | 3.76                | 35                   | 1.6                  |
| I099424            |                                   | 0.084              | 0.07                 | 2.09                | 55                  | 0.31                | 7.67                | 43                   | 4.3                  |
| I099425            |                                   | 0.072              | 0.07                 | 1.64                | 50                  | 0.23                | 6.43                | 39                   | 1.2                  |
| I099426            |                                   | 0.080              | 0.08                 | 2.16                | 48                  | 0.20                | 9.65                | 37                   | 4.8                  |
| I099427            |                                   | 0.088              | 0.09                 | 4.84                | 65                  | 0.28                | 15.20               | 52                   | 1.9                  |
| I099428            |                                   | 0.082              | 0.08                 | 3.35                | 54                  | 0.28                | 10.15               | 42                   | 2.1                  |
| I099429            |                                   | 0.086              | 0.09                 | 3.50                | 57                  | 0.24                | 11.80               | 52                   | 1.3                  |
| I099430            |                                   | 0.078              | 0.07                 | 1.83                | 61                  | 0.28                | 10.70               | 46                   | 0.9                  |
| I099431            |                                   | 0.095              | 0.12                 | 1.30                | 70                  | 0.24                | 5.53                | 56                   | 4.7                  |
| I099432            |                                   | 0.124              | 0.12                 | 2.86                | 100                 | 0.30                | 11.15               | 68                   | 6.8                  |
| I099433            |                                   | 0.095              | 0.09                 | 1.31                | 55                  | 0.17                | 5.57                | 44                   | 3.4                  |
| I099434            |                                   | 0.086              | 0.08                 | 2.15                | 45                  | 0.33                | 9.67                | 39                   | 3.4                  |
| I099435            |                                   | 0.094              | 0.08                 | 1.36                | 57                  | 0.23                | 6.25                | 50                   | 1.5                  |
| I099436            |                                   | 0.092              | 0.12                 | 1.44                | 62                  | 0.24                | 6.56                | 48                   | 5.3                  |
| I099437            |                                   | 0.095              | 0.11                 | 1.93                | 49                  | 0.20                | 9.20                | 44                   | 1.4                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - A  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099438            |                                   | 0.36                      | 0.007                | 0.13                 | 1.53               | 11.3                 | <0.2                 | <10                 | 360                  | 0.34                 | 0.18                 | 0.59               | 0.31                 | 27.8                 | 11.0                 | 30                   |
| I099439            |                                   | 0.34                      | 0.005                | 0.04                 | 2.00               | 7.8                  | <0.2                 | <10                 | 260                  | 0.47                 | 0.20                 | 0.28               | 0.10                 | 35.6                 | 11.0                 | 62                   |
| I099440            |                                   | 0.32                      | <0.005               | 0.05                 | 1.84               | 7.5                  | <0.2                 | <10                 | 260                  | 0.43                 | 0.19                 | 0.31               | 0.07                 | 34.0                 | 9.9                  | 57                   |
| I099441            |                                   | 0.40                      | <0.005               | 0.05                 | 2.38               | 8.7                  | <0.2                 | <10                 | 200                  | 0.32                 | 0.25                 | 0.22               | 0.07                 | 23.9                 | 8.8                  | 40                   |
| I099442            |                                   | 0.28                      | <0.005               | 0.11                 | 1.82               | 6.8                  | <0.2                 | <10                 | 200                  | 0.25                 | 0.20                 | 0.18               | 0.12                 | 18.30                | 6.2                  | 29                   |
| I099443            |                                   | 0.32                      | 0.005                | 0.03                 | 2.31               | 8.5                  | <0.2                 | <10                 | 210                  | 0.34                 | 0.20                 | 0.23               | 0.07                 | 24.5                 | 8.3                  | 37                   |
| I099444            |                                   | 0.32                      | 0.007                | 0.10                 | 1.58               | 5.9                  | <0.2                 | <10                 | 160                  | 0.27                 | 0.21                 | 0.18               | 0.08                 | 29.8                 | 6.2                  | 29                   |
| I099445            |                                   | 0.30                      | <0.005               | 0.08                 | 2.44               | 9.2                  | <0.2                 | <10                 | 200                  | 0.37                 | 0.23                 | 0.12               | 0.10                 | 35.3                 | 8.4                  | 34                   |
| I099446            |                                   | 0.30                      | <0.005               | 0.02                 | 2.06               | 7.9                  | <0.2                 | <10                 | 210                  | 0.39                 | 0.17                 | 0.15               | 0.05                 | 38.2                 | 7.1                  | 35                   |
| I099447            |                                   | 0.24                      | <0.005               | 0.33                 | 1.23               | 4.1                  | <0.2                 | <10                 | 160                  | 0.27                 | 0.20                 | 0.13               | 0.16                 | 24.0                 | 2.8                  | 21                   |
| I099448            |                                   | 0.30                      | <0.005               | 0.07                 | 1.65               | 5.3                  | <0.2                 | <10                 | 160                  | 0.33                 | 0.14                 | 0.17               | 0.07                 | 40.7                 | 6.7                  | 27                   |
| I099449            |                                   | 0.26                      | 0.007                | 0.22                 | 3.44               | 10.6                 | <0.2                 | <10                 | 370                  | 0.61                 | 0.31                 | 0.31               | 0.18                 | 70.5                 | 13.4                 | 46                   |
| I099450            |                                   | 0.30                      | <0.005               | 0.12                 | 2.16               | 7.2                  | <0.2                 | <10                 | 170                  | 0.32                 | 0.22                 | 0.21               | 0.12                 | 34.2                 | 7.1                  | 32                   |
| I099451            |                                   | 0.34                      | <0.005               | 0.09                 | 1.61               | 4.0                  | <0.2                 | <10                 | 100                  | 0.19                 | 0.14                 | 0.20               | 0.10                 | 26.6                 | 5.7                  | 23                   |
| I099452            |                                   | 0.24                      | <0.005               | 0.24                 | 2.27               | 6.7                  | <0.2                 | <10                 | 280                  | 0.57                 | 0.34                 | 0.35               | 0.24                 | 102.5                | 6.1                  | 26                   |
| I099453            |                                   | 0.36                      | <0.005               | 0.03                 | 1.99               | 8.0                  | <0.2                 | <10                 | 150                  | 0.26                 | 0.20                 | 0.21               | 0.12                 | 27.8                 | 7.3                  | 28                   |
| I099454            |                                   | 0.32                      | <0.005               | 0.04                 | 1.87               | 6.1                  | <0.2                 | <10                 | 120                  | 0.35                 | 0.27                 | 0.15               | 0.12                 | 40.6                 | 7.1                  | 24                   |
| I099455            |                                   | 0.34                      | <0.005               | 0.05                 | 1.41               | 4.6                  | <0.2                 | <10                 | 110                  | 0.17                 | 0.22                 | 0.17               | 0.16                 | 27.7                 | 5.1                  | 19                   |
| I099456            |                                   | 0.44                      | <0.005               | 0.01                 | 0.12               | 1.9                  | <0.2                 | <10                 | 30                   | 0.08                 | 0.02                 | 0.09               | 0.04                 | 10.25                | 2.2                  | 3                    |
| I099457            |                                   | 0.34                      | 0.005                | 0.16                 | 1.78               | 5.2                  | <0.2                 | <10                 | 220                  | 0.28                 | 0.20                 | 0.29               | 0.28                 | 53.3                 | 5.1                  | 24                   |
| I099458            |                                   | 0.38                      | <0.005               | 0.10                 | 1.69               | 5.1                  | <0.2                 | <10                 | 170                  | 0.25                 | 0.19                 | 0.23               | 0.19                 | 36.1                 | 5.4                  | 23                   |
| I099459            |                                   | 0.26                      | <0.005               | 0.10                 | 1.54               | 4.6                  | <0.2                 | <10                 | 140                  | 0.19                 | 0.27                 | 0.21               | 0.13                 | 28.3                 | 5.1                  | 22                   |
| I099460            |                                   | 0.24                      | 0.005                | 0.12                 | 1.71               | 4.8                  | <0.2                 | <10                 | 150                  | 0.20                 | 0.31                 | 0.30               | 0.11                 | 32.5                 | 8.0                  | 19                   |
| I099461            |                                   | 0.30                      | <0.005               | 0.01                 | 1.97               | 8.4                  | <0.2                 | <10                 | 120                  | 0.23                 | 0.19                 | 0.14               | 0.08                 | 18.80                | 6.9                  | 24                   |
| I099462            |                                   | 0.30                      | <0.005               | 0.14                 | 1.69               | 4.1                  | <0.2                 | <10                 | 210                  | 0.30                 | 1.48                 | 0.23               | 0.24                 | 42.3                 | 7.0                  | 19                   |
| I099463            |                                   | 0.30                      | <0.005               | 0.03                 | 2.46               | 4.4                  | <0.2                 | <10                 | 130                  | 0.23                 | 0.11                 | 0.18               | 0.06                 | 24.5                 | 9.4                  | 17                   |
| I099464            |                                   | 0.32                      | <0.005               | 0.01                 | 2.63               | 4.0                  | <0.2                 | <10                 | 120                  | 0.26                 | 0.17                 | 0.16               | 0.08                 | 17.65                | 10.9                 | 16                   |
| I099465            |                                   | 0.28                      | <0.005               | 0.08                 | 1.70               | 11.3                 | <0.2                 | <10                 | 190                  | 0.22                 | 0.12                 | 0.35               | 0.12                 | 36.7                 | 8.3                  | 19                   |
| I099466            |                                   | 0.28                      | <0.005               | 0.01                 | 2.09               | 4.2                  | <0.2                 | <10                 | 120                  | 0.20                 | 0.12                 | 0.20               | 0.04                 | 17.45                | 9.5                  | 19                   |
| I099467            |                                   | 0.34                      | <0.005               | 0.05                 | 1.60               | 5.2                  | <0.2                 | <10                 | 130                  | 0.22                 | 0.14                 | 0.26               | 0.03                 | 20.8                 | 6.4                  | 19                   |
| I099468            |                                   | 0.28                      | <0.005               | 0.02                 | 1.66               | 4.8                  | <0.2                 | <10                 | 170                  | 0.18                 | 0.11                 | 0.23               | 0.05                 | 24.6                 | 8.8                  | 19                   |
| I099469            |                                   | 0.34                      | 0.005                | 0.08                 | 1.68               | 6.2                  | <0.2                 | <10                 | 140                  | 0.22                 | 0.13                 | 0.24               | 0.03                 | 32.4                 | 6.9                  | 25                   |
| I099470            |                                   | 0.34                      | <0.005               | 0.02                 | 2.22               | 9.1                  | <0.2                 | <10                 | 140                  | 0.24                 | 0.16                 | 0.11               | 0.08                 | 19.40                | 9.2                  | 32                   |
| I099471            |                                   | 0.34                      | 0.005                | 0.04                 | 2.08               | 7.8                  | <0.2                 | <10                 | 170                  | 0.36                 | 0.21                 | 0.15               | 0.14                 | 21.6                 | 8.2                  | 30                   |
| I099472            |                                   | 0.28                      | <0.005               | 0.02                 | 2.06               | 8.4                  | <0.2                 | <10                 | 210                  | 0.26                 | 0.13                 | 0.23               | 0.10                 | 21.6                 | 9.8                  | 28                   |
| I099473            |                                   | 0.34                      | <0.005               | 0.03                 | 2.54               | 6.9                  | <0.2                 | <10                 | 210                  | 0.25                 | 0.15                 | 0.14               | 0.07                 | 15.00                | 11.2                 | 59                   |
| I099474            |                                   | 0.36                      | <0.005               | 0.02                 | 1.78               | 6.8                  | <0.2                 | <10                 | 140                  | 0.20                 | 0.15                 | 0.13               | 0.08                 | 17.60                | 6.1                  | 18                   |
| I099475            |                                   | 0.40                      | <0.005               | 0.15                 | 2.60               | 4.0                  | <0.2                 | <10                 | 240                  | 0.37                 | 0.12                 | 0.41               | 0.09                 | 45.3                 | 9.3                  | 19                   |
| I099476            |                                   | 0.34                      | <0.005               | 0.10                 | 2.63               | 3.9                  | <0.2                 | <10                 | 340                  | 0.34                 | 0.19                 | 0.22               | 0.23                 | 15.10                | 11.1                 | 16                   |
| I099477            |                                   | 0.32                      | <0.005               | 0.05                 | 1.84               | 9.0                  | <0.2                 | <10                 | 150                  | 0.24                 | 0.19                 | 0.14               | 0.08                 | 23.4                 | 6.1                  | 26                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - B  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099438            |                                   | 0.69    | 33.1    | 2.85    | 4.84    | 0.07    | 0.12    | 0.03    | 0.025   | 0.07    | 13.8    | 12.8    | 0.60    | 450     | 0.97    |
| I099439            |                                   | 0.72    | 28.1    | 2.88    | 6.01    | 0.06    | 0.16    | 0.05    | 0.025   | 0.04    | 18.2    | 12.6    | 0.57    | 360     | 0.84    |
| I099440            |                                   | 0.67    | 27.1    | 2.79    | 5.52    | 0.05    | 0.16    | 0.02    | 0.024   | 0.04    | 17.4    | 11.9    | 0.56    | 330     | 0.82    |
| I099441            |                                   | 0.97    | 22.0    | 3.11    | 6.66    | 0.05    | 0.20    | 0.02    | 0.029   | 0.04    | 12.3    | 13.2    | 0.50    | 263     | 1.24    |
| I099442            |                                   | 0.87    | 15.6    | 2.43    | 6.58    | <0.05   | 0.02    | 0.02    | 0.023   | 0.05    | 9.3     | 8.7     | 0.40    | 184     | 1.31    |
| I099443            |                                   | 0.91    | 22.6    | 3.08    | 6.51    | 0.05    | 0.08    | 0.02    | 0.028   | 0.04    | 12.0    | 13.9    | 0.57    | 238     | 0.92    |
| I099444            |                                   | 0.81    | 19.6    | 2.37    | 5.70    | 0.05    | 0.03    | 0.02    | 0.022   | 0.04    | 15.9    | 9.2     | 0.40    | 236     | 1.13    |
| I099445            |                                   | 1.20    | 21.2    | 3.38    | 9.27    | 0.06    | 0.03    | 0.03    | 0.032   | 0.05    | 20.1    | 12.7    | 0.41    | 387     | 1.97    |
| I099446            |                                   | 0.98    | 22.4    | 2.73    | 5.62    | 0.05    | 0.15    | 0.03    | 0.028   | 0.04    | 19.5    | 13.1    | 0.47    | 241     | 1.05    |
| I099447            |                                   | 0.87    | 17.9    | 1.66    | 4.89    | <0.05   | <0.02   | 0.07    | 0.025   | 0.04    | 12.5    | 2.7     | 0.12    | 64      | 1.44    |
| I099448            |                                   | 0.75    | 17.3    | 2.34    | 4.83    | 0.05    | 0.03    | 0.02    | 0.022   | 0.04    | 22.8    | 9.6     | 0.38    | 247     | 0.69    |
| I099449            |                                   | 1.26    | 35.1    | 3.94    | 10.95   | 0.09    | 0.06    | 0.07    | 0.044   | 0.07    | 41.5    | 12.8    | 0.49    | 702     | 2.80    |
| I099450            |                                   | 0.85    | 20.4    | 2.86    | 6.82    | 0.05    | 0.05    | 0.03    | 0.030   | 0.06    | 21.1    | 11.2    | 0.42    | 251     | 1.24    |
| I099451            |                                   | 0.78    | 11.0    | 2.18    | 5.09    | 0.06    | 0.05    | 0.02    | 0.018   | 0.08    | 24.9    | 11.9    | 0.46    | 205     | 0.93    |
| I099452            |                                   | 0.99    | 31.7    | 2.77    | 7.59    | 0.08    | 0.05    | 0.08    | 0.036   | 0.09    | 65.2    | 7.2     | 0.29    | 374     | 2.34    |
| I099453            |                                   | 0.85    | 12.1    | 2.98    | 6.18    | 0.05    | 0.08    | 0.01    | 0.024   | 0.05    | 15.2    | 16.3    | 0.47    | 306     | 1.65    |
| I099454            |                                   | 0.97    | 15.2    | 2.67    | 6.12    | 0.05    | 0.04    | 0.02    | 0.026   | 0.07    | 27.4    | 12.2    | 0.39    | 322     | 1.78    |
| I099455            |                                   | 0.70    | 10.0    | 2.17    | 5.75    | <0.05   | 0.03    | 0.01    | 0.019   | 0.06    | 20.6    | 7.7     | 0.36    | 200     | 1.22    |
| I099456            |                                   | 0.08    | 1.9     | 0.66    | 0.53    | <0.05   | 0.06    | <0.01   | <0.005  | 0.04    | 5.1     | 1.1     | 0.04    | 150     | 0.29    |
| I099457            |                                   | 0.90    | 15.2    | 2.33    | 5.50    | 0.05    | 0.02    | 0.06    | 0.024   | 0.05    | 26.4    | 9.9     | 0.40    | 143     | 0.76    |
| I099458            |                                   | 0.92    | 11.6    | 2.18    | 5.40    | <0.05   | 0.02    | 0.04    | 0.022   | 0.05    | 18.9    | 11.9    | 0.43    | 153     | 0.69    |
| I099459            |                                   | 0.85    | 10.5    | 2.00    | 5.33    | <0.05   | 0.02    | 0.05    | 0.019   | 0.05    | 14.4    | 10.5    | 0.42    | 139     | 1.22    |
| I099460            |                                   | 0.81    | 13.3    | 2.46    | 5.51    | 0.06    | 0.02    | 0.12    | 0.021   | 0.11    | 18.5    | 12.2    | 0.51    | 364     | 1.51    |
| I099461            |                                   | 0.82    | 8.7     | 3.19    | 7.80    | <0.05   | 0.06    | 0.01    | 0.021   | 0.12    | 9.4     | 14.7    | 0.50    | 314     | 1.16    |
| I099462            |                                   | 0.77    | 23.1    | 2.46    | 6.27    | 0.05    | 0.02    | 0.02    | 0.016   | 0.21    | 19.4    | 11.9    | 0.59    | 239     | 1.16    |
| I099463            |                                   | 1.18    | 13.6    | 3.49    | 8.96    | 0.07    | 0.04    | 0.01    | 0.014   | 0.46    | 11.9    | 20.7    | 0.89    | 423     | 1.10    |
| I099464            |                                   | 1.89    | 30.4    | 4.08    | 10.15   | 0.09    | 0.03    | 0.01    | 0.020   | 0.62    | 11.3    | 21.8    | 1.07    | 481     | 1.34    |
| I099465            |                                   | 0.74    | 11.7    | 3.65    | 5.04    | 0.08    | 0.03    | 0.04    | 0.020   | 0.25    | 18.6    | 12.6    | 0.60    | 292     | 0.81    |
| I099466            |                                   | 0.88    | 15.9    | 3.20    | 6.72    | 0.06    | 0.04    | 0.01    | 0.014   | 0.29    | 9.5     | 17.5    | 0.79    | 346     | 0.80    |
| I099467            |                                   | 0.63    | 11.6    | 2.63    | 6.44    | <0.05   | 0.05    | 0.02    | 0.018   | 0.13    | 10.5    | 12.9    | 0.48    | 239     | 0.92    |
| I099468            |                                   | 1.16    | 8.6     | 2.74    | 6.62    | 0.06    | 0.05    | 0.01    | 0.013   | 0.37    | 13.1    | 12.5    | 0.74    | 343     | 0.69    |
| I099469            |                                   | 0.65    | 10.2    | 2.50    | 5.44    | 0.05    | 0.07    | 0.02    | 0.018   | 0.16    | 20.8    | 14.6    | 0.61    | 221     | 0.71    |
| I099470            |                                   | 0.64    | 13.4    | 3.36    | 6.30    | 0.05    | 0.10    | 0.08    | 0.026   | 0.22    | 9.4     | 16.2    | 0.62    | 309     | 1.20    |
| I099471            |                                   | 0.69    | 11.8    | 3.17    | 7.64    | <0.05   | 0.06    | 0.01    | 0.026   | 0.07    | 11.0    | 11.5    | 0.45    | 277     | 1.08    |
| I099472            |                                   | 0.80    | 15.3    | 2.98    | 5.57    | 0.05    | 0.06    | 0.01    | 0.026   | 0.12    | 12.2    | 15.0    | 0.66    | 308     | 0.68    |
| I099473            |                                   | 0.98    | 32.4    | 3.23    | 6.59    | <0.05   | 0.05    | 0.01    | 0.025   | 0.08    | 7.6     | 18.1    | 0.72    | 208     | 0.81    |
| I099474            |                                   | 0.81    | 9.0     | 2.86    | 7.65    | <0.05   | 0.02    | 0.01    | 0.016   | 0.15    | 9.0     | 10.7    | 0.55    | 257     | 0.78    |
| I099475            |                                   | 0.77    | 15.3    | 3.30    | 8.53    | 0.06    | 0.03    | 0.02    | 0.019   | 0.41    | 34.7    | 16.0    | 0.96    | 542     | 0.67    |
| I099476            |                                   | 0.66    | 22.9    | 3.87    | 8.32    | 0.06    | 0.03    | 0.02    | 0.020   | 0.48    | 8.3     | 13.8    | 1.01    | 539     | 0.80    |
| I099477            |                                   | 0.80    | 11.4    | 2.74    | 7.23    | <0.05   | 0.11    | 0.01    | 0.019   | 0.06    | 12.2    | 14.5    | 0.43    | 195     | 0.88    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - C  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099438            |                                   | 1.03    | 25.8    | 800     | 9.1     | 8.1     | <0.001  | 0.01    | 0.74    | 5.2     | 0.4     | 0.4     | 31.5    | <0.01   | 0.04    |
| I099439            |                                   | 1.26    | 27.0    | 450     | 9.1     | 10.2    | <0.001  | 0.01    | 0.45    | 5.6     | 0.4     | 0.6     | 25.3    | <0.01   | 0.03    |
| I099440            |                                   | 1.09    | 25.9    | 470     | 8.5     | 8.4     | <0.001  | 0.01    | 0.46    | 5.3     | 0.4     | 0.5     | 25.7    | <0.01   | 0.03    |
| I099441            |                                   | 1.09    | 18.6    | 210     | 9.2     | 10.0    | <0.001  | 0.01    | 0.45    | 4.8     | 0.3     | 0.7     | 19.4    | <0.01   | 0.03    |
| I099442            |                                   | 1.20    | 14.0    | 510     | 9.0     | 11.2    | <0.001  | 0.01    | 0.30    | 3.0     | 0.4     | 0.6     | 16.9    | <0.01   | 0.03    |
| I099443            |                                   | 1.31    | 19.8    | 270     | 8.5     | 9.7     | <0.001  | 0.01    | 0.48    | 4.8     | 0.3     | 0.6     | 19.4    | <0.01   | 0.03    |
| I099444            |                                   | 1.56    | 13.5    | 330     | 9.0     | 8.6     | <0.001  | 0.01    | 0.36    | 3.7     | 0.4     | 0.6     | 16.1    | <0.01   | 0.03    |
| I099445            |                                   | 1.71    | 16.1    | 380     | 11.9    | 12.5    | <0.001  | 0.02    | 0.38    | 4.2     | 0.4     | 0.8     | 14.0    | <0.01   | 0.03    |
| I099446            |                                   | 1.24    | 16.7    | 130     | 9.5     | 7.8     | <0.001  | 0.01    | 0.45    | 5.0     | 0.4     | 0.6     | 15.4    | <0.01   | 0.03    |
| I099447            |                                   | 0.41    | 9.1     | 720     | 9.7     | 10.3    | <0.001  | 0.05    | 0.23    | 0.6     | 0.7     | 0.5     | 15.5    | <0.01   | 0.04    |
| I099448            |                                   | 1.29    | 13.9    | 270     | 7.8     | 8.4     | <0.001  | 0.01    | 0.35    | 3.6     | 0.4     | 0.5     | 16.4    | <0.01   | 0.03    |
| I099449            |                                   | 1.73    | 22.7    | 840     | 15.8    | 18.8    | <0.001  | 0.05    | 0.50    | 6.8     | 0.9     | 1.0     | 31.1    | 0.01    | 0.05    |
| I099450            |                                   | 1.65    | 15.0    | 490     | 10.8    | 12.5    | <0.001  | 0.02    | 0.42    | 4.6     | 0.5     | 0.7     | 19.0    | <0.01   | 0.04    |
| I099451            |                                   | 2.15    | 11.0    | 410     | 8.8     | 16.1    | <0.001  | 0.01    | 0.27    | 3.3     | 0.3     | 0.6     | 14.7    | <0.01   | 0.03    |
| I099452            |                                   | 1.68    | 14.3    | 750     | 19.0    | 18.7    | <0.001  | 0.05    | 0.35    | 4.2     | 0.9     | 0.9     | 31.7    | 0.01    | 0.05    |
| I099453            |                                   | 1.67    | 12.1    | 250     | 15.2    | 10.8    | <0.001  | 0.01    | 0.33    | 3.6     | 0.3     | 0.7     | 16.7    | <0.01   | 0.04    |
| I099454            |                                   | 1.99    | 11.3    | 350     | 11.7    | 14.4    | <0.001  | 0.02    | 0.30    | 3.6     | 0.4     | 0.8     | 14.0    | <0.01   | 0.03    |
| I099455            |                                   | 1.95    | 8.9     | 250     | 8.1     | 11.7    | <0.001  | 0.01    | 0.25    | 3.2     | 0.3     | 0.7     | 15.7    | <0.01   | 0.02    |
| I099456            |                                   | 0.17    | 3.3     | 120     | 1.4     | 1.9     | <0.001  | 0.01    | 0.10    | 0.6     | <0.2    | <0.2    | 7.3     | <0.01   | 0.02    |
| I099457            |                                   | 1.32    | 11.5    | 670     | 10.1    | 10.3    | <0.001  | 0.04    | 0.30    | 3.7     | 0.6     | 0.6     | 24.7    | <0.01   | 0.03    |
| I099458            |                                   | 1.57    | 10.8    | 550     | 9.4     | 10.8    | <0.001  | 0.02    | 0.33    | 3.5     | 0.4     | 0.6     | 18.8    | <0.01   | 0.03    |
| I099459            |                                   | 1.32    | 10.3    | 480     | 8.7     | 10.3    | <0.001  | 0.02    | 0.26    | 2.7     | 0.4     | 0.5     | 18.6    | <0.01   | 0.03    |
| I099460            |                                   | 1.73    | 9.1     | 580     | 7.4     | 18.2    | <0.001  | 0.03    | 0.23    | 3.6     | 0.4     | 0.7     | 22.6    | <0.01   | 0.03    |
| I099461            |                                   | 2.05    | 8.5     | 280     | 9.2     | 16.8    | <0.001  | 0.01    | 0.37    | 3.2     | 0.3     | 0.7     | 13.3    | <0.01   | 0.04    |
| I099462            |                                   | 1.57    | 9.8     | 590     | 58.7    | 21.7    | <0.001  | 0.03    | 0.21    | 2.6     | 0.4     | 0.5     | 21.8    | <0.01   | 0.03    |
| I099463            |                                   | 3.65    | 8.0     | 320     | 5.2     | 44.9    | <0.001  | 0.01    | 0.20    | 3.3     | 0.2     | 0.6     | 14.3    | <0.01   | 0.03    |
| I099464            |                                   | 2.99    | 7.5     | 360     | 5.9     | 69.5    | <0.001  | 0.01    | 0.19    | 7.2     | 0.3     | 1.0     | 13.6    | <0.01   | 0.02    |
| I099465            |                                   | 2.15    | 9.3     | 1030    | 5.9     | 23.8    | <0.001  | 0.03    | 0.29    | 4.0     | 0.5     | 0.4     | 25.0    | <0.01   | 0.03    |
| I099466            |                                   | 1.61    | 8.7     | 330     | 5.2     | 29.2    | <0.001  | 0.01    | 0.22    | 3.4     | 0.2     | 0.6     | 16.8    | <0.01   | 0.03    |
| I099467            |                                   | 1.55    | 8.5     | 240     | 6.8     | 16.8    | <0.001  | 0.01    | 0.31    | 3.7     | 0.3     | 0.8     | 22.9    | <0.01   | 0.03    |
| I099468            |                                   | 2.58    | 9.1     | 320     | 5.3     | 42.2    | <0.001  | 0.01    | 0.23    | 3.0     | 0.2     | 0.5     | 19.6    | <0.01   | 0.03    |
| I099469            |                                   | 1.64    | 11.4    | 240     | 7.3     | 20.1    | <0.001  | 0.01    | 0.29    | 3.5     | 0.2     | 0.5     | 18.7    | <0.01   | 0.03    |
| I099470            |                                   | 1.96    | 14.3    | 220     | 8.1     | 26.1    | <0.001  | 0.01    | 0.48    | 3.1     | 0.3     | 0.5     | 12.5    | <0.01   | 0.04    |
| I099471            |                                   | 1.95    | 13.6    | 300     | 9.5     | 12.4    | <0.001  | 0.01    | 0.36    | 3.2     | 0.2     | 0.8     | 15.1    | <0.01   | 0.03    |
| I099472            |                                   | 1.91    | 18.8    | 340     | 6.6     | 12.0    | <0.001  | 0.01    | 0.42    | 3.5     | 0.3     | 0.5     | 17.6    | <0.01   | 0.03    |
| I099473            |                                   | 1.33    | 15.6    | 220     | 7.6     | 11.5    | <0.001  | 0.01    | 0.34    | 4.7     | 0.2     | 0.5     | 15.1    | <0.01   | 0.03    |
| I099474            |                                   | 2.14    | 8.9     | 310     | 8.0     | 22.2    | <0.001  | 0.02    | 0.28    | 2.4     | 0.3     | 0.2     | 11.8    | <0.01   | 0.03    |
| I099475            |                                   | 2.60    | 11.2    | 390     | 7.3     | 33.7    | <0.001  | 0.02    | 0.25    | 4.8     | 0.4     | 0.5     | 22.0    | <0.01   | 0.02    |
| I099476            |                                   | 2.27    | 9.7     | 280     | 8.4     | 36.6    | <0.001  | 0.02    | 0.25    | 5.4     | 0.4     | 0.3     | 20.0    | <0.01   | 0.02    |
| I099477            |                                   | 1.56    | 12.7    | 170     | 9.7     | 16.8    | <0.001  | 0.02    | 0.37    | 3.3     | 0.3     | 0.3     | 13.8    | <0.01   | 0.03    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 6 - D  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      | Zr      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       | 0.5     |
| I099438            |                                   | 0.093   | 0.10    | 0.55    | 58      | 0.26    | 9.18    | 77      | 5.5     |
| I099439            |                                   | 0.109   | 0.08    | 1.01    | 68      | 0.19    | 6.93    | 55      | 8.0     |
| I099440            |                                   | 0.106   | 0.08    | 1.00    | 66      | 0.22    | 7.08    | 55      | 8.1     |
| I099441            |                                   | 0.099   | 0.13    | 0.91    | 71      | 0.17    | 4.17    | 53      | 9.0     |
| I099442            |                                   | 0.079   | 0.10    | 0.78    | 57      | 0.20    | 3.35    | 43      | 0.7     |
| I099443            |                                   | 0.089   | 0.12    | 0.83    | 69      | 0.19    | 5.30    | 55      | 3.9     |
| I099444            |                                   | 0.087   | 0.09    | 1.90    | 55      | 0.18    | 6.06    | 43      | 1.3     |
| I099445            |                                   | 0.084   | 0.17    | 1.55    | 81      | 0.21    | 6.44    | 48      | 1.0     |
| I099446            |                                   | 0.081   | 0.12    | 2.13    | 60      | 0.19    | 7.00    | 47      | 7.0     |
| I099447            |                                   | 0.018   | 0.08    | 1.76    | 33      | 0.12    | 5.10    | 21      | <0.5    |
| I099448            |                                   | 0.074   | 0.09    | 1.20    | 50      | 0.18    | 7.12    | 42      | 1.2     |
| I099449            |                                   | 0.091   | 0.16    | 6.47    | 84      | 0.30    | 20.8    | 78      | 1.9     |
| I099450            |                                   | 0.093   | 0.11    | 1.97    | 62      | 0.24    | 7.31    | 56      | 2.0     |
| I099451            |                                   | 0.100   | 0.12    | 1.70    | 50      | 0.25    | 6.57    | 54      | 2.4     |
| I099452            |                                   | 0.073   | 0.11    | 6.14    | 60      | 0.29    | 21.9    | 59      | 1.2     |
| I099453            |                                   | 0.094   | 0.11    | 1.10    | 65      | 0.33    | 5.11    | 57      | 3.4     |
| I099454            |                                   | 0.090   | 0.11    | 2.06    | 57      | 0.21    | 6.98    | 55      | 1.6     |
| I099455            |                                   | 0.091   | 0.10    | 1.22    | 49      | 0.17    | 5.62    | 55      | 1.2     |
| I099456            |                                   | 0.007   | 0.03    | 0.28    | 4       | <0.05   | 1.97    | 5       | 2.5     |
| I099457            |                                   | 0.058   | 0.12    | 2.26    | 40      | 0.32    | 10.70   | 58      | 0.6     |
| I099458            |                                   | 0.077   | 0.13    | 1.68    | 51      | 0.31    | 6.81    | 57      | 0.7     |
| I099459            |                                   | 0.073   | 0.11    | 1.18    | 46      | 0.24    | 5.22    | 52      | 0.6     |
| I099460            |                                   | 0.085   | 0.13    | 1.47    | 52      | 0.37    | 6.36    | 57      | 0.8     |
| I099461            |                                   | 0.112   | 0.14    | 0.42    | 78      | 0.20    | 2.09    | 42      | 2.7     |
| I099462            |                                   | 0.095   | 0.10    | 0.93    | 60      | 0.15    | 5.73    | 65      | 0.5     |
| I099463            |                                   | 0.183   | 0.23    | 0.57    | 86      | 0.19    | 2.76    | 60      | 1.8     |
| I099464            |                                   | 0.175   | 0.37    | 1.19    | 105     | 0.29    | 4.53    | 75      | 1.1     |
| I099465            |                                   | 0.101   | 0.15    | 1.05    | 80      | 0.26    | 6.82    | 58      | 1.2     |
| I099466            |                                   | 0.126   | 0.16    | 0.53    | 73      | 0.23    | 2.58    | 53      | 1.6     |
| I099467            |                                   | 0.093   | 0.10    | 0.51    | 63      | 0.14    | 3.70    | 36      | 2.2     |
| I099468            |                                   | 0.157   | 0.21    | 0.46    | 67      | 0.23    | 3.49    | 44      | 2.1     |
| I099469            |                                   | 0.112   | 0.12    | 0.64    | 61      | 0.15    | 3.95    | 46      | 3.0     |
| I099470            |                                   | 0.120   | 0.13    | 0.40    | 73      | 0.19    | 2.12    | 53      | 4.2     |
| I099471            |                                   | 0.100   | 0.12    | 0.44    | 76      | 0.16    | 2.46    | 58      | 2.8     |
| I099472            |                                   | 0.099   | 0.12    | 0.40    | 64      | 0.17    | 3.06    | 73      | 2.5     |
| I099473            |                                   | 0.109   | 0.11    | 0.35    | 79      | 0.15    | 1.99    | 43      | 2.3     |
| I099474            |                                   | 0.147   | 0.13    | 0.35    | 75      | 0.15    | 1.91    | 46      | 1.0     |
| I099475            |                                   | 0.151   | 0.22    | 0.74    | 78      | 0.19    | 6.77    | 83      | 1.2     |
| I099476            |                                   | 0.175   | 0.20    | 0.45    | 96      | 0.12    | 2.58    | 132     | 0.8     |
| I099477            |                                   | 0.103   | 0.13    | 0.45    | 67      | 0.15    | 2.66    | 50      | 4.5     |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 7 - A  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.2 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|
| I099478            |                                   | 0.28                              | <0.005                        | 0.07                         | 1.21                       | 5.3                         | <0.2                        | <10                       | 80                         | 0.15                         | 0.16                         | 0.10                       | 0.05                         | 16.05                        | 3.9                         | 15                        |
| I099479            |                                   | 0.26                              | 0.005                         | 0.25                         | 2.61                       | 7.0                         | <0.2                        | <10                       | 280                        | 0.95                         | 0.23                         | 0.20                       | 0.06                         | 92.6                         | 8.6                         | 24                        |
| I099480            |                                   | 0.34                              | <0.005                        | 0.02                         | 2.08                       | 11.1                        | <0.2                        | <10                       | 220                        | 0.39                         | 0.16                         | 0.24                       | 0.06                         | 22.7                         | 7.6                         | 33                        |
| I099481            |                                   | 0.28                              | <0.005                        | 0.03                         | 2.46                       | 6.7                         | <0.2                        | <10                       | 160                        | 0.34                         | 0.12                         | 0.14                       | 0.05                         | 25.5                         | 10.5                        | 27                        |
| I099482            |                                   | 0.36                              | <0.005                        | 0.03                         | 2.24                       | 10.9                        | <0.2                        | <10                       | 170                        | 0.29                         | 0.17                         | 0.16                       | 0.09                         | 23.7                         | 8.4                         | 31                        |
| I099483            |                                   | 0.28                              | <0.005                        | 0.04                         | 2.31                       | 11.0                        | <0.2                        | <10                       | 170                        | 0.34                         | 0.18                         | 0.17                       | 0.09                         | 23.4                         | 8.8                         | 32                        |
| I099484            |                                   | 0.34                              | <0.005                        | 0.03                         | 2.05                       | 9.6                         | <0.2                        | <10                       | 120                        | 0.21                         | 0.15                         | 0.17                       | 0.07                         | 21.7                         | 7.3                         | 23                        |
| I099485            |                                   | 0.36                              | <0.005                        | 0.05                         | 2.54                       | 6.5                         | <0.2                        | <10                       | 180                        | 0.25                         | 0.12                         | 0.29                       | 0.07                         | 19.45                        | 12.6                        | 22                        |
| I099486            |                                   | 0.36                              | <0.005                        | 0.10                         | 2.10                       | 6.3                         | <0.2                        | <10                       | 180                        | 0.24                         | 0.16                         | 0.23                       | 0.06                         | 23.9                         | 8.5                         | 21                        |
| I099487            |                                   | 0.30                              | <0.005                        | 0.06                         | 2.61                       | 5.3                         | <0.2                        | <10                       | 140                        | 0.32                         | 0.12                         | 0.17                       | 0.07                         | 25.7                         | 10.3                        | 26                        |
| I099488            |                                   | 0.32                              | <0.005                        | 0.20                         | 2.33                       | 6.6                         | <0.2                        | <10                       | 260                        | 0.43                         | 0.16                         | 0.29                       | 0.11                         | 64.0                         | 10.2                        | 22                        |
| I099489            |                                   | 0.40                              | <0.005                        | 0.14                         | 2.05                       | 5.0                         | <0.2                        | <10                       | 210                        | 0.25                         | 0.14                         | 0.39                       | 0.11                         | 36.3                         | 9.5                         | 20                        |
| I099490            |                                   | 0.36                              | <0.005                        | 0.13                         | 1.60                       | 5.4                         | <0.2                        | <10                       | 150                        | 0.23                         | 0.17                         | 0.27                       | 0.08                         | 24.0                         | 6.7                         | 18                        |
| I099491            |                                   | 0.36                              | <0.005                        | 0.21                         | 2.72                       | 6.4                         | <0.2                        | <10                       | 230                        | 0.40                         | 0.18                         | 0.42                       | 0.11                         | 43.5                         | 11.0                        | 24                        |
| I099492            |                                   | 0.52                              | <0.005                        | 0.12                         | 2.32                       | 5.6                         | <0.2                        | <10                       | 220                        | 0.31                         | 0.13                         | 0.42                       | 0.08                         | 38.9                         | 10.4                        | 22                        |
| I099493            |                                   | 0.48                              | 0.006                         | 0.15                         | 2.43                       | 5.8                         | <0.2                        | <10                       | 230                        | 0.31                         | 0.15                         | 0.43                       | 0.09                         | 48.4                         | 11.0                        | 23                        |
| I099494            |                                   | 0.40                              | <0.005                        | 0.13                         | 2.03                       | 6.6                         | <0.2                        | <10                       | 220                        | 0.31                         | 0.13                         | 0.48                       | 0.15                         | 40.6                         | 10.8                        | 25                        |
| I099495            |                                   | 0.46                              | <0.005                        | 0.10                         | 1.98                       | 6.3                         | <0.2                        | <10                       | 180                        | 0.25                         | 0.14                         | 0.43                       | 0.14                         | 28.2                         | 8.8                         | 25                        |
| I099496            |                                   | 0.36                              | 0.005                         | 0.11                         | 1.94                       | 10.2                        | <0.2                        | <10                       | 220                        | 0.42                         | 0.16                         | 0.60                       | 0.12                         | 44.3                         | 12.3                        | 28                        |
| I099497            |                                   | 0.38                              | 0.005                         | 0.13                         | 1.93                       | 7.7                         | <0.2                        | <10                       | 190                        | 0.33                         | 0.21                         | 0.28                       | 0.05                         | 26.5                         | 9.1                         | 29                        |
| I099498            |                                   | 0.44                              | 0.005                         | 0.07                         | 1.89                       | 6.5                         | <0.2                        | <10                       | 180                        | 0.22                         | 0.17                         | 0.33                       | 0.12                         | 28.3                         | 10.8                        | 24                        |
| I099499            |                                   | 0.36                              | 0.005                         | 0.04                         | 1.88                       | 2.8                         | <0.2                        | <10                       | 140                        | 0.20                         | 0.12                         | 0.27                       | 0.07                         | 22.0                         | 9.9                         | 20                        |
| I099500            |                                   | 0.38                              | <0.005                        | 0.06                         | 2.07                       | 7.9                         | <0.2                        | <10                       | 190                        | 0.28                         | 0.13                         | 0.32                       | 0.12                         | 45.3                         | 9.9                         | 26                        |
| I099564            |                                   | 0.54                              | 0.007                         | 0.08                         | 1.36                       | 6.8                         | <0.2                        | <10                       | 230                        | 0.35                         | 0.14                         | 0.49                       | 0.14                         | 34.1                         | 8.0                         | 23                        |
| I099565            |                                   | 0.36                              | <0.005                        | 0.07                         | 1.32                       | 6.7                         | <0.2                        | <10                       | 230                        | 0.21                         | 0.14                         | 0.47                       | 0.14                         | 25.6                         | 7.0                         | 23                        |
| I099566            |                                   | 0.48                              | 0.006                         | 0.07                         | 1.60                       | 5.7                         | <0.2                        | <10                       | 190                        | 0.30                         | 0.15                         | 0.38                       | 0.11                         | 36.2                         | 5.9                         | 24                        |
| I099567            |                                   | 0.64                              | 0.012                         | 0.09                         | 1.59                       | 6.7                         | <0.2                        | <10                       | 220                        | 0.28                         | 0.15                         | 0.49                       | 0.16                         | 26.3                         | 7.2                         | 25                        |
| I099568            |                                   | 0.50                              | 0.007                         | 0.08                         | 1.56                       | 6.9                         | <0.2                        | <10                       | 250                        | 0.27                         | 0.14                         | 0.45                       | 0.18                         | 27.8                         | 7.1                         | 25                        |
| I099569            |                                   | 0.40                              | 0.005                         | 0.08                         | 1.44                       | 5.1                         | <0.2                        | <10                       | 230                        | 0.27                         | 0.12                         | 0.55                       | 0.12                         | 27.0                         | 7.0                         | 22                        |
| I099570            |                                   | 0.42                              | 0.010                         | 0.02                         | 1.96                       | 5.8                         | <0.2                        | <10                       | 110                        | 0.28                         | 0.08                         | 0.18                       | 0.08                         | 18.50                        | 8.5                         | 19                        |
| I099571            |                                   | 0.46                              | 0.005                         | 0.11                         | 1.88                       | 6.2                         | <0.2                        | <10                       | 240                        | 0.33                         | 0.14                         | 0.36                       | 0.17                         | 25.1                         | 9.7                         | 23                        |
| I099572            |                                   | 0.44                              | <0.005                        | 0.19                         | 2.15                       | 7.8                         | <0.2                        | <10                       | 260                        | 0.30                         | 0.15                         | 0.35                       | 0.11                         | 30.4                         | 10.9                        | 27                        |
| I099573            |                                   | 0.58                              | <0.005                        | 0.03                         | 1.95                       | 5.4                         | <0.2                        | <10                       | 170                        | 0.28                         | 0.10                         | 0.28                       | 0.05                         | 18.55                        | 10.4                        | 23                        |
| I099574            |                                   | 0.60                              | <0.005                        | 0.04                         | 2.68                       | 4.9                         | <0.2                        | <10                       | 210                        | 0.29                         | 0.08                         | 0.27                       | 0.06                         | 20.4                         | 18.1                        | 19                        |
| I099575            |                                   | 0.48                              | <0.005                        | 0.05                         | 1.95                       | 5.8                         | <0.2                        | <10                       | 180                        | 0.35                         | 0.18                         | 0.19                       | 0.05                         | 38.3                         | 9.0                         | 25                        |
| I099576            |                                   | 0.24                              | <0.005                        | 0.09                         | 0.76                       | 2.1                         | <0.2                        | <10                       | 170                        | 0.19                         | 0.15                         | 0.14                       | 0.13                         | 17.40                        | 2.6                         | 13                        |
| I099577            |                                   | 0.62                              | <0.005                        | 0.04                         | 2.03                       | 6.5                         | <0.2                        | <10                       | 130                        | 0.29                         | 0.14                         | 0.28                       | 0.07                         | 26.7                         | 8.8                         | 28                        |
| I099578            |                                   | 0.58                              | <0.005                        | 0.04                         | 2.17                       | 7.6                         | <0.2                        | <10                       | 100                        | 0.23                         | 0.13                         | 0.14                       | 0.09                         | 19.75                        | 9.1                         | 24                        |
| I099579            |                                   | 0.38                              | <0.005                        | 0.15                         | 2.00                       | 4.8                         | <0.2                        | <10                       | 180                        | 0.24                         | 0.14                         | 0.25                       | 0.15                         | 28.6                         | 8.3                         | 23                        |
| I099580            |                                   | 0.46                              | <0.005                        | 0.07                         | 2.08                       | 5.4                         | <0.2                        | <10                       | 170                        | 0.24                         | 0.13                         | 0.28                       | 0.09                         | 24.7                         | 10.0                        | 24                        |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 7 - B  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099478            |                                   | 0.79    | 9.4     | 1.95    | 6.84    | <0.05   | 0.02    | 0.01    | 0.011   | 0.10    | 8.0     | 9.1     | 0.33    | 162     | 0.81    |
| I099479            |                                   | 1.01    | 36.6    | 3.50    | 7.39    | 0.07    | 0.04    | 0.06    | 0.039   | 0.06    | 53.8    | 10.1    | 0.23    | 215     | 1.91    |
| I099480            |                                   | 0.73    | 13.4    | 3.02    | 6.39    | 0.05    | 0.07    | 0.01    | 0.023   | 0.05    | 10.7    | 14.2    | 0.54    | 410     | 0.85    |
| I099481            |                                   | 1.18    | 11.9    | 3.25    | 7.06    | 0.05    | 0.10    | 0.02    | 0.020   | 0.29    | 13.0    | 19.3    | 0.84    | 355     | 0.75    |
| I099482            |                                   | 0.93    | 12.6    | 3.27    | 6.75    | 0.05    | 0.13    | 0.02    | 0.027   | 0.06    | 11.1    | 23.7    | 0.52    | 194     | 1.17    |
| I099483            |                                   | 0.98    | 13.0    | 3.36    | 6.96    | 0.05    | 0.14    | 0.02    | 0.028   | 0.06    | 11.7    | 24.5    | 0.53    | 201     | 1.19    |
| I099484            |                                   | 0.79    | 10.5    | 3.04    | 8.28    | 0.05    | 0.08    | 0.02    | 0.016   | 0.10    | 11.2    | 16.1    | 0.61    | 249     | 1.23    |
| I099485            |                                   | 0.87    | 23.6    | 4.06    | 7.98    | 0.07    | 0.08    | 0.01    | 0.017   | 0.27    | 10.5    | 21.1    | 1.11    | 519     | 1.48    |
| I099486            |                                   | 0.84    | 15.3    | 3.05    | 8.33    | 0.06    | 0.07    | 0.01    | 0.016   | 0.19    | 14.0    | 15.6    | 0.74    | 392     | 1.89    |
| I099487            |                                   | 0.98    | 14.4    | 3.49    | 7.32    | 0.06    | 0.06    | 0.01    | 0.029   | 0.22    | 17.0    | 25.2    | 0.81    | 403     | 1.14    |
| I099488            |                                   | 0.80    | 22.6    | 3.39    | 9.42    | 0.08    | 0.05    | 0.02    | 0.024   | 0.19    | 45.6    | 14.2    | 0.77    | 426     | 1.15    |
| I099489            |                                   | 0.94    | 18.5    | 3.24    | 7.70    | 0.08    | 0.05    | 0.04    | 0.018   | 0.26    | 25.1    | 17.0    | 0.90    | 421     | 0.85    |
| I099490            |                                   | 0.67    | 14.3    | 2.93    | 7.99    | 0.06    | 0.05    | 0.01    | 0.015   | 0.15    | 13.7    | 10.4    | 0.60    | 286     | 1.21    |
| I099491            |                                   | 0.97    | 22.5    | 3.90    | 8.57    | 0.09    | 0.08    | 0.06    | 0.026   | 0.27    | 31.2    | 17.4    | 0.90    | 476     | 0.89    |
| I099492            |                                   | 0.90    | 20.3    | 3.27    | 7.06    | 0.08    | 0.08    | 0.03    | 0.018   | 0.32    | 27.2    | 16.7    | 0.84    | 423     | 0.58    |
| I099493            |                                   | 0.94    | 22.4    | 3.33    | 7.64    | 0.09    | 0.07    | 0.04    | 0.021   | 0.32    | 33.6    | 16.8    | 0.84    | 424     | 0.58    |
| I099494            |                                   | 0.90    | 22.3    | 3.10    | 6.59    | 0.08    | 0.05    | 0.05    | 0.020   | 0.24    | 25.9    | 16.3    | 0.74    | 475     | 0.66    |
| I099495            |                                   | 0.90    | 20.0    | 3.11    | 6.52    | 0.07    | 0.04    | 0.04    | 0.021   | 0.24    | 16.6    | 16.6    | 0.75    | 378     | 0.57    |
| I099496            |                                   | 0.75    | 36.7    | 3.44    | 6.82    | 0.08    | 0.10    | 0.04    | 0.023   | 0.28    | 25.7    | 18.6    | 0.94    | 506     | 0.61    |
| I099497            |                                   | 0.57    | 20.3    | 3.01    | 5.91    | 0.05    | 0.11    | 0.02    | 0.022   | 0.09    | 13.1    | 16.5    | 0.66    | 346     | 0.86    |
| I099498            |                                   | 0.75    | 12.6    | 3.16    | 8.34    | 0.06    | 0.03    | 0.02    | 0.020   | 0.25    | 19.6    | 14.9    | 0.66    | 578     | 0.98    |
| I099499            |                                   | 0.91    | 16.1    | 2.87    | 8.09    | 0.06    | 0.03    | 0.01    | 0.013   | 0.44    | 14.8    | 14.2    | 0.81    | 462     | 0.68    |
| I099500            |                                   | 0.87    | 19.2    | 3.20    | 7.04    | 0.06    | 0.06    | 0.01    | 0.020   | 0.25    | 22.2    | 17.4    | 0.75    | 385     | 1.02    |
| I099564            |                                   | 0.47    | 18.3    | 2.20    | 4.50    | 0.06    | 0.05    | 0.03    | 0.021   | 0.04    | 16.9    | 10.1    | 0.36    | 340     | 1.12    |
| I099565            |                                   | 0.40    | 14.6    | 2.20    | 3.96    | <0.05   | 0.04    | 0.03    | 0.018   | 0.04    | 12.9    | 9.7     | 0.42    | 317     | 0.99    |
| I099566            |                                   | 0.54    | 16.1    | 2.25    | 5.57    | 0.05    | 0.06    | 0.03    | 0.022   | 0.05    | 19.3    | 14.5    | 0.44    | 183     | 1.11    |
| I099567            |                                   | 0.50    | 17.1    | 2.41    | 5.20    | 0.05    | 0.05    | 0.02    | 0.022   | 0.05    | 14.0    | 12.1    | 0.48    | 263     | 0.89    |
| I099568            |                                   | 0.48    | 21.1    | 2.38    | 5.05    | 0.05    | 0.05    | 0.03    | 0.020   | 0.05    | 14.7    | 12.9    | 0.47    | 274     | 0.94    |
| I099569            |                                   | 0.52    | 15.9    | 2.15    | 4.76    | 0.05    | 0.03    | 0.04    | 0.018   | 0.06    | 14.4    | 13.6    | 0.49    | 329     | 0.81    |
| I099570            |                                   | 0.51    | 13.3    | 2.73    | 5.78    | 0.05    | 0.04    | 0.02    | 0.017   | 0.10    | 10.1    | 11.1    | 0.48    | 258     | 1.08    |
| I099571            |                                   | 0.60    | 18.6    | 2.68    | 6.38    | 0.05    | 0.03    | 0.03    | 0.021   | 0.14    | 13.8    | 13.7    | 0.56    | 413     | 0.78    |
| I099572            |                                   | 0.61    | 19.5    | 3.02    | 6.60    | 0.07    | 0.07    | 0.03    | 0.025   | 0.12    | 17.4    | 14.2    | 0.54    | 577     | 0.82    |
| I099573            |                                   | 0.67    | 14.0    | 2.96    | 5.86    | 0.06    | 0.05    | 0.01    | 0.016   | 0.21    | 9.6     | 15.4    | 0.71    | 346     | 0.54    |
| I099574            |                                   | 1.55    | 15.0    | 4.27    | 8.64    | 0.08    | 0.03    | 0.01    | 0.012   | 0.73    | 10.6    | 22.3    | 1.35    | 697     | 0.61    |
| I099575            |                                   | 0.65    | 10.2    | 3.00    | 7.31    | 0.05    | 0.02    | 0.01    | 0.020   | 0.08    | 23.6    | 15.6    | 0.50    | 470     | 1.10    |
| I099576            |                                   | 0.60    | 17.7    | 1.02    | 3.67    | <0.05   | <0.02   | 0.06    | 0.012   | 0.04    | 10.0    | 1.9     | 0.08    | 62      | 0.55    |
| I099577            |                                   | 0.65    | 16.9    | 2.94    | 5.95    | 0.06    | 0.05    | 0.02    | 0.020   | 0.14    | 14.3    | 14.9    | 0.63    | 265     | 0.62    |
| I099578            |                                   | 0.72    | 11.9    | 3.45    | 7.36    | 0.05    | 0.03    | 0.02    | 0.018   | 0.14    | 9.0     | 15.6    | 0.65    | 346     | 0.77    |
| I099579            |                                   | 0.75    | 12.9    | 2.67    | 6.32    | 0.05    | 0.02    | 0.04    | 0.020   | 0.09    | 21.2    | 14.4    | 0.54    | 292     | 0.71    |
| I099580            |                                   | 0.68    | 9.7     | 3.02    | 6.21    | 0.06    | 0.03    | 0.02    | 0.017   | 0.12    | 16.7    | 15.9    | 0.70    | 395     | 0.58    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 7 - C  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099478            |                                   | 1.88    | 6.5     | 190     | 7.6     | 19.0    | <0.001  | 0.01    | 0.24    | 1.8     | 0.2     | 0.3     | 10.4    | <0.01   | 0.02    |
| I099479            |                                   | 1.47    | 15.1    | 490     | 18.5    | 12.5    | <0.001  | 0.03    | 0.47    | 5.4     | 1.2     | 0.3     | 21.9    | 0.01    | 0.06    |
| I099480            |                                   | 1.34    | 19.7    | 880     | 8.8     | 11.4    | <0.001  | 0.01    | 0.52    | 3.4     | 0.3     | 0.2     | 23.6    | <0.01   | 0.03    |
| I099481            |                                   | 2.54    | 14.8    | 210     | 7.2     | 34.1    | <0.001  | 0.01    | 0.35    | 3.0     | 0.4     | 0.2     | 14.3    | <0.01   | 0.02    |
| I099482            |                                   | 1.56    | 17.7    | 320     | 8.9     | 13.3    | <0.001  | 0.01    | 0.46    | 3.5     | 0.4     | 0.3     | 14.9    | <0.01   | 0.03    |
| I099483            |                                   | 1.63    | 18.5    | 330     | 9.3     | 14.1    | <0.001  | 0.01    | 0.47    | 3.8     | 0.3     | 0.3     | 15.8    | <0.01   | 0.03    |
| I099484            |                                   | 2.51    | 12.9    | 240     | 7.4     | 19.5    | <0.001  | 0.01    | 0.39    | 3.2     | 0.3     | 0.3     | 15.7    | <0.01   | 0.03    |
| I099485            |                                   | 2.09    | 13.9    | 490     | 7.7     | 25.8    | <0.001  | 0.02    | 0.27    | 3.7     | 0.3     | 0.2     | 21.4    | <0.01   | 0.02    |
| I099486            |                                   | 2.37    | 10.9    | 320     | 7.8     | 28.2    | <0.001  | 0.02    | 0.25    | 3.8     | 0.3     | 0.3     | 18.1    | <0.01   | 0.02    |
| I099487            |                                   | 2.51    | 14.5    | 240     | 7.1     | 28.2    | <0.001  | 0.02    | 0.29    | 5.3     | 0.4     | 0.3     | 15.0    | <0.01   | 0.02    |
| I099488            |                                   | 3.02    | 11.8    | 470     | 8.9     | 26.5    | <0.001  | 0.02    | 0.25    | 5.6     | 0.6     | 0.4     | 25.1    | <0.01   | 0.04    |
| I099489            |                                   | 2.78    | 11.3    | 500     | 7.3     | 34.7    | <0.001  | 0.01    | 0.24    | 4.4     | 0.4     | 0.2     | 26.5    | <0.01   | 0.02    |
| I099490            |                                   | 2.43    | 9.5     | 230     | 7.9     | 28.3    | <0.001  | 0.01    | 0.29    | 3.2     | 0.3     | 0.3     | 21.7    | <0.01   | 0.03    |
| I099491            |                                   | 3.05    | 14.0    | 530     | 8.9     | 32.6    | <0.001  | 0.02    | 0.34    | 4.6     | 0.6     | 0.3     | 27.9    | <0.01   | 0.04    |
| I099492            |                                   | 2.56    | 12.1    | 630     | 6.5     | 34.7    | <0.001  | 0.02    | 0.32    | 4.9     | 0.6     | 0.2     | 25.8    | <0.01   | 0.02    |
| I099493            |                                   | 2.57    | 13.3    | 610     | 7.2     | 36.9    | <0.001  | 0.02    | 0.35    | 5.9     | 0.7     | 0.3     | 27.6    | <0.01   | 0.03    |
| I099494            |                                   | 2.30    | 14.7    | 680     | 7.1     | 30.2    | <0.001  | 0.03    | 0.41    | 4.9     | 0.7     | 0.2     | 34.1    | <0.01   | 0.02    |
| I099495            |                                   | 2.43    | 13.3    | 710     | 7.6     | 32.0    | <0.001  | 0.03    | 0.33    | 4.3     | 0.6     | 0.2     | 29.7    | <0.01   | 0.03    |
| I099496            |                                   | 1.76    | 27.2    | 640     | 7.5     | 23.3    | <0.001  | 0.02    | 0.52    | 5.7     | 0.5     | 0.2     | 31.9    | <0.01   | 0.03    |
| I099497            |                                   | 1.23    | 18.1    | 310     | 11.1    | 13.0    | <0.001  | 0.02    | 0.39    | 4.1     | 0.4     | 0.2     | 23.7    | <0.01   | 0.05    |
| I099498            |                                   | 1.73    | 13.0    | 930     | 7.4     | 29.6    | <0.001  | 0.02    | 0.26    | 4.0     | 0.4     | 0.2     | 24.3    | <0.01   | 0.03    |
| I099499            |                                   | 2.02    | 11.9    | 680     | 5.1     | 44.5    | <0.001  | 0.01    | 0.17    | 3.3     | 0.3     | 0.2     | 20.5    | <0.01   | 0.02    |
| I099500            |                                   | 2.14    | 15.3    | 450     | 7.0     | 33.8    | <0.001  | 0.01    | 0.34    | 4.1     | 0.4     | 0.2     | 24.9    | <0.01   | 0.03    |
| I099564            |                                   | 1.30    | 15.8    | 580     | 10.1    | 7.0     | <0.001  | 0.02    | 0.44    | 4.1     | 0.7     | <0.2    | 37.1    | <0.01   | 0.02    |
| I099565            |                                   | 1.14    | 15.0    | 640     | 7.0     | 6.8     | <0.001  | 0.02    | 0.40    | 3.3     | 0.6     | <0.2    | 33.3    | <0.01   | 0.02    |
| I099566            |                                   | 1.61    | 14.2    | 480     | 8.9     | 9.3     | <0.001  | 0.01    | 0.36    | 4.2     | 0.5     | 0.3     | 29.6    | <0.01   | 0.02    |
| I099567            |                                   | 1.31    | 16.2    | 600     | 8.7     | 7.9     | <0.001  | 0.02    | 0.36    | 4.1     | 0.5     | 0.2     | 31.0    | <0.01   | 0.03    |
| I099568            |                                   | 1.31    | 17.1    | 570     | 9.2     | 7.5     | 0.001   | 0.02    | 0.38    | 4.1     | 0.6     | <0.2    | 29.0    | <0.01   | 0.03    |
| I099569            |                                   | 1.21    | 14.8    | 700     | 6.6     | 10.1    | <0.001  | 0.03    | 0.33    | 3.9     | 0.5     | <0.2    | 33.5    | <0.01   | 0.02    |
| I099570            |                                   | 1.91    | 11.0    | 270     | 5.9     | 15.5    | <0.001  | 0.02    | 0.35    | 3.5     | 0.4     | <0.2    | 16.5    | <0.01   | 0.03    |
| I099571            |                                   | 1.53    | 15.7    | 520     | 6.9     | 16.6    | <0.001  | 0.02    | 0.35    | 3.9     | 0.5     | 0.2     | 25.1    | <0.01   | 0.03    |
| I099572            |                                   | 1.67    | 16.9    | 490     | 7.0     | 16.2    | <0.001  | 0.02    | 0.42    | 5.1     | 0.6     | 0.2     | 28.5    | <0.01   | 0.03    |
| I099573            |                                   | 1.73    | 13.2    | 310     | 5.2     | 20.4    | <0.001  | <0.01   | 0.35    | 3.2     | 0.4     | 0.2     | 23.1    | <0.01   | 0.02    |
| I099574            |                                   | 2.72    | 12.2    | 530     | 4.2     | 68.8    | <0.001  | <0.01   | 0.29    | 3.2     | 0.3     | <0.2    | 23.0    | <0.01   | 0.03    |
| I099575            |                                   | 1.67    | 12.1    | 270     | 7.6     | 19.2    | <0.001  | <0.01   | 0.44    | 3.2     | 0.3     | 0.4     | 16.8    | <0.01   | 0.03    |
| I099576            |                                   | 0.63    | 6.3     | 370     | 5.5     | 5.7     | <0.001  | 0.02    | 0.20    | 1.2     | 0.7     | <0.2    | 17.3    | <0.01   | 0.04    |
| I099577            |                                   | 1.77    | 16.0    | 590     | 6.6     | 17.3    | <0.001  | <0.01   | 0.46    | 4.1     | 0.5     | 0.2     | 19.1    | <0.01   | 0.03    |
| I099578            |                                   | 2.15    | 11.9    | 340     | 6.1     | 22.0    | <0.001  | 0.01    | 0.38    | 3.9     | 0.4     | 0.3     | 12.8    | <0.01   | 0.04    |
| I099579            |                                   | 1.84    | 12.4    | 530     | 6.3     | 17.1    | <0.001  | 0.02    | 0.29    | 3.5     | 0.6     | 0.2     | 20.6    | <0.01   | 0.03    |
| I099580            |                                   | 2.18    | 11.3    | 600     | 6.1     | 18.9    | <0.001  | 0.01    | 0.25    | 3.5     | 0.4     | 0.2     | 18.6    | <0.01   | 0.02    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 7 - D  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I099478            |                                   | 0.100   | 0.11    | 0.31    | 53      | 0.12    | 1.74    | 29      |
| I099479            |                                   | 0.077   | 0.14    | 1.37    | 61      | 0.20    | 12.00   | 32      |
| I099480            |                                   | 0.066   | 0.12    | 0.45    | 68      | 0.16    | 2.33    | 61      |
| I099481            |                                   | 0.144   | 0.24    | 0.47    | 72      | 0.18    | 2.44    | 54      |
| I099482            |                                   | 0.086   | 0.11    | 0.50    | 69      | 0.19    | 2.65    | 48      |
| I099483            |                                   | 0.091   | 0.12    | 0.55    | 71      | 0.20    | 2.85    | 49      |
| I099484            |                                   | 0.144   | 0.15    | 0.45    | 73      | 0.21    | 2.78    | 45      |
| I099485            |                                   | 0.176   | 0.18    | 0.45    | 91      | 0.26    | 2.77    | 80      |
| I099486            |                                   | 0.162   | 0.17    | 0.51    | 76      | 0.15    | 2.94    | 62      |
| I099487            |                                   | 0.135   | 0.20    | 0.63    | 73      | 0.14    | 3.32    | 68      |
| I099488            |                                   | 0.158   | 0.16    | 1.27    | 82      | 0.14    | 8.30    | 63      |
| I099489            |                                   | 0.152   | 0.18    | 1.04    | 72      | 0.14    | 5.91    | 72      |
| I099490            |                                   | 0.145   | 0.13    | 0.56    | 76      | 0.14    | 3.17    | 52      |
| I099491            |                                   | 0.175   | 0.18    | 1.23    | 83      | 0.18    | 6.81    | 74      |
| I099492            |                                   | 0.161   | 0.20    | 1.44    | 71      | 0.22    | 8.73    | 72      |
| I099493            |                                   | 0.158   | 0.21    | 1.85    | 71      | 0.16    | 10.95   | 72      |
| I099494            |                                   | 0.130   | 0.17    | 1.53    | 64      | 0.21    | 8.15    | 70      |
| I099495            |                                   | 0.133   | 0.18    | 1.07    | 63      | 0.16    | 5.29    | 72      |
| I099496            |                                   | 0.127   | 0.16    | 0.84    | 73      | 0.23    | 11.25   | 71      |
| I099497            |                                   | 0.087   | 0.09    | 0.64    | 63      | 0.17    | 3.63    | 52      |
| I099498            |                                   | 0.117   | 0.14    | 0.70    | 76      | 0.32    | 4.66    | 53      |
| I099499            |                                   | 0.139   | 0.21    | 0.51    | 62      | 0.10    | 3.18    | 55      |
| I099500            |                                   | 0.122   | 0.17    | 0.61    | 67      | 0.16    | 4.50    | 55      |
| I099564            |                                   | 0.071   | 0.06    | 1.68    | 50      | 0.52    | 7.82    | 44      |
| I099565            |                                   | 0.070   | 0.06    | 0.97    | 47      | 0.28    | 5.81    | 47      |
| I099566            |                                   | 0.083   | 0.07    | 3.50    | 49      | 0.20    | 7.28    | 50      |
| I099567            |                                   | 0.078   | 0.07    | 1.06    | 52      | 0.37    | 6.04    | 55      |
| I099568            |                                   | 0.073   | 0.06    | 0.73    | 49      | 0.49    | 7.33    | 52      |
| I099569            |                                   | 0.072   | 0.08    | 0.71    | 47      | 0.18    | 6.29    | 51      |
| I099570            |                                   | 0.101   | 0.09    | 0.57    | 60      | 0.17    | 2.60    | 43      |
| I099571            |                                   | 0.099   | 0.10    | 0.78    | 58      | 0.13    | 5.57    | 54      |
| I099572            |                                   | 0.111   | 0.09    | 0.79    | 65      | 0.19    | 5.80    | 51      |
| I099573            |                                   | 0.144   | 0.11    | 0.41    | 69      | 0.22    | 2.79    | 50      |
| I099574            |                                   | 0.214   | 0.31    | 0.36    | 99      | 0.12    | 1.94    | 69      |
| I099575            |                                   | 0.103   | 0.14    | 0.40    | 82      | 0.16    | 2.67    | 42      |
| I099576            |                                   | 0.045   | 0.04    | 0.53    | 26      | 0.09    | 2.51    | 15      |
| I099577            |                                   | 0.122   | 0.11    | 0.56    | 63      | 0.16    | 4.67    | 59      |
| I099578            |                                   | 0.109   | 0.15    | 0.43    | 76      | 0.16    | 2.35    | 64      |
| I099579            |                                   | 0.101   | 0.11    | 0.81    | 58      | 0.19    | 3.99    | 56      |
| I099580            |                                   | 0.136   | 0.13    | 0.71    | 68      | 0.17    | 3.72    | 64      |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 8 - A  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8 - OCT - 2010  
 Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099581            |                                   | 0.54                      | <0.005               | 0.08                 | 1.80               | 3.9                  | <0.2                 | <10                 | 130                  | 0.25                 | 0.12                 | 0.22               | 0.09                 | 35.4                 | 7.8                  | 20                   |
| I099582            |                                   | 0.52                      | <0.005               | 0.10                 | 2.08               | 1.5                  | <0.2                 | <10                 | 160                  | 0.31                 | 0.06                 | 0.24               | 0.08                 | 35.8                 | 10.7                 | 14                   |
| I099583            |                                   | 0.46                      | <0.005               | 0.04                 | 2.06               | 7.7                  | <0.2                 | <10                 | 220                  | 0.44                 | 0.14                 | 0.28               | 0.05                 | 32.5                 | 9.9                  | 40                   |
| I099584            |                                   | 0.34                      | <0.005               | 0.18                 | 2.59               | 4.1                  | <0.2                 | <10                 | 250                  | 0.35                 | 0.13                 | 0.43               | 0.12                 | 42.9                 | 9.8                  | 27                   |
| I099585            |                                   | 0.42                      | <0.005               | 0.07                 | 0.93               | 6.0                  | <0.2                 | <10                 | 130                  | 0.13                 | 0.16                 | 0.15               | 0.05                 | 18.95                | 3.5                  | 15                   |
| I099586            |                                   | 0.42                      | <0.005               | 0.03                 | 2.62               | 6.5                  | <0.2                 | <10                 | 110                  | 0.30                 | 0.11                 | 0.16               | 0.11                 | 15.80                | 12.5                 | 36                   |
| I099587            |                                   | 0.30                      | <0.005               | 0.06                 | 0.95               | 3.0                  | <0.2                 | <10                 | 140                  | 0.20                 | 0.17                 | 0.16               | 0.10                 | 17.35                | 3.8                  | 13                   |
| I099588            |                                   | 0.44                      | <0.005               | 0.05                 | 2.11               | 6.0                  | <0.2                 | <10                 | 130                  | 0.26                 | 0.15                 | 0.22               | 0.13                 | 21.0                 | 10.4                 | 18                   |
| I099589            |                                   | 0.50                      | <0.005               | 0.09                 | 2.14               | 3.6                  | <0.2                 | <10                 | 150                  | 0.25                 | 0.14                 | 0.42               | 0.11                 | 34.6                 | 15.6                 | 17                   |
| I099590            |                                   | 0.24                      | 0.017                | 0.12                 | 0.47               | 0.6                  | <0.2                 | <10                 | 90                   | 0.07                 | 0.08                 | 0.13               | 0.42                 | 11.00                | 1.8                  | 8                    |
| I099591            |                                   | 0.24                      | <0.005               | 0.08                 | 1.46               | 5.7                  | <0.2                 | <10                 | 260                  | 0.27                 | 0.17                 | 0.48               | 0.18                 | 17.95                | 9.6                  | 23                   |
| I099592            |                                   | 0.30                      | <0.005               | 0.03                 | 1.86               | 10.2                 | <0.2                 | <10                 | 120                  | 0.18                 | 0.17                 | 0.16               | 0.08                 | 18.40                | 8.7                  | 24                   |
| I099593            |                                   | 0.36                      | <0.005               | 0.02                 | 1.18               | 7.7                  | <0.2                 | <10                 | 90                   | 0.16                 | 0.22                 | 0.10               | 0.10                 | 22.7                 | 4.1                  | 18                   |
| I099594            |                                   | 0.34                      | <0.005               | 0.04                 | 1.89               | 7.3                  | <0.2                 | <10                 | 160                  | 0.31                 | 0.19                 | 0.21               | 0.14                 | 40.3                 | 6.4                  | 22                   |
| I099595            |                                   | 0.22                      | <0.005               | 0.09                 | 0.82               | 2.5                  | <0.2                 | <10                 | 140                  | 0.20                 | 0.12                 | 0.16               | 0.23                 | 23.5                 | 2.7                  | 13                   |
| I099596            |                                   | 0.44                      | <0.005               | 0.02                 | 2.21               | 7.5                  | <0.2                 | <10                 | 130                  | 0.30                 | 0.18                 | 0.13               | 0.11                 | 23.2                 | 7.8                  | 21                   |
| I099597            |                                   | 0.42                      | <0.005               | 0.04                 | 2.13               | 4.1                  | <0.2                 | <10                 | 90                   | 0.41                 | 0.36                 | 0.20               | 0.11                 | 28.5                 | 8.7                  | 14                   |
| I099598            |                                   | 0.30                      | <0.005               | 0.04                 | 1.79               | 5.5                  | <0.2                 | <10                 | 140                  | 0.27                 | 0.16                 | 0.26               | 0.10                 | 29.9                 | 7.4                  | 22                   |
| I099599            |                                   | 0.38                      | <0.005               | 0.07                 | 1.73               | 4.9                  | <0.2                 | <10                 | 200                  | 0.36                 | 0.17                 | 0.41               | 0.18                 | 44.1                 | 9.9                  | 23                   |
| I099600            |                                   | 0.38                      | 0.018                | 0.06                 | 1.26               | 6.1                  | <0.2                 | <10                 | 180                  | 0.24                 | 0.14                 | 0.47               | 0.12                 | 20.6                 | 6.6                  | 23                   |
|                    |                                   |                           |                      |                      |                    |                      |                      |                     |                      |                      |                      |                    |                      |                      |                      |                      |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: 8 - B**  
**Total # Pages: 8 (A - D)**  
**Plus Appendix Pages**  
**Finalized Date: 8 - OCT - 2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099581            |                                   | 0.74    | 10.6    | 2.57    | 6.76    | 0.07    | 0.02    | 0.04    | 0.016   | 0.14    | 25.9    | 13.0    | 0.58    | 250     | 0.54    |
| I099582            |                                   | 0.96    | 10.0    | 2.83    | 6.88    | 0.09    | 0.02    | 0.04    | 0.009   | 0.73    | 26.9    | 12.8    | 0.87    | 423     | 0.32    |
| I099583            |                                   | 0.58    | 22.2    | 3.11    | 6.02    | 0.07    | 0.14    | 0.03    | 0.022   | 0.10    | 16.9    | 15.7    | 0.68    | 290     | 0.69    |
| I099584            |                                   | 0.73    | 15.5    | 3.23    | 7.96    | 0.09    | 0.03    | 0.05    | 0.020   | 0.28    | 34.6    | 14.2    | 0.80    | 346     | 0.63    |
| I099585            |                                   | 0.54    | 7.4     | 1.63    | 6.13    | <0.05   | 0.05    | 0.05    | 0.011   | 0.07    | 9.5     | 4.5     | 0.24    | 115     | 0.66    |
| I099586            |                                   | 0.77    | 14.2    | 4.13    | 8.19    | 0.08    | 0.04    | 0.01    | 0.023   | 0.45    | 6.6     | 16.2    | 1.01    | 502     | 1.08    |
| I099587            |                                   | 0.51    | 9.5     | 1.54    | 5.45    | <0.05   | <0.02   | 0.02    | 0.012   | 0.09    | 9.7     | 4.6     | 0.19    | 172     | 0.79    |
| I099588            |                                   | 0.71    | 9.7     | 3.71    | 9.49    | 0.06    | 0.03    | 0.02    | 0.022   | 0.12    | 10.0    | 17.3    | 0.71    | 456     | 0.98    |
| I099589            |                                   | 0.83    | 10.2    | 3.88    | 8.77    | 0.09    | 0.03    | 0.02    | 0.018   | 0.28    | 28.9    | 13.3    | 0.89    | 1040    | 1.13    |
| I099590            |                                   | 0.55    | 7.9     | 0.75    | 3.18    | <0.05   | <0.02   | 0.03    | 0.005   | 0.07    | 6.0     | 1.3     | 0.08    | 111     | 0.46    |
| I099591            |                                   | 0.38    | 9.6     | 2.68    | 5.26    | 0.05    | 0.04    | 0.03    | 0.019   | 0.25    | 8.3     | 10.2    | 0.41    | 1420    | 0.93    |
| I099592            |                                   | 1.30    | 9.0     | 3.21    | 8.51    | 0.06    | 0.06    | 0.01    | 0.019   | 0.14    | 9.1     | 16.9    | 0.60    | 276     | 1.51    |
| I099593            |                                   | 0.61    | 6.8     | 2.17    | 7.56    | 0.05    | 0.02    | 0.02    | 0.017   | 0.06    | 11.1    | 8.3     | 0.24    | 136     | 1.04    |
| I099594            |                                   | 0.71    | 12.6    | 2.62    | 8.07    | 0.06    | 0.04    | 0.03    | 0.024   | 0.08    | 27.0    | 10.7    | 0.33    | 211     | 1.66    |
| I099595            |                                   | 0.47    | 14.6    | 1.37    | 3.63    | <0.05   | <0.02   | 0.05    | 0.012   | 0.06    | 15.8    | 3.7     | 0.15    | 103     | 0.65    |
| I099596            |                                   | 1.21    | 8.3     | 3.07    | 8.75    | 0.05    | 0.03    | 0.01    | 0.020   | 0.09    | 10.3    | 19.0    | 0.45    | 245     | 1.03    |
| I099597            |                                   | 1.57    | 14.7    | 3.28    | 8.38    | 0.07    | 0.03    | 0.02    | 0.017   | 0.41    | 16.5    | 18.0    | 0.65    | 451     | 0.88    |
| I099598            |                                   | 0.81    | 13.0    | 2.70    | 5.62    | 0.06    | 0.04    | 0.02    | 0.016   | 0.14    | 18.4    | 14.0    | 0.51    | 285     | 0.66    |
| I099599            |                                   | 0.91    | 19.7    | 2.63    | 5.97    | 0.08    | 0.08    | 0.04    | 0.019   | 0.18    | 24.5    | 14.9    | 0.54    | 362     | 0.54    |
| I099600            |                                   | 0.57    | 12.4    | 1.90    | 4.38    | 0.05    | 0.03    | 0.04    | 0.017   | 0.05    | 10.6    | 11.5    | 0.40    | 240     | 0.71    |
|                    |                                   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 8 - C  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Nb<br>ppm<br>0.05 | ME-MS41<br>Ni<br>ppm<br>0.2 | ME-MS41<br>P<br>ppm<br>10 | ME-MS41<br>Pb<br>ppm<br>0.2 | ME-MS41<br>Rb<br>ppm<br>0.1 | ME-MS41<br>Re<br>ppm<br>0.001 | ME-MS41<br>S<br>%<br>0.01 | ME-MS41<br>Sb<br>ppm<br>0.05 | ME-MS41<br>Sc<br>ppm<br>0.1 | ME-MS41<br>Se<br>ppm<br>0.2 | ME-MS41<br>Sn<br>ppm<br>0.2 | ME-MS41<br>Sr<br>ppm<br>0.2 | ME-MS41<br>Ta<br>ppm<br>0.01 | ME-MS41<br>Te<br>ppm<br>0.01 | ME-MS41<br>Th<br>ppm<br>0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I099581            |                                   | 2.13                         | 9.8                         | 410                       | 5.8                         | 21.0                        | <0.001                        | 0.01                      | 0.25                         | 3.4                         | 0.5                         | 0.2                         | 20.1                        | <0.01                        | 0.03                         | 2.5                         |
| I099582            |                                   | 3.07                         | 6.5                         | 530                       | 2.9                         | 61.4                        | <0.001                        | 0.03                      | 0.12                         | 3.2                         | 0.5                         | <0.2                        | 17.2                        | <0.01                        | 0.02                         | 3.3                         |
| I099583            |                                   | 1.22                         | 20.2                        | 180                       | 7.7                         | 12.4                        | <0.001                        | <0.01                     | 0.53                         | 5.8                         | 0.5                         | 1.6                         | 22.6                        | <0.01                        | 0.03                         | 5.0                         |
| I099584            |                                   | 2.02                         | 12.7                        | 620                       | 6.3                         | 30.1                        | <0.001                        | 0.04                      | 0.31                         | 5.7                         | 0.7                         | 0.3                         | 27.9                        | <0.01                        | 0.04                         | 3.8                         |
| I099585            |                                   | 1.72                         | 6.4                         | 170                       | 6.8                         | 14.7                        | <0.001                        | 0.01                      | 0.24                         | 2.3                         | 0.3                         | 0.3                         | 12.7                        | <0.01                        | 0.03                         | 2.1                         |
| I099586            |                                   | 2.41                         | 15.5                        | 310                       | 7.1                         | 33.3                        | <0.001                        | 0.01                      | 0.50                         | 5.6                         | 0.5                         | 0.5                         | 14.8                        | <0.01                        | 0.03                         | 5.3                         |
| I099587            |                                   | 0.96                         | 4.7                         | 390                       | 6.8                         | 15.3                        | <0.001                        | 0.01                      | 0.22                         | 1.8                         | 0.4                         | 0.2                         | 15.9                        | <0.01                        | 0.02                         | 0.4                         |
| I099588            |                                   | 2.47                         | 8.3                         | 400                       | 7.9                         | 16.2                        | <0.001                        | 0.01                      | 0.30                         | 4.7                         | 0.5                         | 0.6                         | 15.4                        | <0.01                        | 0.03                         | 3.1                         |
| I099589            |                                   | 1.92                         | 7.7                         | 450                       | 16.5                        | 38.6                        | <0.001                        | 0.01                      | 0.32                         | 7.6                         | 0.5                         | 0.5                         | 24.0                        | <0.01                        | 0.02                         | 9.1                         |
| I099590            |                                   | 0.40                         | 2.7                         | 290                       | 4.9                         | 7.2                         | <0.001                        | 0.01                      | 0.12                         | 1.1                         | 0.4                         | <0.2                        | 13.9                        | <0.01                        | 0.01                         | <0.2                        |
| I099591            |                                   | 1.54                         | 13.1                        | 350                       | 7.5                         | 16.3                        | <0.001                        | 0.01                      | 0.39                         | 3.1                         | 0.4                         | 0.2                         | 28.0                        | <0.01                        | 0.03                         | 2.7                         |
| I099592            |                                   | 2.71                         | 15.5                        | 550                       | 7.2                         | 26.9                        | <0.001                        | <0.01                     | 0.40                         | 4.5                         | 0.3                         | 0.4                         | 14.9                        | <0.01                        | 0.04                         | 3.8                         |
| I099593            |                                   | 1.88                         | 7.9                         | 370                       | 8.8                         | 14.8                        | <0.001                        | <0.01                     | 0.34                         | 2.8                         | 0.4                         | 0.5                         | 12.1                        | <0.01                        | 0.04                         | 2.7                         |
| I099594            |                                   | 2.44                         | 11.9                        | 250                       | 8.7                         | 14.7                        | <0.001                        | 0.01                      | 0.42                         | 4.0                         | 0.6                         | 0.7                         | 23.0                        | <0.01                        | 0.03                         | 4.3                         |
| I099595            |                                   | 0.90                         | 5.9                         | 560                       | 7.4                         | 8.0                         | <0.001                        | 0.02                      | 0.18                         | 1.6                         | 0.7                         | <0.2                        | 16.5                        | <0.01                        | 0.03                         | 0.5                         |
| I099596            |                                   | 2.90                         | 11.1                        | 330                       | 8.3                         | 22.8                        | <0.001                        | <0.01                     | 0.30                         | 3.3                         | 0.4                         | 0.6                         | 12.7                        | <0.01                        | 0.04                         | 3.7                         |
| I099597            |                                   | 4.06                         | 8.1                         | 480                       | 5.7                         | 55.7                        | <0.001                        | 0.01                      | 0.27                         | 3.1                         | 0.5                         | 0.5                         | 16.3                        | <0.01                        | 0.03                         | 4.3                         |
| I099598            |                                   | 2.38                         | 12.1                        | 530                       | 5.9                         | 20.6                        | <0.001                        | 0.01                      | 0.37                         | 3.4                         | 0.5                         | 0.2                         | 19.2                        | <0.01                        | 0.03                         | 5.1                         |
| I099599            |                                   | 2.69                         | 14.1                        | 640                       | 7.3                         | 24.7                        | <0.001                        | <0.01                     | 0.52                         | 4.6                         | 0.7                         | 0.3                         | 27.9                        | <0.01                        | 0.03                         | 6.8                         |
| I099600            |                                   | 1.19                         | 14.6                        | 680                       | 6.2                         | 7.0                         | <0.001                        | 0.02                      | 0.44                         | 3.1                         | 0.6                         | <0.2                        | 30.7                        | <0.01                        | 0.03                         | 1.8                         |
|                    |                                   |                              |                             |                           |                             |                             |                               |                           |                              |                             |                             |                             |                             |                              |                              |                             |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 8 - D  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8 - OCT - 2010  
 Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I099581            |                                   | 0.116   | 0.14    | 0.97    | 58      | 0.11    | 4.77    | 49      |
| I099582            |                                   | 0.154   | 0.29    | 0.88    | 57      | 0.08    | 4.00    | 54      |
| I099583            |                                   | 0.126   | 0.10    | 0.60    | 69      | 0.16    | 7.36    | 60      |
| I099584            |                                   | 0.108   | 0.16    | 1.14    | 66      | 0.15    | 7.94    | 78      |
| I099585            |                                   | 0.113   | 0.09    | 0.31    | 52      | 0.16    | 2.07    | 21      |
| I099586            |                                   | 0.143   | 0.18    | 0.87    | 86      | 0.14    | 2.60    | 78      |
| I099587            |                                   | 0.074   | 0.07    | 0.45    | 42      | 0.15    | 2.27    | 19      |
| I099588            |                                   | 0.150   | 0.13    | 0.65    | 91      | 0.15    | 3.12    | 55      |
| I099589            |                                   | 0.109   | 0.16    | 1.16    | 91      | 0.11    | 7.31    | 75      |
| I099590            |                                   | 0.028   | 0.05    | 0.36    | 24      | 0.09    | 1.50    | 17      |
| I099591            |                                   | 0.089   | 0.09    | 0.35    | 59      | 0.17    | 1.94    | 54      |
| I099592            |                                   | 0.125   | 0.14    | 0.40    | 91      | 0.21    | 2.33    | 51      |
| I099593            |                                   | 0.107   | 0.10    | 0.39    | 62      | 0.14    | 2.12    | 25      |
| I099594            |                                   | 0.111   | 0.12    | 0.66    | 63      | 0.17    | 6.19    | 39      |
| I099595            |                                   | 0.050   | 0.06    | 0.54    | 29      | 0.09    | 3.47    | 21      |
| I099596            |                                   | 0.110   | 0.15    | 0.49    | 67      | 0.19    | 2.65    | 47      |
| I099597            |                                   | 0.136   | 0.26    | 0.76    | 60      | 0.33    | 3.68    | 67      |
| I099598            |                                   | 0.114   | 0.14    | 0.73    | 55      | 0.19    | 4.75    | 54      |
| I099599            |                                   | 0.117   | 0.15    | 1.20    | 52      | 0.22    | 8.21    | 63      |
| I099600            |                                   | 0.069   | 0.06    | 0.60    | 45      | 0.39    | 4.66    | 41      |
|                    |                                   |         |         |         |         |         |         | 0.5     |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: Appendix 1**  
**Total # Appendix Pages: 1**  
**Finalized Date: 8 - OCT - 2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10135032**

| Method  | CERTIFICATE COMMENTS                                                                                 |
|---------|------------------------------------------------------------------------------------------------------|
| ME-MS41 | Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 1  
Finalized Date: 7-OCT-2010  
Account: EIASQI

**CERTIFICATE WH10135033**

Project: SQI10-06

P.O. No.: SQI10-06\_30

This report is for 244 Soil samples submitted to our lab in Whitehorse, YT, Canada on 21-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-21   | Sample logging - ClientBarCode |
| PUL-31   | Pulverize split to 85% <75 um  |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION               | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23  | Au 30g FA-AA finish       | AAS        |
| ME-MS41  | 51 anal. aqua regia ICPMS |            |

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**ATTN: DARCY BAKER**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099651            |                                   | 0.42                      | 0.011                | 0.08                 | 1.79               | 4.0                  | <0.2                 | <10                 | 160                  | 0.27                 | 0.15                 | 0.25               | 0.12                 | 31.6                 | 6.4                  | 18                   |
| I099652            |                                   | 0.38                      | 0.009                | 0.09                 | 2.09               | 7.2                  | <0.2                 | <10                 | 210                  | 0.35                 | 0.17                 | 0.32               | 0.14                 | 31.6                 | 10.0                 | 27                   |
| I099653            |                                   | 0.54                      | <0.005               | 0.09                 | 1.84               | 6.3                  | <0.2                 | <10                 | 180                  | 0.33                 | 0.15                 | 0.28               | 0.10                 | 39.0                 | 6.9                  | 24                   |
| I099654            |                                   | 0.54                      | <0.005               | 0.09                 | 1.75               | 6.2                  | <0.2                 | <10                 | 180                  | 0.32                 | 0.15                 | 0.29               | 0.09                 | 36.9                 | 6.7                  | 24                   |
| I099655            |                                   | 0.42                      | 0.005                | 0.10                 | 1.75               | 5.9                  | <0.2                 | <10                 | 210                  | 0.42                 | 0.16                 | 0.35               | 0.12                 | 66.3                 | 7.2                  | 22                   |
| I099656            |                                   | 0.42                      | 0.006                | 0.45                 | 3.57               | 8.8                  | <0.2                 | <10                 | 360                  | 0.57                 | 0.31                 | 0.35               | 0.10                 | 87.3                 | 8.5                  | 37                   |
| I099657            |                                   | 0.50                      | <0.005               | 0.21                 | 1.73               | 4.6                  | <0.2                 | <10                 | 230                  | 0.31                 | 0.18                 | 0.25               | 0.10                 | 41.0                 | 6.2                  | 24                   |
| I099658            |                                   | 0.42                      | <0.005               | 0.10                 | 2.04               | 8.1                  | <0.2                 | <10                 | 190                  | 0.36                 | 0.17                 | 0.18               | 0.08                 | 24.7                 | 8.5                  | 29                   |
| I099659            |                                   | 0.50                      | <0.005               | 0.06                 | 2.68               | 7.8                  | <0.2                 | <10                 | 180                  | 0.33                 | 0.12                 | 0.14               | 0.07                 | 18.70                | 13.3                 | 21                   |
| I099660            |                                   | 0.48                      | 0.005                | 0.04                 | 2.19               | 10.4                 | <0.2                 | <10                 | 190                  | 0.36                 | 0.15                 | 0.13               | 0.08                 | 23.3                 | 11.8                 | 36                   |
| I099661            |                                   | 0.30                      | <0.005               | 0.01                 | 0.15               | 2.1                  | <0.2                 | <10                 | 30                   | 0.09                 | 0.01                 | 0.08               | 0.04                 | 10.30                | 2.3                  | 5                    |
| I099662            |                                   | 0.50                      | <0.005               | 0.08                 | 1.31               | 5.7                  | <0.2                 | <10                 | 90                   | 0.16                 | 0.16                 | 0.12               | 0.07                 | 19.20                | 6.0                  | 17                   |
| I099663            |                                   | 0.60                      | <0.005               | 0.09                 | 1.76               | 5.9                  | <0.2                 | <10                 | 160                  | 0.28                 | 0.12                 | 0.20               | 0.05                 | 28.7                 | 8.7                  | 24                   |
| I099664            |                                   | 0.48                      | <0.005               | 0.06                 | 3.02               | 7.4                  | <0.2                 | <10                 | 160                  | 0.39                 | 0.17                 | 0.13               | 0.10                 | 21.5                 | 16.2                 | 25                   |
| I099665            |                                   | 0.48                      | <0.005               | 0.05                 | 2.43               | 8.9                  | <0.2                 | <10                 | 130                  | 0.27                 | 0.13                 | 0.16               | 0.11                 | 17.70                | 13.7                 | 22                   |
| I099666            |                                   | 0.52                      | <0.005               | 0.08                 | 1.86               | 6.5                  | <0.2                 | <10                 | 180                  | 0.36                 | 0.12                 | 0.26               | 0.05                 | 30.1                 | 11.0                 | 25                   |
| I099667            |                                   | 0.60                      | <0.005               | 0.07                 | 1.34               | 5.0                  | <0.2                 | <10                 | 110                  | 0.14                 | 0.15                 | 0.15               | 0.07                 | 21.2                 | 5.2                  | 18                   |
| I099668            |                                   | 0.42                      | <0.005               | 0.23                 | 1.91               | 4.3                  | <0.2                 | <10                 | 160                  | 0.29                 | 0.12                 | 0.25               | 0.26                 | 29.0                 | 10.6                 | 18                   |
| I099669            |                                   | 0.42                      | <0.005               | 0.06                 | 1.25               | 9.2                  | <0.2                 | <10                 | 70                   | 0.13                 | 0.17                 | 0.10               | 0.09                 | 19.70                | 5.7                  | 19                   |
| I099670            |                                   | 0.40                      | <0.005               | 0.06                 | 2.16               | 10.2                 | <0.2                 | <10                 | 110                  | 0.34                 | 0.13                 | 0.14               | 0.13                 | 26.9                 | 8.7                  | 29                   |
| I099671            |                                   | 0.48                      | <0.005               | 0.11                 | 1.77               | 5.0                  | <0.2                 | <10                 | 110                  | 0.24                 | 0.22                 | 0.17               | 0.09                 | 23.2                 | 8.4                  | 25                   |
| I099672            |                                   | 0.54                      | <0.005               | 0.07                 | 1.79               | 8.5                  | <0.2                 | <10                 | 130                  | 0.23                 | 0.16                 | 0.18               | 0.10                 | 20.8                 | 8.0                  | 28                   |
| I099673            |                                   | 0.62                      | 0.005                | 0.17                 | 1.91               | 5.0                  | <0.2                 | <10                 | 120                  | 0.26                 | 0.16                 | 0.26               | 0.12                 | 25.9                 | 9.1                  | 23                   |
| I099674            |                                   | 0.44                      | <0.005               | 0.19                 | 1.80               | 3.4                  | <0.2                 | <10                 | 200                  | 0.27                 | 0.11                 | 0.53               | 0.19                 | 57.4                 | 14.0                 | 17                   |
| I099675            |                                   | 0.50                      | <0.005               | 0.08                 | 2.24               | 4.3                  | <0.2                 | <10                 | 150                  | 0.27                 | 0.13                 | 0.39               | 0.18                 | 31.9                 | 14.7                 | 21                   |
| I099676            |                                   | 0.54                      | <0.005               | 0.11                 | 1.88               | 5.1                  | <0.2                 | <10                 | 120                  | 0.21                 | 0.13                 | 0.32               | 0.15                 | 22.5                 | 10.8                 | 20                   |
| I099677            |                                   | 0.50                      | 0.016                | 0.23                 | 1.99               | 4.9                  | <0.2                 | <10                 | 240                  | 0.29                 | 0.12                 | 0.60               | 0.21                 | 39.7                 | 12.0                 | 20                   |
| I099678            |                                   | 0.50                      | 0.007                | 0.28                 | 1.97               | 4.6                  | <0.2                 | <10                 | 270                  | 0.31                 | 0.11                 | 0.65               | 0.25                 | 49.3                 | 12.7                 | 20                   |
| I099679            |                                   | 0.38                      | <0.005               | 0.14                 | 1.50               | 4.2                  | <0.2                 | <10                 | 120                  | 0.17                 | 0.13                 | 0.25               | 0.11                 | 20.7                 | 8.2                  | 16                   |
| I099680            |                                   | 0.36                      | <0.005               | 0.11                 | 1.46               | 3.3                  | <0.2                 | <10                 | 80                   | 0.14                 | 0.09                 | 0.18               | 0.07                 | 19.85                | 7.7                  | 15                   |
| I099681            |                                   | 0.48                      | <0.005               | 0.10                 | 1.43               | 9.2                  | <0.2                 | <10                 | 210                  | 0.35                 | 0.15                 | 0.62               | 0.24                 | 25.4                 | 11.0                 | 28                   |
| I099682            |                                   | 0.46                      | 0.010                | 0.08                 | 1.32               | 6.6                  | <0.2                 | <10                 | 220                  | 0.30                 | 0.12                 | 0.55               | 0.12                 | 26.6                 | 11.4                 | 23                   |
| I099683            |                                   | 0.54                      | 0.005                | 0.07                 | 1.24               | 7.6                  | <0.2                 | <10                 | 260                  | 0.35                 | 0.12                 | 0.83               | 0.44                 | 23.9                 | 9.5                  | 24                   |
| I099684            |                                   | 0.26                      | <0.005               | 0.02                 | 0.15               | 3.1                  | <0.2                 | <10                 | 40                   | 0.13                 | 0.05                 | 0.10               | 0.05                 | 11.20                | 2.7                  | 4                    |
| I099685            |                                   | 0.44                      | 0.009                | 0.10                 | 1.31               | 5.2                  | <0.2                 | <10                 | 200                  | 0.31                 | 0.12                 | 0.63               | 0.08                 | 28.0                 | 7.7                  | 24                   |
| I099686            |                                   | 0.48                      | 0.005                | 0.08                 | 1.47               | 3.7                  | <0.2                 | <10                 | 220                  | 0.32                 | 0.11                 | 0.45               | 0.11                 | 41.8                 | 10.5                 | 20                   |
| I099687            |                                   | 0.56                      | 0.006                | 0.21                 | 2.48               | 15.4                 | <0.2                 | <10                 | 300                  | 0.54                 | 0.19                 | 1.06               | 0.21                 | 42.3                 | 16.1                 | 25                   |
| I099688            |                                   | 0.54                      | 0.007                | 0.04                 | 1.87               | 5.2                  | <0.2                 | <10                 | 130                  | 0.28                 | 0.11                 | 0.28               | 0.10                 | 19.65                | 11.1                 | 23                   |
| I099689            |                                   | 0.52                      | 0.008                | 0.10                 | 1.26               | 2.3                  | <0.2                 | <10                 | 140                  | 0.17                 | 0.05                 | 0.66               | 0.16                 | 29.8                 | 10.2                 | 11                   |
| I099690            |                                   | 0.68                      | <0.005               | 0.09                 | 1.54               | 8.2                  | <0.2                 | <10                 | 260                  | 0.42                 | 0.15                 | 0.36               | 0.06                 | 31.3                 | 12.1                 | 27                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - B  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099651            |                                   | 0.68    | 8.9     | 1.67    | 5.58    | 0.05    | 0.02    | 0.06    | 0.018   | 0.05    | 19.5    | 9.7     | 0.25    | 249     | 0.95    |
| I099652            |                                   | 0.60    | 16.8    | 2.75    | 6.64    | 0.06    | 0.04    | 0.03    | 0.023   | 0.08    | 18.2    | 13.0    | 0.45    | 321     | 1.42    |
| I099653            |                                   | 0.70    | 16.1    | 2.43    | 5.93    | 0.07    | 0.03    | 0.04    | 0.021   | 0.05    | 22.4    | 12.4    | 0.42    | 173     | 1.08    |
| I099654            |                                   | 0.64    | 15.0    | 2.39    | 5.54    | 0.06    | 0.03    | 0.04    | 0.020   | 0.05    | 21.2    | 11.7    | 0.41    | 178     | 1.05    |
| I099655            |                                   | 0.79    | 17.7    | 2.56    | 6.15    | 0.08    | 0.06    | 0.04    | 0.020   | 0.14    | 39.2    | 12.2    | 0.44    | 278     | 2.47    |
| I099656            |                                   | 1.23    | 25.8    | 3.55    | 10.25   | 0.10    | 0.05    | 0.13    | 0.038   | 0.17    | 57.7    | 17.9    | 0.57    | 230     | 2.67    |
| I099657            |                                   | 0.84    | 14.4    | 2.09    | 6.51    | 0.05    | 0.03    | 0.03    | 0.021   | 0.07    | 24.3    | 11.4    | 0.39    | 191     | 0.82    |
| I099658            |                                   | 0.77    | 13.3    | 2.88    | 6.63    | 0.06    | 0.07    | 0.02    | 0.023   | 0.07    | 12.2    | 15.3    | 0.48    | 254     | 0.89    |
| I099659            |                                   | 0.85    | 13.1    | 4.11    | 9.65    | 0.09    | 0.02    | 0.02    | 0.021   | 0.05    | 7.1     | 26.8    | 0.79    | 688     | 1.05    |
| I099660            |                                   | 0.99    | 22.1    | 3.46    | 6.36    | 0.09    | 0.20    | 0.03    | 0.031   | 0.06    | 12.3    | 17.6    | 0.54    | 294     | 1.17    |
| I099661            |                                   | 0.08    | 2.4     | 0.89    | 0.69    | <0.05   | 0.08    | <0.01   | <0.005  | 0.05    | 5.2     | 1.3     | 0.04    | 176     | 0.45    |
| I099662            |                                   | 0.88    | 7.9     | 2.21    | 8.53    | 0.06    | 0.03    | 0.01    | 0.011   | 0.13    | 9.4     | 7.1     | 0.41    | 282     | 1.25    |
| I099663            |                                   | 0.68    | 13.0    | 2.58    | 6.57    | 0.08    | 0.05    | 0.01    | 0.019   | 0.12    | 18.2    | 15.3    | 0.61    | 310     | 0.72    |
| I099664            |                                   | 1.51    | 25.6    | 4.37    | 10.15   | 0.13    | 0.07    | 0.02    | 0.023   | 0.75    | 8.0     | 24.1    | 1.19    | 642     | 1.01    |
| I099665            |                                   | 1.29    | 23.0    | 3.98    | 10.15   | 0.09    | 0.04    | 0.01    | 0.019   | 0.41    | 7.0     | 20.2    | 0.95    | 565     | 1.30    |
| I099666            |                                   | 0.83    | 20.5    | 2.75    | 6.54    | 0.10    | 0.05    | 0.02    | 0.020   | 0.14    | 17.0    | 14.4    | 0.64    | 329     | 0.71    |
| I099667            |                                   | 0.69    | 8.9     | 2.02    | 7.50    | 0.06    | 0.02    | 0.01    | 0.013   | 0.05    | 11.7    | 7.6     | 0.39    | 167     | 0.92    |
| I099668            |                                   | 0.79    | 19.6    | 2.83    | 8.39    | 0.09    | 0.02    | 0.03    | 0.019   | 0.40    | 18.2    | 10.0    | 0.72    | 483     | 1.02    |
| I099669            |                                   | 0.52    | 9.8     | 2.88    | 9.08    | 0.08    | 0.03    | 0.01    | 0.014   | 0.07    | 11.4    | 6.8     | 0.42    | 218     | 1.44    |
| I099670            |                                   | 0.70    | 13.0    | 3.98    | 6.88    | 0.09    | 0.04    | 0.03    | 0.023   | 0.08    | 17.5    | 19.9    | 0.53    | 236     | 1.06    |
| I099671            |                                   | 0.59    | 17.5    | 2.62    | 8.51    | 0.08    | 0.03    | 0.01    | 0.018   | 0.14    | 12.9    | 9.3     | 0.61    | 338     | 1.01    |
| I099672            |                                   | 0.82    | 13.9    | 3.62    | 7.97    | 0.09    | 0.03    | 0.02    | 0.023   | 0.11    | 10.8    | 13.3    | 0.55    | 238     | 1.34    |
| I099673            |                                   | 0.87    | 15.1    | 2.93    | 7.58    | 0.09    | 0.03    | 0.05    | 0.024   | 0.13    | 16.8    | 17.6    | 0.74    | 312     | 0.74    |
| I099674            |                                   | 1.00    | 14.6    | 2.87    | 7.39    | 0.13    | 0.03    | 0.02    | 0.017   | 0.40    | 42.0    | 10.2    | 0.76    | 764     | 0.64    |
| I099675            |                                   | 1.24    | 13.1    | 3.74    | 8.63    | 0.12    | 0.03    | 0.02    | 0.025   | 0.48    | 18.8    | 18.1    | 1.02    | 703     | 0.60    |
| I099676            |                                   | 0.84    | 10.9    | 3.20    | 7.41    | 0.09    | 0.02    | 0.02    | 0.016   | 0.18    | 14.0    | 13.3    | 0.81    | 410     | 0.62    |
| I099677            |                                   | 0.90    | 19.0    | 3.32    | 6.78    | 0.12    | 0.04    | 0.03    | 0.022   | 0.24    | 30.7    | 15.4    | 0.78    | 511     | 0.75    |
| I099678            |                                   | 0.89    | 20.5    | 3.17    | 6.64    | 0.15    | 0.05    | 0.06    | 0.023   | 0.23    | 38.8    | 14.7    | 0.74    | 588     | 0.86    |
| I099679            |                                   | 0.66    | 11.0    | 2.60    | 6.80    | 0.07    | 0.03    | 0.02    | 0.014   | 0.11    | 13.9    | 8.5     | 0.60    | 281     | 0.68    |
| I099680            |                                   | 0.51    | 7.9     | 2.19    | 5.94    | 0.07    | 0.03    | 0.03    | 0.012   | 0.05    | 12.1    | 10.6    | 0.57    | 230     | 0.43    |
| I099681            |                                   | 0.68    | 22.5    | 2.75    | 4.70    | 0.10    | 0.11    | 0.03    | 0.023   | 0.06    | 12.1    | 12.7    | 0.63    | 364     | 0.89    |
| I099682            |                                   | 0.59    | 15.7    | 2.44    | 4.85    | 0.09    | 0.04    | 0.04    | 0.017   | 0.08    | 13.3    | 13.3    | 0.55    | 492     | 0.68    |
| I099683            |                                   | 0.52    | 20.6    | 2.28    | 4.19    | 0.09    | 0.08    | 0.02    | 0.017   | 0.06    | 11.4    | 11.2    | 0.52    | 388     | 0.70    |
| I099684            |                                   | 0.09    | 5.2     | 0.90    | 0.70    | <0.05   | 0.07    | 0.01    | <0.005  | 0.05    | 5.3     | 1.4     | 0.05    | 181     | 0.41    |
| I099685            |                                   | 0.65    | 18.4    | 2.07    | 4.63    | 0.09    | 0.04    | 0.05    | 0.019   | 0.06    | 14.4    | 11.9    | 0.55    | 232     | 0.36    |
| I099686            |                                   | 0.63    | 15.6    | 2.35    | 5.27    | 0.11    | 0.04    | 0.03    | 0.017   | 0.16    | 21.3    | 13.4    | 0.59    | 312     | 0.67    |
| I099687            |                                   | 0.78    | 24.5    | 3.06    | 7.97    | 0.11    | 0.06    | 0.07    | 0.024   | 0.21    | 22.1    | 12.7    | 0.67    | 777     | 1.23    |
| I099688            |                                   | 0.68    | 13.7    | 2.78    | 6.18    | 0.07    | 0.04    | 0.02    | 0.016   | 0.21    | 10.8    | 13.5    | 0.65    | 323     | 0.65    |
| I099689            |                                   | 0.53    | 10.1    | 2.20    | 4.64    | 0.13    | 0.03    | 0.04    | 0.009   | 0.29    | 20.5    | 10.9    | 0.57    | 707     | 0.47    |
| I099690            |                                   | 0.46    | 25.6    | 2.68    | 5.30    | 0.11    | 0.10    | 0.03    | 0.019   | 0.13    | 15.7    | 12.7    | 0.56    | 312     | 0.73    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099651            |                                   | 1.46    | 10.7    | 430     | 7.2     | 12.9    | <0.001  | 0.02    | 0.26    | 3.2     | 0.6     | 0.3     | 20.9    | <0.01   | 0.02    |
| I099652            |                                   | 1.66    | 15.5    | 430     | 8.9     | 12.0    | <0.001  | 0.01    | 0.41    | 4.2     | 0.6     | 0.3     | 27.2    | <0.01   | 0.03    |
| I099653            |                                   | 1.57    | 13.4    | 520     | 7.9     | 9.1     | <0.001  | 0.01    | 0.37    | 4.1     | 0.6     | 0.3     | 22.3    | <0.01   | 0.03    |
| I099654            |                                   | 1.49    | 12.6    | 540     | 7.6     | 8.5     | <0.001  | 0.01    | 0.38    | 3.9     | 0.6     | 0.2     | 22.1    | <0.01   | 0.03    |
| I099655            |                                   | 2.47    | 13.5    | 380     | 8.5     | 20.8    | <0.001  | 0.01    | 0.34    | 5.0     | 0.8     | 0.4     | 31.1    | <0.01   | 0.03    |
| I099656            |                                   | 2.41    | 19.6    | 840     | 13.6    | 25.9    | <0.001  | 0.05    | 0.43    | 8.1     | 1.2     | 0.8     | 32.6    | <0.01   | 0.06    |
| I099657            |                                   | 1.54    | 12.4    | 340     | 7.9     | 12.6    | <0.001  | <0.01   | 0.23    | 4.5     | 0.5     | 0.4     | 24.3    | <0.01   | 0.03    |
| I099658            |                                   | 1.60    | 16.2    | 250     | 8.2     | 14.3    | <0.001  | <0.01   | 0.38    | 3.6     | 0.4     | 0.3     | 17.3    | <0.01   | 0.03    |
| I099659            |                                   | 1.42    | 11.9    | 360     | 8.9     | 18.8    | <0.001  | 0.01    | 0.46    | 3.6     | 0.4     | 0.7     | 14.8    | <0.01   | 0.05    |
| I099660            |                                   | 1.70    | 25.0    | 240     | 8.9     | 12.1    | <0.001  | 0.01    | 0.73    | 4.0     | 0.4     | 0.5     | 14.5    | <0.01   | 0.04    |
| I099661            |                                   | 0.18    | 4.2     | 120     | 1.4     | 2.5     | <0.001  | <0.01   | 0.11    | 0.6     | <0.2    | <0.2    | 8.3     | <0.01   | <0.01   |
| I099662            |                                   | 2.49    | 8.3     | 370     | 8.3     | 30.5    | <0.001  | 0.01    | 0.24    | 2.9     | 0.3     | 0.7     | 11.5    | <0.01   | 0.02    |
| I099663            |                                   | 2.11    | 13.3    | 260     | 6.2     | 18.8    | <0.001  | <0.01   | 0.31    | 4.0     | 0.4     | 0.6     | 18.6    | <0.01   | 0.03    |
| I099664            |                                   | 3.79    | 16.2    | 410     | 6.7     | 75.4    | <0.001  | 0.01    | 0.39    | 5.2     | 0.5     | 0.9     | 12.9    | <0.01   | 0.03    |
| I099665            |                                   | 3.82    | 12.9    | 450     | 7.5     | 50.4    | <0.001  | 0.01    | 0.43    | 3.8     | 0.4     | 0.6     | 14.7    | <0.01   | 0.04    |
| I099666            |                                   | 2.13    | 18.1    | 580     | 6.6     | 22.0    | <0.001  | <0.01   | 0.36    | 4.2     | 0.6     | 0.5     | 20.8    | <0.01   | 0.03    |
| I099667            |                                   | 1.94    | 9.2     | 200     | 7.0     | 13.3    | <0.001  | <0.01   | 0.27    | 2.5     | 0.3     | 0.6     | 15.2    | <0.01   | 0.02    |
| I099668            |                                   | 2.94    | 10.9    | 470     | 6.7     | 42.1    | <0.001  | 0.02    | 0.27    | 3.5     | 0.5     | 0.7     | 20.7    | <0.01   | 0.03    |
| I099669            |                                   | 3.22    | 9.2     | 260     | 6.2     | 13.8    | <0.001  | 0.01    | 0.44    | 2.6     | 0.3     | 0.8     | 10.8    | <0.01   | 0.04    |
| I099670            |                                   | 2.79    | 14.8    | 430     | 8.3     | 11.0    | <0.001  | 0.02    | 0.50    | 3.3     | 0.6     | 0.5     | 14.8    | <0.01   | 0.04    |
| I099671            |                                   | 2.50    | 11.0    | 270     | 7.4     | 22.5    | <0.001  | 0.01    | 0.26    | 4.5     | 0.5     | 0.9     | 15.9    | <0.01   | 0.02    |
| I099672            |                                   | 2.71    | 13.4    | 260     | 8.5     | 18.4    | <0.001  | 0.01    | 0.43    | 4.2     | 0.4     | 0.7     | 17.3    | <0.01   | 0.04    |
| I099673            |                                   | 2.60    | 12.4    | 530     | 10.3    | 19.1    | <0.001  | 0.01    | 0.21    | 5.6     | 0.4     | 1.0     | 16.8    | <0.01   | 0.03    |
| I099674            |                                   | 2.58    | 9.8     | 660     | 7.3     | 47.9    | <0.001  | 0.03    | 0.18    | 6.7     | 0.6     | 0.6     | 29.7    | <0.01   | 0.03    |
| I099675            |                                   | 3.19    | 11.8    | 590     | 6.8     | 61.7    | <0.001  | 0.01    | 0.20    | 6.9     | 0.4     | 0.9     | 22.9    | <0.01   | 0.02    |
| I099676            |                                   | 2.31    | 11.2    | 550     | 6.1     | 28.6    | <0.001  | 0.01    | 0.25    | 4.5     | 0.3     | 0.6     | 19.7    | <0.01   | 0.03    |
| I099677            |                                   | 2.49    | 11.7    | 670     | 6.0     | 37.7    | <0.001  | 0.03    | 0.25    | 7.6     | 0.8     | 0.5     | 31.2    | <0.01   | 0.04    |
| I099678            |                                   | 2.57    | 12.0    | 670     | 6.1     | 36.9    | <0.001  | 0.04    | 0.25    | 8.6     | 1.0     | 0.4     | 35.7    | 0.01    | 0.04    |
| I099679            |                                   | 2.29    | 8.9     | 260     | 6.2     | 22.2    | <0.001  | 0.01    | 0.22    | 3.6     | 0.4     | 0.5     | 17.3    | <0.01   | 0.02    |
| I099680            |                                   | 2.00    | 8.7     | 240     | 6.2     | 7.0     | <0.001  | 0.01    | 0.22    | 3.8     | 0.4     | 0.4     | 14.1    | <0.01   | 0.02    |
| I099681            |                                   | 1.43    | 24.6    | 800     | 8.6     | 7.6     | <0.001  | 0.01    | 0.61    | 4.4     | 0.6     | 0.4     | 34.2    | <0.01   | 0.04    |
| I099682            |                                   | 1.49    | 16.8    | 720     | 7.1     | 11.9    | <0.001  | 0.01    | 0.40    | 4.1     | 0.5     | 0.4     | 32.2    | <0.01   | 0.03    |
| I099683            |                                   | 1.39    | 22.5    | 680     | 6.4     | 9.4     | <0.001  | 0.01    | 0.53    | 4.1     | 0.6     | 0.3     | 43.5    | <0.01   | 0.03    |
| I099684            |                                   | 0.20    | 6.4     | 130     | 3.3     | 2.5     | <0.001  | 0.01    | 0.14    | 0.7     | <0.2    | <0.2    | 9.0     | <0.01   | 0.01    |
| I099685            |                                   | 1.42    | 18.1    | 740     | 8.2     | 9.2     | <0.001  | 0.02    | 0.41    | 4.3     | 0.7     | 0.3     | 34.4    | <0.01   | 0.03    |
| I099686            |                                   | 1.86    | 14.8    | 680     | 6.6     | 20.0    | <0.001  | 0.01    | 0.34    | 4.9     | 0.6     | 0.4     | 30.1    | <0.01   | 0.02    |
| I099687            |                                   | 2.24    | 17.6    | 950     | 8.7     | 26.8    | <0.001  | 0.07    | 0.43    | 5.5     | 1.2     | 0.5     | 70.7    | <0.01   | 0.05    |
| I099688            |                                   | 2.03    | 13.5    | 480     | 6.4     | 23.4    | <0.001  | <0.01   | 0.32    | 3.6     | 0.5     | 0.4     | 19.6    | <0.01   | 0.02    |
| I099689            |                                   | 1.64    | 6.9     | 1240    | 2.9     | 30.2    | <0.001  | 0.03    | 0.17    | 4.6     | 0.7     | 0.2     | 32.6    | <0.01   | 0.03    |
| I099690            |                                   | 1.73    | 21.1    | 460     | 7.7     | 11.2    | <0.001  | <0.01   | 0.48    | 4.7     | 0.5     | 0.4     | 27.8    | <0.01   | 0.03    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - D  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I099651            |                                   | 0.058   | 0.09    | 1.62    | 35      | 0.14    | 5.88    | 37      |
| I099652            |                                   | 0.095   | 0.08    | 1.65    | 57      | 0.23    | 5.62    | 50      |
| I099653            |                                   | 0.088   | 0.08    | 1.98    | 51      | 0.22    | 8.51    | 42      |
| I099654            |                                   | 0.086   | 0.07    | 1.85    | 50      | 0.34    | 8.27    | 40      |
| I099655            |                                   | 0.097   | 0.11    | 3.97    | 50      | 0.21    | 13.20   | 47      |
| I099656            |                                   | 0.096   | 0.18    | 4.31    | 75      | 0.39    | 16.45   | 66      |
| I099657            |                                   | 0.084   | 0.09    | 1.13    | 47      | 0.25    | 7.55    | 40      |
| I099658            |                                   | 0.095   | 0.11    | 0.48    | 67      | 0.18    | 3.29    | 46      |
| I099659            |                                   | 0.048   | 0.13    | 0.48    | 77      | 1.30    | 2.35    | 64      |
| I099660            |                                   | 0.098   | 0.11    | 0.55    | 69      | 0.27    | 3.28    | 48      |
| I099661            |                                   | 0.007   | 0.03    | 0.28    | 5       | 0.06    | 2.17    | 4       |
| I099662            |                                   | 0.141   | 0.15    | 0.34    | 65      | 0.28    | 2.25    | 31      |
| I099663            |                                   | 0.117   | 0.12    | 0.58    | 64      | 0.19    | 3.96    | 46      |
| I099664            |                                   | 0.228   | 0.44    | 0.47    | 102     | 0.31    | 2.69    | 80      |
| I099665            |                                   | 0.197   | 0.27    | 0.41    | 95      | 0.22    | 1.89    | 74      |
| I099666            |                                   | 0.121   | 0.15    | 0.67    | 61      | 0.25    | 6.00    | 56      |
| I099667            |                                   | 0.110   | 0.11    | 0.37    | 59      | 0.15    | 2.48    | 36      |
| I099668            |                                   | 0.138   | 0.17    | 0.68    | 72      | 0.16    | 3.89    | 69      |
| I099669            |                                   | 0.141   | 0.13    | 0.35    | 96      | 0.27    | 2.21    | 39      |
| I099670            |                                   | 0.097   | 0.12    | 0.45    | 70      | 0.20    | 3.96    | 46      |
| I099671            |                                   | 0.127   | 0.14    | 0.54    | 72      | 0.18    | 2.91    | 51      |
| I099672            |                                   | 0.127   | 0.12    | 0.56    | 76      | 0.24    | 3.90    | 49      |
| I099673            |                                   | 0.129   | 0.15    | 0.78    | 67      | 0.18    | 4.52    | 78      |
| I099674            |                                   | 0.129   | 0.21    | 1.27    | 65      | 0.18    | 9.62    | 65      |
| I099675            |                                   | 0.172   | 0.26    | 1.17    | 87      | 0.16    | 5.66    | 101     |
| I099676            |                                   | 0.128   | 0.16    | 0.81    | 72      | 0.13    | 3.74    | 86      |
| I099677            |                                   | 0.124   | 0.17    | 1.65    | 69      | 0.19    | 12.05   | 89      |
| I099678            |                                   | 0.116   | 0.18    | 2.05    | 65      | 0.22    | 16.05   | 86      |
| I099679            |                                   | 0.125   | 0.10    | 0.67    | 65      | 0.31    | 3.70    | 62      |
| I099680            |                                   | 0.093   | 0.09    | 0.57    | 52      | 0.23    | 3.05    | 52      |
| I099681            |                                   | 0.098   | 0.08    | 0.50    | 59      | 0.25    | 7.09    | 72      |
| I099682            |                                   | 0.086   | 0.09    | 0.78    | 55      | 0.23    | 6.66    | 57      |
| I099683            |                                   | 0.081   | 0.06    | 0.53    | 49      | 0.27    | 7.11    | 57      |
| I099684            |                                   | 0.008   | 0.04    | 0.32    | 5       | 0.05    | 2.18    | 12      |
| I099685            |                                   | 0.081   | 0.08    | 0.76    | 47      | 0.23    | 8.21    | 54      |
| I099686            |                                   | 0.098   | 0.12    | 1.47    | 53      | 0.20    | 10.45   | 57      |
| I099687            |                                   | 0.094   | 0.12    | 1.32    | 62      | 0.17    | 9.76    | 62      |
| I099688            |                                   | 0.119   | 0.12    | 0.59    | 60      | 0.15    | 3.51    | 58      |
| I099689            |                                   | 0.078   | 0.14    | 1.01    | 44      | 0.10    | 9.92    | 54      |
| I099690            |                                   | 0.102   | 0.08    | 0.54    | 56      | 0.26    | 5.41    | 48      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099691            |                                   | 0.52                      | <0.005               | 0.13                 | 1.94               | 5.7                  | <0.2                 | <10                 | 170                  | 0.29                 | 0.12                 | 0.33               | 0.05                 | 24.0                 | 11.4                 | 23                   |
| I099692            |                                   | 0.52                      | <0.005               | 0.14                 | 1.73               | 6.7                  | <0.2                 | <10                 | 230                  | 0.46                 | 0.15                 | 0.28               | 0.08                 | 22.8                 | 10.3                 | 29                   |
| I099693            |                                   | 0.42                      | <0.005               | 0.13                 | 1.74               | 9.3                  | <0.2                 | <10                 | 130                  | 0.34                 | 0.18                 | 0.18               | 0.09                 | 20.1                 | 7.0                  | 28                   |
| I099694            |                                   | 0.44                      | <0.005               | 0.06                 | 2.00               | 5.9                  | <0.2                 | <10                 | 100                  | 0.31                 | 0.15                 | 0.12               | 0.10                 | 23.7                 | 8.7                  | 17                   |
| I099695            |                                   | 0.48                      | <0.005               | 0.05                 | 1.90               | 6.3                  | <0.2                 | <10                 | 120                  | 0.28                 | 0.23                 | 0.08               | 0.24                 | 23.5                 | 9.6                  | 15                   |
| I099696            |                                   | 0.40                      | 0.005                | 0.08                 | 1.52               | 6.1                  | <0.2                 | <10                 | 80                   | 0.21                 | 0.31                 | 0.12               | 0.19                 | 23.1                 | 6.2                  | 14                   |
| I099697            |                                   | 0.64                      | 0.007                | 0.06                 | 2.01               | 8.2                  | <0.2                 | <10                 | 200                  | 0.35                 | 0.25                 | 0.30               | 0.10                 | 38.3                 | 9.1                  | 26                   |
| I099698            |                                   | 0.34                      | <0.005               | 0.17                 | 1.93               | 5.4                  | <0.2                 | <10                 | 230                  | 0.42                 | 0.23                 | 0.60               | 0.76                 | 59.1                 | 10.2                 | 23                   |
| I099699            |                                   | 0.52                      | 0.005                | 0.06                 | 1.54               | 6.5                  | <0.2                 | <10                 | 160                  | 0.35                 | 0.18                 | 0.39               | 0.26                 | 25.8                 | 7.5                  | 21                   |
| I099700            |                                   | 0.40                      | 0.013                | 0.10                 | 1.52               | 6.0                  | <0.2                 | <10                 | 310                  | 0.33                 | 0.14                 | 0.50               | 0.34                 | 30.6                 | 14.0                 | 27                   |
| I099701            |                                   | 0.60                      | 0.010                | 0.08                 | 1.22               | 7.8                  | <0.2                 | <10                 | 220                  | 0.36                 | 0.11                 | 0.86               | 0.28                 | 30.8                 | 10.4                 | 22                   |
| I099702            |                                   | 0.38                      | <0.005               | 0.26                 | 1.66               | 5.5                  | <0.2                 | <10                 | 230                  | 0.42                 | 0.49                 | 0.33               | 0.10                 | 23.2                 | 9.5                  | 19                   |
| I099703            |                                   | 0.34                      | 0.015                | 0.24                 | 1.70               | 6.1                  | <0.2                 | <10                 | 210                  | 0.42                 | 0.55                 | 0.31               | 0.09                 | 24.3                 | 9.3                  | 19                   |
| I099704            |                                   | 0.58                      | <0.005               | 0.27                 | 1.76               | 8.4                  | <0.2                 | <10                 | 230                  | 0.37                 | 0.32                 | 0.22               | 0.09                 | 22.6                 | 10.2                 | 28                   |
| I099705            |                                   | 0.48                      | <0.005               | 0.05                 | 2.19               | 7.2                  | <0.2                 | <10                 | 170                  | 0.45                 | 0.32                 | 0.29               | 0.11                 | 50.3                 | 11.7                 | 24                   |
| I099706            |                                   | 0.50                      | 0.006                | 0.09                 | 1.58               | 8.2                  | <0.2                 | <10                 | 210                  | 0.40                 | 0.16                 | 0.85               | 0.16                 | 33.0                 | 11.1                 | 23                   |
| I099707            |                                   | 0.40                      | <0.005               | 0.04                 | 1.73               | 10.5                 | <0.2                 | <10                 | 230                  | 0.43                 | 0.15                 | 0.53               | 0.17                 | 23.1                 | 11.5                 | 32                   |
| I099708            |                                   | 0.30                      | <0.005               | 0.02                 | 0.12               | 2.0                  | <0.2                 | <10                 | 30                   | 0.12                 | 0.01                 | 0.08               | 0.04                 | 10.40                | 2.6                  | 4                    |
| I099709            |                                   | 0.36                      | 0.009                | 0.08                 | 1.30               | 7.8                  | <0.2                 | <10                 | 220                  | 0.33                 | 0.12                 | 0.80               | 0.26                 | 21.3                 | 8.7                  | 25                   |
| I099710            |                                   | 0.40                      | <0.005               | 0.09                 | 1.99               | 8.0                  | <0.2                 | <10                 | 220                  | 0.47                 | 0.17                 | 0.21               | 0.09                 | 27.0                 | 10.3                 | 30                   |
| I099711            |                                   | 0.40                      | <0.005               | 0.18                 | 1.79               | 3.9                  | <0.2                 | <10                 | 410                  | 0.39                 | 0.21                 | 0.32               | 0.11                 | 23.7                 | 13.8                 | 23                   |
| I099712            |                                   | 0.50                      | <0.005               | 0.06                 | 2.62               | 3.2                  | <0.2                 | <10                 | 170                  | 0.53                 | 0.09                 | 0.26               | 0.05                 | 44.4                 | 13.3                 | 15                   |
| I099713            |                                   | 0.34                      | <0.005               | 0.07                 | 2.45               | 11.9                 | <0.2                 | <10                 | 160                  | 0.37                 | 0.16                 | 0.12               | 0.14                 | 22.5                 | 11.4                 | 32                   |
| I099714            |                                   | 0.36                      | 0.006                | 0.08                 | 1.21               | 4.6                  | <0.2                 | <10                 | 110                  | 0.23                 | 0.15                 | 0.13               | 0.13                 | 26.6                 | 4.7                  | 17                   |
| I099715            |                                   | 0.48                      | 0.006                | 0.09                 | 1.74               | 7.4                  | <0.2                 | <10                 | 160                  | 0.39                 | 0.15                 | 0.24               | 0.13                 | 44.5                 | 6.9                  | 22                   |
| I099716            |                                   | 0.56                      | <0.005               | 0.05                 | 1.57               | 5.8                  | <0.2                 | <10                 | 140                  | 0.21                 | 0.13                 | 0.26               | 0.08                 | 30.4                 | 11.7                 | 11                   |
| I099717            |                                   | 0.32                      | 0.006                | 0.06                 | 1.12               | 4.1                  | <0.2                 | <10                 | 90                   | 0.20                 | 0.14                 | 0.13               | 0.14                 | 25.3                 | 4.8                  | 14                   |
| I099718            |                                   | 0.48                      | 0.006                | 0.19                 | 1.80               | 4.6                  | <0.2                 | <10                 | 160                  | 0.37                 | 0.14                 | 0.27               | 0.62                 | 70.9                 | 8.0                  | 22                   |
| I099719            |                                   | 0.40                      | <0.005               | 0.05                 | 0.89               | 5.9                  | <0.2                 | <10                 | 70                   | 0.16                 | 0.16                 | 0.13               | 0.10                 | 26.1                 | 4.2                  | 13                   |
| I099720            |                                   | 0.42                      | 0.006                | 0.03                 | 1.82               | 9.4                  | <0.2                 | <10                 | 100                  | 0.29                 | 0.17                 | 0.18               | 0.08                 | 24.2                 | 9.2                  | 25                   |
| I099721            |                                   | 0.44                      | 0.007                | 0.12                 | 2.37               | 9.8                  | <0.2                 | <10                 | 140                  | 0.47                 | 0.13                 | 0.22               | 0.09                 | 27.7                 | 11.8                 | 26                   |
| I099722            |                                   | 0.40                      | <0.005               | 0.09                 | 2.24               | 9.3                  | <0.2                 | <10                 | 140                  | 0.46                 | 0.14                 | 0.23               | 0.08                 | 31.4                 | 10.1                 | 25                   |
| I099723            |                                   | 0.50                      | 0.006                | 0.08                 | 1.81               | 7.5                  | <0.2                 | <10                 | 130                  | 0.32                 | 0.12                 | 0.27               | 0.08                 | 29.9                 | 8.9                  | 23                   |
| I099724            |                                   | 0.38                      | <0.005               | 0.03                 | 2.42               | 13.1                 | <0.2                 | <10                 | 110                  | 0.44                 | 0.17                 | 0.12               | 0.11                 | 26.6                 | 8.6                  | 28                   |
| I099725            |                                   | 0.48                      | 0.005                | 0.03                 | 1.88               | 7.2                  | <0.2                 | <10                 | 110                  | 0.28                 | 0.12                 | 0.15               | 0.08                 | 26.6                 | 8.3                  | 19                   |
| I099726            |                                   | 0.46                      | 0.006                | 0.13                 | 2.42               | 5.5                  | <0.2                 | <10                 | 150                  | 0.47                 | 0.11                 | 0.27               | 0.10                 | 50.4                 | 9.7                  | 18                   |
| I099727            |                                   | 0.50                      | 0.009                | 0.10                 | 1.87               | 7.5                  | <0.2                 | <10                 | 170                  | 0.26                 | 0.12                 | 0.31               | 0.12                 | 35.3                 | 9.1                  | 26                   |
| I099728            |                                   | 0.34                      | 0.005                | 0.11                 | 1.53               | 7.1                  | <0.2                 | <10                 | 140                  | 0.19                 | 0.13                 | 0.24               | 0.20                 | 23.6                 | 6.3                  | 21                   |
| I099729            |                                   | 0.40                      | 0.005                | 0.09                 | 2.02               | 6.0                  | <0.2                 | <10                 | 170                  | 0.22                 | 0.12                 | 0.27               | 0.13                 | 36.7                 | 9.1                  | 23                   |
| I099730            |                                   | 0.46                      | 0.005                | 0.05                 | 1.76               | 6.9                  | <0.2                 | <10                 | 120                  | 0.18                 | 0.12                 | 0.22               | 0.12                 | 25.3                 | 8.8                  | 22                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099691            |                                   | 0.85    | 15.5    | 3.13    | 6.79    | 0.09    | 0.09    | 0.06    | 0.020   | 0.17    | 16.1    | 16.0    | 0.78    | 335     | 0.88    |
| I099692            |                                   | 0.46    | 12.7    | 2.77    | 5.91    | 0.07    | 0.06    | 0.02    | 0.021   | 0.09    | 12.0    | 11.8    | 0.44    | 365     | 1.13    |
| I099693            |                                   | 0.59    | 14.4    | 2.75    | 6.18    | 0.07    | 0.05    | 0.02    | 0.023   | 0.07    | 10.2    | 11.9    | 0.38    | 239     | 1.38    |
| I099694            |                                   | 1.64    | 10.7    | 3.06    | 9.31    | 0.08    | 0.03    | 0.02    | 0.020   | 0.25    | 12.9    | 21.4    | 0.52    | 391     | 1.23    |
| I099695            |                                   | 2.07    | 10.2    | 3.58    | 11.25   | 0.05    | 0.04    | 0.02    | 0.021   | 0.40    | 7.0     | 17.3    | 0.55    | 896     | 1.95    |
| I099696            |                                   | 1.44    | 9.0     | 2.75    | 9.84    | 0.07    | 0.05    | 0.01    | 0.021   | 0.25    | 9.4     | 11.8    | 0.43    | 318     | 7.18    |
| I099697            |                                   | 0.76    | 15.7    | 2.93    | 7.54    | 0.09    | 0.09    | 0.02    | 0.028   | 0.09    | 26.2    | 19.8    | 0.46    | 313     | 2.70    |
| I099698            |                                   | 0.95    | 25.2    | 2.64    | 6.97    | 0.10    | 0.07    | 0.06    | 0.026   | 0.17    | 38.4    | 17.2    | 0.48    | 730     | 2.33    |
| I099699            |                                   | 0.62    | 13.8    | 2.49    | 5.91    | 0.06    | 0.03    | 0.03    | 0.021   | 0.08    | 14.4    | 15.8    | 0.44    | 262     | 1.68    |
| I099700            |                                   | 0.61    | 17.4    | 2.20    | 5.22    | 0.08    | 0.04    | 0.05    | 0.019   | 0.08    | 16.7    | 16.3    | 0.54    | 561     | 0.62    |
| I099701            |                                   | 0.52    | 25.2    | 2.36    | 4.35    | 0.08    | 0.10    | 0.03    | 0.015   | 0.10    | 16.0    | 14.5    | 0.48    | 420     | 1.75    |
| I099702            |                                   | 0.50    | 19.2    | 2.86    | 6.83    | 0.06    | 0.03    | 0.02    | 0.024   | 0.11    | 13.3    | 13.4    | 0.37    | 699     | 2.42    |
| I099703            |                                   | 0.71    | 18.5    | 3.02    | 6.92    | 0.05    | 0.04    | 0.02    | 0.026   | 0.15    | 13.1    | 14.8    | 0.42    | 588     | 2.25    |
| I099704            |                                   | 0.47    | 18.3    | 2.78    | 5.90    | 0.05    | 0.04    | 0.02    | 0.026   | 0.10    | 11.0    | 14.7    | 0.46    | 374     | 1.24    |
| I099705            |                                   | 1.21    | 24.1    | 3.45    | 8.21    | 0.11    | 0.07    | 0.02    | 0.026   | 0.21    | 44.3    | 25.0    | 0.60    | 474     | 2.48    |
| I099706            |                                   | 0.75    | 22.2    | 2.87    | 5.82    | 0.09    | 0.09    | 0.04    | 0.023   | 0.13    | 19.2    | 17.1    | 0.52    | 449     | 1.43    |
| I099707            |                                   | 0.61    | 17.3    | 2.99    | 5.62    | 0.06    | 0.10    | 0.01    | 0.025   | 0.07    | 11.3    | 19.4    | 0.69    | 327     | 1.04    |
| I099708            |                                   | 0.08    | 2.4     | 0.79    | 0.72    | <0.05   | 0.08    | <0.01   | <0.005  | 0.04    | 5.2     | 1.8     | 0.04    | 176     | 0.42    |
| I099709            |                                   | 0.48    | 20.2    | 2.27    | 4.40    | 0.06    | 0.06    | 0.03    | 0.017   | 0.08    | 10.8    | 15.3    | 0.57    | 305     | 0.90    |
| I099710            |                                   | 0.54    | 14.3    | 3.07    | 6.78    | 0.06    | 0.07    | 0.01    | 0.024   | 0.17    | 12.9    | 13.9    | 0.48    | 359     | 1.66    |
| I099711            |                                   | 0.68    | 14.1    | 2.91    | 6.78    | 0.06    | 0.08    | 0.02    | 0.023   | 0.14    | 10.9    | 13.5    | 0.45    | 1780    | 1.61    |
| I099712            |                                   | 3.43    | 20.2    | 3.84    | 9.93    | 0.09    | 0.08    | 0.01    | 0.014   | 0.75    | 25.6    | 30.3    | 0.93    | 763     | 1.41    |
| I099713            |                                   | 1.07    | 18.6    | 3.69    | 8.41    | 0.07    | 0.05    | 0.02    | 0.026   | 0.08    | 11.7    | 25.5    | 0.62    | 322     | 1.20    |
| I099714            |                                   | 0.80    | 11.2    | 1.83    | 6.87    | <0.05   | 0.02    | 0.03    | 0.013   | 0.09    | 12.8    | 9.3     | 0.28    | 188     | 0.86    |
| I099715            |                                   | 1.16    | 12.8    | 2.70    | 8.15    | 0.08    | 0.03    | 0.04    | 0.021   | 0.14    | 26.6    | 18.3    | 0.44    | 274     | 1.03    |
| I099716            |                                   | 1.80    | 7.3     | 2.99    | 9.34    | 0.09    | 0.03    | 0.01    | 0.019   | 0.33    | 14.8    | 13.8    | 0.52    | 882     | 1.49    |
| I099717            |                                   | 0.79    | 9.3     | 2.05    | 7.78    | 0.05    | 0.03    | 0.02    | 0.017   | 0.11    | 16.0    | 8.4     | 0.26    | 252     | 0.90    |
| I099718            |                                   | 0.87    | 11.6    | 2.68    | 7.46    | 0.10    | 0.03    | 0.06    | 0.024   | 0.10    | 50.0    | 22.9    | 0.58    | 256     | 0.59    |
| I099719            |                                   | 0.68    | 8.1     | 1.85    | 7.88    | 0.05    | 0.03    | 0.03    | 0.012   | 0.08    | 17.2    | 6.6     | 0.23    | 181     | 1.28    |
| I099720            |                                   | 0.83    | 9.2     | 3.12    | 7.43    | 0.06    | 0.04    | 0.05    | 0.064   | 0.14    | 13.2    | 23.3    | 0.61    | 331     | 1.10    |
| I099721            |                                   | 1.05    | 11.4    | 3.47    | 7.94    | 0.08    | 0.07    | 0.03    | 0.026   | 0.12    | 16.5    | 30.2    | 0.57    | 458     | 1.16    |
| I099722            |                                   | 1.00    | 12.1    | 3.34    | 8.30    | 0.07    | 0.08    | 0.01    | 0.026   | 0.11    | 19.5    | 25.1    | 0.56    | 371     | 1.09    |
| I099723            |                                   | 0.92    | 13.4    | 2.80    | 6.94    | 0.06    | 0.04    | 0.03    | 0.019   | 0.10    | 17.8    | 27.1    | 0.58    | 241     | 0.75    |
| I099724            |                                   | 1.16    | 12.0    | 4.31    | 9.86    | 0.08    | 0.07    | 0.02    | 0.027   | 0.10    | 14.8    | 31.5    | 0.54    | 326     | 1.58    |
| I099725            |                                   | 0.98    | 7.3     | 3.16    | 8.52    | 0.07    | 0.05    | 0.01    | 0.018   | 0.12    | 15.4    | 25.8    | 0.56    | 332     | 0.96    |
| I099726            |                                   | 1.27    | 8.9     | 3.56    | 10.35   | 0.08    | 0.06    | 0.02    | 0.026   | 0.23    | 33.5    | 27.6    | 0.68    | 398     | 0.82    |
| I099727            |                                   | 0.89    | 19.4    | 3.04    | 6.05    | 0.09    | 0.07    | 0.03    | 0.020   | 0.13    | 21.0    | 14.3    | 0.61    | 296     | 0.61    |
| I099728            |                                   | 0.78    | 13.9    | 2.40    | 5.75    | 0.05    | 0.02    | 0.04    | 0.017   | 0.06    | 13.8    | 9.6     | 0.40    | 213     | 0.79    |
| I099729            |                                   | 1.15    | 14.6    | 3.06    | 6.63    | 0.07    | 0.08    | 0.03    | 0.017   | 0.18    | 22.5    | 16.4    | 0.63    | 320     | 0.56    |
| I099730            |                                   | 0.96    | 11.1    | 2.90    | 6.41    | 0.07    | 0.04    | 0.02    | 0.016   | 0.12    | 16.2    | 14.2    | 0.59    | 416     | 0.68    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099691            |                                   | 2.12    | 15.7    | 380     | 7.3     | 25.9    | <0.001  | <0.01   | 0.35    | 4.9     | 0.5     | 0.5     | 22.4    | <0.01   | 0.03    |
| I099692            |                                   | 1.29    | 19.8    | 230     | 8.4     | 11.7    | <0.001  | <0.01   | 0.49    | 3.6     | 0.4     | 0.5     | 24.9    | <0.01   | 0.04    |
| I099693            |                                   | 1.68    | 15.7    | 250     | 9.1     | 10.7    | <0.001  | <0.01   | 0.49    | 3.1     | 0.4     | 0.5     | 19.4    | <0.01   | 0.04    |
| I099694            |                                   | 4.75    | 11.3    | 390     | 8.9     | 48.4    | <0.001  | 0.01    | 0.27    | 4.3     | 0.4     | 1.0     | 11.7    | <0.01   | 0.03    |
| I099695            |                                   | 5.04    | 8.8     | 440     | 10.1    | 75.2    | <0.001  | 0.01    | 0.29    | 4.1     | 0.3     | 1.5     | 9.9     | <0.01   | 0.02    |
| I099696            |                                   | 4.39    | 8.1     | 260     | 14.8    | 53.7    | <0.001  | <0.01   | 0.21    | 4.6     | 0.3     | 1.3     | 12.1    | <0.01   | 0.03    |
| I099697            |                                   | 2.43    | 14.8    | 360     | 14.2    | 19.1    | <0.001  | <0.01   | 0.37    | 5.4     | 0.6     | 0.8     | 24.9    | <0.01   | 0.03    |
| I099698            |                                   | 2.60    | 16.6    | 710     | 51.3    | 29.8    | <0.001  | 0.02    | 0.43    | 6.6     | 1.0     | 0.8     | 40.6    | <0.01   | 0.03    |
| I099699            |                                   | 1.70    | 14.7    | 520     | 10.2    | 16.1    | <0.001  | 0.01    | 0.33    | 3.8     | 0.4     | 0.6     | 27.5    | <0.01   | 0.03    |
| I099700            |                                   | 1.45    | 19.9    | 670     | 8.2     | 12.7    | <0.001  | 0.03    | 0.42    | 4.5     | 0.8     | 0.4     | 34.7    | <0.01   | 0.03    |
| I099701            |                                   | 1.77    | 22.7    | 830     | 6.5     | 11.5    | <0.001  | 0.04    | 0.55    | 4.5     | 1.0     | 0.4     | 66.0    | <0.01   | 0.02    |
| I099702            |                                   | 1.85    | 14.3    | 280     | 8.7     | 16.5    | <0.001  | 0.01    | 0.30    | 4.4     | 0.4     | 0.8     | 31.7    | <0.01   | 0.04    |
| I099703            |                                   | 2.00    | 13.8    | 280     | 8.9     | 26.2    | <0.001  | <0.01   | 0.30    | 4.7     | 0.3     | 0.8     | 29.4    | <0.01   | 0.03    |
| I099704            |                                   | 1.59    | 21.0    | 290     | 7.8     | 11.0    | <0.001  | <0.01   | 0.42    | 4.1     | 0.4     | 0.6     | 21.6    | <0.01   | 0.03    |
| I099705            |                                   | 3.31    | 15.7    | 370     | 10.6    | 39.1    | <0.001  | 0.01    | 0.48    | 6.0     | 0.6     | 0.8     | 25.1    | <0.01   | 0.03    |
| I099706            |                                   | 2.23    | 17.7    | 700     | 7.5     | 19.1    | <0.001  | 0.03    | 0.50    | 5.0     | 1.0     | 0.5     | 47.2    | <0.01   | 0.03    |
| I099707            |                                   | 1.52    | 25.8    | 590     | 8.4     | 8.9     | <0.001  | <0.01   | 0.48    | 4.9     | 0.4     | 0.5     | 33.3    | <0.01   | 0.03    |
| I099708            |                                   | 0.18    | 5.0     | 120     | 1.6     | 2.2     | <0.001  | <0.01   | 0.11    | 0.7     | <0.2    | 0.2     | 7.8     | <0.01   | <0.01   |
| I099709            |                                   | 1.30    | 22.6    | 750     | 6.5     | 9.6     | <0.001  | 0.03    | 0.49    | 4.0     | 0.7     | 0.4     | 44.6    | <0.01   | 0.03    |
| I099710            |                                   | 1.75    | 20.3    | 220     | 8.5     | 18.1    | <0.001  | <0.01   | 0.42    | 4.8     | 0.3     | 0.6     | 23.5    | <0.01   | 0.03    |
| I099711            |                                   | 2.63    | 19.5    | 310     | 7.8     | 14.4    | <0.001  | <0.01   | 0.32    | 4.2     | 0.4     | 0.7     | 24.0    | <0.01   | 0.01    |
| I099712            |                                   | 5.10    | 11.7    | 360     | 4.6     | 101.5   | <0.001  | <0.01   | 0.21    | 3.7     | 0.3     | 1.0     | 25.7    | <0.01   | 0.01    |
| I099713            |                                   | 2.64    | 25.0    | 260     | 8.4     | 16.3    | <0.001  | 0.01    | 0.57    | 4.6     | 0.6     | 0.6     | 12.4    | <0.01   | 0.03    |
| I099714            |                                   | 1.63    | 8.7     | 390     | 8.2     | 15.4    | <0.001  | 0.01    | 0.24    | 2.2     | 0.5     | 0.7     | 13.8    | <0.01   | 0.02    |
| I099715            |                                   | 2.17    | 12.9    | 540     | 8.6     | 25.4    | <0.001  | 0.01    | 0.30    | 3.1     | 0.6     | 0.7     | 21.4    | <0.01   | 0.03    |
| I099716            |                                   | 3.75    | 6.5     | 430     | 4.7     | 116.0   | <0.001  | 0.01    | 0.22    | 4.3     | 0.3     | 0.9     | 22.9    | <0.01   | 0.02    |
| I099717            |                                   | 2.59    | 6.9     | 240     | 8.5     | 32.1    | <0.001  | 0.01    | 0.25    | 3.0     | 0.5     | 0.8     | 16.0    | <0.01   | 0.02    |
| I099718            |                                   | 2.30    | 13.3    | 590     | 36.3    | 22.1    | <0.001  | 0.02    | 0.25    | 6.7     | 0.7     | 0.7     | 22.4    | <0.01   | 0.02    |
| I099719            |                                   | 2.74    | 7.5     | 260     | 6.5     | 21.2    | <0.001  | 0.01    | 0.28    | 2.8     | 0.4     | 0.8     | 14.1    | <0.01   | 0.03    |
| I099720            |                                   | 2.74    | 16.9    | 450     | 7.4     | 22.0    | <0.001  | <0.01   | 0.37    | 4.1     | 0.4     | 0.7     | 16.3    | <0.01   | 0.04    |
| I099721            |                                   | 3.22    | 17.4    | 520     | 7.7     | 21.9    | <0.001  | 0.01    | 0.36    | 4.1     | 0.5     | 0.6     | 18.7    | <0.01   | 0.03    |
| I099722            |                                   | 2.95    | 16.8    | 450     | 8.2     | 23.4    | <0.001  | <0.01   | 0.36    | 4.3     | 0.5     | 0.6     | 20.2    | <0.01   | 0.04    |
| I099723            |                                   | 2.62    | 16.7    | 550     | 7.9     | 19.4    | <0.001  | <0.01   | 0.32    | 4.4     | 0.5     | 0.5     | 21.1    | <0.01   | 0.02    |
| I099724            |                                   | 3.85    | 14.7    | 370     | 9.4     | 20.4    | <0.001  | 0.01    | 0.54    | 3.8     | 0.5     | 0.7     | 13.8    | <0.01   | 0.04    |
| I099725            |                                   | 3.59    | 11.5    | 300     | 7.6     | 28.1    | <0.001  | <0.01   | 0.37    | 3.7     | 0.3     | 0.7     | 14.2    | <0.01   | 0.03    |
| I099726            |                                   | 4.05    | 11.1    | 360     | 6.8     | 44.2    | <0.001  | <0.01   | 0.27    | 6.2     | 0.4     | 0.9     | 22.9    | <0.01   | 0.03    |
| I099727            |                                   | 2.38    | 17.9    | 590     | 7.0     | 23.0    | <0.001  | <0.01   | 0.45    | 4.3     | 0.7     | 0.5     | 22.6    | <0.01   | 0.03    |
| I099728            |                                   | 1.38    | 12.9    | 580     | 6.9     | 12.8    | <0.001  | 0.02    | 0.27    | 1.9     | 0.7     | 0.5     | 21.8    | <0.01   | 0.03    |
| I099729            |                                   | 3.16    | 14.3    | 540     | 7.0     | 31.5    | <0.001  | <0.01   | 0.35    | 3.6     | 0.6     | 0.5     | 21.8    | <0.01   | 0.03    |
| I099730            |                                   | 2.90    | 13.1    | 360     | 6.2     | 24.0    | <0.001  | 0.01    | 0.31    | 2.8     | 0.5     | 0.5     | 18.1    | <0.01   | 0.03    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - D  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I099691            |                                   | 0.128   | 0.14    | 0.67    | 65      | 0.19    | 5.00    | 58      |
| I099692            |                                   | 0.074   | 0.09    | 0.42    | 60      | 0.19    | 2.75    | 52      |
| I099693            |                                   | 0.080   | 0.09    | 0.43    | 62      | 0.18    | 2.09    | 41      |
| I099694            |                                   | 0.134   | 0.27    | 0.64    | 62      | 0.21    | 3.01    | 61      |
| I099695            |                                   | 0.177   | 0.36    | 0.47    | 74      | 0.32    | 2.70    | 86      |
| I099696            |                                   | 0.145   | 0.26    | 0.54    | 65      | 0.37    | 3.24    | 58      |
| I099697            |                                   | 0.112   | 0.11    | 1.15    | 62      | 0.30    | 8.08    | 59      |
| I099698            |                                   | 0.102   | 0.15    | 1.81    | 50      | 0.30    | 14.55   | 93      |
| I099699            |                                   | 0.086   | 0.08    | 0.72    | 50      | 0.50    | 4.83    | 63      |
| I099700            |                                   | 0.082   | 0.09    | 1.12    | 44      | 0.17    | 8.30    | 75      |
| I099701            |                                   | 0.084   | 0.07    | 3.54    | 48      | 0.24    | 9.68    | 51      |
| I099702            |                                   | 0.069   | 0.10    | 1.26    | 56      | 0.20    | 4.30    | 47      |
| I099703            |                                   | 0.073   | 0.11    | 1.16    | 57      | 0.21    | 4.29    | 51      |
| I099704            |                                   | 0.078   | 0.08    | 0.46    | 58      | 0.20    | 3.02    | 46      |
| I099705            |                                   | 0.133   | 0.17    | 1.36    | 69      | 0.25    | 13.75   | 63      |
| I099706            |                                   | 0.088   | 0.10    | 1.38    | 51      | 0.26    | 8.74    | 58      |
| I099707            |                                   | 0.091   | 0.07    | 0.54    | 63      | 0.21    | 5.14    | 63      |
| I099708            |                                   | 0.006   | 0.03    | 0.30    | 4       | <0.05   | 2.38    | 6       |
| I099709            |                                   | 0.072   | 0.06    | 0.65    | 47      | 0.21    | 6.48    | 62      |
| I099710            |                                   | 0.091   | 0.11    | 0.76    | 64      | 0.24    | 3.42    | 55      |
| I099711            |                                   | 0.101   | 0.14    | 0.38    | 56      | 0.68    | 3.20    | 58      |
| I099712            |                                   | 0.215   | 0.53    | 0.64    | 69      | 0.35    | 3.93    | 96      |
| I099713            |                                   | 0.103   | 0.13    | 0.50    | 74      | 0.19    | 3.44    | 64      |
| I099714            |                                   | 0.085   | 0.09    | 0.60    | 43      | 0.12    | 2.79    | 30      |
| I099715            |                                   | 0.097   | 0.12    | 0.99    | 57      | 0.20    | 6.89    | 45      |
| I099716            |                                   | 0.138   | 0.26    | 0.91    | 69      | 0.12    | 4.47    | 53      |
| I099717            |                                   | 0.113   | 0.13    | 0.75    | 51      | 0.17    | 3.34    | 38      |
| I099718            |                                   | 0.090   | 0.12    | 2.78    | 51      | 0.17    | 10.95   | 119     |
| I099719            |                                   | 0.122   | 0.11    | 0.71    | 66      | 0.20    | 3.42    | 33      |
| I099720            |                                   | 0.117   | 0.13    | 0.66    | 66      | 0.19    | 3.18    | 63      |
| I099721            |                                   | 0.109   | 0.13    | 0.67    | 66      | 0.18    | 4.31    | 61      |
| I099722            |                                   | 0.118   | 0.13    | 0.76    | 70      | 0.19    | 4.62    | 58      |
| I099723            |                                   | 0.108   | 0.12    | 1.03    | 56      | 0.18    | 5.44    | 57      |
| I099724            |                                   | 0.136   | 0.16    | 0.61    | 87      | 0.21    | 3.70    | 57      |
| I099725            |                                   | 0.137   | 0.16    | 0.48    | 67      | 0.16    | 3.14    | 50      |
| I099726            |                                   | 0.144   | 0.22    | 0.95    | 77      | 0.13    | 5.43    | 58      |
| I099727            |                                   | 0.124   | 0.13    | 0.93    | 59      | 0.23    | 7.56    | 65      |
| I099728            |                                   | 0.074   | 0.09    | 1.03    | 51      | 0.17    | 4.10    | 47      |
| I099729            |                                   | 0.144   | 0.17    | 1.35    | 59      | 0.23    | 5.38    | 64      |
| I099730            |                                   | 0.128   | 0.12    | 0.83    | 61      | 0.18    | 3.15    | 66      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - A  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099731            |                                   | 0.50                      | 0.007                | 0.13                 | 2.10               | 6.0                  | <0.2                 | <10                 | 190                  | 0.29                 | 0.14                 | 0.25               | 0.16                 | 33.2                 | 9.0                  | 23                   |
| I099732            |                                   | 0.36                      | 0.006                | 0.07                 | 1.59               | 5.5                  | <0.2                 | <10                 | 150                  | 0.28                 | 0.14                 | 0.13               | 0.14                 | 16.40                | 8.0                  | 17                   |
| I099733            |                                   | 0.48                      | 0.009                | 0.03                 | 1.51               | 5.2                  | <0.2                 | <10                 | 110                  | 0.18                 | 0.12                 | 0.21               | 0.06                 | 21.5                 | 6.6                  | 15                   |
| I099734            |                                   | 0.52                      | 0.005                | 0.09                 | 1.97               | 5.0                  | <0.2                 | <10                 | 170                  | 0.33                 | 0.10                 | 0.35               | 0.12                 | 39.7                 | 11.7                 | 18                   |
| I099735            |                                   | 0.24                      | <0.005               | 0.04                 | 2.35               | 4.0                  | <0.2                 | <10                 | 130                  | 0.40                 | 0.07                 | 0.33               | 0.05                 | 33.4                 | 12.7                 | 15                   |
| I099736            |                                   | 0.40                      | <0.005               | 0.06                 | 2.00               | 6.4                  | <0.2                 | <10                 | 190                  | 0.33                 | 0.13                 | 0.25               | 0.06                 | 24.4                 | 10.6                 | 22                   |
| I099737            |                                   | 0.34                      | <0.005               | 0.06                 | 1.76               | 8.0                  | <0.2                 | <10                 | 230                  | 0.31                 | 0.18                 | 0.20               | 0.07                 | 19.45                | 9.0                  | 28                   |
| I099738            |                                   | 0.28                      | 0.005                | 0.01                 | 0.15               | 2.4                  | <0.2                 | <10                 | 40                   | 0.08                 | 0.20                 | 0.16               | 0.05                 | 9.25                 | 2.1                  | 4                    |
| I099739            |                                   | 0.48                      | 0.005                | 0.07                 | 2.17               | 3.6                  | <0.2                 | <10                 | 170                  | 0.19                 | 0.11                 | 0.33               | 0.03                 | 34.4                 | 9.4                  | 15                   |
| I099740            |                                   | 0.42                      | <0.005               | 0.10                 | 1.97               | 5.8                  | <0.2                 | <10                 | 220                  | 0.39                 | 0.14                 | 0.20               | 0.09                 | 21.1                 | 13.3                 | 24                   |
| I099741            |                                   | 0.40                      | <0.005               | 0.04                 | 1.65               | 8.9                  | <0.2                 | <10                 | 150                  | 0.26                 | 0.16                 | 0.14               | 0.09                 | 18.45                | 9.3                  | 26                   |
| I099742            |                                   | 0.34                      | <0.005               | 0.15                 | 1.67               | 6.2                  | <0.2                 | <10                 | 190                  | 0.21                 | 0.14                 | 0.36               | 0.11                 | 19.75                | 9.1                  | 20                   |
| I099743            |                                   | 0.50                      | <0.005               | 0.06                 | 1.59               | 4.3                  | <0.2                 | <10                 | 150                  | 0.32                 | 0.12                 | 0.22               | 0.04                 | 19.40                | 9.0                  | 23                   |
| I099744            |                                   | 0.40                      | <0.005               | 0.08                 | 2.40               | 5.3                  | <0.2                 | <10                 | 210                  | 0.37                 | 0.12                 | 0.25               | 0.08                 | 17.05                | 12.2                 | 21                   |
| I099745            |                                   | 0.30                      | <0.005               | 0.09                 | 2.40               | 5.5                  | <0.2                 | <10                 | 270                  | 0.46                 | 0.14                 | 0.28               | 0.10                 | 22.2                 | 14.0                 | 25                   |
| I099746            |                                   | 0.40                      | 0.006                | 0.16                 | 2.21               | 5.7                  | <0.2                 | <10                 | 240                  | 0.38                 | 0.16                 | 0.31               | 0.10                 | 24.1                 | 11.7                 | 25                   |
| I099747            |                                   | 0.34                      | <0.005               | 0.09                 | 1.90               | 7.0                  | <0.2                 | <10                 | 140                  | 0.29                 | 0.14                 | 0.19               | 0.07                 | 26.4                 | 8.5                  | 24                   |
| I099748            |                                   | 0.34                      | 0.030                | 0.93                 | 3.00               | 7.7                  | <0.2                 | <10                 | 370                  | 0.85                 | 0.18                 | 0.42               | 0.11                 | 104.5                | 13.9                 | 26                   |
| I099749            |                                   | 0.44                      | 0.005                | 0.25                 | 2.22               | 6.3                  | <0.2                 | <10                 | 260                  | 0.33                 | 0.16                 | 0.34               | 0.07                 | 38.2                 | 11.0                 | 23                   |
| I099750            |                                   | 0.46                      | <0.005               | 0.04                 | 1.98               | 9.8                  | <0.2                 | <10                 | 110                  | 0.23                 | 0.17                 | 0.12               | 0.07                 | 16.45                | 7.2                  | 23                   |
| I099751            |                                   | 0.28                      | <0.005               | 0.06                 | 1.93               | 5.9                  | <0.2                 | <10                 | 170                  | 0.20                 | 0.14                 | 0.22               | 0.06                 | 19.20                | 8.9                  | 24                   |
| I099752            |                                   | 0.34                      | 0.007                | 0.06                 | 2.67               | 5.8                  | <0.2                 | <10                 | 170                  | 0.28                 | 0.12                 | 0.28               | 0.09                 | 19.80                | 12.6                 | 23                   |
| I099753            |                                   | 0.40                      | 0.010                | 0.15                 | 2.16               | 3.2                  | <0.2                 | <10                 | 210                  | 0.31                 | 0.11                 | 0.46               | 0.10                 | 38.0                 | 12.1                 | 22                   |
| I099754            |                                   | 0.50                      | 0.011                | 0.09                 | 2.02               | 3.4                  | <0.2                 | <10                 | 250                  | 0.23                 | 0.10                 | 0.52               | 0.10                 | 33.4                 | 10.4                 | 19                   |
| I099755            |                                   | 0.54                      | 0.006                | 0.11                 | 1.50               | 8.3                  | <0.2                 | <10                 | 290                  | 0.40                 | 0.14                 | 0.63               | 0.12                 | 27.0                 | 10.9                 | 28                   |
| I099756            |                                   | 0.40                      | 0.014                | 0.13                 | 1.82               | 3.2                  | <0.2                 | <10                 | 240                  | 0.35                 | 0.13                 | 0.52               | 0.16                 | 75.5                 | 11.6                 | 19                   |
| I099757            |                                   | 0.48                      | 0.005                | 0.05                 | 1.75               | 4.7                  | <0.2                 | <10                 | 150                  | 0.26                 | 0.12                 | 0.33               | 0.03                 | 27.2                 | 9.7                  | 21                   |
| I099758            |                                   | 0.52                      | 0.005                | 0.06                 | 1.91               | 5.4                  | <0.2                 | <10                 | 170                  | 0.25                 | 0.15                 | 0.31               | 0.05                 | 23.6                 | 10.3                 | 22                   |
| I099759            |                                   | 0.30                      | <0.005               | 0.05                 | 2.10               | 5.3                  | <0.2                 | <10                 | 90                   | 0.23                 | 0.12                 | 0.16               | 0.07                 | 17.80                | 11.0                 | 18                   |
| I099760            |                                   | 0.40                      | 0.009                | 0.09                 | 2.72               | 6.8                  | <0.2                 | <10                 | 240                  | 0.38                 | 0.17                 | 0.50               | 0.14                 | 43.5                 | 24.8                 | 27                   |
| I099761            |                                   | 0.44                      | 0.007                | 0.09                 | 2.16               | 3.8                  | <0.2                 | <10                 | 200                  | 0.33                 | 0.11                 | 0.56               | 0.09                 | 33.0                 | 14.6                 | 22                   |
| I099762            |                                   | 0.32                      | 0.015                | 0.07                 | 1.99               | 4.1                  | <0.2                 | <10                 | 240                  | 0.28                 | 0.10                 | 0.65               | 0.23                 | 45.2                 | 16.3                 | 21                   |
| I099763            |                                   | 0.36                      | <0.005               | 0.14                 | 2.01               | 6.0                  | <0.2                 | <10                 | 180                  | 0.36                 | 0.14                 | 0.48               | 0.13                 | 47.1                 | 11.5                 | 24                   |
| I099764            |                                   | 0.44                      | 0.011                | 0.14                 | 2.06               | 6.4                  | <0.2                 | <10                 | 210                  | 0.38                 | 0.12                 | 0.39               | 0.15                 | 72.8                 | 11.7                 | 25                   |
| I099765            |                                   | 0.42                      | <0.005               | 0.12                 | 2.08               | 4.6                  | <0.2                 | <10                 | 210                  | 0.39                 | 0.12                 | 0.41               | 0.15                 | 70.9                 | 19.3                 | 25                   |
| I099766            |                                   | 0.34                      | <0.005               | 0.01                 | 0.14               | 1.7                  | <0.2                 | <10                 | 30                   | 0.08                 | 0.01                 | 0.08               | 0.03                 | 9.72                 | 2.2                  | 3                    |
| I099801            |                                   | 0.38                      | 0.007                | 0.09                 | 2.61               | 4.2                  | <0.2                 | <10                 | 210                  | 0.40                 | 0.08                 | 0.57               | 0.13                 | 23.7                 | 17.1                 | 24                   |
| I099802            |                                   | 0.44                      | <0.005               | 0.05                 | 1.81               | 8.3                  | <0.2                 | <10                 | 240                  | 0.37                 | 0.16                 | 0.38               | 0.09                 | 20.7                 | 11.5                 | 28                   |
| I099803            |                                   | 0.42                      | 0.009                | 0.10                 | 1.64               | 6.5                  | <0.2                 | <10                 | 260                  | 0.33                 | 0.13                 | 0.74               | 0.22                 | 25.6                 | 13.0                 | 25                   |
| I099804            |                                   | 0.32                      | <0.005               | 0.14                 | 1.50               | 6.7                  | <0.2                 | <10                 | 290                  | 0.35                 | 0.17                 | 0.92               | 0.21                 | 34.7                 | 10.8                 | 27                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - B  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099731            |                                   | 0.96    | 15.3    | 2.89    | 7.68    | 0.06    | 0.03    | 0.04    | 0.023   | 0.12    | 24.1    | 17.2    | 0.52    | 277     | 0.89    |
| I099732            |                                   | 0.92    | 13.3    | 2.87    | 7.10    | <0.05   | 0.02    | 0.03    | 0.018   | 0.11    | 12.5    | 9.1     | 0.34    | 869     | 0.84    |
| I099733            |                                   | 1.04    | 7.8     | 2.78    | 7.80    | 0.05    | 0.02    | 0.02    | 0.012   | 0.20    | 14.0    | 11.1    | 0.49    | 296     | 0.76    |
| I099734            |                                   | 1.09    | 12.2    | 3.23    | 7.40    | 0.07    | 0.03    | 0.04    | 0.019   | 0.25    | 25.6    | 18.4    | 0.66    | 577     | 0.71    |
| I099735            |                                   | 1.77    | 8.7     | 3.96    | 8.71    | 0.11    | 0.11    | 0.02    | 0.020   | 0.85    | 20.7    | 20.7    | 0.97    | 573     | 0.63    |
| I099736            |                                   | 0.98    | 12.0    | 3.26    | 7.40    | 0.05    | 0.07    | 0.02    | 0.024   | 0.43    | 14.6    | 15.5    | 0.67    | 418     | 0.85    |
| I099737            |                                   | 0.60    | 14.1    | 2.78    | 5.94    | <0.05   | 0.05    | 0.02    | 0.025   | 0.08    | 10.9    | 12.7    | 0.44    | 301     | 0.95    |
| I099738            |                                   | 0.08    | 2.2     | 0.71    | 0.62    | <0.05   | 0.08    | <0.01   | <0.005  | 0.05    | 5.0     | 1.1     | 0.07    | 158     | 0.27    |
| I099739            |                                   | 0.95    | 8.8     | 3.51    | 9.78    | 0.08    | 0.06    | 0.01    | 0.031   | 0.34    | 23.3    | 17.3    | 1.22    | 421     | 1.09    |
| I099740            |                                   | 0.67    | 10.6    | 3.23    | 6.75    | 0.05    | 0.08    | 0.01    | 0.029   | 0.22    | 9.3     | 11.4    | 0.55    | 612     | 1.01    |
| I099741            |                                   | 0.57    | 11.2    | 2.92    | 5.89    | 0.05    | 0.06    | 0.02    | 0.021   | 0.13    | 9.2     | 13.2    | 0.48    | 357     | 1.19    |
| I099742            |                                   | 0.71    | 10.6    | 2.97    | 6.53    | 0.06    | 0.04    | 0.04    | 0.018   | 0.27    | 14.0    | 12.8    | 0.57    | 416     | 1.03    |
| I099743            |                                   | 0.65    | 9.2     | 2.66    | 5.27    | <0.05   | 0.05    | 0.01    | 0.018   | 0.22    | 11.1    | 12.1    | 0.54    | 355     | 0.58    |
| I099744            |                                   | 0.86    | 9.3     | 3.62    | 8.21    | 0.06    | 0.04    | 0.02    | 0.019   | 0.33    | 8.6     | 15.7    | 0.82    | 799     | 0.82    |
| I099745            |                                   | 0.71    | 10.6    | 3.44    | 7.90    | 0.05    | 0.04    | 0.02    | 0.023   | 0.23    | 11.2    | 13.8    | 0.65    | 1700    | 1.12    |
| I099746            |                                   | 0.74    | 15.2    | 3.28    | 7.45    | 0.06    | 0.05    | 0.03    | 0.020   | 0.21    | 14.7    | 13.4    | 0.63    | 1030    | 1.05    |
| I099747            |                                   | 0.63    | 17.7    | 2.96    | 6.81    | 0.06    | 0.04    | 0.03    | 0.021   | 0.11    | 18.4    | 12.4    | 0.56    | 306     | 0.91    |
| I099748            |                                   | 0.64    | 25.5    | 4.31    | 10.20   | 0.13    | 0.06    | 0.09    | 0.037   | 0.23    | 83.6    | 16.0    | 0.55    | 1080    | 3.58    |
| I099749            |                                   | 0.74    | 16.3    | 3.16    | 7.56    | 0.08    | 0.07    | 0.04    | 0.022   | 0.19    | 31.2    | 15.0    | 0.62    | 436     | 1.16    |
| I099750            |                                   | 0.64    | 11.5    | 3.23    | 7.63    | <0.05   | 0.02    | 0.02    | 0.019   | 0.06    | 9.3     | 12.0    | 0.44    | 234     | 1.19    |
| I099751            |                                   | 0.55    | 12.5    | 2.99    | 6.94    | 0.05    | 0.08    | 0.03    | 0.021   | 0.16    | 11.4    | 12.6    | 0.71    | 407     | 0.85    |
| I099752            |                                   | 0.64    | 13.5    | 4.21    | 9.53    | 0.07    | 0.05    | 0.02    | 0.019   | 0.25    | 11.7    | 22.4    | 0.91    | 511     | 1.20    |
| I099753            |                                   | 0.78    | 14.1    | 3.02    | 7.11    | 0.09    | 0.03    | 0.12    | 0.021   | 0.34    | 27.0    | 20.8    | 0.77    | 440     | 0.61    |
| I099754            |                                   | 0.74    | 14.2    | 2.95    | 6.72    | 0.09    | 0.04    | 0.04    | 0.017   | 0.42    | 20.9    | 15.1    | 0.80    | 386     | 0.48    |
| I099755            |                                   | 0.47    | 28.0    | 2.67    | 4.79    | 0.07    | 0.12    | 0.03    | 0.022   | 0.08    | 14.2    | 12.1    | 0.57    | 446     | 0.64    |
| I099756            |                                   | 0.64    | 15.1    | 2.75    | 6.91    | 0.08    | 0.04    | 0.05    | 0.021   | 0.22    | 36.5    | 14.3    | 0.60    | 621     | 0.64    |
| I099757            |                                   | 0.64    | 12.9    | 2.98    | 6.05    | 0.09    | 0.07    | 0.02    | 0.019   | 0.24    | 20.1    | 15.5    | 0.71    | 343     | 0.60    |
| I099758            |                                   | 0.71    | 14.7    | 3.18    | 6.61    | 0.07    | 0.05    | 0.03    | 0.020   | 0.26    | 15.1    | 17.9    | 0.76    | 361     | 0.70    |
| I099759            |                                   | 1.15    | 8.5     | 3.90    | 10.15   | 0.11    | 0.05    | 0.01    | 0.018   | 0.50    | 9.1     | 17.8    | 0.83    | 457     | 1.18    |
| I099760            |                                   | 0.93    | 19.9    | 5.13    | 11.15   | 0.10    | 0.06    | 0.03    | 0.036   | 0.29    | 25.0    | 26.4    | 0.96    | 1380    | 1.94    |
| I099761            |                                   | 0.91    | 15.6    | 4.01    | 8.28    | 0.12    | 0.04    | 0.04    | 0.027   | 0.53    | 26.1    | 19.4    | 0.98    | 622     | 0.67    |
| I099762            |                                   | 0.76    | 15.5    | 3.37    | 7.39    | 0.11    | 0.05    | 0.05    | 0.023   | 0.38    | 26.8    | 17.8    | 0.86    | 2480    | 0.84    |
| I099763            |                                   | 0.78    | 20.9    | 3.54    | 7.35    | 0.11    | 0.05    | 0.05    | 0.023   | 0.38    | 27.8    | 17.5    | 0.83    | 465     | 0.61    |
| I099764            |                                   | 0.76    | 24.3    | 3.23    | 6.94    | 0.11    | 0.05    | 0.09    | 0.023   | 0.37    | 39.3    | 19.6    | 0.80    | 523     | 0.40    |
| I099765            |                                   | 0.79    | 24.1    | 3.25    | 7.14    | 0.11    | 0.05    | 0.07    | 0.024   | 0.40    | 38.9    | 19.4    | 0.85    | 798     | 0.44    |
| I099766            |                                   | 0.08    | 1.8     | 0.61    | 0.59    | <0.05   | 0.07    | <0.01   | <0.005  | 0.05    | 5.3     | 1.3     | 0.04    | 146     | 0.25    |
| I099801            |                                   | 1.06    | 14.7    | 4.26    | 8.12    | 0.12    | 0.10    | 0.02    | 0.016   | 0.89    | 14.3    | 17.6    | 1.44    | 712     | 0.82    |
| I099802            |                                   | 0.59    | 15.7    | 2.97    | 6.39    | 0.07    | 0.14    | 0.01    | 0.020   | 0.10    | 10.6    | 13.7    | 0.59    | 342     | 1.04    |
| I099803            |                                   | 0.64    | 21.2    | 2.75    | 5.53    | 0.09    | 0.04    | 0.03    | 0.019   | 0.20    | 14.2    | 12.8    | 0.70    | 664     | 1.05    |
| I099804            |                                   | 0.66    | 24.3    | 2.44    | 4.92    | 0.07    | 0.04    | 0.05    | 0.020   | 0.08    | 20.0    | 11.0    | 0.54    | 602     | 1.30    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - C  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099731            |                                   | 2.83    | 14.7    | 500     | 8.4     | 22.5    | <0.001  | 0.03    | 0.30    | 3.7     | 0.5     | 0.6     | 25.8    | <0.01   | 0.03    |
| I099732            |                                   | 2.03    | 8.7     | 590     | 6.6     | 29.6    | <0.001  | 0.02    | 0.27    | 2.3     | 0.4     | 0.5     | 15.7    | <0.01   | 0.03    |
| I099733            |                                   | 2.84    | 7.5     | 270     | 4.9     | 31.3    | <0.001  | 0.01    | 0.24    | 2.5     | 0.2     | 0.5     | 21.7    | <0.01   | 0.02    |
| I099734            |                                   | 2.89    | 10.8    | 690     | 5.7     | 34.5    | <0.001  | 0.03    | 0.27    | 3.5     | 0.4     | 0.5     | 29.8    | <0.01   | 0.02    |
| I099735            |                                   | 2.23    | 9.6     | 710     | 4.8     | 86.8    | <0.001  | 0.01    | 0.17    | 5.1     | 0.2     | 0.6     | 20.6    | <0.01   | 0.01    |
| I099736            |                                   | 2.72    | 14.1    | 570     | 7.1     | 40.8    | <0.001  | 0.01    | 0.29    | 4.0     | 0.3     | 0.6     | 20.0    | <0.01   | 0.02    |
| I099737            |                                   | 1.78    | 16.8    | 530     | 9.2     | 10.3    | <0.001  | 0.01    | 0.38    | 3.4     | 0.3     | 0.5     | 19.9    | <0.01   | 0.02    |
| I099738            |                                   | 0.20    | 3.6     | 120     | 2.9     | 2.4     | <0.001  | 0.01    | 0.12    | 0.6     | <0.2    | <0.2    | 8.7     | <0.01   | <0.01   |
| I099739            |                                   | 3.32    | 8.1     | 320     | 4.9     | 41.1    | <0.001  | 0.01    | 0.21    | 7.4     | 0.3     | 0.9     | 25.1    | <0.01   | 0.02    |
| I099740            |                                   | 2.09    | 14.2    | 260     | 7.6     | 22.5    | <0.001  | 0.01    | 0.42    | 4.2     | 0.3     | 0.7     | 21.8    | <0.01   | 0.03    |
| I099741            |                                   | 1.95    | 15.6    | 530     | 7.6     | 14.2    | <0.001  | 0.01    | 0.41    | 3.3     | 0.2     | 0.5     | 15.1    | <0.01   | 0.03    |
| I099742            |                                   | 2.99    | 11.4    | 410     | 6.4     | 29.1    | <0.001  | 0.02    | 0.29    | 3.2     | 0.3     | 0.5     | 26.6    | <0.01   | 0.02    |
| I099743            |                                   | 1.96    | 14.0    | 200     | 6.0     | 27.8    | <0.001  | 0.01    | 0.29    | 3.2     | 0.2     | 0.4     | 18.7    | <0.01   | 0.02    |
| I099744            |                                   | 3.25    | 13.0    | 420     | 6.3     | 36.9    | <0.001  | 0.01    | 0.33    | 3.7     | 0.3     | 0.7     | 24.1    | <0.01   | 0.02    |
| I099745            |                                   | 2.73    | 16.4    | 410     | 7.0     | 26.4    | <0.001  | 0.01    | 0.36    | 3.7     | 0.3     | 0.6     | 26.8    | <0.01   | 0.03    |
| I099746            |                                   | 3.14    | 16.1    | 420     | 7.4     | 27.1    | <0.001  | 0.02    | 0.37    | 3.9     | 0.4     | 0.6     | 27.5    | <0.01   | 0.03    |
| I099747            |                                   | 2.77    | 14.6    | 420     | 7.4     | 16.2    | <0.001  | 0.01    | 0.38    | 3.8     | 0.5     | 0.5     | 18.5    | <0.01   | 0.04    |
| I099748            |                                   | 3.12    | 14.5    | 770     | 13.4    | 26.0    | <0.001  | 0.04    | 0.35    | 6.5     | 0.9     | 0.6     | 39.7    | 0.01    | 0.07    |
| I099749            |                                   | 3.33    | 14.2    | 530     | 7.5     | 29.4    | <0.001  | 0.02    | 0.28    | 4.3     | 0.4     | 0.6     | 28.8    | <0.01   | 0.03    |
| I099750            |                                   | 2.24    | 11.8    | 370     | 7.4     | 11.4    | <0.001  | 0.01    | 0.37    | 3.1     | 0.3     | 0.6     | 14.8    | <0.01   | 0.03    |
| I099751            |                                   | 2.29    | 13.0    | 260     | 7.3     | 20.7    | <0.001  | 0.01    | 0.31    | 4.6     | 0.3     | 0.5     | 20.6    | <0.01   | 0.02    |
| I099752            |                                   | 2.60    | 11.0    | 490     | 7.2     | 28.1    | <0.001  | 0.02    | 0.24    | 4.9     | 0.3     | 0.5     | 25.1    | <0.01   | 0.03    |
| I099753            |                                   | 2.36    | 11.7    | 860     | 6.0     | 35.2    | <0.001  | 0.03    | 0.22    | 5.6     | 0.6     | 0.5     | 38.0    | <0.01   | 0.02    |
| I099754            |                                   | 2.56    | 10.5    | 820     | 5.3     | 35.4    | <0.001  | 0.03    | 0.25    | 5.0     | 0.5     | 0.4     | 46.4    | <0.01   | 0.03    |
| I099755            |                                   | 1.55    | 24.0    | 740     | 7.5     | 7.7     | <0.001  | 0.02    | 0.51    | 5.3     | 0.6     | 0.4     | 40.0    | <0.01   | 0.03    |
| I099756            |                                   | 1.91    | 10.2    | 640     | 6.0     | 24.3    | <0.001  | 0.03    | 0.30    | 6.3     | 0.7     | 0.5     | 47.4    | 0.01    | 0.02    |
| I099757            |                                   | 1.64    | 11.4    | 520     | 6.0     | 25.8    | <0.001  | 0.01    | 0.27    | 4.5     | 0.3     | 0.4     | 24.0    | <0.01   | 0.02    |
| I099758            |                                   | 2.09    | 13.2    | 480     | 6.6     | 28.0    | <0.001  | 0.01    | 0.27    | 4.5     | 0.3     | 0.5     | 23.3    | <0.01   | 0.02    |
| I099759            |                                   | 3.18    | 8.0     | 440     | 6.2     | 70.2    | <0.001  | 0.01    | 0.22    | 5.9     | 0.3     | 0.7     | 13.3    | <0.01   | 0.03    |
| I099760            |                                   | 3.26    | 12.7    | 620     | 9.5     | 40.7    | <0.001  | 0.02    | 0.37    | 9.4     | 0.5     | 0.8     | 36.6    | <0.01   | 0.04    |
| I099761            |                                   | 2.81    | 11.9    | 980     | 6.6     | 47.6    | <0.001  | 0.02    | 0.25    | 9.8     | 0.5     | 0.6     | 32.8    | <0.01   | 0.03    |
| I099762            |                                   | 2.61    | 12.4    | 680     | 6.6     | 38.0    | <0.001  | 0.04    | 0.29    | 6.9     | 0.7     | 0.5     | 36.2    | <0.01   | 0.03    |
| I099763            |                                   | 2.64    | 12.8    | 790     | 6.7     | 36.4    | <0.001  | 0.04    | 0.32    | 7.0     | 0.7     | 0.5     | 32.4    | <0.01   | 0.03    |
| I099764            |                                   | 2.73    | 14.6    | 850     | 6.8     | 35.6    | <0.001  | 0.04    | 0.41    | 7.8     | 0.9     | 0.4     | 27.5    | 0.01    | 0.03    |
| I099765            |                                   | 2.78    | 15.1    | 750     | 7.0     | 37.6    | <0.001  | 0.03    | 0.38    | 7.4     | 0.8     | 0.5     | 29.0    | 0.01    | 0.03    |
| I099766            |                                   | 0.23    | 3.7     | 110     | 1.6     | 2.3     | <0.001  | 0.01    | 0.10    | 0.6     | <0.2    | <0.2    | 7.8     | <0.01   | <0.01   |
| I099801            |                                   | 4.15    | 12.9    | 710     | 3.9     | 67.4    | <0.001  | 0.02    | 0.26    | 4.2     | 0.6     | 0.4     | 27.1    | <0.01   | 0.02    |
| I099802            |                                   | 1.46    | 16.5    | 390     | 7.6     | 16.0    | <0.001  | 0.01    | 0.40    | 4.4     | 0.4     | 0.5     | 27.0    | <0.01   | 0.03    |
| I099803            |                                   | 1.81    | 15.9    | 780     | 6.3     | 22.0    | <0.001  | 0.04    | 0.37    | 4.4     | 1.0     | 0.4     | 37.0    | <0.01   | 0.04    |
| I099804            |                                   | 1.29    | 17.7    | 820     | 6.5     | 12.9    | <0.001  | 0.06    | 0.50    | 4.0     | 1.2     | 0.4     | 45.7    | <0.01   | 0.04    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - D  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I099731            |                                   | 0.115              | 0.14                 | 1.42                | 59                  | 0.19                | 5.92                | 73                   | 1.1                  |
| I099732            |                                   | 0.088              | 0.13                 | 0.62                | 60                  | 0.19                | 2.44                | 60                   | 0.5                  |
| I099733            |                                   | 0.132              | 0.18                 | 0.66                | 65                  | 0.18                | 2.73                | 58                   | 0.7                  |
| I099734            |                                   | 0.121              | 0.18                 | 1.31                | 61                  | 0.21                | 5.93                | 74                   | 0.8                  |
| I099735            |                                   | 0.194              | 0.38                 | 0.68                | 74                  | 0.15                | 5.29                | 76                   | 3.9                  |
| I099736            |                                   | 0.140              | 0.22                 | 0.54                | 68                  | 0.21                | 3.89                | 59                   | 3.0                  |
| I099737            |                                   | 0.092              | 0.10                 | 0.48                | 64                  | 0.19                | 2.96                | 46                   | 2.3                  |
| I099738            |                                   | 0.009              | 0.04                 | 0.27                | 5                   | 0.06                | 1.98                | 11                   | 3.0                  |
| I099739            |                                   | 0.151              | 0.17                 | 1.08                | 77                  | 0.12                | 4.11                | 53                   | 2.5                  |
| I099740            |                                   | 0.119              | 0.14                 | 0.49                | 67                  | 0.14                | 2.44                | 55                   | 3.5                  |
| I099741            |                                   | 0.101              | 0.09                 | 0.37                | 64                  | 0.20                | 2.27                | 50                   | 2.5                  |
| I099742            |                                   | 0.129              | 0.15                 | 0.49                | 67                  | 0.16                | 3.72                | 53                   | 1.7                  |
| I099743            |                                   | 0.114              | 0.13                 | 0.36                | 59                  | 0.16                | 2.76                | 49                   | 2.1                  |
| I099744            |                                   | 0.163              | 0.22                 | 0.38                | 76                  | 0.16                | 2.16                | 82                   | 1.6                  |
| I099745            |                                   | 0.134              | 0.17                 | 0.41                | 72                  | 0.15                | 2.32                | 87                   | 2.0                  |
| I099746            |                                   | 0.134              | 0.15                 | 0.63                | 68                  | 0.17                | 4.15                | 76                   | 2.1                  |
| I099747            |                                   | 0.124              | 0.10                 | 0.91                | 63                  | 0.17                | 4.43                | 58                   | 1.4                  |
| I099748            |                                   | 0.098              | 0.13                 | 3.78                | 78                  | 0.21                | 15.05               | 67                   | 1.8                  |
| I099749            |                                   | 0.133              | 0.14                 | 1.27                | 67                  | 0.40                | 6.38                | 62                   | 2.5                  |
| I099750            |                                   | 0.106              | 0.10                 | 0.41                | 74                  | 0.21                | 2.24                | 47                   | 0.7                  |
| I099751            |                                   | 0.138              | 0.14                 | 0.47                | 72                  | 0.23                | 3.33                | 65                   | 3.1                  |
| I099752            |                                   | 0.164              | 0.17                 | 0.65                | 102                 | 0.16                | 3.57                | 78                   | 1.9                  |
| I099753            |                                   | 0.122              | 0.17                 | 1.91                | 63                  | 0.28                | 8.90                | 69                   | 1.1                  |
| I099754            |                                   | 0.143              | 0.17                 | 1.41                | 62                  | 0.12                | 8.32                | 72                   | 1.5                  |
| I099755            |                                   | 0.100              | 0.07                 | 0.75                | 56                  | 0.20                | 9.56                | 58                   | 5.3                  |
| I099756            |                                   | 0.094              | 0.13                 | 2.34                | 60                  | 0.27                | 15.40               | 62                   | 0.8                  |
| I099757            |                                   | 0.124              | 0.15                 | 0.81                | 63                  | 0.16                | 5.94                | 64                   | 2.8                  |
| I099758            |                                   | 0.140              | 0.17                 | 0.68                | 68                  | 0.15                | 4.53                | 68                   | 2.3                  |
| I099759            |                                   | 0.164              | 0.26                 | 0.56                | 97                  | 0.15                | 3.07                | 71                   | 1.6                  |
| I099760            |                                   | 0.155              | 0.20                 | 1.38                | 124                 | 0.17                | 10.40               | 88                   | 2.2                  |
| I099761            |                                   | 0.144              | 0.22                 | 1.36                | 89                  | 0.21                | 12.30               | 86                   | 1.4                  |
| I099762            |                                   | 0.124              | 0.20                 | 1.38                | 71                  | 0.18                | 12.95               | 81                   | 1.6                  |
| I099763            |                                   | 0.121              | 0.19                 | 1.59                | 73                  | 0.11                | 11.75               | 79                   | 1.5                  |
| I099764            |                                   | 0.125              | 0.20                 | 2.06                | 73                  | 0.12                | 14.40               | 68                   | 1.7                  |
| I099765            |                                   | 0.131              | 0.21                 | 1.91                | 69                  | 0.19                | 13.60               | 72                   | 1.7                  |
| I099766            |                                   | 0.010              | 0.03                 | 0.29                | 5                   | <0.05               | 2.09                | 8                    | 2.6                  |
| I099801            |                                   | 0.245              | 0.34                 | 0.63                | 92                  | 0.24                | 5.45                | 89                   | 3.5                  |
| I099802            |                                   | 0.122              | 0.09                 | 0.65                | 65                  | 0.17                | 4.23                | 61                   | 4.9                  |
| I099803            |                                   | 0.103              | 0.11                 | 0.96                | 59                  | 0.19                | 7.45                | 75                   | 1.7                  |
| I099804            |                                   | 0.069              | 0.07                 | 1.01                | 50                  | 0.21                | 9.15                | 67                   | 1.3                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - A  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099805            |                                   | 0.30                      | 0.006                | 0.11                 | 1.72               | 5.2                  | <0.2                 | <10                 | 290                  | 0.34                 | 0.12                 | 0.69               | 0.14                 | 35.6                 | 13.2                 | 27                   |
| I099806            |                                   | 0.44                      | 0.009                | 0.07                 | 1.95               | 7.4                  | <0.2                 | <10                 | 280                  | 0.44                 | 0.12                 | 0.54               | 0.15                 | 24.4                 | 14.4                 | 32                   |
| I099807            |                                   | 0.48                      | 0.007                | 0.08                 | 1.97               | 7.7                  | <0.2                 | <10                 | 320                  | 0.40                 | 0.13                 | 0.74               | 0.19                 | 22.1                 | 15.0                 | 31                   |
| I099808            |                                   | 0.38                      | <0.005               | 0.01                 | 0.26               | 1.9                  | <0.2                 | <10                 | 60                   | 0.13                 | 0.02                 | 0.11               | 0.04                 | 10.45                | 2.4                  | 4                    |
| I099809            |                                   | 0.30                      | 0.010                | 0.26                 | 1.14               | 3.9                  | <0.2                 | <10                 | 630                  | 0.40                 | 0.08                 | 2.28               | 0.43                 | 21.6                 | 9.3                  | 19                   |
| I099810            |                                   | 0.42                      | <0.005               | 0.14                 | 1.67               | 9.1                  | <0.2                 | <10                 | 370                  | 0.42                 | 0.16                 | 0.56               | 0.28                 | 28.9                 | 13.6                 | 29                   |
| I099811            |                                   | 0.38                      | 0.009                | 0.37                 | 3.52               | 2.6                  | <0.2                 | <10                 | 430                  | 0.42                 | 0.05                 | 1.09               | 0.05                 | 36.9                 | 26.0                 | 51                   |
| I099812            |                                   | 0.38                      | 0.006                | 0.08                 | 3.04               | 2.2                  | <0.2                 | <10                 | 320                  | 0.33                 | 0.05                 | 0.54               | 0.04                 | 13.55                | 23.2                 | 39                   |
| I099851            |                                   | 0.24                      | 0.005                | 0.09                 | 1.72               | 7.9                  | <0.2                 | <10                 | 240                  | 0.40                 | 0.21                 | 0.31               | 0.14                 | 32.2                 | 9.2                  | 33                   |
| I099852            |                                   | 0.22                      | 0.006                | 0.14                 | 1.77               | 7.0                  | <0.2                 | <10                 | 310                  | 0.42                 | 0.18                 | 0.40               | 0.15                 | 27.7                 | 8.6                  | 33                   |
| I099853            |                                   | 0.18                      | 0.006                | 0.15                 | 1.47               | 5.9                  | <0.2                 | <10                 | 260                  | 0.34                 | 0.17                 | 0.36               | 0.20                 | 24.6                 | 6.8                  | 29                   |
| I099854            |                                   | 0.14                      | 0.010                | 0.16                 | 1.33               | 4.9                  | <0.2                 | <10                 | 290                  | 0.40                 | 0.14                 | 0.34               | 0.27                 | 29.1                 | 5.9                  | 25                   |
| I099855            |                                   | 0.22                      | 0.006                | 0.10                 | 1.45               | 6.6                  | <0.2                 | <10                 | 180                  | 0.23                 | 0.15                 | 0.36               | 0.15                 | 26.0                 | 7.0                  | 26                   |
| I099856            |                                   | 0.16                      | 0.019                | 0.10                 | 1.22               | 6.6                  | <0.2                 | <10                 | 150                  | 0.23                 | 0.15                 | 0.25               | 0.16                 | 24.1                 | 5.6                  | 23                   |
| I099857            |                                   | 0.16                      | 0.008                | 0.14                 | 1.26               | 8.0                  | <0.2                 | <10                 | 180                  | 0.28                 | 0.20                 | 0.24               | 0.18                 | 23.5                 | 6.5                  | 27                   |
| I099858            |                                   | 0.12                      | 0.015                | 0.09                 | 1.26               | 7.2                  | <0.2                 | <10                 | 160                  | 0.22                 | 0.16                 | 0.24               | 0.18                 | 23.4                 | 6.5                  | 24                   |
| I099859            |                                   | 0.16                      | 0.005                | 0.10                 | 1.39               | 5.9                  | <0.2                 | <10                 | 180                  | 0.30                 | 0.16                 | 0.24               | 0.18                 | 30.0                 | 5.0                  | 25                   |
| I099860            |                                   | 0.20                      | <0.005               | 0.09                 | 1.37               | 5.5                  | <0.2                 | <10                 | 140                  | 0.26                 | 0.15                 | 0.23               | 0.14                 | 28.9                 | 5.3                  | 22                   |
| I099861            |                                   | 0.10                      | 0.044                | 0.21                 | 1.42               | 4.7                  | <0.2                 | <10                 | 230                  | 0.29                 | 0.16                 | 0.32               | 0.22                 | 49.2                 | 5.2                  | 19                   |
| I099862            |                                   | 0.18                      | 0.006                | 0.16                 | 1.40               | 6.0                  | <0.2                 | <10                 | 160                  | 0.28                 | 0.17                 | 0.23               | 0.17                 | 31.0                 | 4.5                  | 24                   |
| I099863            |                                   | 0.26                      | 0.014                | 0.10                 | 1.71               | 9.2                  | <0.2                 | <10                 | 180                  | 0.39                 | 0.17                 | 0.25               | 0.16                 | 40.4                 | 9.5                  | 28                   |
| I099864            |                                   | 0.16                      | 0.005                | 0.10                 | 1.59               | 8.2                  | <0.2                 | <10                 | 290                  | 0.37                 | 0.16                 | 0.44               | 0.22                 | 30.3                 | 11.9                 | 30                   |
| I099865            |                                   | 0.24                      | <0.005               | 0.01                 | 0.13               | 1.8                  | <0.2                 | <10                 | 30                   | 0.08                 | 0.02                 | 0.08               | 0.04                 | 9.59                 | 2.3                  | 3                    |
| I099866            |                                   | 0.20                      | 0.008                | 0.12                 | 1.41               | 7.2                  | <0.2                 | <10                 | 160                  | 0.29                 | 0.15                 | 0.20               | 0.13                 | 26.8                 | 5.9                  | 25                   |
| I099867            |                                   | 0.34                      | 0.006                | 0.11                 | 1.35               | 8.3                  | <0.2                 | <10                 | 320                  | 0.39                 | 0.15                 | 0.65               | 0.24                 | 25.8                 | 10.8                 | 28                   |
| I099868            |                                   | 0.32                      | 0.006                | 0.09                 | 1.26               | 9.2                  | <0.2                 | <10                 | 270                  | 0.42                 | 0.13                 | 0.79               | 0.28                 | 25.2                 | 11.7                 | 28                   |
| I099869            |                                   | 0.24                      | 0.015                | 0.06                 | 1.09               | 4.9                  | <0.2                 | <10                 | 120                  | 0.21                 | 0.11                 | 0.24               | 0.13                 | 22.3                 | 4.9                  | 19                   |
| I099870            |                                   | 0.24                      | 0.007                | 0.09                 | 1.39               | 7.0                  | <0.2                 | <10                 | 220                  | 0.31                 | 0.14                 | 0.32               | 0.20                 | 29.5                 | 9.6                  | 25                   |
| I099871            |                                   | 0.26                      | 0.008                | 0.08                 | 1.66               | 6.9                  | <0.2                 | <10                 | 240                  | 0.37                 | 0.15                 | 0.36               | 0.13                 | 27.1                 | 8.7                  | 28                   |
| I099872            |                                   | 0.20                      | 0.006                | 0.06                 | 1.53               | 7.1                  | <0.2                 | <10                 | 220                  | 0.37                 | 0.13                 | 0.35               | 0.10                 | 27.9                 | 9.7                  | 27                   |
| I099873            |                                   | 0.24                      | 0.005                | 0.08                 | 1.52               | 7.4                  | <0.2                 | <10                 | 250                  | 0.42                 | 0.14                 | 0.39               | 0.22                 | 29.2                 | 9.9                  | 30                   |
| I099874            |                                   | 0.24                      | 0.006                | 0.10                 | 1.66               | 9.8                  | <0.2                 | <10                 | 200                  | 0.42                 | 0.16                 | 0.30               | 0.24                 | 24.5                 | 13.8                 | 35                   |
| I099875            |                                   | 0.26                      | 0.010                | 0.06                 | 1.58               | 5.5                  | <0.2                 | <10                 | 200                  | 0.38                 | 0.13                 | 0.31               | 0.05                 | 30.4                 | 8.1                  | 25                   |
| I099876            |                                   | 0.14                      | 0.010                | 0.53                 | 2.52               | 6.6                  | <0.2                 | <10                 | 340                  | 0.79                 | 0.25                 | 0.38               | 0.13                 | 52.5                 | 8.8                  | 33                   |
| I099877            |                                   | 0.22                      | <0.005               | 0.15                 | 1.84               | 6.9                  | <0.2                 | <10                 | 140                  | 0.29                 | 0.17                 | 0.25               | 0.35                 | 26.8                 | 7.0                  | 24                   |
| I099878            |                                   | 0.26                      | 0.006                | 0.09                 | 1.66               | 7.8                  | <0.2                 | <10                 | 320                  | 0.47                 | 0.15                 | 0.55               | 0.10                 | 29.0                 | 9.8                  | 27                   |
| I099879            |                                   | 0.22                      | 0.006                | 0.07                 | 1.87               | 7.7                  | <0.2                 | <10                 | 200                  | 0.34                 | 0.14                 | 0.27               | 0.10                 | 22.2                 | 8.8                  | 28                   |
| I099880            |                                   | 0.22                      | 0.032                | 0.10                 | 1.61               | 3.3                  | <0.2                 | <10                 | 170                  | 0.21                 | 0.11                 | 0.27               | 0.05                 | 19.65                | 8.3                  | 19                   |
| I099881            |                                   | 0.26                      | 0.008                | 0.12                 | 1.58               | 8.4                  | <0.2                 | <10                 | 350                  | 0.46                 | 0.17                 | 0.49               | 0.16                 | 30.0                 | 9.9                  | 30                   |
| I099882            |                                   | 0.20                      | 0.008                | 0.05                 | 1.98               | 3.8                  | <0.2                 | <10                 | 120                  | 0.25                 | 0.08                 | 0.25               | 0.05                 | 17.65                | 9.3                  | 18                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - B  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099805            |                                   | 0.85    | 17.9    | 2.82    | 5.99    | 0.09    | 0.03    | 0.15    | 0.020   | 0.20    | 20.0    | 12.9    | 0.67    | 815     | 1.07    |
| I099806            |                                   | 0.74    | 35.1    | 3.21    | 5.61    | 0.11    | 0.18    | 0.03    | 0.018   | 0.37    | 13.1    | 12.8    | 0.89    | 387     | 0.99    |
| I099807            |                                   | 0.83    | 35.3    | 3.34    | 5.75    | 0.10    | 0.10    | 0.03    | 0.019   | 0.34    | 12.5    | 14.3    | 1.01    | 508     | 0.70    |
| I099808            |                                   | 0.10    | 2.0     | 0.83    | 0.93    | <0.05   | 0.14    | 0.01    | <0.005  | 0.11    | 5.4     | 1.5     | 0.04    | 174     | 0.34    |
| I099809            |                                   | 0.47    | 89.8    | 1.67    | 3.20    | 0.09    | 0.13    | 0.11    | 0.013   | 0.18    | 19.3    | 5.9     | 0.51    | 592     | 0.61    |
| I099810            |                                   | 0.67    | 35.1    | 2.96    | 5.21    | 0.10    | 0.09    | 0.05    | 0.020   | 0.20    | 16.3    | 14.3    | 0.74    | 474     | 0.85    |
| I099811            |                                   | 1.79    | 128.5   | 5.10    | 9.61    | 0.20    | 0.31    | 0.13    | 0.013   | 1.61    | 45.2    | 18.8    | 2.19    | 757     | 1.16    |
| I099812            |                                   | 1.30    | 45.3    | 4.46    | 8.34    | 0.14    | 0.11    | 0.02    | 0.011   | 1.28    | 10.8    | 17.2    | 1.80    | 618     | 0.77    |
| I099851            |                                   | 0.79    | 23.6    | 2.62    | 5.37    | 0.07    | 0.04    | 0.04    | 0.022   | 0.05    | 15.4    | 11.9    | 0.47    | 243     | 1.00    |
| I099852            |                                   | 0.71    | 22.3    | 2.60    | 5.44    | 0.07    | 0.03    | 0.04    | 0.024   | 0.05    | 13.5    | 12.0    | 0.51    | 290     | 1.00    |
| I099853            |                                   | 0.79    | 18.9    | 2.13    | 4.85    | 0.06    | <0.02   | 0.06    | 0.018   | 0.04    | 12.2    | 9.0     | 0.40    | 217     | 0.97    |
| I099854            |                                   | 0.70    | 18.7    | 1.82    | 4.69    | 0.06    | 0.02    | 0.05    | 0.019   | 0.03    | 14.2    | 7.1     | 0.31    | 194     | 0.68    |
| I099855            |                                   | 0.81    | 10.9    | 2.11    | 4.95    | 0.05    | 0.02    | 0.05    | 0.019   | 0.04    | 13.3    | 9.6     | 0.40    | 175     | 1.04    |
| I099856            |                                   | 0.80    | 10.1    | 1.84    | 4.69    | 0.05    | <0.02   | 0.06    | 0.016   | 0.04    | 12.4    | 8.4     | 0.33    | 130     | 0.86    |
| I099857            |                                   | 0.75    | 15.1    | 2.05    | 5.01    | 0.05    | <0.02   | 0.04    | 0.019   | 0.03    | 11.9    | 7.5     | 0.31    | 193     | 1.20    |
| I099858            |                                   | 0.85    | 10.2    | 1.95    | 4.85    | 0.05    | <0.02   | 0.05    | 0.018   | 0.04    | 11.9    | 8.1     | 0.30    | 163     | 1.11    |
| I099859            |                                   | 0.86    | 11.7    | 1.90    | 5.07    | 0.06    | <0.02   | 0.06    | 0.018   | 0.03    | 15.4    | 8.5     | 0.32    | 106     | 0.76    |
| I099860            |                                   | 0.75    | 10.3    | 1.86    | 5.07    | 0.05    | 0.02    | 0.05    | 0.017   | 0.04    | 16.5    | 9.1     | 0.34    | 121     | 0.96    |
| I099861            |                                   | 1.01    | 13.2    | 1.78    | 4.31    | 0.07    | 0.02    | 0.11    | 0.022   | 0.04    | 23.2    | 5.3     | 0.20    | 108     | 0.79    |
| I099862            |                                   | 0.81    | 13.7    | 1.97    | 5.13    | 0.06    | <0.02   | 0.06    | 0.019   | 0.04    | 16.1    | 7.2     | 0.30    | 107     | 0.80    |
| I099863            |                                   | 0.88    | 13.7    | 2.71    | 5.88    | 0.08    | 0.03    | 0.04    | 0.021   | 0.04    | 19.9    | 12.7    | 0.42    | 228     | 1.29    |
| I099864            |                                   | 0.91    | 18.5    | 2.57    | 5.16    | 0.07    | 0.04    | 0.04    | 0.022   | 0.05    | 14.6    | 12.6    | 0.52    | 386     | 0.96    |
| I099865            |                                   | 0.08    | 1.7     | 0.59    | 0.57    | <0.05   | 0.07    | <0.01   | <0.005  | 0.04    | 4.9     | 1.1     | 0.04    | 144     | 0.25    |
| I099866            |                                   | 0.75    | 12.2    | 2.16    | 5.10    | 0.07    | 0.02    | 0.05    | 0.018   | 0.04    | 14.1    | 9.5     | 0.34    | 118     | 1.06    |
| I099867            |                                   | 0.52    | 26.1    | 2.53    | 4.37    | 0.08    | 0.10    | 0.03    | 0.021   | 0.06    | 12.8    | 11.8    | 0.56    | 368     | 0.75    |
| I099868            |                                   | 0.67    | 29.9    | 2.57    | 4.41    | 0.08    | 0.12    | 0.03    | 0.019   | 0.07    | 13.1    | 12.2    | 0.65    | 414     | 0.89    |
| I099869            |                                   | 0.63    | 9.2     | 1.68    | 3.86    | 0.05    | 0.02    | 0.04    | 0.015   | 0.03    | 12.4    | 7.5     | 0.30    | 122     | 0.64    |
| I099870            |                                   | 0.75    | 15.2    | 2.21    | 4.86    | 0.07    | 0.03    | 0.03    | 0.017   | 0.04    | 15.2    | 10.8    | 0.41    | 240     | 0.82    |
| I099871            |                                   | 0.52    | 19.0    | 2.48    | 5.58    | 0.08    | 0.07    | 0.03    | 0.021   | 0.05    | 14.4    | 11.8    | 0.46    | 261     | 1.01    |
| I099872            |                                   | 0.51    | 17.9    | 2.37    | 5.02    | 0.08    | 0.08    | 0.03    | 0.020   | 0.05    | 14.6    | 11.6    | 0.43    | 266     | 0.79    |
| I099873            |                                   | 0.56    | 20.8    | 2.47    | 5.17    | 0.08    | 0.05    | 0.03    | 0.022   | 0.05    | 15.3    | 11.4    | 0.46    | 319     | 1.01    |
| I099874            |                                   | 0.66    | 19.6    | 2.70    | 5.83    | 0.07    | 0.04    | 0.03    | 0.023   | 0.05    | 12.9    | 10.8    | 0.40    | 578     | 1.43    |
| I099875            |                                   | 0.63    | 22.1    | 2.63    | 6.00    | 0.09    | 0.13    | 0.05    | 0.017   | 0.12    | 16.8    | 12.5    | 0.52    | 263     | 1.11    |
| I099876            |                                   | 1.06    | 42.7    | 3.68    | 10.95   | 0.10    | 0.09    | 0.04    | 0.030   | 0.19    | 37.9    | 11.8    | 0.59    | 209     | 1.80    |
| I099877            |                                   | 0.70    | 16.6    | 2.78    | 6.74    | 0.08    | 0.06    | 0.02    | 0.015   | 0.12    | 17.5    | 16.4    | 0.56    | 269     | 2.01    |
| I099878            |                                   | 0.50    | 24.8    | 2.77    | 5.37    | 0.08    | 0.13    | 0.04    | 0.024   | 0.05    | 15.3    | 16.7    | 0.62    | 355     | 0.70    |
| I099879            |                                   | 0.65    | 16.3    | 2.83    | 6.44    | 0.07    | 0.08    | 0.02    | 0.021   | 0.04    | 11.2    | 16.8    | 0.55    | 249     | 1.22    |
| I099880            |                                   | 1.00    | 11.1    | 2.79    | 7.21    | 0.07    | 0.03    | 0.01    | 0.011   | 0.29    | 11.6    | 12.2    | 0.75    | 395     | 1.28    |
| I099881            |                                   | 0.65    | 30.9    | 2.74    | 5.03    | 0.08    | 0.08    | 0.03    | 0.023   | 0.05    | 14.1    | 14.0    | 0.58    | 394     | 0.80    |
| I099882            |                                   | 1.03    | 13.2    | 3.16    | 7.66    | 0.09    | 0.05    | 0.01    | 0.011   | 0.40    | 14.5    | 17.0    | 0.85    | 423     | 0.89    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - C  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099805            |                                   | 2.05    | 15.9    | 750     | 5.5     | 23.5    | <0.001  | 0.04    | 0.27    | 5.2     | 0.9     | 0.5     | 38.1    | <0.01   | 0.04    |
| I099806            |                                   | 2.30    | 21.2    | 410     | 6.5     | 24.8    | <0.001  | 0.02    | 0.56    | 5.3     | 0.9     | 0.4     | 27.4    | <0.01   | 0.03    |
| I099807            |                                   | 2.33    | 21.6    | 560     | 6.3     | 27.2    | <0.001  | 0.02    | 0.48    | 5.1     | 0.9     | 0.4     | 37.7    | <0.01   | 0.04    |
| I099808            |                                   | 0.12    | 3.6     | 130     | 1.9     | 4.1     | <0.001  | 0.01    | 0.11    | 0.8     | <0.2    | <0.2    | 13.9    | <0.01   | <0.01   |
| I099809            |                                   | 1.35    | 21.9    | 920     | 3.4     | 14.1    | 0.001   | 0.11    | 0.74    | 3.5     | 2.6     | 0.2     | 102.0   | 0.01    | 0.14    |
| I099810            |                                   | 2.04    | 24.7    | 760     | 7.9     | 16.5    | <0.001  | 0.02    | 0.71    | 4.7     | 1.0     | 0.4     | 30.7    | <0.01   | 0.04    |
| I099811            |                                   | 4.57    | 23.9    | 630     | 3.3     | 81.4    | 0.001   | 0.04    | 0.40    | 12.4    | 1.7     | 0.4     | 45.1    | 0.01    | 0.05    |
| I099812            |                                   | 3.24    | 16.0    | 430     | 3.2     | 65.4    | <0.001  | 0.02    | 0.20    | 6.2     | 0.5     | 0.3     | 25.2    | <0.01   | 0.02    |
| I099851            |                                   | 1.30    | 19.7    | 580     | 8.1     | 8.6     | <0.001  | 0.02    | 0.50    | 4.6     | 0.8     | 0.6     | 23.9    | <0.01   | 0.03    |
| I099852            |                                   | 1.16    | 20.7    | 610     | 7.5     | 8.5     | <0.001  | 0.03    | 0.47    | 4.8     | 0.8     | 0.5     | 31.6    | <0.01   | 0.04    |
| I099853            |                                   | 0.82    | 16.3    | 690     | 6.8     | 8.5     | <0.001  | 0.04    | 0.40    | 2.8     | 0.9     | 0.5     | 30.2    | <0.01   | 0.03    |
| I099854            |                                   | 0.72    | 15.8    | 700     | 6.2     | 6.9     | <0.001  | 0.05    | 0.32    | 2.1     | 1.1     | 0.5     | 31.6    | <0.01   | 0.03    |
| I099855            |                                   | 1.05    | 14.1    | 650     | 7.2     | 8.1     | <0.001  | 0.03    | 0.34    | 2.8     | 0.7     | 0.5     | 24.8    | <0.01   | 0.03    |
| I099856            |                                   | 0.80    | 12.7    | 610     | 6.8     | 7.8     | <0.001  | 0.03    | 0.29    | 2.0     | 0.8     | 0.4     | 21.0    | <0.01   | 0.03    |
| I099857            |                                   | 0.79    | 13.8    | 760     | 6.8     | 6.4     | <0.001  | 0.04    | 0.37    | 1.9     | 1.0     | 0.5     | 21.2    | <0.01   | 0.04    |
| I099858            |                                   | 0.98    | 12.6    | 560     | 7.3     | 9.0     | <0.001  | 0.03    | 0.35    | 2.4     | 0.9     | 0.5     | 20.4    | <0.01   | 0.03    |
| I099859            |                                   | 0.86    | 12.9    | 600     | 7.8     | 7.8     | <0.001  | 0.04    | 0.32    | 2.3     | 1.0     | 0.5     | 21.6    | <0.01   | 0.03    |
| I099860            |                                   | 1.16    | 11.3    | 520     | 8.0     | 8.9     | <0.001  | 0.03    | 0.28    | 2.7     | 0.8     | 0.5     | 19.5    | <0.01   | 0.02    |
| I099861            |                                   | 0.97    | 11.9    | 890     | 6.8     | 10.6    | <0.001  | 0.08    | 0.38    | 2.5     | 1.6     | 0.5     | 31.9    | <0.01   | 0.04    |
| I099862            |                                   | 1.08    | 10.4    | 590     | 9.1     | 7.4     | <0.001  | 0.04    | 0.29    | 2.6     | 0.9     | 0.5     | 20.4    | <0.01   | 0.03    |
| I099863            |                                   | 1.59    | 15.9    | 570     | 8.8     | 10.5    | 0.001   | 0.02    | 0.45    | 4.0     | 0.7     | 0.6     | 20.6    | <0.01   | 0.04    |
| I099864            |                                   | 1.44    | 20.5    | 700     | 8.4     | 10.4    | <0.001  | 0.03    | 0.57    | 4.5     | 0.9     | 0.5     | 35.8    | <0.01   | 0.03    |
| I099865            |                                   | 0.16    | 3.5     | 120     | 1.5     | 2.0     | <0.001  | 0.01    | 0.11    | 0.6     | <0.2    | <0.2    | 7.2     | <0.01   | 0.01    |
| I099866            |                                   | 1.12    | 13.2    | 540     | 8.0     | 7.9     | <0.001  | 0.02    | 0.36    | 2.6     | 0.8     | 0.5     | 17.6    | <0.01   | 0.03    |
| I099867            |                                   | 1.36    | 23.3    | 720     | 7.6     | 7.1     | 0.001   | 0.02    | 0.63    | 4.4     | 0.8     | 0.4     | 35.8    | <0.01   | 0.03    |
| I099868            |                                   | 1.19    | 25.7    | 830     | 6.7     | 7.6     | 0.001   | 0.01    | 0.64    | 4.7     | 0.6     | 0.4     | 37.0    | <0.01   | 0.03    |
| I099869            |                                   | 1.08    | 10.2    | 540     | 6.5     | 7.0     | <0.001  | 0.02    | 0.29    | 2.4     | 0.5     | 0.4     | 17.0    | <0.01   | 0.01    |
| I099870            |                                   | 1.25    | 17.0    | 650     | 7.7     | 8.7     | <0.001  | 0.02    | 0.47    | 3.8     | 0.8     | 0.5     | 25.9    | <0.01   | 0.03    |
| I099871            |                                   | 1.46    | 16.0    | 480     | 8.6     | 7.9     | <0.001  | 0.01    | 0.47    | 4.7     | 0.7     | 0.5     | 27.1    | <0.01   | 0.03    |
| I099872            |                                   | 1.49    | 16.3    | 570     | 7.7     | 7.5     | <0.001  | 0.01    | 0.43    | 4.6     | 0.6     | 0.5     | 26.1    | <0.01   | 0.03    |
| I099873            |                                   | 1.50    | 18.2    | 600     | 7.8     | 8.5     | <0.001  | 0.01    | 0.51    | 4.7     | 0.7     | 0.5     | 28.5    | <0.01   | 0.03    |
| I099874            |                                   | 1.48    | 19.2    | 610     | 9.4     | 10.0    | 0.001   | 0.02    | 0.50    | 3.9     | 0.8     | 0.5     | 23.9    | <0.01   | 0.03    |
| I099875            |                                   | 1.83    | 15.0    | 340     | 9.1     | 19.1    | <0.001  | <0.01   | 0.44    | 4.5     | 0.6     | 0.5     | 25.6    | <0.01   | 0.02    |
| I099876            |                                   | 2.53    | 20.3    | 390     | 22.3    | 26.6    | <0.001  | 0.01    | 0.28    | 6.0     | 0.9     | 1.0     | 32.4    | <0.01   | 0.04    |
| I099877            |                                   | 2.36    | 13.2    | 420     | 33.5    | 22.8    | <0.001  | 0.01    | 0.26    | 3.7     | 0.5     | 0.6     | 20.0    | <0.01   | 0.03    |
| I099878            |                                   | 1.63    | 22.0    | 490     | 8.8     | 8.1     | <0.001  | 0.01    | 0.62    | 5.2     | 1.1     | 0.5     | 35.3    | <0.01   | 0.03    |
| I099879            |                                   | 1.64    | 17.2    | 300     | 7.3     | 10.2    | <0.001  | <0.01   | 0.39    | 4.1     | 0.6     | 0.6     | 23.2    | <0.01   | 0.03    |
| I099880            |                                   | 2.69    | 11.0    | 270     | 5.1     | 55.0    | <0.001  | 0.01    | 0.23    | 3.1     | 0.4     | 0.7     | 22.0    | <0.01   | 0.02    |
| I099881            |                                   | 1.37    | 24.9    | 650     | 9.1     | 8.0     | <0.001  | 0.01    | 0.65    | 5.1     | 0.8     | 0.4     | 38.0    | <0.01   | 0.04    |
| I099882            |                                   | 2.82    | 10.4    | 540     | 4.4     | 44.1    | <0.001  | 0.01    | 0.17    | 3.3     | 0.4     | 0.7     | 18.9    | <0.01   | 0.01    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - D  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I099805            |                                   | 0.108              | 0.14                 | 1.50                | 56                  | 0.24                | 9.13                | 66                   | 1.0                  |
| I099806            |                                   | 0.158              | 0.14                 | 1.01                | 71                  | 0.15                | 8.19                | 63                   | 7.5                  |
| I099807            |                                   | 0.151              | 0.15                 | 0.81                | 74                  | 0.30                | 7.14                | 71                   | 4.1                  |
| I099808            |                                   | 0.010              | 0.04                 | 0.34                | 5                   | 0.05                | 2.46                | 7                    | 5.0                  |
| I099809            |                                   | 0.058              | 0.07                 | 1.33                | 34                  | 0.12                | 16.65               | 33                   | 4.7                  |
| I099810            |                                   | 0.113              | 0.11                 | 0.74                | 58                  | 0.19                | 9.95                | 81                   | 3.8                  |
| I099811            |                                   | 0.303              | 0.37                 | 2.38                | 136                 | 0.41                | 21.5                | 94                   | 12.9                 |
| I099812            |                                   | 0.275              | 0.32                 | 0.78                | 109                 | 0.15                | 3.76                | 78                   | 4.6                  |
| I099851            |                                   | 0.075              | 0.08                 | 1.58                | 55                  | 0.21                | 8.63                | 56                   | 1.0                  |
| I099852            |                                   | 0.066              | 0.07                 | 1.61                | 53                  | 0.23                | 7.65                | 59                   | 0.9                  |
| I099853            |                                   | 0.050              | 0.07                 | 2.08                | 47                  | 0.16                | 6.53                | 49                   | <0.5                 |
| I099854            |                                   | 0.037              | 0.08                 | 2.22                | 38                  | 0.16                | 8.08                | 40                   | <0.5                 |
| I099855            |                                   | 0.056              | 0.08                 | 1.22                | 48                  | 0.49                | 5.16                | 50                   | <0.5                 |
| I099856            |                                   | 0.045              | 0.08                 | 1.27                | 39                  | 0.33                | 4.82                | 45                   | <0.5                 |
| I099857            |                                   | 0.040              | 0.08                 | 1.52                | 46                  | 0.22                | 5.37                | 42                   | <0.5                 |
| I099858            |                                   | 0.050              | 0.09                 | 1.15                | 45                  | 0.36                | 4.79                | 44                   | <0.5                 |
| I099859            |                                   | 0.047              | 0.09                 | 2.19                | 41                  | 0.43                | 6.06                | 46                   | <0.5                 |
| I099860            |                                   | 0.056              | 0.08                 | 1.63                | 36                  | 0.18                | 5.54                | 50                   | <0.5                 |
| I099861            |                                   | 0.038              | 0.07                 | 2.66                | 19                  | 0.33                | 10.15               | 40                   | <0.5                 |
| I099862            |                                   | 0.058              | 0.08                 | 2.12                | 38                  | 0.18                | 5.91                | 46                   | <0.5                 |
| I099863            |                                   | 0.073              | 0.10                 | 1.75                | 59                  | 0.19                | 6.89                | 61                   | 0.9                  |
| I099864            |                                   | 0.074              | 0.10                 | 1.04                | 55                  | 0.22                | 7.98                | 70                   | 1.3                  |
| I099865            |                                   | 0.007              | 0.03                 | 0.30                | 4                   | <0.05               | 2.15                | 6                    | 2.6                  |
| I099866            |                                   | 0.053              | 0.09                 | 1.27                | 46                  | 0.32                | 5.10                | 48                   | <0.5                 |
| I099867            |                                   | 0.083              | 0.07                 | 0.60                | 52                  | 0.23                | 8.69                | 64                   | 3.7                  |
| I099868            |                                   | 0.090              | 0.07                 | 0.57                | 56                  | 0.36                | 9.22                | 65                   | 4.4                  |
| I099869            |                                   | 0.057              | 0.07                 | 0.87                | 39                  | 0.70                | 4.77                | 42                   | <0.5                 |
| I099870            |                                   | 0.064              | 0.08                 | 0.99                | 50                  | 0.77                | 7.08                | 57                   | 0.7                  |
| I099871            |                                   | 0.092              | 0.07                 | 1.58                | 52                  | 0.25                | 7.11                | 59                   | 3.1                  |
| I099872            |                                   | 0.088              | 0.06                 | 1.17                | 51                  | 0.24                | 7.50                | 53                   | 3.3                  |
| I099873            |                                   | 0.096              | 0.07                 | 1.33                | 54                  | 0.20                | 7.97                | 58                   | 2.1                  |
| I099874            |                                   | 0.081              | 0.07                 | 1.27                | 60                  | 0.25                | 5.67                | 60                   | 1.2                  |
| I099875            |                                   | 0.122              | 0.10                 | 0.82                | 58                  | 0.23                | 6.24                | 54                   | 5.6                  |
| I099876            |                                   | 0.126              | 0.14                 | 1.68                | 69                  | 0.21                | 7.69                | 66                   | 3.0                  |
| I099877            |                                   | 0.118              | 0.12                 | 0.81                | 63                  | 0.25                | 4.87                | 65                   | 2.4                  |
| I099878            |                                   | 0.096              | 0.07                 | 0.79                | 55                  | 0.23                | 8.28                | 61                   | 5.9                  |
| I099879            |                                   | 0.099              | 0.09                 | 0.50                | 65                  | 0.26                | 4.49                | 51                   | 3.4                  |
| I099880            |                                   | 0.142              | 0.18                 | 0.43                | 65                  | 0.21                | 2.34                | 62                   | 1.0                  |
| I099881            |                                   | 0.087              | 0.07                 | 0.60                | 56                  | 0.24                | 9.76                | 69                   | 3.3                  |
| I099882            |                                   | 0.163              | 0.22                 | 0.47                | 71                  | 0.24                | 2.39                | 65                   | 1.8                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - A  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099883            |                                   | 0.18                      | 0.005                | 0.11                 | 1.45               | 2.4                  | <0.2                 | <10                 | 170                  | 0.23                 | 0.12                 | 0.22               | 0.07                 | 27.5                 | 6.8                  | 17                   |
| I099884            |                                   | 0.20                      | 0.015                | 0.19                 | 1.55               | 2.5                  | <0.2                 | <10                 | 240                  | 0.29                 | 0.11                 | 0.29               | 0.11                 | 39.6                 | 7.9                  | 17                   |
| I099885            |                                   | 0.24                      | <0.005               | 0.11                 | 1.68               | 6.1                  | <0.2                 | <10                 | 140                  | 0.21                 | 0.16                 | 0.29               | 0.08                 | 15.95                | 8.8                  | 22                   |
| I099886            |                                   | 0.18                      | 0.006                | 0.18                 | 1.74               | 5.1                  | <0.2                 | <10                 | 210                  | 0.24                 | 0.14                 | 0.24               | 0.07                 | 22.7                 | 7.5                  | 22                   |
| I099887            |                                   | 0.20                      | <0.005               | 0.11                 | 1.81               | 3.9                  | <0.2                 | <10                 | 200                  | 0.22                 | 0.11                 | 0.32               | 0.07                 | 26.3                 | 9.1                  | 20                   |
| I099888            |                                   | 0.24                      | <0.005               | 0.17                 | 1.78               | 2.8                  | <0.2                 | <10                 | 190                  | 0.29                 | 0.13                 | 0.26               | 0.04                 | 21.8                 | 11.8                 | 19                   |
| I099889            |                                   | 0.24                      | 0.005                | 0.09                 | 1.76               | 5.6                  | <0.2                 | <10                 | 300                  | 0.35                 | 0.14                 | 0.26               | 0.11                 | 14.80                | 9.8                  | 28                   |
| I099890            |                                   | 0.18                      | <0.005               | 0.11                 | 1.96               | 10.4                 | <0.2                 | <10                 | 150                  | 0.29                 | 0.14                 | 0.21               | 0.06                 | 15.60                | 8.9                  | 29                   |
| I099891            |                                   | 0.24                      | <0.005               | 0.09                 | 1.92               | 10.4                 | <0.2                 | <10                 | 170                  | 0.33                 | 0.13                 | 0.18               | 0.07                 | 17.65                | 8.9                  | 28                   |
| I099892            |                                   | 0.22                      | 0.006                | 0.12                 | 1.65               | 7.3                  | <0.2                 | <10                 | 260                  | 0.34                 | 0.15                 | 0.32               | 0.14                 | 21.5                 | 8.8                  | 29                   |
| I099893            |                                   | 0.20                      | 0.008                | 0.18                 | 2.17               | 6.4                  | <0.2                 | <10                 | 250                  | 0.45                 | 0.14                 | 0.20               | 0.16                 | 21.4                 | 9.7                  | 26                   |
| I099894            |                                   | 0.32                      | <0.005               | 0.05                 | 2.01               | 3.7                  | <0.2                 | <10                 | 190                  | 0.42                 | 0.08                 | 0.34               | 0.06                 | 41.8                 | 9.3                  | 18                   |
| I099895            |                                   | 0.32                      | 0.019                | 0.07                 | 1.97               | 5.8                  | <0.2                 | <10                 | 200                  | 0.39                 | 0.14                 | 0.32               | 0.32                 | 44.3                 | 10.2                 | 27                   |
| I099896            |                                   | 0.40                      | 0.005                | 0.11                 | 1.85               | 6.3                  | <0.2                 | <10                 | 130                  | 0.25                 | 0.15                 | 0.20               | 0.41                 | 22.0                 | 8.5                  | 24                   |
| I099897            |                                   | 0.18                      | <0.005               | 0.15                 | 1.67               | 5.1                  | <0.2                 | <10                 | 190                  | 0.26                 | 0.11                 | 0.29               | 0.39                 | 32.6                 | 10.6                 | 22                   |
| I099898            |                                   | 0.30                      | 0.005                | 0.12                 | 1.80               | 5.3                  | <0.2                 | <10                 | 180                  | 0.27                 | 0.13                 | 0.26               | 0.16                 | 23.5                 | 9.4                  | 24                   |
| I099899            |                                   | 0.24                      | 0.012                | 0.17                 | 1.50               | 11.4                 | <0.2                 | <10                 | 270                  | 0.37                 | 0.14                 | 0.64               | 0.21                 | 39.6                 | 18.7                 | 23                   |
| I099900            |                                   | 0.38                      | 0.009                | 0.09                 | 1.22               | 7.7                  | <0.2                 | <10                 | 270                  | 0.39                 | 0.13                 | 0.71               | 0.27                 | 25.1                 | 9.7                  | 26                   |
| I099901            |                                   | 0.26                      | <0.005               | 0.03                 | 1.37               | 5.0                  | <0.2                 | <10                 | 140                  | 0.19                 | 0.13                 | 0.17               | 0.11                 | 18.65                | 6.1                  | 17                   |
| I099902            |                                   | 0.40                      | <0.005               | 0.04                 | 2.41               | 3.1                  | <0.2                 | <10                 | 170                  | 0.26                 | 0.06                 | 0.21               | 0.05                 | 15.15                | 15.2                 | 14                   |
| I099903            |                                   | 0.34                      | 0.007                | 0.22                 | 2.52               | 3.8                  | <0.2                 | <10                 | 330                  | 0.56                 | 0.10                 | 0.51               | 0.13                 | 124.0                | 13.3                 | 21                   |
| I099904            |                                   | 0.34                      | 0.007                | 0.18                 | 1.64               | 1.7                  | <0.2                 | <10                 | 180                  | 0.36                 | 0.06                 | 0.24               | 0.11                 | 49.5                 | 8.8                  | 15                   |
| I099905            |                                   | 0.48                      | <0.005               | 0.03                 | 2.80               | 2.5                  | <0.2                 | <10                 | 160                  | 0.40                 | 0.04                 | 0.17               | 0.04                 | 16.60                | 16.6                 | 16                   |
| I099906            |                                   | 0.46                      | 0.006                | 0.02                 | 2.39               | 0.8                  | <0.2                 | <10                 | 160                  | 0.64                 | 0.21                 | 0.22               | 0.11                 | 63.6                 | 12.7                 | 9                    |
| I099907            |                                   | 0.36                      | <0.005               | 0.06                 | 1.42               | 3.4                  | <0.2                 | <10                 | 110                  | 0.32                 | 0.10                 | 0.34               | 0.11                 | 44.4                 | 8.0                  | 14                   |
| I099908            |                                   | 0.44                      | 0.007                | 0.10                 | 1.89               | 3.8                  | <0.2                 | <10                 | 270                  | 0.41                 | 0.15                 | 0.53               | 0.12                 | 78.1                 | 10.7                 | 19                   |
| I099909            |                                   | 0.52                      | 0.007                | 0.06                 | 1.77               | 6.2                  | <0.2                 | <10                 | 110                  | 0.25                 | 0.13                 | 0.20               | 0.08                 | 19.50                | 7.5                  | 24                   |
| I099910            |                                   | 0.40                      | 0.007                | 0.22                 | 1.50               | 4.1                  | <0.2                 | <10                 | 200                  | 0.38                 | 0.13                 | 0.33               | 0.17                 | 56.1                 | 5.5                  | 20                   |
| I099911            |                                   | 0.38                      | <0.005               | 0.13                 | 1.70               | 6.9                  | <0.2                 | <10                 | 140                  | 0.27                 | 0.15                 | 0.28               | 0.14                 | 39.3                 | 7.2                  | 21                   |
| I099912            |                                   | 0.44                      | 0.005                | 0.13                 | 1.61               | 5.7                  | <0.2                 | <10                 | 140                  | 0.25                 | 0.14                 | 0.27               | 0.14                 | 37.0                 | 6.7                  | 20                   |
| I099913            |                                   | 0.32                      | 0.005                | 0.16                 | 1.62               | 10.2                 | <0.2                 | <10                 | 290                  | 0.39                 | 0.17                 | 0.85               | 0.59                 | 22.8                 | 10.7                 | 31                   |
| I099914            |                                   | 0.46                      | 0.010                | 0.06                 | 1.41               | 8.1                  | <0.2                 | <10                 | 240                  | 0.32                 | 0.13                 | 0.52               | 0.15                 | 34.0                 | 9.6                  | 27                   |
| I099915            |                                   | 0.30                      | 0.006                | 0.08                 | 1.56               | 10.0                 | <0.2                 | <10                 | 330                  | 0.37                 | 0.15                 | 0.47               | 0.64                 | 22.5                 | 10.8                 | 30                   |
| I099916            |                                   | 0.26                      | 0.011                | 0.05                 | 1.26               | 9.5                  | <0.2                 | <10                 | 210                  | 0.29                 | 0.13                 | 0.73               | 0.38                 | 23.0                 | 9.8                  | 26                   |
| I099917            |                                   | 0.42                      | 0.006                | 0.07                 | 1.19               | 7.7                  | <0.2                 | <10                 | 220                  | 0.31                 | 0.11                 | 0.53               | 0.15                 | 22.4                 | 8.5                  | 23                   |
| I099918            |                                   | 0.30                      | 0.005                | 0.04                 | 1.38               | 6.0                  | <0.2                 | <10                 | 200                  | 0.22                 | 0.12                 | 0.48               | 0.19                 | 27.2                 | 8.3                  | 22                   |
| I099919            |                                   | 0.40                      | 0.006                | 0.15                 | 2.00               | 8.9                  | <0.2                 | <10                 | 170                  | 0.29                 | 0.14                 | 0.27               | 0.07                 | 19.70                | 8.7                  | 26                   |
| I099920            |                                   | 0.42                      | <0.005               | 0.05                 | 1.67               | 7.6                  | <0.2                 | <10                 | 170                  | 0.27                 | 0.13                 | 0.27               | 0.08                 | 23.9                 | 7.9                  | 26                   |
| I099921            |                                   | 0.38                      | <0.005               | 0.02                 | 1.55               | 8.7                  | <0.2                 | <10                 | 100                  | 0.18                 | 0.16                 | 0.10               | 0.06                 | 18.20                | 6.2                  | 18                   |
| I099922            |                                   | 0.56                      | 0.005                | 0.03                 | 2.17               | 5.6                  | <0.2                 | <10                 | 100                  | 0.35                 | 0.10                 | 0.41               | 0.05                 | 28.6                 | 11.4                 | 18                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - B  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099883            |                                   | 1.08    | 15.9    | 2.29    | 7.25    | 0.08    | 0.02    | 0.02    | 0.011   | 0.32    | 28.1    | 7.6     | 0.55    | 325     | 1.28    |
| I099884            |                                   | 0.81    | 14.3    | 2.22    | 6.40    | 0.08    | 0.02    | 0.03    | 0.013   | 0.26    | 28.4    | 8.3     | 0.58    | 381     | 0.88    |
| I099885            |                                   | 0.91    | 14.0    | 3.02    | 7.90    | 0.08    | 0.04    | 0.02    | 0.015   | 0.36    | 10.4    | 11.0    | 0.69    | 403     | 1.33    |
| I099886            |                                   | 0.82    | 13.6    | 2.60    | 7.32    | 0.07    | 0.06    | 0.02    | 0.018   | 0.17    | 14.6    | 10.2    | 0.60    | 268     | 0.87    |
| I099887            |                                   | 0.93    | 12.6    | 2.84    | 7.07    | 0.09    | 0.04    | 0.03    | 0.014   | 0.38    | 19.5    | 15.2    | 0.71    | 344     | 1.01    |
| I099888            |                                   | 1.36    | 12.3    | 3.18    | 7.15    | 0.10    | 0.08    | 0.01    | 0.010   | 0.66    | 18.1    | 17.3    | 0.84    | 687     | 0.80    |
| I099889            |                                   | 0.48    | 9.9     | 2.92    | 5.91    | 0.06    | 0.04    | 0.01    | 0.020   | 0.12    | 7.6     | 11.4    | 0.51    | 407     | 0.87    |
| I099890            |                                   | 0.57    | 14.5    | 3.42    | 6.56    | 0.06    | 0.03    | 0.01    | 0.020   | 0.15    | 7.9     | 14.6    | 0.58    | 325     | 1.19    |
| I099891            |                                   | 0.66    | 13.1    | 3.43    | 6.84    | 0.07    | 0.04    | 0.01    | 0.018   | 0.12    | 9.5     | 15.5    | 0.63    | 343     | 1.18    |
| I099892            |                                   | 0.50    | 17.6    | 2.62    | 5.63    | 0.07    | 0.06    | 0.02    | 0.022   | 0.10    | 11.8    | 12.9    | 0.52    | 386     | 0.91    |
| I099893            |                                   | 0.82    | 12.1    | 3.32    | 7.94    | 0.07    | 0.03    | 0.01    | 0.025   | 0.31    | 9.2     | 13.4    | 0.66    | 715     | 1.65    |
| I099894            |                                   | 0.99    | 14.0    | 3.23    | 7.83    | 0.11    | 0.07    | 0.01    | 0.015   | 0.55    | 27.5    | 12.1    | 0.86    | 545     | 0.52    |
| I099895            |                                   | 0.71    | 22.4    | 3.04    | 7.06    | 0.11    | 0.09    | 0.03    | 0.022   | 0.18    | 29.6    | 16.1    | 0.77    | 442     | 0.70    |
| I099896            |                                   | 0.61    | 16.2    | 2.97    | 7.26    | 0.08    | 0.07    | 0.02    | 0.019   | 0.11    | 15.9    | 14.0    | 0.64    | 349     | 0.80    |
| I099897            |                                   | 0.66    | 19.2    | 2.65    | 6.35    | 0.08    | 0.03    | 0.04    | 0.017   | 0.18    | 17.1    | 13.9    | 0.62    | 378     | 0.85    |
| I099898            |                                   | 0.69    | 17.1    | 2.88    | 7.12    | 0.08    | 0.03    | 0.02    | 0.016   | 0.22    | 15.3    | 12.9    | 0.72    | 389     | 1.08    |
| I099899            |                                   | 0.64    | 17.2    | 3.13    | 5.03    | 0.09    | 0.03    | 0.04    | 0.019   | 0.11    | 18.2    | 13.3    | 0.55    | 762     | 1.10    |
| I099900            |                                   | 0.60    | 26.0    | 2.44    | 4.24    | 0.09    | 0.11    | 0.02    | 0.020   | 0.08    | 12.4    | 12.2    | 0.56    | 450     | 0.75    |
| I099901            |                                   | 0.75    | 9.2     | 2.29    | 6.69    | 0.06    | <0.02   | 0.01    | 0.012   | 0.13    | 10.1    | 8.8     | 0.45    | 296     | 0.85    |
| I099902            |                                   | 1.68    | 10.3    | 3.91    | 9.08    | 0.12    | 0.05    | 0.01    | 0.011   | 0.82    | 8.7     | 24.9    | 1.21    | 549     | 0.54    |
| I099903            |                                   | 1.24    | 29.5    | 3.58    | 9.10    | 0.15    | 0.04    | 0.05    | 0.021   | 0.50    | 68.8    | 18.6    | 0.89    | 518     | 0.73    |
| I099904            |                                   | 0.56    | 20.6    | 2.80    | 6.18    | 0.08    | <0.02   | 0.06    | 0.013   | 0.19    | 30.5    | 11.9    | 0.63    | 285     | 0.49    |
| I099905            |                                   | 1.92    | 10.2    | 4.53    | 9.31    | 0.13    | 0.04    | 0.02    | 0.011   | 1.06    | 16.0    | 29.1    | 1.36    | 656     | 0.48    |
| I099906            |                                   | 2.98    | 13.2    | 4.23    | 10.20   | 0.21    | 0.08    | 0.01    | 0.017   | 1.14    | 51.1    | 24.8    | 1.12    | 713     | 0.19    |
| I099907            |                                   | 1.05    | 7.1     | 2.71    | 6.42    | 0.11    | 0.03    | 0.02    | 0.018   | 0.25    | 38.5    | 17.8    | 0.53    | 519     | 0.53    |
| I099908            |                                   | 1.20    | 14.3    | 3.20    | 8.50    | 0.18    | 0.06    | 0.04    | 0.027   | 0.35    | 74.5    | 23.4    | 0.65    | 779     | 0.65    |
| I099909            |                                   | 0.82    | 10.5    | 2.85    | 6.63    | 0.07    | 0.04    | 0.01    | 0.020   | 0.08    | 11.0    | 17.9    | 0.51    | 251     | 0.75    |
| I099910            |                                   | 0.76    | 16.2    | 2.36    | 6.39    | 0.11    | 0.02    | 0.06    | 0.021   | 0.07    | 45.4    | 11.5    | 0.42    | 219     | 0.72    |
| I099911            |                                   | 1.06    | 11.3    | 2.67    | 6.57    | 0.06    | 0.03    | 0.05    | 0.021   | 0.10    | 31.3    | 15.7    | 0.50    | 294     | 0.82    |
| I099912            |                                   | 0.96    | 11.4    | 2.53    | 6.25    | 0.06    | 0.03    | 0.05    | 0.020   | 0.09    | 29.5    | 14.1    | 0.47    | 274     | 0.75    |
| I099913            |                                   | 0.61    | 27.2    | 2.78    | 5.25    | 0.06    | 0.06    | 0.02    | 0.024   | 0.07    | 11.3    | 13.7    | 0.57    | 441     | 1.02    |
| I099914            |                                   | 0.65    | 18.6    | 2.60    | 4.61    | 0.07    | 0.08    | 0.03    | 0.021   | 0.07    | 17.4    | 14.0    | 0.55    | 365     | 0.72    |
| I099915            |                                   | 0.53    | 23.7    | 2.73    | 4.72    | 0.05    | 0.10    | 0.02    | 0.023   | 0.07    | 11.0    | 12.5    | 0.54    | 592     | 0.91    |
| I099916            |                                   | 0.58    | 17.8    | 2.36    | 4.02    | 0.07    | 0.06    | 0.03    | 0.018   | 0.08    | 11.5    | 13.5    | 0.57    | 370     | 0.93    |
| I099917            |                                   | 0.50    | 17.3    | 2.23    | 3.76    | 0.06    | 0.06    | 0.02    | 0.018   | 0.05    | 11.1    | 11.4    | 0.48    | 309     | 0.70    |
| I099918            |                                   | 0.77    | 11.3    | 2.27    | 4.77    | 0.06    | 0.03    | 0.04    | 0.018   | 0.08    | 15.0    | 13.6    | 0.50    | 343     | 0.80    |
| I099919            |                                   | 0.72    | 15.3    | 3.29    | 6.45    | 0.06    | 0.05    | 0.02    | 0.022   | 0.12    | 9.4     | 18.4    | 0.64    | 305     | 2.32    |
| I099920            |                                   | 0.72    | 14.2    | 2.70    | 5.80    | 0.05    | 0.05    | 0.01    | 0.020   | 0.09    | 15.7    | 14.6    | 0.55    | 357     | 0.97    |
| I099921            |                                   | 1.20    | 7.5     | 3.00    | 7.71    | 0.05    | 0.04    | 0.01    | 0.017   | 0.11    | 10.0    | 10.8    | 0.42    | 338     | 1.31    |
| I099922            |                                   | 1.66    | 9.8     | 3.67    | 8.77    | 0.09    | 0.04    | 0.01    | 0.023   | 0.46    | 14.0    | 24.3    | 0.83    | 623     | 0.99    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - C  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099883            |                                   | 2.55    | 9.6     | 310     | 5.2     | 55.0    | <0.001  | 0.01    | 0.20    | 3.2     | 0.4     | 0.8     | 21.3    | <0.01   | 0.02    |
| I099884            |                                   | 2.28    | 9.6     | 550     | 5.6     | 40.2    | <0.001  | 0.02    | 0.16    | 3.1     | 0.6     | 0.7     | 26.0    | <0.01   | 0.03    |
| I099885            |                                   | 3.16    | 12.5    | 470     | 6.6     | 41.9    | <0.001  | 0.01    | 0.27    | 3.5     | 0.5     | 0.9     | 21.9    | <0.01   | 0.04    |
| I099886            |                                   | 2.46    | 12.7    | 400     | 6.4     | 33.6    | <0.001  | 0.01    | 0.22    | 3.7     | 0.5     | 0.7     | 21.2    | <0.01   | 0.03    |
| I099887            |                                   | 2.95    | 11.9    | 520     | 5.4     | 40.6    | <0.001  | 0.01    | 0.19    | 3.8     | 0.5     | 0.8     | 27.0    | <0.01   | 0.02    |
| I099888            |                                   | 2.63    | 10.0    | 730     | 5.3     | 61.6    | <0.001  | <0.01   | 0.18    | 3.8     | 0.4     | 0.7     | 19.9    | <0.01   | 0.02    |
| I099889            |                                   | 1.80    | 16.0    | 370     | 7.8     | 13.0    | <0.001  | <0.01   | 0.35    | 3.2     | 0.4     | 0.6     | 23.7    | <0.01   | 0.03    |
| I099890            |                                   | 2.16    | 16.7    | 610     | 7.7     | 16.2    | <0.001  | 0.01    | 0.43    | 3.3     | 0.4     | 0.5     | 21.2    | <0.01   | 0.04    |
| I099891            |                                   | 2.25    | 15.6    | 900     | 7.3     | 14.7    | <0.001  | <0.01   | 0.36    | 3.5     | 0.4     | 0.6     | 17.8    | <0.01   | 0.03    |
| I099892            |                                   | 1.69    | 17.9    | 440     | 8.6     | 11.5    | <0.001  | 0.01    | 0.43    | 4.2     | 0.5     | 0.5     | 29.1    | <0.01   | 0.03    |
| I099893            |                                   | 2.88    | 16.4    | 660     | 7.6     | 43.4    | <0.001  | 0.01    | 0.39    | 4.6     | 0.4     | 0.9     | 22.2    | <0.01   | 0.03    |
| I099894            |                                   | 1.92    | 10.3    | 900     | 4.8     | 50.0    | <0.001  | 0.01    | 0.20    | 4.5     | 0.5     | 0.6     | 24.9    | <0.01   | 0.02    |
| I099895            |                                   | 1.69    | 15.1    | 500     | 8.7     | 25.1    | <0.001  | <0.01   | 0.34    | 6.7     | 0.8     | 0.7     | 24.8    | <0.01   | 0.02    |
| I099896            |                                   | 2.11    | 12.5    | 330     | 12.9    | 16.7    | <0.001  | <0.01   | 0.29    | 4.3     | 0.5     | 0.6     | 16.8    | <0.01   | 0.03    |
| I099897            |                                   | 2.01    | 12.5    | 640     | 7.2     | 22.6    | <0.001  | 0.02    | 0.27    | 4.2     | 0.8     | 0.5     | 24.4    | <0.01   | 0.04    |
| I099898            |                                   | 2.07    | 13.1    | 560     | 6.6     | 24.9    | <0.001  | 0.02    | 0.24    | 3.8     | 0.6     | 0.6     | 21.5    | <0.01   | 0.03    |
| I099899            |                                   | 1.47    | 16.8    | 830     | 7.8     | 17.1    | <0.001  | 0.04    | 0.41    | 4.2     | 0.9     | 0.4     | 33.7    | <0.01   | 0.04    |
| I099900            |                                   | 1.30    | 24.5    | 770     | 7.0     | 9.0     | 0.001   | 0.01    | 0.55    | 4.5     | 0.8     | 0.4     | 38.1    | <0.01   | 0.03    |
| I099901            |                                   | 1.63    | 8.5     | 320     | 7.0     | 16.9    | <0.001  | 0.01    | 0.23    | 2.3     | 0.4     | 0.5     | 15.6    | <0.01   | 0.02    |
| I099902            |                                   | 2.41    | 8.5     | 470     | 4.1     | 68.7    | <0.001  | 0.01    | 0.13    | 4.3     | 0.3     | 0.4     | 14.5    | <0.01   | 0.02    |
| I099903            |                                   | 2.38    | 13.2    | 530     | 5.5     | 46.1    | <0.001  | 0.03    | 0.25    | 9.8     | 1.2     | 0.6     | 47.7    | 0.01    | 0.04    |
| I099904            |                                   | 1.17    | 7.9     | 780     | 3.4     | 21.2    | <0.001  | 0.05    | 0.18    | 4.1     | 0.9     | 0.3     | 22.2    | <0.01   | 0.04    |
| I099905            |                                   | 4.06    | 8.0     | 570     | 3.7     | 81.9    | <0.001  | 0.01    | 0.13    | 5.1     | 0.4     | 0.5     | 13.0    | <0.01   | 0.02    |
| I099906            |                                   | 2.64    | 4.8     | 460     | 9.8     | 112.5   | <0.001  | 0.01    | 0.10    | 6.5     | 0.5     | 1.1     | 20.3    | <0.01   | 0.01    |
| I099907            |                                   | 3.27    | 8.1     | 800     | 5.3     | 39.0    | <0.001  | 0.01    | 0.17    | 5.2     | 0.6     | 0.7     | 21.5    | <0.01   | 0.02    |
| I099908            |                                   | 4.32    | 11.5    | 700     | 7.5     | 47.8    | <0.001  | 0.02    | 0.23    | 9.3     | 1.2     | 1.0     | 42.6    | 0.01    | 0.03    |
| I099909            |                                   | 2.54    | 13.7    | 420     | 7.3     | 16.4    | <0.001  | <0.01   | 0.34    | 4.0     | 0.4     | 0.6     | 16.8    | <0.01   | 0.02    |
| I099910            |                                   | 2.09    | 11.2    | 520     | 6.4     | 16.5    | <0.001  | 0.02    | 0.24    | 4.3     | 0.9     | 0.6     | 30.1    | <0.01   | 0.04    |
| I099911            |                                   | 2.58    | 11.4    | 620     | 7.5     | 21.2    | <0.001  | 0.04    | 0.29    | 3.8     | 0.5     | 0.6     | 24.0    | <0.01   | 0.02    |
| I099912            |                                   | 2.35    | 11.0    | 580     | 7.2     | 19.6    | <0.001  | 0.04    | 0.26    | 3.5     | 0.5     | 0.6     | 22.7    | <0.01   | 0.02    |
| I099913            |                                   | 1.68    | 24.7    | 660     | 8.7     | 10.1    | <0.001  | 0.03    | 0.55    | 4.4     | 0.6     | 0.5     | 43.8    | <0.01   | 0.02    |
| I099914            |                                   | 1.99    | 18.7    | 770     | 7.4     | 11.0    | <0.001  | 0.02    | 0.49    | 4.8     | 0.5     | 0.4     | 36.4    | <0.01   | 0.02    |
| I099915            |                                   | 1.59    | 23.4    | 910     | 8.0     | 8.9     | <0.001  | 0.02    | 0.45    | 4.4     | 0.5     | 0.5     | 33.0    | <0.01   | 0.02    |
| I099916            |                                   | 1.63    | 19.0    | 720     | 7.4     | 9.3     | 0.001   | 0.04    | 0.58    | 4.0     | 0.8     | 0.4     | 39.3    | <0.01   | 0.03    |
| I099917            |                                   | 1.41    | 18.9    | 640     | 6.2     | 6.1     | <0.001  | 0.02    | 0.45    | 3.7     | 0.5     | 0.4     | 32.4    | <0.01   | 0.02    |
| I099918            |                                   | 2.02    | 14.2    | 700     | 6.0     | 16.5    | <0.001  | 0.03    | 0.34    | 3.5     | 0.5     | 0.4     | 30.3    | <0.01   | 0.02    |
| I099919            |                                   | 3.06    | 17.7    | 430     | 8.1     | 14.5    | <0.001  | 0.02    | 0.41    | 4.0     | 0.3     | 0.6     | 21.3    | <0.01   | 0.03    |
| I099920            |                                   | 2.42    | 16.3    | 380     | 6.6     | 11.9    | <0.001  | 0.01    | 0.35    | 4.1     | 0.3     | 0.5     | 22.3    | <0.01   | 0.02    |
| I099921            |                                   | 3.42    | 8.4     | 510     | 7.3     | 22.7    | <0.001  | 0.01    | 0.28    | 3.4     | 0.3     | 0.7     | 11.3    | <0.01   | 0.02    |
| I099922            |                                   | 4.27    | 10.5    | 520     | 5.3     | 55.5    | <0.001  | 0.02    | 0.21    | 5.5     | 0.4     | 0.8     | 24.0    | <0.01   | 0.01    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - D  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I099883            |                                   | 0.138   | 0.21    | 0.59    | 57      | 0.17    | 3.41    | 51      |
| I099884            |                                   | 0.127   | 0.14    | 0.77    | 50      | 0.20    | 4.23    | 55      |
| I099885            |                                   | 0.171   | 0.20    | 0.42    | 79      | 0.23    | 2.16    | 57      |
| I099886            |                                   | 0.140   | 0.13    | 0.60    | 60      | 0.19    | 3.62    | 57      |
| I099887            |                                   | 0.146   | 0.19    | 0.79    | 64      | 0.23    | 3.97    | 63      |
| I099888            |                                   | 0.191   | 0.28    | 0.50    | 73      | 0.62    | 3.47    | 54      |
| I099889            |                                   | 0.101   | 0.10    | 0.29    | 65      | 0.20    | 1.85    | 62      |
| I099890            |                                   | 0.117   | 0.11    | 0.35    | 75      | 0.28    | 1.89    | 52      |
| I099891            |                                   | 0.128   | 0.12    | 0.37    | 79      | 0.25    | 2.13    | 54      |
| I099892            |                                   | 0.096   | 0.07    | 0.57    | 58      | 0.23    | 4.57    | 54      |
| I099893            |                                   | 0.115   | 0.20    | 0.45    | 72      | 0.24    | 2.53    | 78      |
| I099894            |                                   | 0.178   | 0.29    | 0.66    | 73      | 0.15    | 5.20    | 71      |
| I099895            |                                   | 0.134   | 0.17    | 1.30    | 65      | 0.21    | 11.85   | 159     |
| I099896            |                                   | 0.129   | 0.13    | 0.60    | 68      | 0.21    | 3.96    | 114     |
| I099897            |                                   | 0.112   | 0.12    | 1.01    | 57      | 0.22    | 5.87    | 83      |
| I099898            |                                   | 0.131   | 0.13    | 0.82    | 68      | 0.23    | 4.37    | 76      |
| I099899            |                                   | 0.082   | 0.11    | 1.01    | 70      | 0.36    | 8.85    | 67      |
| I099900            |                                   | 0.081   | 0.07    | 0.54    | 51      | 0.24    | 8.64    | 62      |
| I099901            |                                   | 0.111   | 0.09    | 0.41    | 62      | 0.11    | 2.24    | 40      |
| I099902            |                                   | 0.225   | 0.32    | 0.46    | 97      | 0.12    | 2.41    | 64      |
| I099903            |                                   | 0.139   | 0.23    | 3.79    | 86      | 0.14    | 17.25   | 69      |
| I099904            |                                   | 0.063   | 0.09    | 2.00    | 55      | 0.12    | 5.34    | 51      |
| I099905            |                                   | 0.233   | 0.40    | 0.55    | 101     | 0.14    | 2.60    | 76      |
| I099906            |                                   | 0.204   | 0.55    | 1.36    | 79      | 0.24    | 10.30   | 99      |
| I099907            |                                   | 0.110   | 0.19    | 1.63    | 50      | 0.25    | 8.54    | 60      |
| I099908            |                                   | 0.140   | 0.25    | 3.68    | 63      | 0.31    | 26.0    | 74      |
| I099909            |                                   | 0.111   | 0.12    | 0.50    | 61      | 0.27    | 3.53    | 58      |
| I099910            |                                   | 0.086   | 0.12    | 2.23    | 48      | 0.21    | 11.00   | 53      |
| I099911            |                                   | 0.103   | 0.14    | 1.61    | 55      | 0.40    | 7.43    | 61      |
| I099912            |                                   | 0.094   | 0.13    | 1.60    | 51      | 0.17    | 7.07    | 58      |
| I099913            |                                   | 0.078   | 0.07    | 0.95    | 61      | 0.44    | 6.29    | 58      |
| I099914            |                                   | 0.100   | 0.09    | 1.11    | 55      | 0.38    | 9.53    | 62      |
| I099915            |                                   | 0.080   | 0.06    | 0.50    | 58      | 0.52    | 5.74    | 88      |
| I099916            |                                   | 0.074   | 0.07    | 0.78    | 51      | 0.41    | 7.36    | 64      |
| I099917            |                                   | 0.077   | 0.06    | 0.62    | 48      | 0.20    | 6.93    | 51      |
| I099918            |                                   | 0.081   | 0.10    | 0.86    | 48      | 0.28    | 6.04    | 60      |
| I099919            |                                   | 0.113   | 0.14    | 0.44    | 67      | 0.27    | 3.08    | 55      |
| I099920            |                                   | 0.109   | 0.10    | 0.55    | 61      | 0.28    | 4.62    | 47      |
| I099921            |                                   | 0.125   | 0.16    | 0.57    | 72      | 0.18    | 2.26    | 43      |
| I099922            |                                   | 0.166   | 0.32    | 1.24    | 75      | 0.16    | 4.39    | 76      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 7 - A  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099923            |                                   | 0.30                      | 0.007                | 0.03                 | 1.70               | 4.3                  | <0.2                 | <10                 | 110                  | 0.23                 | 0.13                 | 0.15               | 0.08                 | 32.2                 | 6.4                  | 13                   |
| I099924            |                                   | 0.36                      | 0.007                | 0.03                 | 2.25               | 7.6                  | <0.2                 | <10                 | 110                  | 0.32                 | 0.14                 | 0.16               | 0.07                 | 31.1                 | 8.4                  | 19                   |
| I099925            |                                   | 0.38                      | <0.005               | 0.04                 | 1.61               | 4.1                  | <0.2                 | <10                 | 170                  | 0.25                 | 0.08                 | 0.44               | 0.09                 | 26.8                 | 9.7                  | 18                   |
| I099926            |                                   | 0.30                      | NSS                  | 0.21                 | 0.49               | 6.9                  | <0.2                 | <10                 | 240                  | 0.20                 | 0.06                 | 2.09               | 0.24                 | 35.4                 | 7.6                  | 13                   |
| I099927            |                                   | 0.26                      | 0.012                | 0.39                 | 2.66               | 7.0                  | <0.2                 | <10                 | 370                  | 0.63                 | 0.13                 | 1.65               | 0.16                 | 348                  | 9.4                  | 24                   |
| I099928            |                                   | 0.44                      | <0.005               | 0.04                 | 1.75               | 7.3                  | <0.2                 | <10                 | 220                  | 0.33                 | 0.13                 | 0.27               | 0.06                 | 41.7                 | 7.4                  | 27                   |
| I099929            |                                   | 0.40                      | <0.005               | 0.04                 | 1.72               | 7.2                  | <0.2                 | <10                 | 200                  | 0.33                 | 0.13                 | 0.29               | 0.06                 | 40.6                 | 7.9                  | 26                   |
| I099930            |                                   | 0.40                      | 0.029                | 0.08                 | 2.43               | 9.2                  | <0.2                 | <10                 | 200                  | 0.31                 | 0.14                 | 0.41               | 0.11                 | 46.6                 | 9.7                  | 27                   |
| I099931            |                                   | 0.48                      | <0.005               | 0.02                 | 2.54               | 9.6                  | <0.2                 | <10                 | 110                  | 0.30                 | 0.12                 | 0.17               | 0.07                 | 29.5                 | 9.3                  | 21                   |
| I099932            |                                   | 0.28                      | 0.005                | 0.26                 | 1.02               | 2.8                  | <0.2                 | <10                 | 360                  | 0.31                 | 0.09                 | 3.67               | 0.12                 | 168.0                | 6.1                  | 10                   |
| I099933            |                                   | 0.40                      | <0.005               | 0.05                 | 2.64               | 6.0                  | <0.2                 | <10                 | 190                  | 0.32                 | 0.12                 | 0.33               | 0.04                 | 22.1                 | 9.7                  | 29                   |
| I099934            |                                   | 0.42                      | <0.005               | 0.02                 | 1.68               | 6.2                  | <0.2                 | <10                 | 120                  | 0.22                 | 0.13                 | 0.26               | 0.06                 | 24.0                 | 7.0                  | 19                   |
| I099935            |                                   | 0.50                      | 0.006                | 0.01                 | 2.21               | 3.7                  | <0.2                 | <10                 | 120                  | 0.34                 | 0.06                 | 0.25               | 0.06                 | 26.0                 | 10.4                 | 16                   |
| I099936            |                                   | 0.56                      | <0.005               | 0.07                 | 1.93               | 7.6                  | <0.2                 | <10                 | 280                  | 0.36                 | 0.15                 | 0.47               | 0.13                 | 34.6                 | 10.5                 | 27                   |
| I099937            |                                   | 0.46                      | <0.005               | 0.07                 | 1.59               | 8.4                  | <0.2                 | <10                 | 250                  | 0.35                 | 0.15                 | 0.48               | 0.14                 | 26.6                 | 10.2                 | 29                   |
| I099938            |                                   | 0.38                      | <0.005               | 0.04                 | 1.55               | 3.8                  | <0.2                 | <10                 | 170                  | 0.24                 | 0.07                 | 0.50               | 0.07                 | 33.4                 | 9.7                  | 14                   |
| I099939            |                                   | 0.42                      | <0.005               | 0.11                 | 1.49               | 7.7                  | <0.2                 | <10                 | 250                  | 0.34                 | 0.12                 | 0.67               | 0.16                 | 43.8                 | 13.6                 | 22                   |
| I099940            |                                   | 0.42                      | <0.005               | 0.09                 | 2.28               | 9.3                  | <0.2                 | <10                 | 180                  | 0.36                 | 0.13                 | 0.27               | 0.08                 | 23.3                 | 10.7                 | 29                   |
| I099941            |                                   | 0.40                      | <0.005               | 0.11                 | 2.20               | 4.5                  | <0.2                 | <10                 | 330                  | 0.36                 | 0.14                 | 0.21               | 0.09                 | 22.2                 | 12.7                 | 29                   |
| I099942            |                                   | 0.10                      | <0.005               | 0.02                 | 0.20               | 2.2                  | <0.2                 | <10                 | 40                   | 0.09                 | 0.02                 | 0.10               | 0.04                 | 11.55                | 2.6                  | 7                    |
| I099943            |                                   | 0.40                      | <0.005               | 0.10                 | 1.90               | 3.3                  | <0.2                 | <10                 | 230                  | 0.35                 | 0.10                 | 0.34               | 0.05                 | 35.0                 | 11.4                 | 18                   |
| I099944            |                                   | 0.40                      | <0.005               | 0.06                 | 1.96               | 8.0                  | <0.2                 | <10                 | 210                  | 0.36                 | 0.15                 | 0.20               | 0.06                 | 21.6                 | 9.6                  | 31                   |
| I099945            |                                   | 0.44                      | 0.006                | 0.07                 | 1.61               | 7.2                  | <0.2                 | <10                 | 280                  | 0.31                 | 0.13                 | 0.36               | 0.08                 | 23.5                 | 11.1                 | 31                   |
| I099946            |                                   | 0.42                      | <0.005               | 0.08                 | 2.96               | 2.9                  | <0.2                 | <10                 | 310                  | 0.49                 | 0.09                 | 0.28               | 0.11                 | 18.35                | 14.8                 | 18                   |
| I099947            |                                   | 0.38                      | <0.005               | 0.04                 | 1.73               | 4.3                  | <0.2                 | <10                 | 210                  | 0.33                 | 0.16                 | 0.15               | 0.13                 | 17.05                | 11.6                 | 26                   |
| I099948            |                                   | 0.46                      | <0.005               | 0.02                 | 1.99               | 5.2                  | <0.2                 | <10                 | 100                  | 0.17                 | 0.12                 | 0.18               | 0.05                 | 15.35                | 10.1                 | 19                   |
| I099949            |                                   | 0.46                      | <0.005               | 0.06                 | 2.00               | 8.0                  | <0.2                 | <10                 | 190                  | 0.23                 | 0.14                 | 0.22               | 0.07                 | 20.5                 | 8.6                  | 22                   |
| I099950            |                                   | 0.44                      | <0.005               | 0.04                 | 1.98               | 5.4                  | <0.2                 | <10                 | 200                  | 0.27                 | 0.08                 | 0.33               | 0.06                 | 34.9                 | 11.4                 | 19                   |
| I099951            |                                   | 0.32                      | <0.005               | 0.05                 | 1.77               | 4.7                  | <0.2                 | <10                 | 140                  | 0.18                 | 0.13                 | 0.15               | 0.05                 | 15.45                | 7.5                  | 17                   |
| I099952            |                                   | 0.24                      | 0.009                | 0.15                 | 0.51               | 2.6                  | <0.2                 | <10                 | 490                  | 0.26                 | 0.06                 | 1.87               | 0.25                 | 119.0                | 16.6                 | 9                    |
| I317876            |                                   | 0.56                      | 0.006                | 0.11                 | 1.52               | 9.8                  | <0.2                 | <10                 | 310                  | 0.40                 | 0.15                 | 0.68               | 0.14                 | 27.9                 | 9.6                  | 29                   |
| I317877            |                                   | 0.50                      | <0.005               | 0.04                 | 1.81               | 9.2                  | <0.2                 | <10                 | 260                  | 0.46                 | 0.17                 | 0.37               | 0.06                 | 33.9                 | 10.3                 | 31                   |
| I317878            |                                   | 0.30                      | <0.005               | 0.11                 | 1.36               | 6.3                  | <0.2                 | <10                 | 330                  | 0.32                 | 0.14                 | 0.39               | 0.21                 | 25.7                 | 7.7                  | 25                   |
| I317879            |                                   | 0.30                      | <0.005               | 0.07                 | 1.47               | 8.0                  | <0.2                 | <10                 | 280                  | 0.33                 | 0.13                 | 0.60               | 0.10                 | 21.7                 | 7.9                  | 25                   |
| I317880            |                                   | 0.32                      | 0.010                | 0.10                 | 1.46               | 8.4                  | <0.2                 | <10                 | 280                  | 0.36                 | 0.13                 | 0.44               | 0.11                 | 24.1                 | 9.3                  | 29                   |
| I317881            |                                   | 0.42                      | <0.005               | 0.10                 | 1.62               | 9.1                  | <0.2                 | <10                 | 270                  | 0.48                 | 0.16                 | 0.65               | 0.26                 | 27.6                 | 9.8                  | 30                   |
| I317882            |                                   | 0.40                      | <0.005               | 0.12                 | 1.65               | 9.7                  | <0.2                 | <10                 | 370                  | 0.47                 | 0.17                 | 0.66               | 0.24                 | 29.7                 | 11.5                 | 29                   |
| I317883            |                                   | 0.26                      | 0.012                | 0.08                 | 1.49               | 7.7                  | <0.2                 | <10                 | 290                  | 0.36                 | 0.14                 | 0.62               | 0.15                 | 26.8                 | 7.5                  | 28                   |
| I317884            |                                   | 0.40                      | <0.005               | 0.10                 | 1.67               | 8.9                  | <0.2                 | <10                 | 330                  | 0.48                 | 0.16                 | 0.55               | 0.17                 | 31.1                 | 10.4                 | 30                   |
| I317885            |                                   | 0.28                      | 0.033                | 0.22                 | 1.53               | 7.1                  | <0.2                 | <10                 | 330                  | 0.36                 | 0.19                 | 0.49               | 0.62                 | 27.1                 | 9.6                  | 26                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 7 - B  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099923            |                                   | 1.13    | 7.8     | 2.66    | 9.07    | 0.05    | 0.03    | 0.02    | 0.014   | 0.23    | 18.1    | 10.7    | 0.54    | 323     | 0.96    |
| I099924            |                                   | 1.03    | 8.4     | 3.48    | 9.46    | 0.06    | 0.06    | 0.01    | 0.021   | 0.24    | 16.2    | 18.0    | 0.69    | 457     | 1.11    |
| I099925            |                                   | 0.81    | 10.6    | 2.70    | 5.28    | 0.08    | 0.03    | 0.03    | 0.014   | 0.32    | 16.1    | 13.8    | 0.70    | 456     | 0.68    |
| I099926            |                                   | 0.25    | 24.6    | 2.00    | 1.28    | 0.07    | 0.07    | 0.15    | 0.010   | 0.04    | 38.9    | 1.8     | 0.18    | 370     | 1.25    |
| I099927            |                                   | 0.87    | 47.4    | 3.22    | 9.25    | 0.45    | 0.23    | 0.17    | 0.037   | 0.35    | 280     | 21.4    | 0.51    | 1130    | 1.61    |
| I099928            |                                   | 0.78    | 15.6    | 2.86    | 6.40    | 0.07    | 0.06    | 0.02    | 0.022   | 0.16    | 27.3    | 13.7    | 0.49    | 246     | 1.22    |
| I099929            |                                   | 0.73    | 14.9    | 2.88    | 6.01    | 0.07    | 0.06    | 0.02    | 0.020   | 0.17    | 26.4    | 15.5    | 0.53    | 256     | 1.04    |
| I099930            |                                   | 1.05    | 13.8    | 3.45    | 7.85    | 0.09    | 0.04    | 0.07    | 0.025   | 0.27    | 33.2    | 23.7    | 0.77    | 316     | 0.85    |
| I099931            |                                   | 1.02    | 9.1     | 4.10    | 9.44    | 0.07    | 0.03    | 0.01    | 0.021   | 0.14    | 8.3     | 20.6    | 0.67    | 373     | 1.13    |
| I099932            |                                   | 0.70    | 24.9    | 1.59    | 3.44    | 0.17    | 0.09    | 0.07    | 0.014   | 0.17    | 148.5   | 7.5     | 0.36    | 397     | 0.67    |
| I099933            |                                   | 0.98    | 8.7     | 3.81    | 8.88    | 0.07    | 0.04    | 0.01    | 0.026   | 0.18    | 11.2    | 16.8    | 0.89    | 433     | 0.84    |
| I099934            |                                   | 0.82    | 10.1    | 2.74    | 6.82    | 0.06    | 0.02    | 0.02    | 0.018   | 0.13    | 13.6    | 12.0    | 0.55    | 269     | 0.88    |
| I099935            |                                   | 1.45    | 8.3     | 3.37    | 7.54    | 0.09    | 0.05    | 0.01    | 0.015   | 0.42    | 12.1    | 18.1    | 0.90    | 487     | 0.49    |
| I099936            |                                   | 0.73    | 20.5    | 3.02    | 5.83    | 0.08    | 0.06    | 0.03    | 0.022   | 0.13    | 18.6    | 15.7    | 0.65    | 453     | 0.77    |
| I099937            |                                   | 0.59    | 19.9    | 2.66    | 4.70    | 0.07    | 0.05    | 0.03    | 0.023   | 0.06    | 13.5    | 14.3    | 0.55    | 305     | 0.95    |
| I099938            |                                   | 0.61    | 12.0    | 2.56    | 4.97    | 0.08    | 0.03    | 0.02    | 0.012   | 0.35    | 20.3    | 12.2    | 0.68    | 505     | 0.85    |
| I099939            |                                   | 0.62    | 19.9    | 2.65    | 4.78    | 0.09    | 0.05    | 0.04    | 0.017   | 0.19    | 26.6    | 13.4    | 0.59    | 601     | 0.84    |
| I099940            |                                   | 0.68    | 12.8    | 3.42    | 6.79    | 0.06    | 0.04    | 0.02    | 0.021   | 0.27    | 10.4    | 15.2    | 0.73    | 482     | 0.93    |
| I099941            |                                   | 0.67    | 8.2     | 3.05    | 6.94    | 0.05    | 0.04    | 0.01    | 0.024   | 0.07    | 11.3    | 11.1    | 0.47    | 757     | 1.01    |
| I099942            |                                   | 0.09    | 3.1     | 1.31    | 0.83    | <0.05   | 0.09    | <0.01   | <0.005  | 0.07    | 5.9     | 1.4     | 0.05    | 236     | 0.62    |
| I099943            |                                   | 0.67    | 8.8     | 3.02    | 6.57    | 0.06    | 0.06    | 0.01    | 0.014   | 0.37    | 11.8    | 12.2    | 0.65    | 923     | 0.63    |
| I099944            |                                   | 0.55    | 12.1    | 3.02    | 5.73    | 0.05    | 0.05    | 0.01    | 0.022   | 0.17    | 10.6    | 12.8    | 0.56    | 483     | 0.86    |
| I099945            |                                   | 0.39    | 13.1    | 2.75    | 4.58    | 0.05    | 0.04    | 0.02    | 0.021   | 0.14    | 10.3    | 9.9     | 0.48    | 983     | 0.79    |
| I099946            |                                   | 1.31    | 10.2    | 3.93    | 8.93    | 0.06    | 0.03    | 0.01    | 0.015   | 0.47    | 10.0    | 15.4    | 0.97    | 1420    | 0.65    |
| I099947            |                                   | 0.68    | 9.7     | 2.80    | 6.18    | <0.05   | 0.06    | 0.02    | 0.021   | 0.07    | 8.8     | 11.2    | 0.46    | 1200    | 0.67    |
| I099948            |                                   | 1.08    | 10.6    | 3.33    | 8.71    | 0.06    | 0.02    | 0.02    | 0.010   | 0.27    | 8.2     | 11.6    | 0.84    | 398     | 0.84    |
| I099949            |                                   | 0.75    | 11.0    | 2.96    | 6.43    | 0.05    | 0.06    | 0.02    | 0.019   | 0.10    | 12.8    | 16.7    | 0.57    | 257     | 1.00    |
| I099950            |                                   | 0.82    | 13.2    | 3.19    | 6.37    | 0.08    | 0.03    | 0.02    | 0.014   | 0.40    | 22.1    | 14.3    | 0.86    | 408     | 0.71    |
| I099951            |                                   | 0.60    | 10.9    | 2.45    | 7.17    | 0.06    | 0.04    | 0.01    | 0.016   | 0.15    | 9.9     | 10.5    | 0.51    | 224     | 0.87    |
| I099952            |                                   | 0.12    | 18.2    | 0.78    | 1.10    | 0.08    | 0.04    | 0.13    | 0.008   | 0.03    | 84.0    | 0.6     | 0.14    | 3210    | 1.38    |
| I317876            |                                   | 0.50    | 28.7    | 2.65    | 4.50    | 0.06    | 0.09    | 0.03    | 0.024   | 0.06    | 14.4    | 11.7    | 0.52    | 417     | 0.88    |
| I317877            |                                   | 0.62    | 25.3    | 2.85    | 5.82    | 0.06    | 0.15    | 0.03    | 0.025   | 0.13    | 16.9    | 13.2    | 0.51    | 453     | 1.23    |
| I317878            |                                   | 0.45    | 15.7    | 2.21    | 4.42    | <0.05   | 0.02    | 0.03    | 0.020   | 0.08    | 13.5    | 9.4     | 0.36    | 588     | 1.11    |
| I317879            |                                   | 0.42    | 19.9    | 2.32    | 4.55    | 0.05    | 0.06    | 0.02    | 0.022   | 0.05    | 11.4    | 11.0    | 0.46    | 223     | 0.63    |
| I317880            |                                   | 0.36    | 17.0    | 2.54    | 4.24    | <0.05   | 0.07    | 0.02    | 0.021   | 0.06    | 11.7    | 11.0    | 0.47    | 422     | 0.87    |
| I317881            |                                   | 0.52    | 27.9    | 2.64    | 5.01    | 0.06    | 0.10    | 0.04    | 0.026   | 0.07    | 14.4    | 11.8    | 0.52    | 483     | 0.86    |
| I317882            |                                   | 0.55    | 28.7    | 2.78    | 4.93    | 0.06    | 0.08    | 0.03    | 0.022   | 0.06    | 14.6    | 14.6    | 0.55    | 569     | 0.85    |
| I317883            |                                   | 0.47    | 20.4    | 2.42    | 4.29    | 0.07    | 0.08    | 0.03    | 0.022   | 0.05    | 14.2    | 11.9    | 0.47    | 288     | 0.82    |
| I317884            |                                   | 0.48    | 24.9    | 2.62    | 4.96    | 0.05    | 0.08    | 0.04    | 0.025   | 0.06    | 15.7    | 13.1    | 0.48    | 366     | 1.02    |
| I317885            |                                   | 0.52    | 19.5    | 2.34    | 4.76    | 0.05    | 0.03    | 0.04    | 0.023   | 0.06    | 13.7    | 9.9     | 0.40    | 794     | 1.96    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 7 - C  
Total # Pages: 8 (A - D)  
Plus Appendix Pages  
Finalized Date: 7-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    | 0.2     |
| I099923            |                                   | 3.97    | 6.9     | 270     | 5.5     | 40.4    | <0.001  | 0.02    | 0.21    | 3.0     | 0.3     | 0.8     | 16.6    | <0.01   | 0.03    | 5.3     |
| I099924            |                                   | 4.50    | 9.5     | 340     | 7.5     | 33.0    | <0.001  | 0.03    | 0.24    | 4.5     | 0.4     | 0.8     | 14.7    | <0.01   | 0.02    | 8.3     |
| I099925            |                                   | 3.07    | 10.7    | 690     | 5.0     | 30.4    | <0.001  | 0.02    | 0.21    | 3.6     | 0.4     | 0.5     | 28.1    | <0.01   | 0.01    | 4.9     |
| I099926            |                                   | 0.58    | 12.2    | 1480    | 1.9     | 2.8     | 0.001   | 0.28    | 0.59    | 2.6     | 1.8     | <0.2    | 125.0   | 0.01    | 0.04    | 2.0     |
| I099927            |                                   | 3.48    | 29.5    | 980     | 6.5     | 31.7    | 0.001   | 0.10    | 0.67    | 11.8    | 3.6     | 0.6     | 137.5   | 0.04    | 0.03    | 8.9     |
| I099928            |                                   | 2.79    | 14.8    | 340     | 7.5     | 18.5    | <0.001  | 0.02    | 0.30    | 4.3     | 0.5     | 0.6     | 26.5    | <0.01   | 0.02    | 6.1     |
| I099929            |                                   | 2.66    | 14.3    | 380     | 7.4     | 19.6    | <0.001  | 0.01    | 0.29    | 4.4     | 0.5     | 0.5     | 25.6    | <0.01   | 0.02    | 6.5     |
| I099930            |                                   | 3.36    | 15.0    | 630     | 7.9     | 32.9    | <0.001  | 0.03    | 0.33    | 6.0     | 0.6     | 0.6     | 33.0    | <0.01   | 0.02    | 7.8     |
| I099931            |                                   | 3.37    | 10.4    | 450     | 7.4     | 18.7    | <0.001  | 0.01    | 0.32    | 4.3     | 0.4     | 0.7     | 18.6    | <0.01   | 0.02    | 7.1     |
| I099932            |                                   | 2.43    | 13.2    | 890     | 5.1     | 22.2    | <0.001  | 0.12    | 0.48    | 2.9     | 2.0     | 0.3     | 155.5   | 0.02    | 0.03    | 2.3     |
| I099933            |                                   | 3.26    | 12.8    | 540     | 7.1     | 20.2    | <0.001  | 0.01    | 0.21    | 5.5     | 0.3     | 0.8     | 23.3    | <0.01   | 0.01    | 4.9     |
| I099934            |                                   | 1.81    | 11.6    | 280     | 6.4     | 18.7    | <0.001  | 0.02    | 0.26    | 3.4     | 0.3     | 0.6     | 22.5    | <0.01   | 0.02    | 2.4     |
| I099935            |                                   | 2.67    | 8.1     | 540     | 4.5     | 42.5    | <0.001  | 0.02    | 0.20    | 3.9     | 0.3     | 0.5     | 17.7    | <0.01   | 0.01    | 9.0     |
| I099936            |                                   | 2.54    | 17.8    | 580     | 7.7     | 18.8    | <0.001  | 0.02    | 0.45    | 4.8     | 0.6     | 0.5     | 32.2    | <0.01   | 0.02    | 5.2     |
| I099937            |                                   | 1.73    | 20.4    | 730     | 7.7     | 8.3     | <0.001  | 0.02    | 0.48    | 4.3     | 0.7     | 0.4     | 32.0    | <0.01   | 0.02    | 3.7     |
| I099938            |                                   | 2.78    | 9.5     | 770     | 4.4     | 27.5    | <0.001  | 0.03    | 0.19    | 3.5     | 0.4     | 0.4     | 32.5    | <0.01   | 0.01    | 5.6     |
| I099939            |                                   | 2.32    | 17.0    | 770     | 6.8     | 17.9    | <0.001  | 0.03    | 0.44    | 4.4     | 0.6     | 0.4     | 39.2    | <0.01   | 0.02    | 5.6     |
| I099940            |                                   | 2.67    | 17.7    | 250     | 8.5     | 25.7    | <0.001  | 0.01    | 0.37    | 4.1     | 0.3     | 0.5     | 23.7    | <0.01   | 0.02    | 6.4     |
| I099941            |                                   | 2.11    | 17.1    | 380     | 10.4    | 7.9     | <0.001  | 0.01    | 0.29    | 3.9     | 0.2     | 0.7     | 20.9    | <0.01   | 0.02    | 3.8     |
| I099942            |                                   | 0.26    | 5.0     | 130     | 1.8     | 3.0     | <0.001  | 0.01    | 0.13    | 0.7     | <0.2    | 0.3     | 11.2    | <0.01   | <0.01   | 2.1     |
| I099943            |                                   | 2.36    | 11.2    | 240     | 6.0     | 24.4    | <0.001  | 0.01    | 0.26    | 3.7     | 0.2     | 0.7     | 26.1    | <0.01   | 0.01    | 11.4    |
| I099944            |                                   | 1.95    | 18.9    | 450     | 8.1     | 19.5    | <0.001  | 0.02    | 0.39    | 3.9     | 0.3     | 0.5     | 21.0    | <0.01   | 0.02    | 4.4     |
| I099945            |                                   | 1.49    | 19.8    | 330     | 7.0     | 11.7    | <0.001  | 0.02    | 0.36    | 3.9     | 0.3     | 0.4     | 31.3    | <0.01   | 0.02    | 3.7     |
| I099946            |                                   | 3.58    | 11.3    | 390     | 8.6     | 46.7    | <0.001  | 0.01    | 0.18    | 3.2     | 0.3     | 0.5     | 25.8    | <0.01   | 0.02    | 7.5     |
| I099947            |                                   | 1.84    | 16.6    | 250     | 9.1     | 11.6    | <0.001  | 0.01    | 0.34    | 2.8     | 0.2     | 0.6     | 16.1    | <0.01   | 0.03    | 3.5     |
| I099948            |                                   | 3.75    | 9.8     | 290     | 7.2     | 33.2    | <0.001  | 0.01    | 0.22    | 2.4     | 0.3     | 0.5     | 17.0    | <0.01   | 0.03    | 3.1     |
| I099949            |                                   | 2.39    | 12.0    | 330     | 7.6     | 11.6    | <0.001  | 0.01    | 0.30    | 2.9     | 0.3     | 0.5     | 19.1    | <0.01   | 0.03    | 4.3     |
| I099950            |                                   | 3.25    | 11.4    | 450     | 5.2     | 35.5    | <0.001  | 0.01    | 0.23    | 3.3     | 0.3     | 0.4     | 26.3    | <0.01   | 0.03    | 6.3     |
| I099951            |                                   | 2.86    | 9.2     | 310     | 6.9     | 15.8    | <0.001  | 0.01    | 0.23    | 3.1     | 0.3     | 0.5     | 15.7    | <0.01   | 0.03    | 3.8     |
| I099952            |                                   | 0.28    | 9.0     | 1010    | 2.7     | 1.0     | 0.001   | 0.16    | 0.55    | 2.5     | 1.3     | <0.2    | 110.5   | 0.01    | 0.04    | 2.6     |
| I317876            |                                   | 1.62    | 22.7    | 700     | 8.1     | 7.1     | 0.001   | 0.02    | 0.54    | 4.6     | 0.6     | 0.4     | 40.6    | <0.01   | 0.04    | 4.5     |
| I317877            |                                   | 2.17    | 20.0    | 310     | 8.6     | 18.5    | <0.001  | 0.01    | 0.60    | 5.9     | 0.5     | 0.6     | 29.1    | <0.01   | 0.04    | 8.8     |
| I317878            |                                   | 1.34    | 16.3    | 510     | 6.6     | 8.7     | <0.001  | 0.02    | 0.37    | 3.5     | 0.4     | 0.5     | 28.6    | <0.01   | 0.03    | 2.5     |
| I317879            |                                   | 1.38    | 19.9    | 510     | 7.1     | 6.2     | <0.001  | 0.02    | 0.47    | 4.1     | 0.5     | 0.4     | 35.5    | <0.01   | 0.03    | 3.3     |
| I317880            |                                   | 1.44    | 20.3    | 450     | 7.1     | 6.6     | <0.001  | 0.01    | 0.43    | 4.2     | 0.4     | 0.4     | 30.7    | <0.01   | 0.03    | 3.9     |
| I317881            |                                   | 1.71    | 22.5    | 520     | 8.2     | 8.8     | <0.001  | 0.02    | 0.50    | 4.9     | 0.5     | 0.5     | 35.9    | <0.01   | 0.03    | 5.2     |
| I317882            |                                   | 1.68    | 23.6    | 630     | 8.7     | 8.5     | 0.001   | 0.02    | 0.58    | 5.1     | 0.7     | 0.5     | 40.0    | <0.01   | 0.04    | 4.3     |
| I317883            |                                   | 1.55    | 19.0    | 610     | 7.3     | 6.1     | <0.001  | 0.02    | 0.53    | 4.3     | 0.4     | 0.5     | 36.4    | <0.01   | 0.03    | 4.7     |
| I317884            |                                   | 1.74    | 21.7    | 520     | 8.3     | 8.3     | <0.001  | 0.02    | 0.58    | 5.4     | 0.6     | 0.5     | 37.8    | <0.01   | 0.03    | 5.2     |
| I317885            |                                   | 1.50    | 16.9    | 550     | 8.7     | 12.1    | <0.001  | 0.03    | 0.48    | 3.7     | 0.6     | 0.5     | 33.4    | <0.01   | 0.03    | 3.1     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 7 - D  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      | Zr      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       | 0.5     |
| I099923            |                                   | 0.141   | 0.23    | 0.70    | 62      | 0.18    | 2.83    | 49      | 0.9     |
| I099924            |                                   | 0.160   | 0.21    | 0.77    | 79      | 0.17    | 3.39    | 64      | 2.6     |
| I099925            |                                   | 0.131   | 0.18    | 1.22    | 53      | 0.38    | 5.65    | 66      | 1.2     |
| I099926            |                                   | 0.019   | 0.06    | 1.85    | 15      | 0.12    | 19.65   | 11      | 2.5     |
| I099927            |                                   | 0.073   | 0.17    | 4.63    | 64      | 0.38    | 127.5   | 52      | 3.4     |
| I099928            |                                   | 0.121   | 0.13    | 0.91    | 61      | 0.19    | 9.47    | 46      | 2.2     |
| I099929            |                                   | 0.121   | 0.12    | 0.95    | 61      | 0.24    | 8.77    | 47      | 2.3     |
| I099930            |                                   | 0.140   | 0.20    | 1.34    | 72      | 0.21    | 7.65    | 74      | 1.7     |
| I099931            |                                   | 0.134   | 0.16    | 0.55    | 85      | 0.20    | 2.66    | 62      | 1.2     |
| I099932            |                                   | 0.054   | 0.09    | 1.70    | 26      | 0.16    | 31.8    | 28      | 2.0     |
| I099933            |                                   | 0.169   | 0.22    | 0.56    | 85      | 0.15    | 3.12    | 63      | 1.6     |
| I099934            |                                   | 0.088   | 0.10    | 0.75    | 59      | 0.16    | 3.25    | 44      | 0.5     |
| I099935            |                                   | 0.155   | 0.23    | 0.61    | 65      | 0.19    | 4.03    | 64      | 2.1     |
| I099936            |                                   | 0.116   | 0.12    | 1.20    | 57      | 0.28    | 7.58    | 66      | 2.5     |
| I099937            |                                   | 0.090   | 0.07    | 0.98    | 54      | 0.18    | 6.92    | 60      | 2.3     |
| I099938            |                                   | 0.119   | 0.14    | 1.10    | 54      | 0.39    | 6.02    | 56      | 1.1     |
| I099939            |                                   | 0.101   | 0.10    | 1.18    | 55      | 0.23    | 11.30   | 57      | 1.9     |
| I099940            |                                   | 0.126   | 0.14    | 0.53    | 71      | 0.17    | 3.07    | 65      | 1.9     |
| I099941            |                                   | 0.100   | 0.15    | 0.36    | 71      | 0.26    | 2.83    | 52      | 1.8     |
| I099942            |                                   | 0.009   | 0.04    | 0.35    | 5       | 0.07    | 2.51    | 6       | 3.9     |
| I099943            |                                   | 0.102   | 0.16    | 0.64    | 60      | 0.14    | 3.07    | 49      | 2.5     |
| I099944            |                                   | 0.097   | 0.11    | 0.45    | 63      | 0.18    | 2.64    | 56      | 2.1     |
| I099945            |                                   | 0.085   | 0.08    | 0.40    | 57      | 0.17    | 2.96    | 47      | 1.7     |
| I099946            |                                   | 0.183   | 0.28    | 0.36    | 78      | 0.11    | 2.45    | 109     | 1.3     |
| I099947            |                                   | 0.095   | 0.11    | 0.30    | 63      | 0.14    | 2.08    | 80      | 2.4     |
| I099948            |                                   | 0.200   | 0.22    | 0.42    | 82      | 0.38    | 1.93    | 64      | 0.7     |
| I099949            |                                   | 0.120   | 0.12    | 0.43    | 67      | 0.16    | 4.04    | 50      | 2.4     |
| I099950            |                                   | 0.163   | 0.21    | 0.70    | 71      | 0.14    | 3.85    | 62      | 1.4     |
| I099951            |                                   | 0.137   | 0.11    | 0.50    | 60      | 0.24    | 2.37    | 45      | 1.6     |
| I099952            |                                   | 0.018   | 0.07    | 3.22    | 15      | 0.10    | 17.50   | 28      | 0.6     |
| I317876            |                                   | 0.087   | 0.07    | 1.68    | 54      | 0.38    | 9.78    | 53      | 3.7     |
| I317877            |                                   | 0.103   | 0.11    | 1.12    | 59      | 0.23    | 8.56    | 56      | 7.2     |
| I317878            |                                   | 0.072   | 0.07    | 0.68    | 47      | 0.16    | 4.88    | 46      | 0.7     |
| I317879            |                                   | 0.069   | 0.07    | 0.57    | 50      | 0.37    | 7.23    | 42      | 2.6     |
| I317880            |                                   | 0.081   | 0.05    | 0.60    | 55      | 0.20    | 5.79    | 45      | 2.6     |
| I317881            |                                   | 0.087   | 0.07    | 0.92    | 56      | 0.49    | 9.10    | 55      | 4.2     |
| I317882            |                                   | 0.084   | 0.07    | 1.01    | 57      | 0.36    | 9.62    | 62      | 3.0     |
| I317883            |                                   | 0.085   | 0.06    | 0.87    | 50      | 0.27    | 7.90    | 49      | 3.0     |
| I317884            |                                   | 0.081   | 0.07    | 1.58    | 53      | 0.25    | 10.75   | 50      | 3.3     |
| I317885            |                                   | 0.068   | 0.07    | 0.92    | 48      | 0.27    | 7.46    | 52      | 1.1     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: 8 - A**  
**Total # Pages: 8 (A - D)**  
**Plus Appendix Pages**  
**Finalized Date: 7 - OCT - 2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.2 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|
| I317886            |                                   | 0.40                              | <0.005                        | 0.05                         | 1.41                       | 7.4                         | <0.2                        | <10                       | 210                        | 0.23                         | 0.17                         | 0.23                       | 0.06                         | 18.00                        | 6.7                         | 26                        |
| I317887            |                                   | 0.50                              | 0.005                         | 0.14                         | 1.88                       | 8.1                         | <0.2                        | <10                       | 290                        | 0.40                         | 0.34                         | 0.37                       | 0.10                         | 36.6                         | 7.1                         | 31                        |
| I319791            |                                   | 0.36                              | <0.005                        | 0.13                         | 1.39                       | 6.4                         | <0.2                        | <10                       | 320                        | 0.22                         | 0.15                         | 0.15                       | 0.08                         | 13.20                        | 8.5                         | 27                        |
| I319792            |                                   | 0.30                              | <0.005                        | 0.04                         | 1.67                       | 5.9                         | <0.2                        | <10                       | 260                        | 0.27                         | 0.15                         | 0.41                       | 0.13                         | 21.0                         | 12.1                        | 21                        |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: 8 - B**  
**Total # Pages: 8 (A - D)**  
**Plus Appendix Pages**  
**Finalized Date: 7 - OCT - 2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I317886            |                                   | 0.52    | 12.7    | 2.24    | 4.99    | <0.05   | 0.06    | 0.01    | 0.017   | 0.03    | 9.6     | 11.5    | 0.39    | 216     | 1.42    |
| I317887            |                                   | 0.59    | 29.6    | 2.71    | 6.42    | 0.06    | 0.07    | 0.04    | 0.028   | 0.05    | 19.3    | 12.2    | 0.47    | 227     | 1.49    |
| I319791            |                                   | 0.99    | 15.3    | 2.32    | 5.95    | <0.05   | 0.02    | 0.02    | 0.018   | 0.07    | 6.8     | 9.8     | 0.42    | 172     | 1.25    |
| I319792            |                                   | 0.61    | 24.1    | 2.94    | 7.72    | <0.05   | <0.02   | 0.02    | 0.019   | 0.05    | 10.7    | 10.3    | 0.71    | 614     | 1.16    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: 8 - C**  
**Total # Pages: 8 (A - D)**  
**Plus Appendix Pages**  
**Finalized Date: 7 - OCT - 2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    | 0.2     |
| I317886            |                                   | 1.47    | 15.8    | 200     | 7.7     | 6.6     | <0.001  | 0.01    | 0.36    | 3.0     | 0.2     | 0.5     | 21.8    | <0.01   | 0.03    | 4.3     |
| I317887            |                                   | 1.64    | 20.6    | 410     | 9.5     | 10.1    | <0.001  | 0.01    | 0.45    | 5.1     | 0.5     | 0.7     | 29.1    | <0.01   | 0.04    | 7.5     |
| I319791            |                                   | 1.14    | 14.1    | 520     | 6.4     | 24.6    | <0.001  | 0.01    | 0.39    | 2.5     | 0.3     | 0.5     | 18.5    | <0.01   | 0.04    | 1.3     |
| I319792            |                                   | 0.84    | 15.0    | 1710    | 7.5     | 7.3     | <0.001  | 0.01    | 0.31    | 2.7     | 0.4     | 0.7     | 35.2    | <0.01   | 0.03    | 1.0     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 8 - D  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 7 - OCT - 2010  
 Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      | Zr      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       | 0.5     |
| I317886            |                                   | 0.071   | 0.08    | 0.55    | 56      | 0.17    | 2.98    | 40      | 2.6     |
| I317887            |                                   | 0.083   | 0.08    | 2.02    | 56      | 0.22    | 9.48    | 49      | 3.0     |
| I319791            |                                   | 0.080   | 0.10    | 0.28    | 57      | 0.17    | 1.89    | 33      | 0.8     |
| I319792            |                                   | 0.079   | 0.08    | 0.39    | 68      | 0.20    | 2.90    | 55      | <0.5    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: Appendix 1**  
**Total # Appendix Pages: 1**  
**Finalized Date: 7 - OCT - 2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10135033**

| Method                 | CERTIFICATE COMMENTS                                                                                                                  |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| ALL METHODS<br>ME-MS41 | NSS is non-sufficient sample.<br>Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 1  
Finalized Date: 8-OCT-2010  
Account: EIASQI

**CERTIFICATE WH10135034**

Project: SQI10-06  
P.O. No.: SQI10-06\_31  
This report is for 158 Soil samples submitted to our lab in Whitehorse, YT, Canada on 21-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-21   | Sample logging - ClientBarCode |
| PUL-31   | Pulverize split to 85% <75 um  |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION               | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23  | Au 30g FA-AA finish       | AAS        |
| ME-MS41  | 51 anal. aqua regia ICPMS |            |

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**ATTN: DARCY BAKER**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099767            |                                   | 0.58                      | 0.006                | 0.08                 | 1.35               | 7.0                  | <0.2                 | <10                 | 240                  | 0.26                 | 0.14                 | 0.67               | 0.22                 | 28.4                 | 8.8                  | 24                   |
| I099768            |                                   | 0.32                      | <0.005               | 0.10                 | 1.57               | 3.2                  | <0.2                 | <10                 | 160                  | 0.33                 | 0.13                 | 0.76               | 0.20                 | 32.8                 | 7.4                  | 26                   |
| I099769            |                                   | 0.40                      | <0.005               | 0.03                 | 2.23               | 12.2                 | <0.2                 | <10                 | 220                  | 0.37                 | 0.14                 | 0.20               | 0.09                 | 18.65                | 10.4                 | 32                   |
| I099770            |                                   | 0.54                      | 0.005                | 0.09                 | 1.83               | 7.7                  | <0.2                 | <10                 | 240                  | 0.35                 | 0.18                 | 0.98               | 0.09                 | 32.6                 | 10.5                 | 23                   |
| I099771            |                                   | 0.32                      | <0.005               | 0.05                 | 2.21               | 4.4                  | <0.2                 | <10                 | 250                  | 0.25                 | 0.11                 | 0.36               | 0.07                 | 21.1                 | 12.9                 | 21                   |
| I099772            |                                   | 0.38                      | <0.005               | 0.05                 | 1.61               | 7.7                  | <0.2                 | <10                 | 230                  | 0.32                 | 0.15                 | 0.22               | 0.06                 | 19.85                | 10.4                 | 31                   |
| I099773            |                                   | 0.32                      | <0.005               | 0.03                 | 2.04               | 10.5                 | <0.2                 | <10                 | 270                  | 0.32                 | 0.16                 | 0.18               | 0.08                 | 17.15                | 10.7                 | 34                   |
| I099774            |                                   | 0.36                      | <0.005               | 0.04                 | 2.35               | 8.4                  | <0.2                 | <10                 | 360                  | 0.38                 | 0.16                 | 0.23               | 0.18                 | 15.55                | 14.4                 | 33                   |
| I099775            |                                   | 0.30                      | <0.005               | 0.03                 | 2.52               | 5.4                  | <0.2                 | <10                 | 230                  | 0.26                 | 0.14                 | 0.20               | 0.06                 | 15.95                | 13.2                 | 21                   |
| I099776            |                                   | 0.34                      | <0.005               | 0.17                 | 1.67               | 4.8                  | <0.2                 | <10                 | 140                  | 0.19                 | 0.28                 | 0.45               | 0.13                 | 23.7                 | 8.6                  | 19                   |
| I099777            |                                   | 0.40                      | 0.006                | 0.13                 | 1.85               | 6.6                  | <0.2                 | <10                 | 150                  | 0.21                 | 0.27                 | 0.31               | 0.11                 | 21.2                 | 8.1                  | 24                   |
| I099778            |                                   | 0.44                      | <0.005               | 0.09                 | 1.83               | 7.0                  | <0.2                 | <10                 | 140                  | 0.23                 | 0.27                 | 0.30               | 0.09                 | 22.1                 | 10.6                 | 24                   |
| I099779            |                                   | 0.38                      | <0.005               | 0.11                 | 1.68               | 7.2                  | <0.2                 | <10                 | 190                  | 0.24                 | 0.25                 | 0.34               | 0.18                 | 23.0                 | 8.1                  | 24                   |
| I099780            |                                   | 0.32                      | <0.005               | 0.22                 | 1.86               | 5.6                  | <0.2                 | <10                 | 170                  | 0.27                 | 0.42                 | 0.52               | 0.30                 | 21.1                 | 9.8                  | 21                   |
| I099781            |                                   | 0.24                      | NSS                  | 0.43                 | 1.26               | 13.6                 | <0.2                 | <10                 | 280                  | 0.50                 | 0.24                 | 1.84               | 0.51                 | 186.5                | 6.5                  | 13                   |
| I099782            |                                   | 0.40                      | <0.005               | 0.11                 | 1.79               | 7.1                  | <0.2                 | <10                 | 390                  | 0.53                 | 0.18                 | 0.75               | 0.98                 | 28.9                 | 13.0                 | 30                   |
| I099783            |                                   | 0.42                      | <0.005               | 0.06                 | 1.60               | 7.5                  | <0.2                 | <10                 | 180                  | 0.33                 | 0.19                 | 0.30               | 0.19                 | 28.8                 | 11.4                 | 23                   |
| I099784            |                                   | 0.58                      | <0.005               | 0.09                 | 1.77               | 6.6                  | <0.2                 | <10                 | 180                  | 0.26                 | 0.21                 | 0.33               | 0.10                 | 37.9                 | 8.7                  | 24                   |
| I099785            |                                   | 0.32                      | <0.005               | 0.09                 | 1.80               | 8.4                  | <0.2                 | <10                 | 160                  | 0.25                 | 0.18                 | 0.26               | 0.06                 | 19.65                | 6.9                  | 21                   |
| I099786            |                                   | 0.30                      | <0.005               | 0.13                 | 1.19               | 6.3                  | <0.2                 | <10                 | 120                  | 0.18                 | 0.18                 | 0.22               | 0.05                 | 18.65                | 4.9                  | 17                   |
| I099787            |                                   | 0.26                      | <0.005               | 0.12                 | 1.41               | 6.9                  | <0.2                 | <10                 | 260                  | 0.24                 | 0.18                 | 0.27               | 0.22                 | 17.45                | 9.6                  | 22                   |
| I099788            |                                   | 0.28                      | <0.005               | 0.10                 | 1.86               | 9.3                  | <0.2                 | <10                 | 130                  | 0.21                 | 0.15                 | 0.21               | 0.04                 | 18.55                | 7.9                  | 22                   |
| I099789            |                                   | 0.52                      | <0.005               | 0.09                 | 2.37               | 11.3                 | <0.2                 | <10                 | 160                  | 0.32                 | 0.18                 | 0.17               | 0.04                 | 21.4                 | 9.6                  | 29                   |
| I099790            |                                   | 0.26                      | 0.007                | 0.09                 | 1.67               | 5.9                  | <0.2                 | <10                 | 220                  | 0.50                 | 0.16                 | 0.26               | 0.05                 | 56.1                 | 7.5                  | 17                   |
| I099791            |                                   | 0.24                      | <0.005               | 0.05                 | 1.47               | 8.3                  | <0.2                 | <10                 | 120                  | 0.20                 | 0.21                 | 0.15               | 0.07                 | 18.55                | 6.4                  | 21                   |
| I099792            |                                   | 0.40                      | <0.005               | 0.17                 | 1.74               | 5.8                  | <0.2                 | <10                 | 190                  | 0.40                 | 0.19                 | 0.37               | 0.08                 | 17.05                | 9.4                  | 22                   |
| I099793            |                                   | 0.58                      | <0.005               | 0.17                 | 1.71               | 7.6                  | <0.2                 | <10                 | 170                  | 0.38                 | 0.18                 | 0.25               | 0.12                 | 19.75                | 8.2                  | 30                   |
| I099794            |                                   | 0.32                      | <0.005               | 0.32                 | 1.67               | 5.8                  | <0.2                 | <10                 | 230                  | 0.32                 | 0.36                 | 0.51               | 0.12                 | 28.5                 | 8.9                  | 20                   |
| I099813            |                                   | 0.32                      | <0.005               | 0.06                 | 2.00               | 9.1                  | <0.2                 | <10                 | 200                  | 0.34                 | 0.16                 | 0.14               | 0.05                 | 14.85                | 7.9                  | 30                   |
| I099814            |                                   | 0.30                      | <0.005               | 0.05                 | 2.92               | 3.5                  | <0.2                 | <10                 | 160                  | 0.30                 | 0.06                 | 0.17               | 0.09                 | 6.64                 | 18.3                 | 32                   |
| I099815            |                                   | 0.30                      | <0.005               | 0.10                 | 2.75               | 4.5                  | <0.2                 | <10                 | 210                  | 0.35                 | 0.09                 | 0.29               | 0.09                 | 13.50                | 15.7                 | 28                   |
| I099816            |                                   | 0.32                      | <0.005               | 0.06                 | 1.92               | 6.6                  | <0.2                 | <10                 | 220                  | 0.31                 | 0.15                 | 0.32               | 0.10                 | 21.3                 | 9.2                  | 28                   |
| I099817            |                                   | 0.36                      | <0.005               | 0.10                 | 1.83               | 8.0                  | <0.2                 | <10                 | 310                  | 0.42                 | 0.18                 | 0.42               | 0.15                 | 24.6                 | 10.5                 | 29                   |
| I099818            |                                   | 0.36                      | 0.012                | 0.12                 | 1.91               | 5.9                  | <0.2                 | <10                 | 270                  | 0.37                 | 0.15                 | 0.40               | 0.35                 | 26.1                 | 10.8                 | 26                   |
| I099819            |                                   | 0.32                      | <0.005               | 0.28                 | 1.73               | 5.0                  | <0.2                 | <10                 | 210                  | 0.22                 | 0.27                 | 0.22               | 0.16                 | 18.65                | 7.8                  | 34                   |
| I099820            |                                   | 0.32                      | <0.005               | 0.36                 | 2.18               | 8.2                  | <0.2                 | <10                 | 320                  | 0.46                 | 0.19                 | 0.15               | 0.07                 | 18.55                | 8.5                  | 33                   |
| I099821            |                                   | 0.30                      | 0.005                | 0.13                 | 1.95               | 9.0                  | <0.2                 | <10                 | 200                  | 0.36                 | 0.23                 | 0.10               | 0.19                 | 18.35                | 6.1                  | 30                   |
| I099822            |                                   | 0.32                      | <0.005               | 0.09                 | 1.82               | 4.5                  | <0.2                 | <10                 | 300                  | 0.23                 | 0.35                 | 0.18               | 0.26                 | 23.3                 | 6.8                  | 15                   |
| I099823            |                                   | 0.36                      | <0.005               | 0.07                 | 2.52               | 4.2                  | <0.2                 | <10                 | 460                  | 0.36                 | 0.18                 | 0.27               | 0.16                 | 23.4                 | 13.2                 | 17                   |
| I099824            |                                   | 0.34                      | <0.005               | 0.17                 | 1.78               | 3.8                  | <0.2                 | <10                 | 250                  | 0.29                 | 0.16                 | 0.27               | 0.17                 | 22.7                 | 8.9                  | 21                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - B  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099767            |                                   | 0.58    | 21.1    | 2.36    | 4.44    | 0.06    | 0.07    | 0.03    | 0.020   | 0.12    | 15.1    | 12.5    | 0.56    | 361     | 0.80    |
| I099768            |                                   | 0.58    | 22.0    | 1.91    | 5.09    | 0.07    | 0.09    | 0.04    | 0.023   | 0.17    | 18.5    | 15.1    | 0.57    | 204     | 0.46    |
| I099769            |                                   | 0.70    | 17.9    | 3.44    | 6.57    | 0.05    | 0.07    | 0.01    | 0.028   | 0.16    | 8.9     | 15.5    | 0.65    | 304     | 1.02    |
| I099770            |                                   | 0.80    | 21.2    | 2.98    | 5.98    | 0.07    | 0.06    | 0.03    | 0.026   | 0.25    | 17.2    | 16.2    | 0.63    | 552     | 1.20    |
| I099771            |                                   | 1.08    | 15.7    | 3.88    | 6.60    | 0.08    | 0.06    | 0.01    | 0.017   | 0.75    | 13.2    | 15.0    | 1.04    | 496     | 0.79    |
| I099772            |                                   | 0.43    | 13.7    | 2.74    | 5.07    | <0.05   | 0.06    | 0.01    | 0.023   | 0.13    | 10.0    | 12.2    | 0.50    | 342     | 1.14    |
| I099773            |                                   | 0.65    | 17.1    | 3.21    | 5.63    | 0.05    | 0.06    | 0.02    | 0.026   | 0.12    | 8.6     | 15.6    | 0.62    | 341     | 1.10    |
| I099774            |                                   | 0.79    | 16.3    | 3.44    | 7.11    | 0.05    | 0.09    | 0.01    | 0.024   | 0.08    | 7.9     | 17.1    | 0.73    | 764     | 1.17    |
| I099775            |                                   | 1.03    | 16.2    | 4.11    | 8.24    | 0.06    | 0.04    | 0.01    | 0.023   | 0.55    | 7.9     | 18.1    | 1.06    | 472     | 1.51    |
| I099776            |                                   | 0.80    | 15.7    | 2.96    | 5.86    | 0.08    | 0.05    | 0.03    | 0.021   | 0.23    | 23.9    | 14.9    | 0.66    | 360     | 3.58    |
| I099777            |                                   | 0.82    | 13.2    | 3.01    | 6.24    | 0.06    | 0.06    | 0.01    | 0.022   | 0.14    | 13.4    | 18.7    | 0.56    | 286     | 3.59    |
| I099778            |                                   | 0.82    | 15.2    | 3.08    | 5.99    | 0.06    | 0.10    | 0.01    | 0.023   | 0.14    | 13.6    | 20.7    | 0.57    | 433     | 2.63    |
| I099779            |                                   | 0.82    | 14.7    | 2.73    | 6.09    | 0.05    | 0.05    | 0.02    | 0.022   | 0.11    | 15.5    | 14.4    | 0.45    | 342     | 3.75    |
| I099780            |                                   | 0.94    | 15.4    | 3.13    | 6.47    | 0.07    | 0.07    | 0.02    | 0.024   | 0.20    | 14.5    | 21.5    | 0.62    | 453     | 4.34    |
| I099781            |                                   | 0.71    | 54.6    | 1.79    | 4.34    | 0.28    | 0.15    | 0.21    | 0.022   | 0.12    | 220     | 10.8    | 0.30    | 907     | 3.68    |
| I099782            |                                   | 0.67    | 30.1    | 2.99    | 5.63    | 0.06    | 0.11    | 0.02    | 0.028   | 0.11    | 12.8    | 14.5    | 0.61    | 691     | 1.22    |
| I099783            |                                   | 0.77    | 15.7    | 2.81    | 5.70    | 0.05    | 0.07    | 0.03    | 0.022   | 0.10    | 19.6    | 14.1    | 0.48    | 412     | 2.11    |
| I099784            |                                   | 0.81    | 17.2    | 2.83    | 6.21    | 0.06    | 0.11    | 0.03    | 0.022   | 0.12    | 24.0    | 15.5    | 0.54    | 381     | 1.41    |
| I099785            |                                   | 0.65    | 12.1    | 2.98    | 7.22    | <0.05   | 0.07    | 0.03    | 0.019   | 0.13    | 10.3    | 16.0    | 0.51    | 256     | 1.71    |
| I099786            |                                   | 0.82    | 8.3     | 2.21    | 6.19    | <0.05   | 0.02    | 0.01    | 0.013   | 0.14    | 10.3    | 10.1    | 0.34    | 231     | 1.72    |
| I099787            |                                   | 0.52    | 10.3    | 2.67    | 5.75    | <0.05   | 0.03    | 0.01    | 0.018   | 0.13    | 7.8     | 9.4     | 0.36    | 1760    | 1.82    |
| I099788            |                                   | 0.80    | 11.2    | 3.37    | 7.47    | <0.05   | 0.09    | 0.01    | 0.018   | 0.16    | 9.4     | 19.8    | 0.54    | 430     | 2.64    |
| I099789            |                                   | 1.15    | 13.5    | 3.92    | 8.04    | 0.06    | 0.13    | 0.01    | 0.025   | 0.11    | 13.6    | 25.5    | 0.60    | 362     | 2.15    |
| I099790            |                                   | 0.80    | 14.2    | 2.40    | 6.83    | <0.05   | 0.04    | 0.02    | 0.017   | 0.13    | 43.0    | 10.1    | 0.41    | 480     | 0.84    |
| I099791            |                                   | 0.53    | 7.3     | 2.93    | 7.05    | <0.05   | 0.02    | <0.01   | 0.015   | 0.14    | 8.4     | 13.9    | 0.40    | 317     | 1.54    |
| I099792            |                                   | 1.33    | 19.8    | 3.00    | 6.49    | <0.05   | 0.05    | 0.01    | 0.024   | 0.35    | 8.6     | 12.3    | 0.56    | 428     | 2.63    |
| I099793            |                                   | 0.40    | 11.4    | 2.78    | 5.40    | <0.05   | 0.06    | 0.01    | 0.023   | 0.12    | 9.8     | 11.9    | 0.43    | 304     | 1.32    |
| I099794            |                                   | 1.43    | 16.8    | 2.94    | 6.69    | 0.07    | 0.06    | 0.02    | 0.022   | 0.40    | 17.9    | 14.7    | 0.58    | 749     | 1.56    |
| I099813            |                                   | 0.58    | 11.6    | 3.06    | 6.27    | <0.05   | 0.08    | 0.01    | 0.020   | 0.07    | 7.2     | 13.9    | 0.46    | 248     | 0.97    |
| I099814            |                                   | 1.47    | 22.8    | 4.46    | 9.53    | 0.07    | 0.04    | 0.01    | 0.008   | 0.64    | 3.4     | 16.4    | 1.74    | 639     | 0.83    |
| I099815            |                                   | 1.29    | 20.8    | 4.14    | 7.73    | 0.07    | 0.04    | 0.02    | 0.012   | 0.76    | 7.4     | 14.8    | 1.47    | 596     | 0.70    |
| I099816            |                                   | 0.61    | 20.9    | 2.86    | 5.80    | 0.05    | 0.04    | 0.02    | 0.020   | 0.11    | 10.7    | 14.4    | 0.65    | 270     | 0.64    |
| I099817            |                                   | 0.69    | 29.6    | 2.94    | 5.79    | 0.05    | 0.08    | 0.02    | 0.023   | 0.11    | 12.2    | 15.2    | 0.67    | 371     | 0.91    |
| I099818            |                                   | 0.62    | 35.1    | 2.89    | 6.01    | 0.05    | 0.05    | 0.02    | 0.019   | 0.23    | 14.0    | 14.4    | 0.72    | 438     | 0.79    |
| I099819            |                                   | 1.04    | 78.0    | 2.96    | 9.14    | 0.06    | 0.04    | 0.01    | 0.020   | 0.17    | 9.3     | 6.7     | 0.70    | 246     | 1.37    |
| I099820            |                                   | 0.71    | 40.9    | 3.26    | 6.09    | 0.05    | 0.06    | 0.01    | 0.027   | 0.08    | 9.4     | 13.4    | 0.59    | 251     | 0.64    |
| I099821            |                                   | 0.92    | 10.8    | 3.18    | 8.62    | <0.05   | 0.05    | 0.01    | 0.025   | 0.04    | 9.2     | 12.3    | 0.28    | 171     | 1.67    |
| I099822            |                                   | 0.73    | 21.6    | 3.13    | 8.78    | 0.05    | 0.02    | 0.01    | 0.032   | 0.31    | 11.5    | 9.0     | 0.57    | 382     | 1.27    |
| I099823            |                                   | 1.28    | 52.6    | 4.65    | 8.86    | 0.07    | 0.04    | 0.01    | 0.024   | 0.62    | 12.1    | 15.6    | 1.17    | 426     | 1.77    |
| I099824            |                                   | 1.22    | 30.9    | 2.88    | 7.23    | 0.07    | 0.02    | 0.02    | 0.019   | 0.38    | 14.0    | 9.0     | 0.70    | 359     | 1.21    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    | 0.2     |
| I099767            |                                   | 1.71    | 20.6    | 760     | 6.9     | 12.1    | 0.001   | 0.06    | 0.58    | 4.2     | 0.6     | 0.4     | 47.4    | <0.01   | 0.03    | 3.7     |
| I099768            |                                   | 2.24    | 15.9    | 590     | 7.7     | 14.3    | <0.001  | 0.05    | 0.45    | 5.4     | 0.6     | 0.4     | 41.5    | <0.01   | 0.03    | 5.1     |
| I099769            |                                   | 1.88    | 20.8    | 270     | 8.4     | 16.4    | <0.001  | 0.02    | 0.50    | 3.9     | 0.4     | 0.5     | 19.7    | <0.01   | 0.03    | 5.4     |
| I099770            |                                   | 2.61    | 14.8    | 570     | 8.3     | 22.7    | <0.001  | 0.04    | 0.43    | 5.2     | 0.7     | 0.6     | 47.6    | <0.01   | 0.04    | 4.0     |
| I099771            |                                   | 3.66    | 11.6    | 310     | 5.3     | 51.1    | <0.001  | 0.02    | 0.25    | 4.0     | 0.3     | 0.4     | 22.7    | <0.01   | 0.02    | 3.5     |
| I099772            |                                   | 1.41    | 17.6    | 170     | 8.1     | 13.3    | <0.001  | 0.01    | 0.45    | 3.8     | 0.3     | 0.5     | 19.9    | <0.01   | 0.03    | 3.8     |
| I099773            |                                   | 1.67    | 20.2    | 220     | 8.2     | 13.9    | <0.001  | 0.01    | 0.54    | 3.8     | 0.3     | 0.5     | 19.4    | <0.01   | 0.03    | 4.6     |
| I099774            |                                   | 1.56    | 22.5    | 270     | 9.1     | 14.2    | <0.001  | 0.01    | 0.43    | 3.5     | 0.3     | 0.6     | 23.2    | <0.01   | 0.04    | 4.7     |
| I099775            |                                   | 2.79    | 10.2    | 340     | 6.7     | 40.5    | <0.001  | 0.02    | 0.25    | 6.2     | 0.3     | 0.5     | 16.1    | <0.01   | 0.03    | 4.1     |
| I099776            |                                   | 2.67    | 10.1    | 440     | 7.1     | 22.5    | <0.001  | 0.02    | 0.25    | 4.1     | 0.5     | 0.6     | 27.5    | <0.01   | 0.03    | 6.6     |
| I099777            |                                   | 2.46    | 11.9    | 300     | 9.2     | 23.1    | <0.001  | 0.01    | 0.33    | 3.9     | 0.3     | 0.7     | 23.4    | <0.01   | 0.03    | 5.4     |
| I099778            |                                   | 2.44    | 14.0    | 430     | 9.1     | 20.3    | <0.001  | 0.01    | 0.33    | 3.8     | 0.3     | 0.7     | 21.7    | <0.01   | 0.03    | 6.5     |
| I099779            |                                   | 2.63    | 12.4    | 390     | 11.6    | 22.5    | <0.001  | 0.02    | 0.38    | 3.6     | 0.4     | 0.6     | 25.9    | <0.01   | 0.03    | 4.8     |
| I099780            |                                   | 3.07    | 11.2    | 510     | 49.3    | 31.1    | <0.001  | 0.01    | 0.26    | 4.0     | 0.3     | 0.8     | 31.9    | <0.01   | 0.03    | 7.9     |
| I099781            |                                   | 1.98    | 13.8    | 930     | 6.5     | 17.1    | 0.001   | 0.12    | 0.47    | 4.9     | 2.5     | 0.5     | 116.0   | 0.03    | 0.06    | 5.0     |
| I099782            |                                   | 1.94    | 26.7    | 650     | 8.7     | 12.9    | <0.001  | 0.01    | 0.46    | 5.2     | 0.5     | 0.5     | 40.2    | <0.01   | 0.04    | 4.7     |
| I099783            |                                   | 2.19    | 12.8    | 570     | 21.5    | 15.2    | <0.001  | 0.01    | 0.41    | 3.9     | 0.5     | 0.6     | 22.7    | <0.01   | 0.03    | 10.6    |
| I099784            |                                   | 1.97    | 11.1    | 440     | 8.0     | 18.7    | <0.001  | 0.01    | 0.35    | 4.1     | 0.4     | 0.6     | 24.4    | <0.01   | 0.02    | 10.2    |
| I099785            |                                   | 2.73    | 11.4    | 350     | 8.0     | 16.8    | <0.001  | 0.01    | 0.33    | 2.9     | 0.3     | 0.6     | 20.0    | <0.01   | 0.02    | 4.5     |
| I099786            |                                   | 2.33    | 8.2     | 320     | 7.4     | 24.1    | <0.001  | 0.01    | 0.27    | 2.3     | 0.2     | 0.5     | 17.9    | <0.01   | 0.02    | 3.4     |
| I099787            |                                   | 1.66    | 11.9    | 490     | 8.4     | 11.2    | <0.001  | 0.01    | 0.37    | 2.1     | 0.3     | 0.5     | 22.6    | <0.01   | 0.03    | 3.1     |
| I099788            |                                   | 2.83    | 10.7    | 240     | 7.8     | 24.6    | <0.001  | 0.01    | 0.40    | 2.7     | 0.3     | 0.5     | 18.1    | <0.01   | 0.02    | 6.1     |
| I099789            |                                   | 2.88    | 14.6    | 240     | 9.0     | 22.4    | <0.001  | 0.01    | 0.45    | 3.4     | 0.4     | 0.6     | 16.7    | <0.01   | 0.04    | 6.2     |
| I099790            |                                   | 3.01    | 9.6     | 240     | 8.7     | 28.6    | <0.001  | 0.02    | 0.28    | 3.3     | 0.5     | 0.7     | 26.0    | <0.01   | 0.02    | 8.8     |
| I099791            |                                   | 2.14    | 9.5     | 800     | 8.3     | 18.4    | <0.001  | 0.01    | 0.38    | 2.3     | 0.2     | 0.6     | 13.0    | <0.01   | 0.03    | 2.8     |
| I099792            |                                   | 3.30    | 11.5    | 220     | 6.8     | 49.1    | <0.001  | 0.01    | 0.33    | 4.0     | 0.3     | 0.8     | 24.5    | <0.01   | 0.02    | 5.7     |
| I099793            |                                   | 1.53    | 16.2    | 230     | 8.7     | 12.3    | <0.001  | 0.01    | 0.44    | 3.1     | 0.3     | 0.5     | 21.7    | <0.01   | 0.03    | 3.8     |
| I099794            |                                   | 4.05    | 12.4    | 440     | 7.0     | 47.1    | <0.001  | 0.03    | 0.33    | 4.3     | 0.5     | 0.7     | 31.8    | <0.01   | 0.02    | 6.7     |
| I099813            |                                   | 1.71    | 15.3    | 250     | 8.4     | 9.4     | <0.001  | 0.01    | 0.45    | 2.6     | 0.3     | 0.5     | 14.8    | <0.01   | 0.03    | 2.6     |
| I099814            |                                   | 3.42    | 12.3    | 570     | 5.6     | 55.2    | <0.001  | 0.01    | 0.16    | 2.7     | 0.3     | 0.3     | 15.3    | <0.01   | 0.03    | 3.1     |
| I099815            |                                   | 3.37    | 12.0    | 420     | 22.2    | 69.6    | <0.001  | 0.02    | 0.22    | 2.9     | 0.3     | 0.3     | 24.2    | <0.01   | 0.03    | 3.0     |
| I099816            |                                   | 1.51    | 16.0    | 410     | 7.3     | 14.9    | <0.001  | 0.01    | 0.40    | 3.7     | 0.4     | 0.4     | 26.1    | <0.01   | 0.03    | 2.5     |
| I099817            |                                   | 1.94    | 18.4    | 610     | 8.4     | 14.8    | <0.001  | 0.02    | 0.55    | 4.2     | 0.6     | 0.4     | 31.5    | <0.01   | 0.04    | 4.0     |
| I099818            |                                   | 2.10    | 16.6    | 470     | 6.7     | 23.1    | <0.001  | 0.02    | 0.29    | 3.7     | 0.5     | 0.4     | 24.8    | <0.01   | 0.03    | 4.2     |
| I099819            |                                   | 1.51    | 20.8    | 690     | 7.5     | 32.5    | <0.001  | 0.02    | 0.24    | 3.8     | 0.4     | 0.7     | 21.3    | <0.01   | 0.05    | 2.7     |
| I099820            |                                   | 1.12    | 19.2    | 200     | 7.9     | 10.5    | <0.001  | 0.02    | 0.49    | 3.5     | 0.3     | 0.8     | 15.9    | <0.01   | 0.04    | 3.8     |
| I099821            |                                   | 1.79    | 11.0    | 300     | 11.5    | 9.9     | <0.001  | 0.01    | 0.47    | 2.7     | 0.3     | 0.8     | 11.5    | <0.01   | 0.03    | 2.8     |
| I099822            |                                   | 1.29    | 7.4     | 380     | 68.1    | 15.8    | <0.001  | 0.03    | 0.22    | 4.1     | 0.4     | 1.4     | 17.8    | <0.01   | 0.03    | 0.7     |
| I099823            |                                   | 1.35    | 13.0    | 890     | 6.9     | 35.0    | 0.001   | 0.11    | 0.18    | 5.7     | 0.6     | 4.2     | 24.0    | <0.01   | 0.05    | 2.7     |
| I099824            |                                   | 2.65    | 11.4    | 510     | 6.5     | 39.2    | <0.001  | 0.06    | 0.21    | 3.1     | 0.6     | 0.6     | 29.7    | <0.01   | 0.05    | 1.7     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 2 - D  
 Total # Pages: 5 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I099767            |                                   | 0.085              | 0.09                 | 1.40                | 47                  | 0.18                | 8.88                | 69                   | 2.7                  |
| I099768            |                                   | 0.101              | 0.11                 | 1.35                | 51                  | 0.18                | 9.76                | 66                   | 3.8                  |
| I099769            |                                   | 0.121              | 0.12                 | 0.43                | 73                  | 0.18                | 2.58                | 63                   | 3.2                  |
| I099770            |                                   | 0.109              | 0.15                 | 1.36                | 63                  | 0.19                | 9.02                | 67                   | 2.0                  |
| I099771            |                                   | 0.207              | 0.24                 | 0.48                | 85                  | 0.15                | 4.77                | 69                   | 2.4                  |
| I099772            |                                   | 0.103              | 0.09                 | 0.42                | 61                  | 0.16                | 2.83                | 49                   | 2.9                  |
| I099773            |                                   | 0.111              | 0.11                 | 0.42                | 70                  | 0.17                | 2.30                | 54                   | 2.7                  |
| I099774            |                                   | 0.127              | 0.13                 | 0.53                | 80                  | 0.15                | 2.51                | 73                   | 3.6                  |
| I099775            |                                   | 0.205              | 0.25                 | 0.56                | 103                 | 0.15                | 2.41                | 68                   | 1.4                  |
| I099776            |                                   | 0.130              | 0.14                 | 0.90                | 65                  | 0.25                | 9.59                | 65                   | 1.7                  |
| I099777            |                                   | 0.121              | 0.14                 | 0.61                | 62                  | 0.27                | 3.62                | 65                   | 2.4                  |
| I099778            |                                   | 0.122              | 0.13                 | 0.59                | 63                  | 0.31                | 4.24                | 65                   | 3.9                  |
| I099779            |                                   | 0.109              | 0.11                 | 0.77                | 59                  | 0.36                | 4.48                | 64                   | 1.8                  |
| I099780            |                                   | 0.132              | 0.20                 | 1.01                | 62                  | 0.30                | 4.65                | 137                  | 2.9                  |
| I099781            |                                   | 0.042              | 0.11                 | 7.55                | 30                  | 0.32                | 96.2                | 59                   | 1.8                  |
| I099782            |                                   | 0.090              | 0.09                 | 0.47                | 63                  | 0.18                | 7.52                | 77                   | 4.6                  |
| I099783            |                                   | 0.095              | 0.11                 | 1.29                | 55                  | 0.26                | 6.50                | 82                   | 3.1                  |
| I099784            |                                   | 0.113              | 0.12                 | 1.62                | 57                  | 0.90                | 8.15                | 67                   | 4.2                  |
| I099785            |                                   | 0.113              | 0.11                 | 0.52                | 66                  | 0.30                | 3.09                | 50                   | 2.4                  |
| I099786            |                                   | 0.097              | 0.12                 | 0.39                | 58                  | 0.17                | 2.04                | 35                   | 0.9                  |
| I099787            |                                   | 0.088              | 0.09                 | 0.32                | 60                  | 0.18                | 1.88                | 48                   | 1.1                  |
| I099788            |                                   | 0.124              | 0.14                 | 0.47                | 73                  | 0.16                | 2.79                | 47                   | 3.3                  |
| I099789            |                                   | 0.137              | 0.16                 | 0.54                | 77                  | 0.26                | 3.27                | 56                   | 4.5                  |
| I099790            |                                   | 0.119              | 0.14                 | 0.82                | 59                  | 0.18                | 4.73                | 38                   | 1.3                  |
| I099791            |                                   | 0.097              | 0.10                 | 0.37                | 70                  | 0.21                | 2.00                | 50                   | 0.7                  |
| I099792            |                                   | 0.114              | 0.23                 | 0.55                | 59                  | 0.19                | 2.93                | 52                   | 2.1                  |
| I099793            |                                   | 0.092              | 0.07                 | 0.38                | 60                  | 0.23                | 2.28                | 57                   | 2.5                  |
| I099794            |                                   | 0.125              | 0.24                 | 0.85                | 57                  | 0.24                | 7.67                | 79                   | 1.9                  |
| I099813            |                                   | 0.096              | 0.09                 | 0.31                | 68                  | 0.18                | 1.80                | 45                   | 3.2                  |
| I099814            |                                   | 0.274              | 0.30                 | 0.23                | 121                 | 0.24                | 0.96                | 85                   | 1.4                  |
| I099815            |                                   | 0.230              | 0.31                 | 0.34                | 97                  | 0.16                | 2.03                | 87                   | 1.5                  |
| I099816            |                                   | 0.121              | 0.10                 | 0.54                | 62                  | 0.17                | 4.85                | 61                   | 1.4                  |
| I099817            |                                   | 0.117              | 0.13                 | 0.79                | 62                  | 0.20                | 6.42                | 73                   | 3.5                  |
| I099818            |                                   | 0.121              | 0.14                 | 0.83                | 64                  | 0.31                | 6.17                | 76                   | 2.0                  |
| I099819            |                                   | 0.168              | 0.21                 | 0.66                | 82                  | 0.19                | 3.71                | 63                   | 1.6                  |
| I099820            |                                   | 0.102              | 0.13                 | 0.62                | 70                  | 0.15                | 2.71                | 50                   | 3.1                  |
| I099821            |                                   | 0.087              | 0.12                 | 0.42                | 77                  | 0.19                | 2.49                | 35                   | 2.4                  |
| I099822            |                                   | 0.156              | 0.16                 | 0.90                | 99                  | 0.13                | 5.94                | 126                  | <0.5                 |
| I099823            |                                   | 0.236              | 0.28                 | 0.94                | 123                 | 0.18                | 5.53                | 117                  | 1.1                  |
| I099824            |                                   | 0.143              | 0.21                 | 1.02                | 69                  | 0.15                | 5.03                | 71                   | 0.5                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099825            |                                   | 0.32                      | <0.005               | 0.01                 | 0.14               | 1.9                  | <0.2                 | <10                 | 30                   | 0.11                 | 0.02                 | 0.08               | 0.04                 | 9.89                 | 2.2                  | 4                    |
| I099826            |                                   | 0.32                      | 0.007                | 0.09                 | 1.24               | 4.7                  | <0.2                 | <10                 | 140                  | 0.16                 | 0.12                 | 0.19               | 0.11                 | 14.60                | 5.6                  | 19                   |
| I099827            |                                   | 0.32                      | <0.005               | 0.04                 | 1.12               | 4.0                  | <0.2                 | <10                 | 90                   | 0.12                 | 0.09                 | 0.24               | 0.08                 | 14.50                | 5.1                  | 17                   |
| I099828            |                                   | 0.32                      | <0.005               | 0.09                 | 1.59               | 8.8                  | <0.2                 | <10                 | 280                  | 0.35                 | 0.16                 | 0.54               | 0.16                 | 21.8                 | 9.0                  | 27                   |
| I099829            |                                   | 0.34                      | <0.005               | 0.07                 | 1.35               | 5.4                  | <0.2                 | <10                 | 220                  | 0.27                 | 0.11                 | 0.53               | 0.10                 | 22.0                 | 7.8                  | 24                   |
| I099830            |                                   | 0.34                      | <0.005               | 0.07                 | 1.40               | 9.3                  | <0.2                 | <10                 | 240                  | 0.36                 | 0.14                 | 0.63               | 0.11                 | 22.4                 | 8.4                  | 26                   |
| I099831            |                                   | 0.36                      | <0.005               | 0.09                 | 1.41               | 8.6                  | <0.2                 | <10                 | 270                  | 0.43                 | 0.13                 | 0.63               | 0.13                 | 25.0                 | 9.2                  | 27                   |
| I099832            |                                   | 0.38                      | <0.005               | 0.05                 | 1.40               | 9.0                  | <0.2                 | <10                 | 240                  | 0.32                 | 0.14                 | 0.60               | 0.13                 | 23.1                 | 8.1                  | 27                   |
| I099833            |                                   | 0.38                      | <0.005               | 0.10                 | 1.68               | 7.5                  | <0.2                 | <10                 | 280                  | 0.32                 | 0.15                 | 0.50               | 0.16                 | 22.2                 | 8.7                  | 27                   |
| I099834            |                                   | 0.38                      | <0.005               | 0.10                 | 1.56               | 6.3                  | <0.2                 | <10                 | 220                  | 0.30                 | 0.14                 | 0.41               | 0.18                 | 24.0                 | 9.3                  | 27                   |
| I099835            |                                   | 0.40                      | <0.005               | 0.14                 | 1.68               | 6.7                  | <0.2                 | <10                 | 300                  | 0.40                 | 0.16                 | 0.63               | 0.22                 | 26.1                 | 10.5                 | 29                   |
| I099836            |                                   | 0.34                      | <0.005               | 0.09                 | 1.73               | 7.8                  | <0.2                 | <10                 | 280                  | 0.41                 | 0.17                 | 0.54               | 0.21                 | 25.8                 | 8.0                  | 31                   |
| I099837            |                                   | 0.40                      | <0.005               | 0.10                 | 1.58               | 8.4                  | <0.2                 | <10                 | 280                  | 0.39                 | 0.15                 | 0.56               | 0.07                 | 27.1                 | 10.3                 | 28                   |
| I099838            |                                   | 0.38                      | <0.005               | 0.09                 | 1.45               | 8.1                  | <0.2                 | <10                 | 280                  | 0.34                 | 0.14                 | 0.56               | 0.07                 | 24.3                 | 10.3                 | 26                   |
| I100032            |                                   | 0.40                      | <0.005               | 0.06                 | 1.52               | 9.2                  | <0.2                 | <10                 | 210                  | 0.25                 | 0.15                 | 0.38               | 0.13                 | 17.50                | 8.8                  | 26                   |
| I100033            |                                   | 0.38                      | <0.005               | 0.09                 | 1.41               | 8.5                  | <0.2                 | <10                 | 260                  | 0.38                 | 0.15                 | 0.77               | 0.15                 | 25.1                 | 9.5                  | 26                   |
| I100034            |                                   | 0.34                      | <0.005               | 0.09                 | 1.68               | 10.9                 | <0.2                 | <10                 | 240                  | 0.33                 | 0.13                 | 0.66               | 0.20                 | 69.2                 | 16.5                 | 21                   |
| I100035            |                                   | 0.32                      | <0.005               | 0.11                 | 1.66               | 7.4                  | <0.2                 | <10                 | 260                  | 0.33                 | 0.12                 | 1.11               | 0.12                 | 64.2                 | 12.3                 | 18                   |
| I100036            |                                   | 0.30                      | <0.005               | 0.07                 | 1.72               | 5.8                  | <0.2                 | <10                 | 170                  | 0.37                 | 0.11                 | 0.91               | 0.06                 | 43.2                 | 10.5                 | 17                   |
| I100037            |                                   | 0.38                      | <0.005               | 0.07                 | 1.68               | 8.9                  | <0.2                 | <10                 | 180                  | 0.31                 | 0.15                 | 0.12               | 0.07                 | 30.0                 | 10.8                 | 29                   |
| I100038            |                                   | 0.38                      | <0.005               | 0.06                 | 1.71               | 8.6                  | <0.2                 | <10                 | 180                  | 0.33                 | 0.16                 | 0.13               | 0.08                 | 30.0                 | 10.8                 | 28                   |
| I100039            |                                   | 0.30                      | <0.005               | 0.07                 | 1.75               | 4.8                  | <0.2                 | <10                 | 460                  | 0.27                 | 0.13                 | 0.46               | 0.12                 | 17.20                | 13.0                 | 21                   |
| I100040            |                                   | 0.42                      | <0.005               | 0.03                 | 2.38               | 2.2                  | <0.2                 | <10                 | 310                  | 0.43                 | 0.07                 | 0.35               | 0.04                 | 35.9                 | 15.1                 | 11                   |
| I100041            |                                   | 0.54                      | <0.005               | 0.13                 | 2.66               | 2.3                  | <0.2                 | <10                 | 360                  | 0.39                 | 0.09                 | 0.43               | 0.06                 | 42.7                 | 17.4                 | 16                   |
| I100042            |                                   | 0.54                      | <0.005               | 0.05                 | 1.90               | 6.9                  | <0.2                 | <10                 | 190                  | 0.20                 | 0.15                 | 0.47               | 0.05                 | 16.20                | 9.2                  | 22                   |
| I100043            |                                   | 0.38                      | <0.005               | 0.12                 | 1.73               | 4.5                  | <0.2                 | <10                 | 220                  | 0.25                 | 0.11                 | 0.46               | 0.14                 | 41.6                 | 13.7                 | 19                   |
| I100044            |                                   | 0.42                      | <0.005               | 0.17                 | 2.70               | 3.6                  | <0.2                 | <10                 | 290                  | 0.45                 | 0.10                 | 0.75               | 0.16                 | 116.0                | 20.5                 | 16                   |
| I100045            |                                   | 0.42                      | <0.005               | 0.03                 | 1.09               | 5.4                  | <0.2                 | <10                 | 130                  | 0.13                 | 0.12                 | 0.17               | 0.04                 | 16.95                | 6.1                  | 18                   |
| I100046            |                                   | 0.40                      | <0.005               | 0.03                 | 2.27               | 7.4                  | <0.2                 | <10                 | 120                  | 0.31                 | 0.12                 | 0.11               | 0.05                 | 15.10                | 13.3                 | 24                   |
| I100047            |                                   | 0.38                      | 0.005                | 0.20                 | 2.17               | 3.1                  | <0.2                 | <10                 | 210                  | 0.29                 | 0.08                 | 0.43               | 0.08                 | 55.9                 | 24.8                 | 14                   |
| I100051            |                                   | 0.40                      | <0.005               | 0.07                 | 1.82               | 6.0                  | <0.2                 | <10                 | 120                  | 0.25                 | 0.14                 | 0.21               | 0.08                 | 23.6                 | 8.2                  | 18                   |
| I100052            |                                   | 0.48                      | <0.005               | 0.16                 | 1.61               | 4.2                  | <0.2                 | <10                 | 130                  | 0.24                 | 0.10                 | 0.32               | 0.08                 | 37.1                 | 8.0                  | 15                   |
| I100053            |                                   | 0.54                      | <0.005               | 0.04                 | 1.62               | 7.8                  | <0.2                 | <10                 | 220                  | 0.29                 | 0.14                 | 0.34               | 0.14                 | 27.4                 | 10.7                 | 25                   |
| I100054            |                                   | 0.46                      | <0.005               | 0.06                 | 1.34               | 8.5                  | <0.2                 | <10                 | 250                  | 0.38                 | 0.15                 | 0.57               | 0.17                 | 25.5                 | 10.2                 | 25                   |
| I100055            |                                   | 0.48                      | <0.005               | 0.12                 | 1.10               | 10.7                 | <0.2                 | <10                 | 240                  | 0.30                 | 0.15                 | 0.73               | 0.26                 | 27.6                 | 10.7                 | 25                   |
| I100056            |                                   | 0.46                      | <0.005               | 0.12                 | 1.13               | 11.3                 | <0.2                 | <10                 | 260                  | 0.33                 | 0.16                 | 0.94               | 0.31                 | 28.2                 | 11.2                 | 26                   |
| I100057            |                                   | 0.66                      | <0.005               | 0.09                 | 1.36               | 6.4                  | <0.2                 | <10                 | 230                  | 0.30                 | 0.13                 | 0.67               | 0.25                 | 26.8                 | 9.8                  | 24                   |
| I100058            |                                   | 0.48                      | 0.005                | 0.07                 | 1.76               | 6.6                  | <0.2                 | <10                 | 230                  | 0.29                 | 0.14                 | 0.32               | 0.10                 | 20.0                 | 9.6                  | 24                   |
| I100059            |                                   | 0.56                      | <0.005               | 0.04                 | 1.99               | 5.8                  | <0.2                 | <10                 | 220                  | 0.31                 | 0.10                 | 0.29               | 0.05                 | 22.2                 | 11.5                 | 25                   |
| I100060            |                                   | 0.46                      | <0.005               | 0.03                 | 2.12               | 5.9                  | <0.2                 | <10                 | 220                  | 0.27                 | 0.10                 | 0.22               | 0.04                 | 16.30                | 11.9                 | 22                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099825            |                                   | 0.09    | 1.8     | 0.61    | 0.58    | <0.05   | 0.06    | <0.01   | <0.005  | 0.05    | 4.8     | 1.5     | 0.04    | 150     | 0.27    |
| I099826            |                                   | 0.74    | 17.3    | 2.05    | 5.42    | <0.05   | 0.02    | 0.03    | 0.012   | 0.11    | 7.3     | 6.6     | 0.48    | 170     | 0.51    |
| I099827            |                                   | 0.56    | 9.3     | 1.77    | 4.19    | 0.05    | 0.02    | 0.01    | 0.010   | 0.08    | 7.4     | 7.3     | 0.48    | 170     | 0.49    |
| I099828            |                                   | 0.57    | 21.0    | 2.55    | 4.94    | <0.05   | 0.06    | 0.03    | 0.022   | 0.05    | 10.4    | 13.4    | 0.52    | 333     | 0.82    |
| I099829            |                                   | 0.55    | 18.4    | 2.15    | 4.33    | 0.05    | 0.03    | 0.02    | 0.017   | 0.05    | 10.6    | 11.1    | 0.50    | 321     | 0.63    |
| I099830            |                                   | 0.46    | 18.3    | 2.48    | 4.32    | 0.05    | 0.06    | 0.02    | 0.019   | 0.06    | 10.7    | 13.0    | 0.51    | 255     | 0.68    |
| I099831            |                                   | 0.52    | 22.7    | 2.51    | 4.24    | 0.06    | 0.06    | 0.02    | 0.020   | 0.06    | 12.2    | 12.3    | 0.53    | 384     | 0.64    |
| I099832            |                                   | 0.52    | 19.7    | 2.48    | 4.42    | 0.05    | 0.06    | 0.02    | 0.019   | 0.05    | 11.2    | 12.2    | 0.50    | 327     | 0.95    |
| I099833            |                                   | 0.70    | 16.8    | 2.50    | 5.29    | <0.05   | 0.03    | 0.02    | 0.021   | 0.05    | 11.0    | 13.5    | 0.51    | 320     | 0.76    |
| I099834            |                                   | 0.61    | 20.7    | 2.59    | 4.95    | <0.05   | 0.04    | 0.03    | 0.019   | 0.08    | 11.9    | 11.7    | 0.54    | 299     | 0.84    |
| I099835            |                                   | 0.56    | 24.6    | 2.66    | 5.35    | 0.05    | 0.08    | 0.03    | 0.023   | 0.08    | 13.1    | 14.9    | 0.60    | 398     | 0.86    |
| I099836            |                                   | 0.57    | 24.3    | 2.68    | 5.40    | <0.05   | 0.09    | 0.02    | 0.025   | 0.08    | 12.4    | 15.6    | 0.59    | 194     | 0.88    |
| I099837            |                                   | 0.62    | 26.2    | 2.61    | 5.21    | 0.07    | 0.10    | 0.03    | 0.023   | 0.05    | 13.6    | 13.0    | 0.54    | 292     | 0.84    |
| I099838            |                                   | 0.49    | 22.5    | 2.46    | 4.70    | 0.06    | 0.08    | 0.02    | 0.019   | 0.04    | 12.3    | 12.0    | 0.50    | 344     | 0.83    |
| I100032            |                                   | 0.37    | 15.6    | 2.69    | 5.24    | 0.06    | 0.05    | 0.01    | 0.021   | 0.11    | 8.6     | 12.4    | 0.46    | 211     | 0.93    |
| I100033            |                                   | 0.37    | 29.0    | 2.45    | 4.66    | 0.08    | 0.06    | 0.04    | 0.019   | 0.09    | 13.0    | 12.8    | 0.59    | 275     | 0.80    |
| I100034            |                                   | 0.62    | 18.2    | 3.11    | 5.70    | 0.11    | 0.04    | 0.05    | 0.019   | 0.28    | 39.7    | 13.4    | 0.65    | 992     | 1.09    |
| I100035            |                                   | 0.66    | 16.3    | 2.67    | 5.60    | 0.10    | 0.06    | 0.05    | 0.021   | 0.22    | 44.6    | 16.6    | 0.63    | 598     | 0.54    |
| I100036            |                                   | 0.68    | 34.6    | 2.95    | 7.47    | 0.41    | 0.14    | 0.05    | 0.023   | 0.28    | 230     | 17.2    | 0.57    | 423     | 0.79    |
| I100037            |                                   | 0.45    | 14.2    | 2.77    | 5.69    | 0.06    | 0.12    | 0.01    | 0.024   | 0.12    | 18.0    | 10.9    | 0.41    | 396     | 1.30    |
| I100038            |                                   | 0.49    | 14.4    | 2.79    | 5.74    | 0.05    | 0.12    | 0.02    | 0.024   | 0.11    | 15.8    | 10.8    | 0.42    | 425     | 1.26    |
| I100039            |                                   | 0.78    | 13.3    | 3.17    | 6.00    | 0.05    | 0.05    | 0.01    | 0.017   | 0.40    | 7.9     | 12.3    | 0.66    | 1050    | 0.80    |
| I100040            |                                   | 1.08    | 8.2     | 3.94    | 8.96    | 0.09    | 0.05    | 0.01    | 0.016   | 0.70    | 17.4    | 16.0    | 0.96    | 882     | 0.63    |
| I100041            |                                   | 1.58    | 10.0    | 4.18    | 9.03    | 0.12    | 0.07    | 0.01    | 0.014   | 0.88    | 24.4    | 18.4    | 1.07    | 1260    | 0.86    |
| I100042            |                                   | 0.58    | 14.5    | 3.15    | 7.17    | 0.06    | 0.07    | 0.01    | 0.019   | 0.20    | 9.1     | 15.2    | 0.59    | 333     | 1.17    |
| I100043            |                                   | 0.71    | 16.4    | 2.71    | 6.12    | 0.08    | 0.02    | 0.03    | 0.016   | 0.23    | 25.8    | 13.8    | 0.70    | 930     | 1.06    |
| I100044            |                                   | 1.83    | 22.4    | 5.11    | 10.55   | 0.20    | 0.05    | 0.05    | 0.044   | 0.58    | 91.6    | 14.8    | 1.17    | 1600    | 2.89    |
| I100045            |                                   | 0.37    | 10.1    | 2.19    | 5.30    | 0.05    | 0.07    | 0.01    | 0.013   | 0.08    | 9.1     | 7.9     | 0.40    | 184     | 0.93    |
| I100046            |                                   | 0.81    | 16.5    | 3.78    | 7.49    | 0.08    | 0.09    | 0.01    | 0.019   | 0.41    | 8.0     | 17.1    | 0.86    | 407     | 1.00    |
| I100047            |                                   | 0.89    | 17.6    | 3.54    | 7.54    | 0.12    | 0.02    | 0.05    | 0.012   | 0.62    | 49.5    | 12.1    | 0.93    | 1170    | 1.65    |
| I100051            |                                   | 0.88    | 10.9    | 2.78    | 7.20    | 0.07    | 0.04    | 0.02    | 0.017   | 0.12    | 14.1    | 13.0    | 0.51    | 261     | 0.75    |
| I100052            |                                   | 0.70    | 8.6     | 2.42    | 5.77    | 0.07    | 0.03    | 0.04    | 0.014   | 0.14    | 29.6    | 14.8    | 0.49    | 300     | 0.55    |
| I100053            |                                   | 0.48    | 15.2    | 2.74    | 5.19    | 0.07    | 0.04    | 0.01    | 0.020   | 0.20    | 15.4    | 12.8    | 0.51    | 434     | 0.89    |
| I100054            |                                   | 0.49    | 25.6    | 2.43    | 4.66    | 0.06    | 0.06    | 0.02    | 0.020   | 0.08    | 12.6    | 11.4    | 0.51    | 359     | 0.87    |
| I100055            |                                   | 0.78    | 26.5    | 2.46    | 3.76    | 0.09    | 0.11    | 0.03    | 0.019   | 0.08    | 13.8    | 12.2    | 0.71    | 374     | 0.84    |
| I100056            |                                   | 0.80    | 30.5    | 2.47    | 3.92    | 0.08    | 0.09    | 0.03    | 0.017   | 0.09    | 14.2    | 12.9    | 0.77    | 382     | 0.92    |
| I100057            |                                   | 0.53    | 19.3    | 2.29    | 4.61    | 0.07    | 0.04    | 0.02    | 0.018   | 0.11    | 14.0    | 12.1    | 0.55    | 325     | 0.77    |
| I100058            |                                   | 0.40    | 17.6    | 2.75    | 5.55    | 0.05    | 0.04    | 0.01    | 0.019   | 0.11    | 10.5    | 11.5    | 0.50    | 517     | 1.08    |
| I100059            |                                   | 0.66    | 11.8    | 3.14    | 6.09    | 0.07    | 0.06    | <0.01   | 0.016   | 0.36    | 11.5    | 13.4    | 0.73    | 378     | 0.75    |
| I100060            |                                   | 0.70    | 10.9    | 3.16    | 6.46    | 0.06    | 0.05    | 0.01    | 0.016   | 0.22    | 10.2    | 14.7    | 0.75    | 345     | 0.72    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099825            |                                   | 0.21    | 3.6     | 120     | 1.6     | 2.3     | <0.001  | 0.01    | 0.10    | 0.6     | <0.2    | <0.2    | 8.2     | <0.01   | 0.01    |
| I099826            |                                   | 1.50    | 9.3     | 450     | 5.9     | 13.1    | <0.001  | 0.05    | 0.18    | 2.0     | 0.5     | 0.4     | 18.1    | <0.01   | 0.03    |
| I099827            |                                   | 1.36    | 8.6     | 440     | 4.8     | 10.1    | <0.001  | 0.03    | 0.23    | 2.0     | 0.3     | 0.3     | 16.6    | <0.01   | 0.02    |
| I099828            |                                   | 1.41    | 18.3    | 560     | 8.1     | 7.4     | <0.001  | 0.02    | 0.53    | 3.8     | 0.5     | 0.4     | 32.7    | <0.01   | 0.03    |
| I099829            |                                   | 1.29    | 15.3    | 690     | 5.9     | 7.3     | 0.001   | 0.03    | 0.37    | 3.6     | 0.6     | 0.4     | 32.1    | <0.01   | 0.02    |
| I099830            |                                   | 1.35    | 18.8    | 740     | 7.4     | 4.8     | <0.001  | 0.02    | 0.52    | 3.6     | 0.6     | 0.4     | 33.3    | <0.01   | 0.03    |
| I099831            |                                   | 1.29    | 20.8    | 800     | 6.9     | 6.0     | <0.001  | 0.01    | 0.51    | 3.9     | 0.5     | 0.4     | 35.7    | <0.01   | 0.03    |
| I099832            |                                   | 1.39    | 17.8    | 690     | 7.5     | 6.8     | <0.001  | 0.02    | 0.53    | 3.8     | 0.6     | 0.4     | 36.5    | <0.01   | 0.03    |
| I099833            |                                   | 1.47    | 16.2    | 610     | 7.7     | 8.9     | <0.001  | 0.02    | 0.43    | 3.7     | 0.5     | 0.4     | 32.6    | <0.01   | 0.03    |
| I099834            |                                   | 1.45    | 15.6    | 660     | 7.1     | 9.9     | <0.001  | 0.03    | 0.40    | 4.0     | 0.7     | 0.4     | 28.1    | <0.01   | 0.03    |
| I099835            |                                   | 1.61    | 21.7    | 670     | 7.9     | 8.9     | 0.001   | 0.04    | 0.48    | 4.7     | 0.7     | 0.5     | 35.9    | <0.01   | 0.03    |
| I099836            |                                   | 1.54    | 20.5    | 630     | 8.2     | 8.7     | 0.001   | 0.03    | 0.56    | 4.8     | 0.7     | 0.4     | 30.7    | <0.01   | 0.03    |
| I099837            |                                   | 1.42    | 22.0    | 580     | 7.4     | 7.6     | <0.001  | 0.01    | 0.54    | 4.9     | 0.5     | 0.4     | 34.2    | <0.01   | 0.02    |
| I099838            |                                   | 1.31    | 20.7    | 510     | 6.9     | 5.7     | 0.001   | 0.01    | 0.54    | 4.3     | 0.5     | 0.4     | 34.0    | <0.01   | 0.02    |
| I100032            |                                   | 1.50    | 19.6    | 510     | 7.1     | 12.4    | <0.001  | 0.01    | 0.48    | 3.1     | 0.2     | 0.5     | 22.8    | <0.01   | 0.03    |
| I100033            |                                   | 1.42    | 23.7    | 660     | 7.0     | 7.7     | <0.001  | 0.02    | 0.57    | 4.5     | 0.5     | 0.4     | 46.9    | <0.01   | 0.02    |
| I100034            |                                   | 2.41    | 15.8    | 760     | 6.4     | 25.3    | 0.001   | 0.04    | 0.43    | 4.6     | 0.7     | 0.4     | 45.1    | <0.01   | 0.02    |
| I100035            |                                   | 2.74    | 16.2    | 580     | 7.3     | 24.4    | 0.001   | 0.06    | 0.33    | 5.6     | 0.9     | 0.4     | 69.8    | <0.01   | 0.02    |
| I100036            |                                   | 3.15    | 15.1    | 390     | 6.1     | 23.0    | 0.001   | 0.02    | 0.58    | 6.7     | 2.6     | 0.5     | 48.6    | 0.02    | 0.03    |
| I100037            |                                   | 1.24    | 18.7    | 220     | 8.1     | 12.3    | <0.001  | <0.01   | 0.50    | 3.7     | 0.2     | 0.5     | 13.5    | <0.01   | 0.02    |
| I100038            |                                   | 1.32    | 19.2    | 230     | 7.9     | 12.1    | <0.001  | 0.01    | 0.48    | 3.6     | <0.2    | 0.5     | 13.9    | <0.01   | 0.03    |
| I100039            |                                   | 2.79    | 14.6    | 320     | 6.3     | 35.6    | <0.001  | 0.01    | 0.34    | 3.2     | 0.2     | 0.5     | 30.9    | <0.01   | 0.02    |
| I100040            |                                   | 3.24    | 7.9     | 480     | 4.3     | 53.4    | <0.001  | 0.01    | 0.20    | 5.3     | <0.2    | 0.6     | 26.0    | <0.01   | 0.01    |
| I100041            |                                   | 3.89    | 11.8    | 760     | 5.1     | 60.8    | <0.001  | 0.01    | 0.25    | 4.8     | <0.2    | 0.5     | 28.2    | <0.01   | 0.01    |
| I100042            |                                   | 2.68    | 14.4    | 270     | 6.9     | 18.2    | <0.001  | 0.01    | 0.41    | 3.4     | 0.2     | 0.6     | 32.1    | <0.01   | 0.03    |
| I100043            |                                   | 2.23    | 13.0    | 590     | 5.3     | 28.4    | <0.001  | 0.03    | 0.25    | 3.6     | 0.3     | 0.4     | 32.6    | <0.01   | 0.01    |
| I100044            |                                   | 3.20    | 10.4    | 1330    | 4.7     | 44.0    | <0.001  | 0.04    | 0.29    | 12.1    | 0.9     | 0.9     | 37.1    | <0.01   | 0.02    |
| I100045            |                                   | 1.72    | 10.9    | 150     | 5.9     | 9.4     | <0.001  | <0.01   | 0.37    | 2.6     | <0.2    | 0.5     | 15.4    | <0.01   | 0.02    |
| I100046            |                                   | 2.48    | 17.4    | 190     | 6.4     | 35.3    | <0.001  | <0.01   | 0.44    | 3.4     | 0.2     | 0.5     | 12.8    | <0.01   | 0.02    |
| I100047            |                                   | 3.52    | 8.4     | 750     | 5.4     | 47.8    | 0.001   | 0.04    | 0.15    | 3.9     | 0.6     | 0.4     | 28.1    | <0.01   | 0.01    |
| I100051            |                                   | 3.06    | 10.9    | 420     | 6.1     | 21.0    | <0.001  | 0.01    | 0.26    | 3.1     | 0.2     | 0.5     | 17.4    | <0.01   | 0.02    |
| I100052            |                                   | 2.44    | 9.1     | 670     | 5.1     | 19.2    | <0.001  | 0.01    | 0.22    | 3.1     | 0.2     | 0.4     | 21.9    | <0.01   | 0.01    |
| I100053            |                                   | 1.70    | 16.5    | 630     | 6.4     | 16.2    | <0.001  | 0.01    | 0.51    | 3.5     | 0.3     | 0.4     | 25.5    | <0.01   | 0.03    |
| I100054            |                                   | 1.45    | 21.2    | 790     | 7.2     | 9.9     | <0.001  | 0.02    | 0.55    | 4.0     | 0.4     | 0.4     | 35.2    | <0.01   | 0.02    |
| I100055            |                                   | 1.26    | 27.9    | 860     | 7.7     | 8.3     | 0.001   | 0.02    | 0.71    | 3.8     | 0.6     | 0.3     | 34.4    | <0.01   | 0.03    |
| I100056            |                                   | 1.33    | 29.3    | 860     | 7.6     | 9.1     | 0.001   | 0.02    | 0.73    | 3.9     | 0.5     | 0.4     | 41.1    | <0.01   | 0.03    |
| I100057            |                                   | 1.71    | 19.9    | 680     | 6.0     | 12.2    | <0.001  | 0.02    | 0.48    | 3.9     | 0.4     | 0.4     | 38.7    | <0.01   | 0.02    |
| I100058            |                                   | 1.51    | 16.7    | 400     | 6.9     | 11.6    | <0.001  | 0.01    | 0.39    | 3.5     | <0.2    | 0.5     | 27.6    | <0.01   | 0.02    |
| I100059            |                                   | 2.41    | 16.2    | 340     | 5.7     | 25.6    | <0.001  | 0.01    | 0.35    | 3.3     | 0.2     | 0.4     | 25.9    | <0.01   | 0.02    |
| I100060            |                                   | 2.60    | 15.6    | 250     | 5.5     | 21.6    | <0.001  | <0.01   | 0.32    | 2.8     | <0.2    | 0.5     | 21.5    | <0.01   | 0.02    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - D  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I099825            |                                   | 0.010              | 0.03                 | 0.29                | 5                   | <0.05               | 2.16                | 8                    | 2.3                  |
| I099826            |                                   | 0.091              | 0.10                 | 0.58                | 40                  | 0.23                | 3.22                | 46                   | <0.5                 |
| I099827            |                                   | 0.091              | 0.09                 | 0.38                | 44                  | 0.52                | 2.87                | 46                   | <0.5                 |
| I099828            |                                   | 0.082              | 0.06                 | 0.43                | 53                  | 0.21                | 6.51                | 57                   | 2.4                  |
| I099829            |                                   | 0.084              | 0.07                 | 0.66                | 49                  | 0.15                | 6.92                | 50                   | 1.2                  |
| I099830            |                                   | 0.079              | 0.06                 | 0.48                | 54                  | 0.29                | 6.69                | 53                   | 2.6                  |
| I099831            |                                   | 0.082              | 0.06                 | 0.79                | 53                  | 0.26                | 8.94                | 55                   | 2.3                  |
| I099832            |                                   | 0.081              | 0.06                 | 0.69                | 54                  | 0.19                | 7.00                | 53                   | 2.2                  |
| I099833            |                                   | 0.080              | 0.08                 | 0.76                | 55                  | 0.17                | 5.80                | 57                   | 1.2                  |
| I099834            |                                   | 0.089              | 0.09                 | 1.03                | 56                  | 0.13                | 7.08                | 57                   | 1.1                  |
| I099835            |                                   | 0.093              | 0.08                 | 0.99                | 55                  | 0.18                | 9.03                | 69                   | 2.7                  |
| I099836            |                                   | 0.096              | 0.08                 | 0.75                | 59                  | 0.21                | 8.11                | 69                   | 3.4                  |
| I099837            |                                   | 0.086              | 0.07                 | 0.68                | 56                  | 0.23                | 8.17                | 54                   | 4.3                  |
| I099838            |                                   | 0.080              | 0.05                 | 0.63                | 53                  | 0.22                | 6.80                | 50                   | 3.6                  |
| I100032            |                                   | 0.076              | 0.06                 | 0.38                | 61                  | 0.20                | 2.79                | 54                   | 1.8                  |
| I100033            |                                   | 0.073              | 0.06                 | 0.98                | 50                  | 0.13                | 8.43                | 54                   | 2.7                  |
| I100034            |                                   | 0.098              | 0.13                 | 1.56                | 61                  | 0.29                | 11.10               | 67                   | 1.6                  |
| I100035            |                                   | 0.099              | 0.13                 | 2.54                | 50                  | 0.14                | 15.95               | 68                   | 2.2                  |
| I100036            |                                   | 0.102              | 0.11                 | 2.40                | 60                  | 0.23                | 180.0               | 53                   | 2.7                  |
| I100037            |                                   | 0.084              | 0.08                 | 0.49                | 58                  | 0.15                | 4.97                | 49                   | 4.3                  |
| I100038            |                                   | 0.086              | 0.07                 | 0.44                | 59                  | 0.10                | 2.75                | 49                   | 4.2                  |
| I100039            |                                   | 0.139              | 0.12                 | 0.31                | 64                  | 0.08                | 2.09                | 61                   | 2.0                  |
| I100040            |                                   | 0.171              | 0.24                 | 0.43                | 74                  | 0.09                | 3.77                | 77                   | 1.8                  |
| I100041            |                                   | 0.217              | 0.32                 | 0.42                | 75                  | 0.10                | 4.94                | 88                   | 2.8                  |
| I100042            |                                   | 0.127              | 0.10                 | 0.36                | 70                  | 0.15                | 2.33                | 48                   | 3.1                  |
| I100043            |                                   | 0.109              | 0.13                 | 0.87                | 58                  | 0.31                | 5.43                | 59                   | 0.8                  |
| I100044            |                                   | 0.120              | 0.23                 | 2.79                | 122                 | 0.08                | 23.2                | 87                   | 1.1                  |
| I100045            |                                   | 0.097              | 0.07                 | 0.36                | 60                  | 0.10                | 2.19                | 32                   | 2.9                  |
| I100046            |                                   | 0.179              | 0.17                 | 0.37                | 79                  | 0.14                | 1.96                | 61                   | 3.4                  |
| I100047            |                                   | 0.156              | 0.22                 | 1.51                | 85                  | 0.09                | 5.96                | 61                   | 0.9                  |
| I100051            |                                   | 0.122              | 0.13                 | 0.54                | 63                  | 0.10                | 3.51                | 50                   | 1.6                  |
| I100052            |                                   | 0.093              | 0.10                 | 0.92                | 47                  | 0.14                | 5.22                | 52                   | 1.0                  |
| I100053            |                                   | 0.095              | 0.07                 | 0.57                | 55                  | 0.21                | 4.10                | 55                   | 1.7                  |
| I100054            |                                   | 0.074              | 0.06                 | 0.47                | 50                  | 0.10                | 7.09                | 55                   | 2.3                  |
| I100055            |                                   | 0.067              | 0.09                 | 0.57                | 43                  | 0.26                | 8.31                | 68                   | 3.5                  |
| I100056            |                                   | 0.070              | 0.09                 | 0.58                | 44                  | 0.42                | 8.77                | 67                   | 3.3                  |
| I100057            |                                   | 0.082              | 0.07                 | 0.78                | 48                  | 0.14                | 6.96                | 61                   | 1.5                  |
| I100058            |                                   | 0.081              | 0.06                 | 0.57                | 61                  | 0.12                | 2.46                | 50                   | 1.4                  |
| I100059            |                                   | 0.144              | 0.13                 | 0.41                | 68                  | 0.09                | 1.94                | 54                   | 2.3                  |
| I100060            |                                   | 0.141              | 0.14                 | 0.29                | 73                  | 0.09                | 1.73                | 51                   | 2.2                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - A  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100061            |                                   | 0.54                      | <0.005               | 0.04                 | 1.87               | 5.0                  | <0.2                 | <10                 | 210                  | 0.32                 | 0.11                 | 0.18               | 0.05                 | 21.0                 | 11.4                 | 21                   |
| I100062            |                                   | 0.46                      | <0.005               | 0.04                 | 1.62               | 6.0                  | <0.2                 | <10                 | 230                  | 0.27                 | 0.13                 | 0.18               | 0.06                 | 18.85                | 10.3                 | 25                   |
| I100063            |                                   | 0.46                      | <0.005               | 0.03                 | 2.48               | 7.8                  | <0.2                 | <10                 | 320                  | 0.34                 | 0.12                 | 0.31               | 0.06                 | 15.90                | 13.7                 | 23                   |
| I100064            |                                   | 0.54                      | <0.005               | 0.04                 | 2.35               | 3.8                  | <0.2                 | <10                 | 200                  | 0.33                 | 0.07                 | 0.30               | 0.06                 | 25.0                 | 14.5                 | 27                   |
| I100065            |                                   | 0.46                      | <0.005               | 0.03                 | 2.03               | 6.5                  | <0.2                 | <10                 | 160                  | 0.31                 | 0.15                 | 0.15               | 0.06                 | 17.50                | 10.5                 | 25                   |
| I100066            |                                   | 0.54                      | <0.005               | 0.05                 | 2.08               | 6.6                  | <0.2                 | <10                 | 200                  | 0.34                 | 0.15                 | 0.22               | 0.06                 | 18.35                | 10.4                 | 28                   |
| I100067            |                                   | 0.46                      | <0.005               | 0.05                 | 1.86               | 4.3                  | <0.2                 | <10                 | 350                  | 0.26                 | 0.14                 | 0.25               | 0.10                 | 16.65                | 12.7                 | 22                   |
| I100068            |                                   | 0.26                      | <0.005               | 0.06                 | 2.88               | 2.4                  | <0.2                 | <10                 | 110                  | 0.25                 | 0.06                 | 0.22               | 0.09                 | 11.70                | 14.1                 | 9                    |
| I100069            |                                   | 0.42                      | <0.005               | 0.04                 | 2.87               | 7.5                  | <0.2                 | <10                 | 160                  | 0.50                 | 0.15                 | 0.16               | 0.06                 | 17.90                | 16.9                 | 23                   |
| I100070            |                                   | 0.34                      | <0.005               | 0.14                 | 1.97               | 3.6                  | <0.2                 | <10                 | 160                  | 0.33                 | 0.12                 | 0.43               | 0.12                 | 32.3                 | 17.1                 | 18                   |
| I100071            |                                   | 0.46                      | <0.005               | 0.15                 | 2.07               | 10.2                 | <0.2                 | <10                 | 150                  | 0.38                 | 0.18                 | 0.18               | 0.05                 | 25.3                 | 9.0                  | 28                   |
| I100072            |                                   | 0.36                      | <0.005               | 0.13                 | 1.80               | 1.9                  | <0.2                 | <10                 | 190                  | 0.24                 | 0.12                 | 0.31               | 0.07                 | 34.1                 | 9.8                  | 17                   |
| I100073            |                                   | 0.36                      | <0.005               | 0.06                 | 1.85               | 5.9                  | <0.2                 | <10                 | 230                  | 0.25                 | 0.13                 | 0.37               | 0.06                 | 17.85                | 9.4                  | 19                   |
| I100074            |                                   | 0.50                      | <0.005               | 0.02                 | 2.11               | 9.0                  | <0.2                 | <10                 | 130                  | 0.36                 | 0.71                 | 0.22               | 0.07                 | 23.4                 | 11.0                 | 25                   |
| I100075            |                                   | 0.34                      | <0.005               | 0.02                 | 1.80               | 11.1                 | <0.2                 | <10                 | 100                  | 0.22                 | 0.21                 | 0.14               | 0.09                 | 19.05                | 7.2                  | 24                   |
| I100076            |                                   | 0.14                      | <0.005               | 0.01                 | 0.10               | 1.6                  | <0.2                 | <10                 | 30                   | 0.05                 | 0.02                 | 0.06               | 0.03                 | 8.27                 | 1.9                  | 3                    |
| I100077            |                                   | 0.48                      | <0.005               | 0.05                 | 3.25               | 8.0                  | <0.2                 | <10                 | 150                  | 0.53                 | 0.09                 | 0.20               | 0.05                 | 18.35                | 15.7                 | 20                   |
| I100078            |                                   | 0.48                      | <0.005               | 0.06                 | 2.29               | 8.6                  | <0.2                 | <10                 | 140                  | 0.32                 | 0.12                 | 0.19               | 0.05                 | 20.5                 | 12.1                 | 25                   |
| I100079            |                                   | 0.50                      | <0.005               | 0.03                 | 3.27               | 5.7                  | <0.2                 | <10                 | 260                  | 0.46                 | 0.05                 | 0.16               | 0.04                 | 23.3                 | 16.6                 | 16                   |
| I100080            |                                   | 0.52                      | <0.005               | 0.02                 | 2.65               | 10.2                 | <0.2                 | <10                 | 360                  | 0.41                 | 0.11                 | 0.23               | 0.07                 | 16.40                | 13.8                 | 28                   |
| I100081            |                                   | 0.44                      | <0.005               | 0.03                 | 2.74               | 8.4                  | <0.2                 | <10                 | 370                  | 0.40                 | 0.10                 | 0.26               | 0.07                 | 18.35                | 14.5                 | 27                   |
| I100082            |                                   | 0.60                      | <0.005               | 0.03                 | 1.84               | 8.7                  | <0.2                 | <10                 | 150                  | 0.35                 | 0.15                 | 0.16               | 0.07                 | 19.45                | 9.4                  | 30                   |
| I100083            |                                   | 0.48                      | <0.005               | 0.03                 | 2.45               | 7.5                  | <0.2                 | <10                 | 140                  | 0.42                 | 0.09                 | 0.19               | 0.05                 | 16.40                | 13.7                 | 23                   |
| I100084            |                                   | 0.56                      | <0.005               | 0.05                 | 1.87               | 6.1                  | <0.2                 | <10                 | 120                  | 0.36                 | 0.12                 | 0.15               | 0.06                 | 20.1                 | 10.1                 | 27                   |
| I100085            |                                   | 0.46                      | <0.005               | 0.06                 | 1.73               | 6.3                  | <0.2                 | <10                 | 270                  | 0.35                 | 0.14                 | 0.25               | 0.11                 | 20.0                 | 11.7                 | 27                   |
| I100170            |                                   | 0.38                      | 0.007                | 0.08                 | 1.51               | 4.1                  | <0.2                 | <10                 | 200                  | 0.29                 | 0.10                 | 0.49               | 0.15                 | 31.6                 | 9.5                  | 23                   |
| I100171            |                                   | 0.18                      | NSS                  | NSS                  | NSS                | NSS                  | NSS                  | NSS                 | NSS                  | NSS                  | NSS                  | NSS                | NSS                  | NSS                  | NSS                  | NSS                  |
| I100172            |                                   | 0.72                      | <0.005               | 0.12                 | 2.36               | 4.9                  | <0.2                 | <10                 | 190                  | 0.49                 | 0.15                 | 0.54               | 0.11                 | 45.2                 | 11.8                 | 25                   |
| I100173            |                                   | 0.58                      | <0.005               | 0.13                 | 2.60               | 6.1                  | <0.2                 | <10                 | 230                  | 0.53                 | 0.14                 | 0.42               | 0.07                 | 36.4                 | 14.3                 | 31                   |
| I100174            |                                   | 0.54                      | <0.005               | 0.06                 | 2.89               | 4.8                  | <0.2                 | <10                 | 270                  | 0.48                 | 0.11                 | 0.42               | 0.07                 | 41.9                 | 18.2                 | 36                   |
| I100175            |                                   | 0.52                      | <0.005               | 0.06                 | 2.16               | 6.6                  | <0.2                 | <10                 | 170                  | 0.29                 | 0.15                 | 0.26               | 0.07                 | 19.15                | 10.4                 | 24                   |
| I100176            |                                   | 0.42                      | <0.005               | 0.05                 | 2.95               | 4.9                  | <0.2                 | <10                 | 360                  | 0.31                 | 0.25                 | 0.25               | 0.09                 | 22.1                 | 12.8                 | 37                   |
| I100177            |                                   | 0.52                      | <0.005               | 0.10                 | 1.53               | 5.5                  | <0.2                 | <10                 | 170                  | 0.19                 | 0.14                 | 0.22               | 0.08                 | 18.70                | 8.1                  | 24                   |
| I100178            |                                   | 0.62                      | <0.005               | 0.06                 | 1.60               | 5.3                  | <0.2                 | <10                 | 220                  | 0.28                 | 0.12                 | 0.27               | 0.04                 | 18.00                | 9.8                  | 26                   |
| I100179            |                                   | 0.58                      | <0.005               | 0.07                 | 1.67               | 7.7                  | <0.2                 | <10                 | 250                  | 0.37                 | 0.33                 | 0.34               | 0.05                 | 28.1                 | 9.5                  | 30                   |
| I100180            |                                   | 0.58                      | <0.005               | 0.10                 | 1.63               | 8.2                  | <0.2                 | <10                 | 350                  | 0.48                 | 0.19                 | 0.29               | 0.10                 | 22.8                 | 10.6                 | 25                   |
| I100181            |                                   | 0.26                      | <0.005               | 0.01                 | 0.09               | 1.6                  | <0.2                 | <10                 | 20                   | 0.08                 | 0.02                 | 0.07               | 0.03                 | 10.00                | 2.1                  | 3                    |
| I100182            |                                   | 0.58                      | 0.006                | 0.15                 | 1.70               | 5.1                  | <0.2                 | <10                 | 210                  | 0.30                 | 0.15                 | 0.51               | 0.21                 | 35.7                 | 12.7                 | 25                   |
| I100183            |                                   | 0.24                      | NSS                  | NSS                  | NSS                | NSS                  | NSS                  | NSS                 | NSS                  | NSS                  | NSS                  | NSS                | NSS                  | NSS                  | NSS                  | NSS                  |
| I100184            |                                   | 0.44                      | <0.005               | 0.09                 | 1.46               | 6.5                  | <0.2                 | <10                 | 210                  | 0.27                 | 0.14                 | 0.44               | 0.16                 | 24.4                 | 9.6                  | 23                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - B  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100061            |                                   | 0.54    | 10.2    | 2.91    | 6.24    | 0.05    | 0.02    | 0.01    | 0.016   | 0.20    | 10.2    | 12.5    | 0.66    | 397     | 0.81    |
| I100062            |                                   | 0.39    | 10.7    | 2.59    | 5.38    | 0.05    | 0.05    | <0.01   | 0.018   | 0.13    | 9.9     | 11.6    | 0.48    | 468     | 0.76    |
| I100063            |                                   | 0.71    | 15.9    | 3.60    | 7.54    | 0.07    | 0.03    | 0.01    | 0.019   | 0.45    | 7.8     | 15.9    | 0.90    | 519     | 0.67    |
| I100064            |                                   | 0.76    | 12.8    | 3.71    | 9.12    | 0.09    | 0.10    | 0.01    | 0.022   | 0.50    | 10.3    | 18.5    | 1.12    | 477     | 0.58    |
| I100065            |                                   | 0.53    | 9.7     | 2.99    | 6.79    | 0.05    | 0.02    | 0.01    | 0.019   | 0.10    | 9.6     | 13.8    | 0.57    | 303     | 0.81    |
| I100066            |                                   | 0.48    | 10.8    | 2.95    | 6.57    | 0.05    | 0.03    | 0.01    | 0.021   | 0.08    | 9.2     | 13.2    | 0.51    | 262     | 0.84    |
| I100067            |                                   | 0.50    | 9.9     | 2.87    | 7.17    | 0.05    | 0.02    | 0.01    | 0.018   | 0.09    | 8.8     | 12.1    | 0.52    | 1080    | 0.76    |
| I100068            |                                   | 0.98    | 13.5    | 4.04    | 9.64    | 0.07    | 0.02    | 0.04    | 0.007   | 0.36    | 5.7     | 13.4    | 1.20    | 778     | 0.64    |
| I100069            |                                   | 1.40    | 16.6    | 4.14    | 9.12    | 0.08    | 0.08    | 0.04    | 0.017   | 0.77    | 8.6     | 20.5    | 1.22    | 622     | 0.91    |
| I100070            |                                   | 0.79    | 15.1    | 3.16    | 7.85    | 0.08    | 0.03    | 0.02    | 0.016   | 0.41    | 19.7    | 13.9    | 0.79    | 1740    | 1.44    |
| I100071            |                                   | 0.89    | 13.1    | 3.07    | 7.57    | 0.06    | 0.10    | 0.02    | 0.024   | 0.08    | 16.9    | 17.7    | 0.51    | 273     | 1.15    |
| I100072            |                                   | 1.27    | 13.0    | 2.51    | 7.65    | 0.07    | 0.03    | 0.01    | 0.012   | 0.24    | 23.8    | 11.2    | 0.77    | 401     | 0.74    |
| I100073            |                                   | 0.88    | 10.7    | 3.12    | 7.63    | 0.06    | 0.05    | 0.02    | 0.013   | 0.17    | 11.6    | 17.7    | 0.66    | 397     | 1.36    |
| I100074            |                                   | 0.87    | 16.0    | 2.96    | 6.03    | 0.06    | 0.06    | 0.02    | 0.021   | 0.15    | 12.8    | 19.4    | 0.64    | 332     | 0.75    |
| I100075            |                                   | 0.85    | 9.6     | 3.41    | 7.49    | 0.05    | 0.02    | 0.03    | 0.022   | 0.07    | 9.7     | 15.1    | 0.48    | 282     | 1.04    |
| I100076            |                                   | 0.07    | 1.7     | 0.62    | 0.49    | <0.05   | 0.05    | <0.01   | <0.005  | 0.03    | 4.3     | 1.1     | 0.03    | 137     | 0.33    |
| I100077            |                                   | 2.47    | 12.2    | 4.25    | 10.25   | 0.10    | 0.03    | 0.02    | 0.015   | 0.87    | 9.7     | 30.1    | 1.34    | 820     | 0.61    |
| I100078            |                                   | 0.95    | 14.7    | 3.41    | 7.52    | 0.07    | 0.07    | 0.02    | 0.020   | 0.28    | 11.4    | 22.2    | 0.87    | 512     | 0.88    |
| I100079            |                                   | 1.63    | 9.1     | 4.73    | 12.15   | 0.12    | 0.04    | 0.01    | 0.025   | 1.20    | 10.1    | 28.5    | 1.46    | 1240    | 0.54    |
| I100080            |                                   | 0.80    | 16.7    | 3.68    | 8.73    | 0.08    | 0.07    | 0.01    | 0.024   | 0.56    | 8.2     | 17.1    | 0.97    | 577     | 0.79    |
| I100081            |                                   | 0.76    | 15.0    | 3.98    | 9.02    | 0.09    | 0.06    | 0.01    | 0.022   | 0.66    | 8.6     | 16.8    | 1.08    | 631     | 0.75    |
| I100082            |                                   | 0.48    | 12.3    | 2.93    | 5.97    | 0.06    | 0.04    | 0.02    | 0.024   | 0.14    | 10.0    | 14.3    | 0.52    | 311     | 0.96    |
| I100083            |                                   | 0.75    | 15.2    | 3.34    | 8.28    | 0.07    | 0.05    | 0.01    | 0.017   | 0.36    | 8.4     | 21.0    | 0.96    | 451     | 0.76    |
| I100084            |                                   | 0.67    | 15.5    | 2.94    | 6.21    | 0.06    | 0.06    | 0.01    | 0.019   | 0.17    | 12.0    | 15.0    | 0.60    | 343     | 0.88    |
| I100085            |                                   | 0.54    | 12.1    | 2.90    | 5.86    | 0.06    | 0.03    | 0.02    | 0.020   | 0.20    | 10.4    | 12.5    | 0.54    | 759     | 0.85    |
| I100170            |                                   | 0.75    | 15.2    | 2.31    | 5.42    | 0.10    | 0.03    | 0.03    | 0.016   | 0.22    | 17.8    | 13.4    | 0.58    | 383     | 1.21    |
| I100171            |                                   | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     |
| I100172            |                                   | 0.79    | 55.2    | 3.34    | 7.82    | 0.12    | 0.10    | 0.02    | 0.020   | 0.43    | 29.8    | 16.0    | 0.97    | 572     | 1.70    |
| I100173            |                                   | 0.83    | 24.1    | 3.62    | 8.40    | 0.09    | 0.12    | 0.01    | 0.025   | 0.51    | 20.4    | 14.9    | 0.84    | 787     | 1.17    |
| I100174            |                                   | 1.25    | 14.9    | 4.07    | 9.70    | 0.11    | 0.09    | 0.02    | 0.019   | 0.75    | 18.1    | 18.6    | 1.32    | 842     | 1.01    |
| I100175            |                                   | 0.83    | 20.8    | 3.17    | 7.23    | 0.07    | 0.04    | 0.01    | 0.016   | 0.30    | 9.8     | 17.3    | 0.76    | 351     | 1.15    |
| I100176            |                                   | 1.06    | 95.7    | 4.58    | 10.15   | 0.15    | 0.04    | 0.01    | 0.012   | 1.03    | 19.4    | 16.4    | 1.86    | 495     | 2.92    |
| I100177            |                                   | 0.53    | 15.0    | 2.54    | 5.93    | 0.06    | 0.05    | 0.01    | 0.014   | 0.14    | 9.9     | 11.3    | 0.54    | 294     | 1.27    |
| I100178            |                                   | 0.50    | 18.7    | 2.57    | 5.20    | 0.06    | 0.10    | 0.01    | 0.017   | 0.11    | 9.3     | 12.5    | 0.58    | 307     | 1.55    |
| I100179            |                                   | 0.45    | 22.2    | 2.68    | 5.30    | 0.07    | 0.12    | 0.02    | 0.023   | 0.10    | 14.2    | 12.9    | 0.55    | 369     | 1.10    |
| I100180            |                                   | 0.66    | 23.7    | 2.31    | 5.86    | 0.06    | 0.06    | 0.02    | 0.023   | 0.07    | 12.0    | 10.5    | 0.39    | 701     | 1.17    |
| I100181            |                                   | 0.07    | 1.5     | 0.57    | 0.48    | <0.05   | 0.05    | <0.01   | <0.005  | 0.02    | 5.1     | 1.3     | 0.03    | 141     | 0.27    |
| I100182            |                                   | 0.72    | 17.6    | 2.72    | 5.64    | 0.09    | 0.03    | 0.04    | 0.017   | 0.24    | 19.7    | 13.3    | 0.69    | 624     | 1.12    |
| I100183            |                                   | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     |
| I100184            |                                   | 0.60    | 15.5    | 2.29    | 5.03    | 0.07    | 0.03    | 0.03    | 0.017   | 0.08    | 13.2    | 12.6    | 0.47    | 492     | 1.27    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - C  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100061            |                                   | 2.03    | 14.4    | 210     | 5.6     | 18.2    | <0.001  | 0.01    | 0.35    | 3.3     | <0.2    | 0.5     | 18.6    | <0.01   | 0.02    |
| I100062            |                                   | 1.66    | 15.7    | 260     | 6.4     | 12.3    | <0.001  | 0.01    | 0.41    | 2.8     | <0.2    | 0.5     | 19.5    | <0.01   | 0.02    |
| I100063            |                                   | 3.30    | 17.2    | 470     | 6.0     | 33.2    | <0.001  | 0.01    | 0.39    | 3.7     | 0.2     | 0.5     | 31.5    | <0.01   | 0.02    |
| I100064            |                                   | 2.32    | 17.0    | 400     | 4.1     | 37.2    | <0.001  | <0.01   | 0.25    | 7.2     | <0.2    | 0.7     | 29.6    | <0.01   | 0.01    |
| I100065            |                                   | 2.26    | 16.3    | 390     | 7.4     | 11.4    | <0.001  | 0.01    | 0.40    | 2.8     | 0.2     | 0.5     | 16.0    | <0.01   | 0.02    |
| I100066            |                                   | 1.71    | 17.9    | 260     | 7.6     | 10.7    | <0.001  | 0.01    | 0.43    | 2.9     | <0.2    | 0.6     | 23.0    | <0.01   | 0.02    |
| I100067            |                                   | 2.18    | 14.0    | 480     | 6.8     | 13.4    | <0.001  | 0.01    | 0.35    | 3.0     | <0.2    | 0.6     | 22.8    | <0.01   | 0.02    |
| I100068            |                                   | 6.06    | 6.1     | 640     | 3.1     | 38.5    | <0.001  | 0.02    | 0.19    | 2.0     | 0.2     | 0.4     | 18.0    | <0.01   | 0.02    |
| I100069            |                                   | 3.09    | 14.9    | 420     | 7.4     | 67.7    | <0.001  | 0.02    | 0.32    | 3.3     | 0.3     | 0.5     | 13.8    | <0.01   | 0.03    |
| I100070            |                                   | 2.85    | 10.0    | 410     | 6.3     | 49.6    | <0.001  | 0.02    | 0.20    | 4.5     | 0.5     | 0.5     | 31.7    | <0.01   | 0.02    |
| I100071            |                                   | 1.91    | 17.8    | 260     | 9.7     | 14.7    | <0.001  | 0.01    | 0.43    | 3.4     | 0.4     | 0.6     | 18.3    | <0.01   | 0.03    |
| I100072            |                                   | 3.36    | 8.7     | 200     | 5.7     | 58.0    | <0.001  | 0.02    | 0.15    | 2.9     | 0.4     | 0.5     | 32.0    | <0.01   | 0.01    |
| I100073            |                                   | 3.11    | 11.6    | 410     | 7.3     | 34.6    | <0.001  | 0.02    | 0.31    | 2.5     | 0.3     | 0.5     | 29.5    | <0.01   | 0.02    |
| I100074            |                                   | 2.17    | 20.0    | 480     | 7.7     | 22.6    | <0.001  | 0.02    | 0.41    | 3.6     | 0.5     | 0.5     | 17.4    | <0.01   | 0.02    |
| I100075            |                                   | 1.70    | 12.9    | 360     | 8.4     | 12.3    | <0.001  | 0.01    | 0.42    | 3.1     | 0.4     | 0.6     | 12.9    | <0.01   | 0.04    |
| I100076            |                                   | 0.16    | 3.4     | 100     | 1.3     | 1.7     | <0.001  | 0.01    | 0.09    | 0.5     | <0.2    | <0.2    | 5.4     | <0.01   | <0.01   |
| I100077            |                                   | 4.05    | 15.9    | 390     | 5.4     | 93.0    | <0.001  | 0.02    | 0.27    | 3.8     | 0.3     | 0.8     | 18.3    | <0.01   | 0.02    |
| I100078            |                                   | 2.64    | 17.9    | 250     | 6.5     | 36.9    | <0.001  | 0.01    | 0.40    | 3.7     | 0.4     | 0.6     | 18.8    | <0.01   | 0.02    |
| I100079            |                                   | 3.23    | 11.7    | 440     | 4.5     | 109.0   | <0.001  | 0.02    | 0.19    | 8.3     | 0.3     | 2.3     | 16.6    | <0.01   | 0.02    |
| I100080            |                                   | 1.79    | 18.9    | 400     | 6.5     | 42.2    | <0.001  | 0.01    | 0.37    | 5.7     | 0.3     | 0.6     | 23.2    | <0.01   | 0.03    |
| I100081            |                                   | 1.82    | 16.7    | 500     | 5.8     | 45.6    | <0.001  | 0.01    | 0.35    | 6.3     | 0.3     | 0.6     | 22.1    | <0.01   | 0.02    |
| I100082            |                                   | 1.53    | 18.9    | 250     | 8.4     | 15.3    | <0.001  | 0.01    | 0.52    | 3.5     | 0.3     | 0.6     | 19.5    | <0.01   | 0.02    |
| I100083            |                                   | 2.05    | 16.7    | 270     | 6.1     | 36.4    | <0.001  | 0.01    | 0.39    | 3.9     | 0.3     | 0.5     | 22.8    | <0.01   | 0.03    |
| I100084            |                                   | 1.91    | 16.6    | 240     | 6.9     | 22.1    | <0.001  | 0.01    | 0.41    | 3.3     | 0.3     | 0.5     | 15.9    | <0.01   | 0.02    |
| I100085            |                                   | 1.71    | 16.5    | 360     | 7.6     | 20.1    | <0.001  | 0.01    | 0.40    | 3.9     | 0.4     | 0.5     | 24.6    | <0.01   | 0.02    |
| I100170            |                                   | 1.83    | 14.3    | 720     | 5.3     | 25.1    | <0.001  | 0.04    | 0.21    | 4.3     | 0.7     | 0.5     | 38.0    | <0.01   | 0.02    |
| I100171            |                                   | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     |
| I100172            |                                   | 2.69    | 17.7    | 470     | 7.0     | 40.6    | <0.001  | 0.02    | 0.31    | 6.0     | 0.7     | 0.6     | 38.1    | <0.01   | 0.03    |
| I100173            |                                   | 2.31    | 18.6    | 320     | 7.7     | 43.4    | <0.001  | 0.02    | 0.40    | 7.6     | 0.5     | 0.8     | 30.5    | <0.01   | 0.02    |
| I100174            |                                   | 3.06    | 23.9    | 380     | 5.8     | 65.6    | <0.001  | 0.02    | 0.27    | 6.8     | 0.5     | 0.7     | 28.8    | <0.01   | 0.01    |
| I100175            |                                   | 2.35    | 12.8    | 290     | 6.8     | 37.6    | <0.001  | 0.01    | 0.29    | 3.3     | 0.3     | 0.6     | 23.3    | <0.01   | 0.03    |
| I100176            |                                   | 2.36    | 11.9    | 760     | 5.6     | 63.9    | <0.001  | 0.23    | 0.19    | 4.3     | 0.7     | 1.0     | 53.0    | <0.01   | 0.10    |
| I100177            |                                   | 1.87    | 12.4    | 220     | 7.3     | 17.0    | <0.001  | 0.01    | 0.31    | 2.6     | 0.4     | 0.5     | 20.5    | <0.01   | 0.02    |
| I100178            |                                   | 1.61    | 15.4    | 130     | 7.2     | 15.5    | <0.001  | 0.01    | 0.34    | 3.0     | 0.3     | 0.5     | 24.9    | <0.01   | 0.03    |
| I100179            |                                   | 1.36    | 18.6    | 310     | 7.6     | 11.4    | <0.001  | 0.01    | 0.38    | 5.1     | 0.5     | 0.5     | 29.0    | <0.01   | 0.03    |
| I100180            |                                   | 1.59    | 21.1    | 460     | 8.0     | 13.5    | <0.001  | 0.01    | 0.34    | 4.4     | 0.4     | 0.6     | 27.0    | <0.01   | 0.02    |
| I100181            |                                   | 0.15    | 3.6     | 120     | 1.3     | 1.6     | <0.001  | 0.01    | 0.09    | 0.5     | <0.2    | 0.2     | 5.1     | <0.01   | <0.01   |
| I100182            |                                   | 1.95    | 14.8    | 660     | 10.3    | 30.6    | <0.001  | 0.03    | 0.26    | 4.3     | 0.6     | 0.5     | 32.9    | <0.01   | 0.02    |
| I100183            |                                   | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     | NSS     |
| I100184            |                                   | 1.45    | 15.4    | 670     | 6.9     | 13.2    | <0.001  | 0.03    | 0.36    | 3.5     | 0.6     | 0.5     | 31.2    | <0.01   | 0.02    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - D  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100061            |                                   | 0.116              | 0.10                 | 0.32                | 67                  | 0.11                | 2.21                | 48                   | 1.1                  |
| I100062            |                                   | 0.086              | 0.09                 | 0.32                | 59                  | 0.08                | 1.97                | 45                   | 2.1                  |
| I100063            |                                   | 0.163              | 0.15                 | 0.32                | 82                  | 0.14                | 1.96                | 63                   | 1.4                  |
| I100064            |                                   | 0.163              | 0.14                 | 0.73                | 86                  | 0.06                | 3.80                | 64                   | 3.4                  |
| I100065            |                                   | 0.105              | 0.11                 | 0.31                | 69                  | 0.14                | 1.78                | 53                   | 0.9                  |
| I100066            |                                   | 0.085              | 0.10                 | 0.31                | 67                  | 0.11                | 1.94                | 51                   | 1.1                  |
| I100067            |                                   | 0.096              | 0.11                 | 0.30                | 69                  | 0.09                | 1.95                | 61                   | 0.6                  |
| I100068            |                                   | 0.227              | 0.22                 | 0.33                | 98                  | <0.05               | 1.61                | 74                   | 0.8                  |
| I100069            |                                   | 0.226              | 0.33                 | 0.43                | 96                  | 0.21                | 1.84                | 81                   | 2.9                  |
| I100070            |                                   | 0.135              | 0.20                 | 1.05                | 75                  | 0.15                | 4.13                | 60                   | 1.2                  |
| I100071            |                                   | 0.100              | 0.12                 | 0.52                | 71                  | 0.23                | 2.88                | 45                   | 3.7                  |
| I100072            |                                   | 0.167              | 0.23                 | 0.67                | 62                  | 0.15                | 3.12                | 53                   | 1.3                  |
| I100073            |                                   | 0.150              | 0.17                 | 0.38                | 72                  | 0.26                | 2.09                | 55                   | 1.9                  |
| I100074            |                                   | 0.107              | 0.14                 | 0.56                | 59                  | 0.18                | 3.69                | 51                   | 2.3                  |
| I100075            |                                   | 0.085              | 0.09                 | 0.45                | 72                  | 0.19                | 2.26                | 42                   | 0.9                  |
| I100076            |                                   | 0.007              | 0.03                 | 0.25                | 4                   | <0.05               | 1.62                | 3                    | 1.7                  |
| I100077            |                                   | 0.255              | 0.45                 | 0.41                | 106                 | 0.16                | 1.73                | 82                   | 1.5                  |
| I100078            |                                   | 0.163              | 0.21                 | 0.47                | 80                  | 0.22                | 2.59                | 58                   | 2.6                  |
| I100079            |                                   | 0.247              | 0.55                 | 0.78                | 114                 | 0.24                | 3.41                | 94                   | 1.4                  |
| I100080            |                                   | 0.199              | 0.19                 | 0.51                | 99                  | 0.20                | 2.73                | 66                   | 2.6                  |
| I100081            |                                   | 0.213              | 0.20                 | 0.53                | 103                 | 0.17                | 2.95                | 67                   | 2.3                  |
| I100082            |                                   | 0.106              | 0.10                 | 0.43                | 66                  | 0.19                | 2.15                | 53                   | 1.7                  |
| I100083            |                                   | 0.153              | 0.18                 | 0.47                | 87                  | 0.12                | 2.33                | 68                   | 1.8                  |
| I100084            |                                   | 0.122              | 0.12                 | 0.42                | 66                  | 0.16                | 2.27                | 51                   | 2.3                  |
| I100085            |                                   | 0.106              | 0.10                 | 0.46                | 62                  | 0.20                | 2.60                | 51                   | 1.3                  |
| I100170            |                                   | 0.104              | 0.13                 | 1.53                | 51                  | 0.31                | 6.86                | 57                   | 1.0                  |
| I100171            | NSS                               | NSS                | NSS                  | NSS                 | NSS                 | NSS                 | NSS                 | NSS                  | NSS                  |
| I100172            |                                   | 0.143              | 0.18                 | 2.08                | 69                  | 0.20                | 11.95               | 81                   | 3.9                  |
| I100173            |                                   | 0.156              | 0.19                 | 0.93                | 77                  | 0.21                | 6.69                | 84                   | 4.9                  |
| I100174            |                                   | 0.216              | 0.35                 | 0.80                | 93                  | 0.16                | 5.27                | 79                   | 3.6                  |
| I100175            |                                   | 0.170              | 0.19                 | 0.53                | 75                  | 0.24                | 2.66                | 56                   | 1.9                  |
| I100176            |                                   | 0.310              | 0.40                 | 1.01                | 130                 | 0.22                | 2.11                | 70                   | 1.8                  |
| I100177            |                                   | 0.138              | 0.11                 | 0.38                | 65                  | 0.20                | 2.11                | 38                   | 2.1                  |
| I100178            |                                   | 0.120              | 0.10                 | 0.38                | 61                  | 0.23                | 2.41                | 40                   | 3.8                  |
| I100179            |                                   | 0.119              | 0.08                 | 0.62                | 62                  | 0.22                | 6.39                | 47                   | 5.2                  |
| I100180            |                                   | 0.084              | 0.10                 | 0.65                | 56                  | 0.24                | 4.67                | 48                   | 2.8                  |
| I100181            |                                   | 0.006              | 0.02                 | 0.26                | 4                   | <0.05               | 1.90                | 4                    | 1.7                  |
| I100182            |                                   | 0.114              | 0.16                 | 1.16                | 58                  | 0.17                | 7.42                | 66                   | 1.3                  |
| I100183            | NSS                               | NSS                | NSS                  | NSS                 | NSS                 | NSS                 | NSS                 | NSS                  | NSS                  |
| I100184            |                                   | 0.080              | 0.09                 | 0.97                | 49                  | 0.24                | 5.52                | 60                   | 1.0                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - A  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100185            |                                   | 0.48                      | <0.005               | 0.06                 | 1.62               | 6.3                  | <0.2                 | <10                 | 240                  | 0.31                 | 0.15                 | 0.43               | 0.11                 | 25.2                 | 7.9                  | 26                   |
| I100186            |                                   | 0.50                      | <0.005               | 0.09                 | 1.46               | 9.2                  | <0.2                 | <10                 | 290                  | 0.33                 | 0.14                 | 0.44               | 0.15                 | 26.7                 | 11.5                 | 25                   |
| I100187            |                                   | 0.50                      | <0.005               | 0.09                 | 1.41               | 7.2                  | <0.2                 | <10                 | 310                  | 0.38                 | 0.14                 | 0.69               | 0.43                 | 24.2                 | 9.2                  | 25                   |
| I100188            |                                   | 0.66                      | 0.005                | 0.11                 | 1.44               | 7.6                  | <0.2                 | <10                 | 330                  | 0.35                 | 0.15                 | 0.71               | 0.34                 | 25.3                 | 8.7                  | 25                   |
| I100189            |                                   | 0.48                      | 0.006                | 0.13                 | 1.45               | 9.6                  | <0.2                 | <10                 | 340                  | 0.40                 | 0.16                 | 0.59               | 0.20                 | 29.3                 | 10.6                 | 27                   |
| I100190            |                                   | 0.78                      | <0.005               | 0.07                 | 1.79               | 8.7                  | <0.2                 | <10                 | 270                  | 0.41                 | 0.18                 | 0.41               | 0.10                 | 31.3                 | 10.6                 | 28                   |
| I100191            |                                   | 0.58                      | <0.005               | 0.05                 | 2.09               | 10.8                 | <0.2                 | <10                 | 180                  | 0.27                 | 0.18                 | 0.30               | 0.08                 | 18.50                | 8.6                  | 29                   |
| I100192            |                                   | 0.42                      | <0.005               | 0.08                 | 0.95               | 4.6                  | <0.2                 | <10                 | 90                   | 0.16                 | 0.18                 | 0.15               | 0.04                 | 16.00                | 4.4                  | 13                   |
| I100193            |                                   | 0.66                      | 0.005                | 0.05                 | 2.10               | 9.5                  | <0.2                 | <10                 | 170                  | 0.34                 | 0.16                 | 0.23               | 0.05                 | 21.9                 | 7.8                  | 23                   |
| I100194            |                                   | 0.50                      | <0.005               | 0.02                 | 1.75               | 7.1                  | <0.2                 | <10                 | 150                  | 0.26                 | 0.11                 | 0.25               | 0.04                 | 26.1                 | 8.3                  | 23                   |
| I100195            |                                   | 0.76                      | 0.010                | 0.06                 | 1.44               | 6.4                  | <0.2                 | <10                 | 140                  | 0.23                 | 0.11                 | 0.36               | 0.07                 | 31.7                 | 7.3                  | 20                   |
| I100196            |                                   | 0.70                      | 0.009                | 0.06                 | 1.57               | 4.5                  | <0.2                 | <10                 | 120                  | 0.26                 | 0.10                 | 0.31               | 0.05                 | 31.8                 | 6.5                  | 18                   |
| I100197            |                                   | 0.46                      | <0.005               | 0.05                 | 1.83               | 4.6                  | <0.2                 | <10                 | 150                  | 0.34                 | 0.13                 | 0.15               | 0.13                 | 33.4                 | 7.6                  | 17                   |
| I100251            |                                   | 0.30                      | 0.005                | 0.10                 | 1.32               | 7.7                  | <0.2                 | <10                 | 250                  | 0.37                 | 0.13                 | 0.69               | 0.27                 | 25.4                 | 9.4                  | 23                   |
| I100252            |                                   | 0.14                      | 0.005                | 0.07                 | 1.34               | 6.2                  | <0.2                 | <10                 | 200                  | 0.26                 | 0.13                 | 0.47               | 0.17                 | 23.3                 | 8.6                  | 22                   |
| I100253            |                                   | 0.34                      | 0.008                | 0.09                 | 2.23               | 4.9                  | <0.2                 | <10                 | 200                  | 0.34                 | 0.17                 | 0.29               | 0.14                 | 20.2                 | 13.0                 | 23                   |
| I100254            |                                   | 0.28                      | <0.005               | 0.11                 | 1.71               | 5.5                  | <0.2                 | <10                 | 300                  | 0.31                 | 0.15                 | 0.24               | 0.11                 | 17.65                | 10.5                 | 24                   |
| I100255            |                                   | 0.18                      | <0.005               | 0.24                 | 1.92               | 7.3                  | <0.2                 | <10                 | 210                  | 0.39                 | 0.14                 | 0.21               | 0.09                 | 19.35                | 10.3                 | 28                   |
| I100256            |                                   | 0.26                      | <0.005               | 0.08                 | 2.22               | 7.3                  | <0.2                 | <10                 | 240                  | 0.37                 | 0.14                 | 0.30               | 0.08                 | 17.60                | 11.5                 | 27                   |
| I100257            |                                   | 0.18                      | <0.005               | 0.05                 | 1.94               | 4.0                  | <0.2                 | <10                 | 180                  | 0.30                 | 0.16                 | 0.16               | 0.16                 | 13.90                | 8.1                  | 18                   |
| I100258            |                                   | 0.10                      | NSS                  | 0.20                 | 0.98               | 2.4                  | <0.2                 | <10                 | 180                  | 0.42                 | 0.11                 | 0.19               | 0.14                 | 32.8                 | 3.8                  | 13                   |
| I100259            |                                   | 0.10                      | <0.005               | 0.05                 | 1.82               | 6.4                  | <0.2                 | <10                 | 100                  | 0.24                 | 0.14                 | 0.17               | 0.09                 | 20.4                 | 8.0                  | 20                   |
| I100260            |                                   | 0.14                      | <0.005               | 0.01                 | 0.11               | 2.0                  | <0.2                 | <10                 | 30                   | 0.09                 | 0.04                 | 0.08               | 0.04                 | 9.41                 | 2.2                  | 3                    |
| I100261            |                                   | 0.18                      | <0.005               | 0.13                 | 1.70               | 6.8                  | <0.2                 | <10                 | 210                  | 0.23                 | 0.14                 | 0.38               | 0.12                 | 22.0                 | 9.3                  | 24                   |
| I100262            |                                   | 0.20                      | 0.006                | 0.10                 | 1.67               | 5.2                  | <0.2                 | <10                 | 150                  | 0.21                 | 0.10                 | 0.39               | 0.09                 | 22.7                 | 11.1                 | 20                   |
| I100263            |                                   | 0.12                      | <0.005               | 0.11                 | 1.47               | 9.6                  | <0.2                 | <10                 | 240                  | 0.34                 | 0.16                 | 0.58               | 0.47                 | 23.4                 | 10.6                 | 28                   |
| I100264            |                                   | 0.20                      | <0.005               | 0.13                 | 1.46               | 5.5                  | <0.2                 | <10                 | 160                  | 0.21                 | 0.13                 | 0.30               | 0.12                 | 25.3                 | 7.5                  | 24                   |
| I100265            |                                   | 0.12                      | 0.007                | 0.15                 | 1.51               | 5.9                  | <0.2                 | <10                 | 180                  | 0.23                 | 0.13                 | 0.30               | 0.11                 | 27.8                 | 7.7                  | 25                   |
| I100266            |                                   | 0.18                      | 0.009                | 0.16                 | 1.50               | 4.8                  | <0.2                 | <10                 | 200                  | 0.31                 | 0.11                 | 0.34               | 0.12                 | 31.3                 | 18.4                 | 22                   |
| I100267            |                                   | 0.24                      | <0.005               | 0.11                 | 1.55               | 5.8                  | <0.2                 | <10                 | 220                  | 0.32                 | 0.14                 | 0.61               | 0.11                 | 28.4                 | 9.9                  | 24                   |
| I100268            |                                   | 0.22                      | <0.005               | 0.15                 | 1.79               | 7.3                  | <0.2                 | <10                 | 270                  | 0.39                 | 0.14                 | 0.46               | 0.16                 | 33.4                 | 10.8                 | 24                   |
| I100269            |                                   | 0.10                      | <0.005               | 0.23                 | 1.34               | 5.8                  | <0.2                 | <10                 | 280                  | 0.26                 | 0.12                 | 1.18               | 0.14                 | 31.4                 | 9.9                  | 19                   |
| I100270            |                                   | 0.20                      | <0.005               | 0.15                 | 2.07               | 4.9                  | <0.2                 | <10                 | 200                  | 0.32                 | 0.12                 | 0.44               | 0.09                 | 22.4                 | 10.3                 | 21                   |
| I100271            |                                   | 0.24                      | 0.011                | 0.06                 | 1.49               | 5.8                  | <0.2                 | <10                 | 110                  | 0.30                 | 0.13                 | 0.24               | 0.04                 | 19.80                | 8.6                  | 25                   |
| I100272            |                                   | 0.20                      | <0.005               | 0.16                 | 1.66               | 6.0                  | <0.2                 | <10                 | 130                  | 0.24                 | 0.12                 | 0.20               | 0.05                 | 16.45                | 9.7                  | 27                   |
| I100273            |                                   | 0.16                      | <0.005               | 0.20                 | 1.38               | 3.0                  | <0.2                 | <10                 | 120                  | 0.17                 | 0.12                 | 0.18               | 0.05                 | 20.8                 | 9.7                  | 18                   |
| I100274            |                                   | 0.18                      | 0.009                | 0.18                 | 2.02               | 6.9                  | <0.2                 | <10                 | 220                  | 0.42                 | 0.24                 | 0.28               | 0.16                 | 30.7                 | 10.4                 | 28                   |
| I100275            |                                   | 0.20                      | 0.011                | 0.03                 | 2.69               | 4.0                  | <0.2                 | <10                 | 160                  | 0.51                 | 0.27                 | 0.16               | 0.07                 | 72.5                 | 18.0                 | 41                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - B  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100185            |                                   | 0.61    | 17.3    | 2.35    | 5.15    | 0.07    | 0.03    | 0.03    | 0.022   | 0.06    | 13.2    | 14.9    | 0.50    | 210     | 0.73    |
| I100186            |                                   | 0.59    | 20.6    | 2.52    | 4.70    | 0.06    | 0.06    | 0.04    | 0.021   | 0.05    | 13.5    | 14.9    | 0.48    | 388     | 0.99    |
| I100187            |                                   | 0.53    | 21.0    | 2.31    | 4.58    | 0.07    | 0.05    | 0.02    | 0.020   | 0.05    | 12.3    | 13.7    | 0.49    | 455     | 0.80    |
| I100188            |                                   | 0.52    | 23.3    | 2.33    | 4.51    | 0.07    | 0.06    | 0.02    | 0.020   | 0.05    | 12.9    | 13.6    | 0.51    | 364     | 0.81    |
| I100189            |                                   | 0.57    | 30.7    | 2.60    | 4.74    | 0.07    | 0.11    | 0.02    | 0.022   | 0.09    | 14.9    | 13.9    | 0.59    | 400     | 0.83    |
| I100190            |                                   | 0.59    | 29.8    | 2.75    | 5.83    | 0.07    | 0.14    | 0.04    | 0.023   | 0.09    | 16.4    | 15.3    | 0.58    | 341     | 0.88    |
| I100191            |                                   | 0.75    | 14.9    | 3.03    | 6.33    | 0.05    | 0.06    | 0.01    | 0.024   | 0.06    | 9.4     | 15.0    | 0.42    | 228     | 3.13    |
| I100192            |                                   | 0.37    | 8.8     | 1.54    | 5.49    | <0.05   | 0.02    | 0.01    | 0.011   | 0.09    | 9.1     | 4.6     | 0.20    | 183     | 1.09    |
| I100193            |                                   | 0.65    | 14.3    | 2.93    | 7.76    | 0.06    | 0.08    | 0.01    | 0.020   | 0.18    | 12.5    | 13.8    | 0.48    | 308     | 1.58    |
| I100194            |                                   | 0.53    | 13.4    | 2.66    | 6.11    | 0.06    | 0.12    | 0.01    | 0.016   | 0.13    | 14.6    | 14.7    | 0.60    | 267     | 1.31    |
| I100195            |                                   | 0.60    | 13.5    | 2.39    | 5.25    | 0.06    | 0.07    | 0.01    | 0.017   | 0.11    | 18.8    | 15.1    | 0.53    | 256     | 1.60    |
| I100196            |                                   | 0.66    | 12.3    | 2.41    | 6.01    | 0.08    | 0.09    | 0.03    | 0.014   | 0.21    | 23.8    | 16.3    | 0.60    | 260     | 1.89    |
| I100197            |                                   | 0.87    | 12.1    | 2.68    | 8.70    | 0.06    | 0.04    | 0.01    | 0.015   | 0.12    | 19.8    | 15.5    | 0.40    | 548     | 4.85    |
| I100251            |                                   | 0.49    | 22.0    | 2.24    | 4.28    | 0.06    | 0.06    | 0.02    | 0.019   | 0.05    | 12.8    | 11.9    | 0.46    | 350     | 0.71    |
| I100252            |                                   | 0.56    | 18.9    | 2.18    | 4.43    | 0.06    | 0.04    | 0.03    | 0.016   | 0.12    | 12.1    | 11.4    | 0.51    | 300     | 0.84    |
| I100253            |                                   | 1.02    | 14.1    | 3.30    | 7.16    | 0.06    | 0.06    | 0.01    | 0.016   | 0.23    | 8.9     | 16.1    | 0.88    | 585     | 0.92    |
| I100254            |                                   | 0.58    | 11.0    | 2.82    | 6.25    | 0.05    | 0.06    | 0.01    | 0.018   | 0.12    | 8.8     | 11.8    | 0.49    | 685     | 0.86    |
| I100255            |                                   | 0.51    | 15.5    | 2.97    | 5.95    | 0.05    | 0.05    | 0.01    | 0.021   | 0.14    | 10.1    | 14.8    | 0.56    | 256     | 0.88    |
| I100256            |                                   | 0.74    | 13.1    | 3.17    | 6.98    | 0.05    | 0.02    | 0.01    | 0.020   | 0.15    | 9.1     | 14.9    | 0.68    | 362     | 0.86    |
| I100257            |                                   | 0.83    | 9.2     | 3.25    | 9.20    | 0.05    | 0.03    | 0.02    | 0.014   | 0.07    | 7.6     | 11.0    | 0.49    | 301     | 0.93    |
| I100258            |                                   | 0.68    | 25.3    | 1.40    | 3.21    | 0.05    | <0.02   | 0.08    | 0.012   | 0.09    | 25.8    | 3.2     | 0.20    | 130     | 0.92    |
| I100259            |                                   | 0.64    | 13.4    | 2.87    | 7.20    | 0.06    | 0.02    | 0.03    | 0.015   | 0.09    | 11.8    | 13.6    | 0.62    | 290     | 1.19    |
| I100260            |                                   | 0.08    | 2.1     | 0.71    | 0.66    | <0.05   | 0.05    | <0.01   | <0.005  | 0.03    | 4.9     | 1.4     | 0.04    | 160     | 0.33    |
| I100261            |                                   | 0.77    | 16.2    | 2.60    | 5.64    | 0.06    | 0.02    | 0.03    | 0.018   | 0.07    | 12.4    | 13.1    | 0.61    | 365     | 0.93    |
| I100262            |                                   | 0.73    | 14.5    | 2.66    | 5.78    | 0.07    | 0.03    | 0.02    | 0.014   | 0.20    | 13.9    | 11.3    | 0.70    | 393     | 1.22    |
| I100263            |                                   | 0.62    | 19.8    | 2.64    | 5.23    | 0.06    | 0.04    | 0.02    | 0.023   | 0.09    | 11.9    | 14.1    | 0.55    | 395     | 1.27    |
| I100264            |                                   | 0.71    | 15.7    | 2.24    | 5.22    | 0.06    | 0.02    | 0.03    | 0.018   | 0.06    | 13.2    | 12.0    | 0.51    | 187     | 0.75    |
| I100265            |                                   | 0.74    | 16.8    | 2.32    | 5.37    | 0.06    | 0.02    | 0.04    | 0.019   | 0.06    | 14.2    | 11.9    | 0.51    | 181     | 0.74    |
| I100266            |                                   | 0.66    | 19.1    | 2.42    | 4.99    | 0.07    | 0.02    | 0.03    | 0.016   | 0.09    | 16.5    | 10.9    | 0.55    | 600     | 0.93    |
| I100267            |                                   | 0.61    | 20.8    | 2.33    | 5.14    | 0.07    | 0.05    | 0.03    | 0.019   | 0.07    | 15.0    | 13.1    | 0.55    | 474     | 0.88    |
| I100268            |                                   | 0.61    | 28.5    | 2.85    | 5.84    | 0.08    | 0.05    | 0.04    | 0.020   | 0.13    | 20.9    | 14.2    | 0.64    | 434     | 1.11    |
| I100269            |                                   | 0.50    | 23.0    | 2.18    | 4.52    | 0.08    | 0.05    | 0.07    | 0.017   | 0.15    | 24.9    | 10.8    | 0.55    | 400     | 1.17    |
| I100270            |                                   | 0.63    | 20.7    | 3.09    | 6.54    | 0.08    | 0.06    | 0.02    | 0.017   | 0.31    | 15.9    | 18.2    | 0.82    | 353     | 1.13    |
| I100271            |                                   | 0.58    | 16.8    | 2.58    | 4.75    | 0.06    | 0.08    | 0.01    | 0.045   | 0.14    | 10.9    | 16.5    | 0.61    | 259     | 0.73    |
| I100272            |                                   | 0.83    | 15.5    | 2.77    | 5.66    | 0.07    | 0.03    | 0.02    | 0.015   | 0.29    | 8.6     | 15.3    | 0.70    | 313     | 0.66    |
| I100273            |                                   | 0.88    | 11.8    | 2.42    | 6.51    | 0.05    | 0.02    | 0.01    | 0.011   | 0.33    | 10.6    | 8.4     | 0.62    | 585     | 0.77    |
| I100274            |                                   | 0.56    | 39.2    | 3.15    | 7.72    | 0.07    | 0.02    | 0.02    | 0.029   | 0.12    | 16.9    | 11.2    | 0.61    | 332     | 2.12    |
| I100275            |                                   | 1.75    | 34.2    | 4.16    | 9.84    | 0.11    | 0.06    | 0.01    | 0.027   | 0.54    | 32.6    | 18.4    | 1.06    | 279     | 0.88    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - C  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100185            |                                   | 1.32    | 18.4    | 580     | 7.8     | 9.3     | <0.001  | 0.02    | 0.45    | 3.7     | 0.6     | 0.5     | 28.8    | <0.01   | 0.02    |
| I100186            |                                   | 1.42    | 20.7    | 620     | 7.7     | 8.3     | <0.001  | 0.02    | 0.57    | 3.9     | 0.7     | 0.4     | 31.5    | <0.01   | 0.03    |
| I100187            |                                   | 1.26    | 21.3    | 730     | 7.2     | 9.0     | <0.001  | 0.02    | 0.51    | 3.8     | 0.7     | 0.4     | 42.5    | <0.01   | 0.02    |
| I100188            |                                   | 1.27    | 23.5    | 700     | 7.6     | 7.5     | <0.001  | 0.03    | 0.57    | 3.9     | 0.8     | 0.4     | 42.7    | <0.01   | 0.03    |
| I100189            |                                   | 1.30    | 26.8    | 800     | 8.0     | 8.6     | <0.001  | 0.02    | 0.69    | 4.5     | 0.4     | 0.4     | 35.4    | <0.01   | 0.03    |
| I100190            |                                   | 1.65    | 21.2    | 530     | 7.6     | 12.9    | <0.001  | 0.01    | 0.58    | 5.1     | 0.5     | 0.5     | 33.5    | <0.01   | 0.03    |
| I100191            |                                   | 1.64    | 19.1    | 380     | 8.0     | 14.9    | <0.001  | 0.01    | 0.51    | 3.0     | 0.2     | 0.6     | 26.7    | <0.01   | 0.03    |
| I100192            |                                   | 1.61    | 6.5     | 290     | 7.0     | 12.2    | <0.001  | 0.02    | 0.22    | 1.9     | <0.2    | 0.7     | 17.5    | <0.01   | 0.02    |
| I100193            |                                   | 2.69    | 12.4    | 330     | 7.2     | 26.5    | <0.001  | 0.01    | 0.34    | 3.5     | 0.2     | 0.9     | 28.1    | <0.01   | 0.03    |
| I100194            |                                   | 1.93    | 13.7    | 270     | 5.7     | 18.3    | <0.001  | 0.01    | 0.30    | 3.3     | 0.2     | 0.6     | 33.0    | <0.01   | 0.02    |
| I100195            |                                   | 1.89    | 14.3    | 570     | 5.5     | 15.6    | <0.001  | 0.01    | 0.31    | 3.2     | 0.2     | 0.8     | 28.9    | <0.01   | 0.02    |
| I100196            |                                   | 2.27    | 10.2    | 410     | 6.0     | 29.8    | <0.001  | 0.01    | 0.23    | 3.4     | 0.2     | 0.6     | 25.8    | <0.01   | 0.02    |
| I100197            |                                   | 3.22    | 9.8     | 400     | 6.6     | 25.5    | <0.001  | 0.01    | 0.32    | 3.2     | <0.2    | 0.8     | 22.4    | <0.01   | 0.03    |
| I100251            |                                   | 1.24    | 21.0    | 650     | 6.4     | 8.0     | 0.001   | 0.02    | 0.50    | 3.7     | 0.5     | 0.4     | 38.6    | <0.01   | 0.02    |
| I100252            |                                   | 1.67    | 16.7    | 670     | 6.1     | 12.9    | <0.001  | 0.04    | 0.42    | 3.2     | 0.6     | 0.4     | 32.2    | <0.01   | 0.03    |
| I100253            |                                   | 2.58    | 14.7    | 250     | 15.0    | 26.9    | <0.001  | 0.01    | 0.36    | 3.0     | 0.2     | 0.4     | 27.0    | <0.01   | 0.03    |
| I100254            |                                   | 1.83    | 15.2    | 640     | 7.2     | 11.5    | <0.001  | 0.01    | 0.42    | 2.8     | 0.2     | 0.5     | 22.2    | <0.01   | 0.03    |
| I100255            |                                   | 1.60    | 18.1    | 280     | 7.7     | 14.8    | <0.001  | 0.01    | 0.39    | 3.1     | 0.2     | 0.5     | 21.4    | <0.01   | 0.02    |
| I100256            |                                   | 2.25    | 18.0    | 320     | 7.1     | 20.5    | <0.001  | 0.02    | 0.41    | 2.8     | 0.2     | 0.5     | 29.0    | <0.01   | 0.02    |
| I100257            |                                   | 3.27    | 10.2    | 1320    | 6.8     | 17.9    | <0.001  | 0.02    | 0.39    | 2.1     | 0.2     | 0.6     | 18.1    | <0.01   | 0.03    |
| I100258            |                                   | 0.68    | 7.9     | 870     | 5.0     | 11.6    | <0.001  | 0.06    | 0.18    | 0.6     | 0.7     | 0.3     | 23.5    | <0.01   | 0.03    |
| I100259            |                                   | 2.37    | 11.3    | 300     | 6.1     | 14.0    | <0.001  | 0.03    | 0.29    | 2.4     | 0.3     | 0.5     | 16.3    | <0.01   | 0.03    |
| I100260            |                                   | 0.21    | 3.9     | 120     | 1.4     | 2.1     | <0.001  | 0.01    | 0.11    | 0.5     | <0.2    | <0.2    | 6.8     | <0.01   | 0.01    |
| I100261            |                                   | 1.58    | 15.4    | 560     | 6.8     | 14.2    | <0.001  | 0.03    | 0.34    | 3.3     | 0.4     | 0.4     | 28.8    | <0.01   | 0.03    |
| I100262            |                                   | 2.07    | 12.1    | 510     | 5.0     | 22.8    | <0.001  | 0.03    | 0.31    | 3.2     | 0.4     | 0.4     | 28.2    | <0.01   | 0.03    |
| I100263            |                                   | 1.48    | 21.1    | 860     | 7.4     | 12.5    | <0.001  | 0.02    | 0.55    | 3.8     | 0.4     | 0.5     | 33.3    | <0.01   | 0.03    |
| I100264            |                                   | 1.19    | 14.3    | 610     | 6.7     | 13.0    | <0.001  | 0.03    | 0.29    | 2.8     | 0.4     | 0.4     | 22.8    | <0.01   | 0.03    |
| I100265            |                                   | 1.20    | 14.9    | 640     | 7.0     | 13.7    | 0.001   | 0.04    | 0.31    | 2.9     | 0.5     | 0.4     | 24.2    | <0.01   | 0.03    |
| I100266            |                                   | 1.32    | 13.6    | 750     | 6.4     | 14.1    | <0.001  | 0.04    | 0.34    | 3.4     | 0.6     | 0.4     | 26.9    | <0.01   | 0.03    |
| I100267            |                                   | 1.68    | 15.9    | 650     | 6.9     | 11.0    | <0.001  | 0.04    | 0.47    | 4.2     | 0.6     | 0.4     | 39.7    | <0.01   | 0.02    |
| I100268            |                                   | 2.03    | 18.6    | 570     | 6.9     | 16.6    | 0.001   | 0.03    | 0.45    | 4.5     | 0.5     | 0.4     | 35.3    | <0.01   | 0.03    |
| I100269            |                                   | 1.72    | 13.7    | 720     | 5.9     | 14.8    | 0.002   | 0.12    | 0.39    | 3.7     | 1.1     | 0.3     | 63.5    | <0.01   | 0.03    |
| I100270            |                                   | 2.28    | 12.5    | 280     | 6.3     | 26.7    | <0.001  | 0.02    | 0.36    | 3.1     | 0.3     | 0.5     | 30.7    | <0.01   | 0.02    |
| I100271            |                                   | 1.44    | 15.5    | 360     | 6.2     | 15.2    | <0.001  | 0.01    | 0.35    | 2.8     | 0.2     | 0.4     | 18.1    | <0.01   | 0.02    |
| I100272            |                                   | 1.71    | 14.6    | 160     | 6.3     | 32.8    | <0.001  | 0.01    | 0.32    | 2.7     | 0.2     | 0.4     | 19.4    | <0.01   | 0.02    |
| I100273            |                                   | 2.07    | 10.2    | 320     | 7.5     | 44.3    | <0.001  | 0.02    | 0.25    | 2.5     | <0.2    | 0.5     | 16.6    | <0.01   | 0.02    |
| I100274            |                                   | 1.37    | 20.4    | 440     | 11.8    | 17.8    | 0.001   | 0.12    | 0.37    | 3.6     | 0.5     | 0.7     | 31.0    | <0.01   | 0.05    |
| I100275            |                                   | 2.18    | 42.7    | 200     | 6.5     | 56.7    | <0.001  | 0.01    | 0.24    | 6.4     | 0.3     | 0.9     | 13.2    | <0.01   | 0.03    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - D  
Total # Pages: 5 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100185            |                                   | 0.081              | 0.08                 | 0.79                | 49                  | 0.25                | 5.80                | 57                   | 1.1                  |
| I100186            |                                   | 0.078              | 0.07                 | 0.76                | 50                  | 0.36                | 7.29                | 60                   | 2.3                  |
| I100187            |                                   | 0.074              | 0.06                 | 0.85                | 48                  | 0.38                | 6.96                | 61                   | 2.0                  |
| I100188            |                                   | 0.073              | 0.06                 | 1.21                | 50                  | 0.24                | 7.78                | 55                   | 2.3                  |
| I100189            |                                   | 0.089              | 0.08                 | 0.43                | 54                  | 0.29                | 9.50                | 65                   | 4.4                  |
| I100190            |                                   | 0.107              | 0.09                 | 0.90                | 59                  | 0.24                | 8.49                | 64                   | 6.1                  |
| I100191            |                                   | 0.081              | 0.09                 | 0.47                | 68                  | 0.22                | 2.20                | 46                   | 2.2                  |
| I100192            |                                   | 0.088              | 0.09                 | 0.42                | 44                  | 0.27                | 1.93                | 26                   | 0.8                  |
| I100193            |                                   | 0.124              | 0.14                 | 0.76                | 69                  | 0.21                | 3.19                | 48                   | 3.2                  |
| I100194            |                                   | 0.119              | 0.10                 | 0.84                | 59                  | 0.13                | 3.80                | 44                   | 4.0                  |
| I100195            |                                   | 0.103              | 0.10                 | 0.84                | 51                  | 0.21                | 5.58                | 47                   | 3.1                  |
| I100196            |                                   | 0.122              | 0.14                 | 1.43                | 53                  | 0.20                | 5.10                | 47                   | 3.4                  |
| I100197            |                                   | 0.108              | 0.16                 | 3.75                | 60                  | 0.12                | 3.70                | 52                   | 1.1                  |
| I100251            |                                   | 0.076              | 0.06                 | 0.68                | 48                  | 0.29                | 7.32                | 49                   | 2.1                  |
| I100252            |                                   | 0.090              | 0.08                 | 0.64                | 49                  | 0.20                | 5.65                | 52                   | 1.5                  |
| I100253            |                                   | 0.169              | 0.17                 | 0.39                | 72                  | 0.12                | 2.33                | 93                   | 2.2                  |
| I100254            |                                   | 0.110              | 0.11                 | 0.31                | 61                  | 0.20                | 1.97                | 60                   | 2.3                  |
| I100255            |                                   | 0.113              | 0.10                 | 0.36                | 65                  | 0.16                | 2.29                | 51                   | 2.0                  |
| I100256            |                                   | 0.131              | 0.12                 | 0.33                | 72                  | 0.19                | 1.99                | 59                   | 1.2                  |
| I100257            |                                   | 0.170              | 0.14                 | 0.26                | 72                  | 0.17                | 1.39                | 69                   | 1.4                  |
| I100258            |                                   | 0.030              | 0.06                 | 1.10                | 25                  | 0.06                | 3.86                | 21                   | <0.5                 |
| I100259            |                                   | 0.134              | 0.13                 | 0.45                | 72                  | 0.18                | 2.35                | 51                   | 0.8                  |
| I100260            |                                   | 0.007              | 0.03                 | 0.26                | 4                   | <0.05               | 1.91                | 4                    | 2.1                  |
| I100261            |                                   | 0.096              | 0.10                 | 0.66                | 60                  | 0.14                | 4.31                | 60                   | 0.8                  |
| I100262            |                                   | 0.124              | 0.12                 | 0.57                | 60                  | 0.25                | 3.81                | 57                   | 1.1                  |
| I100263            |                                   | 0.086              | 0.07                 | 0.47                | 60                  | 0.17                | 5.52                | 64                   | 1.5                  |
| I100264            |                                   | 0.082              | 0.09                 | 0.68                | 50                  | 0.33                | 4.94                | 52                   | 0.5                  |
| I100265            |                                   | 0.078              | 0.09                 | 0.76                | 50                  | 0.13                | 5.39                | 52                   | 0.6                  |
| I100266            |                                   | 0.091              | 0.09                 | 0.81                | 49                  | 0.22                | 6.32                | 53                   | 0.7                  |
| I100267            |                                   | 0.099              | 0.08                 | 0.78                | 54                  | 0.32                | 6.81                | 53                   | 2.0                  |
| I100268            |                                   | 0.115              | 0.09                 | 0.96                | 62                  | 0.16                | 9.06                | 58                   | 2.2                  |
| I100269            |                                   | 0.078              | 0.07                 | 1.32                | 48                  | 0.14                | 9.93                | 45                   | 1.8                  |
| I100270            |                                   | 0.152              | 0.14                 | 0.81                | 68                  | 0.17                | 2.98                | 73                   | 2.7                  |
| I100271            |                                   | 0.117              | 0.10                 | 0.39                | 57                  | 0.23                | 3.15                | 44                   | 3.0                  |
| I100272            |                                   | 0.135              | 0.15                 | 0.32                | 64                  | 0.13                | 1.99                | 44                   | 1.1                  |
| I100273            |                                   | 0.137              | 0.18                 | 0.34                | 59                  | 0.10                | 2.09                | 57                   | 0.6                  |
| I100274            |                                   | 0.112              | 0.11                 | 1.06                | 72                  | 0.10                | 4.41                | 64                   | 0.7                  |
| I100275            |                                   | 0.184              | 0.40                 | 1.07                | 71                  | 0.17                | 7.41                | 98                   | 2.4                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: Appendix 1**  
**Total # Appendix Pages: 1**  
**Finalized Date: 8 - OCT - 2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10135034**

| Method                 | CERTIFICATE COMMENTS                                                                                                                  |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| ALL METHODS<br>ME-MS41 | NSS is non-sufficient sample.<br>Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: **1**  
Finalized Date: **9-OCT-2010**  
Account: **EIASQI**

**CERTIFICATE WH10137854**

Project: SQI10-06  
P.O. No.: SQI10-06\_32  
This report is for 194 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION               | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23  | Au 30g FA-AA finish       | AAS        |
| ME-MS41  | 51 anal. aqua regia ICPMS |            |

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**ATTN: DARCY BAKER**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I098951            |                                   | 0.34                      | 0.005                | 0.04                 | 1.78               | 10.9                 | <0.2                 | <10                 | 220                  | 0.46                 | 0.14                 | 0.25               | 0.10                 | 20.8                 | 11.1                 | 33                   |
| I098952            |                                   | 0.34                      | <0.005               | 0.14                 | 1.61               | 5.5                  | <0.2                 | <10                 | 210                  | 0.43                 | 0.10                 | 0.49               | 0.12                 | 66.8                 | 7.1                  | 23                   |
| I098953            |                                   | 0.34                      | <0.005               | 0.05                 | 2.10               | 9.5                  | <0.2                 | <10                 | 200                  | 0.48                 | 0.15                 | 0.18               | 0.09                 | 25.5                 | 9.8                  | 31                   |
| I098954            |                                   | 0.38                      | <0.005               | 0.14                 | 2.07               | 3.7                  | <0.2                 | <10                 | 190                  | 0.35                 | 0.10                 | 0.45               | 0.11                 | 59.1                 | 8.4                  | 20                   |
| I098955            |                                   | 0.30                      | <0.005               | 0.10                 | 1.77               | 4.5                  | <0.2                 | <10                 | 170                  | 0.27                 | 0.11                 | 0.39               | 0.06                 | 29.7                 | 6.6                  | 21                   |
| I098956            |                                   | 0.32                      | <0.005               | 0.10                 | 2.08               | 6.6                  | <0.2                 | <10                 | 200                  | 0.31                 | 0.12                 | 0.25               | 0.09                 | 33.4                 | 9.7                  | 25                   |
| I098957            |                                   | 0.40                      | <0.005               | 0.07                 | 1.74               | 4.0                  | <0.2                 | <10                 | 180                  | 0.26                 | 0.08                 | 0.40               | 0.04                 | 34.6                 | 7.7                  | 20                   |
| I098958            |                                   | 0.30                      | <0.005               | 0.09                 | 2.02               | 6.1                  | <0.2                 | <10                 | 220                  | 0.33                 | 0.11                 | 0.34               | 0.06                 | 31.4                 | 8.8                  | 23                   |
| I098959            |                                   | 0.36                      | 0.005                | 0.13                 | 2.05               | 6.1                  | <0.2                 | <10                 | 240                  | 0.26                 | 0.12                 | 0.38               | 0.07                 | 32.8                 | 8.4                  | 25                   |
| I098960            |                                   | 0.40                      | <0.005               | 0.14                 | 2.03               | 8.0                  | <0.2                 | <10                 | 320                  | 0.39                 | 0.14                 | 0.59               | 0.23                 | 49.1                 | 11.1                 | 29                   |
| I098961            |                                   | 0.40                      | <0.005               | 0.13                 | 1.89               | 7.1                  | <0.2                 | <10                 | 310                  | 0.38                 | 0.14                 | 0.57               | 0.16                 | 46.0                 | 8.9                  | 27                   |
| I098962            |                                   | 0.34                      | 0.006                | 0.15                 | 2.09               | 8.1                  | <0.2                 | <10                 | 290                  | 0.38                 | 0.15                 | 0.43               | 0.10                 | 41.5                 | 10.6                 | 32                   |
| I098963            |                                   | 0.28                      | <0.005               | 0.22                 | 2.30               | 6.4                  | <0.2                 | <10                 | 270                  | 0.40                 | 0.12                 | 0.54               | 0.14                 | 68.8                 | 10.4                 | 26                   |
| I098964            |                                   | 0.30                      | <0.005               | 0.12                 | 2.66               | 8.9                  | <0.2                 | <10                 | 190                  | 0.36                 | 0.14                 | 0.21               | 0.07                 | 28.8                 | 9.3                  | 34                   |
| I098965            |                                   | 0.36                      | <0.005               | 0.17                 | 2.23               | 6.5                  | <0.2                 | <10                 | 290                  | 0.57                 | 0.18                 | 0.23               | 0.11                 | 65.9                 | 14.2                 | 24                   |
| I098966            |                                   | 0.50                      | <0.005               | 0.10                 | 2.49               | 9.8                  | <0.2                 | <10                 | 260                  | 0.52                 | 0.19                 | 0.31               | 0.08                 | 49.1                 | 10.2                 | 37                   |
| I098967            |                                   | 0.32                      | <0.005               | 0.13                 | 2.00               | 6.1                  | 0.2                  | <10                 | 160                  | 0.30                 | 0.12                 | 0.25               | 0.06                 | 31.1                 | 7.6                  | 27                   |
| I098968            |                                   | 0.26                      | <0.005               | 0.09                 | 1.67               | 8.2                  | <0.2                 | <10                 | 150                  | 0.26                 | 0.21                 | 0.17               | 0.10                 | 26.7                 | 5.7                  | 25                   |
| I098969            |                                   | 0.28                      | 0.006                | 0.37                 | 1.66               | 4.2                  | <0.2                 | <10                 | 220                  | 0.42                 | 0.13                 | 0.29               | 0.28                 | 59.2                 | 8.4                  | 17                   |
| I098970            |                                   | 0.40                      | 0.006                | 0.17                 | 2.12               | 3.3                  | <0.2                 | <10                 | 130                  | 0.39                 | 0.08                 | 0.15               | 0.09                 | 48.9                 | 5.9                  | 14                   |
| I098971            |                                   | 0.38                      | 0.005                | 0.12                 | 1.91               | 2.8                  | <0.2                 | <10                 | 110                  | 0.21                 | 0.10                 | 0.22               | 0.08                 | 38.5                 | 6.6                  | 18                   |
| I098972            |                                   | 0.40                      | <0.005               | 0.10                 | 2.17               | 4.8                  | <0.2                 | <10                 | 140                  | 0.30                 | 0.11                 | 0.20               | 0.10                 | 31.3                 | 8.6                  | 20                   |
| I098973            |                                   | 0.32                      | 0.007                | 0.12                 | 1.97               | 4.5                  | <0.2                 | <10                 | 160                  | 0.22                 | 0.11                 | 0.23               | 0.12                 | 38.6                 | 7.8                  | 20                   |
| I098974            |                                   | 0.32                      | <0.005               | 0.12                 | 1.85               | 4.8                  | <0.2                 | <10                 | 130                  | 0.20                 | 0.11                 | 0.23               | 0.13                 | 27.9                 | 7.2                  | 21                   |
| I098975            |                                   | 0.38                      | 0.014                | 0.09                 | 1.81               | 4.2                  | <0.2                 | <10                 | 120                  | 0.23                 | 0.09                 | 0.24               | 0.11                 | 29.2                 | 7.4                  | 19                   |
| I098976            |                                   | 0.32                      | 0.005                | 0.11                 | 1.52               | 7.5                  | <0.2                 | <10                 | 290                  | 0.37                 | 0.13                 | 1.37               | 0.26                 | 27.5                 | 7.9                  | 24                   |
| I098977            |                                   | 0.28                      | <0.005               | 0.11                 | 1.68               | 4.2                  | <0.2                 | <10                 | 250                  | 0.38                 | 0.14                 | 0.87               | 0.26                 | 29.0                 | 6.7                  | 30                   |
| I098978            |                                   | 0.32                      | 0.007                | 0.09                 | 1.28               | 5.1                  | <0.2                 | <10                 | 240                  | 0.26                 | 0.10                 | 0.63               | 0.21                 | 26.9                 | 8.6                  | 24                   |
| I098979            |                                   | 0.38                      | <0.005               | 0.12                 | 1.88               | 8.7                  | <0.2                 | <10                 | 330                  | 0.41                 | 0.17                 | 0.57               | 0.11                 | 30.9                 | 9.8                  | 33                   |
| I098980            |                                   | 0.36                      | <0.005               | 0.03                 | 2.33               | 7.0                  | <0.2                 | <10                 | 150                  | 0.35                 | 0.17                 | 0.19               | 0.11                 | 34.1                 | 10.0                 | 31                   |
| I098981            |                                   | 0.32                      | <0.005               | 0.04                 | 2.21               | 7.7                  | <0.2                 | <10                 | 180                  | 0.31                 | 0.20                 | 0.18               | 0.15                 | 29.5                 | 10.2                 | 26                   |
| I098982            |                                   | 0.36                      | <0.005               | 0.06                 | 2.19               | 6.6                  | <0.2                 | <10                 | 140                  | 0.31                 | 0.18                 | 0.19               | 0.07                 | 33.0                 | 7.4                  | 21                   |
| I098983            |                                   | 0.28                      | <0.005               | 0.14                 | 1.58               | 6.5                  | <0.2                 | <10                 | 140                  | 0.21                 | 0.24                 | 0.20               | 0.11                 | 33.7                 | 6.0                  | 17                   |
| I098984            |                                   | 0.30                      | <0.005               | 0.09                 | 2.09               | 8.9                  | <0.2                 | <10                 | 330                  | 0.41                 | 0.17                 | 0.33               | 0.08                 | 41.9                 | 14.7                 | 32                   |
| I098985            |                                   | 0.48                      | <0.005               | 0.09                 | 2.10               | 7.8                  | <0.2                 | <10                 | 290                  | 0.47                 | 0.18                 | 0.51               | 0.06                 | 49.0                 | 10.4                 | 30                   |
| I098986            |                                   | 0.48                      | 0.006                | 0.11                 | 2.12               | 7.8                  | <0.2                 | <10                 | 280                  | 0.43                 | 0.19                 | 0.53               | 0.05                 | 52.5                 | 10.6                 | 29                   |
| I098987            |                                   | 0.36                      | <0.005               | 0.13                 | 2.04               | 4.4                  | <0.2                 | <10                 | 200                  | 0.36                 | 0.12                 | 0.37               | 0.15                 | 59.8                 | 10.8                 | 16                   |
| I098988            |                                   | 0.34                      | <0.005               | 0.04                 | 2.72               | 6.5                  | <0.2                 | <10                 | 150                  | 0.48                 | 0.13                 | 0.21               | 0.10                 | 60.7                 | 13.0                 | 20                   |
| I098989            |                                   | 0.26                      | <0.005               | 0.04                 | 1.56               | 5.0                  | <0.2                 | <10                 | 90                   | 0.17                 | 0.13                 | 0.13               | 0.07                 | 21.4                 | 5.3                  | 14                   |
| I098990            |                                   | 0.26                      | <0.005               | 0.08                 | 1.78               | 9.5                  | <0.2                 | <10                 | 200                  | 0.43                 | 0.25                 | 0.24               | 0.14                 | 42.7                 | 10.3                 | 28                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I098951            |                                   | 0.50    | 15.1    | 2.93    | 5.67    | 0.05    | 0.06    | 0.02    | 0.024   | 0.13    | 11.1    | 13.6    | 0.47    | 363     | 1.22    |
| I098952            |                                   | 0.65    | 17.0    | 2.37    | 5.18    | 0.08    | 0.05    | 0.07    | 0.017   | 0.16    | 42.7    | 14.4    | 0.50    | 281     | 0.61    |
| I098953            |                                   | 0.57    | 13.6    | 3.12    | 6.47    | 0.05    | 0.08    | 0.02    | 0.023   | 0.13    | 14.8    | 16.4    | 0.49    | 267     | 1.07    |
| I098954            |                                   | 0.96    | 13.6    | 2.86    | 7.10    | 0.09    | 0.08    | 0.04    | 0.015   | 0.37    | 37.0    | 14.7    | 0.57    | 631     | 0.96    |
| I098955            |                                   | 0.70    | 10.8    | 2.64    | 6.15    | 0.06    | 0.08    | 0.02    | 0.016   | 0.18    | 18.9    | 14.6    | 0.56    | 299     | 0.70    |
| I098956            |                                   | 0.74    | 14.5    | 3.19    | 6.95    | 0.07    | 0.05    | 0.02    | 0.020   | 0.23    | 19.2    | 15.2    | 0.61    | 634     | 0.84    |
| I098957            |                                   | 0.76    | 10.8    | 2.79    | 6.14    | 0.07    | 0.08    | 0.03    | 0.016   | 0.25    | 22.7    | 17.8    | 0.67    | 453     | 0.67    |
| I098958            |                                   | 0.88    | 12.2    | 3.27    | 6.93    | 0.07    | 0.09    | 0.02    | 0.019   | 0.26    | 19.1    | 16.9    | 0.68    | 577     | 0.97    |
| I098959            |                                   | 0.81    | 13.5    | 3.29    | 6.96    | 0.07    | 0.10    | 0.02    | 0.020   | 0.21    | 20.5    | 17.4    | 0.70    | 491     | 0.87    |
| I098960            |                                   | 0.80    | 28.3    | 3.45    | 6.80    | 0.11    | 0.14    | 0.04    | 0.023   | 0.24    | 27.0    | 16.2    | 0.73    | 699     | 0.95    |
| I098961            |                                   | 0.65    | 25.5    | 3.05    | 6.05    | 0.09    | 0.09    | 0.03    | 0.022   | 0.13    | 26.9    | 15.5    | 0.65    | 481     | 0.71    |
| I098962            |                                   | 0.62    | 24.8    | 3.42    | 6.77    | 0.08    | 0.08    | 0.02    | 0.027   | 0.09    | 23.7    | 15.8    | 0.66    | 608     | 0.84    |
| I098963            |                                   | 1.03    | 20.8    | 3.70    | 7.72    | 0.11    | 0.06    | 0.03    | 0.023   | 0.27    | 49.2    | 19.3    | 0.78    | 794     | 0.95    |
| I098964            |                                   | 0.85    | 18.2    | 3.69    | 7.83    | 0.07    | 0.08    | 0.03    | 0.024   | 0.09    | 16.1    | 20.0    | 0.66    | 462     | 1.14    |
| I098965            |                                   | 0.94    | 22.4    | 3.31    | 9.07    | 0.07    | 0.03    | 0.03    | 0.027   | 0.17    | 41.3    | 13.8    | 0.50    | 1860    | 1.42    |
| I098966            |                                   | 0.76    | 21.7    | 3.63    | 8.17    | 0.09    | 0.06    | 0.04    | 0.028   | 0.08    | 30.2    | 20.4    | 0.64    | 460     | 1.12    |
| I098967            |                                   | 0.63    | 15.4    | 2.88    | 6.87    | 0.07    | 0.03    | 0.02    | 0.020   | 0.09    | 20.6    | 21.8    | 0.62    | 314     | 0.64    |
| I098968            |                                   | 0.71    | 15.7    | 3.03    | 9.17    | 0.06    | 0.02    | 0.03    | 0.021   | 0.09    | 16.0    | 12.0    | 0.39    | 273     | 1.26    |
| I098969            |                                   | 0.64    | 16.6    | 2.80    | 7.41    | 0.10    | 0.02    | 0.04    | 0.021   | 0.11    | 48.0    | 9.6     | 0.37    | 563     | 1.31    |
| I098970            |                                   | 0.70    | 9.5     | 2.61    | 8.34    | 0.08    | 0.03    | 0.04    | 0.016   | 0.38    | 36.5    | 9.4     | 0.54    | 321     | 0.59    |
| I098971            |                                   | 0.83    | 7.3     | 2.58    | 8.28    | 0.08    | 0.03    | 0.12    | 0.016   | 0.26    | 35.1    | 14.1    | 0.61    | 347     | 0.59    |
| I098972            |                                   | 0.85    | 9.6     | 3.29    | 8.93    | 0.08    | 0.04    | 0.03    | 0.019   | 0.24    | 25.1    | 16.5    | 0.68    | 486     | 0.77    |
| I098973            |                                   | 0.80    | 9.4     | 3.02    | 7.86    | 0.08    | 0.03    | 0.03    | 0.019   | 0.25    | 28.6    | 12.9    | 0.64    | 482     | 0.74    |
| I098974            |                                   | 0.82    | 9.2     | 2.76    | 7.31    | 0.07    | 0.03    | 0.04    | 0.019   | 0.17    | 19.4    | 13.6    | 0.56    | 358     | 0.62    |
| I098975            |                                   | 0.80    | 8.0     | 2.71    | 6.94    | 0.07    | 0.03    | 0.06    | 0.018   | 0.22    | 19.8    | 13.6    | 0.56    | 408     | 0.48    |
| I098976            |                                   | 0.51    | 28.4    | 2.47    | 4.86    | 0.07    | 0.07    | 0.04    | 0.020   | 0.11    | 14.0    | 11.3    | 0.60    | 381     | 1.05    |
| I098977            |                                   | 0.57    | 26.7    | 2.13    | 5.59    | 0.07    | 0.09    | 0.04    | 0.023   | 0.07    | 14.7    | 13.1    | 0.54    | 213     | 0.26    |
| I098978            |                                   | 0.56    | 17.4    | 2.30    | 4.18    | 0.07    | 0.05    | 0.02    | 0.017   | 0.11    | 13.9    | 11.6    | 0.54    | 484     | 0.79    |
| I098979            |                                   | 0.55    | 32.0    | 2.96    | 5.98    | 0.07    | 0.05    | 0.03    | 0.025   | 0.09    | 15.6    | 15.1    | 0.60    | 404     | 1.15    |
| I098980            |                                   | 0.84    | 17.0    | 3.55    | 7.31    | 0.08    | 0.11    | 0.02    | 0.025   | 0.21    | 20.7    | 18.7    | 0.64    | 393     | 2.22    |
| I098981            |                                   | 0.83    | 10.9    | 3.75    | 8.18    | 0.07    | 0.05    | 0.02    | 0.024   | 0.24    | 13.9    | 17.1    | 0.57    | 574     | 3.64    |
| I098982            |                                   | 0.97    | 10.2    | 3.70    | 8.62    | 0.08    | 0.12    | 0.03    | 0.022   | 0.29    | 18.2    | 15.4    | 0.63    | 423     | 2.01    |
| I098983            |                                   | 0.82    | 9.6     | 2.85    | 8.68    | 0.06    | 0.05    | 0.02    | 0.019   | 0.18    | 16.7    | 8.9     | 0.47    | 399     | 3.15    |
| I098984            |                                   | 0.63    | 23.5    | 3.46    | 7.10    | 0.08    | 0.23    | 0.02    | 0.028   | 0.09    | 23.8    | 14.9    | 0.53    | 797     | 1.51    |
| I098985            |                                   | 0.86    | 26.8    | 3.55    | 7.38    | 0.10    | 0.23    | 0.03    | 0.025   | 0.26    | 28.2    | 18.0    | 0.70    | 562     | 1.12    |
| I098986            |                                   | 0.82    | 26.9    | 3.56    | 7.48    | 0.10    | 0.24    | 0.03    | 0.026   | 0.28    | 30.9    | 17.6    | 0.69    | 560     | 1.16    |
| I098987            |                                   | 0.98    | 12.3    | 3.63    | 9.04    | 0.09    | 0.04    | 0.02    | 0.017   | 0.38    | 35.6    | 14.1    | 0.73    | 841     | 1.71    |
| I098988            |                                   | 1.11    | 13.3    | 4.11    | 10.05   | 0.09    | 0.05    | 0.02    | 0.024   | 0.56    | 23.8    | 16.8    | 0.81    | 780     | 1.76    |
| I098989            |                                   | 0.96    | 7.1     | 2.41    | 8.62    | 0.05    | 0.02    | 0.01    | 0.013   | 0.21    | 10.1    | 11.1    | 0.46    | 298     | 1.16    |
| I098990            |                                   | 0.69    | 20.0    | 2.87    | 6.42    | 0.06    | 0.05    | 0.01    | 0.022   | 0.10    | 25.6    | 16.9    | 0.51    | 283     | 1.27    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I098951            |                                   | 1.67    | 23.2    | 360     | 8.8     | 14.2    | <0.001  | <0.01   | 0.51    | 4.7     | 0.4     | 0.5     | 22.5    | <0.01   | 0.02    |
| I098952            |                                   | 2.02    | 16.7    | 750     | 6.6     | 19.6    | <0.001  | 0.01    | 0.29    | 5.0     | 0.6     | 0.5     | 34.8    | <0.01   | 0.02    |
| I098953            |                                   | 2.06    | 20.4    | 200     | 9.0     | 16.6    | <0.001  | <0.01   | 0.44    | 4.1     | 0.3     | 0.6     | 17.8    | <0.01   | 0.02    |
| I098954            |                                   | 3.77    | 11.6    | 520     | 7.2     | 43.8    | <0.001  | 0.02    | 0.24    | 3.9     | 0.5     | 0.5     | 30.6    | <0.01   | 0.01    |
| I098955            |                                   | 3.08    | 11.2    | 420     | 7.0     | 27.3    | <0.001  | 0.01    | 0.26    | 3.4     | 0.3     | 0.5     | 26.8    | <0.01   | 0.01    |
| I098956            |                                   | 3.00    | 14.2    | 400     | 6.8     | 31.9    | <0.001  | 0.01    | 0.31    | 3.6     | 0.3     | 0.5     | 21.0    | <0.01   | 0.02    |
| I098957            |                                   | 3.27    | 11.4    | 390     | 5.5     | 32.8    | <0.001  | 0.01    | 0.23    | 3.3     | 0.3     | 0.5     | 25.9    | <0.01   | 0.01    |
| I098958            |                                   | 3.58    | 12.7    | 330     | 7.5     | 38.2    | <0.001  | 0.01    | 0.33    | 3.5     | 0.3     | 0.5     | 25.6    | <0.01   | 0.02    |
| I098959            |                                   | 3.14    | 13.7    | 400     | 6.6     | 32.8    | <0.001  | 0.01    | 0.34    | 4.0     | 0.4     | 0.5     | 27.4    | <0.01   | 0.02    |
| I098960            |                                   | 2.72    | 22.7    | 800     | 8.2     | 28.2    | <0.001  | 0.01    | 0.59    | 5.7     | 0.5     | 0.6     | 36.3    | <0.01   | 0.02    |
| I098961            |                                   | 2.16    | 20.3    | 680     | 7.3     | 20.8    | <0.001  | 0.01    | 0.55    | 5.0     | 0.5     | 0.5     | 35.4    | <0.01   | 0.02    |
| I098962            |                                   | 2.07    | 19.7    | 520     | 8.2     | 16.9    | <0.001  | 0.01    | 0.49    | 4.8     | 0.4     | 0.5     | 31.7    | <0.01   | 0.02    |
| I098963            |                                   | 3.69    | 16.1    | 730     | 6.5     | 39.2    | <0.001  | 0.02    | 0.38    | 5.1     | 0.6     | 0.6     | 32.1    | <0.01   | 0.02    |
| I098964            |                                   | 2.67    | 18.3    | 300     | 8.0     | 20.5    | <0.001  | 0.01    | 0.54    | 4.3     | 0.4     | 0.6     | 20.6    | <0.01   | 0.02    |
| I098965            |                                   | 2.88    | 17.4    | 440     | 10.3    | 35.7    | <0.001  | 0.01    | 0.37    | 4.0     | 0.5     | 0.6     | 23.9    | <0.01   | 0.03    |
| I098966            |                                   | 1.80    | 21.2    | 320     | 10.2    | 18.9    | <0.001  | 0.01    | 0.49    | 5.4     | 0.5     | 0.6     | 25.1    | <0.01   | 0.03    |
| I098967            |                                   | 2.21    | 15.3    | 490     | 7.5     | 16.4    | <0.001  | 0.01    | 0.33    | 3.5     | 0.3     | 0.5     | 20.0    | <0.01   | 0.02    |
| I098968            |                                   | 1.55    | 12.1    | 650     | 11.0    | 13.6    | <0.001  | 0.02    | 0.41    | 2.0     | 0.4     | 0.7     | 15.8    | <0.01   | 0.03    |
| I098969            |                                   | 0.79    | 9.1     | 940     | 7.3     | 19.8    | <0.001  | 0.04    | 0.30    | 2.4     | 0.7     | 0.5     | 25.9    | <0.01   | 0.03    |
| I098970            |                                   | 2.89    | 6.1     | 510     | 7.3     | 37.2    | <0.001  | 0.03    | 0.22    | 3.3     | 0.5     | 0.7     | 15.7    | <0.01   | 0.02    |
| I098971            |                                   | 2.89    | 8.7     | 630     | 7.2     | 31.8    | <0.001  | 0.02    | 0.22    | 3.2     | 0.4     | 0.6     | 18.1    | <0.01   | 0.01    |
| I098972            |                                   | 3.71    | 10.0    | 420     | 7.2     | 31.1    | <0.001  | 0.01    | 0.25    | 4.1     | 0.3     | 0.7     | 16.0    | <0.01   | 0.02    |
| I098973            |                                   | 3.15    | 9.8     | 700     | 6.7     | 32.7    | <0.001  | 0.03    | 0.25    | 3.6     | 0.4     | 0.6     | 18.7    | <0.01   | 0.02    |
| I098974            |                                   | 2.79    | 10.1    | 710     | 6.9     | 26.2    | <0.001  | 0.03    | 0.22    | 3.2     | 0.4     | 0.5     | 19.0    | <0.01   | 0.01    |
| I098975            |                                   | 2.89    | 9.0     | 720     | 6.1     | 30.3    | <0.001  | 0.02    | 0.21    | 3.2     | 0.4     | 0.5     | 16.4    | <0.01   | 0.02    |
| I098976            |                                   | 1.75    | 21.3    | 620     | 7.6     | 15.0    | 0.001   | 0.04    | 0.66    | 3.8     | 0.9     | 0.4     | 69.4    | <0.01   | 0.02    |
| I098977            |                                   | 2.01    | 18.6    | 660     | 9.2     | 10.4    | 0.001   | 0.07    | 0.66    | 5.1     | 0.8     | 0.5     | 46.8    | <0.01   | 0.02    |
| I098978            |                                   | 1.43    | 16.7    | 850     | 6.4     | 12.7    | 0.001   | 0.03    | 0.36    | 3.5     | 0.6     | 0.3     | 44.6    | <0.01   | 0.01    |
| I098979            |                                   | 1.49    | 23.0    | 650     | 8.7     | 10.7    | <0.001  | 0.01    | 0.60    | 4.5     | 0.6     | 0.5     | 42.0    | <0.01   | 0.03    |
| I098980            |                                   | 2.80    | 17.6    | 360     | 12.4    | 27.5    | <0.001  | 0.01    | 0.38    | 3.8     | 0.4     | 0.6     | 18.9    | <0.01   | 0.02    |
| I098981            |                                   | 3.61    | 12.9    | 510     | 15.1    | 35.3    | <0.001  | 0.01    | 0.34    | 3.5     | 0.4     | 0.6     | 23.2    | <0.01   | 0.03    |
| I098982            |                                   | 2.73    | 10.0    | 290     | 12.6    | 40.1    | <0.001  | <0.01   | 0.35    | 3.9     | 0.3     | 0.7     | 19.6    | <0.01   | 0.02    |
| I098983            |                                   | 3.08    | 8.0     | 400     | 17.0    | 31.6    | <0.001  | 0.01    | 0.24    | 3.8     | 0.3     | 0.8     | 19.9    | <0.01   | 0.02    |
| I098984            |                                   | 2.02    | 18.8    | 440     | 10.6    | 15.2    | <0.001  | 0.01    | 0.45    | 5.2     | 0.4     | 0.6     | 31.4    | <0.01   | 0.02    |
| I098985            |                                   | 2.10    | 20.3    | 440     | 12.2    | 36.4    | <0.001  | 0.01    | 0.49    | 6.1     | 0.5     | 0.6     | 39.0    | <0.01   | 0.02    |
| I098986            |                                   | 2.37    | 20.2    | 490     | 12.2    | 34.8    | <0.001  | 0.01    | 0.47    | 6.3     | 0.7     | 0.6     | 39.4    | <0.01   | 0.02    |
| I098987            |                                   | 3.98    | 9.0     | 600     | 7.8     | 52.1    | <0.001  | 0.03    | 0.20    | 3.8     | 0.5     | 0.7     | 43.1    | <0.01   | 0.02    |
| I098988            |                                   | 4.35    | 11.6    | 560     | 11.7    | 58.0    | <0.001  | 0.01    | 0.28    | 4.4     | 0.5     | 0.8     | 20.8    | <0.01   | 0.02    |
| I098989            |                                   | 2.91    | 6.7     | 260     | 6.6     | 31.5    | <0.001  | 0.01    | 0.21    | 2.1     | 0.3     | 0.6     | 16.0    | <0.01   | 0.02    |
| I098990            |                                   | 2.00    | 19.5    | 350     | 17.4    | 15.2    | <0.001  | 0.01    | 0.39    | 4.5     | 0.5     | 0.6     | 23.7    | <0.01   | 0.03    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 2 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I098951            |                                   | 0.092   | 0.08    | 0.49    | 62      | 0.19    | 2.77    | 53      |
| I098952            |                                   | 0.080   | 0.10    | 1.63    | 46      | 0.33    | 11.15   | 47      |
| I098953            |                                   | 0.102   | 0.10    | 0.59    | 62      | 0.16    | 3.01    | 52      |
| I098954            |                                   | 0.136   | 0.21    | 1.81    | 56      | 0.13    | 8.57    | 59      |
| I098955            |                                   | 0.138   | 0.15    | 0.90    | 56      | 0.13    | 5.18    | 53      |
| I098956            |                                   | 0.133   | 0.16    | 0.82    | 65      | 0.16    | 5.01    | 59      |
| I098957            |                                   | 0.140   | 0.18    | 0.76    | 54      | 0.22    | 5.17    | 55      |
| I098958            |                                   | 0.148   | 0.20    | 0.74    | 65      | 0.14    | 4.50    | 62      |
| I098959            |                                   | 0.144   | 0.17    | 0.73    | 66      | 0.15    | 5.72    | 61      |
| I098960            |                                   | 0.142   | 0.17    | 0.86    | 67      | 0.26    | 11.90   | 79      |
| I098961            |                                   | 0.113   | 0.14    | 0.85    | 57      | 0.22    | 11.55   | 68      |
| I098962            |                                   | 0.111   | 0.11    | 0.89    | 66      | 0.22    | 7.19    | 63      |
| I098963            |                                   | 0.144   | 0.20    | 1.73    | 68      | 0.16    | 11.70   | 73      |
| I098964            |                                   | 0.117   | 0.16    | 0.67    | 74      | 0.17    | 4.29    | 67      |
| I098965            |                                   | 0.113   | 0.16    | 0.94    | 70      | 0.20    | 6.57    | 56      |
| I098966            |                                   | 0.089   | 0.12    | 1.23    | 75      | 0.21    | 10.10   | 65      |
| I098967            |                                   | 0.104   | 0.11    | 0.73    | 60      | 0.15    | 5.16    | 58      |
| I098968            |                                   | 0.098   | 0.13    | 0.58    | 74      | 0.14    | 3.86    | 46      |
| I098969            |                                   | 0.044   | 0.10    | 2.25    | 51      | 0.18    | 12.90   | 57      |
| I098970            |                                   | 0.103   | 0.22    | 2.53    | 48      | 0.08    | 7.71    | 59      |
| I098971            |                                   | 0.119   | 0.21    | 1.53    | 52      | 0.29    | 6.99    | 67      |
| I098972            |                                   | 0.164   | 0.19    | 1.20    | 70      | 0.21    | 5.59    | 71      |
| I098973            |                                   | 0.129   | 0.19    | 1.46    | 60      | 0.20    | 6.39    | 71      |
| I098974            |                                   | 0.114   | 0.17    | 1.13    | 59      | 0.12    | 4.58    | 68      |
| I098975            |                                   | 0.122   | 0.18    | 1.11    | 55      | 0.19    | 4.89    | 66      |
| I098976            |                                   | 0.078   | 0.08    | 1.46    | 49      | 0.43    | 8.48    | 57      |
| I098977            |                                   | 0.093   | 0.09    | 0.68    | 52      | 0.23    | 8.72    | 60      |
| I098978            |                                   | 0.087   | 0.09    | 1.21    | 49      | 0.20    | 7.82    | 63      |
| I098979            |                                   | 0.097   | 0.08    | 0.75    | 63      | 0.19    | 9.20    | 68      |
| I098980            |                                   | 0.145   | 0.18    | 1.04    | 70      | 0.24    | 5.28    | 70      |
| I098981            |                                   | 0.144   | 0.19    | 0.83    | 74      | 0.19    | 4.08    | 68      |
| I098982            |                                   | 0.153   | 0.24    | 0.93    | 71      | 0.13    | 4.99    | 69      |
| I098983            |                                   | 0.136   | 0.19    | 0.90    | 65      | 0.15    | 4.74    | 53      |
| I098984            |                                   | 0.113   | 0.13    | 0.87    | 72      | 0.22    | 9.48    | 55      |
| I098985            |                                   | 0.157   | 0.21    | 1.01    | 69      | 0.37    | 13.00   | 69      |
| I098986            |                                   | 0.152   | 0.21    | 1.10    | 68      | 0.20    | 15.15   | 65      |
| I098987            |                                   | 0.136   | 0.24    | 1.63    | 66      | 0.16    | 8.17    | 76      |
| I098988            |                                   | 0.137   | 0.31    | 1.59    | 70      | 0.14    | 6.69    | 90      |
| I098989            |                                   | 0.134   | 0.22    | 0.66    | 59      | 0.14    | 3.28    | 48      |
| I098990            |                                   | 0.092   | 0.12    | 1.19    | 59      | 0.21    | 7.07    | 58      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I098991            |                                   | 0.28                      | <0.005               | 0.04                 | 1.75               | 9.5                  | <0.2                 | <10                 | 200                  | 0.42                 | 0.16                 | 0.21               | 0.04                 | 29.9                 | 8.7                  | 26                   |
| I098992            |                                   | 0.38                      | <0.005               | 0.05                 | 1.86               | 8.5                  | <0.2                 | <10                 | 160                  | 0.29                 | 0.15                 | 0.22               | 0.06                 | 24.0                 | 7.8                  | 23                   |
| I098993            |                                   | 0.36                      | <0.005               | 0.10                 | 1.65               | 6.5                  | <0.2                 | <10                 | 160                  | 0.22                 | 0.16                 | 0.21               | 0.06                 | 24.9                 | 6.3                  | 20                   |
| I098994            |                                   | 0.32                      | <0.005               | 0.11                 | 2.18               | 9.7                  | <0.2                 | <10                 | 200                  | 0.46                 | 0.19                 | 0.11               | 0.15                 | 19.25                | 11.6                 | 32                   |
| I098995            |                                   | 0.36                      | <0.005               | 0.05                 | 2.21               | 5.7                  | <0.2                 | <10                 | 230                  | 0.49                 | 0.13                 | 0.28               | 0.07                 | 50.7                 | 9.8                  | 20                   |
| I098996            |                                   | 0.32                      | 0.005                | 0.05                 | 1.83               | 7.7                  | <0.2                 | <10                 | 150                  | 0.37                 | 0.21                 | 0.26               | 0.09                 | 42.2                 | 7.6                  | 20                   |
| I098997            |                                   | 0.38                      | <0.005               | 0.06                 | 1.63               | 7.2                  | <0.2                 | <10                 | 110                  | 0.22                 | 0.19                 | 0.20               | 0.11                 | 33.3                 | 6.4                  | 17                   |
| I098998            |                                   | 0.40                      | <0.005               | 0.12                 | 1.30               | 2.9                  | <0.2                 | <10                 | 200                  | 0.34                 | 0.16                 | 0.32               | 0.34                 | 87.3                 | 4.6                  | 13                   |
| I098999            |                                   | 0.32                      | <0.005               | 0.02                 | 1.84               | 5.6                  | <0.2                 | <10                 | 120                  | 0.31                 | 0.25                 | 0.21               | 0.19                 | 36.4                 | 10.9                 | 17                   |
| I099000            |                                   | 0.34                      | <0.005               | 0.04                 | 1.94               | 8.2                  | <0.2                 | <10                 | 180                  | 0.31                 | 0.20                 | 0.27               | 0.17                 | 28.3                 | 10.8                 | 26                   |
| I099634            |                                   | 0.26                      | 0.006                | 0.25                 | 1.88               | 10.6                 | <0.2                 | <10                 | 240                  | 0.38                 | 0.18                 | 0.21               | 0.16                 | 29.5                 | 9.4                  | 28                   |
| I099636            |                                   | 0.30                      | <0.005               | 0.19                 | 2.37               | 10.6                 | <0.2                 | <10                 | 190                  | 0.41                 | 0.18                 | 0.17               | 0.08                 | 22.1                 | 11.4                 | 31                   |
| I099637            |                                   | 0.38                      | <0.005               | 0.26                 | 1.94               | 5.9                  | <0.2                 | <10                 | 390                  | 0.48                 | 0.16                 | 0.52               | 0.37                 | 56.4                 | 13.9                 | 20                   |
| I099638            |                                   | 0.50                      | <0.005               | 0.08                 | 1.87               | 7.4                  | <0.2                 | <10                 | 140                  | 0.30                 | 0.29                 | 0.16               | 0.09                 | 38.3                 | 9.2                  | 23                   |
| I099639            |                                   | 0.34                      | <0.005               | 0.25                 | 1.93               | 8.6                  | <0.2                 | <10                 | 290                  | 0.55                 | 0.16                 | 0.45               | 0.38                 | 52.0                 | 22.4                 | 26                   |
| I099640            |                                   | 0.14                      | <0.005               | 0.30                 | 2.03               | 4.3                  | <0.2                 | <10                 | 480                  | 0.82                 | 0.09                 | 1.19               | 0.68                 | 267                  | 11.1                 | 15                   |
| I099641            |                                   | 0.34                      | 0.006                | 0.08                 | 1.99               | 7.5                  | <0.2                 | <10                 | 210                  | 0.39                 | 0.13                 | 0.22               | 0.09                 | 41.2                 | 12.8                 | 22                   |
| I099642            |                                   | 0.26                      | <0.005               | 0.09                 | 1.58               | 3.3                  | <0.2                 | <10                 | 270                  | 0.34                 | 0.07                 | 0.78               | 0.22                 | 34.6                 | 8.9                  | 13                   |
| I099643            |                                   | 0.42                      | <0.005               | 0.61                 | 2.32               | 153.5                | <0.2                 | <10                 | 380                  | 0.42                 | 0.21                 | 0.65               | 0.81                 | 22.3                 | 12.6                 | 43                   |
| I099644            |                                   | 0.50                      | <0.005               | 0.61                 | 2.14               | 177.5                | <0.2                 | <10                 | 260                  | 0.30                 | 0.24                 | 0.26               | 0.51                 | 21.2                 | 11.5                 | 41                   |
| I099645            |                                   | 0.48                      | <0.005               | 0.51                 | 3.09               | 63.2                 | <0.2                 | <10                 | 190                  | 0.47                 | 0.21                 | 0.13               | 0.61                 | 19.00                | 14.4                 | 45                   |
| I099646            |                                   | 0.42                      | <0.005               | 0.08                 | 3.05               | 194.0                | <0.2                 | <10                 | 180                  | 0.42                 | 0.24                 | 0.19               | 0.37                 | 20.4                 | 13.5                 | 60                   |
| I099647            |                                   | 0.44                      | <0.005               | 0.04                 | 1.51               | 14.5                 | <0.2                 | <10                 | 110                  | 0.22                 | 0.23                 | 0.11               | 0.20                 | 16.50                | 4.1                  | 25                   |
| I099648            |                                   | 0.38                      | <0.005               | 0.08                 | 2.18               | 27.1                 | <0.2                 | <10                 | 150                  | 0.32                 | 0.26                 | 0.17               | 0.27                 | 18.60                | 9.1                  | 35                   |
| I099649            |                                   | 0.44                      | <0.005               | 0.18                 | 1.86               | 119.5                | <0.2                 | <10                 | 190                  | 0.35                 | 0.20                 | 0.27               | 0.45                 | 14.85                | 9.1                  | 32                   |
| I099650            |                                   | 0.42                      | <0.005               | 0.60                 | 2.75               | 390                  | <0.2                 | <10                 | 390                  | 0.91                 | 0.34                 | 0.41               | 0.97                 | 32.1                 | 20.2                 | 48                   |
| I099795            |                                   | 0.64                      | 0.005                | 0.09                 | 1.68               | 7.1                  | <0.2                 | <10                 | 240                  | 0.36                 | 0.18                 | 0.41               | 0.10                 | 39.7                 | 10.7                 | 24                   |
| I099796            |                                   | 0.36                      | 0.010                | 0.07                 | 1.41               | 6.5                  | <0.2                 | <10                 | 210                  | 0.31                 | 0.13                 | 0.46               | 0.11                 | 30.4                 | 8.8                  | 22                   |
| I099797            |                                   | 0.50                      | <0.005               | 0.07                 | 1.82               | 8.5                  | <0.2                 | <10                 | 210                  | 0.29                 | 0.17                 | 0.37               | 0.11                 | 30.0                 | 9.9                  | 26                   |
| I099798            |                                   | 0.14                      | <0.005               | 0.20                 | 2.11               | 8.7                  | <0.2                 | <10                 | 340                  | 0.47                 | 0.19                 | 0.74               | 0.22                 | 104.0                | 12.7                 | 24                   |
| I099799            |                                   | 0.40                      | 0.012                | 0.12                 | 1.63               | 7.2                  | <0.2                 | <10                 | 300                  | 0.37                 | 0.15                 | 0.56               | 0.37                 | 34.9                 | 12.2                 | 28                   |
| I099800            |                                   | 0.22                      | <0.005               | 0.08                 | 0.75               | 3.6                  | <0.2                 | <10                 | 360                  | 0.29                 | 0.08                 | 2.96               | 0.47                 | 12.80                | 5.6                  | 12                   |
| I099839            |                                   | 0.38                      | <0.005               | 0.07                 | 1.73               | 9.9                  | <0.2                 | <10                 | 270                  | 0.52                 | 0.16                 | 0.51               | 0.09                 | 34.6                 | 10.9                 | 29                   |
| I099840            |                                   | 0.34                      | <0.005               | 0.09                 | 1.86               | 9.5                  | <0.2                 | <10                 | 350                  | 0.57                 | 0.17                 | 0.53               | 0.11                 | 41.5                 | 10.1                 | 31                   |
| I099841            |                                   | 0.30                      | <0.005               | 0.07                 | 1.62               | 7.0                  | <0.2                 | <10                 | 260                  | 0.36                 | 0.14                 | 0.41               | 0.07                 | 30.4                 | 8.7                  | 24                   |
| I099842            |                                   | 0.34                      | <0.005               | 0.09                 | 1.71               | 7.0                  | <0.2                 | <10                 | 200                  | 0.51                 | 0.13                 | 0.39               | 0.09                 | 73.3                 | 10.6                 | 22                   |
| I099843            |                                   | 0.44                      | <0.005               | 0.07                 | 1.44               | 8.4                  | <0.2                 | <10                 | 230                  | 0.57                 | 0.15                 | 0.44               | 0.09                 | 39.1                 | 10.3                 | 26                   |
| I099844            |                                   | 0.32                      | 0.005                | 0.09                 | 1.67               | 8.6                  | <0.2                 | <10                 | 370                  | 0.67                 | 0.18                 | 0.55               | 0.14                 | 38.1                 | 10.8                 | 27                   |
| I099845            |                                   | 0.36                      | <0.005               | 0.07                 | 1.61               | 7.3                  | <0.2                 | <10                 | 210                  | 0.47                 | 0.15                 | 0.34               | 0.11                 | 48.9                 | 7.7                  | 24                   |
| I099846            |                                   | 0.30                      | <0.005               | 0.04                 | 1.83               | 8.2                  | <0.2                 | <10                 | 210                  | 0.42                 | 0.15                 | 0.34               | 0.14                 | 34.9                 | 16.6                 | 22                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 3 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I098991            |                                   | 0.49    | 20.3    | 2.81    | 6.29    | 0.05    | 0.16    | 0.02    | 0.021   | 0.09    | 17.8    | 12.9    | 0.44    | 267     | 1.07    |
| I098992            |                                   | 0.57    | 11.9    | 2.81    | 6.39    | 0.05    | 0.05    | 0.01    | 0.019   | 0.08    | 14.3    | 14.1    | 0.48    | 241     | 0.94    |
| I098993            |                                   | 0.58    | 10.3    | 2.35    | 6.29    | <0.05   | 0.03    | 0.02    | 0.017   | 0.10    | 14.6    | 14.2    | 0.43    | 197     | 0.98    |
| I098994            |                                   | 0.83    | 15.8    | 3.22    | 6.66    | <0.05   | 0.06    | 0.01    | 0.028   | 0.06    | 9.6     | 14.8    | 0.44    | 310     | 1.93    |
| I098995            |                                   | 0.90    | 14.7    | 3.27    | 7.46    | 0.07    | 0.09    | 0.01    | 0.018   | 0.35    | 30.8    | 18.2    | 0.69    | 409     | 2.00    |
| I098996            |                                   | 0.66    | 10.0    | 2.91    | 7.39    | 0.07    | 0.04    | 0.01    | 0.022   | 0.20    | 35.9    | 11.7    | 0.47    | 328     | 5.27    |
| I098997            |                                   | 0.63    | 8.1     | 2.60    | 8.24    | 0.06    | 0.03    | 0.01    | 0.015   | 0.16    | 21.6    | 9.7     | 0.48    | 255     | 4.06    |
| I098998            |                                   | 0.72    | 20.1    | 1.60    | 6.74    | 0.07    | 0.03    | 0.04    | 0.016   | 0.15    | 41.6    | 5.2     | 0.24    | 196     | 2.55    |
| I098999            |                                   | 1.28    | 9.6     | 3.55    | 8.63    | 0.08    | 0.03    | 0.01    | 0.021   | 0.41    | 27.9    | 16.5    | 0.66    | 611     | 7.20    |
| I099000            |                                   | 0.72    | 14.3    | 3.11    | 7.00    | 0.05    | 0.04    | 0.02    | 0.024   | 0.20    | 16.8    | 23.1    | 0.58    | 394     | 2.70    |
| I099634            |                                   | 0.76    | 19.2    | 3.09    | 7.09    | <0.05   | 0.03    | 0.03    | 0.024   | 0.07    | 15.8    | 12.5    | 0.50    | 452     | 1.19    |
| I099636            |                                   | 1.01    | 18.6    | 3.46    | 8.20    | 0.05    | 0.04    | 0.02    | 0.026   | 0.05    | 11.8    | 18.6    | 0.56    | 440     | 1.12    |
| I099637            |                                   | 1.00    | 17.1    | 2.99    | 8.25    | 0.07    | 0.03    | 0.05    | 0.023   | 0.15    | 30.8    | 13.7    | 0.53    | 2020    | 1.26    |
| I099638            |                                   | 0.90    | 13.6    | 2.98    | 7.24    | 0.06    | 0.05    | 0.02    | 0.019   | 0.20    | 22.5    | 17.0    | 0.54    | 373     | 0.94    |
| I099639            |                                   | 0.79    | 26.6    | 3.08    | 6.98    | 0.07    | 0.03    | 0.06    | 0.026   | 0.12    | 27.9    | 15.1    | 0.52    | 1290    | 1.74    |
| I099640            |                                   | 0.58    | 35.1    | 2.06    | 6.27    | 0.19    | 0.08    | 0.14    | 0.019   | 0.14    | 112.5   | 11.5    | 0.32    | 2890    | 1.41    |
| I099641            |                                   | 0.93    | 14.0    | 3.10    | 7.56    | 0.07    | 0.06    | 0.02    | 0.020   | 0.18    | 25.4    | 18.9    | 0.59    | 705     | 0.98    |
| I099642            |                                   | 0.62    | 8.7     | 2.71    | 6.17    | 0.08    | 0.03    | 0.04    | 0.013   | 0.52    | 27.1    | 10.3    | 0.54    | 1320    | 0.58    |
| I099643            |                                   | 1.32    | 39.9    | 3.31    | 7.82    | 0.06    | 0.02    | 0.04    | 0.037   | 0.05    | 12.2    | 16.3    | 0.68    | 379     | 2.98    |
| I099644            |                                   | 1.12    | 35.7    | 3.47    | 8.57    | 0.06    | 0.02    | 0.02    | 0.030   | 0.05    | 11.7    | 12.9    | 0.64    | 522     | 3.87    |
| I099645            |                                   | 1.58    | 25.2    | 4.13    | 9.50    | 0.06    | 0.09    | 0.04    | 0.038   | 0.05    | 9.3     | 19.5    | 0.56    | 371     | 2.40    |
| I099646            |                                   | 1.48    | 37.4    | 4.78    | 10.70   | 0.07    | 0.03    | 0.03    | 0.043   | 0.05    | 9.9     | 20.9    | 0.70    | 295     | 3.25    |
| I099647            |                                   | 1.02    | 17.2    | 1.87    | 7.35    | <0.05   | <0.02   | 0.05    | 0.022   | 0.03    | 8.1     | 5.4     | 0.16    | 102     | 1.33    |
| I099648            |                                   | 1.18    | 23.6    | 3.04    | 8.21    | 0.05    | 0.02    | 0.03    | 0.029   | 0.04    | 9.0     | 13.3    | 0.39    | 274     | 1.82    |
| I099649            |                                   | 1.22    | 34.6    | 2.96    | 6.75    | 0.05    | 0.02    | 0.04    | 0.029   | 0.04    | 7.2     | 10.6    | 0.34    | 246     | 2.83    |
| I099650            |                                   | 2.36    | 91.4    | 4.34    | 7.68    | 0.10    | 0.06    | 0.07    | 0.054   | 0.05    | 18.8    | 18.3    | 0.54    | 739     | 5.10    |
| I099795            |                                   | 0.69    | 20.2    | 2.73    | 6.01    | 0.09    | 0.11    | 0.03    | 0.024   | 0.13    | 23.4    | 15.2    | 0.52    | 411     | 1.82    |
| I099796            |                                   | 0.48    | 15.7    | 2.33    | 4.72    | 0.07    | 0.06    | 0.07    | 0.018   | 0.09    | 15.7    | 12.9    | 0.44    | 327     | 1.33    |
| I099797            |                                   | 0.63    | 13.8    | 2.83    | 6.18    | 0.07    | 0.04    | 0.02    | 0.021   | 0.09    | 16.7    | 18.0    | 0.52    | 307     | 1.98    |
| I099798            |                                   | 0.75    | 20.2    | 2.98    | 6.71    | 0.14    | 0.06    | 0.06    | 0.024   | 0.15    | 77.1    | 18.0    | 0.48    | 642     | 2.71    |
| I099799            |                                   | 0.77    | 22.5    | 2.84    | 5.26    | 0.07    | 0.04    | 0.04    | 0.020   | 0.09    | 18.5    | 14.3    | 0.54    | 526     | 1.00    |
| I099800            |                                   | 0.28    | 24.8    | 1.04    | 2.19    | 0.05    | 0.09    | 0.06    | 0.010   | 0.03    | 6.6     | 4.1     | 0.37    | 609     | 1.19    |
| I099839            |                                   | 0.57    | 25.5    | 2.84    | 5.59    | 0.07    | 0.24    | 0.03    | 0.023   | 0.08    | 17.3    | 14.2    | 0.50    | 364     | 0.71    |
| I099840            |                                   | 0.56    | 30.1    | 2.87    | 5.99    | 0.06    | 0.16    | 0.04    | 0.026   | 0.08    | 24.2    | 22.0    | 0.54    | 371     | 0.67    |
| I099841            |                                   | 0.48    | 15.7    | 2.50    | 5.35    | 0.06    | 0.12    | 0.02    | 0.020   | 0.07    | 18.8    | 16.1    | 0.48    | 351     | 0.83    |
| I099842            |                                   | 1.08    | 22.9    | 2.91    | 6.74    | 0.10    | 0.12    | 0.03    | 0.021   | 0.24    | 49.0    | 22.6    | 0.61    | 376     | 0.85    |
| I099843            |                                   | 0.45    | 25.4    | 2.34    | 5.26    | 0.07    | 0.18    | 0.02    | 0.022   | 0.07    | 19.9    | 13.8    | 0.44    | 344     | 0.68    |
| I099844            |                                   | 0.61    | 36.5    | 2.50    | 6.03    | 0.06    | 0.07    | 0.04    | 0.026   | 0.05    | 19.4    | 14.6    | 0.45    | 472     | 0.99    |
| I099845            |                                   | 0.58    | 18.7    | 2.45    | 6.02    | 0.08    | 0.10    | 0.02    | 0.021   | 0.08    | 32.7    | 16.2    | 0.44    | 221     | 0.89    |
| I099846            |                                   | 1.10    | 13.1    | 3.05    | 6.97    | 0.07    | 0.03    | 0.01    | 0.022   | 0.20    | 19.3    | 24.2    | 0.58    | 684     | 1.01    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I098991            |                                   | 2.00    | 18.0    | 200     | 9.2     | 13.4    | <0.001  | 0.01    | 0.45    | 4.1     | 0.3     | 0.6     | 21.9    | <0.01   | 0.03    |
| I098992            |                                   | 2.22    | 13.8    | 310     | 8.2     | 14.2    | <0.001  | 0.01    | 0.36    | 3.4     | 0.3     | 0.5     | 20.8    | <0.01   | 0.03    |
| I098993            |                                   | 2.05    | 12.3    | 240     | 8.1     | 19.6    | <0.001  | 0.01    | 0.29    | 2.9     | 0.2     | 0.5     | 18.7    | <0.01   | 0.02    |
| I098994            |                                   | 1.75    | 22.4    | 240     | 10.9    | 16.0    | <0.001  | 0.01    | 0.53    | 3.5     | 0.3     | 0.6     | 13.1    | <0.01   | 0.03    |
| I098995            |                                   | 2.44    | 15.1    | 330     | 9.7     | 33.8    | <0.001  | 0.01    | 0.35    | 4.1     | 0.4     | 0.6     | 24.4    | <0.01   | 0.03    |
| I098996            |                                   | 2.18    | 11.0    | 450     | 14.3    | 27.7    | <0.001  | 0.01    | 0.24    | 4.3     | 0.4     | 0.8     | 22.2    | <0.01   | 0.02    |
| I098997            |                                   | 2.80    | 9.0     | 510     | 12.5    | 23.5    | <0.001  | 0.01    | 0.21    | 3.1     | 0.3     | 0.6     | 18.0    | <0.01   | 0.03    |
| I098998            |                                   | 1.39    | 8.0     | 380     | 9.2     | 23.0    | <0.001  | 0.02    | 0.14    | 2.7     | 0.7     | 0.6     | 33.3    | 0.01    | 0.02    |
| I098999            |                                   | 3.57    | 10.3    | 570     | 20.1    | 48.5    | <0.001  | 0.02    | 0.19    | 3.8     | 0.4     | 0.8     | 25.5    | <0.01   | 0.02    |
| I099000            |                                   | 2.26    | 18.1    | 670     | 13.9    | 27.2    | <0.001  | 0.01    | 0.39    | 3.9     | 0.3     | 0.6     | 31.0    | <0.01   | 0.03    |
| I099634            |                                   | 2.29    | 18.8    | 360     | 9.6     | 17.7    | <0.001  | 0.02    | 0.47    | 3.8     | 0.4     | 0.6     | 20.7    | <0.01   | 0.04    |
| I099636            |                                   | 2.69    | 21.4    | 310     | 9.8     | 15.8    | <0.001  | 0.01    | 0.49    | 4.1     | 0.4     | 0.7     | 18.4    | <0.01   | 0.04    |
| I099637            |                                   | 3.08    | 18.0    | 770     | 8.4     | 29.5    | <0.001  | 0.03    | 0.35    | 4.0     | 0.5     | 0.7     | 44.1    | <0.01   | 0.04    |
| I099638            |                                   | 3.84    | 16.5    | 310     | 7.4     | 26.1    | <0.001  | 0.02    | 0.39    | 3.6     | 0.4     | 0.6     | 17.7    | <0.01   | 0.02    |
| I099639            |                                   | 2.62    | 20.9    | 600     | 11.6    | 25.1    | <0.001  | 0.04    | 0.40    | 4.6     | 0.7     | 0.6     | 40.0    | <0.01   | 0.04    |
| I099640            |                                   | 2.13    | 25.1    | 1040    | 5.3     | 19.1    | 0.001   | 0.11    | 0.64    | 4.4     | 1.7     | 0.4     | 113.0   | 0.01    | 0.04    |
| I099641            |                                   | 3.95    | 15.0    | 460     | 7.5     | 26.8    | <0.001  | 0.01    | 0.31    | 4.1     | 0.4     | 0.6     | 20.1    | <0.01   | 0.03    |
| I099642            |                                   | 3.59    | 9.2     | 950     | 6.8     | 35.8    | <0.001  | 0.02    | 0.19    | 3.6     | 0.4     | 0.5     | 46.3    | <0.01   | 0.03    |
| I099643            |                                   | 1.13    | 41.4    | 640     | 15.4    | 9.7     | <0.001  | 0.03    | 1.11    | 5.0     | 2.4     | 0.6     | 39.9    | <0.01   | 0.06    |
| I099644            |                                   | 1.19    | 38.6    | 360     | 11.3    | 10.6    | <0.001  | 0.02    | 1.10    | 4.2     | 0.9     | 0.7     | 22.3    | <0.01   | 0.06    |
| I099645            |                                   | 2.06    | 31.2    | 440     | 11.9    | 14.3    | <0.001  | 0.02    | 0.87    | 5.3     | 0.6     | 0.7     | 14.6    | 0.01    | 0.06    |
| I099646            |                                   | 1.39    | 57.1    | 510     | 16.5    | 9.8     | <0.001  | 0.01    | 1.18    | 6.1     | 1.1     | 0.8     | 17.1    | <0.01   | 0.10    |
| I099647            |                                   | 0.59    | 12.2    | 880     | 11.4    | 4.6     | <0.001  | 0.02    | 0.42    | 1.7     | 0.6     | 0.7     | 16.7    | <0.01   | 0.03    |
| I099648            |                                   | 1.09    | 25.4    | 680     | 14.2    | 6.9     | <0.001  | 0.01    | 0.69    | 3.8     | 0.7     | 0.7     | 18.2    | <0.01   | 0.05    |
| I099649            |                                   | 0.80    | 31.0    | 490     | 12.3    | 7.6     | <0.001  | 0.02    | 1.21    | 3.2     | 1.0     | 0.6     | 21.7    | <0.01   | 0.06    |
| I099650            |                                   | 0.86    | 67.2    | 950     | 36.1    | 12.7    | <0.001  | 0.02    | 1.53    | 9.9     | 2.3     | 0.6     | 32.5    | 0.01    | 0.10    |
| I099795            |                                   | 2.58    | 16.6    | 500     | 8.9     | 22.8    | <0.001  | 0.01    | 0.41    | 5.5     | 0.6     | 0.5     | 37.5    | <0.01   | 0.03    |
| I099796            |                                   | 1.84    | 15.4    | 660     | 7.2     | 13.2    | <0.001  | 0.01    | 0.39    | 4.2     | 0.5     | 0.4     | 33.7    | <0.01   | 0.02    |
| I099797            |                                   | 2.01    | 16.5    | 600     | 9.4     | 15.3    | <0.001  | 0.01    | 0.34    | 4.2     | 0.4     | 0.5     | 30.0    | <0.01   | 0.03    |
| I099798            |                                   | 2.33    | 17.9    | 780     | 10.2    | 23.2    | 0.001   | 0.05    | 0.41    | 5.5     | 1.0     | 0.5     | 60.1    | 0.01    | 0.04    |
| I099799            |                                   | 1.54    | 24.2    | 750     | 8.6     | 13.5    | <0.001  | 0.02    | 0.39    | 4.6     | 0.7     | 0.4     | 41.4    | <0.01   | 0.03    |
| I099800            |                                   | 0.76    | 18.1    | 1040    | 3.3     | 2.6     | 0.002   | 0.20    | 0.44    | 1.7     | 1.9     | 0.2     | 155.0   | 0.01    | 0.04    |
| I099839            |                                   | 1.35    | 23.8    | 490     | 8.6     | 12.2    | <0.001  | 0.01    | 0.49    | 6.4     | 0.5     | 0.5     | 36.1    | <0.01   | 0.03    |
| I099840            |                                   | 1.65    | 24.4    | 430     | 9.2     | 10.6    | <0.001  | 0.01    | 0.59    | 6.6     | 0.6     | 0.5     | 37.1    | <0.01   | 0.03    |
| I099841            |                                   | 1.76    | 15.2    | 460     | 7.0     | 10.2    | <0.001  | 0.01    | 0.39    | 4.6     | 0.4     | 0.5     | 29.4    | <0.01   | 0.02    |
| I099842            |                                   | 3.58    | 17.8    | 640     | 7.9     | 31.0    | <0.001  | 0.01    | 0.27    | 5.5     | 0.6     | 0.6     | 29.8    | <0.01   | 0.02    |
| I099843            |                                   | 1.60    | 22.7    | 510     | 7.7     | 10.0    | <0.001  | 0.01    | 0.38    | 6.2     | 0.6     | 0.5     | 34.0    | <0.01   | 0.02    |
| I099844            |                                   | 1.95    | 24.9    | 520     | 8.2     | 10.3    | <0.001  | 0.01    | 0.48    | 6.0     | 0.9     | 0.5     | 42.9    | <0.01   | 0.03    |
| I099845            |                                   | 1.99    | 16.4    | 360     | 10.0    | 15.2    | <0.001  | 0.01    | 0.33    | 5.0     | 0.5     | 0.5     | 29.4    | <0.01   | 0.02    |
| I099846            |                                   | 3.14    | 19.4    | 840     | 7.2     | 29.3    | <0.001  | 0.01    | 0.30    | 3.9     | 0.4     | 0.5     | 26.3    | <0.01   | 0.02    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I098991            |                                   | 0.100              | 0.09                 | 0.68                | 60                  | 0.18                | 4.28                | 41                   | 5.9                  |
| I098992            |                                   | 0.094              | 0.10                 | 0.58                | 58                  | 0.16                | 3.95                | 44                   | 2.0                  |
| I098993            |                                   | 0.089              | 0.10                 | 0.59                | 53                  | 0.22                | 3.38                | 41                   | 1.0                  |
| I098994            |                                   | 0.085              | 0.11                 | 0.45                | 66                  | 0.18                | 2.21                | 51                   | 2.5                  |
| I098995            |                                   | 0.117              | 0.24                 | 1.07                | 54                  | 0.13                | 7.23                | 63                   | 3.3                  |
| I098996            |                                   | 0.094              | 0.15                 | 1.61                | 57                  | 0.16                | 8.74                | 49                   | 1.2                  |
| I098997            |                                   | 0.111              | 0.15                 | 0.98                | 60                  | 0.22                | 5.08                | 46                   | 1.0                  |
| I098998            |                                   | 0.068              | 0.10                 | 2.73                | 32                  | 0.09                | 15.60               | 31                   | <0.5                 |
| I098999            |                                   | 0.133              | 0.25                 | 1.21                | 65                  | 0.16                | 5.83                | 76                   | 0.9                  |
| I099000            |                                   | 0.113              | 0.17                 | 0.69                | 64                  | 0.16                | 3.87                | 60                   | 1.5                  |
| I099634            |                                   | 0.096              | 0.10                 | 0.78                | 68                  | 0.23                | 4.48                | 50                   | 1.2                  |
| I099636            |                                   | 0.102              | 0.14                 | 0.50                | 76                  | 0.22                | 3.04                | 56                   | 1.5                  |
| I099637            |                                   | 0.099              | 0.15                 | 0.85                | 58                  | 0.17                | 6.41                | 57                   | 0.8                  |
| I099638            |                                   | 0.123              | 0.15                 | 0.68                | 63                  | 0.19                | 3.71                | 51                   | 1.7                  |
| I099639            |                                   | 0.088              | 0.09                 | 3.10                | 60                  | 0.19                | 7.83                | 61                   | 0.9                  |
| I099640            |                                   | 0.048              | 0.11                 | 8.31                | 35                  | 0.14                | 38.0                | 49                   | 1.1                  |
| I099641            |                                   | 0.126              | 0.16                 | 1.02                | 63                  | 0.20                | 5.28                | 57                   | 2.2                  |
| I099642            |                                   | 0.101              | 0.16                 | 1.13                | 45                  | 0.11                | 4.90                | 90                   | 0.8                  |
| I099643            |                                   | 0.043              | 0.11                 | 1.23                | 81                  | 0.17                | 8.14                | 95                   | 0.6                  |
| I099644            |                                   | 0.070              | 0.14                 | 0.54                | 85                  | 0.18                | 5.48                | 85                   | 0.5                  |
| I099645            |                                   | 0.116              | 0.12                 | 0.54                | 97                  | 0.19                | 3.54                | 83                   | 4.3                  |
| I099646            |                                   | 0.050              | 0.17                 | 0.60                | 109                 | 0.19                | 5.61                | 123                  | 1.0                  |
| I099647            |                                   | 0.048              | 0.13                 | 0.60                | 51                  | 0.10                | 3.43                | 29                   | <0.5                 |
| I099648            |                                   | 0.072              | 0.12                 | 0.63                | 73                  | 0.16                | 4.32                | 56                   | 0.7                  |
| I099649            |                                   | 0.053              | 0.10                 | 0.85                | 75                  | 0.20                | 5.30                | 89                   | <0.5                 |
| I099650            |                                   | 0.024              | 0.15                 | 2.34                | 84                  | 0.21                | 31.5                | 201                  | 1.0                  |
| I099795            |                                   | 0.115              | 0.12                 | 1.93                | 54                  | 0.16                | 9.40                | 57                   | 4.4                  |
| I099796            |                                   | 0.095              | 0.07                 | 1.11                | 48                  | 0.35                | 6.84                | 47                   | 2.4                  |
| I099797            |                                   | 0.103              | 0.09                 | 1.08                | 58                  | 0.30                | 5.75                | 60                   | 1.4                  |
| I099798            |                                   | 0.089              | 0.12                 | 2.52                | 53                  | 0.20                | 17.40               | 67                   | 1.7                  |
| I099799            |                                   | 0.080              | 0.08                 | 1.61                | 54                  | 0.30                | 9.54                | 66                   | 1.1                  |
| I099800            |                                   | 0.030              | 0.03                 | 3.82                | 24                  | 0.12                | 5.26                | 23                   | 3.5                  |
| I099839            |                                   | 0.101              | 0.08                 | 0.87                | 58                  | 0.23                | 10.10               | 49                   | 10.7                 |
| I099840            |                                   | 0.095              | 0.08                 | 1.14                | 59                  | 0.19                | 12.05               | 52                   | 7.2                  |
| I099841            |                                   | 0.089              | 0.08                 | 1.08                | 51                  | 0.22                | 7.14                | 49                   | 4.6                  |
| I099842            |                                   | 0.130              | 0.20                 | 1.51                | 51                  | 0.14                | 11.55               | 63                   | 5.4                  |
| I099843            |                                   | 0.103              | 0.06                 | 1.15                | 54                  | 0.34                | 12.70               | 43                   | 9.3                  |
| I099844            |                                   | 0.086              | 0.07                 | 1.41                | 51                  | 0.22                | 11.85               | 49                   | 3.5                  |
| I099845            |                                   | 0.096              | 0.08                 | 1.35                | 50                  | 0.16                | 9.46                | 49                   | 4.8                  |
| I099846            |                                   | 0.115              | 0.17                 | 0.82                | 57                  | 0.36                | 5.57                | 65                   | 1.3                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099847            |                                   | 0.40                      | <0.005               | 0.07                 | 1.71               | 8.3                  | <0.2                 | <10                 | 210                  | 0.41                 | 0.15                 | 0.34               | 0.07                 | 44.2                 | 8.9                  | 23                   |
| I099848            |                                   | 0.36                      | <0.005               | 0.04                 | 2.06               | 10.1                 | <0.2                 | <10                 | 320                  | 0.55                 | 0.17                 | 0.27               | 0.10                 | 24.6                 | 12.9                 | 31                   |
| I099849            |                                   | 0.36                      | <0.005               | 0.03                 | 1.83               | 9.3                  | <0.2                 | <10                 | 230                  | 0.55                 | 0.14                 | 0.27               | 0.10                 | 34.0                 | 12.2                 | 25                   |
| I099850            |                                   | 0.36                      | <0.005               | 0.04                 | 2.03               | 11.4                 | <0.2                 | <10                 | 240                  | 0.54                 | 0.14                 | 0.31               | 0.09                 | 62.3                 | 10.5                 | 29                   |
| I100000            |                                   | 0.42                      | <0.005               | 0.14                 | 1.39               | 4.4                  | <0.2                 | <10                 | 160                  | 0.26                 | 0.28                 | 0.21               | 0.13                 | 20.3                 | 7.5                  | 21                   |
| I099953            |                                   | 0.30                      | <0.005               | 0.11                 | 1.69               | 3.3                  | <0.2                 | <10                 | 450                  | 0.50                 | 0.18                 | 0.45               | 0.13                 | 20.5                 | 21.8                 | 20                   |
| I099954            |                                   | 0.38                      | <0.005               | 0.08                 | 1.79               | 4.4                  | <0.2                 | <10                 | 270                  | 0.39                 | 0.17                 | 0.25               | 0.10                 | 20.0                 | 17.1                 | 23                   |
| I099955            |                                   | 0.38                      | <0.005               | 0.12                 | 2.00               | 3.6                  | <0.2                 | <10                 | 200                  | 0.50                 | 0.12                 | 0.59               | 0.19                 | 91.4                 | 12.6                 | 17                   |
| I099956            |                                   | 0.32                      | <0.005               | 0.14                 | 2.10               | 3.8                  | <0.2                 | <10                 | 220                  | 0.52                 | 0.11                 | 0.68               | 0.24                 | 102.0                | 13.9                 | 18                   |
| I099957            |                                   | 0.44                      | <0.005               | 0.15                 | 1.57               | 2.5                  | <0.2                 | <10                 | 110                  | 0.39                 | 0.09                 | 0.24               | 0.12                 | 56.0                 | 8.3                  | 15                   |
| I099958            |                                   | 0.22                      | <0.005               | 0.16                 | 1.65               | 5.5                  | <0.2                 | <10                 | 180                  | 0.80                 | 0.13                 | 0.39               | 0.17                 | 183.0                | 12.6                 | 17                   |
| I099959            |                                   | 0.36                      | <0.005               | 0.13                 | 1.53               | 3.4                  | <0.2                 | <10                 | 120                  | 0.38                 | 0.13                 | 0.28               | 0.17                 | 43.1                 | 5.9                  | 15                   |
| I099960            |                                   | 0.40                      | <0.005               | 0.05                 | 2.30               | 8.2                  | <0.2                 | <10                 | 100                  | 0.32                 | 0.18                 | 0.14               | 0.12                 | 21.6                 | 10.2                 | 20                   |
| I099961            |                                   | 0.30                      | <0.005               | 0.05                 | 0.76               | 2.9                  | <0.2                 | <10                 | 160                  | 0.18                 | 0.21                 | 0.26               | 0.14                 | 13.55                | 5.3                  | 13                   |
| I099962            |                                   | 0.34                      | <0.005               | 0.07                 | 2.12               | 3.9                  | <0.2                 | <10                 | 310                  | 0.57                 | 0.18                 | 0.18               | 0.18                 | 22.5                 | 16.8                 | 22                   |
| I099963            |                                   | 0.36                      | <0.005               | 0.05                 | 1.54               | 5.6                  | <0.2                 | <10                 | 170                  | 0.23                 | 0.17                 | 0.12               | 0.10                 | 15.45                | 11.8                 | 21                   |
| I099964            |                                   | 0.30                      | <0.005               | 0.03                 | 1.65               | 7.7                  | <0.2                 | <10                 | 140                  | 0.27                 | 0.19                 | 0.20               | 0.08                 | 19.55                | 8.7                  | 19                   |
| I099965            |                                   | 0.42                      | <0.005               | 0.07                 | 2.97               | 4.0                  | <0.2                 | <10                 | 190                  | 0.51                 | 0.08                 | 0.38               | 0.06                 | 31.2                 | 16.9                 | 13                   |
| I099966            |                                   | 0.28                      | <0.005               | 0.16                 | 2.53               | 5.8                  | <0.2                 | <10                 | 260                  | 0.86                 | 0.14                 | 0.41               | 0.11                 | 146.5                | 15.5                 | 21                   |
| I099967            |                                   | 0.34                      | <0.005               | 0.17                 | 2.14               | 5.9                  | <0.2                 | <10                 | 210                  | 0.50                 | 0.13                 | 0.49               | 0.09                 | 76.4                 | 14.7                 | 22                   |
| I099968            |                                   | 0.32                      | <0.005               | 0.21                 | 1.74               | 5.7                  | <0.2                 | <10                 | 560                  | 0.56                 | 0.18                 | 1.21               | 0.51                 | 25.6                 | 14.3                 | 27                   |
| I099969            |                                   | 0.46                      | 0.010                | 0.15                 | 1.88               | 5.4                  | <0.2                 | <10                 | 160                  | 0.56                 | 0.09                 | 0.62               | 0.12                 | 126.0                | 12.9                 | 17                   |
| I099970            |                                   | 0.36                      | <0.005               | 0.03                 | 1.52               | 9.3                  | <0.2                 | <10                 | 210                  | 0.32                 | 0.17                 | 0.49               | 0.28                 | 19.15                | 8.3                  | 27                   |
| I099971            |                                   | 0.52                      | 0.020                | 0.02                 | 2.35               | 5.3                  | <0.2                 | <10                 | 150                  | 0.40                 | 0.10                 | 0.26               | 0.10                 | 22.6                 | 11.7                 | 17                   |
| I099972            |                                   | 0.44                      | 0.005                | 0.11                 | 1.76               | 5.6                  | <0.2                 | <10                 | 160                  | 0.33                 | 0.14                 | 0.27               | 0.14                 | 31.8                 | 9.3                  | 18                   |
| I099973            |                                   | 0.34                      | <0.005               | 0.07                 | 1.08               | 5.3                  | <0.2                 | <10                 | 130                  | 0.15                 | 0.16                 | 0.17               | 0.13                 | 19.75                | 4.5                  | 17                   |
| I099974            |                                   | 0.46                      | 0.005                | 0.12                 | 1.99               | 7.2                  | <0.2                 | <10                 | 160                  | 0.31                 | 0.15                 | 0.29               | 0.18                 | 27.7                 | 9.9                  | 21                   |
| I099975            |                                   | 0.42                      | <0.005               | 0.10                 | 2.32               | 8.9                  | <0.2                 | <10                 | 180                  | 0.36                 | 0.18                 | 0.27               | 0.14                 | 30.3                 | 10.8                 | 24                   |
| I099976            |                                   | 0.50                      | <0.005               | 0.05                 | 2.01               | 5.9                  | <0.2                 | <10                 | 150                  | 0.35                 | 0.11                 | 0.23               | 0.10                 | 27.2                 | 10.9                 | 21                   |
| I099977            |                                   | 0.32                      | <0.005               | 0.18                 | 1.21               | 4.2                  | <0.2                 | <10                 | 170                  | 0.34                 | 0.20                 | 0.22               | 0.22                 | 37.7                 | 5.2                  | 15                   |
| I099978            |                                   | 0.38                      | <0.005               | 0.10                 | 1.81               | 5.6                  | <0.2                 | <10                 | 100                  | 0.33                 | 0.13                 | 0.17               | 0.10                 | 37.0                 | 7.8                  | 17                   |
| I099979            |                                   | 0.32                      | <0.005               | 0.20                 | 1.91               | 9.1                  | <0.2                 | <10                 | 170                  | 0.39                 | 0.18                 | 0.21               | 0.27                 | 37.2                 | 8.6                  | 22                   |
| I099980            |                                   | 0.38                      | <0.005               | 0.27                 | 1.95               | 4.3                  | <0.2                 | <10                 | 230                  | 0.38                 | 0.11                 | 0.55               | 0.26                 | 95.2                 | 14.3                 | 15                   |
| I099981            |                                   | 0.34                      | <0.005               | 0.12                 | 1.55               | 5.0                  | <0.2                 | <10                 | 130                  | 0.22                 | 0.10                 | 0.21               | 0.11                 | 32.3                 | 7.4                  | 17                   |
| I099982            |                                   | 0.26                      | <0.005               | 0.10                 | 1.45               | 4.6                  | <0.2                 | <10                 | 110                  | 0.16                 | 0.12                 | 0.18               | 0.11                 | 25.5                 | 5.9                  | 17                   |
| I099983            |                                   | 0.32                      | <0.005               | 0.10                 | 1.51               | 5.3                  | <0.2                 | <10                 | 120                  | 0.18                 | 0.12                 | 0.24               | 0.11                 | 26.5                 | 6.7                  | 18                   |
| I099984            |                                   | 0.18                      | <0.005               | 0.21                 | 1.44               | 4.6                  | <0.2                 | <10                 | 190                  | 0.31                 | 0.10                 | 0.35               | 0.20                 | 52.1                 | 6.0                  | 17                   |
| I099985            |                                   | 0.32                      | <0.005               | 0.26                 | 1.99               | 6.1                  | <0.2                 | <10                 | 210                  | 0.28                 | 0.14                 | 0.29               | 0.17                 | 38.9                 | 8.4                  | 24                   |
| I099986            |                                   | 0.40                      | <0.005               | 0.39                 | 2.12               | 7.4                  | <0.2                 | <10                 | 210                  | 0.30                 | 0.17                 | 0.26               | 0.14                 | 36.9                 | 7.4                  | 26                   |
| I099987            |                                   | 0.34                      | <0.005               | 0.40                 | 2.08               | 7.6                  | <0.2                 | <10                 | 210                  | 0.36                 | 0.18                 | 0.27               | 0.15                 | 39.3                 | 7.9                  | 25                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099847            |                                   | 0.75    | 17.3    | 2.51    | 6.61    | 0.07    | 0.10    | 0.02    | 0.023   | 0.07    | 27.4    | 17.3    | 0.46    | 227     | 0.91    |
| I099848            |                                   | 1.00    | 15.5    | 3.25    | 7.58    | 0.06    | 0.07    | 0.01    | 0.028   | 0.23    | 13.2    | 18.8    | 0.56    | 689     | 1.09    |
| I099849            |                                   | 0.69    | 18.0    | 2.88    | 6.82    | 0.07    | 0.07    | 0.01    | 0.024   | 0.16    | 16.4    | 17.2    | 0.53    | 687     | 1.07    |
| I099850            |                                   | 1.03    | 23.6    | 3.06    | 7.04    | 0.07    | 0.17    | 0.02    | 0.028   | 0.19    | 31.9    | 22.5    | 0.60    | 329     | 1.00    |
| I100000            |                                   | 0.67    | 7.1     | 2.71    | 7.44    | 0.05    | 0.02    | 0.01    | 0.021   | 0.10    | 11.7    | 11.8    | 0.40    | 295     | 0.85    |
| I099953            |                                   | 0.88    | 14.2    | 2.82    | 8.17    | 0.05    | 0.02    | 0.02    | 0.024   | 0.14    | 11.5    | 10.1    | 0.47    | 1740    | 0.77    |
| I099954            |                                   | 0.61    | 11.1    | 2.88    | 7.23    | 0.05    | 0.05    | 0.02    | 0.021   | 0.16    | 12.3    | 12.0    | 0.48    | 1060    | 0.94    |
| I099955            |                                   | 1.00    | 15.9    | 2.69    | 7.79    | 0.09    | 0.03    | 0.05    | 0.018   | 0.32    | 57.2    | 20.3    | 0.67    | 1040    | 1.01    |
| I099956            |                                   | 1.02    | 17.6    | 2.85    | 7.89    | 0.10    | 0.03    | 0.06    | 0.019   | 0.33    | 60.6    | 19.7    | 0.70    | 1300    | 1.20    |
| I099957            |                                   | 0.99    | 8.9     | 2.10    | 6.89    | 0.07    | 0.02    | 0.07    | 0.017   | 0.19    | 42.8    | 9.3     | 0.47    | 273     | 0.37    |
| I099958            |                                   | 0.71    | 15.0    | 2.54    | 7.32    | 0.16    | 0.04    | 0.06    | 0.021   | 0.08    | 119.5   | 11.2    | 0.41    | 899     | 0.78    |
| I099959            |                                   | 0.82    | 15.2    | 2.03    | 7.09    | 0.06    | 0.02    | 0.05    | 0.019   | 0.16    | 27.5    | 6.6     | 0.39    | 208     | 0.74    |
| I099960            |                                   | 0.97    | 13.3    | 3.38    | 10.40   | 0.06    | 0.04    | 0.02    | 0.020   | 0.18    | 13.1    | 12.8    | 0.64    | 374     | 1.03    |
| I099961            |                                   | 0.26    | 10.4    | 1.89    | 7.04    | <0.05   | 0.02    | 0.02    | 0.012   | 0.10    | 8.1     | 2.9     | 0.17    | 274     | 0.90    |
| I099962            |                                   | 1.20    | 16.8    | 3.09    | 8.53    | 0.05    | 0.03    | 0.03    | 0.026   | 0.13    | 12.3    | 13.1    | 0.48    | 2600    | 0.71    |
| I099963            |                                   | 0.70    | 10.3    | 2.74    | 7.15    | <0.05   | 0.03    | 0.03    | 0.019   | 0.07    | 8.9     | 10.6    | 0.43    | 452     | 0.84    |
| I099964            |                                   | 0.71    | 11.9    | 2.63    | 7.97    | 0.05    | 0.03    | 0.02    | 0.019   | 0.15    | 11.5    | 9.4     | 0.44    | 474     | 1.03    |
| I099965            |                                   | 2.09    | 12.1    | 4.34    | 11.20   | 0.10    | 0.06    | 0.02    | 0.014   | 1.08    | 15.9    | 26.4    | 1.27    | 861     | 0.63    |
| I099966            |                                   | 1.74    | 18.0    | 3.63    | 9.31    | 0.12    | 0.05    | 0.04    | 0.024   | 0.60    | 88.1    | 18.1    | 0.75    | 1390    | 0.90    |
| I099967            |                                   | 1.15    | 18.3    | 3.25    | 7.91    | 0.11    | 0.05    | 0.04    | 0.022   | 0.54    | 51.9    | 18.5    | 0.71    | 821     | 0.96    |
| I099968            |                                   | 0.56    | 25.4    | 2.78    | 5.71    | 0.06    | 0.10    | 0.02    | 0.026   | 0.23    | 13.0    | 10.0    | 0.51    | 1240    | 0.69    |
| I099969            |                                   | 0.96    | 19.6    | 3.12    | 7.14    | 0.17    | 0.08    | 0.04    | 0.019   | 0.42    | 94.5    | 15.4    | 0.68    | 579     | 0.81    |
| I099970            |                                   | 0.64    | 18.5    | 2.38    | 5.76    | 0.05    | 0.11    | 0.01    | 0.025   | 0.06    | 11.1    | 12.4    | 0.47    | 182     | 1.02    |
| I099971            |                                   | 1.38    | 11.5    | 3.55    | 9.06    | 0.07    | 0.05    | 0.01    | 0.017   | 0.40    | 14.3    | 20.3    | 0.74    | 437     | 1.04    |
| I099972            |                                   | 0.87    | 12.1    | 2.56    | 6.92    | 0.06    | 0.03    | 0.04    | 0.019   | 0.16    | 18.4    | 13.2    | 0.52    | 285     | 0.73    |
| I099973            |                                   | 0.67    | 10.4    | 1.52    | 6.55    | <0.05   | 0.02    | 0.04    | 0.015   | 0.05    | 12.0    | 6.2     | 0.26    | 106     | 0.71    |
| I099974            |                                   | 1.01    | 12.6    | 2.89    | 7.49    | 0.06    | 0.04    | 0.03    | 0.020   | 0.17    | 16.1    | 12.2    | 0.55    | 343     | 0.77    |
| I099975            |                                   | 1.06    | 15.4    | 3.38    | 9.05    | 0.07    | 0.04    | 0.03    | 0.026   | 0.13    | 17.2    | 15.1    | 0.60    | 375     | 1.04    |
| I099976            |                                   | 1.04    | 10.3    | 3.13    | 7.59    | 0.06    | 0.04    | 0.02    | 0.020   | 0.16    | 16.4    | 15.7    | 0.68    | 395     | 0.70    |
| I099977            |                                   | 1.04    | 21.4    | 1.69    | 6.71    | 0.05    | 0.02    | 0.04    | 0.019   | 0.08    | 23.2    | 4.1     | 0.23    | 135     | 0.79    |
| I099978            |                                   | 0.92    | 9.6     | 2.69    | 7.28    | 0.06    | 0.03    | 0.04    | 0.019   | 0.13    | 22.1    | 10.7    | 0.52    | 257     | 0.68    |
| I099979            |                                   | 0.95    | 26.8    | 3.05    | 7.42    | 0.06    | 0.02    | 0.06    | 0.025   | 0.08    | 23.0    | 10.5    | 0.45    | 332     | 1.25    |
| I099980            |                                   | 1.31    | 11.7    | 3.12    | 7.51    | 0.10    | 0.03    | 0.08    | 0.025   | 0.22    | 55.3    | 12.8    | 0.55    | 1150    | 1.05    |
| I099981            |                                   | 0.95    | 10.4    | 2.58    | 6.13    | 0.05    | 0.03    | 0.03    | 0.018   | 0.10    | 17.8    | 10.6    | 0.50    | 305     | 0.61    |
| I099982            |                                   | 0.78    | 9.2     | 2.14    | 6.54    | 0.05    | 0.02    | 0.05    | 0.017   | 0.06    | 14.3    | 8.7     | 0.46    | 215     | 0.60    |
| I099983            |                                   | 0.98    | 9.4     | 2.25    | 6.26    | 0.05    | 0.02    | 0.03    | 0.017   | 0.09    | 14.8    | 9.4     | 0.46    | 262     | 0.69    |
| I099984            |                                   | 0.83    | 18.8    | 2.03    | 4.88    | 0.06    | 0.02    | 0.07    | 0.019   | 0.06    | 29.8    | 7.6     | 0.36    | 204     | 0.56    |
| I099985            |                                   | 0.91    | 12.4    | 2.64    | 6.93    | 0.05    | 0.02    | 0.05    | 0.023   | 0.06    | 22.8    | 13.4    | 0.51    | 306     | 0.78    |
| I099986            |                                   | 1.28    | 13.5    | 2.86    | 7.87    | 0.05    | 0.02    | 0.06    | 0.025   | 0.08    | 22.0    | 14.6    | 0.54    | 283     | 0.93    |
| I099987            |                                   | 1.25    | 14.2    | 2.90    | 7.68    | 0.06    | 0.03    | 0.07    | 0.024   | 0.08    | 23.5    | 14.6    | 0.52    | 341     | 0.99    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099847            |                                   | 2.37    | 17.9    | 410     | 7.9     | 12.8    | <0.001  | 0.01    | 0.30    | 4.8     | 0.4     | 0.6     | 27.7    | <0.01   | 0.02    |
| I099848            |                                   | 2.97    | 23.7    | 450     | 9.2     | 26.7    | <0.001  | 0.01    | 0.42    | 5.2     | 0.4     | 0.6     | 28.4    | <0.01   | 0.03    |
| I099849            |                                   | 2.52    | 23.9    | 210     | 8.9     | 26.6    | <0.001  | 0.01    | 0.39    | 4.7     | 0.4     | 0.6     | 26.5    | <0.01   | 0.02    |
| I099850            |                                   | 2.83    | 25.1    | 230     | 10.3    | 24.3    | <0.001  | 0.01    | 0.51    | 5.8     | 0.5     | 0.8     | 29.4    | <0.01   | 0.03    |
| I100000            |                                   | 1.98    | 13.9    | 770     | 9.6     | 17.8    | <0.001  | 0.01    | 0.32    | 2.8     | 0.2     | 0.7     | 22.4    | <0.01   | 0.02    |
| I099953            |                                   | 2.97    | 17.3    | 620     | 9.9     | 17.6    | <0.001  | 0.01    | 0.29    | 3.9     | 0.3     | 0.7     | 45.9    | <0.01   | 0.02    |
| I099954            |                                   | 2.75    | 17.4    | 460     | 8.3     | 20.9    | <0.001  | 0.01    | 0.34    | 4.0     | 0.3     | 0.6     | 24.6    | <0.01   | 0.02    |
| I099955            |                                   | 3.23    | 13.3    | 550     | 6.2     | 35.3    | 0.002   | 0.03    | 0.19    | 4.8     | 0.6     | 0.5     | 53.1    | <0.01   | 0.02    |
| I099956            |                                   | 3.31    | 13.7    | 610     | 6.2     | 35.6    | 0.003   | 0.05    | 0.23    | 4.9     | 0.7     | 0.5     | 58.6    | <0.01   | 0.02    |
| I099957            |                                   | 2.54    | 8.4     | 770     | 5.6     | 23.4    | <0.001  | 0.05    | 0.16    | 2.8     | 0.7     | 0.5     | 25.1    | <0.01   | 0.01    |
| I099958            |                                   | 1.81    | 13.7    | 520     | 6.6     | 15.6    | <0.001  | 0.04    | 0.30    | 5.2     | 1.1     | 0.5     | 38.9    | 0.01    | 0.02    |
| I099959            |                                   | 1.97    | 8.9     | 560     | 14.3    | 19.4    | <0.001  | 0.04    | 0.23    | 3.0     | 0.6     | 0.6     | 31.8    | <0.01   | 0.02    |
| I099960            |                                   | 4.17    | 14.7    | 290     | 8.9     | 25.3    | <0.001  | 0.01    | 0.37    | 3.9     | 0.4     | 0.8     | 20.3    | <0.01   | 0.03    |
| I099961            |                                   | 2.00    | 9.3     | 610     | 8.0     | 13.1    | <0.001  | 0.01    | 0.34    | 1.9     | 0.3     | 0.7     | 31.7    | <0.01   | 0.02    |
| I099962            |                                   | 3.28    | 18.4    | 1330    | 8.5     | 21.9    | <0.001  | 0.01    | 0.31    | 4.0     | 0.3     | 0.6     | 21.0    | <0.01   | 0.03    |
| I099963            |                                   | 2.74    | 16.2    | 280     | 8.1     | 13.8    | <0.001  | 0.01    | 0.34    | 3.0     | 0.3     | 0.6     | 16.7    | <0.01   | 0.02    |
| I099964            |                                   | 3.18    | 14.0    | 430     | 9.5     | 22.9    | <0.001  | 0.01    | 0.31    | 3.3     | 0.3     | 0.6     | 19.8    | <0.01   | 0.02    |
| I099965            |                                   | 7.48    | 10.8    | 300     | 5.1     | 87.0    | <0.001  | 0.01    | 0.21    | 4.5     | 0.4     | 0.8     | 32.2    | <0.01   | 0.02    |
| I099966            |                                   | 5.04    | 17.3    | 710     | 7.9     | 55.9    | <0.001  | 0.02    | 0.35    | 5.7     | 0.7     | 0.7     | 42.9    | <0.01   | 0.03    |
| I099967            |                                   | 4.54    | 17.3    | 610     | 7.5     | 40.2    | <0.001  | 0.02    | 0.35    | 4.8     | 0.6     | 0.6     | 42.8    | <0.01   | 0.02    |
| I099968            |                                   | 2.00    | 27.3    | 790     | 9.0     | 19.3    | <0.001  | 0.01    | 0.46    | 5.5     | 0.6     | 0.5     | 76.0    | <0.01   | 0.03    |
| I099969            |                                   | 3.84    | 14.8    | 850     | 6.1     | 33.1    | <0.001  | 0.02    | 0.46    | 5.8     | 1.0     | 0.5     | 48.6    | 0.01    | 0.02    |
| I099970            |                                   | 1.92    | 23.7    | 380     | 8.2     | 7.8     | <0.001  | 0.01    | 0.45    | 4.7     | 0.4     | 0.5     | 34.9    | <0.01   | 0.03    |
| I099971            |                                   | 3.46    | 13.2    | 770     | 6.5     | 38.0    | <0.001  | 0.01    | 0.28    | 3.5     | 0.2     | 0.6     | 25.0    | <0.01   | 0.02    |
| I099972            |                                   | 2.58    | 13.4    | 580     | 7.3     | 21.8    | <0.001  | 0.02    | 0.34    | 3.3     | 0.5     | 0.5     | 22.9    | <0.01   | 0.02    |
| I099973            |                                   | 1.34    | 10.2    | 290     | 6.5     | 10.9    | <0.001  | 0.02    | 0.26    | 2.0     | 0.4     | 0.5     | 19.7    | <0.01   | 0.02    |
| I099974            |                                   | 3.17    | 13.5    | 590     | 7.7     | 19.6    | <0.001  | 0.02    | 0.32    | 3.6     | 0.5     | 0.6     | 24.4    | <0.01   | 0.02    |
| I099975            |                                   | 3.53    | 15.5    | 550     | 9.6     | 24.8    | <0.001  | 0.02    | 0.39    | 4.0     | 0.5     | 0.7     | 25.5    | <0.01   | 0.03    |
| I099976            |                                   | 3.54    | 13.2    | 370     | 6.2     | 23.5    | <0.001  | 0.01    | 0.31    | 3.7     | 0.4     | 0.6     | 23.4    | <0.01   | 0.02    |
| I099977            |                                   | 1.38    | 11.2    | 370     | 8.1     | 22.4    | <0.001  | 0.02    | 0.23    | 2.1     | 0.5     | 0.6     | 27.1    | <0.01   | 0.02    |
| I099978            |                                   | 3.38    | 10.3    | 420     | 7.9     | 23.7    | <0.001  | 0.02    | 0.26    | 3.6     | 0.4     | 0.6     | 20.2    | <0.01   | 0.03    |
| I099979            |                                   | 2.18    | 15.4    | 780     | 10.5    | 21.9    | <0.001  | 0.03    | 0.35    | 2.6     | 0.6     | 0.6     | 22.7    | <0.01   | 0.04    |
| I099980            |                                   | 3.49    | 10.3    | 910     | 7.6     | 42.2    | <0.001  | 0.07    | 0.25    | 5.3     | 0.7     | 0.7     | 45.1    | <0.01   | 0.02    |
| I099981            |                                   | 3.08    | 10.3    | 520     | 6.1     | 21.1    | <0.001  | 0.03    | 0.21    | 3.1     | 0.5     | 0.6     | 17.9    | <0.01   | 0.02    |
| I099982            |                                   | 2.69    | 9.8     | 430     | 6.4     | 13.8    | <0.001  | 0.03    | 0.20    | 2.8     | 0.5     | 0.6     | 17.1    | <0.01   | 0.02    |
| I099983            |                                   | 2.65    | 10.5    | 580     | 6.6     | 22.5    | <0.001  | 0.03    | 0.21    | 2.8     | 0.4     | 0.6     | 18.7    | <0.01   | 0.02    |
| I099984            |                                   | 2.03    | 12.9    | 910     | 6.3     | 19.2    | <0.001  | 0.06    | 0.29    | 2.9     | 0.8     | 0.4     | 28.6    | 0.01    | 0.02    |
| I099985            |                                   | 2.43    | 14.9    | 630     | 8.1     | 20.3    | <0.001  | 0.04    | 0.31    | 3.5     | 0.6     | 0.6     | 25.2    | <0.01   | 0.03    |
| I099986            |                                   | 2.67    | 14.6    | 660     | 9.3     | 25.7    | <0.001  | 0.04    | 0.31    | 3.5     | 0.6     | 0.7     | 23.4    | <0.01   | 0.03    |
| I099987            |                                   | 2.70    | 14.9    | 690     | 9.4     | 21.1    | <0.001  | 0.04    | 0.33    | 3.5     | 0.6     | 0.7     | 23.7    | <0.01   | 0.03    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 4 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      | Zr      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       | 0.5     |
| I099847            |                                   | 0.094   | 0.10    | 1.38    | 53      | 0.20    | 6.64    | 47      | 4.5     |
| I099848            |                                   | 0.120   | 0.16    | 0.54    | 63      | 0.17    | 3.47    | 60      | 3.5     |
| I099849            |                                   | 0.102   | 0.13    | 0.70    | 55      | 0.13    | 5.54    | 49      | 3.2     |
| I099850            |                                   | 0.123   | 0.18    | 1.02    | 60      | 0.16    | 14.75   | 55      | 7.5     |
| I100000            |                                   | 0.086   | 0.13    | 0.38    | 56      | 0.20    | 2.43    | 49      | 0.8     |
| I099953            |                                   | 0.107   | 0.12    | 0.38    | 57      | 0.15    | 2.50    | 44      | 0.9     |
| I099954            |                                   | 0.110   | 0.12    | 0.35    | 59      | 0.14    | 2.37    | 62      | 2.2     |
| I099955            |                                   | 0.113   | 0.20    | 2.15    | 53      | 0.15    | 10.35   | 66      | 1.2     |
| I099956            |                                   | 0.115   | 0.20    | 2.47    | 56      | 0.14    | 10.90   | 67      | 1.2     |
| I099957            |                                   | 0.077   | 0.15    | 1.64    | 31      | 0.10    | 6.11    | 46      | 0.6     |
| I099958            |                                   | 0.063   | 0.10    | 2.73    | 46      | 0.22    | 23.3    | 42      | 0.6     |
| I099959            |                                   | 0.064   | 0.12    | 1.66    | 39      | 0.21    | 5.09    | 42      | <0.5    |
| I099960            |                                   | 0.156   | 0.18    | 0.60    | 77      | 0.17    | 2.47    | 58      | 1.7     |
| I099961            |                                   | 0.099   | 0.08    | 0.27    | 52      | 0.15    | 1.61    | 32      | 0.9     |
| I099962            |                                   | 0.113   | 0.16    | 0.41    | 59      | 0.15    | 2.82    | 74      | 1.5     |
| I099963            |                                   | 0.110   | 0.11    | 0.32    | 60      | 0.17    | 1.90    | 45      | 1.6     |
| I099964            |                                   | 0.117   | 0.12    | 0.50    | 61      | 0.28    | 2.38    | 43      | 1.5     |
| I099965            |                                   | 0.256   | 0.44    | 0.80    | 87      | 0.25    | 2.84    | 79      | 2.5     |
| I099966            |                                   | 0.161   | 0.27    | 1.89    | 72      | 0.20    | 10.60   | 60      | 1.6     |
| I099967            |                                   | 0.150   | 0.19    | 1.57    | 64      | 0.18    | 10.40   | 61      | 1.9     |
| I099968            |                                   | 0.090   | 0.08    | 0.31    | 53      | 0.15    | 4.88    | 72      | 3.9     |
| I099969            |                                   | 0.125   | 0.18    | 3.78    | 56      | 0.23    | 20.8    | 67      | 3.3     |
| I099970            |                                   | 0.088   | 0.07    | 0.42    | 58      | 0.20    | 4.40    | 45      | 4.8     |
| I099971            |                                   | 0.170   | 0.25    | 0.59    | 74      | 0.17    | 2.57    | 62      | 2.2     |
| I099972            |                                   | 0.109   | 0.13    | 0.95    | 51      | 0.33    | 4.68    | 59      | 1.1     |
| I099973            |                                   | 0.067   | 0.10    | 0.58    | 37      | 0.23    | 3.21    | 33      | 0.6     |
| I099974            |                                   | 0.128   | 0.13    | 0.90    | 61      | 0.16    | 4.78    | 63      | 1.9     |
| I099975            |                                   | 0.140   | 0.15    | 1.01    | 72      | 0.23    | 4.40    | 72      | 1.8     |
| I099976            |                                   | 0.135   | 0.15    | 0.67    | 63      | 0.18    | 3.61    | 65      | 1.9     |
| I099977            |                                   | 0.066   | 0.09    | 1.27    | 40      | 0.13    | 6.08    | 35      | <0.5    |
| I099978            |                                   | 0.117   | 0.14    | 1.18    | 55      | 0.19    | 4.68    | 56      | 1.4     |
| I099979            |                                   | 0.081   | 0.09    | 1.54    | 63      | 0.18    | 5.46    | 60      | 0.7     |
| I099980            |                                   | 0.101   | 0.24    | 4.21    | 59      | 0.14    | 14.25   | 67      | 1.0     |
| I099981            |                                   | 0.108   | 0.12    | 1.18    | 53      | 0.20    | 4.64    | 54      | 0.9     |
| I099982            |                                   | 0.098   | 0.11    | 0.98    | 45      | 0.14    | 3.70    | 50      | 0.7     |
| I099983            |                                   | 0.100   | 0.12    | 1.04    | 47      | 0.15    | 4.46    | 51      | 0.8     |
| I099984            |                                   | 0.066   | 0.09    | 2.08    | 30      | 0.13    | 8.29    | 45      | 0.6     |
| I099985            |                                   | 0.086   | 0.13    | 1.53    | 49      | 0.16    | 5.65    | 64      | 0.9     |
| I099986            |                                   | 0.096   | 0.16    | 1.82    | 54      | 0.19    | 5.54    | 68      | 0.8     |
| I099987            |                                   | 0.091   | 0.15    | 1.97    | 56      | 0.17    | 5.68    | 67      | 0.9     |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I099988            |                                   | 0.10                      | <0.005               | 0.22                 | 1.20               | 4.4                  | <0.2                 | <10                 | 90                   | 0.14                 | 0.12                 | 0.17               | 0.14                 | 20.4                 | 4.6                  | 16                   |
| I099989            |                                   | 0.32                      | <0.005               | 0.26                 | 2.19               | 6.4                  | <0.2                 | <10                 | 190                  | 0.23                 | 0.16                 | 0.32               | 0.16                 | 40.9                 | 7.3                  | 24                   |
| I099990            |                                   | 0.34                      | <0.005               | 0.08                 | 2.17               | 8.4                  | <0.2                 | <10                 | 170                  | 0.46                 | 0.14                 | 0.22               | 0.10                 | 51.5                 | 9.5                  | 26                   |
| I099991            |                                   | 0.30                      | <0.005               | 0.16                 | 1.92               | 7.9                  | <0.2                 | <10                 | 160                  | 0.27                 | 0.16                 | 0.14               | 0.10                 | 19.45                | 7.4                  | 21                   |
| I099992            |                                   | 0.30                      | <0.005               | 0.08                 | 1.72               | 6.5                  | <0.2                 | <10                 | 140                  | 0.28                 | 0.16                 | 0.29               | 0.11                 | 23.1                 | 9.2                  | 26                   |
| I099993            |                                   | 0.28                      | <0.005               | 0.27                 | 1.80               | 11.0                 | <0.2                 | <10                 | 160                  | 0.32                 | 0.19                 | 0.16               | 0.14                 | 24.1                 | 6.8                  | 23                   |
| I099994            |                                   | 0.32                      | <0.005               | 0.49                 | 1.47               | 4.7                  | <0.2                 | <10                 | 260                  | 0.46                 | 0.19                 | 0.23               | 0.44                 | 34.2                 | 12.6                 | 19                   |
| I099995            |                                   | 0.30                      | <0.005               | 0.05                 | 1.91               | 8.8                  | <0.2                 | <10                 | 230                  | 0.23                 | 0.15                 | 0.13               | 0.09                 | 21.6                 | 7.8                  | 29                   |
| I099996            |                                   | 0.30                      | <0.005               | 0.04                 | 2.08               | 9.2                  | <0.2                 | <10                 | 240                  | 0.28                 | 0.15                 | 0.13               | 0.09                 | 21.2                 | 8.1                  | 30                   |
| I099997            |                                   | 0.34                      | <0.005               | 0.27                 | 1.82               | 10.5                 | <0.2                 | <10                 | 180                  | 0.32                 | 0.16                 | 0.27               | 0.10                 | 33.0                 | 8.1                  | 26                   |
| I099998            |                                   | 0.46                      | <0.005               | 0.07                 | 2.00               | 8.0                  | <0.2                 | <10                 | 190                  | 0.28                 | 0.12                 | 0.24               | 0.14                 | 21.6                 | 8.9                  | 22                   |
| I099999            |                                   | 0.38                      | <0.005               | 0.09                 | 2.40               | 10.9                 | <0.2                 | <10                 | 260                  | 0.40                 | 0.16                 | 0.27               | 0.15                 | 19.90                | 11.0                 | 29                   |
| I100048            |                                   | 0.36                      | <0.005               | 0.03                 | 2.17               | 10.7                 | <0.2                 | <10                 | 140                  | 0.41                 | 0.17                 | 0.13               | 0.07                 | 20.4                 | 9.4                  | 29                   |
| I100049            |                                   | 0.18                      | <0.005               | 0.19                 | 2.20               | 6.1                  | <0.2                 | <10                 | 160                  | 0.37                 | 0.19                 | 0.31               | 0.09                 | 63.2                 | 6.7                  | 24                   |
| I100050            |                                   | 0.18                      | <0.005               | 0.19                 | 0.69               | 1.5                  | <0.2                 | <10                 | 150                  | 0.19                 | 0.09                 | 0.12               | 0.26                 | 23.6                 | 2.5                  | 9                    |
| I100086            |                                   | 0.46                      | <0.005               | 0.08                 | 1.47               | 9.0                  | <0.2                 | <10                 | 300                  | 0.33                 | 0.14                 | 0.69               | 0.29                 | 27.5                 | 9.6                  | 26                   |
| I100087            |                                   | 0.64                      | <0.005               | 0.12                 | 1.79               | 7.4                  | <0.2                 | <10                 | 210                  | 0.28                 | 0.14                 | 0.34               | 0.14                 | 31.9                 | 7.2                  | 23                   |
| I100088            |                                   | 0.58                      | <0.005               | 0.09                 | 1.96               | 8.3                  | <0.2                 | <10                 | 160                  | 0.29                 | 0.16                 | 0.30               | 0.11                 | 27.8                 | 8.2                  | 27                   |
| I100089            |                                   | 0.64                      | <0.005               | 0.11                 | 1.86               | 7.9                  | <0.2                 | <10                 | 230                  | 0.29                 | 0.15                 | 0.37               | 0.11                 | 31.9                 | 9.2                  | 24                   |
| I100090            |                                   | 0.36                      | <0.005               | 0.11                 | 1.78               | 6.9                  | <0.2                 | <10                 | 160                  | 0.32                 | 0.16                 | 0.19               | 0.09                 | 18.25                | 8.8                  | 27                   |
| I100091            |                                   | 0.32                      | <0.005               | 0.04                 | 1.68               | 6.1                  | <0.2                 | <10                 | 190                  | 0.20                 | 0.13                 | 0.21               | 0.09                 | 14.95                | 8.7                  | 20                   |
| I100092            |                                   | 0.62                      | <0.005               | 0.05                 | 2.14               | 6.3                  | <0.2                 | <10                 | 110                  | 0.38                 | 0.12                 | 0.16               | 0.08                 | 28.5                 | 8.3                  | 18                   |
| I100093            |                                   | 0.58                      | 0.011                | 0.07                 | 2.05               | 5.2                  | <0.2                 | <10                 | 130                  | 0.30                 | 0.09                 | 0.28               | 0.10                 | 41.0                 | 10.2                 | 17                   |
| I100094            |                                   | 0.70                      | <0.005               | 0.05                 | 1.98               | 6.3                  | <0.2                 | <10                 | 130                  | 0.30                 | 0.11                 | 0.30               | 0.08                 | 28.4                 | 11.2                 | 21                   |
| I100095            |                                   | 0.48                      | <0.005               | 0.09                 | 2.44               | 8.4                  | <0.2                 | <10                 | 180                  | 0.49                 | 0.17                 | 0.24               | 0.11                 | 50.3                 | 10.3                 | 21                   |
| I100096            |                                   | 0.46                      | <0.005               | 0.05                 | 1.96               | 4.3                  | <0.2                 | <10                 | 90                   | 0.22                 | 0.08                 | 0.21               | 0.06                 | 18.20                | 10.2                 | 13                   |
| I100097            |                                   | 0.38                      | <0.005               | 0.06                 | 2.16               | 4.1                  | <0.2                 | <10                 | 180                  | 0.34                 | 0.09                 | 0.37               | 0.10                 | 32.2                 | 10.1                 | 15                   |
| I100098            |                                   | 0.54                      | <0.005               | 0.07                 | 2.77               | 8.0                  | <0.2                 | <10                 | 130                  | 0.39                 | 0.11                 | 0.26               | 0.07                 | 24.4                 | 11.6                 | 18                   |
| I100099            |                                   | 0.58                      | <0.005               | 0.03                 | 1.37               | 3.4                  | <0.2                 | <10                 | 80                   | 0.18                 | 0.12                 | 0.13               | 0.07                 | 25.1                 | 7.2                  | 10                   |
| I100100            |                                   | 0.38                      | <0.005               | 0.06                 | 1.06               | 3.5                  | <0.2                 | <10                 | 130                  | 0.29                 | 0.16                 | 0.16               | 0.07                 | 29.5                 | 3.0                  | 12                   |
| I100101            |                                   | 0.42                      | <0.005               | 0.04                 | 1.70               | 8.9                  | <0.2                 | <10                 | 160                  | 0.25                 | 0.17                 | 0.16               | 0.06                 | 19.60                | 6.7                  | 21                   |
| I100102            |                                   | 0.44                      | <0.005               | 0.04                 | 2.68               | 5.4                  | <0.2                 | <10                 | 210                  | 0.50                 | 0.10                 | 0.24               | 0.05                 | 24.1                 | 13.7                 | 19                   |
| I100103            |                                   | 0.46                      | <0.005               | 0.04                 | 2.28               | 7.9                  | <0.2                 | <10                 | 190                  | 0.41                 | 0.12                 | 0.28               | 0.08                 | 17.25                | 11.0                 | 24                   |
| I100104            |                                   | 0.62                      | <0.005               | 0.05                 | 1.75               | 8.1                  | <0.2                 | <10                 | 160                  | 0.30                 | 0.12                 | 0.25               | 0.05                 | 24.3                 | 9.7                  | 25                   |
| I100105            |                                   | 0.50                      | <0.005               | 0.05                 | 1.63               | 7.3                  | <0.2                 | <10                 | 170                  | 0.30                 | 0.12                 | 0.25               | 0.13                 | 17.70                | 9.0                  | 20                   |
| I100106            |                                   | 0.54                      | 0.027                | 0.05                 | 2.25               | 7.8                  | <0.2                 | <10                 | 180                  | 0.42                 | 0.14                 | 0.17               | 0.09                 | 24.4                 | 11.2                 | 25                   |
| I100107            |                                   | 0.46                      | <0.005               | 0.03                 | 2.05               | 6.1                  | <0.2                 | <10                 | 180                  | 0.30                 | 0.10                 | 0.27               | 0.04                 | 30.0                 | 11.7                 | 19                   |
| I100108            |                                   | 0.50                      | <0.005               | 0.01                 | 2.92               | 5.6                  | <0.2                 | <10                 | 220                  | 0.45                 | 0.07                 | 0.25               | 0.05                 | 27.3                 | 16.0                 | 15                   |
| I100109            |                                   | 0.50                      | <0.005               | 0.02                 | 3.20               | 5.6                  | <0.2                 | <10                 | 230                  | 0.49                 | 0.07                 | 0.26               | 0.04                 | 29.8                 | 16.9                 | 15                   |
| I100110            |                                   | 0.44                      | 0.008                | 0.02                 | 2.42               | 5.6                  | <0.2                 | <10                 | 120                  | 0.40                 | 0.12                 | 0.58               | 0.04                 | 24.6                 | 12.3                 | 20                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I099988            |                                   | 0.83    | 10.5    | 1.82    | 5.94    | <0.05   | 0.02    | 0.06    | 0.014   | 0.06    | 12.8    | 7.3     | 0.32    | 242     | 0.89    |
| I099989            |                                   | 1.36    | 12.1    | 2.81    | 8.65    | 0.07    | 0.04    | 0.06    | 0.023   | 0.11    | 26.9    | 13.3    | 0.54    | 314     | 0.88    |
| I099990            |                                   | 0.87    | 17.1    | 3.07    | 7.00    | 0.06    | 0.02    | 0.03    | 0.025   | 0.09    | 29.8    | 16.5    | 0.53    | 468     | 0.95    |
| I099991            |                                   | 1.01    | 12.7    | 3.02    | 9.16    | 0.05    | 0.02    | 0.03    | 0.020   | 0.06    | 11.8    | 13.1    | 0.50    | 400     | 1.18    |
| I099992            |                                   | 1.09    | 17.2    | 2.71    | 6.67    | 0.05    | 0.03    | 0.02    | 0.024   | 0.06    | 12.1    | 13.4    | 0.52    | 570     | 1.50    |
| I099993            |                                   | 1.14    | 17.5    | 3.04    | 7.75    | 0.05    | 0.02    | 0.07    | 0.021   | 0.09    | 13.0    | 11.3    | 0.42    | 249     | 2.41    |
| I099994            |                                   | 1.10    | 24.3    | 2.00    | 6.46    | <0.05   | 0.02    | 0.05    | 0.021   | 0.07    | 19.0    | 6.0     | 0.29    | 1200    | 1.06    |
| I099995            |                                   | 0.61    | 15.1    | 2.91    | 7.16    | 0.05    | 0.04    | 0.01    | 0.022   | 0.05    | 11.5    | 13.8    | 0.51    | 366     | 0.99    |
| I099996            |                                   | 0.60    | 15.1    | 3.04    | 7.23    | 0.05    | 0.05    | 0.01    | 0.024   | 0.04    | 11.5    | 15.4    | 0.54    | 372     | 0.97    |
| I099997            |                                   | 0.95    | 16.1    | 2.94    | 6.67    | 0.06    | 0.04    | 0.02    | 0.023   | 0.11    | 19.6    | 13.1    | 0.54    | 283     | 1.03    |
| I099998            |                                   | 1.40    | 13.2    | 3.30    | 7.76    | 0.06    | 0.06    | 0.02    | 0.017   | 0.24    | 12.9    | 20.0    | 0.73    | 416     | 1.15    |
| I099999            |                                   | 1.15    | 15.2    | 3.67    | 7.94    | 0.06    | 0.10    | 0.02    | 0.026   | 0.11    | 11.3    | 22.3    | 0.68    | 498     | 1.13    |
| I100048            |                                   | 0.82    | 16.2    | 3.15    | 7.57    | 0.05    | 0.14    | 0.01    | 0.028   | 0.08    | 11.8    | 11.8    | 0.48    | 379     | 1.30    |
| I100049            |                                   | 1.13    | 20.3    | 2.84    | 9.75    | 0.07    | 0.03    | 0.06    | 0.025   | 0.18    | 53.6    | 7.6     | 0.41    | 256     | 1.06    |
| I100050            |                                   | 0.50    | 17.7    | 1.09    | 4.51    | <0.05   | <0.02   | 0.05    | 0.010   | 0.08    | 17.4    | 1.5     | 0.12    | 91      | 0.80    |
| I100086            |                                   | 0.60    | 23.1    | 2.56    | 4.70    | 0.07    | 0.06    | 0.03    | 0.023   | 0.09    | 13.5    | 11.0    | 0.58    | 408     | 0.86    |
| I100087            |                                   | 0.69    | 14.4    | 2.57    | 5.75    | 0.05    | 0.03    | 0.03    | 0.021   | 0.09    | 18.6    | 12.1    | 0.51    | 256     | 0.74    |
| I100088            |                                   | 0.85    | 14.6    | 2.89    | 6.29    | 0.05    | 0.07    | 0.03    | 0.025   | 0.07    | 15.1    | 14.8    | 0.55    | 235     | 0.82    |
| I100089            |                                   | 0.81    | 15.7    | 2.90    | 6.42    | 0.06    | 0.05    | 0.03    | 0.022   | 0.09    | 17.8    | 13.7    | 0.60    | 305     | 0.84    |
| I100090            |                                   | 0.42    | 12.6    | 2.93    | 6.40    | <0.05   | 0.03    | 0.01    | 0.022   | 0.08    | 11.0    | 9.9     | 0.47    | 403     | 1.22    |
| I100091            |                                   | 0.72    | 11.8    | 2.90    | 6.70    | 0.05    | 0.07    | 0.01    | 0.018   | 0.25    | 9.0     | 9.6     | 0.52    | 517     | 1.07    |
| I100092            |                                   | 1.07    | 10.5    | 3.29    | 8.56    | 0.07    | 0.07    | 0.02    | 0.021   | 0.22    | 17.8    | 13.3    | 0.58    | 348     | 0.79    |
| I100093            |                                   | 0.91    | 11.4    | 3.36    | 7.56    | 0.08    | 0.03    | 0.02    | 0.017   | 0.32    | 29.1    | 14.1    | 0.75    | 467     | 0.68    |
| I100094            |                                   | 0.98    | 10.1    | 3.20    | 6.54    | 0.06    | 0.05    | 0.02    | 0.018   | 0.18    | 17.8    | 17.9    | 0.69    | 438     | 0.66    |
| I100095            |                                   | 1.03    | 14.3    | 3.68    | 9.29    | 0.07    | 0.03    | 0.02    | 0.025   | 0.18    | 38.6    | 12.8    | 0.68    | 446     | 0.96    |
| I100096            |                                   | 1.41    | 8.5     | 3.35    | 8.31    | 0.06    | 0.03    | 0.01    | 0.012   | 0.37    | 12.3    | 11.2    | 0.80    | 527     | 0.65    |
| I100097            |                                   | 1.20    | 13.6    | 3.11    | 7.75    | 0.06    | 0.05    | 0.01    | 0.015   | 0.25    | 21.0    | 14.7    | 0.76    | 599     | 0.63    |
| I100098            |                                   | 1.50    | 9.9     | 4.02    | 8.95    | 0.06    | 0.08    | 0.02    | 0.015   | 0.42    | 14.1    | 20.1    | 0.87    | 531     | 0.98    |
| I100099            |                                   | 0.53    | 9.5     | 2.30    | 7.47    | <0.05   | <0.02   | 0.01    | 0.010   | 0.10    | 14.5    | 9.3     | 0.49    | 293     | 0.61    |
| I100100            |                                   | 0.37    | 13.9    | 1.38    | 6.97    | <0.05   | 0.03    | 0.03    | 0.015   | 0.06    | 18.1    | 4.4     | 0.14    | 81      | 0.79    |
| I100101            |                                   | 0.84    | 9.8     | 2.77    | 7.71    | <0.05   | 0.02    | 0.02    | 0.019   | 0.10    | 9.6     | 16.2    | 0.46    | 231     | 1.05    |
| I100102            |                                   | 1.84    | 8.2     | 3.89    | 10.45   | 0.08    | 0.10    | 0.01    | 0.017   | 0.56    | 38.6    | 26.5    | 0.94    | 538     | 0.71    |
| I100103            |                                   | 0.96    | 11.8    | 3.38    | 8.07    | 0.05    | 0.07    | 0.01    | 0.021   | 0.19    | 9.8     | 22.4    | 0.69    | 363     | 0.89    |
| I100104            |                                   | 0.79    | 15.4    | 3.05    | 6.04    | <0.05   | 0.08    | 0.02    | 0.019   | 0.22    | 11.8    | 15.3    | 0.68    | 366     | 0.85    |
| I100105            |                                   | 0.55    | 9.8     | 2.75    | 5.86    | 0.05    | 0.04    | 0.02    | 0.018   | 0.14    | 9.5     | 17.2    | 0.55    | 321     | 0.92    |
| I100106            |                                   | 0.97    | 11.8    | 3.52    | 7.55    | <0.05   | 0.08    | 0.01    | 0.023   | 0.35    | 10.5    | 17.6    | 0.69    | 363     | 1.09    |
| I100107            |                                   | 1.24    | 12.3    | 3.49    | 7.94    | 0.06    | 0.07    | 0.01    | 0.018   | 0.46    | 19.5    | 17.8    | 0.81    | 545     | 0.75    |
| I100108            |                                   | 2.08    | 14.1    | 4.62    | 10.80   | 0.07    | 0.05    | 0.01    | 0.014   | 1.23    | 21.1    | 37.4    | 1.25    | 692     | 0.54    |
| I100109            |                                   | 2.34    | 14.6    | 5.03    | 11.70   | 0.09    | 0.05    | 0.01    | 0.015   | 1.43    | 21.3    | 41.2    | 1.39    | 754     | 0.54    |
| I100110            |                                   | 1.53    | 11.2    | 3.77    | 9.09    | 0.06    | 0.09    | 0.01    | 0.021   | 0.57    | 15.6    | 31.9    | 0.84    | 514     | 2.00    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I099988            |                                   | 2.18    | 8.6     | 440     | 7.5     | 18.2    | <0.001  | 0.04    | 0.24    | 2.0     | 0.5     | 0.5     | 16.9    | <0.01   | 0.02    |
| I099989            |                                   | 3.68    | 13.9    | 720     | 12.0    | 23.6    | <0.001  | 0.05    | 0.29    | 4.1     | 0.7     | 0.8     | 29.6    | <0.01   | 0.03    |
| I099990            |                                   | 1.66    | 18.5    | 440     | 9.7     | 18.4    | <0.001  | 0.02    | 0.42    | 4.0     | 0.4     | 0.6     | 18.2    | <0.01   | 0.03    |
| I099991            |                                   | 3.28    | 12.1    | 360     | 8.7     | 21.0    | <0.001  | 0.02    | 0.37    | 2.9     | 0.3     | 0.8     | 16.4    | <0.01   | 0.04    |
| I099992            |                                   | 2.10    | 16.7    | 640     | 8.0     | 18.2    | <0.001  | 0.02    | 0.39    | 2.8     | 0.3     | 0.6     | 22.3    | <0.01   | 0.03    |
| I099993            |                                   | 3.11    | 16.5    | 550     | 9.1     | 25.8    | <0.001  | 0.04    | 0.51    | 2.7     | 0.5     | 0.6     | 19.5    | <0.01   | 0.05    |
| I099994            |                                   | 1.51    | 17.2    | 530     | 8.7     | 27.3    | <0.001  | 0.04    | 0.30    | 2.3     | 0.5     | 0.6     | 28.0    | <0.01   | 0.03    |
| I099995            |                                   | 2.46    | 18.6    | 250     | 8.1     | 10.1    | <0.001  | 0.01    | 0.50    | 3.4     | 0.3     | 0.7     | 17.7    | <0.01   | 0.03    |
| I099996            |                                   | 2.48    | 19.1    | 240     | 8.7     | 9.1     | <0.001  | 0.01    | 0.49    | 3.4     | 0.3     | 0.7     | 17.3    | <0.01   | 0.03    |
| I099997            |                                   | 2.96    | 17.8    | 600     | 8.2     | 22.8    | <0.001  | 0.02    | 0.50    | 3.3     | 0.5     | 0.6     | 24.9    | <0.01   | 0.03    |
| I099998            |                                   | 4.22    | 15.5    | 430     | 6.9     | 46.0    | <0.001  | 0.01    | 0.35    | 3.2     | 0.2     | 0.6     | 18.9    | <0.01   | 0.02    |
| I099999            |                                   | 3.67    | 21.2    | 1350    | 9.1     | 24.7    | <0.001  | 0.01    | 0.45    | 3.6     | 0.3     | 0.7     | 20.7    | <0.01   | 0.04    |
| I100048            |                                   | 1.90    | 17.8    | 290     | 9.3     | 15.8    | <0.001  | <0.01   | 0.46    | 3.7     | 0.3     | 0.7     | 17.6    | <0.01   | 0.03    |
| I100049            |                                   | 3.50    | 11.4    | 760     | 8.3     | 24.5    | <0.001  | 0.07    | 0.37    | 2.4     | 0.8     | 0.8     | 35.5    | <0.01   | 0.05    |
| I100050            |                                   | 0.45    | 6.4     | 710     | 5.1     | 12.7    | <0.001  | 0.03    | 0.19    | 0.4     | 0.4     | 0.4     | 18.3    | <0.01   | 0.02    |
| I100086            |                                   | 1.92    | 22.8    | 750     | 7.9     | 12.3    | <0.001  | 0.02    | 0.60    | 4.0     | 0.6     | 0.5     | 42.6    | <0.01   | 0.03    |
| I100087            |                                   | 1.96    | 14.4    | 660     | 7.4     | 15.6    | <0.001  | 0.02    | 0.34    | 3.3     | 0.5     | 0.5     | 27.6    | <0.01   | 0.03    |
| I100088            |                                   | 2.39    | 16.4    | 610     | 8.5     | 16.1    | <0.001  | 0.01    | 0.40    | 3.7     | 0.4     | 0.6     | 23.5    | <0.01   | 0.03    |
| I100089            |                                   | 2.72    | 15.6    | 510     | 7.7     | 21.0    | <0.001  | 0.01    | 0.42    | 3.9     | 0.4     | 0.5     | 29.4    | <0.01   | 0.03    |
| I100090            |                                   | 1.97    | 16.5    | 320     | 9.0     | 6.8     | <0.001  | 0.01    | 0.43    | 2.8     | 0.2     | 0.6     | 20.5    | <0.01   | 0.02    |
| I100091            |                                   | 3.16    | 12.6    | 280     | 7.1     | 21.5    | <0.001  | <0.01   | 0.35    | 2.6     | 0.2     | 0.6     | 23.8    | <0.01   | 0.03    |
| I100092            |                                   | 3.68    | 9.0     | 370     | 6.8     | 25.2    | <0.001  | 0.01    | 0.25    | 3.5     | 0.3     | 0.7     | 17.0    | <0.01   | 0.03    |
| I100093            |                                   | 3.45    | 9.7     | 640     | 5.5     | 28.0    | <0.001  | 0.01    | 0.25    | 3.6     | 0.4     | 0.6     | 21.9    | <0.01   | 0.02    |
| I100094            |                                   | 2.94    | 12.9    | 610     | 6.4     | 27.5    | <0.001  | 0.01    | 0.34    | 3.0     | 0.3     | 0.5     | 22.4    | <0.01   | 0.02    |
| I100095            |                                   | 3.60    | 12.6    | 480     | 8.6     | 24.0    | <0.001  | 0.02    | 0.41    | 3.4     | 0.5     | 0.7     | 24.6    | <0.01   | 0.03    |
| I100096            |                                   | 4.75    | 7.2     | 220     | 4.7     | 57.2    | <0.001  | 0.01    | 0.23    | 2.4     | 0.3     | 0.6     | 21.8    | <0.01   | 0.02    |
| I100097            |                                   | 4.90    | 9.5     | 340     | 6.0     | 37.6    | <0.001  | 0.01    | 0.23    | 2.7     | 0.3     | 0.6     | 33.4    | <0.01   | 0.02    |
| I100098            |                                   | 4.72    | 10.9    | 590     | 7.0     | 52.5    | <0.001  | <0.01   | 0.27    | 3.1     | 0.4     | 0.5     | 19.2    | <0.01   | 0.03    |
| I100099            |                                   | 1.70    | 5.8     | 230     | 10.1    | 24.0    | <0.001  | <0.01   | 0.20    | 2.4     | 0.2     | 0.4     | 14.1    | <0.01   | 0.01    |
| I100100            |                                   | 1.85    | 6.3     | 150     | 7.9     | 11.2    | <0.001  | <0.01   | 0.21    | 2.1     | 0.3     | 0.7     | 22.7    | <0.01   | 0.02    |
| I100101            |                                   | 2.20    | 11.6    | 280     | 9.0     | 16.9    | <0.001  | <0.01   | 0.30    | 2.8     | 0.3     | 0.6     | 18.5    | <0.01   | 0.03    |
| I100102            |                                   | 4.08    | 13.9    | 400     | 6.5     | 61.8    | <0.001  | <0.01   | 0.28    | 3.6     | 0.2     | 0.8     | 24.7    | <0.01   | 0.02    |
| I100103            |                                   | 3.10    | 18.6    | 430     | 7.4     | 23.0    | <0.001  | <0.01   | 0.43    | 3.4     | 0.3     | 0.6     | 30.2    | <0.01   | 0.03    |
| I100104            |                                   | 2.39    | 17.3    | 240     | 7.3     | 25.1    | <0.001  | <0.01   | 0.49    | 3.7     | 0.4     | 0.5     | 22.8    | <0.01   | 0.02    |
| I100105            |                                   | 2.53    | 13.3    | 390     | 7.3     | 21.5    | <0.001  | <0.01   | 0.35    | 2.8     | 0.3     | 0.5     | 21.5    | <0.01   | 0.03    |
| I100106            |                                   | 2.58    | 17.0    | 340     | 7.9     | 34.5    | <0.001  | <0.01   | 0.41    | 4.1     | 0.3     | 0.7     | 17.7    | <0.01   | 0.02    |
| I100107            |                                   | 3.48    | 12.6    | 460     | 6.0     | 52.0    | <0.001  | <0.01   | 0.28    | 4.3     | 0.3     | 0.6     | 22.2    | <0.01   | 0.02    |
| I100108            |                                   | 3.13    | 11.1    | 380     | 4.7     | 109.5   | <0.001  | <0.01   | 0.23    | 3.8     | 0.3     | 0.7     | 25.5    | <0.01   | 0.02    |
| I100109            |                                   | 3.23    | 11.1    | 430     | 4.5     | 125.5   | <0.001  | <0.01   | 0.22    | 4.0     | 0.3     | 0.7     | 26.0    | <0.01   | 0.02    |
| I100110            |                                   | 5.86    | 13.3    | 200     | 6.5     | 65.0    | <0.001  | <0.01   | 0.27    | 4.9     | 0.4     | 0.7     | 38.0    | <0.01   | 0.01    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
|                    |                                   |         |         |         |         |         |         | 0.5     |
| I099988            |                                   | 0.080   | 0.11    | 0.97    | 43      | 0.29    | 2.94    | 47      |
| I099989            |                                   | 0.118   | 0.18    | 1.78    | 52      | 0.20    | 6.36    | 71      |
| I099990            |                                   | 0.059   | 0.11    | 1.12    | 56      | 0.24    | 7.73    | 62      |
| I099991            |                                   | 0.123   | 0.14    | 0.64    | 71      | 0.17    | 3.12    | 51      |
| I099992            |                                   | 0.104   | 0.11    | 1.06    | 59      | 0.18    | 4.80    | 52      |
| I099993            |                                   | 0.102   | 0.12    | 0.76    | 70      | 0.24    | 3.07    | 45      |
| I099994            |                                   | 0.072   | 0.09    | 0.91    | 48      | 0.17    | 5.59    | 34      |
| I099995            |                                   | 0.092   | 0.10    | 0.43    | 71      | 0.18    | 2.53    | 50      |
| I099996            |                                   | 0.090   | 0.11    | 0.44    | 71      | 0.19    | 2.65    | 50      |
| I099997            |                                   | 0.101   | 0.12    | 0.63    | 64      | 0.21    | 4.40    | 46      |
| I099998            |                                   | 0.164   | 0.22    | 0.52    | 68      | 0.25    | 3.68    | 61      |
| I099999            |                                   | 0.129   | 0.14    | 0.46    | 76      | 0.21    | 3.24    | 65      |
| I100048            |                                   | 0.095   | 0.11    | 0.53    | 72      | 0.18    | 3.00    | 46      |
| I100049            |                                   | 0.091   | 0.13    | 1.98    | 64      | 0.18    | 7.18    | 54      |
| I100050            |                                   | 0.021   | 0.06    | 0.58    | 27      | 0.06    | 2.97    | 26      |
| I100086            |                                   | 0.089   | 0.07    | 0.97    | 53      | 0.51    | 9.09    | 65      |
| I100087            |                                   | 0.091   | 0.09    | 0.91    | 54      | 0.25    | 6.30    | 56      |
| I100088            |                                   | 0.111   | 0.10    | 0.75    | 61      | 0.19    | 5.61    | 62      |
| I100089            |                                   | 0.120   | 0.10    | 0.88    | 60      | 0.34    | 6.43    | 58      |
| I100090            |                                   | 0.089   | 0.08    | 0.38    | 67      | 0.16    | 2.25    | 52      |
| I100091            |                                   | 0.143   | 0.12    | 0.38    | 66      | 0.16    | 2.12    | 45      |
| I100092            |                                   | 0.150   | 0.15    | 0.89    | 74      | 0.15    | 3.80    | 57      |
| I100093            |                                   | 0.142   | 0.15    | 0.96    | 71      | 0.15    | 5.75    | 66      |
| I100094            |                                   | 0.139   | 0.14    | 0.80    | 63      | 0.20    | 4.88    | 69      |
| I100095            |                                   | 0.149   | 0.13    | 1.17    | 80      | 0.18    | 5.24    | 70      |
| I100096            |                                   | 0.197   | 0.22    | 0.52    | 74      | 0.19    | 2.30    | 67      |
| I100097            |                                   | 0.182   | 0.17    | 0.96    | 65      | 0.15    | 4.28    | 61      |
| I100098            |                                   | 0.208   | 0.27    | 0.65    | 84      | 0.20    | 3.00    | 74      |
| I100099            |                                   | 0.082   | 0.09    | 0.55    | 44      | 0.20    | 2.92    | 48      |
| I100100            |                                   | 0.092   | 0.09    | 0.56    | 39      | 0.15    | 3.22    | 19      |
| I100101            |                                   | 0.089   | 0.13    | 0.40    | 61      | 0.18    | 2.08    | 36      |
| I100102            |                                   | 0.211   | 0.36    | 0.62    | 81      | 0.18    | 2.73    | 77      |
| I100103            |                                   | 0.131   | 0.17    | 0.38    | 70      | 0.19    | 2.06    | 62      |
| I100104            |                                   | 0.118   | 0.12    | 0.54    | 59      | 0.16    | 3.38    | 55      |
| I100105            |                                   | 0.110   | 0.10    | 0.41    | 59      | 0.23    | 2.76    | 48      |
| I100106            |                                   | 0.143   | 0.17    | 0.46    | 71      | 0.18    | 2.91    | 68      |
| I100107            |                                   | 0.183   | 0.26    | 0.79    | 74      | 0.20    | 4.21    | 60      |
| I100108            |                                   | 0.255   | 0.52    | 0.82    | 85      | 0.13    | 3.39    | 89      |
| I100109            |                                   | 0.290   | 0.61    | 0.88    | 93      | 0.14    | 3.46    | 98      |
| I100110            |                                   | 0.189   | 0.30    | 8.66    | 76      | 0.17    | 4.21    | 63      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100111            |                                   | 0.40                      | <0.005               | 0.18                 | 2.19               | 4.5                  | <0.2                 | <10                 | 180                  | 0.38                 | 0.11                 | 1.11               | 0.08                 | 43.8                 | 11.4                 | 20                   |
| I100112            |                                   | 0.54                      | 0.007                | 0.18                 | 1.83               | 5.3                  | <0.2                 | <10                 | 110                  | 0.29                 | 0.10                 | 0.21               | 0.09                 | 33.3                 | 11.0                 | 17                   |
| I100113            |                                   | 0.48                      | 0.013                | 0.04                 | 1.77               | 6.4                  | <0.2                 | <10                 | 130                  | 0.33                 | 0.12                 | 0.24               | 0.08                 | 31.4                 | 9.8                  | 19                   |
| I100114            |                                   | 0.50                      | <0.005               | 0.12                 | 1.76               | 6.1                  | <0.2                 | <10                 | 130                  | 0.28                 | 0.13                 | 0.19               | 0.10                 | 26.5                 | 7.7                  | 19                   |
| I100115            |                                   | 0.68                      | <0.005               | 0.08                 | 1.71               | 6.3                  | <0.2                 | <10                 | 130                  | 0.29                 | 0.12                 | 0.23               | 0.12                 | 26.0                 | 8.0                  | 20                   |
| I100116            |                                   | 0.58                      | <0.005               | 0.13                 | 1.70               | 6.5                  | <0.2                 | <10                 | 170                  | 0.34                 | 0.13                 | 0.22               | 0.15                 | 31.5                 | 7.8                  | 20                   |
| I100117            |                                   | 0.56                      | <0.005               | 0.03                 | 2.29               | 6.5                  | <0.2                 | <10                 | 170                  | 0.49                 | 0.10                 | 0.18               | 0.07                 | 16.15                | 12.0                 | 17                   |
| I100118            |                                   | 0.48                      | <0.005               | 0.04                 | 2.19               | 5.4                  | <0.2                 | <10                 | 120                  | 0.41                 | 0.09                 | 0.23               | 0.10                 | 31.9                 | 13.5                 | 33                   |
| I100119            |                                   | 0.38                      | <0.005               | 0.06                 | 1.71               | 7.0                  | <0.2                 | <10                 | 130                  | 0.32                 | 0.14                 | 0.15               | 0.12                 | 31.0                 | 6.7                  | 21                   |
| I100120            |                                   | 0.78                      | <0.005               | 0.11                 | 1.73               | 6.5                  | <0.2                 | <10                 | 140                  | 0.32                 | 0.13                 | 0.22               | 0.15                 | 35.2                 | 7.7                  | 22                   |
| I100121            |                                   | 0.46                      | 0.008                | 0.10                 | 1.92               | 4.4                  | <0.2                 | <10                 | 120                  | 0.35                 | 0.10                 | 0.17               | 0.10                 | 36.6                 | 8.2                  | 16                   |
| I100122            |                                   | 0.48                      | 0.005                | 0.11                 | 1.68               | 4.1                  | <0.2                 | <10                 | 120                  | 0.23                 | 0.10                 | 0.20               | 0.10                 | 30.7                 | 6.0                  | 17                   |
| I100123            |                                   | 0.42                      | <0.005               | 0.09                 | 1.48               | 3.8                  | <0.2                 | <10                 | 90                   | 0.21                 | 0.09                 | 0.15               | 0.09                 | 24.7                 | 5.3                  | 15                   |
| I100124            |                                   | 0.38                      | <0.005               | 0.09                 | 1.57               | 4.6                  | <0.2                 | <10                 | 130                  | 0.26                 | 0.10                 | 0.21               | 0.11                 | 29.1                 | 6.8                  | 17                   |
| I100125            |                                   | 0.86                      | <0.005               | 0.11                 | 1.84               | 7.1                  | <0.2                 | <10                 | 180                  | 0.35                 | 0.13                 | 0.28               | 0.10                 | 42.2                 | 9.7                  | 24                   |
| I100126            |                                   | 0.34                      | <0.005               | 0.19                 | 2.43               | 7.4                  | <0.2                 | <10                 | 90                   | 0.39                 | 0.15                 | 0.15               | 0.13                 | 29.2                 | 10.0                 | 23                   |
| I100127            |                                   | 0.32                      | <0.005               | 0.16                 | 1.67               | 7.3                  | <0.2                 | <10                 | 90                   | 0.21                 | 0.17                 | 0.13               | 0.22                 | 15.70                | 5.2                  | 19                   |
| I100128            |                                   | 0.46                      | <0.005               | 0.07                 | 1.50               | 6.9                  | <0.2                 | <10                 | 100                  | 0.27                 | 0.14                 | 0.17               | 0.14                 | 29.8                 | 7.2                  | 20                   |
| I100129            |                                   | 0.56                      | 0.010                | 0.13                 | 1.31               | 4.4                  | <0.2                 | <10                 | 120                  | 0.24                 | 0.11                 | 0.22               | 0.13                 | 30.0                 | 5.3                  | 17                   |
| I100130            |                                   | 0.48                      | <0.005               | 0.14                 | 1.65               | 5.0                  | <0.2                 | <10                 | 160                  | 0.38                 | 0.14                 | 0.24               | 0.13                 | 44.1                 | 5.7                  | 19                   |
| I100131            |                                   | 0.42                      | 0.005                | 0.11                 | 1.57               | 5.3                  | <0.2                 | <10                 | 120                  | 0.25                 | 0.13                 | 0.18               | 0.11                 | 22.5                 | 6.5                  | 18                   |
| I100132            |                                   | 0.42                      | 0.006                | 0.15                 | 1.66               | 4.6                  | <0.2                 | <10                 | 150                  | 0.25                 | 0.16                 | 0.26               | 0.13                 | 32.5                 | 6.8                  | 19                   |
| I100133            |                                   | 0.42                      | <0.005               | 0.19                 | 1.77               | 4.3                  | <0.2                 | <10                 | 130                  | 0.29                 | 0.13                 | 0.23               | 0.11                 | 34.9                 | 7.3                  | 19                   |
| I100134            |                                   | 0.30                      | <0.005               | 0.12                 | 2.30               | 6.2                  | <0.2                 | <10                 | 210                  | 0.38                 | 0.14                 | 0.26               | 0.10                 | 59.3                 | 11.9                 | 21                   |
| I100135            |                                   | 0.54                      | <0.005               | 0.11                 | 2.17               | 4.9                  | <0.2                 | <10                 | 180                  | 0.25                 | 0.12                 | 0.33               | 0.09                 | 35.7                 | 9.3                  | 20                   |
| I100136            |                                   | 0.54                      | <0.005               | 0.14                 | 2.38               | 6.1                  | <0.2                 | <10                 | 240                  | 0.42                 | 0.13                 | 0.35               | 0.12                 | 54.6                 | 13.1                 | 24                   |
| I100137            |                                   | 0.44                      | <0.005               | 0.10                 | 2.23               | 8.3                  | <0.2                 | <10                 | 210                  | 0.34                 | 0.17                 | 0.30               | 0.10                 | 35.7                 | 8.5                  | 26                   |
| I100138            |                                   | 0.50                      | <0.005               | 0.04                 | 2.14               | 8.1                  | <0.2                 | <10                 | 150                  | 0.35                 | 0.13                 | 0.24               | 0.07                 | 25.2                 | 10.7                 | 24                   |
| I100139            |                                   | 0.52                      | <0.005               | 0.19                 | 2.65               | 6.6                  | <0.2                 | <10                 | 220                  | 0.60                 | 0.15                 | 0.25               | 0.24                 | 57.5                 | 17.7                 | 25                   |
| I100140            |                                   | 0.44                      | <0.005               | 0.07                 | 2.19               | 8.2                  | <0.2                 | <10                 | 110                  | 0.28                 | 0.16                 | 0.13               | 0.09                 | 20.6                 | 9.3                  | 17                   |
| I100141            |                                   | 0.44                      | <0.005               | 0.04                 | 1.13               | 5.9                  | <0.2                 | <10                 | 70                   | 0.10                 | 0.19                 | 0.09               | 0.06                 | 19.75                | 4.3                  | 14                   |
| I100142            |                                   | 0.50                      | <0.005               | 0.23                 | 3.19               | 7.0                  | <0.2                 | <10                 | 170                  | 0.47                 | 0.07                 | 0.17               | 0.10                 | 28.4                 | 15.9                 | 12                   |
| I100143            |                                   | 0.44                      | <0.005               | 0.23                 | 2.23               | 9.0                  | <0.2                 | <10                 | 210                  | 0.38                 | 0.14                 | 0.19               | 0.13                 | 35.5                 | 10.6                 | 24                   |
| I100144            |                                   | 0.42                      | <0.005               | 0.20                 | 2.26               | 9.6                  | <0.2                 | <10                 | 240                  | 0.43                 | 0.20                 | 0.18               | 0.19                 | 32.1                 | 14.2                 | 29                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100111            |                                   | 1.18    | 20.2    | 3.57    | 7.91    | 0.10    | 0.06    | 0.03    | 0.020   | 0.51    | 75.3    | 28.3    | 0.85    | 711     | 1.44    |
| I100112            |                                   | 0.92    | 7.4     | 3.00    | 7.08    | 0.07    | 0.02    | 0.03    | 0.015   | 0.31    | 26.1    | 13.2    | 0.59    | 589     | 0.80    |
| I100113            |                                   | 0.85    | 8.4     | 2.82    | 6.22    | 0.05    | 0.05    | 0.02    | 0.018   | 0.20    | 17.1    | 18.4    | 0.56    | 444     | 0.70    |
| I100114            |                                   | 0.94    | 9.6     | 2.65    | 6.81    | 0.05    | 0.02    | 0.04    | 0.016   | 0.16    | 16.0    | 13.2    | 0.54    | 271     | 0.79    |
| I100115            |                                   | 0.82    | 11.6    | 2.60    | 5.87    | 0.05    | 0.02    | 0.03    | 0.016   | 0.12    | 14.5    | 15.1    | 0.51    | 258     | 0.72    |
| I100116            |                                   | 0.87    | 12.8    | 2.52    | 5.94    | 0.05    | 0.02    | 0.05    | 0.017   | 0.12    | 16.8    | 15.4    | 0.46    | 239     | 0.72    |
| I100117            |                                   | 1.46    | 9.9     | 3.53    | 8.09    | 0.06    | 0.04    | 0.01    | 0.016   | 0.48    | 10.0    | 19.9    | 0.70    | 478     | 0.89    |
| I100118            |                                   | 0.93    | 17.5    | 3.70    | 8.06    | 0.06    | 0.02    | 0.02    | 0.012   | 0.39    | 19.4    | 19.4    | 0.78    | 499     | 0.82    |
| I100119            |                                   | 0.97    | 10.8    | 2.59    | 6.57    | <0.05   | 0.02    | 0.04    | 0.018   | 0.06    | 17.7    | 13.9    | 0.42    | 213     | 0.79    |
| I100120            |                                   | 0.85    | 11.1    | 2.56    | 6.47    | 0.05    | 0.02    | 0.05    | 0.019   | 0.09    | 19.8    | 16.6    | 0.48    | 292     | 0.65    |
| I100121            |                                   | 1.10    | 7.9     | 2.88    | 8.19    | 0.06    | 0.03    | 0.03    | 0.016   | 0.24    | 24.7    | 16.3    | 0.60    | 369     | 0.71    |
| I100122            |                                   | 0.97    | 6.8     | 2.40    | 6.51    | 0.05    | 0.03    | 0.04    | 0.017   | 0.13    | 19.4    | 13.2    | 0.47    | 255     | 0.50    |
| I100123            |                                   | 0.89    | 6.9     | 2.27    | 6.20    | 0.05    | 0.02    | 0.04    | 0.015   | 0.10    | 15.5    | 10.6    | 0.41    | 234     | 0.56    |
| I100124            |                                   | 0.86    | 7.8     | 2.35    | 6.30    | 0.05    | 0.02    | 0.03    | 0.015   | 0.13    | 16.8    | 13.0    | 0.47    | 273     | 0.58    |
| I100125            |                                   | 1.04    | 13.9    | 2.75    | 6.50    | 0.07    | 0.03    | 0.03    | 0.020   | 0.11    | 25.9    | 22.5    | 0.52    | 364     | 0.73    |
| I100126            |                                   | 1.45    | 10.8    | 3.71    | 8.41    | 0.06    | 0.06    | 0.04    | 0.024   | 0.17    | 20.7    | 28.4    | 0.56    | 491     | 1.03    |
| I100127            |                                   | 0.85    | 11.1    | 2.78    | 8.11    | <0.05   | 0.03    | 0.04    | 0.019   | 0.08    | 8.5     | 12.0    | 0.30    | 205     | 1.09    |
| I100128            |                                   | 0.86    | 10.6    | 2.40    | 6.70    | 0.05    | 0.02    | 0.03    | 0.016   | 0.12    | 15.1    | 13.9    | 0.45    | 304     | 1.00    |
| I100129            |                                   | 0.64    | 10.6    | 1.92    | 5.12    | <0.05   | <0.02   | 0.06    | 0.013   | 0.06    | 18.4    | 10.2    | 0.37    | 167     | 0.60    |
| I100130            |                                   | 0.78    | 11.2    | 2.24    | 6.25    | 0.06    | 0.02    | 0.06    | 0.017   | 0.08    | 27.6    | 11.6    | 0.39    | 201     | 0.71    |
| I100131            |                                   | 0.84    | 8.5     | 2.32    | 6.34    | <0.05   | 0.02    | 0.05    | 0.015   | 0.08    | 13.6    | 11.9    | 0.47    | 243     | 0.66    |
| I100132            |                                   | 0.80    | 11.2    | 2.27    | 5.93    | 0.05    | 0.02    | 0.06    | 0.016   | 0.09    | 20.6    | 13.1    | 0.49    | 234     | 0.55    |
| I100133            |                                   | 0.76    | 11.8    | 2.48    | 6.79    | 0.05    | 0.03    | 0.07    | 0.015   | 0.10    | 22.9    | 12.4    | 0.51    | 275     | 0.75    |
| I100134            |                                   | 1.01    | 12.3    | 3.30    | 8.42    | 0.08    | 0.04    | 0.04    | 0.021   | 0.15    | 38.8    | 15.9    | 0.65    | 386     | 0.83    |
| I100135            |                                   | 1.20    | 11.6    | 2.97    | 8.05    | 0.06    | 0.03    | 0.03    | 0.018   | 0.21    | 25.2    | 13.3    | 0.68    | 395     | 0.82    |
| I100136            |                                   | 1.29    | 17.3    | 3.35    | 8.06    | 0.08    | 0.04    | 0.04    | 0.023   | 0.23    | 39.3    | 19.9    | 0.73    | 582     | 0.83    |
| I100137            |                                   | 0.91    | 14.9    | 2.99    | 8.12    | 0.06    | 0.03    | 0.03    | 0.023   | 0.10    | 23.0    | 13.9    | 0.52    | 267     | 0.84    |
| I100138            |                                   | 0.94    | 12.2    | 3.04    | 6.92    | 0.06    | 0.05    | 0.02    | 0.025   | 0.10    | 14.0    | 16.6    | 0.60    | 338     | 0.76    |
| I100139            |                                   | 0.96    | 26.1    | 3.93    | 9.21    | 0.08    | 0.04    | 0.03    | 0.028   | 0.23    | 41.7    | 18.0    | 0.72    | 1140    | 1.02    |
| I100140            |                                   | 1.08    | 10.0    | 3.56    | 11.10   | 0.06    | 0.03    | 0.02    | 0.019   | 0.14    | 12.7    | 13.4    | 0.63    | 414     | 1.30    |
| I100141            |                                   | 1.02    | 6.7     | 1.79    | 9.31    | <0.05   | 0.03    | 0.02    | 0.012   | 0.07    | 11.8    | 4.9     | 0.29    | 159     | 0.86    |
| I100142            |                                   | 2.10    | 7.1     | 5.04    | 12.20   | 0.09    | 0.03    | 0.03    | 0.021   | 0.55    | 10.7    | 32.8    | 1.35    | 811     | 0.71    |
| I100143            |                                   | 1.17    | 18.6    | 3.50    | 7.71    | 0.06    | 0.03    | 0.02    | 0.023   | 0.18    | 20.7    | 15.7    | 0.69    | 503     | 0.92    |
| I100144            |                                   | 1.30    | 24.9    | 3.47    | 8.23    | 0.06    | 0.04    | 0.04    | 0.029   | 0.14    | 18.7    | 10.9    | 0.55    | 668     | 1.50    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Nb<br>ppm<br>0.05 | ME-MS41<br>Ni<br>ppm<br>0.2 | ME-MS41<br>P<br>ppm<br>10 | ME-MS41<br>Pb<br>ppm<br>0.2 | ME-MS41<br>Rb<br>ppm<br>0.1 | ME-MS41<br>Re<br>ppm<br>0.001 | ME-MS41<br>S<br>%<br>0.01 | ME-MS41<br>Sb<br>ppm<br>0.05 | ME-MS41<br>Sc<br>ppm<br>0.1 | ME-MS41<br>Se<br>ppm<br>0.2 | ME-MS41<br>Sn<br>ppm<br>0.2 | ME-MS41<br>Sr<br>ppm<br>0.2 | ME-MS41<br>Ta<br>ppm<br>0.01 | ME-MS41<br>Te<br>ppm<br>0.01 | ME-MS41<br>Th<br>ppm<br>0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I100111            |                                   | 5.06                         | 16.7                        | 460                       | 7.7                         | 53.1                        | 0.001                         | 0.04                      | 0.35                         | 4.2                         | 1.0                         | 0.5                         | 62.7                        | <0.01                        | 0.03                         | 7.4                         |
| I100112            |                                   | 2.65                         | 8.8                         | 680                       | 6.4                         | 35.9                        | <0.001                        | 0.02                      | 0.22                         | 3.3                         | 0.5                         | 0.6                         | 18.1                        | <0.01                        | 0.02                         | 3.4                         |
| I100113            |                                   | 2.79                         | 11.4                        | 510                       | 6.4                         | 29.4                        | <0.001                        | <0.01                     | 0.24                         | 3.5                         | 0.4                         | 0.5                         | 20.1                        | <0.01                        | 0.02                         | 7.7                         |
| I100114            |                                   | 2.61                         | 10.7                        | 450                       | 6.7                         | 29.3                        | <0.001                        | 0.01                      | 0.24                         | 2.8                         | 0.4                         | 0.5                         | 18.5                        | <0.01                        | 0.02                         | 1.9                         |
| I100115            |                                   | 2.31                         | 12.6                        | 540                       | 7.0                         | 22.3                        | <0.001                        | <0.01                     | 0.30                         | 3.2                         | 0.4                         | 0.5                         | 18.4                        | <0.01                        | 0.02                         | 3.2                         |
| I100116            |                                   | 2.05                         | 13.7                        | 640                       | 7.2                         | 21.6                        | <0.001                        | 0.01                      | 0.34                         | 3.0                         | 0.6                         | 0.5                         | 20.4                        | <0.01                        | 0.02                         | 1.3                         |
| I100117            |                                   | 3.70                         | 10.5                        | 440                       | 5.8                         | 56.6                        | <0.001                        | <0.01                     | 0.30                         | 3.3                         | 0.3                         | 0.6                         | 16.7                        | <0.01                        | 0.02                         | 6.0                         |
| I100118            |                                   | 2.78                         | 19.9                        | 550                       | 6.7                         | 31.9                        | <0.001                        | <0.01                     | 0.25                         | 3.5                         | 0.3                         | 0.5                         | 19.8                        | <0.01                        | 0.02                         | 6.4                         |
| I100119            |                                   | 2.36                         | 11.7                        | 320                       | 7.6                         | 15.0                        | <0.001                        | 0.01                      | 0.27                         | 3.3                         | 0.5                         | 0.6                         | 15.7                        | <0.01                        | 0.02                         | 3.1                         |
| I100120            |                                   | 2.18                         | 12.7                        | 590                       | 7.4                         | 20.5                        | <0.001                        | 0.01                      | 0.26                         | 3.3                         | 0.5                         | 0.5                         | 19.0                        | <0.01                        | 0.02                         | 2.7                         |
| I100121            |                                   | 3.91                         | 9.3                         | 480                       | 6.0                         | 36.7                        | <0.001                        | 0.01                      | 0.20                         | 3.6                         | 0.4                         | 0.7                         | 15.4                        | <0.01                        | 0.02                         | 5.0                         |
| I100122            |                                   | 2.75                         | 9.0                         | 520                       | 6.8                         | 25.9                        | <0.001                        | 0.02                      | 0.20                         | 2.9                         | 0.5                         | 0.6                         | 16.5                        | <0.01                        | 0.02                         | 2.9                         |
| I100123            |                                   | 2.73                         | 7.8                         | 450                       | 6.0                         | 20.9                        | <0.001                        | 0.03                      | 0.19                         | 2.6                         | 0.5                         | 0.6                         | 15.2                        | <0.01                        | 0.02                         | 1.7                         |
| I100124            |                                   | 2.80                         | 10.2                        | 480                       | 6.2                         | 24.8                        | <0.001                        | 0.01                      | 0.20                         | 3.4                         | 0.5                         | 0.6                         | 19.1                        | <0.01                        | 0.02                         | 2.9                         |
| I100125            |                                   | 2.54                         | 14.8                        | 640                       | 7.5                         | 22.1                        | <0.001                        | <0.01                     | 0.31                         | 4.6                         | 0.5                         | 0.6                         | 22.6                        | <0.01                        | 0.02                         | 6.9                         |
| I100126            |                                   | 4.81                         | 12.7                        | 530                       | 8.4                         | 29.4                        | <0.001                        | 0.02                      | 0.34                         | 4.5                         | 0.6                         | 0.7                         | 12.6                        | <0.01                        | 0.03                         | 13.3                        |
| I100127            |                                   | 2.93                         | 10.1                        | 450                       | 9.3                         | 18.4                        | <0.001                        | 0.02                      | 0.34                         | 2.9                         | 0.4                         | 0.7                         | 16.0                        | <0.01                        | 0.03                         | 2.0                         |
| I100128            |                                   | 1.77                         | 11.8                        | 460                       | 6.9                         | 18.4                        | <0.001                        | 0.01                      | 0.31                         | 2.8                         | 0.5                         | 0.6                         | 15.0                        | <0.01                        | 0.02                         | 1.4                         |
| I100129            |                                   | 1.47                         | 10.0                        | 510                       | 6.0                         | 11.5                        | <0.001                        | 0.02                      | 0.20                         | 2.4                         | 0.5                         | 0.4                         | 19.2                        | <0.01                        | 0.02                         | 1.0                         |
| I100130            |                                   | 1.90                         | 10.6                        | 570                       | 7.3                         | 17.6                        | <0.001                        | 0.03                      | 0.22                         | 3.2                         | 0.5                         | 0.5                         | 22.9                        | <0.01                        | 0.03                         | 1.7                         |
| I100131            |                                   | 2.20                         | 10.2                        | 430                       | 6.4                         | 22.3                        | <0.001                        | 0.02                      | 0.20                         | 2.8                         | 0.4                         | 0.5                         | 16.9                        | <0.01                        | 0.02                         | 1.7                         |
| I100132            |                                   | 2.23                         | 12.2                        | 610                       | 7.1                         | 20.9                        | <0.001                        | 0.03                      | 0.24                         | 3.6                         | 0.5                         | 0.5                         | 22.4                        | <0.01                        | 0.02                         | 2.2                         |
| I100133            |                                   | 2.47                         | 10.3                        | 630                       | 6.3                         | 19.2                        | <0.001                        | 0.04                      | 0.21                         | 3.4                         | 0.5                         | 0.5                         | 21.5                        | <0.01                        | 0.02                         | 2.4                         |
| I100134            |                                   | 4.11                         | 11.8                        | 460                       | 7.5                         | 23.2                        | <0.001                        | 0.02                      | 0.28                         | 4.2                         | 0.5                         | 0.7                         | 25.0                        | <0.01                        | 0.03                         | 6.8                         |
| I100135            |                                   | 3.86                         | 11.0                        | 600                       | 6.6                         | 33.6                        | <0.001                        | 0.03                      | 0.24                         | 3.8                         | 0.4                         | 0.6                         | 26.2                        | <0.01                        | 0.02                         | 5.0                         |
| I100136            |                                   | 3.69                         | 14.4                        | 700                       | 7.2                         | 31.1                        | <0.001                        | 0.02                      | 0.31                         | 4.9                         | 0.5                         | 0.6                         | 27.1                        | <0.01                        | 0.02                         | 7.1                         |
| I100137            |                                   | 2.16                         | 14.1                        | 420                       | 8.6                         | 18.6                        | <0.001                        | 0.02                      | 0.35                         | 3.8                         | 0.5                         | 0.7                         | 25.1                        | <0.01                        | 0.03                         | 1.9                         |
| I100138            |                                   | 2.92                         | 15.9                        | 420                       | 7.7                         | 20.2                        | <0.001                        | 0.01                      | 0.36                         | 3.6                         | 0.4                         | 0.6                         | 19.4                        | <0.01                        | 0.03                         | 5.7                         |
| I100139            |                                   | 2.67                         | 15.8                        | 680                       | 9.2                         | 31.4                        | <0.001                        | 0.02                      | 0.33                         | 4.4                         | 0.6                         | 0.7                         | 21.2                        | <0.01                        | 0.02                         | 3.5                         |
| I100140            |                                   | 4.58                         | 9.4                         | 440                       | 8.0                         | 25.9                        | <0.001                        | 0.01                      | 0.34                         | 3.2                         | 0.3                         | 0.8                         | 16.2                        | <0.01                        | 0.04                         | 4.3                         |
| I100141            |                                   | 3.28                         | 6.1                         | 180                       | 9.6                         | 20.5                        | <0.001                        | <0.01                     | 0.28                         | 2.0                         | 0.3                         | 0.8                         | 11.7                        | <0.01                        | 0.02                         | 1.7                         |
| I100142            |                                   | 7.42                         | 8.4                         | 530                       | 4.7                         | 66.4                        | <0.001                        | 0.01                      | 0.23                         | 6.6                         | 0.4                         | 1.1                         | 17.3                        | <0.01                        | 0.03                         | 10.8                        |
| I100143            |                                   | 3.99                         | 18.9                        | 370                       | 7.4                         | 30.2                        | <0.001                        | 0.02                      | 0.47                         | 3.8                         | 0.5                         | 0.6                         | 21.1                        | <0.01                        | 0.03                         | 3.7                         |
| I100144            |                                   | 3.41                         | 18.6                        | 490                       | 10.8                        | 23.4                        | <0.001                        | 0.02                      | 0.46                         | 3.9                         | 0.5                         | 0.7                         | 18.5                        | <0.01                        | 0.04                         | 4.8                         |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100111            |                                   | 0.158              | 0.23                 | 17.55               | 71                  | 0.17                | 11.00               | 60                   | 2.3                  |
| I100112            |                                   | 0.110              | 0.19                 | 1.27                | 61                  | 0.23                | 4.74                | 62                   | 0.6                  |
| I100113            |                                   | 0.122              | 0.15                 | 0.91                | 55                  | 0.33                | 5.17                | 60                   | 2.0                  |
| I100114            |                                   | 0.115              | 0.14                 | 0.97                | 52                  | 0.18                | 3.90                | 59                   | 0.8                  |
| I100115            |                                   | 0.103              | 0.12                 | 0.96                | 50                  | 0.28                | 4.32                | 58                   | 0.9                  |
| I100116            |                                   | 0.086              | 0.12                 | 1.16                | 50                  | 0.15                | 5.30                | 56                   | 0.7                  |
| I100117            |                                   | 0.168              | 0.30                 | 0.64                | 68                  | 0.13                | 3.20                | 63                   | 1.8                  |
| I100118            |                                   | 0.119              | 0.20                 | 0.95                | 66                  | 0.15                | 4.00                | 78                   | 0.7                  |
| I100119            |                                   | 0.095              | 0.12                 | 1.06                | 55                  | 0.53                | 3.86                | 48                   | 0.8                  |
| I100120            |                                   | 0.090              | 0.11                 | 1.49                | 50                  | 0.27                | 5.10                | 58                   | 0.8                  |
| I100121            |                                   | 0.127              | 0.21                 | 1.25                | 55                  | 0.20                | 4.28                | 70                   | 1.3                  |
| I100122            |                                   | 0.101              | 0.17                 | 1.23                | 43                  | 0.16                | 3.74                | 55                   | 0.9                  |
| I100123            |                                   | 0.093              | 0.14                 | 1.23                | 44                  | 0.14                | 3.02                | 48                   | 0.8                  |
| I100124            |                                   | 0.103              | 0.14                 | 1.23                | 42                  | 0.14                | 4.39                | 55                   | 0.9                  |
| I100125            |                                   | 0.101              | 0.15                 | 1.62                | 52                  | 0.20                | 7.12                | 58                   | 1.1                  |
| I100126            |                                   | 0.126              | 0.23                 | 1.19                | 65                  | 0.18                | 4.04                | 62                   | 2.5                  |
| I100127            |                                   | 0.101              | 0.12                 | 0.52                | 62                  | 0.17                | 1.90                | 42                   | 1.2                  |
| I100128            |                                   | 0.083              | 0.13                 | 0.70                | 54                  | 0.20                | 3.93                | 50                   | 0.7                  |
| I100129            |                                   | 0.070              | 0.08                 | 1.03                | 38                  | 0.16                | 3.78                | 44                   | 0.5                  |
| I100130            |                                   | 0.080              | 0.10                 | 1.56                | 43                  | 0.29                | 4.95                | 50                   | 0.6                  |
| I100131            |                                   | 0.090              | 0.11                 | 0.81                | 45                  | 0.24                | 2.84                | 54                   | 0.7                  |
| I100132            |                                   | 0.092              | 0.13                 | 1.11                | 39                  | 0.23                | 4.74                | 58                   | 0.9                  |
| I100133            |                                   | 0.099              | 0.13                 | 1.63                | 49                  | 0.17                | 3.98                | 58                   | 1.0                  |
| I100134            |                                   | 0.136              | 0.18                 | 1.43                | 65                  | 0.24                | 6.14                | 68                   | 1.5                  |
| I100135            |                                   | 0.147              | 0.20                 | 1.06                | 60                  | 0.27                | 4.76                | 68                   | 1.4                  |
| I100136            |                                   | 0.142              | 0.21                 | 1.54                | 65                  | 0.15                | 7.17                | 74                   | 1.7                  |
| I100137            |                                   | 0.100              | 0.13                 | 1.18                | 65                  | 0.19                | 6.10                | 58                   | 1.0                  |
| I100138            |                                   | 0.115              | 0.15                 | 0.66                | 61                  | 0.22                | 4.20                | 58                   | 2.2                  |
| I100139            |                                   | 0.103              | 0.15                 | 1.81                | 74                  | 0.15                | 8.49                | 70                   | 1.0                  |
| I100140            |                                   | 0.162              | 0.17                 | 0.49                | 80                  | 0.16                | 2.40                | 56                   | 1.4                  |
| I100141            |                                   | 0.144              | 0.16                 | 0.40                | 65                  | 0.13                | 2.21                | 28                   | 0.9                  |
| I100142            |                                   | 0.219              | 0.34                 | 1.00                | 95                  | 0.12                | 3.98                | 98                   | 1.2                  |
| I100143            |                                   | 0.142              | 0.17                 | 0.69                | 72                  | 0.20                | 5.56                | 59                   | 1.2                  |
| I100144            |                                   | 0.135              | 0.14                 | 0.82                | 77                  | 0.24                | 4.28                | 59                   | 1.6                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: Appendix 1**  
**Total # Appendix Pages: 1**  
**Finalized Date: 9 - OCT - 2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137854**

| Method  | CERTIFICATE COMMENTS                                                                                 |
|---------|------------------------------------------------------------------------------------------------------|
| ME-MS41 | Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 1  
Finalized Date: 8-OCT-2010  
Account: EIASQI

**CERTIFICATE WH10137855**

Project: SQI10-06

P.O. No.: SQI10-06\_32

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION               | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23  | Au 30g FA-AA finish       | AAS        |
| ME-MS41  | 51 anal. aqua regia ICPMS |            |

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**ATTN: DARCY BAKER**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-MS41<br>Ag<br>ppm<br>0.01 | ME-MS41<br>Al<br>%<br>0.01 | ME-MS41<br>As<br>ppm<br>0.1 | ME-MS41<br>Au<br>ppm<br>0.2 | ME-MS41<br>B<br>ppm<br>10 | ME-MS41<br>Ba<br>ppm<br>10 | ME-MS41<br>Be<br>ppm<br>0.05 | ME-MS41<br>Bi<br>ppm<br>0.01 | ME-MS41<br>Ca<br>%<br>0.01 | ME-MS41<br>Cd<br>ppm<br>0.01 | ME-MS41<br>Ce<br>ppm<br>0.02 | ME-MS41<br>Co<br>ppm<br>0.1 | ME-MS41<br>Cr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|
| I100145            |                                   | 0.64                              | 0.006                         | 0.15                         | 2.61                       | 10.8                        | <0.2                        | <10                       | 330                        | 0.48                         | 0.16                         | 0.61                       | 0.17                         | 51.5                         | 14.8                        | 30                        |
| I100146            |                                   | 0.44                              | 0.005                         | 0.12                         | 1.81                       | 6.0                         | <0.2                        | <10                       | 230                        | 0.30                         | 0.12                         | 0.31                       | 0.20                         | 29.5                         | 13.4                        | 24                        |
| I100147            |                                   | 0.46                              | 0.016                         | 0.12                         | 1.80                       | 5.4                         | <0.2                        | <10                       | 230                        | 0.31                         | 0.12                         | 0.32                       | 0.17                         | 28.7                         | 11.6                        | 25                        |
| I100148            |                                   | 0.42                              | <0.005                        | 0.21                         | 2.37                       | 7.8                         | <0.2                        | <10                       | 210                        | 0.49                         | 0.14                         | 0.35                       | 0.11                         | 46.3                         | 14.1                        | 28                        |
| I100149            |                                   | 0.36                              | <0.005                        | 0.33                         | 1.83                       | 6.9                         | <0.2                        | <10                       | 180                        | 0.32                         | 0.18                         | 0.17                       | 0.21                         | 20.6                         | 6.3                         | 22                        |
| I100150            |                                   | 0.30                              | <0.005                        | 0.21                         | 2.07                       | 6.0                         | <0.2                        | <10                       | 220                        | 0.38                         | 0.24                         | 0.29                       | 0.16                         | 33.0                         | 8.9                         | 23                        |
| I100201            |                                   | 0.42                              | 0.008                         | 0.08                         | 1.58                       | 9.1                         | <0.2                        | <10                       | 290                        | 0.43                         | 0.16                         | 0.65                       | 0.15                         | 32.5                         | 9.8                         | 28                        |
| I100202            |                                   | 0.42                              | 0.007                         | 0.07                         | 2.00                       | 4.9                         | <0.2                        | <10                       | 210                        | 0.47                         | 0.14                         | 0.81                       | 0.13                         | 61.4                         | 9.1                         | 23                        |
| I100203            |                                   | 0.34                              | 0.035                         | 0.11                         | 3.35                       | 5.8                         | <0.2                        | <10                       | 290                        | 0.94                         | 0.15                         | 0.49                       | 0.17                         | 79.1                         | 9.4                         | 25                        |
| I100204            |                                   | Not Recvd                         |                               |                              |                            |                             |                             |                           |                            |                              |                              |                            |                              |                              |                             |                           |
| I100205            |                                   | 0.34                              | <0.005                        | 0.05                         | 1.81                       | 8.0                         | <0.2                        | <10                       | 240                        | 0.34                         | 0.14                         | 0.46                       | 0.14                         | 20.4                         | 8.5                         | 27                        |
| I100206            |                                   | 0.32                              | 0.006                         | 0.13                         | 1.84                       | 8.7                         | <0.2                        | <10                       | 350                        | 0.53                         | 0.14                         | 0.92                       | 0.31                         | 30.7                         | 10.3                        | 29                        |
| I100207            |                                   | 0.40                              | 0.013                         | 0.11                         | 1.48                       | 7.8                         | <0.2                        | <10                       | 390                        | 0.45                         | 0.12                         | 1.20                       | 0.26                         | 25.1                         | 8.7                         | 25                        |
| I100208            |                                   | 0.40                              | 0.006                         | 0.05                         | 1.80                       | 4.4                         | <0.2                        | <10                       | 190                        | 0.39                         | 0.10                         | 0.45                       | 0.10                         | 54.5                         | 10.4                        | 23                        |
| I100209            |                                   | 0.28                              | <0.005                        | 0.15                         | 2.27                       | 6.8                         | <0.2                        | <10                       | 450                        | 0.49                         | 0.18                         | 1.11                       | 1.44                         | 41.4                         | 11.8                        | 32                        |
| I100210            |                                   | 0.54                              | 0.005                         | 0.07                         | 1.59                       | 7.8                         | <0.2                        | <10                       | 180                        | 0.48                         | 0.14                         | 0.54                       | 0.11                         | 36.2                         | 9.4                         | 28                        |
| I100211            |                                   | 0.38                              | 0.007                         | 0.05                         | 1.67                       | 8.2                         | <0.2                        | <10                       | 290                        | 0.52                         | 0.15                         | 0.43                       | 0.05                         | 37.4                         | 8.4                         | 28                        |
| I100212            |                                   | 0.44                              | <0.005                        | 0.09                         | 1.75                       | 4.9                         | <0.2                        | <10                       | 390                        | 0.46                         | 0.13                         | 0.43                       | 0.15                         | 35.5                         | 9.7                         | 23                        |
| I100213            |                                   | 0.52                              | <0.005                        | 0.04                         | 2.42                       | 9.2                         | <0.2                        | <10                       | 210                        | 0.63                         | 0.17                         | 0.12                       | 0.10                         | 35.0                         | 11.1                        | 40                        |
| I100214            |                                   | 0.44                              | <0.005                        | 0.07                         | 1.96                       | 6.3                         | <0.2                        | <10                       | 350                        | 0.42                         | 0.15                         | 0.41                       | 0.15                         | 24.6                         | 10.9                        | 27                        |
| I100215            |                                   | 0.44                              | <0.005                        | 0.05                         | 2.08                       | 9.3                         | <0.2                        | <10                       | 230                        | 0.43                         | 0.13                         | 0.20                       | 0.07                         | 28.8                         | 9.1                         | 32                        |
| I100216            |                                   | 0.40                              | <0.005                        | 0.03                         | 2.55                       | 8.3                         | <0.2                        | <10                       | 140                        | 0.46                         | 0.13                         | 0.16                       | 0.09                         | 24.1                         | 8.7                         | 29                        |
| I100217            |                                   | 0.38                              | <0.005                        | 0.05                         | 1.74                       | 8.3                         | <0.2                        | <10                       | 190                        | 0.43                         | 0.14                         | 0.25                       | 0.05                         | 26.7                         | 9.7                         | 29                        |
| I100218            |                                   | 0.42                              | <0.005                        | 0.07                         | 1.44                       | 5.2                         | <0.2                        | <10                       | 240                        | 0.31                         | 0.15                         | 0.24                       | 0.10                         | 20.4                         | 10.1                        | 22                        |
| I100219            |                                   | 0.44                              | <0.005                        | 0.12                         | 1.76                       | 8.8                         | <0.2                        | <10                       | 270                        | 0.46                         | 0.17                         | 0.27                       | 0.10                         | 21.9                         | 12.1                        | 29                        |
| I100220            |                                   | 0.44                              | <0.005                        | 0.08                         | 1.67                       | 8.5                         | <0.2                        | <10                       | 220                        | 0.33                         | 0.15                         | 0.26                       | 0.06                         | 23.0                         | 9.0                         | 28                        |
| I100221            |                                   | Not Recvd                         |                               |                              |                            |                             |                             |                           |                            |                              |                              |                            |                              |                              |                             |                           |
| I100222            |                                   | 0.24                              | <0.005                        | 0.11                         | 2.21                       | 12.7                        | <0.2                        | <10                       | 210                        | 0.63                         | 0.26                         | 0.55                       | 0.12                         | 27.1                         | 15.5                        | 27                        |
| I100223            |                                   | 0.22                              | <0.005                        | 0.08                         | 1.80                       | 7.2                         | <0.2                        | <10                       | 170                        | 0.43                         | 0.19                         | 0.91                       | 0.15                         | 17.35                        | 11.6                        | 17                        |
| I100224            |                                   | 0.30                              | <0.005                        | 0.06                         | 2.09                       | 5.4                         | <0.2                        | <10                       | 150                        | 0.39                         | 0.23                         | 0.63                       | 0.10                         | 11.70                        | 14.5                        | 16                        |
| I100225            |                                   | 0.34                              | <0.005                        | 0.09                         | 2.01                       | 10.1                        | <0.2                        | <10                       | 160                        | 0.38                         | 0.19                         | 0.61                       | 0.07                         | 12.15                        | 12.1                        | 17                        |
| I100226            |                                   | 0.22                              | <0.005                        | 0.07                         | 1.92                       | 4.1                         | <0.2                        | <10                       | 130                        | 0.25                         | 0.15                         | 0.44                       | 0.14                         | 10.50                        | 8.2                         | 15                        |
| I100227            |                                   | 0.36                              | 0.006                         | 0.04                         | 1.85                       | 5.1                         | <0.2                        | <10                       | 140                        | 0.36                         | 0.12                         | 0.58                       | 0.10                         | 12.30                        | 12.7                        | 15                        |
| I100228            |                                   | 0.16                              | 0.007                         | 0.11                         | 1.31                       | 3.2                         | <0.2                        | <10                       | 100                        | 0.16                         | 0.12                         | 0.28                       | 0.09                         | 10.85                        | 5.2                         | 18                        |
| I100229            |                                   | 0.24                              | 0.021                         | 0.16                         | 0.89                       | 3.1                         | <0.2                        | <10                       | 100                        | 0.22                         | 0.09                         | 0.27                       | 0.13                         | 10.30                        | 4.6                         | 13                        |
| I100230            |                                   | 0.44                              | 0.005                         | 0.07                         | 1.65                       | 6.1                         | <0.2                        | <10                       | 90                         | 0.19                         | 0.15                         | 0.29                       | 0.09                         | 11.35                        | 7.0                         | 21                        |
| I100231            |                                   | 0.28                              | <0.005                        | 0.05                         | 2.04                       | 4.2                         | <0.2                        | <10                       | 160                        | 0.35                         | 0.14                         | 0.63                       | 0.08                         | 14.30                        | 15.8                        | 17                        |
| I100232            |                                   | 0.50                              | <0.005                        | 0.05                         | 1.80                       | 7.0                         | <0.2                        | <10                       | 190                        | 0.76                         | 0.35                         | 0.43                       | 0.12                         | 51.3                         | 12.4                        | 20                        |
| I100233            |                                   | 0.28                              | 0.008                         | 0.08                         | 2.08                       | 6.8                         | <0.2                        | <10                       | 170                        | 0.34                         | 0.19                         | 0.71                       | 0.10                         | 12.45                        | 11.0                        | 19                        |
| I100234            |                                   | 0.30                              | <0.005                        | 0.12                         | 2.24                       | 9.0                         | <0.2                        | <10                       | 280                        | 0.78                         | 0.16                         | 0.60                       | 0.07                         | 25.6                         | 16.2                        | 17                        |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100145            |                                   | 1.13    | 23.6    | 3.70    | 8.07    | 0.07    | 0.03    | 0.05    | 0.029   | 0.15    | 29.2    | 21.6    | 0.71    | 954     | 1.67    |
| I100146            |                                   | 0.95    | 13.7    | 2.80    | 6.45    | 0.06    | 0.02    | 0.14    | 0.021   | 0.07    | 16.5    | 15.6    | 0.56    | 646     | 0.77    |
| I100147            |                                   | 0.93    | 13.2    | 2.67    | 6.09    | 0.05    | 0.02    | 0.03    | 0.019   | 0.07    | 16.5    | 15.4    | 0.55    | 542     | 0.72    |
| I100148            |                                   | 0.80    | 16.4    | 3.60    | 8.11    | 0.06    | 0.03    | 0.02    | 0.025   | 0.14    | 26.5    | 25.5    | 0.72    | 1000    | 1.11    |
| I100149            |                                   | 0.90    | 14.6    | 2.85    | 7.77    | 0.05    | 0.03    | 0.03    | 0.020   | 0.15    | 13.4    | 9.1     | 0.39    | 294     | 1.52    |
| I100150            |                                   | 1.04    | 21.0    | 2.91    | 8.59    | 0.08    | 0.03    | 0.04    | 0.019   | 0.17    | 20.5    | 14.3    | 0.55    | 297     | 1.47    |
| I100201            |                                   | 0.54    | 26.3    | 2.62    | 4.97    | 0.07    | 0.06    | 0.04    | 0.022   | 0.07    | 16.3    | 14.6    | 0.53    | 392     | 0.83    |
| I100202            |                                   | 1.14    | 21.8    | 2.80    | 6.80    | 0.11    | 0.15    | 0.04    | 0.020   | 0.30    | 33.6    | 16.2    | 0.60    | 416     | 0.60    |
| I100203            |                                   | 1.52    | 28.4    | 4.07    | 10.85   | 0.13    | 0.17    | 0.03    | 0.027   | 0.52    | 65.8    | 20.5    | 0.68    | 447     | 0.87    |
| I100204            |                                   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| I100205            |                                   | 0.62    | 12.0    | 2.61    | 6.14    | <0.05   | 0.04    | 0.02    | 0.023   | 0.08    | 10.7    | 14.5    | 0.47    | 302     | 1.22    |
| I100206            |                                   | 0.61    | 32.4    | 2.70    | 5.29    | 0.07    | 0.10    | 0.05    | 0.023   | 0.07    | 16.3    | 12.1    | 0.52    | 627     | 0.75    |
| I100207            |                                   | 0.50    | 27.8    | 2.12    | 4.30    | 0.05    | 0.08    | 0.05    | 0.022   | 0.05    | 13.4    | 9.4     | 0.36    | 736     | 1.20    |
| I100208            |                                   | 0.89    | 15.0    | 2.71    | 6.23    | 0.08    | 0.04    | 0.30    | 0.016   | 0.35    | 33.6    | 15.8    | 0.61    | 574     | 0.81    |
| I100209            |                                   | 0.94    | 35.3    | 3.19    | 6.98    | 0.07    | 0.14    | 0.02    | 0.029   | 0.24    | 21.7    | 14.7    | 0.70    | 596     | 0.89    |
| I100210            |                                   | 0.69    | 26.1    | 2.73    | 4.98    | 0.08    | 0.17    | 0.03    | 0.020   | 0.12    | 20.0    | 15.0    | 0.55    | 367     | 0.86    |
| I100211            |                                   | 0.47    | 24.2    | 2.69    | 4.96    | 0.06    | 0.19    | 0.04    | 0.025   | 0.06    | 20.5    | 15.0    | 0.51    | 271     | 0.80    |
| I100212            |                                   | 0.42    | 13.4    | 2.77    | 5.94    | <0.05   | 0.05    | 0.02    | 0.022   | 0.21    | 22.8    | 10.5    | 0.42    | 1820    | 1.13    |
| I100213            |                                   | 0.70    | 15.4    | 3.35    | 6.99    | 0.06    | 0.18    | 0.03    | 0.030   | 0.09    | 17.3    | 14.1    | 0.51    | 462     | 1.03    |
| I100214            |                                   | 0.72    | 11.2    | 2.89    | 6.36    | 0.05    | 0.04    | 0.02    | 0.024   | 0.22    | 13.7    | 14.5    | 0.50    | 1320    | 0.95    |
| I100215            |                                   | 0.84    | 14.1    | 3.15    | 6.08    | 0.06    | 0.06    | 0.02    | 0.024   | 0.20    | 18.7    | 17.6    | 0.56    | 549     | 0.85    |
| I100216            |                                   | 0.98    | 11.7    | 3.39    | 7.37    | 0.05    | 0.06    | 0.01    | 0.022   | 0.14    | 14.7    | 18.5    | 0.56    | 306     | 0.93    |
| I100217            |                                   | 0.42    | 13.9    | 2.63    | 5.49    | <0.05   | 0.10    | 0.02    | 0.022   | 0.07    | 14.2    | 14.1    | 0.48    | 269     | 0.90    |
| I100218            |                                   | 0.42    | 10.8    | 2.36    | 5.18    | <0.05   | 0.03    | 0.01    | 0.018   | 0.07    | 10.8    | 9.4     | 0.37    | 1000    | 1.07    |
| I100219            |                                   | 0.40    | 13.5    | 2.81    | 5.74    | 0.06    | 0.07    | 0.02    | 0.023   | 0.24    | 10.9    | 11.8    | 0.46    | 575     | 1.10    |
| I100220            |                                   | 0.41    | 12.6    | 2.68    | 5.14    | <0.05   | 0.06    | 0.01    | 0.020   | 0.14    | 12.9    | 11.3    | 0.48    | 388     | 1.01    |
| I100221            |                                   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| I100222            |                                   | 1.09    | 23.0    | 3.16    | 7.01    | 0.06    | 0.03    | 0.03    | 0.026   | 0.05    | 13.3    | 11.2    | 0.66    | 458     | 0.80    |
| I100223            |                                   | 0.93    | 14.4    | 2.67    | 5.08    | 0.05    | 0.04    | 0.08    | 0.021   | 0.05    | 9.0     | 8.2     | 0.54    | 498     | 0.66    |
| I100224            |                                   | 0.94    | 13.5    | 3.17    | 6.77    | 0.06    | 0.03    | 0.03    | 0.023   | 0.05    | 6.1     | 10.1    | 0.67    | 461     | 0.67    |
| I100225            |                                   | 1.02    | 17.0    | 3.88    | 6.45    | 0.06    | 0.03    | 0.06    | 0.021   | 0.03    | 6.1     | 9.0     | 0.64    | 346     | 0.98    |
| I100226            |                                   | 0.81    | 12.2    | 2.73    | 5.77    | 0.05    | 0.02    | 0.04    | 0.016   | 0.03    | 5.3     | 7.3     | 0.59    | 195     | 0.58    |
| I100227            |                                   | 0.86    | 9.8     | 2.95    | 5.50    | 0.05    | 0.03    | 0.03    | 0.018   | 0.03    | 5.9     | 8.9     | 0.62    | 521     | 0.46    |
| I100228            |                                   | 0.62    | 9.9     | 1.68    | 4.88    | <0.05   | 0.02    | 0.04    | 0.014   | 0.04    | 5.5     | 5.8     | 0.34    | 110     | 0.42    |
| I100229            |                                   | 0.48    | 14.2    | 1.59    | 2.63    | <0.05   | <0.02   | 0.07    | 0.011   | 0.03    | 5.2     | 2.6     | 0.18    | 86      | 0.76    |
| I100230            |                                   | 0.84    | 9.5     | 2.48    | 5.81    | 0.05    | <0.02   | 0.04    | 0.017   | 0.04    | 6.5     | 7.6     | 0.50    | 163     | 0.65    |
| I100231            |                                   | 0.85    | 9.9     | 3.32    | 5.67    | 0.05    | 0.02    | 0.03    | 0.018   | 0.04    | 6.7     | 8.3     | 0.71    | 899     | 0.53    |
| I100232            |                                   | 1.46    | 19.4    | 2.99    | 5.63    | 0.07    | 0.04    | 0.04    | 0.026   | 0.11    | 25.8    | 10.7    | 0.58    | 345     | 0.88    |
| I100233            |                                   | 0.73    | 12.6    | 3.03    | 6.51    | 0.06    | 0.02    | 0.03    | 0.021   | 0.05    | 6.3     | 9.6     | 0.72    | 350     | 0.61    |
| I100234            |                                   | 1.99    | 24.7    | 3.54    | 6.80    | 0.08    | 0.06    | 0.03    | 0.022   | 0.24    | 16.1    | 15.5    | 0.84    | 458     | 1.02    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    | 0.2     |
| I100145            |                                   | 2.46    | 22.8    | 770     | 8.2     | 24.2    | <0.001  | 0.04    | 0.51    | 4.9     | 0.6     | 0.7     | 55.9    | <0.01   | 0.05    | 4.2     |
| I100146            |                                   | 1.93    | 14.6    | 610     | 6.4     | 20.0    | <0.001  | 0.03    | 0.30    | 3.2     | 0.4     | 0.5     | 25.0    | <0.01   | 0.03    | 1.9     |
| I100147            |                                   | 1.70    | 13.9    | 620     | 6.3     | 18.0    | <0.001  | 0.02    | 0.28    | 3.0     | 0.4     | 0.6     | 25.7    | <0.01   | 0.03    | 1.7     |
| I100148            |                                   | 2.21    | 18.4    | 470     | 7.5     | 24.7    | <0.001  | 0.01    | 0.39    | 4.1     | 0.4     | 0.7     | 26.8    | <0.01   | 0.03    | 6.2     |
| I100149            |                                   | 2.20    | 13.2    | 500     | 8.6     | 23.8    | <0.001  | 0.02    | 0.43    | 3.0     | 0.4     | 0.7     | 17.8    | <0.01   | 0.04    | 2.6     |
| I100150            |                                   | 2.94    | 15.3    | 510     | 8.6     | 36.3    | <0.001  | 0.02    | 0.34    | 4.5     | 0.8     | 0.6     | 28.3    | <0.01   | 0.07    | 5.0     |
| I100201            |                                   | 1.38    | 22.2    | 710     | 7.7     | 8.3     | 0.001   | 0.01    | 0.49    | 5.1     | 0.7     | 0.9     | 46.5    | <0.01   | 0.03    | 3.7     |
| I100202            |                                   | 3.44    | 17.1    | 540     | 7.2     | 40.2    | 0.001   | 0.02    | 0.48    | 5.5     | 1.0     | 0.6     | 53.9    | <0.01   | 0.03    | 10.9    |
| I100203            |                                   | 4.90    | 19.3    | 690     | 8.7     | 65.3    | <0.001  | <0.01   | 0.39    | 7.6     | 0.8     | 0.9     | 37.9    | <0.01   | 0.03    | 25.1    |
| I100204            |                                   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| I100205            |                                   | 1.67    | 14.7    | 290     | 7.7     | 12.3    | <0.001  | 0.02    | 0.37    | 3.4     | 0.4     | 0.6     | 32.9    | <0.01   | 0.03    | 2.5     |
| I100206            |                                   | 1.38    | 25.4    | 660     | 7.5     | 9.3     | <0.001  | 0.04    | 0.72    | 4.8     | 0.7     | 0.5     | 58.3    | <0.01   | 0.04    | 2.6     |
| I100207            |                                   | 1.01    | 23.2    | 1000    | 6.2     | 5.6     | <0.001  | 0.08    | 0.60    | 3.2     | 1.2     | 0.4     | 83.0    | <0.01   | 0.05    | 1.0     |
| I100208            |                                   | 2.26    | 13.4    | 730     | 6.4     | 34.4    | <0.001  | 0.03    | 0.25    | 4.3     | 0.4     | 0.5     | 33.0    | <0.01   | 0.02    | 6.5     |
| I100209            |                                   | 2.21    | 29.6    | 1110    | 8.8     | 21.2    | <0.001  | 0.05    | 0.58    | 5.6     | 0.7     | 0.6     | 62.4    | <0.01   | 0.04    | 6.0     |
| I100210            |                                   | 1.38    | 21.1    | 670     | 7.9     | 11.4    | <0.001  | 0.02    | 0.58    | 5.1     | 0.5     | 0.5     | 35.7    | <0.01   | 0.03    | 4.8     |
| I100211            |                                   | 1.11    | 18.4    | 400     | 8.4     | 7.2     | <0.001  | 0.02    | 0.65    | 4.8     | 0.4     | 0.5     | 31.9    | <0.01   | 0.03    | 5.5     |
| I100212            |                                   | 1.34    | 15.9    | 860     | 6.9     | 18.4    | <0.001  | 0.02    | 0.33    | 4.2     | 0.3     | 0.6     | 36.4    | <0.01   | 0.03    | 8.8     |
| I100213            |                                   | 1.10    | 22.0    | 370     | 9.2     | 14.2    | <0.001  | 0.03    | 0.52    | 6.5     | 0.4     | 0.7     | 15.9    | <0.01   | 0.04    | 5.5     |
| I100214            |                                   | 1.78    | 17.5    | 720     | 7.9     | 22.7    | <0.001  | 0.03    | 0.34    | 3.6     | 0.3     | 0.6     | 32.2    | <0.01   | 0.03    | 3.7     |
| I100215            |                                   | 1.56    | 19.2    | 360     | 7.3     | 22.2    | <0.001  | 0.02    | 0.51    | 3.8     | 0.3     | 0.6     | 19.4    | <0.01   | 0.03    | 6.0     |
| I100216            |                                   | 2.38    | 17.8    | 340     | 7.6     | 19.9    | <0.001  | 0.01    | 0.49    | 3.1     | 0.3     | 0.6     | 15.4    | <0.01   | 0.03    | 7.0     |
| I100217            |                                   | 1.28    | 17.9    | 160     | 7.9     | 9.2     | <0.001  | <0.01   | 0.47    | 4.0     | 0.3     | 0.5     | 26.0    | <0.01   | 0.04    | 5.7     |
| I100218            |                                   | 1.32    | 14.4    | 280     | 7.3     | 8.2     | <0.001  | 0.01    | 0.36    | 3.2     | 0.2     | 0.5     | 23.0    | <0.01   | 0.03    | 3.3     |
| I100219            |                                   | 1.62    | 20.2    | 550     | 8.6     | 15.7    | <0.001  | 0.01    | 0.52    | 4.3     | 0.4     | 0.5     | 23.9    | <0.01   | 0.04    | 4.5     |
| I100220            |                                   | 1.40    | 19.7    | 290     | 7.5     | 12.1    | <0.001  | <0.01   | 0.46    | 3.5     | 0.3     | 0.5     | 21.9    | <0.01   | 0.03    | 4.4     |
| I100221            |                                   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| I100222            |                                   | 1.02    | 18.5    | 570     | 7.7     | 11.3    | <0.001  | 0.03    | 0.31    | 6.4     | 0.7     | 0.6     | 36.0    | <0.01   | 0.04    | 1.9     |
| I100223            |                                   | 0.85    | 11.2    | 660     | 5.5     | 13.0    | <0.001  | 0.06    | 0.37    | 4.8     | 0.6     | 0.5     | 52.4    | <0.01   | 0.04    | 0.9     |
| I100224            |                                   | 0.99    | 10.4    | 490     | 7.8     | 9.7     | <0.001  | 0.03    | 0.21    | 5.8     | 0.5     | 0.6     | 39.9    | <0.01   | 0.04    | 1.3     |
| I100225            |                                   | 0.92    | 10.8    | 580     | 8.9     | 6.4     | 0.001   | 0.06    | 0.22    | 5.0     | 0.6     | 0.5     | 38.9    | <0.01   | 0.04    | 0.8     |
| I100226            |                                   | 0.87    | 9.3     | 410     | 5.7     | 5.5     | <0.001  | 0.03    | 0.17    | 4.5     | 0.4     | 0.4     | 29.1    | <0.01   | 0.04    | 0.7     |
| I100227            |                                   | 0.81    | 9.1     | 470     | 5.1     | 6.4     | <0.001  | 0.03    | 0.19    | 5.3     | 0.4     | 0.5     | 33.9    | <0.01   | 0.03    | 1.1     |
| I100228            |                                   | 0.83    | 10.2    | 570     | 5.4     | 6.3     | <0.001  | 0.06    | 0.18    | 2.9     | 0.6     | 0.4     | 20.8    | <0.01   | 0.03    | 0.4     |
| I100229            |                                   | 0.49    | 8.3     | 1100    | 3.5     | 4.0     | <0.001  | 0.10    | 0.17    | 1.6     | 0.8     | 0.2     | 21.4    | <0.01   | 0.05    | <0.2    |
| I100230            |                                   | 0.90    | 11.3    | 660     | 7.4     | 7.2     | <0.001  | 0.04    | 0.18    | 2.8     | 0.5     | 0.4     | 18.5    | <0.01   | 0.05    | 0.7     |
| I100231            |                                   | 0.75    | 9.5     | 560     | 5.9     | 7.8     | <0.001  | 0.03    | 0.18    | 5.1     | 0.5     | 0.5     | 34.5    | <0.01   | 0.03    | 1.2     |
| I100232            |                                   | 0.93    | 14.0    | 570     | 27.2    | 14.9    | 0.001   | 0.02    | 0.28    | 6.4     | 0.7     | 0.8     | 28.4    | <0.01   | 0.04    | 10.2    |
| I100233            |                                   | 0.90    | 11.6    | 470     | 8.8     | 7.5     | 0.001   | 0.04    | 0.20    | 4.9     | 0.6     | 0.5     | 42.3    | <0.01   | 0.03    | 1.1     |
| I100234            |                                   | 1.07    | 12.5    | 450     | 6.7     | 25.3    | <0.001  | 0.02    | 0.26    | 6.7     | 0.7     | 0.6     | 38.3    | 0.01    | 0.04    | 2.9     |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100145            |                                   | 0.113              | 0.16                 | 5.05                | 74                  | 0.23                | 7.14                | 72                   | 1.1                  |
| I100146            |                                   | 0.096              | 0.12                 | 0.65                | 57                  | 0.18                | 5.47                | 56                   | 0.7                  |
| I100147            |                                   | 0.090              | 0.12                 | 0.69                | 55                  | 0.46                | 5.01                | 56                   | 0.6                  |
| I100148            |                                   | 0.097              | 0.12                 | 0.73                | 70                  | 0.24                | 5.58                | 69                   | 1.1                  |
| I100149            |                                   | 0.112              | 0.14                 | 0.43                | 61                  | 0.21                | 2.42                | 49                   | 1.1                  |
| I100150            |                                   | 0.124              | 0.14                 | 0.82                | 57                  | 0.25                | 4.66                | 58                   | 1.3                  |
| I100201            |                                   | 0.085              | 0.06                 | 0.80                | 55                  | 0.38                | 9.06                | 51                   | 2.3                  |
| I100202            |                                   | 0.127              | 0.18                 | 2.33                | 53                  | 0.24                | 10.15               | 64                   | 6.5                  |
| I100203            |                                   | 0.149              | 0.30                 | 1.94                | 64                  | 0.13                | 9.36                | 76                   | 7.8                  |
| I100204            |                                   |                    |                      |                     |                     |                     |                     |                      |                      |
| I100205            |                                   | 0.085              | 0.08                 | 0.48                | 58                  | 0.19                | 3.49                | 47                   | 1.5                  |
| I100206            |                                   | 0.090              | 0.07                 | 1.38                | 55                  | 0.29                | 10.80               | 55                   | 3.9                  |
| I100207            |                                   | 0.055              | 0.05                 | 1.59                | 45                  | 0.23                | 9.09                | 37                   | 2.7                  |
| I100208            |                                   | 0.110              | 0.16                 | 2.08                | 55                  | 0.19                | 9.55                | 57                   | 1.4                  |
| I100209            |                                   | 0.109              | 0.13                 | 0.85                | 59                  | 0.25                | 9.05                | 106                  | 5.3                  |
| I100210            |                                   | 0.107              | 0.10                 | 0.86                | 59                  | 0.33                | 11.35               | 59                   | 7.2                  |
| I100211            |                                   | 0.092              | 0.06                 | 0.75                | 54                  | 0.18                | 9.13                | 56                   | 7.9                  |
| I100212            |                                   | 0.069              | 0.13                 | 0.72                | 52                  | 0.16                | 4.93                | 56                   | 2.1                  |
| I100213            |                                   | 0.100              | 0.09                 | 0.71                | 71                  | 0.20                | 4.80                | 73                   | 6.8                  |
| I100214            |                                   | 0.098              | 0.12                 | 0.41                | 60                  | 0.19                | 2.93                | 67                   | 1.4                  |
| I100215            |                                   | 0.106              | 0.13                 | 0.54                | 65                  | 0.18                | 3.22                | 56                   | 2.4                  |
| I100216            |                                   | 0.116              | 0.14                 | 0.37                | 70                  | 0.17                | 2.15                | 76                   | 2.2                  |
| I100217            |                                   | 0.075              | 0.07                 | 0.67                | 54                  | 0.16                | 2.80                | 37                   | 4.0                  |
| I100218            |                                   | 0.073              | 0.08                 | 0.42                | 53                  | 0.14                | 2.22                | 40                   | 1.3                  |
| I100219            |                                   | 0.088              | 0.09                 | 0.50                | 59                  | 0.19                | 2.66                | 57                   | 2.6                  |
| I100220            |                                   | 0.093              | 0.07                 | 0.42                | 59                  | 0.19                | 2.67                | 46                   | 3.0                  |
| I100221            |                                   |                    |                      |                     |                     |                     |                     |                      |                      |
| I100222            |                                   | 0.077              | 0.08                 | 1.03                | 68                  | 0.14                | 8.50                | 54                   | 1.0                  |
| I100223            |                                   | 0.058              | 0.06                 | 0.72                | 56                  | 0.11                | 8.04                | 50                   | 1.1                  |
| I100224            |                                   | 0.073              | 0.08                 | 0.61                | 72                  | 0.34                | 4.94                | 61                   | 0.9                  |
| I100225            |                                   | 0.078              | 0.08                 | 0.56                | 83                  | 0.11                | 4.22                | 53                   | 0.9                  |
| I100226            |                                   | 0.082              | 0.07                 | 0.44                | 59                  | 0.09                | 3.44                | 50                   | 0.7                  |
| I100227            |                                   | 0.069              | 0.06                 | 0.42                | 63                  | 0.08                | 4.91                | 50                   | 1.0                  |
| I100228            |                                   | 0.064              | 0.06                 | 0.42                | 28                  | 0.08                | 2.77                | 31                   | 0.5                  |
| I100229            |                                   | 0.029              | 0.04                 | 0.66                | 24                  | 0.05                | 3.06                | 19                   | <0.5                 |
| I100230            |                                   | 0.072              | 0.07                 | 0.43                | 59                  | 0.11                | 2.81                | 42                   | 0.5                  |
| I100231            |                                   | 0.068              | 0.06                 | 0.50                | 70                  | 0.09                | 4.74                | 56                   | 0.6                  |
| I100232            |                                   | 0.072              | 0.11                 | 2.38                | 60                  | 0.17                | 12.35               | 65                   | 1.1                  |
| I100233            |                                   | 0.080              | 0.07                 | 0.58                | 69                  | 0.11                | 3.91                | 58                   | 0.7                  |
| I100234            |                                   | 0.128              | 0.19                 | 1.96                | 76                  | 0.15                | 15.40               | 50                   | 1.5                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100235            |                                   | 0.28                      | <0.005               | 0.20                 | 1.78               | 104.5                | <0.2                 | <10                 | 260                  | 0.48                 | 0.28                 | 0.73               | 0.32                 | 26.3                 | 11.5                 | 21                   |
| I100236            |                                   | 0.26                      | 0.011                | 0.23                 | 1.62               | 87.9                 | <0.2                 | <10                 | 300                  | 0.48                 | 0.21                 | 1.52               | 1.10                 | 24.0                 | 10.4                 | 18                   |
| I100237            |                                   | 0.36                      | 0.005                | 0.14                 | 1.97               | 44.5                 | <0.2                 | <10                 | 270                  | 0.44                 | 0.20                 | 0.72               | 0.21                 | 20.9                 | 16.6                 | 22                   |
| I100238            |                                   | 0.42                      | <0.005               | 0.07                 | 2.34               | 7.8                  | <0.2                 | <10                 | 230                  | 0.47                 | 0.18                 | 0.57               | 0.14                 | 20.6                 | 23.4                 | 22                   |
| I100239            |                                   | 0.52                      | 0.007                | 0.06                 | 1.56               | 5.2                  | <0.2                 | <10                 | 90                   | 0.29                 | 0.14                 | 0.27               | 0.09                 | 14.05                | 8.2                  | 16                   |
| I100240            |                                   | 0.34                      | <0.005               | 0.08                 | 1.74               | 4.4                  | <0.2                 | <10                 | 110                  | 0.26                 | 0.19                 | 0.26               | 0.12                 | 15.15                | 7.7                  | 20                   |
| I100241            |                                   | 0.30                      | 0.018                | 0.07                 | 1.50               | 4.4                  | <0.2                 | <10                 | 100                  | 0.20                 | 0.15                 | 0.26               | 0.09                 | 13.65                | 6.1                  | 19                   |
| I100242            |                                   | 0.30                      | 0.010                | 0.09                 | 1.21               | 4.9                  | <0.2                 | <10                 | 110                  | 0.23                 | 0.10                 | 0.24               | 0.11                 | 15.10                | 4.6                  | 13                   |
| I100243            |                                   | Not Recvd                 |                      |                      |                    |                      |                      |                     |                      |                      |                      |                    |                      |                      |                      |                      |
| I100244            |                                   | 0.40                      | 0.006                | 0.06                 | 1.84               | 3.9                  | <0.2                 | <10                 | 140                  | 0.25                 | 0.14                 | 0.37               | 0.10                 | 13.05                | 11.5                 | 22                   |
| I100245            |                                   | 0.42                      | <0.005               | 0.05                 | 1.77               | 4.2                  | <0.2                 | <10                 | 160                  | 0.28                 | 0.12                 | 0.49               | 0.09                 | 13.40                | 11.3                 | 21                   |
| I100246            |                                   | 0.54                      | 0.005                | 0.05                 | 1.90               | 3.8                  | <0.2                 | <10                 | 150                  | 0.27                 | 0.13                 | 0.63               | 0.09                 | 13.10                | 8.6                  | 18                   |
| I100247            |                                   | 0.42                      | 0.005                | 0.07                 | 2.04               | 4.3                  | <0.2                 | <10                 | 170                  | 0.35                 | 0.12                 | 0.55               | 0.10                 | 14.70                | 13.2                 | 20                   |
| I100248            |                                   | 0.36                      | 0.007                | 0.06                 | 2.01               | 3.4                  | <0.2                 | <10                 | 170                  | 0.35                 | 0.12                 | 0.68               | 0.10                 | 14.65                | 9.5                  | 22                   |
| I100249            |                                   | 0.38                      | <0.005               | 0.07                 | 2.05               | 5.1                  | <0.2                 | <10                 | 180                  | 0.41                 | 0.20                 | 0.87               | 0.16                 | 15.20                | 11.3                 | 19                   |
| I100250            |                                   | 0.32                      | <0.005               | 0.11                 | 2.11               | 4.6                  | <0.2                 | <10                 | 200                  | 0.36                 | 0.15                 | 0.72               | 0.11                 | 15.30                | 12.3                 | 21                   |
| I100276            |                                   | 0.56                      | <0.005               | 0.04                 | 2.18               | 10.2                 | <0.2                 | <10                 | 140                  | 0.33                 | 0.13                 | 0.16               | 0.09                 | 16.15                | 11.4                 | 19                   |
| I100277            |                                   | 0.40                      | <0.005               | 0.05                 | 1.34               | 6.0                  | <0.2                 | <10                 | 210                  | 0.19                 | 0.17                 | 0.13               | 0.15                 | 17.50                | 6.9                  | 20                   |
| I100278            |                                   | 0.48                      | <0.005               | 0.10                 | 2.07               | 5.1                  | <0.2                 | <10                 | 170                  | 0.30                 | 0.12                 | 0.20               | 0.11                 | 27.8                 | 11.8                 | 17                   |
| I100279            |                                   | 0.50                      | <0.005               | 0.12                 | 2.74               | 7.1                  | <0.2                 | <10                 | 240                  | 0.95                 | 0.17                 | 0.27               | 0.09                 | 51.3                 | 18.2                 | 21                   |
| I100280            |                                   | 0.50                      | <0.005               | 0.06                 | 2.23               | 7.4                  | <0.2                 | <10                 | 200                  | 0.27                 | 0.11                 | 0.24               | 0.08                 | 22.4                 | 9.5                  | 22                   |
| I100281            |                                   | 0.44                      | <0.005               | 0.08                 | 1.44               | 5.1                  | <0.2                 | <10                 | 200                  | 0.14                 | 0.13                 | 0.24               | 0.07                 | 15.60                | 8.3                  | 19                   |
| I100282            |                                   | 0.44                      | <0.005               | 0.06                 | 1.74               | 6.0                  | <0.2                 | <10                 | 170                  | 0.25                 | 0.11                 | 0.19               | 0.06                 | 29.4                 | 7.7                  | 21                   |
| I100283            |                                   | 0.50                      | <0.005               | 0.11                 | 1.31               | 3.5                  | <0.2                 | <10                 | 130                  | 0.17                 | 0.12                 | 0.13               | 0.12                 | 18.85                | 7.6                  | 20                   |
| I100284            |                                   | 0.44                      | 0.005                | 0.07                 | 1.81               | 5.8                  | <0.2                 | <10                 | 230                  | 0.31                 | 0.10                 | 0.42               | 0.07                 | 23.0                 | 9.1                  | 23                   |
| I100285            |                                   | 0.38                      | <0.005               | 0.05                 | 1.74               | 5.6                  | <0.2                 | <10                 | 170                  | 0.18                 | 0.10                 | 0.23               | 0.07                 | 15.80                | 7.8                  | 18                   |
| I100286            |                                   | 0.28                      | 0.009                | 0.08                 | 2.16               | 5.7                  | <0.2                 | <10                 | 360                  | 0.41                 | 0.11                 | 0.52               | 0.16                 | 101.0                | 13.6                 | 22                   |
| I100287            |                                   | 0.46                      | 0.005                | 0.11                 | 1.48               | 3.6                  | <0.2                 | <10                 | 130                  | 0.23                 | 0.08                 | 0.22               | 0.11                 | 30.3                 | 5.8                  | 16                   |
| I100288            |                                   | 0.36                      | 0.017                | 0.02                 | 1.53               | 5.8                  | <0.2                 | <10                 | 120                  | 0.21                 | 0.12                 | 0.14               | 0.06                 | 18.70                | 5.9                  | 21                   |
| I100289            |                                   | 0.50                      | <0.005               | 0.03                 | 2.24               | 1.4                  | <0.2                 | <10                 | 130                  | 0.42                 | 0.04                 | 0.19               | 0.05                 | 75.7                 | 9.7                  | 10                   |
| I100290            |                                   | 0.44                      | <0.005               | 0.08                 | 1.79               | 2.7                  | <0.2                 | <10                 | 140                  | 0.33                 | 0.05                 | 0.17               | 0.08                 | 28.8                 | 7.5                  | 12                   |
| I100291            |                                   | 0.42                      | NSS                  | 0.16                 | 2.28               | 4.1                  | <0.2                 | <10                 | 200                  | 0.47                 | 0.10                 | 0.29               | 0.14                 | 52.7                 | 7.5                  | 17                   |
| I100292            |                                   | 0.46                      | 0.006                | 0.13                 | 1.86               | 4.5                  | <0.2                 | <10                 | 170                  | 0.25                 | 0.10                 | 0.25               | 0.12                 | 36.5                 | 7.7                  | 18                   |
| I100293            |                                   | 0.52                      | 0.008                | 0.16                 | 2.32               | 6.9                  | <0.2                 | <10                 | 180                  | 0.31                 | 0.16                 | 0.24               | 0.14                 | 36.9                 | 10.6                 | 26                   |
| I100294            |                                   | 0.34                      | <0.005               | 0.11                 | 1.35               | 4.3                  | <0.2                 | <10                 | 110                  | 0.17                 | 0.15                 | 0.19               | 0.14                 | 24.8                 | 5.5                  | 16                   |
| I100295            |                                   | 0.42                      | <0.005               | 0.07                 | 2.02               | 9.3                  | <0.2                 | <10                 | 210                  | 0.37                 | 0.19                 | 0.22               | 0.15                 | 33.8                 | 12.5                 | 32                   |
| I100296            |                                   | 0.38                      | 0.008                | 0.13                 | 1.28               | 3.2                  | <0.2                 | <10                 | 120                  | 0.17                 | 0.12                 | 0.16               | 0.14                 | 28.4                 | 4.7                  | 15                   |
| I100297            |                                   | 0.28                      | 0.024                | 0.14                 | 1.76               | 4.2                  | <0.2                 | <10                 | 150                  | 0.23                 | 0.12                 | 0.19               | 0.11                 | 29.8                 | 6.6                  | 19                   |
| I100298            |                                   | 0.20                      | NSS                  | 0.17                 | 1.42               | 3.9                  | <0.2                 | <10                 | 160                  | 0.33                 | 0.09                 | 0.23               | 0.16                 | 41.9                 | 6.5                  | 15                   |
| I100299            |                                   | 0.32                      | NSS                  | 0.20                 | 1.47               | 3.3                  | <0.2                 | <10                 | 190                  | 0.36                 | 0.11                 | 0.37               | 0.23                 | 37.4                 | 4.7                  | 16                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100235            |                                   | 1.24    | 22.8    | 2.87    | 5.31    | 0.06    | 0.05    | 0.03    | 0.025   | 0.11    | 14.8    | 11.7    | 0.60    | 441     | 1.42    |
| I100236            |                                   | 1.11    | 32.4    | 2.51    | 4.56    | 0.07    | 0.05    | 0.08    | 0.023   | 0.10    | 14.0    | 9.2     | 0.56    | 522     | 1.29    |
| I100237            |                                   | 1.20    | 21.0    | 3.05    | 6.01    | 0.06    | 0.03    | 0.05    | 0.022   | 0.10    | 10.1    | 11.6    | 0.70    | 907     | 1.17    |
| I100238            |                                   | 1.04    | 13.6    | 3.66    | 6.82    | 0.07    | 0.02    | 0.03    | 0.024   | 0.05    | 9.7     | 11.1    | 0.74    | 983     | 0.63    |
| I100239            |                                   | 0.86    | 11.3    | 2.51    | 5.07    | 0.05    | 0.02    | 0.04    | 0.016   | 0.04    | 7.3     | 7.8     | 0.49    | 268     | 0.75    |
| I100240            |                                   | 1.11    | 13.0    | 2.24    | 5.91    | 0.05    | 0.02    | 0.04    | 0.018   | 0.04    | 8.0     | 8.6     | 0.48    | 158     | 0.67    |
| I100241            |                                   | 0.93    | 11.8    | 2.11    | 4.92    | 0.05    | 0.02    | 0.04    | 0.016   | 0.04    | 7.1     | 6.5     | 0.40    | 136     | 0.52    |
| I100242            |                                   | 0.57    | 13.5    | 2.83    | 3.24    | 0.05    | 0.02    | 0.05    | 0.014   | 0.02    | 7.6     | 3.1     | 0.18    | 104     | 0.67    |
| I100243            |                                   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| I100244            |                                   | 0.74    | 11.4    | 2.44    | 5.93    | <0.05   | 0.02    | 0.03    | 0.018   | 0.03    | 6.3     | 8.5     | 0.53    | 397     | 0.66    |
| I100245            |                                   | 0.71    | 12.2    | 2.63    | 5.54    | 0.05    | 0.02    | 0.03    | 0.020   | 0.03    | 6.4     | 8.6     | 0.57    | 354     | 0.66    |
| I100246            |                                   | 0.63    | 11.4    | 2.71    | 6.00    | 0.06    | 0.03    | 0.03    | 0.019   | 0.03    | 6.3     | 9.0     | 0.63    | 185     | 0.50    |
| I100247            |                                   | 0.65    | 13.0    | 2.86    | 6.05    | 0.06    | 0.03    | 0.04    | 0.020   | 0.03    | 7.2     | 9.3     | 0.67    | 443     | 0.52    |
| I100248            |                                   | 0.72    | 14.1    | 2.60    | 6.07    | 0.05    | 0.04    | 0.04    | 0.021   | 0.03    | 7.1     | 9.7     | 0.64    | 207     | 0.42    |
| I100249            |                                   | 0.90    | 15.2    | 3.09    | 6.26    | 0.07    | 0.04    | 0.04    | 0.023   | 0.05    | 7.3     | 10.1    | 0.64    | 349     | 0.68    |
| I100250            |                                   | 1.05    | 15.7    | 3.08    | 6.41    | 0.05    | 0.02    | 0.06    | 0.023   | 0.04    | 7.3     | 9.3     | 0.60    | 502     | 0.86    |
| I100276            |                                   | 0.81    | 10.5    | 3.50    | 8.20    | 0.06    | 0.03    | 0.01    | 0.018   | 0.20    | 8.6     | 15.0    | 0.68    | 419     | 1.09    |
| I100277            |                                   | 0.54    | 8.5     | 2.39    | 5.92    | 0.05    | 0.02    | 0.02    | 0.013   | 0.10    | 8.4     | 10.1    | 0.37    | 975     | 0.92    |
| I100278            |                                   | 1.64    | 11.1    | 3.24    | 8.32    | 0.08    | 0.03    | 0.02    | 0.013   | 0.59    | 15.5    | 21.4    | 0.79    | 550     | 0.87    |
| I100279            |                                   | 1.33    | 17.6    | 3.71    | 9.75    | 0.08    | 0.04    | 0.03    | 0.024   | 0.34    | 36.5    | 18.9    | 0.68    | 1070    | 1.42    |
| I100280            |                                   | 1.03    | 10.8    | 3.78    | 8.08    | <0.05   | 0.03    | 0.02    | 0.017   | 0.42    | 12.7    | 18.2    | 0.81    | 485     | 0.91    |
| I100281            |                                   | 0.85    | 9.1     | 2.65    | 6.13    | <0.05   | 0.04    | 0.01    | 0.013   | 0.24    | 7.9     | 10.5    | 0.55    | 606     | 0.88    |
| I100282            |                                   | 0.94    | 10.3    | 2.93    | 5.91    | <0.05   | 0.04    | 0.02    | 0.017   | 0.32    | 19.7    | 14.3    | 0.59    | 311     | 1.06    |
| I100283            |                                   | 0.48    | 10.9    | 2.52    | 5.09    | <0.05   | 0.04    | 0.01    | 0.014   | 0.17    | 9.6     | 11.5    | 0.42    | 421     | 1.02    |
| I100284            |                                   | 0.87    | 18.5    | 2.89    | 5.54    | <0.05   | 0.19    | 0.03    | 0.020   | 0.24    | 13.6    | 17.7    | 0.66    | 402     | 0.64    |
| I100285            |                                   | 0.82    | 9.4     | 2.89    | 6.27    | <0.05   | 0.05    | 0.02    | 0.013   | 0.23    | 8.2     | 18.6    | 0.63    | 346     | 1.16    |
| I100286            |                                   | 1.16    | 25.6    | 3.46    | 7.25    | 0.07    | 0.07    | 0.03    | 0.022   | 0.28    | 69.9    | 18.0    | 0.73    | 1500    | 1.29    |
| I100287            |                                   | 0.74    | 9.1     | 2.31    | 5.07    | <0.05   | 0.02    | 0.05    | 0.013   | 0.11    | 19.2    | 11.8    | 0.47    | 229     | 0.64    |
| I100288            |                                   | 0.66    | 9.9     | 2.41    | 5.56    | <0.05   | 0.02    | 0.02    | 0.018   | 0.04    | 10.4    | 11.9    | 0.37    | 182     | 0.78    |
| I100289            |                                   | 1.58    | 7.7     | 3.51    | 9.63    | 0.07    | 0.03    | 0.02    | 0.008   | 0.95    | 72.4    | 19.0    | 0.88    | 571     | 0.70    |
| I100290            |                                   | 1.02    | 8.7     | 2.81    | 6.05    | <0.05   | 0.04    | 0.03    | 0.011   | 0.40    | 20.3    | 11.7    | 0.63    | 375     | 0.52    |
| I100291            |                                   | 0.93    | 11.9    | 3.03    | 7.50    | <0.05   | 0.05    | 0.06    | 0.017   | 0.30    | 33.2    | 13.2    | 0.54    | 361     | 0.83    |
| I100292            |                                   | 0.84    | 9.8     | 2.88    | 6.57    | <0.05   | 0.03    | 0.05    | 0.016   | 0.18    | 25.4    | 13.9    | 0.59    | 350     | 0.78    |
| I100293            |                                   | 0.90    | 12.5    | 3.25    | 8.40    | <0.05   | 0.03    | 0.06    | 0.025   | 0.12    | 30.0    | 16.9    | 0.61    | 448     | 0.94    |
| I100294            |                                   | 0.76    | 13.6    | 2.16    | 6.91    | <0.05   | 0.03    | 0.02    | 0.012   | 0.11    | 17.0    | 9.5     | 0.42    | 222     | 0.77    |
| I100295            |                                   | 0.76    | 20.3    | 3.25    | 7.14    | <0.05   | 0.02    | 0.04    | 0.029   | 0.07    | 20.5    | 16.2    | 0.58    | 633     | 1.04    |
| I100296            |                                   | 0.60    | 10.8    | 1.90    | 6.36    | <0.05   | 0.02    | 0.03    | 0.014   | 0.08    | 21.7    | 8.1     | 0.36    | 181     | 0.77    |
| I100297            |                                   | 0.73    | 10.9    | 2.54    | 6.80    | <0.05   | 0.03    | 0.04    | 0.018   | 0.07    | 19.5    | 14.0    | 0.48    | 256     | 0.70    |
| I100298            |                                   | 0.65    | 12.9    | 2.30    | 5.47    | <0.05   | 0.02    | 0.04    | 0.014   | 0.15    | 30.0    | 11.0    | 0.45    | 314     | 0.78    |
| I100299            |                                   | 0.83    | 14.4    | 2.00    | 5.87    | <0.05   | 0.02    | 0.06    | 0.018   | 0.12    | 27.9    | 8.6     | 0.33    | 225     | 0.90    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100235            |                                   | 0.86    | 17.5    | 360     | 13.7    | 12.4    | 0.001   | 0.02    | 0.63    | 5.0     | 0.9     | 0.8     | 39.0    | <0.01   | 0.06    |
| I100236            |                                   | 0.73    | 18.4    | 720     | 10.0    | 13.6    | 0.002   | 0.09    | 0.83    | 4.3     | 1.6     | 0.5     | 73.9    | 0.01    | 0.05    |
| I100237            |                                   | 0.87    | 16.0    | 630     | 9.9     | 14.1    | <0.001  | 0.04    | 0.42    | 4.8     | 1.1     | 0.5     | 42.5    | <0.01   | 0.04    |
| I100238            |                                   | 0.92    | 14.1    | 670     | 7.8     | 12.1    | <0.001  | 0.05    | 0.23    | 6.2     | 0.6     | 0.6     | 37.3    | <0.01   | 0.03    |
| I100239            |                                   | 0.85    | 9.9     | 560     | 12.5    | 7.2     | <0.001  | 0.04    | 0.20    | 3.1     | 0.5     | 0.4     | 18.4    | <0.01   | 0.04    |
| I100240            |                                   | 0.94    | 12.5    | 480     | 9.4     | 9.1     | <0.001  | 0.03    | 0.26    | 3.2     | 0.4     | 0.5     | 19.9    | <0.01   | 0.04    |
| I100241            |                                   | 0.90    | 11.2    | 530     | 6.2     | 7.5     | <0.001  | 0.05    | 0.17    | 2.7     | 0.6     | 0.5     | 18.9    | <0.01   | 0.04    |
| I100242            |                                   | 0.75    | 8.7     | 690     | 4.0     | 4.7     | <0.001  | 0.07    | 0.16    | 2.3     | 0.7     | 0.3     | 18.4    | <0.01   | 0.04    |
| I100243            |                                   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| I100244            |                                   | 0.93    | 13.0    | 500     | 5.6     | 6.4     | <0.001  | 0.03    | 0.18    | 4.2     | 0.4     | 0.6     | 23.7    | <0.01   | 0.03    |
| I100245            |                                   | 0.89    | 13.1    | 500     | 4.8     | 5.3     | <0.001  | 0.03    | 0.19    | 4.9     | 0.4     | 0.6     | 32.5    | <0.01   | 0.03    |
| I100246            |                                   | 0.76    | 10.4    | 540     | 5.1     | 5.8     | <0.001  | 0.04    | 0.18    | 5.7     | 0.4     | 0.7     | 36.6    | <0.01   | 0.03    |
| I100247            |                                   | 0.84    | 11.8    | 550     | 5.2     | 6.2     | <0.001  | 0.03    | 0.21    | 5.6     | 0.5     | 0.4     | 33.2    | <0.01   | 0.04    |
| I100248            |                                   | 0.91    | 13.0    | 570     | 5.1     | 6.5     | <0.001  | 0.06    | 0.22    | 5.3     | 0.5     | 0.4     | 40.0    | <0.01   | 0.02    |
| I100249            |                                   | 0.85    | 12.0    | 650     | 6.0     | 7.3     | <0.001  | 0.05    | 0.26    | 6.5     | 0.7     | 0.6     | 47.5    | <0.01   | 0.03    |
| I100250            |                                   | 0.79    | 12.6    | 770     | 5.2     | 6.2     | <0.001  | 0.05    | 0.23    | 5.7     | 0.6     | 0.5     | 43.1    | <0.01   | 0.04    |
| I100276            |                                   | 3.64    | 13.3    | 460     | 7.0     | 30.4    | <0.001  | 0.01    | 0.32    | 3.6     | 0.4     | 0.6     | 14.5    | <0.01   | 0.04    |
| I100277            |                                   | 1.85    | 10.8    | 370     | 7.3     | 14.4    | <0.001  | 0.01    | 0.32    | 2.4     | 0.3     | 0.5     | 12.5    | <0.01   | 0.03    |
| I100278            |                                   | 5.52    | 11.4    | 370     | 5.6     | 66.6    | <0.001  | 0.01    | 0.26    | 3.2     | 0.3     | 0.6     | 17.7    | <0.01   | 0.04    |
| I100279            |                                   | 4.29    | 13.1    | 1120    | 10.2    | 48.8    | <0.001  | 0.01    | 0.27    | 3.6     | 0.5     | 0.6     | 25.8    | <0.01   | 0.04    |
| I100280            |                                   | 4.35    | 13.5    | 600     | 10.0    | 46.3    | <0.001  | <0.01   | 0.36    | 3.3     | 0.2     | 0.5     | 20.6    | <0.01   | 0.02    |
| I100281            |                                   | 3.41    | 10.3    | 270     | 7.5     | 33.5    | <0.001  | 0.01    | 0.27    | 2.4     | <0.2    | 0.5     | 21.7    | <0.01   | 0.02    |
| I100282            |                                   | 3.83    | 12.4    | 230     | 6.3     | 40.0    | <0.001  | 0.01    | 0.36    | 2.9     | 0.2     | 0.4     | 18.1    | <0.01   | 0.02    |
| I100283            |                                   | 2.75    | 11.0    | 260     | 5.8     | 18.1    | <0.001  | 0.04    | 0.38    | 2.4     | <0.2    | 0.4     | 11.3    | <0.01   | 0.01    |
| I100284            |                                   | 3.15    | 14.9    | 530     | 6.2     | 29.0    | <0.001  | 0.05    | 0.45    | 4.3     | 0.3     | 0.4     | 28.9    | <0.01   | 0.02    |
| I100285            |                                   | 4.02    | 10.9    | 290     | 6.7     | 29.7    | <0.001  | <0.01   | 0.28    | 2.6     | <0.2    | 0.4     | 19.0    | <0.01   | 0.02    |
| I100286            |                                   | 5.18    | 18.2    | 640     | 6.6     | 27.3    | <0.001  | 0.02    | 0.41    | 5.0     | 0.6     | 0.4     | 41.8    | <0.01   | 0.03    |
| I100287            |                                   | 2.47    | 8.9     | 510     | 5.5     | 19.3    | <0.001  | 0.03    | 0.21    | 2.2     | 0.3     | 0.4     | 19.6    | <0.01   | 0.02    |
| I100288            |                                   | 1.67    | 11.0    | 320     | 6.7     | 9.0     | <0.001  | <0.01   | 0.28    | 2.4     | <0.2    | 0.4     | 13.2    | <0.01   | 0.02    |
| I100289            |                                   | 5.28    | 5.3     | 360     | 4.1     | 86.5    | <0.001  | 0.01    | 0.10    | 2.8     | 0.2     | 0.5     | 21.1    | <0.01   | 0.01    |
| I100290            |                                   | 4.76    | 6.1     | 440     | 4.7     | 37.3    | <0.001  | 0.02    | 0.16    | 2.4     | 0.3     | 0.4     | 15.9    | <0.01   | 0.01    |
| I100291            |                                   | 3.83    | 9.0     | 670     | 6.5     | 37.8    | <0.001  | 0.05    | 0.24    | 3.3     | 0.4     | 0.6     | 25.2    | <0.01   | 0.02    |
| I100292            |                                   | 3.37    | 9.8     | 570     | 5.7     | 24.4    | <0.001  | 0.05    | 0.24    | 3.1     | 0.4     | 0.5     | 22.0    | <0.01   | 0.02    |
| I100293            |                                   | 2.96    | 13.2    | 660     | 8.6     | 21.5    | <0.001  | 0.06    | 0.29    | 3.5     | 0.4     | 0.6     | 21.1    | <0.01   | 0.03    |
| I100294            |                                   | 2.98    | 10.7    | 230     | 7.8     | 25.3    | <0.001  | 0.01    | 0.22    | 2.5     | 0.2     | 0.5     | 17.8    | <0.01   | 0.02    |
| I100295            |                                   | 1.16    | 21.6    | 590     | 9.9     | 16.4    | <0.001  | 0.01    | 0.49    | 2.6     | 0.3     | 1.9     | 20.3    | <0.01   | 0.03    |
| I100296            |                                   | 2.26    | 8.4     | 300     | 6.6     | 17.1    | <0.001  | 0.01    | 0.21    | 2.0     | 0.2     | 0.5     | 17.0    | <0.01   | 0.01    |
| I100297            |                                   | 3.25    | 10.2    | 380     | 7.2     | 14.3    | <0.001  | 0.01    | 0.26    | 3.1     | 0.3     | 0.5     | 19.0    | <0.01   | 0.02    |
| I100298            |                                   | 2.46    | 9.4     | 540     | 6.4     | 20.6    | <0.001  | 0.02    | 0.25    | 2.5     | 0.3     | 0.4     | 19.9    | <0.01   | 0.02    |
| I100299            |                                   | 2.24    | 8.7     | 600     | 6.7     | 21.5    | <0.001  | 0.07    | 0.25    | 2.2     | 0.4     | 0.5     | 31.3    | <0.01   | 0.02    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100235            |                                   | 0.075              | 0.09                 | 1.24                | 58                  | 0.17                | 8.67                | 85                   | 1.5                  |
| I100236            |                                   | 0.053              | 0.08                 | 1.46                | 48                  | 0.12                | 13.90               | 85                   | 1.6                  |
| I100237            |                                   | 0.087              | 0.11                 | 1.03                | 66                  | 0.15                | 6.89                | 73                   | 0.9                  |
| I100238            |                                   | 0.070              | 0.09                 | 0.73                | 78                  | 0.10                | 7.41                | 68                   | 0.8                  |
| I100239            |                                   | 0.063              | 0.07                 | 0.83                | 53                  | 0.28                | 3.36                | 42                   | <0.5                 |
| I100240            |                                   | 0.067              | 0.09                 | 0.85                | 47                  | 0.39                | 3.66                | 45                   | <0.5                 |
| I100241            |                                   | 0.060              | 0.07                 | 0.70                | 37                  | 0.10                | 3.33                | 38                   | 0.5                  |
| I100242            |                                   | 0.041              | 0.06                 | 0.74                | 34                  | 0.10                | 4.07                | 20                   | 0.7                  |
| I100243            |                                   |                    |                      |                     |                     |                     |                     |                      |                      |
| I100244            |                                   | 0.075              | 0.07                 | 0.43                | 62                  | 0.13                | 3.10                | 46                   | 0.6                  |
| I100245            |                                   | 0.074              | 0.07                 | 0.44                | 62                  | 0.11                | 4.01                | 46                   | 0.8                  |
| I100246            |                                   | 0.061              | 0.05                 | 0.45                | 60                  | 0.12                | 4.54                | 49                   | 1.1                  |
| I100247            |                                   | 0.079              | 0.07                 | 0.52                | 68                  | 0.09                | 5.10                | 49                   | 1.1                  |
| I100248            |                                   | 0.071              | 0.07                 | 0.50                | 62                  | 0.09                | 4.83                | 48                   | 1.1                  |
| I100249            |                                   | 0.066              | 0.06                 | 0.66                | 64                  | 0.09                | 6.62                | 61                   | 1.5                  |
| I100250            |                                   | 0.068              | 0.07                 | 0.67                | 70                  | 0.11                | 5.71                | 54                   | 0.6                  |
| I100276            |                                   | 0.150              | 0.17                 | 0.47                | 75                  | 0.19                | 2.37                | 54                   | 1.1                  |
| I100277            |                                   | 0.095              | 0.10                 | 0.30                | 59                  | 0.18                | 1.63                | 36                   | 1.0                  |
| I100278            |                                   | 0.186              | 0.32                 | 0.58                | 69                  | 0.17                | 2.76                | 60                   | 1.2                  |
| I100279            |                                   | 0.147              | 0.19                 | 0.96                | 77                  | 0.16                | 4.39                | 63                   | 1.7                  |
| I100280            |                                   | 0.169              | 0.24                 | 0.43                | 80                  | 0.17                | 2.09                | 85                   | 1.3                  |
| I100281            |                                   | 0.144              | 0.14                 | 0.30                | 64                  | 0.15                | 1.87                | 47                   | 1.3                  |
| I100282            |                                   | 0.147              | 0.19                 | 0.53                | 64                  | 0.18                | 3.35                | 47                   | 1.5                  |
| I100283            |                                   | 0.109              | 0.11                 | 0.31                | 55                  | 0.35                | 2.04                | 48                   | 1.4                  |
| I100284            |                                   | 0.144              | 0.18                 | 0.92                | 58                  | 0.20                | 6.22                | 54                   | 7.4                  |
| I100285            |                                   | 0.150              | 0.17                 | 0.38                | 63                  | 0.18                | 2.16                | 49                   | 1.9                  |
| I100286            |                                   | 0.159              | 0.18                 | 1.36                | 72                  | 0.24                | 10.90               | 76                   | 2.6                  |
| I100287            |                                   | 0.085              | 0.11                 | 0.86                | 43                  | 0.15                | 3.12                | 53                   | 0.7                  |
| I100288            |                                   | 0.081              | 0.10                 | 0.44                | 55                  | 0.21                | 2.50                | 42                   | 0.7                  |
| I100289            |                                   | 0.183              | 0.39                 | 1.34                | 64                  | 0.11                | 4.60                | 76                   | 0.7                  |
| I100290            |                                   | 0.141              | 0.22                 | 1.25                | 52                  | 0.13                | 3.33                | 62                   | 1.2                  |
| I100291            |                                   | 0.121              | 0.19                 | 2.11                | 58                  | 0.21                | 5.48                | 67                   | 1.7                  |
| I100292            |                                   | 0.119              | 0.14                 | 1.37                | 57                  | 0.20                | 3.95                | 65                   | 1.1                  |
| I100293            |                                   | 0.109              | 0.14                 | 1.92                | 66                  | 0.17                | 4.28                | 77                   | 1.1                  |
| I100294            |                                   | 0.119              | 0.12                 | 0.70                | 51                  | 0.14                | 2.43                | 52                   | 0.9                  |
| I100295            |                                   | 0.070              | 0.11                 | 0.83                | 69                  | 0.23                | 5.04                | 64                   | 0.6                  |
| I100296            |                                   | 0.096              | 0.11                 | 0.72                | 44                  | 0.13                | 2.57                | 41                   | 0.6                  |
| I100297            |                                   | 0.110              | 0.14                 | 0.88                | 52                  | 0.19                | 3.31                | 54                   | 1.0                  |
| I100298            |                                   | 0.090              | 0.10                 | 1.19                | 47                  | 0.16                | 4.18                | 51                   | 0.6                  |
| I100299            |                                   | 0.068              | 0.10                 | 1.29                | 39                  | 0.11                | 4.24                | 47                   | 0.6                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100300            |                                   | 0.36                      | 0.012                | 0.20                 | 2.79               | 8.3                  | <0.2                 | <10                 | 270                  | 0.34                 | 0.23                 | 0.31               | 0.17                 | 45.8                 | 10.9                 | 29                   |
| I100301            |                                   | 0.26                      | 0.008                | 0.09                 | 1.58               | 3.8                  | <0.2                 | <10                 | 130                  | 0.29                 | 0.12                 | 0.14               | 0.13                 | 25.8                 | 5.2                  | 15                   |
| I100302            |                                   | 0.46                      | 0.005                | 0.14                 | 1.62               | 5.0                  | <0.2                 | <10                 | 120                  | 0.32                 | 0.12                 | 0.13               | 0.24                 | 24.5                 | 6.0                  | 19                   |
| I100303            |                                   | 0.34                      | 0.005                | 0.06                 | 1.42               | 6.7                  | <0.2                 | <10                 | 90                   | 0.22                 | 0.17                 | 0.08               | 0.09                 | 18.15                | 4.2                  | 19                   |
| I100304            |                                   | 0.48                      | 0.006                | 0.04                 | 1.48               | 9.1                  | <0.2                 | <10                 | 70                   | 0.17                 | 0.20                 | 0.08               | 0.13                 | 19.70                | 4.4                  | 25                   |
| I100305            |                                   | 0.36                      | <0.005               | 0.05                 | 2.91               | 10.8                 | <0.2                 | <10                 | 150                  | 0.50                 | 0.17                 | 0.13               | 0.11                 | 26.5                 | 11.0                 | 32                   |
| I100306            |                                   | 0.18                      | <0.005               | 0.08                 | 2.35               | 7.6                  | <0.2                 | <10                 | 110                  | 0.41                 | 0.15                 | 0.17               | 0.13                 | 25.0                 | 8.7                  | 24                   |
| I100307            |                                   | 0.32                      | 0.006                | 0.06                 | 1.75               | 7.7                  | <0.2                 | <10                 | 180                  | 0.27                 | 0.15                 | 0.19               | 0.11                 | 29.9                 | 10.5                 | 28                   |
| I100308            |                                   | Not Recvd                 |                      |                      |                    |                      |                      |                     |                      |                      |                      |                    |                      |                      |                      |                      |
| I100309            |                                   | 0.40                      | <0.005               | 0.17                 | 1.64               | 7.6                  | <0.2                 | <10                 | 170                  | 0.23                 | 0.14                 | 0.13               | 0.07                 | 21.1                 | 5.8                  | 26                   |
| I100310            |                                   | 0.26                      | <0.005               | 0.37                 | 1.55               | 6.8                  | <0.2                 | <10                 | 240                  | 0.33                 | 0.17                 | 0.21               | 0.19                 | 31.0                 | 7.2                  | 24                   |
| I100311            |                                   | 0.30                      | <0.005               | 0.83                 | 1.47               | 33.1                 | <0.2                 | <10                 | 260                  | 0.29                 | 0.33                 | 0.37               | 0.40                 | 17.40                | 5.6                  | 21                   |
| I100312            |                                   | 0.40                      | <0.005               | 0.88                 | 2.20               | 34.2                 | <0.2                 | <10                 | 250                  | 0.33                 | 0.57                 | 0.16               | 0.55                 | 19.35                | 11.3                 | 30                   |
| I100313            |                                   | 0.38                      | <0.005               | 1.40                 | 2.35               | 332                  | <0.2                 | <10                 | 220                  | 0.37                 | 0.34                 | 0.19               | 0.82                 | 16.85                | 9.2                  | 32                   |
| I100314            |                                   | 0.36                      | <0.005               | 1.74                 | 2.98               | 55.0                 | <0.2                 | <10                 | 250                  | 0.45                 | 0.26                 | 0.20               | 0.65                 | 20.9                 | 13.1                 | 40                   |
| I100315            |                                   | 0.32                      | 0.005                | 0.57                 | 1.16               | 12.1                 | <0.2                 | <10                 | 320                  | 0.43                 | 0.16                 | 0.92               | 0.29                 | 35.0                 | 5.8                  | 13                   |
| I100316            |                                   | 0.22                      | 0.006                | 0.31                 | 0.47               | 52.0                 | <0.2                 | <10                 | 160                  | 0.16                 | 0.15                 | 0.93               | 0.89                 | 10.15                | 2.5                  | 10                   |
| I100317            |                                   | 0.28                      | 0.022                | 0.59                 | 0.68               | 34.8                 | <0.2                 | <10                 | 190                  | 0.29                 | 0.14                 | 0.77               | 1.27                 | 23.2                 | 5.1                  | 13                   |
| I100318            |                                   | 0.28                      | 0.019                | 0.19                 | 1.12               | 105.0                | <0.2                 | <10                 | 80                   | 0.20                 | 0.61                 | 0.18               | 0.46                 | 27.0                 | 8.6                  | 27                   |
| I100319            |                                   | 0.46                      | <0.005               | 0.60                 | 2.29               | 186.0                | <0.2                 | <10                 | 190                  | 0.50                 | 0.89                 | 0.33               | 1.05                 | 38.9                 | 15.8                 | 50                   |
| I100320            |                                   | 0.56                      | <0.005               | 0.34                 | 2.21               | 62.7                 | <0.2                 | <10                 | 170                  | 0.41                 | 0.54                 | 0.34               | 1.24                 | 33.6                 | 13.0                 | 39                   |
| I100321            |                                   | 0.26                      | <0.005               | 0.20                 | 1.89               | 277                  | <0.2                 | <10                 | 230                  | 0.34                 | 0.39                 | 0.48               | 1.49                 | 26.0                 | 9.9                  | 36                   |
| I100322            |                                   | 0.34                      | <0.005               | 0.45                 | 1.52               | 65.0                 | <0.2                 | <10                 | 270                  | 0.25                 | 0.30                 | 0.45               | 1.26                 | 32.2                 | 56.2                 | 48                   |
| I100323            |                                   | 0.32                      | 0.007                | 0.21                 | 1.83               | 19.3                 | <0.2                 | <10                 | 180                  | 0.27                 | 0.34                 | 0.52               | 0.58                 | 28.7                 | 8.9                  | 43                   |
| I100324            |                                   | 0.28                      | 0.006                | 0.44                 | 1.54               | 185.5                | <0.2                 | <10                 | 520                  | 0.31                 | 0.46                 | 0.50               | 2.55                 | 68.9                 | 89.5                 | 37                   |
| I100325            |                                   | 0.28                      | 0.010                | 0.46                 | 1.39               | 180.5                | <0.2                 | <10                 | 240                  | 0.23                 | 0.31                 | 0.47               | 0.84                 | 23.1                 | 22.3                 | 37                   |
| I100326            |                                   | 0.44                      | <0.005               | 0.10                 | 2.21               | 48.6                 | <0.2                 | <10                 | 210                  | 0.28                 | 0.38                 | 0.33               | 0.19                 | 15.20                | 10.0                 | 53                   |
| I100327            |                                   | 0.36                      | 0.006                | 0.18                 | 1.51               | 133.5                | <0.2                 | <10                 | 240                  | 0.26                 | 0.42                 | 0.54               | 0.16                 | 18.00                | 28.1                 | 37                   |
| I100328            |                                   | 0.24                      | <0.005               | 0.07                 | 0.89               | 18.6                 | <0.2                 | <10                 | 80                   | 0.14                 | 0.17                 | 0.08               | 0.40                 | 8.53                 | 3.9                  | 19                   |
| I100329            |                                   | 0.34                      | <0.005               | 0.18                 | 0.71               | 10.2                 | <0.2                 | <10                 | 100                  | 0.11                 | 0.21                 | 0.08               | 0.21                 | 10.90                | 3.8                  | 15                   |
| I100330            |                                   | 0.22                      | <0.005               | 0.15                 | 0.50               | 6.7                  | <0.2                 | <10                 | 60                   | 0.09                 | 0.13                 | 0.06               | 0.75                 | 7.20                 | 3.7                  | 11                   |
| I100331            |                                   | 0.42                      | <0.005               | 0.18                 | 1.81               | 14.9                 | <0.2                 | <10                 | 140                  | 0.24                 | 0.22                 | 0.14               | 0.26                 | 19.70                | 7.9                  | 39                   |
| I100332            |                                   | 0.38                      | <0.005               | 0.11                 | 1.48               | 8.6                  | <0.2                 | <10                 | 200                  | 0.23                 | 0.17                 | 0.11               | 0.45                 | 18.75                | 8.5                  | 36                   |
| I100333            |                                   | 0.34                      | <0.005               | 0.14                 | 2.35               | 39.0                 | <0.2                 | <10                 | 170                  | 0.51                 | 0.75                 | 0.27               | 1.02                 | 37.6                 | 23.0                 | 55                   |
| I100334            |                                   | 0.42                      | <0.005               | 0.20                 | 2.11               | 38.5                 | <0.2                 | <10                 | 170                  | 0.46                 | 0.60                 | 0.23               | 0.98                 | 32.0                 | 17.5                 | 47                   |
| I100335            |                                   | 0.62                      | <0.005               | 0.21                 | 2.28               | 9.2                  | <0.2                 | <10                 | 230                  | 0.46                 | 0.35                 | 0.36               | 0.37                 | 36.2                 | 11.3                 | 51                   |
| I100336            |                                   | 0.42                      | <0.005               | 0.16                 | 1.49               | 5.5                  | <0.2                 | <10                 | 220                  | 0.24                 | 0.18                 | 0.74               | 0.34                 | 22.3                 | 16.6                 | 32                   |
| I100337            |                                   | 0.38                      | <0.005               | 0.17                 | 2.45               | 4.8                  | <0.2                 | <10                 | 170                  | 0.48                 | 0.21                 | 0.52               | 0.21                 | 53.6                 | 13.4                 | 81                   |
| I100338            |                                   | 0.46                      | <0.005               | 0.46                 | 2.46               | 65.6                 | <0.2                 | <10                 | 180                  | 0.45                 | 0.48                 | 0.81               | 0.82                 | 27.7                 | 23.7                 | 101                  |
| I100339            |                                   | 0.42                      | <0.005               | 0.37                 | 2.32               | 75.4                 | <0.2                 | <10                 | 140                  | 0.58                 | 0.48                 | 0.35               | 0.85                 | 26.9                 | 19.5                 | 78                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100300            |                                   | 1.36    | 17.7    | 4.02    | 11.95   | <0.05   | 0.04    | 0.05    | 0.025   | 0.17    | 30.9    | 17.1    | 0.73    | 502     | 1.50    |
| I100301            |                                   | 0.55    | 8.9     | 2.27    | 6.49    | <0.05   | <0.02   | 0.03    | 0.014   | 0.10    | 16.6    | 10.5    | 0.35    | 222     | 0.84    |
| I100302            |                                   | 0.60    | 17.3    | 2.41    | 5.14    | <0.05   | <0.02   | 0.04    | 0.022   | 0.13    | 15.7    | 11.0    | 0.34    | 244     | 0.92    |
| I100303            |                                   | 0.73    | 9.0     | 2.59    | 7.24    | <0.05   | 0.02    | 0.01    | 0.018   | 0.05    | 10.0    | 10.7    | 0.28    | 166     | 1.09    |
| I100304            |                                   | 0.83    | 8.9     | 3.37    | 7.61    | <0.05   | 0.02    | 0.03    | 0.024   | 0.06    | 9.9     | 12.5    | 0.33    | 184     | 1.44    |
| I100305            |                                   | 1.14    | 13.4    | 4.19    | 8.95    | <0.05   | 0.03    | 0.04    | 0.032   | 0.12    | 13.1    | 26.4    | 0.65    | 455     | 1.27    |
| I100306            |                                   | 1.22    | 12.9    | 3.46    | 8.96    | <0.05   | 0.02    | 0.05    | 0.026   | 0.16    | 9.1     | 19.5    | 0.54    | 568     | 1.35    |
| I100307            |                                   | 0.65    | 15.3    | 2.82    | 5.99    | <0.05   | <0.02   | 0.03    | 0.023   | 0.06    | 17.8    | 14.0    | 0.50    | 549     | 0.89    |
| I100308            |                                   |         |         |         |         |         |         |         |         |         |         |         |         |         | <0.01   |
| I100309            |                                   | 0.65    | 11.3    | 2.74    | 6.27    | <0.05   | 0.04    | 0.02    | 0.019   | 0.04    | 12.1    | 14.3    | 0.45    | 241     | 0.94    |
| I100310            |                                   | 0.77    | 23.3    | 2.59    | 6.23    | <0.05   | 0.03    | 0.04    | 0.021   | 0.07    | 18.1    | 8.3     | 0.38    | 471     | 1.34    |
| I100311            |                                   | 0.71    | 23.8    | 2.66    | 6.01    | <0.05   | <0.02   | 0.02    | 0.021   | 0.11    | 8.8     | 11.0    | 0.33    | 263     | 1.97    |
| I100312            |                                   | 0.97    | 26.0    | 3.24    | 7.05    | <0.05   | 0.03    | 0.04    | 0.030   | 0.07    | 9.8     | 14.1    | 0.45    | 480     | 1.55    |
| I100313            |                                   | 1.41    | 25.3    | 3.38    | 8.07    | <0.05   | 0.03    | 0.04    | 0.030   | 0.06    | 8.7     | 15.8    | 0.48    | 428     | 1.96    |
| I100314            |                                   | 2.11    | 37.4    | 3.69    | 8.11    | <0.05   | 0.06    | 0.07    | 0.035   | 0.07    | 10.2    | 19.3    | 0.59    | 469     | 2.33    |
| I100315            |                                   | 1.91    | 34.5    | 1.40    | 3.16    | <0.05   | 0.04    | 0.10    | 0.018   | 0.04    | 32.6    | 5.2     | 0.14    | 433     | 0.89    |
| I100316            |                                   | 1.01    | 27.5    | 0.84    | 1.40    | <0.05   | 0.02    | 0.11    | 0.012   | 0.04    | 6.9     | 2.1     | 0.13    | 114     | 1.28    |
| I100317            |                                   | 1.55    | 30.6    | 0.95    | 2.04    | 0.08    | 0.02    | 0.11    | 0.010   | 0.04    | 13.2    | 2.8     | 0.17    | 240     | 1.15    |
| I100318            |                                   | 3.00    | 43.0    | 2.55    | 5.14    | 0.08    | <0.02   | 0.03    | 0.026   | 0.07    | 13.4    | 7.7     | 0.45    | 324     | 3.58    |
| I100319            |                                   | 3.55    | 63.9    | 4.40    | 6.87    | 0.13    | 0.05    | 0.05    | 0.042   | 0.07    | 18.7    | 18.8    | 0.89    | 533     | 4.35    |
| I100320            |                                   | 2.43    | 42.8    | 3.19    | 6.97    | 0.12    | 0.04    | 0.04    | 0.033   | 0.07    | 16.0    | 17.9    | 0.83    | 1020    | 2.05    |
| I100321            |                                   | 1.58    | 35.1    | 3.63    | 5.92    | 0.11    | 0.04    | 0.06    | 0.026   | 0.05    | 12.7    | 13.1    | 0.63    | 1670    | 3.34    |
| I100322            |                                   | 1.65    | 36.5    | 3.07    | 5.39    | 0.08    | 0.03    | 0.06    | 0.021   | 0.07    | 11.2    | 8.4     | 0.65    | 6910    | 4.79    |
| I100323            |                                   | 1.53    | 32.4    | 2.23    | 5.71    | 0.11    | 0.04    | 0.05    | 0.034   | 0.06    | 14.2    | 12.2    | 0.71    | 394     | 1.04    |
| I100324            |                                   | 1.20    | 35.0    | 5.60    | 7.20    | 0.13    | 0.03    | 0.05    | 0.047   | 0.04    | 13.2    | 6.3     | 0.36    | 21200   | 11.35   |
| I100325            |                                   | 1.64    | 39.3    | 3.58    | 5.27    | 0.11    | 0.02    | 0.06    | 0.021   | 0.07    | 11.2    | 6.9     | 0.50    | 978     | 5.98    |
| I100326            |                                   | 1.70    | 29.7    | 2.69    | 7.19    | 0.08    | 0.04    | 0.05    | 0.028   | 0.07    | 7.7     | 17.6    | 0.79    | 216     | 1.80    |
| I100327            |                                   | 1.04    | 31.5    | 3.59    | 5.34    | 0.12    | 0.03    | 0.05    | 0.025   | 0.04    | 8.9     | 9.3     | 0.45    | 1020    | 2.62    |
| I100328            |                                   | 0.78    | 20.7    | 1.74    | 5.61    | <0.05   | <0.02   | 0.02    | 0.010   | 0.04    | 4.2     | 4.1     | 0.18    | 120     | 1.35    |
| I100329            |                                   | 0.57    | 14.0    | 1.87    | 6.66    | <0.05   | <0.02   | 0.03    | 0.009   | 0.04    | 5.4     | 2.4     | 0.10    | 214     | 1.59    |
| I100330            |                                   | 0.58    | 17.1    | 1.19    | 4.02    | <0.05   | <0.02   | 0.04    | 0.007   | 0.04    | 3.5     | 1.7     | 0.07    | 86      | 0.93    |
| I100331            |                                   | 1.52    | 28.6    | 3.72    | 9.86    | 0.08    | 0.03    | 0.02    | 0.024   | 0.07    | 9.7     | 11.3    | 0.44    | 295     | 2.05    |
| I100332            |                                   | 1.43    | 35.0    | 2.80    | 6.93    | 0.07    | 0.02    | 0.02    | 0.018   | 0.06    | 9.4     | 7.1     | 0.43    | 240     | 1.81    |
| I100333            |                                   | 4.88    | 89.4    | 4.50    | 8.94    | 0.14    | 0.02    | 0.02    | 0.040   | 0.11    | 18.7    | 20.9    | 0.89    | 1240    | 5.93    |
| I100334            |                                   | 4.44    | 78.6    | 3.91    | 8.41    | 0.12    | 0.02    | 0.04    | 0.040   | 0.09    | 15.6    | 17.8    | 0.68    | 934     | 4.72    |
| I100335            |                                   | 3.02    | 42.3    | 2.88    | 7.27    | 0.11    | 0.04    | 0.05    | 0.028   | 0.09    | 17.2    | 15.5    | 0.94    | 234     | 1.52    |
| I100336            |                                   | 1.26    | 23.8    | 2.97    | 4.88    | 0.10    | 0.04    | 0.05    | 0.020   | 0.06    | 10.5    | 9.3     | 0.49    | 1190    | 2.43    |
| I100337            |                                   | 3.60    | 27.6    | 3.11    | 8.12    | 0.16    | 0.05    | 0.03    | 0.033   | 0.15    | 31.1    | 16.9    | 1.50    | 319     | 1.31    |
| I100338            |                                   | 3.70    | 54.3    | 3.70    | 6.89    | 0.13    | 0.05    | 0.05    | 0.025   | 0.15    | 13.3    | 12.5    | 1.69    | 1440    | 2.53    |
| I100339            |                                   | 6.71    | 55.9    | 3.81    | 8.15    | 0.12    | 0.02    | 0.03    | 0.028   | 0.32    | 13.3    | 12.8    | 1.50    | 1240    | 2.31    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100300            |                                   | 4.54    | 16.4    | 730     | 10.0    | 34.4    | <0.001  | 0.03    | 0.46    | 4.5     | 0.4     | 0.9     | 31.0    | <0.01   | 0.04    |
| I100301            |                                   | 1.27    | 8.2     | 480     | 6.0     | 15.1    | <0.001  | 0.04    | 0.26    | 1.5     | 0.2     | 0.4     | 14.8    | <0.01   | 0.02    |
| I100302            |                                   | 1.65    | 12.2    | 480     | 6.6     | 14.8    | <0.001  | 0.06    | 0.30    | 1.2     | 0.4     | 0.5     | 16.0    | <0.01   | 0.03    |
| I100303            |                                   | 2.28    | 8.1     | 380     | 8.3     | 11.1    | <0.001  | 0.01    | 0.33    | 2.2     | 0.2     | 0.6     | 9.5     | <0.01   | 0.02    |
| I100304            |                                   | 2.23    | 9.1     | 490     | 10.7    | 11.5    | <0.001  | 0.01    | 0.50    | 2.1     | 0.3     | 0.7     | 9.7     | <0.01   | 0.03    |
| I100305            |                                   | 3.78    | 17.8    | 410     | 10.1    | 22.1    | <0.001  | 0.01    | 0.56    | 3.8     | 0.5     | 0.7     | 14.7    | <0.01   | 0.04    |
| I100306            |                                   | 3.93    | 16.2    | 510     | 10.0    | 35.0    | <0.001  | 0.02    | 0.57    | 3.5     | 0.3     | 0.7     | 15.1    | <0.01   | 0.03    |
| I100307            |                                   | 1.05    | 17.2    | 510     | 8.0     | 14.3    | <0.001  | <0.01   | 0.42    | 2.3     | 0.3     | 0.6     | 17.3    | <0.01   | 0.02    |
| I100308            |                                   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| I100309            |                                   | 1.89    | 13.8    | 240     | 7.7     | 8.6     | <0.001  | <0.01   | 0.37    | 3.1     | <0.2    | 0.5     | 13.5    | <0.01   | 0.02    |
| I100310            |                                   | 1.87    | 15.8    | 440     | 9.2     | 18.6    | <0.001  | 0.03    | 0.41    | 3.1     | 0.4     | 1.2     | 20.3    | <0.01   | 0.03    |
| I100311            |                                   | 1.19    | 17.5    | 390     | 11.6    | 10.2    | <0.001  | 0.05    | 0.70    | 2.2     | 0.5     | 0.5     | 30.6    | <0.01   | 0.04    |
| I100312            |                                   | 1.42    | 22.1    | 270     | 20.6    | 12.2    | <0.001  | 0.01    | 0.67    | 3.4     | 0.3     | 0.8     | 16.0    | <0.01   | 0.03    |
| I100313            |                                   | 1.53    | 23.7    | 430     | 18.1    | 13.5    | <0.001  | 0.03    | 1.73    | 3.5     | 0.4     | 0.7     | 19.6    | <0.01   | 0.03    |
| I100314            |                                   | 1.85    | 40.4    | 510     | 21.4    | 12.8    | <0.001  | 0.03    | 1.16    | 4.2     | 0.7     | 0.7     | 25.3    | 0.01    | 0.04    |
| I100315            |                                   | 0.59    | 10.0    | 920     | 9.6     | 8.0     | 0.001   | 0.10    | 0.59    | 2.4     | 1.6     | 0.3     | 56.9    | 0.01    | 0.03    |
| I100316            |                                   | 0.39    | 9.9     | 850     | 4.6     | 4.4     | <0.001  | 0.13    | 0.97    | 1.2     | 0.9     | 3.1     | 51.3    | <0.01   | 0.02    |
| I100317            |                                   | 0.36    | 17.7    | 980     | 6.4     | 5.5     | <0.001  | 0.13    | 0.91    | 1.5     | 1.6     | 0.2     | 48.2    | 0.01    | 0.03    |
| I100318            |                                   | 0.44    | 27.6    | 620     | 20.4    | 10.9    | <0.001  | 0.04    | 2.63    | 2.6     | 1.9     | 3.2     | 17.1    | <0.01   | 0.07    |
| I100319            |                                   | 0.61    | 49.6    | 1000    | 142.5   | 13.3    | <0.001  | 0.02    | 2.80    | 4.8     | 2.7     | 0.6     | 28.1    | <0.01   | 0.09    |
| I100320            |                                   | 0.80    | 36.0    | 700     | 72.1    | 14.1    | <0.001  | 0.03    | 1.73    | 5.1     | 1.9     | 0.7     | 23.7    | <0.01   | 0.04    |
| I100321            |                                   | 0.70    | 31.1    | 830     | 38.1    | 8.8     | <0.001  | 0.05    | 2.06    | 4.3     | 2.1     | 0.4     | 35.1    | <0.01   | 0.06    |
| I100322            |                                   | 0.51    | 28.1    | 1000    | 31.3    | 12.9    | <0.001  | 0.08    | 1.16    | 4.0     | 2.3     | 2.2     | 32.9    | <0.01   | 0.07    |
| I100323            |                                   | 0.77    | 28.9    | 550     | 36.0    | 10.6    | <0.001  | 0.04    | 0.97    | 4.6     | 1.7     | 0.5     | 29.8    | <0.01   | 0.05    |
| I100324            |                                   | 0.57    | 23.9    | 1370    | 48.5    | 8.4     | <0.001  | 0.11    | 0.94    | 3.2     | 2.8     | 1.7     | 35.6    | <0.01   | 0.14    |
| I100325            |                                   | 0.55    | 26.8    | 1030    | 38.4    | 10.4    | <0.001  | 0.08    | 0.99    | 2.9     | 1.8     | 0.4     | 29.7    | <0.01   | 0.08    |
| I100326            |                                   | 1.07    | 38.4    | 450     | 18.3    | 10.9    | <0.001  | 0.02    | 1.16    | 5.0     | 0.9     | 1.0     | 22.9    | <0.01   | 0.04    |
| I100327            |                                   | 0.79    | 25.1    | 1090    | 10.5    | 7.2     | <0.001  | 0.07    | 0.92    | 4.0     | 1.5     | 0.6     | 40.7    | <0.01   | 0.06    |
| I100328            |                                   | 0.68    | 14.6    | 320     | 10.5    | 6.0     | <0.001  | 0.02    | 0.38    | 1.5     | 0.5     | 1.2     | 10.6    | <0.01   | 0.02    |
| I100329            |                                   | 0.75    | 9.5     | 380     | 7.7     | 6.3     | <0.001  | 0.02    | 0.43    | 1.3     | 0.5     | 0.6     | 10.8    | <0.01   | 0.04    |
| I100330            |                                   | 0.44    | 9.5     | 330     | 6.2     | 4.8     | <0.001  | 0.01    | 0.30    | 1.0     | 0.3     | 0.6     | 7.8     | <0.01   | 0.02    |
| I100331            |                                   | 1.61    | 24.2    | 450     | 12.1    | 14.3    | <0.001  | 0.02    | 0.50    | 3.6     | 0.6     | 0.7     | 14.5    | <0.01   | 0.06    |
| I100332            |                                   | 0.87    | 26.5    | 330     | 17.6    | 8.5     | <0.001  | 0.01    | 0.32    | 3.0     | 0.7     | 1.3     | 11.8    | <0.01   | 0.05    |
| I100333            |                                   | 1.08    | 61.8    | 910     | 102.0   | 20.3    | <0.001  | 0.04    | 0.62    | 4.4     | 2.3     | 0.6     | 25.1    | <0.01   | 0.10    |
| I100334            |                                   | 0.97    | 52.0    | 770     | 93.2    | 18.6    | <0.001  | 0.03    | 0.60    | 3.7     | 1.8     | 0.5     | 24.4    | <0.01   | 0.09    |
| I100335            |                                   | 1.10    | 39.5    | 420     | 22.0    | 17.9    | <0.001  | 0.02    | 0.28    | 5.0     | 1.3     | 0.6     | 25.2    | <0.01   | 0.04    |
| I100336            |                                   | 0.85    | 24.0    | 840     | 11.9    | 13.0    | <0.001  | 0.09    | 0.30    | 2.9     | 1.1     | 0.5     | 34.2    | <0.01   | 0.04    |
| I100337            |                                   | 0.67    | 46.2    | 530     | 14.2    | 30.4    | <0.001  | 0.05    | 0.19    | 6.7     | 1.1     | 0.8     | 24.0    | <0.01   | 0.02    |
| I100338            |                                   | 0.68    | 49.5    | 690     | 64.2    | 23.7    | <0.001  | 0.06    | 1.03    | 7.4     | 2.2     | 0.4     | 35.3    | <0.01   | 0.06    |
| I100339            |                                   | 0.71    | 55.0    | 420     | 108.0   | 35.6    | <0.001  | 0.04    | 1.06    | 4.9     | 1.6     | 0.6     | 23.6    | <0.01   | 0.08    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 4 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100300            |                                   | 0.158              | 0.23                 | 0.85                | 92                  | 0.22                | 4.42                | 83                   | 1.5                  |
| I100301            |                                   | 0.057              | 0.11                 | 0.92                | 47                  | 0.16                | 3.20                | 43                   | <0.5                 |
| I100302            |                                   | 0.061              | 0.07                 | 0.65                | 47                  | 0.12                | 2.77                | 38                   | <0.5                 |
| I100303            |                                   | 0.092              | 0.11                 | 0.37                | 64                  | 0.14                | 1.89                | 32                   | 0.7                  |
| I100304            |                                   | 0.085              | 0.11                 | 0.49                | 74                  | 0.24                | 1.97                | 36                   | 0.9                  |
| I100305            |                                   | 0.105              | 0.17                 | 0.73                | 79                  | 0.24                | 3.65                | 64                   | 1.2                  |
| I100306            |                                   | 0.115              | 0.15                 | 0.52                | 73                  | 0.17                | 2.40                | 73                   | 0.9                  |
| I100307            |                                   | 0.062              | 0.10                 | 0.74                | 60                  | 0.19                | 4.33                | 56                   | 0.5                  |
| I100308            |                                   |                    |                      |                     |                     |                     |                     |                      |                      |
| I100309            |                                   | 0.084              | 0.11                 | 0.50                | 65                  | 0.20                | 3.15                | 43                   | 1.5                  |
| I100310            |                                   | 0.083              | 0.08                 | 0.95                | 57                  | 0.20                | 4.76                | 46                   | 0.8                  |
| I100311            |                                   | 0.065              | 0.09                 | 0.58                | 61                  | 0.15                | 2.90                | 57                   | 0.6                  |
| I100312            |                                   | 0.067              | 0.11                 | 0.49                | 76                  | 0.12                | 3.09                | 77                   | 1.3                  |
| I100313            |                                   | 0.072              | 0.14                 | 0.57                | 79                  | 0.16                | 3.15                | 96                   | 1.1                  |
| I100314            |                                   | 0.094              | 0.16                 | 0.76                | 84                  | 0.20                | 4.60                | 103                  | 2.6                  |
| I100315            |                                   | 0.029              | 0.09                 | 2.13                | 27                  | 0.08                | 30.9                | 28                   | 0.7                  |
| I100316            |                                   | 0.019              | 0.06                 | 0.81                | 15                  | 0.06                | 6.19                | 32                   | <0.5                 |
| I100317            |                                   | 0.023              | 0.08                 | 1.43                | 18                  | 0.09                | 13.50               | 43                   | <0.5                 |
| I100318            |                                   | 0.034              | 0.11                 | 1.06                | 53                  | 0.18                | 5.40                | 194                  | <0.5                 |
| I100319            |                                   | 0.034              | 0.27                 | 1.49                | 66                  | 0.18                | 8.41                | 349                  | 1.5                  |
| I100320            |                                   | 0.047              | 0.20                 | 1.22                | 59                  | 0.16                | 8.68                | 204                  | 1.3                  |
| I100321            |                                   | 0.034              | 0.14                 | 1.14                | 73                  | 0.16                | 10.10               | 151                  | 1.1                  |
| I100322            |                                   | 0.044              | 0.25                 | 1.30                | 54                  | 0.11                | 8.74                | 114                  | 0.7                  |
| I100323            |                                   | 0.049              | 0.12                 | 1.20                | 51                  | 0.19                | 7.58                | 167                  | 1.4                  |
| I100324            |                                   | 0.045              | 0.30                 | 1.39                | 100                 | 0.18                | 9.17                | 124                  | 1.2                  |
| I100325            |                                   | 0.048              | 0.14                 | 1.09                | 83                  | 0.15                | 7.36                | 107                  | 0.5                  |
| I100326            |                                   | 0.091              | 0.18                 | 0.50                | 89                  | 0.14                | 4.73                | 93                   | 1.9                  |
| I100327            |                                   | 0.053              | 0.09                 | 0.72                | 74                  | 0.16                | 7.53                | 55                   | 1.0                  |
| I100328            |                                   | 0.066              | 0.06                 | 0.27                | 54                  | 0.13                | 1.79                | 30                   | 0.5                  |
| I100329            |                                   | 0.082              | 0.07                 | 0.24                | 66                  | 0.11                | 1.59                | 30                   | 0.5                  |
| I100330            |                                   | 0.053              | 0.05                 | 0.20                | 37                  | 0.08                | 1.36                | 22                   | <0.5                 |
| I100331            |                                   | 0.114              | 0.10                 | 0.51                | 109                 | 0.17                | 4.12                | 58                   | 1.3                  |
| I100332            |                                   | 0.083              | 0.10                 | 0.55                | 79                  | 0.11                | 4.76                | 80                   | 0.5                  |
| I100333            |                                   | 0.083              | 0.18                 | 1.52                | 99                  | 0.22                | 8.75                | 479                  | 0.6                  |
| I100334            |                                   | 0.073              | 0.17                 | 1.37                | 85                  | 0.18                | 7.27                | 391                  | 0.5                  |
| I100335            |                                   | 0.080              | 0.19                 | 1.51                | 58                  | 0.14                | 9.68                | 112                  | 1.6                  |
| I100336            |                                   | 0.061              | 0.12                 | 0.87                | 40                  | 0.10                | 8.77                | 51                   | 1.4                  |
| I100337            |                                   | 0.078              | 0.24                 | 1.19                | 58                  | 0.11                | 11.05               | 86                   | 1.3                  |
| I100338            |                                   | 0.085              | 0.25                 | 1.31                | 72                  | 0.12                | 10.65               | 202                  | 1.5                  |
| I100339            |                                   | 0.111              | 0.31                 | 0.79                | 71                  | 0.12                | 7.48                | 280                  | <0.5                 |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100340            |                                   | 0.32                      | 0.007                | 0.48                 | 1.61               | 60.9                 | <0.2                 | <10                 | 270                  | 0.40                 | 0.35                 | 0.28               | 1.74                 | 34.4                 | 13.1                 | 28                   |
| I100341            |                                   | 0.42                      | <0.005               | 0.20                 | 1.02               | 11.7                 | <0.2                 | <10                 | 130                  | 0.15                 | 0.20                 | 0.13               | 0.31                 | 16.25                | 3.5                  | 19                   |
| I100351            |                                   | 0.38                      | 0.005                | 0.07                 | 2.07               | 6.5                  | <0.2                 | <10                 | 180                  | 0.35                 | 0.24                 | 0.32               | 0.16                 | 36.6                 | 11.7                 | 23                   |
| I100352            |                                   | 0.32                      | <0.005               | 0.07                 | 1.48               | 4.6                  | <0.2                 | <10                 | 160                  | 0.39                 | 0.20                 | 0.30               | 0.26                 | 51.3                 | 7.6                  | 16                   |
| I100353            |                                   | 0.30                      | <0.005               | 0.11                 | 1.67               | 4.6                  | <0.2                 | <10                 | 280                  | 0.40                 | 0.18                 | 0.49               | 0.24                 | 37.9                 | 10.6                 | 29                   |
| I100354            |                                   | 0.36                      | <0.005               | 0.05                 | 1.70               | 3.5                  | <0.2                 | <10                 | 200                  | 0.31                 | 0.09                 | 0.46               | 0.16                 | 41.5                 | 11.4                 | 16                   |
| I100355            |                                   | 0.36                      | <0.005               | 0.08                 | 1.82               | 11.5                 | <0.2                 | <10                 | 240                  | 0.37                 | 0.10                 | 0.53               | 0.22                 | 74.5                 | 11.9                 | 20                   |
| I100356            |                                   | 0.38                      | <0.005               | 0.10                 | 1.68               | 8.0                  | <0.2                 | <10                 | 240                  | 0.42                 | 0.12                 | 0.60               | 0.19                 | 46.1                 | 10.1                 | 26                   |
| I100357            |                                   | 0.34                      | <0.005               | 0.06                 | 1.76               | 5.1                  | <0.2                 | <10                 | 230                  | 0.29                 | 0.10                 | 0.51               | 0.15                 | 47.8                 | 10.2                 | 22                   |
| I100358            |                                   | 0.44                      | <0.005               | 0.10                 | 1.55               | 9.7                  | <0.2                 | <10                 | 300                  | 0.41                 | 0.14                 | 0.74               | 0.17                 | 33.0                 | 9.7                  | 26                   |
| I100359            |                                   | 0.36                      | <0.005               | 0.09                 | 1.60               | 9.4                  | <0.2                 | <10                 | 300                  | 0.47                 | 0.16                 | 0.75               | 0.18                 | 32.7                 | 11.0                 | 26                   |
| I100360            |                                   | 0.34                      | <0.005               | 0.09                 | 1.78               | 8.3                  | <0.2                 | <10                 | 290                  | 0.38                 | 0.15                 | 0.83               | 0.17                 | 39.2                 | 12.0                 | 28                   |
| I100361            |                                   | 0.36                      | <0.005               | 0.09                 | 1.77               | 8.5                  | <0.2                 | <10                 | 300                  | 0.42                 | 0.14                 | 0.32               | 0.08                 | 35.4                 | 9.9                  | 33                   |
| I100362            |                                   | 0.40                      | <0.005               | 0.21                 | 2.30               | 6.3                  | <0.2                 | <10                 | 290                  | 0.46                 | 0.12                 | 0.37               | 0.06                 | 41.1                 | 14.1                 | 30                   |
| I100363            |                                   | 0.40                      | <0.005               | 0.10                 | 2.39               | 7.4                  | <0.2                 | <10                 | 220                  | 0.47                 | 0.14                 | 0.54               | 0.06                 | 27.3                 | 12.8                 | 34                   |
| I100364            |                                   | 0.34                      | <0.005               | 0.07                 | 2.73               | 8.1                  | <0.2                 | <10                 | 180                  | 0.40                 | 0.16                 | 0.41               | 0.07                 | 18.95                | 12.5                 | 33                   |
| I100365            |                                   | 0.26                      | <0.005               | 0.04                 | 2.17               | 5.1                  | <0.2                 | <10                 | 140                  | 0.28                 | 0.11                 | 0.48               | 0.05                 | 15.30                | 9.9                  | 27                   |
| I100366            |                                   | 0.20                      | <0.005               | 0.36                 | 1.18               | 2.1                  | <0.2                 | <10                 | 120                  | 0.28                 | 0.12                 | 0.18               | 0.39                 | 12.15                | 6.6                  | 15                   |
| I100367            |                                   | 0.24                      | <0.005               | 0.41                 | 2.27               | 4.6                  | <0.2                 | <10                 | 160                  | 0.46                 | 0.15                 | 0.25               | 0.19                 | 14.65                | 10.3                 | 24                   |
| I100368            |                                   | 0.24                      | <0.005               | 0.11                 | 1.81               | 3.6                  | <0.2                 | <10                 | 140                  | 0.35                 | 0.11                 | 0.27               | 0.08                 | 12.65                | 10.3                 | 19                   |
| I100369            |                                   | 0.24                      | <0.005               | 0.12                 | 1.19               | 2.7                  | <0.2                 | <10                 | 130                  | 0.27                 | 0.15                 | 0.16               | 0.18                 | 8.96                 | 5.6                  | 15                   |
| I100370            |                                   | 0.26                      | <0.005               | 0.15                 | 0.68               | 1.8                  | <0.2                 | <10                 | 80                   | 0.15                 | 0.12                 | 0.13               | 0.12                 | 7.03                 | 3.5                  | 12                   |
| I100371            |                                   | 0.32                      | <0.005               | 0.04                 | 2.51               | 5.9                  | <0.2                 | <10                 | 170                  | 0.45                 | 0.14                 | 0.35               | 0.05                 | 22.9                 | 15.7                 | 31                   |
| I100372            |                                   | 0.40                      | 0.006                | 0.05                 | 2.80               | 8.7                  | <0.2                 | <10                 | 190                  | 0.30                 | 0.19                 | 0.31               | 0.14                 | 17.90                | 12.3                 | 35                   |
| I100373            |                                   | 0.28                      | <0.005               | 0.15                 | 2.40               | 5.4                  | <0.2                 | <10                 | 250                  | 0.47                 | 0.17                 | 0.29               | 0.14                 | 16.95                | 8.7                  | 27                   |
| I100374            |                                   | 0.28                      | <0.005               | 0.08                 | 0.79               | 2.4                  | <0.2                 | <10                 | 80                   | 0.19                 | 0.10                 | 0.10               | 0.10                 | 7.05                 | 3.3                  | 12                   |
| I100375            |                                   | 0.28                      | <0.005               | 0.04                 | 2.09               | 8.3                  | <0.2                 | <10                 | 140                  | 0.28                 | 0.16                 | 0.20               | 0.12                 | 14.30                | 9.1                  | 26                   |
| I100376            |                                   | 0.32                      | 0.006                | 0.03                 | 2.37               | 8.3                  | <0.2                 | <10                 | 170                  | 0.43                 | 0.12                 | 0.34               | 0.06                 | 20.7                 | 12.2                 | 34                   |
| I100377            |                                   | 0.28                      | <0.005               | 0.11                 | 1.24               | 3.3                  | <0.2                 | <10                 | 120                  | 0.29                 | 0.11                 | 0.16               | 0.10                 | 8.98                 | 3.6                  | 15                   |
| I100378            |                                   | 0.36                      | <0.005               | 0.03                 | 2.21               | 10.4                 | <0.2                 | <10                 | 200                  | 0.29                 | 0.14                 | 0.36               | 0.07                 | 23.0                 | 10.6                 | 36                   |
| I100379            |                                   | 0.36                      | <0.005               | 0.11                 | 2.96               | 16.5                 | <0.2                 | <10                 | 410                  | 0.65                 | 0.15                 | 0.36               | 0.07                 | 25.8                 | 12.7                 | 25                   |
| I100380            |                                   | 0.28                      | <0.005               | 0.13                 | 1.32               | 74.1                 | <0.2                 | <10                 | 110                  | 0.29                 | 0.24                 | 0.10               | 0.43                 | 19.40                | 12.2                 | 29                   |
| I100381            |                                   | 0.28                      | <0.005               | 0.89                 | 1.07               | 24.9                 | <0.2                 | <10                 | 250                  | 0.35                 | 0.12                 | 0.19               | 0.69                 | 28.8                 | 3.9                  | 15                   |
| I100382            |                                   | 0.24                      | <0.005               | 0.71                 | 1.12               | 26.0                 | <0.2                 | <10                 | 210                  | 0.31                 | 0.13                 | 0.19               | 0.70                 | 23.7                 | 4.3                  | 16                   |
| I100383            |                                   | 0.34                      | <0.005               | 0.09                 | 2.09               | 181.5                | <0.2                 | <10                 | 150                  | 0.30                 | 0.25                 | 0.16               | 0.40                 | 32.2                 | 10.8                 | 36                   |
| I100384            |                                   | 0.38                      | <0.005               | 0.24                 | 2.49               | 57.2                 | <0.2                 | <10                 | 250                  | 0.59                 | 0.28                 | 0.37               | 0.22                 | 38.1                 | 14.4                 | 33                   |
| I100385            |                                   | 0.36                      | <0.005               | 0.46                 | 2.51               | 45.5                 | <0.2                 | <10                 | 440                  | 0.40                 | 0.36                 | 0.38               | 0.66                 | 31.7                 | 11.6                 | 34                   |
| I100386            |                                   | 0.36                      | <0.005               | 0.23                 | 1.49               | 313                  | <0.2                 | <10                 | 260                  | 0.29                 | 0.25                 | 0.17               | 0.41                 | 22.2                 | 7.7                  | 26                   |
| I100387            |                                   | 0.26                      | <0.005               | 1.07                 | 1.24               | 100.5                | <0.2                 | <10                 | 350                  | 0.35                 | 0.20                 | 0.35               | 2.06                 | 20.7                 | 6.8                  | 22                   |
| I100388            |                                   | 0.32                      | <0.005               | 0.06                 | 0.66               | 24.8                 | <0.2                 | <10                 | 80                   | 0.15                 | 0.13                 | 0.07               | 0.32                 | 9.47                 | 3.0                  | 13                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100340            |                                   | 3.87    | 63.6    | 3.01    | 6.06    | 0.14    | <0.02   | 0.06    | 0.033   | 0.09    | 20.2    | 12.2    | 0.61    | 587     | 2.86    |
| I100341            |                                   | 0.97    | 17.7    | 2.09    | 8.33    | 0.06    | <0.02   | 0.02    | 0.016   | 0.03    | 8.1     | 3.0     | 0.15    | 203     | 1.29    |
| I100351            |                                   | 1.06    | 16.4    | 3.39    | 8.34    | 0.08    | 0.03    | 0.01    | 0.021   | 0.32    | 25.1    | 15.4    | 0.69    | 534     | 13.70   |
| I100352            |                                   | 0.87    | 14.4    | 2.74    | 7.90    | 0.07    | 0.02    | 0.02    | 0.016   | 0.17    | 33.7    | 9.1     | 0.35    | 466     | 2.42    |
| I100353            |                                   | 1.12    | 23.5    | 2.33    | 5.84    | 0.07    | 0.03    | 0.04    | 0.023   | 0.08    | 19.9    | 12.6    | 0.54    | 496     | 0.69    |
| I100354            |                                   | 0.90    | 16.1    | 2.87    | 5.96    | 0.09    | 0.04    | 0.03    | 0.015   | 0.51    | 23.1    | 17.6    | 0.76    | 573     | 0.95    |
| I100355            |                                   | 0.95    | 15.8    | 2.64    | 7.04    | 0.18    | 0.05    | 0.03    | 0.014   | 0.30    | 41.2    | 15.0    | 0.61    | 560     | 0.95    |
| I100356            |                                   | 0.68    | 26.5    | 2.70    | 5.63    | 0.13    | 0.08    | 0.03    | 0.017   | 0.13    | 23.9    | 11.9    | 0.56    | 435     | 0.69    |
| I100357            |                                   | 0.85    | 15.9    | 2.51    | 6.44    | 0.13    | 0.08    | 0.04    | 0.014   | 0.23    | 27.5    | 13.8    | 0.66    | 537     | 0.73    |
| I100358            |                                   | 0.51    | 29.8    | 2.53    | 5.12    | 0.12    | 0.11    | 0.04    | 0.016   | 0.09    | 17.0    | 11.5    | 0.53    | 373     | 0.67    |
| I100359            |                                   | 0.49    | 29.5    | 2.53    | 5.13    | 0.12    | 0.10    | 0.03    | 0.062   | 0.07    | 16.0    | 11.3    | 0.50    | 424     | 0.74    |
| I100360            |                                   | 0.60    | 35.6    | 2.88    | 5.92    | 0.12    | 0.12    | 0.04    | 0.021   | 0.13    | 21.1    | 12.3    | 0.58    | 761     | 1.07    |
| I100361            |                                   | 0.48    | 17.0    | 2.88    | 5.76    | 0.09    | 0.13    | 0.01    | 0.018   | 0.14    | 16.4    | 9.6     | 0.47    | 315     | 0.90    |
| I100362            |                                   | 0.71    | 27.4    | 3.52    | 6.85    | 0.06    | 0.12    | 0.02    | 0.022   | 0.42    | 21.2    | 12.0    | 0.73    | 900     | 1.30    |
| I100363            |                                   | 0.71    | 27.8    | 3.02    | 6.49    | 0.06    | 0.06    | 0.03    | 0.026   | 0.04    | 12.8    | 13.2    | 0.75    | 236     | 0.53    |
| I100364            |                                   | 0.87    | 21.2    | 3.54    | 7.58    | 0.05    | 0.05    | 0.02    | 0.028   | 0.05    | 9.3     | 13.6    | 0.80    | 352     | 0.67    |
| I100365            |                                   | 0.60    | 17.3    | 3.01    | 6.44    | <0.05   | 0.03    | 0.02    | 0.021   | 0.05    | 7.7     | 10.9    | 0.75    | 286     | 0.64    |
| I100366            |                                   | 0.60    | 29.7    | 1.50    | 4.02    | <0.05   | <0.02   | 0.03    | 0.018   | 0.03    | 6.1     | 2.7     | 0.13    | 735     | 0.70    |
| I100367            |                                   | 1.04    | 31.5    | 3.30    | 7.93    | 0.05    | 0.02    | 0.02    | 0.026   | 0.05    | 7.3     | 8.8     | 0.52    | 287     | 1.01    |
| I100368            |                                   | 0.79    | 21.0    | 2.57    | 5.80    | <0.05   | 0.02    | 0.02    | 0.021   | 0.04    | 6.4     | 7.5     | 0.44    | 283     | 0.70    |
| I100369            |                                   | 0.54    | 20.8    | 1.48    | 5.01    | <0.05   | <0.02   | 0.02    | 0.016   | 0.04    | 4.6     | 4.1     | 0.15    | 259     | 0.66    |
| I100370            |                                   | 0.55    | 17.5    | 1.17    | 3.61    | <0.05   | <0.02   | 0.03    | 0.011   | 0.03    | 3.6     | 2.3     | 0.13    | 95      | 0.70    |
| I100371            |                                   | 0.94    | 29.7    | 3.64    | 7.10    | 0.07    | 0.09    | 0.02    | 0.032   | 0.05    | 11.4    | 13.1    | 0.78    | 427     | 0.69    |
| I100372            |                                   | 1.01    | 33.3    | 3.61    | 8.46    | 0.05    | 0.05    | 0.01    | 0.029   | 0.05    | 8.8     | 14.7    | 0.67    | 321     | 0.96    |
| I100373            |                                   | 0.86    | 27.9    | 2.72    | 7.06    | <0.05   | 0.02    | 0.03    | 0.027   | 0.06    | 8.8     | 9.8     | 0.41    | 208     | 0.94    |
| I100374            |                                   | 0.50    | 14.5    | 1.18    | 3.68    | <0.05   | <0.02   | 0.02    | 0.011   | 0.03    | 3.6     | 2.9     | 0.12    | 65      | 0.54    |
| I100375            |                                   | 1.02    | 21.8    | 3.29    | 7.93    | 0.05    | 0.02    | 0.02    | 0.024   | 0.05    | 7.1     | 10.6    | 0.50    | 229     | 1.15    |
| I100376            |                                   | 0.94    | 31.0    | 3.39    | 6.76    | 0.06    | 0.04    | 0.01    | 0.022   | 0.05    | 10.2    | 14.9    | 0.78    | 342     | 0.66    |
| I100377            |                                   | 0.69    | 23.5    | 1.48    | 4.56    | <0.05   | <0.02   | 0.03    | 0.017   | 0.04    | 4.3     | 3.5     | 0.14    | 65      | 0.65    |
| I100378            |                                   | 1.00    | 22.8    | 3.07    | 7.10    | 0.06    | 0.03    | 0.10    | 0.025   | 0.05    | 11.3    | 13.5    | 0.65    | 275     | 0.68    |
| I100379            |                                   | 2.38    | 25.3    | 4.21    | 8.49    | 0.06    | 0.03    | 0.03    | 0.040   | 0.05    | 12.9    | 13.6    | 0.70    | 601     | 0.89    |
| I100380            |                                   | 1.40    | 69.0    | 4.44    | 6.69    | 0.06    | <0.02   | 0.02    | 0.038   | 0.05    | 9.6     | 5.3     | 0.19    | 403     | 4.12    |
| I100381            |                                   | 0.87    | 41.9    | 1.62    | 4.94    | 0.09    | 0.03    | 0.05    | 0.019   | 0.03    | 34.6    | 4.7     | 0.13    | 64      | 1.59    |
| I100382            |                                   | 0.89    | 35.0    | 1.85    | 4.92    | 0.07    | 0.02    | 0.05    | 0.020   | 0.03    | 25.1    | 5.5     | 0.15    | 77      | 1.79    |
| I100383            |                                   | 1.89    | 33.1    | 4.06    | 9.04    | 0.06    | 0.03    | 0.02    | 0.033   | 0.06    | 16.4    | 13.8    | 0.49    | 327     | 2.11    |
| I100384            |                                   | 1.80    | 35.7    | 3.20    | 6.57    | 0.06    | 0.06    | 0.03    | 0.037   | 0.08    | 19.6    | 14.8    | 0.57    | 297     | 1.32    |
| I100385            |                                   | 2.04    | 32.6    | 3.35    | 8.37    | 0.06    | 0.02    | 0.03    | 0.040   | 0.08    | 17.9    | 18.2    | 0.53    | 445     | 3.86    |
| I100386            |                                   | 1.74    | 36.2    | 3.13    | 6.87    | 0.05    | <0.02   | 0.04    | 0.029   | 0.05    | 11.3    | 6.2     | 0.25    | 236     | 2.69    |
| I100387            |                                   | 1.89    | 53.1    | 1.87    | 5.52    | 0.05    | <0.02   | 0.04    | 0.022   | 0.07    | 15.8    | 4.1     | 0.17    | 317     | 1.75    |
| I100388            |                                   | 0.75    | 22.3    | 1.27    | 4.49    | <0.05   | <0.02   | 0.02    | 0.012   | 0.03    | 5.4     | 2.6     | 0.13    | 93      | 0.87    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    | 0.2     |
| I100340            |                                   | 0.53    | 35.3    | 690     | 18.0    | 16.1    | <0.001  | 0.03    | 1.16    | 4.1     | 1.4     | 0.5     | 21.3    | <0.01   | 0.06    | 1.2     |
| I100341            |                                   | 0.70    | 8.9     | 330     | 11.5    | 5.4     | <0.001  | 0.01    | 0.36    | 1.1     | 0.4     | 0.6     | 15.0    | <0.01   | 0.03    | <0.2    |
| I100351            |                                   | 2.92    | 14.1    | 580     | 32.1    | 38.0    | <0.001  | 0.02    | 0.29    | 4.8     | 0.4     | 0.7     | 36.0    | <0.01   | 0.02    | 7.9     |
| I100352            |                                   | 1.92    | 9.2     | 740     | 11.8    | 25.3    | <0.001  | 0.03    | 0.23    | 2.2     | 0.4     | 0.6     | 31.9    | <0.01   | 0.03    | 1.7     |
| I100353            |                                   | 1.65    | 19.1    | 660     | 11.5    | 15.2    | <0.001  | 0.04    | 0.46    | 5.2     | 0.6     | 0.5     | 40.6    | <0.01   | 0.03    | 3.4     |
| I100354            |                                   | 3.01    | 11.9    | 660     | 7.4     | 44.1    | 0.006   | 0.07    | 0.28    | 4.4     | 0.4     | 0.5     | 33.7    | <0.01   | 0.02    | 7.2     |
| I100355            |                                   | 2.81    | 15.8    | 580     | 8.5     | 36.4    | <0.001  | 0.02    | 0.29    | 4.3     | 0.8     | 0.5     | 41.2    | <0.01   | 0.03    | 6.2     |
| I100356            |                                   | 1.88    | 21.2    | 680     | 7.5     | 16.5    | <0.001  | 0.02    | 0.49    | 4.8     | 0.9     | 0.4     | 44.6    | <0.01   | 0.02    | 5.0     |
| I100357            |                                   | 2.88    | 14.6    | 530     | 7.6     | 27.9    | <0.001  | 0.02    | 0.33    | 4.4     | 0.7     | 0.4     | 36.0    | <0.01   | 0.01    | 8.3     |
| I100358            |                                   | 1.49    | 23.1    | 670     | 8.0     | 9.7     | <0.001  | 0.01    | 0.57    | 4.5     | 0.8     | 0.4     | 47.5    | <0.01   | 0.03    | 3.8     |
| I100359            |                                   | 1.40    | 23.8    | 620     | 8.1     | 8.6     | <0.001  | 0.02    | 0.54    | 4.5     | 0.9     | 0.4     | 49.6    | <0.01   | 0.03    | 3.3     |
| I100360            |                                   | 2.02    | 25.1    | 590     | 8.4     | 15.6    | <0.001  | 0.03    | 0.59    | 5.0     | 1.0     | 0.4     | 54.5    | <0.01   | 0.03    | 4.8     |
| I100361            |                                   | 1.36    | 21.9    | 210     | 8.1     | 14.3    | <0.001  | 0.01    | 0.46    | 5.3     | 0.6     | 0.5     | 28.8    | <0.01   | 0.03    | 4.7     |
| I100362            |                                   | 1.72    | 20.9    | 360     | 9.0     | 34.4    | <0.001  | 0.01    | 0.35    | 6.3     | 0.4     | 0.5     | 28.7    | <0.01   | 0.03    | 8.1     |
| I100363            |                                   | 1.41    | 20.8    | 490     | 7.9     | 6.3     | <0.001  | 0.01    | 0.37    | 7.1     | 0.5     | 0.6     | 35.8    | <0.01   | 0.02    | 2.4     |
| I100364            |                                   | 1.38    | 18.3    | 470     | 9.7     | 8.1     | <0.001  | 0.01    | 0.26    | 6.4     | 0.4     | 0.6     | 29.9    | <0.01   | 0.03    | 1.9     |
| I100365            |                                   | 1.27    | 14.9    | 420     | 6.0     | 6.5     | <0.001  | 0.01    | 0.21    | 4.7     | 0.3     | 0.4     | 28.4    | <0.01   | 0.02    | 1.5     |
| I100366            |                                   | 0.26    | 11.3    | 540     | 5.0     | 5.1     | <0.001  | 0.02    | 0.17    | 0.8     | 0.4     | 0.3     | 19.6    | <0.01   | 0.02    | <0.2    |
| I100367            |                                   | 0.87    | 15.1    | 710     | 6.1     | 9.3     | <0.001  | 0.02    | 0.24    | 4.8     | 0.4     | 0.5     | 24.7    | <0.01   | 0.03    | 0.3     |
| I100368            |                                   | 0.70    | 10.8    | 420     | 4.7     | 6.2     | <0.001  | 0.02    | 0.20    | 3.4     | 0.3     | 0.4     | 22.4    | <0.01   | 0.02    | 0.2     |
| I100369            |                                   | 0.56    | 9.3     | 500     | 6.2     | 6.4     | <0.001  | 0.01    | 0.16    | 1.9     | 0.3     | 0.4     | 17.2    | <0.01   | 0.02    | <0.2    |
| I100370            |                                   | 0.42    | 6.7     | 290     | 5.1     | 6.6     | <0.001  | 0.01    | 0.15    | 1.1     | 0.3     | 0.3     | 14.5    | <0.01   | 0.02    | <0.2    |
| I100371            |                                   | 1.07    | 16.9    | 390     | 7.8     | 7.5     | <0.001  | <0.01   | 0.30    | 7.7     | 0.4     | 0.5     | 26.4    | <0.01   | 0.02    | 2.4     |
| I100372            |                                   | 1.55    | 21.5    | 470     | 44.6    | 9.9     | <0.001  | <0.01   | 0.33    | 4.9     | 0.4     | 0.6     | 24.8    | <0.01   | 0.03    | 2.1     |
| I100373            |                                   | 0.76    | 17.5    | 560     | 7.2     | 9.4     | <0.001  | 0.02    | 0.25    | 3.1     | 0.5     | 0.5     | 28.6    | <0.01   | 0.03    | 0.2     |
| I100374            |                                   | 0.28    | 6.6     | 310     | 3.8     | 4.3     | <0.001  | 0.01    | 0.13    | 0.8     | 0.3     | 0.3     | 11.6    | <0.01   | 0.02    | <0.2    |
| I100375            |                                   | 1.13    | 15.7    | 390     | 6.6     | 8.6     | <0.001  | 0.01    | 0.30    | 3.8     | 0.3     | 0.6     | 19.2    | <0.01   | 0.03    | 0.4     |
| I100376            |                                   | 1.19    | 21.4    | 390     | 6.7     | 8.3     | <0.001  | 0.01    | 0.30    | 5.4     | 0.4     | 0.5     | 26.4    | <0.01   | 0.02    | 1.9     |
| I100377            |                                   | 0.38    | 8.6     | 500     | 5.0     | 6.0     | <0.001  | 0.02    | 0.18    | 1.0     | 0.3     | 0.3     | 17.1    | <0.01   | 0.02    | <0.2    |
| I100378            |                                   | 1.29    | 22.6    | 530     | 8.5     | 10.0    | <0.001  | 0.01    | 0.32    | 4.8     | 0.4     | 0.5     | 27.6    | <0.01   | 0.03    | 1.5     |
| I100379            |                                   | 0.66    | 13.7    | 410     | 11.1    | 10.0    | <0.001  | 0.01    | 0.57    | 7.5     | 0.6     | 0.5     | 24.6    | <0.01   | 0.03    | 0.7     |
| I100380            |                                   | 0.40    | 41.8    | 680     | 21.0    | 9.7     | <0.001  | 0.02    | 1.47    | 1.7     | 2.0     | 0.6     | 11.6    | <0.01   | 0.10    | 0.2     |
| I100381            |                                   | 0.54    | 17.7    | 430     | 11.7    | 7.4     | <0.001  | 0.02    | 0.36    | 1.5     | 1.1     | 0.4     | 20.6    | 0.01    | 0.04    | <0.2    |
| I100382            |                                   | 0.58    | 16.7    | 490     | 13.5    | 8.3     | <0.001  | 0.03    | 0.38    | 1.6     | 1.1     | 0.4     | 19.7    | 0.01    | 0.04    | <0.2    |
| I100383            |                                   | 1.61    | 28.1    | 290     | 21.4    | 10.9    | <0.001  | 0.01    | 1.31    | 4.1     | 0.8     | 0.7     | 15.2    | <0.01   | 0.06    | 4.5     |
| I100384            |                                   | 1.16    | 34.6    | 630     | 26.1    | 14.4    | <0.001  | 0.02    | 0.67    | 4.2     | 1.2     | 0.6     | 25.1    | <0.01   | 0.04    | 4.8     |
| I100385            |                                   | 1.04    | 30.6    | 620     | 27.5    | 14.5    | <0.001  | 0.02    | 0.62    | 3.5     | 1.2     | 0.9     | 27.2    | <0.01   | 0.05    | 2.5     |
| I100386            |                                   | 0.65    | 21.6    | 590     | 26.1    | 12.1    | <0.001  | 0.02    | 0.84    | 3.0     | 1.0     | 0.6     | 18.6    | <0.01   | 0.06    | 0.4     |
| I100387            |                                   | 0.60    | 28.4    | 1160    | 11.6    | 15.0    | <0.001  | 0.04    | 0.59    | 2.0     | 1.0     | 0.5     | 29.4    | <0.01   | 0.04    | <0.2    |
| I100388            |                                   | 0.36    | 8.9     | 360     | 7.3     | 7.7     | <0.001  | 0.02    | 0.25    | 0.9     | 0.4     | 0.4     | 9.8     | <0.01   | 0.03    | <0.2    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100340            |                                   | 0.041              | 0.11                 | 1.19                | 59                  | 0.14                | 13.15               | 166                  | <0.5                 |
| I100341            |                                   | 0.062              | 0.11                 | 0.33                | 69                  | 0.10                | 2.08                | 27                   | 0.5                  |
| I100351            |                                   | 0.133              | 0.23                 | 1.66                | 65                  | 0.23                | 6.64                | 85                   | 1.5                  |
| I100352            |                                   | 0.086              | 0.16                 | 0.87                | 57                  | 0.18                | 6.87                | 56                   | 0.5                  |
| I100353            |                                   | 0.083              | 0.12                 | 1.76                | 48                  | 0.22                | 8.99                | 70                   | 1.0                  |
| I100354            |                                   | 0.135              | 0.22                 | 2.36                | 58                  | 0.21                | 8.47                | 67                   | 1.9                  |
| I100355            |                                   | 0.113              | 0.16                 | 3.02                | 53                  | 0.18                | 13.05               | 61                   | 2.1                  |
| I100356            |                                   | 0.096              | 0.09                 | 2.18                | 55                  | 0.15                | 11.15               | 57                   | 3.1                  |
| I100357            |                                   | 0.120              | 0.13                 | 2.41                | 51                  | 0.18                | 7.82                | 56                   | 3.6                  |
| I100358            |                                   | 0.089              | 0.06                 | 1.17                | 52                  | 0.45                | 10.25               | 50                   | 5.2                  |
| I100359            |                                   | 0.085              | 0.06                 | 1.12                | 52                  | 0.18                | 10.30               | 51                   | 4.4                  |
| I100360            |                                   | 0.100              | 0.08                 | 1.42                | 56                  | 0.16                | 10.85               | 57                   | 4.8                  |
| I100361            |                                   | 0.100              | 0.08                 | 0.57                | 62                  | 0.15                | 5.33                | 52                   | 5.8                  |
| I100362            |                                   | 0.133              | 0.17                 | 0.64                | 77                  | 0.18                | 7.18                | 71                   | 6.0                  |
| I100363            |                                   | 0.115              | 0.08                 | 0.84                | 81                  | 0.14                | 10.30               | 46                   | 3.1                  |
| I100364            |                                   | 0.124              | 0.10                 | 0.51                | 87                  | 0.17                | 5.18                | 60                   | 2.2                  |
| I100365            |                                   | 0.118              | 0.07                 | 0.37                | 76                  | 0.12                | 4.12                | 50                   | 1.6                  |
| I100366            |                                   | 0.029              | 0.06                 | 0.52                | 34                  | 0.06                | 3.72                | 28                   | <0.5                 |
| I100367            |                                   | 0.086              | 0.09                 | 0.69                | 75                  | 0.11                | 5.78                | 49                   | 0.7                  |
| I100368            |                                   | 0.072              | 0.07                 | 0.42                | 59                  | 0.11                | 4.46                | 39                   | 0.6                  |
| I100369            |                                   | 0.058              | 0.06                 | 0.31                | 38                  | 0.09                | 2.46                | 31                   | <0.5                 |
| I100370            |                                   | 0.048              | 0.05                 | 0.33                | 30                  | 0.08                | 2.19                | 23                   | <0.5                 |
| I100371            |                                   | 0.122              | 0.09                 | 0.60                | 85                  | 0.12                | 8.86                | 60                   | 4.7                  |
| I100372            |                                   | 0.142              | 0.12                 | 0.39                | 88                  | 0.16                | 4.12                | 75                   | 2.7                  |
| I100373            |                                   | 0.071              | 0.09                 | 0.66                | 57                  | 0.12                | 5.84                | 50                   | 0.6                  |
| I100374            |                                   | 0.040              | 0.05                 | 0.34                | 29                  | 0.08                | 1.97                | 18                   | <0.5                 |
| I100375            |                                   | 0.103              | 0.09                 | 0.38                | 83                  | 0.17                | 3.42                | 42                   | 0.8                  |
| I100376            |                                   | 0.130              | 0.10                 | 0.46                | 80                  | 0.16                | 6.03                | 53                   | 1.7                  |
| I100377            |                                   | 0.038              | 0.06                 | 0.42                | 31                  | 0.08                | 2.74                | 19                   | <0.5                 |
| I100378            |                                   | 0.130              | 0.11                 | 0.48                | 75                  | 0.18                | 6.30                | 48                   | 1.3                  |
| I100379            |                                   | 0.033              | 0.12                 | 0.44                | 85                  | 0.17                | 24.4                | 51                   | 0.5                  |
| I100380            |                                   | 0.023              | 0.12                 | 0.72                | 80                  | 0.20                | 6.12                | 138                  | <0.5                 |
| I100381            |                                   | 0.047              | 0.08                 | 0.85                | 38                  | 0.12                | 23.9                | 28                   | <0.5                 |
| I100382            |                                   | 0.049              | 0.07                 | 0.75                | 41                  | 0.10                | 17.15               | 31                   | <0.5                 |
| I100383            |                                   | 0.083              | 0.16                 | 0.66                | 95                  | 0.24                | 5.67                | 79                   | 1.9                  |
| I100384            |                                   | 0.052              | 0.17                 | 1.25                | 63                  | 0.21                | 8.08                | 79                   | 1.9                  |
| I100385            |                                   | 0.029              | 0.18                 | 1.86                | 78                  | 0.22                | 9.77                | 104                  | <0.5                 |
| I100386            |                                   | 0.029              | 0.15                 | 0.62                | 77                  | 0.16                | 5.58                | 79                   | <0.5                 |
| I100387            |                                   | 0.042              | 0.10                 | 0.85                | 39                  | 0.13                | 10.35               | 49                   | <0.5                 |
| I100388            |                                   | 0.046              | 0.08                 | 0.32                | 37                  | 0.10                | 2.72                | 23                   | <0.5                 |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100389            |                                   | 0.30                      | <0.005               | 0.55                 | 0.54               | 49.7                 | <0.2                 | <10                 | 90                   | 0.20                 | 0.09                 | 0.07               | 0.14                 | 13.15                | 1.9                  | 10                   |
| I100390            |                                   | 0.28                      | <0.005               | 0.20                 | 1.61               | 72.9                 | <0.2                 | <10                 | 120                  | 0.28                 | 0.20                 | 0.55               | 0.16                 | 17.20                | 16.3                 | 34                   |
| I100391            |                                   | 0.34                      | <0.005               | 0.19                 | 1.85               | 71.8                 | <0.2                 | <10                 | 250                  | 0.50                 | 0.20                 | 0.86               | 0.47                 | 22.5                 | 13.1                 | 23                   |
| I100392            |                                   | 0.32                      | 0.012                | 0.10                 | 1.60               | 33.2                 | <0.2                 | <10                 | 220                  | 0.41                 | 0.17                 | 0.98               | 0.20                 | 27.7                 | 11.6                 | 21                   |
| I100393            |                                   | 0.42                      | <0.005               | 0.09                 | 2.46               | 16.9                 | <0.2                 | <10                 | 280                  | 0.50                 | 0.21                 | 0.59               | 0.05                 | 23.2                 | 13.6                 | 27                   |
| I100394            |                                   | 0.36                      | <0.005               | 0.04                 | 2.77               | 12.5                 | <0.2                 | <10                 | 300                  | 0.99                 | 0.11                 | 0.61               | 0.05                 | 15.75                | 20.0                 | 21                   |
| I100395            |                                   | 0.30                      | 0.005                | 0.12                 | 2.20               | 9.6                  | <0.2                 | <10                 | 310                  | 0.65                 | 0.13                 | 0.39               | 0.08                 | 21.0                 | 44.9                 | 20                   |
| I100396            |                                   | 0.30                      | <0.005               | 0.05                 | 1.97               | 6.5                  | <0.2                 | <10                 | 200                  | 0.41                 | 0.10                 | 0.46               | 0.06                 | 13.00                | 14.7                 | 26                   |
| I100397            |                                   | 0.34                      | <0.005               | 0.06                 | 1.95               | 5.8                  | <0.2                 | <10                 | 210                  | 0.48                 | 0.13                 | 0.31               | 0.04                 | 15.65                | 11.5                 | 23                   |
| I100398            |                                   | 0.26                      | <0.005               | 0.25                 | 0.69               | 2.4                  | <0.2                 | <10                 | 190                  | 0.43                 | 0.06                 | 0.76               | 0.05                 | 9.87                 | 7.0                  | 8                    |
| I100399            |                                   | 0.30                      | <0.005               | 0.01                 | 0.99               | 5.1                  | <0.2                 | <10                 | 50                   | 0.16                 | 0.15                 | 0.11               | 0.07                 | 9.57                 | 4.5                  | 11                   |
| I100400            |                                   | 0.30                      | <0.005               | 0.14                 | 1.91               | 5.7                  | <0.2                 | <10                 | 210                  | 0.47                 | 0.19                 | 0.53               | 0.08                 | 24.3                 | 11.3                 | 19                   |
| I100401            |                                   | 0.40                      | <0.005               | 1.31                 | 2.40               | 72.1                 | <0.2                 | <10                 | 220                  | 0.52                 | 0.19                 | 0.20               | 0.65                 | 22.3                 | 15.8                 | 32                   |
| I100402            |                                   | 0.44                      | <0.005               | 0.29                 | 1.70               | 98.5                 | <0.2                 | <10                 | 260                  | 0.36                 | 0.25                 | 0.14               | 0.18                 | 32.3                 | 5.3                  | 26                   |
| I100403            |                                   | 0.44                      | <0.005               | 0.51                 | 1.36               | 139.0                | <0.2                 | <10                 | 160                  | 0.36                 | 0.33                 | 0.14               | 0.17                 | 72.1                 | 3.9                  | 26                   |
| I100404            |                                   | 0.48                      | <0.005               | 0.93                 | 1.52               | 133.0                | <0.2                 | <10                 | 180                  | 0.41                 | 0.43                 | 0.14               | 0.23                 | 76.2                 | 5.4                  | 24                   |
| I100405            |                                   | 0.34                      | <0.005               | 0.56                 | 2.08               | 85.0                 | <0.2                 | <10                 | 180                  | 0.53                 | 0.30                 | 0.10               | 0.28                 | 43.1                 | 5.9                  | 27                   |
| I100406            |                                   | 0.26                      | <0.005               | 0.65                 | 1.39               | 93.2                 | <0.2                 | <10                 | 200                  | 0.47                 | 0.23                 | 0.22               | 0.63                 | 47.6                 | 7.1                  | 23                   |
| I100407            |                                   | 0.24                      | NSS                  | 0.41                 | 1.18               | 46.0                 | <0.2                 | <10                 | 130                  | 0.49                 | 0.12                 | 0.25               | 0.47                 | 42.4                 | 6.1                  | 14                   |
| I100408            |                                   | 0.38                      | 0.011                | 0.23                 | 1.46               | 37.6                 | <0.2                 | <10                 | 110                  | 0.51                 | 0.21                 | 0.15               | 0.29                 | 54.9                 | 11.2                 | 26                   |
| I100409            |                                   | 0.58                      | 0.005                | 0.52                 | 2.02               | 42.6                 | <0.2                 | <10                 | 230                  | 0.49                 | 0.23                 | 0.20               | 0.67                 | 50.4                 | 21.8                 | 32                   |
| I100410            |                                   | 0.28                      | 0.010                | 0.52                 | 2.00               | 23.8                 | <0.2                 | <10                 | 220                  | 0.48                 | 0.17                 | 0.20               | 0.55                 | 43.8                 | 13.3                 | 39                   |
| I100411            |                                   | 0.44                      | <0.005               | 0.47                 | 2.10               | 19.1                 | <0.2                 | <10                 | 210                  | 0.40                 | 0.20                 | 0.18               | 0.42                 | 38.1                 | 13.2                 | 47                   |
| I100412            |                                   | 0.38                      | <0.005               | 0.52                 | 0.87               | 5.2                  | <0.2                 | <10                 | 150                  | 0.42                 | 0.13                 | 0.10               | 0.55                 | 20.6                 | 4.4                  | 17                   |
| I100413            |                                   | 0.32                      | <0.005               | 1.09                 | 1.59               | 9.9                  | <0.2                 | <10                 | 190                  | 0.38                 | 0.15                 | 0.17               | 0.44                 | 25.1                 | 9.0                  | 30                   |
| I100414            |                                   | 0.24                      | NSS                  | 0.91                 | 0.76               | 7.0                  | <0.2                 | <10                 | 310                  | 0.27                 | 0.05                 | 0.39               | 0.92                 | 27.3                 | 5.8                  | 7                    |
| I100415            |                                   | 0.28                      | <0.005               | 1.36                 | 1.47               | 79.0                 | <0.2                 | <10                 | 200                  | 0.40                 | 0.20                 | 0.20               | 0.43                 | 28.8                 | 7.8                  | 28                   |
| I100416            |                                   | 0.16                      | NSS                  | 0.58                 | 0.55               | 16.3                 | <0.2                 | <10                 | 160                  | 0.29                 | 0.07                 | 0.21               | 0.75                 | 25.2                 | 5.1                  | 12                   |
| I100417            |                                   | 0.42                      | <0.005               | 0.31                 | 0.73               | 6.2                  | <0.2                 | <10                 | 70                   | 0.50                 | 0.11                 | 0.18               | 0.33                 | 37.4                 | 5.1                  | 13                   |
| I100418            |                                   | 0.28                      | <0.005               | 0.29                 | 0.61               | 11.2                 | <0.2                 | <10                 | 90                   | 0.46                 | 0.09                 | 0.38               | 0.30                 | 31.6                 | 9.9                  | 12                   |
| I100419            |                                   | 0.36                      | <0.005               | 0.09                 | 1.39               | 14.9                 | <0.2                 | <10                 | 130                  | 0.27                 | 0.13                 | 0.78               | 0.18                 | 20.0                 | 9.9                  | 22                   |
| I100420            |                                   | 0.50                      | <0.005               | 0.66                 | 2.07               | 64.9                 | <0.2                 | <10                 | 180                  | 0.67                 | 0.18                 | 0.18               | 0.36                 | 22.2                 | 11.1                 | 28                   |
| I100421            |                                   | 0.38                      | <0.005               | 0.87                 | 1.64               | 53.3                 | <0.2                 | <10                 | 180                  | 0.51                 | 0.19                 | 0.22               | 0.59                 | 18.35                | 10.4                 | 23                   |
| I100422            |                                   | 0.44                      | <0.005               | 0.67                 | 1.76               | 54.2                 | <0.2                 | <10                 | 150                  | 0.50                 | 0.18                 | 0.18               | 0.42                 | 19.70                | 9.3                  | 24                   |
| I100423            |                                   | 0.48                      | <0.005               | 0.65                 | 2.31               | 71.0                 | <0.2                 | <10                 | 180                  | 0.62                 | 0.21                 | 0.19               | 0.36                 | 22.2                 | 12.1                 | 31                   |
| I100424            |                                   | 0.50                      | <0.005               | 0.65                 | 1.77               | 56.9                 | <0.2                 | <10                 | 160                  | 0.52                 | 0.19                 | 0.17               | 0.45                 | 22.2                 | 9.5                  | 24                   |
| I100425            |                                   | 0.36                      | <0.005               | 0.78                 | 1.75               | 57.0                 | <0.2                 | <10                 | 170                  | 0.51                 | 0.18                 | 0.20               | 0.56                 | 22.1                 | 9.2                  | 24                   |
| I100426            |                                   | 0.40                      | <0.005               | 0.66                 | 1.72               | 60.7                 | <0.2                 | <10                 | 160                  | 0.49                 | 0.19                 | 0.18               | 0.44                 | 22.5                 | 9.4                  | 24                   |
| I100427            |                                   | 0.42                      | <0.005               | 0.72                 | 2.10               | 69.9                 | <0.2                 | <10                 | 190                  | 0.69                 | 0.21                 | 0.19               | 0.39                 | 23.1                 | 11.2                 | 29                   |
| I100428            |                                   | 0.40                      | <0.005               | 0.68                 | 1.81               | 58.7                 | <0.2                 | <10                 | 170                  | 0.50                 | 0.19                 | 0.19               | 0.47                 | 22.9                 | 9.6                  | 25                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100389            |                                   | 0.81    | 21.7    | 0.89    | 2.44    | <0.05   | <0.02   | 0.04    | 0.011   | 0.03    | 9.9     | 1.4     | 0.05    | 44      | 0.62    |
| I100390            |                                   | 1.87    | 32.8    | 3.06    | 6.58    | 0.05    | 0.02    | 0.03    | 0.025   | 0.07    | 9.1     | 11.6    | 0.66    | 548     | 3.39    |
| I100391            |                                   | 1.81    | 38.0    | 3.37    | 6.14    | 0.06    | 0.02    | 0.03    | 0.031   | 0.08    | 11.0    | 12.1    | 0.67    | 491     | 1.29    |
| I100392            |                                   | 1.12    | 25.5    | 2.70    | 5.31    | 0.06    | 0.04    | 0.04    | 0.023   | 0.06    | 15.7    | 10.3    | 0.55    | 537     | 1.21    |
| I100393            |                                   | 1.44    | 25.6    | 3.69    | 7.56    | 0.07    | 0.06    | 0.04    | 0.028   | 0.14    | 11.4    | 15.0    | 0.92    | 274     | 0.69    |
| I100394            |                                   | 3.67    | 21.9    | 4.86    | 7.89    | 0.10    | 0.07    | 0.02    | 0.020   | 0.43    | 7.8     | 18.9    | 1.51    | 410     | 0.79    |
| I100395            |                                   | 1.69    | 20.4    | 4.54    | 6.64    | 0.07    | 0.03    | 0.04    | 0.023   | 0.15    | 8.3     | 10.4    | 0.82    | 4090    | 1.47    |
| I100396            |                                   | 1.36    | 18.3    | 3.21    | 6.14    | 0.06    | 0.03    | 0.03    | 0.017   | 0.13    | 6.5     | 11.5    | 0.88    | 510     | 0.90    |
| I100397            |                                   | 1.34    | 19.3    | 3.09    | 6.73    | 0.06    | 0.03    | 0.02    | 0.021   | 0.15    | 7.9     | 12.3    | 0.76    | 329     | 0.82    |
| I100398            |                                   | 0.62    | 20.2    | 1.20    | 3.07    | <0.05   | 0.03    | 0.06    | 0.011   | 0.06    | 5.5     | 3.7     | 0.18    | 303     | 0.41    |
| I100399            |                                   | 0.64    | 11.1    | 2.17    | 6.72    | <0.05   | 0.03    | 0.02    | 0.015   | 0.04    | 4.9     | 3.8     | 0.27    | 143     | 1.11    |
| I100400            |                                   | 1.42    | 21.4    | 3.07    | 6.90    | 0.08    | 0.02    | 0.04    | 0.037   | 0.07    | 15.6    | 10.3    | 0.59    | 512     | 0.92    |
| I100401            |                                   | 2.41    | 29.2    | 3.17    | 7.62    | 0.06    | 0.02    | 0.03    | 0.035   | 0.07    | 13.2    | 14.9    | 0.50    | 1050    | 2.06    |
| I100402            |                                   | 1.21    | 36.6    | 3.89    | 8.33    | 0.07    | <0.02   | 0.01    | 0.035   | 0.17    | 19.9    | 8.9     | 0.31    | 189     | 4.81    |
| I100403            |                                   | 1.46    | 37.9    | 3.37    | 8.82    | 0.09    | 0.02    | 0.01    | 0.047   | 0.10    | 34.6    | 6.8     | 0.28    | 170     | 5.85    |
| I100404            |                                   | 2.55    | 34.1    | 2.68    | 6.79    | 0.09    | 0.04    | 0.02    | 0.057   | 0.14    | 41.9    | 9.5     | 0.33    | 207     | 5.52    |
| I100405            |                                   | 2.07    | 40.2    | 2.84    | 8.82    | 0.06    | 0.03    | 0.02    | 0.043   | 0.11    | 22.8    | 11.3    | 0.30    | 173     | 3.01    |
| I100406            |                                   | 1.97    | 50.5    | 2.54    | 6.17    | 0.09    | 0.02    | 0.05    | 0.036   | 0.10    | 23.2    | 7.8     | 0.31    | 237     | 4.11    |
| I100407            |                                   | 1.33    | 84.9    | 1.73    | 2.87    | 0.06    | 0.03    | 0.07    | 0.026   | 0.08    | 18.3    | 3.8     | 0.16    | 121     | 1.16    |
| I100408            |                                   | 2.84    | 33.7    | 2.60    | 6.11    | 0.09    | 0.02    | 0.02    | 0.029   | 0.17    | 27.3    | 12.8    | 0.51    | 388     | 1.48    |
| I100409            |                                   | 2.56    | 43.7    | 2.84    | 7.43    | 0.08    | 0.02    | 0.04    | 0.035   | 0.12    | 26.7    | 20.1    | 0.62    | 603     | 1.60    |
| I100410            |                                   | 2.47    | 51.8    | 2.87    | 7.76    | 0.09    | 0.02    | 0.02    | 0.033   | 0.13    | 22.2    | 18.3    | 0.77    | 334     | 2.08    |
| I100411            |                                   | 2.83    | 48.6    | 3.19    | 9.48    | 0.08    | 0.02    | 0.03    | 0.035   | 0.14    | 19.7    | 17.5    | 0.94    | 406     | 2.84    |
| I100412            |                                   | 1.36    | 43.8    | 1.17    | 4.80    | <0.05   | <0.02   | 0.03    | 0.019   | 0.04    | 11.6    | 3.2     | 0.13    | 78      | 0.70    |
| I100413            |                                   | 1.62    | 41.6    | 2.34    | 6.96    | 0.07    | <0.02   | 0.05    | 0.027   | 0.07    | 14.9    | 12.0    | 0.50    | 237     | 1.64    |
| I100414            |                                   | 0.30    | 50.7    | 1.05    | 1.16    | 0.06    | 0.02    | 0.11    | 0.016   | 0.03    | 12.9    | 0.8     | 0.08    | 95      | 0.91    |
| I100415            |                                   | 3.67    | 41.0    | 2.07    | 7.72    | 0.06    | <0.02   | 0.05    | 0.025   | 0.07    | 17.7    | 14.8    | 0.48    | 203     | 2.86    |
| I100416            |                                   | 2.24    | 39.3    | 0.92    | 1.90    | 0.05    | <0.02   | 0.11    | 0.016   | 0.06    | 14.5    | 2.8     | 0.17    | 116     | 1.42    |
| I100417            |                                   | 1.79    | 26.4    | 1.17    | 4.16    | 0.05    | <0.02   | 0.03    | 0.016   | 0.04    | 18.1    | 7.2     | 0.18    | 214     | 0.72    |
| I100418            |                                   | 1.50    | 38.0    | 1.13    | 2.71    | 0.06    | 0.02    | 0.06    | 0.014   | 0.07    | 17.3    | 4.6     | 0.19    | 447     | 1.51    |
| I100419            |                                   | 0.82    | 19.5    | 2.18    | 5.00    | 0.06    | 0.05    | 0.08    | 0.025   | 0.06    | 10.2    | 11.4    | 0.55    | 337     | 0.98    |
| I100420            |                                   | 1.33    | 26.1    | 3.05    | 8.29    | 0.05    | 0.02    | 0.02    | 0.034   | 0.06    | 13.6    | 12.9    | 0.37    | 311     | 1.80    |
| I100421            |                                   | 1.12    | 22.2    | 2.68    | 7.71    | 0.05    | 0.02    | 0.01    | 0.028   | 0.06    | 11.3    | 9.4     | 0.28    | 327     | 1.78    |
| I100422            |                                   | 1.31    | 20.7    | 2.82    | 7.70    | 0.05    | 0.02    | 0.01    | 0.031   | 0.05    | 11.9    | 10.5    | 0.33    | 292     | 1.64    |
| I100423            |                                   | 1.63    | 25.6    | 3.27    | 9.02    | 0.06    | 0.04    | 0.02    | 0.038   | 0.06    | 13.2    | 13.5    | 0.42    | 339     | 1.86    |
| I100424            |                                   | 1.36    | 22.3    | 2.85    | 7.66    | 0.05    | 0.02    | 0.02    | 0.029   | 0.06    | 12.9    | 11.2    | 0.33    | 299     | 1.61    |
| I100425            |                                   | 1.44    | 23.0    | 2.80    | 7.45    | 0.06    | <0.02   | 0.01    | 0.028   | 0.06    | 12.8    | 10.1    | 0.32    | 365     | 1.59    |
| I100426            |                                   | 1.26    | 22.2    | 2.85    | 7.89    | 0.05    | 0.02    | 0.02    | 0.030   | 0.05    | 13.1    | 9.9     | 0.31    | 304     | 1.75    |
| I100427            |                                   | 1.36    | 26.6    | 3.16    | 8.89    | 0.06    | 0.03    | 0.02    | 0.036   | 0.06    | 13.6    | 11.8    | 0.37    | 319     | 1.92    |
| I100428            |                                   | 1.28    | 21.9    | 2.91    | 7.91    | 0.06    | 0.02    | 0.02    | 0.029   | 0.06    | 13.3    | 10.3    | 0.33    | 336     | 1.72    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100389            |                                   | 0.19    | 7.6     | 420     | 65.1    | 4.9     | <0.001  | 0.03    | 0.31    | 0.6     | 0.5     | 0.2     | 10.1    | <0.01   | 0.03    |
| I100390            |                                   | 0.99    | 25.0    | 700     | 25.1    | 13.2    | <0.001  | 0.04    | 0.38    | 3.8     | 1.0     | 0.5     | 37.0    | <0.01   | 0.05    |
| I100391            |                                   | 0.82    | 23.9    | 710     | 33.7    | 13.7    | <0.001  | 0.05    | 0.50    | 5.4     | 0.8     | 0.4     | 50.8    | <0.01   | 0.05    |
| I100392            |                                   | 1.00    | 16.7    | 630     | 13.9    | 11.4    | <0.001  | 0.06    | 0.41    | 4.1     | 0.9     | 0.4     | 64.4    | <0.01   | 0.03    |
| I100393            |                                   | 1.33    | 18.4    | 570     | 14.6    | 21.9    | <0.001  | 0.02    | 0.35    | 6.2     | 0.5     | 0.6     | 40.2    | <0.01   | 0.03    |
| I100394            |                                   | 1.16    | 14.5    | 640     | 6.3     | 60.9    | <0.001  | 0.02    | 0.24    | 4.3     | 0.5     | 0.4     | 44.4    | <0.01   | 0.02    |
| I100395            |                                   | 0.92    | 11.9    | 860     | 6.1     | 20.6    | <0.001  | 0.05    | 0.28    | 3.7     | 0.8     | 0.4     | 29.5    | <0.01   | 0.04    |
| I100396            |                                   | 0.97    | 14.2    | 680     | 5.0     | 16.7    | <0.001  | 0.03    | 0.21    | 3.6     | 0.4     | 0.4     | 31.5    | <0.01   | 0.03    |
| I100397            |                                   | 1.08    | 14.4    | 340     | 5.7     | 19.8    | <0.001  | 0.01    | 0.22    | 4.2     | 0.4     | 0.5     | 26.8    | <0.01   | 0.02    |
| I100398            |                                   | 0.47    | 4.9     | 630     | 3.2     | 7.0     | <0.001  | 0.07    | 0.24    | 3.1     | 1.1     | 0.2     | 37.9    | <0.01   | 0.03    |
| I100399            |                                   | 1.14    | 5.7     | 210     | 6.1     | 6.1     | <0.001  | 0.03    | 0.27    | 2.1     | 0.3     | 0.5     | 10.9    | <0.01   | 0.04    |
| I100400            |                                   | 0.81    | 14.6    | 590     | 7.6     | 13.8    | <0.001  | 0.06    | 0.35    | 6.3     | 0.8     | 0.8     | 31.3    | <0.01   | 0.04    |
| I100401            |                                   | 1.09    | 34.8    | 590     | 11.9    | 13.0    | <0.001  | 0.05    | 1.12    | 3.6     | 0.8     | 0.5     | 23.2    | <0.01   | 0.05    |
| I100402            |                                   | 1.00    | 13.8    | 610     | 24.6    | 16.4    | <0.001  | 0.30    | 1.97    | 3.1     | 1.3     | 0.6     | 31.8    | <0.01   | 0.11    |
| I100403            |                                   | 0.97    | 13.5    | 540     | 30.5    | 11.7    | <0.001  | 0.12    | 3.08    | 2.6     | 2.2     | 0.6     | 26.5    | <0.01   | 0.24    |
| I100404            |                                   | 2.41    | 14.7    | 430     | 69.2    | 17.3    | <0.001  | 0.26    | 1.68    | 2.2     | 1.9     | 0.6     | 24.3    | <0.01   | 0.18    |
| I100405            |                                   | 2.01    | 13.6    | 430     | 35.6    | 15.5    | <0.001  | 0.15    | 1.02    | 3.0     | 1.3     | 0.8     | 18.3    | <0.01   | 0.12    |
| I100406            |                                   | 1.03    | 22.3    | 650     | 20.0    | 12.8    | <0.001  | 0.12    | 2.18    | 2.0     | 3.0     | 0.4     | 29.2    | 0.01    | 0.12    |
| I100407            |                                   | 0.90    | 16.2    | 800     | 10.9    | 10.2    | <0.001  | 0.10    | 0.83    | 1.4     | 2.3     | 0.7     | 23.2    | 0.01    | 0.06    |
| I100408            |                                   | 1.34    | 24.9    | 500     | 14.3    | 24.1    | <0.001  | 0.04    | 0.75    | 2.6     | 1.1     | 0.4     | 16.8    | <0.01   | 0.06    |
| I100409            |                                   | 1.50    | 30.7    | 500     | 17.1    | 19.6    | <0.001  | 0.03    | 0.91    | 4.3     | 1.3     | 0.5     | 21.4    | <0.01   | 0.06    |
| I100410            |                                   | 1.20    | 34.4    | 650     | 11.0    | 17.5    | <0.001  | 0.07    | 0.63    | 4.4     | 1.6     | 0.4     | 20.0    | <0.01   | 0.07    |
| I100411            |                                   | 1.13    | 35.4    | 620     | 10.2    | 17.9    | 0.001   | 0.09    | 0.51    | 4.2     | 1.7     | 0.5     | 21.1    | <0.01   | 0.08    |
| I100412            |                                   | 0.26    | 13.4    | 470     | 7.1     | 9.3     | <0.001  | 0.06    | 0.17    | 0.6     | 0.9     | 0.4     | 15.8    | <0.01   | 0.04    |
| I100413            |                                   | 0.59    | 25.5    | 750     | 7.4     | 11.3    | <0.001  | 0.08    | 0.29    | 1.7     | 1.8     | 0.4     | 21.5    | <0.01   | 0.07    |
| I100414            |                                   | 0.23    | 22.3    | 1140    | 2.8     | 1.7     | <0.001  | 0.18    | 0.41    | 1.7     | 2.0     | 0.2     | 35.6    | 0.01    | 0.04    |
| I100415            |                                   | 0.70    | 32.5    | 600     | 11.1    | 13.9    | <0.001  | 0.07    | 1.08    | 1.8     | 1.2     | 0.5     | 23.5    | <0.01   | 0.09    |
| I100416            |                                   | 0.26    | 13.7    | 860     | 8.8     | 5.8     | <0.001  | 0.08    | 0.53    | 0.6     | 1.0     | 0.2     | 22.8    | <0.01   | 0.03    |
| I100417            |                                   | 0.35    | 14.0    | 400     | 7.5     | 11.5    | <0.001  | 0.03    | 0.13    | 1.0     | 0.7     | 0.3     | 15.1    | <0.01   | 0.03    |
| I100418            |                                   | 0.49    | 16.0    | 810     | 6.3     | 8.7     | <0.001  | 0.09    | 0.45    | 1.5     | 1.8     | 0.2     | 25.0    | <0.01   | 0.05    |
| I100419            |                                   | 1.11    | 18.8    | 620     | 9.2     | 10.8    | 0.002   | 0.08    | 0.49    | 4.1     | 1.1     | 0.4     | 41.4    | <0.01   | 0.04    |
| I100420            |                                   | 1.78    | 22.5    | 300     | 17.7    | 11.8    | <0.001  | 0.06    | 0.75    | 3.3     | 0.7     | 0.7     | 22.8    | <0.01   | 0.06    |
| I100421            |                                   | 1.62    | 17.0    | 320     | 18.8    | 11.4    | <0.001  | 0.06    | 0.62    | 2.5     | 0.6     | 0.7     | 21.5    | <0.01   | 0.04    |
| I100422            |                                   | 1.66    | 18.3    | 310     | 16.3    | 11.5    | <0.001  | 0.05    | 0.65    | 2.7     | 0.5     | 0.7     | 21.8    | <0.01   | 0.05    |
| I100423            |                                   | 2.17    | 24.7    | 290     | 19.8    | 12.6    | <0.001  | 0.06    | 0.78    | 3.6     | 0.6     | 0.8     | 23.7    | <0.01   | 0.05    |
| I100424            |                                   | 1.60    | 19.1    | 320     | 17.5    | 11.9    | <0.001  | 0.01    | 0.67    | 2.7     | 0.5     | 0.7     | 22.3    | <0.01   | 0.05    |
| I100425            |                                   | 1.57    | 19.1    | 340     | 17.1    | 12.5    | <0.001  | 0.03    | 0.67    | 2.6     | 0.6     | 0.6     | 24.7    | <0.01   | 0.05    |
| I100426            |                                   | 1.78    | 18.3    | 300     | 18.3    | 11.2    | <0.001  | 0.02    | 0.71    | 2.8     | 0.6     | 0.7     | 22.6    | <0.01   | 0.06    |
| I100427            |                                   | 2.01    | 22.6    | 310     | 19.9    | 11.6    | <0.001  | 0.02    | 0.80    | 3.3     | 0.7     | 0.8     | 21.3    | <0.01   | 0.06    |
| I100428            |                                   | 1.68    | 18.9    | 320     | 18.7    | 11.7    | <0.001  | 0.03    | 0.68    | 2.8     | 0.6     | 0.7     | 23.3    | <0.01   | 0.05    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 6 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100389            |                                   | 0.023              | 0.06                 | 0.64                | 19                  | 0.05                | 6.81                | 13                   | <0.5                 |
| I100390            |                                   | 0.069              | 0.12                 | 0.69                | 75                  | 0.20                | 4.65                | 63                   | 0.6                  |
| I100391            |                                   | 0.053              | 0.10                 | 0.68                | 66                  | 0.15                | 10.25               | 66                   | 0.5                  |
| I100392            |                                   | 0.070              | 0.09                 | 0.97                | 58                  | 0.21                | 14.05               | 53                   | 1.4                  |
| I100393            |                                   | 0.145              | 0.17                 | 0.69                | 86                  | 0.14                | 8.73                | 60                   | 3.3                  |
| I100394            |                                   | 0.227              | 0.38                 | 0.45                | 105                 | 0.21                | 4.36                | 83                   | 3.3                  |
| I100395            |                                   | 0.136              | 0.25                 | 0.58                | 76                  | 0.15                | 6.25                | 50                   | 1.3                  |
| I100396            |                                   | 0.136              | 0.15                 | 0.40                | 70                  | 0.14                | 4.21                | 45                   | 1.1                  |
| I100397            |                                   | 0.139              | 0.15                 | 0.41                | 70                  | 0.20                | 4.81                | 46                   | 1.4                  |
| I100398            |                                   | 0.042              | 0.05                 | 0.62                | 22                  | 0.08                | 13.45               | 18                   | 0.9                  |
| I100399            |                                   | 0.101              | 0.06                 | 0.27                | 59                  | 0.12                | 1.63                | 28                   | 1.1                  |
| I100400            |                                   | 0.063              | 0.10                 | 0.78                | 57                  | 0.18                | 11.45               | 51                   | 0.7                  |
| I100401            |                                   | 0.071              | 0.09                 | 0.69                | 68                  | 0.15                | 3.77                | 80                   | 0.7                  |
| I100402            |                                   | 0.060              | 0.17                 | 0.74                | 82                  | 0.18                | 4.27                | 44                   | <0.5                 |
| I100403            |                                   | 0.064              | 0.14                 | 1.32                | 81                  | 0.21                | 5.75                | 46                   | 0.7                  |
| I100404            |                                   | 0.048              | 0.21                 | 1.69                | 58                  | 0.23                | 10.85               | 51                   | 0.7                  |
| I100405            |                                   | 0.047              | 0.18                 | 1.55                | 63                  | 0.16                | 7.61                | 48                   | 0.8                  |
| I100406            |                                   | 0.032              | 0.18                 | 2.11                | 52                  | 0.16                | 15.65               | 62                   | <0.5                 |
| I100407            |                                   | 0.024              | 0.09                 | 2.94                | 17                  | 0.07                | 15.50               | 32                   | <0.5                 |
| I100408            |                                   | 0.061              | 0.17                 | 1.63                | 40                  | 0.17                | 11.65               | 65                   | <0.5                 |
| I100409            |                                   | 0.065              | 0.16                 | 2.46                | 51                  | 0.13                | 12.45               | 83                   | <0.5                 |
| I100410            |                                   | 0.070              | 0.17                 | 2.24                | 62                  | 0.11                | 11.05               | 101                  | <0.5                 |
| I100411            |                                   | 0.085              | 0.19                 | 1.48                | 86                  | 0.13                | 8.42                | 113                  | <0.5                 |
| I100412            |                                   | 0.023              | 0.08                 | 1.78                | 23                  | 0.06                | 7.02                | 30                   | <0.5                 |
| I100413            |                                   | 0.041              | 0.10                 | 1.99                | 52                  | 0.09                | 7.96                | 69                   | <0.5                 |
| I100414            |                                   | 0.018              | 0.02                 | 2.92                | 7                   | <0.05               | 16.65               | 23                   | <0.5                 |
| I100415            |                                   | 0.040              | 0.14                 | 1.50                | 47                  | 0.15                | 8.75                | 85                   | <0.5                 |
| I100416            |                                   | 0.012              | 0.03                 | 1.10                | 14                  | 0.05                | 7.22                | 33                   | <0.5                 |
| I100417            |                                   | 0.029              | 0.07                 | 1.20                | 22                  | 0.06                | 8.74                | 26                   | <0.5                 |
| I100418            |                                   | 0.029              | 0.06                 | 1.49                | 20                  | 0.06                | 13.35               | 28                   | <0.5                 |
| I100419            |                                   | 0.075              | 0.06                 | 0.73                | 49                  | 0.18                | 5.38                | 65                   | 1.6                  |
| I100420            |                                   | 0.068              | 0.10                 | 0.61                | 70                  | 0.14                | 4.35                | 61                   | 0.9                  |
| I100421            |                                   | 0.067              | 0.09                 | 0.53                | 65                  | 0.15                | 3.97                | 55                   | 0.5                  |
| I100422            |                                   | 0.064              | 0.09                 | 0.54                | 67                  | 0.15                | 3.95                | 58                   | 0.6                  |
| I100423            |                                   | 0.078              | 0.11                 | 0.63                | 78                  | 0.19                | 4.65                | 68                   | 1.8                  |
| I100424            |                                   | 0.062              | 0.09                 | 0.57                | 66                  | 0.14                | 4.00                | 58                   | 0.6                  |
| I100425            |                                   | 0.068              | 0.09                 | 0.56                | 65                  | 0.15                | 4.01                | 61                   | 0.5                  |
| I100426            |                                   | 0.068              | 0.09                 | 0.54                | 67                  | 0.16                | 4.08                | 58                   | 0.8                  |
| I100427            |                                   | 0.074              | 0.11                 | 0.61                | 76                  | 0.16                | 4.47                | 66                   | 1.3                  |
| I100428            |                                   | 0.070              | 0.10                 | 0.58                | 69                  | 0.15                | 3.97                | 61                   | 0.7                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: Appendix 1**  
**Total # Appendix Pages: 1**  
**Finalized Date: 8 - OCT - 2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137855**

| Method                 | CERTIFICATE COMMENTS                                                                                                                  |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| ALL METHODS<br>ME-MS41 | NSS is non-sufficient sample.<br>Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 1  
Finalized Date: **13-OCT-2010**  
Account: **EIASQI**

**CERTIFICATE WH10137856**

Project: SQI10-06  
P.O. No.: SQI10-06\_32  
This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION               | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23  | Au 30g FA-AA finish       | AAS        |
| ME-MS41  | 51 anal. aqua regia ICPMS |            |

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**ATTN: DARCY BAKER**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100429            |                                   | 0.34                      | <0.005               | 0.58                 | 1.51               | 49.3                 | <0.2                 | <10                 | 150                  | 0.49                 | 0.20                 | 0.19               | 0.44                 | 21.1                 | 7.8                  | 22                   |
| I100430            |                                   | 0.24                      | <0.005               | 0.16                 | 1.07               | 22.3                 | <0.2                 | <10                 | 170                  | 0.13                 | 0.17                 | 0.30               | 0.27                 | 15.25                | 5.1                  | 24                   |
| I100431            |                                   | 0.42                      | <0.005               | 0.21                 | 1.41               | 55.0                 | <0.2                 | <10                 | 170                  | 0.20                 | 0.36                 | 0.26               | 0.83                 | 19.10                | 6.5                  | 26                   |
| I100432            |                                   | 0.44                      | <0.005               | 0.40                 | 1.49               | 61.6                 | <0.2                 | <10                 | 130                  | 0.20                 | 0.54                 | 0.24               | 0.77                 | 22.0                 | 6.9                  | 24                   |
| I100433            |                                   | 0.48                      | <0.005               | 0.36                 | 1.37               | 150.5                | <0.2                 | <10                 | 130                  | 0.20                 | 0.47                 | 0.26               | 1.19                 | 19.50                | 6.7                  | 25                   |
| I100434            |                                   | 0.36                      | <0.005               | 0.42                 | 1.44               | 71.8                 | <0.2                 | <10                 | 190                  | 0.43                 | 0.36                 | 0.28               | 1.64                 | 32.1                 | 54.2                 | 30                   |
| I100435            |                                   | 0.42                      | <0.005               | 0.23                 | 1.66               | 107.5                | <0.2                 | <10                 | 160                  | 0.31                 | 0.40                 | 0.26               | 1.04                 | 21.9                 | 17.1                 | 40                   |
| I100436            |                                   | 0.42                      | <0.005               | 1.04                 | 1.75               | 47.1                 | <0.2                 | <10                 | 190                  | 0.31                 | 0.71                 | 0.27               | 1.92                 | 23.3                 | 12.8                 | 38                   |
| I100437            |                                   | 0.32                      | <0.005               | 0.86                 | 1.18               | 114.5                | <0.2                 | <10                 | 120                  | 0.25                 | 0.81                 | 0.27               | 3.40                 | 24.9                 | 7.6                  | 32                   |
| I100438            |                                   | 0.32                      | <0.005               | 1.31                 | 1.39               | 75.4                 | <0.2                 | <10                 | 130                  | 0.33                 | 0.72                 | 0.21               | 3.20                 | 28.6                 | 10.4                 | 28                   |
| I100439            |                                   | 0.22                      | <0.005               | 0.48                 | 0.92               | 11.3                 | <0.2                 | <10                 | 210                  | 0.23                 | 0.29                 | 0.52               | 1.75                 | 21.1                 | 4.5                  | 17                   |
| I100440            |                                   | 0.30                      | <0.005               | 0.89                 | 1.38               | 37.5                 | <0.2                 | <10                 | 200                  | 0.34                 | 0.56                 | 0.43               | 2.79                 | 22.9                 | 11.8                 | 27                   |
| I100441            |                                   | 0.26                      | <0.005               | 0.35                 | 0.36               | 8.3                  | <0.2                 | <10                 | 60                   | 0.10                 | 0.10                 | 0.12               | 0.28                 | 7.26                 | 1.4                  | 7                    |
| I100442            |                                   | 0.26                      | <0.005               | 0.38                 | 1.06               | 28.3                 | <0.2                 | <10                 | 110                  | 0.22                 | 0.22                 | 0.15               | 0.43                 | 15.55                | 4.7                  | 17                   |
| I100443            |                                   | 0.32                      | 0.039                | 0.19                 | 1.26               | 30.7                 | <0.2                 | <10                 | 150                  | 0.27                 | 0.32                 | 0.18               | 0.48                 | 23.6                 | 4.7                  | 20                   |
| I100444            |                                   | 0.42                      | <0.005               | 0.17                 | 0.81               | 21.3                 | <0.2                 | <10                 | 100                  | 0.15                 | 0.21                 | 0.13               | 0.31                 | 15.60                | 2.8                  | 12                   |
| I100445            |                                   | 0.32                      | <0.005               | 0.88                 | 1.47               | 21.0                 | <0.2                 | <10                 | 160                  | 0.33                 | 0.22                 | 0.12               | 1.19                 | 13.80                | 10.4                 | 20                   |
| I100446            |                                   | 0.42                      | <0.005               | 0.52                 | 2.10               | 61.7                 | <0.2                 | <10                 | 280                  | 0.34                 | 0.34                 | 0.22               | 2.27                 | 18.65                | 6.9                  | 33                   |
| I100447            |                                   | 0.40                      | <0.005               | 0.74                 | 2.51               | 137.5                | <0.2                 | <10                 | 250                  | 0.58                 | 0.34                 | 0.18               | 0.56                 | 37.0                 | 14.2                 | 40                   |
| I100448            |                                   | 0.48                      | <0.005               | 1.01                 | 1.83               | 91.2                 | <0.2                 | <10                 | 270                  | 0.38                 | 0.25                 | 0.12               | 0.42                 | 17.50                | 10.8                 | 26                   |
| I100449            |                                   | 0.32                      | <0.005               | 0.37                 | 1.27               | 103.5                | <0.2                 | <10                 | 210                  | 0.30                 | 1.29                 | 0.27               | 0.56                 | 34.1                 | 6.3                  | 21                   |
| I100450            |                                   | 0.32                      | <0.005               | 0.18                 | 1.59               | 4.1                  | <0.2                 | <10                 | 240                  | 0.40                 | 0.18                 | 1.08               | 0.53                 | 25.7                 | 10.2                 | 54                   |
| I100451            |                                   | 0.60                      | <0.005               | 0.46                 | 2.21               | 12.3                 | <0.2                 | <10                 | 240                  | 0.46                 | 0.28                 | 0.61               | 0.56                 | 29.8                 | 16.8                 | 67                   |
| I100452            |                                   | 0.20                      | <0.005               | 0.40                 | 1.46               | 32.5                 | <0.2                 | <10                 | 160                  | 0.25                 | 0.25                 | 0.25               | 1.37                 | 19.55                | 8.1                  | 28                   |
| I100453            |                                   | 0.34                      | <0.005               | 0.36                 | 1.64               | 91.0                 | <0.2                 | <10                 | 210                  | 0.29                 | 0.28                 | 0.22               | 0.65                 | 22.1                 | 6.6                  | 28                   |
| I100454            |                                   | 0.32                      | <0.005               | 0.46                 | 0.98               | 24.5                 | <0.2                 | <10                 | 130                  | 0.18                 | 0.24                 | 0.10               | 0.52                 | 17.00                | 3.3                  | 18                   |
| I100455            |                                   | 0.46                      | <0.005               | 0.77                 | 1.82               | 27.3                 | <0.2                 | <10                 | 290                  | 0.35                 | 0.28                 | 0.18               | 0.96                 | 23.0                 | 15.3                 | 28                   |
| I100456            |                                   | 0.28                      | <0.005               | 0.60                 | 1.66               | 47.5                 | <0.2                 | <10                 | 180                  | 0.45                 | 0.19                 | 0.32               | 0.51                 | 19.10                | 8.0                  | 24                   |
| I100457            |                                   | 0.38                      | <0.005               | 0.54                 | 1.76               | 53.8                 | <0.2                 | <10                 | 160                  | 0.49                 | 0.20                 | 0.18               | 0.35                 | 20.1                 | 8.2                  | 25                   |
| I100458            |                                   | 0.36                      | <0.005               | 0.56                 | 1.57               | 48.4                 | <0.2                 | <10                 | 160                  | 0.41                 | 0.18                 | 0.19               | 0.44                 | 19.00                | 7.5                  | 23                   |
| I100459            |                                   | 0.40                      | <0.005               | 0.69                 | 1.60               | 51.0                 | <0.2                 | <10                 | 170                  | 0.43                 | 0.18                 | 0.23               | 0.64                 | 19.45                | 8.0                  | 23                   |
| I100460            |                                   | 0.38                      | <0.005               | 0.66                 | 1.66               | 52.2                 | <0.2                 | <10                 | 170                  | 0.43                 | 0.19                 | 0.33               | 0.58                 | 19.40                | 7.9                  | 24                   |
| I100461            |                                   | 0.42                      | <0.005               | 0.58                 | 1.70               | 50.1                 | <0.2                 | <10                 | 160                  | 0.41                 | 0.20                 | 0.21               | 0.42                 | 20.2                 | 9.3                  | 25                   |
| I100462            |                                   | 0.44                      | <0.005               | 0.63                 | 1.75               | 55.6                 | <0.2                 | <10                 | 170                  | 0.39                 | 0.19                 | 0.21               | 0.45                 | 19.95                | 9.4                  | 26                   |
| I100463            |                                   | 0.38                      | <0.005               | 0.65                 | 1.80               | 51.4                 | <0.2                 | <10                 | 190                  | 0.41                 | 0.18                 | 0.34               | 0.64                 | 19.95                | 9.7                  | 27                   |
| I100464            |                                   | 0.20                      | <0.005               | 0.07                 | 2.12               | 4.7                  | <0.2                 | <10                 | 90                   | 0.40                 | 0.14                 | 0.29               | 0.10                 | 28.5                 | 16.6                 | 53                   |
| I100465            |                                   | 0.34                      | <0.005               | 0.04                 | 2.31               | 5.4                  | <0.2                 | <10                 | 130                  | 0.36                 | 0.15                 | 0.25               | 0.08                 | 29.5                 | 15.8                 | 49                   |
| I100466            |                                   | 0.38                      | <0.005               | 0.04                 | 2.25               | 4.2                  | <0.2                 | <10                 | 160                  | 0.36                 | 0.12                 | 0.41               | 0.08                 | 32.9                 | 16.9                 | 67                   |
| I100467            |                                   | 0.38                      | <0.005               | 0.05                 | 2.19               | 4.2                  | <0.2                 | <10                 | 120                  | 0.65                 | 0.17                 | 0.42               | 0.07                 | 48.5                 | 12.8                 | 30                   |
| I100468            |                                   | 0.52                      | <0.005               | 0.05                 | 2.03               | 4.3                  | <0.2                 | <10                 | 120                  | 0.65                 | 0.16                 | 0.36               | 0.07                 | 42.9                 | 12.0                 | 26                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100429            |                                   | 1.26    | 18.8    | 2.52    | 7.01    | <0.05   | 0.02    | 0.02    | 0.024   | 0.05    | 10.5    | 11.3    | 0.29    | 270     | 1.56    |
| I100430            |                                   | 1.03    | 18.9    | 1.92    | 4.08    | <0.05   | <0.02   | 0.04    | 0.017   | 0.04    | 7.9     | 6.2     | 0.38    | 159     | 1.85    |
| I100431            |                                   | 1.12    | 23.2    | 2.24    | 4.86    | <0.05   | 0.02    | 0.04    | 0.022   | 0.04    | 10.2    | 9.8     | 0.48    | 242     | 1.36    |
| I100432            |                                   | 1.55    | 35.1    | 2.51    | 5.47    | <0.05   | <0.02   | 0.05    | 0.027   | 0.05    | 11.7    | 12.1    | 0.49    | 335     | 2.02    |
| I100433            |                                   | 1.35    | 34.2    | 2.58    | 5.46    | 0.05    | <0.02   | 0.04    | 0.027   | 0.05    | 10.4    | 11.0    | 0.46    | 388     | 3.50    |
| I100434            |                                   | 0.97    | 57.2    | 3.07    | 4.98    | 0.06    | 0.02    | 0.05    | 0.038   | 0.05    | 13.0    | 8.7     | 0.39    | 4130    | 3.46    |
| I100435            |                                   | 1.78    | 58.8    | 3.08    | 6.15    | 0.07    | 0.02    | 0.03    | 0.033   | 0.08    | 11.4    | 13.0    | 0.66    | 699     | 2.89    |
| I100436            |                                   | 1.95    | 83.2    | 2.80    | 6.42    | 0.06    | 0.02    | 0.08    | 0.037   | 0.09    | 12.6    | 13.8    | 0.65    | 494     | 2.48    |
| I100437            |                                   | 1.87    | 122.5   | 2.53    | 4.69    | 0.05    | 0.02    | 0.05    | 0.037   | 0.09    | 13.2    | 9.2     | 0.42    | 374     | 3.37    |
| I100438            |                                   | 2.03    | 138.5   | 2.52    | 5.60    | 0.05    | 0.02    | 0.07    | 0.040   | 0.07    | 15.2    | 11.1    | 0.42    | 545     | 2.29    |
| I100439            |                                   | 1.54    | 51.2    | 1.50    | 3.44    | <0.05   | 0.02    | 0.09    | 0.018   | 0.04    | 10.9    | 6.1     | 0.28    | 202     | 1.22    |
| I100440            |                                   | 2.23    | 82.5    | 2.50    | 5.18    | 0.05    | 0.02    | 0.07    | 0.030   | 0.06    | 12.3    | 10.1    | 0.46    | 794     | 2.40    |
| I100441            |                                   | 0.52    | 14.9    | 0.72    | 1.88    | <0.05   | <0.02   | 0.04    | 0.008   | 0.03    | 4.5     | 1.0     | 0.05    | 68      | 0.47    |
| I100442            |                                   | 1.16    | 27.9    | 1.75    | 4.10    | <0.05   | <0.02   | 0.06    | 0.019   | 0.04    | 8.5     | 6.8     | 0.24    | 167     | 0.93    |
| I100443            |                                   | 1.34    | 32.5    | 2.32    | 5.86    | <0.05   | <0.02   | 0.03    | 0.026   | 0.04    | 12.5    | 7.5     | 0.27    | 183     | 1.30    |
| I100444            |                                   | 1.00    | 22.9    | 1.39    | 4.06    | <0.05   | <0.02   | 0.02    | 0.015   | 0.03    | 8.8     | 3.9     | 0.14    | 102     | 0.80    |
| I100445            |                                   | 0.99    | 25.2    | 2.39    | 7.13    | <0.05   | <0.02   | 0.04    | 0.025   | 0.03    | 6.9     | 7.4     | 0.18    | 574     | 1.35    |
| I100446            |                                   | 1.11    | 40.9    | 3.08    | 7.51    | <0.05   | 0.06    | 0.03    | 0.044   | 0.04    | 10.0    | 13.8    | 0.52    | 274     | 2.52    |
| I100447            |                                   | 2.31    | 48.1    | 4.22    | 8.45    | 0.06    | 0.02    | 0.02    | 0.042   | 0.09    | 17.0    | 27.5    | 0.76    | 794     | 2.45    |
| I100448            |                                   | 1.57    | 17.0    | 2.59    | 6.36    | <0.05   | <0.02   | 0.03    | 0.027   | 0.06    | 8.7     | 11.2    | 0.37    | 727     | 1.32    |
| I100449            |                                   | 1.33    | 20.8    | 2.41    | 5.88    | <0.05   | <0.02   | 0.02    | 0.027   | 0.08    | 16.1    | 8.3     | 0.35    | 400     | 1.77    |
| I100450            |                                   | 1.45    | 19.8    | 2.06    | 5.43    | <0.05   | 0.04    | 0.06    | 0.030   | 0.04    | 13.1    | 9.9     | 0.66    | 922     | 1.07    |
| I100451            |                                   | 2.71    | 63.0    | 3.24    | 6.08    | 0.06    | 0.04    | 0.04    | 0.031   | 0.09    | 17.5    | 18.6    | 1.13    | 768     | 1.60    |
| I100452            |                                   | 1.38    | 56.4    | 2.26    | 4.94    | 0.05    | <0.02   | 0.04    | 0.023   | 0.05    | 10.9    | 10.7    | 0.45    | 321     | 1.94    |
| I100453            |                                   | 1.53    | 43.4    | 2.53    | 5.93    | 0.05    | 0.02    | 0.08    | 0.027   | 0.09    | 11.9    | 9.3     | 0.45    | 239     | 2.02    |
| I100454            |                                   | 1.10    | 21.9    | 1.89    | 5.64    | <0.05   | <0.02   | 0.03    | 0.016   | 0.05    | 8.9     | 5.6     | 0.21    | 203     | 1.91    |
| I100455            |                                   | 1.91    | 27.6    | 2.81    | 7.92    | <0.05   | 0.02    | 0.04    | 0.026   | 0.06    | 11.5    | 10.9    | 0.40    | 1040    | 2.82    |
| I100456            |                                   | 1.18    | 18.2    | 2.71    | 6.69    | <0.05   | <0.02   | 0.01    | 0.024   | 0.06    | 10.0    | 10.8    | 0.31    | 753     | 1.55    |
| I100457            |                                   | 1.32    | 18.3    | 2.84    | 6.98    | <0.05   | 0.02    | 0.02    | 0.026   | 0.06    | 10.7    | 11.9    | 0.33    | 295     | 1.61    |
| I100458            |                                   | 1.19    | 18.1    | 2.59    | 6.64    | <0.05   | 0.02    | 0.01    | 0.022   | 0.05    | 9.9     | 10.4    | 0.29    | 293     | 1.53    |
| I100459            |                                   | 1.25    | 19.2    | 2.59    | 6.71    | <0.05   | 0.02    | 0.02    | 0.025   | 0.06    | 10.2    | 10.6    | 0.30    | 365     | 1.58    |
| I100460            |                                   | 1.24    | 18.5    | 2.64    | 6.78    | <0.05   | <0.02   | 0.02    | 0.024   | 0.06    | 10.1    | 11.1    | 0.31    | 783     | 1.58    |
| I100461            |                                   | 1.29    | 22.4    | 2.85    | 7.01    | 0.05    | 0.02    | 0.02    | 0.025   | 0.06    | 10.3    | 10.5    | 0.31    | 340     | 1.60    |
| I100462            |                                   | 1.24    | 23.0    | 2.93    | 7.05    | <0.05   | 0.02    | 0.02    | 0.027   | 0.06    | 10.3    | 10.5    | 0.32    | 337     | 1.64    |
| I100463            |                                   | 1.24    | 23.5    | 2.91    | 6.74    | <0.05   | 0.02    | 0.02    | 0.024   | 0.06    | 10.1    | 10.1    | 0.32    | 704     | 1.61    |
| I100464            |                                   | 2.67    | 33.1    | 3.63    | 7.34    | 0.05    | 0.02    | 0.02    | 0.021   | 0.38    | 8.7     | 21.3    | 0.96    | 495     | 1.27    |
| I100465            |                                   | 3.40    | 26.1    | 3.98    | 8.47    | 0.07    | 0.03    | 0.02    | 0.027   | 0.39    | 11.2    | 17.3    | 0.93    | 488     | 1.04    |
| I100466            |                                   | 3.21    | 26.0    | 3.88    | 8.84    | 0.07    | 0.02    | 0.01    | 0.018   | 0.35    | 15.1    | 17.7    | 1.11    | 464     | 0.83    |
| I100467            |                                   | 3.96    | 24.8    | 3.87    | 7.91    | 0.06    | 0.06    | 0.01    | 0.034   | 0.41    | 23.3    | 19.4    | 0.67    | 316     | 1.80    |
| I100468            |                                   | 3.63    | 23.5    | 3.60    | 7.48    | 0.07    | 0.07    | 0.02    | 0.032   | 0.38    | 24.4    | 18.4    | 0.62    | 284     | 1.69    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100429            |                                   | 1.56    | 16.5    | 280     | 16.0    | 10.1    | <0.001  | 0.01    | 0.64    | 2.4     | 0.5     | 0.7     | 20.5    | <0.01   | 0.04    |
| I100430            |                                   | 0.60    | 17.8    | 700     | 15.7    | 6.3     | <0.001  | 0.05    | 0.37    | 2.5     | 1.2     | 0.4     | 21.2    | <0.01   | 0.05    |
| I100431            |                                   | 0.68    | 20.4    | 590     | 28.6    | 9.6     | <0.001  | 0.04    | 0.83    | 2.9     | 1.8     | 0.4     | 20.6    | <0.01   | 0.05    |
| I100432            |                                   | 0.69    | 18.5    | 680     | 38.1    | 10.5    | <0.001  | 0.04    | 0.85    | 2.9     | 2.2     | 0.5     | 19.5    | <0.01   | 0.06    |
| I100433            |                                   | 0.66    | 19.4    | 730     | 40.8    | 8.8     | <0.001  | 0.04    | 0.99    | 2.5     | 1.8     | 0.5     | 19.8    | <0.01   | 0.08    |
| I100434            |                                   | 0.64    | 24.1    | 860     | 64.9    | 8.3     | <0.001  | 0.06    | 0.95    | 3.4     | 2.4     | 0.4     | 24.5    | <0.01   | 0.08    |
| I100435            |                                   | 0.79    | 39.2    | 660     | 40.9    | 12.3    | <0.001  | 0.03    | 1.49    | 4.0     | 1.5     | 0.6     | 20.8    | <0.01   | 0.07    |
| I100436            |                                   | 0.84    | 33.5    | 750     | 85.0    | 16.2    | <0.001  | 0.05    | 0.68    | 4.0     | 1.8     | 0.6     | 23.6    | <0.01   | 0.08    |
| I100437            |                                   | 0.65    | 29.8    | 640     | 93.4    | 14.8    | <0.001  | 0.06    | 1.28    | 2.7     | 2.1     | 0.5     | 23.8    | <0.01   | 0.09    |
| I100438            |                                   | 0.65    | 25.8    | 810     | 116.0   | 14.2    | <0.001  | 0.05    | 0.74    | 2.5     | 1.7     | 0.5     | 19.9    | <0.01   | 0.09    |
| I100439            |                                   | 0.59    | 17.4    | 910     | 18.6    | 7.9     | <0.001  | 0.09    | 0.47    | 2.6     | 1.5     | 0.3     | 40.2    | <0.01   | 0.04    |
| I100440            |                                   | 0.66    | 24.1    | 940     | 40.1    | 11.5    | <0.001  | 0.07    | 0.60    | 3.8     | 1.9     | 0.5     | 31.4    | <0.01   | 0.06    |
| I100441            |                                   | 0.09    | 4.6     | 430     | 5.0     | 3.4     | <0.001  | 0.03    | 0.14    | 0.3     | 0.5     | 0.2     | 12.6    | <0.01   | 0.02    |
| I100442            |                                   | 0.42    | 14.8    | 410     | 13.4    | 6.4     | <0.001  | 0.02    | 0.38    | 1.6     | 0.7     | 0.4     | 14.5    | <0.01   | 0.04    |
| I100443            |                                   | 0.66    | 14.9    | 420     | 18.7    | 8.9     | <0.001  | 0.01    | 0.49    | 2.3     | 0.7     | 0.6     | 18.1    | <0.01   | 0.05    |
| I100444            |                                   | 0.37    | 8.8     | 330     | 12.1    | 6.0     | <0.001  | 0.01    | 0.27    | 1.3     | 0.5     | 0.4     | 13.5    | <0.01   | 0.04    |
| I100445            |                                   | 0.84    | 11.2    | 370     | 20.6    | 5.3     | <0.001  | 0.01    | 0.45    | 2.1     | 0.5     | 0.7     | 12.5    | <0.01   | 0.05    |
| I100446            |                                   | 1.40    | 24.2    | 180     | 26.4    | 7.8     | <0.001  | 0.01    | 0.67    | 4.5     | 0.6     | 0.7     | 20.5    | <0.01   | 0.06    |
| I100447            |                                   | 0.57    | 43.0    | 670     | 17.6    | 12.3    | <0.001  | 0.01    | 1.73    | 4.2     | 0.7     | 1.2     | 18.5    | <0.01   | 0.07    |
| I100448            |                                   | 0.93    | 19.6    | 390     | 11.3    | 10.0    | <0.001  | 0.01    | 0.88    | 3.3     | 0.4     | 0.7     | 13.0    | <0.01   | 0.05    |
| I100449            |                                   | 0.47    | 26.8    | 490     | 12.5    | 12.3    | <0.001  | 0.01    | 1.44    | 1.9     | 0.4     | 0.7     | 23.7    | <0.01   | 0.05    |
| I100450            |                                   | 0.59    | 26.1    | 960     | 7.4     | 7.1     | <0.001  | 0.08    | 0.25    | 3.4     | 1.0     | 0.7     | 40.3    | <0.01   | 0.04    |
| I100451            |                                   | 0.83    | 49.2    | 640     | 52.6    | 19.2    | <0.001  | 0.02    | 0.54    | 6.4     | 1.3     | 0.6     | 30.1    | <0.01   | 0.04    |
| I100452            |                                   | 0.64    | 27.2    | 420     | 41.0    | 11.7    | <0.001  | 0.03    | 0.51    | 2.8     | 0.9     | 0.4     | 21.1    | <0.01   | 0.04    |
| I100453            |                                   | 1.01    | 25.5    | 450     | 13.8    | 10.7    | <0.001  | 0.03    | 0.83    | 3.5     | 0.9     | 0.5     | 22.2    | <0.01   | 0.06    |
| I100454            |                                   | 0.71    | 13.3    | 340     | 9.5     | 8.5     | <0.001  | 0.01    | 0.55    | 1.9     | 0.5     | 0.5     | 13.9    | <0.01   | 0.05    |
| I100455            |                                   | 1.09    | 21.5    | 430     | 13.3    | 9.8     | <0.001  | 0.01    | 0.65    | 4.1     | 0.5     | 0.7     | 19.9    | <0.01   | 0.05    |
| I100456            |                                   | 1.39    | 16.4    | 370     | 15.4    | 9.6     | <0.001  | 0.01    | 0.59    | 2.4     | 0.4     | 1.0     | 25.2    | <0.01   | 0.04    |
| I100457            |                                   | 1.63    | 17.2    | 280     | 16.1    | 10.1    | <0.001  | 0.01    | 0.66    | 2.7     | 0.4     | 1.0     | 19.1    | <0.01   | 0.04    |
| I100458            |                                   | 1.33    | 15.9    | 300     | 14.8    | 9.6     | <0.001  | 0.01    | 0.60    | 2.3     | 0.4     | 1.0     | 20.0    | <0.01   | 0.04    |
| I100459            |                                   | 1.45    | 17.1    | 310     | 15.1    | 10.4    | <0.001  | 0.01    | 0.63    | 2.4     | 0.4     | 0.9     | 23.4    | <0.01   | 0.05    |
| I100460            |                                   | 1.41    | 16.5    | 350     | 15.6    | 9.8     | <0.001  | 0.01    | 0.64    | 2.4     | 0.4     | 0.8     | 25.3    | <0.01   | 0.05    |
| I100461            |                                   | 1.90    | 19.9    | 300     | 16.6    | 10.7    | <0.001  | 0.01    | 0.62    | 2.7     | 0.4     | 0.9     | 22.8    | <0.01   | 0.04    |
| I100462            |                                   | 1.90    | 20.2    | 310     | 16.6    | 10.3    | <0.001  | 0.01    | 0.66    | 2.7     | 0.5     | 0.9     | 22.7    | <0.01   | 0.04    |
| I100463            |                                   | 1.73    | 20.3    | 380     | 15.8    | 10.6    | <0.001  | 0.01    | 0.62    | 2.6     | 0.4     | 0.8     | 27.5    | <0.01   | 0.04    |
| I100464            |                                   | 1.52    | 50.8    | 660     | 12.6    | 34.5    | <0.001  | 0.02    | 0.20    | 2.9     | 0.4     | 1.1     | 20.3    | <0.01   | 0.05    |
| I100465            |                                   | 2.01    | 35.7    | 530     | 13.1    | 41.1    | <0.001  | 0.01    | 0.21    | 4.2     | 0.4     | 0.8     | 18.0    | <0.01   | 0.04    |
| I100466            |                                   | 1.51    | 52.0    | 530     | 9.8     | 36.2    | <0.001  | 0.01    | 0.14    | 3.6     | 0.4     | 0.7     | 24.0    | <0.01   | 0.05    |
| I100467            |                                   | 1.55    | 24.5    | 620     | 22.0    | 59.3    | <0.001  | 0.01    | 0.24    | 4.5     | 0.4     | 1.0     | 32.3    | <0.01   | 0.04    |
| I100468            |                                   | 1.43    | 23.7    | 550     | 20.7    | 56.1    | <0.001  | 0.01    | 0.23    | 4.1     | 0.4     | 0.9     | 28.6    | <0.01   | 0.03    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 2 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 13 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
| I100429            |                                   | 0.069   | 0.10    | 0.47    | 64      | 0.15    | 3.40    | 53      |
| I100430            |                                   | 0.043   | 0.09    | 0.63    | 39      | 0.10    | 4.54    | 65      |
| I100431            |                                   | 0.043   | 0.11    | 0.77    | 44      | 0.12    | 5.57    | 113     |
| I100432            |                                   | 0.049   | 0.14    | 1.16    | 50      | 0.11    | 5.13    | 140     |
| I100433            |                                   | 0.051   | 0.12    | 0.92    | 66      | 0.21    | 5.12    | 144     |
| I100434            |                                   | 0.058   | 0.18    | 1.68    | 63      | 0.15    | 7.42    | 152     |
| I100435            |                                   | 0.080   | 0.16    | 1.20    | 79      | 0.12    | 5.82    | 212     |
| I100436            |                                   | 0.075   | 0.16    | 1.37    | 66      | 0.22    | 6.05    | 301     |
| I100437            |                                   | 0.050   | 0.14    | 1.24    | 57      | 0.34    | 6.51    | 398     |
| I100438            |                                   | 0.052   | 0.14    | 1.62    | 56      | 0.12    | 7.39    | 452     |
| I100439            |                                   | 0.033   | 0.11    | 1.35    | 26      | 0.10    | 8.65    | 127     |
| I100440            |                                   | 0.041   | 0.16    | 1.37    | 54      | 0.12    | 9.16    | 236     |
| I100441            |                                   | 0.016   | 0.04    | 0.37    | 17      | <0.05   | 2.67    | 18      |
| I100442            |                                   | 0.039   | 0.07    | 0.52    | 37      | 0.09    | 4.90    | 46      |
| I100443            |                                   | 0.054   | 0.09    | 0.64    | 54      | 0.11    | 6.48    | 53      |
| I100444            |                                   | 0.038   | 0.06    | 0.47    | 34      | 0.07    | 4.83    | 30      |
| I100445            |                                   | 0.066   | 0.11    | 0.40    | 65      | 0.12    | 2.70    | 75      |
| I100446            |                                   | 0.093   | 0.12    | 0.64    | 82      | 0.17    | 5.05    | 117     |
| I100447            |                                   | 0.037   | 0.16    | 0.87    | 77      | 0.17    | 6.23    | 104     |
| I100448            |                                   | 0.061   | 0.12    | 0.44    | 62      | 0.17    | 3.38    | 79      |
| I100449            |                                   | 0.038   | 0.10    | 0.79    | 52      | 0.16    | 5.11    | 98      |
| I100450            |                                   | 0.048   | 0.14    | 0.90    | 43      | 0.08    | 10.50   | 46      |
| I100451            |                                   | 0.098   | 0.16    | 1.52    | 66      | 0.14    | 13.05   | 176     |
| I100452            |                                   | 0.059   | 0.10    | 1.05    | 53      | 0.11    | 7.92    | 137     |
| I100453            |                                   | 0.082   | 0.13    | 1.16    | 61      | 0.15    | 6.61    | 89      |
| I100454            |                                   | 0.067   | 0.09    | 0.56    | 54      | 0.14    | 4.13    | 52      |
| I100455            |                                   | 0.073   | 0.14    | 0.67    | 78      | 0.17    | 5.82    | 76      |
| I100456            |                                   | 0.070   | 0.10    | 0.46    | 67      | 0.13    | 3.22    | 72      |
| I100457            |                                   | 0.075   | 0.10    | 0.48    | 70      | 0.15    | 3.44    | 58      |
| I100458            |                                   | 0.069   | 0.09    | 0.47    | 65      | 0.13    | 3.26    | 55      |
| I100459            |                                   | 0.070   | 0.10    | 0.47    | 65      | 0.15    | 3.51    | 59      |
| I100460            |                                   | 0.070   | 0.10    | 0.47    | 66      | 0.13    | 3.39    | 72      |
| I100461            |                                   | 0.080   | 0.11    | 0.54    | 69      | 0.16    | 3.79    | 60      |
| I100462            |                                   | 0.078   | 0.11    | 0.54    | 71      | 0.15    | 3.93    | 62      |
| I100463            |                                   | 0.079   | 0.10    | 0.53    | 70      | 0.16    | 4.00    | 75      |
| I100464            |                                   | 0.141   | 0.24    | 0.56    | 69      | 0.11    | 4.29    | 64      |
| I100465            |                                   | 0.176   | 0.34    | 0.74    | 80      | 0.12    | 5.34    | 64      |
| I100466            |                                   | 0.171   | 0.28    | 0.72    | 71      | 0.10    | 6.99    | 67      |
| I100467            |                                   | 0.118   | 0.49    | 1.29    | 50      | 0.13    | 11.70   | 73      |
| I100468            |                                   | 0.104   | 0.45    | 1.16    | 45      | 0.12    | 11.00   | 67      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100469            |                                   | 0.44                      | <0.005               | 0.06                 | 2.13               | 4.2                  | <0.2                 | <10                 | 130                  | 0.59                 | 0.16                 | 0.37               | 0.08                 | 41.0                 | 11.8                 | 28                   |
| I100470            |                                   | 0.48                      | <0.005               | 0.06                 | 2.08               | 4.4                  | <0.2                 | <10                 | 130                  | 0.54                 | 0.16                 | 0.29               | 0.07                 | 32.2                 | 11.1                 | 28                   |
| I100471            |                                   | 0.30                      | <0.005               | 0.03                 | 1.91               | 4.4                  | <0.2                 | <10                 | 130                  | 0.57                 | 0.37                 | 0.36               | 0.06                 | 17.75                | 15.3                 | 19                   |
| I100472            |                                   | 0.32                      | 0.005                | 0.03                 | 1.37               | 4.3                  | <0.2                 | <10                 | 110                  | 0.51                 | 0.25                 | 0.27               | 0.06                 | 20.9                 | 8.6                  | 12                   |
| I100473            |                                   | 0.28                      | <0.005               | 0.09                 | 2.09               | 4.4                  | <0.2                 | <10                 | 190                  | 0.38                 | 0.24                 | 0.68               | 0.05                 | 21.0                 | 16.4                 | 22                   |
| I100474            |                                   | 0.28                      | <0.005               | 0.10                 | 1.98               | 4.8                  | <0.2                 | <10                 | 190                  | 0.37                 | 0.24                 | 0.46               | 0.13                 | 21.5                 | 11.7                 | 23                   |
| I100475            |                                   | 0.28                      | <0.005               | 0.10                 | 1.78               | 4.1                  | <0.2                 | <10                 | 190                  | 0.34                 | 0.17                 | 0.52               | 0.19                 | 17.00                | 9.9                  | 24                   |
| I100476            |                                   | 0.26                      | <0.005               | 0.09                 | 2.14               | 4.6                  | <0.2                 | <10                 | 210                  | 0.37                 | 0.16                 | 0.48               | 0.09                 | 22.2                 | 11.7                 | 25                   |
| I100477            |                                   | 0.26                      | <0.005               | 0.05                 | 1.74               | 3.8                  | <0.2                 | <10                 | 150                  | 0.29                 | 0.11                 | 0.54               | 0.09                 | 16.50                | 11.2                 | 21                   |
| I100478            |                                   | 0.40                      | <0.005               | 0.06                 | 1.93               | 4.9                  | <0.2                 | <10                 | 170                  | 0.32                 | 0.13                 | 0.40               | 0.10                 | 17.40                | 10.2                 | 24                   |
| I100479            |                                   | 0.28                      | <0.005               | 0.44                 | 2.00               | 9.2                  | <0.2                 | <10                 | 190                  | 0.33                 | 0.28                 | 0.62               | 0.58                 | 25.1                 | 19.5                 | 55                   |
| I100480            |                                   | 0.30                      | 0.007                | 0.38                 | 2.12               | 28.9                 | <0.2                 | <10                 | 210                  | 0.31                 | 0.34                 | 0.54               | 0.80                 | 20.6                 | 14.2                 | 71                   |
| I100481            |                                   | 0.34                      | 0.009                | 0.37                 | 2.16               | 40.4                 | <0.2                 | <10                 | 160                  | 0.23                 | 0.29                 | 0.26               | 0.39                 | 17.35                | 9.5                  | 39                   |
| I100482            |                                   | 0.34                      | 0.044                | 0.46                 | 2.49               | 99.1                 | <0.2                 | <10                 | 190                  | 0.35                 | 0.32                 | 0.25               | 0.79                 | 21.0                 | 15.2                 | 46                   |
| I100483            |                                   | 0.26                      | 0.017                | 0.48                 | 2.01               | 83.4                 | <0.2                 | <10                 | 210                  | 0.30                 | 0.40                 | 0.26               | 0.62                 | 27.5                 | 10.0                 | 39                   |
| I100484            |                                   | 0.24                      | <0.005               | 0.61                 | 1.56               | 58.8                 | <0.2                 | <10                 | 200                  | 0.24                 | 0.22                 | 0.18               | 1.15                 | 16.45                | 11.0                 | 25                   |
| I100485            |                                   | 0.26                      | <0.005               | 1.15                 | 2.37               | 177.5                | <0.2                 | <10                 | 230                  | 0.50                 | 0.28                 | 0.76               | 0.47                 | 29.1                 | 12.7                 | 38                   |
| I100486            |                                   | 0.30                      | <0.005               | 0.15                 | 2.68               | 9.8                  | <0.2                 | <10                 | 190                  | 0.38                 | 0.16                 | 0.37               | 0.43                 | 10.40                | 13.5                 | 141                  |
| I100487            |                                   | 0.24                      | <0.005               | 0.30                 | 1.75               | 32.9                 | <0.2                 | <10                 | 180                  | 0.31                 | 0.28                 | 0.11               | 0.43                 | 32.0                 | 7.2                  | 27                   |
| I100488            |                                   | 0.34                      | 0.008                | 0.10                 | 1.55               | 51.6                 | <0.2                 | <10                 | 150                  | 0.31                 | 0.34                 | 0.32               | 0.67                 | 23.7                 | 10.5                 | 32                   |
| I100489            |                                   | 0.32                      | 0.006                | 0.55                 | 2.20               | 42.8                 | <0.2                 | <10                 | 270                  | 0.34                 | 0.32                 | 0.25               | 1.20                 | 24.9                 | 9.5                  | 42                   |
| I100490            |                                   | 0.34                      | <0.005               | 0.30                 | 1.89               | 38.1                 | <0.2                 | <10                 | 200                  | 0.30                 | 0.35                 | 0.48               | 0.91                 | 25.3                 | 25.4                 | 50                   |
| I100501            |                                   | 0.54                      | <0.005               | 0.32                 | 1.88               | 152.5                | <0.2                 | <10                 | 450                  | 0.48                 | 0.32                 | 0.34               | 0.64                 | 42.5                 | 19.8                 | 38                   |
| I100502            |                                   | 0.48                      | <0.005               | 0.62                 | 1.14               | 289                  | <0.2                 | <10                 | 360                  | 0.32                 | 0.22                 | 0.51               | 0.58                 | 15.85                | 32.2                 | 32                   |
| I100503            |                                   | 0.58                      | <0.005               | 0.22                 | 2.08               | 206                  | <0.2                 | <10                 | 240                  | 0.25                 | 0.25                 | 0.36               | 0.36                 | 19.60                | 10.7                 | 43                   |
| I100504            |                                   | 0.50                      | <0.005               | 0.35                 | 1.58               | 148.5                | <0.2                 | <10                 | 430                  | 0.36                 | 0.28                 | 0.74               | 0.64                 | 22.0                 | 42.9                 | 36                   |
| I100505            |                                   | 0.46                      | <0.005               | 0.22                 | 1.99               | 102.5                | <0.2                 | <10                 | 300                  | 0.37                 | 0.30                 | 0.51               | 0.61                 | 25.9                 | 14.3                 | 38                   |
| I100506            |                                   | 0.48                      | 0.014                | 0.25                 | 1.63               | 74.2                 | <0.2                 | <10                 | 240                  | 0.24                 | 0.24                 | 0.51               | 0.31                 | 20.2                 | 11.6                 | 31                   |
| I100507            |                                   | 0.26                      | <0.005               | 0.29                 | 1.62               | 93.6                 | <0.2                 | <10                 | 150                  | 0.21                 | 0.36                 | 0.21               | 0.31                 | 18.55                | 10.6                 | 27                   |
| I100508            |                                   | 0.56                      | 0.007                | 0.25                 | 1.56               | 94.2                 | <0.2                 | <10                 | 190                  | 0.33                 | 0.38                 | 0.46               | 0.93                 | 19.25                | 13.7                 | 26                   |
| I100509            | Not Recvd                         |                           |                      |                      |                    |                      |                      |                     |                      |                      |                      |                    |                      |                      |                      |                      |
| I100510            |                                   | 0.44                      | <0.005               | 0.28                 | 1.59               | 59.4                 | <0.2                 | <10                 | 140                  | 0.24                 | 0.55                 | 0.25               | 0.85                 | 17.85                | 10.9                 | 26                   |
| I100511            |                                   | 0.58                      | <0.005               | 0.28                 | 1.53               | 35.8                 | <0.2                 | <10                 | 120                  | 0.25                 | 0.47                 | 0.26               | 0.67                 | 18.15                | 8.8                  | 22                   |
| I100512            |                                   | 0.50                      | <0.005               | 0.25                 | 1.37               | 30.2                 | <0.2                 | <10                 | 130                  | 0.28                 | 0.40                 | 0.22               | 0.82                 | 17.15                | 9.1                  | 21                   |
| I100513            |                                   | 0.48                      | 0.009                | 0.21                 | 1.88               | 10.5                 | <0.2                 | <10                 | 130                  | 0.38                 | 0.24                 | 0.07               | 0.26                 | 13.85                | 8.7                  | 32                   |
| I100514            |                                   | 0.44                      | <0.005               | 0.87                 | 2.85               | 11.3                 | <0.2                 | <10                 | 190                  | 0.51                 | 0.35                 | 0.10               | 1.00                 | 18.10                | 11.6                 | 40                   |
| I100515            |                                   | 0.48                      | <0.005               | 0.20                 | 2.88               | 12.3                 | <0.2                 | <10                 | 200                  | 0.44                 | 0.22                 | 0.16               | 0.35                 | 14.95                | 15.2                 | 48                   |
| I100516            |                                   | 0.48                      | <0.005               | 0.23                 | 1.75               | 17.7                 | <0.2                 | <10                 | 100                  | 0.34                 | 0.40                 | 0.03               | 0.24                 | 20.4                 | 11.6                 | 22                   |
| I100517            |                                   | 0.42                      | <0.005               | 0.06                 | 1.73               | 10.6                 | <0.2                 | <10                 | 100                  | 0.23                 | 0.29                 | 0.04               | 0.14                 | 18.10                | 11.2                 | 39                   |
| I100518            |                                   | 0.48                      | <0.005               | 0.05                 | 1.68               | 8.2                  | <0.2                 | <10                 | 140                  | 0.22                 | 0.18                 | 0.13               | 0.13                 | 22.3                 | 7.0                  | 23                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100469            |                                   | 3.31    | 22.2    | 3.71    | 7.40    | 0.07    | 0.05    | 0.02    | 0.032   | 0.38    | 22.9    | 17.0    | 0.63    | 301     | 1.70    |
| I100470            |                                   | 2.46    | 20.7    | 3.46    | 7.38    | 0.06    | 0.05    | 0.01    | 0.030   | 0.31    | 18.2    | 15.6    | 0.57    | 282     | 1.77    |
| I100471            |                                   | 2.79    | 14.2    | 5.08    | 5.56    | 0.07    | 0.04    | 0.02    | 0.047   | 0.17    | 8.6     | 9.5     | 0.61    | 350     | 0.94    |
| I100472            |                                   | 2.30    | 18.3    | 2.93    | 4.43    | <0.05   | 0.03    | 0.01    | 0.030   | 0.13    | 10.7    | 5.3     | 0.30    | 262     | 1.05    |
| I100473            |                                   | 1.41    | 17.4    | 3.44    | 6.43    | 0.05    | 0.03    | 0.03    | 0.031   | 0.07    | 12.5    | 11.5    | 0.70    | 576     | 1.20    |
| I100474            |                                   | 1.06    | 19.4    | 2.93    | 6.05    | 0.06    | 0.03    | 0.04    | 0.028   | 0.07    | 11.2    | 10.9    | 0.63    | 334     | 0.89    |
| I100475            |                                   | 0.90    | 22.3    | 2.70    | 5.88    | 0.05    | 0.02    | 0.03    | 0.023   | 0.06    | 8.8     | 9.0     | 0.59    | 377     | 0.90    |
| I100476            |                                   | 1.14    | 18.9    | 3.15    | 6.54    | 0.07    | 0.03    | 0.03    | 0.025   | 0.11    | 11.5    | 11.7    | 0.80    | 277     | 0.69    |
| I100477            |                                   | 0.94    | 13.5    | 2.66    | 5.10    | 0.07    | 0.03    | 0.03    | 0.018   | 0.12    | 8.2     | 10.3    | 0.79    | 296     | 0.54    |
| I100478            |                                   | 0.94    | 16.7    | 2.77    | 6.25    | 0.05    | 0.02    | 0.03    | 0.022   | 0.05    | 8.7     | 11.8    | 0.72    | 209     | 0.50    |
| I100479            |                                   | 2.02    | 49.1    | 3.00    | 5.84    | 0.06    | 0.02    | 0.04    | 0.027   | 0.06    | 13.0    | 14.2    | 1.00    | 876     | 1.57    |
| I100480            |                                   | 2.73    | 61.7    | 3.17    | 5.70    | 0.07    | 0.03    | 0.03    | 0.025   | 0.16    | 10.9    | 16.2    | 1.18    | 466     | 1.92    |
| I100481            |                                   | 1.17    | 39.1    | 3.13    | 7.18    | 0.05    | 0.04    | 0.02    | 0.027   | 0.08    | 9.0     | 11.1    | 0.58    | 328     | 2.48    |
| I100482            |                                   | 1.39    | 56.3    | 3.91    | 7.40    | 0.05    | 0.04    | 0.03    | 0.039   | 0.09    | 11.0    | 16.8    | 0.70    | 484     | 3.69    |
| I100483            |                                   | 2.20    | 51.1    | 3.52    | 7.36    | 0.05    | 0.03    | 0.03    | 0.033   | 0.08    | 14.3    | 13.8    | 0.63    | 357     | 4.09    |
| I100484            |                                   | 1.09    | 24.5    | 2.62    | 6.74    | <0.05   | 0.02    | 0.03    | 0.022   | 0.06    | 8.1     | 9.4     | 0.35    | 1100    | 2.04    |
| I100485            |                                   | 3.45    | 50.1    | 3.21    | 6.69    | 0.07    | 0.07    | 0.06    | 0.036   | 0.10    | 17.9    | 15.3    | 0.51    | 712     | 1.56    |
| I100486            |                                   | 4.34    | 29.7    | 3.93    | 10.00   | 0.07    | 0.04    | 0.01    | 0.020   | 0.26    | 5.2     | 19.1    | 1.74    | 412     | 0.97    |
| I100487            |                                   | 1.96    | 44.6    | 2.67    | 6.85    | 0.06    | 0.02    | 0.03    | 0.028   | 0.07    | 16.4    | 9.6     | 0.53    | 255     | 1.84    |
| I100488            |                                   | 1.07    | 37.2    | 2.78    | 4.94    | 0.06    | 0.04    | 0.01    | 0.026   | 0.08    | 11.9    | 12.4    | 0.53    | 430     | 1.70    |
| I100489            |                                   | 1.37    | 65.6    | 3.33    | 6.90    | 0.06    | 0.04    | 0.03    | 0.037   | 0.08    | 13.0    | 12.6    | 0.58    | 386     | 3.31    |
| I100490            |                                   | 1.65    | 58.4    | 3.02    | 5.54    | 0.06    | 0.03    | 0.03    | 0.029   | 0.06    | 12.1    | 13.2    | 0.83    | 1120    | 2.09    |
| I100501            |                                   | 1.80    | 42.5    | 3.54    | 4.97    | 0.07    | 0.07    | 0.03    | 0.041   | 0.08    | 19.2    | 13.9    | 0.50    | 474     | 3.77    |
| I100502            |                                   | 1.17    | 28.7    | 3.38    | 4.54    | <0.05   | 0.03    | 0.05    | 0.038   | 0.03    | 6.8     | 5.8     | 0.31    | 4030    | 4.27    |
| I100503            |                                   | 1.33    | 21.6    | 3.84    | 6.56    | 0.05    | 0.03    | 0.05    | 0.035   | 0.05    | 9.5     | 16.0    | 0.64    | 434     | 2.43    |
| I100504            |                                   | 0.99    | 32.6    | 3.73    | 5.09    | 0.06    | 0.03    | 0.06    | 0.041   | 0.04    | 9.6     | 8.7     | 0.47    | 4820    | 4.41    |
| I100505            |                                   | 1.21    | 33.9    | 3.11    | 5.86    | 0.06    | 0.04    | 0.04    | 0.039   | 0.05    | 12.6    | 14.4    | 0.61    | 668     | 2.10    |
| I100506            |                                   | 0.90    | 27.1    | 2.48    | 4.82    | <0.05   | 0.02    | 0.05    | 0.027   | 0.05    | 10.0    | 10.7    | 0.50    | 687     | 1.87    |
| I100507            |                                   | 0.99    | 23.5    | 2.40    | 5.70    | 0.05    | 0.02    | 0.04    | 0.026   | 0.04    | 9.5     | 11.0    | 0.43    | 348     | 2.18    |
| I100508            |                                   | 0.83    | 43.9    | 2.57    | 5.40    | 0.05    | 0.03    | 0.03    | 0.031   | 0.04    | 9.4     | 12.8    | 0.52    | 595     | 2.06    |
| I100509            |                                   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| I100510            |                                   | 0.95    | 42.3    | 2.53    | 6.05    | 0.06    | 0.02    | 0.05    | 0.029   | 0.04    | 9.1     | 12.6    | 0.49    | 361     | 2.31    |
| I100511            |                                   | 0.89    | 35.4    | 2.35    | 5.40    | 0.06    | 0.02    | 0.04    | 0.067   | 0.04    | 9.3     | 10.7    | 0.49    | 264     | 1.82    |
| I100512            |                                   | 0.80    | 35.9    | 2.23    | 5.31    | 0.06    | 0.02    | 0.05    | 0.023   | 0.03    | 8.6     | 10.9    | 0.40    | 270     | 1.59    |
| I100513            |                                   | 1.34    | 19.4    | 3.63    | 10.25   | 0.06    | 0.09    | 0.03    | 0.029   | 0.04    | 7.0     | 17.3    | 0.34    | 206     | 1.81    |
| I100514            |                                   | 1.47    | 35.3    | 3.60    | 11.15   | 0.06    | 0.13    | 0.04    | 0.038   | 0.04    | 9.0     | 17.0    | 0.42    | 267     | 2.18    |
| I100515            |                                   | 2.04    | 27.0    | 3.81    | 8.87    | 0.07    | 0.14    | 0.03    | 0.039   | 0.06    | 7.5     | 21.6    | 0.67    | 406     | 1.73    |
| I100516            |                                   | 0.95    | 17.8    | 4.67    | 6.82    | 0.08    | 0.04    | 0.03    | 0.028   | 0.03    | 11.2    | 12.3    | 0.27    | 345     | 6.47    |
| I100517            |                                   | 0.72    | 15.2    | 3.40    | 7.25    | 0.05    | <0.02   | 0.01    | 0.029   | 0.04    | 9.2     | 9.3     | 0.64    | 246     | 3.46    |
| I100518            |                                   | 0.91    | 13.1    | 2.87    | 8.26    | 0.05    | 0.03    | 0.02    | 0.025   | 0.05    | 9.9     | 14.3    | 0.43    | 248     | 1.52    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100469            |                                   | 1.61    | 22.6    | 540     | 19.7    | 51.0    | <0.001  | 0.01    | 0.25    | 4.1     | 0.4     | 1.0     | 28.5    | <0.01   | 0.03    |
| I100470            |                                   | 1.58    | 21.8    | 350     | 17.6    | 39.8    | <0.001  | 0.01    | 0.27    | 3.8     | 0.3     | 0.9     | 24.2    | <0.01   | 0.03    |
| I100471            |                                   | 0.92    | 12.4    | 480     | 10.5    | 26.8    | <0.001  | 0.01    | 0.28    | 8.9     | 0.4     | 1.3     | 19.6    | <0.01   | 0.03    |
| I100472            |                                   | 0.67    | 9.6     | 560     | 7.8     | 18.0    | <0.001  | 0.01    | 0.22    | 5.2     | 0.4     | 0.8     | 15.9    | <0.01   | 0.03    |
| I100473            |                                   | 1.20    | 13.0    | 590     | 10.8    | 10.6    | <0.001  | 0.03    | 0.20    | 5.0     | 0.6     | 0.9     | 36.5    | <0.01   | 0.04    |
| I100474            |                                   | 1.16    | 15.5    | 610     | 8.3     | 11.6    | <0.001  | 0.03    | 0.29    | 5.1     | 0.6     | 0.7     | 30.6    | <0.01   | 0.04    |
| I100475            |                                   | 1.18    | 15.5    | 480     | 6.6     | 10.7    | <0.001  | 0.02    | 0.24    | 4.4     | 0.5     | 0.6     | 34.0    | <0.01   | 0.04    |
| I100476            |                                   | 1.29    | 16.5    | 510     | 6.6     | 14.2    | <0.001  | 0.02    | 0.26    | 5.8     | 0.6     | 0.7     | 34.1    | <0.01   | 0.03    |
| I100477            |                                   | 1.13    | 14.9    | 600     | 5.1     | 13.1    | <0.001  | 0.02    | 0.24    | 4.6     | 0.5     | 0.6     | 36.6    | <0.01   | 0.02    |
| I100478            |                                   | 1.25    | 16.0    | 450     | 6.6     | 10.8    | <0.001  | 0.01    | 0.22    | 4.6     | 0.4     | 0.6     | 29.7    | <0.01   | 0.03    |
| I100479            |                                   | 0.82    | 37.7    | 560     | 39.6    | 15.3    | <0.001  | 0.03    | 0.31    | 6.4     | 1.0     | 0.7     | 30.3    | <0.01   | 0.05    |
| I100480            |                                   | 1.00    | 47.7    | 480     | 47.3    | 22.1    | <0.001  | 0.03    | 0.49    | 6.3     | 1.1     | 0.4     | 27.8    | <0.01   | 0.05    |
| I100481            |                                   | 1.35    | 29.0    | 390     | 20.6    | 11.6    | <0.001  | 0.02    | 0.57    | 4.1     | 0.7     | 0.6     | 23.8    | <0.01   | 0.06    |
| I100482            |                                   | 1.26    | 43.4    | 540     | 21.8    | 10.3    | <0.001  | 0.02    | 1.01    | 4.7     | 1.1     | 0.6     | 24.1    | <0.01   | 0.07    |
| I100483            |                                   | 1.13    | 35.2    | 570     | 22.5    | 15.9    | <0.001  | 0.02    | 0.99    | 4.6     | 0.8     | 0.6     | 24.4    | <0.01   | 0.06    |
| I100484            |                                   | 1.19    | 21.6    | 450     | 14.3    | 8.7     | <0.001  | 0.01    | 0.57    | 3.3     | 0.4     | 0.6     | 19.1    | <0.01   | 0.04    |
| I100485            |                                   | 1.44    | 36.5    | 510     | 17.8    | 10.8    | <0.001  | 0.02    | 1.16    | 8.6     | 1.0     | 0.5     | 50.0    | 0.01    | 0.05    |
| I100486            |                                   | 3.83    | 87.6    | 240     | 11.1    | 31.6    | <0.001  | <0.01   | 0.36    | 5.1     | 0.4     | 0.6     | 21.9    | <0.01   | 0.02    |
| I100487            |                                   | 0.88    | 25.7    | 270     | 14.9    | 13.0    | <0.001  | 0.01    | 0.43    | 4.1     | 0.6     | 0.6     | 12.5    | <0.01   | 0.04    |
| I100488            |                                   | 1.46    | 29.4    | 650     | 16.6    | 11.0    | 0.001   | 0.01    | 0.69    | 3.9     | 0.8     | 0.6     | 24.6    | <0.01   | 0.04    |
| I100489            |                                   | 1.22    | 41.7    | 550     | 17.8    | 11.5    | <0.001  | 0.02    | 0.61    | 5.5     | 1.1     | 0.6     | 23.6    | <0.01   | 0.07    |
| I100490            |                                   | 1.13    | 38.9    | 650     | 33.0    | 16.9    | <0.001  | 0.04    | 0.64    | 4.7     | 1.3     | 0.4     | 29.3    | <0.01   | 0.05    |
| I100501            |                                   | 0.49    | 46.2    | 830     | 31.1    | 14.2    | 0.001   | 0.06    | 1.59    | 6.1     | 2.1     | 0.6     | 21.3    | <0.01   | 0.06    |
| I100502            |                                   | 0.53    | 22.8    | 1180    | 22.4    | 6.9     | 0.001   | 0.08    | 1.32    | 3.9     | 1.6     | 0.3     | 31.9    | <0.01   | 0.08    |
| I100503            |                                   | 1.03    | 37.3    | 700     | 21.6    | 11.6    | 0.001   | 0.04    | 1.08    | 4.8     | 1.1     | 0.6     | 23.2    | <0.01   | 0.06    |
| I100504            |                                   | 0.69    | 31.4    | 1310    | 19.1    | 8.1     | 0.001   | 0.10    | 1.23    | 4.3     | 2.0     | 0.5     | 48.1    | <0.01   | 0.10    |
| I100505            |                                   | 0.97    | 36.2    | 900     | 20.3    | 11.1    | 0.001   | 0.04    | 1.01    | 5.1     | 1.4     | 0.6     | 31.2    | <0.01   | 0.04    |
| I100506            |                                   | 0.82    | 28.4    | 810     | 13.7    | 10.1    | <0.001  | 0.06    | 0.72    | 4.0     | 1.3     | 0.5     | 32.5    | <0.01   | 0.04    |
| I100507            |                                   | 0.77    | 23.1    | 630     | 20.6    | 11.0    | <0.001  | 0.05    | 0.79    | 3.6     | 1.3     | 0.5     | 18.8    | <0.01   | 0.06    |
| I100508            |                                   | 0.68    | 28.5    | 860     | 27.5    | 9.6     | <0.001  | 0.03    | 0.83    | 3.6     | 1.3     | 0.4     | 29.0    | <0.01   | 0.05    |
| I100509            |                                   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| I100510            |                                   | 0.84    | 23.3    | 620     | 41.4    | 8.0     | <0.001  | 0.03    | 0.68    | 3.3     | 1.3     | 0.5     | 20.8    | <0.01   | 0.07    |
| I100511            |                                   | 0.78    | 19.8    | 670     | 32.8    | 9.8     | <0.001  | 0.03    | 0.52    | 2.9     | 1.0     | 0.4     | 20.0    | <0.01   | 0.05    |
| I100512            |                                   | 0.71    | 19.0    | 610     | 29.8    | 7.8     | <0.001  | 0.03    | 0.50    | 2.7     | 1.2     | 0.4     | 19.2    | <0.01   | 0.05    |
| I100513            |                                   | 1.84    | 22.7    | 340     | 11.0    | 12.5    | <0.001  | 0.01    | 0.65    | 2.8     | 0.4     | 0.8     | 10.6    | <0.01   | 0.06    |
| I100514            |                                   | 1.94    | 27.0    | 290     | 76.1    | 11.6    | <0.001  | 0.01    | 0.76    | 4.5     | 0.7     | 0.9     | 16.1    | 0.01    | 0.07    |
| I100515            |                                   | 1.51    | 36.2    | 250     | 15.4    | 15.2    | <0.001  | 0.01    | 0.55    | 4.6     | 0.5     | 0.7     | 17.6    | 0.01    | 0.05    |
| I100516            |                                   | 1.02    | 24.4    | 450     | 29.5    | 8.2     | <0.001  | 0.03    | 0.41    | 2.7     | 1.6     | 0.5     | 16.2    | <0.01   | 0.08    |
| I100517            |                                   | 0.60    | 41.7    | 410     | 8.4     | 7.2     | <0.001  | 0.02    | 0.36    | 3.0     | 0.9     | 0.5     | 14.7    | <0.01   | 0.07    |
| I100518            |                                   | 1.20    | 16.5    | 250     | 7.8     | 10.1    | <0.001  | <0.01   | 0.35    | 3.0     | 0.3     | 0.6     | 14.0    | <0.01   | 0.04    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100469            |                                   | 0.115              | 0.41                 | 1.13                | 50                  | 0.10                | 10.05               | 67                   | 2.0                  |
| I100470            |                                   | 0.106              | 0.35                 | 0.88                | 52                  | 0.10                | 7.24                | 60                   | 2.0                  |
| I100471            |                                   | 0.068              | 0.24                 | 1.15                | 99                  | 0.14                | 6.60                | 63                   | 1.5                  |
| I100472            |                                   | 0.032              | 0.16                 | 1.96                | 52                  | 0.15                | 9.55                | 43                   | 0.8                  |
| I100473            |                                   | 0.082              | 0.14                 | 1.32                | 80                  | 0.18                | 8.03                | 45                   | 1.1                  |
| I100474            |                                   | 0.086              | 0.11                 | 1.25                | 65                  | 0.20                | 8.98                | 48                   | 1.1                  |
| I100475            |                                   | 0.093              | 0.09                 | 1.05                | 63                  | 0.14                | 6.24                | 45                   | 0.8                  |
| I100476            |                                   | 0.112              | 0.12                 | 1.13                | 70                  | 0.15                | 8.95                | 50                   | 1.2                  |
| I100477            |                                   | 0.109              | 0.11                 | 0.73                | 60                  | 0.14                | 6.31                | 45                   | 1.1                  |
| I100478            |                                   | 0.107              | 0.10                 | 0.86                | 65                  | 0.14                | 5.64                | 47                   | 0.8                  |
| I100479            |                                   | 0.069              | 0.15                 | 1.00                | 59                  | 0.11                | 12.20               | 110                  | 0.6                  |
| I100480            |                                   | 0.099              | 0.19                 | 1.08                | 70                  | 0.16                | 7.32                | 211                  | 0.8                  |
| I100481            |                                   | 0.101              | 0.14                 | 0.71                | 79                  | 0.15                | 4.69                | 91                   | 2.1                  |
| I100482            |                                   | 0.084              | 0.13                 | 0.96                | 86                  | 0.20                | 6.33                | 139                  | 2.0                  |
| I100483            |                                   | 0.082              | 0.19                 | 0.90                | 91                  | 0.19                | 6.45                | 124                  | 1.1                  |
| I100484            |                                   | 0.081              | 0.11                 | 0.42                | 69                  | 0.14                | 2.89                | 67                   | 0.8                  |
| I100485            |                                   | 0.081              | 0.14                 | 1.63                | 73                  | 0.23                | 27.7                | 82                   | 2.1                  |
| I100486            |                                   | 0.273              | 0.31                 | 0.32                | 97                  | 0.15                | 3.72                | 104                  | 1.5                  |
| I100487            |                                   | 0.062              | 0.17                 | 1.10                | 66                  | 0.15                | 7.85                | 86                   | <0.5                 |
| I100488            |                                   | 0.087              | 0.09                 | 1.29                | 67                  | 0.19                | 9.47                | 107                  | 1.4                  |
| I100489            |                                   | 0.085              | 0.12                 | 1.69                | 84                  | 0.18                | 11.30               | 152                  | 1.6                  |
| I100490            |                                   | 0.082              | 0.15                 | 1.35                | 64                  | 0.17                | 8.31                | 146                  | 0.8                  |
| I100501            |                                   | 0.014              | 0.18                 | 1.92                | 71                  | 0.17                | 10.75               | 153                  | 1.9                  |
| I100502            |                                   | 0.032              | 0.12                 | 1.14                | 68                  | 0.16                | 7.34                | 77                   | 0.7                  |
| I100503            |                                   | 0.041              | 0.14                 | 0.93                | 91                  | 0.17                | 5.82                | 118                  | 1.1                  |
| I100504            |                                   | 0.041              | 0.16                 | 1.80                | 78                  | 0.17                | 9.35                | 94                   | 0.9                  |
| I100505            |                                   | 0.050              | 0.14                 | 1.72                | 70                  | 0.15                | 9.17                | 138                  | 1.1                  |
| I100506            |                                   | 0.042              | 0.10                 | 1.41                | 57                  | 0.13                | 7.47                | 103                  | 0.5                  |
| I100507            |                                   | 0.036              | 0.11                 | 1.18                | 61                  | 0.13                | 6.44                | 106                  | 0.8                  |
| I100508            |                                   | 0.039              | 0.09                 | 1.14                | 58                  | 0.15                | 7.06                | 171                  | 0.8                  |
| I100509            |                                   |                    |                      |                     |                     |                     |                     |                      |                      |
| I100510            |                                   | 0.052              | 0.10                 | 0.81                | 63                  | 0.12                | 4.82                | 167                  | 0.6                  |
| I100511            |                                   | 0.054              | 0.09                 | 0.77                | 52                  | 0.38                | 4.79                | 149                  | 0.6                  |
| I100512            |                                   | 0.044              | 0.08                 | 0.89                | 53                  | 0.12                | 4.60                | 118                  | <0.5                 |
| I100513            |                                   | 0.105              | 0.11                 | 0.34                | 95                  | 0.17                | 2.22                | 45                   | 3.8                  |
| I100514            |                                   | 0.103              | 0.13                 | 0.54                | 94                  | 0.19                | 3.84                | 111                  | 5.8                  |
| I100515            |                                   | 0.113              | 0.14                 | 0.47                | 83                  | 0.15                | 3.22                | 58                   | 6.7                  |
| I100516            |                                   | 0.048              | 0.09                 | 2.06                | 53                  | 0.15                | 6.80                | 59                   | 1.8                  |
| I100517            |                                   | 0.041              | 0.07                 | 0.97                | 52                  | 0.14                | 6.44                | 51                   | <0.5                 |
| I100518            |                                   | 0.081              | 0.07                 | 0.50                | 66                  | 0.15                | 6.85                | 35                   | 1.1                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100519            |                                   | 0.54                      | <0.005               | 0.24                 | 2.18               | 5.3                  | <0.2                 | <10                 | 190                  | 0.35                 | 0.20                 | 0.37               | 0.10                 | 25.7                 | 10.4                 | 52                   |
| I100520            |                                   | 0.48                      | <0.005               | 0.22                 | 1.55               | 3.1                  | <0.2                 | <10                 | 190                  | 0.40                 | 0.16                 | 0.67               | 0.21                 | 25.3                 | 10.0                 | 38                   |
| I100521            |                                   | 0.60                      | 0.007                | 0.08                 | 1.80               | 6.7                  | <0.2                 | <10                 | 180                  | 0.42                 | 0.12                 | 0.71               | 0.14                 | 18.90                | 12.7                 | 26                   |
| I100522            |                                   | 0.58                      | 0.006                | 0.08                 | 2.07               | 6.2                  | <0.2                 | <10                 | 170                  | 0.38                 | 0.16                 | 0.53               | 0.13                 | 15.30                | 12.6                 | 27                   |
| I100523            |                                   | 0.44                      | 0.009                | 0.11                 | 2.25               | 5.7                  | <0.2                 | <10                 | 200                  | 0.55                 | 0.15                 | 0.55               | 0.07                 | 19.70                | 14.2                 | 30                   |
| I100524            |                                   | 0.36                      | <0.005               | 0.14                 | 2.14               | 4.2                  | <0.2                 | <10                 | 230                  | 0.51                 | 0.13                 | 0.66               | 0.16                 | 20.9                 | 15.6                 | 23                   |
| I100525            |                                   | 0.48                      | <0.005               | 0.10                 | 1.90               | 3.4                  | <0.2                 | <10                 | 210                  | 0.43                 | 0.12                 | 0.93               | 0.20                 | 15.50                | 11.6                 | 22                   |
| I100526            |                                   | 0.42                      | <0.005               | 0.09                 | 1.91               | 3.4                  | <0.2                 | <10                 | 220                  | 0.54                 | 0.12                 | 0.91               | 0.22                 | 17.60                | 12.1                 | 23                   |
| I100527            |                                   | 0.38                      | <0.005               | 0.09                 | 2.08               | 4.4                  | <0.2                 | <10                 | 200                  | 0.46                 | 0.13                 | 0.51               | 0.15                 | 18.45                | 11.3                 | 26                   |
| I100528            |                                   | 0.36                      | <0.005               | 0.16                 | 2.17               | 4.2                  | <0.2                 | <10                 | 300                  | 0.42                 | 0.13                 | 1.28               | 0.34                 | 22.3                 | 8.7                  | 29                   |
| I100529            |                                   | 0.46                      | <0.005               | 0.11                 | 1.62               | 4.9                  | <0.2                 | <10                 | 180                  | 0.40                 | 0.13                 | 0.30               | 0.17                 | 15.20                | 9.3                  | 23                   |
| I100530            |                                   | 0.38                      | <0.005               | 0.13                 | 1.74               | 4.5                  | <0.2                 | <10                 | 220                  | 0.38                 | 0.23                 | 0.52               | 0.13                 | 15.20                | 13.3                 | 24                   |
| I100531            |                                   | 0.32                      | <0.005               | 0.14                 | 1.66               | 4.6                  | <0.2                 | <10                 | 280                  | 0.67                 | 0.15                 | 1.34               | 0.31                 | 19.00                | 11.6                 | 21                   |
| I100532            |                                   | 0.46                      | <0.005               | 0.07                 | 2.11               | 8.1                  | <0.2                 | <10                 | 200                  | 0.43                 | 0.14                 | 0.55               | 0.11                 | 15.30                | 16.6                 | 31                   |
| I100533            |                                   | 0.58                      | <0.005               | 0.05                 | 2.11               | 6.8                  | <0.2                 | <10                 | 190                  | 0.52                 | 0.24                 | 0.38               | 0.06                 | 16.75                | 13.0                 | 40                   |
| I100534            |                                   | 0.52                      | <0.005               | 0.05                 | 2.22               | 7.4                  | <0.2                 | <10                 | 150                  | 0.42                 | 0.13                 | 0.31               | 0.08                 | 14.00                | 15.6                 | 35                   |
| I100535            |                                   | 0.46                      | <0.005               | 0.14                 | 2.15               | 8.8                  | <0.2                 | <10                 | 150                  | 0.33                 | 0.17                 | 0.23               | 0.17                 | 12.95                | 10.7                 | 31                   |
| I100536            |                                   | 0.44                      | <0.005               | 0.05                 | 2.40               | 14.6                 | <0.2                 | <10                 | 130                  | 0.29                 | 0.20                 | 0.16               | 0.14                 | 13.55                | 11.4                 | 32                   |
| I100537            |                                   | 0.44                      | <0.005               | 0.12                 | 2.27               | 11.7                 | <0.2                 | <10                 | 150                  | 0.30                 | 0.20                 | 0.15               | 0.13                 | 15.10                | 10.2                 | 28                   |
| I100538            |                                   | 0.44                      | <0.005               | 0.38                 | 2.44               | 67.7                 | <0.2                 | <10                 | 180                  | 0.35                 | 0.25                 | 0.16               | 0.37                 | 22.4                 | 10.5                 | 42                   |
| I100539            |                                   | 0.50                      | <0.005               | 0.37                 | 2.89               | 120.5                | <0.2                 | <10                 | 280                  | 0.45                 | 0.32                 | 0.18               | 0.33                 | 33.3                 | 15.3                 | 106                  |
| I100540            |                                   | 0.40                      | <0.005               | 0.19                 | 2.66               | 90.7                 | <0.2                 | <10                 | 200                  | 0.48                 | 0.21                 | 0.17               | 0.32                 | 21.3                 | 12.3                 | 45                   |
| I100541            |                                   | 0.46                      | <0.005               | 0.26                 | 2.55               | 76.8                 | <0.2                 | <10                 | 270                  | 0.54                 | 0.23                 | 0.22               | 0.41                 | 28.5                 | 14.0                 | 37                   |
| I100542            |                                   | 0.38                      | <0.005               | 0.17                 | 1.36               | 4.5                  | <0.2                 | <10                 | 120                  | 0.16                 | 0.19                 | 0.20               | 0.10                 | 8.54                 | 8.1                  | 17                   |
| I100543            |                                   | 0.36                      | <0.005               | 0.40                 | 1.76               | 7.4                  | <0.2                 | <10                 | 170                  | 0.44                 | 0.36                 | 0.30               | 0.13                 | 12.80                | 8.6                  | 27                   |
| I100544            |                                   | 0.38                      | <0.005               | 0.13                 | 2.15               | 9.4                  | <0.2                 | <10                 | 210                  | 0.29                 | 0.17                 | 0.55               | 0.17                 | 15.40                | 10.1                 | 24                   |
| I100545            |                                   | 0.50                      | 0.008                | 0.13                 | 2.47               | 21.0                 | <0.2                 | <10                 | 230                  | 0.44                 | 0.21                 | 0.45               | 0.17                 | 30.6                 | 11.6                 | 30                   |
| I100546            |                                   | 0.40                      | 0.005                | 0.13                 | 2.11               | 28.5                 | <0.2                 | <10                 | 210                  | 0.37                 | 0.19                 | 0.76               | 0.27                 | 26.4                 | 11.6                 | 26                   |
| I100547            |                                   | 0.38                      | <0.005               | 0.13                 | 1.78               | 49.6                 | <0.2                 | <10                 | 120                  | 0.20                 | 0.17                 | 0.61               | 0.19                 | 20.4                 | 12.0                 | 30                   |
| I100548            |                                   | 0.42                      | <0.005               | 0.19                 | 1.72               | 47.8                 | <0.2                 | <10                 | 190                  | 0.30                 | 0.14                 | 0.80               | 0.22                 | 24.9                 | 11.3                 | 28                   |
| I100549            |                                   | 0.44                      | <0.005               | 0.22                 | 2.20               | 75.6                 | <0.2                 | <10                 | 290                  | 0.46                 | 0.20                 | 0.73               | 0.25                 | 30.1                 | 17.7                 | 34                   |
| I100550            |                                   | 0.50                      | <0.005               | 0.15                 | 2.14               | 85.8                 | <0.2                 | <10                 | 250                  | 0.38                 | 0.19                 | 0.54               | 0.21                 | 25.0                 | 16.1                 | 33                   |
| I100551            |                                   | 0.40                      | <0.005               | 0.87                 | 2.41               | 8.0                  | <0.2                 | <10                 | 180                  | 0.42                 | 0.16                 | 0.22               | 0.20                 | 23.8                 | 10.9                 | 30                   |
| I100552            |                                   | 0.46                      | <0.005               | 0.14                 | 1.52               | 5.6                  | <0.2                 | <10                 | 210                  | 0.29                 | 0.14                 | 0.21               | 0.13                 | 25.3                 | 7.6                  | 21                   |
| I100553            |                                   | 0.62                      | <0.005               | 0.37                 | 2.06               | 6.4                  | <0.2                 | <10                 | 260                  | 0.40                 | 0.11                 | 0.51               | 0.14                 | 75.4                 | 11.3                 | 23                   |
| I100554            |                                   | 0.52                      | <0.005               | 0.36                 | 2.60               | 3.6                  | <0.2                 | <10                 | 250                  | 0.46                 | 0.08                 | 0.49               | 0.16                 | 122.5                | 11.5                 | 18                   |
| I100555            |                                   | 0.50                      | <0.005               | 0.17                 | 1.85               | 5.9                  | <0.2                 | <10                 | 270                  | 0.35                 | 0.12                 | 0.74               | 0.23                 | 57.9                 | 8.7                  | 23                   |
| I100556            |                                   | 0.34                      | <0.005               | 0.18                 | 2.37               | 8.9                  | <0.2                 | <10                 | 300                  | 0.41                 | 0.17                 | 0.41               | 0.14                 | 44.0                 | 14.6                 | 32                   |
| I100557            |                                   | 0.38                      | <0.005               | 0.17                 | 2.00               | 8.2                  | <0.2                 | <10                 | 230                  | 0.40                 | 0.14                 | 0.24               | 0.12                 | 24.6                 | 10.6                 | 33                   |
| I100558            |                                   | 0.54                      | <0.005               | 0.10                 | 2.22               | 9.1                  | <0.2                 | <10                 | 240                  | 0.45                 | 0.13                 | 0.29               | 0.05                 | 33.7                 | 11.7                 | 32                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 4 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100519            |                                   | 2.06    | 17.8    | 2.97    | 9.27    | 0.06    | 0.02    | 0.02    | 0.034   | 0.07    | 14.7    | 13.7    | 1.14    | 323     | 1.25    |
| I100520            |                                   | 1.50    | 24.8    | 1.97    | 5.85    | 0.07    | 0.03    | 0.04    | 0.029   | 0.05    | 13.0    | 10.9    | 0.70    | 488     | 0.88    |
| I100521            |                                   | 0.55    | 20.6    | 2.37    | 5.76    | 0.06    | 0.06    | 0.04    | 0.022   | 0.04    | 8.7     | 12.3    | 0.52    | 403     | 0.74    |
| I100522            |                                   | 0.56    | 17.4    | 2.56    | 6.91    | 0.06    | 0.04    | 0.04    | 0.022   | 0.04    | 7.3     | 13.0    | 0.67    | 347     | 0.79    |
| I100523            |                                   | 0.73    | 21.2    | 2.96    | 7.14    | 0.07    | 0.04    | 0.05    | 0.026   | 0.03    | 9.8     | 12.4    | 0.61    | 356     | 0.69    |
| I100524            |                                   | 0.75    | 20.7    | 2.64    | 6.86    | 0.06    | 0.04    | 0.07    | 0.024   | 0.03    | 10.6    | 11.0    | 0.57    | 755     | 0.73    |
| I100525            |                                   | 0.63    | 22.0    | 2.39    | 6.18    | 0.06    | 0.03    | 0.06    | 0.021   | 0.03    | 8.0     | 10.0    | 0.55    | 604     | 0.61    |
| I100526            |                                   | 0.59    | 26.3    | 2.45    | 6.26    | 0.06    | 0.02    | 0.07    | 0.023   | 0.04    | 8.8     | 10.1    | 0.56    | 832     | 0.62    |
| I100527            |                                   | 0.64    | 21.9    | 2.79    | 6.67    | 0.06    | 0.03    | 0.04    | 0.022   | 0.04    | 9.4     | 11.1    | 0.59    | 367     | 0.77    |
| I100528            |                                   | 0.62    | 22.3    | 2.52    | 5.97    | 0.06    | 0.05    | 0.06    | 0.027   | 0.05    | 12.1    | 9.1     | 0.46    | 348     | 0.93    |
| I100529            |                                   | 0.63    | 22.6    | 2.17    | 5.73    | 0.05    | <0.02   | 0.05    | 0.021   | 0.03    | 7.5     | 9.7     | 0.39    | 285     | 0.76    |
| I100530            |                                   | 0.67    | 26.1    | 2.28    | 5.88    | 0.05    | 0.02    | 0.05    | 0.020   | 0.04    | 7.6     | 9.9     | 0.45    | 475     | 1.05    |
| I100531            |                                   | 0.59    | 34.4    | 2.01    | 4.70    | 0.06    | 0.05    | 0.08    | 0.018   | 0.04    | 10.0    | 8.1     | 0.39    | 608     | 0.83    |
| I100532            |                                   | 0.84    | 19.6    | 3.17    | 6.82    | 0.07    | 0.07    | 0.04    | 0.024   | 0.04    | 7.3     | 12.9    | 0.71    | 578     | 1.12    |
| I100533            |                                   | 0.84    | 22.9    | 3.08    | 6.64    | 0.07    | 0.05    | 0.02    | 0.021   | 0.04    | 8.6     | 12.4    | 0.79    | 349     | 0.91    |
| I100534            |                                   | 0.85    | 19.0    | 3.34    | 6.86    | 0.07    | 0.04    | 0.02    | 0.022   | 0.05    | 6.6     | 12.4    | 0.87    | 548     | 0.76    |
| I100535            |                                   | 0.81    | 20.7    | 3.19    | 7.80    | 0.05    | 0.04    | 0.02    | 0.023   | 0.05    | 6.1     | 10.7    | 0.66    | 360     | 0.92    |
| I100536            |                                   | 1.01    | 17.6    | 3.50    | 8.88    | 0.06    | 0.06    | 0.02    | 0.025   | 0.04    | 6.4     | 13.6    | 0.70    | 331     | 1.14    |
| I100537            |                                   | 1.32    | 16.9    | 3.08    | 8.75    | 0.05    | 0.05    | 0.02    | 0.026   | 0.04    | 7.1     | 14.2    | 0.46    | 245     | 1.16    |
| I100538            |                                   | 1.13    | 26.7    | 3.35    | 8.72    | 0.06    | 0.05    | 0.04    | 0.030   | 0.04    | 10.8    | 13.5    | 0.48    | 305     | 1.65    |
| I100539            |                                   | 1.98    | 45.4    | 4.26    | 9.89    | 0.09    | 0.04    | 0.02    | 0.043   | 0.04    | 17.4    | 16.0    | 0.99    | 425     | 2.98    |
| I100540            |                                   | 1.27    | 32.9    | 3.48    | 8.06    | 0.06    | 0.07    | 0.04    | 0.033   | 0.05    | 10.0    | 14.8    | 0.56    | 352     | 1.58    |
| I100541            |                                   | 1.42    | 46.2    | 3.37    | 7.81    | 0.07    | 0.03    | 0.03    | 0.034   | 0.04    | 15.1    | 14.4    | 0.51    | 425     | 2.10    |
| I100542            |                                   | 0.57    | 11.1    | 2.24    | 6.40    | <0.05   | 0.02    | 0.01    | 0.014   | 0.05    | 4.3     | 5.6     | 0.40    | 399     | 1.15    |
| I100543            |                                   | 1.29    | 22.1    | 3.00    | 7.40    | 0.06    | 0.02    | 0.05    | 0.061   | 0.07    | 6.6     | 8.0     | 0.65    | 255     | 1.15    |
| I100544            |                                   | 1.41    | 20.9    | 3.38    | 7.37    | 0.06    | 0.02    | 0.02    | 0.024   | 0.08    | 7.1     | 14.8    | 0.76    | 384     | 0.86    |
| I100545            |                                   | 1.54    | 26.5    | 3.40    | 7.66    | 0.07    | 0.03    | 0.06    | 0.031   | 0.10    | 14.5    | 18.5    | 0.70    | 421     | 0.93    |
| I100546            |                                   | 1.25    | 25.4    | 3.25    | 7.00    | 0.07    | 0.02    | 0.04    | 0.027   | 0.07    | 12.2    | 15.6    | 0.70    | 441     | 0.97    |
| I100547            |                                   | 1.09    | 23.7    | 2.77    | 6.16    | 0.06    | 0.02    | 0.04    | 0.025   | 0.06    | 9.2     | 14.1    | 0.64    | 464     | 1.19    |
| I100548            |                                   | 1.22    | 27.0    | 2.98    | 5.92    | 0.07    | 0.02    | 0.04    | 0.024   | 0.07    | 11.4    | 13.9    | 0.68    | 431     | 1.17    |
| I100549            |                                   | 1.79    | 44.8    | 3.48    | 7.24    | 0.07    | 0.03    | 0.04    | 0.033   | 0.07    | 13.8    | 19.9    | 0.72    | 844     | 1.62    |
| I100550            |                                   | 1.41    | 40.7    | 3.45    | 6.89    | 0.07    | 0.03    | 0.03    | 0.031   | 0.06    | 11.8    | 19.6    | 0.75    | 463     | 1.63    |
| I100551            |                                   | 0.90    | 13.3    | 3.22    | 8.18    | 0.06    | <0.02   | 0.02    | 0.026   | 0.08    | 10.6    | 17.6    | 0.53    | 635     | 1.05    |
| I100552            |                                   | 0.85    | 10.5    | 2.77    | 7.49    | 0.06    | 0.03    | 0.02    | 0.018   | 0.15    | 11.8    | 18.1    | 0.46    | 427     | 0.91    |
| I100553            |                                   | 1.13    | 18.4    | 3.06    | 7.60    | 0.10    | 0.03    | 0.04    | 0.019   | 0.20    | 49.3    | 26.4    | 0.64    | 804     | 0.79    |
| I100554            |                                   | 1.41    | 22.7    | 3.46    | 9.32    | 0.13    | 0.04    | 0.04    | 0.017   | 0.49    | 77.2    | 33.9    | 0.79    | 969     | 0.69    |
| I100555            |                                   | 0.85    | 22.7    | 2.69    | 6.45    | 0.08    | 0.04    | 0.04    | 0.020   | 0.19    | 32.1    | 23.3    | 0.60    | 484     | 0.71    |
| I100556            |                                   | 0.85    | 24.0    | 3.40    | 7.72    | 0.08    | 0.05    | 0.06    | 0.031   | 0.15    | 22.3    | 22.7    | 0.60    | 813     | 1.17    |
| I100557            |                                   | 0.65    | 17.9    | 2.86    | 6.35    | 0.05    | 0.04    | 0.02    | 0.025   | 0.07    | 11.1    | 18.2    | 0.48    | 649     | 0.79    |
| I100558            |                                   | 0.67    | 19.0    | 3.27    | 7.32    | 0.07    | 0.03    | 0.02    | 0.026   | 0.13    | 15.7    | 18.8    | 0.57    | 425     | 0.98    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100519            |                                   | 0.97    | 41.4    | 450     | 7.7     | 24.0    | <0.001  | 0.01    | 0.24    | 4.5     | 0.4     | 1.3     | 23.5    | <0.01   | 0.02    |
| I100520            |                                   | 0.59    | 28.5    | 710     | 7.5     | 11.6    | <0.001  | 0.05    | 0.18    | 3.7     | 0.8     | 0.7     | 29.1    | <0.01   | 0.03    |
| I100521            |                                   | 1.01    | 18.9    | 520     | 5.9     | 6.3     | <0.001  | 0.04    | 0.31    | 5.2     | 0.5     | 0.6     | 41.5    | <0.01   | 0.03    |
| I100522            |                                   | 0.92    | 17.9    | 520     | 7.0     | 6.7     | <0.001  | 0.04    | 0.30    | 6.0     | 0.6     | 0.7     | 36.2    | <0.01   | 0.03    |
| I100523            |                                   | 0.97    | 18.7    | 530     | 6.1     | 6.8     | <0.001  | 0.03    | 0.34    | 6.6     | 0.5     | 0.5     | 36.0    | <0.01   | 0.04    |
| I100524            |                                   | 0.88    | 17.1    | 690     | 5.1     | 7.2     | <0.001  | 0.06    | 0.35    | 6.2     | 0.7     | 0.5     | 46.1    | <0.01   | 0.02    |
| I100525            |                                   | 0.69    | 17.0    | 680     | 4.6     | 6.2     | <0.001  | 0.05    | 0.34    | 4.4     | 0.7     | 0.4     | 61.2    | <0.01   | 0.03    |
| I100526            |                                   | 0.68    | 19.4    | 650     | 4.6     | 5.7     | <0.001  | 0.04    | 0.33    | 4.2     | 0.7     | 0.4     | 61.4    | <0.01   | 0.03    |
| I100527            |                                   | 0.88    | 16.9    | 600     | 5.3     | 5.2     | <0.001  | 0.03    | 0.26    | 5.3     | 0.5     | 0.5     | 36.7    | <0.01   | 0.03    |
| I100528            |                                   | 0.96    | 18.3    | 940     | 5.3     | 5.5     | <0.001  | 0.06    | 0.44    | 5.4     | 1.0     | 0.4     | 84.8    | <0.01   | 0.03    |
| I100529            |                                   | 0.70    | 15.1    | 450     | 5.7     | 6.4     | <0.001  | 0.02    | 0.24    | 3.4     | 0.4     | 0.4     | 27.1    | <0.01   | 0.03    |
| I100530            |                                   | 0.80    | 17.0    | 670     | 14.0    | 5.8     | <0.001  | 0.04    | 0.26    | 3.6     | 0.6     | 0.4     | 39.6    | <0.01   | 0.03    |
| I100531            |                                   | 0.74    | 20.5    | 830     | 5.3     | 5.9     | <0.001  | 0.09    | 0.47    | 3.6     | 1.0     | 0.3     | 78.9    | <0.01   | 0.03    |
| I100532            |                                   | 0.89    | 18.6    | 530     | 5.6     | 6.4     | <0.001  | 0.02    | 0.30    | 5.9     | 0.5     | 0.4     | 36.5    | <0.01   | 0.03    |
| I100533            |                                   | 0.81    | 20.3    | 450     | 4.9     | 7.2     | <0.001  | 0.01    | 0.28    | 6.1     | 0.4     | 0.4     | 29.1    | <0.01   | 0.02    |
| I100534            |                                   | 0.83    | 17.3    | 440     | 5.0     | 8.2     | <0.001  | <0.01   | 0.26    | 4.8     | 0.4     | 0.4     | 24.8    | <0.01   | 0.02    |
| I100535            |                                   | 1.13    | 16.8    | 490     | 6.9     | 10.2    | <0.001  | 0.01    | 0.33    | 4.3     | 0.3     | 0.5     | 21.4    | <0.01   | 0.02    |
| I100536            |                                   | 1.07    | 16.9    | 250     | 7.5     | 10.1    | <0.001  | <0.01   | 0.41    | 4.3     | 0.3     | 0.6     | 16.4    | <0.01   | 0.02    |
| I100537            |                                   | 1.58    | 18.3    | 260     | 9.1     | 9.6     | <0.001  | 0.01    | 0.45    | 3.8     | 0.4     | 0.7     | 18.4    | 0.01    | 0.04    |
| I100538            |                                   | 1.19    | 26.1    | 310     | 25.5    | 10.6    | <0.001  | <0.01   | 0.71    | 4.9     | 0.6     | 0.8     | 17.2    | <0.01   | 0.05    |
| I100539            |                                   | 0.98    | 94.9    | 410     | 29.6    | 11.5    | <0.001  | <0.01   | 1.12    | 5.8     | 1.1     | 0.7     | 18.5    | <0.01   | 0.06    |
| I100540            |                                   | 1.50    | 32.2    | 380     | 42.6    | 10.0    | <0.001  | 0.01    | 0.83    | 5.3     | 0.7     | 0.7     | 17.5    | 0.01    | 0.05    |
| I100541            |                                   | 1.13    | 40.6    | 600     | 42.8    | 10.0    | <0.001  | 0.01    | 1.17    | 4.9     | 1.0     | 0.6     | 19.6    | <0.01   | 0.05    |
| I100542            |                                   | 0.92    | 8.8     | 220     | 7.8     | 7.4     | <0.001  | 0.01    | 0.21    | 2.4     | 0.2     | 0.5     | 16.1    | <0.01   | 0.03    |
| I100543            |                                   | 0.90    | 12.2    | 570     | 11.4    | 15.6    | <0.001  | 0.04    | 0.23    | 3.0     | 0.5     | 0.5     | 27.8    | <0.01   | 0.04    |
| I100544            |                                   | 1.11    | 15.4    | 450     | 9.2     | 12.3    | <0.001  | <0.01   | 0.35    | 4.1     | 0.4     | 0.6     | 38.4    | <0.01   | 0.03    |
| I100545            |                                   | 1.25    | 21.1    | 570     | 13.6    | 15.1    | <0.001  | <0.01   | 0.42    | 5.6     | 0.5     | 0.7     | 35.8    | <0.01   | 0.04    |
| I100546            |                                   | 1.14    | 18.9    | 640     | 15.0    | 11.3    | <0.001  | 0.02    | 0.42    | 4.9     | 0.6     | 0.6     | 44.8    | <0.01   | 0.04    |
| I100547            |                                   | 1.09    | 21.3    | 750     | 21.8    | 9.9     | 0.001   | 0.03    | 0.47    | 3.9     | 0.7     | 0.5     | 35.4    | <0.01   | 0.04    |
| I100548            |                                   | 0.95    | 22.3    | 870     | 13.1    | 11.6    | 0.002   | 0.04    | 0.56    | 5.1     | 1.1     | 0.6     | 46.2    | <0.01   | 0.04    |
| I100549            |                                   | 1.11    | 29.9    | 860     | 17.6    | 12.8    | 0.001   | 0.03    | 0.69    | 6.0     | 1.2     | 0.5     | 48.7    | <0.01   | 0.06    |
| I100550            |                                   | 1.15    | 30.1    | 760     | 13.4    | 10.9    | <0.001  | 0.02    | 0.78    | 5.4     | 1.0     | 0.6     | 36.7    | <0.01   | 0.05    |
| I100551            |                                   | 1.60    | 20.5    | 450     | 9.7     | 17.5    | <0.001  | <0.01   | 0.60    | 3.2     | 0.3     | 0.8     | 23.3    | <0.01   | 0.05    |
| I100552            |                                   | 2.83    | 15.2    | 480     | 7.6     | 26.7    | <0.001  | <0.01   | 0.39    | 2.6     | 0.3     | 0.6     | 21.4    | <0.01   | 0.03    |
| I100553            |                                   | 3.60    | 15.6    | 650     | 6.9     | 38.4    | <0.001  | 0.01    | 0.27    | 4.1     | 0.5     | 0.6     | 36.3    | <0.01   | 0.03    |
| I100554            |                                   | 4.55    | 14.7    | 780     | 5.7     | 62.2    | <0.001  | <0.01   | 0.28    | 4.5     | 0.5     | 0.6     | 35.5    | <0.01   | 0.03    |
| I100555            |                                   | 3.13    | 18.4    | 510     | 6.4     | 27.0    | <0.001  | 0.02    | 0.49    | 4.3     | 0.6     | 0.5     | 48.7    | <0.01   | 0.03    |
| I100556            |                                   | 2.96    | 20.5    | 670     | 8.6     | 19.3    | <0.001  | <0.01   | 0.53    | 5.2     | 0.7     | 0.6     | 33.3    | <0.01   | 0.04    |
| I100557            |                                   | 1.46    | 23.5    | 590     | 8.1     | 9.6     | <0.001  | <0.01   | 0.51    | 3.2     | 0.3     | 0.6     | 23.0    | <0.01   | 0.03    |
| I100558            |                                   | 1.84    | 23.9    | 400     | 8.0     | 12.4    | <0.001  | <0.01   | 0.51    | 4.8     | 0.3     | 0.6     | 25.1    | <0.01   | 0.03    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      | Zr      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       | 0.5     |
| I100519            |                                   | 0.097   | 0.19    | 0.76    | 66      | 0.09    | 8.47    | 56      | 0.8     |
| I100520            |                                   | 0.051   | 0.10    | 0.72    | 37      | 0.06    | 10.25   | 43      | 1.2     |
| I100521            |                                   | 0.078   | 0.06    | 0.64    | 60      | 0.09    | 6.85    | 45      | 2.3     |
| I100522            |                                   | 0.069   | 0.05    | 0.56    | 69      | 0.09    | 5.60    | 49      | 1.6     |
| I100523            |                                   | 0.083   | 0.08    | 0.70    | 71      | 0.14    | 9.11    | 46      | 2.1     |
| I100524            |                                   | 0.065   | 0.08    | 0.85    | 64      | 0.10    | 11.40   | 45      | 1.5     |
| I100525            |                                   | 0.057   | 0.06    | 0.64    | 56      | 0.10    | 8.15    | 49      | 0.9     |
| I100526            |                                   | 0.057   | 0.05    | 0.68    | 57      | 0.08    | 8.83    | 53      | 0.8     |
| I100527            |                                   | 0.071   | 0.05    | 0.73    | 65      | 0.10    | 7.81    | 46      | 1.2     |
| I100528            |                                   | 0.065   | 0.06    | 1.42    | 54      | 0.09    | 12.50   | 51      | 1.9     |
| I100529            |                                   | 0.064   | 0.05    | 0.67    | 51      | 0.09    | 5.45    | 37      | 0.6     |
| I100530            |                                   | 0.065   | 0.07    | 0.71    | 56      | 0.11    | 5.49    | 48      | 0.9     |
| I100531            |                                   | 0.052   | 0.06    | 0.71    | 43      | 0.07    | 11.90   | 40      | 1.9     |
| I100532            |                                   | 0.081   | 0.07    | 0.65    | 75      | 0.09    | 5.95    | 47      | 2.5     |
| I100533            |                                   | 0.097   | 0.07    | 0.69    | 72      | 0.10    | 6.43    | 49      | 2.1     |
| I100534            |                                   | 0.105   | 0.07    | 0.49    | 75      | 0.10    | 4.24    | 52      | 1.7     |
| I100535            |                                   | 0.099   | 0.08    | 0.46    | 74      | 0.13    | 3.39    | 52      | 1.6     |
| I100536            |                                   | 0.118   | 0.09    | 0.35    | 89      | 0.13    | 2.71    | 52      | 2.2     |
| I100537            |                                   | 0.104   | 0.10    | 0.41    | 78      | 0.14    | 3.14    | 39      | 2.3     |
| I100538            |                                   | 0.080   | 0.13    | 0.60    | 84      | 0.15    | 4.88    | 64      | 2.3     |
| I100539            |                                   | 0.054   | 0.18    | 0.87    | 99      | 0.15    | 11.75   | 126     | 1.2     |
| I100540            |                                   | 0.089   | 0.13    | 0.80    | 80      | 0.25    | 5.66    | 62      | 3.4     |
| I100541            |                                   | 0.056   | 0.14    | 0.93    | 76      | 0.26    | 11.95   | 90      | 1.0     |
| I100542            |                                   | 0.088   | 0.08    | 0.26    | 61      | 0.14    | 2.20    | 35      | 0.7     |
| I100543            |                                   | 0.110   | 0.10    | 0.90    | 76      | 0.11    | 4.11    | 48      | 1.0     |
| I100544            |                                   | 0.112   | 0.10    | 0.43    | 77      | 0.12    | 4.38    | 64      | 0.8     |
| I100545            |                                   | 0.102   | 0.10    | 0.83    | 75      | 0.14    | 7.92    | 63      | 1.0     |
| I100546            |                                   | 0.086   | 0.09    | 0.84    | 74      | 0.15    | 6.90    | 60      | 0.9     |
| I100547            |                                   | 0.081   | 0.09    | 0.55    | 68      | 0.13    | 5.20    | 63      | 0.6     |
| I100548            |                                   | 0.073   | 0.10    | 0.65    | 67      | 0.13    | 9.54    | 63      | 0.7     |
| I100549            |                                   | 0.079   | 0.12    | 0.92    | 76      | 0.15    | 10.60   | 79      | 0.8     |
| I100550            |                                   | 0.085   | 0.11    | 0.90    | 75      | 0.13    | 7.12    | 76      | 0.9     |
| I100551            |                                   | 0.081   | 0.12    | 0.43    | 74      | 0.17    | 2.52    | 68      | <0.5    |
| I100552            |                                   | 0.112   | 0.13    | 0.30    | 62      | 0.15    | 2.66    | 46      | 1.4     |
| I100553            |                                   | 0.125   | 0.17    | 1.33    | 62      | 0.14    | 8.76    | 58      | 1.0     |
| I100554            |                                   | 0.159   | 0.26    | 2.12    | 60      | 0.14    | 11.40   | 78      | 1.7     |
| I100555            |                                   | 0.108   | 0.12    | 1.07    | 52      | 0.15    | 9.87    | 62      | 1.6     |
| I100556            |                                   | 0.119   | 0.11    | 0.78    | 69      | 0.20    | 5.96    | 59      | 2.5     |
| I100557            |                                   | 0.085   | 0.09    | 0.30    | 67      | 0.14    | 2.50    | 70      | 1.8     |
| I100558            |                                   | 0.114   | 0.13    | 0.40    | 70      | 0.18    | 3.62    | 52      | 1.9     |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100559            |                                   | 0.64                      | <0.005               | 0.10                 | 2.02               | 8.7                  | <0.2                 | <10                 | 210                  | 0.43                 | 0.13                 | 0.25               | 0.05                 | 32.2                 | 10.0                 | 34                   |
| I100560            |                                   | 0.46                      | <0.005               | 0.14                 | 2.15               | 7.0                  | <0.2                 | <10                 | 350                  | 0.50                 | 0.13                 | 0.78               | 0.13                 | 49.0                 | 9.3                  | 27                   |
| I100561            |                                   | 0.54                      | <0.005               | 0.04                 | 1.78               | 8.6                  | <0.2                 | <10                 | 180                  | 0.32                 | 0.12                 | 0.24               | 0.17                 | 26.2                 | 8.8                  | 25                   |
| I100562            |                                   | 0.50                      | <0.005               | 0.03                 | 1.79               | 5.4                  | <0.2                 | <10                 | 120                  | 0.27                 | 0.12                 | 0.13               | 0.05                 | 17.55                | 7.5                  | 19                   |
| I100563            |                                   | 0.58                      | <0.005               | 0.06                 | 2.42               | 3.9                  | <0.2                 | <10                 | 160                  | 0.46                 | 0.17                 | 0.35               | 0.11                 | 43.7                 | 7.6                  | 15                   |
| I100564            |                                   | 0.56                      | <0.005               | 0.05                 | 1.97               | 7.9                  | <0.2                 | <10                 | 230                  | 0.30                 | 0.21                 | 0.17               | 0.09                 | 17.20                | 9.1                  | 28                   |
| I100565            |                                   | 0.52                      | <0.005               | 0.06                 | 1.60               | 7.3                  | <0.2                 | <10                 | 260                  | 0.24                 | 0.16                 | 0.23               | 0.08                 | 16.45                | 8.6                  | 27                   |
| I100566            |                                   | 0.52                      | <0.005               | 0.02                 | 1.59               | 9.1                  | <0.2                 | <10                 | 100                  | 0.22                 | 0.17                 | 0.16               | 0.10                 | 22.5                 | 6.1                  | 18                   |
| I100567            |                                   | 0.70                      | 0.022                | 0.05                 | 2.01               | 6.6                  | <0.2                 | <10                 | 190                  | 0.29                 | 0.13                 | 0.30               | 0.06                 | 32.8                 | 8.7                  | 21                   |
| I100568            |                                   | 0.52                      | 0.006                | 0.14                 | 2.19               | 6.1                  | <0.2                 | <10                 | 250                  | 0.37                 | 0.10                 | 0.44               | 0.13                 | 70.1                 | 11.2                 | 24                   |
| I100569            |                                   | 0.52                      | 0.005                | 0.23                 | 2.07               | 6.5                  | <0.2                 | <10                 | 230                  | 0.71                 | 0.15                 | 0.55               | 0.11                 | 158.0                | 8.7                  | 27                   |
| I100570            |                                   | 0.52                      | <0.005               | 0.10                 | 1.77               | 9.2                  | <0.2                 | <10                 | 150                  | 0.23                 | 0.14                 | 0.19               | 0.10                 | 24.6                 | 7.4                  | 31                   |
| I100571            |                                   | 0.56                      | <0.005               | 0.21                 | 2.13               | 8.2                  | 0.3                  | <10                 | 350                  | 0.37                 | 0.13                 | 0.29               | 0.11                 | 31.4                 | 12.6                 | 24                   |
| I100572            |                                   | 0.72                      | <0.005               | 0.12                 | 2.28               | 8.5                  | <0.2                 | <10                 | 270                  | 0.56                 | 0.15                 | 0.47               | 0.10                 | 76.5                 | 11.3                 | 32                   |
| I100573            |                                   | 0.60                      | <0.005               | 0.09                 | 2.18               | 13.2                 | <0.2                 | <10                 | 330                  | 0.57                 | 0.16                 | 0.51               | 0.08                 | 68.6                 | 12.2                 | 37                   |
| I100574            |                                   | 0.56                      | <0.005               | 0.08                 | 2.16               | 8.1                  | <0.2                 | <10                 | 310                  | 0.56                 | 0.16                 | 0.71               | 0.15                 | 64.5                 | 10.6                 | 29                   |
| I100575            |                                   | 0.52                      | <0.005               | 0.11                 | 1.98               | 9.5                  | <0.2                 | <10                 | 310                  | 0.52                 | 0.16                 | 0.71               | 0.14                 | 50.8                 | 10.6                 | 31                   |
| I100576            |                                   | 0.40                      | <0.005               | 0.14                 | 3.49               | 6.9                  | <0.2                 | <10                 | 80                   | 0.57                 | 0.14                 | 0.22               | 0.15                 | 10.75                | 16.0                 | 13                   |
| I100577            |                                   | 0.50                      | 0.005                | 0.09                 | 2.72               | 8.0                  | <0.2                 | <10                 | 200                  | 0.44                 | 0.14                 | 0.44               | 0.06                 | 29.6                 | 13.1                 | 35                   |
| I100578            |                                   | 0.40                      | <0.005               | 0.11                 | 1.11               | 2.9                  | <0.2                 | <10                 | 100                  | 0.21                 | 0.12                 | 0.15               | 0.10                 | 11.20                | 4.2                  | 17                   |
| I100579            |                                   | 0.46                      | <0.005               | 0.05                 | 2.98               | 7.9                  | <0.2                 | <10                 | 170                  | 0.35                 | 0.16                 | 0.26               | 0.09                 | 19.60                | 11.7                 | 40                   |
| I100580            |                                   | 0.34                      | <0.005               | 0.03                 | 1.62               | 4.9                  | <0.2                 | <10                 | 120                  | 0.25                 | 0.12                 | 0.16               | 0.09                 | 14.15                | 5.6                  | 16                   |
| I100581            |                                   | 0.58                      | <0.005               | 0.03                 | 2.74               | 7.8                  | <0.2                 | <10                 | 140                  | 0.41                 | 0.14                 | 0.19               | 0.09                 | 19.70                | 12.6                 | 36                   |
| I100582            |                                   | 0.52                      | <0.005               | 0.13                 | 3.04               | 9.5                  | <0.2                 | <10                 | 210                  | 0.47                 | 0.20                 | 0.15               | 0.08                 | 21.7                 | 15.9                 | 37                   |
| I100583            |                                   | 0.36                      | <0.005               | 0.06                 | 3.45               | 5.6                  | <0.2                 | <10                 | 80                   | 0.65                 | 0.12                 | 0.26               | 0.08                 | 7.84                 | 25.2                 | 12                   |
| I100584            |                                   | 0.34                      | <0.005               | 0.07                 | 3.42               | 5.3                  | <0.2                 | <10                 | 70                   | 0.60                 | 0.11                 | 0.29               | 0.09                 | 7.00                 | 27.8                 | 11                   |
| I100585            |                                   | 0.56                      | <0.005               | 0.03                 | 3.80               | 7.8                  | <0.2                 | <10                 | 220                  | 0.59                 | 0.18                 | 0.27               | 0.12                 | 17.40                | 25.8                 | 26                   |
| I100586            |                                   | 0.42                      | <0.005               | 0.64                 | 3.62               | 46.1                 | <0.2                 | <10                 | 190                  | 0.49                 | 0.18                 | 0.16               | 0.41                 | 20.2                 | 15.8                 | 47                   |
| I100587            |                                   | 0.56                      | <0.005               | 0.10                 | 2.67               | 36.7                 | <0.2                 | <10                 | 190                  | 0.44                 | 0.23                 | 0.10               | 0.55                 | 15.10                | 14.9                 | 41                   |
| I100588            |                                   | 0.34                      | <0.005               | 0.12                 | 3.15               | 12.5                 | <0.2                 | <10                 | 220                  | 0.48                 | 0.25                 | 0.11               | 0.70                 | 20.7                 | 12.0                 | 40                   |
| I100589            |                                   | 0.44                      | <0.005               | 0.79                 | 3.43               | 9.8                  | <0.2                 | <10                 | 290                  | 0.73                 | 0.17                 | 0.20               | 0.27                 | 25.2                 | 14.3                 | 49                   |
| I100590            |                                   | 0.40                      | <0.005               | 0.53                 | 3.41               | 11.4                 | <0.2                 | <10                 | 210                  | 0.46                 | 0.17                 | 0.16               | 0.51                 | 20.6                 | 16.9                 | 49                   |
| I100591            |                                   | 0.54                      | <0.005               | 0.19                 | 1.89               | 5.0                  | <0.2                 | <10                 | 110                  | 0.22                 | 0.28                 | 0.05               | 0.31                 | 16.40                | 12.1                 | 25                   |
| I100592            |                                   | 0.48                      | <0.005               | 1.11                 | 3.46               | 9.7                  | <0.2                 | <10                 | 230                  | 0.54                 | 0.22                 | 0.14               | 0.47                 | 28.2                 | 12.2                 | 47                   |
| I100593            |                                   | 0.56                      | <0.005               | 0.24                 | 1.96               | 5.7                  | <0.2                 | <10                 | 230                  | 0.41                 | 0.37                 | 0.16               | 0.35                 | 43.6                 | 12.9                 | 32                   |
| I100594            |                                   | 0.44                      | <0.005               | 0.21                 | 1.83               | 13.5                 | <0.2                 | <10                 | 140                  | 0.39                 | 0.40                 | 0.11               | 0.65                 | 19.70                | 7.9                  | 28                   |
| I100595            |                                   | 0.46                      | <0.005               | 0.11                 | 2.39               | 12.6                 | <0.2                 | <10                 | 200                  | 0.62                 | 0.52                 | 0.12               | 0.60                 | 36.8                 | 29.3                 | 42                   |
| I100596            |                                   | 0.42                      | <0.005               | 3.22                 | 3.32               | 15.3                 | <0.2                 | <10                 | 270                  | 0.59                 | 0.32                 | 0.08               | 0.81                 | 28.0                 | 24.5                 | 42                   |
| I100597            |                                   | 0.42                      | <0.005               | 0.53                 | 2.01               | 11.9                 | 0.2                  | <10                 | 150                  | 0.32                 | 0.23                 | 0.10               | 0.35                 | 17.40                | 12.3                 | 28                   |
| I100598            |                                   | 0.46                      | <0.005               | 0.28                 | 1.98               | 7.9                  | <0.2                 | <10                 | 190                  | 0.29                 | 0.23                 | 0.15               | 0.27                 | 20.1                 | 7.1                  | 28                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100559            |                                   | 0.78    | 15.7    | 3.09    | 6.54    | 0.06    | 0.06    | 0.01    | 0.027   | 0.20    | 15.0    | 18.1    | 0.53    | 463     | 0.83    |
| I100560            |                                   | 0.84    | 25.8    | 3.21    | 7.14    | 0.09    | 0.08    | 0.04    | 0.026   | 0.27    | 31.8    | 22.1    | 0.62    | 730     | 0.75    |
| I100561            |                                   | 0.74    | 17.8    | 2.91    | 6.33    | 0.06    | 0.03    | 0.01    | 0.019   | 0.13    | 14.1    | 21.4    | 0.51    | 257     | 0.94    |
| I100562            |                                   | 0.70    | 10.2    | 2.63    | 6.72    | 0.07    | 0.05    | <0.01   | 0.018   | 0.15    | 10.9    | 12.6    | 0.41    | 286     | 0.98    |
| I100563            |                                   | 1.22    | 8.9     | 3.41    | 7.82    | 0.09    | 0.03    | 0.03    | 0.023   | 0.54    | 35.8    | 12.5    | 0.67    | 435     | 1.01    |
| I100564            |                                   | 0.52    | 12.0    | 3.02    | 6.71    | 0.06    | 0.08    | <0.01   | 0.025   | 0.08    | 8.8     | 14.6    | 0.46    | 314     | 1.07    |
| I100565            |                                   | 0.42    | 11.3    | 2.58    | 5.31    | 0.06    | 0.02    | 0.01    | 0.023   | 0.07    | 8.7     | 10.6    | 0.39    | 413     | 1.11    |
| I100566            |                                   | 1.04    | 9.0     | 3.41    | 9.44    | 0.07    | 0.02    | <0.01   | 0.016   | 0.30    | 11.4    | 8.3     | 0.44    | 298     | 1.46    |
| I100567            |                                   | 0.99    | 12.7    | 3.27    | 7.53    | 0.09    | 0.04    | <0.01   | 0.021   | 0.30    | 21.9    | 15.2    | 0.63    | 377     | 1.07    |
| I100568            |                                   | 1.18    | 15.7    | 3.40    | 8.13    | 0.10    | 0.04    | 0.03    | 0.022   | 0.33    | 42.6    | 30.6    | 0.77    | 920     | 1.18    |
| I100569            |                                   | 0.69    | 24.6    | 2.83    | 7.22    | 0.17    | 0.06    | 0.04    | 0.028   | 0.08    | 134.0   | 23.0    | 0.45    | 1140    | 1.16    |
| I100570            |                                   | 0.52    | 13.8    | 2.81    | 5.80    | 0.05    | 0.09    | 0.01    | 0.022   | 0.11    | 10.8    | 17.7    | 0.43    | 338     | 1.64    |
| I100571            |                                   | 1.17    | 15.9    | 3.37    | 8.11    | 0.07    | 0.03    | 0.02    | 0.022   | 0.29    | 11.4    | 22.2    | 0.59    | 963     | 1.40    |
| I100572            |                                   | 0.93    | 21.9    | 3.42    | 7.78    | 0.09    | 0.10    | 0.02    | 0.029   | 0.32    | 34.0    | 17.9    | 0.58    | 608     | 2.79    |
| I100573            |                                   | 0.72    | 33.6    | 3.34    | 7.03    | 0.10    | 0.26    | 0.02    | 0.028   | 0.23    | 29.2    | 20.0    | 0.60    | 430     | 1.65    |
| I100574            |                                   | 0.94    | 35.0    | 3.25    | 7.51    | 0.10    | 0.11    | 0.03    | 0.028   | 0.19    | 42.4    | 22.3    | 0.64    | 507     | 1.52    |
| I100575            |                                   | 0.74    | 27.7    | 3.00    | 6.63    | 0.08    | 0.06    | 0.02    | 0.029   | 0.11    | 24.1    | 19.7    | 0.63    | 550     | 1.20    |
| I100576            |                                   | 2.30    | 40.0    | 6.39    | 13.15   | 0.08    | 0.03    | 0.03    | 0.027   | 0.15    | 5.0     | 25.5    | 1.16    | 406     | 1.20    |
| I100577            |                                   | 1.27    | 33.1    | 3.57    | 8.12    | 0.08    | 0.05    | 0.03    | 0.030   | 0.06    | 12.9    | 21.6    | 0.82    | 380     | 0.66    |
| I100578            |                                   | 0.68    | 18.6    | 1.61    | 5.26    | <0.05   | <0.02   | 0.02    | 0.016   | 0.03    | 5.3     | 5.4     | 0.20    | 103     | 0.71    |
| I100579            |                                   | 1.14    | 22.3    | 3.56    | 9.14    | 0.07    | 0.06    | 0.02    | 0.033   | 0.04    | 8.9     | 21.9    | 0.70    | 312     | 0.66    |
| I100580            |                                   | 1.16    | 13.1    | 2.53    | 6.61    | 0.05    | 0.02    | 0.03    | 0.022   | 0.04    | 7.0     | 7.8     | 0.35    | 190     | 0.82    |
| I100581            |                                   | 1.18    | 20.8    | 3.27    | 8.04    | 0.07    | 0.08    | 0.03    | 0.031   | 0.04    | 9.9     | 13.9    | 0.60    | 238     | 1.15    |
| I100582            |                                   | 1.72    | 21.1    | 3.74    | 10.80   | 0.08    | 0.17    | 0.03    | 0.037   | 0.03    | 10.8    | 15.3    | 0.51    | 385     | 1.82    |
| I100583            |                                   | 1.57    | 23.5    | 6.65    | 11.15   | 0.13    | 0.07    | 0.03    | 0.035   | 0.03    | 3.9     | 12.2    | 1.16    | 523     | 1.67    |
| I100584            |                                   | 1.47    | 24.6    | 6.68    | 11.30   | 0.14    | 0.06    | 0.03    | 0.036   | 0.04    | 3.4     | 11.3    | 1.18    | 537     | 1.65    |
| I100585            |                                   | 3.93    | 30.2    | 5.44    | 10.75   | 0.12    | 0.10    | 0.02    | 0.035   | 0.14    | 8.4     | 16.7    | 1.30    | 654     | 1.04    |
| I100586            |                                   | 1.84    | 43.9    | 4.16    | 9.31    | 0.08    | 0.15    | 0.06    | 0.039   | 0.08    | 9.7     | 18.0    | 0.69    | 329     | 2.02    |
| I100587            |                                   | 1.91    | 32.4    | 4.45    | 8.85    | 0.08    | 0.10    | 0.03    | 0.081   | 0.09    | 7.5     | 15.9    | 0.50    | 422     | 2.56    |
| I100588            |                                   | 1.45    | 17.4    | 4.74    | 12.70   | 0.08    | 0.16    | 0.04    | 0.038   | 0.05    | 10.4    | 20.7    | 0.42    | 428     | 2.31    |
| I100589            |                                   | 2.80    | 38.5    | 3.84    | 8.25    | 0.07    | 0.14    | 0.07    | 0.043   | 0.06    | 12.2    | 13.9    | 0.57    | 338     | 1.17    |
| I100590            |                                   | 1.83    | 29.6    | 4.02    | 8.41    | 0.08    | 0.23    | 0.06    | 0.045   | 0.06    | 10.0    | 19.0    | 0.60    | 371     | 1.68    |
| I100591            |                                   | 1.58    | 32.8    | 3.95    | 7.77    | 0.07    | 0.02    | 0.01    | 0.039   | 0.05    | 6.4     | 9.7     | 0.71    | 375     | 2.45    |
| I100592            |                                   | 1.84    | 23.5    | 3.74    | 9.59    | 0.09    | 0.44    | 0.05    | 0.040   | 0.05    | 14.6    | 14.0    | 0.47    | 291     | 2.18    |
| I100593            |                                   | 2.47    | 63.8    | 3.81    | 7.08    | 0.10    | 0.03    | 0.03    | 0.037   | 0.08    | 27.8    | 10.0    | 0.53    | 403     | 2.45    |
| I100594            |                                   | 1.62    | 27.5    | 3.50    | 10.40   | 0.07    | 0.03    | 0.04    | 0.033   | 0.06    | 10.3    | 13.2    | 0.32    | 312     | 3.31    |
| I100595            |                                   | 3.67    | 74.3    | 5.62    | 7.17    | 0.13    | 0.06    | 0.03    | 0.062   | 0.16    | 17.0    | 16.1    | 0.63    | 1990    | 4.25    |
| I100596            |                                   | 2.04    | 86.6    | 5.78    | 9.62    | 0.10    | 0.09    | 0.06    | 0.046   | 0.07    | 13.1    | 18.1    | 0.44    | 731     | 4.49    |
| I100597            |                                   | 1.42    | 33.4    | 3.88    | 8.27    | 0.08    | 0.03    | 0.04    | 0.030   | 0.05    | 8.2     | 14.3    | 0.32    | 477     | 2.63    |
| I100598            |                                   | 1.30    | 21.6    | 3.44    | 10.10   | 0.07    | 0.09    | 0.02    | 0.028   | 0.04    | 9.9     | 9.9     | 0.27    | 229     | 2.11    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100559            |                                   | 1.94    | 22.6    | 280     | 8.0     | 27.4    | <0.001  | <0.01   | 0.52    | 4.3     | 0.4     | 0.6     | 26.2    | <0.01   | 0.03    |
| I100560            |                                   | 3.41    | 22.7    | 490     | 7.0     | 32.1    | <0.001  | <0.01   | 0.54    | 5.5     | 0.6     | 0.6     | 58.9    | <0.01   | 0.04    |
| I100561            |                                   | 2.34    | 18.0    | 490     | 7.2     | 17.3    | <0.001  | <0.01   | 0.48    | 3.0     | 0.3     | 0.5     | 20.8    | <0.01   | 0.03    |
| I100562            |                                   | 2.97    | 11.0    | 180     | 7.7     | 29.4    | <0.001  | 0.02    | 0.28    | 2.9     | <0.2    | 0.6     | 16.0    | <0.01   | 0.01    |
| I100563            |                                   | 3.16    | 9.5     | 560     | 5.9     | 58.2    | <0.001  | 0.02    | 0.22    | 4.4     | 0.4     | 0.8     | 29.8    | <0.01   | 0.02    |
| I100564            |                                   | 1.94    | 18.6    | 290     | 9.1     | 13.7    | <0.001  | 0.02    | 0.43    | 3.3     | <0.2    | 0.6     | 21.0    | <0.01   | 0.02    |
| I100565            |                                   | 1.65    | 16.7    | 290     | 7.9     | 13.8    | <0.001  | 0.03    | 0.38    | 3.0     | <0.2    | 0.5     | 23.2    | <0.01   | 0.02    |
| I100566            |                                   | 2.25    | 9.5     | 590     | 8.2     | 49.3    | <0.001  | 0.03    | 0.32    | 1.9     | <0.2    | 0.7     | 15.3    | <0.01   | 0.02    |
| I100567            |                                   | 3.49    | 12.9    | 410     | 6.8     | 42.0    | <0.001  | 0.03    | 0.26    | 3.6     | 0.2     | 0.6     | 23.1    | <0.01   | 0.02    |
| I100568            |                                   | 3.38    | 16.2    | 700     | 6.4     | 47.9    | <0.001  | <0.01   | 0.36    | 5.0     | 0.5     | 0.7     | 32.7    | <0.01   | 0.03    |
| I100569            |                                   | 1.13    | 20.0    | 580     | 8.5     | 11.7    | <0.001  | <0.01   | 0.47    | 5.9     | 1.1     | 0.6     | 37.8    | 0.01    | 0.04    |
| I100570            |                                   | 1.44    | 18.1    | 220     | 8.4     | 14.6    | <0.001  | <0.01   | 0.55    | 2.9     | 0.3     | 0.6     | 20.3    | <0.01   | 0.03    |
| I100571            |                                   | 3.92    | 17.8    | 600     | 8.2     | 36.5    | <0.001  | <0.01   | 0.49    | 3.4     | 0.3     | 0.8     | 29.9    | <0.01   | 0.03    |
| I100572            |                                   | 2.17    | 22.5    | 520     | 10.2    | 32.2    | <0.001  | <0.01   | 0.47    | 6.6     | 0.4     | 0.7     | 37.2    | <0.01   | 0.04    |
| I100573            |                                   | 1.37    | 29.8    | 290     | 10.8    | 19.1    | <0.001  | <0.01   | 0.60    | 7.1     | 0.5     | 0.6     | 35.3    | <0.01   | 0.03    |
| I100574            |                                   | 3.09    | 24.1    | 470     | 10.3    | 28.1    | <0.001  | <0.01   | 0.62    | 5.8     | 0.9     | 0.8     | 52.4    | <0.01   | 0.05    |
| I100575            |                                   | 2.04    | 26.6    | 430     | 10.9    | 16.1    | <0.001  | <0.01   | 0.66    | 5.4     | 0.8     | 0.7     | 48.5    | <0.01   | 0.04    |
| I100576            |                                   | 1.78    | 8.1     | 650     | 4.6     | 18.1    | <0.001  | <0.01   | 0.40    | 6.4     | 0.6     | 0.7     | 19.1    | <0.01   | 0.06    |
| I100577            |                                   | 1.43    | 25.8    | 580     | 8.3     | 9.7     | <0.001  | <0.01   | 0.38    | 6.7     | 0.5     | 0.6     | 33.5    | <0.01   | 0.03    |
| I100578            |                                   | 0.53    | 9.2     | 300     | 6.0     | 5.7     | <0.001  | <0.01   | 0.24    | 1.5     | 0.3     | 0.5     | 16.1    | <0.01   | 0.03    |
| I100579            |                                   | 1.57    | 23.5    | 250     | 11.2    | 8.4     | <0.001  | <0.01   | 0.40    | 5.1     | 0.3     | 0.7     | 22.7    | <0.01   | 0.03    |
| I100580            |                                   | 0.71    | 8.8     | 480     | 6.5     | 5.9     | <0.001  | 0.01    | 0.28    | 2.3     | 0.4     | 0.5     | 21.1    | 0.01    | 0.03    |
| I100581            |                                   | 1.51    | 20.7    | 360     | 7.1     | 9.5     | <0.001  | <0.01   | 0.38    | 5.5     | 0.6     | 0.7     | 19.6    | 0.01    | 0.03    |
| I100582            |                                   | 2.03    | 22.0    | 250     | 10.2    | 9.5     | <0.001  | 0.01    | 0.56    | 5.3     | 0.6     | 0.9     | 21.0    | 0.01    | 0.05    |
| I100583            |                                   | 1.13    | 9.1     | 330     | 4.6     | 5.5     | <0.001  | 0.02    | 0.51    | 9.6     | 0.7     | 0.6     | 20.8    | 0.01    | 0.04    |
| I100584            |                                   | 1.07    | 8.2     | 330     | 4.3     | 5.4     | <0.001  | 0.02    | 0.51    | 9.9     | 0.7     | 0.5     | 23.7    | <0.01   | 0.04    |
| I100585            |                                   | 1.31    | 19.7    | 290     | 6.9     | 21.2    | <0.001  | 0.01    | 0.40    | 6.2     | 0.6     | 0.6     | 29.5    | 0.01    | 0.04    |
| I100586            |                                   | 1.80    | 44.3    | 430     | 9.8     | 12.2    | <0.001  | 0.02    | 0.86    | 6.3     | 0.8     | 0.7     | 19.8    | 0.01    | 0.06    |
| I100587            |                                   | 1.77    | 31.7    | 550     | 9.9     | 14.0    | <0.001  | 0.05    | 1.62    | 5.6     | 0.8     | 0.7     | 16.5    | 0.01    | 0.06    |
| I100588            |                                   | 2.38    | 20.8    | 610     | 12.3    | 10.6    | <0.001  | 0.02    | 0.76    | 4.4     | 0.5     | 1.0     | 15.0    | 0.02    | 0.07    |
| I100589            |                                   | 1.57    | 41.6    | 420     | 10.2    | 12.1    | <0.001  | 0.01    | 0.56    | 8.0     | 0.8     | 0.7     | 22.5    | 0.01    | 0.05    |
| I100590            |                                   | 2.21    | 35.5    | 360     | 13.8    | 13.4    | <0.001  | 0.02    | 0.67    | 5.7     | 0.8     | 0.7     | 18.9    | 0.01    | 0.05    |
| I100591            |                                   | 0.69    | 29.8    | 520     | 13.4    | 10.6    | <0.001  | 0.01    | 0.37    | 5.5     | 0.7     | 0.6     | 8.5     | <0.01   | 0.05    |
| I100592            |                                   | 1.78    | 24.9    | 380     | 11.8    | 17.2    | <0.001  | 0.01    | 0.63    | 7.5     | 0.6     | 0.9     | 21.4    | 0.01    | 0.04    |
| I100593            |                                   | 0.87    | 36.7    | 480     | 16.4    | 17.6    | <0.001  | 0.03    | 0.33    | 4.9     | 1.4     | 0.7     | 22.5    | 0.01    | 0.07    |
| I100594            |                                   | 1.49    | 23.1    | 830     | 20.9    | 12.8    | <0.001  | 0.02    | 0.57    | 2.7     | 1.0     | 1.1     | 17.0    | <0.01   | 0.07    |
| I100595            |                                   | 0.90    | 57.5    | 890     | 23.5    | 27.5    | <0.001  | 0.04    | 0.62    | 6.5     | 1.9     | 0.8     | 18.5    | <0.01   | 0.12    |
| I100596            |                                   | 1.34    | 87.1    | 560     | 15.7    | 16.5    | <0.001  | 0.04    | 1.04    | 5.2     | 1.1     | 0.7     | 15.5    | 0.01    | 0.12    |
| I100597            |                                   | 1.58    | 32.8    | 470     | 14.3    | 8.9     | <0.001  | 0.03    | 0.67    | 3.4     | 0.8     | 0.7     | 17.6    | 0.01    | 0.07    |
| I100598            |                                   | 1.46    | 16.1    | 220     | 11.9    | 9.9     | <0.001  | 0.01    | 0.51    | 3.5     | 0.5     | 1.0     | 18.9    | <0.01   | 0.06    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 5 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       |
| I100559            |                                   | 0.112   | 0.11    | 0.40    | 65      | 0.15    | 3.50    | 53      |
| I100560            |                                   | 0.114   | 0.14    | 0.67    | 63      | 0.23    | 11.10   | 57      |
| I100561            |                                   | 0.111   | 0.11    | 0.37    | 64      | 0.15    | 3.74    | 52      |
| I100562            |                                   | 0.122   | 0.13    | 0.57    | 56      | 0.09    | 2.45    | 43      |
| I100563            |                                   | 0.111   | 0.28    | 1.42    | 60      | 0.13    | 6.95    | 70      |
| I100564            |                                   | 0.092   | 0.10    | 0.37    | 62      | 0.12    | 2.20    | 55      |
| I100565            |                                   | 0.075   | 0.07    | 0.34    | 56      | 0.15    | 2.28    | 42      |
| I100566            |                                   | 0.115   | 0.19    | 0.71    | 75      | 0.17    | 2.56    | 58      |
| I100567            |                                   | 0.144   | 0.20    | 1.03    | 66      | 0.14    | 4.80    | 57      |
| I100568            |                                   | 0.147   | 0.22    | 1.56    | 67      | 0.15    | 9.15    | 71      |
| I100569            |                                   | 0.070   | 0.08    | 2.01    | 55      | 0.19    | 35.1    | 49      |
| I100570            |                                   | 0.092   | 0.08    | 0.33    | 61      | 0.16    | 3.01    | 41      |
| I100571            |                                   | 0.127   | 0.20    | 0.48    | 65      | 0.16    | 3.15    | 69      |
| I100572            |                                   | 0.116   | 0.17    | 0.79    | 66      | 0.19    | 7.56    | 65      |
| I100573            |                                   | 0.126   | 0.11    | 0.48    | 72      | 0.24    | 7.72    | 58      |
| I100574            |                                   | 0.120   | 0.14    | 0.97    | 61      | 0.18    | 15.15   | 71      |
| I100575            |                                   | 0.100   | 0.09    | 1.43    | 62      | 0.30    | 9.50    | 63      |
| I100576            |                                   | 0.195   | 0.19    | 0.60    | 118     | 0.08    | 3.59    | 82      |
| I100577            |                                   | 0.133   | 0.11    | 0.47    | 86      | 0.15    | 8.90    | 58      |
| I100578            |                                   | 0.061   | 0.06    | 0.32    | 42      | 0.15    | 2.40    | 24      |
| I100579            |                                   | 0.135   | 0.10    | 0.34    | 86      | 0.15    | 3.61    | 51      |
| I100580            |                                   | 0.065   | 0.09    | 0.45    | 59      | 0.19    | 3.11    | 37      |
| I100581            |                                   | 0.115   | 0.11    | 0.62    | 85      | 0.14    | 4.59    | 53      |
| I100582            |                                   | 0.125   | 0.15    | 0.58    | 99      | 0.16    | 4.38    | 54      |
| I100583            |                                   | 0.152   | 0.06    | 0.27    | 140     | 0.17    | 5.53    | 79      |
| I100584            |                                   | 0.156   | 0.05    | 0.25    | 139     | 0.16    | 5.80    | 78      |
| I100585            |                                   | 0.173   | 0.20    | 0.42    | 117     | 0.17    | 4.29    | 78      |
| I100586            |                                   | 0.118   | 0.21    | 0.62    | 100     | 0.18    | 4.89    | 85      |
| I100587            |                                   | 0.092   | 0.22    | 0.63    | 99      | 0.23    | 4.61    | 76      |
| I100588            |                                   | 0.136   | 0.14    | 0.53    | 122     | 0.21    | 3.71    | 71      |
| I100589            |                                   | 0.095   | 0.19    | 0.84    | 94      | 0.18    | 7.53    | 65      |
| I100590            |                                   | 0.136   | 0.14    | 0.60    | 91      | 0.23    | 4.77    | 61      |
| I100591            |                                   | 0.040   | 0.12    | 0.54    | 79      | 0.24    | 6.82    | 89      |
| I100592            |                                   | 0.133   | 0.16    | 1.01    | 93      | 0.17    | 7.15    | 60      |
| I100593            |                                   | 0.068   | 0.18    | 1.69    | 75      | 0.18    | 16.25   | 110     |
| I100594            |                                   | 0.087   | 0.15    | 0.99    | 92      | 0.23    | 5.68    | 107     |
| I100595            |                                   | 0.038   | 0.27    | 1.89    | 88      | 0.21    | 13.60   | 178     |
| I100596            |                                   | 0.072   | 0.20    | 1.89    | 91      | 0.20    | 11.60   | 210     |
| I100597            |                                   | 0.090   | 0.13    | 0.72    | 85      | 0.17    | 4.51    | 84      |
| I100598            |                                   | 0.088   | 0.15    | 0.57    | 102     | 0.14    | 3.35    | 51      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100599            |                                   | 0.48                      | <0.005               | 0.27                 | 1.37               | 10.3                 | <0.2                 | <10                 | 180                  | 0.36                 | 0.44                 | 0.11               | 0.52                 | 28.2                 | 20.5                 | 29                   |
| I100600            |                                   | 0.44                      | <0.005               | 0.13                 | 3.24               | 10.0                 | <0.2                 | <10                 | 270                  | 0.56                 | 0.19                 | 0.17               | 0.38                 | 29.7                 | 20.2                 | 62                   |
| I100601            |                                   | 0.62                      | <0.005               | 0.16                 | 2.61               | 9.7                  | <0.2                 | <10                 | 300                  | 0.42                 | 0.30                 | 0.12               | 0.41                 | 24.0                 | 11.5                 | 38                   |
| I100602            |                                   | 0.52                      | <0.005               | 0.15                 | 2.03               | 4.0                  | <0.2                 | <10                 | 190                  | 0.48                 | 0.99                 | 0.15               | 0.37                 | 42.0                 | 17.0                 | 41                   |
| I100603            |                                   | 0.54                      | <0.005               | 0.39                 | 1.43               | 2.1                  | <0.2                 | <10                 | 230                  | 0.25                 | 0.82                 | 0.23               | 0.55                 | 31.6                 | 14.8                 | 25                   |
| I100604            |                                   | 0.54                      | <0.005               | 0.46                 | 1.60               | 2.4                  | <0.2                 | <10                 | 260                  | 0.25                 | 0.89                 | 0.25               | 0.64                 | 37.6                 | 16.0                 | 28                   |
| I100605            |                                   | 0.52                      | <0.005               | 0.75                 | 2.19               | 5.0                  | <0.2                 | <10                 | 320                  | 0.42                 | 0.70                 | 0.21               | 0.76                 | 31.9                 | 18.3                 | 41                   |
| I100606            |                                   | 0.60                      | <0.005               | 0.09                 | 1.67               | 14.0                 | <0.2                 | <10                 | 260                  | 0.27                 | 0.13                 | 0.73               | 0.22                 | 22.2                 | 8.3                  | 29                   |
| I100607            |                                   | 0.38                      | <0.005               | 0.10                 | 1.62               | 13.7                 | <0.2                 | <10                 | 230                  | 0.32                 | 0.13                 | 0.86               | 0.23                 | 24.8                 | 11.8                 | 30                   |
| I100608            |                                   | 0.58                      | <0.005               | 0.15                 | 1.65               | 40.0                 | <0.2                 | <10                 | 290                  | 0.39                 | 0.18                 | 0.90               | 0.55                 | 27.4                 | 14.6                 | 28                   |
| I100609            |                                   | 0.46                      | <0.005               | 0.14                 | 1.77               | 41.2                 | <0.2                 | <10                 | 260                  | 0.36                 | 0.26                 | 0.60               | 0.17                 | 25.4                 | 7.3                  | 29                   |
| I100610            |                                   | 0.62                      | <0.005               | 0.13                 | 1.98               | 80.3                 | <0.2                 | <10                 | 290                  | 0.46                 | 0.42                 | 0.51               | 0.25                 | 33.2                 | 12.0                 | 32                   |
| I100611            |                                   | 0.40                      | <0.005               | 0.25                 | 2.07               | 67.3                 | <0.2                 | <10                 | 350                  | 0.53                 | 0.44                 | 0.69               | 0.37                 | 33.0                 | 14.7                 | 32                   |
| I100612            |                                   | 0.52                      | <0.005               | 0.97                 | 2.42               | 12.8                 | <0.2                 | <10                 | 240                  | 0.65                 | 0.17                 | 0.18               | 1.36                 | 28.8                 | 13.0                 | 60                   |
| I100613            |                                   | 0.46                      | <0.005               | 0.44                 | 1.81               | 11.8                 | <0.2                 | <10                 | 240                  | 0.36                 | 0.14                 | 0.47               | 0.67                 | 18.95                | 10.4                 | 39                   |
| I100614            |                                   | 0.44                      | <0.005               | 0.53                 | 2.02               | 19.1                 | <0.2                 | <10                 | 290                  | 0.46                 | 0.21                 | 0.50               | 1.28                 | 24.5                 | 15.2                 | 61                   |
| I100615            |                                   | 0.42                      | <0.005               | 0.36                 | 1.82               | 18.4                 | <0.2                 | <10                 | 290                  | 0.49                 | 0.16                 | 0.61               | 0.68                 | 30.1                 | 12.2                 | 37                   |
| I100616            |                                   | 0.52                      | <0.005               | 0.29                 | 1.90               | 23.8                 | <0.2                 | <10                 | 180                  | 0.75                 | 0.20                 | 0.64               | 0.41                 | 41.0                 | 9.4                  | 38                   |
| I100617            |                                   | 0.48                      | <0.005               | 0.25                 | 1.63               | 9.3                  | <0.2                 | <10                 | 220                  | 0.67                 | 0.18                 | 0.93               | 0.44                 | 37.8                 | 8.5                  | 32                   |
| I100618            |                                   | 0.46                      | <0.005               | 0.15                 | 1.65               | 14.7                 | <0.2                 | <10                 | 200                  | 0.40                 | 0.22                 | 0.71               | 0.22                 | 22.7                 | 9.1                  | 32                   |
| I100619            |                                   | 0.46                      | <0.005               | 0.10                 | 1.65               | 18.8                 | <0.2                 | <10                 | 190                  | 0.35                 | 0.20                 | 0.63               | 0.22                 | 27.7                 | 11.1                 | 33                   |
| I100620            |                                   | 0.54                      | <0.005               | 0.07                 | 1.67               | 10.2                 | <0.2                 | <10                 | 200                  | 0.41                 | 0.13                 | 0.73               | 0.13                 | 25.4                 | 11.4                 | 31                   |
| I100621            |                                   | 0.48                      | 0.006                | 0.10                 | 1.69               | 12.5                 | <0.2                 | <10                 | 230                  | 0.44                 | 0.13                 | 0.85               | 0.14                 | 26.9                 | 12.4                 | 31                   |
| I100622            |                                   | 0.42                      | <0.005               | 0.10                 | 1.64               | 31.7                 | <0.2                 | <10                 | 210                  | 0.42                 | 0.14                 | 0.74               | 0.25                 | 24.1                 | 12.4                 | 28                   |
| I100623            |                                   | 0.54                      | <0.005               | 0.12                 | 1.69               | 22.7                 | <0.2                 | <10                 | 210                  | 0.34                 | 0.13                 | 0.55               | 0.22                 | 24.5                 | 11.3                 | 29                   |
| I100624            |                                   | 0.82                      | <0.005               | 0.30                 | 1.90               | 59.6                 | <0.2                 | <10                 | 220                  | 0.36                 | 0.22                 | 0.32               | 0.38                 | 33.7                 | 12.1                 | 36                   |
| I100625            |                                   | 0.62                      | <0.005               | 0.32                 | 2.13               | 132.0                | <0.2                 | <10                 | 330                  | 0.41                 | 0.21                 | 0.26               | 0.70                 | 28.7                 | 26.5                 | 42                   |
| I100626            |                                   | 0.50                      | <0.005               | 0.32                 | 2.05               | 317                  | <0.2                 | <10                 | 210                  | 0.40                 | 0.25                 | 0.31               | 0.45                 | 38.0                 | 16.9                 | 40                   |
| I100627            |                                   | 0.52                      | <0.005               | 0.52                 | 2.68               | 263                  | <0.2                 | <10                 | 320                  | 0.56                 | 0.26                 | 0.42               | 0.57                 | 34.3                 | 23.6                 | 90                   |
| I100628            |                                   | 0.54                      | <0.005               | 0.41                 | 2.60               | 225                  | <0.2                 | <10                 | 310                  | 0.51                 | 0.24                 | 0.41               | 0.45                 | 30.5                 | 19.8                 | 86                   |
| I100629            |                                   | 0.50                      | <0.005               | 0.46                 | 3.00               | 31.4                 | <0.2                 | <10                 | 800                  | 0.62                 | 0.43                 | 0.75               | 0.45                 | 31.8                 | 39.6                 | 263                  |
| I100630            |                                   | 0.50                      | <0.005               | 0.51                 | 2.24               | 41.0                 | <0.2                 | <10                 | 840                  | 0.49                 | 0.27                 | 0.78               | 0.74                 | 37.2                 | 17.4                 | 50                   |
| I100631            |                                   | 0.52                      | 0.005                | 0.45                 | 2.00               | 18.3                 | <0.2                 | <10                 | 270                  | 0.58                 | 0.24                 | 0.37               | 0.99                 | 46.2                 | 15.0                 | 42                   |
| I100632            |                                   | 0.48                      | <0.005               | 0.54                 | 1.81               | 12.9                 | <0.2                 | <10                 | 170                  | 0.39                 | 0.24                 | 0.37               | 0.47                 | 34.4                 | 12.2                 | 52                   |
| I100633            |                                   | 0.42                      | <0.005               | 1.00                 | 2.19               | 33.9                 | <0.2                 | <10                 | 260                  | 0.64                 | 0.24                 | 1.03               | 1.61                 | 48.5                 | 20.4                 | 51                   |
| I100634            |                                   | 0.44                      | <0.005               | 0.58                 | 2.04               | 7.4                  | <0.2                 | <10                 | 250                  | 0.54                 | 0.27                 | 0.23               | 0.74                 | 47.4                 | 22.9                 | 41                   |
| I100635            |                                   | 0.48                      | <0.005               | 0.39                 | 1.73               | 47.6                 | <0.2                 | <10                 | 200                  | 0.42                 | 0.35                 | 0.23               | 0.58                 | 51.8                 | 17.2                 | 44                   |
| I100636            |                                   | 0.38                      | <0.005               | 0.45                 | 1.29               | 25.4                 | <0.2                 | <10                 | 140                  | 0.37                 | 0.25                 | 0.08               | 0.69                 | 32.4                 | 7.4                  | 24                   |
| I100637            |                                   | 0.48                      | <0.005               | 0.69                 | 2.75               | 25.5                 | <0.2                 | <10                 | 150                  | 0.67                 | 0.24                 | 0.14               | 1.21                 | 37.1                 | 21.4                 | 40                   |
| I100638            |                                   | 0.50                      | <0.005               | 0.35                 | 2.33               | 31.1                 | <0.2                 | <10                 | 200                  | 0.67                 | 0.39                 | 0.20               | 1.48                 | 50.0                 | 22.7                 | 49                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100599            |                                   | 1.90    | 79.9    | 4.84    | 5.66    | 0.09    | 0.02    | 0.02    | 0.044   | 0.12    | 14.4    | 7.2     | 0.26    | 1320    | 6.79    |
| I100600            |                                   | 3.84    | 42.3    | 4.84    | 9.08    | 0.12    | 0.09    | 0.02    | 0.044   | 0.18    | 13.3    | 21.2    | 0.96    | 455     | 2.62    |
| I100601            |                                   | 2.18    | 29.6    | 3.72    | 11.10   | 0.08    | 0.06    | 0.03    | 0.038   | 0.07    | 12.6    | 14.8    | 0.39    | 476     | 2.28    |
| I100602            |                                   | 2.88    | 31.2    | 4.09    | 6.96    | 0.10    | 0.03    | 0.03    | 0.042   | 0.15    | 21.4    | 12.1    | 0.65    | 669     | 2.57    |
| I100603            |                                   | 3.19    | 47.4    | 3.11    | 6.26    | 0.10    | 0.02    | 0.02    | 0.029   | 0.14    | 18.1    | 6.9     | 0.66    | 636     | 6.37    |
| I100604            |                                   | 3.40    | 53.9    | 3.43    | 7.08    | 0.10    | 0.02    | 0.02    | 0.033   | 0.15    | 20.9    | 8.0     | 0.74    | 665     | 6.60    |
| I100605            |                                   | 3.26    | 65.4    | 4.24    | 7.92    | 0.10    | 0.02    | 0.04    | 0.045   | 0.17    | 16.8    | 13.7    | 0.69    | 879     | 4.40    |
| I100606            |                                   | 0.56    | 25.0    | 2.59    | 5.10    | 0.08    | 0.08    | 0.03    | 0.022   | 0.06    | 11.0    | 11.2    | 0.61    | 287     | 0.75    |
| I100607            |                                   | 0.62    | 31.8    | 2.79    | 5.08    | 0.10    | 0.11    | 0.03    | 0.022   | 0.07    | 12.3    | 12.1    | 0.70    | 407     | 0.68    |
| I100608            |                                   | 0.65    | 33.2    | 2.62    | 5.24    | 0.08    | 0.04    | 0.04    | 0.024   | 0.06    | 13.2    | 10.6    | 0.51    | 1570    | 1.23    |
| I100609            |                                   | 0.89    | 28.8    | 2.44    | 5.73    | 0.08    | 0.05    | 0.03    | 0.024   | 0.06    | 13.1    | 12.7    | 0.56    | 230     | 0.73    |
| I100610            |                                   | 1.38    | 32.9    | 2.91    | 6.28    | 0.09    | 0.06    | 0.03    | 0.031   | 0.06    | 17.0    | 14.8    | 0.67    | 521     | 1.36    |
| I100611            |                                   | 1.36    | 40.4    | 2.87    | 6.67    | 0.08    | 0.04    | 0.06    | 0.034   | 0.06    | 16.8    | 14.9    | 0.62    | 592     | 1.26    |
| I100612            |                                   | 1.01    | 68.8    | 3.95    | 8.93    | 0.10    | 0.04    | 0.02    | 0.041   | 0.08    | 16.3    | 15.9    | 0.82    | 365     | 3.40    |
| I100613            |                                   | 0.60    | 26.4    | 2.92    | 6.42    | 0.06    | 0.02    | 0.02    | 0.026   | 0.17    | 9.7     | 12.3    | 0.55    | 576     | 1.71    |
| I100614            |                                   | 1.30    | 62.3    | 3.55    | 8.21    | 0.09    | 0.03    | 0.03    | 0.036   | 0.18    | 13.5    | 16.5    | 0.82    | 595     | 3.29    |
| I100615            |                                   | 0.68    | 39.4    | 2.78    | 6.36    | 0.08    | 0.09    | 0.03    | 0.028   | 0.12    | 15.6    | 13.2    | 0.55    | 717     | 1.66    |
| I100616            |                                   | 1.15    | 48.4    | 2.77    | 6.72    | 0.09    | 0.11    | 0.03    | 0.034   | 0.07    | 24.5    | 13.8    | 0.57    | 351     | 2.18    |
| I100617            |                                   | 0.81    | 40.9    | 2.27    | 5.93    | 0.07    | 0.05    | 0.05    | 0.030   | 0.07    | 18.8    | 10.7    | 0.48    | 448     | 1.88    |
| I100618            |                                   | 0.92    | 29.1    | 2.36    | 5.82    | 0.05    | 0.03    | 0.04    | 0.027   | 0.06    | 11.7    | 12.4    | 0.63    | 334     | 1.04    |
| I100619            |                                   | 0.90    | 31.0    | 2.50    | 5.36    | 0.07    | 0.05    | 0.02    | 0.024   | 0.06    | 14.1    | 12.5    | 0.66    | 359     | 0.77    |
| I100620            |                                   | 0.53    | 32.0    | 2.66    | 5.25    | 0.08    | 0.10    | 0.02    | 0.023   | 0.06    | 12.3    | 12.1    | 0.57    | 411     | 0.88    |
| I100621            |                                   | 0.54    | 36.0    | 2.81    | 5.54    | 0.08    | 0.11    | 0.03    | 0.024   | 0.06    | 12.9    | 11.9    | 0.60    | 455     | 0.83    |
| I100622            |                                   | 0.67    | 31.2    | 2.63    | 5.39    | 0.08    | 0.06    | 0.03    | 0.023   | 0.06    | 11.4    | 11.2    | 0.64    | 320     | 0.90    |
| I100623            |                                   | 0.78    | 29.3    | 2.61    | 5.51    | 0.06    | 0.04    | 0.17    | 0.023   | 0.05    | 11.8    | 11.3    | 0.54    | 332     | 0.91    |
| I100624            |                                   | 3.55    | 45.1    | 3.09    | 6.77    | 0.07    | 0.04    | 0.06    | 0.033   | 0.06    | 18.0    | 16.2    | 0.65    | 331     | 2.66    |
| I100625            |                                   | 2.99    | 46.3    | 3.60    | 9.20    | 0.07    | 0.02    | 0.02    | 0.032   | 0.17    | 14.5    | 15.1    | 0.75    | 1040    | 4.08    |
| I100626            |                                   | 2.63    | 50.9    | 3.63    | 7.51    | 0.07    | 0.03    | 0.01    | 0.037   | 0.08    | 20.0    | 15.3    | 0.71    | 574     | 3.28    |
| I100627            |                                   | 3.03    | 53.1    | 4.01    | 10.00   | 0.07    | 0.05    | 0.02    | 0.039   | 0.09    | 17.9    | 20.4    | 1.07    | 715     | 3.03    |
| I100628            |                                   | 2.81    | 47.1    | 3.85    | 9.96    | 0.08    | 0.06    | 0.02    | 0.034   | 0.09    | 15.9    | 18.8    | 1.05    | 562     | 2.66    |
| I100629            |                                   | 5.37    | 71.2    | 4.52    | 9.69    | 0.09    | 0.05    | 0.02    | 0.042   | 0.16    | 15.8    | 27.8    | 2.37    | 849     | 2.48    |
| I100630            |                                   | 2.36    | 49.1    | 3.40    | 9.12    | 0.07    | 0.02    | 0.03    | 0.035   | 0.09    | 19.6    | 18.6    | 0.71    | 636     | 4.27    |
| I100631            |                                   | 3.27    | 61.6    | 3.57    | 7.04    | 0.09    | 0.05    | 0.02    | 0.036   | 0.13    | 23.4    | 18.7    | 0.69    | 656     | 4.22    |
| I100632            |                                   | 2.04    | 46.0    | 3.15    | 7.61    | 0.07    | 0.03    | 0.03    | 0.028   | 0.15    | 18.0    | 13.5    | 0.70    | 422     | 5.36    |
| I100633            |                                   | 2.78    | 66.6    | 3.38    | 7.53    | 0.11    | 0.08    | 0.05    | 0.039   | 0.18    | 29.2    | 21.9    | 0.81    | 785     | 3.33    |
| I100634            |                                   | 2.79    | 56.5    | 3.46    | 7.35    | 0.08    | 0.02    | 0.04    | 0.037   | 0.14    | 24.8    | 20.4    | 0.68    | 1080    | 3.02    |
| I100635            |                                   | 2.56    | 48.3    | 3.21    | 9.71    | 0.08    | 0.02    | 0.01    | 0.031   | 0.24    | 26.7    | 12.7    | 0.62    | 631     | 3.67    |
| I100636            |                                   | 1.20    | 38.1    | 3.01    | 9.37    | 0.05    | 0.02    | 0.01    | 0.025   | 0.07    | 16.0    | 9.2     | 0.18    | 268     | 3.92    |
| I100637            |                                   | 1.85    | 65.1    | 4.76    | 9.00    | 0.07    | 0.07    | 0.06    | 0.049   | 0.08    | 18.9    | 27.1    | 0.44    | 541     | 6.34    |
| I100638            |                                   | 3.20    | 82.9    | 4.28    | 7.88    | 0.09    | 0.03    | 0.01    | 0.044   | 0.12    | 25.3    | 24.6    | 0.77    | 849     | 5.52    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100599            |                                   | 0.53    | 64.1    | 1150    | 34.0    | 17.4    | <0.001  | 0.06    | 2.67    | 2.7     | 1.8     | 0.5     | 27.5    | <0.01   | 0.16    |
| I100600            |                                   | 1.51    | 53.1    | 580     | 11.3    | 27.2    | <0.001  | 0.03    | 0.54    | 6.6     | 1.1     | 0.9     | 17.2    | 0.01    | 0.07    |
| I100601            |                                   | 1.67    | 25.3    | 380     | 13.2    | 15.5    | <0.001  | 0.02    | 0.41    | 4.6     | 0.7     | 1.0     | 16.6    | <0.01   | 0.06    |
| I100602            |                                   | 0.89    | 38.6    | 810     | 25.4    | 22.9    | <0.001  | 0.02    | 0.22    | 5.0     | 0.9     | 1.0     | 13.0    | <0.01   | 0.08    |
| I100603            |                                   | 0.52    | 39.0    | 570     | 57.2    | 26.4    | 0.001   | 0.07    | 0.15    | 3.6     | 1.6     | 0.6     | 29.2    | <0.01   | 0.08    |
| I100604            |                                   | 0.60    | 43.9    | 620     | 63.9    | 28.9    | 0.001   | 0.08    | 0.15    | 4.1     | 1.7     | 0.6     | 33.0    | <0.01   | 0.08    |
| I100605            |                                   | 0.83    | 51.0    | 950     | 56.4    | 26.3    | 0.001   | 0.13    | 0.30    | 4.4     | 2.0     | 0.7     | 64.3    | <0.01   | 0.10    |
| I100606            |                                   | 1.36    | 21.7    | 690     | 7.5     | 7.5     | <0.001  | 0.03    | 0.49    | 4.4     | 0.7     | 0.5     | 44.5    | <0.01   | 0.03    |
| I100607            |                                   | 1.48    | 27.1    | 770     | 6.9     | 7.6     | 0.001   | 0.02    | 0.57    | 5.1     | 0.7     | 0.5     | 47.9    | <0.01   | 0.03    |
| I100608            |                                   | 1.04    | 26.3    | 790     | 7.9     | 8.7     | 0.001   | 0.03    | 0.69    | 4.4     | 0.9     | 0.5     | 57.0    | <0.01   | 0.04    |
| I100609            |                                   | 1.14    | 22.5    | 570     | 9.8     | 10.1    | 0.001   | 0.03    | 0.69    | 4.7     | 0.7     | 0.6     | 41.5    | <0.01   | 0.04    |
| I100610            |                                   | 1.22    | 25.6    | 480     | 15.3    | 11.9    | <0.001  | 0.01    | 1.06    | 4.7     | 0.7     | 0.7     | 36.8    | <0.01   | 0.06    |
| I100611            |                                   | 1.16    | 27.5    | 660     | 13.6    | 11.1    | <0.001  | 0.03    | 0.93    | 5.3     | 1.0     | 0.7     | 48.9    | <0.01   | 0.05    |
| I100612            |                                   | 0.76    | 56.3    | 790     | 9.1     | 9.3     | <0.001  | 0.03    | 0.62    | 6.0     | 1.6     | 0.7     | 23.6    | <0.01   | 0.10    |
| I100613            |                                   | 0.91    | 31.3    | 530     | 6.9     | 15.5    | <0.001  | 0.02    | 0.50    | 3.3     | 0.7     | 0.6     | 34.5    | <0.01   | 0.05    |
| I100614            |                                   | 0.91    | 51.1    | 710     | 8.7     | 17.7    | <0.001  | 0.03    | 0.72    | 5.2     | 1.4     | 0.6     | 44.3    | <0.01   | 0.11    |
| I100615            |                                   | 1.29    | 32.9    | 460     | 8.5     | 11.7    | <0.001  | 0.02    | 0.64    | 5.1     | 1.0     | 0.6     | 47.0    | <0.01   | 0.05    |
| I100616            |                                   | 3.41    | 36.6    | 540     | 12.9    | 10.6    | <0.001  | 0.03    | 0.64    | 6.2     | 1.3     | 0.7     | 46.9    | 0.01    | 0.06    |
| I100617            |                                   | 2.44    | 29.5    | 700     | 12.1    | 12.0    | <0.001  | 0.06    | 0.51    | 4.0     | 1.8     | 0.5     | 62.5    | 0.01    | 0.05    |
| I100618            |                                   | 1.23    | 24.2    | 580     | 13.7    | 11.5    | 0.001   | 0.05    | 0.40    | 4.6     | 0.9     | 0.4     | 47.6    | <0.01   | 0.04    |
| I100619            |                                   | 1.27    | 27.0    | 670     | 13.8    | 9.1     | <0.001  | 0.03    | 0.45    | 4.9     | 0.7     | 0.5     | 35.1    | <0.01   | 0.04    |
| I100620            |                                   | 1.57    | 25.8    | 710     | 6.7     | 7.9     | <0.001  | 0.01    | 0.46    | 5.8     | 0.6     | 0.4     | 46.7    | <0.01   | 0.03    |
| I100621            |                                   | 1.64    | 30.2    | 750     | 7.0     | 7.2     | 0.001   | 0.02    | 0.62    | 6.0     | 0.7     | 0.4     | 51.2    | <0.01   | 0.03    |
| I100622            |                                   | 1.34    | 25.3    | 710     | 7.8     | 8.0     | 0.001   | 0.05    | 0.67    | 5.3     | 0.8     | 0.4     | 50.4    | <0.01   | 0.03    |
| I100623            |                                   | 1.37    | 25.0    | 630     | 7.0     | 7.3     | 0.001   | 0.02    | 0.60    | 4.9     | 0.6     | 0.4     | 35.6    | <0.01   | 0.03    |
| I100624            |                                   | 1.25    | 37.0    | 650     | 11.4    | 10.7    | 0.002   | 0.05    | 1.55    | 4.8     | 1.4     | 0.5     | 37.0    | <0.01   | 0.07    |
| I100625            |                                   | 1.88    | 49.5    | 730     | 11.0    | 17.6    | <0.001  | 0.05    | 1.61    | 4.6     | 1.2     | 0.6     | 30.3    | <0.01   | 0.07    |
| I100626            |                                   | 1.00    | 43.7    | 620     | 13.4    | 11.2    | <0.001  | 0.04    | 3.71    | 4.6     | 1.5     | 0.5     | 31.7    | <0.01   | 0.08    |
| I100627            |                                   | 1.60    | 76.6    | 650     | 13.3    | 15.4    | <0.001  | 0.02    | 1.47    | 6.6     | 1.2     | 0.7     | 35.7    | <0.01   | 0.06    |
| I100628            |                                   | 1.69    | 69.2    | 480     | 11.3    | 15.0    | <0.001  | 0.02    | 1.28    | 6.3     | 1.2     | 0.7     | 32.8    | <0.01   | 0.07    |
| I100629            |                                   | 1.33    | 200     | 1130    | 8.6     | 23.0    | 0.001   | 0.02    | 0.68    | 10.0    | 1.3     | 0.7     | 43.3    | <0.01   | 0.08    |
| I100630            |                                   | 1.14    | 46.5    | 760     | 13.4    | 13.7    | 0.001   | 0.04    | 1.21    | 5.1     | 2.2     | 0.6     | 56.2    | <0.01   | 0.07    |
| I100631            |                                   | 0.78    | 60.9    | 790     | 14.2    | 16.0    | <0.001  | 0.04    | 1.83    | 5.0     | 2.2     | 0.5     | 33.4    | <0.01   | 0.07    |
| I100632            |                                   | 1.14    | 50.4    | 530     | 15.9    | 21.3    | 0.001   | 0.06    | 0.97    | 4.4     | 2.0     | 0.5     | 33.3    | <0.01   | 0.07    |
| I100633            |                                   | 1.15    | 67.7    | 950     | 18.7    | 22.4    | 0.001   | 0.06    | 1.40    | 8.3     | 3.1     | 0.5     | 72.0    | 0.01    | 0.07    |
| I100634            |                                   | 0.94    | 53.8    | 770     | 27.2    | 21.8    | <0.001  | 0.06    | 1.38    | 3.9     | 1.9     | 0.5     | 31.7    | <0.01   | 0.06    |
| I100635            |                                   | 1.12    | 44.8    | 710     | 27.3    | 32.8    | 0.001   | 0.06    | 1.17    | 3.4     | 1.4     | 0.7     | 26.6    | <0.01   | 0.07    |
| I100636            |                                   | 1.37    | 24.6    | 460     | 15.5    | 10.0    | <0.001  | 0.07    | 2.53    | 2.5     | 1.5     | 0.8     | 17.5    | <0.01   | 0.07    |
| I100637            |                                   | 1.89    | 69.5    | 1010    | 16.5    | 13.5    | <0.001  | 0.06    | 1.54    | 4.6     | 2.1     | 0.7     | 23.3    | 0.01    | 0.09    |
| I100638            |                                   | 1.02    | 78.0    | 800     | 13.9    | 18.2    | <0.001  | 0.04    | 1.64    | 4.9     | 2.4     | 0.6     | 24.5    | <0.01   | 0.09    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100599            |                                   | 0.031              | 0.21                 | 1.61                | 89                  | 0.29                | 8.61                | 210                  | <0.5                 |
| I100600            |                                   | 0.127              | 0.22                 | 1.70                | 118                 | 0.17                | 9.32                | 121                  | 3.9                  |
| I100601            |                                   | 0.068              | 0.16                 | 0.78                | 96                  | 0.17                | 5.76                | 79                   | 2.8                  |
| I100602            |                                   | 0.041              | 0.18                 | 1.38                | 73                  | 0.18                | 9.02                | 112                  | 0.7                  |
| I100603            |                                   | 0.050              | 0.21                 | 1.88                | 70                  | 0.18                | 9.45                | 177                  | <0.5                 |
| I100604            |                                   | 0.054              | 0.23                 | 2.05                | 75                  | 0.22                | 11.10               | 192                  | <0.5                 |
| I100605            |                                   | 0.052              | 0.21                 | 2.34                | 82                  | 0.24                | 9.79                | 197                  | <0.5                 |
| I100606            |                                   | 0.112              | 0.05                 | 0.75                | 64                  | 0.17                | 7.59                | 68                   | 3.1                  |
| I100607            |                                   | 0.120              | 0.06                 | 0.73                | 68                  | 0.18                | 9.39                | 68                   | 4.6                  |
| I100608            |                                   | 0.080              | 0.06                 | 1.01                | 62                  | 0.17                | 9.83                | 71                   | 1.4                  |
| I100609            |                                   | 0.085              | 0.07                 | 0.95                | 58                  | 0.19                | 7.95                | 65                   | 1.6                  |
| I100610            |                                   | 0.075              | 0.10                 | 1.01                | 64                  | 0.18                | 9.21                | 94                   | 2.5                  |
| I100611            |                                   | 0.067              | 0.11                 | 1.48                | 64                  | 0.18                | 10.65               | 83                   | 1.4                  |
| I100612            |                                   | 0.061              | 0.11                 | 1.21                | 122                 | 0.30                | 9.56                | 172                  | 1.3                  |
| I100613            |                                   | 0.083              | 0.09                 | 0.53                | 77                  | 0.22                | 4.75                | 89                   | 0.8                  |
| I100614            |                                   | 0.074              | 0.13                 | 1.00                | 98                  | 0.62                | 9.26                | 141                  | 1.4                  |
| I100615            |                                   | 0.095              | 0.08                 | 0.92                | 69                  | 0.43                | 10.45               | 79                   | 4.0                  |
| I100616            |                                   | 0.081              | 0.10                 | 1.94                | 61                  | 0.36                | 25.7                | 88                   | 4.5                  |
| I100617            |                                   | 0.056              | 0.08                 | 1.64                | 46                  | 0.22                | 20.2                | 70                   | 1.6                  |
| I100618            |                                   | 0.081              | 0.09                 | 1.02                | 49                  | 0.25                | 8.86                | 71                   | 1.3                  |
| I100619            |                                   | 0.090              | 0.09                 | 1.03                | 58                  | 0.21                | 10.50               | 80                   | 2.2                  |
| I100620            |                                   | 0.120              | 0.06                 | 0.95                | 64                  | 0.18                | 10.35               | 52                   | 4.9                  |
| I100621            |                                   | 0.118              | 0.06                 | 1.24                | 67                  | 0.16                | 11.05               | 54                   | 5.6                  |
| I100622            |                                   | 0.099              | 0.07                 | 1.56                | 66                  | 0.24                | 9.29                | 74                   | 2.5                  |
| I100623            |                                   | 0.099              | 0.07                 | 0.85                | 62                  | 0.18                | 8.89                | 61                   | 1.9                  |
| I100624            |                                   | 0.090              | 0.16                 | 1.28                | 68                  | 0.20                | 7.47                | 112                  | 2.2                  |
| I100625            |                                   | 0.119              | 0.17                 | 1.11                | 84                  | 0.20                | 7.03                | 112                  | 1.1                  |
| I100626            |                                   | 0.077              | 0.13                 | 1.19                | 77                  | 0.19                | 7.50                | 110                  | 1.7                  |
| I100627            |                                   | 0.108              | 0.14                 | 1.16                | 92                  | 0.20                | 8.40                | 103                  | 2.3                  |
| I100628            |                                   | 0.118              | 0.15                 | 0.93                | 93                  | 0.18                | 7.71                | 91                   | 2.9                  |
| I100629            |                                   | 0.112              | 0.25                 | 1.63                | 104                 | 0.17                | 11.40               | 93                   | 2.1                  |
| I100630            |                                   | 0.073              | 0.15                 | 1.89                | 86                  | 0.24                | 9.89                | 117                  | 0.6                  |
| I100631            |                                   | 0.081              | 0.18                 | 1.98                | 76                  | 0.20                | 10.10               | 203                  | 3.0                  |
| I100632            |                                   | 0.081              | 0.17                 | 1.38                | 78                  | 0.18                | 7.38                | 127                  | 1.1                  |
| I100633            |                                   | 0.080              | 0.21                 | 5.53                | 77                  | 0.16                | 26.7                | 177                  | 3.1                  |
| I100634            |                                   | 0.073              | 0.23                 | 2.21                | 60                  | 0.17                | 8.85                | 154                  | 0.5                  |
| I100635            |                                   | 0.091              | 0.28                 | 1.46                | 76                  | 0.18                | 8.93                | 119                  | <0.5                 |
| I100636            |                                   | 0.090              | 0.15                 | 1.10                | 86                  | 0.17                | 4.56                | 105                  | 1.1                  |
| I100637            |                                   | 0.095              | 0.18                 | 1.62                | 98                  | 0.35                | 8.35                | 258                  | 3.5                  |
| I100638            |                                   | 0.073              | 0.21                 | 1.99                | 88                  | 0.23                | 11.05               | 251                  | 1.3                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: Appendix 1**  
**Total # Appendix Pages: 1**  
**Finalized Date: 13-OCT-2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137856**

| Method  | CERTIFICATE COMMENTS                                                                                 |
|---------|------------------------------------------------------------------------------------------------------|
| ME-MS41 | Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 1  
Finalized Date: 9-OCT-2010  
Account: EIASQI

**CERTIFICATE WH10137857**

Project: SQI10-06  
P.O. No.: SQI10-06\_32  
This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION               | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23  | Au 30g FA-AA finish       | AAS        |
| ME-MS41  | 51 anal. aqua regia ICPMS |            |

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**ATTN: DARCY BAKER**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**Signature:**

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100639            |                                   | 0.54                      | <0.005               | 0.22                 | 2.33               | 31.7                 | <0.2                 | <10                 | 240                  | 0.39                 | 0.24                 | 0.30               | 0.36                 | 32.9                 | 16.2                 | 67                   |
| I100640            |                                   | 0.40                      | <0.005               | 0.27                 | 0.45               | 17.6                 | <0.2                 | <10                 | 100                  | 0.12                 | 0.07                 | 0.09               | 0.41                 | 8.33                 | 2.0                  | 9                    |
| I100641            |                                   | 0.26                      | <0.005               | 0.62                 | 1.46               | 48.4                 | <0.2                 | <10                 | 160                  | 0.30                 | 0.22                 | 0.19               | 0.40                 | 23.0                 | 7.8                  | 36                   |
| I100642            |                                   | 0.62                      | <0.005               | 0.30                 | 2.07               | 55.0                 | <0.2                 | <10                 | 200                  | 0.31                 | 0.35                 | 0.28               | 0.28                 | 29.5                 | 35.9                 | 50                   |
| I100643            |                                   | 0.50                      | <0.005               | 0.10                 | 1.49               | 31.3                 | <0.2                 | <10                 | 170                  | 0.29                 | 0.16                 | 0.51               | 0.24                 | 21.3                 | 15.3                 | 24                   |
| I100644            |                                   | 0.50                      | <0.005               | 0.12                 | 1.85               | 166.0                | <0.2                 | <10                 | 150                  | 0.41                 | 0.38                 | 0.33               | 0.52                 | 31.0                 | 13.9                 | 30                   |
| I100645            |                                   | 0.44                      | 0.007                | 0.15                 | 1.82               | 63.1                 | <0.2                 | <10                 | 200                  | 0.43                 | 0.17                 | 0.61               | 0.20                 | 27.6                 | 12.6                 | 32                   |
| I100646            |                                   | 0.58                      | 0.005                | 0.10                 | 1.49               | 14.6                 | <0.2                 | <10                 | 160                  | 0.33                 | 0.12                 | 0.81               | 0.22                 | 23.4                 | 11.1                 | 29                   |
| I100647            |                                   | 0.62                      | 0.005                | 0.11                 | 1.73               | 14.9                 | <0.2                 | <10                 | 220                  | 0.41                 | 0.14                 | 0.82               | 0.12                 | 26.1                 | 12.2                 | 33                   |
| I100648            |                                   | 0.54                      | <0.005               | 0.08                 | 2.73               | 11.4                 | <0.2                 | <10                 | 210                  | 0.67                 | 0.19                 | 0.26               | 0.06                 | 35.6                 | 13.6                 | 29                   |
| I100649            |                                   | 0.50                      | <0.005               | 0.08                 | 2.81               | 12.5                 | <0.2                 | <10                 | 230                  | 0.54                 | 0.16                 | 0.24               | 0.09                 | 19.90                | 16.2                 | 29                   |
| I100650            |                                   | 0.42                      | <0.005               | 0.17                 | 2.31               | 32.0                 | <0.2                 | <10                 | 150                  | 0.39                 | 0.18                 | 0.18               | 0.10                 | 13.35                | 10.8                 | 25                   |
| I100651            |                                   | 0.30                      | <0.005               | 0.27                 | 1.47               | 4.0                  | <0.2                 | <10                 | 330                  | 0.25                 | 0.18                 | 0.21               | 0.40                 | 17.75                | 12.1                 | 19                   |
| I100652            |                                   | 0.44                      | <0.005               | 0.10                 | 2.22               | 6.3                  | <0.2                 | <10                 | 220                  | 0.42                 | 0.16                 | 0.26               | 0.11                 | 19.05                | 11.7                 | 24                   |
| I100653            |                                   | 0.42                      | <0.005               | 0.15                 | 1.82               | 5.5                  | <0.2                 | <10                 | 280                  | 0.35                 | 0.16                 | 0.24               | 0.10                 | 18.45                | 13.3                 | 25                   |
| I100654            |                                   | 0.42                      | 0.005                | 0.28                 | 1.71               | 5.6                  | <0.2                 | <10                 | 210                  | 0.41                 | 0.16                 | 0.35               | 0.12                 | 22.9                 | 12.6                 | 26                   |
| I100655            |                                   | 0.46                      | <0.005               | 0.10                 | 1.56               | 5.6                  | <0.2                 | <10                 | 210                  | 0.29                 | 0.13                 | 0.26               | 0.06                 | 24.3                 | 8.8                  | 23                   |
| I100656            |                                   | 0.50                      | <0.005               | 0.08                 | 1.85               | 7.4                  | <0.2                 | <10                 | 200                  | 0.39                 | 0.16                 | 0.21               | 0.07                 | 29.5                 | 9.4                  | 30                   |
| I100657            |                                   | 0.32                      | 0.005                | 0.37                 | 2.53               | 5.5                  | <0.2                 | <10                 | 360                  | 0.57                 | 0.11                 | 0.80               | 0.35                 | 208                  | 10.9                 | 21                   |
| I100658            |                                   | 0.40                      | <0.005               | 0.10                 | 1.96               | 6.1                  | <0.2                 | <10                 | 210                  | 0.28                 | 0.13                 | 0.33               | 0.09                 | 23.4                 | 10.1                 | 19                   |
| I100659            |                                   | 0.44                      | <0.005               | 0.06                 | 2.00               | 5.2                  | <0.2                 | <10                 | 130                  | 0.30                 | 0.12                 | 0.13               | 0.06                 | 19.50                | 8.2                  | 19                   |
| I100660            |                                   | 0.36                      | <0.005               | 0.12                 | 2.22               | 7.2                  | <0.2                 | <10                 | 260                  | 0.41                 | 0.12                 | 0.37               | 0.13                 | 52.2                 | 11.9                 | 25                   |
| I100661            |                                   | 0.44                      | <0.005               | 0.14                 | 2.11               | 9.1                  | <0.2                 | <10                 | 230                  | 0.42                 | 0.15                 | 0.42               | 0.15                 | 39.0                 | 9.9                  | 28                   |
| I100662            |                                   | 0.40                      | <0.005               | 0.02                 | 1.84               | 10.5                 | <0.2                 | <10                 | 100                  | 0.22                 | 0.16                 | 0.10               | 0.16                 | 17.00                | 7.6                  | 26                   |
| I100663            |                                   | 0.38                      | <0.005               | 0.03                 | 2.32               | 9.1                  | <0.2                 | <10                 | 170                  | 0.36                 | 0.11                 | 0.29               | 0.04                 | 29.2                 | 10.1                 | 24                   |
| I100664            |                                   | 0.36                      | <0.005               | 0.13                 | 1.84               | 4.3                  | <0.2                 | <10                 | 240                  | 0.35                 | 0.14                 | 0.31               | 0.12                 | 21.0                 | 9.8                  | 26                   |
| I100665            |                                   | 0.34                      | <0.005               | 0.17                 | 1.69               | 5.7                  | <0.2                 | <10                 | 390                  | 0.38                 | 0.13                 | 0.47               | 0.12                 | 29.1                 | 11.4                 | 29                   |
| I100666            |                                   | 0.36                      | <0.005               | 0.21                 | 2.01               | 5.9                  | <0.2                 | <10                 | 310                  | 0.38                 | 0.16                 | 0.70               | 0.13                 | 49.6                 | 9.7                  | 24                   |
| I100667            |                                   | 0.42                      | <0.005               | 0.08                 | 1.77               | 8.7                  | <0.2                 | <10                 | 410                  | 0.44                 | 0.15                 | 0.70               | 0.15                 | 30.8                 | 10.9                 | 31                   |
| I100668            |                                   | 0.58                      | <0.005               | 0.05                 | 1.90               | 7.9                  | <0.2                 | <10                 | 190                  | 0.25                 | 0.14                 | 0.30               | 0.09                 | 20.5                 | 7.9                  | 30                   |
| I100669            |                                   | 0.42                      | <0.005               | 0.12                 | 1.63               | 7.2                  | <0.2                 | <10                 | 310                  | 0.33                 | 0.14                 | 0.61               | 0.14                 | 26.1                 | 8.3                  | 28                   |
| I100670            |                                   | 0.52                      | <0.005               | 0.04                 | 2.20               | 9.3                  | <0.2                 | <10                 | 160                  | 0.28                 | 0.14                 | 0.21               | 0.06                 | 21.5                 | 10.3                 | 32                   |
| I100671            |                                   | 0.50                      | <0.005               | 0.09                 | 2.03               | 7.5                  | <0.2                 | <10                 | 190                  | 0.25                 | 0.14                 | 0.23               | 0.06                 | 17.15                | 9.9                  | 26                   |
| I100672            |                                   | 0.48                      | <0.005               | 0.10                 | 2.34               | 5.9                  | <0.2                 | <10                 | 260                  | 0.35                 | 0.12                 | 0.43               | 0.06                 | 17.00                | 11.2                 | 28                   |
| I100673            |                                   | 0.46                      | <0.005               | 0.08                 | 2.83               | 7.2                  | <0.2                 | <10                 | 330                  | 0.42                 | 0.10                 | 0.36               | 0.05                 | 24.3                 | 14.8                 | 28                   |
| I100674            |                                   | 0.52                      | <0.005               | 0.09                 | 2.93               | 6.4                  | <0.2                 | <10                 | 350                  | 0.41                 | 0.09                 | 0.38               | 0.05                 | 22.9                 | 16.8                 | 26                   |
| I100675            |                                   | 0.30                      | <0.005               | 0.08                 | 1.18               | 11.9                 | <0.2                 | <10                 | 120                  | 0.18                 | 0.12                 | 0.27               | 0.11                 | 12.35                | 5.1                  | 18                   |
| I100676            |                                   | 0.26                      | <0.005               | 0.05                 | 1.65               | 5.4                  | <0.2                 | <10                 | 100                  | 0.18                 | 0.12                 | 0.28               | 0.10                 | 12.40                | 6.6                  | 20                   |
| I100677            |                                   | 0.18                      | <0.005               | 0.07                 | 1.41               | 4.2                  | <0.2                 | <10                 | 90                   | 0.16                 | 0.11                 | 0.28               | 0.08                 | 10.60                | 5.8                  | 22                   |
| I100678            |                                   | 0.34                      | <0.005               | 0.14                 | 2.15               | 44.1                 | <0.2                 | <10                 | 290                  | 0.33                 | 0.26                 | 0.99               | 0.19                 | 14.35                | 12.2                 | 34                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100639            |                                   | 3.93    | 52.2    | 4.06    | 9.77    | 0.09    | 0.02    | 0.01    | 0.039   | 0.18    | 16.0    | 15.9    | 1.24    | 763     | 3.75    |
| I100640            |                                   | 0.76    | 17.0    | 0.74    | 2.23    | <0.05   | <0.02   | 0.03    | 0.009   | 0.02    | 4.1     | 0.9     | 0.05    | 44      | 0.45    |
| I100641            |                                   | 3.36    | 43.7    | 2.35    | 7.51    | 0.05    | <0.02   | 0.03    | 0.027   | 0.10    | 11.5    | 9.3     | 0.54    | 232     | 1.80    |
| I100642            |                                   | 3.99    | 30.3    | 3.87    | 8.60    | 0.07    | 0.02    | 0.03    | 0.035   | 0.13    | 14.4    | 15.5    | 0.92    | 1960    | 3.52    |
| I100643            |                                   | 0.83    | 23.7    | 2.71    | 4.71    | 0.06    | 0.05    | 0.02    | 0.022   | 0.05    | 11.7    | 8.8     | 0.58    | 667     | 1.21    |
| I100644            |                                   | 2.17    | 28.9    | 2.95    | 5.46    | 0.06    | 0.07    | 0.02    | 0.032   | 0.11    | 14.7    | 12.4    | 0.53    | 310     | 1.36    |
| I100645            |                                   | 0.67    | 34.0    | 3.04    | 5.39    | 0.08    | 0.23    | 0.02    | 0.029   | 0.08    | 13.4    | 10.9    | 0.61    | 399     | 1.03    |
| I100646            |                                   | 0.46    | 25.6    | 2.72    | 4.55    | 0.07    | 0.12    | 0.02    | 0.024   | 0.06    | 12.9    | 9.5     | 0.60    | 355     | 0.61    |
| I100647            |                                   | 0.68    | 35.6    | 3.03    | 5.19    | 0.08    | 0.17    | 0.02    | 0.028   | 0.08    | 12.8    | 12.1    | 0.72    | 385     | 0.65    |
| I100648            |                                   | 3.05    | 31.4    | 3.66    | 7.75    | 0.06    | 0.10    | 0.04    | 0.044   | 0.06    | 16.0    | 12.0    | 0.62    | 388     | 0.92    |
| I100649            |                                   | 1.78    | 21.5    | 3.86    | 8.54    | 0.05    | 0.04    | 0.02    | 0.035   | 0.05    | 10.3    | 14.1    | 0.60    | 580     | 1.51    |
| I100650            |                                   | 1.29    | 19.9    | 3.09    | 8.47    | 0.05    | 0.04    | 0.02    | 0.032   | 0.04    | 7.0     | 10.5    | 0.46    | 292     | 1.17    |
| I100651            |                                   | 0.96    | 10.4    | 2.84    | 7.29    | <0.05   | 0.02    | 0.02    | 0.018   | 0.12    | 9.1     | 7.3     | 0.38    | 2660    | 1.04    |
| I100652            |                                   | 1.07    | 9.0     | 3.38    | 7.99    | 0.05    | 0.02    | 0.02    | 0.024   | 0.13    | 10.3    | 14.3    | 0.56    | 908     | 0.96    |
| I100653            |                                   | 0.76    | 10.9    | 2.91    | 6.45    | 0.05    | 0.03    | 0.01    | 0.024   | 0.08    | 11.4    | 10.1    | 0.43    | 860     | 0.96    |
| I100654            |                                   | 0.52    | 10.1    | 2.94    | 5.90    | 0.05    | 0.04    | 0.02    | 0.024   | 0.23    | 13.7    | 9.4     | 0.46    | 1390    | 1.21    |
| I100655            |                                   | 0.66    | 9.4     | 2.65    | 5.76    | 0.05    | 0.05    | 0.02    | 0.019   | 0.26    | 13.4    | 12.5    | 0.52    | 721     | 0.77    |
| I100656            |                                   | 0.63    | 10.1    | 2.86    | 6.47    | 0.05    | 0.03    | 0.01    | 0.025   | 0.09    | 18.3    | 12.1    | 0.53    | 320     | 1.03    |
| I100657            |                                   | 0.97    | 27.4    | 3.07    | 8.02    | 0.15    | 0.08    | 0.13    | 0.031   | 0.35    | 118.5   | 15.1    | 0.62    | 920     | 1.16    |
| I100658            |                                   | 1.09    | 11.4    | 3.08    | 7.95    | 0.06    | 0.04    | 0.03    | 0.022   | 0.28    | 18.8    | 11.3    | 0.57    | 608     | 1.29    |
| I100659            |                                   | 1.13    | 9.1     | 3.10    | 7.62    | 0.05    | 0.06    | 0.01    | 0.018   | 0.27    | 13.0    | 10.7    | 0.55    | 410     | 1.03    |
| I100660            |                                   | 1.38    | 17.7    | 3.35    | 7.19    | 0.08    | 0.06    | 0.03    | 0.023   | 0.42    | 29.7    | 17.8    | 0.73    | 1000    | 0.95    |
| I100661            |                                   | 0.85    | 19.1    | 3.01    | 6.46    | 0.07    | 0.07    | 0.03    | 0.025   | 0.18    | 27.2    | 14.7    | 0.58    | 354     | 1.09    |
| I100662            |                                   | 0.76    | 13.3    | 3.16    | 7.46    | 0.05    | 0.02    | 0.01    | 0.023   | 0.11    | 10.6    | 9.4     | 0.46    | 226     | 1.60    |
| I100663            |                                   | 1.18    | 12.6    | 3.50    | 7.53    | 0.07    | 0.05    | 0.01    | 0.021   | 0.42    | 20.4    | 18.7    | 0.79    | 408     | 1.00    |
| I100664            |                                   | 0.49    | 10.0    | 2.86    | 6.21    | 0.05    | 0.02    | 0.01    | 0.021   | 0.12    | 14.9    | 12.2    | 0.46    | 692     | 0.83    |
| I100665            |                                   | 0.33    | 14.7    | 2.73    | 5.32    | 0.06    | 0.04    | 0.02    | 0.023   | 0.19    | 14.6    | 10.7    | 0.45    | 1360    | 0.81    |
| I100666            |                                   | 0.82    | 17.9    | 3.24    | 6.76    | 0.08    | 0.05    | 0.05    | 0.026   | 0.32    | 28.5    | 16.9    | 0.51    | 749     | 1.19    |
| I100667            |                                   | 0.51    | 26.8    | 2.84    | 5.50    | 0.06    | 0.14    | 0.02    | 0.025   | 0.10    | 15.7    | 14.1    | 0.55    | 526     | 1.32    |
| I100668            |                                   | 0.49    | 15.5    | 2.86    | 5.72    | 0.05    | 0.08    | 0.01    | 0.025   | 0.08    | 10.5    | 12.9    | 0.48    | 227     | 1.09    |
| I100669            |                                   | 0.42    | 18.6    | 2.56    | 5.12    | 0.07    | 0.07    | 0.03    | 0.022   | 0.10    | 13.7    | 12.8    | 0.52    | 392     | 0.82    |
| I100670            |                                   | 0.73    | 16.5    | 3.41    | 6.65    | 0.07    | 0.04    | 0.01    | 0.022   | 0.13    | 10.9    | 15.3    | 0.66    | 324     | 0.97    |
| I100671            |                                   | 0.73    | 11.5    | 3.47    | 7.02    | 0.06    | 0.03    | 0.01    | 0.018   | 0.18    | 8.8     | 15.4    | 0.62    | 366     | 1.28    |
| I100672            |                                   | 0.52    | 11.4    | 3.38    | 7.06    | 0.06    | 0.04    | 0.01    | 0.020   | 0.26    | 9.0     | 14.9    | 0.74    | 435     | 1.21    |
| I100673            |                                   | 1.01    | 16.3    | 4.16    | 7.57    | 0.07    | 0.07    | 0.01    | 0.020   | 0.86    | 11.0    | 16.7    | 1.22    | 553     | 0.80    |
| I100674            |                                   | 1.08    | 16.3    | 4.38    | 8.20    | 0.08    | 0.05    | 0.01    | 0.017   | 0.98    | 10.5    | 17.5    | 1.33    | 651     | 0.75    |
| I100675            |                                   | 0.80    | 12.2    | 2.07    | 4.19    | <0.05   | 0.02    | 0.04    | 0.014   | 0.06    | 6.8     | 5.8     | 0.36    | 143     | 1.34    |
| I100676            |                                   | 0.99    | 9.3     | 2.49    | 5.62    | 0.05    | 0.02    | 0.05    | 0.017   | 0.05    | 6.7     | 8.9     | 0.53    | 188     | 0.65    |
| I100677            |                                   | 0.79    | 9.7     | 2.20    | 5.18    | 0.05    | 0.02    | 0.04    | 0.015   | 0.04    | 5.7     | 6.8     | 0.45    | 166     | 0.63    |
| I100678            |                                   | 1.44    | 27.6    | 3.04    | 6.58    | 0.06    | 0.06    | 0.03    | 0.027   | 0.09    | 7.8     | 14.5    | 0.79    | 456     | 1.42    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100639            |                                   | 1.04    | 50.3    | 670     | 9.9     | 25.2    | <0.001  | 0.03    | 1.13    | 4.9     | 1.1     | 0.7     | 27.3    | <0.01   | 0.08    |
| I100640            |                                   | 0.11    | 6.4     | 360     | 3.3     | 4.3     | <0.001  | 0.02    | 0.13    | 0.3     | 0.5     | 0.2     | 12.5    | <0.01   | 0.02    |
| I100641            |                                   | 0.68    | 27.9    | 480     | 8.7     | 20.0    | <0.001  | 0.04    | 0.88    | 2.3     | 0.8     | 0.6     | 20.4    | <0.01   | 0.05    |
| I100642            |                                   | 1.22    | 34.3    | 610     | 14.7    | 20.7    | <0.001  | 0.03    | 1.20    | 4.2     | 1.0     | 1.0     | 27.6    | <0.01   | 0.08    |
| I100643            |                                   | 1.13    | 22.9    | 650     | 8.5     | 8.6     | <0.001  | 0.02    | 0.56    | 3.9     | 0.8     | 0.4     | 38.5    | <0.01   | 0.03    |
| I100644            |                                   | 1.07    | 28.1    | 710     | 18.7    | 14.2    | <0.001  | 0.01    | 1.20    | 4.2     | 0.8     | 0.5     | 29.4    | <0.01   | 0.06    |
| I100645            |                                   | 1.47    | 25.6    | 780     | 10.7    | 8.6     | <0.001  | <0.01   | 0.73    | 5.6     | 0.7     | 0.5     | 41.3    | <0.01   | 0.04    |
| I100646            |                                   | 1.55    | 22.7    | 790     | 6.8     | 6.8     | 0.001   | 0.02    | 0.48    | 4.5     | 0.5     | 0.5     | 46.0    | <0.01   | 0.02    |
| I100647            |                                   | 1.33    | 28.1    | 850     | 7.8     | 7.5     | <0.001  | 0.01    | 0.57    | 5.7     | 0.5     | 0.5     | 46.9    | <0.01   | 0.03    |
| I100648            |                                   | 1.39    | 19.4    | 250     | 13.1    | 14.9    | <0.001  | <0.01   | 0.74    | 7.7     | 0.5     | 1.2     | 25.6    | 0.01    | 0.03    |
| I100649            |                                   | 1.83    | 19.1    | 350     | 8.3     | 16.0    | <0.001  | 0.01    | 0.48    | 4.8     | 0.4     | 0.7     | 22.3    | <0.01   | 0.04    |
| I100650            |                                   | 1.48    | 13.6    | 340     | 10.4    | 9.3     | <0.001  | 0.01    | 0.35    | 4.6     | 0.3     | 0.7     | 19.1    | <0.01   | 0.03    |
| I100651            |                                   | 2.90    | 12.4    | 710     | 8.3     | 27.7    | <0.001  | 0.01    | 0.37    | 2.4     | 0.3     | 0.6     | 20.8    | <0.01   | 0.03    |
| I100652            |                                   | 3.29    | 15.1    | 870     | 9.0     | 24.1    | <0.001  | 0.01    | 0.41    | 2.8     | 0.3     | 0.7     | 26.2    | <0.01   | 0.03    |
| I100653            |                                   | 2.32    | 15.8    | 440     | 8.3     | 13.6    | <0.001  | <0.01   | 0.39    | 2.7     | 0.2     | 0.7     | 23.4    | <0.01   | 0.03    |
| I100654            |                                   | 2.01    | 16.9    | 700     | 9.7     | 19.6    | <0.001  | 0.01    | 0.39    | 3.1     | 0.3     | 0.6     | 28.4    | <0.01   | 0.03    |
| I100655            |                                   | 2.96    | 14.6    | 270     | 6.9     | 28.3    | <0.001  | <0.01   | 0.28    | 3.1     | 0.3     | 0.5     | 23.7    | <0.01   | 0.02    |
| I100656            |                                   | 1.86    | 17.7    | 340     | 8.4     | 16.3    | <0.001  | <0.01   | 0.38    | 3.4     | 0.2     | 0.6     | 19.3    | <0.01   | 0.02    |
| I100657            |                                   | 4.19    | 19.4    | 1090    | 5.7     | 36.2    | <0.001  | 0.07    | 0.59    | 6.6     | 1.5     | 0.7     | 70.6    | 0.01    | 0.04    |
| I100658            |                                   | 4.31    | 11.7    | 380     | 7.2     | 32.6    | <0.001  | 0.01    | 0.31    | 3.5     | 0.4     | 0.7     | 25.6    | <0.01   | 0.04    |
| I100659            |                                   | 4.82    | 9.7     | 200     | 7.7     | 35.4    | <0.001  | <0.01   | 0.32    | 2.8     | 0.3     | 0.7     | 16.0    | <0.01   | 0.02    |
| I100660            |                                   | 4.71    | 17.1    | 500     | 6.5     | 42.8    | <0.001  | 0.01    | 0.37    | 4.0     | 0.5     | 0.6     | 31.0    | <0.01   | 0.02    |
| I100661            |                                   | 3.10    | 17.8    | 540     | 7.7     | 24.2    | <0.001  | 0.01    | 0.44    | 4.5     | 0.5     | 0.6     | 32.8    | <0.01   | 0.03    |
| I100662            |                                   | 2.05    | 15.0    | 380     | 8.6     | 20.8    | <0.001  | 0.01    | 0.49    | 2.4     | 0.2     | 0.6     | 13.6    | <0.01   | 0.03    |
| I100663            |                                   | 3.78    | 15.3    | 500     | 6.7     | 40.5    | <0.001  | <0.01   | 0.39    | 3.4     | 0.3     | 0.6     | 21.5    | <0.01   | 0.03    |
| I100664            |                                   | 1.61    | 15.3    | 1150    | 8.7     | 10.8    | <0.001  | <0.01   | 0.29    | 2.8     | 0.2     | 0.5     | 24.3    | <0.01   | 0.02    |
| I100665            |                                   | 1.75    | 21.8    | 650     | 7.8     | 12.6    | <0.001  | <0.01   | 0.38    | 4.3     | 0.3     | 0.4     | 38.5    | <0.01   | 0.02    |
| I100666            |                                   | 2.91    | 14.8    | 560     | 8.4     | 34.2    | <0.001  | 0.01    | 0.39    | 5.1     | 0.7     | 0.6     | 43.5    | <0.01   | 0.02    |
| I100667            |                                   | 1.87    | 25.6    | 640     | 8.5     | 11.5    | <0.001  | <0.01   | 0.58    | 4.9     | 0.6     | 0.5     | 41.4    | <0.01   | 0.03    |
| I100668            |                                   | 1.65    | 17.9    | 420     | 7.8     | 9.6     | <0.001  | <0.01   | 0.43    | 3.6     | 0.2     | 0.5     | 23.0    | <0.01   | 0.03    |
| I100669            |                                   | 1.77    | 19.1    | 480     | 7.2     | 11.6    | <0.001  | <0.01   | 0.46    | 4.2     | 0.5     | 0.4     | 38.9    | <0.01   | 0.02    |
| I100670            |                                   | 1.89    | 19.4    | 370     | 7.9     | 18.8    | <0.001  | <0.01   | 0.46    | 3.5     | 0.3     | 0.5     | 19.2    | <0.01   | 0.03    |
| I100671            |                                   | 2.50    | 14.0    | 640     | 7.9     | 25.0    | <0.001  | <0.01   | 0.35    | 2.5     | 0.2     | 0.5     | 18.8    | <0.01   | 0.03    |
| I100672            |                                   | 2.39    | 16.6    | 350     | 7.2     | 17.4    | <0.001  | <0.01   | 0.35    | 3.1     | 0.2     | 0.5     | 28.2    | <0.01   | 0.02    |
| I100673            |                                   | 2.91    | 18.0    | 550     | 6.0     | 63.3    | <0.001  | <0.01   | 0.32    | 4.3     | 0.3     | 0.4     | 25.7    | <0.01   | 0.02    |
| I100674            |                                   | 3.32    | 17.4    | 630     | 5.4     | 73.5    | <0.001  | <0.01   | 0.28    | 4.4     | 0.3     | 0.4     | 26.8    | <0.01   | 0.02    |
| I100675            |                                   | 0.84    | 11.6    | 420     | 6.0     | 8.7     | <0.001  | 0.03    | 0.41    | 2.2     | 0.6     | 0.4     | 20.7    | <0.01   | 0.02    |
| I100676            |                                   | 1.04    | 9.9     | 470     | 6.7     | 11.4    | <0.001  | 0.01    | 0.20    | 3.0     | 0.4     | 0.5     | 20.3    | <0.01   | 0.02    |
| I100677            |                                   | 0.90    | 12.0    | 460     | 5.4     | 8.3     | <0.001  | 0.02    | 0.17    | 2.6     | 0.4     | 0.4     | 20.4    | <0.01   | 0.02    |
| I100678            |                                   | 1.03    | 22.5    | 670     | 10.4    | 15.4    | <0.001  | 0.04    | 0.69    | 6.5     | 0.8     | 0.5     | 55.4    | <0.01   | 0.03    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 2 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100639            |                                   | 0.105              | 0.18                 | 1.09                | 106                 | 0.22                | 6.46                | 112                  | 0.5                  |
| I100640            |                                   | 0.018              | 0.04                 | 0.57                | 19                  | 0.05                | 2.76                | 12                   | <0.5                 |
| I100641            |                                   | 0.050              | 0.14                 | 0.94                | 54                  | 0.13                | 5.06                | 63                   | <0.5                 |
| I100642            |                                   | 0.103              | 0.17                 | 0.72                | 96                  | 0.18                | 5.63                | 107                  | 0.7                  |
| I100643            |                                   | 0.081              | 0.06                 | 0.99                | 63                  | 1.26                | 7.86                | 76                   | 1.8                  |
| I100644            |                                   | 0.094              | 0.10                 | 1.22                | 60                  | 0.20                | 6.51                | 118                  | 3.0                  |
| I100645            |                                   | 0.123              | 0.06                 | 0.85                | 70                  | 0.23                | 10.80               | 65                   | 10.5                 |
| I100646            |                                   | 0.121              | 0.05                 | 0.81                | 69                  | 0.33                | 9.15                | 57                   | 4.9                  |
| I100647            |                                   | 0.127              | 0.07                 | 0.49                | 71                  | 0.20                | 11.55               | 63                   | 7.6                  |
| I100648            |                                   | 0.102              | 0.17                 | 0.95                | 77                  | 0.15                | 7.90                | 48                   | 5.0                  |
| I100649            |                                   | 0.120              | 0.14                 | 0.58                | 83                  | 0.16                | 5.06                | 51                   | 2.0                  |
| I100650            |                                   | 0.098              | 0.11                 | 0.54                | 68                  | 0.15                | 3.63                | 34                   | 2.0                  |
| I100651            |                                   | 0.104              | 0.13                 | 0.35                | 63                  | 0.16                | 1.90                | 69                   | 0.8                  |
| I100652            |                                   | 0.110              | 0.17                 | 0.44                | 70                  | 0.20                | 2.27                | 71                   | 0.9                  |
| I100653            |                                   | 0.090              | 0.12                 | 0.33                | 64                  | 0.16                | 2.15                | 46                   | 1.4                  |
| I100654            |                                   | 0.088              | 0.10                 | 0.44                | 57                  | 0.17                | 2.85                | 48                   | 1.7                  |
| I100655            |                                   | 0.108              | 0.13                 | 0.57                | 54                  | 0.13                | 4.01                | 46                   | 2.3                  |
| I100656            |                                   | 0.092              | 0.10                 | 0.55                | 63                  | 0.17                | 3.70                | 50                   | 1.5                  |
| I100657            |                                   | 0.092              | 0.19                 | 4.97                | 55                  | 0.16                | 33.0                | 71                   | 2.3                  |
| I100658            |                                   | 0.144              | 0.19                 | 0.81                | 67                  | 0.22                | 3.50                | 49                   | 1.7                  |
| I100659            |                                   | 0.149              | 0.23                 | 0.55                | 65                  | 0.13                | 2.81                | 55                   | 2.6                  |
| I100660            |                                   | 0.152              | 0.21                 | 1.01                | 63                  | 0.18                | 7.39                | 66                   | 2.6                  |
| I100661            |                                   | 0.115              | 0.12                 | 1.61                | 62                  | 0.30                | 7.53                | 57                   | 3.1                  |
| I100662            |                                   | 0.105              | 0.12                 | 0.38                | 71                  | 0.18                | 2.28                | 50                   | 0.9                  |
| I100663            |                                   | 0.163              | 0.25                 | 0.59                | 74                  | 0.13                | 4.51                | 63                   | 2.1                  |
| I100664            |                                   | 0.083              | 0.11                 | 0.45                | 60                  | 0.15                | 2.59                | 63                   | 0.7                  |
| I100665            |                                   | 0.088              | 0.08                 | 0.45                | 58                  | 0.16                | 4.51                | 46                   | 1.5                  |
| I100666            |                                   | 0.098              | 0.17                 | 0.90                | 59                  | 0.23                | 15.60               | 56                   | 2.0                  |
| I100667            |                                   | 0.099              | 0.08                 | 0.94                | 64                  | 0.20                | 10.90               | 65                   | 6.2                  |
| I100668            |                                   | 0.099              | 0.08                 | 0.47                | 66                  | 0.31                | 3.99                | 46                   | 3.6                  |
| I100669            |                                   | 0.092              | 0.08                 | 0.76                | 54                  | 0.19                | 6.84                | 50                   | 3.3                  |
| I100670            |                                   | 0.137              | 0.12                 | 0.43                | 73                  | 0.16                | 3.11                | 55                   | 1.9                  |
| I100671            |                                   | 0.137              | 0.13                 | 0.33                | 83                  | 0.23                | 2.14                | 49                   | 1.5                  |
| I100672            |                                   | 0.121              | 0.14                 | 0.34                | 76                  | 0.20                | 2.40                | 63                   | 1.7                  |
| I100673            |                                   | 0.196              | 0.28                 | 0.44                | 92                  | 0.20                | 3.37                | 74                   | 2.8                  |
| I100674            |                                   | 0.213              | 0.31                 | 0.42                | 96                  | 0.20                | 3.35                | 77                   | 2.5                  |
| I100675            |                                   | 0.063              | 0.09                 | 0.65                | 48                  | 0.13                | 4.28                | 42                   | 0.5                  |
| I100676            |                                   | 0.091              | 0.10                 | 0.50                | 57                  | 0.18                | 3.42                | 51                   | 0.6                  |
| I100677            |                                   | 0.074              | 0.07                 | 0.46                | 47                  | 0.32                | 3.12                | 41                   | 0.6                  |
| I100678            |                                   | 0.088              | 0.12                 | 0.77                | 74                  | 0.19                | 6.20                | 74                   | 2.3                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100679            |                                   | 0.22                      | <0.005               | 0.28                 | 1.40               | 8.0                  | <0.2                 | <10                 | 260                  | 0.30                 | 0.14                 | 0.35               | 0.41                 | 11.80                | 8.6                  | 19                   |
| I100680            |                                   | 0.34                      | <0.005               | 0.24                 | 2.09               | 25.1                 | <0.2                 | <10                 | 290                  | 0.33                 | 0.14                 | 0.75               | 0.23                 | 14.05                | 12.1                 | 28                   |
| I100681            |                                   | 0.38                      | <0.005               | 0.22                 | 2.13               | 81.0                 | <0.2                 | <10                 | 300                  | 0.32                 | 0.43                 | 0.55               | 0.18                 | 18.70                | 10.2                 | 44                   |
| I100682            |                                   | 0.38                      | <0.005               | 0.33                 | 2.00               | 73.9                 | <0.2                 | <10                 | 340                  | 0.31                 | 0.39                 | 0.65               | 0.28                 | 19.65                | 9.9                  | 42                   |
| I100683            |                                   | 0.26                      | <0.005               | 0.18                 | 2.16               | 52.4                 | <0.2                 | <10                 | 350                  | 0.35                 | 0.28                 | 0.44               | 0.13                 | 21.3                 | 15.8                 | 44                   |
| I100684            |                                   | 0.36                      | <0.005               | 0.32                 | 1.96               | 99.8                 | <0.2                 | <10                 | 320                  | 0.28                 | 0.16                 | 0.34               | 0.19                 | 19.65                | 10.2                 | 39                   |
| I100685            |                                   | 0.26                      | <0.005               | 0.23                 | 1.06               | 23.5                 | <0.2                 | <10                 | 270                  | 0.15                 | 0.14                 | 0.40               | 0.25                 | 7.43                 | 6.0                  | 19                   |
| I100686            |                                   | 0.26                      | <0.005               | 0.15                 | 2.08               | 70.2                 | <0.2                 | <10                 | 390                  | 0.32                 | 0.18                 | 0.79               | 0.21                 | 16.20                | 9.7                  | 42                   |
| I100687            |                                   | 0.38                      | <0.005               | 0.27                 | 1.28               | 32.9                 | <0.2                 | <10                 | 330                  | 0.30                 | 0.14                 | 0.63               | 0.57                 | 12.65                | 8.4                  | 26                   |
| I100688            |                                   | 0.26                      | <0.005               | 0.28                 | 2.15               | 24.1                 | <0.2                 | <10                 | 570                  | 0.72                 | 0.23                 | 1.34               | 2.32                 | 38.2                 | 15.5                 | 41                   |
| I100689            |                                   | 0.30                      | <0.005               | 0.13                 | 1.61               | 13.6                 | <0.2                 | <10                 | 290                  | 0.36                 | 0.27                 | 1.72               | 0.30                 | 14.75                | 9.6                  | 24                   |
| I100690            |                                   | 0.36                      | <0.005               | 0.06                 | 1.10               | 5.4                  | <0.2                 | <10                 | 80                   | 0.13                 | 0.10                 | 0.22               | 0.13                 | 9.61                 | 5.4                  | 22                   |
| I100691            |                                   | 0.24                      | <0.005               | 0.10                 | 1.42               | 8.4                  | <0.2                 | <10                 | 150                  | 0.15                 | 0.13                 | 0.29               | 0.17                 | 11.80                | 6.9                  | 27                   |
| I100692            |                                   | 0.28                      | <0.005               | 0.14                 | 1.15               | 7.4                  | <0.2                 | <10                 | 160                  | 0.15                 | 0.12                 | 0.24               | 0.15                 | 10.10                | 4.9                  | 24                   |
| I100693            |                                   | 0.36                      | <0.005               | 0.08                 | 1.81               | 12.3                 | <0.2                 | <10                 | 190                  | 0.28                 | 0.15                 | 0.71               | 0.14                 | 16.60                | 12.0                 | 22                   |
| I100694            |                                   | 0.34                      | <0.005               | 0.13                 | 1.76               | 43.5                 | <0.2                 | <10                 | 310                  | 0.35                 | 0.13                 | 0.83               | 0.49                 | 20.5                 | 9.1                  | 32                   |
| I100695            |                                   | 0.40                      | <0.005               | 0.12                 | 1.91               | 46.9                 | <0.2                 | <10                 | 300                  | 0.32                 | 0.16                 | 0.73               | 0.29                 | 21.0                 | 10.0                 | 34                   |
| I100696            |                                   | 0.32                      | <0.005               | 0.16                 | 1.70               | 28.7                 | <0.2                 | <10                 | 260                  | 0.33                 | 0.14                 | 0.90               | 0.65                 | 21.0                 | 11.0                 | 31                   |
| I100697            |                                   | 0.52                      | 0.011                | 0.21                 | 1.85               | 64.6                 | <0.2                 | <10                 | 400                  | 0.39                 | 0.17                 | 0.88               | 0.30                 | 25.8                 | 9.9                  | 36                   |
| I100698            |                                   | 0.30                      | <0.005               | 0.93                 | 2.70               | 145.0                | <0.2                 | <10                 | 770                  | 0.64                 | 0.18                 | 1.79               | 0.60                 | 32.4                 | 13.6                 | 48                   |
| I100699            |                                   | 0.22                      | <0.005               | 0.39                 | 1.61               | 149.0                | <0.2                 | <10                 | 390                  | 0.47                 | 0.27                 | 1.06               | 1.16                 | 30.6                 | 12.0                 | 33                   |
| I100700            |                                   | 0.42                      | <0.005               | 0.28                 | 3.57               | 8.1                  | <0.2                 | <10                 | 430                  | 0.72                 | 0.16                 | 0.52               | 0.49                 | 32.1                 | 20.6                 | 72                   |
| I100701            |                                   | 0.34                      | <0.005               | 0.13                 | 2.03               | 5.6                  | <0.2                 | <10                 | 230                  | 0.42                 | 0.19                 | 0.75               | 0.17                 | 21.9                 | 15.5                 | 25                   |
| I100702            |                                   | 0.30                      | <0.005               | 0.09                 | 2.02               | 7.9                  | <0.2                 | <10                 | 180                  | 0.34                 | 0.15                 | 0.67               | 0.22                 | 16.65                | 13.0                 | 24                   |
| I100703            |                                   | 0.40                      | 0.005                | 0.10                 | 2.54               | 7.3                  | <0.2                 | <10                 | 210                  | 0.39                 | 0.21                 | 0.57               | 0.11                 | 18.75                | 13.5                 | 31                   |
| I100704            |                                   | 0.30                      | <0.005               | 0.11                 | 2.46               | 11.5                 | <0.2                 | <10                 | 260                  | 0.59                 | 0.17                 | 0.57               | 0.16                 | 22.8                 | 16.6                 | 27                   |
| I100705            |                                   | 0.36                      | <0.005               | 0.27                 | 2.19               | 59.4                 | <0.2                 | <10                 | 330                  | 0.65                 | 0.20                 | 0.84               | 0.49                 | 22.6                 | 17.6                 | 22                   |
| I100706            |                                   | 0.28                      | <0.005               | 0.64                 | 0.96               | 13.1                 | <0.2                 | <10                 | 550                  | 0.24                 | 0.20                 | 1.70               | 1.35                 | 13.80                | 5.1                  | 14                   |
| I100707            |                                   | 0.54                      | <0.005               | 0.37                 | 2.34               | 87.5                 | <0.2                 | <10                 | 430                  | 0.70                 | 0.56                 | 0.38               | 0.62                 | 26.4                 | 13.7                 | 26                   |
| I100708            |                                   | 0.30                      | <0.005               | 0.65                 | 1.72               | 96.3                 | <0.2                 | <10                 | 390                  | 0.62                 | 0.24                 | 0.52               | 0.88                 | 26.0                 | 11.3                 | 28                   |
| I100709            |                                   | 0.44                      | <0.005               | 0.66                 | 1.89               | 75.6                 | <0.2                 | <10                 | 290                  | 0.39                 | 0.20                 | 0.35               | 0.37                 | 19.55                | 7.9                  | 30                   |
| I100710            |                                   | 0.42                      | <0.005               | 0.16                 | 2.06               | 90.7                 | <0.2                 | <10                 | 160                  | 0.34                 | 0.25                 | 0.17               | 0.24                 | 20.4                 | 6.9                  | 33                   |
| I100711            |                                   | 0.46                      | <0.005               | 0.12                 | 2.10               | 63.1                 | <0.2                 | <10                 | 290                  | 0.46                 | 0.17                 | 0.30               | 0.26                 | 34.2                 | 11.3                 | 35                   |
| I100712            |                                   | 0.30                      | <0.005               | 0.09                 | 1.69               | 38.1                 | <0.2                 | <10                 | 160                  | 0.26                 | 0.21                 | 0.18               | 0.30                 | 24.5                 | 5.1                  | 27                   |
| I100713            |                                   | 0.36                      | <0.005               | 0.53                 | 2.23               | 308                  | <0.2                 | <10                 | 330                  | 0.68                 | 0.35                 | 0.34               | 0.85                 | 35.3                 | 13.0                 | 36                   |
| I100714            |                                   | 0.28                      | <0.005               | 0.10                 | 1.83               | 10.2                 | <0.2                 | <10                 | 140                  | 0.40                 | 0.26                 | 0.36               | 0.20                 | 26.2                 | 12.9                 | 30                   |
| I100715            |                                   | 0.30                      | <0.005               | 0.13                 | 0.77               | 4.2                  | <0.2                 | <10                 | 110                  | 0.16                 | 0.16                 | 0.33               | 0.14                 | 8.93                 | 4.1                  | 13                   |
| I100716            |                                   | 0.20                      | <0.005               | 0.24                 | 2.07               | 13.0                 | <0.2                 | <10                 | 240                  | 0.47                 | 0.25                 | 0.47               | 0.19                 | 28.5                 | 12.8                 | 26                   |
| I100717            |                                   | 0.32                      | <0.005               | 0.10                 | 1.75               | 27.3                 | <0.2                 | <10                 | 200                  | 0.38                 | 0.20                 | 0.91               | 0.17                 | 19.90                | 12.4                 | 25                   |
| I100718            |                                   | 0.30                      | <0.005               | 0.10                 | 1.82               | 31.0                 | <0.2                 | <10                 | 220                  | 0.42                 | 0.25                 | 0.65               | 0.22                 | 22.0                 | 13.0                 | 22                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100679            |                                   | 0.78    | 44.2    | 2.15    | 5.25    | 0.05    | 0.05    | 0.02    | 0.018   | 0.10    | 6.6     | 8.2     | 0.35    | 311     | 0.88    |
| I100680            |                                   | 1.23    | 29.8    | 3.14    | 6.03    | 0.06    | 0.02    | 0.03    | 0.023   | 0.16    | 8.1     | 10.9    | 0.75    | 519     | 1.53    |
| I100681            |                                   | 0.70    | 35.5    | 3.47    | 7.07    | 0.07    | 0.06    | 0.02    | 0.030   | 0.11    | 10.2    | 13.5    | 0.65    | 366     | 1.99    |
| I100682            |                                   | 0.58    | 36.0    | 3.30    | 6.74    | 0.07    | 0.07    | 0.02    | 0.030   | 0.13    | 10.8    | 12.5    | 0.62    | 464     | 2.02    |
| I100683            |                                   | 1.10    | 38.2    | 3.60    | 6.86    | 0.07    | 0.03    | 0.02    | 0.031   | 0.13    | 10.6    | 13.6    | 0.82    | 508     | 2.31    |
| I100684            |                                   | 0.63    | 27.8    | 3.21    | 6.63    | 0.06    | 0.05    | 0.02    | 0.027   | 0.09    | 10.4    | 14.2    | 0.60    | 331     | 1.98    |
| I100685            |                                   | 0.47    | 16.2    | 1.75    | 5.24    | <0.05   | 0.02    | 0.01    | 0.017   | 0.06    | 4.0     | 6.1     | 0.26    | 278     | 1.08    |
| I100686            |                                   | 0.94    | 40.2    | 2.99    | 6.60    | 0.07    | 0.03    | 0.06    | 0.033   | 0.11    | 8.6     | 15.2    | 0.61    | 328     | 1.48    |
| I100687            |                                   | 0.77    | 41.9    | 1.99    | 4.74    | <0.05   | 0.02    | 0.03    | 0.020   | 0.06    | 6.7     | 7.8     | 0.36    | 339     | 1.14    |
| I100688            |                                   | 1.12    | 69.8    | 3.22    | 6.41    | 0.10    | 0.08    | 0.05    | 0.033   | 0.18    | 24.0    | 9.7     | 0.73    | 950     | 1.13    |
| I100689            |                                   | 0.56    | 27.6    | 2.22    | 4.95    | 0.06    | 0.04    | 0.05    | 0.088   | 0.08    | 8.4     | 9.5     | 0.49    | 437     | 1.14    |
| I100690            |                                   | 0.69    | 14.8    | 1.63    | 4.77    | <0.05   | <0.02   | 0.03    | 0.015   | 0.04    | 5.1     | 6.5     | 0.36    | 120     | 0.95    |
| I100691            |                                   | 0.84    | 20.1    | 2.37    | 5.27    | 0.05    | <0.02   | 0.03    | 0.019   | 0.04    | 6.3     | 8.8     | 0.42    | 179     | 1.97    |
| I100692            |                                   | 0.72    | 22.0    | 2.13    | 4.57    | <0.05   | <0.02   | 0.06    | 0.017   | 0.04    | 5.4     | 6.7     | 0.32    | 125     | 1.55    |
| I100693            |                                   | 0.88    | 15.1    | 2.85    | 5.82    | 0.05    | 0.02    | 0.03    | 0.021   | 0.05    | 8.9     | 9.7     | 0.59    | 775     | 0.95    |
| I100694            |                                   | 0.64    | 30.7    | 2.48    | 5.65    | 0.06    | 0.04    | 0.03    | 0.025   | 0.07    | 10.6    | 12.6    | 0.56    | 399     | 0.93    |
| I100695            |                                   | 0.63    | 29.3    | 2.80    | 5.97    | 0.07    | 0.05    | 0.03    | 0.027   | 0.07    | 10.6    | 13.3    | 0.59    | 366     | 1.09    |
| I100696            |                                   | 0.57    | 35.4    | 2.66    | 5.50    | 0.07    | 0.07    | 0.02    | 0.027   | 0.09    | 10.4    | 11.4    | 0.61    | 471     | 0.86    |
| I100697            |                                   | 0.55    | 37.8    | 2.73    | 5.81    | 0.07    | 0.10    | 0.04    | 0.029   | 0.06    | 13.2    | 13.9    | 0.65    | 404     | 0.95    |
| I100698            |                                   | 0.99    | 72.0    | 3.18    | 7.01    | 0.10    | 0.11    | 0.13    | 0.040   | 0.06    | 19.8    | 16.4    | 0.66    | 691     | 1.84    |
| I100699            |                                   | 0.80    | 47.8    | 2.73    | 5.02    | 0.08    | 0.05    | 0.05    | 0.030   | 0.09    | 15.2    | 12.4    | 0.56    | 780     | 1.52    |
| I100700            |                                   | 2.71    | 63.0    | 5.47    | 11.75   | 0.17    | 0.02    | 0.01    | 0.056   | 0.28    | 13.5    | 19.9    | 1.70    | 429     | 3.22    |
| I100701            |                                   | 0.92    | 22.1    | 2.69    | 5.91    | 0.06    | 0.04    | 0.04    | 0.026   | 0.05    | 9.5     | 9.0     | 0.52    | 798     | 1.14    |
| I100702            |                                   | 0.79    | 17.6    | 2.83    | 5.85    | 0.07    | 0.03    | 0.03    | 0.024   | 0.04    | 7.6     | 9.1     | 0.60    | 468     | 0.84    |
| I100703            |                                   | 1.12    | 18.4    | 3.16    | 7.19    | 0.08    | 0.04    | 0.04    | 0.030   | 0.05    | 8.9     | 11.1    | 0.69    | 427     | 0.84    |
| I100704            |                                   | 1.19    | 19.1    | 3.64    | 7.00    | 0.09    | 0.04    | 0.04    | 0.031   | 0.04    | 10.4    | 12.1    | 0.80    | 525     | 0.88    |
| I100705            |                                   | 1.45    | 23.2    | 3.48    | 6.08    | 0.10    | 0.05    | 0.05    | 0.030   | 0.07    | 10.6    | 13.1    | 0.75    | 1060    | 1.28    |
| I100706            |                                   | 0.99    | 25.2    | 1.27    | 4.14    | <0.05   | <0.02   | 0.01    | 0.016   | 0.10    | 6.6     | 4.3     | 0.24    | 938     | 0.94    |
| I100707            |                                   | 1.91    | 35.1    | 3.36    | 7.03    | 0.09    | 0.04    | 0.04    | 0.038   | 0.07    | 12.5    | 13.0    | 0.70    | 561     | 2.34    |
| I100708            |                                   | 1.21    | 44.6    | 2.39    | 5.24    | 0.05    | 0.03    | 0.04    | 0.037   | 0.04    | 11.9    | 10.0    | 0.38    | 722     | 2.70    |
| I100709            |                                   | 1.47    | 28.8    | 2.40    | 6.11    | <0.05   | 0.02    | 0.02    | 0.026   | 0.04    | 9.4     | 11.3    | 0.44    | 303     | 2.17    |
| I100710            |                                   | 1.29    | 24.1    | 2.85    | 8.18    | 0.05    | 0.02    | 0.03    | 0.030   | 0.05    | 9.6     | 9.3     | 0.38    | 212     | 1.95    |
| I100711            |                                   | 0.82    | 32.9    | 2.88    | 6.01    | 0.07    | 0.03    | 0.02    | 0.032   | 0.06    | 16.1    | 11.9    | 0.53    | 364     | 1.24    |
| I100712            |                                   | 0.87    | 19.9    | 2.37    | 8.32    | <0.05   | 0.02    | 0.03    | 0.030   | 0.04    | 12.5    | 7.2     | 0.30    | 129     | 1.27    |
| I100713            |                                   | 2.43    | 63.9    | 3.35    | 6.64    | 0.09    | 0.03    | 0.06    | 0.046   | 0.07    | 20.0    | 12.1    | 0.45    | 437     | 2.96    |
| I100714            |                                   | 1.31    | 14.9    | 3.04    | 6.74    | 0.06    | 0.03    | 0.02    | 0.022   | 0.12    | 13.5    | 11.0    | 0.71    | 693     | 1.32    |
| I100715            |                                   | 0.71    | 13.3    | 1.68    | 4.98    | <0.05   | <0.02   | 0.02    | 0.010   | 0.11    | 4.4     | 3.1     | 0.22    | 322     | 1.09    |
| I100716            |                                   | 1.29    | 22.9    | 3.07    | 7.04    | 0.06    | 0.03    | 0.04    | 0.026   | 0.09    | 15.7    | 9.6     | 0.65    | 395     | 1.15    |
| I100717            |                                   | 1.13    | 18.4    | 2.79    | 5.49    | 0.05    | 0.03    | 0.04    | 0.023   | 0.07    | 9.7     | 9.7     | 0.67    | 454     | 1.08    |
| I100718            |                                   | 1.80    | 18.7    | 3.03    | 5.56    | 0.06    | 0.03    | 0.03    | 0.024   | 0.09    | 11.6    | 10.0    | 0.74    | 517     | 1.31    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100679            |                                   | 1.07    | 14.8    | 470     | 5.4     | 11.2    | <0.001  | <0.01   | 0.29    | 3.9     | 0.4     | 0.4     | 31.7    | <0.01   | 0.03    |
| I100680            |                                   | 0.99    | 20.4    | 720     | 6.4     | 17.8    | <0.001  | 0.01    | 0.38    | 4.5     | 0.7     | 0.5     | 48.8    | <0.01   | 0.03    |
| I100681            |                                   | 1.47    | 31.4    | 320     | 10.1    | 13.5    | <0.001  | <0.01   | 0.75    | 5.9     | 0.7     | 0.6     | 38.6    | <0.01   | 0.04    |
| I100682            |                                   | 1.52    | 31.2    | 360     | 9.3     | 15.6    | <0.001  | <0.01   | 0.74    | 5.9     | 0.7     | 0.5     | 44.1    | <0.01   | 0.05    |
| I100683            |                                   | 1.18    | 33.3    | 410     | 8.2     | 17.3    | <0.001  | <0.01   | 0.54    | 5.3     | 0.6     | 0.6     | 34.3    | <0.01   | 0.05    |
| I100684            |                                   | 1.56    | 27.3    | 290     | 8.6     | 10.0    | <0.001  | <0.01   | 0.87    | 4.9     | 0.5     | 0.5     | 28.0    | <0.01   | 0.03    |
| I100685            |                                   | 0.93    | 12.1    | 190     | 7.2     | 12.1    | <0.001  | <0.01   | 0.33    | 2.4     | 0.2     | 0.4     | 27.6    | <0.01   | 0.02    |
| I100686            |                                   | 1.04    | 29.3    | 690     | 8.4     | 14.0    | <0.001  | 0.01    | 0.96    | 6.4     | 0.8     | 0.5     | 45.4    | <0.01   | 0.04    |
| I100687            |                                   | 0.83    | 21.9    | 580     | 7.2     | 8.9     | <0.001  | 0.01    | 0.54    | 4.0     | 0.8     | 0.4     | 39.2    | <0.01   | 0.02    |
| I100688            |                                   | 1.22    | 54.3    | 1410    | 10.9    | 20.7    | 0.003   | 0.03    | 0.70    | 8.4     | 1.6     | 0.6     | 81.9    | 0.01    | 0.05    |
| I100689            |                                   | 1.07    | 18.1    | 680     | 7.8     | 8.4     | 0.001   | 0.06    | 0.44    | 4.0     | 1.2     | 0.4     | 94.8    | <0.01   | 0.03    |
| I100690            |                                   | 0.72    | 13.5    | 380     | 5.3     | 7.5     | <0.001  | 0.01    | 0.33    | 2.4     | 0.6     | 0.3     | 16.1    | <0.01   | 0.02    |
| I100691            |                                   | 1.04    | 18.6    | 540     | 7.0     | 8.8     | <0.001  | 0.02    | 0.52    | 2.9     | 0.8     | 0.4     | 21.9    | <0.01   | 0.03    |
| I100692            |                                   | 0.79    | 15.4    | 640     | 6.3     | 6.5     | <0.001  | 0.04    | 0.49    | 2.1     | 1.1     | 0.3     | 18.1    | <0.01   | 0.03    |
| I100693            |                                   | 1.03    | 12.9    | 600     | 8.2     | 10.1    | <0.001  | 0.02    | 0.33    | 4.3     | 0.6     | 0.5     | 39.8    | <0.01   | 0.02    |
| I100694            |                                   | 1.28    | 23.6    | 690     | 7.9     | 9.8     | <0.001  | 0.03    | 0.69    | 4.8     | 0.8     | 0.4     | 55.1    | <0.01   | 0.03    |
| I100695            |                                   | 1.58    | 22.5    | 580     | 9.3     | 10.6    | <0.001  | 0.01    | 0.62    | 5.2     | 0.8     | 0.5     | 50.2    | <0.01   | 0.03    |
| I100696            |                                   | 1.62    | 25.3    | 650     | 8.4     | 13.3    | 0.001   | 0.01    | 0.55    | 4.9     | 0.8     | 0.4     | 53.1    | <0.01   | 0.02    |
| I100697            |                                   | 1.53    | 28.3    | 810     | 11.6    | 7.1     | 0.001   | 0.02    | 1.10    | 6.3     | 1.1     | 0.5     | 53.9    | <0.01   | 0.03    |
| I100698            |                                   | 1.13    | 54.2    | 880     | 16.1    | 10.8    | 0.001   | 0.09    | 1.80    | 8.6     | 2.1     | 0.4     | 113.0   | 0.01    | 0.06    |
| I100699            |                                   | 0.97    | 34.7    | 1130    | 20.6    | 14.4    | <0.001  | 0.04    | 1.44    | 5.1     | 1.2     | 0.4     | 60.2    | <0.01   | 0.05    |
| I100700            |                                   | 1.53    | 71.2    | 880     | 8.4     | 30.8    | <0.001  | 0.02    | 0.50    | 7.0     | 1.4     | 1.0     | 32.8    | <0.01   | 0.05    |
| I100701            |                                   | 1.08    | 16.6    | 750     | 9.6     | 10.6    | <0.001  | 0.07    | 0.27    | 4.8     | 1.4     | 0.4     | 44.4    | <0.01   | 0.05    |
| I100702            |                                   | 1.07    | 15.1    | 570     | 8.2     | 8.7     | <0.001  | 0.05    | 0.75    | 4.9     | 1.1     | 0.4     | 43.8    | <0.01   | 0.04    |
| I100703            |                                   | 1.15    | 17.4    | 560     | 7.2     | 10.5    | <0.001  | 0.04    | 0.30    | 6.3     | 1.0     | 0.5     | 40.0    | <0.01   | 0.04    |
| I100704            |                                   | 0.94    | 16.8    | 730     | 7.0     | 7.8     | <0.001  | 0.04    | 0.31    | 7.1     | 1.2     | 0.6     | 38.6    | <0.01   | 0.03    |
| I100705            |                                   | 0.86    | 21.3    | 870     | 17.8    | 12.7    | 0.003   | 0.06    | 0.56    | 6.2     | 2.4     | 0.5     | 41.2    | <0.01   | 0.04    |
| I100706            |                                   | 0.67    | 11.5    | 820     | 6.7     | 17.2    | <0.001  | 0.03    | 0.21    | 3.1     | 1.0     | 0.4     | 79.3    | <0.01   | 0.04    |
| I100707            |                                   | 0.99    | 24.0    | 410     | 18.7    | 14.2    | 0.001   | 0.02    | 0.69    | 6.2     | 2.4     | 0.8     | 30.0    | <0.01   | 0.16    |
| I100708            |                                   | 0.83    | 32.1    | 730     | 23.4    | 11.0    | 0.003   | 0.05    | 0.85    | 3.6     | 3.5     | 0.5     | 37.6    | <0.01   | 0.07    |
| I100709            |                                   | 1.14    | 25.5    | 350     | 24.0    | 10.4    | <0.001  | 0.02    | 0.56    | 3.9     | 1.6     | 0.5     | 27.4    | <0.01   | 0.04    |
| I100710            |                                   | 1.11    | 21.9    | 430     | 33.3    | 9.1     | <0.001  | 0.02    | 0.71    | 3.9     | 0.8     | 0.6     | 16.9    | <0.01   | 0.06    |
| I100711            |                                   | 0.96    | 28.6    | 460     | 24.0    | 8.9     | <0.001  | 0.02    | 0.71    | 4.6     | 0.9     | 0.5     | 24.8    | <0.01   | 0.05    |
| I100712            |                                   | 1.17    | 16.2    | 330     | 19.7    | 5.4     | <0.001  | 0.03    | 0.50    | 2.8     | 1.0     | 0.7     | 21.0    | <0.01   | 0.05    |
| I100713            |                                   | 0.79    | 49.9    | 640     | 47.8    | 16.3    | <0.001  | 0.04    | 1.35    | 5.0     | 2.3     | 0.6     | 26.5    | 0.01    | 0.09    |
| I100714            |                                   | 1.07    | 17.6    | 440     | 14.6    | 22.8    | <0.001  | 0.02    | 0.25    | 3.8     | 0.5     | 0.7     | 26.0    | <0.01   | 0.03    |
| I100715            |                                   | 0.94    | 7.6     | 260     | 7.9     | 15.3    | <0.001  | 0.02    | 0.21    | 1.7     | 0.4     | 0.5     | 21.2    | <0.01   | 0.02    |
| I100716            |                                   | 1.24    | 17.1    | 420     | 13.7    | 19.2    | <0.001  | 0.04    | 0.36    | 4.9     | 0.9     | 0.7     | 35.5    | <0.01   | 0.04    |
| I100717            |                                   | 1.00    | 17.0    | 600     | 14.5    | 13.1    | 0.001   | 0.07    | 0.40    | 4.4     | 1.3     | 0.5     | 46.8    | <0.01   | 0.05    |
| I100718            |                                   | 1.01    | 16.1    | 560     | 9.1     | 18.3    | <0.001  | 0.05    | 0.41    | 4.8     | 1.2     | 0.6     | 41.3    | <0.01   | 0.04    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100679            |                                   | 0.096              | 0.07                 | 0.81                | 49                  | 0.12                | 7.47                | 37                   | 2.1                  |
| I100680            |                                   | 0.102              | 0.10                 | 0.65                | 71                  | 0.12                | 6.80                | 64                   | 0.9                  |
| I100681            |                                   | 0.102              | 0.09                 | 0.64                | 91                  | 0.16                | 8.71                | 65                   | 2.8                  |
| I100682            |                                   | 0.102              | 0.07                 | 0.72                | 86                  | 0.14                | 9.99                | 64                   | 3.0                  |
| I100683            |                                   | 0.102              | 0.11                 | 0.76                | 87                  | 0.12                | 9.14                | 67                   | 1.1                  |
| I100684            |                                   | 0.107              | 0.09                 | 0.58                | 85                  | 0.20                | 7.07                | 58                   | 2.3                  |
| I100685            |                                   | 0.076              | 0.07                 | 0.23                | 52                  | 0.10                | 2.10                | 28                   | 0.6                  |
| I100686            |                                   | 0.082              | 0.09                 | 0.78                | 73                  | 0.18                | 7.97                | 67                   | 1.4                  |
| I100687            |                                   | 0.061              | 0.06                 | 0.60                | 48                  | 0.10                | 7.12                | 46                   | 0.8                  |
| I100688            |                                   | 0.086              | 0.09                 | 1.64                | 70                  | 0.21                | 32.7                | 113                  | 3.1                  |
| I100689            |                                   | 0.071              | 0.07                 | 1.15                | 51                  | 0.12                | 10.00               | 45                   | 2.0                  |
| I100690            |                                   | 0.063              | 0.07                 | 0.37                | 41                  | 0.17                | 3.20                | 39                   | <0.5                 |
| I100691            |                                   | 0.073              | 0.09                 | 0.52                | 62                  | 0.15                | 4.24                | 52                   | 0.5                  |
| I100692            |                                   | 0.053              | 0.09                 | 0.59                | 46                  | 0.13                | 3.79                | 40                   | <0.5                 |
| I100693            |                                   | 0.082              | 0.09                 | 0.80                | 69                  | 0.17                | 6.46                | 53                   | 0.7                  |
| I100694            |                                   | 0.091              | 0.07                 | 0.72                | 61                  | 0.16                | 9.71                | 69                   | 1.7                  |
| I100695            |                                   | 0.111              | 0.08                 | 0.73                | 71                  | 0.16                | 8.10                | 61                   | 2.3                  |
| I100696            |                                   | 0.108              | 0.05                 | 0.65                | 63                  | 0.15                | 8.10                | 69                   | 3.3                  |
| I100697            |                                   | 0.116              | 0.08                 | 0.88                | 70                  | 0.20                | 12.10               | 75                   | 4.8                  |
| I100698            |                                   | 0.054              | 0.09                 | 1.24                | 70                  | 0.17                | 36.1                | 70                   | 4.4                  |
| I100699            |                                   | 0.060              | 0.06                 | 1.38                | 57                  | 0.19                | 14.25               | 107                  | 1.7                  |
| I100700            |                                   | 0.111              | 0.22                 | 1.10                | 149                 | 0.22                | 7.90                | 193                  | <0.5                 |
| I100701            |                                   | 0.076              | 0.08                 | 0.72                | 60                  | 0.15                | 6.95                | 59                   | 1.3                  |
| I100702            |                                   | 0.084              | 0.06                 | 0.54                | 65                  | 0.13                | 5.09                | 54                   | 1.2                  |
| I100703            |                                   | 0.094              | 0.08                 | 0.68                | 74                  | 0.16                | 5.47                | 58                   | 1.3                  |
| I100704            |                                   | 0.081              | 0.08                 | 0.98                | 81                  | 0.23                | 8.20                | 64                   | 1.0                  |
| I100705            |                                   | 0.058              | 0.10                 | 1.04                | 70                  | 0.17                | 11.45               | 86                   | 1.1                  |
| I100706            |                                   | 0.052              | 0.06                 | 1.09                | 32                  | 0.09                | 3.72                | 83                   | <0.5                 |
| I100707            |                                   | 0.062              | 0.11                 | 2.97                | 75                  | 0.15                | 9.15                | 80                   | 1.2                  |
| I100708            |                                   | 0.036              | 0.08                 | 4.68                | 51                  | 0.16                | 12.30               | 77                   | 0.6                  |
| I100709            |                                   | 0.067              | 0.09                 | 0.96                | 57                  | 0.17                | 5.23                | 64                   | 0.6                  |
| I100710            |                                   | 0.088              | 0.12                 | 0.52                | 74                  | 0.19                | 3.80                | 62                   | 0.7                  |
| I100711            |                                   | 0.075              | 0.08                 | 0.63                | 63                  | 0.15                | 7.39                | 79                   | 0.7                  |
| I100712            |                                   | 0.081              | 0.12                 | 0.66                | 66                  | 0.17                | 4.79                | 41                   | 0.7                  |
| I100713            |                                   | 0.044              | 0.16                 | 1.98                | 66                  | 0.25                | 16.50               | 164                  | <0.5                 |
| I100714            |                                   | 0.112              | 0.10                 | 0.73                | 74                  | 0.18                | 5.69                | 58                   | 1.0                  |
| I100715            |                                   | 0.077              | 0.06                 | 0.29                | 47                  | 0.12                | 1.35                | 38                   | 0.6                  |
| I100716            |                                   | 0.094              | 0.11                 | 1.08                | 69                  | 0.16                | 7.68                | 57                   | 0.9                  |
| I100717            |                                   | 0.076              | 0.10                 | 1.03                | 64                  | 0.21                | 5.39                | 61                   | 0.8                  |
| I100718            |                                   | 0.090              | 0.13                 | 0.91                | 66                  | 0.15                | 7.48                | 64                   | 0.9                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100719            |                                   | 0.30                      | <0.005               | 0.09                 | 1.35               | 29.7                 | <0.2                 | <10                 | 150                  | 0.28                 | 0.13                 | 0.41               | 0.18                 | 19.40                | 7.7                  | 16                   |
| I100720            |                                   | 0.52                      | <0.005               | 0.15                 | 1.81               | 124.0                | <0.2                 | <10                 | 180                  | 0.46                 | 0.24                 | 0.38               | 0.21                 | 28.9                 | 18.5                 | 25                   |
| I100721            |                                   | 0.32                      | <0.005               | 0.15                 | 1.67               | 86.1                 | <0.2                 | <10                 | 190                  | 0.31                 | 0.20                 | 0.43               | 0.28                 | 23.1                 | 11.7                 | 26                   |
| I100722            |                                   | 0.18                      | <0.005               | 0.20                 | 1.62               | 88.5                 | <0.2                 | <10                 | 180                  | 0.33                 | 0.26                 | 0.39               | 0.39                 | 30.1                 | 7.9                  | 28                   |
| I100723            |                                   | 0.44                      | <0.005               | 0.22                 | 2.17               | 182.0                | <0.2                 | <10                 | 220                  | 0.78                 | 0.38                 | 0.50               | 0.39                 | 37.5                 | 19.1                 | 46                   |
| I100724            |                                   | 0.28                      | <0.005               | 0.20                 | 1.87               | 157.5                | <0.2                 | <10                 | 220                  | 0.38                 | 0.41                 | 0.33               | 0.37                 | 30.0                 | 9.7                  | 41                   |
| I100725            |                                   | 0.36                      | <0.005               | 0.34                 | 1.60               | 716                  | <0.2                 | <10                 | 280                  | 0.61                 | 0.28                 | 0.55               | 0.87                 | 34.4                 | 31.7                 | 24                   |
| I100726            |                                   | 0.38                      | <0.005               | 0.38                 | 2.58               | 134.0                | <0.2                 | <10                 | 390                  | 0.90                 | 0.38                 | 0.62               | 0.74                 | 46.8                 | 21.5                 | 51                   |
| I100729            |                                   | 0.34                      | <0.005               | 0.08                 | 1.43               | 41.9                 | <0.2                 | <10                 | 120                  | 0.35                 | 0.15                 | 0.53               | 0.28                 | 37.4                 | 11.5                 | 27                   |
| I100730            |                                   | 0.54                      | 0.005                | 0.13                 | 1.66               | 33.0                 | <0.2                 | <10                 | 260                  | 0.51                 | 0.17                 | 0.51               | 0.28                 | 34.8                 | 14.4                 | 32                   |
| I100731            |                                   | 0.22                      | <0.005               | 0.17                 | 1.91               | 36.4                 | <0.2                 | <10                 | 290                  | 0.61                 | 0.15                 | 0.83               | 0.42                 | 35.5                 | 13.6                 | 31                   |
| I100732            |                                   | 0.34                      | <0.005               | 0.11                 | 2.15               | 8.4                  | <0.2                 | <10                 | 90                   | 0.40                 | 0.28                 | 0.10               | 0.15                 | 21.2                 | 5.3                  | 27                   |
| I100733            |                                   | 0.26                      | <0.005               | 0.23                 | 2.37               | 8.9                  | <0.2                 | <10                 | 210                  | 0.56                 | 0.58                 | 0.28               | 0.22                 | 24.2                 | 10.3                 | 27                   |
| I100734            |                                   | 0.24                      | <0.005               | 0.09                 | 2.35               | 12.1                 | <0.2                 | <10                 | 150                  | 0.43                 | 0.21                 | 0.17               | 0.36                 | 24.6                 | 10.9                 | 30                   |
| I100735            |                                   | 0.26                      | <0.005               | 0.10                 | 2.74               | 11.1                 | <0.2                 | <10                 | 150                  | 0.45                 | 0.24                 | 0.14               | 0.19                 | 17.80                | 9.2                  | 32                   |
| I100736            |                                   | 0.32                      | <0.005               | 0.46                 | 0.48               | 1.6                  | <0.2                 | <10                 | 50                   | 0.09                 | 0.20                 | 0.08               | 0.07                 | 8.79                 | 1.6                  | 7                    |
| I100737            |                                   | 0.32                      | <0.005               | 0.15                 | 0.93               | 2.9                  | <0.2                 | <10                 | 120                  | 0.40                 | 0.27                 | 0.14               | 0.08                 | 23.9                 | 4.7                  | 11                   |
| I100738            |                                   | 0.26                      | <0.005               | 0.14                 | 1.85               | 6.6                  | <0.2                 | <10                 | 140                  | 0.44                 | 0.25                 | 0.39               | 0.14                 | 21.7                 | 7.2                  | 26                   |
| I100751            |                                   | 0.44                      | <0.005               | 0.21                 | 2.18               | 13.8                 | <0.2                 | <10                 | 420                  | 0.45                 | 0.18                 | 0.31               | 0.29                 | 21.1                 | 13.1                 | 41                   |
| I100752            |                                   | 0.32                      | <0.005               | 0.33                 | 2.20               | 6.1                  | <0.2                 | <10                 | 490                  | 0.47                 | 0.16                 | 0.33               | 0.53                 | 25.2                 | 15.8                 | 41                   |
| I100753            |                                   | 0.26                      | <0.005               | 0.36                 | 1.34               | 40.3                 | <0.2                 | <10                 | 450                  | 0.43                 | 0.21                 | 2.03               | 0.79                 | 15.85                | 8.6                  | 27                   |
| I100754            |                                   | 0.28                      | <0.005               | 0.27                 | 1.58               | 132.5                | <0.2                 | <10                 | 340                  | 0.43                 | 0.30                 | 0.94               | 0.48                 | 25.3                 | 11.8                 | 30                   |
| I100755            |                                   | 0.32                      | <0.005               | 0.30                 | 1.63               | 105.5                | <0.2                 | <10                 | 300                  | 0.42                 | 0.27                 | 0.85               | 0.31                 | 24.4                 | 7.4                  | 30                   |
| I100756            |                                   | 0.42                      | <0.005               | 0.27                 | 1.82               | 82.6                 | <0.2                 | <10                 | 330                  | 0.47                 | 0.30                 | 0.69               | 0.38                 | 24.1                 | 7.9                  | 36                   |
| I100757            |                                   | 0.30                      | <0.005               | 0.13                 | 1.84               | 27.0                 | <0.2                 | <10                 | 310                  | 0.37                 | 0.19                 | 0.83               | 0.16                 | 19.45                | 9.4                  | 37                   |
| I100758            |                                   | 0.30                      | <0.005               | 0.15                 | 1.86               | 18.5                 | <0.2                 | <10                 | 300                  | 0.38                 | 0.18                 | 0.81               | 0.14                 | 19.45                | 7.5                  | 36                   |
| I100759            |                                   | 0.40                      | <0.005               | 0.15                 | 2.06               | 16.1                 | <0.2                 | <10                 | 370                  | 0.39                 | 0.20                 | 0.87               | 0.31                 | 22.3                 | 10.7                 | 40                   |
| I100760            |                                   | 0.38                      | <0.005               | 0.11                 | 1.69               | 19.6                 | <0.2                 | <10                 | 300                  | 0.41                 | 0.19                 | 0.85               | 0.39                 | 21.5                 | 11.3                 | 32                   |
| I100761            |                                   | 0.36                      | <0.005               | 0.11                 | 1.92               | 22.8                 | <0.2                 | <10                 | 500                  | 0.42                 | 0.17                 | 0.68               | 0.28                 | 21.9                 | 11.9                 | 33                   |
| I100762            |                                   | 0.34                      | 0.005                | 0.15                 | 1.82               | 29.7                 | <0.2                 | <10                 | 490                  | 0.51                 | 0.17                 | 1.04               | 0.45                 | 26.2                 | 11.8                 | 35                   |
| I100764            |                                   | 0.36                      | <0.005               | 0.12                 | 1.99               | 46.0                 | <0.2                 | <10                 | 370                  | 0.36                 | 0.19                 | 0.74               | 0.27                 | 21.0                 | 11.3                 | 39                   |
| I100765            |                                   | 0.18                      | <0.005               | 0.19                 | 1.58               | 38.7                 | <0.2                 | <10                 | 310                  | 0.46                 | 0.23                 | 1.07               | 0.93                 | 22.6                 | 8.9                  | 28                   |
| I100766            |                                   | 0.34                      | 0.006                | 0.08                 | 1.56               | 5.9                  | <0.2                 | <10                 | 150                  | 0.53                 | 0.11                 | 2.71               | 0.18                 | 26.4                 | 11.6                 | 46                   |
| I100767            |                                   | 0.22                      | <0.005               | 0.23                 | 1.06               | 4.1                  | <0.2                 | <10                 | 180                  | 0.44                 | 0.12                 | 2.10               | 0.28                 | 37.5                 | 7.2                  | 20                   |
| I100768            |                                   | 0.32                      | <0.005               | 0.30                 | 1.11               | 3.1                  | <0.2                 | <10                 | 120                  | 0.40                 | 0.15                 | 0.63               | 0.16                 | 28.9                 | 4.6                  | 19                   |
| I100769            |                                   | 0.28                      | 0.005                | 0.16                 | 1.59               | 5.4                  | <0.2                 | <10                 | 110                  | 0.43                 | 0.29                 | 0.35               | 0.15                 | 34.8                 | 7.6                  | 28                   |
| I100770            |                                   | 0.54                      | <0.005               | 0.18                 | 2.12               | 3.7                  | <0.2                 | <10                 | 140                  | 0.65                 | 0.23                 | 0.62               | 0.13                 | 65.5                 | 10.7                 | 32                   |
| I100771            |                                   | 0.24                      | <0.005               | 0.30                 | 1.80               | 4.6                  | <0.2                 | <10                 | 170                  | 0.73                 | 0.32                 | 0.55               | 0.19                 | 103.5                | 13.2                 | 36                   |
| I100772            |                                   | 0.26                      | <0.005               | 0.20                 | 1.90               | 4.6                  | <0.2                 | <10                 | 160                  | 0.61                 | 0.19                 | 0.34               | 0.31                 | 62.8                 | 13.6                 | 37                   |
| I100773            |                                   | 0.40                      | <0.005               | 0.12                 | 2.01               | 5.6                  | <0.2                 | <10                 | 160                  | 0.43                 | 0.24                 | 0.25               | 0.06                 | 29.4                 | 8.6                  | 34                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100719            |                                   | 1.82    | 15.3    | 2.36    | 4.75    | <0.05   | 0.02    | 0.03    | 0.021   | 0.06    | 9.8     | 6.4     | 0.48    | 259     | 0.91    |
| I100720            |                                   | 1.94    | 17.8    | 3.29    | 6.05    | 0.06    | 0.02    | 0.04    | 0.026   | 0.07    | 14.4    | 10.7    | 0.63    | 1020    | 2.30    |
| I100721            |                                   | 1.70    | 15.9    | 2.28    | 5.93    | <0.05   | 0.02    | 0.04    | 0.028   | 0.06    | 11.7    | 9.4     | 0.56    | 625     | 1.31    |
| I100722            |                                   | 1.46    | 20.5    | 2.25    | 5.64    | 0.05    | 0.03    | 0.05    | 0.025   | 0.06    | 17.9    | 10.3    | 0.50    | 285     | 1.38    |
| I100723            |                                   | 3.50    | 44.2    | 3.78    | 7.10    | 0.12    | 0.06    | 0.02    | 0.039   | 0.17    | 21.3    | 15.1    | 1.00    | 744     | 2.25    |
| I100724            |                                   | 1.76    | 26.4    | 2.79    | 6.62    | 0.06    | 0.04    | 0.03    | 0.037   | 0.07    | 14.3    | 13.3    | 0.62    | 350     | 2.53    |
| I100725            |                                   | 1.15    | 22.8    | 3.30    | 5.28    | 0.09    | 0.05    | 0.06    | 0.032   | 0.05    | 16.4    | 10.5    | 0.44    | 3640    | 4.79    |
| I100726            |                                   | 2.39    | 49.0    | 3.34    | 7.68    | 0.11    | 0.08    | 0.06    | 0.051   | 0.08    | 22.7    | 18.6    | 0.81    | 3100    | 4.68    |
| I100729            |                                   | 1.13    | 21.4    | 2.45    | 4.59    | 0.10    | 0.08    | 0.04    | 0.025   | 0.08    | 21.2    | 11.0    | 0.58    | 410     | 0.78    |
| I100730            |                                   | 0.72    | 35.9    | 2.87    | 5.20    | 0.07    | 0.12    | 0.02    | 0.026   | 0.06    | 18.5    | 10.4    | 0.52    | 728     | 1.41    |
| I100731            |                                   | 0.73    | 52.1    | 2.64    | 5.53    | 0.07    | 0.13    | 0.05    | 0.029   | 0.07    | 18.9    | 11.3    | 0.60    | 409     | 1.49    |
| I100732            |                                   | 0.86    | 13.2    | 3.20    | 10.30   | <0.05   | 0.06    | 0.02    | 0.026   | 0.03    | 10.3    | 9.6     | 0.23    | 131     | 1.48    |
| I100733            |                                   | 2.35    | 17.7    | 3.22    | 9.46    | <0.05   | 0.05    | 0.04    | 0.033   | 0.06    | 10.4    | 12.9    | 0.32    | 560     | 1.63    |
| I100734            |                                   | 1.40    | 20.1    | 3.30    | 7.89    | 0.05    | 0.06    | 0.03    | 0.033   | 0.07    | 8.8     | 17.9    | 0.44    | 291     | 1.25    |
| I100735            |                                   | 1.05    | 14.9    | 3.24    | 9.04    | <0.05   | 0.04    | 0.04    | 0.032   | 0.05    | 8.5     | 13.5    | 0.30    | 445     | 2.00    |
| I100736            |                                   | 0.59    | 8.6     | 0.76    | 3.57    | <0.05   | <0.02   | 0.01    | 0.007   | 0.06    | 4.6     | 1.6     | 0.06    | 56      | 0.93    |
| I100737            |                                   | 1.33    | 13.1    | 1.34    | 4.81    | <0.05   | 0.03    | 0.02    | 0.015   | 0.07    | 17.3    | 3.9     | 0.13    | 356     | 1.20    |
| I100738            |                                   | 0.71    | 17.9    | 2.80    | 6.61    | 0.05    | 0.04    | 0.02    | 0.027   | 0.08    | 10.7    | 15.7    | 0.45    | 257     | 2.12    |
| I100751            |                                   | 0.37    | 23.7    | 3.35    | 6.77    | 0.05    | 0.05    | 0.01    | 0.032   | 0.06    | 10.6    | 15.1    | 0.62    | 390     | 1.34    |
| I100752            |                                   | 1.24    | 50.2    | 3.39    | 7.32    | 0.07    | 0.03    | 0.03    | 0.029   | 0.16    | 10.9    | 13.3    | 0.83    | 2130    | 2.54    |
| I100753            |                                   | 0.74    | 45.5    | 1.90    | 3.86    | 0.06    | 0.06    | 0.07    | 0.025   | 0.06    | 8.6     | 8.6     | 0.42    | 425     | 1.07    |
| I100754            |                                   | 1.03    | 36.7    | 2.65    | 4.84    | 0.07    | 0.05    | 0.04    | 0.029   | 0.06    | 12.7    | 14.5    | 0.54    | 715     | 1.39    |
| I100755            |                                   | 0.91    | 37.1    | 2.47    | 4.96    | 0.06    | 0.04    | 0.05    | 0.028   | 0.06    | 12.7    | 14.3    | 0.53    | 326     | 1.14    |
| I100756            |                                   | 0.75    | 46.9    | 2.38    | 5.56    | 0.06    | 0.04    | 0.05    | 0.034   | 0.06    | 12.1    | 15.2    | 0.54    | 210     | 0.93    |
| I100757            |                                   | 0.50    | 34.1    | 2.74    | 5.73    | 0.07    | 0.04    | 0.04    | 0.027   | 0.04    | 10.1    | 14.1    | 0.63    | 252     | 1.21    |
| I100758            |                                   | 0.61    | 35.2    | 2.62    | 5.59    | 0.07    | 0.05    | 0.04    | 0.029   | 0.04    | 10.0    | 14.4    | 0.65    | 195     | 0.93    |
| I100759            |                                   | 0.74    | 37.0    | 3.01    | 6.56    | 0.06    | 0.03    | 0.04    | 0.033   | 0.05    | 11.4    | 15.5    | 0.68    | 370     | 1.63    |
| I100760            |                                   | 0.47    | 32.7    | 2.76    | 5.37    | 0.07    | 0.08    | 0.04    | 0.029   | 0.08    | 10.8    | 15.6    | 0.67    | 469     | 0.91    |
| I100761            |                                   | 0.48    | 28.4    | 2.93    | 6.05    | 0.06    | 0.09    | 0.02    | 0.030   | 0.06    | 10.9    | 16.5    | 0.64    | 356     | 1.23    |
| I100762            |                                   | 0.48    | 47.5    | 2.89    | 5.76    | 0.08    | 0.09    | 0.04    | 0.030   | 0.09    | 13.1    | 17.6    | 0.70    | 483     | 0.90    |
| I100764            |                                   | 0.67    | 30.7    | 2.94    | 6.19    | 0.06    | 0.07    | 0.03    | 0.030   | 0.07    | 10.5    | 18.8    | 0.76    | 380     | 1.02    |
| I100765            |                                   | 0.61    | 44.0    | 2.31    | 4.71    | 0.06    | 0.06    | 0.04    | 0.025   | 0.08    | 12.6    | 14.2    | 0.58    | 609     | 0.90    |
| I100766            |                                   | 2.58    | 30.7    | 2.68    | 5.11    | 0.08    | 0.05    | 0.05    | 0.021   | 0.13    | 16.5    | 22.2    | 0.76    | 341     | 0.63    |
| I100767            |                                   | 1.16    | 37.3    | 1.65    | 3.44    | 0.07    | 0.05    | 0.07    | 0.018   | 0.06    | 28.9    | 9.1     | 0.31    | 431     | 0.88    |
| I100768            |                                   | 1.37    | 17.6    | 1.78    | 4.67    | 0.06    | 0.02    | 0.04    | 0.018   | 0.08    | 25.0    | 9.1     | 0.25    | 133     | 1.01    |
| I100769            |                                   | 2.04    | 18.4    | 2.67    | 7.08    | 0.07    | 0.02    | 0.03    | 0.027   | 0.11    | 23.8    | 19.5    | 0.48    | 245     | 1.06    |
| I100770            |                                   | 4.95    | 17.5    | 3.13    | 8.36    | 0.10    | 0.03    | 0.04    | 0.028   | 0.31    | 47.9    | 33.6    | 0.71    | 391     | 0.80    |
| I100771            |                                   | 2.37    | 20.6    | 2.82    | 7.09    | 0.11    | 0.03    | 0.07    | 0.034   | 0.12    | 66.6    | 16.2    | 0.44    | 856     | 2.33    |
| I100772            |                                   | 1.08    | 25.1    | 3.55    | 8.08    | 0.08    | 0.02    | 0.03    | 0.035   | 0.09    | 38.7    | 21.6    | 0.50    | 566     | 1.52    |
| I100773            |                                   | 1.16    | 18.5    | 3.37    | 9.87    | 0.08    | 0.04    | 0.02    | 0.082   | 0.06    | 18.5    | 19.6    | 0.57    | 217     | 1.35    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9-OCT-2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    | 0.2     |
| I100719            |                                   | 0.79    | 11.1    | 740     | 6.9     | 11.6    | <0.001  | 0.06    | 0.40    | 3.9     | 1.5     | 0.6     | 31.0    | <0.01   | 0.03    | 0.7     |
| I100720            |                                   | 0.96    | 19.8    | 710     | 15.3    | 16.5    | <0.001  | 0.05    | 1.02    | 4.6     | 1.7     | 0.6     | 30.6    | <0.01   | 0.05    | 2.7     |
| I100721            |                                   | 0.93    | 18.6    | 630     | 11.1    | 14.2    | <0.001  | 0.07    | 0.94    | 3.9     | 1.7     | 0.6     | 33.5    | <0.01   | 0.03    | 1.1     |
| I100722            |                                   | 1.12    | 23.6    | 670     | 17.6    | 15.4    | 0.001   | 0.06    | 0.95    | 4.1     | 1.8     | 0.6     | 29.3    | <0.01   | 0.03    | 2.1     |
| I100723            |                                   | 1.08    | 43.8    | 940     | 21.2    | 26.6    | 0.001   | 0.04    | 1.84    | 7.0     | 1.6     | 0.8     | 32.6    | 0.01    | 0.06    | 5.5     |
| I100724            |                                   | 1.13    | 32.2    | 680     | 23.3    | 15.2    | 0.001   | 0.05    | 1.37    | 4.1     | 1.6     | 0.7     | 29.3    | <0.01   | 0.05    | 2.8     |
| I100725            |                                   | 1.50    | 30.6    | 920     | 24.5    | 11.1    | 0.001   | 0.09    | 1.03    | 4.0     | 3.2     | 0.6     | 43.0    | 0.01    | 0.05    | 2.5     |
| I100726            |                                   | 1.31    | 60.9    | 680     | 32.9    | 18.6    | 0.004   | 0.07    | 1.29    | 8.9     | 5.3     | 0.9     | 41.2    | 0.01    | 0.07    | 6.2     |
| I100729            |                                   | 1.57    | 23.6    | 630     | 9.1     | 10.4    | <0.001  | 0.05    | 0.86    | 4.2     | 1.6     | 0.4     | 38.7    | 0.01    | 0.04    | 3.9     |
| I100730            |                                   | 1.27    | 28.4    | 560     | 10.7    | 7.8     | <0.001  | 0.02    | 0.73    | 4.7     | 1.0     | 0.5     | 36.2    | <0.01   | 0.06    | 4.7     |
| I100731            |                                   | 1.54    | 32.8    | 470     | 9.7     | 8.0     | <0.001  | 0.03    | 0.82    | 5.7     | 1.9     | 0.5     | 49.0    | <0.01   | 0.05    | 3.8     |
| I100732            |                                   | 2.20    | 11.4    | 220     | 13.5    | 8.2     | <0.001  | 0.02    | 0.57    | 3.2     | 0.5     | 1.0     | 11.6    | 0.02    | 0.05    | 2.7     |
| I100733            |                                   | 1.78    | 16.9    | 260     | 37.2    | 21.9    | <0.001  | 0.03    | 0.51    | 3.2     | 0.7     | 1.1     | 25.8    | <0.01   | 0.05    | 4.9     |
| I100734            |                                   | 1.98    | 23.3    | 260     | 15.9    | 14.1    | <0.001  | 0.02    | 0.54    | 3.8     | 0.6     | 0.7     | 19.2    | 0.01    | 0.06    | 5.1     |
| I100735            |                                   | 2.17    | 16.9    | 370     | 14.8    | 13.1    | <0.001  | 0.02    | 0.56    | 3.6     | 0.7     | 0.8     | 17.1    | 0.02    | 0.06    | 3.0     |
| I100736            |                                   | 0.51    | 3.6     | 170     | 8.9     | 11.6    | <0.001  | 0.02    | 0.14    | 0.8     | 0.3     | 0.4     | 11.1    | <0.01   | 0.02    | 0.2     |
| I100737            |                                   | 0.99    | 6.3     | 130     | 11.4    | 18.7    | <0.001  | 0.01    | 0.14    | 2.0     | 0.4     | 0.5     | 18.6    | <0.01   | 0.03    | 5.2     |
| I100738            |                                   | 1.22    | 17.3    | 420     | 17.4    | 16.0    | <0.001  | <0.01   | 0.32    | 3.2     | 0.3     | 0.5     | 35.3    | 0.01    | 0.03    | 2.9     |
| I100751            |                                   | 1.21    | 27.4    | 250     | 10.3    | 10.4    | <0.001  | <0.01   | 0.44    | 4.8     | 0.4     | 0.6     | 27.0    | <0.01   | 0.03    | 2.4     |
| I100752            |                                   | 1.20    | 28.0    | 440     | 7.5     | 21.6    | <0.001  | <0.01   | 0.28    | 4.9     | 0.6     | 0.6     | 26.9    | 0.01    | 0.04    | 2.0     |
| I100753            |                                   | 0.62    | 27.4    | 1020    | 7.5     | 7.5     | 0.001   | 0.11    | 1.12    | 3.9     | 1.5     | 1.0     | 109.0   | <0.01   | 0.05    | 0.6     |
| I100754            |                                   | 0.68    | 29.6    | 710     | 13.1    | 10.0    | 0.001   | 0.03    | 1.21    | 5.0     | 1.1     | 1.1     | 53.6    | 0.01    | 0.05    | 2.1     |
| I100755            |                                   | 0.85    | 25.4    | 750     | 14.3    | 9.2     | <0.001  | 0.02    | 1.02    | 4.9     | 1.1     | 0.6     | 50.9    | <0.01   | 0.04    | 1.7     |
| I100756            |                                   | 0.96    | 26.8    | 570     | 24.3    | 10.5    | <0.001  | 0.02    | 1.31    | 5.6     | 1.1     | 0.6     | 41.3    | <0.01   | 0.05    | 2.0     |
| I100757            |                                   | 1.19    | 24.8    | 670     | 8.6     | 6.0     | <0.001  | 0.03    | 0.47    | 4.4     | 1.0     | 0.7     | 45.4    | <0.01   | 0.05    | 1.4     |
| I100758            |                                   | 1.23    | 25.2    | 630     | 8.5     | 6.6     | 0.001   | 0.03    | 0.43    | 4.6     | 1.1     | 0.7     | 43.3    | <0.01   | 0.04    | 1.7     |
| I100759            |                                   | 1.14    | 27.4    | 690     | 9.1     | 10.2    | 0.001   | 0.01    | 0.45    | 5.3     | 1.1     | 0.7     | 46.8    | <0.01   | 0.04    | 1.7     |
| I100760            |                                   | 1.25    | 26.2    | 760     | 9.9     | 9.4     | <0.001  | <0.01   | 0.56    | 5.1     | 0.7     | 0.5     | 50.0    | <0.01   | 0.03    | 2.4     |
| I100761            |                                   | 1.52    | 21.8    | 560     | 8.2     | 8.4     | <0.001  | <0.01   | 0.49    | 5.1     | 0.6     | 0.5     | 43.8    | <0.01   | 0.04    | 2.8     |
| I100762            |                                   | 1.36    | 31.8    | 800     | 8.0     | 8.4     | <0.001  | 0.01    | 0.77    | 6.0     | 1.0     | 0.5     | 53.4    | <0.01   | 0.04    | 2.5     |
| I100764            |                                   | 1.20    | 26.1    | 680     | 8.9     | 8.0     | <0.001  | <0.01   | 0.79    | 5.7     | 0.6     | 0.5     | 46.1    | <0.01   | 0.04    | 2.6     |
| I100765            |                                   | 1.04    | 27.6    | 850     | 7.6     | 10.6    | <0.001  | 0.03    | 0.79    | 4.8     | 1.0     | 0.5     | 66.6    | <0.01   | 0.03    | 1.4     |
| I100766            |                                   | 1.15    | 35.1    | 720     | 7.1     | 27.3    | <0.001  | 0.10    | 0.24    | 3.3     | 1.2     | 0.5     | 132.0   | 0.01    | 0.03    | 1.1     |
| I100767            |                                   | 0.70    | 24.8    | 1000    | 5.1     | 11.5    | <0.001  | 0.11    | 0.30    | 2.3     | 1.3     | 0.8     | 103.5   | 0.01    | 0.04    | 0.9     |
| I100768            |                                   | 0.69    | 11.7    | 710     | 9.5     | 20.9    | <0.001  | 0.05    | 0.22    | 1.9     | 0.7     | 0.6     | 47.1    | <0.01   | 0.04    | 0.7     |
| I100769            |                                   | 1.05    | 18.1    | 600     | 15.1    | 28.2    | <0.001  | 0.01    | 0.25    | 3.3     | 0.6     | 0.7     | 28.6    | <0.01   | 0.03    | 3.2     |
| I100770            |                                   | 1.24    | 22.3    | 850     | 24.6    | 62.2    | <0.001  | 0.02    | 0.21    | 4.5     | 0.7     | 0.9     | 41.2    | <0.01   | 0.02    | 11.3    |
| I100771            |                                   | 0.74    | 22.2    | 950     | 26.1    | 29.9    | <0.001  | 0.05    | 0.25    | 4.3     | 1.0     | 1.0     | 44.2    | <0.01   | 0.03    | 4.7     |
| I100772            |                                   | 1.14    | 27.3    | 500     | 17.2    | 18.6    | <0.001  | <0.01   | 0.26    | 4.7     | 0.6     | 0.7     | 26.0    | <0.01   | 0.05    | 5.4     |
| I100773            |                                   | 1.63    | 19.0    | 210     | 11.4    | 16.3    | <0.001  | <0.01   | 0.32    | 4.4     | 0.4     | 0.8     | 22.4    | <0.01   | 0.03    | 4.9     |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100719            |                                   | 0.068              | 0.10                 | 1.51                | 51                  | 0.11                | 6.27                | 49                   | 0.6                  |
| I100720            |                                   | 0.075              | 0.13                 | 1.69                | 75                  | 0.34                | 7.27                | 76                   | 0.7                  |
| I100721            |                                   | 0.060              | 0.14                 | 1.17                | 50                  | 0.30                | 6.04                | 71                   | <0.5                 |
| I100722            |                                   | 0.061              | 0.12                 | 1.53                | 48                  | 0.18                | 9.29                | 76                   | 0.8                  |
| I100723            |                                   | 0.095              | 0.25                 | 2.18                | 82                  | 0.22                | 12.45               | 114                  | 1.8                  |
| I100724            |                                   | 0.056              | 0.15                 | 1.43                | 70                  | 0.21                | 7.11                | 117                  | 0.9                  |
| I100725            |                                   | 0.034              | 0.11                 | 2.77                | 46                  | 0.21                | 20.7                | 100                  | 1.0                  |
| I100726            |                                   | 0.046              | 0.19                 | 7.02                | 84                  | 0.24                | 23.0                | 130                  | 1.8                  |
| I100729            |                                   | 0.098              | 0.09                 | 1.02                | 55                  | 0.20                | 11.30               | 67                   | 3.1                  |
| I100730            |                                   | 0.100              | 0.06                 | 0.89                | 66                  | 0.22                | 10.30               | 78                   | 5.0                  |
| I100731            |                                   | 0.091              | 0.08                 | 1.78                | 59                  | 0.21                | 14.75               | 69                   | 6.3                  |
| I100732            |                                   | 0.111              | 0.10                 | 0.49                | 99                  | 0.16                | 2.68                | 33                   | 3.2                  |
| I100733            |                                   | 0.067              | 0.17                 | 0.71                | 80                  | 0.26                | 2.74                | 86                   | 2.3                  |
| I100734            |                                   | 0.095              | 0.11                 | 0.78                | 74                  | 0.21                | 2.97                | 58                   | 3.1                  |
| I100735            |                                   | 0.109              | 0.11                 | 0.50                | 85                  | 0.21                | 2.74                | 44                   | 2.1                  |
| I100736            |                                   | 0.049              | 0.05                 | 0.41                | 25                  | 0.11                | 0.95                | 13                   | <0.5                 |
| I100737            |                                   | 0.056              | 0.07                 | 1.13                | 34                  | 0.14                | 5.33                | 20                   | 1.5                  |
| I100738            |                                   | 0.080              | 0.10                 | 0.73                | 65                  | 0.21                | 4.72                | 42                   | 1.1                  |
| I100751            |                                   | 0.091              | 0.09                 | 0.46                | 89                  | 0.14                | 4.58                | 64                   | 2.4                  |
| I100752            |                                   | 0.132              | 0.15                 | 0.91                | 83                  | 0.15                | 4.90                | 114                  | 1.4                  |
| I100753            |                                   | 0.032              | 0.06                 | 1.09                | 46                  | 0.08                | 12.00               | 51                   | 2.5                  |
| I100754            |                                   | 0.043              | 0.08                 | 1.08                | 59                  | 0.12                | 10.35               | 83                   | 1.7                  |
| I100755            |                                   | 0.057              | 0.07                 | 1.15                | 53                  | 0.20                | 10.45               | 75                   | 1.5                  |
| I100756            |                                   | 0.062              | 0.08                 | 1.15                | 57                  | 0.19                | 9.81                | 78                   | 1.6                  |
| I100757            |                                   | 0.078              | 0.07                 | 1.13                | 74                  | 0.14                | 7.00                | 74                   | 1.8                  |
| I100758            |                                   | 0.083              | 0.07                 | 1.21                | 64                  | 0.13                | 7.12                | 74                   | 2.2                  |
| I100759            |                                   | 0.081              | 0.07                 | 1.49                | 75                  | 0.16                | 7.62                | 81                   | 1.5                  |
| I100760            |                                   | 0.101              | 0.05                 | 0.89                | 68                  | 0.26                | 7.94                | 76                   | 3.3                  |
| I100761            |                                   | 0.106              | 0.06                 | 0.94                | 74                  | 0.18                | 7.14                | 60                   | 4.1                  |
| I100762            |                                   | 0.098              | 0.06                 | 1.15                | 67                  | 0.21                | 12.30               | 73                   | 4.0                  |
| I100764            |                                   | 0.093              | 0.07                 | 0.78                | 72                  | 0.24                | 6.87                | 69                   | 2.9                  |
| I100765            |                                   | 0.069              | 0.06                 | 1.07                | 50                  | 0.15                | 14.15               | 87                   | 2.6                  |
| I100766            |                                   | 0.078              | 0.18                 | 1.09                | 46                  | 0.13                | 11.20               | 63                   | 2.1                  |
| I100767            |                                   | 0.040              | 0.11                 | 1.43                | 30                  | 0.09                | 16.90               | 37                   | 2.0                  |
| I100768            |                                   | 0.050              | 0.14                 | 1.06                | 34                  | 0.09                | 8.69                | 30                   | 0.7                  |
| I100769            |                                   | 0.086              | 0.19                 | 1.24                | 54                  | 0.16                | 10.20               | 53                   | 0.9                  |
| I100770            |                                   | 0.096              | 0.46                 | 2.07                | 45                  | 0.10                | 20.6                | 76                   | 1.0                  |
| I100771            |                                   | 0.045              | 0.24                 | 2.88                | 43                  | 0.13                | 25.5                | 63                   | 0.7                  |
| I100772            |                                   | 0.062              | 0.13                 | 1.84                | 65                  | 0.13                | 11.55               | 64                   | 0.6                  |
| I100773            |                                   | 0.134              | 0.15                 | 0.67                | 83                  | 0.13                | 8.24                | 45                   | 2.1                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100774            |                                   | 0.32                      | <0.005               | 0.20                 | 2.60               | 5.6                  | <0.2                 | <10                 | 150                  | 0.51                 | 0.20                 | 0.24               | 0.09                 | 58.6                 | 23.1                 | 47                   |
| I100775            |                                   | 0.44                      | <0.005               | 0.13                 | 1.98               | 6.0                  | <0.2                 | <10                 | 180                  | 0.44                 | 0.14                 | 0.35               | 0.06                 | 26.1                 | 11.4                 | 33                   |
| I100776            |                                   | 0.34                      | <0.005               | 0.07                 | 2.65               | 5.7                  | <0.2                 | <10                 | 120                  | 0.66                 | 0.09                 | 0.20               | 0.13                 | 15.15                | 14.1                 | 36                   |
| I100777            |                                   | 0.24                      | <0.005               | 0.08                 | 1.86               | 3.2                  | <0.2                 | <10                 | 120                  | 0.42                 | 0.08                 | 1.12               | 0.08                 | 21.0                 | 13.0                 | 37                   |
| I100778            |                                   | 0.40                      | <0.005               | 0.08                 | 1.35               | 2.3                  | <0.2                 | <10                 | 130                  | 0.34                 | 0.07                 | 1.93               | 0.18                 | 24.5                 | 11.6                 | 30                   |
| I100779            |                                   | 0.26                      | <0.005               | 0.06                 | 1.41               | 5.8                  | <0.2                 | <10                 | 140                  | 0.33                 | 0.09                 | 1.44               | 0.11                 | 17.45                | 10.1                 | 31                   |
| I100780            |                                   | 0.48                      | <0.005               | 0.06                 | 1.66               | 3.8                  | <0.2                 | <10                 | 140                  | 0.36                 | 0.09                 | 0.82               | 0.13                 | 26.2                 | 14.6                 | 36                   |
| I100781            |                                   | 0.34                      | <0.005               | 0.07                 | 1.51               | 4.8                  | <0.2                 | <10                 | 160                  | 0.36                 | 0.10                 | 1.24               | 0.13                 | 33.0                 | 13.2                 | 33                   |
| I100782            |                                   | 0.40                      | <0.005               | 0.06                 | 1.48               | 4.1                  | <0.2                 | <10                 | 150                  | 0.35                 | 0.10                 | 1.04               | 0.15                 | 28.8                 | 13.8                 | 33                   |
| I100783            |                                   | 0.42                      | <0.005               | 0.08                 | 1.56               | 4.4                  | <0.2                 | <10                 | 130                  | 0.29                 | 0.12                 | 0.51               | 0.13                 | 28.6                 | 11.1                 | 31                   |
| I100784            |                                   | 0.24                      | <0.005               | 0.11                 | 1.58               | 3.2                  | <0.2                 | <10                 | 100                  | 0.27                 | 0.09                 | 0.31               | 0.15                 | 22.1                 | 7.7                  | 37                   |
| I100785            |                                   | 0.26                      | 0.031                | 0.17                 | 1.41               | 3.1                  | <0.2                 | <10                 | 180                  | 0.43                 | 0.13                 | 0.41               | 0.21                 | 56.7                 | 9.7                  | 36                   |
| I100786            |                                   | 0.20                      | <0.005               | 0.27                 | 1.45               | 2.7                  | <0.2                 | <10                 | 230                  | 0.60                 | 0.13                 | 0.67               | 0.29                 | 128.0                | 9.1                  | 33                   |
| I100787            |                                   | 0.46                      | <0.005               | 0.08                 | 1.83               | 6.8                  | <0.2                 | <10                 | 150                  | 0.40                 | 0.14                 | 0.47               | 0.18                 | 54.2                 | 11.9                 | 32                   |
| I100788            |                                   | 0.20                      | <0.005               | 0.09                 | 1.57               | 3.9                  | <0.2                 | <10                 | 200                  | 0.32                 | 0.12                 | 0.68               | 0.14                 | 51.1                 | 10.9                 | 35                   |
| I100789            |                                   | 0.26                      | <0.005               | 0.10                 | 1.40               | 9.8                  | <0.2                 | <10                 | 270                  | 0.58                 | 0.16                 | 1.04               | 0.33                 | 87.0                 | 15.1                 | 29                   |
| I100790            |                                   | 0.28                      | <0.005               | 0.17                 | 1.64               | 4.3                  | <0.2                 | <10                 | 200                  | 0.76                 | 0.14                 | 1.34               | 0.37                 | 172.5                | 16.2                 | 29                   |
| I100791            |                                   | 0.38                      | <0.005               | 0.09                 | 1.29               | 3.2                  | <0.2                 | <10                 | 110                  | 0.36                 | 0.11                 | 0.47               | 0.15                 | 44.3                 | 9.1                  | 30                   |
| I100792            |                                   | 0.26                      | <0.005               | 0.08                 | 1.34               | 3.6                  | <0.2                 | <10                 | 100                  | 0.24                 | 0.10                 | 0.40               | 0.14                 | 21.4                 | 10.8                 | 31                   |
| I100793            |                                   | 0.30                      | <0.005               | 0.10                 | 1.71               | 4.8                  | <0.2                 | <10                 | 130                  | 0.29                 | 0.11                 | 0.60               | 0.11                 | 31.9                 | 9.5                  | 37                   |
| I100794            |                                   | 0.56                      | <0.005               | 0.06                 | 1.55               | 5.4                  | <0.2                 | <10                 | 100                  | 0.28                 | 0.10                 | 0.43               | 0.10                 | 33.8                 | 8.4                  | 34                   |
| I100795            |                                   | 0.42                      | <0.005               | 0.11                 | 2.03               | 5.3                  | <0.2                 | <10                 | 150                  | 0.39                 | 0.10                 | 0.58               | 0.11                 | 47.2                 | 18.0                 | 41                   |
| I100796            |                                   | 0.68                      | <0.005               | 0.12                 | 1.81               | 5.2                  | <0.2                 | <10                 | 150                  | 0.25                 | 0.12                 | 0.50               | 0.10                 | 30.6                 | 21.5                 | 37                   |
| I100797            |                                   | 0.38                      | <0.005               | 0.06                 | 1.69               | 6.9                  | <0.2                 | <10                 | 110                  | 0.40                 | 0.19                 | 0.37               | 0.13                 | 23.4                 | 10.1                 | 33                   |
| I100798            |                                   | 0.34                      | <0.005               | 0.16                 | 1.71               | 4.3                  | <0.2                 | <10                 | 200                  | 0.51                 | 0.14                 | 1.59               | 0.32                 | 25.2                 | 11.7                 | 28                   |
| I100799            |                                   | 0.40                      | <0.005               | 0.09                 | 1.90               | 6.0                  | <0.2                 | <10                 | 190                  | 0.42                 | 0.15                 | 1.42               | 0.28                 | 26.0                 | 12.3                 | 34                   |
| I100800            |                                   | 0.54                      | <0.005               | 0.11                 | 1.74               | 5.3                  | <0.2                 | <10                 | 170                  | 0.50                 | 0.11                 | 1.66               | 0.14                 | 43.1                 | 12.0                 | 32                   |
| I100801            |                                   | 0.50                      | <0.005               | 0.33                 | 1.90               | 73.4                 | <0.2                 | <10                 | 440                  | 0.43                 | 0.22                 | 1.28               | 0.41                 | 28.7                 | 14.2                 | 41                   |
| I100802            |                                   | 0.46                      | <0.005               | 0.35                 | 1.30               | 182.5                | <0.2                 | <10                 | 490                  | 0.37                 | 0.26                 | 0.69               | 0.35                 | 39.9                 | 12.4                 | 26                   |
| I100803            |                                   | 0.64                      | <0.005               | 0.25                 | 1.96               | 137.5                | <0.2                 | <10                 | 230                  | 0.39                 | 0.43                 | 0.48               | 0.50                 | 27.3                 | 10.5                 | 42                   |
| I100804            |                                   | 0.48                      | <0.005               | 0.53                 | 2.14               | 122.0                | <0.2                 | <10                 | 510                  | 0.49                 | 0.48                 | 0.64               | 1.25                 | 51.6                 | 23.4                 | 48                   |
| I100805            |                                   | 0.42                      | <0.005               | 0.32                 | 1.14               | 30.3                 | <0.2                 | <10                 | 250                  | 0.27                 | 0.18                 | 0.31               | 0.85                 | 21.4                 | 4.9                  | 21                   |
| I100806            |                                   | 0.40                      | <0.005               | 0.44                 | 0.87               | 23.0                 | <0.2                 | <10                 | 230                  | 0.24                 | 0.14                 | 0.31               | 0.93                 | 15.75                | 3.6                  | 17                   |
| I100807            |                                   | 0.42                      | <0.005               | 0.16                 | 1.56               | 5.8                  | <0.2                 | <10                 | 190                  | 0.24                 | 0.21                 | 0.61               | 0.37                 | 22.7                 | 7.6                  | 49                   |
| I100808            |                                   | 0.44                      | <0.005               | 0.08                 | 1.60               | 5.2                  | <0.2                 | <10                 | 230                  | 0.26                 | 0.14                 | 0.52               | 0.17                 | 30.5                 | 7.9                  | 27                   |
| I100809            |                                   | 0.38                      | <0.005               | 0.10                 | 1.36               | 4.3                  | <0.2                 | <10                 | 110                  | 0.16                 | 0.24                 | 0.12               | 0.09                 | 22.0                 | 4.5                  | 15                   |
| I100810            |                                   | 0.46                      | 0.005                | 0.58                 | 1.77               | 4.1                  | <0.2                 | <10                 | 320                  | 0.37                 | 0.24                 | 0.79               | 0.43                 | 76.4                 | 9.0                  | 23                   |
| I100811            |                                   | 0.46                      | <0.005               | 0.10                 | 1.96               | 7.2                  | <0.2                 | <10                 | 230                  | 0.22                 | 0.17                 | 0.21               | 0.28                 | 23.6                 | 6.7                  | 30                   |
| I100812            |                                   | 0.46                      | <0.005               | 0.06                 | 2.80               | 8.6                  | <0.2                 | <10                 | 240                  | 0.37                 | 0.20                 | 0.12               | 0.31                 | 15.35                | 9.1                  | 36                   |
| I100813            |                                   | 0.46                      | <0.005               | 0.16                 | 1.36               | 5.7                  | <0.2                 | <10                 | 180                  | 0.20                 | 0.20                 | 0.11               | 0.37                 | 12.05                | 4.6                  | 20                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100774            |                                   | 2.08    | 27.4    | 3.99    | 8.84    | 0.09    | 0.04    | 0.03    | 0.040   | 0.16    | 36.4    | 26.5    | 0.77    | 1090    | 1.50    |
| I100775            |                                   | 0.93    | 29.7    | 2.86    | 7.15    | 0.06    | 0.04    | 0.02    | 0.026   | 0.07    | 14.5    | 14.3    | 0.57    | 318     | 0.97    |
| I100776            |                                   | 2.17    | 18.1    | 4.00    | 6.93    | 0.07    | 0.03    | 0.02    | 0.020   | 0.29    | 6.5     | 31.0    | 1.07    | 286     | 0.96    |
| I100777            |                                   | 2.43    | 27.3    | 3.30    | 5.36    | 0.06    | 0.02    | 0.02    | 0.016   | 0.24    | 8.8     | 23.8    | 0.73    | 258     | 0.96    |
| I100778            |                                   | 2.03    | 32.2    | 2.40    | 3.88    | 0.07    | 0.04    | 0.04    | 0.013   | 0.30    | 13.5    | 15.5    | 0.59    | 530     | 0.83    |
| I100779            |                                   | 1.03    | 20.1    | 2.64    | 4.34    | 0.07    | 0.05    | 0.04    | 0.017   | 0.10    | 9.5     | 17.6    | 0.57    | 425     | 0.65    |
| I100780            |                                   | 1.32    | 18.0    | 2.79    | 5.24    | 0.10    | 0.07    | 0.01    | 0.019   | 0.22    | 13.0    | 17.3    | 0.77    | 927     | 0.58    |
| I100781            |                                   | 1.07    | 23.3    | 2.68    | 4.91    | 0.09    | 0.05    | 0.02    | 0.020   | 0.12    | 16.8    | 15.8    | 0.61    | 644     | 0.93    |
| I100782            |                                   | 1.12    | 19.1    | 2.65    | 5.10    | 0.07    | 0.04    | 0.03    | 0.020   | 0.11    | 13.8    | 15.6    | 0.61    | 561     | 0.82    |
| I100783            |                                   | 1.04    | 14.4    | 2.86    | 5.83    | 0.06    | 0.04    | 0.03    | 0.021   | 0.07    | 15.4    | 15.6    | 0.60    | 352     | 0.80    |
| I100784            |                                   | 2.38    | 19.7    | 2.68    | 6.72    | 0.07    | <0.02   | 0.03    | 0.019   | 0.21    | 12.0    | 13.5    | 0.67    | 172     | 1.16    |
| I100785            |                                   | 1.65    | 19.5    | 3.05    | 6.68    | 0.09    | 0.02    | 0.03    | 0.022   | 0.19    | 32.2    | 13.8    | 0.50    | 381     | 1.23    |
| I100786            |                                   | 1.90    | 21.6    | 2.51    | 5.79    | 0.12    | 0.03    | 0.06    | 0.022   | 0.19    | 76.0    | 15.0    | 0.45    | 477     | 1.10    |
| I100787            |                                   | 2.78    | 19.0    | 3.57    | 6.10    | 0.10    | 0.08    | 0.03    | 0.024   | 0.33    | 28.3    | 14.3    | 0.68    | 402     | 1.11    |
| I100788            |                                   | 1.59    | 18.2    | 2.98    | 7.25    | 0.10    | 0.06    | 0.04    | 0.020   | 0.20    | 36.8    | 14.1    | 0.61    | 301     | 1.22    |
| I100789            |                                   | 1.27    | 23.9    | 3.52    | 6.05    | 0.12    | 0.05    | 0.05    | 0.028   | 0.12    | 51.8    | 11.3    | 0.39    | 1000    | 1.58    |
| I100790            |                                   | 1.51    | 28.1    | 3.03    | 6.41    | 0.20    | 0.05    | 0.07    | 0.026   | 0.09    | 106.5   | 14.6    | 0.46    | 1300    | 0.96    |
| I100791            |                                   | 1.44    | 20.6    | 2.13    | 6.18    | 0.08    | 0.02    | 0.03    | 0.018   | 0.09    | 22.2    | 9.0     | 0.40    | 263     | 0.69    |
| I100792            |                                   | 1.42    | 13.7    | 2.08    | 5.71    | 0.06    | 0.02    | 0.03    | 0.014   | 0.06    | 11.4    | 10.0    | 0.47    | 347     | 0.61    |
| I100793            |                                   | 1.99    | 14.3    | 2.70    | 6.38    | 0.07    | 0.03    | 0.03    | 0.019   | 0.13    | 20.5    | 13.8    | 0.71    | 256     | 0.65    |
| I100794            |                                   | 1.53    | 13.0    | 2.43    | 5.65    | 0.07    | 0.02    | 0.04    | 0.021   | 0.09    | 17.9    | 14.3    | 0.63    | 236     | 0.51    |
| I100795            |                                   | 2.18    | 28.7    | 3.42    | 6.84    | 0.09    | 0.04    | 0.05    | 0.024   | 0.21    | 26.6    | 18.3    | 0.80    | 466     | 0.64    |
| I100796            |                                   | 1.71    | 12.2    | 3.45    | 6.57    | 0.06    | 0.02    | 0.03    | 0.021   | 0.09    | 15.3    | 14.9    | 0.67    | 847     | 1.15    |
| I100797            |                                   | 1.57    | 18.6    | 3.22    | 6.56    | 0.06    | 0.03    | 0.02    | 0.083   | 0.12    | 9.7     | 13.0    | 0.59    | 264     | 1.12    |
| I100798            |                                   | 3.34    | 25.4    | 2.38    | 5.43    | 0.06    | 0.04    | 0.06    | 0.024   | 0.05    | 17.3    | 12.1    | 0.50    | 898     | 0.78    |
| I100799            |                                   | 2.48    | 24.2    | 2.85    | 6.29    | 0.06    | 0.05    | 0.04    | 0.026   | 0.06    | 11.5    | 13.7    | 0.61    | 512     | 0.70    |
| I100800            |                                   | 1.84    | 31.6    | 2.81    | 5.49    | 0.12    | 0.06    | 0.08    | 0.023   | 0.08    | 44.0    | 14.3    | 0.55    | 436     | 0.83    |
| I100801            |                                   | 1.39    | 43.1    | 2.99    | 6.57    | 0.07    | 0.05    | 0.04    | 0.029   | 0.06    | 16.7    | 13.5    | 0.72    | 625     | 2.28    |
| I100802            |                                   | 2.35    | 56.1    | 3.16    | 5.78    | 0.08    | 0.02    | 0.03    | 0.030   | 0.12    | 20.8    | 8.5     | 0.59    | 551     | 2.81    |
| I100803            |                                   | 1.37    | 48.2    | 3.94    | 5.76    | 0.08    | 0.05    | 0.03    | 0.042   | 0.06    | 13.3    | 15.4    | 0.67    | 317     | 4.62    |
| I100804            |                                   | 2.00    | 52.9    | 4.52    | 6.81    | 0.10    | 0.07    | 0.04    | 0.051   | 0.07    | 25.1    | 14.5    | 0.70    | 630     | 5.11    |
| I100805            |                                   | 1.02    | 29.2    | 1.82    | 6.00    | 0.05    | 0.02    | 0.04    | 0.019   | 0.03    | 12.6    | 6.0     | 0.25    | 126     | 1.52    |
| I100806            |                                   | 1.06    | 31.0    | 1.45    | 4.22    | <0.05   | <0.02   | 0.04    | 0.017   | 0.04    | 9.8     | 4.2     | 0.16    | 125     | 1.17    |
| I100807            |                                   | 1.96    | 22.2    | 2.14    | 6.72    | 0.05    | 0.02    | 0.02    | 0.025   | 0.07    | 13.3    | 11.3    | 0.83    | 388     | 0.80    |
| I100808            |                                   | 0.90    | 15.1    | 2.18    | 5.31    | 0.07    | 0.04    | 0.02    | 0.022   | 0.06    | 17.9    | 10.8    | 0.50    | 573     | 1.23    |
| I100809            |                                   | 0.57    | 9.6     | 2.01    | 5.40    | 0.05    | 0.03    | 0.02    | 0.024   | 0.05    | 10.5    | 8.0     | 0.34    | 262     | 2.13    |
| I100810            |                                   | 1.25    | 43.8    | 2.47    | 6.09    | 0.17    | 0.07    | 0.06    | 0.066   | 0.05    | 83.3    | 11.9    | 0.37    | 753     | 2.38    |
| I100811            |                                   | 0.68    | 18.4    | 2.92    | 7.00    | 0.05    | 0.03    | 0.02    | 0.023   | 0.05    | 11.8    | 10.4    | 0.42    | 418     | 1.60    |
| I100812            |                                   | 1.13    | 19.8    | 3.61    | 6.38    | 0.06    | 0.08    | 0.02    | 0.088   | 0.05    | 6.3     | 15.0    | 0.53    | 372     | 1.72    |
| I100813            |                                   | 0.75    | 10.6    | 2.69    | 7.28    | <0.05   | 0.03    | 0.02    | 0.017   | 0.07    | 6.1     | 8.7     | 0.28    | 220     | 1.83    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100774            |                                   | 1.62    | 33.4    | 440     | 14.2    | 25.7    | <0.001  | <0.01   | 0.27    | 4.8     | 0.6     | 0.7     | 20.3    | <0.01   | 0.03    |
| I100775            |                                   | 1.55    | 24.8    | 460     | 7.8     | 14.5    | <0.001  | <0.01   | 0.28    | 4.4     | 0.4     | 0.6     | 27.3    | <0.01   | 0.03    |
| I100776            |                                   | 1.69    | 30.2    | 250     | 5.3     | 32.1    | <0.001  | <0.01   | 0.29    | 2.7     | 0.3     | 0.4     | 18.1    | <0.01   | 0.03    |
| I100777            |                                   | 1.51    | 33.7    | 390     | 5.9     | 43.2    | <0.001  | 0.04    | 0.22    | 2.3     | 0.7     | 0.5     | 61.5    | <0.01   | 0.03    |
| I100778            |                                   | 1.15    | 28.0    | 700     | 5.3     | 39.2    | <0.001  | 0.10    | 0.17    | 2.1     | 0.9     | 1.3     | 88.5    | <0.01   | 0.04    |
| I100779            |                                   | 1.16    | 24.7    | 710     | 5.7     | 19.2    | <0.001  | 0.06    | 0.25    | 3.0     | 0.8     | 1.3     | 66.3    | <0.01   | 0.03    |
| I100780            |                                   | 1.54    | 28.4    | 710     | 7.5     | 27.8    | <0.001  | <0.01   | 0.21    | 3.9     | 0.5     | 0.5     | 45.1    | <0.01   | 0.02    |
| I100781            |                                   | 1.39    | 27.4    | 800     | 7.3     | 21.7    | <0.001  | 0.04    | 0.25    | 3.5     | 0.8     | 0.9     | 64.4    | <0.01   | 0.03    |
| I100782            |                                   | 1.25    | 26.5    | 700     | 7.9     | 21.1    | <0.001  | 0.03    | 0.19    | 3.4     | 0.6     | 1.4     | 53.6    | <0.01   | 0.03    |
| I100783            |                                   | 1.37    | 20.9    | 420     | 8.8     | 13.7    | <0.001  | <0.01   | 0.16    | 3.7     | 0.4     | 0.5     | 30.6    | <0.01   | 0.03    |
| I100784            |                                   | 0.96    | 22.7    | 830     | 7.6     | 26.8    | <0.001  | 0.02    | 0.12    | 3.3     | 0.7     | 0.9     | 18.4    | <0.01   | 0.04    |
| I100785            |                                   | 0.89    | 20.0    | 660     | 10.9    | 25.9    | <0.001  | 0.02    | 0.16    | 3.8     | 0.6     | 0.7     | 30.2    | <0.01   | 0.03    |
| I100786            |                                   | 0.87    | 18.5    | 870     | 10.4    | 33.2    | <0.001  | 0.04    | 0.17    | 3.9     | 1.0     | 0.8     | 53.5    | 0.01    | 0.02    |
| I100787            |                                   | 1.47    | 20.7    | 1000    | 15.5    | 35.4    | <0.001  | 0.01    | 0.33    | 4.0     | 0.4     | 0.6     | 30.1    | <0.01   | 0.02    |
| I100788            |                                   | 1.76    | 17.1    | 460     | 9.2     | 25.1    | <0.001  | 0.03    | 0.20    | 4.2     | 0.7     | 0.9     | 55.9    | <0.01   | 0.02    |
| I100789            |                                   | 1.08    | 23.8    | 680     | 16.0    | 18.0    | <0.001  | 0.05    | 0.31    | 6.6     | 1.1     | 0.7     | 75.1    | <0.01   | 0.03    |
| I100790            |                                   | 0.85    | 30.0    | 810     | 13.3    | 27.9    | <0.001  | 0.07    | 0.28    | 4.6     | 1.4     | 0.7     | 81.0    | 0.01    | 0.04    |
| I100791            |                                   | 1.00    | 21.6    | 460     | 7.4     | 17.6    | <0.001  | 0.03    | 0.15    | 3.1     | 0.5     | 0.7     | 31.2    | <0.01   | 0.03    |
| I100792            |                                   | 0.88    | 20.4    | 550     | 6.2     | 12.7    | <0.001  | 0.03    | 0.15    | 2.6     | 0.5     | 0.7     | 29.4    | <0.01   | 0.02    |
| I100793            |                                   | 1.01    | 27.2    | 680     | 7.9     | 22.5    | <0.001  | 0.04    | 0.18    | 3.6     | 0.6     | 0.9     | 41.1    | <0.01   | 0.02    |
| I100794            |                                   | 1.02    | 25.3    | 620     | 9.6     | 18.3    | <0.001  | 0.03    | 0.18    | 3.6     | 0.4     | 0.5     | 32.5    | <0.01   | 0.01    |
| I100795            |                                   | 1.38    | 33.3    | 550     | 12.7    | 30.4    | <0.001  | 0.04    | 0.23    | 4.6     | 0.6     | 0.5     | 38.3    | <0.01   | 0.02    |
| I100796            |                                   | 1.05    | 22.0    | 720     | 12.9    | 18.0    | <0.001  | 0.03    | 0.19    | 3.1     | 0.4     | 0.7     | 33.0    | <0.01   | 0.02    |
| I100797            |                                   | 1.33    | 25.7    | 420     | 9.0     | 21.8    | <0.001  | 0.02    | 0.23    | 3.4     | 0.4     | 0.8     | 22.7    | <0.01   | 0.03    |
| I100798            |                                   | 1.05    | 23.9    | 680     | 9.1     | 14.5    | <0.001  | 0.05    | 0.26    | 2.9     | 0.8     | 0.6     | 57.3    | <0.01   | 0.04    |
| I100799            |                                   | 1.22    | 25.6    | 540     | 9.9     | 17.0    | <0.001  | 0.04    | 0.25    | 3.8     | 0.7     | 0.7     | 50.4    | <0.01   | 0.04    |
| I100800            |                                   | 1.15    | 31.2    | 590     | 9.3     | 18.2    | <0.001  | 0.05    | 0.29    | 3.6     | 1.1     | 0.5     | 54.9    | <0.01   | 0.03    |
| I100801            |                                   | 1.07    | 37.6    | 730     | 16.6    | 12.5    | <0.001  | 0.08    | 0.64    | 5.2     | 1.8     | 0.9     | 80.7    | <0.01   | 0.05    |
| I100802            |                                   | 0.51    | 32.5    | 950     | 17.0    | 15.7    | <0.001  | 0.04    | 1.03    | 3.4     | 1.4     | 0.7     | 83.1    | <0.01   | 0.06    |
| I100803            |                                   | 0.47    | 44.0    | 1200    | 35.1    | 10.3    | <0.001  | 0.03    | 2.10    | 4.6     | 2.2     | 0.6     | 27.8    | <0.01   | 0.07    |
| I100804            |                                   | 0.77    | 58.9    | 1450    | 70.2    | 15.7    | <0.001  | 0.04    | 1.31    | 7.9     | 2.9     | 0.7     | 37.3    | <0.01   | 0.09    |
| I100805            |                                   | 0.53    | 20.1    | 450     | 21.1    | 6.9     | <0.001  | 0.02    | 0.34    | 1.6     | 0.8     | 0.5     | 23.1    | <0.01   | 0.04    |
| I100806            |                                   | 0.31    | 17.8    | 460     | 20.3    | 6.8     | <0.001  | 0.02    | 0.31    | 0.8     | 0.8     | 0.4     | 22.6    | <0.01   | 0.02    |
| I100807            |                                   | 0.92    | 25.1    | 310     | 9.6     | 23.8    | <0.001  | 0.02    | 0.19    | 4.1     | 0.5     | 0.9     | 28.7    | <0.01   | 0.03    |
| I100808            |                                   | 0.92    | 16.3    | 480     | 7.1     | 9.3     | <0.001  | 0.02    | 0.22    | 3.5     | 0.6     | 0.5     | 25.5    | <0.01   | 0.02    |
| I100809            |                                   | 0.80    | 9.6     | 180     | 6.4     | 7.4     | <0.001  | <0.01   | 0.18    | 2.7     | 0.6     | 0.6     | 11.0    | <0.01   | 0.03    |
| I100810            |                                   | 0.72    | 17.3    | 550     | 10.8    | 12.1    | <0.001  | 0.04    | 0.18    | 4.6     | 2.0     | 1.5     | 28.9    | 0.01    | 0.03    |
| I100811            |                                   | 1.39    | 17.1    | 220     | 8.9     | 10.1    | <0.001  | 0.01    | 0.37    | 2.9     | 0.4     | 0.6     | 17.3    | <0.01   | 0.03    |
| I100812            |                                   | 1.49    | 23.0    | 230     | 8.7     | 11.0    | <0.001  | 0.01    | 0.40    | 3.0     | 0.6     | 0.5     | 10.9    | <0.01   | 0.04    |
| I100813            |                                   | 1.37    | 9.3     | 270     | 9.0     | 16.2    | <0.001  | 0.01    | 0.36    | 2.1     | 0.3     | 0.7     | 12.2    | <0.01   | 0.03    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

Page: 5 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9 - OCT - 2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100774            |                                   | 0.109              | 0.25                 | 1.47                | 70                  | 0.13                | 12.30               | 64                   | 1.5                  |
| I100775            |                                   | 0.120              | 0.11                 | 0.81                | 66                  | 0.15                | 5.95                | 39                   | 2.0                  |
| I100776            |                                   | 0.152              | 0.23                 | 0.37                | 69                  | 0.12                | 2.55                | 63                   | 1.6                  |
| I100777            |                                   | 0.116              | 0.27                 | 0.69                | 42                  | 0.09                | 4.29                | 50                   | 1.2                  |
| I100778            |                                   | 0.085              | 0.27                 | 1.12                | 29                  | 0.09                | 5.81                | 61                   | 1.7                  |
| I100779            |                                   | 0.088              | 0.13                 | 0.84                | 44                  | 0.53                | 5.01                | 52                   | 2.1                  |
| I100780            |                                   | 0.129              | 0.21                 | 0.85                | 50                  | 0.11                | 6.48                | 66                   | 3.0                  |
| I100781            |                                   | 0.097              | 0.17                 | 1.05                | 51                  | 0.10                | 7.89                | 58                   | 2.1                  |
| I100782            |                                   | 0.092              | 0.16                 | 0.95                | 48                  | 0.09                | 5.90                | 65                   | 1.5                  |
| I100783            |                                   | 0.110              | 0.14                 | 0.91                | 58                  | 0.22                | 5.30                | 61                   | 1.3                  |
| I100784            |                                   | 0.083              | 0.18                 | 0.69                | 55                  | 0.10                | 5.21                | 66                   | <0.5                 |
| I100785            |                                   | 0.079              | 0.19                 | 1.01                | 52                  | 0.09                | 10.00               | 59                   | 0.6                  |
| I100786            |                                   | 0.065              | 0.21                 | 2.02                | 38                  | 0.11                | 22.6                | 53                   | 0.8                  |
| I100787            |                                   | 0.132              | 0.27                 | 1.13                | 55                  | 0.14                | 8.37                | 84                   | 3.6                  |
| I100788            |                                   | 0.122              | 0.14                 | 1.16                | 57                  | 0.16                | 10.90               | 51                   | 2.1                  |
| I100789            |                                   | 0.054              | 0.11                 | 1.95                | 46                  | 0.15                | 16.75               | 62                   | 1.7                  |
| I100790            |                                   | 0.048              | 0.16                 | 2.28                | 45                  | 0.12                | 36.9                | 74                   | 1.0                  |
| I100791            |                                   | 0.077              | 0.12                 | 0.80                | 42                  | 0.18                | 6.98                | 45                   | 0.7                  |
| I100792            |                                   | 0.071              | 0.11                 | 0.66                | 41                  | 0.12                | 4.33                | 48                   | 0.6                  |
| I100793            |                                   | 0.080              | 0.16                 | 0.84                | 50                  | 0.11                | 7.82                | 74                   | 0.9                  |
| I100794            |                                   | 0.070              | 0.15                 | 0.90                | 41                  | 0.12                | 5.80                | 75                   | 0.9                  |
| I100795            |                                   | 0.101              | 0.23                 | 1.10                | 52                  | 0.10                | 9.01                | 72                   | 1.3                  |
| I100796            |                                   | 0.079              | 0.15                 | 0.62                | 50                  | 0.11                | 4.76                | 74                   | 0.7                  |
| I100797            |                                   | 0.090              | 0.13                 | 0.52                | 60                  | 0.11                | 3.47                | 57                   | 1.1                  |
| I100798            |                                   | 0.058              | 0.27                 | 1.11                | 43                  | 0.10                | 9.01                | 53                   | 1.4                  |
| I100799            |                                   | 0.069              | 0.17                 | 0.75                | 56                  | 0.10                | 6.66                | 77                   | 2.0                  |
| I100800            |                                   | 0.066              | 0.16                 | 1.33                | 45                  | 0.11                | 20.9                | 53                   | 2.2                  |
| I100801            |                                   | 0.058              | 0.12                 | 1.32                | 66                  | 0.18                | 12.00               | 72                   | 1.5                  |
| I100802            |                                   | 0.039              | 0.11                 | 1.31                | 57                  | 0.14                | 14.00               | 84                   | <0.5                 |
| I100803            |                                   | 0.017              | 0.13                 | 1.64                | 79                  | 0.19                | 11.50               | 141                  | 1.4                  |
| I100804            |                                   | 0.031              | 0.17                 | 2.65                | 99                  | 0.24                | 16.05               | 218                  | 1.8                  |
| I100805            |                                   | 0.046              | 0.07                 | 0.88                | 50                  | 0.11                | 7.81                | 50                   | <0.5                 |
| I100806            |                                   | 0.028              | 0.08                 | 0.90                | 34                  | 0.09                | 7.41                | 46                   | <0.5                 |
| I100807            |                                   | 0.079              | 0.11                 | 0.60                | 52                  | 0.09                | 7.97                | 64                   | 0.8                  |
| I100808            |                                   | 0.066              | 0.07                 | 0.81                | 48                  | 0.13                | 16.90               | 45                   | 1.3                  |
| I100809            |                                   | 0.039              | 0.06                 | 0.62                | 39                  | 0.13                | 10.45               | 30                   | 1.0                  |
| I100810            |                                   | 0.037              | 0.07                 | 2.10                | 43                  | 0.17                | 62.7                | 54                   | 0.8                  |
| I100811            |                                   | 0.090              | 0.07                 | 0.55                | 72                  | 0.18                | 7.37                | 42                   | 1.2                  |
| I100812            |                                   | 0.100              | 0.08                 | 0.60                | 67                  | 0.17                | 3.91                | 53                   | 3.4                  |
| I100813            |                                   | 0.102              | 0.07                 | 0.33                | 71                  | 0.13                | 2.11                | 38                   | 1.1                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100814            |                                   | 0.36                      | <0.005               | 0.10                 | 1.90               | 4.2                  | <0.2                 | <10                 | 170                  | 0.60                 | 0.14                 | 1.35               | 0.18                 | 27.6                 | 14.9                 | 43                   |
| I100815            |                                   | 0.46                      | <0.005               | 0.08                 | 1.98               | 5.2                  | <0.2                 | <10                 | 220                  | 0.68                 | 0.10                 | 1.48               | 0.10                 | 22.0                 | 11.5                 | 37                   |
| I100816            |                                   | 0.44                      | <0.005               | 0.04                 | 1.78               | 3.4                  | <0.2                 | <10                 | 180                  | 0.71                 | 0.08                 | 1.36               | 0.10                 | 16.35                | 12.2                 | 47                   |
| I100817            |                                   | 0.50                      | <0.005               | 0.13                 | 2.38               | 5.0                  | <0.2                 | <10                 | 340                  | 0.77                 | 0.15                 | 0.92               | 0.17                 | 27.0                 | 14.7                 | 63                   |
| I100818            |                                   | 0.44                      | <0.005               | 0.08                 | 1.73               | 4.5                  | <0.2                 | <10                 | 260                  | 0.43                 | 0.11                 | 1.01               | 0.23                 | 22.5                 | 11.6                 | 44                   |
| I100819            |                                   | 0.40                      | <0.005               | 0.13                 | 1.96               | 6.2                  | <0.2                 | <10                 | 150                  | 0.29                 | 0.16                 | 0.38               | 0.13                 | 21.8                 | 9.4                  | 37                   |
| I100820            |                                   | 0.40                      | <0.005               | 0.15                 | 1.54               | 5.6                  | <0.2                 | <10                 | 100                  | 0.28                 | 0.29                 | 1.54               | 0.22                 | 38.4                 | 13.1                 | 31                   |
| I100821            |                                   | 0.46                      | <0.005               | 0.11                 | 1.87               | 5.8                  | <0.2                 | <10                 | 150                  | 0.40                 | 0.20                 | 1.07               | 0.15                 | 34.0                 | 14.7                 | 79                   |
| I100822            |                                   | 0.44                      | <0.005               | 0.16                 | 2.09               | 6.9                  | <0.2                 | <10                 | 170                  | 0.43                 | 0.29                 | 0.95               | 0.31                 | 36.5                 | 14.1                 | 62                   |
| I100823            |                                   | 0.42                      | <0.005               | 0.66                 | 2.46               | 10.1                 | <0.2                 | <10                 | 190                  | 0.39                 | 0.39                 | 0.36               | 0.57                 | 29.4                 | 10.6                 | 41                   |
| I100824            |                                   | 0.32                      | <0.005               | 0.13                 | 1.80               | 5.7                  | <0.2                 | <10                 | 180                  | 0.59                 | 0.21                 | 0.75               | 0.28                 | 21.5                 | 12.8                 | 32                   |
| I100825            |                                   | 0.48                      | <0.005               | 0.27                 | 2.28               | 9.0                  | <0.2                 | <10                 | 280                  | 0.53                 | 0.28                 | 0.40               | 0.29                 | 22.8                 | 14.6                 | 35                   |
| I100826            |                                   | 0.44                      | <0.005               | 0.47                 | 1.79               | 8.5                  | <0.2                 | <10                 | 290                  | 0.40                 | 0.19                 | 0.40               | 0.29                 | 19.45                | 10.3                 | 32                   |
| I100827            |                                   | 0.38                      | <0.005               | 0.26                 | 1.84               | 9.3                  | <0.2                 | <10                 | 170                  | 0.32                 | 0.23                 | 0.26               | 0.15                 | 17.75                | 10.8                 | 31                   |
| I100828            |                                   | 0.42                      | <0.005               | 0.27                 | 1.99               | 13.2                 | <0.2                 | <10                 | 270                  | 0.58                 | 0.32                 | 0.52               | 0.15                 | 30.9                 | 13.5                 | 34                   |
| I100829            |                                   | 0.40                      | <0.005               | 0.19                 | 2.16               | 25.1                 | <0.2                 | <10                 | 290                  | 0.58                 | 0.53                 | 0.66               | 0.28                 | 37.9                 | 15.9                 | 47                   |
| I100830            |                                   | 0.50                      | <0.005               | 1.04                 | 2.08               | 29.8                 | <0.2                 | <10                 | 260                  | 0.50                 | 0.17                 | 0.41               | 0.24                 | 28.7                 | 13.1                 | 46                   |
| I100831            |                                   | 0.40                      | <0.005               | 0.59                 | 2.47               | 18.1                 | <0.2                 | <10                 | 220                  | 0.73                 | 0.20                 | 0.32               | 0.16                 | 37.7                 | 14.1                 | 54                   |
| I100832            |                                   | 0.36                      | <0.005               | 0.56                 | 2.17               | 13.6                 | <0.2                 | <10                 | 250                  | 0.52                 | 0.19                 | 0.34               | 0.21                 | 25.6                 | 12.7                 | 44                   |
| I100833            |                                   | 0.44                      | <0.005               | 0.47                 | 1.50               | 7.9                  | <0.2                 | <10                 | 140                  | 0.56                 | 0.22                 | 0.13               | 0.83                 | 21.1                 | 7.6                  | 25                   |
| I100834            |                                   | 0.42                      | <0.005               | 0.77                 | 0.99               | 7.8                  | <0.2                 | <10                 | 200                  | 0.21                 | 0.17                 | 0.16               | 1.60                 | 17.45                | 11.3                 | 17                   |
| I100835            |                                   | 0.50                      | <0.005               | 0.91                 | 2.00               | 13.5                 | <0.2                 | <10                 | 600                  | 0.65                 | 0.24                 | 0.21               | 0.27                 | 38.9                 | 7.9                  | 38                   |
| I100836            |                                   | 0.38                      | <0.005               | 1.34                 | 1.54               | 8.8                  | <0.2                 | <10                 | 450                  | 0.33                 | 0.24                 | 0.41               | 0.53                 | 33.9                 | 8.2                  | 31                   |
| I100837            |                                   | 0.38                      | <0.005               | 0.54                 | 1.85               | 14.6                 | <0.2                 | <10                 | 350                  | 0.55                 | 0.15                 | 0.73               | 0.20                 | 25.0                 | 12.1                 | 34                   |
| I100838            |                                   | 0.36                      | <0.005               | 1.12                 | 1.69               | 36.7                 | <0.2                 | <10                 | 230                  | 0.52                 | 0.17                 | 0.19               | 0.77                 | 18.45                | 16.2                 | 25                   |
| I100839            |                                   | 0.38                      | <0.005               | 0.62                 | 2.73               | 90.2                 | <0.2                 | <10                 | 210                  | 0.72                 | 0.18                 | 0.37               | 0.27                 | 42.8                 | 17.7                 | 50                   |
| I100840            |                                   | 0.46                      | <0.005               | 0.07                 | 0.88               | 4.6                  | <0.2                 | <10                 | 70                   | 0.35                 | 0.16                 | 0.15               | 0.05                 | 23.7                 | 3.5                  | 13                   |
| I100841            |                                   | 0.44                      | <0.005               | 0.02                 | 1.64               | 7.7                  | <0.2                 | <10                 | 70                   | 0.34                 | 0.29                 | 0.09               | 0.05                 | 23.3                 | 4.6                  | 19                   |
| I100842            |                                   | 0.42                      | <0.005               | 0.03                 | 1.66               | 14.3                 | <0.2                 | <10                 | 60                   | 0.63                 | 0.89                 | 0.06               | 0.04                 | 16.45                | 7.5                  | 14                   |
| I100843            |                                   | 0.38                      | <0.005               | 0.09                 | 3.03               | 11.0                 | <0.2                 | <10                 | 190                  | 1.15                 | 0.23                 | 0.32               | 0.10                 | 68.4                 | 14.3                 | 37                   |
| I100844            |                                   | 0.44                      | <0.005               | 0.03                 | 1.23               | 3.9                  | <0.2                 | <10                 | 100                  | 0.27                 | 0.20                 | 0.11               | 0.05                 | 28.1                 | 4.3                  | 18                   |
| I100845            |                                   | 0.36                      | <0.005               | 0.11                 | 2.80               | 10.9                 | <0.2                 | <10                 | 170                  | 0.73                 | 0.26                 | 0.17               | 0.08                 | 29.0                 | 11.4                 | 40                   |
| I100846            |                                   | 0.42                      | <0.005               | 0.06                 | 3.09               | 10.9                 | <0.2                 | <10                 | 200                  | 0.68                 | 0.22                 | 0.17               | 0.06                 | 35.1                 | 13.5                 | 38                   |
| I100847            |                                   | 0.38                      | <0.005               | 0.03                 | 2.63               | 12.6                 | <0.2                 | <10                 | 150                  | 0.59                 | 0.28                 | 0.11               | 0.08                 | 31.7                 | 9.1                  | 35                   |
| I100848            |                                   | 0.48                      | 0.005                | 0.06                 | 2.40               | 8.7                  | <0.2                 | <10                 | 210                  | 0.77                 | 0.27                 | 0.23               | 0.09                 | 44.9                 | 9.3                  | 31                   |
| I100849            |                                   | 0.44                      | <0.005               | 0.05                 | 0.81               | 3.1                  | <0.2                 | <10                 | 80                   | 0.15                 | 0.18                 | 0.09               | 0.05                 | 15.75                | 3.1                  | 13                   |
| I100850            |                                   | 0.50                      | <0.005               | 0.05                 | 3.56               | 10.6                 | <0.2                 | <10                 | 200                  | 0.86                 | 0.20                 | 0.16               | 0.13                 | 33.4                 | 13.8                 | 40                   |
| I100851            |                                   | 0.56                      | 0.008                | 0.05                 | 2.14               | 8.7                  | <0.2                 | <10                 | 240                  | 0.53                 | 0.15                 | 0.51               | 0.04                 | 25.3                 | 11.6                 | 35                   |
| I100852            |                                   | 0.58                      | <0.005               | 0.04                 | 2.69               | 11.1                 | <0.2                 | <10                 | 200                  | 0.55                 | 0.30                 | 0.20               | 0.10                 | 24.4                 | 12.3                 | 31                   |
| I100853            |                                   | 0.52                      | <0.005               | 0.08                 | 3.05               | 18.7                 | <0.2                 | <10                 | 140                  | 1.25                 | 0.21                 | 0.14               | 0.15                 | 30.6                 | 12.3                 | 30                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100814            |                                   | 3.05    | 26.5    | 2.67    | 5.63    | 0.08    | 0.04    | 0.02    | 0.017   | 0.13    | 16.0    | 16.8    | 1.28    | 679     | 0.99    |
| I100815            |                                   | 1.49    | 22.1    | 2.72    | 6.43    | 0.07    | 0.08    | 0.03    | 0.022   | 0.07    | 11.3    | 15.8    | 1.21    | 672     | 0.41    |
| I100816            |                                   | 2.67    | 14.3    | 2.37    | 5.74    | 0.11    | 0.05    | 0.02    | 0.014   | 0.21    | 8.8     | 17.3    | 1.40    | 639     | 0.42    |
| I100817            |                                   | 2.64    | 38.9    | 3.16    | 7.37    | 0.10    | 0.08    | 0.04    | 0.023   | 0.26    | 14.9    | 18.3    | 1.53    | 705     | 0.88    |
| I100818            |                                   | 1.64    | 20.2    | 2.41    | 5.52    | 0.07    | 0.04    | 0.04    | 0.020   | 0.14    | 12.8    | 13.7    | 0.96    | 691     | 1.07    |
| I100819            |                                   | 1.49    | 17.9    | 2.84    | 6.05    | 0.06    | 0.04    | 0.02    | 0.025   | 0.09    | 12.2    | 12.3    | 0.90    | 427     | 1.68    |
| I100820            |                                   | 1.92    | 35.0    | 3.03    | 5.19    | 0.09    | 0.05    | 0.02    | 0.025   | 0.11    | 20.7    | 11.2    | 0.93    | 745     | 1.34    |
| I100821            |                                   | 1.40    | 29.3    | 3.06    | 6.23    | 0.09    | 0.08    | 0.02    | 0.025   | 0.11    | 17.0    | 12.1    | 1.11    | 981     | 1.16    |
| I100822            |                                   | 2.72    | 36.7    | 3.27    | 6.62    | 0.09    | 0.07    | 0.01    | 0.026   | 0.15    | 16.7    | 13.7    | 1.35    | 645     | 1.22    |
| I100823            |                                   | 0.95    | 68.1    | 3.77    | 7.71    | 0.10    | 0.05    | 0.02    | 0.055   | 0.18    | 16.8    | 12.6    | 1.01    | 298     | 2.37    |
| I100824            |                                   | 0.79    | 26.1    | 2.67    | 6.27    | 0.08    | 0.04    | 0.03    | 0.031   | 0.08    | 11.6    | 9.5     | 0.72    | 603     | 0.72    |
| I100825            |                                   | 1.27    | 38.8    | 3.37    | 7.76    | 0.08    | <0.02   | 0.02    | 0.042   | 0.08    | 12.0    | 12.1    | 0.73    | 758     | 1.35    |
| I100826            |                                   | 0.64    | 22.8    | 2.68    | 6.66    | 0.07    | 0.03    | 0.02    | 0.027   | 0.09    | 9.6     | 9.7     | 0.51    | 447     | 1.19    |
| I100827            |                                   | 0.47    | 21.8    | 2.79    | 6.11    | 0.07    | 0.08    | 0.02    | 0.025   | 0.06    | 9.2     | 9.2     | 0.49    | 277     | 1.42    |
| I100828            |                                   | 0.52    | 30.6    | 3.04    | 6.65    | 0.10    | 0.14    | 0.02    | 0.033   | 0.12    | 18.0    | 11.0    | 0.55    | 468     | 0.97    |
| I100829            |                                   | 1.44    | 50.8    | 3.32    | 6.92    | 0.11    | 0.06    | 0.02    | 0.039   | 0.14    | 18.3    | 15.8    | 1.00    | 551     | 1.60    |
| I100830            |                                   | 0.79    | 32.0    | 3.35    | 6.66    | 0.10    | 0.11    | 0.03    | 0.032   | 0.10    | 14.6    | 12.0    | 0.67    | 403     | 1.69    |
| I100831            |                                   | 1.50    | 55.6    | 3.96    | 8.45    | 0.11    | 0.05    | 0.02    | 0.044   | 0.15    | 17.7    | 14.1    | 0.86    | 412     | 1.75    |
| I100832            |                                   | 0.98    | 33.0    | 3.45    | 7.45    | 0.08    | 0.05    | 0.01    | 0.037   | 0.13    | 12.8    | 12.8    | 0.70    | 376     | 1.40    |
| I100833            |                                   | 0.88    | 22.1    | 2.72    | 7.21    | 0.08    | 0.02    | 0.02    | 0.027   | 0.09    | 10.4    | 9.0     | 0.32    | 194     | 1.84    |
| I100834            |                                   | 0.75    | 19.0    | 2.19    | 5.62    | 0.06    | <0.02   | 0.01    | 0.019   | 0.07    | 8.1     | 6.8     | 0.25    | 996     | 1.57    |
| I100835            |                                   | 1.02    | 60.1    | 3.66    | 6.81    | 0.11    | 0.04    | 0.02    | 0.042   | 0.18    | 20.0    | 11.0    | 0.61    | 247     | 4.71    |
| I100836            |                                   | 1.20    | 54.0    | 2.99    | 5.89    | 0.10    | <0.02   | 0.03    | 0.031   | 0.13    | 19.9    | 8.9     | 0.45    | 368     | 4.09    |
| I100837            |                                   | 0.54    | 26.9    | 2.99    | 5.56    | 0.09    | 0.09    | 0.02    | 0.027   | 0.13    | 11.5    | 9.5     | 0.55    | 427     | 1.05    |
| I100838            |                                   | 0.78    | 25.3    | 2.38    | 6.00    | 0.07    | 0.04    | 0.02    | 0.024   | 0.05    | 8.3     | 9.9     | 0.37    | 369     | 1.81    |
| I100839            |                                   | 1.27    | 50.7    | 4.37    | 9.35    | 0.12    | 0.04    | 0.02    | 0.048   | 0.15    | 17.3    | 18.4    | 0.89    | 549     | 2.58    |
| I100840            |                                   | 1.72    | 11.6    | 1.54    | 5.16    | 0.06    | <0.02   | 0.02    | 0.017   | 0.04    | 16.9    | 4.9     | 0.15    | 106     | 1.16    |
| I100841            |                                   | 2.99    | 11.5    | 3.12    | 10.40   | 0.06    | 0.02    | 0.03    | 0.025   | 0.04    | 14.7    | 8.4     | 0.23    | 162     | 1.33    |
| I100842            |                                   | 10.60   | 22.3    | 3.40    | 9.64    | 0.07    | <0.02   | 0.01    | 0.032   | 0.12    | 6.0     | 8.8     | 0.25    | 265     | 1.76    |
| I100843            |                                   | 2.21    | 26.6    | 3.38    | 6.70    | 0.12    | 0.08    | 0.04    | 0.041   | 0.08    | 26.9    | 12.1    | 0.54    | 451     | 1.32    |
| I100844            |                                   | 1.50    | 11.9    | 1.86    | 7.40    | 0.06    | <0.02   | 0.02    | 0.018   | 0.08    | 14.0    | 4.0     | 0.21    | 144     | 1.12    |
| I100845            |                                   | 1.58    | 25.7    | 3.77    | 8.73    | 0.10    | 0.09    | 0.03    | 0.040   | 0.05    | 17.0    | 12.5    | 0.49    | 270     | 1.54    |
| I100846            |                                   | 1.55    | 25.2    | 3.55    | 7.93    | 0.09    | 0.22    | 0.03    | 0.045   | 0.07    | 12.4    | 14.3    | 0.50    | 392     | 1.70    |
| I100847            |                                   | 1.62    | 16.8    | 4.15    | 10.15   | 0.10    | 0.09    | 0.04    | 0.043   | 0.07    | 15.0    | 14.4    | 0.40    | 290     | 2.24    |
| I100848            |                                   | 1.16    | 22.8    | 3.18    | 8.61    | 0.10    | 0.07    | 0.03    | 0.031   | 0.06    | 28.1    | 10.8    | 0.44    | 243     | 1.26    |
| I100849            |                                   | 0.75    | 8.6     | 1.47    | 6.18    | <0.05   | 0.02    | 0.01    | 0.012   | 0.04    | 7.9     | 2.8     | 0.11    | 125     | 0.90    |
| I100850            |                                   | 1.22    | 26.4    | 3.44    | 8.19    | 0.09    | 0.26    | 0.05    | 0.038   | 0.06    | 16.1    | 13.1    | 0.50    | 335     | 1.49    |
| I100851            |                                   | 0.94    | 28.2    | 2.83    | 7.15    | 0.10    | 0.07    | 0.02    | 0.029   | 0.04    | 14.8    | 14.5    | 0.69    | 287     | 0.74    |
| I100852            |                                   | 1.28    | 20.4    | 3.15    | 7.96    | 0.08    | 0.10    | 0.02    | 0.037   | 0.06    | 14.5    | 13.8    | 0.49    | 247     | 1.12    |
| I100853            |                                   | 3.98    | 18.9    | 3.68    | 9.28    | 0.08    | 0.25    | 0.03    | 0.051   | 0.09    | 9.6     | 20.9    | 0.37    | 324     | 1.15    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ10-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100814            |                                   | 0.70    | 33.0    | 640     | 5.1     | 22.8    | <0.001  | 0.05    | 0.18    | 3.1     | 0.9     | 0.4     | 58.2    | <0.01   | 0.03    |
| I100815            |                                   | 1.19    | 28.9    | 480     | 5.7     | 21.4    | <0.001  | 0.03    | 0.26    | 3.7     | 0.8     | 0.6     | 50.6    | <0.01   | 0.03    |
| I100816            |                                   | 1.08    | 33.3    | 420     | 4.5     | 30.0    | <0.001  | 0.03    | 0.19    | 3.1     | 0.6     | 0.5     | 47.2    | <0.01   | 0.01    |
| I100817            |                                   | 1.18    | 45.7    | 620     | 10.7    | 33.1    | <0.001  | 0.02    | 0.29    | 5.7     | 0.9     | 0.7     | 36.9    | <0.01   | 0.02    |
| I100818            |                                   | 0.89    | 32.3    | 660     | 5.2     | 19.6    | <0.001  | 0.04    | 0.28    | 3.8     | 0.9     | 0.7     | 46.4    | <0.01   | 0.02    |
| I100819            |                                   | 0.97    | 25.7    | 410     | 6.4     | 14.8    | <0.001  | 0.01    | 0.20    | 3.5     | 0.6     | 0.8     | 20.9    | <0.01   | 0.03    |
| I100820            |                                   | 1.00    | 28.7    | 490     | 14.8    | 23.1    | <0.001  | 0.05    | 0.22    | 3.4     | 1.0     | 0.4     | 46.4    | <0.01   | 0.13    |
| I100821            |                                   | 1.23    | 44.5    | 470     | 10.6    | 20.3    | <0.001  | 0.03    | 0.29    | 4.4     | 0.9     | 0.6     | 40.1    | <0.01   | 0.04    |
| I100822            |                                   | 1.22    | 47.2    | 280     | 19.9    | 33.6    | <0.001  | 0.03    | 0.21    | 4.9     | 0.9     | 0.6     | 42.1    | <0.01   | 0.04    |
| I100823            |                                   | 1.06    | 36.5    | 330     | 113.0   | 25.8    | <0.001  | 0.08    | 0.52    | 4.0     | 1.0     | 0.5     | 32.0    | <0.01   | 0.07    |
| I100824            |                                   | 1.08    | 27.2    | 300     | 10.4    | 7.8     | <0.001  | 0.02    | 0.23    | 4.1     | 0.7     | 0.6     | 37.5    | <0.01   | 0.07    |
| I100825            |                                   | 1.02    | 31.4    | 730     | 11.7    | 11.0    | <0.001  | 0.01    | 0.37    | 4.0     | 0.4     | 1.3     | 31.8    | <0.01   | 0.06    |
| I100826            |                                   | 1.17    | 26.2    | 640     | 8.6     | 10.5    | <0.001  | 0.01    | 0.30    | 4.5     | 0.4     | 0.7     | 29.5    | <0.01   | 0.04    |
| I100827            |                                   | 1.13    | 24.6    | 280     | 9.2     | 7.1     | <0.001  | 0.01    | 0.31    | 3.7     | 0.3     | 0.6     | 24.0    | <0.01   | 0.04    |
| I100828            |                                   | 1.28    | 31.0    | 220     | 12.0    | 14.3    | <0.001  | 0.01    | 0.36    | 6.2     | 0.6     | 0.6     | 35.9    | <0.01   | 0.05    |
| I100829            |                                   | 1.17    | 47.4    | 510     | 17.7    | 16.7    | <0.001  | 0.02    | 0.52    | 6.4     | 1.2     | 0.7     | 43.3    | <0.01   | 0.08    |
| I100830            |                                   | 1.70    | 38.0    | 450     | 9.6     | 14.0    | <0.001  | 0.02    | 0.60    | 6.8     | 0.8     | 0.6     | 34.2    | <0.01   | 0.05    |
| I100831            |                                   | 1.59    | 45.4    | 500     | 12.0    | 16.8    | <0.001  | 0.02    | 0.53    | 7.7     | 0.8     | 0.6     | 31.0    | <0.01   | 0.06    |
| I100832            |                                   | 1.57    | 37.6    | 470     | 10.4    | 15.0    | <0.001  | 0.02    | 0.47    | 5.6     | 0.5     | 0.6     | 34.1    | <0.01   | 0.04    |
| I100833            |                                   | 2.66    | 17.5    | 450     | 13.2    | 11.6    | <0.001  | 0.03    | 0.35    | 2.7     | 0.6     | 0.7     | 19.7    | <0.01   | 0.05    |
| I100834            |                                   | 0.94    | 15.2    | 1010    | 8.2     | 9.5     | <0.001  | 0.03    | 0.46    | 1.9     | 0.5     | 0.4     | 23.0    | <0.01   | 0.05    |
| I100835            |                                   | 1.02    | 29.5    | 550     | 28.7    | 18.2    | <0.001  | 0.21    | 0.42    | 4.7     | 2.2     | 0.5     | 36.0    | <0.01   | 0.09    |
| I100836            |                                   | 1.07    | 27.1    | 980     | 22.2    | 13.9    | 0.001   | 0.11    | 0.39    | 3.1     | 1.9     | 0.5     | 42.6    | <0.01   | 0.10    |
| I100837            |                                   | 1.52    | 27.0    | 890     | 8.4     | 17.8    | <0.001  | 0.02    | 0.41    | 6.3     | 0.7     | 0.5     | 45.0    | <0.01   | 0.03    |
| I100838            |                                   | 0.99    | 47.4    | 590     | 8.4     | 5.4     | <0.001  | 0.02    | 0.51    | 3.0     | 0.5     | 0.5     | 23.7    | <0.01   | 0.04    |
| I100839            |                                   | 1.11    | 44.8    | 700     | 13.4    | 17.6    | <0.001  | 0.02    | 0.88    | 7.7     | 0.9     | 0.7     | 34.1    | <0.01   | 0.05    |
| I100840            |                                   | 0.81    | 7.2     | 290     | 15.5    | 10.2    | <0.001  | 0.02    | 0.15    | 1.9     | 0.4     | 0.8     | 18.7    | <0.01   | 0.04    |
| I100841            |                                   | 1.82    | 9.4     | 240     | 25.0    | 12.1    | <0.001  | 0.01    | 0.45    | 2.7     | 0.4     | 2.3     | 11.7    | <0.01   | 0.06    |
| I100842            |                                   | 1.58    | 8.4     | 360     | 31.4    | 35.7    | <0.001  | 0.02    | 0.56    | 4.0     | 0.3     | 2.3     | 9.2     | <0.01   | 0.04    |
| I100843            |                                   | 1.74    | 31.1    | 350     | 15.4    | 15.1    | 0.001   | 0.02    | 0.59    | 5.8     | 1.1     | 0.9     | 37.4    | 0.02    | 0.07    |
| I100844            |                                   | 0.84    | 10.1    | 280     | 15.8    | 17.0    | <0.001  | 0.01    | 0.21    | 1.9     | 0.3     | 1.1     | 16.6    | <0.01   | 0.04    |
| I100845            |                                   | 2.05    | 24.3    | 350     | 15.3    | 14.3    | <0.001  | 0.02    | 0.54    | 6.0     | 0.5     | 0.9     | 21.5    | 0.02    | 0.07    |
| I100846            |                                   | 2.13    | 28.0    | 280     | 23.2    | 18.2    | <0.001  | 0.02    | 0.52    | 5.7     | 0.7     | 1.3     | 22.7    | 0.02    | 0.08    |
| I100847            |                                   | 2.42    | 18.9    | 380     | 26.1    | 20.0    | <0.001  | 0.02    | 0.56    | 4.7     | 0.7     | 1.4     | 14.4    | 0.01    | 0.08    |
| I100848            |                                   | 1.80    | 22.1    | 260     | 18.3    | 16.2    | <0.001  | 0.01    | 0.38    | 4.9     | 0.6     | 1.5     | 26.5    | 0.01    | 0.06    |
| I100849            |                                   | 1.36    | 4.9     | 160     | 10.6    | 15.1    | <0.001  | 0.01    | 0.24    | 1.7     | 0.2     | 0.8     | 12.4    | <0.01   | 0.03    |
| I100850            |                                   | 2.03    | 28.6    | 380     | 14.6    | 14.2    | <0.001  | 0.02    | 0.52    | 7.0     | 0.7     | 0.9     | 21.0    | 0.02    | 0.06    |
| I100851            |                                   | 1.42    | 26.1    | 450     | 8.1     | 7.4     | <0.001  | 0.01    | 0.32    | 7.0     | 0.5     | 0.7     | 37.4    | <0.01   | 0.03    |
| I100852            |                                   | 1.70    | 23.5    | 200     | 23.2    | 18.0    | <0.001  | 0.01    | 0.38    | 5.0     | 0.4     | 1.1     | 23.2    | <0.01   | 0.05    |
| I100853            |                                   | 1.75    | 25.3    | 280     | 53.7    | 29.4    | <0.001  | 0.01    | 0.60    | 6.0     | 0.5     | 3.0     | 16.0    | 0.01    | 0.05    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 9 - OCT - 2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100814            |                                   | 0.079              | 0.18                 | 0.96                | 47                  | 0.10                | 15.05               | 54                   | 1.5                  |
| I100815            |                                   | 0.101              | 0.10                 | 0.68                | 54                  | 0.10                | 11.25               | 47                   | 3.0                  |
| I100816            |                                   | 0.103              | 0.20                 | 0.50                | 48                  | 0.08                | 7.79                | 54                   | 1.9                  |
| I100817            |                                   | 0.129              | 0.19                 | 0.94                | 72                  | 0.15                | 17.50               | 74                   | 3.2                  |
| I100818            |                                   | 0.081              | 0.11                 | 0.73                | 52                  | 0.15                | 13.35               | 55                   | 1.6                  |
| I100819            |                                   | 0.089              | 0.12                 | 0.80                | 52                  | 0.13                | 8.27                | 65                   | 1.4                  |
| I100820            |                                   | 0.077              | 0.15                 | 1.18                | 39                  | 0.13                | 12.50               | 74                   | 1.7                  |
| I100821            |                                   | 0.096              | 0.13                 | 0.81                | 53                  | 0.09                | 10.45               | 63                   | 2.9                  |
| I100822            |                                   | 0.110              | 0.18                 | 0.95                | 52                  | 0.09                | 10.20               | 100                  | 2.5                  |
| I100823            |                                   | 0.083              | 0.17                 | 0.92                | 64                  | 0.13                | 4.75                | 156                  | 2.6                  |
| I100824            |                                   | 0.071              | 0.07                 | 0.88                | 50                  | 0.14                | 7.43                | 55                   | 1.5                  |
| I100825            |                                   | 0.051              | 0.11                 | 0.50                | 72                  | 0.15                | 5.31                | 92                   | 0.6                  |
| I100826            |                                   | 0.072              | 0.07                 | 0.42                | 60                  | 0.17                | 3.90                | 59                   | 1.9                  |
| I100827            |                                   | 0.082              | 0.06                 | 0.42                | 65                  | 0.13                | 3.37                | 47                   | 3.9                  |
| I100828            |                                   | 0.080              | 0.07                 | 0.61                | 68                  | 0.16                | 12.70               | 54                   | 5.7                  |
| I100829            |                                   | 0.078              | 0.12                 | 1.23                | 67                  | 0.18                | 14.70               | 92                   | 2.7                  |
| I100830            |                                   | 0.112              | 0.09                 | 0.95                | 78                  | 0.20                | 12.45               | 68                   | 5.2                  |
| I100831            |                                   | 0.091              | 0.11                 | 1.05                | 97                  | 0.17                | 10.35               | 75                   | 2.4                  |
| I100832            |                                   | 0.100              | 0.10                 | 0.66                | 84                  | 0.14                | 5.90                | 69                   | 2.6                  |
| I100833            |                                   | 0.066              | 0.10                 | 0.64                | 62                  | 0.18                | 4.12                | 88                   | 1.0                  |
| I100834            |                                   | 0.057              | 0.08                 | 0.35                | 47                  | 0.11                | 2.61                | 78                   | 0.6                  |
| I100835            |                                   | 0.060              | 0.18                 | 1.36                | 83                  | 0.18                | 7.11                | 94                   | 2.1                  |
| I100836            |                                   | 0.049              | 0.12                 | 1.16                | 65                  | 0.22                | 7.09                | 83                   | 0.6                  |
| I100837            |                                   | 0.099              | 0.07                 | 0.55                | 64                  | 0.14                | 6.93                | 57                   | 4.5                  |
| I100838            |                                   | 0.055              | 0.09                 | 0.56                | 59                  | 0.15                | 5.55                | 152                  | 1.8                  |
| I100839            |                                   | 0.080              | 0.12                 | 0.90                | 98                  | 0.20                | 9.71                | 93                   | 2.0                  |
| I100840            |                                   | 0.052              | 0.08                 | 1.12                | 36                  | 0.20                | 7.44                | 22                   | <0.5                 |
| I100841            |                                   | 0.069              | 0.17                 | 1.08                | 71                  | 0.33                | 3.66                | 30                   | 1.3                  |
| I100842            |                                   | 0.053              | 0.41                 | 6.41                | 74                  | 0.83                | 7.09                | 46                   | 1.1                  |
| I100843            |                                   | 0.088              | 0.15                 | 1.53                | 65                  | 0.27                | 20.8                | 54                   | 3.6                  |
| I100844            |                                   | 0.069              | 0.14                 | 0.95                | 45                  | 0.13                | 4.49                | 27                   | <0.5                 |
| I100845            |                                   | 0.118              | 0.15                 | 0.97                | 83                  | 0.20                | 7.89                | 47                   | 5.1                  |
| I100846            |                                   | 0.105              | 0.15                 | 1.19                | 71                  | 0.21                | 5.90                | 50                   | 11.2                 |
| I100847            |                                   | 0.097              | 0.16                 | 1.13                | 87                  | 0.29                | 7.17                | 45                   | 5.0                  |
| I100848            |                                   | 0.102              | 0.14                 | 1.25                | 75                  | 0.20                | 11.45               | 42                   | 3.5                  |
| I100849            |                                   | 0.088              | 0.08                 | 0.37                | 50                  | 0.11                | 2.54                | 16                   | 1.3                  |
| I100850            |                                   | 0.113              | 0.13                 | 1.02                | 76                  | 0.20                | 7.51                | 49                   | 12.0                 |
| I100851            |                                   | 0.110              | 0.08                 | 0.83                | 68                  | 0.15                | 10.95               | 47                   | 3.4                  |
| I100852            |                                   | 0.083              | 0.12                 | 0.98                | 65                  | 0.18                | 5.15                | 42                   | 4.5                  |
| I100853            |                                   | 0.050              | 0.20                 | 2.29                | 60                  | 0.26                | 7.62                | 45                   | 10.0                 |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**  
**SUITE 200, 900 WEST HASTINGS STREET**  
**VANCOUVER BC V6C 1E5**

**Page: Appendix 1**  
**Total # Appendix Pages: 1**  
**Finalized Date: 9 - OCT - 2010**  
**Account: EIASQI**

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137857**

| Method  | CERTIFICATE COMMENTS                                                                                 |
|---------|------------------------------------------------------------------------------------------------------|
| ME-MS41 | Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |

## **Appendix D: Data Disc**

Report text, geochemical databases, drafting and plot files

## **Appendix E: Geologist's Certificates**

## GEOLOGIST'S CERTIFICATE

Darcy E.L. Baker  
Suite 114 – 2635 Prince Edward Street,  
Vancouver, BC, Canada

I, Darcy Baker, P.Geo. do hereby certify that:


- I am a Geologist and President of Equity Exploration Consultants Ltd., with offices at Suite 200–900 West Hastings Street in the City of Vancouver, B.C., in the Province of British Columbia.
- I am a member in good standing (#33,448) of the Association of Professional Engineers and Geoscientists of British Columbia.
- I am a graduate of Dalhousie University (1997) with an Honours Bachelor of Science degree in Geology, and am a graduate of the University of Newcastle, Australia (2003) with a Doctor of Philosophy degree in Geology, and I have practiced my profession continuously since 1997.
- Since 1997 I have been involved in mineral exploration for gold, silver, copper, uranium, molybdenum, lead and zinc across Canada and in Alaska, Nevada and Australia.
- I am a Consulting Geologist and principal of Equity Exploration Consultants Ltd. (a geological consulting and contracting firm) and have been so since May 2003.
- I managed the Yukon field exploration campaigns for Silver Quest during 2010.
- I am independent of Silver Quest.

Dated at Vancouver, British Columbia, this 15th day of April, 2011.



---

Darcy Baker, Ph.D., P.Geo.




Silver Quest Resources Ltd.

Henderson Project

Sample Location

Map

|  |          |               |             |          |        |
|--|----------|---------------|-------------|----------|--------|
|  | Date:    | March 2011    | Scale:      | 1:20,000 | Figure |
|  | UTM Zone | UTM 7 - NAD83 | North Arrow | Dawson   | 4      |
|  | N.T.S.   | 1150106.11    | Province    | Yukon    |        |




**Soil Geochemistry**  
Gold (ppb)

- > 26 ppb
- 15 to 26
- 10 to 15
- 5 to 10
- < 5 ppb

**Soil Anomaly**

- Gold > 10 ppb
- Antimony > 0.8 ppm
- Arsenic > 11 ppm
- Molybdenum > 2 ppm




**Soil Anomaly**

- Gold > 10 ppb
- Antimony > 0.8 ppm
- Arsenic > 11 ppm
- Molybdenum > 2 ppm

**Soil Geochemistry Arsenic (ppm)**

- > 96 ppm
- 58 to 96
- 11 to 58
- 6 to 11
- < 6 ppm




**Soil Anomaly**

- Gold > 10 ppb
- Antimony > 0.8 ppm
- Arsenic > 11 ppm
- Molybdenum > 2 ppm

**Soil Geochemistry Antimony (ppm)**

- > 4 ppm
- 1.9 to 4
- 0.8 to 1.9
- 0.4 to 0.8
- < 0.4 ppm



**Soil Anomaly**

- Gold > 10 ppb
- Antimony > 0.8 ppm
- Arsenic > 11 ppm
- Molybdenum > 2 ppm

**Soil Geochemistry  
Molybdenum (ppm)**

- > 17 ppm
- 4 to 17
- 2 to 4
- 1 to 2
- < 1 ppm