

Silver Quest Resources Ltd.

**2010 GEOCHEMICAL REPORT ON THE
SESSENTA AND OGO PROPERTIES**

Located in the North Dawson Range Area
Dawson Mining District
NTS 115O/12
63°35' N Latitude; 139°50' W Longitude

Grant Numbers	Claim Names
YD65201 – 207	BHC 1 – BHC 7
YD65209 – 247	BHC 9 – BHC 47
YD65249 – 274	BHC 49 – BHC 74
YD65276 – 414	BHC 76 – BHC 214
YD65216, YD65443	BHC 216, 221
YD65430 – YD65442	BHC 230 – BHC 242
YD65444 - YD65451	BHC 244 – BHC 251
YD64352 – YD64358	BHC 252 – BHC 258
YD14401 – YD14480	HONEY 1 – HONEY 80

Work Conducted August 5 – 18, 2010

-prepared for-

SILVER QUEST RESOURCES LTD.
Suite 1410, 650 West Georgia Street
Vancouver, British Columbia, Canada, V6B 4N8

-prepared by-

Darcy Baker, Ph.D.

EQUITY EXPLORATION CONSULTANTS LTD.
Suite 200, 900 West Hastings Street
Vancouver, British Columbia, Canada, V6C 1E5

March 29, 2011

TABLE OF CONTENTS

TABLE OF CONTENTS	2
LIST OF APPENDICES	2
LIST OF TABLES	2
LIST OF FIGURES	2
1.0 SUMMARY	2
2.0 INTRODUCTION.....	2
3.0 PROPERTY DESCRIPTION AND LOCATION	2
4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY	5
5.0 HISTORY	5
5.1 Previous Work	5
5.2 2010 Exploration Program	5
6.0 REGIONAL GEOLOGY AND MINERALIZATION.....	6
6.1 Geology	6
6.2 Mineralization.....	6
7.0 GEOCHEMISTRY	6
7.1 Rock Geochemistry	6
7.2 Soil Geochemistry.....	9
7.3 Silt Geochemistry.....	9
8.0 PROPERTY GEOLOGY AND MINERALIZATION.....	9
9.0 DISCUSSION AND CONCLUSIONS.....	9

LIST OF APPENDICES

Appendix A: Bibliography
Appendix B: Statement of Expenditures
Appendix C: Laboratory Certificates
Appendix D: Rock Sample Descriptions
Appendix E: Data Disc
Appendix F: Geologist's Certificates

LIST OF TABLES

Table 1: Sessenta and Ogo Property Claims	2

LIST OF FIGURES

Figure 1: Location Map.....	3
Figure 2: Tenure information	4
Figure 3: Regional Geology surrounding the Sessenta and Ogo properties	7
Figure 4: Soil, Silt and Rock sample locations	8
Figure 5a: Surface geochemistry (Au).....	10
Figure 5b: Surface geochemistry (As).....	11
Figure 5c: Surface geochemistry (Sb).....	12
Figure 5d: Surface geochemistry (Mo)	13

1.0 SUMMARY

On behalf of Silver Quest Resources Ltd. ("Silver Quest"), Equity Exploration Consultants Ltd. ("Equity") completed geochemical sampling at the Sessenta and Ogo properties in August, 2010. The Sessenta and Ogo properties are located west of the Yukon River to the north and south of the Sixty Mile River respectively, in the White Gold district of the Yukon Territory. The Sessenta property comprised of 241 claims on the north side of the Sixty Mile River while the 80 quartz claims that comprise the Ogo property are located on the south side of the Sixty Mile River.

Work in 2010 consisted of five days of surface geochemical sampling by a crew of eight people. Four rock, seven silt and 522 soil samples were collected but results generally returned low values of precious metals and gold pathfinder elements. A single two-sample Sb in soil anomaly was delineated on the Sessenta property with soil samples weakly anomalous in Bi nearby. A tributary to the Sixty Mile River on the Ogo property was identified as weakly anomalous in Ag, As, Pb and Mo.

These results suggest that little potential for a significant gold discovery exists at the Sessenta and Ogo properties. Some minor follow-up sampling and prospecting, however, is warranted near the anomalous value samples.

2.0 INTRODUCTION

During the 2010 field season, Equity was contracted by Silver Quest to carry out the sampling work on the Sessenta and Ogo properties as part of a larger exploration program focused at the Boulevard Property located 75 km to the south. This report describes the work completed and summarizes the results.

3.0 PROPERTY DESCRIPTION AND LOCATION

The Sessenta and Ogo properties are located in the Dawson Range of the west-central Yukon Territory, on the western side of the Yukon River (Figure 1). They are centered at 63°35' N latitude and 139°50' W longitude, adjacent to the Sixty Mile River just west of its confluence with the mighty Yukon River.

The properties are comprised of two claim blocks, the Sessenta and Ogo (Figure 2). The Sessenta block is made up of 241 contiguous quartz claims centered on an unnamed peak rising 3000 m above the north slope of the Sixty Mile River that is herein referred to as Sessenta peak. The majority of the Ogo block is located on the south side of the Sixty Mile River however; the river transects the northern corner of the 80 claim block. All of these claims were staked in June of 2010 by contractors on behalf of Silver Quest and applications to transfer claims 100% to Silver Quest are pending.

Table 1: Sessenta and Ogo Property Claims

Grant Numbers	Claim Names	Recording Date	Staking Date	Expiry Date*	Owners
YD65201 – 207 YD65209 – 247 YD65249 – 274 YD65276 – 414 YD65216, YD65443 YD65430 – YD65442 YD65444 - YD65451 YD64352 – YD64358	BHC 1 – BHC 7 BHC 9 – BHC 47 BHC 49 – BHC 74 BHC76 – BHC 214 BHC 216, 221 BHC 230 – BHC 242 BHC 244 – BHC 251 BHC 252 – BHC 258	June 25, 2010	June 19, 21-25, 2010	June 25, 2011	A mixture of: Chad Niddery Brandon Duncan Declan O'Donovan Conor O'Donovan Mark Hockley Neil Chambers
YD14401 – YD14480	HONEY 1 – HONEY 80	June 25, 2010	June 24, 25, 2010	June 25, 2011	A mixture of: Chad Niddery Declan O'Donovan Mark Hockley Neil Chambers

*N.B. expiry date does not include credit for 2010 work



0 150 300
kilometers




Silver Quest Resources Ltd.

Sessenta & Ogo Project
**LOCATION
MAP**



Date:	FEB 2011	Scale:	1:7,000,000	Figure
U.T.M. Zone	UTM7 - NAD83	Mining District	WHITEHORSE	1
N.T.S.	115J/13	State/Province	YUKON	



5 km



Silver Quest Resources Ltd.

Sessenta and Ogo Projects Tenure Map



Date:	FEB 2011	Scale:	1:75,000	Figure
U.T.M. Zone	UTM 7 - NAD83	Mining District	Dawson	2
N.T.S. 115N/01, 115O/12	Province	Yukon		

4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY

The Sessenta and Ogo properties are located 55 km to south-southwest of Dawson City. The topography of the area is characterized by rolling hills typical of the Dawson Ranges. Vegetation is sparse, with lower elevations covered by spruce, birch, aspen, alder and willow, whereas higher elevations have thick moss, grasses and scrub birch. Creek valleys are filled with thick willow and alder thickets. North-facing slopes locally exhibit permafrost, which complicates soil sampling. South-facing slopes are more typically vegetated by deciduous trees such as aspen and birch. Drainage systems vary from well channelled, discrete streams to swamps in broader, flat-bottomed valleys.

The area has a sub-arctic continental climate, with cold winters and cool, wet summers. Exploration can be carried out on the property from June until October.

Direct access to the property is via helicopter and several helicopter bases are located in Dawson City. Alternatively, several boat operators in Dawson City and a barge operating out of Minto Landing are available for hire to transport supplies to points along the Yukon (such as the Olgilvie) where they can be subsequently mobilized by helicopter to the property. During the 2010 program, personnel were mobilized from the Boulevard camp via Hughes 500D helicopter.

5.0 HISTORY

5.1 Previous Work

No historic work or Minfile occurrences are documented on the ground now covered by the Sessenta and Ogo properties. Lucky Joe Creek across the Yukon River from the claims have seen placer gold mining in the past. Additionally, the Sixty Mile River to the west and central to the claim blocks is covered by extensive placer claims along its length and on tributaries to the south.

A Rimfire/Northgate Joint Venture carried out a regional silt sampling program in selected areas of the Dawson Range in June 2006, directed at locating Pogo-style intrusion-related gold targets that resulted in staking of the Boulevard property (Roberts and Baker, 2007). During the course of this program a total of 28 silt samples and three rock samples of quartz vein material in float were collected from areas now encompassed by the Sessenta and Ogo properties. Three silt samples returned weakly anomalous Au values ranging from 32 to 47 ppb and rock samples returned no significant results in precious or base metals. No ground was staked in the area at the time and thus the work was never filed.

The Sessenta and Ogo properties were staked in June 2010 and work was completed subsequently in July and August of the same year.

The bedrock geology of the region was most recently compiled by Gordey and Ryan (2005); the section of this map which shows the geology surrounding the Sessenta and Ogo properties is shown in Figure 3.

5.2 2010 Exploration Program

During August 5, 11-12 and 18, 2010, three samplers were dispatched to the Sessenta and Ogo properties while five samplers and one geologist visited the property on August 13, 2010. Soil sampling was completed along "ridge and spur" type traverse lines along all prominent features underlying the property. Samples were collected at 100 m intervals along these lines. Silt samples were collected on tributary creeks underlying the Ogo property and float rock samples of quartz veined or altered granitoid material were also collected. In total, four float rock samples, seven silt samples and 522 soil samples were collected during the 2010 program.

Samples were submitted to the ALS Laboratory Group preparation facility in Whitehorse and were analysed for a 51-element high precision suite (ME-MS41) and gold by 30 g fire assay (Au-AA23). Assay certificates of analysis are presented in an Appendix at the end of this report. Rock and silt sample sites are marked with blue and pink flagging tape, and a metal tag inscribed with the sample number. Soil sample sites

are marked with blue and orange flagging and a Tyvek tag. All sample locations for silt, soil and rock samples were recorded by hand-held GPS.

A magnetic declination of 22° E was used for all compass measurements. All maps and UTM coordinates are referenced to the 1983 North American Datum (NAD-83; Zone 7).

6.0 REGIONAL GEOLOGY AND MINERALIZATION

6.1 Geology

The Sessenta and Ogo properties are located within the Yukon-Tanana Terrane in west-central Yukon, a pericratonic terrane of continental affinity that occupies a position between the ancestral continental margin of North America and outboard accreted terranes (Colpron, 2006). The pericratonic terranes were accreted in the Early Jurassic, while subsequent outboard exotic terranes began accreting in the Early to mid-Cretaceous. At this time, the pericratonic package was intruded by a voluminous, northwest-to southeast-trending plutonic suite, referred to as the Dawson Range plutonic belt by Hart et al. (2004) (Klotassin batholith of Templeman-Kluit, 1974), which lies south of the Sessenta and Ogo properties.

Regional-scale geological compilation maps (Gordey and Makepeace, 1999) show that the Sessenta and Ogo properties are underlain by the Devonian-Mississippian Nasina assemblage. This has been further subdivided by Gordey and Ryan (2005) into a mix of orthogneiss (DMogt), augen orthogneiss (DMoga), schist and marble (DMc and DMA; Figure 3). These high grade metamorphic rocks are unconformably overlain by pebble conglomerate (IKTcg) and rhyodacite (uKCv) of the Cretaceous Carmacks group. In the north of the property the Nasina assemblage has been intruded by relatively undeformed Cretaceous granitic rocks.

6.2 Mineralization


The nearest significant example of gold mineralization to the Sessenta and Ogo properties is the Coffee property of Kaminak Gold located 82 km to the west-southwest where significant gold discoveries were announced in spring 2010 (Carpenter, 2011). No resource has been calculated for the Coffee but early drill results include intercepts of 17.1 g/t Au over 15.5 m and 6.3 g/t Au over 35 m within a 15 km long Au in soil anomaly. At Coffee, gold is hosted in both N-S and E-W trending structures at Coffee (Carpenter, 2011) but at both locations gold-bearing structures overprint regional gneissic and schistose deformation fabrics indicating that gold is tectonically late. Gold-bearing zones at Coffee are characterised by silicification plus sericite-clay alteration with variable As-Ag-Sb-Ba-Mo enrichment but the dominant sulphide phase is arsenic-rich pyrite. Gold mineralization at Coffee is hosted by many different rock-types including augen orthogneiss, hornblende-biotite granite, schist and dacite dykes.

The Sessenta and Ogo properties are underlain by similar orthogneiss rocks which comprise a good host rock at Coffee, although no detailed mapping has been completed at Sessenta or Ogo.

7.0 GEOCHEMISTRY

7.1 Rock Geochemistry

During the course of soil sampling and prospecting, 4 rock samples were taken from the Sessenta and Ogo properties in 2010. Rock descriptions are attached in Appendix D and geochemical certificates are in Appendix C. Surface rock samples collected from the Sessenta and Ogo properties in the summer of 2010 did not return significant concentrations of precious or base metals with none of the samples returning gold values above detection.



Gordey, S.P. and Ryan, J.J., 2005, Geology, Stewart River (115NO), Yukon; Geological Survey of Canada, Open File 4970, 1 coloured map, scale 1:250,000

- - - contact, assumed
 - - - contact, approx.
 - - - fault, assumed
 - - - fault, approx.

4 km


Silver Quest Resources Ltd.

Sessenta and Ogo Project Regional Geology



Date: FEB 2011 Scale: 1:100,000
 U.T.M. Zone UTM 7 - NAD83 Mining District Whitehorse
 N.T.S. 115N/02 Province Yukon

Figure
3



● 2010 Soil Samples

▲ Silt Samples

▲ 2010

■ Rock Samples

■ 2006

■ 2010

Silver Quest Resources Ltd.

Sessenta and Ogo Projects
Sample Locations

EQUITY	Date: APR 2011	Scale: 1:20,000	Figure: 4
	UTM Zone: 18N	Projection: UTM	Units: Meters

7.2 Soil Geochemistry

Soil results for the 2010 Sessenta-Ogo program have been compared with the larger (14,000+) database of soil analyses from numerous Silver Quest properties across the Dawson Range. Based on this larger dataset, a single anomalous area at the northern portion of the Sessenta property has been defined by two samples anomalous in Sb. Notably weakly anomalous Bi values in soil occur on the margins of the Sb anomaly (Figures 5a – 5d).

7.3 Silt Geochemistry

Seven silt samples were collected from the Ogo property in 2010 (Figures 4, 5a – d). Compared with results from Silver Quest's proprietary database of 577 silt samples from across the region, all samples rank below the 70th percentile in Au and are thus judged not to be anomalous in Au. Two samples (I319701 and I319752) returned weakly anomalous values (>80th to 90th percentile) for Ag-As+/-Pb, and one sample (I319702) greater than 85th percentile for Mo and Pb. These three samples were collected from a north flowing tributary to the Sixty Mile River.

8.0 PROPERTY GEOLOGY AND MINERALIZATION

No mapping was conducted on the Sessenta and Ogo properties in 2010.

9.0 DISCUSSION AND CONCLUSIONS

Though the number of samples taken from the Sessenta and Ogo properties in 2010 was relatively few, good reconnaissance level coverage was achieved. Based on the samples taken, there are no obvious indications of a widespread gold mineralizing system.

Two areas are, however, worthy of follow-up work:

1. The drainage returning anomalous Ag, As, Pb and Mo values central to the Ogo property. This drainage should be prospected and two parallel contour soil lines should be completed along the slopes above the drainage.
2. The Sb in soil anomaly and nearby elevated Bi in soil samples located on an east facing slope overlooking the Yukon River at the north end of the Sessenta property. This area should be covered with a small grid of soil samples to delineate the extent of the anomaly to the north and south.

Respectfully submitted,




Darcy Baker Ph.D., P.Geo.

EQUITY EXPLORATION CONSULTANTS LTD.

Vancouver, British Columbia

March 29, 2011



Soil Geochemistry
Gold (ppb)

- > 26 ppb
- 15 to 26
- 10 to 15
- 5 to 10
- < 5 ppb

Silt Geochemistry
Gold (ppb)


- > 57 ppb
- 31 to 57
- 21 to 31
- 13 to 21
- < 13 ppb

Rock Geochemistry
Gold (ppm)

- > 6.4 ppm
- 1.3 to 6.4
- 0.1 to 1.3
- 0.05 to 0.1
- < 0.05 ppm

Antimony Soil Anomaly

- Sb > 0.8 ppm



Soil Geochemistry
Arsenic (ppm)

- > 96 ppm
- 58 to 96
- 11 to 58
- 6 to 11
- < 6 ppm

Silt Geochemistry
Arsenic (ppm)


- > 13 ppm
- 9 to 13
- 7.3 to 9
- 6.7 to 7.3
- < 6.7 ppm

Rock Geochemistry
Arsenic (ppm)

- > 5,370 ppm
- 1,000 to 5,370
- 300 to 1,000
- 50 to 300
- < 50 ppm

Antimony Soil Anomaly

- Sb > 0.8 ppm



Soil Geochemistry
Antimony (ppm)

- > 4 ppm
- 1.9 to 4
- 0.8 to 1.9
- 0.4 to 0.8
- < 0.4 ppm

Silt Geochemistry
Antimony (ppm)


- ▲ > 3 ppm
- ▲ 2.25 to 3
- ▲ 2 to 2.25
- ▲ 0.44 to 2
- ▲ < 0.44 ppm

Rock Geochemistry
Antimony (ppm)

- > 2,000 ppm
- 200 to 2,000
- 50 to 200
- 10 to 50
- < 10 ppm

Antimony Soil Anomaly

- ▨ Sb > 0.8 ppm



Soil Geochemistry
Molybdenum (ppm)

- > 17 ppm
- 4 to 17
- 2 to 4
- 1 to 2
- < 1 ppm

Silt Geochemistry
Molybdenum (ppm)

- > 3.5 ppm
- 2 to 3.5
- 1.25 to 2
- 0.91 to 1.26
- < 0.91 ppm

Rock Geochemistry
Molybdenum (ppm)

- > 98.44 ppm
- 23.2 to 98.44
- 3 to 23.2
- 2 to 3
- < 2 ppm

Antimony Soil Anomaly

- Sb > 0.8 ppm

Appendix A: Bibliography

REFERENCES

- Carpenter, R., 2011, Geology of New Lode Gold Discoveries in the Coffee Creek Area; White Gold District, West-Central Yukon: Mineral Exploration Roundup 2011, Vancouver, BC, 2011, p. 48-50.
- Colpron, M., 2006, Tectonic assembly map of the Yukon -- Tanana and related terranes in Yukon and British Columbia (1:1,000,000), Yukon Geological Survey.
- Gordey, S. P., and Makepeace, A. J., 1999, Yukon digital geology, Geological Survey of Canada.
- Gordey, S. P., and Ryan, J. J., 2005, Geology, Stewart River Area (115N0), Yukon; Geological Survey of Canada, Open File 4970, 1 coloured map, scale 1 : 250 000
- Hart, J. R., Goldfarb, R., Lewis, L. L., and Mair, J. L., 2004, The northern Cordilleran mid-Cretaceous plutonic province: Ilmenite/magnetite-series granitoids and intrusion-related mineralization: Resource Geology, v. 54, p. 253-280.
- Roberts, M., and Baker, D. (2007), 2006 Geological and Geochemical Report on the Rimfire-Northgate Alliance; Stewart River area, Yukon, unpublished company report, p. 53.
- Templeman-Kluit, D. J., 1974, Reconnaissance geology of Aishihik Lake, Snag and part of Stewart River areas, west-central Yukon (115H, 115K-J and 115N-O), Geological Survey of Canada, p. 97.

Appendix B: Statement of Expenditures

STATEMENT OF EXPENDITURES
Sessenta (BHC Claims)

	number	rate	cost
rock samples	0	\$28.00	\$0.00
silt samples	0	\$28.00	\$0.00
soil samples	393	\$28.00	\$11,004.00
Prospector days	1	\$475.00	\$475.00
Sampler days	11	\$275.00	\$3,025.00
camp/shared costs per man day	12	\$441.48	\$5,297.75
Heli hours (wet)	8.80	\$1,324.00	<u>\$11,651.20</u>
			\$31,452.95
Project Supervision		12.00%	<u>\$3,774.35</u>
			\$35,227.30

241 claims

\$146.17 per claim

Dates worked: August 5 & 11-13, 2010

STATEMENT OF EXPENDITURES
Ogo (HONEY Claims)

	number	rate	cost
rock samples	4	\$28.00	\$112.00
silt samples	7	\$28.00	\$196.00
soil samples	129	\$28.00	\$3,612.00
Prospector days	1	\$475.00	\$475.00
Sampler days	5	\$275.00	\$1,375.00
camp/shared costs per man day	6	\$441.48	\$2,648.87
Heli hours (wet)	4.40	\$1,324.00	\$5,825.60
			<u>\$14,244.47</u>
Project Supervision		12.00%	<u>\$1,709.34</u>
			\$15,953.81
	80 claims		\$199.42 per claim
<u>Dates worked: August 13 & 18, 2010</u>			

Appendix C: Laboratory Certificates



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 17-SEP-2010
Account: EIASQI

CERTIFICATE WH10120405

Project: SQI10-01
P.O. No.: SQI10-06_22
This report is for 22 Rock samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10120405

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I034053		0.43	<0.005	0.74	0.40	0.6	<0.2	<10	440	0.23	0.14	1.01	0.07	112.0	0.4	35
I034054		1.70	<0.005	1.09	0.27	0.6	<0.2	<10	500	0.23	0.10	0.21	0.12	27.7	0.3	35
I034151		1.64	<0.005	0.35	1.22	3	<0.2	<10	60	0.46	0.12	11.50	0.28	18.00	16.5	10
I034152		0.93	<0.005	0.01	0.21	0.3	<0.2	<10	10	0.27	0.11	0.05	0.01	6.11	0.9	13
I034153		0.90	<0.005	0.14	0.07	0.1	<0.2	<10	30	0.06	0.17	0.09	0.01	8.94	0.6	51
I034154		1.14	<0.005	0.02	0.03	0.6	<0.2	<10	10	0.06	0.27	0.02	0.01	0.44	0.8	39
I034201		0.70	<0.005	0.03	0.33	0.4	<0.2	<10	50	0.91	0.48	0.32	0.14	14.10	0.3	10
I034202		0.58	0.011	0.01	1.02	0.7	<0.2	<10	20	0.17	0.03	1.59	0.06	2.88	19.7	9
I034203		0.63	0.005	0.07	1.06	12.9	<0.2	<10	1550	1.20	0.04	0.90	0.12	52.4	5.5	5
I319659		0.92	<0.005	0.02	2.33	0.4	<0.2	<10	30	0.27	0.02	1.60	0.03	5.86	32.0	197
I319660		0.69	<0.005	0.04	0.17	3.7	<0.2	<10	20	<0.05	0.24	0.06	0.04	3.91	2.3	40
I319661		0.50	<0.005	0.04	0.25	2.8	<0.2	<10	40	0.06	1.11	0.05	0.11	3.59	4.0	34
I319662		0.44	<0.005	0.02	0.57	0.3	<0.2	<10	130	0.12	0.03	0.15	0.02	4.50	1.4	12
I319663		0.52	<0.005	0.01	0.18	2.7	<0.2	<10	100	0.08	0.01	0.04	0.04	6.37	1.8	6
I319664		0.90	<0.005	0.03	0.02	1.6	<0.2	<10	200	<0.05	<0.01	0.29	0.03	1.14	0.6	47
I319665		0.62	<0.005	0.51	0.18	5.8	<0.2	<10	220	0.19	0.13	0.09	0.91	45.9	4.1	12
I319666		0.69	<0.005	0.02	0.43	0.2	<0.2	<10	130	0.14	0.09	0.08	0.02	5.17	1.4	9
I319667		0.58	<0.005	0.02	0.24	0.6	<0.2	<10	120	0.07	0.03	0.04	0.03	3.24	0.7	9
I319668		0.77	<0.005	0.02	0.02	0.8	<0.2	<10	10	<0.05	0.01	0.07	0.02	0.36	0.4	37
I319669		0.32	<0.005	0.04	1.53	0.2	<0.2	<10	30	0.21	0.03	0.51	0.08	5.33	13.9	58
I319670		0.97	<0.005	0.08	2.75	0.3	<0.2	<10	70	0.37	0.02	0.53	0.07	5.13	20.4	10
I319671		1.32	0.008	0.20	1.51	1.1	<0.2	<10	70	0.30	0.04	0.52	0.02	3.70	11.5	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I034053		0.32	10.7	1.43	2.88	0.20	0.17	0.03	0.082	0.16	75.8	1.8	0.06	41	7.70
I034054		0.21	9.9	1.08	1.77	0.07	0.08	0.01	0.034	0.16	15.2	1.5	0.04	30	9.40
I034151		0.32	24.1	4.69	6.01	0.09	0.04	<0.01	0.109	0.30	8.9	10.2	1.71	1880	3.19
I034152		0.82	8.3	0.32	1.16	<0.05	0.30	<0.01	0.006	0.11	2.2	1.9	0.03	79	0.47
I034153		0.08	37.0	0.54	0.55	<0.05	<0.02	<0.01	<0.005	0.02	7.2	0.5	0.03	49	16.70
I034154		<0.05	22.0	0.33	0.14	<0.05	<0.02	<0.01	<0.005	0.01	0.3	0.2	0.01	26	4.79
I034201		4.21	1.0	0.25	1.34	<0.05	0.52	<0.01	0.006	0.23	6.9	0.8	0.01	427	0.21
I034202		0.14	60.9	2.09	2.40	0.12	0.13	<0.01	0.007	0.04	1.4	1.4	0.35	330	0.34
I034203		8.68	1.5	1.53	2.40	0.08	0.31	<0.01	0.010	0.34	28.5	14.7	0.24	649	0.05
I319659		0.07	42.8	2.80	6.21	0.08	0.09	<0.01	0.007	0.07	3.0	12.2	2.29	517	0.13
I319660		0.07	3.8	0.53	0.52	<0.05	0.08	<0.01	<0.005	0.01	1.6	1.2	0.11	92	0.55
I319661		0.05	19.0	0.86	0.25	<0.05	0.08	<0.01	0.007	0.01	1.5	1.0	0.04	129	2.31
I319662		0.28	11.1	0.93	3.73	<0.05	0.04	<0.01	0.008	0.05	2.2	6.7	0.22	103	0.35
I319663		0.35	1.4	0.82	0.62	<0.05	0.03	<0.01	0.014	0.13	2.9	0.2	0.01	196	0.26
I319664		<0.05	2.3	0.50	0.14	<0.05	<0.02	<0.01	<0.005	0.01	0.6	0.2	0.10	196	0.30
I319665		0.08	37.1	2.05	0.88	0.06	0.57	0.01	0.020	0.05	28.3	0.5	0.01	1500	0.74
I319666		0.25	1.5	0.75	2.76	<0.05	0.02	<0.01	<0.005	0.19	2.5	4.0	0.08	154	0.12
I319667		0.07	2.6	0.31	0.79	<0.05	0.02	<0.01	<0.005	0.13	1.2	0.7	0.01	62	0.15
I319668		<0.05	1.4	0.25	0.21	<0.05	<0.02	<0.01	<0.005	<0.01	0.2	0.2	<0.01	84	0.23
I319669		0.13	35.3	2.70	6.48	0.15	0.06	<0.01	0.010	0.02	2.6	22.8	1.43	494	0.35
I319670		0.81	54.6	4.69	11.00	0.10	0.05	<0.01	0.012	0.09	2.6	39.6	2.29	824	0.32
I319671		0.46	22.1	2.47	5.49	<0.05	0.02	0.04	<0.005	0.09	1.7	30.4	1.19	486	0.12



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17-SEP-2010
 Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I034053		1.61	7.0	5080	6.2	9.3	0.001	0.02	0.10	3.6	2.5	0.3	41.8	0.01	0.06	5.4
I034054		2.12	1.8	2070	3.4	8.0	0.001	0.06	0.06	3.2	3.6	0.3	15.0	0.01	0.06	4.0
I034151		0.10	22.8	1570	3.2	6.5	0.002	1.03	0.26	9.7	0.9	<0.2	213	<0.01	0.06	1.0
I034152		9.13	0.8	40	3.3	16.5	<0.001	0.01	0.05	1.5	0.3	1.3	1.9	0.01	0.01	7.4
I034153		0.16	1.7	120	0.5	1.8	<0.001	0.03	<0.05	0.6	1.0	0.2	23.5	<0.01	0.06	0.4
I034154		0.12	1.9	10	1.0	0.4	<0.001	0.01	0.06	0.3	<0.2	<0.2	0.7	<0.01	0.07	<0.2
I034201		0.24	1.3	130	60.0	21.5	<0.001	<0.01	0.09	1.2	0.4	0.2	9.5	<0.01	0.01	11.8
I034202		0.92	7.2	1000	1.9	1.0	<0.001	<0.01	0.29	3.6	0.4	<0.2	114.5	0.01	0.03	0.2
I034203		<0.05	5.8	660	26.8	23.1	<0.001	0.04	0.36	1.7	0.3	0.2	45.2	<0.01	<0.01	9.7
I319659		0.45	108.5	1440	1.2	1.7	<0.001	<0.01	0.09	4.7	0.3	0.3	54.3	0.01	<0.01	1.0
I319660		0.06	18.6	100	10.9	0.9	<0.001	0.01	0.06	0.6	<0.2	<0.2	5.2	<0.01	0.04	3.4
I319661		0.07	40.6	60	37.9	0.4	<0.001	0.01	0.08	0.5	0.3	<0.2	5.1	<0.01	0.05	3.0
I319662		0.34	1.3	250	2.2	3.6	<0.001	0.06	0.08	0.7	<0.2	0.2	16.8	<0.01	0.02	1.5
I319663		0.09	2.0	140	1.4	2.8	<0.001	0.02	0.06	1.0	<0.2	<0.2	28.9	<0.01	<0.01	0.3
I319664		0.09	1.4	30	1.1	0.4	<0.001	0.02	0.11	1.0	<0.2	<0.2	24.9	<0.01	<0.01	0.2
I319665		0.27	7.2	370	183.0	1.9	<0.001	0.04	0.17	2.2	0.2	0.2	37.5	<0.01	0.02	7.2
I319666		1.34	1.1	110	3.4	9.3	<0.001	0.01	<0.05	0.3	<0.2	<0.2	23.9	<0.01	<0.01	0.8
I319667		0.38	1.3	110	9.4	4.3	<0.001	0.01	<0.05	0.1	<0.2	<0.2	12.5	<0.01	0.01	0.4
I319668		0.12	1.4	220	0.3	0.2	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	1.7	<0.01	0.01	<0.2
I319669		0.37	16.1	230	2.7	1.6	<0.001	0.01	0.12	6.2	0.3	0.2	86.5	<0.01	0.03	0.9
I319670		0.40	5.5	420	2.8	5.3	<0.001	<0.01	0.07	10.5	0.3	0.2	39.2	<0.01	0.02	0.7
I319671		0.41	4.2	340	1.0	4.2	<0.001	0.03	0.05	3.4	0.2	0.2	35.9	<0.01	0.17	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17 - SEP - 2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10120405

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I034053		0.056	0.06	12.35	320	0.77	47.9	80	6.2
I034054		0.065	0.07	2.92	95	0.19	11.30	11	2.6
I034151		0.022	0.04	0.18	68	0.11	17.60	36	1.1
I034152		<0.005	0.11	3.91	3	0.40	4.23	4	3.5
I034153		<0.005	0.02	0.31	5	0.11	1.38	<2	<0.5
I034154		<0.005	<0.02	<0.05	2	2.90	0.25	<2	<0.5
I034201		<0.005	0.13	4.32	<1	0.10	13.20	18	10.6
I034202		0.185	<0.02	0.09	26	0.22	2.42	17	3.3
I034203		<0.005	0.11	1.87	7	0.13	9.25	48	12.5
I319659		0.342	<0.02	0.11	65	0.08	4.42	61	2.6
I319660		0.005	<0.02	0.11	5	<0.05	1.60	11	3.8
I319661		<0.005	<0.02	0.85	5	<0.05	2.78	32	4.2
I319662		0.030	0.02	0.35	13	<0.05	2.01	26	0.9
I319663		<0.005	0.02	0.24	5	0.16	1.15	8	1.0
I319664		<0.005	<0.02	0.06	5	0.05	1.21	3	<0.5
I319665		<0.005	0.02	2.39	13	0.32	4.89	85	18.6
I319666		0.037	0.07	0.17	5	<0.05	2.01	30	0.6
I319667		0.006	0.02	0.22	2	<0.05	1.18	7	0.6
I319668		<0.005	<0.02	<0.05	1	<0.05	0.27	2	<0.5
I319669		0.153	<0.02	0.26	59	0.15	2.86	55	1.2
I319670		0.236	0.03	0.35	118	0.14	5.96	85	0.7
I319671		0.148	0.03	0.17	45	0.34	3.75	49	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **20-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10122489

Project: SQI10-06
P.O. No.: SQI10-06_23
This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
EXTRA-01	Extra Sample received in Shipment
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I034008		0.68	0.005	0.08	1.31	2.3	<0.2	<10	380	0.23	0.11	0.48	0.13	21.7	10.7	54
I034009		0.70	0.005	0.16	1.99	5.5	<0.2	<10	640	0.39	0.08	1.21	0.78	21.7	21.3	86
I034316		0.36	0.009	0.06	1.25	10.4	<0.2	<10	110	0.28	0.16	0.69	0.19	26.9	10.8	28
I034317		0.46	0.006	0.06	1.39	12.2	<0.2	<10	110	0.38	0.18	0.53	0.22	40.5	16.7	34
I034318		0.46	0.026	0.08	1.21	24.6	<0.2	<10	140	0.33	0.42	0.45	0.56	31.7	13.5	26
I034319		0.32	0.014	0.15	1.39	38.6	<0.2	<10	110	0.39	0.47	0.52	0.39	29.5	13.8	30
I034320		0.38	0.005	0.07	0.62	10.9	<0.2	<10	150	0.25	0.15	0.31	0.28	33.8	10.8	17
I034321		0.42	0.007	0.02	0.81	2.4	<0.2	<10	130	0.13	0.08	0.32	0.06	14.15	9.6	20
I034322		0.42	<0.005	0.02	0.73	1.5	<0.2	<10	110	0.11	0.07	0.29	0.07	17.70	7.8	19
I034323		0.44	<0.005	0.03	1.00	2.2	<0.2	<10	160	0.13	0.15	0.35	0.06	10.75	8.7	23
I034324		0.48	<0.005	0.05	1.28	3.5	<0.2	<10	170	0.23	0.08	0.71	0.14	18.75	10.8	21
I034325		0.50	<0.005	0.05	1.16	2.8	<0.2	<10	160	0.18	0.06	0.70	0.14	16.60	9.2	18
I034326		0.50	<0.005	0.07	1.33	3.0	<0.2	<10	190	0.16	0.07	0.69	0.25	15.00	12.1	17
I034327		0.34	<0.005	0.10	1.68	3.3	<0.2	<10	270	0.18	0.09	0.75	0.16	14.85	10.5	22
I034328		0.56	0.009	0.05	1.21	2.1	<0.2	<10	150	0.12	0.06	0.42	0.11	12.05	9.6	15
I319501		0.58	<0.005	0.05	1.04	3.8	<0.2	<10	210	0.23	0.08	0.59	0.12	19.80	6.8	21
I319502		0.22	<0.005	0.07	1.18	2.3	<0.2	<10	220	0.28	0.10	0.65	0.16	23.0	6.3	23
I319551		0.72	<0.005	0.06	1.44	3.3	<0.2	<10	330	0.30	0.10	0.51	0.11	22.7	9.2	25
I319552		0.56	<0.005	0.10	1.39	7.5	<0.2	<10	250	0.30	0.11	1.63	0.19	21.4	11.8	24
I319553		0.64	<0.005	0.13	1.53	4.7	<0.2	<10	450	0.27	0.11	0.76	0.17	17.75	12.0	69
I319554		0.60	<0.005	0.07	1.28	2.1	<0.2	<10	180	0.19	0.11	0.27	0.13	15.75	11.7	60
I319555		0.34	<0.005	0.05	1.06	5.1	<0.2	<10	180	0.19	0.10	1.01	0.25	15.60	8.5	23
I319701		0.32	<0.005	0.12	1.44	15.6	<0.2	<10	270	0.41	0.13	0.91	0.30	24.8	10.5	25
I319702		0.50	NSS	0.07	1.26	13.2	<0.2	<10	300	0.38	0.09	0.91	0.28	22.3	11.5	20
I319703		0.52	<0.005	0.04	0.96	2.6	<0.2	<10	160	0.19	0.07	0.72	0.14	18.40	6.7	18
I319704		0.44	<0.005	0.08	1.26	12.8	<0.2	<10	210	0.34	0.12	0.73	0.20	22.4	9.3	23
I319705		0.54	<0.005	0.18	1.49	5.2	<0.2	<10	220	0.26	0.12	0.64	0.32	24.4	10.7	37
I319706		0.58	0.008	0.07	1.10	4.0	<0.2	<10	110	0.21	0.10	0.38	0.09	23.5	7.7	32
I319707		0.62	0.017	0.08	1.22	4.5	<0.2	<10	150	0.20	0.11	0.51	0.16	22.0	9.2	31
I319708		0.44	<0.005	0.09	1.43	4.0	<0.2	<10	160	0.33	0.12	0.74	0.20	31.1	10.5	28
I319709		0.66	<0.005	0.08	1.22	3.9	<0.2	<10	140	0.22	0.10	0.53	0.15	22.8	8.5	29
I319710		0.48	0.014	0.05	1.20	3.7	<0.2	<10	150	0.23	0.09	0.59	0.12	21.4	8.2	23
I319711		0.44	<0.005	0.18	1.64	9.4	<0.2	<10	240	0.48	0.24	0.85	0.25	40.2	13.3	31
I319751		0.82	<0.005	0.10	1.34	13.3	<0.2	<10	250	0.41	0.16	0.81	0.31	27.5	12.1	25
I319752		0.44	<0.005	0.15	0.94	25.1	<0.2	<10	480	0.31	0.11	1.12	0.43	24.9	19.0	16
I032451		0.50	<0.005	0.11	2.10	6.3	<0.2	<10	290	0.51	0.15	0.78	0.34	29.1	21.1	78
I032452		0.46	<0.005	0.11	1.61	4.5	<0.2	<10	390	0.56	0.42	1.20	0.20	40.4	14.6	37
I032453		0.50	<0.005	0.10	1.92	6.5	<0.2	<10	210	0.68	0.37	0.67	0.09	44.6	11.0	29
I032454		0.66	0.016	1.32	2.16	28.5	<0.2	<10	130	0.62	0.55	0.40	0.38	23.9	16.0	41
I032455		0.46	<0.005	0.03	2.31	9.9	<0.2	<10	190	0.56	0.23	0.22	0.08	24.2	11.6	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I034008		2.16	17.4	2.16	4.76	0.05	0.02	<0.01	0.010	0.15	12.4	11.8	0.91	402	0.56
I034009		1.63	52.7	3.76	6.95	0.10	0.09	0.01	0.027	0.36	12.7	19.0	1.35	490	0.91
I034316		2.54	17.7	2.61	3.84	0.06	0.05	0.01	0.016	0.11	14.1	11.9	0.60	486	0.60
I034317		3.38	20.8	3.32	4.76	0.08	0.03	0.01	0.020	0.14	19.5	13.4	0.66	797	0.84
I034318		5.32	20.1	2.70	3.85	0.07	0.02	0.01	0.015	0.15	14.6	14.4	0.58	2800	1.39
I034319		5.93	24.8	2.72	4.78	0.06	0.02	0.01	0.019	0.12	15.3	13.0	0.61	941	1.42
I034320		4.41	25.0	2.67	2.00	0.06	0.03	<0.01	0.014	0.09	15.7	6.3	0.25	743	1.50
I034321		0.94	21.5	1.97	3.22	0.05	0.02	<0.01	0.013	0.06	7.2	7.1	0.52	386	0.46
I034322		0.61	15.6	1.68	2.80	<0.05	<0.02	<0.01	0.009	0.06	9.3	6.9	0.44	290	0.33
I034323		0.65	27.4	1.92	3.67	<0.05	<0.02	<0.01	0.013	0.05	5.8	8.8	0.58	245	0.40
I034324		0.67	25.5	2.63	4.35	0.07	0.04	0.01	0.018	0.13	9.9	8.4	0.78	410	0.67
I034325		0.63	21.9	2.46	3.86	0.06	0.03	<0.01	0.017	0.12	8.9	7.4	0.69	391	0.59
I034326		0.47	29.7	2.82	4.43	0.06	0.02	0.01	0.020	0.11	7.8	7.8	0.72	1300	0.78
I034327		0.67	39.9	2.98	5.76	0.06	0.03	0.02	0.025	0.20	8.3	8.6	0.93	448	0.71
I034328		0.40	20.0	2.16	4.26	0.05	0.02	<0.01	0.016	0.08	6.3	6.6	0.70	327	0.45
I319501		0.56	13.1	1.93	3.44	0.05	0.05	<0.01	0.013	0.06	10.5	9.5	0.55	281	0.49
I319502		0.54	16.8	1.71	3.79	<0.05	0.05	0.02	0.016	0.06	12.0	10.4	0.53	213	0.40
I319551		3.47	32.2	2.94	5.52	0.07	0.02	0.02	0.022	0.25	12.9	13.2	0.77	452	0.76
I319552		0.75	33.0	2.99	4.89	0.07	0.08	0.02	0.024	0.17	11.6	10.1	0.90	441	1.01
I319553		1.84	31.7	2.54	5.22	0.05	0.03	0.03	0.015	0.15	10.1	13.0	0.96	509	0.73
I319554		1.94	17.7	2.12	4.51	<0.05	<0.02	0.01	0.010	0.12	8.6	10.0	0.88	405	0.65
I319555		0.43	14.7	1.95	3.39	0.05	0.04	0.03	0.015	0.10	8.3	8.0	0.51	821	0.43
I319701		0.70	18.6	2.62	4.06	0.05	0.05	0.03	0.022	0.06	13.2	12.2	0.51	561	0.59
I319702		0.67	15.4	2.54	4.64	0.05	0.04	0.01	0.020	0.08	11.1	10.3	0.55	692	1.27
I319703		0.33	12.2	1.58	3.19	0.05	0.07	0.01	0.013	0.04	10.0	7.4	0.41	121	0.29
I319704		0.62	16.8	2.25	4.14	0.05	0.05	0.02	0.019	0.05	11.9	10.6	0.48	296	0.47
I319705		0.99	25.6	2.43	4.91	0.06	0.03	0.01	0.016	0.10	13.0	17.1	0.81	561	1.04
I319706		0.81	12.3	1.93	3.93	0.05	0.02	0.01	0.012	0.08	12.9	13.0	0.57	234	0.61
I319707		0.76	18.5	2.22	4.14	0.05	0.04	0.02	0.013	0.09	12.2	14.0	0.67	346	0.66
I319708		0.87	21.7	2.49	5.46	0.07	0.03	0.02	0.017	0.08	16.9	17.9	0.63	338	0.70
I319709		0.70	15.7	2.11	4.07	0.06	0.04	0.01	0.014	0.09	12.6	13.2	0.60	344	0.61
I319710		0.64	15.7	2.21	4.35	0.05	0.06	<0.01	0.016	0.05	11.2	13.2	0.57	296	0.46
I319711		0.92	29.6	2.90	5.99	0.07	0.06	0.04	0.024	0.08	22.2	18.3	0.64	730	0.95
I319751		0.77	19.5	2.45	4.76	0.06	0.07	0.03	0.022	0.06	14.6	13.0	0.54	581	0.59
I319752		0.52	15.0	4.69	4.02	0.09	0.03	0.03	0.018	0.06	13.4	8.4	0.46	3280	0.93
I032451		0.40	56.4	3.43	6.82	0.07	0.07	0.03	0.027	0.07	15.8	12.8	1.45	774	1.54
I032452		0.46	42.5	2.92	4.62	0.06	0.11	0.04	0.026	0.09	21.4	8.4	0.82	601	0.85
I032453		0.81	22.1	2.76	6.08	0.07	0.12	0.02	0.030	0.12	28.8	11.6	0.46	296	1.32
I032454		4.67	61.2	3.12	5.85	0.06	0.05	0.05	0.039	0.06	13.9	13.9	0.78	216	1.22
I032455		1.21	23.1	3.38	7.23	0.05	0.06	0.02	0.037	0.06	15.4	12.9	0.48	171	1.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I034008		0.95	28.8	720	8.2	25.9	<0.001	<0.01	0.12	2.8	0.2	0.3	28.8	<0.01	<0.01
I034009		2.03	77.6	1530	6.5	25.6	<0.001	0.02	0.26	6.8	0.8	0.3	49.7	<0.01	0.02
I034316		0.90	22.6	860	8.1	14.9	<0.001	<0.01	0.39	3.5	0.4	0.3	42.5	<0.01	0.01
I034317		0.79	31.1	770	11.3	18.3	<0.001	<0.01	0.49	3.9	0.4	0.3	39.6	<0.01	0.02
I034318		0.78	26.8	810	13.3	21.2	<0.001	<0.01	1.05	3.0	0.4	0.3	37.7	<0.01	0.03
I034319		0.95	23.0	840	19.0	17.0	<0.001	<0.01	1.39	3.6	0.4	0.4	42.8	<0.01	0.03
I034320		0.55	25.5	1110	6.7	12.4	<0.001	<0.01	0.53	2.7	0.9	<0.2	22.7	<0.01	0.06
I034321		0.55	13.1	710	3.0	8.3	<0.001	<0.01	0.20	2.8	0.2	0.2	12.2	<0.01	<0.01
I034322		0.73	10.8	650	3.2	11.2	<0.001	<0.01	0.08	2.1	<0.2	0.2	10.6	<0.01	<0.01
I034323		0.60	12.8	610	2.9	8.2	<0.001	<0.01	0.12	2.8	0.2	0.2	14.1	<0.01	0.01
I034324		0.81	13.6	880	4.7	10.2	<0.001	0.03	0.19	4.7	0.5	0.3	37.3	<0.01	0.02
I034325		0.77	12.4	900	4.2	9.3	<0.001	0.03	0.17	4.4	0.5	0.3	33.5	<0.01	0.02
I034326		0.69	12.0	770	3.8	7.8	<0.001	0.08	0.16	5.0	0.7	0.3	38.0	<0.01	0.05
I034327		0.91	13.3	610	4.6	13.0	<0.001	0.12	0.17	5.5	0.9	0.3	40.1	<0.01	0.06
I034328		0.62	9.7	530	3.6	6.4	<0.001	0.04	0.12	4.1	0.4	0.2	26.3	<0.01	0.04
I319501		0.87	15.5	710	4.7	7.3	<0.001	<0.01	0.29	2.9	0.3	0.3	29.9	<0.01	0.01
I319502		0.98	16.3	730	6.0	7.9	<0.001	0.02	0.33	3.3	0.3	0.3	36.6	<0.01	<0.01
I319551		1.18	13.5	980	5.8	24.9	<0.001	<0.01	0.31	4.8	0.3	0.4	26.9	<0.01	0.01
I319552		1.03	19.6	1060	5.9	11.9	<0.001	0.01	0.37	6.0	0.6	0.4	74.6	<0.01	0.03
I319553		1.06	28.9	780	6.8	22.9	<0.001	0.02	0.21	3.4	0.5	0.3	35.9	<0.01	0.01
I319554		0.83	26.6	590	7.5	18.8	<0.001	<0.01	0.10	2.4	0.2	0.3	18.3	<0.01	0.01
I319555		1.01	16.4	870	5.9	10.6	<0.001	0.06	0.31	2.7	0.6	0.3	50.3	<0.01	0.01
I319701		1.09	21.1	670	11.4	10.1	<0.001	0.02	0.43	4.0	0.6	0.3	55.6	<0.01	0.01
I319702		1.10	16.0	740	8.3	9.6	<0.001	0.02	0.32	5.1	0.6	0.3	58.7	0.01	0.01
I319703		0.98	13.0	740	4.9	5.1	<0.001	0.02	0.27	3.0	0.3	0.3	35.8	0.01	<0.01
I319704		1.08	18.1	640	9.7	9.0	<0.001	0.02	0.39	3.6	0.5	0.3	49.1	<0.01	0.01
I319705		1.13	21.8	640	10.6	13.4	<0.001	0.02	0.18	3.7	0.7	0.3	33.3	<0.01	0.02
I319706		1.25	19.6	520	6.6	12.3	<0.001	<0.01	0.15	2.8	0.4	0.3	21.1	<0.01	0.02
I319707		1.27	20.0	580	7.7	12.4	<0.001	<0.01	0.17	3.1	0.4	0.3	27.4	<0.01	0.02
I319708		1.53	17.5	630	6.6	11.6	<0.001	0.03	0.20	3.5	0.8	0.4	38.0	<0.01	0.01
I319709		1.27	17.7	610	6.7	11.1	<0.001	0.01	0.17	3.0	0.5	0.3	25.6	<0.01	0.01
I319710		1.22	15.3	650	5.7	6.8	<0.001	<0.01	0.24	3.9	0.4	0.3	30.8	<0.01	0.01
I319711		1.79	28.5	680	12.2	13.9	<0.001	0.01	0.40	4.6	0.9	0.4	47.8	<0.01	0.04
I319751		1.28	23.3	700	10.9	10.5	<0.001	<0.01	0.46	4.5	0.6	0.4	55.8	<0.01	0.02
I319752		1.06	19.1	1260	5.6	8.9	0.002	0.03	0.39	3.3	1.0	0.3	82.7	<0.01	0.03
I032451		0.83	51.7	580	10.7	7.2	<0.001	<0.01	0.34	8.6	0.8	0.4	50.5	<0.01	0.02
I032452		0.94	25.5	650	29.6	10.1	0.001	0.05	0.33	5.9	1.0	0.4	82.1	<0.01	0.02
I032453		2.00	19.0	370	20.9	14.3	<0.001	0.02	0.25	5.3	0.6	0.7	53.3	<0.01	0.02
I032454		1.47	38.5	710	128.5	11.1	<0.001	0.03	2.44	6.1	1.0	0.5	20.8	<0.01	0.09
I032455		1.62	27.1	270	12.0	9.5	<0.001	0.01	0.40	4.4	0.5	0.8	20.5	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I034008		0.115	0.14	0.89	48	0.10	4.52	53
I034009		0.164	0.16	1.24	83	0.25	11.35	121
I034316		0.078	0.11	1.21	46	0.14	7.35	62
I034317		0.057	0.15	1.19	43	0.09	7.71	77
I034318		0.060	0.22	1.45	37	0.11	6.48	74
I034319		0.076	0.21	1.95	50	0.25	7.00	68
I034320		0.026	0.12	1.35	32	0.10	8.41	71
I034321		0.056	0.04	0.38	44	0.08	3.31	37
I034322		0.050	0.06	0.41	29	<0.05	3.43	37
I034323		0.066	0.05	0.30	46	0.13	2.90	40
I034324		0.085	0.06	1.09	57	0.08	7.06	64
I034325		0.080	0.05	0.88	53	0.25	6.78	58
I034326		0.081	0.06	0.82	60	0.06	7.37	71
I034327		0.112	0.08	0.77	71	0.07	7.22	72
I034328		0.082	0.04	0.34	50	0.05	4.65	54
I319501		0.062	0.04	0.52	38	0.10	6.00	52
I319502		0.064	0.05	0.65	38	0.35	7.11	60
I319551		0.106	0.12	0.73	58	0.20	6.12	84
I319552		0.080	0.08	0.50	60	0.12	8.53	71
I319553		0.102	0.13	0.97	62	0.19	5.81	60
I319554		0.104	0.13	0.77	51	0.09	3.84	55
I319555		0.058	0.05	0.60	35	0.33	5.13	64
I319701		0.059	0.07	0.89	48	0.14	9.08	83
I319702		0.064	0.06	0.99	42	0.34	7.75	83
I319703		0.063	0.04	0.85	31	0.32	6.28	54
I319704		0.059	0.06	0.85	44	0.38	7.56	66
I319705		0.091	0.10	1.09	50	0.09	7.66	102
I319706		0.075	0.07	1.02	35	0.19	6.24	54
I319707		0.083	0.08	1.05	40	0.20	6.35	71
I319708		0.090	0.07	1.62	49	0.15	10.20	66
I319709		0.087	0.07	1.28	41	0.12	6.75	64
I319710		0.088	0.05	0.75	48	0.23	6.70	54
I319711		0.086	0.09	1.18	53	0.19	13.35	80
I319751		0.067	0.08	0.89	46	0.21	9.33	76
I319752		0.060	0.06	0.67	64	0.19	8.78	66
I032451		0.047	0.05	0.76	69	0.10	14.35	75
I032452		0.056	0.08	1.59	49	0.18	11.95	64
I032453		0.098	0.08	2.01	57	0.40	9.06	40
I032454		0.112	0.20	1.28	72	0.14	7.76	96
I032455		0.093	0.11	0.61	77	0.14	4.99	42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032456		0.52	<0.005	0.03	1.99	8.2	<0.2	<10	250	0.56	0.17	0.36	0.05	32.1	12.7	35
I032457		0.40	<0.005	0.05	1.39	5.7	<0.2	<10	180	0.32	0.17	0.21	0.10	16.85	7.0	22
I032458		0.32	<0.005	0.09	1.67	5.6	<0.2	<10	150	1.03	0.21	0.28	0.10	80.5	8.1	21
I032459		0.58	<0.005	0.04	2.13	9.7	<0.2	<10	150	0.50	0.24	0.26	0.08	39.4	9.0	29
I032460		0.54	<0.005	0.03	2.24	10.0	<0.2	<10	150	0.49	0.25	0.27	0.07	40.9	8.6	30
I032461		0.24	<0.005	0.01	0.11	2.3	<0.2	<10	30	0.11	0.03	0.09	0.04	11.40	2.9	3
I032462		0.52	<0.005	0.07	1.88	6.5	<0.2	<10	160	0.48	0.19	0.30	0.07	39.7	7.0	27
I032463		0.44	<0.005	0.10	1.99	8.5	<0.2	<10	170	0.47	0.23	0.29	0.10	37.4	7.3	27
I032464		0.40	<0.005	0.22	1.86	3.4	<0.2	<10	300	0.75	0.15	0.49	0.21	169.0	4.8	22
I032465		0.48	<0.005	0.05	1.77	4.4	<0.2	<10	110	0.42	0.20	0.27	0.05	22.0	9.4	26
I032466		0.64	0.008	0.04	1.82	6.1	<0.2	<10	160	0.75	0.21	0.25	0.07	43.2	7.9	27
I032467		0.70	<0.005	0.02	1.02	3.9	<0.2	<10	80	0.72	0.19	0.11	0.03	34.5	3.7	11
I032468		0.58	<0.005	0.03	2.14	9.1	<0.2	<10	150	0.74	0.20	0.23	0.06	33.5	8.2	25
I032469		0.46	<0.005	0.02	1.87	9.1	<0.2	<10	90	0.31	0.21	0.16	0.08	25.6	7.1	28
I032470		0.64	<0.005	0.02	1.52	3.7	<0.2	<10	70	0.71	0.28	0.14	0.04	29.5	7.0	20
I032471		0.54	<0.005	0.05	1.91	6.6	<0.2	<10	150	0.40	0.18	0.27	0.06	32.1	6.3	27
I032472		0.50	<0.005	0.01	0.93	2.5	<0.2	<10	50	0.39	0.39	0.10	0.06	38.3	3.6	13
I032473		0.40	<0.005	0.04	2.92	10.9	<0.2	<10	180	0.66	0.19	0.18	0.08	23.9	13.4	44
I032474		0.46	<0.005	0.01	1.93	8.7	<0.2	<10	90	0.32	0.18	0.20	0.10	18.40	7.2	30
I032475		0.54	<0.005	0.12	3.28	10.6	<0.2	<10	220	1.03	0.37	0.21	0.07	42.4	13.1	45
I032476		0.58	<0.005	0.09	2.51	11.5	<0.2	<10	160	0.65	0.95	0.20	0.16	25.6	7.0	35
I032477		0.62	<0.005	0.04	1.74	7.7	<0.2	<10	110	0.39	0.21	0.17	0.07	15.95	6.4	25
I032478		0.48	<0.005	0.04	2.05	5.3	<0.2	<10	130	0.77	0.34	0.14	0.07	42.4	7.1	20
I032479		0.42	<0.005	0.04	1.16	7.1	<0.2	<10	90	0.22	0.21	0.13	0.07	14.35	4.0	20
I032480		0.48	<0.005	0.03	1.96	9.1	<0.2	<10	130	0.41	0.42	0.16	0.06	22.0	8.4	28
I032481		0.46	<0.005	0.05	2.23	10.4	<0.2	<10	150	0.40	0.20	0.21	0.04	17.85	10.6	35
I032482		0.34	<0.005	0.01	0.12	2.0	<0.2	<10	30	0.11	0.02	0.08	0.04	11.35	2.6	4
I032483		0.28	<0.005	0.22	1.92	5.7	<0.2	<10	200	0.41	0.25	0.63	0.18	36.6	14.5	33
I032484		0.48	<0.005	0.19	2.75	6.8	<0.2	<10	220	0.69	0.36	0.50	0.11	17.70	14.9	28
I032485		0.58	<0.005	0.12	2.37	4.4	<0.2	<10	220	0.63	0.18	0.48	0.11	27.5	12.3	36
I032486		0.46	<0.005	0.22	1.92	8.7	<0.2	<10	200	0.28	0.20	0.13	0.06	12.55	9.7	30
I032487		0.56	<0.005	0.21	1.60	6.5	<0.2	<10	220	0.31	0.15	0.25	0.09	15.85	8.0	27
I032488		0.52	<0.005	0.40	1.23	5.4	<0.2	<10	140	0.18	0.15	0.18	0.12	13.80	6.2	22
I032489		0.62	<0.005	0.15	1.84	5.9	<0.2	<10	160	0.41	0.17	0.11	0.09	21.0	10.6	28
I032490		0.62	<0.005	0.31	1.59	5.6	<0.2	<10	190	0.32	0.15	0.21	0.09	14.75	8.2	26
I032491		0.50	<0.005	0.13	1.32	7.7	<0.2	<10	250	0.39	0.13	0.32	0.10	19.50	8.6	23
I032492		0.48	<0.005	0.09	1.80	4.8	<0.2	<10	320	0.34	0.11	0.37	0.09	16.90	10.9	25
I032493		0.52	<0.005	0.11	1.59	5.2	<0.2	<10	280	0.37	0.14	0.37	0.07	18.20	9.3	27
I032494		0.44	<0.005	0.02	0.12	2.0	<0.2	<10	30	0.09	0.02	0.08	0.04	13.05	2.5	3
I032495		0.56	<0.005	0.08	1.56	4.3	<0.2	<10	300	0.44	0.13	0.31	0.07	20.6	9.3	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032456		0.98	24.8	3.12	6.30	0.06	0.16	0.03	0.036	0.05	17.3	16.3	0.55	238	0.81
I032457		1.02	18.0	2.19	5.73	<0.05	0.05	0.02	0.024	0.05	9.7	9.9	0.26	511	1.62
I032458		2.11	21.1	2.28	6.08	0.11	0.04	0.05	0.035	0.06	47.1	14.7	0.24	543	1.48
I032459		2.08	14.1	3.22	7.44	0.08	0.06	0.03	0.035	0.09	23.8	27.2	0.46	256	1.35
I032460		2.09	14.0	3.32	7.72	0.07	0.07	0.02	0.036	0.08	23.7	26.8	0.49	243	1.21
I032461		0.10	2.2	0.72	0.52	<0.05	0.06	0.01	<0.005	0.03	5.9	1.5	0.05	191	0.34
I032462		2.05	14.5	2.65	6.85	0.07	0.09	0.02	0.029	0.08	22.7	21.5	0.42	185	0.95
I032463		1.92	15.8	2.82	7.68	0.07	0.08	0.03	0.035	0.07	23.0	14.5	0.38	298	1.22
I032464		3.10	17.8	2.16	6.13	0.25	0.09	0.11	0.039	0.10	123.5	10.7	0.18	87	0.95
I032465		4.19	7.3	2.86	8.57	0.06	0.04	0.02	0.031	0.24	12.9	25.6	0.58	302	1.06
I032466		3.83	13.7	2.90	6.93	0.07	0.04	0.02	0.037	0.12	30.8	19.6	0.48	275	1.07
I032467		7.50	6.5	2.27	5.08	0.06	0.04	0.01	0.029	0.14	23.0	9.6	0.24	115	0.58
I032468		5.25	15.9	3.56	7.63	0.07	0.06	0.02	0.053	0.16	27.1	24.2	0.53	204	0.91
I032469		3.31	12.5	3.45	9.27	0.05	0.05	0.02	0.025	0.14	12.7	22.2	0.53	233	1.16
I032470		5.91	7.7	2.63	5.88	0.07	0.05	0.01	0.028	0.33	20.4	19.4	0.50	229	0.48
I032471		2.02	12.0	2.66	6.70	0.06	0.11	0.03	0.028	0.07	17.4	20.1	0.42	159	1.01
I032472		5.59	9.7	1.69	6.19	0.11	0.04	0.01	0.022	0.25	57.5	11.3	0.28	130	0.65
I032473		1.39	30.2	3.72	6.67	0.06	0.14	0.02	0.039	0.05	12.1	14.2	0.54	248	1.33
I032474		2.35	11.3	3.01	8.77	<0.05	0.05	0.02	0.022	0.10	15.1	26.2	0.56	201	0.96
I032475		2.87	31.1	4.22	8.53	0.08	0.12	0.04	0.054	0.06	23.9	24.2	0.56	281	1.45
I032476		1.88	29.2	4.45	9.73	0.06	0.03	0.04	0.045	0.08	14.2	16.8	0.36	167	1.60
I032477		2.55	11.2	3.13	7.98	<0.05	0.04	0.01	0.027	0.08	8.0	15.2	0.41	173	1.41
I032478		6.51	9.6	3.18	10.15	0.07	0.03	0.01	0.034	0.25	26.4	37.1	0.59	236	0.79
I032479		1.86	8.5	2.56	7.32	<0.05	0.03	0.01	0.020	0.04	7.5	6.8	0.23	149	1.37
I032480		2.27	12.5	3.38	7.37	<0.05	0.03	<0.01	0.036	0.05	6.7	18.4	0.45	181	0.98
I032481		1.93	18.0	3.72	7.71	0.05	0.06	0.02	0.036	0.05	10.5	18.0	0.52	196	1.35
I032482		0.09	1.8	0.71	0.53	<0.05	0.07	<0.01	<0.005	0.03	5.8	1.4	0.04	173	0.29
I032483		1.65	32.3	3.28	6.04	0.08	0.04	0.04	0.025	0.06	24.6	11.2	0.51	296	1.07
I032484		1.34	44.4	3.91	8.37	0.06	0.10	0.01	0.031	0.07	9.3	19.5	1.23	409	0.58
I032485		0.95	23.0	3.07	7.85	0.06	0.09	0.02	0.033	0.04	13.1	14.9	1.00	447	0.65
I032486		1.49	23.0	3.01	6.85	0.05	0.05	0.01	0.021	0.06	6.3	15.8	0.72	275	1.28
I032487		0.49	13.8	2.67	5.24	0.05	0.06	0.01	0.021	0.09	8.2	12.3	0.47	329	1.49
I032488		0.31	12.0	2.45	5.23	<0.05	0.04	0.02	0.016	0.08	7.1	8.5	0.38	300	1.94
I032489		1.11	21.5	2.94	7.33	0.05	0.10	0.01	0.030	0.05	9.7	11.2	0.46	901	1.48
I032490		0.61	13.3	2.58	5.77	<0.05	0.03	0.02	0.021	0.05	7.5	11.2	0.45	396	1.54
I032491		0.57	11.9	2.40	5.33	0.05	0.04	0.01	0.022	0.11	8.5	8.4	0.40	758	0.90
I032492		1.27	22.3	3.29	7.26	0.06	0.05	0.01	0.029	0.24	7.3	12.1	0.76	950	0.92
I032493		0.36	12.4	2.61	5.89	<0.05	0.06	0.01	0.023	0.06	8.8	9.2	0.49	712	1.11
I032494		0.09	1.9	0.68	0.64	<0.05	0.07	<0.01	<0.005	0.03	6.6	1.3	0.04	176	0.32
I032495		0.40	10.6	2.46	5.62	<0.05	0.02	0.01	0.021	0.08	9.4	7.9	0.39	625	0.98



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032456		1.47	27.1	470	8.6	8.3	<0.001	0.01	0.38	6.5	0.7	0.7	28.2	<0.01	0.02
I032457		1.33	13.5	440	10.7	11.3	<0.001	0.01	0.26	3.7	0.3	0.7	20.9	<0.01	0.02
I032458		1.14	11.9	590	22.2	19.8	<0.001	0.03	0.26	3.4	1.1	0.8	24.3	0.01	0.02
I032459		1.77	17.2	480	16.5	19.5	<0.001	0.01	0.31	4.1	0.7	0.9	22.9	<0.01	0.03
I032460		1.76	18.1	470	17.6	19.4	<0.001	0.01	0.30	4.3	0.7	1.0	22.6	<0.01	0.02
I032461		0.17	5.0	160	1.7	1.8	<0.001	<0.01	0.18	0.7	<0.2	<0.2	5.8	<0.01	0.01
I032462		1.79	14.1	310	12.7	20.2	<0.001	0.01	0.26	4.0	0.6	0.9	24.2	<0.01	0.02
I032463		1.73	15.1	370	13.7	17.3	<0.001	0.02	0.28	4.6	0.8	1.2	23.7	<0.01	0.03
I032464		1.04	13.5	1110	17.3	26.4	<0.001	0.11	0.24	3.4	2.1	0.7	43.5	0.02	0.03
I032465		1.56	13.1	420	14.7	53.1	<0.001	0.01	0.15	4.1	0.4	1.6	18.4	<0.01	0.02
I032466		1.27	15.6	340	21.0	28.7	<0.001	0.01	0.27	4.3	0.6	1.1	21.0	<0.01	0.02
I032467		0.70	7.0	190	12.5	39.7	<0.001	0.01	0.31	3.0	0.4	1.0	15.1	<0.01	0.01
I032468		1.55	20.5	370	21.7	32.4	<0.001	0.01	0.29	5.2	0.6	1.5	18.5	<0.01	0.02
I032469		1.95	13.7	440	12.0	28.2	<0.001	0.01	0.33	3.2	0.6	0.9	14.3	<0.01	0.03
I032470		1.19	13.9	260	12.9	55.6	<0.001	0.01	0.21	3.3	0.4	1.1	10.4	<0.01	0.01
I032471		1.68	13.9	240	12.8	18.8	<0.001	0.01	0.24	3.9	0.5	0.9	22.1	<0.01	0.02
I032472		0.85	8.0	390	12.9	46.1	<0.001	0.01	0.13	2.0	0.5	1.3	10.2	<0.01	0.01
I032473		1.83	28.6	270	10.8	10.1	<0.001	0.01	0.57	5.7	0.6	0.7	22.0	0.02	0.03
I032474		1.71	15.3	320	12.1	24.2	<0.001	0.01	0.27	3.1	0.3	0.8	17.0	<0.01	0.03
I032475		2.09	29.5	400	19.2	16.3	<0.001	0.02	0.53	5.7	0.8	0.9	23.7	0.01	0.03
I032476		1.70	14.6	700	149.0	17.7	<0.001	0.02	0.44	3.7	0.7	0.9	21.3	0.01	0.04
I032477		1.51	14.0	270	11.4	19.7	<0.001	0.01	0.37	2.9	0.4	1.2	16.3	<0.01	0.02
I032478		1.46	13.7	330	13.4	45.5	<0.001	0.01	0.20	3.4	0.4	2.3	12.0	<0.01	0.02
I032479		1.37	7.4	400	11.5	16.7	<0.001	0.01	0.27	2.3	0.3	0.8	14.1	<0.01	0.02
I032480		1.28	16.7	280	18.2	13.3	<0.001	0.01	0.33	3.9	0.3	1.2	13.8	<0.01	0.02
I032481		1.62	19.3	320	10.4	13.0	<0.001	0.01	0.48	4.6	0.5	0.8	20.2	<0.01	0.03
I032482		0.17	4.1	140	1.6	1.9	<0.001	0.01	0.13	0.6	<0.2	<0.2	5.9	<0.01	<0.01
I032483		1.29	30.1	560	22.5	11.0	<0.001	0.06	0.27	4.0	0.7	0.5	40.9	<0.01	0.03
I032484		1.27	23.1	250	9.5	10.5	<0.001	0.01	0.35	5.9	0.5	0.6	23.8	<0.01	0.03
I032485		1.19	24.4	180	9.1	5.9	<0.001	0.01	0.25	5.8	0.5	0.5	21.2	<0.01	0.02
I032486		1.08	20.9	210	7.4	11.6	<0.001	0.01	0.36	3.3	0.3	0.5	11.9	<0.01	0.02
I032487		1.24	17.8	180	7.7	8.1	<0.001	0.01	0.38	3.1	0.3	0.5	19.6	<0.01	0.03
I032488		1.20	14.0	190	7.3	5.5	<0.001	0.01	0.37	2.5	0.3	0.4	14.5	<0.01	0.02
I032489		1.09	18.1	200	7.9	9.3	<0.001	<0.01	0.39	4.7	0.3	0.5	11.3	<0.01	0.03
I032490		1.29	16.4	230	7.8	6.9	<0.001	<0.01	0.34	2.9	0.2	0.5	18.2	<0.01	0.03
I032491		1.07	15.1	450	8.0	17.0	<0.001	0.01	0.34	3.6	0.3	0.4	24.7	<0.01	0.02
I032492		1.17	17.3	230	5.6	20.6	<0.001	<0.01	0.29	7.1	0.4	0.4	25.9	<0.01	0.02
I032493		1.21	18.4	170	6.9	7.9	<0.001	<0.01	0.32	4.3	0.3	0.5	24.5	<0.01	0.02
I032494		0.17	4.3	150	1.7	2.1	<0.001	<0.01	0.13	0.7	<0.2	<0.2	7.0	<0.01	0.01
I032495		1.00	15.1	430	7.8	4.9	<0.001	0.01	0.29	3.6	0.3	0.5	27.6	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032456		0.097	0.09	2.11	66	0.16	10.05	48	6.5
I032457		0.075	0.10	0.51	50	0.17	4.12	47	1.9
I032458		0.043	0.11	3.41	43	0.20	19.45	37	0.6
I032459		0.091	0.15	1.37	67	0.27	8.76	51	1.9
I032460		0.096	0.16	1.43	71	0.17	8.70	54	2.2
I032461		0.008	0.03	0.35	4	<0.05	2.25	6	2.0
I032462		0.098	0.13	1.31	58	0.15	9.20	43	3.0
I032463		0.093	0.13	1.68	63	0.20	10.60	48	2.8
I032464		0.040	0.14	4.67	18	0.17	38.5	37	1.2
I032465		0.096	0.35	0.82	51	0.15	6.10	66	1.4
I032466		0.074	0.24	1.26	54	0.21	8.53	58	1.4
I032467		0.034	0.32	2.02	23	0.08	7.96	51	1.2
I032468		0.068	0.30	0.76	58	0.13	9.68	53	1.9
I032469		0.122	0.27	0.61	74	0.18	3.56	54	2.0
I032470		0.084	0.45	1.72	33	0.13	6.86	64	1.7
I032471		0.101	0.15	1.16	59	0.16	7.72	42	4.0
I032472		0.074	0.30	1.99	28	0.11	9.63	37	0.8
I032473		0.108	0.13	1.10	76	0.15	5.39	46	6.5
I032474		0.119	0.20	0.66	71	0.12	2.87	46	1.6
I032475		0.108	0.26	1.37	76	0.18	7.61	61	5.3
I032476		0.080	0.16	0.88	91	0.19	5.06	66	1.1
I032477		0.092	0.15	0.48	69	0.14	2.90	41	1.6
I032478		0.073	0.38	0.88	41	0.11	5.83	68	0.6
I032479		0.089	0.12	0.35	70	0.12	2.04	29	1.3
I032480		0.074	0.14	0.67	66	0.11	2.97	48	1.5
I032481		0.108	0.14	0.63	78	0.14	4.14	48	2.4
I032482		0.010	0.03	0.35	4	<0.05	2.12	6	2.3
I032483		0.078	0.11	0.98	62	0.18	8.96	49	1.2
I032484		0.074	0.09	0.44	98	0.20	3.77	66	3.9
I032485		0.048	0.09	0.39	75	0.27	7.09	48	2.8
I032486		0.084	0.11	0.27	68	0.15	1.97	53	2.0
I032487		0.071	0.08	0.33	62	0.13	2.21	47	2.6
I032488		0.061	0.05	0.27	59	0.15	1.98	46	1.6
I032489		0.066	0.11	0.37	68	0.14	3.81	58	3.9
I032490		0.062	0.08	0.31	59	0.14	2.26	56	1.4
I032491		0.060	0.07	0.38	48	0.13	2.99	53	1.6
I032492		0.103	0.10	0.35	79	0.13	4.56	50	2.1
I032493		0.062	0.07	0.33	58	0.13	3.18	43	2.6
I032494		0.008	0.03	0.37	3	<0.05	2.51	6	2.4
I032495		0.050	0.08	0.35	54	0.15	2.84	68	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032496		0.64	<0.005	0.09	1.36	2.7	<0.2	<10	140	0.32	0.09	0.20	0.07	11.85	5.7	17
I032497		0.52	<0.005	0.17	1.86	3.5	<0.2	<10	320	0.44	0.12	0.41	0.06	18.40	11.3	43
I032498		0.62	<0.005	0.04	1.49	4.7	<0.2	<10	200	0.31	0.12	0.33	0.07	14.45	8.1	24
I032499		0.50	<0.005	0.09	1.25	3.7	<0.2	<10	200	0.24	0.13	0.47	0.12	15.35	6.4	20
I032500		0.50	<0.005	0.08	1.56	4.0	<0.2	<10	250	0.36	0.15	0.59	0.09	18.25	7.8	24
I033143		0.64	<0.005	0.04	2.98	10.8	<0.2	<10	200	0.50	0.16	0.29	0.14	25.1	15.3	43
I314651		0.72	<0.005	0.01	0.91	1.4	<0.2	<10	110	0.24	0.02	0.24	0.01	21.9	6.7	10
I314652		0.50	<0.005	0.04	1.60	7.2	<0.2	<10	230	0.52	0.21	0.37	0.04	26.7	7.7	29
I314653		0.64	<0.005	0.03	1.57	6.6	<0.2	<10	280	0.42	0.14	0.37	0.05	21.9	6.8	27
I314654		0.72	<0.005	0.07	1.71	7.7	<0.2	<10	330	0.47	0.18	0.60	0.09	25.0	9.8	27
I314655		0.78	<0.005	0.05	1.79	8.4	<0.2	<10	280	0.53	0.18	0.71	0.08	24.7	10.4	28
I314656		0.92	<0.005	0.06	1.54	9.4	<0.2	<10	320	0.45	0.16	0.49	0.07	25.4	8.8	28
I314657		0.86	<0.005	0.05	1.50	9.7	<0.2	<10	260	0.39	0.17	0.59	0.11	26.0	10.5	28
I314658		0.72	<0.005	0.03	1.42	8.9	<0.2	<10	250	0.38	0.16	0.47	0.06	23.6	8.9	25
I314659		0.50	<0.005	0.06	1.35	6.8	<0.2	<10	260	0.40	0.14	0.51	0.06	22.6	7.3	23
I314660		0.66	<0.005	0.08	1.43	11.7	<0.2	<10	260	0.50	0.18	0.54	0.08	26.5	8.3	28
I314661		0.38	<0.005	0.01	0.08	1.6	<0.2	<10	20	0.07	0.02	0.05	0.04	9.14	2.1	2
I314662		0.54	0.008	0.22	1.84	13.8	<0.2	<10	350	0.66	0.29	0.70	0.32	38.0	13.4	39
I314663		0.68	<0.005	0.10	1.50	11.3	<0.2	<10	350	0.48	0.18	1.00	0.14	27.3	10.7	29
I314664		0.60	<0.005	0.22	2.34	20.8	<0.2	<10	470	0.96	0.42	0.57	0.28	50.5	16.1	51
I314665		0.56	<0.005	0.28	2.16	17.7	<0.2	<10	400	0.90	0.37	0.63	0.32	47.0	17.6	48
I314666		0.84	<0.005	0.15	1.64	12.2	<0.2	<10	310	0.61	0.26	0.54	0.19	33.3	11.8	38
I314667		0.84	<0.005	0.10	1.33	19.9	<0.2	<10	250	0.57	0.17	0.49	0.14	29.4	8.5	23
I314668		0.72	<0.005	0.05	1.93	10.4	<0.2	<10	290	0.49	0.22	0.15	0.15	19.85	13.6	31
I314669		0.60	<0.005	0.04	1.71	8.0	<0.2	<10	280	0.43	0.17	0.21	0.07	20.8	9.7	31
I314670		0.36	<0.005	0.02	0.10	1.8	<0.2	<10	20	0.08	0.03	0.06	0.03	12.20	2.3	3
I314671		0.60	<0.005	0.05	1.42	6.7	<0.2	<10	310	0.27	0.17	0.25	0.10	16.15	7.2	24
I314672		0.64	<0.005	0.05	1.34	6.8	<0.2	<10	280	0.24	0.15	0.26	0.09	16.10	6.7	25
I314673		0.56	<0.005	0.09	1.18	3.9	<0.2	<10	350	0.37	0.26	0.28	0.11	16.50	10.5	18
I314674		0.72	<0.005	0.07	1.91	2.9	<0.2	<10	320	1.09	0.16	0.67	0.08	47.1	12.2	68
I315451		0.48	<0.005	0.16	1.98	5.2	<0.2	<10	170	0.25	1.13	0.28	0.25	21.1	40.6	36
I315452		0.52	<0.005	0.07	1.54	7.7	<0.2	<10	140	0.28	0.83	0.39	0.27	20.7	11.2	28
I315453		0.54	<0.005	1.94	2.01	6.3	<0.2	<10	250	0.37	0.89	0.54	0.53	39.2	34.3	40
I315454		0.70	0.006	0.15	2.22	20.1	<0.2	<10	150	0.40	0.89	0.30	0.13	32.0	7.8	32
I315455		0.50	<0.005	0.23	2.12	11.1	<0.2	<10	200	0.37	0.56	0.32	0.17	33.2	13.8	32
I315456		0.46	NSS	0.24	1.98	8.2	<0.2	<10	280	0.62	0.45	0.55	0.50	87.2	6.9	24
I315457		0.60	<0.005	0.04	2.62	5.6	<0.2	<10	190	0.85	0.69	0.19	0.24	57.5	7.2	38
I315458		0.50	<0.005	0.31	2.46	4.5	<0.2	<10	300	0.43	0.44	0.58	0.37	23.5	18.4	33
I315459		0.50	0.008	0.17	2.23	7.6	<0.2	<10	230	0.47	0.34	0.66	0.20	24.4	11.1	34
I315460		0.40	0.010	0.32	3.17	41.9	<0.2	<10	310	0.53	0.46	0.51	0.25	20.3	22.7	141



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032496		0.33	9.9	2.27	6.31	<0.05	<0.02	<0.01	0.017	0.05	6.2	8.4	0.44	202	0.63
I032497		0.71	16.9	3.23	6.99	0.05	0.06	0.01	0.027	0.09	8.1	11.4	0.63	602	1.31
I032498		0.43	23.9	2.79	6.43	0.05	0.08	0.01	0.023	0.07	7.1	10.6	0.52	229	1.06
I032499		0.45	16.3	2.19	5.38	0.05	0.04	0.01	0.017	0.08	8.0	7.2	0.42	281	1.10
I032500		0.46	19.1	2.39	5.63	0.05	0.06	0.03	0.021	0.08	9.7	9.4	0.55	380	0.97
I033143		1.16	30.0	3.61	7.99	0.07	0.10	0.02	0.036	0.06	9.4	14.1	0.72	419	1.26
I314651		0.62	5.1	1.68	5.27	0.05	0.03	<0.01	0.018	0.02	11.1	6.5	0.47	189	0.12
I314652		0.44	26.7	2.53	5.31	0.06	0.16	0.02	0.025	0.06	14.4	9.3	0.47	210	0.40
I314653		0.42	20.9	2.25	5.29	<0.05	0.10	0.01	0.022	0.04	11.5	9.3	0.44	138	0.42
I314654		0.51	25.1	2.71	6.11	0.06	0.13	0.02	0.028	0.05	13.5	11.1	0.51	306	0.71
I314655		0.62	33.3	2.92	5.93	0.08	0.36	0.03	0.030	0.07	14.5	12.1	0.62	287	0.41
I314656		0.57	24.1	2.62	5.02	0.06	0.22	0.02	0.023	0.05	13.3	11.6	0.50	220	0.87
I314657		0.53	26.0	2.66	5.34	0.06	0.12	0.03	0.023	0.06	13.7	11.4	0.55	347	0.89
I314658		0.50	21.1	2.41	5.10	0.06	0.24	0.02	0.021	0.05	12.4	10.4	0.49	243	0.92
I314659		0.48	23.9	2.16	4.69	0.06	0.21	0.02	0.020	0.04	12.8	9.9	0.44	206	0.64
I314660		0.95	30.9	2.55	5.10	0.07	0.15	0.03	0.024	0.08	15.5	11.4	0.55	251	0.71
I314661		0.07	1.5	0.51	0.48	<0.05	0.05	0.01	<0.005	0.02	4.7	1.1	0.03	151	0.26
I314662		1.29	40.3	3.35	6.46	0.08	0.07	0.06	0.030	0.15	19.8	14.9	0.67	486	1.33
I314663		0.54	33.2	2.62	4.98	0.07	0.16	0.03	0.023	0.06	15.0	11.2	0.56	442	0.73
I314664		2.27	60.3	4.39	8.31	0.11	0.18	0.09	0.041	0.23	28.7	23.9	0.92	503	1.34
I314665		1.73	50.8	3.91	7.72	0.09	0.11	0.08	0.038	0.19	25.0	19.8	0.82	586	1.35
I314666		1.21	41.6	3.17	5.96	0.08	0.11	0.05	0.029	0.13	18.1	15.1	0.70	413	1.00
I314667		0.58	25.9	2.47	4.76	0.06	0.10	0.03	0.023	0.05	15.9	10.0	0.43	295	0.75
I314668		0.83	14.6	2.82	6.64	0.05	<0.02	0.01	0.030	0.05	10.1	11.6	0.42	411	1.05
I314669		0.72	14.6	2.55	5.80	0.05	0.10	0.01	0.024	0.04	10.1	11.4	0.42	314	0.96
I314670		0.08	2.0	0.61	0.55	<0.05	0.05	0.01	<0.005	0.03	6.4	1.2	0.04	142	0.26
I314671		0.53	10.6	2.09	5.38	<0.05	<0.02	0.01	0.019	0.03	8.4	9.4	0.33	419	0.82
I314672		0.50	11.4	2.03	4.69	<0.05	0.02	<0.01	0.018	0.03	8.5	9.6	0.34	306	0.75
I314673		0.53	9.0	1.61	4.93	<0.05	0.02	0.01	0.019	0.07	9.0	7.5	0.25	491	0.79
I314674		0.22	15.6	2.88	7.43	0.07	0.08	0.02	0.026	0.19	21.4	14.5	0.86	750	0.59
I315451		2.11	40.5	3.03	7.24	0.07	0.03	0.09	0.029	0.09	11.4	9.5	0.62	2070	0.87
I315452		2.06	43.2	2.52	4.77	0.06	0.03	0.04	0.024	0.17	11.6	8.8	0.54	854	0.77
I315453		1.53	104.0	3.69	6.70	0.09	0.05	0.22	0.036	0.11	18.3	10.6	0.53	2080	4.92
I315454		2.07	42.0	3.00	6.89	0.08	0.06	0.08	0.036	0.09	17.4	13.2	0.52	357	1.63
I315455		2.07	30.2	2.87	7.28	0.07	0.04	0.12	0.034	0.07	18.2	9.9	0.44	1220	2.23
I315456		2.13	38.6	2.16	6.60	0.14	0.08	0.20	0.031	0.08	54.6	10.0	0.36	628	1.45
I315457		3.16	45.8	3.02	8.40	0.10	0.12	0.07	0.041	0.11	36.1	12.6	0.47	447	1.61
I315458		3.83	63.9	2.85	7.67	0.07	0.04	0.08	0.030	0.12	12.9	11.0	0.61	1440	2.32
I315459		2.77	71.5	2.40	6.57	0.08	0.05	0.06	0.029	0.14	13.3	11.5	0.63	408	2.39
I315460		9.51	94.4	3.30	9.22	0.13	0.03	0.05	0.032	0.58	10.0	17.5	1.54	592	3.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032496		0.73	9.8	370	6.8	4.1	<0.001	0.01	0.21	2.0	<0.2	0.5	18.4	<0.01	0.01
I032497		1.04	17.5	410	5.9	7.8	<0.001	0.01	0.26	6.4	0.3	0.5	26.7	<0.01	0.02
I032498		0.83	16.4	340	6.0	7.5	<0.001	0.01	0.29	4.1	0.4	0.4	25.4	<0.01	0.02
I032499		1.07	14.8	280	6.3	11.2	<0.001	0.01	0.28	3.5	0.5	0.4	33.5	<0.01	0.02
I032500		1.08	16.3	460	7.0	9.1	<0.001	0.01	0.34	4.0	0.5	0.4	39.2	<0.01	0.01
I033143		2.12	34.2	210	12.0	9.7	<0.001	0.01	0.47	6.6	0.5	0.7	28.1	0.01	0.03
I314651		0.35	5.6	400	1.5	4.2	<0.001	<0.01	0.09	6.2	0.3	0.4	16.0	<0.01	0.01
I314652		0.81	18.5	290	7.5	7.0	<0.001	<0.01	0.42	6.5	0.4	0.5	25.4	<0.01	0.02
I314653		1.34	17.2	230	6.7	5.9	<0.001	0.01	0.38	5.0	0.4	0.5	29.1	<0.01	0.02
I314654		1.47	22.5	410	8.7	7.5	<0.001	0.01	0.50	6.0	0.6	0.6	43.4	<0.01	0.03
I314655		1.08	23.6	460	9.0	9.5	<0.001	0.01	0.57	6.4	0.6	0.6	43.7	<0.01	0.03
I314656		1.20	22.2	440	8.6	6.8	<0.001	<0.01	0.52	4.9	0.7	0.5	31.6	<0.01	0.03
I314657		1.53	24.1	570	8.5	7.7	<0.001	0.01	0.56	5.2	0.7	0.5	37.2	<0.01	0.02
I314658		1.40	19.5	460	8.0	6.6	<0.001	<0.01	0.50	4.7	0.6	0.5	33.2	<0.01	0.03
I314659		1.25	19.2	500	7.1	6.4	<0.001	0.01	0.45	4.6	0.6	0.4	34.1	<0.01	0.02
I314660		1.32	24.5	620	9.1	9.9	<0.001	0.01	0.61	5.1	0.5	0.5	35.0	<0.01	0.02
I314661		0.14	3.4	110	1.3	1.5	<0.001	<0.01	0.10	0.6	<0.2	<0.2	4.9	<0.01	0.01
I314662		1.63	35.5	730	13.7	15.9	<0.001	0.02	1.04	5.9	1.0	0.6	46.0	<0.01	0.04
I314663		1.51	26.9	640	8.9	7.2	<0.001	0.02	0.74	4.8	1.3	0.4	52.6	<0.01	0.02
I314664		1.73	52.8	560	19.2	22.0	<0.001	0.01	1.34	7.6	1.4	0.8	44.5	0.01	0.04
I314665		1.83	45.8	550	17.6	18.3	<0.001	0.01	1.26	7.0	1.4	0.7	46.2	<0.01	0.04
I314666		1.42	37.5	720	11.5	13.5	<0.001	0.01	0.91	6.0	0.8	0.6	37.7	<0.01	0.03
I314667		1.31	19.3	520	12.4	7.2	<0.001	0.01	0.46	4.3	0.9	0.4	31.4	<0.01	0.02
I314668		1.22	20.9	600	9.9	9.5	<0.001	0.01	0.42	3.3	0.3	0.6	17.7	<0.01	0.03
I314669		1.49	20.3	160	8.8	8.4	<0.001	<0.01	0.42	4.0	0.3	0.6	22.6	<0.01	0.02
I314670		0.17	3.8	130	1.6	1.7	<0.001	0.01	0.24	0.6	<0.2	<0.2	5.6	<0.01	0.02
I314671		1.34	14.0	260	7.6	5.2	<0.001	0.01	0.37	2.8	0.2	0.6	24.3	<0.01	0.02
I314672		1.34	13.9	210	7.5	5.5	<0.001	0.01	0.37	2.7	0.3	0.5	24.7	<0.01	0.02
I314673		1.43	11.8	720	9.7	9.5	<0.001	0.02	0.26	2.4	0.3	0.7	29.8	<0.01	0.01
I314674		0.54	19.5	410	10.7	8.7	<0.001	0.01	0.23	6.9	0.6	0.5	40.7	<0.01	0.01
I315451		1.40	16.5	650	11.2	14.4	<0.001	0.05	0.26	5.5	0.6	0.7	23.4	<0.01	0.03
I315452		0.82	12.5	910	5.4	20.9	<0.001	0.03	0.34	5.9	0.5	0.6	20.5	<0.01	0.01
I315453		0.71	17.9	1180	6.6	16.4	<0.001	0.12	0.41	6.9	1.3	0.6	47.4	0.01	0.03
I315454		2.90	16.8	580	10.1	22.5	<0.001	0.02	0.78	5.1	0.6	1.0	24.8	<0.01	0.06
I315455		2.09	16.0	760	11.4	17.2	<0.001	0.06	0.40	4.8	0.8	1.0	30.1	<0.01	0.03
I315456		2.49	15.8	830	10.1	24.4	<0.001	0.08	0.41	5.0	1.5	0.9	50.0	0.01	0.03
I315457		2.94	16.4	340	13.8	29.2	<0.001	0.02	0.28	6.1	0.8	1.4	17.8	0.01	0.05
I315458		1.29	18.9	1130	7.9	30.9	<0.001	0.10	0.26	5.5	0.9	0.8	57.3	<0.01	0.04
I315459		1.53	20.4	1120	6.6	24.1	<0.001	0.06	0.39	5.2	0.9	0.7	45.4	<0.01	0.03
I315460		1.52	61.0	490	5.3	69.2	<0.001	0.04	2.75	9.2	0.7	0.8	30.5	<0.01	0.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032496		0.031	0.04	0.33	47	0.12	1.70	74	<0.5
I032497		0.066	0.08	0.35	72	0.14	4.26	60	2.2
I032498		0.041	0.05	0.47	55	0.12	4.15	52	2.8
I032499		0.048	0.05	0.56	46	0.13	3.81	40	1.7
I032500		0.055	0.05	1.07	44	0.13	5.35	46	2.1
I033143		0.135	0.11	1.07	79	0.17	5.30	60	3.9
I314651		0.043	0.02	0.46	24	<0.05	7.99	45	1.3
I314652		0.074	0.05	1.06	49	0.09	9.10	40	6.9
I314653		0.074	0.05	0.66	50	0.14	5.55	36	4.2
I314654		0.083	0.06	1.61	55	0.15	9.12	48	5.4
I314655		0.113	0.07	1.20	57	0.15	11.80	58	15.8
I314656		0.072	0.06	0.80	54	0.22	8.80	44	8.9
I314657		0.079	0.06	0.94	53	0.28	8.88	48	4.7
I314658		0.080	0.05	0.73	49	0.14	7.35	41	9.1
I314659		0.073	0.06	1.01	42	0.60	8.19	38	8.1
I314660		0.076	0.08	0.67	46	0.16	10.40	57	6.9
I314661		0.007	0.03	0.25	2	<0.05	2.01	5	1.7
I314662		0.061	0.11	1.96	57	0.23	12.30	86	2.7
I314663		0.074	0.06	3.15	51	0.25	11.00	57	6.2
I314664		0.057	0.18	2.37	67	0.25	16.55	128	7.1
I314665		0.052	0.14	2.03	64	0.24	15.30	112	4.2
I314666		0.061	0.12	0.99	55	0.27	11.65	85	4.4
I314667		0.058	0.06	3.28	42	0.17	9.81	52	3.8
I314668		0.054	0.09	0.49	60	0.21	3.15	66	0.5
I314669		0.064	0.09	0.49	57	0.18	2.76	42	4.3
I314670		0.005	0.03	0.34	1	<0.05	2.27	4	1.9
I314671		0.053	0.09	0.33	53	0.21	2.31	52	0.7
I314672		0.052	0.08	0.36	49	0.22	2.26	48	0.8
I314673		0.046	0.08	0.38	35	0.24	2.14	64	0.7
I314674		0.011	0.04	0.71	50	0.98	9.19	61	1.9
I315451		0.125	0.23	2.72	84	0.86	8.46	69	1.0
I315452		0.096	0.20	1.92	65	1.99	8.08	60	0.8
I315453		0.078	0.25	4.34	94	6.68	16.65	55	1.0
I315454		0.125	0.29	4.16	58	2.25	8.66	69	2.2
I315455		0.097	0.25	5.71	63	1.16	9.62	65	1.3
I315456		0.071	0.25	11.55	44	3.55	32.2	63	1.6
I315457		0.115	0.40	8.57	61	1.49	19.15	70	3.4
I315458		0.095	0.32	5.36	74	3.02	9.58	81	1.1
I315459		0.102	0.25	4.16	70	3.03	10.00	65	1.5
I315460		0.169	0.71	1.29	102	5.04	6.57	73	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315461		0.56	0.011	0.19	2.11	71.8	<0.2	<10	190	0.45	0.45	0.44	0.15	39.9	18.2	51
I315462		0.44	<0.005	0.09	1.71	20.4	<0.2	<10	130	0.32	0.29	0.34	0.11	21.1	16.9	52
I315463		0.20	<0.005	0.01	0.12	1.8	<0.2	<10	30	0.08	0.04	0.08	0.04	11.35	2.2	3
I315464		0.46	<0.005	0.08	1.74	3.5	<0.2	<10	120	0.17	0.25	0.33	0.11	16.35	8.2	60
I315465		0.44	<0.005	0.11	1.52	2.9	<0.2	<10	160	0.23	0.26	0.43	0.19	20.0	5.8	44
I315466		0.50	<0.005	0.16	2.08	6.8	<0.2	<10	200	0.45	0.31	0.39	0.11	34.3	13.9	60
I315467		0.60	<0.005	0.12	2.05	7.6	<0.2	<10	180	0.58	0.34	0.33	0.18	39.7	13.8	48
I315468		0.50	<0.005	0.05	1.08	5.6	<0.2	<10	60	0.17	0.32	0.11	0.11	10.95	4.7	26
I315469		0.42	<0.005	0.19	1.43	5.4	<0.2	<10	150	0.60	0.41	0.56	0.55	61.0	15.9	32
I315470		0.30	<0.005	0.08	0.46	1.9	<0.2	<10	50	0.09	0.15	0.10	0.23	6.39	2.2	16
I315471		0.52	<0.005	0.07	1.16	7.5	<0.2	<10	140	0.29	0.23	0.17	0.20	14.80	5.3	29
I315472		0.62	<0.005	0.06	1.84	10.7	<0.2	<10	250	0.74	0.14	0.37	0.32	28.1	12.6	57
I315473		0.14	<0.005	0.01	0.12	1.6	<0.2	<10	30	0.08	0.02	0.09	0.04	10.55	2.2	3
I315474		0.54	<0.005	0.17	1.43	3.3	<0.2	<10	140	0.40	0.34	0.19	0.17	48.6	9.8	30
I315475		0.48	<0.005	0.10	1.19	3.8	<0.2	<10	50	0.39	0.48	0.12	0.10	33.3	6.2	26
I315476		0.54	<0.005	0.09	1.77	7.6	<0.2	<10	280	0.39	0.18	0.20	0.20	17.50	9.8	43
I315477		0.58	<0.005	0.20	1.13	14.9	<0.2	<10	150	0.19	0.63	0.13	0.23	22.3	4.4	19
I315478		0.46	<0.005	0.05	1.60	6.5	<0.2	<10	220	0.28	0.18	0.16	0.19	13.35	13.4	71
I315479		0.44	<0.005	0.07	0.71	2.2	<0.2	<10	90	0.12	0.28	0.13	0.10	22.2	2.7	13
I315480		0.56	<0.005	0.03	1.82	6.6	<0.2	<10	150	0.33	0.17	0.20	0.17	23.1	9.5	30
I315481		0.64	<0.005	0.04	1.84	9.3	<0.2	<10	180	0.22	0.16	0.21	0.17	21.1	11.2	65
I315482		0.54	<0.005	0.03	2.18	8.5	<0.2	<10	200	0.42	0.23	0.16	0.14	27.3	12.6	46
I315483		0.46	<0.005	0.11	1.26	4.1	<0.2	<10	240	0.27	0.15	0.23	0.18	20.9	6.6	29
I315484		0.42	<0.005	0.16	1.20	2.2	<0.2	<10	340	0.20	0.13	0.34	0.26	14.35	10.2	75
I315485		0.44	<0.005	0.51	1.56	3.0	<0.2	<10	470	0.32	0.14	0.38	0.21	21.6	15.9	68
I315486		0.38	<0.005	0.46	1.49	2.6	<0.2	<10	450	0.32	0.12	0.37	0.19	21.3	14.6	64
I315487		0.46	<0.005	0.19	1.89	3.4	<0.2	<10	360	0.18	0.12	0.27	0.15	9.81	15.9	46
I315488		0.50	<0.005	0.56	1.98	3.6	<0.2	<10	550	0.27	0.10	0.43	0.06	14.55	17.1	96
I315489		0.44	<0.005	0.62	1.15	3.2	<0.2	<10	370	0.23	0.15	0.24	0.21	20.0	8.4	44
I315490		0.36	<0.005	1.18	2.10	4.7	<0.2	<10	800	0.88	0.18	0.67	0.25	38.6	16.1	62
I315491		0.52	<0.005	0.09	2.24	4.2	<0.2	<10	410	0.30	0.11	0.50	0.13	15.35	19.0	180
I315492		0.64	<0.005	0.16	2.15	5.8	<0.2	<10	520	0.40	0.12	0.46	0.11	20.3	15.9	110
I315493		0.38	<0.005	0.38	1.54	2.8	<0.2	<10	440	0.29	0.16	0.72	0.22	12.35	18.4	55
I315494		0.58	<0.005	0.28	1.88	8.4	<0.2	<10	230	0.49	0.20	0.33	0.21	32.3	11.3	42
I315495		0.48	<0.005	0.29	1.95	3.6	<0.2	<10	400	0.41	0.24	0.50	0.76	29.9	17.0	33
I315496		0.70	<0.005	0.04	1.54	6.8	<0.2	<10	250	0.32	0.15	0.53	0.12	24.6	10.5	30
I315497		0.72	<0.005	0.12	1.52	10.2	<0.2	<10	330	0.46	0.17	0.74	0.17	30.7	10.0	30
I315498		0.58	<0.005	0.11	1.71	13.5	<0.2	<10	350	0.56	0.24	0.61	0.20	47.6	12.4	40
I315499		0.70	<0.005	0.13	1.92	15.6	<0.2	<10	370	0.71	0.29	0.52	0.19	53.9	13.5	43
I315500		0.58	<0.005	0.08	1.09	9.7	<0.2	<10	100	0.19	0.19	0.18	0.26	13.50	4.7	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315461		2.58	52.8	2.68	7.21	0.08	0.04	0.07	0.030	0.09	22.3	11.9	0.62	873	12.65
I315462		2.02	32.7	2.39	6.79	0.06	0.03	0.05	0.022	0.10	11.5	10.6	0.61	586	36.2
I315463		0.09	1.9	0.65	0.56	<0.05	0.07	0.01	<0.005	0.04	5.8	1.2	0.04	160	0.29
I315464		2.32	26.4	2.00	7.74	0.06	0.03	0.05	0.021	0.08	9.0	10.0	0.65	175	13.00
I315465		2.01	28.3	1.65	6.67	0.05	0.03	0.07	0.020	0.07	11.8	8.2	0.54	152	12.20
I315466		2.53	56.0	2.51	7.62	0.08	0.04	0.05	0.028	0.11	18.4	12.0	0.69	590	35.1
I315467		2.65	77.9	2.68	7.10	0.11	0.05	0.07	0.031	0.16	23.6	12.4	0.62	344	37.8
I315468		1.57	25.9	2.11	7.62	<0.05	0.04	0.05	0.020	0.06	5.5	5.4	0.28	157	23.4
I315469		3.79	175.0	2.15	5.66	0.12	0.05	0.08	0.028	0.11	38.4	6.7	0.39	579	38.2
I315470		0.65	23.0	1.11	3.25	<0.05	<0.02	0.06	0.013	0.04	3.4	1.1	0.10	77	3.82
I315471		1.38	24.6	2.90	9.70	0.05	0.03	0.04	0.023	0.08	7.5	9.4	0.28	212	17.10
I315472		4.60	120.0	3.36	6.52	0.13	0.06	0.06	0.028	0.36	14.9	11.8	0.80	390	78.0
I315473		0.09	1.8	0.71	0.54	<0.05	0.07	0.01	<0.005	0.04	5.5	1.2	0.04	165	0.48
I315474		4.29	20.9	2.96	5.45	0.08	0.03	0.02	0.016	0.14	25.5	16.1	0.82	192	1.59
I315475		3.00	11.4	2.66	7.62	0.05	0.03	0.03	0.019	0.09	17.6	11.8	0.44	206	1.11
I315476		1.87	13.4	2.97	7.02	0.05	0.03	0.04	0.024	0.10	8.9	17.9	0.62	254	1.12
I315477		1.11	16.2	2.63	5.92	0.05	<0.02	0.03	0.019	0.07	13.5	6.7	0.21	112	2.75
I315478		1.76	15.7	2.81	6.72	<0.05	0.03	0.02	0.020	0.07	6.8	16.1	0.69	313	1.11
I315479		1.28	7.7	1.41	5.33	<0.05	<0.02	0.03	0.011	0.04	12.8	3.1	0.12	125	0.90
I315480		1.63	16.5	2.63	5.81	0.05	0.03	0.02	0.024	0.06	11.8	13.2	0.51	310	0.80
I315481		2.11	14.5	3.71	7.13	0.06	0.03	0.03	0.022	0.06	11.2	19.1	0.75	273	1.00
I315482		2.35	24.3	3.12	5.98	0.05	0.03	0.06	0.029	0.06	13.5	16.2	0.67	349	0.97
I315483		0.99	16.1	1.92	4.97	0.05	0.02	0.02	0.016	0.07	11.8	8.3	0.45	189	0.82
I315484		1.77	18.4	1.89	5.94	<0.05	<0.02	0.03	0.012	0.11	8.4	6.4	0.71	584	1.36
I315485		1.94	44.5	2.59	6.92	0.06	0.02	0.03	0.016	0.11	11.9	13.5	0.86	855	1.09
I315486		1.85	40.4	2.46	6.58	0.06	0.02	0.02	0.018	0.10	11.8	12.9	0.83	746	1.06
I315487		1.74	66.5	3.24	8.69	0.06	0.03	0.02	0.016	0.15	5.0	18.5	1.14	262	0.98
I315488		1.71	61.3	3.22	8.52	0.07	0.04	0.02	0.016	0.21	7.5	16.9	1.37	469	0.64
I315489		1.07	23.3	2.14	6.22	0.05	0.02	0.02	0.016	0.14	10.2	7.8	0.53	326	0.73
I315490		2.59	76.9	3.20	7.69	0.12	0.05	0.08	0.034	0.10	27.5	19.3	0.71	1500	0.77
I315491		4.18	50.6	3.39	9.06	0.09	0.05	0.01	0.019	0.32	8.4	26.8	1.64	323	0.41
I315492		2.23	27.6	3.33	9.75	0.08	0.06	0.01	0.019	0.29	9.5	21.2	1.42	254	0.90
I315493		1.41	23.4	2.64	6.40	0.06	0.03	0.01	0.021	0.27	5.2	13.0	0.72	1200	1.53
I315494		1.27	47.2	3.12	6.77	0.08	0.06	0.01	0.030	0.27	13.7	15.3	0.89	337	2.14
I315495		1.16	46.5	3.09	6.19	0.07	0.04	0.02	0.026	0.21	13.6	11.8	0.76	746	3.09
I315496		0.52	23.8	2.38	4.91	0.05	0.06	0.02	0.019	0.05	10.2	9.6	0.49	402	0.79
I315497		0.65	34.6	2.60	4.69	0.07	0.07	0.04	0.021	0.05	14.6	11.1	0.50	474	0.92
I315498		1.45	40.0	3.23	5.56	0.09	0.10	0.05	0.026	0.13	23.6	14.7	0.71	582	1.01
I315499		2.05	45.8	3.61	6.58	0.11	0.10	0.05	0.031	0.19	28.0	18.2	0.80	518	1.05
I315500		0.61	14.4	1.75	4.53	<0.05	<0.02	0.03	0.011	0.04	7.0	5.8	0.23	213	0.68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I315461		1.44	26.2	650	8.8	22.6	<0.001	0.05	2.52	4.5	0.9	0.7	34.8	<0.01	0.05	2.0
I315462		1.53	23.1	590	6.8	20.0	<0.001	0.04	0.56	3.5	0.6	0.7	31.7	<0.01	0.03	1.8
I315463		0.15	4.1	120	1.6	2.0	<0.001	0.01	0.15	0.6	<0.2	<0.2	7.5	<0.01	0.01	1.8
I315464		1.53	24.3	460	6.2	19.0	<0.001	0.05	0.15	3.9	0.6	0.7	28.9	<0.01	0.02	0.9
I315465		1.40	21.9	540	5.8	17.2	<0.001	0.06	0.16	3.6	0.8	0.6	33.7	<0.01	0.02	0.7
I315466		1.63	32.7	690	6.1	24.8	<0.001	0.06	0.21	4.8	1.1	0.7	30.3	<0.01	0.04	1.6
I315467		1.63	37.5	850	5.4	26.1	<0.001	0.03	0.24	5.3	1.4	0.7	23.8	<0.01	0.07	2.4
I315468		1.90	14.7	250	6.0	9.2	<0.001	0.02	0.30	2.9	0.6	0.8	11.4	<0.01	0.05	1.6
I315469		1.08	37.3	730	5.0	19.6	0.002	0.11	0.36	3.0	2.1	0.7	40.2	0.01	0.08	0.6
I315470		0.46	7.3	600	3.0	6.9	<0.001	0.06	0.24	0.7	0.7	0.4	11.4	<0.01	0.03	<0.2
I315471		2.18	13.9	360	8.6	16.0	<0.001	0.04	0.46	2.7	0.5	0.9	16.7	<0.01	0.04	0.9
I315472		1.53	33.7	840	5.4	36.1	<0.001	0.08	0.25	6.1	1.4	0.6	30.5	<0.01	0.04	3.3
I315473		0.15	3.7	130	1.6	2.2	<0.001	<0.01	0.11	0.6	<0.2	<0.2	7.6	<0.01	<0.01	1.7
I315474		2.12	36.6	340	41.9	28.6	0.001	0.03	0.24	2.5	0.8	0.5	14.4	<0.01	0.02	11.9
I315475		2.13	18.8	380	24.7	24.1	<0.001	0.02	0.23	2.3	0.5	1.1	12.9	<0.01	0.03	6.8
I315476		1.49	22.4	470	21.0	16.7	<0.001	0.03	0.31	3.2	0.6	0.7	16.8	<0.01	0.02	1.8
I315477		0.92	10.1	380	42.3	9.8	<0.001	0.13	0.57	1.7	0.6	0.5	22.6	<0.01	0.03	0.8
I315478		1.35	30.7	340	7.8	16.9	<0.001	0.02	0.32	3.0	0.4	0.6	15.4	<0.01	0.03	1.2
I315479		1.37	6.2	190	11.5	13.6	<0.001	0.02	0.21	1.4	0.3	0.7	14.3	<0.01	0.02	2.2
I315480		1.66	22.4	400	14.8	12.2	<0.001	0.02	0.31	3.0	0.6	0.5	28.8	<0.01	0.02	3.1
I315481		1.72	30.4	390	9.7	12.6	<0.001	0.02	0.38	3.3	0.5	0.5	24.6	<0.01	0.02	2.1
I315482		1.56	29.5	350	14.1	14.0	<0.001	0.02	0.40	3.6	0.6	0.5	16.1	<0.01	0.02	3.4
I315483		1.27	16.9	390	10.5	15.8	<0.001	0.02	0.25	2.8	0.4	0.5	18.4	<0.01	0.01	2.1
I315484		1.10	34.1	470	7.5	25.5	<0.001	0.04	0.16	2.1	0.4	0.5	22.1	<0.01	0.02	0.6
I315485		0.97	34.9	610	8.3	35.8	<0.001	0.04	0.21	3.6	0.4	0.5	27.8	0.02	0.02	1.2
I315486		0.93	32.9	610	7.5	33.1	<0.001	0.04	0.19	3.4	0.4	0.5	26.8	0.01	0.02	1.1
I315487		1.21	27.8	360	5.6	25.5	<0.001	0.02	0.19	3.6	0.3	0.5	23.0	0.01	0.02	1.0
I315488		1.42	37.6	440	5.2	39.7	<0.001	0.01	0.18	3.8	0.3	0.6	26.7	0.01	0.02	1.9
I315489		1.16	20.6	430	7.9	31.3	<0.001	0.02	0.23	2.9	0.3	0.5	18.7	0.01	0.02	1.5
I315490		1.26	32.1	540	7.6	23.9	0.001	0.03	0.36	8.4	1.1	0.5	43.5	0.02	0.03	2.8
I315491		1.41	53.9	260	6.3	56.8	<0.001	0.01	0.19	5.0	0.2	0.6	29.5	0.01	0.02	2.2
I315492		1.44	41.0	460	7.2	35.1	<0.001	0.01	0.29	3.7	0.3	0.7	33.6	0.01	0.01	4.1
I315493		1.06	33.1	490	7.6	21.6	<0.001	0.03	0.27	3.1	0.4	0.5	40.0	0.01	0.03	0.8
I315494		1.36	38.8	500	11.7	24.7	<0.001	0.10	0.36	5.2	1.0	0.6	33.9	0.01	0.04	3.4
I315495		1.26	29.4	710	11.4	23.4	<0.001	0.09	0.29	4.0	1.0	0.6	36.1	<0.01	0.04	2.6
I315496		1.45	20.1	500	6.9	6.7	<0.001	0.02	0.47	4.5	0.4	0.5	34.3	<0.01	0.02	2.9
I315497		1.43	27.9	810	7.5	7.3	0.001	0.03	0.71	4.9	1.2	0.5	47.1	<0.01	0.03	2.8
I315498		1.58	36.2	570	11.2	14.4	<0.001	0.03	0.93	5.7	0.7	0.6	39.4	<0.01	0.03	6.8
I315499		1.55	41.6	570	12.8	20.6	<0.001	0.02	1.07	6.3	0.8	0.7	36.9	<0.01	0.04	8.0
I315500		0.38	15.2	470	7.9	6.4	<0.001	0.03	0.39	0.5	0.5	0.5	15.7	<0.01	0.02	<0.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315461		0.103	0.21	2.78	69	2.78	10.85	61	1.2
I315462		0.113	0.18	1.09	69	1.81	4.49	62	1.1
I315463		0.007	0.03	0.33	4	<0.05	2.03	5	2.3
I315464		0.129	0.17	0.83	50	4.19	3.88	62	1.2
I315465		0.109	0.14	1.16	42	1.92	5.35	56	1.2
I315466		0.125	0.24	2.06	77	0.86	8.63	66	1.3
I315467		0.124	0.23	2.39	82	6.59	13.60	63	1.6
I315468		0.128	0.12	0.55	80	0.96	2.24	30	1.4
I315469		0.073	0.28	2.62	61	2.85	17.70	59	1.0
I315470		0.038	0.06	0.60	44	0.19	1.58	18	<0.5
I315471		0.137	0.11	0.51	104	0.47	2.30	46	1.3
I315472		0.160	0.41	1.43	113	2.06	6.87	80	2.2
I315473		0.007	0.03	0.31	4	<0.05	2.16	5	2.5
I315474		0.117	0.26	1.89	39	0.16	7.48	51	1.0
I315475		0.115	0.20	1.01	63	0.16	3.88	36	1.0
I315476		0.108	0.15	0.60	72	0.20	2.64	42	1.3
I315477		0.052	0.14	1.30	55	0.19	2.36	44	0.6
I315478		0.123	0.10	0.36	73	0.18	2.16	41	1.2
I315479		0.076	0.11	0.47	47	0.11	1.88	21	0.6
I315480		0.083	0.09	0.80	57	0.14	4.23	49	1.2
I315481		0.126	0.10	0.50	81	0.19	2.84	55	1.3
I315482		0.094	0.15	0.82	63	0.18	3.51	58	1.3
I315483		0.089	0.09	0.79	51	0.14	3.51	36	0.9
I315484		0.114	0.11	0.58	57	0.13	1.97	39	0.5
I315485		0.119	0.17	1.11	66	0.19	6.37	55	0.7
I315486		0.111	0.16	1.08	63	0.15	6.19	49	0.7
I315487		0.192	0.15	0.39	107	0.17	2.27	63	1.1
I315488		0.178	0.22	0.51	95	0.16	4.15	55	1.3
I315489		0.105	0.13	0.47	54	0.20	3.78	41	0.6
I315490		0.094	0.17	2.22	77	0.23	32.4	43	1.5
I315491		0.195	0.23	0.47	103	0.23	5.46	58	2.1
I315492		0.200	0.20	0.66	90	0.21	3.23	46	2.2
I315493		0.101	0.17	0.24	54	0.20	2.67	41	0.9
I315494		0.108	0.19	1.04	77	0.16	5.34	76	2.3
I315495		0.091	0.15	1.18	66	0.12	6.39	94	1.4
I315496		0.088	0.05	0.71	54	0.17	5.26	45	3.2
I315497		0.075	0.06	1.66	53	0.27	11.30	50	3.3
I315498		0.072	0.13	1.06	55	0.21	12.20	81	4.9
I315499		0.076	0.17	1.60	59	0.20	14.45	97	4.9
I315500		0.022	0.07	0.39	34	0.15	2.91	32	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315501		0.42	<0.005	0.18	1.32	4.8	<0.2	<10	80	0.22	0.26	0.12	0.08	20.7	7.4	30
I315502		0.26	<0.005	0.12	1.99	5.3	<0.2	<10	70	0.27	0.27	0.15	0.04	28.0	9.7	46
I315503		0.34	<0.005	0.14	1.88	3.2	<0.2	<10	230	0.40	0.18	1.32	0.18	45.5	8.5	39
I315504		0.42	<0.005	0.16	2.25	5.4	<0.2	<10	300	0.52	0.17	1.02	0.18	66.9	11.4	44
I315505		0.34	<0.005	0.12	1.61	6.9	<0.2	<10	280	0.34	0.16	0.67	0.12	28.2	9.5	33
I315506		0.40	<0.005	0.07	1.90	4.2	<0.2	<10	150	0.20	0.17	0.52	0.13	19.20	8.9	52
I315507		0.44	<0.005	0.02	0.13	2.1	<0.2	<10	30	0.09	0.04	0.09	0.04	9.71	2.2	3
I315508		0.44	<0.005	0.12	2.65	6.0	<0.2	<10	240	0.46	0.16	0.32	0.17	34.6	15.9	77
I315509		0.36	<0.005	0.12	1.82	7.2	<0.2	<10	210	0.41	0.16	0.41	0.14	31.9	11.4	34
I315510		0.38	0.014	0.18	1.75	6.8	<0.2	<10	250	0.32	0.18	0.60	0.20	24.8	11.3	31
I315511		0.36	<0.005	0.35	2.13	6.5	<0.2	<10	320	0.36	0.15	0.26	0.23	19.75	14.0	36
I315512		0.40	<0.005	0.12	1.72	5.9	<0.2	<10	190	0.24	0.13	0.14	0.14	14.60	9.1	28
I315513		0.34	<0.005	0.14	1.91	7.6	<0.2	<10	300	0.40	0.17	0.85	0.28	38.9	13.2	33
I315514		0.48	<0.005	0.12	1.70	4.5	<0.2	<10	140	0.26	0.23	0.67	0.16	30.0	11.7	31
I315515		0.34	<0.005	0.47	1.79	6.3	<0.2	<10	200	0.60	0.20	0.46	1.20	30.8	10.6	38
I315516		0.44	<0.005	0.18	1.77	8.7	<0.2	<10	240	0.38	0.16	0.44	0.62	27.0	10.1	32
I315517		0.44	<0.005	0.13	1.78	7.6	<0.2	<10	140	0.29	0.15	0.41	0.24	19.90	8.7	33
I315518		0.36	<0.005	0.54	1.88	6.4	<0.2	<10	220	0.47	0.16	0.75	0.44	26.9	9.3	37
I315519		0.44	<0.005	0.71	1.94	6.2	<0.2	<10	290	0.47	0.17	0.51	1.19	34.0	12.2	67
I315520		0.42	<0.005	0.03	0.11	2.1	<0.2	<10	30	0.10	0.02	0.08	0.05	10.60	2.4	3
I315521		0.44	<0.005	0.17	2.36	3.6	<0.2	<10	230	0.45	0.18	0.41	0.06	58.2	9.9	49
I315522		0.34	<0.005	0.26	2.40	5.3	<0.2	<10	200	0.50	0.21	0.34	0.05	56.8	13.5	37
I315523		0.54	<0.005	0.11	2.21	4.0	<0.2	<10	170	0.38	0.15	0.35	0.07	36.1	10.6	42
I315524		0.40	<0.005	0.26	2.41	7.1	<0.2	<10	260	0.60	0.20	0.42	0.10	63.5	15.6	36
I315525		0.40	<0.005	0.11	1.76	4.1	<0.2	<10	190	0.31	0.16	0.64	0.10	26.3	9.7	30
I315526		0.54	<0.005	0.10	1.77	5.5	<0.2	<10	170	0.33	0.18	0.38	0.05	30.4	7.1	27
I315527		0.50	<0.005	0.09	1.92	6.7	<0.2	<10	210	0.42	0.17	0.49	0.09	42.7	11.1	35
I315528		0.40	<0.005	0.09	1.82	9.9	<0.2	<10	170	0.30	0.20	0.34	0.15	21.5	8.2	40
I315529		0.32	<0.005	0.24	1.70	16.6	<0.2	<10	170	0.22	0.18	0.51	0.30	17.40	8.9	46
I315530		0.34	<0.005	0.32	2.50	23.9	<0.2	<10	230	0.58	0.26	0.43	0.17	53.1	15.6	49
I315531		0.34	<0.005	0.30	2.20	16.2	<0.2	<10	200	0.48	0.32	0.41	0.18	48.9	11.2	38
I315532		0.30	<0.005	0.27	2.14	15.0	<0.2	<10	190	0.47	0.31	0.38	0.15	43.6	10.1	37
I315533		0.32	<0.005	0.26	2.74	24.2	<0.2	<10	230	0.63	1.33	0.51	0.11	45.9	13.9	49
I315534		0.38	<0.005	0.13	0.36	2.1	<0.2	<10	40	0.05	0.14	0.10	0.15	4.05	2.1	10
I315535		0.36	<0.005	0.18	2.18	57.3	<0.2	<10	160	0.69	0.98	0.32	0.21	56.5	10.3	44
I315536		0.34	<0.005	0.11	2.01	10.0	<0.2	<10	200	0.37	0.33	0.44	0.24	27.0	11.2	51
I315537		0.44	<0.005	0.10	2.17	10.9	<0.2	<10	180	0.45	0.41	0.36	0.14	25.9	10.1	48
I315538		0.32	<0.005	0.14	2.72	8.3	<0.2	<10	210	0.70	0.32	0.35	0.14	34.8	12.4	56
I315539		0.30	<0.005	0.15	2.57	11.4	<0.2	<10	170	0.80	0.34	0.32	0.27	30.6	13.3	82
I315540		0.36	<0.005	0.11	1.97	11.8	<0.2	<10	100	0.69	0.57	0.24	0.13	28.8	8.2	36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315501		1.50	21.1	2.74	8.25	0.06	0.02	0.08	0.014	0.09	10.2	9.1	0.38	443	0.95
I315502		2.20	16.1	3.32	9.33	0.06	0.03	0.04	0.017	0.10	14.6	16.1	0.77	230	0.92
I315503		1.08	31.0	2.36	5.98	0.09	0.10	0.07	0.021	0.18	27.4	17.8	0.63	212	0.48
I315504		1.13	45.2	3.14	6.93	0.15	0.09	0.04	0.021	0.30	64.9	18.0	0.70	338	0.78
I315505		0.64	29.5	2.64	5.14	0.07	0.06	0.04	0.021	0.12	14.8	12.4	0.53	379	0.56
I315506		1.24	19.3	3.06	7.86	0.08	0.05	0.02	0.017	0.35	10.0	12.4	0.77	191	0.80
I315507		0.08	2.8	0.68	0.59	<0.05	0.06	0.01	<0.005	0.04	4.8	1.2	0.04	160	0.23
I315508		1.31	21.6	3.93	10.10	0.08	0.09	0.01	0.030	0.32	14.3	25.0	0.92	419	0.88
I315509		0.60	18.6	3.09	6.41	0.07	0.16	0.01	0.025	0.22	13.8	13.6	0.58	297	0.90
I315510		0.57	18.0	3.12	6.28	0.05	0.06	0.01	0.022	0.18	11.0	12.2	0.59	341	0.89
I315511		0.42	12.4	3.17	7.10	0.05	0.05	0.03	0.026	0.09	8.3	12.2	0.55	554	0.87
I315512		0.52	11.8	2.93	6.73	0.05	0.03	<0.01	0.019	0.07	7.3	10.3	0.46	198	0.83
I315513		0.86	19.0	3.21	6.59	0.07	0.06	0.08	0.024	0.19	15.5	11.3	0.52	998	0.83
I315514		1.44	19.9	3.16	7.11	0.08	0.05	0.01	0.020	0.39	13.6	12.2	0.68	364	0.85
I315515		1.08	35.8	3.03	7.78	0.07	0.07	0.01	0.025	0.09	17.6	13.2	0.59	281	1.39
I315516		0.71	25.4	2.77	6.73	0.07	0.06	0.01	0.022	0.08	13.5	16.6	0.57	460	1.73
I315517		0.74	17.7	2.78	7.32	0.06	0.03	0.01	0.019	0.08	10.1	18.6	0.63	213	3.03
I315518		1.05	35.9	2.71	7.27	0.08	0.06	0.03	0.023	0.06	16.8	15.8	0.68	288	2.46
I315519		1.52	52.4	2.95	7.54	0.10	0.05	0.03	0.025	0.13	19.8	18.5	0.98	229	4.33
I315520		0.09	2.5	0.64	0.68	<0.05	0.07	<0.01	<0.005	0.03	5.2	1.4	0.04	157	0.32
I315521		1.69	19.0	3.56	9.56	0.10	0.06	0.04	0.023	0.26	34.8	25.5	1.00	288	0.72
I315522		1.41	20.3	3.64	9.01	0.10	0.06	0.04	0.030	0.17	35.4	27.8	0.82	529	0.80
I315523		1.94	27.4	3.61	8.52	0.08	0.05	0.01	0.027	0.40	19.8	25.1	1.01	313	0.71
I315524		1.18	29.3	3.95	9.27	0.12	0.10	0.04	0.036	0.22	37.8	27.9	0.74	892	0.98
I315525		0.89	16.3	2.91	7.55	0.06	0.05	0.03	0.021	0.17	13.8	17.2	0.61	358	0.75
I315526		1.09	17.8	2.94	7.97	0.05	0.04	0.01	0.020	0.21	14.9	21.0	0.59	233	0.94
I315527		0.96	25.0	3.30	6.67	0.08	0.08	0.02	0.027	0.14	22.8	25.6	0.75	299	0.64
I315528		1.39	22.3	2.39	6.08	0.07	0.04	0.04	0.025	0.09	11.6	12.4	0.61	309	1.33
I315529		1.66	53.6	2.13	5.69	0.06	0.03	0.03	0.023	0.07	9.3	11.4	0.56	308	5.76
I315530		1.68	67.9	2.88	7.37	0.11	0.05	0.05	0.034	0.06	25.8	15.0	0.54	841	11.85
I315531		1.88	69.1	2.77	8.05	0.09	0.04	0.10	0.034	0.08	29.2	13.5	0.53	623	14.20
I315532		1.87	62.3	2.70	7.69	0.08	0.04	0.12	0.030	0.08	26.6	14.1	0.53	513	12.95
I315533		2.84	106.0	3.70	9.23	0.11	0.05	0.09	0.038	0.11	29.9	17.2	0.65	680	22.4
I315534		0.36	8.1	0.96	3.03	<0.05	<0.02	0.04	0.006	0.03	2.1	1.2	0.06	139	1.51
I315535		3.49	107.0	3.32	7.83	0.09	0.04	0.03	0.033	0.19	26.2	12.9	0.57	645	15.30
I315536		2.01	48.2	2.69	7.26	0.08	0.04	0.03	0.028	0.12	14.6	14.1	0.65	594	21.5
I315537		2.26	61.8	2.88	7.81	0.11	0.05	0.04	0.030	0.14	13.9	15.1	0.71	313	26.7
I315538		3.09	94.7	3.26	9.05	0.11	0.06	0.06	0.043	0.19	18.8	18.2	0.82	295	50.9
I315539		4.70	138.5	3.40	9.07	0.13	0.05	0.05	0.045	0.21	16.5	17.2	0.92	472	59.4
I315540		3.02	123.5	2.96	7.54	0.08	0.05	0.04	0.034	0.10	16.0	13.0	0.51	235	59.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315501		3.06	14.1	300	10.4	24.8	<0.001	0.02	0.20	2.6	0.4	0.7	11.8	<0.01	0.04
I315502		4.86	20.2	290	14.7	22.9	<0.001	0.04	0.18	4.0	0.5	0.8	12.7	<0.01	0.03
I315503		2.96	24.7	610	9.9	24.2	0.001	0.09	0.39	5.0	1.1	0.5	59.0	0.01	0.03
I315504		3.16	28.4	410	10.9	29.0	0.001	0.05	0.39	5.7	1.2	0.5	39.4	0.01	0.03
I315505		1.88	22.8	520	7.9	15.6	<0.001	0.03	0.35	4.3	0.6	0.5	38.9	<0.01	0.03
I315506		3.32	21.7	230	8.4	32.0	<0.001	0.02	0.25	4.6	0.3	0.7	21.1	<0.01	0.02
I315507		0.15	4.2	130	1.9	2.2	<0.001	0.01	0.12	0.6	<0.2	<0.2	7.5	<0.01	0.01
I315508		3.15	34.3	230	12.4	37.8	<0.001	0.01	0.32	6.5	0.3	0.8	23.5	0.01	0.02
I315509		2.10	23.8	230	10.4	21.2	<0.001	0.01	0.39	5.1	0.4	0.6	31.5	0.01	0.02
I315510		1.88	22.8	340	11.7	19.0	<0.001	0.02	0.35	4.2	0.3	0.5	37.0	0.01	0.02
I315511		1.90	22.3	270	10.0	7.3	<0.001	0.01	0.37	4.2	0.2	0.6	23.9	0.01	0.02
I315512		1.73	17.2	190	8.7	8.7	<0.001	0.01	0.34	2.8	<0.2	0.6	14.9	0.01	0.02
I315513		2.32	26.6	260	15.7	33.9	<0.001	0.02	0.35	4.6	0.4	0.5	44.7	0.01	0.03
I315514		2.89	29.1	290	22.6	50.4	<0.001	0.03	0.23	3.5	0.5	0.6	34.4	0.01	0.03
I315515		2.25	35.0	420	15.3	17.4	<0.001	0.01	0.31	3.9	0.6	0.6	31.8	0.02	0.03
I315516		1.59	26.3	400	11.9	16.3	<0.001	0.02	0.30	3.7	0.5	0.4	32.9	0.01	0.03
I315517		1.72	24.7	600	10.0	13.8	<0.001	0.01	0.21	3.2	0.5	0.5	28.0	0.01	0.03
I315518		1.70	31.2	500	10.0	16.4	<0.001	0.03	0.25	4.4	1.1	0.5	45.4	0.02	0.04
I315519		1.68	59.4	800	9.1	17.5	0.001	0.10	0.18	4.8	2.3	0.5	48.2	0.01	0.05
I315520		0.19	4.7	130	1.6	2.0	<0.001	0.01	0.12	0.6	<0.2	<0.2	6.9	0.01	0.01
I315521		3.58	24.0	390	6.6	34.0	<0.001	0.02	0.18	5.7	0.7	0.7	32.6	0.01	0.02
I315522		2.76	21.0	400	7.9	28.1	<0.001	0.02	0.19	6.0	0.7	0.9	28.7	0.01	0.02
I315523		3.11	23.2	380	5.9	45.8	<0.001	0.02	0.15	4.8	0.4	0.7	30.1	<0.01	0.01
I315524		2.75	22.4	370	9.4	27.9	0.001	0.02	0.28	6.9	0.9	0.8	34.6	0.01	0.03
I315525		3.09	19.6	240	8.4	20.2	<0.001	0.02	0.28	4.2	0.5	0.6	35.6	<0.01	0.03
I315526		2.69	17.9	420	7.5	23.0	<0.001	0.02	0.22	3.4	0.3	0.7	28.6	<0.01	0.02
I315527		2.46	24.9	330	8.9	17.6	<0.001	0.02	0.30	5.0	0.6	0.6	35.5	<0.01	0.02
I315528		1.72	22.4	690	9.0	16.2	<0.001	0.03	0.56	4.9	0.5	0.6	24.6	<0.01	0.02
I315529		0.96	22.7	690	5.2	15.0	<0.001	0.06	1.04	4.1	0.6	0.5	38.5	<0.01	0.03
I315530		1.19	28.7	1060	8.7	14.3	<0.001	0.10	1.29	4.8	1.4	0.6	40.6	0.01	0.04
I315531		1.40	21.1	930	9.2	18.9	<0.001	0.09	0.49	4.5	1.1	0.7	37.9	0.01	0.04
I315532		1.44	20.8	870	8.7	19.0	<0.001	0.09	0.46	4.5	1.0	0.7	36.4	0.01	0.04
I315533		2.08	32.8	940	9.7	23.4	<0.001	0.07	0.69	6.1	1.2	0.9	44.0	0.01	0.14
I315534		0.45	5.2	410	2.9	3.4	<0.001	0.05	0.24	0.9	0.4	0.3	12.5	<0.01	0.02
I315535		1.70	25.3	770	28.0	35.7	<0.001	0.03	3.63	4.9	0.8	0.8	56.0	<0.01	0.11
I315536		1.58	26.6	620	5.9	23.5	<0.001	0.06	0.39	4.6	0.6	0.6	38.3	<0.01	0.05
I315537		1.92	28.3	690	5.9	25.1	<0.001	0.04	0.32	5.1	0.7	0.6	31.1	<0.01	0.07
I315538		2.29	34.8	710	7.1	35.6	0.001	0.03	0.33	7.8	0.9	0.8	28.9	<0.01	0.05
I315539		2.48	52.3	600	5.3	37.1	0.001	0.04	0.30	6.9	0.8	1.0	28.9	<0.01	0.06
I315540		2.23	21.4	440	4.9	21.9	0.001	0.03	0.37	5.3	0.7	0.9	23.0	0.01	0.09



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315501		0.150	0.12	0.63	63	0.20	3.28	46	1.0
I315502		0.186	0.21	1.00	72	0.17	4.12	65	1.5
I315503		0.118	0.13	1.49	48	0.13	13.30	60	4.9
I315504		0.159	0.15	4.11	60	0.18	29.1	64	4.1
I315505		0.110	0.08	0.70	56	0.18	9.08	49	2.5
I315506		0.189	0.19	0.52	67	0.16	3.70	66	2.2
I315507		0.007	0.03	0.32	4	<0.05	2.07	6	2.6
I315508		0.203	0.21	0.68	80	0.19	4.81	68	3.7
I315509		0.133	0.10	0.63	63	0.17	5.99	56	6.4
I315510		0.113	0.09	0.56	63	0.17	4.25	65	2.2
I315511		0.115	0.10	0.38	67	0.20	2.93	79	1.8
I315512		0.119	0.09	0.31	69	0.15	1.99	45	1.3
I315513		0.117	0.13	0.71	59	0.20	6.78	66	2.2
I315514		0.173	0.23	0.66	55	0.14	4.49	82	2.1
I315515		0.118	0.11	1.30	75	0.19	10.20	112	2.8
I315516		0.093	0.09	0.80	63	0.19	6.28	81	2.2
I315517		0.114	0.09	0.61	75	0.38	4.51	96	1.5
I315518		0.105	0.14	1.78	78	0.16	10.00	109	2.3
I315519		0.134	0.18	2.37	96	0.19	13.25	211	1.9
I315520		0.007	0.04	0.32	4	<0.05	2.19	5	2.3
I315521		0.183	0.19	2.10	59	0.13	15.45	65	1.9
I315522		0.145	0.16	1.89	65	0.16	14.95	54	1.8
I315523		0.198	0.24	0.98	63	0.27	8.88	59	1.6
I315524		0.145	0.15	2.75	71	0.19	22.5	65	3.0
I315525		0.139	0.12	0.68	56	0.34	5.78	49	2.0
I315526		0.137	0.15	0.70	54	0.22	6.58	44	1.3
I315527		0.129	0.10	1.07	61	0.44	11.30	56	3.2
I315528		0.120	0.14	1.47	59	1.29	5.93	55	1.3
I315529		0.089	0.12	0.68	56	1.50	7.20	48	0.8
I315530		0.088	0.18	2.98	68	1.10	23.1	63	1.1
I315531		0.099	0.20	6.06	65	0.90	13.60	64	1.2
I315532		0.104	0.19	5.43	64	1.18	12.25	63	1.1
I315533		0.133	0.29	6.80	83	4.31	14.00	70	1.8
I315534		0.045	0.05	0.33	30	0.20	0.87	19	<0.5
I315535		0.111	0.30	2.58	63	5.95	9.64	79	1.4
I315536		0.128	0.18	1.32	66	0.95	7.22	65	1.3
I315537		0.146	0.19	1.27	74	1.41	6.88	61	1.6
I315538		0.165	0.30	2.33	86	1.65	9.59	65	2.4
I315539		0.165	0.30	1.89	86	4.25	7.58	82	1.7
I315540		0.138	0.21	1.56	72	9.35	8.19	51	2.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315541		0.48	<0.005	0.08	2.45	14.0	<0.2	<10	230	1.11	0.26	0.48	0.18	34.3	10.6	54
I315542		0.48	<0.005	0.17	2.22	12.1	<0.2	<10	200	1.19	0.28	0.52	0.22	35.8	13.3	58
I315543		0.54	<0.005	0.12	2.32	18.3	<0.2	<10	170	1.28	0.30	0.51	0.14	37.4	14.7	52
I315544		0.46	<0.005	0.52	1.91	8.9	<0.2	<10	100	5.56	4.07	0.82	0.28	37.8	16.0	46
I315545		0.50	<0.005	0.07	2.55	6.0	<0.2	<10	150	1.56	0.19	0.42	0.09	38.8	12.8	61
I315546		0.40	<0.005	0.06	2.67	5.9	<0.2	<10	160	1.63	0.19	0.43	0.07	44.5	13.3	63
I315547		0.36	<0.005	0.09	2.40	7.0	<0.2	<10	130	1.12	0.37	0.33	0.24	29.8	12.0	55
I315548		0.48	0.007	0.15	2.63	49.3	<0.2	<10	170	1.15	0.21	0.49	0.15	38.8	11.9	68
I315549		0.42	<0.005	0.18	2.66	28.7	<0.2	<10	180	1.18	0.21	0.51	0.14	43.8	14.6	60
I315550		0.38	<0.005	0.15	2.76	59.0	<0.2	<10	190	0.80	0.22	0.48	0.10	26.3	13.0	61
I034251		0.38	<0.005	0.19	1.87	2.4	<0.2	<10	330	0.22	0.11	0.63	0.24	26.5	14.5	20
I034252		0.36	<0.005	0.10	1.40	5.0	<0.2	<10	140	0.25	0.03	0.64	0.21	18.10	16.5	22
I034253		0.24	<0.005	0.10	1.22	3.2	<0.2	<10	170	0.14	0.02	0.41	0.10	16.85	9.8	17
I034254		0.58	<0.005	0.06	1.78	13.6	<0.2	<10	220	0.28	0.05	0.70	0.15	24.1	10.8	20
I034255		0.46	<0.005	0.04	1.28	5.1	<0.2	<10	100	0.36	0.15	0.69	0.10	25.4	13.0	31
I034256		0.44	<0.005	0.03	1.19	3.5	<0.2	<10	100	0.27	0.02	0.59	0.09	25.4	10.9	28
I034257		0.40	<0.005	0.04	1.47	4.6	<0.2	<10	130	0.35	0.07	0.78	0.13	18.85	10.0	33
I034258		0.32	<0.005	0.07	1.46	4.5	<0.2	<10	200	0.57	0.11	1.28	0.13	44.5	9.1	26
I034259		0.64	<0.005	0.12	0.91	6.3	<0.2	<10	160	0.24	0.12	0.27	0.18	37.3	14.5	21
I033141		0.44	0.005	0.63	1.68	8.3	<0.2	<10	130	0.31	0.75	0.25	0.33	11.90	9.4	26



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315541		4.14	105.5	3.15	8.89	0.13	0.08	0.07	0.048	0.25	18.6	17.8	0.83	313	65.2
I315542		4.77	191.5	3.13	7.73	0.16	0.24	0.18	0.052	0.27	16.6	14.7	0.77	231	112.5
I315543		3.79	186.0	3.90	8.13	0.16	0.17	0.13	0.048	0.23	16.9	14.5	0.80	366	127.0
I315544		10.00	579	6.28	8.34	0.33	0.05	8.03	0.393	0.18	24.0	12.3	0.62	982	259
I315545		3.62	104.0	3.76	8.85	0.12	0.07	0.07	0.064	0.30	19.8	15.2	0.90	457	20.7
I315546		3.67	109.0	3.78	9.04	0.13	0.09	0.08	0.066	0.30	23.2	15.6	0.92	441	21.0
I315547		4.28	168.5	3.86	10.30	0.11	0.05	0.05	0.050	0.24	14.6	16.2	0.76	406	96.6
I315548		4.72	224	3.81	9.33	0.15	0.06	0.08	0.053	0.32	18.9	16.7	0.95	393	115.5
I315549		3.70	201	3.50	9.24	0.12	0.05	0.07	0.047	0.25	21.8	15.9	0.84	478	124.5
I315550		3.52	123.5	3.57	9.53	0.10	0.05	0.07	0.042	0.18	12.8	17.3	0.92	373	126.0
I034251		0.72	58.0	2.85	7.27	0.09	0.02	0.06	0.033	0.17	11.6	10.0	0.95	627	0.78
I034252		0.60	29.5	2.39	5.10	0.06	<0.02	0.03	0.017	0.10	9.6	10.9	0.62	388	0.72
I034253		0.64	25.7	2.12	5.03	0.06	<0.02	0.04	0.017	0.07	8.6	7.3	0.51	291	0.68
I034254		1.65	13.0	2.82	6.11	0.09	0.05	0.05	0.022	0.21	12.5	13.0	0.70	502	0.50
I034255		1.84	15.2	2.51	4.40	0.08	0.03	0.02	0.019	0.10	13.5	12.4	0.63	382	0.47
I034256		1.53	13.3	2.21	4.24	0.07	0.02	0.02	0.016	0.08	14.4	10.3	0.52	333	0.41
I034257		0.69	16.3	2.48	5.05	<0.05	0.05	0.02	0.017	0.05	8.9	11.7	0.63	378	0.47
I034258		1.56	22.6	2.37	5.56	0.05	0.10	0.04	0.022	0.08	31.3	13.1	0.58	303	0.39
I034259		4.45	15.5	2.35	3.40	<0.05	0.02	0.02	0.017	0.07	18.5	6.3	0.28	769	2.00
I033141		1.46	110.5	2.83	7.06	<0.05	0.04	0.04	0.028	0.25	6.0	11.8	0.56	561	3.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I315541		2.35	32.8	700	5.9	39.7	0.001	0.02	0.26	9.1	0.8	0.9	31.8	<0.01	0.05	5.3
I315542		1.75	39.8	740	5.3	41.5	0.003	0.07	0.34	9.8	1.0	1.0	35.7	<0.01	0.05	5.6
I315543		1.66	39.2	840	5.4	37.5	0.001	0.02	0.32	8.5	1.1	0.9	29.0	<0.01	0.05	5.7
I315544		0.94	36.0	1120	2.9	22.6	0.002	0.03	0.22	11.0	1.6	8.0	23.2	<0.01	0.16	6.1
I315545		2.65	32.7	420	4.6	39.6	0.001	0.03	0.25	8.2	0.5	1.4	30.0	<0.01	0.03	5.2
I315546		2.58	33.2	470	4.7	38.6	0.001	0.03	0.26	8.7	0.6	1.4	30.1	<0.01	0.03	5.7
I315547		3.28	35.9	410	4.9	37.8	0.001	0.04	0.30	6.6	0.6	1.2	22.4	<0.01	0.06	3.5
I315548		2.57	37.9	600	4.3	49.3	0.001	0.03	1.75	8.9	0.7	1.0	29.6	<0.01	0.05	5.1
I315549		2.64	36.7	730	4.9	36.1	0.001	0.05	1.07	7.9	1.1	1.0	31.2	<0.01	0.05	3.6
I315550		2.56	34.4	580	4.9	27.6	0.001	0.04	1.25	6.8	0.7	0.8	29.5	<0.01	0.05	3.0
I034251		1.11	13.6	950	4.6	13.5	0.001	0.15	0.15	8.3	1.2	0.5	38.8	<0.01	0.05	1.2
I034252		1.03	13.7	600	5.2	9.3	<0.001	0.04	0.15	4.6	0.9	0.4	33.3	<0.01	0.02	1.5
I034253		0.82	10.2	580	4.3	8.3	<0.001	0.04	0.12	4.2	0.6	0.3	23.4	<0.01	0.02	0.8
I034254		1.97	13.2	670	5.3	21.0	<0.001	0.01	0.31	5.6	0.7	0.6	37.1	<0.01	0.01	2.1
I034255		1.02	25.6	610	7.2	17.6	<0.001	0.01	0.28	3.5	0.5	0.3	33.2	<0.01	0.02	4.2
I034256		0.94	21.1	640	6.2	13.3	<0.001	0.01	0.20	3.2	0.6	0.3	32.9	<0.01	0.01	3.8
I034257		1.33	22.0	690	5.4	7.9	<0.001	0.02	0.23	4.2	0.5	0.4	40.8	<0.01	0.02	2.6
I034258		1.33	20.6	700	10.0	13.3	0.001	0.05	0.36	4.6	1.1	0.5	94.5	0.01	0.02	4.6
I034259		0.68	20.3	900	6.5	12.6	0.001	0.02	0.27	2.7	0.7	0.3	19.5	<0.01	0.04	3.0
I033141		1.10	14.5	530	5.3	26.5	<0.001	0.03	0.47	5.1	0.7	0.6	19.2	<0.01	0.03	0.6



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

www.alsglobal.com

**SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5**

**Total # Pages: 7 (A - D)
Plus Appendix Pages**

Account: EIASOI

Project: SQL10-06

CERTIFICATE OF ANALYSIS WH10122489[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 23-SEP-2010
Account: EIASQI

CERTIFICATE WH10122681

Project: SQI10-06

P.O. No.: SQI10-06_23

This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315871		0.56	<0.005	0.16	1.79	10.9	<0.2	<10	330	0.64	0.19	0.59	0.12	33.9	13.9	33
I315872		0.60	<0.005	0.07	1.52	7.7	<0.2	<10	270	0.30	0.18	0.44	0.19	16.05	9.9	26
I315873		0.44	<0.005	0.13	1.97	4.4	<0.2	<10	210	0.63	0.27	0.21	0.31	67.8	6.4	28
I315874		0.44	<0.005	0.44	2.22	8.1	<0.2	<10	420	1.00	0.34	0.59	0.50	123.0	17.2	32
I315875		0.44	NSS	0.03	0.29	10.2	<0.2	<10	90	0.34	0.04	0.57	0.28	35.9	10.9	14
I315876		0.50	0.006	0.31	2.14	7.4	<0.2	<10	240	0.43	0.23	0.76	0.50	26.2	8.9	27
I315877		0.44	<0.005	0.17	2.44	8.6	<0.2	<10	250	0.32	0.23	0.66	0.27	20.3	12.4	37
I315878		0.46	<0.005	0.09	0.47	2.7	<0.2	<10	30	0.08	0.11	0.07	0.09	5.36	1.4	12
I315879		0.48	0.007	0.30	1.99	10.1	<0.2	<10	200	0.36	0.19	0.67	0.24	28.6	12.2	37
I315880		0.52	0.007	0.20	2.21	11.4	<0.2	<10	210	0.43	0.22	0.64	0.27	32.2	11.5	44
I315881		0.52	<0.005	0.07	0.78	4.5	<0.2	<10	30	0.17	0.17	0.10	0.11	7.97	3.1	14
I315882		0.56	0.006	0.11	2.07	15.2	<0.2	<10	110	0.44	0.34	0.21	0.19	17.85	9.6	33
I315883		0.48	0.006	0.13	0.45	3.3	<0.2	<10	50	0.09	0.22	0.10	0.16	7.04	3.1	11
I315884		0.54	<0.005	0.09	1.55	10.4	<0.2	<10	120	0.34	0.61	0.35	0.23	29.3	8.6	33
I315885		0.60	<0.005	0.08	1.91	15.1	<0.2	<10	70	0.29	0.43	0.24	0.14	13.45	7.1	37
I315886		0.62	<0.005	0.09	2.42	4.8	<0.2	<10	150	0.49	0.54	0.33	0.14	31.4	14.3	112
I315887		0.40	NSS	0.02	0.25	9.3	<0.2	<10	70	0.28	0.04	0.40	0.26	27.3	9.1	11
I315888		0.70	0.006	0.14	2.85	6.9	<0.2	<10	240	0.67	0.50	0.40	0.18	40.8	19.8	89
I315889		0.52	0.005	0.05	2.57	8.1	<0.2	<10	160	0.88	0.24	0.29	0.20	27.6	15.4	64
I315890		0.64	<0.005	0.11	2.76	17.7	<0.2	<10	200	0.91	0.23	0.34	0.11	26.3	9.9	53
I315891		0.74	0.005	0.11	2.16	5.7	<0.2	<10	160	1.03	0.29	0.57	0.10	34.6	14.9	50
I315892		0.48	<0.005	0.15	0.88	0.9	<0.2	<10	60	0.36	0.10	0.38	0.14	9.96	4.0	20
I315893		0.64	<0.005	0.08	2.32	5.5	<0.2	<10	160	0.88	0.18	0.47	0.10	36.6	11.0	56
I315894		0.80	<0.005	0.10	2.72	10.8	<0.2	<10	310	1.12	0.16	0.66	0.11	39.5	16.9	78
I315895		0.80	0.010	0.09	2.57	29.9	<0.2	<10	140	1.01	0.21	0.35	0.13	26.7	11.6	50
I315896		0.60	0.027	0.13	2.52	82.9	<0.2	<10	190	0.85	0.21	0.43	0.19	31.9	17.5	49
I315897		0.54	<0.005	0.06	2.47	12.9	<0.2	<10	210	0.45	0.14	0.50	0.04	18.20	12.1	60
I315898		0.66	<0.005	0.08	1.83	10.1	<0.2	<10	150	0.41	0.09	0.38	0.05	19.70	10.3	44
I315899		0.50	<0.005	0.16	2.32	20.5	<0.2	<10	160	0.57	0.15	0.26	0.14	20.3	12.0	42
I315900		0.52	<0.005	0.19	2.44	25.8	<0.2	<10	170	0.67	0.19	0.27	0.17	23.0	13.6	45
I315901		0.32	0.011	0.22	1.29	37.1	<0.2	<10	100	0.60	0.18	0.68	0.25	20.1	5.5	26
I315902		0.26	0.028	0.42	2.54	169.5	<0.2	<10	180	1.05	0.29	0.70	0.12	25.3	14.4	45
I315903		0.26	<0.005	0.20	1.54	42.1	<0.2	<10	130	0.72	0.17	0.44	0.21	19.05	8.4	28
I315904		0.34	0.006	0.12	1.60	14.1	<0.2	<10	130	0.48	0.17	0.36	0.25	16.55	7.9	32
I315905		0.34	<0.005	0.07	2.54	17.1	<0.2	<10	220	0.62	0.16	0.33	0.03	19.10	15.0	47
I315906		0.30	<0.005	0.17	1.72	8.3	<0.2	<10	190	0.47	0.14	0.29	0.14	18.25	10.6	32
I315907		0.30	<0.005	0.17	1.41	12.6	<0.2	<10	110	0.22	0.13	0.20	0.11	12.35	5.5	26
I315908		0.22	<0.005	0.10	1.65	11.0	<0.2	<10	140	0.27	0.13	0.27	0.22	13.90	7.8	30
I315909		0.34	0.008	0.35	3.23	19.9	<0.2	<10	350	0.60	0.20	0.47	0.03	23.7	12.9	62
I315910		0.36	<0.005	0.32	2.93	18.1	<0.2	<10	330	0.49	0.20	0.46	0.02	23.9	11.7	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315871		0.50	34.3	2.91	5.93	0.05	0.21	0.04	0.026	0.06	15.8	13.2	0.56	449	1.24
I315872		0.37	12.4	2.25	6.09	<0.05	0.02	0.02	0.019	0.08	8.4	12.3	0.39	425	1.39
I315873		1.40	25.5	2.37	7.22	0.08	0.06	0.07	0.033	0.06	43.2	8.9	0.28	324	1.09
I315874		1.95	50.6	3.05	8.53	0.19	0.10	0.19	0.039	0.07	68.7	10.1	0.35	3540	2.28
I315875		0.28	9.0	2.21	1.90	0.06	0.04	0.02	0.007	0.05	19.4	4.2	0.24	868	1.48
I315876		1.53	34.2	2.11	6.90	<0.05	0.05	0.08	0.025	0.06	15.2	11.4	0.43	486	1.03
I315877		1.39	30.3	2.99	6.73	0.07	0.06	0.06	0.030	0.11	12.0	11.5	0.54	681	1.82
I315878		0.56	9.4	0.69	2.47	<0.05	<0.02	0.03	0.007	0.03	3.0	1.4	0.07	42	0.89
I315879		1.37	92.2	2.23	5.58	0.08	0.04	0.07	0.024	0.07	14.0	12.1	0.48	602	7.13
I315880		1.48	72.0	2.55	6.82	0.08	0.04	0.06	0.026	0.08	18.8	13.1	0.57	627	13.25
I315881		0.84	15.6	1.32	5.34	<0.05	<0.02	0.05	0.013	0.04	4.2	3.7	0.14	89	2.49
I315882		1.89	48.3	3.10	8.37	0.07	0.07	0.05	0.030	0.08	8.6	13.3	0.46	416	5.78
I315883		0.59	17.7	1.01	3.00	<0.05	<0.02	0.05	0.010	0.04	4.0	1.5	0.08	59	2.81
I315884		1.36	50.6	2.32	6.29	0.08	0.04	0.05	0.025	0.11	15.4	9.5	0.44	299	5.15
I315885		1.59	35.6	2.58	9.44	0.07	0.05	0.04	0.022	0.08	7.1	10.3	0.40	163	10.30
I315886		3.86	110.5	2.85	7.58	0.12	0.06	0.04	0.028	0.16	16.1	15.6	1.06	305	26.8
I315887		0.26	10.2	2.08	1.48	0.08	0.07	0.02	0.007	0.04	13.1	3.4	0.18	732	1.59
I315888		4.82	284	3.94	9.45	0.12	0.08	0.04	0.044	0.24	21.1	17.7	0.93	490	68.0
I315889		4.63	95.8	3.59	8.64	0.12	0.07	0.04	0.039	0.27	13.6	15.8	0.79	510	103.0
I315890		2.84	92.4	3.51	8.55	0.10	0.06	0.07	0.038	0.13	13.4	13.6	0.73	227	51.9
I315891		3.60	122.0	3.33	7.56	0.15	0.12	0.06	0.048	0.21	17.0	14.0	1.10	495	47.8
I315892		1.07	43.1	1.05	4.18	<0.05	0.02	0.09	0.015	0.04	6.2	4.3	0.28	363	60.5
I315893		3.17	117.5	3.23	8.05	0.11	0.09	0.03	0.043	0.22	20.2	13.9	0.83	350	51.0
I315894		5.81	120.5	3.79	9.66	0.17	0.16	0.04	0.056	0.46	20.2	16.3	1.07	371	121.0
I315895		3.44	65.7	3.08	10.15	0.11	0.06	0.04	0.048	0.14	13.0	15.0	0.82	272	72.6
I315896		3.70	100.5	3.37	8.01	0.11	0.05	0.07	0.048	0.10	15.5	13.4	0.71	759	89.5
I315897		2.85	127.0	3.28	7.09	0.07	0.07	0.03	0.030	0.07	9.5	13.4	1.02	418	120.0
I315898		2.95	104.5	2.67	6.25	0.11	0.06	0.04	0.022	0.15	11.3	10.3	0.69	271	142.0
I315899		2.59	125.5	3.19	8.53	0.07	0.05	0.05	0.025	0.08	11.1	13.0	0.61	398	72.7
I315900		3.18	140.5	3.55	10.05	0.08	0.05	0.07	0.030	0.09	12.5	14.8	0.66	436	87.2
I315901		4.27	133.5	1.74	5.19	0.06	0.03	0.09	0.027	0.06	11.8	8.2	0.39	220	60.0
I315902		7.91	293	3.42	8.03	0.10	0.03	0.20	0.062	0.09	13.8	16.6	0.69	792	159.5
I315903		4.18	99.8	2.03	5.64	0.07	0.03	0.09	0.030	0.06	12.0	8.9	0.39	314	78.3
I315904		2.46	49.7	2.18	7.09	0.06	0.03	0.02	0.024	0.08	9.0	9.8	0.49	329	65.8
I315905		2.49	71.9	2.99	7.87	0.08	0.04	0.03	0.031	0.07	9.5	13.2	0.70	748	152.0
I315906		1.68	47.2	2.32	6.60	0.07	0.04	0.07	0.022	0.07	9.9	9.5	0.46	403	117.5
I315907		1.19	31.0	1.94	6.10	0.05	0.03	0.03	0.016	0.05	6.5	7.3	0.33	146	68.0
I315908		1.37	41.4	2.30	6.82	0.06	0.05	0.04	0.021	0.07	7.1	10.5	0.41	256	86.7
I315909		3.58	161.0	3.60	10.10	0.10	0.05	0.10	0.035	0.17	12.0	15.0	0.88	442	210
I315910		2.56	134.5	3.24	8.77	0.08	0.05	0.09	0.032	0.12	12.3	12.4	0.69	458	228



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315871		1.61	26.1	630	9.2	7.6	0.001	0.01	0.70	7.2	0.8	0.6	42.2	<0.01	0.03
I315872		1.41	17.7	370	7.6	7.9	<0.001	0.01	0.38	3.4	<0.2	0.6	34.4	<0.01	0.03
I315873		2.06	13.0	750	8.5	18.5	0.001	0.05	0.31	5.3	1.3	0.9	21.9	0.01	0.04
I315874		1.85	21.0	1330	10.9	16.8	0.002	0.13	0.56	7.8	2.6	1.1	62.3	0.02	0.06
I315875		0.66	22.2	650	4.5	6.1	<0.001	0.01	0.59	2.4	<0.2	0.3	13.8	<0.01	0.02
I315876		1.53	17.2	1140	8.2	15.2	0.001	0.10	1.12	5.2	0.9	0.8	75.2	0.01	0.04
I315877		1.89	21.1	880	7.3	22.9	0.001	0.10	0.51	4.6	0.7	0.8	51.7	<0.01	0.05
I315878		0.42	3.8	460	3.0	5.2	<0.001	0.04	0.26	0.8	0.4	0.3	8.4	<0.01	0.01
I315879		0.94	22.7	870	5.4	14.5	<0.001	0.10	0.89	3.7	1.0	0.5	48.6	<0.01	0.04
I315880		1.19	27.9	800	6.3	14.2	0.001	0.09	0.61	3.5	0.9	0.6	47.2	<0.01	0.04
I315881		0.80	7.4	360	5.4	6.1	<0.001	0.04	0.37	1.2	0.6	0.5	11.9	<0.01	0.04
I315882		2.48	20.7	540	8.3	16.6	<0.001	0.04	0.56	3.3	0.6	0.9	18.0	<0.01	0.07
I315883		0.48	7.8	460	3.4	5.4	<0.001	0.05	0.44	0.9	0.5	0.4	13.7	<0.01	0.04
I315884		1.55	19.5	640	4.9	18.2	<0.001	0.05	0.44	2.9	0.7	0.7	28.2	<0.01	0.06
I315885		2.37	17.3	360	7.4	15.1	<0.001	0.02	0.62	3.4	0.5	1.7	24.2	<0.01	0.08
I315886		1.96	63.8	680	4.6	30.9	0.001	0.02	0.26	4.6	0.7	0.7	24.6	<0.01	0.22
I315887		0.59	16.8	540	4.0	5.0	<0.001	0.02	0.56	1.6	0.3	0.3	10.1	<0.01	0.02
I315888		2.42	50.2	770	5.7	33.1	0.001	0.03	0.40	6.0	0.9	1.0	48.5	0.01	0.10
I315889		2.38	33.4	660	5.6	30.7	<0.001	0.03	0.30	6.4	0.8	1.0	18.3	<0.01	0.06
I315890		1.92	26.4	610	6.0	18.4	0.001	0.02	0.28	5.9	0.6	0.8	21.0	<0.01	0.04
I315891		2.63	28.1	840	5.3	32.8	0.001	0.02	0.33	6.8	0.7	0.8	28.7	<0.01	0.05
I315892		0.76	8.8	740	3.4	5.0	0.001	0.10	0.15	1.5	0.9	0.3	21.6	<0.01	0.01
I315893		2.36	29.1	630	4.7	30.5	0.001	0.02	0.28	7.3	0.6	1.0	31.6	<0.01	0.03
I315894		2.12	39.0	740	4.4	56.6	0.003	0.04	0.27	10.0	0.9	0.9	32.7	<0.01	0.04
I315895		2.40	26.9	710	6.5	21.5	<0.001	0.03	0.65	5.3	0.6	1.0	20.1	<0.01	0.04
I315896		1.83	28.1	870	5.9	17.2	0.001	0.03	1.67	5.3	0.6	0.8	24.6	<0.01	0.05
I315897		2.36	28.9	480	4.3	14.7	0.001	0.03	0.54	5.5	0.5	0.6	20.6	<0.01	0.04
I315898		2.10	26.8	650	3.6	23.0	0.001	0.02	0.32	5.5	0.6	0.5	21.8	<0.01	0.04
I315899		1.86	26.4	590	6.6	17.8	0.001	0.04	1.35	4.3	0.7	0.7	20.0	<0.01	0.06
I315900		2.16	29.9	580	7.5	21.2	<0.001	0.04	1.67	5.0	0.9	0.7	22.3	<0.01	0.08
I315901		1.06	17.8	820	3.9	12.7	0.002	0.10	1.23	1.9	1.1	0.5	33.3	<0.01	0.05
I315902		1.57	34.7	920	5.1	18.9	0.002	0.09	5.66	4.6	1.3	0.9	35.1	<0.01	0.08
I315903		1.07	19.7	640	4.0	15.7	0.001	0.06	1.17	3.3	0.9	0.6	26.6	<0.01	0.04
I315904		1.54	19.7	410	5.3	33.8	<0.001	0.03	0.44	2.9	0.5	0.7	23.5	<0.01	0.03
I315905		1.73	25.0	590	5.6	15.3	0.001	0.03	0.39	4.8	0.7	0.6	20.4	<0.01	0.04
I315906		1.59	19.3	510	5.2	17.8	0.001	0.03	0.27	3.5	0.7	0.5	25.8	<0.01	0.04
I315907		1.33	15.0	410	4.9	13.5	<0.001	0.03	0.98	2.5	0.5	0.5	17.2	<0.01	0.03
I315908		1.81	18.8	370	5.2	20.6	<0.001	0.02	0.71	3.8	0.6	0.6	23.5	<0.01	0.04
I315909		2.05	37.8	710	6.7	29.6	0.002	0.05	0.53	7.9	1.2	0.8	36.4	<0.01	0.07
I315910		1.71	32.3	840	6.4	21.6	0.002	0.07	0.49	6.4	1.1	0.7	35.4	<0.01	0.06



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315871		0.085	0.07	2.53	62	0.18	11.45	53	10.0
I315872		0.062	0.07	0.35	57	0.22	2.79	49	0.8
I315873		0.072	0.16	8.48	46	0.33	26.0	45	1.5
I315874		0.056	0.33	27.7	55	0.47	59.3	68	1.5
I315875		0.020	0.17	0.80	17	0.14	8.51	22	2.4
I315876		0.065	0.16	4.85	46	0.40	13.45	73	1.6
I315877		0.090	0.14	2.55	61	0.78	8.15	83	2.0
I315878		0.036	0.05	0.73	18	0.24	1.40	12	<0.5
I315879		0.069	0.13	1.12	51	0.99	12.25	49	1.1
I315880		0.083	0.13	2.31	64	1.16	15.15	70	1.3
I315881		0.059	0.07	0.58	34	0.24	1.67	22	0.6
I315882		0.115	0.15	1.42	67	3.66	3.80	58	2.3
I315883		0.038	0.08	0.82	31	0.29	1.42	23	<0.5
I315884		0.101	0.14	1.58	55	2.83	6.18	50	1.6
I315885		0.136	0.13	0.62	70	1.47	3.33	35	2.1
I315886		0.136	0.25	1.63	63	2.76	6.69	58	2.0
I315887		0.023	0.13	0.66	18	0.11	6.92	20	3.3
I315888		0.168	0.30	2.83	84	8.24	9.96	78	2.9
I315889		0.169	0.31	0.92	109	1.57	6.81	69	2.9
I315890		0.147	0.27	1.05	86	5.13	6.97	61	2.1
I315891		0.167	0.28	0.92	77	19.30	9.18	65	5.1
I315892		0.061	0.09	1.03	24	0.84	3.35	27	0.8
I315893		0.185	0.28	1.02	81	4.26	9.06	67	3.9
I315894		0.246	0.45	1.22	120	4.50	11.25	75	5.8
I315895		0.151	0.21	0.84	80	3.14	5.66	63	1.9
I315896		0.141	0.24	1.02	79	1.01	8.68	68	2.0
I315897		0.171	0.14	0.94	89	1.60	4.43	63	2.4
I315898		0.161	0.20	0.72	81	2.17	7.19	48	2.4
I315899		0.124	0.16	0.95	88	0.33	6.04	58	1.7
I315900		0.140	0.18	1.01	97	0.36	6.61	62	1.9
I315901		0.059	0.11	1.09	39	1.40	5.83	50	1.2
I315902		0.095	0.17	1.64	70	1.97	7.99	102	1.2
I315903		0.069	0.10	1.20	45	1.07	5.82	61	1.0
I315904		0.102	0.09	0.57	53	1.12	3.33	64	1.0
I315905		0.134	0.18	0.99	80	0.46	4.42	58	1.6
I315906		0.108	0.11	0.90	60	0.27	5.06	46	1.2
I315907		0.099	0.09	0.50	56	0.25	2.72	36	1.0
I315908		0.110	0.10	0.54	61	0.24	3.40	46	1.6
I315909		0.153	0.30	1.24	104	0.63	7.12	66	2.2
I315910		0.119	0.22	1.38	93	0.49	7.53	58	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315911		0.32	0.008	0.58	2.39	18.9	<0.2	<10	250	0.54	0.28	1.19	0.40	25.2	11.5	41
I315912		0.32	0.008	0.23	2.48	13.4	<0.2	<10	220	0.48	0.25	0.50	0.14	19.20	17.1	45
I315913		0.36	0.011	0.39	2.70	13.6	<0.2	<10	250	0.45	0.26	0.74	0.17	19.70	13.8	44
I315914		0.48	0.013	0.31	3.22	21.2	<0.2	<10	350	0.44	0.50	0.70	0.18	18.05	13.7	61
I315915		0.34	0.009	0.14	2.64	5.8	<0.2	<10	320	0.43	0.37	0.63	0.19	19.20	12.5	55
I315916		0.36	0.010	0.30	2.57	10.1	<0.2	<10	350	0.38	0.59	0.85	0.46	16.85	14.5	50
I315917		0.32	0.006	0.34	2.38	18.3	<0.2	<10	310	0.33	0.44	0.77	0.33	14.20	12.7	42
I315918		0.42	0.009	0.38	2.74	11.7	<0.2	<10	300	0.41	0.45	0.61	0.42	19.30	17.4	46
I315919		0.50	0.036	0.27	3.06	53.1	<0.2	<10	370	0.42	0.44	0.43	0.16	16.05	16.2	51
I315920		0.46	0.012	0.19	2.59	38.6	<0.2	<10	310	0.41	0.36	0.34	0.11	15.95	13.9	49
I315921		0.44	0.016	0.20	2.78	49.6	<0.2	<10	270	0.35	0.47	0.43	0.18	16.70	17.6	59
I315922		0.52	NSS	0.02	0.27	8.5	<0.2	<10	80	0.29	0.04	0.48	0.22	22.9	7.9	11
I315923		0.46	0.009	0.20	3.03	17.8	<0.2	<10	310	0.40	0.52	0.76	0.20	15.45	15.3	59
I315924		0.38	0.007	0.11	2.55	9.7	<0.2	<10	200	0.37	0.44	0.52	0.09	17.70	11.7	49
I315925		0.40	0.005	0.11	2.56	16.6	<0.2	<10	400	0.52	0.39	0.46	0.08	21.1	16.1	47
I315926		0.52	0.012	0.09	2.59	14.7	<0.2	<10	330	0.51	0.37	0.50	0.11	23.0	13.4	52
I315927		0.48	0.010	0.06	2.32	19.0	<0.2	<10	270	0.45	0.32	0.47	0.09	18.80	9.6	45
I315928		0.30	0.006	0.15	2.46	9.6	<0.2	<10	310	0.44	0.31	0.58	0.26	20.3	13.1	44
I315929		0.36	<0.005	0.28	2.24	17.3	<0.2	<10	290	0.53	0.32	0.78	0.11	24.2	20.0	36
I315930		0.30	0.006	0.16	2.29	9.6	<0.2	<10	220	0.44	0.28	0.50	0.18	16.85	10.2	39
I315931		0.60	0.007	0.14	2.37	11.3	<0.2	<10	240	0.48	0.26	0.36	0.08	17.15	10.5	41
I315932		0.40	0.013	0.38	2.75	23.5	<0.2	<10	250	0.65	0.29	0.47	0.19	21.7	13.1	43
I315933		0.46	0.012	0.12	1.88	32.5	<0.2	<10	190	0.50	0.21	0.39	0.11	20.1	10.1	36
I315934		0.28	0.006	0.08	0.79	5.7	<0.2	<10	60	0.21	0.24	0.11	0.41	9.82	4.3	16
I315935		0.28	0.005	0.08	0.69	5.1	<0.2	<10	50	0.17	0.23	0.09	0.24	7.27	6.6	14
I315936		0.48	0.011	0.15	2.15	25.2	<0.2	<10	200	0.47	0.17	0.37	0.13	21.7	9.6	37
I315937		0.32	0.010	0.27	1.55	13.7	<0.2	<10	160	0.53	0.17	0.64	0.18	20.2	21.3	24
I315938		0.38	0.005	0.11	1.80	7.0	<0.2	<10	160	0.46	0.18	0.33	0.29	16.00	9.9	35
I315939		0.34	0.006	0.18	1.51	5.4	<0.2	<10	110	0.42	0.14	0.21	0.46	13.55	8.1	28
I315940		0.46	0.005	0.03	2.20	4.9	<0.2	<10	160	0.51	0.15	0.25	0.24	20.4	10.4	50
I315941		0.48	0.007	0.11	2.39	6.5	<0.2	<10	200	0.56	0.17	0.36	0.09	31.7	12.3	53
I315942		0.54	0.008	0.13	2.87	15.4	<0.2	<10	260	0.69	0.17	0.45	0.15	35.9	14.9	57
I315943		0.48	0.005	0.06	2.43	6.2	<0.2	<10	210	0.52	0.13	0.39	0.07	24.4	12.2	50
I315944		0.36	0.005	0.04	1.90	27.9	<0.2	<10	150	0.55	0.16	0.26	0.14	22.0	10.0	45
I315945		0.42	0.020	0.33	2.07	26.4	<0.2	<10	160	0.69	0.19	0.49	0.08	19.70	7.1	46
I315946		0.60	0.005	0.07	2.42	11.4	<0.2	<10	210	0.72	0.15	0.45	0.08	31.0	10.2	49
I315947		0.60	0.011	0.08	2.60	61.0	<0.2	<10	210	1.61	0.17	0.44	0.07	47.3	13.4	66
I315948		0.48	NSS	0.02	0.31	10.4	<0.2	<10	90	0.37	0.04	0.64	0.24	33.5	8.8	14
I315949		0.52	0.008	0.09	2.64	7.6	<0.2	<10	160	2.66	0.46	0.49	0.07	45.8	14.0	68
I315950		0.56	0.005	0.12	2.40	12.9	<0.2	<10	180	1.45	0.19	0.47	<0.01	31.8	14.7	52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315911		2.41	188.0	2.61	7.27	0.10	0.08	0.14	0.028	0.10	14.2	17.2	0.61	382	164.0
I315912		1.59	85.6	3.09	7.69	0.09	0.04	0.11	0.024	0.15	9.7	14.0	0.69	521	93.4
I315913		1.73	112.0	3.03	8.04	0.08	0.06	0.09	0.027	0.12	9.8	13.5	0.64	627	20.3
I315914		2.62	82.1	3.09	9.40	0.08	0.04	0.05	0.023	0.39	9.1	14.4	1.01	411	5.88
I315915		1.78	52.6	2.27	7.52	0.07	0.05	0.04	0.026	0.23	9.2	12.9	0.91	235	0.91
I315916		1.58	40.2	2.81	7.57	0.07	0.05	0.05	0.025	0.16	8.7	12.8	1.02	640	1.30
I315917		1.75	37.4	2.96	8.03	0.06	0.04	0.05	0.021	0.17	7.2	13.3	1.08	453	1.18
I315918		1.48	41.6	3.14	7.89	0.08	0.03	0.05	0.022	0.29	8.8	14.7	1.13	750	1.04
I315919		1.75	66.3	3.62	8.62	0.09	0.03	0.03	0.021	0.34	8.1	15.0	1.38	454	1.05
I315920		1.57	41.8	3.34	7.56	0.08	0.04	0.02	0.021	0.24	7.7	14.5	1.15	310	0.91
I315921		2.21	33.0	3.21	8.46	0.09	0.04	0.02	0.023	0.27	8.2	14.9	1.37	547	1.08
I315922		0.25	6.9	1.89	1.38	0.06	0.06	0.02	0.006	0.05	11.1	3.8	0.20	674	1.22
I315923		1.88	30.3	3.44	8.60	0.09	0.03	0.03	0.026	0.25	7.8	13.9	1.39	662	1.24
I315924		1.23	30.9	2.83	7.41	0.07	0.04	0.02	0.028	0.10	8.5	14.2	0.94	243	0.86
I315925		1.26	33.7	3.07	7.60	0.07	0.03	0.03	0.057	0.10	9.9	12.3	0.78	674	1.32
I315926		1.57	42.4	2.91	7.84	0.08	0.06	0.02	0.025	0.18	11.1	12.9	0.87	251	1.10
I315927		1.44	36.6	2.64	7.06	0.07	0.06	0.02	0.023	0.15	9.6	12.3	0.73	237	1.07
I315928		1.46	45.6	2.64	7.44	0.07	0.04	0.05	0.023	0.09	10.1	11.3	0.61	689	1.96
I315929		1.19	56.6	4.25	6.31	0.08	0.03	0.09	0.024	0.06	12.6	8.5	0.47	1590	6.48
I315930		1.33	50.2	2.24	7.31	0.06	0.03	0.04	0.024	0.08	8.9	11.8	0.57	228	2.67
I315931		1.37	65.8	2.70	7.21	0.06	0.04	0.03	0.023	0.12	8.8	12.0	0.61	299	3.81
I315932		1.49	82.7	3.11	8.21	0.08	0.04	0.07	0.029	0.09	12.3	14.1	0.62	485	7.32
I315933		1.49	97.7	2.41	5.88	0.07	0.03	0.03	0.019	0.18	10.6	10.7	0.51	317	6.13
I315934		0.95	32.2	1.87	6.95	<0.05	0.03	0.02	0.013	0.05	4.9	3.9	0.15	167	4.00
I315935		0.95	22.1	1.76	6.51	<0.05	0.02	0.02	0.012	0.04	3.6	3.3	0.13	374	3.50
I315936		1.42	150.0	2.72	6.93	0.08	0.04	0.03	0.021	0.12	11.0	11.0	0.62	299	8.87
I315937		1.49	233	2.01	5.23	0.05	0.02	0.08	0.020	0.06	12.0	5.2	0.22	722	37.8
I315938		1.23	46.7	2.72	7.37	0.05	0.02	0.07	0.022	0.10	7.7	10.7	0.47	457	5.03
I315939		1.07	48.3	2.23	6.12	<0.05	0.03	0.04	0.017	0.06	6.6	8.3	0.34	264	5.20
I315940		3.02	89.8	2.80	8.24	0.08	0.04	0.02	0.022	0.24	10.2	12.3	0.73	216	7.08
I315941		2.18	151.0	3.24	7.69	0.09	0.06	0.03	0.024	0.17	15.5	12.6	0.73	234	19.60
I315942		2.51	179.5	3.37	8.49	0.10	0.09	0.13	0.030	0.18	17.7	15.0	0.79	257	18.60
I315943		1.92	105.0	2.95	7.82	0.10	0.07	0.05	0.028	0.17	11.5	13.9	0.74	266	10.15
I315944		2.04	67.2	2.87	9.22	0.07	0.04	0.03	0.027	0.17	10.3	12.2	0.60	267	23.5
I315945		2.70	149.5	1.80	7.82	0.07	0.04	0.22	0.031	0.11	12.9	12.6	0.58	150	92.1
I315946		1.59	67.3	2.55	7.84	0.08	0.09	0.04	0.034	0.06	15.4	16.1	0.71	214	58.0
I315947		6.06	97.5	3.59	9.44	0.16	0.11	0.08	0.057	0.37	22.1	16.5	0.80	302	92.2
I315948		0.36	12.5	2.09	1.78	0.08	0.04	0.02	0.008	0.05	16.6	4.5	0.26	845	5.08
I315949		4.52	136.0	3.68	10.35	0.25	0.19	0.09	0.132	0.34	22.0	17.0	0.82	349	35.5
I315950		6.80	65.9	3.46	8.20	0.13	0.09	0.26	0.046	0.15	15.3	20.0	0.70	1040	161.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315911		2.10	34.5	680	7.0	27.4	0.010	0.11	1.15	6.2	3.2	0.6	60.6	<0.01	0.07
I315912		1.83	27.8	590	6.4	23.8	0.002	0.06	0.52	5.5	1.0	0.6	28.8	<0.01	0.07
I315913		1.56	29.7	840	6.7	24.4	<0.001	0.10	0.65	5.3	1.2	0.6	42.7	<0.01	0.07
I315914		1.81	37.7	760	7.3	39.3	<0.001	0.09	3.00	7.3	1.0	0.6	43.5	<0.01	0.10
I315915		1.50	28.4	610	5.8	29.0	<0.001	0.12	0.45	6.7	0.8	0.6	37.8	<0.01	0.06
I315916		1.23	27.5	670	11.6	21.7	<0.001	0.10	1.89	6.1	0.9	0.6	48.2	<0.01	0.09
I315917		1.26	23.8	770	8.1	26.1	<0.001	0.12	1.45	4.0	0.7	0.6	39.0	<0.01	0.08
I315918		1.23	27.5	730	8.8	31.8	<0.001	0.07	1.01	4.9	0.7	0.5	31.2	<0.01	0.07
I315919		1.37	29.0	600	8.2	32.4	<0.001	0.03	8.91	5.1	0.6	0.5	25.6	<0.01	0.08
I315920		1.48	25.7	550	7.9	25.9	<0.001	0.03	1.56	5.0	0.6	0.5	21.6	<0.01	0.05
I315921		1.33	28.3	610	8.5	30.1	<0.001	0.02	1.69	6.1	0.6	0.5	25.5	<0.01	0.08
I315922		0.59	17.2	610	3.6	5.2	<0.001	0.02	0.47	1.8	0.3	0.4	11.9	<0.01	0.01
I315923		1.25	29.2	710	8.1	23.1	<0.001	0.05	0.81	7.0	0.6	0.6	37.2	<0.01	0.09
I315924		1.45	27.1	600	6.9	15.7	<0.001	0.04	0.52	5.4	0.5	0.6	28.3	<0.01	0.07
I315925		1.47	27.3	700	5.7	16.4	<0.001	0.04	0.65	5.1	0.7	0.6	29.5	<0.01	0.07
I315926		1.87	28.6	670	5.8	27.1	<0.001	0.03	0.79	6.4	0.7	0.6	30.1	<0.01	0.06
I315927		1.89	25.9	530	5.3	23.6	<0.001	0.03	0.71	5.4	0.5	0.6	27.2	<0.01	0.05
I315928		1.48	26.9	1010	5.9	18.3	<0.001	0.10	0.53	4.0	1.1	0.6	40.7	<0.01	0.06
I315929		1.08	23.8	1300	5.2	13.2	0.001	0.16	0.75	3.4	2.2	0.5	43.2	<0.01	0.10
I315930		1.38	28.7	630	5.5	16.5	<0.001	0.08	0.35	3.7	0.9	0.5	34.1	<0.01	0.04
I315931		1.66	28.4	510	5.4	19.2	<0.001	0.03	0.44	4.6	0.6	0.5	24.9	<0.01	0.06
I315932		1.79	32.3	780	7.9	18.0	<0.001	0.07	0.72	5.0	1.1	0.6	34.8	<0.01	0.07
I315933		1.37	26.9	660	4.4	23.4	<0.001	0.03	0.59	4.5	0.6	0.5	23.9	<0.01	0.07
I315934		1.36	8.8	290	7.1	16.3	<0.001	0.02	0.35	1.7	0.3	0.6	11.6	<0.01	0.04
I315935		1.26	7.0	310	5.7	13.5	<0.001	0.02	0.29	1.4	0.3	0.5	10.0	<0.01	0.04
I315936		1.43	28.4	550	4.6	18.1	<0.001	0.04	1.01	4.5	0.8	0.5	26.2	<0.01	0.05
I315937		0.70	23.1	920	5.2	13.0	<0.001	0.12	0.50	2.1	1.5	0.4	32.9	<0.01	0.07
I315938		1.41	23.2	760	6.2	20.8	<0.001	0.09	0.42	2.5	0.7	0.6	29.5	<0.01	0.04
I315939		1.23	22.1	650	5.4	13.1	<0.001	0.07	0.36	2.2	0.7	0.5	20.7	<0.01	0.04
I315940		1.92	31.1	510	5.1	34.1	<0.001	0.02	0.22	5.8	0.4	0.6	19.9	<0.01	0.05
I315941		1.97	34.6	800	5.7	26.2	<0.001	0.02	0.28	7.4	0.8	0.6	26.1	<0.01	0.05
I315942		1.84	43.6	670	6.5	27.9	<0.001	0.02	0.31	8.6	0.8	0.7	32.9	<0.01	0.05
I315943		1.95	31.3	630	5.0	25.1	<0.001	0.03	0.27	7.2	0.6	0.6	27.2	<0.01	0.04
I315944		2.16	29.8	650	5.0	21.8	<0.001	0.03	0.57	5.2	0.5	0.7	17.9	<0.01	0.05
I315945		1.54	30.1	760	5.0	16.7	0.004	0.16	1.47	5.0	1.1	0.7	26.4	<0.01	0.03
I315946		1.89	26.8	730	6.2	10.4	0.001	0.02	0.55	7.0	0.5	0.6	27.3	<0.01	0.02
I315947		2.09	29.6	770	4.6	50.2	<0.001	0.02	0.68	9.6	0.6	1.0	25.9	<0.01	0.03
I315948		0.61	20.7	690	4.3	5.8	<0.001	0.02	0.53	2.1	0.4	0.3	14.0	<0.01	0.01
I315949		2.57	28.7	460	5.4	47.7	<0.001	0.02	0.32	11.3	0.7	2.3	22.8	<0.01	0.06
I315950		2.46	29.7	570	5.3	30.5	0.001	0.01	0.19	8.2	0.7	0.9	30.3	<0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315911		0.108	0.21	3.65	72	0.67	11.30	58	3.1
I315912		0.129	0.17	1.14	84	2.06	5.05	65	1.6
I315913		0.113	0.20	1.11	82	1.25	7.47	69	2.1
I315914		0.141	0.32	1.20	95	2.89	6.73	79	1.9
I315915		0.119	0.25	1.19	70	1.38	6.96	66	1.7
I315916		0.104	0.17	0.74	83	0.48	7.79	93	1.8
I315917		0.114	0.15	0.65	74	0.36	6.11	95	1.5
I315918		0.118	0.21	0.89	73	0.34	7.17	120	1.4
I315919		0.151	0.20	0.58	82	0.28	5.53	107	1.5
I315920		0.143	0.20	0.53	77	0.27	4.84	70	1.8
I315921		0.155	0.26	0.58	92	0.34	5.29	71	1.7
I315922		0.023	0.14	0.69	16	0.08	7.73	20	3.1
I315923		0.133	0.19	0.59	95	0.32	5.23	85	1.5
I315924		0.125	0.13	0.57	74	0.32	5.10	59	1.8
I315925		0.114	0.15	0.82	78	0.69	5.84	57	1.4
I315926		0.144	0.22	0.96	82	4.24	6.78	61	2.4
I315927		0.140	0.20	0.82	74	1.47	5.22	58	2.6
I315928		0.092	0.15	1.30	68	0.82	7.57	62	1.4
I315929		0.063	0.14	1.47	74	0.77	10.45	41	1.2
I315930		0.094	0.13	0.96	66	0.94	5.51	59	1.3
I315931		0.117	0.16	0.93	74	5.39	5.27	52	1.6
I315932		0.109	0.14	1.82	81	0.76	8.28	66	1.7
I315933		0.103	0.18	1.09	65	4.67	7.23	52	1.1
I315934		0.102	0.07	0.39	65	0.26	1.71	29	1.1
I315935		0.090	0.07	0.31	57	0.18	1.32	25	1.0
I315936		0.119	0.15	0.88	75	2.15	7.43	47	1.6
I315937		0.049	0.13	2.00	49	0.52	11.45	30	0.8
I315938		0.095	0.14	0.69	77	0.35	3.88	63	1.0
I315939		0.082	0.10	0.69	57	0.23	3.81	46	1.2
I315940		0.159	0.30	0.67	92	0.23	5.00	46	2.0
I315941		0.159	0.27	1.50	85	0.36	10.00	56	2.6
I315942		0.169	0.29	1.44	93	0.33	12.30	71	4.0
I315943		0.173	0.24	0.82	89	1.41	7.78	50	3.1
I315944		0.157	0.19	0.54	98	0.94	6.08	59	1.6
I315945		0.108	0.17	1.05	55	2.58	8.18	50	1.8
I315946		0.163	0.18	1.02	81	2.17	9.19	57	3.8
I315947		0.206	0.46	1.17	98	5.01	10.10	70	5.0
I315948		0.025	0.16	0.90	18	0.19	8.26	21	2.0
I315949		0.206	0.40	1.86	86	31.7	9.55	86	7.0
I315950		0.157	0.51	1.97	80	19.25	8.54	79	3.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315951		0.50	<0.005	0.15	1.68	15.0	<0.2	<10	160	0.34	0.34	0.25	0.15	33.6	14.4	23
I315952		0.28	<0.005	0.13	1.37	6.1	<0.2	<10	120	0.28	0.16	0.26	0.20	25.0	7.6	26
I315953		0.40	0.005	0.07	1.52	5.0	<0.2	<10	140	0.24	0.13	0.31	0.12	30.9	6.8	20
I315954		0.38	<0.005	0.11	1.74	6.2	<0.2	<10	160	0.33	0.16	0.32	0.19	41.5	15.4	24
I315955		0.40	<0.005	0.13	1.44	5.7	<0.2	<10	310	0.37	0.16	0.31	0.34	62.9	10.0	22
I315956		0.46	<0.005	0.03	1.77	9.5	<0.2	<10	150	0.26	0.19	0.12	0.17	16.40	8.1	26
I315957		0.44	<0.005	0.10	1.63	8.2	<0.2	<10	180	0.28	0.18	0.15	0.11	12.15	7.6	24
I315958		0.52	<0.005	0.10	2.10	10.6	<0.2	<10	260	0.38	0.19	0.18	0.13	15.30	10.0	30
I315959		0.42	<0.005	0.13	1.66	6.4	<0.2	<10	240	0.36	0.15	0.33	0.13	54.7	10.7	25
I315960		0.32	0.006	0.05	1.02	7.4	<0.2	<10	110	0.17	0.23	0.11	0.09	16.20	3.3	20
I315961		0.30	0.005	0.04	0.72	6.7	<0.2	<10	110	0.19	0.18	0.11	0.08	12.40	4.2	13
I315962		0.30	<0.005	0.12	1.79	7.3	<0.2	<10	450	0.39	0.19	0.45	0.36	58.4	8.7	22
I315963		0.40	<0.005	0.08	1.45	6.3	<0.2	<10	220	0.37	0.17	0.17	0.12	45.8	9.5	18
I315964		0.42	0.005	0.11	2.18	9.5	<0.2	<10	240	0.45	0.15	0.38	0.07	58.9	13.5	35
I315965		0.42	0.005	0.11	2.44	8.4	<0.2	<10	220	0.47	0.17	0.43	0.18	41.7	14.7	29
I315966		0.28	0.010	0.09	1.04	4.0	<0.2	<10	90	0.15	0.14	0.22	0.08	22.1	4.0	19
I315967		0.52	0.005	0.09	1.98	4.4	<0.2	<10	160	0.31	0.18	0.31	0.12	39.7	9.1	27
I315968		0.44	<0.005	0.10	2.48	8.9	<0.2	<10	200	0.38	0.28	0.30	0.10	38.4	12.8	31
I315969		0.38	<0.005	0.15	1.70	5.2	<0.2	<10	310	0.38	0.17	0.39	0.13	86.7	7.4	23
I315970		0.36	<0.005	0.08	1.54	7.2	<0.2	<10	270	0.45	0.20	0.27	0.09	74.8	7.0	19
I315971		0.54	0.013	0.02	0.21	7.5	<0.2	<10	60	0.29	0.03	0.38	0.16	21.6	8.7	7
I315972		0.38	0.005	0.09	1.90	10.7	<0.2	<10	200	0.24	0.20	0.21	0.09	13.70	8.3	30
I315973		0.38	0.005	0.15	2.57	10.5	<0.2	<10	190	0.50	0.19	0.64	0.19	31.3	12.2	32
I315974		0.36	0.007	0.10	0.87	4.5	<0.2	<10	140	0.23	0.16	0.21	0.06	24.0	4.7	14
I315975		0.50	0.005	0.18	2.53	9.2	<0.2	<10	180	0.33	0.22	0.33	0.19	28.3	12.0	31
I315976		0.40	0.006	0.18	1.89	9.0	<0.2	<10	200	0.29	0.21	0.34	0.14	20.8	9.3	28
I315977		0.34	0.006	0.08	0.74	2.4	<0.2	<10	90	0.17	0.15	0.16	0.12	22.9	4.2	16
I315978		0.54	0.009	0.08	1.76	7.9	<0.2	<10	160	0.31	0.16	0.32	0.17	35.0	22.7	26
I315979		0.38	<0.005	0.14	1.69	5.2	<0.2	<10	130	0.27	0.17	0.23	0.20	31.7	6.3	25
I315980		0.32	<0.005	0.20	1.84	6.4	<0.2	<10	160	0.27	0.19	0.25	0.23	31.1	8.7	30
I315981		0.34	0.007	0.23	1.84	5.6	<0.2	<10	150	0.30	0.19	0.26	0.30	29.0	9.0	31
I315982		0.32	<0.005	0.20	1.87	5.8	<0.2	<10	150	0.35	0.20	0.25	0.30	31.3	9.5	31
I315983		0.38	0.006	0.13	2.00	5.9	<0.2	<10	240	0.41	0.14	1.26	0.29	31.1	12.7	44
I315984		0.36	0.008	0.23	2.05	9.8	<0.2	<10	260	0.47	0.16	1.73	0.46	26.9	14.5	45
I315985		0.34	0.007	0.24	2.12	10.9	<0.2	<10	280	0.58	0.17	1.64	0.59	24.4	16.3	50
I315986		0.48	0.008	0.10	2.58	5.4	<0.2	<10	160	0.60	0.11	1.09	0.12	23.3	16.5	66
I315987		0.36	0.006	0.09	1.77	4.1	<0.2	<10	160	0.39	0.10	2.18	0.25	15.10	10.3	35
I315988		0.46	<0.005	0.29	1.20	13.5	<0.2	<10	70	0.21	0.16	0.16	0.13	28.1	4.5	24
I315989		0.36	<0.005	0.09	1.80	46.5	<0.2	<10	80	0.38	0.31	0.09	0.18	36.4	12.3	33
I315990		0.46	<0.005	0.38	1.77	36.5	<0.2	<10	120	0.44	0.26	0.16	0.36	41.3	18.9	31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315951		9.27	11.3	4.02	9.19	0.11	0.07	0.13	0.034	0.17	19.8	12.4	0.54	1360	3.51
I315952		1.53	12.4	2.24	5.25	<0.05	0.03	0.13	0.020	0.04	12.6	8.0	0.37	226	1.76
I315953		3.72	8.2	2.33	6.47	0.05	0.05	0.11	0.023	0.06	18.4	10.6	0.47	255	0.76
I315954		3.91	11.4	3.15	7.04	0.08	0.06	0.17	0.030	0.08	23.4	12.6	0.50	977	0.94
I315955		3.94	17.4	2.95	7.02	0.13	0.10	0.13	0.029	0.16	57.9	9.9	0.45	782	1.25
I315956		2.86	13.1	3.28	8.37	<0.05	0.08	0.02	0.027	0.06	8.1	11.9	0.43	302	1.63
I315957		1.23	13.2	2.83	7.70	<0.05	0.05	0.03	0.022	0.05	6.7	12.1	0.35	326	1.50
I315958		1.80	16.3	3.34	8.18	<0.05	0.08	0.03	0.031	0.05	8.2	16.0	0.46	406	1.64
I315959		7.17	14.0	3.21	7.38	0.09	0.08	0.38	0.032	0.11	33.3	14.0	0.50	545	1.24
I315960		3.69	15.4	2.12	9.57	<0.05	0.05	0.15	0.020	0.05	11.0	3.4	0.18	169	1.52
I315961		3.74	8.9	2.28	7.75	<0.05	0.03	0.49	0.022	0.07	5.1	3.3	0.14	257	1.78
I315962		8.05	16.5	2.96	8.72	0.12	0.07	0.65	0.031	0.12	57.8	10.3	0.41	503	1.42
I315963		3.78	11.4	2.45	7.17	0.07	0.07	0.15	0.026	0.08	44.3	10.0	0.28	1020	1.51
I315964		2.45	23.4	3.71	7.57	0.11	0.21	0.05	0.034	0.20	31.7	18.3	0.68	517	1.60
I315965		6.10	18.3	4.49	9.71	0.14	0.14	0.07	0.043	0.38	17.4	22.5	0.84	742	1.50
I315966		2.85	7.2	1.66	5.77	<0.05	0.04	0.17	0.016	0.07	11.6	6.0	0.30	164	0.61
I315967		5.75	11.0	2.66	8.13	0.09	0.08	0.47	0.032	0.13	23.3	17.3	0.59	329	0.70
I315968		9.21	13.0	3.91	10.75	0.11	0.08	0.27	0.037	0.14	23.6	22.3	0.69	609	1.65
I315969		13.45	12.0	2.40	8.03	0.12	0.10	0.31	0.028	0.11	64.9	13.5	0.39	300	1.19
I315970		6.66	14.6	2.41	8.35	0.13	0.06	0.29	0.027	0.07	53.2	10.2	0.25	412	1.27
I315971		0.23	5.5	1.76	1.25	<0.05	0.10	0.02	0.005	0.04	9.9	3.3	0.16	566	1.03
I315972		5.15	12.6	3.69	8.66	0.05	0.17	0.03	0.027	0.10	6.9	15.5	0.50	295	2.06
I315973		8.47	16.6	4.24	9.83	0.11	0.14	0.07	0.040	0.46	16.6	27.3	0.74	629	2.06
I315974		3.93	10.8	1.82	6.18	<0.05	0.07	0.05	0.017	0.07	20.3	6.5	0.21	312	1.64
I315975		8.23	17.5	4.38	10.70	0.11	0.14	0.05	0.036	0.24	14.2	25.7	0.77	611	2.04
I315976		5.89	16.7	3.41	9.53	0.07	0.10	0.10	0.029	0.16	10.7	12.5	0.53	733	1.99
I315977		3.56	11.6	1.19	4.92	<0.05	0.02	0.07	0.014	0.05	12.7	3.7	0.17	201	0.77
I315978		5.97	12.0	3.72	7.99	0.11	0.07	0.04	0.030	0.13	17.3	15.5	0.62	1840	1.50
I315979		1.98	14.4	2.39	6.52	0.05	0.04	0.07	0.024	0.07	17.5	10.6	0.44	224	0.79
I315980		1.92	16.1	2.61	7.37	0.06	0.05	0.07	0.026	0.06	15.7	12.6	0.49	271	1.04
I315981		1.86	18.1	2.62	7.37	0.06	0.05	0.07	0.027	0.08	16.1	12.5	0.51	303	1.09
I315982		1.94	19.5	2.65	7.76	0.08	0.05	0.07	0.027	0.09	18.8	13.0	0.51	318	1.10
I315983		1.95	19.5	2.65	7.07	0.08	0.06	0.07	0.024	0.09	14.1	16.1	0.62	625	1.15
I315984		1.81	32.1	2.79	6.62	0.10	0.09	0.10	0.026	0.14	12.9	18.6	0.63	504	1.23
I315985		1.87	43.4	3.42	7.54	0.13	0.08	0.05	0.027	0.21	12.2	18.0	0.72	545	1.68
I315986		2.19	27.3	3.42	8.36	0.12	0.08	0.03	0.024	0.21	12.1	21.6	1.18	263	0.42
I315987		1.24	22.4	2.15	5.85	0.09	0.07	0.05	0.015	0.14	8.8	13.0	0.54	436	0.69
I315988		2.53	19.1	1.78	5.99	<0.05	<0.02	0.04	0.014	0.07	14.6	7.8	0.42	128	0.85
I315989		2.39	26.5	3.61	9.47	0.06	0.02	0.01	0.023	0.09	18.4	13.6	0.59	626	2.26
I315990		4.68	36.9	2.73	6.95	0.05	<0.02	0.03	0.027	0.10	21.8	18.2	0.62	736	1.50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315951		6.35	12.3	640	22.7	45.1	<0.001	0.02	0.93	5.4	0.5	1.4	17.9	<0.01	0.04
I315952		1.42	14.8	750	10.3	8.5	<0.001	0.04	0.80	3.2	0.6	0.6	20.4	<0.01	0.04
I315953		3.24	12.2	580	9.4	20.8	<0.001	0.02	0.41	4.2	0.5	0.8	19.3	<0.01	0.02
I315954		3.15	13.2	700	20.3	24.0	<0.001	0.02	0.37	5.2	0.5	0.9	20.0	<0.01	0.03
I315955		3.92	13.5	380	16.0	30.3	<0.001	0.02	0.51	5.8	0.8	0.9	26.0	0.01	0.03
I315956		3.11	15.0	230	15.1	16.6	<0.001	<0.01	0.76	4.4	0.2	0.9	11.5	<0.01	0.04
I315957		2.19	14.3	240	10.0	9.7	<0.001	<0.01	0.50	3.5	0.2	0.8	15.1	<0.01	0.04
I315958		2.42	20.7	260	11.5	11.5	<0.001	<0.01	0.61	4.2	0.3	0.8	19.6	<0.01	0.04
I315959		3.79	15.2	800	9.2	30.1	<0.001	0.03	0.83	5.4	0.8	1.0	22.1	<0.01	0.04
I315960		2.60	6.9	270	10.3	12.4	<0.001	0.01	0.56	3.0	0.5	1.0	13.2	<0.01	0.04
I315961		2.17	6.3	600	8.0	13.9	<0.001	0.01	1.13	2.8	0.2	1.2	10.0	<0.01	0.03
I315962		3.22	13.3	490	13.3	28.7	<0.001	0.02	1.92	5.3	0.7	1.1	33.0	<0.01	0.04
I315963		2.71	9.2	380	8.3	16.7	<0.001	<0.01	1.19	4.1	0.5	0.8	14.4	<0.01	0.03
I315964		3.55	21.4	350	9.3	30.0	<0.001	0.01	0.81	7.3	0.8	0.9	25.9	0.01	0.03
I315965		7.76	19.2	640	10.7	64.9	<0.001	0.01	1.95	7.5	0.7	1.4	28.1	<0.01	0.04
I315966		2.35	8.2	600	9.6	22.2	<0.001	0.04	0.48	2.6	0.6	0.7	17.1	<0.01	0.03
I315967		4.67	15.1	640	12.6	35.5	<0.001	0.02	1.71	5.2	0.6	1.0	19.9	<0.01	0.03
I315968		5.53	18.4	620	15.7	40.5	<0.001	0.02	1.70	5.6	0.7	1.4	23.1	<0.01	0.04
I315969		4.84	13.6	470	10.3	34.2	<0.001	0.03	0.99	5.4	0.9	1.2	34.1	0.01	0.03
I315970		2.75	9.5	500	13.6	22.8	<0.001	0.02	1.15	4.1	0.9	1.0	25.2	0.01	0.04
I315971		0.51	14.4	460	3.5	4.3	<0.001	<0.01	0.52	1.8	<0.2	0.2	9.6	<0.01	0.02
I315972		3.37	15.5	310	10.1	22.9	<0.001	<0.01	0.57	4.2	0.3	1.0	18.1	<0.01	0.04
I315973		8.97	19.4	470	13.3	63.6	<0.001	0.02	0.63	6.3	0.6	1.5	49.1	<0.01	0.04
I315974		2.79	6.9	240	7.9	12.7	<0.001	0.01	0.25	2.9	0.4	0.7	17.0	<0.01	0.03
I315975		8.24	19.1	590	12.9	53.1	<0.001	0.01	0.41	6.3	0.6	1.6	23.9	<0.01	0.04
I315976		4.75	16.2	300	11.6	35.6	<0.001	0.01	0.46	5.6	0.5	1.3	28.0	<0.01	0.04
I315977		1.46	7.0	500	7.6	12.5	<0.001	0.04	0.22	1.9	0.5	0.8	15.1	<0.01	0.03
I315978		4.53	15.5	740	13.6	36.0	<0.001	0.01	0.33	5.1	0.5	1.1	21.0	<0.01	0.03
I315979		2.33	13.9	570	10.7	17.8	<0.001	0.03	0.26	3.8	0.8	0.7	17.5	<0.01	0.03
I315980		2.41	17.3	560	11.5	15.8	<0.001	0.03	0.29	4.2	0.9	0.8	20.8	<0.01	0.03
I315981		2.45	19.0	560	12.1	18.9	<0.001	0.03	0.26	4.4	0.9	0.8	20.5	<0.01	0.04
I315982		2.57	19.7	580	12.3	19.8	<0.001	0.03	0.26	4.6	1.0	0.8	20.3	<0.01	0.04
I315983		2.43	26.1	560	8.9	24.1	<0.001	0.06	0.34	5.5	1.1	0.7	66.0	<0.01	0.05
I315984		2.31	33.2	690	7.7	28.5	0.001	0.11	0.47	5.3	2.0	0.6	81.0	0.01	0.06
I315985		2.11	34.8	830	7.1	34.2	0.002	0.13	0.34	5.4	2.2	0.6	73.6	<0.01	0.07
I315986		2.42	36.7	720	7.2	34.2	0.001	0.02	0.21	6.5	0.8	0.6	52.0	<0.01	0.02
I315987		1.73	20.3	790	5.2	24.5	<0.001	0.11	0.23	3.1	1.1	0.4	89.4	0.01	0.03
I315988		0.61	16.3	530	7.3	11.0	<0.001	0.04	0.33	1.5	0.9	0.3	14.8	<0.01	0.05
I315989		1.52	24.8	410	14.1	18.5	<0.001	0.02	0.85	2.7	0.6	1.5	12.5	<0.01	0.07
I315990		0.74	28.6	470	16.5	19.1	<0.001	0.02	0.69	2.5	0.7	0.5	15.9	<0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315951		0.191	0.58	1.64	112	0.30	6.99	77	2.3
I315952		0.074	0.16	1.06	60	0.19	5.52	51	1.0
I315953		0.120	0.24	1.16	51	0.16	7.21	62	1.6
I315954		0.125	0.31	1.88	62	0.15	8.04	72	1.9
I315955		0.138	0.24	3.09	60	0.27	18.30	54	2.6
I315956		0.127	0.21	0.57	82	0.18	2.84	48	3.2
I315957		0.102	0.11	0.37	72	0.16	2.16	38	2.2
I315958		0.106	0.14	0.48	75	0.18	2.87	43	3.1
I315959		0.129	0.37	1.76	64	0.18	9.66	65	2.4
I315960		0.140	0.17	0.57	69	0.17	2.49	27	1.8
I315961		0.109	0.23	0.54	59	0.14	2.52	39	1.2
I315962		0.118	0.44	1.70	65	0.15	11.95	54	2.4
I315963		0.098	0.23	1.32	53	0.15	7.99	40	2.2
I315964		0.176	0.28	2.16	78	0.19	12.65	59	7.6
I315965		0.259	0.60	1.23	87	0.69	9.40	85	5.3
I315966		0.097	0.20	1.12	37	0.20	4.10	36	1.2
I315967		0.168	0.40	2.37	58	0.18	7.94	76	2.6
I315968		0.198	0.55	2.46	91	0.20	7.78	90	2.6
I315969		0.136	0.37	2.79	50	0.36	14.50	54	2.8
I315970		0.097	0.30	1.71	56	0.16	16.35	42	1.3
I315971		0.016	0.12	0.53	13	0.09	6.03	17	4.6
I315972		0.154	0.34	0.54	85	0.15	2.72	54	6.1
I315973		0.223	0.53	1.11	81	0.20	5.29	76	5.1
I315974		0.110	0.18	1.20	48	0.14	6.05	23	2.2
I315975		0.255	0.58	0.98	93	0.23	8.08	80	5.4
I315976		0.186	0.42	0.71	85	0.22	4.78	58	3.6
I315977		0.063	0.16	1.56	27	0.20	3.79	26	0.5
I315978		0.178	0.39	1.38	79	0.28	8.28	78	2.3
I315979		0.091	0.19	1.42	46	0.16	5.94	53	1.2
I315980		0.102	0.19	1.36	61	0.15	5.80	59	1.5
I315981		0.105	0.19	1.38	60	0.20	6.29	68	1.4
I315982		0.105	0.21	1.52	60	0.16	6.60	67	1.4
I315983		0.109	0.22	1.15	62	0.16	8.52	76	2.3
I315984		0.096	0.25	1.38	61	0.23	10.55	94	3.0
I315985		0.109	0.23	1.96	76	0.13	10.75	85	3.2
I315986		0.158	0.25	0.62	80	0.19	8.38	67	3.0
I315987		0.081	0.14	0.61	51	0.12	7.46	59	2.7
I315988		0.042	0.13	0.91	28	0.08	5.21	51	<0.5
I315989		0.103	0.16	0.69	85	0.16	5.32	75	0.7
I315990		0.063	0.19	1.42	53	0.12	7.96	87	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315991		0.36	<0.005	0.06	0.28	3.4	<0.2	<10	30	0.12	0.05	0.06	0.07	11.20	1.8	6
I315992		0.40	<0.005	0.19	1.95	56.6	<0.2	<10	110	0.64	0.22	0.12	0.15	53.7	19.0	32
I315993		0.38	<0.005	0.17	1.10	27.3	<0.2	<10	70	0.34	0.23	0.07	0.12	38.1	7.5	17
I315994		0.40	0.007	0.02	0.19	6.8	<0.2	<10	50	0.24	0.03	0.28	0.13	16.85	6.1	6
I315995		0.36	<0.005	0.15	1.42	9.1	<0.2	<10	90	0.37	0.22	0.11	0.31	11.90	5.1	21
I315996		0.38	0.010	0.57	1.21	95.3	<0.2	<10	130	0.61	0.19	0.19	0.36	49.1	3.7	23
I315997		0.36	<0.005	0.47	1.63	98.7	<0.2	<10	130	0.64	0.33	0.34	0.25	56.5	7.8	30
I315998		0.40	0.008	0.27	2.06	372	<0.2	<10	100	0.41	0.27	0.13	0.34	23.1	8.9	35
I315999		0.36	<0.005	0.21	2.72	309	<0.2	<10	140	0.74	0.39	0.11	0.54	20.5	12.9	59
I316000		0.40	<0.005	0.18	1.54	110.5	<0.2	<10	110	0.69	0.70	0.11	0.32	22.3	5.3	24
I316001		0.90	<0.005	0.11	2.12	14.9	<0.2	<10	200	0.29	0.12	0.36	0.10	10.55	13.6	130
I316002		0.82	<0.005	0.10	2.13	14.9	<0.2	<10	200	0.26	0.13	0.36	0.09	10.55	13.2	128
I316003		0.90	0.009	0.17	2.61	9.1	<0.2	<10	160	0.35	0.14	0.33	0.09	13.90	16.4	81
I316004		0.78	<0.005	0.06	2.95	6.9	<0.2	<10	110	0.24	0.16	0.41	0.05	6.75	21.6	286
I316005		0.98	0.009	0.41	3.56	14.8	<0.2	<10	170	0.72	0.27	0.39	0.11	33.3	18.0	103
I316006		0.52	0.006	0.17	1.01	5.8	<0.2	<10	80	0.35	0.25	0.12	0.10	13.05	4.2	20
I316007		0.88	0.022	0.21	2.44	82.7	<0.2	<10	140	0.75	0.33	0.48	0.11	54.9	11.8	68
I316008		0.86	0.016	0.19	2.86	53.2	<0.2	<10	190	0.96	0.30	0.38	0.09	56.6	12.8	58
I316009		0.80	0.010	0.10	2.79	27.4	<0.2	<10	260	1.01	0.31	0.39	0.12	40.9	16.5	66
I316010		0.88	0.007	0.08	2.63	5.5	<0.2	<10	240	0.63	0.19	0.51	0.08	37.3	15.8	149
I316011		1.22	<0.005	0.06	2.23	6.4	<0.2	<10	220	0.97	0.22	0.44	0.15	36.7	13.0	63
I316012		1.00	0.006	0.08	2.26	18.1	<0.2	<10	230	0.79	0.16	0.40	0.02	27.9	11.3	52
I316013		1.00	<0.005	0.12	2.69	9.7	<0.2	<10	300	1.27	0.21	0.43	0.09	26.6	15.5	63
I316014		0.52	<0.005	0.24	0.95	2.8	<0.2	<10	140	1.00	0.13	1.29	0.08	11.10	4.5	21
I316015		0.96	<0.005	0.13	3.06	3.8	<0.2	<10	210	3.67	0.19	0.56	0.10	50.5	14.7	90
I316016		1.26	0.005	0.07	2.48	24.5	<0.2	<10	170	1.70	0.16	0.41	0.05	38.1	11.9	63
I316017		1.32	0.021	0.18	2.62	106.0	<0.2	<10	240	1.04	0.16	0.65	0.07	34.2	15.2	60
I316018		1.08	0.021	0.20	2.66	111.5	<0.2	<10	250	0.98	0.17	0.63	0.05	36.1	17.2	58
I316019		0.78	0.017	0.11	2.28	33.9	<0.2	<10	170	0.90	0.18	0.61	<0.01	27.0	13.9	49
I316020		0.60	0.011	0.17	2.12	28.4	<0.2	<10	140	0.90	0.19	0.37	0.18	20.4	17.5	48
I316021		0.68	<0.005	0.07	2.18	13.0	<0.2	<10	120	0.33	0.16	0.26	0.13	15.30	10.5	50
I316022		0.76	<0.005	0.04	2.59	9.8	<0.2	<10	180	0.57	0.11	0.44	0.21	26.7	14.3	61
I316023		0.62	0.007	0.08	2.01	12.7	<0.2	<10	140	0.35	0.18	0.18	0.17	18.05	8.0	54
I316024		0.58	<0.005	0.06	0.36	1.5	<0.2	<10	30	0.09	0.05	0.09	0.07	2.85	2.2	5
I316025		0.60	<0.005	0.08	2.21	9.9	<0.2	<10	180	0.63	0.14	0.36	0.15	23.0	13.8	46
I316026		0.76	0.009	0.08	1.90	10.1	<0.2	<10	110	0.46	0.17	0.31	0.22	20.8	13.5	43
I316027		0.56	0.005	0.13	2.77	13.7	<0.2	<10	160	0.61	0.21	0.29	0.37	23.0	12.0	52
I316028		0.46	0.007	0.20	1.51	10.1	<0.2	<10	90	0.28	0.19	0.14	0.30	15.15	6.6	29
I316029		0.54	0.006	0.21	1.33	9.8	<0.2	<10	100	0.31	0.13	0.19	0.13	12.75	7.3	24
I316030		0.50	0.007	0.20	2.14	20.5	<0.2	<10	150	0.47	0.16	0.35	0.13	15.45	12.7	36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315991		0.84	12.3	0.66	1.69	<0.05	<0.02	0.01	0.007	0.02	6.1	0.7	0.04	37	0.20
I315992		3.56	29.8	3.40	8.46	0.11	0.02	0.02	0.023	0.25	26.5	20.5	0.66	567	1.85
I315993		1.69	26.9	2.48	6.06	0.08	<0.02	0.01	0.016	0.06	18.8	11.8	0.24	244	1.68
I315994		0.16	8.1	1.42	1.16	0.06	0.06	0.01	0.005	0.03	8.0	2.4	0.12	454	0.72
I315995		0.73	12.0	2.82	7.73	0.06	0.06	0.01	0.022	0.04	6.3	9.2	0.20	114	1.83
I315996		2.62	56.7	2.16	5.03	0.13	0.04	0.07	0.032	0.06	18.6	6.7	0.24	89	2.13
I315997		1.66	25.4	2.38	7.15	0.16	0.05	0.07	0.038	0.07	30.1	12.3	0.46	243	1.62
I315998		2.42	20.9	4.10	9.26	0.08	0.04	0.03	0.031	0.07	13.9	15.5	0.46	457	1.82
I315999		5.22	51.7	4.81	12.25	0.10	0.03	0.02	0.056	0.10	11.0	26.0	0.79	547	4.75
I316000		2.59	19.9	3.00	8.45	0.07	0.07	0.02	0.039	0.12	12.7	9.1	0.29	210	3.41
I316001		2.76	106.0	2.45	5.95	0.09	0.03	0.02	0.015	0.18	5.0	17.1	1.12	279	0.90
I316002		2.73	106.0	2.46	5.87	0.09	0.03	0.02	0.015	0.17	5.0	16.2	1.11	278	0.86
I316003		2.81	95.4	2.94	7.63	0.10	0.03	0.03	0.021	0.15	7.0	16.6	1.07	312	1.13
I316004		6.33	111.5	2.65	9.24	0.11	0.03	0.01	0.016	0.39	3.4	20.8	2.15	231	1.81
I316005		2.83	191.5	3.67	10.40	0.13	0.06	0.05	0.024	0.26	16.2	21.9	1.18	434	5.11
I316006		1.01	29.3	2.10	7.23	0.06	0.02	0.07	0.015	0.03	6.8	3.6	0.14	244	2.99
I316007		4.36	257	3.71	8.78	0.21	0.13	0.11	0.027	0.36	38.6	16.0	0.95	358	13.50
I316008		3.40	162.5	3.75	9.96	0.16	0.07	0.13	0.037	0.21	33.7	15.5	0.75	390	11.65
I316009		3.77	85.7	3.41	10.25	0.17	0.07	0.06	0.035	0.28	19.5	15.8	0.87	414	17.20
I316010		4.01	88.2	3.11	9.30	0.17	0.09	0.05	0.024	0.33	18.6	15.0	1.19	329	32.2
I316011		2.98	117.5	2.94	8.88	0.15	0.13	0.06	0.038	0.21	17.3	14.0	0.80	292	48.5
I316012		2.98	86.3	3.87	8.64	0.16	0.07	0.09	0.027	0.16	14.3	14.8	0.77	207	165.0
I316013		3.91	84.3	3.58	9.65	0.16	0.06	0.07	0.037	0.17	13.1	15.7	0.94	410	53.8
I316014		1.22	85.5	1.21	3.30	0.08	0.04	0.13	0.023	0.03	8.3	3.4	0.30	768	48.5
I316015		7.19	150.0	3.95	13.15	0.29	0.09	0.07	0.099	0.76	23.2	18.1	1.20	403	42.5
I316016		5.72	100.5	3.42	9.77	0.15	0.08	0.17	0.052	0.27	18.1	14.6	0.79	249	36.4
I316017		4.32	111.5	3.71	9.01	0.17	0.11	0.07	0.039	0.18	16.7	16.8	0.84	502	137.0
I316018		3.57	101.5	3.80	9.25	0.15	0.12	0.07	0.043	0.15	16.9	17.6	0.81	544	167.0
I316019		2.89	169.0	2.78	8.40	0.16	0.09	0.09	0.038	0.12	15.2	14.3	0.76	233	324
I316020		3.09	129.0	3.12	8.86	0.11	0.04	0.12	0.041	0.14	9.4	13.3	0.64	670	52.4
I316021		3.10	117.0	3.53	9.73	0.06	0.04	0.04	0.028	0.18	7.6	10.1	0.69	386	39.4
I316022		3.55	129.5	3.17	7.89	0.09	0.08	0.03	0.026	0.23	11.6	14.2	0.93	339	28.5
I316023		2.67	58.8	4.46	15.40	0.07	0.05	0.05	0.028	0.23	7.8	10.5	0.66	373	19.85
I316024		0.40	6.1	0.74	2.65	<0.05	<0.02	0.01	<0.005	0.02	1.2	2.7	0.12	107	1.29
I316025		2.08	148.5	3.33	8.55	0.09	0.05	0.03	0.024	0.18	10.7	17.0	0.74	381	21.8
I316026		1.91	58.6	3.49	8.99	0.06	0.05	0.04	0.025	0.18	9.3	12.0	0.61	514	19.55
I316027		2.17	100.5	3.91	10.55	0.06	0.06	0.04	0.028	0.15	10.1	20.4	0.82	370	13.70
I316028		1.37	44.7	2.86	9.54	<0.05	0.07	0.03	0.020	0.09	7.0	9.5	0.36	266	10.80
I316029		1.17	117.0	1.80	5.18	<0.05	0.03	0.03	0.014	0.08	6.3	6.6	0.34	195	5.52
I316030		1.47	90.3	2.66	6.74	0.05	0.05	0.04	0.025	0.09	7.4	11.4	0.57	407	10.25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315991		0.10	4.3	330	2.9	3.6	<0.001	0.01	0.13	0.2	0.3	0.2	7.0	<0.01	0.01
I315992		1.72	24.5	440	17.4	36.0	<0.001	0.03	1.00	2.8	1.1	0.6	16.4	<0.01	0.07
I315993		0.60	21.0	390	9.0	11.0	<0.001	0.02	0.69	1.5	0.6	0.5	11.7	<0.01	0.05
I315994		0.40	11.2	400	2.8	3.2	<0.001	<0.01	0.34	1.3	0.2	0.2	8.5	<0.01	<0.01
I315995		3.65	11.0	140	15.1	9.4	<0.001	0.02	0.57	1.9	0.2	1.0	11.7	<0.01	0.04
I315996		1.94	14.0	690	11.5	16.4	0.003	0.08	1.35	2.1	3.4	0.5	20.6	0.01	0.11
I315997		2.21	18.1	640	70.6	11.3	0.001	0.04	1.17	3.0	3.1	0.7	26.5	0.01	0.09
I315998		2.47	17.1	410	30.8	8.4	<0.001	0.04	2.08	3.7	0.8	0.7	18.5	<0.01	0.09
I315999		4.35	43.4	650	17.2	18.1	<0.001	0.04	2.68	4.3	1.4	1.3	21.9	<0.01	0.12
I316000		12.50	13.9	310	20.2	15.7	0.001	0.10	1.28	2.5	0.7	1.4	18.1	0.01	0.06
I316001		0.80	38.7	480	3.4	23.3	<0.001	<0.01	0.67	4.5	0.3	0.4	25.3	<0.01	0.02
I316002		0.78	37.8	490	3.4	22.8	0.001	<0.01	0.85	4.4	0.4	0.4	24.6	<0.01	0.02
I316003		1.12	32.9	520	4.8	23.8	<0.001	0.01	0.44	5.2	0.6	0.5	25.4	<0.01	0.03
I316004		0.35	93.0	330	1.7	34.7	<0.001	<0.01	0.26	7.6	0.3	0.5	23.9	<0.01	0.03
I316005		1.58	56.9	610	5.2	33.8	<0.001	0.03	0.50	7.2	1.1	0.7	30.9	<0.01	0.05
I316006		1.12	8.6	520	5.9	7.7	<0.001	0.04	0.54	1.5	0.6	0.9	14.8	<0.01	0.05
I316007		1.22	27.3	670	8.2	52.9	0.001	0.01	2.77	9.0	1.1	1.0	38.3	<0.01	0.08
I316008		2.11	28.0	670	7.5	35.1	0.001	0.01	1.55	8.0	1.0	1.2	29.4	<0.01	0.07
I316009		2.97	38.9	790	5.7	41.1	0.001	0.01	0.66	8.7	0.9	1.3	27.1	<0.01	0.07
I316010		1.55	61.1	620	4.4	50.6	0.001	<0.01	0.23	8.1	0.9	1.0	45.5	<0.01	0.06
I316011		1.97	31.8	840	5.5	30.8	0.001	<0.01	0.26	8.5	1.1	1.4	27.3	<0.01	0.06
I316012		2.19	29.5	840	5.8	23.1	0.001	<0.01	0.28	7.6	1.0	0.8	24.6	<0.01	0.04
I316013		2.27	33.6	820	5.8	28.5	0.001	0.01	0.26	7.9	0.9	0.8	25.1	<0.01	0.06
I316014		0.59	14.3	1670	2.5	4.4	0.004	0.20	0.23	1.3	1.6	0.3	53.9	<0.01	0.06
I316015		2.78	37.1	580	3.8	78.9	0.001	0.01	0.22	12.7	0.8	1.7	35.7	<0.01	0.04
I316016		2.18	25.6	630	5.0	42.3	0.001	0.01	0.30	9.5	0.7	1.3	24.5	<0.01	0.03
I316017		1.25	34.4	890	5.4	31.7	0.001	0.01	1.54	10.5	1.0	0.8	33.7	<0.01	0.04
I316018		1.28	34.1	860	5.9	27.4	0.001	0.01	1.65	10.4	1.2	0.7	34.5	<0.01	0.05
I316019		1.95	32.7	960	5.2	19.8	0.007	0.07	1.17	6.6	1.1	0.7	30.3	<0.01	0.04
I316020		1.69	31.8	680	5.0	22.4	0.001	0.04	0.67	5.4	0.8	0.7	25.0	<0.01	0.08
I316021		2.07	25.5	450	5.7	39.1	<0.001	0.02	0.47	4.6	0.5	0.7	22.5	<0.01	0.06
I316022		2.27	32.1	700	5.0	31.7	<0.001	<0.01	0.38	8.1	0.4	0.6	28.1	<0.01	0.05
I316023		3.30	20.6	460	8.5	25.5	<0.001	0.03	0.52	5.6	0.5	0.9	13.8	<0.01	0.07
I316024		0.60	2.9	130	2.1	4.5	<0.001	<0.01	0.13	0.7	<0.2	0.2	9.9	<0.01	0.01
I316025		1.77	42.7	670	5.7	25.8	<0.001	0.03	0.39	5.9	0.6	0.7	23.8	<0.01	0.07
I316026		2.42	24.2	630	6.9	27.2	<0.001	0.01	0.40	4.4	0.4	0.7	21.0	<0.01	0.06
I316027		2.76	29.6	580	6.4	27.1	<0.001	0.02	0.39	5.7	0.6	0.7	22.2	<0.01	0.08
I316028		2.12	15.4	380	7.8	22.7	<0.001	0.01	0.38	3.2	0.4	0.7	14.3	0.01	0.05
I316029		1.08	14.7	280	4.7	15.1	<0.001	0.01	0.37	2.7	0.4	0.5	16.0	<0.01	0.04
I316030		1.65	21.6	490	5.3	15.9	<0.001	0.01	0.48	4.1	0.6	0.5	26.5	<0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I315991		0.018	0.04	0.44	14	<0.05	2.49	12
I315992		0.088	0.31	1.18	52	0.14	8.60	98
I315993		0.045	0.11	0.78	46	0.11	6.17	59
I315994		0.014	0.09	0.52	11	0.06	4.75	14
I315995		0.078	0.11	0.29	73	0.18	2.09	35
I315996		0.038	0.22	4.19	30	0.27	13.80	44
I315997		0.076	0.16	1.80	58	0.21	16.60	89
I315998		0.090	0.12	0.52	102	0.27	3.94	77
I315999		0.067	0.23	0.92	135	0.39	8.33	179
I316000		0.074	0.17	1.07	76	0.44	9.20	78
I316001		0.138	0.18	0.27	69	2.32	3.27	45
I316002		0.138	0.18	0.28	69	1.78	3.30	45
I316003		0.134	0.22	0.44	82	4.56	4.35	53
I316004		0.126	0.39	0.21	97	0.39	2.64	47
I316005		0.151	0.31	1.92	100	2.90	11.20	69
I316006		0.080	0.13	0.91	67	0.35	3.29	35
I316007		0.191	0.59	3.92	87	1.62	18.55	73
I316008		0.165	0.48	3.57	80	2.35	13.45	65
I316009		0.187	0.33	1.28	91	3.66	11.30	66
I316010		0.188	0.40	1.47	86	1.07	10.90	60
I316011		0.178	0.27	1.70	102	4.68	12.85	74
I316012		0.172	0.29	1.27	110	2.43	9.70	66
I316013		0.177	0.31	0.90	96	2.77	7.64	70
I316014		0.032	0.13	1.77	24	1.07	6.67	28
I316015		0.260	0.59	1.36	98	8.32	11.20	109
I316016		0.191	0.55	0.90	92	1.92	8.83	69
I316017		0.178	0.29	1.29	93	1.09	12.40	74
I316018		0.176	0.27	1.36	93	1.24	12.85	72
I316019		0.173	0.19	1.02	86	4.33	9.58	60
I316020		0.129	0.21	0.67	85	1.05	5.20	75
I316021		0.177	0.20	0.58	107	0.82	3.39	52
I316022		0.203	0.32	0.81	103	0.36	6.95	69
I316023		0.247	0.25	0.58	159	0.34	3.49	49
I316024		0.047	0.02	0.13	18	0.13	0.76	15
I316025		0.160	0.21	0.87	98	0.59	5.77	66
I316026		0.171	0.18	0.73	113	0.37	4.17	54
I316027		0.175	0.18	0.74	113	0.93	4.65	73
I316028		0.130	0.11	0.63	90	0.39	2.70	42
I316029		0.092	0.12	0.74	51	0.63	3.60	33
I316030		0.116	0.14	0.80	70	0.96	4.36	47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316031		0.46	0.007	0.21	2.75	12.2	<0.2	<10	250	0.56	0.18	0.60	0.20	28.0	17.5	41
I316032		0.68	0.007	0.22	2.91	18.5	<0.2	<10	300	0.71	0.25	0.54	0.10	25.8	15.1	44
I316033		0.60	0.008	0.31	3.75	27.7	<0.2	<10	400	0.67	0.34	0.68	0.19	21.5	25.4	45
I316034		0.54	<0.005	0.23	2.28	9.1	<0.2	<10	230	0.41	0.19	0.50	0.09	18.15	9.1	39
I316035		0.94	0.008	0.10	2.41	11.1	<0.2	<10	240	0.42	0.27	0.54	0.11	19.85	9.9	42
I316036		0.74	0.015	0.16	2.54	13.6	<0.2	<10	310	0.45	0.25	0.58	0.15	22.7	14.0	41
I316037		0.90	0.009	0.07	2.52	10.5	<0.2	<10	280	0.42	0.29	0.54	0.08	20.1	9.0	46
I316038		0.50	0.006	0.16	1.42	3.2	<0.2	<10	360	0.45	0.15	1.05	0.27	24.6	4.5	23
I316039		0.78	0.007	0.15	2.59	10.4	<0.2	<10	270	0.28	0.34	0.51	0.14	14.25	12.2	61
I316040		0.54	0.009	0.02	0.19	1.8	<0.2	<10	40	0.11	0.02	0.10	0.04	11.10	2.3	4
I316041		0.88	0.015	0.34	3.14	42.5	<0.2	<10	320	0.45	0.39	0.50	0.14	22.7	18.2	72
I316042		1.06	0.007	0.18	2.93	12.2	<0.2	<10	270	0.37	0.35	0.50	0.09	21.7	13.1	56
I316043		0.86	0.006	0.12	2.52	10.8	<0.2	<10	240	0.37	0.26	0.47	0.10	22.0	14.0	48
I316044		0.78	0.006	0.20	2.52	10.4	<0.2	<10	250	0.34	0.22	0.39	0.20	13.60	13.2	46
I316045		0.82	0.008	0.08	2.35	21.6	<0.2	<10	230	0.53	0.29	0.42	0.16	25.1	12.0	44
I316046		0.52	0.012	0.35	1.77	69.2	<0.2	<10	160	0.67	0.32	0.36	0.13	33.6	11.4	29
I316047		0.44	<0.005	0.45	0.95	21.9	<0.2	<10	230	0.45	0.12	0.80	0.37	33.0	20.6	17
I316048		0.70	0.005	0.18	1.72	18.9	<0.2	<10	190	0.29	0.19	0.33	0.15	18.30	16.8	39
I316049		0.84	0.005	0.09	2.37	25.4	<0.2	<10	210	0.46	0.26	0.39	0.14	26.0	11.3	47
I316050		1.10	0.008	0.09	2.37	16.6	<0.2	<10	220	0.44	0.20	0.42	0.15	28.9	9.8	45
I316051		0.54	0.018	0.38	2.46	34.8	<0.2	<10	300	0.41	0.39	0.98	0.48	22.6	13.8	46
I316052		0.68	0.008	0.10	2.34	23.7	<0.2	<10	240	0.34	0.41	0.61	0.18	18.25	12.0	46
I316053		0.78	0.013	0.11	2.54	48.3	<0.2	<10	390	0.52	0.41	0.48	0.11	28.2	11.5	49
I316054		0.56	0.010	0.14	2.99	23.6	<0.2	<10	500	0.64	0.56	0.45	0.15	32.8	13.5	55
I316055		0.62	0.008	0.12	2.54	17.1	<0.2	<10	320	0.55	0.40	0.46	0.11	23.0	12.0	50
I316056		0.62	0.007	0.13	2.62	13.0	<0.2	<10	300	0.48	0.36	0.50	0.09	19.60	10.6	52
I316057		0.56	0.008	0.10	2.38	13.8	<0.2	<10	220	0.40	0.32	0.34	0.14	18.55	11.4	43
I316058		0.50	<0.005	0.20	1.24	6.6	<0.2	<10	90	0.29	0.19	0.20	0.16	9.70	7.0	20
I316059		0.70	0.010	0.10	2.35	17.3	<0.2	<10	170	0.37	0.31	0.42	0.16	18.50	11.5	46
I316060		0.46	0.009	0.22	2.54	18.0	<0.2	<10	220	0.37	0.58	0.57	0.27	17.35	11.7	52
I316061		0.54	0.014	0.12	1.38	47.9	<0.2	<10	100	0.22	0.35	0.23	0.21	9.36	7.1	34
I316062		0.56	<0.005	0.17	1.94	9.6	<0.2	<10	120	0.34	0.26	0.27	0.25	16.30	10.6	37
I316063		0.52	0.011	0.15	2.13	10.3	<0.2	<10	130	0.36	0.26	0.29	0.21	16.70	12.6	41
I316064		0.60	0.007	0.12	2.30	5.4	<0.2	<10	180	0.46	0.20	0.31	0.14	17.70	12.4	46
I316065		0.68	0.042	0.14	2.35	36.2	<0.2	<10	220	0.53	0.19	0.33	0.10	24.7	12.0	48
I316066		0.60	0.012	0.12	1.98	41.7	<0.2	<10	300	0.61	0.43	0.27	0.25	35.2	10.6	52
I316067		0.44	0.007	0.04	0.55	2.5	<0.2	<10	40	0.11	0.10	0.09	0.07	5.48	2.9	11
I316068		0.64	0.010	0.15	1.89	36.1	<0.2	<10	170	0.21	0.15	0.47	0.18	15.20	13.5	30
I316069		0.54	0.007	0.22	1.29	13.4	<0.2	<10	90	0.31	0.13	0.42	0.12	19.80	7.5	20
I316070		0.58	0.012	0.43	2.53	25.5	<0.2	<10	200	0.52	0.38	0.34	0.36	21.0	11.8	60



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I316031		1.53	129.0	2.71	7.13	0.06	0.04	0.07	0.026	0.10	13.0	11.1	0.60	733	8.27
I316032		1.68	119.0	3.14	9.20	0.10	0.04	0.06	0.029	0.10	13.3	17.4	0.67	486	8.87
I316033		1.69	79.8	3.67	10.65	0.11	0.04	0.11	0.036	0.14	10.4	14.1	0.58	714	7.51
I316034		1.31	54.6	2.59	6.91	0.05	0.04	0.05	0.024	0.09	8.6	10.2	0.60	384	3.22
I316035		1.46	44.5	2.63	6.88	0.05	0.05	0.03	0.024	0.15	8.9	11.4	0.71	296	1.68
I316036		1.22	46.2	4.29	6.75	0.07	0.04	0.05	0.023	0.10	9.3	9.1	0.57	1360	2.31
I316037		1.47	34.3	2.48	7.02	0.06	0.06	0.02	0.025	0.13	8.9	11.7	0.82	213	0.86
I316038		0.69	56.5	1.17	3.43	0.05	0.05	0.08	0.015	0.05	12.1	4.6	0.33	439	0.45
I316039		1.54	32.1	3.01	7.22	0.06	0.04	0.03	0.026	0.14	6.7	12.8	1.22	324	0.94
I316040		0.09	3.9	1.00	0.71	<0.05	0.09	<0.01	<0.005	0.07	5.5	1.6	0.04	194	0.46
I316041		2.17	56.8	3.77	8.92	0.08	0.06	0.03	0.033	0.31	9.4	13.9	1.61	398	1.46
I316042		1.79	41.8	3.36	8.42	0.08	0.06	0.03	0.027	0.23	9.5	13.5	1.33	296	0.97
I316043		1.28	30.6	3.14	7.30	0.08	0.06	0.03	0.023	0.18	9.3	12.4	1.09	312	0.91
I316044		1.24	32.1	2.97	7.61	0.06	0.04	0.03	0.019	0.21	6.4	11.6	1.15	443	1.01
I316045		1.42	56.8	2.89	6.82	0.08	0.05	0.03	0.024	0.20	10.8	10.9	0.73	343	1.34
I316046		1.06	53.4	2.49	4.76	0.06	0.03	0.14	0.023	0.06	19.5	4.0	0.23	896	3.73
I316047		0.59	54.5	1.64	2.69	0.05	0.02	0.10	0.018	0.05	15.8	2.0	0.17	2540	6.32
I316048		1.20	26.1	2.76	6.38	0.06	0.02	0.04	0.020	0.07	8.5	7.3	0.57	1140	4.37
I316049		1.82	40.0	3.13	7.10	0.07	0.05	0.04	0.025	0.12	11.6	11.8	0.74	250	2.52
I316050		1.56	55.0	2.75	6.76	0.07	0.07	0.05	0.027	0.09	12.4	11.9	0.70	199	1.98
I316051		1.47	40.0	2.73	6.99	0.07	0.05	0.07	0.027	0.14	10.1	10.7	0.81	964	1.94
I316052		1.57	28.6	2.81	6.56	0.06	0.05	0.03	0.024	0.16	8.2	10.8	1.00	377	0.98
I316053		1.54	41.2	3.12	7.45	0.08	0.06	0.02	0.028	0.17	12.2	10.4	0.75	386	1.25
I316054		1.95	55.2	3.06	8.54	0.08	0.06	0.03	0.031	0.17	15.0	12.5	0.88	285	1.29
I316055		1.83	41.1	2.78	7.66	0.07	0.04	0.03	0.025	0.22	10.3	11.4	0.86	366	1.29
I316056		1.83	38.4	2.74	7.36	0.06	0.03	0.03	0.025	0.19	9.0	10.5	0.81	307	1.51
I316057		1.51	45.3	2.87	7.27	0.08	0.05	0.03	0.024	0.18	8.3	11.9	0.75	310	1.37
I316058		0.92	35.1	2.04	5.29	<0.05	0.02	0.04	0.016	0.05	5.0	5.8	0.28	244	1.42
I316059		1.63	77.8	2.86	6.46	0.07	0.04	0.03	0.023	0.17	8.5	10.9	0.73	309	2.14
I316060		2.08	108.0	2.98	7.95	0.06	0.04	0.07	0.025	0.13	9.4	11.5	0.70	450	6.17
I316061		2.92	47.1	2.57	7.34	0.05	0.03	0.04	0.017	0.10	4.6	9.1	0.46	282	2.45
I316062		2.09	88.3	2.79	7.18	0.05	0.03	0.07	0.020	0.08	7.3	9.6	0.51	276	2.17
I316063		2.22	94.0	2.98	7.44	0.05	0.04	0.05	0.022	0.09	7.5	11.0	0.55	317	2.27
I316064		1.97	92.8	3.10	6.66	0.08	0.05	0.04	0.024	0.20	8.5	10.6	0.74	320	2.08
I316065		2.06	71.4	3.02	7.01	0.08	0.06	0.04	0.023	0.27	10.9	11.7	0.78	259	2.37
I316066		4.11	171.0	3.56	6.92	0.09	0.06	0.16	0.026	0.48	15.8	9.7	0.81	273	7.91
I316067		0.55	13.5	1.35	3.52	<0.05	<0.02	0.04	0.010	0.03	2.7	2.2	0.12	140	1.02
I316068		1.48	29.1	2.54	5.58	0.05	0.04	0.04	0.019	0.12	7.3	12.0	0.58	664	1.15
I316069		0.63	27.8	1.88	4.04	<0.05	0.02	0.06	0.017	0.05	10.4	4.6	0.25	1200	3.54
I316070		2.44	50.4	3.18	8.22	0.06	0.04	0.07	0.029	0.14	10.2	11.7	0.80	467	2.19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I316031		1.40	26.7	890	6.0	16.9	0.001	0.06	0.52	4.2	0.9	0.5	38.7	<0.01	0.05
I316032		1.66	35.2	760	6.3	20.4	<0.001	0.06	0.49	5.6	1.1	0.6	36.4	<0.01	0.07
I316033		1.57	41.3	970	7.1	23.7	<0.001	0.08	0.68	6.6	1.1	0.7	45.3	<0.01	0.11
I316034		1.45	22.1	720	5.5	15.6	<0.001	0.05	0.52	4.0	0.7	0.5	28.6	<0.01	0.06
I316035		1.80	24.4	670	5.8	21.9	0.001	0.02	0.40	5.1	0.6	0.6	31.0	<0.01	0.06
I316036		1.43	22.9	870	5.0	16.3	0.001	0.05	0.45	4.7	1.0	0.5	36.6	<0.01	0.07
I316037		1.96	22.7	590	5.8	18.0	0.001	0.02	0.59	5.5	0.5	0.6	28.7	<0.01	0.05
I316038		0.86	14.9	1060	3.4	9.3	0.001	0.22	0.79	2.2	1.5	0.3	57.3	0.01	0.03
I316039		1.32	29.5	650	5.7	16.9	<0.001	0.03	0.47	5.3	0.5	0.6	30.7	<0.01	0.07
I316040		0.13	4.3	130	1.9	3.1	<0.001	<0.01	0.13	0.7	<0.2	0.2	10.7	<0.01	<0.01
I316041		1.32	31.6	600	13.5	28.8	<0.001	0.02	2.36	9.3	0.8	0.6	27.1	<0.01	0.08
I316042		1.60	26.9	550	6.9	25.0	<0.001	0.01	0.89	7.2	0.6	0.6	28.1	<0.01	0.05
I316043		1.54	24.0	560	6.3	20.3	<0.001	0.01	0.89	5.8	0.5	0.5	26.9	<0.01	0.04
I316044		1.42	22.9	580	5.8	20.9	<0.001	0.03	1.40	3.9	0.4	0.5	23.8	<0.01	0.04
I316045		1.87	29.8	880	5.3	20.6	<0.001	0.01	0.43	5.6	0.5	0.6	25.2	<0.01	0.06
I316046		0.75	12.7	1430	6.0	8.0	0.001	0.14	0.80	2.3	2.4	0.4	26.4	0.01	0.10
I316047		0.36	12.7	1570	3.9	6.5	0.001	0.18	2.05	1.4	1.3	0.3	45.6	<0.01	0.07
I316048		1.46	16.9	1030	5.2	9.1	<0.001	0.05	0.92	3.6	0.6	0.5	21.8	<0.01	0.05
I316049		2.49	24.8	710	6.8	17.9	<0.001	0.01	1.27	5.4	0.5	0.6	24.7	<0.01	0.05
I316050		2.15	23.1	710	6.6	14.6	<0.001	<0.01	0.84	6.0	0.5	0.6	25.1	<0.01	0.04
I316051		1.34	27.6	1020	9.4	20.6	0.001	0.09	3.92	4.9	1.1	0.5	50.9	<0.01	0.07
I316052		1.52	23.3	700	5.5	20.9	<0.001	0.02	1.68	5.3	0.6	0.5	31.2	<0.01	0.07
I316053		1.87	26.5	660	5.7	26.3	<0.001	0.01	1.64	6.6	0.7	0.6	30.1	<0.01	0.06
I316054		2.12	30.3	650	6.8	26.1	<0.001	0.01	1.50	7.3	0.9	0.8	28.3	<0.01	0.08
I316055		2.05	28.4	560	5.8	30.0	<0.001	0.01	1.25	5.9	0.7	0.7	28.4	<0.01	0.06
I316056		1.60	25.8	640	5.0	25.8	<0.001	0.04	0.80	4.4	0.7	0.6	31.8	<0.01	0.05
I316057		2.15	28.5	570	5.9	21.0	<0.001	0.01	0.80	5.1	0.5	0.6	22.7	<0.01	0.05
I316058		1.00	11.1	340	5.4	9.7	<0.001	0.01	0.37	1.9	0.4	0.4	16.0	<0.01	0.04
I316059		1.55	27.2	550	5.1	19.7	<0.001	0.02	1.40	4.8	0.6	0.5	27.1	<0.01	0.06
I316060		1.49	27.5	620	5.8	21.2	<0.001	0.06	1.01	4.3	0.9	0.6	38.1	<0.01	0.10
I316061		1.56	17.8	340	6.3	31.9	<0.001	0.01	0.42	3.1	0.3	0.6	15.7	<0.01	0.07
I316062		1.58	22.7	470	5.8	17.6	<0.001	0.03	0.43	3.6	0.6	0.5	22.4	0.01	0.06
I316063		1.67	24.9	500	6.2	18.6	<0.001	0.02	0.44	4.1	0.6	0.5	23.1	0.01	0.07
I316064		2.21	32.9	550	5.1	28.8	<0.001	0.03	0.28	5.1	0.6	0.6	25.0	<0.01	0.06
I316065		2.17	31.5	640	13.2	32.4	<0.001	<0.01	2.66	6.5	0.5	0.6	22.4	<0.01	0.07
I316066		2.09	30.2	630	7.2	48.9	<0.001	<0.01	1.56	7.5	1.1	0.7	21.4	<0.01	0.12
I316067		0.45	5.4	320	3.1	4.0	<0.001	0.02	0.27	0.8	0.3	0.3	10.0	<0.01	0.02
I316068		1.07	15.9	560	7.5	13.9	<0.001	0.04	2.06	4.5	0.5	0.4	32.6	<0.01	0.02
I316069		0.65	12.2	1060	4.9	7.7	<0.001	0.09	0.51	1.8	0.8	0.3	29.5	<0.01	0.03
I316070		1.80	37.2	960	23.5	20.7	<0.001	0.08	1.72	4.0	0.7	0.7	32.5	<0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I316031		0.099	0.16	1.52	68	2.49	9.17	58
I316032		0.121	0.19	1.29	80	3.24	8.32	59
I316033		0.099	0.18	1.31	88	0.54	8.15	72
I316034		0.102	0.14	1.05	66	0.66	6.12	51
I316035		0.123	0.18	0.88	73	6.31	5.27	59
I316036		0.095	0.15	1.29	70	1.48	7.24	59
I316037		0.139	0.21	0.94	74	1.12	4.89	57
I316038		0.047	0.09	1.35	24	0.32	11.70	28
I316039		0.111	0.13	0.55	81	0.47	4.22	69
I316040		0.008	0.04	0.36	4	0.06	2.35	4
I316041		0.142	0.26	0.84	109	0.26	8.27	82
I316042		0.155	0.21	0.77	90	0.35	6.86	66
I316043		0.145	0.17	0.72	78	0.38	6.70	55
I316044		0.129	0.13	0.55	71	0.20	4.36	86
I316045		0.133	0.16	0.97	83	1.93	7.60	61
I316046		0.045	0.15	2.66	53	0.30	12.65	20
I316047		0.026	0.23	1.97	33	0.19	12.25	26
I316048		0.100	0.14	0.76	79	0.74	5.17	50
I316049		0.146	0.22	0.92	79	0.42	6.49	63
I316050		0.149	0.20	1.03	72	0.57	7.25	60
I316051		0.090	0.23	1.29	72	0.71	9.26	72
I316052		0.116	0.16	0.78	78	0.86	5.14	63
I316053		0.131	0.19	1.55	78	0.59	8.14	60
I316054		0.143	0.23	1.57	87	0.85	9.19	66
I316055		0.135	0.21	1.08	77	0.74	5.92	61
I316056		0.118	0.19	0.97	76	1.29	5.43	57
I316057		0.136	0.17	0.73	78	1.38	4.75	61
I316058		0.073	0.07	0.59	48	0.45	2.86	36
I316059		0.128	0.16	0.90	80	1.03	5.14	64
I316060		0.108	0.19	1.22	82	5.40	5.89	66
I316061		0.109	0.11	0.39	70	1.96	2.09	60
I316062		0.105	0.14	0.63	74	2.63	4.29	48
I316063		0.113	0.15	0.67	79	4.18	4.31	49
I316064		0.131	0.22	0.83	76	0.50	4.37	69
I316065		0.148	0.26	1.07	82	0.33	6.97	58
I316066		0.148	0.56	2.06	90	0.39	9.26	73
I316067		0.052	0.06	0.31	32	0.10	1.25	20
I316068		0.106	0.14	0.77	65	0.82	5.30	59
I316069		0.051	0.09	0.98	40	0.42	6.51	30
I316070		0.103	0.23	2.16	74	0.72	6.14	75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316071		0.80	0.010	0.13	2.56	10.1	<0.2	<10	240	0.44	0.22	0.34	0.19	31.0	15.6	68
I316072		0.72	0.008	0.12	1.88	3.3	<0.2	<10	120	0.19	0.24	0.34	0.09	12.90	9.9	71
I316073		0.78	0.006	0.03	2.47	2.3	<0.2	<10	180	0.19	0.09	0.37	0.04	13.45	12.8	75
I316074		0.72	0.015	0.05	2.45	14.4	<0.2	<10	110	0.28	0.33	0.39	0.06	15.10	13.7	139
I316075		0.78	0.014	0.05	2.63	12.4	<0.2	<10	120	0.29	0.38	0.44	0.05	14.60	13.0	162
I316076		0.82	0.010	0.07	2.55	29.7	<0.2	<10	160	0.42	0.24	0.48	0.09	36.0	14.7	86
I316077		0.76	0.020	0.17	2.51	34.7	<0.2	<10	170	0.47	0.32	0.47	0.13	61.8	16.5	73
I316078		0.74	0.012	0.06	2.57	13.8	<0.2	<10	190	0.68	0.50	0.51	0.16	53.8	10.9	71
I316079		0.82	0.006	0.06	2.41	3.0	<0.2	<10	250	0.55	0.25	0.48	0.10	42.4	10.0	59
I316080		0.86	0.006	0.10	2.35	5.3	<0.2	<10	240	0.65	0.30	0.39	0.26	36.3	11.3	49
I316081		0.74	0.005	0.05	2.36	10.2	<0.2	<10	260	0.65	0.16	0.35	0.15	27.3	11.0	50
I316082		0.56	<0.005	0.08	0.80	2.0	<0.2	<10	100	0.25	0.09	0.28	0.10	7.25	3.9	17
I316083		0.56	<0.005	0.06	0.89	3.5	<0.2	<10	70	0.16	0.10	0.18	0.13	9.55	4.4	18
I316084		0.66	0.011	0.04	1.78	7.2	<0.2	<10	160	0.31	0.10	0.43	0.20	22.4	9.6	37
I316085		0.74	0.007	0.05	1.85	9.2	<0.2	<10	150	0.34	0.11	0.32	0.18	18.20	10.2	37
I316086		0.48	0.006	0.06	0.97	6.3	<0.2	<10	50	0.14	0.15	0.09	0.11	9.09	3.5	21
I316087		0.52	0.020	0.34	1.38	9.8	<0.2	<10	130	0.52	0.11	0.40	0.18	17.45	3.8	28
I316088		0.56	0.006	0.10	2.22	21.9	<0.2	<10	200	0.48	0.13	0.56	0.18	25.7	15.7	51
I316089		0.50	0.009	0.12	1.26	10.6	<0.2	<10	110	0.35	0.09	0.32	0.09	10.10	3.2	23
I316090		0.78	<0.005	0.12	2.58	15.1	<0.2	<10	180	0.90	0.23	0.47	0.12	24.8	12.6	47



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I316071		2.75	57.5	3.29	8.74	0.10	0.07	0.03	0.032	0.32	14.3	16.6	1.09	471	1.19
I316072		1.87	106.0	2.24	4.77	0.05	0.03	0.03	0.020	0.10	6.2	14.3	0.73	225	0.94
I316073		3.46	104.5	2.66	6.08	0.06	0.03	0.01	0.015	0.23	6.5	14.4	1.29	152	0.32
I316074		2.91	87.5	2.61	6.52	0.06	0.04	0.02	0.018	0.17	7.4	13.4	1.21	226	1.09
I316075		3.65	91.4	2.66	6.69	0.07	0.04	0.02	0.017	0.20	7.4	14.6	1.42	195	0.92
I316076		3.59	111.5	3.08	7.51	0.09	0.07	0.03	0.022	0.31	18.2	13.4	1.04	437	3.58
I316077		4.53	251	4.11	8.66	0.13	0.15	0.05	0.032	0.43	37.7	15.2	0.94	505	9.65
I316078		5.58	284	2.84	7.78	0.11	0.11	0.06	0.033	0.34	32.7	12.8	0.88	353	11.30
I316079		5.13	132.5	2.98	8.73	0.10	0.09	0.04	0.034	0.39	19.8	13.2	0.85	318	30.2
I316080		3.09	128.5	2.70	7.83	0.10	0.05	0.03	0.040	0.26	18.4	12.4	0.75	278	66.0
I316081		3.50	69.1	2.94	7.34	0.08	0.04	0.05	0.027	0.24	12.6	12.3	0.75	273	103.0
I316082		1.05	36.8	1.18	3.03	<0.05	0.02	0.05	0.012	0.05	3.7	3.9	0.28	249	31.7
I316083		0.66	32.8	1.47	3.57	<0.05	0.02	0.06	0.012	0.05	4.7	3.9	0.24	133	3.34
I316084		1.19	77.7	2.46	5.19	0.07	0.05	0.05	0.020	0.12	10.0	9.7	0.61	245	7.56
I316085		1.27	67.8	2.45	5.44	0.06	0.05	0.03	0.021	0.15	8.1	9.5	0.55	446	9.37
I316086		1.06	19.7	2.27	6.13	<0.05	0.02	0.05	0.015	0.05	4.6	5.0	0.19	153	4.05
I316087		1.50	68.6	1.10	3.62	<0.05	0.03	0.15	0.017	0.07	9.4	5.1	0.32	169	8.50
I316088		2.04	44.4	2.72	8.07	0.06	0.03	0.03	0.032	0.07	10.3	13.7	0.76	1260	103.5
I316089		0.84	44.9	1.21	4.09	<0.05	0.02	0.08	0.017	0.03	5.3	4.6	0.21	91	74.3
I316090		3.05	70.5	3.19	9.57	0.07	0.03	0.08	0.048	0.09	11.8	13.7	0.68	544	87.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I316071		2.76	42.7	580	9.9	44.8	<0.001	<0.01	0.52	7.8	0.5	0.9	24.4	<0.01	0.04	3.7
I316072		0.99	25.4	510	4.1	15.7	<0.001	<0.01	0.21	3.8	0.4	0.4	24.8	<0.01	0.03	1.0
I316073		0.60	29.4	450	2.6	24.2	<0.001	<0.01	0.13	5.6	0.2	0.4	24.1	<0.01	0.02	1.3
I316074		0.81	52.3	470	3.7	21.7	<0.001	<0.01	0.56	5.7	0.3	0.5	24.5	<0.01	0.04	2.1
I316075		0.65	56.8	450	3.5	23.8	<0.001	<0.01	0.53	6.2	0.3	0.5	25.1	<0.01	0.06	2.1
I316076		1.23	40.5	570	4.4	46.1	<0.001	<0.01	0.68	7.2	0.4	0.7	39.2	<0.01	0.04	4.7
I316077		1.27	31.0	630	5.0	55.3	<0.001	<0.01	1.02	9.2	0.7	0.9	36.6	<0.01	0.06	6.7
I316078		1.46	25.3	680	6.0	49.8	<0.001	<0.01	0.64	7.6	0.7	1.1	39.4	<0.01	0.07	8.4
I316079		1.72	21.6	820	4.3	51.9	<0.001	<0.01	0.19	8.2	0.7	0.9	51.0	<0.01	0.05	6.0
I316080		2.06	31.8	830	5.1	34.4	<0.001	<0.01	0.23	6.6	0.9	1.3	27.0	<0.01	0.07	4.4
I316081		2.04	29.6	800	5.5	29.8	<0.001	<0.01	0.21	6.0	0.6	0.7	19.1	<0.01	0.04	3.5
I316082		0.63	12.3	570	2.2	7.4	<0.001	0.02	0.15	1.5	0.3	0.3	19.7	<0.01	0.03	0.3
I316083		0.55	10.9	510	3.2	6.6	<0.001	0.03	0.28	1.3	0.4	0.3	13.2	<0.01	0.02	<0.2
I316084		1.53	24.4	800	4.4	13.5	<0.001	<0.01	0.31	4.5	0.4	0.4	23.0	<0.01	0.03	2.2
I316085		1.51	23.1	760	4.0	15.6	<0.001	0.01	0.29	4.0	0.4	0.4	16.1	<0.01	0.04	2.3
I316086		1.08	8.2	430	5.6	6.1	<0.001	0.02	0.46	1.6	0.4	0.5	9.9	<0.01	0.04	0.3
I316087		0.66	13.5	1080	3.0	8.2	0.001	0.13	0.60	1.7	0.9	0.3	27.9	<0.01	0.04	<0.2
I316088		1.82	24.6	730	5.4	12.4	0.001	0.03	0.62	5.1	0.5	0.7	31.4	<0.01	0.04	1.3
I316089		0.59	9.4	920	3.7	3.8	0.002	0.08	0.36	1.7	0.6	0.3	21.4	<0.01	0.02	0.2
I316090		1.82	27.3	720	6.0	17.1	<0.001	0.03	0.29	5.4	0.5	0.9	36.0	<0.01	0.06	1.4



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

www.alsglobal.com

**SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5**

**Total # Pages: 7 (A - D)
Plus Appendix Pages**

Finalized Date: 23-SEP-2010
Account: EIASOI

Project: SQL10-06

CERTIFICATE OF ANALYSIS WH10122681[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

CERTIFICATE WH10113326

Project: SQI10-06

P.O. No.: SQI10-06_21

This report is for 150 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314701		0.38	<0.005	0.07	2.33	5.6	<0.2	<10	190	0.52	0.10	0.42	0.13	41.7	12.9	48
I314702		0.36	0.005	0.11	2.43	8.2	<0.2	<10	190	0.43	0.12	0.35	0.09	28.7	14.8	46
I314703		0.46	<0.005	0.16	1.63	5.6	<0.2	<10	190	0.26	0.10	0.36	0.14	23.9	10.4	41
I314704		0.42	<0.005	0.15	2.28	7.0	<0.2	<10	250	0.45	0.12	0.33	0.10	30.1	10.0	44
I314705		0.50	0.007	0.34	1.42	5.2	<0.2	<10	300	0.29	0.13	0.24	0.19	37.7	5.6	37
I314706		0.44	0.006	0.09	1.33	6.3	<0.2	<10	170	0.16	0.14	0.20	0.09	27.9	5.5	32
I314707		0.34	<0.005	0.13	2.03	9.4	<0.2	<10	130	0.34	0.15	0.24	0.26	17.70	7.3	46
I314708		0.30	0.008	0.19	2.64	9.8	<0.2	<10	160	0.53	0.17	0.23	0.56	31.6	14.9	42
I314709		0.32	<0.005	0.19	2.06	10.0	<0.2	<10	160	0.40	0.16	0.17	0.26	28.1	8.8	31
I314710		0.48	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314711		0.42	0.009	0.24	3.14	11.0	<0.2	<10	160	0.62	0.13	0.29	0.33	22.3	16.1	42
I314712		0.28	<0.005	0.22	1.25	6.0	<0.2	<10	150	0.23	0.15	0.19	0.33	18.15	7.0	27
I314713		0.36	<0.005	0.16	1.69	10.1	<0.2	<10	150	0.34	0.16	0.17	0.17	18.70	8.4	31
I314714		0.28	<0.005	0.46	1.32	17.2	<0.2	<10	300	0.46	0.19	0.24	0.54	18.90	12.0	29
I314715		0.38	<0.005	0.38	1.93	13.0	<0.2	<10	170	0.51	0.26	0.20	0.40	33.7	14.2	36
I314716		0.26	0.011	0.22	0.37	2.8	<0.2	<10	90	0.14	0.10	0.13	0.35	9.07	2.9	12
I314717		0.28	<0.005	0.05	0.82	4.4	<0.2	<10	40	0.17	0.14	0.04	0.09	9.77	2.9	12
I314718		0.38	<0.005	0.09	1.72	8.3	<0.2	<10	130	0.26	0.25	0.23	0.21	24.6	11.6	38
I314719		0.34	<0.005	0.47	1.72	4.6	<0.2	<10	230	0.25	0.23	0.22	0.20	23.0	6.4	33
I314720		0.30	<0.005	0.54	1.73	5.3	<0.2	<10	250	0.32	0.26	0.26	0.25	25.9	7.0	35
I314721		0.32	0.005	0.47	1.73	6.8	<0.2	<10	170	0.21	0.19	0.23	0.17	21.4	8.1	36
I314722		0.32	0.007	0.21	1.92	15.7	<0.2	<10	100	0.25	0.23	0.11	0.33	17.00	7.2	34
I314723		0.28	<0.005	0.16	0.47	13.0	<0.2	<10	60	0.07	0.13	0.04	0.41	8.73	2.6	12
I314724		0.22	<0.005	0.32	1.59	7.4	<0.2	<10	130	0.27	0.18	0.18	0.16	26.9	8.4	32
I314725		0.30	<0.005	0.24	0.85	3.8	<0.2	<10	110	0.17	0.13	0.09	0.24	7.69	4.6	14
I314726		0.42	<0.005	0.22	1.20	4.2	<0.2	<10	160	0.18	0.18	0.22	0.23	14.50	5.7	27
I314727		0.42	<0.005	0.10	1.59	6.1	<0.2	<10	130	0.16	0.18	0.31	0.13	16.30	6.1	34
I314728		0.38	<0.005	0.10	2.25	8.3	<0.2	<10	160	0.32	0.47	0.39	0.16	22.5	12.8	49
I314729		0.42	<0.005	0.06	1.64	4.7	<0.2	<10	110	0.17	0.12	0.37	0.12	14.45	9.7	38
I314730		0.34	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314731		0.44	<0.005	0.06	2.67	10.5	<0.2	<10	210	0.50	0.20	0.10	0.07	21.0	11.8	36
I314732		0.42	<0.005	0.03	2.00	4.5	<0.2	<10	100	0.24	0.10	0.20	0.05	14.50	8.2	56
I314733		0.44	<0.005	0.05	1.85	5.9	<0.2	<10	120	0.27	0.10	0.28	0.09	16.15	6.9	25
I314734		0.42	0.006	0.05	1.24	4.5	<0.2	<10	130	0.20	0.13	0.15	0.08	15.20	3.2	17
I314735		0.38	<0.005	0.05	1.25	2.6	<0.2	<10	120	0.25	0.11	0.21	0.07	13.85	3.8	15
I314736		0.52	<0.005	0.02	1.26	2.6	<0.2	<10	90	0.21	0.06	0.14	0.04	7.75	5.0	19
I314737		0.30	<0.005	0.03	1.60	5.5	<0.2	<10	140	0.31	0.14	0.12	0.09	14.20	4.8	24
I314738		0.46	<0.005	0.06	2.72	10.7	<0.2	<10	160	0.52	0.16	0.14	0.06	17.60	8.2	35
I314739		0.44	<0.005	0.03	2.33	10.0	<0.2	<10	100	0.35	0.11	0.13	0.06	15.30	8.9	30
I314740		0.46	<0.005	0.03	2.23	8.2	<0.2	<10	110	0.38	0.10	0.16	0.05	15.95	8.4	27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314701		2.07	29.0	3.12	7.42	0.09	0.07	0.03	0.028	0.08	19.2	18.3	0.86	299	0.80
I314702		3.50	22.2	3.51	7.78	0.09	0.05	0.04	0.033	0.10	14.5	18.4	0.81	404	0.99
I314703		3.44	18.3	2.86	6.33	0.06	0.02	0.04	0.023	0.08	12.8	12.4	0.59	489	1.13
I314704		4.13	22.8	3.08	7.07	0.09	0.05	0.05	0.033	0.12	17.5	19.2	0.71	299	1.11
I314705		4.14	24.3	2.39	6.43	0.08	<0.02	0.05	0.030	0.10	22.8	7.9	0.35	190	1.67
I314706		2.73	15.1	2.92	8.61	0.07	<0.02	0.03	0.027	0.08	14.1	5.8	0.37	168	2.14
I314707		5.09	18.4	3.93	9.57	0.07	0.03	0.04	0.031	0.08	9.1	16.2	0.45	225	2.11
I314708		7.24	42.4	5.35	10.20	0.11	0.03	0.06	0.046	0.20	15.8	18.1	0.61	384	2.15
I314709		3.44	24.7	3.64	7.86	0.07	0.04	0.05	0.035	0.07	14.4	14.6	0.40	220	2.99
I314710		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314711		3.60	26.4	3.60	6.95	0.08	0.14	0.07	0.037	0.05	10.8	19.1	0.60	411	2.15
I314712		9.67	25.2	2.62	6.36	0.05	0.02	0.06	0.024	0.07	9.5	7.5	0.31	152	2.33
I314713		6.07	26.3	3.72	7.84	0.06	0.02	0.05	0.037	0.06	9.5	13.4	0.36	263	3.24
I314714		11.20	38.4	2.89	4.32	0.06	0.02	0.11	0.042	0.10	9.6	8.7	0.30	203	3.17
I314715		27.7	32.6	4.15	7.55	0.10	0.02	0.06	0.041	0.09	17.0	15.9	0.39	568	3.83
I314716		3.30	14.9	1.00	2.27	<0.05	<0.02	0.07	0.012	0.04	4.7	1.2	0.05	170	1.22
I314717		2.08	12.2	1.37	4.52	<0.05	0.02	0.03	0.014	0.03	4.9	3.4	0.12	83	0.94
I314718		5.47	22.9	3.56	5.59	0.05	0.03	0.04	0.026	0.11	12.1	10.6	0.50	521	1.75
I314719		7.98	24.7	2.44	5.77	<0.05	0.02	0.07	0.023	0.11	11.4	6.3	0.37	155	1.59
I314720		8.51	28.7	2.61	5.80	<0.05	0.02	0.07	0.024	0.11	13.0	6.7	0.37	167	1.78
I314721		8.66	23.8	2.84	5.45	<0.05	0.02	0.07	0.024	0.07	10.6	9.2	0.46	213	1.46
I314722		4.63	19.5	4.33	8.91	<0.05	0.06	0.02	0.028	0.06	8.1	13.6	0.35	221	1.78
I314723		3.15	13.3	1.31	3.78	<0.05	<0.02	0.03	0.009	0.05	4.3	1.9	0.11	74	1.48
I314724		5.50	30.4	3.04	5.28	0.05	0.03	0.07	0.023	0.09	14.4	9.3	0.43	314	1.35
I314725		1.29	24.5	1.71	3.64	<0.05	<0.02	0.09	0.013	0.03	3.6	3.0	0.13	369	1.19
I314726		2.78	21.8	1.96	4.98	<0.05	0.02	0.05	0.018	0.05	6.9	6.0	0.35	160	1.35
I314727		2.29	12.6	2.55	5.06	<0.05	<0.02	0.03	0.019	0.06	7.7	9.6	0.51	210	0.94
I314728		1.89	18.4	3.74	6.24	0.06	0.03	0.03	0.025	0.06	10.6	15.6	0.74	419	1.26
I314729		1.38	13.5	2.53	5.00	<0.05	0.02	0.03	0.018	0.06	6.8	10.0	0.58	418	0.83
I314730		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314731		1.61	18.2	3.48	7.50	<0.05	0.05	0.02	0.032	0.04	9.5	16.0	0.46	306	1.27
I314732		0.79	10.6	2.89	8.23	<0.05	0.04	0.01	0.016	0.06	6.6	19.7	0.89	271	0.51
I314733		0.69	12.8	2.63	6.58	<0.05	0.02	0.02	0.017	0.06	7.4	13.7	0.60	250	0.61
I314734		0.60	7.8	1.76	5.84	<0.05	<0.02	0.02	0.013	0.05	7.4	6.9	0.30	114	0.47
I314735		0.81	9.9	1.66	6.96	<0.05	<0.02	0.02	0.011	0.05	6.7	7.6	0.42	138	0.55
I314736		0.52	7.6	1.56	5.35	<0.05	<0.02	0.01	0.008	0.04	3.8	11.0	0.54	198	0.34
I314737		0.49	12.4	2.26	5.77	<0.05	<0.02	0.02	0.015	0.05	6.6	9.1	0.38	147	0.61
I314738		1.49	12.2	3.68	6.87	<0.05	0.05	0.02	0.033	0.05	7.8	16.9	0.52	222	0.89
I314739		1.20	12.4	3.82	8.67	0.05	0.02	0.02	0.023	0.07	6.9	23.0	0.80	345	0.90
I314740		1.25	10.7	3.49	8.43	<0.05	<0.02	0.03	0.021	0.07	7.4	22.9	0.83	341	0.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314701		1.41	28.4	820	8.6	14.4	<0.001	0.02	0.38	5.7	0.7	0.5	24.4	<0.01	0.02
I314702		1.31	27.6	740	9.8	17.1	<0.001	0.03	0.38	5.5	0.8	0.5	22.7	<0.01	0.02
I314703		1.04	22.1	530	7.4	13.6	<0.001	0.03	0.31	4.3	0.6	0.4	26.7	<0.01	0.03
I314704		1.23	25.9	720	9.1	18.7	<0.001	0.02	0.30	6.1	0.8	0.5	21.9	<0.01	0.04
I314705		0.63	17.9	770	7.7	19.7	<0.001	0.05	0.38	4.1	1.0	0.5	21.5	<0.01	0.04
I314706		1.05	13.3	290	8.5	17.8	<0.001	0.01	0.37	3.8	0.5	0.5	16.4	<0.01	0.05
I314707		1.67	18.9	450	9.2	17.6	<0.001	0.02	0.54	4.7	0.7	0.6	20.4	<0.01	0.06
I314708		3.93	39.6	830	9.5	28.5	<0.001	0.04	0.72	5.7	1.1	0.6	18.4	0.01	0.09
I314709		1.64	20.4	490	11.7	10.3	<0.001	0.07	0.63	4.6	1.1	0.6	21.5	<0.01	0.06
I314710		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314711		1.86	32.2	830	8.2	8.5	<0.001	0.03	0.63	6.4	1.3	0.5	21.9	0.02	0.05
I314712		0.98	21.1	500	7.1	12.4	<0.001	0.06	0.44	3.2	1.0	0.6	22.2	<0.01	0.05
I314713		1.21	20.7	600	8.3	8.9	<0.001	0.07	0.71	3.5	1.9	0.6	19.1	<0.01	0.06
I314714		0.55	30.3	1160	10.8	11.3	<0.001	0.09	0.88	3.0	1.8	0.8	26.4	<0.01	0.06
I314715		0.97	42.6	1000	15.0	17.5	<0.001	0.05	0.69	4.1	1.6	0.6	23.2	<0.01	0.07
I314716		0.22	9.6	610	3.6	5.9	<0.001	0.06	0.28	0.7	0.7	0.3	14.1	<0.01	0.03
I314717		0.91	7.6	180	6.0	5.1	<0.001	<0.01	0.23	1.5	0.4	0.4	7.6	<0.01	0.03
I314718		1.21	30.5	730	12.8	16.0	<0.001	0.01	0.44	3.0	0.6	0.5	17.6	<0.01	0.05
I314719		0.83	21.3	690	10.2	17.0	<0.001	0.05	0.29	2.8	0.8	0.5	22.4	<0.01	0.05
I314720		0.86	23.9	810	11.9	16.7	<0.001	0.06	0.35	2.9	0.9	0.5	26.0	<0.01	0.06
I314721		0.89	24.8	780	8.6	12.7	<0.001	0.03	0.32	2.9	1.0	0.4	19.6	<0.01	0.04
I314722		1.81	17.9	340	11.8	12.0	<0.001	0.01	0.47	3.2	0.4	0.8	10.0	<0.01	0.04
I314723		0.57	9.6	220	7.3	9.2	<0.001	0.03	0.31	1.3	0.7	0.3	8.7	<0.01	0.03
I314724		0.94	24.3	700	8.4	13.5	<0.001	0.04	0.35	2.6	0.7	0.4	15.2	<0.01	0.05
I314725		0.40	9.8	520	4.6	5.2	<0.001	0.05	0.31	0.9	0.5	0.3	11.1	<0.01	0.03
I314726		0.69	15.7	620	9.1	9.0	<0.001	0.04	0.23	1.7	0.6	0.4	20.3	<0.01	0.04
I314727		0.81	15.6	690	7.8	8.9	<0.001	0.02	0.32	3.0	0.5	0.5	18.7	<0.01	0.03
I314728		1.35	18.8	820	9.3	10.4	<0.001	0.03	0.37	4.1	0.6	0.4	25.7	<0.01	0.04
I314729		1.04	15.7	620	6.5	11.5	<0.001	0.02	0.29	3.0	0.4	0.4	21.2	<0.01	0.02
I314730		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314731		1.78	21.7	280	9.8	10.6	<0.001	0.01	0.41	3.7	0.4	0.7	12.1	0.01	0.04
I314732		1.35	18.5	410	7.8	9.7	<0.001	<0.01	0.26	2.9	0.2	0.4	22.0	<0.01	0.02
I314733		0.88	15.1	780	7.2	7.0	<0.001	<0.01	0.28	2.1	0.3	0.4	21.4	<0.01	0.02
I314734		0.58	8.1	290	7.9	7.3	<0.001	0.01	0.19	1.1	0.2	0.4	16.8	<0.01	0.02
I314735		0.75	7.5	240	8.3	8.8	<0.001	0.01	0.17	1.2	0.2	0.5	27.8	<0.01	0.02
I314736		0.41	9.6	540	7.2	9.1	<0.001	<0.01	0.12	0.8	0.2	0.2	64.7	<0.01	0.01
I314737		0.64	11.7	290	7.9	6.8	<0.001	0.01	0.31	1.4	0.3	0.4	17.8	<0.01	0.02
I314738		1.50	19.3	360	10.6	11.6	<0.001	0.01	0.48	3.1	0.3	0.6	13.8	<0.01	0.03
I314739		1.40	17.0	310	9.0	12.4	<0.001	<0.01	0.38	2.7	0.3	0.5	16.9	<0.01	0.03
I314740		1.19	14.9	380	8.6	12.6	<0.001	0.01	0.32	2.3	0.3	0.5	19.6	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I314701		0.126	0.13	1.07	67	0.12	9.09	80
I314702		0.111	0.17	0.83	72	0.15	6.31	83
I314703		0.093	0.09	0.55	63	0.13	5.17	72
I314704		0.095	0.14	0.93	64	0.44	7.92	71
I314705		0.042	0.11	1.26	55	0.18	8.74	65
								<0.5
I314706		0.068	0.11	0.46	78	0.10	3.17	52
I314707		0.075	0.13	0.42	95	0.15	2.94	54
I314708		0.147	0.22	0.92	100	0.16	7.69	92
I314709		0.089	0.15	0.82	83	0.19	5.15	54
I314710		NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314711		0.118	0.15	0.89	77	0.25	6.78	61
I314712		0.081	0.19	0.74	68	0.20	3.52	65
I314713		0.084	0.15	0.77	85	0.15	4.54	55
I314714		0.022	0.19	1.46	53	0.26	6.49	87
I314715		0.045	0.17	1.33	74	0.20	6.84	119
								<0.5
I314716		0.025	0.05	0.47	28	0.07	2.30	20
I314717		0.064	0.06	0.40	33	0.11	2.07	20
I314718		0.110	0.13	0.76	72	0.30	4.54	84
I314719		0.069	0.15	1.10	52	0.12	6.16	58
I314720		0.071	0.15	1.34	55	0.16	7.24	60
								0.6
I314721		0.070	0.14	0.99	56	0.17	5.13	64
I314722		0.139	0.13	0.48	123	0.11	2.85	55
I314723		0.063	0.06	0.29	40	0.08	1.43	34
I314724		0.093	0.10	1.02	66	0.15	4.99	66
I314725		0.051	0.05	0.50	40	0.07	1.61	34
								<0.5
I314726		0.070	0.08	0.77	45	0.28	3.64	48
I314727		0.091	0.09	0.54	62	0.21	3.82	66
I314728		0.116	0.09	1.07	80	0.41	5.16	73
I314729		0.118	0.08	0.45	63	0.10	3.39	65
I314730		NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314731		0.092	0.14	0.53	76	0.20	3.56	52
I314732		0.127	0.09	0.36	69	0.17	2.16	76
I314733		0.094	0.07	0.38	56	0.29	3.04	74
I314734		0.064	0.07	0.34	46	0.12	2.24	37
I314735		0.081	0.07	0.40	42	0.08	2.19	46
								<0.5
I314736		0.034	0.05	0.23	31	0.07	1.31	59
I314737		0.067	0.06	0.33	55	0.12	2.32	45
I314738		0.077	0.11	0.41	72	0.15	2.42	51
I314739		0.089	0.09	0.38	75	0.18	2.22	79
I314740		0.086	0.09	0.44	69	0.13	2.34	80
								<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314741		0.44	<0.005	0.07	2.27	9.8	<0.2	<10	200	0.44	0.18	0.13	0.09	17.20	6.7	31
I314742		0.44	0.005	0.07	1.71	5.3	<0.2	<10	190	0.26	0.16	0.13	0.10	15.80	7.0	25
I314743		0.44	0.005	0.04	1.72	6.1	<0.2	<10	200	0.30	0.12	0.27	0.04	20.1	6.9	27
I314744		0.44	0.006	0.04	2.02	8.3	<0.2	<10	140	0.31	0.16	0.11	0.06	14.30	6.3	27
I314745		0.54	<0.005	0.04	1.92	7.4	<0.2	<10	140	0.26	0.13	0.10	0.06	11.45	5.3	26
I314746		0.44	<0.005	0.02	1.64	5.7	<0.2	<10	90	0.20	0.11	0.08	0.04	10.55	3.6	20
I314747		0.42	<0.005	0.06	2.07	12.2	<0.2	<10	150	0.29	0.22	0.08	0.07	16.40	5.8	39
I314748		0.40	<0.005	0.10	2.09	6.0	<0.2	<10	140	0.25	0.12	0.18	0.05	11.55	9.4	35
I314749		0.48	<0.005	0.05	1.08	3.5	<0.2	<10	60	0.14	0.12	0.05	0.05	19.15	2.5	34
I314750		0.30	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314751		0.58	<0.005	0.28	1.89	3.1	<0.2	<10	300	0.40	0.12	0.44	0.07	18.25	8.9	24
I314752		0.50	<0.005	0.20	1.92	2.7	<0.2	<10	290	0.37	0.11	0.37	0.06	15.65	8.5	23
I314753		0.46	<0.005	0.06	2.46	13.9	<0.2	<10	260	0.76	0.17	0.42	0.18	34.8	11.3	33
I314754		0.44	<0.005	0.04	1.60	5.7	<0.2	<10	230	0.39	0.15	0.51	0.09	21.8	9.7	27
I314755		0.52	<0.005	0.06	2.29	9.4	<0.2	<10	320	0.67	0.16	0.74	0.28	33.4	11.8	33
I314756		0.50	<0.005	0.04	1.66	5.1	<0.2	<10	280	0.54	0.14	0.51	0.19	27.4	9.2	27
I314757		0.50	<0.005	0.08	2.06	7.0	<0.2	<10	260	0.50	0.16	0.46	0.08	25.8	10.4	31
I314758		0.46	<0.005	0.03	1.46	5.6	<0.2	<10	170	0.26	0.13	0.24	0.06	18.20	6.7	22
I314759		0.48	<0.005	0.06	2.00	6.5	<0.2	<10	340	0.48	0.18	0.49	0.13	25.7	9.3	30
I314760		0.44	<0.005	0.07	1.85	5.5	<0.2	<10	270	0.81	0.16	0.65	0.17	39.7	10.3	26
I314761		0.52	<0.005	0.06	1.19	3.4	<0.2	<10	830	0.72	0.13	3.38	0.47	19.80	6.8	12
I314762		0.42	<0.005	0.10	1.45	5.1	<0.2	<10	440	0.47	0.13	1.60	0.38	19.35	8.3	24
I314763		0.50	<0.005	0.07	1.58	5.9	<0.2	<10	400	0.48	0.14	0.79	0.21	30.0	11.1	26
I314764		0.38	<0.005	0.11	2.30	5.9	<0.2	<10	390	0.66	0.16	0.93	0.32	41.2	11.6	33
I314765		0.44	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314766		0.60	<0.005	0.10	1.52	7.7	<0.2	<10	310	0.44	0.14	1.08	0.21	27.0	8.8	25
I314767		0.36	<0.005	0.14	1.46	5.2	<0.2	<10	440	0.47	0.15	0.86	0.29	24.4	9.2	22
I314768		0.42	<0.005	0.06	1.51	5.3	<0.2	<10	330	0.33	0.15	0.71	0.23	21.5	7.9	26
I314769		0.56	0.008	0.11	1.66	6.6	<0.2	<10	340	0.40	0.16	0.56	0.16	23.2	10.0	27
I314770		0.56	0.005	0.06	1.50	7.4	<0.2	<10	260	0.34	0.14	0.52	0.15	22.5	7.9	25
I314771		0.54	0.005	0.15	1.99	8.4	<0.2	<10	350	0.69	0.18	0.66	0.35	40.9	13.4	33
I314772		0.62	<0.005	0.13	1.77	10.2	<0.2	<10	350	0.49	0.17	0.74	0.13	29.6	11.3	31
I314773		0.52	<0.005	0.11	1.37	8.2	<0.2	<10	300	0.40	0.15	0.67	0.25	27.6	9.5	25
I314774		0.56	<0.005	0.11	1.58	8.6	<0.2	<10	290	0.42	0.17	0.61	0.13	32.1	9.1	30
I314775		0.46	0.006	0.15	1.45	7.2	<0.2	<10	390	0.43	0.16	0.95	0.16	26.0	8.2	25
I314776		0.52	<0.005	0.11	1.54	10.0	<0.2	<10	340	0.52	0.16	0.78	0.20	29.5	10.6	29
I314777		0.46	<0.005	0.11	1.59	7.5	<0.2	<10	330	0.50	0.16	0.81	0.60	30.1	10.2	28
I314778		0.52	<0.005	0.11	1.53	8.4	<0.2	<10	320	0.46	0.17	0.76	0.45	29.3	10.1	27
I314779		0.58	<0.005	0.09	1.66	7.5	<0.2	<10	390	0.48	0.17	0.76	0.23	27.6	10.0	27
I314780		0.38	<0.005	0.09	1.53	6.2	<0.2	<10	380	0.48	0.16	0.53	0.33	26.0	15.0	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314741		0.95	11.7	3.47	7.40	<0.05	0.03	0.02	0.026	0.06	7.9	16.8	0.47	224	1.01
I314742		0.72	10.1	2.78	6.58	<0.05	0.02	0.02	0.020	0.09	7.5	13.3	0.40	787	0.68
I314743		0.60	17.9	2.51	4.70	<0.05	0.03	0.02	0.020	0.04	9.1	13.0	0.53	210	0.39
I314744		0.81	11.2	3.12	7.07	<0.05	0.02	0.02	0.024	0.04	7.0	17.1	0.49	220	1.03
I314745		0.64	9.7	3.03	6.06	<0.05	0.02	0.02	0.021	0.04	5.6	14.2	0.47	213	0.87
I314746		0.89	6.5	2.88	7.88	<0.05	<0.02	0.01	0.017	0.03	5.0	13.4	0.43	154	0.72
I314747		1.03	12.0	4.36	7.83	0.05	0.02	0.02	0.030	0.04	7.8	14.5	0.43	259	1.22
I314748		2.00	22.7	3.59	7.21	<0.05	0.02	0.02	0.019	0.04	5.7	17.6	0.87	300	0.60
I314749		1.55	7.7	1.63	7.56	<0.05	<0.02	0.01	0.014	0.06	8.3	4.0	0.26	116	0.61
I314750		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314751		0.45	18.2	3.31	5.88	<0.05	0.04	0.01	0.027	0.21	6.8	13.5	0.61	611	1.58
I314752		0.37	15.5	3.22	5.71	<0.05	0.04	0.01	0.028	0.16	5.9	12.8	0.60	605	1.41
I314753		0.87	16.0	2.79	8.05	0.07	0.14	0.02	0.032	0.04	17.4	19.3	1.30	610	0.73
I314754		0.43	14.9	2.53	5.62	0.06	0.09	0.01	0.022	0.06	10.2	11.1	0.57	505	0.54
I314755		0.70	22.5	2.88	7.45	0.07	0.08	0.02	0.030	0.06	15.9	13.6	0.97	1120	0.74
I314756		0.39	11.7	2.29	5.49	0.05	0.08	0.02	0.025	0.07	11.1	8.4	0.44	803	0.63
I314757		0.69	16.2	2.67	6.34	0.06	0.11	0.02	0.026	0.05	10.0	10.8	0.51	413	0.69
I314758		0.49	10.4	2.24	5.58	<0.05	0.06	0.01	0.017	0.04	8.8	10.6	0.39	171	0.90
I314759		0.51	15.0	2.66	6.55	0.06	0.16	0.03	0.027	0.05	11.2	11.0	0.46	473	0.65
I314760		0.41	21.3	2.46	5.89	0.07	0.14	0.03	0.025	0.05	18.8	10.5	0.51	441	0.43
I314761		1.20	21.6	1.63	3.51	0.06	0.12	0.04	0.057	0.12	10.0	5.6	0.84	824	0.69
I314762		0.47	24.6	2.04	4.42	0.06	0.12	0.04	0.022	0.07	9.5	10.4	0.57	413	0.55
I314763		0.45	26.4	2.35	5.55	0.07	0.17	0.03	0.022	0.08	14.2	12.8	0.50	595	0.61
I314764		0.76	28.9	2.92	7.97	0.09	0.26	0.03	0.029	0.20	19.7	21.0	0.71	686	0.72
I314765		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314766		0.52	24.2	2.37	5.09	0.07	0.13	0.03	0.021	0.05	13.3	14.2	0.57	360	0.58
I314767		0.36	23.8	2.13	5.00	0.06	0.06	0.03	0.022	0.07	12.0	9.8	0.42	495	1.49
I314768		0.50	22.0	2.29	5.51	0.06	0.07	0.01	0.020	0.06	10.2	10.4	0.48	288	0.99
I314769		0.47	23.1	2.46	5.62	0.06	0.06	0.01	0.025	0.06	11.0	11.3	0.49	373	1.22
I314770		0.46	16.7	2.39	5.06	0.07	0.07	0.01	0.021	0.06	10.7	11.5	0.49	214	0.85
I314771		0.61	37.1	2.86	6.30	0.09	0.13	0.03	0.029	0.07	19.7	11.7	0.50	592	0.88
I314772		0.60	29.5	2.79	5.67	0.08	0.12	0.03	0.028	0.07	14.3	12.9	0.55	401	0.84
I314773		0.56	27.3	2.40	4.53	0.07	0.07	0.02	0.023	0.06	13.1	11.5	0.50	397	0.85
I314774		0.62	26.2	2.64	5.26	0.07	0.05	0.03	0.025	0.07	15.6	13.7	0.55	261	0.73
I314775		0.49	26.9	2.33	4.75	0.06	0.07	0.04	0.023	0.05	12.5	11.1	0.47	241	1.02
I314776		0.50	30.6	2.64	4.87	0.08	0.10	0.03	0.024	0.07	14.3	12.9	0.54	386	0.89
I314777		0.50	33.2	2.53	5.30	0.08	0.09	0.04	0.025	0.09	14.7	11.5	0.50	431	1.06
I314778		0.52	31.7	2.55	5.03	0.09	0.11	0.03	0.024	0.08	14.7	12.0	0.52	456	1.02
I314779		0.46	23.8	2.43	5.63	0.07	0.09	0.03	0.023	0.05	13.3	11.5	0.47	414	0.70
I314780		0.66	27.5	2.40	5.54	0.07	0.04	0.02	0.028	0.05	11.3	10.1	0.41	891	1.25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314741		1.31	16.4	1180	10.0	9.4	<0.001	0.01	0.37	2.7	0.2	0.6	12.2	<0.01	0.04
I314742		1.21	12.6	710	8.2	14.6	<0.001	<0.01	0.33	2.5	0.2	0.6	13.9	<0.01	0.02
I314743		0.96	17.0	430	6.5	5.2	<0.001	<0.01	0.37	3.2	0.3	0.4	21.2	<0.01	0.02
I314744		1.38	14.9	270	10.2	8.7	<0.001	<0.01	0.42	2.5	0.3	0.6	14.4	<0.01	0.03
I314745		1.13	12.5	260	8.6	6.6	<0.001	<0.01	0.37	2.0	0.3	0.5	10.9	<0.01	0.03
I314746		1.05	8.1	250	7.3	8.1	<0.001	<0.01	0.24	1.9	0.2	0.5	10.9	<0.01	0.03
I314747		1.78	13.5	390	10.0	7.4	<0.001	0.01	0.51	2.6	0.3	0.7	9.7	<0.01	0.05
I314748		1.10	15.0	500	5.6	9.2	<0.001	0.01	0.28	3.1	0.3	0.5	12.5	<0.01	0.03
I314749		0.57	9.1	240	3.5	14.9	<0.001	<0.01	0.16	2.3	0.2	0.5	6.9	<0.01	0.02
I314750		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314751		0.83	14.0	410	5.2	13.0	<0.001	0.01	0.20	5.2	0.4	0.4	19.2	<0.01	0.03
I314752		0.74	12.8	350	4.6	7.8	<0.001	<0.01	0.17	4.9	0.4	0.4	16.8	<0.01	0.03
I314753		1.30	22.9	160	12.2	8.6	<0.001	<0.01	0.38	6.2	0.5	0.7	21.1	<0.01	0.02
I314754		1.28	17.1	180	7.9	7.4	<0.001	<0.01	0.33	4.4	0.4	0.5	28.4	<0.01	0.01
I314755		1.25	20.3	340	10.4	9.0	<0.001	0.01	0.29	6.1	0.6	0.6	24.8	<0.01	0.02
I314756		1.16	15.2	200	10.0	7.1	<0.001	<0.01	0.23	4.4	0.3	0.5	21.7	<0.01	0.02
I314757		1.48	18.5	170	9.7	7.4	<0.001	0.01	0.32	4.9	0.4	0.6	21.8	<0.01	0.02
I314758		1.27	13.1	140	7.7	8.3	<0.001	<0.01	0.27	2.6	0.2	0.5	18.1	<0.01	0.01
I314759		1.66	17.5	170	9.8	9.6	<0.001	<0.01	0.36	4.9	0.4	0.6	23.4	<0.01	0.02
I314760		1.35	17.7	190	9.7	6.0	<0.001	0.01	0.36	5.3	0.6	0.5	27.2	<0.01	0.02
I314761		0.63	13.1	670	8.3	12.3	0.001	0.08	0.38	2.7	1.4	0.3	96.5	<0.01	0.02
I314762		1.07	21.0	640	7.3	9.4	0.001	0.05	0.47	3.9	1.5	0.4	83.8	<0.01	0.02
I314763		1.42	19.4	460	7.3	8.3	0.001	0.01	0.51	4.8	1.0	0.5	55.6	<0.01	0.02
I314764		1.96	21.9	590	8.3	19.9	<0.001	0.01	0.47	6.6	0.9	0.6	46.7	<0.01	0.02
I314765		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314766		1.36	20.1	600	7.6	8.9	<0.001	0.02	0.56	4.1	1.1	0.4	60.7	<0.01	0.02
I314767		1.23	18.6	480	7.4	9.0	0.001	0.02	0.57	3.6	1.1	0.4	60.6	<0.01	0.02
I314768		1.45	17.5	360	7.6	7.7	<0.001	<0.01	0.43	3.9	0.6	0.5	41.4	<0.01	0.02
I314769		1.35	20.3	460	8.3	6.7	<0.001	0.01	0.42	4.2	0.8	0.5	40.5	<0.01	0.02
I314770		1.26	18.0	560	8.0	6.9	<0.001	<0.01	0.39	3.9	0.6	0.4	35.0	<0.01	0.02
I314771		1.35	27.3	550	9.8	9.6	0.001	0.01	0.57	6.4	0.9	0.6	52.4	<0.01	0.02
I314772		1.36	23.3	590	8.8	8.4	<0.001	0.01	0.54	5.4	0.7	0.5	42.9	<0.01	0.02
I314773		1.17	23.6	770	7.8	7.3	0.001	0.01	0.51	4.1	0.7	0.4	45.8	<0.01	0.01
I314774		1.30	23.7	730	9.2	8.7	<0.001	0.01	0.53	4.8	0.6	0.5	38.9	<0.01	0.02
I314775		1.26	22.1	610	7.8	6.5	0.001	0.03	0.55	4.2	1.3	0.4	61.6	<0.01	0.03
I314776		1.34	27.5	660	8.6	7.2	0.001	0.01	0.62	4.8	0.9	0.5	51.2	<0.01	0.03
I314777		1.51	25.1	620	7.9	9.6	0.001	0.02	0.54	5.0	1.3	0.5	54.1	<0.01	0.02
I314778		1.50	25.9	650	8.1	9.1	0.001	0.01	0.60	4.9	1.1	0.5	51.3	<0.01	0.02
I314779		1.29	19.7	460	8.5	6.9	0.001	<0.01	0.46	4.7	1.0	0.5	54.6	<0.01	0.02
I314780		1.14	19.2	540	8.8	7.7	<0.001	<0.01	0.42	3.8	0.8	0.5	37.9	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314741		0.086	0.09	0.34	80	0.25	2.26	62	1.2
I314742		0.086	0.09	0.29	63	0.13	2.00	72	0.9
I314743		0.084	0.06	0.48	53	0.12	4.33	44	1.2
I314744		0.079	0.09	0.34	68	0.16	1.90	54	0.7
I314745		0.072	0.07	0.27	66	0.13	1.50	53	0.6
I314746		0.065	0.08	0.23	65	0.10	1.26	52	0.7
I314747		0.096	0.12	0.37	90	0.20	2.01	51	1.1
I314748		0.144	0.10	0.37	89	0.13	2.53	37	0.7
I314749		0.036	0.10	0.29	43	0.10	3.78	20	<0.5
I314750		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314751		0.074	0.07	0.29	65	0.09	4.86	59	1.5
I314752		0.067	0.06	0.26	63	0.08	4.31	57	1.4
I314753		0.062	0.11	0.48	66	0.23	11.85	51	5.4
I314754		0.070	0.07	0.42	61	0.15	5.00	39	2.9
I314755		0.056	0.08	0.39	66	0.17	10.40	64	2.4
I314756		0.036	0.07	0.43	50	0.15	5.77	44	2.7
I314757		0.062	0.08	0.37	62	0.19	3.76	46	3.8
I314758		0.059	0.07	0.29	56	0.13	1.95	40	2.0
I314759		0.070	0.08	0.54	63	0.18	5.12	43	5.8
I314760		0.061	0.06	0.54	59	0.13	13.20	43	4.5
I314761		0.016	0.07	2.33	33	0.09	10.45	33	4.3
I314762		0.049	0.06	2.16	40	0.13	7.78	44	4.3
I314763		0.077	0.06	1.47	50	0.12	10.20	53	6.2
I314764		0.108	0.11	1.12	65	0.13	16.15	75	10.5
I314765		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314766		0.069	0.06	1.47	48	0.26	9.09	54	4.5
I314767		0.062	0.04	2.17	49	0.22	7.84	42	2.0
I314768		0.075	0.06	0.70	51	0.21	4.77	51	2.4
I314769		0.068	0.07	0.86	57	0.23	6.16	45	2.2
I314770		0.069	0.05	0.57	52	0.21	5.21	44	2.6
I314771		0.080	0.06	1.09	62	0.12	14.55	54	4.7
I314772		0.086	0.06	1.12	63	0.17	10.50	53	4.5
I314773		0.064	0.07	0.82	47	0.16	9.05	50	2.5
I314774		0.075	0.08	0.69	53	0.22	9.69	57	2.0
I314775		0.065	0.05	3.21	47	0.15	9.29	45	2.7
I314776		0.079	0.06	0.92	55	0.26	10.85	55	3.7
I314777		0.082	0.06	0.88	52	0.48	11.00	59	3.7
I314778		0.082	0.06	0.79	53	0.32	10.80	58	4.1
I314779		0.071	0.06	2.13	57	0.13	9.06	41	3.4
I314780		0.060	0.07	0.82	55	0.16	6.40	51	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314781		0.56	<0.005	0.11	1.60	7.9	<0.2	<10	350	0.45	0.15	0.63	0.19	27.7	9.4	27
I314782		0.44	<0.005	0.08	1.34	5.7	<0.2	<10	270	0.36	0.13	0.53	0.14	24.3	8.2	24
I314783		0.40	<0.005	0.07	1.57	6.7	<0.2	<10	260	0.40	0.14	0.62	0.14	22.7	9.1	37
I314784		0.42	<0.005	0.09	1.41	4.0	<0.2	<10	150	0.22	0.13	0.21	0.05	12.20	8.0	49
I314785		0.34	<0.005	0.14	0.68	2.8	<0.2	<10	150	0.11	0.15	0.16	0.05	12.50	4.0	14
I314786		0.50	<0.005	0.07	1.43	4.7	<0.2	<10	120	0.20	0.12	0.18	0.04	13.30	6.2	21
I314787		0.52	<0.005	0.06	1.93	5.0	<0.2	<10	160	0.28	0.12	0.14	0.04	7.13	6.2	17
I314788		0.30	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314789		0.36	<0.005	0.04	1.85	9.3	<0.2	<10	150	0.24	0.14	0.23	0.06	16.25	7.5	29
I314790		0.50	<0.005	0.10	1.22	4.1	<0.2	<10	140	0.22	0.14	0.20	0.08	16.20	4.2	21
I314791		0.50	<0.005	0.06	1.82	4.4	<0.2	<10	240	0.32	0.12	0.55	0.19	21.0	8.2	42
I314792		0.50	<0.005	0.07	1.84	5.9	<0.2	<10	270	0.41	0.14	0.68	0.22	22.7	11.9	43
I314793		0.48	<0.005	0.11	1.77	8.1	<0.2	<10	320	0.49	0.15	0.90	0.22	24.7	10.3	29
I314794		0.50	<0.005	0.03	2.32	3.3	<0.2	<10	300	0.25	0.07	0.23	0.06	7.10	15.5	15
I314795		0.60	<0.005	0.11	1.90	10.2	<0.2	<10	190	0.26	0.13	0.21	0.05	19.55	7.6	27
I314796		0.50	<0.005	0.08	1.51	8.4	<0.2	<10	140	0.21	0.13	0.14	0.04	12.80	6.0	21
I314797		0.58	<0.005	0.09	2.20	8.1	<0.2	<10	220	0.35	0.14	0.32	0.04	17.85	9.9	32
I314798		0.60	<0.005	0.05	1.51	5.5	<0.2	<10	290	0.34	0.14	0.64	0.24	22.4	7.9	24
I314799		0.54	<0.005	0.10	1.28	5.4	<0.2	<10	280	0.30	0.14	0.42	0.26	19.40	9.5	23
I314800		0.56	0.013	0.11	1.38	5.8	<0.2	<10	320	0.29	0.14	0.46	0.26	20.5	7.2	23
I314801		0.34	<0.005	0.05	1.73	21.6	<0.2	<10	150	0.42	0.15	0.23	0.05	22.9	6.7	26
I314802		0.32	<0.005	0.02	2.06	7.7	<0.2	<10	210	0.50	0.17	0.21	0.05	33.4	8.6	29
I314803		0.24	<0.005	0.09	1.41	7.2	<0.2	<10	110	0.26	0.25	0.24	0.13	13.25	8.5	27
I314804		0.36	<0.005	0.05	1.41	5.1	<0.2	<10	210	0.31	0.12	0.29	0.06	22.7	7.3	27
I314805		0.28	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314806		0.24	<0.005	0.07	1.11	4.5	<0.2	<10	100	0.55	0.22	0.31	0.08	29.1	5.4	19
I314807		0.22	<0.005	0.02	0.79	3.5	<0.2	<10	100	0.28	0.21	0.13	0.12	27.9	3.5	14
I314808		0.36	<0.005	0.04	2.00	9.2	<0.2	<10	170	0.26	0.14	0.28	0.06	13.60	11.9	35
I314809		0.26	<0.005	0.09	1.27	4.5	<0.2	<10	160	0.68	0.14	0.37	0.05	29.7	8.1	25
I314810		0.26	<0.005	0.09	1.00	3.5	<0.2	<10	220	0.40	0.14	0.25	0.05	17.80	6.7	20
I314811		0.28	<0.005	0.09	1.46	4.4	<0.2	<10	130	0.61	0.18	0.26	0.06	32.4	8.0	28
I314812		0.22	<0.005	0.06	1.58	6.7	<0.2	<10	200	0.55	0.15	0.64	0.07	36.3	10.1	31
I314813		0.32	<0.005	0.09	1.25	4.5	<0.2	<10	180	0.57	0.11	0.72	0.08	34.4	7.5	23
I314814		0.34	<0.005	0.11	1.41	4.1	<0.2	<10	200	0.53	0.14	0.55	0.10	35.3	6.5	23
I314815		0.34	0.018	0.09	1.47	3.1	<0.2	<10	330	0.56	0.35	1.58	0.11	45.3	10.7	28
I314816		0.28	<0.005	0.09	1.44	2.9	<0.2	<10	310	0.59	0.35	1.57	0.12	41.7	10.1	28
I314817		0.28	<0.005	0.05	1.87	3.9	<0.2	<10	240	0.25	0.13	0.63	0.08	14.75	11.0	38
I314818		0.28	<0.005	0.08	2.11	5.5	<0.2	<10	200	0.30	0.14	0.49	0.11	15.05	11.6	69
I314819		0.20	<0.005	0.15	1.97	4.8	<0.2	<10	590	0.48	0.29	0.45	0.09	23.6	11.5	37
I314820		0.26	<0.005	0.03	1.50	5.0	<0.2	<10	150	0.34	0.11	0.31	0.05	18.70	8.2	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314781		0.55	25.2	2.53	5.32	0.07	0.14	0.02	0.024	0.06	13.3	13.0	0.50	267	0.64
I314782		0.57	22.1	2.07	4.62	0.06	0.05	0.03	0.019	0.05	11.8	10.0	0.42	334	1.08
I314783		0.65	22.5	2.57	5.52	0.08	0.15	0.02	0.022	0.08	11.1	14.0	0.66	262	0.71
I314784		0.93	15.1	2.52	8.63	0.06	0.05	0.01	0.016	0.12	6.2	7.3	0.73	258	1.04
I314785		0.50	9.4	1.39	5.24	<0.05	<0.02	0.02	0.011	0.08	6.1	3.4	0.20	358	0.89
I314786		0.79	12.8	2.38	7.38	0.05	0.02	0.01	0.015	0.04	6.4	10.0	0.52	247	0.58
I314787		1.43	27.4	3.32	9.30	0.06	0.03	0.01	0.027	0.31	3.5	13.0	0.70	303	0.71
I314788		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314789		0.79	17.1	3.29	6.72	0.06	0.05	0.02	0.021	0.07	8.4	16.6	0.59	230	0.64
I314790		0.68	12.5	1.76	6.70	0.05	0.04	0.03	0.015	0.06	8.2	6.5	0.30	140	0.80
I314791		0.62	19.0	2.57	6.45	0.06	0.06	0.03	0.023	0.07	10.5	11.9	0.64	216	0.66
I314792		0.57	21.3	2.70	6.64	0.06	0.10	0.02	0.025	0.06	11.2	12.5	0.64	393	1.15
I314793		0.41	28.6	2.61	5.71	0.07	0.11	0.03	0.026	0.05	12.5	12.9	0.64	390	0.54
I314794		1.34	22.2	3.34	8.44	0.07	0.03	0.01	0.011	0.48	3.6	19.8	1.51	258	0.50
I314795		0.60	14.9	2.40	6.14	0.05	0.05	0.02	0.022	0.04	10.5	13.1	0.45	160	0.63
I314796		0.56	18.8	2.42	6.57	0.05	0.04	0.02	0.017	0.05	6.4	9.2	0.37	189	0.75
I314797		0.75	19.4	3.20	7.90	0.07	0.10	0.02	0.023	0.07	9.3	15.5	0.75	273	0.64
I314798		0.38	19.4	2.23	5.04	0.06	0.09	0.03	0.020	0.07	11.3	11.0	0.49	360	0.72
I314799		0.46	17.8	2.15	4.85	0.05	0.06	0.02	0.020	0.05	9.7	8.0	0.39	585	1.23
I314800		0.56	18.6	2.08	5.24	0.06	0.07	0.03	0.022	0.05	10.4	9.7	0.42	412	1.16
I314801		1.38	16.6	3.09	7.12	0.06	0.02	0.01	0.021	0.08	8.0	13.9	0.41	190	1.11
I314802		1.16	14.2	3.06	6.28	0.06	0.08	0.01	0.035	0.05	11.1	12.0	0.38	293	1.34
I314803		1.02	11.7	3.06	8.36	0.05	0.03	0.02	0.020	0.07	6.7	10.1	0.34	497	1.51
I314804		1.20	12.9	2.55	5.07	0.06	0.05	0.01	0.025	0.06	11.2	9.9	0.38	167	0.95
I314805		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314806		1.05	15.1	1.83	4.96	0.06	0.08	0.02	0.018	0.09	27.2	6.3	0.28	161	1.06
I314807		1.37	7.9	1.29	3.67	0.06	0.02	0.01	0.012	0.05	30.3	3.7	0.16	259	0.64
I314808		0.64	16.3	3.09	6.94	0.05	0.09	0.01	0.025	0.06	6.9	13.9	0.50	369	1.21
I314809		1.34	14.4	2.27	5.05	0.09	0.14	0.01	0.024	0.12	33.8	8.5	0.40	602	0.93
I314810		0.64	9.4	2.11	3.87	<0.05	0.09	0.01	0.021	0.11	8.1	7.6	0.27	717	1.04
I314811		0.74	13.8	2.48	5.34	0.08	0.14	0.01	0.023	0.08	40.8	9.5	0.41	318	1.07
I314812		0.30	18.0	2.69	5.38	0.07	0.16	0.02	0.024	0.14	15.9	12.2	0.53	383	0.72
I314813		1.23	15.5	1.95	4.80	0.06	0.04	0.03	0.020	0.09	19.8	9.5	0.41	241	0.93
I314814		0.60	16.8	2.14	5.23	0.06	0.07	0.02	0.021	0.11	21.2	10.0	0.40	213	0.93
I314815		0.67	19.4	2.28	5.02	0.08	0.09	0.03	0.023	0.08	26.9	9.2	0.54	427	0.75
I314816		0.57	18.5	2.22	4.95	0.07	0.09	0.05	0.049	0.08	25.6	9.1	0.54	381	0.69
I314817		0.30	28.5	2.68	6.13	0.05	0.12	0.02	0.023	0.06	7.6	10.9	0.74	289	0.65
I314818		0.30	24.6	3.08	8.13	0.05	0.05	0.03	0.023	0.07	8.3	11.3	0.87	354	1.29
I314819		0.47	15.3	2.94	7.18	0.06	0.04	0.02	0.026	0.08	12.9	11.8	0.57	744	1.30
I314820		0.57	14.5	2.28	5.40	0.05	0.04	0.02	0.020	0.08	10.0	10.9	0.43	397	0.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314781		1.41	23.4	540	8.3	8.3	<0.001	<0.01	0.50	4.6	0.7	0.5	40.5	<0.01	0.02
I314782		1.15	18.0	580	6.5	9.0	<0.001	0.01	0.42	3.7	0.7	0.4	38.5	<0.01	0.01
I314783		1.49	25.1	740	6.7	8.8	<0.001	<0.01	0.47	4.6	0.6	0.5	38.5	<0.01	0.02
I314784		2.00	23.5	350	6.3	19.1	<0.001	<0.01	0.26	3.0	0.3	0.5	18.0	<0.01	0.01
I314785		0.97	7.7	270	5.8	10.0	<0.001	<0.01	0.22	2.0	0.2	0.5	14.2	<0.01	0.01
I314786		1.15	10.7	360	7.1	8.3	<0.001	<0.01	0.26	2.9	0.3	0.5	16.4	<0.01	0.02
I314787		1.22	9.4	280	4.7	30.0	<0.001	<0.01	0.28	6.4	0.5	0.6	12.7	<0.01	0.02
I314788		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314789		1.72	18.9	480	8.9	9.1	<0.001	0.01	0.41	3.4	0.4	0.5	17.8	<0.01	0.03
I314790		1.59	12.2	400	8.4	13.1	<0.001	0.01	0.25	2.4	0.3	0.7	16.5	<0.01	0.02
I314791		1.67	23.9	560	6.5	9.9	<0.001	0.01	0.34	4.1	0.4	0.5	30.6	<0.01	0.02
I314792		1.75	25.1	520	7.8	9.9	<0.001	0.01	0.45	4.6	0.8	0.5	39.7	<0.01	0.03
I314793		1.40	22.2	590	7.9	8.0	<0.001	0.02	0.50	4.7	1.0	0.5	42.9	<0.01	0.03
I314794		2.09	10.6	620	3.9	30.0	<0.001	<0.01	0.17	2.8	0.3	0.4	19.3	<0.01	0.02
I314795		1.39	14.8	190	7.2	7.4	<0.001	<0.01	0.33	3.2	0.4	0.5	15.8	<0.01	0.02
I314796		1.53	13.8	230	6.8	8.4	<0.001	0.01	0.40	2.5	0.3	0.5	14.2	<0.01	0.02
I314797		2.15	18.3	450	7.7	11.8	<0.001	0.01	0.39	4.1	0.4	0.6	21.7	<0.01	0.02
I314798		1.49	17.7	520	6.7	9.0	<0.001	0.01	0.46	4.0	0.8	0.4	41.2	<0.01	0.03
I314799		1.20	15.5	490	7.7	9.4	<0.001	0.01	0.34	3.2	0.5	0.4	28.0	<0.01	0.02
I314800		1.32	16.3	520	7.1	8.7	<0.001	0.01	0.33	3.4	0.5	0.5	32.9	<0.01	0.02
I314801		1.22	12.1	260	14.8	14.5	<0.001	0.01	0.33	3.2	0.3	0.6	23.0	<0.01	0.02
I314802		1.12	19.6	310	20.9	9.4	<0.001	0.01	0.33	3.8	0.3	1.0	18.4	<0.01	0.02
I314803		1.48	12.6	670	11.4	17.5	<0.001	0.01	0.38	2.1	0.3	0.9	20.8	<0.01	0.03
I314804		0.94	16.1	530	7.6	10.5	<0.001	<0.01	0.21	3.7	0.3	0.6	20.0	<0.01	0.02
I314805		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314806		1.29	11.9	180	18.6	14.4	<0.001	0.01	0.26	2.7	0.4	0.7	25.3	<0.01	0.02
I314807		0.63	7.8	350	20.7	9.6	<0.001	0.01	0.22	1.3	0.3	0.5	16.3	<0.01	0.01
I314808		1.49	22.8	200	8.3	7.3	<0.001	0.01	0.44	3.3	0.2	0.6	22.1	<0.01	0.02
I314809		1.33	14.8	160	8.5	10.8	<0.001	0.01	0.27	4.2	0.5	1.0	27.9	<0.01	0.02
I314810		1.13	11.0	110	10.2	12.5	<0.001	0.01	0.31	2.6	0.2	0.8	21.0	<0.01	0.01
I314811		1.25	15.0	120	9.0	7.9	<0.001	0.01	0.33	3.7	0.3	0.7	20.6	<0.01	0.02
I314812		2.08	19.4	310	10.9	12.2	<0.001	0.01	0.33	5.1	0.4	0.6	43.4	<0.01	0.02
I314813		1.11	14.6	520	11.3	12.4	<0.001	0.03	0.28	3.9	0.5	0.6	50.6	<0.01	0.01
I314814		1.54	14.0	360	11.1	13.8	<0.001	0.01	0.24	3.7	0.4	0.5	47.1	<0.01	0.02
I314815		1.14	14.6	490	29.6	11.4	<0.001	0.05	0.32	4.9	1.0	0.5	157.0	0.01	0.02
I314816		1.12	14.4	500	28.0	10.6	<0.001	0.05	0.32	4.8	0.8	0.5	158.5	<0.01	0.02
I314817		1.45	19.6	230	6.8	7.2	<0.001	0.01	0.26	5.2	0.3	0.5	34.1	<0.01	0.01
I314818		1.86	35.5	310	7.4	7.5	<0.001	0.02	0.30	4.1	0.4	0.6	27.9	<0.01	0.03
I314819		1.29	18.3	310	34.1	7.6	<0.001	0.01	0.31	4.0	0.3	0.7	68.9	<0.01	0.02
I314820		1.59	15.3	380	10.7	10.1	<0.001	0.01	0.24	3.2	0.3	0.6	26.4	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314781		0.076	0.07	0.78	53	0.14	8.65	53	5.6
I314782		0.062	0.06	0.84	44	0.19	6.67	40	1.6
I314783		0.100	0.07	0.51	56	0.20	6.30	53	5.3
I314784		0.157	0.09	0.26	69	0.19	2.04	43	1.8
I314785		0.080	0.08	0.23	43	0.13	1.66	21	0.5
I314786		0.103	0.10	0.26	69	0.18	1.91	37	0.8
I314787		0.144	0.15	0.37	88	0.16	4.68	52	1.2
I314788		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314789		0.104	0.10	0.36	72	0.25	2.90	45	2.0
I314790		0.105	0.08	0.33	48	0.20	2.73	28	1.4
I314791		0.114	0.07	0.53	57	0.31	4.73	47	2.7
I314792		0.096	0.07	1.02	63	0.15	5.30	47	3.8
I314793		0.080	0.05	1.35	59	0.15	8.66	51	4.5
I314794		0.235	0.09	0.21	94	0.12	1.42	58	1.3
I314795		0.073	0.08	0.32	59	0.16	3.21	32	2.0
I314796		0.079	0.06	0.30	60	0.17	1.94	35	1.5
I314797		0.133	0.08	0.62	73	0.18	3.43	52	4.6
I314798		0.089	0.04	1.03	46	0.23	6.40	47	4.2
I314799		0.061	0.06	0.70	49	0.18	4.55	42	2.4
I314800		0.064	0.06	0.69	47	0.18	4.91	51	2.5
I314801		0.048	0.08	0.49	56	0.14	2.97	37	0.6
I314802		0.056	0.07	0.56	57	0.24	4.56	42	3.8
I314803		0.086	0.09	0.31	78	0.12	2.01	45	1.3
I314804		0.039	0.07	0.76	57	0.08	5.33	33	2.5
I314805		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314806		0.069	0.07	0.90	46	0.12	9.45	31	2.7
I314807		0.048	0.07	0.75	32	0.12	5.06	24	0.8
I314808		0.097	0.07	0.35	71	0.13	2.25	41	3.4
I314809		0.093	0.07	0.70	57	0.14	12.45	32	5.1
I314810		0.061	0.08	0.62	49	0.11	3.88	29	3.7
I314811		0.090	0.09	0.53	61	0.11	8.80	35	5.2
I314812		0.107	0.06	1.24	60	0.35	6.33	39	5.7
I314813		0.062	0.08	5.07	41	0.17	8.56	38	1.4
I314814		0.072	0.07	1.90	45	0.18	6.63	37	2.4
I314815		0.063	0.07	1.61	44	0.24	12.60	38	3.6
I314816		0.061	0.07	1.57	43	0.19	12.45	38	3.8
I314817		0.093	0.06	0.36	62	0.10	4.59	43	4.9
I314818		0.101	0.08	0.35	82	0.14	3.78	47	2.0
I314819		0.074	0.09	0.48	69	0.18	4.30	41	1.7
I314820		0.092	0.07	0.51	55	0.16	3.71	35	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314821		0.30	<0.005	0.05	1.43	6.7	<0.2	<10	100	0.32	0.18	0.25	0.18	24.2	5.6	22
I314822		0.24	<0.005	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314823		0.34	<0.005	0.08	1.35	4.0	<0.2	<10	100	0.40	0.34	0.30	0.08	38.1	6.0	21
I314824		0.26	<0.005	0.08	1.40	11.4	<0.2	<10	140	1.06	0.18	0.84	0.11	62.8	11.8	26
I314825		0.32	<0.005	0.06	1.90	7.8	<0.2	<10	240	0.79	0.12	0.55	0.05	39.2	10.0	32
I314826		0.24	<0.005	0.12	1.61	5.8	<0.2	<10	210	0.52	0.28	0.40	0.12	23.5	9.6	26
I314827		0.42	<0.005	0.05	1.26	2.7	<0.2	<10	140	0.15	0.17	0.12	0.10	20.1	3.3	12
I314828		0.24	<0.005	0.13	2.49	7.8	<0.2	<10	330	0.57	0.20	0.43	0.28	27.4	14.3	32
I314829		0.46	<0.005	0.08	1.69	5.2	<0.2	<10	200	0.22	0.15	0.17	0.04	18.90	5.9	25
I314830		0.36	<0.005	0.14	1.62	5.5	<0.2	<10	270	0.30	0.17	0.21	0.05	19.30	13.3	22
I314831		0.32	<0.005	0.19	1.69	5.2	<0.2	<10	240	0.26	0.11	0.19	0.04	23.2	5.9	25
I314832		0.34	<0.005	0.05	1.76	4.9	<0.2	<10	320	0.35	0.12	0.19	0.04	21.2	5.7	21
I314833		0.36	<0.005	0.04	1.71	4.3	<0.2	<10	160	0.23	0.11	0.13	0.03	15.35	5.3	20
I314834		0.30	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314835		0.38	<0.005	0.03	1.65	3.4	<0.2	<10	170	0.20	0.09	0.11	0.04	15.05	6.8	10
I314836		0.36	<0.005	0.02	1.68	2.5	<0.2	<10	140	0.22	0.05	0.11	0.02	20.9	6.0	52
I314837		0.28	<0.005	0.11	2.69	11.0	<0.2	<10	210	0.54	0.18	0.13	0.10	18.00	11.0	40
I314838		0.34	<0.005	0.08	1.60	7.2	<0.2	<10	130	0.28	0.20	0.14	0.06	18.40	6.1	27
I314839		0.38	<0.005	0.05	1.41	3.7	<0.2	<10	100	0.45	0.08	0.20	0.03	20.9	5.6	21
I314840		0.36	<0.005	0.05	1.84	5.7	<0.2	<10	240	0.35	0.16	0.56	0.09	19.25	8.4	25
I314841		0.32	<0.005	0.06	1.21	4.4	<0.2	<10	160	0.24	0.09	0.32	0.06	16.00	5.9	16
I314842		0.28	<0.005	0.10	0.60	1.0	<0.2	<10	140	0.19	0.09	0.14	0.05	23.7	1.9	7
I314843		0.28	<0.005	0.06	1.19	4.3	<0.2	<10	190	0.25	0.15	0.15	0.08	22.3	6.6	17
I314844		0.38	<0.005	0.08	1.29	4.1	<0.2	<10	150	0.18	0.15	0.18	0.05	14.20	6.3	16
I314845		0.36	<0.005	0.07	1.51	5.9	<0.2	<10	260	0.26	0.13	0.22	0.02	15.20	5.3	21
I314846		0.40	<0.005	0.07	1.60	6.5	<0.2	<10	270	0.28	0.12	0.24	0.04	15.25	5.9	21
I314847		0.32	<0.005	0.06	1.25	5.0	<0.2	<10	200	0.20	0.11	0.22	0.03	14.80	5.2	17
I314848		0.34	<0.005	0.04	1.75	7.2	<0.2	<10	180	0.39	0.14	0.17	0.05	18.35	8.1	27
I314849		0.30	<0.005	0.06	1.32	6.2	<0.2	<10	150	0.20	0.14	0.20	0.05	16.20	6.0	30
I314850		0.26	<0.005	0.07	1.35	3.8	<0.2	<10	410	0.21	0.15	0.27	0.04	20.1	9.0	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314821		1.11	11.3	2.24	6.41	0.06	0.05	0.02	0.019	0.08	17.0	7.8	0.38	179	1.09
I314822		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314823		2.07	12.0	2.14	5.74	0.06	0.07	0.02	0.023	0.08	28.0	8.6	0.34	178	0.88
I314824		1.22	26.0	3.76	5.98	0.17	0.13	0.05	0.021	0.27	70.2	13.2	0.55	516	0.95
I314825		0.55	19.7	3.01	6.33	0.08	0.15	0.02	0.025	0.10	32.0	15.1	0.59	328	0.80
I314826		0.70	15.1	2.71	6.30	0.06	0.05	0.02	0.023	0.09	17.3	8.9	0.37	599	1.31
I314827		1.25	12.4	1.56	7.68	<0.05	0.02	0.02	0.012	0.09	10.3	5.5	0.34	124	0.72
I314828		0.99	18.4	2.90	8.06	0.06	0.04	0.03	0.033	0.04	10.2	18.7	1.52	1540	2.11
I314829		0.70	15.0	2.34	6.73	0.05	0.04	0.01	0.017	0.04	9.9	9.7	0.52	165	1.10
I314830		0.85	15.6	2.43	6.65	<0.05	0.02	0.03	0.020	0.04	9.5	10.0	0.35	608	1.56
I314831		0.50	13.9	2.21	5.40	0.05	0.07	0.02	0.018	0.03	11.9	10.6	0.43	188	0.69
I314832		0.71	17.4	2.25	5.90	0.05	<0.02	0.02	0.016	0.05	11.5	12.1	0.49	206	0.74
I314833		0.75	14.4	2.06	6.03	0.05	0.03	0.01	0.015	0.03	8.2	11.5	0.55	168	0.56
I314834		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314835		1.62	13.5	2.77	8.23	0.06	<0.02	0.01	0.014	0.17	7.5	7.1	0.55	189	0.55
I314836		1.74	16.9	2.56	7.40	0.06	<0.02	0.01	0.027	0.10	10.0	15.5	1.03	324	0.40
I314837		1.40	19.8	3.57	7.19	0.06	0.12	0.02	0.035	0.07	9.3	15.9	0.49	293	0.88
I314838		0.84	10.4	2.85	7.40	0.06	0.02	0.01	0.020	0.06	9.6	12.1	0.34	256	1.09
I314839		0.73	8.9	2.13	6.74	0.05	0.02	0.01	0.013	0.06	10.6	24.3	0.55	197	0.48
I314840		0.57	11.1	2.98	7.44	0.06	0.02	<0.01	0.018	0.13	10.0	15.3	0.52	378	0.88
I314841		0.77	12.7	2.04	4.35	<0.05	0.02	0.01	0.036	0.09	8.5	11.8	0.44	291	0.68
I314842		0.39	8.4	1.08	4.31	0.05	<0.02	0.01	0.009	0.08	13.0	3.1	0.15	212	0.46
I314843		0.45	11.6	2.12	5.29	0.05	<0.02	0.01	0.015	0.07	10.7	7.7	0.27	829	0.85
I314844		0.60	9.8	2.27	6.30	0.05	0.02	0.01	0.012	0.06	7.2	10.1	0.43	372	0.64
I314845		0.80	13.1	2.18	5.47	<0.05	0.02	0.02	0.015	0.07	8.1	10.3	0.39	178	0.57
I314846		0.84	14.1	2.37	5.63	0.05	0.02	0.02	0.016	0.08	8.0	11.1	0.43	222	0.59
I314847		0.66	12.0	2.13	4.83	<0.05	0.02	0.01	0.014	0.08	7.2	8.7	0.41	252	0.68
I314848		0.60	12.4	2.65	5.94	<0.05	0.04	0.01	0.020	0.05	9.2	12.1	0.41	330	1.04
I314849		0.49	10.0	2.14	5.62	0.05	<0.02	0.02	0.015	0.07	8.3	8.5	0.41	397	1.10
I314850		0.49	10.4	2.19	5.14	0.05	0.05	0.02	0.016	0.08	10.6	8.6	0.39	625	0.97



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I314821		1.45	12.6	250	12.4	11.6	<0.001	0.01	0.30	3.0	0.3	0.7	23.3	<0.01	0.01	3.3
I314822		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314823		1.36	12.7	220	18.9	13.2	<0.001	0.01	0.29	3.3	0.3	0.8	25.8	<0.01	0.01	8.8
I314824		1.50	19.7	830	18.0	17.0	0.001	0.03	0.52	5.1	1.0	0.6	56.8	0.01	0.01	10.6
I314825		1.40	21.9	230	10.4	9.8	<0.001	0.01	0.31	5.0	0.5	0.6	43.5	<0.01	0.01	9.5
I314826		1.47	16.6	240	11.3	11.3	<0.001	0.01	0.31	3.2	0.4	0.7	33.3	<0.01	0.02	4.4
I314827		0.94	5.4	240	9.4	14.4	<0.001	0.01	0.15	1.7	0.3	0.6	14.4	<0.01	0.02	0.4
I314828		1.65	22.2	390	15.1	6.1	<0.001	0.02	0.26	3.9	0.7	0.7	23.2	<0.01	0.03	3.0
I314829		1.63	11.7	200	7.3	9.4	<0.001	0.01	0.30	3.7	0.3	0.6	13.9	<0.01	0.02	2.5
I314830		1.26	12.5	320	10.2	11.9	<0.001	0.01	0.26	2.9	0.4	0.6	17.0	<0.01	0.03	1.4
I314831		1.26	13.7	200	6.1	4.7	<0.001	0.01	0.34	3.5	0.4	0.5	15.5	<0.01	0.01	3.5
I314832		1.05	11.4	310	6.0	6.8	<0.001	0.01	0.23	2.4	0.4	0.4	17.6	<0.01	0.02	1.1
I314833		1.19	10.5	190	6.1	10.3	<0.001	<0.01	0.26	2.9	0.3	0.4	12.3	<0.01	0.02	1.8
I314834		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314835		1.01	4.7	390	4.3	19.2	<0.001	0.01	0.15	2.6	0.3	0.4	11.8	<0.01	0.02	0.3
I314836		2.19	12.3	290	2.3	11.4	<0.001	0.01	0.15	6.3	0.3	0.6	8.6	<0.01	0.01	1.0
I314837		1.89	26.8	330	10.0	15.0	<0.001	0.01	0.59	3.7	0.4	0.6	11.9	0.01	0.03	4.1
I314838		1.30	12.6	460	9.8	13.9	<0.001	0.01	0.34	2.3	0.2	0.7	12.8	<0.01	0.02	1.1
I314839		1.06	12.8	230	7.3	7.5	<0.001	<0.01	0.25	2.5	0.2	0.5	18.7	<0.01	0.01	2.1
I314840		1.39	16.5	1690	8.3	10.8	<0.001	0.01	0.36	2.8	0.3	0.5	51.4	<0.01	0.02	2.2
I314841		0.77	9.9	720	3.7	12.5	<0.001	0.01	0.25	2.4	0.3	0.3	22.7	<0.01	0.01	1.1
I314842		0.44	4.7	320	3.6	9.7	<0.001	0.01	0.16	1.6	0.3	0.4	12.1	<0.01	0.01	0.3
I314843		0.84	10.4	850	6.9	6.4	<0.001	0.01	0.34	2.0	0.3	0.5	12.0	<0.01	0.02	0.7
I314844		1.37	9.0	280	6.4	10.2	<0.001	0.01	0.24	2.7	0.2	0.5	12.6	<0.01	0.01	1.1
I314845		1.17	12.2	640	6.8	12.3	<0.001	0.01	0.31	2.4	0.2	0.4	16.1	<0.01	0.02	1.1
I314846		1.18	12.8	770	6.6	12.8	<0.001	0.01	0.31	2.5	0.2	0.4	17.6	<0.01	0.02	1.3
I314847		1.19	10.8	190	5.6	10.7	<0.001	0.01	0.32	2.4	0.3	0.4	15.5	<0.01	0.02	1.7
I314848		1.45	16.0	280	7.5	9.5	<0.001	0.01	0.39	3.2	0.3	0.6	14.2	<0.01	0.02	3.4
I314849		1.21	13.8	330	7.1	7.6	<0.001	0.01	0.36	2.6	0.3	0.5	15.3	<0.01	0.01	1.3
I314850		1.40	11.9	160	7.1	9.6	<0.001	0.01	0.31	2.8	0.3	0.5	16.1	<0.01	0.02	2.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2010
 Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314821		0.091	0.08	0.60	63	0.13	4.77	40	1.9
I314822		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314823		0.081	0.08	1.07	45	0.16	6.40	49	2.7
I314824		0.074	0.10	2.26	51	0.15	29.5	56	5.0
I314825		0.097	0.07	0.87	62	0.12	11.30	47	6.6
I314826		0.080	0.07	0.47	64	0.16	5.93	38	1.9
I314827		0.079	0.11	0.42	43	0.09	2.54	28	<0.5
I314828		0.042	0.10	0.72	73	0.17	5.49	52	1.8
I314829		0.079	0.09	0.32	57	0.16	3.25	35	1.6
I314830		0.060	0.11	0.46	59	0.16	2.74	31	0.6
I314831		0.062	0.07	0.50	49	0.14	3.83	33	2.8
I314832		0.048	0.08	0.48	45	0.15	3.63	36	<0.5
I314833		0.076	0.07	0.40	47	0.16	3.15	31	1.3
I314834		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314835		0.086	0.13	0.45	58	0.12	2.36	56	<0.5
I314836		0.109	0.07	0.21	44	0.07	4.11	30	<0.5
I314837		0.087	0.12	0.49	72	0.16	2.58	46	5.7
I314838		0.083	0.11	0.32	69	0.17	2.07	45	0.8
I314839		0.061	0.08	0.38	54	0.12	2.89	48	0.6
I314840		0.089	0.09	0.39	61	0.25	2.74	71	1.2
I314841		0.071	0.06	0.39	37	0.13	3.72	40	0.5
I314842		0.047	0.05	0.41	23	0.06	5.15	16	<0.5
I314843		0.051	0.06	0.31	46	0.14	2.17	30	<0.5
I314844		0.089	0.09	0.27	56	0.12	2.29	41	0.6
I314845		0.077	0.09	0.35	48	0.14	2.41	33	0.7
I314846		0.081	0.08	0.41	50	0.15	2.50	38	0.7
I314847		0.057	0.06	0.31	46	0.12	3.47	33	0.7
I314848		0.070	0.09	0.39	60	0.15	2.82	39	2.0
I314849		0.070	0.07	0.30	53	0.19	2.26	32	0.7
I314850		0.063	0.06	0.31	53	0.17	3.41	34	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113326

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

CERTIFICATE WH10113328

Project: SQI10-06

P.O. No.: SQI10-06_21

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314251		0.22	<0.005	0.06	1.64	7.2	<0.2	<10	310	0.39	0.14	0.36	0.10	21.9	8.8	30
I314252		0.18	<0.005	0.10	1.46	6.2	<0.2	<10	270	0.28	0.14	0.38	0.12	16.25	9.2	28
I314253		0.14	0.005	0.31	1.43	5.4	<0.2	<10	570	0.38	0.11	1.25	0.44	25.6	8.3	23
I314254		0.30	0.007	0.10	1.58	7.8	<0.2	<10	360	0.45	0.13	0.64	0.07	27.9	10.1	30
I314255		0.18	0.017	0.14	1.62	7.3	<0.2	<10	630	0.47	0.15	1.14	0.19	26.8	9.7	27
I314256		0.16	0.006	0.09	1.08	4.3	<0.2	<10	480	0.36	0.10	1.45	0.29	21.7	6.5	19
I314257		0.20	0.011	0.10	1.38	5.6	<0.2	<10	290	0.50	0.16	0.79	0.18	27.8	8.8	27
I314258		0.22	0.005	0.06	1.64	8.5	<0.2	<10	260	0.51	0.14	1.07	0.27	31.1	11.7	31
I314259		0.28	NSS	0.02	0.22	7.3	<0.2	<10	70	0.25	0.03	0.37	0.21	22.2	7.2	11
I314260		0.24	<0.005	0.10	2.43	5.6	<0.2	<10	660	0.58	0.19	0.67	0.12	32.4	13.9	57
I314261		0.20	<0.005	0.12	1.67	5.9	<0.2	<10	330	0.41	0.15	0.88	0.48	25.2	10.0	31
I314262		0.20	<0.005	0.05	2.41	6.7	<0.2	<10	310	0.39	0.15	0.36	0.10	18.80	13.0	35
I314263		0.30	<0.005	0.05	1.71	6.4	<0.2	<10	120	0.26	0.16	0.18	0.08	16.35	8.0	52
I314264		0.32	<0.005	0.05	1.32	4.4	<0.2	<10	130	0.22	0.20	0.18	0.05	17.60	5.5	20
I314265		0.34	<0.005	0.05	2.41	11.0	<0.2	<10	120	0.32	0.21	0.18	0.07	18.40	9.1	38
I314266		0.30	0.008	0.02	1.23	6.5	<0.2	<10	80	0.15	0.19	0.10	0.02	11.50	2.9	20
I314267		0.30	<0.005	0.03	2.15	10.9	<0.2	<10	120	0.25	0.17	0.21	0.05	14.15	7.7	35
I314268		0.28	<0.005	0.02	2.60	11.1	<0.2	<10	140	0.36	0.19	0.15	0.07	19.45	8.7	38
I314269		0.20	<0.005	0.06	0.70	2.7	<0.2	<10	100	0.13	0.11	0.10	0.15	7.84	2.0	13
I314270		0.26	0.009	0.05	0.80	3.4	<0.2	<10	100	0.13	0.11	0.10	0.10	8.93	2.2	14
I314271		0.28	0.006	0.06	2.43	10.2	<0.2	<10	130	0.36	0.19	0.19	0.11	17.55	10.9	38
I314272		0.28	0.343	0.23	0.84	2.2	<0.2	<10	100	0.21	0.12	0.20	0.12	13.80	4.1	16
I314273		0.34	0.006	0.07	3.45	14.0	<0.2	<10	190	0.58	0.21	0.18	0.08	19.35	15.7	48
I314274		0.32	0.006	0.10	2.07	8.2	<0.2	<10	100	0.28	0.20	0.13	0.12	13.75	8.8	32
I314275		0.28	0.005	0.01	2.19	11.7	<0.2	<10	130	0.26	0.20	0.19	0.17	18.40	7.4	38
I314276		0.32	0.010	<0.01	2.68	5.0	<0.2	<10	130	0.56	0.08	0.29	0.10	25.2	19.3	49
I314277		0.38	0.008	0.20	2.78	9.9	<0.2	<10	170	0.44	0.19	0.35	0.61	19.40	15.7	47
I314278		0.26	0.005	0.26	1.63	6.4	<0.2	<10	110	0.25	0.21	0.12	0.24	14.20	4.7	24
I314279		0.30	0.005	0.49	2.28	6.9	<0.2	<10	180	0.43	0.18	0.37	0.21	18.60	8.0	31
I314280		0.30	0.005	0.16	2.09	10.0	<0.2	<10	120	0.27	0.19	0.23	0.11	16.80	7.3	33
I314281		0.30	0.008	0.48	2.34	10.8	<0.2	<10	160	0.38	0.19	0.18	0.40	20.5	8.3	36
I314282		0.30	0.005	0.34	1.84	7.5	<0.2	<10	140	0.22	0.17	0.21	0.68	13.10	18.5	33
I314283		0.24	<0.005	0.16	2.09	7.7	<0.2	<10	150	0.45	0.18	0.20	0.18	35.3	14.5	34
I314284		0.24	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314285		0.24	0.005	0.10	2.14	6.4	<0.2	<10	150	0.30	0.24	0.56	0.15	13.20	9.5	33
I314286		0.34	0.015	0.05	1.55	7.1	<0.2	<10	80	0.23	0.18	0.10	0.06	15.55	5.6	24
I314287		0.24	<0.005	0.12	0.69	2.1	<0.2	<10	60	0.22	0.09	0.10	0.12	12.75	2.2	14
I314288		0.26	0.005	0.05	1.07	4.3	<0.2	<10	80	0.15	0.16	0.13	0.11	8.90	6.3	18
I314289		0.24	<0.005	0.10	0.70	2.4	<0.2	<10	50	0.16	0.12	0.09	0.07	14.20	2.3	14
I314290		0.36	0.005	0.03	1.67	6.9	<0.2	<10	80	0.25	0.15	0.10	0.04	28.2	6.6	17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314251		0.43	12.9	2.75	5.60	0.06	0.03	0.02	0.021	0.08	10.0	9.5	0.49	475	1.04
I314252		0.51	10.7	2.59	5.25	0.05	0.03	0.03	0.019	0.07	8.1	8.1	0.40	336	1.23
I314253		0.45	25.5	2.29	4.81	0.06	0.03	0.04	0.021	0.10	13.9	7.3	0.40	500	1.16
I314254		0.36	26.1	2.63	5.16	0.07	0.15	0.03	0.022	0.07	14.1	11.3	0.57	426	0.94
I314255		0.45	30.4	2.60	5.01	0.06	0.12	0.04	0.023	0.09	14.3	12.0	0.50	575	1.33
I314256		0.38	23.1	1.74	3.57	0.05	0.05	0.07	0.016	0.07	11.7	7.4	0.35	337	1.38
I314257		0.53	19.8	2.28	4.59	0.06	0.06	0.03	0.019	0.07	14.1	11.6	0.53	410	1.19
I314258		0.54	27.6	2.80	5.41	0.07	0.07	0.03	0.023	0.09	15.2	13.4	0.66	591	1.05
I314259		0.20	6.5	1.93	1.28	0.06	0.03	0.01	<0.005	0.04	11.6	3.3	0.16	713	1.24
I314260		3.33	20.8	3.84	8.70	0.08	0.10	0.04	0.034	0.27	16.5	29.7	1.14	607	1.63
I314261		1.41	34.2	2.91	4.78	0.08	0.07	0.03	0.025	0.16	13.2	12.9	0.60	570	0.66
I314262		1.61	18.3	3.80	7.35	0.07	0.05	0.01	0.023	0.20	8.1	20.3	0.70	444	0.92
I314263		1.46	29.5	2.60	6.06	0.06	0.02	0.04	0.026	0.04	8.5	9.5	0.39	135	1.34
I314264		1.44	16.5	2.10	6.29	0.06	0.02	0.02	0.019	0.06	9.0	9.4	0.25	160	0.86
I314265		1.80	18.9	4.03	8.53	0.08	0.06	0.02	0.029	0.05	9.9	16.9	0.50	295	1.63
I314266		0.81	11.0	2.38	6.81	0.05	0.02	0.02	0.016	0.02	6.0	6.0	0.17	82	1.00
I314267		0.94	15.2	4.01	7.58	0.07	0.05	0.02	0.028	0.06	6.9	18.2	0.54	241	1.44
I314268		1.29	16.7	3.98	7.89	0.07	0.06	0.03	0.029	0.04	9.3	16.0	0.48	216	1.38
I314269		0.63	14.7	1.23	3.54	<0.05	<0.02	0.03	0.013	0.02	3.9	2.6	0.09	43	0.67
I314270		0.71	14.8	1.51	4.18	<0.05	<0.02	0.03	0.014	0.03	4.6	3.4	0.09	47	0.76
I314271		1.63	21.1	3.70	8.42	0.07	0.04	0.03	0.028	0.06	8.2	17.4	0.57	248	1.39
I314272		0.85	19.3	1.21	3.51	<0.05	<0.02	0.04	0.013	0.04	7.9	4.1	0.16	68	0.62
I314273		1.84	22.2	4.51	8.56	0.08	0.08	0.03	0.039	0.05	9.5	19.4	0.61	366	1.81
I314274		1.39	18.4	3.70	8.39	0.06	0.03	0.03	0.026	0.05	6.8	15.2	0.35	240	1.67
I314275		1.57	20.3	4.12	8.64	0.07	0.03	0.02	0.031	0.06	9.1	17.7	0.48	202	1.39
I314276		4.62	40.7	4.31	6.41	0.09	0.05	0.01	0.022	0.42	11.3	28.3	1.01	364	0.54
I314277		1.47	55.4	3.86	7.11	0.08	0.03	0.04	0.034	0.05	10.0	17.4	0.62	264	1.30
I314278		1.23	16.7	2.69	8.11	0.05	0.04	0.04	0.022	0.03	7.4	9.4	0.19	131	2.12
I314279		1.29	28.6	3.01	6.93	0.06	0.03	0.04	0.027	0.03	8.9	10.8	0.38	254	1.24
I314280		1.63	17.2	3.63	8.58	0.08	0.05	0.02	0.027	0.04	8.6	14.5	0.41	184	2.04
I314281		1.85	37.0	3.66	8.25	0.07	0.04	0.03	0.027	0.06	11.0	14.4	0.43	223	2.28
I314282		1.53	19.1	3.16	6.96	0.06	0.03	0.02	0.018	0.06	6.3	12.8	0.48	948	3.17
I314283		3.22	21.2	3.24	7.61	0.08	0.02	0.05	0.031	0.08	16.4	16.1	0.47	655	1.52
I314284		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314285		1.24	20.0	2.99	7.30	0.05	0.03	0.02	0.022	0.04	6.8	16.5	0.55	304	0.91
I314286		1.26	14.3	2.61	6.91	0.05	0.02	0.02	0.020	0.04	6.5	10.3	0.27	164	1.23
I314287		1.07	22.5	1.11	2.78	<0.05	<0.02	0.03	0.013	0.04	7.1	2.6	0.10	52	0.85
I314288		0.95	11.7	2.09	5.08	<0.05	<0.02	0.03	0.017	0.03	4.3	6.7	0.18	684	1.01
I314289		0.68	15.2	1.20	3.82	<0.05	<0.02	0.03	0.013	0.05	7.9	2.0	0.10	55	0.79
I314290		4.96	16.1	2.90	8.62	0.06	0.02	0.02	0.020	0.24	10.1	11.2	0.45	204	1.19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314251		1.23	18.3	350	7.6	6.9	<0.001	0.01	0.41	3.8	0.4	0.5	30.3	<0.01	0.02
I314252		1.36	16.3	320	7.2	7.3	<0.001	0.01	0.38	3.0	0.3	0.5	28.2	<0.01	0.02
I314253		1.01	19.5	690	6.2	9.2	<0.001	0.04	0.43	3.4	1.0	0.4	87.1	<0.01	0.02
I314254		1.38	22.6	520	7.1	7.5	<0.001	0.01	0.65	5.1	0.6	0.5	59.0	<0.01	0.05
I314255		1.37	21.9	560	8.6	9.8	<0.001	0.02	0.47	5.2	0.7	0.4	101.5	<0.01	0.06
I314256		1.04	16.2	550	5.2	8.1	0.001	0.07	0.41	3.1	0.9	0.3	117.0	<0.01	0.05
I314257		1.30	18.6	720	8.6	7.9	<0.001	0.02	0.42	4.1	0.7	0.5	61.2	<0.01	0.05
I314258		1.49	23.2	880	7.7	10.1	<0.001	0.03	0.53	5.1	0.9	0.5	55.4	<0.01	0.04
I314259		0.47	16.9	540	3.4	4.3	<0.001	<0.01	0.43	1.6	0.3	0.2	9.6	<0.01	0.01
I314260		1.96	33.5	340	9.9	34.3	0.001	0.02	0.55	8.5	0.9	0.8	80.1	<0.01	0.01
I314261		1.36	21.4	460	9.9	19.6	<0.001	0.01	0.54	5.9	0.6	0.5	40.0	0.01	0.02
I314262		2.38	24.1	310	9.8	29.7	<0.001	0.01	0.36	2.9	0.3	0.8	30.6	<0.01	0.03
I314263		0.96	26.2	400	8.7	9.5	<0.001	0.02	0.33	2.2	0.5	0.6	18.9	0.01	0.03
I314264		0.73	10.7	310	10.7	13.3	<0.001	0.01	0.17	1.8	0.4	0.7	18.2	<0.01	0.02
I314265		2.22	18.6	410	10.0	15.8	<0.001	0.01	0.57	3.5	0.4	0.8	19.2	0.01	0.04
I314266		1.27	7.1	220	9.0	6.6	<0.001	0.01	0.31	1.7	0.3	0.7	11.3	<0.01	0.02
I314267		2.06	16.2	320	8.5	11.3	<0.001	0.01	0.41	3.2	0.4	0.6	20.8	<0.01	0.04
I314268		2.01	17.5	340	9.5	10.6	<0.001	0.01	0.46	4.0	0.5	0.7	14.7	0.02	0.03
I314269		0.33	6.3	570	5.3	5.8	<0.001	0.02	0.16	0.6	0.4	0.3	13.2	<0.01	0.02
I314270		0.39	6.1	570	5.9	7.2	<0.001	0.02	0.18	0.7	0.4	0.4	13.4	<0.01	0.02
I314271		1.84	22.8	340	10.3	14.8	<0.001	0.02	0.43	3.6	0.4	0.7	18.9	0.01	0.03
I314272		0.74	9.4	310	5.2	10.8	<0.001	0.02	0.16	1.9	0.4	0.4	20.2	<0.01	0.02
I314273		2.13	27.0	390	10.5	13.5	<0.001	0.02	0.59	4.8	0.5	0.8	17.9	0.01	0.04
I314274		1.83	19.4	320	9.4	16.9	<0.001	0.02	0.46	3.0	0.3	0.8	12.3	<0.01	0.04
I314275		1.79	23.6	480	13.1	10.6	<0.001	0.02	0.44	4.0	0.5	0.8	15.7	<0.01	0.04
I314276		2.02	51.1	460	5.9	48.3	<0.001	0.01	0.23	3.8	0.4	0.4	23.6	<0.01	0.03
I314277		1.70	61.3	940	11.8	10.1	<0.001	0.01	0.35	4.9	0.6	0.6	23.1	<0.01	0.04
I314278		1.80	11.0	230	11.1	10.5	<0.001	0.02	0.37	2.8	0.5	0.8	15.3	<0.01	0.04
I314279		1.51	16.2	350	9.6	7.3	<0.001	0.02	0.32	3.7	0.6	0.7	23.9	<0.01	0.03
I314280		1.93	16.4	260	13.5	11.9	<0.001	0.01	0.44	3.6	0.5	0.8	21.4	<0.01	0.03
I314281		2.10	20.9	470	10.6	12.1	<0.001	0.05	0.40	3.5	0.8	0.7	23.9	<0.01	0.05
I314282		1.68	22.6	310	10.1	29.2	<0.001	0.02	0.34	2.6	0.4	0.6	17.8	<0.01	0.04
I314283		1.25	20.2	430	10.7	25.4	<0.001	0.03	0.43	4.0	0.6	0.8	20.9	<0.01	0.03
I314284		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314285		1.72	21.8	280	8.8	10.2	<0.001	0.02	0.30	3.6	0.3	0.7	31.0	<0.01	0.04
I314286		1.37	13.3	290	10.5	11.8	<0.001	0.01	0.37	2.6	0.3	0.7	12.0	<0.01	0.03
I314287		0.33	7.2	520	5.0	9.3	<0.001	0.02	0.14	0.6	0.4	0.3	11.7	<0.01	0.02
I314288		0.83	8.0	280	6.6	9.3	<0.001	0.02	0.26	1.6	0.3	0.5	11.7	<0.01	0.03
I314289		0.39	6.5	340	6.7	6.7	<0.001	0.02	0.20	0.9	0.3	0.5	11.3	<0.01	0.02
I314290		0.90	12.6	250	9.1	37.7	<0.001	0.02	0.83	2.6	0.3	0.8	13.4	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314251		0.063	0.07	0.46	62	0.20	3.39	46	0.9
I314252		0.063	0.08	0.32	60	0.43	2.22	38	1.0
I314253		0.042	0.05	0.91	48	0.16	8.44	35	1.1
I314254		0.082	0.05	0.70	56	0.16	9.47	49	6.5
I314255		0.066	0.05	1.03	52	0.22	10.45	52	4.7
I314256		0.043	0.04	0.82	35	0.15	8.80	43	2.1
I314257		0.065	0.06	1.09	50	0.29	8.77	56	2.1
I314258		0.078	0.06	1.35	60	0.17	10.80	68	2.6
I314259		0.016	0.13	0.54	14	0.09	6.06	19	1.9
I314260		0.146	0.14	8.72	87	0.30	10.95	84	4.2
I314261		0.099	0.08	0.62	65	0.21	10.35	62	2.5
I314262		0.157	0.19	0.45	71	0.12	2.74	68	2.2
I314263		0.080	0.14	0.59	65	0.12	3.30	30	0.9
I314264		0.059	0.12	0.46	48	0.10	3.77	25	<0.5
I314265		0.133	0.15	0.54	92	0.17	3.46	48	3.3
I314266		0.083	0.11	0.31	71	0.11	1.59	17	1.0
I314267		0.126	0.11	0.38	86	0.17	2.50	43	2.4
I314268		0.127	0.14	0.59	92	0.18	3.84	39	3.0
I314269		0.035	0.06	0.30	30	0.07	1.45	10	<0.5
I314270		0.040	0.07	0.36	35	0.12	1.57	11	<0.5
I314271		0.133	0.13	0.47	85	0.15	2.97	47	1.9
I314272		0.066	0.08	0.49	30	0.09	2.90	17	<0.5
I314273		0.124	0.16	0.60	97	0.15	3.69	69	4.0
I314274		0.107	0.12	0.36	93	0.13	2.70	53	1.6
I314275		0.112	0.12	0.46	115	0.18	3.57	59	1.3
I314276		0.173	0.32	0.40	65	0.13	4.77	82	2.2
I314277		0.123	0.12	0.72	88	0.23	4.89	92	1.2
I314278		0.106	0.15	0.41	87	0.15	2.30	27	2.0
I314279		0.096	0.14	0.74	77	0.26	4.44	43	1.2
I314280		0.126	0.15	0.48	97	0.18	3.21	38	2.1
I314281		0.134	0.21	0.80	99	0.15	3.86	68	1.7
I314282		0.130	0.17	0.40	79	0.15	2.13	89	1.3
I314283		0.085	0.16	0.72	71	0.17	7.46	51	0.6
I314284		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314285		0.104	0.16	0.40	72	0.17	2.70	51	1.2
I314286		0.096	0.11	0.45	63	0.15	2.56	31	1.0
I314287		0.034	0.06	0.67	23	0.07	2.13	13	<0.5
I314288		0.076	0.08	0.29	54	0.09	1.59	30	0.6
I314289		0.046	0.09	0.46	35	0.08	2.09	14	<0.5
I314290		0.076	0.28	0.44	58	0.11	4.18	39	0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314291		0.22	NSS	0.13	0.47	1.4	<0.2	<10	50	0.14	0.07	0.08	0.21	12.25	1.8	10
I314292		0.36	0.010	0.03	1.85	5.9	<0.2	<10	130	0.36	0.15	0.20	0.08	30.0	8.0	34
I314293		0.28	0.009	0.08	1.25	3.6	<0.2	<10	130	0.39	0.13	0.18	0.13	30.0	3.9	21
I314294		0.26	0.008	0.08	1.37	4.8	<0.2	<10	110	0.36	0.16	0.19	0.13	28.6	5.3	25
I314295		0.20	0.025	0.16	0.59	1.6	<0.2	<10	80	0.26	0.12	0.34	0.29	29.7	3.8	14
I314296		0.34	0.006	0.03	1.65	5.7	<0.2	<10	100	0.29	0.11	0.25	0.05	45.1	8.4	28
I314297		0.24	<0.005	0.52	2.65	21.7	<0.2	<10	250	1.28	0.28	0.53	0.14	174.0	24.5	34
I314298		0.32	0.006	0.09	2.16	6.4	<0.2	<10	190	0.60	0.14	0.30	0.03	66.4	13.4	31
I314299		0.28	0.006	0.07	1.33	8.0	<0.2	<10	110	0.17	0.12	0.14	0.03	10.50	6.0	21
I314300		0.20	<0.005	0.07	0.55	2.6	<0.2	<10	70	0.13	0.11	0.09	0.06	8.66	1.4	10
I314301		0.40	0.009	0.16	1.80	8.3	<0.2	<10	280	0.60	0.17	0.43	0.14	29.8	9.7	24
I314302		0.38	0.005	0.19	1.79	7.0	<0.2	<10	300	0.43	0.16	0.33	0.14	23.7	8.8	23
I314303		0.46	<0.005	0.16	1.64	10.0	<0.2	<10	280	0.42	0.71	0.42	0.30	23.3	11.9	26
I314304		0.44	0.005	0.10	1.66	6.9	<0.2	<10	230	0.30	0.17	0.28	0.23	13.80	11.1	20
I314305		0.50	0.006	0.07	2.07	6.3	<0.2	<10	230	0.39	0.13	0.27	0.22	15.70	12.6	25
I314306		0.46	<0.005	0.20	1.86	4.9	<0.2	<10	340	0.39	0.15	0.30	1.21	16.00	12.8	29
I314307		0.42	<0.005	0.25	1.61	6.1	<0.2	<10	330	0.34	0.16	0.65	0.74	17.35	12.1	27
I314308		0.50	NSS	0.03	0.28	9.4	<0.2	<10	100	0.33	0.03	0.54	0.25	27.3	9.6	16
I314309		0.38	<0.005	0.09	2.44	4.1	<0.2	<10	800	0.84	0.12	0.76	0.13	43.9	17.4	97
I314310		0.42	<0.005	0.39	1.68	9.6	<0.2	<10	390	0.39	0.13	0.48	0.08	21.3	11.6	33
I314311		0.50	<0.005	0.23	2.82	12.6	<0.2	<10	200	0.35	0.11	0.81	0.22	12.90	23.8	62
I314312		0.38	<0.005	0.16	1.95	6.7	<0.2	<10	510	0.55	0.15	0.53	0.23	17.25	14.5	67
I314313		0.44	<0.005	0.05	1.74	4.7	<0.2	<10	420	0.33	0.15	0.42	0.10	14.60	6.6	22
I314314		0.38	<0.005	0.08	1.47	6.0	<0.2	<10	520	0.24	0.15	0.35	0.14	15.35	9.1	24
I314315		0.54	0.021	0.16	1.61	4.3	<0.2	<10	1500	1.02	0.17	0.55	0.11	37.8	7.9	22
I314316		0.52	0.009	0.15	1.54	7.3	<0.2	<10	430	0.97	0.39	0.89	0.19	30.7	10.2	26
I314317		0.48	0.006	0.15	1.83	5.2	<0.2	<10	190	0.50	0.15	1.14	0.31	25.4	11.8	31
I314318		0.46	0.005	0.09	1.63	6.8	<0.2	<10	210	0.32	0.14	0.83	0.23	20.3	10.8	26
I314319		0.38	<0.005	0.05	1.43	6.8	<0.2	<10	140	0.20	0.14	0.22	0.11	16.05	6.6	19
I314320		0.56	0.015	0.10	1.40	6.3	<0.2	<10	240	0.38	0.27	0.62	0.20	26.8	10.4	21
I314321		0.38	<0.005	0.30	1.63	4.4	<0.2	<10	390	0.38	0.10	0.78	0.66	17.75	10.6	36
I314322		0.40	<0.005	0.08	1.48	5.3	<0.2	<10	230	0.26	0.14	0.30	0.16	15.10	10.1	25
I314323		0.44	<0.005	0.08	1.51	6.7	<0.2	<10	270	0.34	0.13	0.42	0.09	19.90	9.6	26
I314324		0.38	NSS	0.06	0.33	10.1	<0.2	<10	120	0.31	0.03	0.64	0.27	31.8	11.0	19
I314325		0.44	<0.005	0.09	1.73	6.1	<0.2	<10	500	0.57	0.10	1.70	0.53	22.9	9.3	33
I314326		0.38	0.006	0.32	1.55	26.2	<0.2	<10	190	0.45	0.08	2.48	1.41	25.2	11.8	78
I314327		0.40	<0.005	0.05	1.73	4.8	<0.2	<10	200	0.32	0.11	0.45	0.15	16.35	9.2	37
I314328		0.46	<0.005	0.05	2.74	5.4	<0.2	<10	390	0.53	0.10	0.48	0.05	20.0	16.1	57
I314329		0.38	<0.005	0.06	1.70	4.8	<0.2	<10	520	0.32	0.18	0.57	0.16	14.70	10.9	26
I314330		0.36	0.012	0.05	2.19	5.9	<0.2	<10	200	0.45	0.10	0.51	0.11	23.1	14.5	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314291		0.56	16.0	0.78	1.93	<0.05	<0.02	0.06	0.010	0.03	9.1	0.9	0.04	33	0.67
I314292		1.81	24.7	3.14	7.21	0.08	0.02	0.03	0.023	0.09	18.0	14.2	0.50	202	0.90
I314293		1.06	25.9	1.78	5.00	0.06	0.02	0.03	0.019	0.04	18.1	5.6	0.19	83	0.73
I314294		1.47	29.6	2.25	5.18	0.07	0.03	0.05	0.021	0.05	19.2	9.7	0.32	174	0.92
I314295		0.95	27.3	0.93	2.53	0.06	0.02	0.06	0.013	0.05	16.5	2.1	0.10	53	0.66
I314296		4.29	24.0	3.02	5.84	0.09	0.02	0.02	0.016	0.32	21.0	16.9	0.65	192	0.66
I314297		5.09	46.3	3.45	12.00	0.31	0.08	0.15	0.055	0.08	158.0	20.9	0.36	2010	1.54
I314298		4.95	24.6	3.29	8.00	0.10	0.04	0.05	0.025	0.34	46.3	24.4	0.72	217	0.64
I314299		1.33	11.4	2.21	5.91	<0.05	0.02	0.02	0.020	0.01	5.6	8.5	0.25	136	1.02
I314300		0.77	9.1	0.65	3.96	<0.05	<0.02	0.02	0.010	0.02	5.2	1.8	0.07	32	0.37
I314301		4.41	18.1	3.04	7.98	0.11	0.04	0.05	0.028	0.17	25.1	14.7	0.57	462	0.94
I314302		2.65	17.0	2.91	7.11	0.08	0.04	0.03	0.031	0.12	14.4	12.7	0.47	534	0.95
I314303		2.12	32.2	2.85	6.55	0.06	0.03	0.04	0.034	0.08	11.4	14.4	0.54	1080	0.77
I314304		2.02	16.0	2.88	7.43	0.05	0.02	0.02	0.026	0.07	7.1	11.7	0.40	680	1.09
I314305		1.13	21.8	3.35	8.28	0.06	0.05	0.01	0.029	0.05	7.6	15.5	0.64	329	1.04
I314306		2.13	14.4	3.06	7.22	0.05	0.03	0.03	0.027	0.04	7.8	10.1	0.46	1720	1.15
I314307		1.83	12.7	2.91	6.48	0.05	0.04	0.03	0.027	0.10	7.9	8.9	0.45	961	1.08
I314308		0.28	7.7	2.18	1.58	0.07	0.09	0.02	0.008	0.02	13.2	3.3	0.22	919	1.46
I314309		0.50	15.3	3.61	9.05	0.08	0.07	0.02	0.033	0.12	16.6	9.1	1.18	663	1.13
I314310		0.42	18.2	2.68	6.37	0.05	0.07	0.02	0.023	0.08	9.2	7.8	0.48	690	2.23
I314311		0.47	55.1	3.78	8.82	0.07	0.08	0.02	0.035	0.10	5.4	9.9	0.88	803	1.15
I314312		0.37	20.1	3.07	7.45	0.05	0.08	0.01	0.026	0.19	8.4	9.0	0.64	1140	1.35
I314313		0.23	7.4	2.58	6.71	0.05	0.02	0.01	0.019	0.13	7.5	7.7	0.32	369	1.18
I314314		0.36	12.3	2.38	6.31	<0.05	0.04	0.02	0.019	0.08	8.0	7.6	0.33	950	1.05
I314315		0.45	24.3	2.36	5.34	0.10	0.06	0.06	0.024	0.08	28.7	8.2	0.27	401	1.90
I314316		0.67	23.2	2.35	5.41	0.06	0.15	0.04	0.029	0.05	15.1	13.3	0.44	474	4.09
I314317		1.81	23.9	2.87	7.07	0.08	0.08	0.04	0.029	0.10	12.6	14.6	0.76	559	0.73
I314318		1.18	19.4	2.68	5.79	0.07	0.08	0.03	0.026	0.07	10.1	13.0	0.61	437	0.72
I314319		1.33	11.2	2.53	6.56	0.05	0.06	0.02	0.023	0.10	8.8	10.3	0.39	207	0.82
I314320		1.54	21.5	2.42	5.40	0.07	0.05	0.04	0.028	0.07	14.2	13.1	0.48	457	0.64
I314321		1.89	23.4	2.83	7.38	0.07	0.03	0.04	0.028	0.09	10.8	14.3	0.70	618	0.64
I314322		0.84	10.9	2.48	6.26	0.05	0.05	0.04	0.023	0.05	7.6	9.5	0.39	487	1.31
I314323		0.72	13.7	2.42	5.73	0.05	0.07	0.03	0.022	0.04	9.5	8.9	0.40	467	0.90
I314324		0.38	17.1	2.24	2.00	0.09	0.05	0.02	0.009	0.03	16.7	3.8	0.27	952	1.53
I314325		0.66	54.4	2.03	5.06	0.06	0.09	0.05	0.025	0.02	14.5	7.8	0.49	342	0.49
I314326		0.42	48.3	2.21	5.11	0.07	0.14	0.08	0.024	0.02	14.4	7.3	0.88	467	2.96
I314327		0.75	18.4	2.61	7.45	0.05	0.03	0.02	0.023	0.03	8.0	7.6	0.54	414	0.96
I314328		0.56	25.7	3.30	8.96	0.06	0.07	0.02	0.033	0.02	10.0	12.9	1.12	574	0.91
I314329		0.36	16.6	2.39	6.06	<0.05	0.04	0.03	0.020	0.07	7.2	8.6	0.48	1000	1.24
I314330		1.20	31.6	3.03	7.16	0.07	0.12	0.04	0.031	0.04	12.1	12.9	0.91	294	0.59



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314291		0.17	5.9	510	4.1	3.9	<0.001	0.05	0.17	0.2	0.4	0.2	12.2	<0.01	0.02
I314292		0.84	26.3	420	8.3	15.7	<0.001	0.02	0.35	2.2	0.5	0.6	20.2	<0.01	0.02
I314293		0.31	14.8	500	7.5	8.7	<0.001	0.03	0.22	0.5	0.6	0.5	20.6	<0.01	0.02
I314294		0.74	17.5	420	19.5	10.6	<0.001	0.03	0.24	1.9	0.5	0.5	20.2	<0.01	0.03
I314295		0.42	11.7	470	5.4	7.1	<0.001	0.05	0.19	1.3	0.6	0.3	31.7	0.01	0.02
I314296		1.48	31.0	340	7.8	43.6	<0.001	0.01	0.14	2.6	0.4	0.6	20.0	<0.01	0.02
I314297		1.06	33.5	670	29.3	24.6	0.001	0.04	0.33	10.0	2.1	1.0	46.5	0.01	0.04
I314298		1.77	29.1	710	19.7	41.9	<0.001	0.01	0.62	4.6	0.7	0.6	24.0	<0.01	0.02
I314299		1.26	13.2	170	7.5	7.5	<0.001	0.01	0.31	2.3	0.4	0.5	14.5	<0.01	0.02
I314300		0.21	3.9	360	7.6	9.8	<0.001	0.01	0.08	0.4	0.3	0.4	12.1	<0.01	0.01
I314301		1.19	15.1	550	13.0	20.5	<0.001	0.01	0.46	8.1	0.8	0.5	27.8	0.01	0.02
I314302		1.26	14.0	480	8.7	13.0	<0.001	0.01	0.38	6.3	0.5	0.5	25.7	<0.01	0.02
I314303		1.28	25.5	550	18.3	9.8	<0.001	0.02	0.63	5.5	0.5	0.5	24.2	<0.01	0.04
I314304		1.28	12.2	630	11.7	10.4	<0.001	0.01	0.50	4.2	0.4	0.6	24.2	<0.01	0.02
I314305		1.42	16.3	550	16.1	8.8	<0.001	0.01	0.41	4.8	0.3	0.6	19.4	<0.01	0.02
I314306		1.27	16.6	300	20.4	8.3	<0.001	0.01	0.44	4.9	0.3	0.6	21.2	<0.01	0.01
I314307		1.42	15.8	330	18.1	15.0	<0.001	0.01	0.47	4.6	0.4	0.6	32.8	<0.01	0.02
I314308		0.58	23.7	650	4.9	4.7	<0.001	0.02	0.55	2.0	0.3	0.2	12.7	<0.01	0.01
I314309		2.72	72.8	670	8.1	10.4	<0.001	0.01	0.23	6.3	0.4	0.6	46.8	<0.01	0.03
I314310		1.43	20.3	270	7.6	9.9	<0.001	0.01	0.30	5.4	0.4	0.5	29.1	<0.01	0.04
I314311		0.97	26.1	610	7.8	7.6	<0.001	0.02	0.31	12.5	0.5	0.5	30.2	<0.01	0.06
I314312		1.62	34.4	620	9.1	9.9	<0.001	0.01	0.35	4.5	0.3	0.6	32.3	<0.01	0.04
I314313		1.24	13.1	300	8.2	5.5	<0.001	0.01	0.29	2.8	0.2	0.5	26.2	<0.01	0.02
I314314		1.37	15.8	380	8.0	9.6	<0.001	0.01	0.32	3.1	0.3	0.5	27.2	<0.01	0.02
I314315		1.14	21.7	350	8.7	7.6	<0.001	0.02	0.30	5.5	1.1	0.4	58.5	0.01	0.10
I314316		2.19	19.2	470	18.9	10.0	0.001	0.03	0.51	5.1	1.0	0.6	230	<0.01	0.38
I314317		1.15	20.6	980	11.5	13.3	<0.001	0.04	0.54	7.2	0.9	0.5	56.6	<0.01	0.03
I314318		1.46	17.7	790	13.1	10.8	<0.001	0.02	0.51	5.7	0.6	0.5	45.2	<0.01	0.02
I314319		1.34	10.5	470	7.9	11.2	<0.001	0.01	0.34	4.4	0.3	0.5	17.8	<0.01	0.02
I314320		1.13	15.4	840	8.9	9.7	<0.001	0.02	0.48	5.7	0.7	0.4	33.0	<0.01	0.02
I314321		1.16	30.2	1120	7.1	11.1	<0.001	0.02	0.56	6.0	0.6	0.6	46.4	<0.01	0.01
I314322		1.43	14.7	190	10.0	8.0	<0.001	0.01	0.39	3.5	0.4	0.6	24.1	<0.01	0.02
I314323		1.45	17.7	190	8.4	4.7	<0.001	0.01	0.41	4.7	0.4	0.5	26.6	<0.01	0.02
I314324		0.81	27.0	720	5.3	5.3	<0.001	0.02	0.62	2.2	0.5	0.3	15.8	<0.01	0.02
I314325		1.11	30.0	600	5.6	4.1	<0.001	0.05	0.40	5.6	1.3	0.4	64.5	0.01	0.02
I314326		0.84	62.1	1130	7.4	3.9	0.001	0.08	0.89	4.3	2.4	0.3	106.0	0.01	0.03
I314327		1.61	23.5	330	5.8	6.6	<0.001	0.02	0.30	3.8	0.5	0.6	37.5	<0.01	0.02
I314328		1.80	35.7	410	6.6	4.8	<0.001	0.01	0.22	8.1	0.4	0.6	28.9	<0.01	0.01
I314329		1.43	18.9	330	9.3	13.8	<0.001	0.02	0.30	3.2	0.4	0.5	41.5	<0.01	0.01
I314330		1.42	28.4	340	6.3	6.2	<0.001	0.02	0.28	8.5	0.6	0.5	30.5	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314291		0.019	0.04	0.38	20	0.07	3.18	9	<0.5
I314292		0.072	0.13	0.61	61	0.10	7.30	47	<0.5
I314293		0.022	0.07	0.67	37	0.08	7.53	21	<0.5
I314294		0.064	0.08	1.13	48	0.15	7.36	32	0.5
I314295		0.035	0.05	1.20	22	0.07	10.65	19	<0.5
I314296		0.116	0.34	1.18	37	0.10	8.21	58	<0.5
I314297		0.032	0.23	3.32	62	0.22	51.7	50	0.8
I314298		0.110	0.41	1.61	38	0.12	14.55	61	1.1
I314299		0.072	0.10	0.35	51	0.14	2.01	25	0.9
I314300		0.026	0.08	0.32	17	0.05	1.76	11	<0.5
I314301		0.082	0.13	1.01	63	0.23	23.2	58	1.0
I314302		0.074	0.11	0.91	57	0.20	9.55	60	1.1
I314303		0.076	0.08	0.60	61	0.27	5.07	123	0.9
I314304		0.069	0.11	0.38	71	0.22	2.54	69	0.6
I314305		0.131	0.09	0.37	85	0.20	3.01	111	1.7
I314306		0.080	0.11	0.35	76	0.21	2.98	125	1.0
I314307		0.077	0.09	0.49	69	0.28	2.77	105	1.4
I314308		0.021	0.15	0.75	17	0.10	7.80	23	4.1
I314309		0.113	0.10	0.59	79	0.14	4.52	57	3.3
I314310		0.067	0.11	0.35	68	0.17	3.79	49	2.5
I314311		0.125	0.07	0.37	112	0.32	4.77	97	2.2
I314312		0.074	0.08	0.38	73	0.25	2.97	72	3.2
I314313		0.037	0.09	0.43	56	0.18	1.97	47	0.7
I314314		0.059	0.08	0.35	57	0.19	2.27	41	1.5
I314315		0.041	0.06	1.35	42	0.17	37.7	39	1.5
I314316		0.060	0.09	5.63	48	0.29	12.30	56	5.6
I314317		0.068	0.09	1.20	62	0.27	10.30	77	2.6
I314318		0.084	0.07	0.64	60	0.27	6.70	78	3.0
I314319		0.080	0.09	0.43	59	0.22	3.82	50	2.0
I314320		0.069	0.07	0.84	54	0.26	11.15	70	1.4
I314321		0.086	0.09	0.62	62	0.34	7.89	71	0.8
I314322		0.063	0.08	0.36	58	0.20	2.23	45	1.9
I314323		0.063	0.08	0.51	55	0.26	3.98	42	2.7
I314324		0.027	0.17	0.82	20	0.11	8.53	27	2.4
I314325		0.049	0.06	2.33	45	0.15	14.80	49	3.3
I314326		0.037	0.06	1.74	45	0.10	11.35	66	6.0
I314327		0.088	0.09	0.43	69	0.23	3.61	38	1.2
I314328		0.080	0.09	0.41	77	0.13	5.04	51	2.9
I314329		0.066	0.11	0.42	57	0.15	3.26	40	1.5
I314330		0.082	0.06	0.42	74	0.12	9.86	48	4.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314331		0.38	<0.005	0.06	2.09	7.6	<0.2	<10	250	0.36	0.07	1.02	0.17	16.55	16.9	53
I314332		0.44	<0.005	0.04	2.15	4.2	<0.2	<10	150	0.46	0.07	0.43	0.08	10.30	16.2	92
I314333		0.40	0.006	0.07	2.22	4.8	<0.2	<10	190	0.32	0.10	0.70	0.15	17.90	14.4	50
I314334		0.24	<0.005	0.06	2.15	4.3	<0.2	<10	180	0.41	0.08	1.21	0.12	16.30	13.6	58
I314335		0.46	<0.005	0.07	1.86	4.2	<0.2	<10	170	0.40	0.06	1.19	0.18	16.00	12.0	50
I314336		0.42	<0.005	0.06	1.99	4.6	<0.2	<10	160	0.51	0.06	1.41	0.16	18.90	14.9	65
I314337		0.50	NSS	0.02	0.28	8.9	<0.2	<10	70	0.29	0.01	0.51	0.17	28.3	8.1	12
I314338		0.30	<0.005	0.09	1.75	7.3	<0.2	<10	250	1.54	0.13	0.76	0.18	115.5	9.7	28
I314339		0.36	0.006	0.12	1.77	7.2	<0.2	<10	210	1.39	0.26	0.83	0.12	124.5	7.1	28
I314340		0.20	0.010	0.20	0.59	3.7	<0.2	<10	80	0.18	0.14	0.39	0.84	10.25	3.9	15
I314341		0.44	<0.005	0.24	0.78	52.9	<0.2	<10	100	0.45	0.11	0.85	0.35	14.60	9.9	18
I314342		0.58	0.007	0.05	1.95	10.6	<0.2	<10	120	0.61	0.32	0.29	0.12	51.7	17.3	34
I314343		0.46	<0.005	0.11	1.66	13.9	<0.2	<10	100	0.30	0.11	0.32	0.21	27.9	9.9	35
I314344		0.50	<0.005	0.12	1.73	16.0	<0.2	<10	110	0.38	0.10	0.25	0.14	29.2	11.3	35
I314345		0.58	0.007	0.31	1.72	16.1	<0.2	<10	150	0.46	0.19	0.30	0.34	44.6	15.4	33
I314346		0.48	<0.005	0.12	1.72	12.2	<0.2	<10	150	0.40	0.08	0.33	0.30	27.0	12.8	38
I314347		0.40	<0.005	0.06	0.42	2.5	<0.2	<10	40	<0.05	0.10	0.06	0.14	7.54	2.2	9
I314348		0.42	0.005	0.08	0.65	6.0	<0.2	<10	40	0.09	0.15	0.06	0.12	12.25	3.1	12
I314349		0.42	<0.005	0.12	0.81	4.4	<0.2	<10	60	0.12	0.17	0.10	0.16	10.70	3.2	15
I314350		0.42	<0.005	0.09	0.60	8.0	<0.2	<10	50	0.11	0.15	0.05	0.14	7.89	2.7	12
I314351		0.32	0.008	0.06	1.64	5.7	<0.2	<10	160	0.43	0.06	1.58	0.10	25.5	11.6	32
I314352		0.42	0.009	0.05	1.66	6.8	<0.2	<10	140	0.30	0.09	0.45	0.10	23.6	11.0	27
I314353		0.34	0.006	0.06	1.52	5.2	<0.2	<10	130	0.31	0.09	1.38	0.17	25.3	9.9	27
I314354		0.28	0.006	0.08	1.60	4.5	<0.2	<10	170	0.47	0.10	1.48	0.21	58.0	9.2	24
I314355		0.30	<0.005	0.08	1.81	7.3	<0.2	<10	150	0.50	0.09	1.99	0.20	33.9	11.2	31
I314356		0.32	0.006	0.04	1.59	7.6	<0.2	<10	120	0.36	0.09	0.74	0.20	23.4	11.1	30
I314357		0.40	0.005	0.07	1.51	7.2	<0.2	<10	120	0.26	0.10	0.56	0.15	17.85	9.6	27
I314358		0.36	0.005	0.04	1.48	7.0	<0.2	<10	170	0.25	0.08	0.59	0.10	21.8	12.0	30
I314359		0.42	0.008	0.06	1.74	7.1	<0.2	<10	150	0.40	0.10	0.48	0.09	24.7	10.3	30
I314360		0.40	0.009	0.07	1.77	7.5	<0.2	<10	170	0.45	0.10	0.51	0.12	27.1	11.8	31
I314361		0.26	0.007	0.06	1.48	6.0	<0.2	<10	140	0.28	0.08	0.49	0.11	19.65	9.5	26
I314362		0.52	<0.005	0.08	1.86	5.5	<0.2	<10	170	0.51	0.08	0.77	0.10	45.5	13.1	36
I314363		0.32	0.005	0.07	1.71	5.1	<0.2	<10	130	0.27	0.08	0.56	0.09	27.9	8.0	31
I314364		0.40	<0.005	0.08	1.65	6.2	<0.2	<10	160	0.33	0.08	0.66	0.09	21.8	11.3	30
I314365		0.34	0.005	0.08	1.77	9.1	<0.2	<10	140	0.39	0.09	0.56	0.11	22.0	9.6	33
I314366		0.34	0.007	0.07	1.84	9.2	<0.2	<10	170	0.38	0.09	0.76	0.16	25.2	12.9	38
I314367		0.38	0.012	0.09	1.68	11.5	<0.2	<10	220	0.79	0.13	1.33	0.28	30.1	12.1	33
I314368		0.34	0.006	0.05	1.86	7.6	<0.2	<10	230	0.86	0.12	0.66	0.06	45.3	12.2	32
I314369		0.46	<0.005	0.07	1.74	6.7	<0.2	<10	220	0.51	0.18	0.49	0.09	36.0	9.3	30
I314370		0.30	NSS	0.02	0.20	7.8	<0.2	<10	40	0.27	0.03	0.31	0.20	24.4	6.9	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314331		1.60	47.1	3.07	6.32	0.07	0.07	0.03	0.029	0.03	9.4	11.0	0.98	459	0.48
I314332		0.72	28.2	2.86	7.66	0.05	0.04	0.02	0.019	0.02	5.4	12.6	1.15	289	0.71
I314333		0.81	29.5	2.83	6.02	0.05	0.08	0.03	0.023	0.03	10.2	13.2	1.02	453	0.50
I314334		1.13	37.1	2.54	6.07	0.06	0.11	0.05	0.022	0.02	9.1	12.4	0.89	275	0.52
I314335		0.48	31.4	2.31	5.01	0.06	0.06	0.06	0.020	0.02	9.1	10.8	0.80	291	0.50
I314336		0.59	31.2	2.70	5.40	0.06	0.06	0.04	0.020	0.03	10.9	12.8	0.94	414	0.40
I314337		0.23	6.5	1.94	1.36	0.06	0.06	0.02	0.006	0.02	14.3	3.4	0.22	623	1.03
I314338		0.85	25.8	2.45	7.14	0.19	0.07	0.05	0.028	0.12	103.5	9.4	0.38	501	1.41
I314339		1.80	24.2	2.22	6.32	0.21	0.12	0.06	0.027	0.09	127.0	9.9	0.40	216	0.94
I314340		6.36	17.0	1.24	2.72	<0.05	<0.02	0.17	0.015	0.04	5.9	1.2	0.09	196	1.63
I314341		7.98	16.9	1.85	2.91	0.05	0.03	0.09	0.017	0.04	8.5	4.3	0.23	633	1.21
I314342		5.12	27.5	3.12	6.10	0.10	0.09	0.05	0.033	0.06	24.9	16.1	0.63	245	0.47
I314343		8.58	30.4	2.93	5.17	0.07	0.03	0.03	0.022	0.12	14.9	14.3	0.62	247	1.04
I314344		12.55	30.1	3.21	4.86	0.07	0.03	0.03	0.023	0.11	16.3	14.4	0.62	326	1.21
I314345		11.85	55.0	3.01	4.99	0.09	0.03	0.06	0.035	0.07	22.3	10.5	0.48	233	1.39
I314346		6.38	25.9	2.93	4.85	0.08	0.04	0.04	0.021	0.09	14.1	13.7	0.64	443	0.98
I314347		0.73	9.9	1.04	3.48	<0.05	<0.02	0.02	0.007	<0.01	4.0	1.1	0.05	53	0.88
I314348		1.01	11.7	1.56	5.71	<0.05	0.02	0.03	0.011	0.01	6.4	1.8	0.08	91	1.19
I314349		0.77	16.0	1.81	6.04	<0.05	0.02	0.03	0.012	<0.01	5.6	2.4	0.07	83	1.29
I314350		2.18	12.6	1.50	5.12	<0.05	<0.02	0.02	0.012	0.01	4.2	1.4	0.05	236	1.07
I314351		1.66	25.9	2.63	4.57	0.10	0.08	0.03	0.017	0.20	14.3	15.0	0.77	328	0.43
I314352		0.65	17.7	2.50	5.29	0.06	0.15	0.01	0.021	0.04	12.5	10.9	0.46	220	0.64
I314353		0.71	19.0	2.27	4.66	0.08	0.09	0.06	0.021	0.05	13.2	10.8	0.55	368	0.59
I314354		0.94	23.9	2.34	4.98	0.10	0.08	0.06	0.025	0.03	36.5	9.2	0.39	247	0.55
I314355		0.97	24.0	2.58	5.03	0.08	0.10	0.06	0.028	0.05	18.1	13.1	0.62	459	0.55
I314356		0.42	29.4	2.69	4.76	0.08	0.16	0.02	0.021	0.09	11.8	11.2	0.65	330	0.52
I314357		0.42	20.2	2.45	4.66	0.07	0.07	0.01	0.020	0.06	8.9	9.9	0.53	267	0.72
I314358		0.66	14.1	2.64	4.88	0.07	0.14	0.03	0.019	0.03	11.1	11.0	0.56	359	0.52
I314359		1.15	20.5	2.65	5.72	0.07	0.05	0.03	0.022	0.03	13.2	12.5	0.53	285	0.71
I314360		1.22	22.5	2.70	5.61	0.07	0.06	0.03	0.022	0.03	14.2	12.8	0.54	337	0.70
I314361		1.24	15.8	2.27	5.31	0.06	0.03	0.03	0.019	0.04	10.5	10.5	0.48	326	0.89
I314362		3.88	21.9	3.06	6.28	0.10	0.06	0.05	0.023	0.10	26.9	16.1	0.68	338	0.61
I314363		1.22	17.7	2.51	5.53	0.07	0.03	0.04	0.018	0.04	16.1	11.8	0.53	208	0.81
I314364		0.93	18.6	2.48	5.54	0.05	0.03	0.03	0.018	0.02	11.9	10.2	0.52	304	0.85
I314365		1.40	18.1	2.48	6.26	0.07	0.03	0.04	0.019	0.03	12.4	12.3	0.54	186	0.77
I314366		2.13	19.7	2.66	6.24	0.08	0.06	0.05	0.023	0.03	14.7	12.9	0.51	408	1.00
I314367		1.94	29.6	2.83	5.59	0.09	0.09	0.05	0.037	0.04	18.7	11.5	0.36	339	0.71
I314368		1.09	24.7	2.91	6.24	0.09	0.18	0.03	0.034	0.04	23.9	12.4	0.47	410	0.61
I314369		1.62	15.1	2.83	5.57	0.07	0.10	0.02	0.027	0.05	28.1	10.7	0.43	319	0.77
I314370		0.19	5.8	1.91	1.23	0.06	0.08	0.01	<0.005	0.01	12.6	2.7	0.14	689	1.26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314331		1.15	35.9	640	4.2	6.3	<0.001	0.03	0.52	9.0	0.7	0.4	40.4	<0.01	0.01
I314332		1.62	52.0	370	4.3	2.8	<0.001	0.01	0.24	4.9	0.4	0.5	26.8	<0.01	0.01
I314333		1.35	31.6	530	5.1	6.4	<0.001	0.02	0.27	6.3	0.6	0.5	34.0	<0.01	0.02
I314334		1.39	34.8	490	5.1	4.9	<0.001	0.05	0.30	6.8	0.9	0.5	49.4	0.01	0.02
I314335		1.26	33.9	770	4.4	6.0	<0.001	0.05	0.32	5.1	0.8	0.4	52.9	<0.01	0.02
I314336		1.10	41.0	740	5.3	5.3	<0.001	0.05	0.22	6.4	0.8	0.4	57.2	<0.01	0.01
I314337		0.56	16.6	600	4.0	4.3	<0.001	0.01	0.42	1.8	0.4	0.2	12.4	<0.01	0.01
I314338		1.30	19.3	490	13.2	14.1	<0.001	0.03	0.38	6.5	1.4	0.7	56.4	0.01	0.03
I314339		1.33	18.4	550	20.3	17.7	<0.001	0.04	0.42	6.4	1.6	0.9	64.2	0.01	0.02
I314340		0.43	8.6	1600	6.8	7.2	<0.001	0.19	0.40	0.7	0.8	0.3	30.3	0.01	0.04
I314341		0.57	14.9	1060	37.5	7.1	<0.001	0.15	3.83	2.2	0.8	0.3	49.0	0.01	0.03
I314342		1.28	28.6	520	17.8	13.4	<0.001	0.01	0.83	6.7	0.7	0.5	22.4	<0.01	0.02
I314343		1.26	27.4	570	8.5	22.5	<0.001	0.02	0.96	3.7	0.6	0.4	26.8	<0.01	0.03
I314344		1.04	31.3	630	7.2	15.4	<0.001	0.02	1.22	4.5	0.8	0.3	22.3	<0.01	0.03
I314345		0.96	38.0	790	12.6	13.7	<0.001	0.02	1.25	7.7	1.4	0.4	25.5	<0.01	0.04
I314346		1.15	24.7	660	6.1	14.9	<0.001	0.03	0.96	5.0	0.7	0.4	25.9	<0.01	0.03
I314347		0.49	5.4	190	3.7	3.9	<0.001	0.02	0.22	1.0	0.3	0.4	8.9	<0.01	0.02
I314348		1.02	6.9	290	6.0	5.1	<0.001	0.02	0.35	1.5	0.4	0.5	8.7	<0.01	0.02
I314349		0.99	8.1	250	7.9	3.5	<0.001	0.02	0.33	1.7	0.3	0.6	12.2	<0.01	0.02
I314350		0.77	5.8	330	7.6	4.6	<0.001	0.01	0.32	1.3	0.4	0.5	8.8	<0.01	0.02
I314351		1.22	23.7	630	6.6	26.9	<0.001	0.05	0.26	4.0	0.8	0.3	65.1	<0.01	0.02
I314352		1.46	19.8	510	6.6	8.4	<0.001	0.01	0.27	4.4	0.4	0.5	32.7	<0.01	0.02
I314353		1.27	18.5	570	7.7	13.5	<0.001	0.05	0.34	4.1	0.7	0.4	56.7	0.01	0.02
I314354		1.15	21.4	560	8.4	9.3	<0.001	0.05	0.36	4.6	1.1	0.4	54.7	0.01	0.03
I314355		1.06	24.0	770	9.5	10.1	<0.001	0.07	0.44	5.0	1.0	0.4	82.7	0.01	0.03
I314356		1.58	24.8	740	6.3	8.9	<0.001	0.02	0.35	5.3	0.6	0.4	40.3	<0.01	0.02
I314357		1.38	20.2	690	5.7	6.4	<0.001	0.02	0.32	4.1	0.5	0.4	31.9	<0.01	0.02
I314358		1.43	19.4	540	6.7	7.5	<0.001	0.01	0.26	4.3	0.4	0.4	31.9	<0.01	0.02
I314359		1.45	20.8	560	8.4	10.4	<0.001	0.02	0.31	4.4	0.5	0.5	31.2	<0.01	0.02
I314360		1.43	21.5	590	8.6	11.3	<0.001	0.02	0.33	4.7	0.6	0.5	32.4	<0.01	0.02
I314361		1.15	16.4	610	6.7	11.7	<0.001	0.03	0.28	3.6	0.5	0.4	35.1	<0.01	0.01
I314362		1.23	24.9	740	6.7	19.5	<0.001	0.03	0.33	6.9	0.8	0.5	43.9	<0.01	0.02
I314363		1.15	19.5	580	5.9	10.3	<0.001	0.05	0.21	4.3	0.6	0.4	33.6	<0.01	0.02
I314364		1.21	18.5	560	6.7	7.1	<0.001	0.04	0.21	4.0	0.6	0.4	35.9	<0.01	0.03
I314365		1.25	23.1	450	7.0	10.3	<0.001	0.04	0.23	4.6	0.5	0.5	34.0	<0.01	0.02
I314366		1.36	22.8	480	8.0	13.0	<0.001	0.02	0.28	6.0	0.7	0.5	42.2	<0.01	0.02
I314367		1.01	27.4	790	10.4	11.0	<0.001	0.03	0.88	7.4	1.0	0.5	64.0	<0.01	0.03
I314368		1.13	25.5	390	10.4	10.1	<0.001	0.01	0.34	7.0	0.8	0.7	42.6	<0.01	0.02
I314369		1.33	17.0	450	11.9	12.3	<0.001	0.01	0.32	5.2	0.5	0.6	33.9	<0.01	0.01
I314370		0.43	15.6	510	3.1	3.6	<0.001	0.01	0.44	1.6	0.3	0.2	9.0	<0.01	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314331		0.069	0.05	0.47	76	0.12	9.26	49	2.5
I314332		0.106	0.05	0.25	75	0.10	3.15	48	1.4
I314333		0.106	0.05	0.54	65	0.13	7.58	51	2.9
I314334		0.077	0.06	0.86	59	0.13	7.94	47	4.0
I314335		0.080	0.04	0.89	50	0.12	8.26	46	2.5
I314336		0.060	0.03	1.10	60	0.09	11.30	52	2.3
I314337		0.022	0.11	0.72	17	0.09	7.23	20	2.8
I314338		0.055	0.08	2.79	48	0.22	42.6	42	1.6
I314339		0.058	0.09	3.28	41	0.26	45.9	38	3.3
I314340		0.025	0.06	1.03	33	0.10	2.63	57	<0.5
I314341		0.040	0.10	1.47	33	0.16	5.89	71	0.9
I314342		0.100	0.12	1.42	59	0.16	11.80	65	3.3
I314343		0.107	0.17	0.89	53	0.10	5.29	80	1.2
I314344		0.092	0.14	1.21	53	0.11	5.83	91	1.3
I314345		0.079	0.16	2.32	56	0.12	12.65	112	1.0
I314346		0.105	0.14	0.87	58	0.12	5.43	74	1.3
I314347		0.057	0.07	0.23	36	0.07	1.15	19	<0.5
I314348		0.086	0.07	0.34	58	0.13	1.53	24	0.7
I314349		0.083	0.08	0.31	59	0.08	1.55	28	0.9
I314350		0.076	0.07	0.25	48	0.09	1.21	31	0.7
I314351		0.097	0.15	1.17	48	0.10	8.13	56	2.9
I314352		0.105	0.05	0.60	61	0.39	7.08	42	5.6
I314353		0.084	0.07	0.88	48	0.15	7.08	53	3.2
I314354		0.067	0.08	0.87	43	0.14	15.25	44	2.8
I314355		0.061	0.08	0.99	47	0.11	12.70	58	3.4
I314356		0.126	0.05	0.81	69	0.16	9.46	53	6.0
I314357		0.114	0.05	0.38	63	0.16	5.83	46	2.8
I314358		0.114	0.05	0.74	64	0.14	6.06	49	4.8
I314359		0.102	0.08	0.94	60	0.19	6.78	50	2.1
I314360		0.101	0.09	1.11	60	0.16	8.02	51	2.2
I314361		0.091	0.09	0.78	56	0.15	4.99	55	1.0
I314362		0.089	0.15	1.51	53	0.15	13.85	69	2.2
I314363		0.080	0.08	0.78	51	0.13	6.20	51	1.1
I314364		0.085	0.07	0.79	56	0.17	5.30	44	1.2
I314365		0.089	0.10	0.79	53	0.14	5.58	54	1.3
I314366		0.081	0.11	1.00	58	0.13	6.94	54	2.3
I314367		0.044	0.08	1.48	55	0.12	15.05	61	3.3
I314368		0.065	0.08	1.04	54	0.13	13.90	47	7.2
I314369		0.078	0.09	0.75	58	0.14	11.00	43	4.3
I314370		0.010	0.11	0.70	13	0.07	6.10	16	3.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314371		0.44	0.006	0.08	1.01	2.1	<0.2	<10	160	0.33	0.17	0.55	0.10	20.2	4.0	18
I314372		0.46	0.008	0.05	1.23	3.2	<0.2	<10	130	0.39	0.15	0.19	0.04	23.7	4.6	16
I314373		0.38	<0.005	0.06	2.00	5.9	<0.2	<10	90	0.43	0.21	0.23	0.06	29.5	8.4	30
I314374		0.52	0.005	0.06	2.11	10.4	<0.2	<10	160	0.76	0.31	0.18	0.13	111.5	9.1	28
I314375		0.32	0.018	0.05	1.99	4.4	<0.2	<10	210	0.62	0.17	0.70	0.07	59.0	11.0	33
I314376		0.50	<0.005	0.10	1.61	3.6	<0.2	<10	180	0.69	0.15	0.82	0.13	88.7	13.5	31
I314377		0.38	0.005	0.09	1.30	5.6	<0.2	<10	270	0.63	0.15	0.96	0.19	47.1	9.2	22
I314378		0.38	0.008	0.07	1.62	9.3	<0.2	<10	190	0.34	0.13	0.57	0.14	34.6	10.4	37
I314379		0.32	<0.005	0.07	1.50	12.2	<0.2	<10	180	0.35	0.10	1.13	0.21	27.0	11.9	30
I314380		0.36	<0.005	0.06	1.49	12.8	<0.2	<10	180	0.37	0.10	1.19	0.24	29.5	12.7	30
I314381		0.28	0.005	0.09	1.56	6.9	<0.2	<10	150	0.42	0.10	0.93	0.38	26.7	11.9	33
I314382		0.38	0.009	0.08	1.47	4.6	<0.2	<10	120	0.39	0.09	0.64	0.14	23.6	10.7	34
I314383		0.34	0.005	0.04	1.43	6.1	<0.2	<10	120	0.31	0.10	0.77	0.16	21.4	9.8	28
I314384		0.46	0.007	0.07	1.51	5.3	<0.2	<10	160	0.34	0.11	0.62	0.12	22.7	10.0	28
I314385		0.50	0.005	0.07	1.39	4.5	<0.2	<10	180	0.55	0.12	1.14	0.14	49.8	9.4	23
I314386		0.42	0.010	0.06	1.39	3.9	<0.2	<10	100	0.46	0.15	0.41	0.12	19.70	6.7	24
I314387		0.40	<0.005	0.07	1.84	5.6	<0.2	<10	260	0.61	0.17	0.68	0.11	32.8	11.5	31
I314388		0.34	0.007	0.08	1.95	5.0	<0.2	<10	200	0.62	0.44	0.39	0.06	41.7	7.7	29
I314389		0.32	0.007	0.11	1.68	5.9	<0.2	<10	110	0.25	0.14	0.32	0.11	20.4	7.2	28
I314390		0.28	NSS	0.02	0.20	7.9	<0.2	<10	50	0.27	0.03	0.35	0.17	22.0	8.0	8
I314391		0.40	0.006	0.09	1.67	4.9	<0.2	<10	240	0.68	0.16	0.44	0.12	49.2	9.5	28
I314392		0.28	<0.005	0.05	1.41	4.3	<0.2	<10	140	0.50	0.18	0.42	0.09	33.7	6.6	27
I314393		0.34	<0.005	0.05	1.36	3.5	<0.2	<10	110	0.55	0.14	0.30	0.04	37.2	7.1	23
I314394		0.32	<0.005	0.09	1.48	5.1	<0.2	<10	210	0.60	0.17	0.18	0.06	17.65	9.1	23
I314395		0.30	<0.005	0.06	1.64	5.0	<0.2	<10	180	0.25	0.15	0.36	0.04	18.05	9.4	28
I314396		0.28	0.005	0.12	1.24	4.4	<0.2	<10	130	0.29	0.14	0.27	0.07	20.4	6.4	23
I314397		0.40	<0.005	0.09	2.09	11.2	<0.2	<10	350	0.39	0.17	0.18	0.10	30.3	9.8	46
I314398		0.44	<0.005	0.09	2.34	7.5	<0.2	<10	170	0.53	0.11	0.19	0.14	30.7	11.2	45
I314399		0.46	0.007	0.13	2.01	5.3	<0.2	<10	170	0.40	0.11	0.44	0.16	31.9	12.1	46
I314400		0.50	0.005	0.13	2.02	6.1	<0.2	<10	180	0.43	0.12	0.44	0.17	31.7	12.8	47
I314401		0.52	<0.005	0.10	2.22	12.6	<0.2	<10	80	0.31	0.21	0.11	0.23	16.85	10.4	33
I314402		0.52	<0.005	0.08	3.01	13.8	<0.2	<10	100	0.42	0.19	0.14	0.25	16.40	14.5	41
I314403		0.46	<0.005	0.07	1.19	7.4	<0.2	<10	70	0.26	0.17	0.16	0.14	19.05	8.1	21
I314404		0.38	<0.005	0.10	0.69	2.1	<0.2	<10	70	0.14	0.12	0.13	0.35	7.68	3.4	12
I314405		0.58	0.007	0.09	1.93	6.4	<0.2	<10	130	0.35	0.13	0.45	0.17	24.3	11.9	41
I314406		0.56	0.008	0.10	1.78	5.5	<0.2	<10	180	0.32	0.14	0.55	0.18	17.85	13.2	41
I314407		0.62	0.011	0.07	1.77	5.1	<0.2	<10	120	0.26	0.12	0.36	0.16	19.70	9.3	37
I314408		0.50	<0.005	0.14	1.40	6.3	<0.2	<10	110	0.26	0.13	0.25	0.16	22.5	7.6	31
I314409		0.40	<0.005	0.17	1.50	7.7	<0.2	<10	100	0.26	0.14	0.23	0.17	19.05	8.1	33
I314410		0.48	<0.005	0.11	1.73	16.9	<0.2	<10	110	0.32	0.19	0.34	0.16	21.8	14.2	38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314371		4.17	9.6	1.59	5.53	0.05	0.05	0.03	0.019	0.12	14.3	6.7	0.27	142	0.99
I314372		4.07	6.3	1.96	5.62	0.05	0.06	0.02	0.021	0.08	19.0	9.1	0.25	133	0.74
I314373		3.78	12.1	3.13	8.53	0.07	0.05	0.02	0.025	0.13	20.7	21.9	0.57	272	1.02
I314374		6.29	22.7	3.24	8.38	0.11	0.04	0.02	0.042	0.15	71.4	21.9	0.54	271	0.84
I314375		6.41	10.7	3.71	9.11	0.11	0.05	0.02	0.026	0.30	42.6	30.6	0.87	396	1.02
I314376		3.82	11.7	3.08	8.61	0.11	0.04	0.04	0.033	0.14	55.5	25.1	0.58	709	1.06
I314377		2.43	18.1	2.54	4.52	0.08	0.07	0.06	0.029	0.05	26.7	8.2	0.31	422	0.74
I314378		1.22	17.7	2.88	5.71	0.06	0.05	0.02	0.024	0.05	19.6	13.1	0.50	307	0.77
I314379		1.63	15.2	2.61	5.27	0.05	0.05	0.04	0.020	0.02	13.0	11.5	0.53	587	0.73
I314380		1.65	16.8	2.61	5.23	0.06	0.05	0.04	0.022	0.02	14.0	11.2	0.52	680	0.84
I314381		1.24	20.8	2.68	5.61	0.06	0.04	0.05	0.020	0.03	13.6	12.7	0.58	422	0.85
I314382		1.06	16.1	2.51	5.57	0.05	0.03	0.03	0.017	0.02	12.1	11.8	0.56	393	0.67
I314383		0.36	21.3	2.57	4.76	0.06	0.11	0.02	0.020	0.08	10.0	10.7	0.59	362	0.65
I314384		0.69	16.9	2.49	4.90	0.06	0.06	0.02	0.023	0.02	11.3	11.2	0.51	409	0.57
I314385		3.52	21.7	2.72	5.26	0.10	0.11	0.05	0.029	0.19	41.3	13.7	0.55	277	0.53
I314386		1.36	11.1	2.69	6.10	<0.05	0.05	0.01	0.020	0.19	7.8	11.1	0.42	224	1.03
I314387		0.98	18.4	2.90	6.60	0.06	0.14	0.03	0.031	0.06	16.1	11.5	0.45	929	0.72
I314388		1.67	16.4	2.75	6.94	0.08	0.08	0.02	0.029	0.03	36.9	16.1	0.40	244	0.69
I314389		0.62	11.4	2.74	6.02	0.06	0.05	0.03	0.023	0.05	14.8	11.6	0.47	204	0.64
I314390		0.20	6.1	1.92	1.24	0.06	0.08	0.01	0.005	0.01	11.2	3.1	0.15	665	1.14
I314391		1.06	20.6	2.64	6.04	0.08	0.07	0.02	0.025	0.06	39.2	13.0	0.44	693	0.66
I314392		1.95	14.2	2.36	6.47	0.07	0.06	0.03	0.023	0.06	29.3	12.8	0.44	213	0.83
I314393		1.54	13.4	2.38	5.60	0.07	0.13	0.01	0.023	0.09	35.4	11.6	0.39	210	0.92
I314394		1.27	13.6	3.01	6.13	<0.05	0.03	0.01	0.033	0.04	7.7	9.3	0.31	545	1.15
I314395		1.16	13.1	2.71	6.59	<0.05	0.06	0.01	0.020	0.09	7.6	14.4	0.51	615	0.90
I314396		0.93	14.3	2.28	6.07	0.05	0.06	0.01	0.014	0.10	14.6	10.4	0.45	203	0.94
I314397		3.88	23.0	4.17	9.76	0.07	0.02	0.06	0.035	0.08	13.8	19.1	0.63	427	1.68
I314398		3.22	22.4	3.44	7.16	0.07	0.02	0.04	0.028	0.05	16.6	17.8	0.71	441	1.04
I314399		2.40	22.1	2.94	6.65	0.09	0.05	0.04	0.024	0.07	18.1	15.9	0.79	342	0.86
I314400		2.61	22.8	3.12	6.85	0.09	0.04	0.03	0.024	0.07	18.0	15.9	0.79	411	0.93
I314401		1.89	16.5	3.99	9.23	0.05	0.06	0.05	0.027	0.02	8.6	16.7	0.37	301	1.66
I314402		2.08	16.1	4.38	8.63	0.06	0.09	0.03	0.035	0.03	8.2	21.5	0.49	436	1.50
I314403		5.57	19.7	2.63	6.58	<0.05	<0.02	0.05	0.021	0.02	9.7	8.9	0.18	402	1.59
I314404		0.63	17.9	1.22	3.60	<0.05	<0.02	0.05	0.011	<0.01	4.1	1.9	0.05	356	0.74
I314405		1.57	24.2	2.89	6.07	0.07	0.07	0.03	0.028	0.04	12.7	13.1	0.65	259	0.88
I314406		1.96	19.2	2.74	6.02	0.06	0.03	0.04	0.024	0.05	9.8	11.2	0.62	561	1.35
I314407		1.54	18.8	2.58	5.99	0.05	0.03	0.02	0.021	0.06	10.6	12.3	0.61	243	0.81
I314408		1.90	18.3	2.26	5.66	<0.05	0.03	0.04	0.018	0.03	12.1	8.2	0.43	197	0.96
I314409		2.85	22.7	2.36	5.76	0.05	<0.02	0.05	0.021	0.04	10.6	8.9	0.46	213	0.84
I314410		5.09	21.4	3.05	6.19	0.06	<0.02	0.03	0.024	0.10	12.6	12.5	0.64	514	0.92



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314371		1.08	8.8	330	9.4	37.5	0.001	0.02	0.20	3.8	0.4	0.7	34.2	<0.01	0.01
I314372		0.92	7.5	210	9.8	25.1	<0.001	<0.01	0.22	3.7	0.3	0.7	16.8	<0.01	<0.01
I314373		1.69	14.6	400	11.9	30.7	<0.001	0.01	0.28	3.9	0.4	0.8	19.1	<0.01	0.01
I314374		1.33	20.4	320	20.5	35.2	<0.001	0.02	0.42	4.6	0.4	1.0	16.6	<0.01	0.03
I314375		1.53	17.3	900	10.8	57.2	<0.001	0.02	0.24	4.4	0.5	0.8	41.5	<0.01	0.01
I314376		1.00	14.9	730	14.2	28.7	<0.001	0.03	0.23	4.1	0.7	0.9	44.5	<0.01	0.01
I314377		0.97	16.6	740	13.3	14.0	<0.001	0.03	0.43	4.9	0.8	0.5	50.0	<0.01	0.01
I314378		1.27	25.0	720	9.8	12.1	<0.001	0.01	0.47	3.8	0.4	0.5	30.5	<0.01	0.02
I314379		1.20	18.5	680	7.2	8.6	<0.001	0.04	0.34	4.0	0.7	0.4	50.3	<0.01	0.02
I314380		1.11	19.1	790	7.2	8.2	<0.001	0.05	0.36	3.9	0.8	0.4	52.5	<0.01	0.02
I314381		1.25	23.0	740	6.5	12.8	<0.001	0.04	0.33	4.0	0.7	0.4	46.8	<0.01	0.02
I314382		1.13	20.6	590	6.7	10.3	<0.001	0.03	0.20	3.8	0.4	0.5	38.0	<0.01	0.02
I314383		1.42	20.9	680	4.6	6.7	<0.001	0.01	0.37	4.3	0.5	0.4	40.4	<0.01	0.02
I314384		1.42	18.0	620	5.4	6.7	0.001	0.01	0.32	4.1	0.5	0.4	38.8	<0.01	0.02
I314385		1.28	18.3	800	11.8	25.4	<0.001	0.02	0.34	5.1	1.0	0.6	55.5	<0.01	0.01
I314386		1.43	12.9	220	15.5	25.2	<0.001	0.01	0.36	2.7	0.3	0.6	28.4	<0.01	0.01
I314387		1.53	18.7	170	11.3	11.6	<0.001	0.01	0.34	5.1	0.4	0.7	49.7	<0.01	0.02
I314388		1.47	14.9	310	14.2	13.9	<0.001	0.01	0.28	4.7	0.5	0.8	32.5	<0.01	0.02
I314389		1.42	14.2	600	7.5	5.5	<0.001	0.01	0.29	3.3	0.4	0.6	24.6	<0.01	0.02
I314390		0.44	15.5	510	2.9	3.6	<0.001	0.01	0.44	1.5	0.3	0.3	8.5	<0.01	0.01
I314391		1.31	15.2	510	11.1	11.8	0.001	0.01	0.28	4.7	0.6	0.6	33.2	<0.01	0.01
I314392		1.39	14.3	400	11.2	18.3	<0.001	0.01	0.25	4.0	0.4	1.0	31.7	<0.01	0.01
I314393		0.96	12.4	250	9.4	14.9	0.001	<0.01	0.25	4.0	0.4	0.7	25.0	<0.01	0.01
I314394		0.93	13.5	360	14.2	7.6	<0.001	<0.01	0.34	3.8	0.2	0.8	17.6	<0.01	0.01
I314395		1.69	15.3	310	9.0	15.9	<0.001	<0.01	0.25	3.3	0.3	0.7	29.4	<0.01	0.01
I314396		1.59	13.5	260	8.8	20.0	<0.001	<0.01	0.25	2.8	0.3	0.6	23.9	<0.01	0.02
I314397		1.11	22.8	630	9.1	23.5	0.001	0.03	0.44	4.0	0.6	0.7	19.1	<0.01	0.05
I314398		1.08	25.8	600	7.3	15.9	<0.001	0.04	0.36	2.7	0.7	0.5	19.1	<0.01	0.02
I314399		1.38	27.2	850	7.8	14.6	<0.001	0.02	0.32	4.9	0.6	0.5	31.5	<0.01	0.02
I314400		1.41	27.3	830	7.7	15.4	0.001	0.02	0.35	4.8	0.6	0.5	32.7	<0.01	0.02
I314401		2.18	21.8	320	12.7	8.2	<0.001	0.01	0.63	3.5	0.4	0.7	13.8	0.01	0.03
I314402		2.44	28.2	370	14.1	8.5	<0.001	0.02	0.61	4.3	0.5	0.6	15.7	0.02	0.05
I314403		0.89	15.6	530	8.1	5.4	<0.001	0.04	0.55	1.8	0.8	0.5	15.9	<0.01	0.04
I314404		0.34	9.4	420	3.5	3.2	0.001	0.04	0.29	0.6	0.4	0.3	16.1	<0.01	0.02
I314405		1.52	23.1	710	7.4	7.4	<0.001	0.01	0.43	5.8	0.8	0.5	27.7	<0.01	0.03
I314406		1.17	20.8	840	9.0	13.5	<0.001	0.03	0.32	4.6	0.6	0.4	37.3	<0.01	0.04
I314407		1.38	20.7	710	7.0	12.0	<0.001	0.02	0.28	3.9	0.5	0.5	24.2	<0.01	0.03
I314408		1.15	17.7	400	6.0	10.6	<0.001	0.03	0.36	3.6	0.5	0.5	21.6	<0.01	0.03
I314409		0.95	18.2	560	6.5	10.9	<0.001	0.03	0.61	3.5	0.5	0.4	18.8	<0.01	0.03
I314410		1.04	24.8	690	9.1	16.8	<0.001	0.02	2.15	4.2	0.6	0.4	26.7	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314371		0.055	0.17	0.81	33	0.09	7.23	34	1.7
I314372		0.046	0.15	0.59	37	0.07	6.09	34	2.6
I314373		0.116	0.22	0.72	62	0.22	6.02	58	2.1
I314374		0.083	0.32	1.11	53	0.15	11.65	80	1.2
I314375		0.117	0.40	0.93	56	0.19	13.40	83	1.5
I314376		0.057	0.19	2.66	45	0.18	15.80	78	1.3
I314377		0.035	0.11	1.96	43	0.11	14.70	53	2.8
I314378		0.071	0.09	0.83	55	0.10	8.27	68	1.7
I314379		0.062	0.11	0.84	55	0.09	6.95	70	1.9
I314380		0.055	0.10	0.92	54	0.27	7.71	70	1.8
I314381		0.075	0.10	0.83	64	0.22	7.71	67	1.6
I314382		0.068	0.08	0.63	53	0.28	5.58	54	0.9
I314383		0.107	0.05	0.38	65	0.15	7.48	47	4.1
I314384		0.089	0.07	0.65	62	0.17	7.30	43	2.4
I314385		0.075	0.18	1.69	45	0.12	20.7	52	4.1
I314386		0.078	0.12	0.53	51	0.09	2.95	47	1.8
I314387		0.079	0.08	1.08	63	0.13	9.10	43	5.7
I314388		0.074	0.10	1.01	59	0.13	12.50	40	3.0
I314389		0.093	0.06	0.49	67	0.19	5.32	44	1.7
I314390		0.010	0.13	0.51	14	0.06	5.60	17	3.8
I314391		0.078	0.08	1.42	52	0.16	15.40	45	2.9
I314392		0.068	0.12	0.76	50	0.16	11.20	46	2.2
I314393		0.057	0.13	1.11	46	0.10	8.87	38	5.0
I314394		0.030	0.13	1.00	51	0.09	3.40	46	1.3
I314395		0.091	0.13	0.44	59	0.16	4.14	43	2.2
I314396		0.096	0.11	0.51	57	0.16	6.15	36	2.3
I314397		0.036	0.12	0.49	80	0.13	5.22	77	<0.5
I314398		0.060	0.14	0.86	63	0.10	6.71	69	0.7
I314399		0.102	0.13	0.95	62	0.15	9.73	87	2.0
I314400		0.106	0.13	0.90	67	0.18	9.54	91	1.8
I314401		0.104	0.09	0.42	89	0.13	2.81	50	2.9
I314402		0.118	0.10	0.46	86	0.17	3.25	60	4.2
I314403		0.048	0.11	0.71	59	0.13	3.33	58	0.8
I314404		0.028	0.03	0.30	34	0.06	1.78	24	<0.5
I314405		0.110	0.09	0.89	69	0.13	6.06	77	3.1
I314406		0.092	0.11	0.95	64	0.11	4.69	64	1.3
I314407		0.106	0.09	0.64	60	0.14	4.32	59	1.3
I314408		0.081	0.09	0.66	54	0.17	3.96	52	0.7
I314409		0.068	0.10	0.75	54	0.12	3.85	55	0.6
I314410		0.070	0.15	0.85	64	0.20	4.65	74	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314411		0.58	0.006	0.17	1.73	30.3	<0.2	<10	110	0.47	0.28	0.53	0.37	27.7	16.8	31
I314412		0.50	0.006	0.10	1.79	6.0	<0.2	<10	110	0.39	0.17	0.50	0.15	31.0	21.0	37
I314413		0.46	0.006	0.12	1.58	4.9	<0.2	<10	90	0.37	0.14	0.43	0.12	31.9	14.7	33
I314414		0.66	0.008	0.07	1.72	19.6	<0.2	<10	100	0.49	0.16	0.36	0.12	36.7	16.0	33
I314415		0.64	0.008	0.06	2.48	5.9	<0.2	<10	100	0.65	0.41	0.20	0.09	31.9	19.0	59
I314416		0.48	0.012	0.04	1.66	4.7	<0.2	<10	80	0.35	0.17	0.61	0.09	35.5	17.5	39
I314417		0.50	<0.005	0.07	2.25	9.2	<0.2	<10	140	0.31	0.17	0.10	0.08	16.75	11.1	32
I314418		0.52	<0.005	0.05	2.40	9.0	<0.2	<10	90	0.40	0.14	0.13	0.08	16.40	8.8	32
I314419		0.48	<0.005	0.06	1.85	4.4	<0.2	<10	70	0.31	0.11	0.15	0.06	12.10	5.8	28
I314420		0.58	<0.005	0.11	1.62	9.0	<0.2	<10	110	0.42	0.22	0.12	0.06	20.7	5.3	30
I314421		0.74	<0.005	0.02	2.35	3.5	<0.2	<10	30	0.36	0.09	0.22	0.09	9.15	10.3	23
I314422		0.56	<0.005	0.04	2.62	9.9	<0.2	<10	130	0.50	0.16	0.16	0.08	16.10	8.8	30
I314423		0.62	<0.005	0.09	1.63	7.2	<0.2	<10	90	0.26	0.17	0.14	0.09	13.95	5.8	25
I314424		0.58	<0.005	0.14	2.05	9.0	<0.2	<10	140	0.33	0.16	0.17	0.06	16.10	7.0	31
I314425		0.40	<0.005	0.16	2.61	11.6	<0.2	<10	250	0.71	0.24	0.13	0.08	22.3	12.3	39
I314426		0.44	<0.005	0.13	2.90	10.7	<0.2	<10	310	0.77	0.19	0.14	0.06	27.7	12.9	40
I314427		0.48	<0.005	0.11	2.05	7.9	<0.2	<10	150	0.31	0.26	0.13	0.07	19.55	5.5	30
I314428		0.48	<0.005	0.07	2.33	6.4	<0.2	<10	160	0.43	0.16	0.27	0.07	22.4	8.6	32
I314429		0.56	<0.005	0.11	2.08	6.6	<0.2	<10	180	0.24	0.16	0.30	0.09	15.40	10.4	37
I314430		0.46	<0.005	0.42	1.46	4.9	<0.2	<10	160	0.21	0.20	0.13	0.14	14.85	4.5	19
I314431		0.46	<0.005	0.83	1.94	7.0	<0.2	<10	150	0.36	0.20	0.15	0.09	19.45	5.8	26
I314432		0.56	<0.005	0.27	2.21	10.1	<0.2	<10	170	0.52	0.21	0.14	0.13	18.15	9.3	37
I314433		0.52	<0.005	0.75	2.20	6.7	<0.2	<10	220	0.80	0.19	0.20	0.09	22.5	7.0	28
I314434		0.48	<0.005	0.10	2.38	5.9	<0.2	<10	340	0.58	0.16	0.78	0.11	25.3	9.4	26
I314435		0.38	<0.005	0.08	1.73	4.4	<0.2	<10	240	0.38	0.18	1.12	0.25	16.15	9.1	25
I314436		0.52	<0.005	0.06	2.22	4.1	<0.2	<10	300	0.42	0.22	0.73	0.46	19.75	10.6	34
I314437		0.56	<0.005	0.54	1.82	6.4	<0.2	<10	110	0.31	0.16	0.16	0.16	15.35	8.7	28
I314438		0.58	<0.005	0.23	1.89	4.8	<0.2	<10	150	0.26	0.12	0.29	0.12	11.65	12.1	40
I314439		0.52	<0.005	0.38	1.07	3.7	<0.2	<10	150	0.14	0.13	0.16	0.09	10.55	7.0	22
I314440		0.46	<0.005	0.18	2.36	2.0	<0.2	<10	190	0.25	0.12	0.24	0.11	11.30	12.6	15
I314441		0.48	<0.005	0.30	2.03	2.5	<0.2	<10	180	0.26	0.10	0.32	0.07	10.50	15.2	17
I314442		0.56	<0.005	0.02	0.20	7.1	<0.2	<10	40	0.30	0.05	0.33	0.17	23.6	7.7	7
I314443		0.40	<0.005	0.09	1.69	2.3	<0.2	<10	290	0.40	0.24	0.23	0.18	16.20	9.2	26
I314444		0.44	<0.005	0.22	1.45	3.4	<0.2	<10	480	0.42	0.14	0.31	0.08	21.9	10.5	28
I314445		0.46	0.005	0.20	1.58	6.5	<0.2	<10	270	0.48	0.16	0.34	0.06	28.7	10.4	32
I314446		0.36	<0.005	0.08	1.81	3.3	<0.2	<10	280	0.47	0.12	0.50	0.08	19.70	10.4	40
I314447		0.36	<0.005	0.19	1.80	4.1	<0.2	<10	210	0.46	0.12	0.55	0.06	17.95	8.8	26
I314448		0.54	<0.005	0.27	1.59	3.0	<0.2	<10	250	0.42	0.16	0.43	0.07	23.6	8.4	29
I314449		0.54	<0.005	0.23	1.64	5.9	<0.2	<10	280	0.47	0.15	0.58	0.10	25.4	10.0	32
I314450		0.48	<0.005	0.10	1.83	3.7	<0.2	<10	270	0.39	0.13	0.46	0.06	21.9	11.2	27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314411		6.01	21.2	2.75	5.90	0.06	0.03	0.05	0.024	0.08	13.7	12.9	0.62	847	1.13
I314412		4.83	20.8	3.46	6.03	0.07	0.02	0.03	0.020	0.28	16.9	15.2	0.83	803	0.84
I314413		5.61	20.9	2.96	5.81	0.06	0.02	0.03	0.020	0.16	17.8	13.5	0.64	430	0.77
I314414		5.20	19.5	3.29	5.86	0.06	0.02	0.02	0.027	0.06	19.8	15.8	0.59	482	1.01
I314415		6.71	30.5	4.86	8.46	0.09	0.07	0.02	0.028	0.39	16.2	21.0	1.07	478	1.10
I314416		4.92	21.6	3.52	6.48	0.08	0.03	0.01	0.027	0.12	18.7	15.9	0.75	461	0.88
I314417		1.54	11.6	3.48	9.44	0.05	0.04	0.02	0.023	0.02	9.0	17.3	0.53	472	1.23
I314418		2.01	14.2	3.70	9.67	0.05	0.04	0.03	0.020	0.06	8.7	21.7	0.74	311	0.95
I314419		1.10	11.4	2.40	8.97	<0.05	0.02	0.02	0.016	0.03	6.3	14.5	0.60	207	0.64
I314420		0.96	10.6	2.93	8.28	<0.05	0.03	0.02	0.018	0.03	11.1	10.5	0.41	166	1.20
I314421		1.39	15.1	3.36	13.60	0.05	<0.02	0.01	0.011	0.05	4.2	20.7	1.25	314	0.48
I314422		1.12	11.7	3.62	9.40	0.05	0.04	0.02	0.023	0.04	8.6	23.3	0.62	212	0.91
I314423		1.50	8.4	2.71	9.18	<0.05	0.02	0.01	0.017	0.01	7.4	11.6	0.37	154	1.04
I314424		1.04	11.4	3.01	8.73	0.05	0.06	0.02	0.022	0.01	8.6	12.3	0.51	185	0.95
I314425		2.03	17.9	3.84	7.93	0.06	0.03	0.03	0.039	0.02	11.7	13.9	0.41	255	1.35
I314426		1.88	23.2	3.42	7.10	0.06	0.05	0.03	0.034	0.03	14.1	14.4	0.53	292	1.16
I314427		1.40	9.7	3.41	9.37	0.05	0.02	0.02	0.054	0.01	10.5	12.5	0.30	196	1.65
I314428		1.92	15.1	2.79	7.44	0.05	0.03	0.02	0.029	0.01	11.6	16.2	0.89	445	0.89
I314429		2.39	18.9	3.19	8.90	0.05	<0.02	0.07	0.022	0.03	7.4	17.7	1.00	510	1.71
I314430		1.35	14.1	2.06	7.21	<0.05	<0.02	0.03	0.019	0.03	8.0	7.6	0.27	188	1.16
I314431		0.92	19.2	2.62	7.92	<0.05	0.02	0.03	0.020	0.02	10.5	12.2	0.44	223	1.04
I314432		1.42	19.3	3.68	7.67	0.05	0.02	0.03	0.030	0.04	9.8	13.6	0.45	224	1.08
I314433		1.80	20.7	2.94	8.10	0.06	0.02	0.03	0.029	0.02	14.7	16.7	0.43	339	1.67
I314434		1.05	16.9	2.75	8.37	0.05	0.06	0.03	0.026	0.02	12.9	12.6	0.57	669	0.59
I314435		1.19	13.4	2.36	6.22	<0.05	0.02	0.02	0.021	0.03	8.0	10.1	0.43	785	0.75
I314436		1.69	13.0	3.07	7.65	<0.05	0.12	0.01	0.032	0.04	8.7	10.5	0.57	1070	0.83
I314437		0.44	18.4	3.01	6.38	0.05	0.07	0.02	0.019	0.21	8.1	13.3	0.55	208	1.02
I314438		0.57	31.5	3.04	6.24	<0.05	0.05	0.02	0.015	0.12	6.3	16.1	1.04	299	0.90
I314439		0.59	15.5	2.24	6.34	<0.05	0.03	0.02	0.010	0.07	5.7	7.3	0.44	315	0.86
I314440		1.44	9.6	3.10	9.64	0.05	<0.02	0.02	0.016	0.06	5.8	22.2	1.83	921	0.65
I314441		0.78	16.4	3.16	7.35	0.05	0.02	0.01	0.015	0.09	5.2	21.0	1.17	660	0.71
I314442		0.19	5.1	1.82	1.25	0.06	0.09	0.02	0.005	0.01	11.8	3.2	0.14	597	0.96
I314443		0.73	14.4	2.45	6.04	<0.05	0.03	0.01	0.017	0.05	7.3	12.1	0.62	654	0.96
I314444		0.49	13.0	2.40	4.95	<0.05	0.07	0.02	0.019	0.10	9.0	9.4	0.43	1110	0.75
I314445		0.46	17.3	2.67	4.97	0.06	0.07	0.03	0.046	0.04	11.9	9.7	0.46	537	0.91
I314446		0.50	12.7	2.44	6.04	<0.05	0.05	0.01	0.023	0.06	7.9	11.9	0.71	899	1.30
I314447		0.41	16.6	2.76	7.08	0.05	0.03	0.02	0.024	0.12	7.0	14.6	0.67	568	1.38
I314448		0.37	12.7	2.41	5.86	<0.05	0.05	0.02	0.022	0.09	9.9	9.0	0.43	495	1.44
I314449		0.36	18.3	2.63	5.11	0.05	0.05	0.02	0.023	0.06	10.5	9.1	0.43	605	1.22
I314450		0.75	20.1	3.00	6.27	0.05	0.08	0.02	0.023	0.18	8.8	11.5	0.63	853	1.47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314411		1.16	22.3	930	20.3	14.0	<0.001	0.04	1.08	3.9	0.7	0.4	41.5	<0.01	0.03
I314412		1.26	33.0	680	22.7	36.0	<0.001	0.03	0.36	3.8	0.5	0.5	39.6	<0.01	0.03
I314413		1.04	28.8	630	12.6	29.8	<0.001	0.03	0.32	3.7	0.6	0.4	37.3	<0.01	0.03
I314414		0.91	30.1	610	13.5	15.2	<0.001	0.02	0.99	4.5	0.5	0.5	29.4	<0.01	0.03
I314415		1.57	44.2	630	49.1	38.5	<0.001	0.01	0.33	6.2	0.4	0.8	22.5	<0.01	0.05
I314416		1.26	37.6	410	13.8	23.0	<0.001	0.03	0.30	4.3	0.4	0.5	44.1	<0.01	0.03
I314417		2.16	18.1	430	9.3	12.6	<0.001	0.01	0.40	2.9	0.3	0.7	17.3	<0.01	0.04
I314418		1.99	18.2	460	9.8	16.2	<0.001	0.01	0.38	3.1	0.5	0.5	17.8	<0.01	0.03
I314419		1.09	12.7	420	9.4	9.3	<0.001	0.01	0.25	2.4	0.3	0.5	19.1	<0.01	0.02
I314420		1.81	13.3	370	9.1	9.9	<0.001	0.01	0.42	2.9	0.3	0.7	15.2	<0.01	0.03
I314421		0.93	14.2	530	8.4	10.3	<0.001	<0.01	0.14	1.6	0.2	0.4	28.4	<0.01	0.02
I314422		1.76	17.0	300	9.8	8.2	<0.001	0.01	0.32	3.1	0.3	0.6	19.1	<0.01	0.04
I314423		1.67	12.4	240	9.6	8.8	<0.001	<0.01	0.28	2.4	0.2	0.7	19.6	<0.01	0.02
I314424		1.74	16.5	180	9.1	6.3	<0.001	<0.01	0.34	3.7	0.3	0.7	18.2	<0.01	0.02
I314425		1.89	23.5	360	11.8	11.6	<0.001	0.01	0.56	3.9	0.5	0.7	14.6	0.01	0.04
I314426		1.71	27.5	300	9.9	11.1	<0.001	0.01	0.51	5.0	0.5	0.6	16.5	0.01	0.03
I314427		1.84	11.6	310	12.0	9.3	<0.001	0.01	0.38	3.0	0.4	0.9	14.2	<0.01	0.03
I314428		1.41	19.5	180	9.8	8.1	<0.001	0.01	0.27	4.0	0.3	0.6	15.3	<0.01	0.03
I314429		0.84	18.2	350	7.4	12.6	<0.001	0.01	0.41	3.8	0.3	0.6	19.6	<0.01	0.03
I314430		0.81	10.4	340	9.0	8.5	<0.001	0.01	0.27	1.9	0.3	0.6	15.6	<0.01	0.03
I314431		1.43	15.1	300	8.7	8.2	<0.001	0.01	0.29	3.8	0.4	0.7	16.5	<0.01	0.03
I314432		1.60	23.2	450	10.6	11.8	<0.001	0.01	0.46	2.9	0.4	0.7	14.4	<0.01	0.04
I314433		1.35	15.8	460	9.6	8.7	<0.001	0.01	0.33	3.9	0.4	0.7	20.4	<0.01	0.02
I314434		1.09	14.1	570	10.3	5.1	<0.001	0.01	0.23	5.2	0.4	0.6	29.8	<0.01	0.02
I314435		1.11	15.0	340	10.8	8.7	<0.001	0.02	0.29	3.0	0.3	0.5	26.0	<0.01	0.03
I314436		1.59	19.4	150	13.0	13.7	<0.001	<0.01	0.28	4.5	0.2	0.7	24.5	<0.01	0.03
I314437		1.56	17.8	180	8.3	11.4	<0.001	<0.01	0.43	2.9	0.2	0.5	13.8	<0.01	0.02
I314438		1.25	20.3	250	6.4	8.7	<0.001	0.01	0.30	3.5	0.2	0.4	22.2	<0.01	0.02
I314439		1.26	9.4	430	5.9	13.8	<0.001	0.01	0.27	2.2	0.2	0.4	18.8	<0.01	0.02
I314440		0.75	10.3	450	5.0	17.2	<0.001	0.01	0.18	3.5	0.2	0.5	21.8	<0.01	0.02
I314441		1.05	12.4	310	5.9	12.1	<0.001	<0.01	0.21	2.8	0.2	0.4	24.5	<0.01	0.02
I314442		0.47	14.2	500	3.6	4.0	<0.001	<0.01	0.42	1.6	0.2	0.2	9.3	<0.01	0.01
I314443		1.06	15.1	680	10.9	9.0	<0.001	<0.01	0.22	3.0	<0.2	0.5	16.1	<0.01	0.02
I314444		1.23	19.8	540	6.7	16.7	<0.001	<0.01	0.28	3.8	0.2	0.4	24.8	<0.01	0.01
I314445		1.36	21.0	400	7.3	7.5	0.001	<0.01	0.42	5.4	0.4	0.4	26.5	<0.01	0.02
I314446		1.11	23.9	460	7.3	6.8	<0.001	0.01	0.23	4.8	0.3	0.4	28.1	<0.01	0.02
I314447		0.84	18.1	450	6.4	10.9	<0.001	0.01	0.20	4.4	0.4	0.3	34.3	<0.01	0.02
I314448		1.11	15.1	630	7.4	6.7	0.001	0.01	0.23	3.9	0.3	0.4	29.1	<0.01	0.02
I314449		1.21	18.9	500	7.2	7.1	<0.001	0.01	0.36	4.8	0.3	0.4	34.7	<0.01	0.02
I314450		1.25	17.4	210	6.1	26.1	<0.001	<0.01	0.26	6.1	0.3	0.4	29.9	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314411		0.091	0.20	1.14	69	0.20	7.02	70	1.2
I314412		0.097	0.26	0.97	49	0.09	5.76	76	0.9
I314413		0.079	0.22	1.04	48	0.13	5.99	64	0.7
I314414		0.055	0.14	1.05	50	0.12	6.05	62	0.7
I314415		0.123	0.32	0.72	79	0.15	5.30	76	2.6
I314416		0.097	0.21	0.82	53	0.09	5.01	68	1.4
I314417		0.114	0.13	0.36	81	0.20	1.76	77	1.6
I314418		0.120	0.16	0.54	77	0.18	2.37	80	1.7
I314419		0.077	0.09	0.47	56	0.15	1.67	62	0.6
I314420		0.084	0.10	0.43	76	0.22	2.69	39	1.2
I314421		0.091	0.10	0.41	73	0.09	1.52	128	<0.5
I314422		0.098	0.11	0.35	78	0.18	2.12	57	1.4
I314423		0.083	0.12	0.31	68	0.17	1.77	35	0.7
I314424		0.085	0.13	0.38	78	0.23	2.45	43	2.4
I314425		0.074	0.14	0.63	79	0.30	4.02	45	1.2
I314426		0.070	0.13	0.80	70	0.19	5.23	45	2.4
I314427		0.082	0.11	0.44	87	0.19	2.41	28	0.8
I314428		0.070	0.12	0.42	69	0.17	3.16	40	1.1
I314429		0.045	0.12	0.35	84	0.55	3.42	46	<0.5
I314430		0.053	0.13	0.32	59	0.19	2.59	32	<0.5
I314431		0.072	0.09	0.51	70	0.20	5.42	42	0.6
I314432		0.072	0.13	0.41	82	0.22	2.89	44	0.8
I314433		0.046	0.15	0.74	74	0.20	8.36	39	<0.5
I314434		0.028	0.11	0.72	68	0.16	7.19	47	2.1
I314435		0.044	0.08	0.50	57	0.16	3.22	39	0.9
I314436		0.066	0.09	0.32	71	0.21	2.99	44	4.2
I314437		0.103	0.08	0.30	75	0.14	1.78	46	2.7
I314438		0.127	0.08	0.27	91	0.16	1.87	49	1.9
I314439		0.131	0.07	0.21	68	0.12	1.35	38	1.0
I314440		0.088	0.09	0.21	104	0.10	1.79	73	<0.5
I314441		0.117	0.07	0.21	113	0.12	1.84	59	0.9
I314442		0.010	0.10	0.52	14	0.05	5.80	17	4.1
I314443		0.037	0.07	0.25	52	0.15	2.49	44	1.1
I314444		0.060	0.07	0.26	51	0.13	3.02	36	2.7
I314445		0.073	0.07	0.54	60	0.20	4.73	41	3.0
I314446		0.044	0.06	0.25	54	0.13	4.36	46	1.6
I314447		0.038	0.05	0.38	62	0.10	3.66	50	1.0
I314448		0.043	0.07	0.38	54	0.14	3.12	53	1.7
I314449		0.063	0.06	0.33	58	0.20	3.61	49	1.7
I314450		0.083	0.08	0.36	73	0.14	4.73	46	3.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

CERTIFICATE WH10113329

Project: SQI10-06

P.O. No.: SQI10-06_21

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314451		0.34	<0.005	0.09	1.97	9.1	<0.2	<10	120	1.24	0.23	1.28	0.16	56.1	13.5	35
I314452		0.48	<0.005	0.03	1.77	13.3	<0.2	<10	50	0.40	0.20	0.08	0.09	42.7	14.6	38
I314453		0.38	<0.005	0.12	2.08	6.6	<0.2	<10	160	0.32	0.19	0.25	0.06	18.95	10.2	29
I314454		0.38	<0.005	0.08	2.89	8.6	<0.2	<10	120	0.48	0.14	0.19	0.07	23.3	14.6	43
I314455		0.42	0.022	0.11	1.94	5.3	<0.2	<10	140	0.66	0.10	1.25	0.29	38.2	16.8	35
I314456		0.42	0.005	0.08	2.01	3.0	<0.2	<10	110	0.70	0.17	1.08	0.41	69.9	17.3	53
I314457		0.34	<0.005	0.11	3.01	8.5	<0.2	<10	160	0.51	0.16	0.20	0.09	19.45	16.3	43
I314458		0.36	<0.005	0.04	2.92	7.9	<0.2	<10	140	0.42	0.11	0.26	0.07	12.25	17.0	57
I314459		0.46	0.006	0.10	2.37	6.4	<0.2	<10	200	0.81	0.13	0.99	0.10	54.5	15.7	66
I314460		0.44	<0.005	0.12	1.94	5.4	<0.2	<10	220	0.83	0.11	1.48	0.14	49.4	16.1	49
I314461		0.44	<0.005	0.09	1.97	8.3	<0.2	<10	140	0.42	0.14	0.21	0.17	24.0	11.3	37
I314462		0.36	<0.005	0.09	2.77	10.2	<0.2	<10	170	0.44	0.21	0.20	0.07	19.00	9.5	43
I314463		0.26	<0.005	0.14	2.74	9.8	<0.2	<10	140	0.37	0.22	0.19	0.09	17.95	12.3	45
I314464		0.28	<0.005	0.08	2.18	8.3	<0.2	<10	130	0.32	0.18	0.12	0.17	15.85	9.5	35
I314465		0.30	<0.005	0.03	2.26	10.4	<0.2	<10	110	0.27	0.17	0.16	0.09	15.75	10.4	40
I314466		0.34	<0.005	0.04	2.40	10.7	<0.2	<10	130	0.31	0.16	0.19	0.09	17.35	12.2	41
I314467		0.42	<0.005	0.06	0.66	2.2	<0.2	<10	20	0.12	0.13	0.03	0.16	7.76	2.2	12
I314468		0.52	0.011	0.25	1.02	3.7	<0.2	<10	170	0.21	0.10	0.29	0.22	32.6	6.8	23
I314469		0.30	0.007	0.60	2.26	7.3	<0.2	<10	270	0.43	0.29	0.30	0.34	48.8	11.5	38
I314470		0.36	<0.005	0.52	1.99	7.0	<0.2	<10	210	0.41	0.20	0.27	0.30	27.8	11.0	34
I314471		0.38	<0.005	0.23	1.56	4.8	<0.2	<10	190	0.26	0.20	0.19	0.16	34.3	7.8	32
I314472		0.30	<0.005	0.30	1.51	5.3	<0.2	<10	200	0.28	0.19	0.19	0.41	21.5	10.3	25
I314473		0.38	<0.005	0.49	1.89	5.7	<0.2	<10	200	0.38	0.20	0.25	0.33	28.0	13.0	32
I314474		0.40	0.005	0.86	1.81	5.5	<0.2	<10	330	0.37	0.16	0.44	0.49	23.7	14.3	36
I314475		0.34	<0.005	0.41	1.79	7.0	<0.2	<10	240	0.39	0.20	0.22	0.34	25.0	19.0	32
I314476		0.34	0.005	0.95	1.09	2.0	<0.2	<10	170	0.24	0.14	0.19	0.26	15.45	5.5	20
I314477		0.44	<0.005	0.41	1.70	6.2	<0.2	<10	220	0.26	0.15	0.27	0.37	24.0	11.2	36
I314478		0.44	<0.005	0.40	1.37	4.9	<0.2	<10	210	0.22	0.16	0.23	0.38	22.6	8.9	29
I314479		0.30	<0.005	0.45	1.65	5.4	<0.2	<10	230	0.27	0.19	0.42	0.38	27.4	10.1	40
I314480		0.34	<0.005	0.33	1.43	12.1	<0.2	<10	270	0.26	0.18	0.54	0.56	21.9	8.5	31
I314481		0.38	<0.005	0.23	1.76	12.3	<0.2	<10	280	0.35	0.17	0.42	0.40	25.1	14.0	35
I314482		0.34	<0.005	0.48	1.52	8.3	<0.2	<10	420	0.36	0.19	0.52	0.71	30.2	14.8	29
I314483		0.32	<0.005	0.31	1.63	6.5	<0.2	<10	220	0.33	0.18	0.40	0.33	25.2	13.1	29
I314484		0.38	<0.005	0.21	2.00	6.5	<0.2	<10	230	0.46	0.19	0.46	0.14	35.1	19.1	33
I314485		0.28	<0.005	0.05	1.99	7.9	<0.2	<10	260	0.60	0.18	1.03	0.27	31.8	13.7	39
I314486		0.32	<0.005	0.10	1.48	8.2	<0.2	<10	200	0.53	0.14	2.02	0.24	31.2	15.1	37
I314487		0.30	<0.005	0.10	1.35	6.1	<0.2	<10	140	0.36	0.12	2.03	0.28	37.6	13.3	29
I314488		0.38	<0.005	0.11	1.07	5.8	<0.2	<10	70	0.17	0.29	0.14	0.17	14.00	4.8	19
I314489		0.28	<0.005	0.20	2.00	7.4	<0.2	<10	140	0.23	0.18	0.31	0.10	17.95	12.0	35
I314490		0.38	<0.005	0.06	1.46	3.7	<0.2	<10	120	0.25	0.17	0.43	0.10	18.90	9.3	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314451		1.47	35.9	2.99	6.11	0.07	0.07	0.09	0.040	0.03	32.5	14.5	0.77	417	0.61
I314452		2.13	29.9	5.00	9.66	0.08	0.03	0.02	0.030	0.14	21.1	12.5	0.67	308	1.83
I314453		1.54	13.2	2.92	8.20	0.05	0.10	0.02	0.028	0.02	9.8	13.6	0.42	246	1.23
I314454		1.18	22.0	3.75	7.29	0.06	0.12	0.02	0.032	0.02	10.5	17.0	0.62	332	1.01
I314455		1.71	31.7	3.43	5.96	0.07	0.08	0.07	0.022	0.03	23.1	16.4	0.80	736	0.40
I314456		4.90	30.9	3.71	6.78	0.08	0.04	0.04	0.031	0.15	23.0	15.6	1.17	763	0.62
I314457		1.67	24.2	3.94	7.90	0.05	0.11	0.02	0.031	0.03	9.2	16.7	0.65	355	1.23
I314458		1.82	27.6	4.93	9.12	0.06	0.08	0.02	0.022	0.11	6.1	22.3	1.24	479	1.02
I314459		2.51	36.5	3.74	8.49	0.09	0.08	0.07	0.042	0.06	27.0	24.1	1.42	953	0.30
I314460		1.95	25.9	3.87	7.11	0.09	0.09	0.05	0.037	0.05	23.1	18.9	0.77	309	0.72
I314461		3.19	42.6	3.10	6.46	0.06	0.04	0.07	0.033	0.03	11.9	12.8	0.45	272	1.46
I314462		1.87	19.4	4.66	9.69	0.06	0.08	0.03	0.031	0.03	9.6	19.7	0.58	200	1.53
I314463		2.05	18.4	4.84	10.80	0.06	0.08	0.03	0.031	0.04	9.0	20.9	0.68	390	1.73
I314464		1.63	15.4	3.97	8.86	0.05	0.04	0.02	0.026	0.05	7.0	17.7	0.54	342	1.40
I314465		1.36	18.6	4.33	8.85	0.07	0.10	0.02	0.026	0.06	7.5	18.6	0.67	342	1.37
I314466		1.43	20.4	4.20	8.64	0.06	0.11	0.02	0.029	0.07	8.3	21.0	0.71	346	1.25
I314467		0.81	13.4	1.06	3.30	<0.05	<0.02	0.04	0.011	<0.01	3.9	2.0	0.04	45	0.85
I314468		7.32	15.7	1.94	3.47	0.06	<0.02	0.05	0.014	0.04	17.2	8.8	0.32	267	1.27
I314469		13.20	42.5	3.72	6.96	0.09	0.03	0.12	0.029	0.10	27.9	18.4	0.47	246	2.24
I314470		2.83	28.4	3.31	7.68	0.05	0.03	0.03	0.028	0.08	15.0	13.4	0.50	359	1.73
I314471		1.89	27.5	2.95	6.96	0.07	0.03	0.03	0.020	0.10	19.0	8.4	0.47	174	1.82
I314472		1.48	18.2	2.61	6.98	0.05	0.03	0.02	0.021	0.06	11.3	9.6	0.37	747	1.54
I314473		2.20	33.3	3.05	7.63	0.07	0.05	0.03	0.026	0.10	15.0	13.1	0.56	403	1.86
I314474		1.28	37.7	3.23	6.70	0.06	0.03	0.03	0.024	0.12	12.7	14.6	0.65	853	2.14
I314475		2.22	29.7	3.19	7.17	0.06	0.04	0.02	0.047	0.07	12.4	14.1	0.57	754	1.83
I314476		1.31	23.0	1.58	5.34	<0.05	0.02	0.03	0.014	0.04	8.1	5.8	0.29	151	1.15
I314477		2.45	29.0	3.33	7.90	0.06	0.05	0.02	0.022	0.15	12.9	11.6	0.75	293	2.41
I314478		2.18	26.5	2.75	7.48	0.06	0.04	0.03	0.019	0.13	12.4	8.6	0.59	233	2.11
I314479		2.07	37.9	3.05	7.84	0.06	0.04	0.03	0.024	0.13	15.1	11.6	0.72	295	2.72
I314480		1.82	37.4	2.55	6.11	0.05	0.03	0.03	0.025	0.09	11.9	8.7	0.53	285	2.22
I314481		3.07	39.1	3.07	6.71	0.05	0.03	0.03	0.029	0.08	13.1	12.6	0.58	544	3.05
I314482		2.23	38.0	2.64	6.88	0.05	0.03	0.03	0.027	0.12	15.3	11.2	0.50	635	2.35
I314483		2.11	32.7	2.73	7.17	0.05	0.03	0.03	0.024	0.07	13.3	10.6	0.53	398	1.77
I314484		5.73	33.2	3.16	7.63	0.06	0.05	0.04	0.031	0.05	18.7	11.8	0.55	1020	2.25
I314485		2.40	30.9	3.30	6.19	0.05	0.08	0.04	0.034	0.06	16.9	11.9	0.66	703	0.88
I314486		2.74	30.5	2.60	5.97	0.07	0.06	0.05	0.024	0.04	16.5	15.6	0.68	541	0.52
I314487		2.10	30.1	2.39	4.84	0.07	0.06	0.05	0.021	0.08	26.1	12.8	0.57	427	0.90
I314488		2.04	11.3	1.69	6.71	<0.05	<0.02	0.02	0.016	0.06	7.5	6.6	0.28	135	1.18
I314489		1.40	19.4	3.23	7.71	<0.05	0.06	0.02	0.027	0.07	8.9	15.4	0.56	345	1.34
I314490		1.83	16.2	2.45	6.85	<0.05	0.03	0.02	0.021	0.08	11.1	11.0	0.45	212	0.91



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I314451		0.96	33.7	780	20.3	13.1	0.001	0.05	0.31	5.7	1.1	0.9	63.2	<0.01	0.03	2.7
I314452		1.36	41.8	400	12.7	37.1	<0.001	0.01	0.38	4.4	0.3	0.6	10.0	<0.01	0.06	7.2
I314453		1.72	18.8	180	12.0	14.6	<0.001	0.01	0.24	3.7	0.2	0.6	25.2	<0.01	0.03	2.5
I314454		2.16	33.1	310	10.3	11.0	<0.001	0.01	0.38	4.8	0.4	0.5	19.6	0.01	0.03	4.8
I314455		1.45	34.1	500	10.8	13.5	<0.001	0.03	0.23	4.8	0.8	0.4	43.8	<0.01	0.03	3.9
I314456		0.94	44.9	620	13.3	30.8	0.001	0.03	0.14	5.4	0.7	0.5	35.9	<0.01	0.04	5.6
I314457		2.11	32.0	250	11.5	15.2	<0.001	0.01	0.44	4.3	0.4	0.6	21.4	0.01	0.02	3.1
I314458		2.50	23.8	350	8.2	17.3	<0.001	0.01	0.32	4.8	0.3	0.4	35.9	<0.01	0.03	2.1
I314459		1.17	44.8	850	13.6	13.8	<0.001	0.02	0.20	7.7	0.7	1.1	42.1	<0.01	0.03	4.7
I314460		0.94	36.3	890	11.4	13.3	0.001	0.05	0.22	6.9	1.0	0.6	65.3	<0.01	0.04	4.3
I314461		1.44	29.9	440	10.8	10.1	<0.001	0.01	0.21	4.8	0.5	0.6	18.6	<0.01	0.02	3.0
I314462		2.63	22.6	440	11.9	12.4	<0.001	0.01	0.47	4.2	0.4	0.7	20.4	0.01	0.03	2.7
I314463		2.74	23.1	440	11.3	23.0	0.001	0.01	0.54	3.8	0.5	0.9	19.6	<0.01	0.04	2.9
I314464		2.25	20.4	430	9.1	19.1	<0.001	0.01	0.47	3.0	0.3	0.7	14.7	<0.01	0.03	1.8
I314465		2.36	23.6	380	8.6	14.1	<0.001	0.01	0.48	4.0	0.3	0.7	18.7	<0.01	0.03	2.5
I314466		2.23	27.5	350	8.6	13.3	<0.001	0.01	0.46	4.3	0.4	0.6	20.3	<0.01	0.03	3.0
I314467		0.47	5.7	270	3.4	2.8	<0.001	0.02	0.24	0.9	0.4	0.3	9.7	<0.01	0.03	<0.2
I314468		0.76	21.6	910	6.4	9.6	0.001	0.02	0.17	2.9	0.7	0.3	20.3	<0.01	0.03	1.7
I314469		1.12	45.7	830	11.2	22.5	0.004	0.03	0.36	4.8	2.1	0.6	30.3	<0.01	0.06	1.5
I314470		1.65	25.2	680	10.2	18.9	<0.001	0.02	0.25	4.5	0.6	0.6	26.2	<0.01	0.05	2.7
I314471		1.50	24.2	450	10.4	16.0	0.001	0.03	0.21	3.8	0.5	0.6	22.1	<0.01	0.03	3.1
I314472		1.50	18.1	610	9.1	14.5	<0.001	0.01	0.26	3.4	0.3	0.6	21.4	<0.01	0.03	2.2
I314473		1.80	25.1	620	13.4	22.6	0.001	0.01	0.22	4.2	0.4	0.6	25.8	<0.01	0.03	3.1
I314474		1.38	31.9	810	9.7	13.0	0.001	0.02	0.27	4.3	0.6	0.5	36.7	<0.01	0.05	2.0
I314475		1.59	24.6	730	11.3	23.3	0.001	0.02	0.28	3.9	0.5	0.6	22.2	<0.01	0.04	1.5
I314476		1.11	13.6	290	5.7	18.6	<0.001	0.02	0.18	2.4	0.3	0.5	20.5	<0.01	0.02	0.6
I314477		1.75	28.1	600	7.6	23.5	<0.001	0.03	0.24	4.0	0.7	0.6	26.3	<0.01	0.04	2.8
I314478		1.67	23.7	460	7.9	23.1	<0.001	0.03	0.22	3.6	0.7	0.6	24.9	<0.01	0.04	2.3
I314479		1.64	27.2	440	9.4	18.5	0.001	0.05	0.21	4.5	1.1	0.6	30.3	<0.01	0.04	2.3
I314480		1.33	30.3	410	8.2	17.7	<0.001	0.03	0.33	4.4	1.1	0.5	32.0	<0.01	0.04	1.4
I314481		1.34	30.7	550	8.4	16.8	0.001	0.03	0.44	5.1	1.2	0.5	25.9	<0.01	0.04	1.7
I314482		1.28	27.5	760	8.6	30.3	<0.001	0.02	0.35	4.1	0.9	0.6	33.7	<0.01	0.04	1.0
I314483		1.45	23.3	390	8.1	19.5	<0.001	0.01	0.34	4.5	0.7	0.6	26.8	<0.01	0.04	1.4
I314484		1.55	25.0	410	8.9	14.3	<0.001	0.01	0.30	6.2	0.9	0.6	27.5	<0.01	0.03	2.7
I314485		1.23	30.5	510	10.3	10.5	<0.001	0.02	0.28	6.3	1.0	0.6	42.5	<0.01	0.03	2.4
I314486		1.26	33.2	980	9.1	10.8	<0.001	0.06	0.29	3.7	1.5	0.4	77.0	0.01	0.03	1.0
I314487		1.23	30.9	740	7.7	21.1	<0.001	0.09	0.28	3.1	1.5	0.4	85.2	0.01	0.03	1.0
I314488		1.01	11.4	270	14.8	16.6	<0.001	0.01	0.16	2.6	0.5	0.6	15.9	<0.01	0.02	0.6
I314489		1.78	27.2	260	9.2	17.4	<0.001	<0.01	0.30	4.3	0.5	0.6	27.9	<0.01	0.03	2.7
I314490		1.49	23.8	290	8.2	25.2	<0.001	0.01	0.18	3.5	0.6	0.6	35.2	<0.01	0.03	3.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I314451		0.035	0.16	1.49	54	0.12	23.7	47
I314452		0.085	0.20	0.80	76	0.10	7.00	72
I314453		0.065	0.15	0.48	69	0.12	3.50	41
I314454		0.113	0.11	0.50	75	0.14	4.46	51
I314455		0.077	0.15	0.67	51	0.10	12.40	69
I314456		0.073	0.39	0.70	48	0.07	12.15	119
I314457		0.118	0.16	0.49	77	0.11	3.78	64
I314458		0.213	0.12	0.35	96	0.19	2.93	74
I314459		0.070	0.18	0.64	61	0.13	16.45	70
I314460		0.032	0.09	1.19	64	0.09	14.15	75
I314461		0.037	0.12	0.71	76	0.14	5.32	63
I314462		0.138	0.15	0.49	95	0.14	3.69	53
I314463		0.151	0.18	0.46	102	0.13	2.84	75
I314464		0.123	0.15	0.36	86	0.14	2.29	61
I314465		0.143	0.10	0.37	95	0.15	2.58	54
I314466		0.140	0.11	0.40	90	0.16	3.00	56
I314467		0.038	0.06	0.35	28	0.06	1.56	14
I314468		0.048	0.15	1.13	40	0.09	8.45	65
I314469		0.046	0.20	2.74	74	0.14	15.85	107
I314470		0.084	0.14	0.98	76	0.13	7.00	65
I314471		0.090	0.14	0.87	74	0.11	7.06	65
I314472		0.084	0.12	0.62	65	0.10	3.74	53
I314473		0.103	0.14	1.01	71	0.11	6.74	67
I314474		0.089	0.13	0.90	76	0.13	5.86	81
I314475		0.106	0.12	0.90	77	0.14	4.92	66
I314476		0.073	0.10	0.64	40	0.08	3.81	35
I314477		0.129	0.16	0.88	81	0.18	5.51	82
I314478		0.121	0.14	0.81	70	0.14	5.03	69
I314479		0.104	0.16	1.16	76	0.13	6.85	83
I314480		0.074	0.13	1.06	62	0.13	7.90	84
I314481		0.072	0.16	1.01	72	0.13	7.67	91
I314482		0.077	0.12	1.07	60	0.14	9.82	72
I314483		0.082	0.11	0.79	65	0.14	6.23	56
I314484		0.073	0.16	1.15	70	0.18	9.22	57
I314485		0.050	0.16	1.24	68	0.11	12.85	70
I314486		0.062	0.13	1.50	50	0.13	11.25	49
I314487		0.061	0.12	1.24	43	0.18	11.35	50
I314488		0.059	0.11	0.37	46	0.13	2.24	31
I314489		0.094	0.12	0.42	75	0.14	3.48	53
I314490		0.074	0.14	0.50	52	0.11	3.91	47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314491		0.38	0.029	0.16	1.61	6.5	<0.2	<10	180	0.66	0.21	1.67	0.25	58.5	13.9	31
I314492		0.42	<0.005	0.06	1.15	5.3	<0.2	<10	110	0.34	0.13	1.28	0.13	27.2	12.6	31
I314493		0.48	<0.005	0.01	0.08	4.3	<0.2	<10	30	0.14	0.02	0.11	0.09	11.30	3.9	4
I314494		0.52	<0.005	0.05	1.51	8.4	<0.2	<10	100	0.23	0.22	0.08	0.15	20.4	5.0	23
I314495		0.40	<0.005	0.25	2.65	13.0	<0.2	<10	200	0.56	0.25	0.10	0.52	19.55	10.7	39
I314496		0.42	0.007	0.01	0.06	3.0	<0.2	<10	20	0.11	0.02	0.03	0.06	6.47	2.5	7
I314497		0.38	<0.005	0.35	2.56	5.8	<0.2	<10	310	0.70	0.19	0.26	0.18	23.0	24.1	25
I314498		0.42	<0.005	0.11	2.29	9.2	<0.2	<10	430	0.69	0.22	0.99	0.40	28.7	11.8	34
I314499		0.44	0.008	0.16	1.88	13.2	<0.2	<10	270	0.87	0.21	1.45	0.30	31.8	10.9	27
I314500		0.42	<0.005	0.20	2.55	5.8	<0.2	<10	190	0.27	0.17	0.18	0.07	14.55	18.2	54
I314501		0.48	<0.005	0.75	2.75	14.8	<0.2	<10	190	0.57	0.24	0.08	0.11	18.40	11.7	37
I314502		0.46	0.006	0.18	2.13	6.9	<0.2	<10	210	0.32	0.08	0.34	0.03	9.76	18.9	14
I314503		0.42	<0.005	0.17	1.56	5.1	<0.2	<10	190	0.21	0.16	0.17	0.06	13.65	6.1	18
I314504		0.42	<0.005	0.27	2.34	4.1	<0.2	<10	180	0.36	0.12	0.29	0.04	12.25	18.9	23
I314505		0.42	0.013	0.05	1.67	5.0	<0.2	<10	130	0.22	0.16	0.12	0.06	13.25	10.4	19
I314506		0.42	<0.005	0.09	2.37	4.1	<0.2	<10	150	0.37	0.12	0.20	0.13	13.75	19.1	19
I314507		0.44	<0.005	0.08	1.57	7.1	<0.2	<10	130	0.21	0.19	0.07	0.10	16.45	6.9	24
I314508		0.40	<0.005	0.12	2.36	6.0	<0.2	<10	180	0.30	0.15	0.18	0.18	13.80	14.8	21
I314509		0.60	<0.005	0.09	2.20	9.9	<0.2	<10	230	0.53	0.15	0.41	0.06	26.5	14.9	36
I314510		0.38	0.005	0.05	2.62	7.3	<0.2	<10	300	0.68	0.19	0.58	0.31	34.3	13.8	37
I314511		0.44	<0.005	0.04	1.67	4.9	<0.2	<10	220	0.26	0.15	0.31	0.08	14.50	10.5	26
I314512		0.42	<0.005	0.03	1.94	12.0	<0.2	<10	380	1.00	0.20	0.57	0.21	44.9	7.9	20
I314513		0.40	0.007	0.07	2.10	7.3	<0.2	<10	370	0.84	0.18	0.47	0.14	40.5	13.0	29
I314514		0.38	<0.005	0.07	1.81	9.7	<0.2	<10	290	0.69	0.18	0.55	0.14	29.0	12.0	32
I314515		0.42	<0.005	0.04	1.05	4.3	<0.2	<10	300	0.46	0.17	0.44	0.12	46.4	6.9	13
I314516		0.36	<0.005	0.03	1.37	4.2	<0.2	<10	310	0.54	0.16	0.31	0.16	34.7	6.8	19
I314517		0.54	<0.005	0.08	2.24	5.2	<0.2	<10	280	0.63	0.08	1.64	0.12	40.3	16.1	33
I314518		0.52	<0.005	0.04	1.79	6.8	<0.2	<10	300	0.53	0.16	0.37	0.13	22.3	9.9	28
I314519		0.36	<0.005	0.03	2.01	3.8	<0.2	<10	370	0.65	0.12	0.40	0.12	22.8	9.3	22
I314520		0.40	<0.005	0.05	1.81	6.7	<0.2	<10	350	0.70	0.20	0.71	0.22	26.8	10.8	27
I314521		0.32	<0.005	0.07	1.88	7.9	<0.2	<10	350	0.56	0.17	0.95	0.64	26.1	10.8	40
I314522		0.48	<0.005	0.05	1.78	7.9	<0.2	<10	280	0.55	0.18	0.58	0.22	14.05	10.4	38
I314523		0.46	0.005	0.09	1.77	8.0	<0.2	<10	300	0.78	0.20	0.61	0.13	29.5	11.5	32
I314524		0.52	<0.005	0.03	1.66	6.4	<0.2	<10	580	0.73	0.27	0.62	0.03	9.93	5.9	14
I314525		0.40	0.021	0.05	1.76	5.1	<0.2	<10	440	0.50	0.20	0.55	0.05	21.5	7.7	14
I314526		0.46	<0.005	0.03	2.11	3.2	<0.2	<10	140	0.43	0.09	0.64	0.04	35.3	14.7	29
I314527		0.36	<0.005	0.05	2.11	4.2	<0.2	<10	200	0.46	0.10	0.55	0.08	28.7	20.7	25
I314528		0.60	<0.005	0.05	2.23	4.2	<0.2	<10	110	0.97	0.05	1.44	0.13	54.8	21.9	58
I314529		0.34	<0.005	0.10	1.71	5.5	<0.2	<10	220	0.80	0.12	1.38	0.33	40.1	12.0	40
I314530		0.40	<0.005	0.04	1.59	4.2	<0.2	<10	180	0.80	0.11	0.94	0.13	50.0	14.9	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314491		2.84	33.3	2.72	6.27	0.08	0.07	0.06	0.026	0.14	40.4	16.9	0.65	401	0.94
I314492		2.20	21.4	2.35	4.44	0.06	0.05	0.03	0.019	0.08	15.8	12.1	0.60	329	0.59
I314493		0.10	3.0	1.13	0.60	<0.05	0.04	0.01	<0.005	0.01	5.5	1.2	0.07	323	0.52
I314494		0.78	10.7	2.41	7.77	<0.05	<0.02	0.01	0.022	0.03	10.9	11.8	0.34	159	1.11
I314495		1.24	18.8	3.69	8.00	0.05	0.12	0.02	0.040	0.05	10.4	16.1	0.46	289	1.30
I314496		0.06	1.5	0.91	0.48	<0.05	0.03	0.01	<0.005	0.01	3.0	0.7	0.03	233	0.39
I314497		2.82	35.1	4.67	9.59	0.05	0.03	0.04	0.039	0.11	9.5	17.2	0.80	3040	2.20
I314498		1.03	19.8	2.97	8.24	0.05	0.07	0.02	0.033	0.05	13.7	13.7	0.48	1010	1.83
I314499		0.64	46.1	2.82	5.89	0.06	0.11	0.04	0.027	0.05	22.1	13.2	0.67	572	0.80
I314500		1.84	32.3	4.26	11.55	0.06	0.07	0.01	0.031	0.07	7.3	22.2	1.58	670	0.98
I314501		3.26	31.6	4.17	9.46	0.05	0.05	0.03	0.040	0.04	9.8	20.5	0.58	223	0.96
I314502		2.56	104.0	3.47	8.32	0.06	0.04	0.02	0.013	0.20	5.2	21.6	1.30	453	0.40
I314503		1.60	13.8	2.10	7.70	<0.05	<0.02	0.02	0.015	0.04	7.2	8.7	0.46	193	0.63
I314504		1.38	79.6	3.74	9.68	0.06	0.03	0.02	0.018	0.03	6.3	20.8	1.24	417	0.44
I314505		1.36	11.6	2.85	7.82	<0.05	0.02	0.01	0.017	0.08	6.4	16.6	0.74	659	0.67
I314506		1.77	9.1	3.98	10.85	0.06	0.04	0.01	0.025	0.20	6.7	24.3	1.35	1100	0.74
I314507		1.16	9.4	3.30	8.84	<0.05	0.03	0.01	0.019	0.04	8.5	12.7	0.37	181	1.11
I314508		1.14	26.5	3.55	8.29	0.05	0.02	0.01	0.015	0.27	7.1	26.3	1.31	392	0.59
I314509		0.86	26.2	3.51	7.14	0.06	0.17	0.02	0.027	0.08	12.0	22.0	1.27	783	0.38
I314510		1.45	14.3	2.85	9.49	0.06	0.10	0.03	0.035	0.04	17.1	19.7	1.41	1250	0.61
I314511		0.75	14.2	2.67	6.30	<0.05	0.06	0.01	0.018	0.06	7.4	13.4	0.68	345	0.83
I314512		0.80	21.9	2.59	5.95	0.06	0.09	0.02	0.028	0.08	26.9	13.6	0.57	622	1.00
I314513		0.53	16.1	3.01	6.77	0.06	0.12	0.03	0.032	0.10	18.1	13.3	0.67	1100	0.86
I314514		0.41	20.0	2.90	6.22	0.06	0.19	0.02	0.027	0.07	14.7	10.4	0.53	584	0.77
I314515		0.30	11.6	1.47	4.06	0.05	0.05	0.01	0.021	0.07	24.1	6.1	0.29	260	1.30
I314516		0.47	12.2	1.96	5.21	0.05	0.07	0.03	0.019	0.05	18.5	9.5	0.39	361	1.03
I314517		1.16	23.9	3.57	6.63	0.08	0.08	0.03	0.023	0.04	19.2	15.0	1.30	341	0.72
I314518		0.57	12.2	2.49	6.09	0.05	0.07	0.02	0.025	0.05	11.5	13.1	0.46	382	1.02
I314519		1.04	10.9	2.74	6.84	<0.05	0.08	0.01	0.028	0.05	11.4	13.0	0.61	507	1.03
I314520		0.50	17.4	2.73	6.20	0.05	0.10	0.02	0.030	0.06	12.7	9.5	0.45	851	0.88
I314521		0.27	33.9	3.01	7.06	0.06	0.07	0.02	0.036	0.11	13.4	20.3	0.56	514	1.03
I314522		0.29	33.6	3.02	6.85	0.05	0.07	0.02	0.034	0.08	5.6	22.0	0.56	306	1.09
I314523		0.26	31.0	2.76	6.22	0.07	0.11	0.03	0.034	0.13	15.5	17.9	0.52	406	0.67
I314524		0.51	9.4	1.94	6.05	<0.05	0.08	0.02	0.033	0.04	4.9	4.8	0.32	151	1.15
I314525		2.58	7.4	2.41	6.18	0.05	0.08	0.02	0.026	0.12	9.8	4.8	0.46	171	0.82
I314526		0.59	12.5	4.26	6.87	0.10	0.19	0.02	0.031	0.02	16.9	12.9	1.01	271	0.80
I314527		1.29	13.2	4.47	7.06	0.08	0.09	0.01	0.028	0.05	11.9	10.4	1.06	974	1.45
I314528		0.64	17.4	5.17	6.87	0.12	0.23	0.13	0.047	0.02	28.1	11.1	1.43	546	0.91
I314529		0.38	25.5	3.44	6.07	0.09	0.14	0.08	0.038	0.05	21.5	10.6	0.88	344	0.72
I314530		0.96	15.8	4.23	5.81	0.10	0.26	0.05	0.051	0.04	22.0	11.5	0.56	837	0.83



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314491		1.32	34.7	710	12.5	25.0	0.001	0.08	0.32	4.7	1.5	0.4	80.7	0.01	0.03
I314492		1.06	28.0	620	6.8	16.3	<0.001	0.04	0.23	3.1	1.1	0.3	49.4	<0.01	0.02
I314493		0.21	7.6	220	1.9	1.7	<0.001	<0.01	0.24	0.9	<0.2	<0.2	4.2	<0.01	0.01
I314494		1.25	12.0	240	9.2	6.1	<0.001	<0.01	0.32	2.8	0.3	0.6	11.9	<0.01	0.03
I314495		1.50	24.8	670	11.4	9.0	<0.001	<0.01	0.50	3.8	0.4	0.7	13.3	<0.01	0.04
I314496		0.12	4.6	160	1.7	0.8	<0.001	<0.01	0.15	0.6	<0.2	<0.2	4.3	<0.01	0.01
I314497		1.24	14.7	740	7.9	18.5	<0.001	0.01	0.35	5.9	0.8	0.7	25.7	<0.01	0.04
I314498		1.09	18.7	330	13.5	7.0	<0.001	0.01	0.49	5.9	0.8	0.6	40.8	<0.01	0.04
I314499		1.12	29.8	620	11.4	6.9	<0.001	0.02	0.48	5.2	1.1	0.4	43.4	0.01	0.05
I314500		1.26	20.0	220	8.2	19.8	<0.001	<0.01	0.32	7.8	0.4	0.6	16.4	<0.01	0.03
I314501		1.91	25.1	400	11.5	12.1	<0.001	<0.01	0.54	4.8	0.4	0.7	11.9	<0.01	0.04
I314502		0.58	12.9	830	3.8	22.3	<0.001	<0.01	0.21	4.7	0.3	0.3	24.7	<0.01	0.02
I314503		0.90	9.5	280	6.6	12.5	<0.001	<0.01	0.19	2.7	0.4	0.5	18.7	<0.01	0.01
I314504		0.97	17.7	390	4.8	8.5	<0.001	<0.01	0.25	5.3	0.4	0.4	29.2	<0.01	0.02
I314505		1.36	10.6	360	6.3	20.1	<0.001	<0.01	0.28	3.3	0.3	0.5	12.9	<0.01	0.02
I314506		1.34	15.6	360	5.9	27.1	<0.001	<0.01	0.23	5.9	0.4	0.6	18.8	<0.01	0.03
I314507		1.99	11.8	350	8.8	10.3	<0.001	<0.01	0.44	2.8	0.3	0.7	11.4	<0.01	0.02
I314508		1.21	16.0	840	6.9	19.9	<0.001	<0.01	0.27	2.9	0.3	0.5	16.5	<0.01	0.03
I314509		0.99	23.9	200	7.6	10.2	<0.001	<0.01	0.37	8.3	0.6	0.5	25.9	<0.01	0.02
I314510		1.40	21.9	200	15.0	9.5	<0.001	<0.01	0.23	6.2	0.7	0.7	27.0	<0.01	0.03
I314511		1.30	14.7	120	7.4	11.5	<0.001	<0.01	0.27	4.0	0.3	0.5	20.9	<0.01	0.02
I314512		0.79	14.5	160	14.2	12.8	<0.001	<0.01	0.27	5.0	0.6	0.5	23.0	<0.01	0.03
I314513		1.00	19.3	240	14.0	12.0	<0.001	<0.01	0.30	7.3	0.5	0.5	25.1	<0.01	0.03
I314514		1.38	21.5	160	11.0	7.8	<0.001	<0.01	0.41	6.7	0.6	0.5	26.9	<0.01	0.03
I314515		0.70	8.7	110	11.6	6.1	<0.001	<0.01	0.23	2.7	0.4	0.3	37.8	<0.01	0.03
I314516		1.06	12.7	120	9.1	6.5	<0.001	<0.01	0.23	3.6	0.4	0.5	31.4	<0.01	0.03
I314517		0.76	24.5	1930	4.5	3.7	0.001	0.02	0.31	5.1	1.1	0.4	142.0	<0.01	0.03
I314518		1.17	17.7	220	8.3	6.4	<0.001	<0.01	0.31	4.2	0.4	0.5	31.0	<0.01	0.02
I314519		0.85	12.6	120	10.2	7.4	<0.001	<0.01	0.16	4.7	0.3	0.6	32.6	<0.01	0.02
I314520		1.23	18.3	190	10.9	8.0	<0.001	<0.01	0.38	5.5	0.7	0.5	56.7	<0.01	0.03
I314521		0.55	37.6	540	8.2	12.1	<0.001	<0.01	0.42	5.7	0.8	0.4	67.1	<0.01	0.04
I314522		0.75	35.5	330	9.1	6.6	<0.001	<0.01	0.44	5.8	0.7	0.5	37.3	<0.01	0.05
I314523		1.06	33.5	400	9.8	6.9	<0.001	<0.01	0.49	7.1	0.9	0.6	49.0	<0.01	0.04
I314524		0.44	8.1	230	14.5	6.4	<0.001	<0.01	0.13	5.3	0.4	0.8	60.0	<0.01	0.04
I314525		0.74	7.2	370	9.4	28.0	<0.001	<0.01	0.16	4.2	0.4	0.9	56.3	<0.01	0.03
I314526		0.97	19.9	1220	5.4	3.2	<0.001	<0.01	0.24	6.6	0.5	0.8	42.9	<0.01	0.03
I314527		1.22	17.7	810	6.1	11.3	<0.001	<0.01	0.22	4.6	0.5	0.9	42.9	<0.01	0.02
I314528		0.72	32.4	2490	3.7	2.9	0.001	<0.01	0.18	14.1	1.0	1.0	89.1	0.01	0.01
I314529		1.00	26.3	1510	6.1	6.4	0.001	0.03	0.39	9.2	1.1	0.8	88.4	0.01	0.03
I314530		1.22	13.7	870	5.9	6.5	<0.001	0.01	0.42	12.2	0.8	0.9	54.1	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314491		0.057	0.17	1.57	44	0.13	19.25	60	2.8
I314492		0.056	0.10	0.97	38	0.15	7.76	48	1.7
I314493		<0.005	0.05	0.27	8	<0.05	2.82	9	2.0
I314494		0.048	0.12	0.32	66	0.18	2.19	34	<0.5
I314495		0.054	0.12	0.51	77	0.20	2.75	79	5.2
I314496		<0.005	0.04	0.18	11	<0.05	2.07	7	1.3
I314497		0.092	0.17	0.57	127	0.21	5.31	65	1.1
I314498		0.024	0.08	0.82	64	0.12	7.93	60	2.3
I314499		0.038	0.05	0.58	54	0.17	24.1	59	3.7
I314500		0.116	0.12	0.28	139	0.21	2.59	69	2.5
I314501		0.060	0.12	0.42	99	0.23	3.09	49	2.3
I314502		0.149	0.11	0.28	148	0.15	3.02	56	2.2
I314503		0.063	0.10	0.35	68	0.14	2.45	35	<0.5
I314504		0.151	0.09	0.34	128	0.16	4.12	57	1.6
I314505		0.098	0.08	0.24	82	0.14	1.87	57	1.3
I314506		0.176	0.12	0.26	129	0.13	2.55	76	1.5
I314507		0.111	0.10	0.30	91	0.19	1.79	50	1.5
I314508		0.186	0.10	0.27	107	0.17	1.97	66	1.1
I314509		0.118	0.08	0.57	96	0.14	8.41	48	6.9
I314510		0.064	0.09	0.49	68	0.18	11.15	52	3.8
I314511		0.071	0.09	0.27	72	0.18	2.16	46	2.2
I314512		0.011	0.10	0.59	43	0.09	8.96	46	3.2
I314513		0.038	0.07	0.50	56	0.16	10.05	53	4.3
I314514		0.065	0.07	0.42	60	0.20	9.26	48	6.9
I314515		0.016	0.05	1.00	31	0.07	4.08	33	1.7
I314516		0.032	0.07	0.63	43	0.11	5.05	40	2.2
I314517		0.036	0.04	1.45	49	0.09	19.25	56	2.6
I314518		0.035	0.11	0.43	56	0.13	4.05	45	2.7
I314519		0.021	0.11	0.40	51	0.09	3.54	51	2.8
I314520		0.044	0.06	0.73	55	0.15	6.57	52	3.5
I314521		0.013	0.07	0.44	55	0.08	4.42	90	2.0
I314522		0.021	0.07	0.54	55	0.10	4.37	75	2.0
I314523		0.030	0.08	1.19	51	0.14	12.55	55	4.1
I314524		0.005	0.10	0.46	33	<0.05	2.87	35	2.1
I314525		0.015	0.19	0.71	41	0.06	4.48	42	2.2
I314526		0.071	0.09	0.34	62	0.09	12.65	55	8.8
I314527		0.105	0.09	0.26	66	0.14	6.87	59	3.9
I314528		0.031	0.06	0.57	64	0.07	31.0	80	7.1
I314529		0.038	0.05	1.16	53	0.12	21.3	69	3.8
I314530		0.062	0.08	0.46	61	0.05	20.9	64	9.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314531		0.32	<0.005	0.04	1.65	6.4	<0.2	<10	120	1.00	0.09	0.86	0.07	70.8	17.6	19
I314532		0.38	<0.005	0.04	1.63	6.1	<0.2	<10	120	1.04	0.09	0.88	0.08	70.9	17.2	19
I314533		0.40	0.005	0.06	1.03	6.7	<0.2	<10	120	1.01	0.09	1.61	0.32	59.4	15.3	18
I314534		0.44	<0.005	0.07	1.87	9.1	<0.2	<10	240	2.24	0.12	0.74	0.14	56.8	16.3	34
I314535		0.42	<0.005	0.06	1.93	5.8	<0.2	<10	320	1.08	0.14	0.48	0.08	49.0	10.0	33
I314536		0.38	<0.005	0.05	1.76	6.4	<0.2	<10	300	0.72	0.15	0.34	0.09	27.8	10.3	31
I314537		0.34	<0.005	0.05	1.84	4.4	<0.2	<10	260	1.00	0.11	0.68	0.09	59.7	17.1	35
I314538		0.40	<0.005	0.02	1.47	4.5	<0.2	<10	200	0.84	0.24	0.65	0.06	37.3	8.6	14
I314539		0.46	NSS	0.05	0.27	8.9	<0.2	<10	80	0.44	0.05	0.54	0.20	35.3	9.9	10
I314540		0.46	<0.005	0.03	1.78	11.6	<0.2	<10	100	0.37	0.21	0.07	0.10	15.75	6.4	31
I314541		0.42	<0.005	0.04	2.11	10.5	<0.2	<10	150	0.49	0.20	0.06	0.08	16.55	7.4	30
I314542		0.52	<0.005	0.04	1.47	2.4	<0.2	<10	80	0.58	0.07	0.38	0.03	19.15	5.8	17
I314543		0.46	<0.005	0.01	1.50	2.0	<0.2	<10	70	0.30	0.06	0.10	0.01	6.61	7.3	16
I314544		0.50	<0.005	0.05	1.20	3.3	<0.2	<10	160	0.46	0.12	0.15	0.12	18.25	4.2	16
I314545		0.44	0.005	0.01	1.90	10.4	<0.2	<10	110	0.29	0.17	0.06	0.06	18.20	6.3	29
I314546		0.52	<0.005	0.04	1.93	6.6	<0.2	<10	320	0.28	0.14	0.16	0.03	18.30	7.5	19
I314547		0.44	<0.005	0.04	1.15	4.1	<0.2	<10	150	0.20	0.11	0.08	0.03	25.1	5.8	13
I314548		0.54	<0.005	0.08	1.24	4.0	<0.2	<10	270	0.28	0.11	0.20	0.03	30.9	4.4	16
I314549		0.42	0.010	0.06	1.60	6.7	<0.2	<10	190	0.40	0.12	0.12	0.05	16.20	6.8	26
I314550		0.36	<0.005	0.03	1.98	7.5	<0.2	<10	140	0.37	0.15	0.09	0.08	13.90	8.2	30
I314551		0.20	<0.005	0.16	0.90	4.4	<0.2	<10	100	0.19	0.17	0.16	0.10	9.30	3.8	18
I314552		0.30	<0.005	0.08	1.72	9.1	<0.2	<10	110	0.25	0.16	0.17	0.08	20.7	8.4	28
I314553		0.22	0.010	0.02	1.27	7.0	<0.2	<10	80	0.19	0.17	0.12	0.08	13.85	5.8	23
I314554		0.20	0.006	0.11	1.28	10.6	<0.2	<10	130	0.30	0.14	0.28	0.07	17.65	6.8	20
I314555		0.34	<0.005	0.04	2.17	9.2	<0.2	<10	140	0.40	0.17	0.20	0.05	20.7	11.7	40
I314556		0.24	<0.005	0.06	1.86	8.4	<0.2	<10	140	0.28	0.15	0.24	0.07	15.90	10.1	35
I314557		0.22	<0.005	0.07	2.35	12.7	<0.2	<10	160	0.52	0.15	0.20	0.08	21.0	15.0	40
I314558		0.30	<0.005	0.06	1.89	12.7	<0.2	<10	90	0.29	0.14	0.17	0.07	11.40	10.2	46
I314559		0.18	0.008	0.10	0.60	3.1	<0.2	<10	50	0.16	0.16	0.06	0.12	9.84	2.9	13
I314560		0.28	<0.005	0.04	1.09	3.0	<0.2	<10	80	0.18	0.15	0.14	0.06	13.80	3.4	21
I314561		0.30	<0.005	0.04	0.75	4.0	<0.2	<10	80	0.19	0.16	0.15	0.02	26.6	3.9	8
I314562		0.26	<0.005	0.05	1.85	8.8	<0.2	<10	140	0.26	0.20	0.20	0.08	14.85	8.6	31
I314563		0.20	<0.005	0.09	1.31	5.9	<0.2	<10	120	0.20	0.16	0.16	0.07	10.65	7.4	22
I314564		0.22	<0.005	0.11	1.90	8.3	<0.2	<10	150	0.46	0.19	0.17	0.07	15.40	10.6	29
I314565		0.24	<0.005	0.10	2.28	8.8	<0.2	<10	110	0.38	0.19	0.16	0.06	15.65	8.4	35
I314566		0.24	0.005	0.09	1.09	4.6	<0.2	<10	150	0.31	0.11	2.11	0.17	19.35	10.0	26
I314567		0.24	0.006	0.07	1.09	4.5	<0.2	<10	100	0.45	0.11	2.52	0.19	25.7	10.8	24
I314568		0.30	0.008	0.10	1.33	4.9	<0.2	<10	120	0.44	0.12	1.25	0.14	27.5	16.3	30
I314569		0.26	0.015	0.01	0.21	8.2	<0.2	<10	60	0.34	0.04	0.40	0.18	22.3	8.4	9
I314570		0.20	0.010	0.07	1.08	4.8	<0.2	<10	90	0.40	0.09	2.97	0.21	24.9	11.4	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314531		0.61	16.1	5.12	7.09	0.11	0.27	0.06	0.066	0.05	27.2	8.7	0.61	718	1.06
I314532		0.60	16.9	5.03	7.08	0.12	0.25	0.07	0.065	0.05	28.2	8.5	0.60	703	1.07
I314533		1.18	19.9	5.29	6.09	0.14	0.25	0.04	0.064	0.04	32.7	9.2	1.15	521	0.92
I314534		0.70	23.1	4.38	7.86	0.12	0.27	0.04	0.059	0.10	26.7	9.6	0.48	952	1.19
I314535		0.51	13.7	2.87	6.82	0.07	0.18	0.03	0.037	0.13	20.6	8.5	0.44	523	1.25
I314536		0.56	13.3	2.79	6.46	0.05	0.14	0.02	0.031	0.06	13.3	10.1	0.41	515	1.17
I314537		0.61	21.2	3.71	6.39	0.11	0.14	0.03	0.040	0.05	28.0	9.0	0.56	835	0.86
I314538		1.06	8.9	2.43	5.74	0.06	0.12	0.02	0.035	0.14	16.4	7.6	0.47	488	0.60
I314539		0.28	8.0	2.06	1.72	0.08	0.09	0.02	0.009	0.05	17.2	3.8	0.23	752	1.20
I314540		0.93	9.4	3.60	9.07	0.05	0.03	0.02	0.024	0.04	8.1	15.2	0.35	179	1.94
I314541		1.31	11.8	3.42	10.60	0.05	0.02	0.02	0.024	0.04	8.5	20.3	0.39	193	1.38
I314542		1.90	12.7	2.20	8.68	0.06	<0.02	0.01	0.017	0.11	14.7	16.9	0.59	170	0.41
I314543		1.86	11.2	2.00	7.95	<0.05	<0.02	0.01	0.009	0.35	3.6	10.2	0.73	182	0.26
I314544		0.96	14.1	1.57	7.51	<0.05	<0.02	0.02	0.015	0.11	9.7	5.1	0.27	259	0.72
I314545		1.09	15.2	3.37	8.82	<0.05	0.02	0.02	0.024	0.05	9.4	14.6	0.39	172	0.97
I314546		0.99	13.7	2.63	8.02	<0.05	0.04	0.02	0.024	0.04	9.7	12.8	0.72	258	0.56
I314547		0.98	9.7	1.54	5.72	<0.05	<0.02	0.02	0.014	0.04	12.4	7.0	0.38	152	0.40
I314548		0.51	9.7	1.57	4.94	<0.05	0.06	0.01	0.016	0.04	16.3	7.0	0.26	141	0.63
I314549		0.72	14.7	2.38	5.40	<0.05	0.13	0.01	0.021	0.04	8.5	11.4	0.38	146	0.68
I314550		1.17	12.1	2.93	7.35	<0.05	0.06	0.01	0.021	0.08	7.3	16.0	0.48	260	0.96
I314551		0.76	15.7	1.65	5.82	<0.05	<0.02	0.03	0.015	0.04	4.9	4.3	0.14	83	0.88
I314552		1.75	15.0	2.95	8.79	0.05	0.02	0.02	0.024	0.05	11.4	14.1	0.47	172	1.22
I314553		0.74	13.5	2.58	9.23	<0.05	0.03	0.03	0.017	0.04	7.1	7.5	0.32	137	1.28
I314554		1.65	15.4	2.07	5.93	<0.05	0.03	0.03	0.021	0.05	13.4	7.3	0.21	188	0.97
I314555		1.83	21.0	3.66	9.48	0.05	0.12	0.02	0.031	0.07	9.1	19.8	0.60	198	1.23
I314556		1.94	19.6	3.06	7.97	<0.05	0.04	0.02	0.023	0.06	8.6	14.5	0.52	261	1.13
I314557		1.36	18.6	3.69	8.12	0.05	0.07	0.03	0.032	0.05	11.8	18.6	0.59	248	1.14
I314558		2.66	22.0	3.24	8.68	<0.05	0.02	0.02	0.020	0.04	5.5	12.6	0.66	182	1.02
I314559		1.22	10.1	1.17	4.47	<0.05	<0.02	0.04	0.011	0.04	5.3	2.9	0.10	66	0.74
I314560		0.98	11.8	1.51	7.78	<0.05	0.04	0.02	0.014	0.04	7.7	4.8	0.17	73	0.79
I314561		1.39	10.4	1.93	4.04	<0.05	<0.02	0.01	0.027	0.07	10.8	2.8	0.07	49	0.98
I314562		1.45	17.1	3.48	10.40	0.05	0.09	0.02	0.028	0.05	7.3	16.5	0.42	327	1.83
I314563		1.02	12.9	2.47	7.75	<0.05	0.02	0.01	0.017	0.04	5.4	8.0	0.28	339	1.09
I314564		1.40	16.3	3.31	9.67	0.05	0.07	0.01	0.026	0.04	8.1	13.2	0.44	382	1.50
I314565		1.09	16.7	3.71	9.43	0.05	0.04	0.02	0.029	0.05	8.3	11.6	0.38	176	1.62
I314566		1.46	24.8	2.02	3.69	0.05	0.05	0.04	0.017	0.04	11.4	9.1	0.50	338	0.81
I314567		2.30	28.9	2.13	3.63	0.07	0.06	0.05	0.018	0.11	16.2	11.6	0.46	257	0.54
I314568		2.57	20.0	2.44	4.52	0.06	0.04	0.04	0.018	0.09	19.0	13.5	0.61	699	0.76
I314569		0.28	5.3	1.92	1.33	0.06	0.07	0.02	0.008	0.04	11.0	3.7	0.17	649	1.14
I314570		1.90	30.8	2.00	3.59	0.07	0.06	0.07	0.015	0.11	17.6	12.8	0.43	319	0.66



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314531		0.72	10.1	1850	5.9	5.3	<0.001	<0.01	0.34	14.0	0.7	1.3	39.2	<0.01	0.01
I314532		0.78	10.6	1790	6.0	5.6	<0.001	<0.01	0.37	13.9	0.7	1.3	40.8	0.01	0.02
I314533		1.35	9.7	1820	4.3	5.7	0.001	0.05	0.31	13.1	1.3	1.2	74.8	0.01	0.02
I314534		1.60	20.5	980	9.0	8.2	<0.001	<0.01	0.46	11.2	0.8	1.3	45.5	0.01	0.01
I314535		1.38	16.3	480	9.4	14.0	<0.001	<0.01	0.41	6.6	0.5	1.0	33.5	<0.01	0.03
I314536		1.49	15.6	170	9.6	8.2	<0.001	<0.01	0.34	5.7	0.5	0.8	28.4	<0.01	0.02
I314537		1.18	17.4	590	6.3	7.1	<0.001	<0.01	0.34	10.0	1.0	0.9	51.7	0.01	0.02
I314538		1.00	7.5	660	12.4	15.9	<0.001	<0.01	0.18	6.3	0.5	1.2	43.0	<0.01	0.02
I314539		0.58	18.1	690	4.7	5.4	<0.001	<0.01	0.44	2.3	0.3	0.2	14.7	<0.01	0.01
I314540		2.02	14.1	450	11.1	9.5	<0.001	<0.01	0.43	2.7	0.5	0.7	11.6	<0.01	0.04
I314541		1.98	14.9	450	10.6	11.4	<0.001	<0.01	0.40	2.9	0.4	0.7	15.5	<0.01	0.05
I314542		0.61	10.0	1170	7.3	12.8	<0.001	<0.01	0.16	2.6	0.3	0.6	28.8	<0.01	0.01
I314543		1.23	8.6	420	3.1	31.1	<0.001	<0.01	0.12	1.7	0.3	0.3	12.6	<0.01	0.01
I314544		0.30	6.8	560	8.4	14.3	<0.001	<0.01	0.15	0.8	0.5	0.5	22.4	<0.01	0.02
I314545		1.70	13.5	390	10.1	8.8	<0.001	<0.01	0.44	3.0	0.5	0.6	12.2	<0.01	0.04
I314546		1.45	10.4	400	6.5	9.5	<0.001	<0.01	0.39	4.8	0.4	0.5	13.5	<0.01	0.03
I314547		0.83	8.8	150	5.8	12.8	<0.001	<0.01	0.20	3.2	0.3	0.4	11.2	<0.01	0.02
I314548		0.98	9.2	160	5.2	7.2	<0.001	<0.01	0.16	3.0	0.3	0.4	13.4	<0.01	0.02
I314549		1.31	15.4	230	8.3	6.2	<0.001	<0.01	0.41	2.8	0.4	0.5	12.0	<0.01	0.02
I314550		2.03	15.7	310	8.7	21.8	<0.001	<0.01	0.52	2.6	0.3	0.6	12.1	<0.01	0.03
I314551		0.72	8.8	290	11.3	7.5	<0.001	<0.01	0.28	1.6	0.6	0.6	17.7	<0.01	0.03
I314552		1.25	20.5	300	10.3	13.6	<0.001	<0.01	0.37	3.7	0.4	0.7	16.1	<0.01	0.02
I314553		1.80	12.3	270	7.9	7.5	<0.001	<0.01	0.38	2.5	0.5	0.7	14.9	<0.01	0.04
I314554		1.04	12.4	240	9.0	14.5	<0.001	<0.01	0.23	3.1	0.6	0.5	24.1	<0.01	0.03
I314555		2.08	29.8	180	11.0	20.4	<0.001	<0.01	0.37	4.1	0.5	0.8	18.2	<0.01	0.03
I314556		1.52	25.8	260	9.0	21.9	<0.001	<0.01	0.39	3.7	0.5	0.6	19.7	<0.01	0.03
I314557		1.95	31.5	340	8.2	8.8	<0.001	<0.01	0.50	4.3	0.6	0.6	20.8	<0.01	0.04
I314558		1.26	23.7	220	6.3	11.1	<0.001	<0.01	0.30	4.7	0.4	1.0	15.8	<0.01	0.02
I314559		0.39	7.0	290	13.7	8.4	<0.001	0.01	0.17	1.1	0.6	0.4	11.6	<0.01	0.02
I314560		2.05	8.8	120	11.6	10.1	<0.001	<0.01	0.19	2.5	0.4	0.7	18.4	<0.01	0.02
I314561		0.42	8.0	170	8.9	15.3	<0.001	<0.01	0.16	3.0	0.3	0.4	12.8	<0.01	0.02
I314562		1.90	19.0	230	12.6	18.2	<0.001	<0.01	0.48	3.4	0.3	0.8	22.1	<0.01	0.04
I314563		1.46	12.7	300	9.6	11.7	<0.001	<0.01	0.39	2.3	0.4	0.6	18.9	<0.01	0.03
I314564		1.89	18.9	230	9.9	10.7	<0.001	<0.01	0.48	3.4	0.3	0.8	19.4	<0.01	0.03
I314565		1.82	16.7	300	11.2	9.5	<0.001	<0.01	0.51	3.4	0.5	0.8	16.3	0.01	0.04
I314566		0.91	22.6	760	6.0	9.2	<0.001	0.08	0.41	2.5	1.5	0.3	77.7	<0.01	0.04
I314567		0.87	28.4	700	9.0	21.5	<0.001	0.09	0.25	3.0	1.7	0.3	122.0	0.01	0.03
I314568		0.93	26.0	770	8.5	17.0	<0.001	0.05	0.26	3.3	1.2	0.3	47.4	<0.01	0.03
I314569		0.62	15.5	540	3.8	4.7	<0.001	<0.01	0.51	1.8	0.4	0.2	11.0	<0.01	0.02
I314570		0.95	28.6	670	7.3	16.8	<0.001	0.12	0.31	2.6	1.9	0.3	148.0	0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314531		0.036	0.06	0.54	84	<0.05	20.4	77	8.6
I314532		0.036	0.06	0.53	82	0.05	21.5	76	8.0
I314533		0.066	0.08	0.62	95	<0.05	33.9	99	9.1
I314534		0.044	0.10	1.22	70	0.16	31.6	92	8.4
I314535		0.060	0.09	0.72	51	0.18	9.21	72	5.9
I314536		0.054	0.11	0.71	55	0.14	6.02	60	5.1
I314537		0.067	0.06	1.02	66	0.08	28.0	60	5.6
I314538		0.012	0.15	1.12	37	0.07	9.99	54	3.2
I314539		0.012	0.15	0.83	16	0.09	9.15	22	4.2
I314540		0.068	0.10	0.30	80	0.24	1.70	40	1.3
I314541		0.088	0.12	0.36	80	0.22	1.90	44	1.1
I314542		0.038	0.08	0.74	47	0.07	4.14	94	<0.5
I314543		0.114	0.17	0.24	46	0.06	1.25	71	<0.5
I314544		0.020	0.07	0.54	37	0.07	3.52	50	<0.5
I314545		0.081	0.10	0.45	75	0.17	2.44	46	0.8
I314546		0.091	0.11	0.41	61	0.12	3.86	48	1.7
I314547		0.059	0.07	0.28	33	0.14	2.29	23	<0.5
I314548		0.024	0.06	0.29	39	0.14	3.18	27	2.4
I314549		0.055	0.07	0.35	51	0.14	2.70	32	4.3
I314550		0.098	0.11	0.31	62	0.20	1.59	59	2.5
I314551		0.058	0.07	0.32	47	0.12	1.81	26	0.5
I314552		0.067	0.12	0.47	67	0.12	3.76	46	0.6
I314553		0.125	0.11	0.36	78	0.13	2.11	38	1.3
I314554		0.039	0.10	0.57	44	0.10	5.50	28	1.0
I314555		0.106	0.16	0.56	77	0.12	3.40	48	4.4
I314556		0.076	0.11	0.38	69	0.19	2.94	51	1.6
I314557		0.103	0.10	0.52	78	0.17	4.32	58	2.9
I314558		0.074	0.10	0.48	74	0.10	2.80	46	0.6
I314559		0.035	0.09	0.40	32	0.07	2.29	20	<0.5
I314560		0.113	0.13	0.34	49	0.07	2.58	20	1.6
I314561		0.012	0.09	0.34	34	<0.05	2.91	32	<0.5
I314562		0.092	0.10	0.41	85	0.12	2.54	47	3.7
I314563		0.070	0.10	0.27	65	0.12	1.55	40	1.0
I314564		0.096	0.12	0.38	82	0.10	2.59	45	3.0
I314565		0.088	0.09	0.43	87	0.14	3.00	43	1.9
I314566		0.045	0.07	0.79	38	0.09	6.12	44	2.0
I314567		0.041	0.10	0.86	30	0.10	8.50	45	2.3
I314568		0.057	0.12	0.94	40	0.15	9.56	51	1.3
I314569		0.012	0.11	0.61	14	0.08	6.93	19	3.8
I314570		0.045	0.10	1.02	30	0.07	9.08	37	2.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314571		0.18	<0.005	0.07	0.43	2.2	<0.2	<10	90	0.30	0.05	4.29	0.34	14.40	4.4	7
I314572		0.24	0.008	0.13	1.13	4.2	<0.2	<10	160	0.55	0.13	2.49	0.24	28.1	10.2	20
I314573		0.16	<0.005	0.09	1.37	4.7	<0.2	<10	130	0.52	0.21	1.72	0.29	25.3	10.9	25
I314574		0.20	0.005	0.26	1.60	4.8	<0.2	<10	200	0.44	0.16	0.98	0.21	47.4	15.1	31
I314575		0.28	0.006	0.05	1.72	4.8	<0.2	<10	110	0.43	0.16	0.34	0.10	23.2	12.2	33
I314576		0.22	<0.005	0.10	1.63	5.4	<0.2	<10	190	0.39	0.12	0.81	0.20	20.8	11.6	31
I314577		0.28	0.005	0.07	1.69	5.4	<0.2	<10	150	0.34	0.11	0.52	0.11	19.15	10.9	29
I314578		0.22	0.007	0.08	1.55	5.5	<0.2	<10	170	0.33	0.09	0.83	0.23	20.9	14.9	29
I314579		0.22	<0.005	0.04	1.96	6.2	<0.2	<10	190	0.50	0.13	0.69	0.28	23.0	14.6	45
I314580		0.30	<0.005	0.05	1.75	6.6	<0.2	<10	170	0.36	0.11	0.66	0.26	20.1	10.9	32
I314581		0.32	0.006	0.04	1.32	5.3	<0.2	<10	120	0.32	0.08	1.36	0.13	22.6	11.3	30
I314582		0.24	0.006	0.08	1.47	5.4	<0.2	<10	200	0.61	0.09	2.38	0.15	48.3	14.0	25
I314583		0.24	0.015	0.07	2.19	5.6	<0.2	<10	190	0.74	0.13	0.51	0.09	49.3	16.5	34
I314584		0.22	<0.005	0.03	2.14	4.3	<0.2	<10	190	0.60	0.14	0.52	0.09	20.4	14.9	35
I314585		0.22	<0.005	0.08	2.10	4.5	<0.2	<10	190	0.34	0.12	0.56	0.08	15.55	11.9	36
I314586		0.26	0.006	0.08	2.10	4.5	<0.2	<10	190	0.32	0.12	0.57	0.07	16.20	12.5	36
I314587		0.18	0.006	0.07	1.55	5.4	<0.2	<10	110	0.34	0.12	1.19	0.12	30.4	12.0	31
I314588		0.24	<0.005	0.04	2.08	7.5	<0.2	<10	140	0.58	0.12	0.67	0.05	46.3	13.9	37
I314589		0.22	<0.005	0.05	2.11	5.4	<0.2	<10	240	0.40	0.12	0.54	0.08	25.0	14.9	33
I314590		0.22	<0.005	0.08	1.58	4.4	<0.2	<10	130	0.29	0.13	0.30	0.23	19.85	7.5	26
I314591		0.22	0.005	0.06	1.60	4.7	<0.2	<10	100	0.27	0.10	0.30	0.10	32.6	9.5	32
I314592		0.30	0.007	0.05	1.35	3.2	<0.2	<10	100	0.28	0.07	0.76	0.09	31.7	11.5	25
I314593		0.26	0.008	0.04	1.28	3.0	<0.2	<10	100	0.39	0.09	0.73	0.09	29.1	15.0	26
I314594		0.20	<0.005	0.05	1.24	4.3	<0.2	<10	130	0.55	0.09	2.20	0.24	29.8	12.7	26
I314595		0.36	0.006	0.01	0.19	6.8	<0.2	<10	50	0.22	0.02	0.28	0.14	18.80	6.4	6
I314596		0.28	0.006	0.02	1.77	9.4	<0.2	<10	140	0.18	0.18	0.11	0.06	19.95	5.4	27
I314597		0.28	<0.005	0.03	1.79	11.7	<0.2	<10	130	0.23	0.20	0.09	0.09	19.65	5.0	28
I314598		0.26	<0.005	0.06	1.79	10.1	<0.2	<10	130	0.23	0.21	0.09	0.06	16.70	5.3	28
I314599		0.32	<0.005	0.06	1.57	4.2	<0.2	<10	110	0.29	0.09	0.18	0.05	14.45	6.5	28
I314600		0.28	<0.005	0.10	2.16	7.9	<0.2	<10	200	0.76	0.23	0.18	0.08	20.2	6.1	30
I314601		0.30	<0.005	0.03	1.71	6.1	<0.2	<10	150	0.34	0.11	0.25	0.04	22.1	7.8	28
I314602		0.24	<0.005	0.02	1.11	5.9	<0.2	<10	110	0.16	0.18	0.14	0.06	18.40	3.1	17
I314603		0.26	<0.005	0.11	2.02	9.4	<0.2	<10	160	0.34	0.20	0.11	0.05	18.45	6.5	32
I314604		0.22	<0.005	0.14	1.99	8.2	<0.2	<10	150	0.31	0.19	0.12	0.05	18.45	5.9	25
I314605		0.26	0.005	0.03	2.12	8.5	<0.2	<10	170	0.32	0.16	0.11	0.06	17.15	7.9	28
I314606		0.28	<0.005	0.05	1.19	5.4	<0.2	<10	140	0.15	0.26	0.12	0.04	20.6	2.9	18
I314607		0.22	<0.005	0.09	2.18	7.0	<0.2	<10	190	0.44	0.21	0.19	0.07	17.85	8.0	28
I314608		0.28	<0.005	0.11	2.22	9.7	<0.2	<10	220	0.39	0.20	0.13	0.07	19.00	8.2	30
I314609		0.28	0.005	0.08	1.56	6.7	<0.2	<10	160	0.24	0.19	0.12	0.05	17.65	5.1	21
I314610		0.28	<0.005	0.04	1.48	5.5	<0.2	<10	130	0.20	0.13	0.12	0.04	16.75	5.0	17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314571		0.52	25.0	0.65	1.05	<0.05	0.06	0.10	0.008	0.03	11.5	2.1	0.16	274	0.69
I314572		1.50	33.2	1.78	3.42	0.07	0.06	0.07	0.018	0.06	23.2	11.4	0.33	456	0.70
I314573		1.88	31.4	2.28	4.14	0.05	0.07	0.18	0.019	0.07	16.0	10.9	0.43	405	0.77
I314574		1.44	33.0	2.68	5.15	0.08	0.06	0.07	0.025	0.11	32.3	15.6	0.51	257	0.75
I314575		1.45	19.1	2.96	5.54	0.06	0.10	0.02	0.022	0.09	13.0	15.5	0.62	220	0.60
I314576		0.75	24.9	2.48	5.46	0.05	0.03	0.04	0.024	0.05	10.7	11.4	0.54	376	0.62
I314577		0.91	19.4	2.45	5.97	0.05	0.03	0.03	0.022	0.04	9.9	12.3	0.49	273	0.82
I314578		0.59	19.3	2.63	4.42	0.05	0.04	0.03	0.021	0.05	10.4	10.0	0.56	1260	0.74
I314579		0.89	31.2	2.98	6.45	0.05	0.08	0.04	0.029	0.09	11.6	14.8	0.61	445	0.94
I314580		0.59	25.6	2.66	5.97	0.05	0.06	0.03	0.023	0.06	10.3	12.2	0.56	305	0.83
I314581		0.59	21.8	2.73	4.45	0.08	0.15	0.01	0.021	0.08	11.7	11.2	0.71	358	0.52
I314582		1.01	49.2	2.44	4.61	0.10	0.10	0.08	0.022	0.13	40.7	12.7	0.50	640	0.65
I314583		1.16	31.3	3.35	7.36	0.08	0.08	0.02	0.029	0.10	24.5	20.8	0.67	394	1.05
I314584		1.24	24.9	3.33	6.93	0.05	0.07	0.02	0.028	0.08	8.8	17.3	0.56	348	0.66
I314585		0.49	18.4	3.12	6.79	0.05	0.02	0.01	0.022	0.10	7.5	12.7	0.55	356	1.03
I314586		0.58	18.3	3.15	6.70	0.06	0.03	0.01	0.023	0.09	7.5	12.2	0.55	382	1.02
I314587		0.84	24.0	2.89	5.38	0.07	0.03	0.02	0.023	0.08	16.6	11.0	0.48	367	0.67
I314588		1.10	32.8	3.37	6.32	0.10	0.15	0.02	0.028	0.10	23.4	14.5	0.61	405	0.62
I314589		0.62	20.4	3.25	6.99	0.07	0.07	0.02	0.028	0.13	11.7	11.3	0.48	1140	0.73
I314590		0.89	23.5	2.46	6.64	0.06	<0.02	0.04	0.021	0.07	11.5	6.8	0.34	164	1.02
I314591		1.17	21.8	2.84	6.04	0.09	0.02	0.02	0.020	0.07	22.4	9.8	0.53	209	0.72
I314592		0.79	18.2	2.50	4.46	0.08	0.04	0.01	0.018	0.05	20.2	9.5	0.49	347	0.56
I314593		2.04	19.8	2.58	5.11	0.11	0.03	<0.01	0.019	0.10	16.9	12.6	0.44	380	0.48
I314594		1.21	30.7	2.23	4.56	0.11	0.06	0.05	0.020	0.07	17.9	11.3	0.42	352	0.67
I314595		0.18	4.5	1.67	1.09	0.06	0.06	<0.01	0.005	0.03	10.2	2.5	0.12	512	0.86
I314596		0.91	12.5	2.95	8.32	0.06	<0.02	0.02	0.025	0.04	11.9	9.8	0.34	138	0.89
I314597		1.02	11.4	3.92	10.70	0.06	<0.02	0.01	0.026	0.03	10.8	12.9	0.34	146	1.39
I314598		1.58	9.8	3.64	8.35	0.07	<0.02	0.01	0.025	0.05	9.3	13.7	0.31	189	1.50
I314599		0.61	13.5	2.03	6.65	<0.05	<0.02	0.01	0.014	0.04	7.8	10.4	0.49	159	0.59
I314600		1.02	27.1	2.98	11.40	0.07	0.02	0.02	0.024	0.06	11.5	7.9	0.32	207	1.42
I314601		0.68	20.2	2.44	5.63	0.06	0.04	0.01	0.019	0.04	12.3	13.4	0.54	196	0.58
I314602		0.93	6.3	1.70	8.03	0.05	<0.02	0.01	0.012	0.04	9.9	6.7	0.28	107	0.63
I314603		1.32	11.9	3.09	7.79	0.06	0.02	0.01	0.027	0.04	10.4	11.7	0.34	162	1.14
I314604		1.31	14.2	3.33	8.18	0.06	<0.02	0.01	0.028	0.04	10.0	13.9	0.30	209	1.10
I314605		1.19	16.1	3.18	7.03	0.07	<0.02	0.04	0.027	0.05	9.4	12.6	0.40	184	0.68
I314606		0.77	15.1	1.86	7.30	0.05	<0.02	0.02	0.020	0.03	11.6	5.1	0.19	101	0.56
I314607		1.45	11.4	3.29	9.10	0.05	<0.02	0.02	0.030	0.04	9.9	13.3	0.36	387	1.57
I314608		1.67	14.5	3.47	8.12	0.06	<0.02	0.02	0.031	0.04	10.6	15.6	0.39	263	1.49
I314609		1.13	9.2	2.60	7.37	0.06	<0.02	0.02	0.020	0.04	9.7	9.1	0.29	178	1.16
I314610		0.96	9.7	2.19	6.51	0.05	<0.02	0.01	0.015	0.04	9.2	13.4	0.41	198	0.64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I314571		0.30	16.2	780	2.2	4.8	0.002	0.18	0.30	1.1	1.9	<0.2	206	0.01	0.03	0.4
I314572		0.93	23.0	850	11.1	12.0	0.001	0.10	0.41	3.0	2.0	0.3	129.5	0.01	0.05	1.0
I314573		1.02	25.5	670	11.3	12.4	<0.001	0.07	0.36	3.4	1.5	0.4	95.7	<0.01	0.04	1.7
I314574		1.13	28.8	790	14.8	16.1	<0.001	0.05	0.27	5.1	1.6	0.4	70.4	0.01	0.05	2.3
I314575		1.28	25.0	600	11.1	13.1	<0.001	<0.01	0.20	4.0	0.5	0.5	26.3	<0.01	0.02	5.0
I314576		1.25	21.4	700	6.2	11.7	<0.001	0.02	0.40	4.1	1.1	0.5	52.6	<0.01	0.03	1.0
I314577		1.24	19.2	650	6.3	6.9	<0.001	0.01	0.32	3.6	0.8	0.5	35.1	<0.01	0.02	0.6
I314578		1.20	21.0	900	5.2	6.7	<0.001	0.02	0.43	4.0	0.9	0.4	46.0	<0.01	0.03	1.0
I314579		1.53	33.3	660	7.5	12.9	<0.001	<0.01	0.39	5.7	0.7	0.5	45.0	<0.01	0.03	2.2
I314580		1.55	21.9	590	6.6	9.1	<0.001	<0.01	0.37	4.6	0.8	0.5	40.6	<0.01	0.03	1.9
I314581		1.16	23.8	890	5.2	6.8	<0.001	<0.01	0.35	4.5	0.5	0.4	53.9	<0.01	0.02	3.3
I314582		1.03	35.4	690	7.0	15.8	<0.001	0.08	0.51	3.9	2.2	0.3	113.5	0.01	0.05	2.3
I314583		1.50	29.9	430	10.3	11.8	<0.001	<0.01	0.27	6.2	0.7	0.6	36.7	<0.01	0.03	6.3
I314584		1.49	27.4	240	10.7	15.1	<0.001	<0.01	0.26	5.0	0.4	0.5	37.0	<0.01	0.03	4.0
I314585		1.52	24.6	260	10.6	11.0	<0.001	<0.01	0.22	4.0	0.3	0.5	39.0	0.01	0.03	2.0
I314586		1.55	24.9	250	9.2	13.2	<0.001	0.01	0.23	4.0	0.3	0.5	37.6	0.01	0.02	2.1
I314587		1.15	27.1	420	11.3	16.5	<0.001	0.03	0.25	4.2	0.7	0.4	67.0	0.01	0.03	3.2
I314588		1.55	32.1	340	9.7	14.0	<0.001	<0.01	0.29	6.4	0.6	0.5	44.3	0.01	0.03	7.2
I314589		1.49	27.8	230	10.2	23.3	<0.001	<0.01	0.29	4.5	0.4	0.5	42.5	<0.01	0.03	3.9
I314590		1.35	20.7	280	8.4	18.2	<0.001	0.01	0.21	3.4	0.5	0.5	29.1	<0.01	0.02	2.0
I314591		1.21	26.5	400	8.2	14.6	<0.001	<0.01	0.21	4.0	0.4	0.4	25.4	0.01	0.02	3.2
I314592		0.89	24.0	500	6.3	9.2	<0.001	0.02	0.15	3.6	0.6	0.3	46.6	0.01	0.02	4.0
I314593		0.92	28.9	460	6.8	18.7	<0.001	0.01	0.12	3.9	0.5	0.3	51.7	<0.01	0.03	4.5
I314594		0.95	30.9	660	6.3	13.3	<0.001	0.08	0.28	3.7	1.0	0.3	114.5	0.02	0.03	2.0
I314595		0.41	12.3	430	3.2	3.9	<0.001	<0.01	0.39	1.4	0.3	<0.2	9.0	<0.01	0.01	2.6
I314596		1.51	15.1	500	11.1	7.6	<0.001	<0.01	0.39	3.3	0.6	0.6	14.7	0.01	0.03	1.1
I314597		2.10	12.0	420	12.4	7.8	<0.001	<0.01	0.51	2.9	0.3	0.8	12.9	<0.01	0.05	1.5
I314598		2.06	11.9	340	12.8	14.2	<0.001	<0.01	0.40	2.7	0.3	0.6	10.2	<0.01	0.03	2.1
I314599		1.24	14.5	290	8.4	6.6	<0.001	<0.01	0.22	2.4	0.3	0.4	20.9	<0.01	0.02	1.0
I314600		1.79	15.2	390	19.1	11.3	<0.001	0.01	0.36	3.1	0.6	0.7	28.7	<0.01	0.03	0.7
I314601		1.35	19.0	450	7.7	7.0	<0.001	<0.01	0.35	3.5	0.4	0.4	24.1	<0.01	0.02	3.0
I314602		0.92	7.5	360	8.7	11.1	<0.001	<0.01	0.21	1.2	0.3	0.6	17.2	<0.01	0.03	<0.2
I314603		2.15	14.9	320	11.3	10.1	<0.001	<0.01	0.44	3.4	0.4	0.7	12.9	<0.01	0.03	2.2
I314604		2.03	12.3	360	10.8	10.8	<0.001	0.01	0.34	3.1	0.4	0.7	13.7	0.01	0.03	2.1
I314605		1.61	17.5	300	11.2	9.9	<0.001	0.01	0.37	2.7	0.5	0.5	12.7	0.01	0.03	1.1
I314606		0.87	7.6	420	11.9	7.0	<0.001	<0.01	0.22	1.9	0.5	0.6	14.7	<0.01	0.03	0.3
I314607		1.69	15.6	360	10.7	13.1	<0.001	<0.01	0.24	3.3	0.3	0.7	18.8	<0.01	0.03	1.9
I314608		1.83	17.3	280	11.8	14.0	<0.001	<0.01	0.39	3.4	0.4	0.6	15.2	<0.01	0.04	2.1
I314609		1.62	11.1	220	10.9	9.7	<0.001	<0.01	0.29	2.5	0.3	0.6	12.4	<0.01	0.03	1.5
I314610		1.58	9.8	230	7.5	8.1	0.001	<0.01	0.23	2.6	0.3	0.5	11.7	<0.01	0.02	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I314571		0.011	0.05	0.40	13	<0.05	6.92	17
I314572		0.043	0.08	2.01	32	0.07	14.45	33
I314573		0.054	0.09	0.95	41	0.16	9.56	44
I314574		0.071	0.10	2.12	47	0.10	17.05	53
I314575		0.089	0.10	0.69	54	0.12	5.68	57
I314576		0.082	0.07	0.68	54	0.16	8.16	61
I314577		0.087	0.07	0.57	60	0.20	5.77	46
I314578		0.092	0.06	0.61	60	0.22	8.46	57
I314579		0.104	0.08	0.62	66	0.16	7.29	51
I314580		0.106	0.06	0.72	65	0.33	6.51	50
I314581		0.117	0.06	0.59	70	0.12	8.63	54
I314582		0.059	0.10	2.88	41	0.10	22.4	40
I314583		0.085	0.12	0.76	59	0.17	12.25	56
I314584		0.074	0.12	0.64	59	0.15	3.56	48
I314585		0.086	0.10	0.39	67	0.15	2.81	53
I314586		0.088	0.10	0.37	66	0.16	2.85	47
I314587		0.052	0.08	1.07	45	0.10	6.49	42
I314588		0.095	0.12	1.21	56	0.15	11.35	52
I314589		0.079	0.10	0.51	63	0.13	4.42	51
I314590		0.081	0.08	0.51	52	0.21	3.94	36
I314591		0.086	0.09	0.59	55	0.12	7.53	49
I314592		0.059	0.06	1.23	39	0.16	8.33	47
I314593		0.055	0.12	0.77	35	0.09	7.32	52
I314594		0.044	0.09	0.96	34	0.49	10.05	50
I314595		0.013	0.09	0.58	11	0.07	5.58	15
I314596		0.081	0.10	0.62	69	0.22	3.28	34
I314597		0.102	0.12	0.40	98	0.21	2.22	37
I314598		0.072	0.11	0.40	78	0.24	2.08	32
I314599		0.070	0.05	0.38	48	0.15	2.78	53
I314600		0.083	0.07	0.80	78	0.20	5.38	53
I314601		0.090	0.06	0.54	54	0.27	4.74	50
I314602		0.076	0.10	0.42	52	0.15	2.55	31
I314603		0.079	0.11	0.51	74	0.23	2.63	31
I314604		0.070	0.11	0.41	74	0.17	3.32	32
I314605		0.052	0.09	0.58	66	0.20	2.60	38
I314606		0.054	0.08	0.53	50	0.14	3.05	20
I314607		0.038	0.16	0.46	76	0.21	2.80	39
I314608		0.057	0.13	0.48	72	0.21	3.23	43
I314609		0.059	0.10	0.35	67	0.22	2.46	30
I314610		0.068	0.09	0.40	50	0.12	3.08	31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314611		0.24	<0.005	0.02	0.36	1.1	<0.2	<10	30	<0.05	0.06	0.03	0.03	8.22	0.5	3
I314612		0.24	<0.005	0.05	1.93	9.8	<0.2	<10	90	0.25	0.17	0.10	0.05	18.30	6.3	29
I314613		0.20	<0.005	0.24	2.81	11.5	<0.2	<10	200	0.75	0.19	0.11	0.09	17.30	9.8	37
I314614		0.20	<0.005	0.21	1.14	3.1	<0.2	<10	190	0.12	0.12	0.30	0.09	9.07	5.6	15
I314615		0.22	<0.005	0.10	1.66	8.1	<0.2	<10	150	0.26	0.18	0.12	0.05	18.00	5.3	26
I314616		0.22	<0.005	0.37	1.76	4.6	<0.2	<10	280	1.02	0.19	0.13	0.13	66.5	6.5	20
I314617		0.22	<0.005	0.10	2.15	9.0	<0.2	<10	140	0.30	0.16	0.10	0.06	19.30	6.9	28
I314618		0.30	<0.005	0.10	1.24	6.0	<0.2	<10	120	0.18	0.17	0.12	0.07	14.75	4.6	20
I314619		0.28	<0.005	0.23	1.41	7.0	<0.2	<10	170	0.35	0.17	0.13	0.28	19.40	8.1	26
I314620		0.32	<0.005	0.10	0.82	4.8	<0.2	<10	210	0.13	0.19	0.11	0.18	16.60	4.7	13
I314621		0.24	<0.005	0.11	0.85	13.9	<0.2	<10	100	0.27	0.26	0.14	0.32	42.0	5.1	13
I314622		0.26	<0.005	0.09	1.10	5.6	<0.2	<10	110	0.14	0.19	0.14	0.09	20.2	3.2	14
I314623		0.22	<0.005	0.23	1.66	8.3	<0.2	<10	190	0.60	0.24	0.16	0.27	20.1	11.7	23
I314624		0.24	<0.005	0.10	1.42	7.6	<0.2	<10	140	0.28	0.21	0.10	0.11	19.00	5.5	22
I314625		0.26	<0.005	0.05	1.41	4.2	<0.2	<10	140	0.30	0.14	0.12	0.08	25.9	6.7	18
I314626		0.22	0.005	0.70	1.66	4.3	<0.2	<10	430	0.98	0.23	0.24	0.79	44.5	20.4	24
I314627		0.28	NSS	0.02	0.21	7.4	<0.2	<10	60	0.28	0.03	0.36	0.19	25.8	8.4	6
I314628		0.18	0.020	2.66	2.77	13.5	<0.2	<10	1040	1.94	0.26	0.77	0.41	168.0	10.3	24
I314629		0.20	<0.005	0.27	1.88	3.7	<0.2	<10	250	0.60	0.16	0.55	0.09	34.9	10.5	22
I314630		0.26	<0.005	0.15	1.25	5.6	<0.2	<10	280	0.18	0.16	0.26	0.06	14.95	5.9	22
I314631		0.22	<0.005	0.26	1.88	5.9	<0.2	<10	370	0.63	0.19	0.47	0.08	43.4	12.1	27
I314632		0.22	<0.005	0.11	0.92	5.4	<0.2	<10	200	0.15	0.10	0.29	0.08	19.90	4.8	31
I314633		0.22	<0.005	0.36	1.57	6.1	<0.2	<10	400	0.42	0.18	0.42	0.13	28.3	10.9	28
I314634		0.20	<0.005	0.20	1.37	4.4	<0.2	<10	400	0.30	0.14	0.33	0.09	17.20	8.3	23
I314635		0.26	<0.005	0.25	1.67	4.9	<0.2	<10	510	0.36	0.13	0.37	0.07	21.8	9.5	44
I314636		0.24	<0.005	0.17	1.11	3.3	<0.2	<10	180	0.17	0.14	0.12	0.04	22.6	9.0	16
I314637		0.22	<0.005	0.16	1.12	3.2	<0.2	<10	180	0.16	0.13	0.12	0.04	20.0	7.9	16
I314638		0.20	<0.005	0.11	0.79	3.4	<0.2	<10	140	0.12	0.15	0.14	0.06	18.05	3.8	13
I314639		0.24	<0.005	0.16	1.72	3.8	<0.2	<10	200	0.21	0.13	0.22	0.03	20.7	9.5	26
I314640		0.18	<0.005	0.15	1.32	5.2	<0.2	<10	310	0.26	0.15	0.46	0.11	20.9	7.7	22
I314641		0.24	<0.005	0.08	1.61	6.0	<0.2	<10	320	0.32	0.14	0.36	0.06	26.1	8.6	30
I314642		0.26	<0.005	0.10	1.65	6.5	<0.2	<10	230	0.36	0.16	0.46	0.10	27.8	10.2	28
I314643		0.20	<0.005	0.06	1.61	6.2	<0.2	<10	320	0.36	0.15	0.52	0.24	22.9	9.5	26
I314644		0.32	<0.005	0.06	1.40	5.2	<0.2	<10	280	0.27	0.14	0.31	0.08	18.55	13.2	24
I314645		0.30	<0.005	0.03	1.58	5.9	<0.2	<10	230	0.27	0.12	0.23	0.05	15.50	10.8	23
I314646		0.24	<0.005	0.03	1.66	6.6	<0.2	<10	320	0.42	0.14	0.45	0.06	18.20	13.1	25
I314647		0.28	<0.005	0.07	1.79	5.2	<0.2	<10	320	0.42	0.13	0.76	0.06	25.5	10.9	26
I314648		0.30	<0.005	0.06	1.86	6.4	<0.2	<10	250	0.46	0.14	0.52	0.06	23.6	11.8	29
I314649		0.34	<0.005	0.03	2.09	8.3	<0.2	<10	120	0.50	0.17	0.16	0.05	22.2	9.1	28
I314650		0.36	<0.005	0.06	1.71	5.6	<0.2	<10	170	0.52	0.16	0.20	0.04	17.90	6.8	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314611		0.34	3.4	0.35	3.00	<0.05	<0.02	0.01	<0.005	0.02	4.5	0.8	0.03	29	0.22
I314612		1.03	13.2	3.44	7.98	0.07	0.03	0.02	0.025	0.03	10.2	14.5	0.38	222	0.97
I314613		2.21	16.1	3.69	7.99	0.07	0.16	0.04	0.036	0.05	8.3	24.4	0.46	356	1.30
I314614		0.83	8.7	1.90	6.18	<0.05	<0.02	0.04	0.013	0.05	5.0	7.3	0.42	308	0.69
I314615		1.02	10.9	2.84	7.68	0.06	<0.02	0.01	0.020	0.05	10.0	11.0	0.40	250	1.36
I314616		1.28	29.7	2.19	6.86	0.11	0.03	0.04	0.028	0.04	36.1	9.1	0.27	1100	1.42
I314617		1.07	14.1	3.52	7.38	0.06	0.04	0.02	0.025	0.05	10.5	17.0	0.39	226	4.41
I314618		0.64	7.8	2.41	6.72	0.05	<0.02	0.02	0.015	0.04	8.3	7.2	0.25	243	1.20
I314619		1.50	13.0	2.24	7.27	0.07	0.02	0.02	0.020	0.04	9.4	19.3	0.45	454	1.15
I314620		0.93	8.9	1.57	6.07	0.05	<0.02	0.01	0.012	0.03	9.1	5.6	0.16	1420	1.21
I314621		1.93	12.5	1.58	3.55	0.05	<0.02	0.02	0.022	0.06	21.5	6.8	0.22	217	1.84
I314622		0.82	6.0	1.54	5.60	<0.05	<0.02	0.01	0.012	0.03	10.6	7.3	0.22	182	0.83
I314623		0.97	15.1	2.53	7.69	0.05	0.02	0.03	0.026	0.03	10.1	11.8	0.28	1180	1.99
I314624		0.82	9.7	2.29	6.62	<0.05	<0.02	0.02	0.017	0.03	9.7	11.6	0.30	162	1.39
I314625		0.55	9.9	2.06	5.02	0.05	0.07	0.01	0.018	0.04	13.9	14.0	0.45	238	0.65
I314626		0.83	25.9	2.61	7.35	0.07	0.05	0.04	0.032	0.06	20.7	9.5	0.31	4880	1.52
I314627		0.20	4.9	1.76	1.24	0.05	0.10	0.01	0.006	0.03	12.8	3.1	0.15	633	1.16
I314628		1.95	70.7	3.24	10.05	0.41	0.25	0.08	0.050	0.13	217	22.4	0.39	1200	3.74
I314629		0.78	24.7	2.39	6.48	0.09	0.11	0.02	0.024	0.05	40.2	11.7	0.52	431	0.68
I314630		0.40	11.9	2.09	5.76	<0.05	0.04	0.01	0.016	0.07	7.8	9.1	0.40	174	1.05
I314631		0.71	28.9	2.78	6.15	0.19	0.16	0.03	0.030	0.12	88.3	12.3	0.45	2020	1.36
I314632		0.36	7.0	1.94	4.89	<0.05	0.02	0.01	0.011	0.14	9.0	7.8	0.36	353	1.12
I314633		0.73	24.1	2.51	6.28	0.09	0.08	0.03	0.025	0.10	29.6	8.9	0.36	1400	1.37
I314634		0.41	14.3	2.35	5.18	<0.05	0.04	0.03	0.019	0.11	8.2	8.7	0.33	1460	1.38
I314635		0.47	11.4	2.48	6.31	<0.05	<0.02	0.02	0.018	0.08	10.4	11.1	0.42	1300	1.55
I314636		0.61	8.3	2.02	5.82	<0.05	0.02	0.02	0.015	0.05	10.3	7.1	0.27	788	1.25
I314637		0.54	7.1	1.98	5.16	<0.05	0.02	0.02	0.014	0.05	9.2	7.3	0.28	720	1.12
I314638		0.20	8.5	1.64	4.86	<0.05	<0.02	0.02	0.012	0.05	9.0	4.5	0.18	320	1.17
I314639		1.26	18.9	2.78	6.38	0.06	0.04	0.03	0.016	0.15	10.2	13.9	0.71	406	1.25
I314640		0.59	20.0	1.98	5.21	<0.05	0.02	0.04	0.019	0.08	10.2	7.8	0.33	1280	1.11
I314641		0.45	20.6	2.40	5.85	0.06	0.06	0.02	0.022	0.07	13.5	10.9	0.46	427	0.72
I314642		0.49	20.0	2.49	5.40	0.06	0.11	0.04	0.022	0.10	13.5	13.5	0.53	332	0.86
I314643		0.53	19.3	2.49	4.98	0.06	0.05	0.03	0.022	0.07	11.7	11.4	0.45	382	1.13
I314644		0.49	12.2	2.46	5.35	0.05	0.11	0.02	0.019	0.11	7.9	11.3	0.52	588	0.81
I314645		0.52	14.4	2.53	6.18	0.05	0.04	0.01	0.017	0.07	7.7	16.0	0.74	239	0.92
I314646		0.54	17.3	2.59	6.44	0.06	0.14	0.02	0.022	0.10	8.6	13.7	0.66	552	0.82
I314647		0.40	27.2	2.52	5.59	0.05	0.11	0.03	0.020	0.06	12.1	10.1	0.52	623	0.63
I314648		0.54	21.9	2.58	5.93	0.05	0.28	0.02	0.025	0.05	11.5	10.7	0.51	312	0.59
I314649		1.22	13.6	3.25	9.31	0.06	0.07	0.02	0.028	0.05	8.9	21.0	0.39	177	1.17
I314650		1.36	14.6	2.69	7.41	<0.05	0.03	0.02	0.022	0.05	9.8	12.0	0.30	155	1.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314611		0.18	1.0	130	2.2	3.3	<0.001	<0.01	0.06	0.5	0.2	0.3	4.2	<0.01	0.01
I314612		1.96	14.0	310	9.5	9.3	<0.001	<0.01	0.37	3.6	0.4	0.6	10.5	0.01	0.03
I314613		2.77	18.1	420	11.6	15.5	<0.001	<0.01	0.42	4.3	0.4	0.8	11.0	0.01	0.05
I314614		1.05	7.9	490	5.9	13.1	<0.001	0.01	0.21	2.3	0.4	0.4	22.7	<0.01	0.03
I314615		1.87	14.7	400	7.8	12.6	<0.001	<0.01	0.32	2.7	0.3	0.6	12.2	<0.01	0.03
I314616		1.41	13.9	1120	13.8	12.2	0.001	0.01	0.24	3.7	0.9	0.6	18.1	0.01	0.04
I314617		1.76	15.6	410	8.5	13.5	<0.001	<0.01	0.38	3.2	0.4	0.5	12.4	<0.01	0.03
I314618		1.44	11.4	290	8.8	9.5	<0.001	<0.01	0.36	1.8	0.2	0.6	11.2	<0.01	0.02
I314619		1.66	14.1	240	10.1	17.4	<0.001	<0.01	0.23	3.2	0.2	0.7	17.6	<0.01	0.04
I314620		1.14	7.2	240	7.8	10.7	<0.001	<0.01	0.21	2.0	0.2	0.5	15.9	<0.01	0.02
I314621		0.54	13.4	370	10.7	8.8	<0.001	<0.01	0.45	1.6	0.6	0.3	18.7	<0.01	0.03
I314622		0.60	7.2	340	7.3	6.4	<0.001	<0.01	0.18	1.4	0.3	0.5	13.7	<0.01	0.02
I314623		1.25	15.4	400	13.2	7.0	<0.001	<0.01	0.40	2.8	0.6	0.7	18.2	<0.01	0.05
I314624		1.29	12.1	200	12.4	6.7	<0.001	<0.01	0.35	2.2	0.5	0.6	15.0	<0.01	0.03
I314625		0.81	11.5	140	7.6	6.6	<0.001	<0.01	0.24	2.7	0.3	0.4	13.3	<0.01	0.02
I314626		1.26	21.4	1060	11.1	10.5	<0.001	0.01	0.30	4.8	0.8	0.6	30.9	<0.01	0.05
I314627		0.59	14.9	510	3.8	3.9	<0.001	<0.01	0.47	1.7	0.3	0.2	11.0	<0.01	0.01
I314628		0.96	32.8	780	10.6	14.1	0.003	0.02	0.40	15.1	3.9	0.6	78.8	0.03	0.07
I314629		1.73	14.7	210	8.0	8.1	<0.001	0.01	0.28	5.0	1.1	0.6	33.1	0.01	0.03
I314630		1.19	11.5	190	6.8	11.6	<0.001	0.01	0.28	2.9	0.4	0.5	17.0	<0.01	0.02
I314631		1.43	17.5	230	8.6	25.3	<0.001	<0.01	0.44	6.8	1.2	0.5	25.9	0.01	0.04
I314632		0.90	10.1	210	4.8	14.1	<0.001	<0.01	0.24	2.7	0.3	0.4	14.3	<0.01	0.02
I314633		1.49	20.6	300	8.6	17.8	<0.001	0.01	0.45	4.9	0.8	0.5	26.3	<0.01	0.03
I314634		1.21	14.3	270	6.6	13.0	<0.001	<0.01	0.31	3.4	0.4	0.5	21.9	<0.01	0.03
I314635		1.16	18.0	360	7.2	10.0	<0.001	0.01	0.27	3.6	0.5	0.5	21.6	<0.01	0.03
I314636		1.19	8.4	240	6.0	8.9	<0.001	<0.01	0.22	2.9	0.4	0.5	11.5	<0.01	0.02
I314637		1.06	7.5	230	5.5	8.3	<0.001	<0.01	0.21	2.7	0.4	0.5	10.5	<0.01	0.03
I314638		1.10	7.9	210	5.9	4.0	<0.001	<0.01	0.28	2.0	0.3	0.5	11.5	<0.01	0.02
I314639		1.29	13.3	230	5.9	26.7	<0.001	<0.01	0.30	4.5	0.4	0.5	16.9	<0.01	0.04
I314640		1.16	15.6	360	6.3	18.4	<0.001	0.01	0.35	3.4	0.6	0.5	29.0	<0.01	0.03
I314641		1.39	17.2	210	6.4	8.5	<0.001	<0.01	0.38	4.7	0.7	0.5	26.6	<0.01	0.03
I314642		1.54	17.2	460	8.0	10.1	<0.001	0.01	0.53	4.9	0.6	0.5	30.3	<0.01	0.03
I314643		1.19	15.6	600	7.1	9.1	<0.001	0.02	0.47	4.2	1.2	0.4	29.6	<0.01	0.03
I314644		1.70	15.2	260	7.1	19.4	<0.001	<0.01	0.39	4.1	0.4	0.5	21.0	<0.01	0.02
I314645		1.67	13.7	350	6.8	8.9	<0.001	<0.01	0.34	3.4	0.3	0.5	20.7	<0.01	0.03
I314646		1.81	17.3	330	7.7	12.4	<0.001	<0.01	0.41	5.0	0.4	0.5	28.9	<0.01	0.03
I314647		1.50	16.2	270	6.6	7.4	0.001	0.01	0.42	4.6	0.8	0.4	38.4	<0.01	0.03
I314648		1.56	17.5	210	7.1	7.6	<0.001	<0.01	0.38	6.1	1.0	0.5	33.3	<0.01	0.03
I314649		1.60	16.9	180	16.2	12.3	<0.001	<0.01	0.56	3.8	0.4	1.4	19.0	<0.01	0.03
I314650		1.19	12.6	190	13.0	14.0	<0.001	<0.01	0.31	3.5	0.4	0.9	19.7	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314611		0.022	0.02	0.15	11	<0.05	1.99	4	<0.5
I314612		0.082	0.09	0.40	80	0.19	2.92	34	2.3
I314613		0.094	0.13	0.50	77	0.21	3.39	55	5.2
I314614		0.086	0.07	0.26	50	0.15	1.88	25	0.5
I314615		0.067	0.09	0.32	69	0.20	2.10	33	1.3
I314616		0.056	0.11	1.18	46	0.17	14.15	22	0.7
I314617		0.057	0.10	0.40	64	0.17	2.86	37	2.6
I314618		0.067	0.08	0.24	67	0.27	1.46	22	0.5
I314619		0.059	0.11	0.30	63	0.15	2.59	50	<0.5
I314620		0.054	0.10	0.26	48	0.15	1.76	44	0.6
I314621		0.024	0.08	0.42	30	0.17	3.87	53	<0.5
I314622		0.032	0.09	0.24	41	0.11	1.66	29	<0.5
I314623		0.036	0.12	0.49	62	0.16	2.93	36	0.5
I314624		0.048	0.09	0.38	59	0.14	2.03	31	<0.5
I314625		0.031	0.06	0.35	43	0.08	2.42	42	2.4
I314626		0.050	0.09	0.66	56	0.14	10.50	84	1.5
I314627		0.018	0.12	0.68	13	0.06	6.77	17	4.7
I314628		0.014	0.08	4.07	57	0.18	161.5	52	3.4
I314629		0.053	0.06	0.79	58	0.10	35.5	36	3.2
I314630		0.058	0.07	0.28	56	0.25	2.26	29	1.5
I314631		0.068	0.09	0.86	56	0.12	47.8	47	3.8
I314632		0.048	0.05	0.25	37	0.10	2.52	29	0.7
I314633		0.067	0.07	0.52	54	0.14	17.95	32	2.5
I314634		0.056	0.07	0.29	48	0.11	3.13	32	1.3
I314635		0.047	0.08	0.29	54	0.13	2.49	31	0.5
I314636		0.056	0.08	0.25	46	0.11	1.95	26	0.7
I314637		0.052	0.06	0.22	45	0.10	1.82	26	0.7
I314638		0.054	0.05	0.23	44	0.11	1.70	24	0.5
I314639		0.113	0.08	0.22	57	0.10	2.09	33	1.8
I314640		0.063	0.05	0.35	46	0.13	2.93	28	1.0
I314641		0.075	0.05	0.47	56	0.25	4.67	35	2.5
I314642		0.096	0.05	0.47	55	0.14	5.84	53	4.0
I314643		0.076	0.05	0.65	51	0.13	6.39	51	1.8
I314644		0.088	0.07	0.31	56	0.12	2.40	46	3.8
I314645		0.098	0.06	0.34	58	0.12	2.21	44	1.6
I314646		0.094	0.07	0.38	60	0.13	2.89	43	4.7
I314647		0.084	0.04	0.49	60	0.12	6.79	37	4.3
I314648		0.099	0.06	0.91	61	0.12	6.32	38	10.6
I314649		0.047	0.12	0.67	64	0.14	3.47	40	2.8
I314650		0.060	0.11	0.58	61	0.08	3.38	36	1.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 3-SEP-2010
Account: EIASQI

CERTIFICATE WH10113880

Project: SQI10-06

P.O. No.: SQI10-06_20

This report is for 275 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
LOG-24	Pulp Login - Rcd w/o Barcode
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I031901		<0.005	0.13	1.74	6.0	<0.2	<10	170	0.44	0.12	4.53	0.30	22.1	7.2	24	0.69
I031902		<0.005	0.12	1.56	8.9	<0.2	<10	300	0.45	0.15	1.70	0.29	27.7	9.8	27	0.40
I031903		0.042	0.33	1.83	7.7	<0.2	<10	1180	0.76	0.19	1.20	0.20	93.8	10.2	22	0.62
I031904		0.005	0.41	1.42	3.8	<0.2	<10	670	0.41	0.95	0.68	0.32	32.0	7.1	19	0.42
I031905		<0.005	0.11	0.80	1.1	<0.2	<10	380	0.16	0.38	0.42	0.33	15.10	2.6	11	0.36
I031906		<0.005	0.09	1.49	4.5	<0.2	<10	300	0.29	0.40	0.40	0.06	21.6	5.7	18	0.23
I031907		<0.005	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I031908		<0.005	0.12	1.04	5.4	<0.2	<10	690	0.44	0.16	2.44	0.13	25.2	5.9	17	0.32
I031909		<0.005	0.23	1.78	4.8	<0.2	<10	1720	1.46	0.69	1.05	0.95	92.0	10.6	23	0.61
I031910		<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	1.01	0.1	<1	<0.05
I031911		0.005	0.15	1.50	4.7	<0.2	<10	630	0.76	0.42	1.95	0.39	43.9	10.0	26	0.79
I031912		<0.005	0.13	1.54	6.8	<0.2	<10	320	0.54	0.27	0.43	0.29	41.9	8.6	21	0.68
I031913		<0.005	0.10	1.28	6.8	<0.2	<10	440	0.53	0.27	1.31	0.44	39.9	8.2	22	0.47
I031914		<0.005	0.10	1.17	5.5	<0.2	<10	460	0.50	0.21	1.74	0.38	30.4	9.7	19	0.32
I031915		<0.005	0.13	1.27	6.0	<0.2	<10	390	0.40	0.14	1.33	0.21	20.3	7.3	23	0.30
I031916		<0.005	0.13	1.43	7.7	<0.2	<10	320	0.42	0.15	0.83	0.24	22.9	8.8	26	0.38
I031917		<0.005	0.10	0.98	6.2	<0.2	<10	360	0.38	0.12	2.36	0.46	19.70	8.9	18	0.33
I031918		0.010	0.13	1.43	8.6	<0.2	<10	290	0.46	0.19	1.05	0.19	27.9	10.3	26	0.45
I031919		<0.005	0.11	1.30	8.2	<0.2	<10	320	0.35	0.16	1.70	0.28	23.1	9.7	26	0.52
I031920		<0.005	0.09	1.06	6.7	<0.2	<10	190	0.32	0.11	0.95	0.18	20.2	7.8	23	0.36
I031921		<0.005	0.10	1.16	7.4	<0.2	<10	220	0.36	0.13	0.88	0.16	23.1	8.6	25	0.41
I031922		0.014	0.04	1.79	8.5	<0.2	<10	190	0.38	0.16	0.17	0.13	16.75	8.0	30	0.59
I031923		<0.005	0.32	1.67	6.4	<0.2	<10	220	0.70	0.38	0.19	0.24	29.4	6.1	24	4.59
I031924		<0.005	0.18	1.66	8.0	<0.2	<10	230	0.52	0.26	0.22	0.17	32.4	6.1	27	2.37
I031925		<0.005	0.18	1.47	7.0	<0.2	<10	290	1.00	0.27	0.16	0.14	66.1	8.1	22	3.37
I031926		0.006	0.25	1.68	9.4	<0.2	<10	170	0.54	0.34	0.17	0.23	25.0	6.5	28	3.64
I031927		<0.005	0.09	2.13	9.2	<0.2	<10	150	0.67	0.37	0.14	0.07	21.6	6.0	29	5.32
I031928		<0.005	0.22	1.68	8.2	<0.2	<10	230	1.01	0.33	0.22	0.13	32.8	6.0	25	3.36
I031929		<0.005	0.13	1.61	7.3	<0.2	<10	150	1.43	0.59	0.70	0.17	24.8	6.4	26	7.48
I031930		<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	1.09	0.1	<1	<0.05
I031931		<0.005	0.15	1.03	3.6	<0.2	<10	140	0.86	0.40	0.24	0.29	21.0	2.0	15	4.74
I031932		<0.005	0.09	2.11	8.5	<0.2	<10	240	0.50	0.28	0.16	0.11	24.5	15.9	31	1.94
I031933		<0.005	0.04	2.22	11.0	<0.2	<10	200	0.53	0.23	0.14	0.10	20.1	10.1	35	1.89
I031934		<0.005	0.12	1.52	11.3	<0.2	<10	110	0.22	0.17	0.19	0.05	15.30	7.0	23	1.61
I031935		<0.005	0.04	1.96	11.8	<0.2	<10	120	0.38	0.23	0.11	0.08	24.0	6.3	34	1.64
I031936		<0.005	0.05	2.05	11.8	<0.2	<10	160	0.41	0.21	0.13	0.05	22.5	8.1	32	1.56
I031937		<0.005	0.12	2.12	9.1	<0.2	<10	160	0.41	0.22	0.13	0.07	19.70	7.9	34	2.32
I031938		<0.005	0.17	2.13	14.2	<0.2	<10	200	0.54	0.13	0.34	0.15	22.9	10.7	48	5.62
I031939		<0.005	0.40	1.74	6.1	<0.2	<10	180	0.39	0.15	0.32	0.05	21.0	7.8	25	3.37
I031940		<0.005	0.16	2.61	9.7	<0.2	<10	190	0.38	0.22	0.27	0.18	16.30	9.5	27	4.46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I031901		25.3	1.94	4.72	0.07	0.19	0.05	0.020	0.05	11.8	13.4	1.44	278	0.65	0.02
I031902		32.1	2.27	4.79	0.07	0.15	0.06	0.023	0.04	14.5	10.7	0.57	448	0.33	0.02
I031903		41.3	2.36	5.08	0.12	0.12	0.08	0.027	0.08	48.1	8.8	0.37	532	1.01	0.04
I031904		47.9	1.94	5.27	0.07	0.06	0.07	0.027	0.08	25.8	9.8	0.40	374	2.03	0.02
I031905		18.6	0.98	4.46	<0.05	0.03	0.02	0.012	0.07	7.9	3.6	0.14	790	2.00	0.01
I031906		18.7	2.14	5.16	<0.05	0.09	0.02	0.023	0.11	11.7	9.5	0.33	235	1.26	0.01
I031907		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I031908		20.4	1.69	3.33	0.06	0.03	0.04	0.016	0.06	13.1	7.3	0.31	272	0.67	0.02
I031909		109.5	2.65	5.87	0.26	0.13	0.06	0.037	0.08	104.0	7.5	0.36	1120	0.97	0.03
I031910		0.6	0.02	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	<0.1	<0.01	<5	<0.05	<0.01
I031911		42.7	2.80	5.03	0.12	0.08	0.08	0.032	0.13	30.8	11.8	0.69	408	0.79	0.02
I031912		16.7	2.60	5.77	0.07	0.04	0.02	0.025	0.11	19.8	8.6	0.40	434	1.05	0.02
I031913		28.6	2.36	4.71	0.08	0.05	0.02	0.022	0.12	21.0	9.2	0.43	386	0.83	0.02
I031914		23.0	2.11	4.04	0.07	0.02	0.02	0.020	0.09	14.0	6.6	0.37	499	0.70	0.02
I031915		19.1	2.08	4.14	0.05	0.04	0.02	0.020	0.03	9.7	7.8	0.41	299	0.62	0.02
I031916		18.1	2.48	4.65	0.07	0.05	0.01	0.021	0.04	10.6	9.7	0.51	398	0.90	0.03
I031917		25.7	1.71	3.21	0.06	0.06	0.04	0.016	0.05	9.8	6.5	0.40	903	0.93	0.03
I031918		24.7	2.62	4.68	0.07	0.07	0.03	0.022	0.07	13.0	10.5	0.55	426	1.24	0.03
I031919		18.6	2.24	4.32	0.06	0.05	0.04	0.022	0.06	10.1	9.4	0.56	536	1.03	0.03
I031920		17.1	2.09	3.58	0.06	0.05	0.02	0.016	0.04	9.8	7.8	0.47	317	0.99	0.03
I031921		20.8	2.26	3.93	0.07	0.06	0.02	0.019	0.04	10.9	8.7	0.50	322	1.08	0.03
I031922		12.9	2.56	5.52	<0.05	0.02	0.01	0.023	0.04	7.9	11.2	0.36	164	1.00	0.01
I031923		21.7	2.38	9.28	0.06	<0.02	0.02	0.027	0.06	16.0	7.7	0.31	203	1.76	0.01
I031924		14.4	2.44	7.84	0.07	<0.02	0.04	0.022	0.05	18.3	9.2	0.34	201	1.17	0.01
I031925		13.3	2.87	7.81	0.10	<0.02	0.03	0.021	0.07	43.4	9.0	0.22	1260	1.27	0.01
I031926		14.2	2.82	7.31	0.06	<0.02	0.05	0.023	0.07	11.6	11.2	0.35	219	1.45	0.01
I031927		11.0	2.98	8.75	0.06	0.03	0.02	0.029	0.04	10.5	15.4	0.38	177	1.08	0.01
I031928		14.9	2.35	7.78	0.07	<0.02	0.04	0.023	0.06	19.9	9.1	0.31	179	1.55	0.01
I031929		18.1	2.13	6.59	0.06	0.06	0.03	0.028	0.07	13.7	16.8	0.38	262	2.29	0.01
I031930		0.6	0.02	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	<0.1	<0.01	<5	<0.05	<0.01
I031931		15.3	1.30	5.34	<0.05	<0.02	0.06	0.025	0.05	11.3	3.5	0.11	107	1.01	0.02
I031932		16.6	3.09	8.43	0.06	0.05	0.03	0.029	0.04	10.7	12.8	0.33	2100	1.94	0.01
I031933		16.9	3.25	6.80	0.06	0.09	0.03	0.031	0.04	9.5	14.9	0.47	305	1.23	0.01
I031934		15.5	2.51	7.76	0.05	<0.02	0.04	0.018	0.04	7.4	10.8	0.44	185	0.89	0.02
I031935		13.0	3.53	7.15	0.07	<0.02	0.02	0.030	0.04	11.1	15.2	0.34	191	1.45	0.01
I031936		13.9	3.17	7.53	0.07	0.03	0.01	0.029	0.04	11.0	14.5	0.43	209	1.22	0.01
I031937		14.1	3.21	7.86	0.06	0.10	0.02	0.029	0.05	9.5	15.1	0.38	254	1.44	0.01
I031938		17.0	3.21	8.86	0.07	<0.02	0.03	0.018	0.07	11.2	23.5	0.89	567	1.39	0.01
I031939		32.4	2.42	5.91	0.06	0.03	0.03	0.022	0.04	10.4	17.8	0.53	193	1.71	0.01
I031940		85.9	4.02	10.45	0.07	0.02	0.02	0.031	0.28	7.9	18.3	0.97	369	1.82	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
I031901		21.1	620	9.6	7.8	<0.001	0.04	0.69	4.2	0.9	0.4	61.4	<0.01	0.01	1.8
I031902		26.6	610	8.0	6.8	<0.001	0.04	0.74	4.2	1.0	0.4	41.3	<0.01	0.02	1.8
I031903		23.4	540	8.5	11.0	<0.001	0.04	0.99	6.7	1.3	0.4	48.7	0.01	0.02	3.9
I031904		11.5	440	24.7	11.6	0.001	0.03	1.78	4.1	0.7	0.6	35.5	<0.01	0.07	3.8
I031905		6.0	200	8.5	7.3	<0.001	0.03	0.44	2.3	0.3	0.5	27.6	<0.01	0.02	1.7
I031906		11.1	300	10.4	8.3	<0.001	0.03	0.60	3.2	0.4	0.6	24.0	<0.01	0.03	3.3
I031907		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I031908		12.1	560	8.3	5.9	0.001	0.07	0.46	2.2	1.1	0.3	75.2	0.01	0.02	1.5
I031909		26.0	470	32.3	10.1	0.002	0.02	1.98	6.8	2.4	0.7	40.3	0.02	0.04	7.2
I031910		<0.2	10	0.6	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.3
I031911		17.6	810	17.3	13.7	0.001	0.05	2.46	4.9	1.5	0.6	50.0	0.01	0.03	2.9
I031912		14.1	220	22.7	13.2	<0.001	0.01	0.43	3.6	0.6	0.8	23.1	<0.01	0.02	6.4
I031913		17.2	570	14.8	13.1	<0.001	0.04	0.90	3.6	1.2	0.5	42.7	0.01	0.03	3.4
I031914		13.8	660	9.2	9.8	<0.001	0.04	0.91	2.7	1.1	0.4	52.0	<0.01	0.03	1.3
I031915		17.2	560	6.4	3.8	0.001	0.04	0.61	3.1	1.2	0.4	51.8	<0.01	0.03	1.3
I031916		20.9	620	6.8	4.8	<0.001	0.02	0.53	3.6	0.8	0.4	47.4	<0.01	0.03	1.7
I031917		19.2	890	5.0	5.9	0.001	0.09	0.89	2.2	1.3	0.3	83.0	<0.01	0.04	0.7
I031918		20.0	740	8.3	7.4	0.001	0.03	0.73	4.2	0.8	0.4	48.7	<0.01	0.03	2.7
I031919		18.0	860	7.0	6.1	0.001	0.07	0.78	3.4	1.1	0.4	73.7	<0.01	0.03	1.1
I031920		17.1	740	5.0	4.1	0.001	0.03	0.53	3.0	0.7	0.3	47.6	<0.01	0.02	1.5
I031921		18.5	750	5.7	4.8	<0.001	0.03	0.61	3.6	0.9	0.4	46.3	<0.01	0.02	1.8
I031922		18.9	150	7.7	7.1	<0.001	0.01	0.47	2.9	0.3	0.5	14.5	<0.01	0.02	2.5
I031923		13.3	570	19.6	23.4	<0.001	0.01	0.39	3.2	0.6	1.2	21.5	<0.01	0.03	1.0
I031924		14.3	530	10.9	12.0	<0.001	0.02	0.40	3.1	0.6	0.8	22.5	<0.01	0.02	1.2
I031925		10.4	440	11.9	22.0	<0.001	0.01	0.40	3.1	0.7	0.7	14.7	<0.01	0.03	3.8
I031926		14.4	400	13.9	23.0	<0.001	0.02	0.46	2.7	0.6	0.7	17.2	<0.01	0.03	1.4
I031927		13.9	210	14.1	14.7	<0.001	0.01	0.34	3.7	0.4	1.1	14.4	<0.01	0.03	3.7
I031928		12.4	360	14.2	14.5	<0.001	0.02	0.39	3.7	0.7	1.0	21.6	<0.01	0.03	3.5
I031929		14.3	480	14.6	23.7	<0.001	0.03	0.33	3.5	1.0	1.3	49.5	0.01	0.02	4.1
I031930		<0.2	10	0.4	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.3
I031931		5.3	510	25.5	9.1	<0.001	0.02	0.20	1.1	0.8	1.0	20.3	<0.01	0.02	0.2
I031932		15.3	240	12.2	11.4	<0.001	0.01	0.51	4.1	0.6	0.8	16.1	<0.01	0.03	3.1
I031933		21.4	290	11.0	10.7	<0.001	0.01	0.56	3.7	0.5	0.6	14.2	<0.01	0.03	3.7
I031934		11.7	410	7.0	6.1	<0.001	0.02	0.45	3.4	0.6	0.6	14.9	<0.01	0.03	0.8
I031935		12.7	420	11.2	11.7	<0.001	0.01	0.64	3.3	0.7	0.6	11.7	0.01	0.04	3.4
I031936		16.8	240	10.1	9.2	<0.001	0.01	0.51	3.6	0.4	0.7	14.1	<0.01	0.03	3.8
I031937		15.2	230	9.9	11.6	<0.001	0.01	0.44	3.4	0.3	0.7	12.1	<0.01	0.03	3.3
I031938		21.6	530	11.0	17.6	<0.001	0.01	0.37	3.6	0.5	0.5	21.3	<0.01	0.02	1.0
I031939		15.8	500	7.9	8.5	<0.001	0.01	0.37	3.6	0.5	0.5	21.3	<0.01	0.03	2.6
I031940		15.5	840	10.7	28.9	<0.001	0.01	0.35	4.0	0.5	1.3	19.2	<0.01	0.09	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I031901		0.06	0.81	44	0.27	10.25	56	8.6	0.26
I031902		0.05	0.55	50	0.16	12.15	50	6.5	0.32
I031903		0.07	1.52	47	0.19	40.4	42	4.4	0.32
I031904		0.07	0.86	44	0.16	14.25	53	1.7	0.24
I031905		0.07	0.40	27	0.11	2.45	76	1.2	0.12
I031906		0.06	0.59	45	0.16	4.28	42	3.1	0.22
I031907		NSS	NSS	NSS	NSS	NSS	NSS	NSS	0.20
I031908		0.04	1.02	28	0.20	10.15	34	1.8	0.38
I031909		0.08	1.12	42	0.22	66.5	64	3.0	0.24
I031910		<0.02	0.10	<1	<0.05	0.60	2	0.6	0.10
I031911		0.09	1.37	46	0.17	28.4	63	3.0	0.34
I031912		0.09	0.91	49	0.27	6.21	54	1.9	0.28
I031913		0.05	1.59	46	0.76	13.55	57	2.2	0.28
I031914		0.04	0.96	42	0.18	8.48	61	1.4	0.28
I031915		0.04	1.47	46	0.16	6.13	39	2.0	0.48
I031916		0.04	1.02	55	0.14	6.97	50	2.2	0.34
I031917		0.04	1.64	37	0.15	8.33	52	2.7	0.28
I031918		0.05	1.12	53	0.39	8.87	57	3.6	0.44
I031919		0.06	1.35	49	0.18	6.98	63	2.5	0.22
I031920		0.04	0.69	47	0.14	6.06	41	2.5	0.38
I031921		0.04	0.78	50	0.26	7.48	43	2.8	0.40
I031922		0.07	0.33	61	0.20	2.10	58	1.8	0.42
I031923		0.15	1.08	60	0.24	6.80	40	0.9	0.28
I031924		0.12	0.66	59	0.25	6.44	41	0.7	0.30
I031925		0.12	0.78	65	0.20	8.78	39	0.9	0.38
I031926		0.11	0.66	64	0.23	4.10	37	0.7	0.34
I031927		0.16	0.85	69	0.20	4.78	40	1.7	0.46
I031928		0.13	1.00	60	0.25	8.42	38	1.0	0.30
I031929		0.13	7.40	46	0.24	19.20	43	1.9	0.32
I031930		<0.02	0.13	<1	<0.05	0.64	<2	0.6	0.10
I031931		0.10	2.68	25	0.14	10.20	16	<0.5	0.24
I031932		0.16	0.57	77	0.22	3.02	34	2.9	0.34
I031933		0.11	0.80	68	0.23	2.83	51	4.1	0.36
I031934		0.09	0.38	77	0.20	2.46	33	0.8	0.40
I031935		0.11	0.65	69	0.30	2.88	37	1.1	0.44
I031936		0.12	0.58	70	0.21	2.99	42	2.4	0.52
I031937		0.12	0.46	72	0.18	2.32	39	4.8	0.42
I031938		0.09	0.62	63	0.18	5.15	61	0.5	0.46
I031939		0.09	0.55	50	0.15	4.66	52	1.8	0.34
I031940		0.27	0.46	104	0.31	2.72	125	1.4	0.40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I031941		<0.005	0.16	2.43	9.6	<0.2	<10	180	0.35	0.22	0.24	0.18	16.65	9.2	27	4.06
I031942		<0.005	0.14	1.67	8.7	<0.2	<10	140	0.24	0.21	0.15	0.12	18.50	6.0	25	1.22
I031943		<0.005	0.12	1.52	6.2	<0.2	<10	140	0.25	0.13	0.24	0.11	19.70	7.1	27	1.25
I031944		<0.005	0.05	2.43	10.1	<0.2	<10	180	0.38	0.18	0.12	0.18	20.2	10.8	36	2.79
I031945		<0.005	0.12	2.33	10.9	<0.2	<10	190	0.72	0.43	0.11	0.13	22.2	12.5	38	2.83
I031946		<0.005	0.04	2.16	14.5	<0.2	<10	160	0.45	0.22	0.14	0.10	27.5	13.6	31	3.48
I031947		<0.005	0.07	2.43	11.3	<0.2	<10	170	0.40	0.23	0.11	0.07	26.8	9.2	36	1.97
I031948		<0.005	0.08	2.07	8.0	<0.2	<10	150	0.32	0.14	0.14	0.14	27.4	7.3	19	3.44
I031949		<0.005	0.05	2.68	18.5	<0.2	<10	90	0.29	0.19	0.10	0.10	15.10	11.5	22	4.33
I031950		<0.005	<0.01	0.01	0.1	<0.2	<10	10	<0.05	<0.01	<0.01	0.01	1.21	0.2	1	0.05
I031951		<0.005	0.03	2.09	5.7	<0.2	<10	180	0.37	0.15	0.31	0.05	16.60	7.9	27	1.08
I031952		<0.005	0.05	2.23	6.1	<0.2	<10	230	0.44	0.15	0.36	0.07	20.0	9.5	27	0.98
I031953		<0.005	0.05	1.87	4.8	<0.2	<10	160	0.28	0.14	0.35	0.07	15.10	5.5	29	0.79
I031954		<0.005	0.06	1.75	4.9	<0.2	<10	140	0.26	0.12	0.24	0.05	15.05	5.8	25	0.85
I031955		<0.005	0.04	2.29	4.9	<0.2	<10	230	0.43	0.12	0.67	0.07	14.80	9.4	24	0.85
I031956		<0.005	0.08	1.93	6.4	<0.2	<10	200	0.44	0.12	1.04	0.07	25.0	7.9	25	0.59
I031957		<0.005	0.07	1.38	5.1	<0.2	<10	210	0.52	0.12	0.78	0.10	29.8	6.4	20	0.39
I031958		<0.005	0.08	1.82	9.2	<0.2	<10	130	0.27	0.15	0.10	0.05	15.20	6.6	24	0.79
I031959		<0.005	0.14	1.97	6.5	<0.2	<10	150	0.35	0.16	0.09	0.04	15.10	6.3	26	0.91
I031960		<0.005	0.20	1.95	7.3	<0.2	<10	170	0.41	0.16	0.10	0.04	15.75	6.8	29	0.85
I031961		<0.005	0.08	1.75	7.4	<0.2	<10	140	0.26	0.12	0.08	0.04	14.70	5.8	24	0.72
I031962		<0.005	0.06	1.65	8.2	<0.2	<10	160	0.24	0.14	0.14	0.05	15.65	6.6	24	0.61
I031963		<0.005	0.14	1.36	6.3	<0.2	<10	160	0.37	0.19	0.11	0.07	23.6	4.5	23	0.65
I031964		<0.005	0.05	1.60	5.4	<0.2	<10	300	0.19	0.13	0.23	0.08	10.90	11.9	34	0.84
I031965		<0.005	0.04	2.16	5.5	<0.2	<10	230	0.42	0.17	0.52	0.07	19.60	11.0	32	0.83
I031966		<0.005	0.07	2.77	8.0	<0.2	<10	280	0.83	0.20	0.56	0.13	36.9	11.8	52	0.74
I031967		<0.005	0.03	2.38	3.9	<0.2	<10	240	0.56	0.22	0.34	0.06	46.7	9.7	21	1.05
I031968		<0.005	0.11	1.62	6.4	<0.2	<10	190	0.21	0.18	0.09	0.13	17.75	6.1	25	0.45
I031969		<0.005	0.13	1.65	3.1	<0.2	<10	410	0.25	0.16	0.33	0.36	19.80	8.8	21	0.45
I031970		<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	<0.01	0.01	1.09	0.2	<1	<0.05
I031971		<0.005	0.14	1.50	5.2	<0.2	<10	480	0.32	0.16	0.32	0.12	22.2	7.2	24	0.35
I031972		<0.005	0.19	1.82	3.3	<0.2	<10	470	0.39	0.19	0.46	0.25	27.1	10.4	85	0.54
I031973		<0.005	0.31	1.51	3.6	<0.2	<10	780	0.40	0.19	0.41	0.56	24.2	10.1	22	0.51
I031974		<0.005	0.19	1.71	4.7	<0.2	<10	470	0.57	0.21	0.42	0.09	27.2	10.0	29	0.34
I031975		<0.005	0.09	1.64	7.6	<0.2	<10	270	0.35	0.17	0.32	0.12	19.05	8.5	29	0.41
I031976		<0.005	0.07	1.51	3.7	<0.2	<10	200	0.31	0.15	0.20	0.12	18.55	6.2	24	0.42
I031977		<0.005	0.11	1.60	5.2	<0.2	<10	480	0.43	0.19	0.34	0.11	24.3	8.7	28	0.40
I031978		<0.005	0.06	1.34	1.8	<0.2	<10	220	0.25	0.23	0.26	0.18	17.90	6.0	16	0.41
I031979		<0.005	0.13	1.71	5.2	<0.2	<10	370	0.40	0.24	0.39	0.10	19.20	9.0	28	0.27
I031980		<0.005	0.14	1.93	6.2	<0.2	<10	390	0.52	0.24	0.41	0.10	21.2	9.7	31	0.32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I031941		77.5	3.75	10.00	0.08	<0.02	0.02	0.029	0.24	8.3	17.5	0.86	331	1.74	0.01
I031942		27.3	2.89	7.99	0.06	<0.02	0.02	0.023	0.06	9.0	11.6	0.41	194	1.21	0.01
I031943		49.1	2.24	5.22	0.05	0.04	0.03	0.021	0.05	10.2	14.2	0.50	183	0.61	<0.01
I031944		19.7	3.33	6.74	0.07	0.05	0.02	0.032	0.05	10.2	18.4	0.55	283	1.13	<0.01
I031945		13.8	3.44	6.98	0.07	0.06	0.01	0.037	0.05	11.4	17.7	0.41	269	1.65	<0.01
I031946		18.5	3.22	6.95	0.07	<0.02	0.01	0.033	0.10	12.9	18.8	0.56	268	1.50	<0.01
I031947		14.8	3.28	8.16	0.07	0.03	0.03	0.034	0.05	13.6	17.9	0.42	193	1.49	<0.01
I031948		14.3	3.15	8.85	0.07	<0.02	0.02	0.023	0.26	11.9	21.7	0.54	356	1.11	<0.01
I031949		20.7	4.83	9.57	0.08	<0.02	0.01	0.025	0.07	6.2	29.3	0.86	461	2.78	<0.01
I031950		1.0	0.03	0.19	<0.05	<0.02	<0.01	<0.005	<0.01	0.6	0.5	<0.01	<5	0.07	<0.01
I031951		13.5	2.33	6.74	0.05	0.03	0.01	0.048	0.03	7.7	18.6	0.83	169	0.52	<0.01
I031952		12.6	2.54	7.17	0.05	0.06	0.02	0.025	0.03	9.3	17.7	0.68	334	0.58	0.01
I031953		13.1	2.01	7.06	0.05	0.03	0.01	0.023	0.02	7.6	16.0	0.66	142	0.60	<0.01
I031954		9.5	1.93	5.93	0.05	<0.02	0.01	0.020	0.03	7.9	15.6	0.53	144	0.67	<0.01
I031955		20.3	2.51	7.39	0.06	0.05	0.02	0.022	0.04	7.1	20.1	1.02	528	0.43	0.01
I031956		25.4	2.19	5.33	0.06	0.07	0.03	0.023	0.03	12.9	16.8	1.06	336	0.25	0.02
I031957		17.6	1.82	4.46	0.06	0.04	0.03	0.018	0.04	15.7	9.8	0.39	315	0.28	0.01
I031958		14.5	2.54	6.69	0.05	<0.02	0.02	0.020	0.04	8.2	10.7	0.40	203	1.14	<0.01
I031959		14.9	2.53	6.57	0.05	<0.02	0.01	0.025	0.05	7.7	14.1	0.38	163	0.71	<0.01
I031960		18.6	2.55	6.34	0.05	<0.02	0.01	0.025	0.05	8.0	12.6	0.41	172	0.72	<0.01
I031961		13.9	2.24	5.39	0.05	<0.02	0.01	0.019	0.04	7.6	12.6	0.33	169	1.03	<0.01
I031962		12.3	2.58	6.29	0.05	0.03	0.01	0.018	0.06	8.2	16.3	0.47	195	0.84	<0.01
I031963		9.6	2.14	6.53	0.05	<0.02	0.01	0.017	0.04	12.7	12.3	0.26	214	1.05	<0.01
I031964		16.1	2.22	5.92	0.05	<0.02	0.01	0.015	0.07	5.5	15.6	0.81	656	0.67	0.01
I031965		14.5	2.68	6.94	0.05	0.08	0.02	0.051	0.03	9.2	13.5	0.58	449	1.21	0.01
I031966		19.5	3.04	8.34	0.08	0.25	0.02	0.038	0.03	19.0	14.8	0.78	440	0.73	0.02
I031967		29.8	3.26	6.51	0.07	0.07	0.01	0.025	0.06	22.9	20.2	0.53	182	0.73	0.01
I031968		9.5	2.52	6.58	0.05	0.02	0.01	0.020	0.03	8.9	11.0	0.32	511	1.44	<0.01
I031969		12.3	2.33	6.48	0.06	0.03	0.01	0.020	0.07	10.0	9.0	0.35	1020	1.26	0.01
I031970		0.8	0.02	0.14	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05	<0.01
I031971		9.9	2.28	5.05	0.05	<0.02	0.01	0.021	0.09	11.2	10.0	0.34	460	1.08	0.01
I031972		15.3	2.52	6.10	0.06	0.02	0.01	0.024	0.23	12.3	10.2	0.59	990	1.78	0.02
I031973		16.2	2.12	5.67	0.05	<0.02	0.02	0.020	0.08	12.9	7.8	0.29	2340	1.03	0.03
I031974		18.4	2.72	5.46	0.05	0.04	0.02	0.025	0.12	11.8	8.8	0.38	627	1.25	0.01
I031975		13.7	2.50	5.35	0.05	<0.02	0.01	0.022	0.09	9.3	9.3	0.38	447	1.03	0.01
I031976		9.6	2.06	5.90	<0.05	<0.02	0.01	0.022	0.04	9.4	10.3	0.38	276	0.91	0.01
I031977		11.7	2.33	5.14	0.05	0.10	0.01	0.022	0.11	12.0	8.4	0.32	774	1.15	0.02
I031978		12.8	2.20	5.61	<0.05	<0.02	0.01	0.040	0.08	7.8	8.3	0.32	299	1.44	0.01
I031979		10.3	2.61	5.17	0.05	0.07	0.01	0.024	0.08	9.7	8.1	0.40	484	1.37	0.01
I031980		11.8	2.80	5.61	0.05	0.09	0.02	0.026	0.09	10.6	8.6	0.42	510	1.48	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I031941		15.5	730	10.4	25.6	<0.001	0.01	0.37	3.8	0.5	1.2	18.7	<0.01	0.07	1.7
I031942		11.0	430	9.3	12.7	<0.001	0.01	0.34	3.0	0.4	0.8	14.9	<0.01	0.05	1.8
I031943		15.9	440	8.0	8.8	<0.001	<0.01	0.34	3.5	0.2	0.5	20.3	<0.01	0.01	2.7
I031944		21.2	260	10.9	11.9	<0.001	<0.01	0.50	4.3	0.3	0.6	14.9	<0.01	0.02	3.7
I031945		22.7	310	20.1	19.0	<0.001	0.01	0.58	3.7	0.3	0.9	13.0	0.01	0.03	4.3
I031946		18.8	410	9.7	15.0	<0.001	0.01	0.57	4.7	0.4	0.6	15.0	<0.01	0.04	3.0
I031947		16.8	330	10.5	11.8	<0.001	0.01	0.58	4.7	0.4	0.8	14.2	0.01	0.03	3.8
I031948		9.2	640	12.9	33.3	<0.001	0.01	0.32	4.1	0.4	0.9	11.5	<0.01	0.03	3.0
I031949		9.5	580	9.2	18.4	<0.001	0.01	0.56	4.7	0.3	0.4	8.6	<0.01	0.08	3.0
I031950		0.4	10	0.5	0.3	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.3
I031951		18.2	290	6.6	8.2	<0.001	0.01	0.24	3.6	0.2	0.5	18.5	<0.01	0.02	1.9
I031952		19.5	230	8.3	8.6	<0.001	<0.01	0.27	4.0	0.3	0.6	19.4	<0.01	0.02	2.5
I031953		16.7	170	6.9	4.8	<0.001	0.01	0.24	3.6	0.2	0.6	17.0	<0.01	0.02	1.8
I031954		13.3	240	6.6	6.0	<0.001	<0.01	0.25	3.1	0.2	0.5	16.3	<0.01	0.02	1.8
I031955		14.7	340	6.0	7.6	<0.001	0.01	0.23	4.3	0.3	0.5	27.9	<0.01	0.02	1.9
I031956		18.0	570	6.7	6.0	<0.001	0.02	0.32	4.4	0.7	0.4	33.3	<0.01	0.02	2.0
I031957		13.2	460	5.7	7.1	<0.001	0.02	0.28	3.5	0.7	0.3	31.1	<0.01	0.02	2.4
I031958		14.5	430	7.7	10.5	<0.001	0.01	0.42	2.6	0.2	0.5	14.5	<0.01	0.02	1.6
I031959		16.5	170	8.1	12.4	<0.001	<0.01	0.35	2.7	<0.2	0.5	11.0	<0.01	0.02	2.2
I031960		18.9	160	8.3	11.5	<0.001	<0.01	0.39	2.8	<0.2	0.5	11.9	<0.01	0.02	2.1
I031961		14.1	160	6.7	9.7	<0.001	<0.01	0.40	2.2	0.2	0.5	10.9	<0.01	0.02	1.2
I031962		14.8	210	8.2	10.0	<0.001	<0.01	0.37	2.5	<0.2	0.5	15.3	<0.01	0.02	2.4
I031963		12.4	360	8.4	11.1	<0.001	<0.01	0.31	2.4	<0.2	0.6	12.2	<0.01	0.02	2.2
I031964		24.5	300	7.0	13.7	<0.001	0.01	0.31	2.7	<0.2	0.4	21.4	<0.01	0.02	0.9
I031965		18.6	130	12.1	6.3	<0.001	0.01	0.31	5.3	0.3	0.6	24.1	<0.01	0.02	2.5
I031966		28.6	110	11.4	6.7	<0.001	0.01	0.35	8.2	0.5	0.8	24.3	<0.01	0.03	4.2
I031967		13.8	130	7.5	11.7	<0.001	<0.01	0.18	4.7	0.3	0.4	18.1	<0.01	0.03	5.0
I031968		13.0	210	8.3	6.3	<0.001	0.01	0.40	2.7	<0.2	0.6	10.6	<0.01	0.03	2.3
I031969		12.5	360	7.0	10.3	<0.001	0.01	0.30	3.8	0.2	0.6	24.5	<0.01	0.02	2.4
I031970		0.5	10	0.5	0.2	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.9	<0.01	<0.01	0.3
I031971		13.3	300	7.7	10.1	<0.001	<0.01	0.37	2.8	0.2	0.5	18.0	<0.01	0.02	2.2
I031972		29.5	380	22.7	20.0	<0.001	0.01	0.31	4.4	0.2	0.5	25.1	<0.01	0.02	3.6
I031973		16.6	380	10.2	14.2	<0.001	0.01	0.31	3.0	0.3	0.6	28.5	<0.01	0.03	2.3
I031974		15.9	220	10.4	14.3	<0.001	0.01	0.32	5.3	0.3	0.5	21.4	<0.01	0.02	3.2
I031975		16.7	230	7.7	12.0	<0.001	0.01	0.46	3.7	0.3	0.5	23.9	<0.01	0.02	2.9
I031976		12.7	230	6.9	5.2	<0.001	<0.01	0.28	3.0	0.2	0.7	18.3	<0.01	0.01	2.9
I031977		16.4	190	7.9	10.0	<0.001	<0.01	0.35	3.9	0.2	0.6	22.5	<0.01	0.02	4.0
I031978		8.9	490	7.0	9.0	<0.001	0.01	0.25	1.6	<0.2	1.2	17.2	<0.01	0.01	0.4
I031979		15.1	200	9.8	5.3	<0.001	0.01	0.32	3.9	0.3	0.6	21.1	<0.01	0.02	3.5
I031980		16.9	210	10.4	5.8	<0.001	0.01	0.37	4.6	0.3	0.7	21.8	<0.01	0.02	4.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I031941		0.24	0.45	97	0.42	2.77	111	1.3	0.42
I031942		0.11	0.39	74	0.20	2.22	47	0.9	0.36
I031943		0.09	0.57	57	0.15	4.06	59	2.2	0.44
I031944		0.13	0.57	74	0.21	3.19	67	3.5	0.40
I031945		0.14	0.67	70	0.30	4.29	68	3.8	0.34
I031946		0.13	0.78	71	0.21	4.77	64	1.2	0.38
I031947		0.12	0.84	79	0.28	4.14	46	2.3	0.42
I031948		0.18	0.58	67	0.21	4.74	99	1.0	0.46
I031949		0.13	0.47	101	0.13	4.27	79	1.2	0.38
I031950		<0.02	0.12	2	<0.05	0.66	3	0.6	0.08
I031951		0.07	0.55	55	0.16	3.16	36	2.3	0.32
I031952		0.10	0.53	63	0.15	3.74	38	3.5	0.24
I031953		0.08	0.44	61	0.15	2.84	27	2.1	0.26
I031954		0.09	0.36	53	0.17	2.70	30	1.4	0.28
I031955		0.08	0.60	63	0.13	4.67	46	3.1	0.22
I031956		0.05	0.77	50	0.16	11.05	41	4.0	0.32
I031957		0.04	1.04	37	0.13	10.40	34	2.4	0.26
I031958		0.09	0.32	62	0.16	2.30	41	0.8	0.28
I031959		0.09	0.33	57	0.13	2.00	33	1.3	0.36
I031960		0.09	0.37	58	0.12	2.14	35	1.3	0.26
I031961		0.07	0.31	52	0.13	2.34	32	0.5	0.28
I031962		0.07	0.32	56	0.15	2.01	45	2.3	0.34
I031963		0.08	0.38	61	0.14	2.86	32	0.9	0.22
I031964		0.07	0.23	63	0.20	1.66	49	0.6	0.22
I031965		0.10	0.62	73	0.19	3.73	42	4.1	0.24
I031966		0.09	0.52	82	0.15	16.55	49	11.0	0.36
I031967		0.12	0.56	47	0.09	8.35	56	3.6	0.24
I031968		0.10	0.32	65	0.19	2.05	39	1.6	0.28
I031969		0.12	0.31	60	0.16	3.02	100	2.4	0.26
I031970		<0.02	0.09	1	<0.05	0.60	4	0.6	0.10
I031971		0.09	0.39	50	0.16	2.78	50	0.9	0.26
I031972		0.14	0.46	49	0.12	4.57	92	1.4	0.28
I031973		0.09	0.40	53	0.17	4.23	93	1.3	0.16
I031974		0.08	0.60	58	0.15	4.55	52	2.3	0.32
I031975		0.07	0.43	57	0.15	3.15	56	1.4	0.32
I031976		0.09	0.36	52	0.12	3.47	55	1.0	0.30
I031977		0.09	0.38	54	0.13	3.53	57	4.7	0.28
I031978		0.09	0.43	45	0.14	2.96	58	<0.5	0.26
I031979		0.08	0.35	56	0.18	2.86	54	2.8	0.28
I031980		0.08	0.41	59	0.19	3.19	56	3.8	0.36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I031981		<0.005	0.13	1.78	7.0	<0.2	<10	530	0.65	0.21	0.49	0.13	35.7	11.3	32	0.30
I031982		<0.005	0.07	1.65	7.4	<0.2	<10	320	0.49	0.21	0.51	0.10	27.6	10.1	30	0.41
I031983		<0.005	0.24	1.51	7.0	<0.2	<10	500	0.59	0.22	0.71	0.25	38.7	9.7	26	0.45
I031984		<0.005	0.10	1.53	7.2	<0.2	<10	440	0.47	0.21	0.97	0.56	24.7	10.6	26	0.41
I031985		<0.005	0.06	1.71	7.6	<0.2	<10	340	0.43	0.17	0.51	0.11	23.7	8.9	29	0.30
I031986		<0.005	0.07	1.43	7.6	<0.2	<10	390	0.43	0.16	0.71	0.23	23.3	11.0	25	0.40
I031987		0.008	0.10	1.29	4.7	<0.2	<10	320	0.41	0.16	0.72	0.10	20.3	7.0	24	0.39
I031988		<0.005	0.15	1.54	9.1	<0.2	<10	310	0.54	0.19	1.01	0.21	27.0	11.7	26	0.47
I031989		0.022	0.10	0.97	5.1	<0.2	<10	390	0.44	0.09	2.72	1.55	19.20	9.1	16	0.36
I031990		<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	0.03	0.01	0.01	1.00	0.1	<1	<0.05
I031991		<0.005	0.06	1.23	10.5	<0.2	<10	70	0.15	0.35	0.10	0.12	19.70	4.0	24	3.57
I031992		<0.005	0.12	2.17	11.7	<0.2	<10	170	0.58	0.35	0.14	0.17	19.50	10.9	32	4.05
I031993		<0.005	0.17	2.42	9.6	<0.2	<10	170	0.69	0.27	0.13	0.13	30.5	11.0	32	2.60
I031994		<0.005	0.14	1.12	6.9	<0.2	<10	180	0.33	0.46	0.25	0.12	21.3	4.0	19	2.12
I031995		<0.005	0.11	1.75	8.6	<0.2	<10	160	0.40	0.26	0.18	0.09	20.5	8.6	27	1.89
I031996		<0.005	0.20	1.82	7.4	<0.2	<10	160	0.31	0.21	0.20	0.07	17.45	9.6	22	2.35
I031997		<0.005	0.04	2.24	7.8	<0.2	<10	310	0.38	0.19	0.30	0.08	16.25	11.3	29	1.25
I031998		0.027	0.25	2.08	8.5	<0.2	<10	320	1.97	0.29	1.19	0.08	36.9	9.4	25	7.77
I031999		<0.005	0.08	2.12	7.7	<0.2	<10	150	0.34	0.14	0.47	0.12	16.30	15.1	31	3.98
I032000		<0.005	0.06	2.02	7.3	<0.2	<10	140	0.31	0.14	0.48	0.11	16.50	14.2	30	3.93
I032001		<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.02	1.03	0.1	<1	<0.05
I032002		<0.005	0.08	2.59	7.0	<0.2	<10	500	0.41	0.10	0.57	0.08	29.1	17.8	40	2.61
I032003		<0.005	0.07	1.96	8.7	<0.2	<10	370	0.45	0.13	0.60	0.08	25.3	15.3	35	1.49
I032004		0.005	0.08	2.46	15.4	<0.2	<10	310	0.50	0.08	0.69	0.07	16.30	18.3	45	1.11
I032005		<0.005	0.16	2.03	14.4	<0.2	<10	330	0.40	0.15	0.54	0.15	19.35	15.9	38	0.76
I032006		0.005	0.22	1.82	10.8	<0.2	<10	350	0.33	0.12	0.60	0.15	16.35	12.7	35	0.44
I032007		<0.005	0.09	2.31	9.3	<0.2	<10	450	0.51	0.09	0.74	0.11	18.90	18.4	39	1.17
I032008		<0.005	0.08	2.16	10.3	<0.2	<10	320	0.30	0.07	0.80	0.08	15.40	14.9	33	0.76
I032009		<0.005	0.08	1.87	8.4	<0.2	<10	350	0.41	0.12	0.72	0.10	16.70	14.4	33	0.49
I032010		<0.005	0.09	2.01	5.5	<0.2	<10	290	0.47	0.13	0.61	0.12	21.8	13.0	42	0.45
I032011		<0.005	0.12	2.04	5.5	<0.2	<10	310	0.49	0.14	0.66	0.13	23.2	13.5	42	0.45
I032012		<0.005	0.10	2.11	6.4	<0.2	<10	260	0.52	0.17	0.58	0.11	29.5	13.3	34	0.48
I032013		<0.005	0.15	2.50	3.8	<0.2	<10	370	0.38	0.26	0.50	0.14	18.30	13.3	28	1.00
I032014		<0.005	0.21	1.89	6.1	<0.2	<10	470	0.52	0.19	0.60	0.30	29.0	14.4	31	0.47
I032015		<0.005	0.12	2.48	4.4	<0.2	<10	340	0.48	0.15	1.02	0.13	35.9	13.2	26	1.64
I032016		<0.005	0.09	1.60	4.2	<0.2	<10	310	0.50	0.17	1.43	0.29	23.6	12.4	38	1.29
I032017		<0.005	0.08	1.54	6.2	<0.2	<10	380	0.39	0.16	1.70	0.57	23.1	10.5	30	0.85
I032018		<0.005	0.09	2.18	5.7	<0.2	<10	230	0.50	0.25	0.44	0.10	25.2	14.7	40	0.81
I032019		<0.005	0.09	2.22	3.4	<0.2	<10	260	0.29	0.18	0.46	0.14	11.05	14.0	23	0.70
I032020		<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	0.85	0.1	<1	<0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I031981		14.9	2.95	5.21	0.07	0.11	0.02	0.027	0.13	18.9	7.9	0.39	755	1.40	0.02
I031982		19.9	2.88	4.80	0.07	0.12	0.02	0.025	0.12	12.6	9.2	0.48	449	0.88	0.02
I031983		33.1	2.59	4.72	0.10	0.09	0.03	0.024	0.06	28.5	10.0	0.48	733	0.92	0.03
I031984		23.4	2.68	4.62	0.07	0.05	0.02	0.023	0.07	12.8	9.2	0.49	631	0.97	0.03
I031985		14.5	2.57	4.77	0.05	0.07	0.01	0.023	0.05	11.1	9.6	0.43	335	1.01	0.02
I031986		19.8	2.44	4.42	0.06	0.03	0.02	0.020	0.04	11.3	8.0	0.39	560	1.34	0.02
I031987		29.3	2.05	4.17	0.06	0.06	0.02	0.019	0.05	10.9	8.0	0.47	220	0.65	0.03
I031988		33.2	2.62	4.71	0.07	0.07	0.03	0.024	0.05	13.8	10.4	0.50	429	1.31	0.03
I031989		36.4	1.39	2.43	0.07	0.07	0.06	0.015	0.05	10.5	3.4	0.41	795	1.04	0.04
I031990		0.6	0.01	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
I031991		10.2	3.03	9.57	0.05	<0.02	0.02	0.017	0.04	10.1	4.0	0.23	241	1.85	0.01
I031992		15.7	3.41	7.55	0.05	0.03	0.03	0.030	0.06	10.1	14.7	0.43	525	1.27	0.01
I031993		12.7	3.43	8.27	0.06	0.04	0.03	0.033	0.06	11.2	12.7	0.43	625	1.27	0.01
I031994		9.7	2.31	7.11	0.05	0.03	0.02	0.018	0.07	10.5	7.8	0.26	208	1.39	0.01
I031995		11.4	3.15	6.53	0.06	0.04	0.02	0.025	0.10	10.8	11.3	0.44	379	1.60	0.01
I031996		12.6	3.15	7.83	0.06	0.04	0.04	0.021	0.11	9.0	11.8	0.59	530	1.45	0.01
I031997		10.7	3.22	7.46	0.06	0.04	0.02	0.023	0.07	8.4	13.4	0.62	410	1.20	0.01
I031998		17.8	2.76	5.67	0.12	0.11	0.08	0.028	0.10	30.2	18.7	0.72	532	2.07	0.01
I031999		32.0	3.70	8.39	0.07	0.02	0.02	0.020	0.09	8.6	20.1	1.00	404	1.50	0.02
I032000		30.0	3.52	8.41	0.06	0.03	0.02	0.019	0.09	8.8	18.3	0.95	379	1.54	0.02
I032001		0.6	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
I032002		74.1	4.20	8.81	0.13	0.10	0.02	0.036	0.79	12.6	13.4	1.43	800	0.79	0.02
I032003		29.2	3.54	6.43	0.10	0.10	0.02	0.030	0.38	11.1	10.0	0.72	743	1.17	0.02
I032004		43.8	4.32	8.33	0.08	0.07	0.02	0.032	0.26	7.7	10.9	1.03	715	1.02	0.03
I032005		28.3	3.15	6.33	0.06	0.09	0.02	0.027	0.10	8.5	9.2	0.62	765	1.86	0.02
I032006		24.9	3.14	4.95	0.05	0.06	0.02	0.021	0.13	7.1	6.6	0.54	810	1.33	0.02
I032007		30.0	3.64	7.21	0.11	0.05	0.02	0.017	0.66	8.7	12.8	1.24	814	0.70	0.02
I032008		47.5	3.44	7.37	0.09	0.06	0.01	0.022	0.29	6.7	9.6	0.95	560	0.55	0.04
I032009		31.0	3.07	6.36	0.06	0.06	0.02	0.022	0.14	7.5	10.1	0.70	542	0.78	0.03
I032010		26.5	2.99	5.93	0.07	0.09	0.02	0.025	0.10	8.8	10.3	0.67	630	0.92	0.03
I032011		27.8	3.05	6.08	0.06	0.08	0.03	0.025	0.11	9.7	10.3	0.69	704	0.95	0.02
I032012		21.7	3.27	6.84	0.08	0.07	0.02	0.028	0.15	13.6	11.7	0.75	470	0.94	0.02
I032013		17.8	3.36	8.08	0.06	0.02	0.01	0.020	0.08	8.0	14.3	0.98	570	1.21	0.02
I032014		27.8	3.17	6.04	0.08	0.03	0.03	0.029	0.12	14.1	9.2	0.49	948	1.25	0.02
I032015		20.8	3.87	8.74	0.15	0.07	0.02	0.028	0.46	41.5	17.5	1.17	419	0.73	0.02
I032016		39.4	3.04	6.00	0.08	0.07	0.03	0.031	0.10	12.9	9.9	0.68	395	0.64	0.03
I032017		37.9	2.43	5.27	0.07	0.04	0.02	0.026	0.15	11.7	10.4	0.61	427	0.50	0.03
I032018		30.2	3.37	7.63	0.06	0.04	0.01	0.033	0.08	9.0	12.3	0.78	298	0.85	0.02
I032019		29.6	3.53	8.50	0.06	0.02	0.02	0.020	0.41	5.3	13.2	1.02	487	1.09	0.01
I032020		0.9	0.02	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.4	<0.1	<0.01	<5	<0.05	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I031981		21.6	230	10.4	7.7	<0.001	0.01	0.51	5.9	0.5	0.6	25.3	<0.01	0.02	5.1
I031982		21.7	280	8.6	11.3	<0.001	0.01	0.45	5.7	0.5	0.5	32.7	<0.01	0.03	4.0
I031983		26.8	540	9.1	8.9	<0.001	0.01	0.46	4.7	1.0	0.5	44.4	<0.01	0.03	3.9
I031984		21.5	680	9.0	12.1	<0.001	0.03	0.51	3.9	1.4	0.5	53.7	<0.01	0.03	2.7
I031985		19.7	420	7.6	5.4	<0.001	0.01	0.45	4.6	0.5	0.5	31.3	<0.01	0.03	2.8
I031986		28.0	490	7.2	6.2	<0.001	0.02	0.46	3.7	0.7	0.4	44.5	<0.01	0.04	1.4
I031987		20.5	600	7.4	6.9	<0.001	0.02	0.44	4.0	0.7	0.4	45.2	<0.01	0.02	2.4
I031988		27.7	790	7.9	7.3	0.001	0.04	0.73	4.6	1.3	0.4	63.8	<0.01	0.04	2.0
I031989		27.4	1170	3.5	6.2	<0.001	0.15	0.92	1.7	2.1	0.2	141.5	0.01	0.04	0.3
I031990		0.3	10	0.4	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
I031991		10.0	570	16.3	12.8	<0.001	0.02	0.61	1.7	0.4	0.9	9.8	<0.01	0.04	0.3
I031992		19.1	340	15.6	18.0	<0.001	0.02	0.48	3.7	0.5	0.8	14.7	<0.01	0.04	2.6
I031993		18.4	260	12.6	19.2	<0.001	0.01	0.53	4.3	0.4	1.1	13.5	<0.01	0.04	4.4
I031994		9.7	250	14.0	19.4	<0.001	0.02	0.37	2.7	0.4	1.2	23.9	<0.01	0.03	2.8
I031995		14.6	200	10.7	25.4	<0.001	0.01	0.47	3.3	0.3	0.8	17.0	<0.01	0.03	3.0
I031996		13.2	270	8.0	21.2	<0.001	0.01	0.39	3.7	0.4	0.7	16.0	<0.01	0.03	2.8
I031997		19.5	310	8.7	22.4	<0.001	0.01	0.50	3.6	0.3	0.6	29.6	<0.01	0.03	2.6
I031998		13.9	1100	10.6	19.2	<0.001	0.06	0.59	5.7	1.7	0.7	58.2	0.01	0.02	3.5
I031999		19.7	770	6.2	15.4	<0.001	0.02	0.61	5.1	0.3	0.8	26.4	<0.01	0.03	1.7
I032000		18.4	760	6.2	16.7	<0.001	0.01	0.61	4.9	0.4	0.8	26.6	<0.01	0.03	1.7
I032001		0.3	10	0.4	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
I032002		25.9	510	5.4	35.7	<0.001	0.03	0.35	10.9	0.7	0.7	33.6	<0.01	0.04	2.9
I032003		22.6	300	6.3	20.1	<0.001	0.02	0.62	8.8	0.6	0.5	32.3	<0.01	0.03	2.9
I032004		25.7	820	4.2	11.0	<0.001	0.02	0.40	11.1	0.5	0.6	39.9	<0.01	0.03	1.8
I032005		25.6	360	7.0	9.4	<0.001	0.01	0.59	6.7	0.4	0.5	33.6	<0.01	0.04	2.3
I032006		19.7	510	5.7	8.5	<0.001	0.01	0.66	5.6	0.4	0.4	31.0	<0.01	0.03	1.7
I032007		24.6	1320	4.7	35.7	<0.001	0.01	0.38	5.1	0.5	0.4	56.2	<0.01	0.02	1.8
I032008		19.2	1420	4.1	17.7	<0.001	0.01	0.26	7.0	0.3	0.5	44.5	<0.01	0.03	1.7
I032009		21.7	950	5.9	10.6	<0.001	0.01	0.33	6.4	0.3	0.5	45.4	<0.01	0.02	2.2
I032010		25.5	400	6.9	8.1	<0.001	0.01	0.34	6.8	0.4	0.5	32.2	<0.01	0.03	2.4
I032011		25.9	420	7.8	9.1	<0.001	0.01	0.32	6.9	0.5	0.5	34.3	<0.01	0.03	2.4
I032012		19.2	520	10.5	9.6	<0.001	0.02	0.34	6.8	0.6	0.6	35.9	<0.01	0.03	4.2
I032013		18.9	470	8.3	8.1	<0.001	0.01	0.28	4.1	0.4	0.7	33.6	<0.01	0.09	1.9
I032014		21.9	340	10.0	9.0	<0.001	0.01	0.47	6.6	0.7	0.6	35.4	<0.01	0.03	2.3
I032015		14.2	320	8.5	36.3	<0.001	0.02	0.36	7.0	1.2	0.7	34.3	0.01	0.02	5.3
I032016		22.0	470	10.2	11.4	0.001	0.03	0.46	7.8	1.1	0.5	58.1	0.01	0.03	2.1
I032017		21.1	780	8.8	13.5	<0.001	0.05	0.50	4.4	1.4	0.4	68.0	<0.01	0.02	1.0
I032018		19.4	170	9.3	7.0	<0.001	0.01	0.36	7.7	0.4	0.8	27.8	<0.01	0.03	2.7
I032019		15.7	500	11.4	16.1	<0.001	0.01	0.28	3.6	0.3	0.5	40.9	<0.01	0.02	2.0
I032020		0.3	10	0.5	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I031981		0.08	0.53	58	0.18	7.10	53	4.1	0.28
I031982		0.06	0.31	57	0.14	6.24	46	4.7	0.24
I031983		0.05	0.71	51	0.24	15.30	54	2.9	0.28
I031984		0.05	1.59	51	0.14	6.50	85	1.9	0.20
I031985		0.05	0.52	59	0.19	5.25	54	2.5	0.40
I031986		0.04	0.73	53	0.15	5.98	55	1.1	0.26
I031987		0.03	0.95	42	0.12	6.89	51	2.3	0.36
I031988		0.05	2.71	52	0.17	10.30	44	3.0	0.24
I031989		0.03	1.47	27	0.10	10.70	40	2.6	0.16
I031990		<0.02	0.07	<1	<0.05	0.60	2	0.5	0.10
I031991		0.13	0.50	93	0.26	2.76	38	0.5	0.26
I031992		0.13	0.62	75	0.25	3.67	54	1.0	0.30
I031993		0.16	0.60	77	0.21	3.69	69	1.6	0.32
I031994		0.12	0.58	67	0.34	4.02	31	1.0	0.38
I031995		0.11	0.52	70	0.29	3.65	45	1.7	0.34
I031996		0.12	0.52	74	0.23	3.14	46	1.7	0.32
I031997		0.11	0.40	73	0.19	2.15	58	1.8	0.26
I031998		0.12	8.46	48	0.22	50.4	48	2.0	0.30
I031999		0.08	0.44	100	0.27	3.34	70	0.9	0.26
I032000		0.08	0.44	95	0.27	3.19	66	0.9	0.32
I032001		<0.02	0.10	1	<0.05	0.61	2	0.5	0.10
I032002		0.14	0.42	93	0.12	10.70	73	3.4	0.38
I032003		0.09	0.36	77	0.13	6.52	52	3.5	0.32
I032004		0.05	0.39	111	0.09	6.87	73	2.0	0.28
I032005		0.08	0.33	73	0.25	3.59	64	3.0	0.36
I032006		0.05	0.28	67	0.13	3.33	71	1.9	0.24
I032007		0.09	0.36	77	0.12	4.11	92	1.8	0.30
I032008		0.06	0.30	79	0.10	5.57	70	2.0	0.36
I032009		0.06	0.36	69	0.13	4.13	62	2.4	0.30
I032010		0.06	0.35	64	0.15	4.20	58	3.1	0.30
I032011		0.06	0.37	65	0.15	4.61	58	3.1	0.30
I032012		0.07	0.61	70	0.20	7.44	69	2.6	0.30
I032013		0.12	0.50	77	0.23	3.51	85	0.6	0.30
I032014		0.06	0.60	65	0.18	8.39	59	1.2	0.26
I032015		0.15	1.47	80	0.15	24.3	82	3.0	0.42
I032016		0.06	1.29	66	0.15	13.25	60	2.7	0.32
I032017		0.06	1.34	51	0.14	10.75	64	2.2	0.26
I032018		0.09	0.48	87	0.23	4.87	69	2.2	0.40
I032019		0.09	0.41	77	0.15	3.06	74	2.0	0.28
I032020		<0.02	0.08	<1	<0.05	0.60	3	0.6	0.12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I032021		<0.005	0.16	2.09	3.7	<0.2	<10	380	0.30	0.10	0.47	0.14	13.50	13.8	24	0.73
I032022		<0.005	0.10	1.96	5.3	<0.2	<10	370	0.29	0.11	0.28	0.08	19.25	12.5	23	0.82
I032023		0.008	0.19	1.78	7.0	<0.2	<10	210	0.31	0.14	0.17	0.15	16.40	9.4	29	0.55
I032024		<0.005	0.78	2.50	6.7	<0.2	<10	430	0.50	0.60	0.51	0.82	22.9	17.7	45	0.86
I032025		<0.005	0.13	1.76	3.2	<0.2	<10	280	0.28	0.10	0.47	0.10	14.80	39.6	52	0.77
I032026		<0.005	0.26	2.49	4.8	<0.2	<10	550	0.37	0.12	0.55	0.19	26.9	27.9	44	0.81
I032027		<0.005	0.10	2.24	3.8	<0.2	<10	570	0.29	0.10	0.80	0.10	13.10	44.8	30	0.48
I032028		<0.005	0.08	2.17	5.0	<0.2	<10	340	0.31	0.11	0.30	0.08	12.20	19.0	133	0.74
I032029		<0.005	0.11	1.93	5.5	<0.2	<10	230	0.34	0.10	0.49	0.05	17.25	18.2	51	0.64
I032030		<0.005	0.08	1.96	4.3	<0.2	<10	340	0.43	0.12	0.48	0.08	20.6	14.0	34	0.52
I032031		<0.005	0.07	1.89	4.4	<0.2	<10	320	0.43	0.11	0.42	0.07	20.2	13.9	32	0.53
I032032		<0.005	0.11	1.88	3.5	<0.2	<10	200	0.32	0.12	0.32	0.11	14.40	10.2	29	0.44
I032033		<0.005	0.16	1.69	5.2	<0.2	<10	390	0.37	0.14	0.63	0.15	23.6	12.7	31	0.44
I032034		0.005	0.07	1.77	5.1	<0.2	<10	350	0.38	0.14	0.45	0.11	20.5	11.9	28	0.42
I032035		<0.005	0.09	1.80	5.3	<0.2	<10	330	0.42	0.14	0.55	0.17	19.85	14.8	36	0.50
I032036		<0.005	0.08	1.90	5.8	<0.2	<10	230	0.33	0.12	0.60	0.19	15.55	12.1	29	0.72
I032037		<0.005	0.10	1.99	5.9	<0.2	<10	350	0.39	0.13	0.32	0.09	17.90	12.3	27	0.44
I032038		<0.005	0.15	2.65	3.3	<0.2	<10	410	0.38	0.12	0.52	0.18	18.10	20.5	25	0.45
I032039		<0.005	0.08	2.41	2.6	<0.2	<10	160	0.27	0.10	0.40	0.18	11.10	18.1	39	0.57
I032040		<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	0.01	0.01	0.02	1.11	0.1	<1	<0.05
I032041		<0.005	0.16	2.26	4.7	<0.2	<10	270	0.24	0.12	0.31	0.18	11.60	14.6	20	1.07
I032042		<0.005	0.15	2.11	6.0	<0.2	<10	370	0.23	0.12	0.32	0.16	9.82	12.8	23	1.39
I032043		<0.005	0.09	1.77	7.1	<0.2	<10	300	0.37	0.15	0.30	0.17	19.25	12.2	32	0.53
I032044		<0.005	0.05	1.84	4.7	<0.2	<10	310	0.44	0.11	0.57	0.19	16.30	15.6	50	0.27
I032045		<0.005	0.18	1.80	5.6	<0.2	<10	350	0.33	0.13	0.34	0.11	17.15	12.6	36	0.31
I032046		<0.005	0.10	2.02	5.5	<0.2	<10	270	0.40	0.13	0.39	0.08	16.85	13.9	36	0.50
I032047		<0.005	0.05	1.82	6.1	<0.2	<10	320	0.48	0.11	0.52	0.06	29.2	12.2	35	0.59
I032048		<0.005	0.05	2.05	3.7	<0.2	<10	280	0.39	0.08	0.58	0.06	15.55	19.4	50	0.75
I032049		<0.005	0.08	2.23	6.9	<0.2	<10	380	0.63	0.07	0.64	0.08	23.5	20.1	63	0.68
I032050		<0.005	0.08	2.17	6.5	<0.2	<10	380	0.63	0.07	0.64	0.07	22.1	19.5	60	0.64
I032051		<0.005	0.08	1.59	4.2	<0.2	<10	100	0.19	0.14	0.19	0.07	15.10	6.4	19	1.34
I032052		<0.005	0.07	2.47	6.5	<0.2	<10	130	0.33	0.14	0.38	0.07	20.8	11.4	29	1.43
I032053		<0.005	0.05	1.51	5.1	<0.2	<10	100	0.19	0.13	0.18	0.10	11.65	6.7	19	1.02
I032054		0.008	0.04	1.95	5.6	<0.2	<10	100	0.23	0.12	0.33	0.08	15.90	9.4	24	1.24
I032055		0.008	0.10	1.17	4.5	<0.2	<10	160	0.24	0.11	0.82	0.10	20.5	7.6	17	1.49
I032056		<0.005	0.06	2.49	8.0	<0.2	<10	220	0.33	0.14	0.46	0.09	23.0	13.7	27	2.91
I032057		0.005	0.17	2.44	6.7	<0.2	<10	220	0.51	0.20	0.40	0.09	26.4	11.5	27	2.11
I032058		<0.005	0.03	2.16	19.2	<0.2	<10	110	0.30	0.14	0.20	0.11	14.55	8.6	24	1.60
I032059		0.008	0.19	2.09	25.1	<0.2	<10	200	0.33	0.12	0.35	0.08	23.1	9.5	20	1.85
I032060		<0.005	0.06	1.49	4.6	<0.2	<10	90	0.18	0.12	0.22	0.04	13.15	6.1	18	0.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I032021		25.5	3.21	7.23	0.06	0.02	0.02	0.019	0.23	5.9	12.3	1.01	539	0.94	0.02
I032022		17.3	3.35	7.90	0.06	<0.02	0.02	0.029	0.25	8.6	12.3	0.87	710	0.90	0.01
I032023		17.0	2.80	6.24	0.05	0.03	0.02	0.027	0.07	7.3	9.9	0.53	253	1.01	0.01
I032024		74.5	4.39	9.51	0.07	0.02	0.03	0.037	0.31	8.1	11.9	0.85	1470	1.22	0.02
I032025		180.5	3.13	5.57	0.08	0.09	0.01	0.019	0.40	6.4	8.5	1.03	475	0.58	0.03
I032026		88.6	4.10	8.18	0.08	0.03	0.02	0.042	0.54	11.9	10.2	1.27	669	0.82	0.02
I032027		163.5	3.90	7.05	0.07	0.03	0.01	0.023	0.23	5.7	9.4	1.12	439	0.60	0.04
I032028		30.2	3.15	6.42	0.06	0.03	0.02	0.019	0.24	5.8	8.8	1.35	253	0.70	0.02
I032029		63.4	2.74	5.93	0.05	0.07	0.01	0.021	0.24	7.3	11.0	1.09	337	0.63	0.03
I032030		23.4	3.02	6.79	0.05	0.03	0.02	0.025	0.08	7.7	9.7	0.63	603	0.84	0.02
I032031		22.9	2.94	6.74	0.05	0.04	0.02	0.025	0.07	7.5	9.2	0.61	551	0.82	0.02
I032032		21.9	2.97	7.64	0.05	<0.02	0.01	0.026	0.08	6.4	8.5	0.62	305	0.85	0.02
I032033		19.7	2.82	5.70	<0.05	0.07	0.02	0.024	0.25	9.4	8.6	0.50	862	0.93	0.02
I032034		14.1	3.03	6.61	0.05	0.02	0.03	0.028	0.18	8.0	8.6	0.52	741	1.07	0.02
I032035		21.5	3.01	6.50	0.05	0.04	0.02	0.025	0.23	7.7	9.1	0.59	893	0.88	0.02
I032036		23.3	3.24	7.17	0.07	0.04	0.02	0.032	0.34	7.3	11.6	0.80	522	0.65	0.02
I032037		23.5	3.44	8.02	0.05	0.02	0.01	0.049	0.13	7.6	9.6	0.76	517	1.17	0.02
I032038		30.1	4.52	11.35	0.06	<0.02	0.01	0.048	0.11	7.2	12.0	1.29	1800	0.89	0.02
I032039		50.1	3.87	9.50	0.06	<0.02	0.01	0.022	0.05	5.2	14.0	1.03	476	0.72	0.03
I032040		0.6	0.02	0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
I032041		30.6	3.94	11.45	0.07	0.02	0.02	0.051	0.21	5.3	11.3	1.43	595	0.91	0.02
I032042		32.2	4.11	9.12	0.07	0.03	0.02	0.022	0.48	4.7	13.9	1.01	379	1.04	0.02
I032043		15.0	2.99	6.58	<0.05	<0.02	0.04	0.029	0.11	7.8	9.7	0.47	361	1.14	0.01
I032044		21.7	3.49	7.63	0.06	0.04	0.02	0.038	0.20	7.3	10.3	0.77	702	0.96	0.02
I032045		14.3	2.82	6.75	0.05	0.02	0.03	0.023	0.09	7.7	9.7	0.55	856	1.03	0.02
I032046		13.4	3.07	7.28	0.05	<0.02	0.02	0.028	0.09	7.2	9.4	0.53	468	1.21	0.01
I032047		20.0	3.06	7.09	0.07	0.08	0.02	0.029	0.28	10.1	12.0	0.68	505	0.61	0.02
I032048		21.2	3.58	8.67	0.07	0.05	0.01	0.022	0.25	7.1	13.2	1.08	567	0.56	0.02
I032049		40.6	3.76	8.30	0.09	0.06	0.02	0.027	0.27	14.8	11.6	0.95	579	0.67	0.02
I032050		37.3	3.62	8.15	0.08	0.06	0.02	0.030	0.22	12.5	11.3	0.90	536	0.68	0.02
I032051		14.1	2.35	7.08	<0.05	0.03	0.03	0.015	0.07	7.8	8.7	0.41	252	1.03	0.02
I032052		17.8	3.42	8.46	<0.05	0.08	0.03	0.022	0.11	10.3	15.7	0.67	461	1.16	0.02
I032053		14.0	2.54	7.69	<0.05	0.08	0.02	0.010	0.05	5.7	9.4	0.35	250	0.97	0.02
I032054		14.6	3.52	8.15	0.05	0.10	0.02	0.016	0.06	7.6	15.5	0.60	323	0.80	0.02
I032055		16.3	1.82	3.72	<0.05	0.04	0.07	0.008	0.06	10.1	6.7	0.38	425	0.91	0.03
I032056		15.3	3.57	8.65	0.05	0.07	0.03	0.024	0.10	11.0	17.4	0.87	614	0.70	0.03
I032057		18.1	3.26	7.79	0.05	0.05	0.04	0.030	0.09	12.9	17.3	0.77	505	0.71	0.02
I032058		15.2	3.35	8.32	0.05	0.05	0.02	0.017	0.07	7.5	18.0	0.55	274	1.84	0.01
I032059		14.4	3.22	7.28	<0.05	0.02	0.05	0.020	0.10	12.5	16.7	0.68	328	1.00	0.02
I032060		10.8	2.29	5.98	<0.05	0.08	0.02	0.013	0.04	7.2	9.6	0.40	183	0.70	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
I032021		15.9	470	6.5	15.0	<0.001	0.01	0.25	4.9	0.4	0.4	35.8	<0.01	0.05	1.3
I032022		16.3	260	6.1	18.9	<0.001	0.01	0.35	5.7	0.4	0.7	22.4	<0.01	0.02	2.5
I032023		18.2	220	7.2	7.0	<0.001	<0.01	0.39	3.9	0.3	0.5	18.8	<0.01	0.03	2.5
I032024		51.2	340	29.9	22.5	<0.001	0.01	0.38	4.9	0.5	2.5	39.1	<0.01	0.09	4.0
I032025		58.9	250	4.5	29.4	<0.001	0.01	0.24	6.8	0.3	0.6	26.3	<0.01	0.03	2.1
I032026		29.8	560	6.3	31.3	<0.001	0.02	0.28	6.2	0.4	1.6	35.3	<0.01	0.03	3.9
I032027		35.1	1720	4.7	13.4	<0.001	0.02	0.25	6.5	0.4	0.5	44.0	<0.01	0.03	1.4
I032028		43.9	240	5.5	34.3	<0.001	0.01	0.35	4.3	0.3	0.4	21.9	<0.01	0.02	1.4
I032029		39.5	410	5.4	27.1	<0.001	0.01	0.30	5.6	0.3	0.4	27.9	<0.01	0.02	2.5
I032030		20.5	510	5.7	7.3	<0.001	0.01	0.30	6.1	0.3	0.5	30.5	<0.01	0.02	2.1
I032031		20.0	450	5.6	6.4	<0.001	0.01	0.30	6.2	0.4	0.5	27.4	<0.01	0.02	2.4
I032032		15.6	660	5.1	5.2	<0.001	0.01	0.30	4.5	0.3	0.6	21.5	<0.01	0.02	1.2
I032033		21.0	600	7.4	15.9	<0.001	0.01	0.26	5.7	0.5	0.5	40.3	<0.01	0.02	2.3
I032034		17.7	460	6.0	12.0	<0.001	0.01	0.35	4.8	0.3	0.7	32.2	<0.01	0.02	3.3
I032035		22.1	560	7.1	13.5	<0.001	0.02	0.37	5.5	0.4	0.5	33.5	<0.01	0.02	1.8
I032036		17.4	670	5.8	21.1	<0.001	0.02	0.31	6.3	0.6	0.5	29.3	<0.01	0.03	1.7
I032037		15.8	500	5.9	5.4	<0.001	0.01	0.37	7.2	0.3	0.6	24.4	<0.01	0.03	1.8
I032038		16.0	920	6.0	3.5	<0.001	0.01	0.24	8.2	0.4	0.6	33.3	<0.01	0.03	1.0
I032039		17.5	590	4.5	4.4	<0.001	0.01	0.24	6.8	0.3	0.5	21.2	<0.01	0.02	0.7
I032040		<0.2	10	0.4	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
I032041		14.4	620	5.4	11.8	<0.001	0.04	0.31	8.1	0.4	0.7	26.3	<0.01	0.02	1.4
I032042		15.9	480	8.0	31.9	<0.001	0.10	0.36	5.5	0.5	0.5	36.0	<0.01	0.04	1.3
I032043		18.5	210	7.7	12.4	<0.001	0.01	0.45	4.2	0.3	0.6	27.2	<0.01	0.02	1.9
I032044		22.9	340	7.0	10.4	<0.001	0.01	0.40	6.5	0.3	1.2	33.1	<0.01	0.02	2.3
I032045		18.4	320	7.0	6.8	<0.001	0.01	0.38	4.2	0.4	0.6	24.8	<0.01	0.02	1.9
I032046		19.4	300	8.0	7.2	<0.001	0.01	0.42	4.7	0.3	0.6	28.3	<0.01	0.02	1.7
I032047		21.5	320	7.4	21.8	<0.001	0.01	0.30	6.7	0.5	0.5	32.7	<0.01	0.03	3.7
I032048		24.2	320	7.9	21.1	<0.001	0.01	0.25	7.0	0.3	0.5	34.1	<0.01	0.02	2.7
I032049		32.6	280	6.0	15.5	<0.001	0.01	0.53	11.1	0.6	0.5	32.4	<0.01	0.02	2.9
I032050		30.4	260	6.1	13.6	<0.001	0.01	0.52	10.8	0.6	0.5	31.8	<0.01	0.02	2.7
I032051		11.1	330	7.2	12.1	<0.001	<0.01	0.34	3.9	0.4	0.7	20.6	<0.01	0.02	1.2
I032052		17.9	530	8.3	15.7	<0.001	<0.01	0.40	5.3	0.3	0.7	29.3	0.01	0.02	3.1
I032053		11.5	270	7.5	10.7	<0.001	<0.01	0.32	3.1	0.2	0.6	19.0	<0.01	0.03	1.7
I032054		15.5	520	6.6	8.6	<0.001	<0.01	0.35	4.6	0.3	0.7	25.5	0.01	0.03	2.6
I032055		11.5	690	4.5	10.0	<0.001	0.08	0.40	3.8	0.6	0.4	45.5	<0.01	0.02	0.6
I032056		18.2	600	6.5	18.6	<0.001	<0.01	0.40	6.4	0.4	0.7	32.6	<0.01	0.02	2.5
I032057		18.3	580	10.8	16.4	<0.001	<0.01	0.52	6.1	0.4	0.6	27.3	<0.01	0.02	3.5
I032058		13.7	390	8.2	17.8	<0.001	<0.01	0.61	4.1	0.3	0.6	18.0	<0.01	0.03	2.0
I032059		12.1	590	8.3	18.8	<0.001	<0.01	0.55	5.2	0.4	0.6	23.7	<0.01	0.02	2.6
I032060		10.7	260	5.5	7.0	<0.001	<0.01	0.32	3.6	0.3	0.5	18.9	<0.01	0.02	2.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I032021		0.09	0.42	78	0.13	2.98	72	1.5	0.28
I032022		0.10	0.38	79	0.13	4.41	58	1.2	0.36
I032023		0.07	0.39	67	0.12	2.83	56	2.2	0.42
I032024		0.10	0.73	80	0.17	5.49	174	1.5	0.34
I032025		0.11	0.27	76	0.10	3.31	50	3.8	0.40
I032026		0.22	0.56	95	0.14	6.19	128	2.1	0.38
I032027		0.10	0.39	94	0.09	3.78	57	1.7	0.38
I032028		0.13	0.27	84	0.18	2.24	43	1.9	0.32
I032029		0.14	0.35	68	0.20	3.94	42	3.7	0.48
I032030		0.08	0.34	69	0.17	3.89	50	2.0	0.30
I032031		0.08	0.35	67	0.16	3.65	47	2.4	0.30
I032032		0.09	0.32	67	0.17	3.39	53	1.0	0.32
I032033		0.07	0.37	59	0.16	4.63	51	2.7	0.34
I032034		0.08	0.44	65	0.14	3.73	51	1.9	0.46
I032035		0.07	0.29	64	0.18	3.79	59	2.1	0.30
I032036		0.09	0.40	68	0.20	5.07	66	2.3	0.28
I032037		0.08	0.31	71	0.15	4.01	91	1.3	0.32
I032038		0.08	0.37	93	0.10	6.04	160	0.7	0.36
I032039		0.08	0.29	109	0.09	2.96	82	0.7	0.38
I032040		<0.02	0.08	1	<0.05	0.66	2	0.6	0.10
I032041		0.09	0.30	86	0.12	3.12	127	1.6	0.28
I032042		0.16	0.36	97	0.10	2.20	83	2.2	0.24
I032043		0.08	0.35	65	0.26	2.72	48	1.1	0.30
I032044		0.08	0.34	80	0.24	3.65	56	2.4	0.30
I032045		0.08	0.31	66	0.20	2.70	48	1.6	0.36
I032046		0.09	0.32	72	0.23	2.54	49	1.0	0.34
I032047		0.09	0.42	60	0.14	7.06	51	4.1	0.38
I032048		0.11	0.37	87	0.15	5.55	46	3.0	0.38
I032049		0.07	0.67	89	0.14	17.00	47	2.4	0.40
I032050		0.06	0.60	86	0.13	13.95	45	2.5	0.38
I032051		0.10	0.65	62	0.15	3.81	38	1.3	0.28
I032052		0.14	0.73	88	0.24	5.76	52	3.5	0.34
I032053		0.08	0.39	72	0.13	2.85	37	3.8	0.30
I032054		0.09	0.59	95	0.29	4.69	45	3.9	0.30
I032055		0.12	1.75	43	0.12	6.97	36	1.4	0.24
I032056		0.23	1.07	93	0.22	7.76	67	3.0	0.42
I032057		0.16	1.82	79	0.16	8.82	66	2.1	0.44
I032058		0.11	0.62	87	0.24	3.53	52	2.2	0.40
I032059		0.12	1.43	72	0.22	6.19	56	0.9	0.40
I032060		0.10	0.51	62	0.21	3.98	33	3.1	0.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I032061		<0.005	0.10	2.51	6.7	<0.2	<10	200	0.34	0.17	0.40	0.07	19.15	10.8	26	1.84
I032062		<0.005	0.05	2.37	13.2	<0.2	<10	260	0.32	0.14	0.28	0.11	21.3	11.2	22	3.95
I032063		<0.005	0.03	2.72	13.7	<0.2	<10	230	0.34	0.14	0.31	0.10	20.9	13.6	38	2.76
I032064		<0.005	0.03	2.21	8.5	<0.2	<10	120	0.26	0.15	0.19	0.09	19.80	9.3	27	2.27
I032065		<0.005	0.03	0.83	7.8	<0.2	<10	50	0.17	0.08	0.11	0.04	8.13	2.6	10	1.00
I032066		<0.005	0.04	2.73	6.5	<0.2	<10	300	0.35	0.11	0.37	0.06	21.7	12.1	31	1.72
I032067		<0.005	0.53	0.94	129.0	<0.2	<10	120	0.20	0.08	0.27	0.08	10.60	5.1	12	2.37
I032068		<0.005	0.11	1.16	25.8	<0.2	<10	160	0.21	0.10	0.24	0.30	15.20	4.9	16	2.01
I032069		<0.005	0.17	2.43	250	<0.2	<10	230	0.34	0.13	0.40	0.53	20.2	13.6	30	2.34
I032070		0.005	0.06	2.84	11.9	<0.2	<10	200	0.42	0.16	0.22	0.06	23.4	12.1	43	1.63
I032071		<0.005	0.07	2.31	22.4	<0.2	<10	170	0.27	0.29	0.27	0.09	20.4	11.0	27	2.76
I032072		<0.005	0.02	3.13	9.1	<0.2	<10	210	0.37	0.12	0.34	0.07	19.50	14.7	27	2.92
I032073		<0.005	0.13	3.10	10.7	<0.2	<10	190	0.50	0.38	0.26	0.12	23.6	14.4	41	1.37
I032074		<0.005	0.02	0.87	3.7	<0.2	<10	70	0.12	0.09	0.15	0.02	9.46	3.0	12	0.53
I032075		<0.005	0.02	2.34	10.1	<0.2	<10	120	0.25	0.20	0.22	0.07	18.80	7.2	33	1.01
I032076		<0.005	0.02	4.08	9.4	<0.2	<10	180	0.38	0.18	0.16	0.11	16.15	12.2	28	2.38
I032077		<0.005	0.04	2.88	10.3	<0.2	<10	260	0.41	0.27	0.26	0.10	21.2	11.5	27	2.49
I032078		<0.005	0.12	1.63	7.4	<0.2	<10	140	0.36	0.11	0.62	0.13	18.40	12.7	32	0.64
I032079		<0.005	0.04	1.61	5.6	<0.2	<10	120	0.25	0.12	0.14	0.03	16.85	5.7	21	0.88
I032080		<0.005	0.07	1.35	5.8	<0.2	<10	170	0.32	0.12	0.30	0.08	26.4	7.5	24	0.70
I032081		<0.005	0.07	1.83	3.9	<0.2	<10	180	0.28	0.14	0.28	0.08	19.15	6.0	21	1.06
I032082		<0.005	0.16	1.81	5.6	<0.2	<10	420	0.60	0.13	1.00	0.13	35.3	9.5	28	0.76
I032083		<0.005	0.12	1.65	5.3	<0.2	<10	140	0.18	0.15	0.25	0.06	18.50	5.1	22	0.92
I032084		<0.005	0.08	1.37	6.3	<0.2	<10	130	0.17	0.15	0.23	0.08	16.15	4.6	20	0.68
I032085		<0.005	0.07	1.63	7.2	<0.2	<10	120	0.28	0.19	0.15	0.05	18.75	5.4	25	0.75
I032086		<0.005	0.07	1.17	3.3	<0.2	<10	210	0.44	0.12	0.22	0.05	22.3	4.0	16	0.71
I032087		<0.005	0.05	1.56	3.9	<0.2	<10	260	0.45	0.11	0.27	0.04	21.6	6.1	22	0.60
I032088		<0.005	0.07	0.86	6.3	<0.2	<10	190	0.35	0.15	0.14	0.09	15.10	3.7	12	0.64
I032089		<0.005	0.09	1.75	5.4	<0.2	<10	470	0.52	0.18	0.54	0.23	28.1	11.0	25	0.61
I032090		<0.005	0.04	1.40	4.5	<0.2	<10	280	0.25	0.10	0.23	0.04	13.50	7.7	21	0.52
I032091		<0.005	0.04	1.40	4.8	<0.2	<10	280	0.25	0.10	0.23	0.03	14.45	7.5	21	0.55
I032092		<0.005	0.06	1.03	6.1	<0.2	<10	320	0.18	0.11	0.07	0.03	13.20	3.8	13	0.43
I032093		<0.005	0.16	1.18	5.0	<0.2	<10	630	0.26	0.18	0.21	0.08	20.5	5.8	15	0.45
I032094		<0.005	0.12	1.25	5.6	<0.2	<10	570	0.24	0.14	0.20	0.06	19.25	5.5	16	0.34
I032095		0.005	0.07	1.33	7.5	<0.2	<10	420	0.39	0.13	0.63	0.09	24.2	8.2	24	0.45
I032096		<0.005	0.08	1.49	4.9	<0.2	<10	770	0.48	0.13	0.31	0.14	30.1	7.0	19	0.42
I032097		<0.005	0.03	2.83	4.8	<0.2	<10	460	0.25	0.07	0.73	0.03	8.02	22.7	84	2.05
I032098		0.005	0.07	1.46	9.5	<0.2	<10	390	0.41	0.14	0.48	0.07	22.0	8.9	27	0.33
I032099		<0.005	0.10	1.43	8.2	<0.2	<10	480	0.39	0.15	0.60	0.20	21.8	9.5	24	0.33
I032100		<0.005	0.05	1.36	6.7	<0.2	<10	360	0.40	0.14	0.59	0.20	20.8	9.2	23	0.32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I032061		16.8	3.20	8.38	<0.05	0.07	0.02	0.023	0.06	10.7	14.1	0.59	434	1.26	0.02
I032062		10.8	3.57	9.09	0.06	0.06	0.03	0.020	0.25	10.4	14.3	0.83	362	0.76	0.02
I032063		19.3	3.83	8.29	0.05	0.07	0.03	0.027	0.12	9.8	17.8	0.95	474	0.96	0.02
I032064		15.1	3.24	7.81	0.05	0.03	0.03	0.022	0.07	9.6	14.0	0.59	277	0.93	0.01
I032065		8.2	1.38	4.12	<0.05	0.02	0.02	<0.005	0.03	4.2	5.0	0.15	76	0.60	0.02
I032066		25.1	3.35	7.17	0.07	0.11	0.03	0.022	0.10	10.8	14.8	0.77	336	0.58	0.02
I032067		10.6	1.59	3.63	<0.05	<0.02	0.24	0.007	0.03	5.5	6.0	0.18	331	0.65	0.02
I032068		14.1	1.57	4.21	<0.05	0.02	0.10	0.007	0.05	8.4	5.8	0.26	174	0.62	0.02
I032069		16.3	3.09	6.76	<0.05	0.09	0.93	0.025	0.05	9.8	13.5	0.63	397	1.08	0.02
I032070		27.4	3.79	8.81	0.06	0.17	0.02	0.029	0.07	11.4	15.4	0.65	302	1.46	0.02
I032071		22.4	3.42	7.64	0.05	0.08	0.03	0.020	0.13	9.5	13.7	0.70	335	1.15	0.02
I032072		16.8	4.33	9.89	0.06	0.11	0.02	0.028	0.22	9.0	20.2	0.93	514	0.95	0.03
I032073		27.5	3.72	7.32	0.05	0.27	0.04	0.030	0.07	10.6	15.9	0.66	383	1.28	0.02
I032074		7.2	1.40	4.23	<0.05	<0.02	0.02	<0.005	0.03	4.8	4.5	0.16	76	0.58	0.02
I032075		16.4	3.39	9.05	<0.05	0.06	0.04	0.022	0.04	9.5	13.0	0.42	171	1.44	0.01
I032076		18.3	5.09	12.90	0.07	0.11	0.04	0.030	0.21	7.0	19.4	0.83	423	1.71	0.02
I032077		15.6	4.04	10.40	0.05	0.07	0.09	0.032	0.09	10.8	18.1	0.63	507	1.26	0.02
I032078		27.0	3.12	5.45	<0.05	0.11	0.02	0.020	0.03	8.7	8.5	0.57	393	0.62	0.05
I032079		12.5	2.25	5.53	<0.05	0.03	0.02	0.012	0.03	8.8	13.9	0.42	208	0.53	<0.01
I032080		17.8	2.20	4.37	<0.05	0.07	0.02	0.013	0.04	12.9	11.7	0.47	336	0.53	0.01
I032081		13.0	2.32	6.83	<0.05	0.03	0.02	0.014	0.05	10.2	13.4	0.50	296	0.60	0.01
I032082		20.8	2.37	5.42	0.05	0.05	0.06	0.019	0.04	19.2	14.8	0.48	821	1.12	0.02
I032083		9.5	2.10	6.38	<0.05	0.03	0.03	0.012	0.03	9.5	11.1	0.40	147	0.78	0.01
I032084		9.8	2.01	5.80	<0.05	<0.02	0.02	0.009	0.05	8.2	9.0	0.34	141	1.01	0.01
I032085		10.9	2.66	7.16	<0.05	0.07	0.01	0.015	0.05	9.7	13.7	0.36	198	0.99	0.01
I032086		9.1	1.81	5.34	<0.05	0.03	0.01	0.005	0.06	12.6	10.2	0.36	225	0.63	0.01
I032087		14.0	2.07	5.52	0.07	0.03	0.01	0.019	0.05	11.2	14.2	0.55	366	0.44	0.02
I032088		10.7	1.54	3.32	0.05	0.03	0.02	0.013	0.05	7.6	6.1	0.20	363	1.00	0.01
I032089		27.8	2.49	5.45	0.07	0.05	0.02	0.027	0.09	11.8	11.5	0.46	891	0.99	0.04
I032090		14.7	2.14	5.16	0.07	0.02	0.01	0.013	0.08	8.8	12.3	0.63	472	0.72	0.02
I032091		14.8	2.11	5.05	0.07	0.03	0.01	0.014	0.07	9.9	13.9	0.64	377	0.73	0.02
I032092		7.3	1.91	4.50	0.06	0.04	0.01	0.012	0.04	6.8	9.6	0.25	152	1.23	0.01
I032093		18.7	1.90	5.56	0.06	0.02	0.02	0.013	0.05	11.3	8.2	0.25	991	1.34	0.03
I032094		16.0	1.99	4.90	0.06	0.02	0.02	0.013	0.05	10.2	10.1	0.30	815	1.16	0.02
I032095		21.5	2.27	4.03	0.09	0.13	0.02	0.018	0.05	12.5	13.0	0.50	336	0.80	0.04
I032096		15.4	2.12	4.69	0.08	0.04	0.02	0.021	0.10	14.8	11.1	0.43	734	0.79	0.03
I032097		8.3	2.55	8.13	0.10	0.03	0.01	0.018	0.06	4.3	25.0	3.03	552	0.35	0.02
I032098		17.9	2.48	4.49	0.09	0.10	0.09	0.022	0.06	10.9	12.2	0.47	299	0.88	0.03
I032099		18.8	2.37	4.41	0.08	0.09	0.02	0.021	0.08	10.7	11.3	0.49	547	0.88	0.04
I032100		20.2	2.35	4.25	0.08	0.08	0.01	0.020	0.09	9.9	10.6	0.47	521	0.92	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I032061		16.1	350	7.0	13.5	<0.001	<0.01	0.53	5.6	0.3	0.7	30.0	<0.01	0.03	2.6
I032062		13.0	340	8.1	45.3	<0.001	<0.01	0.64	5.9	0.3	0.8	22.4	<0.01	0.02	2.7
I032063		25.4	570	6.4	20.4	<0.001	<0.01	1.42	6.1	0.3	0.8	25.3	<0.01	0.02	2.8
I032064		15.3	430	7.9	10.6	<0.001	<0.01	1.09	5.1	0.3	0.8	17.1	0.01	0.02	1.8
I032065		4.3	270	4.6	6.7	<0.001	<0.01	0.23	1.9	0.3	0.3	11.1	<0.01	0.02	0.5
I032066		22.1	480	6.2	14.4	<0.001	<0.01	0.32	6.0	0.2	0.6	25.9	<0.01	0.02	2.9
I032067		6.6	550	16.9	4.8	<0.001	<0.01	0.57	2.9	0.3	0.3	18.8	<0.01	0.01	0.4
I032068		8.5	380	12.2	9.2	<0.001	<0.01	0.54	3.0	0.3	0.4	22.3	<0.01	0.02	0.4
I032069		22.7	530	51.9	10.8	<0.001	<0.01	1.97	5.5	0.3	0.6	30.1	<0.01	0.03	2.7
I032070		28.3	270	8.9	11.3	<0.001	<0.01	0.64	5.6	0.4	0.7	22.3	<0.01	0.02	4.4
I032071		14.9	390	19.9	18.7	<0.001	<0.01	0.56	5.8	0.4	0.7	20.5	<0.01	0.03	2.7
I032072		17.8	610	7.0	29.0	<0.001	<0.01	0.34	6.4	0.4	0.8	25.6	<0.01	0.02	3.0
I032073		25.6	310	8.6	11.2	<0.001	<0.01	0.47	6.5	0.4	0.7	25.2	0.01	0.02	4.9
I032074		5.3	270	4.6	4.5	<0.001	<0.01	0.17	1.9	0.3	0.3	15.8	<0.01	0.02	0.5
I032075		15.3	330	10.5	7.5	<0.001	<0.01	0.42	4.4	0.4	0.7	22.7	0.01	0.03	2.2
I032076		15.0	550	8.5	23.8	<0.001	<0.01	0.45	7.0	0.4	0.9	14.8	0.01	0.04	2.7
I032077		16.9	380	9.1	15.4	<0.001	<0.01	0.36	6.5	0.3	0.8	21.9	<0.01	0.05	2.9
I032078		22.5	490	6.3	5.3	<0.001	<0.01	0.31	4.3	0.3	0.5	36.0	<0.01	0.02	2.0
I032079		12.3	280	6.0	5.9	<0.001	<0.01	0.26	3.1	0.2	0.4	11.9	<0.01	0.01	2.4
I032080		16.3	590	6.8	6.9	<0.001	<0.01	0.39	3.8	0.3	0.4	22.1	<0.01	0.02	4.0
I032081		11.9	460	7.8	12.8	<0.001	<0.01	0.25	3.5	0.3	0.4	22.3	<0.01	0.02	2.5
I032082		23.4	750	7.9	7.8	<0.001	0.02	0.52	4.5	0.9	0.6	65.1	<0.01	0.02	1.8
I032083		12.0	260	8.8	9.1	<0.001	<0.01	0.24	3.3	0.3	0.5	22.1	<0.01	0.01	2.4
I032084		11.0	430	8.7	8.9	<0.001	<0.01	0.26	2.7	0.3	0.5	19.4	<0.01	0.02	1.1
I032085		11.4	450	10.9	9.8	<0.001	<0.01	0.28	3.0	0.2	0.6	13.3	<0.01	0.03	2.8
I032086		9.0	220	8.9	10.4	<0.001	<0.01	0.19	2.7	<0.2	0.4	20.4	<0.01	0.02	2.3
I032087		16.1	310	6.2	8.2	<0.001	<0.01	0.21	3.4	0.3	0.3	23.8	<0.01	0.02	3.3
I032088		9.1	170	11.3	14.2	<0.001	<0.01	0.27	1.9	0.4	0.4	11.9	0.01	0.02	3.8
I032089		20.9	330	8.0	13.1	<0.001	<0.01	0.44	4.5	0.6	0.5	29.9	<0.01	0.04	3.1
I032090		16.2	270	4.8	10.9	<0.001	<0.01	0.25	2.9	0.3	0.3	17.1	<0.01	0.02	1.9
I032091		16.7	260	4.7	11.1	<0.001	<0.01	0.26	3.0	0.3	0.3	17.6	<0.01	0.02	2.1
I032092		7.9	130	5.6	7.9	<0.001	<0.01	0.30	2.2	0.2	0.4	7.7	<0.01	0.02	2.3
I032093		11.8	300	7.3	9.3	<0.001	<0.01	0.33	2.7	0.4	0.5	15.8	<0.01	0.04	2.0
I032094		11.3	220	6.1	9.1	<0.001	<0.01	0.32	2.5	0.3	0.4	14.4	<0.01	0.03	2.4
I032095		21.3	560	6.4	7.6	<0.001	<0.01	0.44	4.5	0.7	0.4	39.3	<0.01	0.03	4.0
I032096		16.7	330	5.7	13.3	0.001	<0.01	0.26	4.0	0.4	0.4	23.4	<0.01	0.02	3.2
I032097		70.5	280	3.4	15.8	<0.001	<0.01	0.13	8.6	0.3	0.4	25.9	<0.01	0.01	1.1
I032098		20.8	300	7.1	7.6	<0.001	<0.01	0.45	5.0	0.5	0.4	33.5	<0.01	0.03	4.0
I032099		21.5	430	7.2	9.6	<0.001	<0.01	0.41	4.5	0.8	0.4	39.1	<0.01	0.03	3.4
I032100		20.7	710	6.6	8.8	0.001	<0.01	0.39	4.1	0.5	0.4	37.8	<0.01	0.03	3.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I032061		0.14	0.86	83	0.24	6.76	47	3.5	0.44
I032062		0.27	0.68	92	0.17	5.17	56	2.6	0.42
I032063		0.17	0.58	98	0.24	5.46	65	3.4	0.48
I032064		0.10	0.61	78	0.24	4.24	50	1.2	0.40
I032065		0.04	0.37	32	0.10	2.24	16	0.7	0.22
I032066		0.18	0.76	85	0.19	5.78	51	4.4	0.56
I032067		0.09	0.57	34	0.18	4.90	44	<0.5	0.38
I032068		0.09	0.63	39	0.30	4.80	59	0.6	0.28
I032069		0.22	0.67	71	0.20	5.46	388	4.5	0.58
I032070		0.12	0.60	97	0.18	3.98	65	8.2	0.50
I032071		0.18	0.74	91	0.51	5.32	53	4.0	0.44
I032072		0.26	0.59	108	0.20	5.49	69	4.1	0.42
I032073		0.12	0.85	86	0.19	5.01	55	11.9	0.56
I032074		0.04	0.32	36	0.09	2.13	17	0.6	0.36
I032075		0.10	0.63	86	0.14	4.13	41	2.8	0.42
I032076		0.18	0.70	132	0.25	3.73	62	4.4	0.40
I032077		0.15	0.96	105	0.20	5.28	70	3.2	0.40
I032078		0.06	0.49	80	0.11	5.83	47	5.2	0.24
I032079		0.07	0.34	50	0.16	3.63	34	1.3	0.38
I032080		0.05	0.61	44	0.19	6.81	51	3.0	0.40
I032081		0.06	0.42	49	0.36	5.08	57	1.5	0.34
I032082		0.06	2.01	45	0.18	15.85	56	1.9	0.34
I032083		0.10	0.47	52	0.21	2.92	45	1.5	0.50
I032084		0.07	0.36	51	0.27	2.60	43	0.5	0.38
I032085		0.10	0.40	67	0.17	2.48	42	3.1	0.38
I032086		0.06	0.42	42	0.09	3.76	43	1.1	0.34
I032087		0.05	0.36	40	0.09	4.35	41	1.1	0.40
I032088		0.07	0.68	31	0.13	6.42	32	0.8	0.34
I032089		0.06	0.59	51	0.32	5.04	43	1.9	0.20
I032090		0.06	0.27	50	0.10	2.84	43	0.8	0.36
I032091		0.06	0.29	50	0.11	3.03	44	1.0	0.36
I032092		0.05	0.21	47	0.14	1.68	22	1.5	0.36
I032093		0.07	0.38	53	0.19	4.20	29	0.5	0.30
I032094		0.06	0.32	47	0.18	3.75	30	0.7	0.48
I032095		0.05	0.63	49	0.17	7.58	45	5.0	0.30
I032096		0.05	0.47	42	0.12	5.10	32	0.9	0.36
I032097		0.08	0.22	74	0.10	1.94	77	1.3	0.42
I032098		0.04	0.53	55	0.24	5.31	43	4.1	0.40
I032099		0.04	0.71	53	0.15	6.05	46	3.3	0.38
I032100		0.04	0.65	50	0.29	5.31	46	2.8	0.34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I032101		0.005	0.04	1.03	5.3	<0.2	<10	30	0.16	0.17	0.08	0.09	16.15	4.7	20	0.88
I032102		<0.005	<0.01	0.01	<0.1	<0.2	<10	<10	<0.05	0.01	<0.01	0.01	0.96	0.1	<1	<0.05
I032103		0.006	0.07	1.81	5.8	<0.2	<10	110	0.32	0.20	0.18	0.08	42.9	9.8	32	1.95
I032104		<0.005	0.04	1.92	13.7	<0.2	<10	110	0.52	0.22	0.11	0.17	36.3	11.6	30	1.29
I032105		<0.005	0.04	2.16	9.4	<0.2	<10	100	0.44	0.17	0.13	0.14	19.40	8.6	35	1.20
I032106		<0.005	0.09	2.16	11.4	<0.2	<10	120	0.41	0.24	0.09	0.12	18.80	7.1	33	1.33
I032107		<0.005	0.10	2.32	8.7	<0.2	<10	90	0.41	0.14	0.14	0.14	17.45	11.5	36	1.22
I032108		<0.005	0.03	2.02	4.0	<0.2	<10	50	0.14	0.05	0.20	0.06	4.84	12.7	136	2.21
I032109		<0.005	0.08	1.82	4.7	<0.2	<10	140	0.22	0.13	0.18	0.09	6.55	10.9	55	0.93
I032110		<0.005	0.23	1.81	6.2	<0.2	<10	180	0.22	0.15	0.22	0.15	9.27	12.9	21	1.55
I032111		<0.005	0.04	1.91	3.2	<0.2	<10	700	0.20	0.08	0.18	0.05	5.10	13.0	13	0.94
I032112		<0.005	0.17	1.25	6.6	<0.2	<10	120	0.14	0.13	0.20	0.08	11.60	6.6	27	0.78
I032113		<0.005	0.18	1.33	7.9	<0.2	<10	430	0.20	0.15	0.33	0.15	16.45	8.3	30	1.28
I032114		0.006	0.13	1.36	5.2	<0.2	<10	160	0.14	0.11	0.28	0.08	13.05	9.0	30	0.81
I032115		<0.005	0.26	0.86	2.3	<0.2	<10	190	0.18	0.11	0.19	0.16	11.55	4.1	16	1.89
I032116		<0.005	0.03	1.87	7.1	<0.2	<10	150	0.19	0.14	0.16	0.10	12.20	11.2	28	2.67
I032117		<0.005	0.04	1.88	6.8	<0.2	<10	170	0.22	0.13	0.17	0.11	13.80	11.1	29	2.65
I032118		<0.005	0.14	1.26	5.2	<0.2	<10	170	0.16	0.14	0.21	0.09	13.00	6.4	22	0.91
I032119		<0.005	0.06	2.41	10.2	<0.2	<10	90	0.31	0.14	0.10	0.17	12.70	14.6	78	1.87
I032120		<0.005	0.14	1.96	3.1	<0.2	<10	390	0.23	0.10	0.59	0.05	10.35	22.5	69	2.31
I032121		<0.005	0.04	1.85	6.0	<0.2	<10	90	0.17	0.11	0.12	0.10	10.55	13.5	35	1.75
I032122		0.005	0.16	1.78	4.9	<0.2	<10	210	0.21	0.12	0.26	0.10	13.30	11.7	26	1.96
I032123		0.020	0.19	2.01	3.9	<0.2	<10	470	0.24	0.14	0.45	0.11	14.90	14.8	33	3.75
I032124		<0.005	0.19	1.77	4.0	<0.2	<10	240	0.24	0.09	0.32	0.08	12.45	14.2	20	3.71
I032125		0.006	0.04	2.25	6.4	<0.2	<10	120	0.37	0.17	0.36	0.15	21.6	9.9	36	1.68
I032126		<0.005	0.05	2.69	7.8	<0.2	<10	190	0.55	0.17	0.36	0.10	23.5	12.4	45	1.78
I032127		<0.005	0.23	3.12	9.1	<0.2	<10	420	0.59	0.23	0.51	0.12	24.5	13.7	46	4.06
I032128		0.005	1.12	1.12	42.2	<0.2	<10	150	0.18	0.12	0.16	0.43	13.55	3.4	17	2.33
I032129		<0.005	0.08	2.13	12.5	<0.2	<10	190	0.26	0.17	0.30	0.08	17.50	8.2	33	3.78
I032130		<0.005	0.13	1.82	4.8	<0.2	<10	180	0.17	0.19	0.28	0.09	13.55	6.9	25	1.37
I032131		<0.005	0.03	2.36	5.3	<0.2	<10	220	0.31	0.16	0.44	0.05	29.7	10.8	36	2.22
I032132		<0.005	0.04	1.89	157.5	<0.2	<10	130	0.26	0.15	0.19	0.12	24.2	10.3	24	4.26
I032133		<0.005	0.05	2.65	17.7	<0.2	<10	220	0.32	0.14	0.46	0.07	25.4	12.9	36	2.33
I032134		<0.005	0.04	2.72	5.2	<0.2	<10	250	0.29	0.14	0.57	0.05	19.90	11.8	27	1.77
I032135		<0.005	0.04	2.44	6.6	<0.2	<10	150	0.25	0.15	0.27	0.14	15.00	10.4	27	1.20
I032136		0.007	0.01	2.36	7.8	<0.2	<10	150	0.23	0.15	0.36	0.08	18.00	10.3	31	1.39
I032137		0.007	0.05	2.67	6.6	<0.2	<10	190	0.27	0.16	0.43	0.07	21.8	12.1	33	1.57
I032138		<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	1.00	0.1	2	<0.05
I032139		<0.005	0.08	2.88	8.5	<0.2	<10	330	0.32	0.17	0.68	0.07	28.8	14.5	32	3.45
I032140		<0.005	0.15	2.76	7.6	<0.2	<10	400	0.34	0.16	0.84	0.08	35.1	13.8	35	3.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I032101		14.0	2.13	6.29	0.07	0.02	0.03	0.016	0.06	7.8	7.4	0.29	136	1.00	0.01
I032102		1.2	0.02	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.16	<0.01
I032103		27.0	2.82	6.67	0.13	0.04	0.03	0.024	0.18	23.6	15.5	0.59	201	1.10	0.01
I032104		30.4	3.24	6.23	0.10	0.02	0.04	0.029	0.05	17.3	12.5	0.37	231	1.50	0.01
I032105		17.8	2.92	6.33	0.08	0.04	0.07	0.028	0.06	9.3	16.7	0.43	288	1.27	0.01
I032106		20.4	3.35	8.18	0.08	0.05	0.04	0.030	0.03	9.7	16.0	0.28	223	2.02	0.01
I032107		51.1	3.33	7.91	0.09	0.07	0.03	0.024	0.05	8.3	17.4	0.67	206	1.16	0.02
I032108		19.2	2.74	7.09	0.08	<0.02	0.01	0.009	0.07	2.5	21.9	1.45	187	0.70	0.02
I032109		25.2	2.78	7.45	0.07	0.02	0.02	0.018	0.05	3.4	15.7	0.84	257	0.98	0.03
I032110		77.0	3.19	7.14	0.05	0.02	0.04	0.017	0.08	4.7	13.2	0.60	403	1.00	0.02
I032111		89.6	2.83	8.45	0.05	0.02	0.01	0.016	0.12	2.4	18.8	0.90	212	0.58	0.03
I032112		32.3	2.19	5.66	0.05	0.02	0.03	0.016	0.05	6.0	9.0	0.44	139	0.84	0.02
I032113		44.2	2.30	5.54	0.05	0.02	0.03	0.021	0.07	8.6	9.7	0.42	245	1.30	0.02
I032114		50.1	2.25	5.58	0.06	0.02	0.03	0.014	0.08	6.7	10.0	0.63	186	0.84	0.02
I032115		69.5	1.13	3.16	<0.05	<0.02	0.06	0.013	0.04	6.0	2.7	0.14	55	0.66	0.02
I032116		51.4	3.12	7.62	0.05	0.02	0.02	0.022	0.04	6.1	13.9	0.54	373	1.14	0.01
I032117		55.4	2.93	6.83	0.06	0.02	0.02	0.022	0.04	6.8	13.9	0.52	336	1.01	0.02
I032118		36.2	1.94	5.96	0.05	0.02	0.03	0.015	0.04	6.7	8.0	0.36	128	0.87	0.02
I032119		26.0	3.89	8.76	0.06	0.11	0.03	0.026	0.06	6.5	23.2	0.97	289	1.07	0.01
I032120		52.1	3.44	7.84	0.06	0.02	0.03	0.019	0.08	4.9	15.3	1.17	743	0.83	0.02
I032121		63.1	3.65	9.08	0.08	0.04	0.02	0.016	0.12	5.4	12.1	0.90	248	1.01	0.01
I032122		74.3	2.81	7.00	0.06	0.02	0.04	0.020	0.09	6.8	13.1	0.68	215	0.88	0.02
I032123		112.0	3.28	7.14	0.06	0.03	0.08	0.027	0.12	7.6	12.8	0.73	401	0.81	0.02
I032124		84.6	4.26	7.27	0.07	0.02	0.05	0.029	0.18	6.0	10.0	0.71	408	0.68	0.01
I032125		18.8	3.56	8.51	0.08	0.07	0.02	0.032	0.22	10.9	12.4	0.97	415	0.90	<0.01
I032126		24.5	3.75	8.33	0.09	0.09	0.01	0.039	0.16	11.4	14.2	0.99	527	0.95	0.01
I032127		30.6	4.32	9.37	0.09	0.05	0.07	0.048	0.18	12.5	11.8	0.94	740	1.47	0.02
I032128		15.4	1.72	4.72	<0.05	0.02	0.14	0.019	0.05	7.9	4.3	0.23	121	0.79	0.01
I032129		15.6	3.23	7.12	0.06	0.03	0.04	0.027	0.06	9.1	11.7	0.55	253	1.07	0.01
I032130		17.7	2.33	5.52	0.05	0.03	0.02	0.019	0.05	7.1	10.0	0.43	227	0.69	0.01
I032131		22.7	3.48	7.13	0.10	0.12	0.02	0.027	0.17	15.7	13.4	0.85	435	0.52	0.01
I032132		12.2	4.19	7.42	0.06	0.03	0.03	0.032	0.12	12.6	8.4	0.47	667	1.40	<0.01
I032133		23.6	3.42	7.34	0.09	0.09	0.03	0.032	0.12	12.6	12.7	0.82	438	0.42	0.01
I032134		18.2	3.52	7.90	0.09	0.08	0.04	0.031	0.14	10.1	12.9	0.96	396	0.36	0.03
I032135		22.1	3.63	7.95	0.07	0.07	0.04	0.023	0.09	7.3	11.1	0.64	378	0.93	0.02
I032136		17.0	3.82	9.08	0.07	0.09	0.03	0.026	0.14	8.7	12.7	0.78	407	0.90	0.01
I032137		23.3	3.71	7.83	0.09	0.09	0.02	0.025	0.17	10.9	13.2	0.88	417	0.73	0.01
I032138		0.7	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05	<0.01
I032139		22.3	4.17	8.94	0.11	0.06	0.03	0.037	0.24	13.3	14.4	1.08	648	0.90	0.02
I032140		25.6	3.95	7.58	0.12	0.08	0.06	0.032	0.24	18.0	14.4	0.98	738	0.68	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I032101		12.9	300	7.9	9.3	<0.001	0.02	0.26	2.1	0.5	0.5	9.1	<0.01	0.04	1.5
I032102		1.1	10	0.8	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
I032103		24.1	450	9.0	28.2	<0.001	0.01	0.36	4.1	0.7	0.6	15.2	<0.01	0.03	6.3
I032104		27.0	520	10.5	11.6	<0.001	0.01	0.35	3.1	0.9	0.5	12.3	0.01	0.05	1.4
I032105		20.4	420	8.2	11.7	<0.001	0.02	0.46	3.9	0.7	0.6	13.6	0.01	0.05	3.7
I032106		17.4	290	10.3	11.8	<0.001	0.01	0.63	3.8	0.5	0.7	11.2	0.01	0.06	3.3
I032107		24.2	360	6.6	10.9	<0.001	0.01	0.50	5.3	0.5	0.5	10.1	0.01	0.05	2.9
I032108		40.0	350	2.6	11.4	<0.001	<0.01	0.16	3.0	0.4	0.3	10.5	<0.01	0.03	0.4
I032109		22.8	310	4.8	10.2	<0.001	0.01	0.35	4.0	0.5	0.4	15.5	<0.01	0.04	0.6
I032110		16.8	350	5.8	15.6	<0.001	0.03	0.43	2.9	0.4	0.5	15.5	<0.01	0.04	0.5
I032111		13.6	470	2.8	11.1	<0.001	0.02	0.21	4.1	0.3	0.4	9.1	<0.01	0.03	0.5
I032112		15.7	260	5.1	8.7	<0.001	0.03	0.33	2.9	0.4	0.4	14.7	0.01	0.04	0.8
I032113		21.6	570	6.2	14.5	<0.001	0.04	0.31	3.3	0.6	0.4	21.5	<0.01	0.03	0.4
I032114		17.8	590	4.9	9.8	<0.001	0.02	0.23	3.0	0.4	0.4	15.8	<0.01	0.03	0.8
I032115		10.9	680	4.0	6.4	<0.001	0.04	0.19	0.6	0.6	0.3	17.8	<0.01	0.02	<0.2
I032116		20.0	370	6.1	9.4	<0.001	0.01	0.29	4.4	0.3	0.5	13.0	<0.01	0.04	0.7
I032117		21.3	380	6.0	9.1	<0.001	0.01	0.30	4.1	0.4	0.5	14.1	<0.01	0.04	0.5
I032118		13.5	370	5.7	6.9	<0.001	0.01	0.24	3.1	0.4	0.5	15.4	<0.01	0.03	0.6
I032119		35.3	260	7.4	11.1	<0.001	0.01	0.47	4.8	0.5	0.5	10.0	<0.01	0.04	2.2
I032120		34.4	720	5.0	10.0	<0.001	0.03	0.19	4.9	0.4	0.4	26.5	<0.01	0.03	0.3
I032121		20.8	310	5.4	14.7	<0.001	0.01	0.28	4.3	0.3	0.5	10.0	<0.01	0.03	1.2
I032122		18.3	620	5.3	11.9	<0.001	0.02	0.26	4.6	0.4	0.4	17.7	<0.01	0.03	0.7
I032123		19.4	600	6.0	14.2	<0.001	0.02	0.22	7.1	0.5	0.5	24.1	<0.01	0.02	0.6
I032124		14.0	730	3.9	18.0	<0.001	<0.01	0.31	6.6	0.4	0.4	15.4	<0.01	0.02	0.8
I032125		21.2	500	9.3	25.6	<0.001	<0.01	0.26	5.5	0.4	1.0	23.4	<0.01	0.02	3.2
I032126		28.6	390	8.6	24.8	<0.001	<0.01	0.30	7.0	0.4	1.0	27.9	<0.01	0.02	3.6
I032127		26.4	590	11.0	26.2	<0.001	0.01	0.38	8.9	0.6	1.0	38.5	<0.01	0.03	2.4
I032128		7.9	260	17.3	13.1	<0.001	<0.01	1.06	3.3	0.4	0.5	17.0	<0.01	0.02	0.5
I032129		17.9	520	7.9	12.8	<0.001	<0.01	0.36	4.5	0.5	0.6	24.7	<0.01	0.02	1.3
I032130		15.7	540	5.5	9.7	<0.001	<0.01	0.20	3.2	0.3	0.5	20.0	<0.01	0.02	0.9
I032131		21.3	630	6.6	22.8	<0.001	<0.01	0.27	7.3	0.5	0.7	30.1	<0.01	0.02	4.4
I032132		12.5	350	15.5	18.7	<0.001	<0.01	1.01	5.8	0.4	0.5	14.8	<0.01	0.03	3.8
I032133		24.1	650	9.0	19.0	<0.001	<0.01	0.42	6.8	0.5	0.6	29.0	<0.01	0.02	3.4
I032134		18.8	740	6.1	17.0	<0.001	0.01	0.38	6.1	0.5	0.7	32.9	<0.01	0.01	2.8
I032135		16.5	430	6.1	11.2	<0.001	<0.01	0.31	4.0	0.5	0.5	21.1	0.01	0.03	1.8
I032136		19.4	420	7.4	19.5	<0.001	<0.01	0.35	4.8	0.4	0.6	26.5	<0.01	0.02	2.4
I032137		23.2	640	6.2	21.8	<0.001	<0.01	0.27	5.2	0.5	0.6	26.8	<0.01	0.02	3.2
I032138		0.6	10	0.4	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
I032139		21.2	860	5.7	34.5	<0.001	0.01	0.40	8.6	0.6	0.7	40.1	<0.01	0.02	2.6
I032140		20.7	900	6.0	33.9	<0.001	0.02	0.44	9.1	0.9	0.6	44.6	<0.01	0.03	2.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2010
 Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I032101		0.13	0.58	51	0.10	2.42	32	0.6	0.28
I032102		<0.02	0.09	<1	<0.05	0.59	3	0.5	0.10
I032103		0.24	1.08	52	0.13	7.10	57	1.4	0.38
I032104		0.16	1.20	57	0.14	6.15	53	0.5	0.30
I032105		0.12	0.81	63	0.16	3.35	46	1.2	0.40
I032106		0.10	0.61	79	0.21	3.10	42	2.2	0.42
I032107		0.12	0.59	99	0.17	4.19	49	3.2	0.38
I032108		0.06	0.18	83	0.06	1.35	39	<0.5	0.36
I032109		0.09	0.28	82	0.10	1.73	48	0.7	0.32
I032110		0.08	0.30	91	0.13	1.93	51	0.8	0.32
I032111		0.07	0.20	97	0.06	1.88	60	0.9	0.40
I032112		0.06	0.36	62	0.13	2.23	32	0.8	0.28
I032113		0.08	0.62	56	0.14	4.70	44	<0.5	0.28
I032114		0.06	0.38	63	0.16	3.15	40	0.6	0.40
I032115		0.05	0.62	23	0.08	4.64	18	<0.5	0.22
I032116		0.08	0.34	84	0.13	2.52	46	0.5	0.36
I032117		0.07	0.36	74	0.18	2.87	45	<0.5	0.36
I032118		0.07	0.39	56	0.25	2.97	32	0.5	0.42
I032119		0.08	0.38	95	0.14	2.36	48	4.1	0.32
I032120		0.07	0.30	111	0.12	3.25	43	0.5	0.44
I032121		0.09	0.24	123	0.12	1.80	52	1.5	0.32
I032122		0.09	0.48	79	0.11	3.14	51	0.7	0.38
I032123		0.10	0.49	94	0.12	6.80	73	0.8	0.40
I032124		0.11	0.32	129	0.12	3.70	68	0.7	0.34
I032125		0.22	0.61	82	0.18	4.96	72	3.0	0.44
I032126		0.22	0.72	82	0.15	5.91	71	4.3	0.38
I032127		0.22	1.10	87	0.18	9.51	70	2.1	0.38
I032128		0.10	0.65	45	0.11	4.19	33	0.5	0.30
I032129		0.14	0.70	75	0.14	5.35	46	1.2	0.36
I032130		0.09	0.60	54	0.13	4.13	39	1.1	0.34
I032131		0.22	0.97	84	0.14	9.08	55	5.4	0.40
I032132		0.26	0.62	83	0.21	4.27	54	1.0	0.48
I032133		0.18	1.00	78	0.17	8.66	55	3.9	0.42
I032134		0.19	0.68	83	0.16	7.61	55	2.9	0.38
I032135		0.12	0.46	86	0.15	4.13	44	3.0	0.30
I032136		0.15	0.51	97	0.25	4.90	51	3.5	0.36
I032137		0.19	0.77	89	0.22	6.48	60	3.8	0.36
I032138		<0.02	0.07	1	<0.05	0.60	3	0.5	0.10
I032139		0.25	1.44	99	0.27	11.50	64	2.5	0.40
I032140		0.27	2.82	99	0.30	18.50	64	3.1	0.50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I032141		<0.005	0.12	2.32	11.9	<0.2	<10	240	0.25	0.23	0.45	0.11	17.35	12.0	28	2.85
I032142		<0.005	0.22	3.57	11.1	<0.2	<10	240	0.47	0.26	0.33	0.11	22.4	13.3	39	2.11
I032143		<0.005	0.05	2.52	7.4	<0.2	<10	300	0.39	0.22	0.52	0.07	33.8	12.2	38	2.28
I032144		<0.005	0.09	2.46	11.5	<0.2	<10	190	0.25	0.13	0.34	0.08	16.70	9.7	36	1.29
I032145		<0.005	0.05	2.83	7.6	<0.2	<10	280	0.36	0.12	0.52	0.07	36.5	14.7	41	2.55
I032146		<0.005	0.04	2.41	9.3	<0.2	<10	290	0.37	0.15	0.41	0.08	32.0	12.8	34	3.86
I032147		<0.005	0.29	2.84	7.8	<0.2	<10	140	0.34	0.28	0.26	0.08	16.70	12.1	37	1.96
I032148		<0.005	0.08	2.18	5.6	<0.2	<10	140	0.19	0.21	0.43	0.08	18.60	8.7	29	1.71
I032149		<0.005	0.10	1.88	5.3	<0.2	<10	110	0.25	0.16	0.22	0.08	22.3	7.7	22	1.56
I032150		<0.005	0.10	1.75	5.5	<0.2	<10	110	0.23	0.16	0.21	0.08	21.1	7.1	22	1.38
I032151		<0.005	0.04	2.66	8.2	<0.2	<10	130	0.31	0.16	0.27	0.13	19.15	10.8	33	1.63
I032152		<0.005	0.03	1.79	7.8	<0.2	<10	100	0.21	0.15	0.20	0.10	13.70	7.4	28	0.98
I032153		0.005	0.05	3.72	7.1	<0.2	<10	270	0.60	0.23	0.27	0.10	26.6	16.1	34	3.64
I032154		<0.005	0.03	1.36	3.7	<0.2	<10	80	0.19	0.19	0.21	0.06	11.65	6.5	16	1.07
I032155		<0.005	0.14	2.96	8.4	<0.2	<10	190	0.41	0.27	0.38	0.12	21.7	13.5	37	1.45
I032156		<0.005	0.11	1.44	8.1	<0.2	<10	110	0.23	0.11	0.15	0.05	13.75	5.1	18	0.98
I032157		<0.005	0.06	2.47	7.2	<0.2	<10	130	0.27	0.14	0.32	0.09	16.55	9.6	33	1.16
I032158		<0.005	0.06	1.84	3.8	<0.2	<10	130	0.21	0.11	0.31	0.08	16.25	8.3	27	1.07
I032159		<0.005	0.05	2.25	11.3	<0.2	<10	100	0.38	0.16	0.20	0.07	16.35	7.1	31	0.94
I032160		<0.005	0.12	2.90	7.6	<0.2	<10	170	0.40	0.13	0.26	0.06	17.85	10.1	25	1.59
I032161		<0.005	0.11	1.09	3.9	<0.2	<10	90	0.25	0.10	0.18	0.06	15.50	4.7	14	0.98
I032162		<0.005	0.07	2.31	7.3	<0.2	<10	120	0.38	0.15	0.24	0.08	20.5	9.0	25	1.45
I032163		<0.005	0.04	1.98	8.9	<0.2	<10	120	0.25	0.17	0.34	0.13	17.40	11.2	31	1.22
I032164		<0.005	0.20	2.13	4.4	<0.2	<10	160	0.28	0.14	0.32	0.10	16.70	8.7	23	1.81
I032165		<0.005	0.08	2.51	11.2	<0.2	<10	130	0.36	0.27	0.16	0.14	21.7	9.0	18	4.30
I032166		<0.005	0.08	1.96	14.1	<0.2	<10	120	0.27	0.19	0.23	0.16	16.05	10.1	33	1.20
I032167		<0.005	0.10	1.65	8.1	<0.2	<10	210	0.40	0.17	0.33	0.08	31.9	8.8	27	5.70
I032168		0.012	0.05	1.50	15.3	<0.2	<10	210	0.38	0.15	0.53	0.09	23.5	9.3	22	3.19
I032169		<0.005	0.10	1.69	7.5	<0.2	<10	280	0.38	0.16	0.49	0.10	22.8	8.5	25	1.31
I032170		<0.005	0.09	1.60	7.0	<0.2	<10	290	0.34	0.18	0.69	0.13	21.1	9.7	25	1.30
I032171		<0.005	0.07	1.36	7.3	<0.2	<10	230	0.45	0.25	0.57	0.10	25.2	8.1	24	1.31
I032172		<0.005	0.07	1.62	7.3	<0.2	<10	190	0.38	0.16	0.24	0.11	20.6	11.2	30	1.64
I032173		<0.005	0.09	1.76	10.5	<0.2	<10	360	0.44	0.14	0.48	0.10	26.1	9.8	20	6.39
I032174		0.005	0.32	1.77	7.2	<0.2	<10	510	0.46	0.22	0.75	0.15	25.1	8.7	18	5.42
I032175		NSS	0.02	0.27	10.4	<0.2	<10	90	0.32	0.03	0.61	0.22	28.7	10.5	9	0.29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I032141		18.1	3.42	7.08	0.09	0.07	0.02	0.027	0.16	8.4	12.2	0.85	491	0.83	0.01
I032142		23.8	4.39	8.62	0.08	0.07	0.04	0.038	0.07	10.6	15.8	0.86	402	1.08	0.01
I032143		24.3	3.95	7.97	0.12	0.15	0.03	0.032	0.23	17.5	13.6	1.04	511	0.61	0.02
I032144		15.3	4.12	6.76	0.07	0.05	0.02	0.028	0.07	8.3	12.5	0.72	320	0.82	0.01
I032145		30.9	4.36	8.84	0.15	0.13	0.02	0.036	0.36	20.5	13.4	1.18	609	0.49	0.02
I032146		30.5	3.67	7.00	0.11	0.08	0.03	0.032	0.22	15.0	12.0	0.84	624	0.92	0.02
I032147		18.6	3.88	7.53	0.07	0.06	0.04	0.032	0.10	7.8	13.3	0.74	413	1.01	<0.01
I032148		14.8	3.06	8.38	0.06	0.03	0.01	0.025	0.07	9.5	13.0	0.69	276	0.90	<0.01
I032149		13.1	2.93	8.19	0.06	0.03	0.02	0.022	0.05	12.6	8.8	0.55	290	1.26	0.01
I032150		13.3	2.73	7.30	0.06	0.03	0.02	0.022	0.05	12.0	8.6	0.47	255	1.18	<0.01
I032151		15.0	3.84	8.48	0.07	0.06	0.02	0.030	0.07	9.8	16.2	0.67	387	1.37	<0.01
I032152		18.5	2.78	7.11	0.05	0.03	0.02	0.024	0.05	6.8	9.3	0.42	189	1.02	<0.01
I032153		23.9	4.64	9.99	0.09	0.12	0.02	0.043	0.15	12.0	16.6	1.16	560	0.65	0.01
I032154		10.9	2.12	5.27	0.05	0.03	0.01	0.016	0.07	5.6	6.3	0.38	234	0.59	0.01
I032155		22.2	3.64	8.34	0.08	0.08	0.03	0.031	0.10	10.2	13.0	0.71	415	0.90	0.01
I032156		12.2	1.81	4.76	0.05	0.02	0.05	0.016	0.03	7.2	6.0	0.22	152	0.80	0.01
I032157		17.0	3.51	7.85	0.07	0.07	0.02	0.025	0.06	8.5	13.1	0.66	340	0.96	<0.01
I032158		17.4	2.72	6.29	0.07	0.05	0.01	0.020	0.11	8.1	9.9	0.65	345	0.68	0.01
I032159		14.7	4.19	8.62	<0.05	0.07	0.02	0.028	0.05	7.6	16.1	0.49	229	1.66	0.02
I032160		13.1	3.87	9.85	0.05	0.06	0.02	0.030	0.07	8.1	17.8	0.75	351	0.96	0.02
I032161		13.3	1.64	4.41	<0.05	<0.02	0.03	0.015	0.04	8.6	5.2	0.21	260	0.82	0.02
I032162		17.1	3.52	8.68	0.05	0.03	0.02	0.031	0.05	9.7	16.8	0.60	316	1.10	0.02
I032163		12.9	3.36	8.31	0.05	0.02	0.02	0.023	0.07	8.0	14.7	0.61	770	1.32	0.02
I032164		17.3	2.66	7.42	0.07	0.03	0.03	0.025	0.10	9.0	13.3	0.55	322	0.89	0.02
I032165		14.4	3.74	13.55	0.07	0.10	0.02	0.029	0.16	10.6	13.7	0.67	321	1.86	0.01
I032166		15.0	3.93	10.20	0.07	0.14	0.01	0.028	0.05	7.9	16.0	0.60	300	1.93	0.02
I032167		15.5	2.62	6.19	0.08	0.05	0.03	0.016	0.23	18.1	15.4	0.56	247	1.17	0.01
I032168		17.4	2.31	5.35	0.07	0.04	0.04	0.018	0.09	12.3	15.1	0.52	291	1.00	0.02
I032169		16.1	2.42	5.90	0.07	0.04	0.04	0.021	0.08	12.6	15.4	0.54	289	0.81	0.02
I032170		16.4	2.38	5.44	0.07	0.05	0.03	0.020	0.05	11.1	14.2	0.52	347	0.79	0.02
I032171		19.2	2.28	4.62	0.08	0.07	0.03	0.018	0.05	12.7	10.6	0.53	301	0.60	0.02
I032172		15.8	2.84	5.36	0.09	0.06	0.01	0.019	0.24	9.5	11.3	0.65	380	1.06	0.02
I032173		25.6	3.04	6.78	0.10	0.02	0.02	0.018	0.27	13.9	18.9	0.91	345	1.29	0.02
I032174		52.1	2.81	6.25	0.10	0.03	0.07	0.025	0.20	13.4	20.3	0.76	330	1.08	0.02
I032175		7.6	2.21	1.60	0.09	0.09	0.02	0.007	0.05	14.4	3.8	0.25	825	1.41	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
I032141		17.4	610	8.5	18.7	<0.001	<0.01	0.52	6.0	0.4	0.6	26.7	<0.01	0.03	1.9
I032142		24.3	420	7.5	14.5	<0.001	0.01	0.51	6.8	0.6	0.7	22.8	0.01	0.04	2.6
I032143		21.5	530	10.7	29.8	<0.001	<0.01	0.46	9.0	0.6	1.0	34.0	<0.01	0.02	5.7
I032144		18.9	550	6.2	11.0	<0.001	<0.01	0.36	4.4	0.5	0.5	21.3	<0.01	0.02	1.6
I032145		23.3	610	5.8	48.2	<0.001	<0.01	0.43	10.5	0.6	0.9	37.0	<0.01	0.01	4.2
I032146		21.7	720	5.9	26.4	<0.001	<0.01	0.57	9.3	0.7	0.5	25.7	<0.01	0.02	3.2
I032147		22.8	460	7.2	14.6	<0.001	<0.01	0.39	5.2	0.6	0.6	20.7	0.01	0.35	1.8
I032148		17.6	560	7.3	14.7	<0.001	<0.01	0.31	4.8	0.4	0.7	29.2	<0.01	0.02	1.7
I032149		11.5	300	6.4	13.8	<0.001	<0.01	0.35	5.5	0.4	0.7	19.6	<0.01	0.02	2.4
I032150		12.1	310	6.3	11.8	<0.001	<0.01	0.34	4.6	0.4	0.6	19.3	<0.01	0.02	2.1
I032151		19.6	620	8.1	12.4	<0.001	<0.01	0.52	4.7	0.5	0.6	21.3	0.01	0.03	3.1
I032152		17.8	430	7.0	8.0	<0.001	<0.01	0.37	3.0	0.5	0.5	16.4	0.01	0.02	0.7
I032153		26.0	260	12.1	26.8	<0.001	<0.01	0.55	8.0	0.4	1.2	25.2	<0.01	0.02	4.2
I032154		8.8	480	4.4	12.2	<0.001	<0.01	0.20	2.7	0.3	0.5	16.0	<0.01	0.02	0.5
I032155		24.6	690	9.3	14.6	<0.001	<0.01	0.40	6.2	0.7	0.6	28.6	0.01	0.05	2.6
I032156		8.2	420	5.1	6.6	<0.001	<0.01	0.22	2.8	0.4	0.4	15.2	<0.01	0.02	0.5
I032157		19.6	510	6.8	12.1	<0.001	<0.01	0.33	4.7	0.5	0.6	22.8	0.01	0.02	2.2
I032158		16.0	470	5.2	15.4	<0.001	<0.01	0.25	4.2	0.4	0.6	23.8	<0.01	0.01	1.4
I032159		16.1	400	9.2	8.6	<0.001	0.03	0.50	3.8	0.4	0.6	17.8	0.01	0.04	2.0
I032160		16.1	290	8.4	12.3	<0.001	0.02	0.40	5.2	0.2	0.8	23.2	<0.01	0.02	2.5
I032161		7.4	330	5.1	7.7	<0.001	0.02	0.22	2.2	0.4	0.3	17.0	<0.01	0.02	0.4
I032162		15.0	310	7.7	10.6	<0.001	0.02	0.55	4.8	0.3	0.7	24.6	<0.01	0.03	1.7
I032163		17.4	350	8.8	11.8	<0.001	0.02	0.33	3.2	0.2	0.7	25.0	<0.01	0.03	1.2
I032164		15.2	450	7.0	16.3	<0.001	0.02	0.43	4.8	0.5	0.6	26.1	<0.01	0.03	1.6
I032165		9.6	160	12.6	29.2	<0.001	0.01	1.23	6.2	0.3	1.1	16.9	<0.01	0.03	3.1
I032166		21.8	290	8.9	12.2	<0.001	0.01	0.47	4.4	0.3	0.7	19.7	<0.01	0.04	2.9
I032167		17.8	490	7.0	27.6	<0.001	0.01	0.29	3.4	0.4	0.5	20.8	<0.01	0.02	6.0
I032168		15.5	730	6.6	15.4	<0.001	0.02	0.56	4.1	0.6	0.6	29.0	<0.01	0.03	2.5
I032169		16.5	540	7.5	9.9	<0.001	0.01	0.33	4.3	0.5	0.5	33.3	<0.01	0.02	2.7
I032170		16.7	510	8.6	11.0	<0.001	0.03	0.35	4.2	0.6	0.5	41.8	<0.01	0.02	2.3
I032171		16.3	580	10.8	9.8	<0.001	0.02	0.41	4.0	0.6	0.3	33.1	<0.01	0.03	3.5
I032172		17.1	200	8.4	34.0	<0.001	0.06	0.45	3.2	0.3	0.4	21.8	<0.01	0.03	3.7
I032173		12.2	960	7.7	27.8	<0.001	0.05	0.45	3.3	0.4	0.4	23.9	<0.01	0.03	2.0
I032174		11.5	910	9.1	24.5	<0.001	0.05	0.36	4.1	0.6	0.5	39.8	<0.01	0.04	2.1
I032175		18.8	630	4.6	5.2	<0.001	0.01	0.53	2.0	0.5	0.3	13.2	<0.01	0.02	7.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I032141		0.18	0.56	87	0.32	6.00	55	2.6	0.32
I032142		0.22	0.85	101	0.42	7.27	60	2.7	0.34
I032143		0.25	1.24	101	0.49	14.85	66	6.1	0.40
I032144		0.10	0.50	91	0.13	5.29	52	2.0	0.36
I032145		0.36	1.41	111	0.15	16.40	70	5.5	0.38
I032146		0.24	0.97	87	0.20	14.45	56	3.3	0.46
I032147		0.14	0.50	89	0.26	4.79	51	2.4	0.44
I032148		0.13	0.58	81	0.18	5.67	48	1.3	0.38
I032149		0.15	0.51	80	0.14	5.80	40	1.3	0.34
I032150		0.13	0.52	72	0.14	5.96	37	1.1	0.30
I032151		0.12	0.56	83	0.16	4.43	51	2.9	0.28
I032152		0.08	0.43	68	0.16	3.41	34	1.2	0.34
I032153		0.31	0.76	103	0.18	8.15	63	4.6	0.32
I032154		0.09	0.35	50	0.12	3.60	27	0.9	0.26
I032155		0.13	0.75	87	0.20	6.17	50	3.3	0.34
I032156		0.09	0.61	38	0.12	4.13	21	0.5	0.32
I032157		0.11	0.63	82	0.15	5.02	50	2.7	0.26
I032158		0.13	0.64	68	0.13	5.20	45	1.9	0.30
I032159		0.12	0.62	85	0.18	3.74	41	3.0	0.28
I032160		0.14	0.46	92	0.18	4.75	47	2.7	0.44
I032161		0.07	1.18	39	0.10	5.26	20	<0.5	0.22
I032162		0.11	0.67	89	0.25	6.05	40	1.4	0.32
I032163		0.11	0.43	86	0.15	3.26	60	1.0	0.30
I032164		0.15	0.89	62	0.18	5.63	39	1.2	0.30
I032165		0.21	0.52	107	0.19	4.11	45	4.0	0.36
I032166		0.10	0.56	106	0.19	3.80	44	5.8	0.36
I032167		0.15	0.94	47	0.20	5.24	57	1.7	0.38
I032168		0.10	1.29	48	0.28	7.00	47	1.0	0.38
I032169		0.07	0.85	52	0.17	7.10	48	1.4	0.46
I032170		0.08	0.83	50	0.17	5.75	49	1.7	0.28
I032171		0.08	0.87	46	0.17	6.05	49	2.6	0.40
I032172		0.17	0.57	57	0.19	2.87	51	2.7	0.38
I032173		0.19	0.76	57	0.30	5.40	63	<0.5	0.40
I032174		0.18	1.16	50	0.22	8.08	75	0.8	0.42
I032175		0.14	0.95	16	0.09	7.84	20	4.2	0.46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **9-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10113881

Project: SQI10-06

P.O. No.: SQI10-06_20

This report is for 275 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032176		0.36	<0.005	0.09	1.97	3.3	<0.2	<10	260	0.30	0.32	0.50	0.09	27.0	8.6	13
I032177		0.38	0.009	0.36	1.79	7.4	<0.2	<10	220	0.32	0.20	0.35	0.13	24.6	8.1	23
I032178		0.30	0.007	0.20	1.74	11.2	<0.2	<10	250	0.34	0.17	0.40	0.14	24.9	13.3	23
I032179		0.38	<0.005	0.11	1.86	29.7	<0.2	<10	220	0.38	0.11	0.36	0.10	22.9	11.7	19
I032180		0.40	<0.005	0.21	1.65	11.9	<0.2	<10	240	0.40	0.15	0.41	0.20	30.5	14.0	20
I032181		0.30	0.007	0.38	1.67	14.8	<0.2	<10	400	0.52	0.16	0.69	0.31	49.6	14.1	22
I032182		0.36	<0.005	0.21	2.03	8.4	<0.2	<10	240	0.36	0.10	0.31	0.21	24.5	11.9	22
I032183		0.36	0.007	0.19	1.65	8.2	<0.2	<10	310	0.38	0.11	0.67	0.22	29.8	12.9	20
I032184		0.46	0.005	0.10	1.61	8.5	<0.2	<10	250	0.32	0.14	0.50	0.14	23.1	11.7	22
I032185		0.26	0.010	0.62	2.72	15	<0.2	10	1270	1.34	0.13	11.05	1.13	135.5	12.0	27
I032186		0.34	0.007	0.21	1.16	12.8	<0.2	<10	170	0.25	0.10	0.48	0.19	15.20	7.0	15
I032187		0.34	0.008	0.12	1.69	13.1	<0.2	<10	310	0.54	0.18	0.48	0.13	30.9	11.6	24
I032188		0.34	0.005	0.12	2.04	7.0	<0.2	<10	310	0.28	0.10	0.35	0.16	11.35	17.1	16
I032189		0.30	<0.005	0.24	1.96	10.1	<0.2	<10	370	0.44	0.17	0.47	0.22	17.20	21.9	28
I032190		0.40	0.005	0.13	2.05	7.4	<0.2	<10	420	0.47	0.15	0.17	0.11	26.7	16.6	29
I032191		0.34	<0.005	0.14	2.11	7.8	<0.2	<10	390	0.42	0.15	0.18	0.12	25.1	16.3	30
I032192		0.34	0.006	0.10	1.83	8.5	<0.2	<10	270	0.46	0.17	0.17	0.15	25.3	15.5	30
I032193		0.32	0.007	0.13	1.68	8.6	<0.2	<10	300	0.46	0.16	0.56	0.16	48.3	11.3	22
I032194		0.36	0.008	0.12	1.72	7.5	<0.2	<10	280	0.46	0.16	0.48	0.21	34.6	11.8	26
I032195		0.34	<0.005	0.17	1.81	6.8	<0.2	<10	240	0.39	0.17	0.42	0.30	23.2	11.5	25
I032196		0.28	<0.005	0.34	1.38	6.9	<0.2	<10	240	0.31	0.14	0.44	0.28	22.5	10.7	21
I032197		0.34	0.005	0.23	1.92	4.8	<0.2	<10	270	0.46	0.12	0.56	0.97	15.00	17.5	26
I032198		0.32	<0.005	0.15	1.76	8.4	<0.2	<10	310	0.51	0.17	0.35	0.24	23.2	12.2	29
I032199		0.34	<0.005	0.15	1.58	6.4	<0.2	<10	410	0.46	0.18	0.51	0.29	19.60	10.1	27
I032200		0.34	<0.005	0.15	1.83	6.9	<0.2	<10	390	0.49	0.16	0.53	0.56	20.6	13.5	25
I032201		0.38	<0.005	0.12	2.11	4.1	<0.2	<10	660	0.51	0.12	0.51	0.10	23.5	18.5	41
I032202		0.34	<0.005	0.12	1.52	6.2	<0.2	<10	420	0.38	0.14	0.58	0.21	24.6	14.4	28
I032203		0.30	<0.005	0.06	2.72	3.7	<0.2	<10	570	0.51	0.08	0.52	0.15	26.2	24.4	72
I032204		0.40	<0.005	0.04	2.09	3.6	<0.2	<10	360	0.58	0.09	0.38	0.12	36.2	12.9	29
I032205		0.36	<0.005	0.30	1.72	4.5	<0.2	<10	520	0.45	0.12	0.29	0.16	27.8	11.8	23
I032206		0.36	<0.005	0.08	1.56	5.3	<0.2	<10	440	0.41	0.13	0.35	0.15	26.8	13.3	27
I032207		0.42	<0.005	0.17	1.55	4.9	<0.2	<10	260	0.26	0.13	0.29	0.19	13.40	8.8	22
I032208		0.28	0.006	0.31	2.63	3.8	<0.2	<10	460	0.34	0.11	0.49	0.28	22.4	24.3	33
I032209		0.44	<0.005	0.16	2.74	4.8	<0.2	<10	380	0.31	0.09	0.47	0.23	21.4	23.7	35
I032210		0.52	<0.005	0.02	0.15	1.8	<0.2	<10	30	0.10	0.02	0.09	0.04	11.40	2.5	4
I032211		0.34	<0.005	0.15	2.53	4.4	<0.2	<10	290	0.33	0.10	0.35	0.27	22.4	22.2	39
I032212		0.38	<0.005	0.23	2.20	5.0	<0.2	<10	340	0.35	0.12	0.43	0.29	24.3	21.6	49
I032213		0.40	<0.005	0.26	2.31	5.0	<0.2	<10	300	0.30	0.12	0.37	0.26	17.85	24.5	51
I032214		0.26	<0.005	0.23	1.84	8.0	<0.2	<10	340	0.47	0.18	0.52	0.48	30.1	17.6	37
I032215		0.38	<0.005	0.22	1.78	6.6	<0.2	<10	260	0.33	0.14	0.32	0.18	13.65	15.3	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032176		10.35	54.2	2.92	7.24	0.06	0.03	0.01	0.024	0.50	14.6	15.4	0.95	394	1.26
I032177		3.70	19.4	2.82	6.37	0.06	0.06	0.04	0.026	0.11	13.2	19.1	0.58	316	0.78
I032178		3.24	16.6	2.99	6.45	0.06	0.03	0.05	0.023	0.13	12.9	19.4	0.61	695	1.11
I032179		5.45	16.0	3.14	6.04	0.06	0.04	0.02	0.023	0.29	11.8	22.6	0.71	249	1.13
I032180		5.24	19.7	2.66	7.14	0.06	0.03	0.04	0.020	0.13	14.9	19.9	0.59	436	1.26
I032181		5.80	26.3	2.57	7.19	0.10	0.05	0.07	0.024	0.13	24.8	19.6	0.62	578	1.52
I032182		5.20	27.7	3.43	9.68	0.08	0.04	0.04	0.020	0.58	13.3	17.7	0.84	309	1.50
I032183		3.93	27.6	2.67	7.00	0.07	0.05	0.05	0.023	0.19	14.6	19.3	0.65	433	0.97
I032184		2.92	20.0	2.71	6.40	0.06	0.05	0.03	0.021	0.16	11.8	18.1	0.61	342	1.09
I032185		7.13	91.0	3.44	6.94	0.26	0.45	0.03	0.038	0.34	96.4	13.6	0.91	1780	2.18
I032186		6.84	17.0	2.27	7.94	0.05	0.03	0.01	0.015	0.27	7.3	8.0	0.47	375	1.49
I032187		4.80	22.6	2.76	7.16	0.07	0.10	0.03	0.024	0.13	16.9	18.8	0.62	396	0.82
I032188		4.65	21.4	3.55	8.06	0.06	0.05	0.02	0.015	0.31	5.5	22.5	0.94	539	1.18
I032189		4.70	34.1	3.34	9.23	0.06	0.05	0.03	0.028	0.24	7.6	17.9	0.70	860	1.45
I032190		1.77	19.7	3.32	8.94	0.06	0.05	0.02	0.027	0.23	11.9	15.9	0.62	767	1.00
I032191		1.98	19.9	3.47	9.24	0.06	0.05	0.03	0.028	0.24	11.2	17.2	0.66	649	1.10
I032192		1.52	14.5	3.09	8.20	0.05	0.03	0.03	0.028	0.12	11.2	13.9	0.48	665	1.21
I032193		3.10	21.4	2.74	7.95	0.11	0.08	0.07	0.031	0.11	25.6	17.9	0.59	438	0.94
I032194		2.17	24.5	2.66	7.62	0.08	0.05	0.07	0.029	0.09	17.0	19.3	0.60	390	0.93
I032195		3.46	21.0	2.89	8.45	0.06	0.09	0.03	0.029	0.07	11.0	18.5	0.57	489	1.22
I032196		3.09	20.9	2.63	7.84	0.06	0.03	0.03	0.026	0.11	9.9	12.6	0.45	467	1.46
I032197		4.97	26.1	4.00	12.00	0.08	0.05	0.02	0.023	0.26	7.0	19.4	0.86	1220	1.59
I032198		1.93	18.8	2.90	7.03	0.06	0.08	0.03	0.029	0.09	10.4	13.9	0.52	442	0.86
I032199		1.43	20.7	2.70	5.59	0.05	0.04	0.03	0.021	0.12	10.3	10.5	0.50	989	0.83
I032200		2.23	15.0	3.46	8.87	0.06	0.03	0.03	0.036	0.18	8.9	17.1	0.70	953	1.37
I032201		0.70	19.1	3.10	8.42	0.06	0.11	0.01	0.026	0.14	9.3	10.5	0.74	1160	1.07
I032202		0.53	19.7	2.61	6.17	0.05	0.07	0.02	0.023	0.22	9.3	9.8	0.48	881	1.30
I032203		1.65	36.0	4.06	13.15	0.11	0.10	0.01	0.027	0.75	13.0	21.8	1.72	1060	0.98
I032204		1.20	17.5	3.45	11.80	0.07	0.06	0.01	0.036	0.39	13.2	13.7	0.89	695	0.96
I032205		0.55	11.4	2.81	8.56	0.05	0.04	0.02	0.029	0.11	12.2	9.9	0.45	1140	1.40
I032206		0.44	12.5	2.56	6.51	0.06	0.06	0.02	0.025	0.09	11.3	9.7	0.44	522	1.20
I032207		0.31	14.9	2.34	6.96	<0.05	0.03	0.01	0.019	0.05	6.3	8.2	0.39	358	1.41
I032208		1.00	63.9	3.97	11.00	0.09	0.05	0.02	0.038	0.28	9.5	15.1	1.31	1040	1.02
I032209		1.40	60.7	4.34	12.20	0.10	0.07	0.02	0.048	0.41	8.3	15.8	1.61	683	1.01
I032210		0.10	2.1	0.68	0.74	<0.05	0.08	<0.01	<0.005	0.05	5.5	1.5	0.05	168	0.33
I032211		1.46	52.0	3.93	11.30	0.09	0.06	0.01	0.034	0.47	9.6	16.0	1.49	389	1.14
I032212		1.03	39.1	3.44	9.42	0.07	0.06	0.02	0.027	0.35	9.8	15.4	1.22	915	1.28
I032213		0.94	35.3	3.61	10.50	0.06	0.05	0.02	0.025	0.22	7.6	16.4	1.27	704	1.44
I032214		0.42	23.7	2.96	7.11	0.06	0.13	0.02	0.032	0.18	12.0	11.6	0.57	1080	1.20
I032215		0.54	21.4	3.24	9.47	0.05	0.03	0.02	0.030	0.11	6.6	11.7	0.64	390	1.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032176		1.99	8.0	1050	6.5	37.2	<0.001	0.01	0.31	2.9	0.2	0.9	22.7	<0.01	0.04
I032177		1.57	11.8	570	9.5	15.1	<0.001	0.02	0.26	4.5	0.3	0.6	24.1	<0.01	0.01
I032178		1.23	11.8	570	10.4	17.8	<0.001	0.03	0.32	4.8	0.4	0.4	26.3	<0.01	0.02
I032179		1.04	9.3	830	7.3	25.5	<0.001	0.02	0.64	5.1	0.3	0.3	18.4	<0.01	0.03
I032180		1.56	12.1	830	11.4	20.0	<0.001	0.03	0.43	5.1	0.4	0.4	24.1	<0.01	0.03
I032181		1.31	14.2	750	11.1	20.0	<0.001	0.05	0.60	6.9	0.9	0.5	39.8	0.01	0.03
I032182		2.77	12.4	750	8.9	47.4	<0.001	0.03	0.38	5.9	0.5	0.5	20.8	<0.01	0.05
I032183		1.71	13.0	760	10.7	22.7	<0.001	0.02	0.47	6.3	0.6	0.4	29.2	<0.01	0.03
I032184		1.57	14.8	580	9.8	15.6	<0.001	0.02	0.44	4.8	0.4	0.5	26.1	<0.01	0.03
I032185		1.32	31.9	3530	9.4	22.7	0.001	0.17	2.66	15.0	2.7	0.4	357	0.04	0.06
I032186		1.97	8.2	270	5.9	32.9	<0.001	0.01	0.67	3.9	0.3	0.5	23.0	<0.01	0.02
I032187		1.37	16.8	660	11.5	17.9	<0.001	0.01	0.70	6.3	0.5	0.5	27.5	<0.01	0.03
I032188		1.64	12.7	640	7.0	33.7	<0.001	0.01	0.55	3.9	0.3	0.4	20.8	<0.01	0.02
I032189		1.82	21.9	400	11.4	34.2	<0.001	0.02	0.63	6.2	0.4	0.6	36.2	<0.01	0.03
I032190		1.47	21.4	240	8.4	21.9	<0.001	0.01	0.48	6.5	0.3	0.9	19.0	<0.01	0.03
I032191		1.59	22.2	250	9.0	23.3	<0.001	0.01	0.52	6.6	0.4	0.7	20.6	<0.01	0.03
I032192		1.48	19.5	360	9.4	18.8	<0.001	0.01	0.55	5.6	0.3	0.7	18.1	<0.01	0.03
I032193		1.43	14.5	860	9.2	14.0	<0.001	0.03	0.66	9.1	0.8	0.5	34.5	<0.01	0.03
I032194		1.55	18.1	610	11.0	14.8	<0.001	0.02	0.59	6.9	0.6	0.6	33.3	<0.01	0.03
I032195		1.34	17.3	610	12.5	16.4	<0.001	0.01	0.70	6.9	0.4	0.6	26.2	<0.01	0.03
I032196		1.32	14.8	480	11.6	19.8	<0.001	0.02	0.59	5.1	0.3	0.6	27.1	<0.01	0.03
I032197		1.61	13.6	760	55.4	37.9	<0.001	0.02	0.67	7.4	0.3	0.6	33.6	<0.01	0.03
I032198		1.46	20.4	250	16.3	12.0	<0.001	0.02	0.66	6.7	0.4	0.6	25.4	<0.01	0.03
I032199		1.08	17.2	280	19.4	10.1	<0.001	0.02	0.56	6.1	0.4	0.7	25.8	<0.01	0.02
I032200		1.30	14.9	660	43.0	21.5	<0.001	0.02	0.62	7.3	0.4	0.7	31.4	<0.01	0.03
I032201		1.67	24.6	180	7.6	15.9	<0.001	0.01	0.37	6.9	0.2	0.6	29.8	<0.01	0.03
I032202		1.77	20.7	270	9.0	21.5	<0.001	0.02	0.53	5.4	0.4	0.5	33.1	<0.01	0.03
I032203		2.83	35.7	380	6.9	49.6	<0.001	0.02	0.30	7.9	0.4	0.7	39.1	<0.01	0.02
I032204		4.17	16.4	300	11.7	36.1	<0.001	0.02	0.33	7.7	0.5	0.8	32.6	<0.01	0.03
I032205		2.33	15.5	270	9.2	10.9	<0.001	0.02	0.39	4.9	0.3	0.7	25.4	<0.01	0.03
I032206		1.64	17.6	240	8.3	8.1	<0.001	0.01	0.41	5.2	0.2	0.6	30.1	<0.01	0.03
I032207		2.07	13.5	230	10.9	3.9	<0.001	0.01	0.33	3.9	0.2	0.5	22.5	<0.01	0.04
I032208		1.15	22.3	640	6.1	15.8	<0.001	0.05	0.30	10.6	0.6	0.6	35.9	<0.01	0.07
I032209		0.99	18.3	640	5.9	28.3	<0.001	0.10	0.23	13.3	0.6	0.6	38.7	<0.01	0.10
I032210		0.14	4.2	130	1.6	2.6	<0.001	0.01	0.12	0.7	<0.2	<0.2	8.1	<0.01	<0.01
I032211		1.28	21.3	450	6.7	30.8	<0.001	0.04	0.27	9.6	0.5	0.5	26.8	<0.01	0.06
I032212		1.46	24.6	510	7.9	23.5	<0.001	0.03	0.32	7.3	0.4	0.6	33.9	<0.01	0.05
I032213		1.29	23.1	400	7.6	14.4	<0.001	0.02	0.35	6.7	0.3	0.5	29.6	<0.01	0.04
I032214		1.47	24.6	450	8.6	9.8	<0.001	0.02	0.49	7.4	0.5	0.6	38.1	<0.01	0.04
I032215		1.33	17.2	390	7.3	8.9	<0.001	0.08	0.38	5.2	0.4	0.6	36.4	<0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032176		0.116	0.27	0.42	55	0.79	3.76	97	1.0
I032177		0.085	0.12	0.79	58	0.17	6.62	66	2.2
I032178		0.082	0.11	0.85	64	0.17	6.71	64	0.9
I032179		0.115	0.16	0.71	68	0.14	4.75	61	1.4
I032180		0.078	0.12	1.05	55	0.63	6.81	69	0.8
I032181		0.076	0.12	1.65	60	0.25	16.30	69	1.0
I032182		0.187	0.23	0.89	82	0.24	6.23	83	1.0
I032183		0.097	0.11	1.12	59	0.27	8.71	79	1.4
I032184		0.094	0.10	0.63	62	0.23	5.59	65	1.8
I032185		0.101	0.20	3.49	74	0.35	89.3	152	13.3
I032186		0.107	0.18	0.37	65	0.19	4.31	53	0.7
I032187		0.070	0.09	0.73	58	0.26	11.35	60	3.1
I032188		0.180	0.13	0.30	79	0.29	2.53	69	1.5
I032189		0.130	0.14	0.47	90	0.25	3.48	79	1.6
I032190		0.103	0.12	0.46	81	0.19	5.05	55	1.7
I032191		0.109	0.13	0.45	84	0.19	4.71	56	1.9
I032192		0.096	0.10	0.48	69	0.23	4.26	52	1.0
I032193		0.073	0.09	1.24	55	0.28	18.80	75	2.3
I032194		0.081	0.08	0.87	61	0.38	10.65	71	1.8
I032195		0.065	0.09	0.58	69	0.32	6.09	79	2.8
I032196		0.073	0.08	0.44	66	0.26	4.42	57	0.7
I032197		0.187	0.13	0.36	106	0.24	3.84	198	1.8
I032198		0.065	0.08	0.63	68	0.25	4.07	66	2.8
I032199		0.064	0.06	0.62	66	0.24	9.16	72	1.3
I032200		0.080	0.09	0.50	76	0.26	5.17	119	0.9
I032201		0.105	0.09	0.29	71	0.16	5.07	47	3.4
I032202		0.088	0.06	0.31	56	0.17	3.88	50	2.3
I032203		0.223	0.21	0.47	82	0.13	8.50	99	2.7
I032204		0.140	0.14	0.77	52	0.13	11.60	98	1.8
I032205		0.066	0.10	0.44	53	0.14	6.63	72	1.2
I032206		0.065	0.08	0.42	60	0.13	3.84	54	1.9
I032207		0.046	0.07	0.34	60	0.13	4.58	53	1.1
I032208		0.144	0.09	0.65	92	0.12	6.66	108	1.7
I032209		0.158	0.14	0.54	107	0.08	7.39	150	2.4
I032210		0.011	0.03	0.33	7	<0.05	2.41	8	2.4
I032211		0.175	0.15	0.43	93	0.12	6.35	103	2.1
I032212		0.144	0.11	0.48	84	0.17	4.82	93	1.9
I032213		0.144	0.10	0.42	81	0.11	3.57	95	1.9
I032214		0.093	0.07	0.47	67	0.16	6.54	75	4.3
I032215		0.096	0.07	0.37	67	0.09	2.89	75	1.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032216		0.38	0.005	0.22	1.72	5.9	<0.2	<10	250	0.26	0.14	0.30	0.19	15.90	15.6	36
I032217		0.40	0.005	0.24	2.17	6.3	<0.2	<10	440	0.29	0.12	0.58	0.31	16.85	21.1	27
I032218		0.28	0.005	0.15	1.94	5.7	<0.2	<10	400	0.31	0.12	0.61	0.13	21.6	15.0	27
I032219		0.28	<0.005	0.12	2.08	4.2	<0.2	<10	430	0.27	0.12	0.47	0.12	11.45	17.5	22
I032220		0.32	0.005	0.13	2.49	5.3	<0.2	<10	250	0.35	0.10	0.39	0.09	15.35	18.5	25
I032221		0.30	<0.005	0.16	2.45	5.8	<0.2	<10	280	0.38	0.10	0.39	0.12	15.90	17.5	27
I032222		0.38	<0.005	0.12	2.10	6.7	<0.2	<10	330	0.37	0.13	0.58	0.09	21.2	16.5	33
I032223		0.30	0.005	0.26	2.65	3.7	<0.2	<10	260	0.31	0.10	0.78	0.15	13.00	22.2	36
I032224		0.34	0.005	0.20	2.06	5.9	<0.2	<10	520	0.33	0.14	0.34	0.18	14.70	19.7	30
I032225		0.36	0.007	0.13	2.01	6.3	<0.2	<10	410	0.24	0.10	0.47	0.14	14.95	13.7	24
I032226		0.40	0.005	0.14	2.03	7.4	<0.2	<10	380	0.17	0.10	0.40	0.07	11.65	14.4	24
I032227		0.32	0.005	0.09	2.11	5.6	<0.2	<10	320	0.19	0.10	0.25	0.08	10.60	14.6	25
I032228		0.32	0.005	0.16	1.74	6.4	<0.2	<10	370	0.29	0.12	0.45	0.27	16.60	14.2	27
I032229		0.34	<0.005	0.09	1.87	7.4	<0.2	<10	220	0.24	0.13	0.24	0.09	11.25	12.5	26
I032230		0.50	<0.005	0.03	0.12	2.4	<0.2	<10	30	0.08	0.03	0.09	0.04	9.53	2.2	4
I032231		0.34	0.005	0.06	1.75	7.3	<0.2	<10	310	0.19	0.12	0.30	0.12	13.25	14.3	47
I032232		0.26	0.012	0.38	1.73	4.2	<0.2	<10	270	0.28	0.07	0.41	0.35	17.60	9.5	21
I032233		0.36	0.006	0.20	1.54	5.5	<0.2	<10	310	0.26	0.14	0.30	0.35	18.85	9.6	22
I032234		0.30	0.006	0.41	2.72	4.6	<0.2	<10	120	0.35	0.09	0.30	0.65	17.05	50.4	38
I032235		0.32	0.013	0.12	1.74	6.1	<0.2	<10	130	0.20	0.14	0.21	0.22	15.60	35.4	32
I032236		0.26	0.005	0.11	1.90	7.6	<0.2	<10	160	0.24	0.13	0.16	0.27	13.80	12.7	28
I032237		0.32	0.006	0.13	1.75	6.0	<0.2	<10	200	0.19	0.09	0.29	0.11	14.90	12.6	32
I032238		0.22	<0.005	0.27	1.83	5.2	<0.2	<10	310	0.26	0.13	0.27	0.20	19.10	25.2	24
I032239		0.32	<0.005	0.25	1.78	4.6	<0.2	<10	170	0.21	0.09	0.57	0.13	15.00	13.5	33
I032240		0.18	0.010	0.06	1.19	5.2	<0.2	<10	110	0.20	0.11	0.30	0.11	15.90	6.2	19
I032241		0.28	0.006	0.06	1.16	4.8	<0.2	<10	110	0.14	0.11	0.29	0.10	15.90	6.0	19
I032242		0.44	0.010	0.11	1.42	5.2	<0.2	<10	170	0.16	0.12	0.33	0.15	20.1	8.0	21
I032243		0.32	0.007	0.06	1.05	3.5	<0.2	<10	110	0.13	0.09	0.30	0.11	18.00	5.1	16
I032244		0.24	0.014	0.07	1.30	4.5	<0.2	<10	150	0.18	0.10	0.29	0.13	17.75	6.0	19
I032245		0.32	0.008	0.08	1.80	9.2	<0.2	<10	170	0.15	0.11	0.29	0.11	17.95	8.9	26
I032246		0.40	0.008	0.08	1.85	16.5	<0.2	<10	240	0.31	0.11	0.35	0.15	20.7	11.0	27
I032247		0.34	0.005	0.06	1.77	8.4	<0.2	<10	240	0.24	0.12	0.29	0.09	16.20	10.0	28
I032248		0.32	0.007	0.10	1.67	3.9	<0.2	<10	230	0.15	0.08	0.23	0.11	14.50	10.4	21
I032249		0.28	0.007	0.10	1.61	3.5	<0.2	<10	210	0.13	0.10	0.23	0.09	14.50	9.8	23
I032250		0.52	<0.005	0.02	0.11	6.7	<0.2	<10	30	0.07	0.06	0.08	0.04	10.55	2.4	4
I032251		0.22	NSS	0.09	0.92	2.7	<0.2	<10	140	0.11	0.09	0.18	0.09	12.65	4.7	16
I032252		0.40	0.006	0.06	2.04	6.0	<0.2	<10	140	0.20	0.14	0.22	0.15	15.45	9.2	30
I032253		0.42	0.006	0.05	2.05	6.2	<0.2	<10	310	0.30	0.12	0.35	0.11	18.65	12.8	35
I032254		0.52	<0.005	0.05	2.48	4.6	<0.2	<10	380	0.19	0.09	0.19	0.09	17.05	9.4	26
I032255		0.36	<0.005	0.20	2.75	3.0	<0.2	<10	350	0.15	0.11	0.47	0.09	15.85	15.1	71



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032216		0.41	27.4	3.23	6.59	0.07	0.04	0.02	0.027	0.20	7.7	8.8	0.70	460	1.29
I032217		1.26	44.9	4.16	7.74	0.11	0.06	0.02	0.026	0.65	6.9	12.3	1.02	848	1.25
I032218		1.06	26.3	3.23	6.45	0.10	0.09	0.03	0.027	0.45	9.3	11.3	0.88	1130	0.91
I032219		1.28	36.0	3.79	7.81	0.10	0.05	0.02	0.020	0.33	5.3	12.8	0.88	829	1.04
I032220		1.49	38.9	4.29	8.38	0.11	0.06	0.01	0.023	0.40	6.9	14.0	1.10	577	1.20
I032221		1.32	33.8	4.22	7.86	0.11	0.07	0.01	0.022	0.36	6.5	13.8	1.07	593	1.08
I032222		0.80	28.6	3.32	6.72	0.10	0.13	0.02	0.025	0.45	9.0	12.8	0.92	526	0.66
I032223		1.18	45.8	4.01	8.38	0.10	0.06	0.02	0.019	0.41	5.4	16.7	1.20	977	1.04
I032224		0.51	27.1	3.30	7.09	0.08	0.09	0.02	0.023	0.18	6.7	11.2	0.80	1160	0.84
I032225		0.99	26.7	3.36	7.54	0.09	0.06	0.01	0.027	0.34	7.4	14.2	1.13	495	0.70
I032226		1.15	31.1	3.50	7.83	0.10	0.06	0.02	0.024	0.45	5.8	15.5	1.12	455	0.81
I032227		1.37	26.7	3.72	8.54	0.10	0.03	0.01	0.020	0.31	5.4	12.0	1.38	372	1.03
I032228		0.48	25.3	2.85	5.93	0.07	0.04	0.03	0.022	0.28	6.6	9.9	0.63	1000	1.07
I032229		0.45	21.6	3.11	6.64	0.06	0.04	0.02	0.021	0.11	5.6	10.2	0.64	380	0.93
I032230		0.09	2.2	0.69	0.65	<0.05	0.06	<0.01	<0.005	0.04	4.9	1.2	0.04	158	0.34
I032231		0.80	44.7	3.26	8.17	0.08	0.04	0.03	0.016	0.25	6.0	13.3	0.95	386	0.99
I032232		0.69	39.5	2.76	6.88	0.10	0.04	0.06	0.015	0.25	9.4	9.8	0.85	213	0.82
I032233		0.44	21.1	2.71	6.87	0.08	0.02	0.04	0.023	0.10	9.8	10.2	0.54	1040	1.08
I032234		0.63	106.0	6.02	12.65	0.13	0.03	0.03	0.024	0.07	5.9	19.7	1.28	1540	2.35
I032235		0.71	40.2	3.42	8.11	0.08	0.04	0.03	0.018	0.06	6.6	10.5	0.63	783	1.56
I032236		0.92	25.9	3.60	8.08	0.08	0.03	0.03	0.022	0.14	6.6	13.2	0.64	592	1.22
I032237		0.46	44.3	3.04	6.37	0.09	0.04	0.02	0.021	0.16	7.6	10.0	0.87	254	1.29
I032238		0.81	31.9	3.48	8.28	0.09	0.02	0.02	0.033	0.26	8.9	8.5	0.76	1460	0.97
I032239		0.53	69.4	3.07	6.17	0.10	0.04	0.03	0.021	0.18	8.1	11.8	0.98	273	1.14
I032240		0.69	17.2	1.94	5.07	0.06	0.02	0.03	0.018	0.04	8.1	7.0	0.37	131	0.70
I032241		0.72	16.6	1.89	5.17	0.06	0.02	0.03	0.016	0.03	8.1	7.0	0.37	127	0.65
I032242		0.70	38.2	2.46	5.78	0.06	0.03	0.02	0.022	0.05	10.0	8.3	0.53	219	0.79
I032243		0.49	18.7	1.76	4.61	0.06	0.02	0.02	0.017	0.04	9.3	6.0	0.39	132	0.51
I032244		0.58	20.9	2.03	5.30	0.06	0.02	0.02	0.021	0.05	9.1	6.5	0.42	154	0.58
I032245		0.58	26.3	2.89	7.13	0.07	0.03	0.02	0.026	0.09	9.4	10.1	0.74	278	0.85
I032246		0.59	27.9	2.87	6.48	0.08	0.04	0.02	0.026	0.05	10.5	11.2	0.66	297	0.74
I032247		0.46	22.5	2.97	6.42	0.07	0.03	0.04	0.024	0.06	8.3	10.3	0.60	266	0.99
I032248		1.40	40.4	2.68	6.44	0.07	0.03	0.03	0.018	0.20	7.5	9.6	0.87	243	0.70
I032249		1.20	28.5	2.38	6.68	0.08	0.03	0.02	0.017	0.12	7.7	8.9	0.87	181	0.53
I032250		0.09	2.7	0.77	0.66	0.05	0.06	<0.01	<0.005	0.03	5.4	1.2	0.04	157	0.45
I032251		0.96	19.5	1.48	4.46	0.07	0.02	0.03	0.014	0.06	6.5	4.2	0.36	87	0.39
I032252		0.60	26.3	2.99	7.53	<0.05	0.03	0.04	0.027	0.04	7.6	10.5	0.62	219	0.84
I032253		0.54	15.9	3.08	6.32	<0.05	0.10	0.02	0.025	0.03	7.8	10.1	0.62	527	0.80
I032254		0.78	33.9	4.37	9.84	0.08	0.05	0.01	0.043	0.32	8.4	11.9	1.27	299	0.94
I032255		1.14	51.4	4.75	9.79	0.12	0.04	0.03	0.040	0.47	7.8	13.7	1.65	370	1.15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032216		1.53	20.0	300	7.6	13.1	<0.001	0.06	0.34	5.5	0.7	0.5	29.8	<0.01	0.06
I032217		1.74	20.7	580	6.3	30.0	<0.001	0.13	0.27	7.9	1.1	0.4	46.7	<0.01	0.09
I032218		1.79	22.8	350	6.8	31.1	<0.001	0.03	0.29	6.9	0.6	0.4	27.1	<0.01	0.03
I032219		2.06	17.7	370	5.7	28.4	<0.001	0.01	0.28	5.1	0.5	0.4	32.8	<0.01	0.03
I032220		2.10	20.3	440	5.4	23.6	<0.001	0.01	0.25	6.2	0.5	0.4	31.5	<0.01	0.03
I032221		2.02	21.3	350	5.6	22.4	<0.001	0.01	0.26	6.7	0.4	0.4	29.2	<0.01	0.03
I032222		1.79	25.5	270	6.7	22.0	<0.001	0.02	0.27	6.7	0.5	0.4	30.6	<0.01	0.03
I032223		1.28	23.2	320	5.2	23.4	<0.001	0.02	0.21	6.2	0.7	0.3	49.9	<0.01	0.03
I032224		1.72	23.7	370	7.0	11.8	<0.001	0.01	0.34	5.1	0.5	0.4	30.3	<0.01	0.03
I032225		1.75	16.8	460	5.5	20.9	<0.001	0.02	0.22	7.1	0.4	0.4	31.7	<0.01	0.02
I032226		1.62	17.6	270	5.5	24.2	<0.001	0.01	0.28	7.9	0.5	0.4	23.6	<0.01	0.02
I032227		1.81	15.4	240	5.5	20.6	<0.001	0.02	0.25	6.7	0.4	0.4	17.4	<0.01	0.02
I032228		1.55	21.9	450	6.4	17.0	<0.001	0.02	0.34	4.6	0.5	0.4	33.6	<0.01	0.02
I032229		1.69	16.7	280	6.4	8.0	<0.001	0.01	0.37	4.0	0.3	0.5	22.9	<0.01	0.02
I032230		0.21	4.8	120	2.0	2.2	<0.001	<0.01	0.13	0.7	<0.2	<0.2	6.9	<0.01	<0.01
I032231		1.95	20.5	560	5.7	19.1	<0.001	0.02	0.29	4.0	0.5	0.4	25.5	<0.01	0.03
I032232		1.64	13.0	670	4.1	18.8	<0.001	0.07	0.20	5.2	1.2	0.3	42.6	<0.01	0.03
I032233		1.48	14.1	450	11.6	11.1	<0.001	0.05	0.32	3.9	0.7	0.5	27.0	<0.01	0.04
I032234		2.62	26.8	730	6.2	10.5	<0.001	0.03	0.35	5.8	1.2	0.6	18.5	<0.01	0.07
I032235		2.08	19.9	340	6.6	8.9	<0.001	0.02	0.35	3.8	0.6	0.6	14.8	<0.01	0.03
I032236		2.25	16.6	490	7.2	18.0	<0.001	0.02	0.36	3.1	0.6	0.5	13.8	<0.01	0.03
I032237		1.64	24.7	570	8.6	12.1	<0.001	0.13	0.24	4.9	0.6	0.4	29.3	<0.01	0.05
I032238		3.60	16.8	600	5.8	22.0	<0.001	0.02	0.28	5.3	0.5	0.8	19.5	<0.01	0.04
I032239		1.53	28.4	600	7.2	16.4	0.001	0.12	0.21	5.4	1.3	0.4	34.5	<0.01	0.06
I032240		1.19	11.7	600	5.0	6.4	<0.001	0.04	0.22	2.9	0.8	0.4	21.3	<0.01	0.02
I032241		1.11	11.6	550	5.1	6.5	<0.001	0.04	0.20	2.8	0.8	0.4	20.9	<0.01	0.02
I032242		1.26	13.2	640	5.8	7.3	<0.001	0.09	0.22	4.1	0.8	0.4	28.2	<0.01	0.04
I032243		1.11	9.2	530	4.7	4.9	<0.001	0.04	0.15	3.6	0.5	0.4	19.7	<0.01	0.02
I032244		1.14	11.2	520	4.9	6.6	<0.001	0.04	0.17	3.1	0.7	0.4	21.7	<0.01	0.02
I032245		1.94	15.0	520	5.2	10.3	<0.001	0.05	0.20	4.9	0.7	0.5	23.4	<0.01	0.03
I032246		1.74	16.8	630	5.6	8.7	<0.001	0.03	0.28	5.2	0.7	0.5	29.6	<0.01	0.03
I032247		1.82	17.5	350	6.5	8.7	<0.001	0.03	0.29	4.5	0.6	0.8	28.5	<0.01	0.03
I032248		1.38	12.2	510	4.5	15.9	<0.001	0.03	0.18	4.8	0.7	0.4	17.0	<0.01	0.02
I032249		1.54	12.2	410	4.9	14.3	<0.001	0.03	0.15	4.7	0.6	0.5	19.4	<0.01	0.02
I032250		0.26	4.5	130	1.6	2.0	<0.001	0.01	0.12	0.7	0.2	<0.2	7.0	<0.01	<0.01
I032251		0.98	8.7	450	4.8	10.6	<0.001	0.04	0.14	2.4	0.9	0.3	16.5	<0.01	0.02
I032252		1.10	16.5	500	6.3	7.0	<0.001	0.03	0.27	3.7	0.4	0.6	18.7	<0.01	0.04
I032253		1.34	18.3	180	6.9	4.9	<0.001	0.02	0.32	5.5	0.2	0.5	27.4	<0.01	0.02
I032254		0.78	12.9	730	4.7	12.1	<0.001	0.45	0.19	8.2	1.1	0.7	41.2	<0.01	0.11
I032255		0.83	20.7	630	4.4	17.1	0.001	0.42	0.16	11.9	1.9	0.5	40.0	<0.01	0.14



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032216		0.102	0.08	0.48	76	0.13	3.81	63
I032217		0.155	0.15	0.48	98	0.10	4.36	70
I032218		0.138	0.12	0.29	72	0.11	6.17	61
I032219		0.170	0.15	0.29	84	0.10	2.70	65
I032220		0.187	0.15	0.41	85	0.10	3.76	69
I032221		0.176	0.13	0.43	85	0.12	3.55	65
I032222		0.143	0.12	0.25	76	0.11	6.01	52
I032223		0.185	0.12	0.66	121	0.09	4.14	58
I032224		0.128	0.09	0.29	89	0.11	2.84	60
I032225		0.143	0.11	0.40	90	0.20	3.58	60
I032226		0.174	0.14	0.32	102	0.13	2.43	53
I032227		0.185	0.14	0.27	117	0.12	1.82	52
I032228		0.107	0.07	0.37	68	0.13	2.71	45
I032229		0.110	0.08	0.27	77	0.12	1.78	48
I032230		0.008	0.03	0.32	5	<0.05	2.03	5
I032231		0.172	0.09	0.42	96	0.16	2.07	51
I032232		0.129	0.08	1.50	62	0.10	12.45	55
I032233		0.078	0.06	0.79	54	0.10	6.23	59
I032234		0.290	0.09	1.56	129	0.06	10.00	261
I032235		0.156	0.11	0.56	88	0.19	4.72	94
I032236		0.152	0.12	0.42	85	0.17	2.98	86
I032237		0.123	0.13	0.46	68	0.11	2.97	67
I032238		0.137	0.12	0.43	59	0.09	3.34	71
I032239		0.120	0.17	1.38	69	0.14	6.07	82
I032240		0.064	0.06	0.54	46	0.28	4.40	41
I032241		0.066	0.07	0.51	45	0.16	3.98	39
I032242		0.081	0.07	0.72	68	0.24	5.64	67
I032243		0.075	0.05	0.54	47	0.67	4.45	41
I032244		0.073	0.06	0.56	48	0.20	5.03	44
I032245		0.124	0.09	0.60	69	0.12	4.78	64
I032246		0.107	0.07	0.63	68	0.12	5.90	65
I032247		0.102	0.06	0.47	73	0.17	4.15	52
I032248		0.130	0.11	0.50	79	0.18	3.33	48
I032249		0.134	0.10	0.47	68	0.14	3.14	47
I032250		0.008	0.03	0.31	5	0.26	2.37	5
I032251		0.065	0.08	0.45	27	0.16	2.55	28
I032252		0.097	0.06	0.59	69	0.18	4.56	62
I032253		0.099	0.09	0.34	74	0.13	3.09	52
I032254		0.134	0.11	0.53	90	0.09	4.71	88
I032255		0.170	0.14	0.58	137	0.08	4.95	83



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032256		0.22	0.007	0.17	1.25	3.5	<0.2	<10	300	0.18	0.05	2.79	0.22	11.00	9.2	20
I032257		0.30	<0.005	0.25	2.15	3.2	<0.2	<10	390	0.27	0.05	1.20	0.23	15.80	19.6	33
I032258		0.36	0.036	0.15	1.88	4.0	<0.2	<10	370	0.23	0.06	0.91	0.18	17.45	12.9	25
I032259		0.38	0.005	0.05	2.76	9.1	<0.2	<10	130	0.48	0.18	0.16	0.16	42.9	18.6	40
I032260		0.52	<0.005	0.02	0.13	6.1	<0.2	<10	30	0.08	0.03	0.06	0.05	9.39	2.7	5
I032261		0.36	<0.005	0.16	2.51	9.8	<0.2	<10	130	0.78	0.30	0.10	0.18	108.0	31.1	31
I032262		0.40	0.005	0.03	1.51	9.5	<0.2	<10	80	0.21	0.23	0.10	0.10	19.45	4.7	31
I032263		0.34	<0.005	0.09	1.71	5.8	<0.2	<10	130	0.49	0.25	0.15	0.09	57.2	12.4	31
I032264		0.36	0.005	0.09	2.05	6.0	<0.2	<10	120	0.50	0.26	0.10	0.11	63.3	8.2	30
I032265		0.30	<0.005	0.05	1.40	8.6	<0.2	<10	80	0.16	0.19	0.13	0.12	24.5	7.0	31
I032266		0.34	<0.005	0.10	1.71	7.5	0.3	<10	90	0.28	0.31	0.09	0.10	64.8	10.5	33
I032267		0.38	<0.005	0.04	2.35	8.9	<0.2	<10	140	0.42	0.17	0.18	0.11	49.0	14.3	37
I032268		0.28	<0.005	0.04	2.44	10.4	<0.2	<10	90	0.36	0.19	0.11	0.14	26.8	11.6	37
I032269		0.40	<0.005	0.08	1.93	2.6	<0.2	<10	120	0.32	0.33	0.05	0.07	74.8	5.2	33
I032270		0.32	<0.005	0.05	2.32	6.8	<0.2	<10	140	0.52	0.20	0.13	0.13	54.8	13.1	34
I032271		0.36	<0.005	0.05	2.48	4.9	<0.2	<10	160	0.57	0.19	0.12	0.13	67.8	13.5	36
I032272		0.38	<0.005	0.11	2.01	8.0	<0.2	<10	110	0.41	0.25	0.13	0.12	42.9	12.5	32
I032273		0.34	<0.005	0.10	1.98	8.2	<0.2	<10	110	0.33	0.23	0.11	0.13	36.4	11.0	34
I032274		0.36	<0.005	0.10	2.46	3.7	<0.2	<10	90	0.57	0.32	0.40	0.18	80.7	18.4	35
I032275		0.30	<0.005	0.28	2.61	8.1	<0.2	<10	80	0.49	0.26	0.12	0.13	88.6	15.0	39
I032276		0.40	0.008	0.11	2.53	9.0	<0.2	<10	210	0.38	0.21	0.17	0.11	23.4	16.4	49
I032277		0.34	<0.005	0.08	2.53	4.3	<0.2	<10	120	0.90	0.22	0.04	0.20	110.5	16.2	31
I032278		0.38	<0.005	0.04	2.54	11.3	<0.2	<10	150	0.51	0.16	0.16	0.14	38.3	15.4	40
I032279		0.48	<0.005	0.03	3.47	1.4	<0.2	<10	130	0.84	0.21	0.06	0.13	91.3	21.3	42
I032280		0.50	NSS	0.03	0.36	9.6	<0.2	<10	130	0.28	0.03	0.67	0.26	31.6	12.4	12
I032281		0.28	<0.005	0.07	2.12	2.9	<0.2	<10	180	0.36	0.11	0.29	0.11	37.3	12.5	47
I032282		0.42	<0.005	0.03	2.18	17.1	<0.2	<10	90	0.29	0.17	0.15	0.19	24.1	12.7	52
I032283		0.48	<0.005	0.06	2.66	4.5	<0.2	<10	90	0.44	0.28	0.07	0.11	88.5	13.8	34
I032284		0.38	<0.005	0.08	2.00	7.8	<0.2	<10	100	0.35	0.25	0.18	0.19	24.9	11.1	34
I032285		0.32	<0.005	0.07	2.26	5.9	<0.2	<10	80	0.32	0.12	0.16	0.12	13.75	11.6	50
I032286		0.36	0.005	0.30	2.03	5.6	<0.2	<10	90	0.39	0.24	0.09	0.14	25.6	10.0	35
I032287		0.34	<0.005	0.09	2.00	9.9	<0.2	<10	280	0.32	0.19	0.29	0.11	18.15	11.3	35
I032288		0.34	0.006	0.14	2.58	8.8	<0.2	<10	80	0.58	0.27	0.12	0.10	35.5	11.4	44
I032289		0.34	<0.005	0.23	2.51	5.8	<0.2	<10	80	0.52	0.27	0.19	0.28	25.8	12.0	73
I032290		0.36	<0.005	0.05	2.20	7.2	<0.2	<10	130	0.39	0.33	0.09	0.17	46.8	16.0	33
I032291		0.36	<0.005	0.05	1.87	7.2	<0.2	<10	110	0.33	0.30	0.08	0.17	41.2	12.4	28
I032292		0.42	0.006	0.04	2.04	5.5	<0.2	<10	190	0.32	0.12	0.35	0.04	33.0	10.4	32
I032293		0.42	0.005	0.03	1.85	7.1	<0.2	<10	100	0.25	0.11	0.27	0.06	16.90	8.8	27
I032294		0.32	<0.005	0.15	2.99	9.7	<0.2	<10	210	0.47	0.24	0.25	0.12	25.1	15.4	40
I032295		0.28	<0.005	0.07	0.42	2.3	<0.2	<10	20	<0.05	0.08	0.03	0.10	5.41	1.4	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032256		0.61	61.5	2.05	3.76	0.06	0.08	0.05	0.013	0.12	6.3	8.5	0.68	296	0.55
I032257		0.90	78.6	3.08	5.85	0.06	0.05	0.05	0.015	0.18	8.6	15.3	1.16	610	0.40
I032258		0.90	31.7	2.86	6.08	0.07	0.04	0.03	0.021	0.10	9.4	13.7	1.04	435	0.62
I032259		1.86	24.4	3.62	7.46	0.07	0.08	0.03	0.029	0.18	13.5	23.8	0.87	326	1.05
I032260		0.09	3.0	0.85	0.71	<0.05	0.07	<0.01	<0.005	0.02	4.7	1.6	0.04	160	0.43
I032261		1.70	41.3	5.30	6.41	0.10	0.09	0.05	0.033	0.07	43.0	16.8	0.43	428	2.10
I032262		1.11	12.5	2.91	8.13	0.05	0.02	0.05	0.049	0.02	10.2	10.1	0.33	154	1.66
I032263		1.05	40.5	3.68	5.00	0.08	0.04	0.03	0.028	0.04	30.0	12.2	0.50	372	1.75
I032264		2.22	29.1	4.41	6.72	0.09	0.03	0.03	0.030	0.17	35.5	17.5	0.64	222	1.72
I032265		1.29	12.2	2.92	7.45	0.05	0.04	0.04	0.019	0.06	11.9	12.0	0.48	167	1.26
I032266		1.98	19.9	4.34	9.32	0.09	0.06	0.02	0.021	0.34	27.2	13.9	0.69	346	1.89
I032267		1.38	23.7	3.47	6.65	0.07	0.08	0.02	0.026	0.16	17.9	16.6	0.77	360	0.94
I032268		1.66	15.6	3.70	7.79	0.06	0.05	0.04	0.028	0.09	13.0	19.5	0.60	293	1.31
I032269		2.84	35.6	4.07	9.73	0.11	0.02	0.02	0.031	0.45	43.7	20.2	0.99	138	1.78
I032270		1.72	32.2	3.93	7.39	0.12	0.06	0.03	0.028	0.30	56.4	23.7	0.77	308	1.63
I032271		2.19	35.1	4.16	8.13	0.14	0.07	0.02	0.030	0.43	72.5	28.5	0.90	292	1.68
I032272		1.20	28.2	3.89	8.99	0.07	0.03	0.03	0.029	0.07	21.6	17.2	0.54	287	1.63
I032273		1.36	20.9	3.77	8.62	0.06	0.05	0.02	0.025	0.06	13.0	15.6	0.53	333	1.51
I032274		2.42	54.6	5.01	6.49	0.11	0.06	0.03	0.043	0.41	27.3	16.1	0.88	684	0.67
I032275		2.65	31.7	3.87	7.33	0.09	0.09	0.06	0.031	0.19	37.0	19.4	0.72	327	0.97
I032276		1.67	17.7	4.53	10.85	0.07	0.07	0.02	0.034	0.08	11.0	20.2	0.64	586	1.53
I032277		1.07	29.8	8.29	3.71	0.12	0.20	0.05	0.068	0.02	24.0	2.4	0.09	4820	0.55
I032278		1.09	23.0	3.59	6.51	0.07	0.07	0.04	0.032	0.06	14.3	14.7	0.65	396	1.08
I032279		5.28	24.1	5.30	9.98	0.12	0.10	0.01	0.038	1.12	13.8	24.9	1.29	142	0.35
I032280		0.43	8.6	2.45	1.79	0.08	0.09	0.01	0.008	0.07	14.1	4.7	0.29	1020	1.41
I032281		2.82	25.4	3.25	8.41	0.07	0.03	0.03	0.022	0.45	15.5	20.1	1.07	275	0.76
I032282		1.62	18.8	4.70	9.11	0.08	0.06	0.02	0.030	0.15	11.1	24.5	0.89	351	1.15
I032283		3.34	32.7	4.93	8.16	0.09	0.06	0.02	0.027	0.57	19.0	30.4	0.83	321	0.99
I032284		1.47	17.5	3.66	7.56	0.06	0.04	0.02	0.026	0.07	9.7	13.1	0.51	220	1.05
I032285		1.32	14.5	3.55	8.39	0.05	0.04	0.02	0.020	0.08	6.3	15.2	0.80	228	1.13
I032286		1.46	17.2	4.00	9.84	0.05	0.03	0.02	0.029	0.09	9.9	19.4	0.66	227	1.28
I032287		1.31	15.6	3.53	7.70	0.05	0.03	0.02	0.028	0.03	9.0	14.9	0.54	494	1.36
I032288		2.06	25.2	4.62	9.78	0.08	0.07	0.04	0.039	0.06	14.9	25.7	0.58	260	1.53
I032289		1.85	22.4	4.11	9.18	0.09	0.06	0.02	0.032	0.09	12.6	23.5	0.84	264	1.30
I032290		2.43	32.1	4.86	9.78	0.10	0.10	0.02	0.025	0.30	14.9	21.8	0.70	482	1.18
I032291		1.78	25.8	4.23	9.76	0.09	0.09	0.02	0.023	0.19	13.5	16.2	0.53	394	1.35
I032292		2.02	23.0	2.99	6.35	0.10	0.12	0.05	0.026	0.12	17.5	15.7	0.69	428	0.61
I032293		1.27	15.8	2.63	5.88	0.08	0.05	0.02	0.020	0.03	8.6	13.9	0.49	305	0.69
I032294		2.18	26.2	3.79	9.30	0.09	0.11	0.05	0.038	0.07	14.4	16.7	0.54	779	1.46
I032295		0.44	9.6	0.84	2.41	<0.05	<0.02	0.03	0.007	0.01	2.9	1.1	0.05	50	0.90



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032256		0.96	17.5	860	3.5	9.9	<0.001	0.12	0.33	3.2	1.1	0.2	37.8	0.01	0.03
I032257		0.83	21.6	680	3.5	19.8	<0.001	0.04	0.20	5.0	0.8	0.3	41.3	<0.01	0.03
I032258		1.10	16.5	740	4.1	16.7	<0.001	0.03	0.23	5.7	0.6	0.4	35.1	<0.01	0.02
I032259		1.53	39.3	450	8.1	26.5	<0.001	0.04	0.41	4.6	0.6	0.6	15.3	0.01	0.03
I032260		0.20	4.7	130	1.5	2.3	<0.001	<0.01	0.12	0.6	<0.2	0.2	7.0	<0.01	0.01
I032261		1.17	74.1	630	12.2	19.6	<0.001	0.08	0.47	3.8	1.1	0.5	22.7	0.01	0.04
I032262		0.94	11.2	440	9.9	8.3	<0.001	0.04	0.44	1.4	0.5	0.7	13.3	<0.01	0.03
I032263		1.01	29.6	490	13.4	11.3	<0.001	0.05	0.42	4.6	0.8	0.4	18.9	<0.01	0.03
I032264		0.94	18.4	610	10.6	28.2	<0.001	0.20	0.32	3.5	1.0	0.5	19.4	<0.01	0.04
I032265		1.84	16.2	400	8.9	15.1	<0.001	0.03	0.37	2.4	0.5	0.6	13.9	<0.01	0.03
I032266		3.02	25.8	530	12.7	39.4	<0.001	0.05	0.36	3.1	0.5	0.7	12.2	<0.01	0.03
I032267		2.18	33.0	370	8.2	22.1	<0.001	0.03	0.42	4.1	0.6	0.5	15.3	<0.01	0.03
I032268		2.43	21.3	470	9.4	17.9	<0.001	0.02	0.48	3.8	0.5	0.6	12.6	0.01	0.03
I032269		0.98	11.7	620	13.1	42.1	<0.001	0.29	0.14	3.3	0.9	0.6	18.8	<0.01	0.05
I032270		1.91	28.4	590	10.9	34.0	<0.001	0.09	0.34	4.2	0.8	0.6	15.5	0.01	0.03
I032271		2.06	30.5	570	11.5	42.8	<0.001	0.11	0.25	4.7	0.8	0.7	15.2	0.01	0.03
I032272		1.59	30.9	440	9.5	18.1	<0.001	0.07	0.44	3.2	0.6	0.7	16.6	<0.01	0.04
I032273		2.12	25.7	370	10.0	20.3	<0.001	0.03	0.49	3.3	0.4	0.7	12.2	<0.01	0.03
I032274		9.27	46.7	1370	50.9	55.4	<0.001	0.03	0.18	4.2	0.7	0.7	17.3	0.01	0.05
I032275		3.69	31.9	320	11.7	31.8	<0.001	0.03	0.42	4.5	0.8	0.6	13.9	0.01	0.03
I032276		3.10	29.4	280	11.6	24.1	<0.001	0.01	0.46	4.5	0.4	1.0	16.3	<0.01	0.04
I032277		0.39	30.7	700	49.4	13.8	<0.001	0.03	0.24	7.0	1.6	0.5	8.5	0.01	0.03
I032278		1.59	30.7	440	10.4	12.7	<0.001	0.02	0.53	5.1	0.6	0.5	16.0	0.01	0.03
I032279		4.99	39.1	330	11.4	116.5	<0.001	0.01	0.08	4.8	0.4	1.0	5.4	<0.01	0.02
I032280		0.90	19.7	750	4.5	9.9	<0.001	0.01	0.50	1.9	0.3	13.0	13.0	<0.01	0.02
I032281		2.39	23.2	610	6.6	43.9	<0.001	0.03	0.17	3.5	0.4	0.9	19.6	<0.01	0.02
I032282		2.34	29.0	340	14.4	22.7	<0.001	0.02	0.38	5.1	0.4	0.7	13.7	<0.01	0.03
I032283		3.23	36.2	390	13.3	70.3	<0.001	0.03	0.25	3.6	0.6	0.6	9.4	0.01	0.04
I032284		2.85	26.3	290	9.7	22.7	<0.001	0.01	0.44	2.9	0.4	0.6	15.0	<0.01	0.04
I032285		2.26	26.5	300	7.3	18.9	<0.001	0.02	0.39	3.5	0.4	0.7	12.6	<0.01	0.03
I032286		1.60	23.3	400	13.0	34.2	<0.001	0.03	0.45	3.5	0.4	0.9	11.1	<0.01	0.04
I032287		2.17	22.1	290	10.5	17.5	<0.001	0.02	0.50	3.6	0.4	0.7	21.1	<0.01	0.03
I032288		2.95	31.7	390	21.6	25.1	<0.001	0.02	0.52	4.2	0.7	0.8	11.5	0.01	0.03
I032289		2.55	38.3	250	18.9	35.2	<0.001	0.01	0.38	5.0	0.4	0.8	14.1	<0.01	0.03
I032290		4.13	30.4	480	15.2	46.0	<0.001	0.01	0.27	3.7	0.5	0.9	9.2	0.01	0.04
I032291		3.97	25.0	420	14.7	36.7	<0.001	0.01	0.33	3.2	0.4	0.9	8.9	<0.01	0.04
I032292		1.82	22.2	640	6.6	24.8	<0.001	0.01	0.26	7.0	0.5	0.8	25.2	<0.01	0.01
I032293		1.60	19.8	610	5.7	9.0	<0.001	0.01	0.31	3.4	0.5	0.5	22.3	0.01	0.02
I032294		2.35	23.1	520	12.9	18.5	<0.001	0.02	0.36	6.1	0.7	0.9	23.8	<0.01	0.02
I032295		0.31	4.8	300	3.3	2.9	<0.001	0.01	0.17	0.6	0.4	0.3	8.2	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032256		0.080	0.09	0.67	49	0.31	7.43	50	3.0
I032257		0.153	0.16	1.00	83	0.13	13.80	68	1.9
I032258		0.130	0.10	0.79	71	0.15	8.61	64	1.6
I032259		0.127	0.20	1.16	60	0.16	5.39	70	2.9
I032260		0.007	0.03	0.29	4	0.17	2.01	4	2.9
I032261		0.050	0.17	2.39	52	0.16	19.70	120	2.9
I032262		0.064	0.12	0.62	73	0.16	2.37	36	0.7
I032263		0.059	0.16	1.85	50	0.13	11.85	60	1.3
I032264		0.087	0.27	1.80	45	0.24	5.47	64	1.1
I032265		0.106	0.15	0.70	66	0.18	3.43	45	1.4
I032266		0.157	0.31	1.78	68	0.15	6.88	67	2.5
I032267		0.136	0.20	1.34	62	0.16	6.63	64	2.9
I032268		0.109	0.18	0.81	72	0.21	3.99	60	1.9
I032269		0.118	0.38	1.72	47	0.06	2.61	69	0.6
I032270		0.115	0.25	2.50	52	0.13	12.30	72	2.3
I032271		0.135	0.33	3.08	50	0.12	15.70	81	2.8
I032272		0.115	0.17	1.11	71	0.15	5.64	66	1.5
I032273		0.118	0.16	0.88	74	0.15	4.73	63	2.1
I032274		0.152	0.41	1.35	34	0.10	12.95	123	2.6
I032275		0.153	0.31	2.23	57	0.28	13.90	71	3.6
I032276		0.163	0.17	0.48	102	0.13	4.15	79	3.0
I032277		0.008	0.18	1.73	21	0.06	21.1	90	7.0
I032278		0.100	0.12	0.81	67	0.16	4.85	64	2.8
I032279		0.220	0.88	0.91	44	0.05	7.27	133	4.6
I032280		0.029	0.18	0.66	17	0.07	7.85	25	4.5
I032281		0.155	0.27	0.72	51	0.12	7.43	65	1.0
I032282		0.160	0.16	0.59	88	0.16	3.96	66	2.6
I032283		0.161	0.55	1.70	41	0.10	11.70	90	2.4
I032284		0.122	0.17	0.66	66	0.17	4.32	63	1.7
I032285		0.166	0.16	0.43	78	0.13	2.65	62	1.7
I032286		0.127	0.17	0.60	76	0.11	4.06	75	1.6
I032287		0.093	0.15	0.44	75	0.16	3.43	56	1.4
I032288		0.117	0.17	1.12	89	0.17	7.72	84	2.5
I032289		0.129	0.19	0.75	90	0.14	5.06	78	2.1
I032290		0.174	0.39	1.58	67	0.13	9.22	105	4.1
I032291		0.151	0.28	1.19	73	0.13	7.44	89	3.7
I032292		0.157	0.22	1.34	73	0.17	10.80	51	4.6
I032293		0.111	0.11	0.61	61	0.18	4.91	41	1.5
I032294		0.138	0.20	2.72	90	0.19	6.34	58	4.2
I032295		0.035	0.04	0.34	22	0.07	0.98	13	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032296		0.28	<0.005	0.06	0.53	1.6	<0.2	<10	40	0.11	0.07	0.08	0.05	9.05	1.8	9
I032297		0.44	0.005	0.05	2.65	7.4	<0.2	<10	200	0.42	0.14	0.36	0.05	33.0	11.3	37
I032298		0.30	0.005	0.08	1.35	4.4	<0.2	<10	100	0.13	0.13	0.22	0.09	14.50	5.6	23
I032299		0.34	0.006	0.05	2.41	16.1	<0.2	<10	170	0.47	0.17	0.28	0.08	30.0	11.4	34
I032300		0.10	<0.005	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	<0.01	0.01	1.14	0.1	1
I032301		0.40	<0.005	0.03	2.12	5.4	<0.2	<10	120	0.27	0.12	0.30	0.07	20.6	9.7	31
I032302		0.38	<0.005	0.07	2.31	8.0	<0.2	<10	150	0.35	0.13	0.31	0.08	19.50	11.1	34
I032303		0.28	<0.005	0.11	1.02	2.7	<0.2	<10	60	0.16	0.09	0.07	0.05	10.45	2.8	15
I032304		0.28	<0.005	0.04	1.88	4.7	<0.2	<10	70	0.17	0.12	0.18	0.10	12.75	6.7	26
I032305		0.42	<0.005	0.07	1.68	4.1	<0.2	<10	110	0.19	0.11	0.17	0.07	15.65	6.8	23
I032306		0.38	<0.005	0.05	1.93	10.0	<0.2	<10	140	0.31	0.19	0.14	0.19	16.30	10.0	20
I032307		0.42	0.006	0.04	2.48	15.3	<0.2	<10	120	0.43	0.19	0.12	0.28	18.05	10.3	34
I032308		0.40	<0.005	0.04	1.65	96.6	<0.2	<10	80	0.24	0.30	0.11	0.11	13.45	5.1	22
I032309		0.30	<0.005	0.11	0.80	4.4	<0.2	<10	70	0.10	0.10	0.09	0.05	8.16	2.4	11
I032310		0.36	0.005	0.12	1.99	18.5	<0.2	<10	110	0.34	0.30	0.15	0.08	14.20	7.0	26
I032311		0.36	0.005	0.13	2.16	25.0	<0.2	<10	130	0.36	0.29	0.17	0.09	15.45	8.6	26
I032312		0.26	0.016	0.31	2.12	631	<0.2	<10	400	0.55	0.19	0.48	0.41	31.8	11.7	25
I032313		0.28	<0.005	0.11	2.13	28.0	<0.2	<10	150	0.29	0.17	0.33	0.15	26.1	9.2	29
I032314		0.32	0.010	0.17	2.24	14.9	<0.2	<10	310	0.50	0.16	0.66	0.20	55.1	11.5	29
I032315		0.32	<0.005	0.08	2.12	10.7	<0.2	<10	230	0.25	0.14	0.59	0.11	24.3	9.8	28
I032316		0.54	<0.005	0.06	2.08	7.7	<0.2	<10	230	0.31	0.13	0.70	0.12	26.4	11.2	31
I032317		0.40	<0.005	0.12	2.10	6.6	<0.2	<10	190	0.31	0.15	0.43	0.11	21.0	8.7	28
I032318		0.34	0.005	0.10	1.91	5.8	<0.2	<10	200	0.20	0.14	0.56	0.12	18.65	9.9	28
I032319		0.34	<0.005	0.08	1.92	4.9	<0.2	<10	150	0.21	0.37	0.34	0.09	17.80	7.4	25
I032320		0.10	<0.005	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	<0.01	0.01	0.96	0.1	1
I032321		0.34	0.010	0.08	2.03	5.1	<0.2	<10	200	0.26	0.13	0.51	0.07	19.45	9.3	26
I032322		0.42	0.006	0.06	1.64	5.6	<0.2	<10	130	0.28	0.10	0.93	0.11	18.70	10.2	32
I032323		0.34	0.010	0.03	1.51	6.9	<0.2	<10	120	0.22	0.09	0.79	0.11	17.90	10.6	30
I032324		0.32	0.006	0.06	1.33	5.7	<0.2	<10	110	0.21	0.09	0.43	0.13	15.30	8.4	26
I032325		0.34	0.006	0.03	1.98	4.7	<0.2	<10	210	0.29	0.12	0.37	0.06	14.20	6.7	32
I032326		0.32	<0.005	0.03	1.89	5.5	<0.2	<10	150	0.41	0.13	0.30	0.07	15.00	6.5	32
I032327		0.32	<0.005	0.04	2.65	2.8	<0.2	<10	160	0.32	0.11	0.67	0.05	21.0	9.9	20
I032328		0.26	0.009	0.05	0.87	2.3	<0.2	<10	130	0.12	0.11	0.21	0.05	11.20	3.4	16
I032329		0.30	<0.005	0.04	1.24	5.4	<0.2	<10	150	0.16	0.13	0.11	0.03	13.60	4.8	19
I032330		0.40	0.006	0.04	1.42	4.1	<0.2	<10	230	0.43	0.12	0.23	0.03	18.05	5.9	20
I032331		0.30	<0.005	0.06	1.46	4.1	<0.2	<10	250	0.41	0.14	0.25	0.04	19.80	6.4	21
I032332		0.28	0.006	0.03	1.50	5.5	<0.2	<10	260	0.36	0.14	0.18	0.12	16.10	7.6	26
I032333		0.30	<0.005	0.05	1.57	3.5	<0.2	<10	150	0.34	0.12	0.18	0.10	13.85	5.8	22
I032334		0.38	0.006	0.07	1.80	6.1	<0.2	<10	170	0.41	0.15	0.14	0.08	14.05	7.3	28
I032335		0.36	<0.005	0.22	1.81	9.7	<0.2	<10	180	0.28	0.14	0.12	0.04	13.50	7.0	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032296		0.50	8.1	0.79	2.47	<0.05	<0.02	0.02	0.008	0.01	5.2	1.9	0.10	68	0.42
I032297		1.43	31.4	3.24	6.88	0.09	0.14	0.04	0.028	0.06	17.8	16.1	0.67	309	0.59
I032298		1.17	15.2	2.02	5.45	0.06	0.03	0.03	0.017	0.03	7.6	8.7	0.41	160	0.70
I032299		3.14	25.5	3.23	6.43	0.09	0.11	0.04	0.028	0.10	15.2	16.2	0.69	421	0.60
I032300		<0.05	0.6	0.02	0.07	<0.05	0.02	<0.01	<0.005	<0.01	0.6	0.1	<0.01	<5	<0.05
I032301		1.33	18.5	2.92	6.25	0.09	0.11	0.02	0.025	0.06	11.4	16.9	0.64	306	0.54
I032302		1.76	23.3	3.16	6.33	0.09	0.12	0.03	0.026	0.06	10.6	15.3	0.62	328	0.77
I032303		1.06	11.9	1.35	3.72	<0.05	0.02	0.04	0.014	0.02	5.7	4.3	0.16	99	0.48
I032304		1.12	15.1	2.54	5.53	0.06	0.06	0.02	0.021	0.04	6.8	12.4	0.45	191	0.61
I032305		2.00	14.1	2.36	5.48	0.06	0.05	0.03	0.019	0.07	8.3	11.3	0.47	215	0.52
I032306		5.07	16.1	3.76	9.44	0.07	0.05	0.04	0.032	0.23	8.2	13.5	0.54	513	1.13
I032307		1.74	18.5	3.83	7.35	0.07	0.12	0.03	0.030	0.04	9.3	17.4	0.46	408	1.32
I032308		1.82	13.3	2.77	7.85	0.06	0.04	0.02	0.021	0.04	7.1	10.3	0.32	165	1.11
I032309		0.64	8.8	1.38	3.56	<0.05	<0.02	0.03	0.012	0.01	4.1	3.1	0.12	68	0.46
I032310		1.59	14.5	3.29	7.96	0.07	0.07	0.03	0.025	0.05	7.4	11.5	0.33	221	1.33
I032311		2.47	16.0	3.46	7.84	0.07	0.08	0.04	0.029	0.10	7.6	12.2	0.41	312	1.18
I032312		6.39	22.5	3.26	5.73	0.08	0.05	1.05	0.033	0.12	18.4	11.2	0.39	948	1.15
I032313		1.47	22.5	3.18	6.89	0.08	0.08	0.05	0.025	0.09	15.5	13.2	0.57	395	0.85
I032314		1.24	30.4	3.02	6.54	0.11	0.09	0.08	0.028	0.10	35.3	13.4	0.47	685	1.00
I032315		1.60	16.6	3.32	7.01	0.10	0.10	0.03	0.026	0.17	15.6	15.0	0.68	526	0.76
I032316		1.48	20.3	3.25	6.80	0.11	0.17	0.02	0.026	0.19	14.9	17.7	0.79	426	0.49
I032317		0.99	19.4	3.08	7.06	0.08	0.09	0.02	0.024	0.07	12.4	13.8	0.61	318	0.89
I032318		1.41	16.1	2.96	6.66	0.08	0.06	0.02	0.021	0.13	11.5	13.1	0.65	443	0.97
I032319		0.95	13.7	2.69	6.61	0.07	0.07	0.02	0.019	0.06	10.3	11.6	0.57	236	0.84
I032320		<0.05	0.6	0.02	0.08	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.06
I032321		0.81	15.3	2.98	6.10	0.08	0.07	0.02	0.022	0.04	11.1	14.5	0.60	301	0.71
I032322		0.38	25.9	2.76	4.61	0.09	0.13	0.02	0.020	0.06	9.7	12.3	0.69	365	0.43
I032323		0.46	16.9	2.68	4.51	0.08	0.12	0.02	0.019	0.03	8.8	11.2	0.61	449	0.60
I032324		0.64	13.8	2.25	4.77	<0.05	0.04	0.03	0.016	0.05	7.6	9.2	0.46	314	0.68
I032325		0.55	10.9	2.59	5.01	<0.05	0.05	0.01	0.016	0.04	6.7	11.0	0.72	436	0.58
I032326		0.65	10.7	2.45	4.64	<0.05	0.06	0.01	0.019	0.06	6.2	10.4	0.61	228	0.54
I032327		0.77	26.0	2.71	8.34	0.05	0.06	0.01	0.027	0.05	9.8	24.8	2.14	636	0.37
I032328		0.29	5.5	1.66	3.66	<0.05	0.03	0.01	0.007	0.04	5.6	4.4	0.23	154	0.64
I032329		0.39	5.7	2.15	4.84	<0.05	0.03	<0.01	0.012	0.03	6.7	7.6	0.28	382	0.79
I032330		0.68	10.3	2.19	4.95	<0.05	0.06	0.01	0.015	0.06	9.6	10.9	0.49	236	0.49
I032331		0.73	12.5	2.23	5.36	<0.05	0.04	0.01	0.016	0.06	10.8	11.2	0.49	280	0.57
I032332		0.46	10.1	2.42	5.37	<0.05	0.03	0.01	0.019	0.07	7.9	10.5	0.40	464	0.87
I032333		0.32	6.8	2.42	7.61	<0.05	<0.02	0.01	0.017	0.06	7.1	9.5	0.44	223	0.71
I032334		0.55	9.7	2.65	6.12	<0.05	0.07	<0.01	0.023	0.05	7.3	10.6	0.39	235	0.90
I032335		0.89	11.7	2.71	6.19	<0.05	0.02	<0.01	0.018	0.05	7.0	12.2	0.72	322	0.76



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032296		0.27	4.4	270	2.7	4.2	<0.001	0.01	0.11	0.6	0.3	0.2	10.6	<0.01	0.01
I032297		1.89	27.7	640	6.9	14.5	<0.001	0.01	0.29	6.9	0.5	0.6	27.8	<0.01	0.02
I032298		1.20	15.2	470	5.5	8.7	<0.001	0.02	0.24	2.6	0.4	0.5	19.9	<0.01	0.01
I032299		2.16	23.7	630	7.2	20.1	<0.001	0.01	0.35	6.3	0.6	0.7	21.1	<0.01	0.01
I032300		<0.05	0.3	10	0.7	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01
I032301		2.27	21.0	660	6.5	13.8	<0.001	0.01	0.26	5.0	0.4	0.7	21.6	<0.01	0.01
I032302		1.97	26.8	580	6.3	11.5	<0.001	0.02	0.30	5.0	0.6	0.6	23.4	<0.01	0.02
I032303		0.74	7.0	340	3.8	6.8	<0.001	0.02	0.14	1.6	0.5	0.4	9.3	<0.01	0.01
I032304		1.87	14.8	500	5.4	10.8	<0.001	0.01	0.28	3.1	0.4	0.5	14.4	<0.01	0.02
I032305		1.76	13.8	570	5.2	17.9	<0.001	0.01	0.22	3.3	0.4	0.6	16.0	<0.01	0.01
I032306		3.00	11.5	620	8.6	37.1	<0.001	0.02	0.40	5.5	0.6	2.1	16.2	<0.01	0.03
I032307		1.95	21.4	390	20.9	10.1	<0.001	0.01	0.40	4.1	0.4	0.6	14.2	0.01	0.03
I032308		1.81	10.3	240	10.8	10.2	<0.001	0.01	0.39	3.4	0.3	0.7	13.5	<0.01	0.03
I032309		0.55	4.8	340	4.3	5.2	<0.001	0.01	0.18	1.1	0.4	0.3	12.6	<0.01	0.01
I032310		1.99	13.6	330	10.4	12.2	<0.001	0.01	0.37	3.8	0.4	0.8	18.2	0.01	0.02
I032311		2.08	14.9	390	10.0	19.1	<0.001	0.01	0.39	5.1	0.4	0.9	17.9	0.01	0.02
I032312		1.15	14.5	780	18.5	23.3	<0.001	0.04	1.77	8.6	0.9	0.5	37.4	<0.01	0.03
I032313		2.26	16.9	590	9.1	19.2	<0.001	0.02	0.33	5.2	0.6	0.7	26.7	<0.01	0.02
I032314		1.77	18.5	730	7.8	20.3	<0.001	0.04	0.36	7.1	1.0	1.0	47.6	0.01	0.02
I032315		2.64	15.9	600	6.1	37.1	<0.001	0.02	0.39	5.3	0.5	0.8	34.1	<0.01	0.02
I032316		2.39	19.1	730	5.8	31.7	<0.001	0.01	0.28	6.2	0.5	0.6	40.2	<0.01	0.02
I032317		2.30	17.3	510	6.8	16.0	<0.001	0.02	0.25	4.4	0.5	0.6	29.8	<0.01	0.01
I032318		2.07	16.7	530	5.7	27.3	<0.001	0.02	0.26	4.2	0.5	0.6	34.9	<0.01	0.02
I032319		2.11	14.6	450	6.2	13.8	<0.001	0.02	0.21	3.8	0.5	0.6	25.1	<0.01	0.01
I032320		<0.05	0.3	10	0.4	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01
I032321		2.21	15.8	540	5.6	8.5	<0.001	0.02	0.24	4.0	0.5	0.6	32.1	<0.01	0.02
I032322		1.54	24.2	810	5.4	6.8	<0.001	0.02	0.33	4.9	0.5	0.4	46.5	<0.01	0.01
I032323		1.63	20.4	650	5.0	6.2	<0.001	0.01	0.28	4.2	0.5	0.4	40.3	<0.01	0.01
I032324		1.49	15.7	680	5.2	6.9	0.001	0.01	0.20	3.2	0.4	0.4	28.8	<0.01	0.01
I032325		1.44	15.1	180	6.8	5.2	0.001	<0.01	0.20	3.2	<0.2	0.5	13.8	<0.01	0.01
I032326		1.31	15.5	230	8.1	8.7	0.001	<0.01	0.16	3.3	<0.2	0.4	10.4	<0.01	0.01
I032327		1.74	13.6	190	5.0	9.4	0.001	<0.01	0.12	6.0	0.3	0.5	20.7	<0.01	0.02
I032328		1.20	6.3	140	5.0	5.1	0.001	<0.01	0.14	1.5	<0.2	0.3	9.6	<0.01	0.01
I032329		1.46	8.4	240	6.5	5.0	0.001	<0.01	0.18	1.9	<0.2	0.4	9.0	<0.01	0.01
I032330		1.33	11.9	230	6.4	9.1	0.001	<0.01	0.18	2.5	<0.2	0.4	17.5	<0.01	0.01
I032331		1.40	13.2	240	6.8	9.5	0.001	<0.01	0.20	2.8	<0.2	0.5	20.0	<0.01	0.01
I032332		1.51	15.6	570	7.3	8.2	0.001	<0.01	0.28	2.6	<0.2	0.4	18.5	<0.01	0.01
I032333		0.88	12.3	660	8.3	5.5	<0.001	<0.01	0.21	1.9	<0.2	0.5	16.0	<0.01	0.01
I032334		1.30	14.9	500	8.7	8.8	<0.001	<0.01	0.35	2.6	<0.2	0.6	13.6	<0.01	0.02
I032335		1.10	11.5	200	6.5	17.5	<0.001	<0.01	0.34	2.9	0.2	0.5	10.9	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032296		0.032	0.05	0.81	18	0.05	2.00	12	<0.5
I032297		0.145	0.18	1.43	73	0.15	9.89	53	5.3
I032298		0.100	0.10	0.75	52	0.13	3.60	37	1.2
I032299		0.138	0.24	1.47	74	0.20	7.27	54	3.7
I032300		<0.005	<0.02	0.08	1	<0.05	0.61	3	0.5
I032301		0.160	0.18	0.98	73	0.19	5.97	50	3.9
I032302		0.129	0.17	0.97	72	0.24	5.60	51	4.5
I032303		0.061	0.08	0.96	31	0.09	2.28	19	0.6
I032304		0.133	0.12	0.49	62	0.16	3.32	43	2.1
I032305		0.123	0.18	0.81	57	0.17	3.83	37	1.7
I032306		0.163	0.36	1.09	94	0.19	4.93	61	1.5
I032307		0.093	0.13	1.83	83	0.13	3.89	55	4.6
I032308		0.085	0.17	0.46	76	0.27	2.61	33	1.4
I032309		0.048	0.05	0.28	31	0.15	1.78	17	<0.5
I032310		0.103	0.14	0.66	77	0.15	3.24	37	2.5
I032311		0.102	0.18	0.81	79	0.13	4.20	43	2.7
I032312		0.056	0.71	2.90	62	0.16	13.85	112	0.8
I032313		0.152	0.18	1.38	80	0.28	6.83	62	2.5
I032314		0.126	0.13	5.05	69	0.24	18.00	49	2.1
I032315		0.193	0.19	1.42	87	0.19	7.76	62	3.4
I032316		0.208	0.24	1.88	84	0.19	9.01	65	5.7
I032317		0.166	0.13	1.37	79	0.17	5.18	51	2.7
I032318		0.159	0.14	1.35	79	0.23	5.01	58	1.9
I032319		0.162	0.13	0.93	72	0.27	4.07	47	2.3
I032320		<0.005	<0.02	0.11	1	<0.05	0.55	4	0.5
I032321		0.161	0.12	1.61	77	0.26	4.91	49	2.5
I032322		0.127	0.05	0.50	70	0.12	8.13	55	4.7
I032323		0.130	0.05	0.52	75	0.23	6.36	50	3.9
I032324		0.096	0.06	0.40	63	0.13	4.80	53	1.3
I032325		0.073	0.07	0.30	64	0.10	2.43	36	1.9
I032326		0.058	0.06	0.72	53	0.10	2.48	35	2.1
I032327		0.115	0.06	0.45	62	0.09	3.25	56	2.2
I032328		0.065	0.05	0.15	49	0.06	1.18	21	0.9
I032329		0.060	0.07	0.17	55	0.08	1.37	27	1.2
I032330		0.061	0.07	0.37	44	0.07	3.23	41	1.9
I032331		0.062	0.08	0.40	45	0.10	3.61	41	1.6
I032332		0.060	0.07	0.30	52	0.15	1.91	56	1.0
I032333		0.044	0.05	0.32	55	0.19	1.72	74	<0.5
I032334		0.067	0.09	0.31	61	0.16	1.59	63	2.6
I032335		0.094	0.08	0.29	61	0.16	1.99	34	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032336		0.34	0.007	0.12	1.22	4.2	<0.2	<10	130	0.27	0.14	0.06	0.04	14.25	2.8	16
I032337		0.38	<0.005	0.09	1.78	7.1	<0.2	<10	160	0.24	0.14	0.10	0.03	17.60	5.2	22
I032338		0.34	0.005	0.03	2.31	9.8	<0.2	<10	260	0.39	0.12	0.13	0.04	14.90	10.8	33
I032339		0.26	0.005	0.05	2.14	6.9	<0.2	<10	320	0.57	0.17	0.54	0.24	26.4	10.2	31
I032340		0.10	<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	<0.01	0.01	1.11	0.1	1
I032341		0.46	0.011	0.13	1.52	8.9	<0.2	<10	250	0.52	0.14	1.64	0.24	24.2	10.4	25
I032342		0.30	<0.005	0.06	2.09	8.3	<0.2	<10	330	0.55	0.15	0.54	0.15	27.4	10.8	33
I032343		0.40	0.005	0.07	2.03	7.3	<0.2	<10	310	0.53	0.16	0.46	0.09	25.1	9.1	31
I032344		0.36	<0.005	0.07	2.30	7.9	<0.2	<10	340	0.67	0.16	0.72	0.28	27.1	10.2	34
I032345		0.46	0.009	0.13	1.64	9.1	<0.2	<10	280	0.47	0.14	1.80	0.23	25.6	10.2	28
I032346		0.44	0.010	0.10	1.60	8.2	<0.2	<10	290	0.51	0.14	0.86	0.12	26.9	9.6	28
I032347		0.40	0.008	0.08	1.42	7.6	<0.2	<10	260	0.37	0.13	0.97	0.15	21.7	8.3	25
I032348		0.42	0.007	0.10	1.45	8.0	<0.2	<10	290	0.42	0.11	0.82	0.14	22.2	8.3	27
I032349		0.34	0.008	0.12	1.45	7.3	<0.2	<10	300	0.45	0.13	1.22	0.21	24.3	9.8	26
I032350		0.26	<0.005	0.11	1.50	5.2	<0.2	<10	150	0.48	0.09	5.20	0.35	17.95	6.9	22
I032351		0.36	0.005	0.13	1.75	7.4	<0.2	<10	220	0.40	0.14	0.20	0.21	17.90	9.8	28
I032352		0.40	<0.005	0.08	1.71	4.9	<0.2	<10	420	0.94	0.29	0.91	0.15	40.5	7.1	16
I032353		0.34	0.008	0.03	1.57	6.8	<0.2	<10	280	0.45	0.15	0.30	0.05	23.0	7.2	29
I032354		0.32	<0.005	0.12	1.70	8.0	<0.2	<10	550	0.34	0.18	0.17	0.15	17.80	8.0	28
I032355		0.36	<0.005	0.05	1.84	6.0	<0.2	<10	430	0.44	0.14	0.30	0.12	18.15	10.2	28
I032356		0.48	0.009	0.07	2.99	8.2	<0.2	<10	310	0.42	0.11	0.71	0.23	16.80	18.6	36
I032357		0.38	0.010	0.22	2.16	9.0	<0.2	<10	290	0.42	0.11	0.53	0.14	18.25	13.5	33
I032358		0.32	0.009	0.04	1.41	5.8	<0.2	<10	140	0.25	0.08	0.92	0.05	21.5	6.4	30
I032359		0.24	0.013	0.06	1.11	5.1	<0.2	<10	200	0.37	0.10	1.99	0.45	17.40	8.5	21
I032360		0.30	0.006	0.06	1.48	5.2	<0.2	<10	180	0.33	0.12	0.87	0.18	17.35	8.6	26
I032361		0.34	0.006	0.08	1.33	6.2	<0.2	<10	150	0.37	0.10	0.90	0.21	25.8	9.0	29
I032362		0.38	0.007	0.07	1.57	6.4	<0.2	<10	160	0.33	0.10	0.70	0.07	22.3	8.5	30
I032363		0.28	0.009	0.07	1.50	4.2	<0.2	<10	180	0.32	0.10	0.94	0.10	22.1	7.2	31
I032364		0.28	0.005	0.05	1.21	4.3	<0.2	<10	120	0.24	0.09	0.94	0.17	18.45	7.9	26
I032365		0.32	0.016	0.07	1.76	7.1	<0.2	<10	160	0.31	0.12	0.59	0.11	19.60	10.0	35
I032366		0.28	0.009	0.10	1.62	3.9	<0.2	<10	260	0.46	0.10	1.54	0.45	26.0	10.0	29
I032367		0.30	0.007	0.16	1.68	5.1	<0.2	<10	200	0.53	0.16	0.60	0.10	68.1	11.2	29
I032368		0.32	0.006	0.09	1.26	3.9	<0.2	<10	150	0.29	0.15	0.42	0.07	19.00	6.6	24
I032369		0.34	0.007	0.11	1.74	4.8	<0.2	<10	230	0.44	0.17	0.41	0.09	49.9	9.2	31
I032370		0.52	NSS	0.05	0.40	11.5	<0.2	<10	120	0.36	0.07	0.63	0.24	32.6	10.5	16
I032371		0.36	0.006	0.07	1.79	5.8	<0.2	<10	210	0.37	0.14	0.48	0.07	20.7	10.7	35
I032372		0.28	0.007	0.07	1.69	5.3	<0.2	<10	180	0.35	0.12	0.38	0.08	18.80	10.7	35
I032373		0.34	0.008	0.11	1.42	7.9	<0.2	<10	190	0.39	0.12	0.98	0.23	25.4	9.8	30
I032374		0.42	0.006	0.05	1.67	4.9	<0.2	<10	160	0.32	0.14	0.55	0.09	25.9	9.4	31
I032375		0.42	0.011	0.07	1.87	5.6	<0.2	<10	170	0.40	0.14	0.53	0.10	27.2	9.8	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032336		0.72	12.5	1.77	6.08	<0.05	0.02	0.01	0.015	0.03	7.3	5.1	0.18	103	0.90
I032337		0.65	11.7	2.50	7.09	<0.05	<0.02	<0.01	0.017	0.04	9.0	11.4	0.45	174	0.84
I032338		1.30	14.3	2.83	6.29	<0.05	0.02	<0.01	0.026	0.05	7.6	15.6	0.80	232	0.82
I032339		0.57	21.9	2.57	6.67	0.07	0.08	0.03	0.031	0.03	13.7	9.0	0.49	614	1.15
I032340		<0.05	0.5	0.02	0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	<0.1	<0.01	<5	<0.05
I032341		0.42	33.3	2.42	4.87	0.07	0.19	0.03	0.022	0.05	12.8	10.4	0.73	376	0.59
I032342		0.56	19.2	2.65	6.35	0.06	0.09	0.02	0.027	0.03	13.2	11.1	0.54	324	0.70
I032343		0.61	20.4	2.62	6.76	0.06	0.13	0.01	0.028	0.03	12.5	10.5	0.47	285	0.67
I032344		0.55	21.9	2.73	6.74	0.06	0.15	0.03	0.030	0.04	13.3	10.6	0.50	245	0.91
I032345		0.49	32.1	2.46	4.95	0.08	0.22	0.04	0.023	0.05	13.1	10.7	0.84	404	0.59
I032346		0.51	24.2	2.40	4.91	0.07	0.11	0.05	0.022	0.04	13.8	10.8	0.51	292	0.31
I032347		0.37	18.6	2.21	4.66	0.06	0.09	0.02	0.022	0.04	10.5	10.1	0.48	249	0.37
I032348		0.35	20.6	2.32	3.99	0.05	0.09	0.03	0.018	0.04	11.1	8.8	0.51	223	0.30
I032349		0.41	28.7	2.26	4.50	0.06	0.11	0.04	0.022	0.04	12.2	10.2	0.54	477	0.32
I032350		0.55	23.7	1.71	4.21	0.07	0.18	0.05	0.019	0.05	9.3	11.1	1.43	279	0.78
I032351		1.08	16.7	3.21	7.03	0.05	0.04	0.01	0.024	0.11	8.4	12.0	0.58	544	0.94
I032352		2.52	11.9	2.02	5.62	0.07	0.07	0.01	0.033	0.13	18.0	10.3	0.39	356	0.95
I032353		0.89	11.2	2.22	5.19	<0.05	0.04	0.01	0.021	0.06	11.7	10.9	0.37	243	1.68
I032354		0.55	11.3	2.91	7.26	0.05	0.03	0.01	0.022	0.07	9.2	10.9	0.34	551	1.89
I032355		0.54	10.0	3.10	7.12	0.05	0.02	0.01	0.026	0.08	8.9	10.0	0.47	546	1.08
I032356		0.58	16.6	4.43	9.36	0.07	0.09	0.01	0.030	0.11	6.8	9.7	0.83	858	1.95
I032357		0.33	24.3	3.52	7.23	0.06	0.06	<0.01	0.024	0.12	7.7	9.1	0.60	617	1.67
I032358		0.46	16.6	2.46	4.38	0.08	0.09	0.01	0.019	0.05	11.2	9.3	0.58	201	0.54
I032359		0.37	30.7	1.73	3.51	0.06	0.07	0.04	0.017	0.05	9.2	6.6	0.36	555	0.88
I032360		0.41	25.5	2.22	4.79	0.05	0.08	0.01	0.020	0.05	8.4	7.9	0.45	409	0.84
I032361		0.51	25.3	2.31	4.15	0.06	0.09	0.02	0.020	0.06	12.5	9.3	0.50	400	0.64
I032362		0.52	21.0	2.51	4.79	0.06	0.09	0.02	0.022	0.05	11.1	11.4	0.58	247	0.46
I032363		0.57	17.2	2.23	4.74	0.06	0.08	0.03	0.021	0.06	12.6	11.2	0.56	249	0.55
I032364		0.51	14.3	2.06	4.25	0.06	0.07	0.01	0.018	0.07	9.8	8.2	0.44	256	0.68
I032365		0.30	17.4	2.85	5.27	0.06	0.12	0.01	0.023	0.12	9.2	10.3	0.53	302	0.92
I032366		0.51	27.5	2.45	4.99	0.07	0.14	<0.01	0.022	0.15	13.2	5.4	0.55	540	0.44
I032367		1.70	20.1	2.71	7.09	0.15	0.05	0.02	0.029	0.18	66.3	13.5	0.41	894	1.57
I032368		0.99	13.6	2.39	5.99	0.06	0.10	0.01	0.017	0.18	16.5	9.1	0.40	370	1.06
I032369		1.85	19.0	2.64	6.94	0.11	0.09	0.01	0.027	0.18	41.4	12.6	0.44	406	1.17
I032370		0.50	9.1	2.48	2.09	0.08	0.05	0.01	0.009	0.06	17.0	4.3	0.28	965	1.59
I032371		0.80	17.8	2.81	5.99	0.05	0.11	0.01	0.024	0.09	9.7	13.4	0.53	457	0.80
I032372		0.83	14.4	2.80	5.78	<0.05	0.08	0.01	0.024	0.09	7.9	10.5	0.43	472	0.97
I032373		0.59	31.1	2.48	4.61	0.07	0.08	0.02	0.021	0.06	12.9	10.2	0.57	493	0.60
I032374		0.81	16.1	2.62	5.51	0.07	0.14	0.01	0.023	0.07	15.6	14.0	0.52	284	0.51
I032375		0.86	17.7	2.71	6.26	0.07	0.22	0.01	0.028	0.08	13.7	12.6	0.49	271	0.73



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032336		1.02	6.7	170	8.2	11.7	<0.001	<0.01	0.22	2.0	0.2	0.5	7.5	<0.01	0.01
I032337		1.18	10.0	180	8.1	12.3	<0.001	<0.01	0.26	2.7	0.2	0.5	10.4	<0.01	0.02
I032338		1.07	19.6	260	7.6	13.3	<0.001	<0.01	0.40	3.5	0.2	0.4	12.6	<0.01	0.01
I032339		1.20	22.9	260	9.5	4.2	<0.001	<0.01	0.34	6.0	0.5	0.6	20.3	<0.01	0.02
I032340		<0.05	0.4	10	0.4	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01
I032341		1.19	27.1	610	8.6	7.0	<0.001	<0.01	0.60	4.9	0.5	0.4	46.2	<0.01	0.02
I032342		1.31	23.4	260	9.5	4.8	<0.001	<0.01	0.36	5.5	0.6	0.5	24.2	<0.01	0.03
I032343		1.45	19.8	150	10.0	7.7	<0.001	<0.01	0.30	5.1	0.4	0.6	23.8	<0.01	0.03
I032344		1.52	25.6	200	12.2	7.1	<0.001	<0.01	0.38	5.7	0.6	0.6	28.9	<0.01	0.03
I032345		1.35	26.6	550	11.6	6.5	<0.001	<0.01	0.75	5.0	0.5	0.4	41.1	<0.01	0.02
I032346		1.25	20.4	550	9.2	5.7	<0.001	<0.01	0.53	4.6	0.7	0.4	35.1	<0.01	0.02
I032347		1.18	17.5	500	8.8	5.3	<0.001	0.01	0.51	3.8	0.6	0.5	37.2	<0.01	0.02
I032348		1.04	17.7	580	8.3	4.4	<0.001	<0.01	0.47	3.7	0.6	0.3	30.0	<0.01	0.02
I032349		1.24	23.2	560	9.3	5.0	<0.001	0.03	0.67	4.1	1.0	0.4	39.3	<0.01	0.02
I032350		1.10	19.5	610	9.0	6.4	<0.001	0.03	0.57	3.8	0.8	0.3	62.4	<0.01	0.02
I032351		1.00	16.4	220	11.1	13.5	<0.001	<0.01	0.43	4.2	0.3	0.5	18.9	<0.01	0.02
I032352		0.55	10.8	740	12.1	16.6	<0.001	<0.01	0.15	4.4	0.4	0.7	61.0	<0.01	0.02
I032353		0.97	17.5	420	9.0	11.1	<0.001	<0.01	0.27	3.0	0.3	0.5	27.4	<0.01	0.03
I032354		1.32	14.1	480	9.5	8.5	<0.001	0.01	0.36	3.0	0.2	0.7	18.0	<0.01	0.04
I032355		1.22	14.5	260	8.1	6.9	<0.001	0.02	0.33	3.2	0.2	0.6	23.3	<0.01	0.01
I032356		1.13	17.1	400	7.2	6.3	<0.001	0.03	0.23	10.2	0.4	0.4	33.5	<0.01	0.03
I032357		1.09	18.1	350	6.4	7.3	<0.001	0.02	0.30	6.5	0.3	0.4	28.2	<0.01	0.03
I032358		1.31	16.5	870	5.1	5.7	<0.001	0.03	0.25	4.0	0.4	0.4	47.3	<0.01	0.01
I032359		0.96	21.1	840	4.6	4.9	<0.001	0.07	0.51	2.6	0.9	0.3	98.9	0.01	0.02
I032360		1.25	18.4	460	5.6	5.0	<0.001	<0.01	0.33	3.7	0.5	0.4	49.9	<0.01	0.02
I032361		1.24	20.8	800	5.4	7.8	<0.001	0.02	0.34	4.0	0.5	0.4	47.9	<0.01	0.02
I032362		1.37	20.5	770	5.7	7.0	<0.001	<0.01	0.34	4.3	0.5	0.5	41.4	<0.01	0.02
I032363		1.33	18.9	770	6.1	8.1	<0.001	0.01	0.30	4.4	0.5	0.5	54.5	<0.01	0.02
I032364		1.23	14.5	660	4.8	15.7	<0.001	<0.01	0.27	3.7	0.4	0.4	49.4	<0.01	0.01
I032365		1.42	20.2	580	6.3	7.0	<0.001	<0.01	0.30	4.5	0.4	0.5	33.4	<0.01	0.02
I032366		1.08	23.4	920	5.8	12.6	<0.001	<0.01	0.35	5.1	0.5	0.5	70.5	<0.01	0.02
I032367		1.14	15.5	510	14.8	29.8	<0.001	<0.01	0.29	4.5	0.7	0.7	40.6	<0.01	0.02
I032368		1.54	13.0	290	8.4	19.9	<0.001	0.08	0.24	3.0	0.3	0.7	29.3	<0.01	0.02
I032369		1.61	16.4	340	10.2	31.4	<0.001	0.14	0.27	4.3	0.5	0.8	30.8	<0.01	0.02
I032370		0.61	21.5	730	6.0	7.1	<0.001	0.11	0.67	2.1	0.3	0.3	16.5	<0.01	0.01
I032371		1.53	20.0	300	7.4	11.6	<0.001	<0.01	0.33	4.1	0.4	0.6	33.8	<0.01	0.02
I032372		1.40	17.5	170	7.4	14.1	<0.001	<0.01	0.34	4.8	0.2	0.6	27.1	<0.01	0.02
I032373		1.34	25.1	880	5.9	9.2	<0.001	<0.01	0.44	4.3	0.6	0.4	46.3	<0.01	0.02
I032374		1.30	15.8	610	7.2	9.9	<0.001	<0.01	0.28	4.4	0.3	0.5	37.5	<0.01	0.02
I032375		1.51	17.9	560	9.5	13.3	<0.001	<0.01	0.28	5.3	0.4	0.6	37.8	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032336		0.060	0.07	0.26	45	0.12	1.76	19
I032337		0.053	0.09	0.35	58	0.15	2.20	33
I032338		0.076	0.09	0.34	57	0.17	1.96	45
I032339		0.055	0.08	0.71	61	0.29	9.31	49
I032340		<0.005	<0.02	0.09	1	<0.05	0.59	2
								<0.5
I032341		0.075	0.06	0.48	47	0.23	10.20	50
I032342		0.065	0.07	0.91	64	0.20	8.93	43
I032343		0.083	0.07	0.63	63	0.21	6.71	38
I032344		0.075	0.06	0.69	66	0.28	9.10	44
I032345		0.087	0.06	0.49	52	0.33	10.45	57
								9.2
I032346		0.071	0.06	0.84	54	0.23	9.28	47
I032347		0.066	0.04	0.85	48	0.30	6.43	50
I032348		0.069	0.04	0.64	51	0.16	7.71	48
I032349		0.065	0.05	0.62	47	0.32	9.31	48
I032350		0.059	0.06	0.79	38	0.22	8.45	50
								7.4
I032351		0.095	0.10	0.38	75	0.17	3.39	71
I032352		0.010	0.12	0.89	36	0.07	5.82	44
I032353		0.051	0.09	0.54	49	0.16	3.85	36
I032354		0.060	0.09	0.35	68	0.17	2.04	53
I032355		0.052	0.08	0.39	71	0.15	2.54	51
								0.6
I032356		0.095	0.10	0.35	111	0.28	5.66	89
I032357		0.094	0.09	0.32	79	0.23	3.62	67
I032358		0.113	0.04	0.65	61	0.29	7.42	46
I032359		0.057	0.04	1.15	41	0.12	8.11	42
I032360		0.086	0.05	1.57	56	0.16	6.07	40
								2.8
I032361		0.092	0.05	1.11	56	0.19	9.27	48
I032362		0.105	0.06	0.67	59	0.15	7.87	53
I032363		0.099	0.06	0.99	50	0.15	8.74	52
I032364		0.102	0.05	0.67	53	0.27	5.82	50
I032365		0.121	0.05	0.47	72	0.26	5.03	45
								4.0
I032366		0.097	0.07	0.42	54	0.18	9.68	69
I032367		0.081	0.13	2.31	54	0.13	16.25	48
I032368		0.116	0.11	0.64	54	0.16	5.93	46
I032369		0.114	0.14	0.88	57	0.15	16.40	46
I032370		0.030	0.16	0.89	23	0.08	8.60	27
								2.6
I032371		0.109	0.09	0.42	61	0.15	4.65	43
I032372		0.109	0.09	0.33	68	0.13	2.99	38
I032373		0.095	0.06	0.55	56	0.20	9.17	61
I032374		0.122	0.08	0.70	58	0.15	7.49	51
I032375		0.127	0.10	0.61	60	0.12	7.67	50
								8.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032376		0.30	0.005	0.07	1.77	7.1	<0.2	<10	180	0.43	0.16	0.68	0.06	29.1	10.3	33
I032377		0.34	0.009	0.07	1.33	2.0	<0.2	<10	140	0.43	0.11	1.11	0.09	39.3	6.7	27
I032378		0.30	0.011	0.04	1.47	7.0	<0.2	<10	120	0.32	0.10	0.72	0.11	19.10	9.9	30
I032379		0.44	0.009	0.05	1.40	5.1	<0.2	<10	130	0.34	0.09	0.70	0.13	27.9	9.2	28
I032380		0.28	0.006	0.07	1.51	6.7	<0.2	<10	170	0.33	0.10	0.86	0.15	21.4	9.4	29
I032381		0.36	0.008	0.09	1.65	6.1	<0.2	<10	170	0.34	0.10	0.75	0.23	23.1	10.7	32
I032382		0.34	<0.005	0.07	1.58	6.3	<0.2	<10	190	0.36	0.12	0.80	0.16	26.1	10.4	29
I032383		0.28	0.006	0.08	1.61	4.7	<0.2	<10	200	0.38	0.15	0.89	0.14	45.0	9.3	27
I032384		0.36	0.007	0.10	1.06	6.2	<0.2	<10	150	0.55	0.20	0.80	0.11	38.7	8.3	18
I032385		0.38	<0.005	0.09	1.62	4.9	<0.2	<10	160	0.47	0.19	1.08	0.12	39.6	9.7	26
I032386		0.52	0.007	0.09	1.69	6.3	<0.2	<10	160	0.48	0.21	0.53	0.08	34.6	9.3	29
I032387		0.32	<0.005	0.05	1.43	4.7	<0.2	<10	150	0.44	0.14	0.74	0.11	32.7	8.9	25
I032388		0.34	0.012	0.05	1.49	5.1	<0.2	<10	150	0.40	0.13	0.71	0.12	30.1	8.5	26
I032389		0.24	0.007	0.04	1.61	6.2	<0.2	<10	180	0.27	0.11	0.82	0.23	18.35	9.8	31
I032390		0.34	0.005	0.04	2.16	8.4	<0.2	<10	160	0.48	0.16	0.30	0.06	19.05	9.9	33
I032391		0.36	0.009	0.07	1.54	7.9	<0.2	<10	190	0.49	0.09	1.02	0.16	29.6	14.5	32
I032392		0.34	0.009	0.08	1.45	6.5	<0.2	<10	140	0.37	0.11	0.92	0.19	23.2	10.4	30
I032393		0.42	0.006	0.08	1.85	5.8	<0.2	<10	150	0.42	0.16	0.36	0.08	39.9	7.9	29
I032394		0.30	0.007	0.09	1.83	5.5	<0.2	<10	140	0.42	0.17	0.35	0.08	41.3	7.6	29
I032395		0.44	<0.005	0.02	1.71	7.3	<0.2	<10	90	0.34	0.15	0.19	<0.07	24.7	6.2	25
I032396		0.44	<0.005	0.02	0.09	7.5	<0.2	<10	10	0.11	0.06	0.07	0.04	10.35	2.2	4
I032397		0.42	<0.005	0.05	2.08	6.8	<0.2	<10	90	0.41	0.19	0.18	0.08	38.3	7.1	29
I032398		0.32	0.007	0.06	1.72	6.8	<0.2	<10	190	0.37	0.13	0.77	0.13	24.6	10.8	33
I032399		0.26	0.008	0.05	1.62	6.3	<0.2	<10	160	0.37	0.11	0.75	0.11	19.50	11.0	30
I032400		0.34	0.007	0.08	1.60	7.1	<0.2	<10	160	0.38	0.11	0.95	0.15	22.4	11.6	32
I032401		0.42	0.006	0.06	1.68	6.3	<0.2	<10	160	0.32	0.12	0.72	0.09	21.4	10.2	32
I032402		0.36	0.006	0.03	1.77	5.9	<0.2	<10	160	0.58	0.20	0.41	0.07	38.1	8.9	34
I032403		0.42	0.010	0.07	1.94	5.4	<0.2	<10	170	1.07	0.38	0.67	0.08	127.0	7.9	28
I032404		0.50	0.006	0.03	1.29	3.7	<0.2	<10	100	0.35	0.19	0.40	0.04	31.2	5.9	23
I032405		0.42	0.012	0.05	1.63	3.7	<0.2	<10	130	0.49	0.28	0.42	0.09	30.8	6.5	24
I032406		0.40	0.007	0.35	1.44	3.6	<0.2	<10	120	0.70	0.28	0.52	0.06	48.5	6.8	20
I032407		0.32	0.007	0.25	2.79	8.9	<0.2	<10	270	1.94	0.53	1.03	0.22	359	9.3	34
I032408		0.36	0.006	0.07	2.05	4.9	<0.2	<10	150	0.65	0.29	0.56	0.08	73.5	6.8	28
I032409		0.44	0.006	0.18	2.91	6.1	<0.2	<10	230	1.23	0.60	0.52	0.08	155.5	6.2	33
I032410		0.36	0.005	0.01	1.24	3.5	<0.2	<10	70	0.47	0.29	0.21	0.03	25.4	4.6	19
I032411		0.38	<0.005	0.08	1.56	4.4	<0.2	<10	260	0.80	0.22	0.32	0.16	47.7	12.0	25
I032412		0.44	0.007	0.05	1.67	4.8	<0.2	<10	140	0.57	0.22	0.22	0.05	25.5	8.0	25
I032413		0.44	<0.005	0.07	1.69	5.1	<0.2	<10	160	0.52	0.18	0.44	0.08	29.9	8.2	31
I032414		0.40	0.005	0.05	1.38	4.7	<0.2	<10	140	0.46	0.16	0.28	0.08	34.4	7.7	24
I032415		0.42	0.005	0.09	1.80	5.6	<0.2	<10	170	0.38	0.16	0.62	0.08	26.3	10.1	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032376		0.49	20.4	2.83	5.66	0.05	0.13	0.02	0.027	0.15	11.8	10.6	0.53	405	0.55
I032377		0.77	22.9	1.45	4.49	0.09	0.09	0.02	0.021	0.06	23.5	12.3	0.49	130	0.54
I032378		0.50	18.7	2.60	4.86	0.08	0.13	0.02	0.019	0.09	9.4	11.0	0.61	256	0.72
I032379		0.96	17.0	2.40	4.72	0.07	0.08	0.02	0.020	0.07	14.2	11.6	0.54	369	0.47
I032380		0.45	22.5	2.50	4.90	0.06	0.17	0.03	0.021	0.07	10.7	11.2	0.59	345	0.48
I032381		0.66	22.0	2.56	5.62	0.07	0.08	0.02	0.023	0.07	11.3	11.7	0.56	457	0.73
I032382		0.78	20.7	2.45	5.27	0.07	0.07	0.03	0.022	0.06	12.7	11.8	0.52	404	0.75
I032383		1.88	14.5	2.32	6.12	0.08	0.07	0.04	0.023	0.08	25.3	15.9	0.50	452	0.68
I032384		1.81	11.7	2.08	4.04	0.08	0.09	0.03	0.026	0.10	20.2	9.6	0.35	432	0.86
I032385		2.55	14.1	2.55	5.92	0.07	0.08	0.03	0.025	0.11	19.7	20.4	0.53	478	0.66
I032386		1.78	19.0	2.69	6.10	0.09	0.13	0.02	0.029	0.08	25.4	15.9	0.52	266	0.49
I032387		1.97	14.9	2.41	5.32	0.08	0.09	0.02	0.022	0.12	17.8	14.0	0.50	363	0.52
I032388		1.22	15.7	2.32	5.10	0.07	0.10	0.02	0.021	0.07	14.7	11.7	0.47	357	0.54
I032389		0.54	20.7	2.63	5.11	0.06	0.11	0.02	0.023	0.07	8.8	11.7	0.58	428	0.70
I032390		2.86	17.0	3.22	8.34	0.05	0.09	<0.01	0.029	0.09	10.3	14.2	0.47	219	0.82
I032391		1.27	20.4	2.67	5.25	0.07	0.07	0.02	0.025	0.06	15.8	12.3	0.55	912	0.71
I032392		0.55	27.8	2.51	4.93	0.08	0.11	0.02	0.020	0.07	11.5	11.5	0.60	360	0.51
I032393		1.77	14.7	2.75	6.06	0.08	0.10	0.04	0.030	0.07	28.6	10.6	0.38	217	0.70
I032394		1.89	15.5	2.69	6.59	0.09	0.08	0.04	0.031	0.07	29.7	10.0	0.37	211	0.74
I032395		6.74	10.6	2.79	7.08	0.05	0.08	<0.01	0.026	0.07	14.5	9.2	0.29	150	1.13
I032396		0.09	2.2	0.58	0.49	<0.05	0.05	<0.01	<0.005	0.01	5.5	1.2	0.04	152	0.30
I032397		1.98	14.1	3.17	6.70	0.06	0.06	0.02	0.034	0.04	17.6	11.5	0.30	209	1.03
I032398		0.50	26.3	2.90	4.95	0.07	0.13	0.02	0.022	0.04	13.0	11.8	0.60	411	0.57
I032399		0.58	21.9	2.70	5.07	0.07	0.09	0.03	0.024	0.03	10.5	11.2	0.57	333	0.66
I032400		0.55	31.7	2.92	4.81	0.09	0.11	0.02	0.022	0.06	12.4	12.7	0.71	547	0.58
I032401		0.53	22.9	2.83	4.97	0.07	0.11	0.02	0.020	0.04	11.4	11.8	0.60	334	0.58
I032402		1.24	18.7	2.77	5.75	0.07	0.13	0.01	0.024	0.08	21.5	14.4	0.50	237	0.56
I032403		2.24	25.9	2.76	6.99	0.17	0.18	0.05	0.033	0.08	97.5	16.0	0.43	309	0.49
I032404		1.38	10.8	2.08	4.45	0.07	0.16	0.01	0.020	0.06	19.6	11.0	0.36	184	0.35
I032405		1.25	14.9	2.39	5.84	0.07	0.06	0.04	0.024	0.08	25.4	12.6	0.35	207	0.51
I032406		1.63	18.0	2.26	5.23	0.09	0.18	0.03	0.025	0.07	39.4	13.2	0.29	380	0.54
I032407		4.36	56.2	3.50	10.70	0.50	0.46	0.12	0.060	0.18	340	24.3	0.44	237	0.62
I032408		3.24	17.2	2.95	7.52	0.14	0.12	0.04	0.032	0.17	83.1	17.5	0.44	212	0.68
I032409		5.13	32.1	3.30	10.15	0.25	0.22	0.07	0.052	0.17	170.0	18.8	0.37	234	0.70
I032410		3.37	7.7	2.06	5.08	0.06	0.06	0.03	0.021	0.12	20.1	11.5	0.31	146	0.46
I032411		1.83	20.3	2.58	5.79	0.07	0.03	0.02	0.030	0.10	21.4	8.9	0.31	791	0.92
I032412		5.85	12.3	2.75	6.63	0.06	0.06	0.02	0.029	0.25	14.1	16.9	0.41	251	0.74
I032413		1.52	15.8	2.74	5.85	0.07	0.06	0.02	0.028	0.14	25.0	14.4	0.40	333	0.86
I032414		1.63	14.0	2.50	5.03	0.06	0.04	0.02	0.027	0.09	24.7	10.5	0.35	358	1.00
I032415		1.35	15.9	2.94	6.21	0.07	0.09	0.02	0.024	0.19	16.5	15.8	0.50	620	0.88



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032376		1.47	19.6	330	14.2	16.6	<0.001	<0.01	0.32	5.6	0.4	0.6	40.9	<0.01	0.01
I032377		1.09	15.2	800	8.2	7.8	<0.001	0.07	0.33	4.5	0.7	0.4	65.6	<0.01	0.01
I032378		1.47	19.9	710	5.5	11.1	<0.001	0.08	0.33	4.4	0.3	0.4	40.3	<0.01	0.01
I032379		1.27	17.4	710	6.4	11.6	<0.001	0.09	0.28	4.1	0.4	0.5	39.4	<0.01	0.01
I032380		1.59	21.1	590	5.6	8.1	<0.001	0.11	0.37	4.8	0.4	0.5	47.7	<0.01	0.02
I032381		1.47	21.6	810	6.0	13.7	<0.001	0.15	0.33	5.0	0.5	0.5	44.8	<0.01	0.02
I032382		1.34	20.2	670	7.0	11.7	<0.001	0.13	0.36	4.4	0.6	0.5	52.8	<0.01	0.02
I032383		1.36	15.2	650	10.0	18.7	<0.001	0.07	0.30	4.3	0.6	0.6	58.6	<0.01	0.01
I032384		0.91	11.5	640	11.4	16.1	<0.001	0.01	0.35	4.0	0.5	0.6	52.0	<0.01	0.01
I032385		1.30	15.4	690	13.7	28.4	<0.001	0.02	0.28	4.2	0.6	0.7	70.5	<0.01	0.01
I032386		1.39	18.0	590	12.1	16.3	<0.001	<0.01	0.34	4.8	0.5	0.7	38.9	<0.01	0.02
I032387		1.30	15.9	700	8.0	20.3	<0.001	0.05	0.27	4.3	0.5	0.6	44.5	<0.01	0.02
I032388		1.29	15.6	640	7.1	11.7	<0.001	0.03	0.28	3.9	0.4	0.5	42.2	<0.01	0.02
I032389		1.50	20.8	610	5.6	10.6	<0.001	0.01	0.35	4.7	0.4	0.5	44.9	<0.01	0.02
I032390		1.18	20.4	340	10.3	17.9	<0.001	<0.01	0.36	4.3	0.2	0.9	25.6	<0.01	0.02
I032391		1.12	22.2	780	7.0	9.4	<0.001	0.04	0.39	5.4	0.6	0.5	55.8	<0.01	0.01
I032392		1.45	23.7	800	5.7	7.8	<0.001	0.02	0.46	4.9	0.5	0.5	47.9	<0.01	0.03
I032393		1.26	15.2	470	10.6	11.8	<0.001	<0.01	0.32	4.5	0.5	0.6	26.1	<0.01	0.02
I032394		1.20	15.6	460	10.7	12.2	<0.001	<0.01	0.33	4.6	0.4	0.6	27.0	<0.01	0.02
I032395		1.24	13.0	320	11.8	21.5	<0.001	<0.01	0.37	3.4	0.3	0.7	16.1	<0.01	0.02
I032396		0.19	4.3	140	1.9	1.7	<0.001	<0.01	0.13	0.6	<0.2	<0.2	5.7	<0.01	<0.01
I032397		1.60	13.4	270	11.1	12.0	<0.001	0.01	0.38	4.6	0.4	0.6	19.5	<0.01	0.02
I032398		1.74	22.3	670	6.0	6.9	<0.001	0.02	0.39	5.1	0.6	0.4	43.6	<0.01	0.02
I032399		1.67	21.4	580	5.9	7.6	<0.001	0.03	0.36	4.9	0.7	0.5	41.6	<0.01	0.02
I032400		1.63	28.0	880	5.7	7.2	0.001	0.03	0.42	5.4	0.6	0.4	46.6	<0.01	0.02
I032401		1.61	21.5	740	6.0	7.7	<0.001	0.02	0.33	5.0	0.5	0.4	39.2	<0.01	0.01
I032402		1.39	17.3	450	9.8	15.9	<0.001	0.01	0.28	5.3	0.5	0.6	29.3	<0.01	0.01
I032403		1.41	17.3	740	16.7	20.0	0.001	0.02	0.28	7.1	1.0	0.8	41.3	0.01	0.02
I032404		1.37	10.5	370	9.7	16.4	<0.001	<0.01	0.24	3.6	0.3	0.5	28.7	<0.01	0.01
I032405		1.28	12.3	320	12.7	18.2	<0.001	0.01	0.19	3.9	0.4	0.7	29.7	<0.01	0.02
I032406		1.26	9.6	340	19.1	18.5	0.001	0.01	0.24	4.4	0.5	0.7	33.2	<0.01	0.01
I032407		1.85	34.8	590	36.1	35.2	0.002	0.05	0.50	12.9	3.0	1.2	66.2	0.05	0.03
I032408		1.53	14.2	530	16.7	33.5	0.001	0.02	0.27	5.8	0.8	0.9	37.4	0.01	0.01
I032409		1.47	16.9	560	33.2	33.8	0.001	0.02	0.20	9.7	1.2	1.3	39.1	0.01	0.02
I032410		1.34	9.2	280	13.9	28.9	<0.001	0.01	0.19	3.1	0.3	0.8	20.2	<0.01	0.01
I032411		1.11	14.6	470	13.9	17.6	<0.001	0.02	0.28	3.9	0.5	0.8	26.9	<0.01	0.01
I032412		1.59	13.6	260	13.7	44.5	<0.001	0.01	0.26	3.9	0.4	1.0	21.4	<0.01	0.02
I032413		1.40	15.6	320	11.4	25.0	<0.001	0.01	0.28	4.5	0.4	0.7	31.6	<0.01	0.02
I032414		1.24	13.4	230	12.7	17.0	<0.001	0.01	0.29	3.8	0.4	0.8	24.9	<0.01	<0.01
I032415		1.72	15.3	390	11.8	31.0	<0.001	0.01	0.28	4.2	0.6	0.7	39.9	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032376		0.109	0.06	0.53	62	0.17	6.02	45	4.3
I032377		0.084	0.06	8.11	46	0.11	15.05	42	2.6
I032378		0.129	0.05	0.48	68	0.19	6.31	47	4.3
I032379		0.110	0.07	0.71	58	0.25	8.53	53	2.9
I032380		0.117	0.05	0.65	61	0.25	7.95	48	6.4
I032381		0.113	0.06	0.77	64	0.23	8.02	54	2.9
I032382		0.094	0.07	0.83	60	0.19	8.28	49	2.6
I032383		0.097	0.14	2.15	52	0.13	10.10	57	2.5
I032384		0.060	0.11	5.33	40	0.11	10.35	44	2.8
I032385		0.093	0.19	2.69	51	0.19	9.52	56	2.7
I032386		0.118	0.12	1.00	58	0.12	12.10	51	4.6
I032387		0.103	0.13	1.19	53	0.21	10.30	53	3.1
I032388		0.101	0.10	0.93	56	1.21	8.44	49	3.2
I032389		0.120	0.06	0.40	67	0.13	5.71	55	3.8
I032390		0.107	0.15	0.45	73	0.09	4.36	49	3.4
I032391		0.077	0.08	1.09	57	0.25	10.25	53	2.3
I032392		0.114	0.06	0.47	64	0.18	9.40	52	4.2
I032393		0.085	0.09	0.83	57	0.14	7.59	44	3.3
I032394		0.082	0.09	0.86	56	0.14	7.94	43	2.6
I032395		0.070	0.16	0.46	63	0.13	4.04	39	2.7
I032396		0.010	0.03	0.31	5	0.28	2.52	12	2.0
I032397		0.083	0.12	0.67	71	0.12	4.27	44	2.4
I032398		0.124	0.06	0.66	71	0.11	8.95	54	5.0
I032399		0.105	0.07	0.65	67	0.17	7.88	51	3.5
I032400		0.126	0.06	0.47	69	0.21	9.94	63	4.1
I032401		0.133	0.06	0.59	72	0.21	7.39	53	4.0
I032402		0.117	0.11	1.35	66	0.18	8.87	48	4.8
I032403		0.086	0.13	9.66	53	0.16	28.9	48	6.7
I032404		0.112	0.12	1.06	49	0.23	6.70	42	6.2
I032405		0.083	0.10	1.39	47	0.10	9.29	41	2.0
I032406		0.073	0.11	2.70	41	0.11	15.65	42	7.1
I032407		0.089	0.23	17.95	51	0.28	130.5	110	12.2
I032408		0.092	0.19	2.55	53	0.12	19.90	59	3.6
I032409		0.067	0.23	6.69	52	0.19	39.8	62	6.9
I032410		0.084	0.20	1.11	43	0.12	7.24	41	2.1
I032411		0.071	0.11	1.30	56	0.17	7.00	47	0.8
I032412		0.092	0.31	0.94	52	0.09	4.74	50	2.4
I032413		0.089	0.12	0.95	58	0.10	7.33	45	2.0
I032414		0.075	0.11	1.01	52	0.13	5.48	43	1.3
I032415		0.119	0.12	0.92	68	0.14	6.37	50	3.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032416		0.34	<0.005	0.04	2.23	7.1	<0.2	<10	190	0.61	0.18	0.45	0.04	68.8	11.5	38
I032417		0.30	<0.005	0.12	2.50	5.3	<0.2	<10	260	0.90	0.24	0.59	0.09	138.0	11.3	35
I032418		0.34	<0.005	0.04	1.83	4.8	<0.2	<10	160	0.42	0.17	0.42	0.08	24.1	7.1	26
I032419		0.32	<0.005	0.12	1.95	4.3	<0.2	<10	170	0.66	0.17	0.46	0.08	52.8	9.5	28
I032420		0.28	<0.005	0.12	2.10	6.8	<0.2	<10	150	0.50	0.21	0.37	0.09	31.9	7.6	29
I032421		0.34	<0.005	0.06	1.75	5.7	<0.2	<10	120	0.34	0.20	0.27	0.09	14.40	6.3	25
I032422		0.42	<0.005	0.05	1.48	7.0	<0.2	<10	110	0.30	0.20	0.27	0.09	15.85	5.8	21
I032423		0.36	<0.005	0.05	1.60	6.1	<0.2	<10	100	0.56	0.19	0.25	0.08	38.3	6.4	25
I032424		0.34	<0.005	0.06	1.29	4.7	<0.2	<10	90	0.24	0.17	0.25	0.08	16.20	4.5	22
I032425		0.26	<0.005	0.07	1.80	5.5	<0.2	<10	150	0.34	0.24	0.40	0.09	19.40	7.6	26
I032426		0.32	<0.005	0.05	1.45	4.4	<0.2	<10	170	0.40	0.16	0.37	0.09	20.3	5.8	23
I032427		0.40	<0.005	0.04	2.03	6.4	<0.2	<10	240	0.47	0.16	0.47	0.03	22.4	9.5	32
I032428		0.38	<0.005	0.03	2.57	9.2	<0.2	<10	170	0.47	0.18	0.26	0.08	21.9	14.7	36
I032429		0.34	<0.005	0.05	1.66	4.2	<0.2	<10	110	0.47	0.67	0.26	0.05	16.00	6.0	22
I032430		0.40	<0.005	0.01	0.12	2.0	<0.2	<10	30	0.10	0.02	0.05	0.04	10.20	2.2	3
I032431		0.32	<0.005	1.13	2.32	13.1	<0.2	<10	200	0.41	0.21	0.14	0.24	33.3	6.8	43
I032432		0.40	<0.005	0.07	2.73	10.4	<0.2	<10	120	0.37	0.14	0.15	0.11	15.60	14.8	59
I032433		0.30	<0.005	0.13	1.83	7.9	<0.2	<10	200	0.35	0.20	0.52	0.16	17.75	11.6	30
I032434		0.34	0.005	0.18	2.12	7.2	<0.2	<10	220	0.63	0.17	0.81	0.16	33.1	22.8	28
I032435		0.38	<0.005	0.06	2.60	4.1	<0.2	<10	120	0.49	0.09	0.69	0.06	21.5	18.9	41
I032436		0.40	<0.005	0.05	2.10	5.5	<0.2	<10	90	0.53	0.15	0.30	0.06	35.1	17.3	38
I032437		0.34	<0.005	0.19	2.45	4.4	<0.2	<10	220	0.51	0.12	0.40	0.26	30.6	18.5	62
I032438		0.30	<0.005	0.19	2.78	10.0	<0.2	<10	130	0.51	0.18	0.14	0.10	17.75	11.5	40
I032439		0.36	0.005	0.13	2.49	11.7	<0.2	<10	110	0.71	0.28	0.14	0.12	28.0	11.0	38
I032440		0.34	0.007	0.15	1.94	8.6	<0.2	<10	100	0.47	0.22	0.19	0.13	27.8	8.7	56
I032441		0.40	<0.005	0.12	2.72	6.2	<0.2	<10	180	1.21	0.29	0.70	0.14	51.3	19.7	70
I032442		0.52	0.005	0.04	1.98	11.1	<0.2	<10	80	0.71	0.26	0.13	0.12	42.7	9.0	31
I032443		0.40	<0.005	0.01	0.10	2.2	<0.2	<10	30	0.10	0.02	0.07	0.04	10.90	2.4	3
I032444		0.54	<0.005	0.14	1.52	7.0	<0.2	<10	120	0.48	0.16	0.37	0.08	47.4	8.5	27
I032445		0.36	<0.005	0.10	2.90	12.3	<0.2	<10	110	0.43	0.21	0.14	0.15	18.70	8.8	45
I032446		0.34	<0.005	0.31	2.55	11.3	<0.2	<10	160	0.35	0.22	0.22	0.22	19.65	8.5	38
I032447		0.30	<0.005	0.05	2.14	4.0	<0.2	<10	180	0.33	0.13	0.18	0.12	14.75	13.7	43
I032448		0.40	<0.005	0.13	2.36	3.6	<0.2	<10	180	0.50	0.12	0.32	0.13	32.9	17.8	38
I032449		0.46	<0.005	0.06	1.85	7.5	<0.2	<10	80	0.24	0.17	0.20	0.09	20.8	9.6	36
I032450		0.42	<0.005	0.12	2.07	8.6	<0.2	<10	240	0.62	0.14	0.31	0.06	49.8	12.9	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032416		2.04	19.5	3.33	7.28	0.12	0.26	0.02	0.033	0.18	51.3	22.8	0.62	401	0.74
I032417		5.45	20.5	3.48	8.87	0.19	0.17	0.04	0.043	0.30	125.5	32.3	0.66	450	0.76
I032418		2.39	9.9	2.82	6.13	0.07	0.11	0.01	0.032	0.16	18.2	12.6	0.43	336	0.94
I032419		4.75	14.8	3.08	7.55	0.10	0.07	0.02	0.032	0.34	33.7	20.5	0.58	390	0.92
I032420		2.45	15.2	3.08	7.53	0.08	0.06	0.03	0.030	0.13	21.6	13.7	0.44	410	1.39
I032421		1.17	10.8	2.74	6.57	0.06	0.04	0.02	0.023	0.07	8.0	15.8	0.34	288	1.45
I032422		1.07	10.5	2.36	6.03	<0.05	0.04	0.01	0.020	0.04	8.2	12.2	0.28	234	0.99
I032423		1.83	12.6	2.36	5.01	0.07	0.05	0.02	0.025	0.06	22.7	16.1	0.36	256	0.82
I032424		0.93	10.2	2.27	6.14	0.05	0.04	0.01	0.017	0.05	8.9	9.1	0.28	177	0.92
I032425		0.98	13.7	2.72	6.86	0.05	0.05	0.02	0.023	0.09	12.9	15.5	0.47	269	1.06
I032426		0.94	11.6	2.30	6.04	0.05	0.06	0.01	0.020	0.08	10.5	9.7	0.28	326	0.99
I032427		1.19	16.5	3.04	6.77	0.07	0.17	0.01	0.025	0.04	11.4	11.5	0.47	265	0.70
I032428		1.22	17.5	3.65	8.58	0.07	0.09	0.02	0.034	0.04	11.7	15.2	0.48	447	1.47
I032429		2.79	10.6	2.81	8.33	0.06	0.03	0.01	0.028	0.16	8.4	12.1	0.38	198	1.07
I032430		0.10	1.7	0.61	0.57	<0.05	0.05	0.01	<0.005	<0.01	5.3	1.2	0.03	150	0.28
I032431		2.45	42.9	5.17	8.55	0.09	0.04	0.08	0.036	0.08	19.7	15.5	0.39	215	4.44
I032432		1.99	24.8	4.89	10.10	0.09	0.08	0.03	0.028	0.08	7.2	25.0	0.81	317	1.35
I032433		1.93	15.7	3.13	8.02	0.07	0.02	0.04	0.030	0.02	9.0	14.0	0.42	606	1.56
I032434		2.60	25.9	3.29	6.32	0.08	0.04	0.04	0.030	0.03	16.4	15.2	0.61	1280	1.16
I032435		3.59	21.4	3.80	7.04	0.09	0.04	0.01	0.020	0.06	10.1	37.6	1.25	475	0.66
I032436		3.14	26.8	3.84	6.92	0.10	0.04	0.03	0.031	0.06	17.5	22.0	0.74	273	1.07
I032437		2.71	36.9	3.52	6.56	0.09	0.03	0.03	0.026	0.13	11.3	21.0	0.90	342	1.11
I032438		1.43	17.0	4.05	8.21	0.09	0.05	0.03	0.036	0.03	8.9	17.3	0.43	292	1.41
I032439		3.27	17.2	4.61	10.10	0.10	0.07	0.02	0.041	0.07	16.8	31.8	0.51	412	2.00
I032440		2.88	13.6	3.56	8.27	0.09	0.06	0.03	0.030	0.07	15.3	21.4	0.56	258	1.15
I032441		4.84	33.5	4.14	9.34	0.12	0.05	0.03	0.036	0.35	30.0	25.5	1.14	789	1.10
I032442		2.29	14.6	3.37	7.63	0.10	0.04	0.03	0.032	0.07	22.3	16.8	0.34	299	1.71
I032443		0.09	1.7	0.62	0.56	<0.05	0.05	<0.01	<0.005	<0.01	5.6	1.3	0.04	164	0.30
I032444		1.64	18.2	2.67	5.09	0.09	0.04	0.07	0.028	0.06	28.5	11.4	0.34	258	1.45
I032445		2.11	17.6	4.47	10.10	0.08	0.06	0.05	0.032	0.02	9.5	19.1	0.40	242	1.83
I032446		1.17	18.3	3.93	10.10	0.08	0.07	0.03	0.031	0.02	9.8	14.7	0.41	228	1.65
I032447		1.19	15.9	3.53	7.73	0.07	0.02	0.01	0.020	0.07	6.1	18.0	0.70	622	0.86
I032448		2.57	45.5	3.97	7.04	0.11	0.03	0.01	0.021	0.21	18.0	22.1	0.88	416	0.93
I032449		1.45	17.5	3.60	7.87	0.08	0.05	0.01	0.025	0.09	10.4	15.6	0.58	248	1.03
I032450		1.18	30.0	3.15	6.03	0.11	0.05	0.03	0.030	0.05	28.9	13.2	0.53	255	0.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032416		1.73	19.0	340	12.2	34.1	<0.001	0.01	0.33	6.3	0.6	0.9	32.4	0.01	0.01
I032417		1.86	18.5	600	19.1	53.3	0.001	0.02	0.25	8.2	1.1	1.1	38.6	0.01	0.02
I032418		1.45	11.8	510	11.8	26.1	<0.001	0.01	0.20	4.5	0.4	0.9	29.4	<0.01	0.01
I032419		1.51	14.6	620	13.5	48.9	<0.001	0.02	0.21	4.9	0.6	1.1	32.6	<0.01	0.02
I032420		1.55	13.5	330	15.4	27.5	<0.001	0.02	0.27	4.6	0.6	0.9	29.8	<0.01	0.02
I032421		1.60	10.9	330	13.1	14.2	<0.001	0.01	0.24	3.0	0.2	1.0	22.4	<0.01	0.02
I032422		1.25	9.7	450	10.1	12.7	<0.001	0.01	0.24	2.6	0.3	0.8	23.2	<0.01	0.01
I032423		1.37	13.5	400	20.1	17.8	<0.001	0.01	0.28	3.1	0.4	0.8	22.7	<0.01	0.01
I032424		1.52	9.0	260	12.6	12.3	<0.001	0.01	0.28	2.6	0.2	0.8	21.4	<0.01	0.01
I032425		1.43	14.6	360	10.4	16.2	<0.001	0.01	0.23	3.7	0.4	0.8	27.9	<0.01	0.02
I032426		1.41	11.7	280	14.4	15.5	<0.001	0.01	0.24	2.9	0.3	0.8	25.7	<0.01	0.01
I032427		1.27	19.9	410	9.3	8.0	<0.001	0.01	0.38	5.3	0.4	0.7	31.0	<0.01	0.02
I032428		1.94	22.8	310	10.0	12.3	<0.001	0.01	0.41	4.8	0.4	0.8	25.8	<0.01	0.03
I032429		1.29	11.8	440	15.5	35.8	<0.001	0.01	0.21	3.9	0.3	1.9	18.1	<0.01	0.01
I032430		0.22	3.7	170	1.5	1.8	<0.001	<0.01	0.12	0.6	<0.2	<0.2	8.9	<0.01	<0.01
I032431		1.60	20.1	980	8.6	12.3	<0.001	0.17	0.63	3.1	2.0	0.6	35.6	<0.01	0.07
I032432		2.33	32.5	330	7.8	13.3	<0.001	0.01	0.39	4.5	0.6	0.6	12.6	<0.01	0.03
I032433		1.50	18.3	500	9.0	8.5	<0.001	0.03	0.28	2.9	0.7	0.6	27.6	<0.01	0.04
I032434		1.05	21.6	830	10.0	9.7	<0.001	0.04	0.39	4.3	0.9	0.5	32.6	<0.01	0.04
I032435		2.54	35.4	390	8.5	17.3	<0.001	0.02	0.13	3.2	0.5	0.7	41.5	<0.01	0.02
I032436		1.50	37.8	400	8.2	14.1	<0.001	0.04	0.21	4.6	0.5	0.4	22.7	<0.01	0.03
I032437		1.43	54.3	800	9.2	23.0	<0.001	0.02	0.18	4.1	0.9	0.5	28.4	<0.01	0.03
I032438		2.15	22.8	410	9.6	10.7	<0.001	0.02	0.42	4.3	0.7	0.6	16.1	0.01	0.03
I032439		2.35	21.7	500	24.6	22.6	<0.001	0.01	0.42	4.5	0.7	1.0	17.6	<0.01	0.05
I032440		2.04	21.8	400	20.9	22.6	<0.001	0.01	0.28	4.5	0.6	0.6	18.6	<0.01	0.03
I032441		1.38	33.2	1250	18.3	51.7	<0.001	0.03	0.21	6.6	0.7	0.8	52.7	<0.01	0.03
I032442		1.70	18.4	430	19.2	20.4	<0.001	0.01	0.32	4.1	0.7	0.7	14.6	0.01	0.04
I032443		0.20	4.0	180	1.5	1.6	<0.001	<0.01	0.13	0.6	0.2	<0.2	10.1	<0.01	<0.01
I032444		0.79	17.1	1050	13.5	15.0	<0.001	0.03	0.23	3.6	0.8	0.6	29.3	<0.01	0.02
I032445		2.66	21.9	370	10.7	12.2	<0.001	0.02	0.58	4.1	0.8	0.7	17.1	0.01	0.05
I032446		2.39	17.1	380	11.5	10.5	<0.001	0.02	0.46	4.2	0.6	0.8	21.2	0.01	0.03
I032447		1.88	32.6	460	9.1	22.5	<0.001	0.01	0.30	2.5	0.5	0.5	18.6	<0.01	0.04
I032448		1.55	40.0	600	34.6	32.2	<0.001	0.02	0.17	3.1	0.6	0.4	29.3	<0.01	0.04
I032449		2.11	23.7	360	11.2	15.2	<0.001	0.02	0.31	3.4	0.5	0.6	18.3	<0.01	0.03
I032450		1.27	28.7	720	9.1	13.4	<0.001	0.02	0.30	5.8	0.9	0.5	25.4	0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 8 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032416		0.143	0.18	1.35	68	0.13	17.50	58	9.9
I032417		0.123	0.37	2.88	58	0.16	36.0	73	4.7
I032418		0.099	0.15	1.19	55	0.10	8.03	54	4.1
I032419		0.111	0.31	1.56	51	0.13	12.80	66	1.9
I032420		0.095	0.15	1.19	66	0.17	8.14	54	2.1
I032421		0.092	0.11	0.56	68	0.11	2.94	53	1.4
I032422		0.087	0.09	0.66	59	0.14	4.12	38	1.3
I032423		0.077	0.12	1.51	56	0.17	9.61	39	1.4
I032424		0.095	0.10	0.58	65	0.09	3.31	42	1.5
I032425		0.092	0.12	0.70	61	0.11	6.00	46	1.8
I032426		0.083	0.10	0.57	59	0.09	3.81	39	2.3
I032427		0.102	0.10	0.63	72	0.09	5.61	44	6.7
I032428		0.113	0.12	0.58	84	0.10	4.29	50	3.5
I032429		0.089	0.25	0.55	55	0.11	3.88	47	1.5
I032430		0.006	0.03	0.31	4	<0.05	2.06	5	2.1
I032431		0.104	0.21	1.23	115	0.17	6.18	65	1.3
I032432		0.182	0.15	0.39	120	0.14	3.47	58	3.5
I032433		0.080	0.15	0.45	78	0.16	4.02	41	1.0
I032434		0.059	0.17	2.13	64	0.12	8.41	49	1.0
I032435		0.153	0.20	0.55	50	0.13	4.30	108	1.4
I032436		0.085	0.17	0.87	65	0.10	6.21	75	1.4
I032437		0.115	0.22	0.93	70	0.11	7.24	84	1.1
I032438		0.100	0.11	0.57	86	0.14	3.89	48	2.3
I032439		0.095	0.17	0.80	82	0.16	6.76	66	2.7
I032440		0.098	0.22	0.58	73	0.17	5.34	53	2.2
I032441		0.119	0.42	1.32	76	0.13	11.40	81	1.7
I032442		0.069	0.18	1.40	67	0.16	7.63	46	1.2
I032443		0.007	0.03	0.30	5	<0.05	2.28	6	2.0
I032444		0.031	0.14	2.78	49	0.10	11.80	51	0.6
I032445		0.123	0.17	0.59	100	0.18	3.76	45	3.0
I032446		0.118	0.14	0.58	99	0.14	3.52	48	3.4
I032447		0.129	0.18	0.35	64	0.09	2.52	86	0.8
I032448		0.121	0.23	0.76	57	0.08	6.36	65	0.7
I032449		0.135	0.13	0.61	77	0.11	4.08	54	1.8
I032450		0.075	0.12	1.56	59	0.18	16.70	52	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41 ME-MS41	NSS is non-sufficient sample. Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 21-SEP-2010
Account: EIASQI

CERTIFICATE WH10122483

Project: SQI10-06

P.O. No.: SQI10-06_22

This report is for 160 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033151		0.24	0.007	0.12	1.99	7.1	<0.2	<10	270	0.40	0.12	0.49	0.14	38.7	13.2	98
I033152		0.30	<0.005	0.11	1.88	5.2	<0.2	<10	270	0.50	0.11	1.23	0.20	38.4	13.5	60
I033153		0.38	0.005	0.06	1.72	5.3	<0.2	<10	150	0.24	0.11	0.45	0.10	24.2	11.7	51
I033154		0.32	0.006	0.08	1.93	5.4	<0.2	<10	230	0.33	0.10	0.59	0.12	28.1	16.4	63
I033155		0.26	<0.005	0.06	1.52	3.7	<0.2	<10	160	0.25	0.08	1.19	0.16	12.25	13.1	47
I033156		0.30	<0.005	0.06	1.29	4.0	<0.2	<10	140	0.27	0.09	1.22	0.14	12.20	9.1	33
I033157		0.26	<0.005	0.06	1.30	3.3	<0.2	<10	140	0.21	0.07	1.36	0.15	10.10	10.2	35
I033158		0.38	<0.005	0.11	1.52	3.0	<0.2	<10	170	0.06	0.05	0.65	0.10	10.30	10.8	46
I033159		0.34	0.006	0.08	1.38	5.5	<0.2	<10	140	0.25	0.08	1.57	0.20	18.80	11.3	38
I033160		0.26	0.014	0.14	1.88	4.6	<0.2	<10	230	0.26	0.08	1.10	0.16	13.85	13.5	29
I033161		0.40	<0.005	0.09	1.89	4.2	<0.2	<10	240	0.27	0.09	1.12	0.14	15.20	13.7	44
I033162		0.36	0.005	0.09	1.96	4.3	<0.2	<10	250	0.32	0.17	1.14	0.13	15.90	14.6	49
I033163		0.24	0.005	0.11	1.61	3.0	<0.2	<10	180	0.23	0.09	2.61	0.25	13.70	11.5	47
I033164		0.36	<0.005	0.04	1.31	3.4	<0.2	<10	60	0.20	0.12	0.45	0.10	19.50	9.8	37
I033165		0.36	<0.005	0.04	1.77	3.4	<0.2	<10	70	0.29	0.11	0.31	0.07	16.15	14.6	54
I033166		0.28	<0.005	0.06	1.19	2.9	<0.2	<10	80	0.33	0.12	0.81	0.13	65.1	10.6	27
I033167		0.22	0.005	0.08	0.80	3.1	<0.2	<10	60	0.22	0.11	0.31	0.08	16.05	3.8	19
I033168		0.38	0.005	0.10	1.49	3.2	<0.2	<10	90	0.37	0.11	0.81	0.12	65.4	18.9	32
I033169		0.34	<0.005	0.04	1.05	2.3	<0.2	<10	60	0.28	0.06	1.02	0.09	25.2	10.6	21
I033170		0.34	<0.005	0.06	1.53	2.4	<0.2	<10	90	0.40	0.09	0.94	0.14	40.6	14.4	28
I033171		0.54	<0.005	0.05	1.45	3.1	<0.2	<10	70	0.37	0.09	0.62	0.07	32.8	13.8	34
I033172		0.42	0.013	0.10	1.68	3.4	<0.2	<10	100	0.27	0.13	0.42	0.10	32.5	14.4	37
I033173		0.48	0.014	0.06	1.44	3.6	<0.2	<10	90	0.33	0.13	0.47	0.09	38.8	14.1	31
I033174		0.34	<0.005	0.07	1.40	3.4	<0.2	<10	90	0.23	0.13	0.63	0.13	30.0	14.7	31
I033175		0.32	0.007	0.11	1.64	3.1	<0.2	<10	100	0.36	0.16	0.50	0.11	38.7	23.0	38
I033176		0.26	0.007	0.07	1.27	2.9	<0.2	<10	70	0.64	0.21	0.25	0.13	80.0	20.6	34
I033177		0.40	<0.005	0.04	1.39	5.9	<0.2	<10	90	0.29	0.20	0.79	0.08	24.5	14.1	27
I033178		0.40	<0.005	0.06	1.55	4.2	<0.2	<10	90	0.48	0.10	1.20	0.09	43.0	14.2	32
I033179		0.36	0.005	0.05	1.29	2.7	<0.2	<10	70	0.41	0.13	0.89	0.09	31.4	11.9	26
I033180		0.26	<0.005	0.10	1.52	5.0	<0.2	<10	120	0.46	0.14	0.56	0.08	35.7	15.6	33
I033185		0.32	<0.005	0.05	1.29	5.6	<0.2	<10	50	0.15	0.33	0.09	0.10	25.1	7.5	23
I033186		0.36	<0.005	0.03	3.83	3.1	<0.2	<10	180	0.69	0.20	0.17	0.04	41.6	24.7	77
I033187		0.32	<0.005	0.02	2.58	9.4	<0.2	<10	100	0.33	0.22	0.09	0.08	31.9	11.6	41
I033188		0.28	<0.005	0.08	2.23	11.7	<0.2	<10	130	0.32	0.27	0.15	0.14	17.40	9.0	37
I033189		0.28	<0.005	0.12	2.05	9.3	<0.2	<10	150	0.36	0.28	0.16	0.16	24.5	10.9	33
I033190		0.22	<0.005	0.06	1.72	6.1	<0.2	<10	200	0.33	0.11	0.27	0.18	20.8	12.1	41
I033191		0.34	<0.005	0.09	2.55	10.9	<0.2	<10	240	0.29	0.16	0.30	0.19	16.60	12.7	43
I033192		0.18	<0.005	0.11	1.34	4.2	<0.2	<10	260	0.26	0.14	0.36	0.20	13.55	10.5	27
I033193		0.26	0.005	0.22	2.30	5.5	<0.2	<10	240	0.60	0.13	0.74	0.24	61.5	13.6	52
I033194		0.14	<0.005	0.11	0.83	2.0	<0.2	<10	220	0.20	0.07	3.41	0.21	18.00	6.2	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033151		2.05	24.2	3.11	7.74	<0.05	0.04	0.05	0.018	0.10	20.5	13.7	1.09	500	0.95
I033152		1.44	42.3	2.94	6.68	0.06	0.04	0.05	0.022	0.12	19.4	15.4	0.83	489	0.73
I033153		1.25	28.9	2.93	6.60	<0.05	0.03	0.03	0.016	0.07	11.9	11.1	0.83	412	0.89
I033154		1.54	34.1	3.23	7.63	0.05	0.03	0.05	0.021	0.10	13.5	14.2	1.02	716	0.97
I033155		0.79	29.2	2.49	5.55	<0.05	0.05	0.05	0.016	0.07	5.6	11.1	0.82	580	0.88
I033156		0.65	20.7	2.01	5.22	<0.05	0.05	0.04	0.016	0.04	5.7	8.6	0.52	469	0.86
I033157		0.62	29.7	2.08	5.07	<0.05	0.04	0.09	0.014	0.05	4.8	8.6	0.64	284	0.67
I033158		1.21	34.9	2.73	5.98	0.09	0.02	0.02	0.016	0.13	5.6	7.9	0.87	348	0.74
I033159		0.71	38.2	2.60	4.50	0.11	0.09	0.01	0.019	0.08	9.7	9.0	0.63	326	0.70
I033160		2.05	66.0	2.93	5.42	0.08	0.05	0.03	0.019	0.17	6.2	13.8	0.85	440	1.26
I033161		1.26	49.2	2.91	5.33	0.07	0.06	0.03	0.019	0.19	7.2	13.5	0.94	417	0.70
I033162		1.44	51.9	2.97	5.49	0.08	0.06	0.03	0.021	0.22	7.3	14.2	1.02	443	0.75
I033163		1.36	54.6	2.35	4.41	0.07	0.06	0.05	0.016	0.14	6.5	11.3	0.75	407	0.74
I033164		1.26	25.1	2.44	6.52	0.05	0.02	0.02	0.016	0.10	10.2	10.8	0.53	237	0.91
I033165		1.49	20.4	3.16	7.79	0.05	<0.02	0.02	0.019	0.06	8.4	13.0	0.82	320	0.86
I033166		0.89	28.8	2.35	5.46	0.07	0.02	0.05	0.022	0.08	34.9	8.0	0.34	275	0.69
I033167		0.92	15.6	1.51	4.37	<0.05	<0.02	0.05	0.014	0.04	8.0	3.8	0.20	85	0.47
I033168		1.15	26.3	2.97	5.41	0.08	0.03	0.05	0.022	0.06	32.1	13.8	0.51	642	0.78
I033169		0.93	15.3	1.98	3.94	0.06	0.03	0.02	0.013	0.07	12.0	9.7	0.45	357	0.30
I033170		2.30	22.0	2.99	5.63	0.08	0.03	0.03	0.017	0.20	20.8	13.8	0.67	461	0.77
I033171		2.16	18.0	3.17	5.35	0.08	0.03	0.02	0.018	0.18	16.1	13.5	0.67	382	0.83
I033172		1.86	20.1	2.99	6.57	0.06	0.02	0.04	0.021	0.08	15.9	12.7	0.62	583	0.77
I033173		2.25	18.5	3.16	5.52	0.07	0.02	0.03	0.022	0.09	18.8	10.8	0.56	457	0.68
I033174		1.61	16.5	2.63	5.37	0.06	0.02	0.07	0.019	0.08	14.4	10.2	0.53	692	0.78
I033175		3.62	22.8	3.34	6.58	0.08	0.02	0.02	0.022	0.25	22.0	14.8	0.71	835	0.77
I033176		4.12	35.0	4.37	4.43	0.10	0.03	0.02	0.034	0.16	36.8	12.0	0.43	395	0.96
I033177		1.63	11.9	2.92	5.53	0.07	0.04	0.02	0.023	0.08	11.4	17.2	0.54	455	0.53
I033178		2.28	22.8	3.04	5.47	0.09	0.04	0.03	0.023	0.15	18.9	18.2	0.61	377	0.45
I033179		2.07	16.3	2.53	4.67	0.08	0.03	0.02	0.016	0.12	15.5	13.9	0.52	318	0.33
I033180		2.81	20.3	3.04	6.24	0.07	0.02	0.03	0.022	0.08	17.6	14.7	0.56	669	0.71
I033185		1.22	19.1	2.66	9.91	0.05	0.02	0.02	0.015	0.16	7.3	5.4	0.44	154	1.23
I033186		2.09	20.1	4.58	16.40	0.12	0.04	0.02	0.045	0.50	7.7	22.7	1.74	190	0.86
I033187		1.51	24.2	4.85	13.10	0.08	0.04	0.01	0.026	0.27	16.6	18.2	0.86	231	1.46
I033188		1.34	15.5	4.62	12.50	0.07	0.03	0.02	0.029	0.05	8.4	18.5	0.43	277	1.97
I033189		1.29	19.9	3.64	8.97	<0.05	0.05	0.01	0.021	0.17	7.6	14.6	0.59	274	1.38
I033190		0.93	24.5	2.78	6.90	<0.05	0.04	0.02	0.022	0.10	10.4	14.1	0.63	254	0.94
I033191		0.69	19.1	3.59	8.15	<0.05	0.10	0.02	0.030	0.07	7.7	17.0	0.67	426	1.49
I033192		0.50	12.9	2.26	5.78	<0.05	0.03	0.02	0.017	0.17	6.0	9.4	0.38	591	0.91
I033193		1.38	39.8	3.53	7.57	0.10	0.08	0.04	0.025	0.28	41.5	16.1	0.95	396	0.78
I033194		0.76	50.2	1.32	2.74	0.05	0.05	0.07	0.036	0.14	12.0	6.0	0.44	312	0.64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033151		1.51	41.3	710	7.9	32.2	<0.001	0.04	0.27	4.4	0.9	0.6	32.6	<0.01	0.03
I033152		1.38	34.2	720	6.2	25.2	<0.001	0.05	0.24	5.2	1.2	0.4	41.1	<0.01	0.04
I033153		1.27	25.9	740	5.8	17.7	<0.001	0.03	0.17	4.1	0.7	0.4	25.4	<0.01	0.03
I033154		1.46	32.6	810	5.8	25.7	<0.001	0.04	0.18	4.9	0.9	0.5	31.7	<0.01	0.03
I033155		1.02	24.9	710	4.1	12.1	<0.001	0.05	0.17	4.5	1.0	0.3	35.2	<0.01	0.03
I033156		1.04	16.4	680	5.1	5.6	<0.001	0.07	0.23	3.6	1.1	0.4	38.1	<0.01	0.04
I033157		0.93	19.8	610	4.0	7.8	<0.001	0.09	0.22	4.1	1.1	0.3	41.5	<0.01	0.03
I033158		0.99	22.8	630	4.4	14.0	0.001	0.03	0.16	4.3	0.8	0.4	28.7	<0.01	0.03
I033159		1.41	25.9	590	5.1	11.7	0.001	0.04	0.28	4.2	1.3	0.4	39.2	<0.01	0.03
I033160		1.10	19.5	580	6.3	20.1	0.001	0.11	0.18	4.7	0.9	0.3	34.3	<0.01	0.04
I033161		1.30	26.1	610	5.6	22.2	<0.001	0.05	0.19	4.8	0.6	0.4	32.5	<0.01	0.03
I033162		1.33	29.0	660	5.6	24.7	<0.001	0.05	0.18	5.0	0.6	0.7	32.9	<0.01	0.03
I033163		1.16	25.4	590	5.4	17.5	<0.001	0.09	0.19	3.9	0.9	0.3	49.5	0.01	0.04
I033164		1.02	28.2	320	8.0	14.6	<0.001	0.03	0.15	2.7	0.3	0.4	30.0	<0.01	0.03
I033165		0.98	34.7	450	6.7	14.6	<0.001	0.04	0.15	4.3	0.4	0.4	22.6	<0.01	0.03
I033166		0.71	29.0	440	7.3	9.6	<0.001	0.04	0.25	3.5	0.7	0.4	57.5	<0.01	0.03
I033167		0.69	10.4	620	7.0	8.4	<0.001	0.07	0.13	1.3	0.7	0.4	24.8	<0.01	0.03
I033168		1.11	30.8	580	8.9	14.9	<0.001	0.06	0.15	4.0	0.8	0.3	55.6	<0.01	0.04
I033169		1.10	20.3	540	5.1	15.9	<0.001	0.05	0.12	2.9	0.6	0.3	64.0	<0.01	0.03
I033170		1.45	27.0	750	8.4	41.4	<0.001	0.05	0.13	3.6	0.7	0.3	63.7	<0.01	0.03
I033171		1.20	29.5	540	8.0	26.0	<0.001	0.04	0.16	4.3	0.5	0.4	45.3	<0.01	0.03
I033172		1.07	28.2	710	9.2	19.5	<0.001	0.04	0.17	4.3	0.5	0.5	31.4	<0.01	0.04
I033173		0.98	27.9	690	10.9	19.0	<0.001	0.03	0.16	4.8	0.5	0.4	33.7	<0.01	0.03
I033174		1.01	22.5	630	10.8	19.4	<0.001	0.05	0.20	3.9	0.7	0.4	52.2	<0.01	0.03
I033175		1.05	34.1	660	16.4	39.8	<0.001	0.04	0.14	4.6	0.6	0.5	43.5	<0.01	0.04
I033176		0.72	50.0	480	13.8	24.8	<0.001	0.02	0.20	5.8	0.5	0.4	22.3	<0.01	0.04
I033177		1.16	21.4	610	12.0	12.9	<0.001	0.03	0.17	3.7	0.5	0.5	55.2	<0.01	0.03
I033178		1.20	30.5	580	9.7	27.3	<0.001	0.05	0.18	4.4	0.8	0.4	85.1	<0.01	0.03
I033179		1.10	25.0	750	9.4	22.7	<0.001	0.03	0.13	3.7	0.5	0.4	65.1	<0.01	0.02
I033180		1.14	28.3	600	9.0	21.6	<0.001	0.03	0.20	4.5	0.6	0.5	47.5	<0.01	0.04
I033185		2.02	16.4	350	8.4	30.3	<0.001	0.02	0.26	2.8	0.4	0.7	10.1	<0.01	0.04
I033186		0.99	82.3	610	5.7	66.1	<0.001	0.01	0.10	8.4	0.4	1.9	8.8	<0.01	0.03
I033187		4.04	24.1	510	10.6	30.2	<0.001	0.08	0.36	4.7	0.4	0.9	14.2	<0.01	0.05
I033188		2.41	16.6	460	11.9	15.8	<0.001	0.02	0.65	3.7	0.4	0.8	15.7	<0.01	0.07
I033189		2.04	26.5	350	21.3	25.5	0.001	0.02	0.40	3.1	0.2	0.7	17.5	<0.01	0.04
I033190		1.49	34.9	650	5.4	13.7	<0.001	0.02	0.24	3.4	0.4	0.5	21.9	<0.01	0.03
I033191		1.40	28.4	370	9.2	11.0	<0.001	0.02	0.43	4.2	0.2	0.7	28.9	<0.01	0.04
I033192		1.13	19.8	380	6.4	17.6	0.001	0.02	0.25	2.6	0.2	0.5	27.1	<0.01	0.03
I033193		1.78	41.3	560	9.1	37.3	<0.001	0.03	0.19	6.3	0.7	0.6	40.5	<0.01	0.04
I033194		0.74	19.0	690	4.0	17.1	0.001	0.17	0.22	1.8	1.3	0.2	151.5	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033151		0.138	0.22	0.96	70	0.49	7.32	70
I033152		0.112	0.15	0.93	63	0.47	11.85	71
I033153		0.118	0.13	0.71	67	0.37	5.25	62
I033154		0.127	0.15	0.83	71	0.29	6.96	66
I033155		0.098	0.09	0.49	64	0.26	4.86	63
I033156		0.075	0.06	0.54	53	0.26	4.63	46
I033157		0.077	0.05	0.42	52	0.26	3.94	53
I033158		0.105	0.07	0.38	59	0.08	3.66	65
I033159		0.096	0.06	0.83	53	0.12	8.70	50
I033160		0.144	0.14	0.76	70	0.12	7.66	55
I033161		0.153	0.11	0.63	71	0.09	7.98	66
I033162		0.155	0.13	0.68	73	0.26	8.59	67
I033163		0.101	0.11	0.80	57	0.08	8.24	60
I033164		0.089	0.11	0.56	52	0.10	4.54	56
I033165		0.075	0.11	0.37	59	0.12	3.86	71
I033166		0.042	0.08	0.66	39	0.09	13.80	48
I033167		0.042	0.10	0.60	23	0.08	3.09	26
I033168		0.060	0.11	1.21	44	0.12	11.05	63
I033169		0.059	0.10	0.69	29	0.06	6.26	52
I033170		0.090	0.26	0.80	38	0.12	9.15	63
I033171		0.085	0.22	0.72	42	0.16	6.45	74
I033172		0.074	0.15	0.62	51	0.16	6.14	68
I033173		0.063	0.15	0.69	46	0.51	7.69	64
I033174		0.062	0.13	0.64	44	0.14	5.94	65
I033175		0.081	0.27	0.70	51	0.16	8.68	77
I033176		0.024	0.15	1.34	36	0.07	11.05	67
I033177		0.075	0.11	0.80	49	0.09	4.98	61
I033178		0.076	0.19	0.93	41	0.08	9.48	59
I033179		0.072	0.15	0.69	38	0.07	7.71	58
I033180		0.072	0.16	0.88	50	0.10	8.27	63
I033185		0.140	0.23	1.08	67	0.12	4.05	44
I033186		0.204	0.39	1.24	69	0.06	7.58	67
I033187		0.205	0.21	1.54	82	0.13	5.39	60
I033188		0.134	0.14	0.44	106	0.18	2.84	72
I033189		0.142	0.20	0.43	75	0.16	3.52	58
I033190		0.122	0.10	0.49	71	0.13	4.32	57
I033191		0.105	0.10	0.42	85	0.15	2.83	65
I033192		0.088	0.07	0.29	56	0.13	2.42	50
I033193		0.135	0.21	1.53	70	0.16	23.7	77
I033194		0.047	0.10	1.86	28	0.06	9.18	52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033195		0.22	<0.005	0.13	2.05	3.8	<0.2	<10	420	0.49	0.11	1.69	0.23	35.5	16.5	115
I033196		0.28	<0.005	0.03	1.23	5.4	<0.2	<10	70	0.16	0.12	0.20	0.09	12.15	9.2	29
I033197		0.22	<0.005	0.15	0.89	2.9	<0.2	<10	150	0.19	0.09	0.32	0.13	15.65	7.0	39
I033198		0.30	<0.005	0.09	1.78	6.7	<0.2	<10	210	0.32	0.13	0.43	0.12	22.8	13.0	71
I033199		0.22	<0.005	0.14	1.85	3.5	<0.2	<10	230	0.29	0.10	0.51	0.10	24.4	16.4	119
I033200		0.24	<0.005	0.07	1.70	3.6	<0.2	<10	160	0.24	0.12	0.45	0.13	29.3	13.4	71
I033307		0.24	0.005	0.10	1.61	8.1	<0.2	<10	150	0.37	0.10	0.90	0.14	23.7	14.6	32
I033308		0.24	0.009	0.10	1.58	7.6	<0.2	<10	140	0.41	0.10	0.79	0.19	21.2	13.8	30
I033309		0.46	<0.005	0.06	2.06	5.6	<0.2	<10	280	0.51	0.16	0.82	0.08	28.8	10.8	35
I033310		0.58	<0.005	0.06	2.02	4.1	<0.2	<10	290	0.45	0.14	0.89	0.07	27.9	9.5	26
I033311		0.50	<0.005	0.08	2.43	5.0	<0.2	<10	160	0.56	0.11	0.37	0.08	34.8	17.3	51
I033312		0.54	<0.005	0.07	2.29	5.7	<0.2	<10	160	0.50	0.11	0.37	0.07	34.2	15.7	51
I033313		0.64	<0.005	0.05	1.96	2.2	<0.2	<10	240	0.68	0.13	0.52	0.11	53.1	11.6	19
I033314		0.22	<0.005	0.20	2.09	7.5	<0.2	<10	290	0.42	0.18	0.25	0.06	31.6	7.9	28
I033315		0.32	0.006	0.04	1.66	26.6	<0.2	<10	120	0.43	0.13	0.23	0.08	33.0	9.3	32
I033316		0.30	<0.005	0.05	2.66	11.1	<0.2	<10	110	0.43	0.15	0.26	0.10	19.40	10.8	35
I033317		0.38	<0.005	0.08	2.09	7.7	<0.2	<10	130	0.29	0.16	0.22	0.06	18.30	8.1	27
I033318		0.38	<0.005	0.29	2.41	8.4	<0.2	<10	190	0.37	0.33	0.51	0.21	18.40	15.3	29
I033319		0.30	0.006	0.20	1.34	5.5	<0.2	<10	160	0.21	0.30	0.11	0.16	17.05	3.7	21
I033320		0.08	0.006	<0.01	0.02	<0.1	<0.2	<10	10	<0.05	0.01	0.01	0.01	1.14	0.1	1
I033321		0.24	<0.005	0.29	1.80	5.5	<0.2	<10	260	0.31	0.28	0.32	0.30	17.50	9.3	23
I033322		0.30	<0.005	0.20	1.64	8.1	<0.2	<10	140	0.33	0.18	0.28	0.17	15.00	7.1	28
I033323		0.40	<0.005	0.18	2.16	8.9	<0.2	<10	180	0.32	0.22	0.19	0.43	15.15	12.4	39
I033324		0.34	<0.005	0.06	2.25	5.4	<0.2	<10	230	0.38	0.09	0.28	0.09	14.00	12.3	31
I033325		0.34	<0.005	0.18	1.67	5.5	<0.2	<10	160	0.26	0.17	0.26	0.10	13.90	11.0	31
I033326		0.30	<0.005	0.19	2.54	5.1	<0.2	<10	260	0.86	0.14	0.46	0.10	30.0	16.3	37
I033327		0.38	<0.005	0.29	1.76	6.3	<0.2	<10	160	1.86	0.68	0.47	0.22	34.3	7.9	23
I033328		0.40	0.009	0.57	3.03	24.1	<0.2	<10	380	1.50	0.37	0.74	0.19	59.2	14.1	27
I033329		0.40	<0.005	0.12	1.58	19.5	<0.2	<10	140	0.50	0.38	0.24	0.08	18.40	8.2	23
I033330		0.36	0.012	0.12	1.37	21.4	<0.2	<10	150	0.42	0.49	0.22	0.09	16.25	8.1	21
I033331		0.46	<0.005	0.14	1.59	10.9	<0.2	<10	190	0.37	0.16	0.31	0.06	17.45	7.0	21
I033332		0.36	<0.005	0.12	2.15	13.9	<0.2	<10	180	0.40	0.19	0.19	0.08	19.10	8.3	20
I033333		0.44	<0.005	0.19	1.49	9.0	<0.2	<10	230	0.50	0.17	0.34	0.06	21.5	8.3	24
I033334		0.32	<0.005	0.16	1.34	6.0	<0.2	<10	140	0.69	0.71	0.26	0.09	13.40	6.7	18
I033335		0.30	<0.005	0.10	1.53	5.7	<0.2	<10	260	0.31	0.18	0.45	0.12	15.85	8.8	21
I033336		0.36	0.011	0.10	1.71	5.1	<0.2	<10	270	0.61	0.17	0.44	0.11	17.25	10.2	19
I033337		0.28	0.017	0.16	1.76	7.3	<0.2	<10	450	0.42	0.18	0.27	0.08	19.60	13.0	29
I033338		0.30	<0.005	0.10	1.70	6.8	<0.2	<10	280	0.43	0.17	0.35	0.11	17.40	10.1	25
I033339		0.36	<0.005	0.12	1.73	6.5	<0.2	<10	250	0.37	0.14	0.33	0.08	15.10	12.1	24
I033340		0.10	<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	1.09	0.1	<1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033195		1.94	63.3	3.16	7.33	0.08	0.07	0.03	0.024	0.14	20.2	14.2	1.19	526	0.53
I033196		1.15	10.6	2.32	5.66	<0.05	0.03	0.02	0.016	0.05	6.2	12.6	0.40	321	1.97
I033197		0.99	19.1	1.76	3.92	0.05	0.02	0.06	0.013	0.06	8.0	5.4	0.37	173	1.34
I033198		2.09	20.3	2.96	6.60	0.06	0.04	0.04	0.021	0.17	11.3	14.5	0.90	308	0.83
I033199		2.43	20.4	2.89	7.62	0.05	0.03	0.04	0.018	0.11	12.7	12.3	1.11	720	1.03
I033200		1.60	18.7	2.58	6.79	0.05	0.03	0.04	0.022	0.08	16.2	11.8	0.85	479	0.73
I033307		0.48	26.1	3.04	5.06	0.06	0.13	0.02	0.026	0.05	10.7	10.3	0.59	472	0.58
I033308		0.54	26.8	2.93	5.31	0.06	0.13	0.03	0.025	0.05	9.7	9.8	0.56	415	0.57
I033309		0.70	18.7	3.04	5.82	0.05	0.10	0.02	0.029	0.04	13.4	11.1	0.60	538	0.50
I033310		0.98	13.9	2.96	5.98	0.05	0.08	0.02	0.028	0.03	12.1	10.0	0.51	555	0.84
I033311		2.50	28.8	3.58	7.12	0.07	0.05	0.03	0.026	0.20	17.6	16.8	0.84	462	0.68
I033312		2.00	28.2	3.34	6.73	0.07	0.08	0.02	0.027	0.14	18.4	16.2	0.80	433	0.63
I033313		0.91	10.2	5.07	6.91	0.07	0.12	0.01	0.060	0.04	18.6	9.3	0.30	402	1.95
I033314		3.49	19.8	2.81	7.43	<0.05	0.03	0.03	0.024	0.07	17.9	13.1	0.40	210	1.03
I033315		2.76	18.8	2.80	5.27	0.05	0.05	0.01	0.022	0.12	17.3	16.8	0.62	283	1.17
I033316		2.51	14.7	4.18	8.93	0.05	0.07	0.03	0.028	0.10	9.2	27.5	0.90	371	1.42
I033317		3.40	25.7	3.22	7.07	<0.05	0.06	0.02	0.022	0.08	9.1	20.4	0.68	265	1.03
I033318		5.60	121.5	3.75	8.62	0.05	0.02	0.02	0.031	0.13	9.4	23.5	0.98	702	4.17
I033319		1.35	47.4	1.75	7.71	<0.05	<0.02	0.04	0.018	0.06	8.5	8.8	0.29	108	1.20
I033320		<0.05	1.5	0.03	0.20	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05
I033321		1.06	17.6	3.22	8.63	<0.05	0.03	0.02	0.035	0.11	8.6	11.4	0.53	497	1.19
I033322		1.29	12.2	3.23	8.12	<0.05	0.05	0.02	0.021	0.05	7.5	14.8	0.47	386	1.24
I033323		1.56	45.9	3.56	8.05	0.05	0.04	0.03	0.031	0.10	7.2	21.0	0.68	967	1.13
I033324		1.47	19.9	3.40	7.71	0.06	0.03	0.01	0.017	0.12	6.9	21.1	0.95	505	0.78
I033325		1.74	11.9	3.27	8.24	<0.05	0.04	0.02	0.021	0.13	6.9	11.3	0.60	711	1.28
I033326		4.44	28.4	3.87	9.14	0.07	0.08	0.02	0.025	0.29	17.1	28.3	1.00	1000	0.94
I033327		9.11	29.2	2.70	6.53	0.07	0.07	0.04	0.033	0.14	26.6	19.5	0.48	442	1.22
I033328		12.40	39.9	4.32	10.40	0.10	0.08	0.04	0.049	0.21	45.6	44.8	0.69	832	1.52
I033329		3.48	13.2	2.92	6.40	<0.05	0.08	0.01	0.023	0.08	9.4	23.1	0.51	346	1.38
I033330		3.73	11.3	2.84	6.47	<0.05	0.04	0.01	0.021	0.09	7.9	16.4	0.44	519	1.87
I033331		3.21	16.5	2.56	5.96	<0.05	0.07	0.01	0.019	0.07	9.9	17.8	0.50	207	0.93
I033332		3.52	12.8	3.45	8.05	0.05	0.05	0.01	0.023	0.21	9.0	29.5	0.65	259	1.23
I033333		7.18	20.8	2.81	5.39	0.05	0.05	0.02	0.020	0.14	16.5	19.8	0.60	407	0.81
I033334		2.58	10.4	2.49	5.67	<0.05	0.06	0.01	0.018	0.11	7.0	13.7	0.43	258	0.95
I033335		1.45	12.3	2.86	6.37	<0.05	0.05	0.01	0.021	0.12	8.3	14.7	0.50	445	1.39
I033336		2.57	13.6	3.02	5.89	<0.05	0.03	0.01	0.021	0.12	8.2	17.9	0.52	561	0.79
I033337		1.18	15.3	2.95	5.93	<0.05	0.06	0.03	0.024	0.10	9.3	13.3	0.47	998	1.02
I033338		1.22	13.1	3.07	5.98	<0.05	0.05	0.01	0.026	0.12	8.3	15.0	0.50	369	0.96
I033339		1.14	17.3	3.10	5.95	<0.05	0.03	0.01	0.023	0.12	7.5	17.4	0.58	411	0.75
I033340		<0.05	0.8	0.02	0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033195		1.41	56.8	580	7.5	24.7	0.001	0.07	0.20	6.2	0.7	0.5	76.8	<0.01	0.02
I033196		1.27	17.2	380	7.4	12.6	<0.001	0.02	0.18	2.5	0.2	0.4	15.3	<0.01	0.03
I033197		0.68	16.8	990	4.3	10.5	<0.001	0.09	0.22	1.5	0.6	0.3	25.9	<0.01	0.04
I033198		1.40	31.1	870	9.3	33.3	0.001	0.05	0.24	3.8	0.5	0.5	28.9	<0.01	0.03
I033199		1.14	44.2	710	8.3	32.2	0.001	0.06	0.15	3.3	0.5	0.5	35.1	<0.01	0.04
I033200		1.21	31.8	620	8.0	24.1	<0.001	0.05	0.18	3.7	0.4	0.5	32.7	<0.01	0.02
I033307		1.60	25.6	600	5.4	6.0	0.001	0.04	0.32	5.3	0.5	0.5	48.7	<0.01	0.03
I033308		1.60	25.1	560	5.5	6.2	<0.001	0.04	0.30	4.9	0.5	0.5	44.7	<0.01	0.01
I033309		1.16	20.7	380	7.9	5.3	<0.001	0.03	0.31	6.9	0.3	0.6	46.9	<0.01	0.02
I033310		1.15	15.2	750	6.6	5.2	0.001	0.03	0.26	6.4	0.4	0.6	53.4	<0.01	0.03
I033311		1.33	43.0	520	9.0	23.8	<0.001	0.02	0.22	5.3	0.2	0.5	31.1	<0.01	0.02
I033312		1.21	40.8	450	8.7	17.0	<0.001	0.02	0.22	5.8	0.4	0.6	31.7	<0.01	0.03
I033313		1.08	8.6	1200	6.9	5.2	<0.001	0.02	0.22	11.0	0.2	1.1	30.9	<0.01	0.02
I033314		1.85	16.4	300	9.0	14.5	0.001	0.02	0.31	4.6	0.3	0.7	19.3	<0.01	0.03
I033315		1.48	19.3	430	9.4	15.3	<0.001	0.02	0.60	3.6	0.2	0.5	16.9	<0.01	0.02
I033316		3.17	19.0	550	8.4	18.8	<0.001	0.02	0.47	3.8	0.3	0.6	19.6	<0.01	0.05
I033317		1.79	15.2	280	7.9	15.4	<0.001	0.02	0.32	3.2	0.3	0.6	17.0	<0.01	0.05
I033318		2.53	17.2	790	18.3	23.1	<0.001	0.03	0.34	3.9	0.4	1.3	30.9	<0.01	0.17
I033319		1.21	8.0	330	13.3	12.5	<0.001	0.03	0.26	1.6	0.3	0.9	13.6	<0.01	0.10
I033320		0.06	0.4	10	0.6	0.2	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.9	<0.01	<0.01
I033321		1.83	11.0	830	10.5	17.1	<0.001	0.03	0.29	3.3	0.2	1.7	25.5	<0.01	0.04
I033322		1.56	11.2	340	10.4	13.9	<0.001	0.01	0.42	4.1	0.2	0.7	18.4	<0.01	0.03
I033323		1.44	16.8	340	21.2	12.6	0.001	0.01	0.46	5.7	0.3	0.7	14.0	<0.01	0.04
I033324		1.41	14.7	350	9.0	15.6	<0.001	0.01	0.30	4.0	<0.2	0.5	17.5	<0.01	0.02
I033325		1.61	12.5	320	10.3	24.3	0.001	0.02	0.33	3.6	0.2	0.7	17.7	<0.01	0.03
I033326		1.88	17.2	480	10.6	36.3	<0.001	0.01	0.26	7.9	0.5	0.7	23.9	<0.01	0.02
I033327		5.12	12.0	490	18.4	33.2	0.001	0.02	0.35	7.2	0.7	1.3	26.5	0.01	0.02
I033328		3.99	16.8	640	29.1	31.3	0.001	0.03	0.57	10.8	0.9	1.0	41.9	0.01	0.05
I033329		2.57	12.0	320	11.3	17.4	<0.001	0.01	0.38	4.1	0.2	0.9	17.7	<0.01	0.03
I033330		3.16	10.0	290	13.4	21.7	<0.001	0.01	0.35	3.4	0.2	1.0	16.9	<0.01	0.04
I033331		1.14	12.0	320	8.8	11.8	<0.001	0.01	0.36	4.5	0.2	0.5	19.4	<0.01	0.02
I033332		2.57	11.5	340	10.3	29.5	<0.001	0.01	0.42	4.6	0.2	0.7	15.1	<0.01	0.02
I033333		1.56	13.8	280	6.8	18.0	<0.001	0.01	0.39	5.8	0.3	0.4	22.1	<0.01	0.02
I033334		2.61	10.4	180	11.5	20.1	<0.001	0.01	0.38	3.6	0.2	0.9	17.7	<0.01	0.02
I033335		1.33	12.7	370	8.3	13.7	<0.001	0.02	0.33	4.0	0.2	0.5	25.0	<0.01	0.02
I033336		1.31	11.8	310	7.9	19.2	<0.001	0.01	0.34	4.1	0.3	0.5	22.7	<0.01	0.03
I033337		1.32	17.3	230	8.6	11.2	<0.001	0.01	0.41	5.2	0.3	0.6	21.8	<0.01	0.02
I033338		1.18	15.8	240	8.0	10.8	<0.001	0.01	0.46	4.3	0.2	0.5	20.6	<0.01	0.02
I033339		1.05	14.3	290	7.0	13.1	<0.001	0.01	0.45	4.8	0.2	0.5	22.1	<0.01	0.02
I033340		<0.05	0.4	10	0.5	0.2	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033195		0.118	0.12	0.91	66	0.10	12.20	47
I033196		0.085	0.09	0.51	48	0.14	3.32	50
I033197		0.054	0.07	0.89	37	0.17	4.46	31
I033198		0.128	0.17	0.84	71	0.31	5.17	60
I033199		0.138	0.17	0.89	69	0.21	5.04	60
I033200		0.115	0.13	0.79	58	0.25	6.14	68
I033307		0.121	0.04	0.66	70	0.10	9.62	54
I033308		0.120	0.06	0.61	70	0.11	8.60	49
I033309		0.075	0.05	0.34	60	0.12	9.69	52
I033310		0.071	0.06	0.59	60	0.17	8.19	47
I033311		0.120	0.18	0.70	64	0.09	7.46	65
I033312		0.124	0.15	0.78	65	0.11	7.64	59
I033313		0.124	0.06	0.47	101	0.06	9.83	89
I033314		0.066	0.13	0.91	65	0.20	6.01	43
I033315		0.097	0.13	1.10	55	0.20	6.13	54
I033316		0.141	0.14	0.52	83	0.28	2.91	68
I033317		0.086	0.12	0.42	60	0.17	3.38	46
I033318		0.142	0.15	0.54	81	0.30	3.83	133
I033319		0.088	0.17	0.46	58	0.16	2.30	37
I033320		<0.005	<0.02	0.10	1	<0.05	0.69	3
I033321		0.113	0.11	0.42	69	0.14	2.12	87
I033322		0.094	0.09	0.32	86	0.26	3.14	67
I033323		0.097	0.09	0.37	86	0.19	2.75	137
I033324		0.194	0.11	0.31	82	0.28	2.95	93
I033325		0.171	0.10	0.32	85	0.19	2.66	70
I033326		0.206	0.18	1.02	98	0.22	15.25	89
I033327		0.063	0.19	3.58	58	0.40	45.5	72
I033328		0.054	0.16	2.22	87	0.30	54.7	83
I033329		0.069	0.11	0.55	68	0.17	5.40	50
I033330		0.075	0.12	0.51	74	0.26	4.03	48
I033331		0.075	0.11	0.48	62	0.34	4.54	49
I033332		0.108	0.17	0.41	67	0.25	3.93	63
I033333		0.097	0.10	0.78	59	0.25	10.35	49
I033334		0.051	0.15	0.52	57	0.34	7.13	55
I033335		0.066	0.09	0.38	62	0.24	3.28	63
I033336		0.044	0.13	0.53	58	0.24	4.19	62
I033337		0.068	0.09	0.47	62	0.18	3.50	55
I033338		0.055	0.09	0.35	63	0.28	2.63	58
I033339		0.058	0.08	0.31	70	0.18	2.36	56
I033340		<0.005	<0.02	0.08	<1	<0.05	0.63	2
								0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033341		0.36	<0.005	0.09	1.54	5.1	<0.2	<10	220	0.25	0.13	0.35	0.07	22.4	8.6	21
I033342		0.34	<0.005	0.07	1.98	7.6	<0.2	<10	170	0.40	0.16	0.24	0.08	25.5	8.4	28
I033343		0.40	<0.005	0.06	1.89	7.3	<0.2	<10	220	0.42	0.14	0.41	0.09	16.85	11.5	28
I033344		0.28	<0.005	0.13	1.79	6.5	<0.2	<10	300	0.43	0.17	0.59	0.31	20.1	10.8	28
I033345		0.46	<0.005	0.05	0.97	2.6	<0.2	<10	230	0.62	0.49	0.27	0.06	36.4	3.7	8
I033346		0.40	<0.005	0.10	2.37	4.3	<0.2	<10	600	0.54	0.13	0.59	0.12	17.75	10.0	20
I033347		0.34	<0.005	0.12	2.16	7.2	<0.2	<10	490	0.56	0.13	0.68	0.12	22.1	14.8	44
I033348		0.32	<0.005	0.07	2.03	5.4	<0.2	<10	1020	0.75	0.14	0.53	0.15	24.6	10.7	24
I033349		0.28	0.006	0.22	1.87	6.7	<0.2	<10	670	0.85	0.71	0.54	0.13	23.7	10.1	31
I033350		0.30	<0.005	0.18	1.93	8.3	<0.2	<10	650	0.85	0.70	0.55	0.12	26.5	10.0	33
I033531		0.16	<0.005	0.06	1.92	5.2	<0.2	<10	170	0.33	0.14	0.29	0.14	15.35	16.9	52
I033532		0.14	<0.005	0.11	1.35	3.2	<0.2	<10	130	0.21	0.16	0.16	0.09	5.73	9.5	32
I033533		0.14	<0.005	0.03	2.77	8.6	<0.2	<10	150	0.50	0.17	0.20	0.09	22.6	13.2	34
I033534		0.12	0.016	0.11	1.96	6.7	<0.2	<10	160	0.35	0.13	0.28	0.14	25.6	11.4	29
I033535		0.10	<0.005	0.11	1.83	11.6	<0.2	<10	70	0.32	0.23	0.11	0.21	18.20	7.0	28
I033536		0.12	<0.005	0.11	1.68	3.9	<0.2	<10	250	0.30	0.14	0.20	0.35	10.30	13.2	31
I033537		0.12	<0.005	0.17	1.54	3.2	<0.2	<10	450	0.24	0.20	0.31	0.28	16.15	14.5	24
I033538		0.12	<0.005	0.37	1.83	2.3	<0.2	<10	360	0.27	0.11	0.45	0.26	9.39	19.4	31
I033539		0.18	<0.005	0.20	2.64	7.5	<0.2	<10	510	0.56	0.15	0.25	0.18	23.3	15.9	42
I033540		0.16	<0.005	0.13	1.91	5.1	<0.2	<10	270	0.35	0.18	0.26	0.23	17.15	15.4	33
I033541		0.12	<0.005	0.19	2.00	4.1	<0.2	<10	340	0.36	0.20	0.26	0.23	19.90	13.2	26
I033542		0.18	<0.005	0.06	2.31	6.5	<0.2	<10	200	0.52	0.13	0.38	0.08	31.0	18.7	41
I033543		0.16	<0.005	0.20	2.15	11.8	<0.2	<10	640	0.56	0.15	0.51	0.23	35.4	15.2	28
I033544		0.18	<0.005	0.09	3.01	6.0	<0.2	<10	350	0.48	0.10	0.38	0.10	20.6	24.8	28
I033545		0.24	<0.005	0.10	2.32	3.7	<0.2	<10	230	0.28	0.18	0.51	0.05	17.95	12.8	21
I033546		0.14	0.010	0.42	2.47	3.7	<0.2	<10	240	0.34	0.23	0.21	0.12	23.5	12.5	26
I033547		0.14	<0.005	0.08	1.91	2.8	<0.2	<10	250	0.24	0.04	0.40	0.12	8.04	13.5	22
I033548		0.18	<0.005	0.14	2.01	3.5	<0.2	<10	220	0.33	0.13	1.89	0.08	11.20	15.8	74
I033549		0.12	<0.005	0.07	1.84	3.9	<0.2	<10	190	0.30	0.07	0.94	0.06	11.10	12.8	53
I033550		0.16	<0.005	0.09	1.66	3.9	<0.2	<10	210	0.34	0.09	0.24	0.08	16.15	10.7	26
I033601		0.10	0.052	0.14	1.54	3.4	<0.2	<10	250	0.31	0.09	2.52	0.23	12.65	11.9	51
I033602		0.14	<0.005	0.08	1.30	3.3	<0.2	<10	130	0.29	0.06	2.15	0.15	13.30	10.9	40
I033603		0.12	<0.005	0.08	1.26	3.1	<0.2	<10	140	0.28	0.07	2.32	0.14	13.10	10.7	39
I033604		0.14	<0.005	0.10	2.20	4.2	<0.2	<10	480	0.55	0.11	1.44	0.20	32.2	18.1	140
I033605		0.16	<0.005	0.07	1.56	3.2	<0.2	<10	140	0.41	0.09	0.78	0.14	28.5	13.8	38
I033606		0.12	<0.005	0.10	1.52	1.6	<0.2	<10	190	0.32	0.08	1.56	0.16	21.1	9.2	73
I033607		0.36	0.005	0.08	1.10	4.9	<0.2	<10	60	0.22	0.16	0.27	0.14	15.80	5.8	29
I033608		0.32	<0.005	0.07	1.25	10.4	<0.2	<10	60	0.28	0.13	0.28	0.12	17.65	8.4	30
I033609		0.18	0.016	0.14	0.40	4.7	<0.2	<10	120	0.32	0.04	1.96	0.64	13.05	2.6	5
I033610		0.32	<0.005	0.11	1.01	3.7	<0.2	<10	120	0.32	0.13	1.39	0.26	24.7	10.4	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033341		1.06	9.7	2.93	6.24	<0.05	0.02	<0.01	0.024	0.17	10.8	12.5	0.52	325	0.83
I033342		1.17	14.2	3.13	6.67	<0.05	0.05	0.01	0.034	0.09	12.7	14.7	0.53	265	0.98
I033343		0.70	14.2	2.79	6.32	<0.05	0.03	0.01	0.023	0.08	8.1	15.7	0.70	252	0.75
I033344		0.53	15.2	2.99	6.14	<0.05	0.03	0.02	0.028	0.10	9.1	12.8	0.52	761	0.92
I033345		1.34	6.5	1.36	3.11	<0.05	0.03	<0.01	0.011	0.16	18.5	9.2	0.21	145	0.98
I033346		0.28	12.1	3.46	8.82	<0.05	0.02	0.01	0.030	0.10	6.8	12.0	0.68	672	1.10
I033347		0.46	35.8	3.19	6.76	<0.05	0.05	0.01	0.030	0.12	9.3	11.4	0.72	657	0.82
I033348		0.57	10.2	3.21	6.98	<0.05	0.04	0.01	0.029	0.12	10.7	10.5	0.56	696	0.86
I033349		0.54	13.4	2.71	5.83	<0.05	0.06	0.02	0.026	0.08	10.3	8.1	0.39	998	0.99
I033350		0.55	14.2	2.81	5.90	<0.05	0.06	0.02	0.028	0.09	11.8	8.9	0.42	795	0.91
I033531		0.79	52.1	3.76	8.85	<0.05	0.03	0.01	0.016	0.05	6.3	19.9	1.00	290	1.02
I033532		0.48	12.7	2.33	6.03	<0.05	0.02	0.01	0.044	0.05	2.8	8.4	0.48	183	0.78
I033533		1.31	15.5	4.06	8.95	0.06	0.06	0.01	0.027	0.07	11.6	20.7	0.77	316	1.24
I033534		0.76	23.9	3.14	6.07	0.05	0.04	0.04	0.026	0.05	13.0	13.1	0.57	252	1.00
I033535		1.07	21.2	4.25	10.15	0.05	0.05	0.01	0.025	0.07	9.2	14.4	0.48	173	1.91
I033536		0.67	17.9	2.87	6.68	<0.05	0.03	0.01	0.020	0.06	5.1	11.3	0.48	532	0.86
I033537		0.49	14.7	2.71	6.51	<0.05	0.02	0.01	0.019	0.09	6.5	9.7	0.42	1140	1.14
I033538		0.69	26.8	2.74	6.32	<0.05	0.03	0.02	0.016	0.19	4.8	13.4	0.89	1120	0.69
I033539		0.73	16.4	3.78	7.91	<0.05	0.17	0.01	0.030	0.20	9.8	13.9	0.76	510	1.15
I033540		0.34	18.5	3.40	6.39	<0.05	0.10	0.01	0.028	0.20	7.3	10.9	0.59	671	1.08
I033541		1.58	19.6	3.45	7.40	0.05	0.10	0.01	0.023	0.51	10.8	12.6	0.78	357	1.11
I033542		0.85	41.1	3.68	7.63	0.07	0.14	0.01	0.028	0.30	13.9	18.8	0.96	416	0.91
I033543		1.23	34.3	3.42	7.09	0.05	0.08	0.01	0.028	0.25	15.9	13.6	0.73	541	0.97
I033544		0.63	33.9	4.06	10.20	<0.05	0.09	0.01	0.026	0.12	7.7	22.0	1.36	446	1.18
I033545		1.34	75.7	4.30	7.40	0.10	0.05	0.01	0.033	0.44	8.3	15.4	1.04	388	2.43
I033546		0.71	125.5	4.08	7.86	0.06	0.04	0.03	0.041	0.28	11.4	13.6	0.92	311	4.42
I033547		3.11	67.5	3.42	6.30	0.08	0.04	0.01	0.013	0.72	3.3	16.8	1.16	434	1.49
I033548		2.50	108.0	3.42	6.32	0.09	0.07	0.03	0.016	0.40	6.1	16.7	1.41	354	1.01
I033549		2.39	60.4	3.13	6.17	0.09	0.05	0.03	0.016	0.44	5.4	14.9	1.15	438	0.85
I033550		0.71	25.6	2.74	6.19	0.06	0.04	0.01	0.016	0.24	6.3	10.6	0.72	254	1.27
I033601		1.15	72.7	2.40	5.03	0.08	0.05	0.04	0.014	0.23	7.2	11.8	0.88	460	1.16
I033602		0.61	45.4	2.42	4.64	0.08	0.04	0.02	0.015	0.10	7.2	9.2	0.80	353	0.71
I033603		0.63	46.3	2.32	4.43	0.08	0.03	0.03	0.015	0.10	7.2	9.0	0.78	371	0.69
I033604		3.50	55.9	3.29	8.28	0.13	0.06	0.02	0.019	0.70	16.5	22.1	1.61	514	0.48
I033605		1.49	35.0	3.08	5.16	0.12	0.06	0.01	0.013	0.50	17.4	12.4	0.92	382	0.56
I033606		1.46	48.2	2.10	5.83	0.09	0.06	0.05	0.018	0.23	14.0	12.2	0.95	208	0.44
I033607		1.89	11.6	1.59	5.12	<0.05	<0.02	0.02	0.014	0.05	8.6	9.0	0.45	134	0.51
I033608		2.69	13.8	1.94	5.04	0.05	0.02	0.02	0.013	0.06	9.5	12.8	0.54	171	0.58
I033609		1.13	20.6	0.53	0.88	<0.05	0.03	0.09	0.007	0.03	7.8	0.9	0.13	233	0.60
I033610		3.36	21.4	1.79	3.84	0.06	0.03	0.08	0.016	0.06	12.4	9.4	0.38	873	0.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033341		1.56	13.0	260	6.5	12.4	<0.001	0.01	0.36	3.4	<0.2	0.6	26.6	<0.01	0.01
I033342		1.27	17.3	240	7.7	10.4	<0.001	0.01	0.43	4.7	0.2	0.6	20.1	<0.01	0.02
I033343		1.13	18.7	310	7.7	10.3	<0.001	0.01	0.45	4.7	0.2	0.5	25.7	<0.01	0.02
I033344		1.23	17.6	480	11.7	7.5	<0.001	0.02	0.45	5.2	0.3	0.5	35.1	<0.01	0.03
I033345		0.98	5.5	250	14.2	15.3	<0.001	0.01	0.10	1.7	0.2	0.6	27.7	<0.01	0.01
I033346		0.81	12.7	690	7.1	8.3	<0.001	0.02	0.27	4.9	0.2	0.6	67.5	<0.01	0.03
I033347		1.02	22.8	440	7.1	10.9	<0.001	0.02	0.33	8.3	0.2	0.5	54.5	<0.01	0.07
I033348		1.03	15.0	370	8.3	14.5	0.001	0.02	0.32	5.8	0.3	0.5	35.5	<0.01	0.03
I033349		1.77	18.2	290	15.7	6.4	<0.001	0.02	0.38	5.7	0.3	0.5	31.0	<0.01	0.03
I033350		1.79	20.1	290	15.8	7.9	<0.001	0.02	0.43	6.1	0.4	0.6	31.1	<0.01	0.03
I033531		1.17	24.5	1010	5.5	13.5	<0.001	0.02	0.40	3.6	0.3	0.6	18.7	<0.01	0.04
I033532		1.22	17.6	220	4.5	10.9	<0.001	0.02	0.32	2.0	0.2	0.4	15.7	<0.01	0.03
I033533		2.11	18.3	450	7.4	14.4	<0.001	0.02	0.41	4.5	0.4	0.6	19.5	0.01	0.04
I033534		1.54	17.4	610	7.0	8.9	<0.001	0.04	0.34	5.0	0.5	0.5	19.8	<0.01	0.03
I033535		2.48	14.9	440	13.4	13.4	<0.001	0.03	0.59	3.3	0.4	0.7	11.7	0.01	0.09
I033536		1.40	18.2	300	6.0	9.2	<0.001	0.02	0.41	3.4	0.2	0.5	17.2	<0.01	0.04
I033537		1.22	16.9	390	8.0	13.9	<0.001	0.02	0.32	2.8	0.2	0.6	24.0	<0.01	0.03
I033538		1.27	21.1	340	4.0	11.7	<0.001	0.02	0.19	3.5	0.3	0.4	28.0	<0.01	0.02
I033539		1.17	27.1	190	8.3	21.6	<0.001	0.01	0.49	8.7	0.2	0.6	21.3	<0.01	0.02
I033540		1.11	22.1	190	9.2	9.5	<0.001	0.02	0.39	6.0	0.2	0.5	17.1	<0.01	0.03
I033541		2.04	18.5	160	12.7	51.9	<0.001	0.01	0.30	5.4	0.2	0.7	20.2	<0.01	0.03
I033542		1.16	25.6	180	8.3	25.5	<0.001	0.02	0.31	8.8	0.4	0.6	32.1	<0.01	0.03
I033543		1.64	26.1	280	8.0	27.2	<0.001	0.02	0.37	8.2	0.3	0.5	32.5	<0.01	0.04
I033544		1.48	22.0	200	5.6	7.5	<0.001	0.02	0.27	9.3	0.2	0.5	23.3	<0.01	0.03
I033545		1.02	12.0	370	5.4	29.0	0.001	0.31	0.18	10.9	2.1	0.5	46.7	<0.01	0.24
I033546		0.95	15.3	410	5.3	15.3	0.002	0.24	0.22	10.8	1.9	0.8	34.7	<0.01	0.20
I033547		1.05	14.8	370	3.2	35.9	<0.001	0.03	0.13	4.1	0.3	0.3	26.2	<0.01	0.03
I033548		0.87	36.0	630	5.7	27.6	<0.001	0.08	0.20	5.8	0.6	0.3	50.1	<0.01	0.03
I033549		0.91	26.9	470	4.0	28.3	<0.001	0.06	0.17	5.5	0.6	0.4	28.2	<0.01	0.02
I033550		1.12	15.0	220	6.4	21.5	<0.001	0.03	0.26	3.0	0.2	0.4	21.0	<0.01	0.02
I033601		0.83	28.3	620	5.7	20.8	<0.001	0.11	0.22	4.0	1.0	0.3	63.2	<0.01	0.04
I033602		0.62	24.3	590	4.0	10.3	0.001	0.12	0.23	3.7	0.9	0.3	64.8	<0.01	0.06
I033603		0.59	23.6	590	3.9	10.0	0.001	0.12	0.22	3.4	1.0	0.2	66.6	<0.01	0.06
I033604		1.58	60.1	810	8.9	68.6	0.001	0.05	0.24	5.3	0.7	0.6	60.2	<0.01	0.01
I033605		1.65	31.3	580	8.1	49.7	<0.001	0.02	0.14	3.2	0.8	0.4	41.7	<0.01	0.03
I033606		1.09	35.9	650	6.1	28.8	0.001	0.10	0.20	5.3	0.9	0.4	70.8	<0.01	0.01
I033607		0.70	17.4	490	13.1	10.5	<0.001	0.01	0.50	2.6	0.3	0.4	21.1	<0.01	0.01
I033608		0.80	21.1	320	9.2	9.8	<0.001	0.01	1.08	3.0	0.4	0.4	21.1	<0.01	0.01
I033609		0.16	12.6	770	5.2	2.2	<0.001	0.16	1.61	1.1	0.8	0.2	104.0	<0.01	0.01
I033610		0.61	19.0	880	11.7	10.6	<0.001	0.10	0.47	2.5	0.8	0.3	82.3	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033341		0.081	0.09	0.31	56	0.16	2.86	52	0.8
I033342		0.059	0.09	0.36	63	0.19	2.95	63	2.1
I033343		0.108	0.09	0.35	75	0.16	2.47	55	1.1
I033344		0.074	0.08	0.80	68	0.32	3.45	73	1.1
I033345		0.012	0.13	1.09	17	0.11	5.25	35	1.0
I033346		0.024	0.09	0.34	76	0.15	3.38	63	0.7
I033347		0.067	0.08	0.40	77	0.17	4.80	62	1.8
I033348		0.042	0.09	0.28	61	0.16	5.51	53	1.4
I033349		0.055	0.10	0.39	59	0.18	4.55	48	1.9
I033350		0.060	0.10	0.43	61	0.18	5.69	48	2.1
I033531		0.160	0.08	0.41	88	0.12	2.94	64	1.3
I033532		0.138	0.07	0.19	60	0.08	1.09	39	1.2
I033533		0.155	0.13	0.55	79	0.16	4.49	51	3.1
I033534		0.112	0.10	0.88	65	0.14	6.60	55	1.8
I033535		0.156	0.14	0.52	91	0.16	2.94	65	2.2
I033536		0.113	0.08	0.22	67	0.12	2.14	62	1.3
I033537		0.087	0.10	0.33	59	0.09	2.34	63	0.8
I033538		0.151	0.11	0.23	64	0.07	2.90	69	1.2
I033539		0.136	0.12	0.44	85	0.10	3.81	60	8.0
I033540		0.108	0.08	0.28	77	0.09	3.11	63	4.2
I033541		0.185	0.27	0.47	69	0.14	4.35	75	3.9
I033542		0.156	0.15	0.86	91	0.09	8.32	68	6.2
I033543		0.139	0.15	0.97	79	0.16	9.39	54	3.2
I033544		0.176	0.13	0.46	98	0.09	3.96	75	3.5
I033545		0.131	0.20	0.94	96	<0.05	5.13	72	2.4
I033546		0.114	0.12	1.03	87	0.06	10.90	60	1.5
I033547		0.212	0.24	0.22	61	0.08	3.27	72	1.3
I033548		0.158	0.19	0.48	73	0.10	7.56	69	2.8
I033549		0.150	0.15	0.47	63	0.13	6.89	63	1.9
I033550		0.102	0.10	0.34	53	0.08	2.66	65	1.4
I033601		0.091	0.12	0.86	54	0.06	10.85	60	2.2
I033602		0.057	0.07	0.60	53	<0.05	6.38	43	1.3
I033603		0.054	0.06	0.57	49	0.07	6.41	41	1.3
I033604		0.158	0.31	1.17	75	0.12	7.10	63	2.2
I033605		0.129	0.33	0.71	43	0.09	8.05	85	2.3
I033606		0.092	0.16	1.23	44	0.08	9.21	61	2.4
I033607		0.073	0.10	0.65	31	0.12	3.52	40	0.5
I033608		0.074	0.13	0.69	36	0.18	3.52	50	0.6
I033609		0.014	0.05	0.66	7	<0.05	6.65	24	0.8
I033610		0.040	0.10	0.92	35	0.08	8.02	50	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033611		0.46	0.008	0.10	1.12	3.9	<0.2	<10	80	0.20	0.21	0.33	0.10	21.1	6.1	27
I033612		0.34	0.006	0.10	0.95	4.0	<0.2	<10	90	0.27	0.17	0.28	0.19	15.85	6.8	20
I033613		0.34	<0.005	0.08	1.48	4.8	<0.2	<10	90	0.35	0.16	0.36	0.13	33.3	17.0	34
I033614		0.28	<0.005	0.11	1.96	7.8	<0.2	<10	140	0.40	0.25	0.11	0.10	21.0	7.8	31
I033615		0.44	<0.005	0.06	2.37	4.2	<0.2	<10	90	0.65	0.25	0.14	0.09	82.7	12.7	34
I033616		0.40	<0.005	0.08	2.40	94.9	<0.2	<10	120	0.49	0.28	0.26	0.16	30.4	13.6	49
I033617		0.40	<0.005	0.06	2.56	226	<0.2	<10	130	0.86	0.46	0.15	0.13	71.6	20.3	35
I033618		0.34	<0.005	0.08	2.31	16.6	<0.2	<10	120	0.48	0.26	0.16	0.14	36.9	12.0	37
I033619		0.36	<0.005	0.08	2.57	6.5	<0.2	<10	80	0.62	0.48	0.11	0.06	127.5	14.6	37
I033620		0.38	<0.005	0.10	1.94	26.7	<0.2	<10	140	0.48	0.20	0.27	0.13	53.0	12.9	33
I033621		0.36	<0.005	0.10	1.96	25.1	<0.2	<10	140	0.45	0.20	0.27	0.12	52.1	12.8	31
I033622		0.36	<0.005	0.04	1.73	85.8	<0.2	<10	100	0.39	0.22	0.19	0.18	34.8	10.9	31
I033623		0.34	<0.005	0.04	2.11	11.5	<0.2	<10	150	0.39	0.21	0.15	0.13	29.9	11.8	34
I033624		0.24	<0.005	0.14	1.04	7.9	<0.2	<10	90	0.19	0.20	0.17	0.21	16.35	5.3	23
I033625		0.34	<0.005	0.12	2.78	10.5	<0.2	<10	160	0.56	0.22	0.17	0.15	32.3	11.2	39
I033626		0.32	<0.005	0.11	2.23	9.7	<0.2	<10	170	0.38	0.25	0.11	0.13	19.80	9.8	34
I033627		0.48	<0.005	0.06	2.69	6.9	<0.2	<10	200	0.50	0.96	0.15	0.29	54.4	14.3	39
I033628		0.34	<0.005	0.05	1.68	9.9	<0.2	<10	110	0.32	0.23	0.12	0.17	19.45	8.2	28
I033629		0.38	<0.005	0.03	1.85	10.6	<0.2	<10	130	0.32	0.20	0.16	0.12	23.6	9.6	32
I033630		0.42	<0.005	0.05	1.65	7.6	<0.2	<10	130	0.31	0.18	0.20	0.11	18.95	8.9	28
I033631		0.42	<0.005	0.06	2.39	5.1	<0.2	<10	80	0.52	0.24	0.08	0.08	89.1	14.9	33
I033632		0.36	<0.005	0.04	1.86	8.3	<0.2	<10	150	0.38	0.17	0.18	0.14	27.9	13.5	30
I033633		0.44	<0.005	0.04	2.25	7.6	<0.2	<10	130	0.49	0.29	0.17	0.11	77.6	17.1	32
I033634		0.42	<0.005	0.11	2.99	9.4	<0.2	<10	100	0.58	0.23	0.13	0.13	38.4	15.6	43
I033635		0.40	<0.005	0.04	2.16	6.0	<0.2	<10	110	0.35	0.22	0.14	0.12	50.7	12.7	32
I033636		0.36	0.005	0.10	1.62	5.9	<0.2	<10	80	0.28	0.37	0.11	0.12	36.2	7.4	24
I033637		0.42	<0.005	0.09	1.89	7.8	<0.2	<10	110	0.35	0.23	0.14	0.15	40.9	9.8	30
I033638		0.38	<0.005	0.04	1.49	7.2	<0.2	<10	80	0.22	0.24	0.10	0.07	18.80	7.0	44
I033639		0.50	<0.005	0.10	2.33	8.2	<0.2	<10	130	0.39	0.37	0.12	0.18	48.3	13.3	37
I033640		0.40	<0.005	0.04	1.94	6.3	<0.2	<10	200	0.31	0.42	0.20	0.07	73.4	10.7	28
I033641		0.40	<0.005	0.04	2.03	6.3	<0.2	<10	160	0.32	0.44	0.19	0.07	67.8	10.6	29
I033642		0.44	<0.005	0.09	4.51	4.6	<0.2	<10	190	0.72	0.21	0.31	0.06	29.4	28.0	485
I033643		0.44	<0.005	0.05	2.00	8.4	<0.2	<10	90	0.35	0.22	0.10	0.07	46.6	9.9	40
I033644		0.44	<0.005	0.06	2.80	8.2	<0.2	<10	150	0.51	0.21	0.17	0.13	56.0	15.9	40
I033645		0.34	<0.005	0.23	3.04	12.7	<0.2	<10	140	0.50	0.22	0.15	0.12	34.5	14.7	45
I033646		0.32	<0.005	0.10	2.59	10.6	<0.2	<10	430	0.72	0.09	0.74	0.16	29.0	19.8	44
I033647		0.36	<0.005	0.09	1.65	5.6	<0.2	<10	330	0.41	0.13	0.55	0.06	23.3	11.3	34
I033648		0.44	0.009	0.09	2.29	4.1	<0.2	<10	420	0.33	0.08	0.58	0.07	19.40	18.4	81
I033649		0.38	<0.005	0.10	2.52	4.2	<0.2	<10	500	0.37	0.08	0.62	0.06	19.85	18.1	50
I033650		0.34	<0.005	0.08	1.82	9.2	<0.2	<10	320	0.39	0.09	0.70	0.10	17.95	15.6	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033611		4.53	10.7	1.80	5.90	0.06	<0.02	0.04	0.018	0.06	11.4	9.4	0.41	148	0.74
I033612		1.90	23.3	1.90	5.03	<0.05	<0.02	0.17	0.018	0.05	8.5	4.7	0.21	943	0.98
I033613		4.33	18.6	2.83	6.37	0.08	0.02	0.04	0.022	0.10	17.3	13.6	0.68	732	0.78
I033614		1.03	16.1	3.58	9.51	0.06	0.05	0.02	0.025	0.04	9.4	17.0	0.33	216	1.47
I033615		2.69	30.4	4.18	9.44	0.08	0.05	0.03	0.027	0.31	15.1	26.3	0.76	250	0.85
I033616		1.75	32.0	4.70	11.10	0.08	0.06	0.02	0.034	0.14	12.5	31.1	0.85	519	1.46
I033617		3.69	35.2	4.56	8.53	0.10	0.09	0.02	0.042	0.43	17.4	33.0	0.87	489	0.79
I033618		1.61	20.8	4.27	9.32	0.09	0.05	0.03	0.030	0.20	13.7	22.6	0.62	364	1.32
I033619		5.07	44.0	5.74	9.08	0.19	0.06	0.02	0.025	0.81	62.4	33.8	1.05	306	1.02
I033620		1.36	35.8	3.09	6.05	0.09	0.04	0.04	0.023	0.17	26.5	18.9	0.61	325	0.83
I033621		1.36	33.9	3.01	5.90	0.09	0.05	0.04	0.023	0.16	26.3	18.3	0.61	321	0.77
I033622		1.19	20.4	3.68	8.57	0.07	0.06	0.02	0.041	0.09	12.3	19.0	0.55	314	1.07
I033623		1.01	17.3	3.80	7.88	0.07	0.11	0.02	0.029	0.07	14.4	24.0	0.48	270	1.38
I033624		0.75	16.4	2.58	6.74	<0.05	0.02	0.05	0.018	0.06	8.1	7.8	0.29	153	1.19
I033625		1.36	24.5	3.58	7.38	0.05	0.05	0.06	0.031	0.12	17.5	18.3	0.59	267	1.38
I033626		1.12	16.1	3.68	9.25	0.06	0.03	0.02	0.029	0.04	9.3	15.0	0.42	380	1.77
I033627		2.33	30.1	4.19	7.78	0.10	0.15	0.02	0.031	0.57	20.7	20.7	0.84	420	0.66
I033628		1.12	15.5	3.17	7.96	0.06	0.03	0.04	0.025	0.06	8.3	15.5	0.41	394	1.46
I033629		1.11	15.5	3.67	8.23	0.07	0.07	0.02	0.027	0.06	11.0	17.0	0.54	262	1.33
I033630		1.12	14.0	2.95	7.32	0.06	0.03	0.01	0.024	0.06	9.8	14.5	0.47	249	1.09
I033631		3.36	24.4	3.87	7.79	0.11	0.08	0.02	0.028	0.22	31.9	25.7	0.66	194	1.14
I033632		1.09	18.1	3.23	6.92	0.07	0.07	0.03	0.027	0.07	12.9	15.9	0.50	349	1.05
I033633		1.32	30.2	3.88	6.44	0.07	0.06	0.03	0.031	0.14	17.6	15.9	0.53	446	1.10
I033634		1.87	26.8	4.02	8.81	0.07	0.10	0.03	0.033	0.14	16.5	25.3	0.71	262	1.16
I033635		2.04	24.1	3.60	7.12	0.06	0.07	0.02	0.022	0.27	16.3	21.6	0.65	273	0.90
I033636		1.44	21.0	3.93	8.81	0.05	0.06	0.02	0.020	0.10	13.0	11.3	0.30	194	1.63
I033637		1.38	22.0	3.60	7.56	0.06	0.08	0.03	0.029	0.11	15.4	17.7	0.43	302	1.17
I033638		1.09	14.5	3.18	7.90	0.05	0.03	0.02	0.024	0.06	7.8	12.8	0.43	206	1.29
I033639		1.79	24.8	4.90	9.51	0.06	0.07	0.01	0.031	0.20	11.4	25.7	0.59	380	1.43
I033640		2.06	16.9	4.32	7.57	0.09	0.07	0.02	0.029	0.36	34.5	23.7	0.55	324	0.84
I033641		2.28	18.8	4.31	7.76	0.08	0.07	0.01	0.044	0.35	29.9	26.3	0.57	311	0.86
I033642		5.72	14.1	5.62	16.45	0.09	0.04	0.02	0.042	0.36	11.4	60.4	3.15	574	1.42
I033643		2.04	22.1	4.50	9.40	0.06	0.09	0.02	0.030	0.16	9.8	29.1	0.62	195	1.07
I033644		2.20	34.4	3.79	7.68	0.06	0.06	0.03	0.029	0.11	14.5	25.5	0.73	233	0.93
I033645		1.58	26.8	3.71	7.38	0.07	0.13	0.07	0.033	0.07	12.9	20.2	0.61	349	1.30
I033646		5.38	52.8	5.20	9.18	0.11	0.07	0.02	0.036	0.44	12.6	16.5	1.32	1120	1.59
I033647		0.70	16.7	2.85	5.03	0.06	0.10	0.01	0.024	0.26	8.7	8.4	0.51	645	1.00
I033648		1.80	43.6	3.83	7.59	0.10	0.07	0.01	0.019	0.67	9.7	14.1	1.46	709	0.92
I033649		1.71	41.3	4.17	8.52	0.10	0.07	0.01	0.022	0.59	8.5	15.9	1.50	836	0.99
I033650		1.09	46.5	3.49	5.97	0.06	0.07	0.02	0.028	0.23	7.5	9.5	0.82	706	1.08



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033611		0.69	16.6	690	17.6	11.4	<0.001	0.04	0.30	2.5	0.4	0.5	25.6	<0.01	0.02
I033612		0.42	14.9	800	7.0	8.4	<0.001	0.08	0.44	1.1	0.5	0.5	25.3	<0.01	0.03
I033613		0.70	27.4	690	9.6	18.7	<0.001	0.04	0.25	3.8	0.5	0.5	27.3	<0.01	0.03
I033614		1.84	18.7	210	12.5	10.5	<0.001	0.01	0.55	3.3	0.2	0.8	11.2	<0.01	0.03
I033615		4.39	34.5	360	13.0	36.3	<0.001	0.01	0.26	3.4	0.5	0.7	12.6	<0.01	0.02
I033616		1.48	28.5	380	17.9	22.5	<0.001	0.01	0.97	5.8	0.4	0.8	15.3	<0.01	0.03
I033617		2.39	36.2	450	22.3	55.0	<0.001	0.01	2.51	4.3	0.5	0.6	9.7	<0.01	0.04
I033618		2.47	24.8	380	13.6	31.2	<0.001	0.01	0.67	4.3	0.5	0.7	14.3	0.01	0.04
I033619		3.21	33.8	360	9.8	97.8	<0.001	0.02	0.49	3.7	0.7	0.6	13.2	<0.01	0.04
I033620		2.15	29.1	690	8.9	22.4	<0.001	0.03	0.65	3.8	0.6	0.5	18.7	<0.01	0.02
I033621		2.16	28.3	660	8.6	21.7	<0.001	0.02	0.62	3.9	0.6	0.5	18.9	0.01	0.02
I033622		2.22	24.7	380	13.4	14.5	<0.001	<0.01	1.18	3.7	0.4	0.6	14.1	<0.01	0.04
I033623		2.33	27.4	230	11.2	13.9	<0.001	<0.01	0.58	3.6	0.4	0.6	14.7	0.02	0.03
I033624		1.43	14.4	410	7.4	8.6	<0.001	0.02	0.47	1.8	0.3	0.6	16.2	<0.01	0.03
I033625		2.01	25.0	410	9.9	19.8	<0.001	0.03	0.58	4.6	0.8	0.6	19.2	0.02	0.03
I033626		1.85	18.7	320	11.6	12.6	<0.001	<0.01	0.65	3.6	0.4	0.8	13.2	0.01	0.04
I033627		3.60	32.6	260	49.6	71.0	<0.001	<0.01	0.30	4.8	0.6	0.7	13.3	0.01	0.05
I033628		1.62	17.4	350	10.1	14.0	<0.001	0.01	0.52	2.9	0.3	0.6	13.0	<0.01	0.04
I033629		2.14	20.7	290	10.7	13.8	<0.001	<0.01	0.52	3.6	0.4	0.6	17.0	<0.01	0.03
I033630		1.93	18.6	340	9.0	13.6	<0.001	<0.01	0.37	3.3	0.3	0.6	17.1	<0.01	0.02
I033631		2.77	36.1	280	10.3	33.5	<0.001	<0.01	0.31	3.6	0.4	0.6	8.6	<0.01	0.02
I033632		1.97	23.2	430	8.5	14.5	<0.001	<0.01	0.48	3.9	0.4	0.5	15.8	0.01	0.03
I033633		2.32	40.5	480	16.7	25.6	<0.001	0.03	0.34	4.2	0.7	0.6	14.1	0.02	0.04
I033634		5.01	34.9	260	11.1	29.8	<0.001	0.02	0.49	4.5	0.5	0.8	12.4	0.02	0.04
I033635		3.93	30.1	420	10.2	37.7	<0.001	0.03	0.30	3.7	0.5	0.6	12.3	0.01	0.03
I033636		3.45	18.5	250	15.5	30.2	<0.001	0.01	0.48	2.5	0.3	0.8	10.2	<0.01	0.04
I033637		2.51	23.0	270	15.1	21.9	<0.001	0.02	0.43	3.9	0.4	0.7	11.2	<0.01	0.05
I033638		2.08	15.7	260	10.3	13.2	<0.001	0.01	0.43	2.8	0.3	0.7	10.8	<0.01	0.03
I033639		3.26	27.7	370	18.9	37.3	<0.001	0.02	0.51	3.8	0.5	0.8	10.4	0.01	0.05
I033640		3.31	25.0	250	10.7	53.1	<0.001	0.01	0.27	3.6	0.4	0.7	17.3	<0.01	0.04
I033641		3.31	23.8	260	11.8	54.9	<0.001	0.01	0.26	3.7	0.5	0.7	17.5	<0.01	0.04
I033642		4.67	48.6	470	11.1	76.7	<0.001	0.03	0.20	10.6	0.4	1.6	22.5	<0.01	0.04
I033643		4.35	25.1	320	9.5	31.7	<0.001	0.02	0.42	4.0	0.4	0.8	9.0	<0.01	0.04
I033644		3.26	41.2	220	8.7	27.6	<0.001	0.02	0.41	4.3	0.5	0.7	14.9	0.01	0.03
I033645		2.62	31.7	310	10.6	16.2	<0.001	0.02	0.60	5.7	0.6	0.6	14.5	0.02	0.03
I033646		0.84	22.9	940	6.9	26.8	<0.001	0.01	0.84	10.7	0.5	0.6	31.3	<0.01	0.03
I033647		1.16	18.0	280	6.8	16.7	<0.001	0.01	0.38	5.5	0.4	0.5	30.1	<0.01	0.03
I033648		1.34	42.2	660	4.8	39.1	<0.001	0.02	0.24	5.7	0.4	0.4	30.0	<0.01	0.02
I033649		1.79	28.0	610	4.9	33.8	<0.001	0.02	0.22	6.0	0.4	0.5	31.8	<0.01	0.02
I033650		1.01	17.6	520	5.0	8.8	<0.001	0.02	0.55	7.7	0.4	0.4	30.5	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033611		0.067	0.11	0.73	35	0.11	3.41	50
I033612		0.043	0.09	0.59	49	0.08	3.18	56
I033613		0.069	0.18	1.08	45	0.07	6.21	67
I033614		0.081	0.14	0.57	86	0.16	3.04	57
I033615		0.157	0.27	1.53	47	0.08	7.87	76
I033616		0.109	0.21	1.27	92	0.14	5.91	76
I033617		0.147	0.38	2.39	36	0.08	11.85	90
I033618		0.137	0.24	1.07	72	0.19	6.43	67
I033619		0.218	0.72	3.19	39	0.07	14.40	105
I033620		0.111	0.17	0.99	51	0.16	8.35	74
I033621		0.111	0.17	0.96	50	0.15	8.39	54
I033622		0.128	0.12	0.71	78	0.25	4.99	54
I033623		0.110	0.12	0.60	69	0.18	3.82	47
I033624		0.082	0.09	0.51	64	0.16	1.98	34
I033625		0.095	0.19	1.17	66	0.20	4.64	59
I033626		0.092	0.16	0.51	84	0.20	3.02	57
I033627		0.231	0.58	1.04	49	0.14	11.30	121
I033628		0.095	0.11	0.46	68	0.18	2.72	46
I033629		0.111	0.12	0.62	72	0.20	3.51	49
I033630		0.098	0.12	0.53	65	0.16	3.34	42
I033631		0.117	0.31	1.17	50	0.11	7.95	70
I033632		0.109	0.13	0.57	64	0.17	5.20	48
I033633		0.100	0.21	1.20	51	0.14	11.35	67
I033634		0.149	0.25	0.98	68	0.14	6.04	75
I033635		0.169	0.32	1.20	53	0.11	8.59	60
I033636		0.122	0.24	1.16	69	0.10	5.74	48
I033637		0.116	0.18	0.97	63	0.14	6.72	66
I033638		0.109	0.15	0.61	68	0.14	3.81	40
I033639		0.165	0.29	1.10	73	0.14	8.94	80
I033640		0.173	0.39	1.09	51	0.10	11.50	66
I033641		0.179	0.43	1.23	53	0.10	10.75	67
I033642		0.314	0.45	0.77	127	0.10	7.81	112
I033643		0.168	0.21	1.24	72	0.13	6.96	61
I033644		0.140	0.28	1.09	68	0.15	6.06	75
I033645		0.116	0.19	0.92	73	0.21	5.28	60
I033646		0.124	0.13	0.52	116	0.09	11.75	116
I033647		0.099	0.08	0.25	60	0.14	4.28	39
I033648		0.200	0.22	0.45	85	0.10	7.52	80
I033649		0.207	0.14	0.43	90	0.10	6.07	84
I033650		0.081	0.07	0.25	74	0.08	6.61	57



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

CERTIFICATE WH10122485

Project: SQI10-06
P.O. No.: SQI10-06_22
This report is for 233 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033901		0.08	0.011	0.08	1.02	2.7	<0.2	<10	80	0.17	0.08	0.34	0.10	18.45	5.3	26
I033902		0.06	0.012	0.03	0.32	1.1	<0.2	<10	80	0.08	0.02	0.52	0.14	5.22	3.3	3
I033903		0.06	NSS	0.06	0.36	1.5	<0.2	<10	140	<0.05	0.02	0.80	0.15	8.96	2.8	4
I033904		0.20	<0.005	0.16	0.70	3.8	<0.2	<10	110	0.09	0.10	0.15	0.06	12.10	3.3	12
I033905		0.28	<0.005	0.17	2.87	6.1	<0.2	<10	310	0.40	0.10	0.30	0.13	40.3	18.7	33
I033906		0.10	0.008	0.28	1.42	3.5	<0.2	<10	280	0.19	0.13	0.37	0.14	17.60	6.9	18
I033907		0.14	0.012	0.16	1.63	3.0	<0.2	<10	110	0.14	0.12	0.20	0.10	9.62	10.2	35
I033908		0.18	0.005	0.13	2.24	2.9	<0.2	<10	260	0.38	0.10	1.83	0.32	15.25	17.2	65
I033909		0.40	0.005	0.07	2.14	6.3	<0.2	<10	250	0.39	0.14	0.77	0.21	26.8	19.9	130
I033910		0.28	<0.005	0.11	1.92	4.2	<0.2	<10	160	0.32	0.13	0.31	0.17	14.60	14.6	46
I033911		0.38	<0.005	0.07	2.40	4.2	<0.2	<10	210	0.38	0.09	0.45	0.18	16.70	19.8	62
I033912		0.24	0.005	0.11	2.22	3.3	<0.2	<10	260	0.29	0.09	1.23	0.33	14.35	15.9	63
I033913		0.28	<0.005	0.11	2.17	4.1	<0.2	<10	200	0.39	0.11	1.72	0.52	17.40	16.2	56
I033914		0.24	<0.005	0.13	1.45	3.8	<0.2	<10	220	0.28	0.08	2.23	0.18	16.70	11.3	41
I033915		0.16	<0.005	0.10	0.99	3.0	<0.2	<10	240	0.25	0.07	3.58	0.44	11.70	8.4	26
I033916		0.18	<0.005	0.11	0.71	2.7	<0.2	<10	210	0.20	0.06	3.86	1.07	10.55	6.9	19
I033917		0.38	0.016	0.12	1.81	3.4	<0.2	<10	170	0.33	0.10	1.50	0.29	18.30	12.5	52
I033918		0.22	0.006	0.16	1.79	3.3	<0.2	<10	240	0.34	0.09	2.18	0.41	16.95	15.7	45
I033919		0.22	<0.005	0.17	2.32	4.6	<0.2	<10	370	0.47	0.14	1.79	0.97	24.0	31.1	66
I033920		0.14	0.006	0.13	1.20	2.5	<0.2	<10	100	0.11	0.12	0.24	0.10	10.20	6.2	17
I033921		0.14	<0.005	0.18	1.43	2.7	<0.2	<10	140	0.13	0.13	0.27	0.11	13.40	5.7	18
I033922		0.22	<0.005	0.18	2.03	2.9	<0.2	<10	230	0.15	0.14	0.34	0.10	12.80	9.9	24
I033923		0.30	<0.005	0.22	1.54	1.9	<0.2	<10	170	0.13	0.11	0.45	0.12	9.31	10.1	29
I033924		0.16	<0.005	0.30	2.06	3.0	<0.2	<10	330	0.23	0.11	0.35	0.13	19.30	18.3	32
I033925		0.18	<0.005	0.29	2.04	3.5	<0.2	<10	470	0.26	0.10	0.69	0.12	26.8	15.4	33
I033926		0.26	<0.005	0.07	3.55	6.8	<0.2	<10	270	0.46	0.09	0.29	0.17	14.35	19.8	23
I033927		0.12	NSS	0.15	0.45	3.1	<0.2	<10	390	0.08	0.05	0.45	0.13	12.70	2.9	7
I033928		0.32	<0.005	0.10	1.35	3.7	<0.2	<10	100	0.33	0.08	1.32	0.23	24.7	16.9	28
I033929		0.28	<0.005	0.08	1.05	3.3	<0.2	<10	50	0.19	0.12	0.34	0.15	17.95	6.4	22
I033930		0.28	<0.005	0.09	1.49	3.1	<0.2	<10	80	0.36	0.10	0.60	0.13	42.6	10.7	31
I033931		0.44	<0.005	0.10	1.87	4.1	<0.2	<10	100	0.45	0.11	0.69	0.15	58.3	15.4	41
I033932		0.30	<0.005	0.10	1.54	2.6	<0.2	<10	80	0.28	0.10	0.66	0.09	36.5	9.0	34
I033933		0.42	<0.005	0.07	1.67	3.0	<0.2	<10	100	0.36	0.15	0.68	0.10	38.1	14.2	37
I033934		0.26	<0.005	0.08	1.03	2.2	<0.2	<10	60	0.17	0.09	0.29	0.07	25.8	5.1	23
I033935		0.32	<0.005	0.16	1.51	3.3	<0.2	<10	140	0.40	0.14	0.91	0.25	52.4	14.6	31
I033936		0.42	<0.005	0.11	1.79	2.7	<0.2	<10	120	0.46	0.19	0.72	0.16	50.0	15.8	41
I033937		0.30	<0.005	0.10	1.44	4.9	<0.2	<10	130	0.39	0.17	0.82	0.15	40.4	12.9	31
I033938		0.28	<0.005	0.16	1.46	4.6	<0.2	<10	140	0.40	0.15	1.00	0.15	49.1	14.0	30
I033939		0.38	<0.005	0.10	1.87	4.6	<0.2	<10	110	0.44	0.15	0.27	0.07	44.4	11.1	41
I033940		0.36	<0.005	0.14	1.67	12.8	<0.2	<10	140	0.47	0.16	0.56	0.09	43.4	12.2	32



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033901		0.79	13.7	1.69	4.07	0.05	0.03	0.10	0.014	0.05	9.5	4.1	0.38	137	0.54
I033902		0.13	8.7	0.56	0.51	<0.05	<0.02	0.13	<0.005	0.03	2.5	0.3	0.09	140	0.64
I033903		0.05	8.1	0.82	0.45	<0.05	<0.02	0.10	<0.005	0.03	4.8	0.3	0.11	101	0.62
I033904		0.75	7.6	1.18	4.18	<0.05	0.02	0.02	0.010	0.09	6.5	3.2	0.27	82	0.51
I033905		1.51	40.2	4.54	9.55	0.09	0.07	0.04	0.038	0.29	14.3	18.9	1.48	569	1.24
I033906		0.88	41.6	2.83	5.61	0.08	0.02	0.11	0.021	0.13	9.4	4.8	0.57	171	1.16
I033907		1.56	32.3	2.64	7.69	0.05	0.03	0.04	0.016	0.16	4.9	6.3	0.87	235	1.06
I033908		1.39	73.1	3.15	6.65	0.08	0.06	0.04	0.021	0.15	8.2	16.1	1.24	509	0.98
I033909		1.84	33.2	3.60	8.45	0.09	0.05	0.02	0.028	0.24	14.2	16.0	1.40	560	0.75
I033910		0.81	33.9	3.02	7.32	0.05	0.03	0.02	0.045	0.08	8.3	12.3	0.84	427	1.21
I033911		1.00	51.2	3.71	8.07	0.07	0.03	0.02	0.021	0.13	9.2	15.0	1.24	537	1.26
I033912		0.91	42.7	3.22	7.17	0.06	0.07	0.03	0.021	0.06	8.7	12.1	1.17	390	0.62
I033913		1.17	68.4	3.42	7.35	0.07	0.05	0.03	0.029	0.10	10.3	11.6	1.14	566	0.70
I033914		0.63	40.3	2.14	4.70	0.06	0.07	0.05	0.018	0.07	8.3	8.3	0.73	505	0.93
I033915		0.54	47.6	1.61	3.16	0.05	0.06	0.06	0.014	0.07	6.3	5.6	0.53	412	0.70
I033916		0.39	44.2	1.10	2.19	0.05	0.05	0.07	0.010	0.06	5.6	4.0	0.37	398	0.67
I033917		0.92	47.7	2.44	5.98	0.07	0.08	0.05	0.022	0.15	9.0	11.5	1.01	277	0.61
I033918		1.23	71.2	2.58	5.45	0.08	0.06	0.04	0.018	0.14	8.8	11.8	0.91	644	0.68
I033919		1.56	65.7	3.37	6.82	0.08	0.05	0.05	0.026	0.18	11.1	19.6	1.09	1860	1.25
I033920		0.69	32.6	2.19	5.17	0.06	<0.02	0.06	0.016	0.09	5.2	4.2	0.47	162	1.04
I033921		0.86	34.4	2.30	6.04	0.06	0.02	0.06	0.018	0.11	7.3	5.4	0.62	153	0.91
I033922		1.50	38.7	2.88	9.25	0.07	0.03	0.02	0.023	0.28	6.7	8.4	1.03	247	1.17
I033923		2.03	29.0	2.71	8.51	0.06	<0.02	0.02	0.017	0.37	5.0	7.9	1.01	274	1.23
I033924		1.66	40.3	3.61	8.11	0.08	0.03	0.06	0.024	0.35	12.5	10.9	1.12	730	1.13
I033925		1.60	36.3	3.18	7.95	0.09	0.04	0.04	0.022	0.24	17.7	13.3	1.15	344	0.69
I033926		1.27	27.6	4.99	11.00	0.09	0.06	0.02	0.031	0.71	6.9	21.1	1.90	555	1.01
I033927		0.13	13.3	1.52	0.89	<0.05	<0.02	0.10	0.009	0.03	7.1	0.5	0.07	143	0.81
I033928		0.81	18.3	2.49	4.18	0.06	0.05	0.04	0.018	0.08	11.6	7.7	0.50	1180	0.81
I033929		0.71	13.4	2.15	5.48	<0.05	0.02	0.07	0.017	0.06	10.6	7.7	0.32	275	1.00
I033930		1.52	23.9	2.58	5.75	0.08	0.03	0.04	0.022	0.10	27.2	9.5	0.53	309	0.61
I033931		1.55	30.4	3.35	6.44	0.10	0.04	0.03	0.025	0.14	37.0	12.7	0.75	469	0.66
I033932		1.39	21.6	2.52	5.78	0.07	0.03	0.03	0.020	0.08	22.0	9.5	0.57	214	0.68
I033933		1.54	19.9	3.01	5.87	0.07	0.03	0.03	0.023	0.13	20.5	10.4	0.68	458	0.64
I033934		1.33	12.6	1.77	4.48	0.05	<0.02	0.05	0.014	0.05	12.6	4.5	0.32	110	0.58
I033935		2.15	25.8	2.56	5.35	0.08	0.04	0.06	0.023	0.07	28.5	9.1	0.52	798	0.96
I033936		3.69	29.0	3.14	6.07	0.09	0.03	0.04	0.028	0.19	25.4	13.5	0.75	780	0.87
I033937		3.42	26.0	2.80	5.12	0.08	0.05	0.04	0.026	0.11	21.1	12.1	0.49	569	0.78
I033938		3.69	24.9	2.66	4.84	0.10	0.05	0.07	0.026	0.11	31.2	13.5	0.51	762	0.92
I033939		3.32	21.6	3.05	6.97	0.09	0.04	0.02	0.026	0.29	24.9	16.2	0.74	263	0.70
I033940		5.26	26.1	3.05	5.16	0.11	0.05	0.04	0.030	0.10	32.2	15.8	0.54	298	0.99



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I033901		0.91	13.3	650	4.8	13.1	<0.001	0.09	0.24	2.2	0.6	0.3	20.7	0.01	0.02	0.3
I033902		0.12	5.6	720	1.2	1.3	<0.001	0.11	0.25	1.2	0.5	<0.2	30.1	<0.01	0.01	0.2
I033903		0.28	3.6	660	3.0	0.8	0.001	0.07	0.22	1.2	1.3	<0.2	30.7	0.01	0.01	0.3
I033904		0.97	5.5	210	7.8	14.6	<0.001	0.02	0.10	2.2	0.2	0.3	12.3	<0.01	0.01	1.1
I033905		1.75	19.4	400	6.8	26.9	<0.001	0.02	0.18	9.6	0.5	0.5	18.0	<0.01	0.02	3.1
I033906		0.95	10.7	620	4.1	15.6	<0.001	0.18	0.19	4.8	1.9	0.4	30.8	<0.01	0.16	0.5
I033907		1.03	17.3	490	4.8	16.6	<0.001	0.06	0.15	4.0	0.7	0.4	17.4	<0.01	0.08	0.3
I033908		1.15	35.6	570	8.1	24.3	<0.001	0.06	0.21	6.7	0.7	0.3	42.9	<0.01	0.03	0.8
I033909		1.49	56.8	620	9.4	48.5	<0.001	0.01	0.31	6.5	0.4	0.6	36.5	<0.01	0.02	4.7
I033910		1.24	23.5	370	7.6	11.3	<0.001	0.01	0.26	4.3	0.3	0.5	20.6	<0.01	0.03	1.1
I033911		1.32	33.6	530	8.7	17.4	<0.001	0.01	0.26	5.6	0.3	0.5	27.1	<0.01	0.03	1.6
I033912		1.25	33.1	470	4.8	10.6	<0.001	0.03	0.28	6.6	0.6	0.4	41.5	<0.01	0.03	1.2
I033913		1.13	31.9	670	5.7	14.2	<0.001	0.04	0.31	7.9	0.9	0.4	53.6	<0.01	0.03	1.0
I033914		1.06	22.8	730	5.3	11.3	<0.001	0.10	0.34	3.7	1.0	0.3	54.2	<0.01	0.04	0.6
I033915		0.67	18.6	740	4.1	8.8	<0.001	0.16	0.47	2.7	1.3	0.2	71.2	<0.01	0.04	0.3
I033916		0.52	15.0	830	6.1	6.2	0.001	0.18	0.37	1.6	1.1	0.2	74.3	<0.01	0.03	0.2
I033917		1.30	28.0	650	10.4	17.8	<0.001	0.06	0.40	5.5	0.8	0.4	46.7	<0.01	0.04	1.5
I033918		0.99	27.0	750	6.8	22.0	<0.001	0.07	0.23	5.3	0.9	0.3	43.4	<0.01	0.03	0.6
I033919		1.16	41.4	630	11.1	32.9	0.001	0.07	0.23	6.2	0.9	0.4	43.4	<0.01	0.04	0.8
I033920		0.70	9.2	490	4.4	8.4	<0.001	0.11	0.19	3.7	1.6	0.4	20.4	<0.01	0.12	0.2
I033921		0.88	9.5	470	4.3	12.4	0.001	0.15	0.15	4.1	1.6	0.4	24.2	<0.01	0.14	0.4
I033922		1.36	12.7	400	4.9	26.1	<0.001	0.15	0.14	6.8	1.1	0.5	30.4	<0.01	0.13	0.8
I033923		0.89	11.6	550	4.6	22.8	0.001	0.13	0.12	4.4	0.6	0.4	23.5	<0.01	0.05	0.5
I033924		1.28	13.3	610	4.3	27.5	<0.001	0.18	0.17	7.2	1.0	0.4	25.1	<0.01	0.06	1.1
I033925		1.65	18.1	330	4.1	30.2	<0.001	0.04	0.18	6.9	0.6	0.4	32.7	<0.01	0.03	1.7
I033926		1.97	18.9	490	4.7	36.1	<0.001	0.02	0.25	10.4	0.4	0.5	18.9	<0.01	0.02	2.3
I033927		0.30	4.7	1110	3.7	1.4	<0.001	0.16	0.21	1.2	0.7	0.2	22.4	<0.01	0.03	<0.2
I033928		1.07	21.6	660	5.3	14.1	<0.001	0.09	0.29	3.7	0.7	0.3	61.7	<0.01	0.02	1.4
I033929		0.87	15.9	500	5.7	9.8	<0.001	0.04	0.27	2.0	0.3	0.4	20.7	<0.01	0.02	0.5
I033930		0.95	29.6	560	8.0	19.8	<0.001	0.03	0.20	4.0	0.5	0.4	38.8	<0.01	0.02	3.0
I033931		1.12	41.3	690	10.2	22.1	<0.001	0.03	0.22	5.1	0.5	0.4	43.9	<0.01	0.02	4.7
I033932		0.96	28.7	510	6.1	13.7	<0.001	0.05	0.21	4.2	0.5	0.4	38.6	<0.01	0.03	2.5
I033933		1.12	30.8	590	16.1	22.0	<0.001	0.04	0.18	4.5	0.5	0.4	48.6	<0.01	0.01	3.5
I033934		0.72	15.5	590	6.8	11.6	<0.001	0.06	0.18	2.2	0.5	0.4	31.4	<0.01	0.01	0.4
I033935		0.89	27.6	920	10.7	16.1	<0.001	0.08	0.26	3.7	0.8	0.4	58.4	<0.01	0.02	1.3
I033936		1.13	40.6	790	20.0	31.1	<0.001	0.03	0.23	5.6	0.7	0.5	47.2	<0.01	0.04	5.6
I033937		1.01	27.2	760	15.0	24.1	<0.001	0.05	0.19	4.4	0.9	0.5	61.7	0.01	0.03	3.1
I033938		0.93	30.1	760	17.8	21.2	0.001	0.06	0.25	4.7	1.1	0.4	65.9	0.01	0.03	3.1
I033939		1.35	34.1	580	11.4	32.7	<0.001	0.01	0.16	4.1	0.5	0.6	25.5	<0.01	0.03	4.7
I033940		1.11	33.5	500	12.4	20.6	0.001	0.02	0.49	5.5	0.8	0.4	38.8	0.01	0.03	6.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033901		0.067	0.09	0.52	26	0.11	4.69	36	0.8
I033902		0.011	0.04	0.09	12	<0.05	2.27	29	0.5
I033903		0.014	<0.02	0.22	6	<0.05	3.05	29	<0.5
I033904		0.077	0.09	0.32	32	0.06	1.77	28	0.6
I033905		0.193	0.17	0.72	102	0.13	11.85	98	2.3
I033906		0.080	0.12	0.75	58	0.07	7.44	44	0.8
I033907		0.138	0.12	0.39	64	0.08	3.66	61	0.8
I033908		0.129	0.14	0.55	70	0.09	11.55	97	2.1
I033909		0.127	0.23	0.67	81	0.17	7.70	73	2.0
I033910		0.123	0.09	0.45	80	0.13	3.81	61	1.0
I033911		0.154	0.09	0.46	90	0.15	4.82	87	1.4
I033912		0.131	0.07	0.71	84	0.12	8.44	60	2.7
I033913		0.104	0.07	0.46	82	0.10	13.70	82	1.8
I033914		0.074	0.08	0.70	49	0.06	7.59	49	2.8
I033915		0.049	0.07	0.79	36	0.08	7.34	42	2.3
I033916		0.031	0.05	0.49	24	0.06	6.59	56	2.1
I033917		0.120	0.09	0.67	64	0.10	7.65	71	3.4
I033918		0.101	0.13	0.93	61	0.07	12.90	85	2.1
I033919		0.134	0.14	0.75	76	0.09	16.90	182	1.8
I033920		0.069	0.08	0.43	45	0.19	4.38	41	0.5
I033921		0.083	0.10	0.51	47	0.07	4.68	45	0.6
I033922		0.147	0.18	0.46	75	0.07	4.75	68	1.0
I033923		0.151	0.12	0.45	82	0.08	2.83	78	0.6
I033924		0.135	0.15	0.93	97	0.09	8.10	67	1.0
I033925		0.157	0.14	0.76	84	0.08	9.17	54	1.5
I033926		0.203	0.16	0.59	127	0.09	3.17	80	2.3
I033927		0.025	0.02	0.65	13	<0.05	4.06	17	<0.5
I033928		0.080	0.11	0.87	45	0.16	7.19	61	2.0
I033929		0.066	0.07	0.36	50	0.09	3.27	45	0.6
I033930		0.068	0.12	0.67	45	0.12	9.36	56	0.9
I033931		0.084	0.14	0.88	52	0.11	13.40	72	1.2
I033932		0.066	0.11	0.65	43	0.10	7.43	52	0.9
I033933		0.084	0.13	0.72	49	0.12	7.89	62	1.2
I033934		0.049	0.09	0.66	23	0.07	4.10	32	<0.5
I033935		0.067	0.15	1.31	45	0.10	13.25	60	1.0
I033936		0.087	0.20	1.38	54	0.36	10.50	80	1.3
I033937		0.066	0.16	1.60	49	0.17	9.35	59	1.3
I033938		0.060	0.19	2.44	44	0.15	14.40	63	1.3
I033939		0.091	0.26	0.83	50	0.13	9.11	48	1.3
I033940		0.058	0.16	1.51	45	0.17	15.20	49	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033941		0.24	<0.005	0.07	1.41	4.3	<0.2	<10	90	0.38	0.14	1.17	0.24	36.5	12.3	31
I033942		0.24	<0.005	0.06	1.76	4.6	<0.2	<10	140	0.35	0.14	0.94	0.12	34.6	15.2	32
I033943		0.18	<0.005	0.12	1.84	5.0	<0.2	<10	170	0.57	0.14	1.29	0.18	61.6	12.6	32
I033944		0.26	<0.005	0.08	1.54	4.5	<0.2	<10	130	0.33	0.14	0.89	0.18	29.4	10.4	33
I033945		0.26	<0.005	0.13	1.38	4.9	<0.2	<10	100	0.27	0.15	0.52	0.26	24.2	8.6	29
I033946		0.24	<0.005	0.18	1.57	6.5	<0.2	<10	130	0.40	0.15	0.74	0.12	45.4	8.1	30
I033947		0.16	<0.005	0.19	1.59	7.5	<0.2	<10	120	0.61	0.13	1.38	0.22	47.0	11.6	33
I033948		0.20	<0.005	0.10	1.15	14.0	<0.2	<10	80	0.38	0.07	1.93	0.32	18.95	9.0	26
I033949		0.26	0.005	0.22	1.81	63.0	<0.2	<10	110	0.45	0.14	1.32	0.34	23.7	15.8	34
I033950		0.24	<0.005	0.20	1.12	14.1	<0.2	<10	60	0.21	0.31	0.29	0.15	18.50	5.1	24
I033951		0.26	<0.005	0.08	1.20	3.9	<0.2	<10	120	0.26	0.25	0.58	0.10	37.0	6.7	25
I033952		0.18	<0.005	0.12	0.63	3.2	<0.2	<10	70	0.23	0.13	0.18	0.16	30.1	3.9	13
I033953		0.14	<0.005	0.04	0.40	4.0	<0.2	<10	20	0.05	0.22	0.07	0.13	17.70	2.4	11
I033954		0.38	<0.005	0.01	1.84	5.3	<0.2	<10	60	0.35	0.23	0.09	0.08	36.7	8.1	29
I033955		0.36	<0.005	0.02	1.63	6.6	<0.2	<10	110	0.29	0.23	0.12	0.09	44.0	9.1	31
I033956		0.72	<0.005	0.11	1.88	6.0	<0.2	<10	200	0.35	0.21	0.52	0.10	50.0	10.6	36
I033957		0.30	<0.005	0.17	1.02	3.3	<0.2	<10	110	0.27	0.20	0.66	0.11	43.7	5.6	17
I033958		0.48	<0.005	0.06	1.99	1.2	<0.2	<10	50	0.56	0.58	0.14	0.05	147.0	14.8	28
I033959		0.32	0.100	0.07	2.11	12.9	<0.2	<10	120	0.31	0.30	0.11	0.09	30.1	8.0	36
I033960		0.32	<0.005	0.05	1.42	9.5	<0.2	<10	80	0.23	0.25	0.12	0.08	23.4	5.8	26
I033961		0.44	0.005	0.08	1.85	5.8	<0.2	<10	190	0.37	0.19	0.42	0.06	42.4	9.4	32
I033962		0.48	<0.005	0.08	2.00	5.0	<0.2	<10	210	0.36	0.19	0.55	0.09	30.5	13.1	30
I033963		0.34	<0.005	0.07	0.83	5.9	<0.2	<10	60	0.13	0.30	0.07	0.08	25.1	4.1	16
I033964		0.42	<0.005	0.16	1.67	4.8	<0.2	<10	120	0.35	0.28	0.42	0.17	43.1	8.9	30
I033965		0.58	<0.005	0.04	1.97	6.9	<0.2	<10	140	0.41	0.22	0.22	0.08	46.1	8.8	30
I033966		0.44	<0.005	0.06	1.82	5.2	<0.2	<10	140	0.49	0.25	0.26	0.11	49.7	13.3	36
I033967		0.30	0.006	0.29	1.40	9.8	<0.2	<10	160	0.26	0.18	0.25	1.10	22.0	4.7	47
I033968		0.32	<0.005	0.17	1.66	8.1	<0.2	<10	160	0.26	0.17	0.39	0.32	24.8	9.5	33
I033969		0.26	0.005	0.13	1.47	5.2	<0.2	<10	300	0.32	0.18	0.46	0.29	31.1	7.5	26
I033970		0.26	0.006	0.38	1.67	9.7	<0.2	<10	570	0.47	0.19	1.25	0.43	62.0	14.2	33
I033971		0.18	0.006	0.33	1.66	10.3	<0.2	<10	380	0.79	0.19	0.84	0.42	112.5	13.0	26
I033972		0.56	0.007	0.16	2.24	10.1	<0.2	<10	350	0.66	0.16	0.66	0.25	39.7	21.1	35
I033973		0.20	0.007	0.20	1.41	5.1	<0.2	<10	340	0.42	0.54	1.22	0.31	46.5	11.9	24
I033974		0.40	0.006	0.15	1.76	5.4	<0.2	<10	260	0.28	0.20	0.21	0.12	15.90	13.4	24
I033975		0.36	0.006	0.12	2.26	4.5	<0.2	<10	320	0.40	0.18	0.40	0.17	33.1	25.3	21
I033976		0.62	0.005	0.29	2.82	2.4	<0.2	<10	720	0.56	0.13	0.74	0.15	45.0	30.9	35
I033977		0.58	0.006	0.11	1.95	6.0	<0.2	<10	260	0.29	0.13	0.51	0.12	19.15	23.0	27
I033978		0.62	0.005	0.06	1.63	4.1	<0.2	<10	350	0.13	0.12	0.40	0.11	15.05	17.6	21
I033979		0.42	0.006	0.22	1.67	3.5	<0.2	<10	310	0.36	0.72	0.36	0.24	32.0	10.2	19
I033980		0.62	0.005	0.21	1.66	4.0	<0.2	<10	220	0.31	0.46	0.36	0.31	32.6	9.1	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033941		1.86	32.8	2.35	4.60	0.08	0.04	0.04	0.024	0.06	22.0	11.7	0.47	457	0.89
I033942		1.50	26.2	2.76	5.16	0.08	0.06	0.03	0.023	0.05	19.2	14.5	0.53	416	0.73
I033943		1.45	34.4	2.57	4.96	0.14	0.09	0.05	0.025	0.06	50.5	17.5	0.46	509	0.80
I033944		1.39	27.0	2.42	4.81	0.07	0.05	0.04	0.021	0.06	18.9	13.1	0.50	349	0.77
I033945		0.90	27.0	2.42	4.97	0.07	0.03	0.05	0.020	0.08	16.1	12.2	0.44	245	0.97
I033946		1.36	34.4	2.42	5.50	0.09	0.04	0.04	0.023	0.07	33.4	12.0	0.47	187	0.93
I033947		1.97	39.5	2.66	4.68	0.10	0.06	0.06	0.023	0.09	32.9	12.2	0.45	557	1.05
I033948		2.75	24.9	2.05	3.53	0.06	0.06	0.04	0.017	0.11	11.4	11.7	0.46	311	0.54
I033949		3.95	34.9	2.71	5.59	0.07	0.04	0.05	0.028	0.08	15.8	17.5	0.63	457	1.32
I033950		3.57	12.7	1.70	4.95	0.05	0.02	0.04	0.017	0.06	10.1	8.2	0.37	227	0.60
I033951		1.84	22.2	2.35	6.30	0.08	0.03	0.03	0.020	0.09	20.3	9.8	0.39	176	0.68
I033952		0.78	21.8	1.26	2.66	0.05	<0.02	0.08	0.014	0.05	18.4	2.8	0.12	147	0.89
I033953		0.94	13.7	1.19	4.12	<0.05	<0.02	0.03	0.010	0.04	8.6	1.3	0.07	77	1.22
I033954		2.24	19.0	3.76	5.63	0.07	0.04	0.02	0.029	0.30	10.9	16.7	0.51	279	0.68
I033955		1.30	24.1	3.36	6.19	0.07	0.04	0.02	0.027	0.14	15.2	12.9	0.44	385	0.94
I033956		1.23	29.9	3.09	5.86	0.11	0.09	0.03	0.030	0.09	29.6	16.7	0.61	651	0.55
I033957		1.15	19.2	1.83	4.57	0.13	0.05	0.03	0.017	0.07	53.7	6.8	0.21	298	0.65
I033958		3.62	43.2	4.51	5.42	0.14	0.12	0.01	0.027	0.62	31.6	18.6	0.85	739	0.43
I033959		1.58	18.1	4.52	9.55	0.08	0.08	0.01	0.032	0.07	13.6	17.2	0.48	387	1.75
I033960		1.11	16.3	3.00	7.62	0.06	0.03	0.03	0.023	0.07	10.7	11.8	0.36	168	1.32
I033961		1.14	23.5	2.74	5.59	0.09	0.06	0.04	0.024	0.08	23.3	15.1	0.61	359	0.48
I033962		1.58	20.4	3.18	6.52	0.09	0.07	0.04	0.026	0.15	17.4	24.4	0.80	435	0.51
I033963		0.87	19.1	2.37	7.55	0.05	0.03	0.02	0.015	0.04	11.0	3.1	0.11	148	1.63
I033964		1.80	19.2	2.58	5.52	0.10	0.04	0.02	0.024	0.10	24.4	16.0	0.62	198	0.41
I033965		1.56	24.7	2.90	5.76	0.09	0.04	0.03	0.026	0.11	20.8	13.4	0.56	153	0.51
I033966		2.73	24.8	3.43	5.75	0.10	0.03	0.02	0.032	0.11	23.2	11.3	0.58	432	0.81
I033967		1.02	33.8	2.77	7.01	0.08	0.03	0.02	0.024	0.20	13.7	7.0	0.65	214	6.96
I033968		1.30	22.5	3.10	6.61	0.08	0.04	0.02	0.029	0.14	12.8	11.7	0.67	384	2.73
I033969		1.15	22.8	2.73	7.00	0.08	0.05	0.03	0.028	0.09	18.7	9.0	0.50	742	1.65
I033970		2.10	84.1	3.41	6.29	0.16	0.10	0.04	0.046	0.13	36.5	12.7	0.92	1380	2.21
I033971		1.48	46.5	2.80	5.82	0.19	0.07	0.08	0.031	0.09	69.7	12.0	0.49	399	1.23
I033972		4.12	30.6	4.67	7.83	0.13	0.07	0.02	0.040	0.22	19.6	19.7	1.35	866	1.20
I033973		1.97	28.8	2.85	4.72	0.10	0.06	0.05	0.024	0.18	29.3	10.5	0.60	681	1.41
I033974		0.62	18.1	3.11	6.21	0.05	0.02	0.01	0.021	0.14	6.7	9.8	0.54	453	1.47
I033975		2.08	81.2	4.59	7.80	0.10	0.04	0.03	0.025	0.50	17.6	19.0	1.14	453	1.45
I033976		5.43	102.0	5.30	8.94	0.18	0.06	0.03	0.029	0.82	38.9	15.6	1.67	587	1.78
I033977		2.25	54.0	3.93	7.23	0.09	0.03	0.02	0.022	0.26	9.2	18.0	0.97	452	0.90
I033978		1.76	52.0	3.02	7.82	0.07	0.02	0.01	0.015	0.22	7.6	9.9	0.91	243	0.69
I033979		2.33	41.9	3.24	5.70	0.09	0.03	0.03	0.020	0.33	20.3	12.0	0.76	408	1.73
I033980		1.89	22.0	2.69	6.08	0.08	0.03	0.05	0.019	0.23	20.3	12.2	0.81	464	1.99



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033941		0.93	25.4	600	8.3	11.7	0.001	0.05	0.30	3.7	0.8	0.4	68.8	0.01	0.03
I033942		1.32	28.9	390	9.2	11.6	<0.001	0.04	0.20	4.5	0.7	0.4	67.1	<0.01	0.03
I033943		1.17	32.2	490	9.4	11.5	0.001	0.06	0.30	5.3	1.2	0.4	88.3	0.01	0.03
I033944		1.16	26.6	460	9.2	13.0	<0.001	0.04	0.23	4.2	0.8	0.4	62.8	0.01	0.02
I033945		1.05	26.4	380	8.0	12.3	<0.001	0.03	0.23	3.5	0.6	0.4	38.1	<0.01	0.03
I033946		1.10	28.9	520	11.0	10.6	0.001	0.05	0.30	4.2	0.8	0.4	47.3	0.01	0.02
I033947		1.18	38.5	560	10.7	14.0	0.001	0.05	0.52	4.6	1.0	0.3	83.7	0.01	0.03
I033948		1.01	25.6	500	8.2	19.3	0.001	0.07	0.96	3.5	0.8	0.3	95.5	0.01	0.03
I033949		1.05	25.2	690	12.2	13.9	0.002	0.09	7.12	4.8	1.0	0.4	67.5	<0.01	0.03
I033950		0.85	13.8	630	22.0	12.3	<0.001	0.05	0.86	2.4	0.6	0.5	23.2	<0.01	0.02
I033951		1.67	18.1	550	12.7	21.3	<0.001	0.03	0.21	2.5	0.7	0.6	24.1	0.01	0.02
I033952		0.37	9.3	590	7.0	8.1	<0.001	0.04	0.23	0.9	0.6	0.3	15.4	<0.01	0.02
I033953		0.79	8.1	340	6.5	6.3	<0.001	0.02	0.39	0.8	0.4	0.5	9.4	<0.01	0.03
I033954		3.05	21.7	360	12.5	36.1	<0.001	0.01	0.23	3.2	0.7	0.5	8.9	0.01	0.03
I033955		1.91	25.6	290	13.9	20.2	<0.001	0.01	0.32	3.5	0.5	0.5	12.4	<0.01	0.03
I033956		1.79	26.7	800	10.3	17.7	<0.001	0.01	0.56	6.6	0.7	0.5	31.2	0.01	0.02
I033957		0.98	12.1	590	10.6	17.7	<0.001	0.04	0.21	1.8	0.9	0.4	27.9	0.01	0.02
I033958		2.30	41.0	520	22.3	95.5	0.001	<0.01	0.06	3.3	0.9	0.4	7.6	0.01	0.04
I033959		2.41	19.4	300	14.7	18.8	<0.001	<0.01	0.58	4.0	0.4	0.8	14.1	<0.01	0.04
I033960		1.76	17.1	290	12.6	15.0	<0.001	0.01	0.40	2.5	0.5	0.6	13.3	<0.01	0.03
I033961		1.59	24.1	760	9.7	16.0	<0.001	0.01	0.30	5.5	0.6	0.5	27.2	0.01	0.02
I033962		1.65	24.8	990	11.5	25.9	<0.001	0.01	0.30	5.7	0.6	0.5	28.6	<0.01	0.02
I033963		1.78	13.3	310	11.8	9.5	<0.001	0.01	0.49	1.7	0.5	0.7	10.1	<0.01	0.03
I033964		2.05	22.2	940	18.5	21.6	<0.001	0.02	0.24	3.7	0.5	0.5	26.0	<0.01	0.02
I033965		1.70	23.5	590	11.1	19.4	<0.001	0.01	0.32	4.0	0.7	0.5	18.2	0.01	0.02
I033966		1.81	30.7	640	16.1	21.8	<0.001	0.01	0.24	4.8	0.6	0.5	19.4	0.01	0.03
I033967		1.65	21.4	440	16.5	22.6	0.001	0.13	0.27	3.8	1.8	0.5	34.4	<0.01	0.06
I033968		1.72	19.3	440	10.1	20.1	<0.001	0.02	0.33	4.9	1.0	0.5	23.0	<0.01	0.04
I033969		1.46	15.9	330	8.5	12.0	<0.001	0.01	0.25	5.2	0.6	0.5	28.5	0.01	0.03
I033970		1.55	22.6	890	9.5	20.3	0.001	0.05	0.39	10.1	2.0	0.6	50.8	0.02	0.04
I033971		1.11	27.0	680	12.4	13.8	0.001	0.05	0.33	5.2	1.6	0.4	45.9	0.01	0.04
I033972		1.10	24.2	710	12.7	25.3	<0.001	0.01	0.22	15.6	0.7	0.4	27.5	0.01	0.04
I033973		1.53	17.4	620	19.2	20.2	<0.001	0.07	0.28	5.3	1.0	0.4	39.7	0.01	0.07
I033974		2.12	15.4	250	13.2	8.6	<0.001	0.02	0.34	2.9	0.3	0.6	21.1	<0.01	0.04
I033975		2.59	16.8	1280	12.8	36.0	<0.001	0.08	0.18	4.7	0.8	0.6	40.0	0.01	0.09
I033976		1.69	17.3	1960	10.9	48.2	<0.001	0.05	0.13	9.1	1.1	0.6	40.7	0.01	0.06
I033977		1.42	22.2	1190	8.3	20.5	<0.001	0.02	0.18	5.8	0.5	0.6	27.5	<0.01	0.03
I033978		0.85	16.8	700	6.9	19.1	<0.001	0.03	0.14	3.4	0.5	0.5	22.7	<0.01	0.02
I033979		1.88	13.1	750	25.7	26.4	<0.001	0.04	0.19	3.5	0.6	0.5	22.0	<0.01	0.06
I033980		2.04	16.9	520	19.6	24.8	<0.001	0.05	0.17	3.4	0.6	0.5	25.0	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033941		0.054	0.10	1.83	39	0.18	9.17	37
I033942		0.066	0.11	1.30	47	0.17	7.02	42
I033943		0.053	0.10	2.66	41	0.15	22.4	38
I033944		0.062	0.09	1.36	43	0.14	7.74	38
I033945		0.065	0.07	0.95	48	0.24	5.64	38
I033946		0.057	0.08	1.64	41	0.16	9.72	36
I033947		0.063	0.10	2.22	43	0.21	15.20	43
I033948		0.055	0.11	0.89	32	0.09	6.78	52
I033949		0.057	0.13	3.78	45	0.13	7.25	87
I033950		0.070	0.14	1.66	36	0.19	3.99	40
I033951		0.092	0.18	1.74	43	0.15	8.12	38
I033952		0.030	0.07	0.88	22	0.11	5.17	22
I033953		0.053	0.09	0.64	41	0.11	2.42	25
I033954		0.119	0.29	1.07	41	0.13	6.98	58
I033955		0.106	0.19	1.02	54	0.15	6.27	54
I033956		0.112	0.17	1.89	49	0.15	13.70	64
I033957		0.062	0.12	1.32	34	0.19	18.80	26
I033958		0.190	0.80	2.15	23	0.07	18.20	76
I033959		0.106	0.16	0.64	88	0.18	3.83	54
I033960		0.098	0.13	0.73	68	0.17	3.71	37
I033961		0.103	0.16	1.03	49	0.17	10.70	47
I033962		0.131	0.23	1.05	61	0.16	8.35	62
I033963		0.093	0.10	0.69	71	0.12	3.07	37
I033964		0.102	0.19	1.23	46	0.18	8.27	63
I033965		0.088	0.19	1.25	49	0.27	9.02	47
I033966		0.084	0.23	1.34	53	0.12	8.60	60
I033967		0.089	0.21	1.28	110	0.18	5.72	113
I033968		0.087	0.10	0.74	64	0.18	6.90	83
I033969		0.073	0.07	0.88	59	0.20	10.10	59
I033970		0.097	0.11	4.06	72	0.18	30.3	89
I033971		0.060	0.09	3.01	50	0.18	28.8	57
I033972		0.099	0.15	1.36	86	0.21	11.65	96
I033973		0.068	0.13	1.82	45	0.17	16.20	95
I033974		0.099	0.09	0.46	66	0.15	2.33	57
I033975		0.214	0.23	1.38	103	0.14	6.73	110
I033976		0.232	0.32	1.60	134	0.12	15.45	135
I033977		0.157	0.14	0.72	112	0.16	4.68	80
I033978		0.158	0.13	0.56	102	0.24	3.80	52
I033979		0.101	0.21	1.09	49	0.14	8.02	118
I033980		0.095	0.17	1.20	43	0.40	8.97	134



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033981		0.38	0.006	0.20	1.66	6.6	<0.2	<10	290	0.32	0.32	0.78	0.60	30.8	13.3	26
I033982		0.56	0.006	0.25	1.73	4.5	<0.2	<10	290	0.40	0.40	0.77	0.73	45.7	13.3	32
I033983		0.54	0.008	0.06	2.59	7.0	<0.2	<10	260	0.78	0.14	0.33	0.09	65.0	24.5	57
I033984		0.64	0.010	0.06	2.01	5.1	<0.2	<10	200	0.40	0.11	0.35	0.06	27.9	13.7	46
I033985		0.48	0.007	0.09	2.07	8.9	<0.2	<10	130	0.39	0.16	0.29	0.10	25.8	11.6	36
I033986		0.66	0.018	0.45	1.94	107.0	<0.2	<10	160	0.56	1.52	0.32	0.25	24.5	17.2	30
I033987		0.60	0.022	0.52	2.95	37.9	<0.2	<10	160	0.63	0.34	0.45	0.30	24.8	21.0	65
I033988		0.42	<0.005	0.10	1.80	10.8	<0.2	<10	100	0.22	0.18	0.32	0.13	14.45	9.8	30
I033989		0.56	0.012	0.39	2.06	96.9	<0.2	<10	110	0.72	0.16	0.41	0.40	30.5	14.6	35
I033990		0.40	0.006	0.07	1.61	6.4	<0.2	<10	420	0.49	0.14	0.73	0.34	27.4	13.7	23
I033991		0.52	0.006	0.13	1.99	21.4	<0.2	<10	90	0.65	0.18	0.29	0.17	26.1	16.7	33
I033992		1.00	0.005	0.05	2.15	4.6	<0.2	<10	100	0.88	0.06	0.61	0.06	21.2	23.3	21
I033993		0.54	0.007	0.06	1.19	11.5	<0.2	<10	50	0.20	0.22	0.24	0.10	19.15	8.9	28
I033994		0.68	0.005	0.09	2.25	8.8	<0.2	<10	150	0.53	0.17	0.33	0.07	39.0	13.4	38
I033995		0.56	0.008	0.03	2.45	8.8	<0.2	<10	90	0.41	0.12	0.22	0.11	26.7	17.3	81
I033996		0.16	NSS	0.03	0.27	12.8	<0.2	<10	70	0.28	0.04	0.51	0.20	23.7	10.8	10
I033997		0.52	0.007	0.07	3.13	12.8	<0.2	<10	210	0.52	0.14	0.25	0.08	19.05	18.8	43
I033998		0.50	0.014	0.07	2.26	11.7	<0.2	<10	130	0.67	0.14	0.40	0.07	24.4	17.0	36
I033999		0.64	0.007	0.10	1.85	4.9	<0.2	<10	130	0.56	0.13	0.35	0.07	29.8	17.3	38
I034000		0.68	0.008	0.08	2.05	5.9	<0.2	<10	90	0.65	0.18	0.40	0.12	27.8	20.8	52
I314851		0.40	0.005	0.08	1.99	8.5	<0.2	<10	180	0.45	0.19	0.14	0.06	19.70	8.9	30
I314852		0.40	<0.005	0.06	1.99	5.5	<0.2	<10	70	0.30	0.08	0.09	0.05	11.70	9.5	15
I314853		0.44	<0.005	0.11	1.82	7.0	<0.2	<10	100	0.24	0.12	0.09	0.04	13.15	9.1	20
I314854		0.32	0.007	0.19	1.65	13.7	<0.2	<10	100	0.30	0.26	0.09	0.08	17.75	5.8	32
I314855		0.34	<0.005	0.10	1.71	4.0	<0.2	<10	100	0.17	0.13	0.23	0.06	14.35	6.3	16
I314856		0.38	0.008	0.13	1.64	6.3	<0.2	<10	230	0.84	0.18	0.13	0.05	34.5	8.1	23
I314857		0.44	0.007	0.14	1.93	12.0	<0.2	<10	90	0.30	0.23	0.09	0.06	21.2	5.5	28
I314858		0.34	<0.005	0.09	1.64	6.0	<0.2	<10	200	0.30	0.18	0.23	0.15	16.60	7.8	25
I314859		0.44	<0.005	0.06	1.79	6.3	<0.2	<10	150	0.30	0.17	0.17	0.07	15.70	7.3	23
I314860		0.32	0.005	0.22	1.77	8.5	<0.2	<10	160	0.39	0.19	0.12	0.08	17.55	6.6	27
I314861		0.32	0.006	0.21	1.64	7.3	<0.2	<10	160	0.36	0.18	0.11	0.10	18.20	6.3	23
I314862		0.40	0.005	0.15	1.73	4.5	<0.2	<10	180	0.39	0.17	0.22	0.06	17.55	10.2	23
I314863		0.40	0.006	0.11	1.84	5.8	<0.2	<10	140	0.28	0.18	0.20	0.05	17.65	5.9	27
I314864		0.40	<0.005	0.04	1.07	2.6	<0.2	<10	60	0.15	0.12	0.17	0.05	10.55	3.0	16
I314865		0.40	0.006	0.06	1.71	4.7	<0.2	<10	140	0.28	0.18	0.21	0.07	15.45	5.4	24
I314866		0.38	0.008	0.06	2.31	3.4	<0.2	<10	210	0.43	0.11	0.61	0.03	17.30	17.4	51
I314867		0.38	<0.005	0.04	2.42	2.2	<0.2	<10	240	0.44	0.09	0.63	0.05	15.15	19.4	63
I314868		0.28	<0.005	0.04	2.08	3.5	<0.2	<10	190	0.47	0.11	0.81	0.07	17.90	14.3	64
I314869		0.36	<0.005	0.02	2.78	2.6	<0.2	<10	240	0.44	0.07	0.51	0.04	7.76	20.7	140
I314870		0.30	NSS	0.01	0.12	2.1	<0.2	<10	30	0.09	0.01	0.10	0.04	9.59	2.1	3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033981		1.86	38.9	3.08	6.00	0.09	0.04	0.07	0.028	0.11	17.4	12.1	0.74	652	0.93
I033982		3.82	47.3	3.36	5.65	0.11	0.05	0.05	0.027	0.29	26.6	12.9	0.82	767	1.57
I033983		4.23	52.1	4.41	8.67	0.14	0.07	0.01	0.034	0.24	25.7	20.8	1.01	761	0.81
I033984		2.45	28.3	3.14	6.27	0.08	0.05	0.01	0.021	0.12	14.8	15.4	0.80	296	0.71
I033985		1.58	22.9	3.22	7.25	0.08	0.03	0.03	0.030	0.05	14.4	15.9	0.56	244	0.98
I033986		9.69	22.4	4.47	4.94	0.08	0.04	0.03	0.057	0.06	12.2	15.1	0.55	661	1.08
I033987		4.38	49.1	3.44	8.46	0.08	0.06	0.04	0.037	0.06	12.5	16.5	0.80	434	1.30
I033988		2.94	19.9	3.00	7.12	0.06	0.03	0.02	0.025	0.04	7.1	13.1	0.46	350	1.14
I033989		4.91	37.2	2.81	5.81	0.07	0.06	0.04	0.030	0.05	16.5	15.5	0.70	437	0.82
I033990		0.51	27.1	2.36	5.22	0.07	0.07	0.02	0.023	0.09	12.0	13.8	0.88	882	0.87
I033991		8.00	34.1	3.19	6.03	0.06	0.06	0.03	0.030	0.05	11.0	16.2	0.60	537	0.89
I033992		8.20	39.5	3.78	5.20	0.11	0.09	0.01	0.013	0.25	11.9	14.3	1.40	540	0.49
I033993		2.47	22.7	2.77	8.31	0.06	0.05	0.02	0.019	0.06	9.1	8.6	0.47	235	1.21
I033994		3.03	34.9	3.14	6.49	0.09	0.06	0.03	0.029	0.09	19.4	17.0	0.73	265	0.71
I033995		3.66	31.3	4.03	6.50	0.08	0.09	0.02	0.027	0.12	12.2	19.7	0.83	376	0.92
I033996		0.30	8.8	2.28	1.40	0.08	0.07	0.02	0.007	0.04	12.4	3.5	0.22	811	1.31
I033997		2.91	34.7	3.86	7.47	0.07	0.09	0.03	0.031	0.05	8.1	16.9	0.75	285	1.05
I033998		3.18	36.2	2.96	6.14	0.07	0.05	0.03	0.025	0.05	12.0	19.7	0.92	221	0.67
I033999		3.05	44.6	3.20	5.39	0.08	0.03	0.03	0.017	0.22	16.6	15.4	0.74	216	0.63
I034000		4.96	38.7	3.90	6.67	0.10	0.04	0.02	0.024	0.17	14.1	22.6	0.97	549	0.76
I314851		1.17	19.9	2.83	6.61	0.06	0.02	0.02	0.031	0.04	9.8	12.8	0.36	220	0.71
I314852		2.75	29.4	3.05	7.49	0.06	0.04	0.01	0.017	0.05	5.5	33.6	0.89	377	0.62
I314853		1.06	17.2	3.01	8.71	0.06	0.03	0.01	0.017	0.03	6.4	22.0	0.76	188	0.68
I314854		1.18	13.2	3.52	8.38	0.06	0.09	0.04	0.026	0.04	9.0	11.5	0.25	200	1.39
I314855		1.85	14.0	2.37	8.39	0.06	0.02	0.02	0.016	0.04	7.1	19.6	1.25	253	0.71
I314856		1.82	14.8	2.54	5.84	0.08	0.06	0.02	0.021	0.06	16.6	14.1	0.35	550	1.10
I314857		1.03	12.8	3.65	7.42	0.06	0.04	0.03	0.026	0.04	10.7	16.6	0.30	145	1.22
I314858		1.62	11.0	2.66	7.10	0.05	0.02	0.02	0.020	0.04	8.1	14.3	0.38	324	0.92
I314859		0.67	9.9	3.05	9.72	0.05	0.02	0.01	0.019	0.08	8.0	15.0	0.68	390	0.88
I314860		0.82	11.2	2.95	6.99	<0.05	0.03	0.02	0.022	0.07	8.9	11.3	0.36	260	0.97
I314861		0.76	10.1	2.72	6.42	<0.05	0.02	0.01	0.021	0.06	9.1	11.0	0.32	460	0.90
I314862		0.87	12.6	2.57	6.95	<0.05	0.04	0.01	0.020	0.04	8.6	11.1	0.46	684	0.86
I314863		1.11	11.1	2.43	7.34	<0.05	0.09	0.01	0.020	0.03	9.1	11.6	0.48	129	0.77
I314864		0.75	8.6	1.26	5.22	<0.05	0.02	0.02	0.014	0.03	5.2	9.2	0.69	157	0.70
I314865		0.81	8.6	2.18	7.04	<0.05	0.07	0.01	0.019	0.03	7.9	13.2	0.60	214	0.88
I314866		0.43	20.3	2.96	6.54	0.05	0.11	0.01	0.021	0.04	6.5	9.8	0.91	770	0.74
I314867		0.26	22.9	3.36	6.93	0.06	0.13	0.01	0.021	0.08	6.2	13.7	1.30	864	0.50
I314868		0.30	27.1	2.95	5.91	0.05	0.14	0.01	0.023	0.10	7.7	9.7	0.77	608	0.67
I314869		0.43	20.7	3.06	7.40	<0.05	0.05	0.01	0.014	0.03	3.6	15.5	1.51	450	0.71
I314870		0.08	2.6	0.71	0.52	<0.05	0.07	0.01	<0.005	0.04	5.0	1.1	0.06	158	0.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033981		1.67	20.2	650	39.6	18.0	<0.001	0.05	0.33	5.9	0.7	0.4	34.1	0.01	0.04
I033982		1.64	18.8	890	54.9	28.6	0.001	0.05	0.28	6.1	1.0	0.5	33.7	0.01	0.04
I033983		1.95	66.8	560	11.4	26.9	<0.001	0.03	0.33	7.0	0.7	2.3	32.4	0.01	0.04
I033984		1.75	38.7	420	11.0	18.7	<0.001	0.03	0.24	4.6	0.4	0.8	34.5	<0.01	0.03
I033985		1.80	30.9	390	11.2	9.4	<0.001	0.03	0.34	4.5	0.6	0.5	29.2	0.01	0.04
I033986		1.19	30.5	770	32.7	10.4	<0.001	0.03	1.89	5.6	0.8	0.3	23.1	<0.01	0.15
I033987		2.17	43.3	620	39.3	11.1	<0.001	0.04	0.64	6.4	1.1	0.5	44.7	0.01	0.09
I033988		1.69	18.8	440	14.7	7.9	<0.001	0.04	0.36	3.3	0.5	0.5	42.6	0.01	0.04
I033989		1.48	26.0	570	70.4	8.8	<0.001	0.04	0.89	5.1	0.7	0.5	30.3	0.01	0.03
I033990		1.39	23.4	530	8.0	12.1	<0.001	0.03	0.36	5.7	0.5	0.4	42.8	<0.01	0.03
I033991		1.88	28.5	310	50.8	8.3	<0.001	0.04	0.83	4.5	0.5	0.5	23.5	<0.01	0.03
I033992		0.66	22.3	1040	4.1	33.6	<0.001	0.03	0.47	4.7	0.5	0.3	31.9	<0.01	0.01
I033993		2.14	19.5	370	18.9	10.0	<0.001	0.04	0.38	3.3	0.4	0.7	20.1	<0.01	0.03
I033994		1.79	35.2	520	16.5	15.5	<0.001	0.03	0.47	5.8	0.6	0.5	25.7	0.01	0.03
I033995		1.97	48.8	480	11.1	19.5	<0.001	0.03	0.44	5.7	0.5	0.4	19.6	0.01	0.04
I033996		0.57	20.6	590	5.1	4.8	<0.001	0.03	0.53	2.0	0.4	0.2	12.6	<0.01	0.01
I033997		2.15	42.6	220	8.1	11.7	<0.001	0.03	0.53	5.3	0.4	0.5	26.2	<0.01	0.04
I033998		1.44	38.2	720	13.9	8.1	<0.001	0.04	0.54	5.3	0.6	0.4	28.3	<0.01	0.02
I033999		1.63	47.1	560	12.7	37.8	<0.001	0.05	0.35	3.8	0.5	0.4	31.8	<0.01	0.03
I034000		1.57	49.9	820	26.7	22.4	<0.001	0.03	0.26	5.3	0.6	0.4	30.2	<0.01	0.04
I314851		1.82	20.9	230	11.0	9.6	<0.001	0.03	0.47	3.3	0.5	0.6	16.7	0.01	0.03
I314852		3.52	9.8	210	4.1	13.2	<0.001	0.02	0.22	3.3	0.3	0.5	11.9	<0.01	0.03
I314853		2.68	11.7	180	6.4	9.4	<0.001	0.02	0.32	3.3	0.3	0.5	11.1	<0.01	0.03
I314854		2.58	13.5	390	12.0	9.8	<0.001	0.03	0.52	2.8	0.4	0.8	10.0	0.01	0.05
I314855		1.99	8.8	200	8.4	12.6	<0.001	0.02	0.18	3.5	0.3	0.5	17.6	<0.01	0.03
I314856		1.49	14.4	300	11.6	14.7	<0.001	0.02	0.29	3.5	0.4	0.5	14.0	<0.01	0.03
I314857		1.94	13.7	350	11.9	9.8	<0.001	0.03	0.44	3.2	0.4	0.6	10.8	<0.01	0.04
I314858		1.84	17.2	440	9.6	14.3	<0.001	0.03	0.41	2.5	0.3	0.6	25.5	<0.01	0.03
I314859		1.22	12.7	380	9.0	16.3	<0.001	0.01	0.29	2.8	<0.2	0.6	19.9	<0.01	0.02
I314860		1.64	17.1	370	9.0	12.7	<0.001	0.01	0.41	2.8	<0.2	0.6	11.4	<0.01	0.03
I314861		1.49	14.5	350	8.4	11.9	<0.001	0.01	0.37	2.6	<0.2	0.6	10.8	<0.01	0.02
I314862		1.52	15.4	220	8.1	10.9	<0.001	0.01	0.32	3.2	<0.2	0.7	15.5	<0.01	0.02
I314863		1.53	14.5	110	8.6	10.1	<0.001	0.01	0.30	3.4	<0.2	0.7	14.2	<0.01	0.02
I314864		1.07	10.1	140	5.3	6.3	<0.001	0.01	0.16	2.1	<0.2	0.5	9.3	<0.01	0.02
I314865		1.55	12.9	160	9.0	5.5	<0.001	0.01	0.25	2.9	<0.2	0.6	13.2	<0.01	0.02
I314866		1.49	26.7	220	5.0	4.1	<0.001	0.02	0.24	5.7	0.2	0.5	32.9	<0.01	0.02
I314867		1.41	40.2	540	4.4	9.5	<0.001	0.01	0.17	6.0	0.2	0.4	30.8	<0.01	0.01
I314868		1.80	35.9	370	5.2	8.7	<0.001	0.02	0.27	6.0	0.2	0.5	39.8	<0.01	0.02
I314869		2.09	69.4	330	3.5	3.6	<0.001	0.01	0.20	3.7	<0.2	0.4	26.1	<0.01	0.01
I314870		0.15	3.8	120	1.5	1.8	<0.001	0.01	0.12	0.6	<0.2	<0.2	6.6	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033981		0.098	0.14	1.22	61	0.16	10.10	188	1.4
I033982		0.108	0.22	1.45	59	0.30	14.00	223	1.4
I033983		0.140	0.19	0.81	93	0.15	10.55	74	3.1
I033984		0.124	0.16	0.82	63	0.16	6.28	51	1.8
I033985		0.097	0.09	0.72	66	0.15	5.89	46	1.3
I033986		0.049	0.27	0.88	53	0.31	8.11	78	1.5
I033987		0.104	0.33	1.02	72	0.23	8.93	85	2.2
I033988		0.105	0.08	0.52	74	0.20	3.57	37	1.1
I033989		0.087	0.12	1.12	58	0.15	8.18	98	1.9
I033990		0.085	0.05	0.62	52	0.14	7.33	57	2.7
I033991		0.104	0.10	0.85	65	0.14	4.70	61	2.7
I033992		0.151	0.28	0.79	64	0.13	6.16	57	3.8
I033993		0.150	0.08	0.58	90	0.17	3.20	37	2.1
I033994		0.116	0.16	0.99	60	0.13	10.65	54	2.0
I033995		0.127	0.18	0.63	69	0.15	5.37	51	3.9
I033996		0.021	0.15	0.66	17	0.10	7.51	20	3.4
I033997		0.135	0.13	0.50	80	0.18	3.85	49	4.1
I033998		0.099	0.13	0.66	57	0.16	6.96	56	1.4
I033999		0.109	0.30	1.38	46	0.13	5.43	54	1.1
I034000		0.115	0.19	0.75	64	0.15	6.51	83	1.2
I314851		0.074	0.09	0.66	61	0.21	3.21	37	0.9
I314852		0.189	0.08	0.28	72	0.18	2.43	32	1.7
I314853		0.170	0.10	0.42	83	0.16	2.06	41	1.2
I314854		0.094	0.11	0.42	85	0.26	2.10	31	4.4
I314855		0.123	0.08	0.37	66	0.16	2.73	42	0.8
I314856		0.043	0.11	0.69	56	0.15	7.91	36	2.0
I314857		0.066	0.10	0.44	73	0.19	2.79	31	2.1
I314858		0.074	0.11	0.33	62	0.19	1.98	62	0.8
I314859		0.063	0.09	0.33	73	0.14	2.04	66	1.1
I314860		0.069	0.09	0.29	64	0.18	2.12	39	1.7
I314861		0.061	0.08	0.28	59	0.17	2.21	37	0.9
I314862		0.072	0.11	0.30	63	0.21	2.47	46	1.5
I314863		0.078	0.12	0.36	67	0.15	2.39	33	3.5
I314864		0.054	0.07	0.46	37	0.15	1.91	27	1.2
I314865		0.069	0.10	0.32	61	0.20	2.07	34	2.2
I314866		0.128	0.08	0.27	69	0.11	4.10	43	3.8
I314867		0.107	0.05	0.20	68	0.09	4.41	47	4.4
I314868		0.117	0.05	0.27	64	0.12	5.10	39	4.7
I314869		0.152	0.10	0.16	81	0.16	2.37	50	1.8
I314870		0.006	0.05	0.30	4	0.05	1.99	5	2.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314871		0.38	0.007	0.03	2.66	5.3	<0.2	<10	130	0.42	0.12	0.48	0.07	13.00	18.2	128
I314872		0.54	0.006	0.36	2.56	42.0	<0.2	<10	120	0.44	0.19	1.40	1.86	44.3	27.6	301
I314873		0.20	0.005	0.16	1.49	9.9	<0.2	<10	130	0.29	0.12	0.87	0.50	25.0	9.9	55
I314874		0.34	0.006	0.37	1.14	21.9	<0.2	<10	150	0.37	0.14	1.25	0.93	25.0	8.4	22
I314875		0.32	0.006	0.32	1.83	18.2	<0.2	<10	240	0.46	0.17	0.70	1.41	38.2	9.2	32
I314876		0.22	0.009	0.29	0.91	3.7	<0.2	<10	220	0.32	0.11	3.47	0.27	23.9	6.1	31
I314877		0.30	0.007	0.05	2.17	5.7	<0.2	<10	260	0.37	0.11	0.95	0.15	13.85	15.0	34
I314878		0.28	0.007	0.07	2.13	6.8	<0.2	<10	260	0.56	0.14	0.68	0.10	33.7	14.6	36
I314879		0.54	0.006	0.20	1.60	67.9	<0.2	<10	180	0.45	0.17	0.98	1.05	46.5	17.6	57
I314880		0.42	0.007	0.19	1.59	72.2	<0.2	<10	200	0.52	0.17	1.03	1.28	48.3	18.2	57
I314881		0.42	<0.005	0.06	1.66	5.9	<0.2	<10	180	0.51	0.14	0.52	0.08	22.9	9.2	31
I314882		0.32	0.005	0.17	2.00	7.4	<0.2	<10	270	1.36	0.15	0.60	0.08	94.3	11.9	34
I314883		0.30	0.012	0.07	1.62	5.9	<0.2	<10	180	0.98	0.12	0.83	0.07	39.2	9.7	31
I314884		0.52	0.006	0.08	1.31	3.7	<0.2	<10	140	0.64	0.11	0.67	0.16	38.8	8.1	27
I314885		0.32	0.005	0.21	1.61	4.5	<0.2	<10	160	0.79	0.25	0.93	0.21	43.7	7.1	25
I314886		0.34	0.005	0.22	1.90	6.4	<0.2	<10	450	0.52	0.15	1.46	0.37	24.8	14.2	59
I314887		0.52	0.005	0.08	1.86	5.2	<0.2	<10	330	0.60	0.18	0.52	0.10	48.9	10.3	35
I314888		0.50	<0.005	0.06	2.37	5.4	<0.2	<10	140	0.38	0.14	0.57	0.05	15.15	11.3	48
I314889		0.52	0.006	0.11	2.27	8.8	<0.2	<10	200	0.59	0.17	0.32	0.09	20.4	12.6	37
I314890		0.42	NSS	0.02	0.14	1.9	<0.2	<10	30	0.11	0.02	0.07	0.04	9.45	2.2	3
I314891		0.44	0.006	0.07	1.53	18.2	<0.2	<10	180	0.68	0.14	0.37	0.07	38.0	8.2	25
I314892		0.36	0.005	0.11	2.29	8.2	<0.2	<10	190	1.02	0.42	0.55	0.13	52.7	8.1	32
I314893		0.38	0.006	0.06	1.29	4.3	<0.2	<10	70	0.46	0.29	0.34	0.12	31.4	5.6	23
I314894		0.32	0.007	0.17	1.33	4.3	<0.2	<10	200	1.09	0.23	1.04	0.21	220	16.4	20
I314895		0.50	0.006	0.08	1.40	8.0	<0.2	<10	160	0.33	0.13	0.66	0.09	23.3	8.5	29
I314896		0.48	0.019	0.07	1.18	6.5	<0.2	<10	150	0.28	0.12	0.66	0.14	23.0	9.4	25
I314897		0.38	<0.005	0.08	1.49	8.0	<0.2	<10	280	0.34	0.16	0.63	0.17	25.3	9.9	30
I314898		0.54	0.007	0.12	1.41	7.7	<0.2	<10	310	0.44	0.15	0.75	0.24	24.6	8.8	27
I314899		0.50	0.006	0.09	1.35	8.6	<0.2	<10	220	0.41	0.15	0.51	0.06	27.6	8.6	27
I314900		0.40	0.008	0.10	1.36	8.4	<0.2	<10	240	0.41	0.16	0.54	0.09	28.8	9.2	26
I314901		0.58	<0.005	0.07	1.42	4.7	<0.2	<10	160	0.73	0.15	0.71	0.08	41.5	7.4	28
I314902		0.30	<0.005	0.07	1.31	4.5	<0.2	<10	150	0.59	0.14	1.26	0.12	32.1	9.1	29
I314903		0.16	0.005	0.09	1.68	3.6	<0.2	<10	220	0.51	0.12	1.17	0.24	21.0	12.4	43
I314904		0.36	0.005	0.06	1.60	4.8	<0.2	<10	230	0.59	0.18	0.41	0.09	28.6	10.8	28
I314905		0.32	0.006	0.05	1.70	8.0	<0.2	<10	110	0.45	0.13	0.28	0.07	21.9	8.1	29
I314906		0.26	<0.005	0.07	1.13	5.0	<0.2	<10	190	0.22	0.14	0.23	0.05	20.5	4.9	19
I314907		0.28	0.007	0.12	1.15	4.4	<0.2	<10	180	0.17	0.13	0.22	0.09	18.80	5.2	20
I314908		0.28	0.005	0.06	1.42	5.7	<0.2	<10	250	0.25	0.13	0.33	0.05	15.75	7.4	22
I314909		0.32	0.006	0.07	1.49	8.6	<0.2	<10	180	0.25	0.18	0.48	0.07	19.65	7.0	26
I314910		0.26	<0.005	0.07	1.56	6.6	<0.2	<10	270	0.33	0.15	0.53	0.07	21.3	7.1	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314871		0.56	26.0	3.38	7.84	0.05	0.07	0.01	0.023	0.03	6.0	12.5	1.03	396	1.01
I314872		0.39	53.6	3.63	7.22	0.11	0.21	0.06	0.031	0.04	23.6	20.9	2.40	879	17.00
I314873		0.20	28.1	2.51	4.38	0.07	0.21	0.02	0.021	0.09	13.0	9.5	0.77	299	4.25
I314874		0.20	37.9	2.58	3.31	0.07	0.16	0.04	0.024	0.04	13.6	7.1	0.51	222	5.83
I314875		0.26	45.6	3.07	5.36	0.08	0.15	0.03	0.026	0.06	20.3	14.1	0.89	393	8.74
I314876		0.18	41.6	1.29	2.53	0.06	0.13	0.05	0.012	0.03	13.2	4.7	0.49	313	1.09
I314877		0.68	43.2	2.99	6.75	0.06	0.08	0.03	0.021	0.05	6.9	11.2	1.08	639	0.64
I314878		0.47	33.3	2.92	6.39	0.08	0.23	0.02	0.023	0.07	17.3	13.2	0.96	511	0.53
I314879		0.98	55.8	3.70	4.92	0.10	0.23	0.05	0.033	0.08	24.7	10.7	0.92	438	5.10
I314880		0.88	63.5	3.70	4.80	0.10	0.22	0.05	0.032	0.08	25.2	10.2	0.90	408	5.48
I314881		0.29	14.6	2.55	5.42	0.05	0.10	0.01	0.024	0.13	10.4	10.1	0.47	282	0.95
I314882		0.86	26.4	2.91	6.64	0.12	0.12	0.04	0.032	0.11	61.4	12.6	0.43	1010	1.26
I314883		0.46	18.7	2.58	5.27	0.06	0.12	0.02	0.024	0.16	20.1	12.9	0.48	402	0.87
I314884		1.06	16.7	2.10	4.63	0.06	0.07	0.03	0.021	0.12	21.6	10.0	0.44	295	0.66
I314885		0.79	28.8	2.12	5.40	0.07	0.06	0.05	0.026	0.11	28.1	9.3	0.38	213	1.22
I314886		0.31	49.7	2.62	5.57	0.06	0.07	0.05	0.026	0.08	14.5	9.8	0.93	486	2.04
I314887		0.39	28.4	2.61	6.00	0.08	0.08	0.03	0.024	0.11	31.4	10.0	0.70	324	1.40
I314888		0.28	27.7	3.01	6.79	0.05	0.19	0.02	0.050	0.08	7.8	11.2	0.78	264	0.61
I314889		0.91	23.7	3.11	7.59	0.05	0.03	0.02	0.026	0.07	10.5	13.0	0.52	257	0.97
I314890		0.08	2.4	0.77	0.55	<0.05	0.08	0.01	<0.005	0.05	4.8	1.2	0.04	168	0.31
I314891		1.70	15.8	2.58	5.52	0.05	0.05	0.02	0.024	0.12	28.8	10.9	0.37	261	1.52
I314892		2.68	22.4	2.88	7.22	0.09	0.12	0.04	0.031	0.11	39.0	9.7	0.44	281	1.61
I314893		1.37	14.4	1.93	5.52	0.05	0.06	0.04	0.018	0.11	20.8	7.2	0.30	191	1.81
I314894		3.75	19.0	2.62	5.19	0.21	0.06	0.09	0.030	0.15	129.5	8.2	0.36	1540	1.33
I314895		0.62	18.8	2.40	4.62	0.06	0.10	0.02	0.022	0.07	11.8	9.3	0.55	242	0.75
I314896		0.42	15.2	2.18	3.96	0.05	0.05	0.02	0.018	0.05	11.3	7.9	0.43	523	1.20
I314897		0.53	17.9	2.53	4.86	0.05	0.05	0.04	0.021	0.06	12.5	11.2	0.50	488	1.60
I314898		0.51	24.4	2.44	4.60	0.06	0.06	0.03	0.021	0.06	12.6	11.1	0.51	327	1.04
I314899		0.47	20.2	2.36	4.47	0.06	0.08	0.03	0.020	0.05	13.8	10.7	0.48	249	1.14
I314900		0.51	22.5	2.40	4.49	0.07	0.09	0.03	0.021	0.05	14.6	10.2	0.48	317	1.06
I314901		1.03	17.6	2.22	4.82	0.06	0.11	0.04	0.020	0.12	23.7	11.2	0.46	193	0.71
I314902		0.77	17.8	2.03	4.39	0.06	0.08	0.04	0.020	0.09	19.0	9.0	0.51	285	0.67
I314903		0.56	42.3	2.49	5.63	0.06	0.07	0.05	0.022	0.07	13.7	8.2	0.69	481	0.83
I314904		0.30	14.4	2.81	5.32	0.05	0.06	0.01	0.022	0.19	14.1	7.5	0.49	548	1.25
I314905		1.20	12.2	2.82	5.91	0.05	0.09	0.01	0.025	0.12	13.1	10.2	0.43	182	1.50
I314906		0.66	9.5	1.89	4.50	<0.05	0.02	0.01	0.014	0.10	10.2	6.5	0.28	231	1.25
I314907		0.33	9.6	1.89	4.44	<0.05	0.03	0.01	0.016	0.06	8.9	6.7	0.29	268	1.18
I314908		0.64	13.9	2.39	5.38	<0.05	0.04	0.02	0.021	0.14	8.0	9.3	0.49	760	1.00
I314909		0.38	12.5	2.56	5.25	0.05	0.06	0.01	0.019	0.12	10.2	11.4	0.50	207	1.06
I314910		0.46	13.7	2.40	5.12	0.05	0.08	0.01	0.021	0.06	10.8	10.6	0.50	248	0.86



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314871		2.35	60.5	310	5.7	3.3	<0.001	0.01	0.36	4.9	0.2	0.5	25.8	<0.01	0.02
I314872		0.93	181.5	1130	20.2	5.0	0.001	0.05	0.71	6.9	2.3	0.3	67.7	<0.01	0.06
I314873		1.24	41.7	760	11.4	6.5	<0.001	0.03	0.41	4.1	1.3	0.4	54.7	<0.01	0.03
I314874		0.84	41.5	850	12.7	4.2	0.001	0.04	1.20	3.1	4.8	0.3	61.7	<0.01	0.05
I314875		0.96	39.0	660	13.3	5.1	0.001	0.03	1.13	3.9	2.6	0.3	58.9	<0.01	0.05
I314876		0.48	42.2	720	5.6	3.5	0.001	0.14	0.52	1.6	2.1	0.3	188.0	<0.01	0.04
I314877		1.35	26.7	300	4.3	7.7	<0.001	0.02	0.31	6.7	0.5	0.4	45.0	<0.01	0.02
I314878		1.64	26.8	290	7.9	10.1	<0.001	0.01	0.31	6.7	0.5	0.5	35.3	<0.01	0.02
I314879		0.84	61.5	940	15.7	6.5	<0.001	0.03	0.91	7.9	1.6	0.3	39.4	<0.01	0.05
I314880		0.80	66.4	930	16.1	6.1	<0.001	0.03	0.97	8.0	1.7	0.4	39.8	<0.01	0.06
I314881		1.94	17.6	230	9.0	11.0	<0.001	0.02	0.31	4.7	0.3	0.5	39.1	<0.01	0.02
I314882		1.64	25.8	300	12.6	13.5	<0.001	0.02	0.49	7.7	0.9	0.7	46.1	<0.01	0.02
I314883		1.96	18.9	300	11.2	17.9	<0.001	0.04	0.33	5.7	0.4	0.5	85.1	<0.01	0.02
I314884		1.60	17.3	650	14.5	15.2	<0.001	0.03	0.28	4.8	0.4	0.5	54.3	<0.01	0.01
I314885		1.43	17.3	560	15.8	15.5	<0.001	0.06	0.32	5.0	0.7	0.5	78.2	<0.01	0.02
I314886		0.89	38.8	630	10.2	9.1	<0.001	0.06	0.47	6.2	1.2	0.4	90.6	<0.01	0.02
I314887		1.52	25.0	410	12.2	11.7	<0.001	0.02	0.30	5.1	0.6	0.5	33.0	<0.01	0.02
I314888		2.40	28.5	340	6.1	6.9	<0.001	0.02	0.27	5.2	0.3	0.6	30.5	<0.01	0.02
I314889		1.81	25.4	460	10.3	13.1	<0.001	0.02	0.32	4.1	0.3	0.6	31.9	<0.01	0.03
I314890		0.14	4.0	120	1.7	2.2	<0.001	0.01	0.12	0.6	<0.2	<0.2	7.6	<0.01	<0.01
I314891		1.49	20.0	350	24.3	17.8	<0.001	0.01	0.26	5.0	0.3	0.5	32.6	<0.01	0.02
I314892		1.76	19.4	360	28.9	18.8	<0.001	0.02	0.51	6.1	0.6	0.9	49.3	<0.01	0.02
I314893		1.53	13.7	410	12.0	17.7	<0.001	0.02	0.30	3.4	0.4	0.7	31.8	<0.01	0.02
I314894		0.81	16.3	890	20.7	20.4	<0.001	0.08	0.53	6.7	1.4	0.5	71.7	0.01	0.02
I314895		1.47	21.1	800	9.7	7.1	<0.001	0.03	0.53	4.6	0.4	0.5	40.5	<0.01	0.02
I314896		1.28	15.7	810	6.2	6.5	<0.001	0.03	0.44	3.5	0.6	0.4	38.9	<0.01	0.02
I314897		1.33	20.0	770	7.8	9.6	0.001	0.04	0.55	4.3	0.7	0.5	42.3	<0.01	0.02
I314898		1.35	24.0	770	8.0	7.7	<0.001	0.03	0.72	4.2	0.7	0.4	44.5	<0.01	0.03
I314899		1.31	19.4	660	7.6	6.7	<0.001	0.02	0.59	4.3	0.7	0.4	35.5	<0.01	0.02
I314900		1.34	20.6	680	7.7	7.3	<0.001	0.02	0.57	4.6	0.6	0.4	36.7	<0.01	0.02
I314901		1.85	17.4	540	10.1	15.3	<0.001	0.03	0.32	5.2	0.5	0.6	54.7	<0.01	0.01
I314902		1.10	16.7	710	10.5	14.1	<0.001	0.06	0.36	4.6	0.7	0.5	95.7	<0.01	0.01
I314903		1.35	27.4	560	5.9	8.4	<0.001	0.05	0.37	6.5	0.9	0.4	72.4	<0.01	0.02
I314904		1.22	17.7	210	12.1	15.8	<0.001	0.02	0.35	4.2	0.3	0.5	52.5	<0.01	0.01
I314905		1.67	17.9	310	12.4	16.7	<0.001	0.02	0.44	4.3	0.3	0.6	27.5	<0.01	0.01
I314906		1.29	10.9	280	6.3	20.5	<0.001	0.02	0.39	2.4	0.3	0.5	14.7	<0.01	0.02
I314907		1.37	11.5	180	6.3	6.6	<0.001	0.02	0.35	2.4	0.2	0.5	14.7	<0.01	0.02
I314908		1.45	14.8	300	6.0	16.7	<0.001	0.02	0.44	3.2	0.3	0.5	22.9	<0.01	0.02
I314909		1.67	16.5	420	7.9	9.7	<0.001	0.02	0.57	3.3	0.5	0.5	29.5	<0.01	0.03
I314910		1.51	17.6	450	6.9	7.7	<0.001	0.02	0.44	3.6	0.5	0.5	35.0	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27 - SEP - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314871		0.145	0.09	0.29	88	0.12	3.31	49	2.8
I314872		0.052	0.06	1.22	76	0.14	14.50	245	10.0
I314873		0.088	0.04	1.19	50	0.13	7.64	80	8.0
I314874		0.052	0.04	1.79	39	0.17	8.87	132	7.6
I314875		0.063	0.09	0.95	55	0.13	10.05	123	7.2
I314876		0.024	0.04	7.83	21	<0.05	8.28	25	5.5
I314877		0.100	0.06	0.53	68	0.14	6.19	54	3.1
I314878		0.110	0.07	0.63	65	0.10	10.30	47	8.3
I314879		0.052	0.07	0.67	59	0.12	14.80	141	10.6
I314880		0.047	0.07	0.68	60	0.16	15.65	143	10.5
I314881		0.105	0.07	0.53	59	0.16	4.38	37	3.8
I314882		0.082	0.09	2.34	62	0.19	35.5	38	4.0
I314883		0.089	0.08	3.98	52	0.20	8.98	30	3.8
I314884		0.089	0.08	2.41	44	0.16	9.28	44	2.6
I314885		0.068	0.08	3.93	41	0.19	8.33	33	2.0
I314886		0.038	0.08	1.05	54	0.11	13.40	62	2.4
I314887		0.090	0.08	0.66	55	0.14	11.70	44	3.1
I314888		0.168	0.05	0.41	76	0.13	4.32	42	7.7
I314889		0.103	0.09	0.57	73	0.17	4.34	41	1.4
I314890		0.006	0.04	0.42	3	0.05	2.09	5	2.8
I314891		0.061	0.14	1.04	51	0.15	6.75	40	1.9
I314892		0.097	0.10	1.64	60	0.20	15.10	58	4.7
I314893		0.079	0.09	0.86	44	0.25	6.11	36	1.9
I314894		0.041	0.14	3.93	38	0.20	34.0	50	1.3
I314895		0.099	0.07	0.57	58	0.31	7.10	55	4.2
I314896		0.084	0.04	0.87	56	0.61	6.47	40	2.1
I314897		0.066	0.07	1.26	50	0.14	6.54	54	1.7
I314898		0.070	0.06	1.10	50	0.16	8.32	58	2.3
I314899		0.069	0.06	0.92	48	0.16	7.73	42	3.1
I314900		0.074	0.06	0.99	48	0.22	8.77	42	3.4
I314901		0.089	0.09	2.79	44	0.42	9.72	41	4.3
I314902		0.057	0.07	2.18	41	0.14	7.95	39	2.9
I314903		0.077	0.05	0.67	60	0.11	12.85	42	2.9
I314904		0.078	0.09	0.62	59	0.11	3.85	41	2.4
I314905		0.084	0.09	0.56	60	0.14	3.84	41	3.2
I314906		0.065	0.06	0.30	46	0.15	2.13	26	0.9
I314907		0.062	0.07	0.25	47	0.15	1.88	30	1.2
I314908		0.082	0.07	0.39	51	0.16	2.37	43	1.3
I314909		0.091	0.06	0.37	57	0.24	3.14	50	2.3
I314910		0.081	0.06	0.59	52	0.18	4.39	44	3.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314911		0.24	<0.005	0.07	1.56	7.0	<0.2	<10	310	0.29	0.16	0.51	0.17	19.10	8.6	26
I314912		0.22	0.007	0.10	1.47	7.6	<0.2	<10	270	0.34	0.20	0.51	0.16	21.1	9.8	25
I314913		0.24	NSS	0.13	0.30	9.6	<0.2	<10	60	0.39	10.35	0.49	0.21	25.5	9.6	12
I314914		0.30	<0.005	0.06	1.56	7.3	<0.2	<10	260	0.40	0.23	0.56	0.09	22.9	7.8	27
I314915		0.30	0.007	0.10	1.47	6.5	<0.2	<10	260	0.43	0.15	0.65	0.12	23.6	9.1	27
I314916		0.28	0.006	0.09	1.40	5.9	<0.2	<10	240	0.33	0.16	0.54	0.09	22.0	6.4	25
I314917		0.38	0.007	0.18	1.73	8.6	<0.2	<10	380	0.59	0.16	1.18	0.25	31.7	12.1	30
I314918		0.32	0.006	0.06	1.60	7.1	<0.2	<10	250	0.46	0.15	0.53	0.07	24.6	8.2	28
I314919		0.36	0.008	0.14	1.77	8.8	<0.2	<10	350	0.66	0.17	0.86	0.15	32.2	11.0	30
I314920		0.24	0.006	0.08	1.64	6.0	<0.2	<10	290	0.35	0.16	1.01	0.12	21.6	8.0	28
I314921		0.30	<0.005	0.09	1.75	6.1	<0.2	<10	280	0.48	0.15	0.62	0.17	25.6	10.1	29
I314922		0.42	0.014	0.12	1.68	8.7	<0.2	<10	290	0.54	0.17	0.73	0.11	31.4	11.3	29
I314923		0.28	0.007	0.09	1.60	8.6	<0.2	<10	250	0.44	0.15	0.93	0.17	28.0	11.4	28
I314924		0.26	0.005	0.08	1.42	7.0	<0.2	<10	280	0.41	0.16	0.66	0.14	22.9	9.3	26
I314925		0.28	0.006	0.10	1.40	6.0	<0.2	<10	220	0.39	0.15	0.70	0.18	24.2	9.6	28
I314926		0.34	0.006	0.12	1.49	8.2	<0.2	<10	290	0.50	0.15	0.84	0.12	24.2	9.5	26
I314927		0.32	0.008	0.13	1.47	6.7	<0.2	<10	300	0.42	0.15	0.89	0.16	21.8	8.6	25
I314928		0.26	0.005	0.10	1.37	9.2	<0.2	<10	240	0.43	0.14	1.13	0.16	23.3	11.0	26
I314929		0.40	0.009	0.11	1.24	8.3	<0.2	<10	190	0.40	0.14	0.96	0.14	23.1	8.5	26
I314930		0.34	0.008	0.07	1.10	6.9	<0.2	<10	150	0.32	0.11	0.75	0.09	24.3	9.2	26
I314931		0.46	0.008	0.09	1.41	7.0	<0.2	<10	200	0.43	0.13	0.68	0.15	24.6	10.5	32
I314932		0.42	0.005	0.09	1.26	9.4	<0.2	<10	200	0.35	0.13	0.70	0.10	24.0	10.2	28
I314933		0.34	0.007	0.10	1.48	10.6	<0.2	<10	310	0.38	0.16	1.01	0.21	23.5	11.1	31
I314934		0.26	0.007	0.11	1.40	7.9	<0.2	<10	320	0.41	0.15	1.09	0.20	21.6	9.2	26
I314935		0.32	0.006	0.09	1.31	7.9	<0.2	<10	220	0.29	0.14	0.87	0.14	21.8	8.9	27
I314936		0.44	0.008	0.10	1.57	10.0	<0.2	<10	230	0.43	0.16	0.68	0.10	27.6	9.4	31
I314937		0.46	0.008	0.10	1.33	8.0	<0.2	<10	240	0.39	0.14	0.92	0.16	23.0	9.6	27
I314938		0.34	0.007	0.09	1.27	8.5	<0.2	<10	340	0.36	0.14	0.88	0.17	20.0	8.8	25
I314939		0.40	<0.005	0.09	1.56	7.3	<0.2	<10	330	0.38	0.15	0.44	0.09	21.3	10.4	30
I314940		0.28	0.009	0.26	2.29	9.0	<0.2	<10	380	0.31	0.75	0.97	0.49	24.7	18.0	55
I314941		0.28	NSS	0.03	0.31	10.1	<0.2	<10	100	0.31	0.06	0.62	0.26	42.5	10.2	14
I314942		0.30	0.009	0.35	2.43	11.5	<0.2	<10	370	0.50	1.02	0.82	0.50	28.6	28.0	61
I314943		0.50	0.013	0.34	2.43	10.3	<0.2	<10	290	0.43	1.10	0.51	0.53	20.8	16.2	62
I314944		0.28	0.010	0.28	2.43	10.5	<0.2	<10	240	0.31	0.94	0.76	0.21	20.9	15.3	59
I314945		0.30	0.008	0.28	2.02	5.5	<0.2	<10	250	0.69	0.80	0.70	0.44	19.20	13.3	58
I314946		0.32	0.009	0.21	2.07	7.7	<0.2	<10	250	0.35	0.80	0.74	0.17	20.7	12.8	46
I314947		0.34	0.011	0.21	2.37	7.4	<0.2	<10	250	0.43	0.73	0.84	0.16	22.4	16.0	52
I314948		0.32	0.009	0.15	2.47	6.2	<0.2	<10	240	0.45	0.71	0.64	0.13	20.1	14.4	54
I314949		0.32	0.007	0.24	2.70	5.9	<0.2	<10	290	0.46	0.67	0.79	0.10	28.6	21.3	77
I314950		0.32	0.010	0.24	2.47	10.8	<0.2	<10	250	0.44	0.62	0.53	0.11	22.5	17.2	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314911		0.44	13.2	2.36	5.08	<0.05	0.12	0.02	0.019	0.06	9.8	10.0	0.46	425	1.07
I314912		0.59	23.5	2.32	4.97	0.05	0.12	0.01	0.021	0.06	10.1	9.3	0.45	530	1.76
I314913		0.26	21.6	2.37	1.64	0.06	0.08	0.01	0.006	0.05	12.9	3.9	0.21	847	1.42
I314914		0.59	16.7	2.35	5.05	0.05	0.10	0.01	0.020	0.05	11.5	10.1	0.49	255	1.06
I314915		0.50	19.4	2.25	5.06	0.05	0.04	0.01	0.018	0.05	11.5	9.7	0.43	414	0.99
I314916		0.48	16.4	2.11	4.85	<0.05	0.09	0.01	0.019	0.07	11.5	9.4	0.41	182	0.95
I314917		0.40	34.8	2.50	5.30	0.07	0.09	0.04	0.023	0.06	15.7	9.6	0.46	469	1.08
I314918		0.42	21.1	2.38	5.14	0.06	0.16	0.02	0.021	0.05	12.8	10.1	0.46	231	0.70
I314919		0.56	31.0	2.60	5.47	0.07	0.09	0.04	0.025	0.05	16.5	11.2	0.52	398	0.71
I314920		0.46	17.3	2.31	5.20	0.05	0.13	0.02	0.023	0.05	10.9	9.4	0.41	249	0.79
I314921		0.45	20.8	2.51	5.48	0.06	0.23	0.02	0.024	0.07	12.4	10.5	0.51	474	0.58
I314922		0.53	27.6	2.68	5.25	0.08	0.15	0.03	0.024	0.06	15.5	11.7	0.54	430	0.79
I314923		0.59	18.9	2.53	5.07	0.08	0.12	0.03	0.023	0.05	13.5	10.5	0.51	646	0.88
I314924		0.52	15.0	2.41	4.56	0.05	0.08	0.01	0.022	0.07	10.5	10.4	0.47	374	1.00
I314925		0.51	20.9	2.26	4.72	0.05	0.04	0.01	0.020	0.07	12.1	9.4	0.49	442	0.79
I314926		0.56	19.3	2.49	4.93	0.06	0.05	0.02	0.022	0.04	12.2	10.0	0.48	385	1.27
I314927		0.58	20.1	2.19	4.87	0.05	0.03	0.02	0.022	0.04	11.3	9.4	0.45	426	1.09
I314928		0.50	24.3	2.42	4.54	0.06	0.07	0.02	0.021	0.05	11.6	10.2	0.55	546	1.14
I314929		0.52	23.4	2.24	4.19	0.05	0.06	0.02	0.018	0.05	11.5	10.0	0.50	367	1.30
I314930		0.56	14.5	2.20	3.76	0.06	0.07	0.02	0.016	0.05	12.1	8.6	0.48	447	0.77
I314931		0.52	30.0	2.49	4.05	<0.05	0.11	0.02	0.021	0.06	12.5	9.7	0.52	319	0.72
I314932		0.53	21.9	2.33	3.87	<0.05	0.08	0.02	0.019	0.06	11.9	10.0	0.52	392	1.12
I314933		0.63	24.7	2.54	4.29	<0.05	0.10	0.04	0.022	0.06	11.4	10.2	0.54	679	1.19
I314934		0.48	24.9	2.21	4.13	<0.05	0.07	0.03	0.020	0.05	11.1	8.7	0.45	396	1.25
I314935		0.45	22.4	2.27	3.76	<0.05	0.10	0.03	0.018	0.04	10.9	9.0	0.45	294	0.55
I314936		0.55	27.4	2.63	4.56	<0.05	0.17	0.03	0.025	0.05	13.3	10.9	0.50	242	0.58
I314937		0.45	25.4	2.32	3.94	<0.05	0.09	0.03	0.021	0.04	11.8	9.0	0.45	389	0.74
I314938		0.53	22.5	2.18	3.80	<0.05	0.03	0.02	0.019	0.03	9.5	8.8	0.40	384	0.96
I314939		0.46	13.2	2.56	4.41	<0.05	0.09	0.02	0.022	0.04	9.1	7.6	0.38	621	0.96
I314940		2.10	58.6	2.84	6.01	0.06	0.04	0.05	0.019	0.18	12.8	8.6	1.09	501	1.25
I314941		0.30	9.1	2.31	1.66	0.06	0.04	0.02	0.007	0.05	22.1	3.6	0.24	877	1.28
I314942		2.32	80.0	3.10	6.93	0.07	0.03	0.05	0.025	0.16	14.5	9.7	1.00	683	2.11
I314943		2.43	63.0	3.09	7.03	0.09	0.03	0.02	0.024	0.22	9.9	10.7	1.12	367	1.58
I314944		2.83	55.2	3.02	7.12	0.07	0.04	0.04	0.022	0.17	10.5	11.7	1.01	369	7.07
I314945		2.69	94.8	2.96	7.95	0.05	0.03	0.03	0.023	0.17	9.1	6.6	0.75	304	4.69
I314946		2.26	56.9	2.61	6.24	0.07	0.03	0.03	0.019	0.19	10.1	11.3	0.81	411	0.98
I314947		2.33	70.2	2.96	7.30	0.07	0.04	0.04	0.021	0.19	11.2	12.3	0.87	460	1.14
I314948		2.46	67.7	3.12	7.55	0.08	0.04	0.04	0.022	0.19	10.2	12.1	0.91	400	1.15
I314949		3.06	75.0	3.39	7.82	0.09	0.04	0.05	0.021	0.32	13.6	13.5	1.23	617	1.29
I314950		2.19	67.4	3.29	7.58	0.08	0.05	0.03	0.022	0.18	11.0	13.2	0.84	481	1.53



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314911		1.55	17.1	460	7.5	10.5	<0.001	0.02	0.44	3.4	0.4	0.5	33.7	<0.01	0.03
I314912		1.40	21.9	460	11.1	10.9	<0.001	0.03	0.50	3.7	0.5	0.5	34.9	<0.01	0.03
I314913		0.64	20.4	610	4.4	5.7	<0.001	0.03	0.61	2.0	0.4	0.3	13.5	<0.01	0.04
I314914		1.40	20.3	500	7.3	7.3	<0.001	0.02	0.46	4.1	0.4	0.5	37.3	<0.01	0.02
I314915		1.29	19.1	560	7.3	7.3	<0.001	0.03	0.43	3.7	0.6	0.5	44.2	<0.01	0.02
I314916		1.41	17.8	540	7.6	7.8	<0.001	0.02	0.39	3.8	0.5	0.5	39.0	<0.01	0.02
I314917		1.39	27.9	650	8.3	8.7	<0.001	0.07	0.79	5.2	1.0	0.5	74.8	<0.01	0.02
I314918		1.25	20.1	400	7.3	6.6	<0.001	0.02	0.49	5.0	0.5	0.5	34.1	<0.01	0.03
I314919		1.39	26.9	580	8.2	8.0	<0.001	0.03	0.63	5.2	1.0	0.5	59.3	<0.01	0.05
I314920		1.61	18.9	440	7.1	9.7	<0.001	0.03	0.47	4.8	0.9	0.5	65.0	<0.01	0.02
I314921		1.50	20.5	590	7.6	11.1	<0.001	0.02	0.47	5.5	0.6	0.5	42.9	<0.01	0.02
I314922		1.56	25.1	580	8.6	8.8	<0.001	0.02	0.61	5.3	0.9	0.5	48.1	<0.01	0.03
I314923		1.59	18.6	770	8.0	8.0	<0.001	0.04	0.61	5.0	1.0	0.5	62.0	<0.01	0.03
I314924		1.40	20.1	530	7.9	10.0	<0.001	0.02	0.52	4.1	0.4	0.5	43.3	<0.01	0.02
I314925		1.23	21.6	620	6.8	10.5	<0.001	0.03	0.41	3.9	0.5	0.4	43.0	<0.01	0.02
I314926		1.32	19.7	690	7.7	6.3	0.001	0.04	0.50	3.8	0.8	0.5	50.6	<0.01	0.02
I314927		1.16	19.6	700	7.6	6.2	<0.001	0.04	0.50	3.4	0.8	0.5	53.4	<0.01	0.02
I314928		1.27	21.1	770	6.9	5.3	<0.001	0.06	0.57	4.0	0.8	0.4	61.4	<0.01	0.03
I314929		1.13	20.9	850	6.8	6.2	<0.001	0.05	0.51	3.7	0.9	0.4	52.1	<0.01	0.02
I314930		1.18	17.8	860	5.3	5.6	<0.001	0.03	0.48	3.7	0.5	0.4	41.7	<0.01	0.01
I314931		1.42	25.5	630	6.7	6.7	<0.001	0.02	0.49	4.8	0.6	0.4	37.5	<0.01	0.01
I314932		1.28	21.6	710	6.9	6.5	<0.001	0.02	0.45	4.2	0.4	0.4	40.0	<0.01	0.02
I314933		1.39	21.7	820	7.8	6.5	<0.001	0.05	0.60	4.7	1.1	0.4	55.6	<0.01	0.02
I314934		1.24	22.0	790	6.9	6.4	<0.001	0.05	0.46	3.5	1.0	0.4	60.2	<0.01	0.03
I314935		1.30	18.8	720	6.7	5.6	<0.001	0.04	0.47	4.3	0.7	0.4	47.7	<0.01	0.02
I314936		1.56	21.2	610	7.9	7.0	<0.001	0.02	0.54	5.9	0.6	0.5	39.5	<0.01	0.02
I314937		1.28	20.4	780	6.8	5.9	<0.001	0.04	0.51	4.1	0.8	0.4	51.2	<0.01	0.01
I314938		0.82	21.2	690	6.8	6.2	<0.001	0.04	0.35	2.3	0.9	0.4	52.8	<0.01	0.03
I314939		1.33	18.0	450	7.8	6.4	<0.001	0.01	0.34	4.8	0.2	0.5	28.0	<0.01	0.01
I314940		1.16	32.6	790	4.2	30.5	<0.001	0.10	0.45	4.7	1.3	0.5	50.2	<0.01	0.13
I314941		0.78	18.6	680	4.5	5.9	<0.001	0.02	0.45	2.0	<0.2	0.3	14.8	<0.01	0.01
I314942		1.19	38.0	790	6.4	26.9	0.001	0.11	0.40	5.3	1.5	0.6	46.9	<0.01	0.18
I314943		1.24	33.6	560	5.1	27.5	<0.001	0.07	0.26	6.2	0.9	0.6	31.6	<0.01	0.18
I314944		1.43	34.2	540	5.5	29.6	0.001	0.07	0.35	6.1	0.9	0.6	39.0	<0.01	0.18
I314945		1.60	44.1	580	6.2	34.4	0.001	0.07	0.33	4.5	0.8	0.8	36.3	<0.01	0.09
I314946		1.37	28.0	590	5.1	29.9	<0.001	0.07	0.34	5.5	0.9	0.6	32.4	<0.01	0.15
I314947		1.64	32.3	630	4.8	32.0	<0.001	0.08	0.22	5.8	1.1	0.7	36.2	<0.01	0.18
I314948		1.68	31.8	570	4.7	32.6	<0.001	0.07	0.19	6.1	1.1	0.6	33.7	<0.01	0.16
I314949		1.66	40.7	700	4.6	37.5	<0.001	0.10	0.22	6.5	1.4	0.6	42.3	<0.01	0.16
I314950		1.91	28.6	620	5.5	29.1	<0.001	0.05	0.23	6.7	0.8	0.7	30.3	<0.01	0.16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314911		0.079	0.07	0.51	53	0.17	4.05	50	3.9
I314912		0.075	0.07	0.83	50	0.28	4.41	59	4.2
I314913		0.023	0.23	0.75	18	0.10	7.09	24	4.0
I314914		0.072	0.07	0.90	53	0.21	5.66	43	4.0
I314915		0.066	0.06	1.67	50	0.20	6.49	40	1.5
I314916		0.067	0.06	0.93	46	0.47	5.57	38	3.5
I314917		0.072	0.05	1.00	55	0.18	11.45	41	3.8
I314918		0.077	0.05	1.20	51	0.13	7.10	39	6.0
I314919		0.080	0.06	1.82	59	0.19	11.80	46	3.7
I314920		0.081	0.06	0.77	49	0.16	5.49	42	4.6
I314921		0.100	0.06	1.01	54	0.15	7.08	46	9.5
I314922		0.101	0.07	2.51	60	0.17	10.50	52	6.9
I314923		0.098	0.07	0.88	58	0.28	7.98	54	5.1
I314924		0.071	0.07	0.88	51	0.16	4.99	49	2.8
I314925		0.070	0.06	0.82	50	0.20	7.26	49	1.2
I314926		0.064	0.06	1.57	55	0.18	6.76	39	1.5
I314927		0.060	0.05	1.39	51	0.15	6.89	36	1.2
I314928		0.064	0.05	1.05	50	0.14	8.26	47	2.2
I314929		0.067	0.06	1.16	49	0.16	7.78	41	2.0
I314930		0.075	0.06	0.60	51	0.19	7.16	41	2.4
I314931		0.085	0.05	1.25	60	0.14	9.43	49	4.2
I314932		0.076	0.06	0.91	53	0.16	8.03	45	2.6
I314933		0.069	0.07	0.99	56	0.14	8.76	52	3.8
I314934		0.064	0.05	1.24	48	0.15	8.49	44	2.3
I314935		0.069	0.05	0.91	50	0.90	7.66	47	3.5
I314936		0.087	0.06	1.06	59	0.26	10.00	53	7.3
I314937		0.068	0.05	0.92	52	0.20	8.22	46	3.6
I314938		0.038	0.04	1.52	47	0.14	6.57	44	0.7
I314939		0.061	0.07	0.52	56	0.24	3.77	48	3.3
I314940		0.091	0.21	1.09	72	0.39	12.95	70	1.2
I314941		0.026	0.14	0.78	24	0.12	8.80	24	1.7
I314942		0.091	0.19	1.37	84	0.48	12.10	77	1.1
I314943		0.108	0.22	1.06	84	0.77	7.60	70	1.2
I314944		0.113	0.23	0.94	81	0.77	8.05	66	1.3
I314945		0.113	0.18	0.82	70	1.03	7.26	61	1.2
I314946		0.103	0.24	0.83	70	3.25	8.43	59	1.2
I314947		0.120	0.25	0.92	80	2.10	8.61	67	1.5
I314948		0.129	0.26	0.84	85	1.33	7.48	70	1.5
I314949		0.135	0.32	1.27	88	1.42	11.00	70	1.7
I314950		0.142	0.26	0.86	89	1.22	7.21	62	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314951		0.44	0.007	0.08	1.38	9.7	<0.2	<10	270	0.36	0.16	0.51	0.08	28.5	8.6	27
I314952		0.60	0.006	0.11	1.40	8.1	<0.2	<10	220	0.38	0.14	0.38	0.06	23.0	7.6	28
I314953		0.56	0.008	0.11	1.46	10.7	<0.2	<10	280	0.40	0.16	0.63	0.11	30.4	10.9	29
I314954		0.40	0.006	0.08	1.35	8.7	<0.2	<10	230	0.35	0.16	0.75	0.11	24.1	9.6	28
I314955		0.40	0.008	0.13	1.64	8.6	<0.2	<10	350	0.47	0.17	0.58	0.15	27.5	9.6	28
I314956		0.52	0.008	0.09	1.22	9.8	<0.2	<10	240	0.44	0.15	0.60	0.14	26.3	11.4	27
I314957		0.40	0.007	0.07	1.32	7.8	<0.2	<10	350	0.37	0.15	0.54	0.12	24.8	8.3	26
I314958		0.46	0.005	0.05	1.36	6.0	<0.2	<10	220	0.32	0.14	0.31	0.07	19.80	6.8	23
I314959		0.38	0.005	0.05	1.64	7.8	<0.2	<10	230	0.30	0.13	0.43	0.07	15.80	10.2	23
I314960		0.34	NSS	0.02	0.37	10.9	<0.2	<10	90	0.22	0.04	0.56	0.19	31.5	11.0	15
I314961		0.46	0.009	0.07	1.90	5.9	<0.2	<10	180	0.34	0.13	0.31	0.06	19.35	12.6	24
I314962		0.42	<0.005	0.09	1.64	7.4	<0.2	<10	170	0.35	0.14	0.22	0.04	17.10	10.0	27
I314963		0.34	0.005	0.08	1.93	7.1	<0.2	<10	290	0.39	0.15	0.30	0.04	19.50	8.6	30
I314964		0.30	0.005	0.07	1.04	3.8	<0.2	<10	100	0.13	0.09	0.21	0.03	9.04	5.7	11
I314965		0.42	0.007	0.06	1.87	2.4	<0.2	<10	350	0.43	0.10	0.81	0.17	16.20	17.7	17
I314966		0.44	0.008	0.17	1.57	7.1	<0.2	<10	830	0.51	0.16	0.78	0.30	31.8	11.5	27
I314967		0.44	0.008	0.12	1.73	7.5	<0.2	<10	440	0.47	0.16	0.76	0.16	28.0	11.8	30
I314968		0.44	0.008	0.07	1.28	5.2	<0.2	<10	210	0.24	0.11	0.62	0.08	17.25	6.8	22
I314969		0.42	0.010	0.13	1.83	9.8	<0.2	<10	340	0.49	0.20	0.82	0.13	31.2	11.9	33
I314970		0.38	0.009	0.15	1.95	10.8	<0.2	<10	360	0.55	0.22	0.85	0.12	34.1	12.7	36
I314971		0.40	0.007	0.16	1.90	8.8	<0.2	<10	320	0.51	0.19	0.67	0.24	24.8	12.3	36
I314972		0.36	0.009	0.14	1.90	9.9	<0.2	<10	260	0.44	0.20	0.64	0.12	28.4	12.7	32
I314973		0.36	0.010	0.11	1.62	9.0	<0.2	<10	280	0.41	0.18	0.64	0.20	28.1	11.3	29
I314974		0.32	<0.005	0.06	1.45	7.1	<0.2	<10	290	0.35	0.17	0.60	0.09	23.3	8.6	27
I314975		0.30	0.007	0.08	1.60	6.1	<0.2	<10	240	0.36	0.16	0.67	0.15	21.8	8.0	27
I314976		0.30	0.009	0.11	1.51	7.1	<0.2	<10	360	0.36	0.16	0.56	0.33	20.9	8.7	33
I314977		0.32	0.006	0.13	1.82	6.6	<0.2	<10	370	0.47	0.19	1.07	0.36	23.0	9.6	30
I314978		0.34	0.007	0.09	1.82	9.5	<0.2	<10	320	0.50	0.19	0.81	0.13	26.5	11.2	31
I314979		0.50	0.009	0.09	1.49	7.8	<0.2	<10	260	0.45	0.15	0.65	0.08	25.2	8.2	30
I314980		0.28	NSS	0.01	0.12	1.9	<0.2	<10	30	0.09	0.02	0.09	0.03	10.80	2.0	3
I314981		0.36	0.009	0.13	1.65	9.1	<0.2	<10	330	0.40	0.17	0.82	0.20	28.1	11.3	29
I314982		0.30	0.007	0.09	1.83	7.5	<0.2	<10	270	0.43	0.19	0.52	0.08	28.3	12.8	30
I314983		0.34	0.008	0.12	1.80	8.8	<0.2	<10	270	0.49	0.17	0.68	0.19	26.7	11.0	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314951		0.60	23.8	2.38	4.35	<0.05	0.08	0.03	0.022	0.04	14.3	11.3	0.46	204	0.98
I314952		0.47	15.8	2.21	4.55	<0.05	0.07	0.02	0.019	0.05	11.7	10.0	0.40	191	0.88
I314953		0.53	27.5	2.57	4.54	0.05	0.09	0.03	0.023	0.05	15.2	11.6	0.51	325	0.74
I314954		0.52	24.7	2.33	4.46	<0.05	0.07	0.02	0.022	0.05	12.3	10.5	0.49	374	0.73
I314955		0.61	23.8	2.49	5.18	<0.05	0.14	0.02	0.024	0.04	14.1	10.9	0.44	290	0.92
I314956		0.63	27.1	2.45	4.00	0.05	0.11	0.02	0.020	0.05	12.8	11.3	0.58	431	0.88
I314957		0.50	18.6	2.20	4.15	<0.05	0.19	0.02	0.021	0.04	12.5	9.7	0.45	244	0.63
I314958		0.46	13.1	1.97	4.57	<0.05	0.05	0.01	0.018	0.04	10.0	9.7	0.37	146	0.80
I314959		0.54	17.9	2.68	6.38	<0.05	0.09	0.01	0.026	0.04	7.8	11.5	0.62	315	0.83
I314960		0.26	7.7	2.33	1.98	<0.05	0.07	0.02	0.008	0.04	15.2	4.3	0.27	721	1.19
I314961		0.70	25.4	2.99	7.88	<0.05	0.06	0.01	0.035	0.03	9.5	14.2	0.84	317	0.68
I314962		0.77	16.8	2.61	5.85	<0.05	0.04	0.02	0.041	0.04	8.0	11.2	0.56	305	0.90
I314963		0.64	23.3	2.61	5.90	<0.05	0.10	0.02	0.027	0.04	9.8	14.3	0.53	154	0.57
I314964		0.49	10.1	1.60	5.91	<0.05	0.02	0.01	0.009	0.03	4.7	6.0	0.41	121	0.39
I314965		1.73	15.7	2.73	8.00	0.08	0.06	0.01	0.039	0.08	8.0	17.9	1.28	853	0.47
I314966		0.63	32.8	2.43	4.99	<0.05	0.06	0.04	0.025	0.04	16.6	11.4	0.46	885	0.92
I314967		0.38	30.3	2.53	5.11	0.08	0.18	0.04	0.025	0.06	13.7	11.1	0.47	523	0.92
I314968		0.38	16.8	1.87	3.73	0.06	0.05	0.02	0.019	0.04	8.4	8.1	0.36	219	0.71
I314969		0.61	29.7	2.77	5.19	0.08	0.08	0.03	0.026	0.08	15.0	13.4	0.55	510	1.17
I314970		0.74	33.3	2.92	5.85	0.09	0.08	0.04	0.029	0.08	16.4	14.8	0.59	554	1.31
I314971		0.56	34.5	2.97	5.64	0.08	0.17	0.02	0.031	0.08	12.8	12.6	0.59	551	1.38
I314972		0.46	23.5	2.85	5.18	0.08	0.20	0.03	0.027	0.11	13.7	12.7	0.50	518	1.23
I314973		0.65	33.2	2.66	4.92	0.08	0.24	0.03	0.026	0.09	14.2	13.1	0.58	467	0.87
I314974		0.51	23.1	2.26	4.32	0.06	0.06	0.01	0.020	0.04	11.9	10.9	0.44	314	1.05
I314975		0.49	23.7	2.38	4.57	0.07	0.15	0.02	0.021	0.08	11.2	10.9	0.49	246	0.74
I314976		0.47	21.8	2.34	4.60	0.07	0.08	0.02	0.022	0.07	10.5	11.3	0.46	321	1.14
I314977		0.47	33.2	2.56	5.27	0.07	0.15	0.03	0.026	0.08	11.7	10.7	0.51	450	0.96
I314978		0.49	35.8	2.71	5.53	0.08	0.17	0.03	0.026	0.06	13.4	11.2	0.50	420	1.37
I314979		0.58	32.5	2.40	4.56	0.07	0.07	0.01	0.020	0.05	12.9	10.6	0.49	241	1.07
I314980		0.08	2.6	0.68	0.59	<0.05	0.07	<0.01	<0.005	0.04	5.7	0.9	0.04	151	0.34
I314981		0.53	35.3	2.55	4.93	0.07	0.11	0.06	0.024	0.06	13.9	11.6	0.51	746	1.20
I314982		0.57	28.6	2.72	5.45	0.08	0.15	0.02	0.026	0.06	13.6	11.9	0.45	438	1.35
I314983		0.53	36.2	2.73	5.31	0.09	0.23	0.03	0.027	0.08	13.6	12.6	0.54	445	0.70



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I314951		1.48	20.3	620	8.0	6.8	<0.001	0.01	0.47	4.7	0.6	0.4	37.6	<0.01	0.02	3.5
I314952		1.21	17.4	500	8.0	6.8	<0.001	0.01	0.36	4.1	<0.2	0.5	28.0	<0.01	0.01	3.1
I314953		1.35	25.1	660	8.2	6.6	<0.001	0.02	0.48	5.0	0.6	0.4	41.3	<0.01	0.01	2.9
I314954		1.41	22.7	640	7.3	6.1	<0.001	0.02	0.39	4.6	0.9	0.4	48.0	<0.01	0.02	2.3
I314955		1.58	19.9	500	8.4	7.8	<0.001	0.01	0.38	5.5	1.3	0.5	41.7	<0.01	0.01	3.4
I314956		1.28	27.3	780	7.8	6.3	<0.001	0.01	0.61	4.6	0.5	0.4	38.9	<0.01	0.01	3.4
I314957		1.56	18.6	400	8.2	7.4	<0.001	<0.01	0.44	4.7	0.5	0.4	39.5	<0.01	0.02	3.9
I314958		1.26	15.4	320	6.8	5.1	<0.001	0.01	0.28	3.6	0.3	0.5	23.9	<0.01	0.01	2.3
I314959		1.50	15.3	510	6.8	8.9	<0.001	<0.01	0.31	6.3	<0.2	0.6	27.4	<0.01	0.01	2.5
I314960		0.65	22.5	670	4.9	5.2	<0.001	0.01	0.45	2.3	0.2	0.2	14.2	<0.01	0.01	5.6
I314961		1.50	15.4	310	6.8	6.9	<0.001	0.01	0.32	7.9	0.2	0.7	20.1	<0.01	0.02	2.1
I314962		1.29	17.4	260	7.1	7.9	<0.001	0.01	0.35	6.9	0.2	0.6	16.2	<0.01	0.02	2.2
I314963		1.27	17.3	300	7.8	8.6	<0.001	0.01	0.39	6.2	<0.2	0.5	21.7	<0.01	0.02	2.7
I314964		0.92	6.1	410	4.7	3.6	<0.001	0.01	0.15	2.7	<0.2	0.4	18.5	<0.01	<0.01	0.3
I314965		1.59	13.3	840	4.4	14.3	<0.001	0.02	0.21	14.4	0.9	0.5	35.5	<0.01	0.01	1.4
I314966		1.32	22.1	750	7.7	8.1	<0.001	0.03	0.48	5.2	1.3	0.4	49.8	<0.01	0.02	1.6
I314967		1.57	22.9	500	9.6	7.3	0.001	0.01	0.47	6.4	0.9	0.5	46.9	0.01	0.03	3.8
I314968		1.06	13.8	440	6.6	5.1	<0.001	0.01	0.35	3.9	0.6	0.4	35.1	<0.01	0.03	1.6
I314969		1.43	27.0	620	10.3	9.5	<0.001	0.01	0.59	5.4	0.8	0.5	51.0	0.01	0.03	3.2
I314970		1.56	26.6	640	11.4	10.8	<0.001	0.01	0.69	6.1	0.9	0.6	56.3	0.01	0.04	3.3
I314971		1.90	31.2	610	10.1	11.4	<0.001	<0.01	0.49	6.0	0.9	0.5	45.0	<0.01	0.03	3.9
I314972		1.63	22.9	530	10.6	9.0	<0.001	<0.01	0.53	6.2	0.7	0.5	42.5	<0.01	0.03	4.6
I314973		1.41	29.5	600	9.6	9.0	<0.001	<0.01	0.54	5.8	0.6	0.5	38.6	<0.01	0.03	4.7
I314974		1.28	22.4	540	8.7	6.3	<0.001	<0.01	0.41	4.3	0.7	0.5	37.6	<0.01	0.02	3.0
I314975		1.62	20.8	490	8.2	8.3	<0.001	<0.01	0.44	5.0	0.6	0.4	41.1	<0.01	0.03	3.3
I314976		1.41	26.6	650	8.9	7.9	<0.001	<0.01	0.50	4.3	0.6	0.5	37.2	<0.01	0.02	3.1
I314977		1.75	27.4	620	9.8	9.5	<0.001	0.02	0.62	5.9	1.2	0.5	72.2	<0.01	0.03	2.9
I314978		1.85	24.9	490	10.0	7.6	<0.001	0.01	0.53	6.1	1.1	0.5	52.3	<0.01	0.03	3.6
I314979		1.52	23.3	590	8.2	6.2	<0.001	0.01	0.39	4.9	0.8	0.4	41.2	<0.01	0.02	3.0
I314980		0.14	4.0	120	1.5	2.2	<0.001	<0.01	0.14	0.6	<0.2	<0.2	7.0	<0.01	0.01	1.9
I314981		1.63	28.7	730	9.2	8.0	<0.001	0.01	0.50	5.4	0.9	0.5	52.8	0.01	0.03	3.2
I314982		1.78	23.0	450	10.0	7.8	<0.001	<0.01	0.44	5.7	0.9	0.5	38.1	<0.01	0.03	3.6
I314983		1.69	24.7	650	9.1	8.4	<0.001	<0.01	0.50	6.4	0.7	0.5	42.9	<0.01	0.03	4.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314951		0.071	0.07	1.95	48	0.29	8.30	44	3.5
I314952		0.075	0.06	0.51	52	0.17	5.35	39	3.0
I314953		0.073	0.06	1.11	55	0.26	10.25	46	3.6
I314954		0.077	0.05	1.01	53	0.24	8.52	44	2.4
I314955		0.077	0.06	1.73	58	0.14	9.13	43	5.7
I314956		0.081	0.06	0.91	53	0.26	9.61	56	4.4
I314957		0.072	0.05	0.78	44	0.19	6.50	45	6.7
I314958		0.059	0.06	0.55	46	0.27	4.34	34	2.0
I314959		0.089	0.07	0.31	63	0.18	3.72	57	3.2
I314960		0.030	0.17	0.71	26	0.09	7.52	25	3.5
I314961		0.131	0.07	0.38	73	0.13	5.97	68	2.3
I314962		0.082	0.08	0.33	59	0.15	2.92	55	1.7
I314963		0.086	0.07	0.51	64	0.13	5.35	41	4.4
I314964		0.103	0.05	0.19	45	0.12	2.09	30	0.6
I314965		0.154	0.09	1.02	58	0.11	12.50	91	2.1
I314966		0.074	0.05	1.90	52	0.18	15.00	50	2.2
I314967		0.094	0.05	1.67	57	0.30	10.65	46	8.1
I314968		0.067	0.04	0.86	41	0.13	4.80	33	2.2
I314969		0.070	0.07	1.29	55	0.20	10.35	57	2.9
I314970		0.072	0.08	1.39	56	0.23	11.70	60	3.1
I314971		0.101	0.06	1.87	64	0.18	8.53	61	7.8
I314972		0.095	0.06	1.18	59	0.18	7.66	49	8.8
I314973		0.101	0.09	0.69	54	0.22	10.60	52	12.3
I314974		0.063	0.06	0.85	46	0.24	7.09	41	2.6
I314975		0.093	0.06	0.89	47	0.19	7.40	45	7.0
I314976		0.071	0.06	0.81	49	0.16	5.94	47	3.5
I314977		0.088	0.05	2.57	48	0.19	8.96	54	6.7
I314978		0.102	0.05	1.95	60	0.23	9.94	44	8.5
I314979		0.078	0.05	1.20	54	0.40	9.01	39	3.0
I314980		0.006	0.03	0.30	4	0.05	2.15	5	2.8
I314981		0.091	0.05	2.38	54	0.21	10.25	48	4.9
I314982		0.103	0.06	1.53	59	0.23	9.08	41	6.8
I314983		0.113	0.06	0.86	58	0.17	10.95	50	11.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **27-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10122486

Project: SQI10-06

P.O. No.: SQI10-06_22

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I315001		0.46	<0.005	0.10	1.48	6.4	<0.2	<10	330	0.38	0.17	0.49	0.21	22.6	7.8	24
I315002		0.58	0.025	0.09	1.76	7.9	<0.2	<10	340	0.49	0.18	0.62	0.14	29.1	11.8	28
I315003		0.48	<0.005	0.12	1.44	7.5	<0.2	<10	310	0.44	0.16	0.55	0.17	25.7	9.6	25
I315004		0.58	0.005	0.11	1.49	7.8	<0.2	<10	350	0.42	0.17	0.54	0.16	27.2	9.1	26
I315005		0.58	<0.005	0.09	1.48	7.9	<0.2	<10	260	0.26	0.16	0.29	0.06	13.65	6.9	25
I315006		0.64	<0.005	0.12	1.43	6.8	<0.2	<10	280	0.25	0.15	0.30	0.04	16.40	5.9	24
I315007		0.52	<0.005	0.23	1.29	6.6	<0.2	<10	230	0.25	0.19	0.22	0.09	15.85	11.9	20
I315008		0.46	<0.005	0.14	1.66	5.3	<0.2	<10	330	0.30	0.15	0.42	0.08	17.15	8.3	24
I315009		0.40	<0.005	0.08	1.21	6.0	<0.2	<10	460	0.36	0.13	0.76	0.20	22.2	8.4	23
I315010		0.46	<0.005	0.09	1.23	5.7	<0.2	<10	350	0.40	0.14	0.81	0.33	21.7	7.9	23
I315011		0.38	0.009	0.08	1.07	5.8	<0.2	<10	290	0.27	0.11	1.32	0.24	21.0	7.2	22
I315012		0.56	<0.005	0.09	1.18	7.2	<0.2	<10	220	0.27	0.13	1.00	0.15	20.1	8.1	23
I315013		0.38	<0.005	0.13	1.50	5.0	<0.2	<10	490	0.47	0.17	0.98	0.36	26.4	10.6	26
I315014		0.38	0.019	0.03	0.14	1.5	<0.2	<10	30	0.10	0.02	0.09	0.04	9.47	2.0	2
I315015		0.44	<0.005	0.07	1.37	6.9	<0.2	<10	260	0.43	0.14	0.51	0.13	23.7	8.5	26
I315016		0.44	<0.005	0.10	1.12	5.1	<0.2	<10	340	0.46	0.11	1.71	0.60	21.1	8.6	19
I315017		0.50	<0.005	0.05	0.99	7.0	<0.2	<10	350	0.29	0.11	1.26	0.08	17.55	5.9	20
I315018		0.54	0.014	0.05	1.16	9.7	<0.2	<10	240	0.28	0.12	0.61	0.09	18.25	7.4	22
I315019		0.56	<0.005	0.07	1.26	8.5	<0.2	<10	250	0.29	0.14	0.92	0.16	21.5	8.3	27
I315020		0.50	<0.005	0.05	1.04	5.2	<0.2	<10	260	0.27	0.11	1.23	0.15	19.45	5.0	21
I315021		0.38	<0.005	0.12	1.15	7.6	<0.2	<10	300	0.34	0.13	1.23	0.20	22.7	8.3	23
I315022		0.50	<0.005	0.12	1.24	9.1	<0.2	<10	300	0.44	0.16	0.93	0.18	25.7	9.3	26
I315023		0.52	0.009	0.14	1.30	10.4	<0.2	<10	300	0.43	0.16	0.98	0.24	26.7	10.5	26
I315024		0.62	<0.005	0.14	1.22	9.2	<0.2	<10	300	0.42	0.15	1.05	0.25	24.3	9.9	25
I315025		0.34	NSS	0.05	0.23	7.0	0.2	<10	60	0.25	0.03	0.36	0.15	24.5	6.9	8
I315026		0.56	<0.005	0.23	2.75	6.1	<0.2	<10	310	0.28	0.23	0.76	0.58	13.80	19.0	63
I315027		0.60	0.006	0.59	2.93	10.3	<0.2	<10	440	0.54	0.93	0.74	0.46	28.6	17.3	100
I315028		0.54	<0.005	0.33	2.81	8.8	<0.2	<10	290	0.28	0.50	0.67	0.43	14.60	17.8	100
I315029		0.66	<0.005	0.15	2.93	15.9	<0.2	<10	230	0.19	0.70	0.57	0.48	10.40	27.2	129
I315030		0.72	0.007	0.23	3.05	8.7	<0.2	<10	240	0.38	0.52	0.51	0.26	19.85	21.2	106
I315031		0.68	<0.005	0.12	3.15	8.2	<0.2	<10	300	0.37	0.73	0.59	0.15	16.90	19.9	89
I315032		0.64	<0.005	0.30	2.78	10.5	<0.2	<10	420	0.49	0.88	0.79	0.40	21.7	16.9	66
I315033		0.62	<0.005	0.16	2.36	6.9	<0.2	<10	340	0.36	0.65	0.47	0.27	18.55	13.4	56
I315034		0.46	<0.005	0.19	0.54	5.0	<0.2	<10	160	0.12	0.15	0.24	0.17	6.15	3.1	14
I315035		0.66	0.008	0.17	4.09	43.1	<0.2	<10	610	0.57	4.08	0.55	0.26	32.7	21.9	136
I315036		0.62	0.017	0.16	2.93	10.6	<0.2	<10	560	0.75	3.47	0.40	0.24	24.0	11.8	66
I315037		0.68	0.011	0.14	2.41	6.7	<0.2	<10	300	0.71	2.35	0.43	0.11	44.0	10.6	51
I315038		0.72	0.010	0.16	2.48	6.8	<0.2	<10	310	0.72	2.46	0.43	0.11	44.6	10.2	52
I315039		0.76	0.018	0.12	2.89	5.3	<0.2	<10	280	0.73	3.78	0.37	0.07	43.0	12.7	51
I315040		0.80	0.008	0.12	3.77	4.7	<0.2	<10	490	0.50	1.35	0.48	0.07	22.0	20.9	77



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315001		0.57	20.0	2.20	4.96	<0.05	0.09	0.02	0.023	0.05	11.4	10.0	0.43	339	1.13
I315002		0.51	24.4	2.56	5.28	0.06	0.09	0.78	0.025	0.05	14.2	11.5	0.49	440	1.28
I315003		0.42	23.3	2.30	4.42	0.05	0.10	0.04	0.021	0.06	12.9	10.5	0.46	402	1.09
I315004		0.56	24.0	2.43	4.75	0.05	0.09	0.04	0.024	0.05	13.5	11.1	0.49	309	0.92
I315005		0.49	12.1	2.27	5.27	<0.05	0.02	0.02	0.018	0.05	7.0	10.1	0.42	297	1.18
I315006		0.54	16.0	2.17	4.63	<0.05	0.09	0.02	0.020	0.06	8.5	9.6	0.38	157	0.83
I315007		0.71	14.5	2.30	5.60	<0.05	0.02	0.02	0.017	0.05	8.1	7.0	0.33	597	2.34
I315008		0.59	23.1	2.40	5.41	0.05	0.04	0.03	0.020	0.07	8.9	10.4	0.50	465	0.81
I315009		0.51	24.0	2.07	3.78	0.05	0.07	0.03	0.019	0.04	11.3	8.5	0.38	440	0.79
I315010		0.47	29.6	1.99	3.90	<0.05	0.04	0.02	0.018	0.04	10.9	7.7	0.40	313	0.67
I315011		0.37	21.9	1.83	3.16	0.05	0.05	0.03	0.017	0.05	11.1	6.6	0.41	434	0.95
I315012		0.43	18.4	2.04	3.59	0.06	0.06	0.03	0.017	0.05	10.2	8.7	0.46	357	0.90
I315013		0.46	34.3	2.18	4.49	0.06	0.10	0.02	0.024	0.05	13.5	7.9	0.42	419	0.64
I315014		0.08	1.8	0.67	0.57	<0.05	0.08	<0.01	<0.005	0.05	4.6	1.3	0.04	154	0.27
I315015		0.52	24.8	2.22	4.41	0.06	0.07	0.02	0.021	0.04	12.1	9.5	0.43	423	0.93
I315016		0.46	31.5	1.80	3.13	0.05	0.04	0.04	0.017	0.03	10.1	6.3	0.35	678	1.00
I315017		0.42	17.9	1.79	3.13	<0.05	0.04	0.03	0.017	0.03	8.9	7.9	0.38	232	0.69
I315018		0.48	17.6	2.37	3.75	0.05	0.04	0.03	0.017	0.03	9.3	9.5	0.44	198	1.00
I315019		0.51	20.3	2.34	4.15	0.05	0.07	0.03	0.021	0.05	10.9	11.9	0.55	318	1.25
I315020		0.41	18.1	1.72	3.45	<0.05	0.05	0.03	0.015	0.03	9.9	8.6	0.40	150	0.90
I315021		0.51	24.1	2.08	3.74	0.05	0.07	0.05	0.019	0.04	11.3	9.8	0.46	395	0.87
I315022		0.46	27.6	2.35	4.09	0.06	0.08	0.04	0.020	0.04	12.8	11.1	0.51	327	1.03
I315023		0.55	30.8	2.68	4.16	0.06	0.10	0.04	0.022	0.06	13.6	12.1	0.59	426	1.06
I315024		0.46	28.9	2.42	3.89	0.05	0.09	0.03	0.020	0.05	12.3	11.4	0.53	424	1.08
I315025		0.20	9.4	1.67	1.19	0.05	0.06	0.02	0.006	0.04	12.2	3.3	0.17	534	0.96
I315026		1.18	39.8	3.50	7.97	0.08	0.04	0.04	0.023	0.22	7.0	14.0	1.71	652	1.56
I315027		1.84	48.4	3.83	9.63	0.11	0.07	0.05	0.044	0.25	14.0	13.5	1.59	458	2.53
I315028		1.09	42.0	3.47	8.32	0.07	0.03	0.06	0.026	0.15	7.3	13.9	1.85	584	1.36
I315029		1.32	34.0	3.80	8.65	0.07	0.03	0.03	0.023	0.14	5.1	13.4	1.99	709	1.15
I315030		1.34	49.4	3.70	8.54	0.08	0.05	0.04	0.025	0.20	9.4	13.4	1.80	450	0.81
I315031		2.19	29.1	3.42	8.96	0.08	0.06	0.03	0.021	0.27	8.6	13.9	1.88	374	0.69
I315032		2.29	41.3	3.26	8.06	0.08	0.05	0.06	0.026	0.18	11.5	10.9	1.21	543	1.67
I315033		1.48	30.3	3.34	8.89	0.07	0.04	0.03	0.026	0.15	9.6	12.5	1.06	387	1.87
I315034		0.58	14.3	1.01	2.90	<0.05	<0.02	0.03	0.007	0.06	3.3	2.4	0.22	92	0.74
I315035		4.27	74.9	4.86	12.00	0.11	0.02	0.03	0.029	0.68	17.6	17.2	2.27	646	1.75
I315036		2.08	41.9	3.48	9.43	0.09	0.06	0.03	0.032	0.33	14.6	12.3	1.14	306	2.10
I315037		2.49	51.7	3.18	8.06	0.10	0.09	0.02	0.028	0.36	22.7	12.7	0.97	320	0.72
I315038		2.58	52.7	3.22	8.22	0.09	0.08	0.02	0.029	0.37	23.3	12.2	0.98	321	0.74
I315039		2.01	62.1	3.37	8.55	0.09	0.12	0.02	0.027	0.22	21.7	12.4	0.89	255	1.01
I315040		4.54	44.5	4.27	9.98	0.09	0.05	0.04	0.039	0.51	12.2	13.9	1.42	423	0.77



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315001		1.53	16.3	510	7.7	8.6	<0.001	0.01	0.36	3.9	0.5	0.5	33.0	<0.01	0.02
I315002		1.74	19.5	520	8.3	7.7	<0.001	0.02	0.45	5.0	1.4	0.5	42.0	<0.01	0.03
I315003		1.44	20.8	590	7.6	6.8	<0.001	0.01	0.45	4.3	0.7	0.4	37.9	<0.01	0.02
I315004		1.42	21.2	620	7.9	7.2	0.001	0.01	0.48	4.5	0.8	0.5	37.7	<0.01	0.02
I315005		1.45	13.4	310	7.5	6.3	<0.001	0.01	0.33	2.9	0.2	0.5	20.3	<0.01	0.02
I315006		1.34	16.5	310	6.9	11.0	<0.001	0.01	0.39	3.1	0.3	0.4	23.0	<0.01	0.03
I315007		1.42	11.8	420	8.9	8.1	<0.001	0.01	0.38	2.8	0.3	0.5	16.3	<0.01	0.03
I315008		1.60	16.4	360	6.8	10.5	<0.001	0.02	0.40	3.7	0.4	0.5	27.4	<0.01	0.02
I315009		1.34	19.0	580	6.1	5.7	<0.001	0.02	0.54	3.8	1.2	0.4	44.2	<0.01	0.03
I315010		1.08	21.3	840	6.3	5.2	<0.001	0.03	0.45	3.0	0.9	0.4	45.7	<0.01	0.03
I315011		0.99	17.9	1150	4.8	5.7	<0.001	0.06	0.60	2.5	1.1	0.3	75.5	<0.01	0.02
I315012		1.19	16.8	770	6.2	6.3	<0.001	0.04	0.46	3.3	0.6	0.4	52.1	<0.01	0.03
I315013		1.53	24.7	1050	7.2	5.2	0.001	0.09	0.75	5.1	0.9	0.4	68.2	<0.01	0.03
I315014		0.16	3.5	120	1.6	2.1	<0.001	0.01	0.10	0.5	<0.2	<0.2	7.6	<0.01	0.02
I315015		1.43	20.3	600	6.8	4.2	<0.001	0.01	0.40	4.5	0.6	0.4	32.2	<0.01	0.02
I315016		0.90	24.8	850	4.9	3.2	0.001	0.10	0.55	2.4	2.2	0.3	85.3	<0.01	0.02
I315017		0.96	16.2	600	5.6	3.8	0.001	0.05	0.44	2.4	1.0	0.4	49.4	<0.01	0.02
I315018		1.08	20.3	660	6.2	4.0	<0.001	0.03	0.38	3.0	0.5	0.4	34.6	<0.01	0.03
I315019		1.25	21.1	850	7.0	6.2	0.001	0.02	0.49	3.6	0.6	0.4	50.9	<0.01	0.02
I315020		1.03	16.9	820	5.4	3.0	0.001	0.04	0.35	2.7	0.7	0.3	69.6	<0.01	0.02
I315021		1.10	21.4	840	6.6	4.6	0.001	0.04	0.56	3.4	0.8	0.4	69.7	<0.01	0.02
I315022		1.28	23.8	730	7.4	5.5	0.001	0.01	0.58	4.0	0.8	0.4	51.9	<0.01	0.02
I315023		1.31	27.9	690	7.9	6.1	0.001	0.01	0.69	4.1	0.7	0.4	53.1	<0.01	0.02
I315024		1.16	25.3	770	7.6	5.2	0.001	0.02	0.68	3.6	0.8	0.4	52.5	<0.01	0.03
I315025		0.49	13.9	500	3.4	3.9	<0.001	<0.01	0.35	1.5	0.2	0.4	9.7	<0.01	0.01
I315026		1.19	33.5	580	7.9	22.7	<0.001	0.03	0.26	6.0	0.5	0.5	29.0	<0.01	0.03
I315027		1.50	51.5	860	26.1	26.6	0.001	0.03	0.31	8.4	1.2	0.8	32.0	<0.01	0.08
I315028		1.12	58.8	620	8.1	17.1	<0.001	0.03	0.30	6.9	0.6	0.5	26.1	<0.01	0.06
I315029		1.19	58.3	400	10.0	19.7	<0.001	0.02	0.30	5.0	0.4	0.5	27.8	<0.01	0.12
I315030		1.45	58.6	530	7.9	22.3	<0.001	0.01	0.31	6.1	0.4	0.5	25.8	<0.01	0.06
I315031		1.73	46.0	380	5.9	33.5	<0.001	0.02	0.30	6.5	0.4	0.6	28.9	<0.01	0.02
I315032		1.78	40.3	880	6.0	24.6	0.001	0.08	0.34	5.3	1.1	0.6	42.1	<0.01	0.05
I315033		2.04	37.5	630	5.7	20.8	<0.001	0.02	0.22	5.6	0.5	0.7	29.4	<0.01	0.04
I315034		0.59	8.8	320	2.2	7.3	<0.001	0.02	0.34	1.2	0.2	0.3	13.2	<0.01	0.02
I315035		1.37	66.0	600	5.1	46.7	0.001	0.10	0.69	10.9	0.9	0.9	30.9	<0.01	0.18
I315036		2.52	42.0	890	6.0	33.2	0.001	0.02	0.26	6.7	1.0	0.9	21.4	<0.01	0.06
I315037		1.56	28.6	730	8.0	39.4	<0.001	<0.01	0.32	8.2	0.6	0.9	26.5	<0.01	0.06
I315038		1.59	28.3	700	8.3	40.4	<0.001	<0.01	0.32	8.3	0.6	0.9	26.9	<0.01	0.07
I315039		1.81	36.3	650	7.7	29.0	<0.001	<0.01	0.22	7.5	0.7	0.7	25.8	<0.01	0.10
I315040		1.50	33.0	580	4.7	48.6	<0.001	<0.01	0.17	7.9	0.5	0.7	29.8	<0.01	0.06



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 27 - SEP - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315001		0.067	0.07	1.01	50	0.16	6.09	51	3.4
I315002		0.082	0.06	2.95	57	0.25	9.52	48	4.3
I315003		0.064	0.05	1.42	47	0.16	7.72	45	4.3
I315004		0.065	0.07	1.23	49	0.21	8.90	46	3.8
I315005		0.056	0.07	0.35	56	0.15	2.62	33	1.1
I315006		0.064	0.05	0.38	48	0.16	3.08	32	3.8
I315007		0.065	0.07	0.38	65	0.23	2.82	33	0.8
I315008		0.083	0.06	0.37	58	0.18	3.29	46	2.0
I315009		0.062	0.05	4.50	48	0.34	7.10	42	2.9
I315010		0.053	0.05	1.95	46	0.11	7.15	40	1.1
I315011		0.049	0.04	2.64	41	0.45	8.01	35	1.6
I315012		0.063	0.05	0.85	44	0.28	6.57	41	2.1
I315013		0.069	0.05	1.55	44	0.18	10.80	42	4.5
I315014		0.008	0.03	0.32	4	<0.05	1.94	9	3.1
I315015		0.065	0.07	1.28	51	0.17	7.67	40	2.5
I315016		0.036	0.05	2.69	34	0.15	9.52	30	1.9
I315017		0.038	0.05	1.01	39	0.22	5.77	33	1.5
I315018		0.049	0.06	0.42	48	0.26	5.49	34	1.2
I315019		0.061	0.05	0.61	51	0.14	7.07	55	2.1
I315020		0.046	0.04	2.81	39	0.11	6.25	34	1.5
I315021		0.047	0.05	1.89	40	0.22	7.93	39	2.0
I315022		0.060	0.05	1.32	48	0.22	9.21	49	2.6
I315023		0.069	0.06	1.37	53	0.14	10.50	65	3.5
I315024		0.058	0.05	0.91	48	0.18	9.09	61	2.8
I315025		0.016	0.10	0.54	13	0.06	5.83	18	2.8
I315026		0.118	0.16	0.62	99	0.15	5.24	92	1.7
I315027		0.107	0.25	1.18	123	0.17	11.65	133	2.9
I315028		0.101	0.13	0.62	100	0.12	6.43	93	1.2
I315029		0.123	0.14	0.34	94	0.19	3.34	105	1.1
I315030		0.132	0.18	0.60	90	0.22	6.76	80	1.8
I315031		0.156	0.24	0.51	93	0.16	4.83	75	2.2
I315032		0.092	0.25	1.24	79	0.15	9.21	69	1.8
I315033		0.126	0.14	0.67	89	0.17	5.65	79	1.6
I315034		0.041	0.05	0.36	27	0.06	1.92	21	<0.5
I315035		0.105	0.28	1.04	100	0.15	8.73	118	0.9
I315036		0.126	0.26	0.96	98	0.65	9.19	113	2.3
I315037		0.154	0.33	1.48	88	1.62	13.70	74	3.6
I315038		0.160	0.34	1.54	91	0.56	13.70	74	3.4
I315039		0.134	0.27	1.33	88	0.59	15.65	65	4.8
I315040		0.190	0.44	0.70	115	0.48	8.93	72	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315041		0.66	0.018	0.23	3.97	56.7	<0.2	<10	530	0.33	0.86	0.47	0.13	12.70	33.0	71
I315042		0.52	<0.005	0.10	1.91	7.6	<0.2	<10	140	0.40	1.22	0.16	0.20	14.75	7.5	42
I315043		0.52	<0.005	0.14	0.75	3.4	<0.2	<10	70	0.21	0.30	0.11	0.32	7.74	4.0	15
I315044		0.50	0.018	0.23	2.68	5.9	<0.2	<10	280	0.61	1.91	0.59	0.14	29.2	14.6	53
I315045		0.50	0.016	0.17	1.90	5.7	<0.2	<10	240	0.45	1.62	0.64	0.17	31.4	18.0	45
I315046		0.50	0.015	0.20	1.99	9.9	<0.2	<10	190	0.38	1.14	0.38	0.14	24.8	11.9	40
I315047		0.54	0.007	0.13	1.69	7.3	<0.2	<10	180	0.28	0.90	0.46	0.13	22.1	6.4	37
I315048		0.46	0.006	0.17	1.71	5.4	<0.2	<10	140	0.20	0.75	0.44	0.11	16.85	5.6	39
I315049		0.46	0.020	0.36	2.51	7.5	<0.2	<10	190	0.51	1.63	0.63	0.11	33.7	13.1	49
I315050		0.48	0.005	0.22	1.97	6.1	<0.2	<10	180	0.34	1.14	0.45	0.16	20.4	11.0	41
I315101		0.40	NSS	0.02	0.13	1.6	<0.2	<10	30	0.09	0.02	0.10	0.04	9.95	2.0	2
I315102		0.46	<0.005	0.02	1.67	5.5	<0.2	<10	170	0.17	0.13	0.10	0.03	21.7	10.0	21
I315103		0.46	<0.005	0.26	1.22	4.8	<0.2	<10	250	0.19	0.18	0.20	0.06	20.1	7.0	33
I315104		0.40	<0.005	0.03	1.72	6.7	<0.2	<10	230	0.35	0.16	0.22	0.04	21.7	8.4	30
I315105		0.46	<0.005	0.04	1.79	6.6	<0.2	<10	150	0.25	0.12	0.21	0.04	13.35	9.2	24
I315106		0.40	0.012	0.05	1.57	6.3	<0.2	<10	250	0.18	0.11	0.36	0.04	13.95	8.5	23
I315107		0.40	<0.005	0.04	1.52	5.2	<0.2	<10	260	0.33	0.13	0.30	0.07	22.5	7.6	24
I315108		0.44	0.005	0.06	1.60	6.6	<0.2	<10	300	0.42	0.14	0.49	0.05	24.5	8.4	27
I315109		0.34	0.035	0.08	1.59	7.0	<0.2	<10	320	0.40	0.15	0.62	0.20	21.1	7.9	28
I315110		0.32	0.005	0.07	1.64	6.8	<0.2	<10	310	0.43	0.14	0.51	0.10	22.0	8.8	27
I315111		0.42	<0.005	0.05	2.05	6.1	<0.2	<10	370	0.66	0.16	0.52	0.06	40.1	11.4	27
I315112		0.44	<0.005	0.03	1.56	5.8	<0.2	<10	280	0.32	0.15	0.47	0.07	19.10	7.6	25
I315113		0.42	<0.005	0.05	1.65	6.0	<0.2	<10	280	0.49	0.15	0.46	0.05	24.3	10.9	27
I315114		0.44	<0.005	0.06	1.77	5.5	<0.2	<10	330	0.47	0.17	0.54	0.04	22.8	8.1	28
I315115		0.40	<0.005	0.03	1.59	5.4	<0.2	<10	280	0.38	0.14	0.37	0.03	26.7	7.6	22
I315116		0.40	<0.005	0.06	1.81	6.9	<0.2	<10	300	0.54	0.17	0.54	0.06	28.6	8.8	26
I315117		0.38	0.005	0.10	2.01	10.5	<0.2	<10	380	0.77	0.18	0.70	0.05	34.6	11.2	34
I315118		0.44	<0.005	0.10	1.65	9.8	<0.2	<10	270	0.60	0.17	0.97	0.12	31.2	10.1	29
I315119		0.36	<0.005	0.12	1.22	6.4	<0.2	<10	370	0.76	0.12	6.15	0.25	33.5	8.8	27
I315120		0.38	0.012	0.10	1.35	8.3	<0.2	<10	280	0.42	0.15	1.22	0.28	26.1	8.6	25
I315121		0.38	0.006	0.11	1.46	7.3	<0.2	<10	420	0.42	0.16	0.97	0.23	24.6	9.0	26
I315122		0.36	0.005	0.10	1.50	8.4	<0.2	<10	330	0.44	0.16	0.88	0.21	26.7	9.4	27
I315123		0.46	0.015	0.13	1.44	6.2	<0.2	<10	340	0.49	0.16	0.62	0.23	22.7	8.6	25
I315124		0.56	<0.005	0.11	2.09	9.1	<0.2	<10	310	0.57	0.18	0.75	0.14	30.9	11.6	32
I315125		0.42	<0.005	0.14	1.97	9.3	<0.2	<10	320	0.60	0.18	0.70	0.16	31.2	10.4	31
I315126		0.38	0.005	0.08	1.43	8.3	<0.2	<10	330	0.46	0.17	0.70	0.31	23.5	10.8	26
I315127		0.36	<0.005	0.18	1.51	8.3	<0.2	<10	350	0.59	0.16	0.89	0.43	32.3	10.5	26
I315128		0.44	0.005	0.09	1.56	8.1	<0.2	<10	260	0.45	0.17	0.66	0.09	27.6	8.4	27
I315129		0.36	<0.005	0.10	1.54	9.7	<0.2	<10	260	0.42	0.17	0.65	0.19	28.4	11.6	28
I315130		0.46	0.005	0.11	1.41	9.2	<0.2	<10	330	0.48	0.16	0.71	0.16	29.2	8.2	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315041		4.94	56.7	5.22	9.80	0.10	0.05	0.02	0.022	0.76	5.9	15.6	1.57	526	0.72
I315042		1.75	42.3	3.77	10.50	0.06	0.05	0.06	0.023	0.12	7.8	9.5	0.47	225	1.96
I315043		0.85	24.6	1.52	4.78	<0.05	<0.02	0.05	0.012	0.06	4.0	2.5	0.13	195	1.10
I315044		3.29	87.0	3.71	8.76	0.09	0.04	0.06	0.028	0.23	17.5	12.7	0.86	418	1.68
I315045		2.26	77.6	2.86	6.13	0.10	0.05	0.04	0.021	0.19	17.4	10.3	0.69	589	1.26
I315046		1.79	63.6	3.13	6.94	0.08	0.03	0.07	0.018	0.09	13.5	11.0	0.64	349	1.62
I315047		1.58	50.7	2.00	6.32	0.06	0.02	0.07	0.016	0.09	11.4	9.0	0.58	159	0.68
I315048		1.75	42.4	2.03	6.89	0.05	0.03	0.06	0.016	0.07	9.2	7.7	0.57	129	0.64
I315049		2.45	124.5	3.12	8.13	0.08	0.04	0.07	0.023	0.15	19.2	11.7	0.71	207	1.93
I315050		1.85	71.3	2.50	7.06	0.06	0.03	0.07	0.019	0.09	10.3	10.1	0.60	228	1.33
I315101		0.08	1.8	0.62	0.53	<0.05	0.07	<0.01	<0.005	0.04	4.9	1.4	0.05	159	0.27
I315102		1.85	7.1	2.43	6.09	<0.05	0.05	0.01	0.018	0.06	10.3	15.1	0.96	158	0.62
I315103		0.69	11.8	2.25	5.65	<0.05	0.03	0.01	0.016	0.10	10.1	11.3	0.41	654	1.04
I315104		0.77	11.7	2.68	6.47	0.05	0.09	0.01	0.023	0.05	10.8	13.0	0.57	245	0.71
I315105		0.81	15.4	2.76	5.76	<0.05	0.04	<0.01	0.017	0.14	6.8	15.3	0.88	283	0.66
I315106		0.80	16.8	2.43	5.19	0.05	0.04	0.01	0.014	0.07	7.1	13.6	0.77	408	0.67
I315107		0.57	22.4	2.23	4.70	<0.05	0.07	0.01	0.018	0.05	11.3	10.9	0.58	362	0.57
I315108		0.52	23.7	2.55	4.68	0.05	0.18	0.01	0.021	0.05	12.0	11.8	0.57	325	0.63
I315109		0.38	19.4	2.47	4.60	<0.05	0.09	0.01	0.020	0.07	11.2	11.0	0.51	328	0.64
I315110		0.35	18.5	2.53	4.70	<0.05	0.11	0.02	0.023	0.08	10.5	10.8	0.49	399	0.68
I315111		0.72	30.1	2.74	6.07	0.08	0.18	0.02	0.030	0.08	20.2	12.6	0.56	578	0.68
I315112		0.62	13.0	2.54	5.40	0.05	0.07	0.01	0.026	0.05	9.3	10.2	0.47	267	0.81
I315113		0.59	15.6	2.52	5.48	0.05	0.13	0.01	0.027	0.07	11.5	11.9	0.55	480	1.01
I315114		0.64	19.7	2.51	5.46	<0.05	0.14	0.02	0.026	0.04	12.0	9.8	0.45	362	0.74
I315115		0.90	14.6	2.45	5.77	0.05	0.07	0.01	0.027	0.04	13.3	11.1	0.51	480	0.78
I315116		0.68	24.6	2.63	5.70	0.06	0.14	0.02	0.028	0.04	14.7	10.2	0.44	282	0.81
I315117		0.54	35.1	2.81	5.86	0.06	0.26	0.03	0.028	0.04	17.6	12.0	0.62	535	0.52
I315118		0.40	33.4	2.62	4.96	0.07	0.16	0.04	0.024	0.05	16.5	13.1	0.74	384	0.41
I315119		0.32	32.7	2.12	3.53	0.08	0.14	0.10	0.018	0.03	20.1	7.0	1.63	938	0.59
I315120		0.42	28.9	2.25	4.17	0.06	0.13	0.03	0.020	0.05	13.2	11.0	0.55	345	0.50
I315121		0.49	29.0	2.35	4.64	0.05	0.24	0.01	0.022	0.03	12.0	8.5	0.55	428	0.43
I315122		0.40	26.6	2.40	4.69	0.05	0.06	0.03	0.022	0.05	13.4	10.4	0.50	493	1.05
I315123		0.50	28.6	2.23	4.86	<0.05	0.05	0.01	0.021	0.05	11.3	9.7	0.44	343	1.19
I315124		0.42	32.8	2.90	6.07	0.07	0.22	0.03	0.030	0.07	15.2	11.4	0.52	437	0.86
I315125		0.44	37.7	2.81	5.82	0.07	0.19	0.02	0.026	0.07	15.9	11.2	0.51	464	1.28
I315126		0.40	23.8	2.49	4.62	0.05	0.04	0.01	0.023	0.06	11.0	10.4	0.46	680	1.87
I315127		0.38	39.6	2.43	4.38	0.06	0.08	0.03	0.024	0.05	16.5	9.7	0.45	333	1.39
I315128		0.50	25.1	2.46	4.84	0.06	0.11	0.02	0.022	0.05	13.8	12.1	0.49	241	0.96
I315129		0.51	28.5	2.59	4.83	0.06	0.07	0.02	0.023	0.05	14.1	11.9	0.51	491	1.04
I315130		0.50	29.1	2.41	4.51	0.07	0.06	0.02	0.021	0.05	15.1	11.7	0.47	298	1.17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315041		1.24	34.5	640	4.1	61.2	<0.001	0.14	0.52	8.3	0.6	0.4	31.4	<0.01	0.05
I315042		2.57	18.6	520	7.2	14.2	<0.001	0.03	0.40	4.2	0.5	0.9	14.1	<0.01	0.11
I315043		0.88	9.5	410	5.3	9.7	<0.001	0.02	0.33	1.1	0.3	0.5	12.0	<0.01	0.04
I315044		1.76	41.3	820	5.4	32.9	0.001	0.05	0.22	6.3	0.9	1.0	32.5	<0.01	0.22
I315045		1.55	33.8	860	4.3	22.9	0.001	0.04	0.25	5.2	1.3	0.7	30.9	<0.01	0.25
I315046		1.44	31.5	640	5.1	15.9	0.001	0.05	0.35	4.2	0.7	0.7	24.2	<0.01	0.22
I315047		1.39	22.7	560	4.8	16.0	<0.001	0.04	0.23	3.9	0.6	0.6	27.8	<0.01	0.13
I315048		1.44	20.3	610	5.0	11.9	<0.001	0.07	0.17	3.7	0.7	0.7	29.2	<0.01	0.11
I315049		1.67	41.2	770	4.4	19.6	0.001	0.11	0.28	5.2	1.4	0.8	34.6	<0.01	0.27
I315050		1.49	27.6	680	4.5	16.4	<0.001	0.07	0.37	4.1	0.8	0.7	32.1	<0.01	0.21
I315101		0.18	3.9	130	1.6	2.0	<0.001	0.01	0.12	0.6	<0.2	<0.2	7.4	<0.01	0.01
I315102		1.30	12.8	120	5.5	19.2	<0.001	<0.01	0.22	4.3	<0.2	0.4	10.2	<0.01	0.02
I315103		1.76	13.0	270	7.5	20.4	<0.001	<0.01	0.28	2.6	<0.2	0.6	15.2	<0.01	0.02
I315104		1.43	16.7	230	7.6	8.8	<0.001	<0.01	0.31	5.7	0.2	0.5	16.4	<0.01	0.02
I315105		1.49	15.2	270	6.5	13.1	<0.001	0.01	0.36	3.8	0.3	0.4	14.2	<0.01	0.02
I315106		1.26	13.3	400	5.6	12.4	<0.001	0.01	0.31	3.5	0.3	0.4	21.0	<0.01	0.02
I315107		1.43	14.9	320	6.0	9.1	<0.001	0.01	0.33	3.9	0.4	0.4	23.8	<0.01	0.01
I315108		1.25	17.8	470	7.0	7.9	<0.001	0.01	0.41	4.8	0.6	0.4	30.7	<0.01	0.02
I315109		1.46	19.5	450	6.8	9.3	0.001	0.01	0.45	4.3	0.6	0.4	38.3	<0.01	0.02
I315110		1.43	17.7	450	7.1	8.6	<0.001	0.01	0.41	4.6	0.5	0.4	32.0	<0.01	0.03
I315111		1.56	19.1	210	7.7	8.7	<0.001	0.01	0.44	7.4	0.6	0.6	30.3	<0.01	0.02
I315112		1.46	13.5	170	6.7	9.7	<0.001	0.01	0.35	5.6	0.4	0.6	33.2	<0.01	0.01
I315113		1.47	15.2	230	6.8	13.1	<0.001	0.01	0.35	6.5	0.4	0.5	32.4	<0.01	0.02
I315114		1.32	16.4	290	7.3	8.0	<0.001	0.01	0.42	6.3	0.6	0.5	33.4	<0.01	0.02
I315115		1.55	13.5	130	6.1	6.8	<0.001	0.01	0.32	5.9	0.4	0.6	22.9	<0.01	0.02
I315116		1.43	19.9	360	8.2	8.0	<0.001	0.01	0.53	6.4	0.7	0.5	31.4	<0.01	0.03
I315117		1.51	28.6	180	9.5	4.6	<0.001	0.01	0.47	6.8	0.6	0.6	30.5	<0.01	0.03
I315118		1.39	29.1	530	11.6	6.0	0.001	0.02	0.56	5.2	0.6	0.5	32.9	<0.01	0.02
I315119		1.00	30.9	860	23.6	4.5	0.001	0.08	1.08	3.7	2.1	0.3	78.7	<0.01	0.04
I315120		1.38	23.5	630	8.1	6.0	0.001	0.03	0.66	4.1	0.9	0.4	44.4	<0.01	0.03
I315121		1.65	23.5	550	8.3	4.1	0.001	0.02	0.46	4.9	0.9	0.4	42.7	<0.01	0.03
I315122		1.35	21.1	650	7.5	5.3	0.001	0.02	0.55	4.3	0.9	0.5	50.7	<0.01	0.03
I315123		1.35	19.9	550	7.5	7.1	0.001	0.02	0.42	3.8	0.7	0.4	38.7	<0.01	0.03
I315124		1.84	23.0	490	9.1	9.0	<0.001	0.02	0.50	6.7	0.6	0.6	49.3	<0.01	0.03
I315125		1.84	24.1	480	8.7	9.1	<0.001	0.02	0.47	6.2	0.8	0.6	45.4	<0.01	0.03
I315126		1.26	21.8	610	7.8	9.5	0.001	0.02	0.53	3.9	0.9	0.5	44.5	<0.01	0.03
I315127		1.44	26.3	990	7.4	5.8	0.001	0.04	0.71	4.9	1.2	0.4	58.2	<0.01	0.03
I315128		1.57	20.8	710	7.8	7.1	<0.001	0.02	0.49	4.9	0.6	0.5	43.8	<0.01	0.02
I315129		1.43	22.8	720	7.9	6.7	0.001	0.02	0.56	4.7	0.6	0.4	42.5	<0.01	0.02
I315130		1.42	24.4	760	7.7	6.5	<0.001	0.03	0.58	4.5	0.8	0.4	46.3	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I315041		0.214	0.58	0.45	129	0.26	6.80	93
I315042		0.158	0.17	0.60	106	1.60	3.71	47
I315043		0.058	0.06	0.43	44	0.20	1.60	26
I315044		0.130	0.35	1.20	96	6.94	11.70	76
I315045		0.109	0.31	1.23	74	5.40	12.95	53
I315046		0.101	0.20	0.98	78	1.84	8.07	55
I315047		0.096	0.18	0.75	50	1.54	6.98	47
I315048		0.091	0.17	0.70	48	1.12	4.73	47
I315049		0.107	0.23	1.13	78	2.16	10.85	54
I315050		0.098	0.18	0.85	61	1.21	6.32	52
I315101		0.007	0.03	0.30	5	<0.05	2.03	5
I315102		0.114	0.13	0.22	52	0.12	1.66	37
I315103		0.084	0.08	0.31	55	0.16	2.36	34
I315104		0.084	0.09	0.44	69	0.13	2.77	42
I315105		0.129	0.08	0.30	69	0.12	2.20	60
I315106		0.111	0.08	0.29	63	0.18	2.40	49
I315107		0.098	0.07	0.47	56	0.17	5.31	47
I315108		0.089	0.06	1.79	56	0.14	5.79	47
I315109		0.084	0.05	0.93	56	0.13	6.82	51
I315110		0.083	0.05	0.81	57	0.24	5.40	49
I315111		0.111	0.08	0.68	65	0.14	15.15	49
I315112		0.086	0.08	0.50	59	0.42	3.17	45
I315113		0.093	0.07	0.89	58	0.15	5.50	41
I315114		0.071	0.06	3.39	54	0.17	6.56	37
I315115		0.080	0.09	1.41	50	0.16	4.19	48
I315116		0.072	0.09	2.05	57	0.14	8.50	38
I315117		0.074	0.06	0.80	67	0.18	13.50	41
I315118		0.072	0.06	0.64	55	0.15	13.45	52
I315119		0.034	0.04	1.31	46	0.27	27.2	49
I315120		0.070	0.05	0.97	48	0.14	9.62	57
I315121		0.078	0.06	1.27	55	0.13	8.45	45
I315122		0.070	0.04	1.16	53	0.14	8.80	50
I315123		0.062	0.06	2.35	49	0.15	6.71	70
I315124		0.120	0.06	1.39	68	0.18	11.30	48
I315125		0.114	0.06	1.53	67	0.23	11.05	49
I315126		0.062	0.06	1.97	54	0.22	6.06	53
I315127		0.073	0.04	1.85	55	0.18	13.10	46
I315128		0.085	0.07	1.16	51	0.23	8.43	50
I315129		0.078	0.06	0.99	54	0.29	8.38	53
I315130		0.066	0.06	1.42	49	0.20	10.70	47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315131		0.42	<0.005	0.07	1.47	7.3	<0.2	<10	260	0.42	0.14	0.53	0.11	25.9	7.7	25
I315132		0.54	0.010	0.03	1.22	6.5	<0.2	<10	240	0.39	0.11	0.34	0.07	23.8	7.2	26
I315133		0.40	0.006	0.06	1.12	6.4	<0.2	<10	220	0.32	0.11	0.70	0.15	21.7	7.6	24
I315134		0.34	<0.005	0.06	1.64	7.5	<0.2	<10	410	0.54	0.19	0.58	0.08	25.0	9.2	30
I315135		0.32	<0.005	0.07	0.98	7.7	<0.2	<10	270	0.34	0.12	1.27	0.14	20.9	7.4	20
I315136		0.42	<0.005	0.07	1.22	3.4	<0.2	<10	270	0.46	0.12	0.96	0.89	20.5	8.7	23
I315137		0.40	NSS	0.02	0.14	1.6	<0.2	<10	30	0.09	0.02	0.09	0.04	10.65	2.1	2
I315138		0.46	0.006	0.28	2.65	5.6	<0.2	<10	380	0.30	0.52	0.86	0.61	14.40	17.9	68
I315139		0.44	0.008	0.29	2.98	8.7	<0.2	<10	430	0.42	0.72	0.72	0.39	20.0	20.2	117
I315140		0.54	0.007	0.38	2.92	10.4	<0.2	<10	510	0.54	0.88	0.88	0.79	23.0	16.5	141
I315141		0.38	0.025	0.59	3.04	40.4	<0.2	<10	270	0.27	1.72	0.85	0.32	12.50	24.3	114
I315142		0.36	0.017	0.41	3.10	32.4	<0.2	<10	380	0.50	2.14	0.95	0.39	25.0	16.2	86
I315143		0.40	0.016	0.30	3.52	45.4	<0.2	<10	380	0.46	1.63	0.72	0.17	22.7	21.5	82
I315144		0.34	0.012	0.44	3.87	17.4	<0.2	<10	470	0.67	1.81	1.01	0.27	29.0	27.5	97
I315145		0.48	0.008	0.23	2.96	35.0	<0.2	<10	340	0.65	1.34	0.42	0.08	27.1	21.7	77
I315146		0.42	0.012	0.17	2.56	20.4	<0.2	<10	250	0.55	0.95	0.45	0.09	24.8	21.0	51
I315147		0.46	0.007	0.23	2.46	11.9	<0.2	<10	200	0.53	0.88	0.44	0.08	20.9	16.1	51
I315148		0.36	0.007	0.20	2.66	19.7	<0.2	<10	240	0.46	0.93	0.49	0.14	19.55	13.3	56
I315149		0.50	0.014	0.17	2.74	14.6	<0.2	<10	220	0.65	0.97	0.38	0.07	24.3	10.6	55
I315150		0.44	0.010	0.15	2.29	14.9	<0.2	<10	230	0.48	1.01	0.45	0.10	36.4	13.3	51
I315151		0.66	0.013	0.21	2.68	13.6	<0.2	<10	260	0.74	1.36	0.38	0.10	41.6	18.6	60
I315152		0.48	0.009	0.18	2.40	8.5	<0.2	<10	190	0.51	0.80	0.29	0.14	22.6	10.3	52
I315153		0.38	0.007	0.11	2.32	9.2	<0.2	<10	190	0.59	0.80	0.26	0.10	20.8	10.9	53
I315154		0.42	0.006	0.15	2.69	5.5	<0.2	<10	210	0.72	0.62	0.31	0.15	23.8	13.1	53
I315155		0.44	<0.005	0.12	2.39	5.4	<0.2	<10	180	0.70	0.32	0.37	0.11	26.1	13.7	44
I315156		0.38	0.006	0.09	3.25	6.4	<0.2	<10	220	0.55	0.27	0.36	0.09	22.3	17.7	64
I315157		0.42	<0.005	0.10	1.28	3.3	<0.2	<10	80	0.32	0.16	0.13	0.08	10.50	5.8	22
I315158		0.66	<0.005	0.13	2.38	8.5	<0.2	<10	270	0.61	0.33	0.43	0.13	31.7	11.8	46
I315159		0.56	0.005	0.13	2.42	6.0	<0.2	<10	210	0.35	0.26	0.42	0.10	19.40	9.4	48
I315160		0.54	0.007	0.14	2.50	7.4	<0.2	<10	210	0.45	0.25	0.47	0.09	20.3	11.1	49
I315161		0.42	0.005	0.12	2.17	5.4	<0.2	<10	240	0.44	0.19	0.45	0.11	18.45	11.2	45
I315162		0.32	<0.005	0.13	1.25	3.8	<0.2	<10	60	0.26	0.16	0.19	0.14	16.95	3.7	22
I315163		0.46	<0.005	0.16	2.60	8.9	<0.2	<10	190	0.67	0.17	0.78	0.15	30.4	13.7	50
I315164		0.44	0.006	0.18	2.81	9.5	<0.2	<10	160	0.61	0.20	0.40	0.14	25.8	14.2	52
I315165		0.40	<0.005	0.09	2.45	9.0	<0.2	<10	100	0.53	0.24	0.18	0.21	17.90	9.2	43
I315166		0.38	<0.005	0.15	0.90	2.0	<0.2	<10	40	0.30	0.17	0.17	0.19	7.21	2.7	12
I315167		0.46	<0.005	0.12	2.27	9.2	<0.2	<10	160	0.81	0.21	1.11	0.19	24.5	14.4	46
I315168		0.42	0.005	0.21	2.38	7.1	<0.2	<10	290	0.66	0.24	0.47	0.25	30.5	12.5	45
I315169		0.32	<0.005	0.15	1.77	7.8	<0.2	<10	210	0.56	0.23	0.20	0.65	19.95	9.3	33
I315170		0.36	<0.005	0.20	1.84	17.8	<0.2	<10	130	0.51	0.21	0.16	0.61	13.40	7.6	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315131		0.55	22.2	2.32	4.53	0.06	0.17	0.02	0.021	0.05	13.3	10.9	0.45	301	0.65
I315132		0.31	18.1	2.03	3.81	<0.05	0.10	0.01	0.018	0.03	11.5	8.6	0.35	285	0.62
I315133		0.34	20.3	2.05	3.59	0.05	0.07	0.01	0.018	0.03	10.3	9.2	0.43	279	0.79
I315134		0.43	16.1	2.63	4.95	0.05	0.10	0.02	0.024	0.04	12.3	9.5	0.46	446	0.86
I315135		0.26	20.8	1.90	3.11	<0.05	0.05	0.02	0.016	0.05	10.8	8.6	0.41	396	0.73
I315136		0.51	23.8	1.69	3.98	<0.05	0.04	0.01	0.020	0.05	9.7	9.7	0.39	289	0.70
I315137		0.08	1.7	0.73	0.56	<0.05	0.08	<0.01	<0.005	0.04	5.1	1.3	0.04	166	0.28
I315138		1.60	49.2	3.45	8.62	0.08	0.03	0.04	0.029	0.24	7.3	11.4	1.50	576	2.25
I315139		2.10	51.0	3.82	8.65	0.09	0.04	0.06	0.030	0.31	10.2	13.5	1.68	504	2.64
I315140		2.25	61.8	3.16	8.56	0.10	0.05	0.04	0.030	0.38	11.6	12.9	1.74	377	2.50
I315141		2.39	49.9	3.53	8.22	0.10	0.04	0.05	0.024	0.25	6.0	16.1	1.79	540	1.38
I315142		4.00	75.3	3.12	8.25	0.11	0.04	0.05	0.022	0.25	15.0	15.6	1.49	272	0.79
I315143		4.41	51.5	3.89	9.18	0.11	0.03	0.04	0.021	0.47	12.2	15.5	1.65	513	0.84
I315144		6.25	81.4	4.03	10.25	0.12	0.04	0.07	0.025	0.48	16.0	20.8	1.75	1120	1.28
I315145		3.79	73.5	3.67	8.82	0.12	0.06	0.04	0.026	0.31	13.2	14.5	1.16	342	1.25
I315146		3.00	52.0	3.41	7.71	0.12	0.04	0.03	0.024	0.21	12.3	13.9	0.89	531	1.12
I315147		2.83	56.9	3.12	7.70	0.11	0.03	0.03	0.023	0.19	11.2	13.3	0.85	478	1.22
I315148		2.88	57.5	3.03	9.01	0.11	0.03	0.03	0.022	0.23	10.5	12.4	0.91	378	1.34
I315149		2.45	80.3	3.57	8.41	0.12	0.05	0.03	0.023	0.19	13.4	13.3	0.87	240	1.18
I315150		2.61	117.5	3.12	7.52	0.13	0.07	0.03	0.023	0.25	18.3	10.7	0.82	276	1.24
I315151		2.92	174.5	3.42	8.57	0.14	0.07	0.04	0.026	0.29	22.7	13.2	0.88	309	1.42
I315152		2.10	90.4	3.01	8.94	0.09	0.04	0.02	0.021	0.19	11.3	12.1	0.76	262	1.60
I315153		2.32	86.9	3.39	9.31	0.09	0.05	0.02	0.022	0.23	10.7	13.9	0.85	293	1.73
I315154		2.22	135.0	3.26	8.65	0.09	0.08	0.03	0.024	0.15	12.3	14.7	0.82	283	1.48
I315155		1.93	125.0	3.02	7.69	0.09	0.07	0.03	0.023	0.09	14.5	14.4	0.74	295	1.39
I315156		3.02	92.5	3.25	8.86	0.10	0.08	0.02	0.026	0.14	8.3	17.1	0.93	362	0.83
I315157		1.07	77.1	1.74	4.65	0.05	<0.02	0.02	0.011	0.05	5.1	5.3	0.27	119	1.35
I315158		1.79	152.5	5.10	7.56	0.14	0.09	0.03	0.027	0.11	15.7	13.3	0.78	198	1.82
I315159		1.72	62.3	2.88	7.31	0.08	0.05	0.04	0.021	0.10	10.0	12.4	0.78	185	1.80
I315160		1.79	93.7	3.34	8.11	0.09	0.05	0.04	0.025	0.08	10.4	13.8	0.76	345	2.96
I315161		1.92	108.5	2.49	7.18	0.09	0.03	0.06	0.019	0.11	9.7	12.3	0.68	362	6.67
I315162		1.06	53.0	1.73	5.44	0.05	0.03	0.06	0.016	0.03	9.8	4.5	0.18	111	25.3
I315163		1.93	113.0	2.84	8.20	0.10	0.05	0.04	0.030	0.15	16.6	15.2	0.70	405	94.9
I315164		1.58	70.5	3.12	9.08	0.08	0.06	0.05	0.034	0.06	13.4	17.2	0.65	337	85.6
I315165		1.72	49.1	2.92	9.68	0.07	0.08	0.04	0.028	0.04	9.4	16.4	0.51	267	62.9
I315166		0.78	38.5	1.16	3.65	<0.05	0.02	0.04	0.009	0.01	3.9	3.3	0.08	51	20.6
I315167		1.90	72.0	2.76	8.10	0.09	0.05	0.06	0.036	0.07	12.6	16.2	0.70	442	91.7
I315168		2.12	86.0	2.65	7.91	0.09	0.05	0.13	0.027	0.10	15.9	15.4	0.63	311	28.6
I315169		2.17	40.5	2.94	9.19	0.07	0.04	0.09	0.026	0.12	10.2	13.3	0.43	397	8.25
I315170		1.69	39.3	2.68	8.23	0.06	0.03	0.04	0.023	0.06	6.8	14.2	0.39	226	7.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315131		1.55	20.3	610	6.9	6.8	<0.001	0.01	0.46	4.9	0.7	0.5	33.3	<0.01	0.01
I315132		0.92	18.7	350	5.5	3.6	<0.001	0.01	0.36	4.3	0.4	0.4	24.8	<0.01	0.02
I315133		1.10	20.0	460	5.1	3.6	0.001	0.02	0.44	3.8	0.6	0.4	35.5	<0.01	0.01
I315134		1.60	20.0	260	8.4	6.7	<0.001	0.01	0.46	5.0	0.5	0.6	34.7	<0.01	0.03
I315135		0.98	20.2	520	5.6	4.5	0.001	0.05	0.51	2.8	0.8	0.3	71.0	<0.01	0.02
I315136		1.10	21.6	670	5.7	6.0	0.001	0.05	0.34	3.5	0.6	0.4	50.9	<0.01	0.02
I315137		0.17	3.7	130	1.5	2.1	<0.001	0.01	0.10	0.6	<0.2	<0.2	7.4	<0.01	0.01
I315138		1.16	41.2	650	7.7	27.3	0.001	0.06	0.25	6.8	0.9	0.6	41.2	<0.01	0.08
I315139		1.21	75.0	700	6.6	33.0	0.001	0.07	0.31	8.3	1.2	0.7	36.6	<0.01	0.10
I315140		1.13	76.3	820	8.0	31.7	0.002	0.08	0.58	7.9	1.6	0.7	42.1	<0.01	0.09
I315141		0.94	56.8	600	9.9	26.1	0.001	0.08	2.30	7.4	1.0	0.6	31.0	<0.01	0.29
I315142		1.09	49.7	590	5.8	33.0	0.001	0.15	2.09	7.5	1.2	0.6	36.9	<0.01	0.17
I315143		1.39	41.4	660	5.2	45.9	0.001	0.07	1.27	7.9	0.9	0.7	29.7	<0.01	0.16
I315144		1.39	54.4	770	5.1	50.9	0.001	0.11	0.54	7.8	1.2	0.8	40.7	<0.01	0.17
I315145		1.28	38.3	550	5.7	38.3	<0.001	0.01	1.50	8.5	1.0	0.9	23.4	<0.01	0.24
I315146		1.39	27.9	580	5.0	31.8	<0.001	0.01	0.60	7.4	0.8	0.8	25.3	<0.01	0.19
I315147		1.24	26.8	620	5.2	28.8	<0.001	0.03	0.36	6.1	0.8	0.8	25.4	<0.01	0.18
I315148		1.55	29.2	610	5.0	34.8	<0.001	0.03	0.35	6.7	0.7	1.0	28.0	<0.01	0.20
I315149		1.68	29.7	670	5.3	28.7	<0.001	0.02	0.38	7.4	1.0	1.0	23.3	<0.01	0.27
I315150		1.42	29.5	630	4.8	36.4	<0.001	0.03	0.41	7.5	1.0	0.9	30.1	<0.01	0.27
I315151		1.44	39.1	630	4.9	39.4	<0.001	0.03	0.33	9.1	1.4	1.0	27.5	<0.01	0.45
I315152		1.53	28.9	550	5.5	28.3	<0.001	0.04	0.29	6.2	0.8	1.0	22.2	<0.01	0.31
I315153		1.72	28.2	550	5.3	29.1	<0.001	0.05	0.26	6.9	0.6	1.0	21.7	<0.01	0.33
I315154		1.79	34.8	620	5.4	24.7	<0.001	0.03	0.27	7.1	0.8	0.9	21.3	<0.01	0.26
I315155		1.78	30.5	720	5.6	17.8	<0.001	0.02	0.28	5.9	0.7	0.8	24.7	<0.01	0.12
I315156		1.64	36.4	300	5.3	18.6	<0.001	0.04	0.34	6.8	0.7	0.7	28.8	<0.01	0.09
I315157		0.56	13.9	380	3.4	11.7	<0.001	0.02	0.26	1.8	0.7	0.4	13.0	<0.01	0.07
I315158		1.75	30.1	890	6.0	17.4	<0.001	0.01	0.36	7.9	1.1	0.7	26.4	<0.01	0.12
I315159		1.53	22.5	810	5.6	15.7	<0.001	0.01	0.31	6.0	0.8	0.6	23.1	<0.01	0.08
I315160		1.60	26.7	840	5.8	16.6	<0.001	0.03	0.36	6.7	0.8	0.7	27.4	<0.01	0.08
I315161		1.23	25.6	820	4.3	19.6	0.001	0.03	0.32	6.2	0.8	0.6	26.4	<0.01	0.07
I315162		1.20	10.8	360	4.8	12.0	<0.001	0.02	0.25	2.9	0.7	0.4	14.2	<0.01	0.05
I315163		2.13	32.8	570	5.0	28.4	0.002	0.05	0.63	6.4	1.2	0.6	39.7	<0.01	0.05
I315164		2.25	30.3	510	5.9	15.3	0.001	0.02	0.35	6.1	0.9	0.6	27.1	<0.01	0.05
I315165		2.46	23.3	360	7.0	15.0	<0.001	<0.01	0.40	5.0	0.6	0.7	14.7	<0.01	0.06
I315166		0.79	6.0	230	3.2	7.7	<0.001	0.01	0.19	1.3	0.4	0.3	11.1	<0.01	0.03
I315167		2.13	29.7	570	5.0	18.6	0.002	0.06	0.33	5.5	1.0	0.7	45.4	<0.01	0.05
I315168		1.67	44.2	780	6.2	22.3	0.002	0.03	0.22	6.3	1.4	0.6	36.4	<0.01	0.05
I315169		2.31	27.7	560	7.7	23.1	<0.001	0.03	0.36	3.5	0.6	0.8	19.2	<0.01	0.07
I315170		1.55	25.1	480	6.6	19.5	<0.001	0.02	0.32	3.2	0.6	0.6	17.0	<0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I315131		0.083	0.07	0.65	48	0.18	8.26	46
I315132		0.060	0.05	0.50	49	0.17	5.51	33
I315133		0.065	0.04	1.27	48	0.42	5.79	35
I315134		0.065	0.07	0.51	57	0.18	6.28	45
I315135		0.045	0.04	1.14	40	0.28	7.99	36
I315136		0.057	0.06	0.73	39	0.12	5.93	67
I315137		0.007	0.03	0.34	4	<0.05	2.20	5
I315138		0.108	0.19	0.85	101	0.17	6.27	99
I315139		0.112	0.26	0.98	113	0.14	7.53	102
I315140		0.101	0.30	1.19	115	0.16	10.35	108
I315141		0.114	0.24	0.69	92	0.33	5.79	86
I315142		0.113	0.23	1.70	85	0.38	13.60	79
I315143		0.146	0.36	1.11	103	0.90	8.47	86
I315144		0.139	0.42	1.50	105	0.55	12.55	114
I315145		0.143	0.39	1.20	99	1.10	8.89	69
I315146		0.131	0.33	0.90	85	1.15	7.76	61
I315147		0.124	0.32	0.89	85	0.62	6.53	54
I315148		0.144	0.35	0.73	93	0.99	5.78	62
I315149		0.146	0.35	0.96	95	1.28	7.29	55
I315150		0.156	0.41	1.17	85	2.77	11.60	57
I315151		0.145	0.41	1.61	94	6.72	14.45	59
I315152		0.140	0.24	0.86	90	3.81	5.56	51
I315153		0.159	0.29	0.67	105	1.12	5.14	51
I315154		0.146	0.24	0.92	93	3.72	6.46	54
I315155		0.140	0.21	1.23	81	3.75	7.16	53
I315156		0.181	0.26	0.57	96	4.00	5.64	54
I315157		0.060	0.12	0.50	44	2.05	2.62	22
I315158		0.146	0.25	1.09	97	2.08	12.05	52
I315159		0.143	0.21	0.55	88	1.64	5.65	56
I315160		0.138	0.20	0.71	93	0.57	6.09	55
I315161		0.123	0.22	0.68	74	1.27	6.62	51
I315162		0.083	0.10	0.71	46	0.94	4.12	22
I315163		0.148	0.22	1.39	75	2.09	8.55	62
I315164		0.152	0.16	1.02	87	2.86	6.04	72
I315165		0.157	0.13	0.63	78	2.79	3.77	52
I315166		0.055	0.06	0.49	26	0.86	1.76	13
I315167		0.133	0.16	1.59	76	5.23	6.72	64
I315168		0.119	0.20	1.63	72	0.87	12.85	100
I315169		0.124	0.17	0.73	75	0.59	3.82	72
I315170		0.109	0.12	0.50	76	0.48	2.98	73



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315171		0.38	<0.005	0.18	1.99	8.8	<0.2	<10	110	0.73	0.43	0.24	0.38	23.4	10.1	67
I315172		0.32	<0.005	0.08	1.22	6.1	<0.2	<10	70	0.29	0.21	0.13	0.33	9.89	5.7	22
I315173		0.38	<0.005	0.12	1.37	6.7	<0.2	<10	110	0.48	0.56	0.17	0.54	11.80	6.3	28
I315174		0.24	NSS	0.02	0.16	4.9	<0.2	<10	50	0.17	0.03	0.21	0.13	24.3	5.5	10
I315175		0.40	<0.005	0.08	0.84	4.7	<0.2	<10	60	0.23	0.41	0.08	0.16	7.30	3.3	15
I315176		0.32	0.005	0.13	1.52	7.6	<0.2	<10	80	0.52	0.50	0.12	0.28	11.70	6.1	26
I315177		0.36	0.007	0.18	2.59	26.6	<0.2	<10	220	0.51	0.51	0.61	0.27	31.4	18.8	145
I315178		0.40	<0.005	0.09	1.77	8.4	<0.2	<10	190	0.40	0.14	0.54	0.09	37.2	9.7	35
I315179		0.38	<0.005	0.12	1.59	5.1	<0.2	<10	260	0.55	0.14	1.47	0.21	45.4	10.7	27
I315180		0.38	0.006	0.12	1.96	5.4	<0.2	<10	230	0.54	0.15	0.76	0.13	43.4	12.6	33
I315181		0.42	<0.005	0.09	1.84	4.5	<0.2	<10	230	0.36	0.14	0.59	0.17	31.7	10.9	32
I315182		0.40	0.005	0.08	2.27	3.6	<0.2	<10	220	0.46	0.14	0.46	0.07	43.6	12.2	40
I315183		0.32	<0.005	0.10	1.77	4.7	<0.2	<10	180	0.43	0.14	0.53	0.08	40.8	10.7	32
I315184		0.40	<0.005	0.08	2.00	6.0	<0.2	<10	240	0.41	0.14	0.50	0.09	35.2	12.8	36
I315185		0.46	<0.005	0.12	1.92	3.7	<0.2	<10	230	0.47	0.13	0.53	0.11	35.7	10.7	37
I315186		0.36	0.022	0.08	1.75	4.7	<0.2	<10	140	0.28	0.15	0.35	0.06	27.7	10.3	31
I315187		0.42	0.005	0.16	1.82	4.0	<0.2	<10	180	0.35	0.15	0.77	0.17	27.1	11.5	32
I315188		0.38	<0.005	0.12	1.96	3.8	<0.2	<10	170	0.33	0.16	0.52	0.07	34.9	10.5	32
I315189		0.42	<0.005	0.09	1.84	3.0	<0.2	<10	180	0.31	0.18	0.43	0.05	31.4	9.8	27
I315190		0.36	<0.005	0.20	1.65	2.8	<0.2	<10	180	0.34	0.20	0.39	0.08	40.2	9.2	28
I315191		0.34	<0.005	0.16	1.25	2.5	<0.2	<10	80	0.24	0.19	0.20	0.05	18.05	5.9	25
I315192		0.36	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I315193		0.30	<0.005	0.16	2.28	3.0	<0.2	<10	240	0.49	0.23	0.88	0.13	91.5	16.2	38
I315194		0.30	<0.005	0.32	1.56	2.4	<0.2	<10	240	0.74	0.14	1.19	0.25	120.0	9.8	25
I315195		0.38	<0.005	0.07	1.18	2.5	<0.2	<10	70	0.18	0.22	0.25	0.09	20.4	6.6	28
I315196		0.32	<0.005	0.09	2.61	4.3	<0.2	<10	120	0.53	0.32	0.17	0.06	51.3	15.4	58
I315197		0.28	<0.005	0.05	2.21	4.3	<0.2	<10	60	0.25	0.27	0.06	0.05	19.85	9.0	48
I315198		0.34	<0.005	0.16	1.38	1.8	<0.2	<10	80	0.44	0.19	0.10	0.06	19.60	7.4	28
I315199		0.44	<0.005	0.19	1.93	4.0	<0.2	<10	110	0.32	0.25	0.13	0.05	17.85	9.7	37
I315200		0.36	<0.005	0.18	1.85	4.0	<0.2	<10	120	0.34	0.22	0.17	0.08	17.15	10.2	35
I315201		0.12	<0.005	0.01	0.01	0.2	<0.2	<10	10	<0.05	<0.01	0.02	0.02	1.04	0.2	1
I315202		0.52	0.007	0.13	1.75	14.7	<0.2	<10	130	0.23	0.73	0.36	0.12	16.40	9.1	40
I315203		0.46	0.015	0.20	1.82	9.8	<0.2	<10	110	0.31	1.54	0.28	0.13	23.6	8.4	40
I315204		0.48	0.022	0.23	1.98	25.1	<0.2	<10	130	0.36	3.20	0.34	0.14	26.9	10.0	42
I315205		0.46	0.007	0.23	2.17	37.4	<0.2	<10	130	0.43	1.68	0.25	0.11	26.0	14.1	50
I315206		0.60	0.017	0.12	2.13	17.7	<0.2	<10	160	0.40	0.78	0.38	0.15	28.7	23.0	53
I315207		0.46	0.010	0.30	2.14	6.4	<0.2	<10	210	0.40	0.85	0.43	0.28	20.4	9.6	48
I315208		0.60	0.006	0.21	2.20	7.2	<0.2	<10	230	0.42	0.75	0.31	0.44	22.4	9.4	46
I315209		0.72	0.006	0.18	2.29	6.7	<0.2	<10	230	0.49	0.64	0.36	0.45	27.5	10.7	48
I315210		0.52	0.021	0.13	1.85	7.2	<0.2	<10	230	0.37	0.77	0.47	0.30	21.6	8.9	38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315171		1.99	50.0	3.61	10.10	0.09	0.07	0.02	0.032	0.08	11.4	18.2	0.72	339	6.19
I315172		0.95	16.2	2.17	6.07	<0.05	0.02	0.04	0.018	0.02	4.8	7.6	0.22	167	2.50
I315173		1.45	34.0	2.45	8.87	0.05	0.03	0.07	0.024	0.06	5.7	8.8	0.30	403	16.85
I315174		0.17	5.1	1.33	1.18	0.06	<0.02	0.01	<0.005	<0.01	11.8	2.1	0.09	498	1.19
I315175		0.85	14.9	1.88	7.71	<0.05	0.02	0.03	0.014	0.01	3.7	4.2	0.11	118	4.60
I315176		1.46	26.9	2.74	9.60	0.05	0.03	0.05	0.024	0.02	5.8	10.6	0.18	198	8.35
I315177		3.53	72.4	2.70	8.81	0.10	0.03	0.09	0.026	0.15	20.5	17.4	1.22	405	30.0
I315178		0.92	21.4	2.60	6.62	0.08	0.10	0.03	0.022	0.11	21.6	18.7	0.65	251	0.87
I315179		0.79	37.3	2.27	5.65	0.09	0.06	0.05	0.022	0.08	32.5	17.7	0.50	359	0.69
I315180		1.03	32.8	2.84	7.24	0.12	0.13	0.04	0.023	0.19	41.8	22.4	0.68	404	0.55
I315181		0.98	21.4	2.69	6.94	0.08	0.08	0.03	0.020	0.18	16.4	17.6	0.64	355	0.82
I315182		1.56	21.0	3.40	8.84	0.10	0.08	0.02	0.021	0.34	28.7	24.1	0.85	336	0.73
I315183		0.89	22.2	2.75	6.78	0.10	0.09	0.03	0.021	0.15	36.8	17.8	0.65	271	0.63
I315184		0.72	18.7	2.90	6.76	0.08	0.11	0.02	0.024	0.15	17.1	18.2	0.69	368	0.78
I315185		1.50	20.4	3.10	8.34	0.11	0.04	0.03	0.018	0.32	20.9	24.1	0.82	460	0.87
I315186		1.36	15.4	2.96	7.95	0.07	0.03	0.01	0.019	0.23	13.9	18.5	0.68	279	1.15
I315187		1.17	20.0	2.89	7.36	0.07	0.05	0.02	0.021	0.24	15.8	18.1	0.66	521	0.61
I315188		1.29	16.6	2.90	8.21	0.08	0.04	0.02	0.019	0.21	23.4	17.9	0.67	330	0.94
I315189		1.29	15.2	2.84	8.93	0.07	0.04	0.02	0.023	0.22	19.4	15.1	0.64	196	0.88
I315190		1.10	24.4	2.59	8.30	0.06	0.03	0.02	0.019	0.17	23.7	11.3	0.52	191	1.13
I315191		1.12	14.1	2.13	7.89	<0.05	<0.02	0.01	0.013	0.12	10.2	8.5	0.34	136	1.28
I315192		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I315193		1.48	22.3	3.41	9.27	0.13	0.07	0.03	0.026	0.14	54.6	30.9	0.78	612	0.89
I315194		0.99	37.9	2.25	5.88	0.13	0.03	0.07	0.021	0.08	86.9	15.5	0.42	218	0.97
I315195		0.94	15.4	2.06	8.45	<0.05	0.02	0.02	0.014	0.10	9.7	12.2	0.44	142	0.85
I315196		1.75	21.7	4.28	11.00	0.08	0.06	0.01	0.029	0.16	24.9	34.9	0.98	329	1.20
I315197		1.73	14.4	4.39	11.25	0.07	0.03	0.03	0.026	0.09	10.6	21.0	0.63	194	1.19
I315198		1.74	16.0	2.45	7.79	<0.05	0.02	0.03	0.017	0.12	10.6	13.6	0.34	107	0.78
I315199		2.29	14.4	3.59	10.05	0.06	0.02	0.03	0.021	0.21	9.0	16.4	0.64	254	1.23
I315200		2.39	15.5	3.44	8.76	0.05	0.02	0.05	0.018	0.20	8.7	14.5	0.56	336	1.14
I315201		<0.05	0.7	0.02	0.14	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	<0.05
I315202		1.68	42.1	2.50	6.57	0.06	0.02	0.04	0.020	0.09	8.6	9.3	0.57	247	1.12
I315203		1.99	82.4	2.32	6.87	0.07	0.02	0.04	0.019	0.06	13.3	8.3	0.50	151	1.18
I315204		1.98	62.8	2.48	7.99	0.06	0.02	0.05	0.022	0.08	13.9	9.9	0.54	243	1.36
I315205		2.17	62.5	2.98	7.92	0.09	0.02	0.04	0.025	0.11	13.6	10.9	0.63	316	1.40
I315206		2.23	57.5	2.92	7.21	0.09	0.02	0.14	0.025	0.12	13.8	11.6	0.65	1220	43.3
I315207		2.78	51.2	2.77	8.33	0.08	0.02	0.09	0.027	0.19	11.0	11.2	0.77	283	5.60
I315208		2.81	41.7	2.67	8.06	0.09	0.02	0.09	0.025	0.20	12.0	11.0	0.69	258	3.55
I315209		2.64	52.7	2.88	7.69	0.11	0.04	0.11	0.029	0.23	14.7	12.9	0.73	281	3.13
I315210		1.83	30.3	2.55	6.73	0.08	0.03	0.07	0.024	0.16	12.0	11.7	0.60	252	3.35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I315171		2.19	33.8	600	9.3	18.1	<0.001	0.01	0.31	5.3	0.8	1.0	16.0	<0.01	0.09	4.4
I315172		1.32	12.1	270	5.8	10.3	<0.001	<0.01	0.38	2.6	0.4	0.9	12.8	<0.01	0.05	1.0
I315173		1.20	17.3	490	6.8	16.0	<0.001	0.03	0.40	2.8	0.7	1.9	15.8	<0.01	0.09	0.5
I315174		0.35	10.8	330	2.8	3.0	<0.001	<0.01	0.23	1.0	0.2	0.4	7.5	<0.01	0.01	5.8
I315175		1.49	8.4	230	6.9	6.8	<0.001	<0.01	0.40	1.7	0.4	1.0	8.8	<0.01	0.05	0.6
I315176		1.86	15.0	360	8.5	9.6	<0.001	0.01	0.52	2.7	0.5	1.3	11.9	0.01	0.08	0.9
I315177		1.76	91.9	660	5.2	29.7	0.002	0.09	0.19	5.0	1.2	0.8	42.5	<0.01	0.08	1.7
I315178		2.12	19.8	410	8.7	15.3	<0.001	0.02	0.27	4.9	0.3	0.5	34.1	<0.01	0.02	5.6
I315179		2.13	22.5	470	7.1	13.2	0.001	0.05	0.45	4.6	1.0	0.5	59.7	<0.01	0.03	3.4
I315180		2.61	25.0	480	8.7	20.7	<0.001	0.03	0.39	5.7	0.7	0.5	41.5	<0.01	0.03	6.3
I315181		2.72	21.0	460	8.1	24.0	<0.001	0.03	0.32	4.6	0.5	0.5	38.2	<0.01	0.03	5.2
I315182		3.43	23.8	440	10.1	34.4	<0.001	0.02	0.19	4.5	0.5	0.6	30.8	<0.01	0.02	8.5
I315183		2.55	20.3	490	7.8	18.6	<0.001	0.02	0.27	4.7	0.5	0.5	32.8	<0.01	0.02	6.9
I315184		2.16	23.6	430	8.0	16.0	<0.001	0.02	0.27	4.5	0.4	0.5	33.3	<0.01	0.02	5.6
I315185		3.53	24.5	470	7.7	32.5	<0.001	0.02	0.23	4.2	0.4	0.6	38.7	<0.01	0.02	5.1
I315186		3.25	20.6	390	8.5	31.2	<0.001	0.02	0.21	3.6	0.3	0.6	22.8	<0.01	0.03	4.7
I315187		3.44	22.3	370	9.1	31.3	<0.001	0.03	0.21	4.0	0.4	0.6	35.4	<0.01	0.03	4.7
I315188		3.29	20.4	320	10.1	29.4	<0.001	0.02	0.20	3.9	0.4	0.6	29.1	<0.01	0.03	5.5
I315189		3.22	18.3	290	11.4	31.4	<0.001	0.02	0.18	4.5	0.4	0.7	24.6	<0.01	0.03	4.5
I315190		3.39	19.0	320	11.3	26.0	<0.001	0.02	0.19	3.3	0.3	0.7	24.2	<0.01	0.03	4.8
I315191		2.56	13.2	260	10.2	23.9	<0.001	0.07	0.19	2.2	0.3	0.7	12.5	<0.01	0.03	1.8
I315192		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I315193		4.97	26.7	450	12.6	25.8	<0.001	0.05	0.18	5.0	0.7	0.7	42.3	0.01	0.03	9.9
I315194		2.36	21.9	910	9.6	13.5	0.001	0.14	0.18	2.6	1.0	0.5	53.5	0.01	0.03	1.6
I315195		2.74	14.9	210	9.0	17.6	<0.001	0.08	0.16	2.4	0.3	0.7	15.3	<0.01	0.03	2.6
I315196		4.84	32.1	320	16.7	28.8	<0.001	0.08	0.19	4.3	0.4	0.9	13.6	<0.01	0.03	9.1
I315197		5.22	20.2	310	19.1	18.0	<0.001	0.06	0.22	3.3	0.3	0.9	9.9	<0.01	0.04	3.9
I315198		2.64	15.3	240	11.6	30.6	<0.001	0.04	0.21	2.1	0.3	0.7	9.4	<0.01	0.02	2.9
I315199		3.72	18.6	280	16.3	50.9	<0.001	0.03	0.22	3.2	0.3	0.9	11.7	<0.01	0.03	3.8
I315200		3.56	17.2	300	16.0	57.6	<0.001	0.03	0.23	3.2	0.3	0.8	10.9	<0.01	0.04	3.1
I315201		0.06	0.5	10	1.0	0.3	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
I315202		1.32	21.0	680	4.8	14.1	<0.001	0.06	0.72	4.4	0.7	0.6	20.7	<0.01	0.15	1.1
I315203		1.53	26.8	630	5.2	12.9	<0.001	0.08	0.33	3.7	1.0	0.6	20.8	<0.01	0.28	0.6
I315204		1.48	27.9	630	5.7	16.4	<0.001	0.07	0.55	3.7	0.9	0.7	23.0	<0.01	0.39	0.8
I315205		1.75	31.2	660	5.9	19.7	<0.001	0.06	0.62	4.5	0.9	0.7	20.3	<0.01	0.23	1.4
I315206		1.51	33.0	660	4.8	23.8	<0.001	0.05	0.43	5.2	0.8	0.6	24.3	<0.01	0.13	1.9
I315207		1.99	29.2	560	6.1	29.5	0.001	0.05	0.22	5.7	0.9	0.9	27.6	<0.01	0.10	1.9
I315208		1.78	31.3	600	6.4	29.1	0.001	0.05	0.28	5.4	1.0	1.0	24.2	<0.01	0.07	1.9
I315209		2.00	36.9	690	5.7	32.7	0.001	0.04	0.26	6.1	1.2	0.9	24.9	<0.01	0.08	3.4
I315210		1.93	24.8	700	5.8	23.3	0.001	0.03	0.22	5.3	1.3	0.9	26.3	<0.01	0.09	3.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315171		0.153	0.15	1.02	128	4.36	7.27	76	2.5
I315172		0.092	0.09	0.35	63	0.45	2.21	37	0.9
I315173		0.094	0.11	0.64	81	1.21	3.15	58	0.9
I315174		0.019	0.07	0.39	17	0.09	3.83	11	<0.5
I315175		0.096	0.09	0.34	66	0.53	1.46	27	1.0
I315176		0.100	0.12	0.54	83	0.69	2.28	46	1.3
I315177		0.120	0.32	2.01	69	1.49	12.10	69	0.9
I315178		0.142	0.10	0.99	56	0.16	8.33	54	4.9
I315179		0.109	0.08	4.32	48	0.12	18.95	44	3.3
I315180		0.154	0.12	1.88	58	0.17	22.1	59	6.1
I315181		0.156	0.12	0.93	54	0.16	7.24	58	3.9
I315182		0.207	0.21	1.17	57	0.12	9.66	87	4.0
I315183		0.154	0.11	1.34	53	0.17	14.80	59	4.3
I315184		0.143	0.10	0.95	59	0.19	7.71	61	4.9
I315185		0.187	0.18	0.89	53	0.14	9.03	81	1.8
I315186		0.176	0.19	0.63	58	0.13	5.19	63	1.4
I315187		0.164	0.15	0.77	54	0.11	6.47	63	2.4
I315188		0.173	0.17	1.01	57	0.16	7.83	62	2.1
I315189		0.189	0.17	0.92	70	0.18	6.06	58	1.5
I315190		0.157	0.15	1.19	52	0.12	6.93	57	1.2
I315191		0.140	0.15	0.51	53	0.19	2.77	41	0.6
I315192		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I315193		0.198	0.20	1.87	60	0.17	16.65	74	2.9
I315194		0.082	0.10	3.59	35	0.14	22.1	44	0.8
I315195		0.152	0.15	0.57	58	0.12	3.21	45	0.7
I315196		0.242	0.24	1.10	79	0.19	7.36	92	2.4
I315197		0.209	0.18	0.55	74	0.18	3.07	69	1.6
I315198		0.133	0.16	0.49	53	0.11	2.66	39	0.9
I315199		0.201	0.24	0.52	72	0.17	3.06	68	1.1
I315200		0.176	0.21	0.59	66	0.19	2.97	70	1.0
I315201		0.005	<0.02	0.09	2	<0.05	0.59	5	0.6
I315202		0.106	0.18	0.58	68	1.86	4.56	46	0.7
I315203		0.087	0.17	1.05	49	2.21	5.05	47	0.7
I315204		0.093	0.18	0.77	59	1.27	5.46	55	0.5
I315205		0.108	0.21	0.85	67	3.75	4.96	56	0.6
I315206		0.114	0.23	0.76	71	2.45	6.80	64	0.7
I315207		0.134	0.25	1.02	86	0.70	5.31	83	1.0
I315208		0.127	0.26	1.04	76	2.57	5.40	106	1.0
I315209		0.143	0.29	1.16	89	1.33	6.90	119	1.8
I315210		0.124	0.20	0.96	77	3.30	5.43	73	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315211		0.62	0.006	0.16	1.94	6.3	<0.2	<10	240	0.49	0.88	0.58	0.19	25.6	11.8	42
I315212		0.52	0.006	0.11	2.12	5.2	<0.2	<10	270	0.62	0.84	0.34	0.13	27.1	9.6	40
I315213		0.44	<0.005	0.24	1.46	5.4	<0.2	<10	120	0.85	1.03	0.31	0.14	20.3	8.3	34
I315214		0.46	0.005	0.19	1.95	16.0	<0.2	<10	140	0.62	1.98	0.36	0.23	19.45	7.2	41
I315215		0.18	<0.005	0.01	0.17	5.8	<0.2	<10	40	0.21	0.14	0.24	0.13	23.2	5.5	5
I315216		0.44	0.006	0.16	1.59	8.5	<0.2	<10	110	0.40	0.70	0.31	0.19	17.40	10.1	39
I315217		0.42	<0.005	0.17	1.76	6.1	<0.2	<10	130	0.54	0.81	0.36	0.23	27.1	8.9	51
I315218		0.42	<0.005	0.15	1.78	10.8	<0.2	<10	140	0.36	0.73	0.37	0.17	26.8	8.9	38
I315219		0.44	0.007	0.16	0.91	5.9	<0.2	<10	110	0.25	0.54	0.39	0.19	32.0	4.2	24
I315220		0.52	<0.005	0.12	0.72	15.1	<0.2	<10	40	0.18	1.18	0.15	0.05	12.40	4.1	19
I315221		0.52	0.005	0.07	1.62	9.9	<0.2	<10	160	0.21	0.48	0.46	0.11	22.6	11.0	37
I315222		0.46	<0.005	0.20	1.68	14.1	<0.2	<10	150	0.27	0.59	0.32	0.13	15.30	9.8	42
I315223		0.48	<0.005	0.05	1.26	7.1	<0.2	<10	120	0.19	0.18	0.15	0.15	13.75	4.5	17
I315224		0.70	<0.005	0.09	2.09	8.1	<0.2	<10	260	0.54	0.15	0.46	0.17	65.7	12.5	27
I315225		0.56	0.005	0.06	0.55	3.1	<0.2	<10	70	0.13	0.11	0.11	0.05	14.70	3.0	10
I315226		0.62	<0.005	0.06	1.76	6.6	<0.2	<10	140	0.28	0.13	0.37	0.15	23.0	7.9	31
I315227		0.52	<0.005	0.06	3.00	10.7	<0.2	<10	200	0.39	0.17	0.21	0.11	26.0	10.7	32
I315228		0.50	<0.005	0.06	0.58	3.7	<0.2	<10	110	0.14	0.09	0.12	0.10	21.6	2.0	10
I315229		0.40	<0.005	0.16	1.99	6.0	<0.2	<10	300	0.39	0.17	0.34	0.15	50.5	6.8	20
I315230		0.44	<0.005	0.05	1.67	7.1	<0.2	<10	330	0.32	0.14	0.53	0.18	25.9	8.9	21
I315231		0.30	<0.005	0.07	1.15	5.0	<0.2	<10	200	0.33	0.12	0.22	0.12	21.1	6.7	14
I315232		0.44	<0.005	0.13	1.74	5.3	<0.2	<10	500	0.46	0.20	0.41	0.15	69.8	9.0	19
I315233		0.54	<0.005	0.11	1.73	9.0	<0.2	<10	570	0.71	0.17	0.19	0.10	52.2	8.8	19
I315234		0.42	<0.005	0.08	2.63	11.3	<0.2	<10	180	0.53	0.16	0.16	0.17	27.3	9.0	35
I315235		0.58	<0.005	0.12	2.75	9.6	<0.2	<10	210	0.69	0.16	0.18	0.20	43.2	9.4	34
I315236		0.56	<0.005	0.06	2.94	11.6	<0.2	<10	240	0.75	0.21	0.25	0.15	62.2	17.9	37
I315237		0.52	<0.005	0.13	2.38	5.2	<0.2	<10	170	0.39	0.54	0.46	0.15	23.6	17.8	140
I315238		0.46	<0.005	0.18	1.51	8.0	<0.2	<10	90	0.22	0.36	0.28	0.14	14.00	7.3	62
I315239		0.54	<0.005	0.12	1.55	13.3	<0.2	<10	100	0.26	0.31	0.26	0.10	16.85	6.5	46
I315240		0.44	<0.005	0.10	1.61	6.4	<0.2	<10	110	0.28	0.29	0.28	0.12	20.9	6.8	40
I315241		0.46	0.005	0.10	1.55	7.5	<0.2	<10	90	0.22	0.27	0.27	0.10	17.95	6.0	36
I315242		0.42	0.007	0.10	1.63	8.6	<0.2	<10	110	0.26	0.25	0.29	0.11	19.35	6.7	38
I315243		0.44	<0.005	0.14	1.88	20.3	<0.2	<10	140	0.30	0.30	0.28	0.23	23.2	10.9	43
I315244		0.60	<0.005	0.10	1.73	5.1	<0.2	<10	160	0.14	0.41	0.47	0.10	12.85	8.2	46
I315245		0.52	<0.005	0.12	2.19	4.9	<0.2	<10	210	0.20	0.48	0.45	0.13	14.25	11.0	41
I315246		0.52	<0.005	0.27	2.13	9.2	<0.2	<10	190	0.29	0.91	0.38	0.24	20.7	11.4	42
I315247		0.48	<0.005	0.13	1.81	7.4	<0.2	<10	140	0.22	0.89	0.36	0.22	18.45	10.4	35
I315248		0.54	<0.005	0.15	1.80	5.7	<0.2	<10	140	0.21	0.92	0.33	0.27	15.20	9.7	36
I315249		0.52	<0.005	0.16	1.77	5.4	<0.2	<10	140	0.23	0.77	0.30	0.29	15.30	13.5	37
I315250		0.50	<0.005	0.20	2.06	5.8	<0.2	<10	160	0.32	0.94	0.27	0.16	22.6	19.4	40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315211		1.60	44.2	2.70	6.87	0.10	0.03	0.05	0.028	0.14	13.0	11.2	0.62	375	3.91
I315212		1.68	39.8	2.56	7.31	0.08	0.03	0.05	0.029	0.07	13.9	11.8	0.58	281	2.22
I315213		1.79	38.5	2.05	6.33	0.06	0.03	0.08	0.030	0.07	11.6	8.2	0.42	205	2.71
I315214		1.96	38.1	2.32	7.76	0.07	0.04	0.15	0.035	0.09	10.8	12.2	0.58	183	4.18
I315215		0.17	6.9	1.39	0.97	0.05	0.03	0.01	<0.005	0.03	10.6	2.4	0.10	433	0.71
I315216		1.81	30.2	2.20	6.45	0.06	0.02	0.11	0.024	0.07	9.9	8.8	0.47	280	6.21
I315217		1.90	30.5	2.15	6.50	0.08	0.03	0.06	0.024	0.08	14.9	9.5	0.51	236	6.09
I315218		2.38	24.9	2.30	6.97	0.07	0.03	0.07	0.024	0.12	13.8	9.9	0.53	275	6.58
I315219		1.64	25.1	1.21	3.43	0.07	<0.02	0.10	0.015	0.06	17.4	3.9	0.21	101	3.42
I315220		1.66	16.4	1.36	6.08	<0.05	<0.02	0.03	0.011	0.04	7.6	3.6	0.19	103	2.35
I315221		2.09	24.5	2.51	4.23	0.07	0.02	0.06	0.021	0.24	12.2	6.9	0.60	716	3.25
I315222		3.87	64.3	2.48	8.50	0.06	0.02	0.05	0.023	0.11	7.5	9.0	0.62	199	3.32
I315223		1.43	11.1	2.46	7.03	<0.05	0.03	0.05	0.021	0.06	8.1	6.5	0.21	188	1.33
I315224		8.20	16.3	3.74	7.58	0.12	0.10	0.09	0.038	0.25	35.7	18.5	0.68	918	1.09
I315225		1.72	7.1	1.26	4.11	<0.05	0.02	0.02	0.010	0.06	8.5	2.4	0.15	169	0.63
I315226		2.03	16.5	2.63	5.82	0.06	0.04	0.06	0.026	0.08	12.6	12.2	0.59	335	0.49
I315227		5.29	16.1	4.85	10.80	0.10	0.19	0.05	0.042	0.50	16.5	20.8	0.76	667	1.83
I315228		1.68	8.8	1.28	4.23	0.05	0.02	0.05	0.012	0.06	13.9	2.4	0.12	95	0.71
I315229		9.65	15.5	3.03	9.81	0.10	0.08	0.09	0.033	0.22	39.4	13.0	0.49	341	1.62
I315230		8.89	12.6	3.28	8.11	0.10	0.10	0.05	0.032	0.38	19.3	14.3	0.60	769	1.72
I315231		5.23	9.1	2.30	5.78	<0.05	0.02	0.03	0.020	0.10	12.8	7.8	0.23	587	1.07
I315232		7.80	13.6	3.04	8.30	0.14	0.09	0.06	0.036	0.14	85.9	10.3	0.42	880	1.92
I315233		11.30	11.6	3.64	8.09	0.12	0.12	0.06	0.040	0.16	34.1	11.8	0.43	601	1.31
I315234		6.45	14.8	4.07	8.40	0.08	0.13	0.05	0.040	0.11	19.8	17.9	0.54	342	1.85
I315235		8.45	18.6	3.71	8.17	0.08	0.20	0.07	0.039	0.11	31.0	16.9	0.54	363	1.72
I315236		9.41	16.9	4.59	9.79	0.10	0.23	0.09	0.051	0.14	34.0	23.4	0.66	1160	1.48
I315237		4.01	47.6	2.77	8.04	0.09	0.03	0.06	0.023	0.14	14.8	12.9	1.11	394	29.9
I315238		1.89	22.3	1.96	6.79	0.06	0.02	0.05	0.017	0.09	7.6	8.0	0.59	158	11.80
I315239		2.24	23.6	1.86	7.11	0.06	0.02	0.07	0.019	0.10	8.8	7.5	0.54	151	10.00
I315240		1.48	30.7	2.08	6.18	0.07	0.03	0.05	0.020	0.09	10.7	8.1	0.48	163	7.45
I315241		1.61	25.6	1.98	6.50	0.06	0.02	0.08	0.019	0.09	9.7	7.9	0.48	155	5.40
I315242		1.82	26.5	2.10	6.90	0.06	0.03	0.06	0.020	0.09	10.3	8.9	0.50	165	5.32
I315243		1.17	39.7	2.32	6.36	0.06	0.02	0.06	0.022	0.06	12.2	10.1	0.58	332	11.25
I315244		1.92	46.7	2.25	6.24	0.07	<0.02	0.03	0.017	0.21	6.9	12.6	0.75	230	0.50
I315245		2.13	79.0	2.78	7.90	0.08	0.02	0.05	0.019	0.34	7.9	17.5	0.95	301	0.51
I315246		2.17	65.0	2.89	7.48	0.07	0.03	0.07	0.029	0.11	11.1	14.5	0.70	520	0.83
I315247		2.07	42.7	2.60	6.69	0.08	0.03	0.06	0.025	0.19	10.2	11.3	0.69	431	0.67
I315248		2.10	46.3	2.60	6.57	0.07	0.03	0.10	0.027	0.17	8.7	10.2	0.63	438	0.73
I315249		2.04	49.4	2.63	6.99	0.07	0.03	0.07	0.026	0.16	8.6	11.0	0.63	575	0.78
I315250		2.00	52.1	2.75	7.71	0.08	0.03	0.09	0.029	0.05	12.0	12.5	0.61	685	0.85



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315211		1.62	25.3	870	5.5	18.9	0.002	0.04	0.25	6.0	1.8	0.8	28.9	<0.01	0.10
I315212		1.69	24.2	620	5.8	13.5	0.001	0.03	0.23	5.8	1.2	1.0	23.1	<0.01	0.11
I315213		1.39	18.8	580	6.2	13.5	0.002	0.05	0.29	3.6	1.6	1.3	24.3	0.01	0.09
I315214		1.79	25.0	590	9.0	16.1	0.002	0.05	0.41	4.6	2.2	1.1	25.0	<0.01	0.10
I315215		0.44	11.1	380	2.7	3.0	<0.001	<0.01	0.31	1.3	0.3	0.3	7.0	<0.01	0.01
I315216		1.56	23.9	590	6.6	13.6	0.001	0.05	0.28	3.8	1.8	0.8	24.8	<0.01	0.07
I315217		1.66	27.5	680	6.1	16.3	0.001	0.05	0.21	3.8	1.6	0.7	27.8	<0.01	0.07
I315218		1.71	20.5	640	6.8	20.8	<0.001	0.05	1.01	4.2	1.1	0.7	30.1	<0.01	0.05
I315219		0.95	12.4	790	4.1	11.7	0.001	0.10	0.36	1.9	1.0	0.5	31.7	0.01	0.06
I315220		1.41	8.8	190	5.2	8.7	<0.001	0.01	0.39	1.9	0.3	0.8	14.3	<0.01	0.09
I315221		1.30	16.1	870	4.1	19.4	<0.001	0.03	0.48	3.6	0.5	0.4	21.5	<0.01	0.05
I315222		1.85	26.3	360	5.6	15.7	<0.001	0.03	1.09	4.2	0.6	0.7	31.4	<0.01	0.05
I315223		2.65	9.6	240	12.5	9.4	<0.001	0.01	0.49	2.9	0.4	0.8	16.5	<0.01	0.03
I315224		5.47	17.1	970	9.5	42.0	<0.001	0.02	0.78	6.4	0.8	0.9	27.8	0.01	0.03
I315225		2.19	4.3	160	5.5	13.9	<0.001	<0.01	0.24	1.6	0.3	0.5	10.5	<0.01	0.02
I315226		2.05	16.3	640	8.2	13.4	<0.001	0.02	0.43	3.9	0.5	0.5	22.8	<0.01	0.02
I315227		7.20	15.8	710	12.0	58.1	<0.001	0.02	0.56	6.2	0.5	1.3	17.0	<0.01	0.03
I315228		2.02	4.4	400	5.3	12.4	<0.001	0.01	0.20	1.8	0.4	0.5	13.8	<0.01	0.02
I315229		5.66	12.2	310	10.3	46.7	<0.001	0.02	0.33	5.1	0.6	1.2	25.6	<0.01	0.03
I315230		6.74	12.6	450	9.0	48.2	<0.001	0.02	0.34	4.6	0.5	1.1	35.0	<0.01	0.02
I315231		2.26	9.3	300	8.1	19.6	<0.001	0.01	0.44	2.5	0.3	0.6	19.4	<0.01	0.02
I315232		3.87	10.5	330	10.7	31.0	0.001	0.01	0.61	5.0	0.9	1.0	32.5	0.01	0.03
I315233		3.97	11.3	390	13.5	38.0	<0.001	<0.01	0.97	5.9	0.7	1.1	17.0	0.01	0.02
I315234		3.53	20.4	420	10.8	24.3	<0.001	0.01	0.52	4.8	0.5	0.8	14.5	<0.01	0.03
I315235		3.44	20.6	450	11.2	26.7	<0.001	0.01	0.46	5.6	0.6	0.8	15.6	0.01	0.03
I315236		4.61	22.9	580	14.2	34.0	<0.001	0.01	0.53	6.8	0.7	1.1	18.7	<0.01	0.03
I315237		2.00	78.9	630	5.6	28.9	0.001	0.05	0.20	4.6	1.2	0.8	34.0	<0.01	0.06
I315238		1.57	35.0	500	6.4	18.9	<0.001	0.04	0.54	3.2	0.8	0.6	22.2	<0.01	0.06
I315239		1.60	25.1	450	6.2	17.9	<0.001	0.03	0.69	3.7	0.7	0.7	21.6	<0.01	0.03
I315240		1.54	24.3	610	5.4	16.9	<0.001	0.04	0.32	3.2	0.8	0.5	22.3	<0.01	0.04
I315241		1.59	19.4	530	5.4	19.4	<0.001	0.04	0.41	3.2	0.8	0.6	20.8	<0.01	0.03
I315242		1.72	21.1	550	5.7	20.4	<0.001	0.05	0.58	3.5	0.8	0.6	23.9	<0.01	0.04
I315243		1.54	20.7	510	6.0	8.2	<0.001	0.05	0.85	3.9	0.8	0.6	22.5	<0.01	0.03
I315244		0.99	20.4	920	4.0	20.0	<0.001	0.01	0.23	4.0	0.3	0.4	28.4	<0.01	0.02
I315245		1.13	19.1	690	4.1	27.2	<0.001	0.03	0.22	4.8	0.5	0.5	32.1	<0.01	0.03
I315246		1.43	20.5	730	7.0	18.6	<0.001	0.04	0.33	5.7	0.6	0.7	32.5	<0.01	0.04
I315247		1.51	16.9	760	7.1	22.9	<0.001	0.02	0.30	5.6	0.5	0.7	22.5	<0.01	0.03
I315248		1.56	16.5	690	7.0	22.6	<0.001	0.03	0.23	5.1	0.5	0.8	23.1	<0.01	0.03
I315249		1.38	17.1	760	7.3	25.6	<0.001	0.04	0.24	5.6	0.5	0.8	24.1	<0.01	0.03
I315250		1.51	19.0	640	10.1	15.6	<0.001	0.04	0.28	6.4	0.5	0.8	25.5	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I315211		0.118	0.16	1.59	91	1.75	10.40	64
I315212		0.112	0.16	1.39	78	0.44	10.75	53
I315213		0.088	0.13	1.55	68	1.14	6.94	48
I315214		0.109	0.20	1.50	77	1.15	6.30	65
I315215		0.012	0.08	0.50	10	0.07	4.69	14
I315216		0.095	0.17	1.60	68	1.19	5.31	54
I315217		0.094	0.15	1.88	53	0.69	8.09	53
I315218		0.102	0.18	1.33	56	0.64	7.16	54
I315219		0.047	0.12	1.54	22	0.69	7.22	26
I315220		0.091	0.13	0.97	47	1.14	2.61	24
I315221		0.108	0.22	1.38	58	6.01	5.04	56
I315222		0.120	0.30	0.53	64	4.79	3.17	47
I315223		0.100	0.16	0.63	62	0.19	2.32	34
I315224		0.194	0.52	3.26	74	0.66	12.90	79
I315225		0.096	0.13	0.63	36	0.30	2.30	20
I315226		0.123	0.18	0.89	71	0.20	5.38	58
I315227		0.275	0.57	1.12	96	0.26	4.71	79
I315228		0.086	0.13	1.10	31	0.11	4.87	18
I315229		0.181	0.51	2.85	62	0.17	7.71	52
I315230		0.200	0.55	1.84	71	0.16	7.17	56
I315231		0.087	0.38	0.75	48	0.13	2.75	34
I315232		0.115	0.36	3.43	60	0.15	17.85	45
I315233		0.120	0.99	1.81	62	0.19	15.55	66
I315234		0.139	0.26	0.94	82	0.17	4.60	57
I315235		0.133	0.31	1.51	75	0.17	7.21	60
I315236		0.175	0.51	1.63	88	0.23	10.25	79
I315237		0.120	0.26	1.48	68	1.39	7.38	70
I315238		0.108	0.16	0.75	48	0.73	3.66	48
I315239		0.104	0.18	0.97	43	1.95	4.03	44
I315240		0.098	0.15	1.26	46	1.04	5.16	44
I315241		0.103	0.17	1.17	43	2.52	4.21	45
I315242		0.100	0.18	1.18	43	0.77	4.51	48
I315243		0.099	0.22	1.88	60	2.31	6.59	55
I315244		0.124	0.18	1.20	56	3.75	3.92	49
I315245		0.162	0.22	1.79	72	3.49	4.61	61
I315246		0.121	0.19	3.32	74	3.25	7.17	65
I315247		0.131	0.20	1.83	71	1.89	6.40	65
I315248		0.118	0.21	1.89	71	2.76	6.27	64
I315249		0.111	0.21	1.88	75	2.39	6.79	67
I315250		0.107	0.17	3.17	74	1.73	9.33	67



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

CERTIFICATE WH10122680

Project: SQI10-06
P.O. No.: SQI10-06_23
This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315651		0.54	0.006	0.54	1.81	10.3	<0.2	<10	240	0.57	0.12	0.60	1.27	36.9	11.6	45
I315652		0.44	<0.005	0.24	2.05	8.5	<0.2	<10	300	0.54	0.09	0.56	0.76	31.9	17.6	45
I315653		0.36	<0.005	0.42	1.65	4.6	<0.2	<10	240	0.48	0.12	0.57	0.51	30.5	15.7	38
I315654		0.44	<0.005	0.25	2.21	7.1	<0.2	<10	420	0.51	0.10	0.87	0.35	35.5	18.2	61
I315655		0.50	<0.005	0.31	1.84	9.6	<0.2	<10	210	0.47	0.12	0.29	0.45	22.6	10.3	30
I315656		0.50	<0.005	0.07	1.61	8.1	<0.2	<10	160	0.43	0.08	0.20	0.13	26.0	9.4	31
I315657		0.44	<0.005	0.20	1.92	8.7	<0.2	<10	270	0.44	0.13	0.34	0.21	24.5	9.2	30
I315658		0.54	<0.005	0.15	1.67	9.4	<0.2	<10	150	0.42	0.12	0.30	0.22	21.7	10.0	33
I315659		0.40	<0.005	0.26	1.20	8.2	<0.2	<10	170	0.21	0.13	0.26	0.15	19.10	6.3	24
I315660		0.38	<0.005	0.31	2.00	7.4	<0.2	<10	520	0.44	0.12	0.85	0.61	25.4	9.9	30
I315661		0.46	<0.005	0.12	1.67	8.9	<0.2	<10	210	0.39	0.10	0.39	0.19	24.2	10.5	31
I315662		0.34	<0.005	0.10	1.32	7.2	<0.2	<10	280	0.37	0.05	2.59	0.34	22.1	10.0	30
I315663		0.36	<0.005	0.11	1.46	9.4	<0.2	<10	320	0.41	0.06	1.91	0.27	24.8	12.2	42
I315664		0.38	<0.005	0.10	1.84	10.1	<0.2	<10	200	0.58	0.10	0.92	0.28	46.5	14.6	40
I315665		0.20	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I315666		0.36	<0.005	0.12	1.92	9.5	<0.2	<10	190	0.42	0.09	0.75	0.19	34.7	14.0	40
I315667		0.38	<0.005	0.15	2.29	10.7	<0.2	<10	170	0.41	0.13	0.64	0.24	25.7	18.4	56
I315668		0.50	<0.005	0.13	2.03	16.0	<0.2	<10	160	0.39	0.15	0.20	0.61	21.2	13.7	38
I315669		0.92	<0.005	0.08	3.81	3.3	<0.2	<10	420	1.72	0.30	0.21	0.18	59.2	27.5	75
I315670		0.38	<0.005	0.08	2.45	3.1	<0.2	<10	360	0.53	0.11	0.21	0.29	30.9	23.6	132
I315671		0.58	<0.005	0.39	2.20	3.8	<0.2	<10	230	0.58	0.16	0.33	0.91	39.4	26.3	61
I315672		0.56	<0.005	0.08	1.67	3.7	<0.2	<10	190	0.28	0.05	0.29	0.08	12.40	12.0	23
I315673		0.58	<0.005	0.09	1.57	3.8	<0.2	<10	180	0.30	0.04	0.28	0.08	11.85	11.0	19
I315674		0.58	<0.005	0.04	2.31	3.9	<0.2	<10	130	0.94	0.48	0.14	0.07	59.0	9.8	25
I315675		0.42	<0.005	0.03	1.42	3.6	<0.2	<10	90	0.35	0.43	0.15	0.04	26.0	6.9	16
I315676		0.40	<0.005	0.08	2.18	8.9	<0.2	<10	180	0.50	0.14	0.33	0.17	18.75	32.7	139
I315677		0.48	<0.005	0.03	7.09	1.6	<0.2	<10	280	0.80	<0.01	0.84	0.03	14.45	71.5	593
I315678		0.48	<0.005	0.66	2.95	8.8	<0.2	<10	210	0.57	0.08	0.23	0.27	18.15	18.4	83
I315679		0.48	<0.005	0.07	2.25	3.8	<0.2	<10	140	0.39	<0.01	0.26	0.07	14.20	23.4	69
I315680		0.62	<0.005	0.82	1.74	10.5	<0.2	<10	130	0.60	0.42	0.08	0.14	63.5	6.0	29
I315681		0.44	<0.005	0.10	2.69	9.1	<0.2	<10	110	0.53	0.15	0.15	0.08	33.8	14.0	40
I315682		0.46	<0.005	0.05	3.01	2.5	<0.2	<10	130	0.81	0.06	0.28	0.06	31.1	11.5	42
I315683		0.56	<0.005	0.09	2.14	9.4	<0.2	<10	120	0.46	0.21	0.18	0.12	76.4	15.1	38
I315684		0.40	<0.005	0.09	2.16	11.0	<0.2	<10	110	0.45	0.16	0.13	0.11	29.4	10.4	36
I315685		0.54	<0.005	0.24	1.35	26.3	<0.2	<10	120	0.36	0.31	0.07	0.11	43.0	4.6	26
I315686		0.50	<0.005	0.59	2.60	11.5	<0.2	<10	180	0.56	0.16	0.14	0.16	26.8	13.5	39
I315687		0.62	<0.005	0.24	2.42	18.9	<0.2	<10	210	0.54	0.27	0.22	0.70	26.6	13.0	41
I315688		0.42	<0.005	0.59	1.73	10.1	<0.2	<10	150	0.49	0.22	0.29	1.39	34.5	8.3	36
I315689		0.52	<0.005	0.49	2.10	13.3	<0.2	<10	170	0.58	0.19	0.48	0.83	36.4	9.7	50
I315690		0.32	<0.005	0.50	1.54	4.1	<0.2	<10	200	0.46	0.14	0.85	0.40	104.0	9.3	27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315651		1.70	57.2	2.83	7.01	0.09	0.04	0.04	0.028	0.10	20.4	19.2	0.71	284	3.86
I315652		2.31	39.8	3.28	7.75	0.09	0.04	0.04	0.024	0.15	16.8	20.5	0.94	411	3.00
I315653		1.44	39.1	2.62	7.06	0.07	0.03	0.04	0.021	0.07	16.8	14.0	0.62	324	2.82
I315654		2.14	36.5	3.23	8.18	0.10	0.05	0.05	0.023	0.16	20.0	21.5	0.98	707	2.38
I315655		0.82	30.7	2.77	6.53	0.06	0.03	0.04	0.022	0.09	11.9	12.1	0.49	264	1.55
I315656		0.57	27.2	2.60	5.65	0.06	0.05	0.02	0.020	0.06	13.4	14.3	0.55	212	1.12
I315657		0.84	31.9	2.56	7.08	0.06	0.02	0.03	0.022	0.09	13.3	14.2	0.49	269	1.37
I315658		0.62	28.9	2.76	5.90	0.06	0.03	0.03	0.020	0.07	10.8	13.8	0.57	238	1.35
I315659		0.63	21.5	2.25	5.52	0.05	0.03	0.02	0.015	0.07	10.1	9.2	0.39	156	1.33
I315660		0.67	34.9	2.69	7.01	0.07	0.10	0.03	0.025	0.12	12.9	13.0	0.52	897	1.02
I315661		0.54	25.5	2.77	5.75	0.07	0.06	0.03	0.023	0.08	12.6	12.9	0.55	304	1.30
I315662		1.40	19.7	1.98	4.59	0.08	0.06	0.05	0.019	0.06	10.5	14.2	0.95	741	1.00
I315663		1.39	22.5	2.38	5.46	0.08	0.05	0.04	0.024	0.06	12.9	15.9	0.88	502	1.63
I315664		1.37	23.6	2.83	7.19	0.08	0.05	0.04	0.027	0.05	23.5	20.8	0.74	558	1.49
I315665		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I315666		1.48	25.0	2.76	7.31	0.08	0.04	0.04	0.025	0.09	18.9	20.6	0.74	547	1.53
I315667		1.73	27.7	3.29	8.54	0.07	0.06	0.03	0.026	0.10	13.7	21.2	0.97	610	1.66
I315668		0.87	24.0	3.64	9.02	0.07	0.04	0.03	0.029	0.11	11.4	20.9	0.60	516	3.36
I315669		19.60	46.3	5.88	11.55	0.28	0.06	0.01	0.047	0.94	27.3	32.0	3.45	1600	1.75
I315670		5.28	48.6	3.94	9.05	0.12	<0.02	0.03	0.030	0.49	15.1	22.0	1.93	502	3.19
I315671		4.70	103.5	4.17	6.84	0.12	0.03	0.02	0.029	0.23	23.4	20.0	1.59	522	4.01
I315672		2.34	107.0	2.96	7.06	0.06	<0.02	0.02	0.023	0.14	6.4	17.2	0.81	225	1.54
I315673		2.16	94.2	2.94	7.35	0.06	<0.02	0.03	0.024	0.13	6.1	15.7	0.69	197	1.42
I315674		8.59	13.2	2.36	6.08	0.09	<0.02	0.02	0.016	0.33	31.5	18.1	1.31	216	0.55
I315675		3.94	9.8	2.30	6.89	0.06	<0.02	0.02	0.012	0.11	14.1	19.9	0.91	214	0.95
I315676		1.19	18.5	3.82	7.50	0.06	0.02	0.02	0.029	0.03	8.3	12.2	0.86	879	0.99
I315677		15.50	23.4	5.31	12.05	0.25	<0.02	0.01	0.031	0.80	10.1	58.4	9.37	583	1.06
I315678		2.35	56.3	3.75	8.09	0.06	0.02	0.09	0.037	0.11	8.8	24.2	0.80	323	1.42
I315679		1.62	84.1	3.03	5.65	0.08	0.03	0.03	0.014	0.30	7.4	17.4	1.14	453	0.55
I315680		3.66	74.0	5.17	7.50	0.13	<0.02	0.04	0.042	0.16	33.2	14.1	0.29	315	5.04
I315681		2.08	27.3	3.49	7.27	0.07	0.03	0.06	0.029	0.17	16.1	21.0	0.72	237	1.11
I315682		4.65	38.1	3.33	7.83	0.13	<0.02	0.01	0.014	0.73	15.0	25.9	2.21	424	1.29
I315683		3.11	41.9	4.10	8.73	0.06	0.03	0.03	0.028	0.35	29.4	23.8	0.66	328	1.41
I315684		1.63	20.3	3.94	7.26	0.05	0.03	0.04	0.029	0.11	12.6	20.8	0.52	306	1.21
I315685		1.68	43.4	3.68	7.48	0.06	<0.02	0.02	0.032	0.10	21.1	13.5	0.25	276	3.54
I315686		1.73	30.1	3.17	6.34	0.05	0.10	0.03	0.033	0.07	11.4	16.1	0.60	314	1.39
I315687		1.27	31.4	3.52	9.41	0.07	0.02	0.02	0.032	0.08	15.6	21.7	0.57	339	5.26
I315688		0.60	38.3	2.79	7.32	0.08	0.04	0.03	0.025	0.12	20.4	15.4	0.47	215	4.05
I315689		1.61	38.8	3.31	7.63	0.10	0.04	0.02	0.028	0.10	21.4	20.1	0.96	280	6.60
I315690		1.25	25.8	2.57	6.09	0.16	0.04	0.06	0.017	0.16	70.6	15.5	0.53	320	1.34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315651		1.51	51.5	810	9.1	16.1	<0.001	0.05	0.22	4.0	2.2	0.5	41.5	<0.01	0.06
I315652		2.39	46.1	960	10.2	28.4	<0.001	0.02	0.20	4.4	1.3	0.4	31.8	<0.01	0.05
I315653		2.10	35.3	500	9.6	15.2	<0.001	0.05	0.20	3.3	1.2	0.5	33.9	<0.01	0.05
I315654		2.75	50.7	770	10.4	32.5	<0.001	0.03	0.20	5.0	1.2	0.5	40.4	<0.01	0.04
I315655		1.47	29.6	460	9.8	10.0	<0.001	0.01	0.34	3.7	0.7	0.5	29.4	<0.01	0.04
I315656		1.20	23.9	300	9.1	7.9	<0.001	<0.01	0.35	3.8	0.5	0.4	23.5	<0.01	0.03
I315657		1.37	29.7	410	10.2	10.5	<0.001	<0.01	0.31	3.7	0.7	0.4	41.0	<0.01	0.04
I315658		1.36	27.3	460	10.3	8.2	<0.001	<0.01	0.40	3.7	0.7	0.4	26.4	<0.01	0.04
I315659		1.45	18.9	180	7.8	9.3	<0.001	<0.01	0.34	3.1	0.5	0.4	25.0	<0.01	0.03
I315660		1.57	33.1	670	10.2	15.8	<0.001	<0.01	0.35	5.2	0.6	0.5	58.3	<0.01	0.04
I315661		1.61	25.3	520	9.5	8.8	<0.001	0.01	0.36	4.2	0.7	0.5	31.7	<0.01	0.03
I315662		1.60	24.4	610	8.7	16.6	0.001	0.10	0.18	2.9	1.3	0.4	57.8	0.01	0.02
I315663		1.98	30.3	600	8.4	15.9	0.001	0.09	0.21	3.7	1.3	0.4	50.8	0.01	0.03
I315664		2.10	31.1	570	11.1	11.5	<0.001	0.02	0.26	4.4	1.2	0.5	39.6	0.01	0.04
I315665		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I315666		2.26	31.0	570	10.2	18.0	<0.001	0.03	0.26	4.2	0.9	0.5	39.2	<0.01	0.04
I315667		2.61	52.0	390	11.3	19.5	<0.001	0.01	0.22	4.5	0.6	0.6	32.9	<0.01	0.04
I315668		1.98	27.4	500	11.1	13.7	<0.001	<0.01	0.37	4.0	0.6	0.7	20.6	<0.01	0.06
I315669		1.47	75.7	460	79.4	93.9	<0.001	0.03	0.13	9.4	1.2	0.9	18.8	<0.01	0.04
I315670		1.07	106.0	630	9.5	38.2	<0.001	0.06	0.14	7.0	1.3	0.7	25.4	<0.01	0.05
I315671		0.85	86.1	720	13.4	31.5	0.001	0.02	0.12	5.8	1.5	0.5	19.7	<0.01	0.05
I315672		0.87	16.5	600	5.3	21.0	0.001	0.02	0.16	3.9	0.6	0.4	15.2	<0.01	0.03
I315673		0.86	14.2	580	5.1	22.0	<0.001	0.02	0.18	3.4	0.5	0.4	15.0	<0.01	0.03
I315674		2.61	29.1	270	33.2	38.4	<0.001	<0.01	0.19	2.1	0.5	0.7	10.7	<0.01	0.01
I315675		2.98	21.0	320	16.1	23.5	<0.001	<0.01	0.20	1.6	0.4	0.6	14.2	<0.01	0.01
I315676		1.38	273	490	9.8	5.5	<0.001	0.02	0.35	4.1	0.6	0.6	21.3	<0.01	0.03
I315677		0.18	732	190	1.8	59.0	<0.001	<0.01	<0.05	26.3	0.3	0.4	35.5	<0.01	0.02
I315678		1.80	76.4	540	7.7	15.5	<0.001	0.04	0.43	5.4	0.9	0.6	24.0	<0.01	0.04
I315679		1.00	44.4	490	4.1	25.7	<0.001	<0.01	0.18	3.1	0.5	0.3	14.1	<0.01	0.02
I315680		1.19	25.5	810	18.0	23.0	<0.001	0.13	0.68	3.3	2.3	0.6	34.2	<0.01	0.15
I315681		2.89	34.6	310	9.3	27.9	<0.001	0.02	0.42	3.8	0.6	0.6	13.7	<0.01	0.04
I315682		1.94	31.6	320	4.9	56.6	<0.001	<0.01	0.14	2.9	0.7	0.6	17.9	<0.01	0.06
I315683		3.36	38.4	480	11.6	45.6	<0.001	0.11	0.45	3.5	0.5	0.7	17.4	<0.01	0.06
I315684		2.13	22.4	360	10.0	15.5	<0.001	0.02	0.43	3.2	0.4	0.5	12.0	0.01	0.03
I315685		1.28	12.5	510	14.4	11.6	<0.001	0.14	0.91	2.5	1.0	0.6	23.3	<0.01	0.08
I315686		1.63	30.4	220	9.8	12.0	<0.001	0.02	0.58	4.6	0.5	0.6	16.5	0.01	0.04
I315687		1.67	29.5	580	11.0	14.5	<0.001	0.03	0.32	4.0	0.6	0.7	24.8	<0.01	0.06
I315688		1.79	41.8	570	10.6	13.9	<0.001	0.03	0.30	3.7	0.8	0.5	27.1	<0.01	0.04
I315689		2.07	55.1	1130	11.0	14.7	0.001	0.09	0.24	4.4	2.3	0.5	43.0	<0.01	0.06
I315690		2.99	20.6	770	16.5	26.5	0.001	0.07	0.19	3.6	1.6	0.4	45.7	0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27 - SEP - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315651		0.097	0.13	2.50	81	0.16	13.45	195	1.3
I315652		0.150	0.17	1.52	74	0.18	10.60	137	1.8
I315653		0.112	0.14	1.65	62	0.16	6.89	95	1.1
I315654		0.159	0.19	1.51	75	0.15	12.00	114	1.9
I315655		0.083	0.07	0.96	64	0.14	5.22	80	1.3
I315656		0.097	0.06	0.74	58	0.12	5.26	80	2.3
I315657		0.079	0.09	0.89	59	0.14	6.98	92	1.0
I315658		0.093	0.06	0.68	64	0.22	4.58	80	1.4
I315659		0.094	0.07	0.58	56	0.20	3.74	61	1.5
I315660		0.097	0.07	0.71	57	0.14	8.21	119	3.8
I315661		0.095	0.06	0.86	61	0.42	5.50	74	2.8
I315662		0.065	0.11	0.73	40	0.08	7.89	61	2.3
I315663		0.084	0.10	1.12	57	0.15	9.05	64	2.1
I315664		0.089	0.10	1.35	63	0.34	12.30	76	1.7
I315665		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I315666		0.101	0.12	1.10	58	0.17	8.75	69	1.6
I315667		0.137	0.14	0.88	76	0.18	5.26	77	2.5
I315668		0.122	0.09	0.67	97	0.30	3.87	76	1.9
I315669		0.177	1.11	2.94	85	0.07	11.30	99	2.9
I315670		0.161	0.34	1.19	107	0.11	7.73	78	0.9
I315671		0.115	0.28	1.87	66	0.17	10.10	153	1.0
I315672		0.116	0.14	0.55	115	0.13	3.68	41	0.6
I315673		0.111	0.13	0.50	117	0.14	3.40	39	0.6
I315674		0.072	0.39	1.11	26	0.12	4.61	53	0.7
I315675		0.099	0.15	1.47	31	0.12	3.23	36	<0.5
I315676		0.071	0.09	0.40	73	0.19	6.46	51	0.9
I315677		0.214	0.68	0.09	133	<0.05	1.27	55	0.5
I315678		0.114	0.14	0.66	89	0.19	5.39	72	1.0
I315679		0.162	0.19	0.32	83	0.10	2.92	48	1.1
I315680		0.038	0.27	1.80	70	0.21	8.68	105	0.5
I315681		0.119	0.25	1.12	61	0.18	4.55	61	1.3
I315682		0.169	0.47	1.12	46	0.13	4.11	62	0.7
I315683		0.141	0.32	1.66	61	0.14	7.31	85	1.1
I315684		0.113	0.13	0.78	70	0.18	4.17	50	1.4
I315685		0.054	0.13	1.26	75	0.21	4.46	45	<0.5
I315686		0.103	0.15	0.77	66	0.15	4.07	58	5.5
I315687		0.089	0.14	1.21	99	0.19	6.93	99	0.9
I315688		0.085	0.09	1.75	85	0.18	12.40	128	1.5
I315689		0.110	0.13	2.06	112	0.15	11.20	211	1.2
I315690		0.099	0.13	3.64	35	0.11	25.3	73	0.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315691		0.38	<0.005	0.17	1.50	4.4	<0.2	<10	270	0.40	0.14	1.05	0.39	46.6	10.9	31
I315692		0.34	<0.005	0.15	0.96	3.9	<0.2	<10	220	0.32	0.08	3.43	0.21	25.8	7.1	23
I315693		0.44	<0.005	0.09	2.48	6.5	<0.2	<10	210	0.38	0.15	0.29	0.09	30.8	12.4	41
I315694		0.38	<0.005	0.09	2.42	6.5	<0.2	<10	210	0.38	0.16	0.28	0.09	28.9	11.7	39
I315695		0.50	<0.005	0.08	1.82	7.9	<0.2	<10	160	0.21	0.18	0.17	0.09	23.0	7.7	29
I315696		0.54	<0.005	0.07	2.46	9.2	<0.2	<10	170	0.48	0.17	0.14	0.13	35.9	14.7	37
I315697		0.44	<0.005	0.08	1.85	5.8	<0.2	<10	140	0.30	0.16	0.18	0.12	21.5	9.0	33
I315698		0.38	<0.005	0.26	1.67	6.2	<0.2	<10	440	0.25	0.15	1.06	0.16	23.7	9.7	31
I315699		0.48	<0.005	0.13	1.71	4.8	<0.2	<10	200	0.40	0.13	0.54	0.10	48.1	11.2	38
I315700		0.50	<0.005	0.17	2.18	3.2	<0.2	<10	210	0.44	0.16	0.41	0.06	54.4	9.8	44
I315701		0.30	<0.005	0.05	2.04	8.6	<0.2	<10	70	0.44	0.35	0.13	0.11	39.1	9.1	27
I315702		0.30	<0.005	0.10	1.86	11.4	<0.2	<10	90	0.31	0.29	0.16	0.08	20.1	6.7	30
I315703		0.34	<0.005	0.13	1.62	6.9	<0.2	<10	110	0.25	0.26	0.15	0.10	22.9	6.5	30
I315704		0.26	<0.005	0.31	1.97	4.4	<0.2	<10	160	0.58	0.25	0.42	0.10	53.9	10.9	28
I315705		0.32	<0.005	0.08	2.31	8.3	<0.2	<10	100	0.56	0.21	0.15	0.10	21.8	10.3	35
I315706		0.24	<0.005	0.14	1.14	4.1	<0.2	<10	100	0.25	0.15	0.12	0.14	26.6	5.5	18
I315707		0.34	<0.005	0.10	1.62	7.6	<0.2	<10	120	0.37	0.14	0.34	0.05	24.8	8.1	27
I315708		0.34	<0.005	0.26	2.09	9.7	<0.2	<10	140	0.33	0.21	0.17	0.08	18.90	7.4	33
I315709		0.34	<0.005	0.22	2.24	5.9	<0.2	<10	250	0.62	0.21	0.48	0.07	34.9	13.4	52
I315710		0.40	<0.005	0.44	1.68	6.0	<0.2	<10	110	0.24	0.17	0.18	0.09	16.25	8.0	34
I315711		0.38	<0.005	0.22	2.05	8.9	<0.2	<10	160	0.28	0.19	0.14	0.09	15.45	9.4	40
I315712		0.30	<0.005	0.11	1.84	5.4	<0.2	<10	220	0.27	0.14	0.20	0.15	10.80	14.0	37
I315713		0.26	<0.005	0.32	2.21	6.6	<0.2	<10	240	0.40	0.20	0.19	0.18	18.60	15.3	52
I315714		0.26	<0.005	0.13	2.43	10.1	<0.2	<10	210	0.34	0.20	0.14	0.16	17.90	12.4	60
I315715		0.26	<0.005	0.10	2.40	10.5	<0.2	<10	190	0.32	0.22	0.11	0.14	27.1	10.0	36
I315716		0.26	<0.005	0.14	2.89	11.6	<0.2	<10	250	0.46	0.25	0.13	0.15	29.5	12.8	41
I315717		0.26	<0.005	0.14	2.54	9.2	<0.2	<10	170	0.38	0.25	0.11	0.24	35.0	9.4	41
I315718		0.30	<0.005	0.06	2.82	11.1	<0.2	<10	200	0.37	0.18	0.14	0.10	19.90	12.4	36
I315719		0.32	<0.005	0.06	2.25	8.8	<0.2	<10	120	0.45	0.20	0.13	0.07	37.1	11.3	33
I315720		0.26	<0.005	0.12	2.59	8.4	<0.2	<10	150	0.36	0.19	0.15	0.11	22.0	9.8	41
I315721		0.26	<0.005	0.07	1.76	8.0	<0.2	<10	120	0.25	0.20	0.12	0.09	19.90	6.5	25
I315722		0.30	<0.005	0.05	1.66	9.1	<0.2	<10	120	0.26	0.23	0.12	0.09	18.25	6.1	26
I315723		0.38	<0.005	0.12	2.09	7.8	<0.2	<10	180	0.30	0.18	0.22	0.07	22.7	7.9	31
I315724		0.32	<0.005	0.08	2.51	12.4	<0.2	<10	180	0.42	0.22	0.14	0.11	19.65	10.9	41
I315725		0.30	<0.005	0.08	2.28	10.1	<0.2	<10	160	0.40	0.26	0.12	0.23	23.5	10.0	37
I315726		0.22	<0.005	0.08	1.83	6.9	<0.2	<10	160	0.25	0.23	0.14	0.18	19.20	7.3	29
I315727		0.38	<0.005	0.15	2.04	7.9	<0.2	<10	140	0.36	0.22	0.14	0.11	25.0	8.4	31
I315728		0.36	<0.005	0.11	2.77	9.5	<0.2	<10	220	0.45	0.20	0.15	0.16	22.4	12.0	36
I315729		0.36	<0.005	0.04	3.19	7.7	<0.2	<10	250	0.75	0.22	0.16	0.11	43.6	20.1	53
I315730		0.32	<0.005	0.05	2.84	9.8	<0.2	<10	210	0.59	0.21	0.14	0.13	29.8	16.4	43



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315691		0.99	24.1	2.52	6.07	0.10	0.04	0.05	0.017	0.18	32.3	15.8	0.53	777	0.83
I315692		0.60	33.7	1.64	3.23	0.08	0.05	0.05	0.012	0.08	18.6	10.8	0.35	387	0.58
I315693		1.55	19.6	3.92	8.88	0.08	0.04	0.01	0.018	0.45	11.4	24.0	0.92	398	1.01
I315694		1.45	18.3	3.81	8.87	0.08	0.05	0.01	0.020	0.39	11.4	23.7	0.86	343	1.01
I315695		0.71	14.7	3.25	8.27	0.06	0.08	0.01	0.020	0.15	12.0	16.9	0.46	287	1.31
I315696		1.27	20.7	4.24	8.87	0.08	0.02	0.01	0.045	0.30	14.6	26.5	0.78	594	0.90
I315697		0.56	11.4	3.15	6.83	0.05	0.08	0.01	0.021	0.15	9.1	14.4	0.49	226	1.04
I315698		0.70	23.1	2.79	6.93	0.06	0.05	0.01	0.022	0.23	12.7	12.2	0.51	1560	0.91
I315699		1.08	20.0	3.08	7.05	0.09	0.04	0.02	0.018	0.22	28.7	19.8	0.73	352	0.70
I315700		1.44	18.4	3.44	8.83	0.11	0.05	0.02	0.021	0.27	31.8	23.1	0.91	294	0.69
I315701		2.63	13.1	2.96	6.62	0.06	0.05	0.02	0.020	0.10	19.2	18.9	0.68	186	1.25
I315702		1.41	10.6	4.02	8.83	0.06	0.03	0.03	0.027	0.06	10.4	16.5	0.43	185	1.57
I315703		1.71	11.5	2.80	9.92	0.05	0.05	0.01	0.018	0.06	11.2	10.6	0.60	232	1.28
I315704		5.12	21.9	2.87	6.78	0.08	0.05	0.02	0.020	0.11	27.0	20.3	0.77	325	0.61
I315705		2.43	17.1	3.09	6.85	0.05	0.03	0.02	0.025	0.08	10.8	16.6	0.67	308	1.06
I315706		2.71	8.1	2.06	6.74	0.05	0.02	0.02	0.013	0.07	16.0	9.8	0.42	288	0.90
I315707		1.55	14.8	3.02	6.49	0.06	0.05	0.01	0.019	0.05	13.6	15.2	0.53	222	0.89
I315708		1.43	13.2	3.45	8.98	0.05	0.03	0.01	0.024	0.04	10.0	14.5	0.46	221	1.35
I315709		5.36	28.9	3.28	7.08	0.07	0.06	0.02	0.022	0.09	17.7	18.9	0.94	512	0.94
I315710		1.63	29.2	2.79	7.51	0.05	0.03	0.01	0.018	0.04	8.4	11.9	0.56	241	1.05
I315711		1.20	27.8	3.45	7.78	0.05	0.08	0.02	0.027	0.05	7.9	16.8	0.49	230	1.31
I315712		1.43	32.7	3.05	7.03	0.05	0.02	0.01	0.017	0.10	5.6	13.9	0.78	494	0.74
I315713		1.28	13.8	3.60	9.13	0.05	0.03	0.02	0.028	0.06	9.4	19.5	0.57	732	1.38
I315714		1.10	13.4	3.57	8.40	0.05	0.05	0.02	0.027	0.06	8.9	18.3	0.58	359	1.46
I315715		1.32	13.2	4.34	9.28	0.07	0.03	0.02	0.031	0.09	12.5	18.8	0.52	316	1.42
I315716		1.40	16.2	4.59	9.70	0.06	0.04	0.02	0.034	0.12	13.4	20.0	0.59	403	1.58
I315717		1.00	14.3	4.39	11.20	0.07	0.04	0.02	0.027	0.11	17.8	24.4	0.65	394	1.58
I315718		1.04	18.4	3.60	7.69	0.05	0.14	0.03	0.033	0.06	10.2	18.6	0.49	202	0.99
I315719		1.59	15.9	4.14	9.00	0.07	0.03	0.01	0.028	0.20	17.9	25.0	0.65	326	1.13
I315720		1.22	18.9	4.30	10.10	0.06	0.08	0.01	0.022	0.12	10.6	26.4	0.82	272	1.11
I315721		0.81	11.2	3.10	9.02	0.05	0.03	0.01	0.020	0.04	10.0	14.8	0.37	224	1.24
I315722		0.82	10.1	3.27	8.66	0.05	0.03	0.01	0.023	0.05	9.3	11.7	0.28	230	1.59
I315723		0.83	13.9	3.15	8.19	0.05	0.04	0.02	0.025	0.08	11.0	15.6	0.47	236	1.24
I315724		1.15	15.7	4.34	9.87	0.06	0.06	0.03	0.032	0.09	9.8	23.0	0.54	325	1.78
I315725		1.28	17.4	4.39	11.10	0.07	0.05	0.01	0.028	0.13	11.3	22.7	0.53	269	1.42
I315726		0.99	10.8	3.31	9.17	0.05	0.04	0.01	0.022	0.12	9.4	14.4	0.40	300	1.28
I315727		1.26	13.3	3.38	9.67	0.05	0.02	0.02	0.025	0.08	11.6	22.6	0.58	293	1.25
I315728		0.98	15.2	3.60	8.99	0.06	0.04	0.01	0.029	0.07	11.0	20.2	0.53	293	1.07
I315729		3.06	20.2	4.28	11.30	0.09	0.07	0.01	0.031	0.57	21.8	23.7	0.97	276	0.81
I315730		2.00	16.3	4.16	9.93	0.07	0.07	0.02	0.032	0.29	14.7	23.7	0.71	275	1.13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315691		2.64	19.8	590	10.9	29.6	0.001	0.05	0.31	3.3	0.9	0.4	48.9	0.01	0.02
I315692		1.46	19.1	680	5.4	10.0	<0.001	0.13	0.34	2.1	1.3	0.2	110.0	0.01	0.02
I315693		4.13	25.2	480	9.0	45.9	0.001	0.01	0.24	4.0	0.3	0.6	25.4	<0.01	0.02
I315694		3.88	23.9	430	9.2	41.1	<0.001	0.01	0.26	3.9	0.3	0.6	23.8	<0.01	0.01
I315695		2.80	18.2	210	8.4	21.2	<0.001	0.01	0.36	3.2	0.2	0.6	15.2	<0.01	0.02
I315696		3.32	27.8	380	9.3	31.7	<0.001	0.01	0.32	3.3	0.3	0.6	13.5	<0.01	0.02
I315697		2.33	20.1	230	7.9	13.3	<0.001	0.01	0.36	3.1	<0.2	0.6	16.6	<0.01	0.01
I315698		2.34	25.1	680	7.2	20.8	<0.001	0.02	0.38	4.3	0.4	0.6	72.1	<0.01	0.02
I315699		3.09	23.2	720	6.0	25.4	<0.001	0.02	0.19	4.0	0.6	0.5	31.7	<0.01	0.01
I315700		3.69	22.8	460	5.7	30.7	<0.001	0.02	0.19	4.7	0.4	0.7	29.0	<0.01	0.01
I315701		3.31	27.9	440	24.2	26.3	<0.001	0.02	0.32	2.6	0.4	0.6	11.8	<0.01	0.03
I315702		2.72	15.5	360	23.0	19.4	<0.001	0.02	0.38	2.8	0.3	0.7	14.0	<0.01	0.03
I315703		3.17	18.4	230	15.9	26.6	<0.001	0.01	0.28	3.0	0.2	1.0	13.5	<0.01	0.02
I315704		3.15	31.5	520	34.2	38.1	<0.001	0.02	0.20	3.3	0.3	0.6	23.0	<0.01	0.02
I315705		2.54	25.8	380	17.1	36.4	<0.001	0.02	0.39	2.9	0.3	0.6	16.2	<0.01	0.02
I315706		2.02	16.7	430	24.9	30.7	<0.001	0.02	0.19	1.7	<0.2	0.6	10.6	<0.01	0.02
I315707		2.19	22.2	540	24.2	12.1	<0.001	0.01	0.30	3.2	0.2	0.5	21.2	<0.01	0.02
I315708		2.05	16.6	240	13.3	9.2	<0.001	0.01	0.38	3.7	0.2	0.7	18.0	<0.01	0.02
I315709		1.97	36.1	590	16.5	19.9	<0.001	0.02	0.26	4.7	0.3	0.6	66.6	<0.01	0.02
I315710		1.77	16.9	210	10.9	12.9	<0.001	0.01	0.29	3.4	0.2	0.6	17.2	<0.01	0.01
I315711		1.69	18.0	320	8.7	17.1	<0.001	0.01	0.38	3.5	0.2	0.6	12.7	<0.01	0.02
I315712		1.18	21.8	890	6.5	24.9	<0.001	0.01	0.25	2.9	<0.2	0.5	18.4	<0.01	0.02
I315713		1.92	21.1	370	10.4	20.3	<0.001	0.01	0.35	3.6	<0.2	0.7	17.7	<0.01	0.02
I315714		2.07	27.9	340	10.1	14.9	<0.001	0.01	0.48	3.4	0.2	0.7	14.7	<0.01	0.02
I315715		2.30	20.7	470	10.5	19.4	<0.001	0.01	0.47	3.0	0.3	0.7	11.9	<0.01	0.03
I315716		2.38	25.4	480	11.4	22.3	<0.001	0.01	0.50	3.7	0.2	0.8	14.4	<0.01	0.03
I315717		2.46	20.6	570	11.4	21.3	<0.001	0.01	0.42	4.1	0.2	0.9	14.3	<0.01	0.03
I315718		2.35	25.1	280	10.1	12.0	<0.001	0.02	0.45	3.9	0.3	0.6	14.7	0.01	0.03
I315719		3.32	21.8	260	7.9	29.6	<0.001	0.01	0.34	3.3	0.2	0.7	14.8	<0.01	0.02
I315720		2.74	18.4	310	8.5	24.1	<0.001	0.01	0.36	3.8	0.2	0.8	19.0	<0.01	0.02
I315721		2.09	12.3	290	9.4	10.7	<0.001	0.01	0.34	2.9	0.2	0.8	12.8	<0.01	0.02
I315722		2.18	12.5	380	10.0	10.8	<0.001	0.01	0.46	2.5	0.2	0.7	13.1	<0.01	0.03
I315723		2.47	17.7	190	9.7	17.0	<0.001	<0.01	0.38	3.3	0.2	0.7	19.8	<0.01	0.02
I315724		2.41	22.9	450	11.8	17.2	<0.001	<0.01	0.58	3.7	0.2	0.7	14.4	<0.01	0.04
I315725		3.19	21.2	460	13.7	29.7	<0.001	<0.01	0.49	3.8	0.2	0.9	12.1	<0.01	0.04
I315726		2.52	16.7	360	13.0	19.7	<0.001	<0.01	0.44	2.8	<0.2	0.8	13.1	<0.01	0.03
I315727		2.02	18.8	300	10.0	16.6	<0.001	<0.01	0.37	3.3	<0.2	0.8	13.2	<0.01	0.03
I315728		2.50	24.3	260	10.7	12.9	<0.001	<0.01	0.48	3.5	0.2	0.8	17.1	<0.01	0.02
I315729		3.16	40.7	240	12.7	75.4	<0.001	<0.01	0.23	5.3	0.2	0.9	21.6	<0.01	0.02
I315730		3.46	31.5	280	11.8	43.6	<0.001	<0.01	0.37	4.3	0.2	0.8	17.5	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315691		0.106	0.12	1.32	46	0.12	15.85	69	1.3
I315692		0.052	0.07	1.46	28	0.06	12.30	30	2.2
I315693		0.211	0.26	0.68	71	0.16	6.53	66	1.7
I315694		0.196	0.24	0.67	68	0.25	6.08	60	1.9
I315695		0.139	0.11	0.47	79	0.16	4.38	40	2.7
I315696		0.146	0.19	0.87	60	0.14	6.17	66	1.1
I315697		0.121	0.10	0.39	65	0.10	2.91	46	3.0
I315698		0.122	0.10	0.53	62	0.22	8.53	53	2.0
I315699		0.134	0.13	1.44	48	0.13	13.55	53	1.3
I315700		0.170	0.18	1.76	54	0.13	13.35	60	1.5
I315701		0.095	0.17	1.12	44	0.20	4.86	53	1.7
I315702		0.094	0.14	0.60	78	0.18	2.78	40	1.3
I315703		0.129	0.17	0.57	72	0.18	2.52	42	1.8
I315704		0.111	0.26	2.46	41	0.15	8.87	60	2.0
I315705		0.093	0.17	0.89	60	0.19	2.71	50	1.4
I315706		0.090	0.19	1.23	44	0.12	3.92	42	0.6
I315707		0.096	0.17	1.10	62	0.21	4.86	43	2.1
I315708		0.107	0.15	0.49	86	0.18	2.98	42	1.3
I315709		0.116	0.27	1.35	63	0.17	6.74	59	2.1
I315710		0.131	0.16	0.52	78	0.14	3.02	47	1.5
I315711		0.107	0.15	0.45	82	0.16	2.45	36	3.2
I315712		0.122	0.10	0.27	74	0.13	1.77	60	0.9
I315713		0.099	0.15	0.37	83	0.15	2.65	69	1.2
I315714		0.109	0.13	0.38	81	0.21	2.27	65	2.1
I315715		0.107	0.12	0.48	86	0.19	2.77	70	1.1
I315716		0.121	0.15	0.61	90	0.22	3.35	83	1.5
I315717		0.107	0.13	0.51	88	0.19	3.73	82	1.6
I315718		0.102	0.11	0.47	71	0.17	3.20	39	6.0
I315719		0.139	0.16	0.51	64	0.14	4.89	45	1.4
I315720		0.169	0.14	0.50	91	0.16	3.08	55	3.3
I315721		0.105	0.10	0.37	80	0.16	2.46	37	1.3
I315722		0.105	0.10	0.40	80	0.19	2.24	35	1.2
I315723		0.114	0.12	0.50	71	0.21	4.10	51	2.1
I315724		0.126	0.11	0.46	88	0.21	2.71	56	2.5
I315725		0.148	0.17	0.43	86	0.20	3.04	99	2.5
I315726		0.118	0.13	0.36	77	0.21	2.18	73	1.8
I315727		0.101	0.11	0.44	76	0.16	3.51	56	0.8
I315728		0.100	0.11	0.46	76	0.15	2.83	61	2.2
I315729		0.231	0.49	0.92	60	0.18	6.57	82	2.7
I315730		0.165	0.29	0.63	69	0.18	4.28	68	2.9



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315731		0.30	<0.005	0.15	2.39	9.0	<0.2	<10	170	0.46	0.20	0.13	0.17	20.5	9.5	34
I315732		0.34	<0.005	0.14	2.23	8.3	<0.2	<10	210	0.40	0.19	0.15	0.20	20.1	9.9	31
I315733		0.32	<0.005	0.07	2.09	6.4	<0.2	<10	240	0.43	0.16	0.23	0.14	19.85	10.1	33
I315734		0.38	<0.005	0.13	2.34	6.4	<0.2	<10	170	0.45	0.20	0.17	0.13	34.4	10.8	31
I315735		0.34	<0.005	0.11	1.84	5.6	<0.2	<10	260	0.34	0.14	0.47	0.07	25.1	11.2	30
I315736		0.30	<0.005	0.07	1.64	4.5	<0.2	<10	180	0.23	0.14	0.33	0.09	17.35	8.8	28
I315737		0.34	<0.005	0.12	1.87	4.8	<0.2	<10	150	0.33	0.17	0.16	0.10	22.2	8.0	29
I315738		0.26	<0.005	0.10	1.93	5.1	<0.2	<10	180	0.35	0.17	0.35	0.08	23.6	9.2	31
I315739		0.26	<0.005	0.09	2.11	5.4	<0.2	<10	240	0.49	0.22	0.27	0.06	27.1	12.7	30
I315740		0.28	<0.005	0.09	1.79	4.6	<0.2	<10	210	0.34	0.16	0.25	0.09	18.30	8.9	29
I315741		0.40	<0.005	0.04	2.36	5.4	<0.2	<10	220	0.49	0.18	0.24	0.06	34.4	12.6	36
I315742		0.40	<0.005	0.05	2.35	5.2	<0.2	<10	230	0.47	0.17	0.27	0.07	36.2	12.1	35
I315743		0.40	<0.005	0.08	1.45	5.1	<0.2	<10	190	0.36	0.10	0.71	0.14	23.7	10.1	25
I315744		0.46	<0.005	0.08	1.46	5.3	<0.2	<10	200	0.36	0.10	0.76	0.14	24.1	10.2	25
I315745		0.34	<0.005	0.11	1.65	5.2	<0.2	<10	190	0.51	0.12	0.74	0.15	31.3	11.1	29
I315746		0.30	<0.005	0.11	1.71	5.9	<0.2	<10	200	0.40	0.12	0.63	0.18	27.3	12.0	29
I315747		0.34	0.008	0.26	1.83	9.5	<0.2	<10	170	1.39	0.56	0.40	0.23	67.7	4.7	17
I315748		0.30	<0.005	0.20	2.24	4.9	<0.2	<10	220	0.52	0.35	0.39	0.26	40.4	6.1	29
I315749		0.38	<0.005	0.35	2.12	8.3	<0.2	<10	270	0.59	0.34	0.62	0.37	40.6	9.3	28
I315750		0.36	<0.005	0.16	2.30	8.0	<0.2	<10	220	0.44	0.22	0.61	0.19	24.5	11.1	39
I315751		0.56	<0.005	0.04	2.03	5.1	<0.2	<10	170	0.63	0.11	0.49	0.10	39.3	13.3	52
I315752		0.36	<0.005	0.06	2.09	7.2	<0.2	<10	140	0.59	0.12	0.46	0.09	30.6	13.4	48
I315753		0.40	<0.005	0.10	2.29	9.1	<0.2	<10	130	0.57	0.18	0.31	0.21	27.8	13.1	57
I315754		0.34	<0.005	0.14	1.39	5.7	<0.2	<10	80	0.42	0.16	0.18	0.28	13.45	6.3	29
I315755		0.32	<0.005	0.20	2.31	29.4	<0.2	<10	150	0.65	0.17	0.36	0.22	25.1	13.4	52
I315756		0.42	<0.005	0.08	2.44	19.6	<0.2	<10	160	0.73	0.16	0.49	0.12	30.2	15.2	54
I315757		0.42	<0.005	0.10	2.51	18.3	<0.2	<10	220	0.59	0.15	0.60	0.18	27.1	19.6	56
I315758		0.38	<0.005	0.14	2.34	11.7	<0.2	<10	220	0.49	0.16	0.57	0.09	21.9	14.2	50
I315759		0.42	0.051	0.18	2.41	41.3	<0.2	<10	200	0.47	0.14	0.41	0.11	21.3	11.2	57
I315760		0.40	NSS	0.03	0.36	11.9	<0.2	<10	100	0.31	0.03	0.62	0.22	43.3	11.0	18
I315761		0.30	<0.005	0.30	1.43	5.9	<0.2	<10	160	0.41	0.09	0.42	0.16	19.55	8.5	25
I315762		0.52	<0.005	0.08	2.33	12.3	<0.2	<10	220	0.52	0.12	0.49	0.10	26.6	14.1	58
I315763		0.26	<0.005	0.28	2.38	11.3	<0.2	<10	330	0.65	0.13	0.82	0.28	35.5	17.9	50
I315764		0.48	<0.005	0.12	2.50	14.4	<0.2	<10	260	0.56	0.13	0.53	0.09	23.4	11.0	58
I315765		0.36	<0.005	0.18	2.49	11.4	<0.2	<10	280	0.47	0.13	0.73	0.09	21.0	13.4	52
I315766		0.36	<0.005	0.30	2.19	14.5	<0.2	<10	270	0.47	0.13	0.74	0.22	20.7	11.2	44
I315767		0.38	<0.005	0.22	2.53	19.7	<0.2	<10	280	0.37	0.20	0.56	0.11	19.60	14.6	59
I315768		0.34	<0.005	0.23	2.72	18.0	<0.2	<10	300	0.52	0.26	0.73	0.42	22.2	20.0	55
I315769		0.44	<0.005	0.21	2.23	11.7	<0.2	<10	230	0.42	0.32	0.40	0.30	20.0	11.8	51
I315770		0.46	<0.005	0.16	2.12	10.7	<0.2	<10	220	0.48	0.36	0.39	0.28	20.3	11.0	48



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315731		1.11	15.0	3.73	8.83	0.05	0.03	0.02	0.029	0.06	9.9	17.5	0.40	266	1.17
I315732		0.80	12.1	3.53	8.17	0.05	0.05	0.02	0.026	0.08	9.6	16.0	0.42	255	1.21
I315733		0.76	13.5	3.13	6.87	0.05	0.07	0.01	0.025	0.07	9.9	14.3	0.46	256	0.88
I315734		1.06	11.5	3.62	8.93	0.06	0.03	0.01	0.022	0.12	14.7	20.1	0.56	220	1.01
I315735		0.60	14.7	3.05	6.24	0.06	0.06	0.01	0.019	0.33	12.3	14.2	0.63	227	0.67
I315736		0.44	10.5	2.71	5.84	0.05	0.05	0.01	0.019	0.12	8.5	10.6	0.45	188	0.83
I315737		0.68	11.6	2.89	6.78	0.05	0.03	0.01	0.021	0.09	10.5	15.4	0.47	186	0.80
I315738		0.56	11.3	3.03	6.59	0.05	0.03	0.02	0.022	0.15	10.8	13.2	0.52	223	0.81
I315739		0.56	13.6	3.02	6.99	0.05	0.08	0.01	0.030	0.08	13.2	14.9	0.50	235	0.99
I315740		0.38	11.5	2.89	6.39	0.05	0.08	0.01	0.023	0.11	8.8	11.0	0.45	179	1.07
I315741		1.62	18.7	3.76	8.74	0.08	0.06	0.01	0.022	0.34	14.2	20.0	0.80	227	0.93
I315742		1.56	18.4	3.70	8.89	0.07	0.05	0.02	0.022	0.30	15.4	19.1	0.77	220	0.97
I315743		0.66	19.2	2.44	5.05	0.07	0.08	0.02	0.018	0.06	11.7	15.6	0.61	283	0.53
I315744		0.63	20.7	2.44	5.02	0.07	0.08	0.02	0.020	0.06	11.9	14.7	0.60	282	0.53
I315745		0.82	22.7	2.65	5.97	0.08	0.06	0.02	0.020	0.07	15.8	19.5	0.62	406	0.69
I315746		1.15	22.3	2.86	6.42	0.07	0.04	0.02	0.022	0.07	13.2	22.4	0.74	450	0.86
I315747		2.54	74.1	2.32	6.56	0.13	0.07	0.16	0.030	0.11	45.8	9.0	0.28	657	2.39
I315748		2.29	28.1	2.54	7.77	0.08	0.04	0.08	0.033	0.09	24.8	13.3	0.42	403	1.28
I315749		1.90	45.7	2.75	6.97	0.09	0.05	0.10	0.031	0.07	25.2	9.5	0.37	919	2.17
I315750		1.37	24.5	2.74	7.52	0.07	0.05	0.05	0.029	0.10	13.5	17.2	0.62	417	1.15
I315751		2.35	89.0	3.08	7.12	0.13	0.11	0.02	0.029	0.28	19.5	13.1	0.75	374	28.1
I315752		2.49	112.5	3.12	7.28	0.12	0.06	0.03	0.028	0.24	18.1	13.4	0.65	312	63.7
I315753		2.71	81.7	3.64	10.45	0.09	0.04	0.02	0.059	0.21	13.3	16.0	0.75	456	31.5
I315754		1.50	30.6	2.51	8.04	<0.05	0.03	0.04	0.021	0.09	6.9	8.1	0.32	228	14.05
I315755		2.40	113.5	3.27	9.51	0.06	0.05	0.04	0.031	0.20	13.8	14.5	0.71	455	61.0
I315756		2.26	179.5	3.33	8.52	0.11	0.07	0.03	0.032	0.25	13.6	14.7	0.86	415	41.7
I315757		2.40	97.4	3.95	8.01	0.10	0.05	0.03	0.032	0.17	13.0	15.1	0.81	1120	108.5
I315758		2.48	75.4	2.92	8.28	0.07	0.03	0.04	0.028	0.07	11.2	15.1	0.78	543	116.0
I315759		2.88	132.5	3.20	8.52	0.09	0.03	0.04	0.028	0.21	11.1	13.8	0.88	321	90.9
I315760		0.38	16.2	2.50	2.05	0.11	0.03	0.02	0.009	0.06	23.0	4.5	0.26	885	7.35
I315761		1.25	107.5	1.58	4.49	0.05	0.02	0.11	0.017	0.06	11.1	5.4	0.32	299	52.6
I315762		2.47	115.5	3.37	7.78	0.12	0.09	0.03	0.027	0.27	13.3	14.6	0.86	334	60.6
I315763		1.97	153.0	2.85	7.53	0.10	0.04	0.06	0.025	0.13	18.0	12.4	0.67	1380	182.0
I315764		2.42	118.0	2.95	8.38	0.11	0.07	0.04	0.028	0.21	12.1	15.8	0.89	268	107.5
I315765		2.04	88.4	3.04	8.18	0.09	0.05	0.05	0.027	0.16	11.0	13.6	0.75	699	207
I315766		1.90	108.5	2.69	7.11	0.08	0.04	0.10	0.024	0.15	11.0	14.0	0.62	553	158.5
I315767		3.11	112.0	3.07	8.78	0.10	0.04	0.09	0.025	0.25	10.1	16.2	0.82	541	157.5
I315768		2.69	165.0	3.32	9.13	0.09	0.03	0.05	0.030	0.21	11.3	13.6	0.74	978	189.5
I315769		2.98	95.8	2.92	8.58	0.08	0.03	0.02	0.023	0.33	10.5	11.9	0.73	340	104.5
I315770		2.81	89.5	2.76	7.89	0.09	0.02	0.02	0.044	0.34	10.7	11.6	0.71	320	93.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315731		2.63	21.8	390	11.4	13.5	<0.001	0.01	0.57	3.3	0.2	0.8	13.9	<0.01	0.03
I315732		1.86	19.6	360	10.9	14.9	<0.001	<0.01	0.51	3.1	<0.2	0.7	15.5	<0.01	0.02
I315733		1.70	21.3	290	9.6	16.2	<0.001	<0.01	0.46	3.5	<0.2	0.6	21.8	<0.01	0.02
I315734		3.24	20.9	310	10.3	18.9	<0.001	<0.01	0.33	3.3	<0.2	0.8	18.7	<0.01	0.02
I315735		2.91	21.7	190	7.7	22.8	<0.001	<0.01	0.35	3.7	0.3	0.5	39.1	<0.01	0.02
I315736		2.19	17.4	140	7.5	8.8	<0.001	<0.01	0.35	3.2	<0.2	0.6	25.4	<0.01	0.03
I315737		2.01	18.0	180	11.1	12.7	<0.001	<0.01	0.34	2.9	0.2	0.6	16.5	<0.01	0.02
I315738		2.38	20.4	230	8.1	13.0	<0.001	0.01	0.35	3.3	0.2	0.7	23.3	<0.01	0.02
I315739		1.71	19.5	140	9.7	8.2	<0.001	<0.01	0.29	4.2	0.2	1.1	20.2	<0.01	0.02
I315740		2.20	17.9	150	9.0	6.8	<0.001	<0.01	0.35	3.2	<0.2	0.7	23.1	<0.01	0.02
I315741		3.57	29.5	220	10.1	45.6	<0.001	<0.01	0.28	3.9	0.2	0.8	21.0	<0.01	0.02
I315742		3.79	28.6	220	9.9	41.6	<0.001	0.01	0.29	4.0	0.3	0.8	23.6	<0.01	0.02
I315743		1.57	20.2	670	6.4	7.8	<0.001	0.01	0.35	4.5	0.4	0.4	41.2	<0.01	0.02
I315744		1.61	21.0	700	6.3	7.6	<0.001	0.01	0.38	4.6	0.4	0.4	43.8	<0.01	0.01
I315745		2.00	18.7	580	7.8	10.6	<0.001	0.02	0.34	5.0	0.5	0.5	40.6	<0.01	0.03
I315746		1.70	17.8	590	8.2	10.2	<0.001	0.02	0.33	5.4	0.5	0.5	36.8	<0.01	0.02
I315747		2.96	10.0	710	12.5	30.4	<0.001	0.04	0.52	5.5	1.5	1.2	32.2	0.01	0.07
I315748		2.39	15.3	860	10.8	32.7	<0.001	0.07	0.29	5.1	0.7	1.1	34.5	<0.01	0.03
I315749		1.71	17.1	1370	10.2	22.4	<0.001	0.14	0.53	4.7	1.1	0.9	62.9	<0.01	0.06
I315750		2.23	24.5	740	8.6	26.8	<0.001	0.06	0.47	5.0	0.6	0.7	44.2	<0.01	0.02
I315751		1.73	33.6	780	4.1	37.2	<0.001	<0.01	0.29	7.5	0.5	1.0	30.3	<0.01	0.03
I315752		2.21	33.5	610	3.7	33.2	<0.001	0.01	0.37	5.8	0.5	0.6	26.7	<0.01	0.04
I315753		2.97	31.7	470	6.0	28.7	<0.001	0.02	0.40	5.8	0.5	0.7	22.3	<0.01	0.04
I315754		2.08	16.5	330	6.2	23.1	<0.001	0.02	0.40	2.9	0.3	0.6	15.8	<0.01	0.03
I315755		2.89	34.1	450	6.5	33.4	<0.001	0.03	0.66	5.6	0.5	0.7	26.8	<0.01	0.04
I315756		2.69	37.3	690	4.0	39.5	0.001	0.02	0.65	6.4	0.5	0.6	29.0	<0.01	0.05
I315757		2.36	33.2	650	4.5	31.9	0.002	0.03	0.60	6.3	0.7	0.7	30.4	<0.01	0.05
I315758		1.95	29.6	580	5.1	20.4	0.001	0.06	0.46	4.9	0.6	0.6	32.9	<0.01	0.04
I315759		2.16	35.3	530	5.9	35.9	0.001	0.04	1.25	6.5	0.5	0.7	26.4	<0.01	0.06
I315760		0.90	23.5	720	4.7	7.4	<0.001	0.04	0.60	2.2	0.4	0.4	16.3	<0.01	0.01
I315761		0.72	21.6	780	3.1	15.7	0.001	0.08	0.37	2.0	0.9	0.4	28.0	<0.01	0.04
I315762		2.37	31.7	730	5.0	37.2	<0.001	0.02	0.57	8.2	0.7	0.6	28.2	<0.01	0.05
I315763		1.59	33.1	1250	5.2	23.2	0.003	0.09	0.80	5.5	1.7	0.6	46.2	<0.01	0.05
I315764		2.37	28.7	640	5.8	34.3	0.001	0.03	1.05	8.6	0.8	0.6	29.0	<0.01	0.04
I315765		2.02	28.0	940	5.2	29.6	0.002	0.07	0.55	7.0	1.0	0.6	39.1	<0.01	0.05
I315766		1.84	30.3	860	4.9	29.8	0.003	0.08	0.74	5.8	1.0	0.6	40.5	<0.01	0.05
I315767		2.12	36.4	660	5.3	37.3	0.001	0.05	0.79	7.5	0.7	0.7	31.1	<0.01	0.07
I315768		1.75	41.2	1010	6.0	37.9	0.001	0.08	0.63	5.9	0.8	0.8	42.8	<0.01	0.09
I315769		2.25	32.1	570	5.0	56.0	<0.001	0.03	0.38	5.7	0.4	0.7	24.0	<0.01	0.08
I315770		2.12	30.6	630	4.5	50.1	<0.001	0.03	0.36	5.5	0.4	0.7	21.7	<0.01	0.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I315731		0.106	0.12	0.43	77	0.19	3.08	59
I315732		0.102	0.10	0.34	78	0.16	2.37	67
I315733		0.098	0.11	0.38	72	0.18	2.69	56
I315734		0.121	0.14	0.53	68	0.15	3.67	59
I315735		0.137	0.15	0.50	61	0.13	3.90	50
I315736		0.103	0.08	0.34	62	0.16	2.43	40
I315737		0.093	0.11	0.44	60	0.19	3.37	51
I315738		0.112	0.12	0.44	61	0.14	3.08	48
I315739		0.088	0.11	0.39	61	0.10	3.65	44
I315740		0.098	0.09	0.34	65	0.19	2.51	38
I315741		0.194	0.25	0.65	58	0.14	5.13	63
I315742		0.193	0.23	0.65	59	0.17	5.44	61
I315743		0.099	0.06	0.80	52	0.20	7.65	55
I315744		0.100	0.05	0.81	53	0.14	7.85	54
I315745		0.103	0.06	1.17	57	0.29	9.57	58
I315746		0.109	0.08	1.05	65	0.24	8.31	72
I315747		0.061	0.35	29.1	33	1.51	76.1	55
I315748		0.086	0.25	7.26	51	0.47	15.25	76
I315749		0.061	0.20	9.96	59	0.70	19.90	64
I315750		0.117	0.17	2.37	62	0.86	8.80	75
I315751		0.194	0.29	0.99	83	4.70	11.95	60
I315752		0.181	0.25	1.44	82	7.28	9.79	62
I315753		0.190	0.21	0.66	88	5.06	5.86	67
I315754		0.126	0.12	0.43	63	1.37	2.83	45
I315755		0.181	0.21	0.73	81	4.49	5.96	64
I315756		0.185	0.26	0.69	85	14.30	7.17	59
I315757		0.177	0.28	0.93	89	2.33	6.81	71
I315758		0.136	0.18	0.73	76	1.19	5.30	68
I315759		0.160	0.26	0.70	90	7.15	5.33	64
I315760		0.028	0.14	1.09	22	0.24	9.80	25
I315761		0.051	0.14	1.09	32	0.36	7.68	29
I315762		0.190	0.30	0.86	94	1.07	8.58	55
I315763		0.109	0.24	2.56	82	4.30	14.35	48
I315764		0.191	0.33	0.97	98	1.13	7.90	52
I315765		0.146	0.24	1.03	90	1.41	8.24	52
I315766		0.119	0.19	1.22	75	4.74	8.94	58
I315767		0.152	0.41	0.91	94	3.37	5.72	68
I315768		0.114	0.26	1.19	97	2.23	7.30	82
I315769		0.146	0.32	0.69	87	2.18	5.10	63
I315770		0.139	0.32	0.67	82	2.12	5.05	58



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315771		0.44	0.024	1.08	4.27	19.9	<0.2	<10	760	1.68	1.47	0.58	0.11	46.7	17.3	94
I315772		0.38	0.010	0.74	2.99	6.0	<0.2	<10	510	1.08	0.68	1.03	0.32	34.0	14.4	60
I315773		0.36	0.010	0.42	3.48	17.4	<0.2	<10	440	0.68	0.65	1.07	0.32	30.0	24.5	69
I315774		0.34	<0.005	0.35	3.09	11.6	<0.2	<10	400	0.55	0.45	1.21	0.36	21.0	20.6	60
I315775		0.48	<0.005	0.16	5.83	5.3	<0.2	<10	500	0.23	2.69	1.02	0.15	5.96	35.6	220
I315776		0.34	<0.005	0.16	4.13	4.8	<0.2	<10	540	0.31	1.48	0.48	0.26	13.05	16.5	80
I315777		0.32	<0.005	0.39	3.56	6.1	<0.2	<10	430	0.33	0.74	1.33	0.18	13.00	17.1	97
I315778		0.30	<0.005	0.26	2.47	8.2	<0.2	<10	320	0.33	0.40	1.69	0.47	15.85	18.5	62
I315779		0.36	<0.005	0.44	3.50	13.0	<0.2	<10	400	0.42	0.45	1.28	0.42	21.3	25.3	81
I315780		0.46	NSS	0.02	0.16	1.9	<0.2	<10	30	0.10	0.03	0.13	0.03	10.75	2.2	3
I315781		0.40	0.008	0.55	2.76	8.8	<0.2	<10	410	0.37	0.30	1.17	0.74	20.5	17.6	48
I315782		0.44	<0.005	0.04	2.35	9.1	<0.2	<10	140	0.30	0.12	0.14	0.06	14.65	11.1	28
I315783		0.38	<0.005	0.07	2.32	5.5	<0.2	<10	170	0.36	0.10	0.30	0.04	17.45	11.1	28
I315784		0.34	<0.005	0.22	1.61	4.0	<0.2	<10	150	0.35	0.13	0.33	0.05	16.20	6.9	20
I315785		0.40	<0.005	0.08	2.43	5.8	<0.2	<10	170	0.35	0.14	0.34	0.06	15.90	10.2	22
I315786		0.40	<0.005	0.08	1.68	6.1	<0.2	<10	240	0.43	0.14	0.45	0.08	24.9	9.9	27
I315787		0.32	<0.005	0.13	1.50	5.1	<0.2	<10	340	0.46	0.12	0.77	0.29	20.9	9.7	26
I315788		0.36	<0.005	0.09	1.53	6.4	<0.2	<10	280	0.42	0.13	0.68	0.11	24.2	8.4	26
I315789		0.34	<0.005	0.09	1.44	6.2	<0.2	<10	250	0.35	0.11	0.74	0.06	22.8	7.8	25
I315790		0.40	<0.005	0.07	1.51	7.1	<0.2	<10	250	0.35	0.12	0.67	0.05	24.1	9.1	25
I315791		0.28	<0.005	0.05	1.33	6.7	<0.2	<10	270	0.33	0.11	1.00	0.22	22.1	8.0	24
I315792		0.42	<0.005	0.14	1.50	8.0	<0.2	<10	260	0.42	0.12	0.65	0.22	25.8	9.3	27
I315793		0.46	<0.005	0.03	1.57	2.7	<0.2	<10	210	0.30	0.06	0.38	0.06	16.30	9.1	15
I315794		0.38	<0.005	0.04	3.48	1.3	<0.2	<10	400	0.49	0.01	0.65	0.03	26.8	19.8	35
I315795		0.48	<0.005	0.11	1.75	6.2	<0.2	<10	260	0.34	0.16	0.33	0.05	19.70	9.4	31
I315796		0.34	<0.005	0.04	1.30	3.4	<0.2	<10	150	0.29	0.07	0.34	0.03	23.2	6.2	12
I315797		0.44	<0.005	0.10	1.60	5.2	<0.2	<10	170	0.39	0.10	0.31	0.04	20.7	6.6	20
I315798		0.44	<0.005	0.03	0.70	1.9	<0.2	<10	80	0.18	0.05	0.15	0.02	22.4	4.2	7
I315799		0.34	<0.005	0.06	2.03	7.5	<0.2	<10	190	0.38	0.17	0.14	0.07	19.45	6.7	32
I315800		0.44	NSS	0.02	0.19	1.9	<0.2	<10	40	0.12	0.04	0.12	0.03	10.55	2.1	4
I315801		0.44	0.008	0.25	2.44	54.9	<0.2	<10	210	0.80	0.19	0.63	0.01	26.8	15.1	53
I315802		0.48	0.015	0.56	2.33	40.3	<0.2	<10	230	1.03	0.16	0.63	<0.01	32.3	10.2	41
I315803		0.56	0.013	0.28	2.53	42.3	<0.2	<10	210	0.85	0.21	0.56	<0.01	25.3	13.1	54
I315804		0.44	0.008	0.54	2.71	41.4	<0.2	<10	270	1.04	0.23	0.65	<0.01	30.5	18.3	51
I315805		0.36	0.005	0.33	2.76	25.7	<0.2	<10	280	0.78	0.19	0.58	<0.01	30.1	13.8	51
I315806		0.64	0.008	0.23	2.13	14.9	<0.2	<10	280	0.55	0.21	0.42	<0.01	25.2	10.7	51
I315807		0.66	<0.005	0.29	2.32	15.6	<0.2	<10	310	0.61	0.21	0.44	<0.01	28.3	11.9	54
I315808		0.58	<0.005	0.23	2.62	13.3	<0.2	<10	280	0.42	0.20	0.46	<0.01	26.5	16.6	52
I315809		0.42	<0.005	0.21	2.48	12.6	<0.2	<10	230	0.45	0.18	0.44	<0.01	21.4	11.2	48
I315810		0.56	<0.005	0.30	2.19	18.3	<0.2	<10	220	0.46	0.19	0.47	<0.01	24.3	12.6	45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315771		4.64	289	4.41	13.85	0.18	0.05	0.07	0.027	0.71	24.5	27.5	1.59	315	129.0
I315772		3.26	211	2.16	9.18	0.11	0.05	0.11	0.021	0.41	16.3	16.1	0.99	201	89.6
I315773		4.63	153.0	4.05	10.80	0.13	0.04	0.08	0.028	0.51	14.3	18.3	1.37	1020	239
I315774		4.81	119.0	3.81	9.71	0.11	0.05	0.06	0.025	0.49	10.5	17.8	1.34	1160	222
I315775		5.29	88.8	5.54	14.90	0.14	<0.02	0.01	0.026	0.87	2.7	20.6	3.34	487	34.9
I315776		4.16	64.0	4.15	12.55	0.11	<0.02	0.02	0.033	0.76	6.3	14.9	2.52	511	50.2
I315777		3.58	101.5	3.76	10.35	0.10	0.02	0.05	0.029	0.52	7.1	16.8	1.96	460	52.7
I315778		2.06	90.5	2.75	6.99	0.08	0.04	0.06	0.022	0.24	8.6	13.5	1.08	1340	85.8
I315779		2.96	117.0	4.04	9.68	0.10	0.04	0.07	0.029	0.41	9.8	17.3	1.45	1240	104.0
I315780		0.09	3.0	0.82	0.69	<0.05	0.09	0.02	<0.005	0.05	5.4	1.4	0.04	161	0.37
I315781		2.71	60.0	3.34	8.18	0.08	0.04	0.07	0.020	0.36	10.5	15.6	1.34	517	2.74
I315782		1.16	12.9	3.57	8.30	0.05	0.04	0.01	0.021	0.16	7.6	21.8	0.89	340	0.88
I315783		1.13	19.1	3.34	9.19	0.05	0.05	0.01	0.021	0.07	9.4	22.9	1.15	295	0.53
I315784		0.95	29.2	2.64	7.99	<0.05	0.03	0.01	0.016	0.05	9.5	18.1	0.51	323	1.13
I315785		1.05	27.5	3.76	9.38	0.05	0.03	0.01	0.024	0.09	8.4	26.1	0.89	306	1.02
I315786		0.59	23.3	2.85	5.99	0.06	0.05	0.02	0.022	0.09	13.4	18.7	0.61	290	0.64
I315787		0.54	26.2	2.19	5.10	0.05	0.04	0.02	0.020	0.04	10.6	9.9	0.41	676	0.95
I315788		0.64	22.5	2.37	5.19	0.05	0.06	0.02	0.021	0.05	12.6	10.8	0.43	342	0.93
I315789		0.63	18.6	2.20	4.67	0.05	0.04	0.02	0.020	0.04	11.7	10.6	0.42	266	1.03
I315790		0.63	17.5	2.39	4.99	0.05	0.04	0.01	0.021	0.04	12.2	11.2	0.42	296	1.20
I315791		0.57	19.7	2.13	4.35	0.06	0.04	0.02	0.021	0.06	11.7	11.3	0.43	348	0.95
I315792		0.47	24.0	2.48	4.78	0.05	0.06	0.03	0.021	0.06	13.2	12.1	0.46	327	1.06
I315793		2.43	12.4	3.07	7.07	0.08	0.05	<0.01	0.029	0.45	9.9	15.8	0.77	453	0.36
I315794		8.60	7.5	5.38	13.00	0.22	0.05	0.01	0.038	1.30	19.2	32.2	2.51	869	0.84
I315795		0.57	14.1	2.54	6.32	0.07	0.10	0.01	0.020	0.04	9.9	10.8	0.39	380	1.64
I315796		0.77	8.6	2.36	6.51	0.09	0.03	0.02	0.037	0.06	12.2	11.8	0.56	218	0.66
I315797		0.49	29.1	2.68	6.64	0.08	0.02	0.01	0.039	0.03	10.4	12.2	0.56	192	0.52
I315798		0.43	8.4	1.44	3.42	0.09	<0.02	0.01	0.029	0.03	13.4	5.8	0.21	188	0.96
I315799		0.95	14.6	2.82	7.11	0.08	0.05	0.02	0.029	0.04	9.7	13.9	0.40	148	1.48
I315800		0.09	3.4	0.77	0.71	<0.05	0.11	0.02	<0.005	0.07	5.3	1.6	0.04	170	0.46
I315801		3.81	148.5	3.08	8.68	0.16	0.03	0.10	0.038	0.15	14.5	15.4	0.74	567	138.0
I315802		3.00	210	2.34	7.62	0.14	0.04	0.44	0.037	0.09	18.5	13.3	0.54	346	96.5
I315803		3.47	136.0	3.08	9.27	0.16	0.05	0.26	0.051	0.17	12.9	18.2	0.79	359	109.0
I315804		3.81	141.0	3.39	8.99	0.17	0.03	0.30	0.050	0.19	14.9	16.6	0.75	1030	207
I315805		3.72	120.0	3.05	8.97	0.15	0.03	0.17	0.039	0.15	15.5	16.5	0.77	535	178.0
I315806		3.01	154.5	2.78	7.39	0.15	0.02	0.06	0.030	0.30	12.5	11.0	0.72	300	149.5
I315807		3.35	160.5	2.94	8.48	0.18	0.02	0.09	0.033	0.30	14.3	13.6	0.78	333	160.5
I315808		2.82	130.0	3.25	9.12	0.14	0.02	0.09	0.030	0.22	13.1	14.0	0.78	519	213
I315809		1.90	78.0	2.95	7.92	0.10	0.02	0.08	0.030	0.11	10.9	12.3	0.69	477	193.0
I315810		1.97	91.2	2.81	7.75	0.12	0.03	0.09	0.028	0.15	12.3	13.5	0.67	478	151.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I315771		2.06	81.8	880	4.4	58.0	0.005	0.05	0.40	10.3	1.2	1.1	39.3	<0.01	0.28	3.6
I315772		1.75	51.1	850	3.8	40.5	0.013	0.15	0.46	7.2	1.4	0.7	50.1	<0.01	0.13	1.7
I315773		2.26	43.9	720	6.1	55.7	0.015	0.12	0.62	10.5	2.1	0.9	52.0	<0.01	0.12	2.3
I315774		2.25	37.9	800	4.8	56.1	0.013	0.13	0.50	9.0	2.3	0.7	55.8	<0.01	0.08	1.7
I315775		0.53	100.5	540	6.0	66.6	0.002	0.02	0.39	15.4	0.6	0.7	62.0	<0.01	1.00	0.6
I315776		1.51	33.6	660	4.7	50.2	0.001	0.03	0.31	15.3	0.6	1.1	29.0	<0.01	0.56	1.2
I315777		1.41	54.1	610	5.0	36.4	0.004	0.12	0.48	11.5	1.2	0.8	67.6	<0.01	0.26	0.7
I315778		1.40	43.7	780	5.2	31.4	0.004	0.16	0.75	5.9	1.3	0.5	77.8	<0.01	0.14	0.6
I315779		1.64	47.8	770	7.2	37.8	0.010	0.23	0.68	9.8	1.4	0.6	62.6	<0.01	0.10	1.3
I315780		0.18	3.9	120	1.7	2.7	<0.001	<0.01	0.22	0.7	0.2	0.2	9.4	<0.01	0.01	1.9
I315781		1.60	28.6	820	6.0	35.7	<0.001	0.17	0.94	5.3	1.1	0.6	46.4	<0.01	0.04	0.7
I315782		2.15	16.2	190	8.1	18.9	<0.001	0.01	0.45	4.5	0.3	0.7	18.5	<0.01	0.02	2.1
I315783		1.12	14.0	390	7.8	11.5	<0.001	0.01	0.24	6.7	0.3	0.6	25.3	<0.01	0.02	2.2
I315784		2.05	10.5	220	8.1	11.4	<0.001	0.01	0.35	3.4	0.2	0.6	29.5	<0.01	0.03	1.7
I315785		1.84	11.9	480	11.6	13.7	<0.001	0.01	0.33	6.1	0.3	0.6	30.9	<0.01	0.02	1.9
I315786		1.36	14.2	550	12.1	9.6	<0.001	0.01	0.40	5.4	0.4	0.5	35.3	<0.01	0.01	2.9
I315787		1.33	19.8	580	6.7	6.2	0.001	0.02	0.43	4.1	1.5	0.5	52.5	<0.01	0.02	1.7
I315788		1.51	20.0	510	7.6	8.3	<0.001	0.01	0.44	4.6	0.8	0.5	45.6	<0.01	0.02	2.5
I315789		1.37	18.3	590	6.9	5.7	<0.001	0.03	0.41	4.0	0.8	0.5	48.3	<0.01	0.01	1.8
I315790		1.44	17.6	540	7.3	5.9	<0.001	0.03	0.38	4.2	0.8	0.5	44.6	<0.01	0.01	2.1
I315791		1.33	19.4	660	6.8	9.5	<0.001	0.04	0.53	3.7	0.7	0.4	60.2	<0.01	0.01	1.2
I315792		1.46	21.4	750	7.9	7.7	<0.001	0.02	0.52	4.6	0.6	0.5	43.5	<0.01	0.02	2.6
I315793		1.24	10.2	810	3.0	32.6	<0.001	<0.01	0.16	7.0	0.3	0.6	18.8	<0.01	<0.01	2.6
I315794		0.80	19.3	1330	1.9	98.8	<0.001	0.01	0.18	19.8	0.4	0.8	29.8	<0.01	<0.01	1.3
I315795		1.29	16.0	200	10.0	9.1	<0.001	0.02	0.33	3.8	0.4	0.6	24.9	<0.01	0.04	2.5
I315796		1.11	7.3	550	4.8	9.9	<0.001	0.03	0.22	6.1	0.5	0.6	21.5	<0.01	0.02	3.0
I315797		0.79	10.7	610	5.5	5.2	<0.001	0.01	0.26	7.7	0.5	0.6	19.3	<0.01	0.02	2.6
I315798		0.67	5.4	480	2.8	7.3	<0.001	0.02	0.14	4.2	0.3	0.4	9.1	<0.01	0.03	2.9
I315799		1.36	17.8	230	10.4	12.8	0.001	<0.01	0.37	3.9	0.3	0.7	14.5	<0.01	0.04	3.1
I315800		0.19	4.2	110	1.9	3.2	<0.001	<0.01	0.20	0.7	0.2	0.2	11.4	<0.01	0.03	1.7
I315801		2.04	42.3	700	5.7	52.7	0.001	0.01	1.85	6.5	0.9	0.7	36.1	<0.01	0.07	1.3
I315802		1.48	35.8	810	4.9	28.7	0.005	0.05	1.96	5.5	1.8	0.6	36.0	0.01	0.06	0.8
I315803		2.38	34.5	590	5.9	47.5	0.002	0.02	1.65	7.5	0.8	0.8	32.3	<0.01	0.07	3.2
I315804		1.88	33.7	780	5.4	56.1	0.003	0.05	0.88	7.4	1.3	0.8	36.0	<0.01	0.08	1.4
I315805		1.98	34.7	810	5.6	48.5	0.004	0.04	0.46	7.1	1.4	0.7	36.3	<0.01	0.07	1.4
I315806		1.71	30.2	840	5.2	44.2	0.002	0.03	0.44	7.2	0.9	0.6	24.6	<0.01	0.12	2.6
I315807		2.04	32.7	790	5.2	50.1	0.003	0.03	0.50	8.0	1.0	0.7	28.3	<0.01	0.11	2.7
I315808		2.08	31.2	730	6.2	42.8	0.002	<0.01	0.70	7.5	0.8	0.7	32.7	<0.01	0.10	1.9
I315809		1.63	27.1	880	6.5	25.7	0.001	0.02	0.85	5.6	0.8	0.6	29.2	<0.01	0.07	0.9
I315810		1.84	28.4	730	6.6	34.1	0.002	<0.01	0.56	6.5	1.0	0.6	33.7	<0.01	0.07	1.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I315771		0.160	0.55	3.44	131	8.12	17.45	85
I315772		0.112	0.43	2.33	86	7.06	14.00	67
I315773		0.172	0.52	2.29	116	2.69	11.20	92
I315774		0.157	0.55	2.23	106	3.08	8.78	76
I315775		0.210	0.70	0.33	161	0.68	3.89	87
								<0.5
I315776		0.162	0.48	0.49	107	0.58	4.17	90
I315777		0.129	0.36	1.17	101	0.71	8.39	76
I315778		0.093	0.27	1.25	73	1.23	11.10	82
I315779		0.120	0.32	1.36	98	1.20	10.65	88
I315780		0.008	0.04	0.31	5	0.06	2.58	3
								3.1
I315781		0.120	0.23	0.87	79	0.28	11.15	132
I315782		0.188	0.12	0.33	86	0.18	2.29	51
I315783		0.142	0.09	0.37	91	0.12	5.28	69
I315784		0.124	0.12	0.42	86	0.16	3.31	51
I315785		0.156	0.08	0.39	98	0.15	3.81	82
								1.5
I315786		0.115	0.07	0.95	65	0.14	7.81	54
I315787		0.065	0.07	3.08	49	0.30	7.08	37
I315788		0.078	0.07	1.22	52	0.21	7.77	42
I315789		0.068	0.05	1.58	48	0.39	6.91	38
I315790		0.071	0.06	1.46	54	0.14	6.70	39
								1.7
I315791		0.065	0.06	1.01	43	0.25	7.25	46
I315792		0.077	0.05	0.97	50	0.21	7.93	48
I315793		0.155	0.19	0.30	40	0.07	8.20	79
I315794		0.420	0.43	0.21	120	0.14	10.70	249
I315795		0.071	0.10	0.62	69	0.17	4.39	37
								4.1
I315796		0.071	0.07	0.53	32	0.10	10.55	52
I315797		0.066	0.06	0.61	50	0.14	8.42	53
I315798		0.037	0.04	0.22	17	0.09	7.28	40
I315799		0.075	0.10	0.47	67	0.17	2.86	43
I315800		0.007	0.04	0.30	4	0.05	2.47	3
								3.7
I315801		0.135	0.23	1.32	79	2.10	8.05	70
I315802		0.091	0.26	2.28	55	0.85	15.35	48
I315803		0.156	0.36	1.05	81	10.20	7.03	65
I315804		0.123	0.38	1.77	91	2.71	8.92	91
I315805		0.132	0.31	2.31	87	1.33	9.60	76
								1.6
I315806		0.138	0.36	1.08	83	3.27	8.70	48
I315807		0.147	0.41	1.24	87	1.12	9.48	49
I315808		0.150	0.32	1.21	91	3.57	7.55	61
I315809		0.124	0.18	1.13	81	0.46	6.16	57
I315810		0.125	0.23	1.40	80	0.81	8.09	55
								1.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315811		0.52	0.006	0.36	2.62	18.2	<0.2	<10	240	0.60	0.36	0.64	0.20	22.3	11.0	52
I315812		0.46	<0.005	0.25	2.45	11.7	<0.2	<10	240	0.55	0.28	1.02	<0.01	21.6	11.3	46
I315813		0.52	<0.005	0.26	2.36	9.6	<0.2	<10	220	0.53	0.24	1.09	0.36	23.0	14.3	43
I315814		0.58	<0.005	0.30	2.85	8.6	<0.2	<10	320	0.53	0.32	0.91	0.10	21.9	12.3	56
I315815		0.64	<0.005	0.33	2.77	8.8	<0.2	<10	310	0.59	0.33	0.89	0.10	22.5	12.1	54
I315816		0.48	0.008	0.31	2.95	7.0	<0.2	<10	320	0.50	0.32	1.14	0.15	18.20	13.0	55
I315817		0.46	<0.005	0.30	2.12	7.2	<0.2	<10	260	0.56	0.26	1.46	0.23	21.8	12.6	40
I315818		0.62	<0.005	0.21	2.38	7.2	<0.2	<10	260	0.37	0.31	1.02	0.16	15.80	13.1	53
I315819		0.54	<0.005	0.26	2.10	13.2	<0.2	<10	460	0.49	0.49	1.95	1.24	27.4	109.5	46
I315820		0.44	<0.005	0.30	2.99	8.3	<0.2	<10	410	0.47	0.58	1.01	0.30	19.45	19.1	63
I315821		0.48	0.006	0.69	2.35	12.1	<0.2	<10	470	0.45	0.37	1.30	0.58	21.3	15.5	44
I315822		0.44	0.013	0.32	2.33	27.7	<0.2	<10	280	0.43	0.34	0.66	0.30	17.65	9.2	41
I315823		0.50	0.005	0.30	2.79	19.7	<0.2	<10	420	0.39	0.35	1.27	0.34	18.10	17.5	60
I315824		0.74	<0.005	0.09	1.56	6.8	<0.2	<10	190	0.46	0.15	0.19	0.04	27.2	8.0	32
I315825		0.66	<0.005	0.08	1.79	7.5	<0.2	<10	140	0.26	0.12	0.22	0.04	20.8	8.1	29
I315826		0.50	<0.005	0.20	1.85	9.0	<0.2	<10	160	0.39	0.17	0.15	0.04	18.45	7.9	30
I315827		0.56	<0.005	0.09	1.93	10.9	<0.2	<10	170	0.38	0.16	0.14	0.05	21.2	9.0	47
I315828		0.66	<0.005	0.09	2.67	7.2	<0.2	<10	150	0.43	0.10	0.37	0.06	10.85	14.0	44
I315829		0.62	<0.005	0.12	1.23	4.2	<0.2	<10	120	0.29	0.13	0.21	0.05	16.75	6.0	20
I315830		0.74	<0.005	0.07	1.79	5.1	<0.2	<10	130	0.69	0.18	0.52	0.04	18.75	8.1	24
I315831		1.08	<0.005	0.09	1.80	6.0	<0.2	<10	210	0.79	0.14	0.59	0.07	25.6	7.8	28
I315832		0.94	<0.005	0.08	1.80	5.8	<0.2	<10	210	0.92	0.15	0.61	0.08	27.1	8.2	27
I315833		0.60	<0.005	0.09	1.58	4.5	<0.2	<10	120	0.37	0.11	0.39	0.05	12.35	8.4	23
I315834		0.44	<0.005	0.08	1.83	8.5	<0.2	<10	330	0.37	0.16	0.34	0.21	16.50	19.1	25
I315835		1.08	<0.005	0.29	1.94	10.3	<0.2	<10	300	0.60	0.18	0.66	0.13	30.0	10.7	32
I315836		0.46	<0.005	0.08	1.52	4.3	<0.2	<10	230	0.28	0.10	0.52	0.13	15.25	5.9	21
I315837		0.68	<0.005	0.03	1.63	7.9	<0.2	<10	260	0.40	0.14	0.36	0.07	27.4	7.6	29
I315838		0.80	<0.005	0.10	1.60	8.8	<0.2	<10	240	0.42	0.14	0.56	0.10	26.2	9.3	27
I315839		0.76	<0.005	0.09	1.74	8.6	<0.2	<10	270	0.41	0.16	0.54	0.13	27.4	8.8	28
I315840		0.72	<0.005	0.04	1.65	6.6	<0.2	<10	220	0.45	0.09	0.52	0.06	24.0	7.2	27
I315841		0.86	<0.005	0.08	1.61	5.9	<0.2	<10	250	0.45	0.12	0.38	0.08	24.2	9.2	22
I315842		0.78	<0.005	0.06	1.90	10.2	<0.2	<10	220	0.34	0.16	0.21	0.07	20.1	8.2	32
I315843		0.64	0.005	0.09	1.55	5.9	<0.2	<10	310	0.44	0.13	0.47	0.10	27.4	7.8	22
I315844		0.52	<0.005	0.24	1.89	10.1	<0.2	<10	400	0.53	0.10	0.63	0.07	42.2	10.3	17
I315845		0.62	<0.005	0.07	1.68	2.9	<0.2	<10	110	0.36	0.06	0.30	0.08	10.65	6.5	10
I315846		0.86	<0.005	0.09	1.95	8.7	<0.2	<10	160	0.40	0.12	0.56	0.11	41.2	12.0	15
I315847		0.78	0.006	0.22	1.93	13.0	<0.2	<10	200	0.29	0.18	0.38	0.13	13.90	10.2	22
I315848		0.46	0.006	0.12	1.96	10.6	<0.2	<10	200	0.28	0.13	0.59	0.14	15.55	10.2	35
I315849		0.78	0.009	0.12	2.11	21.5	<0.2	<10	210	0.44	0.22	0.40	0.18	30.0	14.2	52
I315850		0.64	0.011	0.17	1.79	53.5	<0.2	<10	180	0.42	0.22	0.35	0.29	28.4	14.5	57



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315811		2.68	97.7	3.11	8.76	0.12	0.04	0.08	0.028	0.24	11.7	17.2	0.89	317	143.5
I315812		2.69	125.5	2.86	7.60	0.13	0.04	0.07	0.024	0.21	10.9	13.0	0.87	315	131.0
I315813		2.44	141.5	2.75	7.65	0.13	0.04	0.07	0.025	0.19	11.3	13.2	0.76	498	101.0
I315814		2.57	118.0	3.07	8.68	0.14	0.03	0.06	0.026	0.28	11.2	13.4	0.96	372	50.6
I315815		2.49	118.0	2.98	8.72	0.13	0.04	0.06	0.025	0.26	11.4	13.7	0.92	344	50.8
I315816		2.05	115.5	2.94	7.92	0.12	0.04	0.07	0.023	0.28	9.5	13.6	0.91	368	11.95
I315817		1.43	114.0	2.44	6.53	0.11	0.04	0.08	0.025	0.10	11.0	9.7	0.61	402	8.45
I315818		2.16	76.5	2.62	6.85	0.12	0.03	0.05	0.021	0.33	7.8	10.6	1.00	372	4.58
I315819		1.24	77.3	4.41	5.32	0.15	0.02	0.08	0.022	0.17	8.7	6.9	0.93	5780	3.50
I315820		2.14	49.4	3.42	8.74	0.14	0.04	0.05	0.028	0.28	9.3	15.3	1.31	688	1.63
I315821		2.54	69.0	2.91	6.74	0.12	0.03	0.09	0.022	0.26	10.5	12.5	1.05	559	1.13
I315822		1.82	33.0	2.52	7.18	0.10	<0.02	0.06	0.019	0.31	8.5	12.5	1.14	261	0.50
I315823		2.49	42.2	3.51	9.33	0.13	0.03	0.21	0.023	0.47	8.9	14.4	1.75	674	0.97
I315824		0.71	19.2	2.51	5.11	0.09	0.09	0.02	0.023	0.05	13.4	12.2	0.48	170	0.62
I315825		0.91	16.1	2.68	6.29	0.08	0.02	0.02	0.021	0.06	10.4	15.6	0.68	183	0.64
I315826		0.83	17.1	2.83	6.66	0.08	0.07	0.03	0.024	0.05	9.5	14.0	0.43	245	1.08
I315827		0.98	23.9	2.95	6.89	0.08	<0.02	0.01	0.025	0.05	10.3	15.2	0.56	198	0.78
I315828		1.46	21.2	4.27	10.45	0.10	0.07	0.01	0.019	0.09	5.5	30.9	1.36	356	0.51
I315829		0.62	11.8	2.22	7.01	0.07	0.04	0.02	0.013	0.11	8.4	12.3	0.49	356	0.83
I315830		0.89	18.7	2.53	7.48	0.09	<0.02	0.03	0.015	0.09	10.1	20.1	0.73	190	0.47
I315831		0.67	20.2	2.50	6.73	0.08	0.03	0.03	0.019	0.07	14.1	14.5	0.65	273	0.47
I315832		0.78	21.1	2.52	7.06	0.09	0.03	0.03	0.016	0.08	15.0	16.1	0.68	272	0.46
I315833		0.80	10.4	2.33	8.66	0.05	<0.02	0.02	0.011	0.10	7.1	16.8	0.80	232	0.61
I315834		0.60	12.4	2.89	6.81	0.05	0.02	0.02	0.024	0.05	7.6	12.7	0.47	1560	3.39
I315835		0.52	30.0	2.82	6.19	0.09	0.24	0.04	0.031	0.05	15.4	12.6	0.52	347	0.62
I315836		0.81	12.9	1.97	6.01	0.05	<0.02	0.02	0.019	0.04	8.0	11.4	0.61	180	1.04
I315837		0.52	14.5	2.43	5.12	0.07	0.20	0.01	0.023	0.05	13.2	12.2	0.48	176	0.89
I315838		0.48	23.2	2.44	4.92	0.07	0.11	0.03	0.024	0.05	13.2	11.0	0.47	330	0.72
I315839		0.48	22.1	2.46	5.99	0.07	0.14	0.02	0.028	0.05	13.8	12.2	0.47	253	0.77
I315840		0.66	17.2	2.70	6.57	0.08	0.06	0.01	0.032	0.05	14.7	18.0	0.69	294	0.73
I315841		0.64	18.6	2.53	5.86	0.06	0.17	0.03	0.028	0.04	12.4	11.8	0.49	319	1.01
I315842		0.89	18.0	2.80	6.20	0.07	0.10	0.02	0.026	0.04	10.5	13.9	0.48	198	0.92
I315843		0.61	19.6	2.27	5.58	0.07	0.07	0.04	0.024	0.04	14.4	12.1	0.44	261	1.03
I315844		0.88	19.4	2.23	5.69	0.08	0.07	0.01	0.020	0.09	21.6	11.0	0.37	195	0.81
I315845		0.77	11.6	2.64	10.15	0.06	<0.02	0.03	0.024	0.09	5.7	11.9	0.64	192	0.47
I315846		1.08	40.4	3.69	6.30	0.10	<0.02	0.01	0.032	0.07	19.6	18.7	0.53	264	2.85
I315847		1.60	26.7	2.26	6.00	0.07	<0.02	0.04	0.019	0.04	7.5	7.7	0.37	568	1.02
I315848		1.27	23.9	2.66	6.72	0.08	<0.02	0.04	0.021	0.07	8.3	13.7	0.60	470	1.11
I315849		1.44	35.6	3.24	6.28	0.11	0.05	0.04	0.027	0.11	14.2	13.2	0.74	668	1.66
I315850		1.96	65.3	2.88	6.75	0.10	0.05	0.02	0.024	0.26	14.0	13.9	0.83	410	1.95



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315811		2.31	35.5	610	7.7	56.2	0.002	0.01	0.52	7.9	1.2	0.7	35.9	<0.01	0.10
I315812		1.98	31.2	700	5.2	41.6	0.008	0.06	0.56	6.3	2.6	0.5	47.1	<0.01	0.09
I315813		1.85	33.8	740	5.7	40.5	0.004	0.07	0.51	5.8	2.1	0.5	52.7	<0.01	0.07
I315814		1.84	36.8	680	5.1	42.9	0.003	0.04	0.52	7.2	1.3	0.6	46.7	<0.01	0.09
I315815		1.91	36.3	670	5.2	42.3	0.003	0.04	0.51	7.4	1.3	0.6	47.4	<0.01	0.08
I315816		1.81	33.4	730	5.1	40.5	0.007	0.07	0.55	6.6	1.6	0.6	51.6	<0.01	0.08
I315817		1.61	27.7	810	5.1	22.8	0.002	0.07	0.61	4.8	1.5	0.5	69.7	<0.01	0.09
I315818		1.41	30.9	670	5.4	36.9	0.003	0.05	0.75	6.3	1.1	0.4	46.3	<0.01	0.11
I315819		0.75	33.1	1080	3.8	19.6	0.003	0.17	0.59	5.0	2.0	0.4	79.7	<0.01	0.33
I315820		1.40	36.0	650	7.3	34.7	0.002	0.05	0.69	9.2	1.2	0.5	43.9	<0.01	0.14
I315821		1.14	27.2	910	7.1	31.0	0.001	0.11	1.64	4.6	1.4	0.4	47.3	<0.01	0.08
I315822		1.22	23.2	680	10.7	32.2	<0.001	0.07	0.92	5.1	0.6	0.4	28.9	<0.01	0.04
I315823		1.83	34.8	680	6.3	51.1	<0.001	0.05	0.53	5.1	0.9	0.5	47.2	<0.01	0.08
I315824		0.75	18.1	100	8.3	12.8	<0.001	<0.01	0.43	5.2	0.4	0.5	19.9	<0.01	0.03
I315825		1.08	17.0	180	7.1	10.9	<0.001	<0.01	0.38	4.3	0.3	0.5	30.8	<0.01	0.03
I315826		1.73	18.8	230	9.3	12.2	<0.001	<0.01	0.47	3.7	0.4	0.6	17.8	<0.01	0.03
I315827		1.41	24.2	220	8.8	11.7	<0.001	<0.01	0.47	3.8	0.4	0.5	18.2	<0.01	0.03
I315828		1.36	29.9	430	7.8	12.6	<0.001	<0.01	0.24	5.6	0.4	0.5	60.9	<0.01	0.03
I315829		1.51	11.1	230	8.5	19.8	<0.001	<0.01	0.26	2.4	0.2	0.5	27.2	<0.01	0.03
I315830		1.39	14.5	690	16.7	14.6	<0.001	<0.01	0.21	3.0	0.3	0.4	59.4	<0.01	0.02
I315831		1.01	15.9	610	11.5	9.4	<0.001	<0.01	0.23	4.0	0.5	0.4	57.8	<0.01	0.01
I315832		1.06	16.3	680	13.1	10.8	<0.001	<0.01	0.24	4.1	0.6	0.4	61.6	<0.01	<0.01
I315833		1.54	12.3	470	10.7	12.8	<0.001	<0.01	0.18	2.0	0.3	0.4	36.7	<0.01	<0.01
I315834		1.65	15.1	680	9.1	11.7	<0.001	<0.01	0.26	3.3	0.5	0.6	29.0	<0.01	0.02
I315835		1.56	25.0	440	10.2	7.3	<0.001	<0.01	0.52	6.9	0.8	0.6	48.3	<0.01	0.03
I315836		1.43	11.8	320	6.1	7.6	<0.001	<0.01	0.19	3.4	0.5	0.5	36.5	<0.01	<0.01
I315837		0.66	17.1	320	9.0	6.7	<0.001	<0.01	0.30	5.1	0.4	0.5	26.9	<0.01	<0.01
I315838		1.27	20.7	450	8.5	6.7	<0.001	<0.01	0.44	5.4	0.6	0.5	39.2	<0.01	0.01
I315839		1.63	18.7	420	10.1	6.6	<0.001	<0.01	0.34	5.6	0.7	0.6	39.2	<0.01	0.03
I315840		1.80	15.6	570	6.1	7.9	<0.001	<0.01	0.24	6.7	0.7	0.6	30.7	<0.01	0.01
I315841		0.84	13.9	410	7.9	6.9	<0.001	<0.01	0.37	5.2	0.5	0.5	27.1	<0.01	0.01
I315842		1.16	19.6	200	9.8	8.0	<0.001	<0.01	0.38	4.0	0.4	0.6	20.1	<0.01	0.01
I315843		1.16	15.8	490	7.8	5.9	<0.001	<0.01	0.33	4.1	0.7	0.4	36.0	<0.01	0.01
I315844		0.65	12.0	290	10.8	6.9	<0.001	<0.01	0.23	4.7	0.6	0.4	84.8	0.01	0.02
I315845		0.63	5.8	450	5.8	10.5	<0.001	<0.01	0.10	3.3	0.4	0.5	30.8	<0.01	0.01
I315846		0.56	13.5	340	8.4	6.2	<0.001	0.01	0.67	4.7	0.9	0.4	59.6	0.01	0.06
I315847		0.92	13.8	860	9.3	8.0	<0.001	0.04	0.63	3.0	0.6	0.4	40.0	<0.01	<0.01
I315848		1.75	20.7	680	6.1	13.2	<0.001	0.04	0.49	3.9	0.7	0.5	38.9	<0.01	0.02
I315849		1.57	36.6	760	11.4	21.1	<0.001	<0.01	0.94	6.6	0.8	0.5	26.1	<0.01	0.02
I315850		1.97	34.1	750	14.1	32.0	<0.001	<0.01	2.32	6.2	0.6	0.7	20.2	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I315811		0.149	0.34	1.58	90	1.83	6.90	80
I315812		0.126	0.30	3.37	81	3.07	8.27	62
I315813		0.112	0.25	2.61	78	2.74	9.15	69
I315814		0.135	0.32	1.57	86	2.72	8.79	68
I315815		0.129	0.30	1.55	84	2.97	8.96	67
I315816		0.126	0.28	1.22	84	3.06	8.22	74
I315817		0.087	0.17	1.15	63	1.63	10.35	50
I315818		0.113	0.27	0.76	72	2.49	6.50	63
I315819		0.057	0.52	1.07	83	0.51	10.15	83
I315820		0.118	0.27	1.00	105	0.58	8.56	86
I315821		0.092	0.20	1.05	65	0.27	12.45	97
I315822		0.114	0.18	0.63	67	0.28	6.63	99
I315823		0.142	0.25	0.63	84	0.28	9.36	94
I315824		0.092	0.08	0.56	55	0.15	5.88	36
I315825		0.113	0.08	0.43	65	0.15	3.45	42
I315826		0.094	0.10	0.42	64	0.19	2.68	46
I315827		0.105	0.10	0.49	68	0.19	3.44	41
I315828		0.221	0.10	0.32	118	0.16	2.47	60
I315829		0.105	0.09	0.33	62	0.13	2.40	48
I315830		0.117	0.10	0.82	55	0.12	4.36	69
I315831		0.094	0.08	1.03	56	0.13	7.34	64
I315832		0.100	0.09	1.11	55	0.09	7.51	67
I315833		0.127	0.10	0.60	54	0.06	2.02	81
I315834		0.077	0.11	0.36	65	0.16	2.71	58
I315835		0.097	0.06	2.05	63	0.15	10.50	47
I315836		0.086	0.07	0.50	45	0.15	3.37	38
I315837		0.079	0.07	0.68	54	0.14	6.51	35
I315838		0.080	0.06	0.62	53	0.19	8.09	41
I315839		0.083	0.06	0.87	55	0.17	7.55	43
I315840		0.119	0.07	0.58	47	0.11	13.60	51
I315841		0.066	0.06	1.05	53	0.12	6.41	47
I315842		0.072	0.10	0.51	61	0.16	3.19	44
I315843		0.047	0.07	1.17	45	0.18	6.96	45
I315844		0.020	0.05	0.90	35	0.09	7.09	55
I315845		0.051	0.07	0.51	44	0.07	4.71	100
I315846		0.008	0.06	1.11	38	0.10	7.85	68
I315847		0.064	0.14	2.25	51	0.23	5.82	48
I315848		0.105	0.13	0.73	59	0.42	4.33	56
I315849		0.140	0.19	2.46	77	0.64	9.33	57
I315850		0.149	0.25	2.14	76	1.90	7.20	59



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315851		0.54	<0.005	0.05	1.08	6.9	<0.2	<10	270	0.16	0.17	0.31	0.48	18.40	14.0	24
I315852		0.60	<0.005	0.02	1.46	9.2	<0.2	<10	170	0.36	0.16	0.19	0.14	21.8	8.5	25
I315853		0.68	<0.005	0.03	1.53	10.1	<0.2	<10	190	0.41	0.14	0.30	0.12	24.2	8.8	25
I315854		0.64	<0.005	0.08	1.51	11.0	<0.2	<10	330	0.42	0.14	0.44	0.11	27.3	9.5	29
I315855		0.56	<0.005	0.12	1.48	9.8	<0.2	<10	400	0.59	0.18	0.69	0.28	37.7	10.1	32
I315856		0.60	<0.005	0.05	1.82	16.0	<0.2	<10	370	0.72	0.24	0.68	0.27	45.2	13.4	42
I315857		0.58	0.043	0.12	1.19	9.0	<0.2	<10	320	0.36	0.11	1.15	0.34	23.3	9.0	26
I315858		0.66	0.006	0.22	1.21	10.2	<0.2	<10	310	0.44	0.13	0.93	0.41	26.5	10.4	28
I315859		0.42	<0.005	0.16	1.60	9.2	<0.2	<10	360	0.62	0.17	0.66	0.41	31.5	13.0	27
I315860		0.50	<0.005	0.14	1.44	10.5	<0.2	<10	360	0.44	0.15	0.68	0.18	29.5	10.8	28
I315861		0.44	0.005	0.08	1.54	8.0	<0.2	<10	240	0.52	0.14	0.49	0.09	25.0	7.3	27
I315862		0.52	0.005	0.09	1.57	8.8	<0.2	<10	330	0.54	0.15	1.20	0.19	27.8	10.9	28
I315863		0.50	<0.005	0.08	1.31	7.0	<0.2	<10	270	0.34	0.11	0.51	0.12	22.4	8.5	24
I315864		0.50	<0.005	0.11	1.64	9.5	<0.2	<10	350	0.53	0.16	0.92	0.14	29.7	10.2	28
I315865		0.52	<0.005	0.11	1.49	7.8	<0.2	<10	290	0.49	0.15	0.49	0.07	23.9	10.3	28
I315866		0.46	<0.005	0.16	1.57	12.0	<0.2	<10	300	0.51	0.19	0.51	0.18	26.4	10.0	33
I315867		0.60	<0.005	0.20	1.52	11.0	<0.2	<10	580	0.59	0.19	2.07	0.77	27.6	10.2	29
I315868		0.56	<0.005	0.11	1.86	12.2	<0.2	<10	300	0.39	0.23	0.81	0.27	24.8	14.1	38
I315869		0.44	<0.005	0.10	1.76	7.3	<0.2	<10	420	0.50	0.16	0.71	0.07	27.4	8.7	30
I315870		0.56	<0.005	0.10	1.51	8.6	<0.2	<10	290	0.42	0.14	0.52	0.08	23.2	10.3	28



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315851		0.64	9.1	1.97	5.15	0.05	<0.02	0.05	0.019	0.05	8.4	7.2	0.37	2400	2.08
I315852		0.70	17.0	2.44	4.51	0.06	0.14	0.03	0.020	0.05	10.5	10.7	0.36	202	0.93
I315853		0.54	16.9	2.33	5.16	0.07	0.11	0.03	0.022	0.04	11.2	9.7	0.38	190	1.10
I315854		0.55	24.8	2.52	4.79	0.07	0.05	0.04	0.023	0.04	14.0	11.7	0.46	442	1.31
I315855		0.76	39.5	2.53	4.74	0.10	0.07	0.08	0.023	0.06	20.2	12.4	0.54	345	0.76
I315856		1.45	39.7	3.40	5.70	0.11	0.15	0.05	0.030	0.13	23.7	16.9	0.74	572	1.21
I315857		0.49	27.7	2.29	3.73	0.08	0.05	0.04	0.019	0.05	11.9	9.3	0.47	611	1.07
I315858		0.58	32.3	2.50	4.10	0.09	0.11	0.05	0.022	0.06	13.5	11.1	0.53	673	1.20
I315859		0.49	35.4	2.57	5.26	0.08	0.09	0.04	0.026	0.08	15.6	10.7	0.45	474	1.13
I315860		0.49	28.9	2.70	4.51	0.10	0.18	0.05	0.025	0.08	14.9	12.2	0.50	288	1.15
I315861		0.38	20.8	2.35	4.73	0.08	0.26	0.03	0.021	0.06	12.3	10.8	0.44	177	1.09
I315862		0.55	33.2	2.61	4.84	0.10	0.19	0.02	0.025	0.08	13.9	11.8	0.57	355	0.64
I315863		0.37	20.0	2.14	4.17	0.06	0.16	0.03	0.021	0.05	11.3	8.9	0.42	304	1.11
I315864		0.45	28.7	2.41	5.02	0.09	0.07	0.05	0.025	0.06	15.7	10.5	0.46	552	1.57
I315865		0.41	18.3	2.48	5.00	0.07	0.19	0.02	0.022	0.07	12.4	10.0	0.45	349	1.11
I315866		0.51	26.4	2.71	5.16	0.07	0.05	0.03	0.026	0.14	13.2	13.6	0.52	237	1.36
I315867		0.53	42.1	2.71	4.38	0.07	0.13	0.02	0.026	0.10	13.6	11.0	0.56	422	0.95
I315868		0.66	27.0	3.20	5.36	0.08	0.08	0.02	0.023	0.15	11.7	13.6	0.63	549	1.29
I315869		0.53	32.2	2.60	4.78	0.07	0.07	0.03	0.026	0.05	13.5	11.8	0.53	295	0.78
I315870		0.43	25.5	2.50	4.62	0.07	0.10	0.02	0.022	0.05	10.5	9.6	0.47	361	1.12



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27 - SEP - 2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I315851		1.34	13.5	350	7.7	7.5	<0.001	<0.01	0.33	2.9	0.4	0.5	26.1	<0.01	0.02	1.8
I315852		1.29	23.3	270	8.9	8.5	<0.001	<0.01	0.43	3.3	0.5	0.5	18.2	<0.01	0.03	4.2
I315853		1.38	19.8	350	8.0	4.5	<0.001	<0.01	0.37	4.3	0.5	0.5	23.9	<0.01	0.01	3.5
I315854		1.30	23.1	540	8.0	5.2	<0.001	<0.01	0.54	5.0	1.0	0.5	32.2	<0.01	0.01	3.4
I315855		1.41	35.4	540	10.1	7.0	<0.001	<0.01	0.79	5.2	1.3	0.5	47.9	<0.01	0.02	4.6
I315856		1.58	41.3	500	13.0	12.8	<0.001	<0.01	0.84	6.2	1.1	0.6	42.5	<0.01	0.03	7.6
I315857		1.17	26.9	880	6.5	5.3	<0.001	0.01	0.57	3.9	1.2	0.4	59.4	<0.01	0.02	1.9
I315858		1.42	33.3	850	7.6	6.3	<0.001	<0.01	0.65	4.6	1.1	0.4	53.6	<0.01	0.02	3.2
I315859		1.57	28.8	820	9.2	8.0	<0.001	<0.01	0.54	5.4	1.1	0.5	47.9	<0.01	0.01	3.2
I315860		1.60	28.1	750	9.0	6.8	<0.001	<0.01	0.62	5.4	1.6	0.4	48.5	<0.01	0.01	4.5
I315861		1.39	19.7	530	8.2	5.9	<0.001	<0.01	0.43	5.1	0.7	0.5	34.3	<0.01	0.02	4.0
I315862		1.58	27.8	610	8.6	8.4	<0.001	<0.01	0.55	5.5	0.7	0.5	49.8	<0.01	0.01	3.7
I315863		1.29	20.6	570	6.4	4.8	<0.001	<0.01	0.37	4.3	0.5	0.4	36.2	<0.01	<0.01	3.1
I315864		1.40	26.6	610	8.4	5.6	<0.001	<0.01	0.55	5.2	1.2	0.5	61.6	<0.01	0.01	2.4
I315865		1.25	22.1	460	7.8	8.7	<0.001	<0.01	0.39	5.1	0.8	0.5	33.4	<0.01	0.03	3.5
I315866		1.50	28.8	380	10.5	10.1	<0.001	<0.01	0.65	5.0	0.9	0.5	33.7	<0.01	0.02	3.9
I315867		1.41	34.0	900	9.0	7.3	0.001	0.02	0.84	5.4	1.3	0.4	123.0	0.01	0.04	4.0
I315868		1.48	27.2	650	10.8	12.4	0.001	0.02	0.72	5.2	0.7	0.6	50.4	<0.01	0.04	3.2
I315869		1.41	23.8	540	7.9	6.5	<0.001	0.02	0.49	5.1	1.1	0.5	48.3	0.01	0.03	2.5
I315870		1.26	18.6	540	7.3	5.8	<0.001	0.02	0.45	4.4	0.7	0.5	36.0	<0.01	0.03	3.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27 - SEP - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315851		0.065	0.08	0.41	53	0.20	2.95	48	0.7
I315852		0.059	0.08	0.46	48	0.57	4.11	41	5.1
I315853		0.066	0.07	0.57	49	0.16	5.07	39	5.0
I315854		0.067	0.06	1.91	54	0.19	8.95	41	2.7
I315855		0.060	0.08	3.73	48	0.18	13.30	49	3.2
I315856		0.067	0.13	2.74	58	0.21	13.30	78	6.3
I315857		0.061	0.04	1.77	48	0.34	8.90	47	2.3
I315858		0.074	0.06	1.22	53	0.23	10.15	58	3.9
I315859		0.080	0.06	2.49	54	0.16	10.95	46	4.2
I315860		0.078	0.07	2.95	54	0.16	10.80	56	7.3
I315861		0.081	0.05	1.36	49	0.25	8.41	41	9.5
I315862		0.095	0.06	0.89	54	0.16	10.85	52	8.2
I315863		0.070	0.05	0.74	46	0.18	7.95	40	5.9
I315864		0.066	0.06	1.56	50	0.21	11.75	42	3.0
I315865		0.066	0.06	1.24	50	0.20	7.69	40	6.7
I315866		0.053	0.07	0.73	51	0.18	5.83	58	2.4
I315867		0.064	0.05	1.60	53	0.34	11.60	71	5.3
I315868		0.074	0.08	0.85	65	0.23	5.75	79	2.9
I315869		0.072	0.07	1.37	53	0.21	10.70	47	2.6
I315870		0.075	0.06	1.63	55	0.26	6.66	40	4.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 24-SEP-2010
Account: EIASQI

CERTIFICATE WH10122682

Project: SQI10-06
P.O. No.: SQI10-06_23
This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316091		0.68	0.010	0.11	2.63	5.6	<0.2	<10	260	1.01	0.22	0.42	0.13	26.3	11.4	54
I316092		0.68	0.009	0.14	2.55	8.1	<0.2	<10	220	0.81	0.30	0.39	0.22	32.6	11.2	52
I316093		0.48	NSS	0.01	0.13	1.6	<0.2	<10	30	0.10	0.02	0.09	0.03	11.30	2.0	3
I316094		0.74	0.015	0.08	2.21	5.3	<0.2	<10	170	0.51	0.29	0.44	0.15	21.5	13.3	49
I316095		0.76	0.006	0.08	2.86	10.5	<0.2	<10	200	0.64	0.43	0.42	0.10	31.6	15.1	60
I316096		0.78	0.024	0.13	2.36	53.0	<0.2	<10	180	0.78	0.42	0.48	0.15	44.6	13.3	48
I316097		0.82	0.009	0.03	2.36	9.2	<0.2	<10	120	0.38	0.23	0.42	0.06	24.8	13.7	76
I316098		0.68	0.007	0.07	2.08	8.3	<0.2	<10	130	0.23	0.16	0.29	0.11	13.85	14.7	56
I316099		0.82	0.008	0.05	1.95	3.6	<0.2	<10	120	0.29	0.26	0.38	0.09	17.85	13.0	68
I316100		0.94	0.009	0.04	2.04	2.6	<0.2	<10	210	0.33	0.35	0.31	0.08	18.50	14.8	77
I316101		0.36	0.014	0.17	3.01	8.2	<0.2	<10	130	0.62	0.61	0.23	0.12	16.45	14.7	49
I316102		0.40	0.035	0.06	1.39	43.2	<0.2	<10	120	0.31	0.30	0.20	0.22	14.95	7.9	36
I316103		0.32	0.022	0.17	2.32	63.0	<0.2	<10	180	0.61	0.43	0.37	0.22	24.1	12.0	49
I316104		0.58	0.017	0.11	1.55	60.4	<0.2	<10	170	0.35	0.58	0.21	0.11	17.25	9.8	41
I316105		0.34	0.025	0.11	1.47	77.0	<0.2	<10	180	0.50	0.23	0.31	0.22	22.3	8.4	41
I316106		0.32	0.025	0.13	1.74	111.5	<0.2	<10	110	0.46	0.38	0.24	0.29	17.50	10.2	48
I316107		0.40	0.023	0.20	2.57	62.9	<0.2	<10	220	0.65	0.41	0.84	0.16	24.9	15.4	58
I316108		0.40	0.041	0.14	2.46	46.5	<0.2	<10	260	0.54	0.21	0.47	0.18	33.5	17.4	50
I316109		0.44	0.010	0.14	1.31	39.1	<0.2	<10	120	0.39	0.13	0.29	0.07	17.90	10.8	27
I316110		0.38	0.010	0.10	1.85	14.8	<0.2	<10	170	0.47	0.16	0.47	0.16	23.9	23.0	36
I316111		0.56	0.014	0.06	2.41	12.3	<0.2	<10	210	0.41	0.19	0.51	0.11	24.1	10.3	52
I316112		0.60	0.010	0.07	2.73	26.7	<0.2	<10	270	0.61	0.18	0.41	0.14	36.4	13.2	57
I316113		0.46	0.012	0.11	2.77	27.6	<0.2	<10	320	0.68	0.20	0.52	0.07	29.7	10.9	64
I316114		0.38	0.016	0.38	2.66	15.8	<0.2	<10	250	0.58	0.45	0.55	0.16	54.5	10.7	45
I316115		0.56	0.012	0.15	2.05	9.1	<0.2	<10	140	0.39	0.54	0.38	0.12	17.30	9.7	46
I316116		0.40	0.008	0.21	2.79	13.7	<0.2	<10	120	0.32	0.31	0.16	0.07	15.00	10.4	56
I316117		0.56	0.013	0.07	2.03	11.6	<0.2	<10	200	0.36	0.27	0.40	0.10	18.30	13.5	88
I316118		0.44	0.009	0.23	2.33	13.1	<0.2	<10	270	0.53	0.25	0.88	0.19	21.8	11.2	47
I316119		0.62	0.009	0.10	3.00	9.8	<0.2	<10	200	0.49	0.25	0.44	0.10	23.8	12.2	51
I316120		0.48	0.007	0.12	2.93	9.9	<0.2	<10	220	0.46	0.21	0.49	0.13	23.5	13.1	50
I316121		0.62	0.008	0.13	2.30	6.9	<0.2	<10	230	0.32	0.15	0.43	0.08	23.0	12.2	36
I316122		0.46	0.013	0.17	2.50	23.4	<0.2	<10	210	0.54	0.37	0.56	0.13	35.2	11.2	33
I316123		0.64	0.008	0.12	2.46	13.0	<0.2	<10	170	0.52	0.21	0.44	0.12	30.4	11.8	33
I316124		0.46	0.010	0.36	2.11	28.2	<0.2	<10	100	0.59	0.26	0.21	0.20	25.9	7.2	30
I316125		0.50	0.018	0.15	2.29	39.4	<0.2	<10	120	0.57	0.35	0.23	0.35	27.2	8.8	31
I316126		0.60	0.006	0.05	1.05	14.5	<0.2	<10	60	0.24	0.33	0.11	0.13	23.1	4.1	16
I316127		0.62	0.007	0.06	2.18	7.8	<0.2	<10	170	0.44	0.47	0.35	0.12	61.5	9.3	32
I316128		0.46	0.007	0.06	0.67	3.0	<0.2	<10	30	0.13	0.15	0.06	0.06	7.18	2.6	9
I316129		0.52	0.007	0.07	1.19	4.2	<0.2	<10	60	0.28	0.48	0.18	0.10	27.5	5.5	18
I316130		0.52	0.008	0.05	2.03	6.0	<0.2	<10	150	0.33	0.21	0.33	0.20	36.1	11.4	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I316091		3.78	93.5	2.94	9.25	0.14	0.05	0.10	0.036	0.19	13.8	16.5	0.89	310	60.5
I316092		2.24	130.0	3.05	8.66	0.14	0.05	0.08	0.033	0.14	16.4	15.6	0.69	267	95.9
I316093		0.09	2.3	0.65	0.61	<0.05	0.07	<0.01	<0.005	0.05	5.8	1.4	0.04	143	0.32
I316094		2.38	63.4	2.83	8.09	0.13	0.05	0.04	0.028	0.19	11.5	14.3	0.69	436	65.3
I316095		3.69	98.5	3.28	9.75	0.15	0.05	0.05	0.036	0.25	15.9	15.1	0.82	342	14.55
I316096		2.88	140.0	3.32	8.76	0.18	0.13	0.04	0.032	0.28	25.4	15.1	0.79	308	3.93
I316097		2.96	67.8	2.67	7.53	0.12	0.06	0.03	0.023	0.18	12.2	15.4	0.90	228	1.53
I316098		2.81	135.5	3.11	6.50	0.11	0.03	0.03	0.017	0.18	7.0	14.9	0.96	159	0.93
I316099		1.80	98.4	2.18	5.55	0.09	0.05	0.02	0.017	0.08	8.8	14.3	0.79	201	0.42
I316100		3.32	81.1	2.50	5.89	0.08	0.03	0.02	0.015	0.31	10.0	14.5	1.07	196	0.39
I316101		2.43	116.5	3.79	8.37	0.11	0.03	0.18	0.028	0.10	8.2	13.0	0.80	376	4.09
I316102		2.30	35.5	2.65	8.38	0.10	0.02	0.03	0.021	0.24	7.3	6.1	0.53	292	2.35
I316103		2.81	80.9	3.36	8.14	0.12	0.03	0.07	0.027	0.24	14.1	11.7	0.79	317	3.58
I316104		2.19	57.4	2.58	7.19	0.09	0.02	0.04	0.022	0.16	8.7	6.9	0.50	223	3.31
I316105		1.82	85.9	2.72	5.22	0.12	0.03	0.04	0.021	0.21	12.1	8.5	0.61	218	2.80
I316106		2.90	75.1	3.70	8.99	0.10	0.04	0.05	0.026	0.10	9.1	11.1	0.62	267	6.49
I316107		3.48	134.0	3.37	7.97	0.14	0.05	0.11	0.034	0.15	12.8	14.7	1.05	396	8.72
I316108		1.98	104.0	2.32	7.25	0.11	0.05	0.10	0.026	0.09	15.8	12.6	0.82	191	9.82
I316109		0.98	41.2	1.80	4.92	0.08	0.02	0.05	0.018	0.04	7.9	5.8	0.34	360	17.85
I316110		1.17	45.6	4.19	6.38	0.12	0.03	0.06	0.021	0.08	11.1	8.9	0.55	2320	47.8
I316111		1.56	54.7	2.52	7.31	0.13	0.07	0.03	0.031	0.13	12.8	12.5	0.78	212	5.91
I316112		1.91	63.6	3.29	8.43	0.15	0.08	0.04	0.033	0.12	17.8	13.1	0.80	208	5.46
I316113		3.66	88.4	3.23	8.98	0.16	0.05	0.05	0.029	0.22	15.5	12.8	0.88	240	33.5
I316114		2.05	58.4	2.65	8.19	0.15	0.04	0.10	0.029	0.13	39.5	10.7	0.47	603	3.25
I316115		2.11	42.5	2.44	6.71	0.10	0.02	0.05	0.024	0.14	16.9	11.3	0.56	377	2.55
I316116		2.25	49.4	3.55	9.67	0.09	0.06	0.03	0.030	0.08	8.6	14.6	0.61	351	2.27
I316117		3.37	62.7	2.79	6.32	0.13	0.04	0.02	0.023	0.34	9.8	14.5	0.98	385	1.58
I316118		1.81	49.1	2.85	7.46	0.12	0.04	0.06	0.025	0.16	12.3	13.5	0.68	624	2.01
I316119		1.70	31.8	3.26	8.49	0.11	0.04	0.04	0.030	0.22	12.3	16.3	0.87	304	1.23
I316120		1.79	28.6	3.21	8.93	0.12	0.04	0.05	0.030	0.23	11.9	16.8	0.84	422	1.53
I316121		1.48	38.8	3.18	6.86	0.11	0.04	0.04	0.026	0.09	11.8	15.3	0.65	310	1.78
I316122		2.98	51.7	3.29	7.78	0.14	0.10	0.05	0.034	0.11	21.2	14.5	0.62	389	2.45
I316123		3.50	47.8	3.26	7.72	0.12	0.05	0.04	0.029	0.10	16.6	14.0	0.64	444	1.28
I316124		2.79	35.0	2.76	7.61	0.10	0.04	0.06	0.033	0.08	15.1	12.2	0.44	283	1.47
I316125		3.46	34.3	3.61	9.62	0.11	0.06	0.03	0.039	0.11	15.4	13.6	0.50	457	1.88
I316126		1.87	20.2	2.13	7.22	0.08	0.03	0.03	0.027	0.06	13.3	6.5	0.27	228	1.27
I316127		3.68	36.5	3.26	8.13	0.09	0.08	0.05	0.034	0.13	34.5	13.9	0.62	388	0.94
I316128		1.80	10.1	1.37	4.67	<0.05	0.02	0.03	0.011	0.03	3.4	3.0	0.09	112	1.28
I316129		4.69	18.3	2.60	6.10	0.06	0.04	0.03	0.023	0.11	13.5	7.6	0.35	386	1.08
I316130		2.40	25.4	3.11	7.01	0.08	0.08	0.03	0.030	0.10	19.2	13.1	0.58	587	0.88



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I316091		2.30	40.8	810	6.4	33.3	<0.001	0.03	0.16	6.9	0.7	0.7	27.2	<0.01	0.04
I316092		1.97	35.0	740	6.6	24.6	<0.001	0.02	0.22	7.6	1.2	0.8	29.6	<0.01	0.06
I316093		0.16	3.9	110	1.6	2.5	<0.001	<0.01	0.08	0.6	<0.2	<0.2	8.4	<0.01	<0.01
I316094		2.18	26.3	840	5.6	29.5	<0.001	0.03	0.22	6.4	0.8	0.8	30.2	<0.01	0.06
I316095		2.17	30.8	810	6.6	37.8	<0.001	0.02	0.42	7.5	0.9	0.8	31.2	<0.01	0.07
I316096		1.53	25.6	790	6.5	41.9	<0.001	0.01	1.53	9.5	1.2	0.9	32.6	<0.01	0.07
I316097		1.50	39.4	540	5.3	31.4	<0.001	0.01	0.39	7.1	0.4	0.5	28.7	<0.01	0.04
I316098		1.07	23.7	660	3.4	20.4	<0.001	0.09	0.22	5.6	0.8	0.4	22.5	<0.01	0.04
I316099		0.90	28.3	490	4.4	15.3	<0.001	0.01	0.20	5.4	0.4	0.4	36.5	<0.01	0.03
I316100		0.77	32.3	440	3.4	40.5	<0.001	<0.01	0.16	5.6	0.3	0.5	19.4	<0.01	0.04
I316101		1.72	38.2	590	5.9	18.8	<0.001	0.06	0.41	5.7	1.2	0.5	19.0	<0.01	0.11
I316102		1.98	21.8	550	5.9	23.9	<0.001	0.04	0.42	4.9	0.7	0.7	14.0	<0.01	0.08
I316103		2.21	34.7	780	6.6	30.6	<0.001	0.06	1.09	5.5	1.1	0.6	25.0	<0.01	0.10
I316104		1.67	24.5	560	5.6	21.1	<0.001	0.04	1.16	4.7	0.8	0.6	17.2	<0.01	0.10
I316105		1.57	26.6	470	4.8	25.0	<0.001	0.04	1.28	4.9	0.9	0.5	20.2	<0.01	0.09
I316106		2.47	33.0	480	8.9	15.4	<0.001	0.06	3.44	5.0	1.0	0.6	22.7	<0.01	0.10
I316107		2.13	45.2	780	6.6	25.6	<0.001	0.10	1.87	6.3	1.5	0.6	34.8	<0.01	0.07
I316108		1.89	35.7	820	5.8	18.1	<0.001	0.12	0.90	5.4	1.2	0.5	30.9	<0.01	0.04
I316109		0.97	12.8	960	4.4	6.9	<0.001	0.08	0.50	2.4	1.0	0.3	20.6	<0.01	0.03
I316110		1.28	21.5	900	5.6	11.8	<0.001	0.08	0.37	3.8	1.1	0.4	29.8	<0.01	0.05
I316111		2.12	28.6	800	5.7	19.1	<0.001	0.02	0.78	6.6	0.7	0.5	28.3	<0.01	0.04
I316112		2.33	31.3	710	6.0	19.0	<0.001	0.02	0.54	9.1	0.8	0.6	26.1	<0.01	0.05
I316113		2.71	37.4	700	5.7	32.9	<0.001	0.04	0.38	7.4	0.8	0.6	35.0	<0.01	0.06
I316114		1.30	25.3	910	7.1	23.2	<0.001	0.08	0.33	5.6	1.4	0.8	44.9	<0.01	0.08
I316115		1.23	21.1	650	6.7	22.2	<0.001	0.03	0.24	4.2	0.6	0.8	27.4	<0.01	0.06
I316116		2.07	25.6	360	8.2	15.8	<0.001	0.03	0.39	5.4	0.6	0.7	17.2	<0.01	0.05
I316117		1.43	35.3	620	4.3	35.4	<0.001	0.01	0.26	6.4	0.4	0.6	23.7	<0.01	0.03
I316118		2.15	33.1	950	7.0	28.3	<0.001	0.09	0.38	4.5	1.2	0.6	56.9	<0.01	0.05
I316119		2.91	31.2	670	9.4	30.9	<0.001	0.04	0.44	6.2	0.6	0.6	32.4	<0.01	0.04
I316120		2.82	31.0	760	8.9	32.2	<0.001	0.05	0.45	6.0	0.8	0.6	37.0	<0.01	0.05
I316121		1.33	20.6	770	6.0	14.4	<0.001	0.03	0.34	6.8	0.7	0.5	31.3	<0.01	0.03
I316122		2.46	18.4	960	12.1	24.8	<0.001	0.02	0.96	7.9	0.9	1.1	42.3	<0.01	0.04
I316123		2.14	22.0	1020	9.7	23.1	<0.001	0.02	0.55	5.9	0.8	0.9	28.2	<0.01	0.04
I316124		2.40	15.7	520	17.5	17.7	<0.001	0.03	1.01	4.7	0.8	1.0	18.9	<0.01	0.04
I316125		3.30	16.4	470	20.8	23.2	<0.001	0.03	0.86	5.1	0.7	1.2	19.2	<0.01	0.04
I316126		1.86	8.7	320	11.6	12.0	<0.001	0.02	0.31	2.7	0.4	0.9	12.5	<0.01	0.03
I316127		2.83	19.2	690	9.1	24.6	<0.001	0.02	0.41	6.4	0.8	1.0	22.8	<0.01	0.05
I316128		1.23	4.5	240	4.3	8.4	<0.001	0.03	0.33	1.1	0.5	0.5	7.6	<0.01	0.03
I316129		2.51	9.5	570	6.9	22.5	<0.001	0.03	0.28	2.7	0.6	0.9	12.0	<0.01	0.04
I316130		2.77	20.6	750	7.1	22.1	<0.001	0.02	0.40	5.5	0.7	0.8	21.5	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I316091		0.153	0.31	1.38	85	9.92	6.73	97	2.2
I316092		0.136	0.21	2.71	93	3.11	10.80	70	2.4
I316093		0.006	0.03	0.31	4	<0.05	1.94	5	2.5
I316094		0.145	0.23	1.08	77	2.01	7.02	64	2.1
I316095		0.164	0.32	1.36	79	3.50	8.58	63	2.3
I316096		0.169	0.35	2.35	83	2.34	19.70	63	5.9
I316097		0.147	0.27	0.87	75	1.60	7.34	44	3.0
I316098		0.123	0.20	0.54	83	1.66	5.37	41	1.4
I316099		0.118	0.15	0.40	61	1.01	5.95	34	1.8
I316100		0.151	0.37	0.47	76	0.65	5.30	41	1.2
I316101		0.116	0.18	0.72	87	1.82	4.88	73	1.3
I316102		0.125	0.17	0.45	94	1.63	3.37	60	0.9
I316103		0.121	0.27	1.11	82	0.56	6.15	76	1.4
I316104		0.118	0.21	0.62	78	0.69	4.18	44	1.0
I316105		0.115	0.23	0.81	72	2.24	5.71	55	1.0
I316106		0.144	0.16	0.63	93	1.08	3.83	66	1.8
I316107		0.138	0.21	1.29	85	7.17	8.15	83	2.1
I316108		0.121	0.29	1.17	76	0.98	11.25	64	1.8
I316109		0.069	0.20	0.72	50	0.34	5.46	31	0.8
I316110		0.098	0.17	0.72	71	1.26	7.08	50	1.1
I316111		0.159	0.20	0.66	79	7.46	7.57	56	2.8
I316112		0.169	0.23	1.02	99	4.59	11.20	60	3.7
I316113		0.169	0.33	1.45	95	3.45	8.30	68	2.1
I316114		0.077	0.19	2.46	59	1.58	16.30	56	1.0
I316115		0.089	0.18	0.87	56	2.01	4.94	54	0.8
I316116		0.137	0.17	0.58	89	0.86	3.26	48	3.0
I316117		0.153	0.31	0.67	78	1.31	4.95	57	1.7
I316118		0.105	0.19	1.33	62	1.51	7.55	68	1.9
I316119		0.159	0.25	0.79	71	0.47	5.35	71	2.2
I316120		0.150	0.24	0.82	71	0.45	5.62	76	1.9
I316121		0.125	0.14	2.05	77	0.43	8.89	52	1.9
I316122		0.134	0.34	7.25	73	0.28	14.90	62	4.1
I316123		0.121	0.28	4.27	73	0.34	11.00	60	1.9
I316124		0.100	0.23	3.94	59	0.34	6.90	52	1.7
I316125		0.128	0.32	2.41	77	0.29	7.53	64	2.7
I316126		0.094	0.21	1.25	52	0.29	4.90	47	1.2
I316127		0.145	0.36	3.68	69	0.77	14.15	62	3.1
I316128		0.064	0.09	0.50	34	0.12	1.62	19	0.8
I316129		0.112	0.31	1.52	50	0.36	6.97	43	1.7
I316130		0.137	0.23	1.74	65	0.35	9.08	56	3.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316131		0.56	0.013	0.06	2.21	6.6	<0.2	<10	170	0.39	0.25	0.36	0.14	54.3	10.9	35
I316132		0.38	0.007	0.10	1.88	9.1	<0.2	<10	120	0.32	0.23	0.18	0.26	32.5	9.8	29
I316133		0.60	0.008	0.11	2.21	6.7	<0.2	<10	260	0.24	0.13	0.77	0.21	24.4	19.9	25
I316134		0.36	<0.005	0.02	0.16	0.3	<0.2	<10	20	<0.05	0.06	0.12	0.08	1.92	1.1	4
I316135		0.32	0.008	0.15	1.87	4.4	<0.2	<10	270	0.27	0.16	0.98	0.18	39.2	8.1	26
I316136		0.44	0.006	0.08	0.89	5.2	<0.2	<10	110	0.12	0.20	0.22	0.10	9.09	5.6	14
I316137		0.48	0.008	0.13	2.29	4.8	<0.2	<10	290	0.28	1.23	0.80	0.28	35.8	16.3	24
I316138		0.34	0.008	0.42	1.71	4.5	<0.2	<10	310	0.33	0.52	1.02	0.90	64.6	11.1	19
I316139		0.40	0.008	0.12	1.73	6.1	<0.2	<10	170	0.23	0.14	0.62	0.15	34.2	11.6	27
I316140		0.36	<0.005	0.12	1.76	6.2	<0.2	<10	170	0.21	0.13	0.63	0.15	33.1	12.6	27
I316141		0.56	<0.005	0.05	2.08	4.9	<0.2	<10	200	0.27	0.13	0.37	0.12	32.6	12.9	18
I316142		0.36	<0.005	0.06	2.14	3.1	<0.2	<10	200	0.23	0.14	0.53	0.14	16.00	12.9	18
I316143		0.38	<0.005	0.07	1.87	4.1	<0.2	<10	130	0.17	0.12	0.30	0.14	20.2	9.8	21
I316144		0.40	<0.005	0.07	1.90	5.0	<0.2	<10	170	0.21	0.13	0.36	0.11	20.1	14.7	25
I316145		0.36	<0.005	0.06	1.47	3.6	<0.2	<10	100	0.13	0.12	0.26	0.11	14.75	8.6	23
I316146		0.38	<0.005	0.05	1.57	3.5	<0.2	<10	110	0.14	0.12	0.30	0.12	15.80	9.3	19
I316147		0.40	<0.005	0.07	1.56	3.7	<0.2	<10	110	0.16	0.12	0.28	0.11	16.25	10.0	21
I316148		0.44	<0.005	0.06	1.67	4.1	<0.2	<10	130	0.16	0.11	0.33	0.15	21.6	9.6	23
I316149		0.26	<0.005	0.08	1.74	4.2	<0.2	<10	130	0.17	0.13	0.33	0.14	21.2	8.9	29
I316150		0.38	NSS	0.01	0.15	1.6	<0.2	<10	40	0.16	0.02	0.08	0.04	11.25	2.5	5
I316151		0.44	<0.005	0.07	1.75	9.2	<0.2	<10	340	0.46	0.16	0.62	0.13	25.6	10.4	30
I316152		0.36	<0.005	0.07	1.63	6.9	<0.2	<10	280	0.40	0.15	0.61	0.09	21.7	8.9	26
I316153		0.46	<0.005	0.04	1.38	6.1	<0.2	<10	150	0.25	0.13	0.20	0.05	16.30	6.1	23
I316154		0.48	<0.005	0.08	1.69	6.0	<0.2	<10	150	0.29	0.15	0.15	0.06	16.25	8.7	24
I316155		0.32	0.011	1.14	1.49	6.1	<0.2	<10	310	0.51	0.15	1.02	0.25	47.4	8.0	19
I316156		0.38	0.008	0.37	1.41	17.7	<0.2	<10	280	0.51	0.15	0.96	0.40	33.8	12.8	19
I316157		0.42	<0.005	0.03	1.85	10.1	<0.2	<10	170	0.27	0.57	0.17	0.08	17.60	7.5	32
I316158		0.46	<0.005	0.06	1.03	11.1	<0.2	<10	120	0.23	0.21	0.31	0.08	19.55	6.3	19
I316159		0.30	<0.005	0.18	1.88	9.7	<0.2	<10	210	0.29	0.23	0.50	0.27	19.40	14.3	26
I316160		0.32	<0.005	0.19	1.42	8.3	<0.2	<10	160	0.28	0.19	0.38	0.20	16.75	13.4	20
I316161		0.52	<0.005	0.12	2.16	11.0	<0.2	<10	200	0.35	0.19	0.48	0.22	22.7	11.2	34
I316162		0.32	<0.005	0.21	2.04	25.7	<0.2	<10	460	0.35	0.22	0.61	0.49	43.1	47.2	37
I316163		0.46	0.009	0.10	1.42	20.5	<0.2	<10	130	0.21	0.12	0.36	0.13	16.55	11.4	39
I316164		0.30	<0.005	0.21	1.15	16.7	<0.2	<10	110	0.21	0.17	0.49	0.16	8.09	6.4	34
I316165		0.42	NSS	0.01	0.14	1.5	<0.2	<10	30	0.15	0.02	0.07	0.04	11.10	2.4	38
I316166		0.46	0.006	0.13	2.48	10.4	<0.2	<10	170	0.40	0.18	0.40	0.11	21.8	13.1	59
I316167		0.30	<0.005	0.39	2.72	12.8	<0.2	<10	280	0.78	0.37	0.59	0.43	96.4	19.0	46
I316168		0.34	0.011	0.57	3.15	22.9	<0.2	<10	230	0.78	0.45	0.45	0.15	64.2	8.1	49
I316169		0.32	<0.005	0.06	2.46	27.1	<0.2	<10	110	0.83	0.28	0.26	0.12	32.2	12.8	48
I316170		0.42	<0.005	0.07	2.73	7.6	<0.2	<10	260	0.58	0.28	0.48	0.09	38.6	12.2	64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I316131		2.24	33.6	3.53	7.42	0.09	0.11	0.03	0.033	0.12	28.9	14.5	0.68	572	0.86
I316132		1.82	22.2	3.50	8.16	0.07	0.06	0.05	0.030	0.08	16.8	13.4	0.50	606	1.34
I316133		1.83	12.5	4.81	8.47	0.10	0.05	0.03	0.030	0.25	11.2	16.3	0.92	2260	1.01
I316134		0.30	2.8	0.49	1.29	<0.05	<0.02	0.01	0.005	0.02	1.0	0.5	0.03	33	0.40
I316135		1.01	16.9	2.53	7.29	0.07	0.05	0.09	0.025	0.13	23.8	11.6	0.59	326	0.84
I316136		0.80	9.9	2.15	7.21	<0.05	0.03	0.04	0.014	0.11	4.5	5.0	0.31	286	1.19
I316137		1.85	15.9	3.80	8.38	0.10	0.07	0.05	0.030	0.36	17.6	16.0	0.92	1520	1.28
I316138		1.55	17.5	3.06	6.62	0.10	0.07	0.06	0.038	0.24	33.0	11.3	0.65	586	0.95
I316139		0.96	17.9	2.77	6.17	0.08	0.06	0.05	0.023	0.10	18.7	13.0	0.68	455	0.58
I316140		0.97	17.6	2.88	6.15	0.08	0.05	0.06	0.023	0.11	18.3	12.7	0.68	625	0.68
I316141		2.19	9.4	3.70	7.86	0.10	0.05	0.02	0.023	0.50	17.3	16.0	0.84	612	0.67
I316142		2.50	8.4	3.43	8.40	0.10	0.04	0.05	0.024	0.49	8.2	14.1	0.85	758	0.65
I316143		1.40	9.3	2.94	6.96	0.07	0.03	0.03	0.021	0.19	10.4	13.2	0.71	328	0.61
I316144		1.18	9.7	3.08	7.17	0.06	0.03	0.05	0.023	0.11	10.2	14.0	0.67	557	0.69
I316145		1.13	8.3	2.29	6.46	0.06	0.03	0.04	0.015	0.09	7.7	10.0	0.54	249	0.60
I316146		1.15	7.2	2.38	6.30	0.06	0.03	0.03	0.016	0.14	8.1	10.6	0.60	287	0.52
I316147		1.07	7.5	2.43	6.14	0.06	0.03	0.03	0.017	0.13	8.3	10.1	0.59	346	0.55
I316148		1.13	8.7	2.60	6.13	0.06	0.04	0.04	0.018	0.13	10.9	11.7	0.61	305	0.48
I316149		1.25	9.4	2.71	6.54	0.07	0.04	0.03	0.019	0.14	11.0	11.3	0.66	289	0.59
I316150		0.09	2.6	0.90	0.75	<0.05	0.10	<0.01	<0.005	0.04	5.9	3.2	0.04	180	0.32
I316151		0.55	29.1	2.80	6.05	0.08	0.25	0.03	0.028	0.06	13.1	12.2	0.60	266	0.53
I316152		0.45	20.4	2.53	5.74	0.07	0.28	0.01	0.024	0.05	10.5	10.4	0.49	214	0.53
I316153		0.45	10.6	2.21	5.48	<0.05	0.06	0.03	0.021	0.03	8.2	11.5	0.39	142	0.99
I316154		0.94	12.6	2.64	6.66	0.05	0.08	0.01	0.028	0.06	7.9	12.1	0.63	237	0.73
I316155		0.76	37.9	1.83	5.44	0.07	0.03	0.07	0.023	0.06	27.0	6.6	0.30	720	1.19
I316156		0.62	45.0	2.53	5.24	0.07	0.08	0.03	0.025	0.07	18.4	11.5	0.45	864	2.01
I316157		0.74	12.5	2.64	6.86	0.05	0.02	0.01	0.023	0.04	8.8	13.0	0.38	151	1.21
I316158		0.51	13.4	1.53	4.00	<0.05	<0.02	0.01	0.016	0.04	9.9	9.1	0.33	119	0.93
I316159		1.42	24.4	2.48	6.32	0.05	0.03	0.05	0.022	0.05	10.3	9.9	0.39	1420	1.29
I316160		1.06	21.1	2.22	5.40	0.05	0.03	0.05	0.020	0.03	9.0	7.0	0.29	1280	1.18
I316161		1.77	26.0	2.75	7.06	0.07	0.05	0.06	0.028	0.06	12.7	14.3	0.54	420	0.86
I316162		1.14	23.4	4.31	6.69	0.08	0.03	0.06	0.027	0.07	13.1	10.0	0.54	7360	4.16
I316163		0.97	48.8	2.21	4.42	0.06	0.05	0.02	0.017	0.07	7.6	14.3	0.56	445	3.18
I316164		1.43	69.3	1.73	5.07	<0.05	0.02	0.05	0.015	0.05	4.5	7.0	0.36	339	5.27
I316165		0.09	2.6	0.68	0.70	<0.05	0.09	<0.01	<0.005	0.03	5.8	1.3	0.04	156	0.53
I316166		1.85	81.5	3.01	7.17	0.08	0.04	0.05	0.022	0.12	11.1	15.6	0.77	405	6.63
I316167		2.31	170.5	3.15	8.75	0.13	0.05	0.18	0.033	0.17	61.3	10.9	0.62	1720	29.5
I316168		2.56	168.0	3.29	9.93	0.11	0.05	0.48	0.038	0.15	58.3	11.9	0.55	336	21.8
I316169		2.40	103.5	2.98	8.41	0.08	0.05	0.04	0.024	0.15	14.0	13.4	0.60	440	7.98
I316170		3.01	89.7	3.52	9.46	0.13	0.14	0.04	0.033	0.28	20.1	15.2	0.94	274	7.76



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I316131		2.66	23.0	770	7.6	24.7	<0.001	0.01	0.39	6.6	0.7	0.9	21.9	<0.01	0.03
I316132		2.49	17.9	480	9.1	17.1	<0.001	0.03	0.50	4.1	0.8	0.9	15.7	<0.01	0.05
I316133		2.28	13.2	1090	6.8	29.6	<0.001	0.04	0.31	6.2	0.9	0.9	38.8	<0.01	0.03
I316134		0.30	1.4	210	1.2	2.4	<0.001	0.01	0.09	0.5	0.3	0.2	9.8	<0.01	0.01
I316135		1.49	13.8	940	7.0	18.5	<0.001	0.09	0.31	3.7	1.0	0.7	62.8	<0.01	0.03
I316136		1.62	8.0	310	6.0	25.7	<0.001	0.03	0.31	2.6	0.5	0.6	17.3	<0.01	0.04
I316137		2.22	14.3	910	6.0	40.4	<0.001	0.05	0.34	9.4	1.0	0.8	44.0	<0.01	0.04
I316138		1.70	12.2	920	18.3	31.6	<0.001	0.10	0.40	8.8	1.4	0.8	58.9	0.01	0.05
I316139		1.68	17.4	820	6.3	14.6	<0.001	0.06	0.37	5.3	1.0	0.5	38.3	<0.01	0.03
I316140		1.64	16.4	840	6.5	15.3	<0.001	0.06	0.39	5.2	1.0	0.6	37.9	<0.01	0.02
I316141		2.02	9.9	860	7.4	42.9	<0.001	0.02	0.28	6.2	0.6	0.7	19.0	<0.01	0.01
I316142		2.10	8.8	560	6.6	46.1	<0.001	0.03	0.25	6.0	0.5	0.8	35.2	<0.01	0.01
I316143		1.74	12.6	580	6.6	26.2	<0.001	0.02	0.23	4.3	0.6	0.6	20.1	<0.01	0.02
I316144		1.53	13.9	560	6.5	15.3	<0.001	0.03	0.26	3.8	0.6	0.6	25.4	<0.01	0.03
I316145		1.45	12.5	460	5.5	14.1	<0.001	0.03	0.22	3.1	0.6	0.6	19.2	<0.01	0.02
I316146		1.47	11.0	570	5.2	19.0	<0.001	0.02	0.21	3.3	0.6	0.5	18.7	<0.01	0.02
I316147		1.49	11.5	570	5.1	17.3	<0.001	0.03	0.21	3.3	0.7	0.5	17.9	<0.01	0.02
I316148		1.64	14.0	670	5.6	19.1	<0.001	0.03	0.25	3.9	0.6	0.5	20.8	<0.01	0.02
I316149		1.67	15.6	660	5.7	20.8	<0.001	0.04	0.25	3.8	0.7	0.6	20.8	<0.01	0.02
I316150		0.14	4.2	130	1.7	3.1	<0.001	0.01	0.16	0.9	<0.2	<0.2	10.2	<0.01	<0.01
I316151		1.34	21.6	540	8.0	8.7	0.001	0.01	0.69	6.5	0.8	0.6	40.6	<0.01	0.03
I316152		1.52	15.7	450	7.5	6.5	<0.001	0.01	0.54	5.3	0.9	0.6	35.2	<0.01	0.03
I316153		1.20	11.8	200	7.0	6.0	<0.001	0.02	0.34	3.5	0.4	0.6	14.7	<0.01	0.02
I316154		1.53	15.2	170	6.6	10.7	<0.001	0.15	0.41	4.6	0.3	0.8	12.8	<0.01	0.02
I316155		0.79	11.5	650	11.6	9.1	0.001	0.20	0.36	3.3	1.7	0.5	53.2	<0.01	0.06
I316156		0.85	16.2	760	11.9	7.3	0.001	0.13	0.55	4.5	1.7	0.4	45.3	0.01	0.08
I316157		1.46	17.6	250	8.7	7.4	<0.001	0.05	0.44	2.8	0.4	0.7	15.9	<0.01	0.03
I316158		1.35	10.9	480	9.0	6.7	<0.001	0.04	0.38	2.1	0.4	0.5	22.2	<0.01	0.02
I316159		1.28	14.7	1110	9.4	9.9	<0.001	0.07	0.57	3.2	0.9	0.6	46.8	<0.01	0.04
I316160		0.95	10.3	960	7.4	6.8	<0.001	0.07	0.50	2.5	0.9	0.5	39.1	<0.01	0.04
I316161		1.83	18.5	770	8.0	13.7	<0.001	0.04	0.67	4.9	0.8	0.7	33.5	<0.01	0.03
I316162		1.52	28.0	830	10.6	15.1	<0.001	0.06	1.42	4.2	1.0	0.6	43.0	<0.01	0.05
I316163		0.88	19.8	640	4.6	12.2	<0.001	<0.01	2.32	4.2	0.5	0.4	18.3	<0.01	0.03
I316164		0.42	14.2	850	4.1	12.2	0.001	0.08	0.91	1.6	0.8	0.4	30.0	<0.01	0.05
I316165		0.15	5.0	130	1.7	2.7	<0.001	0.01	0.16	0.8	<0.2	<0.2	9.2	<0.01	<0.01
I316166		1.00	36.2	690	5.5	19.5	<0.001	0.02	0.58	5.4	0.8	0.5	26.6	<0.01	0.03
I316167		1.18	28.5	1130	6.6	29.3	0.001	0.14	0.70	5.9	1.9	0.7	50.5	0.01	0.07
I316168		1.20	26.4	1180	7.8	26.4	0.001	0.13	0.87	5.6	1.6	0.9	40.3	<0.01	0.08
I316169		1.82	24.6	560	6.0	27.3	<0.001	0.02	0.76	4.4	0.9	0.8	22.5	0.01	0.07
I316170		1.53	28.7	760	5.4	44.2	0.001	<0.01	0.32	9.6	0.9	1.0	30.1	<0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I316131		0.147	0.29	2.75	70	0.36	12.85	62	4.9
I316132		0.114	0.20	1.43	70	0.40	5.49	56	2.6
I316133		0.162	0.27	1.38	95	0.16	8.19	82	2.1
I316134		0.027	0.02	0.34	13	<0.05	0.43	11	<0.5
I316135		0.095	0.13	3.48	59	0.24	8.26	51	2.0
I316136		0.128	0.10	0.47	66	0.15	1.82	33	1.1
I316137		0.163	0.34	2.79	87	0.22	13.05	76	3.2
I316138		0.098	0.23	2.91	64	0.28	24.0	72	2.1
I316139		0.114	0.14	2.18	64	0.31	10.50	54	2.3
I316140		0.115	0.14	2.29	66	0.20	10.35	55	2.0
I316141		0.164	0.36	1.72	80	0.16	9.14	66	1.8
I316142		0.169	0.33	1.38	74	0.18	4.00	65	1.3
I316143		0.139	0.20	1.49	68	0.36	5.18	61	1.3
I316144		0.131	0.15	1.36	75	0.49	4.83	58	1.1
I316145		0.115	0.13	0.81	54	0.20	3.03	49	1.0
I316146		0.125	0.15	1.72	59	0.15	4.09	51	1.1
I316147		0.126	0.15	0.89	60	0.12	3.84	50	1.1
I316148		0.130	0.17	1.45	64	0.32	5.17	54	1.3
I316149		0.132	0.17	1.34	64	0.19	4.75	56	1.4
I316150		0.007	0.03	0.35	5	<0.05	2.49	5	3.4
I316151		0.100	0.07	0.69	58	0.12	10.10	54	11.8
I316152		0.096	0.05	1.24	55	0.18	6.46	44	11.9
I316153		0.069	0.06	0.35	52	0.17	2.96	31	2.5
I316154		0.091	0.09	0.31	56	0.18	2.18	41	3.6
I316155		0.038	0.07	1.71	35	0.16	22.3	33	0.6
I316156		0.032	0.06	1.49	41	0.13	12.95	51	3.4
I316157		0.070	0.08	0.41	63	0.23	2.31	39	0.8
I316158		0.059	0.06	0.68	34	0.28	4.65	39	0.6
I316159		0.063	0.18	3.84	50	0.27	7.69	55	1.2
I316160		0.051	0.14	3.57	43	0.41	6.69	41	1.0
I316161		0.099	0.17	4.73	60	0.52	8.60	60	2.1
I316162		0.094	0.21	2.73	60	0.46	9.67	53	1.4
I316163		0.106	0.11	0.64	58	5.00	4.49	42	2.1
I316164		0.053	0.09	0.49	46	3.34	3.61	34	0.7
I316165		0.007	0.04	0.35	4	<0.05	2.54	5	3.3
I316166		0.113	0.16	1.05	72	2.21	7.60	57	1.5
I316167		0.095	0.37	7.51	67	0.69	27.7	67	1.4
I316168		0.085	0.28	10.30	66	1.22	15.30	72	2.0
I316169		0.132	0.22	1.69	65	2.01	5.54	50	1.9
I316170		0.182	0.38	1.26	97	1.86	11.20	57	6.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316171		0.34	<0.005	0.09	2.32	6.4	<0.2	<10	200	0.57	0.36	0.54	0.13	42.8	11.4	67
I316172		0.52	<0.005	0.07	2.02	5.3	<0.2	<10	200	0.78	0.30	0.45	0.10	46.2	13.3	51
I316173		0.40	<0.005	0.09	2.35	7.9	<0.2	<10	220	0.84	0.35	0.39	<0.01	35.7	12.9	67
I316174		0.36	<0.005	0.07	2.29	12.6	<0.2	<10	200	0.79	0.18	0.42	0.06	24.7	9.9	51
I316175		0.46	<0.005	0.10	2.27	10.7	<0.2	<10	260	1.10	0.24	0.56	0.04	35.3	14.8	57
I316176		0.48	<0.005	0.09	2.79	4.7	<0.2	<10	170	1.13	0.22	0.58	0.05	53.7	12.8	68
I316177		0.58	<0.005	0.12	2.31	6.5	<0.2	<10	160	1.48	0.28	0.53	0.10	53.5	13.9	58
I316178		0.60	<0.005	0.06	2.49	16.7	<0.2	<10	260	1.06	0.18	0.54	0.03	32.5	13.5	68
I316179		0.46	0.012	0.10	2.66	50.6	<0.2	<10	220	1.02	0.19	0.52	0.06	29.3	10.5	52
I316180		0.42	0.012	0.09	2.45	50.2	<0.2	<10	210	0.95	0.19	0.54	0.07	27.5	10.8	52
I316181		0.26	<0.005	0.08	0.73	4.2	<0.2	<10	50	0.21	0.15	0.13	0.09	5.99	3.2	15
I316182		0.32	<0.005	0.09	2.15	29.7	<0.2	<10	180	0.73	0.16	0.46	0.11	24.9	11.0	47
I316183		0.38	0.014	0.08	1.96	24.0	<0.2	<10	150	0.39	0.13	0.39	0.17	21.5	10.1	45
I316184		0.34	<0.005	0.07	1.35	9.2	<0.2	<10	130	0.25	0.14	0.20	0.09	13.95	7.4	35
I316185		0.22	<0.005	0.14	0.82	3.8	<0.2	<10	110	0.27	0.16	0.14	0.35	10.25	8.2	20
I316186		0.30	<0.005	0.09	1.50	8.1	<0.2	<10	100	0.27	0.22	0.12	0.15	15.25	7.2	29
I316187		0.34	0.013	0.25	1.95	30.2	<0.2	<10	180	0.34	0.21	0.28	0.33	17.95	11.7	42
I316188		0.26	<0.005	0.19	1.10	6.8	<0.2	<10	140	0.24	0.17	0.17	0.15	14.50	8.6	22
I316189		0.38	<0.005	0.21	2.02	12.1	<0.2	<10	170	0.34	0.17	0.30	0.16	17.90	9.4	44
I316190		0.32	<0.005	0.28	2.21	15.3	<0.2	<10	150	0.34	0.29	0.15	0.48	15.20	8.9	38
I316191		0.28	0.005	0.41	2.36	16.8	<0.2	<10	230	0.50	0.21	0.45	0.20	20.7	8.7	36
I316192		0.28	<0.005	0.31	2.46	12.7	<0.2	<10	230	0.35	0.23	0.54	0.32	18.50	17.8	43
I316193		0.36	0.006	0.24	2.59	12.1	<0.2	<10	260	0.41	0.21	0.53	0.13	20.4	11.6	43
I316194		0.30	<0.005	0.38	2.52	11.4	<0.2	<10	280	0.51	0.22	0.73	0.16	21.9	12.2	41
I316195		0.28	0.008	0.13	2.12	12.6	<0.2	<10	230	0.35	0.23	0.58	0.19	18.10	11.4	39
I316196		0.40	0.006	0.13	2.24	18.3	<0.2	<10	220	0.36	0.38	0.47	0.07	15.20	10.5	45
I316197		0.32	0.005	0.27	0.92	7.0	<0.2	<10	100	0.27	0.14	0.45	0.13	11.55	3.4	15
I316198		0.36	0.014	0.17	2.02	38.1	<0.2	<10	190	0.43	0.50	0.42	0.27	19.00	9.4	46
I316199		0.40	0.033	0.06	0.53	56.9	<0.2	<10	60	0.10	0.31	0.13	0.36	6.87	2.9	13
I316200		0.38	<0.005	0.13	3.07	11.1	<0.2	<10	160	0.48	0.52	0.37	0.24	15.20	19.5	56
I316201		0.42	<0.005	0.15	2.22	7.7	<0.2	<10	180	0.31	0.19	0.38	0.21	29.7	13.7	40
I316202		0.22	NSS	0.09	0.48	2.1	<0.2	<10	160	0.10	0.05	1.23	0.44	16.55	62.9	7
I316203		0.26	<0.005	0.38	0.85	3.5	<0.2	<10	130	0.22	0.11	0.88	0.17	25.7	29.7	22
I316204		0.38	<0.005	0.12	1.95	3.4	<0.2	<10	150	0.20	0.12	0.40	0.12	17.05	11.2	39
I316205		0.38	<0.005	0.23	1.80	6.5	<0.2	<10	150	0.25	0.13	0.47	0.15	17.90	12.8	35
I316206		0.42	<0.005	0.11	1.89	3.7	<0.2	<10	180	0.22	0.12	0.56	0.14	18.35	12.0	45
I316207		0.44	<0.005	0.10	1.37	3.0	<0.2	<10	120	0.13	0.12	0.31	0.14	12.30	6.1	30
I316208		0.52	NSS	0.01	0.12	1.7	<0.2	<10	30	0.08	0.01	0.08	0.03	8.89	1.9	3
I316209		0.40	<0.005	0.27	2.84	15.8	<0.2	<10	150	0.55	0.20	0.98	0.37	62.4	18.5	56
I316210		0.46	<0.005	0.16	3.15	5.5	<0.2	<10	180	0.57	0.20	0.88	0.25	39.2	16.8	60



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I316171		3.24	141.0	3.67	8.66	0.13	0.11	0.05	0.035	0.32	24.7	13.8	0.88	437	25.0
I316172		3.45	153.5	3.10	7.74	0.12	0.09	0.04	0.031	0.22	24.6	13.7	0.77	415	46.4
I316173		6.78	146.5	3.55	9.16	0.11	0.07	0.14	0.035	0.25	21.8	14.6	0.90	483	301
I316174		4.33	73.3	3.12	8.53	0.11	0.08	0.08	0.035	0.24	13.0	15.9	0.80	285	121.0
I316175		3.42	107.0	3.77	8.08	0.13	0.14	0.09	0.046	0.18	17.5	12.5	0.93	386	56.0
I316176		6.92	109.5	3.97	11.45	0.15	0.10	0.05	0.059	0.51	27.2	17.6	1.03	317	67.5
I316177		5.61	217	3.65	9.82	0.13	0.07	0.15	0.057	0.27	34.2	14.9	0.83	420	91.0
I316178		5.30	116.0	3.58	9.59	0.11	0.07	0.10	0.054	0.29	17.4	13.2	0.84	328	87.5
I316179		4.51	87.8	3.34	8.94	0.10	0.08	0.07	0.046	0.12	17.0	14.8	0.93	292	29.1
I316180		4.26	83.9	3.25	8.66	0.10	0.09	0.07	0.043	0.13	16.4	14.4	0.90	311	26.6
I316181		2.49	16.5	1.30	4.27	<0.05	<0.02	0.03	0.012	0.04	3.2	3.4	0.18	194	21.6
I316182		3.68	125.0	3.39	8.08	0.09	0.07	0.08	0.034	0.09	13.1	12.1	0.77	376	72.8
I316183		2.18	75.8	3.07	8.25	0.09	0.06	0.06	0.024	0.12	10.8	12.9	0.73	296	49.2
I316184		2.56	61.7	2.88	8.07	0.06	0.03	0.03	0.017	0.09	7.5	9.8	0.47	230	76.2
I316185		1.18	40.2	1.87	5.21	<0.05	0.02	0.05	0.016	0.07	5.4	3.7	0.21	514	23.0
I316186		1.71	38.1	3.25	10.95	0.06	0.05	0.04	0.020	0.08	8.0	10.7	0.37	314	41.6
I316187		1.71	128.0	3.38	8.55	0.06	0.04	0.03	0.024	0.15	9.0	11.0	0.60	451	23.4
I316188		1.08	56.5	2.06	6.97	0.05	0.03	0.03	0.016	0.07	7.5	5.6	0.28	428	18.85
I316189		1.57	115.5	2.97	8.79	0.07	0.05	0.03	0.020	0.14	9.6	11.2	0.67	295	22.4
I316190		1.55	76.4	3.38	10.70	0.06	0.05	0.04	0.026	0.08	8.0	12.9	0.46	321	11.75
I316191		1.47	137.0	2.57	7.92	0.07	0.03	0.06	0.024	0.11	11.6	9.8	0.49	249	8.37
I316192		1.55	120.5	2.85	8.45	0.08	0.03	0.06	0.024	0.12	9.5	11.3	0.66	764	9.41
I316193		1.45	76.1	2.88	7.94	0.08	0.03	0.06	0.024	0.12	10.9	11.1	0.68	327	5.01
I316194		1.35	106.5	2.84	7.81	0.08	0.04	0.08	0.026	0.10	11.8	10.5	0.62	580	4.98
I316195		1.22	46.7	2.67	6.86	0.07	0.04	0.04	0.021	0.14	9.2	9.6	0.64	561	2.86
I316196		1.38	36.8	2.27	6.94	0.07	0.03	0.04	0.020	0.11	8.3	10.1	0.68	225	0.94
I316197		0.55	27.3	0.97	3.02	<0.05	<0.02	0.08	0.010	0.04	7.5	2.8	0.17	370	1.21
I316198		1.86	56.2	2.62	7.41	0.08	0.03	0.06	0.020	0.17	13.3	8.8	0.62	237	1.99
I316199		0.86	17.3	1.21	4.48	<0.05	<0.02	0.03	0.009	0.06	3.4	2.4	0.15	111	0.97
I316200		2.52	67.5	3.46	8.62	0.08	0.05	0.06	0.027	0.14	6.8	15.0	0.73	599	1.71
I316201		1.33	19.5	2.96	6.98	0.08	0.05	0.06	0.031	0.06	15.7	13.6	0.59	521	1.41
I316202		0.18	27.3	1.12	1.11	<0.05	<0.02	0.10	0.009	0.05	5.9	1.1	0.12	4050	1.35
I316203		0.26	18.1	4.11	2.97	0.07	0.02	0.08	0.020	0.03	9.5	1.5	0.11	2840	3.85
I316204		1.12	13.3	2.33	6.78	0.06	0.03	0.05	0.021	0.07	8.4	13.8	0.60	210	1.07
I316205		0.94	18.2	3.18	5.83	0.08	0.03	0.05	0.022	0.07	8.7	10.2	0.49	402	1.97
I316206		1.10	15.3	2.48	7.14	0.08	0.04	0.03	0.022	0.10	9.2	13.9	0.66	330	0.83
I316207		0.89	12.6	1.67	5.71	0.05	0.02	0.08	0.016	0.04	6.2	8.9	0.41	132	0.69
I316208		0.08	2.3	0.66	0.55	<0.05	0.07	<0.01	<0.005	0.04	4.6	0.8	0.03	150	0.30
I316209		1.68	87.8	2.98	8.38	0.19	0.06	0.09	0.046	0.13	71.8	17.7	0.78	572	1.68
I316210		2.00	45.0	3.30	9.24	0.13	0.06	0.04	0.027	0.28	19.8	20.6	0.97	408	1.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I316171		1.53	29.7	860	4.6	42.6	<0.001	0.01	0.30	8.7	0.8	1.2	38.0	<0.01	0.09
I316172		1.39	25.8	790	4.4	34.5	0.001	<0.01	0.22	7.7	0.9	1.2	24.9	<0.01	0.05
I316173		1.80	40.6	760	5.9	34.0	0.001	0.01	0.25	8.1	1.5	0.9	24.3	<0.01	0.10
I316174		1.72	31.2	930	5.4	33.7	0.001	0.01	0.23	6.7	1.0	0.8	21.0	<0.01	0.05
I316175		1.37	29.0	830	4.9	29.3	0.001	0.01	0.30	8.3	1.0	0.8	26.1	<0.01	0.06
I316176		2.92	28.4	730	4.7	64.2	0.001	0.01	0.23	10.9	0.8	1.1	30.6	<0.01	0.04
I316177		1.47	30.9	720	4.6	45.5	0.001	0.01	0.25	8.7	0.9	1.3	28.1	<0.01	0.05
I316178		1.05	29.6	800	4.1	37.9	<0.001	0.01	0.24	8.9	0.8	1.0	23.1	<0.01	0.04
I316179		1.14	31.4	770	5.0	23.8	0.001	0.01	0.88	7.1	0.6	0.7	30.0	<0.01	0.04
I316180		1.21	31.6	760	5.4	24.5	0.001	0.01	0.85	7.0	0.6	0.7	32.3	<0.01	0.04
I316181		0.39	8.2	400	4.2	11.3	<0.001	0.04	0.27	0.7	0.7	0.4	12.4	<0.01	0.04
I316182		1.55	29.2	810	4.5	15.2	0.001	0.01	0.62	5.2	0.7	0.6	24.2	<0.01	0.04
I316183		1.69	28.5	730	5.1	22.6	<0.001	0.02	0.41	5.1	0.9	0.6	22.7	<0.01	0.05
I316184		1.38	20.8	500	5.6	21.2	<0.001	0.02	0.33	3.1	0.7	0.6	15.1	<0.01	0.06
I316185		0.72	13.8	440	4.8	25.6	<0.001	0.03	0.29	1.2	0.6	0.4	13.4	<0.01	0.04
I316186		1.96	14.4	350	7.6	28.2	<0.001	0.02	0.49	2.8	0.6	0.8	12.6	<0.01	0.08
I316187		1.49	25.4	710	9.4	28.8	<0.001	0.02	1.18	4.2	0.7	0.7	18.7	<0.01	0.08
I316188		1.09	12.9	330	4.9	18.2	<0.001	0.02	0.38	2.2	0.6	0.6	15.0	<0.01	0.06
I316189		1.61	25.1	500	6.0	25.5	<0.001	0.02	0.45	4.9	0.7	0.7	19.7	<0.01	0.06
I316190		1.73	24.0	450	9.0	17.8	<0.001	0.02	0.57	4.2	0.8	0.7	14.0	<0.01	0.09
I316191		0.99	25.3	670	5.5	19.8	<0.001	0.06	0.51	2.7	1.3	0.6	32.3	<0.01	0.07
I316192		1.21	27.9	740	6.0	21.3	<0.001	0.05	0.47	3.9	1.0	0.6	35.1	<0.01	0.07
I316193		1.23	25.1	720	5.5	20.4	0.001	0.05	0.44	4.5	1.0	0.5	29.0	<0.01	0.07
I316194		1.04	25.3	1110	5.7	21.7	0.001	0.09	0.56	3.8	1.5	0.5	40.6	<0.01	0.08
I316195		1.27	21.9	660	4.8	21.8	<0.001	0.04	0.42	3.9	0.9	0.5	30.1	<0.01	0.08
I316196		1.02	21.3	760	5.8	17.8	<0.001	0.06	1.17	3.7	0.9	0.5	25.7	<0.01	0.05
I316197		0.31	7.7	780	2.7	5.6	<0.001	0.09	0.87	0.5	1.1	0.2	21.3	<0.01	0.04
I316198		1.19	24.6	520	5.6	25.0	<0.001	0.06	2.15	3.7	1.1	0.6	25.0	<0.01	0.09
I316199		0.70	7.5	280	5.6	9.0	<0.001	0.02	1.33	1.4	0.3	0.5	9.9	<0.01	0.04
I316200		2.09	33.3	640	5.4	21.1	<0.001	0.05	0.83	5.4	0.8	0.6	25.5	0.01	0.07
I316201		1.90	22.5	700	11.3	14.3	<0.001	0.03	0.35	5.0	0.8	0.6	25.9	<0.01	0.03
I316202		0.24	7.7	1140	2.6	2.2	<0.001	0.16	0.42	1.3	0.8	<0.2	67.7	<0.01	0.01
I316203		0.42	7.6	1880	4.7	3.7	<0.001	0.21	0.35	1.4	1.2	0.2	47.9	<0.01	0.05
I316204		1.66	22.9	620	7.3	10.9	<0.001	0.07	0.22	3.9	0.6	0.5	28.6	<0.01	0.02
I316205		1.31	21.5	990	10.3	11.0	<0.001	0.10	0.24	2.8	0.9	0.4	30.0	<0.01	0.03
I316206		1.76	25.7	570	8.7	16.0	<0.001	0.05	0.21	4.3	0.6	0.5	32.3	<0.01	0.02
I316207		1.03	16.6	660	7.8	7.9	<0.001	0.06	0.24	2.4	0.7	0.4	22.3	<0.01	0.01
I316208		0.13	3.8	110	1.4	1.9	<0.001	<0.01	0.10	0.6	<0.2	<0.2	6.5	<0.01	<0.01
I316209		1.67	47.9	1000	11.5	24.2	<0.001	0.11	0.47	5.4	2.7	0.6	49.5	0.01	0.04
I316210		2.24	44.5	1030	10.2	43.7	<0.001	0.04	0.25	6.2	0.9	0.6	48.7	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I316171		0.175	0.32	1.46	84	1.89	13.35	69	5.2
I316172		0.165	0.30	1.53	84	5.79	13.20	62	4.3
I316173		0.165	0.36	2.51	125	1.71	13.00	89	3.3
I316174		0.157	0.34	0.86	94	2.55	6.82	73	3.3
I316175		0.167	0.32	1.52	98	8.76	10.70	62	6.9
I316176		0.252	0.47	1.05	93	3.44	11.75	72	4.5
I316177		0.178	0.41	1.73	81	4.10	13.45	72	3.0
I316178		0.187	0.38	0.92	107	1.71	9.93	64	2.7
I316179		0.154	0.22	0.76	77	0.81	9.70	60	3.6
I316180		0.159	0.21	0.73	77	1.30	9.72	61	4.0
I316181		0.049	0.11	0.32	33	0.11	1.50	24	0.5
I316182		0.154	0.16	0.76	90	1.72	6.92	64	3.0
I316183		0.150	0.21	0.67	87	0.61	5.88	56	2.5
I316184		0.128	0.14	0.55	82	0.56	3.23	48	1.2
I316185		0.075	0.08	0.41	49	0.15	2.26	43	0.6
I316186		0.143	0.15	0.49	105	0.26	2.30	53	2.4
I316187		0.143	0.16	0.60	94	0.40	4.33	59	1.9
I316188		0.103	0.10	0.47	63	0.39	3.65	38	1.1
I316189		0.145	0.17	0.66	86	2.29	4.21	52	1.8
I316190		0.142	0.14	0.63	96	0.97	3.21	59	2.1
I316191		0.083	0.14	1.33	63	1.71	6.57	50	0.9
I316192		0.107	0.16	1.02	73	1.59	5.13	65	1.0
I316193		0.112	0.17	0.93	71	4.97	6.13	57	1.4
I316194		0.090	0.16	1.30	70	1.75	9.19	64	1.3
I316195		0.105	0.15	0.84	70	1.70	5.24	65	1.3
I316196		0.107	0.17	1.02	64	0.75	4.68	47	1.1
I316197		0.031	0.08	1.70	22	0.19	4.71	18	<0.5
I316198		0.105	0.19	1.61	71	2.25	7.00	57	1.0
I316199		0.067	0.07	0.32	41	0.57	1.23	32	<0.5
I316200		0.127	0.15	0.54	94	10.30	3.80	90	2.1
I316201		0.116	0.15	1.98	76	0.18	7.64	70	2.0
I316202		0.014	0.11	0.38	11	0.06	3.78	39	<0.5
I316203		0.024	0.27	1.03	39	0.12	5.03	18	<0.5
I316204		0.111	0.13	0.66	67	0.18	4.18	57	1.4
I316205		0.075	0.12	0.85	106	0.14	4.43	59	1.2
I316206		0.123	0.12	0.58	72	0.17	4.67	73	1.4
I316207		0.080	0.09	0.54	41	0.13	2.94	49	1.0
I316208		0.006	0.03	0.27	4	0.05	2.01	4	2.6
I316209		0.101	0.21	3.76	75	0.20	38.6	110	1.8
I316210		0.139	0.26	1.33	85	0.27	10.60	100	2.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316211		0.30	0.011	0.46	1.45	4.0	<0.2	<10	200	0.53	0.15	1.66	1.99	167.0	7.1	25
I316212		0.56	0.006	0.13	2.26	4.5	<0.2	<10	190	0.40	0.15	0.54	0.20	34.2	13.0	43
I316213		0.32	<0.005	0.16	0.51	1.0	<0.2	<10	60	0.12	0.06	0.15	0.05	22.7	2.4	7
I316214		Not Recvd														
I316215		Not Recvd														
I316216		0.34	<0.005	0.14	0.36	0.9	<0.2	<10	40	0.09	0.06	0.14	0.03	5.94	1.6	7
I316217		0.40	<0.005	0.12	0.23	0.3	<0.2	<10	30	<0.05	0.06	0.13	0.04	3.05	1.1	5
I316218		0.42	<0.005	0.22	2.40	7.6	<0.2	<10	160	0.41	0.23	0.40	0.24	50.2	16.7	49
I316219		0.42	0.010	0.19	1.90	7.0	<0.2	<10	210	0.36	0.26	0.50	0.55	62.8	23.8	73
I316220		0.32	<0.005	0.16	2.09	4.7	<0.2	<10	170	0.28	0.19	0.80	0.68	29.5	15.4	65
I316221		0.44	<0.005	0.17	2.28	3.7	<0.2	<10	190	0.29	0.19	0.68	0.16	35.2	13.4	54
I316222		0.52	<0.005	0.18	2.26	5.1	<0.2	<10	370	0.28	0.21	0.74	0.20	45.2	22.1	50
I316223		0.50	NSS	0.01	0.12	1.8	<0.2	<10	30	0.08	0.04	0.09	0.03	8.68	2.0	3
I316224		0.30	0.008	0.21	1.64	3.4	<0.2	<10	300	0.28	0.14	1.88	0.27	30.9	12.1	31
I316225		0.38	0.007	0.14	1.67	3.7	<0.2	<10	160	0.24	0.15	1.31	0.32	26.5	11.3	35
I316226		0.46	0.005	0.17	1.73	3.8	<0.2	<10	160	0.22	0.13	0.87	0.30	23.3	12.0	53
I316227		0.48	<0.005	0.22	1.78	5.4	<0.2	<10	160	0.25	0.17	1.40	0.30	22.1	11.9	52
I316228		0.42	0.005	0.14	1.75	5.0	<0.2	<10	610	0.25	0.16	0.77	0.26	28.3	13.0	40
I316229		0.38	0.008	0.23	1.30	3.3	<0.2	<10	160	0.21	0.12	2.29	0.60	17.35	8.9	40
I316230		0.34	<0.005	0.19	1.64	11.8	<0.2	<10	270	0.37	0.11	0.77	0.77	38.4	66.7	65
I316231		0.36	<0.005	0.06	1.74	3.3	<0.2	<10	180	0.18	0.11	0.53	0.16	16.75	13.9	75
I316232		0.44	0.006	0.07	1.76	3.8	<0.2	<10	190	0.26	0.13	0.54	0.31	28.9	19.9	70
I316233		0.50	<0.005	0.06	1.70	2.1	<0.2	<10	160	0.19	0.13	0.49	0.18	15.70	13.5	90
I316234		0.56	<0.005	0.07	1.60	3.7	<0.2	<10	180	0.22	0.11	0.47	0.22	17.10	16.6	83
I316235		0.36	<0.005	0.11	1.28	3.6	<0.2	<10	190	0.26	0.11	0.77	0.23	14.40	9.5	32
I316236		0.34	NSS	0.12	1.29	4.0	<0.2	<10	210	0.29	0.12	0.92	0.30	14.55	11.6	35
I316237		0.24	NSS	0.15	1.31	6.5	<0.2	<10	510	0.26	0.14	1.01	0.55	23.5	20.6	30
I316238		0.40	<0.005	0.13	2.40	6.3	<0.2	<10	300	0.23	0.20	0.60	0.27	22.5	14.6	35
I316239		0.32	NSS	0.44	2.39	7.3	<0.2	<10	350	0.26	0.35	0.95	0.45	65.1	12.8	28
I316240		0.40	<0.005	0.12	2.55	4.8	<0.2	<10	310	0.29	0.25	0.48	0.22	36.6	13.5	21
I316241		0.40	<0.005	0.21	2.28	6.4	<0.2	<10	210	0.23	0.21	0.56	0.24	26.5	11.3	21
I316242		0.44	<0.005	0.09	2.09	4.0	<0.2	<10	240	0.18	0.15	0.53	0.12	19.00	9.9	27
I316243		0.36	<0.005	0.13	2.13	3.6	<0.2	<10	330	0.22	0.14	0.92	0.25	29.7	10.4	26
I316244		0.28	<0.005	0.94	0.60	3.6	<0.2	<10	60	0.20	0.23	0.15	0.31	13.70	2.6	13
I316245		0.50	<0.005	0.06	2.19	4.3	<0.2	<10	200	0.26	0.12	0.49	0.10	33.8	9.9	33
I316246		0.40	0.006	0.05	2.04	5.2	<0.2	<10	170	0.22	0.12	0.47	0.13	23.3	11.5	32
I316247		0.28	<0.005	0.08	2.18	3.3	<0.2	<10	270	0.22	0.15	0.64	0.13	24.9	11.8	31
I316248		0.54	<0.005	0.08	2.74	5.2	<0.2	<10	280	0.26	0.19	0.44	0.11	31.0	15.6	34
I316249		0.38	<0.005	0.13	1.77	7.0	<0.2	<10	190	0.19	0.19	0.38	0.12	14.45	26.7	28
I316250		0.40	<0.005	0.08	2.22	5.1	<0.2	<10	310	0.22	0.15	0.53	0.24	21.1	12.1	33



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I316211		0.54	71.3	1.05	3.43	0.16	0.09	0.13	0.022	0.05	59.8	3.8	0.23	297	1.35
I316212		1.08	30.5	3.05	6.67	0.10	0.05	0.03	0.029	0.15	18.0	12.6	0.75	490	0.96
I316213		0.29	9.9	0.81	2.12	0.06	<0.02	0.02	0.007	0.03	16.6	1.6	0.10	60	0.36
I316214															
I316215															
I316216		0.39	6.7	0.71	1.61	<0.05	<0.02	0.02	0.006	0.03	3.2	1.0	0.06	39	0.55
I316217		0.32	3.7	0.46	1.45	<0.05	<0.02	0.03	<0.005	0.02	2.5	0.7	0.05	46	0.34
I316218		1.35	35.5	3.74	7.56	0.14	0.05	0.04	0.032	0.16	28.7	13.8	0.85	580	1.42
I316219		1.46	65.5	4.58	6.40	0.16	0.09	0.02	0.029	0.25	27.1	7.8	1.08	848	2.84
I316220		0.97	40.8	3.26	6.35	0.10	0.04	0.05	0.024	0.09	14.1	10.7	1.13	884	1.52
I316221		0.84	35.8	2.96	6.50	0.09	0.07	0.03	0.029	0.07	17.1	11.9	1.05	386	1.04
I316222		0.74	36.4	3.91	6.79	0.10	0.08	0.03	0.029	0.07	19.7	11.9	0.98	6010	1.31
I316223		0.08	2.1	0.74	0.59	<0.05	0.06	<0.01	<0.005	0.04	4.6	0.9	0.03	157	0.29
I316224		0.62	49.4	2.14	4.54	0.08	0.09	0.06	0.022	0.05	16.2	8.2	0.63	474	0.86
I316225		0.58	35.4	2.30	4.94	0.07	0.06	0.04	0.025	0.07	13.1	9.4	0.65	698	0.91
I316226		0.90	27.6	2.44	5.21	0.08	0.06	0.03	0.021	0.06	11.1	10.5	0.86	573	0.70
I316227		0.78	41.8	2.64	5.23	0.09	0.07	0.05	0.022	0.05	13.7	11.0	0.91	513	0.79
I316228		0.55	28.7	2.70	5.19	0.08	0.07	0.03	0.023	0.06	12.8	10.3	0.78	650	0.83
I316229		0.54	56.8	1.70	3.52	0.07	0.07	0.07	0.016	0.04	10.7	7.4	0.74	855	0.75
I316230		0.83	30.5	7.25	4.47	0.17	0.05	0.04	0.023	0.05	17.5	11.1	0.82	4720	4.35
I316231		0.75	19.1	2.32	5.51	0.08	0.04	0.02	0.019	0.05	9.5	14.3	1.08	447	0.70
I316232		0.90	24.2	2.63	5.42	0.09	0.06	0.04	0.023	0.08	13.9	15.2	0.86	1420	0.63
I316233		1.22	27.0	1.94	5.62	0.06	0.04	0.10	0.022	0.04	7.2	13.8	0.88	378	0.36
I316234		0.75	25.8	2.32	5.00	0.07	0.05	0.04	0.021	0.04	7.3	13.5	0.82	848	0.62
I316235		0.57	28.9	1.57	3.57	0.06	0.07	0.06	0.019	0.04	8.1	7.8	0.61	511	0.59
I316236		0.64	38.2	1.61	3.59	0.07	0.07	0.07	0.019	0.05	8.3	7.5	0.68	711	0.70
I316237		0.82	29.6	2.76	4.53	0.09	0.05	0.10	0.022	0.08	10.3	9.5	0.49	2670	2.00
I316238		1.86	22.1	3.41	7.62	0.08	0.04	0.05	0.031	0.21	10.7	11.6	0.73	931	1.18
I316239		1.88	30.2	3.38	7.48	0.12	0.07	0.10	0.036	0.23	40.1	9.4	0.62	1010	1.54
I316240		2.78	14.3	3.76	9.35	0.12	0.04	0.04	0.032	0.44	19.5	15.1	0.89	735	0.81
I316241		3.69	12.6	3.69	8.23	0.11	0.05	0.04	0.029	0.37	16.3	18.5	0.89	517	0.86
I316242		1.30	12.0	3.11	6.85	0.08	0.04	0.02	0.025	0.13	9.8	13.3	0.73	511	0.76
I316243		1.43	15.8	3.04	7.21	0.10	0.07	0.05	0.028	0.20	20.0	14.4	0.75	550	0.76
I316244		1.73	11.1	1.19	3.04	<0.05	<0.02	0.09	0.011	0.03	7.6	1.4	0.09	78	1.33
I316245		1.63	22.2	3.34	7.34	0.11	0.11	0.02	0.027	0.21	17.3	13.8	0.85	392	0.47
I316246		1.03	18.3	3.03	6.87	0.09	0.06	0.03	0.022	0.11	11.0	12.3	0.70	616	0.60
I316247		1.47	16.4	2.76	7.42	0.07	0.03	0.04	0.025	0.09	10.9	12.1	0.69	1020	1.04
I316248		2.23	18.9	3.68	8.99	0.11	0.07	0.02	0.029	0.22	13.9	16.2	1.01	416	0.80
I316249		1.44	16.2	3.50	9.08	0.07	0.03	0.04	0.029	0.09	6.8	9.1	0.56	1420	2.73
I316250		1.90	22.3	3.59	8.29	0.10	0.04	0.03	0.026	0.25	10.0	13.6	0.85	644	1.20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I316211		0.61	29.0	2030	4.6	5.5	0.001	0.37	0.47	2.6	3.6	0.2	60.2	0.01	0.04
I316212		1.54	36.1	870	8.6	19.3	0.001	0.04	0.28	4.8	0.9	0.5	29.2	<0.01	0.03
I316213		0.20	5.6	400	2.4	2.8	<0.001	0.04	0.11	0.5	0.5	0.2	13.0	<0.01	0.01
I316214															
I316215															<0.2
I316216		0.15	3.9	480	2.2	3.4	<0.001	0.04	0.13	0.3	0.3	0.2	10.9	<0.01	0.01
I316217		0.27	2.1	380	2.0	3.1	<0.001	0.03	0.08	0.4	0.2	0.2	10.2	<0.01	0.01
I316218		1.74	40.1	840	11.3	19.3	<0.001	0.04	0.36	5.4	1.0	0.6	25.8	<0.01	0.04
I316219		0.74	78.1	1500	10.2	22.2	<0.001	0.05	0.28	5.8	1.4	0.4	37.2	<0.01	0.06
I316220		1.16	48.3	750	7.3	13.7	<0.001	0.05	0.29	4.4	0.8	0.4	30.5	<0.01	0.04
I316221		1.28	38.3	870	8.5	12.8	<0.001	0.04	0.24	5.7	0.8	0.4	28.0	<0.01	0.04
I316222		1.39	46.2	870	9.0	10.3	<0.001	0.03	0.27	6.4	0.9	0.5	29.1	<0.01	0.05
I316223		0.14	3.7	110	1.4	2.1	<0.001	<0.01	0.10	0.6	<0.2	<0.2	6.9	<0.01	<0.01
I316224		1.01	28.2	1160	5.9	7.5	0.001	0.17	0.40	3.4	1.4	0.3	53.1	0.01	0.04
I316225		1.03	29.4	860	6.8	12.8	<0.001	0.10	0.31	3.8	1.0	0.4	45.1	<0.01	0.04
I316226		0.93	37.9	760	7.9	10.4	<0.001	0.05	0.25	4.9	0.7	0.3	32.0	<0.01	0.03
I316227		0.87	38.9	730	7.8	9.0	<0.001	0.11	0.37	4.8	1.3	0.3	45.4	<0.01	0.05
I316228		1.06	28.8	820	7.2	8.7	<0.001	0.05	0.27	4.8	0.8	0.4	30.9	<0.01	0.03
I316229		0.58	33.4	1050	7.1	6.8	0.003	0.20	0.40	2.9	1.4	0.2	60.7	<0.01	0.05
I316230		0.88	100.5	1070	3.9	9.5	<0.001	0.10	0.42	4.0	1.2	0.3	47.9	<0.01	0.05
I316231		1.08	55.7	600	4.7	13.1	<0.001	0.04	0.23	4.2	0.5	0.4	34.5	<0.01	0.02
I316232		1.21	74.1	760	5.9	15.2	<0.001	0.04	0.30	4.8	0.6	0.4	34.8	<0.01	0.03
I316233		0.97	81.6	770	6.2	7.4	<0.001	0.05	0.26	4.4	0.6	0.4	32.3	<0.01	0.02
I316234		1.08	87.0	740	5.1	6.8	<0.001	0.03	0.27	4.9	0.5	0.4	32.4	<0.01	0.02
I316235		0.78	212	970	4.4	5.2	<0.001	0.11	0.40	3.0	1.0	0.3	57.3	<0.01	0.02
I316236		0.77	285	1030	4.5	5.6	<0.001	0.14	0.48	3.1	1.0	0.6	68.9	<0.01	0.03
I316237		1.05	33.2	1060	6.8	10.3	<0.001	0.14	0.37	3.3	1.5	0.4	57.3	<0.01	0.04
I316238		1.15	21.4	880	5.9	25.5	<0.001	0.05	0.26	6.0	0.7	0.6	40.7	<0.01	0.03
I316239		1.25	24.3	1170	7.6	30.6	<0.001	0.11	0.45	5.6	1.6	0.6	70.5	0.01	0.05
I316240		1.76	12.7	730	7.0	46.5	<0.001	0.03	0.25	6.8	0.8	0.7	34.7	<0.01	0.03
I316241		1.81	13.4	580	6.9	48.9	<0.001	0.03	0.22	6.4	0.7	0.6	38.7	<0.01	0.03
I316242		1.39	14.8	650	5.5	24.7	<0.001	0.03	0.19	4.3	0.6	0.6	36.1	<0.01	0.02
I316243		1.74	15.8	840	5.4	38.8	<0.001	0.07	0.26	5.8	0.9	0.6	66.7	<0.01	0.03
I316244		0.31	6.6	920	4.4	4.8	<0.001	0.07	0.27	0.4	0.8	0.3	14.6	<0.01	0.04
I316245		1.22	19.1	850	5.9	28.0	<0.001	<0.01	0.29	7.0	0.5	0.6	29.9	<0.01	0.02
I316246		1.60	22.0	820	6.1	16.7	<0.001	0.01	0.30	4.3	0.6	0.5	29.3	<0.01	0.02
I316247		1.20	18.7	940	6.8	16.3	<0.001	0.06	0.30	3.8	0.8	0.5	41.5	<0.01	0.03
I316248		1.89	22.0	680	7.8	28.7	<0.001	0.01	0.24	6.5	0.6	0.7	27.3	<0.01	0.02
I316249		1.36	15.8	610	12.1	15.3	<0.001	0.04	0.33	2.7	0.7	0.6	30.3	<0.01	0.04
I316250		1.73	19.8	860	5.4	30.7	<0.001	0.04	0.29	4.8	0.8	0.7	38.6	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I316211		0.025	0.17	3.77	31	0.47	38.2	32
I316212		0.113	0.13	1.06	72	0.18	11.45	81
I316213		0.027	0.04	0.57	18	0.06	8.28	13
I316214								
I316215								<0.5
I316216		0.022	0.03	0.34	18	0.05	1.38	12
I316217		0.027	0.03	0.22	13	0.37	1.03	8
I316218		0.122	0.14	1.24	83	0.19	14.00	78
I316219		0.099	0.21	1.49	79	0.12	11.25	134
I316220		0.094	0.11	0.96	70	0.13	9.37	99
I316221		0.090	0.09	1.19	66	0.12	10.50	83
I316222		0.102	0.10	1.08	69	0.14	12.15	77
I316223		0.006	0.03	0.27	4	<0.05	2.01	4
I316224		0.053	0.08	1.17	45	0.08	13.50	56
I316225		0.061	0.08	0.85	50	0.38	9.47	71
I316226		0.072	0.10	0.59	54	0.18	7.00	74
I316227		0.058	0.07	1.10	56	0.22	10.25	75
I316228		0.077	0.07	0.81	60	0.10	8.55	72
I316229		0.035	0.08	0.60	38	0.09	11.00	61
I316230		0.059	0.14	0.78	85	0.16	13.40	71
I316231		0.094	0.09	0.48	59	0.11	6.28	55
I316232		0.102	0.12	0.68	63	0.21	8.65	61
I316233		0.082	0.10	0.47	58	0.12	5.43	52
I316234		0.088	0.07	0.43	61	0.24	5.60	56
I316235		0.044	0.07	0.60	34	0.11	9.49	37
I316236		0.045	0.07	0.59	36	0.15	10.15	43
I316237		0.064	0.12	1.44	55	0.18	9.76	53
I316238		0.103	0.19	1.15	80	0.20	8.00	70
I316239		0.080	0.22	3.69	74	0.35	33.7	64
I316240		0.153	0.35	2.67	87	0.24	10.20	70
I316241		0.148	0.34	2.97	80	0.43	9.25	80
I316242		0.129	0.15	1.48	74	0.34	5.33	70
I316243		0.126	0.23	3.21	70	0.14	14.35	80
I316244		0.029	0.10	0.77	32	1.15	3.72	20
I316245		0.169	0.24	1.63	77	0.18	10.35	61
I316246		0.140	0.12	0.86	71	0.22	6.63	59
I316247		0.108	0.20	1.17	64	0.15	5.90	72
I316248		0.182	0.29	1.40	92	0.18	6.66	73
I316249		0.116	0.18	0.76	83	0.20	3.31	52
I316250		0.152	0.23	1.10	88	0.21	6.05	74



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316251		0.86	0.008	0.10	2.07	33.7	<0.2	<10	240	0.34	0.20	0.47	0.10	26.6	13.3	41
I316252		0.82	<0.005	0.13	2.06	36.5	<0.2	<10	240	0.34	0.20	0.45	0.11	28.1	15.2	42
I316253		0.80	<0.005	0.11	2.07	82.5	<0.2	<10	200	0.34	0.23	0.44	0.17	29.5	12.0	42
I316254		0.88	0.007	0.11	2.39	26.2	<0.2	<10	240	0.36	0.19	0.63	0.10	23.3	20.3	54
I316255		0.76	<0.005	0.11	2.11	14.4	<0.2	<10	210	0.29	0.18	0.43	0.14	25.6	19.9	45
I316256		0.84	<0.005	0.14	2.23	9.6	<0.2	<10	200	0.32	0.17	0.46	0.10	24.8	7.1	45
I316257		0.64	<0.005	0.12	2.10	5.1	<0.2	<10	260	0.30	0.27	0.55	0.08	21.0	13.1	101
I316258		0.74	<0.005	0.22	2.42	8.0	<0.2	<10	290	0.41	0.27	0.67	0.24	32.6	17.1	48
I316259		0.66	0.005	0.21	2.49	6.7	<0.2	<10	260	0.29	0.46	0.61	0.16	22.7	13.4	57
I316260		0.62	0.006	0.23	1.69	13.0	<0.2	<10	180	0.26	0.25	0.47	0.08	24.9	6.4	50
I316261		1.08	0.017	0.08	1.76	50.5	<0.2	<10	170	0.47	0.71	0.51	0.18	51.7	11.3	32
I316262		0.90	<0.005	0.12	1.98	10.7	<0.2	<10	180	0.29	0.25	0.37	0.15	34.5	7.8	31
I316263		0.82	<0.005	0.12	1.75	13.7	<0.2	<10	190	0.27	0.27	0.46	0.16	29.4	11.6	30
I316264		1.06	<0.005	0.18	2.10	16.3	<0.2	<10	210	0.36	0.34	0.37	0.20	48.8	12.6	36
I316265		0.68	<0.005	0.14	2.68	21.6	<0.2	<10	180	0.53	0.70	0.30	0.45	62.4	15.1	42
I316266		0.54	<0.005	0.11	0.76	7.0	<0.2	<10	40	0.06	0.22	0.06	0.10	8.33	3.0	14
I316267		0.70	<0.005	0.08	1.98	7.4	<0.2	<10	110	0.43	0.74	0.26	0.22	57.4	9.6	33
I316268		0.72	<0.005	0.15	1.57	11.3	<0.2	<10	60	0.21	0.70	0.09	0.13	20.1	9.6	26
I316269		0.74	<0.005	0.12	1.85	10.6	<0.2	<10	130	0.38	0.49	0.24	0.21	90.1	11.4	29
I316270		0.96	0.007	0.06	2.30	39.6	<0.2	<10	150	0.43	0.23	0.31	0.13	52.9	9.8	31
I316271		0.96	0.005	0.07	2.37	43.4	<0.2	<10	150	0.45	0.23	0.30	0.14	52.8	10.0	34
I316272		0.66	<0.005	0.12	1.45	30.9	<0.2	<10	70	0.22	0.26	0.16	0.14	28.3	4.7	24
I316273		0.48	<0.005	0.08	0.25	0.5	<0.2	<10	30	0.06	0.04	0.07	0.02	3.04	0.6	4
I316274		0.98	<0.005	0.12	3.96	14.2	<0.2	<10	400	0.59	0.22	0.88	0.14	15.25	20.2	26
I316275		1.00	<0.005	0.12	2.96	18.7	<0.2	<10	220	0.46	0.26	0.55	0.09	23.2	14.5	33
I316276		0.86	<0.005	0.12	2.02	6.9	<0.2	<10	190	0.35	0.13	0.47	0.10	22.4	19.6	39
I316277		0.94	<0.005	0.06	2.70	6.6	<0.2	<10	220	0.42	0.26	0.49	0.08	27.2	12.3	46
I316278		0.80	0.015	0.11	2.61	27.6	<0.2	<10	190	0.44	0.32	0.51	0.12	28.3	19.3	52
I316279		0.76	<0.005	0.06	2.26	10.4	<0.2	<10	200	0.64	0.22	0.44	0.16	35.1	14.2	55
I316280		0.68	<0.005	0.28	1.99	5.8	<0.2	<10	220	0.29	0.16	0.34	0.08	14.85	9.3	40
I316281		0.48	<0.005	0.20	1.58	5.1	<0.2	<10	130	0.22	0.19	0.33	0.15	10.75	6.9	34
I316282		0.72	0.005	0.19	2.96	17.3	<0.2	<10	210	0.37	0.30	0.47	0.13	20.3	13.9	62
I316283		0.78	0.009	0.19	2.92	13.2	<0.2	<10	210	0.60	0.33	0.35	0.09	35.6	13.6	45
I316284		0.56	<0.005	0.26	3.43	11.1	<0.2	<10	370	0.94	0.43	0.73	0.21	51.0	16.1	95
I316285		1.12	0.005	0.07	2.33	6.1	<0.2	<10	240	0.58	0.17	0.49	0.14	27.9	12.0	52
I316286		0.68	<0.005	0.06	2.15	6.3	<0.2	<10	210	0.54	0.15	0.39	0.13	24.6	14.5	44
I316287		0.44	<0.005	0.10	2.43	40.2	<0.2	<10	210	0.62	0.21	0.36	0.14	20.8	13.9	59
I316288		0.40	<0.005	0.14	1.78	35.4	<0.2	<10	210	0.45	0.15	0.72	0.31	20.1	9.1	45
I316289		0.78	0.008	0.11	2.64	25.9	<0.2	<10	200	0.60	0.15	0.37	0.08	21.7	12.1	55
I316290		0.68	<0.005	0.11	2.08	20.2	<0.2	<10	190	0.65	0.14	0.48	0.14	22.4	13.7	41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I316251		1.38	41.3	3.17	6.53	0.09	0.04	0.03	0.024	0.09	11.6	10.2	0.66	617	3.49
I316252		1.44	42.8	3.20	6.59	0.09	0.04	0.04	0.024	0.08	12.3	9.6	0.63	793	4.38
I316253		1.58	46.0	3.84	6.55	0.11	0.07	0.04	0.026	0.12	13.5	9.5	0.61	381	10.55
I316254		1.65	26.6	3.29	8.66	0.10	0.05	0.04	0.026	0.10	10.8	11.9	0.80	789	5.74
I316255		1.66	28.1	2.74	7.48	0.08	0.04	0.04	0.024	0.07	11.6	11.2	0.63	1300	4.99
I316256		2.10	53.2	2.23	7.36	0.09	0.04	0.13	0.029	0.08	12.3	11.5	0.55	214	14.90
I316257		2.85	35.4	2.67	8.72	0.09	0.02	0.05	0.028	0.16	11.4	8.0	0.86	625	3.97
I316258		2.42	46.2	2.95	7.74	0.09	0.03	0.10	0.029	0.17	14.8	10.4	0.63	3120	3.57
I316259		3.78	56.7	2.75	7.57	0.08	0.02	0.09	0.025	0.12	11.4	12.4	0.67	639	2.46
I316260		3.88	42.3	1.82	6.21	0.07	0.03	0.10	0.019	0.10	15.5	7.9	0.49	153	1.22
I316261		4.82	41.4	3.14	6.99	0.12	0.12	0.10	0.032	0.18	24.1	11.2	0.59	510	1.80
I316262		2.89	30.8	2.58	7.02	0.07	0.09	0.05	0.033	0.08	16.8	11.6	0.46	304	1.03
I316263		2.99	25.5	2.97	6.36	0.09	0.08	0.04	0.032	0.09	14.8	10.1	0.47	1230	1.36
I316264		3.60	38.9	3.99	7.47	0.12	0.21	0.05	0.039	0.11	24.8	12.6	0.52	895	1.16
I316265		4.18	64.9	3.98	10.10	0.11	0.09	0.07	0.053	0.12	36.3	17.0	0.60	1150	1.82
I316266		1.17	13.7	1.77	5.50	0.05	0.02	0.04	0.012	0.03	4.2	3.3	0.14	144	0.99
I316267		5.86	32.8	3.44	7.85	0.10	0.06	0.06	0.033	0.14	26.1	13.2	0.50	698	2.08
I316268		3.68	25.6	3.70	10.40	0.07	0.04	0.06	0.031	0.07	8.5	7.8	0.29	942	3.03
I316269		7.51	48.4	3.92	8.27	0.12	0.09	0.08	0.041	0.30	46.0	11.9	0.53	1300	2.83
I316270		2.61	34.3	3.10	7.43	0.09	0.09	0.04	0.034	0.09	28.9	13.2	0.62	318	0.83
I316271		2.61	33.7	3.38	7.45	0.09	0.08	0.03	0.033	0.09	28.5	12.8	0.61	348	1.13
I316272		2.62	15.7	2.69	6.73	0.07	0.04	0.04	0.026	0.05	14.1	7.0	0.31	287	1.23
I316273		0.64	6.0	0.28	1.12	<0.05	<0.02	0.03	<0.005	0.02	1.5	0.5	0.03	16	0.32
I316274		7.09	130.5	4.45	10.35	0.14	0.09	0.04	0.025	0.41	7.9	22.5	1.13	564	1.17
I316275		4.12	76.3	3.88	8.50	0.13	0.07	0.03	0.030	0.22	13.2	17.4	0.88	451	1.61
I316276		2.51	56.7	3.66	6.17	0.13	0.09	0.04	0.024	0.20	11.9	16.5	0.75	479	1.67
I316277		1.69	33.8	3.04	7.37	0.11	0.08	0.04	0.028	0.16	13.2	15.3	0.80	253	1.22
I316278		2.25	30.9	4.09	8.95	0.13	0.05	0.04	0.033	0.20	13.7	16.0	0.86	1000	1.90
I316279		2.25	31.6	3.28	7.14	0.16	0.15	0.02	0.030	0.26	16.7	14.2	0.90	594	1.11
I316280		1.43	51.4	2.39	5.06	0.08	0.04	0.08	0.022	0.09	8.1	8.7	0.45	385	1.50
I316281		1.19	39.5	1.89	4.70	0.06	0.03	0.06	0.018	0.06	5.3	7.9	0.37	302	1.19
I316282		2.07	60.4	3.39	8.10	0.11	0.05	0.05	0.030	0.13	12.8	16.7	0.72	596	2.81
I316283		2.32	56.3	2.86	9.28	0.08	0.03	0.10	0.028	0.14	23.5	12.5	0.50	438	3.94
I316284		3.81	106.0	3.31	11.35	0.10	0.05	0.08	0.040	0.22	30.3	19.9	0.87	772	35.7
I316285		1.67	106.0	2.97	7.65	0.09	0.07	0.02	0.024	0.18	13.6	14.1	0.83	263	7.53
I316286		1.52	68.7	2.75	6.90	0.07	0.04	0.04	0.024	0.14	11.4	13.5	0.70	390	6.46
I316287		3.04	71.2	3.20	9.88	0.08	0.04	0.06	0.031	0.20	9.6	16.1	0.83	411	8.57
I316288		2.36	74.6	2.28	6.49	0.06	0.04	0.05	0.023	0.12	11.1	9.8	0.61	231	9.01
I316289		2.32	64.2	2.62	8.31	0.07	0.04	0.10	0.042	0.12	10.7	17.2	0.86	223	11.65
I316290		1.65	46.8	2.51	6.94	0.07	0.03	0.04	0.026	0.11	10.7	14.0	0.64	707	20.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I316251		1.91	23.7	880	5.6	14.6	<0.001	0.01	0.68	5.1	0.7	0.5	23.4	<0.01	0.05
I316252		1.89	25.4	900	6.1	13.7	<0.001	0.02	0.73	4.9	0.8	0.5	24.2	<0.01	0.07
I316253		2.33	25.2	770	5.5	20.2	<0.001	0.01	1.30	5.2	0.8	0.5	27.1	<0.01	0.06
I316254		3.17	27.4	720	6.1	14.7	<0.001	0.03	0.74	5.6	0.7	0.7	35.1	<0.01	0.05
I316255		2.45	23.2	760	5.6	13.4	<0.001	0.02	0.62	4.9	0.7	0.6	24.9	<0.01	0.04
I316256		1.84	24.6	740	4.5	15.4	<0.001	0.04	0.34	5.1	0.8	0.6	26.0	<0.01	0.03
I316257		2.11	57.8	1040	4.5	28.8	<0.001	0.06	0.21	4.5	0.9	0.9	42.7	<0.01	0.07
I316258		1.36	25.8	940	5.6	24.6	<0.001	0.06	0.38	5.1	1.0	0.6	51.7	<0.01	0.05
I316259		1.10	26.1	770	5.4	23.0	<0.001	0.07	0.30	4.4	1.0	0.5	52.0	<0.01	0.08
I316260		1.10	20.8	630	4.7	20.5	<0.001	0.05	0.44	4.0	1.0	0.6	40.2	<0.01	0.04
I316261		2.15	19.1	930	10.3	34.0	<0.001	<0.01	0.74	6.4	0.7	0.9	36.8	<0.01	0.17
I316262		3.19	14.7	620	8.8	23.8	<0.001	0.01	0.47	6.2	0.7	1.1	27.7	<0.01	0.03
I316263		3.03	14.1	760	10.7	25.5	<0.001	0.02	0.56	5.0	0.7	1.2	32.9	<0.01	0.03
I316264		3.12	20.1	690	13.3	26.7	<0.001	<0.01	0.58	7.8	0.9	1.4	26.5	<0.01	0.04
I316265		3.42	23.7	600	14.3	33.0	<0.001	0.03	0.68	7.5	1.2	1.5	30.4	<0.01	0.08
I316266		1.56	6.4	200	5.6	8.4	<0.001	0.01	0.33	1.3	0.5	0.6	7.6	<0.01	0.04
I316267		2.65	20.2	730	9.4	31.5	<0.001	0.02	0.36	3.6	0.8	1.0	16.5	<0.01	0.08
I316268		2.48	12.8	510	11.7	16.5	<0.001	0.02	0.52	2.7	0.7	0.8	11.2	<0.01	0.09
I316269		5.05	18.6	820	11.0	57.5	<0.001	0.02	0.43	4.2	0.8	1.2	15.9	<0.01	0.04
I316270		2.18	23.5	670	9.5	17.9	<0.001	<0.01	0.42	5.0	0.7	0.7	21.5	<0.01	0.03
I316271		2.16	23.1	710	10.0	17.9	<0.001	0.01	0.42	4.8	0.7	0.7	21.4	<0.01	0.03
I316272		1.49	10.7	480	17.0	11.6	<0.001	0.02	0.92	2.4	0.7	0.8	14.0	<0.01	0.03
I316273		0.11	1.6	340	1.8	2.2	<0.001	0.03	0.09	0.2	0.2	0.2	10.2	<0.01	0.01
I316274		1.00	19.8	1950	5.1	46.4	0.001	0.02	0.57	6.6	0.8	0.6	67.3	<0.01	0.04
I316275		1.67	21.8	1040	7.3	28.3	<0.001	0.02	0.57	6.6	0.8	0.9	31.9	<0.01	0.04
I316276		1.34	21.9	730	5.2	28.5	<0.001	0.02	0.44	7.2	0.9	0.6	27.6	0.01	0.02
I316277		2.41	26.7	610	7.1	28.0	<0.001	0.02	0.46	6.7	0.8	0.6	31.8	<0.01	0.06
I316278		2.81	33.6	690	12.9	29.5	<0.001	0.03	0.83	6.3	0.8	0.9	31.7	<0.01	0.05
I316279		1.99	33.5	660	9.5	37.2	<0.001	0.01	0.39	8.1	0.8	0.9	27.9	0.01	0.03
I316280		0.81	18.4	900	5.0	15.1	<0.001	0.08	0.27	2.9	1.0	0.4	23.2	<0.01	0.03
I316281		0.70	15.9	640	4.2	12.2	<0.001	0.06	0.24	2.5	0.8	0.4	24.8	<0.01	0.03
I316282		1.37	33.3	770	7.2	26.4	<0.001	0.05	0.42	5.3	0.9	0.8	33.5	<0.01	0.04
I316283		1.44	24.1	650	6.8	22.2	<0.001	0.05	0.28	5.0	0.7	0.6	33.5	<0.01	0.05
I316284		2.19	59.8	830	6.4	36.8	0.001	0.07	0.30	7.3	1.1	1.1	64.9	<0.01	0.09
I316285		2.10	36.9	900	5.5	23.1	<0.001	0.03	0.32	6.8	0.8	0.5	30.0	<0.01	0.05
I316286		1.99	31.0	790	5.0	18.1	<0.001	0.03	0.25	5.5	0.6	0.5	23.4	<0.01	0.04
I316287		2.42	35.4	680	6.2	25.5	<0.001	0.05	0.76	5.6	0.7	0.7	26.6	<0.01	0.07
I316288		1.65	29.5	670	4.5	18.3	0.001	0.11	0.90	3.9	0.7	0.5	43.1	<0.01	0.05
I316289		2.02	35.0	750	6.8	18.2	<0.001	0.05	0.48	5.9	0.6	0.6	24.4	<0.01	0.03
I316290		1.51	25.1	840	5.3	15.5	<0.001	0.05	0.46	4.4	0.5	0.5	31.6	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I316251		0.125	0.20	0.76	72	0.63	6.64	58
I316252		0.113	0.20	0.74	71	0.44	7.04	59
I316253		0.125	0.20	0.84	72	0.84	7.74	58
I316254		0.164	0.21	0.62	72	0.71	5.38	68
I316255		0.134	0.19	0.62	60	1.12	5.81	63
I316256		0.118	0.19	1.14	54	4.41	6.44	54
I316257		0.116	0.25	1.25	75	0.70	5.74	56
I316258		0.096	0.27	1.55	66	1.23	7.61	58
I316259		0.090	0.22	1.56	67	2.09	8.15	63
I316260		0.076	0.20	3.04	38	0.68	8.86	43
I316261		0.131	0.62	3.78	62	0.51	12.20	68
I316262		0.125	0.32	5.47	59	0.29	10.30	59
I316263		0.119	0.37	3.82	57	0.34	9.29	60
I316264		0.138	0.42	9.95	67	0.26	17.55	68
I316265		0.131	0.46	10.00	76	0.38	19.25	80
I316266		0.084	0.14	0.46	45	0.16	1.43	22
I316267		0.128	0.42	3.32	67	0.50	10.80	65
I316268		0.116	0.21	1.19	78	0.50	3.44	43
I316269		0.172	0.72	3.97	61	1.31	13.50	69
I316270		0.118	0.24	2.32	62	0.33	10.40	52
I316271		0.115	0.25	2.56	67	0.34	10.50	53
I316272		0.080	0.24	1.60	55	0.25	5.68	42
I316273		0.012	0.05	0.63	7	0.07	1.15	4
I316274		0.161	0.42	1.18	105	11.00	7.02	73
I316275		0.164	0.27	1.57	95	0.29	7.87	64
I316276		0.162	0.24	1.35	86	0.54	9.84	52
I316277		0.160	0.23	1.00	68	1.97	7.03	53
I316278		0.170	0.23	0.73	79	2.84	5.54	71
I316279		0.181	0.29	1.46	75	0.78	9.25	62
I316280		0.076	0.12	0.85	53	0.39	5.11	38
I316281		0.065	0.08	0.46	42	0.57	3.82	39
I316282		0.108	0.16	0.87	81	1.41	6.19	77
I316283		0.088	0.17	1.81	63	1.50	10.70	45
I316284		0.118	0.27	2.67	80	1.03	16.70	102
I316285		0.167	0.21	1.10	84	1.26	8.27	63
I316286		0.135	0.16	0.88	77	2.02	6.43	61
I316287		0.161	0.22	0.70	98	13.95	4.69	73
I316288		0.098	0.16	0.73	65	1.86	5.61	61
I316289		0.153	0.19	0.99	81	2.72	5.52	70
I316290		0.119	0.17	0.77	67	0.78	5.96	65



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I316291		0.64	0.007	0.14	2.49	38.2	<0.2	<10	190	0.80	0.14	0.42	0.11	23.8	10.0	48
I316292		0.58	<0.005	0.20	1.78	5.5	<0.2	<10	230	1.02	0.17	0.35	0.11	17.05	7.5	30
I316293		0.54	<0.005	0.17	2.24	6.4	<0.2	<10	290	0.70	0.19	0.44	0.29	22.1	11.7	46
I316294		0.90	<0.005	0.11	2.09	4.0	<0.2	<10	200	0.51	0.24	0.40	0.10	19.00	10.4	66
I316295		0.88	<0.005	0.10	2.97	7.2	<0.2	<10	240	0.63	0.37	0.43	0.11	35.7	11.9	66
I316296		1.00	<0.005	0.07	2.72	14.8	<0.2	<10	250	0.59	0.27	0.44	0.13	35.9	11.8	60
I316297		1.00	0.012	0.12	2.78	16.2	<0.2	<10	150	0.45	0.31	0.37	0.11	20.3	15.1	82
I316298		1.00	0.005	0.14	2.86	14.4	<0.2	<10	160	0.42	0.31	0.37	0.11	20.7	15.3	83
I316299		0.90	<0.005	0.06	2.47	5.5	<0.2	<10	140	0.35	0.20	0.28	0.07	15.20	12.6	62
I316300		0.46	<0.005	0.13	1.50	3.5	<0.2	<10	120	0.21	0.23	0.32	0.17	9.65	6.8	63
I316301		0.32	<0.005	0.16	1.86	9.0	<0.2	<10	250	0.56	0.19	0.95	0.42	23.7	11.3	32
I316302		0.30	<0.005	0.19	2.23	9.3	<0.2	<10	310	0.50	0.24	0.87	0.33	23.0	23.0	40
I316303		0.58	<0.005	0.09	2.60	6.7	<0.2	<10	300	0.42	0.41	0.55	0.17	17.50	16.9	54
I316304		0.22	<0.005	0.36	2.53	12.1	<0.2	<10	330	0.37	0.41	0.92	0.30	14.10	23.4	49
I316305		0.20	<0.005	0.24	2.09	6.2	<0.2	<10	300	0.36	0.27	0.72	0.43	16.10	12.4	41
I316306		0.24	<0.005	0.29	2.02	8.6	<0.2	<10	250	0.32	0.27	0.60	0.56	15.65	10.8	39
I316307		0.36	<0.005	0.15	2.26	4.6	<0.2	<10	240	0.28	0.21	0.54	0.21	10.30	12.5	54
I316308		0.22	<0.005	0.07	0.44	2.3	<0.2	<10	30	0.10	0.09	0.13	0.06	3.39	2.2	10
I316309		0.28	<0.005	0.24	1.66	6.8	<0.2	<10	130	0.27	0.32	0.30	0.25	9.59	10.5	40
I316310		0.24	<0.005	0.22	0.77	9.5	<0.2	<10	100	0.33	0.23	0.13	1.46	11.60	4.2	18



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I316291		2.00	51.1	2.77	7.99	0.06	0.05	0.07	0.035	0.06	11.9	17.2	0.70	197	51.0
I316292		2.23	78.7	2.35	6.43	0.05	0.03	0.10	0.025	0.10	8.8	7.8	0.39	265	69.9
I316293		2.29	76.5	2.63	8.15	0.06	0.04	0.07	0.029	0.11	11.1	12.0	0.61	582	99.7
I316294		1.83	57.4	2.17	7.06	0.06	0.03	0.03	0.026	0.10	10.4	12.3	0.62	370	61.3
I316295		3.10	100.5	3.06	9.45	0.10	0.07	0.06	0.032	0.29	19.0	16.6	0.80	286	9.85
I316296		2.76	75.3	2.77	7.84	0.08	0.06	0.02	0.024	0.24	17.3	15.7	0.74	299	2.70
I316297		2.19	60.1	3.11	7.79	0.06	0.04	0.03	0.024	0.10	9.3	16.8	0.80	451	2.19
I316298		2.19	60.9	3.13	7.87	0.05	0.05	0.03	0.026	0.10	9.3	17.0	0.81	458	2.19
I316299		2.25	69.2	2.50	6.38	0.06	0.04	0.03	0.019	0.14	7.0	15.7	0.89	186	0.71
I316300		1.66	55.8	1.65	4.68	<0.05	0.02	0.04	0.013	0.07	4.8	9.7	0.55	146	1.20
I316301		1.04	52.5	2.15	5.26	0.06	0.04	0.06	0.020	0.13	11.1	9.3	0.48	727	2.12
I316302		1.27	43.5	2.81	6.43	0.07	0.03	0.06	0.022	0.11	9.3	11.4	0.61	2110	2.44
I316303		1.53	36.2	2.69	7.44	0.07	0.04	0.02	0.023	0.18	7.9	13.6	1.14	909	1.07
I316304		1.37	51.6	3.06	7.08	0.06	0.03	0.05	0.023	0.13	6.5	11.4	0.99	978	1.44
I316305		1.08	42.2	2.29	6.19	0.05	0.03	0.04	0.021	0.10	7.7	10.1	0.84	471	1.16
I316306		1.28	38.4	2.27	6.54	0.05	0.03	0.04	0.019	0.11	7.4	10.1	0.80	538	1.21
I316307		1.29	29.0	2.70	8.12	0.07	0.03	0.02	0.015	0.33	5.0	11.3	1.44	354	1.05
I316308		0.56	8.8	0.80	2.76	<0.05	<0.02	0.02	0.006	0.03	1.8	2.5	0.11	51	0.59
I316309		1.67	34.7	2.62	7.83	0.05	0.02	0.05	0.008	0.09	4.7	9.0	0.38	937	1.87
I316310		1.06	48.9	1.33	3.77	<0.05	<0.02	0.07	<0.005	0.05	7.3	2.2	0.13	83	1.31



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I316291		1.97	27.3	700	5.9	11.4	0.001	0.06	0.60	5.5	0.5	0.6	27.4	<0.01	0.04	1.4
I316292		1.07	24.5	900	5.3	27.5	<0.001	0.09	0.24	3.1	0.6	0.5	31.4	<0.01	0.05	0.4
I316293		1.64	29.9	800	6.4	24.9	0.001	0.08	0.25	4.6	0.7	0.6	38.8	<0.01	0.05	0.9
I316294		1.42	34.7	710	4.8	18.2	0.001	0.05	0.19	3.9	0.5	0.7	31.7	<0.01	0.05	1.1
I316295		1.89	29.8	760	6.1	40.2	<0.001	0.02	0.39	7.7	0.6	0.9	33.1	<0.01	0.06	5.6
I316296		1.53	23.7	750	7.3	29.7	<0.001	0.01	0.39	6.2	0.5	0.7	32.4	<0.01	0.04	5.3
I316297		1.26	42.5	590	5.8	16.7	<0.001	0.02	0.43	6.4	0.5	0.5	26.6	<0.01	0.05	1.5
I316298		1.25	42.1	600	5.9	16.8	<0.001	0.02	0.43	6.3	0.5	0.5	26.6	<0.01	0.04	1.5
I316299		1.24	28.7	530	4.9	18.5	<0.001	0.02	0.31	4.7	0.4	0.4	18.9	<0.01	0.03	1.2
I316300		0.72	24.5	510	3.7	14.0	<0.001	0.06	0.32	2.5	0.5	0.4	27.2	<0.01	0.04	0.2
I316301		1.41	22.0	960	4.5	17.9	<0.001	0.11	0.52	3.9	1.0	0.5	46.7	<0.01	0.06	0.8
I316302		1.20	24.6	960	5.8	21.4	0.001	0.12	0.41	4.3	1.2	0.4	47.6	<0.01	0.07	0.7
I316303		1.62	26.9	630	5.6	23.2	0.001	0.04	0.44	6.3	0.6	0.6	29.8	<0.01	0.12	2.2
I316304		0.99	28.1	1080	6.7	17.9	<0.001	0.13	1.00	4.4	1.2	0.5	48.8	<0.01	0.12	0.5
I316305		1.11	25.2	700	4.8	14.8	0.001	0.08	0.60	4.0	0.8	0.5	41.7	<0.01	0.09	0.4
I316306		1.06	24.9	730	5.7	19.3	<0.001	0.09	1.17	3.4	0.7	0.5	37.3	<0.01	0.05	0.4
I316307		1.61	28.5	460	4.8	23.5	<0.001	0.04	0.49	3.5	0.4	0.5	24.8	<0.01	0.05	0.6
I316308		0.46	4.7	160	2.5	4.9	<0.001	0.02	0.14	1.0	0.2	0.2	9.7	<0.01	0.02	<0.2
I316309		0.89	17.9	620	6.1	20.8	<0.001	0.10	0.50	2.2	0.6	0.6	22.6	<0.01	0.07	0.2
I316310		0.48	17.0	650	5.0	9.9	<0.001	0.07	0.34	0.7	0.7	0.4	13.4	<0.01	0.04	<0.2



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

www.alsqglobal.com

**SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5**

**Total # Pages: 7 (A - D)
Plus Appendix Pages**

Account: EIASOI

Project: SQL10-06

CERTIFICATE OF ANALYSIS WH10122682

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

Appendix D: Rock Sample Descriptions

Rock Sample Descriptions

Dawson

Operator: Silver Quest Resources Ltd.

Project: SQI11-03 2010

NTS:

I319662 Ogo	Grid North:	Grid East:	Type: Float	Alteration: Si	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Bi (ppm)</u>
	UTM 7045494 N	UTM 558304 E	Strike Length Exp:	Metallics: Py	<0.005	0.02	0.3	0.03
	Elevation:	Sample Width: 10	True Width:	Secondaries:	<u>Mo (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>Zn (ppm)</u>
			Host : Bt granite		0.35	2.2	0.08	26
Sampled By: RV 13-Aug-10	Silicified pyrite-bearing Bt granite							
I319663 Ogo	Grid North:	Grid East:	Type: Float	Alteration:	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Bi (ppm)</u>
	UTM 7045432 N	UTM 558063 E	Strike Length Exp:	Metallics: Py	<0.005	0.01	2.7	0.01
	Elevation:	Sample Width: 10	True Width:	Secondaries: He	<u>Mo (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>Zn (ppm)</u>
			Host : Bt granite		0.26	1.4	0.06	8
Sampled By: RV 13-Aug-10	Bt granite with ~2% strongly oxidized sulfides (pyrite?)							
I319664 Ogo	Grid North:	Grid East:	Type: Float	Alteration:	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Bi (ppm)</u>
	UTM 7045382 N	UTM 558096 E	Strike Length Exp:	Metallics: Mg	<0.005	0.03	1.6	<0.01
	Elevation:	Sample Width: 20	True Width:	Secondaries: Ja	<u>Mo (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>Zn (ppm)</u>
			Host : Quartz Vein		0.3	1.1	0.11	3
Sampled By: RV 13-Aug-10	Quartz vein with strong Fe-hydroxide alteration and trace magnetite							
I319665 Ogo	Grid North:	Grid East:	Type: Float	Alteration:	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Bi (ppm)</u>
	UTM 7044697 N	UTM 558192 E	Strike Length Exp:	Metallics:	<0.005	0.51	5.8	0.13
	Elevation:	Sample Width: 10	True Width:	Secondaries: Ja	<u>Mo (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>Zn (ppm)</u>
			Host : Granitoid		0.74	183	0.17	85
Sampled By: RV 13-Aug-10	Granitoid with abundant red-brown Fe-hydroxides							

Appendix E: Data Disc

Report text, geochemical databases, drafting and plot files

Appendix F: Geologist's Certificates

GEOLOGIST'S CERTIFICATE

Darcy E.L. Baker
Suite 114 – 2635 Prince Edward Street,
Vancouver, BC, Canada

I, Darcy Baker, P.Geo. do hereby certify that:

- I am a Geologist and President of Equity Exploration Consultants Ltd., with offices at Suite 200–900 West Hastings Street in the City of Vancouver, B.C., in the Province of British Columbia.
- I am a member in good standing (#33,448) of the Association of Professional Engineers and Geoscientists of British Columbia.
- I am a graduate of Dalhousie University (1997) with an Honours Bachelor of Science degree in Geology, and am a graduate of the University of Newcastle, Australia (2003) with a Doctor of Philosophy degree in Geology, and I have practiced my profession continuously since 1997.
- Since 1997 I have been involved in mineral exploration for gold, silver, copper, uranium, molybdenum, lead and zinc across Canada and in Alaska, Nevada and Australia.
- I am a Consulting Geologist and principal of Equity Exploration Consultants Ltd. (a geological consulting and contracting firm) and have been so since May 2003.
- I managed the Yukon field exploration campaigns for Silver Quest during 2010.
- I am independent of Silver Quest.

Dated at Vancouver, British Columbia, this 29th day of March, 2011.



Darcy Baker, Ph.D., P.Geo.