



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 17-SEP-2010
Account: EIASQI

CERTIFICATE WH10120405

Project: SQI10-01
P.O. No.: SQI10-06_22
This report is for 22 Rock samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I034053 | | 0.43 | <0.005 | 0.74 | 0.40 | 0.6 | <0.2 | <10 | 440 | 0.23 | 0.14 | 1.01 | 0.07 | 112.0 | 0.4 | 35 |
| I034054 | | 1.70 | <0.005 | 1.09 | 0.27 | 0.6 | <0.2 | <10 | 500 | 0.23 | 0.10 | 0.21 | 0.12 | 27.7 | 0.3 | 35 |
| I034151 | | 1.64 | <0.005 | 0.35 | 1.22 | 3 | <0.2 | <10 | 60 | 0.46 | 0.12 | 11.50 | 0.28 | 18.00 | 16.5 | 10 |
| I034152 | | 0.93 | <0.005 | 0.01 | 0.21 | 0.3 | <0.2 | <10 | 10 | 0.27 | 0.11 | 0.05 | 0.01 | 6.11 | 0.9 | 13 |
| I034153 | | 0.90 | <0.005 | 0.14 | 0.07 | 0.1 | <0.2 | <10 | 30 | 0.06 | 0.17 | 0.09 | 0.01 | 8.94 | 0.6 | 51 |
| I034154 | | 1.14 | <0.005 | 0.02 | 0.03 | 0.6 | <0.2 | <10 | 10 | 0.06 | 0.27 | 0.02 | 0.01 | 0.44 | 0.8 | 39 |
| I034201 | | 0.70 | <0.005 | 0.03 | 0.33 | 0.4 | <0.2 | <10 | 50 | 0.91 | 0.48 | 0.32 | 0.14 | 14.10 | 0.3 | 10 |
| I034202 | | 0.58 | 0.011 | 0.01 | 1.02 | 0.7 | <0.2 | <10 | 20 | 0.17 | 0.03 | 1.59 | 0.06 | 2.88 | 19.7 | 9 |
| I034203 | | 0.63 | 0.005 | 0.07 | 1.06 | 12.9 | <0.2 | <10 | 1550 | 1.20 | 0.04 | 0.90 | 0.12 | 52.4 | 5.5 | 5 |
| I319659 | | 0.92 | <0.005 | 0.02 | 2.33 | 0.4 | <0.2 | <10 | 30 | 0.27 | 0.02 | 1.60 | 0.03 | 5.86 | 32.0 | 197 |
| I319660 | | 0.69 | <0.005 | 0.04 | 0.17 | 3.7 | <0.2 | <10 | 20 | <0.05 | 0.24 | 0.06 | 0.04 | 3.91 | 2.3 | 40 |
| I319661 | | 0.50 | <0.005 | 0.04 | 0.25 | 2.8 | <0.2 | <10 | 40 | 0.06 | 1.11 | 0.05 | 0.11 | 3.59 | 4.0 | 34 |
| I319662 | | 0.44 | <0.005 | 0.02 | 0.57 | 0.3 | <0.2 | <10 | 130 | 0.12 | 0.03 | 0.15 | 0.02 | 4.50 | 1.4 | 12 |
| I319663 | | 0.52 | <0.005 | 0.01 | 0.18 | 2.7 | <0.2 | <10 | 100 | 0.08 | 0.01 | 0.04 | 0.04 | 6.37 | 1.8 | 6 |
| I319664 | | 0.90 | <0.005 | 0.03 | 0.02 | 1.6 | <0.2 | <10 | 200 | <0.05 | <0.01 | 0.29 | 0.03 | 1.14 | 0.6 | 47 |
| I319665 | | 0.62 | <0.005 | 0.51 | 0.18 | 5.8 | <0.2 | <10 | 220 | 0.19 | 0.13 | 0.09 | 0.91 | 45.9 | 4.1 | 12 |
| I319666 | | 0.69 | <0.005 | 0.02 | 0.43 | 0.2 | <0.2 | <10 | 130 | 0.14 | 0.09 | 0.08 | 0.02 | 5.17 | 1.4 | 9 |
| I319667 | | 0.58 | <0.005 | 0.02 | 0.24 | 0.6 | <0.2 | <10 | 120 | 0.07 | 0.03 | 0.04 | 0.03 | 3.24 | 0.7 | 9 |
| I319668 | | 0.77 | <0.005 | 0.02 | 0.02 | 0.8 | <0.2 | <10 | 10 | <0.05 | 0.01 | 0.07 | 0.02 | 0.36 | 0.4 | 37 |
| I319669 | | 0.32 | <0.005 | 0.04 | 1.53 | 0.2 | <0.2 | <10 | 30 | 0.21 | 0.03 | 0.51 | 0.08 | 5.33 | 13.9 | 58 |
| I319670 | | 0.97 | <0.005 | 0.08 | 2.75 | 0.3 | <0.2 | <10 | 70 | 0.37 | 0.02 | 0.53 | 0.07 | 5.13 | 20.4 | 10 |
| I319671 | | 1.32 | 0.008 | 0.20 | 1.51 | 1.1 | <0.2 | <10 | 70 | 0.30 | 0.04 | 0.52 | 0.02 | 3.70 | 11.5 | 13 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I034053 | | 0.32 | 10.7 | 1.43 | 2.88 | 0.20 | 0.17 | 0.03 | 0.082 | 0.16 | 75.8 | 1.8 | 0.06 | 41 | 7.70 | <0.01 |
| I034054 | | 0.21 | 9.9 | 1.08 | 1.77 | 0.07 | 0.08 | 0.01 | 0.034 | 0.16 | 15.2 | 1.5 | 0.04 | 30 | 9.40 | 0.01 |
| I034151 | | 0.32 | 24.1 | 4.69 | 6.01 | 0.09 | 0.04 | <0.01 | 0.109 | 0.30 | 8.9 | 10.2 | 1.71 | 1880 | 3.19 | 0.03 |
| I034152 | | 0.82 | 8.3 | 0.32 | 1.16 | <0.05 | 0.30 | <0.01 | 0.006 | 0.11 | 2.2 | 1.9 | 0.03 | 79 | 0.47 | 0.05 |
| I034153 | | 0.08 | 37.0 | 0.54 | 0.55 | <0.05 | <0.02 | <0.01 | <0.005 | 0.02 | 7.2 | 0.5 | 0.03 | 49 | 16.70 | 0.01 |
| I034154 | | <0.05 | 22.0 | 0.33 | 0.14 | <0.05 | <0.02 | <0.01 | <0.005 | 0.01 | 0.3 | 0.2 | 0.01 | 26 | 4.79 | <0.01 |
| I034201 | | 4.21 | 1.0 | 0.25 | 1.34 | <0.05 | 0.52 | <0.01 | 0.006 | 0.23 | 6.9 | 0.8 | 0.01 | 427 | 0.21 | 0.04 |
| I034202 | | 0.14 | 60.9 | 2.09 | 2.40 | 0.12 | 0.13 | <0.01 | 0.007 | 0.04 | 1.4 | 1.4 | 0.35 | 330 | 0.34 | 0.05 |
| I034203 | | 8.68 | 1.5 | 1.53 | 2.40 | 0.08 | 0.31 | <0.01 | 0.010 | 0.34 | 28.5 | 14.7 | 0.24 | 649 | 0.05 | 0.01 |
| I319659 | | 0.07 | 42.8 | 2.80 | 6.21 | 0.08 | 0.09 | <0.01 | 0.007 | 0.07 | 3.0 | 12.2 | 2.29 | 517 | 0.13 | 0.04 |
| I319660 | | 0.07 | 3.8 | 0.53 | 0.52 | <0.05 | 0.08 | <0.01 | <0.005 | 0.01 | 1.6 | 1.2 | 0.11 | 92 | 0.55 | 0.01 |
| I319661 | | 0.05 | 19.0 | 0.86 | 0.25 | <0.05 | 0.08 | <0.01 | 0.007 | 0.01 | 1.5 | 1.0 | 0.04 | 129 | 2.31 | 0.01 |
| I319662 | | 0.28 | 11.1 | 0.93 | 3.73 | <0.05 | 0.04 | <0.01 | 0.008 | 0.05 | 2.2 | 6.7 | 0.22 | 103 | 0.35 | 0.07 |
| I319663 | | 0.35 | 1.4 | 0.82 | 0.62 | <0.05 | 0.03 | <0.01 | 0.014 | 0.13 | 2.9 | 0.2 | 0.01 | 196 | 0.26 | 0.06 |
| I319664 | | <0.05 | 2.3 | 0.50 | 0.14 | <0.05 | <0.02 | <0.01 | <0.005 | 0.01 | 0.6 | 0.2 | 0.10 | 196 | 0.30 | 0.01 |
| I319665 | | 0.08 | 37.1 | 2.05 | 0.88 | 0.06 | 0.57 | 0.01 | 0.020 | 0.05 | 28.3 | 0.5 | 0.01 | 1500 | 0.74 | 0.10 |
| I319666 | | 0.25 | 1.5 | 0.75 | 2.76 | <0.05 | 0.02 | <0.01 | <0.005 | 0.19 | 2.5 | 4.0 | 0.08 | 154 | 0.12 | 0.06 |
| I319667 | | 0.07 | 2.6 | 0.31 | 0.79 | <0.05 | 0.02 | <0.01 | <0.005 | 0.13 | 1.2 | 0.7 | 0.01 | 62 | 0.15 | 0.05 |
| I319668 | | <0.05 | 1.4 | 0.25 | 0.21 | <0.05 | <0.02 | <0.01 | <0.005 | <0.01 | 0.2 | 0.2 | <0.01 | 84 | 0.23 | <0.01 |
| I319669 | | 0.13 | 35.3 | 2.70 | 6.48 | 0.15 | 0.06 | <0.01 | 0.010 | 0.02 | 2.6 | 22.8 | 1.43 | 494 | 0.35 | 0.03 |
| I319670 | | 0.81 | 54.6 | 4.69 | 11.00 | 0.10 | 0.05 | <0.01 | 0.012 | 0.09 | 2.6 | 39.6 | 2.29 | 824 | 0.32 | 0.03 |
| I319671 | | 0.46 | 22.1 | 2.47 | 5.49 | <0.05 | 0.02 | 0.04 | <0.005 | 0.09 | 1.7 | 30.4 | 1.19 | 486 | 0.12 | 0.05 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I034053 | | 1.61 | 7.0 | 5080 | 6.2 | 9.3 | 0.001 | 0.02 | 0.10 | 3.6 | 2.5 | 0.3 | 41.8 | 0.01 | 0.06 | 5.4 |
| I034054 | | 2.12 | 1.8 | 2070 | 3.4 | 8.0 | 0.001 | 0.06 | 0.06 | 3.2 | 3.6 | 0.3 | 15.0 | 0.01 | 0.06 | 4.0 |
| I034151 | | 0.10 | 22.8 | 1570 | 3.2 | 6.5 | 0.002 | 1.03 | 0.26 | 9.7 | 0.9 | <0.2 | 213 | <0.01 | 0.06 | 1.0 |
| I034152 | | 9.13 | 0.8 | 40 | 3.3 | 16.5 | <0.001 | 0.01 | 0.05 | 1.5 | 0.3 | 1.3 | 1.9 | 0.01 | 0.01 | 7.4 |
| I034153 | | 0.16 | 1.7 | 120 | 0.5 | 1.8 | <0.001 | 0.03 | <0.05 | 0.6 | 1.0 | 0.2 | 23.5 | <0.01 | 0.06 | 0.4 |
| I034154 | | 0.12 | 1.9 | 10 | 1.0 | 0.4 | <0.001 | 0.01 | 0.06 | 0.3 | <0.2 | <0.2 | 0.7 | <0.01 | 0.07 | <0.2 |
| I034201 | | 0.24 | 1.3 | 130 | 60.0 | 21.5 | <0.001 | <0.01 | 0.09 | 1.2 | 0.4 | 0.2 | 9.5 | <0.01 | 0.01 | 11.8 |
| I034202 | | 0.92 | 7.2 | 1000 | 1.9 | 1.0 | <0.001 | <0.01 | 0.29 | 3.6 | 0.4 | <0.2 | 114.5 | 0.01 | 0.03 | 0.2 |
| I034203 | | <0.05 | 5.8 | 660 | 26.8 | 23.1 | <0.001 | 0.04 | 0.36 | 1.7 | 0.3 | 0.2 | 45.2 | <0.01 | <0.01 | 9.7 |
| I319659 | | 0.45 | 108.5 | 1440 | 1.2 | 1.7 | <0.001 | <0.01 | 0.09 | 4.7 | 0.3 | 0.3 | 54.3 | 0.01 | <0.01 | 1.0 |
| I319660 | | 0.06 | 18.6 | 100 | 10.9 | 0.9 | <0.001 | 0.01 | 0.06 | 0.6 | <0.2 | <0.2 | 5.2 | <0.01 | 0.04 | 3.4 |
| I319661 | | 0.07 | 40.6 | 60 | 37.9 | 0.4 | <0.001 | 0.01 | 0.08 | 0.5 | 0.3 | <0.2 | 5.1 | <0.01 | 0.05 | 3.0 |
| I319662 | | 0.34 | 1.3 | 250 | 2.2 | 3.6 | <0.001 | 0.06 | 0.08 | 0.7 | <0.2 | 0.2 | 16.8 | <0.01 | 0.02 | 1.5 |
| I319663 | | 0.09 | 2.0 | 140 | 1.4 | 2.8 | <0.001 | 0.02 | 0.06 | 1.0 | <0.2 | <0.2 | 28.9 | <0.01 | <0.01 | 0.3 |
| I319664 | | 0.09 | 1.4 | 30 | 1.1 | 0.4 | <0.001 | 0.02 | 0.11 | 1.0 | <0.2 | <0.2 | 24.9 | <0.01 | <0.01 | 0.2 |
| I319665 | | 0.27 | 7.2 | 370 | 183.0 | 1.9 | <0.001 | 0.04 | 0.17 | 2.2 | 0.2 | 0.2 | 37.5 | <0.01 | 0.02 | 7.2 |
| I319666 | | 1.34 | 1.1 | 110 | 3.4 | 9.3 | <0.001 | 0.01 | <0.05 | 0.3 | <0.2 | <0.2 | 23.9 | <0.01 | <0.01 | 0.8 |
| I319667 | | 0.38 | 1.3 | 110 | 9.4 | 4.3 | <0.001 | 0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 12.5 | <0.01 | 0.01 | 0.4 |
| I319668 | | 0.12 | 1.4 | 220 | 0.3 | 0.2 | <0.001 | <0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 1.7 | <0.01 | 0.01 | <0.2 |
| I319669 | | 0.37 | 16.1 | 230 | 2.7 | 1.6 | <0.001 | 0.01 | 0.12 | 6.2 | 0.3 | 0.2 | 86.5 | <0.01 | 0.03 | 0.9 |
| I319670 | | 0.40 | 5.5 | 420 | 2.8 | 5.3 | <0.001 | <0.01 | 0.07 | 10.5 | 0.3 | 0.2 | 39.2 | <0.01 | 0.02 | 0.7 |
| I319671 | | 0.41 | 4.2 | 340 | 1.0 | 4.2 | <0.001 | 0.03 | 0.05 | 3.4 | 0.2 | 0.2 | 35.9 | <0.01 | 0.17 | 0.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I034053 | | 0.056 | 0.06 | 12.35 | 320 | 0.77 | 47.9 | 80 | 6.2 |
| I034054 | | 0.065 | 0.07 | 2.92 | 95 | 0.19 | 11.30 | 11 | 2.6 |
| I034151 | | 0.022 | 0.04 | 0.18 | 68 | 0.11 | 17.60 | 36 | 1.1 |
| I034152 | | <0.005 | 0.11 | 3.91 | 3 | 0.40 | 4.23 | 4 | 3.5 |
| I034153 | | <0.005 | 0.02 | 0.31 | 5 | 0.11 | 1.38 | <2 | <0.5 |
| I034154 | | <0.005 | <0.02 | <0.05 | 2 | 2.90 | 0.25 | <2 | <0.5 |
| I034201 | | <0.005 | 0.13 | 4.32 | <1 | 0.10 | 13.20 | 18 | 10.6 |
| I034202 | | 0.185 | <0.02 | 0.09 | 26 | 0.22 | 2.42 | 17 | 3.3 |
| I034203 | | <0.005 | 0.11 | 1.87 | 7 | 0.13 | 9.25 | 48 | 12.5 |
| I319659 | | 0.342 | <0.02 | 0.11 | 65 | 0.08 | 4.42 | 61 | 2.6 |
| I319660 | | 0.005 | <0.02 | 0.11 | 5 | <0.05 | 1.60 | 11 | 3.8 |
| I319661 | | <0.005 | <0.02 | 0.85 | 5 | <0.05 | 2.78 | 32 | 4.2 |
| I319662 | | 0.030 | 0.02 | 0.35 | 13 | <0.05 | 2.01 | 26 | 0.9 |
| I319663 | | <0.005 | 0.02 | 0.24 | 5 | 0.16 | 1.15 | 8 | 1.0 |
| I319664 | | <0.005 | <0.02 | 0.06 | 5 | 0.05 | 1.21 | 3 | <0.5 |
| I319665 | | <0.005 | 0.02 | 2.39 | 13 | 0.32 | 4.89 | 85 | 18.6 |
| I319666 | | 0.037 | 0.07 | 0.17 | 5 | <0.05 | 2.01 | 30 | 0.6 |
| I319667 | | 0.006 | 0.02 | 0.22 | 2 | <0.05 | 1.18 | 7 | 0.6 |
| I319668 | | <0.005 | <0.02 | <0.05 | 1 | <0.05 | 0.27 | 2 | <0.5 |
| I319669 | | 0.153 | <0.02 | 0.26 | 59 | 0.15 | 2.86 | 55 | 1.2 |
| I319670 | | 0.236 | 0.03 | 0.35 | 118 | 0.14 | 5.96 | 85 | 0.7 |
| I319671 | | 0.148 | 0.03 | 0.17 | 45 | 0.34 | 3.75 | 49 | <0.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

| Method | CERTIFICATE COMMENTS |
|--------------------|--|
| ME-MS41 ME-MS41 | Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 20-SEP-2010
Account: EIASQI

CERTIFICATE WH10122489

Project: SQI10-06
P.O. No.: SQI10-06_23
This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-----------------------------------|
| WEI-21 | Received Sample Weight |
| EXTRA-01 | Extra Sample received in Shipment |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I034008 | | 0.68 | 0.005 | 0.08 | 1.31 | 2.3 | <0.2 | <10 | 380 | 0.23 | 0.11 | 0.48 | 0.13 | 21.7 | 10.7 | 54 |
| I034009 | | 0.70 | 0.005 | 0.16 | 1.99 | 5.5 | <0.2 | <10 | 640 | 0.39 | 0.08 | 1.21 | 0.78 | 21.7 | 21.3 | 86 |
| I034316 | | 0.36 | 0.009 | 0.06 | 1.25 | 10.4 | <0.2 | <10 | 110 | 0.28 | 0.16 | 0.69 | 0.19 | 26.9 | 10.8 | 28 |
| I034317 | | 0.46 | 0.006 | 0.06 | 1.39 | 12.2 | <0.2 | <10 | 110 | 0.38 | 0.18 | 0.53 | 0.22 | 40.5 | 16.7 | 34 |
| I034318 | | 0.46 | 0.026 | 0.08 | 1.21 | 24.6 | <0.2 | <10 | 140 | 0.33 | 0.42 | 0.45 | 0.56 | 31.7 | 13.5 | 26 |
| I034319 | | 0.32 | 0.014 | 0.15 | 1.39 | 38.6 | <0.2 | <10 | 110 | 0.39 | 0.47 | 0.52 | 0.39 | 29.5 | 13.8 | 30 |
| I034320 | | 0.38 | 0.005 | 0.07 | 0.62 | 10.9 | <0.2 | <10 | 150 | 0.25 | 0.15 | 0.31 | 0.28 | 33.8 | 10.8 | 17 |
| I034321 | | 0.42 | 0.007 | 0.02 | 0.81 | 2.4 | <0.2 | <10 | 130 | 0.13 | 0.08 | 0.32 | 0.06 | 14.15 | 9.6 | 20 |
| I034322 | | 0.42 | <0.005 | 0.02 | 0.73 | 1.5 | <0.2 | <10 | 110 | 0.11 | 0.07 | 0.29 | 0.07 | 17.70 | 7.8 | 19 |
| I034323 | | 0.44 | <0.005 | 0.03 | 1.00 | 2.2 | <0.2 | <10 | 160 | 0.13 | 0.15 | 0.35 | 0.06 | 10.75 | 8.7 | 23 |
| I034324 | | 0.48 | <0.005 | 0.05 | 1.28 | 3.5 | <0.2 | <10 | 170 | 0.23 | 0.08 | 0.71 | 0.14 | 18.75 | 10.8 | 21 |
| I034325 | | 0.50 | <0.005 | 0.05 | 1.16 | 2.8 | <0.2 | <10 | 160 | 0.18 | 0.06 | 0.70 | 0.14 | 16.60 | 9.2 | 18 |
| I034326 | | 0.50 | <0.005 | 0.07 | 1.33 | 3.0 | <0.2 | <10 | 190 | 0.16 | 0.07 | 0.69 | 0.25 | 15.00 | 12.1 | 17 |
| I034327 | | 0.34 | <0.005 | 0.10 | 1.68 | 3.3 | <0.2 | <10 | 270 | 0.18 | 0.09 | 0.75 | 0.16 | 14.85 | 10.5 | 22 |
| I034328 | | 0.56 | 0.009 | 0.05 | 1.21 | 2.1 | <0.2 | <10 | 150 | 0.12 | 0.06 | 0.42 | 0.11 | 12.05 | 9.6 | 15 |
| I319501 | | 0.58 | <0.005 | 0.05 | 1.04 | 3.8 | <0.2 | <10 | 210 | 0.23 | 0.08 | 0.59 | 0.12 | 19.80 | 6.8 | 21 |
| I319502 | | 0.22 | <0.005 | 0.07 | 1.18 | 2.3 | <0.2 | <10 | 220 | 0.28 | 0.10 | 0.65 | 0.16 | 23.0 | 6.3 | 23 |
| I319551 | | 0.72 | <0.005 | 0.06 | 1.44 | 3.3 | <0.2 | <10 | 330 | 0.30 | 0.10 | 0.51 | 0.11 | 22.7 | 9.2 | 25 |
| I319552 | | 0.56 | <0.005 | 0.10 | 1.39 | 7.5 | <0.2 | <10 | 250 | 0.30 | 0.11 | 1.63 | 0.19 | 21.4 | 11.8 | 24 |
| I319553 | | 0.64 | <0.005 | 0.13 | 1.53 | 4.7 | <0.2 | <10 | 450 | 0.27 | 0.11 | 0.76 | 0.17 | 17.75 | 12.0 | 69 |
| I319554 | | 0.60 | <0.005 | 0.07 | 1.28 | 2.1 | <0.2 | <10 | 180 | 0.19 | 0.11 | 0.27 | 0.13 | 15.75 | 11.7 | 60 |
| I319555 | | 0.34 | <0.005 | 0.05 | 1.06 | 5.1 | <0.2 | <10 | 180 | 0.19 | 0.10 | 1.01 | 0.25 | 15.60 | 8.5 | 23 |
| I319701 | | 0.32 | <0.005 | 0.12 | 1.44 | 15.6 | <0.2 | <10 | 270 | 0.41 | 0.13 | 0.91 | 0.30 | 24.8 | 10.5 | 25 |
| I319702 | | 0.50 | NSS | 0.07 | 1.26 | 13.2 | <0.2 | <10 | 300 | 0.38 | 0.09 | 0.91 | 0.28 | 22.3 | 11.5 | 20 |
| I319703 | | 0.52 | <0.005 | 0.04 | 0.96 | 2.6 | <0.2 | <10 | 160 | 0.19 | 0.07 | 0.72 | 0.14 | 18.40 | 6.7 | 18 |
| I319704 | | 0.44 | <0.005 | 0.08 | 1.26 | 12.8 | <0.2 | <10 | 210 | 0.34 | 0.12 | 0.73 | 0.20 | 22.4 | 9.3 | 23 |
| I319705 | | 0.54 | <0.005 | 0.18 | 1.49 | 5.2 | <0.2 | <10 | 220 | 0.26 | 0.12 | 0.64 | 0.32 | 24.4 | 10.7 | 37 |
| I319706 | | 0.58 | 0.008 | 0.07 | 1.10 | 4.0 | <0.2 | <10 | 110 | 0.21 | 0.10 | 0.38 | 0.09 | 23.5 | 7.7 | 32 |
| I319707 | | 0.62 | 0.017 | 0.08 | 1.22 | 4.5 | <0.2 | <10 | 150 | 0.20 | 0.11 | 0.51 | 0.16 | 22.0 | 9.2 | 31 |
| I319708 | | 0.44 | <0.005 | 0.09 | 1.43 | 4.0 | <0.2 | <10 | 160 | 0.33 | 0.12 | 0.74 | 0.20 | 31.1 | 10.5 | 28 |
| I319709 | | 0.66 | <0.005 | 0.08 | 1.22 | 3.9 | <0.2 | <10 | 140 | 0.22 | 0.10 | 0.53 | 0.15 | 22.8 | 8.5 | 29 |
| I319710 | | 0.48 | 0.014 | 0.05 | 1.20 | 3.7 | <0.2 | <10 | 150 | 0.23 | 0.09 | 0.59 | 0.12 | 21.4 | 8.2 | 23 |
| I319711 | | 0.44 | <0.005 | 0.18 | 1.64 | 9.4 | <0.2 | <10 | 240 | 0.48 | 0.24 | 0.85 | 0.25 | 40.2 | 13.3 | 31 |
| I319751 | | 0.82 | <0.005 | 0.10 | 1.34 | 13.3 | <0.2 | <10 | 250 | 0.41 | 0.16 | 0.81 | 0.31 | 27.5 | 12.1 | 25 |
| I319752 | | 0.44 | <0.005 | 0.15 | 0.94 | 25.1 | <0.2 | <10 | 480 | 0.31 | 0.11 | 1.12 | 0.43 | 24.9 | 19.0 | 16 |
| I032451 | | 0.50 | <0.005 | 0.11 | 2.10 | 6.3 | <0.2 | <10 | 290 | 0.51 | 0.15 | 0.78 | 0.34 | 29.1 | 21.1 | 78 |
| I032452 | | 0.46 | <0.005 | 0.11 | 1.61 | 4.5 | <0.2 | <10 | 390 | 0.56 | 0.42 | 1.20 | 0.20 | 40.4 | 14.6 | 37 |
| I032453 | | 0.50 | <0.005 | 0.10 | 1.92 | 6.5 | <0.2 | <10 | 210 | 0.68 | 0.37 | 0.67 | 0.09 | 44.6 | 11.0 | 29 |
| I032454 | | 0.66 | 0.016 | 1.32 | 2.16 | 28.5 | <0.2 | <10 | 130 | 0.62 | 0.55 | 0.40 | 0.38 | 23.9 | 16.0 | 41 |
| I032455 | | 0.46 | <0.005 | 0.03 | 2.31 | 9.9 | <0.2 | <10 | 190 | 0.56 | 0.23 | 0.22 | 0.08 | 24.2 | 11.6 | 35 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I034008 | | 2.16 | 17.4 | 2.16 | 4.76 | 0.05 | 0.02 | <0.01 | 0.010 | 0.15 | 12.4 | 11.8 | 0.91 | 402 | 0.56 |
| I034009 | | 1.63 | 52.7 | 3.76 | 6.95 | 0.10 | 0.09 | 0.01 | 0.027 | 0.36 | 12.7 | 19.0 | 1.35 | 490 | 0.91 |
| I034316 | | 2.54 | 17.7 | 2.61 | 3.84 | 0.06 | 0.05 | 0.01 | 0.016 | 0.11 | 14.1 | 11.9 | 0.60 | 486 | 0.60 |
| I034317 | | 3.38 | 20.8 | 3.32 | 4.76 | 0.08 | 0.03 | 0.01 | 0.020 | 0.14 | 19.5 | 13.4 | 0.66 | 797 | 0.84 |
| I034318 | | 5.32 | 20.1 | 2.70 | 3.85 | 0.07 | 0.02 | 0.01 | 0.015 | 0.15 | 14.6 | 14.4 | 0.58 | 2800 | 1.39 |
| I034319 | | 5.93 | 24.8 | 2.72 | 4.78 | 0.06 | 0.02 | 0.01 | 0.019 | 0.12 | 15.3 | 13.0 | 0.61 | 941 | 1.42 |
| I034320 | | 4.41 | 25.0 | 2.67 | 2.00 | 0.06 | 0.03 | <0.01 | 0.014 | 0.09 | 15.7 | 6.3 | 0.25 | 743 | 1.50 |
| I034321 | | 0.94 | 21.5 | 1.97 | 3.22 | 0.05 | 0.02 | <0.01 | 0.013 | 0.06 | 7.2 | 7.1 | 0.52 | 386 | 0.46 |
| I034322 | | 0.61 | 15.6 | 1.68 | 2.80 | <0.05 | <0.02 | <0.01 | 0.009 | 0.06 | 9.3 | 6.9 | 0.44 | 290 | 0.33 |
| I034323 | | 0.65 | 27.4 | 1.92 | 3.67 | <0.05 | <0.02 | <0.01 | 0.013 | 0.05 | 5.8 | 8.8 | 0.58 | 245 | 0.40 |
| I034324 | | 0.67 | 25.5 | 2.63 | 4.35 | 0.07 | 0.04 | 0.01 | 0.018 | 0.13 | 9.9 | 8.4 | 0.78 | 410 | 0.67 |
| I034325 | | 0.63 | 21.9 | 2.46 | 3.86 | 0.06 | 0.03 | <0.01 | 0.017 | 0.12 | 8.9 | 7.4 | 0.69 | 391 | 0.59 |
| I034326 | | 0.47 | 29.7 | 2.82 | 4.43 | 0.06 | 0.02 | 0.01 | 0.020 | 0.11 | 7.8 | 7.8 | 0.72 | 1300 | 0.78 |
| I034327 | | 0.67 | 39.9 | 2.98 | 5.76 | 0.06 | 0.03 | 0.02 | 0.025 | 0.20 | 8.3 | 8.6 | 0.93 | 448 | 0.71 |
| I034328 | | 0.40 | 20.0 | 2.16 | 4.26 | 0.05 | 0.02 | <0.01 | 0.016 | 0.08 | 6.3 | 6.6 | 0.70 | 327 | 0.45 |
| I319501 | | 0.56 | 13.1 | 1.93 | 3.44 | 0.05 | 0.05 | <0.01 | 0.013 | 0.06 | 10.5 | 9.5 | 0.55 | 281 | 0.49 |
| I319502 | | 0.54 | 16.8 | 1.71 | 3.79 | <0.05 | 0.05 | 0.02 | 0.016 | 0.06 | 12.0 | 10.4 | 0.53 | 213 | 0.40 |
| I319551 | | 3.47 | 32.2 | 2.94 | 5.52 | 0.07 | 0.02 | 0.02 | 0.022 | 0.25 | 12.9 | 13.2 | 0.77 | 452 | 0.76 |
| I319552 | | 0.75 | 33.0 | 2.99 | 4.89 | 0.07 | 0.08 | 0.02 | 0.024 | 0.17 | 11.6 | 10.1 | 0.90 | 441 | 1.01 |
| I319553 | | 1.84 | 31.7 | 2.54 | 5.22 | 0.05 | 0.03 | 0.03 | 0.015 | 0.15 | 10.1 | 13.0 | 0.96 | 509 | 0.73 |
| I319554 | | 1.94 | 17.7 | 2.12 | 4.51 | <0.05 | <0.02 | 0.01 | 0.010 | 0.12 | 8.6 | 10.0 | 0.88 | 405 | 0.65 |
| I319555 | | 0.43 | 14.7 | 1.95 | 3.39 | 0.05 | 0.04 | 0.03 | 0.015 | 0.10 | 8.3 | 8.0 | 0.51 | 821 | 0.43 |
| I319701 | | 0.70 | 18.6 | 2.62 | 4.06 | 0.05 | 0.05 | 0.03 | 0.022 | 0.06 | 13.2 | 12.2 | 0.51 | 561 | 0.59 |
| I319702 | | 0.67 | 15.4 | 2.54 | 4.64 | 0.05 | 0.04 | 0.01 | 0.020 | 0.08 | 11.1 | 10.3 | 0.55 | 692 | 1.27 |
| I319703 | | 0.33 | 12.2 | 1.58 | 3.19 | 0.05 | 0.07 | 0.01 | 0.013 | 0.04 | 10.0 | 7.4 | 0.41 | 121 | 0.29 |
| I319704 | | 0.62 | 16.8 | 2.25 | 4.14 | 0.05 | 0.05 | 0.02 | 0.019 | 0.05 | 11.9 | 10.6 | 0.48 | 296 | 0.47 |
| I319705 | | 0.99 | 25.6 | 2.43 | 4.91 | 0.06 | 0.03 | 0.01 | 0.016 | 0.10 | 13.0 | 17.1 | 0.81 | 561 | 1.04 |
| I319706 | | 0.81 | 12.3 | 1.93 | 3.93 | 0.05 | 0.02 | 0.01 | 0.012 | 0.08 | 12.9 | 13.0 | 0.57 | 234 | 0.61 |
| I319707 | | 0.76 | 18.5 | 2.22 | 4.14 | 0.05 | 0.04 | 0.02 | 0.013 | 0.09 | 12.2 | 14.0 | 0.67 | 346 | 0.66 |
| I319708 | | 0.87 | 21.7 | 2.49 | 5.46 | 0.07 | 0.03 | 0.02 | 0.017 | 0.08 | 16.9 | 17.9 | 0.63 | 338 | 0.70 |
| I319709 | | 0.70 | 15.7 | 2.11 | 4.07 | 0.06 | 0.04 | 0.01 | 0.014 | 0.09 | 12.6 | 13.2 | 0.60 | 344 | 0.61 |
| I319710 | | 0.64 | 15.7 | 2.21 | 4.35 | 0.05 | 0.06 | <0.01 | 0.016 | 0.05 | 11.2 | 13.2 | 0.57 | 296 | 0.46 |
| I319711 | | 0.92 | 29.6 | 2.90 | 5.99 | 0.07 | 0.06 | 0.04 | 0.024 | 0.08 | 22.2 | 18.3 | 0.64 | 730 | 0.95 |
| I319751 | | 0.77 | 19.5 | 2.45 | 4.76 | 0.06 | 0.07 | 0.03 | 0.022 | 0.06 | 14.6 | 13.0 | 0.54 | 581 | 0.59 |
| I319752 | | 0.52 | 15.0 | 4.69 | 4.02 | 0.09 | 0.03 | 0.03 | 0.018 | 0.06 | 13.4 | 8.4 | 0.46 | 3280 | 0.93 |
| I032451 | | 0.40 | 56.4 | 3.43 | 6.82 | 0.07 | 0.07 | 0.03 | 0.027 | 0.07 | 15.8 | 12.8 | 1.45 | 774 | 1.54 |
| I032452 | | 0.46 | 42.5 | 2.92 | 4.62 | 0.06 | 0.11 | 0.04 | 0.026 | 0.09 | 21.4 | 8.4 | 0.82 | 601 | 0.85 |
| I032453 | | 0.81 | 22.1 | 2.76 | 6.08 | 0.07 | 0.12 | 0.02 | 0.030 | 0.12 | 28.8 | 11.6 | 0.46 | 296 | 1.32 |
| I032454 | | 4.67 | 61.2 | 3.12 | 5.85 | 0.06 | 0.05 | 0.05 | 0.039 | 0.06 | 13.9 | 13.9 | 0.78 | 216 | 1.22 |
| I032455 | | 1.21 | 23.1 | 3.38 | 7.23 | 0.05 | 0.06 | 0.02 | 0.037 | 0.06 | 15.4 | 12.9 | 0.48 | 171 | 1.07 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I034008 | | 0.95 | 28.8 | 720 | 8.2 | 25.9 | <0.001 | <0.01 | 0.12 | 2.8 | 0.2 | 0.3 | 28.8 | <0.01 | <0.01 | 2.7 |
| I034009 | | 2.03 | 77.6 | 1530 | 6.5 | 25.6 | <0.001 | 0.02 | 0.26 | 6.8 | 0.8 | 0.3 | 49.7 | <0.01 | 0.02 | 2.5 |
| I034316 | | 0.90 | 22.6 | 860 | 8.1 | 14.9 | <0.001 | <0.01 | 0.39 | 3.5 | 0.4 | 0.3 | 42.5 | <0.01 | 0.01 | 3.6 |
| I034317 | | 0.79 | 31.1 | 770 | 11.3 | 18.3 | <0.001 | <0.01 | 0.49 | 3.9 | 0.4 | 0.3 | 39.6 | <0.01 | 0.02 | 5.8 |
| I034318 | | 0.78 | 26.8 | 810 | 13.3 | 21.2 | <0.001 | <0.01 | 1.05 | 3.0 | 0.4 | 0.3 | 37.7 | <0.01 | 0.03 | 5.0 |
| I034319 | | 0.95 | 23.0 | 840 | 19.0 | 17.0 | <0.001 | <0.01 | 1.39 | 3.6 | 0.4 | 0.4 | 42.8 | <0.01 | 0.03 | 3.6 |
| I034320 | | 0.55 | 25.5 | 1110 | 6.7 | 12.4 | <0.001 | <0.01 | 0.53 | 2.7 | 0.9 | <0.2 | 22.7 | <0.01 | 0.06 | 5.3 |
| I034321 | | 0.55 | 13.1 | 710 | 3.0 | 8.3 | <0.001 | <0.01 | 0.20 | 2.8 | 0.2 | 0.2 | 12.2 | <0.01 | <0.01 | 2.2 |
| I034322 | | 0.73 | 10.8 | 650 | 3.2 | 11.2 | <0.001 | <0.01 | 0.08 | 2.1 | <0.2 | 0.2 | 10.6 | <0.01 | <0.01 | 2.6 |
| I034323 | | 0.60 | 12.8 | 610 | 2.9 | 8.2 | <0.001 | <0.01 | 0.12 | 2.8 | 0.2 | 0.2 | 14.1 | <0.01 | 0.01 | 1.1 |
| I034324 | | 0.81 | 13.6 | 880 | 4.7 | 10.2 | <0.001 | 0.03 | 0.19 | 4.7 | 0.5 | 0.3 | 37.3 | <0.01 | 0.02 | 2.6 |
| I034325 | | 0.77 | 12.4 | 900 | 4.2 | 9.3 | <0.001 | 0.03 | 0.17 | 4.4 | 0.5 | 0.3 | 33.5 | <0.01 | 0.02 | 2.3 |
| I034326 | | 0.69 | 12.0 | 770 | 3.8 | 7.8 | <0.001 | 0.08 | 0.16 | 5.0 | 0.7 | 0.3 | 38.0 | <0.01 | 0.05 | 1.2 |
| I034327 | | 0.91 | 13.3 | 610 | 4.6 | 13.0 | <0.001 | 0.12 | 0.17 | 5.5 | 0.9 | 0.3 | 40.1 | <0.01 | 0.06 | 1.3 |
| I034328 | | 0.62 | 9.7 | 530 | 3.6 | 6.4 | <0.001 | 0.04 | 0.12 | 4.1 | 0.4 | 0.2 | 26.3 | <0.01 | 0.04 | 1.1 |
| I319501 | | 0.87 | 15.5 | 710 | 4.7 | 7.3 | <0.001 | <0.01 | 0.29 | 2.9 | 0.3 | 0.3 | 29.9 | <0.01 | 0.01 | 2.3 |
| I319502 | | 0.98 | 16.3 | 730 | 6.0 | 7.9 | <0.001 | 0.02 | 0.33 | 3.3 | 0.3 | 0.3 | 36.6 | <0.01 | <0.01 | 2.1 |
| I319551 | | 1.18 | 13.5 | 980 | 5.8 | 24.9 | <0.001 | <0.01 | 0.31 | 4.8 | 0.3 | 0.4 | 26.9 | <0.01 | 0.01 | 2.4 |
| I319552 | | 1.03 | 19.6 | 1060 | 5.9 | 11.9 | <0.001 | 0.01 | 0.37 | 6.0 | 0.6 | 0.4 | 74.6 | <0.01 | 0.03 | 2.7 |
| I319553 | | 1.06 | 28.9 | 780 | 6.8 | 22.9 | <0.001 | 0.02 | 0.21 | 3.4 | 0.5 | 0.3 | 35.9 | <0.01 | 0.01 | 1.7 |
| I319554 | | 0.83 | 26.6 | 590 | 7.5 | 18.8 | <0.001 | <0.01 | 0.10 | 2.4 | 0.2 | 0.3 | 18.3 | <0.01 | 0.01 | 1.7 |
| I319555 | | 1.01 | 16.4 | 870 | 5.9 | 10.6 | <0.001 | 0.06 | 0.31 | 2.7 | 0.6 | 0.3 | 50.3 | <0.01 | 0.01 | 1.0 |
| I319701 | | 1.09 | 21.1 | 670 | 11.4 | 10.1 | <0.001 | 0.02 | 0.43 | 4.0 | 0.6 | 0.3 | 55.6 | <0.01 | 0.01 | 2.1 |
| I319702 | | 1.10 | 16.0 | 740 | 8.3 | 9.6 | <0.001 | 0.02 | 0.32 | 5.1 | 0.6 | 0.3 | 58.7 | 0.01 | 0.01 | 2.5 |
| I319703 | | 0.98 | 13.0 | 740 | 4.9 | 5.1 | <0.001 | 0.02 | 0.27 | 3.0 | 0.3 | 0.3 | 35.8 | 0.01 | <0.01 | 2.3 |
| I319704 | | 1.08 | 18.1 | 640 | 9.7 | 9.0 | <0.001 | 0.02 | 0.39 | 3.6 | 0.5 | 0.3 | 49.1 | <0.01 | 0.01 | 2.1 |
| I319705 | | 1.13 | 21.8 | 640 | 10.6 | 13.4 | <0.001 | 0.02 | 0.18 | 3.7 | 0.7 | 0.3 | 33.3 | <0.01 | 0.02 | 2.5 |
| I319706 | | 1.25 | 19.6 | 520 | 6.6 | 12.3 | <0.001 | <0.01 | 0.15 | 2.8 | 0.4 | 0.3 | 21.1 | <0.01 | 0.02 | 3.6 |
| I319707 | | 1.27 | 20.0 | 580 | 7.7 | 12.4 | <0.001 | <0.01 | 0.17 | 3.1 | 0.4 | 0.3 | 27.4 | <0.01 | 0.02 | 3.5 |
| I319708 | | 1.53 | 17.5 | 630 | 6.6 | 11.6 | <0.001 | 0.03 | 0.20 | 3.5 | 0.8 | 0.4 | 38.0 | <0.01 | 0.01 | 2.5 |
| I319709 | | 1.27 | 17.7 | 610 | 6.7 | 11.1 | <0.001 | 0.01 | 0.17 | 3.0 | 0.5 | 0.3 | 25.6 | <0.01 | 0.01 | 3.2 |
| I319710 | | 1.22 | 15.3 | 650 | 5.7 | 6.8 | <0.001 | <0.01 | 0.24 | 3.9 | 0.4 | 0.3 | 30.8 | <0.01 | 0.01 | 3.1 |
| I319711 | | 1.79 | 28.5 | 680 | 12.2 | 13.9 | <0.001 | 0.01 | 0.40 | 4.6 | 0.9 | 0.4 | 47.8 | <0.01 | 0.04 | 3.7 |
| I319751 | | 1.28 | 23.3 | 700 | 10.9 | 10.5 | <0.001 | <0.01 | 0.46 | 4.5 | 0.6 | 0.4 | 55.8 | <0.01 | 0.02 | 2.8 |
| I319752 | | 1.06 | 19.1 | 1260 | 5.6 | 8.9 | 0.002 | 0.03 | 0.39 | 3.3 | 1.0 | 0.3 | 82.7 | <0.01 | 0.03 | 1.3 |
| I032451 | | 0.83 | 51.7 | 580 | 10.7 | 7.2 | <0.001 | <0.01 | 0.34 | 8.6 | 0.8 | 0.4 | 50.5 | <0.01 | 0.02 | 2.5 |
| I032452 | | 0.94 | 25.5 | 650 | 29.6 | 10.1 | 0.001 | 0.05 | 0.33 | 5.9 | 1.0 | 0.4 | 82.1 | <0.01 | 0.02 | 5.2 |
| I032453 | | 2.00 | 19.0 | 370 | 20.9 | 14.3 | <0.001 | 0.02 | 0.25 | 5.3 | 0.6 | 0.7 | 53.3 | <0.01 | 0.02 | 8.6 |
| I032454 | | 1.47 | 38.5 | 710 | 128.5 | 11.1 | <0.001 | 0.03 | 2.44 | 6.1 | 1.0 | 0.5 | 20.8 | <0.01 | 0.09 | 3.1 |
| I032455 | | 1.62 | 27.1 | 270 | 12.0 | 9.5 | <0.001 | 0.01 | 0.40 | 4.4 | 0.5 | 0.8 | 20.5 | <0.01 | 0.02 | 5.8 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I034008 | | 0.115 | 0.14 | 0.89 | 48 | 0.10 | 4.52 | 53 | 0.6 |
| I034009 | | 0.164 | 0.16 | 1.24 | 83 | 0.25 | 11.35 | 121 | 3.0 |
| I034316 | | 0.078 | 0.11 | 1.21 | 46 | 0.14 | 7.35 | 62 | 1.3 |
| I034317 | | 0.057 | 0.15 | 1.19 | 43 | 0.09 | 7.71 | 77 | 0.7 |
| I034318 | | 0.060 | 0.22 | 1.45 | 37 | 0.11 | 6.48 | 74 | 0.6 |
| I034319 | | 0.076 | 0.21 | 1.95 | 50 | 0.25 | 7.00 | 68 | 0.7 |
| I034320 | | 0.026 | 0.12 | 1.35 | 32 | 0.10 | 8.41 | 71 | 0.8 |
| I034321 | | 0.056 | 0.04 | 0.38 | 44 | 0.08 | 3.31 | 37 | 0.5 |
| I034322 | | 0.050 | 0.06 | 0.41 | 29 | <0.05 | 3.43 | 37 | <0.5 |
| I034323 | | 0.066 | 0.05 | 0.30 | 46 | 0.13 | 2.90 | 40 | <0.5 |
| I034324 | | 0.085 | 0.06 | 1.09 | 57 | 0.08 | 7.06 | 64 | 1.0 |
| I034325 | | 0.080 | 0.05 | 0.88 | 53 | 0.25 | 6.78 | 58 | 0.9 |
| I034326 | | 0.081 | 0.06 | 0.82 | 60 | 0.06 | 7.37 | 71 | 0.5 |
| I034327 | | 0.112 | 0.08 | 0.77 | 71 | 0.07 | 7.22 | 72 | 0.9 |
| I034328 | | 0.082 | 0.04 | 0.34 | 50 | 0.05 | 4.65 | 54 | <0.5 |
| I319501 | | 0.062 | 0.04 | 0.52 | 38 | 0.10 | 6.00 | 52 | 1.4 |
| I319502 | | 0.064 | 0.05 | 0.65 | 38 | 0.35 | 7.11 | 60 | 1.4 |
| I319551 | | 0.106 | 0.12 | 0.73 | 58 | 0.20 | 6.12 | 84 | 0.6 |
| I319552 | | 0.080 | 0.08 | 0.50 | 60 | 0.12 | 8.53 | 71 | 2.4 |
| I319553 | | 0.102 | 0.13 | 0.97 | 62 | 0.19 | 5.81 | 60 | 1.0 |
| I319554 | | 0.104 | 0.13 | 0.77 | 51 | 0.09 | 3.84 | 55 | <0.5 |
| I319555 | | 0.058 | 0.05 | 0.60 | 35 | 0.33 | 5.13 | 64 | 1.2 |
| I319701 | | 0.059 | 0.07 | 0.89 | 48 | 0.14 | 9.08 | 83 | 1.6 |
| I319702 | | 0.064 | 0.06 | 0.99 | 42 | 0.34 | 7.75 | 83 | 1.3 |
| I319703 | | 0.063 | 0.04 | 0.85 | 31 | 0.32 | 6.28 | 54 | 2.2 |
| I319704 | | 0.059 | 0.06 | 0.85 | 44 | 0.38 | 7.56 | 66 | 1.5 |
| I319705 | | 0.091 | 0.10 | 1.09 | 50 | 0.09 | 7.66 | 102 | 0.9 |
| I319706 | | 0.075 | 0.07 | 1.02 | 35 | 0.19 | 6.24 | 54 | 0.7 |
| I319707 | | 0.083 | 0.08 | 1.05 | 40 | 0.20 | 6.35 | 71 | 1.1 |
| I319708 | | 0.090 | 0.07 | 1.62 | 49 | 0.15 | 10.20 | 66 | 0.7 |
| I319709 | | 0.087 | 0.07 | 1.28 | 41 | 0.12 | 6.75 | 64 | 1.1 |
| I319710 | | 0.088 | 0.05 | 0.75 | 48 | 0.23 | 6.70 | 54 | 2.0 |
| I319711 | | 0.086 | 0.09 | 1.18 | 53 | 0.19 | 13.35 | 80 | 2.1 |
| I319751 | | 0.067 | 0.08 | 0.89 | 46 | 0.21 | 9.33 | 76 | 2.1 |
| I319752 | | 0.060 | 0.06 | 0.67 | 64 | 0.19 | 8.78 | 66 | 0.8 |
| I032451 | | 0.047 | 0.05 | 0.76 | 69 | 0.10 | 14.35 | 75 | 2.1 |
| I032452 | | 0.056 | 0.08 | 1.59 | 49 | 0.18 | 11.95 | 64 | 4.5 |
| I032453 | | 0.098 | 0.08 | 2.01 | 57 | 0.40 | 9.06 | 40 | 4.3 |
| I032454 | | 0.112 | 0.20 | 1.28 | 72 | 0.14 | 7.76 | 96 | 1.8 |
| I032455 | | 0.093 | 0.11 | 0.61 | 77 | 0.14 | 4.99 | 42 | 2.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I032456 | | 0.52 | <0.005 | 0.03 | 1.99 | 8.2 | <0.2 | <10 | 250 | 0.56 | 0.17 | 0.36 | 0.05 | 32.1 | 12.7 | 35 |
| I032457 | | 0.40 | <0.005 | 0.05 | 1.39 | 5.7 | <0.2 | <10 | 180 | 0.32 | 0.17 | 0.21 | 0.10 | 16.85 | 7.0 | 22 |
| I032458 | | 0.32 | <0.005 | 0.09 | 1.67 | 5.6 | <0.2 | <10 | 150 | 1.03 | 0.21 | 0.28 | 0.10 | 80.5 | 8.1 | 21 |
| I032459 | | 0.58 | <0.005 | 0.04 | 2.13 | 9.7 | <0.2 | <10 | 150 | 0.50 | 0.24 | 0.26 | 0.08 | 39.4 | 9.0 | 29 |
| I032460 | | 0.54 | <0.005 | 0.03 | 2.24 | 10.0 | <0.2 | <10 | 150 | 0.49 | 0.25 | 0.27 | 0.07 | 40.9 | 8.6 | 30 |
| I032461 | | 0.24 | <0.005 | 0.01 | 0.11 | 2.3 | <0.2 | <10 | 30 | 0.11 | 0.03 | 0.09 | 0.04 | 11.40 | 2.9 | 3 |
| I032462 | | 0.52 | <0.005 | 0.07 | 1.88 | 6.5 | <0.2 | <10 | 160 | 0.48 | 0.19 | 0.30 | 0.07 | 39.7 | 7.0 | 27 |
| I032463 | | 0.44 | <0.005 | 0.10 | 1.99 | 8.5 | <0.2 | <10 | 170 | 0.47 | 0.23 | 0.29 | 0.10 | 37.4 | 7.3 | 27 |
| I032464 | | 0.40 | <0.005 | 0.22 | 1.86 | 3.4 | <0.2 | <10 | 300 | 0.75 | 0.15 | 0.49 | 0.21 | 169.0 | 4.8 | 22 |
| I032465 | | 0.48 | <0.005 | 0.05 | 1.77 | 4.4 | <0.2 | <10 | 110 | 0.42 | 0.20 | 0.27 | 0.05 | 22.0 | 9.4 | 26 |
| I032466 | | 0.64 | 0.008 | 0.04 | 1.82 | 6.1 | <0.2 | <10 | 160 | 0.75 | 0.21 | 0.25 | 0.07 | 43.2 | 7.9 | 27 |
| I032467 | | 0.70 | <0.005 | 0.02 | 1.02 | 3.9 | <0.2 | <10 | 80 | 0.72 | 0.19 | 0.11 | 0.03 | 34.5 | 3.7 | 11 |
| I032468 | | 0.58 | <0.005 | 0.03 | 2.14 | 9.1 | <0.2 | <10 | 150 | 0.74 | 0.20 | 0.23 | 0.06 | 33.5 | 8.2 | 25 |
| I032469 | | 0.46 | <0.005 | 0.02 | 1.87 | 9.1 | <0.2 | <10 | 90 | 0.31 | 0.21 | 0.16 | 0.08 | 25.6 | 7.1 | 28 |
| I032470 | | 0.64 | <0.005 | 0.02 | 1.52 | 3.7 | <0.2 | <10 | 70 | 0.71 | 0.28 | 0.14 | 0.04 | 29.5 | 7.0 | 20 |
| I032471 | | 0.54 | <0.005 | 0.05 | 1.91 | 6.6 | <0.2 | <10 | 150 | 0.40 | 0.18 | 0.27 | 0.06 | 32.1 | 6.3 | 27 |
| I032472 | | 0.50 | <0.005 | 0.01 | 0.93 | 2.5 | <0.2 | <10 | 50 | 0.39 | 0.39 | 0.10 | 0.06 | 38.3 | 3.6 | 13 |
| I032473 | | 0.40 | <0.005 | 0.04 | 2.92 | 10.9 | <0.2 | <10 | 180 | 0.66 | 0.19 | 0.18 | 0.08 | 23.9 | 13.4 | 44 |
| I032474 | | 0.46 | <0.005 | 0.01 | 1.93 | 8.7 | <0.2 | <10 | 90 | 0.32 | 0.18 | 0.20 | 0.10 | 18.40 | 7.2 | 30 |
| I032475 | | 0.54 | <0.005 | 0.12 | 3.28 | 10.6 | <0.2 | <10 | 220 | 1.03 | 0.37 | 0.21 | 0.07 | 42.4 | 13.1 | 45 |
| I032476 | | 0.58 | <0.005 | 0.09 | 2.51 | 11.5 | <0.2 | <10 | 160 | 0.65 | 0.95 | 0.20 | 0.16 | 25.6 | 7.0 | 35 |
| I032477 | | 0.62 | <0.005 | 0.04 | 1.74 | 7.7 | <0.2 | <10 | 110 | 0.39 | 0.21 | 0.17 | 0.07 | 15.95 | 6.4 | 25 |
| I032478 | | 0.48 | <0.005 | 0.04 | 2.05 | 5.3 | <0.2 | <10 | 130 | 0.77 | 0.34 | 0.14 | 0.07 | 42.4 | 7.1 | 20 |
| I032479 | | 0.42 | <0.005 | 0.04 | 1.16 | 7.1 | <0.2 | <10 | 90 | 0.22 | 0.21 | 0.13 | 0.07 | 14.35 | 4.0 | 20 |
| I032480 | | 0.48 | <0.005 | 0.03 | 1.96 | 9.1 | <0.2 | <10 | 130 | 0.41 | 0.42 | 0.16 | 0.06 | 22.0 | 8.4 | 28 |
| I032481 | | 0.46 | <0.005 | 0.05 | 2.23 | 10.4 | <0.2 | <10 | 150 | 0.40 | 0.20 | 0.21 | 0.04 | 17.85 | 10.6 | 35 |
| I032482 | | 0.34 | <0.005 | 0.01 | 0.12 | 2.0 | <0.2 | <10 | 30 | 0.11 | 0.02 | 0.08 | 0.04 | 11.35 | 2.6 | 4 |
| I032483 | | 0.28 | <0.005 | 0.22 | 1.92 | 5.7 | <0.2 | <10 | 200 | 0.41 | 0.25 | 0.63 | 0.18 | 36.6 | 14.5 | 33 |
| I032484 | | 0.48 | <0.005 | 0.19 | 2.75 | 6.8 | <0.2 | <10 | 220 | 0.69 | 0.36 | 0.50 | 0.11 | 17.70 | 14.9 | 28 |
| I032485 | | 0.58 | <0.005 | 0.12 | 2.37 | 4.4 | <0.2 | <10 | 220 | 0.63 | 0.18 | 0.48 | 0.11 | 27.5 | 12.3 | 36 |
| I032486 | | 0.46 | <0.005 | 0.22 | 1.92 | 8.7 | <0.2 | <10 | 200 | 0.28 | 0.20 | 0.13 | 0.06 | 12.55 | 9.7 | 30 |
| I032487 | | 0.56 | <0.005 | 0.21 | 1.60 | 6.5 | <0.2 | <10 | 220 | 0.31 | 0.15 | 0.25 | 0.09 | 15.85 | 8.0 | 27 |
| I032488 | | 0.52 | <0.005 | 0.40 | 1.23 | 5.4 | <0.2 | <10 | 140 | 0.18 | 0.15 | 0.18 | 0.12 | 13.80 | 6.2 | 22 |
| I032489 | | 0.62 | <0.005 | 0.15 | 1.84 | 5.9 | <0.2 | <10 | 160 | 0.41 | 0.17 | 0.11 | 0.09 | 21.0 | 10.6 | 28 |
| I032490 | | 0.62 | <0.005 | 0.31 | 1.59 | 5.6 | <0.2 | <10 | 190 | 0.32 | 0.15 | 0.21 | 0.09 | 14.75 | 8.2 | 26 |
| I032491 | | 0.50 | <0.005 | 0.13 | 1.32 | 7.7 | <0.2 | <10 | 250 | 0.39 | 0.13 | 0.32 | 0.10 | 19.50 | 8.6 | 23 |
| I032492 | | 0.48 | <0.005 | 0.09 | 1.80 | 4.8 | <0.2 | <10 | 320 | 0.34 | 0.11 | 0.37 | 0.09 | 16.90 | 10.9 | 25 |
| I032493 | | 0.52 | <0.005 | 0.11 | 1.59 | 5.2 | <0.2 | <10 | 280 | 0.37 | 0.14 | 0.37 | 0.07 | 18.20 | 9.3 | 27 |
| I032494 | | 0.44 | <0.005 | 0.02 | 0.12 | 2.0 | <0.2 | <10 | 30 | 0.09 | 0.02 | 0.08 | 0.04 | 13.05 | 2.5 | 3 |
| I032495 | | 0.56 | <0.005 | 0.08 | 1.56 | 4.3 | <0.2 | <10 | 300 | 0.44 | 0.13 | 0.31 | 0.07 | 20.6 | 9.3 | 28 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I032456 | | 0.98 | 24.8 | 3.12 | 6.30 | 0.06 | 0.16 | 0.03 | 0.036 | 0.05 | 17.3 | 16.3 | 0.55 | 238 | 0.81 |
| I032457 | | 1.02 | 18.0 | 2.19 | 5.73 | <0.05 | 0.05 | 0.02 | 0.024 | 0.05 | 9.7 | 9.9 | 0.26 | 511 | 1.62 |
| I032458 | | 2.11 | 21.1 | 2.28 | 6.08 | 0.11 | 0.04 | 0.05 | 0.035 | 0.06 | 47.1 | 14.7 | 0.24 | 543 | 1.48 |
| I032459 | | 2.08 | 14.1 | 3.22 | 7.44 | 0.08 | 0.06 | 0.03 | 0.035 | 0.09 | 23.8 | 27.2 | 0.46 | 256 | 1.35 |
| I032460 | | 2.09 | 14.0 | 3.32 | 7.72 | 0.07 | 0.07 | 0.02 | 0.036 | 0.08 | 23.7 | 26.8 | 0.49 | 243 | 1.21 |
| I032461 | | 0.10 | 2.2 | 0.72 | 0.52 | <0.05 | 0.06 | 0.01 | <0.005 | 0.03 | 5.9 | 1.5 | 0.05 | 191 | 0.34 |
| I032462 | | 2.05 | 14.5 | 2.65 | 6.85 | 0.07 | 0.09 | 0.02 | 0.029 | 0.08 | 22.7 | 21.5 | 0.42 | 185 | 0.95 |
| I032463 | | 1.92 | 15.8 | 2.82 | 7.68 | 0.07 | 0.08 | 0.03 | 0.035 | 0.07 | 23.0 | 14.5 | 0.38 | 298 | 1.22 |
| I032464 | | 3.10 | 17.8 | 2.16 | 6.13 | 0.25 | 0.09 | 0.11 | 0.039 | 0.10 | 123.5 | 10.7 | 0.18 | 87 | 0.95 |
| I032465 | | 4.19 | 7.3 | 2.86 | 8.57 | 0.06 | 0.04 | 0.02 | 0.031 | 0.24 | 12.9 | 25.6 | 0.58 | 302 | 1.06 |
| I032466 | | 3.83 | 13.7 | 2.90 | 6.93 | 0.07 | 0.04 | 0.02 | 0.037 | 0.12 | 30.8 | 19.6 | 0.48 | 275 | 1.07 |
| I032467 | | 7.50 | 6.5 | 2.27 | 5.08 | 0.06 | 0.04 | 0.01 | 0.029 | 0.14 | 23.0 | 9.6 | 0.24 | 115 | 0.58 |
| I032468 | | 5.25 | 15.9 | 3.56 | 7.63 | 0.07 | 0.06 | 0.02 | 0.053 | 0.16 | 27.1 | 24.2 | 0.53 | 204 | 0.91 |
| I032469 | | 3.31 | 12.5 | 3.45 | 9.27 | 0.05 | 0.05 | 0.02 | 0.025 | 0.14 | 12.7 | 22.2 | 0.53 | 233 | 1.16 |
| I032470 | | 5.91 | 7.7 | 2.63 | 5.88 | 0.07 | 0.05 | 0.01 | 0.028 | 0.33 | 20.4 | 19.4 | 0.50 | 229 | 0.48 |
| I032471 | | 2.02 | 12.0 | 2.66 | 6.70 | 0.06 | 0.11 | 0.03 | 0.028 | 0.07 | 17.4 | 20.1 | 0.42 | 159 | 1.01 |
| I032472 | | 5.59 | 9.7 | 1.69 | 6.19 | 0.11 | 0.04 | 0.01 | 0.022 | 0.25 | 57.5 | 11.3 | 0.28 | 130 | 0.65 |
| I032473 | | 1.39 | 30.2 | 3.72 | 6.67 | 0.06 | 0.14 | 0.02 | 0.039 | 0.05 | 12.1 | 14.2 | 0.54 | 248 | 1.33 |
| I032474 | | 2.35 | 11.3 | 3.01 | 8.77 | <0.05 | 0.05 | 0.02 | 0.022 | 0.10 | 15.1 | 26.2 | 0.56 | 201 | 0.96 |
| I032475 | | 2.87 | 31.1 | 4.22 | 8.53 | 0.08 | 0.12 | 0.04 | 0.054 | 0.06 | 23.9 | 24.2 | 0.56 | 281 | 1.45 |
| I032476 | | 1.88 | 29.2 | 4.45 | 9.73 | 0.06 | 0.03 | 0.04 | 0.045 | 0.08 | 14.2 | 16.8 | 0.36 | 167 | 1.60 |
| I032477 | | 2.55 | 11.2 | 3.13 | 7.98 | <0.05 | 0.04 | 0.01 | 0.027 | 0.08 | 8.0 | 15.2 | 0.41 | 173 | 1.41 |
| I032478 | | 6.51 | 9.6 | 3.18 | 10.15 | 0.07 | 0.03 | 0.01 | 0.034 | 0.25 | 26.4 | 37.1 | 0.59 | 236 | 0.79 |
| I032479 | | 1.86 | 8.5 | 2.56 | 7.32 | <0.05 | 0.03 | 0.01 | 0.020 | 0.04 | 7.5 | 6.8 | 0.23 | 149 | 1.37 |
| I032480 | | 2.27 | 12.5 | 3.38 | 7.37 | <0.05 | 0.03 | <0.01 | 0.036 | 0.05 | 6.7 | 18.4 | 0.45 | 181 | 0.98 |
| I032481 | | 1.93 | 18.0 | 3.72 | 7.71 | 0.05 | 0.06 | 0.02 | 0.036 | 0.05 | 10.5 | 18.0 | 0.52 | 196 | 1.35 |
| I032482 | | 0.09 | 1.8 | 0.71 | 0.53 | <0.05 | 0.07 | <0.01 | <0.005 | 0.03 | 5.8 | 1.4 | 0.04 | 173 | 0.29 |
| I032483 | | 1.65 | 32.3 | 3.28 | 6.04 | 0.08 | 0.04 | 0.04 | 0.025 | 0.06 | 24.6 | 11.2 | 0.51 | 296 | 1.07 |
| I032484 | | 1.34 | 44.4 | 3.91 | 8.37 | 0.06 | 0.10 | 0.01 | 0.031 | 0.07 | 9.3 | 19.5 | 1.23 | 409 | 0.58 |
| I032485 | | 0.95 | 23.0 | 3.07 | 7.85 | 0.06 | 0.09 | 0.02 | 0.033 | 0.04 | 13.1 | 14.9 | 1.00 | 447 | 0.65 |
| I032486 | | 1.49 | 23.0 | 3.01 | 6.85 | 0.05 | 0.05 | 0.01 | 0.021 | 0.06 | 6.3 | 15.8 | 0.72 | 275 | 1.28 |
| I032487 | | 0.49 | 13.8 | 2.67 | 5.24 | 0.05 | 0.06 | 0.01 | 0.021 | 0.09 | 8.2 | 12.3 | 0.47 | 329 | 1.49 |
| I032488 | | 0.31 | 12.0 | 2.45 | 5.23 | <0.05 | 0.04 | 0.02 | 0.016 | 0.08 | 7.1 | 8.5 | 0.38 | 300 | 1.94 |
| I032489 | | 1.11 | 21.5 | 2.94 | 7.33 | 0.05 | 0.10 | 0.01 | 0.030 | 0.05 | 9.7 | 11.2 | 0.46 | 901 | 1.48 |
| I032490 | | 0.61 | 13.3 | 2.58 | 5.77 | <0.05 | 0.03 | 0.02 | 0.021 | 0.05 | 7.5 | 11.2 | 0.45 | 396 | 1.54 |
| I032491 | | 0.57 | 11.9 | 2.40 | 5.33 | 0.05 | 0.04 | 0.01 | 0.022 | 0.11 | 8.5 | 8.4 | 0.40 | 758 | 0.90 |
| I032492 | | 1.27 | 22.3 | 3.29 | 7.26 | 0.06 | 0.05 | 0.01 | 0.029 | 0.24 | 7.3 | 12.1 | 0.76 | 950 | 0.92 |
| I032493 | | 0.36 | 12.4 | 2.61 | 5.89 | <0.05 | 0.06 | 0.01 | 0.023 | 0.06 | 8.8 | 9.2 | 0.49 | 712 | 1.11 |
| I032494 | | 0.09 | 1.9 | 0.68 | 0.64 | <0.05 | 0.07 | <0.01 | <0.005 | 0.03 | 6.6 | 1.3 | 0.04 | 176 | 0.32 |
| I032495 | | 0.40 | 10.6 | 2.46 | 5.62 | <0.05 | 0.02 | 0.01 | 0.021 | 0.08 | 9.4 | 7.9 | 0.39 | 625 | 0.98 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I032456 | | 1.47 | 27.1 | 470 | 8.6 | 8.3 | <0.001 | 0.01 | 0.38 | 6.5 | 0.7 | 0.7 | 28.2 | <0.01 | 0.02 | 5.1 |
| I032457 | | 1.33 | 13.5 | 440 | 10.7 | 11.3 | <0.001 | 0.01 | 0.26 | 3.7 | 0.3 | 0.7 | 20.9 | <0.01 | 0.02 | 4.4 |
| I032458 | | 1.14 | 11.9 | 590 | 22.2 | 19.8 | <0.001 | 0.03 | 0.26 | 3.4 | 1.1 | 0.8 | 24.3 | 0.01 | 0.02 | 3.5 |
| I032459 | | 1.77 | 17.2 | 480 | 16.5 | 19.5 | <0.001 | 0.01 | 0.31 | 4.1 | 0.7 | 0.9 | 22.9 | <0.01 | 0.03 | 7.2 |
| I032460 | | 1.76 | 18.1 | 470 | 17.6 | 19.4 | <0.001 | 0.01 | 0.30 | 4.3 | 0.7 | 1.0 | 22.6 | <0.01 | 0.02 | 7.5 |
| I032461 | | 0.17 | 5.0 | 160 | 1.7 | 1.8 | <0.001 | <0.01 | 0.18 | 0.7 | <0.2 | <0.2 | 5.8 | <0.01 | 0.01 | 2.0 |
| I032462 | | 1.79 | 14.1 | 310 | 12.7 | 20.2 | <0.001 | 0.01 | 0.26 | 4.0 | 0.6 | 0.9 | 24.2 | <0.01 | 0.02 | 8.0 |
| I032463 | | 1.73 | 15.1 | 370 | 13.7 | 17.3 | <0.001 | 0.02 | 0.28 | 4.6 | 0.8 | 1.2 | 23.7 | <0.01 | 0.03 | 11.5 |
| I032464 | | 1.04 | 13.5 | 1110 | 17.3 | 26.4 | <0.001 | 0.11 | 0.24 | 3.4 | 2.1 | 0.7 | 43.5 | 0.02 | 0.03 | 1.6 |
| I032465 | | 1.56 | 13.1 | 420 | 14.7 | 53.1 | <0.001 | 0.01 | 0.15 | 4.1 | 0.4 | 1.6 | 18.4 | <0.01 | 0.02 | 5.6 |
| I032466 | | 1.27 | 15.6 | 340 | 21.0 | 28.7 | <0.001 | 0.01 | 0.27 | 4.3 | 0.6 | 1.1 | 21.0 | <0.01 | 0.02 | 9.3 |
| I032467 | | 0.70 | 7.0 | 190 | 12.5 | 39.7 | <0.001 | 0.01 | 0.31 | 3.0 | 0.4 | 1.0 | 15.1 | <0.01 | 0.01 | 11.9 |
| I032468 | | 1.55 | 20.5 | 370 | 21.7 | 32.4 | <0.001 | 0.01 | 0.29 | 5.2 | 0.6 | 1.5 | 18.5 | <0.01 | 0.02 | 8.3 |
| I032469 | | 1.95 | 13.7 | 440 | 12.0 | 28.2 | <0.001 | 0.01 | 0.33 | 3.2 | 0.6 | 0.9 | 14.3 | <0.01 | 0.03 | 4.0 |
| I032470 | | 1.19 | 13.9 | 260 | 12.9 | 55.6 | <0.001 | 0.01 | 0.21 | 3.3 | 0.4 | 1.1 | 10.4 | <0.01 | 0.01 | 13.5 |
| I032471 | | 1.68 | 13.9 | 240 | 12.8 | 18.8 | <0.001 | 0.01 | 0.24 | 3.9 | 0.5 | 0.9 | 22.1 | <0.01 | 0.02 | 7.9 |
| I032472 | | 0.85 | 8.0 | 390 | 12.9 | 46.1 | <0.001 | 0.01 | 0.13 | 2.0 | 0.5 | 1.3 | 10.2 | <0.01 | 0.01 | 3.4 |
| I032473 | | 1.83 | 28.6 | 270 | 10.8 | 10.1 | <0.001 | 0.01 | 0.57 | 5.7 | 0.6 | 0.7 | 22.0 | 0.02 | 0.03 | 5.4 |
| I032474 | | 1.71 | 15.3 | 320 | 12.1 | 24.2 | <0.001 | 0.01 | 0.27 | 3.1 | 0.3 | 0.8 | 17.0 | <0.01 | 0.03 | 3.0 |
| I032475 | | 2.09 | 29.5 | 400 | 19.2 | 16.3 | <0.001 | 0.02 | 0.53 | 5.7 | 0.8 | 0.9 | 23.7 | 0.01 | 0.03 | 12.4 |
| I032476 | | 1.70 | 14.6 | 700 | 149.0 | 17.7 | <0.001 | 0.02 | 0.44 | 3.7 | 0.7 | 0.9 | 21.3 | 0.01 | 0.04 | 2.2 |
| I032477 | | 1.51 | 14.0 | 270 | 11.4 | 19.7 | <0.001 | 0.01 | 0.37 | 2.9 | 0.4 | 1.2 | 16.3 | <0.01 | 0.02 | 5.0 |
| I032478 | | 1.46 | 13.7 | 330 | 13.4 | 45.5 | <0.001 | 0.01 | 0.20 | 3.4 | 0.4 | 2.3 | 12.0 | <0.01 | 0.02 | 6.6 |
| I032479 | | 1.37 | 7.4 | 400 | 11.5 | 16.7 | <0.001 | 0.01 | 0.27 | 2.3 | 0.3 | 0.8 | 14.1 | <0.01 | 0.02 | 1.1 |
| I032480 | | 1.28 | 16.7 | 280 | 18.2 | 13.3 | <0.001 | 0.01 | 0.33 | 3.9 | 0.3 | 1.2 | 13.8 | <0.01 | 0.02 | 3.4 |
| I032481 | | 1.62 | 19.3 | 320 | 10.4 | 13.0 | <0.001 | 0.01 | 0.48 | 4.6 | 0.5 | 0.8 | 20.2 | <0.01 | 0.03 | 4.7 |
| I032482 | | 0.17 | 4.1 | 140 | 1.6 | 1.9 | <0.001 | 0.01 | 0.13 | 0.6 | <0.2 | <0.2 | 5.9 | <0.01 | <0.01 | 2.0 |
| I032483 | | 1.29 | 30.1 | 560 | 22.5 | 11.0 | <0.001 | 0.06 | 0.27 | 4.0 | 0.7 | 0.5 | 40.9 | <0.01 | 0.03 | 1.6 |
| I032484 | | 1.27 | 23.1 | 250 | 9.5 | 10.5 | <0.001 | 0.01 | 0.35 | 5.9 | 0.5 | 0.6 | 23.8 | <0.01 | 0.03 | 3.0 |
| I032485 | | 1.19 | 24.4 | 180 | 9.1 | 5.9 | <0.001 | 0.01 | 0.25 | 5.8 | 0.5 | 0.5 | 21.2 | <0.01 | 0.02 | 2.4 |
| I032486 | | 1.08 | 20.9 | 210 | 7.4 | 11.6 | <0.001 | 0.01 | 0.36 | 3.3 | 0.3 | 0.5 | 11.9 | <0.01 | 0.02 | 2.1 |
| I032487 | | 1.24 | 17.8 | 180 | 7.7 | 8.1 | <0.001 | 0.01 | 0.38 | 3.1 | 0.3 | 0.5 | 19.6 | <0.01 | 0.03 | 2.6 |
| I032488 | | 1.20 | 14.0 | 190 | 7.3 | 5.5 | <0.001 | 0.01 | 0.37 | 2.5 | 0.3 | 0.4 | 14.5 | <0.01 | 0.02 | 2.1 |
| I032489 | | 1.09 | 18.1 | 200 | 7.9 | 9.3 | <0.001 | <0.01 | 0.39 | 4.7 | 0.3 | 0.5 | 11.3 | <0.01 | 0.03 | 3.2 |
| I032490 | | 1.29 | 16.4 | 230 | 7.8 | 6.9 | <0.001 | <0.01 | 0.34 | 2.9 | 0.2 | 0.5 | 18.2 | <0.01 | 0.03 | 2.2 |
| I032491 | | 1.07 | 15.1 | 450 | 8.0 | 17.0 | <0.001 | 0.01 | 0.34 | 3.6 | 0.3 | 0.4 | 24.7 | <0.01 | 0.02 | 2.7 |
| I032492 | | 1.17 | 17.3 | 230 | 5.6 | 20.6 | <0.001 | <0.01 | 0.29 | 7.1 | 0.4 | 0.4 | 25.9 | <0.01 | 0.02 | 2.2 |
| I032493 | | 1.21 | 18.4 | 170 | 6.9 | 7.9 | <0.001 | <0.01 | 0.32 | 4.3 | 0.3 | 0.5 | 24.5 | <0.01 | 0.02 | 2.7 |
| I032494 | | 0.17 | 4.3 | 150 | 1.7 | 2.1 | <0.001 | <0.01 | 0.13 | 0.7 | <0.2 | <0.2 | 7.0 | <0.01 | 0.01 | 2.7 |
| I032495 | | 1.00 | 15.1 | 430 | 7.8 | 4.9 | <0.001 | 0.01 | 0.29 | 3.6 | 0.3 | 0.5 | 27.6 | <0.01 | 0.01 | 1.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn | Zr |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I032456 | | 0.097 | 0.09 | 2.11 | 66 | 0.16 | 10.05 | 48 | 6.5 |
| I032457 | | 0.075 | 0.10 | 0.51 | 50 | 0.17 | 4.12 | 47 | 1.9 |
| I032458 | | 0.043 | 0.11 | 3.41 | 43 | 0.20 | 19.45 | 37 | 0.6 |
| I032459 | | 0.091 | 0.15 | 1.37 | 67 | 0.27 | 8.76 | 51 | 1.9 |
| I032460 | | 0.096 | 0.16 | 1.43 | 71 | 0.17 | 8.70 | 54 | 2.2 |
| I032461 | | 0.008 | 0.03 | 0.35 | 4 | <0.05 | 2.25 | 6 | 2.0 |
| I032462 | | 0.098 | 0.13 | 1.31 | 58 | 0.15 | 9.20 | 43 | 3.0 |
| I032463 | | 0.093 | 0.13 | 1.68 | 63 | 0.20 | 10.60 | 48 | 2.8 |
| I032464 | | 0.040 | 0.14 | 4.67 | 18 | 0.17 | 38.5 | 37 | 1.2 |
| I032465 | | 0.096 | 0.35 | 0.82 | 51 | 0.15 | 6.10 | 66 | 1.4 |
| I032466 | | 0.074 | 0.24 | 1.26 | 54 | 0.21 | 8.53 | 58 | 1.4 |
| I032467 | | 0.034 | 0.32 | 2.02 | 23 | 0.08 | 7.96 | 51 | 1.2 |
| I032468 | | 0.068 | 0.30 | 0.76 | 58 | 0.13 | 9.68 | 53 | 1.9 |
| I032469 | | 0.122 | 0.27 | 0.61 | 74 | 0.18 | 3.56 | 54 | 2.0 |
| I032470 | | 0.084 | 0.45 | 1.72 | 33 | 0.13 | 6.86 | 64 | 1.7 |
| I032471 | | 0.101 | 0.15 | 1.16 | 59 | 0.16 | 7.72 | 42 | 4.0 |
| I032472 | | 0.074 | 0.30 | 1.99 | 28 | 0.11 | 9.63 | 37 | 0.8 |
| I032473 | | 0.108 | 0.13 | 1.10 | 76 | 0.15 | 5.39 | 46 | 6.5 |
| I032474 | | 0.119 | 0.20 | 0.66 | 71 | 0.12 | 2.87 | 46 | 1.6 |
| I032475 | | 0.108 | 0.26 | 1.37 | 76 | 0.18 | 7.61 | 61 | 5.3 |
| I032476 | | 0.080 | 0.16 | 0.88 | 91 | 0.19 | 5.06 | 66 | 1.1 |
| I032477 | | 0.092 | 0.15 | 0.48 | 69 | 0.14 | 2.90 | 41 | 1.6 |
| I032478 | | 0.073 | 0.38 | 0.88 | 41 | 0.11 | 5.83 | 68 | 0.6 |
| I032479 | | 0.089 | 0.12 | 0.35 | 70 | 0.12 | 2.04 | 29 | 1.3 |
| I032480 | | 0.074 | 0.14 | 0.67 | 66 | 0.11 | 2.97 | 48 | 1.5 |
| I032481 | | 0.108 | 0.14 | 0.63 | 78 | 0.14 | 4.14 | 48 | 2.4 |
| I032482 | | 0.010 | 0.03 | 0.35 | 4 | <0.05 | 2.12 | 6 | 2.3 |
| I032483 | | 0.078 | 0.11 | 0.98 | 62 | 0.18 | 8.96 | 49 | 1.2 |
| I032484 | | 0.074 | 0.09 | 0.44 | 98 | 0.20 | 3.77 | 66 | 3.9 |
| I032485 | | 0.048 | 0.09 | 0.39 | 75 | 0.27 | 7.09 | 48 | 2.8 |
| I032486 | | 0.084 | 0.11 | 0.27 | 68 | 0.15 | 1.97 | 53 | 2.0 |
| I032487 | | 0.071 | 0.08 | 0.33 | 62 | 0.13 | 2.21 | 47 | 2.6 |
| I032488 | | 0.061 | 0.05 | 0.27 | 59 | 0.15 | 1.98 | 46 | 1.6 |
| I032489 | | 0.066 | 0.11 | 0.37 | 68 | 0.14 | 3.81 | 58 | 3.9 |
| I032490 | | 0.062 | 0.08 | 0.31 | 59 | 0.14 | 2.26 | 56 | 1.4 |
| I032491 | | 0.060 | 0.07 | 0.38 | 48 | 0.13 | 2.99 | 53 | 1.6 |
| I032492 | | 0.103 | 0.10 | 0.35 | 79 | 0.13 | 4.56 | 50 | 2.1 |
| I032493 | | 0.062 | 0.07 | 0.33 | 58 | 0.13 | 3.18 | 43 | 2.6 |
| I032494 | | 0.008 | 0.03 | 0.37 | 3 | <0.05 | 2.51 | 6 | 2.4 |
| I032495 | | 0.050 | 0.08 | 0.35 | 54 | 0.15 | 2.84 | 68 | 0.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I032496 | | 0.64 | <0.005 | 0.09 | 1.36 | 2.7 | <0.2 | <10 | 140 | 0.32 | 0.09 | 0.20 | 0.07 | 11.85 | 5.7 | 17 |
| I032497 | | 0.52 | <0.005 | 0.17 | 1.86 | 3.5 | <0.2 | <10 | 320 | 0.44 | 0.12 | 0.41 | 0.06 | 18.40 | 11.3 | 43 |
| I032498 | | 0.62 | <0.005 | 0.04 | 1.49 | 4.7 | <0.2 | <10 | 200 | 0.31 | 0.12 | 0.33 | 0.07 | 14.45 | 8.1 | 24 |
| I032499 | | 0.50 | <0.005 | 0.09 | 1.25 | 3.7 | <0.2 | <10 | 200 | 0.24 | 0.13 | 0.47 | 0.12 | 15.35 | 6.4 | 20 |
| I032500 | | 0.50 | <0.005 | 0.08 | 1.56 | 4.0 | <0.2 | <10 | 250 | 0.36 | 0.15 | 0.59 | 0.09 | 18.25 | 7.8 | 24 |
| I033143 | | 0.64 | <0.005 | 0.04 | 2.98 | 10.8 | <0.2 | <10 | 200 | 0.50 | 0.16 | 0.29 | 0.14 | 25.1 | 15.3 | 43 |
| I314651 | | 0.72 | <0.005 | 0.01 | 0.91 | 1.4 | <0.2 | <10 | 110 | 0.24 | 0.02 | 0.24 | 0.01 | 21.9 | 6.7 | 10 |
| I314652 | | 0.50 | <0.005 | 0.04 | 1.60 | 7.2 | <0.2 | <10 | 230 | 0.52 | 0.21 | 0.37 | 0.04 | 26.7 | 7.7 | 29 |
| I314653 | | 0.64 | <0.005 | 0.03 | 1.57 | 6.6 | <0.2 | <10 | 280 | 0.42 | 0.14 | 0.37 | 0.05 | 21.9 | 6.8 | 27 |
| I314654 | | 0.72 | <0.005 | 0.07 | 1.71 | 7.7 | <0.2 | <10 | 330 | 0.47 | 0.18 | 0.60 | 0.09 | 25.0 | 9.8 | 27 |
| I314655 | | 0.78 | <0.005 | 0.05 | 1.79 | 8.4 | <0.2 | <10 | 280 | 0.53 | 0.18 | 0.71 | 0.08 | 24.7 | 10.4 | 28 |
| I314656 | | 0.92 | <0.005 | 0.06 | 1.54 | 9.4 | <0.2 | <10 | 320 | 0.45 | 0.16 | 0.49 | 0.07 | 25.4 | 8.8 | 28 |
| I314657 | | 0.86 | <0.005 | 0.05 | 1.50 | 9.7 | <0.2 | <10 | 260 | 0.39 | 0.17 | 0.59 | 0.11 | 26.0 | 10.5 | 28 |
| I314658 | | 0.72 | <0.005 | 0.03 | 1.42 | 8.9 | <0.2 | <10 | 250 | 0.38 | 0.16 | 0.47 | 0.06 | 23.6 | 8.9 | 25 |
| I314659 | | 0.50 | <0.005 | 0.06 | 1.35 | 6.8 | <0.2 | <10 | 260 | 0.40 | 0.14 | 0.51 | 0.06 | 22.6 | 7.3 | 23 |
| I314660 | | 0.66 | <0.005 | 0.08 | 1.43 | 11.7 | <0.2 | <10 | 260 | 0.50 | 0.18 | 0.54 | 0.08 | 26.5 | 8.3 | 28 |
| I314661 | | 0.38 | <0.005 | 0.01 | 0.08 | 1.6 | <0.2 | <10 | 20 | 0.07 | 0.02 | 0.05 | 0.04 | 9.14 | 2.1 | 2 |
| I314662 | | 0.54 | 0.008 | 0.22 | 1.84 | 13.8 | <0.2 | <10 | 350 | 0.66 | 0.29 | 0.70 | 0.32 | 38.0 | 13.4 | 39 |
| I314663 | | 0.68 | <0.005 | 0.10 | 1.50 | 11.3 | <0.2 | <10 | 350 | 0.48 | 0.18 | 1.00 | 0.14 | 27.3 | 10.7 | 29 |
| I314664 | | 0.60 | <0.005 | 0.22 | 2.34 | 20.8 | <0.2 | <10 | 470 | 0.96 | 0.42 | 0.57 | 0.28 | 50.5 | 16.1 | 51 |
| I314665 | | 0.56 | <0.005 | 0.28 | 2.16 | 17.7 | <0.2 | <10 | 400 | 0.90 | 0.37 | 0.63 | 0.32 | 47.0 | 17.6 | 48 |
| I314666 | | 0.84 | <0.005 | 0.15 | 1.64 | 12.2 | <0.2 | <10 | 310 | 0.61 | 0.26 | 0.54 | 0.19 | 33.3 | 11.8 | 38 |
| I314667 | | 0.84 | <0.005 | 0.10 | 1.33 | 19.9 | <0.2 | <10 | 250 | 0.57 | 0.17 | 0.49 | 0.14 | 29.4 | 8.5 | 23 |
| I314668 | | 0.72 | <0.005 | 0.05 | 1.93 | 10.4 | <0.2 | <10 | 290 | 0.49 | 0.22 | 0.15 | 0.15 | 19.85 | 13.6 | 31 |
| I314669 | | 0.60 | <0.005 | 0.04 | 1.71 | 8.0 | <0.2 | <10 | 280 | 0.43 | 0.17 | 0.21 | 0.07 | 20.8 | 9.7 | 31 |
| I314670 | | 0.36 | <0.005 | 0.02 | 0.10 | 1.8 | <0.2 | <10 | 20 | 0.08 | 0.03 | 0.06 | 0.03 | 12.20 | 2.3 | 3 |
| I314671 | | 0.60 | <0.005 | 0.05 | 1.42 | 6.7 | <0.2 | <10 | 310 | 0.27 | 0.17 | 0.25 | 0.10 | 16.15 | 7.2 | 24 |
| I314672 | | 0.64 | <0.005 | 0.05 | 1.34 | 6.8 | <0.2 | <10 | 280 | 0.24 | 0.15 | 0.26 | 0.09 | 16.10 | 6.7 | 25 |
| I314673 | | 0.56 | <0.005 | 0.09 | 1.18 | 3.9 | <0.2 | <10 | 350 | 0.37 | 0.26 | 0.28 | 0.11 | 16.50 | 10.5 | 18 |
| I314674 | | 0.72 | <0.005 | 0.07 | 1.91 | 2.9 | <0.2 | <10 | 320 | 1.09 | 0.16 | 0.67 | 0.08 | 47.1 | 12.2 | 68 |
| I315451 | | 0.48 | <0.005 | 0.16 | 1.98 | 5.2 | <0.2 | <10 | 170 | 0.25 | 1.13 | 0.28 | 0.25 | 21.1 | 40.6 | 36 |
| I315452 | | 0.52 | <0.005 | 0.07 | 1.54 | 7.7 | <0.2 | <10 | 140 | 0.28 | 0.83 | 0.39 | 0.27 | 20.7 | 11.2 | 28 |
| I315453 | | 0.54 | <0.005 | 1.94 | 2.01 | 6.3 | <0.2 | <10 | 250 | 0.37 | 0.89 | 0.54 | 0.53 | 39.2 | 34.3 | 40 |
| I315454 | | 0.70 | 0.006 | 0.15 | 2.22 | 20.1 | <0.2 | <10 | 150 | 0.40 | 0.89 | 0.30 | 0.13 | 32.0 | 7.8 | 32 |
| I315455 | | 0.50 | <0.005 | 0.23 | 2.12 | 11.1 | <0.2 | <10 | 200 | 0.37 | 0.56 | 0.32 | 0.17 | 33.2 | 13.8 | 32 |
| I315456 | | 0.46 | NSS | 0.24 | 1.98 | 8.2 | <0.2 | <10 | 280 | 0.62 | 0.45 | 0.55 | 0.50 | 87.2 | 6.9 | 24 |
| I315457 | | 0.60 | <0.005 | 0.04 | 2.62 | 5.6 | <0.2 | <10 | 190 | 0.85 | 0.69 | 0.19 | 0.24 | 57.5 | 7.2 | 38 |
| I315458 | | 0.50 | <0.005 | 0.31 | 2.46 | 4.5 | <0.2 | <10 | 300 | 0.43 | 0.44 | 0.58 | 0.37 | 23.5 | 18.4 | 33 |
| I315459 | | 0.50 | 0.008 | 0.17 | 2.23 | 7.6 | <0.2 | <10 | 230 | 0.47 | 0.34 | 0.66 | 0.20 | 24.4 | 11.1 | 34 |
| I315460 | | 0.40 | 0.010 | 0.32 | 3.17 | 41.9 | <0.2 | <10 | 310 | 0.53 | 0.46 | 0.51 | 0.25 | 20.3 | 22.7 | 141 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I032496 | | 0.33 | 9.9 | 2.27 | 6.31 | <0.05 | <0.02 | <0.01 | 0.017 | 0.05 | 6.2 | 8.4 | 0.44 | 202 | 0.63 | 0.02 |
| I032497 | | 0.71 | 16.9 | 3.23 | 6.99 | 0.05 | 0.06 | 0.01 | 0.027 | 0.09 | 8.1 | 11.4 | 0.63 | 602 | 1.31 | 0.02 |
| I032498 | | 0.43 | 23.9 | 2.79 | 6.43 | 0.05 | 0.08 | 0.01 | 0.023 | 0.07 | 7.1 | 10.6 | 0.52 | 229 | 1.06 | 0.02 |
| I032499 | | 0.45 | 16.3 | 2.19 | 5.38 | 0.05 | 0.04 | 0.01 | 0.017 | 0.08 | 8.0 | 7.2 | 0.42 | 281 | 1.10 | 0.03 |
| I032500 | | 0.46 | 19.1 | 2.39 | 5.63 | 0.05 | 0.06 | 0.03 | 0.021 | 0.08 | 9.7 | 9.4 | 0.55 | 380 | 0.97 | 0.03 |
| I033143 | | 1.16 | 30.0 | 3.61 | 7.99 | 0.07 | 0.10 | 0.02 | 0.036 | 0.06 | 9.4 | 14.1 | 0.72 | 419 | 1.26 | 0.03 |
| I314651 | | 0.62 | 5.1 | 1.68 | 5.27 | 0.05 | 0.03 | <0.01 | 0.018 | 0.02 | 11.1 | 6.5 | 0.47 | 189 | 0.12 | 0.02 |
| I314652 | | 0.44 | 26.7 | 2.53 | 5.31 | 0.06 | 0.16 | 0.02 | 0.025 | 0.06 | 14.4 | 9.3 | 0.47 | 210 | 0.40 | 0.02 |
| I314653 | | 0.42 | 20.9 | 2.25 | 5.29 | <0.05 | 0.10 | 0.01 | 0.022 | 0.04 | 11.5 | 9.3 | 0.44 | 138 | 0.42 | 0.02 |
| I314654 | | 0.51 | 25.1 | 2.71 | 6.11 | 0.06 | 0.13 | 0.02 | 0.028 | 0.05 | 13.5 | 11.1 | 0.51 | 306 | 0.71 | 0.03 |
| I314655 | | 0.62 | 33.3 | 2.92 | 5.93 | 0.08 | 0.36 | 0.03 | 0.030 | 0.07 | 14.5 | 12.1 | 0.62 | 287 | 0.41 | 0.04 |
| I314656 | | 0.57 | 24.1 | 2.62 | 5.02 | 0.06 | 0.22 | 0.02 | 0.023 | 0.05 | 13.3 | 11.6 | 0.50 | 220 | 0.87 | 0.03 |
| I314657 | | 0.53 | 26.0 | 2.66 | 5.34 | 0.06 | 0.12 | 0.03 | 0.023 | 0.06 | 13.7 | 11.4 | 0.55 | 347 | 0.89 | 0.04 |
| I314658 | | 0.50 | 21.1 | 2.41 | 5.10 | 0.06 | 0.24 | 0.02 | 0.021 | 0.05 | 12.4 | 10.4 | 0.49 | 243 | 0.92 | 0.03 |
| I314659 | | 0.48 | 23.9 | 2.16 | 4.69 | 0.06 | 0.21 | 0.02 | 0.020 | 0.04 | 12.8 | 9.9 | 0.44 | 206 | 0.64 | 0.03 |
| I314660 | | 0.95 | 30.9 | 2.55 | 5.10 | 0.07 | 0.15 | 0.03 | 0.024 | 0.08 | 15.5 | 11.4 | 0.55 | 251 | 0.71 | 0.03 |
| I314661 | | 0.07 | 1.5 | 0.51 | 0.48 | <0.05 | 0.05 | 0.01 | <0.005 | 0.02 | 4.7 | 1.1 | 0.03 | 151 | 0.26 | 0.02 |
| I314662 | | 1.29 | 40.3 | 3.35 | 6.46 | 0.08 | 0.07 | 0.06 | 0.030 | 0.15 | 19.8 | 14.9 | 0.67 | 486 | 1.33 | 0.03 |
| I314663 | | 0.54 | 33.2 | 2.62 | 4.98 | 0.07 | 0.16 | 0.03 | 0.023 | 0.06 | 15.0 | 11.2 | 0.56 | 442 | 0.73 | 0.04 |
| I314664 | | 2.27 | 60.3 | 4.39 | 8.31 | 0.11 | 0.18 | 0.09 | 0.041 | 0.23 | 28.7 | 23.9 | 0.92 | 503 | 1.34 | 0.03 |
| I314665 | | 1.73 | 50.8 | 3.91 | 7.72 | 0.09 | 0.11 | 0.08 | 0.038 | 0.19 | 25.0 | 19.8 | 0.82 | 586 | 1.35 | 0.03 |
| I314666 | | 1.21 | 41.6 | 3.17 | 5.96 | 0.08 | 0.11 | 0.05 | 0.029 | 0.13 | 18.1 | 15.1 | 0.70 | 413 | 1.00 | 0.03 |
| I314667 | | 0.58 | 25.9 | 2.47 | 4.76 | 0.06 | 0.10 | 0.03 | 0.023 | 0.05 | 15.9 | 10.0 | 0.43 | 295 | 0.75 | 0.02 |
| I314668 | | 0.83 | 14.6 | 2.82 | 6.64 | 0.05 | <0.02 | 0.01 | 0.030 | 0.05 | 10.1 | 11.6 | 0.42 | 411 | 1.05 | 0.02 |
| I314669 | | 0.72 | 14.6 | 2.55 | 5.80 | 0.05 | 0.10 | 0.01 | 0.024 | 0.04 | 10.1 | 11.4 | 0.42 | 314 | 0.96 | 0.02 |
| I314670 | | 0.08 | 2.0 | 0.61 | 0.55 | <0.05 | 0.05 | 0.01 | <0.005 | 0.03 | 6.4 | 1.2 | 0.04 | 142 | 0.26 | 0.02 |
| I314671 | | 0.53 | 10.6 | 2.09 | 5.38 | <0.05 | <0.02 | 0.01 | 0.019 | 0.03 | 8.4 | 9.4 | 0.33 | 419 | 0.82 | 0.02 |
| I314672 | | 0.50 | 11.4 | 2.03 | 4.69 | <0.05 | 0.02 | <0.01 | 0.018 | 0.03 | 8.5 | 9.6 | 0.34 | 306 | 0.75 | 0.02 |
| I314673 | | 0.53 | 9.0 | 1.61 | 4.93 | <0.05 | 0.02 | 0.01 | 0.019 | 0.07 | 9.0 | 7.5 | 0.25 | 491 | 0.79 | 0.02 |
| I314674 | | 0.22 | 15.6 | 2.88 | 7.43 | 0.07 | 0.08 | 0.02 | 0.026 | 0.19 | 21.4 | 14.5 | 0.86 | 750 | 0.59 | 0.01 |
| I315451 | | 2.11 | 40.5 | 3.03 | 7.24 | 0.07 | 0.03 | 0.09 | 0.029 | 0.09 | 11.4 | 9.5 | 0.62 | 2070 | 0.87 | 0.02 |
| I315452 | | 2.06 | 43.2 | 2.52 | 4.77 | 0.06 | 0.03 | 0.04 | 0.024 | 0.17 | 11.6 | 8.8 | 0.54 | 854 | 0.77 | 0.02 |
| I315453 | | 1.53 | 104.0 | 3.69 | 6.70 | 0.09 | 0.05 | 0.22 | 0.036 | 0.11 | 18.3 | 10.6 | 0.53 | 2080 | 4.92 | 0.03 |
| I315454 | | 2.07 | 42.0 | 3.00 | 6.89 | 0.08 | 0.06 | 0.08 | 0.036 | 0.09 | 17.4 | 13.2 | 0.52 | 357 | 1.63 | 0.02 |
| I315455 | | 2.07 | 30.2 | 2.87 | 7.28 | 0.07 | 0.04 | 0.12 | 0.034 | 0.07 | 18.2 | 9.9 | 0.44 | 1220 | 2.23 | 0.02 |
| I315456 | | 2.13 | 38.6 | 2.16 | 6.60 | 0.14 | 0.08 | 0.20 | 0.031 | 0.08 | 54.6 | 10.0 | 0.36 | 628 | 1.45 | 0.02 |
| I315457 | | 3.16 | 45.8 | 3.02 | 8.40 | 0.10 | 0.12 | 0.07 | 0.041 | 0.11 | 36.1 | 12.6 | 0.47 | 447 | 1.61 | 0.02 |
| I315458 | | 3.83 | 63.9 | 2.85 | 7.67 | 0.07 | 0.04 | 0.08 | 0.030 | 0.12 | 12.9 | 11.0 | 0.61 | 1440 | 2.32 | 0.03 |
| I315459 | | 2.77 | 71.5 | 2.40 | 6.57 | 0.08 | 0.05 | 0.06 | 0.029 | 0.14 | 13.3 | 11.5 | 0.63 | 408 | 2.39 | 0.03 |
| I315460 | | 9.51 | 94.4 | 3.30 | 9.22 | 0.13 | 0.03 | 0.05 | 0.032 | 0.58 | 10.0 | 17.5 | 1.54 | 592 | 3.96 | 0.04 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I032496 | | 0.73 | 9.8 | 370 | 6.8 | 4.1 | <0.001 | 0.01 | 0.21 | 2.0 | <0.2 | 0.5 | 18.4 | <0.01 | 0.01 | 1.2 |
| I032497 | | 1.04 | 17.5 | 410 | 5.9 | 7.8 | <0.001 | 0.01 | 0.26 | 6.4 | 0.3 | 0.5 | 26.7 | <0.01 | 0.02 | 2.5 |
| I032498 | | 0.83 | 16.4 | 340 | 6.0 | 7.5 | <0.001 | 0.01 | 0.29 | 4.1 | 0.4 | 0.4 | 25.4 | <0.01 | 0.02 | 3.2 |
| I032499 | | 1.07 | 14.8 | 280 | 6.3 | 11.2 | <0.001 | 0.01 | 0.28 | 3.5 | 0.5 | 0.4 | 33.5 | <0.01 | 0.02 | 1.9 |
| I032500 | | 1.08 | 16.3 | 460 | 7.0 | 9.1 | <0.001 | 0.01 | 0.34 | 4.0 | 0.5 | 0.4 | 39.2 | <0.01 | 0.01 | 2.2 |
| I033143 | | 2.12 | 34.2 | 210 | 12.0 | 9.7 | <0.001 | 0.01 | 0.47 | 6.6 | 0.5 | 0.7 | 28.1 | 0.01 | 0.03 | 4.7 |
| I314651 | | 0.35 | 5.6 | 400 | 1.5 | 4.2 | <0.001 | <0.01 | 0.09 | 6.2 | 0.3 | 0.4 | 16.0 | <0.01 | 0.01 | 3.1 |
| I314652 | | 0.81 | 18.5 | 290 | 7.5 | 7.0 | <0.001 | <0.01 | 0.42 | 6.5 | 0.4 | 0.5 | 25.4 | <0.01 | 0.02 | 4.4 |
| I314653 | | 1.34 | 17.2 | 230 | 6.7 | 5.9 | <0.001 | 0.01 | 0.38 | 5.0 | 0.4 | 0.5 | 29.1 | <0.01 | 0.02 | 3.3 |
| I314654 | | 1.47 | 22.5 | 410 | 8.7 | 7.5 | <0.001 | 0.01 | 0.50 | 6.0 | 0.6 | 0.6 | 43.4 | <0.01 | 0.03 | 3.5 |
| I314655 | | 1.08 | 23.6 | 460 | 9.0 | 9.5 | <0.001 | 0.01 | 0.57 | 6.4 | 0.6 | 0.6 | 43.7 | <0.01 | 0.03 | 4.3 |
| I314656 | | 1.20 | 22.2 | 440 | 8.6 | 6.8 | <0.001 | <0.01 | 0.52 | 4.9 | 0.7 | 0.5 | 31.6 | <0.01 | 0.03 | 4.2 |
| I314657 | | 1.53 | 24.1 | 570 | 8.5 | 7.7 | <0.001 | 0.01 | 0.56 | 5.2 | 0.7 | 0.5 | 37.2 | <0.01 | 0.02 | 3.7 |
| I314658 | | 1.40 | 19.5 | 460 | 8.0 | 6.6 | <0.001 | <0.01 | 0.50 | 4.7 | 0.6 | 0.5 | 33.2 | <0.01 | 0.03 | 4.1 |
| I314659 | | 1.25 | 19.2 | 500 | 7.1 | 6.4 | <0.001 | 0.01 | 0.45 | 4.6 | 0.6 | 0.4 | 34.1 | <0.01 | 0.02 | 3.9 |
| I314660 | | 1.32 | 24.5 | 620 | 9.1 | 9.9 | <0.001 | 0.01 | 0.61 | 5.1 | 0.5 | 0.5 | 35.0 | <0.01 | 0.02 | 5.0 |
| I314661 | | 0.14 | 3.4 | 110 | 1.3 | 1.5 | <0.001 | <0.01 | 0.10 | 0.6 | <0.2 | <0.2 | 4.9 | <0.01 | 0.01 | 1.6 |
| I314662 | | 1.63 | 35.5 | 730 | 13.7 | 15.9 | <0.001 | 0.02 | 1.04 | 5.9 | 1.0 | 0.6 | 46.0 | <0.01 | 0.04 | 4.9 |
| I314663 | | 1.51 | 26.9 | 640 | 8.9 | 7.2 | <0.001 | 0.02 | 0.74 | 4.8 | 1.3 | 0.4 | 52.6 | <0.01 | 0.02 | 3.4 |
| I314664 | | 1.73 | 52.8 | 560 | 19.2 | 22.0 | <0.001 | 0.01 | 1.34 | 7.6 | 1.4 | 0.8 | 44.5 | 0.01 | 0.04 | 10.3 |
| I314665 | | 1.83 | 45.8 | 550 | 17.6 | 18.3 | <0.001 | 0.01 | 1.26 | 7.0 | 1.4 | 0.7 | 46.2 | <0.01 | 0.04 | 7.5 |
| I314666 | | 1.42 | 37.5 | 720 | 11.5 | 13.5 | <0.001 | 0.01 | 0.91 | 6.0 | 0.8 | 0.6 | 37.7 | <0.01 | 0.03 | 6.3 |
| I314667 | | 1.31 | 19.3 | 520 | 12.4 | 7.2 | <0.001 | 0.01 | 0.46 | 4.3 | 0.9 | 0.4 | 31.4 | <0.01 | 0.02 | 4.1 |
| I314668 | | 1.22 | 20.9 | 600 | 9.9 | 9.5 | <0.001 | 0.01 | 0.42 | 3.3 | 0.3 | 0.6 | 17.7 | <0.01 | 0.03 | 1.0 |
| I314669 | | 1.49 | 20.3 | 160 | 8.8 | 8.4 | <0.001 | <0.01 | 0.42 | 4.0 | 0.3 | 0.6 | 22.6 | <0.01 | 0.02 | 3.9 |
| I314670 | | 0.17 | 3.8 | 130 | 1.6 | 1.7 | <0.001 | 0.01 | 0.24 | 0.6 | <0.2 | <0.2 | 5.6 | <0.01 | 0.02 | 2.2 |
| I314671 | | 1.34 | 14.0 | 260 | 7.6 | 5.2 | <0.001 | 0.01 | 0.37 | 2.8 | 0.2 | 0.6 | 24.3 | <0.01 | 0.02 | 1.5 |
| I314672 | | 1.34 | 13.9 | 210 | 7.5 | 5.5 | <0.001 | 0.01 | 0.37 | 2.7 | 0.3 | 0.5 | 24.7 | <0.01 | 0.02 | 1.9 |
| I314673 | | 1.43 | 11.8 | 720 | 9.7 | 9.5 | <0.001 | 0.02 | 0.26 | 2.4 | 0.3 | 0.7 | 29.8 | <0.01 | 0.01 | 1.8 |
| I314674 | | 0.54 | 19.5 | 410 | 10.7 | 8.7 | <0.001 | 0.01 | 0.23 | 6.9 | 0.6 | 0.5 | 40.7 | <0.01 | 0.01 | 5.0 |
| I315451 | | 1.40 | 16.5 | 650 | 11.2 | 14.4 | <0.001 | 0.05 | 0.26 | 5.5 | 0.6 | 0.7 | 23.4 | <0.01 | 0.03 | 2.0 |
| I315452 | | 0.82 | 12.5 | 910 | 5.4 | 20.9 | <0.001 | 0.03 | 0.34 | 5.9 | 0.5 | 0.6 | 20.5 | <0.01 | 0.01 | 3.1 |
| I315453 | | 0.71 | 17.9 | 1180 | 6.6 | 16.4 | <0.001 | 0.12 | 0.41 | 6.9 | 1.3 | 0.6 | 47.4 | 0.01 | 0.03 | 1.0 |
| I315454 | | 2.90 | 16.8 | 580 | 10.1 | 22.5 | <0.001 | 0.02 | 0.78 | 5.1 | 0.6 | 1.0 | 24.8 | <0.01 | 0.06 | 9.1 |
| I315455 | | 2.09 | 16.0 | 760 | 11.4 | 17.2 | <0.001 | 0.06 | 0.40 | 4.8 | 0.8 | 1.0 | 30.1 | <0.01 | 0.03 | 2.9 |
| I315456 | | 2.49 | 15.8 | 830 | 10.1 | 24.4 | <0.001 | 0.08 | 0.41 | 5.0 | 1.5 | 0.9 | 50.0 | 0.01 | 0.03 | 3.0 |
| I315457 | | 2.94 | 16.4 | 340 | 13.8 | 29.2 | <0.001 | 0.02 | 0.28 | 6.1 | 0.8 | 1.4 | 17.8 | 0.01 | 0.05 | 14.6 |
| I315458 | | 1.29 | 18.9 | 1130 | 7.9 | 30.9 | <0.001 | 0.10 | 0.26 | 5.5 | 0.9 | 0.8 | 57.3 | <0.01 | 0.04 | 1.3 |
| I315459 | | 1.53 | 20.4 | 1120 | 6.6 | 24.1 | <0.001 | 0.06 | 0.39 | 5.2 | 0.9 | 0.7 | 45.4 | <0.01 | 0.03 | 2.5 |
| I315460 | | 1.52 | 61.0 | 490 | 5.3 | 69.2 | <0.001 | 0.04 | 2.75 | 9.2 | 0.7 | 0.8 | 30.5 | <0.01 | 0.07 | 1.8 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I032496 | | 0.031 | 0.04 | 0.33 | 47 | 0.12 | 1.70 | 74 | <0.5 |
| I032497 | | 0.066 | 0.08 | 0.35 | 72 | 0.14 | 4.26 | 60 | 2.2 |
| I032498 | | 0.041 | 0.05 | 0.47 | 55 | 0.12 | 4.15 | 52 | 2.8 |
| I032499 | | 0.048 | 0.05 | 0.56 | 46 | 0.13 | 3.81 | 40 | 1.7 |
| I032500 | | 0.055 | 0.05 | 1.07 | 44 | 0.13 | 5.35 | 46 | 2.1 |
| I033143 | | 0.135 | 0.11 | 1.07 | 79 | 0.17 | 5.30 | 60 | 3.9 |
| I314651 | | 0.043 | 0.02 | 0.46 | 24 | <0.05 | 7.99 | 45 | 1.3 |
| I314652 | | 0.074 | 0.05 | 1.06 | 49 | 0.09 | 9.10 | 40 | 6.9 |
| I314653 | | 0.074 | 0.05 | 0.66 | 50 | 0.14 | 5.55 | 36 | 4.2 |
| I314654 | | 0.083 | 0.06 | 1.61 | 55 | 0.15 | 9.12 | 48 | 5.4 |
| I314655 | | 0.113 | 0.07 | 1.20 | 57 | 0.15 | 11.80 | 58 | 15.8 |
| I314656 | | 0.072 | 0.06 | 0.80 | 54 | 0.22 | 8.80 | 44 | 8.9 |
| I314657 | | 0.079 | 0.06 | 0.94 | 53 | 0.28 | 8.88 | 48 | 4.7 |
| I314658 | | 0.080 | 0.05 | 0.73 | 49 | 0.14 | 7.35 | 41 | 9.1 |
| I314659 | | 0.073 | 0.06 | 1.01 | 42 | 0.60 | 8.19 | 38 | 8.1 |
| I314660 | | 0.076 | 0.08 | 0.67 | 46 | 0.16 | 10.40 | 57 | 6.9 |
| I314661 | | 0.007 | 0.03 | 0.25 | 2 | <0.05 | 2.01 | 5 | 1.7 |
| I314662 | | 0.061 | 0.11 | 1.96 | 57 | 0.23 | 12.30 | 86 | 2.7 |
| I314663 | | 0.074 | 0.06 | 3.15 | 51 | 0.25 | 11.00 | 57 | 6.2 |
| I314664 | | 0.057 | 0.18 | 2.37 | 67 | 0.25 | 16.55 | 128 | 7.1 |
| I314665 | | 0.052 | 0.14 | 2.03 | 64 | 0.24 | 15.30 | 112 | 4.2 |
| I314666 | | 0.061 | 0.12 | 0.99 | 55 | 0.27 | 11.65 | 85 | 4.4 |
| I314667 | | 0.058 | 0.06 | 3.28 | 42 | 0.17 | 9.81 | 52 | 3.8 |
| I314668 | | 0.054 | 0.09 | 0.49 | 60 | 0.21 | 3.15 | 66 | 0.5 |
| I314669 | | 0.064 | 0.09 | 0.49 | 57 | 0.18 | 2.76 | 42 | 4.3 |
| I314670 | | 0.005 | 0.03 | 0.34 | 1 | <0.05 | 2.27 | 4 | 1.9 |
| I314671 | | 0.053 | 0.09 | 0.33 | 53 | 0.21 | 2.31 | 52 | 0.7 |
| I314672 | | 0.052 | 0.08 | 0.36 | 49 | 0.22 | 2.26 | 48 | 0.8 |
| I314673 | | 0.046 | 0.08 | 0.38 | 35 | 0.24 | 2.14 | 64 | 0.7 |
| I314674 | | 0.011 | 0.04 | 0.71 | 50 | 0.98 | 9.19 | 61 | 1.9 |
| I315451 | | 0.125 | 0.23 | 2.72 | 84 | 0.86 | 8.46 | 69 | 1.0 |
| I315452 | | 0.096 | 0.20 | 1.92 | 65 | 1.99 | 8.08 | 60 | 0.8 |
| I315453 | | 0.078 | 0.25 | 4.34 | 94 | 6.68 | 16.65 | 55 | 1.0 |
| I315454 | | 0.125 | 0.29 | 4.16 | 58 | 2.25 | 8.66 | 69 | 2.2 |
| I315455 | | 0.097 | 0.25 | 5.71 | 63 | 1.16 | 9.62 | 65 | 1.3 |
| I315456 | | 0.071 | 0.25 | 11.55 | 44 | 3.55 | 32.2 | 63 | 1.6 |
| I315457 | | 0.115 | 0.40 | 8.57 | 61 | 1.49 | 19.15 | 70 | 3.4 |
| I315458 | | 0.095 | 0.32 | 5.36 | 74 | 3.02 | 9.58 | 81 | 1.1 |
| I315459 | | 0.102 | 0.25 | 4.16 | 70 | 3.03 | 10.00 | 65 | 1.5 |
| I315460 | | 0.169 | 0.71 | 1.29 | 102 | 5.04 | 6.57 | 73 | 1.1 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315461 | | 0.56 | 0.011 | 0.19 | 2.11 | 71.8 | <0.2 | <10 | 190 | 0.45 | 0.45 | 0.44 | 0.15 | 39.9 | 18.2 | 51 |
| I315462 | | 0.44 | <0.005 | 0.09 | 1.71 | 20.4 | <0.2 | <10 | 130 | 0.32 | 0.29 | 0.34 | 0.11 | 21.1 | 16.9 | 52 |
| I315463 | | 0.20 | <0.005 | 0.01 | 0.12 | 1.8 | <0.2 | <10 | 30 | 0.08 | 0.04 | 0.08 | 0.04 | 11.35 | 2.2 | 3 |
| I315464 | | 0.46 | <0.005 | 0.08 | 1.74 | 3.5 | <0.2 | <10 | 120 | 0.17 | 0.25 | 0.33 | 0.11 | 16.35 | 8.2 | 60 |
| I315465 | | 0.44 | <0.005 | 0.11 | 1.52 | 2.9 | <0.2 | <10 | 160 | 0.23 | 0.26 | 0.43 | 0.19 | 20.0 | 5.8 | 44 |
| I315466 | | 0.50 | <0.005 | 0.16 | 2.08 | 6.8 | <0.2 | <10 | 200 | 0.45 | 0.31 | 0.39 | 0.11 | 34.3 | 13.9 | 60 |
| I315467 | | 0.60 | <0.005 | 0.12 | 2.05 | 7.6 | <0.2 | <10 | 180 | 0.58 | 0.34 | 0.33 | 0.18 | 39.7 | 13.8 | 48 |
| I315468 | | 0.50 | <0.005 | 0.05 | 1.08 | 5.6 | <0.2 | <10 | 60 | 0.17 | 0.32 | 0.11 | 0.11 | 10.95 | 4.7 | 26 |
| I315469 | | 0.42 | <0.005 | 0.19 | 1.43 | 5.4 | <0.2 | <10 | 150 | 0.60 | 0.41 | 0.56 | 0.55 | 61.0 | 15.9 | 32 |
| I315470 | | 0.30 | <0.005 | 0.08 | 0.46 | 1.9 | <0.2 | <10 | 50 | 0.09 | 0.15 | 0.10 | 0.23 | 6.39 | 2.2 | 16 |
| I315471 | | 0.52 | <0.005 | 0.07 | 1.16 | 7.5 | <0.2 | <10 | 140 | 0.29 | 0.23 | 0.17 | 0.20 | 14.80 | 5.3 | 29 |
| I315472 | | 0.62 | <0.005 | 0.06 | 1.84 | 10.7 | <0.2 | <10 | 250 | 0.74 | 0.14 | 0.37 | 0.32 | 28.1 | 12.6 | 57 |
| I315473 | | 0.14 | <0.005 | 0.01 | 0.12 | 1.6 | <0.2 | <10 | 30 | 0.08 | 0.02 | 0.09 | 0.04 | 10.55 | 2.2 | 3 |
| I315474 | | 0.54 | <0.005 | 0.17 | 1.43 | 3.3 | <0.2 | <10 | 140 | 0.40 | 0.34 | 0.19 | 0.17 | 48.6 | 9.8 | 30 |
| I315475 | | 0.48 | <0.005 | 0.10 | 1.19 | 3.8 | <0.2 | <10 | 50 | 0.39 | 0.48 | 0.12 | 0.10 | 33.3 | 6.2 | 26 |
| I315476 | | 0.54 | <0.005 | 0.09 | 1.77 | 7.6 | <0.2 | <10 | 280 | 0.39 | 0.18 | 0.20 | 0.20 | 17.50 | 9.8 | 43 |
| I315477 | | 0.58 | <0.005 | 0.20 | 1.13 | 14.9 | <0.2 | <10 | 150 | 0.19 | 0.63 | 0.13 | 0.23 | 22.3 | 4.4 | 19 |
| I315478 | | 0.46 | <0.005 | 0.05 | 1.60 | 6.5 | <0.2 | <10 | 220 | 0.28 | 0.18 | 0.16 | 0.19 | 13.35 | 13.4 | 71 |
| I315479 | | 0.44 | <0.005 | 0.07 | 0.71 | 2.2 | <0.2 | <10 | 90 | 0.12 | 0.28 | 0.13 | 0.10 | 22.2 | 2.7 | 13 |
| I315480 | | 0.56 | <0.005 | 0.03 | 1.82 | 6.6 | <0.2 | <10 | 150 | 0.33 | 0.17 | 0.20 | 0.17 | 23.1 | 9.5 | 30 |
| I315481 | | 0.64 | <0.005 | 0.04 | 1.84 | 9.3 | <0.2 | <10 | 180 | 0.22 | 0.16 | 0.21 | 0.17 | 21.1 | 11.2 | 65 |
| I315482 | | 0.54 | <0.005 | 0.03 | 2.18 | 8.5 | <0.2 | <10 | 200 | 0.42 | 0.23 | 0.16 | 0.14 | 27.3 | 12.6 | 46 |
| I315483 | | 0.46 | <0.005 | 0.11 | 1.26 | 4.1 | <0.2 | <10 | 240 | 0.27 | 0.15 | 0.23 | 0.18 | 20.9 | 6.6 | 29 |
| I315484 | | 0.42 | <0.005 | 0.16 | 1.20 | 2.2 | <0.2 | <10 | 340 | 0.20 | 0.13 | 0.34 | 0.26 | 14.35 | 10.2 | 75 |
| I315485 | | 0.44 | <0.005 | 0.51 | 1.56 | 3.0 | <0.2 | <10 | 470 | 0.32 | 0.14 | 0.38 | 0.21 | 21.6 | 15.9 | 68 |
| I315486 | | 0.38 | <0.005 | 0.46 | 1.49 | 2.6 | <0.2 | <10 | 450 | 0.32 | 0.12 | 0.37 | 0.19 | 21.3 | 14.6 | 64 |
| I315487 | | 0.46 | <0.005 | 0.19 | 1.89 | 3.4 | <0.2 | <10 | 360 | 0.18 | 0.12 | 0.27 | 0.15 | 9.81 | 15.9 | 46 |
| I315488 | | 0.50 | <0.005 | 0.56 | 1.98 | 3.6 | <0.2 | <10 | 550 | 0.27 | 0.10 | 0.43 | 0.06 | 14.55 | 17.1 | 96 |
| I315489 | | 0.44 | <0.005 | 0.62 | 1.15 | 3.2 | <0.2 | <10 | 370 | 0.23 | 0.15 | 0.24 | 0.21 | 20.0 | 8.4 | 44 |
| I315490 | | 0.36 | <0.005 | 1.18 | 2.10 | 4.7 | <0.2 | <10 | 800 | 0.88 | 0.18 | 0.67 | 0.25 | 38.6 | 16.1 | 62 |
| I315491 | | 0.52 | <0.005 | 0.09 | 2.24 | 4.2 | <0.2 | <10 | 410 | 0.30 | 0.11 | 0.50 | 0.13 | 15.35 | 19.0 | 180 |
| I315492 | | 0.64 | <0.005 | 0.16 | 2.15 | 5.8 | <0.2 | <10 | 520 | 0.40 | 0.12 | 0.46 | 0.11 | 20.3 | 15.9 | 110 |
| I315493 | | 0.38 | <0.005 | 0.38 | 1.54 | 2.8 | <0.2 | <10 | 440 | 0.29 | 0.16 | 0.72 | 0.22 | 12.35 | 18.4 | 55 |
| I315494 | | 0.58 | <0.005 | 0.28 | 1.88 | 8.4 | <0.2 | <10 | 230 | 0.49 | 0.20 | 0.33 | 0.21 | 32.3 | 11.3 | 42 |
| I315495 | | 0.48 | <0.005 | 0.29 | 1.95 | 3.6 | <0.2 | <10 | 400 | 0.41 | 0.24 | 0.50 | 0.76 | 29.9 | 17.0 | 33 |
| I315496 | | 0.70 | <0.005 | 0.04 | 1.54 | 6.8 | <0.2 | <10 | 250 | 0.32 | 0.15 | 0.53 | 0.12 | 24.6 | 10.5 | 30 |
| I315497 | | 0.72 | <0.005 | 0.12 | 1.52 | 10.2 | <0.2 | <10 | 330 | 0.46 | 0.17 | 0.74 | 0.17 | 30.7 | 10.0 | 30 |
| I315498 | | 0.58 | <0.005 | 0.11 | 1.71 | 13.5 | <0.2 | <10 | 350 | 0.56 | 0.24 | 0.61 | 0.20 | 47.6 | 12.4 | 40 |
| I315499 | | 0.70 | <0.005 | 0.13 | 1.92 | 15.6 | <0.2 | <10 | 370 | 0.71 | 0.29 | 0.52 | 0.19 | 53.9 | 13.5 | 43 |
| I315500 | | 0.58 | <0.005 | 0.08 | 1.09 | 9.7 | <0.2 | <10 | 100 | 0.19 | 0.19 | 0.18 | 0.26 | 13.50 | 4.7 | 20 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I315461 | | 2.58 | 52.8 | 2.68 | 7.21 | 0.08 | 0.04 | 0.07 | 0.030 | 0.09 | 22.3 | 11.9 | 0.62 | 873 | 12.65 |
| I315462 | | 2.02 | 32.7 | 2.39 | 6.79 | 0.06 | 0.03 | 0.05 | 0.022 | 0.10 | 11.5 | 10.6 | 0.61 | 586 | 36.2 |
| I315463 | | 0.09 | 1.9 | 0.65 | 0.56 | <0.05 | 0.07 | 0.01 | <0.005 | 0.04 | 5.8 | 1.2 | 0.04 | 160 | 0.29 |
| I315464 | | 2.32 | 26.4 | 2.00 | 7.74 | 0.06 | 0.03 | 0.05 | 0.021 | 0.08 | 9.0 | 10.0 | 0.65 | 175 | 13.00 |
| I315465 | | 2.01 | 28.3 | 1.65 | 6.67 | 0.05 | 0.03 | 0.07 | 0.020 | 0.07 | 11.8 | 8.2 | 0.54 | 152 | 12.20 |
| I315466 | | 2.53 | 56.0 | 2.51 | 7.62 | 0.08 | 0.04 | 0.05 | 0.028 | 0.11 | 18.4 | 12.0 | 0.69 | 590 | 35.1 |
| I315467 | | 2.65 | 77.9 | 2.68 | 7.10 | 0.11 | 0.05 | 0.07 | 0.031 | 0.16 | 23.6 | 12.4 | 0.62 | 344 | 37.8 |
| I315468 | | 1.57 | 25.9 | 2.11 | 7.62 | <0.05 | 0.04 | 0.05 | 0.020 | 0.06 | 5.5 | 5.4 | 0.28 | 157 | 23.4 |
| I315469 | | 3.79 | 175.0 | 2.15 | 5.66 | 0.12 | 0.05 | 0.08 | 0.028 | 0.11 | 38.4 | 6.7 | 0.39 | 579 | 38.2 |
| I315470 | | 0.65 | 23.0 | 1.11 | 3.25 | <0.05 | <0.02 | 0.06 | 0.013 | 0.04 | 3.4 | 1.1 | 0.10 | 77 | 3.82 |
| I315471 | | 1.38 | 24.6 | 2.90 | 9.70 | 0.05 | 0.03 | 0.04 | 0.023 | 0.08 | 7.5 | 9.4 | 0.28 | 212 | 17.10 |
| I315472 | | 4.60 | 120.0 | 3.36 | 6.52 | 0.13 | 0.06 | 0.06 | 0.028 | 0.36 | 14.9 | 11.8 | 0.80 | 390 | 78.0 |
| I315473 | | 0.09 | 1.8 | 0.71 | 0.54 | <0.05 | 0.07 | 0.01 | <0.005 | 0.04 | 5.5 | 1.2 | 0.04 | 165 | 0.48 |
| I315474 | | 4.29 | 20.9 | 2.96 | 5.45 | 0.08 | 0.03 | 0.02 | 0.016 | 0.14 | 25.5 | 16.1 | 0.82 | 192 | 1.59 |
| I315475 | | 3.00 | 11.4 | 2.66 | 7.62 | 0.05 | 0.03 | 0.03 | 0.019 | 0.09 | 17.6 | 11.8 | 0.44 | 206 | 1.11 |
| I315476 | | 1.87 | 13.4 | 2.97 | 7.02 | 0.05 | 0.03 | 0.04 | 0.024 | 0.10 | 8.9 | 17.9 | 0.62 | 254 | 1.12 |
| I315477 | | 1.11 | 16.2 | 2.63 | 5.92 | 0.05 | <0.02 | 0.03 | 0.019 | 0.07 | 13.5 | 6.7 | 0.21 | 112 | 2.75 |
| I315478 | | 1.76 | 15.7 | 2.81 | 6.72 | <0.05 | 0.03 | 0.02 | 0.020 | 0.07 | 6.8 | 16.1 | 0.69 | 313 | 1.11 |
| I315479 | | 1.28 | 7.7 | 1.41 | 5.33 | <0.05 | <0.02 | 0.03 | 0.011 | 0.04 | 12.8 | 3.1 | 0.12 | 125 | 0.90 |
| I315480 | | 1.63 | 16.5 | 2.63 | 5.81 | 0.05 | 0.03 | 0.02 | 0.024 | 0.06 | 11.8 | 13.2 | 0.51 | 310 | 0.80 |
| I315481 | | 2.11 | 14.5 | 3.71 | 7.13 | 0.06 | 0.03 | 0.03 | 0.022 | 0.06 | 11.2 | 19.1 | 0.75 | 273 | 1.00 |
| I315482 | | 2.35 | 24.3 | 3.12 | 5.98 | 0.05 | 0.03 | 0.06 | 0.029 | 0.06 | 13.5 | 16.2 | 0.67 | 349 | 0.97 |
| I315483 | | 0.99 | 16.1 | 1.92 | 4.97 | 0.05 | 0.02 | 0.02 | 0.016 | 0.07 | 11.8 | 8.3 | 0.45 | 189 | 0.82 |
| I315484 | | 1.77 | 18.4 | 1.89 | 5.94 | <0.05 | <0.02 | 0.03 | 0.012 | 0.11 | 8.4 | 6.4 | 0.71 | 584 | 1.36 |
| I315485 | | 1.94 | 44.5 | 2.59 | 6.92 | 0.06 | 0.02 | 0.03 | 0.016 | 0.11 | 11.9 | 13.5 | 0.86 | 855 | 1.09 |
| I315486 | | 1.85 | 40.4 | 2.46 | 6.58 | 0.06 | 0.02 | 0.02 | 0.018 | 0.10 | 11.8 | 12.9 | 0.83 | 746 | 1.06 |
| I315487 | | 1.74 | 66.5 | 3.24 | 8.69 | 0.06 | 0.03 | 0.02 | 0.016 | 0.15 | 5.0 | 18.5 | 1.14 | 262 | 0.98 |
| I315488 | | 1.71 | 61.3 | 3.22 | 8.52 | 0.07 | 0.04 | 0.02 | 0.016 | 0.21 | 7.5 | 16.9 | 1.37 | 469 | 0.64 |
| I315489 | | 1.07 | 23.3 | 2.14 | 6.22 | 0.05 | 0.02 | 0.02 | 0.016 | 0.14 | 10.2 | 7.8 | 0.53 | 326 | 0.73 |
| I315490 | | 2.59 | 76.9 | 3.20 | 7.69 | 0.12 | 0.05 | 0.08 | 0.034 | 0.10 | 27.5 | 19.3 | 0.71 | 1500 | 0.77 |
| I315491 | | 4.18 | 50.6 | 3.39 | 9.06 | 0.09 | 0.05 | 0.01 | 0.019 | 0.32 | 8.4 | 26.8 | 1.64 | 323 | 0.41 |
| I315492 | | 2.23 | 27.6 | 3.33 | 9.75 | 0.08 | 0.06 | 0.01 | 0.019 | 0.29 | 9.5 | 21.2 | 1.42 | 254 | 0.90 |
| I315493 | | 1.41 | 23.4 | 2.64 | 6.40 | 0.06 | 0.03 | 0.01 | 0.021 | 0.27 | 5.2 | 13.0 | 0.72 | 1200 | 1.53 |
| I315494 | | 1.27 | 47.2 | 3.12 | 6.77 | 0.08 | 0.06 | 0.01 | 0.030 | 0.27 | 13.7 | 15.3 | 0.89 | 337 | 2.14 |
| I315495 | | 1.16 | 46.5 | 3.09 | 6.19 | 0.07 | 0.04 | 0.02 | 0.026 | 0.21 | 13.6 | 11.8 | 0.76 | 746 | 3.09 |
| I315496 | | 0.52 | 23.8 | 2.38 | 4.91 | 0.05 | 0.06 | 0.02 | 0.019 | 0.05 | 10.2 | 9.6 | 0.49 | 402 | 0.79 |
| I315497 | | 0.65 | 34.6 | 2.60 | 4.69 | 0.07 | 0.07 | 0.04 | 0.021 | 0.05 | 14.6 | 11.1 | 0.50 | 474 | 0.92 |
| I315498 | | 1.45 | 40.0 | 3.23 | 5.56 | 0.09 | 0.10 | 0.05 | 0.026 | 0.13 | 23.6 | 14.7 | 0.71 | 582 | 1.01 |
| I315499 | | 2.05 | 45.8 | 3.61 | 6.58 | 0.11 | 0.10 | 0.05 | 0.031 | 0.19 | 28.0 | 18.2 | 0.80 | 518 | 1.05 |
| I315500 | | 0.61 | 14.4 | 1.75 | 4.53 | <0.05 | <0.02 | 0.03 | 0.011 | 0.04 | 7.0 | 5.8 | 0.23 | 213 | 0.68 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I315461 | | 1.44 | 26.2 | 650 | 8.8 | 22.6 | <0.001 | 0.05 | 2.52 | 4.5 | 0.9 | 0.7 | 34.8 | <0.01 | 0.05 | 2.0 |
| I315462 | | 1.53 | 23.1 | 590 | 6.8 | 20.0 | <0.001 | 0.04 | 0.56 | 3.5 | 0.6 | 0.7 | 31.7 | <0.01 | 0.03 | 1.8 |
| I315463 | | 0.15 | 4.1 | 120 | 1.6 | 2.0 | <0.001 | 0.01 | 0.15 | 0.6 | <0.2 | <0.2 | 7.5 | <0.01 | 0.01 | 1.8 |
| I315464 | | 1.53 | 24.3 | 460 | 6.2 | 19.0 | <0.001 | 0.05 | 0.15 | 3.9 | 0.6 | 0.7 | 28.9 | <0.01 | 0.02 | 0.9 |
| I315465 | | 1.40 | 21.9 | 540 | 5.8 | 17.2 | <0.001 | 0.06 | 0.16 | 3.6 | 0.8 | 0.6 | 33.7 | <0.01 | 0.02 | 0.7 |
| I315466 | | 1.63 | 32.7 | 690 | 6.1 | 24.8 | <0.001 | 0.06 | 0.21 | 4.8 | 1.1 | 0.7 | 30.3 | <0.01 | 0.04 | 1.6 |
| I315467 | | 1.63 | 37.5 | 850 | 5.4 | 26.1 | <0.001 | 0.03 | 0.24 | 5.3 | 1.4 | 0.7 | 23.8 | <0.01 | 0.07 | 2.4 |
| I315468 | | 1.90 | 14.7 | 250 | 6.0 | 9.2 | <0.001 | 0.02 | 0.30 | 2.9 | 0.6 | 0.8 | 11.4 | <0.01 | 0.05 | 1.6 |
| I315469 | | 1.08 | 37.3 | 730 | 5.0 | 19.6 | 0.002 | 0.11 | 0.36 | 3.0 | 2.1 | 0.7 | 40.2 | 0.01 | 0.08 | 0.6 |
| I315470 | | 0.46 | 7.3 | 600 | 3.0 | 6.9 | <0.001 | 0.06 | 0.24 | 0.7 | 0.7 | 0.4 | 11.4 | <0.01 | 0.03 | <0.2 |
| I315471 | | 2.18 | 13.9 | 360 | 8.6 | 16.0 | <0.001 | 0.04 | 0.46 | 2.7 | 0.5 | 0.9 | 16.7 | <0.01 | 0.04 | 0.9 |
| I315472 | | 1.53 | 33.7 | 840 | 5.4 | 36.1 | <0.001 | 0.08 | 0.25 | 6.1 | 1.4 | 0.6 | 30.5 | <0.01 | 0.04 | 3.3 |
| I315473 | | 0.15 | 3.7 | 130 | 1.6 | 2.2 | <0.001 | <0.01 | 0.11 | 0.6 | <0.2 | <0.2 | 7.6 | <0.01 | <0.01 | 1.7 |
| I315474 | | 2.12 | 36.6 | 340 | 41.9 | 28.6 | 0.001 | 0.03 | 0.24 | 2.5 | 0.8 | 0.5 | 14.4 | <0.01 | 0.02 | 11.9 |
| I315475 | | 2.13 | 18.8 | 380 | 24.7 | 24.1 | <0.001 | 0.02 | 0.23 | 2.3 | 0.5 | 1.1 | 12.9 | <0.01 | 0.03 | 6.8 |
| I315476 | | 1.49 | 22.4 | 470 | 21.0 | 16.7 | <0.001 | 0.03 | 0.31 | 3.2 | 0.6 | 0.7 | 16.8 | <0.01 | 0.02 | 1.8 |
| I315477 | | 0.92 | 10.1 | 380 | 42.3 | 9.8 | <0.001 | 0.13 | 0.57 | 1.7 | 0.6 | 0.5 | 22.6 | <0.01 | 0.03 | 0.8 |
| I315478 | | 1.35 | 30.7 | 340 | 7.8 | 16.9 | <0.001 | 0.02 | 0.32 | 3.0 | 0.4 | 0.6 | 15.4 | <0.01 | 0.03 | 1.2 |
| I315479 | | 1.37 | 6.2 | 190 | 11.5 | 13.6 | <0.001 | 0.02 | 0.21 | 1.4 | 0.3 | 0.7 | 14.3 | <0.01 | 0.02 | 2.2 |
| I315480 | | 1.66 | 22.4 | 400 | 14.8 | 12.2 | <0.001 | 0.02 | 0.31 | 3.0 | 0.6 | 0.5 | 28.8 | <0.01 | 0.02 | 3.1 |
| I315481 | | 1.72 | 30.4 | 390 | 9.7 | 12.6 | <0.001 | 0.02 | 0.38 | 3.3 | 0.5 | 0.5 | 24.6 | <0.01 | 0.02 | 2.1 |
| I315482 | | 1.56 | 29.5 | 350 | 14.1 | 14.0 | <0.001 | 0.02 | 0.40 | 3.6 | 0.6 | 0.5 | 16.1 | <0.01 | 0.02 | 3.4 |
| I315483 | | 1.27 | 16.9 | 390 | 10.5 | 15.8 | <0.001 | 0.02 | 0.25 | 2.8 | 0.4 | 0.5 | 18.4 | <0.01 | 0.01 | 2.1 |
| I315484 | | 1.10 | 34.1 | 470 | 7.5 | 25.5 | <0.001 | 0.04 | 0.16 | 2.1 | 0.4 | 0.5 | 22.1 | <0.01 | 0.02 | 0.6 |
| I315485 | | 0.97 | 34.9 | 610 | 8.3 | 35.8 | <0.001 | 0.04 | 0.21 | 3.6 | 0.4 | 0.5 | 27.8 | 0.02 | 0.02 | 1.2 |
| I315486 | | 0.93 | 32.9 | 610 | 7.5 | 33.1 | <0.001 | 0.04 | 0.19 | 3.4 | 0.4 | 0.5 | 26.8 | 0.01 | 0.02 | 1.1 |
| I315487 | | 1.21 | 27.8 | 360 | 5.6 | 25.5 | <0.001 | 0.02 | 0.19 | 3.6 | 0.3 | 0.5 | 23.0 | 0.01 | 0.02 | 1.0 |
| I315488 | | 1.42 | 37.6 | 440 | 5.2 | 39.7 | <0.001 | 0.01 | 0.18 | 3.8 | 0.3 | 0.6 | 26.7 | 0.01 | 0.02 | 1.9 |
| I315489 | | 1.16 | 20.6 | 430 | 7.9 | 31.3 | <0.001 | 0.02 | 0.23 | 2.9 | 0.3 | 0.5 | 18.7 | 0.01 | 0.02 | 1.5 |
| I315490 | | 1.26 | 32.1 | 540 | 7.6 | 23.9 | 0.001 | 0.03 | 0.36 | 8.4 | 1.1 | 0.5 | 43.5 | 0.02 | 0.03 | 2.8 |
| I315491 | | 1.41 | 53.9 | 260 | 6.3 | 56.8 | <0.001 | 0.01 | 0.19 | 5.0 | 0.2 | 0.6 | 29.5 | 0.01 | 0.02 | 2.2 |
| I315492 | | 1.44 | 41.0 | 460 | 7.2 | 35.1 | <0.001 | 0.01 | 0.29 | 3.7 | 0.3 | 0.7 | 33.6 | 0.01 | 0.01 | 4.1 |
| I315493 | | 1.06 | 33.1 | 490 | 7.6 | 21.6 | <0.001 | 0.03 | 0.27 | 3.1 | 0.4 | 0.5 | 40.0 | 0.01 | 0.03 | 0.8 |
| I315494 | | 1.36 | 38.8 | 500 | 11.7 | 24.7 | <0.001 | 0.10 | 0.36 | 5.2 | 1.0 | 0.6 | 33.9 | 0.01 | 0.04 | 3.4 |
| I315495 | | 1.26 | 29.4 | 710 | 11.4 | 23.4 | <0.001 | 0.09 | 0.29 | 4.0 | 1.0 | 0.6 | 36.1 | <0.01 | 0.04 | 2.6 |
| I315496 | | 1.45 | 20.1 | 500 | 6.9 | 6.7 | <0.001 | 0.02 | 0.47 | 4.5 | 0.4 | 0.5 | 34.3 | <0.01 | 0.02 | 2.9 |
| I315497 | | 1.43 | 27.9 | 810 | 7.5 | 7.3 | 0.001 | 0.03 | 0.71 | 4.9 | 1.2 | 0.5 | 47.1 | <0.01 | 0.03 | 2.8 |
| I315498 | | 1.58 | 36.2 | 570 | 11.2 | 14.4 | <0.001 | 0.03 | 0.93 | 5.7 | 0.7 | 0.6 | 39.4 | <0.01 | 0.03 | 6.8 |
| I315499 | | 1.55 | 41.6 | 570 | 12.8 | 20.6 | <0.001 | 0.02 | 1.07 | 6.3 | 0.8 | 0.7 | 36.9 | <0.01 | 0.04 | 8.0 |
| I315500 | | 0.38 | 15.2 | 470 | 7.9 | 6.4 | <0.001 | 0.03 | 0.39 | 0.5 | 0.5 | 0.5 | 15.7 | <0.01 | 0.02 | <0.2 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I315461 | | 0.103 | 0.21 | 2.78 | 69 | 2.78 | 10.85 | 61 | 1.2 |
| I315462 | | 0.113 | 0.18 | 1.09 | 69 | 1.81 | 4.49 | 62 | 1.1 |
| I315463 | | 0.007 | 0.03 | 0.33 | 4 | <0.05 | 2.03 | 5 | 2.3 |
| I315464 | | 0.129 | 0.17 | 0.83 | 50 | 4.19 | 3.88 | 62 | 1.2 |
| I315465 | | 0.109 | 0.14 | 1.16 | 42 | 1.92 | 5.35 | 56 | 1.2 |
| I315466 | | 0.125 | 0.24 | 2.06 | 77 | 0.86 | 8.63 | 66 | 1.3 |
| I315467 | | 0.124 | 0.23 | 2.39 | 82 | 6.59 | 13.60 | 63 | 1.6 |
| I315468 | | 0.128 | 0.12 | 0.55 | 80 | 0.96 | 2.24 | 30 | 1.4 |
| I315469 | | 0.073 | 0.28 | 2.62 | 61 | 2.85 | 17.70 | 59 | 1.0 |
| I315470 | | 0.038 | 0.06 | 0.60 | 44 | 0.19 | 1.58 | 18 | <0.5 |
| I315471 | | 0.137 | 0.11 | 0.51 | 104 | 0.47 | 2.30 | 46 | 1.3 |
| I315472 | | 0.160 | 0.41 | 1.43 | 113 | 2.06 | 6.87 | 80 | 2.2 |
| I315473 | | 0.007 | 0.03 | 0.31 | 4 | <0.05 | 2.16 | 5 | 2.5 |
| I315474 | | 0.117 | 0.26 | 1.89 | 39 | 0.16 | 7.48 | 51 | 1.0 |
| I315475 | | 0.115 | 0.20 | 1.01 | 63 | 0.16 | 3.88 | 36 | 1.0 |
| I315476 | | 0.108 | 0.15 | 0.60 | 72 | 0.20 | 2.64 | 42 | 1.3 |
| I315477 | | 0.052 | 0.14 | 1.30 | 55 | 0.19 | 2.36 | 44 | 0.6 |
| I315478 | | 0.123 | 0.10 | 0.36 | 73 | 0.18 | 2.16 | 41 | 1.2 |
| I315479 | | 0.076 | 0.11 | 0.47 | 47 | 0.11 | 1.88 | 21 | 0.6 |
| I315480 | | 0.083 | 0.09 | 0.80 | 57 | 0.14 | 4.23 | 49 | 1.2 |
| I315481 | | 0.126 | 0.10 | 0.50 | 81 | 0.19 | 2.84 | 55 | 1.3 |
| I315482 | | 0.094 | 0.15 | 0.82 | 63 | 0.18 | 3.51 | 58 | 1.3 |
| I315483 | | 0.089 | 0.09 | 0.79 | 51 | 0.14 | 3.51 | 36 | 0.9 |
| I315484 | | 0.114 | 0.11 | 0.58 | 57 | 0.13 | 1.97 | 39 | 0.5 |
| I315485 | | 0.119 | 0.17 | 1.11 | 66 | 0.19 | 6.37 | 55 | 0.7 |
| I315486 | | 0.111 | 0.16 | 1.08 | 63 | 0.15 | 6.19 | 49 | 0.7 |
| I315487 | | 0.192 | 0.15 | 0.39 | 107 | 0.17 | 2.27 | 63 | 1.1 |
| I315488 | | 0.178 | 0.22 | 0.51 | 95 | 0.16 | 4.15 | 55 | 1.3 |
| I315489 | | 0.105 | 0.13 | 0.47 | 54 | 0.20 | 3.78 | 41 | 0.6 |
| I315490 | | 0.094 | 0.17 | 2.22 | 77 | 0.23 | 32.4 | 43 | 1.5 |
| I315491 | | 0.195 | 0.23 | 0.47 | 103 | 0.23 | 5.46 | 58 | 2.1 |
| I315492 | | 0.200 | 0.20 | 0.66 | 90 | 0.21 | 3.23 | 46 | 2.2 |
| I315493 | | 0.101 | 0.17 | 0.24 | 54 | 0.20 | 2.67 | 41 | 0.9 |
| I315494 | | 0.108 | 0.19 | 1.04 | 77 | 0.16 | 5.34 | 76 | 2.3 |
| I315495 | | 0.091 | 0.15 | 1.18 | 66 | 0.12 | 6.39 | 94 | 1.4 |
| I315496 | | 0.088 | 0.05 | 0.71 | 54 | 0.17 | 5.26 | 45 | 3.2 |
| I315497 | | 0.075 | 0.06 | 1.66 | 53 | 0.27 | 11.30 | 50 | 3.3 |
| I315498 | | 0.072 | 0.13 | 1.06 | 55 | 0.21 | 12.20 | 81 | 4.9 |
| I315499 | | 0.076 | 0.17 | 1.60 | 59 | 0.20 | 14.45 | 97 | 4.9 |
| I315500 | | 0.022 | 0.07 | 0.39 | 34 | 0.15 | 2.91 | 32 | <0.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315501 | | 0.42 | <0.005 | 0.18 | 1.32 | 4.8 | <0.2 | <10 | 80 | 0.22 | 0.26 | 0.12 | 0.08 | 20.7 | 7.4 | 30 |
| I315502 | | 0.26 | <0.005 | 0.12 | 1.99 | 5.3 | <0.2 | <10 | 70 | 0.27 | 0.27 | 0.15 | 0.04 | 28.0 | 9.7 | 46 |
| I315503 | | 0.34 | <0.005 | 0.14 | 1.88 | 3.2 | <0.2 | <10 | 230 | 0.40 | 0.18 | 1.32 | 0.18 | 45.5 | 8.5 | 39 |
| I315504 | | 0.42 | <0.005 | 0.16 | 2.25 | 5.4 | <0.2 | <10 | 300 | 0.52 | 0.17 | 1.02 | 0.18 | 66.9 | 11.4 | 44 |
| I315505 | | 0.34 | <0.005 | 0.12 | 1.61 | 6.9 | <0.2 | <10 | 280 | 0.34 | 0.16 | 0.67 | 0.12 | 28.2 | 9.5 | 33 |
| I315506 | | 0.40 | <0.005 | 0.07 | 1.90 | 4.2 | <0.2 | <10 | 150 | 0.20 | 0.17 | 0.52 | 0.13 | 19.20 | 8.9 | 52 |
| I315507 | | 0.44 | <0.005 | 0.02 | 0.13 | 2.1 | <0.2 | <10 | 30 | 0.09 | 0.04 | 0.09 | 0.04 | 9.71 | 2.2 | 3 |
| I315508 | | 0.44 | <0.005 | 0.12 | 2.65 | 6.0 | <0.2 | <10 | 240 | 0.46 | 0.16 | 0.32 | 0.17 | 34.6 | 15.9 | 77 |
| I315509 | | 0.36 | <0.005 | 0.12 | 1.82 | 7.2 | <0.2 | <10 | 210 | 0.41 | 0.16 | 0.41 | 0.14 | 31.9 | 11.4 | 34 |
| I315510 | | 0.38 | 0.014 | 0.18 | 1.75 | 6.8 | <0.2 | <10 | 250 | 0.32 | 0.18 | 0.60 | 0.20 | 24.8 | 11.3 | 31 |
| I315511 | | 0.36 | <0.005 | 0.35 | 2.13 | 6.5 | <0.2 | <10 | 320 | 0.36 | 0.15 | 0.26 | 0.23 | 19.75 | 14.0 | 36 |
| I315512 | | 0.40 | <0.005 | 0.12 | 1.72 | 5.9 | <0.2 | <10 | 190 | 0.24 | 0.13 | 0.14 | 0.14 | 14.60 | 9.1 | 28 |
| I315513 | | 0.34 | <0.005 | 0.14 | 1.91 | 7.6 | <0.2 | <10 | 300 | 0.40 | 0.17 | 0.85 | 0.28 | 38.9 | 13.2 | 33 |
| I315514 | | 0.48 | <0.005 | 0.12 | 1.70 | 4.5 | <0.2 | <10 | 140 | 0.26 | 0.23 | 0.67 | 0.16 | 30.0 | 11.7 | 31 |
| I315515 | | 0.34 | <0.005 | 0.47 | 1.79 | 6.3 | <0.2 | <10 | 200 | 0.60 | 0.20 | 0.46 | 1.20 | 30.8 | 10.6 | 38 |
| I315516 | | 0.44 | <0.005 | 0.18 | 1.77 | 8.7 | <0.2 | <10 | 240 | 0.38 | 0.16 | 0.44 | 0.62 | 27.0 | 10.1 | 32 |
| I315517 | | 0.44 | <0.005 | 0.13 | 1.78 | 7.6 | <0.2 | <10 | 140 | 0.29 | 0.15 | 0.41 | 0.24 | 19.90 | 8.7 | 33 |
| I315518 | | 0.36 | <0.005 | 0.54 | 1.88 | 6.4 | <0.2 | <10 | 220 | 0.47 | 0.16 | 0.75 | 0.44 | 26.9 | 9.3 | 37 |
| I315519 | | 0.44 | <0.005 | 0.71 | 1.94 | 6.2 | <0.2 | <10 | 290 | 0.47 | 0.17 | 0.51 | 1.19 | 34.0 | 12.2 | 67 |
| I315520 | | 0.42 | <0.005 | 0.03 | 0.11 | 2.1 | <0.2 | <10 | 30 | 0.10 | 0.02 | 0.08 | 0.05 | 10.60 | 2.4 | 3 |
| I315521 | | 0.44 | <0.005 | 0.17 | 2.36 | 3.6 | <0.2 | <10 | 230 | 0.45 | 0.18 | 0.41 | 0.06 | 58.2 | 9.9 | 49 |
| I315522 | | 0.34 | <0.005 | 0.26 | 2.40 | 5.3 | <0.2 | <10 | 200 | 0.50 | 0.21 | 0.34 | 0.05 | 56.8 | 13.5 | 37 |
| I315523 | | 0.54 | <0.005 | 0.11 | 2.21 | 4.0 | <0.2 | <10 | 170 | 0.38 | 0.15 | 0.35 | 0.07 | 36.1 | 10.6 | 42 |
| I315524 | | 0.40 | <0.005 | 0.26 | 2.41 | 7.1 | <0.2 | <10 | 260 | 0.60 | 0.20 | 0.42 | 0.10 | 63.5 | 15.6 | 36 |
| I315525 | | 0.40 | <0.005 | 0.11 | 1.76 | 4.1 | <0.2 | <10 | 190 | 0.31 | 0.16 | 0.64 | 0.10 | 26.3 | 9.7 | 30 |
| I315526 | | 0.54 | <0.005 | 0.10 | 1.77 | 5.5 | <0.2 | <10 | 170 | 0.33 | 0.18 | 0.38 | 0.05 | 30.4 | 7.1 | 27 |
| I315527 | | 0.50 | <0.005 | 0.09 | 1.92 | 6.7 | <0.2 | <10 | 210 | 0.42 | 0.17 | 0.49 | 0.09 | 42.7 | 11.1 | 35 |
| I315528 | | 0.40 | <0.005 | 0.09 | 1.82 | 9.9 | <0.2 | <10 | 170 | 0.30 | 0.20 | 0.34 | 0.15 | 21.5 | 8.2 | 40 |
| I315529 | | 0.32 | <0.005 | 0.24 | 1.70 | 16.6 | <0.2 | <10 | 170 | 0.22 | 0.18 | 0.51 | 0.30 | 17.40 | 8.9 | 46 |
| I315530 | | 0.34 | <0.005 | 0.32 | 2.50 | 23.9 | <0.2 | <10 | 230 | 0.58 | 0.26 | 0.43 | 0.17 | 53.1 | 15.6 | 49 |
| I315531 | | 0.34 | <0.005 | 0.30 | 2.20 | 16.2 | <0.2 | <10 | 200 | 0.48 | 0.32 | 0.41 | 0.18 | 48.9 | 11.2 | 38 |
| I315532 | | 0.30 | <0.005 | 0.27 | 2.14 | 15.0 | <0.2 | <10 | 190 | 0.47 | 0.31 | 0.38 | 0.15 | 43.6 | 10.1 | 37 |
| I315533 | | 0.32 | <0.005 | 0.26 | 2.74 | 24.2 | <0.2 | <10 | 230 | 0.63 | 1.33 | 0.51 | 0.11 | 45.9 | 13.9 | 49 |
| I315534 | | 0.38 | <0.005 | 0.13 | 0.36 | 2.1 | <0.2 | <10 | 40 | 0.05 | 0.14 | 0.10 | 0.15 | 4.05 | 2.1 | 10 |
| I315535 | | 0.36 | <0.005 | 0.18 | 2.18 | 57.3 | <0.2 | <10 | 160 | 0.69 | 0.98 | 0.32 | 0.21 | 56.5 | 10.3 | 44 |
| I315536 | | 0.34 | <0.005 | 0.11 | 2.01 | 10.0 | <0.2 | <10 | 200 | 0.37 | 0.33 | 0.44 | 0.24 | 27.0 | 11.2 | 51 |
| I315537 | | 0.44 | <0.005 | 0.10 | 2.17 | 10.9 | <0.2 | <10 | 180 | 0.45 | 0.41 | 0.36 | 0.14 | 25.9 | 10.1 | 48 |
| I315538 | | 0.32 | <0.005 | 0.14 | 2.72 | 8.3 | <0.2 | <10 | 210 | 0.70 | 0.32 | 0.35 | 0.14 | 34.8 | 12.4 | 56 |
| I315539 | | 0.30 | <0.005 | 0.15 | 2.57 | 11.4 | <0.2 | <10 | 170 | 0.80 | 0.34 | 0.32 | 0.27 | 30.6 | 13.3 | 82 |
| I315540 | | 0.36 | <0.005 | 0.11 | 1.97 | 11.8 | <0.2 | <10 | 100 | 0.69 | 0.57 | 0.24 | 0.13 | 28.8 | 8.2 | 36 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I315501 | | 1.50 | 21.1 | 2.74 | 8.25 | 0.06 | 0.02 | 0.08 | 0.014 | 0.09 | 10.2 | 9.1 | 0.38 | 443 | 0.95 |
| I315502 | | 2.20 | 16.1 | 3.32 | 9.33 | 0.06 | 0.03 | 0.04 | 0.017 | 0.10 | 14.6 | 16.1 | 0.77 | 230 | 0.92 |
| I315503 | | 1.08 | 31.0 | 2.36 | 5.98 | 0.09 | 0.10 | 0.07 | 0.021 | 0.18 | 27.4 | 17.8 | 0.63 | 212 | 0.48 |
| I315504 | | 1.13 | 45.2 | 3.14 | 6.93 | 0.15 | 0.09 | 0.04 | 0.021 | 0.30 | 64.9 | 18.0 | 0.70 | 338 | 0.78 |
| I315505 | | 0.64 | 29.5 | 2.64 | 5.14 | 0.07 | 0.06 | 0.04 | 0.021 | 0.12 | 14.8 | 12.4 | 0.53 | 379 | 0.56 |
| I315506 | | 1.24 | 19.3 | 3.06 | 7.86 | 0.08 | 0.05 | 0.02 | 0.017 | 0.35 | 10.0 | 12.4 | 0.77 | 191 | 0.80 |
| I315507 | | 0.08 | 2.8 | 0.68 | 0.59 | <0.05 | 0.06 | 0.01 | <0.005 | 0.04 | 4.8 | 1.2 | 0.04 | 160 | 0.23 |
| I315508 | | 1.31 | 21.6 | 3.93 | 10.10 | 0.08 | 0.09 | 0.01 | 0.030 | 0.32 | 14.3 | 25.0 | 0.92 | 419 | 0.88 |
| I315509 | | 0.60 | 18.6 | 3.09 | 6.41 | 0.07 | 0.16 | 0.01 | 0.025 | 0.22 | 13.8 | 13.6 | 0.58 | 297 | 0.90 |
| I315510 | | 0.57 | 18.0 | 3.12 | 6.28 | 0.05 | 0.06 | 0.01 | 0.022 | 0.18 | 11.0 | 12.2 | 0.59 | 341 | 0.89 |
| I315511 | | 0.42 | 12.4 | 3.17 | 7.10 | 0.05 | 0.05 | 0.03 | 0.026 | 0.09 | 8.3 | 12.2 | 0.55 | 554 | 0.87 |
| I315512 | | 0.52 | 11.8 | 2.93 | 6.73 | 0.05 | 0.03 | <0.01 | 0.019 | 0.07 | 7.3 | 10.3 | 0.46 | 198 | 0.83 |
| I315513 | | 0.86 | 19.0 | 3.21 | 6.59 | 0.07 | 0.06 | 0.08 | 0.024 | 0.19 | 15.5 | 11.3 | 0.52 | 998 | 0.83 |
| I315514 | | 1.44 | 19.9 | 3.16 | 7.11 | 0.08 | 0.05 | 0.01 | 0.020 | 0.39 | 13.6 | 12.2 | 0.68 | 364 | 0.85 |
| I315515 | | 1.08 | 35.8 | 3.03 | 7.78 | 0.07 | 0.07 | 0.01 | 0.025 | 0.09 | 17.6 | 13.2 | 0.59 | 281 | 1.39 |
| I315516 | | 0.71 | 25.4 | 2.77 | 6.73 | 0.07 | 0.06 | 0.01 | 0.022 | 0.08 | 13.5 | 16.6 | 0.57 | 460 | 1.73 |
| I315517 | | 0.74 | 17.7 | 2.78 | 7.32 | 0.06 | 0.03 | 0.01 | 0.019 | 0.08 | 10.1 | 18.6 | 0.63 | 213 | 3.03 |
| I315518 | | 1.05 | 35.9 | 2.71 | 7.27 | 0.08 | 0.06 | 0.03 | 0.023 | 0.06 | 16.8 | 15.8 | 0.68 | 288 | 2.46 |
| I315519 | | 1.52 | 52.4 | 2.95 | 7.54 | 0.10 | 0.05 | 0.03 | 0.025 | 0.13 | 19.8 | 18.5 | 0.98 | 229 | 4.33 |
| I315520 | | 0.09 | 2.5 | 0.64 | 0.68 | <0.05 | 0.07 | <0.01 | <0.005 | 0.03 | 5.2 | 1.4 | 0.04 | 157 | 0.32 |
| I315521 | | 1.69 | 19.0 | 3.56 | 9.56 | 0.10 | 0.06 | 0.04 | 0.023 | 0.26 | 34.8 | 25.5 | 1.00 | 288 | 0.72 |
| I315522 | | 1.41 | 20.3 | 3.64 | 9.01 | 0.10 | 0.06 | 0.04 | 0.030 | 0.17 | 35.4 | 27.8 | 0.82 | 529 | 0.80 |
| I315523 | | 1.94 | 27.4 | 3.61 | 8.52 | 0.08 | 0.05 | 0.01 | 0.027 | 0.40 | 19.8 | 25.1 | 1.01 | 313 | 0.71 |
| I315524 | | 1.18 | 29.3 | 3.95 | 9.27 | 0.12 | 0.10 | 0.04 | 0.036 | 0.22 | 37.8 | 27.9 | 0.74 | 892 | 0.98 |
| I315525 | | 0.89 | 16.3 | 2.91 | 7.55 | 0.06 | 0.05 | 0.03 | 0.021 | 0.17 | 13.8 | 17.2 | 0.61 | 358 | 0.75 |
| I315526 | | 1.09 | 17.8 | 2.94 | 7.97 | 0.05 | 0.04 | 0.01 | 0.020 | 0.21 | 14.9 | 21.0 | 0.59 | 233 | 0.94 |
| I315527 | | 0.96 | 25.0 | 3.30 | 6.67 | 0.08 | 0.08 | 0.02 | 0.027 | 0.14 | 22.8 | 25.6 | 0.75 | 299 | 0.64 |
| I315528 | | 1.39 | 22.3 | 2.39 | 6.08 | 0.07 | 0.04 | 0.04 | 0.025 | 0.09 | 11.6 | 12.4 | 0.61 | 309 | 1.33 |
| I315529 | | 1.66 | 53.6 | 2.13 | 5.69 | 0.06 | 0.03 | 0.03 | 0.023 | 0.07 | 9.3 | 11.4 | 0.56 | 308 | 5.76 |
| I315530 | | 1.68 | 67.9 | 2.88 | 7.37 | 0.11 | 0.05 | 0.05 | 0.034 | 0.06 | 25.8 | 15.0 | 0.54 | 841 | 11.85 |
| I315531 | | 1.88 | 69.1 | 2.77 | 8.05 | 0.09 | 0.04 | 0.10 | 0.034 | 0.08 | 29.2 | 13.5 | 0.53 | 623 | 14.20 |
| I315532 | | 1.87 | 62.3 | 2.70 | 7.69 | 0.08 | 0.04 | 0.12 | 0.030 | 0.08 | 26.6 | 14.1 | 0.53 | 513 | 12.95 |
| I315533 | | 2.84 | 106.0 | 3.70 | 9.23 | 0.11 | 0.05 | 0.09 | 0.038 | 0.11 | 29.9 | 17.2 | 0.65 | 680 | 22.4 |
| I315534 | | 0.36 | 8.1 | 0.96 | 3.03 | <0.05 | <0.02 | 0.04 | 0.006 | 0.03 | 2.1 | 1.2 | 0.06 | 139 | 1.51 |
| I315535 | | 3.49 | 107.0 | 3.32 | 7.83 | 0.09 | 0.04 | 0.03 | 0.033 | 0.19 | 26.2 | 12.9 | 0.57 | 645 | 15.30 |
| I315536 | | 2.01 | 48.2 | 2.69 | 7.26 | 0.08 | 0.04 | 0.03 | 0.028 | 0.12 | 14.6 | 14.1 | 0.65 | 594 | 21.5 |
| I315537 | | 2.26 | 61.8 | 2.88 | 7.81 | 0.11 | 0.05 | 0.04 | 0.030 | 0.14 | 13.9 | 15.1 | 0.71 | 313 | 26.7 |
| I315538 | | 3.09 | 94.7 | 3.26 | 9.05 | 0.11 | 0.06 | 0.06 | 0.043 | 0.19 | 18.8 | 18.2 | 0.82 | 295 | 50.9 |
| I315539 | | 4.70 | 138.5 | 3.40 | 9.07 | 0.13 | 0.05 | 0.05 | 0.045 | 0.21 | 16.5 | 17.2 | 0.92 | 472 | 59.4 |
| I315540 | | 3.02 | 123.5 | 2.96 | 7.54 | 0.08 | 0.05 | 0.04 | 0.034 | 0.10 | 16.0 | 13.0 | 0.51 | 235 | 59.4 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I315501 | | 3.06 | 14.1 | 300 | 10.4 | 24.8 | <0.001 | 0.02 | 0.20 | 2.6 | 0.4 | 0.7 | 11.8 | <0.01 | 0.04 | 3.2 |
| I315502 | | 4.86 | 20.2 | 290 | 14.7 | 22.9 | <0.001 | 0.04 | 0.18 | 4.0 | 0.5 | 0.8 | 12.7 | <0.01 | 0.03 | 5.9 |
| I315503 | | 2.96 | 24.7 | 610 | 9.9 | 24.2 | 0.001 | 0.09 | 0.39 | 5.0 | 1.1 | 0.5 | 59.0 | 0.01 | 0.03 | 5.0 |
| I315504 | | 3.16 | 28.4 | 410 | 10.9 | 29.0 | 0.001 | 0.05 | 0.39 | 5.7 | 1.2 | 0.5 | 39.4 | 0.01 | 0.03 | 6.3 |
| I315505 | | 1.88 | 22.8 | 520 | 7.9 | 15.6 | <0.001 | 0.03 | 0.35 | 4.3 | 0.6 | 0.5 | 38.9 | <0.01 | 0.03 | 3.2 |
| I315506 | | 3.32 | 21.7 | 230 | 8.4 | 32.0 | <0.001 | 0.02 | 0.25 | 4.6 | 0.3 | 0.7 | 21.1 | <0.01 | 0.02 | 3.4 |
| I315507 | | 0.15 | 4.2 | 130 | 1.9 | 2.2 | <0.001 | 0.01 | 0.12 | 0.6 | <0.2 | <0.2 | 7.5 | <0.01 | 0.01 | 1.6 |
| I315508 | | 3.15 | 34.3 | 230 | 12.4 | 37.8 | <0.001 | 0.01 | 0.32 | 6.5 | 0.3 | 0.8 | 23.5 | 0.01 | 0.02 | 6.6 |
| I315509 | | 2.10 | 23.8 | 230 | 10.4 | 21.2 | <0.001 | 0.01 | 0.39 | 5.1 | 0.4 | 0.6 | 31.5 | 0.01 | 0.02 | 5.4 |
| I315510 | | 1.88 | 22.8 | 340 | 11.7 | 19.0 | <0.001 | 0.02 | 0.35 | 4.2 | 0.3 | 0.5 | 37.0 | 0.01 | 0.02 | 3.6 |
| I315511 | | 1.90 | 22.3 | 270 | 10.0 | 7.3 | <0.001 | 0.01 | 0.37 | 4.2 | 0.2 | 0.6 | 23.9 | 0.01 | 0.02 | 3.4 |
| I315512 | | 1.73 | 17.2 | 190 | 8.7 | 8.7 | <0.001 | 0.01 | 0.34 | 2.8 | <0.2 | 0.6 | 14.9 | 0.01 | 0.02 | 2.0 |
| I315513 | | 2.32 | 26.6 | 260 | 15.7 | 33.9 | <0.001 | 0.02 | 0.35 | 4.6 | 0.4 | 0.5 | 44.7 | 0.01 | 0.03 | 4.8 |
| I315514 | | 2.89 | 29.1 | 290 | 22.6 | 50.4 | <0.001 | 0.03 | 0.23 | 3.5 | 0.5 | 0.6 | 34.4 | 0.01 | 0.03 | 4.8 |
| I315515 | | 2.25 | 35.0 | 420 | 15.3 | 17.4 | <0.001 | 0.01 | 0.31 | 3.9 | 0.6 | 0.6 | 31.8 | 0.02 | 0.03 | 5.3 |
| I315516 | | 1.59 | 26.3 | 400 | 11.9 | 16.3 | <0.001 | 0.02 | 0.30 | 3.7 | 0.5 | 0.4 | 32.9 | 0.01 | 0.03 | 3.6 |
| I315517 | | 1.72 | 24.7 | 600 | 10.0 | 13.8 | <0.001 | 0.01 | 0.21 | 3.2 | 0.5 | 0.5 | 28.0 | 0.01 | 0.03 | 2.8 |
| I315518 | | 1.70 | 31.2 | 500 | 10.0 | 16.4 | <0.001 | 0.03 | 0.25 | 4.4 | 1.1 | 0.5 | 45.4 | 0.02 | 0.04 | 3.2 |
| I315519 | | 1.68 | 59.4 | 800 | 9.1 | 17.5 | 0.001 | 0.10 | 0.18 | 4.8 | 2.3 | 0.5 | 48.2 | 0.01 | 0.05 | 3.4 |
| I315520 | | 0.19 | 4.7 | 130 | 1.6 | 2.0 | <0.001 | 0.01 | 0.12 | 0.6 | <0.2 | <0.2 | 6.9 | 0.01 | 0.01 | 1.6 |
| I315521 | | 3.58 | 24.0 | 390 | 6.6 | 34.0 | <0.001 | 0.02 | 0.18 | 5.7 | 0.7 | 0.7 | 32.6 | 0.01 | 0.02 | 11.1 |
| I315522 | | 2.76 | 21.0 | 400 | 7.9 | 28.1 | <0.001 | 0.02 | 0.19 | 6.0 | 0.7 | 0.9 | 28.7 | 0.01 | 0.02 | 10.8 |
| I315523 | | 3.11 | 23.2 | 380 | 5.9 | 45.8 | <0.001 | 0.02 | 0.15 | 4.8 | 0.4 | 0.7 | 30.1 | <0.01 | 0.01 | 7.3 |
| I315524 | | 2.75 | 22.4 | 370 | 9.4 | 27.9 | 0.001 | 0.02 | 0.28 | 6.9 | 0.9 | 0.8 | 34.6 | 0.01 | 0.03 | 10.8 |
| I315525 | | 3.09 | 19.6 | 240 | 8.4 | 20.2 | <0.001 | 0.02 | 0.28 | 4.2 | 0.5 | 0.6 | 35.6 | <0.01 | 0.03 | 4.5 |
| I315526 | | 2.69 | 17.9 | 420 | 7.5 | 23.0 | <0.001 | 0.02 | 0.22 | 3.4 | 0.3 | 0.7 | 28.6 | <0.01 | 0.02 | 6.1 |
| I315527 | | 2.46 | 24.9 | 330 | 8.9 | 17.6 | <0.001 | 0.02 | 0.30 | 5.0 | 0.6 | 0.6 | 35.5 | <0.01 | 0.02 | 8.6 |
| I315528 | | 1.72 | 22.4 | 690 | 9.0 | 16.2 | <0.001 | 0.03 | 0.56 | 4.9 | 0.5 | 0.6 | 24.6 | <0.01 | 0.02 | 2.3 |
| I315529 | | 0.96 | 22.7 | 690 | 5.2 | 15.0 | <0.001 | 0.06 | 1.04 | 4.1 | 0.6 | 0.5 | 38.5 | <0.01 | 0.03 | 0.5 |
| I315530 | | 1.19 | 28.7 | 1060 | 8.7 | 14.3 | <0.001 | 0.10 | 1.29 | 4.8 | 1.4 | 0.6 | 40.6 | 0.01 | 0.04 | 0.8 |
| I315531 | | 1.40 | 21.1 | 930 | 9.2 | 18.9 | <0.001 | 0.09 | 0.49 | 4.5 | 1.1 | 0.7 | 37.9 | 0.01 | 0.04 | 1.5 |
| I315532 | | 1.44 | 20.8 | 870 | 8.7 | 19.0 | <0.001 | 0.09 | 0.46 | 4.5 | 1.0 | 0.7 | 36.4 | 0.01 | 0.04 | 1.5 |
| I315533 | | 2.08 | 32.8 | 940 | 9.7 | 23.4 | <0.001 | 0.07 | 0.69 | 6.1 | 1.2 | 0.9 | 44.0 | 0.01 | 0.14 | 5.4 |
| I315534 | | 0.45 | 5.2 | 410 | 2.9 | 3.4 | <0.001 | 0.05 | 0.24 | 0.9 | 0.4 | 0.3 | 12.5 | <0.01 | 0.02 | <0.2 |
| I315535 | | 1.70 | 25.3 | 770 | 28.0 | 35.7 | <0.001 | 0.03 | 3.63 | 4.9 | 0.8 | 0.8 | 56.0 | <0.01 | 0.11 | 7.1 |
| I315536 | | 1.58 | 26.6 | 620 | 5.9 | 23.5 | <0.001 | 0.06 | 0.39 | 4.6 | 0.6 | 0.6 | 38.3 | <0.01 | 0.05 | 1.5 |
| I315537 | | 1.92 | 28.3 | 690 | 5.9 | 25.1 | <0.001 | 0.04 | 0.32 | 5.1 | 0.7 | 0.6 | 31.1 | <0.01 | 0.07 | 2.2 |
| I315538 | | 2.29 | 34.8 | 710 | 7.1 | 35.6 | 0.001 | 0.03 | 0.33 | 7.8 | 0.9 | 0.8 | 28.9 | <0.01 | 0.05 | 4.5 |
| I315539 | | 2.48 | 52.3 | 600 | 5.3 | 37.1 | 0.001 | 0.04 | 0.30 | 6.9 | 0.8 | 1.0 | 28.9 | <0.01 | 0.06 | 3.6 |
| I315540 | | 2.23 | 21.4 | 440 | 4.9 | 21.9 | 0.001 | 0.03 | 0.37 | 5.3 | 0.7 | 0.9 | 23.0 | 0.01 | 0.09 | 3.9 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 |
| | | | | | | | | 0.5 |
| I315501 | | 0.150 | 0.12 | 0.63 | 63 | 0.20 | 3.28 | 46 |
| I315502 | | 0.186 | 0.21 | 1.00 | 72 | 0.17 | 4.12 | 65 |
| I315503 | | 0.118 | 0.13 | 1.49 | 48 | 0.13 | 13.30 | 60 |
| I315504 | | 0.159 | 0.15 | 4.11 | 60 | 0.18 | 29.1 | 64 |
| I315505 | | 0.110 | 0.08 | 0.70 | 56 | 0.18 | 9.08 | 49 |
| I315506 | | 0.189 | 0.19 | 0.52 | 67 | 0.16 | 3.70 | 66 |
| I315507 | | 0.007 | 0.03 | 0.32 | 4 | <0.05 | 2.07 | 6 |
| I315508 | | 0.203 | 0.21 | 0.68 | 80 | 0.19 | 4.81 | 68 |
| I315509 | | 0.133 | 0.10 | 0.63 | 63 | 0.17 | 5.99 | 56 |
| I315510 | | 0.113 | 0.09 | 0.56 | 63 | 0.17 | 4.25 | 65 |
| I315511 | | 0.115 | 0.10 | 0.38 | 67 | 0.20 | 2.93 | 79 |
| I315512 | | 0.119 | 0.09 | 0.31 | 69 | 0.15 | 1.99 | 45 |
| I315513 | | 0.117 | 0.13 | 0.71 | 59 | 0.20 | 6.78 | 66 |
| I315514 | | 0.173 | 0.23 | 0.66 | 55 | 0.14 | 4.49 | 82 |
| I315515 | | 0.118 | 0.11 | 1.30 | 75 | 0.19 | 10.20 | 112 |
| I315516 | | 0.093 | 0.09 | 0.80 | 63 | 0.19 | 6.28 | 81 |
| I315517 | | 0.114 | 0.09 | 0.61 | 75 | 0.38 | 4.51 | 96 |
| I315518 | | 0.105 | 0.14 | 1.78 | 78 | 0.16 | 10.00 | 109 |
| I315519 | | 0.134 | 0.18 | 2.37 | 96 | 0.19 | 13.25 | 211 |
| I315520 | | 0.007 | 0.04 | 0.32 | 4 | <0.05 | 2.19 | 5 |
| I315521 | | 0.183 | 0.19 | 2.10 | 59 | 0.13 | 15.45 | 65 |
| I315522 | | 0.145 | 0.16 | 1.89 | 65 | 0.16 | 14.95 | 54 |
| I315523 | | 0.198 | 0.24 | 0.98 | 63 | 0.27 | 8.88 | 59 |
| I315524 | | 0.145 | 0.15 | 2.75 | 71 | 0.19 | 22.5 | 65 |
| I315525 | | 0.139 | 0.12 | 0.68 | 56 | 0.34 | 5.78 | 49 |
| I315526 | | 0.137 | 0.15 | 0.70 | 54 | 0.22 | 6.58 | 44 |
| I315527 | | 0.129 | 0.10 | 1.07 | 61 | 0.44 | 11.30 | 56 |
| I315528 | | 0.120 | 0.14 | 1.47 | 59 | 1.29 | 5.93 | 55 |
| I315529 | | 0.089 | 0.12 | 0.68 | 56 | 1.50 | 7.20 | 48 |
| I315530 | | 0.088 | 0.18 | 2.98 | 68 | 1.10 | 23.1 | 63 |
| I315531 | | 0.099 | 0.20 | 6.06 | 65 | 0.90 | 13.60 | 64 |
| I315532 | | 0.104 | 0.19 | 5.43 | 64 | 1.18 | 12.25 | 63 |
| I315533 | | 0.133 | 0.29 | 6.80 | 83 | 4.31 | 14.00 | 70 |
| I315534 | | 0.045 | 0.05 | 0.33 | 30 | 0.20 | 0.87 | 19 |
| I315535 | | 0.111 | 0.30 | 2.58 | 63 | 5.95 | 9.64 | 79 |
| I315536 | | 0.128 | 0.18 | 1.32 | 66 | 0.95 | 7.22 | 65 |
| I315537 | | 0.146 | 0.19 | 1.27 | 74 | 1.41 | 6.88 | 61 |
| I315538 | | 0.165 | 0.30 | 2.33 | 86 | 1.65 | 9.59 | 65 |
| I315539 | | 0.165 | 0.30 | 1.89 | 86 | 4.25 | 7.58 | 82 |
| I315540 | | 0.138 | 0.21 | 1.56 | 72 | 9.35 | 8.19 | 51 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315541 | | 0.48 | <0.005 | 0.08 | 2.45 | 14.0 | <0.2 | <10 | 230 | 1.11 | 0.26 | 0.48 | 0.18 | 34.3 | 10.6 | 54 |
| I315542 | | 0.48 | <0.005 | 0.17 | 2.22 | 12.1 | <0.2 | <10 | 200 | 1.19 | 0.28 | 0.52 | 0.22 | 35.8 | 13.3 | 58 |
| I315543 | | 0.54 | <0.005 | 0.12 | 2.32 | 18.3 | <0.2 | <10 | 170 | 1.28 | 0.30 | 0.51 | 0.14 | 37.4 | 14.7 | 52 |
| I315544 | | 0.46 | <0.005 | 0.52 | 1.91 | 8.9 | <0.2 | <10 | 100 | 5.56 | 4.07 | 0.82 | 0.28 | 37.8 | 16.0 | 46 |
| I315545 | | 0.50 | <0.005 | 0.07 | 2.55 | 6.0 | <0.2 | <10 | 150 | 1.56 | 0.19 | 0.42 | 0.09 | 38.8 | 12.8 | 61 |
| I315546 | | 0.40 | <0.005 | 0.06 | 2.67 | 5.9 | <0.2 | <10 | 160 | 1.63 | 0.19 | 0.43 | 0.07 | 44.5 | 13.3 | 63 |
| I315547 | | 0.36 | <0.005 | 0.09 | 2.40 | 7.0 | <0.2 | <10 | 130 | 1.12 | 0.37 | 0.33 | 0.24 | 29.8 | 12.0 | 55 |
| I315548 | | 0.48 | 0.007 | 0.15 | 2.63 | 49.3 | <0.2 | <10 | 170 | 1.15 | 0.21 | 0.49 | 0.15 | 38.8 | 11.9 | 68 |
| I315549 | | 0.42 | <0.005 | 0.18 | 2.66 | 28.7 | <0.2 | <10 | 180 | 1.18 | 0.21 | 0.51 | 0.14 | 43.8 | 14.6 | 60 |
| I315550 | | 0.38 | <0.005 | 0.15 | 2.76 | 59.0 | <0.2 | <10 | 190 | 0.80 | 0.22 | 0.48 | 0.10 | 26.3 | 13.0 | 61 |
| I034251 | | 0.38 | <0.005 | 0.19 | 1.87 | 2.4 | <0.2 | <10 | 330 | 0.22 | 0.11 | 0.63 | 0.24 | 26.5 | 14.5 | 20 |
| I034252 | | 0.36 | <0.005 | 0.10 | 1.40 | 5.0 | <0.2 | <10 | 140 | 0.25 | 0.03 | 0.64 | 0.21 | 18.10 | 16.5 | 22 |
| I034253 | | 0.24 | <0.005 | 0.10 | 1.22 | 3.2 | <0.2 | <10 | 170 | 0.14 | 0.02 | 0.41 | 0.10 | 16.85 | 9.8 | 17 |
| I034254 | | 0.58 | <0.005 | 0.06 | 1.78 | 13.6 | <0.2 | <10 | 220 | 0.28 | 0.05 | 0.70 | 0.15 | 24.1 | 10.8 | 20 |
| I034255 | | 0.46 | <0.005 | 0.04 | 1.28 | 5.1 | <0.2 | <10 | 100 | 0.36 | 0.15 | 0.69 | 0.10 | 25.4 | 13.0 | 31 |
| I034256 | | 0.44 | <0.005 | 0.03 | 1.19 | 3.5 | <0.2 | <10 | 100 | 0.27 | 0.02 | 0.59 | 0.09 | 25.4 | 10.9 | 28 |
| I034257 | | 0.40 | <0.005 | 0.04 | 1.47 | 4.6 | <0.2 | <10 | 130 | 0.35 | 0.07 | 0.78 | 0.13 | 18.85 | 10.0 | 33 |
| I034258 | | 0.32 | <0.005 | 0.07 | 1.46 | 4.5 | <0.2 | <10 | 200 | 0.57 | 0.11 | 1.28 | 0.13 | 44.5 | 9.1 | 26 |
| I034259 | | 0.64 | <0.005 | 0.12 | 0.91 | 6.3 | <0.2 | <10 | 160 | 0.24 | 0.12 | 0.27 | 0.18 | 37.3 | 14.5 | 21 |
| I033141 | | 0.44 | 0.005 | 0.63 | 1.68 | 8.3 | <0.2 | <10 | 130 | 0.31 | 0.75 | 0.25 | 0.33 | 11.90 | 9.4 | 26 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I315541 | | 4.14 | 105.5 | 3.15 | 8.89 | 0.13 | 0.08 | 0.07 | 0.048 | 0.25 | 18.6 | 17.8 | 0.83 | 313 | 65.2 | 0.03 |
| I315542 | | 4.77 | 191.5 | 3.13 | 7.73 | 0.16 | 0.24 | 0.18 | 0.052 | 0.27 | 16.6 | 14.7 | 0.77 | 231 | 112.5 | 0.02 |
| I315543 | | 3.79 | 186.0 | 3.90 | 8.13 | 0.16 | 0.17 | 0.13 | 0.048 | 0.23 | 16.9 | 14.5 | 0.80 | 366 | 127.0 | 0.02 |
| I315544 | | 10.00 | 579 | 6.28 | 8.34 | 0.33 | 0.05 | 8.03 | 0.393 | 0.18 | 24.0 | 12.3 | 0.62 | 982 | 259 | 0.02 |
| I315545 | | 3.62 | 104.0 | 3.76 | 8.85 | 0.12 | 0.07 | 0.07 | 0.064 | 0.30 | 19.8 | 15.2 | 0.90 | 457 | 20.7 | 0.02 |
| I315546 | | 3.67 | 109.0 | 3.78 | 9.04 | 0.13 | 0.09 | 0.08 | 0.066 | 0.30 | 23.2 | 15.6 | 0.92 | 441 | 21.0 | 0.03 |
| I315547 | | 4.28 | 168.5 | 3.86 | 10.30 | 0.11 | 0.05 | 0.05 | 0.050 | 0.24 | 14.6 | 16.2 | 0.76 | 406 | 96.6 | 0.03 |
| I315548 | | 4.72 | 224 | 3.81 | 9.33 | 0.15 | 0.06 | 0.08 | 0.053 | 0.32 | 18.9 | 16.7 | 0.95 | 393 | 115.5 | 0.04 |
| I315549 | | 3.70 | 201 | 3.50 | 9.24 | 0.12 | 0.05 | 0.07 | 0.047 | 0.25 | 21.8 | 15.9 | 0.84 | 478 | 124.5 | 0.04 |
| I315550 | | 3.52 | 123.5 | 3.57 | 9.53 | 0.10 | 0.05 | 0.07 | 0.042 | 0.18 | 12.8 | 17.3 | 0.92 | 373 | 126.0 | 0.03 |
| I034251 | | 0.72 | 58.0 | 2.85 | 7.27 | 0.09 | 0.02 | 0.06 | 0.033 | 0.17 | 11.6 | 10.0 | 0.95 | 627 | 0.78 | 0.03 |
| I034252 | | 0.60 | 29.5 | 2.39 | 5.10 | 0.06 | <0.02 | 0.03 | 0.017 | 0.10 | 9.6 | 10.9 | 0.62 | 388 | 0.72 | 0.02 |
| I034253 | | 0.64 | 25.7 | 2.12 | 5.03 | 0.06 | <0.02 | 0.04 | 0.017 | 0.07 | 8.6 | 7.3 | 0.51 | 291 | 0.68 | 0.02 |
| I034254 | | 1.65 | 13.0 | 2.82 | 6.11 | 0.09 | 0.05 | 0.05 | 0.022 | 0.21 | 12.5 | 13.0 | 0.70 | 502 | 0.50 | 0.03 |
| I034255 | | 1.84 | 15.2 | 2.51 | 4.40 | 0.08 | 0.03 | 0.02 | 0.019 | 0.10 | 13.5 | 12.4 | 0.63 | 382 | 0.47 | 0.02 |
| I034256 | | 1.53 | 13.3 | 2.21 | 4.24 | 0.07 | 0.02 | 0.02 | 0.016 | 0.08 | 14.4 | 10.3 | 0.52 | 333 | 0.41 | 0.02 |
| I034257 | | 0.69 | 16.3 | 2.48 | 5.05 | <0.05 | 0.05 | 0.02 | 0.017 | 0.05 | 8.9 | 11.7 | 0.63 | 378 | 0.47 | 0.03 |
| I034258 | | 1.56 | 22.6 | 2.37 | 5.56 | 0.05 | 0.10 | 0.04 | 0.022 | 0.08 | 31.3 | 13.1 | 0.58 | 303 | 0.39 | 0.03 |
| I034259 | | 4.45 | 15.5 | 2.35 | 3.40 | <0.05 | 0.02 | 0.02 | 0.017 | 0.07 | 18.5 | 6.3 | 0.28 | 769 | 2.00 | 0.01 |
| I033141 | | 1.46 | 110.5 | 2.83 | 7.06 | <0.05 | 0.04 | 0.04 | 0.028 | 0.25 | 6.0 | 11.8 | 0.56 | 561 | 3.37 | 0.02 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I315541 | | 2.35 | 32.8 | 700 | 5.9 | 39.7 | 0.001 | 0.02 | 0.26 | 9.1 | 0.8 | 0.9 | 31.8 | <0.01 | 0.05 | 5.3 |
| I315542 | | 1.75 | 39.8 | 740 | 5.3 | 41.5 | 0.003 | 0.07 | 0.34 | 9.8 | 1.0 | 1.0 | 35.7 | <0.01 | 0.05 | 5.6 |
| I315543 | | 1.66 | 39.2 | 840 | 5.4 | 37.5 | 0.001 | 0.02 | 0.32 | 8.5 | 1.1 | 0.9 | 29.0 | <0.01 | 0.05 | 5.7 |
| I315544 | | 0.94 | 36.0 | 1120 | 2.9 | 22.6 | 0.002 | 0.03 | 0.22 | 11.0 | 1.6 | 8.0 | 23.2 | <0.01 | 0.16 | 6.1 |
| I315545 | | 2.65 | 32.7 | 420 | 4.6 | 39.6 | 0.001 | 0.03 | 0.25 | 8.2 | 0.5 | 1.4 | 30.0 | <0.01 | 0.03 | 5.2 |
| I315546 | | 2.58 | 33.2 | 470 | 4.7 | 38.6 | 0.001 | 0.03 | 0.26 | 8.7 | 0.6 | 1.4 | 30.1 | <0.01 | 0.03 | 5.7 |
| I315547 | | 3.28 | 35.9 | 410 | 4.9 | 37.8 | 0.001 | 0.04 | 0.30 | 6.6 | 0.6 | 1.2 | 22.4 | <0.01 | 0.06 | 3.5 |
| I315548 | | 2.57 | 37.9 | 600 | 4.3 | 49.3 | 0.001 | 0.03 | 1.75 | 8.9 | 0.7 | 1.0 | 29.6 | <0.01 | 0.05 | 5.1 |
| I315549 | | 2.64 | 36.7 | 730 | 4.9 | 36.1 | 0.001 | 0.05 | 1.07 | 7.9 | 1.1 | 1.0 | 31.2 | <0.01 | 0.05 | 3.6 |
| I315550 | | 2.56 | 34.4 | 580 | 4.9 | 27.6 | 0.001 | 0.04 | 1.25 | 6.8 | 0.7 | 0.8 | 29.5 | <0.01 | 0.05 | 3.0 |
| I034251 | | 1.11 | 13.6 | 950 | 4.6 | 13.5 | 0.001 | 0.15 | 0.15 | 8.3 | 1.2 | 0.5 | 38.8 | <0.01 | 0.05 | 1.2 |
| I034252 | | 1.03 | 13.7 | 600 | 5.2 | 9.3 | <0.001 | 0.04 | 0.15 | 4.6 | 0.9 | 0.4 | 33.3 | <0.01 | 0.02 | 1.5 |
| I034253 | | 0.82 | 10.2 | 580 | 4.3 | 8.3 | <0.001 | 0.04 | 0.12 | 4.2 | 0.6 | 0.3 | 23.4 | <0.01 | 0.02 | 0.8 |
| I034254 | | 1.97 | 13.2 | 670 | 5.3 | 21.0 | <0.001 | 0.01 | 0.31 | 5.6 | 0.7 | 0.6 | 37.1 | <0.01 | 0.01 | 2.1 |
| I034255 | | 1.02 | 25.6 | 610 | 7.2 | 17.6 | <0.001 | 0.01 | 0.28 | 3.5 | 0.5 | 0.3 | 33.2 | <0.01 | 0.02 | 4.2 |
| I034256 | | 0.94 | 21.1 | 640 | 6.2 | 13.3 | <0.001 | 0.01 | 0.20 | 3.2 | 0.6 | 0.3 | 32.9 | <0.01 | 0.01 | 3.8 |
| I034257 | | 1.33 | 22.0 | 690 | 5.4 | 7.9 | <0.001 | 0.02 | 0.23 | 4.2 | 0.5 | 0.4 | 40.8 | <0.01 | 0.02 | 2.6 |
| I034258 | | 1.33 | 20.6 | 700 | 10.0 | 13.3 | 0.001 | 0.05 | 0.36 | 4.6 | 1.1 | 0.5 | 94.5 | 0.01 | 0.02 | 4.6 |
| I034259 | | 0.68 | 20.3 | 900 | 6.5 | 12.6 | 0.001 | 0.02 | 0.27 | 2.7 | 0.7 | 0.3 | 19.5 | <0.01 | 0.04 | 3.0 |
| I033141 | | 1.10 | 14.5 | 530 | 5.3 | 26.5 | <0.001 | 0.03 | 0.47 | 5.1 | 0.7 | 0.6 | 19.2 | <0.01 | 0.03 | 0.6 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|-----------|----------|----------|----------|----------|-----------|-----------|
| | | Ti % | Ti ppm | U ppm | V ppm | W ppm | Y ppm | Zn ppm | Zr ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I315541 | | 0.186 | 0.36 | 1.67 | 92 | 6.74 | 10.25 | 87 | 4.0 |
| I315542 | | 0.178 | 0.53 | 2.21 | 103 | 7.55 | 12.85 | 81 | 13.2 |
| I315543 | | 0.170 | 0.34 | 1.54 | 89 | 5.85 | 10.40 | 76 | 10.0 |
| I315544 | | 0.051 | 0.40 | 2.73 | 102 | 46.2 | 19.50 | 245 | 2.8 |
| I315545 | | 0.195 | 0.30 | 1.02 | 80 | 11.65 | 7.85 | 76 | 4.0 |
| I315546 | | 0.204 | 0.32 | 1.12 | 82 | 10.95 | 9.55 | 73 | 4.7 |
| I315547 | | 0.195 | 0.26 | 0.91 | 89 | 10.05 | 5.99 | 76 | 2.4 |
| I315548 | | 0.219 | 0.40 | 1.19 | 91 | 7.63 | 10.15 | 78 | 3.3 |
| I315549 | | 0.185 | 0.32 | 1.37 | 84 | 4.57 | 11.20 | 67 | 2.4 |
| I315550 | | 0.183 | 0.24 | 0.80 | 89 | 5.00 | 6.23 | 73 | 2.4 |
| I034251 | | 0.106 | 0.09 | 0.88 | 76 | 0.09 | 13.40 | 109 | 0.7 |
| I034252 | | 0.085 | 0.07 | 1.17 | 55 | 0.15 | 7.50 | 65 | 0.6 |
| I034253 | | 0.082 | 0.06 | 0.62 | 56 | 0.13 | 5.57 | 47 | <0.5 |
| I034254 | | 0.157 | 0.15 | 1.37 | 71 | 0.29 | 8.79 | 60 | 1.9 |
| I034255 | | 0.077 | 0.11 | 0.81 | 41 | 0.09 | 6.26 | 59 | 1.1 |
| I034256 | | 0.071 | 0.08 | 0.69 | 39 | 0.21 | 6.84 | 48 | 1.0 |
| I034257 | | 0.102 | 0.06 | 0.52 | 58 | 0.12 | 6.19 | 61 | 2.1 |
| I034258 | | 0.074 | 0.10 | 1.91 | 45 | 0.14 | 17.05 | 56 | 4.0 |
| I034259 | | 0.037 | 0.11 | 0.87 | 45 | 0.14 | 6.84 | 60 | <0.5 |
| I033141 | | 0.129 | 0.16 | 0.93 | 74 | 3.55 | 5.65 | 64 | 1.3 |
| | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

| Method | CERTIFICATE COMMENTS |
|------------------------|---|
| ALL METHODS ME-MS41 | NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 23-SEP-2010
Account: EIASQI

CERTIFICATE WH10122681

Project: SQI10-06
P.O. No.: SQI10-06_23
This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315871 | | 0.56 | <0.005 | 0.16 | 1.79 | 10.9 | <0.2 | <10 | 330 | 0.64 | 0.19 | 0.59 | 0.12 | 33.9 | 13.9 | 33 |
| I315872 | | 0.60 | <0.005 | 0.07 | 1.52 | 7.7 | <0.2 | <10 | 270 | 0.30 | 0.18 | 0.44 | 0.19 | 16.05 | 9.9 | 26 |
| I315873 | | 0.44 | <0.005 | 0.13 | 1.97 | 4.4 | <0.2 | <10 | 210 | 0.63 | 0.27 | 0.21 | 0.31 | 67.8 | 6.4 | 28 |
| I315874 | | 0.44 | <0.005 | 0.44 | 2.22 | 8.1 | <0.2 | <10 | 420 | 1.00 | 0.34 | 0.59 | 0.50 | 123.0 | 17.2 | 32 |
| I315875 | | 0.44 | NSS | 0.03 | 0.29 | 10.2 | <0.2 | <10 | 90 | 0.34 | 0.04 | 0.57 | 0.28 | 35.9 | 10.9 | 14 |
| I315876 | | 0.50 | 0.006 | 0.31 | 2.14 | 7.4 | <0.2 | <10 | 240 | 0.43 | 0.23 | 0.76 | 0.50 | 26.2 | 8.9 | 27 |
| I315877 | | 0.44 | <0.005 | 0.17 | 2.44 | 8.6 | <0.2 | <10 | 250 | 0.32 | 0.23 | 0.66 | 0.27 | 20.3 | 12.4 | 37 |
| I315878 | | 0.46 | <0.005 | 0.09 | 0.47 | 2.7 | <0.2 | <10 | 30 | 0.08 | 0.11 | 0.07 | 0.09 | 5.36 | 1.4 | 12 |
| I315879 | | 0.48 | 0.007 | 0.30 | 1.99 | 10.1 | <0.2 | <10 | 200 | 0.36 | 0.19 | 0.67 | 0.24 | 28.6 | 12.2 | 37 |
| I315880 | | 0.52 | 0.007 | 0.20 | 2.21 | 11.4 | <0.2 | <10 | 210 | 0.43 | 0.22 | 0.64 | 0.27 | 32.2 | 11.5 | 44 |
| I315881 | | 0.52 | <0.005 | 0.07 | 0.78 | 4.5 | <0.2 | <10 | 30 | 0.17 | 0.17 | 0.10 | 0.11 | 7.97 | 3.1 | 14 |
| I315882 | | 0.56 | 0.006 | 0.11 | 2.07 | 15.2 | <0.2 | <10 | 110 | 0.44 | 0.34 | 0.21 | 0.19 | 17.85 | 9.6 | 33 |
| I315883 | | 0.48 | 0.006 | 0.13 | 0.45 | 3.3 | <0.2 | <10 | 50 | 0.09 | 0.22 | 0.10 | 0.16 | 7.04 | 3.1 | 11 |
| I315884 | | 0.54 | <0.005 | 0.09 | 1.55 | 10.4 | <0.2 | <10 | 120 | 0.34 | 0.61 | 0.35 | 0.23 | 29.3 | 8.6 | 33 |
| I315885 | | 0.60 | <0.005 | 0.08 | 1.91 | 15.1 | <0.2 | <10 | 70 | 0.29 | 0.43 | 0.24 | 0.14 | 13.45 | 7.1 | 37 |
| I315886 | | 0.62 | <0.005 | 0.09 | 2.42 | 4.8 | <0.2 | <10 | 150 | 0.49 | 0.54 | 0.33 | 0.14 | 31.4 | 14.3 | 112 |
| I315887 | | 0.40 | NSS | 0.02 | 0.25 | 9.3 | <0.2 | <10 | 70 | 0.28 | 0.04 | 0.40 | 0.26 | 27.3 | 9.1 | 11 |
| I315888 | | 0.70 | 0.006 | 0.14 | 2.85 | 6.9 | <0.2 | <10 | 240 | 0.67 | 0.50 | 0.40 | 0.18 | 40.8 | 19.8 | 89 |
| I315889 | | 0.52 | 0.005 | 0.05 | 2.57 | 8.1 | <0.2 | <10 | 160 | 0.88 | 0.24 | 0.29 | 0.20 | 27.6 | 15.4 | 64 |
| I315890 | | 0.64 | <0.005 | 0.11 | 2.76 | 17.7 | <0.2 | <10 | 200 | 0.91 | 0.23 | 0.34 | 0.11 | 26.3 | 9.9 | 53 |
| I315891 | | 0.74 | 0.005 | 0.11 | 2.16 | 5.7 | <0.2 | <10 | 160 | 1.03 | 0.29 | 0.57 | 0.10 | 34.6 | 14.9 | 50 |
| I315892 | | 0.48 | <0.005 | 0.15 | 0.88 | 0.9 | <0.2 | <10 | 60 | 0.36 | 0.10 | 0.38 | 0.14 | 9.96 | 4.0 | 20 |
| I315893 | | 0.64 | <0.005 | 0.08 | 2.32 | 5.5 | <0.2 | <10 | 160 | 0.88 | 0.18 | 0.47 | 0.10 | 36.6 | 11.0 | 56 |
| I315894 | | 0.80 | <0.005 | 0.10 | 2.72 | 10.8 | <0.2 | <10 | 310 | 1.12 | 0.16 | 0.66 | 0.11 | 39.5 | 16.9 | 78 |
| I315895 | | 0.80 | 0.010 | 0.09 | 2.57 | 29.9 | <0.2 | <10 | 140 | 1.01 | 0.21 | 0.35 | 0.13 | 26.7 | 11.6 | 50 |
| I315896 | | 0.60 | 0.027 | 0.13 | 2.52 | 82.9 | <0.2 | <10 | 190 | 0.85 | 0.21 | 0.43 | 0.19 | 31.9 | 17.5 | 49 |
| I315897 | | 0.54 | <0.005 | 0.06 | 2.47 | 12.9 | <0.2 | <10 | 210 | 0.45 | 0.14 | 0.50 | 0.04 | 18.20 | 12.1 | 60 |
| I315898 | | 0.66 | <0.005 | 0.08 | 1.83 | 10.1 | <0.2 | <10 | 150 | 0.41 | 0.09 | 0.38 | 0.05 | 19.70 | 10.3 | 44 |
| I315899 | | 0.50 | <0.005 | 0.16 | 2.32 | 20.5 | <0.2 | <10 | 160 | 0.57 | 0.15 | 0.26 | 0.14 | 20.3 | 12.0 | 42 |
| I315900 | | 0.52 | <0.005 | 0.19 | 2.44 | 25.8 | <0.2 | <10 | 170 | 0.67 | 0.19 | 0.27 | 0.17 | 23.0 | 13.6 | 45 |
| I315901 | | 0.32 | 0.011 | 0.22 | 1.29 | 37.1 | <0.2 | <10 | 100 | 0.60 | 0.18 | 0.68 | 0.25 | 20.1 | 5.5 | 26 |
| I315902 | | 0.26 | 0.028 | 0.42 | 2.54 | 169.5 | <0.2 | <10 | 180 | 1.05 | 0.29 | 0.70 | 0.12 | 25.3 | 14.4 | 45 |
| I315903 | | 0.26 | <0.005 | 0.20 | 1.54 | 42.1 | <0.2 | <10 | 130 | 0.72 | 0.17 | 0.44 | 0.21 | 19.05 | 8.4 | 28 |
| I315904 | | 0.34 | 0.006 | 0.12 | 1.60 | 14.1 | <0.2 | <10 | 130 | 0.48 | 0.17 | 0.36 | 0.25 | 16.55 | 7.9 | 32 |
| I315905 | | 0.34 | <0.005 | 0.07 | 2.54 | 17.1 | <0.2 | <10 | 220 | 0.62 | 0.16 | 0.33 | 0.03 | 19.10 | 15.0 | 47 |
| I315906 | | 0.30 | <0.005 | 0.17 | 1.72 | 8.3 | <0.2 | <10 | 190 | 0.47 | 0.14 | 0.29 | 0.14 | 18.25 | 10.6 | 32 |
| I315907 | | 0.30 | <0.005 | 0.17 | 1.41 | 12.6 | <0.2 | <10 | 110 | 0.22 | 0.13 | 0.20 | 0.11 | 12.35 | 5.5 | 26 |
| I315908 | | 0.22 | <0.005 | 0.10 | 1.65 | 11.0 | <0.2 | <10 | 140 | 0.27 | 0.13 | 0.27 | 0.22 | 13.90 | 7.8 | 30 |
| I315909 | | 0.34 | 0.008 | 0.35 | 3.23 | 19.9 | <0.2 | <10 | 350 | 0.60 | 0.20 | 0.47 | 0.03 | 23.7 | 12.9 | 62 |
| I315910 | | 0.36 | <0.005 | 0.32 | 2.93 | 18.1 | <0.2 | <10 | 330 | 0.49 | 0.20 | 0.46 | 0.02 | 23.9 | 11.7 | 50 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I315871 | | 0.50 | 34.3 | 2.91 | 5.93 | 0.05 | 0.21 | 0.04 | 0.026 | 0.06 | 15.8 | 13.2 | 0.56 | 449 | 1.24 |
| I315872 | | 0.37 | 12.4 | 2.25 | 6.09 | <0.05 | 0.02 | 0.02 | 0.019 | 0.08 | 8.4 | 12.3 | 0.39 | 425 | 1.39 |
| I315873 | | 1.40 | 25.5 | 2.37 | 7.22 | 0.08 | 0.06 | 0.07 | 0.033 | 0.06 | 43.2 | 8.9 | 0.28 | 324 | 1.09 |
| I315874 | | 1.95 | 50.6 | 3.05 | 8.53 | 0.19 | 0.10 | 0.19 | 0.039 | 0.07 | 68.7 | 10.1 | 0.35 | 3540 | 2.28 |
| I315875 | | 0.28 | 9.0 | 2.21 | 1.90 | 0.06 | 0.04 | 0.02 | 0.007 | 0.05 | 19.4 | 4.2 | 0.24 | 868 | 1.48 |
| I315876 | | 1.53 | 34.2 | 2.11 | 6.90 | <0.05 | 0.05 | 0.08 | 0.025 | 0.06 | 15.2 | 11.4 | 0.43 | 486 | 1.03 |
| I315877 | | 1.39 | 30.3 | 2.99 | 6.73 | 0.07 | 0.06 | 0.06 | 0.030 | 0.11 | 12.0 | 11.5 | 0.54 | 681 | 1.82 |
| I315878 | | 0.56 | 9.4 | 0.69 | 2.47 | <0.05 | <0.02 | 0.03 | 0.007 | 0.03 | 3.0 | 1.4 | 0.07 | 42 | 0.89 |
| I315879 | | 1.37 | 92.2 | 2.23 | 5.58 | 0.08 | 0.04 | 0.07 | 0.024 | 0.07 | 14.0 | 12.1 | 0.48 | 602 | 7.13 |
| I315880 | | 1.48 | 72.0 | 2.55 | 6.82 | 0.08 | 0.04 | 0.06 | 0.026 | 0.08 | 18.8 | 13.1 | 0.57 | 627 | 13.25 |
| I315881 | | 0.84 | 15.6 | 1.32 | 5.34 | <0.05 | <0.02 | 0.05 | 0.013 | 0.04 | 4.2 | 3.7 | 0.14 | 89 | 2.49 |
| I315882 | | 1.89 | 48.3 | 3.10 | 8.37 | 0.07 | 0.07 | 0.05 | 0.030 | 0.08 | 8.6 | 13.3 | 0.46 | 416 | 5.78 |
| I315883 | | 0.59 | 17.7 | 1.01 | 3.00 | <0.05 | <0.02 | 0.05 | 0.010 | 0.04 | 4.0 | 1.5 | 0.08 | 59 | 2.81 |
| I315884 | | 1.36 | 50.6 | 2.32 | 6.29 | 0.08 | 0.04 | 0.05 | 0.025 | 0.11 | 15.4 | 9.5 | 0.44 | 299 | 5.15 |
| I315885 | | 1.59 | 35.6 | 2.58 | 9.44 | 0.07 | 0.05 | 0.04 | 0.022 | 0.08 | 7.1 | 10.3 | 0.40 | 163 | 10.30 |
| I315886 | | 3.86 | 110.5 | 2.85 | 7.58 | 0.12 | 0.06 | 0.04 | 0.028 | 0.16 | 16.1 | 15.6 | 1.06 | 305 | 26.8 |
| I315887 | | 0.26 | 10.2 | 2.08 | 1.48 | 0.08 | 0.07 | 0.02 | 0.007 | 0.04 | 13.1 | 3.4 | 0.18 | 732 | 1.59 |
| I315888 | | 4.82 | 284 | 3.94 | 9.45 | 0.12 | 0.08 | 0.04 | 0.044 | 0.24 | 21.1 | 17.7 | 0.93 | 490 | 68.0 |
| I315889 | | 4.63 | 95.8 | 3.59 | 8.64 | 0.12 | 0.07 | 0.04 | 0.039 | 0.27 | 13.6 | 15.8 | 0.79 | 510 | 103.0 |
| I315890 | | 2.84 | 92.4 | 3.51 | 8.55 | 0.10 | 0.06 | 0.07 | 0.038 | 0.13 | 13.4 | 13.6 | 0.73 | 227 | 51.9 |
| I315891 | | 3.60 | 122.0 | 3.33 | 7.56 | 0.15 | 0.12 | 0.06 | 0.048 | 0.21 | 17.0 | 14.0 | 1.10 | 495 | 47.8 |
| I315892 | | 1.07 | 43.1 | 1.05 | 4.18 | <0.05 | 0.02 | 0.09 | 0.015 | 0.04 | 6.2 | 4.3 | 0.28 | 363 | 60.5 |
| I315893 | | 3.17 | 117.5 | 3.23 | 8.05 | 0.11 | 0.09 | 0.03 | 0.043 | 0.22 | 20.2 | 13.9 | 0.83 | 350 | 51.0 |
| I315894 | | 5.81 | 120.5 | 3.79 | 9.66 | 0.17 | 0.16 | 0.04 | 0.056 | 0.46 | 20.2 | 16.3 | 1.07 | 371 | 121.0 |
| I315895 | | 3.44 | 65.7 | 3.08 | 10.15 | 0.11 | 0.06 | 0.04 | 0.048 | 0.14 | 13.0 | 15.0 | 0.82 | 272 | 72.6 |
| I315896 | | 3.70 | 100.5 | 3.37 | 8.01 | 0.11 | 0.05 | 0.07 | 0.048 | 0.10 | 15.5 | 13.4 | 0.71 | 759 | 89.5 |
| I315897 | | 2.85 | 127.0 | 3.28 | 7.09 | 0.07 | 0.07 | 0.03 | 0.030 | 0.07 | 9.5 | 13.4 | 1.02 | 418 | 120.0 |
| I315898 | | 2.95 | 104.5 | 2.67 | 6.25 | 0.11 | 0.06 | 0.04 | 0.022 | 0.15 | 11.3 | 10.3 | 0.69 | 271 | 142.0 |
| I315899 | | 2.59 | 125.5 | 3.19 | 8.53 | 0.07 | 0.05 | 0.05 | 0.025 | 0.08 | 11.1 | 13.0 | 0.61 | 398 | 72.7 |
| I315900 | | 3.18 | 140.5 | 3.55 | 10.05 | 0.08 | 0.05 | 0.07 | 0.030 | 0.09 | 12.5 | 14.8 | 0.66 | 436 | 87.2 |
| I315901 | | 4.27 | 133.5 | 1.74 | 5.19 | 0.06 | 0.03 | 0.09 | 0.027 | 0.06 | 11.8 | 8.2 | 0.39 | 220 | 60.0 |
| I315902 | | 7.91 | 293 | 3.42 | 8.03 | 0.10 | 0.03 | 0.20 | 0.062 | 0.09 | 13.8 | 16.6 | 0.69 | 792 | 159.5 |
| I315903 | | 4.18 | 99.8 | 2.03 | 5.64 | 0.07 | 0.03 | 0.09 | 0.030 | 0.06 | 12.0 | 8.9 | 0.39 | 314 | 78.3 |
| I315904 | | 2.46 | 49.7 | 2.18 | 7.09 | 0.06 | 0.03 | 0.02 | 0.024 | 0.08 | 9.0 | 9.8 | 0.49 | 329 | 65.8 |
| I315905 | | 2.49 | 71.9 | 2.99 | 7.87 | 0.08 | 0.04 | 0.03 | 0.031 | 0.07 | 9.5 | 13.2 | 0.70 | 748 | 152.0 |
| I315906 | | 1.68 | 47.2 | 2.32 | 6.60 | 0.07 | 0.04 | 0.07 | 0.022 | 0.07 | 9.9 | 9.5 | 0.46 | 403 | 117.5 |
| I315907 | | 1.19 | 31.0 | 1.94 | 6.10 | 0.05 | 0.03 | 0.03 | 0.016 | 0.05 | 6.5 | 7.3 | 0.33 | 146 | 68.0 |
| I315908 | | 1.37 | 41.4 | 2.30 | 6.82 | 0.06 | 0.05 | 0.04 | 0.021 | 0.07 | 7.1 | 10.5 | 0.41 | 256 | 86.7 |
| I315909 | | 3.58 | 161.0 | 3.60 | 10.10 | 0.10 | 0.05 | 0.10 | 0.035 | 0.17 | 12.0 | 15.0 | 0.88 | 442 | 210 |
| I315910 | | 2.56 | 134.5 | 3.24 | 8.77 | 0.08 | 0.05 | 0.09 | 0.032 | 0.12 | 12.3 | 12.4 | 0.69 | 458 | 228 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I315871 | | 1.61 | 26.1 | 630 | 9.2 | 7.6 | 0.001 | 0.01 | 0.70 | 7.2 | 0.8 | 0.6 | 42.2 | <0.01 | 0.03 | 4.6 |
| I315872 | | 1.41 | 17.7 | 370 | 7.6 | 7.9 | <0.001 | 0.01 | 0.38 | 3.4 | <0.2 | 0.6 | 34.4 | <0.01 | 0.03 | 1.3 |
| I315873 | | 2.06 | 13.0 | 750 | 8.5 | 18.5 | 0.001 | 0.05 | 0.31 | 5.3 | 1.3 | 0.9 | 21.9 | 0.01 | 0.04 | 2.1 |
| I315874 | | 1.85 | 21.0 | 1330 | 10.9 | 16.8 | 0.002 | 0.13 | 0.56 | 7.8 | 2.6 | 1.1 | 62.3 | 0.02 | 0.06 | 2.7 |
| I315875 | | 0.66 | 22.2 | 650 | 4.5 | 6.1 | <0.001 | 0.01 | 0.59 | 2.4 | <0.2 | 0.3 | 13.8 | <0.01 | 0.02 | 4.8 |
| I315876 | | 1.53 | 17.2 | 1140 | 8.2 | 15.2 | 0.001 | 0.10 | 1.12 | 5.2 | 0.9 | 0.8 | 75.2 | 0.01 | 0.04 | 1.4 |
| I315877 | | 1.89 | 21.1 | 880 | 7.3 | 22.9 | 0.001 | 0.10 | 0.51 | 4.6 | 0.7 | 0.8 | 51.7 | <0.01 | 0.05 | 1.3 |
| I315878 | | 0.42 | 3.8 | 460 | 3.0 | 5.2 | <0.001 | 0.04 | 0.26 | 0.8 | 0.4 | 0.3 | 8.4 | <0.01 | 0.01 | <0.2 |
| I315879 | | 0.94 | 22.7 | 870 | 5.4 | 14.5 | <0.001 | 0.10 | 0.89 | 3.7 | 1.0 | 0.5 | 48.6 | <0.01 | 0.04 | 0.5 |
| I315880 | | 1.19 | 27.9 | 800 | 6.3 | 14.2 | 0.001 | 0.09 | 0.61 | 3.5 | 0.9 | 0.6 | 47.2 | <0.01 | 0.04 | 0.8 |
| I315881 | | 0.80 | 7.4 | 360 | 5.4 | 6.1 | <0.001 | 0.04 | 0.37 | 1.2 | 0.6 | 0.5 | 11.9 | <0.01 | 0.04 | 0.3 |
| I315882 | | 2.48 | 20.7 | 540 | 8.3 | 16.6 | <0.001 | 0.04 | 0.56 | 3.3 | 0.6 | 0.9 | 18.0 | <0.01 | 0.07 | 4.3 |
| I315883 | | 0.48 | 7.8 | 460 | 3.4 | 5.4 | <0.001 | 0.05 | 0.44 | 0.9 | 0.5 | 0.4 | 13.7 | <0.01 | 0.04 | <0.2 |
| I315884 | | 1.55 | 19.5 | 640 | 4.9 | 18.2 | <0.001 | 0.05 | 0.44 | 2.9 | 0.7 | 0.7 | 28.2 | <0.01 | 0.06 | 1.3 |
| I315885 | | 2.37 | 17.3 | 360 | 7.4 | 15.1 | <0.001 | 0.02 | 0.62 | 3.4 | 0.5 | 1.7 | 24.2 | <0.01 | 0.08 | 2.1 |
| I315886 | | 1.96 | 63.8 | 680 | 4.6 | 30.9 | 0.001 | 0.02 | 0.26 | 4.6 | 0.7 | 0.7 | 24.6 | <0.01 | 0.22 | 3.6 |
| I315887 | | 0.59 | 16.8 | 540 | 4.0 | 5.0 | <0.001 | 0.02 | 0.56 | 1.6 | 0.3 | 0.3 | 10.1 | <0.01 | 0.02 | 4.8 |
| I315888 | | 2.42 | 50.2 | 770 | 5.7 | 33.1 | 0.001 | 0.03 | 0.40 | 6.0 | 0.9 | 1.0 | 48.5 | 0.01 | 0.10 | 4.8 |
| I315889 | | 2.38 | 33.4 | 660 | 5.6 | 30.7 | <0.001 | 0.03 | 0.30 | 6.4 | 0.8 | 1.0 | 18.3 | <0.01 | 0.06 | 3.8 |
| I315890 | | 1.92 | 26.4 | 610 | 6.0 | 18.4 | 0.001 | 0.02 | 0.28 | 5.9 | 0.6 | 0.8 | 21.0 | <0.01 | 0.04 | 2.5 |
| I315891 | | 2.63 | 28.1 | 840 | 5.3 | 32.8 | 0.001 | 0.02 | 0.33 | 6.8 | 0.7 | 0.8 | 28.7 | <0.01 | 0.05 | 4.5 |
| I315892 | | 0.76 | 8.8 | 740 | 3.4 | 5.0 | 0.001 | 0.10 | 0.15 | 1.5 | 0.9 | 0.3 | 21.6 | <0.01 | 0.01 | 0.3 |
| I315893 | | 2.36 | 29.1 | 630 | 4.7 | 30.5 | 0.001 | 0.02 | 0.28 | 7.3 | 0.6 | 1.0 | 31.6 | <0.01 | 0.03 | 4.6 |
| I315894 | | 2.12 | 39.0 | 740 | 4.4 | 56.6 | 0.003 | 0.04 | 0.27 | 10.0 | 0.9 | 0.9 | 32.7 | <0.01 | 0.04 | 5.5 |
| I315895 | | 2.40 | 26.9 | 710 | 6.5 | 21.5 | <0.001 | 0.03 | 0.65 | 5.3 | 0.6 | 1.0 | 20.1 | <0.01 | 0.04 | 2.6 |
| I315896 | | 1.83 | 28.1 | 870 | 5.9 | 17.2 | 0.001 | 0.03 | 1.67 | 5.3 | 0.6 | 0.8 | 24.6 | <0.01 | 0.05 | 2.4 |
| I315897 | | 2.36 | 28.9 | 480 | 4.3 | 14.7 | 0.001 | 0.03 | 0.54 | 5.5 | 0.5 | 0.6 | 20.6 | <0.01 | 0.04 | 2.0 |
| I315898 | | 2.10 | 26.8 | 650 | 3.6 | 23.0 | 0.001 | 0.02 | 0.32 | 5.5 | 0.6 | 0.5 | 21.8 | <0.01 | 0.04 | 1.9 |
| I315899 | | 1.86 | 26.4 | 590 | 6.6 | 17.8 | 0.001 | 0.04 | 1.35 | 4.3 | 0.7 | 0.7 | 20.0 | <0.01 | 0.06 | 0.8 |
| I315900 | | 2.16 | 29.9 | 580 | 7.5 | 21.2 | <0.001 | 0.04 | 1.67 | 5.0 | 0.9 | 0.7 | 22.3 | <0.01 | 0.08 | 1.1 |
| I315901 | | 1.06 | 17.8 | 820 | 3.9 | 12.7 | 0.002 | 0.10 | 1.23 | 1.9 | 1.1 | 0.5 | 33.3 | <0.01 | 0.05 | 0.2 |
| I315902 | | 1.57 | 34.7 | 920 | 5.1 | 18.9 | 0.002 | 0.09 | 5.66 | 4.6 | 1.3 | 0.9 | 35.1 | <0.01 | 0.08 | 0.9 |
| I315903 | | 1.07 | 19.7 | 640 | 4.0 | 15.7 | 0.001 | 0.06 | 1.17 | 3.3 | 0.9 | 0.6 | 26.6 | <0.01 | 0.04 | 0.5 |
| I315904 | | 1.54 | 19.7 | 410 | 5.3 | 33.8 | <0.001 | 0.03 | 0.44 | 2.9 | 0.5 | 0.7 | 23.5 | <0.01 | 0.03 | 0.5 |
| I315905 | | 1.73 | 25.0 | 590 | 5.6 | 15.3 | 0.001 | 0.03 | 0.39 | 4.8 | 0.7 | 0.6 | 20.4 | <0.01 | 0.04 | 1.3 |
| I315906 | | 1.59 | 19.3 | 510 | 5.2 | 17.8 | 0.001 | 0.03 | 0.27 | 3.5 | 0.7 | 0.5 | 25.8 | <0.01 | 0.04 | 0.7 |
| I315907 | | 1.33 | 15.0 | 410 | 4.9 | 13.5 | <0.001 | 0.03 | 0.98 | 2.5 | 0.5 | 0.5 | 17.2 | <0.01 | 0.03 | 0.5 |
| I315908 | | 1.81 | 18.8 | 370 | 5.2 | 20.6 | <0.001 | 0.02 | 0.71 | 3.8 | 0.6 | 0.6 | 23.5 | <0.01 | 0.04 | 1.1 |
| I315909 | | 2.05 | 37.8 | 710 | 6.7 | 29.6 | 0.002 | 0.05 | 0.53 | 7.9 | 1.2 | 0.8 | 36.4 | <0.01 | 0.07 | 1.7 |
| I315910 | | 1.71 | 32.3 | 840 | 6.4 | 21.6 | 0.002 | 0.07 | 0.49 | 6.4 | 1.1 | 0.7 | 35.4 | <0.01 | 0.06 | 1.1 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I315871 | | 0.085 | 0.07 | 2.53 | 62 | 0.18 | 11.45 | 53 | 10.0 |
| I315872 | | 0.062 | 0.07 | 0.35 | 57 | 0.22 | 2.79 | 49 | 0.8 |
| I315873 | | 0.072 | 0.16 | 8.48 | 46 | 0.33 | 26.0 | 45 | 1.5 |
| I315874 | | 0.056 | 0.33 | 27.7 | 55 | 0.47 | 59.3 | 68 | 1.5 |
| I315875 | | 0.020 | 0.17 | 0.80 | 17 | 0.14 | 8.51 | 22 | 2.4 |
| I315876 | | 0.065 | 0.16 | 4.85 | 46 | 0.40 | 13.45 | 73 | 1.6 |
| I315877 | | 0.090 | 0.14 | 2.55 | 61 | 0.78 | 8.15 | 83 | 2.0 |
| I315878 | | 0.036 | 0.05 | 0.73 | 18 | 0.24 | 1.40 | 12 | <0.5 |
| I315879 | | 0.069 | 0.13 | 1.12 | 51 | 0.99 | 12.25 | 49 | 1.1 |
| I315880 | | 0.083 | 0.13 | 2.31 | 64 | 1.16 | 15.15 | 70 | 1.3 |
| I315881 | | 0.059 | 0.07 | 0.58 | 34 | 0.24 | 1.67 | 22 | 0.6 |
| I315882 | | 0.115 | 0.15 | 1.42 | 67 | 3.66 | 3.80 | 58 | 2.3 |
| I315883 | | 0.038 | 0.08 | 0.82 | 31 | 0.29 | 1.42 | 23 | <0.5 |
| I315884 | | 0.101 | 0.14 | 1.58 | 55 | 2.83 | 6.18 | 50 | 1.6 |
| I315885 | | 0.136 | 0.13 | 0.62 | 70 | 1.47 | 3.33 | 35 | 2.1 |
| I315886 | | 0.136 | 0.25 | 1.63 | 63 | 2.76 | 6.69 | 58 | 2.0 |
| I315887 | | 0.023 | 0.13 | 0.66 | 18 | 0.11 | 6.92 | 20 | 3.3 |
| I315888 | | 0.168 | 0.30 | 2.83 | 84 | 8.24 | 9.96 | 78 | 2.9 |
| I315889 | | 0.169 | 0.31 | 0.92 | 109 | 1.57 | 6.81 | 69 | 2.9 |
| I315890 | | 0.147 | 0.27 | 1.05 | 86 | 5.13 | 6.97 | 61 | 2.1 |
| I315891 | | 0.167 | 0.28 | 0.92 | 77 | 19.30 | 9.18 | 65 | 5.1 |
| I315892 | | 0.061 | 0.09 | 1.03 | 24 | 0.84 | 3.35 | 27 | 0.8 |
| I315893 | | 0.185 | 0.28 | 1.02 | 81 | 4.26 | 9.06 | 67 | 3.9 |
| I315894 | | 0.246 | 0.45 | 1.22 | 120 | 4.50 | 11.25 | 75 | 5.8 |
| I315895 | | 0.151 | 0.21 | 0.84 | 80 | 3.14 | 5.66 | 63 | 1.9 |
| I315896 | | 0.141 | 0.24 | 1.02 | 79 | 1.01 | 8.68 | 68 | 2.0 |
| I315897 | | 0.171 | 0.14 | 0.94 | 89 | 1.60 | 4.43 | 63 | 2.4 |
| I315898 | | 0.161 | 0.20 | 0.72 | 81 | 2.17 | 7.19 | 48 | 2.4 |
| I315899 | | 0.124 | 0.16 | 0.95 | 88 | 0.33 | 6.04 | 58 | 1.7 |
| I315900 | | 0.140 | 0.18 | 1.01 | 97 | 0.36 | 6.61 | 62 | 1.9 |
| I315901 | | 0.059 | 0.11 | 1.09 | 39 | 1.40 | 5.83 | 50 | 1.2 |
| I315902 | | 0.095 | 0.17 | 1.64 | 70 | 1.97 | 7.99 | 102 | 1.2 |
| I315903 | | 0.069 | 0.10 | 1.20 | 45 | 1.07 | 5.82 | 61 | 1.0 |
| I315904 | | 0.102 | 0.09 | 0.57 | 53 | 1.12 | 3.33 | 64 | 1.0 |
| I315905 | | 0.134 | 0.18 | 0.99 | 80 | 0.46 | 4.42 | 58 | 1.6 |
| I315906 | | 0.108 | 0.11 | 0.90 | 60 | 0.27 | 5.06 | 46 | 1.2 |
| I315907 | | 0.099 | 0.09 | 0.50 | 56 | 0.25 | 2.72 | 36 | 1.0 |
| I315908 | | 0.110 | 0.10 | 0.54 | 61 | 0.24 | 3.40 | 46 | 1.6 |
| I315909 | | 0.153 | 0.30 | 1.24 | 104 | 0.63 | 7.12 | 66 | 2.2 |
| I315910 | | 0.119 | 0.22 | 1.38 | 93 | 0.49 | 7.53 | 58 | 1.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315911 | | 0.32 | 0.008 | 0.58 | 2.39 | 18.9 | <0.2 | <10 | 250 | 0.54 | 0.28 | 1.19 | 0.40 | 25.2 | 11.5 | 41 |
| I315912 | | 0.32 | 0.008 | 0.23 | 2.48 | 13.4 | <0.2 | <10 | 220 | 0.48 | 0.25 | 0.50 | 0.14 | 19.20 | 17.1 | 45 |
| I315913 | | 0.36 | 0.011 | 0.39 | 2.70 | 13.6 | <0.2 | <10 | 250 | 0.45 | 0.26 | 0.74 | 0.17 | 19.70 | 13.8 | 44 |
| I315914 | | 0.48 | 0.013 | 0.31 | 3.22 | 21.2 | <0.2 | <10 | 350 | 0.44 | 0.50 | 0.70 | 0.18 | 18.05 | 13.7 | 61 |
| I315915 | | 0.34 | 0.009 | 0.14 | 2.64 | 5.8 | <0.2 | <10 | 320 | 0.43 | 0.37 | 0.63 | 0.19 | 19.20 | 12.5 | 55 |
| I315916 | | 0.36 | 0.010 | 0.30 | 2.57 | 10.1 | <0.2 | <10 | 350 | 0.38 | 0.59 | 0.85 | 0.46 | 16.85 | 14.5 | 50 |
| I315917 | | 0.32 | 0.006 | 0.34 | 2.38 | 18.3 | <0.2 | <10 | 310 | 0.33 | 0.44 | 0.77 | 0.33 | 14.20 | 12.7 | 42 |
| I315918 | | 0.42 | 0.009 | 0.38 | 2.74 | 11.7 | <0.2 | <10 | 300 | 0.41 | 0.45 | 0.61 | 0.42 | 19.30 | 17.4 | 46 |
| I315919 | | 0.50 | 0.036 | 0.27 | 3.06 | 53.1 | <0.2 | <10 | 370 | 0.42 | 0.44 | 0.43 | 0.16 | 16.05 | 16.2 | 51 |
| I315920 | | 0.46 | 0.012 | 0.19 | 2.59 | 38.6 | <0.2 | <10 | 310 | 0.41 | 0.36 | 0.34 | 0.11 | 15.95 | 13.9 | 49 |
| I315921 | | 0.44 | 0.016 | 0.20 | 2.78 | 49.6 | <0.2 | <10 | 270 | 0.35 | 0.47 | 0.43 | 0.18 | 16.70 | 17.6 | 59 |
| I315922 | | 0.52 | NSS | 0.02 | 0.27 | 8.5 | <0.2 | <10 | 80 | 0.29 | 0.04 | 0.48 | 0.22 | 22.9 | 7.9 | 11 |
| I315923 | | 0.46 | 0.009 | 0.20 | 3.03 | 17.8 | <0.2 | <10 | 310 | 0.40 | 0.52 | 0.76 | 0.20 | 15.45 | 15.3 | 59 |
| I315924 | | 0.38 | 0.007 | 0.11 | 2.55 | 9.7 | <0.2 | <10 | 200 | 0.37 | 0.44 | 0.52 | 0.09 | 17.70 | 11.7 | 49 |
| I315925 | | 0.40 | 0.005 | 0.11 | 2.56 | 16.6 | <0.2 | <10 | 400 | 0.52 | 0.39 | 0.46 | 0.08 | 21.1 | 16.1 | 47 |
| I315926 | | 0.52 | 0.012 | 0.09 | 2.59 | 14.7 | <0.2 | <10 | 330 | 0.51 | 0.37 | 0.50 | 0.11 | 23.0 | 13.4 | 52 |
| I315927 | | 0.48 | 0.010 | 0.06 | 2.32 | 19.0 | <0.2 | <10 | 270 | 0.45 | 0.32 | 0.47 | 0.09 | 18.80 | 9.6 | 45 |
| I315928 | | 0.30 | 0.006 | 0.15 | 2.46 | 9.6 | <0.2 | <10 | 310 | 0.44 | 0.31 | 0.58 | 0.26 | 20.3 | 13.1 | 44 |
| I315929 | | 0.36 | <0.005 | 0.28 | 2.24 | 17.3 | <0.2 | <10 | 290 | 0.53 | 0.32 | 0.78 | 0.11 | 24.2 | 20.0 | 36 |
| I315930 | | 0.30 | 0.006 | 0.16 | 2.29 | 9.6 | <0.2 | <10 | 220 | 0.44 | 0.28 | 0.50 | 0.18 | 16.85 | 10.2 | 39 |
| I315931 | | 0.60 | 0.007 | 0.14 | 2.37 | 11.3 | <0.2 | <10 | 240 | 0.48 | 0.26 | 0.36 | 0.08 | 17.15 | 10.5 | 41 |
| I315932 | | 0.40 | 0.013 | 0.38 | 2.75 | 23.5 | <0.2 | <10 | 250 | 0.65 | 0.29 | 0.47 | 0.19 | 21.7 | 13.1 | 43 |
| I315933 | | 0.46 | 0.012 | 0.12 | 1.88 | 32.5 | <0.2 | <10 | 190 | 0.50 | 0.21 | 0.39 | 0.11 | 20.1 | 10.1 | 36 |
| I315934 | | 0.28 | 0.006 | 0.08 | 0.79 | 5.7 | <0.2 | <10 | 60 | 0.21 | 0.24 | 0.11 | 0.41 | 9.82 | 4.3 | 16 |
| I315935 | | 0.28 | 0.005 | 0.08 | 0.69 | 5.1 | <0.2 | <10 | 50 | 0.17 | 0.23 | 0.09 | 0.24 | 7.27 | 6.6 | 14 |
| I315936 | | 0.48 | 0.011 | 0.15 | 2.15 | 25.2 | <0.2 | <10 | 200 | 0.47 | 0.17 | 0.37 | 0.13 | 21.7 | 9.6 | 37 |
| I315937 | | 0.32 | 0.010 | 0.27 | 1.55 | 13.7 | <0.2 | <10 | 160 | 0.53 | 0.17 | 0.64 | 0.18 | 20.2 | 21.3 | 24 |
| I315938 | | 0.38 | 0.005 | 0.11 | 1.80 | 7.0 | <0.2 | <10 | 160 | 0.46 | 0.18 | 0.33 | 0.29 | 16.00 | 9.9 | 35 |
| I315939 | | 0.34 | 0.006 | 0.18 | 1.51 | 5.4 | <0.2 | <10 | 110 | 0.42 | 0.14 | 0.21 | 0.46 | 13.55 | 8.1 | 28 |
| I315940 | | 0.46 | 0.005 | 0.03 | 2.20 | 4.9 | <0.2 | <10 | 160 | 0.51 | 0.15 | 0.25 | 0.24 | 20.4 | 10.4 | 50 |
| I315941 | | 0.48 | 0.007 | 0.11 | 2.39 | 6.5 | <0.2 | <10 | 200 | 0.56 | 0.17 | 0.36 | 0.09 | 31.7 | 12.3 | 53 |
| I315942 | | 0.54 | 0.008 | 0.13 | 2.87 | 15.4 | <0.2 | <10 | 260 | 0.69 | 0.17 | 0.45 | 0.15 | 35.9 | 14.9 | 57 |
| I315943 | | 0.48 | 0.005 | 0.06 | 2.43 | 6.2 | <0.2 | <10 | 210 | 0.52 | 0.13 | 0.39 | 0.07 | 24.4 | 12.2 | 50 |
| I315944 | | 0.36 | 0.005 | 0.04 | 1.90 | 27.9 | <0.2 | <10 | 150 | 0.55 | 0.16 | 0.26 | 0.14 | 22.0 | 10.0 | 45 |
| I315945 | | 0.42 | 0.020 | 0.33 | 2.07 | 26.4 | <0.2 | <10 | 160 | 0.69 | 0.19 | 0.49 | 0.08 | 19.70 | 7.1 | 46 |
| I315946 | | 0.60 | 0.005 | 0.07 | 2.42 | 11.4 | <0.2 | <10 | 210 | 0.72 | 0.15 | 0.45 | 0.08 | 31.0 | 10.2 | 49 |
| I315947 | | 0.60 | 0.011 | 0.08 | 2.60 | 61.0 | <0.2 | <10 | 210 | 1.61 | 0.17 | 0.44 | 0.07 | 47.3 | 13.4 | 66 |
| I315948 | | 0.48 | NSS | 0.02 | 0.31 | 10.4 | <0.2 | <10 | 90 | 0.37 | 0.04 | 0.64 | 0.24 | 33.5 | 8.8 | 14 |
| I315949 | | 0.52 | 0.008 | 0.09 | 2.64 | 7.6 | <0.2 | <10 | 160 | 2.66 | 0.46 | 0.49 | 0.07 | 45.8 | 14.0 | 68 |
| I315950 | | 0.56 | 0.005 | 0.12 | 2.40 | 12.9 | <0.2 | <10 | 180 | 1.45 | 0.19 | 0.47 | <0.01 | 31.8 | 14.7 | 52 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I315911 | | 2.41 | 188.0 | 2.61 | 7.27 | 0.10 | 0.08 | 0.14 | 0.028 | 0.10 | 14.2 | 17.2 | 0.61 | 382 | 164.0 | 0.03 |
| I315912 | | 1.59 | 85.6 | 3.09 | 7.69 | 0.09 | 0.04 | 0.11 | 0.024 | 0.15 | 9.7 | 14.0 | 0.69 | 521 | 93.4 | 0.02 |
| I315913 | | 1.73 | 112.0 | 3.03 | 8.04 | 0.08 | 0.06 | 0.09 | 0.027 | 0.12 | 9.8 | 13.5 | 0.64 | 627 | 20.3 | 0.03 |
| I315914 | | 2.62 | 82.1 | 3.09 | 9.40 | 0.08 | 0.04 | 0.05 | 0.023 | 0.39 | 9.1 | 14.4 | 1.01 | 411 | 5.88 | 0.04 |
| I315915 | | 1.78 | 52.6 | 2.27 | 7.52 | 0.07 | 0.05 | 0.04 | 0.026 | 0.23 | 9.2 | 12.9 | 0.91 | 235 | 0.91 | 0.03 |
| I315916 | | 1.58 | 40.2 | 2.81 | 7.57 | 0.07 | 0.05 | 0.05 | 0.025 | 0.16 | 8.7 | 12.8 | 1.02 | 640 | 1.30 | 0.05 |
| I315917 | | 1.75 | 37.4 | 2.96 | 8.03 | 0.06 | 0.04 | 0.05 | 0.021 | 0.17 | 7.2 | 13.3 | 1.08 | 453 | 1.18 | 0.04 |
| I315918 | | 1.48 | 41.6 | 3.14 | 7.89 | 0.08 | 0.03 | 0.05 | 0.022 | 0.29 | 8.8 | 14.7 | 1.13 | 750 | 1.04 | 0.04 |
| I315919 | | 1.75 | 66.3 | 3.62 | 8.62 | 0.09 | 0.03 | 0.03 | 0.021 | 0.34 | 8.1 | 15.0 | 1.38 | 454 | 1.05 | 0.03 |
| I315920 | | 1.57 | 41.8 | 3.34 | 7.56 | 0.08 | 0.04 | 0.02 | 0.021 | 0.24 | 7.7 | 14.5 | 1.15 | 310 | 0.91 | 0.02 |
| I315921 | | 2.21 | 33.0 | 3.21 | 8.46 | 0.09 | 0.04 | 0.02 | 0.023 | 0.27 | 8.2 | 14.9 | 1.37 | 547 | 1.08 | 0.03 |
| I315922 | | 0.25 | 6.9 | 1.89 | 1.38 | 0.06 | 0.06 | 0.02 | 0.006 | 0.05 | 11.1 | 3.8 | 0.20 | 674 | 1.22 | 0.01 |
| I315923 | | 1.88 | 30.3 | 3.44 | 8.60 | 0.09 | 0.03 | 0.03 | 0.026 | 0.25 | 7.8 | 13.9 | 1.39 | 662 | 1.24 | 0.04 |
| I315924 | | 1.23 | 30.9 | 2.83 | 7.41 | 0.07 | 0.04 | 0.02 | 0.028 | 0.10 | 8.5 | 14.2 | 0.94 | 243 | 0.86 | 0.02 |
| I315925 | | 1.26 | 33.7 | 3.07 | 7.60 | 0.07 | 0.03 | 0.03 | 0.057 | 0.10 | 9.9 | 12.3 | 0.78 | 674 | 1.32 | 0.03 |
| I315926 | | 1.57 | 42.4 | 2.91 | 7.84 | 0.08 | 0.06 | 0.02 | 0.025 | 0.18 | 11.1 | 12.9 | 0.87 | 251 | 1.10 | 0.03 |
| I315927 | | 1.44 | 36.6 | 2.64 | 7.06 | 0.07 | 0.06 | 0.02 | 0.023 | 0.15 | 9.6 | 12.3 | 0.73 | 237 | 1.07 | 0.03 |
| I315928 | | 1.46 | 45.6 | 2.64 | 7.44 | 0.07 | 0.04 | 0.05 | 0.023 | 0.09 | 10.1 | 11.3 | 0.61 | 689 | 1.96 | 0.03 |
| I315929 | | 1.19 | 56.6 | 4.25 | 6.31 | 0.08 | 0.03 | 0.09 | 0.024 | 0.06 | 12.6 | 8.5 | 0.47 | 1590 | 6.48 | 0.03 |
| I315930 | | 1.33 | 50.2 | 2.24 | 7.31 | 0.06 | 0.03 | 0.04 | 0.024 | 0.08 | 8.9 | 11.8 | 0.57 | 228 | 2.67 | 0.03 |
| I315931 | | 1.37 | 65.8 | 2.70 | 7.21 | 0.06 | 0.04 | 0.03 | 0.023 | 0.12 | 8.8 | 12.0 | 0.61 | 299 | 3.81 | 0.02 |
| I315932 | | 1.49 | 82.7 | 3.11 | 8.21 | 0.08 | 0.04 | 0.07 | 0.029 | 0.09 | 12.3 | 14.1 | 0.62 | 485 | 7.32 | 0.02 |
| I315933 | | 1.49 | 97.7 | 2.41 | 5.88 | 0.07 | 0.03 | 0.03 | 0.019 | 0.18 | 10.6 | 10.7 | 0.51 | 317 | 6.13 | 0.02 |
| I315934 | | 0.95 | 32.2 | 1.87 | 6.95 | <0.05 | 0.03 | 0.02 | 0.013 | 0.05 | 4.9 | 3.9 | 0.15 | 167 | 4.00 | 0.02 |
| I315935 | | 0.95 | 22.1 | 1.76 | 6.51 | <0.05 | 0.02 | 0.02 | 0.012 | 0.04 | 3.6 | 3.3 | 0.13 | 374 | 3.50 | 0.02 |
| I315936 | | 1.42 | 150.0 | 2.72 | 6.93 | 0.08 | 0.04 | 0.03 | 0.021 | 0.12 | 11.0 | 11.0 | 0.62 | 299 | 8.87 | 0.03 |
| I315937 | | 1.49 | 233 | 2.01 | 5.23 | 0.05 | 0.02 | 0.08 | 0.020 | 0.06 | 12.0 | 5.2 | 0.22 | 722 | 37.8 | 0.03 |
| I315938 | | 1.23 | 46.7 | 2.72 | 7.37 | 0.05 | 0.02 | 0.07 | 0.022 | 0.10 | 7.7 | 10.7 | 0.47 | 457 | 5.03 | 0.02 |
| I315939 | | 1.07 | 48.3 | 2.23 | 6.12 | <0.05 | 0.03 | 0.04 | 0.017 | 0.06 | 6.6 | 8.3 | 0.34 | 264 | 5.20 | 0.02 |
| I315940 | | 3.02 | 89.8 | 2.80 | 8.24 | 0.08 | 0.04 | 0.02 | 0.022 | 0.24 | 10.2 | 12.3 | 0.73 | 216 | 7.08 | 0.02 |
| I315941 | | 2.18 | 151.0 | 3.24 | 7.69 | 0.09 | 0.06 | 0.03 | 0.024 | 0.17 | 15.5 | 12.6 | 0.73 | 234 | 19.60 | 0.02 |
| I315942 | | 2.51 | 179.5 | 3.37 | 8.49 | 0.10 | 0.09 | 0.13 | 0.030 | 0.18 | 17.7 | 15.0 | 0.79 | 257 | 18.60 | 0.03 |
| I315943 | | 1.92 | 105.0 | 2.95 | 7.82 | 0.10 | 0.07 | 0.05 | 0.028 | 0.17 | 11.5 | 13.9 | 0.74 | 266 | 10.15 | 0.03 |
| I315944 | | 2.04 | 67.2 | 2.87 | 9.22 | 0.07 | 0.04 | 0.03 | 0.027 | 0.17 | 10.3 | 12.2 | 0.60 | 267 | 23.5 | 0.02 |
| I315945 | | 2.70 | 149.5 | 1.80 | 7.82 | 0.07 | 0.04 | 0.22 | 0.031 | 0.11 | 12.9 | 12.6 | 0.58 | 150 | 92.1 | 0.03 |
| I315946 | | 1.59 | 67.3 | 2.55 | 7.84 | 0.08 | 0.09 | 0.04 | 0.034 | 0.06 | 15.4 | 16.1 | 0.71 | 214 | 58.0 | 0.02 |
| I315947 | | 6.06 | 97.5 | 3.59 | 9.44 | 0.16 | 0.11 | 0.08 | 0.057 | 0.37 | 22.1 | 16.5 | 0.80 | 302 | 92.2 | 0.03 |
| I315948 | | 0.36 | 12.5 | 2.09 | 1.78 | 0.08 | 0.04 | 0.02 | 0.008 | 0.05 | 16.6 | 4.5 | 0.26 | 845 | 5.08 | 0.01 |
| I315949 | | 4.52 | 136.0 | 3.68 | 10.35 | 0.25 | 0.19 | 0.09 | 0.132 | 0.34 | 22.0 | 17.0 | 0.82 | 349 | 35.5 | 0.02 |
| I315950 | | 6.80 | 65.9 | 3.46 | 8.20 | 0.13 | 0.09 | 0.26 | 0.046 | 0.15 | 15.3 | 20.0 | 0.70 | 1040 | 161.0 | 0.03 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|-------------|------------|-----------|------------|------------|--------------|-----------|-------------|------------|------------|------------|------------|-------------|-------------|
| | | Nb | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te |
| | | ppm 0.05 | ppm 0.2 | ppm 10 | ppm 0.2 | ppm 0.1 | ppm 0.001 | % 0.01 | ppm 0.05 | ppm 0.1 | ppm 0.2 | ppm 0.2 | ppm 0.2 | ppm 0.01 | ppm 0.01 |
| I315911 | | 2.10 | 34.5 | 680 | 7.0 | 27.4 | 0.010 | 0.11 | 1.15 | 6.2 | 3.2 | 0.6 | 60.6 | <0.01 | 0.07 |
| I315912 | | 1.83 | 27.8 | 590 | 6.4 | 23.8 | 0.002 | 0.06 | 0.52 | 5.5 | 1.0 | 0.6 | 28.8 | <0.01 | 0.07 |
| I315913 | | 1.56 | 29.7 | 840 | 6.7 | 24.4 | <0.001 | 0.10 | 0.65 | 5.3 | 1.2 | 0.6 | 42.7 | <0.01 | 0.07 |
| I315914 | | 1.81 | 37.7 | 760 | 7.3 | 39.3 | <0.001 | 0.09 | 3.00 | 7.3 | 1.0 | 0.6 | 43.5 | <0.01 | 0.10 |
| I315915 | | 1.50 | 28.4 | 610 | 5.8 | 29.0 | <0.001 | 0.12 | 0.45 | 6.7 | 0.8 | 0.6 | 37.8 | <0.01 | 0.06 |
| I315916 | | 1.23 | 27.5 | 670 | 11.6 | 21.7 | <0.001 | 0.10 | 1.89 | 6.1 | 0.9 | 0.6 | 48.2 | <0.01 | 0.09 |
| I315917 | | 1.26 | 23.8 | 770 | 8.1 | 26.1 | <0.001 | 0.12 | 1.45 | 4.0 | 0.7 | 0.6 | 39.0 | <0.01 | 0.08 |
| I315918 | | 1.23 | 27.5 | 730 | 8.8 | 31.8 | <0.001 | 0.07 | 1.01 | 4.9 | 0.7 | 0.5 | 31.2 | <0.01 | 0.07 |
| I315919 | | 1.37 | 29.0 | 600 | 8.2 | 32.4 | <0.001 | 0.03 | 8.91 | 5.1 | 0.6 | 0.5 | 25.6 | <0.01 | 0.08 |
| I315920 | | 1.48 | 25.7 | 550 | 7.9 | 25.9 | <0.001 | 0.03 | 1.56 | 5.0 | 0.6 | 0.5 | 21.6 | <0.01 | 0.05 |
| I315921 | | 1.33 | 28.3 | 610 | 8.5 | 30.1 | <0.001 | 0.02 | 1.69 | 6.1 | 0.6 | 0.5 | 25.5 | <0.01 | 0.08 |
| I315922 | | 0.59 | 17.2 | 610 | 3.6 | 5.2 | <0.001 | 0.02 | 0.47 | 1.8 | 0.3 | 0.4 | 11.9 | <0.01 | 0.01 |
| I315923 | | 1.25 | 29.2 | 710 | 8.1 | 23.1 | <0.001 | 0.05 | 0.81 | 7.0 | 0.6 | 0.6 | 37.2 | <0.01 | 0.09 |
| I315924 | | 1.45 | 27.1 | 600 | 6.9 | 15.7 | <0.001 | 0.04 | 0.52 | 5.4 | 0.5 | 0.6 | 28.3 | <0.01 | 0.07 |
| I315925 | | 1.47 | 27.3 | 700 | 5.7 | 16.4 | <0.001 | 0.04 | 0.65 | 5.1 | 0.7 | 0.6 | 29.5 | <0.01 | 0.07 |
| I315926 | | 1.87 | 28.6 | 670 | 5.8 | 27.1 | <0.001 | 0.03 | 0.79 | 6.4 | 0.7 | 0.6 | 30.1 | <0.01 | 0.06 |
| I315927 | | 1.89 | 25.9 | 530 | 5.3 | 23.6 | <0.001 | 0.03 | 0.71 | 5.4 | 0.5 | 0.6 | 27.2 | <0.01 | 0.05 |
| I315928 | | 1.48 | 26.9 | 1010 | 5.9 | 18.3 | <0.001 | 0.10 | 0.53 | 4.0 | 1.1 | 0.6 | 40.7 | <0.01 | 0.06 |
| I315929 | | 1.08 | 23.8 | 1300 | 5.2 | 13.2 | 0.001 | 0.16 | 0.75 | 3.4 | 2.2 | 0.5 | 43.2 | <0.01 | 0.10 |
| I315930 | | 1.38 | 28.7 | 630 | 5.5 | 16.5 | <0.001 | 0.08 | 0.35 | 3.7 | 0.9 | 0.5 | 34.1 | <0.01 | 0.04 |
| I315931 | | 1.66 | 28.4 | 510 | 5.4 | 19.2 | <0.001 | 0.03 | 0.44 | 4.6 | 0.6 | 0.5 | 24.9 | <0.01 | 0.06 |
| I315932 | | 1.79 | 32.3 | 780 | 7.9 | 18.0 | <0.001 | 0.07 | 0.72 | 5.0 | 1.1 | 0.6 | 34.8 | <0.01 | 0.07 |
| I315933 | | 1.37 | 26.9 | 660 | 4.4 | 23.4 | <0.001 | 0.03 | 0.59 | 4.5 | 0.6 | 0.5 | 23.9 | <0.01 | 0.07 |
| I315934 | | 1.36 | 8.8 | 290 | 7.1 | 16.3 | <0.001 | 0.02 | 0.35 | 1.7 | 0.3 | 0.6 | 11.6 | <0.01 | 0.04 |
| I315935 | | 1.26 | 7.0 | 310 | 5.7 | 13.5 | <0.001 | 0.02 | 0.29 | 1.4 | 0.3 | 0.5 | 10.0 | <0.01 | 0.04 |
| I315936 | | 1.43 | 28.4 | 550 | 4.6 | 18.1 | <0.001 | 0.04 | 1.01 | 4.5 | 0.8 | 0.5 | 26.2 | <0.01 | 0.05 |
| I315937 | | 0.70 | 23.1 | 920 | 5.2 | 13.0 | <0.001 | 0.12 | 0.50 | 2.1 | 1.5 | 0.4 | 32.9 | <0.01 | 0.07 |
| I315938 | | 1.41 | 23.2 | 760 | 6.2 | 20.8 | <0.001 | 0.09 | 0.42 | 2.5 | 0.7 | 0.6 | 29.5 | <0.01 | 0.04 |
| I315939 | | 1.23 | 22.1 | 650 | 5.4 | 13.1 | <0.001 | 0.07 | 0.36 | 2.2 | 0.7 | 0.5 | 20.7 | <0.01 | 0.04 |
| I315940 | | 1.92 | 31.1 | 510 | 5.1 | 34.1 | <0.001 | 0.02 | 0.22 | 5.8 | 0.4 | 0.6 | 19.9 | <0.01 | 0.05 |
| I315941 | | 1.97 | 34.6 | 800 | 5.7 | 26.2 | <0.001 | 0.02 | 0.28 | 7.4 | 0.8 | 0.6 | 26.1 | <0.01 | 0.05 |
| I315942 | | 1.84 | 43.6 | 670 | 6.5 | 27.9 | <0.001 | 0.02 | 0.31 | 8.6 | 0.8 | 0.7 | 32.9 | <0.01 | 0.05 |
| I315943 | | 1.95 | 31.3 | 630 | 5.0 | 25.1 | <0.001 | 0.03 | 0.27 | 7.2 | 0.6 | 0.6 | 27.2 | <0.01 | 0.04 |
| I315944 | | 2.16 | 29.8 | 650 | 5.0 | 21.8 | <0.001 | 0.03 | 0.57 | 5.2 | 0.5 | 0.7 | 17.9 | <0.01 | 0.05 |
| I315945 | | 1.54 | 30.1 | 760 | 5.0 | 16.7 | 0.004 | 0.16 | 1.47 | 5.0 | 1.1 | 0.7 | 26.4 | <0.01 | 0.03 |
| I315946 | | 1.89 | 26.8 | 730 | 6.2 | 10.4 | 0.001 | 0.02 | 0.55 | 7.0 | 0.5 | 0.6 | 27.3 | <0.01 | 0.02 |
| I315947 | | 2.09 | 29.6 | 770 | 4.6 | 50.2 | <0.001 | 0.02 | 0.68 | 9.6 | 0.6 | 1.0 | 25.9 | <0.01 | 0.03 |
| I315948 | | 0.61 | 20.7 | 690 | 4.3 | 5.8 | <0.001 | 0.02 | 0.53 | 2.1 | 0.4 | 0.3 | 14.0 | <0.01 | 0.01 |
| I315949 | | 2.57 | 28.7 | 460 | 5.4 | 47.7 | <0.001 | 0.02 | 0.32 | 11.3 | 0.7 | 2.3 | 22.8 | <0.01 | 0.06 |
| I315950 | | 2.46 | 29.7 | 570 | 5.3 | 30.5 | 0.001 | 0.01 | 0.19 | 8.2 | 0.7 | 0.9 | 30.3 | <0.01 | 0.05 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn | Zr |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I315911 | | 0.108 | 0.21 | 3.65 | 72 | 0.67 | 11.30 | 58 | 3.1 |
| I315912 | | 0.129 | 0.17 | 1.14 | 84 | 2.06 | 5.05 | 65 | 1.6 |
| I315913 | | 0.113 | 0.20 | 1.11 | 82 | 1.25 | 7.47 | 69 | 2.1 |
| I315914 | | 0.141 | 0.32 | 1.20 | 95 | 2.89 | 6.73 | 79 | 1.9 |
| I315915 | | 0.119 | 0.25 | 1.19 | 70 | 1.38 | 6.96 | 66 | 1.7 |
| I315916 | | 0.104 | 0.17 | 0.74 | 83 | 0.48 | 7.79 | 93 | 1.8 |
| I315917 | | 0.114 | 0.15 | 0.65 | 74 | 0.36 | 6.11 | 95 | 1.5 |
| I315918 | | 0.118 | 0.21 | 0.89 | 73 | 0.34 | 7.17 | 120 | 1.4 |
| I315919 | | 0.151 | 0.20 | 0.58 | 82 | 0.28 | 5.53 | 107 | 1.5 |
| I315920 | | 0.143 | 0.20 | 0.53 | 77 | 0.27 | 4.84 | 70 | 1.8 |
| I315921 | | 0.155 | 0.26 | 0.58 | 92 | 0.34 | 5.29 | 71 | 1.7 |
| I315922 | | 0.023 | 0.14 | 0.69 | 16 | 0.08 | 7.73 | 20 | 3.1 |
| I315923 | | 0.133 | 0.19 | 0.59 | 95 | 0.32 | 5.23 | 85 | 1.5 |
| I315924 | | 0.125 | 0.13 | 0.57 | 74 | 0.32 | 5.10 | 59 | 1.8 |
| I315925 | | 0.114 | 0.15 | 0.82 | 78 | 0.69 | 5.84 | 57 | 1.4 |
| I315926 | | 0.144 | 0.22 | 0.96 | 82 | 4.24 | 6.78 | 61 | 2.4 |
| I315927 | | 0.140 | 0.20 | 0.82 | 74 | 1.47 | 5.22 | 58 | 2.6 |
| I315928 | | 0.092 | 0.15 | 1.30 | 68 | 0.82 | 7.57 | 62 | 1.4 |
| I315929 | | 0.063 | 0.14 | 1.47 | 74 | 0.77 | 10.45 | 41 | 1.2 |
| I315930 | | 0.094 | 0.13 | 0.96 | 66 | 0.94 | 5.51 | 59 | 1.3 |
| I315931 | | 0.117 | 0.16 | 0.93 | 74 | 5.39 | 5.27 | 52 | 1.6 |
| I315932 | | 0.109 | 0.14 | 1.82 | 81 | 0.76 | 8.28 | 66 | 1.7 |
| I315933 | | 0.103 | 0.18 | 1.09 | 65 | 4.67 | 7.23 | 52 | 1.1 |
| I315934 | | 0.102 | 0.07 | 0.39 | 65 | 0.26 | 1.71 | 29 | 1.1 |
| I315935 | | 0.090 | 0.07 | 0.31 | 57 | 0.18 | 1.32 | 25 | 1.0 |
| I315936 | | 0.119 | 0.15 | 0.88 | 75 | 2.15 | 7.43 | 47 | 1.6 |
| I315937 | | 0.049 | 0.13 | 2.00 | 49 | 0.52 | 11.45 | 30 | 0.8 |
| I315938 | | 0.095 | 0.14 | 0.69 | 77 | 0.35 | 3.88 | 63 | 1.0 |
| I315939 | | 0.082 | 0.10 | 0.69 | 57 | 0.23 | 3.81 | 46 | 1.2 |
| I315940 | | 0.159 | 0.30 | 0.67 | 92 | 0.23 | 5.00 | 46 | 2.0 |
| I315941 | | 0.159 | 0.27 | 1.50 | 85 | 0.36 | 10.00 | 56 | 2.6 |
| I315942 | | 0.169 | 0.29 | 1.44 | 93 | 0.33 | 12.30 | 71 | 4.0 |
| I315943 | | 0.173 | 0.24 | 0.82 | 89 | 1.41 | 7.78 | 50 | 3.1 |
| I315944 | | 0.157 | 0.19 | 0.54 | 98 | 0.94 | 6.08 | 59 | 1.6 |
| I315945 | | 0.108 | 0.17 | 1.05 | 55 | 2.58 | 8.18 | 50 | 1.8 |
| I315946 | | 0.163 | 0.18 | 1.02 | 81 | 2.17 | 9.19 | 57 | 3.8 |
| I315947 | | 0.206 | 0.46 | 1.17 | 98 | 5.01 | 10.10 | 70 | 5.0 |
| I315948 | | 0.025 | 0.16 | 0.90 | 18 | 0.19 | 8.26 | 21 | 2.0 |
| I315949 | | 0.206 | 0.40 | 1.86 | 86 | 31.7 | 9.55 | 86 | 7.0 |
| I315950 | | 0.157 | 0.51 | 1.97 | 80 | 19.25 | 8.54 | 79 | 3.1 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315951 | | 0.50 | <0.005 | 0.15 | 1.68 | 15.0 | <0.2 | <10 | 160 | 0.34 | 0.34 | 0.25 | 0.15 | 33.6 | 14.4 | 23 |
| I315952 | | 0.28 | <0.005 | 0.13 | 1.37 | 6.1 | <0.2 | <10 | 120 | 0.28 | 0.16 | 0.26 | 0.20 | 25.0 | 7.6 | 26 |
| I315953 | | 0.40 | 0.005 | 0.07 | 1.52 | 5.0 | <0.2 | <10 | 140 | 0.24 | 0.13 | 0.31 | 0.12 | 30.9 | 6.8 | 20 |
| I315954 | | 0.38 | <0.005 | 0.11 | 1.74 | 6.2 | <0.2 | <10 | 160 | 0.33 | 0.16 | 0.32 | 0.19 | 41.5 | 15.4 | 24 |
| I315955 | | 0.40 | <0.005 | 0.13 | 1.44 | 5.7 | <0.2 | <10 | 310 | 0.37 | 0.16 | 0.31 | 0.34 | 62.9 | 10.0 | 22 |
| I315956 | | 0.46 | <0.005 | 0.03 | 1.77 | 9.5 | <0.2 | <10 | 150 | 0.26 | 0.19 | 0.12 | 0.17 | 16.40 | 8.1 | 26 |
| I315957 | | 0.44 | <0.005 | 0.10 | 1.63 | 8.2 | <0.2 | <10 | 180 | 0.28 | 0.18 | 0.15 | 0.11 | 12.15 | 7.6 | 24 |
| I315958 | | 0.52 | <0.005 | 0.10 | 2.10 | 10.6 | <0.2 | <10 | 260 | 0.38 | 0.19 | 0.18 | 0.13 | 15.30 | 10.0 | 30 |
| I315959 | | 0.42 | <0.005 | 0.13 | 1.66 | 6.4 | <0.2 | <10 | 240 | 0.36 | 0.15 | 0.33 | 0.13 | 54.7 | 10.7 | 25 |
| I315960 | | 0.32 | 0.006 | 0.05 | 1.02 | 7.4 | <0.2 | <10 | 110 | 0.17 | 0.23 | 0.11 | 0.09 | 16.20 | 3.3 | 20 |
| I315961 | | 0.30 | 0.005 | 0.04 | 0.72 | 6.7 | <0.2 | <10 | 110 | 0.19 | 0.18 | 0.11 | 0.08 | 12.40 | 4.2 | 13 |
| I315962 | | 0.30 | <0.005 | 0.12 | 1.79 | 7.3 | <0.2 | <10 | 450 | 0.39 | 0.19 | 0.45 | 0.36 | 58.4 | 8.7 | 22 |
| I315963 | | 0.40 | <0.005 | 0.08 | 1.45 | 6.3 | <0.2 | <10 | 220 | 0.37 | 0.17 | 0.17 | 0.12 | 45.8 | 9.5 | 18 |
| I315964 | | 0.42 | 0.005 | 0.11 | 2.18 | 9.5 | <0.2 | <10 | 240 | 0.45 | 0.15 | 0.38 | 0.07 | 58.9 | 13.5 | 35 |
| I315965 | | 0.42 | 0.005 | 0.11 | 2.44 | 8.4 | <0.2 | <10 | 220 | 0.47 | 0.17 | 0.43 | 0.18 | 41.7 | 14.7 | 29 |
| I315966 | | 0.28 | 0.010 | 0.09 | 1.04 | 4.0 | <0.2 | <10 | 90 | 0.15 | 0.14 | 0.22 | 0.08 | 22.1 | 4.0 | 19 |
| I315967 | | 0.52 | 0.005 | 0.09 | 1.98 | 4.4 | <0.2 | <10 | 160 | 0.31 | 0.18 | 0.31 | 0.12 | 39.7 | 9.1 | 27 |
| I315968 | | 0.44 | <0.005 | 0.10 | 2.48 | 8.9 | <0.2 | <10 | 200 | 0.38 | 0.28 | 0.30 | 0.10 | 38.4 | 12.8 | 31 |
| I315969 | | 0.38 | <0.005 | 0.15 | 1.70 | 5.2 | <0.2 | <10 | 310 | 0.38 | 0.17 | 0.39 | 0.13 | 86.7 | 7.4 | 23 |
| I315970 | | 0.36 | <0.005 | 0.08 | 1.54 | 7.2 | <0.2 | <10 | 270 | 0.45 | 0.20 | 0.27 | 0.09 | 74.8 | 7.0 | 19 |
| I315971 | | 0.54 | 0.013 | 0.02 | 0.21 | 7.5 | <0.2 | <10 | 60 | 0.29 | 0.03 | 0.38 | 0.16 | 21.6 | 8.7 | 7 |
| I315972 | | 0.38 | 0.005 | 0.09 | 1.90 | 10.7 | <0.2 | <10 | 200 | 0.24 | 0.20 | 0.21 | 0.09 | 13.70 | 8.3 | 30 |
| I315973 | | 0.38 | 0.005 | 0.15 | 2.57 | 10.5 | <0.2 | <10 | 190 | 0.50 | 0.19 | 0.64 | 0.19 | 31.3 | 12.2 | 32 |
| I315974 | | 0.36 | 0.007 | 0.10 | 0.87 | 4.5 | <0.2 | <10 | 140 | 0.23 | 0.16 | 0.21 | 0.06 | 24.0 | 4.7 | 14 |
| I315975 | | 0.50 | 0.005 | 0.18 | 2.53 | 9.2 | <0.2 | <10 | 180 | 0.33 | 0.22 | 0.33 | 0.19 | 28.3 | 12.0 | 31 |
| I315976 | | 0.40 | 0.006 | 0.18 | 1.89 | 9.0 | <0.2 | <10 | 200 | 0.29 | 0.21 | 0.34 | 0.14 | 20.8 | 9.3 | 28 |
| I315977 | | 0.34 | 0.006 | 0.08 | 0.74 | 2.4 | <0.2 | <10 | 90 | 0.17 | 0.15 | 0.16 | 0.12 | 22.9 | 4.2 | 16 |
| I315978 | | 0.54 | 0.009 | 0.08 | 1.76 | 7.9 | <0.2 | <10 | 160 | 0.31 | 0.16 | 0.32 | 0.17 | 35.0 | 22.7 | 26 |
| I315979 | | 0.38 | <0.005 | 0.14 | 1.69 | 5.2 | <0.2 | <10 | 130 | 0.27 | 0.17 | 0.23 | 0.20 | 31.7 | 6.3 | 25 |
| I315980 | | 0.32 | <0.005 | 0.20 | 1.84 | 6.4 | <0.2 | <10 | 160 | 0.27 | 0.19 | 0.25 | 0.23 | 31.1 | 8.7 | 30 |
| I315981 | | 0.34 | 0.007 | 0.23 | 1.84 | 5.6 | <0.2 | <10 | 150 | 0.30 | 0.19 | 0.26 | 0.30 | 29.0 | 9.0 | 31 |
| I315982 | | 0.32 | <0.005 | 0.20 | 1.87 | 5.8 | <0.2 | <10 | 150 | 0.35 | 0.20 | 0.25 | 0.30 | 31.3 | 9.5 | 31 |
| I315983 | | 0.38 | 0.006 | 0.13 | 2.00 | 5.9 | <0.2 | <10 | 240 | 0.41 | 0.14 | 1.26 | 0.29 | 31.1 | 12.7 | 44 |
| I315984 | | 0.36 | 0.008 | 0.23 | 2.05 | 9.8 | <0.2 | <10 | 260 | 0.47 | 0.16 | 1.73 | 0.46 | 26.9 | 14.5 | 45 |
| I315985 | | 0.34 | 0.007 | 0.24 | 2.12 | 10.9 | <0.2 | <10 | 280 | 0.58 | 0.17 | 1.64 | 0.59 | 24.4 | 16.3 | 50 |
| I315986 | | 0.48 | 0.008 | 0.10 | 2.58 | 5.4 | <0.2 | <10 | 160 | 0.60 | 0.11 | 1.09 | 0.12 | 23.3 | 16.5 | 66 |
| I315987 | | 0.36 | 0.006 | 0.09 | 1.77 | 4.1 | <0.2 | <10 | 160 | 0.39 | 0.10 | 2.18 | 0.25 | 15.10 | 10.3 | 35 |
| I315988 | | 0.46 | <0.005 | 0.29 | 1.20 | 13.5 | <0.2 | <10 | 70 | 0.21 | 0.16 | 0.16 | 0.13 | 28.1 | 4.5 | 24 |
| I315989 | | 0.36 | <0.005 | 0.09 | 1.80 | 46.5 | <0.2 | <10 | 80 | 0.38 | 0.31 | 0.09 | 0.18 | 36.4 | 12.3 | 33 |
| I315990 | | 0.46 | <0.005 | 0.38 | 1.77 | 36.5 | <0.2 | <10 | 120 | 0.44 | 0.26 | 0.16 | 0.36 | 41.3 | 18.9 | 31 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I315951 | | 9.27 | 11.3 | 4.02 | 9.19 | 0.11 | 0.07 | 0.13 | 0.034 | 0.17 | 19.8 | 12.4 | 0.54 | 1360 | 3.51 | 0.02 |
| I315952 | | 1.53 | 12.4 | 2.24 | 5.25 | <0.05 | 0.03 | 0.13 | 0.020 | 0.04 | 12.6 | 8.0 | 0.37 | 226 | 1.76 | 0.02 |
| I315953 | | 3.72 | 8.2 | 2.33 | 6.47 | 0.05 | 0.05 | 0.11 | 0.023 | 0.06 | 18.4 | 10.6 | 0.47 | 255 | 0.76 | 0.02 |
| I315954 | | 3.91 | 11.4 | 3.15 | 7.04 | 0.08 | 0.06 | 0.17 | 0.030 | 0.08 | 23.4 | 12.6 | 0.50 | 977 | 0.94 | 0.02 |
| I315955 | | 3.94 | 17.4 | 2.95 | 7.02 | 0.13 | 0.10 | 0.13 | 0.029 | 0.16 | 57.9 | 9.9 | 0.45 | 782 | 1.25 | 0.02 |
| I315956 | | 2.86 | 13.1 | 3.28 | 8.37 | <0.05 | 0.08 | 0.02 | 0.027 | 0.06 | 8.1 | 11.9 | 0.43 | 302 | 1.63 | 0.01 |
| I315957 | | 1.23 | 13.2 | 2.83 | 7.70 | <0.05 | 0.05 | 0.03 | 0.022 | 0.05 | 6.7 | 12.1 | 0.35 | 326 | 1.50 | 0.02 |
| I315958 | | 1.80 | 16.3 | 3.34 | 8.18 | <0.05 | 0.08 | 0.03 | 0.031 | 0.05 | 8.2 | 16.0 | 0.46 | 406 | 1.64 | 0.02 |
| I315959 | | 7.17 | 14.0 | 3.21 | 7.38 | 0.09 | 0.08 | 0.38 | 0.032 | 0.11 | 33.3 | 14.0 | 0.50 | 545 | 1.24 | 0.02 |
| I315960 | | 3.69 | 15.4 | 2.12 | 9.57 | <0.05 | 0.05 | 0.15 | 0.020 | 0.05 | 11.0 | 3.4 | 0.18 | 169 | 1.52 | 0.01 |
| I315961 | | 3.74 | 8.9 | 2.28 | 7.75 | <0.05 | 0.03 | 0.49 | 0.022 | 0.07 | 5.1 | 3.3 | 0.14 | 257 | 1.78 | 0.01 |
| I315962 | | 8.05 | 16.5 | 2.96 | 8.72 | 0.12 | 0.07 | 0.65 | 0.031 | 0.12 | 57.8 | 10.3 | 0.41 | 503 | 1.42 | 0.02 |
| I315963 | | 3.78 | 11.4 | 2.45 | 7.17 | 0.07 | 0.07 | 0.15 | 0.026 | 0.08 | 44.3 | 10.0 | 0.28 | 1020 | 1.51 | 0.02 |
| I315964 | | 2.45 | 23.4 | 3.71 | 7.57 | 0.11 | 0.21 | 0.05 | 0.034 | 0.20 | 31.7 | 18.3 | 0.68 | 517 | 1.60 | 0.03 |
| I315965 | | 6.10 | 18.3 | 4.49 | 9.71 | 0.14 | 0.14 | 0.07 | 0.043 | 0.38 | 17.4 | 22.5 | 0.84 | 742 | 1.50 | 0.03 |
| I315966 | | 2.85 | 7.2 | 1.66 | 5.77 | <0.05 | 0.04 | 0.17 | 0.016 | 0.07 | 11.6 | 6.0 | 0.30 | 164 | 0.61 | 0.02 |
| I315967 | | 5.75 | 11.0 | 2.66 | 8.13 | 0.09 | 0.08 | 0.47 | 0.032 | 0.13 | 23.3 | 17.3 | 0.59 | 329 | 0.70 | 0.02 |
| I315968 | | 9.21 | 13.0 | 3.91 | 10.75 | 0.11 | 0.08 | 0.27 | 0.037 | 0.14 | 23.6 | 22.3 | 0.69 | 609 | 1.65 | 0.02 |
| I315969 | | 13.45 | 12.0 | 2.40 | 8.03 | 0.12 | 0.10 | 0.31 | 0.028 | 0.11 | 64.9 | 13.5 | 0.39 | 300 | 1.19 | 0.02 |
| I315970 | | 6.66 | 14.6 | 2.41 | 8.35 | 0.13 | 0.06 | 0.29 | 0.027 | 0.07 | 53.2 | 10.2 | 0.25 | 412 | 1.27 | 0.02 |
| I315971 | | 0.23 | 5.5 | 1.76 | 1.25 | <0.05 | 0.10 | 0.02 | 0.005 | 0.04 | 9.9 | 3.3 | 0.16 | 566 | 1.03 | 0.01 |
| I315972 | | 5.15 | 12.6 | 3.69 | 8.66 | 0.05 | 0.17 | 0.03 | 0.027 | 0.10 | 6.9 | 15.5 | 0.50 | 295 | 2.06 | 0.01 |
| I315973 | | 8.47 | 16.6 | 4.24 | 9.83 | 0.11 | 0.14 | 0.07 | 0.040 | 0.46 | 16.6 | 27.3 | 0.74 | 629 | 2.06 | 0.02 |
| I315974 | | 3.93 | 10.8 | 1.82 | 6.18 | <0.05 | 0.07 | 0.05 | 0.017 | 0.07 | 20.3 | 6.5 | 0.21 | 312 | 1.64 | 0.02 |
| I315975 | | 8.23 | 17.5 | 4.38 | 10.70 | 0.11 | 0.14 | 0.05 | 0.036 | 0.24 | 14.2 | 25.7 | 0.77 | 611 | 2.04 | 0.02 |
| I315976 | | 5.89 | 16.7 | 3.41 | 9.53 | 0.07 | 0.10 | 0.10 | 0.029 | 0.16 | 10.7 | 12.5 | 0.53 | 733 | 1.99 | 0.02 |
| I315977 | | 3.56 | 11.6 | 1.19 | 4.92 | <0.05 | 0.02 | 0.07 | 0.014 | 0.05 | 12.7 | 3.7 | 0.17 | 201 | 0.77 | 0.02 |
| I315978 | | 5.97 | 12.0 | 3.72 | 7.99 | 0.11 | 0.07 | 0.04 | 0.030 | 0.13 | 17.3 | 15.5 | 0.62 | 1840 | 1.50 | 0.02 |
| I315979 | | 1.98 | 14.4 | 2.39 | 6.52 | 0.05 | 0.04 | 0.07 | 0.024 | 0.07 | 17.5 | 10.6 | 0.44 | 224 | 0.79 | 0.02 |
| I315980 | | 1.92 | 16.1 | 2.61 | 7.37 | 0.06 | 0.05 | 0.07 | 0.026 | 0.06 | 15.7 | 12.6 | 0.49 | 271 | 1.04 | 0.02 |
| I315981 | | 1.86 | 18.1 | 2.62 | 7.37 | 0.06 | 0.05 | 0.07 | 0.027 | 0.08 | 16.1 | 12.5 | 0.51 | 303 | 1.09 | 0.02 |
| I315982 | | 1.94 | 19.5 | 2.65 | 7.76 | 0.08 | 0.05 | 0.07 | 0.027 | 0.09 | 18.8 | 13.0 | 0.51 | 318 | 1.10 | 0.02 |
| I315983 | | 1.95 | 19.5 | 2.65 | 7.07 | 0.08 | 0.06 | 0.07 | 0.024 | 0.09 | 14.1 | 16.1 | 0.62 | 625 | 1.15 | 0.04 |
| I315984 | | 1.81 | 32.1 | 2.79 | 6.62 | 0.10 | 0.09 | 0.10 | 0.026 | 0.14 | 12.9 | 18.6 | 0.63 | 504 | 1.23 | 0.04 |
| I315985 | | 1.87 | 43.4 | 3.42 | 7.54 | 0.13 | 0.08 | 0.05 | 0.027 | 0.21 | 12.2 | 18.0 | 0.72 | 545 | 1.68 | 0.05 |
| I315986 | | 2.19 | 27.3 | 3.42 | 8.36 | 0.12 | 0.08 | 0.03 | 0.024 | 0.21 | 12.1 | 21.6 | 1.18 | 263 | 0.42 | 0.07 |
| I315987 | | 1.24 | 22.4 | 2.15 | 5.85 | 0.09 | 0.07 | 0.05 | 0.015 | 0.14 | 8.8 | 13.0 | 0.54 | 436 | 0.69 | 0.04 |
| I315988 | | 2.53 | 19.1 | 1.78 | 5.99 | <0.05 | <0.02 | 0.04 | 0.014 | 0.07 | 14.6 | 7.8 | 0.42 | 128 | 0.85 | 0.02 |
| I315989 | | 2.39 | 26.5 | 3.61 | 9.47 | 0.06 | 0.02 | 0.01 | 0.023 | 0.09 | 18.4 | 13.6 | 0.59 | 626 | 2.26 | 0.01 |
| I315990 | | 4.68 | 36.9 | 2.73 | 6.95 | 0.05 | <0.02 | 0.03 | 0.027 | 0.10 | 21.8 | 18.2 | 0.62 | 736 | 1.50 | 0.02 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I315951 | | 6.35 | 12.3 | 640 | 22.7 | 45.1 | <0.001 | 0.02 | 0.93 | 5.4 | 0.5 | 1.4 | 17.9 | <0.01 | 0.04 | 7.6 |
| I315952 | | 1.42 | 14.8 | 750 | 10.3 | 8.5 | <0.001 | 0.04 | 0.80 | 3.2 | 0.6 | 0.6 | 20.4 | <0.01 | 0.04 | 0.9 |
| I315953 | | 3.24 | 12.2 | 580 | 9.4 | 20.8 | <0.001 | 0.02 | 0.41 | 4.2 | 0.5 | 0.8 | 19.3 | <0.01 | 0.02 | 3.7 |
| I315954 | | 3.15 | 13.2 | 700 | 20.3 | 24.0 | <0.001 | 0.02 | 0.37 | 5.2 | 0.5 | 0.9 | 20.0 | <0.01 | 0.03 | 5.9 |
| I315955 | | 3.92 | 13.5 | 380 | 16.0 | 30.3 | <0.001 | 0.02 | 0.51 | 5.8 | 0.8 | 0.9 | 26.0 | 0.01 | 0.03 | 7.4 |
| I315956 | | 3.11 | 15.0 | 230 | 15.1 | 16.6 | <0.001 | <0.01 | 0.76 | 4.4 | 0.2 | 0.9 | 11.5 | <0.01 | 0.04 | 4.2 |
| I315957 | | 2.19 | 14.3 | 240 | 10.0 | 9.7 | <0.001 | <0.01 | 0.50 | 3.5 | 0.2 | 0.8 | 15.1 | <0.01 | 0.04 | 2.2 |
| I315958 | | 2.42 | 20.7 | 260 | 11.5 | 11.5 | <0.001 | <0.01 | 0.61 | 4.2 | 0.3 | 0.8 | 19.6 | <0.01 | 0.04 | 3.6 |
| I315959 | | 3.79 | 15.2 | 800 | 9.2 | 30.1 | <0.001 | 0.03 | 0.83 | 5.4 | 0.8 | 1.0 | 22.1 | <0.01 | 0.04 | 7.0 |
| I315960 | | 2.60 | 6.9 | 270 | 10.3 | 12.4 | <0.001 | 0.01 | 0.56 | 3.0 | 0.5 | 1.0 | 13.2 | <0.01 | 0.04 | 3.0 |
| I315961 | | 2.17 | 6.3 | 600 | 8.0 | 13.9 | <0.001 | 0.01 | 1.13 | 2.8 | 0.2 | 1.2 | 10.0 | <0.01 | 0.03 | 1.3 |
| I315962 | | 3.22 | 13.3 | 490 | 13.3 | 28.7 | <0.001 | 0.02 | 1.92 | 5.3 | 0.7 | 1.1 | 33.0 | <0.01 | 0.04 | 7.2 |
| I315963 | | 2.71 | 9.2 | 380 | 8.3 | 16.7 | <0.001 | <0.01 | 1.19 | 4.1 | 0.5 | 0.8 | 14.4 | <0.01 | 0.03 | 9.2 |
| I315964 | | 3.55 | 21.4 | 350 | 9.3 | 30.0 | <0.001 | 0.01 | 0.81 | 7.3 | 0.8 | 0.9 | 25.9 | 0.01 | 0.03 | 12.6 |
| I315965 | | 7.76 | 19.2 | 640 | 10.7 | 64.9 | <0.001 | 0.01 | 1.95 | 7.5 | 0.7 | 1.4 | 28.1 | <0.01 | 0.04 | 10.3 |
| I315966 | | 2.35 | 8.2 | 600 | 9.6 | 22.2 | <0.001 | 0.04 | 0.48 | 2.6 | 0.6 | 0.7 | 17.1 | <0.01 | 0.03 | 1.1 |
| I315967 | | 4.67 | 15.1 | 640 | 12.6 | 35.5 | <0.001 | 0.02 | 1.71 | 5.2 | 0.6 | 1.0 | 19.9 | <0.01 | 0.03 | 8.1 |
| I315968 | | 5.53 | 18.4 | 620 | 15.7 | 40.5 | <0.001 | 0.02 | 1.70 | 5.6 | 0.7 | 1.4 | 23.1 | <0.01 | 0.04 | 8.6 |
| I315969 | | 4.84 | 13.6 | 470 | 10.3 | 34.2 | <0.001 | 0.03 | 0.99 | 5.4 | 0.9 | 1.2 | 34.1 | 0.01 | 0.03 | 9.3 |
| I315970 | | 2.75 | 9.5 | 500 | 13.6 | 22.8 | <0.001 | 0.02 | 1.15 | 4.1 | 0.9 | 1.0 | 25.2 | 0.01 | 0.04 | 3.6 |
| I315971 | | 0.51 | 14.4 | 460 | 3.5 | 4.3 | <0.001 | <0.01 | 0.52 | 1.8 | <0.2 | 0.2 | 9.6 | <0.01 | 0.02 | 2.6 |
| I315972 | | 3.37 | 15.5 | 310 | 10.1 | 22.9 | <0.001 | <0.01 | 0.57 | 4.2 | 0.3 | 1.0 | 18.1 | <0.01 | 0.04 | 4.5 |
| I315973 | | 8.97 | 19.4 | 470 | 13.3 | 63.6 | <0.001 | 0.02 | 0.63 | 6.3 | 0.6 | 1.5 | 49.1 | <0.01 | 0.04 | 13.7 |
| I315974 | | 2.79 | 6.9 | 240 | 7.9 | 12.7 | <0.001 | 0.01 | 0.25 | 2.9 | 0.4 | 0.7 | 17.0 | <0.01 | 0.03 | 7.4 |
| I315975 | | 8.24 | 19.1 | 590 | 12.9 | 53.1 | <0.001 | 0.01 | 0.41 | 6.3 | 0.6 | 1.6 | 23.9 | <0.01 | 0.04 | 9.6 |
| I315976 | | 4.75 | 16.2 | 300 | 11.6 | 35.6 | <0.001 | 0.01 | 0.46 | 5.6 | 0.5 | 1.3 | 28.0 | <0.01 | 0.04 | 4.7 |
| I315977 | | 1.46 | 7.0 | 500 | 7.6 | 12.5 | <0.001 | 0.04 | 0.22 | 1.9 | 0.5 | 0.8 | 15.1 | <0.01 | 0.03 | 0.6 |
| I315978 | | 4.53 | 15.5 | 740 | 13.6 | 36.0 | <0.001 | 0.01 | 0.33 | 5.1 | 0.5 | 1.1 | 21.0 | <0.01 | 0.03 | 7.5 |
| I315979 | | 2.33 | 13.9 | 570 | 10.7 | 17.8 | <0.001 | 0.03 | 0.26 | 3.8 | 0.8 | 0.7 | 17.5 | <0.01 | 0.03 | 1.9 |
| I315980 | | 2.41 | 17.3 | 560 | 11.5 | 15.8 | <0.001 | 0.03 | 0.29 | 4.2 | 0.9 | 0.8 | 20.8 | <0.01 | 0.03 | 2.0 |
| I315981 | | 2.45 | 19.0 | 560 | 12.1 | 18.9 | <0.001 | 0.03 | 0.26 | 4.4 | 0.9 | 0.8 | 20.5 | <0.01 | 0.04 | 2.1 |
| I315982 | | 2.57 | 19.7 | 580 | 12.3 | 19.8 | <0.001 | 0.03 | 0.26 | 4.6 | 1.0 | 0.8 | 20.3 | <0.01 | 0.04 | 2.2 |
| I315983 | | 2.43 | 26.1 | 560 | 8.9 | 24.1 | <0.001 | 0.06 | 0.34 | 5.5 | 1.1 | 0.7 | 66.0 | <0.01 | 0.05 | 2.3 |
| I315984 | | 2.31 | 33.2 | 690 | 7.7 | 28.5 | 0.001 | 0.11 | 0.47 | 5.3 | 2.0 | 0.6 | 81.0 | 0.01 | 0.06 | 1.5 |
| I315985 | | 2.11 | 34.8 | 830 | 7.1 | 34.2 | 0.002 | 0.13 | 0.34 | 5.4 | 2.2 | 0.6 | 73.6 | <0.01 | 0.07 | 1.5 |
| I315986 | | 2.42 | 36.7 | 720 | 7.2 | 34.2 | 0.001 | 0.02 | 0.21 | 6.5 | 0.8 | 0.6 | 52.0 | <0.01 | 0.02 | 3.6 |
| I315987 | | 1.73 | 20.3 | 790 | 5.2 | 24.5 | <0.001 | 0.11 | 0.23 | 3.1 | 1.1 | 0.4 | 89.4 | 0.01 | 0.03 | 0.6 |
| I315988 | | 0.61 | 16.3 | 530 | 7.3 | 11.0 | <0.001 | 0.04 | 0.33 | 1.5 | 0.9 | 0.3 | 14.8 | <0.01 | 0.05 | 0.3 |
| I315989 | | 1.52 | 24.8 | 410 | 14.1 | 18.5 | <0.001 | 0.02 | 0.85 | 2.7 | 0.6 | 1.5 | 12.5 | <0.01 | 0.07 | 2.4 |
| I315990 | | 0.74 | 28.6 | 470 | 16.5 | 19.1 | <0.001 | 0.02 | 0.69 | 2.5 | 0.7 | 0.5 | 15.9 | <0.01 | 0.05 | 1.2 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I315951 | | 0.191 | 0.58 | 1.64 | 112 | 0.30 | 6.99 | 77 | 2.3 |
| I315952 | | 0.074 | 0.16 | 1.06 | 60 | 0.19 | 5.52 | 51 | 1.0 |
| I315953 | | 0.120 | 0.24 | 1.16 | 51 | 0.16 | 7.21 | 62 | 1.6 |
| I315954 | | 0.125 | 0.31 | 1.88 | 62 | 0.15 | 8.04 | 72 | 1.9 |
| I315955 | | 0.138 | 0.24 | 3.09 | 60 | 0.27 | 18.30 | 54 | 2.6 |
| I315956 | | 0.127 | 0.21 | 0.57 | 82 | 0.18 | 2.84 | 48 | 3.2 |
| I315957 | | 0.102 | 0.11 | 0.37 | 72 | 0.16 | 2.16 | 38 | 2.2 |
| I315958 | | 0.106 | 0.14 | 0.48 | 75 | 0.18 | 2.87 | 43 | 3.1 |
| I315959 | | 0.129 | 0.37 | 1.76 | 64 | 0.18 | 9.66 | 65 | 2.4 |
| I315960 | | 0.140 | 0.17 | 0.57 | 69 | 0.17 | 2.49 | 27 | 1.8 |
| I315961 | | 0.109 | 0.23 | 0.54 | 59 | 0.14 | 2.52 | 39 | 1.2 |
| I315962 | | 0.118 | 0.44 | 1.70 | 65 | 0.15 | 11.95 | 54 | 2.4 |
| I315963 | | 0.098 | 0.23 | 1.32 | 53 | 0.15 | 7.99 | 40 | 2.2 |
| I315964 | | 0.176 | 0.28 | 2.16 | 78 | 0.19 | 12.65 | 59 | 7.6 |
| I315965 | | 0.259 | 0.60 | 1.23 | 87 | 0.69 | 9.40 | 85 | 5.3 |
| I315966 | | 0.097 | 0.20 | 1.12 | 37 | 0.20 | 4.10 | 36 | 1.2 |
| I315967 | | 0.168 | 0.40 | 2.37 | 58 | 0.18 | 7.94 | 76 | 2.6 |
| I315968 | | 0.198 | 0.55 | 2.46 | 91 | 0.20 | 7.78 | 90 | 2.6 |
| I315969 | | 0.136 | 0.37 | 2.79 | 50 | 0.36 | 14.50 | 54 | 2.8 |
| I315970 | | 0.097 | 0.30 | 1.71 | 56 | 0.16 | 16.35 | 42 | 1.3 |
| I315971 | | 0.016 | 0.12 | 0.53 | 13 | 0.09 | 6.03 | 17 | 4.6 |
| I315972 | | 0.154 | 0.34 | 0.54 | 85 | 0.15 | 2.72 | 54 | 6.1 |
| I315973 | | 0.223 | 0.53 | 1.11 | 81 | 0.20 | 5.29 | 76 | 5.1 |
| I315974 | | 0.110 | 0.18 | 1.20 | 48 | 0.14 | 6.05 | 23 | 2.2 |
| I315975 | | 0.255 | 0.58 | 0.98 | 93 | 0.23 | 8.08 | 80 | 5.4 |
| I315976 | | 0.186 | 0.42 | 0.71 | 85 | 0.22 | 4.78 | 58 | 3.6 |
| I315977 | | 0.063 | 0.16 | 1.56 | 27 | 0.20 | 3.79 | 26 | 0.5 |
| I315978 | | 0.178 | 0.39 | 1.38 | 79 | 0.28 | 8.28 | 78 | 2.3 |
| I315979 | | 0.091 | 0.19 | 1.42 | 46 | 0.16 | 5.94 | 53 | 1.2 |
| I315980 | | 0.102 | 0.19 | 1.36 | 61 | 0.15 | 5.80 | 59 | 1.5 |
| I315981 | | 0.105 | 0.19 | 1.38 | 60 | 0.20 | 6.29 | 68 | 1.4 |
| I315982 | | 0.105 | 0.21 | 1.52 | 60 | 0.16 | 6.60 | 67 | 1.4 |
| I315983 | | 0.109 | 0.22 | 1.15 | 62 | 0.16 | 8.52 | 76 | 2.3 |
| I315984 | | 0.096 | 0.25 | 1.38 | 61 | 0.23 | 10.55 | 94 | 3.0 |
| I315985 | | 0.109 | 0.23 | 1.96 | 76 | 0.13 | 10.75 | 85 | 3.2 |
| I315986 | | 0.158 | 0.25 | 0.62 | 80 | 0.19 | 8.38 | 67 | 3.0 |
| I315987 | | 0.081 | 0.14 | 0.61 | 51 | 0.12 | 7.46 | 59 | 2.7 |
| I315988 | | 0.042 | 0.13 | 0.91 | 28 | 0.08 | 5.21 | 51 | <0.5 |
| I315989 | | 0.103 | 0.16 | 0.69 | 85 | 0.16 | 5.32 | 75 | 0.7 |
| I315990 | | 0.063 | 0.19 | 1.42 | 53 | 0.12 | 7.96 | 87 | <0.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315991 | | 0.36 | <0.005 | 0.06 | 0.28 | 3.4 | <0.2 | <10 | 30 | 0.12 | 0.05 | 0.06 | 0.07 | 11.20 | 1.8 | 6 |
| I315992 | | 0.40 | <0.005 | 0.19 | 1.95 | 56.6 | <0.2 | <10 | 110 | 0.64 | 0.22 | 0.12 | 0.15 | 53.7 | 19.0 | 32 |
| I315993 | | 0.38 | <0.005 | 0.17 | 1.10 | 27.3 | <0.2 | <10 | 70 | 0.34 | 0.23 | 0.07 | 0.12 | 38.1 | 7.5 | 17 |
| I315994 | | 0.40 | 0.007 | 0.02 | 0.19 | 6.8 | <0.2 | <10 | 50 | 0.24 | 0.03 | 0.28 | 0.13 | 16.85 | 6.1 | 6 |
| I315995 | | 0.36 | <0.005 | 0.15 | 1.42 | 9.1 | <0.2 | <10 | 90 | 0.37 | 0.22 | 0.11 | 0.31 | 11.90 | 5.1 | 21 |
| I315996 | | 0.38 | 0.010 | 0.57 | 1.21 | 95.3 | <0.2 | <10 | 130 | 0.61 | 0.19 | 0.19 | 0.36 | 49.1 | 3.7 | 23 |
| I315997 | | 0.36 | <0.005 | 0.47 | 1.63 | 98.7 | <0.2 | <10 | 130 | 0.64 | 0.33 | 0.34 | 0.25 | 56.5 | 7.8 | 30 |
| I315998 | | 0.40 | 0.008 | 0.27 | 2.06 | 372 | <0.2 | <10 | 100 | 0.41 | 0.27 | 0.13 | 0.34 | 23.1 | 8.9 | 35 |
| I315999 | | 0.36 | <0.005 | 0.21 | 2.72 | 309 | <0.2 | <10 | 140 | 0.74 | 0.39 | 0.11 | 0.54 | 20.5 | 12.9 | 59 |
| I316000 | | 0.40 | <0.005 | 0.18 | 1.54 | 110.5 | <0.2 | <10 | 110 | 0.69 | 0.70 | 0.11 | 0.32 | 22.3 | 5.3 | 24 |
| I316001 | | 0.90 | <0.005 | 0.11 | 2.12 | 14.9 | <0.2 | <10 | 200 | 0.29 | 0.12 | 0.36 | 0.10 | 10.55 | 13.6 | 130 |
| I316002 | | 0.82 | <0.005 | 0.10 | 2.13 | 14.9 | <0.2 | <10 | 200 | 0.26 | 0.13 | 0.36 | 0.09 | 10.55 | 13.2 | 128 |
| I316003 | | 0.90 | 0.009 | 0.17 | 2.61 | 9.1 | <0.2 | <10 | 160 | 0.35 | 0.14 | 0.33 | 0.09 | 13.90 | 16.4 | 81 |
| I316004 | | 0.78 | <0.005 | 0.06 | 2.95 | 6.9 | <0.2 | <10 | 110 | 0.24 | 0.16 | 0.41 | 0.05 | 6.75 | 21.6 | 286 |
| I316005 | | 0.98 | 0.009 | 0.41 | 3.56 | 14.8 | <0.2 | <10 | 170 | 0.72 | 0.27 | 0.39 | 0.11 | 33.3 | 18.0 | 103 |
| I316006 | | 0.52 | 0.006 | 0.17 | 1.01 | 5.8 | <0.2 | <10 | 80 | 0.35 | 0.25 | 0.12 | 0.10 | 13.05 | 4.2 | 20 |
| I316007 | | 0.88 | 0.022 | 0.21 | 2.44 | 82.7 | <0.2 | <10 | 140 | 0.75 | 0.33 | 0.48 | 0.11 | 54.9 | 11.8 | 68 |
| I316008 | | 0.86 | 0.016 | 0.19 | 2.86 | 53.2 | <0.2 | <10 | 190 | 0.96 | 0.30 | 0.38 | 0.09 | 56.6 | 12.8 | 58 |
| I316009 | | 0.80 | 0.010 | 0.10 | 2.79 | 27.4 | <0.2 | <10 | 260 | 1.01 | 0.31 | 0.39 | 0.12 | 40.9 | 16.5 | 66 |
| I316010 | | 0.88 | 0.007 | 0.08 | 2.63 | 5.5 | <0.2 | <10 | 240 | 0.63 | 0.19 | 0.51 | 0.08 | 37.3 | 15.8 | 149 |
| I316011 | | 1.22 | <0.005 | 0.06 | 2.23 | 6.4 | <0.2 | <10 | 220 | 0.97 | 0.22 | 0.44 | 0.15 | 36.7 | 13.0 | 63 |
| I316012 | | 1.00 | 0.006 | 0.08 | 2.26 | 18.1 | <0.2 | <10 | 230 | 0.79 | 0.16 | 0.40 | 0.02 | 27.9 | 11.3 | 52 |
| I316013 | | 1.00 | <0.005 | 0.12 | 2.69 | 9.7 | <0.2 | <10 | 300 | 1.27 | 0.21 | 0.43 | 0.09 | 26.6 | 15.5 | 63 |
| I316014 | | 0.52 | <0.005 | 0.24 | 0.95 | 2.8 | <0.2 | <10 | 140 | 1.00 | 0.13 | 1.29 | 0.08 | 11.10 | 4.5 | 21 |
| I316015 | | 0.96 | <0.005 | 0.13 | 3.06 | 3.8 | <0.2 | <10 | 210 | 3.67 | 0.19 | 0.56 | 0.10 | 50.5 | 14.7 | 90 |
| I316016 | | 1.26 | 0.005 | 0.07 | 2.48 | 24.5 | <0.2 | <10 | 170 | 1.70 | 0.16 | 0.41 | 0.05 | 38.1 | 11.9 | 63 |
| I316017 | | 1.32 | 0.021 | 0.18 | 2.62 | 106.0 | <0.2 | <10 | 240 | 1.04 | 0.16 | 0.65 | 0.07 | 34.2 | 15.2 | 60 |
| I316018 | | 1.08 | 0.021 | 0.20 | 2.66 | 111.5 | <0.2 | <10 | 250 | 0.98 | 0.17 | 0.63 | 0.05 | 36.1 | 17.2 | 58 |
| I316019 | | 0.78 | 0.017 | 0.11 | 2.28 | 33.9 | <0.2 | <10 | 170 | 0.90 | 0.18 | 0.61 | <0.01 | 27.0 | 13.9 | 49 |
| I316020 | | 0.60 | 0.011 | 0.17 | 2.12 | 28.4 | <0.2 | <10 | 140 | 0.90 | 0.19 | 0.37 | 0.18 | 20.4 | 17.5 | 48 |
| I316021 | | 0.68 | <0.005 | 0.07 | 2.18 | 13.0 | <0.2 | <10 | 120 | 0.33 | 0.16 | 0.26 | 0.13 | 15.30 | 10.5 | 50 |
| I316022 | | 0.76 | <0.005 | 0.04 | 2.59 | 9.8 | <0.2 | <10 | 180 | 0.57 | 0.11 | 0.44 | 0.21 | 26.7 | 14.3 | 61 |
| I316023 | | 0.62 | 0.007 | 0.08 | 2.01 | 12.7 | <0.2 | <10 | 140 | 0.35 | 0.18 | 0.18 | 0.17 | 18.05 | 8.0 | 54 |
| I316024 | | 0.58 | <0.005 | 0.06 | 0.36 | 1.5 | <0.2 | <10 | 30 | 0.09 | 0.05 | 0.09 | 0.07 | 2.85 | 2.2 | 5 |
| I316025 | | 0.60 | <0.005 | 0.08 | 2.21 | 9.9 | <0.2 | <10 | 180 | 0.63 | 0.14 | 0.36 | 0.15 | 23.0 | 13.8 | 46 |
| I316026 | | 0.76 | 0.009 | 0.08 | 1.90 | 10.1 | <0.2 | <10 | 110 | 0.46 | 0.17 | 0.31 | 0.22 | 20.8 | 13.5 | 43 |
| I316027 | | 0.56 | 0.005 | 0.13 | 2.77 | 13.7 | <0.2 | <10 | 160 | 0.61 | 0.21 | 0.29 | 0.37 | 23.0 | 12.0 | 52 |
| I316028 | | 0.46 | 0.007 | 0.20 | 1.51 | 10.1 | <0.2 | <10 | 90 | 0.28 | 0.19 | 0.14 | 0.30 | 15.15 | 6.6 | 29 |
| I316029 | | 0.54 | 0.006 | 0.21 | 1.33 | 9.8 | <0.2 | <10 | 100 | 0.31 | 0.13 | 0.19 | 0.13 | 12.75 | 7.3 | 24 |
| I316030 | | 0.50 | 0.007 | 0.20 | 2.14 | 20.5 | <0.2 | <10 | 150 | 0.47 | 0.16 | 0.35 | 0.13 | 15.45 | 12.7 | 36 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I315991 | | 0.84 | 12.3 | 0.66 | 1.69 | <0.05 | <0.02 | 0.01 | 0.007 | 0.02 | 6.1 | 0.7 | 0.04 | 37 | 0.20 |
| I315992 | | 3.56 | 29.8 | 3.40 | 8.46 | 0.11 | 0.02 | 0.02 | 0.023 | 0.25 | 26.5 | 20.5 | 0.66 | 567 | 1.85 |
| I315993 | | 1.69 | 26.9 | 2.48 | 6.06 | 0.08 | <0.02 | 0.01 | 0.016 | 0.06 | 18.8 | 11.8 | 0.24 | 244 | 1.68 |
| I315994 | | 0.16 | 8.1 | 1.42 | 1.16 | 0.06 | 0.06 | 0.01 | 0.005 | 0.03 | 8.0 | 2.4 | 0.12 | 454 | 0.72 |
| I315995 | | 0.73 | 12.0 | 2.82 | 7.73 | 0.06 | 0.06 | 0.01 | 0.022 | 0.04 | 6.3 | 9.2 | 0.20 | 114 | 1.83 |
| I315996 | | 2.62 | 56.7 | 2.16 | 5.03 | 0.13 | 0.04 | 0.07 | 0.032 | 0.06 | 18.6 | 6.7 | 0.24 | 89 | 2.13 |
| I315997 | | 1.66 | 25.4 | 2.38 | 7.15 | 0.16 | 0.05 | 0.07 | 0.038 | 0.07 | 30.1 | 12.3 | 0.46 | 243 | 1.62 |
| I315998 | | 2.42 | 20.9 | 4.10 | 9.26 | 0.08 | 0.04 | 0.03 | 0.031 | 0.07 | 13.9 | 15.5 | 0.46 | 457 | 1.82 |
| I315999 | | 5.22 | 51.7 | 4.81 | 12.25 | 0.10 | 0.03 | 0.02 | 0.056 | 0.10 | 11.0 | 26.0 | 0.79 | 547 | 4.75 |
| I316000 | | 2.59 | 19.9 | 3.00 | 8.45 | 0.07 | 0.07 | 0.02 | 0.039 | 0.12 | 12.7 | 9.1 | 0.29 | 210 | 3.41 |
| I316001 | | 2.76 | 106.0 | 2.45 | 5.95 | 0.09 | 0.03 | 0.02 | 0.015 | 0.18 | 5.0 | 17.1 | 1.12 | 279 | 0.90 |
| I316002 | | 2.73 | 106.0 | 2.46 | 5.87 | 0.09 | 0.03 | 0.02 | 0.015 | 0.17 | 5.0 | 16.2 | 1.11 | 278 | 0.86 |
| I316003 | | 2.81 | 95.4 | 2.94 | 7.63 | 0.10 | 0.03 | 0.03 | 0.021 | 0.15 | 7.0 | 16.6 | 1.07 | 312 | 1.13 |
| I316004 | | 6.33 | 111.5 | 2.65 | 9.24 | 0.11 | 0.03 | 0.01 | 0.016 | 0.39 | 3.4 | 20.8 | 2.15 | 231 | 1.81 |
| I316005 | | 2.83 | 191.5 | 3.67 | 10.40 | 0.13 | 0.06 | 0.05 | 0.024 | 0.26 | 16.2 | 21.9 | 1.18 | 434 | 5.11 |
| I316006 | | 1.01 | 29.3 | 2.10 | 7.23 | 0.06 | 0.02 | 0.07 | 0.015 | 0.03 | 6.8 | 3.6 | 0.14 | 244 | 2.99 |
| I316007 | | 4.36 | 257 | 3.71 | 8.78 | 0.21 | 0.13 | 0.11 | 0.027 | 0.36 | 38.6 | 16.0 | 0.95 | 358 | 13.50 |
| I316008 | | 3.40 | 162.5 | 3.75 | 9.96 | 0.16 | 0.07 | 0.13 | 0.037 | 0.21 | 33.7 | 15.5 | 0.75 | 390 | 11.65 |
| I316009 | | 3.77 | 85.7 | 3.41 | 10.25 | 0.17 | 0.07 | 0.06 | 0.035 | 0.28 | 19.5 | 15.8 | 0.87 | 414 | 17.20 |
| I316010 | | 4.01 | 88.2 | 3.11 | 9.30 | 0.17 | 0.09 | 0.05 | 0.024 | 0.33 | 18.6 | 15.0 | 1.19 | 329 | 32.2 |
| I316011 | | 2.98 | 117.5 | 2.94 | 8.88 | 0.15 | 0.13 | 0.06 | 0.038 | 0.21 | 17.3 | 14.0 | 0.80 | 292 | 48.5 |
| I316012 | | 2.98 | 86.3 | 3.87 | 8.64 | 0.16 | 0.07 | 0.09 | 0.027 | 0.16 | 14.3 | 14.8 | 0.77 | 207 | 165.0 |
| I316013 | | 3.91 | 84.3 | 3.58 | 9.65 | 0.16 | 0.06 | 0.07 | 0.037 | 0.17 | 13.1 | 15.7 | 0.94 | 410 | 53.8 |
| I316014 | | 1.22 | 85.5 | 1.21 | 3.30 | 0.08 | 0.04 | 0.13 | 0.023 | 0.03 | 8.3 | 3.4 | 0.30 | 768 | 48.5 |
| I316015 | | 7.19 | 150.0 | 3.95 | 13.15 | 0.29 | 0.09 | 0.07 | 0.099 | 0.76 | 23.2 | 18.1 | 1.20 | 403 | 42.5 |
| I316016 | | 5.72 | 100.5 | 3.42 | 9.77 | 0.15 | 0.08 | 0.17 | 0.052 | 0.27 | 18.1 | 14.6 | 0.79 | 249 | 36.4 |
| I316017 | | 4.32 | 111.5 | 3.71 | 9.01 | 0.17 | 0.11 | 0.07 | 0.039 | 0.18 | 16.7 | 16.8 | 0.84 | 502 | 137.0 |
| I316018 | | 3.57 | 101.5 | 3.80 | 9.25 | 0.15 | 0.12 | 0.07 | 0.043 | 0.15 | 16.9 | 17.6 | 0.81 | 544 | 167.0 |
| I316019 | | 2.89 | 169.0 | 2.78 | 8.40 | 0.16 | 0.09 | 0.09 | 0.038 | 0.12 | 15.2 | 14.3 | 0.76 | 233 | 324 |
| I316020 | | 3.09 | 129.0 | 3.12 | 8.86 | 0.11 | 0.04 | 0.12 | 0.041 | 0.14 | 9.4 | 13.3 | 0.64 | 670 | 52.4 |
| I316021 | | 3.10 | 117.0 | 3.53 | 9.73 | 0.06 | 0.04 | 0.04 | 0.028 | 0.18 | 7.6 | 10.1 | 0.69 | 386 | 39.4 |
| I316022 | | 3.55 | 129.5 | 3.17 | 7.89 | 0.09 | 0.08 | 0.03 | 0.026 | 0.23 | 11.6 | 14.2 | 0.93 | 339 | 28.5 |
| I316023 | | 2.67 | 58.8 | 4.46 | 15.40 | 0.07 | 0.05 | 0.05 | 0.028 | 0.23 | 7.8 | 10.5 | 0.66 | 373 | 19.85 |
| I316024 | | 0.40 | 6.1 | 0.74 | 2.65 | <0.05 | <0.02 | 0.01 | <0.005 | 0.02 | 1.2 | 2.7 | 0.12 | 107 | 1.29 |
| I316025 | | 2.08 | 148.5 | 3.33 | 8.55 | 0.09 | 0.05 | 0.03 | 0.024 | 0.18 | 10.7 | 17.0 | 0.74 | 381 | 21.8 |
| I316026 | | 1.91 | 58.6 | 3.49 | 8.99 | 0.06 | 0.05 | 0.04 | 0.025 | 0.18 | 9.3 | 12.0 | 0.61 | 514 | 19.55 |
| I316027 | | 2.17 | 100.5 | 3.91 | 10.55 | 0.06 | 0.06 | 0.04 | 0.028 | 0.15 | 10.1 | 20.4 | 0.82 | 370 | 13.70 |
| I316028 | | 1.37 | 44.7 | 2.86 | 9.54 | <0.05 | 0.07 | 0.03 | 0.020 | 0.09 | 7.0 | 9.5 | 0.36 | 266 | 10.80 |
| I316029 | | 1.17 | 117.0 | 1.80 | 5.18 | <0.05 | 0.03 | 0.03 | 0.014 | 0.08 | 6.3 | 6.6 | 0.34 | 195 | 5.52 |
| I316030 | | 1.47 | 90.3 | 2.66 | 6.74 | 0.05 | 0.05 | 0.04 | 0.025 | 0.09 | 7.4 | 11.4 | 0.57 | 407 | 10.25 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I315991 | | 0.10 | 4.3 | 330 | 2.9 | 3.6 | <0.001 | 0.01 | 0.13 | 0.2 | 0.3 | 0.2 | 7.0 | <0.01 | 0.01 | <0.2 |
| I315992 | | 1.72 | 24.5 | 440 | 17.4 | 36.0 | <0.001 | 0.03 | 1.00 | 2.8 | 1.1 | 0.6 | 16.4 | <0.01 | 0.07 | 5.3 |
| I315993 | | 0.60 | 21.0 | 390 | 9.0 | 11.0 | <0.001 | 0.02 | 0.69 | 1.5 | 0.6 | 0.5 | 11.7 | <0.01 | 0.05 | 1.1 |
| I315994 | | 0.40 | 11.2 | 400 | 2.8 | 3.2 | <0.001 | <0.01 | 0.34 | 1.3 | 0.2 | 0.2 | 8.5 | <0.01 | <0.01 | 2.7 |
| I315995 | | 3.65 | 11.0 | 140 | 15.1 | 9.4 | <0.001 | 0.02 | 0.57 | 1.9 | 0.2 | 1.0 | 11.7 | <0.01 | 0.04 | 2.1 |
| I315996 | | 1.94 | 14.0 | 690 | 11.5 | 16.4 | 0.003 | 0.08 | 1.35 | 2.1 | 3.4 | 0.5 | 20.6 | 0.01 | 0.11 | 0.5 |
| I315997 | | 2.21 | 18.1 | 640 | 70.6 | 11.3 | 0.001 | 0.04 | 1.17 | 3.0 | 3.1 | 0.7 | 26.5 | 0.01 | 0.09 | 1.0 |
| I315998 | | 2.47 | 17.1 | 410 | 30.8 | 8.4 | <0.001 | 0.04 | 2.08 | 3.7 | 0.8 | 0.7 | 18.5 | <0.01 | 0.09 | 2.0 |
| I315999 | | 4.35 | 43.4 | 650 | 17.2 | 18.1 | <0.001 | 0.04 | 2.68 | 4.3 | 1.4 | 1.3 | 21.9 | <0.01 | 0.12 | 1.4 |
| I316000 | | 12.50 | 13.9 | 310 | 20.2 | 15.7 | 0.001 | 0.10 | 1.28 | 2.5 | 0.7 | 1.4 | 18.1 | 0.01 | 0.06 | 5.0 |
| I316001 | | 0.80 | 38.7 | 480 | 3.4 | 23.3 | <0.001 | <0.01 | 0.67 | 4.5 | 0.3 | 0.4 | 25.3 | <0.01 | 0.02 | 0.9 |
| I316002 | | 0.78 | 37.8 | 490 | 3.4 | 22.8 | 0.001 | <0.01 | 0.85 | 4.4 | 0.4 | 0.4 | 24.6 | <0.01 | 0.02 | 0.9 |
| I316003 | | 1.12 | 32.9 | 520 | 4.8 | 23.8 | <0.001 | 0.01 | 0.44 | 5.2 | 0.6 | 0.5 | 25.4 | <0.01 | 0.03 | 1.2 |
| I316004 | | 0.35 | 93.0 | 330 | 1.7 | 34.7 | <0.001 | <0.01 | 0.26 | 7.6 | 0.3 | 0.5 | 23.9 | <0.01 | 0.03 | 0.8 |
| I316005 | | 1.58 | 56.9 | 610 | 5.2 | 33.8 | <0.001 | 0.03 | 0.50 | 7.2 | 1.1 | 0.7 | 30.9 | <0.01 | 0.05 | 3.0 |
| I316006 | | 1.12 | 8.6 | 520 | 5.9 | 7.7 | <0.001 | 0.04 | 0.54 | 1.5 | 0.6 | 0.9 | 14.8 | <0.01 | 0.05 | 0.5 |
| I316007 | | 1.22 | 27.3 | 670 | 8.2 | 52.9 | 0.001 | 0.01 | 2.77 | 9.0 | 1.1 | 1.0 | 38.3 | <0.01 | 0.08 | 6.7 |
| I316008 | | 2.11 | 28.0 | 670 | 7.5 | 35.1 | 0.001 | 0.01 | 1.55 | 8.0 | 1.0 | 1.2 | 29.4 | <0.01 | 0.07 | 7.7 |
| I316009 | | 2.97 | 38.9 | 790 | 5.7 | 41.1 | 0.001 | 0.01 | 0.66 | 8.7 | 0.9 | 1.3 | 27.1 | <0.01 | 0.07 | 4.8 |
| I316010 | | 1.55 | 61.1 | 620 | 4.4 | 50.6 | 0.001 | <0.01 | 0.23 | 8.1 | 0.9 | 1.0 | 45.5 | <0.01 | 0.06 | 5.1 |
| I316011 | | 1.97 | 31.8 | 840 | 5.5 | 30.8 | 0.001 | <0.01 | 0.26 | 8.5 | 1.1 | 1.4 | 27.3 | <0.01 | 0.06 | 5.0 |
| I316012 | | 2.19 | 29.5 | 840 | 5.8 | 23.1 | 0.001 | <0.01 | 0.28 | 7.6 | 1.0 | 0.8 | 24.6 | <0.01 | 0.04 | 3.4 |
| I316013 | | 2.27 | 33.6 | 820 | 5.8 | 28.5 | 0.001 | 0.01 | 0.26 | 7.9 | 0.9 | 0.8 | 25.1 | <0.01 | 0.06 | 2.9 |
| I316014 | | 0.59 | 14.3 | 1670 | 2.5 | 4.4 | 0.004 | 0.20 | 0.23 | 1.3 | 1.6 | 0.3 | 53.9 | <0.01 | 0.06 | 0.2 |
| I316015 | | 2.78 | 37.1 | 580 | 3.8 | 78.9 | 0.001 | 0.01 | 0.22 | 12.7 | 0.8 | 1.7 | 35.7 | <0.01 | 0.04 | 7.8 |
| I316016 | | 2.18 | 25.6 | 630 | 5.0 | 42.3 | 0.001 | 0.01 | 0.30 | 9.5 | 0.7 | 1.3 | 24.5 | <0.01 | 0.03 | 6.8 |
| I316017 | | 1.25 | 34.4 | 890 | 5.4 | 31.7 | 0.001 | 0.01 | 1.54 | 10.5 | 1.0 | 0.8 | 33.7 | <0.01 | 0.04 | 4.5 |
| I316018 | | 1.28 | 34.1 | 860 | 5.9 | 27.4 | 0.001 | 0.01 | 1.65 | 10.4 | 1.2 | 0.7 | 34.5 | <0.01 | 0.05 | 4.7 |
| I316019 | | 1.95 | 32.7 | 960 | 5.2 | 19.8 | 0.007 | 0.07 | 1.17 | 6.6 | 1.1 | 0.7 | 30.3 | <0.01 | 0.04 | 3.4 |
| I316020 | | 1.69 | 31.8 | 680 | 5.0 | 22.4 | 0.001 | 0.04 | 0.67 | 5.4 | 0.8 | 0.7 | 25.0 | <0.01 | 0.08 | 1.6 |
| I316021 | | 2.07 | 25.5 | 450 | 5.7 | 39.1 | <0.001 | 0.02 | 0.47 | 4.6 | 0.5 | 0.7 | 22.5 | <0.01 | 0.06 | 1.0 |
| I316022 | | 2.27 | 32.1 | 700 | 5.0 | 31.7 | <0.001 | <0.01 | 0.38 | 8.1 | 0.4 | 0.6 | 28.1 | <0.01 | 0.05 | 3.5 |
| I316023 | | 3.30 | 20.6 | 460 | 8.5 | 25.5 | <0.001 | 0.03 | 0.52 | 5.6 | 0.5 | 0.9 | 13.8 | <0.01 | 0.07 | 1.7 |
| I316024 | | 0.60 | 2.9 | 130 | 2.1 | 4.5 | <0.001 | <0.01 | 0.13 | 0.7 | <0.2 | 0.2 | 9.9 | <0.01 | 0.01 | <0.2 |
| I316025 | | 1.77 | 42.7 | 670 | 5.7 | 25.8 | <0.001 | 0.03 | 0.39 | 5.9 | 0.6 | 0.7 | 23.8 | <0.01 | 0.07 | 1.8 |
| I316026 | | 2.42 | 24.2 | 630 | 6.9 | 27.2 | <0.001 | 0.01 | 0.40 | 4.4 | 0.4 | 0.7 | 21.0 | <0.01 | 0.06 | 2.4 |
| I316027 | | 2.76 | 29.6 | 580 | 6.4 | 27.1 | <0.001 | 0.02 | 0.39 | 5.7 | 0.6 | 0.7 | 22.2 | <0.01 | 0.08 | 2.8 |
| I316028 | | 2.12 | 15.4 | 380 | 7.8 | 22.7 | <0.001 | 0.01 | 0.38 | 3.2 | 0.4 | 0.7 | 14.3 | 0.01 | 0.05 | 1.0 |
| I316029 | | 1.08 | 14.7 | 280 | 4.7 | 15.1 | <0.001 | 0.01 | 0.37 | 2.7 | 0.4 | 0.5 | 16.0 | <0.01 | 0.04 | 0.6 |
| I316030 | | 1.65 | 21.6 | 490 | 5.3 | 15.9 | <0.001 | 0.01 | 0.48 | 4.1 | 0.6 | 0.5 | 26.5 | <0.01 | 0.05 | 1.3 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I315991 | | 0.018 | 0.04 | 0.44 | 14 | <0.05 | 2.49 | 12 | <0.5 |
| I315992 | | 0.088 | 0.31 | 1.18 | 52 | 0.14 | 8.60 | 98 | <0.5 |
| I315993 | | 0.045 | 0.11 | 0.78 | 46 | 0.11 | 6.17 | 59 | <0.5 |
| I315994 | | 0.014 | 0.09 | 0.52 | 11 | 0.06 | 4.75 | 14 | 3.4 |
| I315995 | | 0.078 | 0.11 | 0.29 | 73 | 0.18 | 2.09 | 35 | 2.2 |
| I315996 | | 0.038 | 0.22 | 4.19 | 30 | 0.27 | 13.80 | 44 | 0.9 |
| I315997 | | 0.076 | 0.16 | 1.80 | 58 | 0.21 | 16.60 | 89 | 1.4 |
| I315998 | | 0.090 | 0.12 | 0.52 | 102 | 0.27 | 3.94 | 77 | 1.4 |
| I315999 | | 0.067 | 0.23 | 0.92 | 135 | 0.39 | 8.33 | 179 | 0.8 |
| I316000 | | 0.074 | 0.17 | 1.07 | 76 | 0.44 | 9.20 | 78 | 2.0 |
| I316001 | | 0.138 | 0.18 | 0.27 | 69 | 2.32 | 3.27 | 45 | 1.2 |
| I316002 | | 0.138 | 0.18 | 0.28 | 69 | 1.78 | 3.30 | 45 | 1.1 |
| I316003 | | 0.134 | 0.22 | 0.44 | 82 | 4.56 | 4.35 | 53 | 1.4 |
| I316004 | | 0.126 | 0.39 | 0.21 | 97 | 0.39 | 2.64 | 47 | 1.2 |
| I316005 | | 0.151 | 0.31 | 1.92 | 100 | 2.90 | 11.20 | 69 | 2.1 |
| I316006 | | 0.080 | 0.13 | 0.91 | 67 | 0.35 | 3.29 | 35 | 0.8 |
| I316007 | | 0.191 | 0.59 | 3.92 | 87 | 1.62 | 18.55 | 73 | 5.8 |
| I316008 | | 0.165 | 0.48 | 3.57 | 80 | 2.35 | 13.45 | 65 | 2.6 |
| I316009 | | 0.187 | 0.33 | 1.28 | 91 | 3.66 | 11.30 | 66 | 2.7 |
| I316010 | | 0.188 | 0.40 | 1.47 | 86 | 1.07 | 10.90 | 60 | 4.4 |
| I316011 | | 0.178 | 0.27 | 1.70 | 102 | 4.68 | 12.85 | 74 | 6.1 |
| I316012 | | 0.172 | 0.29 | 1.27 | 110 | 2.43 | 9.70 | 66 | 2.9 |
| I316013 | | 0.177 | 0.31 | 0.90 | 96 | 2.77 | 7.64 | 70 | 2.3 |
| I316014 | | 0.032 | 0.13 | 1.77 | 24 | 1.07 | 6.67 | 28 | 1.6 |
| I316015 | | 0.260 | 0.59 | 1.36 | 98 | 8.32 | 11.20 | 109 | 4.4 |
| I316016 | | 0.191 | 0.55 | 0.90 | 92 | 1.92 | 8.83 | 69 | 3.8 |
| I316017 | | 0.178 | 0.29 | 1.29 | 93 | 1.09 | 12.40 | 74 | 5.6 |
| I316018 | | 0.176 | 0.27 | 1.36 | 93 | 1.24 | 12.85 | 72 | 6.2 |
| I316019 | | 0.173 | 0.19 | 1.02 | 86 | 4.33 | 9.58 | 60 | 3.4 |
| I316020 | | 0.129 | 0.21 | 0.67 | 85 | 1.05 | 5.20 | 75 | 1.5 |
| I316021 | | 0.177 | 0.20 | 0.58 | 107 | 0.82 | 3.39 | 52 | 2.0 |
| I316022 | | 0.203 | 0.32 | 0.81 | 103 | 0.36 | 6.95 | 69 | 4.1 |
| I316023 | | 0.247 | 0.25 | 0.58 | 159 | 0.34 | 3.49 | 49 | 2.4 |
| I316024 | | 0.047 | 0.02 | 0.13 | 18 | 0.13 | 0.76 | 15 | <0.5 |
| I316025 | | 0.160 | 0.21 | 0.87 | 98 | 0.59 | 5.77 | 66 | 1.8 |
| I316026 | | 0.171 | 0.18 | 0.73 | 113 | 0.37 | 4.17 | 54 | 2.3 |
| I316027 | | 0.175 | 0.18 | 0.74 | 113 | 0.93 | 4.65 | 73 | 2.7 |
| I316028 | | 0.130 | 0.11 | 0.63 | 90 | 0.39 | 2.70 | 42 | 3.1 |
| I316029 | | 0.092 | 0.12 | 0.74 | 51 | 0.63 | 3.60 | 33 | 1.1 |
| I316030 | | 0.116 | 0.14 | 0.80 | 70 | 0.96 | 4.36 | 47 | 2.2 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I316031 | | 0.46 | 0.007 | 0.21 | 2.75 | 12.2 | <0.2 | <10 | 250 | 0.56 | 0.18 | 0.60 | 0.20 | 28.0 | 17.5 | 41 |
| I316032 | | 0.68 | 0.007 | 0.22 | 2.91 | 18.5 | <0.2 | <10 | 300 | 0.71 | 0.25 | 0.54 | 0.10 | 25.8 | 15.1 | 44 |
| I316033 | | 0.60 | 0.008 | 0.31 | 3.75 | 27.7 | <0.2 | <10 | 400 | 0.67 | 0.34 | 0.68 | 0.19 | 21.5 | 25.4 | 45 |
| I316034 | | 0.54 | <0.005 | 0.23 | 2.28 | 9.1 | <0.2 | <10 | 230 | 0.41 | 0.19 | 0.50 | 0.09 | 18.15 | 9.1 | 39 |
| I316035 | | 0.94 | 0.008 | 0.10 | 2.41 | 11.1 | <0.2 | <10 | 240 | 0.42 | 0.27 | 0.54 | 0.11 | 19.85 | 9.9 | 42 |
| I316036 | | 0.74 | 0.015 | 0.16 | 2.54 | 13.6 | <0.2 | <10 | 310 | 0.45 | 0.25 | 0.58 | 0.15 | 22.7 | 14.0 | 41 |
| I316037 | | 0.90 | 0.009 | 0.07 | 2.52 | 10.5 | <0.2 | <10 | 280 | 0.42 | 0.29 | 0.54 | 0.08 | 20.1 | 9.0 | 46 |
| I316038 | | 0.50 | 0.006 | 0.16 | 1.42 | 3.2 | <0.2 | <10 | 360 | 0.45 | 0.15 | 1.05 | 0.27 | 24.6 | 4.5 | 23 |
| I316039 | | 0.78 | 0.007 | 0.15 | 2.59 | 10.4 | <0.2 | <10 | 270 | 0.28 | 0.34 | 0.51 | 0.14 | 14.25 | 12.2 | 61 |
| I316040 | | 0.54 | 0.009 | 0.02 | 0.19 | 1.8 | <0.2 | <10 | 40 | 0.11 | 0.02 | 0.10 | 0.04 | 11.10 | 2.3 | 4 |
| I316041 | | 0.88 | 0.015 | 0.34 | 3.14 | 42.5 | <0.2 | <10 | 320 | 0.45 | 0.39 | 0.50 | 0.14 | 22.7 | 18.2 | 72 |
| I316042 | | 1.06 | 0.007 | 0.18 | 2.93 | 12.2 | <0.2 | <10 | 270 | 0.37 | 0.35 | 0.50 | 0.09 | 21.7 | 13.1 | 56 |
| I316043 | | 0.86 | 0.006 | 0.12 | 2.52 | 10.8 | <0.2 | <10 | 240 | 0.37 | 0.26 | 0.47 | 0.10 | 22.0 | 14.0 | 48 |
| I316044 | | 0.78 | 0.006 | 0.20 | 2.52 | 10.4 | <0.2 | <10 | 250 | 0.34 | 0.22 | 0.39 | 0.20 | 13.60 | 13.2 | 46 |
| I316045 | | 0.82 | 0.008 | 0.08 | 2.35 | 21.6 | <0.2 | <10 | 230 | 0.53 | 0.29 | 0.42 | 0.16 | 25.1 | 12.0 | 44 |
| I316046 | | 0.52 | 0.012 | 0.35 | 1.77 | 69.2 | <0.2 | <10 | 160 | 0.67 | 0.32 | 0.36 | 0.13 | 33.6 | 11.4 | 29 |
| I316047 | | 0.44 | <0.005 | 0.45 | 0.95 | 21.9 | <0.2 | <10 | 230 | 0.45 | 0.12 | 0.80 | 0.37 | 33.0 | 20.6 | 17 |
| I316048 | | 0.70 | 0.005 | 0.18 | 1.72 | 18.9 | <0.2 | <10 | 190 | 0.29 | 0.19 | 0.33 | 0.15 | 18.30 | 16.8 | 39 |
| I316049 | | 0.84 | 0.005 | 0.09 | 2.37 | 25.4 | <0.2 | <10 | 210 | 0.46 | 0.26 | 0.39 | 0.14 | 26.0 | 11.3 | 47 |
| I316050 | | 1.10 | 0.008 | 0.09 | 2.37 | 16.6 | <0.2 | <10 | 220 | 0.44 | 0.20 | 0.42 | 0.15 | 28.9 | 9.8 | 45 |
| I316051 | | 0.54 | 0.018 | 0.38 | 2.46 | 34.8 | <0.2 | <10 | 300 | 0.41 | 0.39 | 0.98 | 0.48 | 22.6 | 13.8 | 46 |
| I316052 | | 0.68 | 0.008 | 0.10 | 2.34 | 23.7 | <0.2 | <10 | 240 | 0.34 | 0.41 | 0.61 | 0.18 | 18.25 | 12.0 | 46 |
| I316053 | | 0.78 | 0.013 | 0.11 | 2.54 | 48.3 | <0.2 | <10 | 390 | 0.52 | 0.41 | 0.48 | 0.11 | 28.2 | 11.5 | 49 |
| I316054 | | 0.56 | 0.010 | 0.14 | 2.99 | 23.6 | <0.2 | <10 | 500 | 0.64 | 0.56 | 0.45 | 0.15 | 32.8 | 13.5 | 55 |
| I316055 | | 0.62 | 0.008 | 0.12 | 2.54 | 17.1 | <0.2 | <10 | 320 | 0.55 | 0.40 | 0.46 | 0.11 | 23.0 | 12.0 | 50 |
| I316056 | | 0.62 | 0.007 | 0.13 | 2.62 | 13.0 | <0.2 | <10 | 300 | 0.48 | 0.36 | 0.50 | 0.09 | 19.60 | 10.6 | 52 |
| I316057 | | 0.56 | 0.008 | 0.10 | 2.38 | 13.8 | <0.2 | <10 | 220 | 0.40 | 0.32 | 0.34 | 0.14 | 18.55 | 11.4 | 43 |
| I316058 | | 0.50 | <0.005 | 0.20 | 1.24 | 6.6 | <0.2 | <10 | 90 | 0.29 | 0.19 | 0.20 | 0.16 | 9.70 | 7.0 | 20 |
| I316059 | | 0.70 | 0.010 | 0.10 | 2.35 | 17.3 | <0.2 | <10 | 170 | 0.37 | 0.31 | 0.42 | 0.16 | 18.50 | 11.5 | 46 |
| I316060 | | 0.46 | 0.009 | 0.22 | 2.54 | 18.0 | <0.2 | <10 | 220 | 0.37 | 0.58 | 0.57 | 0.27 | 17.35 | 11.7 | 52 |
| I316061 | | 0.54 | 0.014 | 0.12 | 1.38 | 47.9 | <0.2 | <10 | 100 | 0.22 | 0.35 | 0.23 | 0.21 | 9.36 | 7.1 | 34 |
| I316062 | | 0.56 | <0.005 | 0.17 | 1.94 | 9.6 | <0.2 | <10 | 120 | 0.34 | 0.26 | 0.27 | 0.25 | 16.30 | 10.6 | 37 |
| I316063 | | 0.52 | 0.011 | 0.15 | 2.13 | 10.3 | <0.2 | <10 | 130 | 0.36 | 0.26 | 0.29 | 0.21 | 16.70 | 12.6 | 41 |
| I316064 | | 0.60 | 0.007 | 0.12 | 2.30 | 5.4 | <0.2 | <10 | 180 | 0.46 | 0.20 | 0.31 | 0.14 | 17.70 | 12.4 | 46 |
| I316065 | | 0.68 | 0.042 | 0.14 | 2.35 | 36.2 | <0.2 | <10 | 220 | 0.53 | 0.19 | 0.33 | 0.10 | 24.7 | 12.0 | 48 |
| I316066 | | 0.60 | 0.012 | 0.12 | 1.98 | 41.7 | <0.2 | <10 | 300 | 0.61 | 0.43 | 0.27 | 0.25 | 35.2 | 10.6 | 52 |
| I316067 | | 0.44 | 0.007 | 0.04 | 0.55 | 2.5 | <0.2 | <10 | 40 | 0.11 | 0.10 | 0.09 | 0.07 | 5.48 | 2.9 | 11 |
| I316068 | | 0.64 | 0.010 | 0.15 | 1.89 | 36.1 | <0.2 | <10 | 170 | 0.21 | 0.15 | 0.47 | 0.18 | 15.20 | 13.5 | 30 |
| I316069 | | 0.54 | 0.007 | 0.22 | 1.29 | 13.4 | <0.2 | <10 | 90 | 0.31 | 0.13 | 0.42 | 0.12 | 19.80 | 7.5 | 20 |
| I316070 | | 0.58 | 0.012 | 0.43 | 2.53 | 25.5 | <0.2 | <10 | 200 | 0.52 | 0.38 | 0.34 | 0.36 | 21.0 | 11.8 | 60 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I316031 | | 1.53 | 129.0 | 2.71 | 7.13 | 0.06 | 0.04 | 0.07 | 0.026 | 0.10 | 13.0 | 11.1 | 0.60 | 733 | 8.27 | 0.03 |
| I316032 | | 1.68 | 119.0 | 3.14 | 9.20 | 0.10 | 0.04 | 0.06 | 0.029 | 0.10 | 13.3 | 17.4 | 0.67 | 486 | 8.87 | 0.01 |
| I316033 | | 1.69 | 79.8 | 3.67 | 10.65 | 0.11 | 0.04 | 0.11 | 0.036 | 0.14 | 10.4 | 14.1 | 0.58 | 714 | 7.51 | 0.01 |
| I316034 | | 1.31 | 54.6 | 2.59 | 6.91 | 0.05 | 0.04 | 0.05 | 0.024 | 0.09 | 8.6 | 10.2 | 0.60 | 384 | 3.22 | 0.03 |
| I316035 | | 1.46 | 44.5 | 2.63 | 6.88 | 0.05 | 0.05 | 0.03 | 0.024 | 0.15 | 8.9 | 11.4 | 0.71 | 296 | 1.68 | 0.03 |
| I316036 | | 1.22 | 46.2 | 4.29 | 6.75 | 0.07 | 0.04 | 0.05 | 0.023 | 0.10 | 9.3 | 9.1 | 0.57 | 1360 | 2.31 | 0.03 |
| I316037 | | 1.47 | 34.3 | 2.48 | 7.02 | 0.06 | 0.06 | 0.02 | 0.025 | 0.13 | 8.9 | 11.7 | 0.82 | 213 | 0.86 | 0.04 |
| I316038 | | 0.69 | 56.5 | 1.17 | 3.43 | 0.05 | 0.05 | 0.08 | 0.015 | 0.05 | 12.1 | 4.6 | 0.33 | 439 | 0.45 | 0.03 |
| I316039 | | 1.54 | 32.1 | 3.01 | 7.22 | 0.06 | 0.04 | 0.03 | 0.026 | 0.14 | 6.7 | 12.8 | 1.22 | 324 | 0.94 | 0.03 |
| I316040 | | 0.09 | 3.9 | 1.00 | 0.71 | <0.05 | 0.09 | <0.01 | <0.005 | 0.07 | 5.5 | 1.6 | 0.04 | 194 | 0.46 | 0.04 |
| I316041 | | 2.17 | 56.8 | 3.77 | 8.92 | 0.08 | 0.06 | 0.03 | 0.033 | 0.31 | 9.4 | 13.9 | 1.61 | 398 | 1.46 | 0.04 |
| I316042 | | 1.79 | 41.8 | 3.36 | 8.42 | 0.08 | 0.06 | 0.03 | 0.027 | 0.23 | 9.5 | 13.5 | 1.33 | 296 | 0.97 | 0.04 |
| I316043 | | 1.28 | 30.6 | 3.14 | 7.30 | 0.08 | 0.06 | 0.03 | 0.023 | 0.18 | 9.3 | 12.4 | 1.09 | 312 | 0.91 | 0.03 |
| I316044 | | 1.24 | 32.1 | 2.97 | 7.61 | 0.06 | 0.04 | 0.03 | 0.019 | 0.21 | 6.4 | 11.6 | 1.15 | 443 | 1.01 | 0.03 |
| I316045 | | 1.42 | 56.8 | 2.89 | 6.82 | 0.08 | 0.05 | 0.03 | 0.024 | 0.20 | 10.8 | 10.9 | 0.73 | 343 | 1.34 | 0.04 |
| I316046 | | 1.06 | 53.4 | 2.49 | 4.76 | 0.06 | 0.03 | 0.14 | 0.023 | 0.06 | 19.5 | 4.0 | 0.23 | 896 | 3.73 | 0.03 |
| I316047 | | 0.59 | 54.5 | 1.64 | 2.69 | 0.05 | 0.02 | 0.10 | 0.018 | 0.05 | 15.8 | 2.0 | 0.17 | 2540 | 6.32 | 0.03 |
| I316048 | | 1.20 | 26.1 | 2.76 | 6.38 | 0.06 | 0.02 | 0.04 | 0.020 | 0.07 | 8.5 | 7.3 | 0.57 | 1140 | 4.37 | 0.03 |
| I316049 | | 1.82 | 40.0 | 3.13 | 7.10 | 0.07 | 0.05 | 0.04 | 0.025 | 0.12 | 11.6 | 11.8 | 0.74 | 250 | 2.52 | 0.02 |
| I316050 | | 1.56 | 55.0 | 2.75 | 6.76 | 0.07 | 0.07 | 0.05 | 0.027 | 0.09 | 12.4 | 11.9 | 0.70 | 199 | 1.98 | 0.02 |
| I316051 | | 1.47 | 40.0 | 2.73 | 6.99 | 0.07 | 0.05 | 0.07 | 0.027 | 0.14 | 10.1 | 10.7 | 0.81 | 964 | 1.94 | 0.04 |
| I316052 | | 1.57 | 28.6 | 2.81 | 6.56 | 0.06 | 0.05 | 0.03 | 0.024 | 0.16 | 8.2 | 10.8 | 1.00 | 377 | 0.98 | 0.03 |
| I316053 | | 1.54 | 41.2 | 3.12 | 7.45 | 0.08 | 0.06 | 0.02 | 0.028 | 0.17 | 12.2 | 10.4 | 0.75 | 386 | 1.25 | 0.03 |
| I316054 | | 1.95 | 55.2 | 3.06 | 8.54 | 0.08 | 0.06 | 0.03 | 0.031 | 0.17 | 15.0 | 12.5 | 0.88 | 285 | 1.29 | 0.03 |
| I316055 | | 1.83 | 41.1 | 2.78 | 7.66 | 0.07 | 0.04 | 0.03 | 0.025 | 0.22 | 10.3 | 11.4 | 0.86 | 366 | 1.29 | 0.03 |
| I316056 | | 1.83 | 38.4 | 2.74 | 7.36 | 0.06 | 0.03 | 0.03 | 0.025 | 0.19 | 9.0 | 10.5 | 0.81 | 307 | 1.51 | 0.05 |
| I316057 | | 1.51 | 45.3 | 2.87 | 7.27 | 0.08 | 0.05 | 0.03 | 0.024 | 0.18 | 8.3 | 11.9 | 0.75 | 310 | 1.37 | 0.02 |
| I316058 | | 0.92 | 35.1 | 2.04 | 5.29 | <0.05 | 0.02 | 0.04 | 0.016 | 0.05 | 5.0 | 5.8 | 0.28 | 244 | 1.42 | 0.03 |
| I316059 | | 1.63 | 77.8 | 2.86 | 6.46 | 0.07 | 0.04 | 0.03 | 0.023 | 0.17 | 8.5 | 10.9 | 0.73 | 309 | 2.14 | 0.03 |
| I316060 | | 2.08 | 108.0 | 2.98 | 7.95 | 0.06 | 0.04 | 0.07 | 0.025 | 0.13 | 9.4 | 11.5 | 0.70 | 450 | 6.17 | 0.03 |
| I316061 | | 2.92 | 47.1 | 2.57 | 7.34 | 0.05 | 0.03 | 0.04 | 0.017 | 0.10 | 4.6 | 9.1 | 0.46 | 282 | 2.45 | 0.02 |
| I316062 | | 2.09 | 88.3 | 2.79 | 7.18 | 0.05 | 0.03 | 0.07 | 0.020 | 0.08 | 7.3 | 9.6 | 0.51 | 276 | 2.17 | 0.02 |
| I316063 | | 2.22 | 94.0 | 2.98 | 7.44 | 0.05 | 0.04 | 0.05 | 0.022 | 0.09 | 7.5 | 11.0 | 0.55 | 317 | 2.27 | 0.02 |
| I316064 | | 1.97 | 92.8 | 3.10 | 6.66 | 0.08 | 0.05 | 0.04 | 0.024 | 0.20 | 8.5 | 10.6 | 0.74 | 320 | 2.08 | 0.02 |
| I316065 | | 2.06 | 71.4 | 3.02 | 7.01 | 0.08 | 0.06 | 0.04 | 0.023 | 0.27 | 10.9 | 11.7 | 0.78 | 259 | 2.37 | 0.02 |
| I316066 | | 4.11 | 171.0 | 3.56 | 6.92 | 0.09 | 0.06 | 0.16 | 0.026 | 0.48 | 15.8 | 9.7 | 0.81 | 273 | 7.91 | 0.02 |
| I316067 | | 0.55 | 13.5 | 1.35 | 3.52 | <0.05 | <0.02 | 0.04 | 0.010 | 0.03 | 2.7 | 2.2 | 0.12 | 140 | 1.02 | 0.02 |
| I316068 | | 1.48 | 29.1 | 2.54 | 5.58 | 0.05 | 0.04 | 0.04 | 0.019 | 0.12 | 7.3 | 12.0 | 0.58 | 664 | 1.15 | 0.03 |
| I316069 | | 0.63 | 27.8 | 1.88 | 4.04 | <0.05 | 0.02 | 0.06 | 0.017 | 0.05 | 10.4 | 4.6 | 0.25 | 1200 | 3.54 | 0.03 |
| I316070 | | 2.44 | 50.4 | 3.18 | 8.22 | 0.06 | 0.04 | 0.07 | 0.029 | 0.14 | 10.2 | 11.7 | 0.80 | 467 | 2.19 | 0.02 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I316031 | | 1.40 | 26.7 | 890 | 6.0 | 16.9 | 0.001 | 0.06 | 0.52 | 4.2 | 0.9 | 0.5 | 38.7 | <0.01 | 0.05 | 0.6 |
| I316032 | | 1.66 | 35.2 | 760 | 6.3 | 20.4 | <0.001 | 0.06 | 0.49 | 5.6 | 1.1 | 0.6 | 36.4 | <0.01 | 0.07 | 1.2 |
| I316033 | | 1.57 | 41.3 | 970 | 7.1 | 23.7 | <0.001 | 0.08 | 0.68 | 6.6 | 1.1 | 0.7 | 45.3 | <0.01 | 0.11 | 1.4 |
| I316034 | | 1.45 | 22.1 | 720 | 5.5 | 15.6 | <0.001 | 0.05 | 0.52 | 4.0 | 0.7 | 0.5 | 28.6 | <0.01 | 0.06 | 0.6 |
| I316035 | | 1.80 | 24.4 | 670 | 5.8 | 21.9 | 0.001 | 0.02 | 0.40 | 5.1 | 0.6 | 0.6 | 31.0 | <0.01 | 0.06 | 1.8 |
| I316036 | | 1.43 | 22.9 | 870 | 5.0 | 16.3 | 0.001 | 0.05 | 0.45 | 4.7 | 1.0 | 0.5 | 36.6 | <0.01 | 0.07 | 1.2 |
| I316037 | | 1.96 | 22.7 | 590 | 5.8 | 18.0 | 0.001 | 0.02 | 0.59 | 5.5 | 0.5 | 0.6 | 28.7 | <0.01 | 0.05 | 2.7 |
| I316038 | | 0.86 | 14.9 | 1060 | 3.4 | 9.3 | 0.001 | 0.22 | 0.79 | 2.2 | 1.5 | 0.3 | 57.3 | 0.01 | 0.03 | 0.3 |
| I316039 | | 1.32 | 29.5 | 650 | 5.7 | 16.9 | <0.001 | 0.03 | 0.47 | 5.3 | 0.5 | 0.6 | 30.7 | <0.01 | 0.07 | 1.2 |
| I316040 | | 0.13 | 4.3 | 130 | 1.9 | 3.1 | <0.001 | <0.01 | 0.13 | 0.7 | <0.2 | 0.2 | 10.7 | <0.01 | <0.01 | 2.1 |
| I316041 | | 1.32 | 31.6 | 600 | 13.5 | 28.8 | <0.001 | 0.02 | 2.36 | 9.3 | 0.8 | 0.6 | 27.1 | <0.01 | 0.08 | 2.5 |
| I316042 | | 1.60 | 26.9 | 550 | 6.9 | 25.0 | <0.001 | 0.01 | 0.89 | 7.2 | 0.6 | 0.6 | 28.1 | <0.01 | 0.05 | 2.6 |
| I316043 | | 1.54 | 24.0 | 560 | 6.3 | 20.3 | <0.001 | 0.01 | 0.89 | 5.8 | 0.5 | 0.5 | 26.9 | <0.01 | 0.04 | 2.5 |
| I316044 | | 1.42 | 22.9 | 580 | 5.8 | 20.9 | <0.001 | 0.03 | 1.40 | 3.9 | 0.4 | 0.5 | 23.8 | <0.01 | 0.04 | 1.0 |
| I316045 | | 1.87 | 29.8 | 880 | 5.3 | 20.6 | <0.001 | 0.01 | 0.43 | 5.6 | 0.5 | 0.6 | 25.2 | <0.01 | 0.06 | 2.3 |
| I316046 | | 0.75 | 12.7 | 1430 | 6.0 | 8.0 | 0.001 | 0.14 | 0.80 | 2.3 | 2.4 | 0.4 | 26.4 | 0.01 | 0.10 | 0.3 |
| I316047 | | 0.36 | 12.7 | 1570 | 3.9 | 6.5 | 0.001 | 0.18 | 2.05 | 1.4 | 1.3 | 0.3 | 45.6 | <0.01 | 0.07 | <0.2 |
| I316048 | | 1.46 | 16.9 | 1030 | 5.2 | 9.1 | <0.001 | 0.05 | 0.92 | 3.6 | 0.6 | 0.5 | 21.8 | <0.01 | 0.05 | 0.7 |
| I316049 | | 2.49 | 24.8 | 710 | 6.8 | 17.9 | <0.001 | 0.01 | 1.27 | 5.4 | 0.5 | 0.6 | 24.7 | <0.01 | 0.05 | 3.5 |
| I316050 | | 2.15 | 23.1 | 710 | 6.6 | 14.6 | <0.001 | <0.01 | 0.84 | 6.0 | 0.5 | 0.6 | 25.1 | <0.01 | 0.04 | 4.3 |
| I316051 | | 1.34 | 27.6 | 1020 | 9.4 | 20.6 | 0.001 | 0.09 | 3.92 | 4.9 | 1.1 | 0.5 | 50.9 | <0.01 | 0.07 | 0.9 |
| I316052 | | 1.52 | 23.3 | 700 | 5.5 | 20.9 | <0.001 | 0.02 | 1.68 | 5.3 | 0.6 | 0.5 | 31.2 | <0.01 | 0.07 | 2.0 |
| I316053 | | 1.87 | 26.5 | 660 | 5.7 | 26.3 | <0.001 | 0.01 | 1.64 | 6.6 | 0.7 | 0.6 | 30.1 | <0.01 | 0.06 | 3.5 |
| I316054 | | 2.12 | 30.3 | 650 | 6.8 | 26.1 | <0.001 | 0.01 | 1.50 | 7.3 | 0.9 | 0.8 | 28.3 | <0.01 | 0.08 | 3.3 |
| I316055 | | 2.05 | 28.4 | 560 | 5.8 | 30.0 | <0.001 | 0.01 | 1.25 | 5.9 | 0.7 | 0.7 | 28.4 | <0.01 | 0.06 | 2.5 |
| I316056 | | 1.60 | 25.8 | 640 | 5.0 | 25.8 | <0.001 | 0.04 | 0.80 | 4.4 | 0.7 | 0.6 | 31.8 | <0.01 | 0.05 | 1.0 |
| I316057 | | 2.15 | 28.5 | 570 | 5.9 | 21.0 | <0.001 | 0.01 | 0.80 | 5.1 | 0.5 | 0.6 | 22.7 | <0.01 | 0.05 | 2.4 |
| I316058 | | 1.00 | 11.1 | 340 | 5.4 | 9.7 | <0.001 | 0.01 | 0.37 | 1.9 | 0.4 | 0.4 | 16.0 | <0.01 | 0.04 | 0.4 |
| I316059 | | 1.55 | 27.2 | 550 | 5.1 | 19.7 | <0.001 | 0.02 | 1.40 | 4.8 | 0.6 | 0.5 | 27.1 | <0.01 | 0.06 | 1.6 |
| I316060 | | 1.49 | 27.5 | 620 | 5.8 | 21.2 | <0.001 | 0.06 | 1.01 | 4.3 | 0.9 | 0.6 | 38.1 | <0.01 | 0.10 | 0.8 |
| I316061 | | 1.56 | 17.8 | 340 | 6.3 | 31.9 | <0.001 | 0.01 | 0.42 | 3.1 | 0.3 | 0.6 | 15.7 | <0.01 | 0.07 | 0.9 |
| I316062 | | 1.58 | 22.7 | 470 | 5.8 | 17.6 | <0.001 | 0.03 | 0.43 | 3.6 | 0.6 | 0.5 | 22.4 | 0.01 | 0.06 | 1.0 |
| I316063 | | 1.67 | 24.9 | 500 | 6.2 | 18.6 | <0.001 | 0.02 | 0.44 | 4.1 | 0.6 | 0.5 | 23.1 | 0.01 | 0.07 | 1.3 |
| I316064 | | 2.21 | 32.9 | 550 | 5.1 | 28.8 | <0.001 | 0.03 | 0.28 | 5.1 | 0.6 | 0.6 | 25.0 | <0.01 | 0.06 | 1.7 |
| I316065 | | 2.17 | 31.5 | 640 | 13.2 | 32.4 | <0.001 | <0.01 | 2.66 | 6.5 | 0.5 | 0.6 | 22.4 | <0.01 | 0.07 | 2.9 |
| I316066 | | 2.09 | 30.2 | 630 | 7.2 | 48.9 | <0.001 | <0.01 | 1.56 | 7.5 | 1.1 | 0.7 | 21.4 | <0.01 | 0.12 | 4.4 |
| I316067 | | 0.45 | 5.4 | 320 | 3.1 | 4.0 | <0.001 | 0.02 | 0.27 | 0.8 | 0.3 | 0.3 | 10.0 | <0.01 | 0.02 | <0.2 |
| I316068 | | 1.07 | 15.9 | 560 | 7.5 | 13.9 | <0.001 | 0.04 | 2.06 | 4.5 | 0.5 | 0.4 | 32.6 | <0.01 | 0.02 | 1.0 |
| I316069 | | 0.65 | 12.2 | 1060 | 4.9 | 7.7 | <0.001 | 0.09 | 0.51 | 1.8 | 0.8 | 0.3 | 29.5 | <0.01 | 0.03 | 0.2 |
| I316070 | | 1.80 | 37.2 | 960 | 23.5 | 20.7 | <0.001 | 0.08 | 1.72 | 4.0 | 0.7 | 0.7 | 32.5 | <0.01 | 0.06 | 0.7 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn | Zr |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I316031 | | 0.099 | 0.16 | 1.52 | 68 | 2.49 | 9.17 | 58 | 1.5 |
| I316032 | | 0.121 | 0.19 | 1.29 | 80 | 3.24 | 8.32 | 59 | 1.3 |
| I316033 | | 0.099 | 0.18 | 1.31 | 88 | 0.54 | 8.15 | 72 | 1.5 |
| I316034 | | 0.102 | 0.14 | 1.05 | 66 | 0.66 | 6.12 | 51 | 1.6 |
| I316035 | | 0.123 | 0.18 | 0.88 | 73 | 6.31 | 5.27 | 59 | 2.0 |
| I316036 | | 0.095 | 0.15 | 1.29 | 70 | 1.48 | 7.24 | 59 | 1.9 |
| I316037 | | 0.139 | 0.21 | 0.94 | 74 | 1.12 | 4.89 | 57 | 2.6 |
| I316038 | | 0.047 | 0.09 | 1.35 | 24 | 0.32 | 11.70 | 28 | 2.1 |
| I316039 | | 0.111 | 0.13 | 0.55 | 81 | 0.47 | 4.22 | 69 | 1.5 |
| I316040 | | 0.008 | 0.04 | 0.36 | 4 | 0.06 | 2.35 | 4 | 3.6 |
| I316041 | | 0.142 | 0.26 | 0.84 | 109 | 0.26 | 8.27 | 82 | 2.7 |
| I316042 | | 0.155 | 0.21 | 0.77 | 90 | 0.35 | 6.86 | 66 | 2.9 |
| I316043 | | 0.145 | 0.17 | 0.72 | 78 | 0.38 | 6.70 | 55 | 2.7 |
| I316044 | | 0.129 | 0.13 | 0.55 | 71 | 0.20 | 4.36 | 86 | 1.6 |
| I316045 | | 0.133 | 0.16 | 0.97 | 83 | 1.93 | 7.60 | 61 | 2.0 |
| I316046 | | 0.045 | 0.15 | 2.66 | 53 | 0.30 | 12.65 | 20 | 0.8 |
| I316047 | | 0.026 | 0.23 | 1.97 | 33 | 0.19 | 12.25 | 26 | <0.5 |
| I316048 | | 0.100 | 0.14 | 0.76 | 79 | 0.74 | 5.17 | 50 | 1.0 |
| I316049 | | 0.146 | 0.22 | 0.92 | 79 | 0.42 | 6.49 | 63 | 2.6 |
| I316050 | | 0.149 | 0.20 | 1.03 | 72 | 0.57 | 7.25 | 60 | 3.3 |
| I316051 | | 0.090 | 0.23 | 1.29 | 72 | 0.71 | 9.26 | 72 | 2.0 |
| I316052 | | 0.116 | 0.16 | 0.78 | 78 | 0.86 | 5.14 | 63 | 2.0 |
| I316053 | | 0.131 | 0.19 | 1.55 | 78 | 0.59 | 8.14 | 60 | 3.2 |
| I316054 | | 0.143 | 0.23 | 1.57 | 87 | 0.85 | 9.19 | 66 | 2.6 |
| I316055 | | 0.135 | 0.21 | 1.08 | 77 | 0.74 | 5.92 | 61 | 2.1 |
| I316056 | | 0.118 | 0.19 | 0.97 | 76 | 1.29 | 5.43 | 57 | 1.4 |
| I316057 | | 0.136 | 0.17 | 0.73 | 78 | 1.38 | 4.75 | 61 | 2.1 |
| I316058 | | 0.073 | 0.07 | 0.59 | 48 | 0.45 | 2.86 | 36 | 0.7 |
| I316059 | | 0.128 | 0.16 | 0.90 | 80 | 1.03 | 5.14 | 64 | 1.8 |
| I316060 | | 0.108 | 0.19 | 1.22 | 82 | 5.40 | 5.89 | 66 | 1.6 |
| I316061 | | 0.109 | 0.11 | 0.39 | 70 | 1.96 | 2.09 | 60 | 1.1 |
| I316062 | | 0.105 | 0.14 | 0.63 | 74 | 2.63 | 4.29 | 48 | 1.4 |
| I316063 | | 0.113 | 0.15 | 0.67 | 79 | 4.18 | 4.31 | 49 | 1.6 |
| I316064 | | 0.131 | 0.22 | 0.83 | 76 | 0.50 | 4.37 | 69 | 2.2 |
| I316065 | | 0.148 | 0.26 | 1.07 | 82 | 0.33 | 6.97 | 58 | 2.9 |
| I316066 | | 0.148 | 0.56 | 2.06 | 90 | 0.39 | 9.26 | 73 | 2.7 |
| I316067 | | 0.052 | 0.06 | 0.31 | 32 | 0.10 | 1.25 | 20 | 0.5 |
| I316068 | | 0.106 | 0.14 | 0.77 | 65 | 0.82 | 5.30 | 59 | 1.6 |
| I316069 | | 0.051 | 0.09 | 0.98 | 40 | 0.42 | 6.51 | 30 | 0.8 |
| I316070 | | 0.103 | 0.23 | 2.16 | 74 | 0.72 | 6.14 | 75 | 1.8 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I316071 | | 0.80 | 0.010 | 0.13 | 2.56 | 10.1 | <0.2 | <10 | 240 | 0.44 | 0.22 | 0.34 | 0.19 | 31.0 | 15.6 | 68 |
| I316072 | | 0.72 | 0.008 | 0.12 | 1.88 | 3.3 | <0.2 | <10 | 120 | 0.19 | 0.24 | 0.34 | 0.09 | 12.90 | 9.9 | 71 |
| I316073 | | 0.78 | 0.006 | 0.03 | 2.47 | 2.3 | <0.2 | <10 | 180 | 0.19 | 0.09 | 0.37 | 0.04 | 13.45 | 12.8 | 75 |
| I316074 | | 0.72 | 0.015 | 0.05 | 2.45 | 14.4 | <0.2 | <10 | 110 | 0.28 | 0.33 | 0.39 | 0.06 | 15.10 | 13.7 | 139 |
| I316075 | | 0.78 | 0.014 | 0.05 | 2.63 | 12.4 | <0.2 | <10 | 120 | 0.29 | 0.38 | 0.44 | 0.05 | 14.60 | 13.0 | 162 |
| I316076 | | 0.82 | 0.010 | 0.07 | 2.55 | 29.7 | <0.2 | <10 | 160 | 0.42 | 0.24 | 0.48 | 0.09 | 36.0 | 14.7 | 86 |
| I316077 | | 0.76 | 0.020 | 0.17 | 2.51 | 34.7 | <0.2 | <10 | 170 | 0.47 | 0.32 | 0.47 | 0.13 | 61.8 | 16.5 | 73 |
| I316078 | | 0.74 | 0.012 | 0.06 | 2.57 | 13.8 | <0.2 | <10 | 190 | 0.68 | 0.50 | 0.51 | 0.16 | 53.8 | 10.9 | 71 |
| I316079 | | 0.82 | 0.006 | 0.06 | 2.41 | 3.0 | <0.2 | <10 | 250 | 0.55 | 0.25 | 0.48 | 0.10 | 42.4 | 10.0 | 59 |
| I316080 | | 0.86 | 0.006 | 0.10 | 2.35 | 5.3 | <0.2 | <10 | 240 | 0.65 | 0.30 | 0.39 | 0.26 | 36.3 | 11.3 | 49 |
| I316081 | | 0.74 | 0.005 | 0.05 | 2.36 | 10.2 | <0.2 | <10 | 260 | 0.65 | 0.16 | 0.35 | 0.15 | 27.3 | 11.0 | 50 |
| I316082 | | 0.56 | <0.005 | 0.08 | 0.80 | 2.0 | <0.2 | <10 | 100 | 0.25 | 0.09 | 0.28 | 0.10 | 7.25 | 3.9 | 17 |
| I316083 | | 0.56 | <0.005 | 0.06 | 0.89 | 3.5 | <0.2 | <10 | 70 | 0.16 | 0.10 | 0.18 | 0.13 | 9.55 | 4.4 | 18 |
| I316084 | | 0.66 | 0.011 | 0.04 | 1.78 | 7.2 | <0.2 | <10 | 160 | 0.31 | 0.10 | 0.43 | 0.20 | 22.4 | 9.6 | 37 |
| I316085 | | 0.74 | 0.007 | 0.05 | 1.85 | 9.2 | <0.2 | <10 | 150 | 0.34 | 0.11 | 0.32 | 0.18 | 18.20 | 10.2 | 37 |
| I316086 | | 0.48 | 0.006 | 0.06 | 0.97 | 6.3 | <0.2 | <10 | 50 | 0.14 | 0.15 | 0.09 | 0.11 | 9.09 | 3.5 | 21 |
| I316087 | | 0.52 | 0.020 | 0.34 | 1.38 | 9.8 | <0.2 | <10 | 130 | 0.52 | 0.11 | 0.40 | 0.18 | 17.45 | 3.8 | 28 |
| I316088 | | 0.56 | 0.006 | 0.10 | 2.22 | 21.9 | <0.2 | <10 | 200 | 0.48 | 0.13 | 0.56 | 0.18 | 25.7 | 15.7 | 51 |
| I316089 | | 0.50 | 0.009 | 0.12 | 1.26 | 10.6 | <0.2 | <10 | 110 | 0.35 | 0.09 | 0.32 | 0.09 | 10.10 | 3.2 | 23 |
| I316090 | | 0.78 | <0.005 | 0.12 | 2.58 | 15.1 | <0.2 | <10 | 180 | 0.90 | 0.23 | 0.47 | 0.12 | 24.8 | 12.6 | 47 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I316071 | | 2.75 | 57.5 | 3.29 | 8.74 | 0.10 | 0.07 | 0.03 | 0.032 | 0.32 | 14.3 | 16.6 | 1.09 | 471 | 1.19 |
| I316072 | | 1.87 | 106.0 | 2.24 | 4.77 | 0.05 | 0.03 | 0.03 | 0.020 | 0.10 | 6.2 | 14.3 | 0.73 | 225 | 0.94 |
| I316073 | | 3.46 | 104.5 | 2.66 | 6.08 | 0.06 | 0.03 | 0.01 | 0.015 | 0.23 | 6.5 | 14.4 | 1.29 | 152 | 0.32 |
| I316074 | | 2.91 | 87.5 | 2.61 | 6.52 | 0.06 | 0.04 | 0.02 | 0.018 | 0.17 | 7.4 | 13.4 | 1.21 | 226 | 1.09 |
| I316075 | | 3.65 | 91.4 | 2.66 | 6.69 | 0.07 | 0.04 | 0.02 | 0.017 | 0.20 | 7.4 | 14.6 | 1.42 | 195 | 0.92 |
| I316076 | | 3.59 | 111.5 | 3.08 | 7.51 | 0.09 | 0.07 | 0.03 | 0.022 | 0.31 | 18.2 | 13.4 | 1.04 | 437 | 3.58 |
| I316077 | | 4.53 | 251 | 4.11 | 8.66 | 0.13 | 0.15 | 0.05 | 0.032 | 0.43 | 37.7 | 15.2 | 0.94 | 505 | 9.65 |
| I316078 | | 5.58 | 284 | 2.84 | 7.78 | 0.11 | 0.11 | 0.06 | 0.033 | 0.34 | 32.7 | 12.8 | 0.88 | 353 | 11.30 |
| I316079 | | 5.13 | 132.5 | 2.98 | 8.73 | 0.10 | 0.09 | 0.04 | 0.034 | 0.39 | 19.8 | 13.2 | 0.85 | 318 | 30.2 |
| I316080 | | 3.09 | 128.5 | 2.70 | 7.83 | 0.10 | 0.05 | 0.03 | 0.040 | 0.26 | 18.4 | 12.4 | 0.75 | 278 | 66.0 |
| I316081 | | 3.50 | 69.1 | 2.94 | 7.34 | 0.08 | 0.04 | 0.05 | 0.027 | 0.24 | 12.6 | 12.3 | 0.75 | 273 | 103.0 |
| I316082 | | 1.05 | 36.8 | 1.18 | 3.03 | <0.05 | 0.02 | 0.05 | 0.012 | 0.05 | 3.7 | 3.9 | 0.28 | 249 | 31.7 |
| I316083 | | 0.66 | 32.8 | 1.47 | 3.57 | <0.05 | 0.02 | 0.06 | 0.012 | 0.05 | 4.7 | 3.9 | 0.24 | 133 | 3.34 |
| I316084 | | 1.19 | 77.7 | 2.46 | 5.19 | 0.07 | 0.05 | 0.05 | 0.020 | 0.12 | 10.0 | 9.7 | 0.61 | 245 | 7.56 |
| I316085 | | 1.27 | 67.8 | 2.45 | 5.44 | 0.06 | 0.05 | 0.03 | 0.021 | 0.15 | 8.1 | 9.5 | 0.55 | 446 | 9.37 |
| I316086 | | 1.06 | 19.7 | 2.27 | 6.13 | <0.05 | 0.02 | 0.05 | 0.015 | 0.05 | 4.6 | 5.0 | 0.19 | 153 | 4.05 |
| I316087 | | 1.50 | 68.6 | 1.10 | 3.62 | <0.05 | 0.03 | 0.15 | 0.017 | 0.07 | 9.4 | 5.1 | 0.32 | 169 | 8.50 |
| I316088 | | 2.04 | 44.4 | 2.72 | 8.07 | 0.06 | 0.03 | 0.03 | 0.032 | 0.07 | 10.3 | 13.7 | 0.76 | 1260 | 103.5 |
| I316089 | | 0.84 | 44.9 | 1.21 | 4.09 | <0.05 | 0.02 | 0.08 | 0.017 | 0.03 | 5.3 | 4.6 | 0.21 | 91 | 74.3 |
| I316090 | | 3.05 | 70.5 | 3.19 | 9.57 | 0.07 | 0.03 | 0.08 | 0.048 | 0.09 | 11.8 | 13.7 | 0.68 | 544 | 87.1 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I316071 | | 2.76 | 42.7 | 580 | 9.9 | 44.8 | <0.001 | <0.01 | 0.52 | 7.8 | 0.5 | 0.9 | 24.4 | <0.01 | 0.04 | 3.7 |
| I316072 | | 0.99 | 25.4 | 510 | 4.1 | 15.7 | <0.001 | <0.01 | 0.21 | 3.8 | 0.4 | 0.4 | 24.8 | <0.01 | 0.03 | 1.0 |
| I316073 | | 0.60 | 29.4 | 450 | 2.6 | 24.2 | <0.001 | <0.01 | 0.13 | 5.6 | 0.2 | 0.4 | 24.1 | <0.01 | 0.02 | 1.3 |
| I316074 | | 0.81 | 52.3 | 470 | 3.7 | 21.7 | <0.001 | <0.01 | 0.56 | 5.7 | 0.3 | 0.5 | 24.5 | <0.01 | 0.04 | 2.1 |
| I316075 | | 0.65 | 56.8 | 450 | 3.5 | 23.8 | <0.001 | <0.01 | 0.53 | 6.2 | 0.3 | 0.5 | 25.1 | <0.01 | 0.06 | 2.1 |
| I316076 | | 1.23 | 40.5 | 570 | 4.4 | 46.1 | <0.001 | <0.01 | 0.68 | 7.2 | 0.4 | 0.7 | 39.2 | <0.01 | 0.04 | 4.7 |
| I316077 | | 1.27 | 31.0 | 630 | 5.0 | 55.3 | <0.001 | <0.01 | 1.02 | 9.2 | 0.7 | 0.9 | 36.6 | <0.01 | 0.06 | 6.7 |
| I316078 | | 1.46 | 25.3 | 680 | 6.0 | 49.8 | <0.001 | <0.01 | 0.64 | 7.6 | 0.7 | 1.1 | 39.4 | <0.01 | 0.07 | 8.4 |
| I316079 | | 1.72 | 21.6 | 820 | 4.3 | 51.9 | <0.001 | <0.01 | 0.19 | 8.2 | 0.7 | 0.9 | 51.0 | <0.01 | 0.05 | 6.0 |
| I316080 | | 2.06 | 31.8 | 830 | 5.1 | 34.4 | <0.001 | <0.01 | 0.23 | 6.6 | 0.9 | 1.3 | 27.0 | <0.01 | 0.07 | 4.4 |
| I316081 | | 2.04 | 29.6 | 800 | 5.5 | 29.8 | <0.001 | <0.01 | 0.21 | 6.0 | 0.6 | 0.7 | 19.1 | <0.01 | 0.04 | 3.5 |
| I316082 | | 0.63 | 12.3 | 570 | 2.2 | 7.4 | <0.001 | 0.02 | 0.15 | 1.5 | 0.3 | 0.3 | 19.7 | <0.01 | 0.03 | 0.3 |
| I316083 | | 0.55 | 10.9 | 510 | 3.2 | 6.6 | <0.001 | 0.03 | 0.28 | 1.3 | 0.4 | 0.3 | 13.2 | <0.01 | 0.02 | <0.2 |
| I316084 | | 1.53 | 24.4 | 800 | 4.4 | 13.5 | <0.001 | <0.01 | 0.31 | 4.5 | 0.4 | 0.4 | 23.0 | <0.01 | 0.03 | 2.2 |
| I316085 | | 1.51 | 23.1 | 760 | 4.0 | 15.6 | <0.001 | 0.01 | 0.29 | 4.0 | 0.4 | 0.4 | 16.1 | <0.01 | 0.04 | 2.3 |
| I316086 | | 1.08 | 8.2 | 430 | 5.6 | 6.1 | <0.001 | 0.02 | 0.46 | 1.6 | 0.4 | 0.5 | 9.9 | <0.01 | 0.04 | 0.3 |
| I316087 | | 0.66 | 13.5 | 1080 | 3.0 | 8.2 | 0.001 | 0.13 | 0.60 | 1.7 | 0.9 | 0.3 | 27.9 | <0.01 | 0.04 | <0.2 |
| I316088 | | 1.82 | 24.6 | 730 | 5.4 | 12.4 | 0.001 | 0.03 | 0.62 | 5.1 | 0.5 | 0.7 | 31.4 | <0.01 | 0.04 | 1.3 |
| I316089 | | 0.59 | 9.4 | 920 | 3.7 | 3.8 | 0.002 | 0.08 | 0.36 | 1.7 | 0.6 | 0.3 | 21.4 | <0.01 | 0.02 | 0.2 |
| I316090 | | 1.82 | 27.3 | 720 | 6.0 | 17.1 | <0.001 | 0.03 | 0.29 | 5.4 | 0.5 | 0.9 | 36.0 | <0.01 | 0.06 | 1.4 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I316071 | | 0.189 | 0.29 | 1.40 | 84 | 1.17 | 7.37 | 72 | 3.2 |
| I316072 | | 0.109 | 0.14 | 0.43 | 56 | 4.13 | 3.61 | 40 | 1.3 |
| I316073 | | 0.118 | 0.26 | 0.31 | 84 | 0.52 | 3.56 | 35 | 1.2 |
| I316074 | | 0.116 | 0.28 | 0.51 | 77 | 3.16 | 4.94 | 42 | 2.0 |
| I316075 | | 0.120 | 0.34 | 0.48 | 80 | 0.99 | 4.83 | 43 | 2.1 |
| I316076 | | 0.156 | 0.35 | 1.58 | 78 | 2.36 | 9.71 | 51 | 3.5 |
| I316077 | | 0.191 | 0.44 | 3.78 | 90 | 1.81 | 18.80 | 72 | 8.0 |
| I316078 | | 0.174 | 0.41 | 5.14 | 78 | 5.00 | 13.00 | 78 | 5.3 |
| I316079 | | 0.181 | 0.37 | 1.77 | 73 | 2.58 | 9.76 | 62 | 4.1 |
| I316080 | | 0.155 | 0.28 | 1.71 | 87 | 3.77 | 8.85 | 74 | 2.5 |
| I316081 | | 0.163 | 0.30 | 1.12 | 97 | 2.87 | 6.68 | 68 | 2.0 |
| I316082 | | 0.055 | 0.07 | 0.51 | 31 | 1.09 | 2.55 | 37 | 0.8 |
| I316083 | | 0.062 | 0.07 | 0.48 | 41 | 0.28 | 2.72 | 28 | 0.7 |
| I316084 | | 0.135 | 0.14 | 0.86 | 71 | 0.51 | 6.60 | 55 | 2.3 |
| I316085 | | 0.128 | 0.15 | 0.72 | 72 | 0.64 | 5.20 | 56 | 2.2 |
| I316086 | | 0.099 | 0.09 | 0.40 | 69 | 0.21 | 1.67 | 26 | 1.0 |
| I316087 | | 0.048 | 0.11 | 1.40 | 27 | 0.97 | 6.21 | 29 | 1.1 |
| I316088 | | 0.138 | 0.17 | 0.67 | 80 | 1.10 | 4.93 | 72 | 1.7 |
| I316089 | | 0.042 | 0.12 | 0.72 | 31 | 0.32 | 3.10 | 20 | 0.8 |
| I316090 | | 0.116 | 0.19 | 1.00 | 83 | 5.50 | 5.46 | 78 | 1.6 |
| | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122681

| Method | CERTIFICATE COMMENTS |
|------------------------|---|
| ALL METHODS ME-MS41 | NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

CERTIFICATE WH10113326

Project: SQI10-06
P.O. No.: SQI10-06_21
This report is for 150 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314701 | | 0.38 | <0.005 | 0.07 | 2.33 | 5.6 | <0.2 | <10 | 190 | 0.52 | 0.10 | 0.42 | 0.13 | 41.7 | 12.9 | 48 |
| I314702 | | 0.36 | 0.005 | 0.11 | 2.43 | 8.2 | <0.2 | <10 | 190 | 0.43 | 0.12 | 0.35 | 0.09 | 28.7 | 14.8 | 46 |
| I314703 | | 0.46 | <0.005 | 0.16 | 1.63 | 5.6 | <0.2 | <10 | 190 | 0.26 | 0.10 | 0.36 | 0.14 | 23.9 | 10.4 | 41 |
| I314704 | | 0.42 | <0.005 | 0.15 | 2.28 | 7.0 | <0.2 | <10 | 250 | 0.45 | 0.12 | 0.33 | 0.10 | 30.1 | 10.0 | 44 |
| I314705 | | 0.50 | 0.007 | 0.34 | 1.42 | 5.2 | <0.2 | <10 | 300 | 0.29 | 0.13 | 0.24 | 0.19 | 37.7 | 5.6 | 37 |
| I314706 | | 0.44 | 0.006 | 0.09 | 1.33 | 6.3 | <0.2 | <10 | 170 | 0.16 | 0.14 | 0.20 | 0.09 | 27.9 | 5.5 | 32 |
| I314707 | | 0.34 | <0.005 | 0.13 | 2.03 | 9.4 | <0.2 | <10 | 130 | 0.34 | 0.15 | 0.24 | 0.26 | 17.70 | 7.3 | 46 |
| I314708 | | 0.30 | 0.008 | 0.19 | 2.64 | 9.8 | <0.2 | <10 | 160 | 0.53 | 0.17 | 0.23 | 0.56 | 31.6 | 14.9 | 42 |
| I314709 | | 0.32 | <0.005 | 0.19 | 2.06 | 10.0 | <0.2 | <10 | 160 | 0.40 | 0.16 | 0.17 | 0.26 | 28.1 | 8.8 | 31 |
| I314710 | | 0.48 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314711 | | 0.42 | 0.009 | 0.24 | 3.14 | 11.0 | <0.2 | <10 | 160 | 0.62 | 0.13 | 0.29 | 0.33 | 22.3 | 16.1 | 42 |
| I314712 | | 0.28 | <0.005 | 0.22 | 1.25 | 6.0 | <0.2 | <10 | 150 | 0.23 | 0.15 | 0.19 | 0.33 | 18.15 | 7.0 | 27 |
| I314713 | | 0.36 | <0.005 | 0.16 | 1.69 | 10.1 | <0.2 | <10 | 150 | 0.34 | 0.16 | 0.17 | 0.17 | 18.70 | 8.4 | 31 |
| I314714 | | 0.28 | <0.005 | 0.46 | 1.32 | 17.2 | <0.2 | <10 | 300 | 0.46 | 0.19 | 0.24 | 0.54 | 18.90 | 12.0 | 29 |
| I314715 | | 0.38 | <0.005 | 0.38 | 1.93 | 13.0 | <0.2 | <10 | 170 | 0.51 | 0.26 | 0.20 | 0.40 | 33.7 | 14.2 | 36 |
| I314716 | | 0.26 | 0.011 | 0.22 | 0.37 | 2.8 | <0.2 | <10 | 90 | 0.14 | 0.10 | 0.13 | 0.35 | 9.07 | 2.9 | 12 |
| I314717 | | 0.28 | <0.005 | 0.05 | 0.82 | 4.4 | <0.2 | <10 | 40 | 0.17 | 0.14 | 0.04 | 0.09 | 9.77 | 2.9 | 12 |
| I314718 | | 0.38 | <0.005 | 0.09 | 1.72 | 8.3 | <0.2 | <10 | 130 | 0.26 | 0.25 | 0.23 | 0.21 | 24.6 | 11.6 | 38 |
| I314719 | | 0.34 | <0.005 | 0.47 | 1.72 | 4.6 | <0.2 | <10 | 230 | 0.25 | 0.23 | 0.22 | 0.20 | 23.0 | 6.4 | 33 |
| I314720 | | 0.30 | <0.005 | 0.54 | 1.73 | 5.3 | <0.2 | <10 | 250 | 0.32 | 0.26 | 0.26 | 0.25 | 25.9 | 7.0 | 35 |
| I314721 | | 0.32 | 0.005 | 0.47 | 1.73 | 6.8 | <0.2 | <10 | 170 | 0.21 | 0.19 | 0.23 | 0.17 | 21.4 | 8.1 | 36 |
| I314722 | | 0.32 | 0.007 | 0.21 | 1.92 | 15.7 | <0.2 | <10 | 100 | 0.25 | 0.23 | 0.11 | 0.33 | 17.00 | 7.2 | 34 |
| I314723 | | 0.28 | <0.005 | 0.16 | 0.47 | 13.0 | <0.2 | <10 | 60 | 0.07 | 0.13 | 0.04 | 0.41 | 8.73 | 2.6 | 12 |
| I314724 | | 0.22 | <0.005 | 0.32 | 1.59 | 7.4 | <0.2 | <10 | 130 | 0.27 | 0.18 | 0.18 | 0.16 | 26.9 | 8.4 | 32 |
| I314725 | | 0.30 | <0.005 | 0.24 | 0.85 | 3.8 | <0.2 | <10 | 110 | 0.17 | 0.13 | 0.09 | 0.24 | 7.69 | 4.6 | 14 |
| I314726 | | 0.42 | <0.005 | 0.22 | 1.20 | 4.2 | <0.2 | <10 | 160 | 0.18 | 0.18 | 0.22 | 0.23 | 14.50 | 5.7 | 27 |
| I314727 | | 0.42 | <0.005 | 0.10 | 1.59 | 6.1 | <0.2 | <10 | 130 | 0.16 | 0.18 | 0.31 | 0.13 | 16.30 | 6.1 | 34 |
| I314728 | | 0.38 | <0.005 | 0.10 | 2.25 | 8.3 | <0.2 | <10 | 160 | 0.32 | 0.47 | 0.39 | 0.16 | 22.5 | 12.8 | 49 |
| I314729 | | 0.42 | <0.005 | 0.06 | 1.64 | 4.7 | <0.2 | <10 | 110 | 0.17 | 0.12 | 0.37 | 0.12 | 14.45 | 9.7 | 38 |
| I314730 | | 0.34 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314731 | | 0.44 | <0.005 | 0.06 | 2.67 | 10.5 | <0.2 | <10 | 210 | 0.50 | 0.20 | 0.10 | 0.07 | 21.0 | 11.8 | 36 |
| I314732 | | 0.42 | <0.005 | 0.03 | 2.00 | 4.5 | <0.2 | <10 | 100 | 0.24 | 0.10 | 0.20 | 0.05 | 14.50 | 8.2 | 56 |
| I314733 | | 0.44 | <0.005 | 0.05 | 1.85 | 5.9 | <0.2 | <10 | 120 | 0.27 | 0.10 | 0.28 | 0.09 | 16.15 | 6.9 | 25 |
| I314734 | | 0.42 | 0.006 | 0.05 | 1.24 | 4.5 | <0.2 | <10 | 130 | 0.20 | 0.13 | 0.15 | 0.08 | 15.20 | 3.2 | 17 |
| I314735 | | 0.38 | <0.005 | 0.05 | 1.25 | 2.6 | <0.2 | <10 | 120 | 0.25 | 0.11 | 0.21 | 0.07 | 13.85 | 3.8 | 15 |
| I314736 | | 0.52 | <0.005 | 0.02 | 1.26 | 2.6 | <0.2 | <10 | 90 | 0.21 | 0.06 | 0.14 | 0.04 | 7.75 | 5.0 | 19 |
| I314737 | | 0.30 | <0.005 | 0.03 | 1.60 | 5.5 | <0.2 | <10 | 140 | 0.31 | 0.14 | 0.12 | 0.09 | 14.20 | 4.8 | 24 |
| I314738 | | 0.46 | <0.005 | 0.06 | 2.72 | 10.7 | <0.2 | <10 | 160 | 0.52 | 0.16 | 0.14 | 0.06 | 17.60 | 8.2 | 35 |
| I314739 | | 0.44 | <0.005 | 0.03 | 2.33 | 10.0 | <0.2 | <10 | 100 | 0.35 | 0.11 | 0.13 | 0.06 | 15.30 | 8.9 | 30 |
| I314740 | | 0.46 | <0.005 | 0.03 | 2.23 | 8.2 | <0.2 | <10 | 110 | 0.38 | 0.10 | 0.16 | 0.05 | 15.95 | 8.4 | 27 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I314701 | | 2.07 | 29.0 | 3.12 | 7.42 | 0.09 | 0.07 | 0.03 | 0.028 | 0.08 | 19.2 | 18.3 | 0.86 | 299 | 0.80 |
| I314702 | | 3.50 | 22.2 | 3.51 | 7.78 | 0.09 | 0.05 | 0.04 | 0.033 | 0.10 | 14.5 | 18.4 | 0.81 | 404 | 0.99 |
| I314703 | | 3.44 | 18.3 | 2.86 | 6.33 | 0.06 | 0.02 | 0.04 | 0.023 | 0.08 | 12.8 | 12.4 | 0.59 | 489 | 1.13 |
| I314704 | | 4.13 | 22.8 | 3.08 | 7.07 | 0.09 | 0.05 | 0.05 | 0.033 | 0.12 | 17.5 | 19.2 | 0.71 | 299 | 1.11 |
| I314705 | | 4.14 | 24.3 | 2.39 | 6.43 | 0.08 | <0.02 | 0.05 | 0.030 | 0.10 | 22.8 | 7.9 | 0.35 | 190 | 1.67 |
| I314706 | | 2.73 | 15.1 | 2.92 | 8.61 | 0.07 | <0.02 | 0.03 | 0.027 | 0.08 | 14.1 | 5.8 | 0.37 | 168 | 2.14 |
| I314707 | | 5.09 | 18.4 | 3.93 | 9.57 | 0.07 | 0.03 | 0.04 | 0.031 | 0.08 | 9.1 | 16.2 | 0.45 | 225 | 2.11 |
| I314708 | | 7.24 | 42.4 | 5.35 | 10.20 | 0.11 | 0.03 | 0.06 | 0.046 | 0.20 | 15.8 | 18.1 | 0.61 | 384 | 2.15 |
| I314709 | | 3.44 | 24.7 | 3.64 | 7.86 | 0.07 | 0.04 | 0.05 | 0.035 | 0.07 | 14.4 | 14.6 | 0.40 | 220 | 2.99 |
| I314710 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314711 | | 3.60 | 26.4 | 3.60 | 6.95 | 0.08 | 0.14 | 0.07 | 0.037 | 0.05 | 10.8 | 19.1 | 0.60 | 411 | 2.15 |
| I314712 | | 9.67 | 25.2 | 2.62 | 6.36 | 0.05 | 0.02 | 0.06 | 0.024 | 0.07 | 9.5 | 7.5 | 0.31 | 152 | 2.33 |
| I314713 | | 6.07 | 26.3 | 3.72 | 7.84 | 0.06 | 0.02 | 0.05 | 0.037 | 0.06 | 9.5 | 13.4 | 0.36 | 263 | 3.24 |
| I314714 | | 11.20 | 38.4 | 2.89 | 4.32 | 0.06 | 0.02 | 0.11 | 0.042 | 0.10 | 9.6 | 8.7 | 0.30 | 203 | 3.17 |
| I314715 | | 27.7 | 32.6 | 4.15 | 7.55 | 0.10 | 0.02 | 0.06 | 0.041 | 0.09 | 17.0 | 15.9 | 0.39 | 568 | 3.83 |
| I314716 | | 3.30 | 14.9 | 1.00 | 2.27 | <0.05 | <0.02 | 0.07 | 0.012 | 0.04 | 4.7 | 1.2 | 0.05 | 170 | 1.22 |
| I314717 | | 2.08 | 12.2 | 1.37 | 4.52 | <0.05 | 0.02 | 0.03 | 0.014 | 0.03 | 4.9 | 3.4 | 0.12 | 83 | 0.94 |
| I314718 | | 5.47 | 22.9 | 3.56 | 5.59 | 0.05 | 0.03 | 0.04 | 0.026 | 0.11 | 12.1 | 10.6 | 0.50 | 521 | 1.75 |
| I314719 | | 7.98 | 24.7 | 2.44 | 5.77 | <0.05 | 0.02 | 0.07 | 0.023 | 0.11 | 11.4 | 6.3 | 0.37 | 155 | 1.59 |
| I314720 | | 8.51 | 28.7 | 2.61 | 5.80 | <0.05 | 0.02 | 0.07 | 0.024 | 0.11 | 13.0 | 6.7 | 0.37 | 167 | 1.78 |
| I314721 | | 8.66 | 23.8 | 2.84 | 5.45 | <0.05 | 0.02 | 0.07 | 0.024 | 0.07 | 10.6 | 9.2 | 0.46 | 213 | 1.46 |
| I314722 | | 4.63 | 19.5 | 4.33 | 8.91 | <0.05 | 0.06 | 0.02 | 0.028 | 0.06 | 8.1 | 13.6 | 0.35 | 221 | 1.78 |
| I314723 | | 3.15 | 13.3 | 1.31 | 3.78 | <0.05 | <0.02 | 0.03 | 0.009 | 0.05 | 4.3 | 1.9 | 0.11 | 74 | 1.48 |
| I314724 | | 5.50 | 30.4 | 3.04 | 5.28 | 0.05 | 0.03 | 0.07 | 0.023 | 0.09 | 14.4 | 9.3 | 0.43 | 314 | 1.35 |
| I314725 | | 1.29 | 24.5 | 1.71 | 3.64 | <0.05 | <0.02 | 0.09 | 0.013 | 0.03 | 3.6 | 3.0 | 0.13 | 369 | 1.19 |
| I314726 | | 2.78 | 21.8 | 1.96 | 4.98 | <0.05 | 0.02 | 0.05 | 0.018 | 0.05 | 6.9 | 6.0 | 0.35 | 160 | 1.35 |
| I314727 | | 2.29 | 12.6 | 2.55 | 5.06 | <0.05 | <0.02 | 0.03 | 0.019 | 0.06 | 7.7 | 9.6 | 0.51 | 210 | 0.94 |
| I314728 | | 1.89 | 18.4 | 3.74 | 6.24 | 0.06 | 0.03 | 0.03 | 0.025 | 0.06 | 10.6 | 15.6 | 0.74 | 419 | 1.26 |
| I314729 | | 1.38 | 13.5 | 2.53 | 5.00 | <0.05 | 0.02 | 0.03 | 0.018 | 0.06 | 6.8 | 10.0 | 0.58 | 418 | 0.83 |
| I314730 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314731 | | 1.61 | 18.2 | 3.48 | 7.50 | <0.05 | 0.05 | 0.02 | 0.032 | 0.04 | 9.5 | 16.0 | 0.46 | 306 | 1.27 |
| I314732 | | 0.79 | 10.6 | 2.89 | 8.23 | <0.05 | 0.04 | 0.01 | 0.016 | 0.06 | 6.6 | 19.7 | 0.89 | 271 | 0.51 |
| I314733 | | 0.69 | 12.8 | 2.63 | 6.58 | <0.05 | 0.02 | 0.02 | 0.017 | 0.06 | 7.4 | 13.7 | 0.60 | 250 | 0.61 |
| I314734 | | 0.60 | 7.8 | 1.76 | 5.84 | <0.05 | <0.02 | 0.02 | 0.013 | 0.05 | 7.4 | 6.9 | 0.30 | 114 | 0.47 |
| I314735 | | 0.81 | 9.9 | 1.66 | 6.96 | <0.05 | <0.02 | 0.02 | 0.011 | 0.05 | 6.7 | 7.6 | 0.42 | 138 | 0.55 |
| I314736 | | 0.52 | 7.6 | 1.56 | 5.35 | <0.05 | <0.02 | 0.01 | 0.008 | 0.04 | 3.8 | 11.0 | 0.54 | 198 | 0.34 |
| I314737 | | 0.49 | 12.4 | 2.26 | 5.77 | <0.05 | <0.02 | 0.02 | 0.015 | 0.05 | 6.6 | 9.1 | 0.38 | 147 | 0.61 |
| I314738 | | 1.49 | 12.2 | 3.68 | 6.87 | <0.05 | 0.05 | 0.02 | 0.033 | 0.05 | 7.8 | 16.9 | 0.52 | 222 | 0.89 |
| I314739 | | 1.20 | 12.4 | 3.82 | 8.67 | 0.05 | 0.02 | 0.02 | 0.023 | 0.07 | 6.9 | 23.0 | 0.80 | 345 | 0.90 |
| I314740 | | 1.25 | 10.7 | 3.49 | 8.43 | <0.05 | <0.02 | 0.03 | 0.021 | 0.07 | 7.4 | 22.9 | 0.83 | 341 | 0.79 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314701 | | 1.41 | 28.4 | 820 | 8.6 | 14.4 | <0.001 | 0.02 | 0.38 | 5.7 | 0.7 | 0.5 | 24.4 | <0.01 | 0.02 | 4.2 |
| I314702 | | 1.31 | 27.6 | 740 | 9.8 | 17.1 | <0.001 | 0.03 | 0.38 | 5.5 | 0.8 | 0.5 | 22.7 | <0.01 | 0.02 | 3.2 |
| I314703 | | 1.04 | 22.1 | 530 | 7.4 | 13.6 | <0.001 | 0.03 | 0.31 | 4.3 | 0.6 | 0.4 | 26.7 | <0.01 | 0.03 | 1.6 |
| I314704 | | 1.23 | 25.9 | 720 | 9.1 | 18.7 | <0.001 | 0.02 | 0.30 | 6.1 | 0.8 | 0.5 | 21.9 | <0.01 | 0.04 | 3.2 |
| I314705 | | 0.63 | 17.9 | 770 | 7.7 | 19.7 | <0.001 | 0.05 | 0.38 | 4.1 | 1.0 | 0.5 | 21.5 | <0.01 | 0.04 | 0.7 |
| I314706 | | 1.05 | 13.3 | 290 | 8.5 | 17.8 | <0.001 | 0.01 | 0.37 | 3.8 | 0.5 | 0.5 | 16.4 | <0.01 | 0.05 | 1.2 |
| I314707 | | 1.67 | 18.9 | 450 | 9.2 | 17.6 | <0.001 | 0.02 | 0.54 | 4.7 | 0.7 | 0.6 | 20.4 | <0.01 | 0.06 | 1.8 |
| I314708 | | 3.93 | 39.6 | 830 | 9.5 | 28.5 | <0.001 | 0.04 | 0.72 | 5.7 | 1.1 | 0.6 | 18.4 | 0.01 | 0.09 | 2.4 |
| I314709 | | 1.64 | 20.4 | 490 | 11.7 | 10.3 | <0.001 | 0.07 | 0.63 | 4.6 | 1.1 | 0.6 | 21.5 | <0.01 | 0.06 | 3.8 |
| I314710 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314711 | | 1.86 | 32.2 | 830 | 8.2 | 8.5 | <0.001 | 0.03 | 0.63 | 6.4 | 1.3 | 0.5 | 21.9 | 0.02 | 0.05 | 3.2 |
| I314712 | | 0.98 | 21.1 | 500 | 7.1 | 12.4 | <0.001 | 0.06 | 0.44 | 3.2 | 1.0 | 0.6 | 22.2 | <0.01 | 0.05 | 0.7 |
| I314713 | | 1.21 | 20.7 | 600 | 8.3 | 8.9 | <0.001 | 0.07 | 0.71 | 3.5 | 1.9 | 0.6 | 19.1 | <0.01 | 0.06 | 0.8 |
| I314714 | | 0.55 | 30.3 | 1160 | 10.8 | 11.3 | <0.001 | 0.09 | 0.88 | 3.0 | 1.8 | 0.8 | 26.4 | <0.01 | 0.06 | 0.3 |
| I314715 | | 0.97 | 42.6 | 1000 | 15.0 | 17.5 | <0.001 | 0.05 | 0.69 | 4.1 | 1.6 | 0.6 | 23.2 | <0.01 | 0.07 | 1.5 |
| I314716 | | 0.22 | 9.6 | 610 | 3.6 | 5.9 | <0.001 | 0.06 | 0.28 | 0.7 | 0.7 | 0.3 | 14.1 | <0.01 | 0.03 | <0.2 |
| I314717 | | 0.91 | 7.6 | 180 | 6.0 | 5.1 | <0.001 | <0.01 | 0.23 | 1.5 | 0.4 | 0.4 | 7.6 | <0.01 | 0.03 | 0.6 |
| I314718 | | 1.21 | 30.5 | 730 | 12.8 | 16.0 | <0.001 | 0.01 | 0.44 | 3.0 | 0.6 | 0.5 | 17.6 | <0.01 | 0.05 | 2.2 |
| I314719 | | 0.83 | 21.3 | 690 | 10.2 | 17.0 | <0.001 | 0.05 | 0.29 | 2.8 | 0.8 | 0.5 | 22.4 | <0.01 | 0.05 | 0.4 |
| I314720 | | 0.86 | 23.9 | 810 | 11.9 | 16.7 | <0.001 | 0.06 | 0.35 | 2.9 | 0.9 | 0.5 | 26.0 | <0.01 | 0.06 | 0.4 |
| I314721 | | 0.89 | 24.8 | 780 | 8.6 | 12.7 | <0.001 | 0.03 | 0.32 | 2.9 | 1.0 | 0.4 | 19.6 | <0.01 | 0.04 | 0.6 |
| I314722 | | 1.81 | 17.9 | 340 | 11.8 | 12.0 | <0.001 | 0.01 | 0.47 | 3.2 | 0.4 | 0.8 | 10.0 | <0.01 | 0.04 | 2.5 |
| I314723 | | 0.57 | 9.6 | 220 | 7.3 | 9.2 | <0.001 | 0.03 | 0.31 | 1.3 | 0.7 | 0.3 | 8.7 | <0.01 | 0.03 | 0.5 |
| I314724 | | 0.94 | 24.3 | 700 | 8.4 | 13.5 | <0.001 | 0.04 | 0.35 | 2.6 | 0.7 | 0.4 | 15.2 | <0.01 | 0.05 | 0.9 |
| I314725 | | 0.40 | 9.8 | 520 | 4.6 | 5.2 | <0.001 | 0.05 | 0.31 | 0.9 | 0.5 | 0.3 | 11.1 | <0.01 | 0.03 | <0.2 |
| I314726 | | 0.69 | 15.7 | 620 | 9.1 | 9.0 | <0.001 | 0.04 | 0.23 | 1.7 | 0.6 | 0.4 | 20.3 | <0.01 | 0.04 | 0.2 |
| I314727 | | 0.81 | 15.6 | 690 | 7.8 | 8.9 | <0.001 | 0.02 | 0.32 | 3.0 | 0.5 | 0.5 | 18.7 | <0.01 | 0.03 | 0.6 |
| I314728 | | 1.35 | 18.8 | 820 | 9.3 | 10.4 | <0.001 | 0.03 | 0.37 | 4.1 | 0.6 | 0.4 | 25.7 | <0.01 | 0.04 | 1.9 |
| I314729 | | 1.04 | 15.7 | 620 | 6.5 | 11.5 | <0.001 | 0.02 | 0.29 | 3.0 | 0.4 | 0.4 | 21.2 | <0.01 | 0.02 | 1.2 |
| I314730 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314731 | | 1.78 | 21.7 | 280 | 9.8 | 10.6 | <0.001 | 0.01 | 0.41 | 3.7 | 0.4 | 0.7 | 12.1 | 0.01 | 0.04 | 3.0 |
| I314732 | | 1.35 | 18.5 | 410 | 7.8 | 9.7 | <0.001 | <0.01 | 0.26 | 2.9 | 0.2 | 0.4 | 22.0 | <0.01 | 0.02 | 2.4 |
| I314733 | | 0.88 | 15.1 | 780 | 7.2 | 7.0 | <0.001 | <0.01 | 0.28 | 2.1 | 0.3 | 0.4 | 21.4 | <0.01 | 0.02 | 0.8 |
| I314734 | | 0.58 | 8.1 | 290 | 7.9 | 7.3 | <0.001 | 0.01 | 0.19 | 1.1 | 0.2 | 0.4 | 16.8 | <0.01 | 0.02 | <0.2 |
| I314735 | | 0.75 | 7.5 | 240 | 8.3 | 8.8 | <0.001 | 0.01 | 0.17 | 1.2 | 0.2 | 0.5 | 27.8 | <0.01 | 0.02 | 0.2 |
| I314736 | | 0.41 | 9.6 | 540 | 7.2 | 9.1 | <0.001 | <0.01 | 0.12 | 0.8 | 0.2 | 0.2 | 64.7 | <0.01 | 0.01 | 0.2 |
| I314737 | | 0.64 | 11.7 | 290 | 7.9 | 6.8 | <0.001 | 0.01 | 0.31 | 1.4 | 0.3 | 0.4 | 17.8 | <0.01 | 0.02 | 0.2 |
| I314738 | | 1.50 | 19.3 | 360 | 10.6 | 11.6 | <0.001 | 0.01 | 0.48 | 3.1 | 0.3 | 0.6 | 13.8 | <0.01 | 0.03 | 3.1 |
| I314739 | | 1.40 | 17.0 | 310 | 9.0 | 12.4 | <0.001 | <0.01 | 0.38 | 2.7 | 0.3 | 0.5 | 16.9 | <0.01 | 0.03 | 2.3 |
| I314740 | | 1.19 | 14.9 | 380 | 8.6 | 12.6 | <0.001 | 0.01 | 0.32 | 2.3 | 0.3 | 0.5 | 19.6 | <0.01 | 0.03 | 2.0 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314701 | | 0.126 | 0.13 | 1.07 | 67 | 0.12 | 9.09 | 80 | 2.6 |
| I314702 | | 0.111 | 0.17 | 0.83 | 72 | 0.15 | 6.31 | 83 | 1.7 |
| I314703 | | 0.093 | 0.09 | 0.55 | 63 | 0.13 | 5.17 | 72 | 0.7 |
| I314704 | | 0.095 | 0.14 | 0.93 | 64 | 0.44 | 7.92 | 71 | 1.5 |
| I314705 | | 0.042 | 0.11 | 1.26 | 55 | 0.18 | 8.74 | 65 | <0.5 |
| I314706 | | 0.068 | 0.11 | 0.46 | 78 | 0.10 | 3.17 | 52 | <0.5 |
| I314707 | | 0.075 | 0.13 | 0.42 | 95 | 0.15 | 2.94 | 54 | 1.2 |
| I314708 | | 0.147 | 0.22 | 0.92 | 100 | 0.16 | 7.69 | 92 | 1.4 |
| I314709 | | 0.089 | 0.15 | 0.82 | 83 | 0.19 | 5.15 | 54 | 1.7 |
| I314710 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314711 | | 0.118 | 0.15 | 0.89 | 77 | 0.25 | 6.78 | 61 | 5.5 |
| I314712 | | 0.081 | 0.19 | 0.74 | 68 | 0.20 | 3.52 | 65 | 0.7 |
| I314713 | | 0.084 | 0.15 | 0.77 | 85 | 0.15 | 4.54 | 55 | 0.7 |
| I314714 | | 0.022 | 0.19 | 1.46 | 53 | 0.26 | 6.49 | 87 | <0.5 |
| I314715 | | 0.045 | 0.17 | 1.33 | 74 | 0.20 | 6.84 | 119 | <0.5 |
| I314716 | | 0.025 | 0.05 | 0.47 | 28 | 0.07 | 2.30 | 20 | <0.5 |
| I314717 | | 0.064 | 0.06 | 0.40 | 33 | 0.11 | 2.07 | 20 | 0.8 |
| I314718 | | 0.110 | 0.13 | 0.76 | 72 | 0.30 | 4.54 | 84 | 1.1 |
| I314719 | | 0.069 | 0.15 | 1.10 | 52 | 0.12 | 6.16 | 58 | 0.5 |
| I314720 | | 0.071 | 0.15 | 1.34 | 55 | 0.16 | 7.24 | 60 | 0.6 |
| I314721 | | 0.070 | 0.14 | 0.99 | 56 | 0.17 | 5.13 | 64 | 0.5 |
| I314722 | | 0.139 | 0.13 | 0.48 | 123 | 0.11 | 2.85 | 55 | 2.7 |
| I314723 | | 0.063 | 0.06 | 0.29 | 40 | 0.08 | 1.43 | 34 | <0.5 |
| I314724 | | 0.093 | 0.10 | 1.02 | 66 | 0.15 | 4.99 | 66 | 0.8 |
| I314725 | | 0.051 | 0.05 | 0.50 | 40 | 0.07 | 1.61 | 34 | <0.5 |
| I314726 | | 0.070 | 0.08 | 0.77 | 45 | 0.28 | 3.64 | 48 | 0.6 |
| I314727 | | 0.091 | 0.09 | 0.54 | 62 | 0.21 | 3.82 | 66 | 0.5 |
| I314728 | | 0.116 | 0.09 | 1.07 | 80 | 0.41 | 5.16 | 73 | 1.0 |
| I314729 | | 0.118 | 0.08 | 0.45 | 63 | 0.10 | 3.39 | 65 | 0.9 |
| I314730 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314731 | | 0.092 | 0.14 | 0.53 | 76 | 0.20 | 3.56 | 52 | 2.4 |
| I314732 | | 0.127 | 0.09 | 0.36 | 69 | 0.17 | 2.16 | 76 | 2.0 |
| I314733 | | 0.094 | 0.07 | 0.38 | 56 | 0.29 | 3.04 | 74 | 0.6 |
| I314734 | | 0.064 | 0.07 | 0.34 | 46 | 0.12 | 2.24 | 37 | <0.5 |
| I314735 | | 0.081 | 0.07 | 0.40 | 42 | 0.08 | 2.19 | 46 | <0.5 |
| I314736 | | 0.034 | 0.05 | 0.23 | 31 | 0.07 | 1.31 | 59 | <0.5 |
| I314737 | | 0.067 | 0.06 | 0.33 | 55 | 0.12 | 2.32 | 45 | <0.5 |
| I314738 | | 0.077 | 0.11 | 0.41 | 72 | 0.15 | 2.42 | 51 | 2.4 |
| I314739 | | 0.089 | 0.09 | 0.38 | 75 | 0.18 | 2.22 | 79 | 0.8 |
| I314740 | | 0.086 | 0.09 | 0.44 | 69 | 0.13 | 2.34 | 80 | <0.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314741 | | 0.44 | <0.005 | 0.07 | 2.27 | 9.8 | <0.2 | <10 | 200 | 0.44 | 0.18 | 0.13 | 0.09 | 17.20 | 6.7 | 31 |
| I314742 | | 0.44 | 0.005 | 0.07 | 1.71 | 5.3 | <0.2 | <10 | 190 | 0.26 | 0.16 | 0.13 | 0.10 | 15.80 | 7.0 | 25 |
| I314743 | | 0.44 | 0.005 | 0.04 | 1.72 | 6.1 | <0.2 | <10 | 200 | 0.30 | 0.12 | 0.27 | 0.04 | 20.1 | 6.9 | 27 |
| I314744 | | 0.44 | 0.006 | 0.04 | 2.02 | 8.3 | <0.2 | <10 | 140 | 0.31 | 0.16 | 0.11 | 0.06 | 14.30 | 6.3 | 27 |
| I314745 | | 0.54 | <0.005 | 0.04 | 1.92 | 7.4 | <0.2 | <10 | 140 | 0.26 | 0.13 | 0.10 | 0.06 | 11.45 | 5.3 | 26 |
| I314746 | | 0.44 | <0.005 | 0.02 | 1.64 | 5.7 | <0.2 | <10 | 90 | 0.20 | 0.11 | 0.08 | 0.04 | 10.55 | 3.6 | 20 |
| I314747 | | 0.42 | <0.005 | 0.06 | 2.07 | 12.2 | <0.2 | <10 | 150 | 0.29 | 0.22 | 0.08 | 0.07 | 16.40 | 5.8 | 39 |
| I314748 | | 0.40 | <0.005 | 0.10 | 2.09 | 6.0 | <0.2 | <10 | 140 | 0.25 | 0.12 | 0.18 | 0.05 | 11.55 | 9.4 | 35 |
| I314749 | | 0.48 | <0.005 | 0.05 | 1.08 | 3.5 | <0.2 | <10 | 60 | 0.14 | 0.12 | 0.05 | 0.05 | 19.15 | 2.5 | 34 |
| I314750 | | 0.30 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314751 | | 0.58 | <0.005 | 0.28 | 1.89 | 3.1 | <0.2 | <10 | 300 | 0.40 | 0.12 | 0.44 | 0.07 | 18.25 | 8.9 | 24 |
| I314752 | | 0.50 | <0.005 | 0.20 | 1.92 | 2.7 | <0.2 | <10 | 290 | 0.37 | 0.11 | 0.37 | 0.06 | 15.65 | 8.5 | 23 |
| I314753 | | 0.46 | <0.005 | 0.06 | 2.46 | 13.9 | <0.2 | <10 | 260 | 0.76 | 0.17 | 0.42 | 0.18 | 34.8 | 11.3 | 33 |
| I314754 | | 0.44 | <0.005 | 0.04 | 1.60 | 5.7 | <0.2 | <10 | 230 | 0.39 | 0.15 | 0.51 | 0.09 | 21.8 | 9.7 | 27 |
| I314755 | | 0.52 | <0.005 | 0.06 | 2.29 | 9.4 | <0.2 | <10 | 320 | 0.67 | 0.16 | 0.74 | 0.28 | 33.4 | 11.8 | 33 |
| I314756 | | 0.50 | <0.005 | 0.04 | 1.66 | 5.1 | <0.2 | <10 | 280 | 0.54 | 0.14 | 0.51 | 0.19 | 27.4 | 9.2 | 27 |
| I314757 | | 0.50 | <0.005 | 0.08 | 2.06 | 7.0 | <0.2 | <10 | 260 | 0.50 | 0.16 | 0.46 | 0.08 | 25.8 | 10.4 | 31 |
| I314758 | | 0.46 | <0.005 | 0.03 | 1.46 | 5.6 | <0.2 | <10 | 170 | 0.26 | 0.13 | 0.24 | 0.06 | 18.20 | 6.7 | 22 |
| I314759 | | 0.48 | <0.005 | 0.06 | 2.00 | 6.5 | <0.2 | <10 | 340 | 0.48 | 0.18 | 0.49 | 0.13 | 25.7 | 9.3 | 30 |
| I314760 | | 0.44 | <0.005 | 0.07 | 1.85 | 5.5 | <0.2 | <10 | 270 | 0.81 | 0.16 | 0.65 | 0.17 | 39.7 | 10.3 | 26 |
| I314761 | | 0.52 | <0.005 | 0.06 | 1.19 | 3.4 | <0.2 | <10 | 830 | 0.72 | 0.13 | 3.38 | 0.47 | 19.80 | 6.8 | 12 |
| I314762 | | 0.42 | <0.005 | 0.10 | 1.45 | 5.1 | <0.2 | <10 | 440 | 0.47 | 0.13 | 1.60 | 0.38 | 19.35 | 8.3 | 24 |
| I314763 | | 0.50 | <0.005 | 0.07 | 1.58 | 5.9 | <0.2 | <10 | 400 | 0.48 | 0.14 | 0.79 | 0.21 | 30.0 | 11.1 | 26 |
| I314764 | | 0.38 | <0.005 | 0.11 | 2.30 | 5.9 | <0.2 | <10 | 390 | 0.66 | 0.16 | 0.93 | 0.32 | 41.2 | 11.6 | 33 |
| I314765 | | 0.44 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314766 | | 0.60 | <0.005 | 0.10 | 1.52 | 7.7 | <0.2 | <10 | 310 | 0.44 | 0.14 | 1.08 | 0.21 | 27.0 | 8.8 | 25 |
| I314767 | | 0.36 | <0.005 | 0.14 | 1.46 | 5.2 | <0.2 | <10 | 440 | 0.47 | 0.15 | 0.86 | 0.29 | 24.4 | 9.2 | 22 |
| I314768 | | 0.42 | <0.005 | 0.06 | 1.51 | 5.3 | <0.2 | <10 | 330 | 0.33 | 0.15 | 0.71 | 0.23 | 21.5 | 7.9 | 26 |
| I314769 | | 0.56 | 0.008 | 0.11 | 1.66 | 6.6 | <0.2 | <10 | 340 | 0.40 | 0.16 | 0.56 | 0.16 | 23.2 | 10.0 | 27 |
| I314770 | | 0.56 | 0.005 | 0.06 | 1.50 | 7.4 | <0.2 | <10 | 260 | 0.34 | 0.14 | 0.52 | 0.15 | 22.5 | 7.9 | 25 |
| I314771 | | 0.54 | 0.005 | 0.15 | 1.99 | 8.4 | <0.2 | <10 | 350 | 0.69 | 0.18 | 0.66 | 0.35 | 40.9 | 13.4 | 33 |
| I314772 | | 0.62 | <0.005 | 0.13 | 1.77 | 10.2 | <0.2 | <10 | 350 | 0.49 | 0.17 | 0.74 | 0.13 | 29.6 | 11.3 | 31 |
| I314773 | | 0.52 | <0.005 | 0.11 | 1.37 | 8.2 | <0.2 | <10 | 300 | 0.40 | 0.15 | 0.67 | 0.25 | 27.6 | 9.5 | 25 |
| I314774 | | 0.56 | <0.005 | 0.11 | 1.58 | 8.6 | <0.2 | <10 | 290 | 0.42 | 0.17 | 0.61 | 0.13 | 32.1 | 9.1 | 30 |
| I314775 | | 0.46 | 0.006 | 0.15 | 1.45 | 7.2 | <0.2 | <10 | 390 | 0.43 | 0.16 | 0.95 | 0.16 | 26.0 | 8.2 | 25 |
| I314776 | | 0.52 | <0.005 | 0.11 | 1.54 | 10.0 | <0.2 | <10 | 340 | 0.52 | 0.16 | 0.78 | 0.20 | 29.5 | 10.6 | 29 |
| I314777 | | 0.46 | <0.005 | 0.11 | 1.59 | 7.5 | <0.2 | <10 | 330 | 0.50 | 0.16 | 0.81 | 0.60 | 30.1 | 10.2 | 28 |
| I314778 | | 0.52 | <0.005 | 0.11 | 1.53 | 8.4 | <0.2 | <10 | 320 | 0.46 | 0.17 | 0.76 | 0.45 | 29.3 | 10.1 | 27 |
| I314779 | | 0.58 | <0.005 | 0.09 | 1.66 | 7.5 | <0.2 | <10 | 390 | 0.48 | 0.17 | 0.76 | 0.23 | 27.6 | 10.0 | 27 |
| I314780 | | 0.38 | <0.005 | 0.09 | 1.53 | 6.2 | <0.2 | <10 | 380 | 0.48 | 0.16 | 0.53 | 0.33 | 26.0 | 15.0 | 25 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I314741 | | 0.95 | 11.7 | 3.47 | 7.40 | <0.05 | 0.03 | 0.02 | 0.026 | 0.06 | 7.9 | 16.8 | 0.47 | 224 | 1.01 |
| I314742 | | 0.72 | 10.1 | 2.78 | 6.58 | <0.05 | 0.02 | 0.02 | 0.020 | 0.09 | 7.5 | 13.3 | 0.40 | 787 | 0.68 |
| I314743 | | 0.60 | 17.9 | 2.51 | 4.70 | <0.05 | 0.03 | 0.02 | 0.020 | 0.04 | 9.1 | 13.0 | 0.53 | 210 | 0.39 |
| I314744 | | 0.81 | 11.2 | 3.12 | 7.07 | <0.05 | 0.02 | 0.02 | 0.024 | 0.04 | 7.0 | 17.1 | 0.49 | 220 | 1.03 |
| I314745 | | 0.64 | 9.7 | 3.03 | 6.06 | <0.05 | 0.02 | 0.02 | 0.021 | 0.04 | 5.6 | 14.2 | 0.47 | 213 | 0.87 |
| I314746 | | 0.89 | 6.5 | 2.88 | 7.88 | <0.05 | <0.02 | 0.01 | 0.017 | 0.03 | 5.0 | 13.4 | 0.43 | 154 | 0.72 |
| I314747 | | 1.03 | 12.0 | 4.36 | 7.83 | 0.05 | 0.02 | 0.02 | 0.030 | 0.04 | 7.8 | 14.5 | 0.43 | 259 | 1.22 |
| I314748 | | 2.00 | 22.7 | 3.59 | 7.21 | <0.05 | 0.02 | 0.02 | 0.019 | 0.04 | 5.7 | 17.6 | 0.87 | 300 | 0.60 |
| I314749 | | 1.55 | 7.7 | 1.63 | 7.56 | <0.05 | <0.02 | 0.01 | 0.014 | 0.06 | 8.3 | 4.0 | 0.26 | 116 | 0.61 |
| I314750 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314751 | | 0.45 | 18.2 | 3.31 | 5.88 | <0.05 | 0.04 | 0.01 | 0.027 | 0.21 | 6.8 | 13.5 | 0.61 | 611 | 1.58 |
| I314752 | | 0.37 | 15.5 | 3.22 | 5.71 | <0.05 | 0.04 | 0.01 | 0.028 | 0.16 | 5.9 | 12.8 | 0.60 | 605 | 1.41 |
| I314753 | | 0.87 | 16.0 | 2.79 | 8.05 | 0.07 | 0.14 | 0.02 | 0.032 | 0.04 | 17.4 | 19.3 | 1.30 | 610 | 0.73 |
| I314754 | | 0.43 | 14.9 | 2.53 | 5.62 | 0.06 | 0.09 | 0.01 | 0.022 | 0.06 | 10.2 | 11.1 | 0.57 | 505 | 0.54 |
| I314755 | | 0.70 | 22.5 | 2.88 | 7.45 | 0.07 | 0.08 | 0.02 | 0.030 | 0.06 | 15.9 | 13.6 | 0.97 | 1120 | 0.74 |
| I314756 | | 0.39 | 11.7 | 2.29 | 5.49 | 0.05 | 0.08 | 0.02 | 0.025 | 0.07 | 11.1 | 8.4 | 0.44 | 803 | 0.63 |
| I314757 | | 0.69 | 16.2 | 2.67 | 6.34 | 0.06 | 0.11 | 0.02 | 0.026 | 0.05 | 10.0 | 10.8 | 0.51 | 413 | 0.69 |
| I314758 | | 0.49 | 10.4 | 2.24 | 5.58 | <0.05 | 0.06 | 0.01 | 0.017 | 0.04 | 8.8 | 10.6 | 0.39 | 171 | 0.90 |
| I314759 | | 0.51 | 15.0 | 2.66 | 6.55 | 0.06 | 0.16 | 0.03 | 0.027 | 0.05 | 11.2 | 11.0 | 0.46 | 473 | 0.65 |
| I314760 | | 0.41 | 21.3 | 2.46 | 5.89 | 0.07 | 0.14 | 0.03 | 0.025 | 0.05 | 18.8 | 10.5 | 0.51 | 441 | 0.43 |
| I314761 | | 1.20 | 21.6 | 1.63 | 3.51 | 0.06 | 0.12 | 0.04 | 0.057 | 0.12 | 10.0 | 5.6 | 0.84 | 824 | 0.69 |
| I314762 | | 0.47 | 24.6 | 2.04 | 4.42 | 0.06 | 0.12 | 0.04 | 0.022 | 0.07 | 9.5 | 10.4 | 0.57 | 413 | 0.55 |
| I314763 | | 0.45 | 26.4 | 2.35 | 5.55 | 0.07 | 0.17 | 0.03 | 0.022 | 0.08 | 14.2 | 12.8 | 0.50 | 595 | 0.61 |
| I314764 | | 0.76 | 28.9 | 2.92 | 7.97 | 0.09 | 0.26 | 0.03 | 0.029 | 0.20 | 19.7 | 21.0 | 0.71 | 686 | 0.72 |
| I314765 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314766 | | 0.52 | 24.2 | 2.37 | 5.09 | 0.07 | 0.13 | 0.03 | 0.021 | 0.05 | 13.3 | 14.2 | 0.57 | 360 | 0.58 |
| I314767 | | 0.36 | 23.8 | 2.13 | 5.00 | 0.06 | 0.06 | 0.03 | 0.022 | 0.07 | 12.0 | 9.8 | 0.42 | 495 | 1.49 |
| I314768 | | 0.50 | 22.0 | 2.29 | 5.51 | 0.06 | 0.07 | 0.01 | 0.020 | 0.06 | 10.2 | 10.4 | 0.48 | 288 | 0.99 |
| I314769 | | 0.47 | 23.1 | 2.46 | 5.62 | 0.06 | 0.06 | 0.01 | 0.025 | 0.06 | 11.0 | 11.3 | 0.49 | 373 | 1.22 |
| I314770 | | 0.46 | 16.7 | 2.39 | 5.06 | 0.07 | 0.07 | 0.01 | 0.021 | 0.06 | 10.7 | 11.5 | 0.49 | 214 | 0.85 |
| I314771 | | 0.61 | 37.1 | 2.86 | 6.30 | 0.09 | 0.13 | 0.03 | 0.029 | 0.07 | 19.7 | 11.7 | 0.50 | 592 | 0.88 |
| I314772 | | 0.60 | 29.5 | 2.79 | 5.67 | 0.08 | 0.12 | 0.03 | 0.028 | 0.07 | 14.3 | 12.9 | 0.55 | 401 | 0.84 |
| I314773 | | 0.56 | 27.3 | 2.40 | 4.53 | 0.07 | 0.07 | 0.02 | 0.023 | 0.06 | 13.1 | 11.5 | 0.50 | 397 | 0.85 |
| I314774 | | 0.62 | 26.2 | 2.64 | 5.26 | 0.07 | 0.05 | 0.03 | 0.025 | 0.07 | 15.6 | 13.7 | 0.55 | 261 | 0.73 |
| I314775 | | 0.49 | 26.9 | 2.33 | 4.75 | 0.06 | 0.07 | 0.04 | 0.023 | 0.05 | 12.5 | 11.1 | 0.47 | 241 | 1.02 |
| I314776 | | 0.50 | 30.6 | 2.64 | 4.87 | 0.08 | 0.10 | 0.03 | 0.024 | 0.07 | 14.3 | 12.9 | 0.54 | 386 | 0.89 |
| I314777 | | 0.50 | 33.2 | 2.53 | 5.30 | 0.08 | 0.09 | 0.04 | 0.025 | 0.09 | 14.7 | 11.5 | 0.50 | 431 | 1.06 |
| I314778 | | 0.52 | 31.7 | 2.55 | 5.03 | 0.09 | 0.11 | 0.03 | 0.024 | 0.08 | 14.7 | 12.0 | 0.52 | 456 | 1.02 |
| I314779 | | 0.46 | 23.8 | 2.43 | 5.63 | 0.07 | 0.09 | 0.03 | 0.023 | 0.05 | 13.3 | 11.5 | 0.47 | 414 | 0.70 |
| I314780 | | 0.66 | 27.5 | 2.40 | 5.54 | 0.07 | 0.04 | 0.02 | 0.028 | 0.05 | 11.3 | 10.1 | 0.41 | 891 | 1.25 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314741 | | 1.31 | 16.4 | 1180 | 10.0 | 9.4 | <0.001 | 0.01 | 0.37 | 2.7 | 0.2 | 0.6 | 12.2 | <0.01 | 0.04 | 2.3 |
| I314742 | | 1.21 | 12.6 | 710 | 8.2 | 14.6 | <0.001 | <0.01 | 0.33 | 2.5 | 0.2 | 0.6 | 13.9 | <0.01 | 0.02 | 1.9 |
| I314743 | | 0.96 | 17.0 | 430 | 6.5 | 5.2 | <0.001 | <0.01 | 0.37 | 3.2 | 0.3 | 0.4 | 21.2 | <0.01 | 0.02 | 2.3 |
| I314744 | | 1.38 | 14.9 | 270 | 10.2 | 8.7 | <0.001 | <0.01 | 0.42 | 2.5 | 0.3 | 0.6 | 14.4 | <0.01 | 0.03 | 1.8 |
| I314745 | | 1.13 | 12.5 | 260 | 8.6 | 6.6 | <0.001 | <0.01 | 0.37 | 2.0 | 0.3 | 0.5 | 10.9 | <0.01 | 0.03 | 1.5 |
| I314746 | | 1.05 | 8.1 | 250 | 7.3 | 8.1 | <0.001 | <0.01 | 0.24 | 1.9 | 0.2 | 0.5 | 10.9 | <0.01 | 0.03 | 1.6 |
| I314747 | | 1.78 | 13.5 | 390 | 10.0 | 7.4 | <0.001 | 0.01 | 0.51 | 2.6 | 0.3 | 0.7 | 9.7 | <0.01 | 0.05 | 2.2 |
| I314748 | | 1.10 | 15.0 | 500 | 5.6 | 9.2 | <0.001 | 0.01 | 0.28 | 3.1 | 0.3 | 0.5 | 12.5 | <0.01 | 0.03 | 0.6 |
| I314749 | | 0.57 | 9.1 | 240 | 3.5 | 14.9 | <0.001 | <0.01 | 0.16 | 2.3 | 0.2 | 0.5 | 6.9 | <0.01 | 0.02 | 1.1 |
| I314750 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314751 | | 0.83 | 14.0 | 410 | 5.2 | 13.0 | <0.001 | 0.01 | 0.20 | 5.2 | 0.4 | 0.4 | 19.2 | <0.01 | 0.03 | 2.5 |
| I314752 | | 0.74 | 12.8 | 350 | 4.6 | 7.8 | <0.001 | <0.01 | 0.17 | 4.9 | 0.4 | 0.4 | 16.8 | <0.01 | 0.03 | 2.3 |
| I314753 | | 1.30 | 22.9 | 160 | 12.2 | 8.6 | <0.001 | <0.01 | 0.38 | 6.2 | 0.5 | 0.7 | 21.1 | <0.01 | 0.02 | 3.8 |
| I314754 | | 1.28 | 17.1 | 180 | 7.9 | 7.4 | <0.001 | <0.01 | 0.33 | 4.4 | 0.4 | 0.5 | 28.4 | <0.01 | 0.01 | 2.4 |
| I314755 | | 1.25 | 20.3 | 340 | 10.4 | 9.0 | <0.001 | 0.01 | 0.29 | 6.1 | 0.6 | 0.6 | 24.8 | <0.01 | 0.02 | 2.2 |
| I314756 | | 1.16 | 15.2 | 200 | 10.0 | 7.1 | <0.001 | <0.01 | 0.23 | 4.4 | 0.3 | 0.5 | 21.7 | <0.01 | 0.02 | 2.4 |
| I314757 | | 1.48 | 18.5 | 170 | 9.7 | 7.4 | <0.001 | 0.01 | 0.32 | 4.9 | 0.4 | 0.6 | 21.8 | <0.01 | 0.02 | 2.7 |
| I314758 | | 1.27 | 13.1 | 140 | 7.7 | 8.3 | <0.001 | <0.01 | 0.27 | 2.6 | 0.2 | 0.5 | 18.1 | <0.01 | 0.01 | 2.1 |
| I314759 | | 1.66 | 17.5 | 170 | 9.8 | 9.6 | <0.001 | <0.01 | 0.36 | 4.9 | 0.4 | 0.6 | 23.4 | <0.01 | 0.02 | 3.0 |
| I314760 | | 1.35 | 17.7 | 190 | 9.7 | 6.0 | <0.001 | 0.01 | 0.36 | 5.3 | 0.6 | 0.5 | 27.2 | <0.01 | 0.02 | 2.7 |
| I314761 | | 0.63 | 13.1 | 670 | 8.3 | 12.3 | 0.001 | 0.08 | 0.38 | 2.7 | 1.4 | 0.3 | 96.5 | <0.01 | 0.02 | 0.6 |
| I314762 | | 1.07 | 21.0 | 640 | 7.3 | 9.4 | 0.001 | 0.05 | 0.47 | 3.9 | 1.5 | 0.4 | 83.8 | <0.01 | 0.02 | 1.3 |
| I314763 | | 1.42 | 19.4 | 460 | 7.3 | 8.3 | 0.001 | 0.01 | 0.51 | 4.8 | 1.0 | 0.5 | 55.6 | <0.01 | 0.02 | 3.1 |
| I314764 | | 1.96 | 21.9 | 590 | 8.3 | 19.9 | <0.001 | 0.01 | 0.47 | 6.6 | 0.9 | 0.6 | 46.7 | <0.01 | 0.02 | 4.5 |
| I314765 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314766 | | 1.36 | 20.1 | 600 | 7.6 | 8.9 | <0.001 | 0.02 | 0.56 | 4.1 | 1.1 | 0.4 | 60.7 | <0.01 | 0.02 | 2.3 |
| I314767 | | 1.23 | 18.6 | 480 | 7.4 | 9.0 | 0.001 | 0.02 | 0.57 | 3.6 | 1.1 | 0.4 | 60.6 | <0.01 | 0.02 | 1.6 |
| I314768 | | 1.45 | 17.5 | 360 | 7.6 | 7.7 | <0.001 | <0.01 | 0.43 | 3.9 | 0.6 | 0.5 | 41.4 | <0.01 | 0.02 | 1.9 |
| I314769 | | 1.35 | 20.3 | 460 | 8.3 | 6.7 | <0.001 | 0.01 | 0.42 | 4.2 | 0.8 | 0.5 | 40.5 | <0.01 | 0.02 | 2.2 |
| I314770 | | 1.26 | 18.0 | 560 | 8.0 | 6.9 | <0.001 | <0.01 | 0.39 | 3.9 | 0.6 | 0.4 | 35.0 | <0.01 | 0.02 | 2.5 |
| I314771 | | 1.35 | 27.3 | 550 | 9.8 | 9.6 | 0.001 | 0.01 | 0.57 | 6.4 | 0.9 | 0.6 | 52.4 | <0.01 | 0.02 | 2.9 |
| I314772 | | 1.36 | 23.3 | 590 | 8.8 | 8.4 | <0.001 | 0.01 | 0.54 | 5.4 | 0.7 | 0.5 | 42.9 | <0.01 | 0.02 | 2.9 |
| I314773 | | 1.17 | 23.6 | 770 | 7.8 | 7.3 | 0.001 | 0.01 | 0.51 | 4.1 | 0.7 | 0.4 | 45.8 | <0.01 | 0.01 | 2.3 |
| I314774 | | 1.30 | 23.7 | 730 | 9.2 | 8.7 | <0.001 | 0.01 | 0.53 | 4.8 | 0.6 | 0.5 | 38.9 | <0.01 | 0.02 | 3.1 |
| I314775 | | 1.26 | 22.1 | 610 | 7.8 | 6.5 | 0.001 | 0.03 | 0.55 | 4.2 | 1.3 | 0.4 | 61.6 | <0.01 | 0.03 | 1.9 |
| I314776 | | 1.34 | 27.5 | 660 | 8.6 | 7.2 | 0.001 | 0.01 | 0.62 | 4.8 | 0.9 | 0.5 | 51.2 | <0.01 | 0.03 | 2.9 |
| I314777 | | 1.51 | 25.1 | 620 | 7.9 | 9.6 | 0.001 | 0.02 | 0.54 | 5.0 | 1.3 | 0.5 | 54.1 | <0.01 | 0.02 | 2.4 |
| I314778 | | 1.50 | 25.9 | 650 | 8.1 | 9.1 | 0.001 | 0.01 | 0.60 | 4.9 | 1.1 | 0.5 | 51.3 | <0.01 | 0.02 | 2.7 |
| I314779 | | 1.29 | 19.7 | 460 | 8.5 | 6.9 | 0.001 | <0.01 | 0.46 | 4.7 | 1.0 | 0.5 | 54.6 | <0.01 | 0.02 | 2.5 |
| I314780 | | 1.14 | 19.2 | 540 | 8.8 | 7.7 | <0.001 | <0.01 | 0.42 | 3.8 | 0.8 | 0.5 | 37.9 | <0.01 | 0.03 | 1.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314741 | | 0.086 | 0.09 | 0.34 | 80 | 0.25 | 2.26 | 62 | 1.2 |
| I314742 | | 0.086 | 0.09 | 0.29 | 63 | 0.13 | 2.00 | 72 | 0.9 |
| I314743 | | 0.084 | 0.06 | 0.48 | 53 | 0.12 | 4.33 | 44 | 1.2 |
| I314744 | | 0.079 | 0.09 | 0.34 | 68 | 0.16 | 1.90 | 54 | 0.7 |
| I314745 | | 0.072 | 0.07 | 0.27 | 66 | 0.13 | 1.50 | 53 | 0.6 |
| I314746 | | 0.065 | 0.08 | 0.23 | 65 | 0.10 | 1.26 | 52 | 0.7 |
| I314747 | | 0.096 | 0.12 | 0.37 | 90 | 0.20 | 2.01 | 51 | 1.1 |
| I314748 | | 0.144 | 0.10 | 0.37 | 89 | 0.13 | 2.53 | 37 | 0.7 |
| I314749 | | 0.036 | 0.10 | 0.29 | 43 | 0.10 | 3.78 | 20 | <0.5 |
| I314750 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314751 | | 0.074 | 0.07 | 0.29 | 65 | 0.09 | 4.86 | 59 | 1.5 |
| I314752 | | 0.067 | 0.06 | 0.26 | 63 | 0.08 | 4.31 | 57 | 1.4 |
| I314753 | | 0.062 | 0.11 | 0.48 | 66 | 0.23 | 11.85 | 51 | 5.4 |
| I314754 | | 0.070 | 0.07 | 0.42 | 61 | 0.15 | 5.00 | 39 | 2.9 |
| I314755 | | 0.056 | 0.08 | 0.39 | 66 | 0.17 | 10.40 | 64 | 2.4 |
| I314756 | | 0.036 | 0.07 | 0.43 | 50 | 0.15 | 5.77 | 44 | 2.7 |
| I314757 | | 0.062 | 0.08 | 0.37 | 62 | 0.19 | 3.76 | 46 | 3.8 |
| I314758 | | 0.059 | 0.07 | 0.29 | 56 | 0.13 | 1.95 | 40 | 2.0 |
| I314759 | | 0.070 | 0.08 | 0.54 | 63 | 0.18 | 5.12 | 43 | 5.8 |
| I314760 | | 0.061 | 0.06 | 0.54 | 59 | 0.13 | 13.20 | 43 | 4.5 |
| I314761 | | 0.016 | 0.07 | 2.33 | 33 | 0.09 | 10.45 | 33 | 4.3 |
| I314762 | | 0.049 | 0.06 | 2.16 | 40 | 0.13 | 7.78 | 44 | 4.3 |
| I314763 | | 0.077 | 0.06 | 1.47 | 50 | 0.12 | 10.20 | 53 | 6.2 |
| I314764 | | 0.108 | 0.11 | 1.12 | 65 | 0.13 | 16.15 | 75 | 10.5 |
| I314765 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314766 | | 0.069 | 0.06 | 1.47 | 48 | 0.26 | 9.09 | 54 | 4.5 |
| I314767 | | 0.062 | 0.04 | 2.17 | 49 | 0.22 | 7.84 | 42 | 2.0 |
| I314768 | | 0.075 | 0.06 | 0.70 | 51 | 0.21 | 4.77 | 51 | 2.4 |
| I314769 | | 0.068 | 0.07 | 0.86 | 57 | 0.23 | 6.16 | 45 | 2.2 |
| I314770 | | 0.069 | 0.05 | 0.57 | 52 | 0.21 | 5.21 | 44 | 2.6 |
| I314771 | | 0.080 | 0.06 | 1.09 | 62 | 0.12 | 14.55 | 54 | 4.7 |
| I314772 | | 0.086 | 0.06 | 1.12 | 63 | 0.17 | 10.50 | 53 | 4.5 |
| I314773 | | 0.064 | 0.07 | 0.82 | 47 | 0.16 | 9.05 | 50 | 2.5 |
| I314774 | | 0.075 | 0.08 | 0.69 | 53 | 0.22 | 9.69 | 57 | 2.0 |
| I314775 | | 0.065 | 0.05 | 3.21 | 47 | 0.15 | 9.29 | 45 | 2.7 |
| I314776 | | 0.079 | 0.06 | 0.92 | 55 | 0.26 | 10.85 | 55 | 3.7 |
| I314777 | | 0.082 | 0.06 | 0.88 | 52 | 0.48 | 11.00 | 59 | 3.7 |
| I314778 | | 0.082 | 0.06 | 0.79 | 53 | 0.32 | 10.80 | 58 | 4.1 |
| I314779 | | 0.071 | 0.06 | 2.13 | 57 | 0.13 | 9.06 | 41 | 3.4 |
| I314780 | | 0.060 | 0.07 | 0.82 | 55 | 0.16 | 6.40 | 51 | 1.2 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314781 | | 0.56 | <0.005 | 0.11 | 1.60 | 7.9 | <0.2 | <10 | 350 | 0.45 | 0.15 | 0.63 | 0.19 | 27.7 | 9.4 | 27 |
| I314782 | | 0.44 | <0.005 | 0.08 | 1.34 | 5.7 | <0.2 | <10 | 270 | 0.36 | 0.13 | 0.53 | 0.14 | 24.3 | 8.2 | 24 |
| I314783 | | 0.40 | <0.005 | 0.07 | 1.57 | 6.7 | <0.2 | <10 | 260 | 0.40 | 0.14 | 0.62 | 0.14 | 22.7 | 9.1 | 37 |
| I314784 | | 0.42 | <0.005 | 0.09 | 1.41 | 4.0 | <0.2 | <10 | 150 | 0.22 | 0.13 | 0.21 | 0.05 | 12.20 | 8.0 | 49 |
| I314785 | | 0.34 | <0.005 | 0.14 | 0.68 | 2.8 | <0.2 | <10 | 150 | 0.11 | 0.15 | 0.16 | 0.05 | 12.50 | 4.0 | 14 |
| I314786 | | 0.50 | <0.005 | 0.07 | 1.43 | 4.7 | <0.2 | <10 | 120 | 0.20 | 0.12 | 0.18 | 0.04 | 13.30 | 6.2 | 21 |
| I314787 | | 0.52 | <0.005 | 0.06 | 1.93 | 5.0 | <0.2 | <10 | 160 | 0.28 | 0.12 | 0.14 | 0.04 | 7.13 | 6.2 | 17 |
| I314788 | | 0.30 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314789 | | 0.36 | <0.005 | 0.04 | 1.85 | 9.3 | <0.2 | <10 | 150 | 0.24 | 0.14 | 0.23 | 0.06 | 16.25 | 7.5 | 29 |
| I314790 | | 0.50 | <0.005 | 0.10 | 1.22 | 4.1 | <0.2 | <10 | 140 | 0.22 | 0.14 | 0.20 | 0.08 | 16.20 | 4.2 | 21 |
| I314791 | | 0.50 | <0.005 | 0.06 | 1.82 | 4.4 | <0.2 | <10 | 240 | 0.32 | 0.12 | 0.55 | 0.19 | 21.0 | 8.2 | 42 |
| I314792 | | 0.50 | <0.005 | 0.07 | 1.84 | 5.9 | <0.2 | <10 | 270 | 0.41 | 0.14 | 0.68 | 0.22 | 22.7 | 11.9 | 43 |
| I314793 | | 0.48 | <0.005 | 0.11 | 1.77 | 8.1 | <0.2 | <10 | 320 | 0.49 | 0.15 | 0.90 | 0.22 | 24.7 | 10.3 | 29 |
| I314794 | | 0.50 | <0.005 | 0.03 | 2.32 | 3.3 | <0.2 | <10 | 300 | 0.25 | 0.07 | 0.23 | 0.06 | 7.10 | 15.5 | 15 |
| I314795 | | 0.60 | <0.005 | 0.11 | 1.90 | 10.2 | <0.2 | <10 | 190 | 0.26 | 0.13 | 0.21 | 0.05 | 19.55 | 7.6 | 27 |
| I314796 | | 0.50 | <0.005 | 0.08 | 1.51 | 8.4 | <0.2 | <10 | 140 | 0.21 | 0.13 | 0.14 | 0.04 | 12.80 | 6.0 | 21 |
| I314797 | | 0.58 | <0.005 | 0.09 | 2.20 | 8.1 | <0.2 | <10 | 220 | 0.35 | 0.14 | 0.32 | 0.04 | 17.85 | 9.9 | 32 |
| I314798 | | 0.60 | <0.005 | 0.05 | 1.51 | 5.5 | <0.2 | <10 | 290 | 0.34 | 0.14 | 0.64 | 0.24 | 22.4 | 7.9 | 24 |
| I314799 | | 0.54 | <0.005 | 0.10 | 1.28 | 5.4 | <0.2 | <10 | 280 | 0.30 | 0.14 | 0.42 | 0.26 | 19.40 | 9.5 | 23 |
| I314800 | | 0.56 | 0.013 | 0.11 | 1.38 | 5.8 | <0.2 | <10 | 320 | 0.29 | 0.14 | 0.46 | 0.26 | 20.5 | 7.2 | 23 |
| I314801 | | 0.34 | <0.005 | 0.05 | 1.73 | 21.6 | <0.2 | <10 | 150 | 0.42 | 0.15 | 0.23 | 0.05 | 22.9 | 6.7 | 26 |
| I314802 | | 0.32 | <0.005 | 0.02 | 2.06 | 7.7 | <0.2 | <10 | 210 | 0.50 | 0.17 | 0.21 | 0.05 | 33.4 | 8.6 | 29 |
| I314803 | | 0.24 | <0.005 | 0.09 | 1.41 | 7.2 | <0.2 | <10 | 110 | 0.26 | 0.25 | 0.24 | 0.13 | 13.25 | 8.5 | 27 |
| I314804 | | 0.36 | <0.005 | 0.05 | 1.41 | 5.1 | <0.2 | <10 | 210 | 0.31 | 0.12 | 0.29 | 0.06 | 22.7 | 7.3 | 27 |
| I314805 | | 0.28 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314806 | | 0.24 | <0.005 | 0.07 | 1.11 | 4.5 | <0.2 | <10 | 100 | 0.55 | 0.22 | 0.31 | 0.08 | 29.1 | 5.4 | 19 |
| I314807 | | 0.22 | <0.005 | 0.02 | 0.79 | 3.5 | <0.2 | <10 | 100 | 0.28 | 0.21 | 0.13 | 0.12 | 27.9 | 3.5 | 14 |
| I314808 | | 0.36 | <0.005 | 0.04 | 2.00 | 9.2 | <0.2 | <10 | 170 | 0.26 | 0.14 | 0.28 | 0.06 | 13.60 | 11.9 | 35 |
| I314809 | | 0.26 | <0.005 | 0.09 | 1.27 | 4.5 | <0.2 | <10 | 160 | 0.68 | 0.14 | 0.37 | 0.05 | 29.7 | 8.1 | 25 |
| I314810 | | 0.26 | <0.005 | 0.09 | 1.00 | 3.5 | <0.2 | <10 | 220 | 0.40 | 0.14 | 0.25 | 0.05 | 17.80 | 6.7 | 20 |
| I314811 | | 0.28 | <0.005 | 0.09 | 1.46 | 4.4 | <0.2 | <10 | 130 | 0.61 | 0.18 | 0.26 | 0.06 | 32.4 | 8.0 | 28 |
| I314812 | | 0.22 | <0.005 | 0.06 | 1.58 | 6.7 | <0.2 | <10 | 200 | 0.55 | 0.15 | 0.64 | 0.07 | 36.3 | 10.1 | 31 |
| I314813 | | 0.32 | <0.005 | 0.09 | 1.25 | 4.5 | <0.2 | <10 | 180 | 0.57 | 0.11 | 0.72 | 0.08 | 34.4 | 7.5 | 23 |
| I314814 | | 0.34 | <0.005 | 0.11 | 1.41 | 4.1 | <0.2 | <10 | 200 | 0.53 | 0.14 | 0.55 | 0.10 | 35.3 | 6.5 | 23 |
| I314815 | | 0.34 | 0.018 | 0.09 | 1.47 | 3.1 | <0.2 | <10 | 330 | 0.56 | 0.35 | 1.58 | 0.11 | 45.3 | 10.7 | 28 |
| I314816 | | 0.28 | <0.005 | 0.09 | 1.44 | 2.9 | <0.2 | <10 | 310 | 0.59 | 0.35 | 1.57 | 0.12 | 41.7 | 10.1 | 28 |
| I314817 | | 0.28 | <0.005 | 0.05 | 1.87 | 3.9 | <0.2 | <10 | 240 | 0.25 | 0.13 | 0.63 | 0.08 | 14.75 | 11.0 | 38 |
| I314818 | | 0.28 | <0.005 | 0.08 | 2.11 | 5.5 | <0.2 | <10 | 200 | 0.30 | 0.14 | 0.49 | 0.11 | 15.05 | 11.6 | 69 |
| I314819 | | 0.20 | <0.005 | 0.15 | 1.97 | 4.8 | <0.2 | <10 | 590 | 0.48 | 0.29 | 0.45 | 0.09 | 23.6 | 11.5 | 37 |
| I314820 | | 0.26 | <0.005 | 0.03 | 1.50 | 5.0 | <0.2 | <10 | 150 | 0.34 | 0.11 | 0.31 | 0.05 | 18.70 | 8.2 | 26 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I314781 | | 0.55 | 25.2 | 2.53 | 5.32 | 0.07 | 0.14 | 0.02 | 0.024 | 0.06 | 13.3 | 13.0 | 0.50 | 267 | 0.64 | 0.02 |
| I314782 | | 0.57 | 22.1 | 2.07 | 4.62 | 0.06 | 0.05 | 0.03 | 0.019 | 0.05 | 11.8 | 10.0 | 0.42 | 334 | 1.08 | 0.02 |
| I314783 | | 0.65 | 22.5 | 2.57 | 5.52 | 0.08 | 0.15 | 0.02 | 0.022 | 0.08 | 11.1 | 14.0 | 0.66 | 262 | 0.71 | 0.02 |
| I314784 | | 0.93 | 15.1 | 2.52 | 8.63 | 0.06 | 0.05 | 0.01 | 0.016 | 0.12 | 6.2 | 7.3 | 0.73 | 258 | 1.04 | 0.02 |
| I314785 | | 0.50 | 9.4 | 1.39 | 5.24 | <0.05 | <0.02 | 0.02 | 0.011 | 0.08 | 6.1 | 3.4 | 0.20 | 358 | 0.89 | 0.01 |
| I314786 | | 0.79 | 12.8 | 2.38 | 7.38 | 0.05 | 0.02 | 0.01 | 0.015 | 0.04 | 6.4 | 10.0 | 0.52 | 247 | 0.58 | 0.01 |
| I314787 | | 1.43 | 27.4 | 3.32 | 9.30 | 0.06 | 0.03 | 0.01 | 0.027 | 0.31 | 3.5 | 13.0 | 0.70 | 303 | 0.71 | 0.01 |
| I314788 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314789 | | 0.79 | 17.1 | 3.29 | 6.72 | 0.06 | 0.05 | 0.02 | 0.021 | 0.07 | 8.4 | 16.6 | 0.59 | 230 | 0.64 | 0.01 |
| I314790 | | 0.68 | 12.5 | 1.76 | 6.70 | 0.05 | 0.04 | 0.03 | 0.015 | 0.06 | 8.2 | 6.5 | 0.30 | 140 | 0.80 | 0.01 |
| I314791 | | 0.62 | 19.0 | 2.57 | 6.45 | 0.06 | 0.06 | 0.03 | 0.023 | 0.07 | 10.5 | 11.9 | 0.64 | 216 | 0.66 | 0.02 |
| I314792 | | 0.57 | 21.3 | 2.70 | 6.64 | 0.06 | 0.10 | 0.02 | 0.025 | 0.06 | 11.2 | 12.5 | 0.64 | 393 | 1.15 | 0.02 |
| I314793 | | 0.41 | 28.6 | 2.61 | 5.71 | 0.07 | 0.11 | 0.03 | 0.026 | 0.05 | 12.5 | 12.9 | 0.64 | 390 | 0.54 | 0.02 |
| I314794 | | 1.34 | 22.2 | 3.34 | 8.44 | 0.07 | 0.03 | 0.01 | 0.011 | 0.48 | 3.6 | 19.8 | 1.51 | 258 | 0.50 | 0.01 |
| I314795 | | 0.60 | 14.9 | 2.40 | 6.14 | 0.05 | 0.05 | 0.02 | 0.022 | 0.04 | 10.5 | 13.1 | 0.45 | 160 | 0.63 | 0.01 |
| I314796 | | 0.56 | 18.8 | 2.42 | 6.57 | 0.05 | 0.04 | 0.02 | 0.017 | 0.05 | 6.4 | 9.2 | 0.37 | 189 | 0.75 | 0.01 |
| I314797 | | 0.75 | 19.4 | 3.20 | 7.90 | 0.07 | 0.10 | 0.02 | 0.023 | 0.07 | 9.3 | 15.5 | 0.75 | 273 | 0.64 | 0.02 |
| I314798 | | 0.38 | 19.4 | 2.23 | 5.04 | 0.06 | 0.09 | 0.03 | 0.020 | 0.07 | 11.3 | 11.0 | 0.49 | 360 | 0.72 | 0.02 |
| I314799 | | 0.46 | 17.8 | 2.15 | 4.85 | 0.05 | 0.06 | 0.02 | 0.020 | 0.05 | 9.7 | 8.0 | 0.39 | 585 | 1.23 | 0.02 |
| I314800 | | 0.56 | 18.6 | 2.08 | 5.24 | 0.06 | 0.07 | 0.03 | 0.022 | 0.05 | 10.4 | 9.7 | 0.42 | 412 | 1.16 | 0.02 |
| I314801 | | 1.38 | 16.6 | 3.09 | 7.12 | 0.06 | 0.02 | 0.01 | 0.021 | 0.08 | 8.0 | 13.9 | 0.41 | 190 | 1.11 | 0.01 |
| I314802 | | 1.16 | 14.2 | 3.06 | 6.28 | 0.06 | 0.08 | 0.01 | 0.035 | 0.05 | 11.1 | 12.0 | 0.38 | 293 | 1.34 | 0.01 |
| I314803 | | 1.02 | 11.7 | 3.06 | 8.36 | 0.05 | 0.03 | 0.02 | 0.020 | 0.07 | 6.7 | 10.1 | 0.34 | 497 | 1.51 | 0.01 |
| I314804 | | 1.20 | 12.9 | 2.55 | 5.07 | 0.06 | 0.05 | 0.01 | 0.025 | 0.06 | 11.2 | 9.9 | 0.38 | 167 | 0.95 | 0.01 |
| I314805 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314806 | | 1.05 | 15.1 | 1.83 | 4.96 | 0.06 | 0.08 | 0.02 | 0.018 | 0.09 | 27.2 | 6.3 | 0.28 | 161 | 1.06 | 0.01 |
| I314807 | | 1.37 | 7.9 | 1.29 | 3.67 | 0.06 | 0.02 | 0.01 | 0.012 | 0.05 | 30.3 | 3.7 | 0.16 | 259 | 0.64 | 0.01 |
| I314808 | | 0.64 | 16.3 | 3.09 | 6.94 | 0.05 | 0.09 | 0.01 | 0.025 | 0.06 | 6.9 | 13.9 | 0.50 | 369 | 1.21 | 0.01 |
| I314809 | | 1.34 | 14.4 | 2.27 | 5.05 | 0.09 | 0.14 | 0.01 | 0.024 | 0.12 | 33.8 | 8.5 | 0.40 | 602 | 0.93 | 0.02 |
| I314810 | | 0.64 | 9.4 | 2.11 | 3.87 | <0.05 | 0.09 | 0.01 | 0.021 | 0.11 | 8.1 | 7.6 | 0.27 | 717 | 1.04 | 0.02 |
| I314811 | | 0.74 | 13.8 | 2.48 | 5.34 | 0.08 | 0.14 | 0.01 | 0.023 | 0.08 | 40.8 | 9.5 | 0.41 | 318 | 1.07 | 0.02 |
| I314812 | | 0.30 | 18.0 | 2.69 | 5.38 | 0.07 | 0.16 | 0.02 | 0.024 | 0.14 | 15.9 | 12.2 | 0.53 | 383 | 0.72 | 0.03 |
| I314813 | | 1.23 | 15.5 | 1.95 | 4.80 | 0.06 | 0.04 | 0.03 | 0.020 | 0.09 | 19.8 | 9.5 | 0.41 | 241 | 0.93 | 0.02 |
| I314814 | | 0.60 | 16.8 | 2.14 | 5.23 | 0.06 | 0.07 | 0.02 | 0.021 | 0.11 | 21.2 | 10.0 | 0.40 | 213 | 0.93 | 0.02 |
| I314815 | | 0.67 | 19.4 | 2.28 | 5.02 | 0.08 | 0.09 | 0.03 | 0.023 | 0.08 | 26.9 | 9.2 | 0.54 | 427 | 0.75 | 0.03 |
| I314816 | | 0.57 | 18.5 | 2.22 | 4.95 | 0.07 | 0.09 | 0.05 | 0.049 | 0.08 | 25.6 | 9.1 | 0.54 | 381 | 0.69 | 0.02 |
| I314817 | | 0.30 | 28.5 | 2.68 | 6.13 | 0.05 | 0.12 | 0.02 | 0.023 | 0.06 | 7.6 | 10.9 | 0.74 | 289 | 0.65 | 0.02 |
| I314818 | | 0.30 | 24.6 | 3.08 | 8.13 | 0.05 | 0.05 | 0.03 | 0.023 | 0.07 | 8.3 | 11.3 | 0.87 | 354 | 1.29 | 0.02 |
| I314819 | | 0.47 | 15.3 | 2.94 | 7.18 | 0.06 | 0.04 | 0.02 | 0.026 | 0.08 | 12.9 | 11.8 | 0.57 | 744 | 1.30 | 0.02 |
| I314820 | | 0.57 | 14.5 | 2.28 | 5.40 | 0.05 | 0.04 | 0.02 | 0.020 | 0.08 | 10.0 | 10.9 | 0.43 | 397 | 0.96 | 0.02 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314781 | | 1.41 | 23.4 | 540 | 8.3 | 8.3 | <0.001 | <0.01 | 0.50 | 4.6 | 0.7 | 0.5 | 40.5 | <0.01 | 0.02 | 3.3 |
| I314782 | | 1.15 | 18.0 | 580 | 6.5 | 9.0 | <0.001 | 0.01 | 0.42 | 3.7 | 0.7 | 0.4 | 38.5 | <0.01 | 0.01 | 2.0 |
| I314783 | | 1.49 | 25.1 | 740 | 6.7 | 8.8 | <0.001 | <0.01 | 0.47 | 4.6 | 0.6 | 0.5 | 38.5 | <0.01 | 0.02 | 3.0 |
| I314784 | | 2.00 | 23.5 | 350 | 6.3 | 19.1 | <0.001 | <0.01 | 0.26 | 3.0 | 0.3 | 0.5 | 18.0 | <0.01 | 0.01 | 1.3 |
| I314785 | | 0.97 | 7.7 | 270 | 5.8 | 10.0 | <0.001 | <0.01 | 0.22 | 2.0 | 0.2 | 0.5 | 14.2 | <0.01 | 0.01 | 0.7 |
| I314786 | | 1.15 | 10.7 | 360 | 7.1 | 8.3 | <0.001 | <0.01 | 0.26 | 2.9 | 0.3 | 0.5 | 16.4 | <0.01 | 0.02 | 0.8 |
| I314787 | | 1.22 | 9.4 | 280 | 4.7 | 30.0 | <0.001 | <0.01 | 0.28 | 6.4 | 0.5 | 0.6 | 12.7 | <0.01 | 0.02 | 1.0 |
| I314788 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314789 | | 1.72 | 18.9 | 480 | 8.9 | 9.1 | <0.001 | 0.01 | 0.41 | 3.4 | 0.4 | 0.5 | 17.8 | <0.01 | 0.03 | 2.2 |
| I314790 | | 1.59 | 12.2 | 400 | 8.4 | 13.1 | <0.001 | 0.01 | 0.25 | 2.4 | 0.3 | 0.7 | 16.5 | <0.01 | 0.02 | 1.1 |
| I314791 | | 1.67 | 23.9 | 560 | 6.5 | 9.9 | <0.001 | 0.01 | 0.34 | 4.1 | 0.4 | 0.5 | 30.6 | <0.01 | 0.02 | 1.8 |
| I314792 | | 1.75 | 25.1 | 520 | 7.8 | 9.9 | <0.001 | 0.01 | 0.45 | 4.6 | 0.8 | 0.5 | 39.7 | <0.01 | 0.03 | 2.5 |
| I314793 | | 1.40 | 22.2 | 590 | 7.9 | 8.0 | <0.001 | 0.02 | 0.50 | 4.7 | 1.0 | 0.5 | 42.9 | <0.01 | 0.03 | 2.0 |
| I314794 | | 2.09 | 10.6 | 620 | 3.9 | 30.0 | <0.001 | <0.01 | 0.17 | 2.8 | 0.3 | 0.4 | 19.3 | <0.01 | 0.02 | 0.8 |
| I314795 | | 1.39 | 14.8 | 190 | 7.2 | 7.4 | <0.001 | <0.01 | 0.33 | 3.2 | 0.4 | 0.5 | 15.8 | <0.01 | 0.02 | 2.3 |
| I314796 | | 1.53 | 13.8 | 230 | 6.8 | 8.4 | <0.001 | 0.01 | 0.40 | 2.5 | 0.3 | 0.5 | 14.2 | <0.01 | 0.02 | 1.7 |
| I314797 | | 2.15 | 18.3 | 450 | 7.7 | 11.8 | <0.001 | 0.01 | 0.39 | 4.1 | 0.4 | 0.6 | 21.7 | <0.01 | 0.02 | 2.7 |
| I314798 | | 1.49 | 17.7 | 520 | 6.7 | 9.0 | <0.001 | 0.01 | 0.46 | 4.0 | 0.8 | 0.4 | 41.2 | <0.01 | 0.03 | 2.5 |
| I314799 | | 1.20 | 15.5 | 490 | 7.7 | 9.4 | <0.001 | 0.01 | 0.34 | 3.2 | 0.5 | 0.4 | 28.0 | <0.01 | 0.02 | 2.3 |
| I314800 | | 1.32 | 16.3 | 520 | 7.1 | 8.7 | <0.001 | 0.01 | 0.33 | 3.4 | 0.5 | 0.5 | 32.9 | <0.01 | 0.02 | 2.4 |
| I314801 | | 1.22 | 12.1 | 260 | 14.8 | 14.5 | <0.001 | 0.01 | 0.33 | 3.2 | 0.3 | 0.6 | 23.0 | <0.01 | 0.02 | 1.4 |
| I314802 | | 1.12 | 19.6 | 310 | 20.9 | 9.4 | <0.001 | 0.01 | 0.33 | 3.8 | 0.3 | 1.0 | 18.4 | <0.01 | 0.02 | 9.4 |
| I314803 | | 1.48 | 12.6 | 670 | 11.4 | 17.5 | <0.001 | 0.01 | 0.38 | 2.1 | 0.3 | 0.9 | 20.8 | <0.01 | 0.03 | 1.4 |
| I314804 | | 0.94 | 16.1 | 530 | 7.6 | 10.5 | <0.001 | <0.01 | 0.21 | 3.7 | 0.3 | 0.6 | 20.0 | <0.01 | 0.02 | 3.2 |
| I314805 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314806 | | 1.29 | 11.9 | 180 | 18.6 | 14.4 | <0.001 | 0.01 | 0.26 | 2.7 | 0.4 | 0.7 | 25.3 | <0.01 | 0.02 | 8.4 |
| I314807 | | 0.63 | 7.8 | 350 | 20.7 | 9.6 | <0.001 | 0.01 | 0.22 | 1.3 | 0.3 | 0.5 | 16.3 | <0.01 | 0.01 | 1.9 |
| I314808 | | 1.49 | 22.8 | 200 | 8.3 | 7.3 | <0.001 | 0.01 | 0.44 | 3.3 | 0.2 | 0.6 | 22.1 | <0.01 | 0.02 | 2.4 |
| I314809 | | 1.33 | 14.8 | 160 | 8.5 | 10.8 | <0.001 | 0.01 | 0.27 | 4.2 | 0.5 | 1.0 | 27.9 | <0.01 | 0.02 | 10.4 |
| I314810 | | 1.13 | 11.0 | 110 | 10.2 | 12.5 | <0.001 | 0.01 | 0.31 | 2.6 | 0.2 | 0.8 | 21.0 | <0.01 | 0.01 | 5.0 |
| I314811 | | 1.25 | 15.0 | 120 | 9.0 | 7.9 | <0.001 | 0.01 | 0.33 | 3.7 | 0.3 | 0.7 | 20.6 | <0.01 | 0.02 | 7.6 |
| I314812 | | 2.08 | 19.4 | 310 | 10.9 | 12.2 | <0.001 | 0.01 | 0.33 | 5.1 | 0.4 | 0.6 | 43.4 | <0.01 | 0.02 | 6.8 |
| I314813 | | 1.11 | 14.6 | 520 | 11.3 | 12.4 | <0.001 | 0.03 | 0.28 | 3.9 | 0.5 | 0.6 | 50.6 | <0.01 | 0.01 | 3.3 |
| I314814 | | 1.54 | 14.0 | 360 | 11.1 | 13.8 | <0.001 | 0.01 | 0.24 | 3.7 | 0.4 | 0.5 | 47.1 | <0.01 | 0.02 | 5.7 |
| I314815 | | 1.14 | 14.6 | 490 | 29.6 | 11.4 | <0.001 | 0.05 | 0.32 | 4.9 | 1.0 | 0.5 | 157.0 | 0.01 | 0.02 | 4.0 |
| I314816 | | 1.12 | 14.4 | 500 | 28.0 | 10.6 | <0.001 | 0.05 | 0.32 | 4.8 | 0.8 | 0.5 | 158.5 | <0.01 | 0.02 | 3.7 |
| I314817 | | 1.45 | 19.6 | 230 | 6.8 | 7.2 | <0.001 | 0.01 | 0.26 | 5.2 | 0.3 | 0.5 | 34.1 | <0.01 | 0.01 | 2.1 |
| I314818 | | 1.86 | 35.5 | 310 | 7.4 | 7.5 | <0.001 | 0.02 | 0.30 | 4.1 | 0.4 | 0.6 | 27.9 | <0.01 | 0.03 | 1.8 |
| I314819 | | 1.29 | 18.3 | 310 | 34.1 | 7.6 | <0.001 | 0.01 | 0.31 | 4.0 | 0.3 | 0.7 | 68.9 | <0.01 | 0.02 | 3.0 |
| I314820 | | 1.59 | 15.3 | 380 | 10.7 | 10.1 | <0.001 | 0.01 | 0.24 | 3.2 | 0.3 | 0.6 | 26.4 | <0.01 | 0.01 | 3.8 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314781 | | 0.076 | 0.07 | 0.78 | 53 | 0.14 | 8.65 | 53 | 5.6 |
| I314782 | | 0.062 | 0.06 | 0.84 | 44 | 0.19 | 6.67 | 40 | 1.6 |
| I314783 | | 0.100 | 0.07 | 0.51 | 56 | 0.20 | 6.30 | 53 | 5.3 |
| I314784 | | 0.157 | 0.09 | 0.26 | 69 | 0.19 | 2.04 | 43 | 1.8 |
| I314785 | | 0.080 | 0.08 | 0.23 | 43 | 0.13 | 1.66 | 21 | 0.5 |
| I314786 | | 0.103 | 0.10 | 0.26 | 69 | 0.18 | 1.91 | 37 | 0.8 |
| I314787 | | 0.144 | 0.15 | 0.37 | 88 | 0.16 | 4.68 | 52 | 1.2 |
| I314788 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314789 | | 0.104 | 0.10 | 0.36 | 72 | 0.25 | 2.90 | 45 | 2.0 |
| I314790 | | 0.105 | 0.08 | 0.33 | 48 | 0.20 | 2.73 | 28 | 1.4 |
| I314791 | | 0.114 | 0.07 | 0.53 | 57 | 0.31 | 4.73 | 47 | 2.7 |
| I314792 | | 0.096 | 0.07 | 1.02 | 63 | 0.15 | 5.30 | 47 | 3.8 |
| I314793 | | 0.080 | 0.05 | 1.35 | 59 | 0.15 | 8.66 | 51 | 4.5 |
| I314794 | | 0.235 | 0.09 | 0.21 | 94 | 0.12 | 1.42 | 58 | 1.3 |
| I314795 | | 0.073 | 0.08 | 0.32 | 59 | 0.16 | 3.21 | 32 | 2.0 |
| I314796 | | 0.079 | 0.06 | 0.30 | 60 | 0.17 | 1.94 | 35 | 1.5 |
| I314797 | | 0.133 | 0.08 | 0.62 | 73 | 0.18 | 3.43 | 52 | 4.6 |
| I314798 | | 0.089 | 0.04 | 1.03 | 46 | 0.23 | 6.40 | 47 | 4.2 |
| I314799 | | 0.061 | 0.06 | 0.70 | 49 | 0.18 | 4.55 | 42 | 2.4 |
| I314800 | | 0.064 | 0.06 | 0.69 | 47 | 0.18 | 4.91 | 51 | 2.5 |
| I314801 | | 0.048 | 0.08 | 0.49 | 56 | 0.14 | 2.97 | 37 | 0.6 |
| I314802 | | 0.056 | 0.07 | 0.56 | 57 | 0.24 | 4.56 | 42 | 3.8 |
| I314803 | | 0.086 | 0.09 | 0.31 | 78 | 0.12 | 2.01 | 45 | 1.3 |
| I314804 | | 0.039 | 0.07 | 0.76 | 57 | 0.08 | 5.33 | 33 | 2.5 |
| I314805 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314806 | | 0.069 | 0.07 | 0.90 | 46 | 0.12 | 9.45 | 31 | 2.7 |
| I314807 | | 0.048 | 0.07 | 0.75 | 32 | 0.12 | 5.06 | 24 | 0.8 |
| I314808 | | 0.097 | 0.07 | 0.35 | 71 | 0.13 | 2.25 | 41 | 3.4 |
| I314809 | | 0.093 | 0.07 | 0.70 | 57 | 0.14 | 12.45 | 32 | 5.1 |
| I314810 | | 0.061 | 0.08 | 0.62 | 49 | 0.11 | 3.88 | 29 | 3.7 |
| I314811 | | 0.090 | 0.09 | 0.53 | 61 | 0.11 | 8.80 | 35 | 5.2 |
| I314812 | | 0.107 | 0.06 | 1.24 | 60 | 0.35 | 6.33 | 39 | 5.7 |
| I314813 | | 0.062 | 0.08 | 5.07 | 41 | 0.17 | 8.56 | 38 | 1.4 |
| I314814 | | 0.072 | 0.07 | 1.90 | 45 | 0.18 | 6.63 | 37 | 2.4 |
| I314815 | | 0.063 | 0.07 | 1.61 | 44 | 0.24 | 12.60 | 38 | 3.6 |
| I314816 | | 0.061 | 0.07 | 1.57 | 43 | 0.19 | 12.45 | 38 | 3.8 |
| I314817 | | 0.093 | 0.06 | 0.36 | 62 | 0.10 | 4.59 | 43 | 4.9 |
| I314818 | | 0.101 | 0.08 | 0.35 | 82 | 0.14 | 3.78 | 47 | 2.0 |
| I314819 | | 0.074 | 0.09 | 0.48 | 69 | 0.18 | 4.30 | 41 | 1.7 |
| I314820 | | 0.092 | 0.07 | 0.51 | 55 | 0.16 | 3.71 | 35 | 1.9 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314821 | | 0.30 | <0.005 | 0.05 | 1.43 | 6.7 | <0.2 | <10 | 100 | 0.32 | 0.18 | 0.25 | 0.18 | 24.2 | 5.6 | 22 |
| I314822 | | 0.24 | <0.005 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314823 | | 0.34 | <0.005 | 0.08 | 1.35 | 4.0 | <0.2 | <10 | 100 | 0.40 | 0.34 | 0.30 | 0.08 | 38.1 | 6.0 | 21 |
| I314824 | | 0.26 | <0.005 | 0.08 | 1.40 | 11.4 | <0.2 | <10 | 140 | 1.06 | 0.18 | 0.84 | 0.11 | 62.8 | 11.8 | 26 |
| I314825 | | 0.32 | <0.005 | 0.06 | 1.90 | 7.8 | <0.2 | <10 | 240 | 0.79 | 0.12 | 0.55 | 0.05 | 39.2 | 10.0 | 32 |
| I314826 | | 0.24 | <0.005 | 0.12 | 1.61 | 5.8 | <0.2 | <10 | 210 | 0.52 | 0.28 | 0.40 | 0.12 | 23.5 | 9.6 | 26 |
| I314827 | | 0.42 | <0.005 | 0.05 | 1.26 | 2.7 | <0.2 | <10 | 140 | 0.15 | 0.17 | 0.12 | 0.10 | 20.1 | 3.3 | 12 |
| I314828 | | 0.24 | <0.005 | 0.13 | 2.49 | 7.8 | <0.2 | <10 | 330 | 0.57 | 0.20 | 0.43 | 0.28 | 27.4 | 14.3 | 32 |
| I314829 | | 0.46 | <0.005 | 0.08 | 1.69 | 5.2 | <0.2 | <10 | 200 | 0.22 | 0.15 | 0.17 | 0.04 | 18.90 | 5.9 | 25 |
| I314830 | | 0.36 | <0.005 | 0.14 | 1.62 | 5.5 | <0.2 | <10 | 270 | 0.30 | 0.17 | 0.21 | 0.05 | 19.30 | 13.3 | 22 |
| I314831 | | 0.32 | <0.005 | 0.19 | 1.69 | 5.2 | <0.2 | <10 | 240 | 0.26 | 0.11 | 0.19 | 0.04 | 23.2 | 5.9 | 25 |
| I314832 | | 0.34 | <0.005 | 0.05 | 1.76 | 4.9 | <0.2 | <10 | 320 | 0.35 | 0.12 | 0.19 | 0.04 | 21.2 | 5.7 | 21 |
| I314833 | | 0.36 | <0.005 | 0.04 | 1.71 | 4.3 | <0.2 | <10 | 160 | 0.23 | 0.11 | 0.13 | 0.03 | 15.35 | 5.3 | 20 |
| I314834 | | 0.30 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314835 | | 0.38 | <0.005 | 0.03 | 1.65 | 3.4 | <0.2 | <10 | 170 | 0.20 | 0.09 | 0.11 | 0.04 | 15.05 | 6.8 | 10 |
| I314836 | | 0.36 | <0.005 | 0.02 | 1.68 | 2.5 | <0.2 | <10 | 140 | 0.22 | 0.05 | 0.11 | 0.02 | 20.9 | 6.0 | 52 |
| I314837 | | 0.28 | <0.005 | 0.11 | 2.69 | 11.0 | <0.2 | <10 | 210 | 0.54 | 0.18 | 0.13 | 0.10 | 18.00 | 11.0 | 40 |
| I314838 | | 0.34 | <0.005 | 0.08 | 1.60 | 7.2 | <0.2 | <10 | 130 | 0.28 | 0.20 | 0.14 | 0.06 | 18.40 | 6.1 | 27 |
| I314839 | | 0.38 | <0.005 | 0.05 | 1.41 | 3.7 | <0.2 | <10 | 100 | 0.45 | 0.08 | 0.20 | 0.03 | 20.9 | 5.6 | 21 |
| I314840 | | 0.36 | <0.005 | 0.05 | 1.84 | 5.7 | <0.2 | <10 | 240 | 0.35 | 0.16 | 0.56 | 0.09 | 19.25 | 8.4 | 25 |
| I314841 | | 0.32 | <0.005 | 0.06 | 1.21 | 4.4 | <0.2 | <10 | 160 | 0.24 | 0.09 | 0.32 | 0.06 | 16.00 | 5.9 | 16 |
| I314842 | | 0.28 | <0.005 | 0.10 | 0.60 | 1.0 | <0.2 | <10 | 140 | 0.19 | 0.09 | 0.14 | 0.05 | 23.7 | 1.9 | 7 |
| I314843 | | 0.28 | <0.005 | 0.06 | 1.19 | 4.3 | <0.2 | <10 | 190 | 0.25 | 0.15 | 0.15 | 0.08 | 22.3 | 6.6 | 17 |
| I314844 | | 0.38 | <0.005 | 0.08 | 1.29 | 4.1 | <0.2 | <10 | 150 | 0.18 | 0.15 | 0.18 | 0.05 | 14.20 | 6.3 | 16 |
| I314845 | | 0.36 | <0.005 | 0.07 | 1.51 | 5.9 | <0.2 | <10 | 260 | 0.26 | 0.13 | 0.22 | 0.02 | 15.20 | 5.3 | 21 |
| I314846 | | 0.40 | <0.005 | 0.07 | 1.60 | 6.5 | <0.2 | <10 | 270 | 0.28 | 0.12 | 0.24 | 0.04 | 15.25 | 5.9 | 21 |
| I314847 | | 0.32 | <0.005 | 0.06 | 1.25 | 5.0 | <0.2 | <10 | 200 | 0.20 | 0.11 | 0.22 | 0.03 | 14.80 | 5.2 | 17 |
| I314848 | | 0.34 | <0.005 | 0.04 | 1.75 | 7.2 | <0.2 | <10 | 180 | 0.39 | 0.14 | 0.17 | 0.05 | 18.35 | 8.1 | 27 |
| I314849 | | 0.30 | <0.005 | 0.06 | 1.32 | 6.2 | <0.2 | <10 | 150 | 0.20 | 0.14 | 0.20 | 0.05 | 16.20 | 6.0 | 30 |
| I314850 | | 0.26 | <0.005 | 0.07 | 1.35 | 3.8 | <0.2 | <10 | 410 | 0.21 | 0.15 | 0.27 | 0.04 | 20.1 | 9.0 | 20 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I314821 | | 1.11 | 11.3 | 2.24 | 6.41 | 0.06 | 0.05 | 0.02 | 0.019 | 0.08 | 17.0 | 7.8 | 0.38 | 179 | 1.09 |
| I314822 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314823 | | 2.07 | 12.0 | 2.14 | 5.74 | 0.06 | 0.07 | 0.02 | 0.023 | 0.08 | 28.0 | 8.6 | 0.34 | 178 | 0.88 |
| I314824 | | 1.22 | 26.0 | 3.76 | 5.98 | 0.17 | 0.13 | 0.05 | 0.021 | 0.27 | 70.2 | 13.2 | 0.55 | 516 | 0.95 |
| I314825 | | 0.55 | 19.7 | 3.01 | 6.33 | 0.08 | 0.15 | 0.02 | 0.025 | 0.10 | 32.0 | 15.1 | 0.59 | 328 | 0.80 |
| I314826 | | 0.70 | 15.1 | 2.71 | 6.30 | 0.06 | 0.05 | 0.02 | 0.023 | 0.09 | 17.3 | 8.9 | 0.37 | 599 | 1.31 |
| I314827 | | 1.25 | 12.4 | 1.56 | 7.68 | <0.05 | 0.02 | 0.02 | 0.012 | 0.09 | 10.3 | 5.5 | 0.34 | 124 | 0.72 |
| I314828 | | 0.99 | 18.4 | 2.90 | 8.06 | 0.06 | 0.04 | 0.03 | 0.033 | 0.04 | 10.2 | 18.7 | 1.52 | 1540 | 2.11 |
| I314829 | | 0.70 | 15.0 | 2.34 | 6.73 | 0.05 | 0.04 | 0.01 | 0.017 | 0.04 | 9.9 | 9.7 | 0.52 | 165 | 1.10 |
| I314830 | | 0.85 | 15.6 | 2.43 | 6.65 | <0.05 | 0.02 | 0.03 | 0.020 | 0.04 | 9.5 | 10.0 | 0.35 | 608 | 1.56 |
| I314831 | | 0.50 | 13.9 | 2.21 | 5.40 | 0.05 | 0.07 | 0.02 | 0.018 | 0.03 | 11.9 | 10.6 | 0.43 | 188 | 0.69 |
| I314832 | | 0.71 | 17.4 | 2.25 | 5.90 | 0.05 | <0.02 | 0.02 | 0.016 | 0.05 | 11.5 | 12.1 | 0.49 | 206 | 0.74 |
| I314833 | | 0.75 | 14.4 | 2.06 | 6.03 | 0.05 | 0.03 | 0.01 | 0.015 | 0.03 | 8.2 | 11.5 | 0.55 | 168 | 0.56 |
| I314834 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314835 | | 1.62 | 13.5 | 2.77 | 8.23 | 0.06 | <0.02 | 0.01 | 0.014 | 0.17 | 7.5 | 7.1 | 0.55 | 189 | 0.55 |
| I314836 | | 1.74 | 16.9 | 2.56 | 7.40 | 0.06 | <0.02 | 0.01 | 0.027 | 0.10 | 10.0 | 15.5 | 1.03 | 324 | 0.40 |
| I314837 | | 1.40 | 19.8 | 3.57 | 7.19 | 0.06 | 0.12 | 0.02 | 0.035 | 0.07 | 9.3 | 15.9 | 0.49 | 293 | 0.88 |
| I314838 | | 0.84 | 10.4 | 2.85 | 7.40 | 0.06 | 0.02 | 0.01 | 0.020 | 0.06 | 9.6 | 12.1 | 0.34 | 256 | 1.09 |
| I314839 | | 0.73 | 8.9 | 2.13 | 6.74 | 0.05 | 0.02 | 0.01 | 0.013 | 0.06 | 10.6 | 24.3 | 0.55 | 197 | 0.48 |
| I314840 | | 0.57 | 11.1 | 2.98 | 7.44 | 0.06 | 0.02 | <0.01 | 0.018 | 0.13 | 10.0 | 15.3 | 0.52 | 378 | 0.88 |
| I314841 | | 0.77 | 12.7 | 2.04 | 4.35 | <0.05 | 0.02 | 0.01 | 0.036 | 0.09 | 8.5 | 11.8 | 0.44 | 291 | 0.68 |
| I314842 | | 0.39 | 8.4 | 1.08 | 4.31 | 0.05 | <0.02 | 0.01 | 0.009 | 0.08 | 13.0 | 3.1 | 0.15 | 212 | 0.46 |
| I314843 | | 0.45 | 11.6 | 2.12 | 5.29 | 0.05 | <0.02 | 0.01 | 0.015 | 0.07 | 10.7 | 7.7 | 0.27 | 829 | 0.85 |
| I314844 | | 0.60 | 9.8 | 2.27 | 6.30 | 0.05 | 0.02 | 0.01 | 0.012 | 0.06 | 7.2 | 10.1 | 0.43 | 372 | 0.64 |
| I314845 | | 0.80 | 13.1 | 2.18 | 5.47 | <0.05 | 0.02 | 0.02 | 0.015 | 0.07 | 8.1 | 10.3 | 0.39 | 178 | 0.57 |
| I314846 | | 0.84 | 14.1 | 2.37 | 5.63 | 0.05 | 0.02 | 0.02 | 0.016 | 0.08 | 8.0 | 11.1 | 0.43 | 222 | 0.59 |
| I314847 | | 0.66 | 12.0 | 2.13 | 4.83 | <0.05 | 0.02 | 0.01 | 0.014 | 0.08 | 7.2 | 8.7 | 0.41 | 252 | 0.68 |
| I314848 | | 0.60 | 12.4 | 2.65 | 5.94 | <0.05 | 0.04 | 0.01 | 0.020 | 0.05 | 9.2 | 12.1 | 0.41 | 330 | 1.04 |
| I314849 | | 0.49 | 10.0 | 2.14 | 5.62 | 0.05 | <0.02 | 0.02 | 0.015 | 0.07 | 8.3 | 8.5 | 0.41 | 397 | 1.10 |
| I314850 | | 0.49 | 10.4 | 2.19 | 5.14 | 0.05 | 0.05 | 0.02 | 0.016 | 0.08 | 10.6 | 8.6 | 0.39 | 625 | 0.97 |
| | | | | | | | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314821 | | 1.45 | 12.6 | 250 | 12.4 | 11.6 | <0.001 | 0.01 | 0.30 | 3.0 | 0.3 | 0.7 | 23.3 | <0.01 | 0.01 | 3.3 |
| I314822 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314823 | | 1.36 | 12.7 | 220 | 18.9 | 13.2 | <0.001 | 0.01 | 0.29 | 3.3 | 0.3 | 0.8 | 25.8 | <0.01 | 0.01 | 8.8 |
| I314824 | | 1.50 | 19.7 | 830 | 18.0 | 17.0 | 0.001 | 0.03 | 0.52 | 5.1 | 1.0 | 0.6 | 56.8 | 0.01 | 0.01 | 10.6 |
| I314825 | | 1.40 | 21.9 | 230 | 10.4 | 9.8 | <0.001 | 0.01 | 0.31 | 5.0 | 0.5 | 0.6 | 43.5 | <0.01 | 0.01 | 9.5 |
| I314826 | | 1.47 | 16.6 | 240 | 11.3 | 11.3 | <0.001 | 0.01 | 0.31 | 3.2 | 0.4 | 0.7 | 33.3 | <0.01 | 0.02 | 4.4 |
| I314827 | | 0.94 | 5.4 | 240 | 9.4 | 14.4 | <0.001 | 0.01 | 0.15 | 1.7 | 0.3 | 0.6 | 14.4 | <0.01 | 0.02 | 0.4 |
| I314828 | | 1.65 | 22.2 | 390 | 15.1 | 6.1 | <0.001 | 0.02 | 0.26 | 3.9 | 0.7 | 0.7 | 23.2 | <0.01 | 0.03 | 3.0 |
| I314829 | | 1.63 | 11.7 | 200 | 7.3 | 9.4 | <0.001 | 0.01 | 0.30 | 3.7 | 0.3 | 0.6 | 13.9 | <0.01 | 0.02 | 2.5 |
| I314830 | | 1.26 | 12.5 | 320 | 10.2 | 11.9 | <0.001 | 0.01 | 0.26 | 2.9 | 0.4 | 0.6 | 17.0 | <0.01 | 0.03 | 1.4 |
| I314831 | | 1.26 | 13.7 | 200 | 6.1 | 4.7 | <0.001 | 0.01 | 0.34 | 3.5 | 0.4 | 0.5 | 15.5 | <0.01 | 0.01 | 3.5 |
| I314832 | | 1.05 | 11.4 | 310 | 6.0 | 6.8 | <0.001 | 0.01 | 0.23 | 2.4 | 0.4 | 0.4 | 17.6 | <0.01 | 0.02 | 1.1 |
| I314833 | | 1.19 | 10.5 | 190 | 6.1 | 10.3 | <0.001 | <0.01 | 0.26 | 2.9 | 0.3 | 0.4 | 12.3 | <0.01 | 0.02 | 1.8 |
| I314834 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314835 | | 1.01 | 4.7 | 390 | 4.3 | 19.2 | <0.001 | 0.01 | 0.15 | 2.6 | 0.3 | 0.4 | 11.8 | <0.01 | 0.02 | 0.3 |
| I314836 | | 2.19 | 12.3 | 290 | 2.3 | 11.4 | <0.001 | 0.01 | 0.15 | 6.3 | 0.3 | 0.6 | 8.6 | <0.01 | 0.01 | 1.0 |
| I314837 | | 1.89 | 26.8 | 330 | 10.0 | 15.0 | <0.001 | 0.01 | 0.59 | 3.7 | 0.4 | 0.6 | 11.9 | 0.01 | 0.03 | 4.1 |
| I314838 | | 1.30 | 12.6 | 460 | 9.8 | 13.9 | <0.001 | 0.01 | 0.34 | 2.3 | 0.2 | 0.7 | 12.8 | <0.01 | 0.02 | 1.1 |
| I314839 | | 1.06 | 12.8 | 230 | 7.3 | 7.5 | <0.001 | <0.01 | 0.25 | 2.5 | 0.2 | 0.5 | 18.7 | <0.01 | 0.01 | 2.1 |
| I314840 | | 1.39 | 16.5 | 1690 | 8.3 | 10.8 | <0.001 | 0.01 | 0.36 | 2.8 | 0.3 | 0.5 | 51.4 | <0.01 | 0.02 | 2.2 |
| I314841 | | 0.77 | 9.9 | 720 | 3.7 | 12.5 | <0.001 | 0.01 | 0.25 | 2.4 | 0.3 | 0.3 | 22.7 | <0.01 | 0.01 | 1.1 |
| I314842 | | 0.44 | 4.7 | 320 | 3.6 | 9.7 | <0.001 | 0.01 | 0.16 | 1.6 | 0.3 | 0.4 | 12.1 | <0.01 | 0.01 | 0.3 |
| I314843 | | 0.84 | 10.4 | 850 | 6.9 | 6.4 | <0.001 | 0.01 | 0.34 | 2.0 | 0.3 | 0.5 | 12.0 | <0.01 | 0.02 | 0.7 |
| I314844 | | 1.37 | 9.0 | 280 | 6.4 | 10.2 | <0.001 | 0.01 | 0.24 | 2.7 | 0.2 | 0.5 | 12.6 | <0.01 | 0.01 | 1.1 |
| I314845 | | 1.17 | 12.2 | 640 | 6.8 | 12.3 | <0.001 | 0.01 | 0.31 | 2.4 | 0.2 | 0.4 | 16.1 | <0.01 | 0.02 | 1.1 |
| I314846 | | 1.18 | 12.8 | 770 | 6.6 | 12.8 | <0.001 | 0.01 | 0.31 | 2.5 | 0.2 | 0.4 | 17.6 | <0.01 | 0.02 | 1.3 |
| I314847 | | 1.19 | 10.8 | 190 | 5.6 | 10.7 | <0.001 | 0.01 | 0.32 | 2.4 | 0.3 | 0.4 | 15.5 | <0.01 | 0.02 | 1.7 |
| I314848 | | 1.45 | 16.0 | 280 | 7.5 | 9.5 | <0.001 | 0.01 | 0.39 | 3.2 | 0.3 | 0.6 | 14.2 | <0.01 | 0.02 | 3.4 |
| I314849 | | 1.21 | 13.8 | 330 | 7.1 | 7.6 | <0.001 | 0.01 | 0.36 | 2.6 | 0.3 | 0.5 | 15.3 | <0.01 | 0.01 | 1.3 |
| I314850 | | 1.40 | 11.9 | 160 | 7.1 | 9.6 | <0.001 | 0.01 | 0.31 | 2.8 | 0.3 | 0.5 | 16.1 | <0.01 | 0.02 | 2.6 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113326

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314821 | | 0.091 | 0.08 | 0.60 | 63 | 0.13 | 4.77 | 40 | 1.9 |
| I314822 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314823 | | 0.081 | 0.08 | 1.07 | 45 | 0.16 | 6.40 | 49 | 2.7 |
| I314824 | | 0.074 | 0.10 | 2.26 | 51 | 0.15 | 29.5 | 56 | 5.0 |
| I314825 | | 0.097 | 0.07 | 0.87 | 62 | 0.12 | 11.30 | 47 | 6.6 |
| I314826 | | 0.080 | 0.07 | 0.47 | 64 | 0.16 | 5.93 | 38 | 1.9 |
| I314827 | | 0.079 | 0.11 | 0.42 | 43 | 0.09 | 2.54 | 28 | <0.5 |
| I314828 | | 0.042 | 0.10 | 0.72 | 73 | 0.17 | 5.49 | 52 | 1.8 |
| I314829 | | 0.079 | 0.09 | 0.32 | 57 | 0.16 | 3.25 | 35 | 1.6 |
| I314830 | | 0.060 | 0.11 | 0.46 | 59 | 0.16 | 2.74 | 31 | 0.6 |
| I314831 | | 0.062 | 0.07 | 0.50 | 49 | 0.14 | 3.83 | 33 | 2.8 |
| I314832 | | 0.048 | 0.08 | 0.48 | 45 | 0.15 | 3.63 | 36 | <0.5 |
| I314833 | | 0.076 | 0.07 | 0.40 | 47 | 0.16 | 3.15 | 31 | 1.3 |
| I314834 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314835 | | 0.086 | 0.13 | 0.45 | 58 | 0.12 | 2.36 | 56 | <0.5 |
| I314836 | | 0.109 | 0.07 | 0.21 | 44 | 0.07 | 4.11 | 30 | <0.5 |
| I314837 | | 0.087 | 0.12 | 0.49 | 72 | 0.16 | 2.58 | 46 | 5.7 |
| I314838 | | 0.083 | 0.11 | 0.32 | 69 | 0.17 | 2.07 | 45 | 0.8 |
| I314839 | | 0.061 | 0.08 | 0.38 | 54 | 0.12 | 2.89 | 48 | 0.6 |
| I314840 | | 0.089 | 0.09 | 0.39 | 61 | 0.25 | 2.74 | 71 | 1.2 |
| I314841 | | 0.071 | 0.06 | 0.39 | 37 | 0.13 | 3.72 | 40 | 0.5 |
| I314842 | | 0.047 | 0.05 | 0.41 | 23 | 0.06 | 5.15 | 16 | <0.5 |
| I314843 | | 0.051 | 0.06 | 0.31 | 46 | 0.14 | 2.17 | 30 | <0.5 |
| I314844 | | 0.089 | 0.09 | 0.27 | 56 | 0.12 | 2.29 | 41 | 0.6 |
| I314845 | | 0.077 | 0.09 | 0.35 | 48 | 0.14 | 2.41 | 33 | 0.7 |
| I314846 | | 0.081 | 0.08 | 0.41 | 50 | 0.15 | 2.50 | 38 | 0.7 |
| I314847 | | 0.057 | 0.06 | 0.31 | 46 | 0.12 | 3.47 | 33 | 0.7 |
| I314848 | | 0.070 | 0.09 | 0.39 | 60 | 0.15 | 2.82 | 39 | 2.0 |
| I314849 | | 0.070 | 0.07 | 0.30 | 53 | 0.19 | 2.26 | 32 | 0.7 |
| I314850 | | 0.063 | 0.06 | 0.31 | 53 | 0.17 | 3.41 | 34 | 2.0 |
| | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113326

| Method | CERTIFICATE COMMENTS |
|------------------------|---|
| ALL METHODS ME-MS41 | NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

CERTIFICATE WH10113328

Project: SQI10-06

P.O. No.: SQI10-06_21

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314251 | | 0.22 | <0.005 | 0.06 | 1.64 | 7.2 | <0.2 | <10 | 310 | 0.39 | 0.14 | 0.36 | 0.10 | 21.9 | 8.8 | 30 |
| I314252 | | 0.18 | <0.005 | 0.10 | 1.46 | 6.2 | <0.2 | <10 | 270 | 0.28 | 0.14 | 0.38 | 0.12 | 16.25 | 9.2 | 28 |
| I314253 | | 0.14 | 0.005 | 0.31 | 1.43 | 5.4 | <0.2 | <10 | 570 | 0.38 | 0.11 | 1.25 | 0.44 | 25.6 | 8.3 | 23 |
| I314254 | | 0.30 | 0.007 | 0.10 | 1.58 | 7.8 | <0.2 | <10 | 360 | 0.45 | 0.13 | 0.64 | 0.07 | 27.9 | 10.1 | 30 |
| I314255 | | 0.18 | 0.017 | 0.14 | 1.62 | 7.3 | <0.2 | <10 | 630 | 0.47 | 0.15 | 1.14 | 0.19 | 26.8 | 9.7 | 27 |
| I314256 | | 0.16 | 0.006 | 0.09 | 1.08 | 4.3 | <0.2 | <10 | 480 | 0.36 | 0.10 | 1.45 | 0.29 | 21.7 | 6.5 | 19 |
| I314257 | | 0.20 | 0.011 | 0.10 | 1.38 | 5.6 | <0.2 | <10 | 290 | 0.50 | 0.16 | 0.79 | 0.18 | 27.8 | 8.8 | 27 |
| I314258 | | 0.22 | 0.005 | 0.06 | 1.64 | 8.5 | <0.2 | <10 | 260 | 0.51 | 0.14 | 1.07 | 0.27 | 31.1 | 11.7 | 31 |
| I314259 | | 0.28 | NSS | 0.02 | 0.22 | 7.3 | <0.2 | <10 | 70 | 0.25 | 0.03 | 0.37 | 0.21 | 22.2 | 7.2 | 11 |
| I314260 | | 0.24 | <0.005 | 0.10 | 2.43 | 5.6 | <0.2 | <10 | 660 | 0.58 | 0.19 | 0.67 | 0.12 | 32.4 | 13.9 | 57 |
| I314261 | | 0.20 | <0.005 | 0.12 | 1.67 | 5.9 | <0.2 | <10 | 330 | 0.41 | 0.15 | 0.88 | 0.48 | 25.2 | 10.0 | 31 |
| I314262 | | 0.20 | <0.005 | 0.05 | 2.41 | 6.7 | <0.2 | <10 | 310 | 0.39 | 0.15 | 0.36 | 0.10 | 18.80 | 13.0 | 35 |
| I314263 | | 0.30 | <0.005 | 0.05 | 1.71 | 6.4 | <0.2 | <10 | 120 | 0.26 | 0.16 | 0.18 | 0.08 | 16.35 | 8.0 | 52 |
| I314264 | | 0.32 | <0.005 | 0.05 | 1.32 | 4.4 | <0.2 | <10 | 130 | 0.22 | 0.20 | 0.18 | 0.05 | 17.60 | 5.5 | 20 |
| I314265 | | 0.34 | <0.005 | 0.05 | 2.41 | 11.0 | <0.2 | <10 | 120 | 0.32 | 0.21 | 0.18 | 0.07 | 18.40 | 9.1 | 38 |
| I314266 | | 0.30 | 0.008 | 0.02 | 1.23 | 6.5 | <0.2 | <10 | 80 | 0.15 | 0.19 | 0.10 | 0.02 | 11.50 | 2.9 | 20 |
| I314267 | | 0.30 | <0.005 | 0.03 | 2.15 | 10.9 | <0.2 | <10 | 120 | 0.25 | 0.17 | 0.21 | 0.05 | 14.15 | 7.7 | 35 |
| I314268 | | 0.28 | <0.005 | 0.02 | 2.60 | 11.1 | <0.2 | <10 | 140 | 0.36 | 0.19 | 0.15 | 0.07 | 19.45 | 8.7 | 38 |
| I314269 | | 0.20 | <0.005 | 0.06 | 0.70 | 2.7 | <0.2 | <10 | 100 | 0.13 | 0.11 | 0.10 | 0.15 | 7.84 | 2.0 | 13 |
| I314270 | | 0.26 | 0.009 | 0.05 | 0.80 | 3.4 | <0.2 | <10 | 100 | 0.13 | 0.11 | 0.10 | 0.10 | 8.93 | 2.2 | 14 |
| I314271 | | 0.28 | 0.006 | 0.06 | 2.43 | 10.2 | <0.2 | <10 | 130 | 0.36 | 0.19 | 0.19 | 0.11 | 17.55 | 10.9 | 38 |
| I314272 | | 0.28 | 0.343 | 0.23 | 0.84 | 2.2 | <0.2 | <10 | 100 | 0.21 | 0.12 | 0.20 | 0.12 | 13.80 | 4.1 | 16 |
| I314273 | | 0.34 | 0.006 | 0.07 | 3.45 | 14.0 | <0.2 | <10 | 190 | 0.58 | 0.21 | 0.18 | 0.08 | 19.35 | 15.7 | 48 |
| I314274 | | 0.32 | 0.006 | 0.10 | 2.07 | 8.2 | <0.2 | <10 | 100 | 0.28 | 0.20 | 0.13 | 0.12 | 13.75 | 8.8 | 32 |
| I314275 | | 0.28 | 0.005 | 0.01 | 2.19 | 11.7 | <0.2 | <10 | 130 | 0.26 | 0.20 | 0.19 | 0.17 | 18.40 | 7.4 | 38 |
| I314276 | | 0.32 | 0.010 | <0.01 | 2.68 | 5.0 | <0.2 | <10 | 130 | 0.56 | 0.08 | 0.29 | 0.10 | 25.2 | 19.3 | 49 |
| I314277 | | 0.38 | 0.008 | 0.20 | 2.78 | 9.9 | <0.2 | <10 | 170 | 0.44 | 0.19 | 0.35 | 0.61 | 19.40 | 15.7 | 47 |
| I314278 | | 0.26 | 0.005 | 0.26 | 1.63 | 6.4 | <0.2 | <10 | 110 | 0.25 | 0.21 | 0.12 | 0.24 | 14.20 | 4.7 | 24 |
| I314279 | | 0.30 | 0.005 | 0.49 | 2.28 | 6.9 | <0.2 | <10 | 180 | 0.43 | 0.18 | 0.37 | 0.21 | 18.60 | 8.0 | 31 |
| I314280 | | 0.30 | 0.005 | 0.16 | 2.09 | 10.0 | <0.2 | <10 | 120 | 0.27 | 0.19 | 0.23 | 0.11 | 16.80 | 7.3 | 33 |
| I314281 | | 0.30 | 0.008 | 0.48 | 2.34 | 10.8 | <0.2 | <10 | 160 | 0.38 | 0.19 | 0.18 | 0.40 | 20.5 | 8.3 | 36 |
| I314282 | | 0.30 | 0.005 | 0.34 | 1.84 | 7.5 | <0.2 | <10 | 140 | 0.22 | 0.17 | 0.21 | 0.68 | 13.10 | 18.5 | 33 |
| I314283 | | 0.24 | <0.005 | 0.16 | 2.09 | 7.7 | <0.2 | <10 | 150 | 0.45 | 0.18 | 0.20 | 0.18 | 35.3 | 14.5 | 34 |
| I314284 | | 0.24 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314285 | | 0.24 | 0.005 | 0.10 | 2.14 | 6.4 | <0.2 | <10 | 150 | 0.30 | 0.24 | 0.56 | 0.15 | 13.20 | 9.5 | 33 |
| I314286 | | 0.34 | 0.015 | 0.05 | 1.55 | 7.1 | <0.2 | <10 | 80 | 0.23 | 0.18 | 0.10 | 0.06 | 15.55 | 5.6 | 24 |
| I314287 | | 0.24 | <0.005 | 0.12 | 0.69 | 2.1 | <0.2 | <10 | 60 | 0.22 | 0.09 | 0.10 | 0.12 | 12.75 | 2.2 | 14 |
| I314288 | | 0.26 | 0.005 | 0.05 | 1.07 | 4.3 | <0.2 | <10 | 80 | 0.15 | 0.16 | 0.13 | 0.11 | 8.90 | 6.3 | 18 |
| I314289 | | 0.24 | <0.005 | 0.10 | 0.70 | 2.4 | <0.2 | <10 | 50 | 0.16 | 0.12 | 0.09 | 0.07 | 14.20 | 2.3 | 14 |
| I314290 | | 0.36 | 0.005 | 0.03 | 1.67 | 6.9 | <0.2 | <10 | 80 | 0.25 | 0.15 | 0.10 | 0.04 | 28.2 | 6.6 | 17 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I314251 | | 0.43 | 12.9 | 2.75 | 5.60 | 0.06 | 0.03 | 0.02 | 0.021 | 0.08 | 10.0 | 9.5 | 0.49 | 475 | 1.04 | 0.01 |
| I314252 | | 0.51 | 10.7 | 2.59 | 5.25 | 0.05 | 0.03 | 0.03 | 0.019 | 0.07 | 8.1 | 8.1 | 0.40 | 336 | 1.23 | 0.02 |
| I314253 | | 0.45 | 25.5 | 2.29 | 4.81 | 0.06 | 0.03 | 0.04 | 0.021 | 0.10 | 13.9 | 7.3 | 0.40 | 500 | 1.16 | 0.02 |
| I314254 | | 0.36 | 26.1 | 2.63 | 5.16 | 0.07 | 0.15 | 0.03 | 0.022 | 0.07 | 14.1 | 11.3 | 0.57 | 426 | 0.94 | 0.03 |
| I314255 | | 0.45 | 30.4 | 2.60 | 5.01 | 0.06 | 0.12 | 0.04 | 0.023 | 0.09 | 14.3 | 12.0 | 0.50 | 575 | 1.33 | 0.03 |
| I314256 | | 0.38 | 23.1 | 1.74 | 3.57 | 0.05 | 0.05 | 0.07 | 0.016 | 0.07 | 11.7 | 7.4 | 0.35 | 337 | 1.38 | 0.02 |
| I314257 | | 0.53 | 19.8 | 2.28 | 4.59 | 0.06 | 0.06 | 0.03 | 0.019 | 0.07 | 14.1 | 11.6 | 0.53 | 410 | 1.19 | 0.03 |
| I314258 | | 0.54 | 27.6 | 2.80 | 5.41 | 0.07 | 0.07 | 0.03 | 0.023 | 0.09 | 15.2 | 13.4 | 0.66 | 591 | 1.05 | 0.03 |
| I314259 | | 0.20 | 6.5 | 1.93 | 1.28 | 0.06 | 0.03 | 0.01 | <0.005 | 0.04 | 11.6 | 3.3 | 0.16 | 713 | 1.24 | 0.01 |
| I314260 | | 3.33 | 20.8 | 3.84 | 8.70 | 0.08 | 0.10 | 0.04 | 0.034 | 0.27 | 16.5 | 29.7 | 1.14 | 607 | 1.63 | 0.02 |
| I314261 | | 1.41 | 34.2 | 2.91 | 4.78 | 0.08 | 0.07 | 0.03 | 0.025 | 0.16 | 13.2 | 12.9 | 0.60 | 570 | 0.66 | 0.03 |
| I314262 | | 1.61 | 18.3 | 3.80 | 7.35 | 0.07 | 0.05 | 0.01 | 0.023 | 0.20 | 8.1 | 20.3 | 0.70 | 444 | 0.92 | 0.03 |
| I314263 | | 1.46 | 29.5 | 2.60 | 6.06 | 0.06 | 0.02 | 0.04 | 0.026 | 0.04 | 8.5 | 9.5 | 0.39 | 135 | 1.34 | 0.02 |
| I314264 | | 1.44 | 16.5 | 2.10 | 6.29 | 0.06 | 0.02 | 0.02 | 0.019 | 0.06 | 9.0 | 9.4 | 0.25 | 160 | 0.86 | 0.02 |
| I314265 | | 1.80 | 18.9 | 4.03 | 8.53 | 0.08 | 0.06 | 0.02 | 0.029 | 0.05 | 9.9 | 16.9 | 0.50 | 295 | 1.63 | 0.02 |
| I314266 | | 0.81 | 11.0 | 2.38 | 6.81 | 0.05 | 0.02 | 0.02 | 0.016 | 0.02 | 6.0 | 6.0 | 0.17 | 82 | 1.00 | 0.02 |
| I314267 | | 0.94 | 15.2 | 4.01 | 7.58 | 0.07 | 0.05 | 0.02 | 0.028 | 0.06 | 6.9 | 18.2 | 0.54 | 241 | 1.44 | 0.02 |
| I314268 | | 1.29 | 16.7 | 3.98 | 7.89 | 0.07 | 0.06 | 0.03 | 0.029 | 0.04 | 9.3 | 16.0 | 0.48 | 216 | 1.38 | 0.02 |
| I314269 | | 0.63 | 14.7 | 1.23 | 3.54 | <0.05 | <0.02 | 0.03 | 0.013 | 0.02 | 3.9 | 2.6 | 0.09 | 43 | 0.67 | 0.02 |
| I314270 | | 0.71 | 14.8 | 1.51 | 4.18 | <0.05 | <0.02 | 0.03 | 0.014 | 0.03 | 4.6 | 3.4 | 0.09 | 47 | 0.76 | 0.02 |
| I314271 | | 1.63 | 21.1 | 3.70 | 8.42 | 0.07 | 0.04 | 0.03 | 0.028 | 0.06 | 8.2 | 17.4 | 0.57 | 248 | 1.39 | 0.02 |
| I314272 | | 0.85 | 19.3 | 1.21 | 3.51 | <0.05 | <0.02 | 0.04 | 0.013 | 0.04 | 7.9 | 4.1 | 0.16 | 68 | 0.62 | 0.03 |
| I314273 | | 1.84 | 22.2 | 4.51 | 8.56 | 0.08 | 0.08 | 0.03 | 0.039 | 0.05 | 9.5 | 19.4 | 0.61 | 366 | 1.81 | 0.02 |
| I314274 | | 1.39 | 18.4 | 3.70 | 8.39 | 0.06 | 0.03 | 0.03 | 0.026 | 0.05 | 6.8 | 15.2 | 0.35 | 240 | 1.67 | 0.02 |
| I314275 | | 1.57 | 20.3 | 4.12 | 8.64 | 0.07 | 0.03 | 0.02 | 0.031 | 0.06 | 9.1 | 17.7 | 0.48 | 202 | 1.39 | 0.02 |
| I314276 | | 4.62 | 40.7 | 4.31 | 6.41 | 0.09 | 0.05 | 0.01 | 0.022 | 0.42 | 11.3 | 28.3 | 1.01 | 364 | 0.54 | 0.02 |
| I314277 | | 1.47 | 55.4 | 3.86 | 7.11 | 0.08 | 0.03 | 0.04 | 0.034 | 0.05 | 10.0 | 17.4 | 0.62 | 264 | 1.30 | 0.02 |
| I314278 | | 1.23 | 16.7 | 2.69 | 8.11 | 0.05 | 0.04 | 0.04 | 0.022 | 0.03 | 7.4 | 9.4 | 0.19 | 131 | 2.12 | 0.02 |
| I314279 | | 1.29 | 28.6 | 3.01 | 6.93 | 0.06 | 0.03 | 0.04 | 0.027 | 0.03 | 8.9 | 10.8 | 0.38 | 254 | 1.24 | 0.03 |
| I314280 | | 1.63 | 17.2 | 3.63 | 8.58 | 0.08 | 0.05 | 0.02 | 0.027 | 0.04 | 8.6 | 14.5 | 0.41 | 184 | 2.04 | 0.02 |
| I314281 | | 1.85 | 37.0 | 3.66 | 8.25 | 0.07 | 0.04 | 0.03 | 0.027 | 0.06 | 11.0 | 14.4 | 0.43 | 223 | 2.28 | 0.02 |
| I314282 | | 1.53 | 19.1 | 3.16 | 6.96 | 0.06 | 0.03 | 0.02 | 0.018 | 0.06 | 6.3 | 12.8 | 0.48 | 948 | 3.17 | 0.03 |
| I314283 | | 3.22 | 21.2 | 3.24 | 7.61 | 0.08 | 0.02 | 0.05 | 0.031 | 0.08 | 16.4 | 16.1 | 0.47 | 655 | 1.52 | 0.03 |
| I314284 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314285 | | 1.24 | 20.0 | 2.99 | 7.30 | 0.05 | 0.03 | 0.02 | 0.022 | 0.04 | 6.8 | 16.5 | 0.55 | 304 | 0.91 | 0.03 |
| I314286 | | 1.26 | 14.3 | 2.61 | 6.91 | 0.05 | 0.02 | 0.02 | 0.020 | 0.04 | 6.5 | 10.3 | 0.27 | 164 | 1.23 | 0.02 |
| I314287 | | 1.07 | 22.5 | 1.11 | 2.78 | <0.05 | <0.02 | 0.03 | 0.013 | 0.04 | 7.1 | 2.6 | 0.10 | 52 | 0.85 | 0.03 |
| I314288 | | 0.95 | 11.7 | 2.09 | 5.08 | <0.05 | <0.02 | 0.03 | 0.017 | 0.03 | 4.3 | 6.7 | 0.18 | 684 | 1.01 | 0.02 |
| I314289 | | 0.68 | 15.2 | 1.20 | 3.82 | <0.05 | <0.02 | 0.03 | 0.013 | 0.05 | 7.9 | 2.0 | 0.10 | 55 | 0.79 | 0.02 |
| I314290 | | 4.96 | 16.1 | 2.90 | 8.62 | 0.06 | 0.02 | 0.02 | 0.020 | 0.24 | 10.1 | 11.2 | 0.45 | 204 | 1.19 | 0.02 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314251 | | 1.23 | 18.3 | 350 | 7.6 | 6.9 | <0.001 | 0.01 | 0.41 | 3.8 | 0.4 | 0.5 | 30.3 | <0.01 | 0.02 | 1.9 |
| I314252 | | 1.36 | 16.3 | 320 | 7.2 | 7.3 | <0.001 | 0.01 | 0.38 | 3.0 | 0.3 | 0.5 | 28.2 | <0.01 | 0.02 | 1.9 |
| I314253 | | 1.01 | 19.5 | 690 | 6.2 | 9.2 | <0.001 | 0.04 | 0.43 | 3.4 | 1.0 | 0.4 | 87.1 | <0.01 | 0.02 | 1.1 |
| I314254 | | 1.38 | 22.6 | 520 | 7.1 | 7.5 | <0.001 | 0.01 | 0.65 | 5.1 | 0.6 | 0.5 | 59.0 | <0.01 | 0.05 | 3.6 |
| I314255 | | 1.37 | 21.9 | 560 | 8.6 | 9.8 | <0.001 | 0.02 | 0.47 | 5.2 | 0.7 | 0.4 | 101.5 | <0.01 | 0.06 | 3.9 |
| I314256 | | 1.04 | 16.2 | 550 | 5.2 | 8.1 | 0.001 | 0.07 | 0.41 | 3.1 | 0.9 | 0.3 | 117.0 | <0.01 | 0.05 | 1.2 |
| I314257 | | 1.30 | 18.6 | 720 | 8.6 | 7.9 | <0.001 | 0.02 | 0.42 | 4.1 | 0.7 | 0.5 | 61.2 | <0.01 | 0.05 | 2.4 |
| I314258 | | 1.49 | 23.2 | 880 | 7.7 | 10.1 | <0.001 | 0.03 | 0.53 | 5.1 | 0.9 | 0.5 | 55.4 | <0.01 | 0.04 | 2.2 |
| I314259 | | 0.47 | 16.9 | 540 | 3.4 | 4.3 | <0.001 | <0.01 | 0.43 | 1.6 | 0.3 | 0.2 | 9.6 | <0.01 | 0.01 | 2.4 |
| I314260 | | 1.96 | 33.5 | 340 | 9.9 | 34.3 | 0.001 | 0.02 | 0.55 | 8.5 | 0.9 | 0.8 | 80.1 | <0.01 | 0.01 | 3.6 |
| I314261 | | 1.36 | 21.4 | 460 | 9.9 | 19.6 | <0.001 | 0.01 | 0.54 | 5.9 | 0.6 | 0.5 | 40.0 | 0.01 | 0.02 | 2.6 |
| I314262 | | 2.38 | 24.1 | 310 | 9.8 | 29.7 | <0.001 | 0.01 | 0.36 | 2.9 | 0.3 | 0.8 | 30.6 | <0.01 | 0.03 | 3.8 |
| I314263 | | 0.96 | 26.2 | 400 | 8.7 | 9.5 | <0.001 | 0.02 | 0.33 | 2.2 | 0.5 | 0.6 | 18.9 | 0.01 | 0.03 | 0.2 |
| I314264 | | 0.73 | 10.7 | 310 | 10.7 | 13.3 | <0.001 | 0.01 | 0.17 | 1.8 | 0.4 | 0.7 | 18.2 | <0.01 | 0.02 | 0.5 |
| I314265 | | 2.22 | 18.6 | 410 | 10.0 | 15.8 | <0.001 | 0.01 | 0.57 | 3.5 | 0.4 | 0.8 | 19.2 | 0.01 | 0.04 | 3.4 |
| I314266 | | 1.27 | 7.1 | 220 | 9.0 | 6.6 | <0.001 | 0.01 | 0.31 | 1.7 | 0.3 | 0.7 | 11.3 | <0.01 | 0.02 | 0.4 |
| I314267 | | 2.06 | 16.2 | 320 | 8.5 | 11.3 | <0.001 | 0.01 | 0.41 | 3.2 | 0.4 | 0.6 | 20.8 | <0.01 | 0.04 | 1.7 |
| I314268 | | 2.01 | 17.5 | 340 | 9.5 | 10.6 | <0.001 | 0.01 | 0.46 | 4.0 | 0.5 | 0.7 | 14.7 | 0.02 | 0.03 | 2.5 |
| I314269 | | 0.33 | 6.3 | 570 | 5.3 | 5.8 | <0.001 | 0.02 | 0.16 | 0.6 | 0.4 | 0.3 | 13.2 | <0.01 | 0.02 | <0.2 |
| I314270 | | 0.39 | 6.1 | 570 | 5.9 | 7.2 | <0.001 | 0.02 | 0.18 | 0.7 | 0.4 | 0.4 | 13.4 | <0.01 | 0.02 | <0.2 |
| I314271 | | 1.84 | 22.8 | 340 | 10.3 | 14.8 | <0.001 | 0.02 | 0.43 | 3.6 | 0.4 | 0.7 | 18.9 | 0.01 | 0.03 | 1.9 |
| I314272 | | 0.74 | 9.4 | 310 | 5.2 | 10.8 | <0.001 | 0.02 | 0.16 | 1.9 | 0.4 | 0.4 | 20.2 | <0.01 | 0.02 | 0.3 |
| I314273 | | 2.13 | 27.0 | 390 | 10.5 | 13.5 | <0.001 | 0.02 | 0.59 | 4.8 | 0.5 | 0.8 | 17.9 | 0.01 | 0.04 | 2.8 |
| I314274 | | 1.83 | 19.4 | 320 | 9.4 | 16.9 | <0.001 | 0.02 | 0.46 | 3.0 | 0.3 | 0.8 | 12.3 | <0.01 | 0.04 | 1.5 |
| I314275 | | 1.79 | 23.6 | 480 | 13.1 | 10.6 | <0.001 | 0.02 | 0.44 | 4.0 | 0.5 | 0.8 | 15.7 | <0.01 | 0.04 | 1.8 |
| I314276 | | 2.02 | 51.1 | 460 | 5.9 | 48.3 | <0.001 | 0.01 | 0.23 | 3.8 | 0.4 | 0.4 | 23.6 | <0.01 | 0.03 | 4.1 |
| I314277 | | 1.70 | 61.3 | 940 | 11.8 | 10.1 | <0.001 | 0.01 | 0.35 | 4.9 | 0.6 | 0.6 | 23.1 | <0.01 | 0.04 | 1.8 |
| I314278 | | 1.80 | 11.0 | 230 | 11.1 | 10.5 | <0.001 | 0.02 | 0.37 | 2.8 | 0.5 | 0.8 | 15.3 | <0.01 | 0.04 | 1.6 |
| I314279 | | 1.51 | 16.2 | 350 | 9.6 | 7.3 | <0.001 | 0.02 | 0.32 | 3.7 | 0.6 | 0.7 | 23.9 | <0.01 | 0.03 | 1.1 |
| I314280 | | 1.93 | 16.4 | 260 | 13.5 | 11.9 | <0.001 | 0.01 | 0.44 | 3.6 | 0.5 | 0.8 | 21.4 | <0.01 | 0.03 | 1.6 |
| I314281 | | 2.10 | 20.9 | 470 | 10.6 | 12.1 | <0.001 | 0.05 | 0.40 | 3.5 | 0.8 | 0.7 | 23.9 | <0.01 | 0.05 | 2.1 |
| I314282 | | 1.68 | 22.6 | 310 | 10.1 | 29.2 | <0.001 | 0.02 | 0.34 | 2.6 | 0.4 | 0.6 | 17.8 | <0.01 | 0.04 | 1.4 |
| I314283 | | 1.25 | 20.2 | 430 | 10.7 | 25.4 | <0.001 | 0.03 | 0.43 | 4.0 | 0.6 | 0.8 | 20.9 | <0.01 | 0.03 | 1.9 |
| I314284 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314285 | | 1.72 | 21.8 | 280 | 8.8 | 10.2 | <0.001 | 0.02 | 0.30 | 3.6 | 0.3 | 0.7 | 31.0 | <0.01 | 0.04 | 2.0 |
| I314286 | | 1.37 | 13.3 | 290 | 10.5 | 11.8 | <0.001 | 0.01 | 0.37 | 2.6 | 0.3 | 0.7 | 12.0 | <0.01 | 0.03 | 1.8 |
| I314287 | | 0.33 | 7.2 | 520 | 5.0 | 9.3 | <0.001 | 0.02 | 0.14 | 0.6 | 0.4 | 0.3 | 11.7 | <0.01 | 0.02 | <0.2 |
| I314288 | | 0.83 | 8.0 | 280 | 6.6 | 9.3 | <0.001 | 0.02 | 0.26 | 1.6 | 0.3 | 0.5 | 11.7 | <0.01 | 0.03 | 0.3 |
| I314289 | | 0.39 | 6.5 | 340 | 6.7 | 6.7 | <0.001 | 0.02 | 0.20 | 0.9 | 0.3 | 0.5 | 11.3 | <0.01 | 0.02 | <0.2 |
| I314290 | | 0.90 | 12.6 | 250 | 9.1 | 37.7 | <0.001 | 0.02 | 0.83 | 2.6 | 0.3 | 0.8 | 13.4 | <0.01 | 0.03 | 3.2 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314251 | | 0.063 | 0.07 | 0.46 | 62 | 0.20 | 3.39 | 46 | 0.9 |
| I314252 | | 0.063 | 0.08 | 0.32 | 60 | 0.43 | 2.22 | 38 | 1.0 |
| I314253 | | 0.042 | 0.05 | 0.91 | 48 | 0.16 | 8.44 | 35 | 1.1 |
| I314254 | | 0.082 | 0.05 | 0.70 | 56 | 0.16 | 9.47 | 49 | 6.5 |
| I314255 | | 0.066 | 0.05 | 1.03 | 52 | 0.22 | 10.45 | 52 | 4.7 |
| I314256 | | 0.043 | 0.04 | 0.82 | 35 | 0.15 | 8.80 | 43 | 2.1 |
| I314257 | | 0.065 | 0.06 | 1.09 | 50 | 0.29 | 8.77 | 56 | 2.1 |
| I314258 | | 0.078 | 0.06 | 1.35 | 60 | 0.17 | 10.80 | 68 | 2.6 |
| I314259 | | 0.016 | 0.13 | 0.54 | 14 | 0.09 | 6.06 | 19 | 1.9 |
| I314260 | | 0.146 | 0.14 | 8.72 | 87 | 0.30 | 10.95 | 84 | 4.2 |
| I314261 | | 0.099 | 0.08 | 0.62 | 65 | 0.21 | 10.35 | 62 | 2.5 |
| I314262 | | 0.157 | 0.19 | 0.45 | 71 | 0.12 | 2.74 | 68 | 2.2 |
| I314263 | | 0.080 | 0.14 | 0.59 | 65 | 0.12 | 3.30 | 30 | 0.9 |
| I314264 | | 0.059 | 0.12 | 0.46 | 48 | 0.10 | 3.77 | 25 | <0.5 |
| I314265 | | 0.133 | 0.15 | 0.54 | 92 | 0.17 | 3.46 | 48 | 3.3 |
| I314266 | | 0.083 | 0.11 | 0.31 | 71 | 0.11 | 1.59 | 17 | 1.0 |
| I314267 | | 0.126 | 0.11 | 0.38 | 86 | 0.17 | 2.50 | 43 | 2.4 |
| I314268 | | 0.127 | 0.14 | 0.59 | 92 | 0.18 | 3.84 | 39 | 3.0 |
| I314269 | | 0.035 | 0.06 | 0.30 | 30 | 0.07 | 1.45 | 10 | <0.5 |
| I314270 | | 0.040 | 0.07 | 0.36 | 35 | 0.12 | 1.57 | 11 | <0.5 |
| I314271 | | 0.133 | 0.13 | 0.47 | 85 | 0.15 | 2.97 | 47 | 1.9 |
| I314272 | | 0.066 | 0.08 | 0.49 | 30 | 0.09 | 2.90 | 17 | <0.5 |
| I314273 | | 0.124 | 0.16 | 0.60 | 97 | 0.15 | 3.69 | 69 | 4.0 |
| I314274 | | 0.107 | 0.12 | 0.36 | 93 | 0.13 | 2.70 | 53 | 1.6 |
| I314275 | | 0.112 | 0.12 | 0.46 | 115 | 0.18 | 3.57 | 59 | 1.3 |
| I314276 | | 0.173 | 0.32 | 0.40 | 65 | 0.13 | 4.77 | 82 | 2.2 |
| I314277 | | 0.123 | 0.12 | 0.72 | 88 | 0.23 | 4.89 | 92 | 1.2 |
| I314278 | | 0.106 | 0.15 | 0.41 | 87 | 0.15 | 2.30 | 27 | 2.0 |
| I314279 | | 0.096 | 0.14 | 0.74 | 77 | 0.26 | 4.44 | 43 | 1.2 |
| I314280 | | 0.126 | 0.15 | 0.48 | 97 | 0.18 | 3.21 | 38 | 2.1 |
| I314281 | | 0.134 | 0.21 | 0.80 | 99 | 0.15 | 3.86 | 68 | 1.7 |
| I314282 | | 0.130 | 0.17 | 0.40 | 79 | 0.15 | 2.13 | 89 | 1.3 |
| I314283 | | 0.085 | 0.16 | 0.72 | 71 | 0.17 | 7.46 | 51 | 0.6 |
| I314284 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I314285 | | 0.104 | 0.16 | 0.40 | 72 | 0.17 | 2.70 | 51 | 1.2 |
| I314286 | | 0.096 | 0.11 | 0.45 | 63 | 0.15 | 2.56 | 31 | 1.0 |
| I314287 | | 0.034 | 0.06 | 0.67 | 23 | 0.07 | 2.13 | 13 | <0.5 |
| I314288 | | 0.076 | 0.08 | 0.29 | 54 | 0.09 | 1.59 | 30 | 0.6 |
| I314289 | | 0.046 | 0.09 | 0.46 | 35 | 0.08 | 2.09 | 14 | <0.5 |
| I314290 | | 0.076 | 0.28 | 0.44 | 58 | 0.11 | 4.18 | 39 | 0.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314291 | | 0.22 | NSS | 0.13 | 0.47 | 1.4 | <0.2 | <10 | 50 | 0.14 | 0.07 | 0.08 | 0.21 | 12.25 | 1.8 | 10 |
| I314292 | | 0.36 | 0.010 | 0.03 | 1.85 | 5.9 | <0.2 | <10 | 130 | 0.36 | 0.15 | 0.20 | 0.08 | 30.0 | 8.0 | 34 |
| I314293 | | 0.28 | 0.009 | 0.08 | 1.25 | 3.6 | <0.2 | <10 | 130 | 0.39 | 0.13 | 0.18 | 0.13 | 30.0 | 3.9 | 21 |
| I314294 | | 0.26 | 0.008 | 0.08 | 1.37 | 4.8 | <0.2 | <10 | 110 | 0.36 | 0.16 | 0.19 | 0.13 | 28.6 | 5.3 | 25 |
| I314295 | | 0.20 | 0.025 | 0.16 | 0.59 | 1.6 | <0.2 | <10 | 80 | 0.26 | 0.12 | 0.34 | 0.29 | 29.7 | 3.8 | 14 |
| I314296 | | 0.34 | 0.006 | 0.03 | 1.65 | 5.7 | <0.2 | <10 | 100 | 0.29 | 0.11 | 0.25 | 0.05 | 45.1 | 8.4 | 28 |
| I314297 | | 0.24 | <0.005 | 0.52 | 2.65 | 21.7 | <0.2 | <10 | 250 | 1.28 | 0.28 | 0.53 | 0.14 | 174.0 | 24.5 | 34 |
| I314298 | | 0.32 | 0.006 | 0.09 | 2.16 | 6.4 | <0.2 | <10 | 190 | 0.60 | 0.14 | 0.30 | 0.03 | 66.4 | 13.4 | 31 |
| I314299 | | 0.28 | 0.006 | 0.07 | 1.33 | 8.0 | <0.2 | <10 | 110 | 0.17 | 0.12 | 0.14 | 0.03 | 10.50 | 6.0 | 21 |
| I314300 | | 0.20 | <0.005 | 0.07 | 0.55 | 2.6 | <0.2 | <10 | 70 | 0.13 | 0.11 | 0.09 | 0.06 | 8.66 | 1.4 | 10 |
| I314301 | | 0.40 | 0.009 | 0.16 | 1.80 | 8.3 | <0.2 | <10 | 280 | 0.60 | 0.17 | 0.43 | 0.14 | 29.8 | 9.7 | 24 |
| I314302 | | 0.38 | 0.005 | 0.19 | 1.79 | 7.0 | <0.2 | <10 | 300 | 0.43 | 0.16 | 0.33 | 0.14 | 23.7 | 8.8 | 23 |
| I314303 | | 0.46 | <0.005 | 0.16 | 1.64 | 10.0 | <0.2 | <10 | 280 | 0.42 | 0.71 | 0.42 | 0.30 | 23.3 | 11.9 | 26 |
| I314304 | | 0.44 | 0.005 | 0.10 | 1.66 | 6.9 | <0.2 | <10 | 230 | 0.30 | 0.17 | 0.28 | 0.23 | 13.80 | 11.1 | 20 |
| I314305 | | 0.50 | 0.006 | 0.07 | 2.07 | 6.3 | <0.2 | <10 | 230 | 0.39 | 0.13 | 0.27 | 0.22 | 15.70 | 12.6 | 25 |
| I314306 | | 0.46 | <0.005 | 0.20 | 1.86 | 4.9 | <0.2 | <10 | 340 | 0.39 | 0.15 | 0.30 | 1.21 | 16.00 | 12.8 | 29 |
| I314307 | | 0.42 | <0.005 | 0.25 | 1.61 | 6.1 | <0.2 | <10 | 330 | 0.34 | 0.16 | 0.65 | 0.74 | 17.35 | 12.1 | 27 |
| I314308 | | 0.50 | NSS | 0.03 | 0.28 | 9.4 | <0.2 | <10 | 100 | 0.33 | 0.03 | 0.54 | 0.25 | 27.3 | 9.6 | 16 |
| I314309 | | 0.38 | <0.005 | 0.09 | 2.44 | 4.1 | <0.2 | <10 | 800 | 0.84 | 0.12 | 0.76 | 0.13 | 43.9 | 17.4 | 97 |
| I314310 | | 0.42 | <0.005 | 0.39 | 1.68 | 9.6 | <0.2 | <10 | 390 | 0.39 | 0.13 | 0.48 | 0.08 | 21.3 | 11.6 | 33 |
| I314311 | | 0.50 | <0.005 | 0.23 | 2.82 | 12.6 | <0.2 | <10 | 200 | 0.35 | 0.11 | 0.81 | 0.22 | 12.90 | 23.8 | 62 |
| I314312 | | 0.38 | <0.005 | 0.16 | 1.95 | 6.7 | <0.2 | <10 | 510 | 0.55 | 0.15 | 0.53 | 0.23 | 17.25 | 14.5 | 67 |
| I314313 | | 0.44 | <0.005 | 0.05 | 1.74 | 4.7 | <0.2 | <10 | 420 | 0.33 | 0.15 | 0.42 | 0.10 | 14.60 | 6.6 | 22 |
| I314314 | | 0.38 | <0.005 | 0.08 | 1.47 | 6.0 | <0.2 | <10 | 520 | 0.24 | 0.15 | 0.35 | 0.14 | 15.35 | 9.1 | 24 |
| I314315 | | 0.54 | 0.021 | 0.16 | 1.61 | 4.3 | <0.2 | <10 | 1500 | 1.02 | 0.17 | 0.55 | 0.11 | 37.8 | 7.9 | 22 |
| I314316 | | 0.52 | 0.009 | 0.15 | 1.54 | 7.3 | <0.2 | <10 | 430 | 0.97 | 0.39 | 0.89 | 0.19 | 30.7 | 10.2 | 26 |
| I314317 | | 0.48 | 0.006 | 0.15 | 1.83 | 5.2 | <0.2 | <10 | 190 | 0.50 | 0.15 | 1.14 | 0.31 | 25.4 | 11.8 | 31 |
| I314318 | | 0.46 | 0.005 | 0.09 | 1.63 | 6.8 | <0.2 | <10 | 210 | 0.32 | 0.14 | 0.83 | 0.23 | 20.3 | 10.8 | 26 |
| I314319 | | 0.38 | <0.005 | 0.05 | 1.43 | 6.8 | <0.2 | <10 | 140 | 0.20 | 0.14 | 0.22 | 0.11 | 16.05 | 6.6 | 19 |
| I314320 | | 0.56 | 0.015 | 0.10 | 1.40 | 6.3 | <0.2 | <10 | 240 | 0.38 | 0.27 | 0.62 | 0.20 | 26.8 | 10.4 | 21 |
| I314321 | | 0.38 | <0.005 | 0.30 | 1.63 | 4.4 | <0.2 | <10 | 390 | 0.38 | 0.10 | 0.78 | 0.66 | 17.75 | 10.6 | 36 |
| I314322 | | 0.40 | <0.005 | 0.08 | 1.48 | 5.3 | <0.2 | <10 | 230 | 0.26 | 0.14 | 0.30 | 0.16 | 15.10 | 10.1 | 25 |
| I314323 | | 0.44 | <0.005 | 0.08 | 1.51 | 6.7 | <0.2 | <10 | 270 | 0.34 | 0.13 | 0.42 | 0.09 | 19.90 | 9.6 | 26 |
| I314324 | | 0.38 | NSS | 0.06 | 0.33 | 10.1 | <0.2 | <10 | 120 | 0.31 | 0.03 | 0.64 | 0.27 | 31.8 | 11.0 | 19 |
| I314325 | | 0.44 | <0.005 | 0.09 | 1.73 | 6.1 | <0.2 | <10 | 500 | 0.57 | 0.10 | 1.70 | 0.53 | 22.9 | 9.3 | 33 |
| I314326 | | 0.38 | 0.006 | 0.32 | 1.55 | 26.2 | <0.2 | <10 | 190 | 0.45 | 0.08 | 2.48 | 1.41 | 25.2 | 11.8 | 78 |
| I314327 | | 0.40 | <0.005 | 0.05 | 1.73 | 4.8 | <0.2 | <10 | 200 | 0.32 | 0.11 | 0.45 | 0.15 | 16.35 | 9.2 | 37 |
| I314328 | | 0.46 | <0.005 | 0.05 | 2.74 | 5.4 | <0.2 | <10 | 390 | 0.53 | 0.10 | 0.48 | 0.05 | 20.0 | 16.1 | 57 |
| I314329 | | 0.38 | <0.005 | 0.06 | 1.70 | 4.8 | <0.2 | <10 | 520 | 0.32 | 0.18 | 0.57 | 0.16 | 14.70 | 10.9 | 26 |
| I314330 | | 0.36 | 0.012 | 0.05 | 2.19 | 5.9 | <0.2 | <10 | 200 | 0.45 | 0.10 | 0.51 | 0.11 | 23.1 | 14.5 | 39 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I314291 | | 0.56 | 16.0 | 0.78 | 1.93 | <0.05 | <0.02 | 0.06 | 0.010 | 0.03 | 9.1 | 0.9 | 0.04 | 33 | 0.67 | 0.03 |
| I314292 | | 1.81 | 24.7 | 3.14 | 7.21 | 0.08 | 0.02 | 0.03 | 0.023 | 0.09 | 18.0 | 14.2 | 0.50 | 202 | 0.90 | 0.02 |
| I314293 | | 1.06 | 25.9 | 1.78 | 5.00 | 0.06 | 0.02 | 0.03 | 0.019 | 0.04 | 18.1 | 5.6 | 0.19 | 83 | 0.73 | 0.02 |
| I314294 | | 1.47 | 29.6 | 2.25 | 5.18 | 0.07 | 0.03 | 0.05 | 0.021 | 0.05 | 19.2 | 9.7 | 0.32 | 174 | 0.92 | 0.03 |
| I314295 | | 0.95 | 27.3 | 0.93 | 2.53 | 0.06 | 0.02 | 0.06 | 0.013 | 0.05 | 16.5 | 2.1 | 0.10 | 53 | 0.66 | 0.03 |
| I314296 | | 4.29 | 24.0 | 3.02 | 5.84 | 0.09 | 0.02 | 0.02 | 0.016 | 0.32 | 21.0 | 16.9 | 0.65 | 192 | 0.66 | 0.01 |
| I314297 | | 5.09 | 46.3 | 3.45 | 12.00 | 0.31 | 0.08 | 0.15 | 0.055 | 0.08 | 158.0 | 20.9 | 0.36 | 2010 | 1.54 | 0.01 |
| I314298 | | 4.95 | 24.6 | 3.29 | 8.00 | 0.10 | 0.04 | 0.05 | 0.025 | 0.34 | 46.3 | 24.4 | 0.72 | 217 | 0.64 | <0.01 |
| I314299 | | 1.33 | 11.4 | 2.21 | 5.91 | <0.05 | 0.02 | 0.02 | 0.020 | 0.01 | 5.6 | 8.5 | 0.25 | 136 | 1.02 | 0.01 |
| I314300 | | 0.77 | 9.1 | 0.65 | 3.96 | <0.05 | <0.02 | 0.02 | 0.010 | 0.02 | 5.2 | 1.8 | 0.07 | 32 | 0.37 | 0.01 |
| I314301 | | 4.41 | 18.1 | 3.04 | 7.98 | 0.11 | 0.04 | 0.05 | 0.028 | 0.17 | 25.1 | 14.7 | 0.57 | 462 | 0.94 | <0.01 |
| I314302 | | 2.65 | 17.0 | 2.91 | 7.11 | 0.08 | 0.04 | 0.03 | 0.031 | 0.12 | 14.4 | 12.7 | 0.47 | 534 | 0.95 | 0.01 |
| I314303 | | 2.12 | 32.2 | 2.85 | 6.55 | 0.06 | 0.03 | 0.04 | 0.034 | 0.08 | 11.4 | 14.4 | 0.54 | 1080 | 0.77 | <0.01 |
| I314304 | | 2.02 | 16.0 | 2.88 | 7.43 | 0.05 | 0.02 | 0.02 | 0.026 | 0.07 | 7.1 | 11.7 | 0.40 | 680 | 1.09 | <0.01 |
| I314305 | | 1.13 | 21.8 | 3.35 | 8.28 | 0.06 | 0.05 | 0.01 | 0.029 | 0.05 | 7.6 | 15.5 | 0.64 | 329 | 1.04 | 0.01 |
| I314306 | | 2.13 | 14.4 | 3.06 | 7.22 | 0.05 | 0.03 | 0.03 | 0.027 | 0.04 | 7.8 | 10.1 | 0.46 | 1720 | 1.15 | 0.01 |
| I314307 | | 1.83 | 12.7 | 2.91 | 6.48 | 0.05 | 0.04 | 0.03 | 0.027 | 0.10 | 7.9 | 8.9 | 0.45 | 961 | 1.08 | 0.01 |
| I314308 | | 0.28 | 7.7 | 2.18 | 1.58 | 0.07 | 0.09 | 0.02 | 0.008 | 0.02 | 13.2 | 3.3 | 0.22 | 919 | 1.46 | <0.01 |
| I314309 | | 0.50 | 15.3 | 3.61 | 9.05 | 0.08 | 0.07 | 0.02 | 0.033 | 0.12 | 16.6 | 9.1 | 1.18 | 663 | 1.13 | 0.01 |
| I314310 | | 0.42 | 18.2 | 2.68 | 6.37 | 0.05 | 0.07 | 0.02 | 0.023 | 0.08 | 9.2 | 7.8 | 0.48 | 690 | 2.23 | 0.01 |
| I314311 | | 0.47 | 55.1 | 3.78 | 8.82 | 0.07 | 0.08 | 0.02 | 0.035 | 0.10 | 5.4 | 9.9 | 0.88 | 803 | 1.15 | 0.02 |
| I314312 | | 0.37 | 20.1 | 3.07 | 7.45 | 0.05 | 0.08 | 0.01 | 0.026 | 0.19 | 8.4 | 9.0 | 0.64 | 1140 | 1.35 | 0.01 |
| I314313 | | 0.23 | 7.4 | 2.58 | 6.71 | 0.05 | 0.02 | 0.01 | 0.019 | 0.13 | 7.5 | 7.7 | 0.32 | 369 | 1.18 | <0.01 |
| I314314 | | 0.36 | 12.3 | 2.38 | 6.31 | <0.05 | 0.04 | 0.02 | 0.019 | 0.08 | 8.0 | 7.6 | 0.33 | 950 | 1.05 | 0.01 |
| I314315 | | 0.45 | 24.3 | 2.36 | 5.34 | 0.10 | 0.06 | 0.06 | 0.024 | 0.08 | 28.7 | 8.2 | 0.27 | 401 | 1.90 | 0.01 |
| I314316 | | 0.67 | 23.2 | 2.35 | 5.41 | 0.06 | 0.15 | 0.04 | 0.029 | 0.05 | 15.1 | 13.3 | 0.44 | 474 | 4.09 | 0.02 |
| I314317 | | 1.81 | 23.9 | 2.87 | 7.07 | 0.08 | 0.08 | 0.04 | 0.029 | 0.10 | 12.6 | 14.6 | 0.76 | 559 | 0.73 | 0.03 |
| I314318 | | 1.18 | 19.4 | 2.68 | 5.79 | 0.07 | 0.08 | 0.03 | 0.026 | 0.07 | 10.1 | 13.0 | 0.61 | 437 | 0.72 | 0.02 |
| I314319 | | 1.33 | 11.2 | 2.53 | 6.56 | 0.05 | 0.06 | 0.02 | 0.023 | 0.10 | 8.8 | 10.3 | 0.39 | 207 | 0.82 | 0.01 |
| I314320 | | 1.54 | 21.5 | 2.42 | 5.40 | 0.07 | 0.05 | 0.04 | 0.028 | 0.07 | 14.2 | 13.1 | 0.48 | 457 | 0.64 | 0.01 |
| I314321 | | 1.89 | 23.4 | 2.83 | 7.38 | 0.07 | 0.03 | 0.04 | 0.028 | 0.09 | 10.8 | 14.3 | 0.70 | 618 | 0.64 | 0.01 |
| I314322 | | 0.84 | 10.9 | 2.48 | 6.26 | 0.05 | 0.05 | 0.04 | 0.023 | 0.05 | 7.6 | 9.5 | 0.39 | 487 | 1.31 | <0.01 |
| I314323 | | 0.72 | 13.7 | 2.42 | 5.73 | 0.05 | 0.07 | 0.03 | 0.022 | 0.04 | 9.5 | 8.9 | 0.40 | 467 | 0.90 | 0.01 |
| I314324 | | 0.38 | 17.1 | 2.24 | 2.00 | 0.09 | 0.05 | 0.02 | 0.009 | 0.03 | 16.7 | 3.8 | 0.27 | 952 | 1.53 | <0.01 |
| I314325 | | 0.66 | 54.4 | 2.03 | 5.06 | 0.06 | 0.09 | 0.05 | 0.025 | 0.02 | 14.5 | 7.8 | 0.49 | 342 | 0.49 | 0.03 |
| I314326 | | 0.42 | 48.3 | 2.21 | 5.11 | 0.07 | 0.14 | 0.08 | 0.024 | 0.02 | 14.4 | 7.3 | 0.88 | 467 | 2.96 | 0.01 |
| I314327 | | 0.75 | 18.4 | 2.61 | 7.45 | 0.05 | 0.03 | 0.02 | 0.023 | 0.03 | 8.0 | 7.6 | 0.54 | 414 | 0.96 | 0.01 |
| I314328 | | 0.56 | 25.7 | 3.30 | 8.96 | 0.06 | 0.07 | 0.02 | 0.033 | 0.02 | 10.0 | 12.9 | 1.12 | 574 | 0.91 | 0.01 |
| I314329 | | 0.36 | 16.6 | 2.39 | 6.06 | <0.05 | 0.04 | 0.03 | 0.020 | 0.07 | 7.2 | 8.6 | 0.48 | 1000 | 1.24 | 0.01 |
| I314330 | | 1.20 | 31.6 | 3.03 | 7.16 | 0.07 | 0.12 | 0.04 | 0.031 | 0.04 | 12.1 | 12.9 | 0.91 | 294 | 0.59 | 0.02 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314291 | | 0.17 | 5.9 | 510 | 4.1 | 3.9 | <0.001 | 0.05 | 0.17 | 0.2 | 0.4 | 0.2 | 12.2 | <0.01 | 0.02 | <0.2 |
| I314292 | | 0.84 | 26.3 | 420 | 8.3 | 15.7 | <0.001 | 0.02 | 0.35 | 2.2 | 0.5 | 0.6 | 20.2 | <0.01 | 0.02 | 0.6 |
| I314293 | | 0.31 | 14.8 | 500 | 7.5 | 8.7 | <0.001 | 0.03 | 0.22 | 0.5 | 0.6 | 0.5 | 20.6 | <0.01 | 0.02 | <0.2 |
| I314294 | | 0.74 | 17.5 | 420 | 19.5 | 10.6 | <0.001 | 0.03 | 0.24 | 1.9 | 0.5 | 0.5 | 20.2 | <0.01 | 0.03 | 0.4 |
| I314295 | | 0.42 | 11.7 | 470 | 5.4 | 7.1 | <0.001 | 0.05 | 0.19 | 1.3 | 0.6 | 0.3 | 31.7 | 0.01 | 0.02 | <0.2 |
| I314296 | | 1.48 | 31.0 | 340 | 7.8 | 43.6 | <0.001 | 0.01 | 0.14 | 2.6 | 0.4 | 0.6 | 20.0 | <0.01 | 0.02 | 4.9 |
| I314297 | | 1.06 | 33.5 | 670 | 29.3 | 24.6 | 0.001 | 0.04 | 0.33 | 10.0 | 2.1 | 1.0 | 46.5 | 0.01 | 0.04 | 8.7 |
| I314298 | | 1.77 | 29.1 | 710 | 19.7 | 41.9 | <0.001 | 0.01 | 0.62 | 4.6 | 0.7 | 0.6 | 24.0 | <0.01 | 0.02 | 13.0 |
| I314299 | | 1.26 | 13.2 | 170 | 7.5 | 7.5 | <0.001 | 0.01 | 0.31 | 2.3 | 0.4 | 0.5 | 14.5 | <0.01 | 0.02 | 1.1 |
| I314300 | | 0.21 | 3.9 | 360 | 7.6 | 9.8 | <0.001 | 0.01 | 0.08 | 0.4 | 0.3 | 0.4 | 12.1 | <0.01 | 0.01 | <0.2 |
| I314301 | | 1.19 | 15.1 | 550 | 13.0 | 20.5 | <0.001 | 0.01 | 0.46 | 8.1 | 0.8 | 0.5 | 27.8 | 0.01 | 0.02 | 2.5 |
| I314302 | | 1.26 | 14.0 | 480 | 8.7 | 13.0 | <0.001 | 0.01 | 0.38 | 6.3 | 0.5 | 0.5 | 25.7 | <0.01 | 0.02 | 2.8 |
| I314303 | | 1.28 | 25.5 | 550 | 18.3 | 9.8 | <0.001 | 0.02 | 0.63 | 5.5 | 0.5 | 0.5 | 24.2 | <0.01 | 0.04 | 2.2 |
| I314304 | | 1.28 | 12.2 | 630 | 11.7 | 10.4 | <0.001 | 0.01 | 0.50 | 4.2 | 0.4 | 0.6 | 24.2 | <0.01 | 0.02 | 1.3 |
| I314305 | | 1.42 | 16.3 | 550 | 16.1 | 8.8 | <0.001 | 0.01 | 0.41 | 4.8 | 0.3 | 0.6 | 19.4 | <0.01 | 0.02 | 2.6 |
| I314306 | | 1.27 | 16.6 | 300 | 20.4 | 8.3 | <0.001 | 0.01 | 0.44 | 4.9 | 0.3 | 0.6 | 21.2 | <0.01 | 0.01 | 1.8 |
| I314307 | | 1.42 | 15.8 | 330 | 18.1 | 15.0 | <0.001 | 0.01 | 0.47 | 4.6 | 0.4 | 0.6 | 32.8 | <0.01 | 0.02 | 2.0 |
| I314308 | | 0.58 | 23.7 | 650 | 4.9 | 4.7 | <0.001 | 0.02 | 0.55 | 2.0 | 0.3 | 0.2 | 12.7 | <0.01 | 0.01 | 4.5 |
| I314309 | | 2.72 | 72.8 | 670 | 8.1 | 10.4 | <0.001 | 0.01 | 0.23 | 6.3 | 0.4 | 0.6 | 46.8 | <0.01 | 0.03 | 4.0 |
| I314310 | | 1.43 | 20.3 | 270 | 7.6 | 9.9 | <0.001 | 0.01 | 0.30 | 5.4 | 0.4 | 0.5 | 29.1 | <0.01 | 0.04 | 2.8 |
| I314311 | | 0.97 | 26.1 | 610 | 7.8 | 7.6 | <0.001 | 0.02 | 0.31 | 12.5 | 0.5 | 0.5 | 30.2 | <0.01 | 0.06 | 1.5 |
| I314312 | | 1.62 | 34.4 | 620 | 9.1 | 9.9 | <0.001 | 0.01 | 0.35 | 4.5 | 0.3 | 0.6 | 32.3 | <0.01 | 0.04 | 2.7 |
| I314313 | | 1.24 | 13.1 | 300 | 8.2 | 5.5 | <0.001 | 0.01 | 0.29 | 2.8 | 0.2 | 0.5 | 26.2 | <0.01 | 0.02 | 1.8 |
| I314314 | | 1.37 | 15.8 | 380 | 8.0 | 9.6 | <0.001 | 0.01 | 0.32 | 3.1 | 0.3 | 0.5 | 27.2 | <0.01 | 0.02 | 2.0 |
| I314315 | | 1.14 | 21.7 | 350 | 8.7 | 7.6 | <0.001 | 0.02 | 0.30 | 5.5 | 1.1 | 0.4 | 58.5 | 0.01 | 0.10 | 3.4 |
| I314316 | | 2.19 | 19.2 | 470 | 18.9 | 10.0 | 0.001 | 0.03 | 0.51 | 5.1 | 1.0 | 0.6 | 230 | <0.01 | 0.38 | 5.4 |
| I314317 | | 1.15 | 20.6 | 980 | 11.5 | 13.3 | <0.001 | 0.04 | 0.54 | 7.2 | 0.9 | 0.5 | 56.6 | <0.01 | 0.03 | 2.0 |
| I314318 | | 1.46 | 17.7 | 790 | 13.1 | 10.8 | <0.001 | 0.02 | 0.51 | 5.7 | 0.6 | 0.5 | 45.2 | <0.01 | 0.02 | 2.7 |
| I314319 | | 1.34 | 10.5 | 470 | 7.9 | 11.2 | <0.001 | 0.01 | 0.34 | 4.4 | 0.3 | 0.5 | 17.8 | <0.01 | 0.02 | 2.3 |
| I314320 | | 1.13 | 15.4 | 840 | 8.9 | 9.7 | <0.001 | 0.02 | 0.48 | 5.7 | 0.7 | 0.4 | 33.0 | <0.01 | 0.02 | 2.2 |
| I314321 | | 1.16 | 30.2 | 1120 | 7.1 | 11.1 | <0.001 | 0.02 | 0.56 | 6.0 | 0.6 | 0.6 | 46.4 | <0.01 | 0.01 | 1.5 |
| I314322 | | 1.43 | 14.7 | 190 | 10.0 | 8.0 | <0.001 | 0.01 | 0.39 | 3.5 | 0.4 | 0.6 | 24.1 | <0.01 | 0.02 | 2.2 |
| I314323 | | 1.45 | 17.7 | 190 | 8.4 | 4.7 | <0.001 | 0.01 | 0.41 | 4.7 | 0.4 | 0.5 | 26.6 | <0.01 | 0.02 | 3.0 |
| I314324 | | 0.81 | 27.0 | 720 | 5.3 | 5.3 | <0.001 | 0.02 | 0.62 | 2.2 | 0.5 | 0.3 | 15.8 | <0.01 | 0.02 | 5.7 |
| I314325 | | 1.11 | 30.0 | 600 | 5.6 | 4.1 | <0.001 | 0.05 | 0.40 | 5.6 | 1.3 | 0.4 | 64.5 | 0.01 | 0.02 | 1.0 |
| I314326 | | 0.84 | 62.1 | 1130 | 7.4 | 3.9 | 0.001 | 0.08 | 0.89 | 4.3 | 2.4 | 0.3 | 106.0 | 0.01 | 0.03 | 1.3 |
| I314327 | | 1.61 | 23.5 | 330 | 5.8 | 6.6 | <0.001 | 0.02 | 0.30 | 3.8 | 0.5 | 0.6 | 37.5 | <0.01 | 0.02 | 0.8 |
| I314328 | | 1.80 | 35.7 | 410 | 6.6 | 4.8 | <0.001 | 0.01 | 0.22 | 8.1 | 0.4 | 0.6 | 28.9 | <0.01 | 0.01 | 2.5 |
| I314329 | | 1.43 | 18.9 | 330 | 9.3 | 13.8 | <0.001 | 0.02 | 0.30 | 3.2 | 0.4 | 0.5 | 41.5 | <0.01 | 0.01 | 1.7 |
| I314330 | | 1.42 | 28.4 | 340 | 6.3 | 6.2 | <0.001 | 0.02 | 0.28 | 8.5 | 0.6 | 0.5 | 30.5 | <0.01 | 0.01 | 2.6 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314291 | | 0.019 | 0.04 | 0.38 | 20 | 0.07 | 3.18 | 9 | <0.5 |
| I314292 | | 0.072 | 0.13 | 0.61 | 61 | 0.10 | 7.30 | 47 | <0.5 |
| I314293 | | 0.022 | 0.07 | 0.67 | 37 | 0.08 | 7.53 | 21 | <0.5 |
| I314294 | | 0.064 | 0.08 | 1.13 | 48 | 0.15 | 7.36 | 32 | 0.5 |
| I314295 | | 0.035 | 0.05 | 1.20 | 22 | 0.07 | 10.65 | 19 | <0.5 |
| I314296 | | 0.116 | 0.34 | 1.18 | 37 | 0.10 | 8.21 | 58 | <0.5 |
| I314297 | | 0.032 | 0.23 | 3.32 | 62 | 0.22 | 51.7 | 50 | 0.8 |
| I314298 | | 0.110 | 0.41 | 1.61 | 38 | 0.12 | 14.55 | 61 | 1.1 |
| I314299 | | 0.072 | 0.10 | 0.35 | 51 | 0.14 | 2.01 | 25 | 0.9 |
| I314300 | | 0.026 | 0.08 | 0.32 | 17 | 0.05 | 1.76 | 11 | <0.5 |
| I314301 | | 0.082 | 0.13 | 1.01 | 63 | 0.23 | 23.2 | 58 | 1.0 |
| I314302 | | 0.074 | 0.11 | 0.91 | 57 | 0.20 | 9.55 | 60 | 1.1 |
| I314303 | | 0.076 | 0.08 | 0.60 | 61 | 0.27 | 5.07 | 123 | 0.9 |
| I314304 | | 0.069 | 0.11 | 0.38 | 71 | 0.22 | 2.54 | 69 | 0.6 |
| I314305 | | 0.131 | 0.09 | 0.37 | 85 | 0.20 | 3.01 | 111 | 1.7 |
| I314306 | | 0.080 | 0.11 | 0.35 | 76 | 0.21 | 2.98 | 125 | 1.0 |
| I314307 | | 0.077 | 0.09 | 0.49 | 69 | 0.28 | 2.77 | 105 | 1.4 |
| I314308 | | 0.021 | 0.15 | 0.75 | 17 | 0.10 | 7.80 | 23 | 4.1 |
| I314309 | | 0.113 | 0.10 | 0.59 | 79 | 0.14 | 4.52 | 57 | 3.3 |
| I314310 | | 0.067 | 0.11 | 0.35 | 68 | 0.17 | 3.79 | 49 | 2.5 |
| I314311 | | 0.125 | 0.07 | 0.37 | 112 | 0.32 | 4.77 | 97 | 2.2 |
| I314312 | | 0.074 | 0.08 | 0.38 | 73 | 0.25 | 2.97 | 72 | 3.2 |
| I314313 | | 0.037 | 0.09 | 0.43 | 56 | 0.18 | 1.97 | 47 | 0.7 |
| I314314 | | 0.059 | 0.08 | 0.35 | 57 | 0.19 | 2.27 | 41 | 1.5 |
| I314315 | | 0.041 | 0.06 | 1.35 | 42 | 0.17 | 37.7 | 39 | 1.5 |
| I314316 | | 0.060 | 0.09 | 5.63 | 48 | 0.29 | 12.30 | 56 | 5.6 |
| I314317 | | 0.068 | 0.09 | 1.20 | 62 | 0.27 | 10.30 | 77 | 2.6 |
| I314318 | | 0.084 | 0.07 | 0.64 | 60 | 0.27 | 6.70 | 78 | 3.0 |
| I314319 | | 0.080 | 0.09 | 0.43 | 59 | 0.22 | 3.82 | 50 | 2.0 |
| I314320 | | 0.069 | 0.07 | 0.84 | 54 | 0.26 | 11.15 | 70 | 1.4 |
| I314321 | | 0.086 | 0.09 | 0.62 | 62 | 0.34 | 7.89 | 71 | 0.8 |
| I314322 | | 0.063 | 0.08 | 0.36 | 58 | 0.20 | 2.23 | 45 | 1.9 |
| I314323 | | 0.063 | 0.08 | 0.51 | 55 | 0.26 | 3.98 | 42 | 2.7 |
| I314324 | | 0.027 | 0.17 | 0.82 | 20 | 0.11 | 8.53 | 27 | 2.4 |
| I314325 | | 0.049 | 0.06 | 2.33 | 45 | 0.15 | 14.80 | 49 | 3.3 |
| I314326 | | 0.037 | 0.06 | 1.74 | 45 | 0.10 | 11.35 | 66 | 6.0 |
| I314327 | | 0.088 | 0.09 | 0.43 | 69 | 0.23 | 3.61 | 38 | 1.2 |
| I314328 | | 0.080 | 0.09 | 0.41 | 77 | 0.13 | 5.04 | 51 | 2.9 |
| I314329 | | 0.066 | 0.11 | 0.42 | 57 | 0.15 | 3.26 | 40 | 1.5 |
| I314330 | | 0.082 | 0.06 | 0.42 | 74 | 0.12 | 9.86 | 48 | 4.3 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314331 | | 0.38 | <0.005 | 0.06 | 2.09 | 7.6 | <0.2 | <10 | 250 | 0.36 | 0.07 | 1.02 | 0.17 | 16.55 | 16.9 | 53 |
| I314332 | | 0.44 | <0.005 | 0.04 | 2.15 | 4.2 | <0.2 | <10 | 150 | 0.46 | 0.07 | 0.43 | 0.08 | 10.30 | 16.2 | 92 |
| I314333 | | 0.40 | 0.006 | 0.07 | 2.22 | 4.8 | <0.2 | <10 | 190 | 0.32 | 0.10 | 0.70 | 0.15 | 17.90 | 14.4 | 50 |
| I314334 | | 0.24 | <0.005 | 0.06 | 2.15 | 4.3 | <0.2 | <10 | 180 | 0.41 | 0.08 | 1.21 | 0.12 | 16.30 | 13.6 | 58 |
| I314335 | | 0.46 | <0.005 | 0.07 | 1.86 | 4.2 | <0.2 | <10 | 170 | 0.40 | 0.06 | 1.19 | 0.18 | 16.00 | 12.0 | 50 |
| I314336 | | 0.42 | <0.005 | 0.06 | 1.99 | 4.6 | <0.2 | <10 | 160 | 0.51 | 0.06 | 1.41 | 0.16 | 18.90 | 14.9 | 65 |
| I314337 | | 0.50 | NSS | 0.02 | 0.28 | 8.9 | <0.2 | <10 | 70 | 0.29 | 0.01 | 0.51 | 0.17 | 28.3 | 8.1 | 12 |
| I314338 | | 0.30 | <0.005 | 0.09 | 1.75 | 7.3 | <0.2 | <10 | 250 | 1.54 | 0.13 | 0.76 | 0.18 | 115.5 | 9.7 | 28 |
| I314339 | | 0.36 | 0.006 | 0.12 | 1.77 | 7.2 | <0.2 | <10 | 210 | 1.39 | 0.26 | 0.83 | 0.12 | 124.5 | 7.1 | 28 |
| I314340 | | 0.20 | 0.010 | 0.20 | 0.59 | 3.7 | <0.2 | <10 | 80 | 0.18 | 0.14 | 0.39 | 0.84 | 10.25 | 3.9 | 15 |
| I314341 | | 0.44 | <0.005 | 0.24 | 0.78 | 52.9 | <0.2 | <10 | 100 | 0.45 | 0.11 | 0.85 | 0.35 | 14.60 | 9.9 | 18 |
| I314342 | | 0.58 | 0.007 | 0.05 | 1.95 | 10.6 | <0.2 | <10 | 120 | 0.61 | 0.32 | 0.29 | 0.12 | 51.7 | 17.3 | 34 |
| I314343 | | 0.46 | <0.005 | 0.11 | 1.66 | 13.9 | <0.2 | <10 | 100 | 0.30 | 0.11 | 0.32 | 0.21 | 27.9 | 9.9 | 35 |
| I314344 | | 0.50 | <0.005 | 0.12 | 1.73 | 16.0 | <0.2 | <10 | 110 | 0.38 | 0.10 | 0.25 | 0.14 | 29.2 | 11.3 | 35 |
| I314345 | | 0.58 | 0.007 | 0.31 | 1.72 | 16.1 | <0.2 | <10 | 150 | 0.46 | 0.19 | 0.30 | 0.34 | 44.6 | 15.4 | 33 |
| I314346 | | 0.48 | <0.005 | 0.12 | 1.72 | 12.2 | <0.2 | <10 | 150 | 0.40 | 0.08 | 0.33 | 0.30 | 27.0 | 12.8 | 38 |
| I314347 | | 0.40 | <0.005 | 0.06 | 0.42 | 2.5 | <0.2 | <10 | 40 | <0.05 | 0.10 | 0.06 | 0.14 | 7.54 | 2.2 | 9 |
| I314348 | | 0.42 | 0.005 | 0.08 | 0.65 | 6.0 | <0.2 | <10 | 40 | 0.09 | 0.15 | 0.06 | 0.12 | 12.25 | 3.1 | 12 |
| I314349 | | 0.42 | <0.005 | 0.12 | 0.81 | 4.4 | <0.2 | <10 | 60 | 0.12 | 0.17 | 0.10 | 0.16 | 10.70 | 3.2 | 15 |
| I314350 | | 0.42 | <0.005 | 0.09 | 0.60 | 8.0 | <0.2 | <10 | 50 | 0.11 | 0.15 | 0.05 | 0.14 | 7.89 | 2.7 | 12 |
| I314351 | | 0.32 | 0.008 | 0.06 | 1.64 | 5.7 | <0.2 | <10 | 160 | 0.43 | 0.06 | 1.58 | 0.10 | 25.5 | 11.6 | 32 |
| I314352 | | 0.42 | 0.009 | 0.05 | 1.66 | 6.8 | <0.2 | <10 | 140 | 0.30 | 0.09 | 0.45 | 0.10 | 23.6 | 11.0 | 27 |
| I314353 | | 0.34 | 0.006 | 0.06 | 1.52 | 5.2 | <0.2 | <10 | 130 | 0.31 | 0.09 | 1.38 | 0.17 | 25.3 | 9.9 | 27 |
| I314354 | | 0.28 | 0.006 | 0.08 | 1.60 | 4.5 | <0.2 | <10 | 170 | 0.47 | 0.10 | 1.48 | 0.21 | 58.0 | 9.2 | 24 |
| I314355 | | 0.30 | <0.005 | 0.08 | 1.81 | 7.3 | <0.2 | <10 | 150 | 0.50 | 0.09 | 1.99 | 0.20 | 33.9 | 11.2 | 31 |
| I314356 | | 0.32 | 0.006 | 0.04 | 1.59 | 7.6 | <0.2 | <10 | 120 | 0.36 | 0.09 | 0.74 | 0.20 | 23.4 | 11.1 | 30 |
| I314357 | | 0.40 | 0.005 | 0.07 | 1.51 | 7.2 | <0.2 | <10 | 120 | 0.26 | 0.10 | 0.56 | 0.15 | 17.85 | 9.6 | 27 |
| I314358 | | 0.36 | 0.005 | 0.04 | 1.48 | 7.0 | <0.2 | <10 | 170 | 0.25 | 0.08 | 0.59 | 0.10 | 21.8 | 12.0 | 30 |
| I314359 | | 0.42 | 0.008 | 0.06 | 1.74 | 7.1 | <0.2 | <10 | 150 | 0.40 | 0.10 | 0.48 | 0.09 | 24.7 | 10.3 | 30 |
| I314360 | | 0.40 | 0.009 | 0.07 | 1.77 | 7.5 | <0.2 | <10 | 170 | 0.45 | 0.10 | 0.51 | 0.12 | 27.1 | 11.8 | 31 |
| I314361 | | 0.26 | 0.007 | 0.06 | 1.48 | 6.0 | <0.2 | <10 | 140 | 0.28 | 0.08 | 0.49 | 0.11 | 19.65 | 9.5 | 26 |
| I314362 | | 0.52 | <0.005 | 0.08 | 1.86 | 5.5 | <0.2 | <10 | 170 | 0.51 | 0.08 | 0.77 | 0.10 | 45.5 | 13.1 | 36 |
| I314363 | | 0.32 | 0.005 | 0.07 | 1.71 | 5.1 | <0.2 | <10 | 130 | 0.27 | 0.08 | 0.56 | 0.09 | 27.9 | 8.0 | 31 |
| I314364 | | 0.40 | <0.005 | 0.08 | 1.65 | 6.2 | <0.2 | <10 | 160 | 0.33 | 0.08 | 0.66 | 0.09 | 21.8 | 11.3 | 30 |
| I314365 | | 0.34 | 0.005 | 0.08 | 1.77 | 9.1 | <0.2 | <10 | 140 | 0.39 | 0.09 | 0.56 | 0.11 | 22.0 | 9.6 | 33 |
| I314366 | | 0.34 | 0.007 | 0.07 | 1.84 | 9.2 | <0.2 | <10 | 170 | 0.38 | 0.09 | 0.76 | 0.16 | 25.2 | 12.9 | 38 |
| I314367 | | 0.38 | 0.012 | 0.09 | 1.68 | 11.5 | <0.2 | <10 | 220 | 0.79 | 0.13 | 1.33 | 0.28 | 30.1 | 12.1 | 33 |
| I314368 | | 0.34 | 0.006 | 0.05 | 1.86 | 7.6 | <0.2 | <10 | 230 | 0.86 | 0.12 | 0.66 | 0.06 | 45.3 | 12.2 | 32 |
| I314369 | | 0.46 | <0.005 | 0.07 | 1.74 | 6.7 | <0.2 | <10 | 220 | 0.51 | 0.18 | 0.49 | 0.09 | 36.0 | 9.3 | 30 |
| I314370 | | 0.30 | NSS | 0.02 | 0.20 | 7.8 | <0.2 | <10 | 40 | 0.27 | 0.03 | 0.31 | 0.20 | 24.4 | 6.9 | 10 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I314331 | | 1.60 | 47.1 | 3.07 | 6.32 | 0.07 | 0.07 | 0.03 | 0.029 | 0.03 | 9.4 | 11.0 | 0.98 | 459 | 0.48 |
| I314332 | | 0.72 | 28.2 | 2.86 | 7.66 | 0.05 | 0.04 | 0.02 | 0.019 | 0.02 | 5.4 | 12.6 | 1.15 | 289 | 0.71 |
| I314333 | | 0.81 | 29.5 | 2.83 | 6.02 | 0.05 | 0.08 | 0.03 | 0.023 | 0.03 | 10.2 | 13.2 | 1.02 | 453 | 0.50 |
| I314334 | | 1.13 | 37.1 | 2.54 | 6.07 | 0.06 | 0.11 | 0.05 | 0.022 | 0.02 | 9.1 | 12.4 | 0.89 | 275 | 0.52 |
| I314335 | | 0.48 | 31.4 | 2.31 | 5.01 | 0.06 | 0.06 | 0.06 | 0.020 | 0.02 | 9.1 | 10.8 | 0.80 | 291 | 0.50 |
| I314336 | | 0.59 | 31.2 | 2.70 | 5.40 | 0.06 | 0.06 | 0.04 | 0.020 | 0.03 | 10.9 | 12.8 | 0.94 | 414 | 0.40 |
| I314337 | | 0.23 | 6.5 | 1.94 | 1.36 | 0.06 | 0.06 | 0.02 | 0.006 | 0.02 | 14.3 | 3.4 | 0.22 | 623 | 1.03 |
| I314338 | | 0.85 | 25.8 | 2.45 | 7.14 | 0.19 | 0.07 | 0.05 | 0.028 | 0.12 | 103.5 | 9.4 | 0.38 | 501 | 1.41 |
| I314339 | | 1.80 | 24.2 | 2.22 | 6.32 | 0.21 | 0.12 | 0.06 | 0.027 | 0.09 | 127.0 | 9.9 | 0.40 | 216 | 0.94 |
| I314340 | | 6.36 | 17.0 | 1.24 | 2.72 | <0.05 | <0.02 | 0.17 | 0.015 | 0.04 | 5.9 | 1.2 | 0.09 | 196 | 1.63 |
| I314341 | | 7.98 | 16.9 | 1.85 | 2.91 | 0.05 | 0.03 | 0.09 | 0.017 | 0.04 | 8.5 | 4.3 | 0.23 | 633 | 1.21 |
| I314342 | | 5.12 | 27.5 | 3.12 | 6.10 | 0.10 | 0.09 | 0.05 | 0.033 | 0.06 | 24.9 | 16.1 | 0.63 | 245 | 0.47 |
| I314343 | | 8.58 | 30.4 | 2.93 | 5.17 | 0.07 | 0.03 | 0.03 | 0.022 | 0.12 | 14.9 | 14.3 | 0.62 | 247 | 1.04 |
| I314344 | | 12.55 | 30.1 | 3.21 | 4.86 | 0.07 | 0.03 | 0.03 | 0.023 | 0.11 | 16.3 | 14.4 | 0.62 | 326 | 1.21 |
| I314345 | | 11.85 | 55.0 | 3.01 | 4.99 | 0.09 | 0.03 | 0.06 | 0.035 | 0.07 | 22.3 | 10.5 | 0.48 | 233 | 1.39 |
| I314346 | | 6.38 | 25.9 | 2.93 | 4.85 | 0.08 | 0.04 | 0.04 | 0.021 | 0.09 | 14.1 | 13.7 | 0.64 | 443 | 0.98 |
| I314347 | | 0.73 | 9.9 | 1.04 | 3.48 | <0.05 | <0.02 | 0.02 | 0.007 | <0.01 | 4.0 | 1.1 | 0.05 | 53 | 0.88 |
| I314348 | | 1.01 | 11.7 | 1.56 | 5.71 | <0.05 | 0.02 | 0.03 | 0.011 | 0.01 | 6.4 | 1.8 | 0.08 | 91 | 1.19 |
| I314349 | | 0.77 | 16.0 | 1.81 | 6.04 | <0.05 | 0.02 | 0.03 | 0.012 | <0.01 | 5.6 | 2.4 | 0.07 | 83 | 1.29 |
| I314350 | | 2.18 | 12.6 | 1.50 | 5.12 | <0.05 | <0.02 | 0.02 | 0.012 | 0.01 | 4.2 | 1.4 | 0.05 | 236 | 1.07 |
| I314351 | | 1.66 | 25.9 | 2.63 | 4.57 | 0.10 | 0.08 | 0.03 | 0.017 | 0.20 | 14.3 | 15.0 | 0.77 | 328 | 0.43 |
| I314352 | | 0.65 | 17.7 | 2.50 | 5.29 | 0.06 | 0.15 | 0.01 | 0.021 | 0.04 | 12.5 | 10.9 | 0.46 | 220 | 0.64 |
| I314353 | | 0.71 | 19.0 | 2.27 | 4.66 | 0.08 | 0.09 | 0.06 | 0.021 | 0.05 | 13.2 | 10.8 | 0.55 | 368 | 0.59 |
| I314354 | | 0.94 | 23.9 | 2.34 | 4.98 | 0.10 | 0.08 | 0.06 | 0.025 | 0.03 | 36.5 | 9.2 | 0.39 | 247 | 0.55 |
| I314355 | | 0.97 | 24.0 | 2.58 | 5.03 | 0.08 | 0.10 | 0.06 | 0.028 | 0.05 | 18.1 | 13.1 | 0.62 | 459 | 0.55 |
| I314356 | | 0.42 | 29.4 | 2.69 | 4.76 | 0.08 | 0.16 | 0.02 | 0.021 | 0.09 | 11.8 | 11.2 | 0.65 | 330 | 0.52 |
| I314357 | | 0.42 | 20.2 | 2.45 | 4.66 | 0.07 | 0.07 | 0.01 | 0.020 | 0.06 | 8.9 | 9.9 | 0.53 | 267 | 0.72 |
| I314358 | | 0.66 | 14.1 | 2.64 | 4.88 | 0.07 | 0.14 | 0.03 | 0.019 | 0.03 | 11.1 | 11.0 | 0.56 | 359 | 0.52 |
| I314359 | | 1.15 | 20.5 | 2.65 | 5.72 | 0.07 | 0.05 | 0.03 | 0.022 | 0.03 | 13.2 | 12.5 | 0.53 | 285 | 0.71 |
| I314360 | | 1.22 | 22.5 | 2.70 | 5.61 | 0.07 | 0.06 | 0.03 | 0.022 | 0.03 | 14.2 | 12.8 | 0.54 | 337 | 0.70 |
| I314361 | | 1.24 | 15.8 | 2.27 | 5.31 | 0.06 | 0.03 | 0.03 | 0.019 | 0.04 | 10.5 | 10.5 | 0.48 | 326 | 0.89 |
| I314362 | | 3.88 | 21.9 | 3.06 | 6.28 | 0.10 | 0.06 | 0.05 | 0.023 | 0.10 | 26.9 | 16.1 | 0.68 | 338 | 0.61 |
| I314363 | | 1.22 | 17.7 | 2.51 | 5.53 | 0.07 | 0.03 | 0.04 | 0.018 | 0.04 | 16.1 | 11.8 | 0.53 | 208 | 0.81 |
| I314364 | | 0.93 | 18.6 | 2.48 | 5.54 | 0.05 | 0.03 | 0.03 | 0.018 | 0.02 | 11.9 | 10.2 | 0.52 | 304 | 0.85 |
| I314365 | | 1.40 | 18.1 | 2.48 | 6.26 | 0.07 | 0.03 | 0.04 | 0.019 | 0.03 | 12.4 | 12.3 | 0.54 | 186 | 0.77 |
| I314366 | | 2.13 | 19.7 | 2.66 | 6.24 | 0.08 | 0.06 | 0.05 | 0.023 | 0.03 | 14.7 | 12.9 | 0.51 | 408 | 1.00 |
| I314367 | | 1.94 | 29.6 | 2.83 | 5.59 | 0.09 | 0.09 | 0.05 | 0.037 | 0.04 | 18.7 | 11.5 | 0.36 | 339 | 0.71 |
| I314368 | | 1.09 | 24.7 | 2.91 | 6.24 | 0.09 | 0.18 | 0.03 | 0.034 | 0.04 | 23.9 | 12.4 | 0.47 | 410 | 0.61 |
| I314369 | | 1.62 | 15.1 | 2.83 | 5.57 | 0.07 | 0.10 | 0.02 | 0.027 | 0.05 | 28.1 | 10.7 | 0.43 | 319 | 0.77 |
| I314370 | | 0.19 | 5.8 | 1.91 | 1.23 | 0.06 | 0.08 | 0.01 | <0.005 | 0.01 | 12.6 | 2.7 | 0.14 | 689 | 1.26 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314331 | | 1.15 | 35.9 | 640 | 4.2 | 6.3 | <0.001 | 0.03 | 0.52 | 9.0 | 0.7 | 0.4 | 40.4 | <0.01 | 0.01 | 1.4 |
| I314332 | | 1.62 | 52.0 | 370 | 4.3 | 2.8 | <0.001 | 0.01 | 0.24 | 4.9 | 0.4 | 0.5 | 26.8 | <0.01 | 0.01 | 1.2 |
| I314333 | | 1.35 | 31.6 | 530 | 5.1 | 6.4 | <0.001 | 0.02 | 0.27 | 6.3 | 0.6 | 0.5 | 34.0 | <0.01 | 0.02 | 1.7 |
| I314334 | | 1.39 | 34.8 | 490 | 5.1 | 4.9 | <0.001 | 0.05 | 0.30 | 6.8 | 0.9 | 0.5 | 49.4 | 0.01 | 0.02 | 1.3 |
| I314335 | | 1.26 | 33.9 | 770 | 4.4 | 6.0 | <0.001 | 0.05 | 0.32 | 5.1 | 0.8 | 0.4 | 52.9 | <0.01 | 0.02 | 0.9 |
| I314336 | | 1.10 | 41.0 | 740 | 5.3 | 5.3 | <0.001 | 0.05 | 0.22 | 6.4 | 0.8 | 0.4 | 57.2 | <0.01 | 0.01 | 1.1 |
| I314337 | | 0.56 | 16.6 | 600 | 4.0 | 4.3 | <0.001 | 0.01 | 0.42 | 1.8 | 0.4 | 0.2 | 12.4 | <0.01 | 0.01 | 21.5 |
| I314338 | | 1.30 | 19.3 | 490 | 13.2 | 14.1 | <0.001 | 0.03 | 0.38 | 6.5 | 1.4 | 0.7 | 56.4 | 0.01 | 0.03 | 8.3 |
| I314339 | | 1.33 | 18.4 | 550 | 20.3 | 17.7 | <0.001 | 0.04 | 0.42 | 6.4 | 1.6 | 0.9 | 64.2 | 0.01 | 0.02 | 13.7 |
| I314340 | | 0.43 | 8.6 | 1600 | 6.8 | 7.2 | <0.001 | 0.19 | 0.40 | 0.7 | 0.8 | 0.3 | 30.3 | 0.01 | 0.04 | <0.2 |
| I314341 | | 0.57 | 14.9 | 1060 | 37.5 | 7.1 | <0.001 | 0.15 | 3.83 | 2.2 | 0.8 | 0.3 | 49.0 | 0.01 | 0.03 | 0.6 |
| I314342 | | 1.28 | 28.6 | 520 | 17.8 | 13.4 | <0.001 | 0.01 | 0.83 | 6.7 | 0.7 | 0.5 | 22.4 | <0.01 | 0.02 | 7.4 |
| I314343 | | 1.26 | 27.4 | 570 | 8.5 | 22.5 | <0.001 | 0.02 | 0.96 | 3.7 | 0.6 | 0.4 | 26.8 | <0.01 | 0.03 | 2.5 |
| I314344 | | 1.04 | 31.3 | 630 | 7.2 | 15.4 | <0.001 | 0.02 | 1.22 | 4.5 | 0.8 | 0.3 | 22.3 | <0.01 | 0.03 | 2.4 |
| I314345 | | 0.96 | 38.0 | 790 | 12.6 | 13.7 | <0.001 | 0.02 | 1.25 | 7.7 | 1.4 | 0.4 | 25.5 | <0.01 | 0.04 | 2.9 |
| I314346 | | 1.15 | 24.7 | 660 | 6.1 | 14.9 | <0.001 | 0.03 | 0.96 | 5.0 | 0.7 | 0.4 | 25.9 | <0.01 | 0.03 | 2.0 |
| I314347 | | 0.49 | 5.4 | 190 | 3.7 | 3.9 | <0.001 | 0.02 | 0.22 | 1.0 | 0.3 | 0.4 | 8.9 | <0.01 | 0.02 | <0.2 |
| I314348 | | 1.02 | 6.9 | 290 | 6.0 | 5.1 | <0.001 | 0.02 | 0.35 | 1.5 | 0.4 | 0.5 | 8.7 | <0.01 | 0.02 | 0.5 |
| I314349 | | 0.99 | 8.1 | 250 | 7.9 | 3.5 | <0.001 | 0.02 | 0.33 | 1.7 | 0.3 | 0.6 | 12.2 | <0.01 | 0.02 | 0.6 |
| I314350 | | 0.77 | 5.8 | 330 | 7.6 | 4.6 | <0.001 | 0.01 | 0.32 | 1.3 | 0.4 | 0.5 | 8.8 | <0.01 | 0.02 | 0.2 |
| I314351 | | 1.22 | 23.7 | 630 | 6.6 | 26.9 | <0.001 | 0.05 | 0.26 | 4.0 | 0.8 | 0.3 | 65.1 | <0.01 | 0.02 | 2.5 |
| I314352 | | 1.46 | 19.8 | 510 | 6.6 | 8.4 | <0.001 | 0.01 | 0.27 | 4.4 | 0.4 | 0.5 | 32.7 | <0.01 | 0.02 | 3.2 |
| I314353 | | 1.27 | 18.5 | 570 | 7.7 | 13.5 | <0.001 | 0.05 | 0.34 | 4.1 | 0.7 | 0.4 | 56.7 | 0.01 | 0.02 | 2.2 |
| I314354 | | 1.15 | 21.4 | 560 | 8.4 | 9.3 | <0.001 | 0.05 | 0.36 | 4.6 | 1.1 | 0.4 | 54.7 | 0.01 | 0.03 | 3.6 |
| I314355 | | 1.06 | 24.0 | 770 | 9.5 | 10.1 | <0.001 | 0.07 | 0.44 | 5.0 | 1.0 | 0.4 | 82.7 | 0.01 | 0.03 | 2.1 |
| I314356 | | 1.58 | 24.8 | 740 | 6.3 | 8.9 | <0.001 | 0.02 | 0.35 | 5.3 | 0.6 | 0.4 | 40.3 | <0.01 | 0.02 | 2.9 |
| I314357 | | 1.38 | 20.2 | 690 | 5.7 | 6.4 | <0.001 | 0.02 | 0.32 | 4.1 | 0.5 | 0.4 | 31.9 | <0.01 | 0.02 | 2.0 |
| I314358 | | 1.43 | 19.4 | 540 | 6.7 | 7.5 | <0.001 | 0.01 | 0.26 | 4.3 | 0.4 | 0.4 | 31.9 | <0.01 | 0.02 | 3.3 |
| I314359 | | 1.45 | 20.8 | 560 | 8.4 | 10.4 | <0.001 | 0.02 | 0.31 | 4.4 | 0.5 | 0.5 | 31.2 | <0.01 | 0.02 | 3.2 |
| I314360 | | 1.43 | 21.5 | 590 | 8.6 | 11.3 | <0.001 | 0.02 | 0.33 | 4.7 | 0.6 | 0.5 | 32.4 | <0.01 | 0.02 | 3.3 |
| I314361 | | 1.15 | 16.4 | 610 | 6.7 | 11.7 | <0.001 | 0.03 | 0.28 | 3.6 | 0.5 | 0.4 | 35.1 | <0.01 | 0.01 | 1.7 |
| I314362 | | 1.23 | 24.9 | 740 | 6.7 | 19.5 | <0.001 | 0.03 | 0.33 | 6.9 | 0.8 | 0.5 | 43.9 | <0.01 | 0.02 | 5.8 |
| I314363 | | 1.15 | 19.5 | 580 | 5.9 | 10.3 | <0.001 | 0.05 | 0.21 | 4.3 | 0.6 | 0.4 | 33.6 | <0.01 | 0.02 | 2.0 |
| I314364 | | 1.21 | 18.5 | 560 | 6.7 | 7.1 | <0.001 | 0.04 | 0.21 | 4.0 | 0.6 | 0.4 | 35.9 | <0.01 | 0.03 | 2.0 |
| I314365 | | 1.25 | 23.1 | 450 | 7.0 | 10.3 | <0.001 | 0.04 | 0.23 | 4.6 | 0.5 | 0.5 | 34.0 | <0.01 | 0.02 | 2.5 |
| I314366 | | 1.36 | 22.8 | 480 | 8.0 | 13.0 | <0.001 | 0.02 | 0.28 | 6.0 | 0.7 | 0.5 | 42.2 | <0.01 | 0.02 | 3.5 |
| I314367 | | 1.01 | 27.4 | 790 | 10.4 | 11.0 | <0.001 | 0.03 | 0.88 | 7.4 | 1.0 | 0.5 | 64.0 | <0.01 | 0.03 | 3.7 |
| I314368 | | 1.13 | 25.5 | 390 | 10.4 | 10.1 | <0.001 | 0.01 | 0.34 | 7.0 | 0.8 | 0.7 | 42.6 | <0.01 | 0.02 | 7.7 |
| I314369 | | 1.33 | 17.0 | 450 | 11.9 | 12.3 | <0.001 | 0.01 | 0.32 | 5.2 | 0.5 | 0.6 | 33.9 | <0.01 | 0.01 | 7.0 |
| I314370 | | 0.43 | 15.6 | 510 | 3.1 | 3.6 | <0.001 | 0.01 | 0.44 | 1.6 | 0.3 | 0.2 | 9.0 | <0.01 | 0.01 | 3.9 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314331 | | 0.069 | 0.05 | 0.47 | 76 | 0.12 | 9.26 | 49 | 2.5 |
| I314332 | | 0.106 | 0.05 | 0.25 | 75 | 0.10 | 3.15 | 48 | 1.4 |
| I314333 | | 0.106 | 0.05 | 0.54 | 65 | 0.13 | 7.58 | 51 | 2.9 |
| I314334 | | 0.077 | 0.06 | 0.86 | 59 | 0.13 | 7.94 | 47 | 4.0 |
| I314335 | | 0.080 | 0.04 | 0.89 | 50 | 0.12 | 8.26 | 46 | 2.5 |
| I314336 | | 0.060 | 0.03 | 1.10 | 60 | 0.09 | 11.30 | 52 | 2.3 |
| I314337 | | 0.022 | 0.11 | 0.72 | 17 | 0.09 | 7.23 | 20 | 2.8 |
| I314338 | | 0.055 | 0.08 | 2.79 | 48 | 0.22 | 42.6 | 42 | 1.6 |
| I314339 | | 0.058 | 0.09 | 3.28 | 41 | 0.26 | 45.9 | 38 | 3.3 |
| I314340 | | 0.025 | 0.06 | 1.03 | 33 | 0.10 | 2.63 | 57 | <0.5 |
| I314341 | | 0.040 | 0.10 | 1.47 | 33 | 0.16 | 5.89 | 71 | 0.9 |
| I314342 | | 0.100 | 0.12 | 1.42 | 59 | 0.16 | 11.80 | 65 | 3.3 |
| I314343 | | 0.107 | 0.17 | 0.89 | 53 | 0.10 | 5.29 | 80 | 1.2 |
| I314344 | | 0.092 | 0.14 | 1.21 | 53 | 0.11 | 5.83 | 91 | 1.3 |
| I314345 | | 0.079 | 0.16 | 2.32 | 56 | 0.12 | 12.65 | 112 | 1.0 |
| I314346 | | 0.105 | 0.14 | 0.87 | 58 | 0.12 | 5.43 | 74 | 1.3 |
| I314347 | | 0.057 | 0.07 | 0.23 | 36 | 0.07 | 1.15 | 19 | <0.5 |
| I314348 | | 0.086 | 0.07 | 0.34 | 58 | 0.13 | 1.53 | 24 | 0.7 |
| I314349 | | 0.083 | 0.08 | 0.31 | 59 | 0.08 | 1.55 | 28 | 0.9 |
| I314350 | | 0.076 | 0.07 | 0.25 | 48 | 0.09 | 1.21 | 31 | 0.7 |
| I314351 | | 0.097 | 0.15 | 1.17 | 48 | 0.10 | 8.13 | 56 | 2.9 |
| I314352 | | 0.105 | 0.05 | 0.60 | 61 | 0.39 | 7.08 | 42 | 5.6 |
| I314353 | | 0.084 | 0.07 | 0.88 | 48 | 0.15 | 7.08 | 53 | 3.2 |
| I314354 | | 0.067 | 0.08 | 0.87 | 43 | 0.14 | 15.25 | 44 | 2.8 |
| I314355 | | 0.061 | 0.08 | 0.99 | 47 | 0.11 | 12.70 | 58 | 3.4 |
| I314356 | | 0.126 | 0.05 | 0.81 | 69 | 0.16 | 9.46 | 53 | 6.0 |
| I314357 | | 0.114 | 0.05 | 0.38 | 63 | 0.16 | 5.83 | 46 | 2.8 |
| I314358 | | 0.114 | 0.05 | 0.74 | 64 | 0.14 | 6.06 | 49 | 4.8 |
| I314359 | | 0.102 | 0.08 | 0.94 | 60 | 0.19 | 6.78 | 50 | 2.1 |
| I314360 | | 0.101 | 0.09 | 1.11 | 60 | 0.16 | 8.02 | 51 | 2.2 |
| I314361 | | 0.091 | 0.09 | 0.78 | 56 | 0.15 | 4.99 | 55 | 1.0 |
| I314362 | | 0.089 | 0.15 | 1.51 | 53 | 0.15 | 13.85 | 69 | 2.2 |
| I314363 | | 0.080 | 0.08 | 0.78 | 51 | 0.13 | 6.20 | 51 | 1.1 |
| I314364 | | 0.085 | 0.07 | 0.79 | 56 | 0.17 | 5.30 | 44 | 1.2 |
| I314365 | | 0.089 | 0.10 | 0.79 | 53 | 0.14 | 5.58 | 54 | 1.3 |
| I314366 | | 0.081 | 0.11 | 1.00 | 58 | 0.13 | 6.94 | 54 | 2.3 |
| I314367 | | 0.044 | 0.08 | 1.48 | 55 | 0.12 | 15.05 | 61 | 3.3 |
| I314368 | | 0.065 | 0.08 | 1.04 | 54 | 0.13 | 13.90 | 47 | 7.2 |
| I314369 | | 0.078 | 0.09 | 0.75 | 58 | 0.14 | 11.00 | 43 | 4.3 |
| I314370 | | 0.010 | 0.11 | 0.70 | 13 | 0.07 | 6.10 | 16 | 3.9 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314371 | | 0.44 | 0.006 | 0.08 | 1.01 | 2.1 | <0.2 | <10 | 160 | 0.33 | 0.17 | 0.55 | 0.10 | 20.2 | 4.0 | 18 |
| I314372 | | 0.46 | 0.008 | 0.05 | 1.23 | 3.2 | <0.2 | <10 | 130 | 0.39 | 0.15 | 0.19 | 0.04 | 23.7 | 4.6 | 16 |
| I314373 | | 0.38 | <0.005 | 0.06 | 2.00 | 5.9 | <0.2 | <10 | 90 | 0.43 | 0.21 | 0.23 | 0.06 | 29.5 | 8.4 | 30 |
| I314374 | | 0.52 | 0.005 | 0.06 | 2.11 | 10.4 | <0.2 | <10 | 160 | 0.76 | 0.31 | 0.18 | 0.13 | 111.5 | 9.1 | 28 |
| I314375 | | 0.32 | 0.018 | 0.05 | 1.99 | 4.4 | <0.2 | <10 | 210 | 0.62 | 0.17 | 0.70 | 0.07 | 59.0 | 11.0 | 33 |
| I314376 | | 0.50 | <0.005 | 0.10 | 1.61 | 3.6 | <0.2 | <10 | 180 | 0.69 | 0.15 | 0.82 | 0.13 | 88.7 | 13.5 | 31 |
| I314377 | | 0.38 | 0.005 | 0.09 | 1.30 | 5.6 | <0.2 | <10 | 270 | 0.63 | 0.15 | 0.96 | 0.19 | 47.1 | 9.2 | 22 |
| I314378 | | 0.38 | 0.008 | 0.07 | 1.62 | 9.3 | <0.2 | <10 | 190 | 0.34 | 0.13 | 0.57 | 0.14 | 34.6 | 10.4 | 37 |
| I314379 | | 0.32 | <0.005 | 0.07 | 1.50 | 12.2 | <0.2 | <10 | 180 | 0.35 | 0.10 | 1.13 | 0.21 | 27.0 | 11.9 | 30 |
| I314380 | | 0.36 | <0.005 | 0.06 | 1.49 | 12.8 | <0.2 | <10 | 180 | 0.37 | 0.10 | 1.19 | 0.24 | 29.5 | 12.7 | 30 |
| I314381 | | 0.28 | 0.005 | 0.09 | 1.56 | 6.9 | <0.2 | <10 | 150 | 0.42 | 0.10 | 0.93 | 0.38 | 26.7 | 11.9 | 33 |
| I314382 | | 0.38 | 0.009 | 0.08 | 1.47 | 4.6 | <0.2 | <10 | 120 | 0.39 | 0.09 | 0.64 | 0.14 | 23.6 | 10.7 | 34 |
| I314383 | | 0.34 | 0.005 | 0.04 | 1.43 | 6.1 | <0.2 | <10 | 120 | 0.31 | 0.10 | 0.77 | 0.16 | 21.4 | 9.8 | 28 |
| I314384 | | 0.46 | 0.007 | 0.07 | 1.51 | 5.3 | <0.2 | <10 | 160 | 0.34 | 0.11 | 0.62 | 0.12 | 22.7 | 10.0 | 28 |
| I314385 | | 0.50 | 0.005 | 0.07 | 1.39 | 4.5 | <0.2 | <10 | 180 | 0.55 | 0.12 | 1.14 | 0.14 | 49.8 | 9.4 | 23 |
| I314386 | | 0.42 | 0.010 | 0.06 | 1.39 | 3.9 | <0.2 | <10 | 100 | 0.46 | 0.15 | 0.41 | 0.12 | 19.70 | 6.7 | 24 |
| I314387 | | 0.40 | <0.005 | 0.07 | 1.84 | 5.6 | <0.2 | <10 | 260 | 0.61 | 0.17 | 0.68 | 0.11 | 32.8 | 11.5 | 31 |
| I314388 | | 0.34 | 0.007 | 0.08 | 1.95 | 5.0 | <0.2 | <10 | 200 | 0.62 | 0.44 | 0.39 | 0.06 | 41.7 | 7.7 | 29 |
| I314389 | | 0.32 | 0.007 | 0.11 | 1.68 | 5.9 | <0.2 | <10 | 110 | 0.25 | 0.14 | 0.32 | 0.11 | 20.4 | 7.2 | 28 |
| I314390 | | 0.28 | NSS | 0.02 | 0.20 | 7.9 | <0.2 | <10 | 50 | 0.27 | 0.03 | 0.35 | 0.17 | 22.0 | 8.0 | 8 |
| I314391 | | 0.40 | 0.006 | 0.09 | 1.67 | 4.9 | <0.2 | <10 | 240 | 0.68 | 0.16 | 0.44 | 0.12 | 49.2 | 9.5 | 28 |
| I314392 | | 0.28 | <0.005 | 0.05 | 1.41 | 4.3 | <0.2 | <10 | 140 | 0.50 | 0.18 | 0.42 | 0.09 | 33.7 | 6.6 | 27 |
| I314393 | | 0.34 | <0.005 | 0.05 | 1.36 | 3.5 | <0.2 | <10 | 110 | 0.55 | 0.14 | 0.30 | 0.04 | 37.2 | 7.1 | 23 |
| I314394 | | 0.32 | <0.005 | 0.09 | 1.48 | 5.1 | <0.2 | <10 | 210 | 0.60 | 0.17 | 0.18 | 0.06 | 17.65 | 9.1 | 23 |
| I314395 | | 0.30 | <0.005 | 0.06 | 1.64 | 5.0 | <0.2 | <10 | 180 | 0.25 | 0.15 | 0.36 | 0.04 | 18.05 | 9.4 | 28 |
| I314396 | | 0.28 | 0.005 | 0.12 | 1.24 | 4.4 | <0.2 | <10 | 130 | 0.29 | 0.14 | 0.27 | 0.07 | 20.4 | 6.4 | 23 |
| I314397 | | 0.40 | <0.005 | 0.09 | 2.09 | 11.2 | <0.2 | <10 | 350 | 0.39 | 0.17 | 0.18 | 0.10 | 30.3 | 9.8 | 46 |
| I314398 | | 0.44 | <0.005 | 0.09 | 2.34 | 7.5 | <0.2 | <10 | 170 | 0.53 | 0.11 | 0.19 | 0.14 | 30.7 | 11.2 | 45 |
| I314399 | | 0.46 | 0.007 | 0.13 | 2.01 | 5.3 | <0.2 | <10 | 170 | 0.40 | 0.11 | 0.44 | 0.16 | 31.9 | 12.1 | 46 |
| I314400 | | 0.50 | 0.005 | 0.13 | 2.02 | 6.1 | <0.2 | <10 | 180 | 0.43 | 0.12 | 0.44 | 0.17 | 31.7 | 12.8 | 47 |
| I314401 | | 0.52 | <0.005 | 0.10 | 2.22 | 12.6 | <0.2 | <10 | 80 | 0.31 | 0.21 | 0.11 | 0.23 | 16.85 | 10.4 | 33 |
| I314402 | | 0.52 | <0.005 | 0.08 | 3.01 | 13.8 | <0.2 | <10 | 100 | 0.42 | 0.19 | 0.14 | 0.25 | 16.40 | 14.5 | 41 |
| I314403 | | 0.46 | <0.005 | 0.07 | 1.19 | 7.4 | <0.2 | <10 | 70 | 0.26 | 0.17 | 0.16 | 0.14 | 19.05 | 8.1 | 21 |
| I314404 | | 0.38 | <0.005 | 0.10 | 0.69 | 2.1 | <0.2 | <10 | 70 | 0.14 | 0.12 | 0.13 | 0.35 | 7.68 | 3.4 | 12 |
| I314405 | | 0.58 | 0.007 | 0.09 | 1.93 | 6.4 | <0.2 | <10 | 130 | 0.35 | 0.13 | 0.45 | 0.17 | 24.3 | 11.9 | 41 |
| I314406 | | 0.56 | 0.008 | 0.10 | 1.78 | 5.5 | <0.2 | <10 | 180 | 0.32 | 0.14 | 0.55 | 0.18 | 17.85 | 13.2 | 41 |
| I314407 | | 0.62 | 0.011 | 0.07 | 1.77 | 5.1 | <0.2 | <10 | 120 | 0.26 | 0.12 | 0.36 | 0.16 | 19.70 | 9.3 | 37 |
| I314408 | | 0.50 | <0.005 | 0.14 | 1.40 | 6.3 | <0.2 | <10 | 110 | 0.26 | 0.13 | 0.25 | 0.16 | 22.5 | 7.6 | 31 |
| I314409 | | 0.40 | <0.005 | 0.17 | 1.50 | 7.7 | <0.2 | <10 | 100 | 0.26 | 0.14 | 0.23 | 0.17 | 19.05 | 8.1 | 33 |
| I314410 | | 0.48 | <0.005 | 0.11 | 1.73 | 16.9 | <0.2 | <10 | 110 | 0.32 | 0.19 | 0.34 | 0.16 | 21.8 | 14.2 | 38 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I314371 | | 4.17 | 9.6 | 1.59 | 5.53 | 0.05 | 0.05 | 0.03 | 0.019 | 0.12 | 14.3 | 6.7 | 0.27 | 142 | 0.99 | 0.01 |
| I314372 | | 4.07 | 6.3 | 1.96 | 5.62 | 0.05 | 0.06 | 0.02 | 0.021 | 0.08 | 19.0 | 9.1 | 0.25 | 133 | 0.74 | 0.01 |
| I314373 | | 3.78 | 12.1 | 3.13 | 8.53 | 0.07 | 0.05 | 0.02 | 0.025 | 0.13 | 20.7 | 21.9 | 0.57 | 272 | 1.02 | <0.01 |
| I314374 | | 6.29 | 22.7 | 3.24 | 8.38 | 0.11 | 0.04 | 0.02 | 0.042 | 0.15 | 71.4 | 21.9 | 0.54 | 271 | 0.84 | <0.01 |
| I314375 | | 6.41 | 10.7 | 3.71 | 9.11 | 0.11 | 0.05 | 0.02 | 0.026 | 0.30 | 42.6 | 30.6 | 0.87 | 396 | 1.02 | 0.01 |
| I314376 | | 3.82 | 11.7 | 3.08 | 8.61 | 0.11 | 0.04 | 0.04 | 0.033 | 0.14 | 55.5 | 25.1 | 0.58 | 709 | 1.06 | 0.01 |
| I314377 | | 2.43 | 18.1 | 2.54 | 4.52 | 0.08 | 0.07 | 0.06 | 0.029 | 0.05 | 26.7 | 8.2 | 0.31 | 422 | 0.74 | 0.01 |
| I314378 | | 1.22 | 17.7 | 2.88 | 5.71 | 0.06 | 0.05 | 0.02 | 0.024 | 0.05 | 19.6 | 13.1 | 0.50 | 307 | 0.77 | 0.01 |
| I314379 | | 1.63 | 15.2 | 2.61 | 5.27 | 0.05 | 0.05 | 0.04 | 0.020 | 0.02 | 13.0 | 11.5 | 0.53 | 587 | 0.73 | 0.02 |
| I314380 | | 1.65 | 16.8 | 2.61 | 5.23 | 0.06 | 0.05 | 0.04 | 0.022 | 0.02 | 14.0 | 11.2 | 0.52 | 680 | 0.84 | 0.02 |
| I314381 | | 1.24 | 20.8 | 2.68 | 5.61 | 0.06 | 0.04 | 0.05 | 0.020 | 0.03 | 13.6 | 12.7 | 0.58 | 422 | 0.85 | 0.02 |
| I314382 | | 1.06 | 16.1 | 2.51 | 5.57 | 0.05 | 0.03 | 0.03 | 0.017 | 0.02 | 12.1 | 11.8 | 0.56 | 393 | 0.67 | 0.01 |
| I314383 | | 0.36 | 21.3 | 2.57 | 4.76 | 0.06 | 0.11 | 0.02 | 0.020 | 0.08 | 10.0 | 10.7 | 0.59 | 362 | 0.65 | 0.03 |
| I314384 | | 0.69 | 16.9 | 2.49 | 4.90 | 0.06 | 0.06 | 0.02 | 0.023 | 0.02 | 11.3 | 11.2 | 0.51 | 409 | 0.57 | 0.02 |
| I314385 | | 3.52 | 21.7 | 2.72 | 5.26 | 0.10 | 0.11 | 0.05 | 0.029 | 0.19 | 41.3 | 13.7 | 0.55 | 277 | 0.53 | 0.02 |
| I314386 | | 1.36 | 11.1 | 2.69 | 6.10 | <0.05 | 0.05 | 0.01 | 0.020 | 0.19 | 7.8 | 11.1 | 0.42 | 224 | 1.03 | <0.01 |
| I314387 | | 0.98 | 18.4 | 2.90 | 6.60 | 0.06 | 0.14 | 0.03 | 0.031 | 0.06 | 16.1 | 11.5 | 0.45 | 929 | 0.72 | 0.02 |
| I314388 | | 1.67 | 16.4 | 2.75 | 6.94 | 0.08 | 0.08 | 0.02 | 0.029 | 0.03 | 36.9 | 16.1 | 0.40 | 244 | 0.69 | 0.01 |
| I314389 | | 0.62 | 11.4 | 2.74 | 6.02 | 0.06 | 0.05 | 0.03 | 0.023 | 0.05 | 14.8 | 11.6 | 0.47 | 204 | 0.64 | 0.01 |
| I314390 | | 0.20 | 6.1 | 1.92 | 1.24 | 0.06 | 0.08 | 0.01 | 0.005 | 0.01 | 11.2 | 3.1 | 0.15 | 665 | 1.14 | <0.01 |
| I314391 | | 1.06 | 20.6 | 2.64 | 6.04 | 0.08 | 0.07 | 0.02 | 0.025 | 0.06 | 39.2 | 13.0 | 0.44 | 693 | 0.66 | 0.01 |
| I314392 | | 1.95 | 14.2 | 2.36 | 6.47 | 0.07 | 0.06 | 0.03 | 0.023 | 0.06 | 29.3 | 12.8 | 0.44 | 213 | 0.83 | 0.01 |
| I314393 | | 1.54 | 13.4 | 2.38 | 5.60 | 0.07 | 0.13 | 0.01 | 0.023 | 0.09 | 35.4 | 11.6 | 0.39 | 210 | 0.92 | 0.01 |
| I314394 | | 1.27 | 13.6 | 3.01 | 6.13 | <0.05 | 0.03 | 0.01 | 0.033 | 0.04 | 7.7 | 9.3 | 0.31 | 545 | 1.15 | <0.01 |
| I314395 | | 1.16 | 13.1 | 2.71 | 6.59 | <0.05 | 0.06 | 0.01 | 0.020 | 0.09 | 7.6 | 14.4 | 0.51 | 615 | 0.90 | 0.01 |
| I314396 | | 0.93 | 14.3 | 2.28 | 6.07 | 0.05 | 0.06 | 0.01 | 0.014 | 0.10 | 14.6 | 10.4 | 0.45 | 203 | 0.94 | 0.01 |
| I314397 | | 3.88 | 23.0 | 4.17 | 9.76 | 0.07 | 0.02 | 0.06 | 0.035 | 0.08 | 13.8 | 19.1 | 0.63 | 427 | 1.68 | <0.01 |
| I314398 | | 3.22 | 22.4 | 3.44 | 7.16 | 0.07 | 0.02 | 0.04 | 0.028 | 0.05 | 16.6 | 17.8 | 0.71 | 441 | 1.04 | <0.01 |
| I314399 | | 2.40 | 22.1 | 2.94 | 6.65 | 0.09 | 0.05 | 0.04 | 0.024 | 0.07 | 18.1 | 15.9 | 0.79 | 342 | 0.86 | 0.01 |
| I314400 | | 2.61 | 22.8 | 3.12 | 6.85 | 0.09 | 0.04 | 0.03 | 0.024 | 0.07 | 18.0 | 15.9 | 0.79 | 411 | 0.93 | 0.01 |
| I314401 | | 1.89 | 16.5 | 3.99 | 9.23 | 0.05 | 0.06 | 0.05 | 0.027 | 0.02 | 8.6 | 16.7 | 0.37 | 301 | 1.66 | <0.01 |
| I314402 | | 2.08 | 16.1 | 4.38 | 8.63 | 0.06 | 0.09 | 0.03 | 0.035 | 0.03 | 8.2 | 21.5 | 0.49 | 436 | 1.50 | <0.01 |
| I314403 | | 5.57 | 19.7 | 2.63 | 6.58 | <0.05 | <0.02 | 0.05 | 0.021 | 0.02 | 9.7 | 8.9 | 0.18 | 402 | 1.59 | <0.01 |
| I314404 | | 0.63 | 17.9 | 1.22 | 3.60 | <0.05 | <0.02 | 0.05 | 0.011 | <0.01 | 4.1 | 1.9 | 0.05 | 356 | 0.74 | <0.01 |
| I314405 | | 1.57 | 24.2 | 2.89 | 6.07 | 0.07 | 0.07 | 0.03 | 0.028 | 0.04 | 12.7 | 13.1 | 0.65 | 259 | 0.88 | 0.02 |
| I314406 | | 1.96 | 19.2 | 2.74 | 6.02 | 0.06 | 0.03 | 0.04 | 0.024 | 0.05 | 9.8 | 11.2 | 0.62 | 561 | 1.35 | 0.02 |
| I314407 | | 1.54 | 18.8 | 2.58 | 5.99 | 0.05 | 0.03 | 0.02 | 0.021 | 0.06 | 10.6 | 12.3 | 0.61 | 243 | 0.81 | 0.02 |
| I314408 | | 1.90 | 18.3 | 2.26 | 5.66 | <0.05 | 0.03 | 0.04 | 0.018 | 0.03 | 12.1 | 8.2 | 0.43 | 197 | 0.96 | 0.02 |
| I314409 | | 2.85 | 22.7 | 2.36 | 5.76 | 0.05 | <0.02 | 0.05 | 0.021 | 0.04 | 10.6 | 8.9 | 0.46 | 213 | 0.84 | 0.02 |
| I314410 | | 5.09 | 21.4 | 3.05 | 6.19 | 0.06 | <0.02 | 0.03 | 0.024 | 0.10 | 12.6 | 12.5 | 0.64 | 514 | 0.92 | 0.01 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314371 | | 1.08 | 8.8 | 330 | 9.4 | 37.5 | 0.001 | 0.02 | 0.20 | 3.8 | 0.4 | 0.7 | 34.2 | <0.01 | 0.01 | 3.9 |
| I314372 | | 0.92 | 7.5 | 210 | 9.8 | 25.1 | <0.001 | <0.01 | 0.22 | 3.7 | 0.3 | 0.7 | 16.8 | <0.01 | <0.01 | 5.0 |
| I314373 | | 1.69 | 14.6 | 400 | 11.9 | 30.7 | <0.001 | 0.01 | 0.28 | 3.9 | 0.4 | 0.8 | 19.1 | <0.01 | 0.01 | 5.9 |
| I314374 | | 1.33 | 20.4 | 320 | 20.5 | 35.2 | <0.001 | 0.02 | 0.42 | 4.6 | 0.4 | 1.0 | 16.6 | <0.01 | 0.03 | 7.6 |
| I314375 | | 1.53 | 17.3 | 900 | 10.8 | 57.2 | <0.001 | 0.02 | 0.24 | 4.4 | 0.5 | 0.8 | 41.5 | <0.01 | 0.01 | 6.9 |
| I314376 | | 1.00 | 14.9 | 730 | 14.2 | 28.7 | <0.001 | 0.03 | 0.23 | 4.1 | 0.7 | 0.9 | 44.5 | <0.01 | 0.01 | 8.2 |
| I314377 | | 0.97 | 16.6 | 740 | 13.3 | 14.0 | <0.001 | 0.03 | 0.43 | 4.9 | 0.8 | 0.5 | 50.0 | <0.01 | 0.01 | 5.2 |
| I314378 | | 1.27 | 25.0 | 720 | 9.8 | 12.1 | <0.001 | 0.01 | 0.47 | 3.8 | 0.4 | 0.5 | 30.5 | <0.01 | 0.02 | 4.5 |
| I314379 | | 1.20 | 18.5 | 680 | 7.2 | 8.6 | <0.001 | 0.04 | 0.34 | 4.0 | 0.7 | 0.4 | 50.3 | <0.01 | 0.02 | 1.8 |
| I314380 | | 1.11 | 19.1 | 790 | 7.2 | 8.2 | <0.001 | 0.05 | 0.36 | 3.9 | 0.8 | 0.4 | 52.5 | <0.01 | 0.02 | 1.4 |
| I314381 | | 1.25 | 23.0 | 740 | 6.5 | 12.8 | <0.001 | 0.04 | 0.33 | 4.0 | 0.7 | 0.4 | 46.8 | <0.01 | 0.02 | 1.5 |
| I314382 | | 1.13 | 20.6 | 590 | 6.7 | 10.3 | <0.001 | 0.03 | 0.20 | 3.8 | 0.4 | 0.5 | 38.0 | <0.01 | 0.02 | 1.6 |
| I314383 | | 1.42 | 20.9 | 680 | 4.6 | 6.7 | <0.001 | 0.01 | 0.37 | 4.3 | 0.5 | 0.4 | 40.4 | <0.01 | 0.02 | 2.1 |
| I314384 | | 1.42 | 18.0 | 620 | 5.4 | 6.7 | 0.001 | 0.01 | 0.32 | 4.1 | 0.5 | 0.4 | 38.8 | <0.01 | 0.02 | 2.1 |
| I314385 | | 1.28 | 18.3 | 800 | 11.8 | 25.4 | <0.001 | 0.02 | 0.34 | 5.1 | 1.0 | 0.6 | 55.5 | <0.01 | 0.01 | 7.4 |
| I314386 | | 1.43 | 12.9 | 220 | 15.5 | 25.2 | <0.001 | 0.01 | 0.36 | 2.7 | 0.3 | 0.6 | 28.4 | <0.01 | 0.01 | 3.7 |
| I314387 | | 1.53 | 18.7 | 170 | 11.3 | 11.6 | <0.001 | 0.01 | 0.34 | 5.1 | 0.4 | 0.7 | 49.7 | <0.01 | 0.02 | 6.1 |
| I314388 | | 1.47 | 14.9 | 310 | 14.2 | 13.9 | <0.001 | 0.01 | 0.28 | 4.7 | 0.5 | 0.8 | 32.5 | <0.01 | 0.02 | 7.9 |
| I314389 | | 1.42 | 14.2 | 600 | 7.5 | 5.5 | <0.001 | 0.01 | 0.29 | 3.3 | 0.4 | 0.6 | 24.6 | <0.01 | 0.02 | 2.1 |
| I314390 | | 0.44 | 15.5 | 510 | 2.9 | 3.6 | <0.001 | 0.01 | 0.44 | 1.5 | 0.3 | 0.3 | 8.5 | <0.01 | 0.01 | 2.5 |
| I314391 | | 1.31 | 15.2 | 510 | 11.1 | 11.8 | 0.001 | 0.01 | 0.28 | 4.7 | 0.6 | 0.6 | 33.2 | <0.01 | 0.01 | 6.5 |
| I314392 | | 1.39 | 14.3 | 400 | 11.2 | 18.3 | <0.001 | 0.01 | 0.25 | 4.0 | 0.4 | 1.0 | 31.7 | <0.01 | 0.01 | 5.0 |
| I314393 | | 0.96 | 12.4 | 250 | 9.4 | 14.9 | 0.001 | <0.01 | 0.25 | 4.0 | 0.4 | 0.7 | 25.0 | <0.01 | 0.01 | 10.2 |
| I314394 | | 0.93 | 13.5 | 360 | 14.2 | 7.6 | <0.001 | <0.01 | 0.34 | 3.8 | 0.2 | 0.8 | 17.6 | <0.01 | 0.01 | 4.3 |
| I314395 | | 1.69 | 15.3 | 310 | 9.0 | 15.9 | <0.001 | <0.01 | 0.25 | 3.3 | 0.3 | 0.7 | 29.4 | <0.01 | 0.01 | 3.9 |
| I314396 | | 1.59 | 13.5 | 260 | 8.8 | 20.0 | <0.001 | <0.01 | 0.25 | 2.8 | 0.3 | 0.6 | 23.9 | <0.01 | 0.02 | 2.7 |
| I314397 | | 1.11 | 22.8 | 630 | 9.1 | 23.5 | 0.001 | 0.03 | 0.44 | 4.0 | 0.6 | 0.7 | 19.1 | <0.01 | 0.05 | 0.8 |
| I314398 | | 1.08 | 25.8 | 600 | 7.3 | 15.9 | <0.001 | 0.04 | 0.36 | 2.7 | 0.7 | 0.5 | 19.1 | <0.01 | 0.02 | 0.5 |
| I314399 | | 1.38 | 27.2 | 850 | 7.8 | 14.6 | <0.001 | 0.02 | 0.32 | 4.9 | 0.6 | 0.5 | 31.5 | <0.01 | 0.02 | 2.2 |
| I314400 | | 1.41 | 27.3 | 830 | 7.7 | 15.4 | 0.001 | 0.02 | 0.35 | 4.8 | 0.6 | 0.5 | 32.7 | <0.01 | 0.02 | 2.0 |
| I314401 | | 2.18 | 21.8 | 320 | 12.7 | 8.2 | <0.001 | 0.01 | 0.63 | 3.5 | 0.4 | 0.7 | 13.8 | 0.01 | 0.03 | 2.0 |
| I314402 | | 2.44 | 28.2 | 370 | 14.1 | 8.5 | <0.001 | 0.02 | 0.61 | 4.3 | 0.5 | 0.6 | 15.7 | 0.02 | 0.05 | 2.4 |
| I314403 | | 0.89 | 15.6 | 530 | 8.1 | 5.4 | <0.001 | 0.04 | 0.55 | 1.8 | 0.8 | 0.5 | 15.9 | <0.01 | 0.04 | 0.2 |
| I314404 | | 0.34 | 9.4 | 420 | 3.5 | 3.2 | 0.001 | 0.04 | 0.29 | 0.6 | 0.4 | 0.3 | 16.1 | <0.01 | 0.02 | <0.2 |
| I314405 | | 1.52 | 23.1 | 710 | 7.4 | 7.4 | <0.001 | 0.01 | 0.43 | 5.8 | 0.8 | 0.5 | 27.7 | <0.01 | 0.03 | 2.8 |
| I314406 | | 1.17 | 20.8 | 840 | 9.0 | 13.5 | <0.001 | 0.03 | 0.32 | 4.6 | 0.6 | 0.4 | 37.3 | <0.01 | 0.04 | 1.4 |
| I314407 | | 1.38 | 20.7 | 710 | 7.0 | 12.0 | <0.001 | 0.02 | 0.28 | 3.9 | 0.5 | 0.5 | 24.2 | <0.01 | 0.03 | 1.6 |
| I314408 | | 1.15 | 17.7 | 400 | 6.0 | 10.6 | <0.001 | 0.03 | 0.36 | 3.6 | 0.5 | 0.5 | 21.6 | <0.01 | 0.03 | 1.0 |
| I314409 | | 0.95 | 18.2 | 560 | 6.5 | 10.9 | <0.001 | 0.03 | 0.61 | 3.5 | 0.5 | 0.4 | 18.8 | <0.01 | 0.03 | 0.5 |
| I314410 | | 1.04 | 24.8 | 690 | 9.1 | 16.8 | <0.001 | 0.02 | 2.15 | 4.2 | 0.6 | 0.4 | 26.7 | <0.01 | 0.03 | 1.1 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 |
| | | | | | | | | 0.5 |
| I314371 | | 0.055 | 0.17 | 0.81 | 33 | 0.09 | 7.23 | 34 |
| I314372 | | 0.046 | 0.15 | 0.59 | 37 | 0.07 | 6.09 | 34 |
| I314373 | | 0.116 | 0.22 | 0.72 | 62 | 0.22 | 6.02 | 58 |
| I314374 | | 0.083 | 0.32 | 1.11 | 53 | 0.15 | 11.65 | 80 |
| I314375 | | 0.117 | 0.40 | 0.93 | 56 | 0.19 | 13.40 | 83 |
| I314376 | | 0.057 | 0.19 | 2.66 | 45 | 0.18 | 15.80 | 78 |
| I314377 | | 0.035 | 0.11 | 1.96 | 43 | 0.11 | 14.70 | 53 |
| I314378 | | 0.071 | 0.09 | 0.83 | 55 | 0.10 | 8.27 | 68 |
| I314379 | | 0.062 | 0.11 | 0.84 | 55 | 0.09 | 6.95 | 70 |
| I314380 | | 0.055 | 0.10 | 0.92 | 54 | 0.27 | 7.71 | 70 |
| I314381 | | 0.075 | 0.10 | 0.83 | 64 | 0.22 | 7.71 | 67 |
| I314382 | | 0.068 | 0.08 | 0.63 | 53 | 0.28 | 5.58 | 54 |
| I314383 | | 0.107 | 0.05 | 0.38 | 65 | 0.15 | 7.48 | 47 |
| I314384 | | 0.089 | 0.07 | 0.65 | 62 | 0.17 | 7.30 | 43 |
| I314385 | | 0.075 | 0.18 | 1.69 | 45 | 0.12 | 20.7 | 52 |
| I314386 | | 0.078 | 0.12 | 0.53 | 51 | 0.09 | 2.95 | 47 |
| I314387 | | 0.079 | 0.08 | 1.08 | 63 | 0.13 | 9.10 | 43 |
| I314388 | | 0.074 | 0.10 | 1.01 | 59 | 0.13 | 12.50 | 40 |
| I314389 | | 0.093 | 0.06 | 0.49 | 67 | 0.19 | 5.32 | 44 |
| I314390 | | 0.010 | 0.13 | 0.51 | 14 | 0.06 | 5.60 | 17 |
| I314391 | | 0.078 | 0.08 | 1.42 | 52 | 0.16 | 15.40 | 45 |
| I314392 | | 0.068 | 0.12 | 0.76 | 50 | 0.16 | 11.20 | 46 |
| I314393 | | 0.057 | 0.13 | 1.11 | 46 | 0.10 | 8.87 | 38 |
| I314394 | | 0.030 | 0.13 | 1.00 | 51 | 0.09 | 3.40 | 46 |
| I314395 | | 0.091 | 0.13 | 0.44 | 59 | 0.16 | 4.14 | 43 |
| I314396 | | 0.096 | 0.11 | 0.51 | 57 | 0.16 | 6.15 | 36 |
| I314397 | | 0.036 | 0.12 | 0.49 | 80 | 0.13 | 5.22 | 77 |
| I314398 | | 0.060 | 0.14 | 0.86 | 63 | 0.10 | 6.71 | 69 |
| I314399 | | 0.102 | 0.13 | 0.95 | 62 | 0.15 | 9.73 | 87 |
| I314400 | | 0.106 | 0.13 | 0.90 | 67 | 0.18 | 9.54 | 91 |
| I314401 | | 0.104 | 0.09 | 0.42 | 89 | 0.13 | 2.81 | 50 |
| I314402 | | 0.118 | 0.10 | 0.46 | 86 | 0.17 | 3.25 | 60 |
| I314403 | | 0.048 | 0.11 | 0.71 | 59 | 0.13 | 3.33 | 58 |
| I314404 | | 0.028 | 0.03 | 0.30 | 34 | 0.06 | 1.78 | 24 |
| I314405 | | 0.110 | 0.09 | 0.89 | 69 | 0.13 | 6.06 | 77 |
| I314406 | | 0.092 | 0.11 | 0.95 | 64 | 0.11 | 4.69 | 64 |
| I314407 | | 0.106 | 0.09 | 0.64 | 60 | 0.14 | 4.32 | 59 |
| I314408 | | 0.081 | 0.09 | 0.66 | 54 | 0.17 | 3.96 | 52 |
| I314409 | | 0.068 | 0.10 | 0.75 | 54 | 0.12 | 3.85 | 55 |
| I314410 | | 0.070 | 0.15 | 0.85 | 64 | 0.20 | 4.65 | 74 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314411 | | 0.58 | 0.006 | 0.17 | 1.73 | 30.3 | <0.2 | <10 | 110 | 0.47 | 0.28 | 0.53 | 0.37 | 27.7 | 16.8 | 31 |
| I314412 | | 0.50 | 0.006 | 0.10 | 1.79 | 6.0 | <0.2 | <10 | 110 | 0.39 | 0.17 | 0.50 | 0.15 | 31.0 | 21.0 | 37 |
| I314413 | | 0.46 | 0.006 | 0.12 | 1.58 | 4.9 | <0.2 | <10 | 90 | 0.37 | 0.14 | 0.43 | 0.12 | 31.9 | 14.7 | 33 |
| I314414 | | 0.66 | 0.008 | 0.07 | 1.72 | 19.6 | <0.2 | <10 | 100 | 0.49 | 0.16 | 0.36 | 0.12 | 36.7 | 16.0 | 33 |
| I314415 | | 0.64 | 0.008 | 0.06 | 2.48 | 5.9 | <0.2 | <10 | 100 | 0.65 | 0.41 | 0.20 | 0.09 | 31.9 | 19.0 | 59 |
| I314416 | | 0.48 | 0.012 | 0.04 | 1.66 | 4.7 | <0.2 | <10 | 80 | 0.35 | 0.17 | 0.61 | 0.09 | 35.5 | 17.5 | 39 |
| I314417 | | 0.50 | <0.005 | 0.07 | 2.25 | 9.2 | <0.2 | <10 | 140 | 0.31 | 0.17 | 0.10 | 0.08 | 16.75 | 11.1 | 32 |
| I314418 | | 0.52 | <0.005 | 0.05 | 2.40 | 9.0 | <0.2 | <10 | 90 | 0.40 | 0.14 | 0.13 | 0.08 | 16.40 | 8.8 | 32 |
| I314419 | | 0.48 | <0.005 | 0.06 | 1.85 | 4.4 | <0.2 | <10 | 70 | 0.31 | 0.11 | 0.15 | 0.06 | 12.10 | 5.8 | 28 |
| I314420 | | 0.58 | <0.005 | 0.11 | 1.62 | 9.0 | <0.2 | <10 | 110 | 0.42 | 0.22 | 0.12 | 0.06 | 20.7 | 5.3 | 30 |
| I314421 | | 0.74 | <0.005 | 0.02 | 2.35 | 3.5 | <0.2 | <10 | 30 | 0.36 | 0.09 | 0.22 | 0.09 | 9.15 | 10.3 | 23 |
| I314422 | | 0.56 | <0.005 | 0.04 | 2.62 | 9.9 | <0.2 | <10 | 130 | 0.50 | 0.16 | 0.16 | 0.08 | 16.10 | 8.8 | 30 |
| I314423 | | 0.62 | <0.005 | 0.09 | 1.63 | 7.2 | <0.2 | <10 | 90 | 0.26 | 0.17 | 0.14 | 0.09 | 13.95 | 5.8 | 25 |
| I314424 | | 0.58 | <0.005 | 0.14 | 2.05 | 9.0 | <0.2 | <10 | 140 | 0.33 | 0.16 | 0.17 | 0.06 | 16.10 | 7.0 | 31 |
| I314425 | | 0.40 | <0.005 | 0.16 | 2.61 | 11.6 | <0.2 | <10 | 250 | 0.71 | 0.24 | 0.13 | 0.08 | 22.3 | 12.3 | 39 |
| I314426 | | 0.44 | <0.005 | 0.13 | 2.90 | 10.7 | <0.2 | <10 | 310 | 0.77 | 0.19 | 0.14 | 0.06 | 27.7 | 12.9 | 40 |
| I314427 | | 0.48 | <0.005 | 0.11 | 2.05 | 7.9 | <0.2 | <10 | 150 | 0.31 | 0.26 | 0.13 | 0.07 | 19.55 | 5.5 | 30 |
| I314428 | | 0.48 | <0.005 | 0.07 | 2.33 | 6.4 | <0.2 | <10 | 160 | 0.43 | 0.16 | 0.27 | 0.07 | 22.4 | 8.6 | 32 |
| I314429 | | 0.56 | <0.005 | 0.11 | 2.08 | 6.6 | <0.2 | <10 | 180 | 0.24 | 0.16 | 0.30 | 0.09 | 15.40 | 10.4 | 37 |
| I314430 | | 0.46 | <0.005 | 0.42 | 1.46 | 4.9 | <0.2 | <10 | 160 | 0.21 | 0.20 | 0.13 | 0.14 | 14.85 | 4.5 | 19 |
| I314431 | | 0.46 | <0.005 | 0.83 | 1.94 | 7.0 | <0.2 | <10 | 150 | 0.36 | 0.20 | 0.15 | 0.09 | 19.45 | 5.8 | 26 |
| I314432 | | 0.56 | <0.005 | 0.27 | 2.21 | 10.1 | <0.2 | <10 | 170 | 0.52 | 0.21 | 0.14 | 0.13 | 18.15 | 9.3 | 37 |
| I314433 | | 0.52 | <0.005 | 0.75 | 2.20 | 6.7 | <0.2 | <10 | 220 | 0.80 | 0.19 | 0.20 | 0.09 | 22.5 | 7.0 | 28 |
| I314434 | | 0.48 | <0.005 | 0.10 | 2.38 | 5.9 | <0.2 | <10 | 340 | 0.58 | 0.16 | 0.78 | 0.11 | 25.3 | 9.4 | 26 |
| I314435 | | 0.38 | <0.005 | 0.08 | 1.73 | 4.4 | <0.2 | <10 | 240 | 0.38 | 0.18 | 1.12 | 0.25 | 16.15 | 9.1 | 25 |
| I314436 | | 0.52 | <0.005 | 0.06 | 2.22 | 4.1 | <0.2 | <10 | 300 | 0.42 | 0.22 | 0.73 | 0.46 | 19.75 | 10.6 | 34 |
| I314437 | | 0.56 | <0.005 | 0.54 | 1.82 | 6.4 | <0.2 | <10 | 110 | 0.31 | 0.16 | 0.16 | 0.16 | 15.35 | 8.7 | 28 |
| I314438 | | 0.58 | <0.005 | 0.23 | 1.89 | 4.8 | <0.2 | <10 | 150 | 0.26 | 0.12 | 0.29 | 0.12 | 11.65 | 12.1 | 40 |
| I314439 | | 0.52 | <0.005 | 0.38 | 1.07 | 3.7 | <0.2 | <10 | 150 | 0.14 | 0.13 | 0.16 | 0.09 | 10.55 | 7.0 | 22 |
| I314440 | | 0.46 | <0.005 | 0.18 | 2.36 | 2.0 | <0.2 | <10 | 190 | 0.25 | 0.12 | 0.24 | 0.11 | 11.30 | 12.6 | 15 |
| I314441 | | 0.48 | <0.005 | 0.30 | 2.03 | 2.5 | <0.2 | <10 | 180 | 0.26 | 0.10 | 0.32 | 0.07 | 10.50 | 15.2 | 17 |
| I314442 | | 0.56 | <0.005 | 0.02 | 0.20 | 7.1 | <0.2 | <10 | 40 | 0.30 | 0.05 | 0.33 | 0.17 | 23.6 | 7.7 | 7 |
| I314443 | | 0.40 | <0.005 | 0.09 | 1.69 | 2.3 | <0.2 | <10 | 290 | 0.40 | 0.24 | 0.23 | 0.18 | 16.20 | 9.2 | 26 |
| I314444 | | 0.44 | <0.005 | 0.22 | 1.45 | 3.4 | <0.2 | <10 | 480 | 0.42 | 0.14 | 0.31 | 0.08 | 21.9 | 10.5 | 28 |
| I314445 | | 0.46 | 0.005 | 0.20 | 1.58 | 6.5 | <0.2 | <10 | 270 | 0.48 | 0.16 | 0.34 | 0.06 | 28.7 | 10.4 | 32 |
| I314446 | | 0.36 | <0.005 | 0.08 | 1.81 | 3.3 | <0.2 | <10 | 280 | 0.47 | 0.12 | 0.50 | 0.08 | 19.70 | 10.4 | 40 |
| I314447 | | 0.36 | <0.005 | 0.19 | 1.80 | 4.1 | <0.2 | <10 | 210 | 0.46 | 0.12 | 0.55 | 0.06 | 17.95 | 8.8 | 26 |
| I314448 | | 0.54 | <0.005 | 0.27 | 1.59 | 3.0 | <0.2 | <10 | 250 | 0.42 | 0.16 | 0.43 | 0.07 | 23.6 | 8.4 | 29 |
| I314449 | | 0.54 | <0.005 | 0.23 | 1.64 | 5.9 | <0.2 | <10 | 280 | 0.47 | 0.15 | 0.58 | 0.10 | 25.4 | 10.0 | 32 |
| I314450 | | 0.48 | <0.005 | 0.10 | 1.83 | 3.7 | <0.2 | <10 | 270 | 0.39 | 0.13 | 0.46 | 0.06 | 21.9 | 11.2 | 27 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I314411 | | 6.01 | 21.2 | 2.75 | 5.90 | 0.06 | 0.03 | 0.05 | 0.024 | 0.08 | 13.7 | 12.9 | 0.62 | 847 | 1.13 | 0.03 |
| I314412 | | 4.83 | 20.8 | 3.46 | 6.03 | 0.07 | 0.02 | 0.03 | 0.020 | 0.28 | 16.9 | 15.2 | 0.83 | 803 | 0.84 | 0.02 |
| I314413 | | 5.61 | 20.9 | 2.96 | 5.81 | 0.06 | 0.02 | 0.03 | 0.020 | 0.16 | 17.8 | 13.5 | 0.64 | 430 | 0.77 | 0.02 |
| I314414 | | 5.20 | 19.5 | 3.29 | 5.86 | 0.06 | 0.02 | 0.02 | 0.027 | 0.06 | 19.8 | 15.8 | 0.59 | 482 | 1.01 | 0.02 |
| I314415 | | 6.71 | 30.5 | 4.86 | 8.46 | 0.09 | 0.07 | 0.02 | 0.028 | 0.39 | 16.2 | 21.0 | 1.07 | 478 | 1.10 | 0.01 |
| I314416 | | 4.92 | 21.6 | 3.52 | 6.48 | 0.08 | 0.03 | 0.01 | 0.027 | 0.12 | 18.7 | 15.9 | 0.75 | 461 | 0.88 | 0.02 |
| I314417 | | 1.54 | 11.6 | 3.48 | 9.44 | 0.05 | 0.04 | 0.02 | 0.023 | 0.02 | 9.0 | 17.3 | 0.53 | 472 | 1.23 | 0.01 |
| I314418 | | 2.01 | 14.2 | 3.70 | 9.67 | 0.05 | 0.04 | 0.03 | 0.020 | 0.06 | 8.7 | 21.7 | 0.74 | 311 | 0.95 | 0.01 |
| I314419 | | 1.10 | 11.4 | 2.40 | 8.97 | <0.05 | 0.02 | 0.02 | 0.016 | 0.03 | 6.3 | 14.5 | 0.60 | 207 | 0.64 | 0.01 |
| I314420 | | 0.96 | 10.6 | 2.93 | 8.28 | <0.05 | 0.03 | 0.02 | 0.018 | 0.03 | 11.1 | 10.5 | 0.41 | 166 | 1.20 | 0.01 |
| I314421 | | 1.39 | 15.1 | 3.36 | 13.60 | 0.05 | <0.02 | 0.01 | 0.011 | 0.05 | 4.2 | 20.7 | 1.25 | 314 | 0.48 | 0.01 |
| I314422 | | 1.12 | 11.7 | 3.62 | 9.40 | 0.05 | 0.04 | 0.02 | 0.023 | 0.04 | 8.6 | 23.3 | 0.62 | 212 | 0.91 | 0.01 |
| I314423 | | 1.50 | 8.4 | 2.71 | 9.18 | <0.05 | 0.02 | 0.01 | 0.017 | 0.01 | 7.4 | 11.6 | 0.37 | 154 | 1.04 | 0.01 |
| I314424 | | 1.04 | 11.4 | 3.01 | 8.73 | 0.05 | 0.06 | 0.02 | 0.022 | 0.01 | 8.6 | 12.3 | 0.51 | 185 | 0.95 | 0.01 |
| I314425 | | 2.03 | 17.9 | 3.84 | 7.93 | 0.06 | 0.03 | 0.03 | 0.039 | 0.02 | 11.7 | 13.9 | 0.41 | 255 | 1.35 | 0.01 |
| I314426 | | 1.88 | 23.2 | 3.42 | 7.10 | 0.06 | 0.05 | 0.03 | 0.034 | 0.03 | 14.1 | 14.4 | 0.53 | 292 | 1.16 | 0.01 |
| I314427 | | 1.40 | 9.7 | 3.41 | 9.37 | 0.05 | 0.02 | 0.02 | 0.054 | 0.01 | 10.5 | 12.5 | 0.30 | 196 | 1.65 | 0.01 |
| I314428 | | 1.92 | 15.1 | 2.79 | 7.44 | 0.05 | 0.03 | 0.02 | 0.029 | 0.01 | 11.6 | 16.2 | 0.89 | 445 | 0.89 | 0.01 |
| I314429 | | 2.39 | 18.9 | 3.19 | 8.90 | 0.05 | <0.02 | 0.07 | 0.022 | 0.03 | 7.4 | 17.7 | 1.00 | 510 | 1.71 | 0.01 |
| I314430 | | 1.35 | 14.1 | 2.06 | 7.21 | <0.05 | <0.02 | 0.03 | 0.019 | 0.03 | 8.0 | 7.6 | 0.27 | 188 | 1.16 | 0.01 |
| I314431 | | 0.92 | 19.2 | 2.62 | 7.92 | <0.05 | 0.02 | 0.03 | 0.020 | 0.02 | 10.5 | 12.2 | 0.44 | 223 | 1.04 | 0.01 |
| I314432 | | 1.42 | 19.3 | 3.68 | 7.67 | 0.05 | 0.02 | 0.03 | 0.030 | 0.04 | 9.8 | 13.6 | 0.45 | 224 | 1.08 | 0.01 |
| I314433 | | 1.80 | 20.7 | 2.94 | 8.10 | 0.06 | 0.02 | 0.03 | 0.029 | 0.02 | 14.7 | 16.7 | 0.43 | 339 | 1.67 | 0.01 |
| I314434 | | 1.05 | 16.9 | 2.75 | 8.37 | 0.05 | 0.06 | 0.03 | 0.026 | 0.02 | 12.9 | 12.6 | 0.57 | 669 | 0.59 | 0.01 |
| I314435 | | 1.19 | 13.4 | 2.36 | 6.22 | <0.05 | 0.02 | 0.02 | 0.021 | 0.03 | 8.0 | 10.1 | 0.43 | 785 | 0.75 | 0.02 |
| I314436 | | 1.69 | 13.0 | 3.07 | 7.65 | <0.05 | 0.12 | 0.01 | 0.032 | 0.04 | 8.7 | 10.5 | 0.57 | 1070 | 0.83 | 0.02 |
| I314437 | | 0.44 | 18.4 | 3.01 | 6.38 | 0.05 | 0.07 | 0.02 | 0.019 | 0.21 | 8.1 | 13.3 | 0.55 | 208 | 1.02 | 0.01 |
| I314438 | | 0.57 | 31.5 | 3.04 | 6.24 | <0.05 | 0.05 | 0.02 | 0.015 | 0.12 | 6.3 | 16.1 | 1.04 | 299 | 0.90 | 0.01 |
| I314439 | | 0.59 | 15.5 | 2.24 | 6.34 | <0.05 | 0.03 | 0.02 | 0.010 | 0.07 | 5.7 | 7.3 | 0.44 | 315 | 0.86 | 0.01 |
| I314440 | | 1.44 | 9.6 | 3.10 | 9.64 | 0.05 | <0.02 | 0.02 | 0.016 | 0.06 | 5.8 | 22.2 | 1.83 | 921 | 0.65 | 0.02 |
| I314441 | | 0.78 | 16.4 | 3.16 | 7.35 | 0.05 | 0.02 | 0.01 | 0.015 | 0.09 | 5.2 | 21.0 | 1.17 | 660 | 0.71 | 0.01 |
| I314442 | | 0.19 | 5.1 | 1.82 | 1.25 | 0.06 | 0.09 | 0.02 | 0.005 | 0.01 | 11.8 | 3.2 | 0.14 | 597 | 0.96 | <0.01 |
| I314443 | | 0.73 | 14.4 | 2.45 | 6.04 | <0.05 | 0.03 | 0.01 | 0.017 | 0.05 | 7.3 | 12.1 | 0.62 | 654 | 0.96 | 0.01 |
| I314444 | | 0.49 | 13.0 | 2.40 | 4.95 | <0.05 | 0.07 | 0.02 | 0.019 | 0.10 | 9.0 | 9.4 | 0.43 | 1110 | 0.75 | 0.01 |
| I314445 | | 0.46 | 17.3 | 2.67 | 4.97 | 0.06 | 0.07 | 0.03 | 0.046 | 0.04 | 11.9 | 9.7 | 0.46 | 537 | 0.91 | 0.01 |
| I314446 | | 0.50 | 12.7 | 2.44 | 6.04 | <0.05 | 0.05 | 0.01 | 0.023 | 0.06 | 7.9 | 11.9 | 0.71 | 899 | 1.30 | 0.01 |
| I314447 | | 0.41 | 16.6 | 2.76 | 7.08 | 0.05 | 0.03 | 0.02 | 0.024 | 0.12 | 7.0 | 14.6 | 0.67 | 568 | 1.38 | 0.01 |
| I314448 | | 0.37 | 12.7 | 2.41 | 5.86 | <0.05 | 0.05 | 0.02 | 0.022 | 0.09 | 9.9 | 9.0 | 0.43 | 495 | 1.44 | 0.01 |
| I314449 | | 0.36 | 18.3 | 2.63 | 5.11 | 0.05 | 0.05 | 0.02 | 0.023 | 0.06 | 10.5 | 9.1 | 0.43 | 605 | 1.22 | 0.01 |
| I314450 | | 0.75 | 20.1 | 3.00 | 6.27 | 0.05 | 0.08 | 0.02 | 0.023 | 0.18 | 8.8 | 11.5 | 0.63 | 853 | 1.47 | 0.02 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314411 | | 1.16 | 22.3 | 930 | 20.3 | 14.0 | <0.001 | 0.04 | 1.08 | 3.9 | 0.7 | 0.4 | 41.5 | <0.01 | 0.03 | 1.4 |
| I314412 | | 1.26 | 33.0 | 680 | 22.7 | 36.0 | <0.001 | 0.03 | 0.36 | 3.8 | 0.5 | 0.5 | 39.6 | <0.01 | 0.03 | 3.3 |
| I314413 | | 1.04 | 28.8 | 630 | 12.6 | 29.8 | <0.001 | 0.03 | 0.32 | 3.7 | 0.6 | 0.4 | 37.3 | <0.01 | 0.03 | 2.4 |
| I314414 | | 0.91 | 30.1 | 610 | 13.5 | 15.2 | <0.001 | 0.02 | 0.99 | 4.5 | 0.5 | 0.5 | 29.4 | <0.01 | 0.03 | 3.2 |
| I314415 | | 1.57 | 44.2 | 630 | 49.1 | 38.5 | <0.001 | 0.01 | 0.33 | 6.2 | 0.4 | 0.8 | 22.5 | <0.01 | 0.05 | 5.8 |
| I314416 | | 1.26 | 37.6 | 410 | 13.8 | 23.0 | <0.001 | 0.03 | 0.30 | 4.3 | 0.4 | 0.5 | 44.1 | <0.01 | 0.03 | 5.3 |
| I314417 | | 2.16 | 18.1 | 430 | 9.3 | 12.6 | <0.001 | 0.01 | 0.40 | 2.9 | 0.3 | 0.7 | 17.3 | <0.01 | 0.04 | 2.2 |
| I314418 | | 1.99 | 18.2 | 460 | 9.8 | 16.2 | <0.001 | 0.01 | 0.38 | 3.1 | 0.5 | 0.5 | 17.8 | <0.01 | 0.03 | 2.4 |
| I314419 | | 1.09 | 12.7 | 420 | 9.4 | 9.3 | <0.001 | 0.01 | 0.25 | 2.4 | 0.3 | 0.5 | 19.1 | <0.01 | 0.02 | 0.8 |
| I314420 | | 1.81 | 13.3 | 370 | 9.1 | 9.9 | <0.001 | 0.01 | 0.42 | 2.9 | 0.3 | 0.7 | 15.2 | <0.01 | 0.03 | 2.2 |
| I314421 | | 0.93 | 14.2 | 530 | 8.4 | 10.3 | <0.001 | <0.01 | 0.14 | 1.6 | 0.2 | 0.4 | 28.4 | <0.01 | 0.02 | 0.8 |
| I314422 | | 1.76 | 17.0 | 300 | 9.8 | 8.2 | <0.001 | 0.01 | 0.32 | 3.1 | 0.3 | 0.6 | 19.1 | <0.01 | 0.04 | 1.4 |
| I314423 | | 1.67 | 12.4 | 240 | 9.6 | 8.8 | <0.001 | <0.01 | 0.28 | 2.4 | 0.2 | 0.7 | 19.6 | <0.01 | 0.02 | 1.2 |
| I314424 | | 1.74 | 16.5 | 180 | 9.1 | 6.3 | <0.001 | <0.01 | 0.34 | 3.7 | 0.3 | 0.7 | 18.2 | <0.01 | 0.02 | 2.1 |
| I314425 | | 1.89 | 23.5 | 360 | 11.8 | 11.6 | <0.001 | 0.01 | 0.56 | 3.9 | 0.5 | 0.7 | 14.6 | 0.01 | 0.04 | 2.2 |
| I314426 | | 1.71 | 27.5 | 300 | 9.9 | 11.1 | <0.001 | 0.01 | 0.51 | 5.0 | 0.5 | 0.6 | 16.5 | 0.01 | 0.03 | 3.8 |
| I314427 | | 1.84 | 11.6 | 310 | 12.0 | 9.3 | <0.001 | 0.01 | 0.38 | 3.0 | 0.4 | 0.9 | 14.2 | <0.01 | 0.03 | 1.3 |
| I314428 | | 1.41 | 19.5 | 180 | 9.8 | 8.1 | <0.001 | 0.01 | 0.27 | 4.0 | 0.3 | 0.6 | 15.3 | <0.01 | 0.03 | 2.0 |
| I314429 | | 0.84 | 18.2 | 350 | 7.4 | 12.6 | <0.001 | 0.01 | 0.41 | 3.8 | 0.3 | 0.6 | 19.6 | <0.01 | 0.03 | 0.7 |
| I314430 | | 0.81 | 10.4 | 340 | 9.0 | 8.5 | <0.001 | 0.01 | 0.27 | 1.9 | 0.3 | 0.6 | 15.6 | <0.01 | 0.03 | 0.2 |
| I314431 | | 1.43 | 15.1 | 300 | 8.7 | 8.2 | <0.001 | 0.01 | 0.29 | 3.8 | 0.4 | 0.7 | 16.5 | <0.01 | 0.03 | 1.6 |
| I314432 | | 1.60 | 23.2 | 450 | 10.6 | 11.8 | <0.001 | 0.01 | 0.46 | 2.9 | 0.4 | 0.7 | 14.4 | <0.01 | 0.04 | 0.9 |
| I314433 | | 1.35 | 15.8 | 460 | 9.6 | 8.7 | <0.001 | 0.01 | 0.33 | 3.9 | 0.4 | 0.7 | 20.4 | <0.01 | 0.02 | 1.0 |
| I314434 | | 1.09 | 14.1 | 570 | 10.3 | 5.1 | <0.001 | 0.01 | 0.23 | 5.2 | 0.4 | 0.6 | 29.8 | <0.01 | 0.02 | 2.5 |
| I314435 | | 1.11 | 15.0 | 340 | 10.8 | 8.7 | <0.001 | 0.02 | 0.29 | 3.0 | 0.3 | 0.5 | 26.0 | <0.01 | 0.03 | 0.8 |
| I314436 | | 1.59 | 19.4 | 150 | 13.0 | 13.7 | <0.001 | <0.01 | 0.28 | 4.5 | 0.2 | 0.7 | 24.5 | <0.01 | 0.03 | 2.7 |
| I314437 | | 1.56 | 17.8 | 180 | 8.3 | 11.4 | <0.001 | <0.01 | 0.43 | 2.9 | 0.2 | 0.5 | 13.8 | <0.01 | 0.02 | 2.3 |
| I314438 | | 1.25 | 20.3 | 250 | 6.4 | 8.7 | <0.001 | 0.01 | 0.30 | 3.5 | 0.2 | 0.4 | 22.2 | <0.01 | 0.02 | 1.6 |
| I314439 | | 1.26 | 9.4 | 430 | 5.9 | 13.8 | <0.001 | 0.01 | 0.27 | 2.2 | 0.2 | 0.4 | 18.8 | <0.01 | 0.02 | 1.2 |
| I314440 | | 0.75 | 10.3 | 450 | 5.0 | 17.2 | <0.001 | 0.01 | 0.18 | 3.5 | 0.2 | 0.5 | 21.8 | <0.01 | 0.02 | 0.5 |
| I314441 | | 1.05 | 12.4 | 310 | 5.9 | 12.1 | <0.001 | <0.01 | 0.21 | 2.8 | 0.2 | 0.4 | 24.5 | <0.01 | 0.02 | 1.1 |
| I314442 | | 0.47 | 14.2 | 500 | 3.6 | 4.0 | <0.001 | <0.01 | 0.42 | 1.6 | 0.2 | 0.2 | 9.3 | <0.01 | 0.01 | 3.1 |
| I314443 | | 1.06 | 15.1 | 680 | 10.9 | 9.0 | <0.001 | <0.01 | 0.22 | 3.0 | <0.2 | 0.5 | 16.1 | <0.01 | 0.02 | 1.5 |
| I314444 | | 1.23 | 19.8 | 540 | 6.7 | 16.7 | <0.001 | <0.01 | 0.28 | 3.8 | 0.2 | 0.4 | 24.8 | <0.01 | 0.01 | 2.6 |
| I314445 | | 1.36 | 21.0 | 400 | 7.3 | 7.5 | 0.001 | <0.01 | 0.42 | 5.4 | 0.4 | 0.4 | 26.5 | <0.01 | 0.02 | 2.9 |
| I314446 | | 1.11 | 23.9 | 460 | 7.3 | 6.8 | <0.001 | 0.01 | 0.23 | 4.8 | 0.3 | 0.4 | 28.1 | <0.01 | 0.02 | 1.6 |
| I314447 | | 0.84 | 18.1 | 450 | 6.4 | 10.9 | <0.001 | 0.01 | 0.20 | 4.4 | 0.4 | 0.3 | 34.3 | <0.01 | 0.02 | 1.5 |
| I314448 | | 1.11 | 15.1 | 630 | 7.4 | 6.7 | 0.001 | 0.01 | 0.23 | 3.9 | 0.3 | 0.4 | 29.1 | <0.01 | 0.02 | 2.8 |
| I314449 | | 1.21 | 18.9 | 500 | 7.2 | 7.1 | <0.001 | 0.01 | 0.36 | 4.8 | 0.3 | 0.4 | 34.7 | <0.01 | 0.02 | 2.3 |
| I314450 | | 1.25 | 17.4 | 210 | 6.1 | 26.1 | <0.001 | <0.01 | 0.26 | 6.1 | 0.3 | 0.4 | 29.9 | <0.01 | 0.02 | 2.6 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314411 | | 0.091 | 0.20 | 1.14 | 69 | 0.20 | 7.02 | 70 | 1.2 |
| I314412 | | 0.097 | 0.26 | 0.97 | 49 | 0.09 | 5.76 | 76 | 0.9 |
| I314413 | | 0.079 | 0.22 | 1.04 | 48 | 0.13 | 5.99 | 64 | 0.7 |
| I314414 | | 0.055 | 0.14 | 1.05 | 50 | 0.12 | 6.05 | 62 | 0.7 |
| I314415 | | 0.123 | 0.32 | 0.72 | 79 | 0.15 | 5.30 | 76 | 2.6 |
| I314416 | | 0.097 | 0.21 | 0.82 | 53 | 0.09 | 5.01 | 68 | 1.4 |
| I314417 | | 0.114 | 0.13 | 0.36 | 81 | 0.20 | 1.76 | 77 | 1.6 |
| I314418 | | 0.120 | 0.16 | 0.54 | 77 | 0.18 | 2.37 | 80 | 1.7 |
| I314419 | | 0.077 | 0.09 | 0.47 | 56 | 0.15 | 1.67 | 62 | 0.6 |
| I314420 | | 0.084 | 0.10 | 0.43 | 76 | 0.22 | 2.69 | 39 | 1.2 |
| I314421 | | 0.091 | 0.10 | 0.41 | 73 | 0.09 | 1.52 | 128 | <0.5 |
| I314422 | | 0.098 | 0.11 | 0.35 | 78 | 0.18 | 2.12 | 57 | 1.4 |
| I314423 | | 0.083 | 0.12 | 0.31 | 68 | 0.17 | 1.77 | 35 | 0.7 |
| I314424 | | 0.085 | 0.13 | 0.38 | 78 | 0.23 | 2.45 | 43 | 2.4 |
| I314425 | | 0.074 | 0.14 | 0.63 | 79 | 0.30 | 4.02 | 45 | 1.2 |
| I314426 | | 0.070 | 0.13 | 0.80 | 70 | 0.19 | 5.23 | 45 | 2.4 |
| I314427 | | 0.082 | 0.11 | 0.44 | 87 | 0.19 | 2.41 | 28 | 0.8 |
| I314428 | | 0.070 | 0.12 | 0.42 | 69 | 0.17 | 3.16 | 40 | 1.1 |
| I314429 | | 0.045 | 0.12 | 0.35 | 84 | 0.55 | 3.42 | 46 | <0.5 |
| I314430 | | 0.053 | 0.13 | 0.32 | 59 | 0.19 | 2.59 | 32 | <0.5 |
| I314431 | | 0.072 | 0.09 | 0.51 | 70 | 0.20 | 5.42 | 42 | 0.6 |
| I314432 | | 0.072 | 0.13 | 0.41 | 82 | 0.22 | 2.89 | 44 | 0.8 |
| I314433 | | 0.046 | 0.15 | 0.74 | 74 | 0.20 | 8.36 | 39 | <0.5 |
| I314434 | | 0.028 | 0.11 | 0.72 | 68 | 0.16 | 7.19 | 47 | 2.1 |
| I314435 | | 0.044 | 0.08 | 0.50 | 57 | 0.16 | 3.22 | 39 | 0.9 |
| I314436 | | 0.066 | 0.09 | 0.32 | 71 | 0.21 | 2.99 | 44 | 4.2 |
| I314437 | | 0.103 | 0.08 | 0.30 | 75 | 0.14 | 1.78 | 46 | 2.7 |
| I314438 | | 0.127 | 0.08 | 0.27 | 91 | 0.16 | 1.87 | 49 | 1.9 |
| I314439 | | 0.131 | 0.07 | 0.21 | 68 | 0.12 | 1.35 | 38 | 1.0 |
| I314440 | | 0.088 | 0.09 | 0.21 | 104 | 0.10 | 1.79 | 73 | <0.5 |
| I314441 | | 0.117 | 0.07 | 0.21 | 113 | 0.12 | 1.84 | 59 | 0.9 |
| I314442 | | 0.010 | 0.10 | 0.52 | 14 | 0.05 | 5.80 | 17 | 4.1 |
| I314443 | | 0.037 | 0.07 | 0.25 | 52 | 0.15 | 2.49 | 44 | 1.1 |
| I314444 | | 0.060 | 0.07 | 0.26 | 51 | 0.13 | 3.02 | 36 | 2.7 |
| I314445 | | 0.073 | 0.07 | 0.54 | 60 | 0.20 | 4.73 | 41 | 3.0 |
| I314446 | | 0.044 | 0.06 | 0.25 | 54 | 0.13 | 4.36 | 46 | 1.6 |
| I314447 | | 0.038 | 0.05 | 0.38 | 62 | 0.10 | 3.66 | 50 | 1.0 |
| I314448 | | 0.043 | 0.07 | 0.38 | 54 | 0.14 | 3.12 | 53 | 1.7 |
| I314449 | | 0.063 | 0.06 | 0.33 | 58 | 0.20 | 3.61 | 49 | 1.7 |
| I314450 | | 0.083 | 0.08 | 0.36 | 73 | 0.14 | 4.73 | 46 | 3.1 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

| Method | CERTIFICATE COMMENTS |
|------------------------|---|
| ALL METHODS ME-MS41 | NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

CERTIFICATE WH10113329

Project: SQI10-06

P.O. No.: SQI10-06_21

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314451 | | 0.34 | <0.005 | 0.09 | 1.97 | 9.1 | <0.2 | <10 | 120 | 1.24 | 0.23 | 1.28 | 0.16 | 56.1 | 13.5 | 35 |
| I314452 | | 0.48 | <0.005 | 0.03 | 1.77 | 13.3 | <0.2 | <10 | 50 | 0.40 | 0.20 | 0.08 | 0.09 | 42.7 | 14.6 | 38 |
| I314453 | | 0.38 | <0.005 | 0.12 | 2.08 | 6.6 | <0.2 | <10 | 160 | 0.32 | 0.19 | 0.25 | 0.06 | 18.95 | 10.2 | 29 |
| I314454 | | 0.38 | <0.005 | 0.08 | 2.89 | 8.6 | <0.2 | <10 | 120 | 0.48 | 0.14 | 0.19 | 0.07 | 23.3 | 14.6 | 43 |
| I314455 | | 0.42 | 0.022 | 0.11 | 1.94 | 5.3 | <0.2 | <10 | 140 | 0.66 | 0.10 | 1.25 | 0.29 | 38.2 | 16.8 | 35 |
| I314456 | | 0.42 | 0.005 | 0.08 | 2.01 | 3.0 | <0.2 | <10 | 110 | 0.70 | 0.17 | 1.08 | 0.41 | 69.9 | 17.3 | 53 |
| I314457 | | 0.34 | <0.005 | 0.11 | 3.01 | 8.5 | <0.2 | <10 | 160 | 0.51 | 0.16 | 0.20 | 0.09 | 19.45 | 16.3 | 43 |
| I314458 | | 0.36 | <0.005 | 0.04 | 2.92 | 7.9 | <0.2 | <10 | 140 | 0.42 | 0.11 | 0.26 | 0.07 | 12.25 | 17.0 | 57 |
| I314459 | | 0.46 | 0.006 | 0.10 | 2.37 | 6.4 | <0.2 | <10 | 200 | 0.81 | 0.13 | 0.99 | 0.10 | 54.5 | 15.7 | 66 |
| I314460 | | 0.44 | <0.005 | 0.12 | 1.94 | 5.4 | <0.2 | <10 | 220 | 0.83 | 0.11 | 1.48 | 0.14 | 49.4 | 16.1 | 49 |
| I314461 | | 0.44 | <0.005 | 0.09 | 1.97 | 8.3 | <0.2 | <10 | 140 | 0.42 | 0.14 | 0.21 | 0.17 | 24.0 | 11.3 | 37 |
| I314462 | | 0.36 | <0.005 | 0.09 | 2.77 | 10.2 | <0.2 | <10 | 170 | 0.44 | 0.21 | 0.20 | 0.07 | 19.00 | 9.5 | 43 |
| I314463 | | 0.26 | <0.005 | 0.14 | 2.74 | 9.8 | <0.2 | <10 | 140 | 0.37 | 0.22 | 0.19 | 0.09 | 17.95 | 12.3 | 45 |
| I314464 | | 0.28 | <0.005 | 0.08 | 2.18 | 8.3 | <0.2 | <10 | 130 | 0.32 | 0.18 | 0.12 | 0.17 | 15.85 | 9.5 | 35 |
| I314465 | | 0.30 | <0.005 | 0.03 | 2.26 | 10.4 | <0.2 | <10 | 110 | 0.27 | 0.17 | 0.16 | 0.09 | 15.75 | 10.4 | 40 |
| I314466 | | 0.34 | <0.005 | 0.04 | 2.40 | 10.7 | <0.2 | <10 | 130 | 0.31 | 0.16 | 0.19 | 0.09 | 17.35 | 12.2 | 41 |
| I314467 | | 0.42 | <0.005 | 0.06 | 0.66 | 2.2 | <0.2 | <10 | 20 | 0.12 | 0.13 | 0.03 | 0.16 | 7.76 | 2.2 | 12 |
| I314468 | | 0.52 | 0.011 | 0.25 | 1.02 | 3.7 | <0.2 | <10 | 170 | 0.21 | 0.10 | 0.29 | 0.22 | 32.6 | 6.8 | 23 |
| I314469 | | 0.30 | 0.007 | 0.60 | 2.26 | 7.3 | <0.2 | <10 | 270 | 0.43 | 0.29 | 0.30 | 0.34 | 48.8 | 11.5 | 38 |
| I314470 | | 0.36 | <0.005 | 0.52 | 1.99 | 7.0 | <0.2 | <10 | 210 | 0.41 | 0.20 | 0.27 | 0.30 | 27.8 | 11.0 | 34 |
| I314471 | | 0.38 | <0.005 | 0.23 | 1.56 | 4.8 | <0.2 | <10 | 190 | 0.26 | 0.20 | 0.19 | 0.16 | 34.3 | 7.8 | 32 |
| I314472 | | 0.30 | <0.005 | 0.30 | 1.51 | 5.3 | <0.2 | <10 | 200 | 0.28 | 0.19 | 0.19 | 0.41 | 21.5 | 10.3 | 25 |
| I314473 | | 0.38 | <0.005 | 0.49 | 1.89 | 5.7 | <0.2 | <10 | 200 | 0.38 | 0.20 | 0.25 | 0.33 | 28.0 | 13.0 | 32 |
| I314474 | | 0.40 | 0.005 | 0.86 | 1.81 | 5.5 | <0.2 | <10 | 330 | 0.37 | 0.16 | 0.44 | 0.49 | 23.7 | 14.3 | 36 |
| I314475 | | 0.34 | <0.005 | 0.41 | 1.79 | 7.0 | <0.2 | <10 | 240 | 0.39 | 0.20 | 0.22 | 0.34 | 25.0 | 19.0 | 32 |
| I314476 | | 0.34 | 0.005 | 0.95 | 1.09 | 2.0 | <0.2 | <10 | 170 | 0.24 | 0.14 | 0.19 | 0.26 | 15.45 | 5.5 | 20 |
| I314477 | | 0.44 | <0.005 | 0.41 | 1.70 | 6.2 | <0.2 | <10 | 220 | 0.26 | 0.15 | 0.27 | 0.37 | 24.0 | 11.2 | 36 |
| I314478 | | 0.44 | <0.005 | 0.40 | 1.37 | 4.9 | <0.2 | <10 | 210 | 0.22 | 0.16 | 0.23 | 0.38 | 22.6 | 8.9 | 29 |
| I314479 | | 0.30 | <0.005 | 0.45 | 1.65 | 5.4 | <0.2 | <10 | 230 | 0.27 | 0.19 | 0.42 | 0.38 | 27.4 | 10.1 | 40 |
| I314480 | | 0.34 | <0.005 | 0.33 | 1.43 | 12.1 | <0.2 | <10 | 270 | 0.26 | 0.18 | 0.54 | 0.56 | 21.9 | 8.5 | 31 |
| I314481 | | 0.38 | <0.005 | 0.23 | 1.76 | 12.3 | <0.2 | <10 | 280 | 0.35 | 0.17 | 0.42 | 0.40 | 25.1 | 14.0 | 35 |
| I314482 | | 0.34 | <0.005 | 0.48 | 1.52 | 8.3 | <0.2 | <10 | 420 | 0.36 | 0.19 | 0.52 | 0.71 | 30.2 | 14.8 | 29 |
| I314483 | | 0.32 | <0.005 | 0.31 | 1.63 | 6.5 | <0.2 | <10 | 220 | 0.33 | 0.18 | 0.40 | 0.33 | 25.2 | 13.1 | 29 |
| I314484 | | 0.38 | <0.005 | 0.21 | 2.00 | 6.5 | <0.2 | <10 | 230 | 0.46 | 0.19 | 0.46 | 0.14 | 35.1 | 19.1 | 33 |
| I314485 | | 0.28 | <0.005 | 0.05 | 1.99 | 7.9 | <0.2 | <10 | 260 | 0.60 | 0.18 | 1.03 | 0.27 | 31.8 | 13.7 | 39 |
| I314486 | | 0.32 | <0.005 | 0.10 | 1.48 | 8.2 | <0.2 | <10 | 200 | 0.53 | 0.14 | 2.02 | 0.24 | 31.2 | 15.1 | 37 |
| I314487 | | 0.30 | <0.005 | 0.10 | 1.35 | 6.1 | <0.2 | <10 | 140 | 0.36 | 0.12 | 2.03 | 0.28 | 37.6 | 13.3 | 29 |
| I314488 | | 0.38 | <0.005 | 0.11 | 1.07 | 5.8 | <0.2 | <10 | 70 | 0.17 | 0.29 | 0.14 | 0.17 | 14.00 | 4.8 | 19 |
| I314489 | | 0.28 | <0.005 | 0.20 | 2.00 | 7.4 | <0.2 | <10 | 140 | 0.23 | 0.18 | 0.31 | 0.10 | 17.95 | 12.0 | 35 |
| I314490 | | 0.38 | <0.005 | 0.06 | 1.46 | 3.7 | <0.2 | <10 | 120 | 0.25 | 0.17 | 0.43 | 0.10 | 18.90 | 9.3 | 28 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I314451 | | 1.47 | 35.9 | 2.99 | 6.11 | 0.07 | 0.07 | 0.09 | 0.040 | 0.03 | 32.5 | 14.5 | 0.77 | 417 | 0.61 | 0.02 |
| I314452 | | 2.13 | 29.9 | 5.00 | 9.66 | 0.08 | 0.03 | 0.02 | 0.030 | 0.14 | 21.1 | 12.5 | 0.67 | 308 | 1.83 | 0.01 |
| I314453 | | 1.54 | 13.2 | 2.92 | 8.20 | 0.05 | 0.10 | 0.02 | 0.028 | 0.02 | 9.8 | 13.6 | 0.42 | 246 | 1.23 | 0.02 |
| I314454 | | 1.18 | 22.0 | 3.75 | 7.29 | 0.06 | 0.12 | 0.02 | 0.032 | 0.02 | 10.5 | 17.0 | 0.62 | 332 | 1.01 | 0.01 |
| I314455 | | 1.71 | 31.7 | 3.43 | 5.96 | 0.07 | 0.08 | 0.07 | 0.022 | 0.03 | 23.1 | 16.4 | 0.80 | 736 | 0.40 | 0.03 |
| I314456 | | 4.90 | 30.9 | 3.71 | 6.78 | 0.08 | 0.04 | 0.04 | 0.031 | 0.15 | 23.0 | 15.6 | 1.17 | 763 | 0.62 | 0.02 |
| I314457 | | 1.67 | 24.2 | 3.94 | 7.90 | 0.05 | 0.11 | 0.02 | 0.031 | 0.03 | 9.2 | 16.7 | 0.65 | 355 | 1.23 | 0.01 |
| I314458 | | 1.82 | 27.6 | 4.93 | 9.12 | 0.06 | 0.08 | 0.02 | 0.022 | 0.11 | 6.1 | 22.3 | 1.24 | 479 | 1.02 | 0.01 |
| I314459 | | 2.51 | 36.5 | 3.74 | 8.49 | 0.09 | 0.08 | 0.07 | 0.042 | 0.06 | 27.0 | 24.1 | 1.42 | 953 | 0.30 | 0.03 |
| I314460 | | 1.95 | 25.9 | 3.87 | 7.11 | 0.09 | 0.09 | 0.05 | 0.037 | 0.05 | 23.1 | 18.9 | 0.77 | 309 | 0.72 | 0.02 |
| I314461 | | 3.19 | 42.6 | 3.10 | 6.46 | 0.06 | 0.04 | 0.07 | 0.033 | 0.03 | 11.9 | 12.8 | 0.45 | 272 | 1.46 | 0.01 |
| I314462 | | 1.87 | 19.4 | 4.66 | 9.69 | 0.06 | 0.08 | 0.03 | 0.031 | 0.03 | 9.6 | 19.7 | 0.58 | 200 | 1.53 | 0.01 |
| I314463 | | 2.05 | 18.4 | 4.84 | 10.80 | 0.06 | 0.08 | 0.03 | 0.031 | 0.04 | 9.0 | 20.9 | 0.68 | 390 | 1.73 | 0.01 |
| I314464 | | 1.63 | 15.4 | 3.97 | 8.86 | 0.05 | 0.04 | 0.02 | 0.026 | 0.05 | 7.0 | 17.7 | 0.54 | 342 | 1.40 | 0.01 |
| I314465 | | 1.36 | 18.6 | 4.33 | 8.85 | 0.07 | 0.10 | 0.02 | 0.026 | 0.06 | 7.5 | 18.6 | 0.67 | 342 | 1.37 | 0.01 |
| I314466 | | 1.43 | 20.4 | 4.20 | 8.64 | 0.06 | 0.11 | 0.02 | 0.029 | 0.07 | 8.3 | 21.0 | 0.71 | 346 | 1.25 | 0.01 |
| I314467 | | 0.81 | 13.4 | 1.06 | 3.30 | <0.05 | <0.02 | 0.04 | 0.011 | <0.01 | 3.9 | 2.0 | 0.04 | 45 | 0.85 | 0.02 |
| I314468 | | 7.32 | 15.7 | 1.94 | 3.47 | 0.06 | <0.02 | 0.05 | 0.014 | 0.04 | 17.2 | 8.8 | 0.32 | 267 | 1.27 | 0.01 |
| I314469 | | 13.20 | 42.5 | 3.72 | 6.96 | 0.09 | 0.03 | 0.12 | 0.029 | 0.10 | 27.9 | 18.4 | 0.47 | 246 | 2.24 | 0.01 |
| I314470 | | 2.83 | 28.4 | 3.31 | 7.68 | 0.05 | 0.03 | 0.03 | 0.028 | 0.08 | 15.0 | 13.4 | 0.50 | 359 | 1.73 | 0.02 |
| I314471 | | 1.89 | 27.5 | 2.95 | 6.96 | 0.07 | 0.03 | 0.03 | 0.020 | 0.10 | 19.0 | 8.4 | 0.47 | 174 | 1.82 | 0.01 |
| I314472 | | 1.48 | 18.2 | 2.61 | 6.98 | 0.05 | 0.03 | 0.02 | 0.021 | 0.06 | 11.3 | 9.6 | 0.37 | 747 | 1.54 | 0.02 |
| I314473 | | 2.20 | 33.3 | 3.05 | 7.63 | 0.07 | 0.05 | 0.03 | 0.026 | 0.10 | 15.0 | 13.1 | 0.56 | 403 | 1.86 | 0.02 |
| I314474 | | 1.28 | 37.7 | 3.23 | 6.70 | 0.06 | 0.03 | 0.03 | 0.024 | 0.12 | 12.7 | 14.6 | 0.65 | 853 | 2.14 | 0.02 |
| I314475 | | 2.22 | 29.7 | 3.19 | 7.17 | 0.06 | 0.04 | 0.02 | 0.047 | 0.07 | 12.4 | 14.1 | 0.57 | 754 | 1.83 | 0.02 |
| I314476 | | 1.31 | 23.0 | 1.58 | 5.34 | <0.05 | 0.02 | 0.03 | 0.014 | 0.04 | 8.1 | 5.8 | 0.29 | 151 | 1.15 | 0.02 |
| I314477 | | 2.45 | 29.0 | 3.33 | 7.90 | 0.06 | 0.05 | 0.02 | 0.022 | 0.15 | 12.9 | 11.6 | 0.75 | 293 | 2.41 | <0.01 |
| I314478 | | 2.18 | 26.5 | 2.75 | 7.48 | 0.06 | 0.04 | 0.03 | 0.019 | 0.13 | 12.4 | 8.6 | 0.59 | 233 | 2.11 | <0.01 |
| I314479 | | 2.07 | 37.9 | 3.05 | 7.84 | 0.06 | 0.04 | 0.03 | 0.024 | 0.13 | 15.1 | 11.6 | 0.72 | 295 | 2.72 | 0.01 |
| I314480 | | 1.82 | 37.4 | 2.55 | 6.11 | 0.05 | 0.03 | 0.03 | 0.025 | 0.09 | 11.9 | 8.7 | 0.53 | 285 | 2.22 | 0.01 |
| I314481 | | 3.07 | 39.1 | 3.07 | 6.71 | 0.05 | 0.03 | 0.03 | 0.029 | 0.08 | 13.1 | 12.6 | 0.58 | 544 | 3.05 | 0.01 |
| I314482 | | 2.23 | 38.0 | 2.64 | 6.88 | 0.05 | 0.03 | 0.03 | 0.027 | 0.12 | 15.3 | 11.2 | 0.50 | 635 | 2.35 | 0.01 |
| I314483 | | 2.11 | 32.7 | 2.73 | 7.17 | 0.05 | 0.03 | 0.03 | 0.024 | 0.07 | 13.3 | 10.6 | 0.53 | 398 | 1.77 | 0.01 |
| I314484 | | 5.73 | 33.2 | 3.16 | 7.63 | 0.06 | 0.05 | 0.04 | 0.031 | 0.05 | 18.7 | 11.8 | 0.55 | 1020 | 2.25 | 0.01 |
| I314485 | | 2.40 | 30.9 | 3.30 | 6.19 | 0.05 | 0.08 | 0.04 | 0.034 | 0.06 | 16.9 | 11.9 | 0.66 | 703 | 0.88 | 0.02 |
| I314486 | | 2.74 | 30.5 | 2.60 | 5.97 | 0.07 | 0.06 | 0.05 | 0.024 | 0.04 | 16.5 | 15.6 | 0.68 | 541 | 0.52 | 0.02 |
| I314487 | | 2.10 | 30.1 | 2.39 | 4.84 | 0.07 | 0.06 | 0.05 | 0.021 | 0.08 | 26.1 | 12.8 | 0.57 | 427 | 0.90 | 0.01 |
| I314488 | | 2.04 | 11.3 | 1.69 | 6.71 | <0.05 | <0.02 | 0.02 | 0.016 | 0.06 | 7.5 | 6.6 | 0.28 | 135 | 1.18 | <0.01 |
| I314489 | | 1.40 | 19.4 | 3.23 | 7.71 | <0.05 | 0.06 | 0.02 | 0.027 | 0.07 | 8.9 | 15.4 | 0.56 | 345 | 1.34 | 0.01 |
| I314490 | | 1.83 | 16.2 | 2.45 | 6.85 | <0.05 | 0.03 | 0.02 | 0.021 | 0.08 | 11.1 | 11.0 | 0.45 | 212 | 0.91 | 0.01 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314451 | | 0.96 | 33.7 | 780 | 20.3 | 13.1 | 0.001 | 0.05 | 0.31 | 5.7 | 1.1 | 0.9 | 63.2 | <0.01 | 0.03 | 2.7 |
| I314452 | | 1.36 | 41.8 | 400 | 12.7 | 37.1 | <0.001 | 0.01 | 0.38 | 4.4 | 0.3 | 0.6 | 10.0 | <0.01 | 0.06 | 7.2 |
| I314453 | | 1.72 | 18.8 | 180 | 12.0 | 14.6 | <0.001 | 0.01 | 0.24 | 3.7 | 0.2 | 0.6 | 25.2 | <0.01 | 0.03 | 2.5 |
| I314454 | | 2.16 | 33.1 | 310 | 10.3 | 11.0 | <0.001 | 0.01 | 0.38 | 4.8 | 0.4 | 0.5 | 19.6 | 0.01 | 0.03 | 4.8 |
| I314455 | | 1.45 | 34.1 | 500 | 10.8 | 13.5 | <0.001 | 0.03 | 0.23 | 4.8 | 0.8 | 0.4 | 43.8 | <0.01 | 0.03 | 3.9 |
| I314456 | | 0.94 | 44.9 | 620 | 13.3 | 30.8 | 0.001 | 0.03 | 0.14 | 5.4 | 0.7 | 0.5 | 35.9 | <0.01 | 0.04 | 5.6 |
| I314457 | | 2.11 | 32.0 | 250 | 11.5 | 15.2 | <0.001 | 0.01 | 0.44 | 4.3 | 0.4 | 0.6 | 21.4 | 0.01 | 0.02 | 3.1 |
| I314458 | | 2.50 | 23.8 | 350 | 8.2 | 17.3 | <0.001 | 0.01 | 0.32 | 4.8 | 0.3 | 0.4 | 35.9 | <0.01 | 0.03 | 2.1 |
| I314459 | | 1.17 | 44.8 | 850 | 13.6 | 13.8 | <0.001 | 0.02 | 0.20 | 7.7 | 0.7 | 1.1 | 42.1 | <0.01 | 0.03 | 4.7 |
| I314460 | | 0.94 | 36.3 | 890 | 11.4 | 13.3 | 0.001 | 0.05 | 0.22 | 6.9 | 1.0 | 0.6 | 65.3 | <0.01 | 0.04 | 4.3 |
| I314461 | | 1.44 | 29.9 | 440 | 10.8 | 10.1 | <0.001 | 0.01 | 0.21 | 4.8 | 0.5 | 0.6 | 18.6 | <0.01 | 0.02 | 3.0 |
| I314462 | | 2.63 | 22.6 | 440 | 11.9 | 12.4 | <0.001 | 0.01 | 0.47 | 4.2 | 0.4 | 0.7 | 20.4 | 0.01 | 0.03 | 2.7 |
| I314463 | | 2.74 | 23.1 | 440 | 11.3 | 23.0 | 0.001 | 0.01 | 0.54 | 3.8 | 0.5 | 0.9 | 19.6 | <0.01 | 0.04 | 2.9 |
| I314464 | | 2.25 | 20.4 | 430 | 9.1 | 19.1 | <0.001 | 0.01 | 0.47 | 3.0 | 0.3 | 0.7 | 14.7 | <0.01 | 0.03 | 1.8 |
| I314465 | | 2.36 | 23.6 | 380 | 8.6 | 14.1 | <0.001 | 0.01 | 0.48 | 4.0 | 0.3 | 0.7 | 18.7 | <0.01 | 0.03 | 2.5 |
| I314466 | | 2.23 | 27.5 | 350 | 8.6 | 13.3 | <0.001 | 0.01 | 0.46 | 4.3 | 0.4 | 0.6 | 20.3 | <0.01 | 0.03 | 3.0 |
| I314467 | | 0.47 | 5.7 | 270 | 3.4 | 2.8 | <0.001 | 0.02 | 0.24 | 0.9 | 0.4 | 0.3 | 9.7 | <0.01 | 0.03 | <0.2 |
| I314468 | | 0.76 | 21.6 | 910 | 6.4 | 9.6 | 0.001 | 0.02 | 0.17 | 2.9 | 0.7 | 0.3 | 20.3 | <0.01 | 0.03 | 1.7 |
| I314469 | | 1.12 | 45.7 | 830 | 11.2 | 22.5 | 0.004 | 0.03 | 0.36 | 4.8 | 2.1 | 0.6 | 30.3 | <0.01 | 0.06 | 1.5 |
| I314470 | | 1.65 | 25.2 | 680 | 10.2 | 18.9 | <0.001 | 0.02 | 0.25 | 4.5 | 0.6 | 0.6 | 26.2 | <0.01 | 0.05 | 2.7 |
| I314471 | | 1.50 | 24.2 | 450 | 10.4 | 16.0 | 0.001 | 0.03 | 0.21 | 3.8 | 0.5 | 0.6 | 22.1 | <0.01 | 0.03 | 3.1 |
| I314472 | | 1.50 | 18.1 | 610 | 9.1 | 14.5 | <0.001 | 0.01 | 0.26 | 3.4 | 0.3 | 0.6 | 21.4 | <0.01 | 0.03 | 2.2 |
| I314473 | | 1.80 | 25.1 | 620 | 13.4 | 22.6 | 0.001 | 0.01 | 0.22 | 4.2 | 0.4 | 0.6 | 25.8 | <0.01 | 0.03 | 3.1 |
| I314474 | | 1.38 | 31.9 | 810 | 9.7 | 13.0 | 0.001 | 0.02 | 0.27 | 4.3 | 0.6 | 0.5 | 36.7 | <0.01 | 0.05 | 2.0 |
| I314475 | | 1.59 | 24.6 | 730 | 11.3 | 23.3 | 0.001 | 0.02 | 0.28 | 3.9 | 0.5 | 0.6 | 22.2 | <0.01 | 0.04 | 1.5 |
| I314476 | | 1.11 | 13.6 | 290 | 5.7 | 18.6 | <0.001 | 0.02 | 0.18 | 2.4 | 0.3 | 0.5 | 20.5 | <0.01 | 0.02 | 0.6 |
| I314477 | | 1.75 | 28.1 | 600 | 7.6 | 23.5 | <0.001 | 0.03 | 0.24 | 4.0 | 0.7 | 0.6 | 26.3 | <0.01 | 0.04 | 2.8 |
| I314478 | | 1.67 | 23.7 | 460 | 7.9 | 23.1 | <0.001 | 0.03 | 0.22 | 3.6 | 0.7 | 0.6 | 24.9 | <0.01 | 0.04 | 2.3 |
| I314479 | | 1.64 | 27.2 | 440 | 9.4 | 18.5 | 0.001 | 0.05 | 0.21 | 4.5 | 1.1 | 0.6 | 30.3 | <0.01 | 0.04 | 2.3 |
| I314480 | | 1.33 | 30.3 | 410 | 8.2 | 17.7 | <0.001 | 0.03 | 0.33 | 4.4 | 1.1 | 0.5 | 32.0 | <0.01 | 0.04 | 1.4 |
| I314481 | | 1.34 | 30.7 | 550 | 8.4 | 16.8 | 0.001 | 0.03 | 0.44 | 5.1 | 1.2 | 0.5 | 25.9 | <0.01 | 0.04 | 1.7 |
| I314482 | | 1.28 | 27.5 | 760 | 8.6 | 30.3 | <0.001 | 0.02 | 0.35 | 4.1 | 0.9 | 0.6 | 33.7 | <0.01 | 0.04 | 1.0 |
| I314483 | | 1.45 | 23.3 | 390 | 8.1 | 19.5 | <0.001 | 0.01 | 0.34 | 4.5 | 0.7 | 0.6 | 26.8 | <0.01 | 0.04 | 1.4 |
| I314484 | | 1.55 | 25.0 | 410 | 8.9 | 14.3 | <0.001 | 0.01 | 0.30 | 6.2 | 0.9 | 0.6 | 27.5 | <0.01 | 0.03 | 2.7 |
| I314485 | | 1.23 | 30.5 | 510 | 10.3 | 10.5 | <0.001 | 0.02 | 0.28 | 6.3 | 1.0 | 0.6 | 42.5 | <0.01 | 0.03 | 2.4 |
| I314486 | | 1.26 | 33.2 | 980 | 9.1 | 10.8 | <0.001 | 0.06 | 0.29 | 3.7 | 1.5 | 0.4 | 77.0 | 0.01 | 0.03 | 1.0 |
| I314487 | | 1.23 | 30.9 | 740 | 7.7 | 21.1 | <0.001 | 0.09 | 0.28 | 3.1 | 1.5 | 0.4 | 85.2 | 0.01 | 0.03 | 1.0 |
| I314488 | | 1.01 | 11.4 | 270 | 14.8 | 16.6 | <0.001 | 0.01 | 0.16 | 2.6 | 0.5 | 0.6 | 15.9 | <0.01 | 0.02 | 0.6 |
| I314489 | | 1.78 | 27.2 | 260 | 9.2 | 17.4 | <0.001 | <0.01 | 0.30 | 4.3 | 0.5 | 0.6 | 27.9 | <0.01 | 0.03 | 2.7 |
| I314490 | | 1.49 | 23.8 | 290 | 8.2 | 25.2 | <0.001 | 0.01 | 0.18 | 3.5 | 0.6 | 0.6 | 35.2 | <0.01 | 0.03 | 3.1 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314451 | | 0.035 | 0.16 | 1.49 | 54 | 0.12 | 23.7 | 47 | 2.1 |
| I314452 | | 0.085 | 0.20 | 0.80 | 76 | 0.10 | 7.00 | 72 | 1.5 |
| I314453 | | 0.065 | 0.15 | 0.48 | 69 | 0.12 | 3.50 | 41 | 3.8 |
| I314454 | | 0.113 | 0.11 | 0.50 | 75 | 0.14 | 4.46 | 51 | 5.2 |
| I314455 | | 0.077 | 0.15 | 0.67 | 51 | 0.10 | 12.40 | 69 | 3.2 |
| I314456 | | 0.073 | 0.39 | 0.70 | 48 | 0.07 | 12.15 | 119 | 1.3 |
| I314457 | | 0.118 | 0.16 | 0.49 | 77 | 0.11 | 3.78 | 64 | 5.1 |
| I314458 | | 0.213 | 0.12 | 0.35 | 96 | 0.19 | 2.93 | 74 | 3.6 |
| I314459 | | 0.070 | 0.18 | 0.64 | 61 | 0.13 | 16.45 | 70 | 3.0 |
| I314460 | | 0.032 | 0.09 | 1.19 | 64 | 0.09 | 14.15 | 75 | 2.9 |
| I314461 | | 0.037 | 0.12 | 0.71 | 76 | 0.14 | 5.32 | 63 | 1.7 |
| I314462 | | 0.138 | 0.15 | 0.49 | 95 | 0.14 | 3.69 | 53 | 3.6 |
| I314463 | | 0.151 | 0.18 | 0.46 | 102 | 0.13 | 2.84 | 75 | 3.9 |
| I314464 | | 0.123 | 0.15 | 0.36 | 86 | 0.14 | 2.29 | 61 | 1.8 |
| I314465 | | 0.143 | 0.10 | 0.37 | 95 | 0.15 | 2.58 | 54 | 4.2 |
| I314466 | | 0.140 | 0.11 | 0.40 | 90 | 0.16 | 3.00 | 56 | 4.7 |
| I314467 | | 0.038 | 0.06 | 0.35 | 28 | 0.06 | 1.56 | 14 | <0.5 |
| I314468 | | 0.048 | 0.15 | 1.13 | 40 | 0.09 | 8.45 | 65 | <0.5 |
| I314469 | | 0.046 | 0.20 | 2.74 | 74 | 0.14 | 15.85 | 107 | 0.8 |
| I314470 | | 0.084 | 0.14 | 0.98 | 76 | 0.13 | 7.00 | 65 | 1.3 |
| I314471 | | 0.090 | 0.14 | 0.87 | 74 | 0.11 | 7.06 | 65 | 1.1 |
| I314472 | | 0.084 | 0.12 | 0.62 | 65 | 0.10 | 3.74 | 53 | 1.5 |
| I314473 | | 0.103 | 0.14 | 1.01 | 71 | 0.11 | 6.74 | 67 | 2.3 |
| I314474 | | 0.089 | 0.13 | 0.90 | 76 | 0.13 | 5.86 | 81 | 1.1 |
| I314475 | | 0.106 | 0.12 | 0.90 | 77 | 0.14 | 4.92 | 66 | 1.3 |
| I314476 | | 0.073 | 0.10 | 0.64 | 40 | 0.08 | 3.81 | 35 | 0.6 |
| I314477 | | 0.129 | 0.16 | 0.88 | 81 | 0.18 | 5.51 | 82 | 1.8 |
| I314478 | | 0.121 | 0.14 | 0.81 | 70 | 0.14 | 5.03 | 69 | 1.5 |
| I314479 | | 0.104 | 0.16 | 1.16 | 76 | 0.13 | 6.85 | 83 | 1.5 |
| I314480 | | 0.074 | 0.13 | 1.06 | 62 | 0.13 | 7.90 | 84 | 1.4 |
| I314481 | | 0.072 | 0.16 | 1.01 | 72 | 0.13 | 7.67 | 91 | 1.2 |
| I314482 | | 0.077 | 0.12 | 1.07 | 60 | 0.14 | 9.82 | 72 | 0.9 |
| I314483 | | 0.082 | 0.11 | 0.79 | 65 | 0.14 | 6.23 | 56 | 1.2 |
| I314484 | | 0.073 | 0.16 | 1.15 | 70 | 0.18 | 9.22 | 57 | 2.1 |
| I314485 | | 0.050 | 0.16 | 1.24 | 68 | 0.11 | 12.85 | 70 | 2.9 |
| I314486 | | 0.062 | 0.13 | 1.50 | 50 | 0.13 | 11.25 | 49 | 2.5 |
| I314487 | | 0.061 | 0.12 | 1.24 | 43 | 0.18 | 11.35 | 50 | 2.2 |
| I314488 | | 0.059 | 0.11 | 0.37 | 46 | 0.13 | 2.24 | 31 | 0.5 |
| I314489 | | 0.094 | 0.12 | 0.42 | 75 | 0.14 | 3.48 | 53 | 2.9 |
| I314490 | | 0.074 | 0.14 | 0.50 | 52 | 0.11 | 3.91 | 47 | 1.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314491 | | 0.38 | 0.029 | 0.16 | 1.61 | 6.5 | <0.2 | <10 | 180 | 0.66 | 0.21 | 1.67 | 0.25 | 58.5 | 13.9 | 31 |
| I314492 | | 0.42 | <0.005 | 0.06 | 1.15 | 5.3 | <0.2 | <10 | 110 | 0.34 | 0.13 | 1.28 | 0.13 | 27.2 | 12.6 | 31 |
| I314493 | | 0.48 | <0.005 | 0.01 | 0.08 | 4.3 | <0.2 | <10 | 30 | 0.14 | 0.02 | 0.11 | 0.09 | 11.30 | 3.9 | 4 |
| I314494 | | 0.52 | <0.005 | 0.05 | 1.51 | 8.4 | <0.2 | <10 | 100 | 0.23 | 0.22 | 0.08 | 0.15 | 20.4 | 5.0 | 23 |
| I314495 | | 0.40 | <0.005 | 0.25 | 2.65 | 13.0 | <0.2 | <10 | 200 | 0.56 | 0.25 | 0.10 | 0.52 | 19.55 | 10.7 | 39 |
| I314496 | | 0.42 | 0.007 | 0.01 | 0.06 | 3.0 | <0.2 | <10 | 20 | 0.11 | 0.02 | 0.03 | 0.06 | 6.47 | 2.5 | 7 |
| I314497 | | 0.38 | <0.005 | 0.35 | 2.56 | 5.8 | <0.2 | <10 | 310 | 0.70 | 0.19 | 0.26 | 0.18 | 23.0 | 24.1 | 25 |
| I314498 | | 0.42 | <0.005 | 0.11 | 2.29 | 9.2 | <0.2 | <10 | 430 | 0.69 | 0.22 | 0.99 | 0.40 | 28.7 | 11.8 | 34 |
| I314499 | | 0.44 | 0.008 | 0.16 | 1.88 | 13.2 | <0.2 | <10 | 270 | 0.87 | 0.21 | 1.45 | 0.30 | 31.8 | 10.9 | 27 |
| I314500 | | 0.42 | <0.005 | 0.20 | 2.55 | 5.8 | <0.2 | <10 | 190 | 0.27 | 0.17 | 0.18 | 0.07 | 14.55 | 18.2 | 54 |
| I314501 | | 0.48 | <0.005 | 0.75 | 2.75 | 14.8 | <0.2 | <10 | 190 | 0.57 | 0.24 | 0.08 | 0.11 | 18.40 | 11.7 | 37 |
| I314502 | | 0.46 | 0.006 | 0.18 | 2.13 | 6.9 | <0.2 | <10 | 210 | 0.32 | 0.08 | 0.34 | 0.03 | 9.76 | 18.9 | 14 |
| I314503 | | 0.42 | <0.005 | 0.17 | 1.56 | 5.1 | <0.2 | <10 | 190 | 0.21 | 0.16 | 0.17 | 0.06 | 13.65 | 6.1 | 18 |
| I314504 | | 0.42 | <0.005 | 0.27 | 2.34 | 4.1 | <0.2 | <10 | 180 | 0.36 | 0.12 | 0.29 | 0.04 | 12.25 | 18.9 | 23 |
| I314505 | | 0.42 | 0.013 | 0.05 | 1.67 | 5.0 | <0.2 | <10 | 130 | 0.22 | 0.16 | 0.12 | 0.06 | 13.25 | 10.4 | 19 |
| I314506 | | 0.42 | <0.005 | 0.09 | 2.37 | 4.1 | <0.2 | <10 | 150 | 0.37 | 0.12 | 0.20 | 0.13 | 13.75 | 19.1 | 19 |
| I314507 | | 0.44 | <0.005 | 0.08 | 1.57 | 7.1 | <0.2 | <10 | 130 | 0.21 | 0.19 | 0.07 | 0.10 | 16.45 | 6.9 | 24 |
| I314508 | | 0.40 | <0.005 | 0.12 | 2.36 | 6.0 | <0.2 | <10 | 180 | 0.30 | 0.15 | 0.18 | 0.18 | 13.80 | 14.8 | 21 |
| I314509 | | 0.60 | <0.005 | 0.09 | 2.20 | 9.9 | <0.2 | <10 | 230 | 0.53 | 0.15 | 0.41 | 0.06 | 26.5 | 14.9 | 36 |
| I314510 | | 0.38 | 0.005 | 0.05 | 2.62 | 7.3 | <0.2 | <10 | 300 | 0.68 | 0.19 | 0.58 | 0.31 | 34.3 | 13.8 | 37 |
| I314511 | | 0.44 | <0.005 | 0.04 | 1.67 | 4.9 | <0.2 | <10 | 220 | 0.26 | 0.15 | 0.31 | 0.08 | 14.50 | 10.5 | 26 |
| I314512 | | 0.42 | <0.005 | 0.03 | 1.94 | 12.0 | <0.2 | <10 | 380 | 1.00 | 0.20 | 0.57 | 0.21 | 44.9 | 7.9 | 20 |
| I314513 | | 0.40 | 0.007 | 0.07 | 2.10 | 7.3 | <0.2 | <10 | 370 | 0.84 | 0.18 | 0.47 | 0.14 | 40.5 | 13.0 | 29 |
| I314514 | | 0.38 | <0.005 | 0.07 | 1.81 | 9.7 | <0.2 | <10 | 290 | 0.69 | 0.18 | 0.55 | 0.14 | 29.0 | 12.0 | 32 |
| I314515 | | 0.42 | <0.005 | 0.04 | 1.05 | 4.3 | <0.2 | <10 | 300 | 0.46 | 0.17 | 0.44 | 0.12 | 46.4 | 6.9 | 13 |
| I314516 | | 0.36 | <0.005 | 0.03 | 1.37 | 4.2 | <0.2 | <10 | 310 | 0.54 | 0.16 | 0.31 | 0.16 | 34.7 | 6.8 | 19 |
| I314517 | | 0.54 | <0.005 | 0.08 | 2.24 | 5.2 | <0.2 | <10 | 280 | 0.63 | 0.08 | 1.64 | 0.12 | 40.3 | 16.1 | 33 |
| I314518 | | 0.52 | <0.005 | 0.04 | 1.79 | 6.8 | <0.2 | <10 | 300 | 0.53 | 0.16 | 0.37 | 0.13 | 22.3 | 9.9 | 28 |
| I314519 | | 0.36 | <0.005 | 0.03 | 2.01 | 3.8 | <0.2 | <10 | 370 | 0.65 | 0.12 | 0.40 | 0.12 | 22.8 | 9.3 | 22 |
| I314520 | | 0.40 | <0.005 | 0.05 | 1.81 | 6.7 | <0.2 | <10 | 350 | 0.70 | 0.20 | 0.71 | 0.22 | 26.8 | 10.8 | 27 |
| I314521 | | 0.32 | <0.005 | 0.07 | 1.88 | 7.9 | <0.2 | <10 | 350 | 0.56 | 0.17 | 0.95 | 0.64 | 26.1 | 10.8 | 40 |
| I314522 | | 0.48 | <0.005 | 0.05 | 1.78 | 7.9 | <0.2 | <10 | 280 | 0.55 | 0.18 | 0.58 | 0.22 | 14.05 | 10.4 | 38 |
| I314523 | | 0.46 | 0.005 | 0.09 | 1.77 | 8.0 | <0.2 | <10 | 300 | 0.78 | 0.20 | 0.61 | 0.13 | 29.5 | 11.5 | 32 |
| I314524 | | 0.52 | <0.005 | 0.03 | 1.66 | 6.4 | <0.2 | <10 | 580 | 0.73 | 0.27 | 0.62 | 0.03 | 9.93 | 5.9 | 14 |
| I314525 | | 0.40 | 0.021 | 0.05 | 1.76 | 5.1 | <0.2 | <10 | 440 | 0.50 | 0.20 | 0.55 | 0.05 | 21.5 | 7.7 | 14 |
| I314526 | | 0.46 | <0.005 | 0.03 | 2.11 | 3.2 | <0.2 | <10 | 140 | 0.43 | 0.09 | 0.64 | 0.04 | 35.3 | 14.7 | 29 |
| I314527 | | 0.36 | <0.005 | 0.05 | 2.11 | 4.2 | <0.2 | <10 | 200 | 0.46 | 0.10 | 0.55 | 0.08 | 28.7 | 20.7 | 25 |
| I314528 | | 0.60 | <0.005 | 0.05 | 2.23 | 4.2 | <0.2 | <10 | 110 | 0.97 | 0.05 | 1.44 | 0.13 | 54.8 | 21.9 | 58 |
| I314529 | | 0.34 | <0.005 | 0.10 | 1.71 | 5.5 | <0.2 | <10 | 220 | 0.80 | 0.12 | 1.38 | 0.33 | 40.1 | 12.0 | 40 |
| I314530 | | 0.40 | <0.005 | 0.04 | 1.59 | 4.2 | <0.2 | <10 | 180 | 0.80 | 0.11 | 0.94 | 0.13 | 50.0 | 14.9 | 26 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I314491 | | 2.84 | 33.3 | 2.72 | 6.27 | 0.08 | 0.07 | 0.06 | 0.026 | 0.14 | 40.4 | 16.9 | 0.65 | 401 | 0.94 | 0.01 |
| I314492 | | 2.20 | 21.4 | 2.35 | 4.44 | 0.06 | 0.05 | 0.03 | 0.019 | 0.08 | 15.8 | 12.1 | 0.60 | 329 | 0.59 | 0.01 |
| I314493 | | 0.10 | 3.0 | 1.13 | 0.60 | <0.05 | 0.04 | 0.01 | <0.005 | 0.01 | 5.5 | 1.2 | 0.07 | 323 | 0.52 | <0.01 |
| I314494 | | 0.78 | 10.7 | 2.41 | 7.77 | <0.05 | <0.02 | 0.01 | 0.022 | 0.03 | 10.9 | 11.8 | 0.34 | 159 | 1.11 | <0.01 |
| I314495 | | 1.24 | 18.8 | 3.69 | 8.00 | 0.05 | 0.12 | 0.02 | 0.040 | 0.05 | 10.4 | 16.1 | 0.46 | 289 | 1.30 | <0.01 |
| I314496 | | 0.06 | 1.5 | 0.91 | 0.48 | <0.05 | 0.03 | 0.01 | <0.005 | 0.01 | 3.0 | 0.7 | 0.03 | 233 | 0.39 | <0.01 |
| I314497 | | 2.82 | 35.1 | 4.67 | 9.59 | 0.05 | 0.03 | 0.04 | 0.039 | 0.11 | 9.5 | 17.2 | 0.80 | 3040 | 2.20 | 0.01 |
| I314498 | | 1.03 | 19.8 | 2.97 | 8.24 | 0.05 | 0.07 | 0.02 | 0.033 | 0.05 | 13.7 | 13.7 | 0.48 | 1010 | 1.83 | 0.01 |
| I314499 | | 0.64 | 46.1 | 2.82 | 5.89 | 0.06 | 0.11 | 0.04 | 0.027 | 0.05 | 22.1 | 13.2 | 0.67 | 572 | 0.80 | 0.01 |
| I314500 | | 1.84 | 32.3 | 4.26 | 11.55 | 0.06 | 0.07 | 0.01 | 0.031 | 0.07 | 7.3 | 22.2 | 1.58 | 670 | 0.98 | <0.01 |
| I314501 | | 3.26 | 31.6 | 4.17 | 9.46 | 0.05 | 0.05 | 0.03 | 0.040 | 0.04 | 9.8 | 20.5 | 0.58 | 223 | 0.96 | <0.01 |
| I314502 | | 2.56 | 104.0 | 3.47 | 8.32 | 0.06 | 0.04 | 0.02 | 0.013 | 0.20 | 5.2 | 21.6 | 1.30 | 453 | 0.40 | <0.01 |
| I314503 | | 1.60 | 13.8 | 2.10 | 7.70 | <0.05 | <0.02 | 0.02 | 0.015 | 0.04 | 7.2 | 8.7 | 0.46 | 193 | 0.63 | <0.01 |
| I314504 | | 1.38 | 79.6 | 3.74 | 9.68 | 0.06 | 0.03 | 0.02 | 0.018 | 0.03 | 6.3 | 20.8 | 1.24 | 417 | 0.44 | <0.01 |
| I314505 | | 1.36 | 11.6 | 2.85 | 7.82 | <0.05 | 0.02 | 0.01 | 0.017 | 0.08 | 6.4 | 16.6 | 0.74 | 659 | 0.67 | <0.01 |
| I314506 | | 1.77 | 9.1 | 3.98 | 10.85 | 0.06 | 0.04 | 0.01 | 0.025 | 0.20 | 6.7 | 24.3 | 1.35 | 1100 | 0.74 | <0.01 |
| I314507 | | 1.16 | 9.4 | 3.30 | 8.84 | <0.05 | 0.03 | 0.01 | 0.019 | 0.04 | 8.5 | 12.7 | 0.37 | 181 | 1.11 | <0.01 |
| I314508 | | 1.14 | 26.5 | 3.55 | 8.29 | 0.05 | 0.02 | 0.01 | 0.015 | 0.27 | 7.1 | 26.3 | 1.31 | 392 | 0.59 | <0.01 |
| I314509 | | 0.86 | 26.2 | 3.51 | 7.14 | 0.06 | 0.17 | 0.02 | 0.027 | 0.08 | 12.0 | 22.0 | 1.27 | 783 | 0.38 | 0.01 |
| I314510 | | 1.45 | 14.3 | 2.85 | 9.49 | 0.06 | 0.10 | 0.03 | 0.035 | 0.04 | 17.1 | 19.7 | 1.41 | 1250 | 0.61 | 0.01 |
| I314511 | | 0.75 | 14.2 | 2.67 | 6.30 | <0.05 | 0.06 | 0.01 | 0.018 | 0.06 | 7.4 | 13.4 | 0.68 | 345 | 0.83 | <0.01 |
| I314512 | | 0.80 | 21.9 | 2.59 | 5.95 | 0.06 | 0.09 | 0.02 | 0.028 | 0.08 | 26.9 | 13.6 | 0.57 | 622 | 1.00 | <0.01 |
| I314513 | | 0.53 | 16.1 | 3.01 | 6.77 | 0.06 | 0.12 | 0.03 | 0.032 | 0.10 | 18.1 | 13.3 | 0.67 | 1100 | 0.86 | 0.02 |
| I314514 | | 0.41 | 20.0 | 2.90 | 6.22 | 0.06 | 0.19 | 0.02 | 0.027 | 0.07 | 14.7 | 10.4 | 0.53 | 584 | 0.77 | 0.02 |
| I314515 | | 0.30 | 11.6 | 1.47 | 4.06 | 0.05 | 0.05 | 0.01 | 0.021 | 0.07 | 24.1 | 6.1 | 0.29 | 260 | 1.30 | 0.01 |
| I314516 | | 0.47 | 12.2 | 1.96 | 5.21 | 0.05 | 0.07 | 0.03 | 0.019 | 0.05 | 18.5 | 9.5 | 0.39 | 361 | 1.03 | 0.02 |
| I314517 | | 1.16 | 23.9 | 3.57 | 6.63 | 0.08 | 0.08 | 0.03 | 0.023 | 0.04 | 19.2 | 15.0 | 1.30 | 341 | 0.72 | 0.07 |
| I314518 | | 0.57 | 12.2 | 2.49 | 6.09 | 0.05 | 0.07 | 0.02 | 0.025 | 0.05 | 11.5 | 13.1 | 0.46 | 382 | 1.02 | 0.01 |
| I314519 | | 1.04 | 10.9 | 2.74 | 6.84 | <0.05 | 0.08 | 0.01 | 0.028 | 0.05 | 11.4 | 13.0 | 0.61 | 507 | 1.03 | 0.01 |
| I314520 | | 0.50 | 17.4 | 2.73 | 6.20 | 0.05 | 0.10 | 0.02 | 0.030 | 0.06 | 12.7 | 9.5 | 0.45 | 851 | 0.88 | 0.02 |
| I314521 | | 0.27 | 33.9 | 3.01 | 7.06 | 0.06 | 0.07 | 0.02 | 0.036 | 0.11 | 13.4 | 20.3 | 0.56 | 514 | 1.03 | 0.02 |
| I314522 | | 0.29 | 33.6 | 3.02 | 6.85 | 0.05 | 0.07 | 0.02 | 0.034 | 0.08 | 5.6 | 22.0 | 0.56 | 306 | 1.09 | 0.01 |
| I314523 | | 0.26 | 31.0 | 2.76 | 6.22 | 0.07 | 0.11 | 0.03 | 0.034 | 0.13 | 15.5 | 17.9 | 0.52 | 406 | 0.67 | 0.02 |
| I314524 | | 0.51 | 9.4 | 1.94 | 6.05 | <0.05 | 0.08 | 0.02 | 0.033 | 0.04 | 4.9 | 4.8 | 0.32 | 151 | 1.15 | 0.02 |
| I314525 | | 2.58 | 7.4 | 2.41 | 6.18 | 0.05 | 0.08 | 0.02 | 0.026 | 0.12 | 9.8 | 4.8 | 0.46 | 171 | 0.82 | 0.02 |
| I314526 | | 0.59 | 12.5 | 4.26 | 6.87 | 0.10 | 0.19 | 0.02 | 0.031 | 0.02 | 16.9 | 12.9 | 1.01 | 271 | 0.80 | 0.04 |
| I314527 | | 1.29 | 13.2 | 4.47 | 7.06 | 0.08 | 0.09 | 0.01 | 0.028 | 0.05 | 11.9 | 10.4 | 1.06 | 974 | 1.45 | 0.04 |
| I314528 | | 0.64 | 17.4 | 5.17 | 6.87 | 0.12 | 0.23 | 0.13 | 0.047 | 0.02 | 28.1 | 11.1 | 1.43 | 546 | 0.91 | 0.07 |
| I314529 | | 0.38 | 25.5 | 3.44 | 6.07 | 0.09 | 0.14 | 0.08 | 0.038 | 0.05 | 21.5 | 10.6 | 0.88 | 344 | 0.72 | 0.04 |
| I314530 | | 0.96 | 15.8 | 4.23 | 5.81 | 0.10 | 0.26 | 0.05 | 0.051 | 0.04 | 22.0 | 11.5 | 0.56 | 837 | 0.83 | 0.02 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314491 | | 1.32 | 34.7 | 710 | 12.5 | 25.0 | 0.001 | 0.08 | 0.32 | 4.7 | 1.5 | 0.4 | 80.7 | 0.01 | 0.03 | 2.0 |
| I314492 | | 1.06 | 28.0 | 620 | 6.8 | 16.3 | <0.001 | 0.04 | 0.23 | 3.1 | 1.1 | 0.3 | 49.4 | <0.01 | 0.02 | 1.7 |
| I314493 | | 0.21 | 7.6 | 220 | 1.9 | 1.7 | <0.001 | <0.01 | 0.24 | 0.9 | <0.2 | <0.2 | 4.2 | <0.01 | 0.01 | 1.3 |
| I314494 | | 1.25 | 12.0 | 240 | 9.2 | 6.1 | <0.001 | <0.01 | 0.32 | 2.8 | 0.3 | 0.6 | 11.9 | <0.01 | 0.03 | 1.0 |
| I314495 | | 1.50 | 24.8 | 670 | 11.4 | 9.0 | <0.001 | <0.01 | 0.50 | 3.8 | 0.4 | 0.7 | 13.3 | <0.01 | 0.04 | 3.7 |
| I314496 | | 0.12 | 4.6 | 160 | 1.7 | 0.8 | <0.001 | <0.01 | 0.15 | 0.6 | <0.2 | <0.2 | 4.3 | <0.01 | 0.01 | 0.6 |
| I314497 | | 1.24 | 14.7 | 740 | 7.9 | 18.5 | <0.001 | 0.01 | 0.35 | 5.9 | 0.8 | 0.7 | 25.7 | <0.01 | 0.04 | 1.8 |
| I314498 | | 1.09 | 18.7 | 330 | 13.5 | 7.0 | <0.001 | 0.01 | 0.49 | 5.9 | 0.8 | 0.6 | 40.8 | <0.01 | 0.04 | 2.4 |
| I314499 | | 1.12 | 29.8 | 620 | 11.4 | 6.9 | <0.001 | 0.02 | 0.48 | 5.2 | 1.1 | 0.4 | 43.4 | 0.01 | 0.05 | 1.6 |
| I314500 | | 1.26 | 20.0 | 220 | 8.2 | 19.8 | <0.001 | <0.01 | 0.32 | 7.8 | 0.4 | 0.6 | 16.4 | <0.01 | 0.03 | 2.0 |
| I314501 | | 1.91 | 25.1 | 400 | 11.5 | 12.1 | <0.001 | <0.01 | 0.54 | 4.8 | 0.4 | 0.7 | 11.9 | <0.01 | 0.04 | 2.7 |
| I314502 | | 0.58 | 12.9 | 830 | 3.8 | 22.3 | <0.001 | <0.01 | 0.21 | 4.7 | 0.3 | 0.3 | 24.7 | <0.01 | 0.02 | 1.2 |
| I314503 | | 0.90 | 9.5 | 280 | 6.6 | 12.5 | <0.001 | <0.01 | 0.19 | 2.7 | 0.4 | 0.5 | 18.7 | <0.01 | 0.01 | 0.4 |
| I314504 | | 0.97 | 17.7 | 390 | 4.8 | 8.5 | <0.001 | <0.01 | 0.25 | 5.3 | 0.4 | 0.4 | 29.2 | <0.01 | 0.02 | 1.4 |
| I314505 | | 1.36 | 10.6 | 360 | 6.3 | 20.1 | <0.001 | <0.01 | 0.28 | 3.3 | 0.3 | 0.5 | 12.9 | <0.01 | 0.02 | 1.7 |
| I314506 | | 1.34 | 15.6 | 360 | 5.9 | 27.1 | <0.001 | <0.01 | 0.23 | 5.9 | 0.4 | 0.6 | 18.8 | <0.01 | 0.03 | 1.6 |
| I314507 | | 1.99 | 11.8 | 350 | 8.8 | 10.3 | <0.001 | <0.01 | 0.44 | 2.8 | 0.3 | 0.7 | 11.4 | <0.01 | 0.02 | 2.1 |
| I314508 | | 1.21 | 16.0 | 840 | 6.9 | 19.9 | <0.001 | <0.01 | 0.27 | 2.9 | 0.3 | 0.5 | 16.5 | <0.01 | 0.03 | 1.3 |
| I314509 | | 0.99 | 23.9 | 200 | 7.6 | 10.2 | <0.001 | <0.01 | 0.37 | 8.3 | 0.6 | 0.5 | 25.9 | <0.01 | 0.02 | 3.5 |
| I314510 | | 1.40 | 21.9 | 200 | 15.0 | 9.5 | <0.001 | <0.01 | 0.23 | 6.2 | 0.7 | 0.7 | 27.0 | <0.01 | 0.03 | 3.1 |
| I314511 | | 1.30 | 14.7 | 120 | 7.4 | 11.5 | <0.001 | <0.01 | 0.27 | 4.0 | 0.3 | 0.5 | 20.9 | <0.01 | 0.02 | 1.9 |
| I314512 | | 0.79 | 14.5 | 160 | 14.2 | 12.8 | <0.001 | <0.01 | 0.27 | 5.0 | 0.6 | 0.5 | 23.0 | <0.01 | 0.03 | 4.4 |
| I314513 | | 1.00 | 19.3 | 240 | 14.0 | 12.0 | <0.001 | <0.01 | 0.30 | 7.3 | 0.5 | 0.5 | 25.1 | <0.01 | 0.03 | 4.1 |
| I314514 | | 1.38 | 21.5 | 160 | 11.0 | 7.8 | <0.001 | <0.01 | 0.41 | 6.7 | 0.6 | 0.5 | 26.9 | <0.01 | 0.03 | 3.9 |
| I314515 | | 0.70 | 8.7 | 110 | 11.6 | 6.1 | <0.001 | <0.01 | 0.23 | 2.7 | 0.4 | 0.3 | 37.8 | <0.01 | 0.03 | 5.2 |
| I314516 | | 1.06 | 12.7 | 120 | 9.1 | 6.5 | <0.001 | <0.01 | 0.23 | 3.6 | 0.4 | 0.5 | 31.4 | <0.01 | 0.03 | 3.8 |
| I314517 | | 0.76 | 24.5 | 1930 | 4.5 | 3.7 | 0.001 | 0.02 | 0.31 | 5.1 | 1.1 | 0.4 | 142.0 | <0.01 | 0.03 | 1.5 |
| I314518 | | 1.17 | 17.7 | 220 | 8.3 | 6.4 | <0.001 | <0.01 | 0.31 | 4.2 | 0.4 | 0.5 | 31.0 | <0.01 | 0.02 | 2.9 |
| I314519 | | 0.85 | 12.6 | 120 | 10.2 | 7.4 | <0.001 | <0.01 | 0.16 | 4.7 | 0.3 | 0.6 | 32.6 | <0.01 | 0.02 | 2.7 |
| I314520 | | 1.23 | 18.3 | 190 | 10.9 | 8.0 | <0.001 | <0.01 | 0.38 | 5.5 | 0.7 | 0.5 | 56.7 | <0.01 | 0.03 | 2.9 |
| I314521 | | 0.55 | 37.6 | 540 | 8.2 | 12.1 | <0.001 | <0.01 | 0.42 | 5.7 | 0.8 | 0.4 | 67.1 | <0.01 | 0.04 | 2.0 |
| I314522 | | 0.75 | 35.5 | 330 | 9.1 | 6.6 | <0.001 | <0.01 | 0.44 | 5.8 | 0.7 | 0.5 | 37.3 | <0.01 | 0.05 | 2.0 |
| I314523 | | 1.06 | 33.5 | 400 | 9.8 | 6.9 | <0.001 | <0.01 | 0.49 | 7.1 | 0.9 | 0.6 | 49.0 | <0.01 | 0.04 | 3.9 |
| I314524 | | 0.44 | 8.1 | 230 | 14.5 | 6.4 | <0.001 | <0.01 | 0.13 | 5.3 | 0.4 | 0.8 | 60.0 | <0.01 | 0.04 | 2.5 |
| I314525 | | 0.74 | 7.2 | 370 | 9.4 | 28.0 | <0.001 | <0.01 | 0.16 | 4.2 | 0.4 | 0.9 | 56.3 | <0.01 | 0.03 | 3.2 |
| I314526 | | 0.97 | 19.9 | 1220 | 5.4 | 3.2 | <0.001 | <0.01 | 0.24 | 6.6 | 0.5 | 0.8 | 42.9 | <0.01 | 0.03 | 2.0 |
| I314527 | | 1.22 | 17.7 | 810 | 6.1 | 11.3 | <0.001 | <0.01 | 0.22 | 4.6 | 0.5 | 0.9 | 42.9 | <0.01 | 0.02 | 1.4 |
| I314528 | | 0.72 | 32.4 | 2490 | 3.7 | 2.9 | 0.001 | <0.01 | 0.18 | 14.1 | 1.0 | 1.0 | 89.1 | 0.01 | 0.01 | 2.4 |
| I314529 | | 1.00 | 26.3 | 1510 | 6.1 | 6.4 | 0.001 | 0.03 | 0.39 | 9.2 | 1.1 | 0.8 | 88.4 | 0.01 | 0.03 | 1.9 |
| I314530 | | 1.22 | 13.7 | 870 | 5.9 | 6.5 | <0.001 | 0.01 | 0.42 | 12.2 | 0.8 | 0.9 | 54.1 | <0.01 | 0.01 | 2.1 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314491 | | 0.057 | 0.17 | 1.57 | 44 | 0.13 | 19.25 | 60 | 2.8 |
| I314492 | | 0.056 | 0.10 | 0.97 | 38 | 0.15 | 7.76 | 48 | 1.7 |
| I314493 | | <0.005 | 0.05 | 0.27 | 8 | <0.05 | 2.82 | 9 | 2.0 |
| I314494 | | 0.048 | 0.12 | 0.32 | 66 | 0.18 | 2.19 | 34 | <0.5 |
| I314495 | | 0.054 | 0.12 | 0.51 | 77 | 0.20 | 2.75 | 79 | 5.2 |
| I314496 | | <0.005 | 0.04 | 0.18 | 11 | <0.05 | 2.07 | 7 | 1.3 |
| I314497 | | 0.092 | 0.17 | 0.57 | 127 | 0.21 | 5.31 | 65 | 1.1 |
| I314498 | | 0.024 | 0.08 | 0.82 | 64 | 0.12 | 7.93 | 60 | 2.3 |
| I314499 | | 0.038 | 0.05 | 0.58 | 54 | 0.17 | 24.1 | 59 | 3.7 |
| I314500 | | 0.116 | 0.12 | 0.28 | 139 | 0.21 | 2.59 | 69 | 2.5 |
| I314501 | | 0.060 | 0.12 | 0.42 | 99 | 0.23 | 3.09 | 49 | 2.3 |
| I314502 | | 0.149 | 0.11 | 0.28 | 148 | 0.15 | 3.02 | 56 | 2.2 |
| I314503 | | 0.063 | 0.10 | 0.35 | 68 | 0.14 | 2.45 | 35 | <0.5 |
| I314504 | | 0.151 | 0.09 | 0.34 | 128 | 0.16 | 4.12 | 57 | 1.6 |
| I314505 | | 0.098 | 0.08 | 0.24 | 82 | 0.14 | 1.87 | 57 | 1.3 |
| I314506 | | 0.176 | 0.12 | 0.26 | 129 | 0.13 | 2.55 | 76 | 1.5 |
| I314507 | | 0.111 | 0.10 | 0.30 | 91 | 0.19 | 1.79 | 50 | 1.5 |
| I314508 | | 0.186 | 0.10 | 0.27 | 107 | 0.17 | 1.97 | 66 | 1.1 |
| I314509 | | 0.118 | 0.08 | 0.57 | 96 | 0.14 | 8.41 | 48 | 6.9 |
| I314510 | | 0.064 | 0.09 | 0.49 | 68 | 0.18 | 11.15 | 52 | 3.8 |
| I314511 | | 0.071 | 0.09 | 0.27 | 72 | 0.18 | 2.16 | 46 | 2.2 |
| I314512 | | 0.011 | 0.10 | 0.59 | 43 | 0.09 | 8.96 | 46 | 3.2 |
| I314513 | | 0.038 | 0.07 | 0.50 | 56 | 0.16 | 10.05 | 53 | 4.3 |
| I314514 | | 0.065 | 0.07 | 0.42 | 60 | 0.20 | 9.26 | 48 | 6.9 |
| I314515 | | 0.016 | 0.05 | 1.00 | 31 | 0.07 | 4.08 | 33 | 1.7 |
| I314516 | | 0.032 | 0.07 | 0.63 | 43 | 0.11 | 5.05 | 40 | 2.2 |
| I314517 | | 0.036 | 0.04 | 1.45 | 49 | 0.09 | 19.25 | 56 | 2.6 |
| I314518 | | 0.035 | 0.11 | 0.43 | 56 | 0.13 | 4.05 | 45 | 2.7 |
| I314519 | | 0.021 | 0.11 | 0.40 | 51 | 0.09 | 3.54 | 51 | 2.8 |
| I314520 | | 0.044 | 0.06 | 0.73 | 55 | 0.15 | 6.57 | 52 | 3.5 |
| I314521 | | 0.013 | 0.07 | 0.44 | 55 | 0.08 | 4.42 | 90 | 2.0 |
| I314522 | | 0.021 | 0.07 | 0.54 | 55 | 0.10 | 4.37 | 75 | 2.0 |
| I314523 | | 0.030 | 0.08 | 1.19 | 51 | 0.14 | 12.55 | 55 | 4.1 |
| I314524 | | 0.005 | 0.10 | 0.46 | 33 | <0.05 | 2.87 | 35 | 2.1 |
| I314525 | | 0.015 | 0.19 | 0.71 | 41 | 0.06 | 4.48 | 42 | 2.2 |
| I314526 | | 0.071 | 0.09 | 0.34 | 62 | 0.09 | 12.65 | 55 | 8.8 |
| I314527 | | 0.105 | 0.09 | 0.26 | 66 | 0.14 | 6.87 | 59 | 3.9 |
| I314528 | | 0.031 | 0.06 | 0.57 | 64 | 0.07 | 31.0 | 80 | 7.1 |
| I314529 | | 0.038 | 0.05 | 1.16 | 53 | 0.12 | 21.3 | 69 | 3.8 |
| I314530 | | 0.062 | 0.08 | 0.46 | 61 | 0.05 | 20.9 | 64 | 9.0 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314531 | | 0.32 | <0.005 | 0.04 | 1.65 | 6.4 | <0.2 | <10 | 120 | 1.00 | 0.09 | 0.86 | 0.07 | 70.8 | 17.6 | 19 |
| I314532 | | 0.38 | <0.005 | 0.04 | 1.63 | 6.1 | <0.2 | <10 | 120 | 1.04 | 0.09 | 0.88 | 0.08 | 70.9 | 17.2 | 19 |
| I314533 | | 0.40 | 0.005 | 0.06 | 1.03 | 6.7 | <0.2 | <10 | 120 | 1.01 | 0.09 | 1.61 | 0.32 | 59.4 | 15.3 | 18 |
| I314534 | | 0.44 | <0.005 | 0.07 | 1.87 | 9.1 | <0.2 | <10 | 240 | 2.24 | 0.12 | 0.74 | 0.14 | 56.8 | 16.3 | 34 |
| I314535 | | 0.42 | <0.005 | 0.06 | 1.93 | 5.8 | <0.2 | <10 | 320 | 1.08 | 0.14 | 0.48 | 0.08 | 49.0 | 10.0 | 33 |
| I314536 | | 0.38 | <0.005 | 0.05 | 1.76 | 6.4 | <0.2 | <10 | 300 | 0.72 | 0.15 | 0.34 | 0.09 | 27.8 | 10.3 | 31 |
| I314537 | | 0.34 | <0.005 | 0.05 | 1.84 | 4.4 | <0.2 | <10 | 260 | 1.00 | 0.11 | 0.68 | 0.09 | 59.7 | 17.1 | 35 |
| I314538 | | 0.40 | <0.005 | 0.02 | 1.47 | 4.5 | <0.2 | <10 | 200 | 0.84 | 0.24 | 0.65 | 0.06 | 37.3 | 8.6 | 14 |
| I314539 | | 0.46 | NSS | 0.05 | 0.27 | 8.9 | <0.2 | <10 | 80 | 0.44 | 0.05 | 0.54 | 0.20 | 35.3 | 9.9 | 10 |
| I314540 | | 0.46 | <0.005 | 0.03 | 1.78 | 11.6 | <0.2 | <10 | 100 | 0.37 | 0.21 | 0.07 | 0.10 | 15.75 | 6.4 | 31 |
| I314541 | | 0.42 | <0.005 | 0.04 | 2.11 | 10.5 | <0.2 | <10 | 150 | 0.49 | 0.20 | 0.06 | 0.08 | 16.55 | 7.4 | 30 |
| I314542 | | 0.52 | <0.005 | 0.04 | 1.47 | 2.4 | <0.2 | <10 | 80 | 0.58 | 0.07 | 0.38 | 0.03 | 19.15 | 5.8 | 17 |
| I314543 | | 0.46 | <0.005 | 0.01 | 1.50 | 2.0 | <0.2 | <10 | 70 | 0.30 | 0.06 | 0.10 | 0.01 | 6.61 | 7.3 | 16 |
| I314544 | | 0.50 | <0.005 | 0.05 | 1.20 | 3.3 | <0.2 | <10 | 160 | 0.46 | 0.12 | 0.15 | 0.12 | 18.25 | 4.2 | 16 |
| I314545 | | 0.44 | 0.005 | 0.01 | 1.90 | 10.4 | <0.2 | <10 | 110 | 0.29 | 0.17 | 0.06 | 0.06 | 18.20 | 6.3 | 29 |
| I314546 | | 0.52 | <0.005 | 0.04 | 1.93 | 6.6 | <0.2 | <10 | 320 | 0.28 | 0.14 | 0.16 | 0.03 | 18.30 | 7.5 | 19 |
| I314547 | | 0.44 | <0.005 | 0.04 | 1.15 | 4.1 | <0.2 | <10 | 150 | 0.20 | 0.11 | 0.08 | 0.03 | 25.1 | 5.8 | 13 |
| I314548 | | 0.54 | <0.005 | 0.08 | 1.24 | 4.0 | <0.2 | <10 | 270 | 0.28 | 0.11 | 0.20 | 0.03 | 30.9 | 4.4 | 16 |
| I314549 | | 0.42 | 0.010 | 0.06 | 1.60 | 6.7 | <0.2 | <10 | 190 | 0.40 | 0.12 | 0.12 | 0.05 | 16.20 | 6.8 | 26 |
| I314550 | | 0.36 | <0.005 | 0.03 | 1.98 | 7.5 | <0.2 | <10 | 140 | 0.37 | 0.15 | 0.09 | 0.08 | 13.90 | 8.2 | 30 |
| I314551 | | 0.20 | <0.005 | 0.16 | 0.90 | 4.4 | <0.2 | <10 | 100 | 0.19 | 0.17 | 0.16 | 0.10 | 9.30 | 3.8 | 18 |
| I314552 | | 0.30 | <0.005 | 0.08 | 1.72 | 9.1 | <0.2 | <10 | 110 | 0.25 | 0.16 | 0.17 | 0.08 | 20.7 | 8.4 | 28 |
| I314553 | | 0.22 | 0.010 | 0.02 | 1.27 | 7.0 | <0.2 | <10 | 80 | 0.19 | 0.17 | 0.12 | 0.08 | 13.85 | 5.8 | 23 |
| I314554 | | 0.20 | 0.006 | 0.11 | 1.28 | 10.6 | <0.2 | <10 | 130 | 0.30 | 0.14 | 0.28 | 0.07 | 17.65 | 6.8 | 20 |
| I314555 | | 0.34 | <0.005 | 0.04 | 2.17 | 9.2 | <0.2 | <10 | 140 | 0.40 | 0.17 | 0.20 | 0.05 | 20.7 | 11.7 | 40 |
| I314556 | | 0.24 | <0.005 | 0.06 | 1.86 | 8.4 | <0.2 | <10 | 140 | 0.28 | 0.15 | 0.24 | 0.07 | 15.90 | 10.1 | 35 |
| I314557 | | 0.22 | <0.005 | 0.07 | 2.35 | 12.7 | <0.2 | <10 | 160 | 0.52 | 0.15 | 0.20 | 0.08 | 21.0 | 15.0 | 40 |
| I314558 | | 0.30 | <0.005 | 0.06 | 1.89 | 12.7 | <0.2 | <10 | 90 | 0.29 | 0.14 | 0.17 | 0.07 | 11.40 | 10.2 | 46 |
| I314559 | | 0.18 | 0.008 | 0.10 | 0.60 | 3.1 | <0.2 | <10 | 50 | 0.16 | 0.16 | 0.06 | 0.12 | 9.84 | 2.9 | 13 |
| I314560 | | 0.28 | <0.005 | 0.04 | 1.09 | 3.0 | <0.2 | <10 | 80 | 0.18 | 0.15 | 0.14 | 0.06 | 13.80 | 3.4 | 21 |
| I314561 | | 0.30 | <0.005 | 0.04 | 0.75 | 4.0 | <0.2 | <10 | 80 | 0.19 | 0.16 | 0.15 | 0.02 | 26.6 | 3.9 | 8 |
| I314562 | | 0.26 | <0.005 | 0.05 | 1.85 | 8.8 | <0.2 | <10 | 140 | 0.26 | 0.20 | 0.20 | 0.08 | 14.85 | 8.6 | 31 |
| I314563 | | 0.20 | <0.005 | 0.09 | 1.31 | 5.9 | <0.2 | <10 | 120 | 0.20 | 0.16 | 0.16 | 0.07 | 10.65 | 7.4 | 22 |
| I314564 | | 0.22 | <0.005 | 0.11 | 1.90 | 8.3 | <0.2 | <10 | 150 | 0.46 | 0.19 | 0.17 | 0.07 | 15.40 | 10.6 | 29 |
| I314565 | | 0.24 | <0.005 | 0.10 | 2.28 | 8.8 | <0.2 | <10 | 110 | 0.38 | 0.19 | 0.16 | 0.06 | 15.65 | 8.4 | 35 |
| I314566 | | 0.24 | 0.005 | 0.09 | 1.09 | 4.6 | <0.2 | <10 | 150 | 0.31 | 0.11 | 2.11 | 0.17 | 19.35 | 10.0 | 26 |
| I314567 | | 0.24 | 0.006 | 0.07 | 1.09 | 4.5 | <0.2 | <10 | 100 | 0.45 | 0.11 | 2.52 | 0.19 | 25.7 | 10.8 | 24 |
| I314568 | | 0.30 | 0.008 | 0.10 | 1.33 | 4.9 | <0.2 | <10 | 120 | 0.44 | 0.12 | 1.25 | 0.14 | 27.5 | 16.3 | 30 |
| I314569 | | 0.26 | 0.015 | 0.01 | 0.21 | 8.2 | <0.2 | <10 | 60 | 0.34 | 0.04 | 0.40 | 0.18 | 22.3 | 8.4 | 9 |
| I314570 | | 0.20 | 0.010 | 0.07 | 1.08 | 4.8 | <0.2 | <10 | 90 | 0.40 | 0.09 | 2.97 | 0.21 | 24.9 | 11.4 | 24 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I314531 | | 0.61 | 16.1 | 5.12 | 7.09 | 0.11 | 0.27 | 0.06 | 0.066 | 0.05 | 27.2 | 8.7 | 0.61 | 718 | 1.06 |
| I314532 | | 0.60 | 16.9 | 5.03 | 7.08 | 0.12 | 0.25 | 0.07 | 0.065 | 0.05 | 28.2 | 8.5 | 0.60 | 703 | 1.07 |
| I314533 | | 1.18 | 19.9 | 5.29 | 6.09 | 0.14 | 0.25 | 0.04 | 0.064 | 0.04 | 32.7 | 9.2 | 1.15 | 521 | 0.92 |
| I314534 | | 0.70 | 23.1 | 4.38 | 7.86 | 0.12 | 0.27 | 0.04 | 0.059 | 0.10 | 26.7 | 9.6 | 0.48 | 952 | 1.19 |
| I314535 | | 0.51 | 13.7 | 2.87 | 6.82 | 0.07 | 0.18 | 0.03 | 0.037 | 0.13 | 20.6 | 8.5 | 0.44 | 523 | 1.25 |
| I314536 | | 0.56 | 13.3 | 2.79 | 6.46 | 0.05 | 0.14 | 0.02 | 0.031 | 0.06 | 13.3 | 10.1 | 0.41 | 515 | 1.17 |
| I314537 | | 0.61 | 21.2 | 3.71 | 6.39 | 0.11 | 0.14 | 0.03 | 0.040 | 0.05 | 28.0 | 9.0 | 0.56 | 835 | 0.86 |
| I314538 | | 1.06 | 8.9 | 2.43 | 5.74 | 0.06 | 0.12 | 0.02 | 0.035 | 0.14 | 16.4 | 7.6 | 0.47 | 488 | 0.60 |
| I314539 | | 0.28 | 8.0 | 2.06 | 1.72 | 0.08 | 0.09 | 0.02 | 0.009 | 0.05 | 17.2 | 3.8 | 0.23 | 752 | 1.20 |
| I314540 | | 0.93 | 9.4 | 3.60 | 9.07 | 0.05 | 0.03 | 0.02 | 0.024 | 0.04 | 8.1 | 15.2 | 0.35 | 179 | 1.94 |
| I314541 | | 1.31 | 11.8 | 3.42 | 10.60 | 0.05 | 0.02 | 0.02 | 0.024 | 0.04 | 8.5 | 20.3 | 0.39 | 193 | 1.38 |
| I314542 | | 1.90 | 12.7 | 2.20 | 8.68 | 0.06 | <0.02 | 0.01 | 0.017 | 0.11 | 14.7 | 16.9 | 0.59 | 170 | 0.41 |
| I314543 | | 1.86 | 11.2 | 2.00 | 7.95 | <0.05 | <0.02 | 0.01 | 0.009 | 0.35 | 3.6 | 10.2 | 0.73 | 182 | 0.26 |
| I314544 | | 0.96 | 14.1 | 1.57 | 7.51 | <0.05 | <0.02 | 0.02 | 0.015 | 0.11 | 9.7 | 5.1 | 0.27 | 259 | 0.72 |
| I314545 | | 1.09 | 15.2 | 3.37 | 8.82 | <0.05 | 0.02 | 0.02 | 0.024 | 0.05 | 9.4 | 14.6 | 0.39 | 172 | 0.97 |
| I314546 | | 0.99 | 13.7 | 2.63 | 8.02 | <0.05 | 0.04 | 0.02 | 0.024 | 0.04 | 9.7 | 12.8 | 0.72 | 258 | 0.56 |
| I314547 | | 0.98 | 9.7 | 1.54 | 5.72 | <0.05 | <0.02 | 0.02 | 0.014 | 0.04 | 12.4 | 7.0 | 0.38 | 152 | 0.40 |
| I314548 | | 0.51 | 9.7 | 1.57 | 4.94 | <0.05 | 0.06 | 0.01 | 0.016 | 0.04 | 16.3 | 7.0 | 0.26 | 141 | 0.63 |
| I314549 | | 0.72 | 14.7 | 2.38 | 5.40 | <0.05 | 0.13 | 0.01 | 0.021 | 0.04 | 8.5 | 11.4 | 0.38 | 146 | 0.68 |
| I314550 | | 1.17 | 12.1 | 2.93 | 7.35 | <0.05 | 0.06 | 0.01 | 0.021 | 0.08 | 7.3 | 16.0 | 0.48 | 260 | 0.96 |
| I314551 | | 0.76 | 15.7 | 1.65 | 5.82 | <0.05 | <0.02 | 0.03 | 0.015 | 0.04 | 4.9 | 4.3 | 0.14 | 83 | 0.88 |
| I314552 | | 1.75 | 15.0 | 2.95 | 8.79 | 0.05 | 0.02 | 0.02 | 0.024 | 0.05 | 11.4 | 14.1 | 0.47 | 172 | 1.22 |
| I314553 | | 0.74 | 13.5 | 2.58 | 9.23 | <0.05 | 0.03 | 0.03 | 0.017 | 0.04 | 7.1 | 7.5 | 0.32 | 137 | 1.28 |
| I314554 | | 1.65 | 15.4 | 2.07 | 5.93 | <0.05 | 0.03 | 0.03 | 0.021 | 0.05 | 13.4 | 7.3 | 0.21 | 188 | 0.97 |
| I314555 | | 1.83 | 21.0 | 3.66 | 9.48 | 0.05 | 0.12 | 0.02 | 0.031 | 0.07 | 9.1 | 19.8 | 0.60 | 198 | 1.23 |
| I314556 | | 1.94 | 19.6 | 3.06 | 7.97 | <0.05 | 0.04 | 0.02 | 0.023 | 0.06 | 8.6 | 14.5 | 0.52 | 261 | 1.13 |
| I314557 | | 1.36 | 18.6 | 3.69 | 8.12 | 0.05 | 0.07 | 0.03 | 0.032 | 0.05 | 11.8 | 18.6 | 0.59 | 248 | 1.14 |
| I314558 | | 2.66 | 22.0 | 3.24 | 8.68 | <0.05 | 0.02 | 0.02 | 0.020 | 0.04 | 5.5 | 12.6 | 0.66 | 182 | 1.02 |
| I314559 | | 1.22 | 10.1 | 1.17 | 4.47 | <0.05 | <0.02 | 0.04 | 0.011 | 0.04 | 5.3 | 2.9 | 0.10 | 66 | 0.74 |
| I314560 | | 0.98 | 11.8 | 1.51 | 7.78 | <0.05 | 0.04 | 0.02 | 0.014 | 0.04 | 7.7 | 4.8 | 0.17 | 73 | 0.79 |
| I314561 | | 1.39 | 10.4 | 1.93 | 4.04 | <0.05 | <0.02 | 0.01 | 0.027 | 0.07 | 10.8 | 2.8 | 0.07 | 49 | 0.98 |
| I314562 | | 1.45 | 17.1 | 3.48 | 10.40 | 0.05 | 0.09 | 0.02 | 0.028 | 0.05 | 7.3 | 16.5 | 0.42 | 327 | 1.83 |
| I314563 | | 1.02 | 12.9 | 2.47 | 7.75 | <0.05 | 0.02 | 0.01 | 0.017 | 0.04 | 5.4 | 8.0 | 0.28 | 339 | 1.09 |
| I314564 | | 1.40 | 16.3 | 3.31 | 9.67 | 0.05 | 0.07 | 0.01 | 0.026 | 0.04 | 8.1 | 13.2 | 0.44 | 382 | 1.50 |
| I314565 | | 1.09 | 16.7 | 3.71 | 9.43 | 0.05 | 0.04 | 0.02 | 0.029 | 0.05 | 8.3 | 11.6 | 0.38 | 176 | 1.62 |
| I314566 | | 1.46 | 24.8 | 2.02 | 3.69 | 0.05 | 0.05 | 0.04 | 0.017 | 0.04 | 11.4 | 9.1 | 0.50 | 338 | 0.81 |
| I314567 | | 2.30 | 28.9 | 2.13 | 3.63 | 0.07 | 0.06 | 0.05 | 0.018 | 0.11 | 16.2 | 11.6 | 0.46 | 257 | 0.54 |
| I314568 | | 2.57 | 20.0 | 2.44 | 4.52 | 0.06 | 0.04 | 0.04 | 0.018 | 0.09 | 19.0 | 13.5 | 0.61 | 699 | 0.76 |
| I314569 | | 0.28 | 5.3 | 1.92 | 1.33 | 0.06 | 0.07 | 0.02 | 0.008 | 0.04 | 11.0 | 3.7 | 0.17 | 649 | 1.14 |
| I314570 | | 1.90 | 30.8 | 2.00 | 3.59 | 0.07 | 0.06 | 0.07 | 0.015 | 0.11 | 17.6 | 12.8 | 0.43 | 319 | 0.66 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314531 | | 0.72 | 10.1 | 1850 | 5.9 | 5.3 | <0.001 | <0.01 | 0.34 | 14.0 | 0.7 | 1.3 | 39.2 | <0.01 | 0.01 | 3.3 |
| I314532 | | 0.78 | 10.6 | 1790 | 6.0 | 5.6 | <0.001 | <0.01 | 0.37 | 13.9 | 0.7 | 1.3 | 40.8 | 0.01 | 0.02 | 3.1 |
| I314533 | | 1.35 | 9.7 | 1820 | 4.3 | 5.7 | 0.001 | 0.05 | 0.31 | 13.1 | 1.3 | 1.2 | 74.8 | 0.01 | 0.02 | 1.1 |
| I314534 | | 1.60 | 20.5 | 980 | 9.0 | 8.2 | <0.001 | <0.01 | 0.46 | 11.2 | 0.8 | 1.3 | 45.5 | 0.01 | 0.01 | 5.1 |
| I314535 | | 1.38 | 16.3 | 480 | 9.4 | 14.0 | <0.001 | <0.01 | 0.41 | 6.6 | 0.5 | 1.0 | 33.5 | <0.01 | 0.03 | 6.0 |
| I314536 | | 1.49 | 15.6 | 170 | 9.6 | 8.2 | <0.001 | <0.01 | 0.34 | 5.7 | 0.5 | 0.8 | 28.4 | <0.01 | 0.02 | 4.4 |
| I314537 | | 1.18 | 17.4 | 590 | 6.3 | 7.1 | <0.001 | <0.01 | 0.34 | 10.0 | 1.0 | 0.9 | 51.7 | 0.01 | 0.02 | 2.7 |
| I314538 | | 1.00 | 7.5 | 660 | 12.4 | 15.9 | <0.001 | <0.01 | 0.18 | 6.3 | 0.5 | 1.2 | 43.0 | <0.01 | 0.02 | 6.4 |
| I314539 | | 0.58 | 18.1 | 690 | 4.7 | 5.4 | <0.001 | <0.01 | 0.44 | 2.3 | 0.3 | 0.2 | 14.7 | <0.01 | 0.01 | 6.2 |
| I314540 | | 2.02 | 14.1 | 450 | 11.1 | 9.5 | <0.001 | <0.01 | 0.43 | 2.7 | 0.5 | 0.7 | 11.6 | <0.01 | 0.04 | 2.0 |
| I314541 | | 1.98 | 14.9 | 450 | 10.6 | 11.4 | <0.001 | <0.01 | 0.40 | 2.9 | 0.4 | 0.7 | 15.5 | <0.01 | 0.05 | 1.7 |
| I314542 | | 0.61 | 10.0 | 1170 | 7.3 | 12.8 | <0.001 | <0.01 | 0.16 | 2.6 | 0.3 | 0.6 | 28.8 | <0.01 | 0.01 | 2.5 |
| I314543 | | 1.23 | 8.6 | 420 | 3.1 | 31.1 | <0.001 | <0.01 | 0.12 | 1.7 | 0.3 | 0.3 | 12.6 | <0.01 | 0.01 | 1.0 |
| I314544 | | 0.30 | 6.8 | 560 | 8.4 | 14.3 | <0.001 | <0.01 | 0.15 | 0.8 | 0.5 | 0.5 | 22.4 | <0.01 | 0.02 | <0.2 |
| I314545 | | 1.70 | 13.5 | 390 | 10.1 | 8.8 | <0.001 | <0.01 | 0.44 | 3.0 | 0.5 | 0.6 | 12.2 | <0.01 | 0.04 | 1.5 |
| I314546 | | 1.45 | 10.4 | 400 | 6.5 | 9.5 | <0.001 | <0.01 | 0.39 | 4.8 | 0.4 | 0.5 | 13.5 | <0.01 | 0.03 | 2.2 |
| I314547 | | 0.83 | 8.8 | 150 | 5.8 | 12.8 | <0.001 | <0.01 | 0.20 | 3.2 | 0.3 | 0.4 | 11.2 | <0.01 | 0.02 | 1.4 |
| I314548 | | 0.98 | 9.2 | 160 | 5.2 | 7.2 | <0.001 | <0.01 | 0.16 | 3.0 | 0.3 | 0.4 | 13.4 | <0.01 | 0.02 | 3.4 |
| I314549 | | 1.31 | 15.4 | 230 | 8.3 | 6.2 | <0.001 | <0.01 | 0.41 | 2.8 | 0.4 | 0.5 | 12.0 | <0.01 | 0.02 | 3.2 |
| I314550 | | 2.03 | 15.7 | 310 | 8.7 | 21.8 | <0.001 | <0.01 | 0.52 | 2.6 | 0.3 | 0.6 | 12.1 | <0.01 | 0.03 | 2.5 |
| I314551 | | 0.72 | 8.8 | 290 | 11.3 | 7.5 | <0.001 | <0.01 | 0.28 | 1.6 | 0.6 | 0.6 | 17.7 | <0.01 | 0.03 | 0.2 |
| I314552 | | 1.25 | 20.5 | 300 | 10.3 | 13.6 | <0.001 | <0.01 | 0.37 | 3.7 | 0.4 | 0.7 | 16.1 | <0.01 | 0.02 | 2.1 |
| I314553 | | 1.80 | 12.3 | 270 | 7.9 | 7.5 | <0.001 | <0.01 | 0.38 | 2.5 | 0.5 | 0.7 | 14.9 | <0.01 | 0.04 | 0.8 |
| I314554 | | 1.04 | 12.4 | 240 | 9.0 | 14.5 | <0.001 | <0.01 | 0.23 | 3.1 | 0.6 | 0.5 | 24.1 | <0.01 | 0.03 | 1.9 |
| I314555 | | 2.08 | 29.8 | 180 | 11.0 | 20.4 | <0.001 | <0.01 | 0.37 | 4.1 | 0.5 | 0.8 | 18.2 | <0.01 | 0.03 | 5.0 |
| I314556 | | 1.52 | 25.8 | 260 | 9.0 | 21.9 | <0.001 | <0.01 | 0.39 | 3.7 | 0.5 | 0.6 | 19.7 | <0.01 | 0.03 | 2.5 |
| I314557 | | 1.95 | 31.5 | 340 | 8.2 | 8.8 | <0.001 | <0.01 | 0.50 | 4.3 | 0.6 | 0.6 | 20.8 | <0.01 | 0.04 | 3.1 |
| I314558 | | 1.26 | 23.7 | 220 | 6.3 | 11.1 | <0.001 | <0.01 | 0.30 | 4.7 | 0.4 | 1.0 | 15.8 | <0.01 | 0.02 | 1.3 |
| I314559 | | 0.39 | 7.0 | 290 | 13.7 | 8.4 | <0.001 | 0.01 | 0.17 | 1.1 | 0.6 | 0.4 | 11.6 | <0.01 | 0.02 | <0.2 |
| I314560 | | 2.05 | 8.8 | 120 | 11.6 | 10.1 | <0.001 | <0.01 | 0.19 | 2.5 | 0.4 | 0.7 | 18.4 | <0.01 | 0.02 | 1.6 |
| I314561 | | 0.42 | 8.0 | 170 | 8.9 | 15.3 | <0.001 | <0.01 | 0.16 | 3.0 | 0.3 | 0.4 | 12.8 | <0.01 | 0.02 | 5.9 |
| I314562 | | 1.90 | 19.0 | 230 | 12.6 | 18.2 | <0.001 | <0.01 | 0.48 | 3.4 | 0.3 | 0.8 | 22.1 | <0.01 | 0.04 | 2.9 |
| I314563 | | 1.46 | 12.7 | 300 | 9.6 | 11.7 | <0.001 | <0.01 | 0.39 | 2.3 | 0.4 | 0.6 | 18.9 | <0.01 | 0.03 | 1.0 |
| I314564 | | 1.89 | 18.9 | 230 | 9.9 | 10.7 | <0.001 | <0.01 | 0.48 | 3.4 | 0.3 | 0.8 | 19.4 | <0.01 | 0.03 | 1.8 |
| I314565 | | 1.82 | 16.7 | 300 | 11.2 | 9.5 | <0.001 | <0.01 | 0.51 | 3.4 | 0.5 | 0.8 | 16.3 | 0.01 | 0.04 | 1.8 |
| I314566 | | 0.91 | 22.6 | 760 | 6.0 | 9.2 | <0.001 | 0.08 | 0.41 | 2.5 | 1.5 | 0.3 | 77.7 | <0.01 | 0.04 | 1.0 |
| I314567 | | 0.87 | 28.4 | 700 | 9.0 | 21.5 | <0.001 | 0.09 | 0.25 | 3.0 | 1.7 | 0.3 | 122.0 | 0.01 | 0.03 | 1.4 |
| I314568 | | 0.93 | 26.0 | 770 | 8.5 | 17.0 | <0.001 | 0.05 | 0.26 | 3.3 | 1.2 | 0.3 | 47.4 | <0.01 | 0.03 | 1.6 |
| I314569 | | 0.62 | 15.5 | 540 | 3.8 | 4.7 | <0.001 | <0.01 | 0.51 | 1.8 | 0.4 | 0.2 | 11.0 | <0.01 | 0.02 | 3.9 |
| I314570 | | 0.95 | 28.6 | 670 | 7.3 | 16.8 | <0.001 | 0.12 | 0.31 | 2.6 | 1.9 | 0.3 | 148.0 | 0.01 | 0.04 | 1.1 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314531 | | 0.036 | 0.06 | 0.54 | 84 | <0.05 | 20.4 | 77 | 8.6 |
| I314532 | | 0.036 | 0.06 | 0.53 | 82 | 0.05 | 21.5 | 76 | 8.0 |
| I314533 | | 0.066 | 0.08 | 0.62 | 95 | <0.05 | 33.9 | 99 | 9.1 |
| I314534 | | 0.044 | 0.10 | 1.22 | 70 | 0.16 | 31.6 | 92 | 8.4 |
| I314535 | | 0.060 | 0.09 | 0.72 | 51 | 0.18 | 9.21 | 72 | 5.9 |
| I314536 | | 0.054 | 0.11 | 0.71 | 55 | 0.14 | 6.02 | 60 | 5.1 |
| I314537 | | 0.067 | 0.06 | 1.02 | 66 | 0.08 | 28.0 | 60 | 5.6 |
| I314538 | | 0.012 | 0.15 | 1.12 | 37 | 0.07 | 9.99 | 54 | 3.2 |
| I314539 | | 0.012 | 0.15 | 0.83 | 16 | 0.09 | 9.15 | 22 | 4.2 |
| I314540 | | 0.068 | 0.10 | 0.30 | 80 | 0.24 | 1.70 | 40 | 1.3 |
| I314541 | | 0.088 | 0.12 | 0.36 | 80 | 0.22 | 1.90 | 44 | 1.1 |
| I314542 | | 0.038 | 0.08 | 0.74 | 47 | 0.07 | 4.14 | 94 | <0.5 |
| I314543 | | 0.114 | 0.17 | 0.24 | 46 | 0.06 | 1.25 | 71 | <0.5 |
| I314544 | | 0.020 | 0.07 | 0.54 | 37 | 0.07 | 3.52 | 50 | <0.5 |
| I314545 | | 0.081 | 0.10 | 0.45 | 75 | 0.17 | 2.44 | 46 | 0.8 |
| I314546 | | 0.091 | 0.11 | 0.41 | 61 | 0.12 | 3.86 | 48 | 1.7 |
| I314547 | | 0.059 | 0.07 | 0.28 | 33 | 0.14 | 2.29 | 23 | <0.5 |
| I314548 | | 0.024 | 0.06 | 0.29 | 39 | 0.14 | 3.18 | 27 | 2.4 |
| I314549 | | 0.055 | 0.07 | 0.35 | 51 | 0.14 | 2.70 | 32 | 4.3 |
| I314550 | | 0.098 | 0.11 | 0.31 | 62 | 0.20 | 1.59 | 59 | 2.5 |
| I314551 | | 0.058 | 0.07 | 0.32 | 47 | 0.12 | 1.81 | 26 | 0.5 |
| I314552 | | 0.067 | 0.12 | 0.47 | 67 | 0.12 | 3.76 | 46 | 0.6 |
| I314553 | | 0.125 | 0.11 | 0.36 | 78 | 0.13 | 2.11 | 38 | 1.3 |
| I314554 | | 0.039 | 0.10 | 0.57 | 44 | 0.10 | 5.50 | 28 | 1.0 |
| I314555 | | 0.106 | 0.16 | 0.56 | 77 | 0.12 | 3.40 | 48 | 4.4 |
| I314556 | | 0.076 | 0.11 | 0.38 | 69 | 0.19 | 2.94 | 51 | 1.6 |
| I314557 | | 0.103 | 0.10 | 0.52 | 78 | 0.17 | 4.32 | 58 | 2.9 |
| I314558 | | 0.074 | 0.10 | 0.48 | 74 | 0.10 | 2.80 | 46 | 0.6 |
| I314559 | | 0.035 | 0.09 | 0.40 | 32 | 0.07 | 2.29 | 20 | <0.5 |
| I314560 | | 0.113 | 0.13 | 0.34 | 49 | 0.07 | 2.58 | 20 | 1.6 |
| I314561 | | 0.012 | 0.09 | 0.34 | 34 | <0.05 | 2.91 | 32 | <0.5 |
| I314562 | | 0.092 | 0.10 | 0.41 | 85 | 0.12 | 2.54 | 47 | 3.7 |
| I314563 | | 0.070 | 0.10 | 0.27 | 65 | 0.12 | 1.55 | 40 | 1.0 |
| I314564 | | 0.096 | 0.12 | 0.38 | 82 | 0.10 | 2.59 | 45 | 3.0 |
| I314565 | | 0.088 | 0.09 | 0.43 | 87 | 0.14 | 3.00 | 43 | 1.9 |
| I314566 | | 0.045 | 0.07 | 0.79 | 38 | 0.09 | 6.12 | 44 | 2.0 |
| I314567 | | 0.041 | 0.10 | 0.86 | 30 | 0.10 | 8.50 | 45 | 2.3 |
| I314568 | | 0.057 | 0.12 | 0.94 | 40 | 0.15 | 9.56 | 51 | 1.3 |
| I314569 | | 0.012 | 0.11 | 0.61 | 14 | 0.08 | 6.93 | 19 | 3.8 |
| I314570 | | 0.045 | 0.10 | 1.02 | 30 | 0.07 | 9.08 | 37 | 2.3 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314571 | | 0.18 | <0.005 | 0.07 | 0.43 | 2.2 | <0.2 | <10 | 90 | 0.30 | 0.05 | 4.29 | 0.34 | 14.40 | 4.4 | 7 |
| I314572 | | 0.24 | 0.008 | 0.13 | 1.13 | 4.2 | <0.2 | <10 | 160 | 0.55 | 0.13 | 2.49 | 0.24 | 28.1 | 10.2 | 20 |
| I314573 | | 0.16 | <0.005 | 0.09 | 1.37 | 4.7 | <0.2 | <10 | 130 | 0.52 | 0.21 | 1.72 | 0.29 | 25.3 | 10.9 | 25 |
| I314574 | | 0.20 | 0.005 | 0.26 | 1.60 | 4.8 | <0.2 | <10 | 200 | 0.44 | 0.16 | 0.98 | 0.21 | 47.4 | 15.1 | 31 |
| I314575 | | 0.28 | 0.006 | 0.05 | 1.72 | 4.8 | <0.2 | <10 | 110 | 0.43 | 0.16 | 0.34 | 0.10 | 23.2 | 12.2 | 33 |
| I314576 | | 0.22 | <0.005 | 0.10 | 1.63 | 5.4 | <0.2 | <10 | 190 | 0.39 | 0.12 | 0.81 | 0.20 | 20.8 | 11.6 | 31 |
| I314577 | | 0.28 | 0.005 | 0.07 | 1.69 | 5.4 | <0.2 | <10 | 150 | 0.34 | 0.11 | 0.52 | 0.11 | 19.15 | 10.9 | 29 |
| I314578 | | 0.22 | 0.007 | 0.08 | 1.55 | 5.5 | <0.2 | <10 | 170 | 0.33 | 0.09 | 0.83 | 0.23 | 20.9 | 14.9 | 29 |
| I314579 | | 0.22 | <0.005 | 0.04 | 1.96 | 6.2 | <0.2 | <10 | 190 | 0.50 | 0.13 | 0.69 | 0.28 | 23.0 | 14.6 | 45 |
| I314580 | | 0.30 | <0.005 | 0.05 | 1.75 | 6.6 | <0.2 | <10 | 170 | 0.36 | 0.11 | 0.66 | 0.26 | 20.1 | 10.9 | 32 |
| I314581 | | 0.32 | 0.006 | 0.04 | 1.32 | 5.3 | <0.2 | <10 | 120 | 0.32 | 0.08 | 1.36 | 0.13 | 22.6 | 11.3 | 30 |
| I314582 | | 0.24 | 0.006 | 0.08 | 1.47 | 5.4 | <0.2 | <10 | 200 | 0.61 | 0.09 | 2.38 | 0.15 | 48.3 | 14.0 | 25 |
| I314583 | | 0.24 | 0.015 | 0.07 | 2.19 | 5.6 | <0.2 | <10 | 190 | 0.74 | 0.13 | 0.51 | 0.09 | 49.3 | 16.5 | 34 |
| I314584 | | 0.22 | <0.005 | 0.03 | 2.14 | 4.3 | <0.2 | <10 | 190 | 0.60 | 0.14 | 0.52 | 0.09 | 20.4 | 14.9 | 35 |
| I314585 | | 0.22 | <0.005 | 0.08 | 2.10 | 4.5 | <0.2 | <10 | 190 | 0.34 | 0.12 | 0.56 | 0.08 | 15.55 | 11.9 | 36 |
| I314586 | | 0.26 | 0.006 | 0.08 | 2.10 | 4.5 | <0.2 | <10 | 190 | 0.32 | 0.12 | 0.57 | 0.07 | 16.20 | 12.5 | 36 |
| I314587 | | 0.18 | 0.006 | 0.07 | 1.55 | 5.4 | <0.2 | <10 | 110 | 0.34 | 0.12 | 1.19 | 0.12 | 30.4 | 12.0 | 31 |
| I314588 | | 0.24 | <0.005 | 0.04 | 2.08 | 7.5 | <0.2 | <10 | 140 | 0.58 | 0.12 | 0.67 | 0.05 | 46.3 | 13.9 | 37 |
| I314589 | | 0.22 | <0.005 | 0.05 | 2.11 | 5.4 | <0.2 | <10 | 240 | 0.40 | 0.12 | 0.54 | 0.08 | 25.0 | 14.9 | 33 |
| I314590 | | 0.22 | <0.005 | 0.08 | 1.58 | 4.4 | <0.2 | <10 | 130 | 0.29 | 0.13 | 0.30 | 0.23 | 19.85 | 7.5 | 26 |
| I314591 | | 0.22 | 0.005 | 0.06 | 1.60 | 4.7 | <0.2 | <10 | 100 | 0.27 | 0.10 | 0.30 | 0.10 | 32.6 | 9.5 | 32 |
| I314592 | | 0.30 | 0.007 | 0.05 | 1.35 | 3.2 | <0.2 | <10 | 100 | 0.28 | 0.07 | 0.76 | 0.09 | 31.7 | 11.5 | 25 |
| I314593 | | 0.26 | 0.008 | 0.04 | 1.28 | 3.0 | <0.2 | <10 | 100 | 0.39 | 0.09 | 0.73 | 0.09 | 29.1 | 15.0 | 26 |
| I314594 | | 0.20 | <0.005 | 0.05 | 1.24 | 4.3 | <0.2 | <10 | 130 | 0.55 | 0.09 | 2.20 | 0.24 | 29.8 | 12.7 | 26 |
| I314595 | | 0.36 | 0.006 | 0.01 | 0.19 | 6.8 | <0.2 | <10 | 50 | 0.22 | 0.02 | 0.28 | 0.14 | 18.80 | 6.4 | 6 |
| I314596 | | 0.28 | 0.006 | 0.02 | 1.77 | 9.4 | <0.2 | <10 | 140 | 0.18 | 0.18 | 0.11 | 0.06 | 19.95 | 5.4 | 27 |
| I314597 | | 0.28 | <0.005 | 0.03 | 1.79 | 11.7 | <0.2 | <10 | 130 | 0.23 | 0.20 | 0.09 | 0.09 | 19.65 | 5.0 | 28 |
| I314598 | | 0.26 | <0.005 | 0.06 | 1.79 | 10.1 | <0.2 | <10 | 130 | 0.23 | 0.21 | 0.09 | 0.06 | 16.70 | 5.3 | 28 |
| I314599 | | 0.32 | <0.005 | 0.06 | 1.57 | 4.2 | <0.2 | <10 | 110 | 0.29 | 0.09 | 0.18 | 0.05 | 14.45 | 6.5 | 28 |
| I314600 | | 0.28 | <0.005 | 0.10 | 2.16 | 7.9 | <0.2 | <10 | 200 | 0.76 | 0.23 | 0.18 | 0.08 | 20.2 | 6.1 | 30 |
| I314601 | | 0.30 | <0.005 | 0.03 | 1.71 | 6.1 | <0.2 | <10 | 150 | 0.34 | 0.11 | 0.25 | 0.04 | 22.1 | 7.8 | 28 |
| I314602 | | 0.24 | <0.005 | 0.02 | 1.11 | 5.9 | <0.2 | <10 | 110 | 0.16 | 0.18 | 0.14 | 0.06 | 18.40 | 3.1 | 17 |
| I314603 | | 0.26 | <0.005 | 0.11 | 2.02 | 9.4 | <0.2 | <10 | 160 | 0.34 | 0.20 | 0.11 | 0.05 | 18.45 | 6.5 | 32 |
| I314604 | | 0.22 | <0.005 | 0.14 | 1.99 | 8.2 | <0.2 | <10 | 150 | 0.31 | 0.19 | 0.12 | 0.05 | 18.45 | 5.9 | 25 |
| I314605 | | 0.26 | 0.005 | 0.03 | 2.12 | 8.5 | <0.2 | <10 | 170 | 0.32 | 0.16 | 0.11 | 0.06 | 17.15 | 7.9 | 28 |
| I314606 | | 0.28 | <0.005 | 0.05 | 1.19 | 5.4 | <0.2 | <10 | 140 | 0.15 | 0.26 | 0.12 | 0.04 | 20.6 | 2.9 | 18 |
| I314607 | | 0.22 | <0.005 | 0.09 | 2.18 | 7.0 | <0.2 | <10 | 190 | 0.44 | 0.21 | 0.19 | 0.07 | 17.85 | 8.0 | 28 |
| I314608 | | 0.28 | <0.005 | 0.11 | 2.22 | 9.7 | <0.2 | <10 | 220 | 0.39 | 0.20 | 0.13 | 0.07 | 19.00 | 8.2 | 30 |
| I314609 | | 0.28 | 0.005 | 0.08 | 1.56 | 6.7 | <0.2 | <10 | 160 | 0.24 | 0.19 | 0.12 | 0.05 | 17.65 | 5.1 | 21 |
| I314610 | | 0.28 | <0.005 | 0.04 | 1.48 | 5.5 | <0.2 | <10 | 130 | 0.20 | 0.13 | 0.12 | 0.04 | 16.75 | 5.0 | 17 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I314571 | | 0.52 | 25.0 | 0.65 | 1.05 | <0.05 | 0.06 | 0.10 | 0.008 | 0.03 | 11.5 | 2.1 | 0.16 | 274 | 0.69 | 0.03 |
| I314572 | | 1.50 | 33.2 | 1.78 | 3.42 | 0.07 | 0.06 | 0.07 | 0.018 | 0.06 | 23.2 | 11.4 | 0.33 | 456 | 0.70 | 0.03 |
| I314573 | | 1.88 | 31.4 | 2.28 | 4.14 | 0.05 | 0.07 | 0.18 | 0.019 | 0.07 | 16.0 | 10.9 | 0.43 | 405 | 0.77 | 0.03 |
| I314574 | | 1.44 | 33.0 | 2.68 | 5.15 | 0.08 | 0.06 | 0.07 | 0.025 | 0.11 | 32.3 | 15.6 | 0.51 | 257 | 0.75 | 0.03 |
| I314575 | | 1.45 | 19.1 | 2.96 | 5.54 | 0.06 | 0.10 | 0.02 | 0.022 | 0.09 | 13.0 | 15.5 | 0.62 | 220 | 0.60 | 0.02 |
| I314576 | | 0.75 | 24.9 | 2.48 | 5.46 | 0.05 | 0.03 | 0.04 | 0.024 | 0.05 | 10.7 | 11.4 | 0.54 | 376 | 0.62 | 0.04 |
| I314577 | | 0.91 | 19.4 | 2.45 | 5.97 | 0.05 | 0.03 | 0.03 | 0.022 | 0.04 | 9.9 | 12.3 | 0.49 | 273 | 0.82 | 0.03 |
| I314578 | | 0.59 | 19.3 | 2.63 | 4.42 | 0.05 | 0.04 | 0.03 | 0.021 | 0.05 | 10.4 | 10.0 | 0.56 | 1260 | 0.74 | 0.04 |
| I314579 | | 0.89 | 31.2 | 2.98 | 6.45 | 0.05 | 0.08 | 0.04 | 0.029 | 0.09 | 11.6 | 14.8 | 0.61 | 445 | 0.94 | 0.03 |
| I314580 | | 0.59 | 25.6 | 2.66 | 5.97 | 0.05 | 0.06 | 0.03 | 0.023 | 0.06 | 10.3 | 12.2 | 0.56 | 305 | 0.83 | 0.04 |
| I314581 | | 0.59 | 21.8 | 2.73 | 4.45 | 0.08 | 0.15 | 0.01 | 0.021 | 0.08 | 11.7 | 11.2 | 0.71 | 358 | 0.52 | 0.04 |
| I314582 | | 1.01 | 49.2 | 2.44 | 4.61 | 0.10 | 0.10 | 0.08 | 0.022 | 0.13 | 40.7 | 12.7 | 0.50 | 640 | 0.65 | 0.03 |
| I314583 | | 1.16 | 31.3 | 3.35 | 7.36 | 0.08 | 0.08 | 0.02 | 0.029 | 0.10 | 24.5 | 20.8 | 0.67 | 394 | 1.05 | 0.03 |
| I314584 | | 1.24 | 24.9 | 3.33 | 6.93 | 0.05 | 0.07 | 0.02 | 0.028 | 0.08 | 8.8 | 17.3 | 0.56 | 348 | 0.66 | 0.02 |
| I314585 | | 0.49 | 18.4 | 3.12 | 6.79 | 0.05 | 0.02 | 0.01 | 0.022 | 0.10 | 7.5 | 12.7 | 0.55 | 356 | 1.03 | <0.01 |
| I314586 | | 0.58 | 18.3 | 3.15 | 6.70 | 0.06 | 0.03 | 0.01 | 0.023 | 0.09 | 7.5 | 12.2 | 0.55 | 382 | 1.02 | <0.01 |
| I314587 | | 0.84 | 24.0 | 2.89 | 5.38 | 0.07 | 0.03 | 0.02 | 0.023 | 0.08 | 16.6 | 11.0 | 0.48 | 367 | 0.67 | 0.01 |
| I314588 | | 1.10 | 32.8 | 3.37 | 6.32 | 0.10 | 0.15 | 0.02 | 0.028 | 0.10 | 23.4 | 14.5 | 0.61 | 405 | 0.62 | 0.01 |
| I314589 | | 0.62 | 20.4 | 3.25 | 6.99 | 0.07 | 0.07 | 0.02 | 0.028 | 0.13 | 11.7 | 11.3 | 0.48 | 1140 | 0.73 | 0.01 |
| I314590 | | 0.89 | 23.5 | 2.46 | 6.64 | 0.06 | <0.02 | 0.04 | 0.021 | 0.07 | 11.5 | 6.8 | 0.34 | 164 | 1.02 | <0.01 |
| I314591 | | 1.17 | 21.8 | 2.84 | 6.04 | 0.09 | 0.02 | 0.02 | 0.020 | 0.07 | 22.4 | 9.8 | 0.53 | 209 | 0.72 | <0.01 |
| I314592 | | 0.79 | 18.2 | 2.50 | 4.46 | 0.08 | 0.04 | 0.01 | 0.018 | 0.05 | 20.2 | 9.5 | 0.49 | 347 | 0.56 | <0.01 |
| I314593 | | 2.04 | 19.8 | 2.58 | 5.11 | 0.11 | 0.03 | <0.01 | 0.019 | 0.10 | 16.9 | 12.6 | 0.44 | 380 | 0.48 | <0.01 |
| I314594 | | 1.21 | 30.7 | 2.23 | 4.56 | 0.11 | 0.06 | 0.05 | 0.020 | 0.07 | 17.9 | 11.3 | 0.42 | 352 | 0.67 | <0.01 |
| I314595 | | 0.18 | 4.5 | 1.67 | 1.09 | 0.06 | 0.06 | <0.01 | 0.005 | 0.03 | 10.2 | 2.5 | 0.12 | 512 | 0.86 | <0.01 |
| I314596 | | 0.91 | 12.5 | 2.95 | 8.32 | 0.06 | <0.02 | 0.02 | 0.025 | 0.04 | 11.9 | 9.8 | 0.34 | 138 | 0.89 | <0.01 |
| I314597 | | 1.02 | 11.4 | 3.92 | 10.70 | 0.06 | <0.02 | 0.01 | 0.026 | 0.03 | 10.8 | 12.9 | 0.34 | 146 | 1.39 | <0.01 |
| I314598 | | 1.58 | 9.8 | 3.64 | 8.35 | 0.07 | <0.02 | 0.01 | 0.025 | 0.05 | 9.3 | 13.7 | 0.31 | 189 | 1.50 | <0.01 |
| I314599 | | 0.61 | 13.5 | 2.03 | 6.65 | <0.05 | <0.02 | 0.01 | 0.014 | 0.04 | 7.8 | 10.4 | 0.49 | 159 | 0.59 | <0.01 |
| I314600 | | 1.02 | 27.1 | 2.98 | 11.40 | 0.07 | 0.02 | 0.02 | 0.024 | 0.06 | 11.5 | 7.9 | 0.32 | 207 | 1.42 | <0.01 |
| I314601 | | 0.68 | 20.2 | 2.44 | 5.63 | 0.06 | 0.04 | 0.01 | 0.019 | 0.04 | 12.3 | 13.4 | 0.54 | 196 | 0.58 | <0.01 |
| I314602 | | 0.93 | 6.3 | 1.70 | 8.03 | 0.05 | <0.02 | 0.01 | 0.012 | 0.04 | 9.9 | 6.7 | 0.28 | 107 | 0.63 | <0.01 |
| I314603 | | 1.32 | 11.9 | 3.09 | 7.79 | 0.06 | 0.02 | 0.01 | 0.027 | 0.04 | 10.4 | 11.7 | 0.34 | 162 | 1.14 | <0.01 |
| I314604 | | 1.31 | 14.2 | 3.33 | 8.18 | 0.06 | <0.02 | 0.01 | 0.028 | 0.04 | 10.0 | 13.9 | 0.30 | 209 | 1.10 | <0.01 |
| I314605 | | 1.19 | 16.1 | 3.18 | 7.03 | 0.07 | <0.02 | 0.04 | 0.027 | 0.05 | 9.4 | 12.6 | 0.40 | 184 | 0.68 | <0.01 |
| I314606 | | 0.77 | 15.1 | 1.86 | 7.30 | 0.05 | <0.02 | 0.02 | 0.020 | 0.03 | 11.6 | 5.1 | 0.19 | 101 | 0.56 | <0.01 |
| I314607 | | 1.45 | 11.4 | 3.29 | 9.10 | 0.05 | <0.02 | 0.02 | 0.030 | 0.04 | 9.9 | 13.3 | 0.36 | 387 | 1.57 | <0.01 |
| I314608 | | 1.67 | 14.5 | 3.47 | 8.12 | 0.06 | <0.02 | 0.02 | 0.031 | 0.04 | 10.6 | 15.6 | 0.39 | 263 | 1.49 | <0.01 |
| I314609 | | 1.13 | 9.2 | 2.60 | 7.37 | 0.06 | <0.02 | 0.02 | 0.020 | 0.04 | 9.7 | 9.1 | 0.29 | 178 | 1.16 | <0.01 |
| I314610 | | 0.96 | 9.7 | 2.19 | 6.51 | 0.05 | <0.02 | 0.01 | 0.015 | 0.04 | 9.2 | 13.4 | 0.41 | 198 | 0.64 | <0.01 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314571 | | 0.30 | 16.2 | 780 | 2.2 | 4.8 | 0.002 | 0.18 | 0.30 | 1.1 | 1.9 | <0.2 | 206 | 0.01 | 0.03 | 0.4 |
| I314572 | | 0.93 | 23.0 | 850 | 11.1 | 12.0 | 0.001 | 0.10 | 0.41 | 3.0 | 2.0 | 0.3 | 129.5 | 0.01 | 0.05 | 1.0 |
| I314573 | | 1.02 | 25.5 | 670 | 11.3 | 12.4 | <0.001 | 0.07 | 0.36 | 3.4 | 1.5 | 0.4 | 95.7 | <0.01 | 0.04 | 1.7 |
| I314574 | | 1.13 | 28.8 | 790 | 14.8 | 16.1 | <0.001 | 0.05 | 0.27 | 5.1 | 1.6 | 0.4 | 70.4 | 0.01 | 0.05 | 2.3 |
| I314575 | | 1.28 | 25.0 | 600 | 11.1 | 13.1 | <0.001 | <0.01 | 0.20 | 4.0 | 0.5 | 0.5 | 26.3 | <0.01 | 0.02 | 5.0 |
| I314576 | | 1.25 | 21.4 | 700 | 6.2 | 11.7 | <0.001 | 0.02 | 0.40 | 4.1 | 1.1 | 0.5 | 52.6 | <0.01 | 0.03 | 1.0 |
| I314577 | | 1.24 | 19.2 | 650 | 6.3 | 6.9 | <0.001 | 0.01 | 0.32 | 3.6 | 0.8 | 0.5 | 35.1 | <0.01 | 0.02 | 0.6 |
| I314578 | | 1.20 | 21.0 | 900 | 5.2 | 6.7 | <0.001 | 0.02 | 0.43 | 4.0 | 0.9 | 0.4 | 46.0 | <0.01 | 0.03 | 1.0 |
| I314579 | | 1.53 | 33.3 | 660 | 7.5 | 12.9 | <0.001 | <0.01 | 0.39 | 5.7 | 0.7 | 0.5 | 45.0 | <0.01 | 0.03 | 2.2 |
| I314580 | | 1.55 | 21.9 | 590 | 6.6 | 9.1 | <0.001 | <0.01 | 0.37 | 4.6 | 0.8 | 0.5 | 40.6 | <0.01 | 0.03 | 1.9 |
| I314581 | | 1.16 | 23.8 | 890 | 5.2 | 6.8 | <0.001 | <0.01 | 0.35 | 4.5 | 0.5 | 0.4 | 53.9 | <0.01 | 0.02 | 3.3 |
| I314582 | | 1.03 | 35.4 | 690 | 7.0 | 15.8 | <0.001 | 0.08 | 0.51 | 3.9 | 2.2 | 0.3 | 113.5 | 0.01 | 0.05 | 2.3 |
| I314583 | | 1.50 | 29.9 | 430 | 10.3 | 11.8 | <0.001 | <0.01 | 0.27 | 6.2 | 0.7 | 0.6 | 36.7 | <0.01 | 0.03 | 6.3 |
| I314584 | | 1.49 | 27.4 | 240 | 10.7 | 15.1 | <0.001 | <0.01 | 0.26 | 5.0 | 0.4 | 0.5 | 37.0 | <0.01 | 0.03 | 4.0 |
| I314585 | | 1.52 | 24.6 | 260 | 10.6 | 11.0 | <0.001 | <0.01 | 0.22 | 4.0 | 0.3 | 0.5 | 39.0 | 0.01 | 0.03 | 2.0 |
| I314586 | | 1.55 | 24.9 | 250 | 9.2 | 13.2 | <0.001 | 0.01 | 0.23 | 4.0 | 0.3 | 0.5 | 37.6 | 0.01 | 0.02 | 2.1 |
| I314587 | | 1.15 | 27.1 | 420 | 11.3 | 16.5 | <0.001 | 0.03 | 0.25 | 4.2 | 0.7 | 0.4 | 67.0 | 0.01 | 0.03 | 3.2 |
| I314588 | | 1.55 | 32.1 | 340 | 9.7 | 14.0 | <0.001 | <0.01 | 0.29 | 6.4 | 0.6 | 0.5 | 44.3 | 0.01 | 0.03 | 7.2 |
| I314589 | | 1.49 | 27.8 | 230 | 10.2 | 23.3 | <0.001 | <0.01 | 0.29 | 4.5 | 0.4 | 0.5 | 42.5 | <0.01 | 0.03 | 3.9 |
| I314590 | | 1.35 | 20.7 | 280 | 8.4 | 18.2 | <0.001 | 0.01 | 0.21 | 3.4 | 0.5 | 0.5 | 29.1 | <0.01 | 0.02 | 2.0 |
| I314591 | | 1.21 | 26.5 | 400 | 8.2 | 14.6 | <0.001 | <0.01 | 0.21 | 4.0 | 0.4 | 0.4 | 25.4 | 0.01 | 0.02 | 3.2 |
| I314592 | | 0.89 | 24.0 | 500 | 6.3 | 9.2 | <0.001 | 0.02 | 0.15 | 3.6 | 0.6 | 0.3 | 46.6 | 0.01 | 0.02 | 4.0 |
| I314593 | | 0.92 | 28.9 | 460 | 6.8 | 18.7 | <0.001 | 0.01 | 0.12 | 3.9 | 0.5 | 0.3 | 51.7 | <0.01 | 0.03 | 4.5 |
| I314594 | | 0.95 | 30.9 | 660 | 6.3 | 13.3 | <0.001 | 0.08 | 0.28 | 3.7 | 1.0 | 0.3 | 114.5 | 0.02 | 0.03 | 2.0 |
| I314595 | | 0.41 | 12.3 | 430 | 3.2 | 3.9 | <0.001 | <0.01 | 0.39 | 1.4 | 0.3 | <0.2 | 9.0 | <0.01 | 0.01 | 2.6 |
| I314596 | | 1.51 | 15.1 | 500 | 11.1 | 7.6 | <0.001 | <0.01 | 0.39 | 3.3 | 0.6 | 0.6 | 14.7 | 0.01 | 0.03 | 1.1 |
| I314597 | | 2.10 | 12.0 | 420 | 12.4 | 7.8 | <0.001 | <0.01 | 0.51 | 2.9 | 0.3 | 0.8 | 12.9 | <0.01 | 0.05 | 1.5 |
| I314598 | | 2.06 | 11.9 | 340 | 12.8 | 14.2 | <0.001 | <0.01 | 0.40 | 2.7 | 0.3 | 0.6 | 10.2 | <0.01 | 0.03 | 2.1 |
| I314599 | | 1.24 | 14.5 | 290 | 8.4 | 6.6 | <0.001 | <0.01 | 0.22 | 2.4 | 0.3 | 0.4 | 20.9 | <0.01 | 0.02 | 1.0 |
| I314600 | | 1.79 | 15.2 | 390 | 19.1 | 11.3 | <0.001 | 0.01 | 0.36 | 3.1 | 0.6 | 0.7 | 28.7 | <0.01 | 0.03 | 0.7 |
| I314601 | | 1.35 | 19.0 | 450 | 7.7 | 7.0 | <0.001 | <0.01 | 0.35 | 3.5 | 0.4 | 0.4 | 24.1 | <0.01 | 0.02 | 3.0 |
| I314602 | | 0.92 | 7.5 | 360 | 8.7 | 11.1 | <0.001 | <0.01 | 0.21 | 1.2 | 0.3 | 0.6 | 17.2 | <0.01 | 0.03 | <0.2 |
| I314603 | | 2.15 | 14.9 | 320 | 11.3 | 10.1 | <0.001 | <0.01 | 0.44 | 3.4 | 0.4 | 0.7 | 12.9 | <0.01 | 0.03 | 2.2 |
| I314604 | | 2.03 | 12.3 | 360 | 10.8 | 10.8 | <0.001 | 0.01 | 0.34 | 3.1 | 0.4 | 0.7 | 13.7 | 0.01 | 0.03 | 2.1 |
| I314605 | | 1.61 | 17.5 | 300 | 11.2 | 9.9 | <0.001 | 0.01 | 0.37 | 2.7 | 0.5 | 0.5 | 12.7 | 0.01 | 0.03 | 1.1 |
| I314606 | | 0.87 | 7.6 | 420 | 11.9 | 7.0 | <0.001 | <0.01 | 0.22 | 1.9 | 0.5 | 0.6 | 14.7 | <0.01 | 0.03 | 0.3 |
| I314607 | | 1.69 | 15.6 | 360 | 10.7 | 13.1 | <0.001 | <0.01 | 0.24 | 3.3 | 0.3 | 0.7 | 18.8 | <0.01 | 0.03 | 1.9 |
| I314608 | | 1.83 | 17.3 | 280 | 11.8 | 14.0 | <0.001 | <0.01 | 0.39 | 3.4 | 0.4 | 0.6 | 15.2 | <0.01 | 0.04 | 2.1 |
| I314609 | | 1.62 | 11.1 | 220 | 10.9 | 9.7 | <0.001 | <0.01 | 0.29 | 2.5 | 0.3 | 0.6 | 12.4 | <0.01 | 0.03 | 1.5 |
| I314610 | | 1.58 | 9.8 | 230 | 7.5 | 8.1 | 0.001 | <0.01 | 0.23 | 2.6 | 0.3 | 0.5 | 11.7 | <0.01 | 0.02 | 1.8 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314571 | | 0.011 | 0.05 | 0.40 | 13 | <0.05 | 6.92 | 17 | 2.2 |
| I314572 | | 0.043 | 0.08 | 2.01 | 32 | 0.07 | 14.45 | 33 | 2.6 |
| I314573 | | 0.054 | 0.09 | 0.95 | 41 | 0.16 | 9.56 | 44 | 2.6 |
| I314574 | | 0.071 | 0.10 | 2.12 | 47 | 0.10 | 17.05 | 53 | 2.1 |
| I314575 | | 0.089 | 0.10 | 0.69 | 54 | 0.12 | 5.68 | 57 | 3.6 |
| I314576 | | 0.082 | 0.07 | 0.68 | 54 | 0.16 | 8.16 | 61 | 1.4 |
| I314577 | | 0.087 | 0.07 | 0.57 | 60 | 0.20 | 5.77 | 46 | 1.0 |
| I314578 | | 0.092 | 0.06 | 0.61 | 60 | 0.22 | 8.46 | 57 | 1.6 |
| I314579 | | 0.104 | 0.08 | 0.62 | 66 | 0.16 | 7.29 | 51 | 3.0 |
| I314580 | | 0.106 | 0.06 | 0.72 | 65 | 0.33 | 6.51 | 50 | 2.6 |
| I314581 | | 0.117 | 0.06 | 0.59 | 70 | 0.12 | 8.63 | 54 | 5.7 |
| I314582 | | 0.059 | 0.10 | 2.88 | 41 | 0.10 | 22.4 | 40 | 4.2 |
| I314583 | | 0.085 | 0.12 | 0.76 | 59 | 0.17 | 12.25 | 56 | 3.0 |
| I314584 | | 0.074 | 0.12 | 0.64 | 59 | 0.15 | 3.56 | 48 | 2.5 |
| I314585 | | 0.086 | 0.10 | 0.39 | 67 | 0.15 | 2.81 | 53 | 1.5 |
| I314586 | | 0.088 | 0.10 | 0.37 | 66 | 0.16 | 2.85 | 47 | 1.8 |
| I314587 | | 0.052 | 0.08 | 1.07 | 45 | 0.10 | 6.49 | 42 | 1.7 |
| I314588 | | 0.095 | 0.12 | 1.21 | 56 | 0.15 | 11.35 | 52 | 6.3 |
| I314589 | | 0.079 | 0.10 | 0.51 | 63 | 0.13 | 4.42 | 51 | 3.5 |
| I314590 | | 0.081 | 0.08 | 0.51 | 52 | 0.21 | 3.94 | 36 | 1.2 |
| I314591 | | 0.086 | 0.09 | 0.59 | 55 | 0.12 | 7.53 | 49 | 1.0 |
| I314592 | | 0.059 | 0.06 | 1.23 | 39 | 0.16 | 8.33 | 47 | 1.7 |
| I314593 | | 0.055 | 0.12 | 0.77 | 35 | 0.09 | 7.32 | 52 | 1.7 |
| I314594 | | 0.044 | 0.09 | 0.96 | 34 | 0.49 | 10.05 | 50 | 3.0 |
| I314595 | | 0.013 | 0.09 | 0.58 | 11 | 0.07 | 5.58 | 15 | 3.5 |
| I314596 | | 0.081 | 0.10 | 0.62 | 69 | 0.22 | 3.28 | 34 | 1.0 |
| I314597 | | 0.102 | 0.12 | 0.40 | 98 | 0.21 | 2.22 | 37 | 0.9 |
| I314598 | | 0.072 | 0.11 | 0.40 | 78 | 0.24 | 2.08 | 32 | 1.1 |
| I314599 | | 0.070 | 0.05 | 0.38 | 48 | 0.15 | 2.78 | 53 | 1.0 |
| I314600 | | 0.083 | 0.07 | 0.80 | 78 | 0.20 | 5.38 | 53 | 1.3 |
| I314601 | | 0.090 | 0.06 | 0.54 | 54 | 0.27 | 4.74 | 50 | 2.6 |
| I314602 | | 0.076 | 0.10 | 0.42 | 52 | 0.15 | 2.55 | 31 | 0.5 |
| I314603 | | 0.079 | 0.11 | 0.51 | 74 | 0.23 | 2.63 | 31 | 1.6 |
| I314604 | | 0.070 | 0.11 | 0.41 | 74 | 0.17 | 3.32 | 32 | 1.1 |
| I314605 | | 0.052 | 0.09 | 0.58 | 66 | 0.20 | 2.60 | 38 | 0.9 |
| I314606 | | 0.054 | 0.08 | 0.53 | 50 | 0.14 | 3.05 | 20 | 0.6 |
| I314607 | | 0.038 | 0.16 | 0.46 | 76 | 0.21 | 2.80 | 39 | 0.7 |
| I314608 | | 0.057 | 0.13 | 0.48 | 72 | 0.21 | 3.23 | 43 | 0.8 |
| I314609 | | 0.059 | 0.10 | 0.35 | 67 | 0.22 | 2.46 | 30 | 0.6 |
| I314610 | | 0.068 | 0.09 | 0.40 | 50 | 0.12 | 3.08 | 31 | 0.6 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314611 | | 0.24 | <0.005 | 0.02 | 0.36 | 1.1 | <0.2 | <10 | 30 | <0.05 | 0.06 | 0.03 | 0.03 | 8.22 | 0.5 | 3 |
| I314612 | | 0.24 | <0.005 | 0.05 | 1.93 | 9.8 | <0.2 | <10 | 90 | 0.25 | 0.17 | 0.10 | 0.05 | 18.30 | 6.3 | 29 |
| I314613 | | 0.20 | <0.005 | 0.24 | 2.81 | 11.5 | <0.2 | <10 | 200 | 0.75 | 0.19 | 0.11 | 0.09 | 17.30 | 9.8 | 37 |
| I314614 | | 0.20 | <0.005 | 0.21 | 1.14 | 3.1 | <0.2 | <10 | 190 | 0.12 | 0.12 | 0.30 | 0.09 | 9.07 | 5.6 | 15 |
| I314615 | | 0.22 | <0.005 | 0.10 | 1.66 | 8.1 | <0.2 | <10 | 150 | 0.26 | 0.18 | 0.12 | 0.05 | 18.00 | 5.3 | 26 |
| I314616 | | 0.22 | <0.005 | 0.37 | 1.76 | 4.6 | <0.2 | <10 | 280 | 1.02 | 0.19 | 0.13 | 0.13 | 66.5 | 6.5 | 20 |
| I314617 | | 0.22 | <0.005 | 0.10 | 2.15 | 9.0 | <0.2 | <10 | 140 | 0.30 | 0.16 | 0.10 | 0.06 | 19.30 | 6.9 | 28 |
| I314618 | | 0.30 | <0.005 | 0.10 | 1.24 | 6.0 | <0.2 | <10 | 120 | 0.18 | 0.17 | 0.12 | 0.07 | 14.75 | 4.6 | 20 |
| I314619 | | 0.28 | <0.005 | 0.23 | 1.41 | 7.0 | <0.2 | <10 | 170 | 0.35 | 0.17 | 0.13 | 0.28 | 19.40 | 8.1 | 26 |
| I314620 | | 0.32 | <0.005 | 0.10 | 0.82 | 4.8 | <0.2 | <10 | 210 | 0.13 | 0.19 | 0.11 | 0.18 | 16.60 | 4.7 | 13 |
| I314621 | | 0.24 | <0.005 | 0.11 | 0.85 | 13.9 | <0.2 | <10 | 100 | 0.27 | 0.26 | 0.14 | 0.32 | 42.0 | 5.1 | 13 |
| I314622 | | 0.26 | <0.005 | 0.09 | 1.10 | 5.6 | <0.2 | <10 | 110 | 0.14 | 0.19 | 0.14 | 0.09 | 20.2 | 3.2 | 14 |
| I314623 | | 0.22 | <0.005 | 0.23 | 1.66 | 8.3 | <0.2 | <10 | 190 | 0.60 | 0.24 | 0.16 | 0.27 | 20.1 | 11.7 | 23 |
| I314624 | | 0.24 | <0.005 | 0.10 | 1.42 | 7.6 | <0.2 | <10 | 140 | 0.28 | 0.21 | 0.10 | 0.11 | 19.00 | 5.5 | 22 |
| I314625 | | 0.26 | <0.005 | 0.05 | 1.41 | 4.2 | <0.2 | <10 | 140 | 0.30 | 0.14 | 0.12 | 0.08 | 25.9 | 6.7 | 18 |
| I314626 | | 0.22 | 0.005 | 0.70 | 1.66 | 4.3 | <0.2 | <10 | 430 | 0.98 | 0.23 | 0.24 | 0.79 | 44.5 | 20.4 | 24 |
| I314627 | | 0.28 | NSS | 0.02 | 0.21 | 7.4 | <0.2 | <10 | 60 | 0.28 | 0.03 | 0.36 | 0.19 | 25.8 | 8.4 | 6 |
| I314628 | | 0.18 | 0.020 | 2.66 | 2.77 | 13.5 | <0.2 | <10 | 1040 | 1.94 | 0.26 | 0.77 | 0.41 | 168.0 | 10.3 | 24 |
| I314629 | | 0.20 | <0.005 | 0.27 | 1.88 | 3.7 | <0.2 | <10 | 250 | 0.60 | 0.16 | 0.55 | 0.09 | 34.9 | 10.5 | 22 |
| I314630 | | 0.26 | <0.005 | 0.15 | 1.25 | 5.6 | <0.2 | <10 | 280 | 0.18 | 0.16 | 0.26 | 0.06 | 14.95 | 5.9 | 22 |
| I314631 | | 0.22 | <0.005 | 0.26 | 1.88 | 5.9 | <0.2 | <10 | 370 | 0.63 | 0.19 | 0.47 | 0.08 | 43.4 | 12.1 | 27 |
| I314632 | | 0.22 | <0.005 | 0.11 | 0.92 | 5.4 | <0.2 | <10 | 200 | 0.15 | 0.10 | 0.29 | 0.08 | 19.90 | 4.8 | 31 |
| I314633 | | 0.22 | <0.005 | 0.36 | 1.57 | 6.1 | <0.2 | <10 | 400 | 0.42 | 0.18 | 0.42 | 0.13 | 28.3 | 10.9 | 28 |
| I314634 | | 0.20 | <0.005 | 0.20 | 1.37 | 4.4 | <0.2 | <10 | 400 | 0.30 | 0.14 | 0.33 | 0.09 | 17.20 | 8.3 | 23 |
| I314635 | | 0.26 | <0.005 | 0.25 | 1.67 | 4.9 | <0.2 | <10 | 510 | 0.36 | 0.13 | 0.37 | 0.07 | 21.8 | 9.5 | 44 |
| I314636 | | 0.24 | <0.005 | 0.17 | 1.11 | 3.3 | <0.2 | <10 | 180 | 0.17 | 0.14 | 0.12 | 0.04 | 22.6 | 9.0 | 16 |
| I314637 | | 0.22 | <0.005 | 0.16 | 1.12 | 3.2 | <0.2 | <10 | 180 | 0.16 | 0.13 | 0.12 | 0.04 | 20.0 | 7.9 | 16 |
| I314638 | | 0.20 | <0.005 | 0.11 | 0.79 | 3.4 | <0.2 | <10 | 140 | 0.12 | 0.15 | 0.14 | 0.06 | 18.05 | 3.8 | 13 |
| I314639 | | 0.24 | <0.005 | 0.16 | 1.72 | 3.8 | <0.2 | <10 | 200 | 0.21 | 0.13 | 0.22 | 0.03 | 20.7 | 9.5 | 26 |
| I314640 | | 0.18 | <0.005 | 0.15 | 1.32 | 5.2 | <0.2 | <10 | 310 | 0.26 | 0.15 | 0.46 | 0.11 | 20.9 | 7.7 | 22 |
| I314641 | | 0.24 | <0.005 | 0.08 | 1.61 | 6.0 | <0.2 | <10 | 320 | 0.32 | 0.14 | 0.36 | 0.06 | 26.1 | 8.6 | 30 |
| I314642 | | 0.26 | <0.005 | 0.10 | 1.65 | 6.5 | <0.2 | <10 | 230 | 0.36 | 0.16 | 0.46 | 0.10 | 27.8 | 10.2 | 28 |
| I314643 | | 0.20 | <0.005 | 0.06 | 1.61 | 6.2 | <0.2 | <10 | 320 | 0.36 | 0.15 | 0.52 | 0.24 | 22.9 | 9.5 | 26 |
| I314644 | | 0.32 | <0.005 | 0.06 | 1.40 | 5.2 | <0.2 | <10 | 280 | 0.27 | 0.14 | 0.31 | 0.08 | 18.55 | 13.2 | 24 |
| I314645 | | 0.30 | <0.005 | 0.03 | 1.58 | 5.9 | <0.2 | <10 | 230 | 0.27 | 0.12 | 0.23 | 0.05 | 15.50 | 10.8 | 23 |
| I314646 | | 0.24 | <0.005 | 0.03 | 1.66 | 6.6 | <0.2 | <10 | 320 | 0.42 | 0.14 | 0.45 | 0.06 | 18.20 | 13.1 | 25 |
| I314647 | | 0.28 | <0.005 | 0.07 | 1.79 | 5.2 | <0.2 | <10 | 320 | 0.42 | 0.13 | 0.76 | 0.06 | 25.5 | 10.9 | 26 |
| I314648 | | 0.30 | <0.005 | 0.06 | 1.86 | 6.4 | <0.2 | <10 | 250 | 0.46 | 0.14 | 0.52 | 0.06 | 23.6 | 11.8 | 29 |
| I314649 | | 0.34 | <0.005 | 0.03 | 2.09 | 8.3 | <0.2 | <10 | 120 | 0.50 | 0.17 | 0.16 | 0.05 | 22.2 | 9.1 | 28 |
| I314650 | | 0.36 | <0.005 | 0.06 | 1.71 | 5.6 | <0.2 | <10 | 170 | 0.52 | 0.16 | 0.20 | 0.04 | 17.90 | 6.8 | 23 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I314611 | | 0.34 | 3.4 | 0.35 | 3.00 | <0.05 | <0.02 | 0.01 | <0.005 | 0.02 | 4.5 | 0.8 | 0.03 | 29 | 0.22 | <0.01 |
| I314612 | | 1.03 | 13.2 | 3.44 | 7.98 | 0.07 | 0.03 | 0.02 | 0.025 | 0.03 | 10.2 | 14.5 | 0.38 | 222 | 0.97 | <0.01 |
| I314613 | | 2.21 | 16.1 | 3.69 | 7.99 | 0.07 | 0.16 | 0.04 | 0.036 | 0.05 | 8.3 | 24.4 | 0.46 | 356 | 1.30 | <0.01 |
| I314614 | | 0.83 | 8.7 | 1.90 | 6.18 | <0.05 | <0.02 | 0.04 | 0.013 | 0.05 | 5.0 | 7.3 | 0.42 | 308 | 0.69 | <0.01 |
| I314615 | | 1.02 | 10.9 | 2.84 | 7.68 | 0.06 | <0.02 | 0.01 | 0.020 | 0.05 | 10.0 | 11.0 | 0.40 | 250 | 1.36 | <0.01 |
| I314616 | | 1.28 | 29.7 | 2.19 | 6.86 | 0.11 | 0.03 | 0.04 | 0.028 | 0.04 | 36.1 | 9.1 | 0.27 | 1100 | 1.42 | <0.01 |
| I314617 | | 1.07 | 14.1 | 3.52 | 7.38 | 0.06 | 0.04 | 0.02 | 0.025 | 0.05 | 10.5 | 17.0 | 0.39 | 226 | 4.41 | <0.01 |
| I314618 | | 0.64 | 7.8 | 2.41 | 6.72 | 0.05 | <0.02 | 0.02 | 0.015 | 0.04 | 8.3 | 7.2 | 0.25 | 243 | 1.20 | <0.01 |
| I314619 | | 1.50 | 13.0 | 2.24 | 7.27 | 0.07 | 0.02 | 0.02 | 0.020 | 0.04 | 9.4 | 19.3 | 0.45 | 454 | 1.15 | <0.01 |
| I314620 | | 0.93 | 8.9 | 1.57 | 6.07 | 0.05 | <0.02 | 0.01 | 0.012 | 0.03 | 9.1 | 5.6 | 0.16 | 1420 | 1.21 | <0.01 |
| I314621 | | 1.93 | 12.5 | 1.58 | 3.55 | 0.05 | <0.02 | 0.02 | 0.022 | 0.06 | 21.5 | 6.8 | 0.22 | 217 | 1.84 | <0.01 |
| I314622 | | 0.82 | 6.0 | 1.54 | 5.60 | <0.05 | <0.02 | 0.01 | 0.012 | 0.03 | 10.6 | 7.3 | 0.22 | 182 | 0.83 | <0.01 |
| I314623 | | 0.97 | 15.1 | 2.53 | 7.69 | 0.05 | 0.02 | 0.03 | 0.026 | 0.03 | 10.1 | 11.8 | 0.28 | 1180 | 1.99 | 0.01 |
| I314624 | | 0.82 | 9.7 | 2.29 | 6.62 | <0.05 | <0.02 | 0.02 | 0.017 | 0.03 | 9.7 | 11.6 | 0.30 | 162 | 1.39 | <0.01 |
| I314625 | | 0.55 | 9.9 | 2.06 | 5.02 | 0.05 | 0.07 | 0.01 | 0.018 | 0.04 | 13.9 | 14.0 | 0.45 | 238 | 0.65 | <0.01 |
| I314626 | | 0.83 | 25.9 | 2.61 | 7.35 | 0.07 | 0.05 | 0.04 | 0.032 | 0.06 | 20.7 | 9.5 | 0.31 | 4880 | 1.52 | 0.01 |
| I314627 | | 0.20 | 4.9 | 1.76 | 1.24 | 0.05 | 0.10 | 0.01 | 0.006 | 0.03 | 12.8 | 3.1 | 0.15 | 633 | 1.16 | <0.01 |
| I314628 | | 1.95 | 70.7 | 3.24 | 10.05 | 0.41 | 0.25 | 0.08 | 0.050 | 0.13 | 217 | 22.4 | 0.39 | 1200 | 3.74 | 0.03 |
| I314629 | | 0.78 | 24.7 | 2.39 | 6.48 | 0.09 | 0.11 | 0.02 | 0.024 | 0.05 | 40.2 | 11.7 | 0.52 | 431 | 0.68 | 0.01 |
| I314630 | | 0.40 | 11.9 | 2.09 | 5.76 | <0.05 | 0.04 | 0.01 | 0.016 | 0.07 | 7.8 | 9.1 | 0.40 | 174 | 1.05 | 0.01 |
| I314631 | | 0.71 | 28.9 | 2.78 | 6.15 | 0.19 | 0.16 | 0.03 | 0.030 | 0.12 | 88.3 | 12.3 | 0.45 | 2020 | 1.36 | 0.01 |
| I314632 | | 0.36 | 7.0 | 1.94 | 4.89 | <0.05 | 0.02 | 0.01 | 0.011 | 0.14 | 9.0 | 7.8 | 0.36 | 353 | 1.12 | 0.01 |
| I314633 | | 0.73 | 24.1 | 2.51 | 6.28 | 0.09 | 0.08 | 0.03 | 0.025 | 0.10 | 29.6 | 8.9 | 0.36 | 1400 | 1.37 | 0.02 |
| I314634 | | 0.41 | 14.3 | 2.35 | 5.18 | <0.05 | 0.04 | 0.03 | 0.019 | 0.11 | 8.2 | 8.7 | 0.33 | 1460 | 1.38 | 0.01 |
| I314635 | | 0.47 | 11.4 | 2.48 | 6.31 | <0.05 | <0.02 | 0.02 | 0.018 | 0.08 | 10.4 | 11.1 | 0.42 | 1300 | 1.55 | 0.01 |
| I314636 | | 0.61 | 8.3 | 2.02 | 5.82 | <0.05 | 0.02 | 0.02 | 0.015 | 0.05 | 10.3 | 7.1 | 0.27 | 788 | 1.25 | 0.01 |
| I314637 | | 0.54 | 7.1 | 1.98 | 5.16 | <0.05 | 0.02 | 0.02 | 0.014 | 0.05 | 9.2 | 7.3 | 0.28 | 720 | 1.12 | 0.01 |
| I314638 | | 0.20 | 8.5 | 1.64 | 4.86 | <0.05 | <0.02 | 0.02 | 0.012 | 0.05 | 9.0 | 4.5 | 0.18 | 320 | 1.17 | <0.01 |
| I314639 | | 1.26 | 18.9 | 2.78 | 6.38 | 0.06 | 0.04 | 0.03 | 0.016 | 0.15 | 10.2 | 13.9 | 0.71 | 406 | 1.25 | 0.01 |
| I314640 | | 0.59 | 20.0 | 1.98 | 5.21 | <0.05 | 0.02 | 0.04 | 0.019 | 0.08 | 10.2 | 7.8 | 0.33 | 1280 | 1.11 | 0.01 |
| I314641 | | 0.45 | 20.6 | 2.40 | 5.85 | 0.06 | 0.06 | 0.02 | 0.022 | 0.07 | 13.5 | 10.9 | 0.46 | 427 | 0.72 | 0.01 |
| I314642 | | 0.49 | 20.0 | 2.49 | 5.40 | 0.06 | 0.11 | 0.04 | 0.022 | 0.10 | 13.5 | 13.5 | 0.53 | 332 | 0.86 | 0.01 |
| I314643 | | 0.53 | 19.3 | 2.49 | 4.98 | 0.06 | 0.05 | 0.03 | 0.022 | 0.07 | 11.7 | 11.4 | 0.45 | 382 | 1.13 | 0.02 |
| I314644 | | 0.49 | 12.2 | 2.46 | 5.35 | 0.05 | 0.11 | 0.02 | 0.019 | 0.11 | 7.9 | 11.3 | 0.52 | 588 | 0.81 | 0.01 |
| I314645 | | 0.52 | 14.4 | 2.53 | 6.18 | 0.05 | 0.04 | 0.01 | 0.017 | 0.07 | 7.7 | 16.0 | 0.74 | 239 | 0.92 | 0.01 |
| I314646 | | 0.54 | 17.3 | 2.59 | 6.44 | 0.06 | 0.14 | 0.02 | 0.022 | 0.10 | 8.6 | 13.7 | 0.66 | 552 | 0.82 | 0.01 |
| I314647 | | 0.40 | 27.2 | 2.52 | 5.59 | 0.05 | 0.11 | 0.03 | 0.020 | 0.06 | 12.1 | 10.1 | 0.52 | 623 | 0.63 | 0.01 |
| I314648 | | 0.54 | 21.9 | 2.58 | 5.93 | 0.05 | 0.28 | 0.02 | 0.025 | 0.05 | 11.5 | 10.7 | 0.51 | 312 | 0.59 | 0.01 |
| I314649 | | 1.22 | 13.6 | 3.25 | 9.31 | 0.06 | 0.07 | 0.02 | 0.028 | 0.05 | 8.9 | 21.0 | 0.39 | 177 | 1.17 | 0.01 |
| I314650 | | 1.36 | 14.6 | 2.69 | 7.41 | <0.05 | 0.03 | 0.02 | 0.022 | 0.05 | 9.8 | 12.0 | 0.30 | 155 | 1.07 | 0.01 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314611 | | 0.18 | 1.0 | 130 | 2.2 | 3.3 | <0.001 | <0.01 | 0.06 | 0.5 | 0.2 | 0.3 | 4.2 | <0.01 | 0.01 | <0.2 |
| I314612 | | 1.96 | 14.0 | 310 | 9.5 | 9.3 | <0.001 | <0.01 | 0.37 | 3.6 | 0.4 | 0.6 | 10.5 | 0.01 | 0.03 | 2.7 |
| I314613 | | 2.77 | 18.1 | 420 | 11.6 | 15.5 | <0.001 | <0.01 | 0.42 | 4.3 | 0.4 | 0.8 | 11.0 | 0.01 | 0.05 | 3.2 |
| I314614 | | 1.05 | 7.9 | 490 | 5.9 | 13.1 | <0.001 | 0.01 | 0.21 | 2.3 | 0.4 | 0.4 | 22.7 | <0.01 | 0.03 | 0.4 |
| I314615 | | 1.87 | 14.7 | 400 | 7.8 | 12.6 | <0.001 | <0.01 | 0.32 | 2.7 | 0.3 | 0.6 | 12.2 | <0.01 | 0.03 | 2.5 |
| I314616 | | 1.41 | 13.9 | 1120 | 13.8 | 12.2 | 0.001 | 0.01 | 0.24 | 3.7 | 0.9 | 0.6 | 18.1 | 0.01 | 0.04 | 2.7 |
| I314617 | | 1.76 | 15.6 | 410 | 8.5 | 13.5 | <0.001 | <0.01 | 0.38 | 3.2 | 0.4 | 0.5 | 12.4 | <0.01 | 0.03 | 3.2 |
| I314618 | | 1.44 | 11.4 | 290 | 8.8 | 9.5 | <0.001 | <0.01 | 0.36 | 1.8 | 0.2 | 0.6 | 11.2 | <0.01 | 0.02 | 0.8 |
| I314619 | | 1.66 | 14.1 | 240 | 10.1 | 17.4 | <0.001 | <0.01 | 0.23 | 3.2 | 0.2 | 0.7 | 17.6 | <0.01 | 0.04 | 1.0 |
| I314620 | | 1.14 | 7.2 | 240 | 7.8 | 10.7 | <0.001 | <0.01 | 0.21 | 2.0 | 0.2 | 0.5 | 15.9 | <0.01 | 0.02 | 1.5 |
| I314621 | | 0.54 | 13.4 | 370 | 10.7 | 8.8 | <0.001 | <0.01 | 0.45 | 1.6 | 0.6 | 0.3 | 18.7 | <0.01 | 0.03 | 1.1 |
| I314622 | | 0.60 | 7.2 | 340 | 7.3 | 6.4 | <0.001 | <0.01 | 0.18 | 1.4 | 0.3 | 0.5 | 13.7 | <0.01 | 0.02 | 0.3 |
| I314623 | | 1.25 | 15.4 | 400 | 13.2 | 7.0 | <0.001 | <0.01 | 0.40 | 2.8 | 0.6 | 0.7 | 18.2 | <0.01 | 0.05 | 1.1 |
| I314624 | | 1.29 | 12.1 | 200 | 12.4 | 6.7 | <0.001 | <0.01 | 0.35 | 2.2 | 0.5 | 0.6 | 15.0 | <0.01 | 0.03 | 0.9 |
| I314625 | | 0.81 | 11.5 | 140 | 7.6 | 6.6 | <0.001 | <0.01 | 0.24 | 2.7 | 0.3 | 0.4 | 13.3 | <0.01 | 0.02 | 3.2 |
| I314626 | | 1.26 | 21.4 | 1060 | 11.1 | 10.5 | <0.001 | 0.01 | 0.30 | 4.8 | 0.8 | 0.6 | 30.9 | <0.01 | 0.05 | 3.0 |
| I314627 | | 0.59 | 14.9 | 510 | 3.8 | 3.9 | <0.001 | <0.01 | 0.47 | 1.7 | 0.3 | 0.2 | 11.0 | <0.01 | 0.01 | 4.6 |
| I314628 | | 0.96 | 32.8 | 780 | 10.6 | 14.1 | 0.003 | 0.02 | 0.40 | 15.1 | 3.9 | 0.6 | 78.8 | 0.03 | 0.07 | 6.0 |
| I314629 | | 1.73 | 14.7 | 210 | 8.0 | 8.1 | <0.001 | 0.01 | 0.28 | 5.0 | 1.1 | 0.6 | 33.1 | 0.01 | 0.03 | 3.1 |
| I314630 | | 1.19 | 11.5 | 190 | 6.8 | 11.6 | <0.001 | 0.01 | 0.28 | 2.9 | 0.4 | 0.5 | 17.0 | <0.01 | 0.02 | 1.9 |
| I314631 | | 1.43 | 17.5 | 230 | 8.6 | 25.3 | <0.001 | <0.01 | 0.44 | 6.8 | 1.2 | 0.5 | 25.9 | 0.01 | 0.04 | 5.5 |
| I314632 | | 0.90 | 10.1 | 210 | 4.8 | 14.1 | <0.001 | <0.01 | 0.24 | 2.7 | 0.3 | 0.4 | 14.3 | <0.01 | 0.02 | 2.7 |
| I314633 | | 1.49 | 20.6 | 300 | 8.6 | 17.8 | <0.001 | 0.01 | 0.45 | 4.9 | 0.8 | 0.5 | 26.3 | <0.01 | 0.03 | 3.4 |
| I314634 | | 1.21 | 14.3 | 270 | 6.6 | 13.0 | <0.001 | <0.01 | 0.31 | 3.4 | 0.4 | 0.5 | 21.9 | <0.01 | 0.03 | 2.2 |
| I314635 | | 1.16 | 18.0 | 360 | 7.2 | 10.0 | <0.001 | 0.01 | 0.27 | 3.6 | 0.5 | 0.5 | 21.6 | <0.01 | 0.03 | 1.4 |
| I314636 | | 1.19 | 8.4 | 240 | 6.0 | 8.9 | <0.001 | <0.01 | 0.22 | 2.9 | 0.4 | 0.5 | 11.5 | <0.01 | 0.02 | 2.0 |
| I314637 | | 1.06 | 7.5 | 230 | 5.5 | 8.3 | <0.001 | <0.01 | 0.21 | 2.7 | 0.4 | 0.5 | 10.5 | <0.01 | 0.03 | 1.9 |
| I314638 | | 1.10 | 7.9 | 210 | 5.9 | 4.0 | <0.001 | <0.01 | 0.28 | 2.0 | 0.3 | 0.5 | 11.5 | <0.01 | 0.02 | 1.6 |
| I314639 | | 1.29 | 13.3 | 230 | 5.9 | 26.7 | <0.001 | <0.01 | 0.30 | 4.5 | 0.4 | 0.5 | 16.9 | <0.01 | 0.04 | 2.1 |
| I314640 | | 1.16 | 15.6 | 360 | 6.3 | 18.4 | <0.001 | 0.01 | 0.35 | 3.4 | 0.6 | 0.5 | 29.0 | <0.01 | 0.03 | 1.6 |
| I314641 | | 1.39 | 17.2 | 210 | 6.4 | 8.5 | <0.001 | <0.01 | 0.38 | 4.7 | 0.7 | 0.5 | 26.6 | <0.01 | 0.03 | 2.8 |
| I314642 | | 1.54 | 17.2 | 460 | 8.0 | 10.1 | <0.001 | 0.01 | 0.53 | 4.9 | 0.6 | 0.5 | 30.3 | <0.01 | 0.03 | 3.7 |
| I314643 | | 1.19 | 15.6 | 600 | 7.1 | 9.1 | <0.001 | 0.02 | 0.47 | 4.2 | 1.2 | 0.4 | 29.6 | <0.01 | 0.03 | 2.2 |
| I314644 | | 1.70 | 15.2 | 260 | 7.1 | 19.4 | <0.001 | <0.01 | 0.39 | 4.1 | 0.4 | 0.5 | 21.0 | <0.01 | 0.02 | 2.9 |
| I314645 | | 1.67 | 13.7 | 350 | 6.8 | 8.9 | <0.001 | <0.01 | 0.34 | 3.4 | 0.3 | 0.5 | 20.7 | <0.01 | 0.03 | 2.3 |
| I314646 | | 1.81 | 17.3 | 330 | 7.7 | 12.4 | <0.001 | <0.01 | 0.41 | 5.0 | 0.4 | 0.5 | 28.9 | <0.01 | 0.03 | 2.9 |
| I314647 | | 1.50 | 16.2 | 270 | 6.6 | 7.4 | 0.001 | 0.01 | 0.42 | 4.6 | 0.8 | 0.4 | 38.4 | <0.01 | 0.03 | 2.7 |
| I314648 | | 1.56 | 17.5 | 210 | 7.1 | 7.6 | <0.001 | <0.01 | 0.38 | 6.1 | 1.0 | 0.5 | 33.3 | <0.01 | 0.03 | 3.5 |
| I314649 | | 1.60 | 16.9 | 180 | 16.2 | 12.3 | <0.001 | <0.01 | 0.56 | 3.8 | 0.4 | 1.4 | 19.0 | <0.01 | 0.03 | 5.9 |
| I314650 | | 1.19 | 12.6 | 190 | 13.0 | 14.0 | <0.001 | <0.01 | 0.31 | 3.5 | 0.4 | 0.9 | 19.7 | <0.01 | 0.03 | 4.1 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314611 | | 0.022 | 0.02 | 0.15 | 11 | <0.05 | 1.99 | 4 | <0.5 |
| I314612 | | 0.082 | 0.09 | 0.40 | 80 | 0.19 | 2.92 | 34 | 2.3 |
| I314613 | | 0.094 | 0.13 | 0.50 | 77 | 0.21 | 3.39 | 55 | 5.2 |
| I314614 | | 0.086 | 0.07 | 0.26 | 50 | 0.15 | 1.88 | 25 | 0.5 |
| I314615 | | 0.067 | 0.09 | 0.32 | 69 | 0.20 | 2.10 | 33 | 1.3 |
| I314616 | | 0.056 | 0.11 | 1.18 | 46 | 0.17 | 14.15 | 22 | 0.7 |
| I314617 | | 0.057 | 0.10 | 0.40 | 64 | 0.17 | 2.86 | 37 | 2.6 |
| I314618 | | 0.067 | 0.08 | 0.24 | 67 | 0.27 | 1.46 | 22 | 0.5 |
| I314619 | | 0.059 | 0.11 | 0.30 | 63 | 0.15 | 2.59 | 50 | <0.5 |
| I314620 | | 0.054 | 0.10 | 0.26 | 48 | 0.15 | 1.76 | 44 | 0.6 |
| I314621 | | 0.024 | 0.08 | 0.42 | 30 | 0.17 | 3.87 | 53 | <0.5 |
| I314622 | | 0.032 | 0.09 | 0.24 | 41 | 0.11 | 1.66 | 29 | <0.5 |
| I314623 | | 0.036 | 0.12 | 0.49 | 62 | 0.16 | 2.93 | 36 | 0.5 |
| I314624 | | 0.048 | 0.09 | 0.38 | 59 | 0.14 | 2.03 | 31 | <0.5 |
| I314625 | | 0.031 | 0.06 | 0.35 | 43 | 0.08 | 2.42 | 42 | 2.4 |
| I314626 | | 0.050 | 0.09 | 0.66 | 56 | 0.14 | 10.50 | 84 | 1.5 |
| I314627 | | 0.018 | 0.12 | 0.68 | 13 | 0.06 | 6.77 | 17 | 4.7 |
| I314628 | | 0.014 | 0.08 | 4.07 | 57 | 0.18 | 161.5 | 52 | 3.4 |
| I314629 | | 0.053 | 0.06 | 0.79 | 58 | 0.10 | 35.5 | 36 | 3.2 |
| I314630 | | 0.058 | 0.07 | 0.28 | 56 | 0.25 | 2.26 | 29 | 1.5 |
| I314631 | | 0.068 | 0.09 | 0.86 | 56 | 0.12 | 47.8 | 47 | 3.8 |
| I314632 | | 0.048 | 0.05 | 0.25 | 37 | 0.10 | 2.52 | 29 | 0.7 |
| I314633 | | 0.067 | 0.07 | 0.52 | 54 | 0.14 | 17.95 | 32 | 2.5 |
| I314634 | | 0.056 | 0.07 | 0.29 | 48 | 0.11 | 3.13 | 32 | 1.3 |
| I314635 | | 0.047 | 0.08 | 0.29 | 54 | 0.13 | 2.49 | 31 | 0.5 |
| I314636 | | 0.056 | 0.08 | 0.25 | 46 | 0.11 | 1.95 | 26 | 0.7 |
| I314637 | | 0.052 | 0.06 | 0.22 | 45 | 0.10 | 1.82 | 26 | 0.7 |
| I314638 | | 0.054 | 0.05 | 0.23 | 44 | 0.11 | 1.70 | 24 | 0.5 |
| I314639 | | 0.113 | 0.08 | 0.22 | 57 | 0.10 | 2.09 | 33 | 1.8 |
| I314640 | | 0.063 | 0.05 | 0.35 | 46 | 0.13 | 2.93 | 28 | 1.0 |
| I314641 | | 0.075 | 0.05 | 0.47 | 56 | 0.25 | 4.67 | 35 | 2.5 |
| I314642 | | 0.096 | 0.05 | 0.47 | 55 | 0.14 | 5.84 | 53 | 4.0 |
| I314643 | | 0.076 | 0.05 | 0.65 | 51 | 0.13 | 6.39 | 51 | 1.8 |
| I314644 | | 0.088 | 0.07 | 0.31 | 56 | 0.12 | 2.40 | 46 | 3.8 |
| I314645 | | 0.098 | 0.06 | 0.34 | 58 | 0.12 | 2.21 | 44 | 1.6 |
| I314646 | | 0.094 | 0.07 | 0.38 | 60 | 0.13 | 2.89 | 43 | 4.7 |
| I314647 | | 0.084 | 0.04 | 0.49 | 60 | 0.12 | 6.79 | 37 | 4.3 |
| I314648 | | 0.099 | 0.06 | 0.91 | 61 | 0.12 | 6.32 | 38 | 10.6 |
| I314649 | | 0.047 | 0.12 | 0.67 | 64 | 0.14 | 3.47 | 40 | 2.8 |
| I314650 | | 0.060 | 0.11 | 0.58 | 61 | 0.08 | 3.38 | 36 | 1.6 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

| Method | CERTIFICATE COMMENTS |
|------------------------|---|
| ALL METHODS ME-MS41 | NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 3-SEP-2010
Account: EIASQI

CERTIFICATE WH10113880

Project: SQI10-06

P.O. No.: SQI10-06_20

This report is for 275 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| LOG-24 | Pulp Login - Rcd w/o Barcode |
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | Au-AA23 Au ppm 0.005 | ME-MS41 Ag ppm 0.01 | ME-MS41 Al % 0.01 | ME-MS41 As ppm 0.1 | ME-MS41 Au ppm 0.2 | ME-MS41 B ppm 10 | ME-MS41 Ba ppm 10 | ME-MS41 Be ppm 0.05 | ME-MS41 Bi ppm 0.01 | ME-MS41 Ca % 0.01 | ME-MS41 Cd ppm 0.01 | ME-MS41 Ce ppm 0.02 | ME-MS41 Co ppm 0.1 | ME-MS41 Cr ppm 1 | ME-MS41 Cs ppm 0.05 |
|--------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|------------------------------|
| I031901 | | <0.005 | 0.13 | 1.74 | 6.0 | <0.2 | <10 | 170 | 0.44 | 0.12 | 4.53 | 0.30 | 22.1 | 7.2 | 24 | 0.69 |
| I031902 | | <0.005 | 0.12 | 1.56 | 8.9 | <0.2 | <10 | 300 | 0.45 | 0.15 | 1.70 | 0.29 | 27.7 | 9.8 | 27 | 0.40 |
| I031903 | | 0.042 | 0.33 | 1.83 | 7.7 | <0.2 | <10 | 1180 | 0.76 | 0.19 | 1.20 | 0.20 | 93.8 | 10.2 | 22 | 0.62 |
| I031904 | | 0.005 | 0.41 | 1.42 | 3.8 | <0.2 | <10 | 670 | 0.41 | 0.95 | 0.68 | 0.32 | 32.0 | 7.1 | 19 | 0.42 |
| I031905 | | <0.005 | 0.11 | 0.80 | 1.1 | <0.2 | <10 | 380 | 0.16 | 0.38 | 0.42 | 0.33 | 15.10 | 2.6 | 11 | 0.36 |
| I031906 | | <0.005 | 0.09 | 1.49 | 4.5 | <0.2 | <10 | 300 | 0.29 | 0.40 | 0.40 | 0.06 | 21.6 | 5.7 | 18 | 0.23 |
| I031907 | | <0.005 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I031908 | | <0.005 | 0.12 | 1.04 | 5.4 | <0.2 | <10 | 690 | 0.44 | 0.16 | 2.44 | 0.13 | 25.2 | 5.9 | 17 | 0.32 |
| I031909 | | <0.005 | 0.23 | 1.78 | 4.8 | <0.2 | <10 | 1720 | 1.46 | 0.69 | 1.05 | 0.95 | 92.0 | 10.6 | 23 | 0.61 |
| I031910 | | <0.005 | <0.01 | 0.01 | <0.1 | <0.2 | <10 | 10 | <0.05 | <0.01 | 0.01 | 0.01 | 1.01 | 0.1 | <1 | <0.05 |
| I031911 | | 0.005 | 0.15 | 1.50 | 4.7 | <0.2 | <10 | 630 | 0.76 | 0.42 | 1.95 | 0.39 | 43.9 | 10.0 | 26 | 0.79 |
| I031912 | | <0.005 | 0.13 | 1.54 | 6.8 | <0.2 | <10 | 320 | 0.54 | 0.27 | 0.43 | 0.29 | 41.9 | 8.6 | 21 | 0.68 |
| I031913 | | <0.005 | 0.10 | 1.28 | 6.8 | <0.2 | <10 | 440 | 0.53 | 0.27 | 1.31 | 0.44 | 39.9 | 8.2 | 22 | 0.47 |
| I031914 | | <0.005 | 0.10 | 1.17 | 5.5 | <0.2 | <10 | 460 | 0.50 | 0.21 | 1.74 | 0.38 | 30.4 | 9.7 | 19 | 0.32 |
| I031915 | | <0.005 | 0.13 | 1.27 | 6.0 | <0.2 | <10 | 390 | 0.40 | 0.14 | 1.33 | 0.21 | 20.3 | 7.3 | 23 | 0.30 |
| I031916 | | <0.005 | 0.13 | 1.43 | 7.7 | <0.2 | <10 | 320 | 0.42 | 0.15 | 0.83 | 0.24 | 22.9 | 8.8 | 26 | 0.38 |
| I031917 | | <0.005 | 0.10 | 0.98 | 6.2 | <0.2 | <10 | 360 | 0.38 | 0.12 | 2.36 | 0.46 | 19.70 | 8.9 | 18 | 0.33 |
| I031918 | | 0.010 | 0.13 | 1.43 | 8.6 | <0.2 | <10 | 290 | 0.46 | 0.19 | 1.05 | 0.19 | 27.9 | 10.3 | 26 | 0.45 |
| I031919 | | <0.005 | 0.11 | 1.30 | 8.2 | <0.2 | <10 | 320 | 0.35 | 0.16 | 1.70 | 0.28 | 23.1 | 9.7 | 26 | 0.52 |
| I031920 | | <0.005 | 0.09 | 1.06 | 6.7 | <0.2 | <10 | 190 | 0.32 | 0.11 | 0.95 | 0.18 | 20.2 | 7.8 | 23 | 0.36 |
| I031921 | | <0.005 | 0.10 | 1.16 | 7.4 | <0.2 | <10 | 220 | 0.36 | 0.13 | 0.88 | 0.16 | 23.1 | 8.6 | 25 | 0.41 |
| I031922 | | 0.014 | 0.04 | 1.79 | 8.5 | <0.2 | <10 | 190 | 0.38 | 0.16 | 0.17 | 0.13 | 16.75 | 8.0 | 30 | 0.59 |
| I031923 | | <0.005 | 0.32 | 1.67 | 6.4 | <0.2 | <10 | 220 | 0.70 | 0.38 | 0.19 | 0.24 | 29.4 | 6.1 | 24 | 4.59 |
| I031924 | | <0.005 | 0.18 | 1.66 | 8.0 | <0.2 | <10 | 230 | 0.52 | 0.26 | 0.22 | 0.17 | 32.4 | 6.1 | 27 | 2.37 |
| I031925 | | <0.005 | 0.18 | 1.47 | 7.0 | <0.2 | <10 | 290 | 1.00 | 0.27 | 0.16 | 0.14 | 66.1 | 8.1 | 22 | 3.37 |
| I031926 | | 0.006 | 0.25 | 1.68 | 9.4 | <0.2 | <10 | 170 | 0.54 | 0.34 | 0.17 | 0.23 | 25.0 | 6.5 | 28 | 3.64 |
| I031927 | | <0.005 | 0.09 | 2.13 | 9.2 | <0.2 | <10 | 150 | 0.67 | 0.37 | 0.14 | 0.07 | 21.6 | 6.0 | 29 | 5.32 |
| I031928 | | <0.005 | 0.22 | 1.68 | 8.2 | <0.2 | <10 | 230 | 1.01 | 0.33 | 0.22 | 0.13 | 32.8 | 6.0 | 25 | 3.36 |
| I031929 | | <0.005 | 0.13 | 1.61 | 7.3 | <0.2 | <10 | 150 | 1.43 | 0.59 | 0.70 | 0.17 | 24.8 | 6.4 | 26 | 7.48 |
| I031930 | | <0.005 | 0.01 | 0.01 | <0.1 | <0.2 | <10 | 10 | <0.05 | <0.01 | 0.01 | 0.01 | 1.09 | 0.1 | <1 | <0.05 |
| I031931 | | <0.005 | 0.15 | 1.03 | 3.6 | <0.2 | <10 | 140 | 0.86 | 0.40 | 0.24 | 0.29 | 21.0 | 2.0 | 15 | 4.74 |
| I031932 | | <0.005 | 0.09 | 2.11 | 8.5 | <0.2 | <10 | 240 | 0.50 | 0.28 | 0.16 | 0.11 | 24.5 | 15.9 | 31 | 1.94 |
| I031933 | | <0.005 | 0.04 | 2.22 | 11.0 | <0.2 | <10 | 200 | 0.53 | 0.23 | 0.14 | 0.10 | 20.1 | 10.1 | 35 | 1.89 |
| I031934 | | <0.005 | 0.12 | 1.52 | 11.3 | <0.2 | <10 | 110 | 0.22 | 0.17 | 0.19 | 0.05 | 15.30 | 7.0 | 23 | 1.61 |
| I031935 | | <0.005 | 0.04 | 1.96 | 11.8 | <0.2 | <10 | 120 | 0.38 | 0.23 | 0.11 | 0.08 | 24.0 | 6.3 | 34 | 1.64 |
| I031936 | | <0.005 | 0.05 | 2.05 | 11.8 | <0.2 | <10 | 160 | 0.41 | 0.21 | 0.13 | 0.05 | 22.5 | 8.1 | 32 | 1.56 |
| I031937 | | <0.005 | 0.12 | 2.12 | 9.1 | <0.2 | <10 | 160 | 0.41 | 0.22 | 0.13 | 0.07 | 19.70 | 7.9 | 34 | 2.32 |
| I031938 | | <0.005 | 0.17 | 2.13 | 14.2 | <0.2 | <10 | 200 | 0.54 | 0.13 | 0.34 | 0.15 | 22.9 | 10.7 | 48 | 5.62 |
| I031939 | | <0.005 | 0.40 | 1.74 | 6.1 | <0.2 | <10 | 180 | 0.39 | 0.15 | 0.32 | 0.05 | 21.0 | 7.8 | 25 | 3.37 |
| I031940 | | <0.005 | 0.16 | 2.61 | 9.7 | <0.2 | <10 | 190 | 0.38 | 0.22 | 0.27 | 0.18 | 16.30 | 9.5 | 27 | 4.46 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Cu ppm | ME-MS41 Fe % | ME-MS41 Ga ppm | ME-MS41 Ge ppm | ME-MS41 Hf ppm | ME-MS41 Hg ppm | ME-MS41 In ppm | ME-MS41 K % | ME-MS41 La ppm | ME-MS41 Li ppm | ME-MS41 Mg % | ME-MS41 Mn ppm | ME-MS41 Mo ppm | ME-MS41 Na % | ME-MS41 Nb ppm |
|--------------------|-----------------------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------------|----------------------|----------------------|--------------------|----------------------|----------------------|--------------------|----------------------|
| | | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 | 0.01 | 0.05 |
| I031901 | | 25.3 | 1.94 | 4.72 | 0.07 | 0.19 | 0.05 | 0.020 | 0.05 | 11.8 | 13.4 | 1.44 | 278 | 0.65 | 0.02 | 1.28 |
| I031902 | | 32.1 | 2.27 | 4.79 | 0.07 | 0.15 | 0.06 | 0.023 | 0.04 | 14.5 | 10.7 | 0.57 | 448 | 0.33 | 0.02 | 1.28 |
| I031903 | | 41.3 | 2.36 | 5.08 | 0.12 | 0.12 | 0.08 | 0.027 | 0.08 | 48.1 | 8.8 | 0.37 | 532 | 1.01 | 0.04 | 0.92 |
| I031904 | | 47.9 | 1.94 | 5.27 | 0.07 | 0.06 | 0.07 | 0.027 | 0.08 | 25.8 | 9.8 | 0.40 | 374 | 2.03 | 0.02 | 0.90 |
| I031905 | | 18.6 | 0.98 | 4.46 | <0.05 | 0.03 | 0.02 | 0.012 | 0.07 | 7.9 | 3.6 | 0.14 | 790 | 2.00 | 0.01 | 0.67 |
| I031906 | | 18.7 | 2.14 | 5.16 | <0.05 | 0.09 | 0.02 | 0.023 | 0.11 | 11.7 | 9.5 | 0.33 | 235 | 1.26 | 0.01 | 1.11 |
| I031907 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I031908 | | 20.4 | 1.69 | 3.33 | 0.06 | 0.03 | 0.04 | 0.016 | 0.06 | 13.1 | 7.3 | 0.31 | 272 | 0.67 | 0.02 | 0.66 |
| I031909 | | 109.5 | 2.65 | 5.87 | 0.26 | 0.13 | 0.06 | 0.037 | 0.08 | 104.0 | 7.5 | 0.36 | 1120 | 0.97 | 0.03 | 0.84 |
| I031910 | | 0.6 | 0.02 | <0.05 | <0.05 | <0.02 | <0.01 | <0.005 | <0.01 | 0.5 | <0.1 | <0.01 | <5 | <0.05 | <0.01 | <0.05 |
| I031911 | | 42.7 | 2.80 | 5.03 | 0.12 | 0.08 | 0.08 | 0.032 | 0.13 | 30.8 | 11.8 | 0.69 | 408 | 0.79 | 0.02 | 0.89 |
| I031912 | | 16.7 | 2.60 | 5.77 | 0.07 | 0.04 | 0.02 | 0.025 | 0.11 | 19.8 | 8.6 | 0.40 | 434 | 1.05 | 0.02 | 1.77 |
| I031913 | | 28.6 | 2.36 | 4.71 | 0.08 | 0.05 | 0.02 | 0.022 | 0.12 | 21.0 | 9.2 | 0.43 | 386 | 0.83 | 0.02 | 1.32 |
| I031914 | | 23.0 | 2.11 | 4.04 | 0.07 | 0.02 | 0.02 | 0.020 | 0.09 | 14.0 | 6.6 | 0.37 | 499 | 0.70 | 0.02 | 0.94 |
| I031915 | | 19.1 | 2.08 | 4.14 | 0.05 | 0.04 | 0.02 | 0.020 | 0.03 | 9.7 | 7.8 | 0.41 | 299 | 0.62 | 0.02 | 1.03 |
| I031916 | | 18.1 | 2.48 | 4.65 | 0.07 | 0.05 | 0.01 | 0.021 | 0.04 | 10.6 | 9.7 | 0.51 | 398 | 0.90 | 0.03 | 1.11 |
| I031917 | | 25.7 | 1.71 | 3.21 | 0.06 | 0.06 | 0.04 | 0.016 | 0.05 | 9.8 | 6.5 | 0.40 | 903 | 0.93 | 0.03 | 0.84 |
| I031918 | | 24.7 | 2.62 | 4.68 | 0.07 | 0.07 | 0.03 | 0.022 | 0.07 | 13.0 | 10.5 | 0.55 | 426 | 1.24 | 0.03 | 1.28 |
| I031919 | | 18.6 | 2.24 | 4.32 | 0.06 | 0.05 | 0.04 | 0.022 | 0.06 | 10.1 | 9.4 | 0.56 | 536 | 1.03 | 0.03 | 1.08 |
| I031920 | | 17.1 | 2.09 | 3.58 | 0.06 | 0.05 | 0.02 | 0.016 | 0.04 | 9.8 | 7.8 | 0.47 | 317 | 0.99 | 0.03 | 0.95 |
| I031921 | | 20.8 | 2.26 | 3.93 | 0.07 | 0.06 | 0.02 | 0.019 | 0.04 | 10.9 | 8.7 | 0.50 | 322 | 1.08 | 0.03 | 1.06 |
| I031922 | | 12.9 | 2.56 | 5.52 | <0.05 | 0.02 | 0.01 | 0.023 | 0.04 | 7.9 | 11.2 | 0.36 | 164 | 1.00 | 0.01 | 1.40 |
| I031923 | | 21.7 | 2.38 | 9.28 | 0.06 | <0.02 | 0.02 | 0.027 | 0.06 | 16.0 | 7.7 | 0.31 | 203 | 1.76 | 0.01 | 1.91 |
| I031924 | | 14.4 | 2.44 | 7.84 | 0.07 | <0.02 | 0.04 | 0.022 | 0.05 | 18.3 | 9.2 | 0.34 | 201 | 1.17 | 0.01 | 1.55 |
| I031925 | | 13.3 | 2.87 | 7.81 | 0.10 | <0.02 | 0.03 | 0.021 | 0.07 | 43.4 | 9.0 | 0.22 | 1260 | 1.27 | 0.01 | 1.72 |
| I031926 | | 14.2 | 2.82 | 7.31 | 0.06 | <0.02 | 0.05 | 0.023 | 0.07 | 11.6 | 11.2 | 0.35 | 219 | 1.45 | 0.01 | 1.66 |
| I031927 | | 11.0 | 2.98 | 8.75 | 0.06 | 0.03 | 0.02 | 0.029 | 0.04 | 10.5 | 15.4 | 0.38 | 177 | 1.08 | 0.01 | 2.46 |
| I031928 | | 14.9 | 2.35 | 7.78 | 0.07 | <0.02 | 0.04 | 0.023 | 0.06 | 19.9 | 9.1 | 0.31 | 179 | 1.55 | 0.01 | 2.41 |
| I031929 | | 18.1 | 2.13 | 6.59 | 0.06 | 0.06 | 0.03 | 0.028 | 0.07 | 13.7 | 16.8 | 0.38 | 262 | 2.29 | 0.01 | 3.21 |
| I031930 | | 0.6 | 0.02 | <0.05 | <0.05 | <0.02 | <0.01 | <0.005 | <0.01 | 0.5 | <0.1 | <0.01 | <5 | <0.05 | <0.01 | <0.05 |
| I031931 | | 15.3 | 1.30 | 5.34 | <0.05 | <0.02 | 0.06 | 0.025 | 0.05 | 11.3 | 3.5 | 0.11 | 107 | 1.01 | 0.02 | 1.31 |
| I031932 | | 16.6 | 3.09 | 8.43 | 0.06 | 0.05 | 0.03 | 0.029 | 0.04 | 10.7 | 12.8 | 0.33 | 2100 | 1.94 | 0.01 | 1.87 |
| I031933 | | 16.9 | 3.25 | 6.80 | 0.06 | 0.09 | 0.03 | 0.031 | 0.04 | 9.5 | 14.9 | 0.47 | 305 | 1.23 | 0.01 | 1.79 |
| I031934 | | 15.5 | 2.51 | 7.76 | 0.05 | <0.02 | 0.04 | 0.018 | 0.04 | 7.4 | 10.8 | 0.44 | 185 | 0.89 | 0.02 | 1.22 |
| I031935 | | 13.0 | 3.53 | 7.15 | 0.07 | <0.02 | 0.02 | 0.030 | 0.04 | 11.1 | 15.2 | 0.34 | 191 | 1.45 | 0.01 | 1.94 |
| I031936 | | 13.9 | 3.17 | 7.53 | 0.07 | 0.03 | 0.01 | 0.029 | 0.04 | 11.0 | 14.5 | 0.43 | 209 | 1.22 | 0.01 | 1.75 |
| I031937 | | 14.1 | 3.21 | 7.86 | 0.06 | 0.10 | 0.02 | 0.029 | 0.05 | 9.5 | 15.1 | 0.38 | 254 | 1.44 | 0.01 | 1.56 |
| I031938 | | 17.0 | 3.21 | 8.86 | 0.07 | <0.02 | 0.03 | 0.018 | 0.07 | 11.2 | 23.5 | 0.89 | 567 | 1.39 | 0.01 | 1.85 |
| I031939 | | 32.4 | 2.42 | 5.91 | 0.06 | 0.03 | 0.03 | 0.022 | 0.04 | 10.4 | 17.8 | 0.53 | 193 | 1.71 | 0.01 | 1.35 |
| I031940 | | 85.9 | 4.02 | 10.45 | 0.07 | 0.02 | 0.02 | 0.031 | 0.28 | 7.9 | 18.3 | 0.97 | 369 | 1.82 | 0.01 | 2.86 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 | ME-MS41 Ti % 0.005 |
|--------------------|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|
| I031901 | | 21.1 | 620 | 9.6 | 7.8 | <0.001 | 0.04 | 0.69 | 4.2 | 0.9 | 0.4 | 61.4 | <0.01 | 0.01 | 1.8 | 0.066 |
| I031902 | | 26.6 | 610 | 8.0 | 6.8 | <0.001 | 0.04 | 0.74 | 4.2 | 1.0 | 0.4 | 41.3 | <0.01 | 0.02 | 1.8 | 0.064 |
| I031903 | | 23.4 | 540 | 8.5 | 11.0 | <0.001 | 0.04 | 0.99 | 6.7 | 1.3 | 0.4 | 48.7 | 0.01 | 0.02 | 3.9 | 0.031 |
| I031904 | | 11.5 | 440 | 24.7 | 11.6 | 0.001 | 0.03 | 1.78 | 4.1 | 0.7 | 0.6 | 35.5 | <0.01 | 0.07 | 3.8 | 0.034 |
| I031905 | | 6.0 | 200 | 8.5 | 7.3 | <0.001 | 0.03 | 0.44 | 2.3 | 0.3 | 0.5 | 27.6 | <0.01 | 0.02 | 1.7 | 0.041 |
| I031906 | | 11.1 | 300 | 10.4 | 8.3 | <0.001 | 0.03 | 0.60 | 3.2 | 0.4 | 0.6 | 24.0 | <0.01 | 0.03 | 3.3 | 0.059 |
| I031907 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I031908 | | 12.1 | 560 | 8.3 | 5.9 | 0.001 | 0.07 | 0.46 | 2.2 | 1.1 | 0.3 | 75.2 | 0.01 | 0.02 | 1.5 | 0.026 |
| I031909 | | 26.0 | 470 | 32.3 | 10.1 | 0.002 | 0.02 | 1.98 | 6.8 | 2.4 | 0.7 | 40.3 | 0.02 | 0.04 | 7.2 | 0.027 |
| I031910 | | <0.2 | 10 | 0.6 | 0.1 | <0.001 | 0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 0.6 | <0.01 | <0.01 | 0.3 | <0.005 |
| I031911 | | 17.6 | 810 | 17.3 | 13.7 | 0.001 | 0.05 | 2.46 | 4.9 | 1.5 | 0.6 | 50.0 | 0.01 | 0.03 | 2.9 | 0.039 |
| I031912 | | 14.1 | 220 | 22.7 | 13.2 | <0.001 | 0.01 | 0.43 | 3.6 | 0.6 | 0.8 | 23.1 | <0.01 | 0.02 | 6.4 | 0.061 |
| I031913 | | 17.2 | 570 | 14.8 | 13.1 | <0.001 | 0.04 | 0.90 | 3.6 | 1.2 | 0.5 | 42.7 | 0.01 | 0.03 | 3.4 | 0.055 |
| I031914 | | 13.8 | 660 | 9.2 | 9.8 | <0.001 | 0.04 | 0.91 | 2.7 | 1.1 | 0.4 | 52.0 | <0.01 | 0.03 | 1.3 | 0.042 |
| I031915 | | 17.2 | 560 | 6.4 | 3.8 | 0.001 | 0.04 | 0.61 | 3.1 | 1.2 | 0.4 | 51.8 | <0.01 | 0.03 | 1.3 | 0.049 |
| I031916 | | 20.9 | 620 | 6.8 | 4.8 | <0.001 | 0.02 | 0.53 | 3.6 | 0.8 | 0.4 | 47.4 | <0.01 | 0.03 | 1.7 | 0.060 |
| I031917 | | 19.2 | 890 | 5.0 | 5.9 | 0.001 | 0.09 | 0.89 | 2.2 | 1.3 | 0.3 | 83.0 | <0.01 | 0.04 | 0.7 | 0.043 |
| I031918 | | 20.0 | 740 | 8.3 | 7.4 | 0.001 | 0.03 | 0.73 | 4.2 | 0.8 | 0.4 | 48.7 | <0.01 | 0.03 | 2.7 | 0.068 |
| I031919 | | 18.0 | 860 | 7.0 | 6.1 | 0.001 | 0.07 | 0.78 | 3.4 | 1.1 | 0.4 | 73.7 | <0.01 | 0.03 | 1.1 | 0.051 |
| I031920 | | 17.1 | 740 | 5.0 | 4.1 | 0.001 | 0.03 | 0.53 | 3.0 | 0.7 | 0.3 | 47.6 | <0.01 | 0.02 | 1.5 | 0.060 |
| I031921 | | 18.5 | 750 | 5.7 | 4.8 | <0.001 | 0.03 | 0.61 | 3.6 | 0.9 | 0.4 | 46.3 | <0.01 | 0.02 | 1.8 | 0.064 |
| I031922 | | 18.9 | 150 | 7.7 | 7.1 | <0.001 | 0.01 | 0.47 | 2.9 | 0.3 | 0.5 | 14.5 | <0.01 | 0.02 | 2.5 | 0.056 |
| I031923 | | 13.3 | 570 | 19.6 | 23.4 | <0.001 | 0.01 | 0.39 | 3.2 | 0.6 | 1.2 | 21.5 | <0.01 | 0.03 | 1.0 | 0.077 |
| I031924 | | 14.3 | 530 | 10.9 | 12.0 | <0.001 | 0.02 | 0.40 | 3.1 | 0.6 | 0.8 | 22.5 | <0.01 | 0.02 | 1.2 | 0.069 |
| I031925 | | 10.4 | 440 | 11.9 | 22.0 | <0.001 | 0.01 | 0.40 | 3.1 | 0.7 | 0.7 | 14.7 | <0.01 | 0.03 | 3.8 | 0.060 |
| I031926 | | 14.4 | 400 | 13.9 | 23.0 | <0.001 | 0.02 | 0.46 | 2.7 | 0.6 | 0.7 | 17.2 | <0.01 | 0.03 | 1.4 | 0.062 |
| I031927 | | 13.9 | 210 | 14.1 | 14.7 | <0.001 | 0.01 | 0.34 | 3.7 | 0.4 | 1.1 | 14.4 | <0.01 | 0.03 | 3.7 | 0.067 |
| I031928 | | 12.4 | 360 | 14.2 | 14.5 | <0.001 | 0.02 | 0.39 | 3.7 | 0.7 | 1.0 | 21.6 | <0.01 | 0.03 | 3.5 | 0.064 |
| I031929 | | 14.3 | 480 | 14.6 | 23.7 | <0.001 | 0.03 | 0.33 | 3.5 | 1.0 | 1.3 | 49.5 | 0.01 | 0.02 | 4.1 | 0.042 |
| I031930 | | <0.2 | 10 | 0.4 | 0.1 | <0.001 | 0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 0.7 | <0.01 | <0.01 | 0.3 | <0.005 |
| I031931 | | 5.3 | 510 | 25.5 | 9.1 | <0.001 | 0.02 | 0.20 | 1.1 | 0.8 | 1.0 | 20.3 | <0.01 | 0.02 | 0.2 | 0.024 |
| I031932 | | 15.3 | 240 | 12.2 | 11.4 | <0.001 | 0.01 | 0.51 | 4.1 | 0.6 | 0.8 | 16.1 | <0.01 | 0.03 | 3.1 | 0.067 |
| I031933 | | 21.4 | 290 | 11.0 | 10.7 | <0.001 | 0.01 | 0.56 | 3.7 | 0.5 | 0.6 | 14.2 | <0.01 | 0.03 | 3.7 | 0.063 |
| I031934 | | 11.7 | 410 | 7.0 | 6.1 | <0.001 | 0.02 | 0.45 | 3.4 | 0.6 | 0.6 | 14.9 | <0.01 | 0.03 | 0.8 | 0.100 |
| I031935 | | 12.7 | 420 | 11.2 | 11.7 | <0.001 | 0.01 | 0.64 | 3.3 | 0.7 | 0.6 | 11.7 | 0.01 | 0.04 | 3.4 | 0.069 |
| I031936 | | 16.8 | 240 | 10.1 | 9.2 | <0.001 | 0.01 | 0.51 | 3.6 | 0.4 | 0.7 | 14.1 | <0.01 | 0.03 | 3.8 | 0.064 |
| I031937 | | 15.2 | 230 | 9.9 | 11.6 | <0.001 | 0.01 | 0.44 | 3.4 | 0.3 | 0.7 | 12.1 | <0.01 | 0.03 | 3.3 | 0.070 |
| I031938 | | 21.6 | 530 | 11.0 | 17.6 | <0.001 | 0.01 | 0.37 | 3.6 | 0.5 | 0.5 | 21.3 | <0.01 | 0.02 | 1.0 | 0.088 |
| I031939 | | 15.8 | 500 | 7.9 | 8.5 | <0.001 | 0.01 | 0.37 | 3.6 | 0.5 | 0.5 | 21.3 | <0.01 | 0.03 | 2.6 | 0.060 |
| I031940 | | 15.5 | 840 | 10.7 | 28.9 | <0.001 | 0.01 | 0.35 | 4.0 | 0.5 | 1.3 | 19.2 | <0.01 | 0.09 | 1.7 | 0.195 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti ppm 0.02 | ME-MS41 U ppm 0.05 | ME-MS41 V ppm 1 | ME-MS41 W ppm 0.05 | ME-MS41 Y ppm 0.05 | ME-MS41 Zn ppm 2 | ME-MS41 Zr ppm 0.5 | WEI-21 Recvd Wt. kg 0.02 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|--------------------------|-----------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------------|
| I031901 | | 0.06 | 0.81 | 44 | 0.27 | 10.25 | 56 | 8.6 | 0.26 |
| I031902 | | 0.05 | 0.55 | 50 | 0.16 | 12.15 | 50 | 6.5 | 0.32 |
| I031903 | | 0.07 | 1.52 | 47 | 0.19 | 40.4 | 42 | 4.4 | 0.32 |
| I031904 | | 0.07 | 0.86 | 44 | 0.16 | 14.25 | 53 | 1.7 | 0.24 |
| I031905 | | 0.07 | 0.40 | 27 | 0.11 | 2.45 | 76 | 1.2 | 0.12 |
| I031906 | | 0.06 | 0.59 | 45 | 0.16 | 4.28 | 42 | 3.1 | 0.22 |
| I031907 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | 0.20 |
| I031908 | | 0.04 | 1.02 | 28 | 0.20 | 10.15 | 34 | 1.8 | 0.38 |
| I031909 | | 0.08 | 1.12 | 42 | 0.22 | 66.5 | 64 | 3.0 | 0.24 |
| I031910 | | <0.02 | 0.10 | <1 | <0.05 | 0.60 | 2 | 0.6 | 0.10 |
| I031911 | | 0.09 | 1.37 | 46 | 0.17 | 28.4 | 63 | 3.0 | 0.34 |
| I031912 | | 0.09 | 0.91 | 49 | 0.27 | 6.21 | 54 | 1.9 | 0.28 |
| I031913 | | 0.05 | 1.59 | 46 | 0.76 | 13.55 | 57 | 2.2 | 0.28 |
| I031914 | | 0.04 | 0.96 | 42 | 0.18 | 8.48 | 61 | 1.4 | 0.28 |
| I031915 | | 0.04 | 1.47 | 46 | 0.16 | 6.13 | 39 | 2.0 | 0.48 |
| I031916 | | 0.04 | 1.02 | 55 | 0.14 | 6.97 | 50 | 2.2 | 0.34 |
| I031917 | | 0.04 | 1.64 | 37 | 0.15 | 8.33 | 52 | 2.7 | 0.28 |
| I031918 | | 0.05 | 1.12 | 53 | 0.39 | 8.87 | 57 | 3.6 | 0.44 |
| I031919 | | 0.06 | 1.35 | 49 | 0.18 | 6.98 | 63 | 2.5 | 0.22 |
| I031920 | | 0.04 | 0.69 | 47 | 0.14 | 6.06 | 41 | 2.5 | 0.38 |
| I031921 | | 0.04 | 0.78 | 50 | 0.26 | 7.48 | 43 | 2.8 | 0.40 |
| I031922 | | 0.07 | 0.33 | 61 | 0.20 | 2.10 | 58 | 1.8 | 0.42 |
| I031923 | | 0.15 | 1.08 | 60 | 0.24 | 6.80 | 40 | 0.9 | 0.28 |
| I031924 | | 0.12 | 0.66 | 59 | 0.25 | 6.44 | 41 | 0.7 | 0.30 |
| I031925 | | 0.12 | 0.78 | 65 | 0.20 | 8.78 | 39 | 0.9 | 0.38 |
| I031926 | | 0.11 | 0.66 | 64 | 0.23 | 4.10 | 37 | 0.7 | 0.34 |
| I031927 | | 0.16 | 0.85 | 69 | 0.20 | 4.78 | 40 | 1.7 | 0.46 |
| I031928 | | 0.13 | 1.00 | 60 | 0.25 | 8.42 | 38 | 1.0 | 0.30 |
| I031929 | | 0.13 | 7.40 | 46 | 0.24 | 19.20 | 43 | 1.9 | 0.32 |
| I031930 | | <0.02 | 0.13 | <1 | <0.05 | 0.64 | <2 | 0.6 | 0.10 |
| I031931 | | 0.10 | 2.68 | 25 | 0.14 | 10.20 | 16 | <0.5 | 0.24 |
| I031932 | | 0.16 | 0.57 | 77 | 0.22 | 3.02 | 34 | 2.9 | 0.34 |
| I031933 | | 0.11 | 0.80 | 68 | 0.23 | 2.83 | 51 | 4.1 | 0.36 |
| I031934 | | 0.09 | 0.38 | 77 | 0.20 | 2.46 | 33 | 0.8 | 0.40 |
| I031935 | | 0.11 | 0.65 | 69 | 0.30 | 2.88 | 37 | 1.1 | 0.44 |
| I031936 | | 0.12 | 0.58 | 70 | 0.21 | 2.99 | 42 | 2.4 | 0.52 |
| I031937 | | 0.12 | 0.46 | 72 | 0.18 | 2.32 | 39 | 4.8 | 0.42 |
| I031938 | | 0.09 | 0.62 | 63 | 0.18 | 5.15 | 61 | 0.5 | 0.46 |
| I031939 | | 0.09 | 0.55 | 50 | 0.15 | 4.66 | 52 | 1.8 | 0.34 |
| I031940 | | 0.27 | 0.46 | 104 | 0.31 | 2.72 | 125 | 1.4 | 0.40 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | Au-AA23 Au ppm 0.005 | ME-MS41 Ag ppm 0.01 | ME-MS41 Al % 0.01 | ME-MS41 As ppm 0.1 | ME-MS41 Au ppm 0.2 | ME-MS41 B ppm 10 | ME-MS41 Ba ppm 10 | ME-MS41 Be ppm 0.05 | ME-MS41 Bi ppm 0.01 | ME-MS41 Ca % 0.01 | ME-MS41 Cd ppm 0.01 | ME-MS41 Ce ppm 0.02 | ME-MS41 Co ppm 0.1 | ME-MS41 Cr ppm 1 | ME-MS41 Cs ppm 0.05 |
|--------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|------------------------------|
| I031941 | | <0.005 | 0.16 | 2.43 | 9.6 | <0.2 | <10 | 180 | 0.35 | 0.22 | 0.24 | 0.18 | 16.65 | 9.2 | 27 | 4.06 |
| I031942 | | <0.005 | 0.14 | 1.67 | 8.7 | <0.2 | <10 | 140 | 0.24 | 0.21 | 0.15 | 0.12 | 18.50 | 6.0 | 25 | 1.22 |
| I031943 | | <0.005 | 0.12 | 1.52 | 6.2 | <0.2 | <10 | 140 | 0.25 | 0.13 | 0.24 | 0.11 | 19.70 | 7.1 | 27 | 1.25 |
| I031944 | | <0.005 | 0.05 | 2.43 | 10.1 | <0.2 | <10 | 180 | 0.38 | 0.18 | 0.12 | 0.18 | 20.2 | 10.8 | 36 | 2.79 |
| I031945 | | <0.005 | 0.12 | 2.33 | 10.9 | <0.2 | <10 | 190 | 0.72 | 0.43 | 0.11 | 0.13 | 22.2 | 12.5 | 38 | 2.83 |
| I031946 | | <0.005 | 0.04 | 2.16 | 14.5 | <0.2 | <10 | 160 | 0.45 | 0.22 | 0.14 | 0.10 | 27.5 | 13.6 | 31 | 3.48 |
| I031947 | | <0.005 | 0.07 | 2.43 | 11.3 | <0.2 | <10 | 170 | 0.40 | 0.23 | 0.11 | 0.07 | 26.8 | 9.2 | 36 | 1.97 |
| I031948 | | <0.005 | 0.08 | 2.07 | 8.0 | <0.2 | <10 | 150 | 0.32 | 0.14 | 0.14 | 0.14 | 27.4 | 7.3 | 19 | 3.44 |
| I031949 | | <0.005 | 0.05 | 2.68 | 18.5 | <0.2 | <10 | 90 | 0.29 | 0.19 | 0.10 | 0.10 | 15.10 | 11.5 | 22 | 4.33 |
| I031950 | | <0.005 | <0.01 | 0.01 | 0.1 | <0.2 | <10 | 10 | <0.05 | <0.01 | <0.01 | 0.01 | 1.21 | 0.2 | 1 | 0.05 |
| I031951 | | <0.005 | 0.03 | 2.09 | 5.7 | <0.2 | <10 | 180 | 0.37 | 0.15 | 0.31 | 0.05 | 16.60 | 7.9 | 27 | 1.08 |
| I031952 | | <0.005 | 0.05 | 2.23 | 6.1 | <0.2 | <10 | 230 | 0.44 | 0.15 | 0.36 | 0.07 | 20.0 | 9.5 | 27 | 0.98 |
| I031953 | | <0.005 | 0.05 | 1.87 | 4.8 | <0.2 | <10 | 160 | 0.28 | 0.14 | 0.35 | 0.07 | 15.10 | 5.5 | 29 | 0.79 |
| I031954 | | <0.005 | 0.06 | 1.75 | 4.9 | <0.2 | <10 | 140 | 0.26 | 0.12 | 0.24 | 0.05 | 15.05 | 5.8 | 25 | 0.85 |
| I031955 | | <0.005 | 0.04 | 2.29 | 4.9 | <0.2 | <10 | 230 | 0.43 | 0.12 | 0.67 | 0.07 | 14.80 | 9.4 | 24 | 0.85 |
| I031956 | | <0.005 | 0.08 | 1.93 | 6.4 | <0.2 | <10 | 200 | 0.44 | 0.12 | 1.04 | 0.07 | 25.0 | 7.9 | 25 | 0.59 |
| I031957 | | <0.005 | 0.07 | 1.38 | 5.1 | <0.2 | <10 | 210 | 0.52 | 0.12 | 0.78 | 0.10 | 29.8 | 6.4 | 20 | 0.39 |
| I031958 | | <0.005 | 0.08 | 1.82 | 9.2 | <0.2 | <10 | 130 | 0.27 | 0.15 | 0.10 | 0.05 | 15.20 | 6.6 | 24 | 0.79 |
| I031959 | | <0.005 | 0.14 | 1.97 | 6.5 | <0.2 | <10 | 150 | 0.35 | 0.16 | 0.09 | 0.04 | 15.10 | 6.3 | 26 | 0.91 |
| I031960 | | <0.005 | 0.20 | 1.95 | 7.3 | <0.2 | <10 | 170 | 0.41 | 0.16 | 0.10 | 0.04 | 15.75 | 6.8 | 29 | 0.85 |
| I031961 | | <0.005 | 0.08 | 1.75 | 7.4 | <0.2 | <10 | 140 | 0.26 | 0.12 | 0.08 | 0.04 | 14.70 | 5.8 | 24 | 0.72 |
| I031962 | | <0.005 | 0.06 | 1.65 | 8.2 | <0.2 | <10 | 160 | 0.24 | 0.14 | 0.14 | 0.05 | 15.65 | 6.6 | 24 | 0.61 |
| I031963 | | <0.005 | 0.14 | 1.36 | 6.3 | <0.2 | <10 | 160 | 0.37 | 0.19 | 0.11 | 0.07 | 23.6 | 4.5 | 23 | 0.65 |
| I031964 | | <0.005 | 0.05 | 1.60 | 5.4 | <0.2 | <10 | 300 | 0.19 | 0.13 | 0.23 | 0.08 | 10.90 | 11.9 | 34 | 0.84 |
| I031965 | | <0.005 | 0.04 | 2.16 | 5.5 | <0.2 | <10 | 230 | 0.42 | 0.17 | 0.52 | 0.07 | 19.60 | 11.0 | 32 | 0.83 |
| I031966 | | <0.005 | 0.07 | 2.77 | 8.0 | <0.2 | <10 | 280 | 0.83 | 0.20 | 0.56 | 0.13 | 36.9 | 11.8 | 52 | 0.74 |
| I031967 | | <0.005 | 0.03 | 2.38 | 3.9 | <0.2 | <10 | 240 | 0.56 | 0.22 | 0.34 | 0.06 | 46.7 | 9.7 | 21 | 1.05 |
| I031968 | | <0.005 | 0.11 | 1.62 | 6.4 | <0.2 | <10 | 190 | 0.21 | 0.18 | 0.09 | 0.13 | 17.75 | 6.1 | 25 | 0.45 |
| I031969 | | <0.005 | 0.13 | 1.65 | 3.1 | <0.2 | <10 | 410 | 0.25 | 0.16 | 0.33 | 0.36 | 19.80 | 8.8 | 21 | 0.45 |
| I031970 | | <0.005 | 0.01 | 0.01 | <0.1 | <0.2 | <10 | 10 | <0.05 | <0.01 | <0.01 | 0.01 | 1.09 | 0.2 | <1 | <0.05 |
| I031971 | | <0.005 | 0.14 | 1.50 | 5.2 | <0.2 | <10 | 480 | 0.32 | 0.16 | 0.32 | 0.12 | 22.2 | 7.2 | 24 | 0.35 |
| I031972 | | <0.005 | 0.19 | 1.82 | 3.3 | <0.2 | <10 | 470 | 0.39 | 0.19 | 0.46 | 0.25 | 27.1 | 10.4 | 85 | 0.54 |
| I031973 | | <0.005 | 0.31 | 1.51 | 3.6 | <0.2 | <10 | 780 | 0.40 | 0.19 | 0.41 | 0.56 | 24.2 | 10.1 | 22 | 0.51 |
| I031974 | | <0.005 | 0.19 | 1.71 | 4.7 | <0.2 | <10 | 470 | 0.57 | 0.21 | 0.42 | 0.09 | 27.2 | 10.0 | 29 | 0.34 |
| I031975 | | <0.005 | 0.09 | 1.64 | 7.6 | <0.2 | <10 | 270 | 0.35 | 0.17 | 0.32 | 0.12 | 19.05 | 8.5 | 29 | 0.41 |
| I031976 | | <0.005 | 0.07 | 1.51 | 3.7 | <0.2 | <10 | 200 | 0.31 | 0.15 | 0.20 | 0.12 | 18.55 | 6.2 | 24 | 0.42 |
| I031977 | | <0.005 | 0.11 | 1.60 | 5.2 | <0.2 | <10 | 480 | 0.43 | 0.19 | 0.34 | 0.11 | 24.3 | 8.7 | 28 | 0.40 |
| I031978 | | <0.005 | 0.06 | 1.34 | 1.8 | <0.2 | <10 | 220 | 0.25 | 0.23 | 0.26 | 0.18 | 17.90 | 6.0 | 16 | 0.41 |
| I031979 | | <0.005 | 0.13 | 1.71 | 5.2 | <0.2 | <10 | 370 | 0.40 | 0.24 | 0.39 | 0.10 | 19.20 | 9.0 | 28 | 0.27 |
| I031980 | | <0.005 | 0.14 | 1.93 | 6.2 | <0.2 | <10 | 390 | 0.52 | 0.24 | 0.41 | 0.10 | 21.2 | 9.7 | 31 | 0.32 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Cu ppm | ME-MS41 Fe % | ME-MS41 Ga ppm | ME-MS41 Ge ppm | ME-MS41 Hf ppm | ME-MS41 Hg ppm | ME-MS41 In ppm | ME-MS41 K % | ME-MS41 La ppm | ME-MS41 Li ppm | ME-MS41 Mg % | ME-MS41 Mn ppm | ME-MS41 Mo ppm | ME-MS41 Na % | ME-MS41 Nb ppm |
|--------------------|-----------------------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------------|----------------------|----------------------|--------------------|----------------------|----------------------|--------------------|----------------------|
| | | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 | 0.01 | 0.05 |
| I031941 | | 77.5 | 3.75 | 10.00 | 0.08 | <0.02 | 0.02 | 0.029 | 0.24 | 8.3 | 17.5 | 0.86 | 331 | 1.74 | 0.01 | 2.62 |
| I031942 | | 27.3 | 2.89 | 7.99 | 0.06 | <0.02 | 0.02 | 0.023 | 0.06 | 9.0 | 11.6 | 0.41 | 194 | 1.21 | 0.01 | 1.80 |
| I031943 | | 49.1 | 2.24 | 5.22 | 0.05 | 0.04 | 0.03 | 0.021 | 0.05 | 10.2 | 14.2 | 0.50 | 183 | 0.61 | <0.01 | 1.28 |
| I031944 | | 19.7 | 3.33 | 6.74 | 0.07 | 0.05 | 0.02 | 0.032 | 0.05 | 10.2 | 18.4 | 0.55 | 283 | 1.13 | <0.01 | 1.67 |
| I031945 | | 13.8 | 3.44 | 6.98 | 0.07 | 0.06 | 0.01 | 0.037 | 0.05 | 11.4 | 17.7 | 0.41 | 269 | 1.65 | <0.01 | 2.74 |
| I031946 | | 18.5 | 3.22 | 6.95 | 0.07 | <0.02 | 0.01 | 0.033 | 0.10 | 12.9 | 18.8 | 0.56 | 268 | 1.50 | <0.01 | 1.41 |
| I031947 | | 14.8 | 3.28 | 8.16 | 0.07 | 0.03 | 0.03 | 0.034 | 0.05 | 13.6 | 17.9 | 0.42 | 193 | 1.49 | <0.01 | 2.05 |
| I031948 | | 14.3 | 3.15 | 8.85 | 0.07 | <0.02 | 0.02 | 0.023 | 0.26 | 11.9 | 21.7 | 0.54 | 356 | 1.11 | <0.01 | 3.72 |
| I031949 | | 20.7 | 4.83 | 9.57 | 0.08 | <0.02 | 0.01 | 0.025 | 0.07 | 6.2 | 29.3 | 0.86 | 461 | 2.78 | <0.01 | 1.10 |
| I031950 | | 1.0 | 0.03 | 0.19 | <0.05 | <0.02 | <0.01 | <0.005 | <0.01 | 0.6 | 0.5 | <0.01 | <5 | 0.07 | <0.01 | 0.05 |
| I031951 | | 13.5 | 2.33 | 6.74 | 0.05 | 0.03 | 0.01 | 0.048 | 0.03 | 7.7 | 18.6 | 0.83 | 169 | 0.52 | <0.01 | 1.20 |
| I031952 | | 12.6 | 2.54 | 7.17 | 0.05 | 0.06 | 0.02 | 0.025 | 0.03 | 9.3 | 17.7 | 0.68 | 334 | 0.58 | 0.01 | 1.39 |
| I031953 | | 13.1 | 2.01 | 7.06 | 0.05 | 0.03 | 0.01 | 0.023 | 0.02 | 7.6 | 16.0 | 0.66 | 142 | 0.60 | <0.01 | 1.20 |
| I031954 | | 9.5 | 1.93 | 5.93 | 0.05 | <0.02 | 0.01 | 0.020 | 0.03 | 7.9 | 15.6 | 0.53 | 144 | 0.67 | <0.01 | 1.23 |
| I031955 | | 20.3 | 2.51 | 7.39 | 0.06 | 0.05 | 0.02 | 0.022 | 0.04 | 7.1 | 20.1 | 1.02 | 528 | 0.43 | 0.01 | 1.11 |
| I031956 | | 25.4 | 2.19 | 5.33 | 0.06 | 0.07 | 0.03 | 0.023 | 0.03 | 12.9 | 16.8 | 1.06 | 336 | 0.25 | 0.02 | 1.15 |
| I031957 | | 17.6 | 1.82 | 4.46 | 0.06 | 0.04 | 0.03 | 0.018 | 0.04 | 15.7 | 9.8 | 0.39 | 315 | 0.28 | 0.01 | 0.89 |
| I031958 | | 14.5 | 2.54 | 6.69 | 0.05 | <0.02 | 0.02 | 0.020 | 0.04 | 8.2 | 10.7 | 0.40 | 203 | 1.14 | <0.01 | 1.27 |
| I031959 | | 14.9 | 2.53 | 6.57 | 0.05 | <0.02 | 0.01 | 0.025 | 0.05 | 7.7 | 14.1 | 0.38 | 163 | 0.71 | <0.01 | 1.36 |
| I031960 | | 18.6 | 2.55 | 6.34 | 0.05 | <0.02 | 0.01 | 0.025 | 0.05 | 8.0 | 12.6 | 0.41 | 172 | 0.72 | <0.01 | 1.29 |
| I031961 | | 13.9 | 2.24 | 5.39 | 0.05 | <0.02 | 0.01 | 0.019 | 0.04 | 7.6 | 12.6 | 0.33 | 169 | 1.03 | <0.01 | 1.16 |
| I031962 | | 12.3 | 2.58 | 6.29 | 0.05 | 0.03 | 0.01 | 0.018 | 0.06 | 8.2 | 16.3 | 0.47 | 195 | 0.84 | <0.01 | 1.09 |
| I031963 | | 9.6 | 2.14 | 6.53 | 0.05 | <0.02 | 0.01 | 0.017 | 0.04 | 12.7 | 12.3 | 0.26 | 214 | 1.05 | <0.01 | 1.38 |
| I031964 | | 16.1 | 2.22 | 5.92 | 0.05 | <0.02 | 0.01 | 0.015 | 0.07 | 5.5 | 15.6 | 0.81 | 656 | 0.67 | 0.01 | 1.13 |
| I031965 | | 14.5 | 2.68 | 6.94 | 0.05 | 0.08 | 0.02 | 0.051 | 0.03 | 9.2 | 13.5 | 0.58 | 449 | 1.21 | 0.01 | 1.25 |
| I031966 | | 19.5 | 3.04 | 8.34 | 0.08 | 0.25 | 0.02 | 0.038 | 0.03 | 19.0 | 14.8 | 0.78 | 440 | 0.73 | 0.02 | 1.02 |
| I031967 | | 29.8 | 3.26 | 6.51 | 0.07 | 0.07 | 0.01 | 0.025 | 0.06 | 22.9 | 20.2 | 0.53 | 182 | 0.73 | 0.01 | 0.48 |
| I031968 | | 9.5 | 2.52 | 6.58 | 0.05 | 0.02 | 0.01 | 0.020 | 0.03 | 8.9 | 11.0 | 0.32 | 511 | 1.44 | <0.01 | 1.42 |
| I031969 | | 12.3 | 2.33 | 6.48 | 0.06 | 0.03 | 0.01 | 0.020 | 0.07 | 10.0 | 9.0 | 0.35 | 1020 | 1.26 | 0.01 | 1.34 |
| I031970 | | 0.8 | 0.02 | 0.14 | <0.05 | <0.02 | <0.01 | <0.005 | <0.01 | 0.5 | 0.2 | <0.01 | <5 | 0.05 | <0.01 | <0.05 |
| I031971 | | 9.9 | 2.28 | 5.05 | 0.05 | <0.02 | 0.01 | 0.021 | 0.09 | 11.2 | 10.0 | 0.34 | 460 | 1.08 | 0.01 | 1.26 |
| I031972 | | 15.3 | 2.52 | 6.10 | 0.06 | 0.02 | 0.01 | 0.024 | 0.23 | 12.3 | 10.2 | 0.59 | 990 | 1.78 | 0.02 | 1.09 |
| I031973 | | 16.2 | 2.12 | 5.67 | 0.05 | <0.02 | 0.02 | 0.020 | 0.08 | 12.9 | 7.8 | 0.29 | 2340 | 1.03 | 0.03 | 1.23 |
| I031974 | | 18.4 | 2.72 | 5.46 | 0.05 | 0.04 | 0.02 | 0.025 | 0.12 | 11.8 | 8.8 | 0.38 | 627 | 1.25 | 0.01 | 1.05 |
| I031975 | | 13.7 | 2.50 | 5.35 | 0.05 | <0.02 | 0.01 | 0.022 | 0.09 | 9.3 | 9.3 | 0.38 | 447 | 1.03 | 0.01 | 1.25 |
| I031976 | | 9.6 | 2.06 | 5.90 | <0.05 | <0.02 | 0.01 | 0.022 | 0.04 | 9.4 | 10.3 | 0.38 | 276 | 0.91 | 0.01 | 1.18 |
| I031977 | | 11.7 | 2.33 | 5.14 | 0.05 | 0.10 | 0.01 | 0.022 | 0.11 | 12.0 | 8.4 | 0.32 | 774 | 1.15 | 0.02 | 1.27 |
| I031978 | | 12.8 | 2.20 | 5.61 | <0.05 | <0.02 | 0.01 | 0.040 | 0.08 | 7.8 | 8.3 | 0.32 | 299 | 1.44 | 0.01 | 0.60 |
| I031979 | | 10.3 | 2.61 | 5.17 | 0.05 | 0.07 | 0.01 | 0.024 | 0.08 | 9.7 | 8.1 | 0.40 | 484 | 1.37 | 0.01 | 1.11 |
| I031980 | | 11.8 | 2.80 | 5.61 | 0.05 | 0.09 | 0.02 | 0.026 | 0.09 | 10.6 | 8.6 | 0.42 | 510 | 1.48 | 0.01 | 1.13 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th |
| | | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.2 | 10 | 0.2 | 0.1 | 0.001 | 0.01 | 0.05 | 0.1 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | 0.2 |
| I031941 | | 15.5 | 730 | 10.4 | 25.6 | <0.001 | 0.01 | 0.37 | 3.8 | 0.5 | 1.2 | 18.7 | <0.01 | 0.07 | 1.7 |
| I031942 | | 11.0 | 430 | 9.3 | 12.7 | <0.001 | 0.01 | 0.34 | 3.0 | 0.4 | 0.8 | 14.9 | <0.01 | 0.05 | 1.8 |
| I031943 | | 15.9 | 440 | 8.0 | 8.8 | <0.001 | <0.01 | 0.34 | 3.5 | 0.2 | 0.5 | 20.3 | <0.01 | 0.01 | 2.7 |
| I031944 | | 21.2 | 260 | 10.9 | 11.9 | <0.001 | <0.01 | 0.50 | 4.3 | 0.3 | 0.6 | 14.9 | <0.01 | 0.02 | 3.7 |
| I031945 | | 22.7 | 310 | 20.1 | 19.0 | <0.001 | 0.01 | 0.58 | 3.7 | 0.3 | 0.9 | 13.0 | 0.01 | 0.03 | 4.3 |
| I031946 | | 18.8 | 410 | 9.7 | 15.0 | <0.001 | 0.01 | 0.57 | 4.7 | 0.4 | 0.6 | 15.0 | <0.01 | 0.04 | 3.0 |
| I031947 | | 16.8 | 330 | 10.5 | 11.8 | <0.001 | 0.01 | 0.58 | 4.7 | 0.4 | 0.8 | 14.2 | 0.01 | 0.03 | 3.8 |
| I031948 | | 9.2 | 640 | 12.9 | 33.3 | <0.001 | 0.01 | 0.32 | 4.1 | 0.4 | 0.9 | 11.5 | <0.01 | 0.03 | 3.0 |
| I031949 | | 9.5 | 580 | 9.2 | 18.4 | <0.001 | 0.01 | 0.56 | 4.7 | 0.3 | 0.4 | 8.6 | <0.01 | 0.08 | 3.0 |
| I031950 | | 0.4 | 10 | 0.5 | 0.3 | <0.001 | <0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 0.7 | <0.01 | <0.01 | 0.3 |
| I031951 | | 18.2 | 290 | 6.6 | 8.2 | <0.001 | 0.01 | 0.24 | 3.6 | 0.2 | 0.5 | 18.5 | <0.01 | 0.02 | 1.9 |
| I031952 | | 19.5 | 230 | 8.3 | 8.6 | <0.001 | <0.01 | 0.27 | 4.0 | 0.3 | 0.6 | 19.4 | <0.01 | 0.02 | 2.5 |
| I031953 | | 16.7 | 170 | 6.9 | 4.8 | <0.001 | 0.01 | 0.24 | 3.6 | 0.2 | 0.6 | 17.0 | <0.01 | 0.02 | 1.8 |
| I031954 | | 13.3 | 240 | 6.6 | 6.0 | <0.001 | <0.01 | 0.25 | 3.1 | 0.2 | 0.5 | 16.3 | <0.01 | 0.02 | 1.8 |
| I031955 | | 14.7 | 340 | 6.0 | 7.6 | <0.001 | 0.01 | 0.23 | 4.3 | 0.3 | 0.5 | 27.9 | <0.01 | 0.02 | 1.9 |
| I031956 | | 18.0 | 570 | 6.7 | 6.0 | <0.001 | 0.02 | 0.32 | 4.4 | 0.7 | 0.4 | 33.3 | <0.01 | 0.02 | 2.0 |
| I031957 | | 13.2 | 460 | 5.7 | 7.1 | <0.001 | 0.02 | 0.28 | 3.5 | 0.7 | 0.3 | 31.1 | <0.01 | 0.02 | 2.4 |
| I031958 | | 14.5 | 430 | 7.7 | 10.5 | <0.001 | 0.01 | 0.42 | 2.6 | 0.2 | 0.5 | 14.5 | <0.01 | 0.02 | 1.6 |
| I031959 | | 16.5 | 170 | 8.1 | 12.4 | <0.001 | <0.01 | 0.35 | 2.7 | <0.2 | 0.5 | 11.0 | <0.01 | 0.02 | 2.2 |
| I031960 | | 18.9 | 160 | 8.3 | 11.5 | <0.001 | <0.01 | 0.39 | 2.8 | <0.2 | 0.5 | 11.9 | <0.01 | 0.02 | 2.1 |
| I031961 | | 14.1 | 160 | 6.7 | 9.7 | <0.001 | <0.01 | 0.40 | 2.2 | 0.2 | 0.5 | 10.9 | <0.01 | 0.02 | 1.2 |
| I031962 | | 14.8 | 210 | 8.2 | 10.0 | <0.001 | <0.01 | 0.37 | 2.5 | <0.2 | 0.5 | 15.3 | <0.01 | 0.02 | 2.4 |
| I031963 | | 12.4 | 360 | 8.4 | 11.1 | <0.001 | <0.01 | 0.31 | 2.4 | <0.2 | 0.6 | 12.2 | <0.01 | 0.02 | 2.2 |
| I031964 | | 24.5 | 300 | 7.0 | 13.7 | <0.001 | 0.01 | 0.31 | 2.7 | <0.2 | 0.4 | 21.4 | <0.01 | 0.02 | 0.9 |
| I031965 | | 18.6 | 130 | 12.1 | 6.3 | <0.001 | 0.01 | 0.31 | 5.3 | 0.3 | 0.6 | 24.1 | <0.01 | 0.02 | 2.5 |
| I031966 | | 28.6 | 110 | 11.4 | 6.7 | <0.001 | 0.01 | 0.35 | 8.2 | 0.5 | 0.8 | 24.3 | <0.01 | 0.03 | 4.2 |
| I031967 | | 13.8 | 130 | 7.5 | 11.7 | <0.001 | <0.01 | 0.18 | 4.7 | 0.3 | 0.4 | 18.1 | <0.01 | 0.03 | 5.0 |
| I031968 | | 13.0 | 210 | 8.3 | 6.3 | <0.001 | 0.01 | 0.40 | 2.7 | <0.2 | 0.6 | 10.6 | <0.01 | 0.03 | 2.3 |
| I031969 | | 12.5 | 360 | 7.0 | 10.3 | <0.001 | 0.01 | 0.30 | 3.8 | 0.2 | 0.6 | 24.5 | <0.01 | 0.02 | 2.4 |
| I031970 | | 0.5 | 10 | 0.5 | 0.2 | <0.001 | <0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 0.9 | <0.01 | <0.01 | 0.3 |
| I031971 | | 13.3 | 300 | 7.7 | 10.1 | <0.001 | <0.01 | 0.37 | 2.8 | 0.2 | 0.5 | 18.0 | <0.01 | 0.02 | 2.2 |
| I031972 | | 29.5 | 380 | 22.7 | 20.0 | <0.001 | 0.01 | 0.31 | 4.4 | 0.2 | 0.5 | 25.1 | <0.01 | 0.02 | 3.6 |
| I031973 | | 16.6 | 380 | 10.2 | 14.2 | <0.001 | 0.01 | 0.31 | 3.0 | 0.3 | 0.6 | 28.5 | <0.01 | 0.03 | 2.3 |
| I031974 | | 15.9 | 220 | 10.4 | 14.3 | <0.001 | 0.01 | 0.32 | 5.3 | 0.3 | 0.5 | 21.4 | <0.01 | 0.02 | 3.2 |
| I031975 | | 16.7 | 230 | 7.7 | 12.0 | <0.001 | 0.01 | 0.46 | 3.7 | 0.3 | 0.5 | 23.9 | <0.01 | 0.02 | 2.9 |
| I031976 | | 12.7 | 230 | 6.9 | 5.2 | <0.001 | <0.01 | 0.28 | 3.0 | 0.2 | 0.7 | 18.3 | <0.01 | 0.01 | 2.9 |
| I031977 | | 16.4 | 190 | 7.9 | 10.0 | <0.001 | <0.01 | 0.35 | 3.9 | 0.2 | 0.6 | 22.5 | <0.01 | 0.02 | 4.0 |
| I031978 | | 8.9 | 490 | 7.0 | 9.0 | <0.001 | 0.01 | 0.25 | 1.6 | <0.2 | 1.2 | 17.2 | <0.01 | 0.01 | 0.4 |
| I031979 | | 15.1 | 200 | 9.8 | 5.3 | <0.001 | 0.01 | 0.32 | 3.9 | 0.3 | 0.6 | 21.1 | <0.01 | 0.02 | 3.5 |
| I031980 | | 16.9 | 210 | 10.4 | 5.8 | <0.001 | 0.01 | 0.37 | 4.6 | 0.3 | 0.7 | 21.8 | <0.01 | 0.02 | 4.3 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti ppm 0.02 | ME-MS41 U ppm 0.05 | ME-MS41 V ppm 1 | ME-MS41 W ppm 0.05 | ME-MS41 Y ppm 0.05 | ME-MS41 Zn ppm 2 | ME-MS41 Zr ppm 0.5 | WEI-21 Recvd Wt. kg 0.02 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|--------------------------|-----------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------------|
| I031941 | | 0.24 | 0.45 | 97 | 0.42 | 2.77 | 111 | 1.3 | 0.42 |
| I031942 | | 0.11 | 0.39 | 74 | 0.20 | 2.22 | 47 | 0.9 | 0.36 |
| I031943 | | 0.09 | 0.57 | 57 | 0.15 | 4.06 | 59 | 2.2 | 0.44 |
| I031944 | | 0.13 | 0.57 | 74 | 0.21 | 3.19 | 67 | 3.5 | 0.40 |
| I031945 | | 0.14 | 0.67 | 70 | 0.30 | 4.29 | 68 | 3.8 | 0.34 |
| I031946 | | 0.13 | 0.78 | 71 | 0.21 | 4.77 | 64 | 1.2 | 0.38 |
| I031947 | | 0.12 | 0.84 | 79 | 0.28 | 4.14 | 46 | 2.3 | 0.42 |
| I031948 | | 0.18 | 0.58 | 67 | 0.21 | 4.74 | 99 | 1.0 | 0.46 |
| I031949 | | 0.13 | 0.47 | 101 | 0.13 | 4.27 | 79 | 1.2 | 0.38 |
| I031950 | | <0.02 | 0.12 | 2 | <0.05 | 0.66 | 3 | 0.6 | 0.08 |
| I031951 | | 0.07 | 0.55 | 55 | 0.16 | 3.16 | 36 | 2.3 | 0.32 |
| I031952 | | 0.10 | 0.53 | 63 | 0.15 | 3.74 | 38 | 3.5 | 0.24 |
| I031953 | | 0.08 | 0.44 | 61 | 0.15 | 2.84 | 27 | 2.1 | 0.26 |
| I031954 | | 0.09 | 0.36 | 53 | 0.17 | 2.70 | 30 | 1.4 | 0.28 |
| I031955 | | 0.08 | 0.60 | 63 | 0.13 | 4.67 | 46 | 3.1 | 0.22 |
| I031956 | | 0.05 | 0.77 | 50 | 0.16 | 11.05 | 41 | 4.0 | 0.32 |
| I031957 | | 0.04 | 1.04 | 37 | 0.13 | 10.40 | 34 | 2.4 | 0.26 |
| I031958 | | 0.09 | 0.32 | 62 | 0.16 | 2.30 | 41 | 0.8 | 0.28 |
| I031959 | | 0.09 | 0.33 | 57 | 0.13 | 2.00 | 33 | 1.3 | 0.36 |
| I031960 | | 0.09 | 0.37 | 58 | 0.12 | 2.14 | 35 | 1.3 | 0.26 |
| I031961 | | 0.07 | 0.31 | 52 | 0.13 | 2.34 | 32 | 0.5 | 0.28 |
| I031962 | | 0.07 | 0.32 | 56 | 0.15 | 2.01 | 45 | 2.3 | 0.34 |
| I031963 | | 0.08 | 0.38 | 61 | 0.14 | 2.86 | 32 | 0.9 | 0.22 |
| I031964 | | 0.07 | 0.23 | 63 | 0.20 | 1.66 | 49 | 0.6 | 0.22 |
| I031965 | | 0.10 | 0.62 | 73 | 0.19 | 3.73 | 42 | 4.1 | 0.24 |
| I031966 | | 0.09 | 0.52 | 82 | 0.15 | 16.55 | 49 | 11.0 | 0.36 |
| I031967 | | 0.12 | 0.56 | 47 | 0.09 | 8.35 | 56 | 3.6 | 0.24 |
| I031968 | | 0.10 | 0.32 | 65 | 0.19 | 2.05 | 39 | 1.6 | 0.28 |
| I031969 | | 0.12 | 0.31 | 60 | 0.16 | 3.02 | 100 | 2.4 | 0.26 |
| I031970 | | <0.02 | 0.09 | 1 | <0.05 | 0.60 | 4 | 0.6 | 0.10 |
| I031971 | | 0.09 | 0.39 | 50 | 0.16 | 2.78 | 50 | 0.9 | 0.26 |
| I031972 | | 0.14 | 0.46 | 49 | 0.12 | 4.57 | 92 | 1.4 | 0.28 |
| I031973 | | 0.09 | 0.40 | 53 | 0.17 | 4.23 | 93 | 1.3 | 0.16 |
| I031974 | | 0.08 | 0.60 | 58 | 0.15 | 4.55 | 52 | 2.3 | 0.32 |
| I031975 | | 0.07 | 0.43 | 57 | 0.15 | 3.15 | 56 | 1.4 | 0.32 |
| I031976 | | 0.09 | 0.36 | 52 | 0.12 | 3.47 | 55 | 1.0 | 0.30 |
| I031977 | | 0.09 | 0.38 | 54 | 0.13 | 3.53 | 57 | 4.7 | 0.28 |
| I031978 | | 0.09 | 0.43 | 45 | 0.14 | 2.96 | 58 | <0.5 | 0.26 |
| I031979 | | 0.08 | 0.35 | 56 | 0.18 | 2.86 | 54 | 2.8 | 0.28 |
| I031980 | | 0.08 | 0.41 | 59 | 0.19 | 3.19 | 56 | 3.8 | 0.36 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | Au-AA23 Au ppm 0.005 | ME-MS41 Ag ppm 0.01 | ME-MS41 Al % 0.01 | ME-MS41 As ppm 0.1 | ME-MS41 Au ppm 0.2 | ME-MS41 B ppm 10 | ME-MS41 Ba ppm 10 | ME-MS41 Be ppm 0.05 | ME-MS41 Bi ppm 0.01 | ME-MS41 Ca % 0.01 | ME-MS41 Cd ppm 0.01 | ME-MS41 Ce ppm 0.02 | ME-MS41 Co ppm 0.1 | ME-MS41 Cr ppm 1 | ME-MS41 Cs ppm 0.05 |
|--------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|------------------------------|
| I031981 | | <0.005 | 0.13 | 1.78 | 7.0 | <0.2 | <10 | 530 | 0.65 | 0.21 | 0.49 | 0.13 | 35.7 | 11.3 | 32 | 0.30 |
| I031982 | | <0.005 | 0.07 | 1.65 | 7.4 | <0.2 | <10 | 320 | 0.49 | 0.21 | 0.51 | 0.10 | 27.6 | 10.1 | 30 | 0.41 |
| I031983 | | <0.005 | 0.24 | 1.51 | 7.0 | <0.2 | <10 | 500 | 0.59 | 0.22 | 0.71 | 0.25 | 38.7 | 9.7 | 26 | 0.45 |
| I031984 | | <0.005 | 0.10 | 1.53 | 7.2 | <0.2 | <10 | 440 | 0.47 | 0.21 | 0.97 | 0.56 | 24.7 | 10.6 | 26 | 0.41 |
| I031985 | | <0.005 | 0.06 | 1.71 | 7.6 | <0.2 | <10 | 340 | 0.43 | 0.17 | 0.51 | 0.11 | 23.7 | 8.9 | 29 | 0.30 |
| I031986 | | <0.005 | 0.07 | 1.43 | 7.6 | <0.2 | <10 | 390 | 0.43 | 0.16 | 0.71 | 0.23 | 23.3 | 11.0 | 25 | 0.40 |
| I031987 | | 0.008 | 0.10 | 1.29 | 4.7 | <0.2 | <10 | 320 | 0.41 | 0.16 | 0.72 | 0.10 | 20.3 | 7.0 | 24 | 0.39 |
| I031988 | | <0.005 | 0.15 | 1.54 | 9.1 | <0.2 | <10 | 310 | 0.54 | 0.19 | 1.01 | 0.21 | 27.0 | 11.7 | 26 | 0.47 |
| I031989 | | 0.022 | 0.10 | 0.97 | 5.1 | <0.2 | <10 | 390 | 0.44 | 0.09 | 2.72 | 1.55 | 19.20 | 9.1 | 16 | 0.36 |
| I031990 | | <0.005 | <0.01 | 0.01 | <0.1 | <0.2 | <10 | 10 | <0.05 | 0.03 | 0.01 | 0.01 | 1.00 | 0.1 | <1 | <0.05 |
| I031991 | | <0.005 | 0.06 | 1.23 | 10.5 | <0.2 | <10 | 70 | 0.15 | 0.35 | 0.10 | 0.12 | 19.70 | 4.0 | 24 | 3.57 |
| I031992 | | <0.005 | 0.12 | 2.17 | 11.7 | <0.2 | <10 | 170 | 0.58 | 0.35 | 0.14 | 0.17 | 19.50 | 10.9 | 32 | 4.05 |
| I031993 | | <0.005 | 0.17 | 2.42 | 9.6 | <0.2 | <10 | 170 | 0.69 | 0.27 | 0.13 | 0.13 | 30.5 | 11.0 | 32 | 2.60 |
| I031994 | | <0.005 | 0.14 | 1.12 | 6.9 | <0.2 | <10 | 180 | 0.33 | 0.46 | 0.25 | 0.12 | 21.3 | 4.0 | 19 | 2.12 |
| I031995 | | <0.005 | 0.11 | 1.75 | 8.6 | <0.2 | <10 | 160 | 0.40 | 0.26 | 0.18 | 0.09 | 20.5 | 8.6 | 27 | 1.89 |
| I031996 | | <0.005 | 0.20 | 1.82 | 7.4 | <0.2 | <10 | 160 | 0.31 | 0.21 | 0.20 | 0.07 | 17.45 | 9.6 | 22 | 2.35 |
| I031997 | | <0.005 | 0.04 | 2.24 | 7.8 | <0.2 | <10 | 310 | 0.38 | 0.19 | 0.30 | 0.08 | 16.25 | 11.3 | 29 | 1.25 |
| I031998 | | 0.027 | 0.25 | 2.08 | 8.5 | <0.2 | <10 | 320 | 1.97 | 0.29 | 1.19 | 0.08 | 36.9 | 9.4 | 25 | 7.77 |
| I031999 | | <0.005 | 0.08 | 2.12 | 7.7 | <0.2 | <10 | 150 | 0.34 | 0.14 | 0.47 | 0.12 | 16.30 | 15.1 | 31 | 3.98 |
| I032000 | | <0.005 | 0.06 | 2.02 | 7.3 | <0.2 | <10 | 140 | 0.31 | 0.14 | 0.48 | 0.11 | 16.50 | 14.2 | 30 | 3.93 |
| I032001 | | <0.005 | <0.01 | 0.01 | <0.1 | <0.2 | <10 | 10 | <0.05 | <0.01 | 0.01 | 0.02 | 1.03 | 0.1 | <1 | <0.05 |
| I032002 | | <0.005 | 0.08 | 2.59 | 7.0 | <0.2 | <10 | 500 | 0.41 | 0.10 | 0.57 | 0.08 | 29.1 | 17.8 | 40 | 2.61 |
| I032003 | | <0.005 | 0.07 | 1.96 | 8.7 | <0.2 | <10 | 370 | 0.45 | 0.13 | 0.60 | 0.08 | 25.3 | 15.3 | 35 | 1.49 |
| I032004 | | 0.005 | 0.08 | 2.46 | 15.4 | <0.2 | <10 | 310 | 0.50 | 0.08 | 0.69 | 0.07 | 16.30 | 18.3 | 45 | 1.11 |
| I032005 | | <0.005 | 0.16 | 2.03 | 14.4 | <0.2 | <10 | 330 | 0.40 | 0.15 | 0.54 | 0.15 | 19.35 | 15.9 | 38 | 0.76 |
| I032006 | | 0.005 | 0.22 | 1.82 | 10.8 | <0.2 | <10 | 350 | 0.33 | 0.12 | 0.60 | 0.15 | 16.35 | 12.7 | 35 | 0.44 |
| I032007 | | <0.005 | 0.09 | 2.31 | 9.3 | <0.2 | <10 | 450 | 0.51 | 0.09 | 0.74 | 0.11 | 18.90 | 18.4 | 39 | 1.17 |
| I032008 | | <0.005 | 0.08 | 2.16 | 10.3 | <0.2 | <10 | 320 | 0.30 | 0.07 | 0.80 | 0.08 | 15.40 | 14.9 | 33 | 0.76 |
| I032009 | | <0.005 | 0.08 | 1.87 | 8.4 | <0.2 | <10 | 350 | 0.41 | 0.12 | 0.72 | 0.10 | 16.70 | 14.4 | 33 | 0.49 |
| I032010 | | <0.005 | 0.09 | 2.01 | 5.5 | <0.2 | <10 | 290 | 0.47 | 0.13 | 0.61 | 0.12 | 21.8 | 13.0 | 42 | 0.45 |
| I032011 | | <0.005 | 0.12 | 2.04 | 5.5 | <0.2 | <10 | 310 | 0.49 | 0.14 | 0.66 | 0.13 | 23.2 | 13.5 | 42 | 0.45 |
| I032012 | | <0.005 | 0.10 | 2.11 | 6.4 | <0.2 | <10 | 260 | 0.52 | 0.17 | 0.58 | 0.11 | 29.5 | 13.3 | 34 | 0.48 |
| I032013 | | <0.005 | 0.15 | 2.50 | 3.8 | <0.2 | <10 | 370 | 0.38 | 0.26 | 0.50 | 0.14 | 18.30 | 13.3 | 28 | 1.00 |
| I032014 | | <0.005 | 0.21 | 1.89 | 6.1 | <0.2 | <10 | 470 | 0.52 | 0.19 | 0.60 | 0.30 | 29.0 | 14.4 | 31 | 0.47 |
| I032015 | | <0.005 | 0.12 | 2.48 | 4.4 | <0.2 | <10 | 340 | 0.48 | 0.15 | 1.02 | 0.13 | 35.9 | 13.2 | 26 | 1.64 |
| I032016 | | <0.005 | 0.09 | 1.60 | 4.2 | <0.2 | <10 | 310 | 0.50 | 0.17 | 1.43 | 0.29 | 23.6 | 12.4 | 38 | 1.29 |
| I032017 | | <0.005 | 0.08 | 1.54 | 6.2 | <0.2 | <10 | 380 | 0.39 | 0.16 | 1.70 | 0.57 | 23.1 | 10.5 | 30 | 0.85 |
| I032018 | | <0.005 | 0.09 | 2.18 | 5.7 | <0.2 | <10 | 230 | 0.50 | 0.25 | 0.44 | 0.10 | 25.2 | 14.7 | 40 | 0.81 |
| I032019 | | <0.005 | 0.09 | 2.22 | 3.4 | <0.2 | <10 | 260 | 0.29 | 0.18 | 0.46 | 0.14 | 11.05 | 14.0 | 23 | 0.70 |
| I032020 | | <0.005 | 0.01 | 0.01 | <0.1 | <0.2 | <10 | 10 | <0.05 | <0.01 | 0.01 | 0.01 | 0.85 | 0.1 | <1 | <0.05 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 | ME-MS41 Nb ppm 0.05 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|------------------------------|
| I031981 | | 14.9 | 2.95 | 5.21 | 0.07 | 0.11 | 0.02 | 0.027 | 0.13 | 18.9 | 7.9 | 0.39 | 755 | 1.40 | 0.02 | 1.21 |
| I031982 | | 19.9 | 2.88 | 4.80 | 0.07 | 0.12 | 0.02 | 0.025 | 0.12 | 12.6 | 9.2 | 0.48 | 449 | 0.88 | 0.02 | 1.09 |
| I031983 | | 33.1 | 2.59 | 4.72 | 0.10 | 0.09 | 0.03 | 0.024 | 0.06 | 28.5 | 10.0 | 0.48 | 733 | 0.92 | 0.03 | 1.20 |
| I031984 | | 23.4 | 2.68 | 4.62 | 0.07 | 0.05 | 0.02 | 0.023 | 0.07 | 12.8 | 9.2 | 0.49 | 631 | 0.97 | 0.03 | 1.14 |
| I031985 | | 14.5 | 2.57 | 4.77 | 0.05 | 0.07 | 0.01 | 0.023 | 0.05 | 11.1 | 9.6 | 0.43 | 335 | 1.01 | 0.02 | 1.15 |
| I031986 | | 19.8 | 2.44 | 4.42 | 0.06 | 0.03 | 0.02 | 0.020 | 0.04 | 11.3 | 8.0 | 0.39 | 560 | 1.34 | 0.02 | 1.07 |
| I031987 | | 29.3 | 2.05 | 4.17 | 0.06 | 0.06 | 0.02 | 0.019 | 0.05 | 10.9 | 8.0 | 0.47 | 220 | 0.65 | 0.03 | 1.16 |
| I031988 | | 33.2 | 2.62 | 4.71 | 0.07 | 0.07 | 0.03 | 0.024 | 0.05 | 13.8 | 10.4 | 0.50 | 429 | 1.31 | 0.03 | 1.33 |
| I031989 | | 36.4 | 1.39 | 2.43 | 0.07 | 0.07 | 0.06 | 0.015 | 0.05 | 10.5 | 3.4 | 0.41 | 795 | 1.04 | 0.04 | 0.71 |
| I031990 | | 0.6 | 0.01 | <0.05 | <0.05 | 0.02 | <0.01 | <0.005 | <0.01 | 0.5 | 0.1 | <0.01 | <5 | <0.05 | <0.01 | <0.05 |
| I031991 | | 10.2 | 3.03 | 9.57 | 0.05 | <0.02 | 0.02 | 0.017 | 0.04 | 10.1 | 4.0 | 0.23 | 241 | 1.85 | 0.01 | 1.20 |
| I031992 | | 15.7 | 3.41 | 7.55 | 0.05 | 0.03 | 0.03 | 0.030 | 0.06 | 10.1 | 14.7 | 0.43 | 525 | 1.27 | 0.01 | 1.88 |
| I031993 | | 12.7 | 3.43 | 8.27 | 0.06 | 0.04 | 0.03 | 0.033 | 0.06 | 11.2 | 12.7 | 0.43 | 625 | 1.27 | 0.01 | 2.39 |
| I031994 | | 9.7 | 2.31 | 7.11 | 0.05 | 0.03 | 0.02 | 0.018 | 0.07 | 10.5 | 7.8 | 0.26 | 208 | 1.39 | 0.01 | 2.27 |
| I031995 | | 11.4 | 3.15 | 6.53 | 0.06 | 0.04 | 0.02 | 0.025 | 0.10 | 10.8 | 11.3 | 0.44 | 379 | 1.60 | 0.01 | 1.90 |
| I031996 | | 12.6 | 3.15 | 7.83 | 0.06 | 0.04 | 0.04 | 0.021 | 0.11 | 9.0 | 11.8 | 0.59 | 530 | 1.45 | 0.01 | 2.40 |
| I031997 | | 10.7 | 3.22 | 7.46 | 0.06 | 0.04 | 0.02 | 0.023 | 0.07 | 8.4 | 13.4 | 0.62 | 410 | 1.20 | 0.01 | 1.95 |
| I031998 | | 17.8 | 2.76 | 5.67 | 0.12 | 0.11 | 0.08 | 0.028 | 0.10 | 30.2 | 18.7 | 0.72 | 532 | 2.07 | 0.01 | 1.64 |
| I031999 | | 32.0 | 3.70 | 8.39 | 0.07 | 0.02 | 0.02 | 0.020 | 0.09 | 8.6 | 20.1 | 1.00 | 404 | 1.50 | 0.02 | 1.93 |
| I032000 | | 30.0 | 3.52 | 8.41 | 0.06 | 0.03 | 0.02 | 0.019 | 0.09 | 8.8 | 18.3 | 0.95 | 379 | 1.54 | 0.02 | 1.90 |
| I032001 | | 0.6 | 0.02 | <0.05 | <0.05 | 0.02 | <0.01 | <0.005 | <0.01 | 0.5 | 0.1 | <0.01 | <5 | <0.05 | <0.01 | <0.05 |
| I032002 | | 74.1 | 4.20 | 8.81 | 0.13 | 0.10 | 0.02 | 0.036 | 0.79 | 12.6 | 13.4 | 1.43 | 800 | 0.79 | 0.02 | 1.34 |
| I032003 | | 29.2 | 3.54 | 6.43 | 0.10 | 0.10 | 0.02 | 0.030 | 0.38 | 11.1 | 10.0 | 0.72 | 743 | 1.17 | 0.02 | 1.18 |
| I032004 | | 43.8 | 4.32 | 8.33 | 0.08 | 0.07 | 0.02 | 0.032 | 0.26 | 7.7 | 10.9 | 1.03 | 715 | 1.02 | 0.03 | 0.62 |
| I032005 | | 28.3 | 3.15 | 6.33 | 0.06 | 0.09 | 0.02 | 0.027 | 0.10 | 8.5 | 9.2 | 0.62 | 765 | 1.86 | 0.02 | 1.20 |
| I032006 | | 24.9 | 3.14 | 4.95 | 0.05 | 0.06 | 0.02 | 0.021 | 0.13 | 7.1 | 6.6 | 0.54 | 810 | 1.33 | 0.02 | 0.93 |
| I032007 | | 30.0 | 3.64 | 7.21 | 0.11 | 0.05 | 0.02 | 0.017 | 0.66 | 8.7 | 12.8 | 1.24 | 814 | 0.70 | 0.02 | 1.19 |
| I032008 | | 47.5 | 3.44 | 7.37 | 0.09 | 0.06 | 0.01 | 0.022 | 0.29 | 6.7 | 9.6 | 0.95 | 560 | 0.55 | 0.04 | 0.81 |
| I032009 | | 31.0 | 3.07 | 6.36 | 0.06 | 0.06 | 0.02 | 0.022 | 0.14 | 7.5 | 10.1 | 0.70 | 542 | 0.78 | 0.03 | 1.17 |
| I032010 | | 26.5 | 2.99 | 5.93 | 0.07 | 0.09 | 0.02 | 0.025 | 0.10 | 8.8 | 10.3 | 0.67 | 630 | 0.92 | 0.03 | 1.15 |
| I032011 | | 27.8 | 3.05 | 6.08 | 0.06 | 0.08 | 0.03 | 0.025 | 0.11 | 9.7 | 10.3 | 0.69 | 704 | 0.95 | 0.02 | 1.19 |
| I032012 | | 21.7 | 3.27 | 6.84 | 0.08 | 0.07 | 0.02 | 0.028 | 0.15 | 13.6 | 11.7 | 0.75 | 470 | 0.94 | 0.02 | 1.43 |
| I032013 | | 17.8 | 3.36 | 8.08 | 0.06 | 0.02 | 0.01 | 0.020 | 0.08 | 8.0 | 14.3 | 0.98 | 570 | 1.21 | 0.02 | 2.11 |
| I032014 | | 27.8 | 3.17 | 6.04 | 0.08 | 0.03 | 0.03 | 0.029 | 0.12 | 14.1 | 9.2 | 0.49 | 948 | 1.25 | 0.02 | 1.18 |
| I032015 | | 20.8 | 3.87 | 8.74 | 0.15 | 0.07 | 0.02 | 0.028 | 0.46 | 41.5 | 17.5 | 1.17 | 419 | 0.73 | 0.02 | 2.65 |
| I032016 | | 39.4 | 3.04 | 6.00 | 0.08 | 0.07 | 0.03 | 0.031 | 0.10 | 12.9 | 9.9 | 0.68 | 395 | 0.64 | 0.03 | 1.12 |
| I032017 | | 37.9 | 2.43 | 5.27 | 0.07 | 0.04 | 0.02 | 0.026 | 0.15 | 11.7 | 10.4 | 0.61 | 427 | 0.50 | 0.03 | 1.15 |
| I032018 | | 30.2 | 3.37 | 7.63 | 0.06 | 0.04 | 0.01 | 0.033 | 0.08 | 9.0 | 12.3 | 0.78 | 298 | 0.85 | 0.02 | 1.62 |
| I032019 | | 29.6 | 3.53 | 8.50 | 0.06 | 0.02 | 0.02 | 0.020 | 0.41 | 5.3 | 13.2 | 1.02 | 487 | 1.09 | 0.01 | 1.96 |
| I032020 | | 0.9 | 0.02 | <0.05 | <0.05 | <0.02 | <0.01 | <0.005 | <0.01 | 0.4 | <0.1 | <0.01 | <5 | <0.05 | <0.01 | <0.05 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 | ME-MS41 Ti % 0.005 |
|--------------------|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|
| I031981 | | 21.6 | 230 | 10.4 | 7.7 | <0.001 | 0.01 | 0.51 | 5.9 | 0.5 | 0.6 | 25.3 | <0.01 | 0.02 | 5.1 | 0.068 |
| I031982 | | 21.7 | 280 | 8.6 | 11.3 | <0.001 | 0.01 | 0.45 | 5.7 | 0.5 | 0.5 | 32.7 | <0.01 | 0.03 | 4.0 | 0.078 |
| I031983 | | 26.8 | 540 | 9.1 | 8.9 | <0.001 | 0.01 | 0.46 | 4.7 | 1.0 | 0.5 | 44.4 | <0.01 | 0.03 | 3.9 | 0.062 |
| I031984 | | 21.5 | 680 | 9.0 | 12.1 | <0.001 | 0.03 | 0.51 | 3.9 | 1.4 | 0.5 | 53.7 | <0.01 | 0.03 | 2.7 | 0.058 |
| I031985 | | 19.7 | 420 | 7.6 | 5.4 | <0.001 | 0.01 | 0.45 | 4.6 | 0.5 | 0.5 | 31.3 | <0.01 | 0.03 | 2.8 | 0.063 |
| I031986 | | 28.0 | 490 | 7.2 | 6.2 | <0.001 | 0.02 | 0.46 | 3.7 | 0.7 | 0.4 | 44.5 | <0.01 | 0.04 | 1.4 | 0.058 |
| I031987 | | 20.5 | 600 | 7.4 | 6.9 | <0.001 | 0.02 | 0.44 | 4.0 | 0.7 | 0.4 | 45.2 | <0.01 | 0.02 | 2.4 | 0.064 |
| I031988 | | 27.7 | 790 | 7.9 | 7.3 | 0.001 | 0.04 | 0.73 | 4.6 | 1.3 | 0.4 | 63.8 | <0.01 | 0.04 | 2.0 | 0.070 |
| I031989 | | 27.4 | 1170 | 3.5 | 6.2 | <0.001 | 0.15 | 0.92 | 1.7 | 2.1 | 0.2 | 141.5 | 0.01 | 0.04 | 0.3 | 0.029 |
| I031990 | | 0.3 | 10 | 0.4 | 0.1 | <0.001 | 0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 0.7 | <0.01 | <0.01 | 0.2 | <0.005 |
| I031991 | | 10.0 | 570 | 16.3 | 12.8 | <0.001 | 0.02 | 0.61 | 1.7 | 0.4 | 0.9 | 9.8 | <0.01 | 0.04 | 0.3 | 0.081 |
| I031992 | | 19.1 | 340 | 15.6 | 18.0 | <0.001 | 0.02 | 0.48 | 3.7 | 0.5 | 0.8 | 14.7 | <0.01 | 0.04 | 2.6 | 0.078 |
| I031993 | | 18.4 | 260 | 12.6 | 19.2 | <0.001 | 0.01 | 0.53 | 4.3 | 0.4 | 1.1 | 13.5 | <0.01 | 0.04 | 4.4 | 0.081 |
| I031994 | | 9.7 | 250 | 14.0 | 19.4 | <0.001 | 0.02 | 0.37 | 2.7 | 0.4 | 1.2 | 23.9 | <0.01 | 0.03 | 2.8 | 0.082 |
| I031995 | | 14.6 | 200 | 10.7 | 25.4 | <0.001 | 0.01 | 0.47 | 3.3 | 0.3 | 0.8 | 17.0 | <0.01 | 0.03 | 3.0 | 0.085 |
| I031996 | | 13.2 | 270 | 8.0 | 21.2 | <0.001 | 0.01 | 0.39 | 3.7 | 0.4 | 0.7 | 16.0 | <0.01 | 0.03 | 2.8 | 0.121 |
| I031997 | | 19.5 | 310 | 8.7 | 22.4 | <0.001 | 0.01 | 0.50 | 3.6 | 0.3 | 0.6 | 29.6 | <0.01 | 0.03 | 2.6 | 0.108 |
| I031998 | | 13.9 | 1100 | 10.6 | 19.2 | <0.001 | 0.06 | 0.59 | 5.7 | 1.7 | 0.7 | 58.2 | 0.01 | 0.02 | 3.5 | 0.036 |
| I031999 | | 19.7 | 770 | 6.2 | 15.4 | <0.001 | 0.02 | 0.61 | 5.1 | 0.3 | 0.8 | 26.4 | <0.01 | 0.03 | 1.7 | 0.145 |
| I032000 | | 18.4 | 760 | 6.2 | 16.7 | <0.001 | 0.01 | 0.61 | 4.9 | 0.4 | 0.8 | 26.6 | <0.01 | 0.03 | 1.7 | 0.144 |
| I032001 | | 0.3 | 10 | 0.4 | 0.1 | <0.001 | 0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 0.7 | <0.01 | <0.01 | 0.2 | <0.005 |
| I032002 | | 25.9 | 510 | 5.4 | 35.7 | <0.001 | 0.03 | 0.35 | 10.9 | 0.7 | 0.7 | 33.6 | <0.01 | 0.04 | 2.9 | 0.175 |
| I032003 | | 22.6 | 300 | 6.3 | 20.1 | <0.001 | 0.02 | 0.62 | 8.8 | 0.6 | 0.5 | 32.3 | <0.01 | 0.03 | 2.9 | 0.117 |
| I032004 | | 25.7 | 820 | 4.2 | 11.0 | <0.001 | 0.02 | 0.40 | 11.1 | 0.5 | 0.6 | 39.9 | <0.01 | 0.03 | 1.8 | 0.092 |
| I032005 | | 25.6 | 360 | 7.0 | 9.4 | <0.001 | 0.01 | 0.59 | 6.7 | 0.4 | 0.5 | 33.6 | <0.01 | 0.04 | 2.3 | 0.103 |
| I032006 | | 19.7 | 510 | 5.7 | 8.5 | <0.001 | 0.01 | 0.66 | 5.6 | 0.4 | 0.4 | 31.0 | <0.01 | 0.03 | 1.7 | 0.096 |
| I032007 | | 24.6 | 1320 | 4.7 | 35.7 | <0.001 | 0.01 | 0.38 | 5.1 | 0.5 | 0.4 | 56.2 | <0.01 | 0.02 | 1.8 | 0.193 |
| I032008 | | 19.2 | 1420 | 4.1 | 17.7 | <0.001 | 0.01 | 0.26 | 7.0 | 0.3 | 0.5 | 44.5 | <0.01 | 0.03 | 1.7 | 0.157 |
| I032009 | | 21.7 | 950 | 5.9 | 10.6 | <0.001 | 0.01 | 0.33 | 6.4 | 0.3 | 0.5 | 45.4 | <0.01 | 0.02 | 2.2 | 0.116 |
| I032010 | | 25.5 | 400 | 6.9 | 8.1 | <0.001 | 0.01 | 0.34 | 6.8 | 0.4 | 0.5 | 32.2 | <0.01 | 0.03 | 2.4 | 0.104 |
| I032011 | | 25.9 | 420 | 7.8 | 9.1 | <0.001 | 0.01 | 0.32 | 6.9 | 0.5 | 0.5 | 34.3 | <0.01 | 0.03 | 2.4 | 0.105 |
| I032012 | | 19.2 | 520 | 10.5 | 9.6 | <0.001 | 0.02 | 0.34 | 6.8 | 0.6 | 0.6 | 35.9 | <0.01 | 0.03 | 4.2 | 0.097 |
| I032013 | | 18.9 | 470 | 8.3 | 8.1 | <0.001 | 0.01 | 0.28 | 4.1 | 0.4 | 0.7 | 33.6 | <0.01 | 0.09 | 1.9 | 0.118 |
| I032014 | | 21.9 | 340 | 10.0 | 9.0 | <0.001 | 0.01 | 0.47 | 6.6 | 0.7 | 0.6 | 35.4 | <0.01 | 0.03 | 2.3 | 0.073 |
| I032015 | | 14.2 | 320 | 8.5 | 36.3 | <0.001 | 0.02 | 0.36 | 7.0 | 1.2 | 0.7 | 34.3 | 0.01 | 0.02 | 5.3 | 0.156 |
| I032016 | | 22.0 | 470 | 10.2 | 11.4 | 0.001 | 0.03 | 0.46 | 7.8 | 1.1 | 0.5 | 58.1 | 0.01 | 0.03 | 2.1 | 0.073 |
| I032017 | | 21.1 | 780 | 8.8 | 13.5 | <0.001 | 0.05 | 0.50 | 4.4 | 1.4 | 0.4 | 68.0 | <0.01 | 0.02 | 1.0 | 0.067 |
| I032018 | | 19.4 | 170 | 9.3 | 7.0 | <0.001 | 0.01 | 0.36 | 7.7 | 0.4 | 0.8 | 27.8 | <0.01 | 0.03 | 2.7 | 0.104 |
| I032019 | | 15.7 | 500 | 11.4 | 16.1 | <0.001 | 0.01 | 0.28 | 3.6 | 0.3 | 0.5 | 40.9 | <0.01 | 0.02 | 2.0 | 0.153 |
| I032020 | | 0.3 | 10 | 0.5 | 0.1 | <0.001 | <0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 0.6 | <0.01 | <0.01 | 0.2 | <0.005 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti ppm 0.02 | ME-MS41 U ppm 0.05 | ME-MS41 V ppm 1 | ME-MS41 W ppm 0.05 | ME-MS41 Y ppm 0.05 | ME-MS41 Zn ppm 2 | ME-MS41 Zr ppm 0.5 | WEI-21 Recvd Wt. kg 0.02 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|--------------------------|-----------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------------|
| I031981 | | 0.08 | 0.53 | 58 | 0.18 | 7.10 | 53 | 4.1 | 0.28 |
| I031982 | | 0.06 | 0.31 | 57 | 0.14 | 6.24 | 46 | 4.7 | 0.24 |
| I031983 | | 0.05 | 0.71 | 51 | 0.24 | 15.30 | 54 | 2.9 | 0.28 |
| I031984 | | 0.05 | 1.59 | 51 | 0.14 | 6.50 | 85 | 1.9 | 0.20 |
| I031985 | | 0.05 | 0.52 | 59 | 0.19 | 5.25 | 54 | 2.5 | 0.40 |
| I031986 | | 0.04 | 0.73 | 53 | 0.15 | 5.98 | 55 | 1.1 | 0.26 |
| I031987 | | 0.03 | 0.95 | 42 | 0.12 | 6.89 | 51 | 2.3 | 0.36 |
| I031988 | | 0.05 | 2.71 | 52 | 0.17 | 10.30 | 44 | 3.0 | 0.24 |
| I031989 | | 0.03 | 1.47 | 27 | 0.10 | 10.70 | 40 | 2.6 | 0.16 |
| I031990 | | <0.02 | 0.07 | <1 | <0.05 | 0.60 | 2 | 0.5 | 0.10 |
| I031991 | | 0.13 | 0.50 | 93 | 0.26 | 2.76 | 38 | 0.5 | 0.26 |
| I031992 | | 0.13 | 0.62 | 75 | 0.25 | 3.67 | 54 | 1.0 | 0.30 |
| I031993 | | 0.16 | 0.60 | 77 | 0.21 | 3.69 | 69 | 1.6 | 0.32 |
| I031994 | | 0.12 | 0.58 | 67 | 0.34 | 4.02 | 31 | 1.0 | 0.38 |
| I031995 | | 0.11 | 0.52 | 70 | 0.29 | 3.65 | 45 | 1.7 | 0.34 |
| I031996 | | 0.12 | 0.52 | 74 | 0.23 | 3.14 | 46 | 1.7 | 0.32 |
| I031997 | | 0.11 | 0.40 | 73 | 0.19 | 2.15 | 58 | 1.8 | 0.26 |
| I031998 | | 0.12 | 8.46 | 48 | 0.22 | 50.4 | 48 | 2.0 | 0.30 |
| I031999 | | 0.08 | 0.44 | 100 | 0.27 | 3.34 | 70 | 0.9 | 0.26 |
| I032000 | | 0.08 | 0.44 | 95 | 0.27 | 3.19 | 66 | 0.9 | 0.32 |
| I032001 | | <0.02 | 0.10 | 1 | <0.05 | 0.61 | 2 | 0.5 | 0.10 |
| I032002 | | 0.14 | 0.42 | 93 | 0.12 | 10.70 | 73 | 3.4 | 0.38 |
| I032003 | | 0.09 | 0.36 | 77 | 0.13 | 6.52 | 52 | 3.5 | 0.32 |
| I032004 | | 0.05 | 0.39 | 111 | 0.09 | 6.87 | 73 | 2.0 | 0.28 |
| I032005 | | 0.08 | 0.33 | 73 | 0.25 | 3.59 | 64 | 3.0 | 0.36 |
| I032006 | | 0.05 | 0.28 | 67 | 0.13 | 3.33 | 71 | 1.9 | 0.24 |
| I032007 | | 0.09 | 0.36 | 77 | 0.12 | 4.11 | 92 | 1.8 | 0.30 |
| I032008 | | 0.06 | 0.30 | 79 | 0.10 | 5.57 | 70 | 2.0 | 0.36 |
| I032009 | | 0.06 | 0.36 | 69 | 0.13 | 4.13 | 62 | 2.4 | 0.30 |
| I032010 | | 0.06 | 0.35 | 64 | 0.15 | 4.20 | 58 | 3.1 | 0.30 |
| I032011 | | 0.06 | 0.37 | 65 | 0.15 | 4.61 | 58 | 3.1 | 0.30 |
| I032012 | | 0.07 | 0.61 | 70 | 0.20 | 7.44 | 69 | 2.6 | 0.30 |
| I032013 | | 0.12 | 0.50 | 77 | 0.23 | 3.51 | 85 | 0.6 | 0.30 |
| I032014 | | 0.06 | 0.60 | 65 | 0.18 | 8.39 | 59 | 1.2 | 0.26 |
| I032015 | | 0.15 | 1.47 | 80 | 0.15 | 24.3 | 82 | 3.0 | 0.42 |
| I032016 | | 0.06 | 1.29 | 66 | 0.15 | 13.25 | 60 | 2.7 | 0.32 |
| I032017 | | 0.06 | 1.34 | 51 | 0.14 | 10.75 | 64 | 2.2 | 0.26 |
| I032018 | | 0.09 | 0.48 | 87 | 0.23 | 4.87 | 69 | 2.2 | 0.40 |
| I032019 | | 0.09 | 0.41 | 77 | 0.15 | 3.06 | 74 | 2.0 | 0.28 |
| I032020 | | <0.02 | 0.08 | <1 | <0.05 | 0.60 | 3 | 0.6 | 0.12 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | Au-AA23 Au ppm 0.005 | ME-MS41 Ag ppm 0.01 | ME-MS41 Al % 0.01 | ME-MS41 As ppm 0.1 | ME-MS41 Au ppm 0.2 | ME-MS41 B ppm 10 | ME-MS41 Ba ppm 10 | ME-MS41 Be ppm 0.05 | ME-MS41 Bi ppm 0.01 | ME-MS41 Ca % 0.01 | ME-MS41 Cd ppm 0.01 | ME-MS41 Ce ppm 0.02 | ME-MS41 Co ppm 0.1 | ME-MS41 Cr ppm 1 | ME-MS41 Cs ppm 0.05 |
|--------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|------------------------------|
| I032021 | | <0.005 | 0.16 | 2.09 | 3.7 | <0.2 | <10 | 380 | 0.30 | 0.10 | 0.47 | 0.14 | 13.50 | 13.8 | 24 | 0.73 |
| I032022 | | <0.005 | 0.10 | 1.96 | 5.3 | <0.2 | <10 | 370 | 0.29 | 0.11 | 0.28 | 0.08 | 19.25 | 12.5 | 23 | 0.82 |
| I032023 | | 0.008 | 0.19 | 1.78 | 7.0 | <0.2 | <10 | 210 | 0.31 | 0.14 | 0.17 | 0.15 | 16.40 | 9.4 | 29 | 0.55 |
| I032024 | | <0.005 | 0.78 | 2.50 | 6.7 | <0.2 | <10 | 430 | 0.50 | 0.60 | 0.51 | 0.82 | 22.9 | 17.7 | 45 | 0.86 |
| I032025 | | <0.005 | 0.13 | 1.76 | 3.2 | <0.2 | <10 | 280 | 0.28 | 0.10 | 0.47 | 0.10 | 14.80 | 39.6 | 52 | 0.77 |
| I032026 | | <0.005 | 0.26 | 2.49 | 4.8 | <0.2 | <10 | 550 | 0.37 | 0.12 | 0.55 | 0.19 | 26.9 | 27.9 | 44 | 0.81 |
| I032027 | | <0.005 | 0.10 | 2.24 | 3.8 | <0.2 | <10 | 570 | 0.29 | 0.10 | 0.80 | 0.10 | 13.10 | 44.8 | 30 | 0.48 |
| I032028 | | <0.005 | 0.08 | 2.17 | 5.0 | <0.2 | <10 | 340 | 0.31 | 0.11 | 0.30 | 0.08 | 12.20 | 19.0 | 133 | 0.74 |
| I032029 | | <0.005 | 0.11 | 1.93 | 5.5 | <0.2 | <10 | 230 | 0.34 | 0.10 | 0.49 | 0.05 | 17.25 | 18.2 | 51 | 0.64 |
| I032030 | | <0.005 | 0.08 | 1.96 | 4.3 | <0.2 | <10 | 340 | 0.43 | 0.12 | 0.48 | 0.08 | 20.6 | 14.0 | 34 | 0.52 |
| I032031 | | <0.005 | 0.07 | 1.89 | 4.4 | <0.2 | <10 | 320 | 0.43 | 0.11 | 0.42 | 0.07 | 20.2 | 13.9 | 32 | 0.53 |
| I032032 | | <0.005 | 0.11 | 1.88 | 3.5 | <0.2 | <10 | 200 | 0.32 | 0.12 | 0.32 | 0.11 | 14.40 | 10.2 | 29 | 0.44 |
| I032033 | | <0.005 | 0.16 | 1.69 | 5.2 | <0.2 | <10 | 390 | 0.37 | 0.14 | 0.63 | 0.15 | 23.6 | 12.7 | 31 | 0.44 |
| I032034 | | 0.005 | 0.07 | 1.77 | 5.1 | <0.2 | <10 | 350 | 0.38 | 0.14 | 0.45 | 0.11 | 20.5 | 11.9 | 28 | 0.42 |
| I032035 | | <0.005 | 0.09 | 1.80 | 5.3 | <0.2 | <10 | 330 | 0.42 | 0.14 | 0.55 | 0.17 | 19.85 | 14.8 | 36 | 0.50 |
| I032036 | | <0.005 | 0.08 | 1.90 | 5.8 | <0.2 | <10 | 230 | 0.33 | 0.12 | 0.60 | 0.19 | 15.55 | 12.1 | 29 | 0.72 |
| I032037 | | <0.005 | 0.10 | 1.99 | 5.9 | <0.2 | <10 | 350 | 0.39 | 0.13 | 0.32 | 0.09 | 17.90 | 12.3 | 27 | 0.44 |
| I032038 | | <0.005 | 0.15 | 2.65 | 3.3 | <0.2 | <10 | 410 | 0.38 | 0.12 | 0.52 | 0.18 | 18.10 | 20.5 | 25 | 0.45 |
| I032039 | | <0.005 | 0.08 | 2.41 | 2.6 | <0.2 | <10 | 160 | 0.27 | 0.10 | 0.40 | 0.18 | 11.10 | 18.1 | 39 | 0.57 |
| I032040 | | <0.005 | 0.01 | 0.01 | <0.1 | <0.2 | <10 | 10 | <0.05 | 0.01 | 0.01 | 0.02 | 1.11 | 0.1 | <1 | <0.05 |
| I032041 | | <0.005 | 0.16 | 2.26 | 4.7 | <0.2 | <10 | 270 | 0.24 | 0.12 | 0.31 | 0.18 | 11.60 | 14.6 | 20 | 1.07 |
| I032042 | | <0.005 | 0.15 | 2.11 | 6.0 | <0.2 | <10 | 370 | 0.23 | 0.12 | 0.32 | 0.16 | 9.82 | 12.8 | 23 | 1.39 |
| I032043 | | <0.005 | 0.09 | 1.77 | 7.1 | <0.2 | <10 | 300 | 0.37 | 0.15 | 0.30 | 0.17 | 19.25 | 12.2 | 32 | 0.53 |
| I032044 | | <0.005 | 0.05 | 1.84 | 4.7 | <0.2 | <10 | 310 | 0.44 | 0.11 | 0.57 | 0.19 | 16.30 | 15.6 | 50 | 0.27 |
| I032045 | | <0.005 | 0.18 | 1.80 | 5.6 | <0.2 | <10 | 350 | 0.33 | 0.13 | 0.34 | 0.11 | 17.15 | 12.6 | 36 | 0.31 |
| I032046 | | <0.005 | 0.10 | 2.02 | 5.5 | <0.2 | <10 | 270 | 0.40 | 0.13 | 0.39 | 0.08 | 16.85 | 13.9 | 36 | 0.50 |
| I032047 | | <0.005 | 0.05 | 1.82 | 6.1 | <0.2 | <10 | 320 | 0.48 | 0.11 | 0.52 | 0.06 | 29.2 | 12.2 | 35 | 0.59 |
| I032048 | | <0.005 | 0.05 | 2.05 | 3.7 | <0.2 | <10 | 280 | 0.39 | 0.08 | 0.58 | 0.06 | 15.55 | 19.4 | 50 | 0.75 |
| I032049 | | <0.005 | 0.08 | 2.23 | 6.9 | <0.2 | <10 | 380 | 0.63 | 0.07 | 0.64 | 0.08 | 23.5 | 20.1 | 63 | 0.68 |
| I032050 | | <0.005 | 0.08 | 2.17 | 6.5 | <0.2 | <10 | 380 | 0.63 | 0.07 | 0.64 | 0.07 | 22.1 | 19.5 | 60 | 0.64 |
| I032051 | | <0.005 | 0.08 | 1.59 | 4.2 | <0.2 | <10 | 100 | 0.19 | 0.14 | 0.19 | 0.07 | 15.10 | 6.4 | 19 | 1.34 |
| I032052 | | <0.005 | 0.07 | 2.47 | 6.5 | <0.2 | <10 | 130 | 0.33 | 0.14 | 0.38 | 0.07 | 20.8 | 11.4 | 29 | 1.43 |
| I032053 | | <0.005 | 0.05 | 1.51 | 5.1 | <0.2 | <10 | 100 | 0.19 | 0.13 | 0.18 | 0.10 | 11.65 | 6.7 | 19 | 1.02 |
| I032054 | | 0.008 | 0.04 | 1.95 | 5.6 | <0.2 | <10 | 100 | 0.23 | 0.12 | 0.33 | 0.08 | 15.90 | 9.4 | 24 | 1.24 |
| I032055 | | 0.008 | 0.10 | 1.17 | 4.5 | <0.2 | <10 | 160 | 0.24 | 0.11 | 0.82 | 0.10 | 20.5 | 7.6 | 17 | 1.49 |
| I032056 | | <0.005 | 0.06 | 2.49 | 8.0 | <0.2 | <10 | 220 | 0.33 | 0.14 | 0.46 | 0.09 | 23.0 | 13.7 | 27 | 2.91 |
| I032057 | | 0.005 | 0.17 | 2.44 | 6.7 | <0.2 | <10 | 220 | 0.51 | 0.20 | 0.40 | 0.09 | 26.4 | 11.5 | 27 | 2.11 |
| I032058 | | <0.005 | 0.03 | 2.16 | 19.2 | <0.2 | <10 | 110 | 0.30 | 0.14 | 0.20 | 0.11 | 14.55 | 8.6 | 24 | 1.60 |
| I032059 | | 0.008 | 0.19 | 2.09 | 25.1 | <0.2 | <10 | 200 | 0.33 | 0.12 | 0.35 | 0.08 | 23.1 | 9.5 | 20 | 1.85 |
| I032060 | | <0.005 | 0.06 | 1.49 | 4.6 | <0.2 | <10 | 90 | 0.18 | 0.12 | 0.22 | 0.04 | 13.15 | 6.1 | 18 | 0.96 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo | Na |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % |
| | | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 | 0.01 |
| I032021 | | 25.5 | 3.21 | 7.23 | 0.06 | 0.02 | 0.02 | 0.019 | 0.23 | 5.9 | 12.3 | 1.01 | 539 | 0.94 | 0.02 |
| I032022 | | 17.3 | 3.35 | 7.90 | 0.06 | <0.02 | 0.02 | 0.029 | 0.25 | 8.6 | 12.3 | 0.87 | 710 | 0.90 | 0.01 |
| I032023 | | 17.0 | 2.80 | 6.24 | 0.05 | 0.03 | 0.02 | 0.027 | 0.07 | 7.3 | 9.9 | 0.53 | 253 | 1.01 | 0.01 |
| I032024 | | 74.5 | 4.39 | 9.51 | 0.07 | 0.02 | 0.03 | 0.037 | 0.31 | 8.1 | 11.9 | 0.85 | 1470 | 1.22 | 0.02 |
| I032025 | | 180.5 | 3.13 | 5.57 | 0.08 | 0.09 | 0.01 | 0.019 | 0.40 | 6.4 | 8.5 | 1.03 | 475 | 0.58 | 0.03 |
| I032026 | | 88.6 | 4.10 | 8.18 | 0.08 | 0.03 | 0.02 | 0.042 | 0.54 | 11.9 | 10.2 | 1.27 | 669 | 0.82 | 0.02 |
| I032027 | | 163.5 | 3.90 | 7.05 | 0.07 | 0.03 | 0.01 | 0.023 | 0.23 | 5.7 | 9.4 | 1.12 | 439 | 0.60 | 0.04 |
| I032028 | | 30.2 | 3.15 | 6.42 | 0.06 | 0.03 | 0.02 | 0.019 | 0.24 | 5.8 | 8.8 | 1.35 | 253 | 0.70 | 0.02 |
| I032029 | | 63.4 | 2.74 | 5.93 | 0.05 | 0.07 | 0.01 | 0.021 | 0.24 | 7.3 | 11.0 | 1.09 | 337 | 0.63 | 0.03 |
| I032030 | | 23.4 | 3.02 | 6.79 | 0.05 | 0.03 | 0.02 | 0.025 | 0.08 | 7.7 | 9.7 | 0.63 | 603 | 0.84 | 0.02 |
| I032031 | | 22.9 | 2.94 | 6.74 | 0.05 | 0.04 | 0.02 | 0.025 | 0.07 | 7.5 | 9.2 | 0.61 | 551 | 0.82 | 0.02 |
| I032032 | | 21.9 | 2.97 | 7.64 | 0.05 | <0.02 | 0.01 | 0.026 | 0.08 | 6.4 | 8.5 | 0.62 | 305 | 0.85 | 0.02 |
| I032033 | | 19.7 | 2.82 | 5.70 | <0.05 | 0.07 | 0.02 | 0.024 | 0.25 | 9.4 | 8.6 | 0.50 | 862 | 0.93 | 0.02 |
| I032034 | | 14.1 | 3.03 | 6.61 | 0.05 | 0.02 | 0.03 | 0.028 | 0.18 | 8.0 | 8.6 | 0.52 | 741 | 1.07 | 0.02 |
| I032035 | | 21.5 | 3.01 | 6.50 | 0.05 | 0.04 | 0.02 | 0.025 | 0.23 | 7.7 | 9.1 | 0.59 | 893 | 0.88 | 0.02 |
| I032036 | | 23.3 | 3.24 | 7.17 | 0.07 | 0.04 | 0.02 | 0.032 | 0.34 | 7.3 | 11.6 | 0.80 | 522 | 0.65 | 0.02 |
| I032037 | | 23.5 | 3.44 | 8.02 | 0.05 | 0.02 | 0.01 | 0.049 | 0.13 | 7.6 | 9.6 | 0.76 | 517 | 1.17 | 0.02 |
| I032038 | | 30.1 | 4.52 | 11.35 | 0.06 | <0.02 | 0.01 | 0.048 | 0.11 | 7.2 | 12.0 | 1.29 | 1800 | 0.89 | 0.02 |
| I032039 | | 50.1 | 3.87 | 9.50 | 0.06 | <0.02 | 0.01 | 0.022 | 0.05 | 5.2 | 14.0 | 1.03 | 476 | 0.72 | 0.03 |
| I032040 | | 0.6 | 0.02 | 0.05 | <0.05 | <0.02 | <0.01 | <0.005 | <0.01 | 0.5 | 0.1 | <0.01 | <5 | <0.05 | <0.01 |
| I032041 | | 30.6 | 3.94 | 11.45 | 0.07 | 0.02 | 0.02 | 0.051 | 0.21 | 5.3 | 11.3 | 1.43 | 595 | 0.91 | 0.02 |
| I032042 | | 32.2 | 4.11 | 9.12 | 0.07 | 0.03 | 0.02 | 0.022 | 0.48 | 4.7 | 13.9 | 1.01 | 379 | 1.04 | 0.02 |
| I032043 | | 15.0 | 2.99 | 6.58 | <0.05 | <0.02 | 0.04 | 0.029 | 0.11 | 7.8 | 9.7 | 0.47 | 361 | 1.14 | 0.01 |
| I032044 | | 21.7 | 3.49 | 7.63 | 0.06 | 0.04 | 0.02 | 0.038 | 0.20 | 7.3 | 10.3 | 0.77 | 702 | 0.96 | 0.02 |
| I032045 | | 14.3 | 2.82 | 6.75 | 0.05 | 0.02 | 0.03 | 0.023 | 0.09 | 7.7 | 9.7 | 0.55 | 856 | 1.03 | 0.02 |
| I032046 | | 13.4 | 3.07 | 7.28 | 0.05 | <0.02 | 0.02 | 0.028 | 0.09 | 7.2 | 9.4 | 0.53 | 468 | 1.21 | 0.01 |
| I032047 | | 20.0 | 3.06 | 7.09 | 0.07 | 0.08 | 0.02 | 0.029 | 0.28 | 10.1 | 12.0 | 0.68 | 505 | 0.61 | 0.02 |
| I032048 | | 21.2 | 3.58 | 8.67 | 0.07 | 0.05 | 0.01 | 0.022 | 0.25 | 7.1 | 13.2 | 1.08 | 567 | 0.56 | 0.02 |
| I032049 | | 40.6 | 3.76 | 8.30 | 0.09 | 0.06 | 0.02 | 0.027 | 0.27 | 14.8 | 11.6 | 0.95 | 579 | 0.67 | 0.02 |
| I032050 | | 37.3 | 3.62 | 8.15 | 0.08 | 0.06 | 0.02 | 0.030 | 0.22 | 12.5 | 11.3 | 0.90 | 536 | 0.68 | 0.02 |
| I032051 | | 14.1 | 2.35 | 7.08 | <0.05 | 0.03 | 0.03 | 0.015 | 0.07 | 7.8 | 8.7 | 0.41 | 252 | 1.03 | 0.02 |
| I032052 | | 17.8 | 3.42 | 8.46 | <0.05 | 0.08 | 0.03 | 0.022 | 0.11 | 10.3 | 15.7 | 0.67 | 461 | 1.16 | 0.02 |
| I032053 | | 14.0 | 2.54 | 7.69 | <0.05 | 0.08 | 0.02 | 0.010 | 0.05 | 5.7 | 9.4 | 0.35 | 250 | 0.97 | 0.02 |
| I032054 | | 14.6 | 3.52 | 8.15 | 0.05 | 0.10 | 0.02 | 0.016 | 0.06 | 7.6 | 15.5 | 0.60 | 323 | 0.80 | 0.02 |
| I032055 | | 16.3 | 1.82 | 3.72 | <0.05 | 0.04 | 0.07 | 0.008 | 0.06 | 10.1 | 6.7 | 0.38 | 425 | 0.91 | 0.03 |
| I032056 | | 15.3 | 3.57 | 8.65 | 0.05 | 0.07 | 0.03 | 0.024 | 0.10 | 11.0 | 17.4 | 0.87 | 614 | 0.70 | 0.03 |
| I032057 | | 18.1 | 3.26 | 7.79 | 0.05 | 0.05 | 0.04 | 0.030 | 0.09 | 12.9 | 17.3 | 0.77 | 505 | 0.71 | 0.02 |
| I032058 | | 15.2 | 3.35 | 8.32 | 0.05 | 0.05 | 0.02 | 0.017 | 0.07 | 7.5 | 18.0 | 0.55 | 274 | 1.84 | 0.01 |
| I032059 | | 14.4 | 3.22 | 7.28 | <0.05 | 0.02 | 0.05 | 0.020 | 0.10 | 12.5 | 16.7 | 0.68 | 328 | 1.00 | 0.02 |
| I032060 | | 10.8 | 2.29 | 5.98 | <0.05 | 0.08 | 0.02 | 0.013 | 0.04 | 7.2 | 9.6 | 0.40 | 183 | 0.70 | 0.02 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th |
| | | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.2 | 10 | 0.2 | 0.1 | 0.001 | 0.01 | 0.05 | 0.1 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | 0.2 |
| I032021 | | 15.9 | 470 | 6.5 | 15.0 | <0.001 | 0.01 | 0.25 | 4.9 | 0.4 | 0.4 | 35.8 | <0.01 | 0.05 | 1.3 |
| I032022 | | 16.3 | 260 | 6.1 | 18.9 | <0.001 | 0.01 | 0.35 | 5.7 | 0.4 | 0.7 | 22.4 | <0.01 | 0.02 | 2.5 |
| I032023 | | 18.2 | 220 | 7.2 | 7.0 | <0.001 | <0.01 | 0.39 | 3.9 | 0.3 | 0.5 | 18.8 | <0.01 | 0.03 | 2.5 |
| I032024 | | 51.2 | 340 | 29.9 | 22.5 | <0.001 | 0.01 | 0.38 | 4.9 | 0.5 | 2.5 | 39.1 | <0.01 | 0.09 | 4.0 |
| I032025 | | 58.9 | 250 | 4.5 | 29.4 | <0.001 | 0.01 | 0.24 | 6.8 | 0.3 | 0.6 | 26.3 | <0.01 | 0.03 | 2.1 |
| I032026 | | 29.8 | 560 | 6.3 | 31.3 | <0.001 | 0.02 | 0.28 | 6.2 | 0.4 | 1.6 | 35.3 | <0.01 | 0.03 | 3.9 |
| I032027 | | 35.1 | 1720 | 4.7 | 13.4 | <0.001 | 0.02 | 0.25 | 6.5 | 0.4 | 0.5 | 44.0 | <0.01 | 0.03 | 1.4 |
| I032028 | | 43.9 | 240 | 5.5 | 34.3 | <0.001 | 0.01 | 0.35 | 4.3 | 0.3 | 0.4 | 21.9 | <0.01 | 0.02 | 1.4 |
| I032029 | | 39.5 | 410 | 5.4 | 27.1 | <0.001 | 0.01 | 0.30 | 5.6 | 0.3 | 0.4 | 27.9 | <0.01 | 0.02 | 2.5 |
| I032030 | | 20.5 | 510 | 5.7 | 7.3 | <0.001 | 0.01 | 0.30 | 6.1 | 0.3 | 0.5 | 30.5 | <0.01 | 0.02 | 2.1 |
| I032031 | | 20.0 | 450 | 5.6 | 6.4 | <0.001 | 0.01 | 0.30 | 6.2 | 0.4 | 0.5 | 27.4 | <0.01 | 0.02 | 2.4 |
| I032032 | | 15.6 | 660 | 5.1 | 5.2 | <0.001 | 0.01 | 0.30 | 4.5 | 0.3 | 0.6 | 21.5 | <0.01 | 0.02 | 1.2 |
| I032033 | | 21.0 | 600 | 7.4 | 15.9 | <0.001 | 0.01 | 0.26 | 5.7 | 0.5 | 0.5 | 40.3 | <0.01 | 0.02 | 2.3 |
| I032034 | | 17.7 | 460 | 6.0 | 12.0 | <0.001 | 0.01 | 0.35 | 4.8 | 0.3 | 0.7 | 32.2 | <0.01 | 0.02 | 3.3 |
| I032035 | | 22.1 | 560 | 7.1 | 13.5 | <0.001 | 0.02 | 0.37 | 5.5 | 0.4 | 0.5 | 33.5 | <0.01 | 0.02 | 1.8 |
| I032036 | | 17.4 | 670 | 5.8 | 21.1 | <0.001 | 0.02 | 0.31 | 6.3 | 0.6 | 0.5 | 29.3 | <0.01 | 0.03 | 1.7 |
| I032037 | | 15.8 | 500 | 5.9 | 5.4 | <0.001 | 0.01 | 0.37 | 7.2 | 0.3 | 0.6 | 24.4 | <0.01 | 0.03 | 1.8 |
| I032038 | | 16.0 | 920 | 6.0 | 3.5 | <0.001 | 0.01 | 0.24 | 8.2 | 0.4 | 0.6 | 33.3 | <0.01 | 0.03 | 1.0 |
| I032039 | | 17.5 | 590 | 4.5 | 4.4 | <0.001 | 0.01 | 0.24 | 6.8 | 0.3 | 0.5 | 21.2 | <0.01 | 0.02 | 0.7 |
| I032040 | | <0.2 | 10 | 0.4 | 0.1 | <0.001 | <0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 0.7 | <0.01 | <0.01 | 0.2 |
| I032041 | | 14.4 | 620 | 5.4 | 11.8 | <0.001 | 0.04 | 0.31 | 8.1 | 0.4 | 0.7 | 26.3 | <0.01 | 0.02 | 1.4 |
| I032042 | | 15.9 | 480 | 8.0 | 31.9 | <0.001 | 0.10 | 0.36 | 5.5 | 0.5 | 0.5 | 36.0 | <0.01 | 0.04 | 1.3 |
| I032043 | | 18.5 | 210 | 7.7 | 12.4 | <0.001 | 0.01 | 0.45 | 4.2 | 0.3 | 0.6 | 27.2 | <0.01 | 0.02 | 1.9 |
| I032044 | | 22.9 | 340 | 7.0 | 10.4 | <0.001 | 0.01 | 0.40 | 6.5 | 0.3 | 1.2 | 33.1 | <0.01 | 0.02 | 2.3 |
| I032045 | | 18.4 | 320 | 7.0 | 6.8 | <0.001 | 0.01 | 0.38 | 4.2 | 0.4 | 0.6 | 24.8 | <0.01 | 0.02 | 1.9 |
| I032046 | | 19.4 | 300 | 8.0 | 7.2 | <0.001 | 0.01 | 0.42 | 4.7 | 0.3 | 0.6 | 28.3 | <0.01 | 0.02 | 1.7 |
| I032047 | | 21.5 | 320 | 7.4 | 21.8 | <0.001 | 0.01 | 0.30 | 6.7 | 0.5 | 0.5 | 32.7 | <0.01 | 0.03 | 3.7 |
| I032048 | | 24.2 | 320 | 7.9 | 21.1 | <0.001 | 0.01 | 0.25 | 7.0 | 0.3 | 0.5 | 34.1 | <0.01 | 0.02 | 2.7 |
| I032049 | | 32.6 | 280 | 6.0 | 15.5 | <0.001 | 0.01 | 0.53 | 11.1 | 0.6 | 0.5 | 32.4 | <0.01 | 0.02 | 2.9 |
| I032050 | | 30.4 | 260 | 6.1 | 13.6 | <0.001 | 0.01 | 0.52 | 10.8 | 0.6 | 0.5 | 31.8 | <0.01 | 0.02 | 2.7 |
| I032051 | | 11.1 | 330 | 7.2 | 12.1 | <0.001 | <0.01 | 0.34 | 3.9 | 0.4 | 0.7 | 20.6 | <0.01 | 0.02 | 1.2 |
| I032052 | | 17.9 | 530 | 8.3 | 15.7 | <0.001 | <0.01 | 0.40 | 5.3 | 0.3 | 0.7 | 29.3 | 0.01 | 0.02 | 3.1 |
| I032053 | | 11.5 | 270 | 7.5 | 10.7 | <0.001 | <0.01 | 0.32 | 3.1 | 0.2 | 0.6 | 19.0 | <0.01 | 0.03 | 1.7 |
| I032054 | | 15.5 | 520 | 6.6 | 8.6 | <0.001 | <0.01 | 0.35 | 4.6 | 0.3 | 0.7 | 25.5 | 0.01 | 0.03 | 2.6 |
| I032055 | | 11.5 | 690 | 4.5 | 10.0 | <0.001 | 0.08 | 0.40 | 3.8 | 0.6 | 0.4 | 45.5 | <0.01 | 0.02 | 0.6 |
| I032056 | | 18.2 | 600 | 6.5 | 18.6 | <0.001 | <0.01 | 0.40 | 6.4 | 0.4 | 0.7 | 32.6 | <0.01 | 0.02 | 2.5 |
| I032057 | | 18.3 | 580 | 10.8 | 16.4 | <0.001 | <0.01 | 0.52 | 6.1 | 0.4 | 0.6 | 27.3 | <0.01 | 0.02 | 3.5 |
| I032058 | | 13.7 | 390 | 8.2 | 17.8 | <0.001 | <0.01 | 0.61 | 4.1 | 0.3 | 0.6 | 18.0 | <0.01 | 0.03 | 2.0 |
| I032059 | | 12.1 | 590 | 8.3 | 18.8 | <0.001 | <0.01 | 0.55 | 5.2 | 0.4 | 0.6 | 23.7 | <0.01 | 0.02 | 2.6 |
| I032060 | | 10.7 | 260 | 5.5 | 7.0 | <0.001 | <0.01 | 0.32 | 3.6 | 0.3 | 0.5 | 18.9 | <0.01 | 0.02 | 2.0 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti ppm 0.02 | ME-MS41 U ppm 0.05 | ME-MS41 V ppm 1 | ME-MS41 W ppm 0.05 | ME-MS41 Y ppm 0.05 | ME-MS41 Zn ppm 2 | ME-MS41 Zr ppm 0.5 | WEI-21 Recvd Wt. kg 0.02 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|--------------------------|-----------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------------|
| I032021 | | 0.09 | 0.42 | 78 | 0.13 | 2.98 | 72 | 1.5 | 0.28 |
| I032022 | | 0.10 | 0.38 | 79 | 0.13 | 4.41 | 58 | 1.2 | 0.36 |
| I032023 | | 0.07 | 0.39 | 67 | 0.12 | 2.83 | 56 | 2.2 | 0.42 |
| I032024 | | 0.10 | 0.73 | 80 | 0.17 | 5.49 | 174 | 1.5 | 0.34 |
| I032025 | | 0.11 | 0.27 | 76 | 0.10 | 3.31 | 50 | 3.8 | 0.40 |
| I032026 | | 0.22 | 0.56 | 95 | 0.14 | 6.19 | 128 | 2.1 | 0.38 |
| I032027 | | 0.10 | 0.39 | 94 | 0.09 | 3.78 | 57 | 1.7 | 0.38 |
| I032028 | | 0.13 | 0.27 | 84 | 0.18 | 2.24 | 43 | 1.9 | 0.32 |
| I032029 | | 0.14 | 0.35 | 68 | 0.20 | 3.94 | 42 | 3.7 | 0.48 |
| I032030 | | 0.08 | 0.34 | 69 | 0.17 | 3.89 | 50 | 2.0 | 0.30 |
| I032031 | | 0.08 | 0.35 | 67 | 0.16 | 3.65 | 47 | 2.4 | 0.30 |
| I032032 | | 0.09 | 0.32 | 67 | 0.17 | 3.39 | 53 | 1.0 | 0.32 |
| I032033 | | 0.07 | 0.37 | 59 | 0.16 | 4.63 | 51 | 2.7 | 0.34 |
| I032034 | | 0.08 | 0.44 | 65 | 0.14 | 3.73 | 51 | 1.9 | 0.46 |
| I032035 | | 0.07 | 0.29 | 64 | 0.18 | 3.79 | 59 | 2.1 | 0.30 |
| I032036 | | 0.09 | 0.40 | 68 | 0.20 | 5.07 | 66 | 2.3 | 0.28 |
| I032037 | | 0.08 | 0.31 | 71 | 0.15 | 4.01 | 91 | 1.3 | 0.32 |
| I032038 | | 0.08 | 0.37 | 93 | 0.10 | 6.04 | 160 | 0.7 | 0.36 |
| I032039 | | 0.08 | 0.29 | 109 | 0.09 | 2.96 | 82 | 0.7 | 0.38 |
| I032040 | | <0.02 | 0.08 | 1 | <0.05 | 0.66 | 2 | 0.6 | 0.10 |
| I032041 | | 0.09 | 0.30 | 86 | 0.12 | 3.12 | 127 | 1.6 | 0.28 |
| I032042 | | 0.16 | 0.36 | 97 | 0.10 | 2.20 | 83 | 2.2 | 0.24 |
| I032043 | | 0.08 | 0.35 | 65 | 0.26 | 2.72 | 48 | 1.1 | 0.30 |
| I032044 | | 0.08 | 0.34 | 80 | 0.24 | 3.65 | 56 | 2.4 | 0.30 |
| I032045 | | 0.08 | 0.31 | 66 | 0.20 | 2.70 | 48 | 1.6 | 0.36 |
| I032046 | | 0.09 | 0.32 | 72 | 0.23 | 2.54 | 49 | 1.0 | 0.34 |
| I032047 | | 0.09 | 0.42 | 60 | 0.14 | 7.06 | 51 | 4.1 | 0.38 |
| I032048 | | 0.11 | 0.37 | 87 | 0.15 | 5.55 | 46 | 3.0 | 0.38 |
| I032049 | | 0.07 | 0.67 | 89 | 0.14 | 17.00 | 47 | 2.4 | 0.40 |
| I032050 | | 0.06 | 0.60 | 86 | 0.13 | 13.95 | 45 | 2.5 | 0.38 |
| I032051 | | 0.10 | 0.65 | 62 | 0.15 | 3.81 | 38 | 1.3 | 0.28 |
| I032052 | | 0.14 | 0.73 | 88 | 0.24 | 5.76 | 52 | 3.5 | 0.34 |
| I032053 | | 0.08 | 0.39 | 72 | 0.13 | 2.85 | 37 | 3.8 | 0.30 |
| I032054 | | 0.09 | 0.59 | 95 | 0.29 | 4.69 | 45 | 3.9 | 0.30 |
| I032055 | | 0.12 | 1.75 | 43 | 0.12 | 6.97 | 36 | 1.4 | 0.24 |
| I032056 | | 0.23 | 1.07 | 93 | 0.22 | 7.76 | 67 | 3.0 | 0.42 |
| I032057 | | 0.16 | 1.82 | 79 | 0.16 | 8.82 | 66 | 2.1 | 0.44 |
| I032058 | | 0.11 | 0.62 | 87 | 0.24 | 3.53 | 52 | 2.2 | 0.40 |
| I032059 | | 0.12 | 1.43 | 72 | 0.22 | 6.19 | 56 | 0.9 | 0.40 |
| I032060 | | 0.10 | 0.51 | 62 | 0.21 | 3.98 | 33 | 3.1 | 0.30 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | Au-AA23 Au ppm 0.005 | ME-MS41 Ag ppm 0.01 | ME-MS41 Al % 0.01 | ME-MS41 As ppm 0.1 | ME-MS41 Au ppm 0.2 | ME-MS41 B ppm 10 | ME-MS41 Ba ppm 10 | ME-MS41 Be ppm 0.05 | ME-MS41 Bi ppm 0.01 | ME-MS41 Ca % 0.01 | ME-MS41 Cd ppm 0.01 | ME-MS41 Ce ppm 0.02 | ME-MS41 Co ppm 0.1 | ME-MS41 Cr ppm 1 | ME-MS41 Cs ppm 0.05 |
|--------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|------------------------------|
| I032061 | | <0.005 | 0.10 | 2.51 | 6.7 | <0.2 | <10 | 200 | 0.34 | 0.17 | 0.40 | 0.07 | 19.15 | 10.8 | 26 | 1.84 |
| I032062 | | <0.005 | 0.05 | 2.37 | 13.2 | <0.2 | <10 | 260 | 0.32 | 0.14 | 0.28 | 0.11 | 21.3 | 11.2 | 22 | 3.95 |
| I032063 | | <0.005 | 0.03 | 2.72 | 13.7 | <0.2 | <10 | 230 | 0.34 | 0.14 | 0.31 | 0.10 | 20.9 | 13.6 | 38 | 2.76 |
| I032064 | | <0.005 | 0.03 | 2.21 | 8.5 | <0.2 | <10 | 120 | 0.26 | 0.15 | 0.19 | 0.09 | 19.80 | 9.3 | 27 | 2.27 |
| I032065 | | <0.005 | 0.03 | 0.83 | 7.8 | <0.2 | <10 | 50 | 0.17 | 0.08 | 0.11 | 0.04 | 8.13 | 2.6 | 10 | 1.00 |
| I032066 | | <0.005 | 0.04 | 2.73 | 6.5 | <0.2 | <10 | 300 | 0.35 | 0.11 | 0.37 | 0.06 | 21.7 | 12.1 | 31 | 1.72 |
| I032067 | | <0.005 | 0.53 | 0.94 | 129.0 | <0.2 | <10 | 120 | 0.20 | 0.08 | 0.27 | 0.08 | 10.60 | 5.1 | 12 | 2.37 |
| I032068 | | <0.005 | 0.11 | 1.16 | 25.8 | <0.2 | <10 | 160 | 0.21 | 0.10 | 0.24 | 0.30 | 15.20 | 4.9 | 16 | 2.01 |
| I032069 | | <0.005 | 0.17 | 2.43 | 250 | <0.2 | <10 | 230 | 0.34 | 0.13 | 0.40 | 0.53 | 20.2 | 13.6 | 30 | 2.34 |
| I032070 | | 0.005 | 0.06 | 2.84 | 11.9 | <0.2 | <10 | 200 | 0.42 | 0.16 | 0.22 | 0.06 | 23.4 | 12.1 | 43 | 1.63 |
| I032071 | | <0.005 | 0.07 | 2.31 | 22.4 | <0.2 | <10 | 170 | 0.27 | 0.29 | 0.27 | 0.09 | 20.4 | 11.0 | 27 | 2.76 |
| I032072 | | <0.005 | 0.02 | 3.13 | 9.1 | <0.2 | <10 | 210 | 0.37 | 0.12 | 0.34 | 0.07 | 19.50 | 14.7 | 27 | 2.92 |
| I032073 | | <0.005 | 0.13 | 3.10 | 10.7 | <0.2 | <10 | 190 | 0.50 | 0.38 | 0.26 | 0.12 | 23.6 | 14.4 | 41 | 1.37 |
| I032074 | | <0.005 | 0.02 | 0.87 | 3.7 | <0.2 | <10 | 70 | 0.12 | 0.09 | 0.15 | 0.02 | 9.46 | 3.0 | 12 | 0.53 |
| I032075 | | <0.005 | 0.02 | 2.34 | 10.1 | <0.2 | <10 | 120 | 0.25 | 0.20 | 0.22 | 0.07 | 18.80 | 7.2 | 33 | 1.01 |
| I032076 | | <0.005 | 0.02 | 4.08 | 9.4 | <0.2 | <10 | 180 | 0.38 | 0.18 | 0.16 | 0.11 | 16.15 | 12.2 | 28 | 2.38 |
| I032077 | | <0.005 | 0.04 | 2.88 | 10.3 | <0.2 | <10 | 260 | 0.41 | 0.27 | 0.26 | 0.10 | 21.2 | 11.5 | 27 | 2.49 |
| I032078 | | <0.005 | 0.12 | 1.63 | 7.4 | <0.2 | <10 | 140 | 0.36 | 0.11 | 0.62 | 0.13 | 18.40 | 12.7 | 32 | 0.64 |
| I032079 | | <0.005 | 0.04 | 1.61 | 5.6 | <0.2 | <10 | 120 | 0.25 | 0.12 | 0.14 | 0.03 | 16.85 | 5.7 | 21 | 0.88 |
| I032080 | | <0.005 | 0.07 | 1.35 | 5.8 | <0.2 | <10 | 170 | 0.32 | 0.12 | 0.30 | 0.08 | 26.4 | 7.5 | 24 | 0.70 |
| I032081 | | <0.005 | 0.07 | 1.83 | 3.9 | <0.2 | <10 | 180 | 0.28 | 0.14 | 0.28 | 0.08 | 19.15 | 6.0 | 21 | 1.06 |
| I032082 | | <0.005 | 0.16 | 1.81 | 5.6 | <0.2 | <10 | 420 | 0.60 | 0.13 | 1.00 | 0.13 | 35.3 | 9.5 | 28 | 0.76 |
| I032083 | | <0.005 | 0.12 | 1.65 | 5.3 | <0.2 | <10 | 140 | 0.18 | 0.15 | 0.25 | 0.06 | 18.50 | 5.1 | 22 | 0.92 |
| I032084 | | <0.005 | 0.08 | 1.37 | 6.3 | <0.2 | <10 | 130 | 0.17 | 0.15 | 0.23 | 0.08 | 16.15 | 4.6 | 20 | 0.68 |
| I032085 | | <0.005 | 0.07 | 1.63 | 7.2 | <0.2 | <10 | 120 | 0.28 | 0.19 | 0.15 | 0.05 | 18.75 | 5.4 | 25 | 0.75 |
| I032086 | | <0.005 | 0.07 | 1.17 | 3.3 | <0.2 | <10 | 210 | 0.44 | 0.12 | 0.22 | 0.05 | 22.3 | 4.0 | 16 | 0.71 |
| I032087 | | <0.005 | 0.05 | 1.56 | 3.9 | <0.2 | <10 | 260 | 0.45 | 0.11 | 0.27 | 0.04 | 21.6 | 6.1 | 22 | 0.60 |
| I032088 | | <0.005 | 0.07 | 0.86 | 6.3 | <0.2 | <10 | 190 | 0.35 | 0.15 | 0.14 | 0.09 | 15.10 | 3.7 | 12 | 0.64 |
| I032089 | | <0.005 | 0.09 | 1.75 | 5.4 | <0.2 | <10 | 470 | 0.52 | 0.18 | 0.54 | 0.23 | 28.1 | 11.0 | 25 | 0.61 |
| I032090 | | <0.005 | 0.04 | 1.40 | 4.5 | <0.2 | <10 | 280 | 0.25 | 0.10 | 0.23 | 0.04 | 13.50 | 7.7 | 21 | 0.52 |
| I032091 | | <0.005 | 0.04 | 1.40 | 4.8 | <0.2 | <10 | 280 | 0.25 | 0.10 | 0.23 | 0.03 | 14.45 | 7.5 | 21 | 0.55 |
| I032092 | | <0.005 | 0.06 | 1.03 | 6.1 | <0.2 | <10 | 320 | 0.18 | 0.11 | 0.07 | 0.03 | 13.20 | 3.8 | 13 | 0.43 |
| I032093 | | <0.005 | 0.16 | 1.18 | 5.0 | <0.2 | <10 | 630 | 0.26 | 0.18 | 0.21 | 0.08 | 20.5 | 5.8 | 15 | 0.45 |
| I032094 | | <0.005 | 0.12 | 1.25 | 5.6 | <0.2 | <10 | 570 | 0.24 | 0.14 | 0.20 | 0.06 | 19.25 | 5.5 | 16 | 0.34 |
| I032095 | | 0.005 | 0.07 | 1.33 | 7.5 | <0.2 | <10 | 420 | 0.39 | 0.13 | 0.63 | 0.09 | 24.2 | 8.2 | 24 | 0.45 |
| I032096 | | <0.005 | 0.08 | 1.49 | 4.9 | <0.2 | <10 | 770 | 0.48 | 0.13 | 0.31 | 0.14 | 30.1 | 7.0 | 19 | 0.42 |
| I032097 | | <0.005 | 0.03 | 2.83 | 4.8 | <0.2 | <10 | 460 | 0.25 | 0.07 | 0.73 | 0.03 | 8.02 | 22.7 | 84 | 2.05 |
| I032098 | | 0.005 | 0.07 | 1.46 | 9.5 | <0.2 | <10 | 390 | 0.41 | 0.14 | 0.48 | 0.07 | 22.0 | 8.9 | 27 | 0.33 |
| I032099 | | <0.005 | 0.10 | 1.43 | 8.2 | <0.2 | <10 | 480 | 0.39 | 0.15 | 0.60 | 0.20 | 21.8 | 9.5 | 24 | 0.33 |
| I032100 | | <0.005 | 0.05 | 1.36 | 6.7 | <0.2 | <10 | 360 | 0.40 | 0.14 | 0.59 | 0.20 | 20.8 | 9.2 | 23 | 0.32 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Cu ppm | ME-MS41 Fe % | ME-MS41 Ga ppm | ME-MS41 Ge ppm | ME-MS41 Hf ppm | ME-MS41 Hg ppm | ME-MS41 In ppm | ME-MS41 K % | ME-MS41 La ppm | ME-MS41 Li ppm | ME-MS41 Mg % | ME-MS41 Mn ppm | ME-MS41 Mo ppm | ME-MS41 Na % | ME-MS41 Nb ppm |
|--------------------|-----------------------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------------|----------------------|----------------------|--------------------|----------------------|----------------------|--------------------|----------------------|
| | | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 | 0.01 | 0.05 |
| I032061 | | 16.8 | 3.20 | 8.38 | <0.05 | 0.07 | 0.02 | 0.023 | 0.06 | 10.7 | 14.1 | 0.59 | 434 | 1.26 | 0.02 | 2.06 |
| I032062 | | 10.8 | 3.57 | 9.09 | 0.06 | 0.06 | 0.03 | 0.020 | 0.25 | 10.4 | 14.3 | 0.83 | 362 | 0.76 | 0.02 | 1.77 |
| I032063 | | 19.3 | 3.83 | 8.29 | 0.05 | 0.07 | 0.03 | 0.027 | 0.12 | 9.8 | 17.8 | 0.95 | 474 | 0.96 | 0.02 | 1.98 |
| I032064 | | 15.1 | 3.24 | 7.81 | 0.05 | 0.03 | 0.03 | 0.022 | 0.07 | 9.6 | 14.0 | 0.59 | 277 | 0.93 | 0.01 | 1.71 |
| I032065 | | 8.2 | 1.38 | 4.12 | <0.05 | 0.02 | 0.02 | <0.005 | 0.03 | 4.2 | 5.0 | 0.15 | 76 | 0.60 | 0.02 | 0.88 |
| I032066 | | 25.1 | 3.35 | 7.17 | 0.07 | 0.11 | 0.03 | 0.022 | 0.10 | 10.8 | 14.8 | 0.77 | 336 | 0.58 | 0.02 | 1.84 |
| I032067 | | 10.6 | 1.59 | 3.63 | <0.05 | <0.02 | 0.24 | 0.007 | 0.03 | 5.5 | 6.0 | 0.18 | 331 | 0.65 | 0.02 | 0.64 |
| I032068 | | 14.1 | 1.57 | 4.21 | <0.05 | 0.02 | 0.10 | 0.007 | 0.05 | 8.4 | 5.8 | 0.26 | 174 | 0.62 | 0.02 | 0.77 |
| I032069 | | 16.3 | 3.09 | 6.76 | <0.05 | 0.09 | 0.93 | 0.025 | 0.05 | 9.8 | 13.5 | 0.63 | 397 | 1.08 | 0.02 | 1.35 |
| I032070 | | 27.4 | 3.79 | 8.81 | 0.06 | 0.17 | 0.02 | 0.029 | 0.07 | 11.4 | 15.4 | 0.65 | 302 | 1.46 | 0.02 | 2.06 |
| I032071 | | 22.4 | 3.42 | 7.64 | 0.05 | 0.08 | 0.03 | 0.020 | 0.13 | 9.5 | 13.7 | 0.70 | 335 | 1.15 | 0.02 | 2.17 |
| I032072 | | 16.8 | 4.33 | 9.89 | 0.06 | 0.11 | 0.02 | 0.028 | 0.22 | 9.0 | 20.2 | 0.93 | 514 | 0.95 | 0.03 | 2.70 |
| I032073 | | 27.5 | 3.72 | 7.32 | 0.05 | 0.27 | 0.04 | 0.030 | 0.07 | 10.6 | 15.9 | 0.66 | 383 | 1.28 | 0.02 | 1.79 |
| I032074 | | 7.2 | 1.40 | 4.23 | <0.05 | <0.02 | 0.02 | <0.005 | 0.03 | 4.8 | 4.5 | 0.16 | 76 | 0.58 | 0.02 | 0.83 |
| I032075 | | 16.4 | 3.39 | 9.05 | <0.05 | 0.06 | 0.04 | 0.022 | 0.04 | 9.5 | 13.0 | 0.42 | 171 | 1.44 | 0.01 | 1.90 |
| I032076 | | 18.3 | 5.09 | 12.90 | 0.07 | 0.11 | 0.04 | 0.030 | 0.21 | 7.0 | 19.4 | 0.83 | 423 | 1.71 | 0.02 | 3.86 |
| I032077 | | 15.6 | 4.04 | 10.40 | 0.05 | 0.07 | 0.09 | 0.032 | 0.09 | 10.8 | 18.1 | 0.63 | 507 | 1.26 | 0.02 | 2.43 |
| I032078 | | 27.0 | 3.12 | 5.45 | <0.05 | 0.11 | 0.02 | 0.020 | 0.03 | 8.7 | 8.5 | 0.57 | 393 | 0.62 | 0.05 | 1.62 |
| I032079 | | 12.5 | 2.25 | 5.53 | <0.05 | 0.03 | 0.02 | 0.012 | 0.03 | 8.8 | 13.9 | 0.42 | 208 | 0.53 | <0.01 | 1.13 |
| I032080 | | 17.8 | 2.20 | 4.37 | <0.05 | 0.07 | 0.02 | 0.013 | 0.04 | 12.9 | 11.7 | 0.47 | 336 | 0.53 | 0.01 | 0.95 |
| I032081 | | 13.0 | 2.32 | 6.83 | <0.05 | 0.03 | 0.02 | 0.014 | 0.05 | 10.2 | 13.4 | 0.50 | 296 | 0.60 | 0.01 | 1.19 |
| I032082 | | 20.8 | 2.37 | 5.42 | 0.05 | 0.05 | 0.06 | 0.019 | 0.04 | 19.2 | 14.8 | 0.48 | 821 | 1.12 | 0.02 | 0.99 |
| I032083 | | 9.5 | 2.10 | 6.38 | <0.05 | 0.03 | 0.03 | 0.012 | 0.03 | 9.5 | 11.1 | 0.40 | 147 | 0.78 | 0.01 | 1.26 |
| I032084 | | 9.8 | 2.01 | 5.80 | <0.05 | <0.02 | 0.02 | 0.009 | 0.05 | 8.2 | 9.0 | 0.34 | 141 | 1.01 | 0.01 | 1.06 |
| I032085 | | 10.9 | 2.66 | 7.16 | <0.05 | 0.07 | 0.01 | 0.015 | 0.05 | 9.7 | 13.7 | 0.36 | 198 | 0.99 | 0.01 | 1.52 |
| I032086 | | 9.1 | 1.81 | 5.34 | <0.05 | 0.03 | 0.01 | 0.005 | 0.06 | 12.6 | 10.2 | 0.36 | 225 | 0.63 | 0.01 | 0.92 |
| I032087 | | 14.0 | 2.07 | 5.52 | 0.07 | 0.03 | 0.01 | 0.019 | 0.05 | 11.2 | 14.2 | 0.55 | 366 | 0.44 | 0.02 | 0.64 |
| I032088 | | 10.7 | 1.54 | 3.32 | 0.05 | 0.03 | 0.02 | 0.013 | 0.05 | 7.6 | 6.1 | 0.20 | 363 | 1.00 | 0.01 | 2.93 |
| I032089 | | 27.8 | 2.49 | 5.45 | 0.07 | 0.05 | 0.02 | 0.027 | 0.09 | 11.8 | 11.5 | 0.46 | 891 | 0.99 | 0.04 | 1.19 |
| I032090 | | 14.7 | 2.14 | 5.16 | 0.07 | 0.02 | 0.01 | 0.013 | 0.08 | 8.8 | 12.3 | 0.63 | 472 | 0.72 | 0.02 | 0.91 |
| I032091 | | 14.8 | 2.11 | 5.05 | 0.07 | 0.03 | 0.01 | 0.014 | 0.07 | 9.9 | 13.9 | 0.64 | 377 | 0.73 | 0.02 | 0.92 |
| I032092 | | 7.3 | 1.91 | 4.50 | 0.06 | 0.04 | 0.01 | 0.012 | 0.04 | 6.8 | 9.6 | 0.25 | 152 | 1.23 | 0.01 | 0.86 |
| I032093 | | 18.7 | 1.90 | 5.56 | 0.06 | 0.02 | 0.02 | 0.013 | 0.05 | 11.3 | 8.2 | 0.25 | 991 | 1.34 | 0.03 | 1.01 |
| I032094 | | 16.0 | 1.99 | 4.90 | 0.06 | 0.02 | 0.02 | 0.013 | 0.05 | 10.2 | 10.1 | 0.30 | 815 | 1.16 | 0.02 | 0.89 |
| I032095 | | 21.5 | 2.27 | 4.03 | 0.09 | 0.13 | 0.02 | 0.018 | 0.05 | 12.5 | 13.0 | 0.50 | 336 | 0.80 | 0.04 | 1.21 |
| I032096 | | 15.4 | 2.12 | 4.69 | 0.08 | 0.04 | 0.02 | 0.021 | 0.10 | 14.8 | 11.1 | 0.43 | 734 | 0.79 | 0.03 | 0.85 |
| I032097 | | 8.3 | 2.55 | 8.13 | 0.10 | 0.03 | 0.01 | 0.018 | 0.06 | 4.3 | 25.0 | 3.03 | 552 | 0.35 | 0.02 | 0.53 |
| I032098 | | 17.9 | 2.48 | 4.49 | 0.09 | 0.10 | 0.09 | 0.022 | 0.06 | 10.9 | 12.2 | 0.47 | 299 | 0.88 | 0.03 | 1.06 |
| I032099 | | 18.8 | 2.37 | 4.41 | 0.08 | 0.09 | 0.02 | 0.021 | 0.08 | 10.7 | 11.3 | 0.49 | 547 | 0.88 | 0.04 | 1.16 |
| I032100 | | 20.2 | 2.35 | 4.25 | 0.08 | 0.08 | 0.01 | 0.020 | 0.09 | 9.9 | 10.6 | 0.47 | 521 | 0.92 | 0.04 | 1.13 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th |
| | | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.2 | 10 | 0.2 | 0.1 | 0.001 | 0.01 | 0.05 | 0.1 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | 0.2 |
| I032061 | | 16.1 | 350 | 7.0 | 13.5 | <0.001 | <0.01 | 0.53 | 5.6 | 0.3 | 0.7 | 30.0 | <0.01 | 0.03 | 2.6 |
| I032062 | | 13.0 | 340 | 8.1 | 45.3 | <0.001 | <0.01 | 0.64 | 5.9 | 0.3 | 0.8 | 22.4 | <0.01 | 0.02 | 2.7 |
| I032063 | | 25.4 | 570 | 6.4 | 20.4 | <0.001 | <0.01 | 1.42 | 6.1 | 0.3 | 0.8 | 25.3 | <0.01 | 0.02 | 2.8 |
| I032064 | | 15.3 | 430 | 7.9 | 10.6 | <0.001 | <0.01 | 1.09 | 5.1 | 0.3 | 0.8 | 17.1 | 0.01 | 0.02 | 1.8 |
| I032065 | | 4.3 | 270 | 4.6 | 6.7 | <0.001 | <0.01 | 0.23 | 1.9 | 0.3 | 0.3 | 11.1 | <0.01 | 0.02 | 0.5 |
| I032066 | | 22.1 | 480 | 6.2 | 14.4 | <0.001 | <0.01 | 0.32 | 6.0 | 0.2 | 0.6 | 25.9 | <0.01 | 0.02 | 2.9 |
| I032067 | | 6.6 | 550 | 16.9 | 4.8 | <0.001 | <0.01 | 0.57 | 2.9 | 0.3 | 0.3 | 18.8 | <0.01 | 0.01 | 0.4 |
| I032068 | | 8.5 | 380 | 12.2 | 9.2 | <0.001 | <0.01 | 0.54 | 3.0 | 0.3 | 0.4 | 22.3 | <0.01 | 0.02 | 0.4 |
| I032069 | | 22.7 | 530 | 51.9 | 10.8 | <0.001 | <0.01 | 1.97 | 5.5 | 0.3 | 0.6 | 30.1 | <0.01 | 0.03 | 2.7 |
| I032070 | | 28.3 | 270 | 8.9 | 11.3 | <0.001 | <0.01 | 0.64 | 5.6 | 0.4 | 0.7 | 22.3 | <0.01 | 0.02 | 4.4 |
| I032071 | | 14.9 | 390 | 19.9 | 18.7 | <0.001 | <0.01 | 0.56 | 5.8 | 0.4 | 0.7 | 20.5 | <0.01 | 0.03 | 2.7 |
| I032072 | | 17.8 | 610 | 7.0 | 29.0 | <0.001 | <0.01 | 0.34 | 6.4 | 0.4 | 0.8 | 25.6 | <0.01 | 0.02 | 3.0 |
| I032073 | | 25.6 | 310 | 8.6 | 11.2 | <0.001 | <0.01 | 0.47 | 6.5 | 0.4 | 0.7 | 25.2 | 0.01 | 0.02 | 4.9 |
| I032074 | | 5.3 | 270 | 4.6 | 4.5 | <0.001 | <0.01 | 0.17 | 1.9 | 0.3 | 0.3 | 15.8 | <0.01 | 0.02 | 0.5 |
| I032075 | | 15.3 | 330 | 10.5 | 7.5 | <0.001 | <0.01 | 0.42 | 4.4 | 0.4 | 0.7 | 22.7 | 0.01 | 0.03 | 2.2 |
| I032076 | | 15.0 | 550 | 8.5 | 23.8 | <0.001 | <0.01 | 0.45 | 7.0 | 0.4 | 0.9 | 14.8 | 0.01 | 0.04 | 2.7 |
| I032077 | | 16.9 | 380 | 9.1 | 15.4 | <0.001 | <0.01 | 0.36 | 6.5 | 0.3 | 0.8 | 21.9 | <0.01 | 0.05 | 2.9 |
| I032078 | | 22.5 | 490 | 6.3 | 5.3 | <0.001 | <0.01 | 0.31 | 4.3 | 0.3 | 0.5 | 36.0 | <0.01 | 0.02 | 2.0 |
| I032079 | | 12.3 | 280 | 6.0 | 5.9 | <0.001 | <0.01 | 0.26 | 3.1 | 0.2 | 0.4 | 11.9 | <0.01 | 0.01 | 2.4 |
| I032080 | | 16.3 | 590 | 6.8 | 6.9 | <0.001 | <0.01 | 0.39 | 3.8 | 0.3 | 0.4 | 22.1 | <0.01 | 0.02 | 4.0 |
| I032081 | | 11.9 | 460 | 7.8 | 12.8 | <0.001 | <0.01 | 0.25 | 3.5 | 0.3 | 0.4 | 22.3 | <0.01 | 0.02 | 2.5 |
| I032082 | | 23.4 | 750 | 7.9 | 7.8 | <0.001 | 0.02 | 0.52 | 4.5 | 0.9 | 0.6 | 65.1 | <0.01 | 0.02 | 1.8 |
| I032083 | | 12.0 | 260 | 8.8 | 9.1 | <0.001 | <0.01 | 0.24 | 3.3 | 0.3 | 0.5 | 22.1 | <0.01 | 0.01 | 2.4 |
| I032084 | | 11.0 | 430 | 8.7 | 8.9 | <0.001 | <0.01 | 0.26 | 2.7 | 0.3 | 0.5 | 19.4 | <0.01 | 0.02 | 1.1 |
| I032085 | | 11.4 | 450 | 10.9 | 9.8 | <0.001 | <0.01 | 0.28 | 3.0 | 0.2 | 0.6 | 13.3 | <0.01 | 0.03 | 2.8 |
| I032086 | | 9.0 | 220 | 8.9 | 10.4 | <0.001 | <0.01 | 0.19 | 2.7 | <0.2 | 0.4 | 20.4 | <0.01 | 0.02 | 2.3 |
| I032087 | | 16.1 | 310 | 6.2 | 8.2 | <0.001 | <0.01 | 0.21 | 3.4 | 0.3 | 0.3 | 23.8 | <0.01 | 0.02 | 3.3 |
| I032088 | | 9.1 | 170 | 11.3 | 14.2 | <0.001 | <0.01 | 0.27 | 1.9 | 0.4 | 0.4 | 11.9 | 0.01 | 0.02 | 3.8 |
| I032089 | | 20.9 | 330 | 8.0 | 13.1 | <0.001 | <0.01 | 0.44 | 4.5 | 0.6 | 0.5 | 29.9 | <0.01 | 0.04 | 3.1 |
| I032090 | | 16.2 | 270 | 4.8 | 10.9 | <0.001 | <0.01 | 0.25 | 2.9 | 0.3 | 0.3 | 17.1 | <0.01 | 0.02 | 1.9 |
| I032091 | | 16.7 | 260 | 4.7 | 11.1 | <0.001 | <0.01 | 0.26 | 3.0 | 0.3 | 0.3 | 17.6 | <0.01 | 0.02 | 2.1 |
| I032092 | | 7.9 | 130 | 5.6 | 7.9 | <0.001 | <0.01 | 0.30 | 2.2 | 0.2 | 0.4 | 7.7 | <0.01 | 0.02 | 2.3 |
| I032093 | | 11.8 | 300 | 7.3 | 9.3 | <0.001 | <0.01 | 0.33 | 2.7 | 0.4 | 0.5 | 15.8 | <0.01 | 0.04 | 2.0 |
| I032094 | | 11.3 | 220 | 6.1 | 9.1 | <0.001 | <0.01 | 0.32 | 2.5 | 0.3 | 0.4 | 14.4 | <0.01 | 0.03 | 2.4 |
| I032095 | | 21.3 | 560 | 6.4 | 7.6 | <0.001 | <0.01 | 0.44 | 4.5 | 0.7 | 0.4 | 39.3 | <0.01 | 0.03 | 4.0 |
| I032096 | | 16.7 | 330 | 5.7 | 13.3 | 0.001 | <0.01 | 0.26 | 4.0 | 0.4 | 0.4 | 23.4 | <0.01 | 0.02 | 3.2 |
| I032097 | | 70.5 | 280 | 3.4 | 15.8 | <0.001 | <0.01 | 0.13 | 8.6 | 0.3 | 0.4 | 25.9 | <0.01 | 0.01 | 1.1 |
| I032098 | | 20.8 | 300 | 7.1 | 7.6 | <0.001 | <0.01 | 0.45 | 5.0 | 0.5 | 0.4 | 33.5 | <0.01 | 0.03 | 4.0 |
| I032099 | | 21.5 | 430 | 7.2 | 9.6 | <0.001 | <0.01 | 0.41 | 4.5 | 0.8 | 0.4 | 39.1 | <0.01 | 0.03 | 3.4 |
| I032100 | | 20.7 | 710 | 6.6 | 8.8 | 0.001 | <0.01 | 0.39 | 4.1 | 0.5 | 0.4 | 37.8 | <0.01 | 0.03 | 3.0 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti ppm 0.02 | ME-MS41 U ppm 0.05 | ME-MS41 V ppm 1 | ME-MS41 W ppm 0.05 | ME-MS41 Y ppm 0.05 | ME-MS41 Zn ppm 2 | ME-MS41 Zr ppm 0.5 | WEI-21 Recvd Wt. kg 0.02 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|--------------------------|-----------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------------|
| I032061 | | 0.14 | 0.86 | 83 | 0.24 | 6.76 | 47 | 3.5 | 0.44 |
| I032062 | | 0.27 | 0.68 | 92 | 0.17 | 5.17 | 56 | 2.6 | 0.42 |
| I032063 | | 0.17 | 0.58 | 98 | 0.24 | 5.46 | 65 | 3.4 | 0.48 |
| I032064 | | 0.10 | 0.61 | 78 | 0.24 | 4.24 | 50 | 1.2 | 0.40 |
| I032065 | | 0.04 | 0.37 | 32 | 0.10 | 2.24 | 16 | 0.7 | 0.22 |
| I032066 | | 0.18 | 0.76 | 85 | 0.19 | 5.78 | 51 | 4.4 | 0.56 |
| I032067 | | 0.09 | 0.57 | 34 | 0.18 | 4.90 | 44 | <0.5 | 0.38 |
| I032068 | | 0.09 | 0.63 | 39 | 0.30 | 4.80 | 59 | 0.6 | 0.28 |
| I032069 | | 0.22 | 0.67 | 71 | 0.20 | 5.46 | 388 | 4.5 | 0.58 |
| I032070 | | 0.12 | 0.60 | 97 | 0.18 | 3.98 | 65 | 8.2 | 0.50 |
| I032071 | | 0.18 | 0.74 | 91 | 0.51 | 5.32 | 53 | 4.0 | 0.44 |
| I032072 | | 0.26 | 0.59 | 108 | 0.20 | 5.49 | 69 | 4.1 | 0.42 |
| I032073 | | 0.12 | 0.85 | 86 | 0.19 | 5.01 | 55 | 11.9 | 0.56 |
| I032074 | | 0.04 | 0.32 | 36 | 0.09 | 2.13 | 17 | 0.6 | 0.36 |
| I032075 | | 0.10 | 0.63 | 86 | 0.14 | 4.13 | 41 | 2.8 | 0.42 |
| I032076 | | 0.18 | 0.70 | 132 | 0.25 | 3.73 | 62 | 4.4 | 0.40 |
| I032077 | | 0.15 | 0.96 | 105 | 0.20 | 5.28 | 70 | 3.2 | 0.40 |
| I032078 | | 0.06 | 0.49 | 80 | 0.11 | 5.83 | 47 | 5.2 | 0.24 |
| I032079 | | 0.07 | 0.34 | 50 | 0.16 | 3.63 | 34 | 1.3 | 0.38 |
| I032080 | | 0.05 | 0.61 | 44 | 0.19 | 6.81 | 51 | 3.0 | 0.40 |
| I032081 | | 0.06 | 0.42 | 49 | 0.36 | 5.08 | 57 | 1.5 | 0.34 |
| I032082 | | 0.06 | 2.01 | 45 | 0.18 | 15.85 | 56 | 1.9 | 0.34 |
| I032083 | | 0.10 | 0.47 | 52 | 0.21 | 2.92 | 45 | 1.5 | 0.50 |
| I032084 | | 0.07 | 0.36 | 51 | 0.27 | 2.60 | 43 | 0.5 | 0.38 |
| I032085 | | 0.10 | 0.40 | 67 | 0.17 | 2.48 | 42 | 3.1 | 0.38 |
| I032086 | | 0.06 | 0.42 | 42 | 0.09 | 3.76 | 43 | 1.1 | 0.34 |
| I032087 | | 0.05 | 0.36 | 40 | 0.09 | 4.35 | 41 | 1.1 | 0.40 |
| I032088 | | 0.07 | 0.68 | 31 | 0.13 | 6.42 | 32 | 0.8 | 0.34 |
| I032089 | | 0.06 | 0.59 | 51 | 0.32 | 5.04 | 43 | 1.9 | 0.20 |
| I032090 | | 0.06 | 0.27 | 50 | 0.10 | 2.84 | 43 | 0.8 | 0.36 |
| I032091 | | 0.06 | 0.29 | 50 | 0.11 | 3.03 | 44 | 1.0 | 0.36 |
| I032092 | | 0.05 | 0.21 | 47 | 0.14 | 1.68 | 22 | 1.5 | 0.36 |
| I032093 | | 0.07 | 0.38 | 53 | 0.19 | 4.20 | 29 | 0.5 | 0.30 |
| I032094 | | 0.06 | 0.32 | 47 | 0.18 | 3.75 | 30 | 0.7 | 0.48 |
| I032095 | | 0.05 | 0.63 | 49 | 0.17 | 7.58 | 45 | 5.0 | 0.30 |
| I032096 | | 0.05 | 0.47 | 42 | 0.12 | 5.10 | 32 | 0.9 | 0.36 |
| I032097 | | 0.08 | 0.22 | 74 | 0.10 | 1.94 | 77 | 1.3 | 0.42 |
| I032098 | | 0.04 | 0.53 | 55 | 0.24 | 5.31 | 43 | 4.1 | 0.40 |
| I032099 | | 0.04 | 0.71 | 53 | 0.15 | 6.05 | 46 | 3.3 | 0.38 |
| I032100 | | 0.04 | 0.65 | 50 | 0.29 | 5.31 | 46 | 2.8 | 0.34 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | Au-AA23 Au ppm 0.005 | ME-MS41 Ag ppm 0.01 | ME-MS41 Al % 0.01 | ME-MS41 As ppm 0.1 | ME-MS41 Au ppm 0.2 | ME-MS41 B ppm 10 | ME-MS41 Ba ppm 10 | ME-MS41 Be ppm 0.05 | ME-MS41 Bi ppm 0.01 | ME-MS41 Ca % 0.01 | ME-MS41 Cd ppm 0.01 | ME-MS41 Ce ppm 0.02 | ME-MS41 Co ppm 0.1 | ME-MS41 Cr ppm 1 | ME-MS41 Cs ppm 0.05 |
|--------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|------------------------------|
| I032101 | | 0.005 | 0.04 | 1.03 | 5.3 | <0.2 | <10 | 30 | 0.16 | 0.17 | 0.08 | 0.09 | 16.15 | 4.7 | 20 | 0.88 |
| I032102 | | <0.005 | <0.01 | 0.01 | <0.1 | <0.2 | <10 | <10 | <0.05 | 0.01 | <0.01 | 0.01 | 0.96 | 0.1 | <1 | <0.05 |
| I032103 | | 0.006 | 0.07 | 1.81 | 5.8 | <0.2 | <10 | 110 | 0.32 | 0.20 | 0.18 | 0.08 | 42.9 | 9.8 | 32 | 1.95 |
| I032104 | | <0.005 | 0.04 | 1.92 | 13.7 | <0.2 | <10 | 110 | 0.52 | 0.22 | 0.11 | 0.17 | 36.3 | 11.6 | 30 | 1.29 |
| I032105 | | <0.005 | 0.04 | 2.16 | 9.4 | <0.2 | <10 | 100 | 0.44 | 0.17 | 0.13 | 0.14 | 19.40 | 8.6 | 35 | 1.20 |
| I032106 | | <0.005 | 0.09 | 2.16 | 11.4 | <0.2 | <10 | 120 | 0.41 | 0.24 | 0.09 | 0.12 | 18.80 | 7.1 | 33 | 1.33 |
| I032107 | | <0.005 | 0.10 | 2.32 | 8.7 | <0.2 | <10 | 90 | 0.41 | 0.14 | 0.14 | 0.14 | 17.45 | 11.5 | 36 | 1.22 |
| I032108 | | <0.005 | 0.03 | 2.02 | 4.0 | <0.2 | <10 | 50 | 0.14 | 0.05 | 0.20 | 0.06 | 4.84 | 12.7 | 136 | 2.21 |
| I032109 | | <0.005 | 0.08 | 1.82 | 4.7 | <0.2 | <10 | 140 | 0.22 | 0.13 | 0.18 | 0.09 | 6.55 | 10.9 | 55 | 0.93 |
| I032110 | | <0.005 | 0.23 | 1.81 | 6.2 | <0.2 | <10 | 180 | 0.22 | 0.15 | 0.22 | 0.15 | 9.27 | 12.9 | 21 | 1.55 |
| I032111 | | <0.005 | 0.04 | 1.91 | 3.2 | <0.2 | <10 | 700 | 0.20 | 0.08 | 0.18 | 0.05 | 5.10 | 13.0 | 13 | 0.94 |
| I032112 | | <0.005 | 0.17 | 1.25 | 6.6 | <0.2 | <10 | 120 | 0.14 | 0.13 | 0.20 | 0.08 | 11.60 | 6.6 | 27 | 0.78 |
| I032113 | | <0.005 | 0.18 | 1.33 | 7.9 | <0.2 | <10 | 430 | 0.20 | 0.15 | 0.33 | 0.15 | 16.45 | 8.3 | 30 | 1.28 |
| I032114 | | 0.006 | 0.13 | 1.36 | 5.2 | <0.2 | <10 | 160 | 0.14 | 0.11 | 0.28 | 0.08 | 13.05 | 9.0 | 30 | 0.81 |
| I032115 | | <0.005 | 0.26 | 0.86 | 2.3 | <0.2 | <10 | 190 | 0.18 | 0.11 | 0.19 | 0.16 | 11.55 | 4.1 | 16 | 1.89 |
| I032116 | | <0.005 | 0.03 | 1.87 | 7.1 | <0.2 | <10 | 150 | 0.19 | 0.14 | 0.16 | 0.10 | 12.20 | 11.2 | 28 | 2.67 |
| I032117 | | <0.005 | 0.04 | 1.88 | 6.8 | <0.2 | <10 | 170 | 0.22 | 0.13 | 0.17 | 0.11 | 13.80 | 11.1 | 29 | 2.65 |
| I032118 | | <0.005 | 0.14 | 1.26 | 5.2 | <0.2 | <10 | 170 | 0.16 | 0.14 | 0.21 | 0.09 | 13.00 | 6.4 | 22 | 0.91 |
| I032119 | | <0.005 | 0.06 | 2.41 | 10.2 | <0.2 | <10 | 90 | 0.31 | 0.14 | 0.10 | 0.17 | 12.70 | 14.6 | 78 | 1.87 |
| I032120 | | <0.005 | 0.14 | 1.96 | 3.1 | <0.2 | <10 | 390 | 0.23 | 0.10 | 0.59 | 0.05 | 10.35 | 22.5 | 69 | 2.31 |
| I032121 | | <0.005 | 0.04 | 1.85 | 6.0 | <0.2 | <10 | 90 | 0.17 | 0.11 | 0.12 | 0.10 | 10.55 | 13.5 | 35 | 1.75 |
| I032122 | | 0.005 | 0.16 | 1.78 | 4.9 | <0.2 | <10 | 210 | 0.21 | 0.12 | 0.26 | 0.10 | 13.30 | 11.7 | 26 | 1.96 |
| I032123 | | 0.020 | 0.19 | 2.01 | 3.9 | <0.2 | <10 | 470 | 0.24 | 0.14 | 0.45 | 0.11 | 14.90 | 14.8 | 33 | 3.75 |
| I032124 | | <0.005 | 0.19 | 1.77 | 4.0 | <0.2 | <10 | 240 | 0.24 | 0.09 | 0.32 | 0.08 | 12.45 | 14.2 | 20 | 3.71 |
| I032125 | | 0.006 | 0.04 | 2.25 | 6.4 | <0.2 | <10 | 120 | 0.37 | 0.17 | 0.36 | 0.15 | 21.6 | 9.9 | 36 | 1.68 |
| I032126 | | <0.005 | 0.05 | 2.69 | 7.8 | <0.2 | <10 | 190 | 0.55 | 0.17 | 0.36 | 0.10 | 23.5 | 12.4 | 45 | 1.78 |
| I032127 | | <0.005 | 0.23 | 3.12 | 9.1 | <0.2 | <10 | 420 | 0.59 | 0.23 | 0.51 | 0.12 | 24.5 | 13.7 | 46 | 4.06 |
| I032128 | | 0.005 | 1.12 | 1.12 | 42.2 | <0.2 | <10 | 150 | 0.18 | 0.12 | 0.16 | 0.43 | 13.55 | 3.4 | 17 | 2.33 |
| I032129 | | <0.005 | 0.08 | 2.13 | 12.5 | <0.2 | <10 | 190 | 0.26 | 0.17 | 0.30 | 0.08 | 17.50 | 8.2 | 33 | 3.78 |
| I032130 | | <0.005 | 0.13 | 1.82 | 4.8 | <0.2 | <10 | 180 | 0.17 | 0.19 | 0.28 | 0.09 | 13.55 | 6.9 | 25 | 1.37 |
| I032131 | | <0.005 | 0.03 | 2.36 | 5.3 | <0.2 | <10 | 220 | 0.31 | 0.16 | 0.44 | 0.05 | 29.7 | 10.8 | 36 | 2.22 |
| I032132 | | <0.005 | 0.04 | 1.89 | 157.5 | <0.2 | <10 | 130 | 0.26 | 0.15 | 0.19 | 0.12 | 24.2 | 10.3 | 24 | 4.26 |
| I032133 | | <0.005 | 0.05 | 2.65 | 17.7 | <0.2 | <10 | 220 | 0.32 | 0.14 | 0.46 | 0.07 | 25.4 | 12.9 | 36 | 2.33 |
| I032134 | | <0.005 | 0.04 | 2.72 | 5.2 | <0.2 | <10 | 250 | 0.29 | 0.14 | 0.57 | 0.05 | 19.90 | 11.8 | 27 | 1.77 |
| I032135 | | <0.005 | 0.04 | 2.44 | 6.6 | <0.2 | <10 | 150 | 0.25 | 0.15 | 0.27 | 0.14 | 15.00 | 10.4 | 27 | 1.20 |
| I032136 | | 0.007 | 0.01 | 2.36 | 7.8 | <0.2 | <10 | 150 | 0.23 | 0.15 | 0.36 | 0.08 | 18.00 | 10.3 | 31 | 1.39 |
| I032137 | | 0.007 | 0.05 | 2.67 | 6.6 | <0.2 | <10 | 190 | 0.27 | 0.16 | 0.43 | 0.07 | 21.8 | 12.1 | 33 | 1.57 |
| I032138 | | <0.005 | <0.01 | 0.01 | <0.1 | <0.2 | <10 | 10 | <0.05 | <0.01 | 0.01 | 0.01 | 1.00 | 0.1 | 2 | <0.05 |
| I032139 | | <0.005 | 0.08 | 2.88 | 8.5 | <0.2 | <10 | 330 | 0.32 | 0.17 | 0.68 | 0.07 | 28.8 | 14.5 | 32 | 3.45 |
| I032140 | | <0.005 | 0.15 | 2.76 | 7.6 | <0.2 | <10 | 400 | 0.34 | 0.16 | 0.84 | 0.08 | 35.1 | 13.8 | 35 | 3.04 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Cu ppm | ME-MS41 Fe % | ME-MS41 Ga ppm | ME-MS41 Ge ppm | ME-MS41 Hf ppm | ME-MS41 Hg ppm | ME-MS41 In ppm | ME-MS41 K % | ME-MS41 La ppm | ME-MS41 Li ppm | ME-MS41 Mg % | ME-MS41 Mn ppm | ME-MS41 Mo ppm | ME-MS41 Na % | ME-MS41 Nb ppm |
|--------------------|-----------------------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------------|----------------------|----------------------|--------------------|----------------------|----------------------|--------------------|----------------------|
| | | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 | 0.01 | 0.05 |
| I032101 | | 14.0 | 2.13 | 6.29 | 0.07 | 0.02 | 0.03 | 0.016 | 0.06 | 7.8 | 7.4 | 0.29 | 136 | 1.00 | 0.01 | 1.36 |
| I032102 | | 1.2 | 0.02 | <0.05 | <0.05 | <0.02 | <0.01 | <0.005 | <0.01 | 0.5 | 0.1 | <0.01 | <5 | 0.16 | <0.01 | <0.05 |
| I032103 | | 27.0 | 2.82 | 6.67 | 0.13 | 0.04 | 0.03 | 0.024 | 0.18 | 23.6 | 15.5 | 0.59 | 201 | 1.10 | 0.01 | 2.12 |
| I032104 | | 30.4 | 3.24 | 6.23 | 0.10 | 0.02 | 0.04 | 0.029 | 0.05 | 17.3 | 12.5 | 0.37 | 231 | 1.50 | 0.01 | 0.84 |
| I032105 | | 17.8 | 2.92 | 6.33 | 0.08 | 0.04 | 0.07 | 0.028 | 0.06 | 9.3 | 16.7 | 0.43 | 288 | 1.27 | 0.01 | 1.64 |
| I032106 | | 20.4 | 3.35 | 8.18 | 0.08 | 0.05 | 0.04 | 0.030 | 0.03 | 9.7 | 16.0 | 0.28 | 223 | 2.02 | 0.01 | 1.75 |
| I032107 | | 51.1 | 3.33 | 7.91 | 0.09 | 0.07 | 0.03 | 0.024 | 0.05 | 8.3 | 17.4 | 0.67 | 206 | 1.16 | 0.02 | 1.36 |
| I032108 | | 19.2 | 2.74 | 7.09 | 0.08 | <0.02 | 0.01 | 0.009 | 0.07 | 2.5 | 21.9 | 1.45 | 187 | 0.70 | 0.02 | 0.44 |
| I032109 | | 25.2 | 2.78 | 7.45 | 0.07 | 0.02 | 0.02 | 0.018 | 0.05 | 3.4 | 15.7 | 0.84 | 257 | 0.98 | 0.03 | 0.93 |
| I032110 | | 77.0 | 3.19 | 7.14 | 0.05 | 0.02 | 0.04 | 0.017 | 0.08 | 4.7 | 13.2 | 0.60 | 403 | 1.00 | 0.02 | 1.03 |
| I032111 | | 89.6 | 2.83 | 8.45 | 0.05 | 0.02 | 0.01 | 0.016 | 0.12 | 2.4 | 18.8 | 0.90 | 212 | 0.58 | 0.03 | 1.04 |
| I032112 | | 32.3 | 2.19 | 5.66 | 0.05 | 0.02 | 0.03 | 0.016 | 0.05 | 6.0 | 9.0 | 0.44 | 139 | 0.84 | 0.02 | 1.10 |
| I032113 | | 44.2 | 2.30 | 5.54 | 0.05 | 0.02 | 0.03 | 0.021 | 0.07 | 8.6 | 9.7 | 0.42 | 245 | 1.30 | 0.02 | 0.72 |
| I032114 | | 50.1 | 2.25 | 5.58 | 0.06 | 0.02 | 0.03 | 0.014 | 0.08 | 6.7 | 10.0 | 0.63 | 186 | 0.84 | 0.02 | 0.85 |
| I032115 | | 69.5 | 1.13 | 3.16 | <0.05 | <0.02 | 0.06 | 0.013 | 0.04 | 6.0 | 2.7 | 0.14 | 55 | 0.66 | 0.02 | 0.20 |
| I032116 | | 51.4 | 3.12 | 7.62 | 0.05 | 0.02 | 0.02 | 0.022 | 0.04 | 6.1 | 13.9 | 0.54 | 373 | 1.14 | 0.01 | 1.09 |
| I032117 | | 55.4 | 2.93 | 6.83 | 0.06 | 0.02 | 0.02 | 0.022 | 0.04 | 6.8 | 13.9 | 0.52 | 336 | 1.01 | 0.02 | 0.96 |
| I032118 | | 36.2 | 1.94 | 5.96 | 0.05 | 0.02 | 0.03 | 0.015 | 0.04 | 6.7 | 8.0 | 0.36 | 128 | 0.87 | 0.02 | 0.90 |
| I032119 | | 26.0 | 3.89 | 8.76 | 0.06 | 0.11 | 0.03 | 0.026 | 0.06 | 6.5 | 23.2 | 0.97 | 289 | 1.07 | 0.01 | 1.33 |
| I032120 | | 52.1 | 3.44 | 7.84 | 0.06 | 0.02 | 0.03 | 0.019 | 0.08 | 4.9 | 15.3 | 1.17 | 743 | 0.83 | 0.02 | 0.48 |
| I032121 | | 63.1 | 3.65 | 9.08 | 0.08 | 0.04 | 0.02 | 0.016 | 0.12 | 5.4 | 12.1 | 0.90 | 248 | 1.01 | 0.01 | 1.25 |
| I032122 | | 74.3 | 2.81 | 7.00 | 0.06 | 0.02 | 0.04 | 0.020 | 0.09 | 6.8 | 13.1 | 0.68 | 215 | 0.88 | 0.02 | 0.85 |
| I032123 | | 112.0 | 3.28 | 7.14 | 0.06 | 0.03 | 0.08 | 0.027 | 0.12 | 7.6 | 12.8 | 0.73 | 401 | 0.81 | 0.02 | 0.77 |
| I032124 | | 84.6 | 4.26 | 7.27 | 0.07 | 0.02 | 0.05 | 0.029 | 0.18 | 6.0 | 10.0 | 0.71 | 408 | 0.68 | 0.01 | 0.58 |
| I032125 | | 18.8 | 3.56 | 8.51 | 0.08 | 0.07 | 0.02 | 0.032 | 0.22 | 10.9 | 12.4 | 0.97 | 415 | 0.90 | <0.01 | 2.58 |
| I032126 | | 24.5 | 3.75 | 8.33 | 0.09 | 0.09 | 0.01 | 0.039 | 0.16 | 11.4 | 14.2 | 0.99 | 527 | 0.95 | 0.01 | 2.29 |
| I032127 | | 30.6 | 4.32 | 9.37 | 0.09 | 0.05 | 0.07 | 0.048 | 0.18 | 12.5 | 11.8 | 0.94 | 740 | 1.47 | 0.02 | 2.05 |
| I032128 | | 15.4 | 1.72 | 4.72 | <0.05 | 0.02 | 0.14 | 0.019 | 0.05 | 7.9 | 4.3 | 0.23 | 121 | 0.79 | 0.01 | 0.87 |
| I032129 | | 15.6 | 3.23 | 7.12 | 0.06 | 0.03 | 0.04 | 0.027 | 0.06 | 9.1 | 11.7 | 0.55 | 253 | 1.07 | 0.01 | 1.34 |
| I032130 | | 17.7 | 2.33 | 5.52 | 0.05 | 0.03 | 0.02 | 0.019 | 0.05 | 7.1 | 10.0 | 0.43 | 227 | 0.69 | 0.01 | 1.14 |
| I032131 | | 22.7 | 3.48 | 7.13 | 0.10 | 0.12 | 0.02 | 0.027 | 0.17 | 15.7 | 13.4 | 0.85 | 435 | 0.52 | 0.01 | 1.68 |
| I032132 | | 12.2 | 4.19 | 7.42 | 0.06 | 0.03 | 0.03 | 0.032 | 0.12 | 12.6 | 8.4 | 0.47 | 667 | 1.40 | <0.01 | 1.50 |
| I032133 | | 23.6 | 3.42 | 7.34 | 0.09 | 0.09 | 0.03 | 0.032 | 0.12 | 12.6 | 12.7 | 0.82 | 438 | 0.42 | 0.01 | 1.62 |
| I032134 | | 18.2 | 3.52 | 7.90 | 0.09 | 0.08 | 0.04 | 0.031 | 0.14 | 10.1 | 12.9 | 0.96 | 396 | 0.36 | 0.03 | 2.06 |
| I032135 | | 22.1 | 3.63 | 7.95 | 0.07 | 0.07 | 0.04 | 0.023 | 0.09 | 7.3 | 11.1 | 0.64 | 378 | 0.93 | 0.02 | 1.87 |
| I032136 | | 17.0 | 3.82 | 9.08 | 0.07 | 0.09 | 0.03 | 0.026 | 0.14 | 8.7 | 12.7 | 0.78 | 407 | 0.90 | 0.01 | 2.34 |
| I032137 | | 23.3 | 3.71 | 7.83 | 0.09 | 0.09 | 0.02 | 0.025 | 0.17 | 10.9 | 13.2 | 0.88 | 417 | 0.73 | 0.01 | 2.04 |
| I032138 | | 0.7 | 0.02 | <0.05 | <0.05 | 0.02 | <0.01 | <0.005 | <0.01 | 0.5 | 0.1 | <0.01 | <5 | 0.05 | <0.01 | <0.05 |
| I032139 | | 22.3 | 4.17 | 8.94 | 0.11 | 0.06 | 0.03 | 0.037 | 0.24 | 13.3 | 14.4 | 1.08 | 648 | 0.90 | 0.02 | 2.20 |
| I032140 | | 25.6 | 3.95 | 7.58 | 0.12 | 0.08 | 0.06 | 0.032 | 0.24 | 18.0 | 14.4 | 0.98 | 738 | 0.68 | 0.02 | 2.16 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Ni ppm | ME-MS41 P ppm | ME-MS41 Pb ppm | ME-MS41 Rb ppm | ME-MS41 Re ppm | ME-MS41 S % | ME-MS41 Sb ppm | ME-MS41 Sc ppm | ME-MS41 Se ppm | ME-MS41 Sn ppm | ME-MS41 Sr ppm | ME-MS41 Ta ppm | ME-MS41 Te ppm | ME-MS41 Th ppm | ME-MS41 Ti % |
|--------------------|-----------------------------------|----------------------|---------------------|----------------------|----------------------|----------------------|-------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|--------------------|
| | | 0.2 | 10 | 0.2 | 0.1 | 0.001 | 0.01 | 0.05 | 0.1 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | 0.2 | 0.005 |
| I032101 | | 12.9 | 300 | 7.9 | 9.3 | <0.001 | 0.02 | 0.26 | 2.1 | 0.5 | 0.5 | 9.1 | <0.01 | 0.04 | 1.5 | 0.104 |
| I032102 | | 1.1 | 10 | 0.8 | 0.1 | <0.001 | <0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 0.6 | <0.01 | <0.01 | 0.2 | <0.005 |
| I032103 | | 24.1 | 450 | 9.0 | 28.2 | <0.001 | 0.01 | 0.36 | 4.1 | 0.7 | 0.6 | 15.2 | <0.01 | 0.03 | 6.3 | 0.130 |
| I032104 | | 27.0 | 520 | 10.5 | 11.6 | <0.001 | 0.01 | 0.35 | 3.1 | 0.9 | 0.5 | 12.3 | 0.01 | 0.05 | 1.4 | 0.059 |
| I032105 | | 20.4 | 420 | 8.2 | 11.7 | <0.001 | 0.02 | 0.46 | 3.9 | 0.7 | 0.6 | 13.6 | 0.01 | 0.05 | 3.7 | 0.088 |
| I032106 | | 17.4 | 290 | 10.3 | 11.8 | <0.001 | 0.01 | 0.63 | 3.8 | 0.5 | 0.7 | 11.2 | 0.01 | 0.06 | 3.3 | 0.084 |
| I032107 | | 24.2 | 360 | 6.6 | 10.9 | <0.001 | 0.01 | 0.50 | 5.3 | 0.5 | 0.5 | 10.1 | 0.01 | 0.05 | 2.9 | 0.134 |
| I032108 | | 40.0 | 350 | 2.6 | 11.4 | <0.001 | <0.01 | 0.16 | 3.0 | 0.4 | 0.3 | 10.5 | <0.01 | 0.03 | 0.4 | 0.152 |
| I032109 | | 22.8 | 310 | 4.8 | 10.2 | <0.001 | 0.01 | 0.35 | 4.0 | 0.5 | 0.4 | 15.5 | <0.01 | 0.04 | 0.6 | 0.131 |
| I032110 | | 16.8 | 350 | 5.8 | 15.6 | <0.001 | 0.03 | 0.43 | 2.9 | 0.4 | 0.5 | 15.5 | <0.01 | 0.04 | 0.5 | 0.122 |
| I032111 | | 13.6 | 470 | 2.8 | 11.1 | <0.001 | 0.02 | 0.21 | 4.1 | 0.3 | 0.4 | 9.1 | <0.01 | 0.03 | 0.5 | 0.168 |
| I032112 | | 15.7 | 260 | 5.1 | 8.7 | <0.001 | 0.03 | 0.33 | 2.9 | 0.4 | 0.4 | 14.7 | 0.01 | 0.04 | 0.8 | 0.087 |
| I032113 | | 21.6 | 570 | 6.2 | 14.5 | <0.001 | 0.04 | 0.31 | 3.3 | 0.6 | 0.4 | 21.5 | <0.01 | 0.03 | 0.4 | 0.058 |
| I032114 | | 17.8 | 590 | 4.9 | 9.8 | <0.001 | 0.02 | 0.23 | 3.0 | 0.4 | 0.4 | 15.8 | <0.01 | 0.03 | 0.8 | 0.100 |
| I032115 | | 10.9 | 680 | 4.0 | 6.4 | <0.001 | 0.04 | 0.19 | 0.6 | 0.6 | 0.3 | 17.8 | <0.01 | 0.02 | <0.2 | 0.018 |
| I032116 | | 20.0 | 370 | 6.1 | 9.4 | <0.001 | 0.01 | 0.29 | 4.4 | 0.3 | 0.5 | 13.0 | <0.01 | 0.04 | 0.7 | 0.080 |
| I032117 | | 21.3 | 380 | 6.0 | 9.1 | <0.001 | 0.01 | 0.30 | 4.1 | 0.4 | 0.5 | 14.1 | <0.01 | 0.04 | 0.5 | 0.072 |
| I032118 | | 13.5 | 370 | 5.7 | 6.9 | <0.001 | 0.01 | 0.24 | 3.1 | 0.4 | 0.5 | 15.4 | <0.01 | 0.03 | 0.6 | 0.075 |
| I032119 | | 35.3 | 260 | 7.4 | 11.1 | <0.001 | 0.01 | 0.47 | 4.8 | 0.5 | 0.5 | 10.0 | <0.01 | 0.04 | 2.2 | 0.111 |
| I032120 | | 34.4 | 720 | 5.0 | 10.0 | <0.001 | 0.03 | 0.19 | 4.9 | 0.4 | 0.4 | 26.5 | <0.01 | 0.03 | 0.3 | 0.119 |
| I032121 | | 20.8 | 310 | 5.4 | 14.7 | <0.001 | 0.01 | 0.28 | 4.3 | 0.3 | 0.5 | 10.0 | <0.01 | 0.03 | 1.2 | 0.182 |
| I032122 | | 18.3 | 620 | 5.3 | 11.9 | <0.001 | 0.02 | 0.26 | 4.6 | 0.4 | 0.4 | 17.7 | <0.01 | 0.03 | 0.7 | 0.101 |
| I032123 | | 19.4 | 600 | 6.0 | 14.2 | <0.001 | 0.02 | 0.22 | 7.1 | 0.5 | 0.5 | 24.1 | <0.01 | 0.02 | 0.6 | 0.103 |
| I032124 | | 14.0 | 730 | 3.9 | 18.0 | <0.001 | <0.01 | 0.31 | 6.6 | 0.4 | 0.4 | 15.4 | <0.01 | 0.02 | 0.8 | 0.116 |
| I032125 | | 21.2 | 500 | 9.3 | 25.6 | <0.001 | <0.01 | 0.26 | 5.5 | 0.4 | 1.0 | 23.4 | <0.01 | 0.02 | 3.2 | 0.191 |
| I032126 | | 28.6 | 390 | 8.6 | 24.8 | <0.001 | <0.01 | 0.30 | 7.0 | 0.4 | 1.0 | 27.9 | <0.01 | 0.02 | 3.6 | 0.180 |
| I032127 | | 26.4 | 590 | 11.0 | 26.2 | <0.001 | 0.01 | 0.38 | 8.9 | 0.6 | 1.0 | 38.5 | <0.01 | 0.03 | 2.4 | 0.139 |
| I032128 | | 7.9 | 260 | 17.3 | 13.1 | <0.001 | <0.01 | 1.06 | 3.3 | 0.4 | 0.5 | 17.0 | <0.01 | 0.02 | 0.5 | 0.067 |
| I032129 | | 17.9 | 520 | 7.9 | 12.8 | <0.001 | <0.01 | 0.36 | 4.5 | 0.5 | 0.6 | 24.7 | <0.01 | 0.02 | 1.3 | 0.104 |
| I032130 | | 15.7 | 540 | 5.5 | 9.7 | <0.001 | <0.01 | 0.20 | 3.2 | 0.3 | 0.5 | 20.0 | <0.01 | 0.02 | 0.9 | 0.105 |
| I032131 | | 21.3 | 630 | 6.6 | 22.8 | <0.001 | <0.01 | 0.27 | 7.3 | 0.5 | 0.7 | 30.1 | <0.01 | 0.02 | 4.4 | 0.194 |
| I032132 | | 12.5 | 350 | 15.5 | 18.7 | <0.001 | <0.01 | 1.01 | 5.8 | 0.4 | 0.5 | 14.8 | <0.01 | 0.03 | 3.8 | 0.090 |
| I032133 | | 24.1 | 650 | 9.0 | 19.0 | <0.001 | <0.01 | 0.42 | 6.8 | 0.5 | 0.6 | 29.0 | <0.01 | 0.02 | 3.4 | 0.170 |
| I032134 | | 18.8 | 740 | 6.1 | 17.0 | <0.001 | 0.01 | 0.38 | 6.1 | 0.5 | 0.7 | 32.9 | <0.01 | 0.01 | 2.8 | 0.193 |
| I032135 | | 16.5 | 430 | 6.1 | 11.2 | <0.001 | <0.01 | 0.31 | 4.0 | 0.5 | 0.5 | 21.1 | 0.01 | 0.03 | 1.8 | 0.177 |
| I032136 | | 19.4 | 420 | 7.4 | 19.5 | <0.001 | <0.01 | 0.35 | 4.8 | 0.4 | 0.6 | 26.5 | <0.01 | 0.02 | 2.4 | 0.195 |
| I032137 | | 23.2 | 640 | 6.2 | 21.8 | <0.001 | <0.01 | 0.27 | 5.2 | 0.5 | 0.6 | 26.8 | <0.01 | 0.02 | 3.2 | 0.201 |
| I032138 | | 0.6 | 10 | 0.4 | 0.1 | <0.001 | <0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 0.6 | <0.01 | <0.01 | 0.2 | <0.005 |
| I032139 | | 21.2 | 860 | 5.7 | 34.5 | <0.001 | 0.01 | 0.40 | 8.6 | 0.6 | 0.7 | 40.1 | <0.01 | 0.02 | 2.6 | 0.190 |
| I032140 | | 20.7 | 900 | 6.0 | 33.9 | <0.001 | 0.02 | 0.44 | 9.1 | 0.9 | 0.6 | 44.6 | <0.01 | 0.03 | 2.1 | 0.193 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti ppm 0.02 | ME-MS41 U ppm 0.05 | ME-MS41 V ppm 1 | ME-MS41 W ppm 0.05 | ME-MS41 Y ppm 0.05 | ME-MS41 Zn ppm 2 | ME-MS41 Zr ppm 0.5 | WEI-21 Recvd Wt. kg 0.02 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|--------------------------|-----------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------------|
| I032101 | | 0.13 | 0.58 | 51 | 0.10 | 2.42 | 32 | 0.6 | 0.28 |
| I032102 | | <0.02 | 0.09 | <1 | <0.05 | 0.59 | 3 | 0.5 | 0.10 |
| I032103 | | 0.24 | 1.08 | 52 | 0.13 | 7.10 | 57 | 1.4 | 0.38 |
| I032104 | | 0.16 | 1.20 | 57 | 0.14 | 6.15 | 53 | 0.5 | 0.30 |
| I032105 | | 0.12 | 0.81 | 63 | 0.16 | 3.35 | 46 | 1.2 | 0.40 |
| I032106 | | 0.10 | 0.61 | 79 | 0.21 | 3.10 | 42 | 2.2 | 0.42 |
| I032107 | | 0.12 | 0.59 | 99 | 0.17 | 4.19 | 49 | 3.2 | 0.38 |
| I032108 | | 0.06 | 0.18 | 83 | 0.06 | 1.35 | 39 | <0.5 | 0.36 |
| I032109 | | 0.09 | 0.28 | 82 | 0.10 | 1.73 | 48 | 0.7 | 0.32 |
| I032110 | | 0.08 | 0.30 | 91 | 0.13 | 1.93 | 51 | 0.8 | 0.32 |
| I032111 | | 0.07 | 0.20 | 97 | 0.06 | 1.88 | 60 | 0.9 | 0.40 |
| I032112 | | 0.06 | 0.36 | 62 | 0.13 | 2.23 | 32 | 0.8 | 0.28 |
| I032113 | | 0.08 | 0.62 | 56 | 0.14 | 4.70 | 44 | <0.5 | 0.28 |
| I032114 | | 0.06 | 0.38 | 63 | 0.16 | 3.15 | 40 | 0.6 | 0.40 |
| I032115 | | 0.05 | 0.62 | 23 | 0.08 | 4.64 | 18 | <0.5 | 0.22 |
| I032116 | | 0.08 | 0.34 | 84 | 0.13 | 2.52 | 46 | 0.5 | 0.36 |
| I032117 | | 0.07 | 0.36 | 74 | 0.18 | 2.87 | 45 | <0.5 | 0.36 |
| I032118 | | 0.07 | 0.39 | 56 | 0.25 | 2.97 | 32 | 0.5 | 0.42 |
| I032119 | | 0.08 | 0.38 | 95 | 0.14 | 2.36 | 48 | 4.1 | 0.32 |
| I032120 | | 0.07 | 0.30 | 111 | 0.12 | 3.25 | 43 | 0.5 | 0.44 |
| I032121 | | 0.09 | 0.24 | 123 | 0.12 | 1.80 | 52 | 1.5 | 0.32 |
| I032122 | | 0.09 | 0.48 | 79 | 0.11 | 3.14 | 51 | 0.7 | 0.38 |
| I032123 | | 0.10 | 0.49 | 94 | 0.12 | 6.80 | 73 | 0.8 | 0.40 |
| I032124 | | 0.11 | 0.32 | 129 | 0.12 | 3.70 | 68 | 0.7 | 0.34 |
| I032125 | | 0.22 | 0.61 | 82 | 0.18 | 4.96 | 72 | 3.0 | 0.44 |
| I032126 | | 0.22 | 0.72 | 82 | 0.15 | 5.91 | 71 | 4.3 | 0.38 |
| I032127 | | 0.22 | 1.10 | 87 | 0.18 | 9.51 | 70 | 2.1 | 0.38 |
| I032128 | | 0.10 | 0.65 | 45 | 0.11 | 4.19 | 33 | 0.5 | 0.30 |
| I032129 | | 0.14 | 0.70 | 75 | 0.14 | 5.35 | 46 | 1.2 | 0.36 |
| I032130 | | 0.09 | 0.60 | 54 | 0.13 | 4.13 | 39 | 1.1 | 0.34 |
| I032131 | | 0.22 | 0.97 | 84 | 0.14 | 9.08 | 55 | 5.4 | 0.40 |
| I032132 | | 0.26 | 0.62 | 83 | 0.21 | 4.27 | 54 | 1.0 | 0.48 |
| I032133 | | 0.18 | 1.00 | 78 | 0.17 | 8.66 | 55 | 3.9 | 0.42 |
| I032134 | | 0.19 | 0.68 | 83 | 0.16 | 7.61 | 55 | 2.9 | 0.38 |
| I032135 | | 0.12 | 0.46 | 86 | 0.15 | 4.13 | 44 | 3.0 | 0.30 |
| I032136 | | 0.15 | 0.51 | 97 | 0.25 | 4.90 | 51 | 3.5 | 0.36 |
| I032137 | | 0.19 | 0.77 | 89 | 0.22 | 6.48 | 60 | 3.8 | 0.36 |
| I032138 | | <0.02 | 0.07 | 1 | <0.05 | 0.60 | 3 | 0.5 | 0.10 |
| I032139 | | 0.25 | 1.44 | 99 | 0.27 | 11.50 | 64 | 2.5 | 0.40 |
| I032140 | | 0.27 | 2.82 | 99 | 0.30 | 18.50 | 64 | 3.1 | 0.50 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | Au-AA23 Au ppm 0.005 | ME-MS41 Ag ppm 0.01 | ME-MS41 Al % 0.01 | ME-MS41 As ppm 0.1 | ME-MS41 Au ppm 0.2 | ME-MS41 B ppm 10 | ME-MS41 Ba ppm 10 | ME-MS41 Be ppm 0.05 | ME-MS41 Bi ppm 0.01 | ME-MS41 Ca % 0.01 | ME-MS41 Cd ppm 0.01 | ME-MS41 Ce ppm 0.02 | ME-MS41 Co ppm 0.1 | ME-MS41 Cr ppm 1 | ME-MS41 Cs ppm 0.05 |
|--------------------|-----------------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|------------------------------|
| I032141 | | <0.005 | 0.12 | 2.32 | 11.9 | <0.2 | <10 | 240 | 0.25 | 0.23 | 0.45 | 0.11 | 17.35 | 12.0 | 28 | 2.85 |
| I032142 | | <0.005 | 0.22 | 3.57 | 11.1 | <0.2 | <10 | 240 | 0.47 | 0.26 | 0.33 | 0.11 | 22.4 | 13.3 | 39 | 2.11 |
| I032143 | | <0.005 | 0.05 | 2.52 | 7.4 | <0.2 | <10 | 300 | 0.39 | 0.22 | 0.52 | 0.07 | 33.8 | 12.2 | 38 | 2.28 |
| I032144 | | <0.005 | 0.09 | 2.46 | 11.5 | <0.2 | <10 | 190 | 0.25 | 0.13 | 0.34 | 0.08 | 16.70 | 9.7 | 36 | 1.29 |
| I032145 | | <0.005 | 0.05 | 2.83 | 7.6 | <0.2 | <10 | 280 | 0.36 | 0.12 | 0.52 | 0.07 | 36.5 | 14.7 | 41 | 2.55 |
| I032146 | | <0.005 | 0.04 | 2.41 | 9.3 | <0.2 | <10 | 290 | 0.37 | 0.15 | 0.41 | 0.08 | 32.0 | 12.8 | 34 | 3.86 |
| I032147 | | <0.005 | 0.29 | 2.84 | 7.8 | <0.2 | <10 | 140 | 0.34 | 0.28 | 0.26 | 0.08 | 16.70 | 12.1 | 37 | 1.96 |
| I032148 | | <0.005 | 0.08 | 2.18 | 5.6 | <0.2 | <10 | 140 | 0.19 | 0.21 | 0.43 | 0.08 | 18.60 | 8.7 | 29 | 1.71 |
| I032149 | | <0.005 | 0.10 | 1.88 | 5.3 | <0.2 | <10 | 110 | 0.25 | 0.16 | 0.22 | 0.08 | 22.3 | 7.7 | 22 | 1.56 |
| I032150 | | <0.005 | 0.10 | 1.75 | 5.5 | <0.2 | <10 | 110 | 0.23 | 0.16 | 0.21 | 0.08 | 21.1 | 7.1 | 22 | 1.38 |
| I032151 | | <0.005 | 0.04 | 2.66 | 8.2 | <0.2 | <10 | 130 | 0.31 | 0.16 | 0.27 | 0.13 | 19.15 | 10.8 | 33 | 1.63 |
| I032152 | | <0.005 | 0.03 | 1.79 | 7.8 | <0.2 | <10 | 100 | 0.21 | 0.15 | 0.20 | 0.10 | 13.70 | 7.4 | 28 | 0.98 |
| I032153 | | 0.005 | 0.05 | 3.72 | 7.1 | <0.2 | <10 | 270 | 0.60 | 0.23 | 0.27 | 0.10 | 26.6 | 16.1 | 34 | 3.64 |
| I032154 | | <0.005 | 0.03 | 1.36 | 3.7 | <0.2 | <10 | 80 | 0.19 | 0.19 | 0.21 | 0.06 | 11.65 | 6.5 | 16 | 1.07 |
| I032155 | | <0.005 | 0.14 | 2.96 | 8.4 | <0.2 | <10 | 190 | 0.41 | 0.27 | 0.38 | 0.12 | 21.7 | 13.5 | 37 | 1.45 |
| I032156 | | <0.005 | 0.11 | 1.44 | 8.1 | <0.2 | <10 | 110 | 0.23 | 0.11 | 0.15 | 0.05 | 13.75 | 5.1 | 18 | 0.98 |
| I032157 | | <0.005 | 0.06 | 2.47 | 7.2 | <0.2 | <10 | 130 | 0.27 | 0.14 | 0.32 | 0.09 | 16.55 | 9.6 | 33 | 1.16 |
| I032158 | | <0.005 | 0.06 | 1.84 | 3.8 | <0.2 | <10 | 130 | 0.21 | 0.11 | 0.31 | 0.08 | 16.25 | 8.3 | 27 | 1.07 |
| I032159 | | <0.005 | 0.05 | 2.25 | 11.3 | <0.2 | <10 | 100 | 0.38 | 0.16 | 0.20 | 0.07 | 16.35 | 7.1 | 31 | 0.94 |
| I032160 | | <0.005 | 0.12 | 2.90 | 7.6 | <0.2 | <10 | 170 | 0.40 | 0.13 | 0.26 | 0.06 | 17.85 | 10.1 | 25 | 1.59 |
| I032161 | | <0.005 | 0.11 | 1.09 | 3.9 | <0.2 | <10 | 90 | 0.25 | 0.10 | 0.18 | 0.06 | 15.50 | 4.7 | 14 | 0.98 |
| I032162 | | <0.005 | 0.07 | 2.31 | 7.3 | <0.2 | <10 | 120 | 0.38 | 0.15 | 0.24 | 0.08 | 20.5 | 9.0 | 25 | 1.45 |
| I032163 | | <0.005 | 0.04 | 1.98 | 8.9 | <0.2 | <10 | 120 | 0.25 | 0.17 | 0.34 | 0.13 | 17.40 | 11.2 | 31 | 1.22 |
| I032164 | | <0.005 | 0.20 | 2.13 | 4.4 | 0.2 | <10 | 160 | 0.28 | 0.14 | 0.32 | 0.10 | 16.70 | 8.7 | 23 | 1.81 |
| I032165 | | <0.005 | 0.08 | 2.51 | 11.2 | <0.2 | <10 | 130 | 0.36 | 0.27 | 0.16 | 0.14 | 21.7 | 9.0 | 18 | 4.30 |
| I032166 | | <0.005 | 0.08 | 1.96 | 14.1 | <0.2 | <10 | 120 | 0.27 | 0.19 | 0.23 | 0.16 | 16.05 | 10.1 | 33 | 1.20 |
| I032167 | | <0.005 | 0.10 | 1.65 | 8.1 | <0.2 | <10 | 210 | 0.40 | 0.17 | 0.33 | 0.08 | 31.9 | 8.8 | 27 | 5.70 |
| I032168 | | 0.012 | 0.05 | 1.50 | 15.3 | <0.2 | <10 | 210 | 0.38 | 0.15 | 0.53 | 0.09 | 23.5 | 9.3 | 22 | 3.19 |
| I032169 | | <0.005 | 0.10 | 1.69 | 7.5 | <0.2 | <10 | 280 | 0.38 | 0.16 | 0.49 | 0.10 | 22.8 | 8.5 | 25 | 1.31 |
| I032170 | | <0.005 | 0.09 | 1.60 | 7.0 | <0.2 | <10 | 290 | 0.34 | 0.18 | 0.69 | 0.13 | 21.1 | 9.7 | 25 | 1.30 |
| I032171 | | <0.005 | 0.07 | 1.36 | 7.3 | <0.2 | <10 | 230 | 0.45 | 0.25 | 0.57 | 0.10 | 25.2 | 8.1 | 24 | 1.31 |
| I032172 | | <0.005 | 0.07 | 1.62 | 7.3 | <0.2 | <10 | 190 | 0.38 | 0.16 | 0.24 | 0.11 | 20.6 | 11.2 | 30 | 1.64 |
| I032173 | | <0.005 | 0.09 | 1.76 | 10.5 | <0.2 | <10 | 360 | 0.44 | 0.14 | 0.48 | 0.10 | 26.1 | 9.8 | 20 | 6.39 |
| I032174 | | 0.005 | 0.32 | 1.77 | 7.2 | <0.2 | <10 | 510 | 0.46 | 0.22 | 0.75 | 0.15 | 25.1 | 8.7 | 18 | 5.42 |
| I032175 | | NSS | 0.02 | 0.27 | 10.4 | <0.2 | <10 | 90 | 0.32 | 0.03 | 0.61 | 0.22 | 28.7 | 10.5 | 9 | 0.29 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Cu ppm | ME-MS41 Fe % | ME-MS41 Ga ppm | ME-MS41 Ge ppm | ME-MS41 Hf ppm | ME-MS41 Hg ppm | ME-MS41 In ppm | ME-MS41 K % | ME-MS41 La ppm | ME-MS41 Li ppm | ME-MS41 Mg % | ME-MS41 Mn ppm | ME-MS41 Mo ppm | ME-MS41 Na % | ME-MS41 Nb ppm |
|--------------------|-----------------------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------------|----------------------|----------------------|--------------------|----------------------|----------------------|--------------------|----------------------|
| | | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 | 0.01 | 0.05 |
| I032141 | | 18.1 | 3.42 | 7.08 | 0.09 | 0.07 | 0.02 | 0.027 | 0.16 | 8.4 | 12.2 | 0.85 | 491 | 0.83 | 0.01 | 1.74 |
| I032142 | | 23.8 | 4.39 | 8.62 | 0.08 | 0.07 | 0.04 | 0.038 | 0.07 | 10.6 | 15.8 | 0.86 | 402 | 1.08 | 0.01 | 2.18 |
| I032143 | | 24.3 | 3.95 | 7.97 | 0.12 | 0.15 | 0.03 | 0.032 | 0.23 | 17.5 | 13.6 | 1.04 | 511 | 0.61 | 0.02 | 1.88 |
| I032144 | | 15.3 | 4.12 | 6.76 | 0.07 | 0.05 | 0.02 | 0.028 | 0.07 | 8.3 | 12.5 | 0.72 | 320 | 0.82 | 0.01 | 1.74 |
| I032145 | | 30.9 | 4.36 | 8.84 | 0.15 | 0.13 | 0.02 | 0.036 | 0.36 | 20.5 | 13.4 | 1.18 | 609 | 0.49 | 0.02 | 1.69 |
| I032146 | | 30.5 | 3.67 | 7.00 | 0.11 | 0.08 | 0.03 | 0.032 | 0.22 | 15.0 | 12.0 | 0.84 | 624 | 0.92 | 0.02 | 1.53 |
| I032147 | | 18.6 | 3.88 | 7.53 | 0.07 | 0.06 | 0.04 | 0.032 | 0.10 | 7.8 | 13.3 | 0.74 | 413 | 1.01 | <0.01 | 1.86 |
| I032148 | | 14.8 | 3.06 | 8.38 | 0.06 | 0.03 | 0.01 | 0.025 | 0.07 | 9.5 | 13.0 | 0.69 | 276 | 0.90 | <0.01 | 1.53 |
| I032149 | | 13.1 | 2.93 | 8.19 | 0.06 | 0.03 | 0.02 | 0.022 | 0.05 | 12.6 | 8.8 | 0.55 | 290 | 1.26 | 0.01 | 1.60 |
| I032150 | | 13.3 | 2.73 | 7.30 | 0.06 | 0.03 | 0.02 | 0.022 | 0.05 | 12.0 | 8.6 | 0.47 | 255 | 1.18 | <0.01 | 1.46 |
| I032151 | | 15.0 | 3.84 | 8.48 | 0.07 | 0.06 | 0.02 | 0.030 | 0.07 | 9.8 | 16.2 | 0.67 | 387 | 1.37 | <0.01 | 1.90 |
| I032152 | | 18.5 | 2.78 | 7.11 | 0.05 | 0.03 | 0.02 | 0.024 | 0.05 | 6.8 | 9.3 | 0.42 | 189 | 1.02 | <0.01 | 1.41 |
| I032153 | | 23.9 | 4.64 | 9.99 | 0.09 | 0.12 | 0.02 | 0.043 | 0.15 | 12.0 | 16.6 | 1.16 | 560 | 0.65 | 0.01 | 1.49 |
| I032154 | | 10.9 | 2.12 | 5.27 | 0.05 | 0.03 | 0.01 | 0.016 | 0.07 | 5.6 | 6.3 | 0.38 | 234 | 0.59 | 0.01 | 1.25 |
| I032155 | | 22.2 | 3.64 | 8.34 | 0.08 | 0.08 | 0.03 | 0.031 | 0.10 | 10.2 | 13.0 | 0.71 | 415 | 0.90 | 0.01 | 2.14 |
| I032156 | | 12.2 | 1.81 | 4.76 | 0.05 | 0.02 | 0.05 | 0.016 | 0.03 | 7.2 | 6.0 | 0.22 | 152 | 0.80 | 0.01 | 0.87 |
| I032157 | | 17.0 | 3.51 | 7.85 | 0.07 | 0.07 | 0.02 | 0.025 | 0.06 | 8.5 | 13.1 | 0.66 | 340 | 0.96 | <0.01 | 2.07 |
| I032158 | | 17.4 | 2.72 | 6.29 | 0.07 | 0.05 | 0.01 | 0.020 | 0.11 | 8.1 | 9.9 | 0.65 | 345 | 0.68 | 0.01 | 1.74 |
| I032159 | | 14.7 | 4.19 | 8.62 | <0.05 | 0.07 | 0.02 | 0.028 | 0.05 | 7.6 | 16.1 | 0.49 | 229 | 1.66 | 0.02 | 2.07 |
| I032160 | | 13.1 | 3.87 | 9.85 | 0.05 | 0.06 | 0.02 | 0.030 | 0.07 | 8.1 | 17.8 | 0.75 | 351 | 0.96 | 0.02 | 2.16 |
| I032161 | | 13.3 | 1.64 | 4.41 | <0.05 | <0.02 | 0.03 | 0.015 | 0.04 | 8.6 | 5.2 | 0.21 | 260 | 0.82 | 0.02 | 0.68 |
| I032162 | | 17.1 | 3.52 | 8.68 | 0.05 | 0.03 | 0.02 | 0.031 | 0.05 | 9.7 | 16.8 | 0.60 | 316 | 1.10 | 0.02 | 1.69 |
| I032163 | | 12.9 | 3.36 | 8.31 | 0.05 | 0.02 | 0.02 | 0.023 | 0.07 | 8.0 | 14.7 | 0.61 | 770 | 1.32 | 0.02 | 1.55 |
| I032164 | | 17.3 | 2.66 | 7.42 | 0.07 | 0.03 | 0.03 | 0.025 | 0.10 | 9.0 | 13.3 | 0.55 | 322 | 0.89 | 0.02 | 1.55 |
| I032165 | | 14.4 | 3.74 | 13.55 | 0.07 | 0.10 | 0.02 | 0.029 | 0.16 | 10.6 | 13.7 | 0.67 | 321 | 1.86 | 0.01 | 1.84 |
| I032166 | | 15.0 | 3.93 | 10.20 | 0.07 | 0.14 | 0.01 | 0.028 | 0.05 | 7.9 | 16.0 | 0.60 | 300 | 1.93 | 0.02 | 2.33 |
| I032167 | | 15.5 | 2.62 | 6.19 | 0.08 | 0.05 | 0.03 | 0.016 | 0.23 | 18.1 | 15.4 | 0.56 | 247 | 1.17 | 0.01 | 1.92 |
| I032168 | | 17.4 | 2.31 | 5.35 | 0.07 | 0.04 | 0.04 | 0.018 | 0.09 | 12.3 | 15.1 | 0.52 | 291 | 1.00 | 0.02 | 1.48 |
| I032169 | | 16.1 | 2.42 | 5.90 | 0.07 | 0.04 | 0.04 | 0.021 | 0.08 | 12.6 | 15.4 | 0.54 | 289 | 0.81 | 0.02 | 1.49 |
| I032170 | | 16.4 | 2.38 | 5.44 | 0.07 | 0.05 | 0.03 | 0.020 | 0.05 | 11.1 | 14.2 | 0.52 | 347 | 0.79 | 0.02 | 1.46 |
| I032171 | | 19.2 | 2.28 | 4.62 | 0.08 | 0.07 | 0.03 | 0.018 | 0.05 | 12.7 | 10.6 | 0.53 | 301 | 0.60 | 0.02 | 1.27 |
| I032172 | | 15.8 | 2.84 | 5.36 | 0.09 | 0.06 | 0.01 | 0.019 | 0.24 | 9.5 | 11.3 | 0.65 | 380 | 1.06 | 0.02 | 2.33 |
| I032173 | | 25.6 | 3.04 | 6.78 | 0.10 | 0.02 | 0.02 | 0.018 | 0.27 | 13.9 | 18.9 | 0.91 | 345 | 1.29 | 0.02 | 1.61 |
| I032174 | | 52.1 | 2.81 | 6.25 | 0.10 | 0.03 | 0.07 | 0.025 | 0.20 | 13.4 | 20.3 | 0.76 | 330 | 1.08 | 0.02 | 1.62 |
| I032175 | | 7.6 | 2.21 | 1.60 | 0.09 | 0.09 | 0.02 | 0.007 | 0.05 | 14.4 | 3.8 | 0.25 | 825 | 1.41 | 0.01 | 0.52 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 | ME-MS41 Ti % 0.005 |
|--------------------|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|
| I032141 | | 17.4 | 610 | 8.5 | 18.7 | <0.001 | <0.01 | 0.52 | 6.0 | 0.4 | 0.6 | 26.7 | <0.01 | 0.03 | 1.9 | 0.175 |
| I032142 | | 24.3 | 420 | 7.5 | 14.5 | <0.001 | 0.01 | 0.51 | 6.8 | 0.6 | 0.7 | 22.8 | 0.01 | 0.04 | 2.6 | 0.162 |
| I032143 | | 21.5 | 530 | 10.7 | 29.8 | <0.001 | <0.01 | 0.46 | 9.0 | 0.6 | 1.0 | 34.0 | <0.01 | 0.02 | 5.7 | 0.215 |
| I032144 | | 18.9 | 550 | 6.2 | 11.0 | <0.001 | <0.01 | 0.36 | 4.4 | 0.5 | 0.5 | 21.3 | <0.01 | 0.02 | 1.6 | 0.153 |
| I032145 | | 23.3 | 610 | 5.8 | 48.2 | <0.001 | <0.01 | 0.43 | 10.5 | 0.6 | 0.9 | 37.0 | <0.01 | 0.01 | 4.2 | 0.246 |
| I032146 | | 21.7 | 720 | 5.9 | 26.4 | <0.001 | <0.01 | 0.57 | 9.3 | 0.7 | 0.5 | 25.7 | <0.01 | 0.02 | 3.2 | 0.170 |
| I032147 | | 22.8 | 460 | 7.2 | 14.6 | <0.001 | <0.01 | 0.39 | 5.2 | 0.6 | 0.6 | 20.7 | 0.01 | 0.35 | 1.8 | 0.145 |
| I032148 | | 17.6 | 560 | 7.3 | 14.7 | <0.001 | <0.01 | 0.31 | 4.8 | 0.4 | 0.7 | 29.2 | <0.01 | 0.02 | 1.7 | 0.124 |
| I032149 | | 11.5 | 300 | 6.4 | 13.8 | <0.001 | <0.01 | 0.35 | 5.5 | 0.4 | 0.7 | 19.6 | <0.01 | 0.02 | 2.4 | 0.109 |
| I032150 | | 12.1 | 310 | 6.3 | 11.8 | <0.001 | <0.01 | 0.34 | 4.6 | 0.4 | 0.6 | 19.3 | <0.01 | 0.02 | 2.1 | 0.098 |
| I032151 | | 19.6 | 620 | 8.1 | 12.4 | <0.001 | <0.01 | 0.52 | 4.7 | 0.5 | 0.6 | 21.3 | 0.01 | 0.03 | 3.1 | 0.120 |
| I032152 | | 17.8 | 430 | 7.0 | 8.0 | <0.001 | <0.01 | 0.37 | 3.0 | 0.5 | 0.5 | 16.4 | 0.01 | 0.02 | 0.7 | 0.107 |
| I032153 | | 26.0 | 260 | 12.1 | 26.8 | <0.001 | <0.01 | 0.55 | 8.0 | 0.4 | 1.2 | 25.2 | <0.01 | 0.02 | 4.2 | 0.162 |
| I032154 | | 8.8 | 480 | 4.4 | 12.2 | <0.001 | <0.01 | 0.20 | 2.7 | 0.3 | 0.5 | 16.0 | <0.01 | 0.02 | 0.5 | 0.105 |
| I032155 | | 24.6 | 690 | 9.3 | 14.6 | <0.001 | <0.01 | 0.40 | 6.2 | 0.7 | 0.6 | 28.6 | 0.01 | 0.05 | 2.6 | 0.163 |
| I032156 | | 8.2 | 420 | 5.1 | 6.6 | <0.001 | <0.01 | 0.22 | 2.8 | 0.4 | 0.4 | 15.2 | <0.01 | 0.02 | 0.5 | 0.064 |
| I032157 | | 19.6 | 510 | 6.8 | 12.1 | <0.001 | <0.01 | 0.33 | 4.7 | 0.5 | 0.6 | 22.8 | 0.01 | 0.02 | 2.2 | 0.153 |
| I032158 | | 16.0 | 470 | 5.2 | 15.4 | <0.001 | <0.01 | 0.25 | 4.2 | 0.4 | 0.6 | 23.8 | <0.01 | 0.01 | 1.4 | 0.163 |
| I032159 | | 16.1 | 400 | 9.2 | 8.6 | <0.001 | 0.03 | 0.50 | 3.8 | 0.4 | 0.6 | 17.8 | 0.01 | 0.04 | 2.0 | 0.126 |
| I032160 | | 16.1 | 290 | 8.4 | 12.3 | <0.001 | 0.02 | 0.40 | 5.2 | 0.2 | 0.8 | 23.2 | <0.01 | 0.02 | 2.5 | 0.164 |
| I032161 | | 7.4 | 330 | 5.1 | 7.7 | <0.001 | 0.02 | 0.22 | 2.2 | 0.4 | 0.3 | 17.0 | <0.01 | 0.02 | 0.4 | 0.059 |
| I032162 | | 15.0 | 310 | 7.7 | 10.6 | <0.001 | 0.02 | 0.55 | 4.8 | 0.3 | 0.7 | 24.6 | <0.01 | 0.03 | 1.7 | 0.143 |
| I032163 | | 17.4 | 350 | 8.8 | 11.8 | <0.001 | 0.02 | 0.33 | 3.2 | 0.2 | 0.7 | 25.0 | <0.01 | 0.03 | 1.2 | 0.112 |
| I032164 | | 15.2 | 450 | 7.0 | 16.3 | <0.001 | 0.02 | 0.43 | 4.8 | 0.5 | 0.6 | 26.1 | <0.01 | 0.03 | 1.6 | 0.113 |
| I032165 | | 9.6 | 160 | 12.6 | 29.2 | <0.001 | 0.01 | 1.23 | 6.2 | 0.3 | 1.1 | 16.9 | <0.01 | 0.03 | 3.1 | 0.118 |
| I032166 | | 21.8 | 290 | 8.9 | 12.2 | <0.001 | 0.01 | 0.47 | 4.4 | 0.3 | 0.7 | 19.7 | <0.01 | 0.04 | 2.9 | 0.159 |
| I032167 | | 17.8 | 490 | 7.0 | 27.6 | <0.001 | 0.01 | 0.29 | 3.4 | 0.4 | 0.5 | 20.8 | <0.01 | 0.02 | 6.0 | 0.102 |
| I032168 | | 15.5 | 730 | 6.6 | 15.4 | <0.001 | 0.02 | 0.56 | 4.1 | 0.6 | 0.6 | 29.0 | <0.01 | 0.03 | 2.5 | 0.062 |
| I032169 | | 16.5 | 540 | 7.5 | 9.9 | <0.001 | 0.01 | 0.33 | 4.3 | 0.5 | 0.5 | 33.3 | <0.01 | 0.02 | 2.7 | 0.072 |
| I032170 | | 16.7 | 510 | 8.6 | 11.0 | <0.001 | 0.03 | 0.35 | 4.2 | 0.6 | 0.5 | 41.8 | <0.01 | 0.02 | 2.3 | 0.070 |
| I032171 | | 16.3 | 580 | 10.8 | 9.8 | <0.001 | 0.02 | 0.41 | 4.0 | 0.6 | 0.3 | 33.1 | <0.01 | 0.03 | 3.5 | 0.070 |
| I032172 | | 17.1 | 200 | 8.4 | 34.0 | <0.001 | 0.06 | 0.45 | 3.2 | 0.3 | 0.4 | 21.8 | <0.01 | 0.03 | 3.7 | 0.124 |
| I032173 | | 12.2 | 960 | 7.7 | 27.8 | <0.001 | 0.05 | 0.45 | 3.3 | 0.4 | 0.4 | 23.9 | <0.01 | 0.03 | 2.0 | 0.097 |
| I032174 | | 11.5 | 910 | 9.1 | 24.5 | <0.001 | 0.05 | 0.36 | 4.1 | 0.6 | 0.5 | 39.8 | <0.01 | 0.04 | 2.1 | 0.087 |
| I032175 | | 18.8 | 630 | 4.6 | 5.2 | <0.001 | 0.01 | 0.53 | 2.0 | 0.5 | 0.3 | 13.2 | <0.01 | 0.02 | 7.7 | 0.020 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 8 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti ppm 0.02 | ME-MS41 U ppm 0.05 | ME-MS41 V ppm 1 | ME-MS41 W ppm 0.05 | ME-MS41 Y ppm 0.05 | ME-MS41 Zn ppm 2 | ME-MS41 Zr ppm 0.5 | WEI-21 Recvd Wt. kg 0.02 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|--------------------------|-----------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------------|
| I032141 | | 0.18 | 0.56 | 87 | 0.32 | 6.00 | 55 | 2.6 | 0.32 |
| I032142 | | 0.22 | 0.85 | 101 | 0.42 | 7.27 | 60 | 2.7 | 0.34 |
| I032143 | | 0.25 | 1.24 | 101 | 0.49 | 14.85 | 66 | 6.1 | 0.40 |
| I032144 | | 0.10 | 0.50 | 91 | 0.13 | 5.29 | 52 | 2.0 | 0.36 |
| I032145 | | 0.36 | 1.41 | 111 | 0.15 | 16.40 | 70 | 5.5 | 0.38 |
| I032146 | | 0.24 | 0.97 | 87 | 0.20 | 14.45 | 56 | 3.3 | 0.46 |
| I032147 | | 0.14 | 0.50 | 89 | 0.26 | 4.79 | 51 | 2.4 | 0.44 |
| I032148 | | 0.13 | 0.58 | 81 | 0.18 | 5.67 | 48 | 1.3 | 0.38 |
| I032149 | | 0.15 | 0.51 | 80 | 0.14 | 5.80 | 40 | 1.3 | 0.34 |
| I032150 | | 0.13 | 0.52 | 72 | 0.14 | 5.96 | 37 | 1.1 | 0.30 |
| I032151 | | 0.12 | 0.56 | 83 | 0.16 | 4.43 | 51 | 2.9 | 0.28 |
| I032152 | | 0.08 | 0.43 | 68 | 0.16 | 3.41 | 34 | 1.2 | 0.34 |
| I032153 | | 0.31 | 0.76 | 103 | 0.18 | 8.15 | 63 | 4.6 | 0.32 |
| I032154 | | 0.09 | 0.35 | 50 | 0.12 | 3.60 | 27 | 0.9 | 0.26 |
| I032155 | | 0.13 | 0.75 | 87 | 0.20 | 6.17 | 50 | 3.3 | 0.34 |
| I032156 | | 0.09 | 0.61 | 38 | 0.12 | 4.13 | 21 | 0.5 | 0.32 |
| I032157 | | 0.11 | 0.63 | 82 | 0.15 | 5.02 | 50 | 2.7 | 0.26 |
| I032158 | | 0.13 | 0.64 | 68 | 0.13 | 5.20 | 45 | 1.9 | 0.30 |
| I032159 | | 0.12 | 0.62 | 85 | 0.18 | 3.74 | 41 | 3.0 | 0.28 |
| I032160 | | 0.14 | 0.46 | 92 | 0.18 | 4.75 | 47 | 2.7 | 0.44 |
| I032161 | | 0.07 | 1.18 | 39 | 0.10 | 5.26 | 20 | <0.5 | 0.22 |
| I032162 | | 0.11 | 0.67 | 89 | 0.25 | 6.05 | 40 | 1.4 | 0.32 |
| I032163 | | 0.11 | 0.43 | 86 | 0.15 | 3.26 | 60 | 1.0 | 0.30 |
| I032164 | | 0.15 | 0.89 | 62 | 0.18 | 5.63 | 39 | 1.2 | 0.30 |
| I032165 | | 0.21 | 0.52 | 107 | 0.19 | 4.11 | 45 | 4.0 | 0.36 |
| I032166 | | 0.10 | 0.56 | 106 | 0.19 | 3.80 | 44 | 5.8 | 0.36 |
| I032167 | | 0.15 | 0.94 | 47 | 0.20 | 5.24 | 57 | 1.7 | 0.38 |
| I032168 | | 0.10 | 1.29 | 48 | 0.28 | 7.00 | 47 | 1.0 | 0.38 |
| I032169 | | 0.07 | 0.85 | 52 | 0.17 | 7.10 | 48 | 1.4 | 0.46 |
| I032170 | | 0.08 | 0.83 | 50 | 0.17 | 5.75 | 49 | 1.7 | 0.28 |
| I032171 | | 0.08 | 0.87 | 46 | 0.17 | 6.05 | 49 | 2.6 | 0.40 |
| I032172 | | 0.17 | 0.57 | 57 | 0.19 | 2.87 | 51 | 2.7 | 0.38 |
| I032173 | | 0.19 | 0.76 | 57 | 0.30 | 5.40 | 63 | <0.5 | 0.40 |
| I032174 | | 0.18 | 1.16 | 50 | 0.22 | 8.08 | 75 | 0.8 | 0.42 |
| I032175 | | 0.14 | 0.95 | 16 | 0.09 | 7.84 | 20 | 4.2 | 0.46 |
| | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

| Method | CERTIFICATE COMMENTS |
|------------------------|---|
| ALL METHODS ME-MS41 | NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 9-SEP-2010
Account: EIASQI

CERTIFICATE WH10113881

Project: SQI10-06

P.O. No.: SQI10-06_20

This report is for 275 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-24 | Pulp Login - Rcd w/o Barcode |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I032176 | | 0.36 | <0.005 | 0.09 | 1.97 | 3.3 | <0.2 | <10 | 260 | 0.30 | 0.32 | 0.50 | 0.09 | 27.0 | 8.6 | 13 |
| I032177 | | 0.38 | 0.009 | 0.36 | 1.79 | 7.4 | <0.2 | <10 | 220 | 0.32 | 0.20 | 0.35 | 0.13 | 24.6 | 8.1 | 23 |
| I032178 | | 0.30 | 0.007 | 0.20 | 1.74 | 11.2 | <0.2 | <10 | 250 | 0.34 | 0.17 | 0.40 | 0.14 | 24.9 | 13.3 | 23 |
| I032179 | | 0.38 | <0.005 | 0.11 | 1.86 | 29.7 | <0.2 | <10 | 220 | 0.38 | 0.11 | 0.36 | 0.10 | 22.9 | 11.7 | 19 |
| I032180 | | 0.40 | <0.005 | 0.21 | 1.65 | 11.9 | <0.2 | <10 | 240 | 0.40 | 0.15 | 0.41 | 0.20 | 30.5 | 14.0 | 20 |
| I032181 | | 0.30 | 0.007 | 0.38 | 1.67 | 14.8 | <0.2 | <10 | 400 | 0.52 | 0.16 | 0.69 | 0.31 | 49.6 | 14.1 | 22 |
| I032182 | | 0.36 | <0.005 | 0.21 | 2.03 | 8.4 | <0.2 | <10 | 240 | 0.36 | 0.10 | 0.31 | 0.21 | 24.5 | 11.9 | 22 |
| I032183 | | 0.36 | 0.007 | 0.19 | 1.65 | 8.2 | <0.2 | <10 | 310 | 0.38 | 0.11 | 0.67 | 0.22 | 29.8 | 12.9 | 20 |
| I032184 | | 0.46 | 0.005 | 0.10 | 1.61 | 8.5 | <0.2 | <10 | 250 | 0.32 | 0.14 | 0.50 | 0.14 | 23.1 | 11.7 | 22 |
| I032185 | | 0.26 | 0.010 | 0.62 | 2.72 | 15 | <0.2 | 10 | 1270 | 1.34 | 0.13 | 11.05 | 1.13 | 135.5 | 12.0 | 27 |
| I032186 | | 0.34 | 0.007 | 0.21 | 1.16 | 12.8 | <0.2 | <10 | 170 | 0.25 | 0.10 | 0.48 | 0.19 | 15.20 | 7.0 | 15 |
| I032187 | | 0.34 | 0.008 | 0.12 | 1.69 | 13.1 | <0.2 | <10 | 310 | 0.54 | 0.18 | 0.48 | 0.13 | 30.9 | 11.6 | 24 |
| I032188 | | 0.34 | 0.005 | 0.12 | 2.04 | 7.0 | <0.2 | <10 | 310 | 0.28 | 0.10 | 0.35 | 0.16 | 11.35 | 17.1 | 16 |
| I032189 | | 0.30 | <0.005 | 0.24 | 1.96 | 10.1 | <0.2 | <10 | 370 | 0.44 | 0.17 | 0.47 | 0.22 | 17.20 | 21.9 | 28 |
| I032190 | | 0.40 | 0.005 | 0.13 | 2.05 | 7.4 | <0.2 | <10 | 420 | 0.47 | 0.15 | 0.17 | 0.11 | 26.7 | 16.6 | 29 |
| I032191 | | 0.34 | <0.005 | 0.14 | 2.11 | 7.8 | <0.2 | <10 | 390 | 0.42 | 0.15 | 0.18 | 0.12 | 25.1 | 16.3 | 30 |
| I032192 | | 0.34 | 0.006 | 0.10 | 1.83 | 8.5 | <0.2 | <10 | 270 | 0.46 | 0.17 | 0.17 | 0.15 | 25.3 | 15.5 | 30 |
| I032193 | | 0.32 | 0.007 | 0.13 | 1.68 | 8.6 | <0.2 | <10 | 300 | 0.46 | 0.16 | 0.56 | 0.16 | 48.3 | 11.3 | 22 |
| I032194 | | 0.36 | 0.008 | 0.12 | 1.72 | 7.5 | <0.2 | <10 | 280 | 0.46 | 0.16 | 0.48 | 0.21 | 34.6 | 11.8 | 26 |
| I032195 | | 0.34 | <0.005 | 0.17 | 1.81 | 6.8 | <0.2 | <10 | 240 | 0.39 | 0.17 | 0.42 | 0.30 | 23.2 | 11.5 | 25 |
| I032196 | | 0.28 | <0.005 | 0.34 | 1.38 | 6.9 | <0.2 | <10 | 240 | 0.31 | 0.14 | 0.44 | 0.28 | 22.5 | 10.7 | 21 |
| I032197 | | 0.34 | 0.005 | 0.23 | 1.92 | 4.8 | <0.2 | <10 | 270 | 0.46 | 0.12 | 0.56 | 0.97 | 15.00 | 17.5 | 26 |
| I032198 | | 0.32 | <0.005 | 0.15 | 1.76 | 8.4 | <0.2 | <10 | 310 | 0.51 | 0.17 | 0.35 | 0.24 | 23.2 | 12.2 | 29 |
| I032199 | | 0.34 | <0.005 | 0.15 | 1.58 | 6.4 | <0.2 | <10 | 410 | 0.46 | 0.18 | 0.51 | 0.29 | 19.60 | 10.1 | 27 |
| I032200 | | 0.34 | <0.005 | 0.15 | 1.83 | 6.9 | <0.2 | <10 | 390 | 0.49 | 0.16 | 0.53 | 0.56 | 20.6 | 13.5 | 25 |
| I032201 | | 0.38 | <0.005 | 0.12 | 2.11 | 4.1 | <0.2 | <10 | 660 | 0.51 | 0.12 | 0.51 | 0.10 | 23.5 | 18.5 | 41 |
| I032202 | | 0.34 | <0.005 | 0.12 | 1.52 | 6.2 | <0.2 | <10 | 420 | 0.38 | 0.14 | 0.58 | 0.21 | 24.6 | 14.4 | 28 |
| I032203 | | 0.30 | <0.005 | 0.06 | 2.72 | 3.7 | <0.2 | <10 | 570 | 0.51 | 0.08 | 0.52 | 0.15 | 26.2 | 24.4 | 72 |
| I032204 | | 0.40 | <0.005 | 0.04 | 2.09 | 3.6 | <0.2 | <10 | 360 | 0.58 | 0.09 | 0.38 | 0.12 | 36.2 | 12.9 | 29 |
| I032205 | | 0.36 | <0.005 | 0.30 | 1.72 | 4.5 | <0.2 | <10 | 520 | 0.45 | 0.12 | 0.29 | 0.16 | 27.8 | 11.8 | 23 |
| I032206 | | 0.36 | <0.005 | 0.08 | 1.56 | 5.3 | <0.2 | <10 | 440 | 0.41 | 0.13 | 0.35 | 0.15 | 26.8 | 13.3 | 27 |
| I032207 | | 0.42 | <0.005 | 0.17 | 1.55 | 4.9 | <0.2 | <10 | 260 | 0.26 | 0.13 | 0.29 | 0.19 | 13.40 | 8.8 | 22 |
| I032208 | | 0.28 | 0.006 | 0.31 | 2.63 | 3.8 | <0.2 | <10 | 460 | 0.34 | 0.11 | 0.49 | 0.28 | 22.4 | 24.3 | 33 |
| I032209 | | 0.44 | <0.005 | 0.16 | 2.74 | 4.8 | <0.2 | <10 | 380 | 0.31 | 0.09 | 0.47 | 0.23 | 21.4 | 23.7 | 35 |
| I032210 | | 0.52 | <0.005 | 0.02 | 0.15 | 1.8 | <0.2 | <10 | 30 | 0.10 | 0.02 | 0.09 | 0.04 | 11.40 | 2.5 | 4 |
| I032211 | | 0.34 | <0.005 | 0.15 | 2.53 | 4.4 | <0.2 | <10 | 290 | 0.33 | 0.10 | 0.35 | 0.27 | 22.4 | 22.2 | 39 |
| I032212 | | 0.38 | <0.005 | 0.23 | 2.20 | 5.0 | <0.2 | <10 | 340 | 0.35 | 0.12 | 0.43 | 0.29 | 24.3 | 21.6 | 49 |
| I032213 | | 0.40 | <0.005 | 0.26 | 2.31 | 5.0 | <0.2 | <10 | 300 | 0.30 | 0.12 | 0.37 | 0.26 | 17.85 | 24.5 | 51 |
| I032214 | | 0.26 | <0.005 | 0.23 | 1.84 | 8.0 | <0.2 | <10 | 340 | 0.47 | 0.18 | 0.52 | 0.48 | 30.1 | 17.6 | 37 |
| I032215 | | 0.38 | <0.005 | 0.22 | 1.78 | 6.6 | <0.2 | <10 | 260 | 0.33 | 0.14 | 0.32 | 0.18 | 13.65 | 15.3 | 25 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I032176 | | 10.35 | 54.2 | 2.92 | 7.24 | 0.06 | 0.03 | 0.01 | 0.024 | 0.50 | 14.6 | 15.4 | 0.95 | 394 | 1.26 | 0.01 |
| I032177 | | 3.70 | 19.4 | 2.82 | 6.37 | 0.06 | 0.06 | 0.04 | 0.026 | 0.11 | 13.2 | 19.1 | 0.58 | 316 | 0.78 | 0.01 |
| I032178 | | 3.24 | 16.6 | 2.99 | 6.45 | 0.06 | 0.03 | 0.05 | 0.023 | 0.13 | 12.9 | 19.4 | 0.61 | 695 | 1.11 | 0.01 |
| I032179 | | 5.45 | 16.0 | 3.14 | 6.04 | 0.06 | 0.04 | 0.02 | 0.023 | 0.29 | 11.8 | 22.6 | 0.71 | 249 | 1.13 | 0.01 |
| I032180 | | 5.24 | 19.7 | 2.66 | 7.14 | 0.06 | 0.03 | 0.04 | 0.020 | 0.13 | 14.9 | 19.9 | 0.59 | 436 | 1.26 | 0.02 |
| I032181 | | 5.80 | 26.3 | 2.57 | 7.19 | 0.10 | 0.05 | 0.07 | 0.024 | 0.13 | 24.8 | 19.6 | 0.62 | 578 | 1.52 | 0.02 |
| I032182 | | 5.20 | 27.7 | 3.43 | 9.68 | 0.08 | 0.04 | 0.04 | 0.020 | 0.58 | 13.3 | 17.7 | 0.84 | 309 | 1.50 | 0.01 |
| I032183 | | 3.93 | 27.6 | 2.67 | 7.00 | 0.07 | 0.05 | 0.05 | 0.023 | 0.19 | 14.6 | 19.3 | 0.65 | 433 | 0.97 | 0.01 |
| I032184 | | 2.92 | 20.0 | 2.71 | 6.40 | 0.06 | 0.05 | 0.03 | 0.021 | 0.16 | 11.8 | 18.1 | 0.61 | 342 | 1.09 | 0.01 |
| I032185 | | 7.13 | 91.0 | 3.44 | 6.94 | 0.26 | 0.45 | 0.03 | 0.038 | 0.34 | 96.4 | 13.6 | 0.91 | 1780 | 2.18 | 0.04 |
| I032186 | | 6.84 | 17.0 | 2.27 | 7.94 | 0.05 | 0.03 | 0.01 | 0.015 | 0.27 | 7.3 | 8.0 | 0.47 | 375 | 1.49 | 0.01 |
| I032187 | | 4.80 | 22.6 | 2.76 | 7.16 | 0.07 | 0.10 | 0.03 | 0.024 | 0.13 | 16.9 | 18.8 | 0.62 | 396 | 0.82 | 0.01 |
| I032188 | | 4.65 | 21.4 | 3.55 | 8.06 | 0.06 | 0.05 | 0.02 | 0.015 | 0.31 | 5.5 | 22.5 | 0.94 | 539 | 1.18 | 0.02 |
| I032189 | | 4.70 | 34.1 | 3.34 | 9.23 | 0.06 | 0.05 | 0.03 | 0.028 | 0.24 | 7.6 | 17.9 | 0.70 | 860 | 1.45 | 0.02 |
| I032190 | | 1.77 | 19.7 | 3.32 | 8.94 | 0.06 | 0.05 | 0.02 | 0.027 | 0.23 | 11.9 | 15.9 | 0.62 | 767 | 1.00 | 0.01 |
| I032191 | | 1.98 | 19.9 | 3.47 | 9.24 | 0.06 | 0.05 | 0.03 | 0.028 | 0.24 | 11.2 | 17.2 | 0.66 | 649 | 1.10 | 0.02 |
| I032192 | | 1.52 | 14.5 | 3.09 | 8.20 | 0.05 | 0.03 | 0.03 | 0.028 | 0.12 | 11.2 | 13.9 | 0.48 | 665 | 1.21 | 0.01 |
| I032193 | | 3.10 | 21.4 | 2.74 | 7.95 | 0.11 | 0.08 | 0.07 | 0.031 | 0.11 | 25.6 | 17.9 | 0.59 | 438 | 0.94 | 0.02 |
| I032194 | | 2.17 | 24.5 | 2.66 | 7.62 | 0.08 | 0.05 | 0.07 | 0.029 | 0.09 | 17.0 | 19.3 | 0.60 | 390 | 0.93 | 0.02 |
| I032195 | | 3.46 | 21.0 | 2.89 | 8.45 | 0.06 | 0.09 | 0.03 | 0.029 | 0.07 | 11.0 | 18.5 | 0.57 | 489 | 1.22 | 0.02 |
| I032196 | | 3.09 | 20.9 | 2.63 | 7.84 | 0.06 | 0.03 | 0.03 | 0.026 | 0.11 | 9.9 | 12.6 | 0.45 | 467 | 1.46 | 0.01 |
| I032197 | | 4.97 | 26.1 | 4.00 | 12.00 | 0.08 | 0.05 | 0.02 | 0.023 | 0.26 | 7.0 | 19.4 | 0.86 | 1220 | 1.59 | 0.02 |
| I032198 | | 1.93 | 18.8 | 2.90 | 7.03 | 0.06 | 0.08 | 0.03 | 0.029 | 0.09 | 10.4 | 13.9 | 0.52 | 442 | 0.86 | 0.02 |
| I032199 | | 1.43 | 20.7 | 2.70 | 5.59 | 0.05 | 0.04 | 0.03 | 0.021 | 0.12 | 10.3 | 10.5 | 0.50 | 989 | 0.83 | 0.02 |
| I032200 | | 2.23 | 15.0 | 3.46 | 8.87 | 0.06 | 0.03 | 0.03 | 0.036 | 0.18 | 8.9 | 17.1 | 0.70 | 953 | 1.37 | 0.02 |
| I032201 | | 0.70 | 19.1 | 3.10 | 8.42 | 0.06 | 0.11 | 0.01 | 0.026 | 0.14 | 9.3 | 10.5 | 0.74 | 1160 | 1.07 | 0.02 |
| I032202 | | 0.53 | 19.7 | 2.61 | 6.17 | 0.05 | 0.07 | 0.02 | 0.023 | 0.22 | 9.3 | 9.8 | 0.48 | 881 | 1.30 | 0.02 |
| I032203 | | 1.65 | 36.0 | 4.06 | 13.15 | 0.11 | 0.10 | 0.01 | 0.027 | 0.75 | 13.0 | 21.8 | 1.72 | 1060 | 0.98 | 0.02 |
| I032204 | | 1.20 | 17.5 | 3.45 | 11.80 | 0.07 | 0.06 | 0.01 | 0.036 | 0.39 | 13.2 | 13.7 | 0.89 | 695 | 0.96 | 0.02 |
| I032205 | | 0.55 | 11.4 | 2.81 | 8.56 | 0.05 | 0.04 | 0.02 | 0.029 | 0.11 | 12.2 | 9.9 | 0.45 | 1140 | 1.40 | 0.02 |
| I032206 | | 0.44 | 12.5 | 2.56 | 6.51 | 0.06 | 0.06 | 0.02 | 0.025 | 0.09 | 11.3 | 9.7 | 0.44 | 522 | 1.20 | 0.02 |
| I032207 | | 0.31 | 14.9 | 2.34 | 6.96 | <0.05 | 0.03 | 0.01 | 0.019 | 0.05 | 6.3 | 8.2 | 0.39 | 358 | 1.41 | 0.01 |
| I032208 | | 1.00 | 63.9 | 3.97 | 11.00 | 0.09 | 0.05 | 0.02 | 0.038 | 0.28 | 9.5 | 15.1 | 1.31 | 1040 | 1.02 | 0.03 |
| I032209 | | 1.40 | 60.7 | 4.34 | 12.20 | 0.10 | 0.07 | 0.02 | 0.048 | 0.41 | 8.3 | 15.8 | 1.61 | 683 | 1.01 | 0.03 |
| I032210 | | 0.10 | 2.1 | 0.68 | 0.74 | <0.05 | 0.08 | <0.01 | <0.005 | 0.05 | 5.5 | 1.5 | 0.05 | 168 | 0.33 | 0.02 |
| I032211 | | 1.46 | 52.0 | 3.93 | 11.30 | 0.09 | 0.06 | 0.01 | 0.034 | 0.47 | 9.6 | 16.0 | 1.49 | 389 | 1.14 | 0.02 |
| I032212 | | 1.03 | 39.1 | 3.44 | 9.42 | 0.07 | 0.06 | 0.02 | 0.027 | 0.35 | 9.8 | 15.4 | 1.22 | 915 | 1.28 | 0.02 |
| I032213 | | 0.94 | 35.3 | 3.61 | 10.50 | 0.06 | 0.05 | 0.02 | 0.025 | 0.22 | 7.6 | 16.4 | 1.27 | 704 | 1.44 | 0.02 |
| I032214 | | 0.42 | 23.7 | 2.96 | 7.11 | 0.06 | 0.13 | 0.02 | 0.032 | 0.18 | 12.0 | 11.6 | 0.57 | 1080 | 1.20 | 0.02 |
| I032215 | | 0.54 | 21.4 | 3.24 | 9.47 | 0.05 | 0.03 | 0.02 | 0.030 | 0.11 | 6.6 | 11.7 | 0.64 | 390 | 1.30 | 0.02 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I032176 | | 1.99 | 8.0 | 1050 | 6.5 | 37.2 | <0.001 | 0.01 | 0.31 | 2.9 | 0.2 | 0.9 | 22.7 | <0.01 | 0.04 | 3.1 |
| I032177 | | 1.57 | 11.8 | 570 | 9.5 | 15.1 | <0.001 | 0.02 | 0.26 | 4.5 | 0.3 | 0.6 | 24.1 | <0.01 | 0.01 | 3.5 |
| I032178 | | 1.23 | 11.8 | 570 | 10.4 | 17.8 | <0.001 | 0.03 | 0.32 | 4.8 | 0.4 | 0.4 | 26.3 | <0.01 | 0.02 | 2.0 |
| I032179 | | 1.04 | 9.3 | 830 | 7.3 | 25.5 | <0.001 | 0.02 | 0.64 | 5.1 | 0.3 | 0.3 | 18.4 | <0.01 | 0.03 | 3.1 |
| I032180 | | 1.56 | 12.1 | 830 | 11.4 | 20.0 | <0.001 | 0.03 | 0.43 | 5.1 | 0.4 | 0.4 | 24.1 | <0.01 | 0.03 | 1.9 |
| I032181 | | 1.31 | 14.2 | 750 | 11.1 | 20.0 | <0.001 | 0.05 | 0.60 | 6.9 | 0.9 | 0.5 | 39.8 | 0.01 | 0.03 | 1.5 |
| I032182 | | 2.77 | 12.4 | 750 | 8.9 | 47.4 | <0.001 | 0.03 | 0.38 | 5.9 | 0.5 | 0.5 | 20.8 | <0.01 | 0.05 | 2.9 |
| I032183 | | 1.71 | 13.0 | 760 | 10.7 | 22.7 | <0.001 | 0.02 | 0.47 | 6.3 | 0.6 | 0.4 | 29.2 | <0.01 | 0.03 | 2.2 |
| I032184 | | 1.57 | 14.8 | 580 | 9.8 | 15.6 | <0.001 | 0.02 | 0.44 | 4.8 | 0.4 | 0.5 | 26.1 | <0.01 | 0.03 | 2.4 |
| I032185 | | 1.32 | 31.9 | 3530 | 9.4 | 22.7 | 0.001 | 0.17 | 2.66 | 15.0 | 2.7 | 0.4 | 357 | 0.04 | 0.06 | 8.4 |
| I032186 | | 1.97 | 8.2 | 270 | 5.9 | 32.9 | <0.001 | 0.01 | 0.67 | 3.9 | 0.3 | 0.5 | 23.0 | <0.01 | 0.02 | 1.5 |
| I032187 | | 1.37 | 16.8 | 660 | 11.5 | 17.9 | <0.001 | 0.01 | 0.70 | 6.3 | 0.5 | 0.5 | 27.5 | <0.01 | 0.03 | 3.5 |
| I032188 | | 1.64 | 12.7 | 640 | 7.0 | 33.7 | <0.001 | 0.01 | 0.55 | 3.9 | 0.3 | 0.4 | 20.8 | <0.01 | 0.02 | 1.3 |
| I032189 | | 1.82 | 21.9 | 400 | 11.4 | 34.2 | <0.001 | 0.02 | 0.63 | 6.2 | 0.4 | 0.6 | 36.2 | <0.01 | 0.03 | 1.8 |
| I032190 | | 1.47 | 21.4 | 240 | 8.4 | 21.9 | <0.001 | 0.01 | 0.48 | 6.5 | 0.3 | 0.9 | 19.0 | <0.01 | 0.03 | 2.3 |
| I032191 | | 1.59 | 22.2 | 250 | 9.0 | 23.3 | <0.001 | 0.01 | 0.52 | 6.6 | 0.4 | 0.7 | 20.6 | <0.01 | 0.03 | 2.4 |
| I032192 | | 1.48 | 19.5 | 360 | 9.4 | 18.8 | <0.001 | 0.01 | 0.55 | 5.6 | 0.3 | 0.7 | 18.1 | <0.01 | 0.03 | 2.2 |
| I032193 | | 1.43 | 14.5 | 860 | 9.2 | 14.0 | <0.001 | 0.03 | 0.66 | 9.1 | 0.8 | 0.5 | 34.5 | <0.01 | 0.03 | 3.8 |
| I032194 | | 1.55 | 18.1 | 610 | 11.0 | 14.8 | <0.001 | 0.02 | 0.59 | 6.9 | 0.6 | 0.6 | 33.3 | <0.01 | 0.03 | 2.9 |
| I032195 | | 1.34 | 17.3 | 610 | 12.5 | 16.4 | <0.001 | 0.01 | 0.70 | 6.9 | 0.4 | 0.6 | 26.2 | <0.01 | 0.03 | 2.7 |
| I032196 | | 1.32 | 14.8 | 480 | 11.6 | 19.8 | <0.001 | 0.02 | 0.59 | 5.1 | 0.3 | 0.6 | 27.1 | <0.01 | 0.03 | 1.2 |
| I032197 | | 1.61 | 13.6 | 760 | 55.4 | 37.9 | <0.001 | 0.02 | 0.67 | 7.4 | 0.3 | 0.6 | 33.6 | <0.01 | 0.03 | 1.4 |
| I032198 | | 1.46 | 20.4 | 250 | 16.3 | 12.0 | <0.001 | 0.02 | 0.66 | 6.7 | 0.4 | 0.6 | 25.4 | <0.01 | 0.03 | 3.0 |
| I032199 | | 1.08 | 17.2 | 280 | 19.4 | 10.1 | <0.001 | 0.02 | 0.56 | 6.1 | 0.4 | 0.7 | 25.8 | <0.01 | 0.02 | 1.8 |
| I032200 | | 1.30 | 14.9 | 660 | 43.0 | 21.5 | <0.001 | 0.02 | 0.62 | 7.3 | 0.4 | 0.7 | 31.4 | <0.01 | 0.03 | 1.8 |
| I032201 | | 1.67 | 24.6 | 180 | 7.6 | 15.9 | <0.001 | 0.01 | 0.37 | 6.9 | 0.2 | 0.6 | 29.8 | <0.01 | 0.03 | 2.5 |
| I032202 | | 1.77 | 20.7 | 270 | 9.0 | 21.5 | <0.001 | 0.02 | 0.53 | 5.4 | 0.4 | 0.5 | 33.1 | <0.01 | 0.03 | 2.1 |
| I032203 | | 2.83 | 35.7 | 380 | 6.9 | 49.6 | <0.001 | 0.02 | 0.30 | 7.9 | 0.4 | 0.7 | 39.1 | <0.01 | 0.02 | 3.4 |
| I032204 | | 4.17 | 16.4 | 300 | 11.7 | 36.1 | <0.001 | 0.02 | 0.33 | 7.7 | 0.5 | 0.8 | 32.6 | <0.01 | 0.03 | 5.1 |
| I032205 | | 2.33 | 15.5 | 270 | 9.2 | 10.9 | <0.001 | 0.02 | 0.39 | 4.9 | 0.3 | 0.7 | 25.4 | <0.01 | 0.03 | 2.9 |
| I032206 | | 1.64 | 17.6 | 240 | 8.3 | 8.1 | <0.001 | 0.01 | 0.41 | 5.2 | 0.2 | 0.6 | 30.1 | <0.01 | 0.03 | 2.7 |
| I032207 | | 2.07 | 13.5 | 230 | 10.9 | 3.9 | <0.001 | 0.01 | 0.33 | 3.9 | 0.2 | 0.5 | 22.5 | <0.01 | 0.04 | 1.2 |
| I032208 | | 1.15 | 22.3 | 640 | 6.1 | 15.8 | <0.001 | 0.05 | 0.30 | 10.6 | 0.6 | 0.6 | 35.9 | <0.01 | 0.07 | 1.8 |
| I032209 | | 0.99 | 18.3 | 640 | 5.9 | 28.3 | <0.001 | 0.10 | 0.23 | 13.3 | 0.6 | 0.6 | 38.7 | <0.01 | 0.10 | 2.1 |
| I032210 | | 0.14 | 4.2 | 130 | 1.6 | 2.6 | <0.001 | 0.01 | 0.12 | 0.7 | <0.2 | <0.2 | 8.1 | <0.01 | <0.01 | 1.7 |
| I032211 | | 1.28 | 21.3 | 450 | 6.7 | 30.8 | <0.001 | 0.04 | 0.27 | 9.6 | 0.5 | 0.5 | 26.8 | <0.01 | 0.06 | 2.1 |
| I032212 | | 1.46 | 24.6 | 510 | 7.9 | 23.5 | <0.001 | 0.03 | 0.32 | 7.3 | 0.4 | 0.6 | 33.9 | <0.01 | 0.05 | 2.1 |
| I032213 | | 1.29 | 23.1 | 400 | 7.6 | 14.4 | <0.001 | 0.02 | 0.35 | 6.7 | 0.3 | 0.5 | 29.6 | <0.01 | 0.04 | 1.8 |
| I032214 | | 1.47 | 24.6 | 450 | 8.6 | 9.8 | <0.001 | 0.02 | 0.49 | 7.4 | 0.5 | 0.6 | 38.1 | <0.01 | 0.04 | 2.8 |
| I032215 | | 1.33 | 17.2 | 390 | 7.3 | 8.9 | <0.001 | 0.08 | 0.38 | 5.2 | 0.4 | 0.6 | 36.4 | <0.01 | 0.05 | 1.2 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I032176 | | 0.116 | 0.27 | 0.42 | 55 | 0.79 | 3.76 | 97 | 1.0 |
| I032177 | | 0.085 | 0.12 | 0.79 | 58 | 0.17 | 6.62 | 66 | 2.2 |
| I032178 | | 0.082 | 0.11 | 0.85 | 64 | 0.17 | 6.71 | 64 | 0.9 |
| I032179 | | 0.115 | 0.16 | 0.71 | 68 | 0.14 | 4.75 | 61 | 1.4 |
| I032180 | | 0.078 | 0.12 | 1.05 | 55 | 0.63 | 6.81 | 69 | 0.8 |
| I032181 | | 0.076 | 0.12 | 1.65 | 60 | 0.25 | 16.30 | 69 | 1.0 |
| I032182 | | 0.187 | 0.23 | 0.89 | 82 | 0.24 | 6.23 | 83 | 1.0 |
| I032183 | | 0.097 | 0.11 | 1.12 | 59 | 0.27 | 8.71 | 79 | 1.4 |
| I032184 | | 0.094 | 0.10 | 0.63 | 62 | 0.23 | 5.59 | 65 | 1.8 |
| I032185 | | 0.101 | 0.20 | 3.49 | 74 | 0.35 | 89.3 | 152 | 13.3 |
| I032186 | | 0.107 | 0.18 | 0.37 | 65 | 0.19 | 4.31 | 53 | 0.7 |
| I032187 | | 0.070 | 0.09 | 0.73 | 58 | 0.26 | 11.35 | 60 | 3.1 |
| I032188 | | 0.180 | 0.13 | 0.30 | 79 | 0.29 | 2.53 | 69 | 1.5 |
| I032189 | | 0.130 | 0.14 | 0.47 | 90 | 0.25 | 3.48 | 79 | 1.6 |
| I032190 | | 0.103 | 0.12 | 0.46 | 81 | 0.19 | 5.05 | 55 | 1.7 |
| I032191 | | 0.109 | 0.13 | 0.45 | 84 | 0.19 | 4.71 | 56 | 1.9 |
| I032192 | | 0.096 | 0.10 | 0.48 | 69 | 0.23 | 4.26 | 52 | 1.0 |
| I032193 | | 0.073 | 0.09 | 1.24 | 55 | 0.28 | 18.80 | 75 | 2.3 |
| I032194 | | 0.081 | 0.08 | 0.87 | 61 | 0.38 | 10.65 | 71 | 1.8 |
| I032195 | | 0.065 | 0.09 | 0.58 | 69 | 0.32 | 6.09 | 79 | 2.8 |
| I032196 | | 0.073 | 0.08 | 0.44 | 66 | 0.26 | 4.42 | 57 | 0.7 |
| I032197 | | 0.187 | 0.13 | 0.36 | 106 | 0.24 | 3.84 | 198 | 1.8 |
| I032198 | | 0.065 | 0.08 | 0.63 | 68 | 0.25 | 4.07 | 66 | 2.8 |
| I032199 | | 0.064 | 0.06 | 0.62 | 66 | 0.24 | 9.16 | 72 | 1.3 |
| I032200 | | 0.080 | 0.09 | 0.50 | 76 | 0.26 | 5.17 | 119 | 0.9 |
| I032201 | | 0.105 | 0.09 | 0.29 | 71 | 0.16 | 5.07 | 47 | 3.4 |
| I032202 | | 0.088 | 0.06 | 0.31 | 56 | 0.17 | 3.88 | 50 | 2.3 |
| I032203 | | 0.223 | 0.21 | 0.47 | 82 | 0.13 | 8.50 | 99 | 2.7 |
| I032204 | | 0.140 | 0.14 | 0.77 | 52 | 0.13 | 11.60 | 98 | 1.8 |
| I032205 | | 0.066 | 0.10 | 0.44 | 53 | 0.14 | 6.63 | 72 | 1.2 |
| I032206 | | 0.065 | 0.08 | 0.42 | 60 | 0.13 | 3.84 | 54 | 1.9 |
| I032207 | | 0.046 | 0.07 | 0.34 | 60 | 0.13 | 4.58 | 53 | 1.1 |
| I032208 | | 0.144 | 0.09 | 0.65 | 92 | 0.12 | 6.66 | 108 | 1.7 |
| I032209 | | 0.158 | 0.14 | 0.54 | 107 | 0.08 | 7.39 | 150 | 2.4 |
| I032210 | | 0.011 | 0.03 | 0.33 | 7 | <0.05 | 2.41 | 8 | 2.4 |
| I032211 | | 0.175 | 0.15 | 0.43 | 93 | 0.12 | 6.35 | 103 | 2.1 |
| I032212 | | 0.144 | 0.11 | 0.48 | 84 | 0.17 | 4.82 | 93 | 1.9 |
| I032213 | | 0.144 | 0.10 | 0.42 | 81 | 0.11 | 3.57 | 95 | 1.9 |
| I032214 | | 0.093 | 0.07 | 0.47 | 67 | 0.16 | 6.54 | 75 | 4.3 |
| I032215 | | 0.096 | 0.07 | 0.37 | 67 | 0.09 | 2.89 | 75 | 1.3 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I032216 | | 0.38 | 0.005 | 0.22 | 1.72 | 5.9 | <0.2 | <10 | 250 | 0.26 | 0.14 | 0.30 | 0.19 | 15.90 | 15.6 | 36 |
| I032217 | | 0.40 | 0.005 | 0.24 | 2.17 | 6.3 | <0.2 | <10 | 440 | 0.29 | 0.12 | 0.58 | 0.31 | 16.85 | 21.1 | 27 |
| I032218 | | 0.28 | 0.005 | 0.15 | 1.94 | 5.7 | <0.2 | <10 | 400 | 0.31 | 0.12 | 0.61 | 0.13 | 21.6 | 15.0 | 27 |
| I032219 | | 0.28 | <0.005 | 0.12 | 2.08 | 4.2 | <0.2 | <10 | 430 | 0.27 | 0.12 | 0.47 | 0.12 | 11.45 | 17.5 | 22 |
| I032220 | | 0.32 | 0.005 | 0.13 | 2.49 | 5.3 | <0.2 | <10 | 250 | 0.35 | 0.10 | 0.39 | 0.09 | 15.35 | 18.5 | 25 |
| I032221 | | 0.30 | <0.005 | 0.16 | 2.45 | 5.8 | <0.2 | <10 | 280 | 0.38 | 0.10 | 0.39 | 0.12 | 15.90 | 17.5 | 27 |
| I032222 | | 0.38 | <0.005 | 0.12 | 2.10 | 6.7 | <0.2 | <10 | 330 | 0.37 | 0.13 | 0.58 | 0.09 | 21.2 | 16.5 | 33 |
| I032223 | | 0.30 | 0.005 | 0.26 | 2.65 | 3.7 | <0.2 | <10 | 260 | 0.31 | 0.10 | 0.78 | 0.15 | 13.00 | 22.2 | 36 |
| I032224 | | 0.34 | 0.005 | 0.20 | 2.06 | 5.9 | <0.2 | <10 | 520 | 0.33 | 0.14 | 0.34 | 0.18 | 14.70 | 19.7 | 30 |
| I032225 | | 0.36 | 0.007 | 0.13 | 2.01 | 6.3 | <0.2 | <10 | 410 | 0.24 | 0.10 | 0.47 | 0.14 | 14.95 | 13.7 | 24 |
| I032226 | | 0.40 | 0.005 | 0.14 | 2.03 | 7.4 | <0.2 | <10 | 380 | 0.17 | 0.10 | 0.40 | 0.07 | 11.65 | 14.4 | 24 |
| I032227 | | 0.32 | 0.005 | 0.09 | 2.11 | 5.6 | <0.2 | <10 | 320 | 0.19 | 0.10 | 0.25 | 0.08 | 10.60 | 14.6 | 25 |
| I032228 | | 0.32 | 0.005 | 0.16 | 1.74 | 6.4 | <0.2 | <10 | 370 | 0.29 | 0.12 | 0.45 | 0.27 | 16.60 | 14.2 | 27 |
| I032229 | | 0.34 | <0.005 | 0.09 | 1.87 | 7.4 | <0.2 | <10 | 220 | 0.24 | 0.13 | 0.24 | 0.09 | 11.25 | 12.5 | 26 |
| I032230 | | 0.50 | <0.005 | 0.03 | 0.12 | 2.4 | <0.2 | <10 | 30 | 0.08 | 0.03 | 0.09 | 0.04 | 9.53 | 2.2 | 4 |
| I032231 | | 0.34 | 0.005 | 0.06 | 1.75 | 7.3 | <0.2 | <10 | 310 | 0.19 | 0.12 | 0.30 | 0.12 | 13.25 | 14.3 | 47 |
| I032232 | | 0.26 | 0.012 | 0.38 | 1.73 | 4.2 | <0.2 | <10 | 270 | 0.28 | 0.07 | 0.41 | 0.35 | 17.60 | 9.5 | 21 |
| I032233 | | 0.36 | 0.006 | 0.20 | 1.54 | 5.5 | <0.2 | <10 | 310 | 0.26 | 0.14 | 0.30 | 0.35 | 18.85 | 9.6 | 22 |
| I032234 | | 0.30 | 0.006 | 0.41 | 2.72 | 4.6 | <0.2 | <10 | 120 | 0.35 | 0.09 | 0.30 | 0.65 | 17.05 | 50.4 | 38 |
| I032235 | | 0.32 | 0.013 | 0.12 | 1.74 | 6.1 | <0.2 | <10 | 130 | 0.20 | 0.14 | 0.21 | 0.22 | 15.60 | 35.4 | 32 |
| I032236 | | 0.26 | 0.005 | 0.11 | 1.90 | 7.6 | <0.2 | <10 | 160 | 0.24 | 0.13 | 0.16 | 0.27 | 13.80 | 12.7 | 28 |
| I032237 | | 0.32 | 0.006 | 0.13 | 1.75 | 6.0 | <0.2 | <10 | 200 | 0.19 | 0.09 | 0.29 | 0.11 | 14.90 | 12.6 | 32 |
| I032238 | | 0.22 | <0.005 | 0.27 | 1.83 | 5.2 | <0.2 | <10 | 310 | 0.26 | 0.13 | 0.27 | 0.20 | 19.10 | 25.2 | 24 |
| I032239 | | 0.32 | <0.005 | 0.25 | 1.78 | 4.6 | <0.2 | <10 | 170 | 0.21 | 0.09 | 0.57 | 0.13 | 15.00 | 13.5 | 33 |
| I032240 | | 0.18 | 0.010 | 0.06 | 1.19 | 5.2 | <0.2 | <10 | 110 | 0.20 | 0.11 | 0.30 | 0.11 | 15.90 | 6.2 | 19 |
| I032241 | | 0.28 | 0.006 | 0.06 | 1.16 | 4.8 | <0.2 | <10 | 110 | 0.14 | 0.11 | 0.29 | 0.10 | 15.90 | 6.0 | 19 |
| I032242 | | 0.44 | 0.010 | 0.11 | 1.42 | 5.2 | <0.2 | <10 | 170 | 0.16 | 0.12 | 0.33 | 0.15 | 20.1 | 8.0 | 21 |
| I032243 | | 0.32 | 0.007 | 0.06 | 1.05 | 3.5 | <0.2 | <10 | 110 | 0.13 | 0.09 | 0.30 | 0.11 | 18.00 | 5.1 | 16 |
| I032244 | | 0.24 | 0.014 | 0.07 | 1.30 | 4.5 | <0.2 | <10 | 150 | 0.18 | 0.10 | 0.29 | 0.13 | 17.75 | 6.0 | 19 |
| I032245 | | 0.32 | 0.008 | 0.08 | 1.80 | 9.2 | <0.2 | <10 | 170 | 0.15 | 0.11 | 0.29 | 0.11 | 17.95 | 8.9 | 26 |
| I032246 | | 0.40 | 0.008 | 0.08 | 1.85 | 16.5 | <0.2 | <10 | 240 | 0.31 | 0.11 | 0.35 | 0.15 | 20.7 | 11.0 | 27 |
| I032247 | | 0.34 | 0.005 | 0.06 | 1.77 | 8.4 | <0.2 | <10 | 240 | 0.24 | 0.12 | 0.29 | 0.09 | 16.20 | 10.0 | 28 |
| I032248 | | 0.32 | 0.007 | 0.10 | 1.67 | 3.9 | <0.2 | <10 | 230 | 0.15 | 0.08 | 0.23 | 0.11 | 14.50 | 10.4 | 21 |
| I032249 | | 0.28 | 0.007 | 0.10 | 1.61 | 3.5 | <0.2 | <10 | 210 | 0.13 | 0.10 | 0.23 | 0.09 | 14.50 | 9.8 | 23 |
| I032250 | | 0.52 | <0.005 | 0.02 | 0.11 | 6.7 | <0.2 | <10 | 30 | 0.07 | 0.06 | 0.08 | 0.04 | 10.55 | 2.4 | 4 |
| I032251 | | 0.22 | NSS | 0.09 | 0.92 | 2.7 | <0.2 | <10 | 140 | 0.11 | 0.09 | 0.18 | 0.09 | 12.65 | 4.7 | 16 |
| I032252 | | 0.40 | 0.006 | 0.06 | 2.04 | 6.0 | <0.2 | <10 | 140 | 0.20 | 0.14 | 0.22 | 0.15 | 15.45 | 9.2 | 30 |
| I032253 | | 0.42 | 0.006 | 0.05 | 2.05 | 6.2 | <0.2 | <10 | 310 | 0.30 | 0.12 | 0.35 | 0.11 | 18.65 | 12.8 | 35 |
| I032254 | | 0.52 | <0.005 | 0.05 | 2.48 | 4.6 | <0.2 | <10 | 380 | 0.19 | 0.09 | 0.19 | 0.09 | 17.05 | 9.4 | 26 |
| I032255 | | 0.36 | <0.005 | 0.20 | 2.75 | 3.0 | <0.2 | <10 | 350 | 0.15 | 0.11 | 0.47 | 0.09 | 15.85 | 15.1 | 71 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I032216 | | 0.41 | 27.4 | 3.23 | 6.59 | 0.07 | 0.04 | 0.02 | 0.027 | 0.20 | 7.7 | 8.8 | 0.70 | 460 | 1.29 |
| I032217 | | 1.26 | 44.9 | 4.16 | 7.74 | 0.11 | 0.06 | 0.02 | 0.026 | 0.65 | 6.9 | 12.3 | 1.02 | 848 | 1.25 |
| I032218 | | 1.06 | 26.3 | 3.23 | 6.45 | 0.10 | 0.09 | 0.03 | 0.027 | 0.45 | 9.3 | 11.3 | 0.88 | 1130 | 0.91 |
| I032219 | | 1.28 | 36.0 | 3.79 | 7.81 | 0.10 | 0.05 | 0.02 | 0.020 | 0.33 | 5.3 | 12.8 | 0.88 | 829 | 1.04 |
| I032220 | | 1.49 | 38.9 | 4.29 | 8.38 | 0.11 | 0.06 | 0.01 | 0.023 | 0.40 | 6.9 | 14.0 | 1.10 | 577 | 1.20 |
| I032221 | | 1.32 | 33.8 | 4.22 | 7.86 | 0.11 | 0.07 | 0.01 | 0.022 | 0.36 | 6.5 | 13.8 | 1.07 | 593 | 1.08 |
| I032222 | | 0.80 | 28.6 | 3.32 | 6.72 | 0.10 | 0.13 | 0.02 | 0.025 | 0.45 | 9.0 | 12.8 | 0.92 | 526 | 0.66 |
| I032223 | | 1.18 | 45.8 | 4.01 | 8.38 | 0.10 | 0.06 | 0.02 | 0.019 | 0.41 | 5.4 | 16.7 | 1.20 | 977 | 1.04 |
| I032224 | | 0.51 | 27.1 | 3.30 | 7.09 | 0.08 | 0.09 | 0.02 | 0.023 | 0.18 | 6.7 | 11.2 | 0.80 | 1160 | 0.84 |
| I032225 | | 0.99 | 26.7 | 3.36 | 7.54 | 0.09 | 0.06 | 0.01 | 0.027 | 0.34 | 7.4 | 14.2 | 1.13 | 495 | 0.70 |
| I032226 | | 1.15 | 31.1 | 3.50 | 7.83 | 0.10 | 0.06 | 0.02 | 0.024 | 0.45 | 5.8 | 15.5 | 1.12 | 455 | 0.81 |
| I032227 | | 1.37 | 26.7 | 3.72 | 8.54 | 0.10 | 0.03 | 0.01 | 0.020 | 0.31 | 5.4 | 12.0 | 1.38 | 372 | 1.03 |
| I032228 | | 0.48 | 25.3 | 2.85 | 5.93 | 0.07 | 0.04 | 0.03 | 0.022 | 0.28 | 6.6 | 9.9 | 0.63 | 1000 | 1.07 |
| I032229 | | 0.45 | 21.6 | 3.11 | 6.64 | 0.06 | 0.04 | 0.02 | 0.021 | 0.11 | 5.6 | 10.2 | 0.64 | 380 | 0.93 |
| I032230 | | 0.09 | 2.2 | 0.69 | 0.65 | <0.05 | 0.06 | <0.01 | <0.005 | 0.04 | 4.9 | 1.2 | 0.04 | 158 | 0.34 |
| I032231 | | 0.80 | 44.7 | 3.26 | 8.17 | 0.08 | 0.04 | 0.03 | 0.016 | 0.25 | 6.0 | 13.3 | 0.95 | 386 | 0.99 |
| I032232 | | 0.69 | 39.5 | 2.76 | 6.88 | 0.10 | 0.04 | 0.06 | 0.015 | 0.25 | 9.4 | 9.8 | 0.85 | 213 | 0.82 |
| I032233 | | 0.44 | 21.1 | 2.71 | 6.87 | 0.08 | 0.02 | 0.04 | 0.023 | 0.10 | 9.8 | 10.2 | 0.54 | 1040 | 1.08 |
| I032234 | | 0.63 | 106.0 | 6.02 | 12.65 | 0.13 | 0.03 | 0.03 | 0.024 | 0.07 | 5.9 | 19.7 | 1.28 | 1540 | 2.35 |
| I032235 | | 0.71 | 40.2 | 3.42 | 8.11 | 0.08 | 0.04 | 0.03 | 0.018 | 0.06 | 6.6 | 10.5 | 0.63 | 783 | 1.56 |
| I032236 | | 0.92 | 25.9 | 3.60 | 8.08 | 0.08 | 0.03 | 0.03 | 0.022 | 0.14 | 6.6 | 13.2 | 0.64 | 592 | 1.22 |
| I032237 | | 0.46 | 44.3 | 3.04 | 6.37 | 0.09 | 0.04 | 0.02 | 0.021 | 0.16 | 7.6 | 10.0 | 0.87 | 254 | 1.29 |
| I032238 | | 0.81 | 31.9 | 3.48 | 8.28 | 0.09 | 0.02 | 0.02 | 0.033 | 0.26 | 8.9 | 8.5 | 0.76 | 1460 | 0.97 |
| I032239 | | 0.53 | 69.4 | 3.07 | 6.17 | 0.10 | 0.04 | 0.03 | 0.021 | 0.18 | 8.1 | 11.8 | 0.98 | 273 | 1.14 |
| I032240 | | 0.69 | 17.2 | 1.94 | 5.07 | 0.06 | 0.02 | 0.03 | 0.018 | 0.04 | 8.1 | 7.0 | 0.37 | 131 | 0.70 |
| I032241 | | 0.72 | 16.6 | 1.89 | 5.17 | 0.06 | 0.02 | 0.03 | 0.016 | 0.03 | 8.1 | 7.0 | 0.37 | 127 | 0.65 |
| I032242 | | 0.70 | 38.2 | 2.46 | 5.78 | 0.06 | 0.03 | 0.02 | 0.022 | 0.05 | 10.0 | 8.3 | 0.53 | 219 | 0.79 |
| I032243 | | 0.49 | 18.7 | 1.76 | 4.61 | 0.06 | 0.02 | 0.02 | 0.017 | 0.04 | 9.3 | 6.0 | 0.39 | 132 | 0.51 |
| I032244 | | 0.58 | 20.9 | 2.03 | 5.30 | 0.06 | 0.02 | 0.02 | 0.021 | 0.05 | 9.1 | 6.5 | 0.42 | 154 | 0.58 |
| I032245 | | 0.58 | 26.3 | 2.89 | 7.13 | 0.07 | 0.03 | 0.02 | 0.026 | 0.09 | 9.4 | 10.1 | 0.74 | 278 | 0.85 |
| I032246 | | 0.59 | 27.9 | 2.87 | 6.48 | 0.08 | 0.04 | 0.02 | 0.026 | 0.05 | 10.5 | 11.2 | 0.66 | 297 | 0.74 |
| I032247 | | 0.46 | 22.5 | 2.97 | 6.42 | 0.07 | 0.03 | 0.04 | 0.024 | 0.06 | 8.3 | 10.3 | 0.60 | 266 | 0.99 |
| I032248 | | 1.40 | 40.4 | 2.68 | 6.44 | 0.07 | 0.03 | 0.03 | 0.018 | 0.20 | 7.5 | 9.6 | 0.87 | 243 | 0.70 |
| I032249 | | 1.20 | 28.5 | 2.38 | 6.68 | 0.08 | 0.03 | 0.02 | 0.017 | 0.12 | 7.7 | 8.9 | 0.87 | 181 | 0.53 |
| I032250 | | 0.09 | 2.7 | 0.77 | 0.66 | 0.05 | 0.06 | <0.01 | <0.005 | 0.03 | 5.4 | 1.2 | 0.04 | 157 | 0.45 |
| I032251 | | 0.96 | 19.5 | 1.48 | 4.46 | 0.07 | 0.02 | 0.03 | 0.014 | 0.06 | 6.5 | 4.2 | 0.36 | 87 | 0.39 |
| I032252 | | 0.60 | 26.3 | 2.99 | 7.53 | <0.05 | 0.03 | 0.04 | 0.027 | 0.04 | 7.6 | 10.5 | 0.62 | 219 | 0.84 |
| I032253 | | 0.54 | 15.9 | 3.08 | 6.32 | <0.05 | 0.10 | 0.02 | 0.025 | 0.03 | 7.8 | 10.1 | 0.62 | 527 | 0.80 |
| I032254 | | 0.78 | 33.9 | 4.37 | 9.84 | 0.08 | 0.05 | 0.01 | 0.043 | 0.32 | 8.4 | 11.9 | 1.27 | 299 | 0.94 |
| I032255 | | 1.14 | 51.4 | 4.75 | 9.79 | 0.12 | 0.04 | 0.03 | 0.040 | 0.47 | 7.8 | 13.7 | 1.65 | 370 | 1.15 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I032216 | | 1.53 | 20.0 | 300 | 7.6 | 13.1 | <0.001 | 0.06 | 0.34 | 5.5 | 0.7 | 0.5 | 29.8 | <0.01 | 0.06 | 1.6 |
| I032217 | | 1.74 | 20.7 | 580 | 6.3 | 30.0 | <0.001 | 0.13 | 0.27 | 7.9 | 1.1 | 0.4 | 46.7 | <0.01 | 0.09 | 1.5 |
| I032218 | | 1.79 | 22.8 | 350 | 6.8 | 31.1 | <0.001 | 0.03 | 0.29 | 6.9 | 0.6 | 0.4 | 27.1 | <0.01 | 0.03 | 2.0 |
| I032219 | | 2.06 | 17.7 | 370 | 5.7 | 28.4 | <0.001 | 0.01 | 0.28 | 5.1 | 0.5 | 0.4 | 32.8 | <0.01 | 0.03 | 1.3 |
| I032220 | | 2.10 | 20.3 | 440 | 5.4 | 23.6 | <0.001 | 0.01 | 0.25 | 6.2 | 0.5 | 0.4 | 31.5 | <0.01 | 0.03 | 1.8 |
| I032221 | | 2.02 | 21.3 | 350 | 5.6 | 22.4 | <0.001 | 0.01 | 0.26 | 6.7 | 0.4 | 0.4 | 29.2 | <0.01 | 0.03 | 1.8 |
| I032222 | | 1.79 | 25.5 | 270 | 6.7 | 22.0 | <0.001 | 0.02 | 0.27 | 6.7 | 0.5 | 0.4 | 30.6 | <0.01 | 0.03 | 2.5 |
| I032223 | | 1.28 | 23.2 | 320 | 5.2 | 23.4 | <0.001 | 0.02 | 0.21 | 6.2 | 0.7 | 0.3 | 49.9 | <0.01 | 0.03 | 1.2 |
| I032224 | | 1.72 | 23.7 | 370 | 7.0 | 11.8 | <0.001 | 0.01 | 0.34 | 5.1 | 0.5 | 0.4 | 30.3 | <0.01 | 0.03 | 1.9 |
| I032225 | | 1.75 | 16.8 | 460 | 5.5 | 20.9 | <0.001 | 0.02 | 0.22 | 7.1 | 0.4 | 0.4 | 31.7 | <0.01 | 0.02 | 1.8 |
| I032226 | | 1.62 | 17.6 | 270 | 5.5 | 24.2 | <0.001 | 0.01 | 0.28 | 7.9 | 0.5 | 0.4 | 23.6 | <0.01 | 0.02 | 1.7 |
| I032227 | | 1.81 | 15.4 | 240 | 5.5 | 20.6 | <0.001 | 0.02 | 0.25 | 6.7 | 0.4 | 0.4 | 17.4 | <0.01 | 0.02 | 1.1 |
| I032228 | | 1.55 | 21.9 | 450 | 6.4 | 17.0 | <0.001 | 0.02 | 0.34 | 4.6 | 0.5 | 0.4 | 33.6 | <0.01 | 0.02 | 1.3 |
| I032229 | | 1.69 | 16.7 | 280 | 6.4 | 8.0 | <0.001 | 0.01 | 0.37 | 4.0 | 0.3 | 0.5 | 22.9 | <0.01 | 0.02 | 1.4 |
| I032230 | | 0.21 | 4.8 | 120 | 2.0 | 2.2 | <0.001 | <0.01 | 0.13 | 0.7 | <0.2 | <0.2 | 6.9 | <0.01 | <0.01 | 1.8 |
| I032231 | | 1.95 | 20.5 | 560 | 5.7 | 19.1 | <0.001 | 0.02 | 0.29 | 4.0 | 0.5 | 0.4 | 25.5 | <0.01 | 0.03 | 1.6 |
| I032232 | | 1.64 | 13.0 | 670 | 4.1 | 18.8 | <0.001 | 0.07 | 0.20 | 5.2 | 1.2 | 0.3 | 42.6 | <0.01 | 0.03 | 1.1 |
| I032233 | | 1.48 | 14.1 | 450 | 11.6 | 11.1 | <0.001 | 0.05 | 0.32 | 3.9 | 0.7 | 0.5 | 27.0 | <0.01 | 0.04 | 1.4 |
| I032234 | | 2.62 | 26.8 | 730 | 6.2 | 10.5 | <0.001 | 0.03 | 0.35 | 5.8 | 1.2 | 0.6 | 18.5 | <0.01 | 0.07 | 1.0 |
| I032235 | | 2.08 | 19.9 | 340 | 6.6 | 8.9 | <0.001 | 0.02 | 0.35 | 3.8 | 0.6 | 0.6 | 14.8 | <0.01 | 0.03 | 1.5 |
| I032236 | | 2.25 | 16.6 | 490 | 7.2 | 18.0 | <0.001 | 0.02 | 0.36 | 3.1 | 0.6 | 0.5 | 13.8 | <0.01 | 0.03 | 1.1 |
| I032237 | | 1.64 | 24.7 | 570 | 8.6 | 12.1 | <0.001 | 0.13 | 0.24 | 4.9 | 0.6 | 0.4 | 29.3 | <0.01 | 0.05 | 1.7 |
| I032238 | | 3.60 | 16.8 | 600 | 5.8 | 22.0 | <0.001 | 0.02 | 0.28 | 5.3 | 0.5 | 0.8 | 19.5 | <0.01 | 0.04 | 1.1 |
| I032239 | | 1.53 | 28.4 | 600 | 7.2 | 16.4 | 0.001 | 0.12 | 0.21 | 5.4 | 1.3 | 0.4 | 34.5 | <0.01 | 0.06 | 1.4 |
| I032240 | | 1.19 | 11.7 | 600 | 5.0 | 6.4 | <0.001 | 0.04 | 0.22 | 2.9 | 0.8 | 0.4 | 21.3 | <0.01 | 0.02 | 0.3 |
| I032241 | | 1.11 | 11.6 | 550 | 5.1 | 6.5 | <0.001 | 0.04 | 0.20 | 2.8 | 0.8 | 0.4 | 20.9 | <0.01 | 0.02 | 0.3 |
| I032242 | | 1.26 | 13.2 | 640 | 5.8 | 7.3 | <0.001 | 0.09 | 0.22 | 4.1 | 0.8 | 0.4 | 28.2 | <0.01 | 0.04 | 0.7 |
| I032243 | | 1.11 | 9.2 | 530 | 4.7 | 4.9 | <0.001 | 0.04 | 0.15 | 3.6 | 0.5 | 0.4 | 19.7 | <0.01 | 0.02 | 1.0 |
| I032244 | | 1.14 | 11.2 | 520 | 4.9 | 6.6 | <0.001 | 0.04 | 0.17 | 3.1 | 0.7 | 0.4 | 21.7 | <0.01 | 0.02 | 0.3 |
| I032245 | | 1.94 | 15.0 | 520 | 5.2 | 10.3 | <0.001 | 0.05 | 0.20 | 4.9 | 0.7 | 0.5 | 23.4 | <0.01 | 0.03 | 2.1 |
| I032246 | | 1.74 | 16.8 | 630 | 5.6 | 8.7 | <0.001 | 0.03 | 0.28 | 5.2 | 0.7 | 0.5 | 29.6 | <0.01 | 0.03 | 1.8 |
| I032247 | | 1.82 | 17.5 | 350 | 6.5 | 8.7 | <0.001 | 0.03 | 0.29 | 4.5 | 0.6 | 0.8 | 28.5 | <0.01 | 0.03 | 1.7 |
| I032248 | | 1.38 | 12.2 | 510 | 4.5 | 15.9 | <0.001 | 0.03 | 0.18 | 4.8 | 0.7 | 0.4 | 17.0 | <0.01 | 0.02 | 0.6 |
| I032249 | | 1.54 | 12.2 | 410 | 4.9 | 14.3 | <0.001 | 0.03 | 0.15 | 4.7 | 0.6 | 0.5 | 19.4 | <0.01 | 0.02 | 0.7 |
| I032250 | | 0.26 | 4.5 | 130 | 1.6 | 2.0 | <0.001 | 0.01 | 0.12 | 0.7 | 0.2 | <0.2 | 7.0 | <0.01 | <0.01 | 1.9 |
| I032251 | | 0.98 | 8.7 | 450 | 4.8 | 10.6 | <0.001 | 0.04 | 0.14 | 2.4 | 0.9 | 0.3 | 16.5 | <0.01 | 0.02 | 0.2 |
| I032252 | | 1.10 | 16.5 | 500 | 6.3 | 7.0 | <0.001 | 0.03 | 0.27 | 3.7 | 0.4 | 0.6 | 18.7 | <0.01 | 0.04 | 0.6 |
| I032253 | | 1.34 | 18.3 | 180 | 6.9 | 4.9 | <0.001 | 0.02 | 0.32 | 5.5 | 0.2 | 0.5 | 27.4 | <0.01 | 0.02 | 2.3 |
| I032254 | | 0.78 | 12.9 | 730 | 4.7 | 12.1 | <0.001 | 0.45 | 0.19 | 8.2 | 1.1 | 0.7 | 41.2 | <0.01 | 0.11 | 2.1 |
| I032255 | | 0.83 | 20.7 | 630 | 4.4 | 17.1 | 0.001 | 0.42 | 0.16 | 11.9 | 1.9 | 0.5 | 40.0 | <0.01 | 0.14 | 1.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I032216 | | 0.102 | 0.08 | 0.48 | 76 | 0.13 | 3.81 | 63 | 1.1 |
| I032217 | | 0.155 | 0.15 | 0.48 | 98 | 0.10 | 4.36 | 70 | 2.0 |
| I032218 | | 0.138 | 0.12 | 0.29 | 72 | 0.11 | 6.17 | 61 | 2.6 |
| I032219 | | 0.170 | 0.15 | 0.29 | 84 | 0.10 | 2.70 | 65 | 1.9 |
| I032220 | | 0.187 | 0.15 | 0.41 | 85 | 0.10 | 3.76 | 69 | 2.2 |
| I032221 | | 0.176 | 0.13 | 0.43 | 85 | 0.12 | 3.55 | 65 | 2.5 |
| I032222 | | 0.143 | 0.12 | 0.25 | 76 | 0.11 | 6.01 | 52 | 4.6 |
| I032223 | | 0.185 | 0.12 | 0.66 | 121 | 0.09 | 4.14 | 58 | 2.2 |
| I032224 | | 0.128 | 0.09 | 0.29 | 89 | 0.11 | 2.84 | 60 | 3.1 |
| I032225 | | 0.143 | 0.11 | 0.40 | 90 | 0.20 | 3.58 | 60 | 2.0 |
| I032226 | | 0.174 | 0.14 | 0.32 | 102 | 0.13 | 2.43 | 53 | 2.3 |
| I032227 | | 0.185 | 0.14 | 0.27 | 117 | 0.12 | 1.82 | 52 | 1.1 |
| I032228 | | 0.107 | 0.07 | 0.37 | 68 | 0.13 | 2.71 | 45 | 1.4 |
| I032229 | | 0.110 | 0.08 | 0.27 | 77 | 0.12 | 1.78 | 48 | 1.3 |
| I032230 | | 0.008 | 0.03 | 0.32 | 5 | <0.05 | 2.03 | 5 | 2.3 |
| I032231 | | 0.172 | 0.09 | 0.42 | 96 | 0.16 | 2.07 | 51 | 1.5 |
| I032232 | | 0.129 | 0.08 | 1.50 | 62 | 0.10 | 12.45 | 55 | 0.9 |
| I032233 | | 0.078 | 0.06 | 0.79 | 54 | 0.10 | 6.23 | 59 | 0.7 |
| I032234 | | 0.290 | 0.09 | 1.56 | 129 | 0.06 | 10.00 | 261 | 0.8 |
| I032235 | | 0.156 | 0.11 | 0.56 | 88 | 0.19 | 4.72 | 94 | 1.5 |
| I032236 | | 0.152 | 0.12 | 0.42 | 85 | 0.17 | 2.98 | 86 | 1.0 |
| I032237 | | 0.123 | 0.13 | 0.46 | 68 | 0.11 | 2.97 | 67 | 1.4 |
| I032238 | | 0.137 | 0.12 | 0.43 | 59 | 0.09 | 3.34 | 71 | 0.8 |
| I032239 | | 0.120 | 0.17 | 1.38 | 69 | 0.14 | 6.07 | 82 | 1.3 |
| I032240 | | 0.064 | 0.06 | 0.54 | 46 | 0.28 | 4.40 | 41 | 0.6 |
| I032241 | | 0.066 | 0.07 | 0.51 | 45 | 0.16 | 3.98 | 39 | 0.5 |
| I032242 | | 0.081 | 0.07 | 0.72 | 68 | 0.24 | 5.64 | 67 | 0.7 |
| I032243 | | 0.075 | 0.05 | 0.54 | 47 | 0.67 | 4.45 | 41 | 0.5 |
| I032244 | | 0.073 | 0.06 | 0.56 | 48 | 0.20 | 5.03 | 44 | 0.5 |
| I032245 | | 0.124 | 0.09 | 0.60 | 69 | 0.12 | 4.78 | 64 | 1.3 |
| I032246 | | 0.107 | 0.07 | 0.63 | 68 | 0.12 | 5.90 | 65 | 1.4 |
| I032247 | | 0.102 | 0.06 | 0.47 | 73 | 0.17 | 4.15 | 52 | 1.2 |
| I032248 | | 0.130 | 0.11 | 0.50 | 79 | 0.18 | 3.33 | 48 | 0.8 |
| I032249 | | 0.134 | 0.10 | 0.47 | 68 | 0.14 | 3.14 | 47 | 0.8 |
| I032250 | | 0.008 | 0.03 | 0.31 | 5 | 0.26 | 2.37 | 5 | 2.4 |
| I032251 | | 0.065 | 0.08 | 0.45 | 27 | 0.16 | 2.55 | 28 | 0.5 |
| I032252 | | 0.097 | 0.06 | 0.59 | 69 | 0.18 | 4.56 | 62 | 1.0 |
| I032253 | | 0.099 | 0.09 | 0.34 | 74 | 0.13 | 3.09 | 52 | 3.9 |
| I032254 | | 0.134 | 0.11 | 0.53 | 90 | 0.09 | 4.71 | 88 | 2.1 |
| I032255 | | 0.170 | 0.14 | 0.58 | 137 | 0.08 | 4.95 | 83 | 1.4 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I032256 | | 0.22 | 0.007 | 0.17 | 1.25 | 3.5 | <0.2 | <10 | 300 | 0.18 | 0.05 | 2.79 | 0.22 | 11.00 | 9.2 | 20 |
| I032257 | | 0.30 | <0.005 | 0.25 | 2.15 | 3.2 | <0.2 | <10 | 390 | 0.27 | 0.05 | 1.20 | 0.23 | 15.80 | 19.6 | 33 |
| I032258 | | 0.36 | 0.036 | 0.15 | 1.88 | 4.0 | <0.2 | <10 | 370 | 0.23 | 0.06 | 0.91 | 0.18 | 17.45 | 12.9 | 25 |
| I032259 | | 0.38 | 0.005 | 0.05 | 2.76 | 9.1 | <0.2 | <10 | 130 | 0.48 | 0.18 | 0.16 | 0.16 | 42.9 | 18.6 | 40 |
| I032260 | | 0.52 | <0.005 | 0.02 | 0.13 | 6.1 | <0.2 | <10 | 30 | 0.08 | 0.03 | 0.06 | 0.05 | 9.39 | 2.7 | 5 |
| I032261 | | 0.36 | <0.005 | 0.16 | 2.51 | 9.8 | <0.2 | <10 | 130 | 0.78 | 0.30 | 0.10 | 0.18 | 108.0 | 31.1 | 31 |
| I032262 | | 0.40 | 0.005 | 0.03 | 1.51 | 9.5 | <0.2 | <10 | 80 | 0.21 | 0.23 | 0.10 | 0.10 | 19.45 | 4.7 | 31 |
| I032263 | | 0.34 | <0.005 | 0.09 | 1.71 | 5.8 | <0.2 | <10 | 130 | 0.49 | 0.25 | 0.15 | 0.09 | 57.2 | 12.4 | 31 |
| I032264 | | 0.36 | 0.005 | 0.09 | 2.05 | 6.0 | <0.2 | <10 | 120 | 0.50 | 0.26 | 0.10 | 0.11 | 63.3 | 8.2 | 30 |
| I032265 | | 0.30 | <0.005 | 0.05 | 1.40 | 8.6 | <0.2 | <10 | 80 | 0.16 | 0.19 | 0.13 | 0.12 | 24.5 | 7.0 | 31 |
| I032266 | | 0.34 | <0.005 | 0.10 | 1.71 | 7.5 | 0.3 | <10 | 90 | 0.28 | 0.31 | 0.09 | 0.10 | 64.8 | 10.5 | 33 |
| I032267 | | 0.38 | <0.005 | 0.04 | 2.35 | 8.9 | <0.2 | <10 | 140 | 0.42 | 0.17 | 0.18 | 0.11 | 49.0 | 14.3 | 37 |
| I032268 | | 0.28 | <0.005 | 0.04 | 2.44 | 10.4 | <0.2 | <10 | 90 | 0.36 | 0.19 | 0.11 | 0.14 | 26.8 | 11.6 | 37 |
| I032269 | | 0.40 | <0.005 | 0.08 | 1.93 | 2.6 | <0.2 | <10 | 120 | 0.32 | 0.33 | 0.05 | 0.07 | 74.8 | 5.2 | 33 |
| I032270 | | 0.32 | <0.005 | 0.05 | 2.32 | 6.8 | <0.2 | <10 | 140 | 0.52 | 0.20 | 0.13 | 0.13 | 54.8 | 13.1 | 34 |
| I032271 | | 0.36 | <0.005 | 0.05 | 2.48 | 4.9 | <0.2 | <10 | 160 | 0.57 | 0.19 | 0.12 | 0.13 | 67.8 | 13.5 | 36 |
| I032272 | | 0.38 | <0.005 | 0.11 | 2.01 | 8.0 | <0.2 | <10 | 110 | 0.41 | 0.25 | 0.13 | 0.12 | 42.9 | 12.5 | 32 |
| I032273 | | 0.34 | <0.005 | 0.10 | 1.98 | 8.2 | <0.2 | <10 | 110 | 0.33 | 0.23 | 0.11 | 0.13 | 36.4 | 11.0 | 34 |
| I032274 | | 0.36 | <0.005 | 0.10 | 2.46 | 3.7 | <0.2 | <10 | 90 | 0.57 | 0.32 | 0.40 | 0.18 | 80.7 | 18.4 | 35 |
| I032275 | | 0.30 | <0.005 | 0.28 | 2.61 | 8.1 | <0.2 | <10 | 80 | 0.49 | 0.26 | 0.12 | 0.13 | 88.6 | 15.0 | 39 |
| I032276 | | 0.40 | 0.008 | 0.11 | 2.53 | 9.0 | <0.2 | <10 | 210 | 0.38 | 0.21 | 0.17 | 0.11 | 23.4 | 16.4 | 49 |
| I032277 | | 0.34 | <0.005 | 0.08 | 2.53 | 4.3 | <0.2 | <10 | 120 | 0.90 | 0.22 | 0.04 | 0.20 | 110.5 | 16.2 | 31 |
| I032278 | | 0.38 | <0.005 | 0.04 | 2.54 | 11.3 | <0.2 | <10 | 150 | 0.51 | 0.16 | 0.16 | 0.14 | 38.3 | 15.4 | 40 |
| I032279 | | 0.48 | <0.005 | 0.03 | 3.47 | 1.4 | <0.2 | <10 | 130 | 0.84 | 0.21 | 0.06 | 0.13 | 91.3 | 21.3 | 42 |
| I032280 | | 0.50 | NSS | 0.03 | 0.36 | 9.6 | <0.2 | <10 | 130 | 0.28 | 0.03 | 0.67 | 0.26 | 31.6 | 12.4 | 12 |
| I032281 | | 0.28 | <0.005 | 0.07 | 2.12 | 2.9 | <0.2 | <10 | 180 | 0.36 | 0.11 | 0.29 | 0.11 | 37.3 | 12.5 | 47 |
| I032282 | | 0.42 | <0.005 | 0.03 | 2.18 | 17.1 | <0.2 | <10 | 90 | 0.29 | 0.17 | 0.15 | 0.19 | 24.1 | 12.7 | 52 |
| I032283 | | 0.48 | <0.005 | 0.06 | 2.66 | 4.5 | <0.2 | <10 | 90 | 0.44 | 0.28 | 0.07 | 0.11 | 88.5 | 13.8 | 34 |
| I032284 | | 0.38 | <0.005 | 0.08 | 2.00 | 7.8 | <0.2 | <10 | 100 | 0.35 | 0.25 | 0.18 | 0.19 | 24.9 | 11.1 | 34 |
| I032285 | | 0.32 | <0.005 | 0.07 | 2.26 | 5.9 | <0.2 | <10 | 80 | 0.32 | 0.12 | 0.16 | 0.12 | 13.75 | 11.6 | 50 |
| I032286 | | 0.36 | 0.005 | 0.30 | 2.03 | 5.6 | <0.2 | <10 | 90 | 0.39 | 0.24 | 0.09 | 0.14 | 25.6 | 10.0 | 35 |
| I032287 | | 0.34 | <0.005 | 0.09 | 2.00 | 9.9 | <0.2 | <10 | 280 | 0.32 | 0.19 | 0.29 | 0.11 | 18.15 | 11.3 | 35 |
| I032288 | | 0.34 | 0.006 | 0.14 | 2.58 | 8.8 | <0.2 | <10 | 80 | 0.58 | 0.27 | 0.12 | 0.10 | 35.5 | 11.4 | 44 |
| I032289 | | 0.34 | <0.005 | 0.23 | 2.51 | 5.8 | <0.2 | <10 | 80 | 0.52 | 0.27 | 0.19 | 0.28 | 25.8 | 12.0 | 73 |
| I032290 | | 0.36 | <0.005 | 0.05 | 2.20 | 7.2 | <0.2 | <10 | 130 | 0.39 | 0.33 | 0.09 | 0.17 | 46.8 | 16.0 | 33 |
| I032291 | | 0.36 | <0.005 | 0.05 | 1.87 | 7.2 | <0.2 | <10 | 110 | 0.33 | 0.30 | 0.08 | 0.17 | 41.2 | 12.4 | 28 |
| I032292 | | 0.42 | 0.006 | 0.04 | 2.04 | 5.5 | <0.2 | <10 | 190 | 0.32 | 0.12 | 0.35 | 0.04 | 33.0 | 10.4 | 32 |
| I032293 | | 0.42 | 0.005 | 0.03 | 1.85 | 7.1 | <0.2 | <10 | 100 | 0.25 | 0.11 | 0.27 | 0.06 | 16.90 | 8.8 | 27 |
| I032294 | | 0.32 | <0.005 | 0.15 | 2.99 | 9.7 | <0.2 | <10 | 210 | 0.47 | 0.24 | 0.25 | 0.12 | 25.1 | 15.4 | 40 |
| I032295 | | 0.28 | <0.005 | 0.07 | 0.42 | 2.3 | <0.2 | <10 | 20 | <0.05 | 0.08 | 0.03 | 0.10 | 5.41 | 1.4 | 10 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I032256 | | 0.61 | 61.5 | 2.05 | 3.76 | 0.06 | 0.08 | 0.05 | 0.013 | 0.12 | 6.3 | 8.5 | 0.68 | 296 | 0.55 |
| I032257 | | 0.90 | 78.6 | 3.08 | 5.85 | 0.06 | 0.05 | 0.05 | 0.015 | 0.18 | 8.6 | 15.3 | 1.16 | 610 | 0.40 |
| I032258 | | 0.90 | 31.7 | 2.86 | 6.08 | 0.07 | 0.04 | 0.03 | 0.021 | 0.10 | 9.4 | 13.7 | 1.04 | 435 | 0.62 |
| I032259 | | 1.86 | 24.4 | 3.62 | 7.46 | 0.07 | 0.08 | 0.03 | 0.029 | 0.18 | 13.5 | 23.8 | 0.87 | 326 | 1.05 |
| I032260 | | 0.09 | 3.0 | 0.85 | 0.71 | <0.05 | 0.07 | <0.01 | <0.005 | 0.02 | 4.7 | 1.6 | 0.04 | 160 | 0.43 |
| I032261 | | 1.70 | 41.3 | 5.30 | 6.41 | 0.10 | 0.09 | 0.05 | 0.033 | 0.07 | 43.0 | 16.8 | 0.43 | 428 | 2.10 |
| I032262 | | 1.11 | 12.5 | 2.91 | 8.13 | 0.05 | 0.02 | 0.05 | 0.049 | 0.02 | 10.2 | 10.1 | 0.33 | 154 | 1.66 |
| I032263 | | 1.05 | 40.5 | 3.68 | 5.00 | 0.08 | 0.04 | 0.03 | 0.028 | 0.04 | 30.0 | 12.2 | 0.50 | 372 | 1.75 |
| I032264 | | 2.22 | 29.1 | 4.41 | 6.72 | 0.09 | 0.03 | 0.03 | 0.030 | 0.17 | 35.5 | 17.5 | 0.64 | 222 | 1.72 |
| I032265 | | 1.29 | 12.2 | 2.92 | 7.45 | 0.05 | 0.04 | 0.04 | 0.019 | 0.06 | 11.9 | 12.0 | 0.48 | 167 | 1.26 |
| I032266 | | 1.98 | 19.9 | 4.34 | 9.32 | 0.09 | 0.06 | 0.02 | 0.021 | 0.34 | 27.2 | 13.9 | 0.69 | 346 | 1.89 |
| I032267 | | 1.38 | 23.7 | 3.47 | 6.65 | 0.07 | 0.08 | 0.02 | 0.026 | 0.16 | 17.9 | 16.6 | 0.77 | 360 | 0.94 |
| I032268 | | 1.66 | 15.6 | 3.70 | 7.79 | 0.06 | 0.05 | 0.04 | 0.028 | 0.09 | 13.0 | 19.5 | 0.60 | 293 | 1.31 |
| I032269 | | 2.84 | 35.6 | 4.07 | 9.73 | 0.11 | 0.02 | 0.02 | 0.031 | 0.45 | 43.7 | 20.2 | 0.99 | 138 | 1.78 |
| I032270 | | 1.72 | 32.2 | 3.93 | 7.39 | 0.12 | 0.06 | 0.03 | 0.028 | 0.30 | 56.4 | 23.7 | 0.77 | 308 | 1.63 |
| I032271 | | 2.19 | 35.1 | 4.16 | 8.13 | 0.14 | 0.07 | 0.02 | 0.030 | 0.43 | 72.5 | 28.5 | 0.90 | 292 | 1.68 |
| I032272 | | 1.20 | 28.2 | 3.89 | 8.99 | 0.07 | 0.03 | 0.03 | 0.029 | 0.07 | 21.6 | 17.2 | 0.54 | 287 | 1.63 |
| I032273 | | 1.36 | 20.9 | 3.77 | 8.62 | 0.06 | 0.05 | 0.02 | 0.025 | 0.06 | 13.0 | 15.6 | 0.53 | 333 | 1.51 |
| I032274 | | 2.42 | 54.6 | 5.01 | 6.49 | 0.11 | 0.06 | 0.03 | 0.043 | 0.41 | 27.3 | 16.1 | 0.88 | 684 | 0.67 |
| I032275 | | 2.65 | 31.7 | 3.87 | 7.33 | 0.09 | 0.09 | 0.06 | 0.031 | 0.19 | 37.0 | 19.4 | 0.72 | 327 | 0.97 |
| I032276 | | 1.67 | 17.7 | 4.53 | 10.85 | 0.07 | 0.07 | 0.02 | 0.034 | 0.08 | 11.0 | 20.2 | 0.64 | 586 | 1.53 |
| I032277 | | 1.07 | 29.8 | 8.29 | 3.71 | 0.12 | 0.20 | 0.05 | 0.068 | 0.02 | 24.0 | 2.4 | 0.09 | 4820 | 0.55 |
| I032278 | | 1.09 | 23.0 | 3.59 | 6.51 | 0.07 | 0.07 | 0.04 | 0.032 | 0.06 | 14.3 | 14.7 | 0.65 | 396 | 1.08 |
| I032279 | | 5.28 | 24.1 | 5.30 | 9.98 | 0.12 | 0.10 | 0.01 | 0.038 | 1.12 | 13.8 | 24.9 | 1.29 | 142 | 0.35 |
| I032280 | | 0.43 | 8.6 | 2.45 | 1.79 | 0.08 | 0.09 | 0.01 | 0.008 | 0.07 | 14.1 | 4.7 | 0.29 | 1020 | 1.41 |
| I032281 | | 2.82 | 25.4 | 3.25 | 8.41 | 0.07 | 0.03 | 0.03 | 0.022 | 0.45 | 15.5 | 20.1 | 1.07 | 275 | 0.76 |
| I032282 | | 1.62 | 18.8 | 4.70 | 9.11 | 0.08 | 0.06 | 0.02 | 0.030 | 0.15 | 11.1 | 24.5 | 0.89 | 351 | 1.15 |
| I032283 | | 3.34 | 32.7 | 4.93 | 8.16 | 0.09 | 0.06 | 0.02 | 0.027 | 0.57 | 19.0 | 30.4 | 0.83 | 321 | 0.99 |
| I032284 | | 1.47 | 17.5 | 3.66 | 7.56 | 0.06 | 0.04 | 0.02 | 0.026 | 0.07 | 9.7 | 13.1 | 0.51 | 220 | 1.05 |
| I032285 | | 1.32 | 14.5 | 3.55 | 8.39 | 0.05 | 0.04 | 0.02 | 0.020 | 0.08 | 6.3 | 15.2 | 0.80 | 228 | 1.13 |
| I032286 | | 1.46 | 17.2 | 4.00 | 9.84 | 0.05 | 0.03 | 0.02 | 0.029 | 0.09 | 9.9 | 19.4 | 0.66 | 227 | 1.28 |
| I032287 | | 1.31 | 15.6 | 3.53 | 7.70 | 0.05 | 0.03 | 0.02 | 0.028 | 0.03 | 9.0 | 14.9 | 0.54 | 494 | 1.36 |
| I032288 | | 2.06 | 25.2 | 4.62 | 9.78 | 0.08 | 0.07 | 0.04 | 0.039 | 0.06 | 14.9 | 25.7 | 0.58 | 260 | 1.53 |
| I032289 | | 1.85 | 22.4 | 4.11 | 9.18 | 0.09 | 0.06 | 0.02 | 0.032 | 0.09 | 12.6 | 23.5 | 0.84 | 264 | 1.30 |
| I032290 | | 2.43 | 32.1 | 4.86 | 9.78 | 0.10 | 0.10 | 0.02 | 0.025 | 0.30 | 14.9 | 21.8 | 0.70 | 482 | 1.18 |
| I032291 | | 1.78 | 25.8 | 4.23 | 9.76 | 0.09 | 0.09 | 0.02 | 0.023 | 0.19 | 13.5 | 16.2 | 0.53 | 394 | 1.35 |
| I032292 | | 2.02 | 23.0 | 2.99 | 6.35 | 0.10 | 0.12 | 0.05 | 0.026 | 0.12 | 17.5 | 15.7 | 0.69 | 428 | 0.61 |
| I032293 | | 1.27 | 15.8 | 2.63 | 5.88 | 0.08 | 0.05 | 0.02 | 0.020 | 0.03 | 8.6 | 13.9 | 0.49 | 305 | 0.69 |
| I032294 | | 2.18 | 26.2 | 3.79 | 9.30 | 0.09 | 0.11 | 0.05 | 0.038 | 0.07 | 14.4 | 16.7 | 0.54 | 779 | 1.46 |
| I032295 | | 0.44 | 9.6 | 0.84 | 2.41 | <0.05 | <0.02 | 0.03 | 0.007 | 0.01 | 2.9 | 1.1 | 0.05 | 50 | 0.90 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I032256 | | 0.96 | 17.5 | 860 | 3.5 | 9.9 | <0.001 | 0.12 | 0.33 | 3.2 | 1.1 | 0.2 | 37.8 | 0.01 | 0.03 | 0.6 |
| I032257 | | 0.83 | 21.6 | 680 | 3.5 | 19.8 | <0.001 | 0.04 | 0.20 | 5.0 | 0.8 | 0.3 | 41.3 | <0.01 | 0.03 | 1.0 |
| I032258 | | 1.10 | 16.5 | 740 | 4.1 | 16.7 | <0.001 | 0.03 | 0.23 | 5.7 | 0.6 | 0.4 | 35.1 | <0.01 | 0.02 | 1.4 |
| I032259 | | 1.53 | 39.3 | 450 | 8.1 | 26.5 | <0.001 | 0.04 | 0.41 | 4.6 | 0.6 | 0.6 | 15.3 | 0.01 | 0.03 | 6.2 |
| I032260 | | 0.20 | 4.7 | 130 | 1.5 | 2.3 | <0.001 | <0.01 | 0.12 | 0.6 | <0.2 | 0.2 | 7.0 | <0.01 | 0.01 | 2.0 |
| I032261 | | 1.17 | 74.1 | 630 | 12.2 | 19.6 | <0.001 | 0.08 | 0.47 | 3.8 | 1.1 | 0.5 | 22.7 | 0.01 | 0.04 | 10.5 |
| I032262 | | 0.94 | 11.2 | 440 | 9.9 | 8.3 | <0.001 | 0.04 | 0.44 | 1.4 | 0.5 | 0.7 | 13.3 | <0.01 | 0.03 | 0.2 |
| I032263 | | 1.01 | 29.6 | 490 | 13.4 | 11.3 | <0.001 | 0.05 | 0.42 | 4.6 | 0.8 | 0.4 | 18.9 | <0.01 | 0.03 | 5.8 |
| I032264 | | 0.94 | 18.4 | 610 | 10.6 | 28.2 | <0.001 | 0.20 | 0.32 | 3.5 | 1.0 | 0.5 | 19.4 | <0.01 | 0.04 | 8.7 |
| I032265 | | 1.84 | 16.2 | 400 | 8.9 | 15.1 | <0.001 | 0.03 | 0.37 | 2.4 | 0.5 | 0.6 | 13.9 | <0.01 | 0.03 | 1.4 |
| I032266 | | 3.02 | 25.8 | 530 | 12.7 | 39.4 | <0.001 | 0.05 | 0.36 | 3.1 | 0.5 | 0.7 | 12.2 | <0.01 | 0.03 | 7.3 |
| I032267 | | 2.18 | 33.0 | 370 | 8.2 | 22.1 | <0.001 | 0.03 | 0.42 | 4.1 | 0.6 | 0.5 | 15.3 | <0.01 | 0.03 | 6.8 |
| I032268 | | 2.43 | 21.3 | 470 | 9.4 | 17.9 | <0.001 | 0.02 | 0.48 | 3.8 | 0.5 | 0.6 | 12.6 | 0.01 | 0.03 | 3.7 |
| I032269 | | 0.98 | 11.7 | 620 | 13.1 | 42.1 | <0.001 | 0.29 | 0.14 | 3.3 | 0.9 | 0.6 | 18.8 | <0.01 | 0.05 | 7.5 |
| I032270 | | 1.91 | 28.4 | 590 | 10.9 | 34.0 | <0.001 | 0.09 | 0.34 | 4.2 | 0.8 | 0.6 | 15.5 | 0.01 | 0.03 | 11.3 |
| I032271 | | 2.06 | 30.5 | 570 | 11.5 | 42.8 | <0.001 | 0.11 | 0.25 | 4.7 | 0.8 | 0.7 | 15.2 | 0.01 | 0.03 | 17.2 |
| I032272 | | 1.59 | 30.9 | 440 | 9.5 | 18.1 | <0.001 | 0.07 | 0.44 | 3.2 | 0.6 | 0.7 | 16.6 | <0.01 | 0.04 | 5.4 |
| I032273 | | 2.12 | 25.7 | 370 | 10.0 | 20.3 | <0.001 | 0.03 | 0.49 | 3.3 | 0.4 | 0.7 | 12.2 | <0.01 | 0.03 | 5.1 |
| I032274 | | 9.27 | 46.7 | 1370 | 50.9 | 55.4 | <0.001 | 0.03 | 0.18 | 4.2 | 0.7 | 0.7 | 17.3 | 0.01 | 0.05 | 11.7 |
| I032275 | | 3.69 | 31.9 | 320 | 11.7 | 31.8 | <0.001 | 0.03 | 0.42 | 4.5 | 0.8 | 0.6 | 13.9 | 0.01 | 0.03 | 17.0 |
| I032276 | | 3.10 | 29.4 | 280 | 11.6 | 24.1 | <0.001 | 0.01 | 0.46 | 4.5 | 0.4 | 1.0 | 16.3 | <0.01 | 0.04 | 2.9 |
| I032277 | | 0.39 | 30.7 | 700 | 49.4 | 13.8 | <0.001 | 0.03 | 0.24 | 7.0 | 1.6 | 0.5 | 8.5 | 0.01 | 0.03 | 26.1 |
| I032278 | | 1.59 | 30.7 | 440 | 10.4 | 12.7 | <0.001 | 0.02 | 0.53 | 5.1 | 0.6 | 0.5 | 16.0 | 0.01 | 0.03 | 5.1 |
| I032279 | | 4.99 | 39.1 | 330 | 11.4 | 116.5 | <0.001 | 0.01 | 0.08 | 4.8 | 0.4 | 1.0 | 5.4 | <0.01 | 0.02 | 14.9 |
| I032280 | | 0.90 | 19.7 | 750 | 4.5 | 9.9 | <0.001 | 0.01 | 0.50 | 1.9 | 0.3 | 13.0 | 13.0 | <0.01 | 0.02 | 4.6 |
| I032281 | | 2.39 | 23.2 | 610 | 6.6 | 43.9 | <0.001 | 0.03 | 0.17 | 3.5 | 0.4 | 0.9 | 19.6 | <0.01 | 0.02 | 2.4 |
| I032282 | | 2.34 | 29.0 | 340 | 14.4 | 22.7 | <0.001 | 0.02 | 0.38 | 5.1 | 0.4 | 0.7 | 13.7 | <0.01 | 0.03 | 3.4 |
| I032283 | | 3.23 | 36.2 | 390 | 13.3 | 70.3 | <0.001 | 0.03 | 0.25 | 3.6 | 0.6 | 0.6 | 9.4 | 0.01 | 0.04 | 13.8 |
| I032284 | | 2.85 | 26.3 | 290 | 9.7 | 22.7 | <0.001 | 0.01 | 0.44 | 2.9 | 0.4 | 0.6 | 15.0 | <0.01 | 0.04 | 3.4 |
| I032285 | | 2.26 | 26.5 | 300 | 7.3 | 18.9 | <0.001 | 0.02 | 0.39 | 3.5 | 0.4 | 0.7 | 12.6 | <0.01 | 0.03 | 2.0 |
| I032286 | | 1.60 | 23.3 | 400 | 13.0 | 34.2 | <0.001 | 0.03 | 0.45 | 3.5 | 0.4 | 0.9 | 11.1 | <0.01 | 0.04 | 3.0 |
| I032287 | | 2.17 | 22.1 | 290 | 10.5 | 17.5 | <0.001 | 0.02 | 0.50 | 3.6 | 0.4 | 0.7 | 21.1 | <0.01 | 0.03 | 1.9 |
| I032288 | | 2.95 | 31.7 | 390 | 21.6 | 25.1 | <0.001 | 0.02 | 0.52 | 4.2 | 0.7 | 0.8 | 11.5 | 0.01 | 0.03 | 6.4 |
| I032289 | | 2.55 | 38.3 | 250 | 18.9 | 35.2 | <0.001 | 0.01 | 0.38 | 5.0 | 0.4 | 0.8 | 14.1 | <0.01 | 0.03 | 4.3 |
| I032290 | | 4.13 | 30.4 | 480 | 15.2 | 46.0 | <0.001 | 0.01 | 0.27 | 3.7 | 0.5 | 0.9 | 9.2 | 0.01 | 0.04 | 15.7 |
| I032291 | | 3.97 | 25.0 | 420 | 14.7 | 36.7 | <0.001 | 0.01 | 0.33 | 3.2 | 0.4 | 0.9 | 8.9 | <0.01 | 0.04 | 12.0 |
| I032292 | | 1.82 | 22.2 | 640 | 6.6 | 24.8 | <0.001 | 0.01 | 0.26 | 7.0 | 0.5 | 0.8 | 25.2 | <0.01 | 0.01 | 4.9 |
| I032293 | | 1.60 | 19.8 | 610 | 5.7 | 9.0 | <0.001 | 0.01 | 0.31 | 3.4 | 0.5 | 0.5 | 22.3 | 0.01 | 0.02 | 1.1 |
| I032294 | | 2.35 | 23.1 | 520 | 12.9 | 18.5 | <0.001 | 0.02 | 0.36 | 6.1 | 0.7 | 0.9 | 23.8 | <0.01 | 0.02 | 5.1 |
| I032295 | | 0.31 | 4.8 | 300 | 3.3 | 2.9 | <0.001 | 0.01 | 0.17 | 0.6 | 0.4 | 0.3 | 8.2 | <0.01 | 0.02 | <0.2 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn | Zr |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I032256 | | 0.080 | 0.09 | 0.67 | 49 | 0.31 | 7.43 | 50 | 3.0 |
| I032257 | | 0.153 | 0.16 | 1.00 | 83 | 0.13 | 13.80 | 68 | 1.9 |
| I032258 | | 0.130 | 0.10 | 0.79 | 71 | 0.15 | 8.61 | 64 | 1.6 |
| I032259 | | 0.127 | 0.20 | 1.16 | 60 | 0.16 | 5.39 | 70 | 2.9 |
| I032260 | | 0.007 | 0.03 | 0.29 | 4 | 0.17 | 2.01 | 4 | 2.9 |
| I032261 | | 0.050 | 0.17 | 2.39 | 52 | 0.16 | 19.70 | 120 | 2.9 |
| I032262 | | 0.064 | 0.12 | 0.62 | 73 | 0.16 | 2.37 | 36 | 0.7 |
| I032263 | | 0.059 | 0.16 | 1.85 | 50 | 0.13 | 11.85 | 60 | 1.3 |
| I032264 | | 0.087 | 0.27 | 1.80 | 45 | 0.24 | 5.47 | 64 | 1.1 |
| I032265 | | 0.106 | 0.15 | 0.70 | 66 | 0.18 | 3.43 | 45 | 1.4 |
| I032266 | | 0.157 | 0.31 | 1.78 | 68 | 0.15 | 6.88 | 67 | 2.5 |
| I032267 | | 0.136 | 0.20 | 1.34 | 62 | 0.16 | 6.63 | 64 | 2.9 |
| I032268 | | 0.109 | 0.18 | 0.81 | 72 | 0.21 | 3.99 | 60 | 1.9 |
| I032269 | | 0.118 | 0.38 | 1.72 | 47 | 0.06 | 2.61 | 69 | 0.6 |
| I032270 | | 0.115 | 0.25 | 2.50 | 52 | 0.13 | 12.30 | 72 | 2.3 |
| I032271 | | 0.135 | 0.33 | 3.08 | 50 | 0.12 | 15.70 | 81 | 2.8 |
| I032272 | | 0.115 | 0.17 | 1.11 | 71 | 0.15 | 5.64 | 66 | 1.5 |
| I032273 | | 0.118 | 0.16 | 0.88 | 74 | 0.15 | 4.73 | 63 | 2.1 |
| I032274 | | 0.152 | 0.41 | 1.35 | 34 | 0.10 | 12.95 | 123 | 2.6 |
| I032275 | | 0.153 | 0.31 | 2.23 | 57 | 0.28 | 13.90 | 71 | 3.6 |
| I032276 | | 0.163 | 0.17 | 0.48 | 102 | 0.13 | 4.15 | 79 | 3.0 |
| I032277 | | 0.008 | 0.18 | 1.73 | 21 | 0.06 | 21.1 | 90 | 7.0 |
| I032278 | | 0.100 | 0.12 | 0.81 | 67 | 0.16 | 4.85 | 64 | 2.8 |
| I032279 | | 0.220 | 0.88 | 0.91 | 44 | 0.05 | 7.27 | 133 | 4.6 |
| I032280 | | 0.029 | 0.18 | 0.66 | 17 | 0.07 | 7.85 | 25 | 4.5 |
| I032281 | | 0.155 | 0.27 | 0.72 | 51 | 0.12 | 7.43 | 65 | 1.0 |
| I032282 | | 0.160 | 0.16 | 0.59 | 88 | 0.16 | 3.96 | 66 | 2.6 |
| I032283 | | 0.161 | 0.55 | 1.70 | 41 | 0.10 | 11.70 | 90 | 2.4 |
| I032284 | | 0.122 | 0.17 | 0.66 | 66 | 0.17 | 4.32 | 63 | 1.7 |
| I032285 | | 0.166 | 0.16 | 0.43 | 78 | 0.13 | 2.65 | 62 | 1.7 |
| I032286 | | 0.127 | 0.17 | 0.60 | 76 | 0.11 | 4.06 | 75 | 1.6 |
| I032287 | | 0.093 | 0.15 | 0.44 | 75 | 0.16 | 3.43 | 56 | 1.4 |
| I032288 | | 0.117 | 0.17 | 1.12 | 89 | 0.17 | 7.72 | 84 | 2.5 |
| I032289 | | 0.129 | 0.19 | 0.75 | 90 | 0.14 | 5.06 | 78 | 2.1 |
| I032290 | | 0.174 | 0.39 | 1.58 | 67 | 0.13 | 9.22 | 105 | 4.1 |
| I032291 | | 0.151 | 0.28 | 1.19 | 73 | 0.13 | 7.44 | 89 | 3.7 |
| I032292 | | 0.157 | 0.22 | 1.34 | 73 | 0.17 | 10.80 | 51 | 4.6 |
| I032293 | | 0.111 | 0.11 | 0.61 | 61 | 0.18 | 4.91 | 41 | 1.5 |
| I032294 | | 0.138 | 0.20 | 2.72 | 90 | 0.19 | 6.34 | 58 | 4.2 |
| I032295 | | 0.035 | 0.04 | 0.34 | 22 | 0.07 | 0.98 | 13 | <0.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I032296 | | 0.28 | <0.005 | 0.06 | 0.53 | 1.6 | <0.2 | <10 | 40 | 0.11 | 0.07 | 0.08 | 0.05 | 9.05 | 1.8 | 9 |
| I032297 | | 0.44 | 0.005 | 0.05 | 2.65 | 7.4 | <0.2 | <10 | 200 | 0.42 | 0.14 | 0.36 | 0.05 | 33.0 | 11.3 | 37 |
| I032298 | | 0.30 | 0.005 | 0.08 | 1.35 | 4.4 | <0.2 | <10 | 100 | 0.13 | 0.13 | 0.22 | 0.09 | 14.50 | 5.6 | 23 |
| I032299 | | 0.34 | 0.006 | 0.05 | 2.41 | 16.1 | <0.2 | <10 | 170 | 0.47 | 0.17 | 0.28 | 0.08 | 30.0 | 11.4 | 34 |
| I032300 | | 0.10 | <0.005 | <0.01 | 0.01 | 0.2 | <0.2 | <10 | <10 | <0.05 | <0.01 | <0.01 | 0.01 | 1.14 | 0.1 | 1 |
| I032301 | | 0.40 | <0.005 | 0.03 | 2.12 | 5.4 | <0.2 | <10 | 120 | 0.27 | 0.12 | 0.30 | 0.07 | 20.6 | 9.7 | 31 |
| I032302 | | 0.38 | <0.005 | 0.07 | 2.31 | 8.0 | <0.2 | <10 | 150 | 0.35 | 0.13 | 0.31 | 0.08 | 19.50 | 11.1 | 34 |
| I032303 | | 0.28 | <0.005 | 0.11 | 1.02 | 2.7 | <0.2 | <10 | 60 | 0.16 | 0.09 | 0.07 | 0.05 | 10.45 | 2.8 | 15 |
| I032304 | | 0.28 | <0.005 | 0.04 | 1.88 | 4.7 | <0.2 | <10 | 70 | 0.17 | 0.12 | 0.18 | 0.10 | 12.75 | 6.7 | 26 |
| I032305 | | 0.42 | <0.005 | 0.07 | 1.68 | 4.1 | <0.2 | <10 | 110 | 0.19 | 0.11 | 0.17 | 0.07 | 15.65 | 6.8 | 23 |
| I032306 | | 0.38 | <0.005 | 0.05 | 1.93 | 10.0 | <0.2 | <10 | 140 | 0.31 | 0.19 | 0.14 | 0.19 | 16.30 | 10.0 | 20 |
| I032307 | | 0.42 | 0.006 | 0.04 | 2.48 | 15.3 | <0.2 | <10 | 120 | 0.43 | 0.19 | 0.12 | 0.28 | 18.05 | 10.3 | 34 |
| I032308 | | 0.40 | <0.005 | 0.04 | 1.65 | 96.6 | <0.2 | <10 | 80 | 0.24 | 0.30 | 0.11 | 0.11 | 13.45 | 5.1 | 22 |
| I032309 | | 0.30 | <0.005 | 0.11 | 0.80 | 4.4 | <0.2 | <10 | 70 | 0.10 | 0.10 | 0.09 | 0.05 | 8.16 | 2.4 | 11 |
| I032310 | | 0.36 | 0.005 | 0.12 | 1.99 | 18.5 | <0.2 | <10 | 110 | 0.34 | 0.30 | 0.15 | 0.08 | 14.20 | 7.0 | 26 |
| I032311 | | 0.36 | 0.005 | 0.13 | 2.16 | 25.0 | <0.2 | <10 | 130 | 0.36 | 0.29 | 0.17 | 0.09 | 15.45 | 8.6 | 26 |
| I032312 | | 0.26 | 0.016 | 0.31 | 2.12 | 631 | <0.2 | <10 | 400 | 0.55 | 0.19 | 0.48 | 0.41 | 31.8 | 11.7 | 25 |
| I032313 | | 0.28 | <0.005 | 0.11 | 2.13 | 28.0 | <0.2 | <10 | 150 | 0.29 | 0.17 | 0.33 | 0.15 | 26.1 | 9.2 | 29 |
| I032314 | | 0.32 | 0.010 | 0.17 | 2.24 | 14.9 | <0.2 | <10 | 310 | 0.50 | 0.16 | 0.66 | 0.20 | 55.1 | 11.5 | 29 |
| I032315 | | 0.32 | <0.005 | 0.08 | 2.12 | 10.7 | <0.2 | <10 | 230 | 0.25 | 0.14 | 0.59 | 0.11 | 24.3 | 9.8 | 28 |
| I032316 | | 0.54 | <0.005 | 0.06 | 2.08 | 7.7 | <0.2 | <10 | 230 | 0.31 | 0.13 | 0.70 | 0.12 | 26.4 | 11.2 | 31 |
| I032317 | | 0.40 | <0.005 | 0.12 | 2.10 | 6.6 | <0.2 | <10 | 190 | 0.31 | 0.15 | 0.43 | 0.11 | 21.0 | 8.7 | 28 |
| I032318 | | 0.34 | 0.005 | 0.10 | 1.91 | 5.8 | <0.2 | <10 | 200 | 0.20 | 0.14 | 0.56 | 0.12 | 18.65 | 9.9 | 28 |
| I032319 | | 0.34 | <0.005 | 0.08 | 1.92 | 4.9 | <0.2 | <10 | 150 | 0.21 | 0.37 | 0.34 | 0.09 | 17.80 | 7.4 | 25 |
| I032320 | | 0.10 | <0.005 | <0.01 | 0.01 | 0.1 | <0.2 | <10 | <10 | <0.05 | <0.01 | <0.01 | 0.01 | 0.96 | 0.1 | 1 |
| I032321 | | 0.34 | 0.010 | 0.08 | 2.03 | 5.1 | <0.2 | <10 | 200 | 0.26 | 0.13 | 0.51 | 0.07 | 19.45 | 9.3 | 26 |
| I032322 | | 0.42 | 0.006 | 0.06 | 1.64 | 5.6 | <0.2 | <10 | 130 | 0.28 | 0.10 | 0.93 | 0.11 | 18.70 | 10.2 | 32 |
| I032323 | | 0.34 | 0.010 | 0.03 | 1.51 | 6.9 | <0.2 | <10 | 120 | 0.22 | 0.09 | 0.79 | 0.11 | 17.90 | 10.6 | 30 |
| I032324 | | 0.32 | 0.006 | 0.06 | 1.33 | 5.7 | <0.2 | <10 | 110 | 0.21 | 0.09 | 0.43 | 0.13 | 15.30 | 8.4 | 26 |
| I032325 | | 0.34 | 0.006 | 0.03 | 1.98 | 4.7 | <0.2 | <10 | 210 | 0.29 | 0.12 | 0.37 | 0.06 | 14.20 | 6.7 | 32 |
| I032326 | | 0.32 | <0.005 | 0.03 | 1.89 | 5.5 | <0.2 | <10 | 150 | 0.41 | 0.13 | 0.30 | 0.07 | 15.00 | 6.5 | 32 |
| I032327 | | 0.32 | <0.005 | 0.04 | 2.65 | 2.8 | <0.2 | <10 | 160 | 0.32 | 0.11 | 0.67 | 0.05 | 21.0 | 9.9 | 20 |
| I032328 | | 0.26 | 0.009 | 0.05 | 0.87 | 2.3 | <0.2 | <10 | 130 | 0.12 | 0.11 | 0.21 | 0.05 | 11.20 | 3.4 | 16 |
| I032329 | | 0.30 | <0.005 | 0.04 | 1.24 | 5.4 | <0.2 | <10 | 150 | 0.16 | 0.13 | 0.11 | 0.03 | 13.60 | 4.8 | 19 |
| I032330 | | 0.40 | 0.006 | 0.04 | 1.42 | 4.1 | <0.2 | <10 | 230 | 0.43 | 0.12 | 0.23 | 0.03 | 18.05 | 5.9 | 20 |
| I032331 | | 0.30 | <0.005 | 0.06 | 1.46 | 4.1 | <0.2 | <10 | 250 | 0.41 | 0.14 | 0.25 | 0.04 | 19.80 | 6.4 | 21 |
| I032332 | | 0.28 | 0.006 | 0.03 | 1.50 | 5.5 | <0.2 | <10 | 260 | 0.36 | 0.14 | 0.18 | 0.12 | 16.10 | 7.6 | 26 |
| I032333 | | 0.30 | <0.005 | 0.05 | 1.57 | 3.5 | <0.2 | <10 | 150 | 0.34 | 0.12 | 0.18 | 0.10 | 13.85 | 5.8 | 22 |
| I032334 | | 0.38 | 0.006 | 0.07 | 1.80 | 6.1 | <0.2 | <10 | 170 | 0.41 | 0.15 | 0.14 | 0.08 | 14.05 | 7.3 | 28 |
| I032335 | | 0.36 | <0.005 | 0.22 | 1.81 | 9.7 | <0.2 | <10 | 180 | 0.28 | 0.14 | 0.12 | 0.04 | 13.50 | 7.0 | 23 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I032296 | | 0.50 | 8.1 | 0.79 | 2.47 | <0.05 | <0.02 | 0.02 | 0.008 | 0.01 | 5.2 | 1.9 | 0.10 | 68 | 0.42 |
| I032297 | | 1.43 | 31.4 | 3.24 | 6.88 | 0.09 | 0.14 | 0.04 | 0.028 | 0.06 | 17.8 | 16.1 | 0.67 | 309 | 0.59 |
| I032298 | | 1.17 | 15.2 | 2.02 | 5.45 | 0.06 | 0.03 | 0.03 | 0.017 | 0.03 | 7.6 | 8.7 | 0.41 | 160 | 0.70 |
| I032299 | | 3.14 | 25.5 | 3.23 | 6.43 | 0.09 | 0.11 | 0.04 | 0.028 | 0.10 | 15.2 | 16.2 | 0.69 | 421 | 0.60 |
| I032300 | | <0.05 | 0.6 | 0.02 | 0.07 | <0.05 | 0.02 | <0.01 | <0.005 | <0.01 | 0.6 | 0.1 | <0.01 | <5 | <0.05 |
| I032301 | | 1.33 | 18.5 | 2.92 | 6.25 | 0.09 | 0.11 | 0.02 | 0.025 | 0.06 | 11.4 | 16.9 | 0.64 | 306 | 0.54 |
| I032302 | | 1.76 | 23.3 | 3.16 | 6.33 | 0.09 | 0.12 | 0.03 | 0.026 | 0.06 | 10.6 | 15.3 | 0.62 | 328 | 0.77 |
| I032303 | | 1.06 | 11.9 | 1.35 | 3.72 | <0.05 | 0.02 | 0.04 | 0.014 | 0.02 | 5.7 | 4.3 | 0.16 | 99 | 0.48 |
| I032304 | | 1.12 | 15.1 | 2.54 | 5.53 | 0.06 | 0.06 | 0.02 | 0.021 | 0.04 | 6.8 | 12.4 | 0.45 | 191 | 0.61 |
| I032305 | | 2.00 | 14.1 | 2.36 | 5.48 | 0.06 | 0.05 | 0.03 | 0.019 | 0.07 | 8.3 | 11.3 | 0.47 | 215 | 0.52 |
| I032306 | | 5.07 | 16.1 | 3.76 | 9.44 | 0.07 | 0.05 | 0.04 | 0.032 | 0.23 | 8.2 | 13.5 | 0.54 | 513 | 1.13 |
| I032307 | | 1.74 | 18.5 | 3.83 | 7.35 | 0.07 | 0.12 | 0.03 | 0.030 | 0.04 | 9.3 | 17.4 | 0.46 | 408 | 1.32 |
| I032308 | | 1.82 | 13.3 | 2.77 | 7.85 | 0.06 | 0.04 | 0.02 | 0.021 | 0.04 | 7.1 | 10.3 | 0.32 | 165 | 1.11 |
| I032309 | | 0.64 | 8.8 | 1.38 | 3.56 | <0.05 | <0.02 | 0.03 | 0.012 | 0.01 | 4.1 | 3.1 | 0.12 | 68 | 0.46 |
| I032310 | | 1.59 | 14.5 | 3.29 | 7.96 | 0.07 | 0.07 | 0.03 | 0.025 | 0.05 | 7.4 | 11.5 | 0.33 | 221 | 1.33 |
| I032311 | | 2.47 | 16.0 | 3.46 | 7.84 | 0.07 | 0.08 | 0.04 | 0.029 | 0.10 | 7.6 | 12.2 | 0.41 | 312 | 1.18 |
| I032312 | | 6.39 | 22.5 | 3.26 | 5.73 | 0.08 | 0.05 | 1.05 | 0.033 | 0.12 | 18.4 | 11.2 | 0.39 | 948 | 1.15 |
| I032313 | | 1.47 | 22.5 | 3.18 | 6.89 | 0.08 | 0.08 | 0.05 | 0.025 | 0.09 | 15.5 | 13.2 | 0.57 | 395 | 0.85 |
| I032314 | | 1.24 | 30.4 | 3.02 | 6.54 | 0.11 | 0.09 | 0.08 | 0.028 | 0.10 | 35.3 | 13.4 | 0.47 | 685 | 1.00 |
| I032315 | | 1.60 | 16.6 | 3.32 | 7.01 | 0.10 | 0.10 | 0.03 | 0.026 | 0.17 | 15.6 | 15.0 | 0.68 | 526 | 0.76 |
| I032316 | | 1.48 | 20.3 | 3.25 | 6.80 | 0.11 | 0.17 | 0.02 | 0.026 | 0.19 | 14.9 | 17.7 | 0.79 | 426 | 0.49 |
| I032317 | | 0.99 | 19.4 | 3.08 | 7.06 | 0.08 | 0.09 | 0.02 | 0.024 | 0.07 | 12.4 | 13.8 | 0.61 | 318 | 0.89 |
| I032318 | | 1.41 | 16.1 | 2.96 | 6.66 | 0.08 | 0.06 | 0.02 | 0.021 | 0.13 | 11.5 | 13.1 | 0.65 | 443 | 0.97 |
| I032319 | | 0.95 | 13.7 | 2.69 | 6.61 | 0.07 | 0.07 | 0.02 | 0.019 | 0.06 | 10.3 | 11.6 | 0.57 | 236 | 0.84 |
| I032320 | | <0.05 | 0.6 | 0.02 | 0.08 | <0.05 | 0.02 | <0.01 | <0.005 | <0.01 | 0.5 | 0.1 | <0.01 | <5 | 0.06 |
| I032321 | | 0.81 | 15.3 | 2.98 | 6.10 | 0.08 | 0.07 | 0.02 | 0.022 | 0.04 | 11.1 | 14.5 | 0.60 | 301 | 0.71 |
| I032322 | | 0.38 | 25.9 | 2.76 | 4.61 | 0.09 | 0.13 | 0.02 | 0.020 | 0.06 | 9.7 | 12.3 | 0.69 | 365 | 0.43 |
| I032323 | | 0.46 | 16.9 | 2.68 | 4.51 | 0.08 | 0.12 | 0.02 | 0.019 | 0.03 | 8.8 | 11.2 | 0.61 | 449 | 0.60 |
| I032324 | | 0.64 | 13.8 | 2.25 | 4.77 | <0.05 | 0.04 | 0.03 | 0.016 | 0.05 | 7.6 | 9.2 | 0.46 | 314 | 0.68 |
| I032325 | | 0.55 | 10.9 | 2.59 | 5.01 | <0.05 | 0.05 | 0.01 | 0.016 | 0.04 | 6.7 | 11.0 | 0.72 | 436 | 0.58 |
| I032326 | | 0.65 | 10.7 | 2.45 | 4.64 | <0.05 | 0.06 | 0.01 | 0.019 | 0.06 | 6.2 | 10.4 | 0.61 | 228 | 0.54 |
| I032327 | | 0.77 | 26.0 | 2.71 | 8.34 | 0.05 | 0.06 | 0.01 | 0.027 | 0.05 | 9.8 | 24.8 | 2.14 | 636 | 0.37 |
| I032328 | | 0.29 | 5.5 | 1.66 | 3.66 | <0.05 | 0.03 | 0.01 | 0.007 | 0.04 | 5.6 | 4.4 | 0.23 | 154 | 0.64 |
| I032329 | | 0.39 | 5.7 | 2.15 | 4.84 | <0.05 | 0.03 | <0.01 | 0.012 | 0.03 | 6.7 | 7.6 | 0.28 | 382 | 0.79 |
| I032330 | | 0.68 | 10.3 | 2.19 | 4.95 | <0.05 | 0.06 | 0.01 | 0.015 | 0.06 | 9.6 | 10.9 | 0.49 | 236 | 0.49 |
| I032331 | | 0.73 | 12.5 | 2.23 | 5.36 | <0.05 | 0.04 | 0.01 | 0.016 | 0.06 | 10.8 | 11.2 | 0.49 | 280 | 0.57 |
| I032332 | | 0.46 | 10.1 | 2.42 | 5.37 | <0.05 | 0.03 | 0.01 | 0.019 | 0.07 | 7.9 | 10.5 | 0.40 | 464 | 0.87 |
| I032333 | | 0.32 | 6.8 | 2.42 | 7.61 | <0.05 | <0.02 | 0.01 | 0.017 | 0.06 | 7.1 | 9.5 | 0.44 | 223 | 0.71 |
| I032334 | | 0.55 | 9.7 | 2.65 | 6.12 | <0.05 | 0.07 | <0.01 | 0.023 | 0.05 | 7.3 | 10.6 | 0.39 | 235 | 0.90 |
| I032335 | | 0.89 | 11.7 | 2.71 | 6.19 | <0.05 | 0.02 | <0.01 | 0.018 | 0.05 | 7.0 | 12.2 | 0.72 | 322 | 0.76 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I032296 | | 0.27 | 4.4 | 270 | 2.7 | 4.2 | <0.001 | 0.01 | 0.11 | 0.6 | 0.3 | 0.2 | 10.6 | <0.01 | 0.01 | <0.2 |
| I032297 | | 1.89 | 27.7 | 640 | 6.9 | 14.5 | <0.001 | 0.01 | 0.29 | 6.9 | 0.5 | 0.6 | 27.8 | <0.01 | 0.02 | 4.9 |
| I032298 | | 1.20 | 15.2 | 470 | 5.5 | 8.7 | <0.001 | 0.02 | 0.24 | 2.6 | 0.4 | 0.5 | 19.9 | <0.01 | 0.01 | 0.5 |
| I032299 | | 2.16 | 23.7 | 630 | 7.2 | 20.1 | <0.001 | 0.01 | 0.35 | 6.3 | 0.6 | 0.7 | 21.1 | <0.01 | 0.01 | 5.2 |
| I032300 | | <0.05 | 0.3 | 10 | 0.7 | 0.1 | <0.001 | <0.01 | <0.05 | <0.1 | <0.2 | <0.2 | 0.7 | <0.01 | <0.01 | 0.2 |
| I032301 | | 2.27 | 21.0 | 660 | 6.5 | 13.8 | <0.001 | 0.01 | 0.26 | 5.0 | 0.4 | 0.7 | 21.6 | <0.01 | 0.01 | 3.8 |
| I032302 | | 1.97 | 26.8 | 580 | 6.3 | 11.5 | <0.001 | 0.02 | 0.30 | 5.0 | 0.6 | 0.6 | 23.4 | <0.01 | 0.02 | 3.8 |
| I032303 | | 0.74 | 7.0 | 340 | 3.8 | 6.8 | <0.001 | 0.02 | 0.14 | 1.6 | 0.5 | 0.4 | 9.3 | <0.01 | 0.01 | 0.2 |
| I032304 | | 1.87 | 14.8 | 500 | 5.4 | 10.8 | <0.001 | 0.01 | 0.28 | 3.1 | 0.4 | 0.5 | 14.4 | <0.01 | 0.02 | 1.4 |
| I032305 | | 1.76 | 13.8 | 570 | 5.2 | 17.9 | <0.001 | 0.01 | 0.22 | 3.3 | 0.4 | 0.6 | 16.0 | <0.01 | 0.01 | 1.2 |
| I032306 | | 3.00 | 11.5 | 620 | 8.6 | 37.1 | <0.001 | 0.02 | 0.40 | 5.5 | 0.6 | 2.1 | 16.2 | <0.01 | 0.03 | 1.5 |
| I032307 | | 1.95 | 21.4 | 390 | 20.9 | 10.1 | <0.001 | 0.01 | 0.40 | 4.1 | 0.4 | 0.6 | 14.2 | 0.01 | 0.03 | 8.8 |
| I032308 | | 1.81 | 10.3 | 240 | 10.8 | 10.2 | <0.001 | 0.01 | 0.39 | 3.4 | 0.3 | 0.7 | 13.5 | <0.01 | 0.03 | 2.2 |
| I032309 | | 0.55 | 4.8 | 340 | 4.3 | 5.2 | <0.001 | 0.01 | 0.18 | 1.1 | 0.4 | 0.3 | 12.6 | <0.01 | 0.01 | <0.2 |
| I032310 | | 1.99 | 13.6 | 330 | 10.4 | 12.2 | <0.001 | 0.01 | 0.37 | 3.8 | 0.4 | 0.8 | 18.2 | 0.01 | 0.02 | 2.1 |
| I032311 | | 2.08 | 14.9 | 390 | 10.0 | 19.1 | <0.001 | 0.01 | 0.39 | 5.1 | 0.4 | 0.9 | 17.9 | 0.01 | 0.02 | 2.8 |
| I032312 | | 1.15 | 14.5 | 780 | 18.5 | 23.3 | <0.001 | 0.04 | 1.77 | 8.6 | 0.9 | 0.5 | 37.4 | <0.01 | 0.03 | 2.2 |
| I032313 | | 2.26 | 16.9 | 590 | 9.1 | 19.2 | <0.001 | 0.02 | 0.33 | 5.2 | 0.6 | 0.7 | 26.7 | <0.01 | 0.02 | 3.0 |
| I032314 | | 1.77 | 18.5 | 730 | 7.8 | 20.3 | <0.001 | 0.04 | 0.36 | 7.1 | 1.0 | 1.0 | 47.6 | 0.01 | 0.02 | 2.9 |
| I032315 | | 2.64 | 15.9 | 600 | 6.1 | 37.1 | <0.001 | 0.02 | 0.39 | 5.3 | 0.5 | 0.8 | 34.1 | <0.01 | 0.02 | 3.4 |
| I032316 | | 2.39 | 19.1 | 730 | 5.8 | 31.7 | <0.001 | 0.01 | 0.28 | 6.2 | 0.5 | 0.6 | 40.2 | <0.01 | 0.02 | 4.3 |
| I032317 | | 2.30 | 17.3 | 510 | 6.8 | 16.0 | <0.001 | 0.02 | 0.25 | 4.4 | 0.5 | 0.6 | 29.8 | <0.01 | 0.01 | 3.1 |
| I032318 | | 2.07 | 16.7 | 530 | 5.7 | 27.3 | <0.001 | 0.02 | 0.26 | 4.2 | 0.5 | 0.6 | 34.9 | <0.01 | 0.02 | 2.2 |
| I032319 | | 2.11 | 14.6 | 450 | 6.2 | 13.8 | <0.001 | 0.02 | 0.21 | 3.8 | 0.5 | 0.6 | 25.1 | <0.01 | 0.01 | 2.4 |
| I032320 | | <0.05 | 0.3 | 10 | 0.4 | 0.1 | <0.001 | <0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 0.7 | <0.01 | <0.01 | 0.3 |
| I032321 | | 2.21 | 15.8 | 540 | 5.6 | 8.5 | <0.001 | 0.02 | 0.24 | 4.0 | 0.5 | 0.6 | 32.1 | <0.01 | 0.02 | 2.1 |
| I032322 | | 1.54 | 24.2 | 810 | 5.4 | 6.8 | <0.001 | 0.02 | 0.33 | 4.9 | 0.5 | 0.4 | 46.5 | <0.01 | 0.01 | 2.0 |
| I032323 | | 1.63 | 20.4 | 650 | 5.0 | 6.2 | <0.001 | 0.01 | 0.28 | 4.2 | 0.5 | 0.4 | 40.3 | <0.01 | 0.01 | 2.5 |
| I032324 | | 1.49 | 15.7 | 680 | 5.2 | 6.9 | 0.001 | 0.01 | 0.20 | 3.2 | 0.4 | 0.4 | 28.8 | <0.01 | 0.01 | 0.5 |
| I032325 | | 1.44 | 15.1 | 180 | 6.8 | 5.2 | 0.001 | <0.01 | 0.20 | 3.2 | <0.2 | 0.5 | 13.8 | <0.01 | 0.01 | 1.7 |
| I032326 | | 1.31 | 15.5 | 230 | 8.1 | 8.7 | 0.001 | <0.01 | 0.16 | 3.3 | <0.2 | 0.4 | 10.4 | <0.01 | 0.01 | 2.0 |
| I032327 | | 1.74 | 13.6 | 190 | 5.0 | 9.4 | 0.001 | <0.01 | 0.12 | 6.0 | 0.3 | 0.5 | 20.7 | <0.01 | 0.02 | 1.8 |
| I032328 | | 1.20 | 6.3 | 140 | 5.0 | 5.1 | 0.001 | <0.01 | 0.14 | 1.5 | <0.2 | 0.3 | 9.6 | <0.01 | 0.01 | 1.2 |
| I032329 | | 1.46 | 8.4 | 240 | 6.5 | 5.0 | 0.001 | <0.01 | 0.18 | 1.9 | <0.2 | 0.4 | 9.0 | <0.01 | 0.01 | 1.6 |
| I032330 | | 1.33 | 11.9 | 230 | 6.4 | 9.1 | 0.001 | <0.01 | 0.18 | 2.5 | <0.2 | 0.4 | 17.5 | <0.01 | 0.01 | 2.5 |
| I032331 | | 1.40 | 13.2 | 240 | 6.8 | 9.5 | 0.001 | <0.01 | 0.20 | 2.8 | <0.2 | 0.5 | 20.0 | <0.01 | 0.01 | 2.7 |
| I032332 | | 1.51 | 15.6 | 570 | 7.3 | 8.2 | 0.001 | <0.01 | 0.28 | 2.6 | <0.2 | 0.4 | 18.5 | <0.01 | 0.01 | 1.8 |
| I032333 | | 0.88 | 12.3 | 660 | 8.3 | 5.5 | <0.001 | <0.01 | 0.21 | 1.9 | <0.2 | 0.5 | 16.0 | <0.01 | 0.01 | 1.0 |
| I032334 | | 1.30 | 14.9 | 500 | 8.7 | 8.8 | <0.001 | <0.01 | 0.35 | 2.6 | <0.2 | 0.6 | 13.6 | <0.01 | 0.02 | 2.7 |
| I032335 | | 1.10 | 11.5 | 200 | 6.5 | 17.5 | <0.001 | <0.01 | 0.34 | 2.9 | 0.2 | 0.5 | 10.9 | <0.01 | 0.03 | 1.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 |
| | | | | | | | | 0.5 |
| I032296 | | 0.032 | 0.05 | 0.81 | 18 | 0.05 | 2.00 | 12 |
| I032297 | | 0.145 | 0.18 | 1.43 | 73 | 0.15 | 9.89 | 53 |
| I032298 | | 0.100 | 0.10 | 0.75 | 52 | 0.13 | 3.60 | 37 |
| I032299 | | 0.138 | 0.24 | 1.47 | 74 | 0.20 | 7.27 | 54 |
| I032300 | | <0.005 | <0.02 | 0.08 | 1 | <0.05 | 0.61 | 3 |
| | | | | | | | | 0.5 |
| I032301 | | 0.160 | 0.18 | 0.98 | 73 | 0.19 | 5.97 | 50 |
| I032302 | | 0.129 | 0.17 | 0.97 | 72 | 0.24 | 5.60 | 51 |
| I032303 | | 0.061 | 0.08 | 0.96 | 31 | 0.09 | 2.28 | 19 |
| I032304 | | 0.133 | 0.12 | 0.49 | 62 | 0.16 | 3.32 | 43 |
| I032305 | | 0.123 | 0.18 | 0.81 | 57 | 0.17 | 3.83 | 37 |
| | | | | | | | | 1.7 |
| I032306 | | 0.163 | 0.36 | 1.09 | 94 | 0.19 | 4.93 | 61 |
| I032307 | | 0.093 | 0.13 | 1.83 | 83 | 0.13 | 3.89 | 55 |
| I032308 | | 0.085 | 0.17 | 0.46 | 76 | 0.27 | 2.61 | 33 |
| I032309 | | 0.048 | 0.05 | 0.28 | 31 | 0.15 | 1.78 | 17 |
| I032310 | | 0.103 | 0.14 | 0.66 | 77 | 0.15 | 3.24 | 37 |
| | | | | | | | | 2.5 |
| I032311 | | 0.102 | 0.18 | 0.81 | 79 | 0.13 | 4.20 | 43 |
| I032312 | | 0.056 | 0.71 | 2.90 | 62 | 0.16 | 13.85 | 112 |
| I032313 | | 0.152 | 0.18 | 1.38 | 80 | 0.28 | 6.83 | 62 |
| I032314 | | 0.126 | 0.13 | 5.05 | 69 | 0.24 | 18.00 | 49 |
| I032315 | | 0.193 | 0.19 | 1.42 | 87 | 0.19 | 7.76 | 62 |
| | | | | | | | | 3.4 |
| I032316 | | 0.208 | 0.24 | 1.88 | 84 | 0.19 | 9.01 | 65 |
| I032317 | | 0.166 | 0.13 | 1.37 | 79 | 0.17 | 5.18 | 51 |
| I032318 | | 0.159 | 0.14 | 1.35 | 79 | 0.23 | 5.01 | 58 |
| I032319 | | 0.162 | 0.13 | 0.93 | 72 | 0.27 | 4.07 | 47 |
| I032320 | | <0.005 | <0.02 | 0.11 | 1 | <0.05 | 0.55 | 4 |
| | | | | | | | | 0.5 |
| I032321 | | 0.161 | 0.12 | 1.61 | 77 | 0.26 | 4.91 | 49 |
| I032322 | | 0.127 | 0.05 | 0.50 | 70 | 0.12 | 8.13 | 55 |
| I032323 | | 0.130 | 0.05 | 0.52 | 75 | 0.23 | 6.36 | 50 |
| I032324 | | 0.096 | 0.06 | 0.40 | 63 | 0.13 | 4.80 | 53 |
| I032325 | | 0.073 | 0.07 | 0.30 | 64 | 0.10 | 2.43 | 36 |
| | | | | | | | | 1.9 |
| I032326 | | 0.058 | 0.06 | 0.72 | 53 | 0.10 | 2.48 | 35 |
| I032327 | | 0.115 | 0.06 | 0.45 | 62 | 0.09 | 3.25 | 56 |
| I032328 | | 0.065 | 0.05 | 0.15 | 49 | 0.06 | 1.18 | 21 |
| I032329 | | 0.060 | 0.07 | 0.17 | 55 | 0.08 | 1.37 | 27 |
| I032330 | | 0.061 | 0.07 | 0.37 | 44 | 0.07 | 3.23 | 41 |
| | | | | | | | | 1.9 |
| I032331 | | 0.062 | 0.08 | 0.40 | 45 | 0.10 | 3.61 | 41 |
| I032332 | | 0.060 | 0.07 | 0.30 | 52 | 0.15 | 1.91 | 56 |
| I032333 | | 0.044 | 0.05 | 0.32 | 55 | 0.19 | 1.72 | 74 |
| I032334 | | 0.067 | 0.09 | 0.31 | 61 | 0.16 | 1.59 | 63 |
| I032335 | | 0.094 | 0.08 | 0.29 | 61 | 0.16 | 1.99 | 34 |
| | | | | | | | | 0.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I032336 | | 0.34 | 0.007 | 0.12 | 1.22 | 4.2 | <0.2 | <10 | 130 | 0.27 | 0.14 | 0.06 | 0.04 | 14.25 | 2.8 | 16 |
| I032337 | | 0.38 | <0.005 | 0.09 | 1.78 | 7.1 | <0.2 | <10 | 160 | 0.24 | 0.14 | 0.10 | 0.03 | 17.60 | 5.2 | 22 |
| I032338 | | 0.34 | 0.005 | 0.03 | 2.31 | 9.8 | <0.2 | <10 | 260 | 0.39 | 0.12 | 0.13 | 0.04 | 14.90 | 10.8 | 33 |
| I032339 | | 0.26 | 0.005 | 0.05 | 2.14 | 6.9 | <0.2 | <10 | 320 | 0.57 | 0.17 | 0.54 | 0.24 | 26.4 | 10.2 | 31 |
| I032340 | | 0.10 | <0.005 | 0.01 | 0.01 | <0.1 | <0.2 | <10 | 10 | <0.05 | <0.01 | <0.01 | 0.01 | 1.11 | 0.1 | 1 |
| I032341 | | 0.46 | 0.011 | 0.13 | 1.52 | 8.9 | <0.2 | <10 | 250 | 0.52 | 0.14 | 1.64 | 0.24 | 24.2 | 10.4 | 25 |
| I032342 | | 0.30 | <0.005 | 0.06 | 2.09 | 8.3 | <0.2 | <10 | 330 | 0.55 | 0.15 | 0.54 | 0.15 | 27.4 | 10.8 | 33 |
| I032343 | | 0.40 | 0.005 | 0.07 | 2.03 | 7.3 | <0.2 | <10 | 310 | 0.53 | 0.16 | 0.46 | 0.09 | 25.1 | 9.1 | 31 |
| I032344 | | 0.36 | <0.005 | 0.07 | 2.30 | 7.9 | <0.2 | <10 | 340 | 0.67 | 0.16 | 0.72 | 0.28 | 27.1 | 10.2 | 34 |
| I032345 | | 0.46 | 0.009 | 0.13 | 1.64 | 9.1 | <0.2 | <10 | 280 | 0.47 | 0.14 | 1.80 | 0.23 | 25.6 | 10.2 | 28 |
| I032346 | | 0.44 | 0.010 | 0.10 | 1.60 | 8.2 | <0.2 | <10 | 290 | 0.51 | 0.14 | 0.86 | 0.12 | 26.9 | 9.6 | 28 |
| I032347 | | 0.40 | 0.008 | 0.08 | 1.42 | 7.6 | <0.2 | <10 | 260 | 0.37 | 0.13 | 0.97 | 0.15 | 21.7 | 8.3 | 25 |
| I032348 | | 0.42 | 0.007 | 0.10 | 1.45 | 8.0 | <0.2 | <10 | 290 | 0.42 | 0.11 | 0.82 | 0.14 | 22.2 | 8.3 | 27 |
| I032349 | | 0.34 | 0.008 | 0.12 | 1.45 | 7.3 | <0.2 | <10 | 300 | 0.45 | 0.13 | 1.22 | 0.21 | 24.3 | 9.8 | 26 |
| I032350 | | 0.26 | <0.005 | 0.11 | 1.50 | 5.2 | <0.2 | <10 | 150 | 0.48 | 0.09 | 5.20 | 0.35 | 17.95 | 6.9 | 22 |
| I032351 | | 0.36 | 0.005 | 0.13 | 1.75 | 7.4 | <0.2 | <10 | 220 | 0.40 | 0.14 | 0.20 | 0.21 | 17.90 | 9.8 | 28 |
| I032352 | | 0.40 | <0.005 | 0.08 | 1.71 | 4.9 | <0.2 | <10 | 420 | 0.94 | 0.29 | 0.91 | 0.15 | 40.5 | 7.1 | 16 |
| I032353 | | 0.34 | 0.008 | 0.03 | 1.57 | 6.8 | <0.2 | <10 | 280 | 0.45 | 0.15 | 0.30 | 0.05 | 23.0 | 7.2 | 29 |
| I032354 | | 0.32 | <0.005 | 0.12 | 1.70 | 8.0 | <0.2 | <10 | 550 | 0.34 | 0.18 | 0.17 | 0.15 | 17.80 | 8.0 | 28 |
| I032355 | | 0.36 | <0.005 | 0.05 | 1.84 | 6.0 | <0.2 | <10 | 430 | 0.44 | 0.14 | 0.30 | 0.12 | 18.15 | 10.2 | 28 |
| I032356 | | 0.48 | 0.009 | 0.07 | 2.99 | 8.2 | <0.2 | <10 | 310 | 0.42 | 0.11 | 0.71 | 0.23 | 16.80 | 18.6 | 36 |
| I032357 | | 0.38 | 0.010 | 0.22 | 2.16 | 9.0 | <0.2 | <10 | 290 | 0.42 | 0.11 | 0.53 | 0.14 | 18.25 | 13.5 | 33 |
| I032358 | | 0.32 | 0.009 | 0.04 | 1.41 | 5.8 | <0.2 | <10 | 140 | 0.25 | 0.08 | 0.92 | 0.05 | 21.5 | 6.4 | 30 |
| I032359 | | 0.24 | 0.013 | 0.06 | 1.11 | 5.1 | <0.2 | <10 | 200 | 0.37 | 0.10 | 1.99 | 0.45 | 17.40 | 8.5 | 21 |
| I032360 | | 0.30 | 0.006 | 0.06 | 1.48 | 5.2 | <0.2 | <10 | 180 | 0.33 | 0.12 | 0.87 | 0.18 | 17.35 | 8.6 | 26 |
| I032361 | | 0.34 | 0.006 | 0.08 | 1.33 | 6.2 | <0.2 | <10 | 150 | 0.37 | 0.10 | 0.90 | 0.21 | 25.8 | 9.0 | 29 |
| I032362 | | 0.38 | 0.007 | 0.07 | 1.57 | 6.4 | <0.2 | <10 | 160 | 0.33 | 0.10 | 0.70 | 0.07 | 22.3 | 8.5 | 30 |
| I032363 | | 0.28 | 0.009 | 0.07 | 1.50 | 4.2 | <0.2 | <10 | 180 | 0.32 | 0.10 | 0.94 | 0.10 | 22.1 | 7.2 | 31 |
| I032364 | | 0.28 | 0.005 | 0.05 | 1.21 | 4.3 | <0.2 | <10 | 120 | 0.24 | 0.09 | 0.94 | 0.17 | 18.45 | 7.9 | 26 |
| I032365 | | 0.32 | 0.016 | 0.07 | 1.76 | 7.1 | <0.2 | <10 | 160 | 0.31 | 0.12 | 0.59 | 0.11 | 19.60 | 10.0 | 35 |
| I032366 | | 0.28 | 0.009 | 0.10 | 1.62 | 3.9 | <0.2 | <10 | 260 | 0.46 | 0.10 | 1.54 | 0.45 | 26.0 | 10.0 | 29 |
| I032367 | | 0.30 | 0.007 | 0.16 | 1.68 | 5.1 | <0.2 | <10 | 200 | 0.53 | 0.16 | 0.60 | 0.10 | 68.1 | 11.2 | 29 |
| I032368 | | 0.32 | 0.006 | 0.09 | 1.26 | 3.9 | <0.2 | <10 | 150 | 0.29 | 0.15 | 0.42 | 0.07 | 19.00 | 6.6 | 24 |
| I032369 | | 0.34 | 0.007 | 0.11 | 1.74 | 4.8 | <0.2 | <10 | 230 | 0.44 | 0.17 | 0.41 | 0.09 | 49.9 | 9.2 | 31 |
| I032370 | | 0.52 | NSS | 0.05 | 0.40 | 11.5 | <0.2 | <10 | 120 | 0.36 | 0.07 | 0.63 | 0.24 | 32.6 | 10.5 | 16 |
| I032371 | | 0.36 | 0.006 | 0.07 | 1.79 | 5.8 | <0.2 | <10 | 210 | 0.37 | 0.14 | 0.48 | 0.07 | 20.7 | 10.7 | 35 |
| I032372 | | 0.28 | 0.007 | 0.07 | 1.69 | 5.3 | <0.2 | <10 | 180 | 0.35 | 0.12 | 0.38 | 0.08 | 18.80 | 10.7 | 35 |
| I032373 | | 0.34 | 0.008 | 0.11 | 1.42 | 7.9 | <0.2 | <10 | 190 | 0.39 | 0.12 | 0.98 | 0.23 | 25.4 | 9.8 | 30 |
| I032374 | | 0.42 | 0.006 | 0.05 | 1.67 | 4.9 | <0.2 | <10 | 160 | 0.32 | 0.14 | 0.55 | 0.09 | 25.9 | 9.4 | 31 |
| I032375 | | 0.42 | 0.011 | 0.07 | 1.87 | 5.6 | <0.2 | <10 | 170 | 0.40 | 0.14 | 0.53 | 0.10 | 27.2 | 9.8 | 34 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I032336 | | 0.72 | 12.5 | 1.77 | 6.08 | <0.05 | 0.02 | 0.01 | 0.015 | 0.03 | 7.3 | 5.1 | 0.18 | 103 | 0.90 |
| I032337 | | 0.65 | 11.7 | 2.50 | 7.09 | <0.05 | <0.02 | <0.01 | 0.017 | 0.04 | 9.0 | 11.4 | 0.45 | 174 | 0.84 |
| I032338 | | 1.30 | 14.3 | 2.83 | 6.29 | <0.05 | 0.02 | <0.01 | 0.026 | 0.05 | 7.6 | 15.6 | 0.80 | 232 | 0.82 |
| I032339 | | 0.57 | 21.9 | 2.57 | 6.67 | 0.07 | 0.08 | 0.03 | 0.031 | 0.03 | 13.7 | 9.0 | 0.49 | 614 | 1.15 |
| I032340 | | <0.05 | 0.5 | 0.02 | 0.05 | <0.05 | <0.02 | <0.01 | <0.005 | <0.01 | 0.5 | <0.1 | <0.01 | <5 | <0.05 |
| I032341 | | 0.42 | 33.3 | 2.42 | 4.87 | 0.07 | 0.19 | 0.03 | 0.022 | 0.05 | 12.8 | 10.4 | 0.73 | 376 | 0.59 |
| I032342 | | 0.56 | 19.2 | 2.65 | 6.35 | 0.06 | 0.09 | 0.02 | 0.027 | 0.03 | 13.2 | 11.1 | 0.54 | 324 | 0.70 |
| I032343 | | 0.61 | 20.4 | 2.62 | 6.76 | 0.06 | 0.13 | 0.01 | 0.028 | 0.03 | 12.5 | 10.5 | 0.47 | 285 | 0.67 |
| I032344 | | 0.55 | 21.9 | 2.73 | 6.74 | 0.06 | 0.15 | 0.03 | 0.030 | 0.04 | 13.3 | 10.6 | 0.50 | 245 | 0.91 |
| I032345 | | 0.49 | 32.1 | 2.46 | 4.95 | 0.08 | 0.22 | 0.04 | 0.023 | 0.05 | 13.1 | 10.7 | 0.84 | 404 | 0.59 |
| I032346 | | 0.51 | 24.2 | 2.40 | 4.91 | 0.07 | 0.11 | 0.05 | 0.022 | 0.04 | 13.8 | 10.8 | 0.51 | 292 | 0.31 |
| I032347 | | 0.37 | 18.6 | 2.21 | 4.66 | 0.06 | 0.09 | 0.02 | 0.022 | 0.04 | 10.5 | 10.1 | 0.48 | 249 | 0.37 |
| I032348 | | 0.35 | 20.6 | 2.32 | 3.99 | 0.05 | 0.09 | 0.03 | 0.018 | 0.04 | 11.1 | 8.8 | 0.51 | 223 | 0.30 |
| I032349 | | 0.41 | 28.7 | 2.26 | 4.50 | 0.06 | 0.11 | 0.04 | 0.022 | 0.04 | 12.2 | 10.2 | 0.54 | 477 | 0.32 |
| I032350 | | 0.55 | 23.7 | 1.71 | 4.21 | 0.07 | 0.18 | 0.05 | 0.019 | 0.05 | 9.3 | 11.1 | 1.43 | 279 | 0.78 |
| I032351 | | 1.08 | 16.7 | 3.21 | 7.03 | 0.05 | 0.04 | 0.01 | 0.024 | 0.11 | 8.4 | 12.0 | 0.58 | 544 | 0.94 |
| I032352 | | 2.52 | 11.9 | 2.02 | 5.62 | 0.07 | 0.07 | 0.01 | 0.033 | 0.13 | 18.0 | 10.3 | 0.39 | 356 | 0.95 |
| I032353 | | 0.89 | 11.2 | 2.22 | 5.19 | <0.05 | 0.04 | 0.01 | 0.021 | 0.06 | 11.7 | 10.9 | 0.37 | 243 | 1.68 |
| I032354 | | 0.55 | 11.3 | 2.91 | 7.26 | 0.05 | 0.03 | 0.01 | 0.022 | 0.07 | 9.2 | 10.9 | 0.34 | 551 | 1.89 |
| I032355 | | 0.54 | 10.0 | 3.10 | 7.12 | 0.05 | 0.02 | 0.01 | 0.026 | 0.08 | 8.9 | 10.0 | 0.47 | 546 | 1.08 |
| I032356 | | 0.58 | 16.6 | 4.43 | 9.36 | 0.07 | 0.09 | 0.01 | 0.030 | 0.11 | 6.8 | 9.7 | 0.83 | 858 | 1.95 |
| I032357 | | 0.33 | 24.3 | 3.52 | 7.23 | 0.06 | 0.06 | <0.01 | 0.024 | 0.12 | 7.7 | 9.1 | 0.60 | 617 | 1.67 |
| I032358 | | 0.46 | 16.6 | 2.46 | 4.38 | 0.08 | 0.09 | 0.01 | 0.019 | 0.05 | 11.2 | 9.3 | 0.58 | 201 | 0.54 |
| I032359 | | 0.37 | 30.7 | 1.73 | 3.51 | 0.06 | 0.07 | 0.04 | 0.017 | 0.05 | 9.2 | 6.6 | 0.36 | 555 | 0.88 |
| I032360 | | 0.41 | 25.5 | 2.22 | 4.79 | 0.05 | 0.08 | 0.01 | 0.020 | 0.05 | 8.4 | 7.9 | 0.45 | 409 | 0.84 |
| I032361 | | 0.51 | 25.3 | 2.31 | 4.15 | 0.06 | 0.09 | 0.02 | 0.020 | 0.06 | 12.5 | 9.3 | 0.50 | 400 | 0.64 |
| I032362 | | 0.52 | 21.0 | 2.51 | 4.79 | 0.06 | 0.09 | 0.02 | 0.022 | 0.05 | 11.1 | 11.4 | 0.58 | 247 | 0.46 |
| I032363 | | 0.57 | 17.2 | 2.23 | 4.74 | 0.06 | 0.08 | 0.03 | 0.021 | 0.06 | 12.6 | 11.2 | 0.56 | 249 | 0.55 |
| I032364 | | 0.51 | 14.3 | 2.06 | 4.25 | 0.06 | 0.07 | 0.01 | 0.018 | 0.07 | 9.8 | 8.2 | 0.44 | 256 | 0.68 |
| I032365 | | 0.30 | 17.4 | 2.85 | 5.27 | 0.06 | 0.12 | 0.01 | 0.023 | 0.12 | 9.2 | 10.3 | 0.53 | 302 | 0.92 |
| I032366 | | 0.51 | 27.5 | 2.45 | 4.99 | 0.07 | 0.14 | <0.01 | 0.022 | 0.15 | 13.2 | 5.4 | 0.55 | 540 | 0.44 |
| I032367 | | 1.70 | 20.1 | 2.71 | 7.09 | 0.15 | 0.05 | 0.02 | 0.029 | 0.18 | 66.3 | 13.5 | 0.41 | 894 | 1.57 |
| I032368 | | 0.99 | 13.6 | 2.39 | 5.99 | 0.06 | 0.10 | 0.01 | 0.017 | 0.18 | 16.5 | 9.1 | 0.40 | 370 | 1.06 |
| I032369 | | 1.85 | 19.0 | 2.64 | 6.94 | 0.11 | 0.09 | 0.01 | 0.027 | 0.18 | 41.4 | 12.6 | 0.44 | 406 | 1.17 |
| I032370 | | 0.50 | 9.1 | 2.48 | 2.09 | 0.08 | 0.05 | 0.01 | 0.009 | 0.06 | 17.0 | 4.3 | 0.28 | 965 | 1.59 |
| I032371 | | 0.80 | 17.8 | 2.81 | 5.99 | 0.05 | 0.11 | 0.01 | 0.024 | 0.09 | 9.7 | 13.4 | 0.53 | 457 | 0.80 |
| I032372 | | 0.83 | 14.4 | 2.80 | 5.78 | <0.05 | 0.08 | 0.01 | 0.024 | 0.09 | 7.9 | 10.5 | 0.43 | 472 | 0.97 |
| I032373 | | 0.59 | 31.1 | 2.48 | 4.61 | 0.07 | 0.08 | 0.02 | 0.021 | 0.06 | 12.9 | 10.2 | 0.57 | 493 | 0.60 |
| I032374 | | 0.81 | 16.1 | 2.62 | 5.51 | 0.07 | 0.14 | 0.01 | 0.023 | 0.07 | 15.6 | 14.0 | 0.52 | 284 | 0.51 |
| I032375 | | 0.86 | 17.7 | 2.71 | 6.26 | 0.07 | 0.22 | 0.01 | 0.028 | 0.08 | 13.7 | 12.6 | 0.49 | 271 | 0.73 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I032336 | | 1.02 | 6.7 | 170 | 8.2 | 11.7 | <0.001 | <0.01 | 0.22 | 2.0 | 0.2 | 0.5 | 7.5 | <0.01 | 0.01 | 1.4 |
| I032337 | | 1.18 | 10.0 | 180 | 8.1 | 12.3 | <0.001 | <0.01 | 0.26 | 2.7 | 0.2 | 0.5 | 10.4 | <0.01 | 0.02 | 2.2 |
| I032338 | | 1.07 | 19.6 | 260 | 7.6 | 13.3 | <0.001 | <0.01 | 0.40 | 3.5 | 0.2 | 0.4 | 12.6 | <0.01 | 0.01 | 1.5 |
| I032339 | | 1.20 | 22.9 | 260 | 9.5 | 4.2 | <0.001 | <0.01 | 0.34 | 6.0 | 0.5 | 0.6 | 20.3 | <0.01 | 0.02 | 1.8 |
| I032340 | | <0.05 | 0.4 | 10 | 0.4 | 0.1 | <0.001 | <0.01 | <0.05 | <0.1 | <0.2 | <0.2 | 0.6 | <0.01 | <0.01 | 0.2 |
| I032341 | | 1.19 | 27.1 | 610 | 8.6 | 7.0 | <0.001 | <0.01 | 0.60 | 4.9 | 0.5 | 0.4 | 46.2 | <0.01 | 0.02 | 3.2 |
| I032342 | | 1.31 | 23.4 | 260 | 9.5 | 4.8 | <0.001 | <0.01 | 0.36 | 5.5 | 0.6 | 0.5 | 24.2 | <0.01 | 0.03 | 2.4 |
| I032343 | | 1.45 | 19.8 | 150 | 10.0 | 7.7 | <0.001 | <0.01 | 0.30 | 5.1 | 0.4 | 0.6 | 23.8 | <0.01 | 0.03 | 2.9 |
| I032344 | | 1.52 | 25.6 | 200 | 12.2 | 7.1 | <0.001 | <0.01 | 0.38 | 5.7 | 0.6 | 0.6 | 28.9 | <0.01 | 0.03 | 2.7 |
| I032345 | | 1.35 | 26.6 | 550 | 11.6 | 6.5 | <0.001 | <0.01 | 0.75 | 5.0 | 0.5 | 0.4 | 41.1 | <0.01 | 0.02 | 3.0 |
| I032346 | | 1.25 | 20.4 | 550 | 9.2 | 5.7 | <0.001 | <0.01 | 0.53 | 4.6 | 0.7 | 0.4 | 35.1 | <0.01 | 0.02 | 3.3 |
| I032347 | | 1.18 | 17.5 | 500 | 8.8 | 5.3 | <0.001 | 0.01 | 0.51 | 3.8 | 0.6 | 0.5 | 37.2 | <0.01 | 0.02 | 1.9 |
| I032348 | | 1.04 | 17.7 | 580 | 8.3 | 4.4 | <0.001 | <0.01 | 0.47 | 3.7 | 0.6 | 0.3 | 30.0 | <0.01 | 0.02 | 2.1 |
| I032349 | | 1.24 | 23.2 | 560 | 9.3 | 5.0 | <0.001 | 0.03 | 0.67 | 4.1 | 1.0 | 0.4 | 39.3 | <0.01 | 0.02 | 1.9 |
| I032350 | | 1.10 | 19.5 | 610 | 9.0 | 6.4 | <0.001 | 0.03 | 0.57 | 3.8 | 0.8 | 0.3 | 62.4 | <0.01 | 0.02 | 1.4 |
| I032351 | | 1.00 | 16.4 | 220 | 11.1 | 13.5 | <0.001 | <0.01 | 0.43 | 4.2 | 0.3 | 0.5 | 18.9 | <0.01 | 0.02 | 2.2 |
| I032352 | | 0.55 | 10.8 | 740 | 12.1 | 16.6 | <0.001 | <0.01 | 0.15 | 4.4 | 0.4 | 0.7 | 61.0 | <0.01 | 0.02 | 3.2 |
| I032353 | | 0.97 | 17.5 | 420 | 9.0 | 11.1 | <0.001 | <0.01 | 0.27 | 3.0 | 0.3 | 0.5 | 27.4 | <0.01 | 0.03 | 3.1 |
| I032354 | | 1.32 | 14.1 | 480 | 9.5 | 8.5 | <0.001 | 0.01 | 0.36 | 3.0 | 0.2 | 0.7 | 18.0 | <0.01 | 0.04 | 2.2 |
| I032355 | | 1.22 | 14.5 | 260 | 8.1 | 6.9 | <0.001 | 0.02 | 0.33 | 3.2 | 0.2 | 0.6 | 23.3 | <0.01 | 0.01 | 1.8 |
| I032356 | | 1.13 | 17.1 | 400 | 7.2 | 6.3 | <0.001 | 0.03 | 0.23 | 10.2 | 0.4 | 0.4 | 33.5 | <0.01 | 0.03 | 1.7 |
| I032357 | | 1.09 | 18.1 | 350 | 6.4 | 7.3 | <0.001 | 0.02 | 0.30 | 6.5 | 0.3 | 0.4 | 28.2 | <0.01 | 0.03 | 2.2 |
| I032358 | | 1.31 | 16.5 | 870 | 5.1 | 5.7 | <0.001 | 0.03 | 0.25 | 4.0 | 0.4 | 0.4 | 47.3 | <0.01 | 0.01 | 2.2 |
| I032359 | | 0.96 | 21.1 | 840 | 4.6 | 4.9 | <0.001 | 0.07 | 0.51 | 2.6 | 0.9 | 0.3 | 98.9 | 0.01 | 0.02 | 0.6 |
| I032360 | | 1.25 | 18.4 | 460 | 5.6 | 5.0 | <0.001 | <0.01 | 0.33 | 3.7 | 0.5 | 0.4 | 49.9 | <0.01 | 0.02 | 1.4 |
| I032361 | | 1.24 | 20.8 | 800 | 5.4 | 7.8 | <0.001 | 0.02 | 0.34 | 4.0 | 0.5 | 0.4 | 47.9 | <0.01 | 0.02 | 1.8 |
| I032362 | | 1.37 | 20.5 | 770 | 5.7 | 7.0 | <0.001 | <0.01 | 0.34 | 4.3 | 0.5 | 0.5 | 41.4 | <0.01 | 0.02 | 1.9 |
| I032363 | | 1.33 | 18.9 | 770 | 6.1 | 8.1 | <0.001 | 0.01 | 0.30 | 4.4 | 0.5 | 0.5 | 54.5 | <0.01 | 0.02 | 2.5 |
| I032364 | | 1.23 | 14.5 | 660 | 4.8 | 15.7 | <0.001 | <0.01 | 0.27 | 3.7 | 0.4 | 0.4 | 49.4 | <0.01 | 0.01 | 1.8 |
| I032365 | | 1.42 | 20.2 | 580 | 6.3 | 7.0 | <0.001 | <0.01 | 0.30 | 4.5 | 0.4 | 0.5 | 33.4 | <0.01 | 0.02 | 2.8 |
| I032366 | | 1.08 | 23.4 | 920 | 5.8 | 12.6 | <0.001 | <0.01 | 0.35 | 5.1 | 0.5 | 0.5 | 70.5 | <0.01 | 0.02 | 3.3 |
| I032367 | | 1.14 | 15.5 | 510 | 14.8 | 29.8 | <0.001 | <0.01 | 0.29 | 4.5 | 0.7 | 0.7 | 40.6 | <0.01 | 0.02 | 5.3 |
| I032368 | | 1.54 | 13.0 | 290 | 8.4 | 19.9 | <0.001 | 0.08 | 0.24 | 3.0 | 0.3 | 0.7 | 29.3 | <0.01 | 0.02 | 3.9 |
| I032369 | | 1.61 | 16.4 | 340 | 10.2 | 31.4 | <0.001 | 0.14 | 0.27 | 4.3 | 0.5 | 0.8 | 30.8 | <0.01 | 0.02 | 5.9 |
| I032370 | | 0.61 | 21.5 | 730 | 6.0 | 7.1 | <0.001 | 0.11 | 0.67 | 2.1 | 0.3 | 0.3 | 16.5 | <0.01 | 0.01 | 6.5 |
| I032371 | | 1.53 | 20.0 | 300 | 7.4 | 11.6 | <0.001 | <0.01 | 0.33 | 4.1 | 0.4 | 0.6 | 33.8 | <0.01 | 0.02 | 3.7 |
| I032372 | | 1.40 | 17.5 | 170 | 7.4 | 14.1 | <0.001 | <0.01 | 0.34 | 4.8 | 0.2 | 0.6 | 27.1 | <0.01 | 0.02 | 3.0 |
| I032373 | | 1.34 | 25.1 | 880 | 5.9 | 9.2 | <0.001 | <0.01 | 0.44 | 4.3 | 0.6 | 0.4 | 46.3 | <0.01 | 0.02 | 2.5 |
| I032374 | | 1.30 | 15.8 | 610 | 7.2 | 9.9 | <0.001 | <0.01 | 0.28 | 4.4 | 0.3 | 0.5 | 37.5 | <0.01 | 0.02 | 4.5 |
| I032375 | | 1.51 | 17.9 | 560 | 9.5 | 13.3 | <0.001 | <0.01 | 0.28 | 5.3 | 0.4 | 0.6 | 37.8 | <0.01 | 0.02 | 4.8 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I032336 | | 0.060 | 0.07 | 0.26 | 45 | 0.12 | 1.76 | 19 | 0.7 |
| I032337 | | 0.053 | 0.09 | 0.35 | 58 | 0.15 | 2.20 | 33 | 0.6 |
| I032338 | | 0.076 | 0.09 | 0.34 | 57 | 0.17 | 1.96 | 45 | 0.6 |
| I032339 | | 0.055 | 0.08 | 0.71 | 61 | 0.29 | 9.31 | 49 | 2.7 |
| I032340 | | <0.005 | <0.02 | 0.09 | 1 | <0.05 | 0.59 | 2 | <0.5 |
| I032341 | | 0.075 | 0.06 | 0.48 | 47 | 0.23 | 10.20 | 50 | 7.5 |
| I032342 | | 0.065 | 0.07 | 0.91 | 64 | 0.20 | 8.93 | 43 | 3.6 |
| I032343 | | 0.083 | 0.07 | 0.63 | 63 | 0.21 | 6.71 | 38 | 5.3 |
| I032344 | | 0.075 | 0.06 | 0.69 | 66 | 0.28 | 9.10 | 44 | 5.6 |
| I032345 | | 0.087 | 0.06 | 0.49 | 52 | 0.33 | 10.45 | 57 | 9.2 |
| I032346 | | 0.071 | 0.06 | 0.84 | 54 | 0.23 | 9.28 | 47 | 4.0 |
| I032347 | | 0.066 | 0.04 | 0.85 | 48 | 0.30 | 6.43 | 50 | 3.1 |
| I032348 | | 0.069 | 0.04 | 0.64 | 51 | 0.16 | 7.71 | 48 | 3.6 |
| I032349 | | 0.065 | 0.05 | 0.62 | 47 | 0.32 | 9.31 | 48 | 4.5 |
| I032350 | | 0.059 | 0.06 | 0.79 | 38 | 0.22 | 8.45 | 50 | 7.4 |
| I032351 | | 0.095 | 0.10 | 0.38 | 75 | 0.17 | 3.39 | 71 | 1.4 |
| I032352 | | 0.010 | 0.12 | 0.89 | 36 | 0.07 | 5.82 | 44 | 2.5 |
| I032353 | | 0.051 | 0.09 | 0.54 | 49 | 0.16 | 3.85 | 36 | 1.8 |
| I032354 | | 0.060 | 0.09 | 0.35 | 68 | 0.17 | 2.04 | 53 | 1.3 |
| I032355 | | 0.052 | 0.08 | 0.39 | 71 | 0.15 | 2.54 | 51 | 0.6 |
| I032356 | | 0.095 | 0.10 | 0.35 | 111 | 0.28 | 5.66 | 89 | 2.4 |
| I032357 | | 0.094 | 0.09 | 0.32 | 79 | 0.23 | 3.62 | 67 | 2.0 |
| I032358 | | 0.113 | 0.04 | 0.65 | 61 | 0.29 | 7.42 | 46 | 3.6 |
| I032359 | | 0.057 | 0.04 | 1.15 | 41 | 0.12 | 8.11 | 42 | 2.5 |
| I032360 | | 0.086 | 0.05 | 1.57 | 56 | 0.16 | 6.07 | 40 | 2.8 |
| I032361 | | 0.092 | 0.05 | 1.11 | 56 | 0.19 | 9.27 | 48 | 3.0 |
| I032362 | | 0.105 | 0.06 | 0.67 | 59 | 0.15 | 7.87 | 53 | 3.0 |
| I032363 | | 0.099 | 0.06 | 0.99 | 50 | 0.15 | 8.74 | 52 | 2.7 |
| I032364 | | 0.102 | 0.05 | 0.67 | 53 | 0.27 | 5.82 | 50 | 2.2 |
| I032365 | | 0.121 | 0.05 | 0.47 | 72 | 0.26 | 5.03 | 45 | 4.0 |
| I032366 | | 0.097 | 0.07 | 0.42 | 54 | 0.18 | 9.68 | 69 | 4.7 |
| I032367 | | 0.081 | 0.13 | 2.31 | 54 | 0.13 | 16.25 | 48 | 1.2 |
| I032368 | | 0.116 | 0.11 | 0.64 | 54 | 0.16 | 5.93 | 46 | 3.4 |
| I032369 | | 0.114 | 0.14 | 0.88 | 57 | 0.15 | 16.40 | 46 | 2.5 |
| I032370 | | 0.030 | 0.16 | 0.89 | 23 | 0.08 | 8.60 | 27 | 2.6 |
| I032371 | | 0.109 | 0.09 | 0.42 | 61 | 0.15 | 4.65 | 43 | 3.7 |
| I032372 | | 0.109 | 0.09 | 0.33 | 68 | 0.13 | 2.99 | 38 | 2.8 |
| I032373 | | 0.095 | 0.06 | 0.55 | 56 | 0.20 | 9.17 | 61 | 2.6 |
| I032374 | | 0.122 | 0.08 | 0.70 | 58 | 0.15 | 7.49 | 51 | 4.9 |
| I032375 | | 0.127 | 0.10 | 0.61 | 60 | 0.12 | 7.67 | 50 | 8.0 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I032376 | | 0.30 | 0.005 | 0.07 | 1.77 | 7.1 | <0.2 | <10 | 180 | 0.43 | 0.16 | 0.68 | 0.06 | 29.1 | 10.3 | 33 |
| I032377 | | 0.34 | 0.009 | 0.07 | 1.33 | 2.0 | <0.2 | <10 | 140 | 0.43 | 0.11 | 1.11 | 0.09 | 39.3 | 6.7 | 27 |
| I032378 | | 0.30 | 0.011 | 0.04 | 1.47 | 7.0 | <0.2 | <10 | 120 | 0.32 | 0.10 | 0.72 | 0.11 | 19.10 | 9.9 | 30 |
| I032379 | | 0.44 | 0.009 | 0.05 | 1.40 | 5.1 | <0.2 | <10 | 130 | 0.34 | 0.09 | 0.70 | 0.13 | 27.9 | 9.2 | 28 |
| I032380 | | 0.28 | 0.006 | 0.07 | 1.51 | 6.7 | <0.2 | <10 | 170 | 0.33 | 0.10 | 0.86 | 0.15 | 21.4 | 9.4 | 29 |
| I032381 | | 0.36 | 0.008 | 0.09 | 1.65 | 6.1 | <0.2 | <10 | 170 | 0.34 | 0.10 | 0.75 | 0.23 | 23.1 | 10.7 | 32 |
| I032382 | | 0.34 | <0.005 | 0.07 | 1.58 | 6.3 | <0.2 | <10 | 190 | 0.36 | 0.12 | 0.80 | 0.16 | 26.1 | 10.4 | 29 |
| I032383 | | 0.28 | 0.006 | 0.08 | 1.61 | 4.7 | <0.2 | <10 | 200 | 0.38 | 0.15 | 0.89 | 0.14 | 45.0 | 9.3 | 27 |
| I032384 | | 0.36 | 0.007 | 0.10 | 1.06 | 6.2 | <0.2 | <10 | 150 | 0.55 | 0.20 | 0.80 | 0.11 | 38.7 | 8.3 | 18 |
| I032385 | | 0.38 | <0.005 | 0.09 | 1.62 | 4.9 | <0.2 | <10 | 160 | 0.47 | 0.19 | 1.08 | 0.12 | 39.6 | 9.7 | 26 |
| I032386 | | 0.52 | 0.007 | 0.09 | 1.69 | 6.3 | <0.2 | <10 | 160 | 0.48 | 0.21 | 0.53 | 0.08 | 34.6 | 9.3 | 29 |
| I032387 | | 0.32 | <0.005 | 0.05 | 1.43 | 4.7 | <0.2 | <10 | 150 | 0.44 | 0.14 | 0.74 | 0.11 | 32.7 | 8.9 | 25 |
| I032388 | | 0.34 | 0.012 | 0.05 | 1.49 | 5.1 | <0.2 | <10 | 150 | 0.40 | 0.13 | 0.71 | 0.12 | 30.1 | 8.5 | 26 |
| I032389 | | 0.24 | 0.007 | 0.04 | 1.61 | 6.2 | <0.2 | <10 | 180 | 0.27 | 0.11 | 0.82 | 0.23 | 18.35 | 9.8 | 31 |
| I032390 | | 0.34 | 0.005 | 0.04 | 2.16 | 8.4 | <0.2 | <10 | 160 | 0.48 | 0.16 | 0.30 | 0.06 | 19.05 | 9.9 | 33 |
| I032391 | | 0.36 | 0.009 | 0.07 | 1.54 | 7.9 | <0.2 | <10 | 190 | 0.49 | 0.09 | 1.02 | 0.16 | 29.6 | 14.5 | 32 |
| I032392 | | 0.34 | 0.009 | 0.08 | 1.45 | 6.5 | <0.2 | <10 | 140 | 0.37 | 0.11 | 0.92 | 0.19 | 23.2 | 10.4 | 30 |
| I032393 | | 0.42 | 0.006 | 0.08 | 1.85 | 5.8 | <0.2 | <10 | 150 | 0.42 | 0.16 | 0.36 | 0.08 | 39.9 | 7.9 | 29 |
| I032394 | | 0.30 | 0.007 | 0.09 | 1.83 | 5.5 | <0.2 | <10 | 140 | 0.42 | 0.17 | 0.35 | 0.08 | 41.3 | 7.6 | 29 |
| I032395 | | 0.44 | <0.005 | 0.02 | 1.71 | 7.3 | <0.2 | <10 | 90 | 0.34 | 0.15 | 0.19 | 0.07 | 24.7 | 6.2 | 25 |
| I032396 | | 0.44 | <0.005 | 0.02 | 0.09 | 7.5 | <0.2 | <10 | 10 | 0.11 | 0.06 | 0.07 | 0.04 | 10.35 | 2.2 | 4 |
| I032397 | | 0.42 | <0.005 | 0.05 | 2.08 | 6.8 | <0.2 | <10 | 90 | 0.41 | 0.19 | 0.18 | 0.08 | 38.3 | 7.1 | 29 |
| I032398 | | 0.32 | 0.007 | 0.06 | 1.72 | 6.8 | <0.2 | <10 | 190 | 0.37 | 0.13 | 0.77 | 0.13 | 24.6 | 10.8 | 33 |
| I032399 | | 0.26 | 0.008 | 0.05 | 1.62 | 6.3 | <0.2 | <10 | 160 | 0.37 | 0.11 | 0.75 | 0.11 | 19.50 | 11.0 | 30 |
| I032400 | | 0.34 | 0.007 | 0.08 | 1.60 | 7.1 | <0.2 | <10 | 160 | 0.38 | 0.11 | 0.95 | 0.15 | 22.4 | 11.6 | 32 |
| I032401 | | 0.42 | 0.006 | 0.06 | 1.68 | 6.3 | <0.2 | <10 | 160 | 0.32 | 0.12 | 0.72 | 0.09 | 21.4 | 10.2 | 32 |
| I032402 | | 0.36 | 0.006 | 0.03 | 1.77 | 5.9 | <0.2 | <10 | 160 | 0.58 | 0.20 | 0.41 | 0.07 | 38.1 | 8.9 | 34 |
| I032403 | | 0.42 | 0.010 | 0.07 | 1.94 | 5.4 | <0.2 | <10 | 170 | 1.07 | 0.38 | 0.67 | 0.08 | 127.0 | 7.9 | 28 |
| I032404 | | 0.50 | 0.006 | 0.03 | 1.29 | 3.7 | <0.2 | <10 | 100 | 0.35 | 0.19 | 0.40 | 0.04 | 31.2 | 5.9 | 23 |
| I032405 | | 0.42 | 0.012 | 0.05 | 1.63 | 3.7 | <0.2 | <10 | 130 | 0.49 | 0.28 | 0.42 | 0.09 | 30.8 | 6.5 | 24 |
| I032406 | | 0.40 | 0.007 | 0.35 | 1.44 | 3.6 | <0.2 | <10 | 120 | 0.70 | 0.28 | 0.52 | 0.06 | 48.5 | 6.8 | 20 |
| I032407 | | 0.32 | 0.007 | 0.25 | 2.79 | 8.9 | <0.2 | <10 | 270 | 1.94 | 0.53 | 1.03 | 0.22 | 359 | 9.3 | 34 |
| I032408 | | 0.36 | 0.006 | 0.07 | 2.05 | 4.9 | <0.2 | <10 | 150 | 0.65 | 0.29 | 0.56 | 0.08 | 73.5 | 6.8 | 28 |
| I032409 | | 0.44 | 0.006 | 0.18 | 2.91 | 6.1 | <0.2 | <10 | 230 | 1.23 | 0.60 | 0.52 | 0.08 | 155.5 | 6.2 | 33 |
| I032410 | | 0.36 | 0.005 | 0.01 | 1.24 | 3.5 | <0.2 | <10 | 70 | 0.47 | 0.29 | 0.21 | 0.03 | 25.4 | 4.6 | 19 |
| I032411 | | 0.38 | <0.005 | 0.08 | 1.56 | 4.4 | <0.2 | <10 | 260 | 0.80 | 0.22 | 0.32 | 0.16 | 47.7 | 12.0 | 25 |
| I032412 | | 0.44 | 0.007 | 0.05 | 1.67 | 4.8 | <0.2 | <10 | 140 | 0.57 | 0.22 | 0.22 | 0.05 | 25.5 | 8.0 | 25 |
| I032413 | | 0.44 | <0.005 | 0.07 | 1.69 | 5.1 | <0.2 | <10 | 160 | 0.52 | 0.18 | 0.44 | 0.08 | 29.9 | 8.2 | 31 |
| I032414 | | 0.40 | 0.005 | 0.05 | 1.38 | 4.7 | <0.2 | <10 | 140 | 0.46 | 0.16 | 0.28 | 0.08 | 34.4 | 7.7 | 24 |
| I032415 | | 0.42 | 0.005 | 0.09 | 1.80 | 5.6 | <0.2 | <10 | 170 | 0.38 | 0.16 | 0.62 | 0.08 | 26.3 | 10.1 | 30 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I032376 | | 0.49 | 20.4 | 2.83 | 5.66 | 0.05 | 0.13 | 0.02 | 0.027 | 0.15 | 11.8 | 10.6 | 0.53 | 405 | 0.55 |
| I032377 | | 0.77 | 22.9 | 1.45 | 4.49 | 0.09 | 0.09 | 0.02 | 0.021 | 0.06 | 23.5 | 12.3 | 0.49 | 130 | 0.54 |
| I032378 | | 0.50 | 18.7 | 2.60 | 4.86 | 0.08 | 0.13 | 0.02 | 0.019 | 0.09 | 9.4 | 11.0 | 0.61 | 256 | 0.72 |
| I032379 | | 0.96 | 17.0 | 2.40 | 4.72 | 0.07 | 0.08 | 0.02 | 0.020 | 0.07 | 14.2 | 11.6 | 0.54 | 369 | 0.47 |
| I032380 | | 0.45 | 22.5 | 2.50 | 4.90 | 0.06 | 0.17 | 0.03 | 0.021 | 0.07 | 10.7 | 11.2 | 0.59 | 345 | 0.48 |
| I032381 | | 0.66 | 22.0 | 2.56 | 5.62 | 0.07 | 0.08 | 0.02 | 0.023 | 0.07 | 11.3 | 11.7 | 0.56 | 457 | 0.73 |
| I032382 | | 0.78 | 20.7 | 2.45 | 5.27 | 0.07 | 0.07 | 0.03 | 0.022 | 0.06 | 12.7 | 11.8 | 0.52 | 404 | 0.75 |
| I032383 | | 1.88 | 14.5 | 2.32 | 6.12 | 0.08 | 0.07 | 0.04 | 0.023 | 0.08 | 25.3 | 15.9 | 0.50 | 452 | 0.68 |
| I032384 | | 1.81 | 11.7 | 2.08 | 4.04 | 0.08 | 0.09 | 0.03 | 0.026 | 0.10 | 20.2 | 9.6 | 0.35 | 432 | 0.86 |
| I032385 | | 2.55 | 14.1 | 2.55 | 5.92 | 0.07 | 0.08 | 0.03 | 0.025 | 0.11 | 19.7 | 20.4 | 0.53 | 478 | 0.66 |
| I032386 | | 1.78 | 19.0 | 2.69 | 6.10 | 0.09 | 0.13 | 0.02 | 0.029 | 0.08 | 25.4 | 15.9 | 0.52 | 266 | 0.49 |
| I032387 | | 1.97 | 14.9 | 2.41 | 5.32 | 0.08 | 0.09 | 0.02 | 0.022 | 0.12 | 17.8 | 14.0 | 0.50 | 363 | 0.52 |
| I032388 | | 1.22 | 15.7 | 2.32 | 5.10 | 0.07 | 0.10 | 0.02 | 0.021 | 0.07 | 14.7 | 11.7 | 0.47 | 357 | 0.54 |
| I032389 | | 0.54 | 20.7 | 2.63 | 5.11 | 0.06 | 0.11 | 0.02 | 0.023 | 0.07 | 8.8 | 11.7 | 0.58 | 428 | 0.70 |
| I032390 | | 2.86 | 17.0 | 3.22 | 8.34 | 0.05 | 0.09 | <0.01 | 0.029 | 0.09 | 10.3 | 14.2 | 0.47 | 219 | 0.82 |
| I032391 | | 1.27 | 20.4 | 2.67 | 5.25 | 0.07 | 0.07 | 0.02 | 0.025 | 0.06 | 15.8 | 12.3 | 0.55 | 912 | 0.71 |
| I032392 | | 0.55 | 27.8 | 2.51 | 4.93 | 0.08 | 0.11 | 0.02 | 0.020 | 0.07 | 11.5 | 11.5 | 0.60 | 360 | 0.51 |
| I032393 | | 1.77 | 14.7 | 2.75 | 6.06 | 0.08 | 0.10 | 0.04 | 0.030 | 0.07 | 28.6 | 10.6 | 0.38 | 217 | 0.70 |
| I032394 | | 1.89 | 15.5 | 2.69 | 6.59 | 0.09 | 0.08 | 0.04 | 0.031 | 0.07 | 29.7 | 10.0 | 0.37 | 211 | 0.74 |
| I032395 | | 6.74 | 10.6 | 2.79 | 7.08 | 0.05 | 0.08 | <0.01 | 0.026 | 0.07 | 14.5 | 9.2 | 0.29 | 150 | 1.13 |
| I032396 | | 0.09 | 2.2 | 0.58 | 0.49 | <0.05 | 0.05 | <0.01 | <0.005 | 0.01 | 5.5 | 1.2 | 0.04 | 152 | 0.30 |
| I032397 | | 1.98 | 14.1 | 3.17 | 6.70 | 0.06 | 0.06 | 0.02 | 0.034 | 0.04 | 17.6 | 11.5 | 0.30 | 209 | 1.03 |
| I032398 | | 0.50 | 26.3 | 2.90 | 4.95 | 0.07 | 0.13 | 0.02 | 0.022 | 0.04 | 13.0 | 11.8 | 0.60 | 411 | 0.57 |
| I032399 | | 0.58 | 21.9 | 2.70 | 5.07 | 0.07 | 0.09 | 0.03 | 0.024 | 0.03 | 10.5 | 11.2 | 0.57 | 333 | 0.66 |
| I032400 | | 0.55 | 31.7 | 2.92 | 4.81 | 0.09 | 0.11 | 0.02 | 0.022 | 0.06 | 12.4 | 12.7 | 0.71 | 547 | 0.58 |
| I032401 | | 0.53 | 22.9 | 2.83 | 4.97 | 0.07 | 0.11 | 0.02 | 0.020 | 0.04 | 11.4 | 11.8 | 0.60 | 334 | 0.58 |
| I032402 | | 1.24 | 18.7 | 2.77 | 5.75 | 0.07 | 0.13 | 0.01 | 0.024 | 0.08 | 21.5 | 14.4 | 0.50 | 237 | 0.56 |
| I032403 | | 2.24 | 25.9 | 2.76 | 6.99 | 0.17 | 0.18 | 0.05 | 0.033 | 0.08 | 97.5 | 16.0 | 0.43 | 309 | 0.49 |
| I032404 | | 1.38 | 10.8 | 2.08 | 4.45 | 0.07 | 0.16 | 0.01 | 0.020 | 0.06 | 19.6 | 11.0 | 0.36 | 184 | 0.35 |
| I032405 | | 1.25 | 14.9 | 2.39 | 5.84 | 0.07 | 0.06 | 0.04 | 0.024 | 0.08 | 25.4 | 12.6 | 0.35 | 207 | 0.51 |
| I032406 | | 1.63 | 18.0 | 2.26 | 5.23 | 0.09 | 0.18 | 0.03 | 0.025 | 0.07 | 39.4 | 13.2 | 0.29 | 380 | 0.54 |
| I032407 | | 4.36 | 56.2 | 3.50 | 10.70 | 0.50 | 0.46 | 0.12 | 0.060 | 0.18 | 340 | 24.3 | 0.44 | 237 | 0.62 |
| I032408 | | 3.24 | 17.2 | 2.95 | 7.52 | 0.14 | 0.12 | 0.04 | 0.032 | 0.17 | 83.1 | 17.5 | 0.44 | 212 | 0.68 |
| I032409 | | 5.13 | 32.1 | 3.30 | 10.15 | 0.25 | 0.22 | 0.07 | 0.052 | 0.17 | 170.0 | 18.8 | 0.37 | 234 | 0.70 |
| I032410 | | 3.37 | 7.7 | 2.06 | 5.08 | 0.06 | 0.06 | 0.03 | 0.021 | 0.12 | 20.1 | 11.5 | 0.31 | 146 | 0.46 |
| I032411 | | 1.83 | 20.3 | 2.58 | 5.79 | 0.07 | 0.03 | 0.02 | 0.030 | 0.10 | 21.4 | 8.9 | 0.31 | 791 | 0.92 |
| I032412 | | 5.85 | 12.3 | 2.75 | 6.63 | 0.06 | 0.06 | 0.02 | 0.029 | 0.25 | 14.1 | 16.9 | 0.41 | 251 | 0.74 |
| I032413 | | 1.52 | 15.8 | 2.74 | 5.85 | 0.07 | 0.06 | 0.02 | 0.028 | 0.14 | 25.0 | 14.4 | 0.40 | 333 | 0.86 |
| I032414 | | 1.63 | 14.0 | 2.50 | 5.03 | 0.06 | 0.04 | 0.02 | 0.027 | 0.09 | 24.7 | 10.5 | 0.35 | 358 | 1.00 |
| I032415 | | 1.35 | 15.9 | 2.94 | 6.21 | 0.07 | 0.09 | 0.02 | 0.024 | 0.19 | 16.5 | 15.8 | 0.50 | 620 | 0.88 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I032376 | | 1.47 | 19.6 | 330 | 14.2 | 16.6 | <0.001 | <0.01 | 0.32 | 5.6 | 0.4 | 0.6 | 40.9 | <0.01 | 0.01 | 4.1 |
| I032377 | | 1.09 | 15.2 | 800 | 8.2 | 7.8 | <0.001 | 0.07 | 0.33 | 4.5 | 0.7 | 0.4 | 65.6 | <0.01 | 0.01 | 2.4 |
| I032378 | | 1.47 | 19.9 | 710 | 5.5 | 11.1 | <0.001 | 0.08 | 0.33 | 4.4 | 0.3 | 0.4 | 40.3 | <0.01 | 0.01 | 2.2 |
| I032379 | | 1.27 | 17.4 | 710 | 6.4 | 11.6 | <0.001 | 0.09 | 0.28 | 4.1 | 0.4 | 0.5 | 39.4 | <0.01 | 0.01 | 3.1 |
| I032380 | | 1.59 | 21.1 | 590 | 5.6 | 8.1 | <0.001 | 0.11 | 0.37 | 4.8 | 0.4 | 0.5 | 47.7 | <0.01 | 0.02 | 2.8 |
| I032381 | | 1.47 | 21.6 | 810 | 6.0 | 13.7 | <0.001 | 0.15 | 0.33 | 5.0 | 0.5 | 0.5 | 44.8 | <0.01 | 0.02 | 2.0 |
| I032382 | | 1.34 | 20.2 | 670 | 7.0 | 11.7 | <0.001 | 0.13 | 0.36 | 4.4 | 0.6 | 0.5 | 52.8 | <0.01 | 0.02 | 1.9 |
| I032383 | | 1.36 | 15.2 | 650 | 10.0 | 18.7 | <0.001 | 0.07 | 0.30 | 4.3 | 0.6 | 0.6 | 58.6 | <0.01 | 0.01 | 4.4 |
| I032384 | | 0.91 | 11.5 | 640 | 11.4 | 16.1 | <0.001 | 0.01 | 0.35 | 4.0 | 0.5 | 0.6 | 52.0 | <0.01 | 0.01 | 6.0 |
| I032385 | | 1.30 | 15.4 | 690 | 13.7 | 28.4 | <0.001 | 0.02 | 0.28 | 4.2 | 0.6 | 0.7 | 70.5 | <0.01 | 0.01 | 5.6 |
| I032386 | | 1.39 | 18.0 | 590 | 12.1 | 16.3 | <0.001 | <0.01 | 0.34 | 4.8 | 0.5 | 0.7 | 38.9 | <0.01 | 0.02 | 7.4 |
| I032387 | | 1.30 | 15.9 | 700 | 8.0 | 20.3 | <0.001 | 0.05 | 0.27 | 4.3 | 0.5 | 0.6 | 44.5 | <0.01 | 0.02 | 4.8 |
| I032388 | | 1.29 | 15.6 | 640 | 7.1 | 11.7 | <0.001 | 0.03 | 0.28 | 3.9 | 0.4 | 0.5 | 42.2 | <0.01 | 0.02 | 3.3 |
| I032389 | | 1.50 | 20.8 | 610 | 5.6 | 10.6 | <0.001 | 0.01 | 0.35 | 4.7 | 0.4 | 0.5 | 44.9 | <0.01 | 0.02 | 2.2 |
| I032390 | | 1.18 | 20.4 | 340 | 10.3 | 17.9 | <0.001 | <0.01 | 0.36 | 4.3 | 0.2 | 0.9 | 25.6 | <0.01 | 0.02 | 4.3 |
| I032391 | | 1.12 | 22.2 | 780 | 7.0 | 9.4 | <0.001 | 0.04 | 0.39 | 5.4 | 0.6 | 0.5 | 55.8 | <0.01 | 0.01 | 2.4 |
| I032392 | | 1.45 | 23.7 | 800 | 5.7 | 7.8 | <0.001 | 0.02 | 0.46 | 4.9 | 0.5 | 0.5 | 47.9 | <0.01 | 0.03 | 2.3 |
| I032393 | | 1.26 | 15.2 | 470 | 10.6 | 11.8 | <0.001 | <0.01 | 0.32 | 4.5 | 0.5 | 0.6 | 26.1 | <0.01 | 0.02 | 8.2 |
| I032394 | | 1.20 | 15.6 | 460 | 10.7 | 12.2 | <0.001 | <0.01 | 0.33 | 4.6 | 0.4 | 0.6 | 27.0 | <0.01 | 0.02 | 7.4 |
| I032395 | | 1.24 | 13.0 | 320 | 11.8 | 21.5 | <0.001 | <0.01 | 0.37 | 3.4 | 0.3 | 0.7 | 16.1 | <0.01 | 0.02 | 4.4 |
| I032396 | | 0.19 | 4.3 | 140 | 1.9 | 1.7 | <0.001 | <0.01 | 0.13 | 0.6 | <0.2 | <0.2 | 5.7 | <0.01 | <0.01 | 1.7 |
| I032397 | | 1.60 | 13.4 | 270 | 11.1 | 12.0 | <0.001 | 0.01 | 0.38 | 4.6 | 0.4 | 0.6 | 19.5 | <0.01 | 0.02 | 6.1 |
| I032398 | | 1.74 | 22.3 | 670 | 6.0 | 6.9 | <0.001 | 0.02 | 0.39 | 5.1 | 0.6 | 0.4 | 43.6 | <0.01 | 0.02 | 2.9 |
| I032399 | | 1.67 | 21.4 | 580 | 5.9 | 7.6 | <0.001 | 0.03 | 0.36 | 4.9 | 0.7 | 0.5 | 41.6 | <0.01 | 0.02 | 1.9 |
| I032400 | | 1.63 | 28.0 | 880 | 5.7 | 7.2 | 0.001 | 0.03 | 0.42 | 5.4 | 0.6 | 0.4 | 46.6 | <0.01 | 0.02 | 2.1 |
| I032401 | | 1.61 | 21.5 | 740 | 6.0 | 7.7 | <0.001 | 0.02 | 0.33 | 5.0 | 0.5 | 0.4 | 39.2 | <0.01 | 0.01 | 2.7 |
| I032402 | | 1.39 | 17.3 | 450 | 9.8 | 15.9 | <0.001 | 0.01 | 0.28 | 5.3 | 0.5 | 0.6 | 29.3 | <0.01 | 0.01 | 7.9 |
| I032403 | | 1.41 | 17.3 | 740 | 16.7 | 20.0 | 0.001 | 0.02 | 0.28 | 7.1 | 1.0 | 0.8 | 41.3 | 0.01 | 0.02 | 16.6 |
| I032404 | | 1.37 | 10.5 | 370 | 9.7 | 16.4 | <0.001 | <0.01 | 0.24 | 3.6 | 0.3 | 0.5 | 28.7 | <0.01 | 0.01 | 8.6 |
| I032405 | | 1.28 | 12.3 | 320 | 12.7 | 18.2 | <0.001 | 0.01 | 0.19 | 3.9 | 0.4 | 0.7 | 29.7 | <0.01 | 0.02 | 5.4 |
| I032406 | | 1.26 | 9.6 | 340 | 19.1 | 18.5 | 0.001 | 0.01 | 0.24 | 4.4 | 0.5 | 0.7 | 33.2 | <0.01 | 0.01 | 12.5 |
| I032407 | | 1.85 | 34.8 | 590 | 36.1 | 35.2 | 0.002 | 0.05 | 0.50 | 12.9 | 3.0 | 1.2 | 66.2 | 0.05 | 0.03 | 28.3 |
| I032408 | | 1.53 | 14.2 | 530 | 16.7 | 33.5 | 0.001 | 0.02 | 0.27 | 5.8 | 0.8 | 0.9 | 37.4 | 0.01 | 0.01 | 13.0 |
| I032409 | | 1.47 | 16.9 | 560 | 33.2 | 33.8 | 0.001 | 0.02 | 0.20 | 9.7 | 1.2 | 1.3 | 39.1 | 0.01 | 0.02 | 24.0 |
| I032410 | | 1.34 | 9.2 | 280 | 13.9 | 28.9 | <0.001 | 0.01 | 0.19 | 3.1 | 0.3 | 0.8 | 20.2 | <0.01 | 0.01 | 7.5 |
| I032411 | | 1.11 | 14.6 | 470 | 13.9 | 17.6 | <0.001 | 0.02 | 0.28 | 3.9 | 0.5 | 0.8 | 26.9 | <0.01 | 0.01 | 2.8 |
| I032412 | | 1.59 | 13.6 | 260 | 13.7 | 44.5 | <0.001 | 0.01 | 0.26 | 3.9 | 0.4 | 1.0 | 21.4 | <0.01 | 0.02 | 6.5 |
| I032413 | | 1.40 | 15.6 | 320 | 11.4 | 25.0 | <0.001 | 0.01 | 0.28 | 4.5 | 0.4 | 0.7 | 31.6 | <0.01 | 0.02 | 5.4 |
| I032414 | | 1.24 | 13.4 | 230 | 12.7 | 17.0 | <0.001 | 0.01 | 0.29 | 3.8 | 0.4 | 0.8 | 24.9 | <0.01 | <0.01 | 5.4 |
| I032415 | | 1.72 | 15.3 | 390 | 11.8 | 31.0 | <0.001 | 0.01 | 0.28 | 4.2 | 0.6 | 0.7 | 39.9 | <0.01 | 0.02 | 7.0 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I032376 | | 0.109 | 0.06 | 0.53 | 62 | 0.17 | 6.02 | 45 | 4.3 |
| I032377 | | 0.084 | 0.06 | 8.11 | 46 | 0.11 | 15.05 | 42 | 2.6 |
| I032378 | | 0.129 | 0.05 | 0.48 | 68 | 0.19 | 6.31 | 47 | 4.3 |
| I032379 | | 0.110 | 0.07 | 0.71 | 58 | 0.25 | 8.53 | 53 | 2.9 |
| I032380 | | 0.117 | 0.05 | 0.65 | 61 | 0.25 | 7.95 | 48 | 6.4 |
| I032381 | | 0.113 | 0.06 | 0.77 | 64 | 0.23 | 8.02 | 54 | 2.9 |
| I032382 | | 0.094 | 0.07 | 0.83 | 60 | 0.19 | 8.28 | 49 | 2.6 |
| I032383 | | 0.097 | 0.14 | 2.15 | 52 | 0.13 | 10.10 | 57 | 2.5 |
| I032384 | | 0.060 | 0.11 | 5.33 | 40 | 0.11 | 10.35 | 44 | 2.8 |
| I032385 | | 0.093 | 0.19 | 2.69 | 51 | 0.19 | 9.52 | 56 | 2.7 |
| I032386 | | 0.118 | 0.12 | 1.00 | 58 | 0.12 | 12.10 | 51 | 4.6 |
| I032387 | | 0.103 | 0.13 | 1.19 | 53 | 0.21 | 10.30 | 53 | 3.1 |
| I032388 | | 0.101 | 0.10 | 0.93 | 56 | 1.21 | 8.44 | 49 | 3.2 |
| I032389 | | 0.120 | 0.06 | 0.40 | 67 | 0.13 | 5.71 | 55 | 3.8 |
| I032390 | | 0.107 | 0.15 | 0.45 | 73 | 0.09 | 4.36 | 49 | 3.4 |
| I032391 | | 0.077 | 0.08 | 1.09 | 57 | 0.25 | 10.25 | 53 | 2.3 |
| I032392 | | 0.114 | 0.06 | 0.47 | 64 | 0.18 | 9.40 | 52 | 4.2 |
| I032393 | | 0.085 | 0.09 | 0.83 | 57 | 0.14 | 7.59 | 44 | 3.3 |
| I032394 | | 0.082 | 0.09 | 0.86 | 56 | 0.14 | 7.94 | 43 | 2.6 |
| I032395 | | 0.070 | 0.16 | 0.46 | 63 | 0.13 | 4.04 | 39 | 2.7 |
| I032396 | | 0.010 | 0.03 | 0.31 | 5 | 0.28 | 2.52 | 12 | 2.0 |
| I032397 | | 0.083 | 0.12 | 0.67 | 71 | 0.12 | 4.27 | 44 | 2.4 |
| I032398 | | 0.124 | 0.06 | 0.66 | 71 | 0.11 | 8.95 | 54 | 5.0 |
| I032399 | | 0.105 | 0.07 | 0.65 | 67 | 0.17 | 7.88 | 51 | 3.5 |
| I032400 | | 0.126 | 0.06 | 0.47 | 69 | 0.21 | 9.94 | 63 | 4.1 |
| I032401 | | 0.133 | 0.06 | 0.59 | 72 | 0.21 | 7.39 | 53 | 4.0 |
| I032402 | | 0.117 | 0.11 | 1.35 | 66 | 0.18 | 8.87 | 48 | 4.8 |
| I032403 | | 0.086 | 0.13 | 9.66 | 53 | 0.16 | 28.9 | 48 | 6.7 |
| I032404 | | 0.112 | 0.12 | 1.06 | 49 | 0.23 | 6.70 | 42 | 6.2 |
| I032405 | | 0.083 | 0.10 | 1.39 | 47 | 0.10 | 9.29 | 41 | 2.0 |
| I032406 | | 0.073 | 0.11 | 2.70 | 41 | 0.11 | 15.65 | 42 | 7.1 |
| I032407 | | 0.089 | 0.23 | 17.95 | 51 | 0.28 | 130.5 | 110 | 12.2 |
| I032408 | | 0.092 | 0.19 | 2.55 | 53 | 0.12 | 19.90 | 59 | 3.6 |
| I032409 | | 0.067 | 0.23 | 6.69 | 52 | 0.19 | 39.8 | 62 | 6.9 |
| I032410 | | 0.084 | 0.20 | 1.11 | 43 | 0.12 | 7.24 | 41 | 2.1 |
| I032411 | | 0.071 | 0.11 | 1.30 | 56 | 0.17 | 7.00 | 47 | 0.8 |
| I032412 | | 0.092 | 0.31 | 0.94 | 52 | 0.09 | 4.74 | 50 | 2.4 |
| I032413 | | 0.089 | 0.12 | 0.95 | 58 | 0.10 | 7.33 | 45 | 2.0 |
| I032414 | | 0.075 | 0.11 | 1.01 | 52 | 0.13 | 5.48 | 43 | 1.3 |
| I032415 | | 0.119 | 0.12 | 0.92 | 68 | 0.14 | 6.37 | 50 | 3.1 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I032416 | | 0.34 | <0.005 | 0.04 | 2.23 | 7.1 | <0.2 | <10 | 190 | 0.61 | 0.18 | 0.45 | 0.04 | 68.8 | 11.5 | 38 |
| I032417 | | 0.30 | <0.005 | 0.12 | 2.50 | 5.3 | <0.2 | <10 | 260 | 0.90 | 0.24 | 0.59 | 0.09 | 138.0 | 11.3 | 35 |
| I032418 | | 0.34 | <0.005 | 0.04 | 1.83 | 4.8 | <0.2 | <10 | 160 | 0.42 | 0.17 | 0.42 | 0.08 | 24.1 | 7.1 | 26 |
| I032419 | | 0.32 | <0.005 | 0.12 | 1.95 | 4.3 | <0.2 | <10 | 170 | 0.66 | 0.17 | 0.46 | 0.08 | 52.8 | 9.5 | 28 |
| I032420 | | 0.28 | <0.005 | 0.12 | 2.10 | 6.8 | <0.2 | <10 | 150 | 0.50 | 0.21 | 0.37 | 0.09 | 31.9 | 7.6 | 29 |
| I032421 | | 0.34 | <0.005 | 0.06 | 1.75 | 5.7 | <0.2 | <10 | 120 | 0.34 | 0.20 | 0.27 | 0.09 | 14.40 | 6.3 | 25 |
| I032422 | | 0.42 | <0.005 | 0.05 | 1.48 | 7.0 | <0.2 | <10 | 110 | 0.30 | 0.20 | 0.27 | 0.09 | 15.85 | 5.8 | 21 |
| I032423 | | 0.36 | <0.005 | 0.05 | 1.60 | 6.1 | <0.2 | <10 | 100 | 0.56 | 0.19 | 0.25 | 0.08 | 38.3 | 6.4 | 25 |
| I032424 | | 0.34 | <0.005 | 0.06 | 1.29 | 4.7 | <0.2 | <10 | 90 | 0.24 | 0.17 | 0.25 | 0.08 | 16.20 | 4.5 | 22 |
| I032425 | | 0.26 | <0.005 | 0.07 | 1.80 | 5.5 | <0.2 | <10 | 150 | 0.34 | 0.24 | 0.40 | 0.09 | 19.40 | 7.6 | 26 |
| I032426 | | 0.32 | <0.005 | 0.05 | 1.45 | 4.4 | <0.2 | <10 | 170 | 0.40 | 0.16 | 0.37 | 0.09 | 20.3 | 5.8 | 23 |
| I032427 | | 0.40 | <0.005 | 0.04 | 2.03 | 6.4 | <0.2 | <10 | 240 | 0.47 | 0.16 | 0.47 | 0.03 | 22.4 | 9.5 | 32 |
| I032428 | | 0.38 | <0.005 | 0.03 | 2.57 | 9.2 | <0.2 | <10 | 170 | 0.47 | 0.18 | 0.26 | 0.08 | 21.9 | 14.7 | 36 |
| I032429 | | 0.34 | <0.005 | 0.05 | 1.66 | 4.2 | <0.2 | <10 | 110 | 0.47 | 0.67 | 0.26 | 0.05 | 16.00 | 6.0 | 22 |
| I032430 | | 0.40 | <0.005 | 0.01 | 0.12 | 2.0 | <0.2 | <10 | 30 | 0.10 | 0.02 | 0.05 | 0.04 | 10.20 | 2.2 | 3 |
| I032431 | | 0.32 | <0.005 | 1.13 | 2.32 | 13.1 | <0.2 | <10 | 200 | 0.41 | 0.21 | 0.14 | 0.24 | 33.3 | 6.8 | 43 |
| I032432 | | 0.40 | <0.005 | 0.07 | 2.73 | 10.4 | <0.2 | <10 | 120 | 0.37 | 0.14 | 0.15 | 0.11 | 15.60 | 14.8 | 59 |
| I032433 | | 0.30 | <0.005 | 0.13 | 1.83 | 7.9 | <0.2 | <10 | 200 | 0.35 | 0.20 | 0.52 | 0.16 | 17.75 | 11.6 | 30 |
| I032434 | | 0.34 | 0.005 | 0.18 | 2.12 | 7.2 | <0.2 | <10 | 220 | 0.63 | 0.17 | 0.81 | 0.16 | 33.1 | 22.8 | 28 |
| I032435 | | 0.38 | <0.005 | 0.06 | 2.60 | 4.1 | <0.2 | <10 | 120 | 0.49 | 0.09 | 0.69 | 0.06 | 21.5 | 18.9 | 41 |
| I032436 | | 0.40 | <0.005 | 0.05 | 2.10 | 5.5 | <0.2 | <10 | 90 | 0.53 | 0.15 | 0.30 | 0.06 | 35.1 | 17.3 | 38 |
| I032437 | | 0.34 | <0.005 | 0.19 | 2.45 | 4.4 | <0.2 | <10 | 220 | 0.51 | 0.12 | 0.40 | 0.26 | 30.6 | 18.5 | 62 |
| I032438 | | 0.30 | <0.005 | 0.19 | 2.78 | 10.0 | <0.2 | <10 | 130 | 0.51 | 0.18 | 0.14 | 0.10 | 17.75 | 11.5 | 40 |
| I032439 | | 0.36 | 0.005 | 0.13 | 2.49 | 11.7 | <0.2 | <10 | 110 | 0.71 | 0.28 | 0.14 | 0.12 | 28.0 | 11.0 | 38 |
| I032440 | | 0.34 | 0.007 | 0.15 | 1.94 | 8.6 | <0.2 | <10 | 100 | 0.47 | 0.22 | 0.19 | 0.13 | 27.8 | 8.7 | 56 |
| I032441 | | 0.40 | <0.005 | 0.12 | 2.72 | 6.2 | <0.2 | <10 | 180 | 1.21 | 0.29 | 0.70 | 0.14 | 51.3 | 19.7 | 70 |
| I032442 | | 0.52 | 0.005 | 0.04 | 1.98 | 11.1 | <0.2 | <10 | 80 | 0.71 | 0.26 | 0.13 | 0.12 | 42.7 | 9.0 | 31 |
| I032443 | | 0.40 | <0.005 | 0.01 | 0.10 | 2.2 | <0.2 | <10 | 30 | 0.10 | 0.02 | 0.07 | 0.04 | 10.90 | 2.4 | 3 |
| I032444 | | 0.54 | <0.005 | 0.14 | 1.52 | 7.0 | <0.2 | <10 | 120 | 0.48 | 0.16 | 0.37 | 0.08 | 47.4 | 8.5 | 27 |
| I032445 | | 0.36 | <0.005 | 0.10 | 2.90 | 12.3 | <0.2 | <10 | 110 | 0.43 | 0.21 | 0.14 | 0.15 | 18.70 | 8.8 | 45 |
| I032446 | | 0.34 | <0.005 | 0.31 | 2.55 | 11.3 | <0.2 | <10 | 160 | 0.35 | 0.22 | 0.22 | 0.22 | 19.65 | 8.5 | 38 |
| I032447 | | 0.30 | <0.005 | 0.05 | 2.14 | 4.0 | <0.2 | <10 | 180 | 0.33 | 0.13 | 0.18 | 0.12 | 14.75 | 13.7 | 43 |
| I032448 | | 0.40 | <0.005 | 0.13 | 2.36 | 3.6 | <0.2 | <10 | 180 | 0.50 | 0.12 | 0.32 | 0.13 | 32.9 | 17.8 | 38 |
| I032449 | | 0.46 | <0.005 | 0.06 | 1.85 | 7.5 | <0.2 | <10 | 80 | 0.24 | 0.17 | 0.20 | 0.09 | 20.8 | 9.6 | 36 |
| I032450 | | 0.42 | <0.005 | 0.12 | 2.07 | 8.6 | <0.2 | <10 | 240 | 0.62 | 0.14 | 0.31 | 0.06 | 49.8 | 12.9 | 35 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I032416 | | 2.04 | 19.5 | 3.33 | 7.28 | 0.12 | 0.26 | 0.02 | 0.033 | 0.18 | 51.3 | 22.8 | 0.62 | 401 | 0.74 | 0.04 |
| I032417 | | 5.45 | 20.5 | 3.48 | 8.87 | 0.19 | 0.17 | 0.04 | 0.043 | 0.30 | 125.5 | 32.3 | 0.66 | 450 | 0.76 | 0.04 |
| I032418 | | 2.39 | 9.9 | 2.82 | 6.13 | 0.07 | 0.11 | 0.01 | 0.032 | 0.16 | 18.2 | 12.6 | 0.43 | 336 | 0.94 | 0.03 |
| I032419 | | 4.75 | 14.8 | 3.08 | 7.55 | 0.10 | 0.07 | 0.02 | 0.032 | 0.34 | 33.7 | 20.5 | 0.58 | 390 | 0.92 | 0.03 |
| I032420 | | 2.45 | 15.2 | 3.08 | 7.53 | 0.08 | 0.06 | 0.03 | 0.030 | 0.13 | 21.6 | 13.7 | 0.44 | 410 | 1.39 | 0.03 |
| I032421 | | 1.17 | 10.8 | 2.74 | 6.57 | 0.06 | 0.04 | 0.02 | 0.023 | 0.07 | 8.0 | 15.8 | 0.34 | 288 | 1.45 | 0.03 |
| I032422 | | 1.07 | 10.5 | 2.36 | 6.03 | <0.05 | 0.04 | 0.01 | 0.020 | 0.04 | 8.2 | 12.2 | 0.28 | 234 | 0.99 | 0.02 |
| I032423 | | 1.83 | 12.6 | 2.36 | 5.01 | 0.07 | 0.05 | 0.02 | 0.025 | 0.06 | 22.7 | 16.1 | 0.36 | 256 | 0.82 | 0.03 |
| I032424 | | 0.93 | 10.2 | 2.27 | 6.14 | 0.05 | 0.04 | 0.01 | 0.017 | 0.05 | 8.9 | 9.1 | 0.28 | 177 | 0.92 | 0.02 |
| I032425 | | 0.98 | 13.7 | 2.72 | 6.86 | 0.05 | 0.05 | 0.02 | 0.023 | 0.09 | 12.9 | 15.5 | 0.47 | 269 | 1.06 | 0.03 |
| I032426 | | 0.94 | 11.6 | 2.30 | 6.04 | 0.05 | 0.06 | 0.01 | 0.020 | 0.08 | 10.5 | 9.7 | 0.28 | 326 | 0.99 | 0.03 |
| I032427 | | 1.19 | 16.5 | 3.04 | 6.77 | 0.07 | 0.17 | 0.01 | 0.025 | 0.04 | 11.4 | 11.5 | 0.47 | 265 | 0.70 | 0.04 |
| I032428 | | 1.22 | 17.5 | 3.65 | 8.58 | 0.07 | 0.09 | 0.02 | 0.034 | 0.04 | 11.7 | 15.2 | 0.48 | 447 | 1.47 | 0.03 |
| I032429 | | 2.79 | 10.6 | 2.81 | 8.33 | 0.06 | 0.03 | 0.01 | 0.028 | 0.16 | 8.4 | 12.1 | 0.38 | 198 | 1.07 | 0.02 |
| I032430 | | 0.10 | 1.7 | 0.61 | 0.57 | <0.05 | 0.05 | 0.01 | <0.005 | <0.01 | 5.3 | 1.2 | 0.03 | 150 | 0.28 | 0.01 |
| I032431 | | 2.45 | 42.9 | 5.17 | 8.55 | 0.09 | 0.04 | 0.08 | 0.036 | 0.08 | 19.7 | 15.5 | 0.39 | 215 | 4.44 | 0.03 |
| I032432 | | 1.99 | 24.8 | 4.89 | 10.10 | 0.09 | 0.08 | 0.03 | 0.028 | 0.08 | 7.2 | 25.0 | 0.81 | 317 | 1.35 | 0.02 |
| I032433 | | 1.93 | 15.7 | 3.13 | 8.02 | 0.07 | 0.02 | 0.04 | 0.030 | 0.02 | 9.0 | 14.0 | 0.42 | 606 | 1.56 | 0.03 |
| I032434 | | 2.60 | 25.9 | 3.29 | 6.32 | 0.08 | 0.04 | 0.04 | 0.030 | 0.03 | 16.4 | 15.2 | 0.61 | 1280 | 1.16 | 0.03 |
| I032435 | | 3.59 | 21.4 | 3.80 | 7.04 | 0.09 | 0.04 | 0.01 | 0.020 | 0.06 | 10.1 | 37.6 | 1.25 | 475 | 0.66 | 0.02 |
| I032436 | | 3.14 | 26.8 | 3.84 | 6.92 | 0.10 | 0.04 | 0.03 | 0.031 | 0.06 | 17.5 | 22.0 | 0.74 | 273 | 1.07 | 0.02 |
| I032437 | | 2.71 | 36.9 | 3.52 | 6.56 | 0.09 | 0.03 | 0.03 | 0.026 | 0.13 | 11.3 | 21.0 | 0.90 | 342 | 1.11 | 0.02 |
| I032438 | | 1.43 | 17.0 | 4.05 | 8.21 | 0.09 | 0.05 | 0.03 | 0.036 | 0.03 | 8.9 | 17.3 | 0.43 | 292 | 1.41 | 0.02 |
| I032439 | | 3.27 | 17.2 | 4.61 | 10.10 | 0.10 | 0.07 | 0.02 | 0.041 | 0.07 | 16.8 | 31.8 | 0.51 | 412 | 2.00 | 0.02 |
| I032440 | | 2.88 | 13.6 | 3.56 | 8.27 | 0.09 | 0.06 | 0.03 | 0.030 | 0.07 | 15.3 | 21.4 | 0.56 | 258 | 1.15 | 0.02 |
| I032441 | | 4.84 | 33.5 | 4.14 | 9.34 | 0.12 | 0.05 | 0.03 | 0.036 | 0.35 | 30.0 | 25.5 | 1.14 | 789 | 1.10 | 0.02 |
| I032442 | | 2.29 | 14.6 | 3.37 | 7.63 | 0.10 | 0.04 | 0.03 | 0.032 | 0.07 | 22.3 | 16.8 | 0.34 | 299 | 1.71 | 0.02 |
| I032443 | | 0.09 | 1.7 | 0.62 | 0.56 | <0.05 | 0.05 | <0.01 | <0.005 | <0.01 | 5.6 | 1.3 | 0.04 | 164 | 0.30 | 0.01 |
| I032444 | | 1.64 | 18.2 | 2.67 | 5.09 | 0.09 | 0.04 | 0.07 | 0.028 | 0.06 | 28.5 | 11.4 | 0.34 | 258 | 1.45 | 0.02 |
| I032445 | | 2.11 | 17.6 | 4.47 | 10.10 | 0.08 | 0.06 | 0.05 | 0.032 | 0.02 | 9.5 | 19.1 | 0.40 | 242 | 1.83 | 0.02 |
| I032446 | | 1.17 | 18.3 | 3.93 | 10.10 | 0.08 | 0.07 | 0.03 | 0.031 | 0.02 | 9.8 | 14.7 | 0.41 | 228 | 1.65 | 0.02 |
| I032447 | | 1.19 | 15.9 | 3.53 | 7.73 | 0.07 | 0.02 | 0.01 | 0.020 | 0.07 | 6.1 | 18.0 | 0.70 | 622 | 0.86 | 0.03 |
| I032448 | | 2.57 | 45.5 | 3.97 | 7.04 | 0.11 | 0.03 | 0.01 | 0.021 | 0.21 | 18.0 | 22.1 | 0.88 | 416 | 0.93 | 0.02 |
| I032449 | | 1.45 | 17.5 | 3.60 | 7.87 | 0.08 | 0.05 | 0.01 | 0.025 | 0.09 | 10.4 | 15.6 | 0.58 | 248 | 1.03 | 0.02 |
| I032450 | | 1.18 | 30.0 | 3.15 | 6.03 | 0.11 | 0.05 | 0.03 | 0.030 | 0.05 | 28.9 | 13.2 | 0.53 | 255 | 0.79 | 0.03 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I032416 | | 1.73 | 19.0 | 340 | 12.2 | 34.1 | <0.001 | 0.01 | 0.33 | 6.3 | 0.6 | 0.9 | 32.4 | 0.01 | 0.01 | 12.3 |
| I032417 | | 1.86 | 18.5 | 600 | 19.1 | 53.3 | 0.001 | 0.02 | 0.25 | 8.2 | 1.1 | 1.1 | 38.6 | 0.01 | 0.02 | 19.7 |
| I032418 | | 1.45 | 11.8 | 510 | 11.8 | 26.1 | <0.001 | 0.01 | 0.20 | 4.5 | 0.4 | 0.9 | 29.4 | <0.01 | 0.01 | 9.2 |
| I032419 | | 1.51 | 14.6 | 620 | 13.5 | 48.9 | <0.001 | 0.02 | 0.21 | 4.9 | 0.6 | 1.1 | 32.6 | <0.01 | 0.02 | 8.7 |
| I032420 | | 1.55 | 13.5 | 330 | 15.4 | 27.5 | <0.001 | 0.02 | 0.27 | 4.6 | 0.6 | 0.9 | 29.8 | <0.01 | 0.02 | 7.0 |
| I032421 | | 1.60 | 10.9 | 330 | 13.1 | 14.2 | <0.001 | 0.01 | 0.24 | 3.0 | 0.2 | 1.0 | 22.4 | <0.01 | 0.02 | 3.1 |
| I032422 | | 1.25 | 9.7 | 450 | 10.1 | 12.7 | <0.001 | 0.01 | 0.24 | 2.6 | 0.3 | 0.8 | 23.2 | <0.01 | 0.01 | 1.6 |
| I032423 | | 1.37 | 13.5 | 400 | 20.1 | 17.8 | <0.001 | 0.01 | 0.28 | 3.1 | 0.4 | 0.8 | 22.7 | <0.01 | 0.01 | 4.4 |
| I032424 | | 1.52 | 9.0 | 260 | 12.6 | 12.3 | <0.001 | 0.01 | 0.28 | 2.6 | 0.2 | 0.8 | 21.4 | <0.01 | 0.01 | 2.3 |
| I032425 | | 1.43 | 14.6 | 360 | 10.4 | 16.2 | <0.001 | 0.01 | 0.23 | 3.7 | 0.4 | 0.8 | 27.9 | <0.01 | 0.02 | 3.2 |
| I032426 | | 1.41 | 11.7 | 280 | 14.4 | 15.5 | <0.001 | 0.01 | 0.24 | 2.9 | 0.3 | 0.8 | 25.7 | <0.01 | 0.01 | 3.7 |
| I032427 | | 1.27 | 19.9 | 410 | 9.3 | 8.0 | <0.001 | 0.01 | 0.38 | 5.3 | 0.4 | 0.7 | 31.0 | <0.01 | 0.02 | 3.2 |
| I032428 | | 1.94 | 22.8 | 310 | 10.0 | 12.3 | <0.001 | 0.01 | 0.41 | 4.8 | 0.4 | 0.8 | 25.8 | <0.01 | 0.03 | 3.8 |
| I032429 | | 1.29 | 11.8 | 440 | 15.5 | 35.8 | <0.001 | 0.01 | 0.21 | 3.9 | 0.3 | 1.9 | 18.1 | <0.01 | 0.01 | 3.0 |
| I032430 | | 0.22 | 3.7 | 170 | 1.5 | 1.8 | <0.001 | <0.01 | 0.12 | 0.6 | <0.2 | <0.2 | 8.9 | <0.01 | <0.01 | 1.8 |
| I032431 | | 1.60 | 20.1 | 980 | 8.6 | 12.3 | <0.001 | 0.17 | 0.63 | 3.1 | 2.0 | 0.6 | 35.6 | <0.01 | 0.07 | 0.6 |
| I032432 | | 2.33 | 32.5 | 330 | 7.8 | 13.3 | <0.001 | 0.01 | 0.39 | 4.5 | 0.6 | 0.6 | 12.6 | <0.01 | 0.03 | 2.3 |
| I032433 | | 1.50 | 18.3 | 500 | 9.0 | 8.5 | <0.001 | 0.03 | 0.28 | 2.9 | 0.7 | 0.6 | 27.6 | <0.01 | 0.04 | 0.6 |
| I032434 | | 1.05 | 21.6 | 830 | 10.0 | 9.7 | <0.001 | 0.04 | 0.39 | 4.3 | 0.9 | 0.5 | 32.6 | <0.01 | 0.04 | 1.1 |
| I032435 | | 2.54 | 35.4 | 390 | 8.5 | 17.3 | <0.001 | 0.02 | 0.13 | 3.2 | 0.5 | 0.7 | 41.5 | <0.01 | 0.02 | 3.3 |
| I032436 | | 1.50 | 37.8 | 400 | 8.2 | 14.1 | <0.001 | 0.04 | 0.21 | 4.6 | 0.5 | 0.4 | 22.7 | <0.01 | 0.03 | 5.4 |
| I032437 | | 1.43 | 54.3 | 800 | 9.2 | 23.0 | <0.001 | 0.02 | 0.18 | 4.1 | 0.9 | 0.5 | 28.4 | <0.01 | 0.03 | 1.5 |
| I032438 | | 2.15 | 22.8 | 410 | 9.6 | 10.7 | <0.001 | 0.02 | 0.42 | 4.3 | 0.7 | 0.6 | 16.1 | 0.01 | 0.03 | 2.3 |
| I032439 | | 2.35 | 21.7 | 500 | 24.6 | 22.6 | <0.001 | 0.01 | 0.42 | 4.5 | 0.7 | 1.0 | 17.6 | <0.01 | 0.05 | 7.4 |
| I032440 | | 2.04 | 21.8 | 400 | 20.9 | 22.6 | <0.001 | 0.01 | 0.28 | 4.5 | 0.6 | 0.6 | 18.6 | <0.01 | 0.03 | 4.2 |
| I032441 | | 1.38 | 33.2 | 1250 | 18.3 | 51.7 | <0.001 | 0.03 | 0.21 | 6.6 | 0.7 | 0.8 | 52.7 | <0.01 | 0.03 | 12.3 |
| I032442 | | 1.70 | 18.4 | 430 | 19.2 | 20.4 | <0.001 | 0.01 | 0.32 | 4.1 | 0.7 | 0.7 | 14.6 | 0.01 | 0.04 | 5.8 |
| I032443 | | 0.20 | 4.0 | 180 | 1.5 | 1.6 | <0.001 | <0.01 | 0.13 | 0.6 | 0.2 | <0.2 | 10.1 | <0.01 | <0.01 | 1.8 |
| I032444 | | 0.79 | 17.1 | 1050 | 13.5 | 15.0 | <0.001 | 0.03 | 0.23 | 3.6 | 0.8 | 0.6 | 29.3 | <0.01 | 0.02 | 2.5 |
| I032445 | | 2.66 | 21.9 | 370 | 10.7 | 12.2 | <0.001 | 0.02 | 0.58 | 4.1 | 0.8 | 0.7 | 17.1 | 0.01 | 0.05 | 2.0 |
| I032446 | | 2.39 | 17.1 | 380 | 11.5 | 10.5 | <0.001 | 0.02 | 0.46 | 4.2 | 0.6 | 0.8 | 21.2 | 0.01 | 0.03 | 2.5 |
| I032447 | | 1.88 | 32.6 | 460 | 9.1 | 22.5 | <0.001 | 0.01 | 0.30 | 2.5 | 0.5 | 0.5 | 18.6 | <0.01 | 0.04 | 2.1 |
| I032448 | | 1.55 | 40.0 | 600 | 34.6 | 32.2 | <0.001 | 0.02 | 0.17 | 3.1 | 0.6 | 0.4 | 29.3 | <0.01 | 0.04 | 1.6 |
| I032449 | | 2.11 | 23.7 | 360 | 11.2 | 15.2 | <0.001 | 0.02 | 0.31 | 3.4 | 0.5 | 0.6 | 18.3 | <0.01 | 0.03 | 2.0 |
| I032450 | | 1.27 | 28.7 | 720 | 9.1 | 13.4 | <0.001 | 0.02 | 0.30 | 5.8 | 0.9 | 0.5 | 25.4 | 0.01 | 0.02 | 2.9 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 8 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I032416 | | 0.143 | 0.18 | 1.35 | 68 | 0.13 | 17.50 | 58 | 9.9 |
| I032417 | | 0.123 | 0.37 | 2.88 | 58 | 0.16 | 36.0 | 73 | 4.7 |
| I032418 | | 0.099 | 0.15 | 1.19 | 55 | 0.10 | 8.03 | 54 | 4.1 |
| I032419 | | 0.111 | 0.31 | 1.56 | 51 | 0.13 | 12.80 | 66 | 1.9 |
| I032420 | | 0.095 | 0.15 | 1.19 | 66 | 0.17 | 8.14 | 54 | 2.1 |
| I032421 | | 0.092 | 0.11 | 0.56 | 68 | 0.11 | 2.94 | 53 | 1.4 |
| I032422 | | 0.087 | 0.09 | 0.66 | 59 | 0.14 | 4.12 | 38 | 1.3 |
| I032423 | | 0.077 | 0.12 | 1.51 | 56 | 0.17 | 9.61 | 39 | 1.4 |
| I032424 | | 0.095 | 0.10 | 0.58 | 65 | 0.09 | 3.31 | 42 | 1.5 |
| I032425 | | 0.092 | 0.12 | 0.70 | 61 | 0.11 | 6.00 | 46 | 1.8 |
| I032426 | | 0.083 | 0.10 | 0.57 | 59 | 0.09 | 3.81 | 39 | 2.3 |
| I032427 | | 0.102 | 0.10 | 0.63 | 72 | 0.09 | 5.61 | 44 | 6.7 |
| I032428 | | 0.113 | 0.12 | 0.58 | 84 | 0.10 | 4.29 | 50 | 3.5 |
| I032429 | | 0.089 | 0.25 | 0.55 | 55 | 0.11 | 3.88 | 47 | 1.5 |
| I032430 | | 0.006 | 0.03 | 0.31 | 4 | <0.05 | 2.06 | 5 | 2.1 |
| I032431 | | 0.104 | 0.21 | 1.23 | 115 | 0.17 | 6.18 | 65 | 1.3 |
| I032432 | | 0.182 | 0.15 | 0.39 | 120 | 0.14 | 3.47 | 58 | 3.5 |
| I032433 | | 0.080 | 0.15 | 0.45 | 78 | 0.16 | 4.02 | 41 | 1.0 |
| I032434 | | 0.059 | 0.17 | 2.13 | 64 | 0.12 | 8.41 | 49 | 1.0 |
| I032435 | | 0.153 | 0.20 | 0.55 | 50 | 0.13 | 4.30 | 108 | 1.4 |
| I032436 | | 0.085 | 0.17 | 0.87 | 65 | 0.10 | 6.21 | 75 | 1.4 |
| I032437 | | 0.115 | 0.22 | 0.93 | 70 | 0.11 | 7.24 | 84 | 1.1 |
| I032438 | | 0.100 | 0.11 | 0.57 | 86 | 0.14 | 3.89 | 48 | 2.3 |
| I032439 | | 0.095 | 0.17 | 0.80 | 82 | 0.16 | 6.76 | 66 | 2.7 |
| I032440 | | 0.098 | 0.22 | 0.58 | 73 | 0.17 | 5.34 | 53 | 2.2 |
| I032441 | | 0.119 | 0.42 | 1.32 | 76 | 0.13 | 11.40 | 81 | 1.7 |
| I032442 | | 0.069 | 0.18 | 1.40 | 67 | 0.16 | 7.63 | 46 | 1.2 |
| I032443 | | 0.007 | 0.03 | 0.30 | 5 | <0.05 | 2.28 | 6 | 2.0 |
| I032444 | | 0.031 | 0.14 | 2.78 | 49 | 0.10 | 11.80 | 51 | 0.6 |
| I032445 | | 0.123 | 0.17 | 0.59 | 100 | 0.18 | 3.76 | 45 | 3.0 |
| I032446 | | 0.118 | 0.14 | 0.58 | 99 | 0.14 | 3.52 | 48 | 3.4 |
| I032447 | | 0.129 | 0.18 | 0.35 | 64 | 0.09 | 2.52 | 86 | 0.8 |
| I032448 | | 0.121 | 0.23 | 0.76 | 57 | 0.08 | 6.36 | 65 | 0.7 |
| I032449 | | 0.135 | 0.13 | 0.61 | 77 | 0.11 | 4.08 | 54 | 1.8 |
| I032450 | | 0.075 | 0.12 | 1.56 | 59 | 0.18 | 16.70 | 52 | 1.2 |
| | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

| Method | CERTIFICATE COMMENTS |
|-----------------------------------|---|
| ALL METHODS ME-MS41 ME-MS41 | NSS is non-sufficient sample. Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 21-SEP-2010
Account: EIASQI

CERTIFICATE WH10122483

Project: SQI10-06
P.O. No.: SQI10-06_22
This report is for 160 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-24 | Pulp Login - Rcd w/o Barcode |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I033151 | | 0.24 | 0.007 | 0.12 | 1.99 | 7.1 | <0.2 | <10 | 270 | 0.40 | 0.12 | 0.49 | 0.14 | 38.7 | 13.2 | 98 |
| I033152 | | 0.30 | <0.005 | 0.11 | 1.88 | 5.2 | <0.2 | <10 | 270 | 0.50 | 0.11 | 1.23 | 0.20 | 38.4 | 13.5 | 60 |
| I033153 | | 0.38 | 0.005 | 0.06 | 1.72 | 5.3 | <0.2 | <10 | 150 | 0.24 | 0.11 | 0.45 | 0.10 | 24.2 | 11.7 | 51 |
| I033154 | | 0.32 | 0.006 | 0.08 | 1.93 | 5.4 | <0.2 | <10 | 230 | 0.33 | 0.10 | 0.59 | 0.12 | 28.1 | 16.4 | 63 |
| I033155 | | 0.26 | <0.005 | 0.06 | 1.52 | 3.7 | <0.2 | <10 | 160 | 0.25 | 0.08 | 1.19 | 0.16 | 12.25 | 13.1 | 47 |
| I033156 | | 0.30 | <0.005 | 0.06 | 1.29 | 4.0 | <0.2 | <10 | 140 | 0.27 | 0.09 | 1.22 | 0.14 | 12.20 | 9.1 | 33 |
| I033157 | | 0.26 | <0.005 | 0.06 | 1.30 | 3.3 | <0.2 | <10 | 140 | 0.21 | 0.07 | 1.36 | 0.15 | 10.10 | 10.2 | 35 |
| I033158 | | 0.38 | <0.005 | 0.11 | 1.52 | 3.0 | <0.2 | <10 | 170 | 0.06 | 0.05 | 0.65 | 0.10 | 10.30 | 10.8 | 46 |
| I033159 | | 0.34 | 0.006 | 0.08 | 1.38 | 5.5 | <0.2 | <10 | 140 | 0.25 | 0.08 | 1.57 | 0.20 | 18.80 | 11.3 | 38 |
| I033160 | | 0.26 | 0.014 | 0.14 | 1.88 | 4.6 | <0.2 | <10 | 230 | 0.26 | 0.08 | 1.10 | 0.16 | 13.85 | 13.5 | 29 |
| I033161 | | 0.40 | <0.005 | 0.09 | 1.89 | 4.2 | <0.2 | <10 | 240 | 0.27 | 0.09 | 1.12 | 0.14 | 15.20 | 13.7 | 44 |
| I033162 | | 0.36 | 0.005 | 0.09 | 1.96 | 4.3 | <0.2 | <10 | 250 | 0.32 | 0.17 | 1.14 | 0.13 | 15.90 | 14.6 | 49 |
| I033163 | | 0.24 | 0.005 | 0.11 | 1.61 | 3.0 | <0.2 | <10 | 180 | 0.23 | 0.09 | 2.61 | 0.25 | 13.70 | 11.5 | 47 |
| I033164 | | 0.36 | <0.005 | 0.04 | 1.31 | 3.4 | <0.2 | <10 | 60 | 0.20 | 0.12 | 0.45 | 0.10 | 19.50 | 9.8 | 37 |
| I033165 | | 0.36 | <0.005 | 0.04 | 1.77 | 3.4 | <0.2 | <10 | 70 | 0.29 | 0.11 | 0.31 | 0.07 | 16.15 | 14.6 | 54 |
| I033166 | | 0.28 | <0.005 | 0.06 | 1.19 | 2.9 | <0.2 | <10 | 80 | 0.33 | 0.12 | 0.81 | 0.13 | 65.1 | 10.6 | 27 |
| I033167 | | 0.22 | 0.005 | 0.08 | 0.80 | 3.1 | <0.2 | <10 | 60 | 0.22 | 0.11 | 0.31 | 0.08 | 16.05 | 3.8 | 19 |
| I033168 | | 0.38 | 0.005 | 0.10 | 1.49 | 3.2 | <0.2 | <10 | 90 | 0.37 | 0.11 | 0.81 | 0.12 | 65.4 | 18.9 | 32 |
| I033169 | | 0.34 | <0.005 | 0.04 | 1.05 | 2.3 | <0.2 | <10 | 60 | 0.28 | 0.06 | 1.02 | 0.09 | 25.2 | 10.6 | 21 |
| I033170 | | 0.34 | <0.005 | 0.06 | 1.53 | 2.4 | <0.2 | <10 | 90 | 0.40 | 0.09 | 0.94 | 0.14 | 40.6 | 14.4 | 28 |
| I033171 | | 0.54 | <0.005 | 0.05 | 1.45 | 3.1 | <0.2 | <10 | 70 | 0.37 | 0.09 | 0.62 | 0.07 | 32.8 | 13.8 | 34 |
| I033172 | | 0.42 | 0.013 | 0.10 | 1.68 | 3.4 | <0.2 | <10 | 100 | 0.27 | 0.13 | 0.42 | 0.10 | 32.5 | 14.4 | 37 |
| I033173 | | 0.48 | 0.014 | 0.06 | 1.44 | 3.6 | <0.2 | <10 | 90 | 0.33 | 0.13 | 0.47 | 0.09 | 38.8 | 14.1 | 31 |
| I033174 | | 0.34 | <0.005 | 0.07 | 1.40 | 3.4 | <0.2 | <10 | 90 | 0.23 | 0.13 | 0.63 | 0.13 | 30.0 | 14.7 | 31 |
| I033175 | | 0.32 | 0.007 | 0.11 | 1.64 | 3.1 | <0.2 | <10 | 100 | 0.36 | 0.16 | 0.50 | 0.11 | 38.7 | 23.0 | 38 |
| I033176 | | 0.26 | 0.007 | 0.07 | 1.27 | 2.9 | <0.2 | <10 | 70 | 0.64 | 0.21 | 0.25 | 0.13 | 80.0 | 20.6 | 34 |
| I033177 | | 0.40 | <0.005 | 0.04 | 1.39 | 5.9 | <0.2 | <10 | 90 | 0.29 | 0.20 | 0.79 | 0.08 | 24.5 | 14.1 | 27 |
| I033178 | | 0.40 | <0.005 | 0.06 | 1.55 | 4.2 | <0.2 | <10 | 90 | 0.48 | 0.10 | 1.20 | 0.09 | 43.0 | 14.2 | 32 |
| I033179 | | 0.36 | 0.005 | 0.05 | 1.29 | 2.7 | <0.2 | <10 | 70 | 0.41 | 0.13 | 0.89 | 0.09 | 31.4 | 11.9 | 26 |
| I033180 | | 0.26 | <0.005 | 0.10 | 1.52 | 5.0 | <0.2 | <10 | 120 | 0.46 | 0.14 | 0.56 | 0.08 | 35.7 | 15.6 | 33 |
| I033185 | | 0.32 | <0.005 | 0.05 | 1.29 | 5.6 | <0.2 | <10 | 50 | 0.15 | 0.33 | 0.09 | 0.10 | 25.1 | 7.5 | 23 |
| I033186 | | 0.36 | <0.005 | 0.03 | 3.83 | 3.1 | <0.2 | <10 | 180 | 0.69 | 0.20 | 0.17 | 0.04 | 41.6 | 24.7 | 77 |
| I033187 | | 0.32 | <0.005 | 0.02 | 2.58 | 9.4 | <0.2 | <10 | 100 | 0.33 | 0.22 | 0.09 | 0.08 | 31.9 | 11.6 | 41 |
| I033188 | | 0.28 | <0.005 | 0.08 | 2.23 | 11.7 | <0.2 | <10 | 130 | 0.32 | 0.27 | 0.15 | 0.14 | 17.40 | 9.0 | 37 |
| I033189 | | 0.28 | <0.005 | 0.12 | 2.05 | 9.3 | <0.2 | <10 | 150 | 0.36 | 0.28 | 0.16 | 0.16 | 24.5 | 10.9 | 33 |
| I033190 | | 0.22 | <0.005 | 0.06 | 1.72 | 6.1 | <0.2 | <10 | 200 | 0.33 | 0.11 | 0.27 | 0.18 | 20.8 | 12.1 | 41 |
| I033191 | | 0.34 | <0.005 | 0.09 | 2.55 | 10.9 | <0.2 | <10 | 240 | 0.29 | 0.16 | 0.30 | 0.19 | 16.60 | 12.7 | 43 |
| I033192 | | 0.18 | <0.005 | 0.11 | 1.34 | 4.2 | <0.2 | <10 | 260 | 0.26 | 0.14 | 0.36 | 0.20 | 13.55 | 10.5 | 27 |
| I033193 | | 0.26 | 0.005 | 0.22 | 2.30 | 5.5 | <0.2 | <10 | 240 | 0.60 | 0.13 | 0.74 | 0.24 | 61.5 | 13.6 | 52 |
| I033194 | | 0.14 | <0.005 | 0.11 | 0.83 | 2.0 | <0.2 | <10 | 220 | 0.20 | 0.07 | 3.41 | 0.21 | 18.00 | 6.2 | 25 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I033151 | | 2.05 | 24.2 | 3.11 | 7.74 | <0.05 | 0.04 | 0.05 | 0.018 | 0.10 | 20.5 | 13.7 | 1.09 | 500 | 0.95 | 0.03 |
| I033152 | | 1.44 | 42.3 | 2.94 | 6.68 | 0.06 | 0.04 | 0.05 | 0.022 | 0.12 | 19.4 | 15.4 | 0.83 | 489 | 0.73 | 0.03 |
| I033153 | | 1.25 | 28.9 | 2.93 | 6.60 | <0.05 | 0.03 | 0.03 | 0.016 | 0.07 | 11.9 | 11.1 | 0.83 | 412 | 0.89 | 0.02 |
| I033154 | | 1.54 | 34.1 | 3.23 | 7.63 | 0.05 | 0.03 | 0.05 | 0.021 | 0.10 | 13.5 | 14.2 | 1.02 | 716 | 0.97 | 0.03 |
| I033155 | | 0.79 | 29.2 | 2.49 | 5.55 | <0.05 | 0.05 | 0.05 | 0.016 | 0.07 | 5.6 | 11.1 | 0.82 | 580 | 0.88 | 0.03 |
| I033156 | | 0.65 | 20.7 | 2.01 | 5.22 | <0.05 | 0.05 | 0.04 | 0.016 | 0.04 | 5.7 | 8.6 | 0.52 | 469 | 0.86 | 0.03 |
| I033157 | | 0.62 | 29.7 | 2.08 | 5.07 | <0.05 | 0.04 | 0.09 | 0.014 | 0.05 | 4.8 | 8.6 | 0.64 | 284 | 0.67 | 0.04 |
| I033158 | | 1.21 | 34.9 | 2.73 | 5.98 | 0.09 | 0.02 | 0.02 | 0.016 | 0.13 | 5.6 | 7.9 | 0.87 | 348 | 0.74 | 0.01 |
| I033159 | | 0.71 | 38.2 | 2.60 | 4.50 | 0.11 | 0.09 | 0.01 | 0.019 | 0.08 | 9.7 | 9.0 | 0.63 | 326 | 0.70 | 0.03 |
| I033160 | | 2.05 | 66.0 | 2.93 | 5.42 | 0.08 | 0.05 | 0.03 | 0.019 | 0.17 | 6.2 | 13.8 | 0.85 | 440 | 1.26 | 0.02 |
| I033161 | | 1.26 | 49.2 | 2.91 | 5.33 | 0.07 | 0.06 | 0.03 | 0.019 | 0.19 | 7.2 | 13.5 | 0.94 | 417 | 0.70 | 0.02 |
| I033162 | | 1.44 | 51.9 | 2.97 | 5.49 | 0.08 | 0.06 | 0.03 | 0.021 | 0.22 | 7.3 | 14.2 | 1.02 | 443 | 0.75 | 0.02 |
| I033163 | | 1.36 | 54.6 | 2.35 | 4.41 | 0.07 | 0.06 | 0.05 | 0.016 | 0.14 | 6.5 | 11.3 | 0.75 | 407 | 0.74 | 0.02 |
| I033164 | | 1.26 | 25.1 | 2.44 | 6.52 | 0.05 | 0.02 | 0.02 | 0.016 | 0.10 | 10.2 | 10.8 | 0.53 | 237 | 0.91 | <0.01 |
| I033165 | | 1.49 | 20.4 | 3.16 | 7.79 | 0.05 | <0.02 | 0.02 | 0.019 | 0.06 | 8.4 | 13.0 | 0.82 | 320 | 0.86 | 0.02 |
| I033166 | | 0.89 | 28.8 | 2.35 | 5.46 | 0.07 | 0.02 | 0.05 | 0.022 | 0.08 | 34.9 | 8.0 | 0.34 | 275 | 0.69 | 0.02 |
| I033167 | | 0.92 | 15.6 | 1.51 | 4.37 | <0.05 | <0.02 | 0.05 | 0.014 | 0.04 | 8.0 | 3.8 | 0.20 | 85 | 0.47 | 0.01 |
| I033168 | | 1.15 | 26.3 | 2.97 | 5.41 | 0.08 | 0.03 | 0.05 | 0.022 | 0.06 | 32.1 | 13.8 | 0.51 | 642 | 0.78 | 0.02 |
| I033169 | | 0.93 | 15.3 | 1.98 | 3.94 | 0.06 | 0.03 | 0.02 | 0.013 | 0.07 | 12.0 | 9.7 | 0.45 | 357 | 0.30 | 0.02 |
| I033170 | | 2.30 | 22.0 | 2.99 | 5.63 | 0.08 | 0.03 | 0.03 | 0.017 | 0.20 | 20.8 | 13.8 | 0.67 | 461 | 0.77 | 0.02 |
| I033171 | | 2.16 | 18.0 | 3.17 | 5.35 | 0.08 | 0.03 | 0.02 | 0.018 | 0.18 | 16.1 | 13.5 | 0.67 | 382 | 0.83 | 0.02 |
| I033172 | | 1.86 | 20.1 | 2.99 | 6.57 | 0.06 | 0.02 | 0.04 | 0.021 | 0.08 | 15.9 | 12.7 | 0.62 | 583 | 0.77 | 0.02 |
| I033173 | | 2.25 | 18.5 | 3.16 | 5.52 | 0.07 | 0.02 | 0.03 | 0.022 | 0.09 | 18.8 | 10.8 | 0.56 | 457 | 0.68 | 0.02 |
| I033174 | | 1.61 | 16.5 | 2.63 | 5.37 | 0.06 | 0.02 | 0.07 | 0.019 | 0.08 | 14.4 | 10.2 | 0.53 | 692 | 0.78 | 0.02 |
| I033175 | | 3.62 | 22.8 | 3.34 | 6.58 | 0.08 | 0.02 | 0.02 | 0.022 | 0.25 | 22.0 | 14.8 | 0.71 | 835 | 0.77 | 0.02 |
| I033176 | | 4.12 | 35.0 | 4.37 | 4.43 | 0.10 | 0.03 | 0.02 | 0.034 | 0.16 | 36.8 | 12.0 | 0.43 | 395 | 0.96 | 0.01 |
| I033177 | | 1.63 | 11.9 | 2.92 | 5.53 | 0.07 | 0.04 | 0.02 | 0.023 | 0.08 | 11.4 | 17.2 | 0.54 | 455 | 0.53 | 0.02 |
| I033178 | | 2.28 | 22.8 | 3.04 | 5.47 | 0.09 | 0.04 | 0.03 | 0.023 | 0.15 | 18.9 | 18.2 | 0.61 | 377 | 0.45 | 0.02 |
| I033179 | | 2.07 | 16.3 | 2.53 | 4.67 | 0.08 | 0.03 | 0.02 | 0.016 | 0.12 | 15.5 | 13.9 | 0.52 | 318 | 0.33 | 0.02 |
| I033180 | | 2.81 | 20.3 | 3.04 | 6.24 | 0.07 | 0.02 | 0.03 | 0.022 | 0.08 | 17.6 | 14.7 | 0.56 | 669 | 0.71 | 0.02 |
| I033185 | | 1.22 | 19.1 | 2.66 | 9.91 | 0.05 | 0.02 | 0.02 | 0.015 | 0.16 | 7.3 | 5.4 | 0.44 | 154 | 1.23 | 0.01 |
| I033186 | | 2.09 | 20.1 | 4.58 | 16.40 | 0.12 | 0.04 | 0.02 | 0.045 | 0.50 | 7.7 | 22.7 | 1.74 | 190 | 0.86 | 0.01 |
| I033187 | | 1.51 | 24.2 | 4.85 | 13.10 | 0.08 | 0.04 | 0.01 | 0.026 | 0.27 | 16.6 | 18.2 | 0.86 | 231 | 1.46 | 0.01 |
| I033188 | | 1.34 | 15.5 | 4.62 | 12.50 | 0.07 | 0.03 | 0.02 | 0.029 | 0.05 | 8.4 | 18.5 | 0.43 | 277 | 1.97 | 0.01 |
| I033189 | | 1.29 | 19.9 | 3.64 | 8.97 | <0.05 | 0.05 | 0.01 | 0.021 | 0.17 | 7.6 | 14.6 | 0.59 | 274 | 1.38 | 0.01 |
| I033190 | | 0.93 | 24.5 | 2.78 | 6.90 | <0.05 | 0.04 | 0.02 | 0.022 | 0.10 | 10.4 | 14.1 | 0.63 | 254 | 0.94 | 0.02 |
| I033191 | | 0.69 | 19.1 | 3.59 | 8.15 | <0.05 | 0.10 | 0.02 | 0.030 | 0.07 | 7.7 | 17.0 | 0.67 | 426 | 1.49 | 0.02 |
| I033192 | | 0.50 | 12.9 | 2.26 | 5.78 | <0.05 | 0.03 | 0.02 | 0.017 | 0.17 | 6.0 | 9.4 | 0.38 | 591 | 0.91 | 0.03 |
| I033193 | | 1.38 | 39.8 | 3.53 | 7.57 | 0.10 | 0.08 | 0.04 | 0.025 | 0.28 | 41.5 | 16.1 | 0.95 | 396 | 0.78 | 0.02 |
| I033194 | | 0.76 | 50.2 | 1.32 | 2.74 | 0.05 | 0.05 | 0.07 | 0.036 | 0.14 | 12.0 | 6.0 | 0.44 | 312 | 0.64 | 0.03 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I033151 | | 1.51 | 41.3 | 710 | 7.9 | 32.2 | <0.001 | 0.04 | 0.27 | 4.4 | 0.9 | 0.6 | 32.6 | <0.01 | 0.03 | 2.6 |
| I033152 | | 1.38 | 34.2 | 720 | 6.2 | 25.2 | <0.001 | 0.05 | 0.24 | 5.2 | 1.2 | 0.4 | 41.1 | <0.01 | 0.04 | 1.9 |
| I033153 | | 1.27 | 25.9 | 740 | 5.8 | 17.7 | <0.001 | 0.03 | 0.17 | 4.1 | 0.7 | 0.4 | 25.4 | <0.01 | 0.03 | 2.0 |
| I033154 | | 1.46 | 32.6 | 810 | 5.8 | 25.7 | <0.001 | 0.04 | 0.18 | 4.9 | 0.9 | 0.5 | 31.7 | <0.01 | 0.03 | 1.9 |
| I033155 | | 1.02 | 24.9 | 710 | 4.1 | 12.1 | <0.001 | 0.05 | 0.17 | 4.5 | 1.0 | 0.3 | 35.2 | <0.01 | 0.03 | 0.7 |
| I033156 | | 1.04 | 16.4 | 680 | 5.1 | 5.6 | <0.001 | 0.07 | 0.23 | 3.6 | 1.1 | 0.4 | 38.1 | <0.01 | 0.04 | 0.5 |
| I033157 | | 0.93 | 19.8 | 610 | 4.0 | 7.8 | <0.001 | 0.09 | 0.22 | 4.1 | 1.1 | 0.3 | 41.5 | <0.01 | 0.03 | 0.5 |
| I033158 | | 0.99 | 22.8 | 630 | 4.4 | 14.0 | 0.001 | 0.03 | 0.16 | 4.3 | 0.8 | 0.4 | 28.7 | <0.01 | 0.03 | 0.8 |
| I033159 | | 1.41 | 25.9 | 590 | 5.1 | 11.7 | 0.001 | 0.04 | 0.28 | 4.2 | 1.3 | 0.4 | 39.2 | <0.01 | 0.03 | 1.3 |
| I033160 | | 1.10 | 19.5 | 580 | 6.3 | 20.1 | 0.001 | 0.11 | 0.18 | 4.7 | 0.9 | 0.3 | 34.3 | <0.01 | 0.04 | 1.1 |
| I033161 | | 1.30 | 26.1 | 610 | 5.6 | 22.2 | <0.001 | 0.05 | 0.19 | 4.8 | 0.6 | 0.4 | 32.5 | <0.01 | 0.03 | 1.5 |
| I033162 | | 1.33 | 29.0 | 660 | 5.6 | 24.7 | <0.001 | 0.05 | 0.18 | 5.0 | 0.6 | 0.7 | 32.9 | <0.01 | 0.03 | 1.5 |
| I033163 | | 1.16 | 25.4 | 590 | 5.4 | 17.5 | <0.001 | 0.09 | 0.19 | 3.9 | 0.9 | 0.3 | 49.5 | 0.01 | 0.04 | 0.7 |
| I033164 | | 1.02 | 28.2 | 320 | 8.0 | 14.6 | <0.001 | 0.03 | 0.15 | 2.7 | 0.3 | 0.4 | 30.0 | <0.01 | 0.03 | 2.1 |
| I033165 | | 0.98 | 34.7 | 450 | 6.7 | 14.6 | <0.001 | 0.04 | 0.15 | 4.3 | 0.4 | 0.4 | 22.6 | <0.01 | 0.03 | 1.7 |
| I033166 | | 0.71 | 29.0 | 440 | 7.3 | 9.6 | <0.001 | 0.04 | 0.25 | 3.5 | 0.7 | 0.4 | 57.5 | <0.01 | 0.03 | 2.2 |
| I033167 | | 0.69 | 10.4 | 620 | 7.0 | 8.4 | <0.001 | 0.07 | 0.13 | 1.3 | 0.7 | 0.4 | 24.8 | <0.01 | 0.03 | 0.2 |
| I033168 | | 1.11 | 30.8 | 580 | 8.9 | 14.9 | <0.001 | 0.06 | 0.15 | 4.0 | 0.8 | 0.3 | 55.6 | <0.01 | 0.04 | 4.5 |
| I033169 | | 1.10 | 20.3 | 540 | 5.1 | 15.9 | <0.001 | 0.05 | 0.12 | 2.9 | 0.6 | 0.3 | 64.0 | <0.01 | 0.03 | 2.3 |
| I033170 | | 1.45 | 27.0 | 750 | 8.4 | 41.4 | <0.001 | 0.05 | 0.13 | 3.6 | 0.7 | 0.3 | 63.7 | <0.01 | 0.03 | 4.7 |
| I033171 | | 1.20 | 29.5 | 540 | 8.0 | 26.0 | <0.001 | 0.04 | 0.16 | 4.3 | 0.5 | 0.4 | 45.3 | <0.01 | 0.03 | 5.8 |
| I033172 | | 1.07 | 28.2 | 710 | 9.2 | 19.5 | <0.001 | 0.04 | 0.17 | 4.3 | 0.5 | 0.5 | 31.4 | <0.01 | 0.04 | 2.4 |
| I033173 | | 0.98 | 27.9 | 690 | 10.9 | 19.0 | <0.001 | 0.03 | 0.16 | 4.8 | 0.5 | 0.4 | 33.7 | <0.01 | 0.03 | 4.8 |
| I033174 | | 1.01 | 22.5 | 630 | 10.8 | 19.4 | <0.001 | 0.05 | 0.20 | 3.9 | 0.7 | 0.4 | 52.2 | <0.01 | 0.03 | 2.7 |
| I033175 | | 1.05 | 34.1 | 660 | 16.4 | 39.8 | <0.001 | 0.04 | 0.14 | 4.6 | 0.6 | 0.5 | 43.5 | <0.01 | 0.04 | 4.3 |
| I033176 | | 0.72 | 50.0 | 480 | 13.8 | 24.8 | <0.001 | 0.02 | 0.20 | 5.8 | 0.5 | 0.4 | 22.3 | <0.01 | 0.04 | 11.6 |
| I033177 | | 1.16 | 21.4 | 610 | 12.0 | 12.9 | <0.001 | 0.03 | 0.17 | 3.7 | 0.5 | 0.5 | 55.2 | <0.01 | 0.03 | 3.7 |
| I033178 | | 1.20 | 30.5 | 580 | 9.7 | 27.3 | <0.001 | 0.05 | 0.18 | 4.4 | 0.8 | 0.4 | 85.1 | <0.01 | 0.03 | 3.6 |
| I033179 | | 1.10 | 25.0 | 750 | 9.4 | 22.7 | <0.001 | 0.03 | 0.13 | 3.7 | 0.5 | 0.4 | 65.1 | <0.01 | 0.02 | 3.6 |
| I033180 | | 1.14 | 28.3 | 600 | 9.0 | 21.6 | <0.001 | 0.03 | 0.20 | 4.5 | 0.6 | 0.5 | 47.5 | <0.01 | 0.04 | 3.1 |
| I033185 | | 2.02 | 16.4 | 350 | 8.4 | 30.3 | <0.001 | 0.02 | 0.26 | 2.8 | 0.4 | 0.7 | 10.1 | <0.01 | 0.04 | 3.8 |
| I033186 | | 0.99 | 82.3 | 610 | 5.7 | 66.1 | <0.001 | 0.01 | 0.10 | 8.4 | 0.4 | 1.9 | 8.8 | <0.01 | 0.03 | 12.0 |
| I033187 | | 4.04 | 24.1 | 510 | 10.6 | 30.2 | <0.001 | 0.08 | 0.36 | 4.7 | 0.4 | 0.9 | 14.2 | <0.01 | 0.05 | 10.7 |
| I033188 | | 2.41 | 16.6 | 460 | 11.9 | 15.8 | <0.001 | 0.02 | 0.65 | 3.7 | 0.4 | 0.8 | 15.7 | <0.01 | 0.07 | 1.6 |
| I033189 | | 2.04 | 26.5 | 350 | 21.3 | 25.5 | 0.001 | 0.02 | 0.40 | 3.1 | 0.2 | 0.7 | 17.5 | <0.01 | 0.04 | 3.3 |
| I033190 | | 1.49 | 34.9 | 650 | 5.4 | 13.7 | <0.001 | 0.02 | 0.24 | 3.4 | 0.4 | 0.5 | 21.9 | <0.01 | 0.03 | 1.9 |
| I033191 | | 1.40 | 28.4 | 370 | 9.2 | 11.0 | <0.001 | 0.02 | 0.43 | 4.2 | 0.2 | 0.7 | 28.9 | <0.01 | 0.04 | 2.6 |
| I033192 | | 1.13 | 19.8 | 380 | 6.4 | 17.6 | 0.001 | 0.02 | 0.25 | 2.6 | 0.2 | 0.5 | 27.1 | <0.01 | 0.03 | 1.1 |
| I033193 | | 1.78 | 41.3 | 560 | 9.1 | 37.3 | <0.001 | 0.03 | 0.19 | 6.3 | 0.7 | 0.6 | 40.5 | <0.01 | 0.04 | 7.5 |
| I033194 | | 0.74 | 19.0 | 690 | 4.0 | 17.1 | 0.001 | 0.17 | 0.22 | 1.8 | 1.3 | 0.2 | 151.5 | <0.01 | 0.03 | 0.9 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I033151 | | 0.138 | 0.22 | 0.96 | 70 | 0.49 | 7.32 | 70 | 1.1 |
| I033152 | | 0.112 | 0.15 | 0.93 | 63 | 0.47 | 11.85 | 71 | 1.8 |
| I033153 | | 0.118 | 0.13 | 0.71 | 67 | 0.37 | 5.25 | 62 | 0.9 |
| I033154 | | 0.127 | 0.15 | 0.83 | 71 | 0.29 | 6.96 | 66 | 1.4 |
| I033155 | | 0.098 | 0.09 | 0.49 | 64 | 0.26 | 4.86 | 63 | 1.8 |
| I033156 | | 0.075 | 0.06 | 0.54 | 53 | 0.26 | 4.63 | 46 | 2.0 |
| I033157 | | 0.077 | 0.05 | 0.42 | 52 | 0.26 | 3.94 | 53 | 1.6 |
| I033158 | | 0.105 | 0.07 | 0.38 | 59 | 0.08 | 3.66 | 65 | 0.9 |
| I033159 | | 0.096 | 0.06 | 0.83 | 53 | 0.12 | 8.70 | 50 | 3.9 |
| I033160 | | 0.144 | 0.14 | 0.76 | 70 | 0.12 | 7.66 | 55 | 2.1 |
| I033161 | | 0.153 | 0.11 | 0.63 | 71 | 0.09 | 7.98 | 66 | 2.7 |
| I033162 | | 0.155 | 0.13 | 0.68 | 73 | 0.26 | 8.59 | 67 | 2.8 |
| I033163 | | 0.101 | 0.11 | 0.80 | 57 | 0.08 | 8.24 | 60 | 2.7 |
| I033164 | | 0.089 | 0.11 | 0.56 | 52 | 0.10 | 4.54 | 56 | 0.5 |
| I033165 | | 0.075 | 0.11 | 0.37 | 59 | 0.12 | 3.86 | 71 | 0.5 |
| I033166 | | 0.042 | 0.08 | 0.66 | 39 | 0.09 | 13.80 | 48 | <0.5 |
| I033167 | | 0.042 | 0.10 | 0.60 | 23 | 0.08 | 3.09 | 26 | <0.5 |
| I033168 | | 0.060 | 0.11 | 1.21 | 44 | 0.12 | 11.05 | 63 | 0.7 |
| I033169 | | 0.059 | 0.10 | 0.69 | 29 | 0.06 | 6.26 | 52 | 1.1 |
| I033170 | | 0.090 | 0.26 | 0.80 | 38 | 0.12 | 9.15 | 63 | 1.1 |
| I033171 | | 0.085 | 0.22 | 0.72 | 42 | 0.16 | 6.45 | 74 | 1.2 |
| I033172 | | 0.074 | 0.15 | 0.62 | 51 | 0.16 | 6.14 | 68 | 0.6 |
| I033173 | | 0.063 | 0.15 | 0.69 | 46 | 0.51 | 7.69 | 64 | 0.6 |
| I033174 | | 0.062 | 0.13 | 0.64 | 44 | 0.14 | 5.94 | 65 | 0.8 |
| I033175 | | 0.081 | 0.27 | 0.70 | 51 | 0.16 | 8.68 | 77 | 0.7 |
| I033176 | | 0.024 | 0.15 | 1.34 | 36 | 0.07 | 11.05 | 67 | 0.7 |
| I033177 | | 0.075 | 0.11 | 0.80 | 49 | 0.09 | 4.98 | 61 | 1.4 |
| I033178 | | 0.076 | 0.19 | 0.93 | 41 | 0.08 | 9.48 | 59 | 1.6 |
| I033179 | | 0.072 | 0.15 | 0.69 | 38 | 0.07 | 7.71 | 58 | 1.2 |
| I033180 | | 0.072 | 0.16 | 0.88 | 50 | 0.10 | 8.27 | 63 | 0.6 |
| I033185 | | 0.140 | 0.23 | 1.08 | 67 | 0.12 | 4.05 | 44 | 0.8 |
| I033186 | | 0.204 | 0.39 | 1.24 | 69 | 0.06 | 7.58 | 67 | 1.7 |
| I033187 | | 0.205 | 0.21 | 1.54 | 82 | 0.13 | 5.39 | 60 | 1.7 |
| I033188 | | 0.134 | 0.14 | 0.44 | 106 | 0.18 | 2.84 | 72 | 1.4 |
| I033189 | | 0.142 | 0.20 | 0.43 | 75 | 0.16 | 3.52 | 58 | 1.9 |
| I033190 | | 0.122 | 0.10 | 0.49 | 71 | 0.13 | 4.32 | 57 | 1.5 |
| I033191 | | 0.105 | 0.10 | 0.42 | 85 | 0.15 | 2.83 | 65 | 4.0 |
| I033192 | | 0.088 | 0.07 | 0.29 | 56 | 0.13 | 2.42 | 50 | 1.2 |
| I033193 | | 0.135 | 0.21 | 1.53 | 70 | 0.16 | 23.7 | 77 | 2.4 |
| I033194 | | 0.047 | 0.10 | 1.86 | 28 | 0.06 | 9.18 | 52 | 2.0 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I033195 | | 0.22 | <0.005 | 0.13 | 2.05 | 3.8 | <0.2 | <10 | 420 | 0.49 | 0.11 | 1.69 | 0.23 | 35.5 | 16.5 | 115 |
| I033196 | | 0.28 | <0.005 | 0.03 | 1.23 | 5.4 | <0.2 | <10 | 70 | 0.16 | 0.12 | 0.20 | 0.09 | 12.15 | 9.2 | 29 |
| I033197 | | 0.22 | <0.005 | 0.15 | 0.89 | 2.9 | <0.2 | <10 | 150 | 0.19 | 0.09 | 0.32 | 0.13 | 15.65 | 7.0 | 39 |
| I033198 | | 0.30 | <0.005 | 0.09 | 1.78 | 6.7 | <0.2 | <10 | 210 | 0.32 | 0.13 | 0.43 | 0.12 | 22.8 | 13.0 | 71 |
| I033199 | | 0.22 | <0.005 | 0.14 | 1.85 | 3.5 | <0.2 | <10 | 230 | 0.29 | 0.10 | 0.51 | 0.10 | 24.4 | 16.4 | 119 |
| I033200 | | 0.24 | <0.005 | 0.07 | 1.70 | 3.6 | <0.2 | <10 | 160 | 0.24 | 0.12 | 0.45 | 0.13 | 29.3 | 13.4 | 71 |
| I033307 | | 0.24 | 0.005 | 0.10 | 1.61 | 8.1 | <0.2 | <10 | 150 | 0.37 | 0.10 | 0.90 | 0.14 | 23.7 | 14.6 | 32 |
| I033308 | | 0.24 | 0.009 | 0.10 | 1.58 | 7.6 | <0.2 | <10 | 140 | 0.41 | 0.10 | 0.79 | 0.19 | 21.2 | 13.8 | 30 |
| I033309 | | 0.46 | <0.005 | 0.06 | 2.06 | 5.6 | <0.2 | <10 | 280 | 0.51 | 0.16 | 0.82 | 0.08 | 28.8 | 10.8 | 35 |
| I033310 | | 0.58 | <0.005 | 0.06 | 2.02 | 4.1 | <0.2 | <10 | 290 | 0.45 | 0.14 | 0.89 | 0.07 | 27.9 | 9.5 | 26 |
| I033311 | | 0.50 | <0.005 | 0.08 | 2.43 | 5.0 | <0.2 | <10 | 160 | 0.56 | 0.11 | 0.37 | 0.08 | 34.8 | 17.3 | 51 |
| I033312 | | 0.54 | <0.005 | 0.07 | 2.29 | 5.7 | <0.2 | <10 | 160 | 0.50 | 0.11 | 0.37 | 0.07 | 34.2 | 15.7 | 51 |
| I033313 | | 0.64 | <0.005 | 0.05 | 1.96 | 2.2 | <0.2 | <10 | 240 | 0.68 | 0.13 | 0.52 | 0.11 | 53.1 | 11.6 | 19 |
| I033314 | | 0.22 | <0.005 | 0.20 | 2.09 | 7.5 | <0.2 | <10 | 290 | 0.42 | 0.18 | 0.25 | 0.06 | 31.6 | 7.9 | 28 |
| I033315 | | 0.32 | 0.006 | 0.04 | 1.66 | 26.6 | <0.2 | <10 | 120 | 0.43 | 0.13 | 0.23 | 0.08 | 33.0 | 9.3 | 32 |
| I033316 | | 0.30 | <0.005 | 0.05 | 2.66 | 11.1 | <0.2 | <10 | 110 | 0.43 | 0.15 | 0.26 | 0.10 | 19.40 | 10.8 | 35 |
| I033317 | | 0.38 | <0.005 | 0.08 | 2.09 | 7.7 | <0.2 | <10 | 130 | 0.29 | 0.16 | 0.22 | 0.06 | 18.30 | 8.1 | 27 |
| I033318 | | 0.38 | <0.005 | 0.29 | 2.41 | 8.4 | <0.2 | <10 | 190 | 0.37 | 0.33 | 0.51 | 0.21 | 18.40 | 15.3 | 29 |
| I033319 | | 0.30 | 0.006 | 0.20 | 1.34 | 5.5 | <0.2 | <10 | 160 | 0.21 | 0.30 | 0.11 | 0.16 | 17.05 | 3.7 | 21 |
| I033320 | | 0.08 | 0.006 | <0.01 | 0.02 | <0.1 | <0.2 | <10 | 10 | <0.05 | 0.01 | 0.01 | 0.01 | 1.14 | 0.1 | 1 |
| I033321 | | 0.24 | <0.005 | 0.29 | 1.80 | 5.5 | <0.2 | <10 | 260 | 0.31 | 0.28 | 0.32 | 0.30 | 17.50 | 9.3 | 23 |
| I033322 | | 0.30 | <0.005 | 0.20 | 1.64 | 8.1 | <0.2 | <10 | 140 | 0.33 | 0.18 | 0.28 | 0.17 | 15.00 | 7.1 | 28 |
| I033323 | | 0.40 | <0.005 | 0.18 | 2.16 | 8.9 | <0.2 | <10 | 180 | 0.32 | 0.22 | 0.19 | 0.43 | 15.15 | 12.4 | 39 |
| I033324 | | 0.34 | <0.005 | 0.06 | 2.25 | 5.4 | <0.2 | <10 | 230 | 0.38 | 0.09 | 0.28 | 0.09 | 14.00 | 12.3 | 31 |
| I033325 | | 0.34 | <0.005 | 0.18 | 1.67 | 5.5 | <0.2 | <10 | 160 | 0.26 | 0.17 | 0.26 | 0.10 | 13.90 | 11.0 | 31 |
| I033326 | | 0.30 | <0.005 | 0.19 | 2.54 | 5.1 | <0.2 | <10 | 260 | 0.86 | 0.14 | 0.46 | 0.10 | 30.0 | 16.3 | 37 |
| I033327 | | 0.38 | <0.005 | 0.29 | 1.76 | 6.3 | <0.2 | <10 | 160 | 1.86 | 0.68 | 0.47 | 0.22 | 34.3 | 7.9 | 23 |
| I033328 | | 0.40 | 0.009 | 0.57 | 3.03 | 24.1 | <0.2 | <10 | 380 | 1.50 | 0.37 | 0.74 | 0.19 | 59.2 | 14.1 | 27 |
| I033329 | | 0.40 | <0.005 | 0.12 | 1.58 | 19.5 | <0.2 | <10 | 140 | 0.50 | 0.38 | 0.24 | 0.08 | 18.40 | 8.2 | 23 |
| I033330 | | 0.36 | 0.012 | 0.12 | 1.37 | 21.4 | <0.2 | <10 | 150 | 0.42 | 0.49 | 0.22 | 0.09 | 16.25 | 8.1 | 21 |
| I033331 | | 0.46 | <0.005 | 0.14 | 1.59 | 10.9 | <0.2 | <10 | 190 | 0.37 | 0.16 | 0.31 | 0.06 | 17.45 | 7.0 | 21 |
| I033332 | | 0.36 | <0.005 | 0.12 | 2.15 | 13.9 | <0.2 | <10 | 180 | 0.40 | 0.19 | 0.19 | 0.08 | 19.10 | 8.3 | 20 |
| I033333 | | 0.44 | <0.005 | 0.19 | 1.49 | 9.0 | <0.2 | <10 | 230 | 0.50 | 0.17 | 0.34 | 0.06 | 21.5 | 8.3 | 24 |
| I033334 | | 0.32 | <0.005 | 0.16 | 1.34 | 6.0 | <0.2 | <10 | 140 | 0.69 | 0.71 | 0.26 | 0.09 | 13.40 | 6.7 | 18 |
| I033335 | | 0.30 | <0.005 | 0.10 | 1.53 | 5.7 | <0.2 | <10 | 260 | 0.31 | 0.18 | 0.45 | 0.12 | 15.85 | 8.8 | 21 |
| I033336 | | 0.36 | 0.011 | 0.10 | 1.71 | 5.1 | <0.2 | <10 | 270 | 0.61 | 0.17 | 0.44 | 0.11 | 17.25 | 10.2 | 19 |
| I033337 | | 0.28 | 0.017 | 0.16 | 1.76 | 7.3 | <0.2 | <10 | 450 | 0.42 | 0.18 | 0.27 | 0.08 | 19.60 | 13.0 | 29 |
| I033338 | | 0.30 | <0.005 | 0.10 | 1.70 | 6.8 | <0.2 | <10 | 280 | 0.43 | 0.17 | 0.35 | 0.11 | 17.40 | 10.1 | 25 |
| I033339 | | 0.36 | <0.005 | 0.12 | 1.73 | 6.5 | <0.2 | <10 | 250 | 0.37 | 0.14 | 0.33 | 0.08 | 15.10 | 12.1 | 24 |
| I033340 | | 0.10 | <0.005 | <0.01 | 0.01 | <0.1 | <0.2 | <10 | 10 | <0.05 | <0.01 | 0.01 | 0.01 | 1.09 | 0.1 | <1 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I033195 | | 1.94 | 63.3 | 3.16 | 7.33 | 0.08 | 0.07 | 0.03 | 0.024 | 0.14 | 20.2 | 14.2 | 1.19 | 526 | 0.53 |
| I033196 | | 1.15 | 10.6 | 2.32 | 5.66 | <0.05 | 0.03 | 0.02 | 0.016 | 0.05 | 6.2 | 12.6 | 0.40 | 321 | 1.97 |
| I033197 | | 0.99 | 19.1 | 1.76 | 3.92 | 0.05 | 0.02 | 0.06 | 0.013 | 0.06 | 8.0 | 5.4 | 0.37 | 173 | 1.34 |
| I033198 | | 2.09 | 20.3 | 2.96 | 6.60 | 0.06 | 0.04 | 0.04 | 0.021 | 0.17 | 11.3 | 14.5 | 0.90 | 308 | 0.83 |
| I033199 | | 2.43 | 20.4 | 2.89 | 7.62 | 0.05 | 0.03 | 0.04 | 0.018 | 0.11 | 12.7 | 12.3 | 1.11 | 720 | 1.03 |
| I033200 | | 1.60 | 18.7 | 2.58 | 6.79 | 0.05 | 0.03 | 0.04 | 0.022 | 0.08 | 16.2 | 11.8 | 0.85 | 479 | 0.73 |
| I033307 | | 0.48 | 26.1 | 3.04 | 5.06 | 0.06 | 0.13 | 0.02 | 0.026 | 0.05 | 10.7 | 10.3 | 0.59 | 472 | 0.58 |
| I033308 | | 0.54 | 26.8 | 2.93 | 5.31 | 0.06 | 0.13 | 0.03 | 0.025 | 0.05 | 9.7 | 9.8 | 0.56 | 415 | 0.57 |
| I033309 | | 0.70 | 18.7 | 3.04 | 5.82 | 0.05 | 0.10 | 0.02 | 0.029 | 0.04 | 13.4 | 11.1 | 0.60 | 538 | 0.50 |
| I033310 | | 0.98 | 13.9 | 2.96 | 5.98 | 0.05 | 0.08 | 0.02 | 0.028 | 0.03 | 12.1 | 10.0 | 0.51 | 555 | 0.84 |
| I033311 | | 2.50 | 28.8 | 3.58 | 7.12 | 0.07 | 0.05 | 0.03 | 0.026 | 0.20 | 17.6 | 16.8 | 0.84 | 462 | 0.68 |
| I033312 | | 2.00 | 28.2 | 3.34 | 6.73 | 0.07 | 0.08 | 0.02 | 0.027 | 0.14 | 18.4 | 16.2 | 0.80 | 433 | 0.63 |
| I033313 | | 0.91 | 10.2 | 5.07 | 6.91 | 0.07 | 0.12 | 0.01 | 0.060 | 0.04 | 18.6 | 9.3 | 0.30 | 402 | 1.95 |
| I033314 | | 3.49 | 19.8 | 2.81 | 7.43 | <0.05 | 0.03 | 0.03 | 0.024 | 0.07 | 17.9 | 13.1 | 0.40 | 210 | 1.03 |
| I033315 | | 2.76 | 18.8 | 2.80 | 5.27 | 0.05 | 0.05 | 0.01 | 0.022 | 0.12 | 17.3 | 16.8 | 0.62 | 283 | 1.17 |
| I033316 | | 2.51 | 14.7 | 4.18 | 8.93 | 0.05 | 0.07 | 0.03 | 0.028 | 0.10 | 9.2 | 27.5 | 0.90 | 371 | 1.42 |
| I033317 | | 3.40 | 25.7 | 3.22 | 7.07 | <0.05 | 0.06 | 0.02 | 0.022 | 0.08 | 9.1 | 20.4 | 0.68 | 265 | 1.03 |
| I033318 | | 5.60 | 121.5 | 3.75 | 8.62 | 0.05 | 0.02 | 0.02 | 0.031 | 0.13 | 9.4 | 23.5 | 0.98 | 702 | 4.17 |
| I033319 | | 1.35 | 47.4 | 1.75 | 7.71 | <0.05 | <0.02 | 0.04 | 0.018 | 0.06 | 8.5 | 8.8 | 0.29 | 108 | 1.20 |
| I033320 | | <0.05 | 1.5 | 0.03 | 0.20 | <0.05 | <0.02 | <0.01 | <0.005 | <0.01 | 0.5 | 0.2 | <0.01 | <5 | 0.05 |
| I033321 | | 1.06 | 17.6 | 3.22 | 8.63 | <0.05 | 0.03 | 0.02 | 0.035 | 0.11 | 8.6 | 11.4 | 0.53 | 497 | 1.19 |
| I033322 | | 1.29 | 12.2 | 3.23 | 8.12 | <0.05 | 0.05 | 0.02 | 0.021 | 0.05 | 7.5 | 14.8 | 0.47 | 386 | 1.24 |
| I033323 | | 1.56 | 45.9 | 3.56 | 8.05 | 0.05 | 0.04 | 0.03 | 0.031 | 0.10 | 7.2 | 21.0 | 0.68 | 967 | 1.13 |
| I033324 | | 1.47 | 19.9 | 3.40 | 7.71 | 0.06 | 0.03 | 0.01 | 0.017 | 0.12 | 6.9 | 21.1 | 0.95 | 505 | 0.78 |
| I033325 | | 1.74 | 11.9 | 3.27 | 8.24 | <0.05 | 0.04 | 0.02 | 0.021 | 0.13 | 6.9 | 11.3 | 0.60 | 711 | 1.28 |
| I033326 | | 4.44 | 28.4 | 3.87 | 9.14 | 0.07 | 0.08 | 0.02 | 0.025 | 0.29 | 17.1 | 28.3 | 1.00 | 1000 | 0.94 |
| I033327 | | 9.11 | 29.2 | 2.70 | 6.53 | 0.07 | 0.07 | 0.04 | 0.033 | 0.14 | 26.6 | 19.5 | 0.48 | 442 | 1.22 |
| I033328 | | 12.40 | 39.9 | 4.32 | 10.40 | 0.10 | 0.08 | 0.04 | 0.049 | 0.21 | 45.6 | 44.8 | 0.69 | 832 | 1.52 |
| I033329 | | 3.48 | 13.2 | 2.92 | 6.40 | <0.05 | 0.08 | 0.01 | 0.023 | 0.08 | 9.4 | 23.1 | 0.51 | 346 | 1.38 |
| I033330 | | 3.73 | 11.3 | 2.84 | 6.47 | <0.05 | 0.04 | 0.01 | 0.021 | 0.09 | 7.9 | 16.4 | 0.44 | 519 | 1.87 |
| I033331 | | 3.21 | 16.5 | 2.56 | 5.96 | <0.05 | 0.07 | 0.01 | 0.019 | 0.07 | 9.9 | 17.8 | 0.50 | 207 | 0.93 |
| I033332 | | 3.52 | 12.8 | 3.45 | 8.05 | 0.05 | 0.05 | 0.01 | 0.023 | 0.21 | 9.0 | 29.5 | 0.65 | 259 | 1.23 |
| I033333 | | 7.18 | 20.8 | 2.81 | 5.39 | 0.05 | 0.05 | 0.02 | 0.020 | 0.14 | 16.5 | 19.8 | 0.60 | 407 | 0.81 |
| I033334 | | 2.58 | 10.4 | 2.49 | 5.67 | <0.05 | 0.06 | 0.01 | 0.018 | 0.11 | 7.0 | 13.7 | 0.43 | 258 | 0.95 |
| I033335 | | 1.45 | 12.3 | 2.86 | 6.37 | <0.05 | 0.05 | 0.01 | 0.021 | 0.12 | 8.3 | 14.7 | 0.50 | 445 | 1.39 |
| I033336 | | 2.57 | 13.6 | 3.02 | 5.89 | <0.05 | 0.03 | 0.01 | 0.021 | 0.12 | 8.2 | 17.9 | 0.52 | 561 | 0.79 |
| I033337 | | 1.18 | 15.3 | 2.95 | 5.93 | <0.05 | 0.06 | 0.03 | 0.024 | 0.10 | 9.3 | 13.3 | 0.47 | 998 | 1.02 |
| I033338 | | 1.22 | 13.1 | 3.07 | 5.98 | <0.05 | 0.05 | 0.01 | 0.026 | 0.12 | 8.3 | 15.0 | 0.50 | 369 | 0.96 |
| I033339 | | 1.14 | 17.3 | 3.10 | 5.95 | <0.05 | 0.03 | 0.01 | 0.023 | 0.12 | 7.5 | 17.4 | 0.58 | 411 | 0.75 |
| I033340 | | <0.05 | 0.8 | 0.02 | 0.05 | <0.05 | 0.02 | <0.01 | <0.005 | <0.01 | 0.5 | 0.1 | <0.01 | <5 | <0.05 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I033195 | | 1.41 | 56.8 | 580 | 7.5 | 24.7 | 0.001 | 0.07 | 0.20 | 6.2 | 0.7 | 0.5 | 76.8 | <0.01 | 0.02 | 2.8 |
| I033196 | | 1.27 | 17.2 | 380 | 7.4 | 12.6 | <0.001 | 0.02 | 0.18 | 2.5 | 0.2 | 0.4 | 15.3 | <0.01 | 0.03 | 2.2 |
| I033197 | | 0.68 | 16.8 | 990 | 4.3 | 10.5 | <0.001 | 0.09 | 0.22 | 1.5 | 0.6 | 0.3 | 25.9 | <0.01 | 0.04 | 0.2 |
| I033198 | | 1.40 | 31.1 | 870 | 9.3 | 33.3 | 0.001 | 0.05 | 0.24 | 3.8 | 0.5 | 0.5 | 28.9 | <0.01 | 0.03 | 2.2 |
| I033199 | | 1.14 | 44.2 | 710 | 8.3 | 32.2 | 0.001 | 0.06 | 0.15 | 3.3 | 0.5 | 0.5 | 35.1 | <0.01 | 0.04 | 1.6 |
| I033200 | | 1.21 | 31.8 | 620 | 8.0 | 24.1 | <0.001 | 0.05 | 0.18 | 3.7 | 0.4 | 0.5 | 32.7 | <0.01 | 0.02 | 2.2 |
| I033307 | | 1.60 | 25.6 | 600 | 5.4 | 6.0 | 0.001 | 0.04 | 0.32 | 5.3 | 0.5 | 0.5 | 48.7 | <0.01 | 0.03 | 1.9 |
| I033308 | | 1.60 | 25.1 | 560 | 5.5 | 6.2 | <0.001 | 0.04 | 0.30 | 4.9 | 0.5 | 0.5 | 44.7 | <0.01 | 0.01 | 1.8 |
| I033309 | | 1.16 | 20.7 | 380 | 7.9 | 5.3 | <0.001 | 0.03 | 0.31 | 6.9 | 0.3 | 0.6 | 46.9 | <0.01 | 0.02 | 2.4 |
| I033310 | | 1.15 | 15.2 | 750 | 6.6 | 5.2 | 0.001 | 0.03 | 0.26 | 6.4 | 0.4 | 0.6 | 53.4 | <0.01 | 0.03 | 1.8 |
| I033311 | | 1.33 | 43.0 | 520 | 9.0 | 23.8 | <0.001 | 0.02 | 0.22 | 5.3 | 0.2 | 0.5 | 31.1 | <0.01 | 0.02 | 4.1 |
| I033312 | | 1.21 | 40.8 | 450 | 8.7 | 17.0 | <0.001 | 0.02 | 0.22 | 5.8 | 0.4 | 0.6 | 31.7 | <0.01 | 0.03 | 4.9 |
| I033313 | | 1.08 | 8.6 | 1200 | 6.9 | 5.2 | <0.001 | 0.02 | 0.22 | 11.0 | 0.2 | 1.1 | 30.9 | <0.01 | 0.02 | 2.5 |
| I033314 | | 1.85 | 16.4 | 300 | 9.0 | 14.5 | 0.001 | 0.02 | 0.31 | 4.6 | 0.3 | 0.7 | 19.3 | <0.01 | 0.03 | 3.7 |
| I033315 | | 1.48 | 19.3 | 430 | 9.4 | 15.3 | <0.001 | 0.02 | 0.60 | 3.6 | 0.2 | 0.5 | 16.9 | <0.01 | 0.02 | 7.4 |
| I033316 | | 3.17 | 19.0 | 550 | 8.4 | 18.8 | <0.001 | 0.02 | 0.47 | 3.8 | 0.3 | 0.6 | 19.6 | <0.01 | 0.05 | 3.4 |
| I033317 | | 1.79 | 15.2 | 280 | 7.9 | 15.4 | <0.001 | 0.02 | 0.32 | 3.2 | 0.3 | 0.6 | 17.0 | <0.01 | 0.05 | 2.5 |
| I033318 | | 2.53 | 17.2 | 790 | 18.3 | 23.1 | <0.001 | 0.03 | 0.34 | 3.9 | 0.4 | 1.3 | 30.9 | <0.01 | 0.17 | 2.1 |
| I033319 | | 1.21 | 8.0 | 330 | 13.3 | 12.5 | <0.001 | 0.03 | 0.26 | 1.6 | 0.3 | 0.9 | 13.6 | <0.01 | 0.10 | 0.2 |
| I033320 | | 0.06 | 0.4 | 10 | 0.6 | 0.2 | <0.001 | 0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 0.9 | <0.01 | <0.01 | 0.2 |
| I033321 | | 1.83 | 11.0 | 830 | 10.5 | 17.1 | <0.001 | 0.03 | 0.29 | 3.3 | 0.2 | 1.7 | 25.5 | <0.01 | 0.04 | 2.2 |
| I033322 | | 1.56 | 11.2 | 340 | 10.4 | 13.9 | <0.001 | 0.01 | 0.42 | 4.1 | 0.2 | 0.7 | 18.4 | <0.01 | 0.03 | 1.9 |
| I033323 | | 1.44 | 16.8 | 340 | 21.2 | 12.6 | 0.001 | 0.01 | 0.46 | 5.7 | 0.3 | 0.7 | 14.0 | <0.01 | 0.04 | 2.2 |
| I033324 | | 1.41 | 14.7 | 350 | 9.0 | 15.6 | <0.001 | 0.01 | 0.30 | 4.0 | <0.2 | 0.5 | 17.5 | <0.01 | 0.02 | 1.6 |
| I033325 | | 1.61 | 12.5 | 320 | 10.3 | 24.3 | 0.001 | 0.02 | 0.33 | 3.6 | 0.2 | 0.7 | 17.7 | <0.01 | 0.03 | 1.9 |
| I033326 | | 1.88 | 17.2 | 480 | 10.6 | 36.3 | <0.001 | 0.01 | 0.26 | 7.9 | 0.5 | 0.7 | 23.9 | <0.01 | 0.02 | 3.2 |
| I033327 | | 5.12 | 12.0 | 490 | 18.4 | 33.2 | 0.001 | 0.02 | 0.35 | 7.2 | 0.7 | 1.3 | 26.5 | 0.01 | 0.02 | 6.0 |
| I033328 | | 3.99 | 16.8 | 640 | 29.1 | 31.3 | 0.001 | 0.03 | 0.57 | 10.8 | 0.9 | 1.0 | 41.9 | 0.01 | 0.05 | 4.5 |
| I033329 | | 2.57 | 12.0 | 320 | 11.3 | 17.4 | <0.001 | 0.01 | 0.38 | 4.1 | 0.2 | 0.9 | 17.7 | <0.01 | 0.03 | 3.0 |
| I033330 | | 3.16 | 10.0 | 290 | 13.4 | 21.7 | <0.001 | 0.01 | 0.35 | 3.4 | 0.2 | 1.0 | 16.9 | <0.01 | 0.04 | 2.5 |
| I033331 | | 1.14 | 12.0 | 320 | 8.8 | 11.8 | <0.001 | 0.01 | 0.36 | 4.5 | 0.2 | 0.5 | 19.4 | <0.01 | 0.02 | 2.4 |
| I033332 | | 2.57 | 11.5 | 340 | 10.3 | 29.5 | <0.001 | 0.01 | 0.42 | 4.6 | 0.2 | 0.7 | 15.1 | <0.01 | 0.02 | 3.3 |
| I033333 | | 1.56 | 13.8 | 280 | 6.8 | 18.0 | <0.001 | 0.01 | 0.39 | 5.8 | 0.3 | 0.4 | 22.1 | <0.01 | 0.02 | 4.4 |
| I033334 | | 2.61 | 10.4 | 180 | 11.5 | 20.1 | <0.001 | 0.01 | 0.38 | 3.6 | 0.2 | 0.9 | 17.7 | <0.01 | 0.02 | 2.7 |
| I033335 | | 1.33 | 12.7 | 370 | 8.3 | 13.7 | <0.001 | 0.02 | 0.33 | 4.0 | 0.2 | 0.5 | 25.0 | <0.01 | 0.02 | 2.3 |
| I033336 | | 1.31 | 11.8 | 310 | 7.9 | 19.2 | <0.001 | 0.01 | 0.34 | 4.1 | 0.3 | 0.5 | 22.7 | <0.01 | 0.03 | 2.1 |
| I033337 | | 1.32 | 17.3 | 230 | 8.6 | 11.2 | <0.001 | 0.01 | 0.41 | 5.2 | 0.3 | 0.6 | 21.8 | <0.01 | 0.02 | 3.0 |
| I033338 | | 1.18 | 15.8 | 240 | 8.0 | 10.8 | <0.001 | 0.01 | 0.46 | 4.3 | 0.2 | 0.5 | 20.6 | <0.01 | 0.02 | 2.4 |
| I033339 | | 1.05 | 14.3 | 290 | 7.0 | 13.1 | <0.001 | 0.01 | 0.45 | 4.8 | 0.2 | 0.5 | 22.1 | <0.01 | 0.02 | 2.1 |
| I033340 | | <0.05 | 0.4 | 10 | 0.5 | 0.2 | <0.001 | 0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 0.7 | <0.01 | 0.01 | 0.2 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I033195 | | 0.118 | 0.12 | 0.91 | 66 | 0.10 | 12.20 | 47 | 2.2 |
| I033196 | | 0.085 | 0.09 | 0.51 | 48 | 0.14 | 3.32 | 50 | 1.4 |
| I033197 | | 0.054 | 0.07 | 0.89 | 37 | 0.17 | 4.46 | 31 | 0.7 |
| I033198 | | 0.128 | 0.17 | 0.84 | 71 | 0.31 | 5.17 | 60 | 1.6 |
| I033199 | | 0.138 | 0.17 | 0.89 | 69 | 0.21 | 5.04 | 60 | 1.1 |
| I033200 | | 0.115 | 0.13 | 0.79 | 58 | 0.25 | 6.14 | 68 | 1.2 |
| I033307 | | 0.121 | 0.04 | 0.66 | 70 | 0.10 | 9.62 | 54 | 5.8 |
| I033308 | | 0.120 | 0.06 | 0.61 | 70 | 0.11 | 8.60 | 49 | 5.1 |
| I033309 | | 0.075 | 0.05 | 0.34 | 60 | 0.12 | 9.69 | 52 | 3.3 |
| I033310 | | 0.071 | 0.06 | 0.59 | 60 | 0.17 | 8.19 | 47 | 2.4 |
| I033311 | | 0.120 | 0.18 | 0.70 | 64 | 0.09 | 7.46 | 65 | 1.9 |
| I033312 | | 0.124 | 0.15 | 0.78 | 65 | 0.11 | 7.64 | 59 | 2.8 |
| I033313 | | 0.124 | 0.06 | 0.47 | 101 | 0.06 | 9.83 | 89 | 4.3 |
| I033314 | | 0.066 | 0.13 | 0.91 | 65 | 0.20 | 6.01 | 43 | 1.1 |
| I033315 | | 0.097 | 0.13 | 1.10 | 55 | 0.20 | 6.13 | 54 | 1.8 |
| I033316 | | 0.141 | 0.14 | 0.52 | 83 | 0.28 | 2.91 | 68 | 2.5 |
| I033317 | | 0.086 | 0.12 | 0.42 | 60 | 0.17 | 3.38 | 46 | 1.8 |
| I033318 | | 0.142 | 0.15 | 0.54 | 81 | 0.30 | 3.83 | 133 | 0.7 |
| I033319 | | 0.088 | 0.17 | 0.46 | 58 | 0.16 | 2.30 | 37 | 0.5 |
| I033320 | | <0.005 | <0.02 | 0.10 | 1 | <0.05 | 0.69 | 3 | <0.5 |
| I033321 | | 0.113 | 0.11 | 0.42 | 69 | 0.14 | 2.12 | 87 | 1.1 |
| I033322 | | 0.094 | 0.09 | 0.32 | 86 | 0.26 | 3.14 | 67 | 1.9 |
| I033323 | | 0.097 | 0.09 | 0.37 | 86 | 0.19 | 2.75 | 137 | 1.5 |
| I033324 | | 0.194 | 0.11 | 0.31 | 82 | 0.28 | 2.95 | 93 | 1.3 |
| I033325 | | 0.171 | 0.10 | 0.32 | 85 | 0.19 | 2.66 | 70 | 1.8 |
| I033326 | | 0.206 | 0.18 | 1.02 | 98 | 0.22 | 15.25 | 89 | 2.1 |
| I033327 | | 0.063 | 0.19 | 3.58 | 58 | 0.40 | 45.5 | 72 | 1.3 |
| I033328 | | 0.054 | 0.16 | 2.22 | 87 | 0.30 | 54.7 | 83 | 1.7 |
| I033329 | | 0.069 | 0.11 | 0.55 | 68 | 0.17 | 5.40 | 50 | 2.4 |
| I033330 | | 0.075 | 0.12 | 0.51 | 74 | 0.26 | 4.03 | 48 | 1.4 |
| I033331 | | 0.075 | 0.11 | 0.48 | 62 | 0.34 | 4.54 | 49 | 2.5 |
| I033332 | | 0.108 | 0.17 | 0.41 | 67 | 0.25 | 3.93 | 63 | 1.6 |
| I033333 | | 0.097 | 0.10 | 0.78 | 59 | 0.25 | 10.35 | 49 | 2.2 |
| I033334 | | 0.051 | 0.15 | 0.52 | 57 | 0.34 | 7.13 | 55 | 1.9 |
| I033335 | | 0.066 | 0.09 | 0.38 | 62 | 0.24 | 3.28 | 63 | 2.0 |
| I033336 | | 0.044 | 0.13 | 0.53 | 58 | 0.24 | 4.19 | 62 | 1.0 |
| I033337 | | 0.068 | 0.09 | 0.47 | 62 | 0.18 | 3.50 | 55 | 2.6 |
| I033338 | | 0.055 | 0.09 | 0.35 | 63 | 0.28 | 2.63 | 58 | 1.6 |
| I033339 | | 0.058 | 0.08 | 0.31 | 70 | 0.18 | 2.36 | 56 | 1.5 |
| I033340 | | <0.005 | <0.02 | 0.08 | <1 | <0.05 | 0.63 | 2 | 0.6 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I033341 | | 0.36 | <0.005 | 0.09 | 1.54 | 5.1 | <0.2 | <10 | 220 | 0.25 | 0.13 | 0.35 | 0.07 | 22.4 | 8.6 | 21 |
| I033342 | | 0.34 | <0.005 | 0.07 | 1.98 | 7.6 | <0.2 | <10 | 170 | 0.40 | 0.16 | 0.24 | 0.08 | 25.5 | 8.4 | 28 |
| I033343 | | 0.40 | <0.005 | 0.06 | 1.89 | 7.3 | <0.2 | <10 | 220 | 0.42 | 0.14 | 0.41 | 0.09 | 16.85 | 11.5 | 28 |
| I033344 | | 0.28 | <0.005 | 0.13 | 1.79 | 6.5 | <0.2 | <10 | 300 | 0.43 | 0.17 | 0.59 | 0.31 | 20.1 | 10.8 | 28 |
| I033345 | | 0.46 | <0.005 | 0.05 | 0.97 | 2.6 | <0.2 | <10 | 230 | 0.62 | 0.49 | 0.27 | 0.06 | 36.4 | 3.7 | 8 |
| I033346 | | 0.40 | <0.005 | 0.10 | 2.37 | 4.3 | <0.2 | <10 | 600 | 0.54 | 0.13 | 0.59 | 0.12 | 17.75 | 10.0 | 20 |
| I033347 | | 0.34 | <0.005 | 0.12 | 2.16 | 7.2 | <0.2 | <10 | 490 | 0.56 | 0.13 | 0.68 | 0.12 | 22.1 | 14.8 | 44 |
| I033348 | | 0.32 | <0.005 | 0.07 | 2.03 | 5.4 | <0.2 | <10 | 1020 | 0.75 | 0.14 | 0.53 | 0.15 | 24.6 | 10.7 | 24 |
| I033349 | | 0.28 | 0.006 | 0.22 | 1.87 | 6.7 | <0.2 | <10 | 670 | 0.85 | 0.71 | 0.54 | 0.13 | 23.7 | 10.1 | 31 |
| I033350 | | 0.30 | <0.005 | 0.18 | 1.93 | 8.3 | <0.2 | <10 | 650 | 0.85 | 0.70 | 0.55 | 0.12 | 26.5 | 10.0 | 33 |
| I033531 | | 0.16 | <0.005 | 0.06 | 1.92 | 5.2 | <0.2 | <10 | 170 | 0.33 | 0.14 | 0.29 | 0.14 | 15.35 | 16.9 | 52 |
| I033532 | | 0.14 | <0.005 | 0.11 | 1.35 | 3.2 | <0.2 | <10 | 130 | 0.21 | 0.16 | 0.16 | 0.09 | 5.73 | 9.5 | 32 |
| I033533 | | 0.14 | <0.005 | 0.03 | 2.77 | 8.6 | <0.2 | <10 | 150 | 0.50 | 0.17 | 0.20 | 0.09 | 22.6 | 13.2 | 34 |
| I033534 | | 0.12 | 0.016 | 0.11 | 1.96 | 6.7 | <0.2 | <10 | 160 | 0.35 | 0.13 | 0.28 | 0.14 | 25.6 | 11.4 | 29 |
| I033535 | | 0.10 | <0.005 | 0.11 | 1.83 | 11.6 | <0.2 | <10 | 70 | 0.32 | 0.23 | 0.11 | 0.21 | 18.20 | 7.0 | 28 |
| I033536 | | 0.12 | <0.005 | 0.11 | 1.68 | 3.9 | <0.2 | <10 | 250 | 0.30 | 0.14 | 0.20 | 0.35 | 10.30 | 13.2 | 31 |
| I033537 | | 0.12 | <0.005 | 0.17 | 1.54 | 3.2 | <0.2 | <10 | 450 | 0.24 | 0.20 | 0.31 | 0.28 | 16.15 | 14.5 | 24 |
| I033538 | | 0.12 | <0.005 | 0.37 | 1.83 | 2.3 | <0.2 | <10 | 360 | 0.27 | 0.11 | 0.45 | 0.26 | 9.39 | 19.4 | 31 |
| I033539 | | 0.18 | <0.005 | 0.20 | 2.64 | 7.5 | <0.2 | <10 | 510 | 0.56 | 0.15 | 0.25 | 0.18 | 23.3 | 15.9 | 42 |
| I033540 | | 0.16 | <0.005 | 0.13 | 1.91 | 5.1 | <0.2 | <10 | 270 | 0.35 | 0.18 | 0.26 | 0.23 | 17.15 | 15.4 | 33 |
| I033541 | | 0.12 | <0.005 | 0.19 | 2.00 | 4.1 | <0.2 | <10 | 340 | 0.36 | 0.20 | 0.26 | 0.23 | 19.90 | 13.2 | 26 |
| I033542 | | 0.18 | <0.005 | 0.06 | 2.31 | 6.5 | <0.2 | <10 | 200 | 0.52 | 0.13 | 0.38 | 0.08 | 31.0 | 18.7 | 41 |
| I033543 | | 0.16 | <0.005 | 0.20 | 2.15 | 11.8 | <0.2 | <10 | 640 | 0.56 | 0.15 | 0.51 | 0.23 | 35.4 | 15.2 | 28 |
| I033544 | | 0.18 | <0.005 | 0.09 | 3.01 | 6.0 | <0.2 | <10 | 350 | 0.48 | 0.10 | 0.38 | 0.10 | 20.6 | 24.8 | 28 |
| I033545 | | 0.24 | <0.005 | 0.10 | 2.32 | 3.7 | <0.2 | <10 | 230 | 0.28 | 0.18 | 0.51 | 0.05 | 17.95 | 12.8 | 21 |
| I033546 | | 0.14 | 0.010 | 0.42 | 2.47 | 3.7 | <0.2 | <10 | 240 | 0.34 | 0.23 | 0.21 | 0.12 | 23.5 | 12.5 | 26 |
| I033547 | | 0.14 | <0.005 | 0.08 | 1.91 | 2.8 | <0.2 | <10 | 250 | 0.24 | 0.04 | 0.40 | 0.12 | 8.04 | 13.5 | 22 |
| I033548 | | 0.18 | <0.005 | 0.14 | 2.01 | 3.5 | <0.2 | <10 | 220 | 0.33 | 0.13 | 1.89 | 0.08 | 11.20 | 15.8 | 74 |
| I033549 | | 0.12 | <0.005 | 0.07 | 1.84 | 3.9 | <0.2 | <10 | 190 | 0.30 | 0.07 | 0.94 | 0.06 | 11.10 | 12.8 | 53 |
| I033550 | | 0.16 | <0.005 | 0.09 | 1.66 | 3.9 | <0.2 | <10 | 210 | 0.34 | 0.09 | 0.24 | 0.08 | 16.15 | 10.7 | 26 |
| I033601 | | 0.10 | 0.052 | 0.14 | 1.54 | 3.4 | <0.2 | <10 | 250 | 0.31 | 0.09 | 2.52 | 0.23 | 12.65 | 11.9 | 51 |
| I033602 | | 0.14 | <0.005 | 0.08 | 1.30 | 3.3 | <0.2 | <10 | 130 | 0.29 | 0.06 | 2.15 | 0.15 | 13.30 | 10.9 | 40 |
| I033603 | | 0.12 | <0.005 | 0.08 | 1.26 | 3.1 | <0.2 | <10 | 140 | 0.28 | 0.07 | 2.32 | 0.14 | 13.10 | 10.7 | 39 |
| I033604 | | 0.14 | <0.005 | 0.10 | 2.20 | 4.2 | <0.2 | <10 | 480 | 0.55 | 0.11 | 1.44 | 0.20 | 32.2 | 18.1 | 140 |
| I033605 | | 0.16 | <0.005 | 0.07 | 1.56 | 3.2 | <0.2 | <10 | 140 | 0.41 | 0.09 | 0.78 | 0.14 | 28.5 | 13.8 | 38 |
| I033606 | | 0.12 | <0.005 | 0.10 | 1.52 | 1.6 | <0.2 | <10 | 190 | 0.32 | 0.08 | 1.56 | 0.16 | 21.1 | 9.2 | 73 |
| I033607 | | 0.36 | 0.005 | 0.08 | 1.10 | 4.9 | <0.2 | <10 | 60 | 0.22 | 0.16 | 0.27 | 0.14 | 15.80 | 5.8 | 29 |
| I033608 | | 0.32 | <0.005 | 0.07 | 1.25 | 10.4 | <0.2 | <10 | 60 | 0.28 | 0.13 | 0.28 | 0.12 | 17.65 | 8.4 | 30 |
| I033609 | | 0.18 | 0.016 | 0.14 | 0.40 | 4.7 | <0.2 | <10 | 120 | 0.32 | 0.04 | 1.96 | 0.64 | 13.05 | 2.6 | 5 |
| I033610 | | 0.32 | <0.005 | 0.11 | 1.01 | 3.7 | <0.2 | <10 | 120 | 0.32 | 0.13 | 1.39 | 0.26 | 24.7 | 10.4 | 23 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I033341 | | 1.06 | 9.7 | 2.93 | 6.24 | <0.05 | 0.02 | <0.01 | 0.024 | 0.17 | 10.8 | 12.5 | 0.52 | 325 | 0.83 |
| I033342 | | 1.17 | 14.2 | 3.13 | 6.67 | <0.05 | 0.05 | 0.01 | 0.034 | 0.09 | 12.7 | 14.7 | 0.53 | 265 | 0.98 |
| I033343 | | 0.70 | 14.2 | 2.79 | 6.32 | <0.05 | 0.03 | 0.01 | 0.023 | 0.08 | 8.1 | 15.7 | 0.70 | 252 | 0.75 |
| I033344 | | 0.53 | 15.2 | 2.99 | 6.14 | <0.05 | 0.03 | 0.02 | 0.028 | 0.10 | 9.1 | 12.8 | 0.52 | 761 | 0.92 |
| I033345 | | 1.34 | 6.5 | 1.36 | 3.11 | <0.05 | 0.03 | <0.01 | 0.011 | 0.16 | 18.5 | 9.2 | 0.21 | 145 | 0.98 |
| I033346 | | 0.28 | 12.1 | 3.46 | 8.82 | <0.05 | 0.02 | 0.01 | 0.030 | 0.10 | 6.8 | 12.0 | 0.68 | 672 | 1.10 |
| I033347 | | 0.46 | 35.8 | 3.19 | 6.76 | <0.05 | 0.05 | 0.01 | 0.030 | 0.12 | 9.3 | 11.4 | 0.72 | 657 | 0.82 |
| I033348 | | 0.57 | 10.2 | 3.21 | 6.98 | <0.05 | 0.04 | 0.01 | 0.029 | 0.12 | 10.7 | 10.5 | 0.56 | 696 | 0.86 |
| I033349 | | 0.54 | 13.4 | 2.71 | 5.83 | <0.05 | 0.06 | 0.02 | 0.026 | 0.08 | 10.3 | 8.1 | 0.39 | 998 | 0.99 |
| I033350 | | 0.55 | 14.2 | 2.81 | 5.90 | <0.05 | 0.06 | 0.02 | 0.028 | 0.09 | 11.8 | 8.9 | 0.42 | 795 | 0.91 |
| I033531 | | 0.79 | 52.1 | 3.76 | 8.85 | <0.05 | 0.03 | 0.01 | 0.016 | 0.05 | 6.3 | 19.9 | 1.00 | 290 | 1.02 |
| I033532 | | 0.48 | 12.7 | 2.33 | 6.03 | <0.05 | 0.02 | 0.01 | 0.044 | 0.05 | 2.8 | 8.4 | 0.48 | 183 | 0.78 |
| I033533 | | 1.31 | 15.5 | 4.06 | 8.95 | 0.06 | 0.06 | 0.01 | 0.027 | 0.07 | 11.6 | 20.7 | 0.77 | 316 | 1.24 |
| I033534 | | 0.76 | 23.9 | 3.14 | 6.07 | 0.05 | 0.04 | 0.04 | 0.026 | 0.05 | 13.0 | 13.1 | 0.57 | 252 | 1.00 |
| I033535 | | 1.07 | 21.2 | 4.25 | 10.15 | 0.05 | 0.05 | 0.01 | 0.025 | 0.07 | 9.2 | 14.4 | 0.48 | 173 | 1.91 |
| I033536 | | 0.67 | 17.9 | 2.87 | 6.68 | <0.05 | 0.03 | 0.01 | 0.020 | 0.06 | 5.1 | 11.3 | 0.48 | 532 | 0.86 |
| I033537 | | 0.49 | 14.7 | 2.71 | 6.51 | <0.05 | 0.02 | 0.01 | 0.019 | 0.09 | 6.5 | 9.7 | 0.42 | 1140 | 1.14 |
| I033538 | | 0.69 | 26.8 | 2.74 | 6.32 | <0.05 | 0.03 | 0.02 | 0.016 | 0.19 | 4.8 | 13.4 | 0.89 | 1120 | 0.69 |
| I033539 | | 0.73 | 16.4 | 3.78 | 7.91 | <0.05 | 0.17 | 0.01 | 0.030 | 0.20 | 9.8 | 13.9 | 0.76 | 510 | 1.15 |
| I033540 | | 0.34 | 18.5 | 3.40 | 6.39 | <0.05 | 0.10 | 0.01 | 0.028 | 0.20 | 7.3 | 10.9 | 0.59 | 671 | 1.08 |
| I033541 | | 1.58 | 19.6 | 3.45 | 7.40 | 0.05 | 0.10 | 0.01 | 0.023 | 0.51 | 10.8 | 12.6 | 0.78 | 357 | 1.11 |
| I033542 | | 0.85 | 41.1 | 3.68 | 7.63 | 0.07 | 0.14 | 0.01 | 0.028 | 0.30 | 13.9 | 18.8 | 0.96 | 416 | 0.91 |
| I033543 | | 1.23 | 34.3 | 3.42 | 7.09 | 0.05 | 0.08 | 0.01 | 0.028 | 0.25 | 15.9 | 13.6 | 0.73 | 541 | 0.97 |
| I033544 | | 0.63 | 33.9 | 4.06 | 10.20 | <0.05 | 0.09 | 0.01 | 0.026 | 0.12 | 7.7 | 22.0 | 1.36 | 446 | 1.18 |
| I033545 | | 1.34 | 75.7 | 4.30 | 7.40 | 0.10 | 0.05 | 0.01 | 0.033 | 0.44 | 8.3 | 15.4 | 1.04 | 388 | 2.43 |
| I033546 | | 0.71 | 125.5 | 4.08 | 7.86 | 0.06 | 0.04 | 0.03 | 0.041 | 0.28 | 11.4 | 13.6 | 0.92 | 311 | 4.42 |
| I033547 | | 3.11 | 67.5 | 3.42 | 6.30 | 0.08 | 0.04 | 0.01 | 0.013 | 0.72 | 3.3 | 16.8 | 1.16 | 434 | 1.49 |
| I033548 | | 2.50 | 108.0 | 3.42 | 6.32 | 0.09 | 0.07 | 0.03 | 0.016 | 0.40 | 6.1 | 16.7 | 1.41 | 354 | 1.01 |
| I033549 | | 2.39 | 60.4 | 3.13 | 6.17 | 0.09 | 0.05 | 0.03 | 0.016 | 0.44 | 5.4 | 14.9 | 1.15 | 438 | 0.85 |
| I033550 | | 0.71 | 25.6 | 2.74 | 6.19 | 0.06 | 0.04 | 0.01 | 0.016 | 0.24 | 6.3 | 10.6 | 0.72 | 254 | 1.27 |
| I033601 | | 1.15 | 72.7 | 2.40 | 5.03 | 0.08 | 0.05 | 0.04 | 0.014 | 0.23 | 7.2 | 11.8 | 0.88 | 460 | 1.16 |
| I033602 | | 0.61 | 45.4 | 2.42 | 4.64 | 0.08 | 0.04 | 0.02 | 0.015 | 0.10 | 7.2 | 9.2 | 0.80 | 353 | 0.71 |
| I033603 | | 0.63 | 46.3 | 2.32 | 4.43 | 0.08 | 0.03 | 0.03 | 0.015 | 0.10 | 7.2 | 9.0 | 0.78 | 371 | 0.69 |
| I033604 | | 3.50 | 55.9 | 3.29 | 8.28 | 0.13 | 0.06 | 0.02 | 0.019 | 0.70 | 16.5 | 22.1 | 1.61 | 514 | 0.48 |
| I033605 | | 1.49 | 35.0 | 3.08 | 5.16 | 0.12 | 0.06 | 0.01 | 0.013 | 0.50 | 17.4 | 12.4 | 0.92 | 382 | 0.56 |
| I033606 | | 1.46 | 48.2 | 2.10 | 5.83 | 0.09 | 0.06 | 0.05 | 0.018 | 0.23 | 14.0 | 12.2 | 0.95 | 208 | 0.44 |
| I033607 | | 1.89 | 11.6 | 1.59 | 5.12 | <0.05 | <0.02 | 0.02 | 0.014 | 0.05 | 8.6 | 9.0 | 0.45 | 134 | 0.51 |
| I033608 | | 2.69 | 13.8 | 1.94 | 5.04 | 0.05 | 0.02 | 0.02 | 0.013 | 0.06 | 9.5 | 12.8 | 0.54 | 171 | 0.58 |
| I033609 | | 1.13 | 20.6 | 0.53 | 0.88 | <0.05 | 0.03 | 0.09 | 0.007 | 0.03 | 7.8 | 0.9 | 0.13 | 233 | 0.60 |
| I033610 | | 3.36 | 21.4 | 1.79 | 3.84 | 0.06 | 0.03 | 0.08 | 0.016 | 0.06 | 12.4 | 9.4 | 0.38 | 873 | 0.96 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I033341 | | 1.56 | 13.0 | 260 | 6.5 | 12.4 | <0.001 | 0.01 | 0.36 | 3.4 | <0.2 | 0.6 | 26.6 | <0.01 | 0.01 | 2.4 |
| I033342 | | 1.27 | 17.3 | 240 | 7.7 | 10.4 | <0.001 | 0.01 | 0.43 | 4.7 | 0.2 | 0.6 | 20.1 | <0.01 | 0.02 | 3.7 |
| I033343 | | 1.13 | 18.7 | 310 | 7.7 | 10.3 | <0.001 | 0.01 | 0.45 | 4.7 | 0.2 | 0.5 | 25.7 | <0.01 | 0.02 | 2.1 |
| I033344 | | 1.23 | 17.6 | 480 | 11.7 | 7.5 | <0.001 | 0.02 | 0.45 | 5.2 | 0.3 | 0.5 | 35.1 | <0.01 | 0.03 | 2.0 |
| I033345 | | 0.98 | 5.5 | 250 | 14.2 | 15.3 | <0.001 | 0.01 | 0.10 | 1.7 | 0.2 | 0.6 | 27.7 | <0.01 | 0.01 | 4.9 |
| I033346 | | 0.81 | 12.7 | 690 | 7.1 | 8.3 | <0.001 | 0.02 | 0.27 | 4.9 | 0.2 | 0.6 | 67.5 | <0.01 | 0.03 | 1.9 |
| I033347 | | 1.02 | 22.8 | 440 | 7.1 | 10.9 | <0.001 | 0.02 | 0.33 | 8.3 | 0.2 | 0.5 | 54.5 | <0.01 | 0.07 | 2.2 |
| I033348 | | 1.03 | 15.0 | 370 | 8.3 | 14.5 | 0.001 | 0.02 | 0.32 | 5.8 | 0.3 | 0.5 | 35.5 | <0.01 | 0.03 | 2.1 |
| I033349 | | 1.77 | 18.2 | 290 | 15.7 | 6.4 | <0.001 | 0.02 | 0.38 | 5.7 | 0.3 | 0.5 | 31.0 | <0.01 | 0.03 | 3.0 |
| I033350 | | 1.79 | 20.1 | 290 | 15.8 | 7.9 | <0.001 | 0.02 | 0.43 | 6.1 | 0.4 | 0.6 | 31.1 | <0.01 | 0.03 | 3.3 |
| I033531 | | 1.17 | 24.5 | 1010 | 5.5 | 13.5 | <0.001 | 0.02 | 0.40 | 3.6 | 0.3 | 0.6 | 18.7 | <0.01 | 0.04 | 1.7 |
| I033532 | | 1.22 | 17.6 | 220 | 4.5 | 10.9 | <0.001 | 0.02 | 0.32 | 2.0 | 0.2 | 0.4 | 15.7 | <0.01 | 0.03 | 0.6 |
| I033533 | | 2.11 | 18.3 | 450 | 7.4 | 14.4 | <0.001 | 0.02 | 0.41 | 4.5 | 0.4 | 0.6 | 19.5 | 0.01 | 0.04 | 3.4 |
| I033534 | | 1.54 | 17.4 | 610 | 7.0 | 8.9 | <0.001 | 0.04 | 0.34 | 5.0 | 0.5 | 0.5 | 19.8 | <0.01 | 0.03 | 2.0 |
| I033535 | | 2.48 | 14.9 | 440 | 13.4 | 13.4 | <0.001 | 0.03 | 0.59 | 3.3 | 0.4 | 0.7 | 11.7 | 0.01 | 0.09 | 2.5 |
| I033536 | | 1.40 | 18.2 | 300 | 6.0 | 9.2 | <0.001 | 0.02 | 0.41 | 3.4 | 0.2 | 0.5 | 17.2 | <0.01 | 0.04 | 1.1 |
| I033537 | | 1.22 | 16.9 | 390 | 8.0 | 13.9 | <0.001 | 0.02 | 0.32 | 2.8 | 0.2 | 0.6 | 24.0 | <0.01 | 0.03 | 1.4 |
| I033538 | | 1.27 | 21.1 | 340 | 4.0 | 11.7 | <0.001 | 0.02 | 0.19 | 3.5 | 0.3 | 0.4 | 28.0 | <0.01 | 0.02 | 1.0 |
| I033539 | | 1.17 | 27.1 | 190 | 8.3 | 21.6 | <0.001 | 0.01 | 0.49 | 8.7 | 0.2 | 0.6 | 21.3 | <0.01 | 0.02 | 3.8 |
| I033540 | | 1.11 | 22.1 | 190 | 9.2 | 9.5 | <0.001 | 0.02 | 0.39 | 6.0 | 0.2 | 0.5 | 17.1 | <0.01 | 0.03 | 2.1 |
| I033541 | | 2.04 | 18.5 | 160 | 12.7 | 51.9 | <0.001 | 0.01 | 0.30 | 5.4 | 0.2 | 0.7 | 20.2 | <0.01 | 0.03 | 4.4 |
| I033542 | | 1.16 | 25.6 | 180 | 8.3 | 25.5 | <0.001 | 0.02 | 0.31 | 8.8 | 0.4 | 0.6 | 32.1 | <0.01 | 0.03 | 4.5 |
| I033543 | | 1.64 | 26.1 | 280 | 8.0 | 27.2 | <0.001 | 0.02 | 0.37 | 8.2 | 0.3 | 0.5 | 32.5 | <0.01 | 0.04 | 3.6 |
| I033544 | | 1.48 | 22.0 | 200 | 5.6 | 7.5 | <0.001 | 0.02 | 0.27 | 9.3 | 0.2 | 0.5 | 23.3 | <0.01 | 0.03 | 3.2 |
| I033545 | | 1.02 | 12.0 | 370 | 5.4 | 29.0 | 0.001 | 0.31 | 0.18 | 10.9 | 2.1 | 0.5 | 46.7 | <0.01 | 0.24 | 2.4 |
| I033546 | | 0.95 | 15.3 | 410 | 5.3 | 15.3 | 0.002 | 0.24 | 0.22 | 10.8 | 1.9 | 0.8 | 34.7 | <0.01 | 0.20 | 2.5 |
| I033547 | | 1.05 | 14.8 | 370 | 3.2 | 35.9 | <0.001 | 0.03 | 0.13 | 4.1 | 0.3 | 0.3 | 26.2 | <0.01 | 0.03 | 0.9 |
| I033548 | | 0.87 | 36.0 | 630 | 5.7 | 27.6 | <0.001 | 0.08 | 0.20 | 5.8 | 0.6 | 0.3 | 50.1 | <0.01 | 0.03 | 1.2 |
| I033549 | | 0.91 | 26.9 | 470 | 4.0 | 28.3 | <0.001 | 0.06 | 0.17 | 5.5 | 0.6 | 0.4 | 28.2 | <0.01 | 0.02 | 0.9 |
| I033550 | | 1.12 | 15.0 | 220 | 6.4 | 21.5 | <0.001 | 0.03 | 0.26 | 3.0 | 0.2 | 0.4 | 21.0 | <0.01 | 0.02 | 1.8 |
| I033601 | | 0.83 | 28.3 | 620 | 5.7 | 20.8 | <0.001 | 0.11 | 0.22 | 4.0 | 1.0 | 0.3 | 63.2 | <0.01 | 0.04 | 0.5 |
| I033602 | | 0.62 | 24.3 | 590 | 4.0 | 10.3 | 0.001 | 0.12 | 0.23 | 3.7 | 0.9 | 0.3 | 64.8 | <0.01 | 0.06 | 0.6 |
| I033603 | | 0.59 | 23.6 | 590 | 3.9 | 10.0 | 0.001 | 0.12 | 0.22 | 3.4 | 1.0 | 0.2 | 66.6 | <0.01 | 0.06 | 0.5 |
| I033604 | | 1.58 | 60.1 | 810 | 8.9 | 68.6 | 0.001 | 0.05 | 0.24 | 5.3 | 0.7 | 0.6 | 60.2 | <0.01 | 0.01 | 3.3 |
| I033605 | | 1.65 | 31.3 | 580 | 8.1 | 49.7 | <0.001 | 0.02 | 0.14 | 3.2 | 0.8 | 0.4 | 41.7 | <0.01 | 0.03 | 4.7 |
| I033606 | | 1.09 | 35.9 | 650 | 6.1 | 28.8 | 0.001 | 0.10 | 0.20 | 5.3 | 0.9 | 0.4 | 70.8 | <0.01 | 0.01 | 2.8 |
| I033607 | | 0.70 | 17.4 | 490 | 13.1 | 10.5 | <0.001 | 0.01 | 0.50 | 2.6 | 0.3 | 0.4 | 21.1 | <0.01 | 0.01 | 0.9 |
| I033608 | | 0.80 | 21.1 | 320 | 9.2 | 9.8 | <0.001 | 0.01 | 1.08 | 3.0 | 0.4 | 0.4 | 21.1 | <0.01 | 0.01 | 1.8 |
| I033609 | | 0.16 | 12.6 | 770 | 5.2 | 2.2 | <0.001 | 0.16 | 1.61 | 1.1 | 0.8 | 0.2 | 104.0 | <0.01 | 0.01 | 0.3 |
| I033610 | | 0.61 | 19.0 | 880 | 11.7 | 10.6 | <0.001 | 0.10 | 0.47 | 2.5 | 0.8 | 0.3 | 82.3 | <0.01 | 0.02 | 0.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn | Zr |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I033341 | | 0.081 | 0.09 | 0.31 | 56 | 0.16 | 2.86 | 52 | 0.8 |
| I033342 | | 0.059 | 0.09 | 0.36 | 63 | 0.19 | 2.95 | 63 | 2.1 |
| I033343 | | 0.108 | 0.09 | 0.35 | 75 | 0.16 | 2.47 | 55 | 1.1 |
| I033344 | | 0.074 | 0.08 | 0.80 | 68 | 0.32 | 3.45 | 73 | 1.1 |
| I033345 | | 0.012 | 0.13 | 1.09 | 17 | 0.11 | 5.25 | 35 | 1.0 |
| I033346 | | 0.024 | 0.09 | 0.34 | 76 | 0.15 | 3.38 | 63 | 0.7 |
| I033347 | | 0.067 | 0.08 | 0.40 | 77 | 0.17 | 4.80 | 62 | 1.8 |
| I033348 | | 0.042 | 0.09 | 0.28 | 61 | 0.16 | 5.51 | 53 | 1.4 |
| I033349 | | 0.055 | 0.10 | 0.39 | 59 | 0.18 | 4.55 | 48 | 1.9 |
| I033350 | | 0.060 | 0.10 | 0.43 | 61 | 0.18 | 5.69 | 48 | 2.1 |
| I033531 | | 0.160 | 0.08 | 0.41 | 88 | 0.12 | 2.94 | 64 | 1.3 |
| I033532 | | 0.138 | 0.07 | 0.19 | 60 | 0.08 | 1.09 | 39 | 1.2 |
| I033533 | | 0.155 | 0.13 | 0.55 | 79 | 0.16 | 4.49 | 51 | 3.1 |
| I033534 | | 0.112 | 0.10 | 0.88 | 65 | 0.14 | 6.60 | 55 | 1.8 |
| I033535 | | 0.156 | 0.14 | 0.52 | 91 | 0.16 | 2.94 | 65 | 2.2 |
| I033536 | | 0.113 | 0.08 | 0.22 | 67 | 0.12 | 2.14 | 62 | 1.3 |
| I033537 | | 0.087 | 0.10 | 0.33 | 59 | 0.09 | 2.34 | 63 | 0.8 |
| I033538 | | 0.151 | 0.11 | 0.23 | 64 | 0.07 | 2.90 | 69 | 1.2 |
| I033539 | | 0.136 | 0.12 | 0.44 | 85 | 0.10 | 3.81 | 60 | 8.0 |
| I033540 | | 0.108 | 0.08 | 0.28 | 77 | 0.09 | 3.11 | 63 | 4.2 |
| I033541 | | 0.185 | 0.27 | 0.47 | 69 | 0.14 | 4.35 | 75 | 3.9 |
| I033542 | | 0.156 | 0.15 | 0.86 | 91 | 0.09 | 8.32 | 68 | 6.2 |
| I033543 | | 0.139 | 0.15 | 0.97 | 79 | 0.16 | 9.39 | 54 | 3.2 |
| I033544 | | 0.176 | 0.13 | 0.46 | 98 | 0.09 | 3.96 | 75 | 3.5 |
| I033545 | | 0.131 | 0.20 | 0.94 | 96 | <0.05 | 5.13 | 72 | 2.4 |
| I033546 | | 0.114 | 0.12 | 1.03 | 87 | 0.06 | 10.90 | 60 | 1.5 |
| I033547 | | 0.212 | 0.24 | 0.22 | 61 | 0.08 | 3.27 | 72 | 1.3 |
| I033548 | | 0.158 | 0.19 | 0.48 | 73 | 0.10 | 7.56 | 69 | 2.8 |
| I033549 | | 0.150 | 0.15 | 0.47 | 63 | 0.13 | 6.89 | 63 | 1.9 |
| I033550 | | 0.102 | 0.10 | 0.34 | 53 | 0.08 | 2.66 | 65 | 1.4 |
| I033601 | | 0.091 | 0.12 | 0.86 | 54 | 0.06 | 10.85 | 60 | 2.2 |
| I033602 | | 0.057 | 0.07 | 0.60 | 53 | <0.05 | 6.38 | 43 | 1.3 |
| I033603 | | 0.054 | 0.06 | 0.57 | 49 | 0.07 | 6.41 | 41 | 1.3 |
| I033604 | | 0.158 | 0.31 | 1.17 | 75 | 0.12 | 7.10 | 63 | 2.2 |
| I033605 | | 0.129 | 0.33 | 0.71 | 43 | 0.09 | 8.05 | 85 | 2.3 |
| I033606 | | 0.092 | 0.16 | 1.23 | 44 | 0.08 | 9.21 | 61 | 2.4 |
| I033607 | | 0.073 | 0.10 | 0.65 | 31 | 0.12 | 3.52 | 40 | 0.5 |
| I033608 | | 0.074 | 0.13 | 0.69 | 36 | 0.18 | 3.52 | 50 | 0.6 |
| I033609 | | 0.014 | 0.05 | 0.66 | 7 | <0.05 | 6.65 | 24 | 0.8 |
| I033610 | | 0.040 | 0.10 | 0.92 | 35 | 0.08 | 8.02 | 50 | 1.0 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I033611 | | 0.46 | 0.008 | 0.10 | 1.12 | 3.9 | <0.2 | <10 | 80 | 0.20 | 0.21 | 0.33 | 0.10 | 21.1 | 6.1 | 27 |
| I033612 | | 0.34 | 0.006 | 0.10 | 0.95 | 4.0 | <0.2 | <10 | 90 | 0.27 | 0.17 | 0.28 | 0.19 | 15.85 | 6.8 | 20 |
| I033613 | | 0.34 | <0.005 | 0.08 | 1.48 | 4.8 | <0.2 | <10 | 90 | 0.35 | 0.16 | 0.36 | 0.13 | 33.3 | 17.0 | 34 |
| I033614 | | 0.28 | <0.005 | 0.11 | 1.96 | 7.8 | <0.2 | <10 | 140 | 0.40 | 0.25 | 0.11 | 0.10 | 21.0 | 7.8 | 31 |
| I033615 | | 0.44 | <0.005 | 0.06 | 2.37 | 4.2 | <0.2 | <10 | 90 | 0.65 | 0.25 | 0.14 | 0.09 | 82.7 | 12.7 | 34 |
| I033616 | | 0.40 | <0.005 | 0.08 | 2.40 | 94.9 | <0.2 | <10 | 120 | 0.49 | 0.28 | 0.26 | 0.16 | 30.4 | 13.6 | 49 |
| I033617 | | 0.40 | <0.005 | 0.06 | 2.56 | 226 | <0.2 | <10 | 130 | 0.86 | 0.46 | 0.15 | 0.13 | 71.6 | 20.3 | 35 |
| I033618 | | 0.34 | <0.005 | 0.08 | 2.31 | 16.6 | <0.2 | <10 | 120 | 0.48 | 0.26 | 0.16 | 0.14 | 36.9 | 12.0 | 37 |
| I033619 | | 0.36 | <0.005 | 0.08 | 2.57 | 6.5 | <0.2 | <10 | 80 | 0.62 | 0.48 | 0.11 | 0.06 | 127.5 | 14.6 | 37 |
| I033620 | | 0.38 | <0.005 | 0.10 | 1.94 | 26.7 | <0.2 | <10 | 140 | 0.48 | 0.20 | 0.27 | 0.13 | 53.0 | 12.9 | 33 |
| I033621 | | 0.36 | <0.005 | 0.10 | 1.96 | 25.1 | <0.2 | <10 | 140 | 0.45 | 0.20 | 0.27 | 0.12 | 52.1 | 12.8 | 31 |
| I033622 | | 0.36 | <0.005 | 0.04 | 1.73 | 85.8 | <0.2 | <10 | 100 | 0.39 | 0.22 | 0.19 | 0.18 | 34.8 | 10.9 | 31 |
| I033623 | | 0.34 | <0.005 | 0.04 | 2.11 | 11.5 | <0.2 | <10 | 150 | 0.39 | 0.21 | 0.15 | 0.13 | 29.9 | 11.8 | 34 |
| I033624 | | 0.24 | <0.005 | 0.14 | 1.04 | 7.9 | <0.2 | <10 | 90 | 0.19 | 0.20 | 0.17 | 0.21 | 16.35 | 5.3 | 23 |
| I033625 | | 0.34 | <0.005 | 0.12 | 2.78 | 10.5 | <0.2 | <10 | 160 | 0.56 | 0.22 | 0.17 | 0.15 | 32.3 | 11.2 | 39 |
| I033626 | | 0.32 | <0.005 | 0.11 | 2.23 | 9.7 | <0.2 | <10 | 170 | 0.38 | 0.25 | 0.11 | 0.13 | 19.80 | 9.8 | 34 |
| I033627 | | 0.48 | <0.005 | 0.06 | 2.69 | 6.9 | <0.2 | <10 | 200 | 0.50 | 0.96 | 0.15 | 0.29 | 54.4 | 14.3 | 39 |
| I033628 | | 0.34 | <0.005 | 0.05 | 1.68 | 9.9 | <0.2 | <10 | 110 | 0.32 | 0.23 | 0.12 | 0.17 | 19.45 | 8.2 | 28 |
| I033629 | | 0.38 | <0.005 | 0.03 | 1.85 | 10.6 | <0.2 | <10 | 130 | 0.32 | 0.20 | 0.16 | 0.12 | 23.6 | 9.6 | 32 |
| I033630 | | 0.42 | <0.005 | 0.05 | 1.65 | 7.6 | <0.2 | <10 | 130 | 0.31 | 0.18 | 0.20 | 0.11 | 18.95 | 8.9 | 28 |
| I033631 | | 0.42 | <0.005 | 0.06 | 2.39 | 5.1 | <0.2 | <10 | 80 | 0.52 | 0.24 | 0.08 | 0.08 | 89.1 | 14.9 | 33 |
| I033632 | | 0.36 | <0.005 | 0.04 | 1.86 | 8.3 | <0.2 | <10 | 150 | 0.38 | 0.17 | 0.18 | 0.14 | 27.9 | 13.5 | 30 |
| I033633 | | 0.44 | <0.005 | 0.04 | 2.25 | 7.6 | <0.2 | <10 | 130 | 0.49 | 0.29 | 0.17 | 0.11 | 77.6 | 17.1 | 32 |
| I033634 | | 0.42 | <0.005 | 0.11 | 2.99 | 9.4 | <0.2 | <10 | 100 | 0.58 | 0.23 | 0.13 | 0.13 | 38.4 | 15.6 | 43 |
| I033635 | | 0.40 | <0.005 | 0.04 | 2.16 | 6.0 | <0.2 | <10 | 110 | 0.35 | 0.22 | 0.14 | 0.12 | 50.7 | 12.7 | 32 |
| I033636 | | 0.36 | 0.005 | 0.10 | 1.62 | 5.9 | <0.2 | <10 | 80 | 0.28 | 0.37 | 0.11 | 0.12 | 36.2 | 7.4 | 24 |
| I033637 | | 0.42 | <0.005 | 0.09 | 1.89 | 7.8 | <0.2 | <10 | 110 | 0.35 | 0.23 | 0.14 | 0.15 | 40.9 | 9.8 | 30 |
| I033638 | | 0.38 | <0.005 | 0.04 | 1.49 | 7.2 | <0.2 | <10 | 80 | 0.22 | 0.24 | 0.10 | 0.07 | 18.80 | 7.0 | 44 |
| I033639 | | 0.50 | <0.005 | 0.10 | 2.33 | 8.2 | <0.2 | <10 | 130 | 0.39 | 0.37 | 0.12 | 0.18 | 48.3 | 13.3 | 37 |
| I033640 | | 0.40 | <0.005 | 0.04 | 1.94 | 6.3 | <0.2 | <10 | 200 | 0.31 | 0.42 | 0.20 | 0.07 | 73.4 | 10.7 | 28 |
| I033641 | | 0.40 | <0.005 | 0.04 | 2.03 | 6.3 | <0.2 | <10 | 160 | 0.32 | 0.44 | 0.19 | 0.07 | 67.8 | 10.6 | 29 |
| I033642 | | 0.44 | <0.005 | 0.09 | 4.51 | 4.6 | <0.2 | <10 | 190 | 0.72 | 0.21 | 0.31 | 0.06 | 29.4 | 28.0 | 485 |
| I033643 | | 0.44 | <0.005 | 0.05 | 2.00 | 8.4 | <0.2 | <10 | 90 | 0.35 | 0.22 | 0.10 | 0.07 | 46.6 | 9.9 | 40 |
| I033644 | | 0.44 | <0.005 | 0.06 | 2.80 | 8.2 | <0.2 | <10 | 150 | 0.51 | 0.21 | 0.17 | 0.13 | 56.0 | 15.9 | 40 |
| I033645 | | 0.34 | <0.005 | 0.23 | 3.04 | 12.7 | <0.2 | <10 | 140 | 0.50 | 0.22 | 0.15 | 0.12 | 34.5 | 14.7 | 45 |
| I033646 | | 0.32 | <0.005 | 0.10 | 2.59 | 10.6 | <0.2 | <10 | 430 | 0.72 | 0.09 | 0.74 | 0.16 | 29.0 | 19.8 | 44 |
| I033647 | | 0.36 | <0.005 | 0.09 | 1.65 | 5.6 | <0.2 | <10 | 330 | 0.41 | 0.13 | 0.55 | 0.06 | 23.3 | 11.3 | 34 |
| I033648 | | 0.44 | 0.009 | 0.09 | 2.29 | 4.1 | <0.2 | <10 | 420 | 0.33 | 0.08 | 0.58 | 0.07 | 19.40 | 18.4 | 81 |
| I033649 | | 0.38 | <0.005 | 0.10 | 2.52 | 4.2 | <0.2 | <10 | 500 | 0.37 | 0.08 | 0.62 | 0.06 | 19.85 | 18.1 | 50 |
| I033650 | | 0.34 | <0.005 | 0.08 | 1.82 | 9.2 | <0.2 | <10 | 320 | 0.39 | 0.09 | 0.70 | 0.10 | 17.95 | 15.6 | 30 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I033611 | | 4.53 | 10.7 | 1.80 | 5.90 | 0.06 | <0.02 | 0.04 | 0.018 | 0.06 | 11.4 | 9.4 | 0.41 | 148 | 0.74 |
| I033612 | | 1.90 | 23.3 | 1.90 | 5.03 | <0.05 | <0.02 | 0.17 | 0.018 | 0.05 | 8.5 | 4.7 | 0.21 | 943 | 0.98 |
| I033613 | | 4.33 | 18.6 | 2.83 | 6.37 | 0.08 | 0.02 | 0.04 | 0.022 | 0.10 | 17.3 | 13.6 | 0.68 | 732 | 0.78 |
| I033614 | | 1.03 | 16.1 | 3.58 | 9.51 | 0.06 | 0.05 | 0.02 | 0.025 | 0.04 | 9.4 | 17.0 | 0.33 | 216 | 1.47 |
| I033615 | | 2.69 | 30.4 | 4.18 | 9.44 | 0.08 | 0.05 | 0.03 | 0.027 | 0.31 | 15.1 | 26.3 | 0.76 | 250 | 0.85 |
| I033616 | | 1.75 | 32.0 | 4.70 | 11.10 | 0.08 | 0.06 | 0.02 | 0.034 | 0.14 | 12.5 | 31.1 | 0.85 | 519 | 1.46 |
| I033617 | | 3.69 | 35.2 | 4.56 | 8.53 | 0.10 | 0.09 | 0.02 | 0.042 | 0.43 | 17.4 | 33.0 | 0.87 | 489 | 0.79 |
| I033618 | | 1.61 | 20.8 | 4.27 | 9.32 | 0.09 | 0.05 | 0.03 | 0.030 | 0.20 | 13.7 | 22.6 | 0.62 | 364 | 1.32 |
| I033619 | | 5.07 | 44.0 | 5.74 | 9.08 | 0.19 | 0.06 | 0.02 | 0.025 | 0.81 | 62.4 | 33.8 | 1.05 | 306 | 1.02 |
| I033620 | | 1.36 | 35.8 | 3.09 | 6.05 | 0.09 | 0.04 | 0.04 | 0.023 | 0.17 | 26.5 | 18.9 | 0.61 | 325 | 0.83 |
| I033621 | | 1.36 | 33.9 | 3.01 | 5.90 | 0.09 | 0.05 | 0.04 | 0.023 | 0.16 | 26.3 | 18.3 | 0.61 | 321 | 0.77 |
| I033622 | | 1.19 | 20.4 | 3.68 | 8.57 | 0.07 | 0.06 | 0.02 | 0.041 | 0.09 | 12.3 | 19.0 | 0.55 | 314 | 1.07 |
| I033623 | | 1.01 | 17.3 | 3.80 | 7.88 | 0.07 | 0.11 | 0.02 | 0.029 | 0.07 | 14.4 | 24.0 | 0.48 | 270 | 1.38 |
| I033624 | | 0.75 | 16.4 | 2.58 | 6.74 | <0.05 | 0.02 | 0.05 | 0.018 | 0.06 | 8.1 | 7.8 | 0.29 | 153 | 1.19 |
| I033625 | | 1.36 | 24.5 | 3.58 | 7.38 | 0.08 | 0.05 | 0.06 | 0.031 | 0.12 | 17.5 | 18.3 | 0.59 | 267 | 1.38 |
| I033626 | | 1.12 | 16.1 | 3.68 | 9.25 | 0.06 | 0.03 | 0.02 | 0.029 | 0.04 | 9.3 | 15.0 | 0.42 | 380 | 1.77 |
| I033627 | | 2.33 | 30.1 | 4.19 | 7.78 | 0.10 | 0.15 | 0.02 | 0.031 | 0.57 | 20.7 | 20.7 | 0.84 | 420 | 0.66 |
| I033628 | | 1.12 | 15.5 | 3.17 | 7.96 | 0.06 | 0.03 | 0.04 | 0.025 | 0.06 | 8.3 | 15.5 | 0.41 | 394 | 1.46 |
| I033629 | | 1.11 | 15.5 | 3.67 | 8.23 | 0.07 | 0.07 | 0.02 | 0.027 | 0.06 | 11.0 | 17.0 | 0.54 | 262 | 1.33 |
| I033630 | | 1.12 | 14.0 | 2.95 | 7.32 | 0.06 | 0.03 | 0.01 | 0.024 | 0.06 | 9.8 | 14.5 | 0.47 | 249 | 1.09 |
| I033631 | | 3.36 | 24.4 | 3.87 | 7.79 | 0.11 | 0.08 | 0.02 | 0.028 | 0.22 | 31.9 | 25.7 | 0.66 | 194 | 1.14 |
| I033632 | | 1.09 | 18.1 | 3.23 | 6.92 | 0.07 | 0.07 | 0.03 | 0.027 | 0.07 | 12.9 | 15.9 | 0.50 | 349 | 1.05 |
| I033633 | | 1.32 | 30.2 | 3.88 | 6.44 | 0.07 | 0.06 | 0.03 | 0.031 | 0.14 | 17.6 | 15.9 | 0.53 | 446 | 1.10 |
| I033634 | | 1.87 | 26.8 | 4.02 | 8.81 | 0.07 | 0.10 | 0.03 | 0.033 | 0.14 | 16.5 | 25.3 | 0.71 | 262 | 1.16 |
| I033635 | | 2.04 | 24.1 | 3.60 | 7.12 | 0.06 | 0.07 | 0.02 | 0.022 | 0.27 | 16.3 | 21.6 | 0.65 | 273 | 0.90 |
| I033636 | | 1.44 | 21.0 | 3.93 | 8.81 | 0.05 | 0.06 | 0.02 | 0.020 | 0.10 | 13.0 | 11.3 | 0.30 | 194 | 1.63 |
| I033637 | | 1.38 | 22.0 | 3.60 | 7.56 | 0.06 | 0.08 | 0.03 | 0.029 | 0.11 | 15.4 | 17.7 | 0.43 | 302 | 1.17 |
| I033638 | | 1.09 | 14.5 | 3.18 | 7.90 | 0.05 | 0.03 | 0.02 | 0.024 | 0.06 | 7.8 | 12.8 | 0.43 | 206 | 1.29 |
| I033639 | | 1.79 | 24.8 | 4.90 | 9.51 | 0.06 | 0.07 | 0.01 | 0.031 | 0.20 | 11.4 | 25.7 | 0.59 | 380 | 1.43 |
| I033640 | | 2.06 | 16.9 | 4.32 | 7.57 | 0.09 | 0.07 | 0.02 | 0.029 | 0.36 | 34.5 | 23.7 | 0.55 | 324 | 0.84 |
| I033641 | | 2.28 | 18.8 | 4.31 | 7.76 | 0.08 | 0.07 | 0.01 | 0.044 | 0.35 | 29.9 | 26.3 | 0.57 | 311 | 0.86 |
| I033642 | | 5.72 | 14.1 | 5.62 | 16.45 | 0.09 | 0.04 | 0.02 | 0.042 | 0.36 | 11.4 | 60.4 | 3.15 | 574 | 1.42 |
| I033643 | | 2.04 | 22.1 | 4.50 | 9.40 | 0.06 | 0.09 | 0.02 | 0.030 | 0.16 | 9.8 | 29.1 | 0.62 | 195 | 1.07 |
| I033644 | | 2.20 | 34.4 | 3.79 | 7.68 | 0.06 | 0.06 | 0.03 | 0.029 | 0.11 | 14.5 | 25.5 | 0.73 | 233 | 0.93 |
| I033645 | | 1.58 | 26.8 | 3.71 | 7.38 | 0.07 | 0.13 | 0.07 | 0.033 | 0.07 | 12.9 | 20.2 | 0.61 | 349 | 1.30 |
| I033646 | | 5.38 | 52.8 | 5.20 | 9.18 | 0.11 | 0.07 | 0.02 | 0.036 | 0.44 | 12.6 | 16.5 | 1.32 | 1120 | 1.59 |
| I033647 | | 0.70 | 16.7 | 2.85 | 5.03 | 0.06 | 0.10 | 0.01 | 0.024 | 0.26 | 8.7 | 8.4 | 0.51 | 645 | 1.00 |
| I033648 | | 1.80 | 43.6 | 3.83 | 7.59 | 0.10 | 0.07 | 0.01 | 0.019 | 0.67 | 9.7 | 14.1 | 1.46 | 709 | 0.92 |
| I033649 | | 1.71 | 41.3 | 4.17 | 8.52 | 0.10 | 0.07 | 0.01 | 0.022 | 0.59 | 8.5 | 15.9 | 1.50 | 836 | 0.99 |
| I033650 | | 1.09 | 46.5 | 3.49 | 5.97 | 0.06 | 0.07 | 0.02 | 0.028 | 0.23 | 7.5 | 9.5 | 0.82 | 706 | 1.08 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I033611 | | 0.69 | 16.6 | 690 | 17.6 | 11.4 | <0.001 | 0.04 | 0.30 | 2.5 | 0.4 | 0.5 | 25.6 | <0.01 | 0.02 | 0.9 |
| I033612 | | 0.42 | 14.9 | 800 | 7.0 | 8.4 | <0.001 | 0.08 | 0.44 | 1.1 | 0.5 | 0.5 | 25.3 | <0.01 | 0.03 | <0.2 |
| I033613 | | 0.70 | 27.4 | 690 | 9.6 | 18.7 | <0.001 | 0.04 | 0.25 | 3.8 | 0.5 | 0.5 | 27.3 | <0.01 | 0.03 | 3.1 |
| I033614 | | 1.84 | 18.7 | 210 | 12.5 | 10.5 | <0.001 | 0.01 | 0.55 | 3.3 | 0.2 | 0.8 | 11.2 | <0.01 | 0.03 | 3.5 |
| I033615 | | 4.39 | 34.5 | 360 | 13.0 | 36.3 | <0.001 | 0.01 | 0.26 | 3.4 | 0.5 | 0.7 | 12.6 | <0.01 | 0.02 | 10.6 |
| I033616 | | 1.48 | 28.5 | 380 | 17.9 | 22.5 | <0.001 | 0.01 | 0.97 | 5.8 | 0.4 | 0.8 | 15.3 | <0.01 | 0.03 | 8.0 |
| I033617 | | 2.39 | 36.2 | 450 | 22.3 | 55.0 | <0.001 | 0.01 | 2.51 | 4.3 | 0.5 | 0.6 | 9.7 | <0.01 | 0.04 | 15.0 |
| I033618 | | 2.47 | 24.8 | 380 | 13.6 | 31.2 | <0.001 | 0.01 | 0.67 | 4.3 | 0.5 | 0.7 | 14.3 | 0.01 | 0.04 | 5.5 |
| I033619 | | 3.21 | 33.8 | 360 | 9.8 | 97.8 | <0.001 | 0.02 | 0.49 | 3.7 | 0.7 | 0.6 | 13.2 | <0.01 | 0.04 | 20.0 |
| I033620 | | 2.15 | 29.1 | 690 | 8.9 | 22.4 | <0.001 | 0.03 | 0.65 | 3.8 | 0.6 | 0.5 | 18.7 | <0.01 | 0.02 | 5.5 |
| I033621 | | 2.16 | 28.3 | 660 | 8.6 | 21.7 | <0.001 | 0.02 | 0.62 | 3.9 | 0.6 | 0.5 | 18.9 | 0.01 | 0.02 | 5.9 |
| I033622 | | 2.22 | 24.7 | 380 | 13.4 | 14.5 | <0.001 | <0.01 | 1.18 | 3.7 | 0.4 | 0.6 | 14.1 | <0.01 | 0.04 | 4.7 |
| I033623 | | 2.33 | 27.4 | 230 | 11.2 | 13.9 | <0.001 | <0.01 | 0.58 | 3.6 | 0.4 | 0.6 | 14.7 | 0.02 | 0.03 | 5.4 |
| I033624 | | 1.43 | 14.4 | 410 | 7.4 | 8.6 | <0.001 | 0.02 | 0.47 | 1.8 | 0.3 | 0.6 | 16.2 | <0.01 | 0.03 | 0.7 |
| I033625 | | 2.01 | 25.0 | 410 | 9.9 | 19.8 | <0.001 | 0.03 | 0.58 | 4.6 | 0.8 | 0.6 | 19.2 | 0.02 | 0.03 | 6.0 |
| I033626 | | 1.85 | 18.7 | 320 | 11.6 | 12.6 | <0.001 | <0.01 | 0.65 | 3.6 | 0.4 | 0.8 | 13.2 | 0.01 | 0.04 | 2.6 |
| I033627 | | 3.60 | 32.6 | 260 | 49.6 | 71.0 | <0.001 | <0.01 | 0.30 | 4.8 | 0.6 | 0.7 | 13.3 | 0.01 | 0.05 | 12.2 |
| I033628 | | 1.62 | 17.4 | 350 | 10.1 | 14.0 | <0.001 | 0.01 | 0.52 | 2.9 | 0.3 | 0.6 | 13.0 | <0.01 | 0.04 | 2.1 |
| I033629 | | 2.14 | 20.7 | 290 | 10.7 | 13.8 | <0.001 | <0.01 | 0.52 | 3.6 | 0.4 | 0.6 | 17.0 | <0.01 | 0.03 | 4.1 |
| I033630 | | 1.93 | 18.6 | 340 | 9.0 | 13.6 | <0.001 | <0.01 | 0.37 | 3.3 | 0.3 | 0.6 | 17.1 | <0.01 | 0.02 | 2.4 |
| I033631 | | 2.77 | 36.1 | 280 | 10.3 | 33.5 | <0.001 | <0.01 | 0.31 | 3.6 | 0.4 | 0.6 | 8.6 | <0.01 | 0.02 | 11.2 |
| I033632 | | 1.97 | 23.2 | 430 | 8.5 | 14.5 | <0.001 | <0.01 | 0.48 | 3.9 | 0.4 | 0.5 | 15.8 | 0.01 | 0.03 | 4.0 |
| I033633 | | 2.32 | 40.5 | 480 | 16.7 | 25.6 | <0.001 | 0.03 | 0.34 | 4.2 | 0.7 | 0.6 | 14.1 | 0.02 | 0.04 | 8.3 |
| I033634 | | 5.01 | 34.9 | 260 | 11.1 | 29.8 | <0.001 | 0.02 | 0.49 | 4.5 | 0.5 | 0.8 | 12.4 | 0.02 | 0.04 | 7.9 |
| I033635 | | 3.93 | 30.1 | 420 | 10.2 | 37.7 | <0.001 | 0.03 | 0.30 | 3.7 | 0.5 | 0.6 | 12.3 | 0.01 | 0.03 | 11.4 |
| I033636 | | 3.45 | 18.5 | 250 | 15.5 | 30.2 | <0.001 | 0.01 | 0.48 | 2.5 | 0.3 | 0.8 | 10.2 | <0.01 | 0.04 | 8.0 |
| I033637 | | 2.51 | 23.0 | 270 | 15.1 | 21.9 | <0.001 | 0.02 | 0.43 | 3.9 | 0.4 | 0.7 | 11.2 | <0.01 | 0.05 | 8.0 |
| I033638 | | 2.08 | 15.7 | 260 | 10.3 | 13.2 | <0.001 | 0.01 | 0.43 | 2.8 | 0.3 | 0.7 | 10.8 | <0.01 | 0.03 | 1.9 |
| I033639 | | 3.26 | 27.7 | 370 | 18.9 | 37.3 | <0.001 | 0.02 | 0.51 | 3.8 | 0.5 | 0.8 | 10.4 | 0.01 | 0.05 | 9.6 |
| I033640 | | 3.31 | 25.0 | 250 | 10.7 | 53.1 | <0.001 | 0.01 | 0.27 | 3.6 | 0.4 | 0.7 | 17.3 | <0.01 | 0.04 | 13.8 |
| I033641 | | 3.31 | 23.8 | 260 | 11.8 | 54.9 | <0.001 | 0.01 | 0.26 | 3.7 | 0.5 | 0.7 | 17.5 | <0.01 | 0.04 | 13.6 |
| I033642 | | 4.67 | 48.6 | 470 | 11.1 | 76.7 | <0.001 | 0.03 | 0.20 | 10.6 | 0.4 | 1.6 | 22.5 | <0.01 | 0.04 | 5.4 |
| I033643 | | 4.35 | 25.1 | 320 | 9.5 | 31.7 | <0.001 | 0.02 | 0.42 | 4.0 | 0.4 | 0.8 | 9.0 | <0.01 | 0.04 | 9.1 |
| I033644 | | 3.26 | 41.2 | 220 | 8.7 | 27.6 | <0.001 | 0.02 | 0.41 | 4.3 | 0.5 | 0.7 | 14.9 | 0.01 | 0.03 | 8.9 |
| I033645 | | 2.62 | 31.7 | 310 | 10.6 | 16.2 | <0.001 | 0.02 | 0.60 | 5.7 | 0.6 | 0.6 | 14.5 | 0.02 | 0.03 | 6.3 |
| I033646 | | 0.84 | 22.9 | 940 | 6.9 | 26.8 | <0.001 | 0.01 | 0.84 | 10.7 | 0.5 | 0.6 | 31.3 | <0.01 | 0.03 | 3.5 |
| I033647 | | 1.16 | 18.0 | 280 | 6.8 | 16.7 | <0.001 | 0.01 | 0.38 | 5.5 | 0.4 | 0.5 | 30.1 | <0.01 | 0.03 | 3.0 |
| I033648 | | 1.34 | 42.2 | 660 | 4.8 | 39.1 | <0.001 | 0.02 | 0.24 | 5.7 | 0.4 | 0.4 | 30.0 | <0.01 | 0.02 | 2.6 |
| I033649 | | 1.79 | 28.0 | 610 | 4.9 | 33.8 | <0.001 | 0.02 | 0.22 | 6.0 | 0.4 | 0.5 | 31.8 | <0.01 | 0.02 | 2.6 |
| I033650 | | 1.01 | 17.6 | 520 | 5.0 | 8.8 | <0.001 | 0.02 | 0.55 | 7.7 | 0.4 | 0.4 | 30.5 | <0.01 | 0.03 | 1.9 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I033611 | | 0.067 | 0.11 | 0.73 | 35 | 0.11 | 3.41 | 50 | 0.5 |
| I033612 | | 0.043 | 0.09 | 0.59 | 49 | 0.08 | 3.18 | 56 | <0.5 |
| I033613 | | 0.069 | 0.18 | 1.08 | 45 | 0.07 | 6.21 | 67 | 0.6 |
| I033614 | | 0.081 | 0.14 | 0.57 | 86 | 0.16 | 3.04 | 57 | 2.3 |
| I033615 | | 0.157 | 0.27 | 1.53 | 47 | 0.08 | 7.87 | 76 | 2.1 |
| I033616 | | 0.109 | 0.21 | 1.27 | 92 | 0.14 | 5.91 | 76 | 3.0 |
| I033617 | | 0.147 | 0.38 | 2.39 | 36 | 0.08 | 11.85 | 90 | 4.3 |
| I033618 | | 0.137 | 0.24 | 1.07 | 72 | 0.19 | 6.43 | 67 | 2.1 |
| I033619 | | 0.218 | 0.72 | 3.19 | 39 | 0.07 | 14.40 | 105 | 3.4 |
| I033620 | | 0.111 | 0.17 | 0.99 | 51 | 0.16 | 8.35 | 74 | 1.7 |
| I033621 | | 0.111 | 0.17 | 0.96 | 50 | 0.15 | 8.39 | 54 | 1.7 |
| I033622 | | 0.128 | 0.12 | 0.71 | 78 | 0.25 | 4.99 | 54 | 2.2 |
| I033623 | | 0.110 | 0.12 | 0.60 | 69 | 0.18 | 3.82 | 47 | 4.5 |
| I033624 | | 0.082 | 0.09 | 0.51 | 64 | 0.16 | 1.98 | 34 | 0.7 |
| I033625 | | 0.095 | 0.19 | 1.17 | 66 | 0.20 | 4.64 | 59 | 2.0 |
| I033626 | | 0.092 | 0.16 | 0.51 | 84 | 0.20 | 3.02 | 57 | 1.5 |
| I033627 | | 0.231 | 0.58 | 1.04 | 49 | 0.14 | 11.30 | 121 | 6.8 |
| I033628 | | 0.095 | 0.11 | 0.46 | 68 | 0.18 | 2.72 | 46 | 1.1 |
| I033629 | | 0.111 | 0.12 | 0.62 | 72 | 0.20 | 3.51 | 49 | 2.9 |
| I033630 | | 0.098 | 0.12 | 0.53 | 65 | 0.16 | 3.34 | 42 | 1.1 |
| I033631 | | 0.117 | 0.31 | 1.17 | 50 | 0.11 | 7.95 | 70 | 4.1 |
| I033632 | | 0.109 | 0.13 | 0.57 | 64 | 0.17 | 5.20 | 48 | 2.9 |
| I033633 | | 0.100 | 0.21 | 1.20 | 51 | 0.14 | 11.35 | 67 | 2.6 |
| I033634 | | 0.149 | 0.25 | 0.98 | 68 | 0.14 | 6.04 | 75 | 4.9 |
| I033635 | | 0.169 | 0.32 | 1.20 | 53 | 0.11 | 8.59 | 60 | 3.2 |
| I033636 | | 0.122 | 0.24 | 1.16 | 69 | 0.10 | 5.74 | 48 | 3.1 |
| I033637 | | 0.116 | 0.18 | 0.97 | 63 | 0.14 | 6.72 | 66 | 3.7 |
| I033638 | | 0.109 | 0.15 | 0.61 | 68 | 0.14 | 3.81 | 40 | 1.2 |
| I033639 | | 0.165 | 0.29 | 1.10 | 73 | 0.14 | 8.94 | 80 | 4.1 |
| I033640 | | 0.173 | 0.39 | 1.09 | 51 | 0.10 | 11.50 | 66 | 3.2 |
| I033641 | | 0.179 | 0.43 | 1.23 | 53 | 0.10 | 10.75 | 67 | 3.6 |
| I033642 | | 0.314 | 0.45 | 0.77 | 127 | 0.10 | 7.81 | 112 | 2.2 |
| I033643 | | 0.168 | 0.21 | 1.24 | 72 | 0.13 | 6.96 | 61 | 4.7 |
| I033644 | | 0.140 | 0.28 | 1.09 | 68 | 0.15 | 6.06 | 75 | 3.2 |
| I033645 | | 0.116 | 0.19 | 0.92 | 73 | 0.21 | 5.28 | 60 | 6.0 |
| I033646 | | 0.124 | 0.13 | 0.52 | 116 | 0.09 | 11.75 | 116 | 2.0 |
| I033647 | | 0.099 | 0.08 | 0.25 | 60 | 0.14 | 4.28 | 39 | 3.3 |
| I033648 | | 0.200 | 0.22 | 0.45 | 85 | 0.10 | 7.52 | 80 | 2.9 |
| I033649 | | 0.207 | 0.14 | 0.43 | 90 | 0.10 | 6.07 | 84 | 2.5 |
| I033650 | | 0.081 | 0.07 | 0.25 | 74 | 0.08 | 6.61 | 57 | 1.9 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

| Method | CERTIFICATE COMMENTS |
|---------|--|
| ME-MS41 | Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

CERTIFICATE WH10122485

Project: SQI10-06
P.O. No.: SQI10-06_22
This report is for 233 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I033901 | | 0.08 | 0.011 | 0.08 | 1.02 | 2.7 | <0.2 | <10 | 80 | 0.17 | 0.08 | 0.34 | 0.10 | 18.45 | 5.3 | 26 |
| I033902 | | 0.06 | 0.012 | 0.03 | 0.32 | 1.1 | <0.2 | <10 | 80 | 0.08 | 0.02 | 0.52 | 0.14 | 5.22 | 3.3 | 3 |
| I033903 | | 0.06 | NSS | 0.06 | 0.36 | 1.5 | <0.2 | <10 | 140 | <0.05 | 0.02 | 0.80 | 0.15 | 8.96 | 2.8 | 4 |
| I033904 | | 0.20 | <0.005 | 0.16 | 0.70 | 3.8 | <0.2 | <10 | 110 | 0.09 | 0.10 | 0.15 | 0.06 | 12.10 | 3.3 | 12 |
| I033905 | | 0.28 | <0.005 | 0.17 | 2.87 | 6.1 | <0.2 | <10 | 310 | 0.40 | 0.10 | 0.30 | 0.13 | 40.3 | 18.7 | 33 |
| I033906 | | 0.10 | 0.008 | 0.28 | 1.42 | 3.5 | <0.2 | <10 | 280 | 0.19 | 0.13 | 0.37 | 0.14 | 17.60 | 6.9 | 18 |
| I033907 | | 0.14 | 0.012 | 0.16 | 1.63 | 3.0 | <0.2 | <10 | 110 | 0.14 | 0.12 | 0.20 | 0.10 | 9.62 | 10.2 | 35 |
| I033908 | | 0.18 | 0.005 | 0.13 | 2.24 | 2.9 | <0.2 | <10 | 260 | 0.38 | 0.10 | 1.83 | 0.32 | 15.25 | 17.2 | 65 |
| I033909 | | 0.40 | 0.005 | 0.07 | 2.14 | 6.3 | <0.2 | <10 | 250 | 0.39 | 0.14 | 0.77 | 0.21 | 26.8 | 19.9 | 130 |
| I033910 | | 0.28 | <0.005 | 0.11 | 1.92 | 4.2 | <0.2 | <10 | 160 | 0.32 | 0.13 | 0.31 | 0.17 | 14.60 | 14.6 | 46 |
| I033911 | | 0.38 | <0.005 | 0.07 | 2.40 | 4.2 | <0.2 | <10 | 210 | 0.38 | 0.09 | 0.45 | 0.18 | 16.70 | 19.8 | 62 |
| I033912 | | 0.24 | 0.005 | 0.11 | 2.22 | 3.3 | <0.2 | <10 | 260 | 0.29 | 0.09 | 1.23 | 0.33 | 14.35 | 15.9 | 63 |
| I033913 | | 0.28 | <0.005 | 0.11 | 2.17 | 4.1 | <0.2 | <10 | 200 | 0.39 | 0.11 | 1.72 | 0.52 | 17.40 | 16.2 | 56 |
| I033914 | | 0.24 | <0.005 | 0.13 | 1.45 | 3.8 | <0.2 | <10 | 220 | 0.28 | 0.08 | 2.23 | 0.18 | 16.70 | 11.3 | 41 |
| I033915 | | 0.16 | <0.005 | 0.10 | 0.99 | 3.0 | <0.2 | <10 | 240 | 0.25 | 0.07 | 3.58 | 0.44 | 11.70 | 8.4 | 26 |
| I033916 | | 0.18 | <0.005 | 0.11 | 0.71 | 2.7 | <0.2 | <10 | 210 | 0.20 | 0.06 | 3.86 | 1.07 | 10.55 | 6.9 | 19 |
| I033917 | | 0.38 | 0.016 | 0.12 | 1.81 | 3.4 | <0.2 | <10 | 170 | 0.33 | 0.10 | 1.50 | 0.29 | 18.30 | 12.5 | 52 |
| I033918 | | 0.22 | 0.006 | 0.16 | 1.79 | 3.3 | <0.2 | <10 | 240 | 0.34 | 0.09 | 2.18 | 0.41 | 16.95 | 15.7 | 45 |
| I033919 | | 0.22 | <0.005 | 0.17 | 2.32 | 4.6 | <0.2 | <10 | 370 | 0.47 | 0.14 | 1.79 | 0.97 | 24.0 | 31.1 | 66 |
| I033920 | | 0.14 | 0.006 | 0.13 | 1.20 | 2.5 | <0.2 | <10 | 100 | 0.11 | 0.12 | 0.24 | 0.10 | 10.20 | 6.2 | 17 |
| I033921 | | 0.14 | <0.005 | 0.18 | 1.43 | 2.7 | <0.2 | <10 | 140 | 0.13 | 0.13 | 0.27 | 0.11 | 13.40 | 5.7 | 18 |
| I033922 | | 0.22 | <0.005 | 0.18 | 2.03 | 2.9 | <0.2 | <10 | 230 | 0.15 | 0.14 | 0.34 | 0.10 | 12.80 | 9.9 | 24 |
| I033923 | | 0.30 | <0.005 | 0.22 | 1.54 | 1.9 | <0.2 | <10 | 170 | 0.13 | 0.11 | 0.45 | 0.12 | 9.31 | 10.1 | 29 |
| I033924 | | 0.16 | <0.005 | 0.30 | 2.06 | 3.0 | <0.2 | <10 | 330 | 0.23 | 0.11 | 0.35 | 0.13 | 19.30 | 18.3 | 32 |
| I033925 | | 0.18 | <0.005 | 0.29 | 2.04 | 3.5 | <0.2 | <10 | 470 | 0.26 | 0.10 | 0.69 | 0.12 | 26.8 | 15.4 | 33 |
| I033926 | | 0.26 | <0.005 | 0.07 | 3.55 | 6.8 | <0.2 | <10 | 270 | 0.46 | 0.09 | 0.29 | 0.17 | 14.35 | 19.8 | 23 |
| I033927 | | 0.12 | NSS | 0.15 | 0.45 | 3.1 | <0.2 | <10 | 390 | 0.08 | 0.05 | 0.45 | 0.13 | 12.70 | 2.9 | 7 |
| I033928 | | 0.32 | <0.005 | 0.10 | 1.35 | 3.7 | <0.2 | <10 | 100 | 0.33 | 0.08 | 1.32 | 0.23 | 24.7 | 16.9 | 28 |
| I033929 | | 0.28 | <0.005 | 0.08 | 1.05 | 3.3 | <0.2 | <10 | 50 | 0.19 | 0.12 | 0.34 | 0.15 | 17.95 | 6.4 | 22 |
| I033930 | | 0.28 | <0.005 | 0.09 | 1.49 | 3.1 | <0.2 | <10 | 80 | 0.36 | 0.10 | 0.60 | 0.13 | 42.6 | 10.7 | 31 |
| I033931 | | 0.44 | <0.005 | 0.10 | 1.87 | 4.1 | <0.2 | <10 | 100 | 0.45 | 0.11 | 0.69 | 0.15 | 58.3 | 15.4 | 41 |
| I033932 | | 0.30 | <0.005 | 0.10 | 1.54 | 2.6 | <0.2 | <10 | 80 | 0.28 | 0.10 | 0.66 | 0.09 | 36.5 | 9.0 | 34 |
| I033933 | | 0.42 | <0.005 | 0.07 | 1.67 | 3.0 | <0.2 | <10 | 100 | 0.36 | 0.15 | 0.68 | 0.10 | 38.1 | 14.2 | 37 |
| I033934 | | 0.26 | <0.005 | 0.08 | 1.03 | 2.2 | <0.2 | <10 | 60 | 0.17 | 0.09 | 0.29 | 0.07 | 25.8 | 5.1 | 23 |
| I033935 | | 0.32 | <0.005 | 0.16 | 1.51 | 3.3 | <0.2 | <10 | 140 | 0.40 | 0.14 | 0.91 | 0.25 | 52.4 | 14.6 | 31 |
| I033936 | | 0.42 | <0.005 | 0.11 | 1.79 | 2.7 | <0.2 | <10 | 120 | 0.46 | 0.19 | 0.72 | 0.16 | 50.0 | 15.8 | 41 |
| I033937 | | 0.30 | <0.005 | 0.10 | 1.44 | 4.9 | <0.2 | <10 | 130 | 0.39 | 0.17 | 0.82 | 0.15 | 40.4 | 12.9 | 31 |
| I033938 | | 0.28 | <0.005 | 0.16 | 1.46 | 4.6 | <0.2 | <10 | 140 | 0.40 | 0.15 | 1.00 | 0.15 | 49.1 | 14.0 | 30 |
| I033939 | | 0.38 | <0.005 | 0.10 | 1.87 | 4.6 | <0.2 | <10 | 110 | 0.44 | 0.15 | 0.27 | 0.07 | 44.4 | 11.1 | 41 |
| I033940 | | 0.36 | <0.005 | 0.14 | 1.67 | 12.8 | <0.2 | <10 | 140 | 0.47 | 0.16 | 0.56 | 0.09 | 43.4 | 12.2 | 32 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I033901 | | 0.79 | 13.7 | 1.69 | 4.07 | 0.05 | 0.03 | 0.10 | 0.014 | 0.05 | 9.5 | 4.1 | 0.38 | 137 | 0.54 |
| I033902 | | 0.13 | 8.7 | 0.56 | 0.51 | <0.05 | <0.02 | 0.13 | <0.005 | 0.03 | 2.5 | 0.3 | 0.09 | 140 | 0.64 |
| I033903 | | 0.05 | 8.1 | 0.82 | 0.45 | <0.05 | <0.02 | 0.10 | <0.005 | 0.03 | 4.8 | 0.3 | 0.11 | 101 | 0.62 |
| I033904 | | 0.75 | 7.6 | 1.18 | 4.18 | <0.05 | 0.02 | 0.02 | 0.010 | 0.09 | 6.5 | 3.2 | 0.27 | 82 | 0.51 |
| I033905 | | 1.51 | 40.2 | 4.54 | 9.55 | 0.09 | 0.07 | 0.04 | 0.038 | 0.29 | 14.3 | 18.9 | 1.48 | 569 | 1.24 |
| I033906 | | 0.88 | 41.6 | 2.83 | 5.61 | 0.08 | 0.02 | 0.11 | 0.021 | 0.13 | 9.4 | 4.8 | 0.57 | 171 | 1.16 |
| I033907 | | 1.56 | 32.3 | 2.64 | 7.69 | 0.05 | 0.03 | 0.04 | 0.016 | 0.16 | 4.9 | 6.3 | 0.87 | 235 | 1.06 |
| I033908 | | 1.39 | 73.1 | 3.15 | 6.65 | 0.08 | 0.06 | 0.04 | 0.021 | 0.15 | 8.2 | 16.1 | 1.24 | 509 | 0.98 |
| I033909 | | 1.84 | 33.2 | 3.60 | 8.45 | 0.09 | 0.05 | 0.02 | 0.028 | 0.24 | 14.2 | 16.0 | 1.40 | 560 | 0.75 |
| I033910 | | 0.81 | 33.9 | 3.02 | 7.32 | 0.05 | 0.03 | 0.02 | 0.045 | 0.08 | 8.3 | 12.3 | 0.84 | 427 | 1.21 |
| I033911 | | 1.00 | 51.2 | 3.71 | 8.07 | 0.07 | 0.03 | 0.02 | 0.021 | 0.13 | 9.2 | 15.0 | 1.24 | 537 | 1.26 |
| I033912 | | 0.91 | 42.7 | 3.22 | 7.17 | 0.06 | 0.07 | 0.03 | 0.021 | 0.06 | 8.7 | 12.1 | 1.17 | 390 | 0.62 |
| I033913 | | 1.17 | 68.4 | 3.42 | 7.35 | 0.07 | 0.05 | 0.03 | 0.029 | 0.10 | 10.3 | 11.6 | 1.14 | 566 | 0.70 |
| I033914 | | 0.63 | 40.3 | 2.14 | 4.70 | 0.06 | 0.07 | 0.05 | 0.018 | 0.07 | 8.3 | 8.3 | 0.73 | 505 | 0.93 |
| I033915 | | 0.54 | 47.6 | 1.61 | 3.16 | 0.05 | 0.06 | 0.06 | 0.014 | 0.07 | 6.3 | 5.6 | 0.53 | 412 | 0.70 |
| I033916 | | 0.39 | 44.2 | 1.10 | 2.19 | 0.05 | 0.05 | 0.07 | 0.010 | 0.06 | 5.6 | 4.0 | 0.37 | 398 | 0.67 |
| I033917 | | 0.92 | 47.7 | 2.44 | 5.98 | 0.07 | 0.08 | 0.05 | 0.022 | 0.15 | 9.0 | 11.5 | 1.01 | 277 | 0.61 |
| I033918 | | 1.23 | 71.2 | 2.58 | 5.45 | 0.08 | 0.06 | 0.04 | 0.018 | 0.14 | 8.8 | 11.8 | 0.91 | 644 | 0.68 |
| I033919 | | 1.56 | 65.7 | 3.37 | 6.82 | 0.08 | 0.05 | 0.05 | 0.026 | 0.18 | 11.1 | 19.6 | 1.09 | 1860 | 1.25 |
| I033920 | | 0.69 | 32.6 | 2.19 | 5.17 | 0.06 | <0.02 | 0.06 | 0.016 | 0.09 | 5.2 | 4.2 | 0.47 | 162 | 1.04 |
| I033921 | | 0.86 | 34.4 | 2.30 | 6.04 | 0.06 | 0.02 | 0.06 | 0.018 | 0.11 | 7.3 | 5.4 | 0.62 | 153 | 0.91 |
| I033922 | | 1.50 | 38.7 | 2.88 | 9.25 | 0.07 | 0.03 | 0.02 | 0.023 | 0.28 | 6.7 | 8.4 | 1.03 | 247 | 1.17 |
| I033923 | | 2.03 | 29.0 | 2.71 | 8.51 | 0.06 | <0.02 | 0.02 | 0.017 | 0.37 | 5.0 | 7.9 | 1.01 | 274 | 1.23 |
| I033924 | | 1.66 | 40.3 | 3.61 | 8.11 | 0.08 | 0.03 | 0.06 | 0.024 | 0.35 | 12.5 | 10.9 | 1.12 | 730 | 1.13 |
| I033925 | | 1.60 | 36.3 | 3.18 | 7.95 | 0.09 | 0.04 | 0.04 | 0.022 | 0.24 | 17.7 | 13.3 | 1.15 | 344 | 0.69 |
| I033926 | | 1.27 | 27.6 | 4.99 | 11.00 | 0.09 | 0.06 | 0.02 | 0.031 | 0.71 | 6.9 | 21.1 | 1.90 | 555 | 1.01 |
| I033927 | | 0.13 | 13.3 | 1.52 | 0.89 | <0.05 | <0.02 | 0.10 | 0.009 | 0.03 | 7.1 | 0.5 | 0.07 | 143 | 0.81 |
| I033928 | | 0.81 | 18.3 | 2.49 | 4.18 | 0.06 | 0.05 | 0.04 | 0.018 | 0.08 | 11.6 | 7.7 | 0.50 | 1180 | 0.81 |
| I033929 | | 0.71 | 13.4 | 2.15 | 5.48 | <0.05 | 0.02 | 0.07 | 0.017 | 0.06 | 10.6 | 7.7 | 0.32 | 275 | 1.00 |
| I033930 | | 1.52 | 23.9 | 2.58 | 5.75 | 0.08 | 0.03 | 0.04 | 0.022 | 0.10 | 27.2 | 9.5 | 0.53 | 309 | 0.61 |
| I033931 | | 1.55 | 30.4 | 3.35 | 6.44 | 0.10 | 0.04 | 0.03 | 0.025 | 0.14 | 37.0 | 12.7 | 0.75 | 469 | 0.66 |
| I033932 | | 1.39 | 21.6 | 2.52 | 5.78 | 0.07 | 0.03 | 0.03 | 0.020 | 0.08 | 22.0 | 9.5 | 0.57 | 214 | 0.68 |
| I033933 | | 1.54 | 19.9 | 3.01 | 5.87 | 0.07 | 0.03 | 0.03 | 0.023 | 0.13 | 20.5 | 10.4 | 0.68 | 458 | 0.64 |
| I033934 | | 1.33 | 12.6 | 1.77 | 4.48 | 0.05 | <0.02 | 0.05 | 0.014 | 0.05 | 12.6 | 4.5 | 0.32 | 110 | 0.58 |
| I033935 | | 2.15 | 25.8 | 2.56 | 5.35 | 0.08 | 0.04 | 0.06 | 0.023 | 0.07 | 28.5 | 9.1 | 0.52 | 798 | 0.96 |
| I033936 | | 3.69 | 29.0 | 3.14 | 6.07 | 0.09 | 0.03 | 0.04 | 0.028 | 0.19 | 25.4 | 13.5 | 0.75 | 780 | 0.87 |
| I033937 | | 3.42 | 26.0 | 2.80 | 5.12 | 0.08 | 0.05 | 0.04 | 0.026 | 0.11 | 21.1 | 12.1 | 0.49 | 569 | 0.78 |
| I033938 | | 3.69 | 24.9 | 2.66 | 4.84 | 0.10 | 0.05 | 0.07 | 0.026 | 0.11 | 31.2 | 13.5 | 0.51 | 762 | 0.92 |
| I033939 | | 3.32 | 21.6 | 3.05 | 6.97 | 0.09 | 0.04 | 0.02 | 0.026 | 0.29 | 24.9 | 16.2 | 0.74 | 263 | 0.70 |
| I033940 | | 5.26 | 26.1 | 3.05 | 5.16 | 0.11 | 0.05 | 0.04 | 0.030 | 0.10 | 32.2 | 15.8 | 0.54 | 298 | 0.99 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I033901 | | 0.91 | 13.3 | 650 | 4.8 | 13.1 | <0.001 | 0.09 | 0.24 | 2.2 | 0.6 | 0.3 | 20.7 | 0.01 | 0.02 | 0.3 |
| I033902 | | 0.12 | 5.6 | 720 | 1.2 | 1.3 | <0.001 | 0.11 | 0.25 | 1.2 | 0.5 | <0.2 | 30.1 | <0.01 | 0.01 | 0.2 |
| I033903 | | 0.28 | 3.6 | 660 | 3.0 | 0.8 | 0.001 | 0.07 | 0.22 | 1.2 | 1.3 | <0.2 | 30.7 | 0.01 | 0.01 | 0.3 |
| I033904 | | 0.97 | 5.5 | 210 | 7.8 | 14.6 | <0.001 | 0.02 | 0.10 | 2.2 | 0.2 | 0.3 | 12.3 | <0.01 | 0.01 | 1.1 |
| I033905 | | 1.75 | 19.4 | 400 | 6.8 | 26.9 | <0.001 | 0.02 | 0.18 | 9.6 | 0.5 | 0.5 | 18.0 | <0.01 | 0.02 | 3.1 |
| I033906 | | 0.95 | 10.7 | 620 | 4.1 | 15.6 | <0.001 | 0.18 | 0.19 | 4.8 | 1.9 | 0.4 | 30.8 | <0.01 | 0.16 | 0.5 |
| I033907 | | 1.03 | 17.3 | 490 | 4.8 | 16.6 | <0.001 | 0.06 | 0.15 | 4.0 | 0.7 | 0.4 | 17.4 | <0.01 | 0.08 | 0.3 |
| I033908 | | 1.15 | 35.6 | 570 | 8.1 | 24.3 | <0.001 | 0.06 | 0.21 | 6.7 | 0.7 | 0.3 | 42.9 | <0.01 | 0.03 | 0.8 |
| I033909 | | 1.49 | 56.8 | 620 | 9.4 | 48.5 | <0.001 | 0.01 | 0.31 | 6.5 | 0.4 | 0.6 | 36.5 | <0.01 | 0.02 | 4.7 |
| I033910 | | 1.24 | 23.5 | 370 | 7.6 | 11.3 | <0.001 | 0.01 | 0.26 | 4.3 | 0.3 | 0.5 | 20.6 | <0.01 | 0.03 | 1.1 |
| I033911 | | 1.32 | 33.6 | 530 | 8.7 | 17.4 | <0.001 | 0.01 | 0.26 | 5.6 | 0.3 | 0.5 | 27.1 | <0.01 | 0.03 | 1.6 |
| I033912 | | 1.25 | 33.1 | 470 | 4.8 | 10.6 | <0.001 | 0.03 | 0.28 | 6.6 | 0.6 | 0.4 | 41.5 | <0.01 | 0.03 | 1.2 |
| I033913 | | 1.13 | 31.9 | 670 | 5.7 | 14.2 | <0.001 | 0.04 | 0.31 | 7.9 | 0.9 | 0.4 | 53.6 | <0.01 | 0.03 | 1.0 |
| I033914 | | 1.06 | 22.8 | 730 | 5.3 | 11.3 | <0.001 | 0.10 | 0.34 | 3.7 | 1.0 | 0.3 | 54.2 | <0.01 | 0.04 | 0.6 |
| I033915 | | 0.67 | 18.6 | 740 | 4.1 | 8.8 | <0.001 | 0.16 | 0.47 | 2.7 | 1.3 | 0.2 | 71.2 | <0.01 | 0.04 | 0.3 |
| I033916 | | 0.52 | 15.0 | 830 | 6.1 | 6.2 | 0.001 | 0.18 | 0.37 | 1.6 | 1.1 | 0.2 | 74.3 | <0.01 | 0.03 | 0.2 |
| I033917 | | 1.30 | 28.0 | 650 | 10.4 | 17.8 | <0.001 | 0.06 | 0.40 | 5.5 | 0.8 | 0.4 | 46.7 | <0.01 | 0.04 | 1.5 |
| I033918 | | 0.99 | 27.0 | 750 | 6.8 | 22.0 | <0.001 | 0.07 | 0.23 | 5.3 | 0.9 | 0.3 | 43.4 | <0.01 | 0.03 | 0.6 |
| I033919 | | 1.16 | 41.4 | 630 | 11.1 | 32.9 | 0.001 | 0.07 | 0.23 | 6.2 | 0.9 | 0.4 | 43.4 | <0.01 | 0.04 | 0.8 |
| I033920 | | 0.70 | 9.2 | 490 | 4.4 | 8.4 | <0.001 | 0.11 | 0.19 | 3.7 | 1.6 | 0.4 | 20.4 | <0.01 | 0.12 | 0.2 |
| I033921 | | 0.88 | 9.5 | 470 | 4.3 | 12.4 | 0.001 | 0.15 | 0.15 | 4.1 | 1.6 | 0.4 | 24.2 | <0.01 | 0.14 | 0.4 |
| I033922 | | 1.36 | 12.7 | 400 | 4.9 | 26.1 | <0.001 | 0.15 | 0.14 | 6.8 | 1.1 | 0.5 | 30.4 | <0.01 | 0.13 | 0.8 |
| I033923 | | 0.89 | 11.6 | 550 | 4.6 | 22.8 | 0.001 | 0.13 | 0.12 | 4.4 | 0.6 | 0.4 | 23.5 | <0.01 | 0.05 | 0.5 |
| I033924 | | 1.28 | 13.3 | 610 | 4.3 | 27.5 | <0.001 | 0.18 | 0.17 | 7.2 | 1.0 | 0.4 | 25.1 | <0.01 | 0.06 | 1.1 |
| I033925 | | 1.65 | 18.1 | 330 | 4.1 | 30.2 | <0.001 | 0.04 | 0.18 | 6.9 | 0.6 | 0.4 | 32.7 | <0.01 | 0.03 | 1.7 |
| I033926 | | 1.97 | 18.9 | 490 | 4.7 | 36.1 | <0.001 | 0.02 | 0.25 | 10.4 | 0.4 | 0.5 | 18.9 | <0.01 | 0.02 | 2.3 |
| I033927 | | 0.30 | 4.7 | 1110 | 3.7 | 1.4 | <0.001 | 0.16 | 0.21 | 1.2 | 0.7 | 0.2 | 22.4 | <0.01 | 0.03 | <0.2 |
| I033928 | | 1.07 | 21.6 | 660 | 5.3 | 14.1 | <0.001 | 0.09 | 0.29 | 3.7 | 0.7 | 0.3 | 61.7 | <0.01 | 0.02 | 1.4 |
| I033929 | | 0.87 | 15.9 | 500 | 5.7 | 9.8 | <0.001 | 0.04 | 0.27 | 2.0 | 0.3 | 0.4 | 20.7 | <0.01 | 0.02 | 0.5 |
| I033930 | | 0.95 | 29.6 | 560 | 8.0 | 19.8 | <0.001 | 0.03 | 0.20 | 4.0 | 0.5 | 0.4 | 38.8 | <0.01 | 0.02 | 3.0 |
| I033931 | | 1.12 | 41.3 | 690 | 10.2 | 22.1 | <0.001 | 0.03 | 0.22 | 5.1 | 0.5 | 0.4 | 43.9 | <0.01 | 0.02 | 4.7 |
| I033932 | | 0.96 | 28.7 | 510 | 6.1 | 13.7 | <0.001 | 0.05 | 0.21 | 4.2 | 0.5 | 0.4 | 38.6 | <0.01 | 0.03 | 2.5 |
| I033933 | | 1.12 | 30.8 | 590 | 16.1 | 22.0 | <0.001 | 0.04 | 0.18 | 4.5 | 0.5 | 0.4 | 48.6 | <0.01 | 0.01 | 3.5 |
| I033934 | | 0.72 | 15.5 | 590 | 6.8 | 11.6 | <0.001 | 0.06 | 0.18 | 2.2 | 0.5 | 0.4 | 31.4 | <0.01 | 0.01 | 0.4 |
| I033935 | | 0.89 | 27.6 | 920 | 10.7 | 16.1 | <0.001 | 0.08 | 0.26 | 3.7 | 0.8 | 0.4 | 58.4 | <0.01 | 0.02 | 1.3 |
| I033936 | | 1.13 | 40.6 | 790 | 20.0 | 31.1 | <0.001 | 0.03 | 0.23 | 5.6 | 0.7 | 0.5 | 47.2 | <0.01 | 0.04 | 5.6 |
| I033937 | | 1.01 | 27.2 | 760 | 15.0 | 24.1 | <0.001 | 0.05 | 0.19 | 4.4 | 0.9 | 0.5 | 61.7 | 0.01 | 0.03 | 3.1 |
| I033938 | | 0.93 | 30.1 | 760 | 17.8 | 21.2 | 0.001 | 0.06 | 0.25 | 4.7 | 1.1 | 0.4 | 65.9 | 0.01 | 0.03 | 3.1 |
| I033939 | | 1.35 | 34.1 | 580 | 11.4 | 32.7 | <0.001 | 0.01 | 0.16 | 4.1 | 0.5 | 0.6 | 25.5 | <0.01 | 0.03 | 4.7 |
| I033940 | | 1.11 | 33.5 | 500 | 12.4 | 20.6 | 0.001 | 0.02 | 0.49 | 5.5 | 0.8 | 0.4 | 38.8 | 0.01 | 0.03 | 6.3 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I033901 | | 0.067 | 0.09 | 0.52 | 26 | 0.11 | 4.69 | 36 | 0.8 |
| I033902 | | 0.011 | 0.04 | 0.09 | 12 | <0.05 | 2.27 | 29 | 0.5 |
| I033903 | | 0.014 | <0.02 | 0.22 | 6 | <0.05 | 3.05 | 29 | <0.5 |
| I033904 | | 0.077 | 0.09 | 0.32 | 32 | 0.06 | 1.77 | 28 | 0.6 |
| I033905 | | 0.193 | 0.17 | 0.72 | 102 | 0.13 | 11.85 | 98 | 2.3 |
| I033906 | | 0.080 | 0.12 | 0.75 | 58 | 0.07 | 7.44 | 44 | 0.8 |
| I033907 | | 0.138 | 0.12 | 0.39 | 64 | 0.08 | 3.66 | 61 | 0.8 |
| I033908 | | 0.129 | 0.14 | 0.55 | 70 | 0.09 | 11.55 | 97 | 2.1 |
| I033909 | | 0.127 | 0.23 | 0.67 | 81 | 0.17 | 7.70 | 73 | 2.0 |
| I033910 | | 0.123 | 0.09 | 0.45 | 80 | 0.13 | 3.81 | 61 | 1.0 |
| I033911 | | 0.154 | 0.09 | 0.46 | 90 | 0.15 | 4.82 | 87 | 1.4 |
| I033912 | | 0.131 | 0.07 | 0.71 | 84 | 0.12 | 8.44 | 60 | 2.7 |
| I033913 | | 0.104 | 0.07 | 0.46 | 82 | 0.10 | 13.70 | 82 | 1.8 |
| I033914 | | 0.074 | 0.08 | 0.70 | 49 | 0.06 | 7.59 | 49 | 2.8 |
| I033915 | | 0.049 | 0.07 | 0.79 | 36 | 0.08 | 7.34 | 42 | 2.3 |
| I033916 | | 0.031 | 0.05 | 0.49 | 24 | 0.06 | 6.59 | 56 | 2.1 |
| I033917 | | 0.120 | 0.09 | 0.67 | 64 | 0.10 | 7.65 | 71 | 3.4 |
| I033918 | | 0.101 | 0.13 | 0.93 | 61 | 0.07 | 12.90 | 85 | 2.1 |
| I033919 | | 0.134 | 0.14 | 0.75 | 76 | 0.09 | 16.90 | 182 | 1.8 |
| I033920 | | 0.069 | 0.08 | 0.43 | 45 | 0.19 | 4.38 | 41 | 0.5 |
| I033921 | | 0.083 | 0.10 | 0.51 | 47 | 0.07 | 4.68 | 45 | 0.6 |
| I033922 | | 0.147 | 0.18 | 0.46 | 75 | 0.07 | 4.75 | 68 | 1.0 |
| I033923 | | 0.151 | 0.12 | 0.45 | 82 | 0.08 | 2.83 | 78 | 0.6 |
| I033924 | | 0.135 | 0.15 | 0.93 | 97 | 0.09 | 8.10 | 67 | 1.0 |
| I033925 | | 0.157 | 0.14 | 0.76 | 84 | 0.08 | 9.17 | 54 | 1.5 |
| I033926 | | 0.203 | 0.16 | 0.59 | 127 | 0.09 | 3.17 | 80 | 2.3 |
| I033927 | | 0.025 | 0.02 | 0.65 | 13 | <0.05 | 4.06 | 17 | <0.5 |
| I033928 | | 0.080 | 0.11 | 0.87 | 45 | 0.16 | 7.19 | 61 | 2.0 |
| I033929 | | 0.066 | 0.07 | 0.36 | 50 | 0.09 | 3.27 | 45 | 0.6 |
| I033930 | | 0.068 | 0.12 | 0.67 | 45 | 0.12 | 9.36 | 56 | 0.9 |
| I033931 | | 0.084 | 0.14 | 0.88 | 52 | 0.11 | 13.40 | 72 | 1.2 |
| I033932 | | 0.066 | 0.11 | 0.65 | 43 | 0.10 | 7.43 | 52 | 0.9 |
| I033933 | | 0.084 | 0.13 | 0.72 | 49 | 0.12 | 7.89 | 62 | 1.2 |
| I033934 | | 0.049 | 0.09 | 0.66 | 23 | 0.07 | 4.10 | 32 | <0.5 |
| I033935 | | 0.067 | 0.15 | 1.31 | 45 | 0.10 | 13.25 | 60 | 1.0 |
| I033936 | | 0.087 | 0.20 | 1.38 | 54 | 0.36 | 10.50 | 80 | 1.3 |
| I033937 | | 0.066 | 0.16 | 1.60 | 49 | 0.17 | 9.35 | 59 | 1.3 |
| I033938 | | 0.060 | 0.19 | 2.44 | 44 | 0.15 | 14.40 | 63 | 1.3 |
| I033939 | | 0.091 | 0.26 | 0.83 | 50 | 0.13 | 9.11 | 48 | 1.3 |
| I033940 | | 0.058 | 0.16 | 1.51 | 45 | 0.17 | 15.20 | 49 | 1.2 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I033941 | | 0.24 | <0.005 | 0.07 | 1.41 | 4.3 | <0.2 | <10 | 90 | 0.38 | 0.14 | 1.17 | 0.24 | 36.5 | 12.3 | 31 |
| I033942 | | 0.24 | <0.005 | 0.06 | 1.76 | 4.6 | <0.2 | <10 | 140 | 0.35 | 0.14 | 0.94 | 0.12 | 34.6 | 15.2 | 32 |
| I033943 | | 0.18 | <0.005 | 0.12 | 1.84 | 5.0 | <0.2 | <10 | 170 | 0.57 | 0.14 | 1.29 | 0.18 | 61.6 | 12.6 | 32 |
| I033944 | | 0.26 | <0.005 | 0.08 | 1.54 | 4.5 | <0.2 | <10 | 130 | 0.33 | 0.14 | 0.89 | 0.18 | 29.4 | 10.4 | 33 |
| I033945 | | 0.26 | <0.005 | 0.13 | 1.38 | 4.9 | <0.2 | <10 | 100 | 0.27 | 0.15 | 0.52 | 0.26 | 24.2 | 8.6 | 29 |
| I033946 | | 0.24 | <0.005 | 0.18 | 1.57 | 6.5 | <0.2 | <10 | 130 | 0.40 | 0.15 | 0.74 | 0.12 | 45.4 | 8.1 | 30 |
| I033947 | | 0.16 | <0.005 | 0.19 | 1.59 | 7.5 | <0.2 | <10 | 120 | 0.61 | 0.13 | 1.38 | 0.22 | 47.0 | 11.6 | 33 |
| I033948 | | 0.20 | <0.005 | 0.10 | 1.15 | 14.0 | <0.2 | <10 | 80 | 0.38 | 0.07 | 1.93 | 0.32 | 18.95 | 9.0 | 26 |
| I033949 | | 0.26 | 0.005 | 0.22 | 1.81 | 63.0 | <0.2 | <10 | 110 | 0.45 | 0.14 | 1.32 | 0.34 | 23.7 | 15.8 | 34 |
| I033950 | | 0.24 | <0.005 | 0.20 | 1.12 | 14.1 | <0.2 | <10 | 60 | 0.21 | 0.31 | 0.29 | 0.15 | 18.50 | 5.1 | 24 |
| I033951 | | 0.26 | <0.005 | 0.08 | 1.20 | 3.9 | <0.2 | <10 | 120 | 0.26 | 0.25 | 0.58 | 0.10 | 37.0 | 6.7 | 25 |
| I033952 | | 0.18 | <0.005 | 0.12 | 0.63 | 3.2 | <0.2 | <10 | 70 | 0.23 | 0.13 | 0.18 | 0.16 | 30.1 | 3.9 | 13 |
| I033953 | | 0.14 | <0.005 | 0.04 | 0.40 | 4.0 | <0.2 | <10 | 20 | 0.05 | 0.22 | 0.07 | 0.13 | 17.70 | 2.4 | 11 |
| I033954 | | 0.38 | <0.005 | 0.01 | 1.84 | 5.3 | <0.2 | <10 | 60 | 0.35 | 0.23 | 0.09 | 0.08 | 36.7 | 8.1 | 29 |
| I033955 | | 0.36 | <0.005 | 0.02 | 1.63 | 6.6 | <0.2 | <10 | 110 | 0.29 | 0.23 | 0.12 | 0.09 | 44.0 | 9.1 | 31 |
| I033956 | | 0.72 | <0.005 | 0.11 | 1.88 | 6.0 | <0.2 | <10 | 200 | 0.35 | 0.21 | 0.52 | 0.10 | 50.0 | 10.6 | 36 |
| I033957 | | 0.30 | <0.005 | 0.17 | 1.02 | 3.3 | <0.2 | <10 | 110 | 0.27 | 0.20 | 0.66 | 0.11 | 43.7 | 5.6 | 17 |
| I033958 | | 0.48 | <0.005 | 0.06 | 1.99 | 1.2 | <0.2 | <10 | 50 | 0.56 | 0.58 | 0.14 | 0.05 | 147.0 | 14.8 | 28 |
| I033959 | | 0.32 | 0.100 | 0.07 | 2.11 | 12.9 | <0.2 | <10 | 120 | 0.31 | 0.30 | 0.11 | 0.09 | 30.1 | 8.0 | 36 |
| I033960 | | 0.32 | <0.005 | 0.05 | 1.42 | 9.5 | <0.2 | <10 | 80 | 0.23 | 0.25 | 0.12 | 0.08 | 23.4 | 5.8 | 26 |
| I033961 | | 0.44 | 0.005 | 0.08 | 1.85 | 5.8 | <0.2 | <10 | 190 | 0.37 | 0.19 | 0.42 | 0.06 | 42.4 | 9.4 | 32 |
| I033962 | | 0.48 | <0.005 | 0.08 | 2.00 | 5.0 | <0.2 | <10 | 210 | 0.36 | 0.19 | 0.55 | 0.09 | 30.5 | 13.1 | 30 |
| I033963 | | 0.34 | <0.005 | 0.07 | 0.83 | 5.9 | <0.2 | <10 | 60 | 0.13 | 0.30 | 0.07 | 0.08 | 25.1 | 4.1 | 16 |
| I033964 | | 0.42 | <0.005 | 0.16 | 1.67 | 4.8 | <0.2 | <10 | 120 | 0.35 | 0.28 | 0.42 | 0.17 | 43.1 | 8.9 | 30 |
| I033965 | | 0.58 | <0.005 | 0.04 | 1.97 | 6.9 | <0.2 | <10 | 140 | 0.41 | 0.22 | 0.22 | 0.08 | 46.1 | 8.8 | 30 |
| I033966 | | 0.44 | <0.005 | 0.06 | 1.82 | 5.2 | <0.2 | <10 | 140 | 0.49 | 0.25 | 0.26 | 0.11 | 49.7 | 13.3 | 36 |
| I033967 | | 0.30 | 0.006 | 0.29 | 1.40 | 9.8 | <0.2 | <10 | 160 | 0.26 | 0.18 | 0.25 | 1.10 | 22.0 | 4.7 | 47 |
| I033968 | | 0.32 | <0.005 | 0.17 | 1.66 | 8.1 | <0.2 | <10 | 160 | 0.26 | 0.17 | 0.39 | 0.32 | 24.8 | 9.5 | 33 |
| I033969 | | 0.26 | 0.005 | 0.13 | 1.47 | 5.2 | <0.2 | <10 | 300 | 0.32 | 0.18 | 0.46 | 0.29 | 31.1 | 7.5 | 26 |
| I033970 | | 0.26 | 0.006 | 0.38 | 1.67 | 9.7 | <0.2 | <10 | 570 | 0.47 | 0.19 | 1.25 | 0.43 | 62.0 | 14.2 | 33 |
| I033971 | | 0.18 | 0.006 | 0.33 | 1.66 | 10.3 | <0.2 | <10 | 380 | 0.79 | 0.19 | 0.84 | 0.42 | 112.5 | 13.0 | 26 |
| I033972 | | 0.56 | 0.007 | 0.16 | 2.24 | 10.1 | <0.2 | <10 | 350 | 0.66 | 0.16 | 0.66 | 0.25 | 39.7 | 21.1 | 35 |
| I033973 | | 0.20 | 0.007 | 0.20 | 1.41 | 5.1 | <0.2 | <10 | 340 | 0.42 | 0.54 | 1.22 | 0.31 | 46.5 | 11.9 | 24 |
| I033974 | | 0.40 | 0.006 | 0.15 | 1.76 | 5.4 | <0.2 | <10 | 260 | 0.28 | 0.20 | 0.21 | 0.12 | 15.90 | 13.4 | 24 |
| I033975 | | 0.36 | 0.006 | 0.12 | 2.26 | 4.5 | <0.2 | <10 | 320 | 0.40 | 0.18 | 0.40 | 0.17 | 33.1 | 25.3 | 21 |
| I033976 | | 0.62 | 0.005 | 0.29 | 2.82 | 2.4 | <0.2 | <10 | 720 | 0.56 | 0.13 | 0.74 | 0.15 | 45.0 | 30.9 | 35 |
| I033977 | | 0.58 | 0.006 | 0.11 | 1.95 | 6.0 | <0.2 | <10 | 260 | 0.29 | 0.13 | 0.51 | 0.12 | 19.15 | 23.0 | 27 |
| I033978 | | 0.62 | 0.005 | 0.06 | 1.63 | 4.1 | <0.2 | <10 | 350 | 0.13 | 0.12 | 0.40 | 0.11 | 15.05 | 17.6 | 21 |
| I033979 | | 0.42 | 0.006 | 0.22 | 1.67 | 3.5 | <0.2 | <10 | 310 | 0.36 | 0.72 | 0.36 | 0.24 | 32.0 | 10.2 | 19 |
| I033980 | | 0.62 | 0.005 | 0.21 | 1.66 | 4.0 | <0.2 | <10 | 220 | 0.31 | 0.46 | 0.36 | 0.31 | 32.6 | 9.1 | 30 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I033941 | | 1.86 | 32.8 | 2.35 | 4.60 | 0.08 | 0.04 | 0.04 | 0.024 | 0.06 | 22.0 | 11.7 | 0.47 | 457 | 0.89 |
| I033942 | | 1.50 | 26.2 | 2.76 | 5.16 | 0.08 | 0.06 | 0.03 | 0.023 | 0.05 | 19.2 | 14.5 | 0.53 | 416 | 0.73 |
| I033943 | | 1.45 | 34.4 | 2.57 | 4.96 | 0.14 | 0.09 | 0.05 | 0.025 | 0.06 | 50.5 | 17.5 | 0.46 | 509 | 0.80 |
| I033944 | | 1.39 | 27.0 | 2.42 | 4.81 | 0.07 | 0.05 | 0.04 | 0.021 | 0.06 | 18.9 | 13.1 | 0.50 | 349 | 0.77 |
| I033945 | | 0.90 | 27.0 | 2.42 | 4.97 | 0.07 | 0.03 | 0.05 | 0.020 | 0.08 | 16.1 | 12.2 | 0.44 | 245 | 0.97 |
| I033946 | | 1.36 | 34.4 | 2.42 | 5.50 | 0.09 | 0.04 | 0.04 | 0.023 | 0.07 | 33.4 | 12.0 | 0.47 | 187 | 0.93 |
| I033947 | | 1.97 | 39.5 | 2.66 | 4.68 | 0.10 | 0.06 | 0.06 | 0.023 | 0.09 | 32.9 | 12.2 | 0.45 | 557 | 1.05 |
| I033948 | | 2.75 | 24.9 | 2.05 | 3.53 | 0.06 | 0.06 | 0.04 | 0.017 | 0.11 | 11.4 | 11.7 | 0.46 | 311 | 0.54 |
| I033949 | | 3.95 | 34.9 | 2.71 | 5.59 | 0.07 | 0.04 | 0.05 | 0.028 | 0.08 | 15.8 | 17.5 | 0.63 | 457 | 1.32 |
| I033950 | | 3.57 | 12.7 | 1.70 | 4.95 | 0.05 | 0.02 | 0.04 | 0.017 | 0.06 | 10.1 | 8.2 | 0.37 | 227 | 0.60 |
| I033951 | | 1.84 | 22.2 | 2.35 | 6.30 | 0.08 | 0.03 | 0.03 | 0.020 | 0.09 | 20.3 | 9.8 | 0.39 | 176 | 0.68 |
| I033952 | | 0.78 | 21.8 | 1.26 | 2.66 | 0.05 | <0.02 | 0.08 | 0.014 | 0.05 | 18.4 | 2.8 | 0.12 | 147 | 0.89 |
| I033953 | | 0.94 | 13.7 | 1.19 | 4.12 | <0.05 | <0.02 | 0.03 | 0.010 | 0.04 | 8.6 | 1.3 | 0.07 | 77 | 1.22 |
| I033954 | | 2.24 | 19.0 | 3.76 | 5.63 | 0.07 | 0.04 | 0.02 | 0.029 | 0.30 | 10.9 | 16.7 | 0.51 | 279 | 0.68 |
| I033955 | | 1.30 | 24.1 | 3.36 | 6.19 | 0.07 | 0.04 | 0.02 | 0.027 | 0.14 | 15.2 | 12.9 | 0.44 | 385 | 0.94 |
| I033956 | | 1.23 | 29.9 | 3.09 | 5.86 | 0.11 | 0.09 | 0.03 | 0.030 | 0.09 | 29.6 | 16.7 | 0.61 | 651 | 0.55 |
| I033957 | | 1.15 | 19.2 | 1.83 | 4.57 | 0.13 | 0.05 | 0.03 | 0.017 | 0.07 | 53.7 | 6.8 | 0.21 | 298 | 0.65 |
| I033958 | | 3.62 | 43.2 | 4.51 | 5.42 | 0.14 | 0.12 | 0.01 | 0.027 | 0.62 | 31.6 | 18.6 | 0.85 | 739 | 0.43 |
| I033959 | | 1.58 | 18.1 | 4.52 | 9.55 | 0.08 | 0.08 | 0.01 | 0.032 | 0.07 | 13.6 | 17.2 | 0.48 | 387 | 1.75 |
| I033960 | | 1.11 | 16.3 | 3.00 | 7.62 | 0.06 | 0.03 | 0.03 | 0.023 | 0.07 | 10.7 | 11.8 | 0.36 | 168 | 1.32 |
| I033961 | | 1.14 | 23.5 | 2.74 | 5.59 | 0.09 | 0.06 | 0.04 | 0.024 | 0.08 | 23.3 | 15.1 | 0.61 | 359 | 0.48 |
| I033962 | | 1.58 | 20.4 | 3.18 | 6.52 | 0.09 | 0.07 | 0.04 | 0.026 | 0.15 | 17.4 | 24.4 | 0.80 | 435 | 0.51 |
| I033963 | | 0.87 | 19.1 | 2.37 | 7.55 | 0.05 | 0.03 | 0.02 | 0.015 | 0.04 | 11.0 | 3.1 | 0.11 | 148 | 1.63 |
| I033964 | | 1.80 | 19.2 | 2.58 | 5.52 | 0.10 | 0.04 | 0.02 | 0.024 | 0.10 | 24.4 | 16.0 | 0.62 | 198 | 0.41 |
| I033965 | | 1.56 | 24.7 | 2.90 | 5.76 | 0.09 | 0.04 | 0.03 | 0.026 | 0.11 | 20.8 | 13.4 | 0.56 | 153 | 0.51 |
| I033966 | | 2.73 | 24.8 | 3.43 | 5.75 | 0.10 | 0.03 | 0.02 | 0.032 | 0.11 | 23.2 | 11.3 | 0.58 | 432 | 0.81 |
| I033967 | | 1.02 | 33.8 | 2.77 | 7.01 | 0.08 | 0.03 | 0.02 | 0.024 | 0.20 | 13.7 | 7.0 | 0.65 | 214 | 6.96 |
| I033968 | | 1.30 | 22.5 | 3.10 | 6.61 | 0.08 | 0.04 | 0.02 | 0.029 | 0.14 | 12.8 | 11.7 | 0.67 | 384 | 2.73 |
| I033969 | | 1.15 | 22.8 | 2.73 | 7.00 | 0.08 | 0.05 | 0.03 | 0.028 | 0.09 | 18.7 | 9.0 | 0.50 | 742 | 1.65 |
| I033970 | | 2.10 | 84.1 | 3.41 | 6.29 | 0.16 | 0.10 | 0.04 | 0.046 | 0.13 | 36.5 | 12.7 | 0.92 | 1380 | 2.21 |
| I033971 | | 1.48 | 46.5 | 2.80 | 5.82 | 0.19 | 0.07 | 0.08 | 0.031 | 0.09 | 69.7 | 12.0 | 0.49 | 399 | 1.23 |
| I033972 | | 4.12 | 30.6 | 4.67 | 7.83 | 0.13 | 0.07 | 0.02 | 0.040 | 0.22 | 19.6 | 19.7 | 1.35 | 866 | 1.20 |
| I033973 | | 1.97 | 28.8 | 2.85 | 4.72 | 0.10 | 0.06 | 0.05 | 0.024 | 0.18 | 29.3 | 10.5 | 0.60 | 681 | 1.41 |
| I033974 | | 0.62 | 18.1 | 3.11 | 6.21 | 0.05 | 0.02 | 0.01 | 0.021 | 0.14 | 6.7 | 9.8 | 0.54 | 453 | 1.47 |
| I033975 | | 2.08 | 81.2 | 4.59 | 7.80 | 0.10 | 0.04 | 0.03 | 0.025 | 0.50 | 17.6 | 19.0 | 1.14 | 453 | 1.45 |
| I033976 | | 5.43 | 102.0 | 5.30 | 8.94 | 0.18 | 0.06 | 0.03 | 0.029 | 0.82 | 38.9 | 15.6 | 1.67 | 587 | 1.78 |
| I033977 | | 2.25 | 54.0 | 3.93 | 7.23 | 0.09 | 0.03 | 0.02 | 0.022 | 0.26 | 9.2 | 18.0 | 0.97 | 452 | 0.90 |
| I033978 | | 1.76 | 52.0 | 3.02 | 7.82 | 0.07 | 0.02 | 0.01 | 0.015 | 0.22 | 7.6 | 9.9 | 0.91 | 243 | 0.69 |
| I033979 | | 2.33 | 41.9 | 3.24 | 5.70 | 0.09 | 0.03 | 0.03 | 0.020 | 0.33 | 20.3 | 12.0 | 0.76 | 408 | 1.73 |
| I033980 | | 1.89 | 22.0 | 2.69 | 6.08 | 0.08 | 0.03 | 0.05 | 0.019 | 0.23 | 20.3 | 12.2 | 0.81 | 464 | 1.99 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I033941 | | 0.93 | 25.4 | 600 | 8.3 | 11.7 | 0.001 | 0.05 | 0.30 | 3.7 | 0.8 | 0.4 | 68.8 | 0.01 | 0.03 | 1.7 |
| I033942 | | 1.32 | 28.9 | 390 | 9.2 | 11.6 | <0.001 | 0.04 | 0.20 | 4.5 | 0.7 | 0.4 | 67.1 | <0.01 | 0.03 | 4.0 |
| I033943 | | 1.17 | 32.2 | 490 | 9.4 | 11.5 | 0.001 | 0.06 | 0.30 | 5.3 | 1.2 | 0.4 | 88.3 | 0.01 | 0.03 | 3.5 |
| I033944 | | 1.16 | 26.6 | 460 | 9.2 | 13.0 | <0.001 | 0.04 | 0.23 | 4.2 | 0.8 | 0.4 | 62.8 | 0.01 | 0.02 | 2.9 |
| I033945 | | 1.05 | 26.4 | 380 | 8.0 | 12.3 | <0.001 | 0.03 | 0.23 | 3.5 | 0.6 | 0.4 | 38.1 | <0.01 | 0.03 | 1.8 |
| I033946 | | 1.10 | 28.9 | 520 | 11.0 | 10.6 | 0.001 | 0.05 | 0.30 | 4.2 | 0.8 | 0.4 | 47.3 | 0.01 | 0.02 | 2.6 |
| I033947 | | 1.18 | 38.5 | 560 | 10.7 | 14.0 | 0.001 | 0.05 | 0.52 | 4.6 | 1.0 | 0.3 | 83.7 | 0.01 | 0.03 | 3.2 |
| I033948 | | 1.01 | 25.6 | 500 | 8.2 | 19.3 | 0.001 | 0.07 | 0.96 | 3.5 | 0.8 | 0.3 | 95.5 | 0.01 | 0.03 | 1.7 |
| I033949 | | 1.05 | 25.2 | 690 | 12.2 | 13.9 | 0.002 | 0.09 | 7.12 | 4.8 | 1.0 | 0.4 | 67.5 | <0.01 | 0.03 | 1.7 |
| I033950 | | 0.85 | 13.8 | 630 | 22.0 | 12.3 | <0.001 | 0.05 | 0.86 | 2.4 | 0.6 | 0.5 | 23.2 | <0.01 | 0.02 | 0.9 |
| I033951 | | 1.67 | 18.1 | 550 | 12.7 | 21.3 | <0.001 | 0.03 | 0.21 | 2.5 | 0.7 | 0.6 | 24.1 | 0.01 | 0.02 | 1.3 |
| I033952 | | 0.37 | 9.3 | 590 | 7.0 | 8.1 | <0.001 | 0.04 | 0.23 | 0.9 | 0.6 | 0.3 | 15.4 | <0.01 | 0.02 | <0.2 |
| I033953 | | 0.79 | 8.1 | 340 | 6.5 | 6.3 | <0.001 | 0.02 | 0.39 | 0.8 | 0.4 | 0.5 | 9.4 | <0.01 | 0.03 | 0.2 |
| I033954 | | 3.05 | 21.7 | 360 | 12.5 | 36.1 | <0.001 | 0.01 | 0.23 | 3.2 | 0.7 | 0.5 | 8.9 | 0.01 | 0.03 | 5.8 |
| I033955 | | 1.91 | 25.6 | 290 | 13.9 | 20.2 | <0.001 | 0.01 | 0.32 | 3.5 | 0.5 | 0.5 | 12.4 | <0.01 | 0.03 | 3.9 |
| I033956 | | 1.79 | 26.7 | 800 | 10.3 | 17.7 | <0.001 | 0.01 | 0.56 | 6.6 | 0.7 | 0.5 | 31.2 | 0.01 | 0.02 | 8.2 |
| I033957 | | 0.98 | 12.1 | 590 | 10.6 | 17.7 | <0.001 | 0.04 | 0.21 | 1.8 | 0.9 | 0.4 | 27.9 | 0.01 | 0.02 | 0.8 |
| I033958 | | 2.30 | 41.0 | 520 | 22.3 | 95.5 | 0.001 | <0.01 | 0.06 | 3.3 | 0.9 | 0.4 | 7.6 | 0.01 | 0.04 | 22.7 |
| I033959 | | 2.41 | 19.4 | 300 | 14.7 | 18.8 | <0.001 | <0.01 | 0.58 | 4.0 | 0.4 | 0.8 | 14.1 | <0.01 | 0.04 | 5.2 |
| I033960 | | 1.76 | 17.1 | 290 | 12.6 | 15.0 | <0.001 | 0.01 | 0.40 | 2.5 | 0.5 | 0.6 | 13.3 | <0.01 | 0.03 | 1.1 |
| I033961 | | 1.59 | 24.1 | 760 | 9.7 | 16.0 | <0.001 | 0.01 | 0.30 | 5.5 | 0.6 | 0.5 | 27.2 | 0.01 | 0.02 | 5.0 |
| I033962 | | 1.65 | 24.8 | 990 | 11.5 | 25.9 | <0.001 | 0.01 | 0.30 | 5.7 | 0.6 | 0.5 | 28.6 | <0.01 | 0.02 | 5.3 |
| I033963 | | 1.78 | 13.3 | 310 | 11.8 | 9.5 | <0.001 | 0.01 | 0.49 | 1.7 | 0.5 | 0.7 | 10.1 | <0.01 | 0.03 | 2.4 |
| I033964 | | 2.05 | 22.2 | 940 | 18.5 | 21.6 | <0.001 | 0.02 | 0.24 | 3.7 | 0.5 | 0.5 | 26.0 | <0.01 | 0.02 | 4.0 |
| I033965 | | 1.70 | 23.5 | 590 | 11.1 | 19.4 | <0.001 | 0.01 | 0.32 | 4.0 | 0.7 | 0.5 | 18.2 | 0.01 | 0.02 | 2.8 |
| I033966 | | 1.81 | 30.7 | 640 | 16.1 | 21.8 | <0.001 | 0.01 | 0.24 | 4.8 | 0.6 | 0.5 | 19.4 | 0.01 | 0.03 | 3.6 |
| I033967 | | 1.65 | 21.4 | 440 | 16.5 | 22.6 | 0.001 | 0.13 | 0.27 | 3.8 | 1.8 | 0.5 | 34.4 | <0.01 | 0.06 | 3.1 |
| I033968 | | 1.72 | 19.3 | 440 | 10.1 | 20.1 | <0.001 | 0.02 | 0.33 | 4.9 | 1.0 | 0.5 | 23.0 | <0.01 | 0.04 | 3.7 |
| I033969 | | 1.46 | 15.9 | 330 | 8.5 | 12.0 | <0.001 | 0.01 | 0.25 | 5.2 | 0.6 | 0.5 | 28.5 | 0.01 | 0.03 | 3.8 |
| I033970 | | 1.55 | 22.6 | 890 | 9.5 | 20.3 | 0.001 | 0.05 | 0.39 | 10.1 | 2.0 | 0.6 | 50.8 | 0.02 | 0.04 | 3.9 |
| I033971 | | 1.11 | 27.0 | 680 | 12.4 | 13.8 | 0.001 | 0.05 | 0.33 | 5.2 | 1.6 | 0.4 | 45.9 | 0.01 | 0.04 | 1.8 |
| I033972 | | 1.10 | 24.2 | 710 | 12.7 | 25.3 | <0.001 | 0.01 | 0.22 | 15.6 | 0.7 | 0.4 | 27.5 | 0.01 | 0.04 | 6.6 |
| I033973 | | 1.53 | 17.4 | 620 | 19.2 | 20.2 | <0.001 | 0.07 | 0.28 | 5.3 | 1.0 | 0.4 | 39.7 | 0.01 | 0.07 | 4.8 |
| I033974 | | 2.12 | 15.4 | 250 | 13.2 | 8.6 | <0.001 | 0.02 | 0.34 | 2.9 | 0.3 | 0.6 | 21.1 | <0.01 | 0.04 | 2.2 |
| I033975 | | 2.59 | 16.8 | 1280 | 12.8 | 36.0 | <0.001 | 0.08 | 0.18 | 4.7 | 0.8 | 0.6 | 40.0 | 0.01 | 0.09 | 3.2 |
| I033976 | | 1.69 | 17.3 | 1960 | 10.9 | 48.2 | <0.001 | 0.05 | 0.13 | 9.1 | 1.1 | 0.6 | 40.7 | 0.01 | 0.06 | 4.2 |
| I033977 | | 1.42 | 22.2 | 1190 | 8.3 | 20.5 | <0.001 | 0.02 | 0.18 | 5.8 | 0.5 | 0.6 | 27.5 | <0.01 | 0.03 | 2.0 |
| I033978 | | 0.85 | 16.8 | 700 | 6.9 | 19.1 | <0.001 | 0.03 | 0.14 | 3.4 | 0.5 | 0.5 | 22.7 | <0.01 | 0.02 | 0.3 |
| I033979 | | 1.88 | 13.1 | 750 | 25.7 | 26.4 | <0.001 | 0.04 | 0.19 | 3.5 | 0.6 | 0.5 | 22.0 | <0.01 | 0.06 | 4.8 |
| I033980 | | 2.04 | 16.9 | 520 | 19.6 | 24.8 | <0.001 | 0.05 | 0.17 | 3.4 | 0.6 | 0.5 | 25.0 | <0.01 | 0.04 | 4.3 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I033941 | | 0.054 | 0.10 | 1.83 | 39 | 0.18 | 9.17 | 37 | 1.0 |
| I033942 | | 0.066 | 0.11 | 1.30 | 47 | 0.17 | 7.02 | 42 | 2.0 |
| I033943 | | 0.053 | 0.10 | 2.66 | 41 | 0.15 | 22.4 | 38 | 2.0 |
| I033944 | | 0.062 | 0.09 | 1.36 | 43 | 0.14 | 7.74 | 38 | 1.6 |
| I033945 | | 0.065 | 0.07 | 0.95 | 48 | 0.24 | 5.64 | 38 | 0.8 |
| I033946 | | 0.057 | 0.08 | 1.64 | 41 | 0.16 | 9.72 | 36 | 0.9 |
| I033947 | | 0.063 | 0.10 | 2.22 | 43 | 0.21 | 15.20 | 43 | 2.0 |
| I033948 | | 0.055 | 0.11 | 0.89 | 32 | 0.09 | 6.78 | 52 | 1.9 |
| I033949 | | 0.057 | 0.13 | 3.78 | 45 | 0.13 | 7.25 | 87 | 1.5 |
| I033950 | | 0.070 | 0.14 | 1.66 | 36 | 0.19 | 3.99 | 40 | 0.7 |
| I033951 | | 0.092 | 0.18 | 1.74 | 43 | 0.15 | 8.12 | 38 | 1.0 |
| I033952 | | 0.030 | 0.07 | 0.88 | 22 | 0.11 | 5.17 | 22 | <0.5 |
| I033953 | | 0.053 | 0.09 | 0.64 | 41 | 0.11 | 2.42 | 25 | 0.5 |
| I033954 | | 0.119 | 0.29 | 1.07 | 41 | 0.13 | 6.98 | 58 | 1.5 |
| I033955 | | 0.106 | 0.19 | 1.02 | 54 | 0.15 | 6.27 | 54 | 1.4 |
| I033956 | | 0.112 | 0.17 | 1.89 | 49 | 0.15 | 13.70 | 64 | 3.6 |
| I033957 | | 0.062 | 0.12 | 1.32 | 34 | 0.19 | 18.80 | 26 | 0.8 |
| I033958 | | 0.190 | 0.80 | 2.15 | 23 | 0.07 | 18.20 | 76 | 4.3 |
| I033959 | | 0.106 | 0.16 | 0.64 | 88 | 0.18 | 3.83 | 54 | 4.0 |
| I033960 | | 0.098 | 0.13 | 0.73 | 68 | 0.17 | 3.71 | 37 | 1.1 |
| I033961 | | 0.103 | 0.16 | 1.03 | 49 | 0.17 | 10.70 | 47 | 2.1 |
| I033962 | | 0.131 | 0.23 | 1.05 | 61 | 0.16 | 8.35 | 62 | 2.4 |
| I033963 | | 0.093 | 0.10 | 0.69 | 71 | 0.12 | 3.07 | 37 | 1.4 |
| I033964 | | 0.102 | 0.19 | 1.23 | 46 | 0.18 | 8.27 | 63 | 1.1 |
| I033965 | | 0.088 | 0.19 | 1.25 | 49 | 0.27 | 9.02 | 47 | 1.2 |
| I033966 | | 0.084 | 0.23 | 1.34 | 53 | 0.12 | 8.60 | 60 | 0.8 |
| I033967 | | 0.089 | 0.21 | 1.28 | 110 | 0.18 | 5.72 | 113 | 1.0 |
| I033968 | | 0.087 | 0.10 | 0.74 | 64 | 0.18 | 6.90 | 83 | 1.4 |
| I033969 | | 0.073 | 0.07 | 0.88 | 59 | 0.20 | 10.10 | 59 | 1.4 |
| I033970 | | 0.097 | 0.11 | 4.06 | 72 | 0.18 | 30.3 | 89 | 2.1 |
| I033971 | | 0.060 | 0.09 | 3.01 | 50 | 0.18 | 28.8 | 57 | 0.7 |
| I033972 | | 0.099 | 0.15 | 1.36 | 86 | 0.21 | 11.65 | 96 | 1.9 |
| I033973 | | 0.068 | 0.13 | 1.82 | 45 | 0.17 | 16.20 | 95 | 1.5 |
| I033974 | | 0.099 | 0.09 | 0.46 | 66 | 0.15 | 2.33 | 57 | 1.0 |
| I033975 | | 0.214 | 0.23 | 1.38 | 103 | 0.14 | 6.73 | 110 | 0.9 |
| I033976 | | 0.232 | 0.32 | 1.60 | 134 | 0.12 | 15.45 | 135 | 0.8 |
| I033977 | | 0.157 | 0.14 | 0.72 | 112 | 0.16 | 4.68 | 80 | 1.1 |
| I033978 | | 0.158 | 0.13 | 0.56 | 102 | 0.24 | 3.80 | 52 | <0.5 |
| I033979 | | 0.101 | 0.21 | 1.09 | 49 | 0.14 | 8.02 | 118 | 0.7 |
| I033980 | | 0.095 | 0.17 | 1.20 | 43 | 0.40 | 8.97 | 134 | 0.8 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I033981 | | 0.38 | 0.006 | 0.20 | 1.66 | 6.6 | <0.2 | <10 | 290 | 0.32 | 0.32 | 0.78 | 0.60 | 30.8 | 13.3 | 26 |
| I033982 | | 0.56 | 0.006 | 0.25 | 1.73 | 4.5 | <0.2 | <10 | 290 | 0.40 | 0.40 | 0.77 | 0.73 | 45.7 | 13.3 | 32 |
| I033983 | | 0.54 | 0.008 | 0.06 | 2.59 | 7.0 | <0.2 | <10 | 260 | 0.78 | 0.14 | 0.33 | 0.09 | 65.0 | 24.5 | 57 |
| I033984 | | 0.64 | 0.010 | 0.06 | 2.01 | 5.1 | <0.2 | <10 | 200 | 0.40 | 0.11 | 0.35 | 0.06 | 27.9 | 13.7 | 46 |
| I033985 | | 0.48 | 0.007 | 0.09 | 2.07 | 8.9 | <0.2 | <10 | 130 | 0.39 | 0.16 | 0.29 | 0.10 | 25.8 | 11.6 | 36 |
| I033986 | | 0.66 | 0.018 | 0.45 | 1.94 | 107.0 | <0.2 | <10 | 160 | 0.56 | 1.52 | 0.32 | 0.25 | 24.5 | 17.2 | 30 |
| I033987 | | 0.60 | 0.022 | 0.52 | 2.95 | 37.9 | <0.2 | <10 | 160 | 0.63 | 0.34 | 0.45 | 0.30 | 24.8 | 21.0 | 65 |
| I033988 | | 0.42 | <0.005 | 0.10 | 1.80 | 10.8 | <0.2 | <10 | 100 | 0.22 | 0.18 | 0.32 | 0.13 | 14.45 | 9.8 | 30 |
| I033989 | | 0.56 | 0.012 | 0.39 | 2.06 | 96.9 | <0.2 | <10 | 110 | 0.72 | 0.16 | 0.41 | 0.40 | 30.5 | 14.6 | 35 |
| I033990 | | 0.40 | 0.006 | 0.07 | 1.61 | 6.4 | <0.2 | <10 | 420 | 0.49 | 0.14 | 0.73 | 0.34 | 27.4 | 13.7 | 23 |
| I033991 | | 0.52 | 0.006 | 0.13 | 1.99 | 21.4 | <0.2 | <10 | 90 | 0.65 | 0.18 | 0.29 | 0.17 | 26.1 | 16.7 | 33 |
| I033992 | | 1.00 | 0.005 | 0.05 | 2.15 | 4.6 | <0.2 | <10 | 100 | 0.88 | 0.06 | 0.61 | 0.06 | 21.2 | 23.3 | 21 |
| I033993 | | 0.54 | 0.007 | 0.06 | 1.19 | 11.5 | <0.2 | <10 | 50 | 0.20 | 0.22 | 0.24 | 0.10 | 19.15 | 8.9 | 28 |
| I033994 | | 0.68 | 0.005 | 0.09 | 2.25 | 8.8 | <0.2 | <10 | 150 | 0.53 | 0.17 | 0.33 | 0.07 | 39.0 | 13.4 | 38 |
| I033995 | | 0.56 | 0.008 | 0.03 | 2.45 | 8.8 | <0.2 | <10 | 90 | 0.41 | 0.12 | 0.22 | 0.11 | 26.7 | 17.3 | 81 |
| I033996 | | 0.16 | NSS | 0.03 | 0.27 | 12.8 | <0.2 | <10 | 70 | 0.28 | 0.04 | 0.51 | 0.20 | 23.7 | 10.8 | 10 |
| I033997 | | 0.52 | 0.007 | 0.07 | 3.13 | 12.8 | <0.2 | <10 | 210 | 0.52 | 0.14 | 0.25 | 0.08 | 19.05 | 18.8 | 43 |
| I033998 | | 0.50 | 0.014 | 0.07 | 2.26 | 11.7 | <0.2 | <10 | 130 | 0.67 | 0.14 | 0.40 | 0.07 | 24.4 | 17.0 | 36 |
| I033999 | | 0.64 | 0.007 | 0.10 | 1.85 | 4.9 | <0.2 | <10 | 130 | 0.56 | 0.13 | 0.35 | 0.07 | 29.8 | 17.3 | 38 |
| I034000 | | 0.68 | 0.008 | 0.08 | 2.05 | 5.9 | <0.2 | <10 | 90 | 0.65 | 0.18 | 0.40 | 0.12 | 27.8 | 20.8 | 52 |
| I314851 | | 0.40 | 0.005 | 0.08 | 1.99 | 8.5 | <0.2 | <10 | 180 | 0.45 | 0.19 | 0.14 | 0.06 | 19.70 | 8.9 | 30 |
| I314852 | | 0.40 | <0.005 | 0.06 | 1.99 | 5.5 | <0.2 | <10 | 70 | 0.30 | 0.08 | 0.09 | 0.05 | 11.70 | 9.5 | 15 |
| I314853 | | 0.44 | <0.005 | 0.11 | 1.82 | 7.0 | <0.2 | <10 | 100 | 0.24 | 0.12 | 0.09 | 0.04 | 13.15 | 9.1 | 20 |
| I314854 | | 0.32 | 0.007 | 0.19 | 1.65 | 13.7 | <0.2 | <10 | 100 | 0.30 | 0.26 | 0.09 | 0.08 | 17.75 | 5.8 | 32 |
| I314855 | | 0.34 | <0.005 | 0.10 | 1.71 | 4.0 | <0.2 | <10 | 100 | 0.17 | 0.13 | 0.23 | 0.06 | 14.35 | 6.3 | 16 |
| I314856 | | 0.38 | 0.008 | 0.13 | 1.64 | 6.3 | <0.2 | <10 | 230 | 0.84 | 0.18 | 0.13 | 0.05 | 34.5 | 8.1 | 23 |
| I314857 | | 0.44 | 0.007 | 0.14 | 1.93 | 12.0 | <0.2 | <10 | 90 | 0.30 | 0.23 | 0.09 | 0.06 | 21.2 | 5.5 | 28 |
| I314858 | | 0.34 | <0.005 | 0.09 | 1.64 | 6.0 | <0.2 | <10 | 200 | 0.30 | 0.18 | 0.23 | 0.15 | 16.60 | 7.8 | 25 |
| I314859 | | 0.44 | <0.005 | 0.06 | 1.79 | 6.3 | <0.2 | <10 | 150 | 0.30 | 0.17 | 0.17 | 0.07 | 15.70 | 7.3 | 23 |
| I314860 | | 0.32 | 0.005 | 0.22 | 1.77 | 8.5 | <0.2 | <10 | 160 | 0.39 | 0.19 | 0.12 | 0.08 | 17.55 | 6.6 | 27 |
| I314861 | | 0.32 | 0.006 | 0.21 | 1.64 | 7.3 | <0.2 | <10 | 160 | 0.36 | 0.18 | 0.11 | 0.10 | 18.20 | 6.3 | 23 |
| I314862 | | 0.40 | 0.005 | 0.15 | 1.73 | 4.5 | <0.2 | <10 | 180 | 0.39 | 0.17 | 0.22 | 0.06 | 17.55 | 10.2 | 23 |
| I314863 | | 0.40 | 0.006 | 0.11 | 1.84 | 5.8 | <0.2 | <10 | 140 | 0.28 | 0.18 | 0.20 | 0.05 | 17.65 | 5.9 | 27 |
| I314864 | | 0.40 | <0.005 | 0.04 | 1.07 | 2.6 | <0.2 | <10 | 60 | 0.15 | 0.12 | 0.17 | 0.05 | 10.55 | 3.0 | 16 |
| I314865 | | 0.40 | 0.006 | 0.06 | 1.71 | 4.7 | <0.2 | <10 | 140 | 0.28 | 0.18 | 0.21 | 0.07 | 15.45 | 5.4 | 24 |
| I314866 | | 0.38 | 0.008 | 0.06 | 2.31 | 3.4 | <0.2 | <10 | 210 | 0.43 | 0.11 | 0.61 | 0.03 | 17.30 | 17.4 | 51 |
| I314867 | | 0.38 | <0.005 | 0.04 | 2.42 | 2.2 | <0.2 | <10 | 240 | 0.44 | 0.09 | 0.63 | 0.05 | 15.15 | 19.4 | 63 |
| I314868 | | 0.28 | <0.005 | 0.04 | 2.08 | 3.5 | <0.2 | <10 | 190 | 0.47 | 0.11 | 0.81 | 0.07 | 17.90 | 14.3 | 64 |
| I314869 | | 0.36 | <0.005 | 0.02 | 2.78 | 2.6 | <0.2 | <10 | 240 | 0.44 | 0.07 | 0.51 | 0.04 | 7.76 | 20.7 | 140 |
| I314870 | | 0.30 | NSS | 0.01 | 0.12 | 2.1 | <0.2 | <10 | 30 | 0.09 | 0.01 | 0.10 | 0.04 | 9.59 | 2.1 | 3 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I033981 | | 1.86 | 38.9 | 3.08 | 6.00 | 0.09 | 0.04 | 0.07 | 0.028 | 0.11 | 17.4 | 12.1 | 0.74 | 652 | 0.93 | 0.02 |
| I033982 | | 3.82 | 47.3 | 3.36 | 5.65 | 0.11 | 0.05 | 0.05 | 0.027 | 0.29 | 26.6 | 12.9 | 0.82 | 767 | 1.57 | 0.02 |
| I033983 | | 4.23 | 52.1 | 4.41 | 8.67 | 0.14 | 0.07 | 0.01 | 0.034 | 0.24 | 25.7 | 20.8 | 1.01 | 761 | 0.81 | 0.02 |
| I033984 | | 2.45 | 28.3 | 3.14 | 6.27 | 0.08 | 0.05 | 0.01 | 0.021 | 0.12 | 14.8 | 15.4 | 0.80 | 296 | 0.71 | 0.01 |
| I033985 | | 1.58 | 22.9 | 3.22 | 7.25 | 0.08 | 0.03 | 0.03 | 0.030 | 0.05 | 14.4 | 15.9 | 0.56 | 244 | 0.98 | 0.01 |
| I033986 | | 9.69 | 22.4 | 4.47 | 4.94 | 0.08 | 0.04 | 0.03 | 0.057 | 0.06 | 12.2 | 15.1 | 0.55 | 661 | 1.08 | 0.01 |
| I033987 | | 4.38 | 49.1 | 3.44 | 8.46 | 0.08 | 0.06 | 0.04 | 0.037 | 0.06 | 12.5 | 16.5 | 0.80 | 434 | 1.30 | 0.02 |
| I033988 | | 2.94 | 19.9 | 3.00 | 7.12 | 0.06 | 0.03 | 0.02 | 0.025 | 0.04 | 7.1 | 13.1 | 0.46 | 350 | 1.14 | 0.01 |
| I033989 | | 4.91 | 37.2 | 2.81 | 5.81 | 0.07 | 0.06 | 0.04 | 0.030 | 0.05 | 16.5 | 15.5 | 0.70 | 437 | 0.82 | 0.01 |
| I033990 | | 0.51 | 27.1 | 2.36 | 5.22 | 0.07 | 0.07 | 0.02 | 0.023 | 0.09 | 12.0 | 13.8 | 0.88 | 882 | 0.87 | 0.02 |
| I033991 | | 8.00 | 34.1 | 3.19 | 6.03 | 0.06 | 0.06 | 0.03 | 0.030 | 0.05 | 11.0 | 16.2 | 0.60 | 537 | 0.89 | 0.01 |
| I033992 | | 8.20 | 39.5 | 3.78 | 5.20 | 0.11 | 0.09 | 0.01 | 0.013 | 0.25 | 11.9 | 14.3 | 1.40 | 540 | 0.49 | 0.02 |
| I033993 | | 2.47 | 22.7 | 2.77 | 8.31 | 0.06 | 0.05 | 0.02 | 0.019 | 0.06 | 9.1 | 8.6 | 0.47 | 235 | 1.21 | 0.01 |
| I033994 | | 3.03 | 34.9 | 3.14 | 6.49 | 0.09 | 0.06 | 0.03 | 0.029 | 0.09 | 19.4 | 17.0 | 0.73 | 265 | 0.71 | 0.01 |
| I033995 | | 3.66 | 31.3 | 4.03 | 6.50 | 0.08 | 0.09 | 0.02 | 0.027 | 0.12 | 12.2 | 19.7 | 0.83 | 376 | 0.92 | 0.01 |
| I033996 | | 0.30 | 8.8 | 2.28 | 1.40 | 0.08 | 0.07 | 0.02 | 0.007 | 0.04 | 12.4 | 3.5 | 0.22 | 811 | 1.31 | 0.01 |
| I033997 | | 2.91 | 34.7 | 3.86 | 7.47 | 0.07 | 0.09 | 0.03 | 0.031 | 0.05 | 8.1 | 16.9 | 0.75 | 285 | 1.05 | 0.01 |
| I033998 | | 3.18 | 36.2 | 2.96 | 6.14 | 0.07 | 0.05 | 0.03 | 0.025 | 0.05 | 12.0 | 19.7 | 0.92 | 221 | 0.67 | 0.01 |
| I033999 | | 3.05 | 44.6 | 3.20 | 5.39 | 0.08 | 0.03 | 0.03 | 0.017 | 0.22 | 16.6 | 15.4 | 0.74 | 216 | 0.63 | 0.01 |
| I034000 | | 4.96 | 38.7 | 3.90 | 6.67 | 0.10 | 0.04 | 0.02 | 0.024 | 0.17 | 14.1 | 22.6 | 0.97 | 549 | 0.76 | 0.02 |
| I314851 | | 1.17 | 19.9 | 2.83 | 6.61 | 0.06 | 0.02 | 0.02 | 0.031 | 0.04 | 9.8 | 12.8 | 0.36 | 220 | 0.71 | 0.02 |
| I314852 | | 2.75 | 29.4 | 3.05 | 7.49 | 0.06 | 0.04 | 0.01 | 0.017 | 0.05 | 5.5 | 33.6 | 0.89 | 377 | 0.62 | 0.01 |
| I314853 | | 1.06 | 17.2 | 3.01 | 8.71 | 0.06 | 0.03 | 0.01 | 0.017 | 0.03 | 6.4 | 22.0 | 0.76 | 188 | 0.68 | 0.01 |
| I314854 | | 1.18 | 13.2 | 3.52 | 8.38 | 0.06 | 0.09 | 0.04 | 0.026 | 0.04 | 9.0 | 11.5 | 0.25 | 200 | 1.39 | 0.01 |
| I314855 | | 1.85 | 14.0 | 2.37 | 8.39 | 0.06 | 0.02 | 0.02 | 0.016 | 0.04 | 7.1 | 19.6 | 1.25 | 253 | 0.71 | 0.01 |
| I314856 | | 1.82 | 14.8 | 2.54 | 5.84 | 0.08 | 0.06 | 0.02 | 0.021 | 0.06 | 16.6 | 14.1 | 0.35 | 550 | 1.10 | 0.01 |
| I314857 | | 1.03 | 12.8 | 3.65 | 7.42 | 0.06 | 0.04 | 0.03 | 0.026 | 0.04 | 10.7 | 16.6 | 0.30 | 145 | 1.22 | 0.01 |
| I314858 | | 1.62 | 11.0 | 2.66 | 7.10 | 0.05 | 0.02 | 0.02 | 0.020 | 0.04 | 8.1 | 14.3 | 0.38 | 324 | 0.92 | 0.01 |
| I314859 | | 0.67 | 9.9 | 3.05 | 9.72 | 0.05 | 0.02 | 0.01 | 0.019 | 0.08 | 8.0 | 15.0 | 0.68 | 390 | 0.88 | 0.01 |
| I314860 | | 0.82 | 11.2 | 2.95 | 6.99 | <0.05 | 0.03 | 0.02 | 0.022 | 0.07 | 8.9 | 11.3 | 0.36 | 260 | 0.97 | 0.01 |
| I314861 | | 0.76 | 10.1 | 2.72 | 6.42 | <0.05 | 0.02 | 0.01 | 0.021 | 0.06 | 9.1 | 11.0 | 0.32 | 460 | 0.90 | 0.01 |
| I314862 | | 0.87 | 12.6 | 2.57 | 6.95 | <0.05 | 0.04 | 0.01 | 0.020 | 0.04 | 8.6 | 11.1 | 0.46 | 684 | 0.86 | 0.01 |
| I314863 | | 1.11 | 11.1 | 2.43 | 7.34 | <0.05 | 0.09 | 0.01 | 0.020 | 0.03 | 9.1 | 11.6 | 0.48 | 129 | 0.77 | 0.01 |
| I314864 | | 0.75 | 8.6 | 1.26 | 5.22 | <0.05 | 0.02 | 0.02 | 0.014 | 0.03 | 5.2 | 9.2 | 0.69 | 157 | 0.70 | 0.01 |
| I314865 | | 0.81 | 8.6 | 2.18 | 7.04 | <0.05 | 0.07 | 0.01 | 0.019 | 0.03 | 7.9 | 13.2 | 0.60 | 214 | 0.88 | 0.01 |
| I314866 | | 0.43 | 20.3 | 2.96 | 6.54 | 0.05 | 0.11 | 0.01 | 0.021 | 0.04 | 6.5 | 9.8 | 0.91 | 770 | 0.74 | 0.02 |
| I314867 | | 0.26 | 22.9 | 3.36 | 6.93 | 0.06 | 0.13 | 0.01 | 0.021 | 0.08 | 6.2 | 13.7 | 1.30 | 864 | 0.50 | 0.02 |
| I314868 | | 0.30 | 27.1 | 2.95 | 5.91 | 0.05 | 0.14 | 0.01 | 0.023 | 0.10 | 7.7 | 9.7 | 0.77 | 608 | 0.67 | 0.03 |
| I314869 | | 0.43 | 20.7 | 3.06 | 7.40 | <0.05 | 0.05 | 0.01 | 0.014 | 0.03 | 3.6 | 15.5 | 1.51 | 450 | 0.71 | 0.02 |
| I314870 | | 0.08 | 2.6 | 0.71 | 0.52 | <0.05 | 0.07 | 0.01 | <0.005 | 0.04 | 5.0 | 1.1 | 0.06 | 158 | 0.30 | 0.01 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I033981 | | 1.67 | 20.2 | 650 | 39.6 | 18.0 | <0.001 | 0.05 | 0.33 | 5.9 | 0.7 | 0.4 | 34.1 | 0.01 | 0.04 | 4.1 |
| I033982 | | 1.64 | 18.8 | 890 | 54.9 | 28.6 | 0.001 | 0.05 | 0.28 | 6.1 | 1.0 | 0.5 | 33.7 | 0.01 | 0.04 | 6.9 |
| I033983 | | 1.95 | 66.8 | 560 | 11.4 | 26.9 | <0.001 | 0.03 | 0.33 | 7.0 | 0.7 | 2.3 | 32.4 | 0.01 | 0.04 | 8.7 |
| I033984 | | 1.75 | 38.7 | 420 | 11.0 | 18.7 | <0.001 | 0.03 | 0.24 | 4.6 | 0.4 | 0.8 | 34.5 | <0.01 | 0.03 | 4.1 |
| I033985 | | 1.80 | 30.9 | 390 | 11.2 | 9.4 | <0.001 | 0.03 | 0.34 | 4.5 | 0.6 | 0.5 | 29.2 | 0.01 | 0.04 | 2.2 |
| I033986 | | 1.19 | 30.5 | 770 | 32.7 | 10.4 | <0.001 | 0.03 | 1.89 | 5.6 | 0.8 | 0.3 | 23.1 | <0.01 | 0.15 | 4.0 |
| I033987 | | 2.17 | 43.3 | 620 | 39.3 | 11.1 | <0.001 | 0.04 | 0.64 | 6.4 | 1.1 | 0.5 | 44.7 | 0.01 | 0.09 | 2.3 |
| I033988 | | 1.69 | 18.8 | 440 | 14.7 | 7.9 | <0.001 | 0.04 | 0.36 | 3.3 | 0.5 | 0.5 | 42.6 | 0.01 | 0.04 | 0.8 |
| I033989 | | 1.48 | 26.0 | 570 | 70.4 | 8.8 | <0.001 | 0.04 | 0.89 | 5.1 | 0.7 | 0.5 | 30.3 | 0.01 | 0.03 | 2.9 |
| I033990 | | 1.39 | 23.4 | 530 | 8.0 | 12.1 | <0.001 | 0.03 | 0.36 | 5.7 | 0.5 | 0.4 | 42.8 | <0.01 | 0.03 | 3.3 |
| I033991 | | 1.88 | 28.5 | 310 | 50.8 | 8.3 | <0.001 | 0.04 | 0.83 | 4.5 | 0.5 | 0.5 | 23.5 | <0.01 | 0.03 | 5.1 |
| I033992 | | 0.66 | 22.3 | 1040 | 4.1 | 33.6 | <0.001 | 0.03 | 0.47 | 4.7 | 0.5 | 0.3 | 31.9 | <0.01 | 0.01 | 4.1 |
| I033993 | | 2.14 | 19.5 | 370 | 18.9 | 10.0 | <0.001 | 0.04 | 0.38 | 3.3 | 0.4 | 0.7 | 20.1 | <0.01 | 0.03 | 2.8 |
| I033994 | | 1.79 | 35.2 | 520 | 16.5 | 15.5 | <0.001 | 0.03 | 0.47 | 5.8 | 0.6 | 0.5 | 25.7 | 0.01 | 0.03 | 4.1 |
| I033995 | | 1.97 | 48.8 | 480 | 11.1 | 19.5 | <0.001 | 0.03 | 0.44 | 5.7 | 0.5 | 0.4 | 19.6 | 0.01 | 0.04 | 5.8 |
| I033996 | | 0.57 | 20.6 | 590 | 5.1 | 4.8 | <0.001 | 0.03 | 0.53 | 2.0 | 0.4 | 0.2 | 12.6 | <0.01 | 0.01 | 3.6 |
| I033997 | | 2.15 | 42.6 | 220 | 8.1 | 11.7 | <0.001 | 0.03 | 0.53 | 5.3 | 0.4 | 0.5 | 26.2 | <0.01 | 0.04 | 3.0 |
| I033998 | | 1.44 | 38.2 | 720 | 13.9 | 8.1 | <0.001 | 0.04 | 0.54 | 5.3 | 0.6 | 0.4 | 28.3 | <0.01 | 0.02 | 2.0 |
| I033999 | | 1.63 | 47.1 | 560 | 12.7 | 37.8 | <0.001 | 0.05 | 0.35 | 3.8 | 0.5 | 0.4 | 31.8 | <0.01 | 0.03 | 4.9 |
| I034000 | | 1.57 | 49.9 | 820 | 26.7 | 22.4 | <0.001 | 0.03 | 0.26 | 5.3 | 0.6 | 0.4 | 30.2 | <0.01 | 0.04 | 3.0 |
| I314851 | | 1.82 | 20.9 | 230 | 11.0 | 9.6 | <0.001 | 0.03 | 0.47 | 3.3 | 0.5 | 0.6 | 16.7 | 0.01 | 0.03 | 2.1 |
| I314852 | | 3.52 | 9.8 | 210 | 4.1 | 13.2 | <0.001 | 0.02 | 0.22 | 3.3 | 0.3 | 0.5 | 11.9 | <0.01 | 0.03 | 2.6 |
| I314853 | | 2.68 | 11.7 | 180 | 6.4 | 9.4 | <0.001 | 0.02 | 0.32 | 3.3 | 0.3 | 0.5 | 11.1 | <0.01 | 0.03 | 1.8 |
| I314854 | | 2.58 | 13.5 | 390 | 12.0 | 9.8 | <0.001 | 0.03 | 0.52 | 2.8 | 0.4 | 0.8 | 10.0 | 0.01 | 0.05 | 3.3 |
| I314855 | | 1.99 | 8.8 | 200 | 8.4 | 12.6 | <0.001 | 0.02 | 0.18 | 3.5 | 0.3 | 0.5 | 17.6 | <0.01 | 0.03 | 1.4 |
| I314856 | | 1.49 | 14.4 | 300 | 11.6 | 14.7 | <0.001 | 0.02 | 0.29 | 3.5 | 0.4 | 0.5 | 14.0 | <0.01 | 0.03 | 3.5 |
| I314857 | | 1.94 | 13.7 | 350 | 11.9 | 9.8 | <0.001 | 0.03 | 0.44 | 3.2 | 0.4 | 0.6 | 10.8 | <0.01 | 0.04 | 3.4 |
| I314858 | | 1.84 | 17.2 | 440 | 9.6 | 14.3 | <0.001 | 0.03 | 0.41 | 2.5 | 0.3 | 0.6 | 25.5 | <0.01 | 0.03 | 1.7 |
| I314859 | | 1.22 | 12.7 | 380 | 9.0 | 16.3 | <0.001 | 0.01 | 0.29 | 2.8 | <0.2 | 0.6 | 19.9 | <0.01 | 0.02 | 2.3 |
| I314860 | | 1.64 | 17.1 | 370 | 9.0 | 12.7 | <0.001 | 0.01 | 0.41 | 2.8 | <0.2 | 0.6 | 11.4 | <0.01 | 0.03 | 2.7 |
| I314861 | | 1.49 | 14.5 | 350 | 8.4 | 11.9 | <0.001 | 0.01 | 0.37 | 2.6 | <0.2 | 0.6 | 10.8 | <0.01 | 0.02 | 2.3 |
| I314862 | | 1.52 | 15.4 | 220 | 8.1 | 10.9 | <0.001 | 0.01 | 0.32 | 3.2 | <0.2 | 0.7 | 15.5 | <0.01 | 0.02 | 2.2 |
| I314863 | | 1.53 | 14.5 | 110 | 8.6 | 10.1 | <0.001 | 0.01 | 0.30 | 3.4 | <0.2 | 0.7 | 14.2 | <0.01 | 0.02 | 2.6 |
| I314864 | | 1.07 | 10.1 | 140 | 5.3 | 6.3 | <0.001 | 0.01 | 0.16 | 2.1 | <0.2 | 0.5 | 9.3 | <0.01 | 0.02 | 1.0 |
| I314865 | | 1.55 | 12.9 | 160 | 9.0 | 5.5 | <0.001 | 0.01 | 0.25 | 2.9 | <0.2 | 0.6 | 13.2 | <0.01 | 0.02 | 2.0 |
| I314866 | | 1.49 | 26.7 | 220 | 5.0 | 4.1 | <0.001 | 0.02 | 0.24 | 5.7 | 0.2 | 0.5 | 32.9 | <0.01 | 0.02 | 1.5 |
| I314867 | | 1.41 | 40.2 | 540 | 4.4 | 9.5 | <0.001 | 0.01 | 0.17 | 6.0 | 0.2 | 0.4 | 30.8 | <0.01 | 0.01 | 1.7 |
| I314868 | | 1.80 | 35.9 | 370 | 5.2 | 8.7 | <0.001 | 0.02 | 0.27 | 6.0 | 0.2 | 0.5 | 39.8 | <0.01 | 0.02 | 1.7 |
| I314869 | | 2.09 | 69.4 | 330 | 3.5 | 3.6 | <0.001 | 0.01 | 0.20 | 3.7 | <0.2 | 0.4 | 26.1 | <0.01 | 0.01 | 1.0 |
| I314870 | | 0.15 | 3.8 | 120 | 1.5 | 1.8 | <0.001 | 0.01 | 0.12 | 0.6 | <0.2 | <0.2 | 6.6 | <0.01 | 0.01 | 1.7 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn | Zr |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I033981 | | 0.098 | 0.14 | 1.22 | 61 | 0.16 | 10.10 | 188 | 1.4 |
| I033982 | | 0.108 | 0.22 | 1.45 | 59 | 0.30 | 14.00 | 223 | 1.4 |
| I033983 | | 0.140 | 0.19 | 0.81 | 93 | 0.15 | 10.55 | 74 | 3.1 |
| I033984 | | 0.124 | 0.16 | 0.82 | 63 | 0.16 | 6.28 | 51 | 1.8 |
| I033985 | | 0.097 | 0.09 | 0.72 | 66 | 0.15 | 5.89 | 46 | 1.3 |
| I033986 | | 0.049 | 0.27 | 0.88 | 53 | 0.31 | 8.11 | 78 | 1.5 |
| I033987 | | 0.104 | 0.33 | 1.02 | 72 | 0.23 | 8.93 | 85 | 2.2 |
| I033988 | | 0.105 | 0.08 | 0.52 | 74 | 0.20 | 3.57 | 37 | 1.1 |
| I033989 | | 0.087 | 0.12 | 1.12 | 58 | 0.15 | 8.18 | 98 | 1.9 |
| I033990 | | 0.085 | 0.05 | 0.62 | 52 | 0.14 | 7.33 | 57 | 2.7 |
| I033991 | | 0.104 | 0.10 | 0.85 | 65 | 0.14 | 4.70 | 61 | 2.7 |
| I033992 | | 0.151 | 0.28 | 0.79 | 64 | 0.13 | 6.16 | 57 | 3.8 |
| I033993 | | 0.150 | 0.08 | 0.58 | 90 | 0.17 | 3.20 | 37 | 2.1 |
| I033994 | | 0.116 | 0.16 | 0.99 | 60 | 0.13 | 10.65 | 54 | 2.0 |
| I033995 | | 0.127 | 0.18 | 0.63 | 69 | 0.15 | 5.37 | 51 | 3.9 |
| I033996 | | 0.021 | 0.15 | 0.66 | 17 | 0.10 | 7.51 | 20 | 3.4 |
| I033997 | | 0.135 | 0.13 | 0.50 | 80 | 0.18 | 3.85 | 49 | 4.1 |
| I033998 | | 0.099 | 0.13 | 0.66 | 57 | 0.16 | 6.96 | 56 | 1.4 |
| I033999 | | 0.109 | 0.30 | 1.38 | 46 | 0.13 | 5.43 | 54 | 1.1 |
| I034000 | | 0.115 | 0.19 | 0.75 | 64 | 0.15 | 6.51 | 83 | 1.2 |
| I314851 | | 0.074 | 0.09 | 0.66 | 61 | 0.21 | 3.21 | 37 | 0.9 |
| I314852 | | 0.189 | 0.08 | 0.28 | 72 | 0.18 | 2.43 | 32 | 1.7 |
| I314853 | | 0.170 | 0.10 | 0.42 | 83 | 0.16 | 2.06 | 41 | 1.2 |
| I314854 | | 0.094 | 0.11 | 0.42 | 85 | 0.26 | 2.10 | 31 | 4.4 |
| I314855 | | 0.123 | 0.08 | 0.37 | 66 | 0.16 | 2.73 | 42 | 0.8 |
| I314856 | | 0.043 | 0.11 | 0.69 | 56 | 0.15 | 7.91 | 36 | 2.0 |
| I314857 | | 0.066 | 0.10 | 0.44 | 73 | 0.19 | 2.79 | 31 | 2.1 |
| I314858 | | 0.074 | 0.11 | 0.33 | 62 | 0.19 | 1.98 | 62 | 0.8 |
| I314859 | | 0.063 | 0.09 | 0.33 | 73 | 0.14 | 2.04 | 66 | 1.1 |
| I314860 | | 0.069 | 0.09 | 0.29 | 64 | 0.18 | 2.12 | 39 | 1.7 |
| I314861 | | 0.061 | 0.08 | 0.28 | 59 | 0.17 | 2.21 | 37 | 0.9 |
| I314862 | | 0.072 | 0.11 | 0.30 | 63 | 0.21 | 2.47 | 46 | 1.5 |
| I314863 | | 0.078 | 0.12 | 0.36 | 67 | 0.15 | 2.39 | 33 | 3.5 |
| I314864 | | 0.054 | 0.07 | 0.46 | 37 | 0.15 | 1.91 | 27 | 1.2 |
| I314865 | | 0.069 | 0.10 | 0.32 | 61 | 0.20 | 2.07 | 34 | 2.2 |
| I314866 | | 0.128 | 0.08 | 0.27 | 69 | 0.11 | 4.10 | 43 | 3.8 |
| I314867 | | 0.107 | 0.05 | 0.20 | 68 | 0.09 | 4.41 | 47 | 4.4 |
| I314868 | | 0.117 | 0.05 | 0.27 | 64 | 0.12 | 5.10 | 39 | 4.7 |
| I314869 | | 0.152 | 0.10 | 0.16 | 81 | 0.16 | 2.37 | 50 | 1.8 |
| I314870 | | 0.006 | 0.05 | 0.30 | 4 | 0.05 | 1.99 | 5 | 2.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314871 | | 0.38 | 0.007 | 0.03 | 2.66 | 5.3 | <0.2 | <10 | 130 | 0.42 | 0.12 | 0.48 | 0.07 | 13.00 | 18.2 | 128 |
| I314872 | | 0.54 | 0.006 | 0.36 | 2.56 | 42.0 | <0.2 | <10 | 120 | 0.44 | 0.19 | 1.40 | 1.86 | 44.3 | 27.6 | 301 |
| I314873 | | 0.20 | 0.005 | 0.16 | 1.49 | 9.9 | <0.2 | <10 | 130 | 0.29 | 0.12 | 0.87 | 0.50 | 25.0 | 9.9 | 55 |
| I314874 | | 0.34 | 0.006 | 0.37 | 1.14 | 21.9 | <0.2 | <10 | 150 | 0.37 | 0.14 | 1.25 | 0.93 | 25.0 | 8.4 | 22 |
| I314875 | | 0.32 | 0.006 | 0.32 | 1.83 | 18.2 | <0.2 | <10 | 240 | 0.46 | 0.17 | 0.70 | 1.41 | 38.2 | 9.2 | 32 |
| I314876 | | 0.22 | 0.009 | 0.29 | 0.91 | 3.7 | <0.2 | <10 | 220 | 0.32 | 0.11 | 3.47 | 0.27 | 23.9 | 6.1 | 31 |
| I314877 | | 0.30 | 0.007 | 0.05 | 2.17 | 5.7 | <0.2 | <10 | 260 | 0.37 | 0.11 | 0.95 | 0.15 | 13.85 | 15.0 | 34 |
| I314878 | | 0.28 | 0.007 | 0.07 | 2.13 | 6.8 | <0.2 | <10 | 260 | 0.56 | 0.14 | 0.68 | 0.10 | 33.7 | 14.6 | 36 |
| I314879 | | 0.54 | 0.006 | 0.20 | 1.60 | 67.9 | <0.2 | <10 | 180 | 0.45 | 0.17 | 0.98 | 1.05 | 46.5 | 17.6 | 57 |
| I314880 | | 0.42 | 0.007 | 0.19 | 1.59 | 72.2 | <0.2 | <10 | 200 | 0.52 | 0.17 | 1.03 | 1.28 | 48.3 | 18.2 | 57 |
| I314881 | | 0.42 | <0.005 | 0.06 | 1.66 | 5.9 | <0.2 | <10 | 180 | 0.51 | 0.14 | 0.52 | 0.08 | 22.9 | 9.2 | 31 |
| I314882 | | 0.32 | 0.005 | 0.17 | 2.00 | 7.4 | <0.2 | <10 | 270 | 1.36 | 0.15 | 0.60 | 0.08 | 94.3 | 11.9 | 34 |
| I314883 | | 0.30 | 0.012 | 0.07 | 1.62 | 5.9 | <0.2 | <10 | 180 | 0.98 | 0.12 | 0.83 | 0.07 | 39.2 | 9.7 | 31 |
| I314884 | | 0.52 | 0.006 | 0.08 | 1.31 | 3.7 | <0.2 | <10 | 140 | 0.64 | 0.11 | 0.67 | 0.16 | 38.8 | 8.1 | 27 |
| I314885 | | 0.32 | 0.005 | 0.21 | 1.61 | 4.5 | <0.2 | <10 | 160 | 0.79 | 0.25 | 0.93 | 0.21 | 43.7 | 7.1 | 25 |
| I314886 | | 0.34 | 0.005 | 0.22 | 1.90 | 6.4 | <0.2 | <10 | 450 | 0.52 | 0.15 | 1.46 | 0.37 | 24.8 | 14.2 | 59 |
| I314887 | | 0.52 | 0.005 | 0.08 | 1.86 | 5.2 | <0.2 | <10 | 330 | 0.60 | 0.18 | 0.52 | 0.10 | 48.9 | 10.3 | 35 |
| I314888 | | 0.50 | <0.005 | 0.06 | 2.37 | 5.4 | <0.2 | <10 | 140 | 0.38 | 0.14 | 0.57 | 0.05 | 15.15 | 11.3 | 48 |
| I314889 | | 0.52 | 0.006 | 0.11 | 2.27 | 8.8 | <0.2 | <10 | 200 | 0.59 | 0.17 | 0.32 | 0.09 | 20.4 | 12.6 | 37 |
| I314890 | | 0.42 | NSS | 0.02 | 0.14 | 1.9 | <0.2 | <10 | 30 | 0.11 | 0.02 | 0.07 | 0.04 | 9.45 | 2.2 | 3 |
| I314891 | | 0.44 | 0.006 | 0.07 | 1.53 | 18.2 | <0.2 | <10 | 180 | 0.68 | 0.14 | 0.37 | 0.07 | 38.0 | 8.2 | 25 |
| I314892 | | 0.36 | 0.005 | 0.11 | 2.29 | 8.2 | <0.2 | <10 | 190 | 1.02 | 0.42 | 0.55 | 0.13 | 52.7 | 8.1 | 32 |
| I314893 | | 0.38 | 0.006 | 0.06 | 1.29 | 4.3 | <0.2 | <10 | 70 | 0.46 | 0.29 | 0.34 | 0.12 | 31.4 | 5.6 | 23 |
| I314894 | | 0.32 | 0.007 | 0.17 | 1.33 | 4.3 | <0.2 | <10 | 200 | 1.09 | 0.23 | 1.04 | 0.21 | 220 | 16.4 | 20 |
| I314895 | | 0.50 | 0.006 | 0.08 | 1.40 | 8.0 | <0.2 | <10 | 160 | 0.33 | 0.13 | 0.66 | 0.09 | 23.3 | 8.5 | 29 |
| I314896 | | 0.48 | 0.019 | 0.07 | 1.18 | 6.5 | <0.2 | <10 | 150 | 0.28 | 0.12 | 0.66 | 0.14 | 23.0 | 9.4 | 25 |
| I314897 | | 0.38 | <0.005 | 0.08 | 1.49 | 8.0 | <0.2 | <10 | 280 | 0.34 | 0.16 | 0.63 | 0.17 | 25.3 | 9.9 | 30 |
| I314898 | | 0.54 | 0.007 | 0.12 | 1.41 | 7.7 | <0.2 | <10 | 310 | 0.44 | 0.15 | 0.75 | 0.24 | 24.6 | 8.8 | 27 |
| I314899 | | 0.50 | 0.006 | 0.09 | 1.35 | 8.6 | <0.2 | <10 | 220 | 0.41 | 0.15 | 0.51 | 0.06 | 27.6 | 8.6 | 27 |
| I314900 | | 0.40 | 0.008 | 0.10 | 1.36 | 8.4 | <0.2 | <10 | 240 | 0.41 | 0.16 | 0.54 | 0.09 | 28.8 | 9.2 | 26 |
| I314901 | | 0.58 | <0.005 | 0.07 | 1.42 | 4.7 | <0.2 | <10 | 160 | 0.73 | 0.15 | 0.71 | 0.08 | 41.5 | 7.4 | 28 |
| I314902 | | 0.30 | <0.005 | 0.07 | 1.31 | 4.5 | <0.2 | <10 | 150 | 0.59 | 0.14 | 1.26 | 0.12 | 32.1 | 9.1 | 29 |
| I314903 | | 0.16 | 0.005 | 0.09 | 1.68 | 3.6 | <0.2 | <10 | 220 | 0.51 | 0.12 | 1.17 | 0.24 | 21.0 | 12.4 | 43 |
| I314904 | | 0.36 | 0.005 | 0.06 | 1.60 | 4.8 | <0.2 | <10 | 230 | 0.59 | 0.18 | 0.41 | 0.09 | 28.6 | 10.8 | 28 |
| I314905 | | 0.32 | 0.006 | 0.05 | 1.70 | 8.0 | <0.2 | <10 | 110 | 0.45 | 0.13 | 0.28 | 0.07 | 21.9 | 8.1 | 29 |
| I314906 | | 0.26 | <0.005 | 0.07 | 1.13 | 5.0 | <0.2 | <10 | 190 | 0.22 | 0.14 | 0.23 | 0.05 | 20.5 | 4.9 | 19 |
| I314907 | | 0.28 | 0.007 | 0.12 | 1.15 | 4.4 | <0.2 | <10 | 180 | 0.17 | 0.13 | 0.22 | 0.09 | 18.80 | 5.2 | 20 |
| I314908 | | 0.28 | 0.005 | 0.06 | 1.42 | 5.7 | <0.2 | <10 | 250 | 0.25 | 0.13 | 0.33 | 0.05 | 15.75 | 7.4 | 22 |
| I314909 | | 0.32 | 0.006 | 0.07 | 1.49 | 8.6 | <0.2 | <10 | 180 | 0.25 | 0.18 | 0.48 | 0.07 | 19.65 | 7.0 | 26 |
| I314910 | | 0.26 | <0.005 | 0.07 | 1.56 | 6.6 | <0.2 | <10 | 270 | 0.33 | 0.15 | 0.53 | 0.07 | 21.3 | 7.1 | 26 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I314871 | | 0.56 | 26.0 | 3.38 | 7.84 | 0.05 | 0.07 | 0.01 | 0.023 | 0.03 | 6.0 | 12.5 | 1.03 | 396 | 1.01 | 0.02 |
| I314872 | | 0.39 | 53.6 | 3.63 | 7.22 | 0.11 | 0.21 | 0.06 | 0.031 | 0.04 | 23.6 | 20.9 | 2.40 | 879 | 17.00 | 0.02 |
| I314873 | | 0.20 | 28.1 | 2.51 | 4.38 | 0.07 | 0.21 | 0.02 | 0.021 | 0.09 | 13.0 | 9.5 | 0.77 | 299 | 4.25 | 0.04 |
| I314874 | | 0.20 | 37.9 | 2.58 | 3.31 | 0.07 | 0.16 | 0.04 | 0.024 | 0.04 | 13.6 | 7.1 | 0.51 | 222 | 5.83 | 0.03 |
| I314875 | | 0.26 | 45.6 | 3.07 | 5.36 | 0.08 | 0.15 | 0.03 | 0.026 | 0.06 | 20.3 | 14.1 | 0.89 | 393 | 8.74 | 0.03 |
| I314876 | | 0.18 | 41.6 | 1.29 | 2.53 | 0.06 | 0.13 | 0.05 | 0.012 | 0.03 | 13.2 | 4.7 | 0.49 | 313 | 1.09 | 0.03 |
| I314877 | | 0.68 | 43.2 | 2.99 | 6.75 | 0.06 | 0.08 | 0.03 | 0.021 | 0.05 | 6.9 | 11.2 | 1.08 | 639 | 0.64 | 0.03 |
| I314878 | | 0.47 | 33.3 | 2.92 | 6.39 | 0.08 | 0.23 | 0.02 | 0.023 | 0.07 | 17.3 | 13.2 | 0.96 | 511 | 0.53 | 0.03 |
| I314879 | | 0.98 | 55.8 | 3.70 | 4.92 | 0.10 | 0.23 | 0.05 | 0.033 | 0.08 | 24.7 | 10.7 | 0.92 | 438 | 5.10 | 0.03 |
| I314880 | | 0.88 | 63.5 | 3.70 | 4.80 | 0.10 | 0.22 | 0.05 | 0.032 | 0.08 | 25.2 | 10.2 | 0.90 | 408 | 5.48 | 0.03 |
| I314881 | | 0.29 | 14.6 | 2.55 | 5.42 | 0.05 | 0.10 | 0.01 | 0.024 | 0.13 | 10.4 | 10.1 | 0.47 | 282 | 0.95 | 0.03 |
| I314882 | | 0.86 | 26.4 | 2.91 | 6.64 | 0.12 | 0.12 | 0.04 | 0.032 | 0.11 | 61.4 | 12.6 | 0.43 | 1010 | 1.26 | 0.03 |
| I314883 | | 0.46 | 18.7 | 2.58 | 5.27 | 0.06 | 0.12 | 0.02 | 0.024 | 0.16 | 20.1 | 12.9 | 0.48 | 402 | 0.87 | 0.03 |
| I314884 | | 1.06 | 16.7 | 2.10 | 4.63 | 0.06 | 0.07 | 0.03 | 0.021 | 0.12 | 21.6 | 10.0 | 0.44 | 295 | 0.66 | 0.03 |
| I314885 | | 0.79 | 28.8 | 2.12 | 5.40 | 0.07 | 0.06 | 0.05 | 0.026 | 0.11 | 28.1 | 9.3 | 0.38 | 213 | 1.22 | 0.03 |
| I314886 | | 0.31 | 49.7 | 2.62 | 5.57 | 0.06 | 0.07 | 0.05 | 0.026 | 0.08 | 14.5 | 9.8 | 0.93 | 486 | 2.04 | 0.03 |
| I314887 | | 0.39 | 28.4 | 2.61 | 6.00 | 0.08 | 0.08 | 0.03 | 0.024 | 0.11 | 31.4 | 10.0 | 0.70 | 324 | 1.40 | 0.02 |
| I314888 | | 0.28 | 27.7 | 3.01 | 6.79 | 0.05 | 0.19 | 0.02 | 0.050 | 0.08 | 7.8 | 11.2 | 0.78 | 264 | 0.61 | 0.03 |
| I314889 | | 0.91 | 23.7 | 3.11 | 7.59 | 0.05 | 0.03 | 0.02 | 0.026 | 0.07 | 10.5 | 13.0 | 0.52 | 257 | 0.97 | 0.02 |
| I314890 | | 0.08 | 2.4 | 0.77 | 0.55 | <0.05 | 0.08 | 0.01 | <0.005 | 0.05 | 4.8 | 1.2 | 0.04 | 168 | 0.31 | 0.02 |
| I314891 | | 1.70 | 15.8 | 2.58 | 5.52 | 0.05 | 0.05 | 0.02 | 0.024 | 0.12 | 28.8 | 10.9 | 0.37 | 261 | 1.52 | 0.02 |
| I314892 | | 2.68 | 22.4 | 2.88 | 7.22 | 0.09 | 0.12 | 0.04 | 0.031 | 0.11 | 39.0 | 9.7 | 0.44 | 281 | 1.61 | 0.03 |
| I314893 | | 1.37 | 14.4 | 1.93 | 5.52 | 0.05 | 0.06 | 0.04 | 0.018 | 0.11 | 20.8 | 7.2 | 0.30 | 191 | 1.81 | 0.02 |
| I314894 | | 3.75 | 19.0 | 2.62 | 5.19 | 0.21 | 0.06 | 0.09 | 0.030 | 0.15 | 129.5 | 8.2 | 0.36 | 1540 | 1.33 | 0.03 |
| I314895 | | 0.62 | 18.8 | 2.40 | 4.62 | 0.06 | 0.10 | 0.02 | 0.022 | 0.07 | 11.8 | 9.3 | 0.55 | 242 | 0.75 | 0.04 |
| I314896 | | 0.42 | 15.2 | 2.18 | 3.96 | 0.05 | 0.05 | 0.02 | 0.018 | 0.05 | 11.3 | 7.9 | 0.43 | 523 | 1.20 | 0.03 |
| I314897 | | 0.53 | 17.9 | 2.53 | 4.86 | 0.05 | 0.05 | 0.04 | 0.021 | 0.06 | 12.5 | 11.2 | 0.50 | 488 | 1.60 | 0.03 |
| I314898 | | 0.51 | 24.4 | 2.44 | 4.60 | 0.06 | 0.06 | 0.03 | 0.021 | 0.06 | 12.6 | 11.1 | 0.51 | 327 | 1.04 | 0.03 |
| I314899 | | 0.47 | 20.2 | 2.36 | 4.47 | 0.06 | 0.08 | 0.03 | 0.020 | 0.05 | 13.8 | 10.7 | 0.48 | 249 | 1.14 | 0.02 |
| I314900 | | 0.51 | 22.5 | 2.40 | 4.49 | 0.07 | 0.09 | 0.03 | 0.021 | 0.05 | 14.6 | 10.2 | 0.48 | 317 | 1.06 | 0.03 |
| I314901 | | 1.03 | 17.6 | 2.22 | 4.82 | 0.06 | 0.11 | 0.04 | 0.020 | 0.12 | 23.7 | 11.2 | 0.46 | 193 | 0.71 | 0.03 |
| I314902 | | 0.77 | 17.8 | 2.03 | 4.39 | 0.06 | 0.08 | 0.04 | 0.020 | 0.09 | 19.0 | 9.0 | 0.51 | 285 | 0.67 | 0.03 |
| I314903 | | 0.56 | 42.3 | 2.49 | 5.63 | 0.06 | 0.07 | 0.05 | 0.022 | 0.07 | 13.7 | 8.2 | 0.69 | 481 | 0.83 | 0.03 |
| I314904 | | 0.30 | 14.4 | 2.81 | 5.32 | 0.05 | 0.06 | 0.01 | 0.022 | 0.19 | 14.1 | 7.5 | 0.49 | 548 | 1.25 | 0.02 |
| I314905 | | 1.20 | 12.2 | 2.82 | 5.91 | 0.05 | 0.09 | 0.01 | 0.025 | 0.12 | 13.1 | 10.2 | 0.43 | 182 | 1.50 | 0.02 |
| I314906 | | 0.66 | 9.5 | 1.89 | 4.50 | <0.05 | 0.02 | 0.01 | 0.014 | 0.10 | 10.2 | 6.5 | 0.28 | 231 | 1.25 | 0.02 |
| I314907 | | 0.33 | 9.6 | 1.89 | 4.44 | <0.05 | 0.03 | 0.01 | 0.016 | 0.06 | 8.9 | 6.7 | 0.29 | 268 | 1.18 | 0.02 |
| I314908 | | 0.64 | 13.9 | 2.39 | 5.38 | <0.05 | 0.04 | 0.02 | 0.021 | 0.14 | 8.0 | 9.3 | 0.49 | 760 | 1.00 | 0.02 |
| I314909 | | 0.38 | 12.5 | 2.56 | 5.25 | 0.05 | 0.06 | 0.01 | 0.019 | 0.12 | 10.2 | 11.4 | 0.50 | 207 | 1.06 | 0.02 |
| I314910 | | 0.46 | 13.7 | 2.40 | 5.12 | 0.05 | 0.08 | 0.01 | 0.021 | 0.06 | 10.8 | 10.6 | 0.50 | 248 | 0.86 | 0.03 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314871 | | 2.35 | 60.5 | 310 | 5.7 | 3.3 | <0.001 | 0.01 | 0.36 | 4.9 | 0.2 | 0.5 | 25.8 | <0.01 | 0.02 | 1.5 |
| I314872 | | 0.93 | 181.5 | 1130 | 20.2 | 5.0 | 0.001 | 0.05 | 0.71 | 6.9 | 2.3 | 0.3 | 67.7 | <0.01 | 0.06 | 4.2 |
| I314873 | | 1.24 | 41.7 | 760 | 11.4 | 6.5 | <0.001 | 0.03 | 0.41 | 4.1 | 1.3 | 0.4 | 54.7 | <0.01 | 0.03 | 3.3 |
| I314874 | | 0.84 | 41.5 | 850 | 12.7 | 4.2 | 0.001 | 0.04 | 1.20 | 3.1 | 4.8 | 0.3 | 61.7 | <0.01 | 0.05 | 2.7 |
| I314875 | | 0.96 | 39.0 | 660 | 13.3 | 5.1 | 0.001 | 0.03 | 1.13 | 3.9 | 2.6 | 0.3 | 58.9 | <0.01 | 0.05 | 4.5 |
| I314876 | | 0.48 | 42.2 | 720 | 5.6 | 3.5 | 0.001 | 0.14 | 0.52 | 1.6 | 2.1 | 0.3 | 188.0 | <0.01 | 0.04 | 0.6 |
| I314877 | | 1.35 | 26.7 | 300 | 4.3 | 7.7 | <0.001 | 0.02 | 0.31 | 6.7 | 0.5 | 0.4 | 45.0 | <0.01 | 0.02 | 1.1 |
| I314878 | | 1.64 | 26.8 | 290 | 7.9 | 10.1 | <0.001 | 0.01 | 0.31 | 6.7 | 0.5 | 0.5 | 35.3 | <0.01 | 0.02 | 4.3 |
| I314879 | | 0.84 | 61.5 | 940 | 15.7 | 6.5 | <0.001 | 0.03 | 0.91 | 7.9 | 1.6 | 0.3 | 39.4 | <0.01 | 0.05 | 5.5 |
| I314880 | | 0.80 | 66.4 | 930 | 16.1 | 6.1 | <0.001 | 0.03 | 0.97 | 8.0 | 1.7 | 0.4 | 39.8 | <0.01 | 0.06 | 5.1 |
| I314881 | | 1.94 | 17.6 | 230 | 9.0 | 11.0 | <0.001 | 0.02 | 0.31 | 4.7 | 0.3 | 0.5 | 39.1 | <0.01 | 0.02 | 4.1 |
| I314882 | | 1.64 | 25.8 | 300 | 12.6 | 13.5 | <0.001 | 0.02 | 0.49 | 7.7 | 0.9 | 0.7 | 46.1 | <0.01 | 0.02 | 7.2 |
| I314883 | | 1.96 | 18.9 | 300 | 11.2 | 17.9 | <0.001 | 0.04 | 0.33 | 5.7 | 0.4 | 0.5 | 85.1 | <0.01 | 0.02 | 5.9 |
| I314884 | | 1.60 | 17.3 | 650 | 14.5 | 15.2 | <0.001 | 0.03 | 0.28 | 4.8 | 0.4 | 0.5 | 54.3 | <0.01 | 0.01 | 6.6 |
| I314885 | | 1.43 | 17.3 | 560 | 15.8 | 15.5 | <0.001 | 0.06 | 0.32 | 5.0 | 0.7 | 0.5 | 78.2 | <0.01 | 0.02 | 4.7 |
| I314886 | | 0.89 | 38.8 | 630 | 10.2 | 9.1 | <0.001 | 0.06 | 0.47 | 6.2 | 1.2 | 0.4 | 90.6 | <0.01 | 0.02 | 1.8 |
| I314887 | | 1.52 | 25.0 | 410 | 12.2 | 11.7 | <0.001 | 0.02 | 0.30 | 5.1 | 0.6 | 0.5 | 33.0 | <0.01 | 0.02 | 5.2 |
| I314888 | | 2.40 | 28.5 | 340 | 6.1 | 6.9 | <0.001 | 0.02 | 0.27 | 5.2 | 0.3 | 0.6 | 30.5 | <0.01 | 0.02 | 2.8 |
| I314889 | | 1.81 | 25.4 | 460 | 10.3 | 13.1 | <0.001 | 0.02 | 0.32 | 4.1 | 0.3 | 0.6 | 31.9 | <0.01 | 0.03 | 2.4 |
| I314890 | | 0.14 | 4.0 | 120 | 1.7 | 2.2 | <0.001 | 0.01 | 0.12 | 0.6 | <0.2 | <0.2 | 7.6 | <0.01 | <0.01 | 1.7 |
| I314891 | | 1.49 | 20.0 | 350 | 24.3 | 17.8 | <0.001 | 0.01 | 0.26 | 5.0 | 0.3 | 0.5 | 32.6 | <0.01 | 0.02 | 7.0 |
| I314892 | | 1.76 | 19.4 | 360 | 28.9 | 18.8 | <0.001 | 0.02 | 0.51 | 6.1 | 0.6 | 0.9 | 49.3 | <0.01 | 0.02 | 8.1 |
| I314893 | | 1.53 | 13.7 | 410 | 12.0 | 17.7 | <0.001 | 0.02 | 0.30 | 3.4 | 0.4 | 0.7 | 31.8 | <0.01 | 0.02 | 6.5 |
| I314894 | | 0.81 | 16.3 | 890 | 20.7 | 20.4 | <0.001 | 0.08 | 0.53 | 6.7 | 1.4 | 0.5 | 71.7 | 0.01 | 0.02 | 7.0 |
| I314895 | | 1.47 | 21.1 | 800 | 9.7 | 7.1 | <0.001 | 0.03 | 0.53 | 4.6 | 0.4 | 0.5 | 40.5 | <0.01 | 0.02 | 2.7 |
| I314896 | | 1.28 | 15.7 | 810 | 6.2 | 6.5 | <0.001 | 0.03 | 0.44 | 3.5 | 0.6 | 0.4 | 38.9 | <0.01 | 0.02 | 2.1 |
| I314897 | | 1.33 | 20.0 | 770 | 7.8 | 9.6 | 0.001 | 0.04 | 0.55 | 4.3 | 0.7 | 0.5 | 42.3 | <0.01 | 0.02 | 2.2 |
| I314898 | | 1.35 | 24.0 | 770 | 8.0 | 7.7 | <0.001 | 0.03 | 0.72 | 4.2 | 0.7 | 0.4 | 44.5 | <0.01 | 0.03 | 2.1 |
| I314899 | | 1.31 | 19.4 | 660 | 7.6 | 6.7 | <0.001 | 0.02 | 0.59 | 4.3 | 0.7 | 0.4 | 35.5 | <0.01 | 0.02 | 3.4 |
| I314900 | | 1.34 | 20.6 | 680 | 7.7 | 7.3 | <0.001 | 0.02 | 0.57 | 4.6 | 0.6 | 0.4 | 36.7 | <0.01 | 0.02 | 3.6 |
| I314901 | | 1.85 | 17.4 | 540 | 10.1 | 15.3 | <0.001 | 0.03 | 0.32 | 5.2 | 0.5 | 0.6 | 54.7 | <0.01 | 0.01 | 8.7 |
| I314902 | | 1.10 | 16.7 | 710 | 10.5 | 14.1 | <0.001 | 0.06 | 0.36 | 4.6 | 0.7 | 0.5 | 95.7 | <0.01 | 0.01 | 4.1 |
| I314903 | | 1.35 | 27.4 | 560 | 5.9 | 8.4 | <0.001 | 0.05 | 0.37 | 6.5 | 0.9 | 0.4 | 72.4 | <0.01 | 0.02 | 1.4 |
| I314904 | | 1.22 | 17.7 | 210 | 12.1 | 15.8 | <0.001 | 0.02 | 0.35 | 4.2 | 0.3 | 0.5 | 52.5 | <0.01 | 0.01 | 5.9 |
| I314905 | | 1.67 | 17.9 | 310 | 12.4 | 16.7 | <0.001 | 0.02 | 0.44 | 4.3 | 0.3 | 0.6 | 27.5 | <0.01 | 0.01 | 5.1 |
| I314906 | | 1.29 | 10.9 | 280 | 6.3 | 20.5 | <0.001 | 0.02 | 0.39 | 2.4 | 0.3 | 0.5 | 14.7 | <0.01 | 0.02 | 2.0 |
| I314907 | | 1.37 | 11.5 | 180 | 6.3 | 6.6 | <0.001 | 0.02 | 0.35 | 2.4 | 0.2 | 0.5 | 14.7 | <0.01 | 0.02 | 1.9 |
| I314908 | | 1.45 | 14.8 | 300 | 6.0 | 16.7 | <0.001 | 0.02 | 0.44 | 3.2 | 0.3 | 0.5 | 22.9 | <0.01 | 0.02 | 2.0 |
| I314909 | | 1.67 | 16.5 | 420 | 7.9 | 9.7 | <0.001 | 0.02 | 0.57 | 3.3 | 0.5 | 0.5 | 29.5 | <0.01 | 0.03 | 2.6 |
| I314910 | | 1.51 | 17.6 | 450 | 6.9 | 7.7 | <0.001 | 0.02 | 0.44 | 3.6 | 0.5 | 0.5 | 35.0 | <0.01 | 0.02 | 2.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314871 | | 0.145 | 0.09 | 0.29 | 88 | 0.12 | 3.31 | 49 | 2.8 |
| I314872 | | 0.052 | 0.06 | 1.22 | 76 | 0.14 | 14.50 | 245 | 10.0 |
| I314873 | | 0.088 | 0.04 | 1.19 | 50 | 0.13 | 7.64 | 80 | 8.0 |
| I314874 | | 0.052 | 0.04 | 1.79 | 39 | 0.17 | 8.87 | 132 | 7.6 |
| I314875 | | 0.063 | 0.09 | 0.95 | 55 | 0.13 | 10.05 | 123 | 7.2 |
| I314876 | | 0.024 | 0.04 | 7.83 | 21 | <0.05 | 8.28 | 25 | 5.5 |
| I314877 | | 0.100 | 0.06 | 0.53 | 68 | 0.14 | 6.19 | 54 | 3.1 |
| I314878 | | 0.110 | 0.07 | 0.63 | 65 | 0.10 | 10.30 | 47 | 8.3 |
| I314879 | | 0.052 | 0.07 | 0.67 | 59 | 0.12 | 14.80 | 141 | 10.6 |
| I314880 | | 0.047 | 0.07 | 0.68 | 60 | 0.16 | 15.65 | 143 | 10.5 |
| I314881 | | 0.105 | 0.07 | 0.53 | 59 | 0.16 | 4.38 | 37 | 3.8 |
| I314882 | | 0.082 | 0.09 | 2.34 | 62 | 0.19 | 35.5 | 38 | 4.0 |
| I314883 | | 0.089 | 0.08 | 3.98 | 52 | 0.20 | 8.98 | 30 | 3.8 |
| I314884 | | 0.089 | 0.08 | 2.41 | 44 | 0.16 | 9.28 | 44 | 2.6 |
| I314885 | | 0.068 | 0.08 | 3.93 | 41 | 0.19 | 8.33 | 33 | 2.0 |
| I314886 | | 0.038 | 0.08 | 1.05 | 54 | 0.11 | 13.40 | 62 | 2.4 |
| I314887 | | 0.090 | 0.08 | 0.66 | 55 | 0.14 | 11.70 | 44 | 3.1 |
| I314888 | | 0.168 | 0.05 | 0.41 | 76 | 0.13 | 4.32 | 42 | 7.7 |
| I314889 | | 0.103 | 0.09 | 0.57 | 73 | 0.17 | 4.34 | 41 | 1.4 |
| I314890 | | 0.006 | 0.04 | 0.42 | 3 | 0.05 | 2.09 | 5 | 2.8 |
| I314891 | | 0.061 | 0.14 | 1.04 | 51 | 0.15 | 6.75 | 40 | 1.9 |
| I314892 | | 0.097 | 0.10 | 1.64 | 60 | 0.20 | 15.10 | 58 | 4.7 |
| I314893 | | 0.079 | 0.09 | 0.86 | 44 | 0.25 | 6.11 | 36 | 1.9 |
| I314894 | | 0.041 | 0.14 | 3.93 | 38 | 0.20 | 34.0 | 50 | 1.3 |
| I314895 | | 0.099 | 0.07 | 0.57 | 58 | 0.31 | 7.10 | 55 | 4.2 |
| I314896 | | 0.084 | 0.04 | 0.87 | 56 | 0.61 | 6.47 | 40 | 2.1 |
| I314897 | | 0.066 | 0.07 | 1.26 | 50 | 0.14 | 6.54 | 54 | 1.7 |
| I314898 | | 0.070 | 0.06 | 1.10 | 50 | 0.16 | 8.32 | 58 | 2.3 |
| I314899 | | 0.069 | 0.06 | 0.92 | 48 | 0.16 | 7.73 | 42 | 3.1 |
| I314900 | | 0.074 | 0.06 | 0.99 | 48 | 0.22 | 8.77 | 42 | 3.4 |
| I314901 | | 0.089 | 0.09 | 2.79 | 44 | 0.42 | 9.72 | 41 | 4.3 |
| I314902 | | 0.057 | 0.07 | 2.18 | 41 | 0.14 | 7.95 | 39 | 2.9 |
| I314903 | | 0.077 | 0.05 | 0.67 | 60 | 0.11 | 12.85 | 42 | 2.9 |
| I314904 | | 0.078 | 0.09 | 0.62 | 59 | 0.11 | 3.85 | 41 | 2.4 |
| I314905 | | 0.084 | 0.09 | 0.56 | 60 | 0.14 | 3.84 | 41 | 3.2 |
| I314906 | | 0.065 | 0.06 | 0.30 | 46 | 0.15 | 2.13 | 26 | 0.9 |
| I314907 | | 0.062 | 0.07 | 0.25 | 47 | 0.15 | 1.88 | 30 | 1.2 |
| I314908 | | 0.082 | 0.07 | 0.39 | 51 | 0.16 | 2.37 | 43 | 1.3 |
| I314909 | | 0.091 | 0.06 | 0.37 | 57 | 0.24 | 3.14 | 50 | 2.3 |
| I314910 | | 0.081 | 0.06 | 0.59 | 52 | 0.18 | 4.39 | 44 | 3.0 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314911 | | 0.24 | <0.005 | 0.07 | 1.56 | 7.0 | <0.2 | <10 | 310 | 0.29 | 0.16 | 0.51 | 0.17 | 19.10 | 8.6 | 26 |
| I314912 | | 0.22 | 0.007 | 0.10 | 1.47 | 7.6 | <0.2 | <10 | 270 | 0.34 | 0.20 | 0.51 | 0.16 | 21.1 | 9.8 | 25 |
| I314913 | | 0.24 | NSS | 0.13 | 0.30 | 9.6 | <0.2 | <10 | 60 | 0.39 | 10.35 | 0.49 | 0.21 | 25.5 | 9.6 | 12 |
| I314914 | | 0.30 | <0.005 | 0.06 | 1.56 | 7.3 | <0.2 | <10 | 260 | 0.40 | 0.23 | 0.56 | 0.09 | 22.9 | 7.8 | 27 |
| I314915 | | 0.30 | 0.007 | 0.10 | 1.47 | 6.5 | <0.2 | <10 | 260 | 0.43 | 0.15 | 0.65 | 0.12 | 23.6 | 9.1 | 27 |
| I314916 | | 0.28 | 0.006 | 0.09 | 1.40 | 5.9 | <0.2 | <10 | 240 | 0.33 | 0.16 | 0.54 | 0.09 | 22.0 | 6.4 | 25 |
| I314917 | | 0.38 | 0.007 | 0.18 | 1.73 | 8.6 | <0.2 | <10 | 380 | 0.59 | 0.16 | 1.18 | 0.25 | 31.7 | 12.1 | 30 |
| I314918 | | 0.32 | 0.006 | 0.06 | 1.60 | 7.1 | <0.2 | <10 | 250 | 0.46 | 0.15 | 0.53 | 0.07 | 24.6 | 8.2 | 28 |
| I314919 | | 0.36 | 0.008 | 0.14 | 1.77 | 8.8 | <0.2 | <10 | 350 | 0.66 | 0.17 | 0.86 | 0.15 | 32.2 | 11.0 | 30 |
| I314920 | | 0.24 | 0.006 | 0.08 | 1.64 | 6.0 | <0.2 | <10 | 290 | 0.35 | 0.16 | 1.01 | 0.12 | 21.6 | 8.0 | 28 |
| I314921 | | 0.30 | <0.005 | 0.09 | 1.75 | 6.1 | <0.2 | <10 | 280 | 0.48 | 0.15 | 0.62 | 0.17 | 25.6 | 10.1 | 29 |
| I314922 | | 0.42 | 0.014 | 0.12 | 1.68 | 8.7 | <0.2 | <10 | 290 | 0.54 | 0.17 | 0.73 | 0.11 | 31.4 | 11.3 | 29 |
| I314923 | | 0.28 | 0.007 | 0.09 | 1.60 | 8.6 | <0.2 | <10 | 250 | 0.44 | 0.15 | 0.93 | 0.17 | 28.0 | 11.4 | 28 |
| I314924 | | 0.26 | 0.005 | 0.08 | 1.42 | 7.0 | <0.2 | <10 | 280 | 0.41 | 0.16 | 0.66 | 0.14 | 22.9 | 9.3 | 26 |
| I314925 | | 0.28 | 0.006 | 0.10 | 1.40 | 6.0 | <0.2 | <10 | 220 | 0.39 | 0.15 | 0.70 | 0.18 | 24.2 | 9.6 | 28 |
| I314926 | | 0.34 | 0.006 | 0.12 | 1.49 | 8.2 | <0.2 | <10 | 290 | 0.50 | 0.15 | 0.84 | 0.12 | 24.2 | 9.5 | 26 |
| I314927 | | 0.32 | 0.008 | 0.13 | 1.47 | 6.7 | <0.2 | <10 | 300 | 0.42 | 0.15 | 0.89 | 0.16 | 21.8 | 8.6 | 25 |
| I314928 | | 0.26 | 0.005 | 0.10 | 1.37 | 9.2 | <0.2 | <10 | 240 | 0.43 | 0.14 | 1.13 | 0.16 | 23.3 | 11.0 | 26 |
| I314929 | | 0.40 | 0.009 | 0.11 | 1.24 | 8.3 | <0.2 | <10 | 190 | 0.40 | 0.14 | 0.96 | 0.14 | 23.1 | 8.5 | 26 |
| I314930 | | 0.34 | 0.008 | 0.07 | 1.10 | 6.9 | <0.2 | <10 | 150 | 0.32 | 0.11 | 0.75 | 0.09 | 24.3 | 9.2 | 26 |
| I314931 | | 0.46 | 0.008 | 0.09 | 1.41 | 7.0 | <0.2 | <10 | 200 | 0.43 | 0.13 | 0.68 | 0.15 | 24.6 | 10.5 | 32 |
| I314932 | | 0.42 | 0.005 | 0.09 | 1.26 | 9.4 | <0.2 | <10 | 200 | 0.35 | 0.13 | 0.70 | 0.10 | 24.0 | 10.2 | 28 |
| I314933 | | 0.34 | 0.007 | 0.10 | 1.48 | 10.6 | <0.2 | <10 | 310 | 0.38 | 0.16 | 1.01 | 0.21 | 23.5 | 11.1 | 31 |
| I314934 | | 0.26 | 0.007 | 0.11 | 1.40 | 7.9 | <0.2 | <10 | 320 | 0.41 | 0.15 | 1.09 | 0.20 | 21.6 | 9.2 | 26 |
| I314935 | | 0.32 | 0.006 | 0.09 | 1.31 | 7.9 | <0.2 | <10 | 220 | 0.29 | 0.14 | 0.87 | 0.14 | 21.8 | 8.9 | 27 |
| I314936 | | 0.44 | 0.008 | 0.10 | 1.57 | 10.0 | <0.2 | <10 | 230 | 0.43 | 0.16 | 0.68 | 0.10 | 27.6 | 9.4 | 31 |
| I314937 | | 0.46 | 0.008 | 0.10 | 1.33 | 8.0 | <0.2 | <10 | 240 | 0.39 | 0.14 | 0.92 | 0.16 | 23.0 | 9.6 | 27 |
| I314938 | | 0.34 | 0.007 | 0.09 | 1.27 | 8.5 | <0.2 | <10 | 340 | 0.36 | 0.14 | 0.88 | 0.17 | 20.0 | 8.8 | 25 |
| I314939 | | 0.40 | <0.005 | 0.09 | 1.56 | 7.3 | <0.2 | <10 | 330 | 0.38 | 0.15 | 0.44 | 0.09 | 21.3 | 10.4 | 30 |
| I314940 | | 0.28 | 0.009 | 0.26 | 2.29 | 9.0 | <0.2 | <10 | 380 | 0.31 | 0.75 | 0.97 | 0.49 | 24.7 | 18.0 | 55 |
| I314941 | | 0.28 | NSS | 0.03 | 0.31 | 10.1 | <0.2 | <10 | 100 | 0.31 | 0.06 | 0.62 | 0.26 | 42.5 | 10.2 | 14 |
| I314942 | | 0.30 | 0.009 | 0.35 | 2.43 | 11.5 | <0.2 | <10 | 370 | 0.50 | 1.02 | 0.82 | 0.50 | 28.6 | 28.0 | 61 |
| I314943 | | 0.50 | 0.013 | 0.34 | 2.43 | 10.3 | <0.2 | <10 | 290 | 0.43 | 1.10 | 0.51 | 0.53 | 20.8 | 16.2 | 62 |
| I314944 | | 0.28 | 0.010 | 0.28 | 2.43 | 10.5 | <0.2 | <10 | 240 | 0.31 | 0.94 | 0.76 | 0.21 | 20.9 | 15.3 | 59 |
| I314945 | | 0.30 | 0.008 | 0.28 | 2.02 | 5.5 | <0.2 | <10 | 250 | 0.69 | 0.80 | 0.70 | 0.44 | 19.20 | 13.3 | 58 |
| I314946 | | 0.32 | 0.009 | 0.21 | 2.07 | 7.7 | <0.2 | <10 | 250 | 0.35 | 0.80 | 0.74 | 0.17 | 20.7 | 12.8 | 46 |
| I314947 | | 0.34 | 0.011 | 0.21 | 2.37 | 7.4 | <0.2 | <10 | 250 | 0.43 | 0.73 | 0.84 | 0.16 | 22.4 | 16.0 | 52 |
| I314948 | | 0.32 | 0.009 | 0.15 | 2.47 | 6.2 | <0.2 | <10 | 240 | 0.45 | 0.71 | 0.64 | 0.13 | 20.1 | 14.4 | 54 |
| I314949 | | 0.32 | 0.007 | 0.24 | 2.70 | 5.9 | <0.2 | <10 | 290 | 0.46 | 0.67 | 0.79 | 0.10 | 28.6 | 21.3 | 77 |
| I314950 | | 0.32 | 0.010 | 0.24 | 2.47 | 10.8 | <0.2 | <10 | 250 | 0.44 | 0.62 | 0.53 | 0.11 | 22.5 | 17.2 | 50 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I314911 | | 0.44 | 13.2 | 2.36 | 5.08 | <0.05 | 0.12 | 0.02 | 0.019 | 0.06 | 9.8 | 10.0 | 0.46 | 425 | 1.07 | 0.03 |
| I314912 | | 0.59 | 23.5 | 2.32 | 4.97 | 0.05 | 0.12 | 0.01 | 0.021 | 0.06 | 10.1 | 9.3 | 0.45 | 530 | 1.76 | 0.03 |
| I314913 | | 0.26 | 21.6 | 2.37 | 1.64 | 0.06 | 0.08 | 0.01 | 0.006 | 0.05 | 12.9 | 3.9 | 0.21 | 847 | 1.42 | 0.02 |
| I314914 | | 0.59 | 16.7 | 2.35 | 5.05 | 0.05 | 0.10 | 0.01 | 0.020 | 0.05 | 11.5 | 10.1 | 0.49 | 255 | 1.06 | 0.03 |
| I314915 | | 0.50 | 19.4 | 2.25 | 5.06 | 0.05 | 0.04 | 0.01 | 0.018 | 0.05 | 11.5 | 9.7 | 0.43 | 414 | 0.99 | 0.03 |
| I314916 | | 0.48 | 16.4 | 2.11 | 4.85 | <0.05 | 0.09 | 0.01 | 0.019 | 0.07 | 11.5 | 9.4 | 0.41 | 182 | 0.95 | 0.03 |
| I314917 | | 0.40 | 34.8 | 2.50 | 5.30 | 0.07 | 0.09 | 0.04 | 0.023 | 0.06 | 15.7 | 9.6 | 0.46 | 469 | 1.08 | 0.03 |
| I314918 | | 0.42 | 21.1 | 2.38 | 5.14 | 0.06 | 0.16 | 0.02 | 0.021 | 0.05 | 12.8 | 10.1 | 0.46 | 231 | 0.70 | 0.02 |
| I314919 | | 0.56 | 31.0 | 2.60 | 5.47 | 0.07 | 0.09 | 0.04 | 0.025 | 0.05 | 16.5 | 11.2 | 0.52 | 398 | 0.71 | 0.03 |
| I314920 | | 0.46 | 17.3 | 2.31 | 5.20 | 0.05 | 0.13 | 0.02 | 0.023 | 0.05 | 10.9 | 9.4 | 0.41 | 249 | 0.79 | 0.03 |
| I314921 | | 0.45 | 20.8 | 2.51 | 5.48 | 0.06 | 0.23 | 0.02 | 0.024 | 0.07 | 12.4 | 10.5 | 0.51 | 474 | 0.58 | 0.03 |
| I314922 | | 0.53 | 27.6 | 2.68 | 5.25 | 0.08 | 0.15 | 0.03 | 0.024 | 0.06 | 15.5 | 11.7 | 0.54 | 430 | 0.79 | 0.03 |
| I314923 | | 0.59 | 18.9 | 2.53 | 5.07 | 0.08 | 0.12 | 0.03 | 0.023 | 0.05 | 13.5 | 10.5 | 0.51 | 646 | 0.88 | 0.04 |
| I314924 | | 0.52 | 15.0 | 2.41 | 4.56 | 0.05 | 0.08 | 0.01 | 0.022 | 0.07 | 10.5 | 10.4 | 0.47 | 374 | 1.00 | 0.03 |
| I314925 | | 0.51 | 20.9 | 2.26 | 4.72 | 0.05 | 0.04 | 0.01 | 0.020 | 0.07 | 12.1 | 9.4 | 0.49 | 442 | 0.79 | 0.03 |
| I314926 | | 0.56 | 19.3 | 2.49 | 4.93 | 0.06 | 0.05 | 0.02 | 0.022 | 0.04 | 12.2 | 10.0 | 0.48 | 385 | 1.27 | 0.03 |
| I314927 | | 0.58 | 20.1 | 2.19 | 4.87 | 0.05 | 0.03 | 0.02 | 0.022 | 0.04 | 11.3 | 9.4 | 0.45 | 426 | 1.09 | 0.03 |
| I314928 | | 0.50 | 24.3 | 2.42 | 4.54 | 0.06 | 0.07 | 0.02 | 0.021 | 0.05 | 11.6 | 10.2 | 0.55 | 546 | 1.14 | 0.03 |
| I314929 | | 0.52 | 23.4 | 2.24 | 4.19 | 0.05 | 0.06 | 0.02 | 0.018 | 0.05 | 11.5 | 10.0 | 0.50 | 367 | 1.30 | 0.03 |
| I314930 | | 0.56 | 14.5 | 2.20 | 3.76 | 0.06 | 0.07 | 0.02 | 0.016 | 0.05 | 12.1 | 8.6 | 0.48 | 447 | 0.77 | 0.03 |
| I314931 | | 0.52 | 30.0 | 2.49 | 4.05 | <0.05 | 0.11 | 0.02 | 0.021 | 0.06 | 12.5 | 9.7 | 0.52 | 319 | 0.72 | 0.02 |
| I314932 | | 0.53 | 21.9 | 2.33 | 3.87 | <0.05 | 0.08 | 0.02 | 0.019 | 0.06 | 11.9 | 10.0 | 0.52 | 392 | 1.12 | 0.02 |
| I314933 | | 0.63 | 24.7 | 2.54 | 4.29 | <0.05 | 0.10 | 0.04 | 0.022 | 0.06 | 11.4 | 10.2 | 0.54 | 679 | 1.19 | 0.02 |
| I314934 | | 0.48 | 24.9 | 2.21 | 4.13 | <0.05 | 0.07 | 0.03 | 0.020 | 0.05 | 11.1 | 8.7 | 0.45 | 396 | 1.25 | 0.02 |
| I314935 | | 0.45 | 22.4 | 2.27 | 3.76 | <0.05 | 0.10 | 0.03 | 0.018 | 0.04 | 10.9 | 9.0 | 0.45 | 294 | 0.55 | 0.02 |
| I314936 | | 0.55 | 27.4 | 2.63 | 4.56 | <0.05 | 0.17 | 0.03 | 0.025 | 0.05 | 13.3 | 10.9 | 0.50 | 242 | 0.58 | 0.02 |
| I314937 | | 0.45 | 25.4 | 2.32 | 3.94 | <0.05 | 0.09 | 0.03 | 0.021 | 0.04 | 11.8 | 9.0 | 0.45 | 389 | 0.74 | 0.02 |
| I314938 | | 0.53 | 22.5 | 2.18 | 3.80 | <0.05 | 0.03 | 0.02 | 0.019 | 0.03 | 9.5 | 8.8 | 0.40 | 384 | 0.96 | 0.02 |
| I314939 | | 0.46 | 13.2 | 2.56 | 4.41 | <0.05 | 0.09 | 0.02 | 0.022 | 0.04 | 9.1 | 7.6 | 0.38 | 621 | 0.96 | 0.01 |
| I314940 | | 2.10 | 58.6 | 2.84 | 6.01 | 0.06 | 0.04 | 0.05 | 0.019 | 0.18 | 12.8 | 8.6 | 1.09 | 501 | 1.25 | 0.02 |
| I314941 | | 0.30 | 9.1 | 2.31 | 1.66 | 0.06 | 0.04 | 0.02 | 0.007 | 0.05 | 22.1 | 3.6 | 0.24 | 877 | 1.28 | <0.01 |
| I314942 | | 2.32 | 80.0 | 3.10 | 6.93 | 0.07 | 0.03 | 0.05 | 0.025 | 0.16 | 14.5 | 9.7 | 1.00 | 683 | 2.11 | 0.03 |
| I314943 | | 2.43 | 63.0 | 3.09 | 7.03 | 0.09 | 0.03 | 0.02 | 0.024 | 0.22 | 9.9 | 10.7 | 1.12 | 367 | 1.58 | 0.02 |
| I314944 | | 2.83 | 55.2 | 3.02 | 7.12 | 0.07 | 0.04 | 0.04 | 0.022 | 0.17 | 10.5 | 11.7 | 1.01 | 369 | 7.07 | 0.02 |
| I314945 | | 2.69 | 94.8 | 2.96 | 7.95 | 0.05 | 0.03 | 0.03 | 0.023 | 0.17 | 9.1 | 6.6 | 0.75 | 304 | 4.69 | 0.03 |
| I314946 | | 2.26 | 56.9 | 2.61 | 6.24 | 0.07 | 0.03 | 0.03 | 0.019 | 0.19 | 10.1 | 11.3 | 0.81 | 411 | 0.98 | 0.02 |
| I314947 | | 2.33 | 70.2 | 2.96 | 7.30 | 0.07 | 0.04 | 0.04 | 0.021 | 0.19 | 11.2 | 12.3 | 0.87 | 460 | 1.14 | 0.03 |
| I314948 | | 2.46 | 67.7 | 3.12 | 7.55 | 0.08 | 0.04 | 0.04 | 0.022 | 0.19 | 10.2 | 12.1 | 0.91 | 400 | 1.15 | 0.03 |
| I314949 | | 3.06 | 75.0 | 3.39 | 7.82 | 0.09 | 0.04 | 0.05 | 0.021 | 0.32 | 13.6 | 13.5 | 1.23 | 617 | 1.29 | 0.04 |
| I314950 | | 2.19 | 67.4 | 3.29 | 7.58 | 0.08 | 0.05 | 0.03 | 0.022 | 0.18 | 11.0 | 13.2 | 0.84 | 481 | 1.53 | 0.02 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Nb | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te |
| | | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.05 | 0.2 | 10 | 0.2 | 0.1 | 0.001 | 0.01 | 0.05 | 0.1 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 |
| I314911 | | 1.55 | 17.1 | 460 | 7.5 | 10.5 | <0.001 | 0.02 | 0.44 | 3.4 | 0.4 | 0.5 | 33.7 | <0.01 | 0.03 |
| I314912 | | 1.40 | 21.9 | 460 | 11.1 | 10.9 | <0.001 | 0.03 | 0.50 | 3.7 | 0.5 | 0.5 | 34.9 | <0.01 | 0.03 |
| I314913 | | 0.64 | 20.4 | 610 | 4.4 | 5.7 | <0.001 | 0.03 | 0.61 | 2.0 | 0.4 | 0.3 | 13.5 | <0.01 | 0.04 |
| I314914 | | 1.40 | 20.3 | 500 | 7.3 | 7.3 | <0.001 | 0.02 | 0.46 | 4.1 | 0.4 | 0.5 | 37.3 | <0.01 | 0.02 |
| I314915 | | 1.29 | 19.1 | 560 | 7.3 | 7.3 | <0.001 | 0.03 | 0.43 | 3.7 | 0.6 | 0.5 | 44.2 | <0.01 | 0.02 |
| I314916 | | 1.41 | 17.8 | 540 | 7.6 | 7.8 | <0.001 | 0.02 | 0.39 | 3.8 | 0.5 | 0.5 | 39.0 | <0.01 | 0.02 |
| I314917 | | 1.39 | 27.9 | 650 | 8.3 | 8.7 | <0.001 | 0.07 | 0.79 | 5.2 | 1.0 | 0.5 | 74.8 | <0.01 | 0.02 |
| I314918 | | 1.25 | 20.1 | 400 | 7.3 | 6.6 | <0.001 | 0.02 | 0.49 | 5.0 | 0.5 | 0.5 | 34.1 | <0.01 | 0.03 |
| I314919 | | 1.39 | 26.9 | 580 | 8.2 | 8.0 | <0.001 | 0.03 | 0.63 | 5.2 | 1.0 | 0.5 | 59.3 | <0.01 | 0.05 |
| I314920 | | 1.61 | 18.9 | 440 | 7.1 | 9.7 | <0.001 | 0.03 | 0.47 | 4.8 | 0.9 | 0.5 | 65.0 | <0.01 | 0.02 |
| I314921 | | 1.50 | 20.5 | 590 | 7.6 | 11.1 | <0.001 | 0.02 | 0.47 | 5.5 | 0.6 | 0.5 | 42.9 | <0.01 | 0.02 |
| I314922 | | 1.56 | 25.1 | 580 | 8.6 | 8.8 | <0.001 | 0.02 | 0.61 | 5.3 | 0.9 | 0.5 | 48.1 | <0.01 | 0.03 |
| I314923 | | 1.59 | 18.6 | 770 | 8.0 | 8.0 | <0.001 | 0.04 | 0.61 | 5.0 | 1.0 | 0.5 | 62.0 | <0.01 | 0.03 |
| I314924 | | 1.40 | 20.1 | 530 | 7.9 | 10.0 | <0.001 | 0.02 | 0.52 | 4.1 | 0.4 | 0.5 | 43.3 | <0.01 | 0.02 |
| I314925 | | 1.23 | 21.6 | 620 | 6.8 | 10.5 | <0.001 | 0.03 | 0.41 | 3.9 | 0.5 | 0.4 | 43.0 | <0.01 | 0.02 |
| I314926 | | 1.32 | 19.7 | 690 | 7.7 | 6.3 | 0.001 | 0.04 | 0.50 | 3.8 | 0.8 | 0.5 | 50.6 | <0.01 | 0.02 |
| I314927 | | 1.16 | 19.6 | 700 | 7.6 | 6.2 | <0.001 | 0.04 | 0.50 | 3.4 | 0.8 | 0.5 | 53.4 | <0.01 | 0.02 |
| I314928 | | 1.27 | 21.1 | 770 | 6.9 | 5.3 | <0.001 | 0.06 | 0.57 | 4.0 | 0.8 | 0.4 | 61.4 | <0.01 | 0.03 |
| I314929 | | 1.13 | 20.9 | 850 | 6.8 | 6.2 | <0.001 | 0.05 | 0.51 | 3.7 | 0.9 | 0.4 | 52.1 | <0.01 | 0.02 |
| I314930 | | 1.18 | 17.8 | 860 | 5.3 | 5.6 | <0.001 | 0.03 | 0.48 | 3.7 | 0.5 | 0.4 | 41.7 | <0.01 | 0.01 |
| I314931 | | 1.42 | 25.5 | 630 | 6.7 | 6.7 | <0.001 | 0.02 | 0.49 | 4.8 | 0.6 | 0.4 | 37.5 | <0.01 | 0.01 |
| I314932 | | 1.28 | 21.6 | 710 | 6.9 | 6.5 | <0.001 | 0.02 | 0.45 | 4.2 | 0.4 | 0.4 | 40.0 | <0.01 | 0.02 |
| I314933 | | 1.39 | 21.7 | 820 | 7.8 | 6.5 | <0.001 | 0.05 | 0.60 | 4.7 | 1.1 | 0.4 | 55.6 | <0.01 | 0.02 |
| I314934 | | 1.24 | 22.0 | 790 | 6.9 | 6.4 | <0.001 | 0.05 | 0.46 | 3.5 | 1.0 | 0.4 | 60.2 | <0.01 | 0.03 |
| I314935 | | 1.30 | 18.8 | 720 | 6.7 | 5.6 | <0.001 | 0.04 | 0.47 | 4.3 | 0.7 | 0.4 | 47.7 | <0.01 | 0.02 |
| I314936 | | 1.56 | 21.2 | 610 | 7.9 | 7.0 | <0.001 | 0.02 | 0.54 | 5.9 | 0.6 | 0.5 | 39.5 | <0.01 | 0.02 |
| I314937 | | 1.28 | 20.4 | 780 | 6.8 | 5.9 | <0.001 | 0.04 | 0.51 | 4.1 | 0.8 | 0.4 | 51.2 | <0.01 | 0.01 |
| I314938 | | 0.82 | 21.2 | 690 | 6.8 | 6.2 | <0.001 | 0.04 | 0.35 | 2.3 | 0.9 | 0.4 | 52.8 | <0.01 | 0.03 |
| I314939 | | 1.33 | 18.0 | 450 | 7.8 | 6.4 | <0.001 | 0.01 | 0.34 | 4.8 | 0.2 | 0.5 | 28.0 | <0.01 | 0.01 |
| I314940 | | 1.16 | 32.6 | 790 | 4.2 | 30.5 | <0.001 | 0.10 | 0.45 | 4.7 | 1.3 | 0.5 | 50.2 | <0.01 | 0.13 |
| I314941 | | 0.78 | 18.6 | 680 | 4.5 | 5.9 | <0.001 | 0.02 | 0.45 | 2.0 | <0.2 | 0.3 | 14.8 | <0.01 | 0.01 |
| I314942 | | 1.19 | 38.0 | 790 | 6.4 | 26.9 | 0.001 | 0.11 | 0.40 | 5.3 | 1.5 | 0.6 | 46.9 | <0.01 | 0.18 |
| I314943 | | 1.24 | 33.6 | 560 | 5.1 | 27.5 | <0.001 | 0.07 | 0.26 | 6.2 | 0.9 | 0.6 | 31.6 | <0.01 | 0.18 |
| I314944 | | 1.43 | 34.2 | 540 | 5.5 | 29.6 | 0.001 | 0.07 | 0.35 | 6.1 | 0.9 | 0.6 | 39.0 | <0.01 | 0.18 |
| I314945 | | 1.60 | 44.1 | 580 | 6.2 | 34.4 | 0.001 | 0.07 | 0.33 | 4.5 | 0.8 | 0.8 | 36.3 | <0.01 | 0.09 |
| I314946 | | 1.37 | 28.0 | 590 | 5.1 | 29.9 | <0.001 | 0.07 | 0.34 | 5.5 | 0.9 | 0.6 | 32.4 | <0.01 | 0.15 |
| I314947 | | 1.64 | 32.3 | 630 | 4.8 | 32.0 | <0.001 | 0.08 | 0.22 | 5.8 | 1.1 | 0.7 | 36.2 | <0.01 | 0.18 |
| I314948 | | 1.68 | 31.8 | 570 | 4.7 | 32.6 | <0.001 | 0.07 | 0.19 | 6.1 | 1.1 | 0.6 | 33.7 | <0.01 | 0.16 |
| I314949 | | 1.66 | 40.7 | 700 | 4.6 | 37.5 | <0.001 | 0.10 | 0.22 | 6.5 | 1.4 | 0.6 | 42.3 | <0.01 | 0.16 |
| I314950 | | 1.91 | 28.6 | 620 | 5.5 | 29.1 | <0.001 | 0.05 | 0.23 | 6.7 | 0.8 | 0.7 | 30.3 | <0.01 | 0.16 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314911 | | 0.079 | 0.07 | 0.51 | 53 | 0.17 | 4.05 | 50 | 3.9 |
| I314912 | | 0.075 | 0.07 | 0.83 | 50 | 0.28 | 4.41 | 59 | 4.2 |
| I314913 | | 0.023 | 0.23 | 0.75 | 18 | 0.10 | 7.09 | 24 | 4.0 |
| I314914 | | 0.072 | 0.07 | 0.90 | 53 | 0.21 | 5.66 | 43 | 4.0 |
| I314915 | | 0.066 | 0.06 | 1.67 | 50 | 0.20 | 6.49 | 40 | 1.5 |
| I314916 | | 0.067 | 0.06 | 0.93 | 46 | 0.47 | 5.57 | 38 | 3.5 |
| I314917 | | 0.072 | 0.05 | 1.00 | 55 | 0.18 | 11.45 | 41 | 3.8 |
| I314918 | | 0.077 | 0.05 | 1.20 | 51 | 0.13 | 7.10 | 39 | 6.0 |
| I314919 | | 0.080 | 0.06 | 1.82 | 59 | 0.19 | 11.80 | 46 | 3.7 |
| I314920 | | 0.081 | 0.06 | 0.77 | 49 | 0.16 | 5.49 | 42 | 4.6 |
| I314921 | | 0.100 | 0.06 | 1.01 | 54 | 0.15 | 7.08 | 46 | 9.5 |
| I314922 | | 0.101 | 0.07 | 2.51 | 60 | 0.17 | 10.50 | 52 | 6.9 |
| I314923 | | 0.098 | 0.07 | 0.88 | 58 | 0.28 | 7.98 | 54 | 5.1 |
| I314924 | | 0.071 | 0.07 | 0.88 | 51 | 0.16 | 4.99 | 49 | 2.8 |
| I314925 | | 0.070 | 0.06 | 0.82 | 50 | 0.20 | 7.26 | 49 | 1.2 |
| I314926 | | 0.064 | 0.06 | 1.57 | 55 | 0.18 | 6.76 | 39 | 1.5 |
| I314927 | | 0.060 | 0.05 | 1.39 | 51 | 0.15 | 6.89 | 36 | 1.2 |
| I314928 | | 0.064 | 0.05 | 1.05 | 50 | 0.14 | 8.26 | 47 | 2.2 |
| I314929 | | 0.067 | 0.06 | 1.16 | 49 | 0.16 | 7.78 | 41 | 2.0 |
| I314930 | | 0.075 | 0.06 | 0.60 | 51 | 0.19 | 7.16 | 41 | 2.4 |
| I314931 | | 0.085 | 0.05 | 1.25 | 60 | 0.14 | 9.43 | 49 | 4.2 |
| I314932 | | 0.076 | 0.06 | 0.91 | 53 | 0.16 | 8.03 | 45 | 2.6 |
| I314933 | | 0.069 | 0.07 | 0.99 | 56 | 0.14 | 8.76 | 52 | 3.8 |
| I314934 | | 0.064 | 0.05 | 1.24 | 48 | 0.15 | 8.49 | 44 | 2.3 |
| I314935 | | 0.069 | 0.05 | 0.91 | 50 | 0.90 | 7.66 | 47 | 3.5 |
| I314936 | | 0.087 | 0.06 | 1.06 | 59 | 0.26 | 10.00 | 53 | 7.3 |
| I314937 | | 0.068 | 0.05 | 0.92 | 52 | 0.20 | 8.22 | 46 | 3.6 |
| I314938 | | 0.038 | 0.04 | 1.52 | 47 | 0.14 | 6.57 | 44 | 0.7 |
| I314939 | | 0.061 | 0.07 | 0.52 | 56 | 0.24 | 3.77 | 48 | 3.3 |
| I314940 | | 0.091 | 0.21 | 1.09 | 72 | 0.39 | 12.95 | 70 | 1.2 |
| I314941 | | 0.026 | 0.14 | 0.78 | 24 | 0.12 | 8.80 | 24 | 1.7 |
| I314942 | | 0.091 | 0.19 | 1.37 | 84 | 0.48 | 12.10 | 77 | 1.1 |
| I314943 | | 0.108 | 0.22 | 1.06 | 84 | 0.77 | 7.60 | 70 | 1.2 |
| I314944 | | 0.113 | 0.23 | 0.94 | 81 | 0.77 | 8.05 | 66 | 1.3 |
| I314945 | | 0.113 | 0.18 | 0.82 | 70 | 1.03 | 7.26 | 61 | 1.2 |
| I314946 | | 0.103 | 0.24 | 0.83 | 70 | 3.25 | 8.43 | 59 | 1.2 |
| I314947 | | 0.120 | 0.25 | 0.92 | 80 | 2.10 | 8.61 | 67 | 1.5 |
| I314948 | | 0.129 | 0.26 | 0.84 | 85 | 1.33 | 7.48 | 70 | 1.5 |
| I314949 | | 0.135 | 0.32 | 1.27 | 88 | 1.42 | 11.00 | 70 | 1.7 |
| I314950 | | 0.142 | 0.26 | 0.86 | 89 | 1.22 | 7.21 | 62 | 1.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I314951 | | 0.44 | 0.007 | 0.08 | 1.38 | 9.7 | <0.2 | <10 | 270 | 0.36 | 0.16 | 0.51 | 0.08 | 28.5 | 8.6 | 27 |
| I314952 | | 0.60 | 0.006 | 0.11 | 1.40 | 8.1 | <0.2 | <10 | 220 | 0.38 | 0.14 | 0.38 | 0.06 | 23.0 | 7.6 | 28 |
| I314953 | | 0.56 | 0.008 | 0.11 | 1.46 | 10.7 | <0.2 | <10 | 280 | 0.40 | 0.16 | 0.63 | 0.11 | 30.4 | 10.9 | 29 |
| I314954 | | 0.40 | 0.006 | 0.08 | 1.35 | 8.7 | <0.2 | <10 | 230 | 0.35 | 0.16 | 0.75 | 0.11 | 24.1 | 9.6 | 28 |
| I314955 | | 0.40 | 0.008 | 0.13 | 1.64 | 8.6 | <0.2 | <10 | 350 | 0.47 | 0.17 | 0.58 | 0.15 | 27.5 | 9.6 | 28 |
| I314956 | | 0.52 | 0.008 | 0.09 | 1.22 | 9.8 | <0.2 | <10 | 240 | 0.44 | 0.15 | 0.60 | 0.14 | 26.3 | 11.4 | 27 |
| I314957 | | 0.40 | 0.007 | 0.07 | 1.32 | 7.8 | <0.2 | <10 | 350 | 0.37 | 0.15 | 0.54 | 0.12 | 24.8 | 8.3 | 26 |
| I314958 | | 0.46 | 0.005 | 0.05 | 1.36 | 6.0 | <0.2 | <10 | 220 | 0.32 | 0.14 | 0.31 | 0.07 | 19.80 | 6.8 | 23 |
| I314959 | | 0.38 | 0.005 | 0.05 | 1.64 | 7.8 | <0.2 | <10 | 230 | 0.30 | 0.13 | 0.43 | 0.07 | 15.80 | 10.2 | 23 |
| I314960 | | 0.34 | NSS | 0.02 | 0.37 | 10.9 | <0.2 | <10 | 90 | 0.22 | 0.04 | 0.56 | 0.19 | 31.5 | 11.0 | 15 |
| I314961 | | 0.46 | 0.009 | 0.07 | 1.90 | 5.9 | <0.2 | <10 | 180 | 0.34 | 0.13 | 0.31 | 0.06 | 19.35 | 12.6 | 24 |
| I314962 | | 0.42 | <0.005 | 0.09 | 1.64 | 7.4 | <0.2 | <10 | 170 | 0.35 | 0.14 | 0.22 | 0.04 | 17.10 | 10.0 | 27 |
| I314963 | | 0.34 | 0.005 | 0.08 | 1.93 | 7.1 | <0.2 | <10 | 290 | 0.39 | 0.15 | 0.30 | 0.04 | 19.50 | 8.6 | 30 |
| I314964 | | 0.30 | 0.005 | 0.07 | 1.04 | 3.8 | <0.2 | <10 | 100 | 0.13 | 0.09 | 0.21 | 0.03 | 9.04 | 5.7 | 11 |
| I314965 | | 0.42 | 0.007 | 0.06 | 1.87 | 2.4 | <0.2 | <10 | 350 | 0.43 | 0.10 | 0.81 | 0.17 | 16.20 | 17.7 | 17 |
| I314966 | | 0.44 | 0.008 | 0.17 | 1.57 | 7.1 | <0.2 | <10 | 830 | 0.51 | 0.16 | 0.78 | 0.30 | 31.8 | 11.5 | 27 |
| I314967 | | 0.44 | 0.008 | 0.12 | 1.73 | 7.5 | <0.2 | <10 | 440 | 0.47 | 0.16 | 0.76 | 0.16 | 28.0 | 11.8 | 30 |
| I314968 | | 0.44 | 0.008 | 0.07 | 1.28 | 5.2 | <0.2 | <10 | 210 | 0.24 | 0.11 | 0.62 | 0.08 | 17.25 | 6.8 | 22 |
| I314969 | | 0.42 | 0.010 | 0.13 | 1.83 | 9.8 | <0.2 | <10 | 340 | 0.49 | 0.20 | 0.82 | 0.13 | 31.2 | 11.9 | 33 |
| I314970 | | 0.38 | 0.009 | 0.15 | 1.95 | 10.8 | <0.2 | <10 | 360 | 0.55 | 0.22 | 0.85 | 0.12 | 34.1 | 12.7 | 36 |
| I314971 | | 0.40 | 0.007 | 0.16 | 1.90 | 8.8 | <0.2 | <10 | 320 | 0.51 | 0.19 | 0.67 | 0.24 | 24.8 | 12.3 | 36 |
| I314972 | | 0.36 | 0.009 | 0.14 | 1.90 | 9.9 | <0.2 | <10 | 260 | 0.44 | 0.20 | 0.64 | 0.12 | 28.4 | 12.7 | 32 |
| I314973 | | 0.36 | 0.010 | 0.11 | 1.62 | 9.0 | <0.2 | <10 | 280 | 0.41 | 0.18 | 0.64 | 0.20 | 28.1 | 11.3 | 29 |
| I314974 | | 0.32 | <0.005 | 0.06 | 1.45 | 7.1 | <0.2 | <10 | 290 | 0.35 | 0.17 | 0.60 | 0.09 | 23.3 | 8.6 | 27 |
| I314975 | | 0.30 | 0.007 | 0.08 | 1.60 | 6.1 | <0.2 | <10 | 240 | 0.36 | 0.16 | 0.67 | 0.15 | 21.8 | 8.0 | 27 |
| I314976 | | 0.30 | 0.009 | 0.11 | 1.51 | 7.1 | <0.2 | <10 | 360 | 0.36 | 0.16 | 0.56 | 0.33 | 20.9 | 8.7 | 33 |
| I314977 | | 0.32 | 0.006 | 0.13 | 1.82 | 6.6 | <0.2 | <10 | 370 | 0.47 | 0.19 | 1.07 | 0.36 | 23.0 | 9.6 | 30 |
| I314978 | | 0.34 | 0.007 | 0.09 | 1.82 | 9.5 | <0.2 | <10 | 320 | 0.50 | 0.19 | 0.81 | 0.13 | 26.5 | 11.2 | 31 |
| I314979 | | 0.50 | 0.009 | 0.09 | 1.49 | 7.8 | <0.2 | <10 | 260 | 0.45 | 0.15 | 0.65 | 0.08 | 25.2 | 8.2 | 30 |
| I314980 | | 0.28 | NSS | 0.01 | 0.12 | 1.9 | <0.2 | <10 | 30 | 0.09 | 0.02 | 0.09 | 0.03 | 10.80 | 2.0 | 3 |
| I314981 | | 0.36 | 0.009 | 0.13 | 1.65 | 9.1 | <0.2 | <10 | 330 | 0.40 | 0.17 | 0.82 | 0.20 | 28.1 | 11.3 | 29 |
| I314982 | | 0.30 | 0.007 | 0.09 | 1.83 | 7.5 | <0.2 | <10 | 270 | 0.43 | 0.19 | 0.52 | 0.08 | 28.3 | 12.8 | 30 |
| I314983 | | 0.34 | 0.008 | 0.12 | 1.80 | 8.8 | <0.2 | <10 | 270 | 0.49 | 0.17 | 0.68 | 0.19 | 26.7 | 11.0 | 29 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I314951 | | 0.60 | 23.8 | 2.38 | 4.35 | <0.05 | 0.08 | 0.03 | 0.022 | 0.04 | 14.3 | 11.3 | 0.46 | 204 | 0.98 | 0.02 |
| I314952 | | 0.47 | 15.8 | 2.21 | 4.55 | <0.05 | 0.07 | 0.02 | 0.019 | 0.05 | 11.7 | 10.0 | 0.40 | 191 | 0.88 | 0.01 |
| I314953 | | 0.53 | 27.5 | 2.57 | 4.54 | 0.05 | 0.09 | 0.03 | 0.023 | 0.05 | 15.2 | 11.6 | 0.51 | 325 | 0.74 | 0.02 |
| I314954 | | 0.52 | 24.7 | 2.33 | 4.46 | <0.05 | 0.07 | 0.02 | 0.022 | 0.05 | 12.3 | 10.5 | 0.49 | 374 | 0.73 | 0.02 |
| I314955 | | 0.61 | 23.8 | 2.49 | 5.18 | <0.05 | 0.14 | 0.02 | 0.024 | 0.04 | 14.1 | 10.9 | 0.44 | 290 | 0.92 | 0.02 |
| I314956 | | 0.63 | 27.1 | 2.45 | 4.00 | 0.05 | 0.11 | 0.02 | 0.020 | 0.05 | 12.8 | 11.3 | 0.58 | 431 | 0.88 | 0.03 |
| I314957 | | 0.50 | 18.6 | 2.20 | 4.15 | <0.05 | 0.19 | 0.02 | 0.021 | 0.04 | 12.5 | 9.7 | 0.45 | 244 | 0.63 | 0.01 |
| I314958 | | 0.46 | 13.1 | 1.97 | 4.57 | <0.05 | 0.05 | 0.01 | 0.018 | 0.04 | 10.0 | 9.7 | 0.37 | 146 | 0.80 | 0.01 |
| I314959 | | 0.54 | 17.9 | 2.68 | 6.38 | <0.05 | 0.09 | 0.01 | 0.026 | 0.04 | 7.8 | 11.5 | 0.62 | 315 | 0.83 | 0.01 |
| I314960 | | 0.26 | 7.7 | 2.33 | 1.98 | <0.05 | 0.07 | 0.02 | 0.008 | 0.04 | 15.2 | 4.3 | 0.27 | 721 | 1.19 | <0.01 |
| I314961 | | 0.70 | 25.4 | 2.99 | 7.88 | <0.05 | 0.06 | 0.01 | 0.035 | 0.03 | 9.5 | 14.2 | 0.84 | 317 | 0.68 | 0.01 |
| I314962 | | 0.77 | 16.8 | 2.61 | 5.85 | <0.05 | 0.04 | 0.02 | 0.041 | 0.04 | 8.0 | 11.2 | 0.56 | 305 | 0.90 | 0.01 |
| I314963 | | 0.64 | 23.3 | 2.61 | 5.90 | <0.05 | 0.10 | 0.02 | 0.027 | 0.04 | 9.8 | 14.3 | 0.53 | 154 | 0.57 | 0.01 |
| I314964 | | 0.49 | 10.1 | 1.60 | 5.91 | <0.05 | 0.02 | 0.01 | 0.009 | 0.03 | 4.7 | 6.0 | 0.41 | 121 | 0.39 | 0.01 |
| I314965 | | 1.73 | 15.7 | 2.73 | 8.00 | 0.08 | 0.06 | 0.01 | 0.039 | 0.08 | 8.0 | 17.9 | 1.28 | 853 | 0.47 | 0.01 |
| I314966 | | 0.63 | 32.8 | 2.43 | 4.99 | <0.05 | 0.06 | 0.04 | 0.025 | 0.04 | 16.6 | 11.4 | 0.46 | 885 | 0.92 | 0.02 |
| I314967 | | 0.38 | 30.3 | 2.53 | 5.11 | 0.08 | 0.18 | 0.04 | 0.025 | 0.06 | 13.7 | 11.1 | 0.47 | 523 | 0.92 | 0.04 |
| I314968 | | 0.38 | 16.8 | 1.87 | 3.73 | 0.06 | 0.05 | 0.02 | 0.019 | 0.04 | 8.4 | 8.1 | 0.36 | 219 | 0.71 | 0.02 |
| I314969 | | 0.61 | 29.7 | 2.77 | 5.19 | 0.08 | 0.08 | 0.03 | 0.026 | 0.08 | 15.0 | 13.4 | 0.55 | 510 | 1.17 | 0.02 |
| I314970 | | 0.74 | 33.3 | 2.92 | 5.85 | 0.09 | 0.08 | 0.04 | 0.029 | 0.08 | 16.4 | 14.8 | 0.59 | 554 | 1.31 | 0.03 |
| I314971 | | 0.56 | 34.5 | 2.97 | 5.64 | 0.08 | 0.17 | 0.02 | 0.031 | 0.08 | 12.8 | 12.6 | 0.59 | 551 | 1.38 | 0.03 |
| I314972 | | 0.46 | 23.5 | 2.85 | 5.18 | 0.08 | 0.20 | 0.03 | 0.027 | 0.11 | 13.7 | 12.7 | 0.50 | 518 | 1.23 | 0.02 |
| I314973 | | 0.65 | 33.2 | 2.66 | 4.92 | 0.08 | 0.24 | 0.03 | 0.026 | 0.09 | 14.2 | 13.1 | 0.58 | 467 | 0.87 | 0.04 |
| I314974 | | 0.51 | 23.1 | 2.26 | 4.32 | 0.06 | 0.06 | 0.01 | 0.020 | 0.04 | 11.9 | 10.9 | 0.44 | 314 | 1.05 | 0.02 |
| I314975 | | 0.49 | 23.7 | 2.38 | 4.57 | 0.07 | 0.15 | 0.02 | 0.021 | 0.08 | 11.2 | 10.9 | 0.49 | 246 | 0.74 | 0.03 |
| I314976 | | 0.47 | 21.8 | 2.34 | 4.60 | 0.07 | 0.08 | 0.02 | 0.022 | 0.07 | 10.5 | 11.3 | 0.46 | 321 | 1.14 | 0.03 |
| I314977 | | 0.47 | 33.2 | 2.56 | 5.27 | 0.07 | 0.15 | 0.03 | 0.026 | 0.08 | 11.7 | 10.7 | 0.51 | 450 | 0.96 | 0.03 |
| I314978 | | 0.49 | 35.8 | 2.71 | 5.53 | 0.08 | 0.17 | 0.03 | 0.026 | 0.06 | 13.4 | 11.2 | 0.50 | 420 | 1.37 | 0.03 |
| I314979 | | 0.58 | 32.5 | 2.40 | 4.56 | 0.07 | 0.07 | 0.01 | 0.020 | 0.05 | 12.9 | 10.6 | 0.49 | 241 | 1.07 | 0.03 |
| I314980 | | 0.08 | 2.6 | 0.68 | 0.59 | <0.05 | 0.07 | <0.01 | <0.005 | 0.04 | 5.7 | 0.9 | 0.04 | 151 | 0.34 | 0.01 |
| I314981 | | 0.53 | 35.3 | 2.55 | 4.93 | 0.07 | 0.11 | 0.06 | 0.024 | 0.06 | 13.9 | 11.6 | 0.51 | 746 | 1.20 | 0.04 |
| I314982 | | 0.57 | 28.6 | 2.72 | 5.45 | 0.08 | 0.15 | 0.02 | 0.026 | 0.06 | 13.6 | 11.9 | 0.45 | 438 | 1.35 | 0.03 |
| I314983 | | 0.53 | 36.2 | 2.73 | 5.31 | 0.09 | 0.23 | 0.03 | 0.027 | 0.08 | 13.6 | 12.6 | 0.54 | 445 | 0.70 | 0.03 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I314951 | | 1.48 | 20.3 | 620 | 8.0 | 6.8 | <0.001 | 0.01 | 0.47 | 4.7 | 0.6 | 0.4 | 37.6 | <0.01 | 0.02 | 3.5 |
| I314952 | | 1.21 | 17.4 | 500 | 8.0 | 6.8 | <0.001 | 0.01 | 0.36 | 4.1 | <0.2 | 0.5 | 28.0 | <0.01 | 0.01 | 3.1 |
| I314953 | | 1.35 | 25.1 | 660 | 8.2 | 6.6 | <0.001 | 0.02 | 0.48 | 5.0 | 0.6 | 0.4 | 41.3 | <0.01 | 0.01 | 2.9 |
| I314954 | | 1.41 | 22.7 | 640 | 7.3 | 6.1 | <0.001 | 0.02 | 0.39 | 4.6 | 0.9 | 0.4 | 48.0 | <0.01 | 0.02 | 2.3 |
| I314955 | | 1.58 | 19.9 | 500 | 8.4 | 7.8 | <0.001 | 0.01 | 0.38 | 5.5 | 1.3 | 0.5 | 41.7 | <0.01 | 0.01 | 3.4 |
| I314956 | | 1.28 | 27.3 | 780 | 7.8 | 6.3 | <0.001 | 0.01 | 0.61 | 4.6 | 0.5 | 0.4 | 38.9 | <0.01 | 0.01 | 3.4 |
| I314957 | | 1.56 | 18.6 | 400 | 8.2 | 7.4 | <0.001 | <0.01 | 0.44 | 4.7 | 0.5 | 0.4 | 39.5 | <0.01 | 0.02 | 3.9 |
| I314958 | | 1.26 | 15.4 | 320 | 6.8 | 5.1 | <0.001 | 0.01 | 0.28 | 3.6 | 0.3 | 0.5 | 23.9 | <0.01 | 0.01 | 2.3 |
| I314959 | | 1.50 | 15.3 | 510 | 6.8 | 8.9 | <0.001 | <0.01 | 0.31 | 6.3 | <0.2 | 0.6 | 27.4 | <0.01 | 0.01 | 2.5 |
| I314960 | | 0.65 | 22.5 | 670 | 4.9 | 5.2 | <0.001 | 0.01 | 0.45 | 2.3 | 0.2 | 0.2 | 14.2 | <0.01 | 0.01 | 5.6 |
| I314961 | | 1.50 | 15.4 | 310 | 6.8 | 6.9 | <0.001 | 0.01 | 0.32 | 7.9 | 0.2 | 0.7 | 20.1 | <0.01 | 0.02 | 2.1 |
| I314962 | | 1.29 | 17.4 | 260 | 7.1 | 7.9 | <0.001 | 0.01 | 0.35 | 6.9 | 0.2 | 0.6 | 16.2 | <0.01 | 0.02 | 2.2 |
| I314963 | | 1.27 | 17.3 | 300 | 7.8 | 8.6 | <0.001 | 0.01 | 0.39 | 6.2 | <0.2 | 0.5 | 21.7 | <0.01 | 0.02 | 2.7 |
| I314964 | | 0.92 | 6.1 | 410 | 4.7 | 3.6 | <0.001 | 0.01 | 0.15 | 2.7 | <0.2 | 0.4 | 18.5 | <0.01 | <0.01 | 0.3 |
| I314965 | | 1.59 | 13.3 | 840 | 4.4 | 14.3 | <0.001 | 0.02 | 0.21 | 14.4 | 0.9 | 0.5 | 35.5 | <0.01 | 0.01 | 1.4 |
| I314966 | | 1.32 | 22.1 | 750 | 7.7 | 8.1 | <0.001 | 0.03 | 0.48 | 5.2 | 1.3 | 0.4 | 49.8 | <0.01 | 0.02 | 1.6 |
| I314967 | | 1.57 | 22.9 | 500 | 9.6 | 7.3 | 0.001 | 0.01 | 0.47 | 6.4 | 0.9 | 0.5 | 46.9 | 0.01 | 0.03 | 3.8 |
| I314968 | | 1.06 | 13.8 | 440 | 6.6 | 5.1 | <0.001 | 0.01 | 0.35 | 3.9 | 0.6 | 0.4 | 35.1 | <0.01 | 0.03 | 1.6 |
| I314969 | | 1.43 | 27.0 | 620 | 10.3 | 9.5 | <0.001 | 0.01 | 0.59 | 5.4 | 0.8 | 0.5 | 51.0 | 0.01 | 0.03 | 3.2 |
| I314970 | | 1.56 | 26.6 | 640 | 11.4 | 10.8 | <0.001 | 0.01 | 0.69 | 6.1 | 0.9 | 0.6 | 56.3 | 0.01 | 0.04 | 3.3 |
| I314971 | | 1.90 | 31.2 | 610 | 10.1 | 11.4 | <0.001 | <0.01 | 0.49 | 6.0 | 0.9 | 0.5 | 45.0 | <0.01 | 0.03 | 3.9 |
| I314972 | | 1.63 | 22.9 | 530 | 10.6 | 9.0 | <0.001 | <0.01 | 0.53 | 6.2 | 0.7 | 0.5 | 42.5 | <0.01 | 0.03 | 4.6 |
| I314973 | | 1.41 | 29.5 | 600 | 9.6 | 9.0 | <0.001 | <0.01 | 0.54 | 5.8 | 0.6 | 0.5 | 38.6 | <0.01 | 0.03 | 4.7 |
| I314974 | | 1.28 | 22.4 | 540 | 8.7 | 6.3 | <0.001 | <0.01 | 0.41 | 4.3 | 0.7 | 0.5 | 37.6 | <0.01 | 0.02 | 3.0 |
| I314975 | | 1.62 | 20.8 | 490 | 8.2 | 8.3 | <0.001 | <0.01 | 0.44 | 5.0 | 0.6 | 0.4 | 41.1 | <0.01 | 0.03 | 3.3 |
| I314976 | | 1.41 | 26.6 | 650 | 8.9 | 7.9 | <0.001 | <0.01 | 0.50 | 4.3 | 0.6 | 0.5 | 37.2 | <0.01 | 0.02 | 3.1 |
| I314977 | | 1.75 | 27.4 | 620 | 9.8 | 9.5 | <0.001 | 0.02 | 0.62 | 5.9 | 1.2 | 0.5 | 72.2 | <0.01 | 0.03 | 2.9 |
| I314978 | | 1.85 | 24.9 | 490 | 10.0 | 7.6 | <0.001 | 0.01 | 0.53 | 6.1 | 1.1 | 0.5 | 52.3 | <0.01 | 0.03 | 3.6 |
| I314979 | | 1.52 | 23.3 | 590 | 8.2 | 6.2 | <0.001 | 0.01 | 0.39 | 4.9 | 0.8 | 0.4 | 41.2 | <0.01 | 0.02 | 3.0 |
| I314980 | | 0.14 | 4.0 | 120 | 1.5 | 2.2 | <0.001 | <0.01 | 0.14 | 0.6 | <0.2 | <0.2 | 7.0 | <0.01 | 0.01 | 1.9 |
| I314981 | | 1.63 | 28.7 | 730 | 9.2 | 8.0 | <0.001 | 0.01 | 0.50 | 5.4 | 0.9 | 0.5 | 52.8 | 0.01 | 0.03 | 3.2 |
| I314982 | | 1.78 | 23.0 | 450 | 10.0 | 7.8 | <0.001 | <0.01 | 0.44 | 5.7 | 0.9 | 0.5 | 38.1 | <0.01 | 0.03 | 3.6 |
| I314983 | | 1.69 | 24.7 | 650 | 9.1 | 8.4 | <0.001 | <0.01 | 0.50 | 6.4 | 0.7 | 0.5 | 42.9 | <0.01 | 0.03 | 4.0 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I314951 | | 0.071 | 0.07 | 1.95 | 48 | 0.29 | 8.30 | 44 | 3.5 |
| I314952 | | 0.075 | 0.06 | 0.51 | 52 | 0.17 | 5.35 | 39 | 3.0 |
| I314953 | | 0.073 | 0.06 | 1.11 | 55 | 0.26 | 10.25 | 46 | 3.6 |
| I314954 | | 0.077 | 0.05 | 1.01 | 53 | 0.24 | 8.52 | 44 | 2.4 |
| I314955 | | 0.077 | 0.06 | 1.73 | 58 | 0.14 | 9.13 | 43 | 5.7 |
| I314956 | | 0.081 | 0.06 | 0.91 | 53 | 0.26 | 9.61 | 56 | 4.4 |
| I314957 | | 0.072 | 0.05 | 0.78 | 44 | 0.19 | 6.50 | 45 | 6.7 |
| I314958 | | 0.059 | 0.06 | 0.55 | 46 | 0.27 | 4.34 | 34 | 2.0 |
| I314959 | | 0.089 | 0.07 | 0.31 | 63 | 0.18 | 3.72 | 57 | 3.2 |
| I314960 | | 0.030 | 0.17 | 0.71 | 26 | 0.09 | 7.52 | 25 | 3.5 |
| I314961 | | 0.131 | 0.07 | 0.38 | 73 | 0.13 | 5.97 | 68 | 2.3 |
| I314962 | | 0.082 | 0.08 | 0.33 | 59 | 0.15 | 2.92 | 55 | 1.7 |
| I314963 | | 0.086 | 0.07 | 0.51 | 64 | 0.13 | 5.35 | 41 | 4.4 |
| I314964 | | 0.103 | 0.05 | 0.19 | 45 | 0.12 | 2.09 | 30 | 0.6 |
| I314965 | | 0.154 | 0.09 | 1.02 | 58 | 0.11 | 12.50 | 91 | 2.1 |
| I314966 | | 0.074 | 0.05 | 1.90 | 52 | 0.18 | 15.00 | 50 | 2.2 |
| I314967 | | 0.094 | 0.05 | 1.67 | 57 | 0.30 | 10.65 | 46 | 8.1 |
| I314968 | | 0.067 | 0.04 | 0.86 | 41 | 0.13 | 4.80 | 33 | 2.2 |
| I314969 | | 0.070 | 0.07 | 1.29 | 55 | 0.20 | 10.35 | 57 | 2.9 |
| I314970 | | 0.072 | 0.08 | 1.39 | 56 | 0.23 | 11.70 | 60 | 3.1 |
| I314971 | | 0.101 | 0.06 | 1.87 | 64 | 0.18 | 8.53 | 61 | 7.8 |
| I314972 | | 0.095 | 0.06 | 1.18 | 59 | 0.18 | 7.66 | 49 | 8.8 |
| I314973 | | 0.101 | 0.09 | 0.69 | 54 | 0.22 | 10.60 | 52 | 12.3 |
| I314974 | | 0.063 | 0.06 | 0.85 | 46 | 0.24 | 7.09 | 41 | 2.6 |
| I314975 | | 0.093 | 0.06 | 0.89 | 47 | 0.19 | 7.40 | 45 | 7.0 |
| I314976 | | 0.071 | 0.06 | 0.81 | 49 | 0.16 | 5.94 | 47 | 3.5 |
| I314977 | | 0.088 | 0.05 | 2.57 | 48 | 0.19 | 8.96 | 54 | 6.7 |
| I314978 | | 0.102 | 0.05 | 1.95 | 60 | 0.23 | 9.94 | 44 | 8.5 |
| I314979 | | 0.078 | 0.05 | 1.20 | 54 | 0.40 | 9.01 | 39 | 3.0 |
| I314980 | | 0.006 | 0.03 | 0.30 | 4 | 0.05 | 2.15 | 5 | 2.8 |
| I314981 | | 0.091 | 0.05 | 2.38 | 54 | 0.21 | 10.25 | 48 | 4.9 |
| I314982 | | 0.103 | 0.06 | 1.53 | 59 | 0.23 | 9.08 | 41 | 6.8 |
| I314983 | | 0.113 | 0.06 | 0.86 | 58 | 0.17 | 10.95 | 50 | 11.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

| Method | CERTIFICATE COMMENTS |
|------------------------|---|
| ALL METHODS ME-MS41 | NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

CERTIFICATE WH10122486

Project: SQI10-06

P.O. No.: SQI10-06_22

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-24 | Pulp Login - Rcd w/o Barcode |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315001 | | 0.46 | <0.005 | 0.10 | 1.48 | 6.4 | <0.2 | <10 | 330 | 0.38 | 0.17 | 0.49 | 0.21 | 22.6 | 7.8 | 24 |
| I315002 | | 0.58 | 0.025 | 0.09 | 1.76 | 7.9 | <0.2 | <10 | 340 | 0.49 | 0.18 | 0.62 | 0.14 | 29.1 | 11.8 | 28 |
| I315003 | | 0.48 | <0.005 | 0.12 | 1.44 | 7.5 | <0.2 | <10 | 310 | 0.44 | 0.16 | 0.55 | 0.17 | 25.7 | 9.6 | 25 |
| I315004 | | 0.58 | 0.005 | 0.11 | 1.49 | 7.8 | <0.2 | <10 | 350 | 0.42 | 0.17 | 0.54 | 0.16 | 27.2 | 9.1 | 26 |
| I315005 | | 0.58 | <0.005 | 0.09 | 1.48 | 7.9 | <0.2 | <10 | 260 | 0.26 | 0.16 | 0.29 | 0.06 | 13.65 | 6.9 | 25 |
| I315006 | | 0.64 | <0.005 | 0.12 | 1.43 | 6.8 | <0.2 | <10 | 280 | 0.25 | 0.15 | 0.30 | 0.04 | 16.40 | 5.9 | 24 |
| I315007 | | 0.52 | <0.005 | 0.23 | 1.29 | 6.6 | <0.2 | <10 | 230 | 0.25 | 0.19 | 0.22 | 0.09 | 15.85 | 11.9 | 20 |
| I315008 | | 0.46 | <0.005 | 0.14 | 1.66 | 5.3 | <0.2 | <10 | 330 | 0.30 | 0.15 | 0.42 | 0.08 | 17.15 | 8.3 | 24 |
| I315009 | | 0.40 | <0.005 | 0.08 | 1.21 | 6.0 | <0.2 | <10 | 460 | 0.36 | 0.13 | 0.76 | 0.20 | 22.2 | 8.4 | 23 |
| I315010 | | 0.46 | <0.005 | 0.09 | 1.23 | 5.7 | <0.2 | <10 | 350 | 0.40 | 0.14 | 0.81 | 0.33 | 21.7 | 7.9 | 23 |
| I315011 | | 0.38 | 0.009 | 0.08 | 1.07 | 5.8 | <0.2 | <10 | 290 | 0.27 | 0.11 | 1.32 | 0.24 | 21.0 | 7.2 | 22 |
| I315012 | | 0.56 | <0.005 | 0.09 | 1.18 | 7.2 | <0.2 | <10 | 220 | 0.27 | 0.13 | 1.00 | 0.15 | 20.1 | 8.1 | 23 |
| I315013 | | 0.38 | <0.005 | 0.13 | 1.50 | 5.0 | <0.2 | <10 | 490 | 0.47 | 0.17 | 0.98 | 0.36 | 26.4 | 10.6 | 26 |
| I315014 | | 0.38 | 0.019 | 0.03 | 0.14 | 1.5 | <0.2 | <10 | 30 | 0.10 | 0.02 | 0.09 | 0.04 | 9.47 | 2.0 | 2 |
| I315015 | | 0.44 | <0.005 | 0.07 | 1.37 | 6.9 | <0.2 | <10 | 260 | 0.43 | 0.14 | 0.51 | 0.13 | 23.7 | 8.5 | 26 |
| I315016 | | 0.44 | <0.005 | 0.10 | 1.12 | 5.1 | <0.2 | <10 | 340 | 0.46 | 0.11 | 1.71 | 0.60 | 21.1 | 8.6 | 19 |
| I315017 | | 0.50 | <0.005 | 0.05 | 0.99 | 7.0 | <0.2 | <10 | 350 | 0.29 | 0.11 | 1.26 | 0.08 | 17.55 | 5.9 | 20 |
| I315018 | | 0.54 | 0.014 | 0.05 | 1.16 | 9.7 | <0.2 | <10 | 240 | 0.28 | 0.12 | 0.61 | 0.09 | 18.25 | 7.4 | 22 |
| I315019 | | 0.56 | <0.005 | 0.07 | 1.26 | 8.5 | <0.2 | <10 | 250 | 0.29 | 0.14 | 0.92 | 0.16 | 21.5 | 8.3 | 27 |
| I315020 | | 0.50 | <0.005 | 0.05 | 1.04 | 5.2 | <0.2 | <10 | 260 | 0.27 | 0.11 | 1.23 | 0.15 | 19.45 | 5.0 | 21 |
| I315021 | | 0.38 | <0.005 | 0.12 | 1.15 | 7.6 | <0.2 | <10 | 300 | 0.34 | 0.13 | 1.23 | 0.20 | 22.7 | 8.3 | 23 |
| I315022 | | 0.50 | <0.005 | 0.12 | 1.24 | 9.1 | <0.2 | <10 | 300 | 0.44 | 0.16 | 0.93 | 0.18 | 25.7 | 9.3 | 26 |
| I315023 | | 0.52 | 0.009 | 0.14 | 1.30 | 10.4 | <0.2 | <10 | 300 | 0.43 | 0.16 | 0.98 | 0.24 | 26.7 | 10.5 | 26 |
| I315024 | | 0.62 | <0.005 | 0.14 | 1.22 | 9.2 | <0.2 | <10 | 300 | 0.42 | 0.15 | 1.05 | 0.25 | 24.3 | 9.9 | 25 |
| I315025 | | 0.34 | NSS | 0.05 | 0.23 | 7.0 | 0.2 | <10 | 60 | 0.25 | 0.03 | 0.36 | 0.15 | 24.5 | 6.9 | 8 |
| I315026 | | 0.56 | <0.005 | 0.23 | 2.75 | 6.1 | <0.2 | <10 | 310 | 0.28 | 0.23 | 0.76 | 0.58 | 13.80 | 19.0 | 63 |
| I315027 | | 0.60 | 0.006 | 0.59 | 2.93 | 10.3 | <0.2 | <10 | 440 | 0.54 | 0.93 | 0.74 | 0.46 | 28.6 | 17.3 | 100 |
| I315028 | | 0.54 | <0.005 | 0.33 | 2.81 | 8.8 | <0.2 | <10 | 290 | 0.28 | 0.50 | 0.67 | 0.43 | 14.60 | 17.8 | 100 |
| I315029 | | 0.66 | <0.005 | 0.15 | 2.93 | 15.9 | <0.2 | <10 | 230 | 0.19 | 0.70 | 0.57 | 0.48 | 10.40 | 27.2 | 129 |
| I315030 | | 0.72 | 0.007 | 0.23 | 3.05 | 8.7 | <0.2 | <10 | 240 | 0.38 | 0.52 | 0.51 | 0.26 | 19.85 | 21.2 | 106 |
| I315031 | | 0.68 | <0.005 | 0.12 | 3.15 | 8.2 | <0.2 | <10 | 300 | 0.37 | 0.73 | 0.59 | 0.15 | 16.90 | 19.9 | 89 |
| I315032 | | 0.64 | <0.005 | 0.30 | 2.78 | 10.5 | <0.2 | <10 | 420 | 0.49 | 0.88 | 0.79 | 0.40 | 21.7 | 16.9 | 66 |
| I315033 | | 0.62 | <0.005 | 0.16 | 2.36 | 6.9 | <0.2 | <10 | 340 | 0.36 | 0.65 | 0.47 | 0.27 | 18.55 | 13.4 | 56 |
| I315034 | | 0.46 | <0.005 | 0.19 | 0.54 | 5.0 | <0.2 | <10 | 160 | 0.12 | 0.15 | 0.24 | 0.17 | 6.15 | 3.1 | 14 |
| I315035 | | 0.66 | 0.008 | 0.17 | 4.09 | 43.1 | <0.2 | <10 | 610 | 0.57 | 4.08 | 0.55 | 0.26 | 32.7 | 21.9 | 136 |
| I315036 | | 0.62 | 0.017 | 0.16 | 2.93 | 10.6 | <0.2 | <10 | 560 | 0.75 | 3.47 | 0.40 | 0.24 | 24.0 | 11.8 | 66 |
| I315037 | | 0.68 | 0.011 | 0.14 | 2.41 | 6.7 | <0.2 | <10 | 300 | 0.71 | 2.35 | 0.43 | 0.11 | 44.0 | 10.6 | 51 |
| I315038 | | 0.72 | 0.010 | 0.16 | 2.48 | 6.8 | <0.2 | <10 | 310 | 0.72 | 2.46 | 0.43 | 0.11 | 44.6 | 10.2 | 52 |
| I315039 | | 0.76 | 0.018 | 0.12 | 2.89 | 5.3 | <0.2 | <10 | 280 | 0.73 | 3.78 | 0.37 | 0.07 | 43.0 | 12.7 | 51 |
| I315040 | | 0.80 | 0.008 | 0.12 | 3.77 | 4.7 | <0.2 | <10 | 490 | 0.50 | 1.35 | 0.48 | 0.07 | 22.0 | 20.9 | 77 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I315001 | | 0.57 | 20.0 | 2.20 | 4.96 | <0.05 | 0.09 | 0.02 | 0.023 | 0.05 | 11.4 | 10.0 | 0.43 | 339 | 1.13 |
| I315002 | | 0.51 | 24.4 | 2.56 | 5.28 | 0.06 | 0.09 | 0.78 | 0.025 | 0.05 | 14.2 | 11.5 | 0.49 | 440 | 1.28 |
| I315003 | | 0.42 | 23.3 | 2.30 | 4.42 | 0.05 | 0.10 | 0.04 | 0.021 | 0.06 | 12.9 | 10.5 | 0.46 | 402 | 1.09 |
| I315004 | | 0.56 | 24.0 | 2.43 | 4.75 | 0.05 | 0.09 | 0.04 | 0.024 | 0.05 | 13.5 | 11.1 | 0.49 | 309 | 0.92 |
| I315005 | | 0.49 | 12.1 | 2.27 | 5.27 | <0.05 | 0.02 | 0.02 | 0.018 | 0.05 | 7.0 | 10.1 | 0.42 | 297 | 1.18 |
| I315006 | | 0.54 | 16.0 | 2.17 | 4.63 | <0.05 | 0.09 | 0.02 | 0.020 | 0.06 | 8.5 | 9.6 | 0.38 | 157 | 0.83 |
| I315007 | | 0.71 | 14.5 | 2.30 | 5.60 | <0.05 | 0.02 | 0.02 | 0.017 | 0.05 | 8.1 | 7.0 | 0.33 | 597 | 2.34 |
| I315008 | | 0.59 | 23.1 | 2.40 | 5.41 | 0.05 | 0.04 | 0.03 | 0.020 | 0.07 | 8.9 | 10.4 | 0.50 | 465 | 0.81 |
| I315009 | | 0.51 | 24.0 | 2.07 | 3.78 | 0.05 | 0.07 | 0.03 | 0.019 | 0.04 | 11.3 | 8.5 | 0.38 | 440 | 0.79 |
| I315010 | | 0.47 | 29.6 | 1.99 | 3.90 | <0.05 | 0.04 | 0.02 | 0.018 | 0.04 | 10.9 | 7.7 | 0.40 | 313 | 0.67 |
| I315011 | | 0.37 | 21.9 | 1.83 | 3.16 | 0.05 | 0.05 | 0.03 | 0.017 | 0.05 | 11.1 | 6.6 | 0.41 | 434 | 0.95 |
| I315012 | | 0.43 | 18.4 | 2.04 | 3.59 | 0.06 | 0.06 | 0.03 | 0.017 | 0.05 | 10.2 | 8.7 | 0.46 | 357 | 0.90 |
| I315013 | | 0.46 | 34.3 | 2.18 | 4.49 | 0.06 | 0.10 | 0.02 | 0.024 | 0.05 | 13.5 | 7.9 | 0.42 | 419 | 0.64 |
| I315014 | | 0.08 | 1.8 | 0.67 | 0.57 | <0.05 | 0.08 | <0.01 | <0.005 | 0.05 | 4.6 | 1.3 | 0.04 | 154 | 0.27 |
| I315015 | | 0.52 | 24.8 | 2.22 | 4.41 | 0.06 | 0.07 | 0.02 | 0.021 | 0.04 | 12.1 | 9.5 | 0.43 | 423 | 0.93 |
| I315016 | | 0.46 | 31.5 | 1.80 | 3.13 | 0.05 | 0.04 | 0.04 | 0.017 | 0.03 | 10.1 | 6.3 | 0.35 | 678 | 1.00 |
| I315017 | | 0.42 | 17.9 | 1.79 | 3.13 | <0.05 | 0.04 | 0.03 | 0.017 | 0.03 | 8.9 | 7.9 | 0.38 | 232 | 0.69 |
| I315018 | | 0.48 | 17.6 | 2.37 | 3.75 | 0.05 | 0.04 | 0.03 | 0.017 | 0.03 | 9.3 | 9.5 | 0.44 | 198 | 1.00 |
| I315019 | | 0.51 | 20.3 | 2.34 | 4.15 | 0.05 | 0.07 | 0.03 | 0.021 | 0.05 | 10.9 | 11.9 | 0.55 | 318 | 1.25 |
| I315020 | | 0.41 | 18.1 | 1.72 | 3.45 | <0.05 | 0.05 | 0.03 | 0.015 | 0.03 | 9.9 | 8.6 | 0.40 | 150 | 0.90 |
| I315021 | | 0.51 | 24.1 | 2.08 | 3.74 | 0.05 | 0.07 | 0.05 | 0.019 | 0.04 | 11.3 | 9.8 | 0.46 | 395 | 0.87 |
| I315022 | | 0.46 | 27.6 | 2.35 | 4.09 | 0.06 | 0.08 | 0.04 | 0.020 | 0.04 | 12.8 | 11.1 | 0.51 | 327 | 1.03 |
| I315023 | | 0.55 | 30.8 | 2.68 | 4.16 | 0.06 | 0.10 | 0.04 | 0.022 | 0.06 | 13.6 | 12.1 | 0.59 | 426 | 1.06 |
| I315024 | | 0.46 | 28.9 | 2.42 | 3.89 | 0.05 | 0.09 | 0.03 | 0.020 | 0.05 | 12.3 | 11.4 | 0.53 | 424 | 1.08 |
| I315025 | | 0.20 | 9.4 | 1.67 | 1.19 | 0.05 | 0.06 | 0.02 | 0.006 | 0.04 | 12.2 | 3.3 | 0.17 | 534 | 0.96 |
| I315026 | | 1.18 | 39.8 | 3.50 | 7.97 | 0.08 | 0.04 | 0.04 | 0.023 | 0.22 | 7.0 | 14.0 | 1.71 | 652 | 1.56 |
| I315027 | | 1.84 | 48.4 | 3.83 | 9.63 | 0.11 | 0.07 | 0.05 | 0.044 | 0.25 | 14.0 | 13.5 | 1.59 | 458 | 2.53 |
| I315028 | | 1.09 | 42.0 | 3.47 | 8.32 | 0.07 | 0.03 | 0.06 | 0.026 | 0.15 | 7.3 | 13.9 | 1.85 | 584 | 1.36 |
| I315029 | | 1.32 | 34.0 | 3.80 | 8.65 | 0.07 | 0.03 | 0.03 | 0.023 | 0.14 | 5.1 | 13.4 | 1.99 | 709 | 1.15 |
| I315030 | | 1.34 | 49.4 | 3.70 | 8.54 | 0.08 | 0.05 | 0.04 | 0.025 | 0.20 | 9.4 | 13.4 | 1.80 | 450 | 0.81 |
| I315031 | | 2.19 | 29.1 | 3.42 | 8.96 | 0.08 | 0.06 | 0.03 | 0.021 | 0.27 | 8.6 | 13.9 | 1.88 | 374 | 0.69 |
| I315032 | | 2.29 | 41.3 | 3.26 | 8.06 | 0.08 | 0.05 | 0.06 | 0.026 | 0.18 | 11.5 | 10.9 | 1.21 | 543 | 1.67 |
| I315033 | | 1.48 | 30.3 | 3.34 | 8.89 | 0.07 | 0.04 | 0.03 | 0.026 | 0.15 | 9.6 | 12.5 | 1.06 | 387 | 1.87 |
| I315034 | | 0.58 | 14.3 | 1.01 | 2.90 | <0.05 | <0.02 | 0.03 | 0.007 | 0.06 | 3.3 | 2.4 | 0.22 | 92 | 0.74 |
| I315035 | | 4.27 | 74.9 | 4.86 | 12.00 | 0.11 | 0.02 | 0.03 | 0.029 | 0.68 | 17.6 | 17.2 | 2.27 | 646 | 1.75 |
| I315036 | | 2.08 | 41.9 | 3.48 | 9.43 | 0.09 | 0.06 | 0.03 | 0.032 | 0.33 | 14.6 | 12.3 | 1.14 | 306 | 2.10 |
| I315037 | | 2.49 | 51.7 | 3.18 | 8.06 | 0.10 | 0.09 | 0.02 | 0.028 | 0.36 | 22.7 | 12.7 | 0.97 | 320 | 0.72 |
| I315038 | | 2.58 | 52.7 | 3.22 | 8.22 | 0.09 | 0.08 | 0.02 | 0.029 | 0.37 | 23.3 | 12.2 | 0.98 | 321 | 0.74 |
| I315039 | | 2.01 | 62.1 | 3.37 | 8.55 | 0.09 | 0.12 | 0.02 | 0.027 | 0.22 | 21.7 | 12.4 | 0.89 | 255 | 1.01 |
| I315040 | | 4.54 | 44.5 | 4.27 | 9.98 | 0.09 | 0.05 | 0.04 | 0.039 | 0.51 | 12.2 | 13.9 | 1.42 | 423 | 0.77 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Nb | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te |
| | | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.05 | 0.2 | 10 | 0.2 | 0.1 | 0.001 | 0.01 | 0.05 | 0.1 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 |
| I315001 | | 1.53 | 16.3 | 510 | 7.7 | 8.6 | <0.001 | 0.01 | 0.36 | 3.9 | 0.5 | 0.5 | 33.0 | <0.01 | 0.02 |
| I315002 | | 1.74 | 19.5 | 520 | 8.3 | 7.7 | <0.001 | 0.02 | 0.45 | 5.0 | 1.4 | 0.5 | 42.0 | <0.01 | 0.03 |
| I315003 | | 1.44 | 20.8 | 590 | 7.6 | 6.8 | <0.001 | 0.01 | 0.45 | 4.3 | 0.7 | 0.4 | 37.9 | <0.01 | 0.02 |
| I315004 | | 1.42 | 21.2 | 620 | 7.9 | 7.2 | 0.001 | 0.01 | 0.48 | 4.5 | 0.8 | 0.5 | 37.7 | <0.01 | 0.02 |
| I315005 | | 1.45 | 13.4 | 310 | 7.5 | 6.3 | <0.001 | 0.01 | 0.33 | 2.9 | 0.2 | 0.5 | 20.3 | <0.01 | 0.02 |
| I315006 | | 1.34 | 16.5 | 310 | 6.9 | 11.0 | <0.001 | 0.01 | 0.39 | 3.1 | 0.3 | 0.4 | 23.0 | <0.01 | 0.03 |
| I315007 | | 1.42 | 11.8 | 420 | 8.9 | 8.1 | <0.001 | 0.01 | 0.38 | 2.8 | 0.3 | 0.5 | 16.3 | <0.01 | 0.03 |
| I315008 | | 1.60 | 16.4 | 360 | 6.8 | 10.5 | <0.001 | 0.02 | 0.40 | 3.7 | 0.4 | 0.5 | 27.4 | <0.01 | 0.02 |
| I315009 | | 1.34 | 19.0 | 580 | 6.1 | 5.7 | <0.001 | 0.02 | 0.54 | 3.8 | 1.2 | 0.4 | 44.2 | <0.01 | 0.03 |
| I315010 | | 1.08 | 21.3 | 840 | 6.3 | 5.2 | <0.001 | 0.03 | 0.45 | 3.0 | 0.9 | 0.4 | 45.7 | <0.01 | 0.03 |
| I315011 | | 0.99 | 17.9 | 1150 | 4.8 | 5.7 | <0.001 | 0.06 | 0.60 | 2.5 | 1.1 | 0.3 | 75.5 | <0.01 | 0.02 |
| I315012 | | 1.19 | 16.8 | 770 | 6.2 | 6.3 | <0.001 | 0.04 | 0.46 | 3.3 | 0.6 | 0.4 | 52.1 | <0.01 | 0.03 |
| I315013 | | 1.53 | 24.7 | 1050 | 7.2 | 5.2 | 0.001 | 0.09 | 0.75 | 5.1 | 0.9 | 0.4 | 68.2 | <0.01 | 0.03 |
| I315014 | | 0.16 | 3.5 | 120 | 1.6 | 2.1 | <0.001 | 0.01 | 0.10 | 0.5 | <0.2 | <0.2 | 7.6 | <0.01 | 0.02 |
| I315015 | | 1.43 | 20.3 | 600 | 6.8 | 4.2 | <0.001 | 0.01 | 0.40 | 4.5 | 0.6 | 0.4 | 32.2 | <0.01 | 0.02 |
| I315016 | | 0.90 | 24.8 | 850 | 4.9 | 3.2 | 0.001 | 0.10 | 0.55 | 2.4 | 2.2 | 0.3 | 85.3 | <0.01 | 0.02 |
| I315017 | | 0.96 | 16.2 | 600 | 5.6 | 3.8 | 0.001 | 0.05 | 0.44 | 2.4 | 1.0 | 0.4 | 49.4 | <0.01 | 0.02 |
| I315018 | | 1.08 | 20.3 | 660 | 6.2 | 4.0 | <0.001 | 0.03 | 0.38 | 3.0 | 0.5 | 0.4 | 34.6 | <0.01 | 0.03 |
| I315019 | | 1.25 | 21.1 | 850 | 7.0 | 6.2 | 0.001 | 0.02 | 0.49 | 3.6 | 0.6 | 0.4 | 50.9 | <0.01 | 0.02 |
| I315020 | | 1.03 | 16.9 | 820 | 5.4 | 3.0 | 0.001 | 0.04 | 0.35 | 2.7 | 0.7 | 0.3 | 69.6 | <0.01 | 0.02 |
| I315021 | | 1.10 | 21.4 | 840 | 6.6 | 4.6 | 0.001 | 0.04 | 0.56 | 3.4 | 0.8 | 0.4 | 69.7 | <0.01 | 0.02 |
| I315022 | | 1.28 | 23.8 | 730 | 7.4 | 5.5 | 0.001 | 0.01 | 0.58 | 4.0 | 0.8 | 0.4 | 51.9 | <0.01 | 0.02 |
| I315023 | | 1.31 | 27.9 | 690 | 7.9 | 6.1 | 0.001 | 0.01 | 0.69 | 4.1 | 0.7 | 0.4 | 53.1 | <0.01 | 0.02 |
| I315024 | | 1.16 | 25.3 | 770 | 7.6 | 5.2 | 0.001 | 0.02 | 0.68 | 3.6 | 0.8 | 0.4 | 52.5 | <0.01 | 0.03 |
| I315025 | | 0.49 | 13.9 | 500 | 3.4 | 3.9 | <0.001 | <0.01 | 0.35 | 1.5 | 0.2 | 0.4 | 9.7 | <0.01 | 0.01 |
| I315026 | | 1.19 | 33.5 | 580 | 7.9 | 22.7 | <0.001 | 0.03 | 0.26 | 6.0 | 0.5 | 0.5 | 29.0 | <0.01 | 0.03 |
| I315027 | | 1.50 | 51.5 | 860 | 26.1 | 26.6 | 0.001 | 0.03 | 0.31 | 8.4 | 1.2 | 0.8 | 32.0 | <0.01 | 0.08 |
| I315028 | | 1.12 | 58.8 | 620 | 8.1 | 17.1 | <0.001 | 0.03 | 0.30 | 6.9 | 0.6 | 0.5 | 26.1 | <0.01 | 0.06 |
| I315029 | | 1.19 | 58.3 | 400 | 10.0 | 19.7 | <0.001 | 0.02 | 0.30 | 5.0 | 0.4 | 0.5 | 27.8 | <0.01 | 0.12 |
| I315030 | | 1.45 | 58.6 | 530 | 7.9 | 22.3 | <0.001 | 0.01 | 0.31 | 6.1 | 0.4 | 0.5 | 25.8 | <0.01 | 0.06 |
| I315031 | | 1.73 | 46.0 | 380 | 5.9 | 33.5 | <0.001 | 0.02 | 0.30 | 6.5 | 0.4 | 0.6 | 28.9 | <0.01 | 0.02 |
| I315032 | | 1.78 | 40.3 | 880 | 6.0 | 24.6 | 0.001 | 0.08 | 0.34 | 5.3 | 1.1 | 0.6 | 42.1 | <0.01 | 0.05 |
| I315033 | | 2.04 | 37.5 | 630 | 5.7 | 20.8 | <0.001 | 0.02 | 0.22 | 5.6 | 0.5 | 0.7 | 29.4 | <0.01 | 0.04 |
| I315034 | | 0.59 | 8.8 | 320 | 2.2 | 7.3 | <0.001 | 0.02 | 0.34 | 1.2 | 0.2 | 0.3 | 13.2 | <0.01 | 0.02 |
| I315035 | | 1.37 | 66.0 | 600 | 5.1 | 46.7 | 0.001 | 0.10 | 0.69 | 10.9 | 0.9 | 0.9 | 30.9 | <0.01 | 0.18 |
| I315036 | | 2.52 | 42.0 | 890 | 6.0 | 33.2 | 0.001 | 0.02 | 0.26 | 6.7 | 1.0 | 0.9 | 21.4 | <0.01 | 0.06 |
| I315037 | | 1.56 | 28.6 | 730 | 8.0 | 39.4 | <0.001 | <0.01 | 0.32 | 8.2 | 0.6 | 0.9 | 26.5 | <0.01 | 0.06 |
| I315038 | | 1.59 | 28.3 | 700 | 8.3 | 40.4 | <0.001 | <0.01 | 0.32 | 8.3 | 0.6 | 0.9 | 26.9 | <0.01 | 0.07 |
| I315039 | | 1.81 | 36.3 | 650 | 7.7 | 29.0 | <0.001 | <0.01 | 0.22 | 7.5 | 0.7 | 0.7 | 25.8 | <0.01 | 0.10 |
| I315040 | | 1.50 | 33.0 | 580 | 4.7 | 48.6 | <0.001 | <0.01 | 0.17 | 7.9 | 0.5 | 0.7 | 29.8 | <0.01 | 0.06 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I315001 | | 0.067 | 0.07 | 1.01 | 50 | 0.16 | 6.09 | 51 | 3.4 |
| I315002 | | 0.082 | 0.06 | 2.95 | 57 | 0.25 | 9.52 | 48 | 4.3 |
| I315003 | | 0.064 | 0.05 | 1.42 | 47 | 0.16 | 7.72 | 45 | 4.3 |
| I315004 | | 0.065 | 0.07 | 1.23 | 49 | 0.21 | 8.90 | 46 | 3.8 |
| I315005 | | 0.056 | 0.07 | 0.35 | 56 | 0.15 | 2.62 | 33 | 1.1 |
| I315006 | | 0.064 | 0.05 | 0.38 | 48 | 0.16 | 3.08 | 32 | 3.8 |
| I315007 | | 0.065 | 0.07 | 0.38 | 65 | 0.23 | 2.82 | 33 | 0.8 |
| I315008 | | 0.083 | 0.06 | 0.37 | 58 | 0.18 | 3.29 | 46 | 2.0 |
| I315009 | | 0.062 | 0.05 | 4.50 | 48 | 0.34 | 7.10 | 42 | 2.9 |
| I315010 | | 0.053 | 0.05 | 1.95 | 46 | 0.11 | 7.15 | 40 | 1.1 |
| I315011 | | 0.049 | 0.04 | 2.64 | 41 | 0.45 | 8.01 | 35 | 1.6 |
| I315012 | | 0.063 | 0.05 | 0.85 | 44 | 0.28 | 6.57 | 41 | 2.1 |
| I315013 | | 0.069 | 0.05 | 1.55 | 44 | 0.18 | 10.80 | 42 | 4.5 |
| I315014 | | 0.008 | 0.03 | 0.32 | 4 | <0.05 | 1.94 | 9 | 3.1 |
| I315015 | | 0.065 | 0.07 | 1.28 | 51 | 0.17 | 7.67 | 40 | 2.5 |
| I315016 | | 0.036 | 0.05 | 2.69 | 34 | 0.15 | 9.52 | 30 | 1.9 |
| I315017 | | 0.038 | 0.05 | 1.01 | 39 | 0.22 | 5.77 | 33 | 1.5 |
| I315018 | | 0.049 | 0.06 | 0.42 | 48 | 0.26 | 5.49 | 34 | 1.2 |
| I315019 | | 0.061 | 0.05 | 0.61 | 51 | 0.14 | 7.07 | 55 | 2.1 |
| I315020 | | 0.046 | 0.04 | 2.81 | 39 | 0.11 | 6.25 | 34 | 1.5 |
| I315021 | | 0.047 | 0.05 | 1.89 | 40 | 0.22 | 7.93 | 39 | 2.0 |
| I315022 | | 0.060 | 0.05 | 1.32 | 48 | 0.22 | 9.21 | 49 | 2.6 |
| I315023 | | 0.069 | 0.06 | 1.37 | 53 | 0.14 | 10.50 | 65 | 3.5 |
| I315024 | | 0.058 | 0.05 | 0.91 | 48 | 0.18 | 9.09 | 61 | 2.8 |
| I315025 | | 0.016 | 0.10 | 0.54 | 13 | 0.06 | 5.83 | 18 | 2.8 |
| I315026 | | 0.118 | 0.16 | 0.62 | 99 | 0.15 | 5.24 | 92 | 1.7 |
| I315027 | | 0.107 | 0.25 | 1.18 | 123 | 0.17 | 11.65 | 133 | 2.9 |
| I315028 | | 0.101 | 0.13 | 0.62 | 100 | 0.12 | 6.43 | 93 | 1.2 |
| I315029 | | 0.123 | 0.14 | 0.34 | 94 | 0.19 | 3.34 | 105 | 1.1 |
| I315030 | | 0.132 | 0.18 | 0.60 | 90 | 0.22 | 6.76 | 80 | 1.8 |
| I315031 | | 0.156 | 0.24 | 0.51 | 93 | 0.16 | 4.83 | 75 | 2.2 |
| I315032 | | 0.092 | 0.25 | 1.24 | 79 | 0.15 | 9.21 | 69 | 1.8 |
| I315033 | | 0.126 | 0.14 | 0.67 | 89 | 0.17 | 5.65 | 79 | 1.6 |
| I315034 | | 0.041 | 0.05 | 0.36 | 27 | 0.06 | 1.92 | 21 | <0.5 |
| I315035 | | 0.105 | 0.28 | 1.04 | 100 | 0.15 | 8.73 | 118 | 0.9 |
| I315036 | | 0.126 | 0.26 | 0.96 | 98 | 0.65 | 9.19 | 113 | 2.3 |
| I315037 | | 0.154 | 0.33 | 1.48 | 88 | 1.62 | 13.70 | 74 | 3.6 |
| I315038 | | 0.160 | 0.34 | 1.54 | 91 | 0.56 | 13.70 | 74 | 3.4 |
| I315039 | | 0.134 | 0.27 | 1.33 | 88 | 0.59 | 15.65 | 65 | 4.8 |
| I315040 | | 0.190 | 0.44 | 0.70 | 115 | 0.48 | 8.93 | 72 | 1.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315041 | | 0.66 | 0.018 | 0.23 | 3.97 | 56.7 | <0.2 | <10 | 530 | 0.33 | 0.86 | 0.47 | 0.13 | 12.70 | 33.0 | 71 |
| I315042 | | 0.52 | <0.005 | 0.10 | 1.91 | 7.6 | <0.2 | <10 | 140 | 0.40 | 1.22 | 0.16 | 0.20 | 14.75 | 7.5 | 42 |
| I315043 | | 0.52 | <0.005 | 0.14 | 0.75 | 3.4 | <0.2 | <10 | 70 | 0.21 | 0.30 | 0.11 | 0.32 | 7.74 | 4.0 | 15 |
| I315044 | | 0.50 | 0.018 | 0.23 | 2.68 | 5.9 | <0.2 | <10 | 280 | 0.61 | 1.91 | 0.59 | 0.14 | 29.2 | 14.6 | 53 |
| I315045 | | 0.50 | 0.016 | 0.17 | 1.90 | 5.7 | <0.2 | <10 | 240 | 0.45 | 1.62 | 0.64 | 0.17 | 31.4 | 18.0 | 45 |
| I315046 | | 0.50 | 0.015 | 0.20 | 1.99 | 9.9 | <0.2 | <10 | 190 | 0.38 | 1.14 | 0.38 | 0.14 | 24.8 | 11.9 | 40 |
| I315047 | | 0.54 | 0.007 | 0.13 | 1.69 | 7.3 | <0.2 | <10 | 180 | 0.28 | 0.90 | 0.46 | 0.13 | 22.1 | 6.4 | 37 |
| I315048 | | 0.46 | 0.006 | 0.17 | 1.71 | 5.4 | <0.2 | <10 | 140 | 0.20 | 0.75 | 0.44 | 0.11 | 16.85 | 5.6 | 39 |
| I315049 | | 0.46 | 0.020 | 0.36 | 2.51 | 7.5 | <0.2 | <10 | 190 | 0.51 | 1.63 | 0.63 | 0.11 | 33.7 | 13.1 | 49 |
| I315050 | | 0.48 | 0.005 | 0.22 | 1.97 | 6.1 | <0.2 | <10 | 180 | 0.34 | 1.14 | 0.45 | 0.16 | 20.4 | 11.0 | 41 |
| I315101 | | 0.40 | NSS | 0.02 | 0.13 | 1.6 | <0.2 | <10 | 30 | 0.09 | 0.02 | 0.10 | 0.04 | 9.95 | 2.0 | 2 |
| I315102 | | 0.46 | <0.005 | 0.02 | 1.67 | 5.5 | <0.2 | <10 | 170 | 0.17 | 0.13 | 0.10 | 0.03 | 21.7 | 10.0 | 21 |
| I315103 | | 0.46 | <0.005 | 0.26 | 1.22 | 4.8 | <0.2 | <10 | 250 | 0.19 | 0.18 | 0.20 | 0.06 | 20.1 | 7.0 | 33 |
| I315104 | | 0.40 | <0.005 | 0.03 | 1.72 | 6.7 | <0.2 | <10 | 230 | 0.35 | 0.16 | 0.22 | 0.04 | 21.7 | 8.4 | 30 |
| I315105 | | 0.46 | <0.005 | 0.04 | 1.79 | 6.6 | <0.2 | <10 | 150 | 0.25 | 0.12 | 0.21 | 0.04 | 13.35 | 9.2 | 24 |
| I315106 | | 0.40 | 0.012 | 0.05 | 1.57 | 6.3 | <0.2 | <10 | 250 | 0.18 | 0.11 | 0.36 | 0.04 | 13.95 | 8.5 | 23 |
| I315107 | | 0.40 | <0.005 | 0.04 | 1.52 | 5.2 | <0.2 | <10 | 260 | 0.33 | 0.13 | 0.30 | 0.07 | 22.5 | 7.6 | 24 |
| I315108 | | 0.44 | 0.005 | 0.06 | 1.60 | 6.6 | <0.2 | <10 | 300 | 0.42 | 0.14 | 0.49 | 0.05 | 24.5 | 8.4 | 27 |
| I315109 | | 0.34 | 0.035 | 0.08 | 1.59 | 7.0 | <0.2 | <10 | 320 | 0.40 | 0.15 | 0.62 | 0.20 | 21.1 | 7.9 | 28 |
| I315110 | | 0.32 | 0.005 | 0.07 | 1.64 | 6.8 | <0.2 | <10 | 310 | 0.43 | 0.14 | 0.51 | 0.10 | 22.0 | 8.8 | 27 |
| I315111 | | 0.42 | <0.005 | 0.05 | 2.05 | 6.1 | <0.2 | <10 | 370 | 0.66 | 0.16 | 0.52 | 0.06 | 40.1 | 11.4 | 27 |
| I315112 | | 0.44 | <0.005 | 0.03 | 1.56 | 5.8 | <0.2 | <10 | 280 | 0.32 | 0.15 | 0.47 | 0.07 | 19.10 | 7.6 | 25 |
| I315113 | | 0.42 | <0.005 | 0.05 | 1.65 | 6.0 | <0.2 | <10 | 280 | 0.49 | 0.15 | 0.46 | 0.05 | 24.3 | 10.9 | 27 |
| I315114 | | 0.44 | <0.005 | 0.06 | 1.77 | 5.5 | <0.2 | <10 | 330 | 0.47 | 0.17 | 0.54 | 0.04 | 22.8 | 8.1 | 28 |
| I315115 | | 0.40 | <0.005 | 0.03 | 1.59 | 5.4 | <0.2 | <10 | 280 | 0.38 | 0.14 | 0.37 | 0.03 | 26.7 | 7.6 | 22 |
| I315116 | | 0.40 | <0.005 | 0.06 | 1.81 | 6.9 | <0.2 | <10 | 300 | 0.54 | 0.17 | 0.54 | 0.06 | 28.6 | 8.8 | 26 |
| I315117 | | 0.38 | 0.005 | 0.10 | 2.01 | 10.5 | <0.2 | <10 | 380 | 0.77 | 0.18 | 0.70 | 0.05 | 34.6 | 11.2 | 34 |
| I315118 | | 0.44 | <0.005 | 0.10 | 1.65 | 9.8 | <0.2 | <10 | 270 | 0.60 | 0.17 | 0.97 | 0.12 | 31.2 | 10.1 | 29 |
| I315119 | | 0.36 | <0.005 | 0.12 | 1.22 | 6.4 | <0.2 | <10 | 370 | 0.76 | 0.12 | 6.15 | 0.25 | 33.5 | 8.8 | 27 |
| I315120 | | 0.38 | 0.012 | 0.10 | 1.35 | 8.3 | <0.2 | <10 | 280 | 0.42 | 0.15 | 1.22 | 0.28 | 26.1 | 8.6 | 25 |
| I315121 | | 0.38 | 0.006 | 0.11 | 1.46 | 7.3 | <0.2 | <10 | 420 | 0.42 | 0.16 | 0.97 | 0.23 | 24.6 | 9.0 | 26 |
| I315122 | | 0.36 | 0.005 | 0.10 | 1.50 | 8.4 | <0.2 | <10 | 330 | 0.44 | 0.16 | 0.88 | 0.21 | 26.7 | 9.4 | 27 |
| I315123 | | 0.46 | 0.015 | 0.13 | 1.44 | 6.2 | <0.2 | <10 | 340 | 0.49 | 0.16 | 0.62 | 0.23 | 22.7 | 8.6 | 25 |
| I315124 | | 0.56 | <0.005 | 0.11 | 2.09 | 9.1 | <0.2 | <10 | 310 | 0.57 | 0.18 | 0.75 | 0.14 | 30.9 | 11.6 | 32 |
| I315125 | | 0.42 | <0.005 | 0.14 | 1.97 | 9.3 | <0.2 | <10 | 320 | 0.60 | 0.18 | 0.70 | 0.16 | 31.2 | 10.4 | 31 |
| I315126 | | 0.38 | 0.005 | 0.08 | 1.43 | 8.3 | <0.2 | <10 | 330 | 0.46 | 0.17 | 0.70 | 0.31 | 23.5 | 10.8 | 26 |
| I315127 | | 0.36 | <0.005 | 0.18 | 1.51 | 8.3 | <0.2 | <10 | 350 | 0.59 | 0.16 | 0.89 | 0.43 | 32.3 | 10.5 | 26 |
| I315128 | | 0.44 | 0.005 | 0.09 | 1.56 | 8.1 | <0.2 | <10 | 260 | 0.45 | 0.17 | 0.66 | 0.09 | 27.6 | 8.4 | 27 |
| I315129 | | 0.36 | <0.005 | 0.10 | 1.54 | 9.7 | <0.2 | <10 | 260 | 0.42 | 0.17 | 0.65 | 0.19 | 28.4 | 11.6 | 28 |
| I315130 | | 0.46 | 0.005 | 0.11 | 1.41 | 9.2 | <0.2 | <10 | 330 | 0.48 | 0.16 | 0.71 | 0.16 | 29.2 | 8.2 | 26 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I315041 | | 4.94 | 56.7 | 5.22 | 9.80 | 0.10 | 0.05 | 0.02 | 0.022 | 0.76 | 5.9 | 15.6 | 1.57 | 526 | 0.72 |
| I315042 | | 1.75 | 42.3 | 3.77 | 10.50 | 0.06 | 0.05 | 0.06 | 0.023 | 0.12 | 7.8 | 9.5 | 0.47 | 225 | 1.96 |
| I315043 | | 0.85 | 24.6 | 1.52 | 4.78 | <0.05 | <0.02 | 0.05 | 0.012 | 0.06 | 4.0 | 2.5 | 0.13 | 195 | 1.10 |
| I315044 | | 3.29 | 87.0 | 3.71 | 8.76 | 0.09 | 0.04 | 0.06 | 0.028 | 0.23 | 17.5 | 12.7 | 0.86 | 418 | 1.68 |
| I315045 | | 2.26 | 77.6 | 2.86 | 6.13 | 0.10 | 0.05 | 0.04 | 0.021 | 0.19 | 17.4 | 10.3 | 0.69 | 589 | 1.26 |
| I315046 | | 1.79 | 63.6 | 3.13 | 6.94 | 0.08 | 0.03 | 0.07 | 0.018 | 0.09 | 13.5 | 11.0 | 0.64 | 349 | 1.62 |
| I315047 | | 1.58 | 50.7 | 2.00 | 6.32 | 0.06 | 0.02 | 0.07 | 0.016 | 0.09 | 11.4 | 9.0 | 0.58 | 159 | 0.68 |
| I315048 | | 1.75 | 42.4 | 2.03 | 6.89 | 0.05 | 0.03 | 0.06 | 0.016 | 0.07 | 9.2 | 7.7 | 0.57 | 129 | 0.64 |
| I315049 | | 2.45 | 124.5 | 3.12 | 8.13 | 0.08 | 0.04 | 0.07 | 0.023 | 0.15 | 19.2 | 11.7 | 0.71 | 207 | 1.93 |
| I315050 | | 1.85 | 71.3 | 2.50 | 7.06 | 0.06 | 0.03 | 0.07 | 0.019 | 0.09 | 10.3 | 10.1 | 0.60 | 228 | 1.33 |
| I315101 | | 0.08 | 1.8 | 0.62 | 0.53 | <0.05 | 0.07 | <0.01 | <0.005 | 0.04 | 4.9 | 1.4 | 0.05 | 159 | 0.27 |
| I315102 | | 1.85 | 7.1 | 2.43 | 6.09 | <0.05 | 0.05 | 0.01 | 0.018 | 0.06 | 10.3 | 15.1 | 0.96 | 158 | 0.62 |
| I315103 | | 0.69 | 11.8 | 2.25 | 5.65 | <0.05 | 0.03 | 0.01 | 0.016 | 0.10 | 10.1 | 11.3 | 0.41 | 654 | 1.04 |
| I315104 | | 0.77 | 11.7 | 2.68 | 6.47 | 0.05 | 0.09 | 0.01 | 0.023 | 0.05 | 10.8 | 13.0 | 0.57 | 245 | 0.71 |
| I315105 | | 0.81 | 15.4 | 2.76 | 5.76 | <0.05 | 0.04 | <0.01 | 0.017 | 0.14 | 6.8 | 15.3 | 0.88 | 283 | 0.66 |
| I315106 | | 0.80 | 16.8 | 2.43 | 5.19 | 0.05 | 0.04 | 0.01 | 0.014 | 0.07 | 7.1 | 13.6 | 0.77 | 408 | 0.67 |
| I315107 | | 0.57 | 22.4 | 2.23 | 4.70 | <0.05 | 0.07 | 0.01 | 0.018 | 0.05 | 11.3 | 10.9 | 0.58 | 362 | 0.57 |
| I315108 | | 0.52 | 23.7 | 2.55 | 4.68 | 0.05 | 0.18 | 0.01 | 0.021 | 0.05 | 12.0 | 11.8 | 0.57 | 325 | 0.63 |
| I315109 | | 0.38 | 19.4 | 2.47 | 4.60 | <0.05 | 0.09 | 0.01 | 0.020 | 0.07 | 11.2 | 11.0 | 0.51 | 328 | 0.64 |
| I315110 | | 0.35 | 18.5 | 2.53 | 4.70 | <0.05 | 0.11 | 0.02 | 0.023 | 0.08 | 10.5 | 10.8 | 0.49 | 399 | 0.68 |
| I315111 | | 0.72 | 30.1 | 2.74 | 6.07 | 0.08 | 0.18 | 0.02 | 0.030 | 0.08 | 20.2 | 12.6 | 0.56 | 578 | 0.68 |
| I315112 | | 0.62 | 13.0 | 2.54 | 5.40 | 0.05 | 0.07 | 0.01 | 0.026 | 0.05 | 9.3 | 10.2 | 0.47 | 267 | 0.81 |
| I315113 | | 0.59 | 15.6 | 2.52 | 5.48 | 0.05 | 0.13 | 0.01 | 0.027 | 0.07 | 11.5 | 11.9 | 0.55 | 480 | 1.01 |
| I315114 | | 0.64 | 19.7 | 2.51 | 5.46 | <0.05 | 0.14 | 0.02 | 0.026 | 0.04 | 12.0 | 9.8 | 0.45 | 362 | 0.74 |
| I315115 | | 0.90 | 14.6 | 2.45 | 5.77 | 0.05 | 0.07 | 0.01 | 0.027 | 0.04 | 13.3 | 11.1 | 0.51 | 480 | 0.78 |
| I315116 | | 0.68 | 24.6 | 2.63 | 5.70 | 0.06 | 0.14 | 0.02 | 0.028 | 0.04 | 14.7 | 10.2 | 0.44 | 282 | 0.81 |
| I315117 | | 0.54 | 35.1 | 2.81 | 5.86 | 0.06 | 0.26 | 0.03 | 0.028 | 0.04 | 17.6 | 12.0 | 0.62 | 535 | 0.52 |
| I315118 | | 0.40 | 33.4 | 2.62 | 4.96 | 0.07 | 0.16 | 0.04 | 0.024 | 0.05 | 16.5 | 13.1 | 0.74 | 384 | 0.41 |
| I315119 | | 0.32 | 32.7 | 2.12 | 3.53 | 0.08 | 0.14 | 0.10 | 0.018 | 0.03 | 20.1 | 7.0 | 1.63 | 938 | 0.59 |
| I315120 | | 0.42 | 28.9 | 2.25 | 4.17 | 0.06 | 0.13 | 0.03 | 0.020 | 0.05 | 13.2 | 11.0 | 0.55 | 345 | 0.50 |
| I315121 | | 0.49 | 29.0 | 2.35 | 4.64 | 0.05 | 0.24 | 0.01 | 0.022 | 0.03 | 12.0 | 8.5 | 0.55 | 428 | 0.43 |
| I315122 | | 0.40 | 26.6 | 2.40 | 4.69 | 0.05 | 0.06 | 0.03 | 0.022 | 0.05 | 13.4 | 10.4 | 0.50 | 493 | 1.05 |
| I315123 | | 0.50 | 28.6 | 2.23 | 4.86 | <0.05 | 0.05 | 0.01 | 0.021 | 0.05 | 11.3 | 9.7 | 0.44 | 343 | 1.19 |
| I315124 | | 0.42 | 32.8 | 2.90 | 6.07 | 0.07 | 0.22 | 0.03 | 0.030 | 0.07 | 15.2 | 11.4 | 0.52 | 437 | 0.86 |
| I315125 | | 0.44 | 37.7 | 2.81 | 5.82 | 0.07 | 0.19 | 0.02 | 0.026 | 0.07 | 15.9 | 11.2 | 0.51 | 464 | 1.28 |
| I315126 | | 0.40 | 23.8 | 2.49 | 4.62 | 0.05 | 0.04 | 0.01 | 0.023 | 0.06 | 11.0 | 10.4 | 0.46 | 680 | 1.87 |
| I315127 | | 0.38 | 39.6 | 2.43 | 4.38 | 0.06 | 0.08 | 0.03 | 0.024 | 0.05 | 16.5 | 9.7 | 0.45 | 333 | 1.39 |
| I315128 | | 0.50 | 25.1 | 2.46 | 4.84 | 0.06 | 0.11 | 0.02 | 0.022 | 0.05 | 13.8 | 12.1 | 0.49 | 241 | 0.96 |
| I315129 | | 0.51 | 28.5 | 2.59 | 4.83 | 0.06 | 0.07 | 0.02 | 0.023 | 0.05 | 14.1 | 11.9 | 0.51 | 491 | 1.04 |
| I315130 | | 0.50 | 29.1 | 2.41 | 4.51 | 0.07 | 0.06 | 0.02 | 0.021 | 0.05 | 15.1 | 11.7 | 0.47 | 298 | 1.17 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I315041 | | 1.24 | 34.5 | 640 | 4.1 | 61.2 | <0.001 | 0.14 | 0.52 | 8.3 | 0.6 | 0.4 | 31.4 | <0.01 | 0.05 | 1.4 |
| I315042 | | 2.57 | 18.6 | 520 | 7.2 | 14.2 | <0.001 | 0.03 | 0.40 | 4.2 | 0.5 | 0.9 | 14.1 | <0.01 | 0.11 | 1.7 |
| I315043 | | 0.88 | 9.5 | 410 | 5.3 | 9.7 | <0.001 | 0.02 | 0.33 | 1.1 | 0.3 | 0.5 | 12.0 | <0.01 | 0.04 | 0.3 |
| I315044 | | 1.76 | 41.3 | 820 | 5.4 | 32.9 | 0.001 | 0.05 | 0.22 | 6.3 | 0.9 | 1.0 | 32.5 | <0.01 | 0.22 | 1.7 |
| I315045 | | 1.55 | 33.8 | 860 | 4.3 | 22.9 | 0.001 | 0.04 | 0.25 | 5.2 | 1.3 | 0.7 | 30.9 | <0.01 | 0.25 | 2.2 |
| I315046 | | 1.44 | 31.5 | 640 | 5.1 | 15.9 | 0.001 | 0.05 | 0.35 | 4.2 | 0.7 | 0.7 | 24.2 | <0.01 | 0.22 | 1.1 |
| I315047 | | 1.39 | 22.7 | 560 | 4.8 | 16.0 | <0.001 | 0.04 | 0.23 | 3.9 | 0.6 | 0.6 | 27.8 | <0.01 | 0.13 | 0.9 |
| I315048 | | 1.44 | 20.3 | 610 | 5.0 | 11.9 | <0.001 | 0.07 | 0.17 | 3.7 | 0.7 | 0.7 | 29.2 | <0.01 | 0.11 | 0.7 |
| I315049 | | 1.67 | 41.2 | 770 | 4.4 | 19.6 | 0.001 | 0.11 | 0.28 | 5.2 | 1.4 | 0.8 | 34.6 | <0.01 | 0.27 | 1.3 |
| I315050 | | 1.49 | 27.6 | 680 | 4.5 | 16.4 | <0.001 | 0.07 | 0.37 | 4.1 | 0.8 | 0.7 | 32.1 | <0.01 | 0.21 | 0.8 |
| I315101 | | 0.18 | 3.9 | 130 | 1.6 | 2.0 | <0.001 | 0.01 | 0.12 | 0.6 | <0.2 | <0.2 | 7.4 | <0.01 | 0.01 | 1.7 |
| I315102 | | 1.30 | 12.8 | 120 | 5.5 | 19.2 | <0.001 | <0.01 | 0.22 | 4.3 | <0.2 | 0.4 | 10.2 | <0.01 | 0.02 | 2.0 |
| I315103 | | 1.76 | 13.0 | 270 | 7.5 | 20.4 | <0.001 | <0.01 | 0.28 | 2.6 | <0.2 | 0.6 | 15.2 | <0.01 | 0.02 | 2.3 |
| I315104 | | 1.43 | 16.7 | 230 | 7.6 | 8.8 | <0.001 | <0.01 | 0.31 | 5.7 | 0.2 | 0.5 | 16.4 | <0.01 | 0.02 | 3.0 |
| I315105 | | 1.49 | 15.2 | 270 | 6.5 | 13.1 | <0.001 | 0.01 | 0.36 | 3.8 | 0.3 | 0.4 | 14.2 | <0.01 | 0.02 | 2.2 |
| I315106 | | 1.26 | 13.3 | 400 | 5.6 | 12.4 | <0.001 | 0.01 | 0.31 | 3.5 | 0.3 | 0.4 | 21.0 | <0.01 | 0.02 | 2.1 |
| I315107 | | 1.43 | 14.9 | 320 | 6.0 | 9.1 | <0.001 | 0.01 | 0.33 | 3.9 | 0.4 | 0.4 | 23.8 | <0.01 | 0.01 | 2.7 |
| I315108 | | 1.25 | 17.8 | 470 | 7.0 | 7.9 | <0.001 | 0.01 | 0.41 | 4.8 | 0.6 | 0.4 | 30.7 | <0.01 | 0.02 | 4.1 |
| I315109 | | 1.46 | 19.5 | 450 | 6.8 | 9.3 | 0.001 | 0.01 | 0.45 | 4.3 | 0.6 | 0.4 | 38.3 | <0.01 | 0.02 | 2.9 |
| I315110 | | 1.43 | 17.7 | 450 | 7.1 | 8.6 | <0.001 | 0.01 | 0.41 | 4.6 | 0.5 | 0.4 | 32.0 | <0.01 | 0.03 | 3.1 |
| I315111 | | 1.56 | 19.1 | 210 | 7.7 | 8.7 | <0.001 | 0.01 | 0.44 | 7.4 | 0.6 | 0.6 | 30.3 | <0.01 | 0.02 | 3.8 |
| I315112 | | 1.46 | 13.5 | 170 | 6.7 | 9.7 | <0.001 | 0.01 | 0.35 | 5.6 | 0.4 | 0.6 | 33.2 | <0.01 | 0.01 | 2.6 |
| I315113 | | 1.47 | 15.2 | 230 | 6.8 | 13.1 | <0.001 | 0.01 | 0.35 | 6.5 | 0.4 | 0.5 | 32.4 | <0.01 | 0.02 | 3.2 |
| I315114 | | 1.32 | 16.4 | 290 | 7.3 | 8.0 | <0.001 | 0.01 | 0.42 | 6.3 | 0.6 | 0.5 | 33.4 | <0.01 | 0.02 | 3.4 |
| I315115 | | 1.55 | 13.5 | 130 | 6.1 | 6.8 | <0.001 | 0.01 | 0.32 | 5.9 | 0.4 | 0.6 | 22.9 | <0.01 | 0.02 | 3.7 |
| I315116 | | 1.43 | 19.9 | 360 | 8.2 | 8.0 | <0.001 | 0.01 | 0.53 | 6.4 | 0.7 | 0.5 | 31.4 | <0.01 | 0.03 | 3.8 |
| I315117 | | 1.51 | 28.6 | 180 | 9.5 | 4.6 | <0.001 | 0.01 | 0.47 | 6.8 | 0.6 | 0.6 | 30.5 | <0.01 | 0.03 | 4.8 |
| I315118 | | 1.39 | 29.1 | 530 | 11.6 | 6.0 | 0.001 | 0.02 | 0.56 | 5.2 | 0.6 | 0.5 | 32.9 | <0.01 | 0.02 | 3.1 |
| I315119 | | 1.00 | 30.9 | 860 | 23.6 | 4.5 | 0.001 | 0.08 | 1.08 | 3.7 | 2.1 | 0.3 | 78.7 | <0.01 | 0.04 | 1.1 |
| I315120 | | 1.38 | 23.5 | 630 | 8.1 | 6.0 | 0.001 | 0.03 | 0.66 | 4.1 | 0.9 | 0.4 | 44.4 | <0.01 | 0.03 | 2.3 |
| I315121 | | 1.65 | 23.5 | 550 | 8.3 | 4.1 | 0.001 | 0.02 | 0.46 | 4.9 | 0.9 | 0.4 | 42.7 | <0.01 | 0.03 | 3.7 |
| I315122 | | 1.35 | 21.1 | 650 | 7.5 | 5.3 | 0.001 | 0.02 | 0.55 | 4.3 | 0.9 | 0.5 | 50.7 | <0.01 | 0.03 | 1.9 |
| I315123 | | 1.35 | 19.9 | 550 | 7.5 | 7.1 | 0.001 | 0.02 | 0.42 | 3.8 | 0.7 | 0.4 | 38.7 | <0.01 | 0.03 | 2.1 |
| I315124 | | 1.84 | 23.0 | 490 | 9.1 | 9.0 | <0.001 | 0.02 | 0.50 | 6.7 | 0.6 | 0.6 | 49.3 | <0.01 | 0.03 | 3.4 |
| I315125 | | 1.84 | 24.1 | 480 | 8.7 | 9.1 | <0.001 | 0.02 | 0.47 | 6.2 | 0.8 | 0.6 | 45.4 | <0.01 | 0.03 | 3.3 |
| I315126 | | 1.26 | 21.8 | 610 | 7.8 | 9.5 | 0.001 | 0.02 | 0.53 | 3.9 | 0.9 | 0.5 | 44.5 | <0.01 | 0.03 | 1.8 |
| I315127 | | 1.44 | 26.3 | 990 | 7.4 | 5.8 | 0.001 | 0.04 | 0.71 | 4.9 | 1.2 | 0.4 | 58.2 | <0.01 | 0.03 | 2.3 |
| I315128 | | 1.57 | 20.8 | 710 | 7.8 | 7.1 | <0.001 | 0.02 | 0.49 | 4.9 | 0.6 | 0.5 | 43.8 | <0.01 | 0.02 | 3.6 |
| I315129 | | 1.43 | 22.8 | 720 | 7.9 | 6.7 | 0.001 | 0.02 | 0.56 | 4.7 | 0.6 | 0.4 | 42.5 | <0.01 | 0.02 | 2.6 |
| I315130 | | 1.42 | 24.4 | 760 | 7.7 | 6.5 | <0.001 | 0.03 | 0.58 | 4.5 | 0.8 | 0.4 | 46.3 | <0.01 | 0.02 | 2.6 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 |
| | | | | | | | | 0.5 |
| I315041 | | 0.214 | 0.58 | 0.45 | 129 | 0.26 | 6.80 | 93 |
| I315042 | | 0.158 | 0.17 | 0.60 | 106 | 1.60 | 3.71 | 47 |
| I315043 | | 0.058 | 0.06 | 0.43 | 44 | 0.20 | 1.60 | 26 |
| I315044 | | 0.130 | 0.35 | 1.20 | 96 | 6.94 | 11.70 | 76 |
| I315045 | | 0.109 | 0.31 | 1.23 | 74 | 5.40 | 12.95 | 53 |
| I315046 | | 0.101 | 0.20 | 0.98 | 78 | 1.84 | 8.07 | 55 |
| I315047 | | 0.096 | 0.18 | 0.75 | 50 | 1.54 | 6.98 | 47 |
| I315048 | | 0.091 | 0.17 | 0.70 | 48 | 1.12 | 4.73 | 47 |
| I315049 | | 0.107 | 0.23 | 1.13 | 78 | 2.16 | 10.85 | 54 |
| I315050 | | 0.098 | 0.18 | 0.85 | 61 | 1.21 | 6.32 | 52 |
| I315101 | | 0.007 | 0.03 | 0.30 | 5 | <0.05 | 2.03 | 5 |
| I315102 | | 0.114 | 0.13 | 0.22 | 52 | 0.12 | 1.66 | 37 |
| I315103 | | 0.084 | 0.08 | 0.31 | 55 | 0.16 | 2.36 | 34 |
| I315104 | | 0.084 | 0.09 | 0.44 | 69 | 0.13 | 2.77 | 42 |
| I315105 | | 0.129 | 0.08 | 0.30 | 69 | 0.12 | 2.20 | 60 |
| I315106 | | 0.111 | 0.08 | 0.29 | 63 | 0.18 | 2.40 | 49 |
| I315107 | | 0.098 | 0.07 | 0.47 | 56 | 0.17 | 5.31 | 47 |
| I315108 | | 0.089 | 0.06 | 1.79 | 56 | 0.14 | 5.79 | 47 |
| I315109 | | 0.084 | 0.05 | 0.93 | 56 | 0.13 | 6.82 | 51 |
| I315110 | | 0.083 | 0.05 | 0.81 | 57 | 0.24 | 5.40 | 49 |
| I315111 | | 0.111 | 0.08 | 0.68 | 65 | 0.14 | 15.15 | 49 |
| I315112 | | 0.086 | 0.08 | 0.50 | 59 | 0.42 | 3.17 | 45 |
| I315113 | | 0.093 | 0.07 | 0.89 | 58 | 0.15 | 5.50 | 41 |
| I315114 | | 0.071 | 0.06 | 3.39 | 54 | 0.17 | 6.56 | 37 |
| I315115 | | 0.080 | 0.09 | 1.41 | 50 | 0.16 | 4.19 | 48 |
| I315116 | | 0.072 | 0.09 | 2.05 | 57 | 0.14 | 8.50 | 38 |
| I315117 | | 0.074 | 0.06 | 0.80 | 67 | 0.18 | 13.50 | 41 |
| I315118 | | 0.072 | 0.06 | 0.64 | 55 | 0.15 | 13.45 | 52 |
| I315119 | | 0.034 | 0.04 | 1.31 | 46 | 0.27 | 27.2 | 49 |
| I315120 | | 0.070 | 0.05 | 0.97 | 48 | 0.14 | 9.62 | 57 |
| I315121 | | 0.078 | 0.06 | 1.27 | 55 | 0.13 | 8.45 | 45 |
| I315122 | | 0.070 | 0.04 | 1.16 | 53 | 0.14 | 8.80 | 50 |
| I315123 | | 0.062 | 0.06 | 2.35 | 49 | 0.15 | 6.71 | 70 |
| I315124 | | 0.120 | 0.06 | 1.39 | 68 | 0.18 | 11.30 | 48 |
| I315125 | | 0.114 | 0.06 | 1.53 | 67 | 0.23 | 11.05 | 49 |
| I315126 | | 0.062 | 0.06 | 1.97 | 54 | 0.22 | 6.06 | 53 |
| I315127 | | 0.073 | 0.04 | 1.85 | 55 | 0.18 | 13.10 | 46 |
| I315128 | | 0.085 | 0.07 | 1.16 | 51 | 0.23 | 8.43 | 50 |
| I315129 | | 0.078 | 0.06 | 0.99 | 54 | 0.29 | 8.38 | 53 |
| I315130 | | 0.066 | 0.06 | 1.42 | 49 | 0.20 | 10.70 | 47 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315131 | | 0.42 | <0.005 | 0.07 | 1.47 | 7.3 | <0.2 | <10 | 260 | 0.42 | 0.14 | 0.53 | 0.11 | 25.9 | 7.7 | 25 |
| I315132 | | 0.54 | 0.010 | 0.03 | 1.22 | 6.5 | <0.2 | <10 | 240 | 0.39 | 0.11 | 0.34 | 0.07 | 23.8 | 7.2 | 26 |
| I315133 | | 0.40 | 0.006 | 0.06 | 1.12 | 6.4 | <0.2 | <10 | 220 | 0.32 | 0.11 | 0.70 | 0.15 | 21.7 | 7.6 | 24 |
| I315134 | | 0.34 | <0.005 | 0.06 | 1.64 | 7.5 | <0.2 | <10 | 410 | 0.54 | 0.19 | 0.58 | 0.08 | 25.0 | 9.2 | 30 |
| I315135 | | 0.32 | <0.005 | 0.07 | 0.98 | 7.7 | <0.2 | <10 | 270 | 0.34 | 0.12 | 1.27 | 0.14 | 20.9 | 7.4 | 20 |
| I315136 | | 0.42 | <0.005 | 0.07 | 1.22 | 3.4 | <0.2 | <10 | 270 | 0.46 | 0.12 | 0.96 | 0.89 | 20.5 | 8.7 | 23 |
| I315137 | | 0.40 | NSS | 0.02 | 0.14 | 1.6 | <0.2 | <10 | 30 | 0.09 | 0.02 | 0.09 | 0.04 | 10.65 | 2.1 | 2 |
| I315138 | | 0.46 | 0.006 | 0.28 | 2.65 | 5.6 | <0.2 | <10 | 380 | 0.30 | 0.52 | 0.86 | 0.61 | 14.40 | 17.9 | 68 |
| I315139 | | 0.44 | 0.008 | 0.29 | 2.98 | 8.7 | <0.2 | <10 | 430 | 0.42 | 0.72 | 0.72 | 0.39 | 20.0 | 20.2 | 117 |
| I315140 | | 0.54 | 0.007 | 0.38 | 2.92 | 10.4 | <0.2 | <10 | 510 | 0.54 | 0.88 | 0.88 | 0.79 | 23.0 | 16.5 | 141 |
| I315141 | | 0.38 | 0.025 | 0.59 | 3.04 | 40.4 | <0.2 | <10 | 270 | 0.27 | 1.72 | 0.85 | 0.32 | 12.50 | 24.3 | 114 |
| I315142 | | 0.36 | 0.017 | 0.41 | 3.10 | 32.4 | <0.2 | <10 | 380 | 0.50 | 2.14 | 0.95 | 0.39 | 25.0 | 16.2 | 86 |
| I315143 | | 0.40 | 0.016 | 0.30 | 3.52 | 45.4 | <0.2 | <10 | 380 | 0.46 | 1.63 | 0.72 | 0.17 | 22.7 | 21.5 | 82 |
| I315144 | | 0.34 | 0.012 | 0.44 | 3.87 | 17.4 | <0.2 | <10 | 470 | 0.67 | 1.81 | 1.01 | 0.27 | 29.0 | 27.5 | 97 |
| I315145 | | 0.48 | 0.008 | 0.23 | 2.96 | 35.0 | <0.2 | <10 | 340 | 0.65 | 1.34 | 0.42 | 0.08 | 27.1 | 21.7 | 77 |
| I315146 | | 0.42 | 0.012 | 0.17 | 2.56 | 20.4 | <0.2 | <10 | 250 | 0.55 | 0.95 | 0.45 | 0.09 | 24.8 | 21.0 | 51 |
| I315147 | | 0.46 | 0.007 | 0.23 | 2.46 | 11.9 | <0.2 | <10 | 200 | 0.53 | 0.88 | 0.44 | 0.08 | 20.9 | 16.1 | 51 |
| I315148 | | 0.36 | 0.007 | 0.20 | 2.66 | 19.7 | <0.2 | <10 | 240 | 0.46 | 0.93 | 0.49 | 0.14 | 19.55 | 13.3 | 56 |
| I315149 | | 0.50 | 0.014 | 0.17 | 2.74 | 14.6 | <0.2 | <10 | 220 | 0.65 | 0.97 | 0.38 | 0.07 | 24.3 | 10.6 | 55 |
| I315150 | | 0.44 | 0.010 | 0.15 | 2.29 | 14.9 | <0.2 | <10 | 230 | 0.48 | 1.01 | 0.45 | 0.10 | 36.4 | 13.3 | 51 |
| I315151 | | 0.66 | 0.013 | 0.21 | 2.68 | 13.6 | <0.2 | <10 | 260 | 0.74 | 1.36 | 0.38 | 0.10 | 41.6 | 18.6 | 60 |
| I315152 | | 0.48 | 0.009 | 0.18 | 2.40 | 8.5 | <0.2 | <10 | 190 | 0.51 | 0.80 | 0.29 | 0.14 | 22.6 | 10.3 | 52 |
| I315153 | | 0.38 | 0.007 | 0.11 | 2.32 | 9.2 | <0.2 | <10 | 190 | 0.59 | 0.80 | 0.26 | 0.10 | 20.8 | 10.9 | 53 |
| I315154 | | 0.42 | 0.006 | 0.15 | 2.69 | 5.5 | <0.2 | <10 | 210 | 0.72 | 0.62 | 0.31 | 0.15 | 23.8 | 13.1 | 53 |
| I315155 | | 0.44 | <0.005 | 0.12 | 2.39 | 5.4 | <0.2 | <10 | 180 | 0.70 | 0.32 | 0.37 | 0.11 | 26.1 | 13.7 | 44 |
| I315156 | | 0.38 | 0.006 | 0.09 | 3.25 | 6.4 | <0.2 | <10 | 220 | 0.55 | 0.27 | 0.36 | 0.09 | 22.3 | 17.7 | 64 |
| I315157 | | 0.42 | <0.005 | 0.10 | 1.28 | 3.3 | <0.2 | <10 | 80 | 0.32 | 0.16 | 0.13 | 0.08 | 10.50 | 5.8 | 22 |
| I315158 | | 0.66 | <0.005 | 0.13 | 2.38 | 8.5 | <0.2 | <10 | 270 | 0.61 | 0.33 | 0.43 | 0.13 | 31.7 | 11.8 | 46 |
| I315159 | | 0.56 | 0.005 | 0.13 | 2.42 | 6.0 | <0.2 | <10 | 210 | 0.35 | 0.26 | 0.42 | 0.10 | 19.40 | 9.4 | 48 |
| I315160 | | 0.54 | 0.007 | 0.14 | 2.50 | 7.4 | <0.2 | <10 | 210 | 0.45 | 0.25 | 0.47 | 0.09 | 20.3 | 11.1 | 49 |
| I315161 | | 0.42 | 0.005 | 0.12 | 2.17 | 5.4 | <0.2 | <10 | 240 | 0.44 | 0.19 | 0.45 | 0.11 | 18.45 | 11.2 | 45 |
| I315162 | | 0.32 | <0.005 | 0.13 | 1.25 | 3.8 | <0.2 | <10 | 60 | 0.26 | 0.16 | 0.19 | 0.14 | 16.95 | 3.7 | 22 |
| I315163 | | 0.46 | <0.005 | 0.16 | 2.60 | 8.9 | <0.2 | <10 | 190 | 0.67 | 0.17 | 0.78 | 0.15 | 30.4 | 13.7 | 50 |
| I315164 | | 0.44 | 0.006 | 0.18 | 2.81 | 9.5 | <0.2 | <10 | 160 | 0.61 | 0.20 | 0.40 | 0.14 | 25.8 | 14.2 | 52 |
| I315165 | | 0.40 | <0.005 | 0.09 | 2.45 | 9.0 | <0.2 | <10 | 100 | 0.53 | 0.24 | 0.18 | 0.21 | 17.90 | 9.2 | 43 |
| I315166 | | 0.38 | <0.005 | 0.15 | 0.90 | 2.0 | <0.2 | <10 | 40 | 0.30 | 0.17 | 0.17 | 0.19 | 7.21 | 2.7 | 12 |
| I315167 | | 0.46 | <0.005 | 0.12 | 2.27 | 9.2 | <0.2 | <10 | 160 | 0.81 | 0.21 | 1.11 | 0.19 | 24.5 | 14.4 | 46 |
| I315168 | | 0.42 | 0.005 | 0.21 | 2.38 | 7.1 | <0.2 | <10 | 290 | 0.66 | 0.24 | 0.47 | 0.25 | 30.5 | 12.5 | 45 |
| I315169 | | 0.32 | <0.005 | 0.15 | 1.77 | 7.8 | <0.2 | <10 | 210 | 0.56 | 0.23 | 0.20 | 0.65 | 19.95 | 9.3 | 33 |
| I315170 | | 0.36 | <0.005 | 0.20 | 1.84 | 17.8 | <0.2 | <10 | 130 | 0.51 | 0.21 | 0.16 | 0.61 | 13.40 | 7.6 | 32 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I315131 | | 0.55 | 22.2 | 2.32 | 4.53 | 0.06 | 0.17 | 0.02 | 0.021 | 0.05 | 13.3 | 10.9 | 0.45 | 301 | 0.65 | 0.02 |
| I315132 | | 0.31 | 18.1 | 2.03 | 3.81 | <0.05 | 0.10 | 0.01 | 0.018 | 0.03 | 11.5 | 8.6 | 0.35 | 285 | 0.62 | 0.02 |
| I315133 | | 0.34 | 20.3 | 2.05 | 3.59 | 0.05 | 0.07 | 0.01 | 0.018 | 0.03 | 10.3 | 9.2 | 0.43 | 279 | 0.79 | 0.02 |
| I315134 | | 0.43 | 16.1 | 2.63 | 4.95 | 0.05 | 0.10 | 0.02 | 0.024 | 0.04 | 12.3 | 9.5 | 0.46 | 446 | 0.86 | 0.02 |
| I315135 | | 0.26 | 20.8 | 1.90 | 3.11 | <0.05 | 0.05 | 0.02 | 0.016 | 0.05 | 10.8 | 8.6 | 0.41 | 396 | 0.73 | 0.03 |
| I315136 | | 0.51 | 23.8 | 1.69 | 3.98 | <0.05 | 0.04 | 0.01 | 0.020 | 0.05 | 9.7 | 9.7 | 0.39 | 289 | 0.70 | 0.03 |
| I315137 | | 0.08 | 1.7 | 0.73 | 0.56 | <0.05 | 0.08 | <0.01 | <0.005 | 0.04 | 5.1 | 1.3 | 0.04 | 166 | 0.28 | 0.01 |
| I315138 | | 1.60 | 49.2 | 3.45 | 8.62 | 0.08 | 0.03 | 0.04 | 0.029 | 0.24 | 7.3 | 11.4 | 1.50 | 576 | 2.25 | 0.04 |
| I315139 | | 2.10 | 51.0 | 3.82 | 8.65 | 0.09 | 0.04 | 0.06 | 0.030 | 0.31 | 10.2 | 13.5 | 1.68 | 504 | 2.64 | 0.05 |
| I315140 | | 2.25 | 61.8 | 3.16 | 8.56 | 0.10 | 0.05 | 0.04 | 0.030 | 0.38 | 11.6 | 12.9 | 1.74 | 377 | 2.50 | 0.05 |
| I315141 | | 2.39 | 49.9 | 3.53 | 8.22 | 0.10 | 0.04 | 0.05 | 0.024 | 0.25 | 6.0 | 16.1 | 1.79 | 540 | 1.38 | 0.03 |
| I315142 | | 4.00 | 75.3 | 3.12 | 8.25 | 0.11 | 0.04 | 0.05 | 0.022 | 0.25 | 15.0 | 15.6 | 1.49 | 272 | 0.79 | 0.04 |
| I315143 | | 4.41 | 51.5 | 3.89 | 9.18 | 0.11 | 0.03 | 0.04 | 0.021 | 0.47 | 12.2 | 15.5 | 1.65 | 513 | 0.84 | 0.05 |
| I315144 | | 6.25 | 81.4 | 4.03 | 10.25 | 0.12 | 0.04 | 0.07 | 0.025 | 0.48 | 16.0 | 20.8 | 1.75 | 1120 | 1.28 | 0.05 |
| I315145 | | 3.79 | 73.5 | 3.67 | 8.82 | 0.12 | 0.06 | 0.04 | 0.026 | 0.31 | 13.2 | 14.5 | 1.16 | 342 | 1.25 | 0.03 |
| I315146 | | 3.00 | 52.0 | 3.41 | 7.71 | 0.12 | 0.04 | 0.03 | 0.024 | 0.21 | 12.3 | 13.9 | 0.89 | 531 | 1.12 | 0.02 |
| I315147 | | 2.83 | 56.9 | 3.12 | 7.70 | 0.11 | 0.03 | 0.03 | 0.023 | 0.19 | 11.2 | 13.3 | 0.85 | 478 | 1.22 | 0.02 |
| I315148 | | 2.88 | 57.5 | 3.03 | 9.01 | 0.11 | 0.03 | 0.03 | 0.022 | 0.23 | 10.5 | 12.4 | 0.91 | 378 | 1.34 | 0.02 |
| I315149 | | 2.45 | 80.3 | 3.57 | 8.41 | 0.12 | 0.05 | 0.03 | 0.023 | 0.19 | 13.4 | 13.3 | 0.87 | 240 | 1.18 | 0.02 |
| I315150 | | 2.61 | 117.5 | 3.12 | 7.52 | 0.13 | 0.07 | 0.03 | 0.023 | 0.25 | 18.3 | 10.7 | 0.82 | 276 | 1.24 | 0.03 |
| I315151 | | 2.92 | 174.5 | 3.42 | 8.57 | 0.14 | 0.07 | 0.04 | 0.026 | 0.29 | 22.7 | 13.2 | 0.88 | 309 | 1.42 | 0.03 |
| I315152 | | 2.10 | 90.4 | 3.01 | 8.94 | 0.09 | 0.04 | 0.02 | 0.021 | 0.19 | 11.3 | 12.1 | 0.76 | 262 | 1.60 | 0.02 |
| I315153 | | 2.32 | 86.9 | 3.39 | 9.31 | 0.09 | 0.05 | 0.02 | 0.022 | 0.23 | 10.7 | 13.9 | 0.85 | 293 | 1.73 | 0.02 |
| I315154 | | 2.22 | 135.0 | 3.26 | 8.65 | 0.09 | 0.08 | 0.03 | 0.024 | 0.15 | 12.3 | 14.7 | 0.82 | 283 | 1.48 | 0.02 |
| I315155 | | 1.93 | 125.0 | 3.02 | 7.69 | 0.09 | 0.07 | 0.03 | 0.023 | 0.09 | 14.5 | 14.4 | 0.74 | 295 | 1.39 | 0.02 |
| I315156 | | 3.02 | 92.5 | 3.25 | 8.86 | 0.10 | 0.08 | 0.02 | 0.026 | 0.14 | 8.3 | 17.1 | 0.93 | 362 | 0.83 | 0.03 |
| I315157 | | 1.07 | 77.1 | 1.74 | 4.65 | 0.05 | <0.02 | 0.02 | 0.011 | 0.05 | 5.1 | 5.3 | 0.27 | 119 | 1.35 | 0.02 |
| I315158 | | 1.79 | 152.5 | 5.10 | 7.56 | 0.14 | 0.09 | 0.03 | 0.027 | 0.11 | 15.7 | 13.3 | 0.78 | 198 | 1.82 | 0.03 |
| I315159 | | 1.72 | 62.3 | 2.88 | 7.31 | 0.08 | 0.05 | 0.04 | 0.021 | 0.10 | 10.0 | 12.4 | 0.78 | 185 | 1.80 | 0.02 |
| I315160 | | 1.79 | 93.7 | 3.34 | 8.11 | 0.09 | 0.05 | 0.04 | 0.025 | 0.08 | 10.4 | 13.8 | 0.76 | 345 | 2.96 | 0.02 |
| I315161 | | 1.92 | 108.5 | 2.49 | 7.18 | 0.09 | 0.03 | 0.06 | 0.019 | 0.11 | 9.7 | 12.3 | 0.68 | 362 | 6.67 | 0.03 |
| I315162 | | 1.06 | 53.0 | 1.73 | 5.44 | 0.05 | 0.03 | 0.06 | 0.016 | 0.03 | 9.8 | 4.5 | 0.18 | 111 | 25.3 | 0.02 |
| I315163 | | 1.93 | 113.0 | 2.84 | 8.20 | 0.10 | 0.05 | 0.04 | 0.030 | 0.15 | 16.6 | 15.2 | 0.70 | 405 | 94.9 | 0.05 |
| I315164 | | 1.58 | 70.5 | 3.12 | 9.08 | 0.08 | 0.06 | 0.05 | 0.034 | 0.06 | 13.4 | 17.2 | 0.65 | 337 | 85.6 | 0.04 |
| I315165 | | 1.72 | 49.1 | 2.92 | 9.68 | 0.07 | 0.08 | 0.04 | 0.028 | 0.04 | 9.4 | 16.4 | 0.51 | 267 | 62.9 | 0.02 |
| I315166 | | 0.78 | 38.5 | 1.16 | 3.65 | <0.05 | 0.02 | 0.04 | 0.009 | 0.01 | 3.9 | 3.3 | 0.08 | 51 | 20.6 | 0.02 |
| I315167 | | 1.90 | 72.0 | 2.76 | 8.10 | 0.09 | 0.05 | 0.06 | 0.036 | 0.07 | 12.6 | 16.2 | 0.70 | 442 | 91.7 | 0.05 |
| I315168 | | 2.12 | 86.0 | 2.65 | 7.91 | 0.09 | 0.05 | 0.13 | 0.027 | 0.10 | 15.9 | 15.4 | 0.63 | 311 | 28.6 | 0.03 |
| I315169 | | 2.17 | 40.5 | 2.94 | 9.19 | 0.07 | 0.04 | 0.09 | 0.026 | 0.12 | 10.2 | 13.3 | 0.43 | 397 | 8.25 | 0.02 |
| I315170 | | 1.69 | 39.3 | 2.68 | 8.23 | 0.06 | 0.03 | 0.04 | 0.023 | 0.06 | 6.8 | 14.2 | 0.39 | 226 | 7.04 | 0.02 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I315131 | | 1.55 | 20.3 | 610 | 6.9 | 6.8 | <0.001 | 0.01 | 0.46 | 4.9 | 0.7 | 0.5 | 33.3 | <0.01 | 0.01 | 3.7 |
| I315132 | | 0.92 | 18.7 | 350 | 5.5 | 3.6 | <0.001 | 0.01 | 0.36 | 4.3 | 0.4 | 0.4 | 24.8 | <0.01 | 0.02 | 3.6 |
| I315133 | | 1.10 | 20.0 | 460 | 5.1 | 3.6 | 0.001 | 0.02 | 0.44 | 3.8 | 0.6 | 0.4 | 35.5 | <0.01 | 0.01 | 2.2 |
| I315134 | | 1.60 | 20.0 | 260 | 8.4 | 6.7 | <0.001 | 0.01 | 0.46 | 5.0 | 0.5 | 0.6 | 34.7 | <0.01 | 0.03 | 3.7 |
| I315135 | | 0.98 | 20.2 | 520 | 5.6 | 4.5 | 0.001 | 0.05 | 0.51 | 2.8 | 0.8 | 0.3 | 71.0 | <0.01 | 0.02 | 1.2 |
| I315136 | | 1.10 | 21.6 | 670 | 5.7 | 6.0 | 0.001 | 0.05 | 0.34 | 3.5 | 0.6 | 0.4 | 50.9 | <0.01 | 0.02 | 1.5 |
| I315137 | | 0.17 | 3.7 | 130 | 1.5 | 2.1 | <0.001 | 0.01 | 0.10 | 0.6 | <0.2 | <0.2 | 7.4 | <0.01 | 0.01 | 1.8 |
| I315138 | | 1.16 | 41.2 | 650 | 7.7 | 27.3 | 0.001 | 0.06 | 0.25 | 6.8 | 0.9 | 0.6 | 41.2 | <0.01 | 0.08 | 1.1 |
| I315139 | | 1.21 | 75.0 | 700 | 6.6 | 33.0 | 0.001 | 0.07 | 0.31 | 8.3 | 1.2 | 0.7 | 36.6 | <0.01 | 0.10 | 1.9 |
| I315140 | | 1.13 | 76.3 | 820 | 8.0 | 31.7 | 0.002 | 0.08 | 0.58 | 7.9 | 1.6 | 0.7 | 42.1 | <0.01 | 0.09 | 1.8 |
| I315141 | | 0.94 | 56.8 | 600 | 9.9 | 26.1 | 0.001 | 0.08 | 2.30 | 7.4 | 1.0 | 0.6 | 31.0 | <0.01 | 0.29 | 1.0 |
| I315142 | | 1.09 | 49.7 | 590 | 5.8 | 33.0 | 0.001 | 0.15 | 2.09 | 7.5 | 1.2 | 0.6 | 36.9 | <0.01 | 0.17 | 1.0 |
| I315143 | | 1.39 | 41.4 | 660 | 5.2 | 45.9 | 0.001 | 0.07 | 1.27 | 7.9 | 0.9 | 0.7 | 29.7 | <0.01 | 0.16 | 1.9 |
| I315144 | | 1.39 | 54.4 | 770 | 5.1 | 50.9 | 0.001 | 0.11 | 0.54 | 7.8 | 1.2 | 0.8 | 40.7 | <0.01 | 0.17 | 1.2 |
| I315145 | | 1.28 | 38.3 | 550 | 5.7 | 38.3 | <0.001 | 0.01 | 1.50 | 8.5 | 1.0 | 0.9 | 23.4 | <0.01 | 0.24 | 3.3 |
| I315146 | | 1.39 | 27.9 | 580 | 5.0 | 31.8 | <0.001 | 0.01 | 0.60 | 7.4 | 0.8 | 0.8 | 25.3 | <0.01 | 0.19 | 2.8 |
| I315147 | | 1.24 | 26.8 | 620 | 5.2 | 28.8 | <0.001 | 0.03 | 0.36 | 6.1 | 0.8 | 0.8 | 25.4 | <0.01 | 0.18 | 1.6 |
| I315148 | | 1.55 | 29.2 | 610 | 5.0 | 34.8 | <0.001 | 0.03 | 0.35 | 6.7 | 0.7 | 1.0 | 28.0 | <0.01 | 0.20 | 1.4 |
| I315149 | | 1.68 | 29.7 | 670 | 5.3 | 28.7 | <0.001 | 0.02 | 0.38 | 7.4 | 1.0 | 1.0 | 23.3 | <0.01 | 0.27 | 2.7 |
| I315150 | | 1.42 | 29.5 | 630 | 4.8 | 36.4 | <0.001 | 0.03 | 0.41 | 7.5 | 1.0 | 0.9 | 30.1 | <0.01 | 0.27 | 3.9 |
| I315151 | | 1.44 | 39.1 | 630 | 4.9 | 39.4 | <0.001 | 0.03 | 0.33 | 9.1 | 1.4 | 1.0 | 27.5 | <0.01 | 0.45 | 4.2 |
| I315152 | | 1.53 | 28.9 | 550 | 5.5 | 28.3 | <0.001 | 0.04 | 0.29 | 6.2 | 0.8 | 1.0 | 22.2 | <0.01 | 0.31 | 1.9 |
| I315153 | | 1.72 | 28.2 | 550 | 5.3 | 29.1 | <0.001 | 0.05 | 0.26 | 6.9 | 0.6 | 1.0 | 21.7 | <0.01 | 0.33 | 2.6 |
| I315154 | | 1.79 | 34.8 | 620 | 5.4 | 24.7 | <0.001 | 0.03 | 0.27 | 7.1 | 0.8 | 0.9 | 21.3 | <0.01 | 0.26 | 3.2 |
| I315155 | | 1.78 | 30.5 | 720 | 5.6 | 17.8 | <0.001 | 0.02 | 0.28 | 5.9 | 0.7 | 0.8 | 24.7 | <0.01 | 0.12 | 2.9 |
| I315156 | | 1.64 | 36.4 | 300 | 5.3 | 18.6 | <0.001 | 0.04 | 0.34 | 6.8 | 0.7 | 0.7 | 28.8 | <0.01 | 0.09 | 2.0 |
| I315157 | | 0.56 | 13.9 | 380 | 3.4 | 11.7 | <0.001 | 0.02 | 0.26 | 1.8 | 0.7 | 0.4 | 13.0 | <0.01 | 0.07 | <0.2 |
| I315158 | | 1.75 | 30.1 | 890 | 6.0 | 17.4 | <0.001 | 0.01 | 0.36 | 7.9 | 1.1 | 0.7 | 26.4 | <0.01 | 0.12 | 3.7 |
| I315159 | | 1.53 | 22.5 | 810 | 5.6 | 15.7 | <0.001 | 0.01 | 0.31 | 6.0 | 0.8 | 0.6 | 23.1 | <0.01 | 0.08 | 2.1 |
| I315160 | | 1.60 | 26.7 | 840 | 5.8 | 16.6 | <0.001 | 0.03 | 0.36 | 6.7 | 0.8 | 0.7 | 27.4 | <0.01 | 0.08 | 2.1 |
| I315161 | | 1.23 | 25.6 | 820 | 4.3 | 19.6 | 0.001 | 0.03 | 0.32 | 6.2 | 0.8 | 0.6 | 26.4 | <0.01 | 0.07 | 1.5 |
| I315162 | | 1.20 | 10.8 | 360 | 4.8 | 12.0 | <0.001 | 0.02 | 0.25 | 2.9 | 0.7 | 0.4 | 14.2 | <0.01 | 0.05 | 1.0 |
| I315163 | | 2.13 | 32.8 | 570 | 5.0 | 28.4 | 0.002 | 0.05 | 0.63 | 6.4 | 1.2 | 0.6 | 39.7 | <0.01 | 0.05 | 2.2 |
| I315164 | | 2.25 | 30.3 | 510 | 5.9 | 15.3 | 0.001 | 0.02 | 0.35 | 6.1 | 0.9 | 0.6 | 27.1 | <0.01 | 0.05 | 2.9 |
| I315165 | | 2.46 | 23.3 | 360 | 7.0 | 15.0 | <0.001 | <0.01 | 0.40 | 5.0 | 0.6 | 0.7 | 14.7 | <0.01 | 0.06 | 2.5 |
| I315166 | | 0.79 | 6.0 | 230 | 3.2 | 7.7 | <0.001 | 0.01 | 0.19 | 1.3 | 0.4 | 0.3 | 11.1 | <0.01 | 0.03 | 0.5 |
| I315167 | | 2.13 | 29.7 | 570 | 5.0 | 18.6 | 0.002 | 0.06 | 0.33 | 5.5 | 1.0 | 0.7 | 45.4 | <0.01 | 0.05 | 1.6 |
| I315168 | | 1.67 | 44.2 | 780 | 6.2 | 22.3 | 0.002 | 0.03 | 0.22 | 6.3 | 1.4 | 0.6 | 36.4 | <0.01 | 0.05 | 1.2 |
| I315169 | | 2.31 | 27.7 | 560 | 7.7 | 23.1 | <0.001 | 0.03 | 0.36 | 3.5 | 0.6 | 0.8 | 19.2 | <0.01 | 0.07 | 1.2 |
| I315170 | | 1.55 | 25.1 | 480 | 6.6 | 19.5 | <0.001 | 0.02 | 0.32 | 3.2 | 0.6 | 0.6 | 17.0 | <0.01 | 0.05 | 0.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I315131 | | 0.083 | 0.07 | 0.65 | 48 | 0.18 | 8.26 | 46 | 8.2 |
| I315132 | | 0.060 | 0.05 | 0.50 | 49 | 0.17 | 5.51 | 33 | 4.2 |
| I315133 | | 0.065 | 0.04 | 1.27 | 48 | 0.42 | 5.79 | 35 | 2.6 |
| I315134 | | 0.065 | 0.07 | 0.51 | 57 | 0.18 | 6.28 | 45 | 3.8 |
| I315135 | | 0.045 | 0.04 | 1.14 | 40 | 0.28 | 7.99 | 36 | 2.0 |
| I315136 | | 0.057 | 0.06 | 0.73 | 39 | 0.12 | 5.93 | 67 | 1.7 |
| I315137 | | 0.007 | 0.03 | 0.34 | 4 | <0.05 | 2.20 | 5 | 3.0 |
| I315138 | | 0.108 | 0.19 | 0.85 | 101 | 0.17 | 6.27 | 99 | 1.6 |
| I315139 | | 0.112 | 0.26 | 0.98 | 113 | 0.14 | 7.53 | 102 | 2.0 |
| I315140 | | 0.101 | 0.30 | 1.19 | 115 | 0.16 | 10.35 | 108 | 2.6 |
| I315141 | | 0.114 | 0.24 | 0.69 | 92 | 0.33 | 5.79 | 86 | 1.2 |
| I315142 | | 0.113 | 0.23 | 1.70 | 85 | 0.38 | 13.60 | 79 | 1.0 |
| I315143 | | 0.146 | 0.36 | 1.11 | 103 | 0.90 | 8.47 | 86 | 1.1 |
| I315144 | | 0.139 | 0.42 | 1.50 | 105 | 0.55 | 12.55 | 114 | 1.0 |
| I315145 | | 0.143 | 0.39 | 1.20 | 99 | 1.10 | 8.89 | 69 | 2.0 |
| I315146 | | 0.131 | 0.33 | 0.90 | 85 | 1.15 | 7.76 | 61 | 1.6 |
| I315147 | | 0.124 | 0.32 | 0.89 | 85 | 0.62 | 6.53 | 54 | 1.0 |
| I315148 | | 0.144 | 0.35 | 0.73 | 93 | 0.99 | 5.78 | 62 | 1.1 |
| I315149 | | 0.146 | 0.35 | 0.96 | 95 | 1.28 | 7.29 | 55 | 1.6 |
| I315150 | | 0.156 | 0.41 | 1.17 | 85 | 2.77 | 11.60 | 57 | 2.8 |
| I315151 | | 0.145 | 0.41 | 1.61 | 94 | 6.72 | 14.45 | 59 | 2.5 |
| I315152 | | 0.140 | 0.24 | 0.86 | 90 | 3.81 | 5.56 | 51 | 1.2 |
| I315153 | | 0.159 | 0.29 | 0.67 | 105 | 1.12 | 5.14 | 51 | 1.6 |
| I315154 | | 0.146 | 0.24 | 0.92 | 93 | 3.72 | 6.46 | 54 | 2.8 |
| I315155 | | 0.140 | 0.21 | 1.23 | 81 | 3.75 | 7.16 | 53 | 2.4 |
| I315156 | | 0.181 | 0.26 | 0.57 | 96 | 4.00 | 5.64 | 54 | 2.9 |
| I315157 | | 0.060 | 0.12 | 0.50 | 44 | 2.05 | 2.62 | 22 | <0.5 |
| I315158 | | 0.146 | 0.25 | 1.09 | 97 | 2.08 | 12.05 | 52 | 4.0 |
| I315159 | | 0.143 | 0.21 | 0.55 | 88 | 1.64 | 5.65 | 56 | 1.7 |
| I315160 | | 0.138 | 0.20 | 0.71 | 93 | 0.57 | 6.09 | 55 | 2.0 |
| I315161 | | 0.123 | 0.22 | 0.68 | 74 | 1.27 | 6.62 | 51 | 1.3 |
| I315162 | | 0.083 | 0.10 | 0.71 | 46 | 0.94 | 4.12 | 22 | 1.3 |
| I315163 | | 0.148 | 0.22 | 1.39 | 75 | 2.09 | 8.55 | 62 | 1.9 |
| I315164 | | 0.152 | 0.16 | 1.02 | 87 | 2.86 | 6.04 | 72 | 2.4 |
| I315165 | | 0.157 | 0.13 | 0.63 | 78 | 2.79 | 3.77 | 52 | 2.8 |
| I315166 | | 0.055 | 0.06 | 0.49 | 26 | 0.86 | 1.76 | 13 | 0.8 |
| I315167 | | 0.133 | 0.16 | 1.59 | 76 | 5.23 | 6.72 | 64 | 2.0 |
| I315168 | | 0.119 | 0.20 | 1.63 | 72 | 0.87 | 12.85 | 100 | 1.5 |
| I315169 | | 0.124 | 0.17 | 0.73 | 75 | 0.59 | 3.82 | 72 | 1.2 |
| I315170 | | 0.109 | 0.12 | 0.50 | 76 | 0.48 | 2.98 | 73 | 1.2 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315171 | | 0.38 | <0.005 | 0.18 | 1.99 | 8.8 | <0.2 | <10 | 110 | 0.73 | 0.43 | 0.24 | 0.38 | 23.4 | 10.1 | 67 |
| I315172 | | 0.32 | <0.005 | 0.08 | 1.22 | 6.1 | <0.2 | <10 | 70 | 0.29 | 0.21 | 0.13 | 0.33 | 9.89 | 5.7 | 22 |
| I315173 | | 0.38 | <0.005 | 0.12 | 1.37 | 6.7 | <0.2 | <10 | 110 | 0.48 | 0.56 | 0.17 | 0.54 | 11.80 | 6.3 | 28 |
| I315174 | | 0.24 | NSS | 0.02 | 0.16 | 4.9 | <0.2 | <10 | 50 | 0.17 | 0.03 | 0.21 | 0.13 | 24.3 | 5.5 | 10 |
| I315175 | | 0.40 | <0.005 | 0.08 | 0.84 | 4.7 | <0.2 | <10 | 60 | 0.23 | 0.41 | 0.08 | 0.16 | 7.30 | 3.3 | 15 |
| I315176 | | 0.32 | 0.005 | 0.13 | 1.52 | 7.6 | <0.2 | <10 | 80 | 0.52 | 0.50 | 0.12 | 0.28 | 11.70 | 6.1 | 26 |
| I315177 | | 0.36 | 0.007 | 0.18 | 2.59 | 26.6 | <0.2 | <10 | 220 | 0.51 | 0.51 | 0.61 | 0.27 | 31.4 | 18.8 | 145 |
| I315178 | | 0.40 | <0.005 | 0.09 | 1.77 | 8.4 | <0.2 | <10 | 190 | 0.40 | 0.14 | 0.54 | 0.09 | 37.2 | 9.7 | 35 |
| I315179 | | 0.38 | <0.005 | 0.12 | 1.59 | 5.1 | <0.2 | <10 | 260 | 0.55 | 0.14 | 1.47 | 0.21 | 45.4 | 10.7 | 27 |
| I315180 | | 0.38 | 0.006 | 0.12 | 1.96 | 5.4 | <0.2 | <10 | 230 | 0.54 | 0.15 | 0.76 | 0.13 | 43.4 | 12.6 | 33 |
| I315181 | | 0.42 | <0.005 | 0.09 | 1.84 | 4.5 | <0.2 | <10 | 230 | 0.36 | 0.14 | 0.59 | 0.17 | 31.7 | 10.9 | 32 |
| I315182 | | 0.40 | 0.005 | 0.08 | 2.27 | 3.6 | <0.2 | <10 | 220 | 0.46 | 0.14 | 0.46 | 0.07 | 43.6 | 12.2 | 40 |
| I315183 | | 0.32 | <0.005 | 0.10 | 1.77 | 4.7 | <0.2 | <10 | 180 | 0.43 | 0.14 | 0.53 | 0.08 | 40.8 | 10.7 | 32 |
| I315184 | | 0.40 | <0.005 | 0.08 | 2.00 | 6.0 | <0.2 | <10 | 240 | 0.41 | 0.14 | 0.50 | 0.09 | 35.2 | 12.8 | 36 |
| I315185 | | 0.46 | <0.005 | 0.12 | 1.92 | 3.7 | <0.2 | <10 | 230 | 0.47 | 0.13 | 0.53 | 0.11 | 35.7 | 10.7 | 37 |
| I315186 | | 0.36 | 0.022 | 0.08 | 1.75 | 4.7 | <0.2 | <10 | 140 | 0.28 | 0.15 | 0.35 | 0.06 | 27.7 | 10.3 | 31 |
| I315187 | | 0.42 | 0.005 | 0.16 | 1.82 | 4.0 | <0.2 | <10 | 180 | 0.35 | 0.15 | 0.77 | 0.17 | 27.1 | 11.5 | 32 |
| I315188 | | 0.38 | <0.005 | 0.12 | 1.96 | 3.8 | <0.2 | <10 | 170 | 0.33 | 0.16 | 0.52 | 0.07 | 34.9 | 10.5 | 32 |
| I315189 | | 0.42 | <0.005 | 0.09 | 1.84 | 3.0 | <0.2 | <10 | 180 | 0.31 | 0.18 | 0.43 | 0.05 | 31.4 | 9.8 | 27 |
| I315190 | | 0.36 | <0.005 | 0.20 | 1.65 | 2.8 | <0.2 | <10 | 180 | 0.34 | 0.20 | 0.39 | 0.08 | 40.2 | 9.2 | 28 |
| I315191 | | 0.34 | <0.005 | 0.16 | 1.25 | 2.5 | <0.2 | <10 | 80 | 0.24 | 0.19 | 0.20 | 0.05 | 18.05 | 5.9 | 25 |
| I315192 | | 0.36 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I315193 | | 0.30 | <0.005 | 0.16 | 2.28 | 3.0 | <0.2 | <10 | 240 | 0.49 | 0.23 | 0.88 | 0.13 | 91.5 | 16.2 | 38 |
| I315194 | | 0.30 | <0.005 | 0.32 | 1.56 | 2.4 | <0.2 | <10 | 240 | 0.74 | 0.14 | 1.19 | 0.25 | 120.0 | 9.8 | 25 |
| I315195 | | 0.38 | <0.005 | 0.07 | 1.18 | 2.5 | <0.2 | <10 | 70 | 0.18 | 0.22 | 0.25 | 0.09 | 20.4 | 6.6 | 28 |
| I315196 | | 0.32 | <0.005 | 0.09 | 2.61 | 4.3 | <0.2 | <10 | 120 | 0.53 | 0.32 | 0.17 | 0.06 | 51.3 | 15.4 | 58 |
| I315197 | | 0.28 | <0.005 | 0.05 | 2.21 | 4.3 | <0.2 | <10 | 60 | 0.25 | 0.27 | 0.06 | 0.05 | 19.85 | 9.0 | 48 |
| I315198 | | 0.34 | <0.005 | 0.16 | 1.38 | 1.8 | <0.2 | <10 | 80 | 0.44 | 0.19 | 0.10 | 0.06 | 19.60 | 7.4 | 28 |
| I315199 | | 0.44 | <0.005 | 0.19 | 1.93 | 4.0 | <0.2 | <10 | 110 | 0.32 | 0.25 | 0.13 | 0.05 | 17.85 | 9.7 | 37 |
| I315200 | | 0.36 | <0.005 | 0.18 | 1.85 | 4.0 | <0.2 | <10 | 120 | 0.34 | 0.22 | 0.17 | 0.08 | 17.15 | 10.2 | 35 |
| I315201 | | 0.12 | <0.005 | 0.01 | 0.01 | 0.2 | <0.2 | <10 | 10 | <0.05 | <0.01 | 0.02 | 0.02 | 1.04 | 0.2 | 1 |
| I315202 | | 0.52 | 0.007 | 0.13 | 1.75 | 14.7 | <0.2 | <10 | 130 | 0.23 | 0.73 | 0.36 | 0.12 | 16.40 | 9.1 | 40 |
| I315203 | | 0.46 | 0.015 | 0.20 | 1.82 | 9.8 | <0.2 | <10 | 110 | 0.31 | 1.54 | 0.28 | 0.13 | 23.6 | 8.4 | 40 |
| I315204 | | 0.48 | 0.022 | 0.23 | 1.98 | 25.1 | <0.2 | <10 | 130 | 0.36 | 3.20 | 0.34 | 0.14 | 26.9 | 10.0 | 42 |
| I315205 | | 0.46 | 0.007 | 0.23 | 2.17 | 37.4 | <0.2 | <10 | 130 | 0.43 | 1.68 | 0.25 | 0.11 | 26.0 | 14.1 | 50 |
| I315206 | | 0.60 | 0.017 | 0.12 | 2.13 | 17.7 | <0.2 | <10 | 160 | 0.40 | 0.78 | 0.38 | 0.15 | 28.7 | 23.0 | 53 |
| I315207 | | 0.46 | 0.010 | 0.30 | 2.14 | 6.4 | <0.2 | <10 | 210 | 0.40 | 0.85 | 0.43 | 0.28 | 20.4 | 9.6 | 48 |
| I315208 | | 0.60 | 0.006 | 0.21 | 2.20 | 7.2 | <0.2 | <10 | 230 | 0.42 | 0.75 | 0.31 | 0.44 | 22.4 | 9.4 | 46 |
| I315209 | | 0.72 | 0.006 | 0.18 | 2.29 | 6.7 | <0.2 | <10 | 230 | 0.49 | 0.64 | 0.36 | 0.45 | 27.5 | 10.7 | 48 |
| I315210 | | 0.52 | 0.021 | 0.13 | 1.85 | 7.2 | <0.2 | <10 | 230 | 0.37 | 0.77 | 0.47 | 0.30 | 21.6 | 8.9 | 38 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I315171 | | 1.99 | 50.0 | 3.61 | 10.10 | 0.09 | 0.07 | 0.02 | 0.032 | 0.08 | 11.4 | 18.2 | 0.72 | 339 | 6.19 | 0.02 |
| I315172 | | 0.95 | 16.2 | 2.17 | 6.07 | <0.05 | 0.02 | 0.04 | 0.018 | 0.02 | 4.8 | 7.6 | 0.22 | 167 | 2.50 | 0.02 |
| I315173 | | 1.45 | 34.0 | 2.45 | 8.87 | 0.05 | 0.03 | 0.07 | 0.024 | 0.06 | 5.7 | 8.8 | 0.30 | 403 | 16.85 | 0.02 |
| I315174 | | 0.17 | 5.1 | 1.33 | 1.18 | 0.06 | <0.02 | 0.01 | <0.005 | <0.01 | 11.8 | 2.1 | 0.09 | 498 | 1.19 | <0.01 |
| I315175 | | 0.85 | 14.9 | 1.88 | 7.71 | <0.05 | 0.02 | 0.03 | 0.014 | 0.01 | 3.7 | 4.2 | 0.11 | 118 | 4.60 | 0.01 |
| I315176 | | 1.46 | 26.9 | 2.74 | 9.60 | 0.05 | 0.03 | 0.05 | 0.024 | 0.02 | 5.8 | 10.6 | 0.18 | 198 | 8.35 | 0.01 |
| I315177 | | 3.53 | 72.4 | 2.70 | 8.81 | 0.10 | 0.03 | 0.09 | 0.026 | 0.15 | 20.5 | 17.4 | 1.22 | 405 | 30.0 | 0.04 |
| I315178 | | 0.92 | 21.4 | 2.60 | 6.62 | 0.08 | 0.10 | 0.03 | 0.022 | 0.11 | 21.6 | 18.7 | 0.65 | 251 | 0.87 | 0.02 |
| I315179 | | 0.79 | 37.3 | 2.27 | 5.65 | 0.09 | 0.06 | 0.05 | 0.022 | 0.08 | 32.5 | 17.7 | 0.50 | 359 | 0.69 | 0.02 |
| I315180 | | 1.03 | 32.8 | 2.84 | 7.24 | 0.12 | 0.13 | 0.04 | 0.023 | 0.19 | 41.8 | 22.4 | 0.68 | 404 | 0.55 | 0.01 |
| I315181 | | 0.98 | 21.4 | 2.69 | 6.94 | 0.08 | 0.08 | 0.03 | 0.020 | 0.18 | 16.4 | 17.6 | 0.64 | 355 | 0.82 | 0.01 |
| I315182 | | 1.56 | 21.0 | 3.40 | 8.84 | 0.10 | 0.08 | 0.02 | 0.021 | 0.34 | 28.7 | 24.1 | 0.85 | 336 | 0.73 | 0.01 |
| I315183 | | 0.89 | 22.2 | 2.75 | 6.78 | 0.10 | 0.09 | 0.03 | 0.021 | 0.15 | 36.8 | 17.8 | 0.65 | 271 | 0.63 | 0.01 |
| I315184 | | 0.72 | 18.7 | 2.90 | 6.76 | 0.08 | 0.11 | 0.02 | 0.024 | 0.15 | 17.1 | 18.2 | 0.69 | 368 | 0.78 | 0.02 |
| I315185 | | 1.50 | 20.4 | 3.10 | 8.34 | 0.11 | 0.04 | 0.03 | 0.018 | 0.32 | 20.9 | 24.1 | 0.82 | 460 | 0.87 | 0.01 |
| I315186 | | 1.36 | 15.4 | 2.96 | 7.95 | 0.07 | 0.03 | 0.01 | 0.019 | 0.23 | 13.9 | 18.5 | 0.68 | 279 | 1.15 | 0.01 |
| I315187 | | 1.17 | 20.0 | 2.89 | 7.36 | 0.07 | 0.05 | 0.02 | 0.021 | 0.24 | 15.8 | 18.1 | 0.66 | 521 | 0.61 | 0.01 |
| I315188 | | 1.29 | 16.6 | 2.90 | 8.21 | 0.08 | 0.04 | 0.02 | 0.019 | 0.21 | 23.4 | 17.9 | 0.67 | 330 | 0.94 | 0.01 |
| I315189 | | 1.29 | 15.2 | 2.84 | 8.93 | 0.07 | 0.04 | 0.02 | 0.023 | 0.22 | 19.4 | 15.1 | 0.64 | 196 | 0.88 | 0.01 |
| I315190 | | 1.10 | 24.4 | 2.59 | 8.30 | 0.06 | 0.03 | 0.02 | 0.019 | 0.17 | 23.7 | 11.3 | 0.52 | 191 | 1.13 | 0.01 |
| I315191 | | 1.12 | 14.1 | 2.13 | 7.89 | <0.05 | <0.02 | 0.01 | 0.013 | 0.12 | 10.2 | 8.5 | 0.34 | 136 | 1.28 | 0.01 |
| I315192 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I315193 | | 1.48 | 22.3 | 3.41 | 9.27 | 0.13 | 0.07 | 0.03 | 0.026 | 0.14 | 54.6 | 30.9 | 0.78 | 612 | 0.89 | 0.02 |
| I315194 | | 0.99 | 37.9 | 2.25 | 5.88 | 0.13 | 0.03 | 0.07 | 0.021 | 0.08 | 86.9 | 15.5 | 0.42 | 218 | 0.97 | 0.02 |
| I315195 | | 0.94 | 15.4 | 2.06 | 8.45 | <0.05 | 0.02 | 0.02 | 0.014 | 0.10 | 9.7 | 12.2 | 0.44 | 142 | 0.85 | 0.01 |
| I315196 | | 1.75 | 21.7 | 4.28 | 11.00 | 0.08 | 0.06 | 0.01 | 0.029 | 0.16 | 24.9 | 34.9 | 0.98 | 329 | 1.20 | 0.01 |
| I315197 | | 1.73 | 14.4 | 4.39 | 11.25 | 0.07 | 0.03 | 0.03 | 0.026 | 0.09 | 10.6 | 21.0 | 0.63 | 194 | 1.19 | 0.01 |
| I315198 | | 1.74 | 16.0 | 2.45 | 7.79 | <0.05 | 0.02 | 0.03 | 0.017 | 0.12 | 10.6 | 13.6 | 0.34 | 107 | 0.78 | 0.01 |
| I315199 | | 2.29 | 14.4 | 3.59 | 10.05 | 0.06 | 0.02 | 0.03 | 0.021 | 0.21 | 9.0 | 16.4 | 0.64 | 254 | 1.23 | 0.01 |
| I315200 | | 2.39 | 15.5 | 3.44 | 8.76 | 0.05 | 0.02 | 0.05 | 0.018 | 0.20 | 8.7 | 14.5 | 0.56 | 336 | 1.14 | 0.02 |
| I315201 | | <0.05 | 0.7 | 0.02 | 0.14 | <0.05 | <0.02 | <0.01 | <0.005 | <0.01 | 0.5 | 0.2 | <0.01 | <5 | <0.05 | <0.01 |
| I315202 | | 1.68 | 42.1 | 2.50 | 6.57 | 0.06 | 0.02 | 0.04 | 0.020 | 0.09 | 8.6 | 9.3 | 0.57 | 247 | 1.12 | 0.03 |
| I315203 | | 1.99 | 82.4 | 2.32 | 6.87 | 0.07 | 0.02 | 0.04 | 0.019 | 0.06 | 13.3 | 8.3 | 0.50 | 151 | 1.18 | 0.03 |
| I315204 | | 1.98 | 62.8 | 2.48 | 7.99 | 0.06 | 0.02 | 0.05 | 0.022 | 0.08 | 13.9 | 9.9 | 0.54 | 243 | 1.36 | 0.03 |
| I315205 | | 2.17 | 62.5 | 2.98 | 7.92 | 0.09 | 0.02 | 0.04 | 0.025 | 0.11 | 13.6 | 10.9 | 0.63 | 316 | 1.40 | 0.02 |
| I315206 | | 2.23 | 57.5 | 2.92 | 7.21 | 0.09 | 0.02 | 0.14 | 0.025 | 0.12 | 13.8 | 11.6 | 0.65 | 1220 | 43.3 | 0.04 |
| I315207 | | 2.78 | 51.2 | 2.77 | 8.33 | 0.08 | 0.02 | 0.09 | 0.027 | 0.19 | 11.0 | 11.2 | 0.77 | 283 | 5.60 | 0.03 |
| I315208 | | 2.81 | 41.7 | 2.67 | 8.06 | 0.09 | 0.02 | 0.09 | 0.025 | 0.20 | 12.0 | 11.0 | 0.69 | 258 | 3.55 | 0.02 |
| I315209 | | 2.64 | 52.7 | 2.88 | 7.69 | 0.11 | 0.04 | 0.11 | 0.029 | 0.23 | 14.7 | 12.9 | 0.73 | 281 | 3.13 | 0.03 |
| I315210 | | 1.83 | 30.3 | 2.55 | 6.73 | 0.08 | 0.03 | 0.07 | 0.024 | 0.16 | 12.0 | 11.7 | 0.60 | 252 | 3.35 | 0.03 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I315171 | | 2.19 | 33.8 | 600 | 9.3 | 18.1 | <0.001 | 0.01 | 0.31 | 5.3 | 0.8 | 1.0 | 16.0 | <0.01 | 0.09 | 4.4 |
| I315172 | | 1.32 | 12.1 | 270 | 5.8 | 10.3 | <0.001 | <0.01 | 0.38 | 2.6 | 0.4 | 0.9 | 12.8 | <0.01 | 0.05 | 1.0 |
| I315173 | | 1.20 | 17.3 | 490 | 6.8 | 16.0 | <0.001 | 0.03 | 0.40 | 2.8 | 0.7 | 1.9 | 15.8 | <0.01 | 0.09 | 0.5 |
| I315174 | | 0.35 | 10.8 | 330 | 2.8 | 3.0 | <0.001 | <0.01 | 0.23 | 1.0 | 0.2 | 0.4 | 7.5 | <0.01 | 0.01 | 5.8 |
| I315175 | | 1.49 | 8.4 | 230 | 6.9 | 6.8 | <0.001 | <0.01 | 0.40 | 1.7 | 0.4 | 1.0 | 8.8 | <0.01 | 0.05 | 0.6 |
| I315176 | | 1.86 | 15.0 | 360 | 8.5 | 9.6 | <0.001 | 0.01 | 0.52 | 2.7 | 0.5 | 1.3 | 11.9 | 0.01 | 0.08 | 0.9 |
| I315177 | | 1.76 | 91.9 | 660 | 5.2 | 29.7 | 0.002 | 0.09 | 0.19 | 5.0 | 1.2 | 0.8 | 42.5 | <0.01 | 0.08 | 1.7 |
| I315178 | | 2.12 | 19.8 | 410 | 8.7 | 15.3 | <0.001 | 0.02 | 0.27 | 4.9 | 0.3 | 0.5 | 34.1 | <0.01 | 0.02 | 5.6 |
| I315179 | | 2.13 | 22.5 | 470 | 7.1 | 13.2 | 0.001 | 0.05 | 0.45 | 4.6 | 1.0 | 0.5 | 59.7 | <0.01 | 0.03 | 3.4 |
| I315180 | | 2.61 | 25.0 | 480 | 8.7 | 20.7 | <0.001 | 0.03 | 0.39 | 5.7 | 0.7 | 0.5 | 41.5 | <0.01 | 0.03 | 6.3 |
| I315181 | | 2.72 | 21.0 | 460 | 8.1 | 24.0 | <0.001 | 0.03 | 0.32 | 4.6 | 0.5 | 0.5 | 38.2 | <0.01 | 0.03 | 5.2 |
| I315182 | | 3.43 | 23.8 | 440 | 10.1 | 34.4 | <0.001 | 0.02 | 0.19 | 4.5 | 0.5 | 0.6 | 30.8 | <0.01 | 0.02 | 8.5 |
| I315183 | | 2.55 | 20.3 | 490 | 7.8 | 18.6 | <0.001 | 0.02 | 0.27 | 4.7 | 0.5 | 0.5 | 32.8 | <0.01 | 0.02 | 6.9 |
| I315184 | | 2.16 | 23.6 | 430 | 8.0 | 16.0 | <0.001 | 0.02 | 0.27 | 4.5 | 0.4 | 0.5 | 33.3 | <0.01 | 0.02 | 5.6 |
| I315185 | | 3.53 | 24.5 | 470 | 7.7 | 32.5 | <0.001 | 0.02 | 0.23 | 4.2 | 0.4 | 0.6 | 38.7 | <0.01 | 0.02 | 5.1 |
| I315186 | | 3.25 | 20.6 | 390 | 8.5 | 31.2 | <0.001 | 0.02 | 0.21 | 3.6 | 0.3 | 0.6 | 22.8 | <0.01 | 0.03 | 4.7 |
| I315187 | | 3.44 | 22.3 | 370 | 9.1 | 31.3 | <0.001 | 0.03 | 0.21 | 4.0 | 0.4 | 0.6 | 35.4 | <0.01 | 0.03 | 4.7 |
| I315188 | | 3.29 | 20.4 | 320 | 10.1 | 29.4 | <0.001 | 0.02 | 0.20 | 3.9 | 0.4 | 0.6 | 29.1 | <0.01 | 0.03 | 5.5 |
| I315189 | | 3.22 | 18.3 | 290 | 11.4 | 31.4 | <0.001 | 0.02 | 0.18 | 4.5 | 0.4 | 0.7 | 24.6 | <0.01 | 0.03 | 4.5 |
| I315190 | | 3.39 | 19.0 | 320 | 11.3 | 26.0 | <0.001 | 0.02 | 0.19 | 3.3 | 0.3 | 0.7 | 24.2 | <0.01 | 0.03 | 4.8 |
| I315191 | | 2.56 | 13.2 | 260 | 10.2 | 23.9 | <0.001 | 0.07 | 0.19 | 2.2 | 0.3 | 0.7 | 12.5 | <0.01 | 0.03 | 1.8 |
| I315192 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I315193 | | 4.97 | 26.7 | 450 | 12.6 | 25.8 | <0.001 | 0.05 | 0.18 | 5.0 | 0.7 | 0.7 | 42.3 | 0.01 | 0.03 | 9.9 |
| I315194 | | 2.36 | 21.9 | 910 | 9.6 | 13.5 | 0.001 | 0.14 | 0.18 | 2.6 | 1.0 | 0.5 | 53.5 | 0.01 | 0.03 | 1.6 |
| I315195 | | 2.74 | 14.9 | 210 | 9.0 | 17.6 | <0.001 | 0.08 | 0.16 | 2.4 | 0.3 | 0.7 | 15.3 | <0.01 | 0.03 | 2.6 |
| I315196 | | 4.84 | 32.1 | 320 | 16.7 | 28.8 | <0.001 | 0.08 | 0.19 | 4.3 | 0.4 | 0.9 | 13.6 | <0.01 | 0.03 | 9.1 |
| I315197 | | 5.22 | 20.2 | 310 | 19.1 | 18.0 | <0.001 | 0.06 | 0.22 | 3.3 | 0.3 | 0.9 | 9.9 | <0.01 | 0.04 | 3.9 |
| I315198 | | 2.64 | 15.3 | 240 | 11.6 | 30.6 | <0.001 | 0.04 | 0.21 | 2.1 | 0.3 | 0.7 | 9.4 | <0.01 | 0.02 | 2.9 |
| I315199 | | 3.72 | 18.6 | 280 | 16.3 | 50.9 | <0.001 | 0.03 | 0.22 | 3.2 | 0.3 | 0.9 | 11.7 | <0.01 | 0.03 | 3.8 |
| I315200 | | 3.56 | 17.2 | 300 | 16.0 | 57.6 | <0.001 | 0.03 | 0.23 | 3.2 | 0.3 | 0.8 | 10.9 | <0.01 | 0.04 | 3.1 |
| I315201 | | 0.06 | 0.5 | 10 | 1.0 | 0.3 | <0.001 | 0.01 | <0.05 | 0.1 | <0.2 | <0.2 | 0.6 | <0.01 | <0.01 | 0.2 |
| I315202 | | 1.32 | 21.0 | 680 | 4.8 | 14.1 | <0.001 | 0.06 | 0.72 | 4.4 | 0.7 | 0.6 | 20.7 | <0.01 | 0.15 | 1.1 |
| I315203 | | 1.53 | 26.8 | 630 | 5.2 | 12.9 | <0.001 | 0.08 | 0.33 | 3.7 | 1.0 | 0.6 | 20.8 | <0.01 | 0.28 | 0.6 |
| I315204 | | 1.48 | 27.9 | 630 | 5.7 | 16.4 | <0.001 | 0.07 | 0.55 | 3.7 | 0.9 | 0.7 | 23.0 | <0.01 | 0.39 | 0.8 |
| I315205 | | 1.75 | 31.2 | 660 | 5.9 | 19.7 | <0.001 | 0.06 | 0.62 | 4.5 | 0.9 | 0.7 | 20.3 | <0.01 | 0.23 | 1.4 |
| I315206 | | 1.51 | 33.0 | 660 | 4.8 | 23.8 | <0.001 | 0.05 | 0.43 | 5.2 | 0.8 | 0.6 | 24.3 | <0.01 | 0.13 | 1.9 |
| I315207 | | 1.99 | 29.2 | 560 | 6.1 | 29.5 | 0.001 | 0.05 | 0.22 | 5.7 | 0.9 | 0.9 | 27.6 | <0.01 | 0.10 | 1.9 |
| I315208 | | 1.78 | 31.3 | 600 | 6.4 | 29.1 | 0.001 | 0.05 | 0.28 | 5.4 | 1.0 | 1.0 | 24.2 | <0.01 | 0.07 | 1.9 |
| I315209 | | 2.00 | 36.9 | 690 | 5.7 | 32.7 | 0.001 | 0.04 | 0.26 | 6.1 | 1.2 | 0.9 | 24.9 | <0.01 | 0.08 | 3.4 |
| I315210 | | 1.93 | 24.8 | 700 | 5.8 | 23.3 | 0.001 | 0.03 | 0.22 | 5.3 | 1.3 | 0.9 | 26.3 | <0.01 | 0.09 | 3.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I315171 | | 0.153 | 0.15 | 1.02 | 128 | 4.36 | 7.27 | 76 | 2.5 |
| I315172 | | 0.092 | 0.09 | 0.35 | 63 | 0.45 | 2.21 | 37 | 0.9 |
| I315173 | | 0.094 | 0.11 | 0.64 | 81 | 1.21 | 3.15 | 58 | 0.9 |
| I315174 | | 0.019 | 0.07 | 0.39 | 17 | 0.09 | 3.83 | 11 | <0.5 |
| I315175 | | 0.096 | 0.09 | 0.34 | 66 | 0.53 | 1.46 | 27 | 1.0 |
| I315176 | | 0.100 | 0.12 | 0.54 | 83 | 0.69 | 2.28 | 46 | 1.3 |
| I315177 | | 0.120 | 0.32 | 2.01 | 69 | 1.49 | 12.10 | 69 | 0.9 |
| I315178 | | 0.142 | 0.10 | 0.99 | 56 | 0.16 | 8.33 | 54 | 4.9 |
| I315179 | | 0.109 | 0.08 | 4.32 | 48 | 0.12 | 18.95 | 44 | 3.3 |
| I315180 | | 0.154 | 0.12 | 1.88 | 58 | 0.17 | 22.1 | 59 | 6.1 |
| I315181 | | 0.156 | 0.12 | 0.93 | 54 | 0.16 | 7.24 | 58 | 3.9 |
| I315182 | | 0.207 | 0.21 | 1.17 | 57 | 0.12 | 9.66 | 87 | 4.0 |
| I315183 | | 0.154 | 0.11 | 1.34 | 53 | 0.17 | 14.80 | 59 | 4.3 |
| I315184 | | 0.143 | 0.10 | 0.95 | 59 | 0.19 | 7.71 | 61 | 4.9 |
| I315185 | | 0.187 | 0.18 | 0.89 | 53 | 0.14 | 9.03 | 81 | 1.8 |
| I315186 | | 0.176 | 0.19 | 0.63 | 58 | 0.13 | 5.19 | 63 | 1.4 |
| I315187 | | 0.164 | 0.15 | 0.77 | 54 | 0.11 | 6.47 | 63 | 2.4 |
| I315188 | | 0.173 | 0.17 | 1.01 | 57 | 0.16 | 7.83 | 62 | 2.1 |
| I315189 | | 0.189 | 0.17 | 0.92 | 70 | 0.18 | 6.06 | 58 | 1.5 |
| I315190 | | 0.157 | 0.15 | 1.19 | 52 | 0.12 | 6.93 | 57 | 1.2 |
| I315191 | | 0.140 | 0.15 | 0.51 | 53 | 0.19 | 2.77 | 41 | 0.6 |
| I315192 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I315193 | | 0.198 | 0.20 | 1.87 | 60 | 0.17 | 16.65 | 74 | 2.9 |
| I315194 | | 0.082 | 0.10 | 3.59 | 35 | 0.14 | 22.1 | 44 | 0.8 |
| I315195 | | 0.152 | 0.15 | 0.57 | 58 | 0.12 | 3.21 | 45 | 0.7 |
| I315196 | | 0.242 | 0.24 | 1.10 | 79 | 0.19 | 7.36 | 92 | 2.4 |
| I315197 | | 0.209 | 0.18 | 0.55 | 74 | 0.18 | 3.07 | 69 | 1.6 |
| I315198 | | 0.133 | 0.16 | 0.49 | 53 | 0.11 | 2.66 | 39 | 0.9 |
| I315199 | | 0.201 | 0.24 | 0.52 | 72 | 0.17 | 3.06 | 68 | 1.1 |
| I315200 | | 0.176 | 0.21 | 0.59 | 66 | 0.19 | 2.97 | 70 | 1.0 |
| I315201 | | 0.005 | <0.02 | 0.09 | 2 | <0.05 | 0.59 | 5 | 0.6 |
| I315202 | | 0.106 | 0.18 | 0.58 | 68 | 1.86 | 4.56 | 46 | 0.7 |
| I315203 | | 0.087 | 0.17 | 1.05 | 49 | 2.21 | 5.05 | 47 | 0.7 |
| I315204 | | 0.093 | 0.18 | 0.77 | 59 | 1.27 | 5.46 | 55 | 0.5 |
| I315205 | | 0.108 | 0.21 | 0.85 | 67 | 3.75 | 4.96 | 56 | 0.6 |
| I315206 | | 0.114 | 0.23 | 0.76 | 71 | 2.45 | 6.80 | 64 | 0.7 |
| I315207 | | 0.134 | 0.25 | 1.02 | 86 | 0.70 | 5.31 | 83 | 1.0 |
| I315208 | | 0.127 | 0.26 | 1.04 | 76 | 2.57 | 5.40 | 106 | 1.0 |
| I315209 | | 0.143 | 0.29 | 1.16 | 89 | 1.33 | 6.90 | 119 | 1.8 |
| I315210 | | 0.124 | 0.20 | 0.96 | 77 | 3.30 | 5.43 | 73 | 1.4 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315211 | | 0.62 | 0.006 | 0.16 | 1.94 | 6.3 | <0.2 | <10 | 240 | 0.49 | 0.88 | 0.58 | 0.19 | 25.6 | 11.8 | 42 |
| I315212 | | 0.52 | 0.006 | 0.11 | 2.12 | 5.2 | <0.2 | <10 | 270 | 0.62 | 0.84 | 0.34 | 0.13 | 27.1 | 9.6 | 40 |
| I315213 | | 0.44 | <0.005 | 0.24 | 1.46 | 5.4 | <0.2 | <10 | 120 | 0.85 | 1.03 | 0.31 | 0.14 | 20.3 | 8.3 | 34 |
| I315214 | | 0.46 | 0.005 | 0.19 | 1.95 | 16.0 | <0.2 | <10 | 140 | 0.62 | 1.98 | 0.36 | 0.23 | 19.45 | 7.2 | 41 |
| I315215 | | 0.18 | <0.005 | 0.01 | 0.17 | 5.8 | <0.2 | <10 | 40 | 0.21 | 0.14 | 0.24 | 0.13 | 23.2 | 5.5 | 5 |
| I315216 | | 0.44 | 0.006 | 0.16 | 1.59 | 8.5 | <0.2 | <10 | 110 | 0.40 | 0.70 | 0.31 | 0.19 | 17.40 | 10.1 | 39 |
| I315217 | | 0.42 | <0.005 | 0.17 | 1.76 | 6.1 | <0.2 | <10 | 130 | 0.54 | 0.81 | 0.36 | 0.23 | 27.1 | 8.9 | 51 |
| I315218 | | 0.42 | <0.005 | 0.15 | 1.78 | 10.8 | <0.2 | <10 | 140 | 0.36 | 0.73 | 0.37 | 0.17 | 26.8 | 8.9 | 38 |
| I315219 | | 0.44 | 0.007 | 0.16 | 0.91 | 5.9 | <0.2 | <10 | 110 | 0.25 | 0.54 | 0.39 | 0.19 | 32.0 | 4.2 | 24 |
| I315220 | | 0.52 | <0.005 | 0.12 | 0.72 | 15.1 | <0.2 | <10 | 40 | 0.18 | 1.18 | 0.15 | 0.05 | 12.40 | 4.1 | 19 |
| I315221 | | 0.52 | 0.005 | 0.07 | 1.62 | 9.9 | <0.2 | <10 | 160 | 0.21 | 0.48 | 0.46 | 0.11 | 22.6 | 11.0 | 37 |
| I315222 | | 0.46 | <0.005 | 0.20 | 1.68 | 14.1 | <0.2 | <10 | 150 | 0.27 | 0.59 | 0.32 | 0.13 | 15.30 | 9.8 | 42 |
| I315223 | | 0.48 | <0.005 | 0.05 | 1.26 | 7.1 | <0.2 | <10 | 120 | 0.19 | 0.18 | 0.15 | 0.15 | 13.75 | 4.5 | 17 |
| I315224 | | 0.70 | <0.005 | 0.09 | 2.09 | 8.1 | <0.2 | <10 | 260 | 0.54 | 0.15 | 0.46 | 0.17 | 65.7 | 12.5 | 27 |
| I315225 | | 0.56 | 0.005 | 0.06 | 0.55 | 3.1 | <0.2 | <10 | 70 | 0.13 | 0.11 | 0.11 | 0.05 | 14.70 | 3.0 | 10 |
| I315226 | | 0.62 | <0.005 | 0.06 | 1.76 | 6.6 | <0.2 | <10 | 140 | 0.28 | 0.13 | 0.37 | 0.15 | 23.0 | 7.9 | 31 |
| I315227 | | 0.52 | <0.005 | 0.06 | 3.00 | 10.7 | <0.2 | <10 | 200 | 0.39 | 0.17 | 0.21 | 0.11 | 26.0 | 10.7 | 32 |
| I315228 | | 0.50 | <0.005 | 0.06 | 0.58 | 3.7 | <0.2 | <10 | 110 | 0.14 | 0.09 | 0.12 | 0.10 | 21.6 | 2.0 | 10 |
| I315229 | | 0.40 | <0.005 | 0.16 | 1.99 | 6.0 | <0.2 | <10 | 300 | 0.39 | 0.17 | 0.34 | 0.15 | 50.5 | 6.8 | 20 |
| I315230 | | 0.44 | <0.005 | 0.05 | 1.67 | 7.1 | <0.2 | <10 | 330 | 0.32 | 0.14 | 0.53 | 0.18 | 25.9 | 8.9 | 21 |
| I315231 | | 0.30 | <0.005 | 0.07 | 1.15 | 5.0 | <0.2 | <10 | 200 | 0.33 | 0.12 | 0.22 | 0.12 | 21.1 | 6.7 | 14 |
| I315232 | | 0.44 | <0.005 | 0.13 | 1.74 | 5.3 | <0.2 | <10 | 500 | 0.46 | 0.20 | 0.41 | 0.15 | 69.8 | 9.0 | 19 |
| I315233 | | 0.54 | <0.005 | 0.11 | 1.73 | 9.0 | <0.2 | <10 | 570 | 0.71 | 0.17 | 0.19 | 0.10 | 52.2 | 8.8 | 19 |
| I315234 | | 0.42 | <0.005 | 0.08 | 2.63 | 11.3 | <0.2 | <10 | 180 | 0.53 | 0.16 | 0.16 | 0.17 | 27.3 | 9.0 | 35 |
| I315235 | | 0.58 | <0.005 | 0.12 | 2.75 | 9.6 | <0.2 | <10 | 210 | 0.69 | 0.16 | 0.18 | 0.20 | 43.2 | 9.4 | 34 |
| I315236 | | 0.56 | <0.005 | 0.06 | 2.94 | 11.6 | <0.2 | <10 | 240 | 0.75 | 0.21 | 0.25 | 0.15 | 62.2 | 17.9 | 37 |
| I315237 | | 0.52 | <0.005 | 0.13 | 2.38 | 5.2 | <0.2 | <10 | 170 | 0.39 | 0.54 | 0.46 | 0.15 | 23.6 | 17.8 | 140 |
| I315238 | | 0.46 | <0.005 | 0.18 | 1.51 | 8.0 | <0.2 | <10 | 90 | 0.22 | 0.36 | 0.28 | 0.14 | 14.00 | 7.3 | 62 |
| I315239 | | 0.54 | <0.005 | 0.12 | 1.55 | 13.3 | <0.2 | <10 | 100 | 0.26 | 0.31 | 0.26 | 0.10 | 16.85 | 6.5 | 46 |
| I315240 | | 0.44 | <0.005 | 0.10 | 1.61 | 6.4 | <0.2 | <10 | 110 | 0.28 | 0.29 | 0.28 | 0.12 | 20.9 | 6.8 | 40 |
| I315241 | | 0.46 | 0.005 | 0.10 | 1.55 | 7.5 | <0.2 | <10 | 90 | 0.22 | 0.27 | 0.27 | 0.10 | 17.95 | 6.0 | 36 |
| I315242 | | 0.42 | 0.007 | 0.10 | 1.63 | 8.6 | <0.2 | <10 | 110 | 0.26 | 0.25 | 0.29 | 0.11 | 19.35 | 6.7 | 38 |
| I315243 | | 0.44 | <0.005 | 0.14 | 1.88 | 20.3 | <0.2 | <10 | 140 | 0.30 | 0.30 | 0.28 | 0.23 | 23.2 | 10.9 | 43 |
| I315244 | | 0.60 | <0.005 | 0.10 | 1.73 | 5.1 | <0.2 | <10 | 160 | 0.14 | 0.41 | 0.47 | 0.10 | 12.85 | 8.2 | 46 |
| I315245 | | 0.52 | <0.005 | 0.12 | 2.19 | 4.9 | <0.2 | <10 | 210 | 0.20 | 0.48 | 0.45 | 0.13 | 14.25 | 11.0 | 41 |
| I315246 | | 0.52 | <0.005 | 0.27 | 2.13 | 9.2 | <0.2 | <10 | 190 | 0.29 | 0.91 | 0.38 | 0.24 | 20.7 | 11.4 | 42 |
| I315247 | | 0.48 | <0.005 | 0.13 | 1.81 | 7.4 | <0.2 | <10 | 140 | 0.22 | 0.89 | 0.36 | 0.22 | 18.45 | 10.4 | 35 |
| I315248 | | 0.54 | <0.005 | 0.15 | 1.80 | 5.7 | <0.2 | <10 | 140 | 0.21 | 0.92 | 0.33 | 0.27 | 15.20 | 9.7 | 36 |
| I315249 | | 0.52 | <0.005 | 0.16 | 1.77 | 5.4 | <0.2 | <10 | 140 | 0.23 | 0.77 | 0.30 | 0.29 | 15.30 | 13.5 | 37 |
| I315250 | | 0.50 | <0.005 | 0.20 | 2.06 | 5.8 | <0.2 | <10 | 160 | 0.32 | 0.94 | 0.27 | 0.16 | 22.6 | 19.4 | 40 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I315211 | | 1.60 | 44.2 | 2.70 | 6.87 | 0.10 | 0.03 | 0.05 | 0.028 | 0.14 | 13.0 | 11.2 | 0.62 | 375 | 3.91 |
| I315212 | | 1.68 | 39.8 | 2.56 | 7.31 | 0.08 | 0.03 | 0.05 | 0.029 | 0.07 | 13.9 | 11.8 | 0.58 | 281 | 2.22 |
| I315213 | | 1.79 | 38.5 | 2.05 | 6.33 | 0.06 | 0.03 | 0.08 | 0.030 | 0.07 | 11.6 | 8.2 | 0.42 | 205 | 2.71 |
| I315214 | | 1.96 | 38.1 | 2.32 | 7.76 | 0.07 | 0.04 | 0.15 | 0.035 | 0.09 | 10.8 | 12.2 | 0.58 | 183 | 4.18 |
| I315215 | | 0.17 | 6.9 | 1.39 | 0.97 | 0.05 | 0.03 | 0.01 | <0.005 | 0.03 | 10.6 | 2.4 | 0.10 | 433 | 0.71 |
| I315216 | | 1.81 | 30.2 | 2.20 | 6.45 | 0.06 | 0.02 | 0.11 | 0.024 | 0.07 | 9.9 | 8.8 | 0.47 | 280 | 6.21 |
| I315217 | | 1.90 | 30.5 | 2.15 | 6.50 | 0.08 | 0.03 | 0.06 | 0.024 | 0.08 | 14.9 | 9.5 | 0.51 | 236 | 6.09 |
| I315218 | | 2.38 | 24.9 | 2.30 | 6.97 | 0.07 | 0.03 | 0.07 | 0.024 | 0.12 | 13.8 | 9.9 | 0.53 | 275 | 6.58 |
| I315219 | | 1.64 | 25.1 | 1.21 | 3.43 | 0.07 | <0.02 | 0.10 | 0.015 | 0.06 | 17.4 | 3.9 | 0.21 | 101 | 3.42 |
| I315220 | | 1.66 | 16.4 | 1.36 | 6.08 | <0.05 | <0.02 | 0.03 | 0.011 | 0.04 | 7.6 | 3.6 | 0.19 | 103 | 2.35 |
| I315221 | | 2.09 | 24.5 | 2.51 | 4.23 | 0.07 | 0.02 | 0.06 | 0.021 | 0.24 | 12.2 | 6.9 | 0.60 | 716 | 3.25 |
| I315222 | | 3.87 | 64.3 | 2.48 | 8.50 | 0.06 | 0.02 | 0.05 | 0.023 | 0.11 | 7.5 | 9.0 | 0.62 | 199 | 3.32 |
| I315223 | | 1.43 | 11.1 | 2.46 | 7.03 | <0.05 | 0.03 | 0.05 | 0.021 | 0.06 | 8.1 | 6.5 | 0.21 | 188 | 1.33 |
| I315224 | | 8.20 | 16.3 | 3.74 | 7.58 | 0.12 | 0.10 | 0.09 | 0.038 | 0.25 | 35.7 | 18.5 | 0.68 | 918 | 1.09 |
| I315225 | | 1.72 | 7.1 | 1.26 | 4.11 | <0.05 | 0.02 | 0.02 | 0.010 | 0.06 | 8.5 | 2.4 | 0.15 | 169 | 0.63 |
| I315226 | | 2.03 | 16.5 | 2.63 | 5.82 | 0.06 | 0.04 | 0.06 | 0.026 | 0.08 | 12.6 | 12.2 | 0.59 | 335 | 0.49 |
| I315227 | | 5.29 | 16.1 | 4.85 | 10.80 | 0.10 | 0.19 | 0.05 | 0.042 | 0.50 | 16.5 | 20.8 | 0.76 | 667 | 1.83 |
| I315228 | | 1.68 | 8.8 | 1.28 | 4.23 | 0.05 | 0.02 | 0.05 | 0.012 | 0.06 | 13.9 | 2.4 | 0.12 | 95 | 0.71 |
| I315229 | | 9.65 | 15.5 | 3.03 | 9.81 | 0.10 | 0.08 | 0.09 | 0.033 | 0.22 | 39.4 | 13.0 | 0.49 | 341 | 1.62 |
| I315230 | | 8.89 | 12.6 | 3.28 | 8.11 | 0.10 | 0.10 | 0.05 | 0.032 | 0.38 | 19.3 | 14.3 | 0.60 | 769 | 1.72 |
| I315231 | | 5.23 | 9.1 | 2.30 | 5.78 | <0.05 | 0.02 | 0.03 | 0.020 | 0.10 | 12.8 | 7.8 | 0.23 | 587 | 1.07 |
| I315232 | | 7.80 | 13.6 | 3.04 | 8.30 | 0.14 | 0.09 | 0.06 | 0.036 | 0.14 | 85.9 | 10.3 | 0.42 | 880 | 1.92 |
| I315233 | | 11.30 | 11.6 | 3.64 | 8.09 | 0.12 | 0.12 | 0.06 | 0.040 | 0.16 | 34.1 | 11.8 | 0.43 | 601 | 1.31 |
| I315234 | | 6.45 | 14.8 | 4.07 | 8.40 | 0.08 | 0.13 | 0.05 | 0.040 | 0.11 | 19.8 | 17.9 | 0.54 | 342 | 1.85 |
| I315235 | | 8.45 | 18.6 | 3.71 | 8.17 | 0.08 | 0.20 | 0.07 | 0.039 | 0.11 | 31.0 | 16.9 | 0.54 | 363 | 1.72 |
| I315236 | | 9.41 | 16.9 | 4.59 | 9.79 | 0.10 | 0.23 | 0.09 | 0.051 | 0.14 | 34.0 | 23.4 | 0.66 | 1160 | 1.48 |
| I315237 | | 4.01 | 47.6 | 2.77 | 8.04 | 0.09 | 0.03 | 0.06 | 0.023 | 0.14 | 14.8 | 12.9 | 1.11 | 394 | 29.9 |
| I315238 | | 1.89 | 22.3 | 1.96 | 6.79 | 0.06 | 0.02 | 0.05 | 0.017 | 0.09 | 7.6 | 8.0 | 0.59 | 158 | 11.80 |
| I315239 | | 2.24 | 23.6 | 1.86 | 7.11 | 0.06 | 0.02 | 0.07 | 0.019 | 0.10 | 8.8 | 7.5 | 0.54 | 151 | 10.00 |
| I315240 | | 1.48 | 30.7 | 2.08 | 6.18 | 0.07 | 0.03 | 0.05 | 0.020 | 0.09 | 10.7 | 8.1 | 0.48 | 163 | 7.45 |
| I315241 | | 1.61 | 25.6 | 1.98 | 6.50 | 0.06 | 0.02 | 0.08 | 0.019 | 0.09 | 9.7 | 7.9 | 0.48 | 155 | 5.40 |
| I315242 | | 1.82 | 26.5 | 2.10 | 6.90 | 0.06 | 0.03 | 0.06 | 0.020 | 0.09 | 10.3 | 8.9 | 0.50 | 165 | 5.32 |
| I315243 | | 1.17 | 39.7 | 2.32 | 6.36 | 0.06 | 0.02 | 0.06 | 0.022 | 0.06 | 12.2 | 10.1 | 0.58 | 332 | 11.25 |
| I315244 | | 1.92 | 46.7 | 2.25 | 6.24 | 0.07 | <0.02 | 0.03 | 0.017 | 0.21 | 6.9 | 12.6 | 0.75 | 230 | 0.50 |
| I315245 | | 2.13 | 79.0 | 2.78 | 7.90 | 0.08 | 0.02 | 0.05 | 0.019 | 0.34 | 7.9 | 17.5 | 0.95 | 301 | 0.51 |
| I315246 | | 2.17 | 65.0 | 2.89 | 7.48 | 0.07 | 0.03 | 0.07 | 0.029 | 0.11 | 11.1 | 14.5 | 0.70 | 520 | 0.83 |
| I315247 | | 2.07 | 42.7 | 2.60 | 6.69 | 0.08 | 0.03 | 0.06 | 0.025 | 0.19 | 10.2 | 11.3 | 0.69 | 431 | 0.67 |
| I315248 | | 2.10 | 46.3 | 2.60 | 6.57 | 0.07 | 0.03 | 0.10 | 0.027 | 0.17 | 8.7 | 10.2 | 0.63 | 438 | 0.73 |
| I315249 | | 2.04 | 49.4 | 2.63 | 6.99 | 0.07 | 0.03 | 0.07 | 0.026 | 0.16 | 8.6 | 11.0 | 0.63 | 575 | 0.78 |
| I315250 | | 2.00 | 52.1 | 2.75 | 7.71 | 0.08 | 0.03 | 0.09 | 0.029 | 0.05 | 12.0 | 12.5 | 0.61 | 685 | 0.85 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Nb | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te |
| | | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.05 | 0.2 | 10 | 0.2 | 0.1 | 0.001 | 0.01 | 0.05 | 0.1 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 |
| I315211 | | 1.62 | 25.3 | 870 | 5.5 | 18.9 | 0.002 | 0.04 | 0.25 | 6.0 | 1.8 | 0.8 | 28.9 | <0.01 | 0.10 |
| I315212 | | 1.69 | 24.2 | 620 | 5.8 | 13.5 | 0.001 | 0.03 | 0.23 | 5.8 | 1.2 | 1.0 | 23.1 | <0.01 | 0.11 |
| I315213 | | 1.39 | 18.8 | 580 | 6.2 | 13.5 | 0.002 | 0.05 | 0.29 | 3.6 | 1.6 | 1.3 | 24.3 | 0.01 | 0.09 |
| I315214 | | 1.79 | 25.0 | 590 | 9.0 | 16.1 | 0.002 | 0.05 | 0.41 | 4.6 | 2.2 | 1.1 | 25.0 | <0.01 | 0.10 |
| I315215 | | 0.44 | 11.1 | 380 | 2.7 | 3.0 | <0.001 | <0.01 | 0.31 | 1.3 | 0.3 | 0.3 | 7.0 | <0.01 | 0.01 |
| I315216 | | 1.56 | 23.9 | 590 | 6.6 | 13.6 | 0.001 | 0.05 | 0.28 | 3.8 | 1.8 | 0.8 | 24.8 | <0.01 | 0.07 |
| I315217 | | 1.66 | 27.5 | 680 | 6.1 | 16.3 | 0.001 | 0.05 | 0.21 | 3.8 | 1.6 | 0.7 | 27.8 | <0.01 | 0.07 |
| I315218 | | 1.71 | 20.5 | 640 | 6.8 | 20.8 | <0.001 | 0.05 | 1.01 | 4.2 | 1.1 | 0.7 | 30.1 | <0.01 | 0.05 |
| I315219 | | 0.95 | 12.4 | 790 | 4.1 | 11.7 | 0.001 | 0.10 | 0.36 | 1.9 | 1.0 | 0.5 | 31.7 | 0.01 | 0.06 |
| I315220 | | 1.41 | 8.8 | 190 | 5.2 | 8.7 | <0.001 | 0.01 | 0.39 | 1.9 | 0.3 | 0.8 | 14.3 | <0.01 | 0.09 |
| I315221 | | 1.30 | 16.1 | 870 | 4.1 | 19.4 | <0.001 | 0.03 | 0.48 | 3.6 | 0.5 | 0.4 | 21.5 | <0.01 | 0.05 |
| I315222 | | 1.85 | 26.3 | 360 | 5.6 | 15.7 | <0.001 | 0.03 | 1.09 | 4.2 | 0.6 | 0.7 | 31.4 | <0.01 | 0.05 |
| I315223 | | 2.65 | 9.6 | 240 | 12.5 | 9.4 | <0.001 | 0.01 | 0.49 | 2.9 | 0.4 | 0.8 | 16.5 | <0.01 | 0.03 |
| I315224 | | 5.47 | 17.1 | 970 | 9.5 | 42.0 | <0.001 | 0.02 | 0.78 | 6.4 | 0.8 | 0.9 | 27.8 | 0.01 | 0.03 |
| I315225 | | 2.19 | 4.3 | 160 | 5.5 | 13.9 | <0.001 | <0.01 | 0.24 | 1.6 | 0.3 | 0.5 | 10.5 | <0.01 | 0.02 |
| I315226 | | 2.05 | 16.3 | 640 | 8.2 | 13.4 | <0.001 | 0.02 | 0.43 | 3.9 | 0.5 | 0.5 | 22.8 | <0.01 | 0.02 |
| I315227 | | 7.20 | 15.8 | 710 | 12.0 | 58.1 | <0.001 | 0.02 | 0.56 | 6.2 | 0.5 | 1.3 | 17.0 | <0.01 | 0.03 |
| I315228 | | 2.02 | 4.4 | 400 | 5.3 | 12.4 | <0.001 | 0.01 | 0.20 | 1.8 | 0.4 | 0.5 | 13.8 | <0.01 | 0.02 |
| I315229 | | 5.66 | 12.2 | 310 | 10.3 | 46.7 | <0.001 | 0.02 | 0.33 | 5.1 | 0.6 | 1.2 | 25.6 | <0.01 | 0.03 |
| I315230 | | 6.74 | 12.6 | 450 | 9.0 | 48.2 | <0.001 | 0.02 | 0.34 | 4.6 | 0.5 | 1.1 | 35.0 | <0.01 | 0.02 |
| I315231 | | 2.26 | 9.3 | 300 | 8.1 | 19.6 | <0.001 | 0.01 | 0.44 | 2.5 | 0.3 | 0.6 | 19.4 | <0.01 | 0.02 |
| I315232 | | 3.87 | 10.5 | 330 | 10.7 | 31.0 | 0.001 | 0.01 | 0.61 | 5.0 | 0.9 | 1.0 | 32.5 | 0.01 | 0.03 |
| I315233 | | 3.97 | 11.3 | 390 | 13.5 | 38.0 | <0.001 | <0.01 | 0.97 | 5.9 | 0.7 | 1.1 | 17.0 | 0.01 | 0.02 |
| I315234 | | 3.53 | 20.4 | 420 | 10.8 | 24.3 | <0.001 | 0.01 | 0.52 | 4.8 | 0.5 | 0.8 | 14.5 | <0.01 | 0.03 |
| I315235 | | 3.44 | 20.6 | 450 | 11.2 | 26.7 | <0.001 | 0.01 | 0.46 | 5.6 | 0.6 | 0.8 | 15.6 | 0.01 | 0.03 |
| I315236 | | 4.61 | 22.9 | 580 | 14.2 | 34.0 | <0.001 | 0.01 | 0.53 | 6.8 | 0.7 | 1.1 | 18.7 | <0.01 | 0.03 |
| I315237 | | 2.00 | 78.9 | 630 | 5.6 | 28.9 | 0.001 | 0.05 | 0.20 | 4.6 | 1.2 | 0.8 | 34.0 | <0.01 | 0.06 |
| I315238 | | 1.57 | 35.0 | 500 | 6.4 | 18.9 | <0.001 | 0.04 | 0.54 | 3.2 | 0.8 | 0.6 | 22.2 | <0.01 | 0.06 |
| I315239 | | 1.60 | 25.1 | 450 | 6.2 | 17.9 | <0.001 | 0.03 | 0.69 | 3.7 | 0.7 | 0.7 | 21.6 | <0.01 | 0.03 |
| I315240 | | 1.54 | 24.3 | 610 | 5.4 | 16.9 | <0.001 | 0.04 | 0.32 | 3.2 | 0.8 | 0.5 | 22.3 | <0.01 | 0.04 |
| I315241 | | 1.59 | 19.4 | 530 | 5.4 | 19.4 | <0.001 | 0.04 | 0.41 | 3.2 | 0.8 | 0.6 | 20.8 | <0.01 | 0.03 |
| I315242 | | 1.72 | 21.1 | 550 | 5.7 | 20.4 | <0.001 | 0.05 | 0.58 | 3.5 | 0.8 | 0.6 | 23.9 | <0.01 | 0.04 |
| I315243 | | 1.54 | 20.7 | 510 | 6.0 | 8.2 | <0.001 | 0.05 | 0.85 | 3.9 | 0.8 | 0.6 | 22.5 | <0.01 | 0.03 |
| I315244 | | 0.99 | 20.4 | 920 | 4.0 | 20.0 | <0.001 | 0.01 | 0.23 | 4.0 | 0.3 | 0.4 | 28.4 | <0.01 | 0.02 |
| I315245 | | 1.13 | 19.1 | 690 | 4.1 | 27.2 | <0.001 | 0.03 | 0.22 | 4.8 | 0.5 | 0.5 | 32.1 | <0.01 | 0.03 |
| I315246 | | 1.43 | 20.5 | 730 | 7.0 | 18.6 | <0.001 | 0.04 | 0.33 | 5.7 | 0.6 | 0.7 | 32.5 | <0.01 | 0.04 |
| I315247 | | 1.51 | 16.9 | 760 | 7.1 | 22.9 | <0.001 | 0.02 | 0.30 | 5.6 | 0.5 | 0.7 | 22.5 | <0.01 | 0.03 |
| I315248 | | 1.56 | 16.5 | 690 | 7.0 | 22.6 | <0.001 | 0.03 | 0.23 | 5.1 | 0.5 | 0.8 | 23.1 | <0.01 | 0.03 |
| I315249 | | 1.38 | 17.1 | 760 | 7.3 | 25.6 | <0.001 | 0.04 | 0.24 | 5.6 | 0.5 | 0.8 | 24.1 | <0.01 | 0.03 |
| I315250 | | 1.51 | 19.0 | 640 | 10.1 | 15.6 | <0.001 | 0.04 | 0.28 | 6.4 | 0.5 | 0.8 | 25.5 | <0.01 | 0.03 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 |
| | | | | | | | | 0.5 |
| I315211 | | 0.118 | 0.16 | 1.59 | 91 | 1.75 | 10.40 | 64 |
| I315212 | | 0.112 | 0.16 | 1.39 | 78 | 0.44 | 10.75 | 53 |
| I315213 | | 0.088 | 0.13 | 1.55 | 68 | 1.14 | 6.94 | 48 |
| I315214 | | 0.109 | 0.20 | 1.50 | 77 | 1.15 | 6.30 | 65 |
| I315215 | | 0.012 | 0.08 | 0.50 | 10 | 0.07 | 4.69 | 14 |
| I315216 | | 0.095 | 0.17 | 1.60 | 68 | 1.19 | 5.31 | 54 |
| I315217 | | 0.094 | 0.15 | 1.88 | 53 | 0.69 | 8.09 | 53 |
| I315218 | | 0.102 | 0.18 | 1.33 | 56 | 0.64 | 7.16 | 54 |
| I315219 | | 0.047 | 0.12 | 1.54 | 22 | 0.69 | 7.22 | 26 |
| I315220 | | 0.091 | 0.13 | 0.97 | 47 | 1.14 | 2.61 | 24 |
| I315221 | | 0.108 | 0.22 | 1.38 | 58 | 6.01 | 5.04 | 56 |
| I315222 | | 0.120 | 0.30 | 0.53 | 64 | 4.79 | 3.17 | 47 |
| I315223 | | 0.100 | 0.16 | 0.63 | 62 | 0.19 | 2.32 | 34 |
| I315224 | | 0.194 | 0.52 | 3.26 | 74 | 0.66 | 12.90 | 79 |
| I315225 | | 0.096 | 0.13 | 0.63 | 36 | 0.30 | 2.30 | 20 |
| I315226 | | 0.123 | 0.18 | 0.89 | 71 | 0.20 | 5.38 | 58 |
| I315227 | | 0.275 | 0.57 | 1.12 | 96 | 0.26 | 4.71 | 79 |
| I315228 | | 0.086 | 0.13 | 1.10 | 31 | 0.11 | 4.87 | 18 |
| I315229 | | 0.181 | 0.51 | 2.85 | 62 | 0.17 | 7.71 | 52 |
| I315230 | | 0.200 | 0.55 | 1.84 | 71 | 0.16 | 7.17 | 56 |
| I315231 | | 0.087 | 0.38 | 0.75 | 48 | 0.13 | 2.75 | 34 |
| I315232 | | 0.115 | 0.36 | 3.43 | 60 | 0.15 | 17.85 | 45 |
| I315233 | | 0.120 | 0.99 | 1.81 | 62 | 0.19 | 15.55 | 66 |
| I315234 | | 0.139 | 0.26 | 0.94 | 82 | 0.17 | 4.60 | 57 |
| I315235 | | 0.133 | 0.31 | 1.51 | 75 | 0.17 | 7.21 | 60 |
| I315236 | | 0.175 | 0.51 | 1.63 | 88 | 0.23 | 10.25 | 79 |
| I315237 | | 0.120 | 0.26 | 1.48 | 68 | 1.39 | 7.38 | 70 |
| I315238 | | 0.108 | 0.16 | 0.75 | 48 | 0.73 | 3.66 | 48 |
| I315239 | | 0.104 | 0.18 | 0.97 | 43 | 1.95 | 4.03 | 44 |
| I315240 | | 0.098 | 0.15 | 1.26 | 46 | 1.04 | 5.16 | 44 |
| I315241 | | 0.103 | 0.17 | 1.17 | 43 | 2.52 | 4.21 | 45 |
| I315242 | | 0.100 | 0.18 | 1.18 | 43 | 0.77 | 4.51 | 48 |
| I315243 | | 0.099 | 0.22 | 1.88 | 60 | 2.31 | 6.59 | 55 |
| I315244 | | 0.124 | 0.18 | 1.20 | 56 | 3.75 | 3.92 | 49 |
| I315245 | | 0.162 | 0.22 | 1.79 | 72 | 3.49 | 4.61 | 61 |
| I315246 | | 0.121 | 0.19 | 3.32 | 74 | 3.25 | 7.17 | 65 |
| I315247 | | 0.131 | 0.20 | 1.83 | 71 | 1.89 | 6.40 | 65 |
| I315248 | | 0.118 | 0.21 | 1.89 | 71 | 2.76 | 6.27 | 64 |
| I315249 | | 0.111 | 0.21 | 1.88 | 75 | 2.39 | 6.79 | 67 |
| I315250 | | 0.107 | 0.17 | 3.17 | 74 | 1.73 | 9.33 | 67 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122486

| Method | CERTIFICATE COMMENTS |
|------------------------|---|
| ALL METHODS ME-MS41 | NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

CERTIFICATE WH10122680

Project: SQI10-06
P.O. No.: SQI10-06_23
This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315651 | | 0.54 | 0.006 | 0.54 | 1.81 | 10.3 | <0.2 | <10 | 240 | 0.57 | 0.12 | 0.60 | 1.27 | 36.9 | 11.6 | 45 |
| I315652 | | 0.44 | <0.005 | 0.24 | 2.05 | 8.5 | <0.2 | <10 | 300 | 0.54 | 0.09 | 0.56 | 0.76 | 31.9 | 17.6 | 45 |
| I315653 | | 0.36 | <0.005 | 0.42 | 1.65 | 4.6 | <0.2 | <10 | 240 | 0.48 | 0.12 | 0.57 | 0.51 | 30.5 | 15.7 | 38 |
| I315654 | | 0.44 | <0.005 | 0.25 | 2.21 | 7.1 | <0.2 | <10 | 420 | 0.51 | 0.10 | 0.87 | 0.35 | 35.5 | 18.2 | 61 |
| I315655 | | 0.50 | <0.005 | 0.31 | 1.84 | 9.6 | <0.2 | <10 | 210 | 0.47 | 0.12 | 0.29 | 0.45 | 22.6 | 10.3 | 30 |
| I315656 | | 0.50 | <0.005 | 0.07 | 1.61 | 8.1 | <0.2 | <10 | 160 | 0.43 | 0.08 | 0.20 | 0.13 | 26.0 | 9.4 | 31 |
| I315657 | | 0.44 | <0.005 | 0.20 | 1.92 | 8.7 | <0.2 | <10 | 270 | 0.44 | 0.13 | 0.34 | 0.21 | 24.5 | 9.2 | 30 |
| I315658 | | 0.54 | <0.005 | 0.15 | 1.67 | 9.4 | <0.2 | <10 | 150 | 0.42 | 0.12 | 0.30 | 0.22 | 21.7 | 10.0 | 33 |
| I315659 | | 0.40 | <0.005 | 0.26 | 1.20 | 8.2 | <0.2 | <10 | 170 | 0.21 | 0.13 | 0.26 | 0.15 | 19.10 | 6.3 | 24 |
| I315660 | | 0.38 | <0.005 | 0.31 | 2.00 | 7.4 | <0.2 | <10 | 520 | 0.44 | 0.12 | 0.85 | 0.61 | 25.4 | 9.9 | 30 |
| I315661 | | 0.46 | <0.005 | 0.12 | 1.67 | 8.9 | <0.2 | <10 | 210 | 0.39 | 0.10 | 0.39 | 0.19 | 24.2 | 10.5 | 31 |
| I315662 | | 0.34 | <0.005 | 0.10 | 1.32 | 7.2 | <0.2 | <10 | 280 | 0.37 | 0.05 | 2.59 | 0.34 | 22.1 | 10.0 | 30 |
| I315663 | | 0.36 | <0.005 | 0.11 | 1.46 | 9.4 | <0.2 | <10 | 320 | 0.41 | 0.06 | 1.91 | 0.27 | 24.8 | 12.2 | 42 |
| I315664 | | 0.38 | <0.005 | 0.10 | 1.84 | 10.1 | <0.2 | <10 | 200 | 0.58 | 0.10 | 0.92 | 0.28 | 46.5 | 14.6 | 40 |
| I315665 | | 0.20 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I315666 | | 0.36 | <0.005 | 0.12 | 1.92 | 9.5 | <0.2 | <10 | 190 | 0.42 | 0.09 | 0.75 | 0.19 | 34.7 | 14.0 | 40 |
| I315667 | | 0.38 | <0.005 | 0.15 | 2.29 | 10.7 | <0.2 | <10 | 170 | 0.41 | 0.13 | 0.64 | 0.24 | 25.7 | 18.4 | 56 |
| I315668 | | 0.50 | <0.005 | 0.13 | 2.03 | 16.0 | <0.2 | <10 | 160 | 0.39 | 0.15 | 0.20 | 0.61 | 21.2 | 13.7 | 38 |
| I315669 | | 0.92 | <0.005 | 0.08 | 3.81 | 3.3 | <0.2 | <10 | 420 | 1.72 | 0.30 | 0.21 | 0.18 | 59.2 | 27.5 | 75 |
| I315670 | | 0.38 | <0.005 | 0.08 | 2.45 | 3.1 | <0.2 | <10 | 360 | 0.53 | 0.11 | 0.21 | 0.29 | 30.9 | 23.6 | 132 |
| I315671 | | 0.58 | <0.005 | 0.39 | 2.20 | 3.8 | <0.2 | <10 | 230 | 0.58 | 0.16 | 0.33 | 0.91 | 39.4 | 26.3 | 61 |
| I315672 | | 0.56 | <0.005 | 0.08 | 1.67 | 3.7 | <0.2 | <10 | 190 | 0.28 | 0.05 | 0.29 | 0.08 | 12.40 | 12.0 | 23 |
| I315673 | | 0.58 | <0.005 | 0.09 | 1.57 | 3.8 | <0.2 | <10 | 180 | 0.30 | 0.04 | 0.28 | 0.08 | 11.85 | 11.0 | 19 |
| I315674 | | 0.58 | <0.005 | 0.04 | 2.31 | 3.9 | <0.2 | <10 | 130 | 0.94 | 0.48 | 0.14 | 0.07 | 59.0 | 9.8 | 25 |
| I315675 | | 0.42 | <0.005 | 0.03 | 1.42 | 3.6 | <0.2 | <10 | 90 | 0.35 | 0.43 | 0.15 | 0.04 | 26.0 | 6.9 | 16 |
| I315676 | | 0.40 | <0.005 | 0.08 | 2.18 | 8.9 | <0.2 | <10 | 180 | 0.50 | 0.14 | 0.33 | 0.17 | 18.75 | 32.7 | 139 |
| I315677 | | 0.48 | <0.005 | 0.03 | 7.09 | 1.6 | <0.2 | <10 | 280 | 0.80 | <0.01 | 0.84 | 0.03 | 14.45 | 71.5 | 593 |
| I315678 | | 0.48 | <0.005 | 0.66 | 2.95 | 8.8 | <0.2 | <10 | 210 | 0.57 | 0.08 | 0.23 | 0.27 | 18.15 | 18.4 | 83 |
| I315679 | | 0.48 | <0.005 | 0.07 | 2.25 | 3.8 | <0.2 | <10 | 140 | 0.39 | <0.01 | 0.26 | 0.07 | 14.20 | 23.4 | 69 |
| I315680 | | 0.62 | <0.005 | 0.82 | 1.74 | 10.5 | <0.2 | <10 | 130 | 0.60 | 0.42 | 0.08 | 0.14 | 63.5 | 6.0 | 29 |
| I315681 | | 0.44 | <0.005 | 0.10 | 2.69 | 9.1 | <0.2 | <10 | 110 | 0.53 | 0.15 | 0.15 | 0.08 | 33.8 | 14.0 | 40 |
| I315682 | | 0.46 | <0.005 | 0.05 | 3.01 | 2.5 | <0.2 | <10 | 130 | 0.81 | 0.06 | 0.28 | 0.06 | 31.1 | 11.5 | 42 |
| I315683 | | 0.56 | <0.005 | 0.09 | 2.14 | 9.4 | <0.2 | <10 | 120 | 0.46 | 0.21 | 0.18 | 0.12 | 76.4 | 15.1 | 38 |
| I315684 | | 0.40 | <0.005 | 0.09 | 2.16 | 11.0 | <0.2 | <10 | 110 | 0.45 | 0.16 | 0.13 | 0.11 | 29.4 | 10.4 | 36 |
| I315685 | | 0.54 | <0.005 | 0.24 | 1.35 | 26.3 | <0.2 | <10 | 120 | 0.36 | 0.31 | 0.07 | 0.11 | 43.0 | 4.6 | 26 |
| I315686 | | 0.50 | <0.005 | 0.59 | 2.60 | 11.5 | <0.2 | <10 | 180 | 0.56 | 0.16 | 0.14 | 0.16 | 26.8 | 13.5 | 39 |
| I315687 | | 0.62 | <0.005 | 0.24 | 2.42 | 18.9 | <0.2 | <10 | 210 | 0.54 | 0.27 | 0.22 | 0.70 | 26.6 | 13.0 | 41 |
| I315688 | | 0.42 | <0.005 | 0.59 | 1.73 | 10.1 | <0.2 | <10 | 150 | 0.49 | 0.22 | 0.29 | 1.39 | 34.5 | 8.3 | 36 |
| I315689 | | 0.52 | <0.005 | 0.49 | 2.10 | 13.3 | <0.2 | <10 | 170 | 0.58 | 0.19 | 0.48 | 0.83 | 36.4 | 9.7 | 50 |
| I315690 | | 0.32 | <0.005 | 0.50 | 1.54 | 4.1 | <0.2 | <10 | 200 | 0.46 | 0.14 | 0.85 | 0.40 | 104.0 | 9.3 | 27 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I315651 | | 1.70 | 57.2 | 2.83 | 7.01 | 0.09 | 0.04 | 0.04 | 0.028 | 0.10 | 20.4 | 19.2 | 0.71 | 284 | 3.86 | 0.02 |
| I315652 | | 2.31 | 39.8 | 3.28 | 7.75 | 0.09 | 0.04 | 0.04 | 0.024 | 0.15 | 16.8 | 20.5 | 0.94 | 411 | 3.00 | 0.02 |
| I315653 | | 1.44 | 39.1 | 2.62 | 7.06 | 0.07 | 0.03 | 0.04 | 0.021 | 0.07 | 16.8 | 14.0 | 0.62 | 324 | 2.82 | 0.02 |
| I315654 | | 2.14 | 36.5 | 3.23 | 8.18 | 0.10 | 0.05 | 0.05 | 0.023 | 0.16 | 20.0 | 21.5 | 0.98 | 707 | 2.38 | 0.02 |
| I315655 | | 0.82 | 30.7 | 2.77 | 6.53 | 0.06 | 0.03 | 0.04 | 0.022 | 0.09 | 11.9 | 12.1 | 0.49 | 264 | 1.55 | 0.02 |
| I315656 | | 0.57 | 27.2 | 2.60 | 5.65 | 0.06 | 0.05 | 0.02 | 0.020 | 0.06 | 13.4 | 14.3 | 0.55 | 212 | 1.12 | 0.01 |
| I315657 | | 0.84 | 31.9 | 2.56 | 7.08 | 0.06 | 0.02 | 0.03 | 0.022 | 0.09 | 13.3 | 14.2 | 0.49 | 269 | 1.37 | 0.02 |
| I315658 | | 0.62 | 28.9 | 2.76 | 5.90 | 0.06 | 0.03 | 0.03 | 0.020 | 0.07 | 10.8 | 13.8 | 0.57 | 238 | 1.35 | 0.02 |
| I315659 | | 0.63 | 21.5 | 2.25 | 5.52 | 0.05 | 0.03 | 0.02 | 0.015 | 0.07 | 10.1 | 9.2 | 0.39 | 156 | 1.33 | 0.02 |
| I315660 | | 0.67 | 34.9 | 2.69 | 7.01 | 0.07 | 0.10 | 0.03 | 0.025 | 0.12 | 12.9 | 13.0 | 0.52 | 897 | 1.02 | 0.02 |
| I315661 | | 0.54 | 25.5 | 2.77 | 5.75 | 0.07 | 0.06 | 0.03 | 0.023 | 0.08 | 12.6 | 12.9 | 0.55 | 304 | 1.30 | 0.02 |
| I315662 | | 1.40 | 19.7 | 1.98 | 4.59 | 0.08 | 0.06 | 0.05 | 0.019 | 0.06 | 10.5 | 14.2 | 0.95 | 741 | 1.00 | 0.02 |
| I315663 | | 1.39 | 22.5 | 2.38 | 5.46 | 0.08 | 0.05 | 0.04 | 0.024 | 0.06 | 12.9 | 15.9 | 0.88 | 502 | 1.63 | 0.03 |
| I315664 | | 1.37 | 23.6 | 2.83 | 7.19 | 0.08 | 0.05 | 0.04 | 0.027 | 0.05 | 23.5 | 20.8 | 0.74 | 558 | 1.49 | 0.02 |
| I315665 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I315666 | | 1.48 | 25.0 | 2.76 | 7.31 | 0.08 | 0.04 | 0.04 | 0.025 | 0.09 | 18.9 | 20.6 | 0.74 | 547 | 1.53 | 0.02 |
| I315667 | | 1.73 | 27.7 | 3.29 | 8.54 | 0.07 | 0.06 | 0.03 | 0.026 | 0.10 | 13.7 | 21.2 | 0.97 | 610 | 1.66 | 0.02 |
| I315668 | | 0.87 | 24.0 | 3.64 | 9.02 | 0.07 | 0.04 | 0.03 | 0.029 | 0.11 | 11.4 | 20.9 | 0.60 | 516 | 3.36 | 0.01 |
| I315669 | | 19.60 | 46.3 | 5.88 | 11.55 | 0.28 | 0.06 | 0.01 | 0.047 | 0.94 | 27.3 | 32.0 | 3.45 | 1600 | 1.75 | 0.01 |
| I315670 | | 5.28 | 48.6 | 3.94 | 9.05 | 0.12 | <0.02 | 0.03 | 0.030 | 0.49 | 15.1 | 22.0 | 1.93 | 502 | 3.19 | 0.02 |
| I315671 | | 4.70 | 103.5 | 4.17 | 6.84 | 0.12 | 0.03 | 0.02 | 0.029 | 0.23 | 23.4 | 20.0 | 1.59 | 522 | 4.01 | 0.01 |
| I315672 | | 2.34 | 107.0 | 2.96 | 7.06 | 0.06 | <0.02 | 0.02 | 0.023 | 0.14 | 6.4 | 17.2 | 0.81 | 225 | 1.54 | 0.02 |
| I315673 | | 2.16 | 94.2 | 2.94 | 7.35 | 0.06 | <0.02 | 0.03 | 0.024 | 0.13 | 6.1 | 15.7 | 0.69 | 197 | 1.42 | 0.02 |
| I315674 | | 8.59 | 13.2 | 2.36 | 6.08 | 0.09 | <0.02 | 0.02 | 0.016 | 0.33 | 31.5 | 18.1 | 1.31 | 216 | 0.55 | 0.01 |
| I315675 | | 3.94 | 9.8 | 2.30 | 6.89 | 0.06 | <0.02 | 0.02 | 0.012 | 0.11 | 14.1 | 19.9 | 0.91 | 214 | 0.95 | 0.01 |
| I315676 | | 1.19 | 18.5 | 3.82 | 7.50 | 0.06 | 0.02 | 0.02 | 0.029 | 0.03 | 8.3 | 12.2 | 0.86 | 879 | 0.99 | 0.01 |
| I315677 | | 15.50 | 23.4 | 5.31 | 12.05 | 0.25 | <0.02 | 0.01 | 0.031 | 0.80 | 10.1 | 58.4 | 9.37 | 583 | 1.06 | 0.01 |
| I315678 | | 2.35 | 56.3 | 3.75 | 8.09 | 0.06 | 0.02 | 0.09 | 0.037 | 0.11 | 8.8 | 24.2 | 0.80 | 323 | 1.42 | 0.02 |
| I315679 | | 1.62 | 84.1 | 3.03 | 5.65 | 0.08 | 0.03 | 0.03 | 0.014 | 0.30 | 7.4 | 17.4 | 1.14 | 453 | 0.55 | 0.01 |
| I315680 | | 3.66 | 74.0 | 5.17 | 7.50 | 0.13 | <0.02 | 0.04 | 0.042 | 0.16 | 33.2 | 14.1 | 0.29 | 315 | 5.04 | 0.01 |
| I315681 | | 2.08 | 27.3 | 3.49 | 7.27 | 0.07 | 0.03 | 0.06 | 0.029 | 0.17 | 16.1 | 21.0 | 0.72 | 237 | 1.11 | 0.01 |
| I315682 | | 4.65 | 38.1 | 3.33 | 7.83 | 0.13 | <0.02 | 0.01 | 0.014 | 0.73 | 15.0 | 25.9 | 2.21 | 424 | 1.29 | 0.01 |
| I315683 | | 3.11 | 41.9 | 4.10 | 8.73 | 0.06 | 0.03 | 0.03 | 0.028 | 0.35 | 29.4 | 23.8 | 0.66 | 328 | 1.41 | 0.01 |
| I315684 | | 1.63 | 20.3 | 3.94 | 7.26 | 0.05 | 0.03 | 0.04 | 0.029 | 0.11 | 12.6 | 20.8 | 0.52 | 306 | 1.21 | 0.01 |
| I315685 | | 1.68 | 43.4 | 3.68 | 7.48 | 0.06 | <0.02 | 0.02 | 0.032 | 0.10 | 21.1 | 13.5 | 0.25 | 276 | 3.54 | 0.01 |
| I315686 | | 1.73 | 30.1 | 3.17 | 6.34 | 0.05 | 0.10 | 0.03 | 0.033 | 0.07 | 11.4 | 16.1 | 0.60 | 314 | 1.39 | 0.01 |
| I315687 | | 1.27 | 31.4 | 3.52 | 9.41 | 0.07 | 0.02 | 0.02 | 0.032 | 0.08 | 15.6 | 21.7 | 0.57 | 339 | 5.26 | 0.02 |
| I315688 | | 0.60 | 38.3 | 2.79 | 7.32 | 0.08 | 0.04 | 0.03 | 0.025 | 0.12 | 20.4 | 15.4 | 0.47 | 215 | 4.05 | 0.01 |
| I315689 | | 1.61 | 38.8 | 3.31 | 7.63 | 0.10 | 0.04 | 0.02 | 0.028 | 0.10 | 21.4 | 20.1 | 0.96 | 280 | 6.60 | 0.02 |
| I315690 | | 1.25 | 25.8 | 2.57 | 6.09 | 0.16 | 0.04 | 0.06 | 0.017 | 0.16 | 70.6 | 15.5 | 0.53 | 320 | 1.34 | 0.02 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I315651 | | 1.51 | 51.5 | 810 | 9.1 | 16.1 | <0.001 | 0.05 | 0.22 | 4.0 | 2.2 | 0.5 | 41.5 | <0.01 | 0.06 | 2.6 |
| I315652 | | 2.39 | 46.1 | 960 | 10.2 | 28.4 | <0.001 | 0.02 | 0.20 | 4.4 | 1.3 | 0.4 | 31.8 | <0.01 | 0.05 | 4.0 |
| I315653 | | 2.10 | 35.3 | 500 | 9.6 | 15.2 | <0.001 | 0.05 | 0.20 | 3.3 | 1.2 | 0.5 | 33.9 | <0.01 | 0.05 | 2.4 |
| I315654 | | 2.75 | 50.7 | 770 | 10.4 | 32.5 | <0.001 | 0.03 | 0.20 | 5.0 | 1.2 | 0.5 | 40.4 | <0.01 | 0.04 | 3.2 |
| I315655 | | 1.47 | 29.6 | 460 | 9.8 | 10.0 | <0.001 | 0.01 | 0.34 | 3.7 | 0.7 | 0.5 | 29.4 | <0.01 | 0.04 | 2.4 |
| I315656 | | 1.20 | 23.9 | 300 | 9.1 | 7.9 | <0.001 | <0.01 | 0.35 | 3.8 | 0.5 | 0.4 | 23.5 | <0.01 | 0.03 | 3.5 |
| I315657 | | 1.37 | 29.7 | 410 | 10.2 | 10.5 | <0.001 | <0.01 | 0.31 | 3.7 | 0.7 | 0.4 | 41.0 | <0.01 | 0.04 | 1.9 |
| I315658 | | 1.36 | 27.3 | 460 | 10.3 | 8.2 | <0.001 | <0.01 | 0.40 | 3.7 | 0.7 | 0.4 | 26.4 | <0.01 | 0.04 | 3.1 |
| I315659 | | 1.45 | 18.9 | 180 | 7.8 | 9.3 | <0.001 | <0.01 | 0.34 | 3.1 | 0.5 | 0.4 | 25.0 | <0.01 | 0.03 | 2.6 |
| I315660 | | 1.57 | 33.1 | 670 | 10.2 | 15.8 | <0.001 | <0.01 | 0.35 | 5.2 | 0.6 | 0.5 | 58.3 | <0.01 | 0.04 | 3.2 |
| I315661 | | 1.61 | 25.3 | 520 | 9.5 | 8.8 | <0.001 | 0.01 | 0.36 | 4.2 | 0.7 | 0.5 | 31.7 | <0.01 | 0.03 | 3.6 |
| I315662 | | 1.60 | 24.4 | 610 | 8.7 | 16.6 | 0.001 | 0.10 | 0.18 | 2.9 | 1.3 | 0.4 | 57.8 | 0.01 | 0.02 | 1.0 |
| I315663 | | 1.98 | 30.3 | 600 | 8.4 | 15.9 | 0.001 | 0.09 | 0.21 | 3.7 | 1.3 | 0.4 | 50.8 | 0.01 | 0.03 | 1.1 |
| I315664 | | 2.10 | 31.1 | 570 | 11.1 | 11.5 | <0.001 | 0.02 | 0.26 | 4.4 | 1.2 | 0.5 | 39.6 | 0.01 | 0.04 | 4.0 |
| I315665 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I315666 | | 2.26 | 31.0 | 570 | 10.2 | 18.0 | <0.001 | 0.03 | 0.26 | 4.2 | 0.9 | 0.5 | 39.2 | <0.01 | 0.04 | 2.8 |
| I315667 | | 2.61 | 52.0 | 390 | 11.3 | 19.5 | <0.001 | 0.01 | 0.22 | 4.5 | 0.6 | 0.6 | 32.9 | <0.01 | 0.04 | 3.7 |
| I315668 | | 1.98 | 27.4 | 500 | 11.1 | 13.7 | <0.001 | <0.01 | 0.37 | 4.0 | 0.6 | 0.7 | 20.6 | <0.01 | 0.06 | 2.8 |
| I315669 | | 1.47 | 75.7 | 460 | 79.4 | 93.9 | <0.001 | 0.03 | 0.13 | 9.4 | 1.2 | 0.9 | 18.8 | <0.01 | 0.04 | 14.6 |
| I315670 | | 1.07 | 106.0 | 630 | 9.5 | 38.2 | <0.001 | 0.06 | 0.14 | 7.0 | 1.3 | 0.7 | 25.4 | <0.01 | 0.05 | 3.6 |
| I315671 | | 0.85 | 86.1 | 720 | 13.4 | 31.5 | 0.001 | 0.02 | 0.12 | 5.8 | 1.5 | 0.5 | 19.7 | <0.01 | 0.05 | 7.5 |
| I315672 | | 0.87 | 16.5 | 600 | 5.3 | 21.0 | 0.001 | 0.02 | 0.16 | 3.9 | 0.6 | 0.4 | 15.2 | <0.01 | 0.03 | 0.6 |
| I315673 | | 0.86 | 14.2 | 580 | 5.1 | 22.0 | <0.001 | 0.02 | 0.18 | 3.4 | 0.5 | 0.4 | 15.0 | <0.01 | 0.03 | 0.4 |
| I315674 | | 2.61 | 29.1 | 270 | 33.2 | 38.4 | <0.001 | <0.01 | 0.19 | 2.1 | 0.5 | 0.7 | 10.7 | <0.01 | 0.01 | 11.0 |
| I315675 | | 2.98 | 21.0 | 320 | 16.1 | 23.5 | <0.001 | <0.01 | 0.20 | 1.6 | 0.4 | 0.6 | 14.2 | <0.01 | 0.01 | 7.7 |
| I315676 | | 1.38 | 273 | 490 | 9.8 | 5.5 | <0.001 | 0.02 | 0.35 | 4.1 | 0.6 | 0.6 | 21.3 | <0.01 | 0.03 | 1.2 |
| I315677 | | 0.18 | 732 | 190 | 1.8 | 59.0 | <0.001 | <0.01 | <0.05 | 26.3 | 0.3 | 0.4 | 35.5 | <0.01 | 0.02 | 0.3 |
| I315678 | | 1.80 | 76.4 | 540 | 7.7 | 15.5 | <0.001 | 0.04 | 0.43 | 5.4 | 0.9 | 0.6 | 24.0 | <0.01 | 0.04 | 1.6 |
| I315679 | | 1.00 | 44.4 | 490 | 4.1 | 25.7 | <0.001 | <0.01 | 0.18 | 3.1 | 0.5 | 0.3 | 14.1 | <0.01 | 0.02 | 1.3 |
| I315680 | | 1.19 | 25.5 | 810 | 18.0 | 23.0 | <0.001 | 0.13 | 0.68 | 3.3 | 2.3 | 0.6 | 34.2 | <0.01 | 0.15 | 7.3 |
| I315681 | | 2.89 | 34.6 | 310 | 9.3 | 27.9 | <0.001 | 0.02 | 0.42 | 3.8 | 0.6 | 0.6 | 13.7 | <0.01 | 0.04 | 6.9 |
| I315682 | | 1.94 | 31.6 | 320 | 4.9 | 56.6 | <0.001 | <0.01 | 0.14 | 2.9 | 0.7 | 0.6 | 17.9 | <0.01 | 0.06 | 4.4 |
| I315683 | | 3.36 | 38.4 | 480 | 11.6 | 45.6 | <0.001 | 0.11 | 0.45 | 3.5 | 0.5 | 0.7 | 17.4 | <0.01 | 0.06 | 5.1 |
| I315684 | | 2.13 | 22.4 | 360 | 10.0 | 15.5 | <0.001 | 0.02 | 0.43 | 3.2 | 0.4 | 0.5 | 12.0 | 0.01 | 0.03 | 3.7 |
| I315685 | | 1.28 | 12.5 | 510 | 14.4 | 11.6 | <0.001 | 0.14 | 0.91 | 2.5 | 1.0 | 0.6 | 23.3 | <0.01 | 0.08 | 3.6 |
| I315686 | | 1.63 | 30.4 | 220 | 9.8 | 12.0 | <0.001 | 0.02 | 0.58 | 4.6 | 0.5 | 0.6 | 16.5 | 0.01 | 0.04 | 4.9 |
| I315687 | | 1.67 | 29.5 | 580 | 11.0 | 14.5 | <0.001 | 0.03 | 0.32 | 4.0 | 0.6 | 0.7 | 24.8 | <0.01 | 0.06 | 2.4 |
| I315688 | | 1.79 | 41.8 | 570 | 10.6 | 13.9 | <0.001 | 0.03 | 0.30 | 3.7 | 0.8 | 0.5 | 27.1 | <0.01 | 0.04 | 2.9 |
| I315689 | | 2.07 | 55.1 | 1130 | 11.0 | 14.7 | 0.001 | 0.09 | 0.24 | 4.4 | 2.3 | 0.5 | 43.0 | <0.01 | 0.06 | 4.2 |
| I315690 | | 2.99 | 20.6 | 770 | 16.5 | 26.5 | 0.001 | 0.07 | 0.19 | 3.6 | 1.6 | 0.4 | 45.7 | 0.01 | 0.02 | 3.6 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I315651 | | 0.097 | 0.13 | 2.50 | 81 | 0.16 | 13.45 | 195 | 1.3 |
| I315652 | | 0.150 | 0.17 | 1.52 | 74 | 0.18 | 10.60 | 137 | 1.8 |
| I315653 | | 0.112 | 0.14 | 1.65 | 62 | 0.16 | 6.89 | 95 | 1.1 |
| I315654 | | 0.159 | 0.19 | 1.51 | 75 | 0.15 | 12.00 | 114 | 1.9 |
| I315655 | | 0.083 | 0.07 | 0.96 | 64 | 0.14 | 5.22 | 80 | 1.3 |
| I315656 | | 0.097 | 0.06 | 0.74 | 58 | 0.12 | 5.26 | 80 | 2.3 |
| I315657 | | 0.079 | 0.09 | 0.89 | 59 | 0.14 | 6.98 | 92 | 1.0 |
| I315658 | | 0.093 | 0.06 | 0.68 | 64 | 0.22 | 4.58 | 80 | 1.4 |
| I315659 | | 0.094 | 0.07 | 0.58 | 56 | 0.20 | 3.74 | 61 | 1.5 |
| I315660 | | 0.097 | 0.07 | 0.71 | 57 | 0.14 | 8.21 | 119 | 3.8 |
| I315661 | | 0.095 | 0.06 | 0.86 | 61 | 0.42 | 5.50 | 74 | 2.8 |
| I315662 | | 0.065 | 0.11 | 0.73 | 40 | 0.08 | 7.89 | 61 | 2.3 |
| I315663 | | 0.084 | 0.10 | 1.12 | 57 | 0.15 | 9.05 | 64 | 2.1 |
| I315664 | | 0.089 | 0.10 | 1.35 | 63 | 0.34 | 12.30 | 76 | 1.7 |
| I315665 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| I315666 | | 0.101 | 0.12 | 1.10 | 58 | 0.17 | 8.75 | 69 | 1.6 |
| I315667 | | 0.137 | 0.14 | 0.88 | 76 | 0.18 | 5.26 | 77 | 2.5 |
| I315668 | | 0.122 | 0.09 | 0.67 | 97 | 0.30 | 3.87 | 76 | 1.9 |
| I315669 | | 0.177 | 1.11 | 2.94 | 85 | 0.07 | 11.30 | 99 | 2.9 |
| I315670 | | 0.161 | 0.34 | 1.19 | 107 | 0.11 | 7.73 | 78 | 0.9 |
| I315671 | | 0.115 | 0.28 | 1.87 | 66 | 0.17 | 10.10 | 153 | 1.0 |
| I315672 | | 0.116 | 0.14 | 0.55 | 115 | 0.13 | 3.68 | 41 | 0.6 |
| I315673 | | 0.111 | 0.13 | 0.50 | 117 | 0.14 | 3.40 | 39 | 0.6 |
| I315674 | | 0.072 | 0.39 | 1.11 | 26 | 0.12 | 4.61 | 53 | 0.7 |
| I315675 | | 0.099 | 0.15 | 1.47 | 31 | 0.12 | 3.23 | 36 | <0.5 |
| I315676 | | 0.071 | 0.09 | 0.40 | 73 | 0.19 | 6.46 | 51 | 0.9 |
| I315677 | | 0.214 | 0.68 | 0.09 | 133 | <0.05 | 1.27 | 55 | 0.5 |
| I315678 | | 0.114 | 0.14 | 0.66 | 89 | 0.19 | 5.39 | 72 | 1.0 |
| I315679 | | 0.162 | 0.19 | 0.32 | 83 | 0.10 | 2.92 | 48 | 1.1 |
| I315680 | | 0.038 | 0.27 | 1.80 | 70 | 0.21 | 8.68 | 105 | 0.5 |
| I315681 | | 0.119 | 0.25 | 1.12 | 61 | 0.18 | 4.55 | 61 | 1.3 |
| I315682 | | 0.169 | 0.47 | 1.12 | 46 | 0.13 | 4.11 | 62 | 0.7 |
| I315683 | | 0.141 | 0.32 | 1.66 | 61 | 0.14 | 7.31 | 85 | 1.1 |
| I315684 | | 0.113 | 0.13 | 0.78 | 70 | 0.18 | 4.17 | 50 | 1.4 |
| I315685 | | 0.054 | 0.13 | 1.26 | 75 | 0.21 | 4.46 | 45 | <0.5 |
| I315686 | | 0.103 | 0.15 | 0.77 | 66 | 0.15 | 4.07 | 58 | 5.5 |
| I315687 | | 0.089 | 0.14 | 1.21 | 99 | 0.19 | 6.93 | 99 | 0.9 |
| I315688 | | 0.085 | 0.09 | 1.75 | 85 | 0.18 | 12.40 | 128 | 1.5 |
| I315689 | | 0.110 | 0.13 | 2.06 | 112 | 0.15 | 11.20 | 211 | 1.2 |
| I315690 | | 0.099 | 0.13 | 3.64 | 35 | 0.11 | 25.3 | 73 | 0.9 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315691 | | 0.38 | <0.005 | 0.17 | 1.50 | 4.4 | <0.2 | <10 | 270 | 0.40 | 0.14 | 1.05 | 0.39 | 46.6 | 10.9 | 31 |
| I315692 | | 0.34 | <0.005 | 0.15 | 0.96 | 3.9 | <0.2 | <10 | 220 | 0.32 | 0.08 | 3.43 | 0.21 | 25.8 | 7.1 | 23 |
| I315693 | | 0.44 | <0.005 | 0.09 | 2.48 | 6.5 | <0.2 | <10 | 210 | 0.38 | 0.15 | 0.29 | 0.09 | 30.8 | 12.4 | 41 |
| I315694 | | 0.38 | <0.005 | 0.09 | 2.42 | 6.5 | <0.2 | <10 | 210 | 0.38 | 0.16 | 0.28 | 0.09 | 28.9 | 11.7 | 39 |
| I315695 | | 0.50 | <0.005 | 0.08 | 1.82 | 7.9 | <0.2 | <10 | 160 | 0.21 | 0.18 | 0.17 | 0.09 | 23.0 | 7.7 | 29 |
| I315696 | | 0.54 | <0.005 | 0.07 | 2.46 | 9.2 | <0.2 | <10 | 170 | 0.48 | 0.17 | 0.14 | 0.13 | 35.9 | 14.7 | 37 |
| I315697 | | 0.44 | <0.005 | 0.08 | 1.85 | 5.8 | <0.2 | <10 | 140 | 0.30 | 0.16 | 0.18 | 0.12 | 21.5 | 9.0 | 33 |
| I315698 | | 0.38 | <0.005 | 0.26 | 1.67 | 6.2 | <0.2 | <10 | 440 | 0.25 | 0.15 | 1.06 | 0.16 | 23.7 | 9.7 | 31 |
| I315699 | | 0.48 | <0.005 | 0.13 | 1.71 | 4.8 | <0.2 | <10 | 200 | 0.40 | 0.13 | 0.54 | 0.10 | 48.1 | 11.2 | 38 |
| I315700 | | 0.50 | <0.005 | 0.17 | 2.18 | 3.2 | <0.2 | <10 | 210 | 0.44 | 0.16 | 0.41 | 0.06 | 54.4 | 9.8 | 44 |
| I315701 | | 0.30 | <0.005 | 0.05 | 2.04 | 8.6 | <0.2 | <10 | 70 | 0.44 | 0.35 | 0.13 | 0.11 | 39.1 | 9.1 | 27 |
| I315702 | | 0.30 | <0.005 | 0.10 | 1.86 | 11.4 | <0.2 | <10 | 90 | 0.31 | 0.29 | 0.16 | 0.08 | 20.1 | 6.7 | 30 |
| I315703 | | 0.34 | <0.005 | 0.13 | 1.62 | 6.9 | <0.2 | <10 | 110 | 0.25 | 0.26 | 0.15 | 0.10 | 22.9 | 6.5 | 30 |
| I315704 | | 0.26 | <0.005 | 0.31 | 1.97 | 4.4 | <0.2 | <10 | 160 | 0.58 | 0.25 | 0.42 | 0.10 | 53.9 | 10.9 | 28 |
| I315705 | | 0.32 | <0.005 | 0.08 | 2.31 | 8.3 | <0.2 | <10 | 100 | 0.56 | 0.21 | 0.15 | 0.10 | 21.8 | 10.3 | 35 |
| I315706 | | 0.24 | <0.005 | 0.14 | 1.14 | 4.1 | <0.2 | <10 | 100 | 0.25 | 0.15 | 0.12 | 0.14 | 26.6 | 5.5 | 18 |
| I315707 | | 0.34 | <0.005 | 0.10 | 1.62 | 7.6 | <0.2 | <10 | 120 | 0.37 | 0.14 | 0.34 | 0.05 | 24.8 | 8.1 | 27 |
| I315708 | | 0.34 | <0.005 | 0.26 | 2.09 | 9.7 | <0.2 | <10 | 140 | 0.33 | 0.21 | 0.17 | 0.08 | 18.90 | 7.4 | 33 |
| I315709 | | 0.34 | <0.005 | 0.22 | 2.24 | 5.9 | <0.2 | <10 | 250 | 0.62 | 0.21 | 0.48 | 0.07 | 34.9 | 13.4 | 52 |
| I315710 | | 0.40 | <0.005 | 0.44 | 1.68 | 6.0 | <0.2 | <10 | 110 | 0.24 | 0.17 | 0.18 | 0.09 | 16.25 | 8.0 | 34 |
| I315711 | | 0.38 | <0.005 | 0.22 | 2.05 | 8.9 | <0.2 | <10 | 160 | 0.28 | 0.19 | 0.14 | 0.09 | 15.45 | 9.4 | 40 |
| I315712 | | 0.30 | <0.005 | 0.11 | 1.84 | 5.4 | <0.2 | <10 | 220 | 0.27 | 0.14 | 0.20 | 0.15 | 10.80 | 14.0 | 37 |
| I315713 | | 0.26 | <0.005 | 0.32 | 2.21 | 6.6 | <0.2 | <10 | 240 | 0.40 | 0.20 | 0.19 | 0.18 | 18.60 | 15.3 | 52 |
| I315714 | | 0.26 | <0.005 | 0.13 | 2.43 | 10.1 | <0.2 | <10 | 210 | 0.34 | 0.20 | 0.14 | 0.16 | 17.90 | 12.4 | 60 |
| I315715 | | 0.26 | <0.005 | 0.10 | 2.40 | 10.5 | <0.2 | <10 | 190 | 0.32 | 0.22 | 0.11 | 0.14 | 27.1 | 10.0 | 36 |
| I315716 | | 0.26 | <0.005 | 0.14 | 2.89 | 11.6 | <0.2 | <10 | 250 | 0.46 | 0.25 | 0.13 | 0.15 | 29.5 | 12.8 | 41 |
| I315717 | | 0.26 | <0.005 | 0.14 | 2.54 | 9.2 | <0.2 | <10 | 170 | 0.38 | 0.25 | 0.11 | 0.24 | 35.0 | 9.4 | 41 |
| I315718 | | 0.30 | <0.005 | 0.06 | 2.82 | 11.1 | <0.2 | <10 | 200 | 0.37 | 0.18 | 0.14 | 0.10 | 19.90 | 12.4 | 36 |
| I315719 | | 0.32 | <0.005 | 0.06 | 2.25 | 8.8 | <0.2 | <10 | 120 | 0.45 | 0.20 | 0.13 | 0.07 | 37.1 | 11.3 | 33 |
| I315720 | | 0.26 | <0.005 | 0.12 | 2.59 | 8.4 | <0.2 | <10 | 150 | 0.36 | 0.19 | 0.15 | 0.11 | 22.0 | 9.8 | 41 |
| I315721 | | 0.26 | <0.005 | 0.07 | 1.76 | 8.0 | <0.2 | <10 | 120 | 0.25 | 0.20 | 0.12 | 0.09 | 19.90 | 6.5 | 25 |
| I315722 | | 0.30 | <0.005 | 0.05 | 1.66 | 9.1 | <0.2 | <10 | 120 | 0.26 | 0.23 | 0.12 | 0.09 | 18.25 | 6.1 | 26 |
| I315723 | | 0.38 | <0.005 | 0.12 | 2.09 | 7.8 | <0.2 | <10 | 180 | 0.30 | 0.18 | 0.22 | 0.07 | 22.7 | 7.9 | 31 |
| I315724 | | 0.32 | <0.005 | 0.08 | 2.51 | 12.4 | <0.2 | <10 | 180 | 0.42 | 0.22 | 0.14 | 0.11 | 19.65 | 10.9 | 41 |
| I315725 | | 0.30 | <0.005 | 0.08 | 2.28 | 10.1 | <0.2 | <10 | 160 | 0.40 | 0.26 | 0.12 | 0.23 | 23.5 | 10.0 | 37 |
| I315726 | | 0.22 | <0.005 | 0.08 | 1.83 | 6.9 | <0.2 | <10 | 160 | 0.25 | 0.23 | 0.14 | 0.18 | 19.20 | 7.3 | 29 |
| I315727 | | 0.38 | <0.005 | 0.15 | 2.04 | 7.9 | <0.2 | <10 | 140 | 0.36 | 0.22 | 0.14 | 0.11 | 25.0 | 8.4 | 31 |
| I315728 | | 0.36 | <0.005 | 0.11 | 2.77 | 9.5 | <0.2 | <10 | 220 | 0.45 | 0.20 | 0.15 | 0.16 | 22.4 | 12.0 | 36 |
| I315729 | | 0.36 | <0.005 | 0.04 | 3.19 | 7.7 | <0.2 | <10 | 250 | 0.75 | 0.22 | 0.16 | 0.11 | 43.6 | 20.1 | 53 |
| I315730 | | 0.32 | <0.005 | 0.05 | 2.84 | 9.8 | <0.2 | <10 | 210 | 0.59 | 0.21 | 0.14 | 0.13 | 29.8 | 16.4 | 43 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I315691 | | 0.99 | 24.1 | 2.52 | 6.07 | 0.10 | 0.04 | 0.05 | 0.017 | 0.18 | 32.3 | 15.8 | 0.53 | 777 | 0.83 |
| I315692 | | 0.60 | 33.7 | 1.64 | 3.23 | 0.08 | 0.05 | 0.05 | 0.012 | 0.08 | 18.6 | 10.8 | 0.35 | 387 | 0.58 |
| I315693 | | 1.55 | 19.6 | 3.92 | 8.88 | 0.08 | 0.04 | 0.01 | 0.018 | 0.45 | 11.4 | 24.0 | 0.92 | 398 | 1.01 |
| I315694 | | 1.45 | 18.3 | 3.81 | 8.87 | 0.08 | 0.05 | 0.01 | 0.020 | 0.39 | 11.4 | 23.7 | 0.86 | 343 | 1.01 |
| I315695 | | 0.71 | 14.7 | 3.25 | 8.27 | 0.06 | 0.08 | 0.01 | 0.020 | 0.15 | 12.0 | 16.9 | 0.46 | 287 | 1.31 |
| I315696 | | 1.27 | 20.7 | 4.24 | 8.87 | 0.08 | 0.02 | 0.01 | 0.045 | 0.30 | 14.6 | 26.5 | 0.78 | 594 | 0.90 |
| I315697 | | 0.56 | 11.4 | 3.15 | 6.83 | 0.05 | 0.08 | 0.01 | 0.021 | 0.15 | 9.1 | 14.4 | 0.49 | 226 | 1.04 |
| I315698 | | 0.70 | 23.1 | 2.79 | 6.93 | 0.06 | 0.05 | 0.01 | 0.022 | 0.23 | 12.7 | 12.2 | 0.51 | 1560 | 0.91 |
| I315699 | | 1.08 | 20.0 | 3.08 | 7.05 | 0.09 | 0.04 | 0.02 | 0.018 | 0.22 | 28.7 | 19.8 | 0.73 | 352 | 0.70 |
| I315700 | | 1.44 | 18.4 | 3.44 | 8.83 | 0.11 | 0.05 | 0.02 | 0.021 | 0.27 | 31.8 | 23.1 | 0.91 | 294 | 0.69 |
| I315701 | | 2.63 | 13.1 | 2.96 | 6.62 | 0.06 | 0.05 | 0.02 | 0.020 | 0.10 | 19.2 | 18.9 | 0.68 | 186 | 1.25 |
| I315702 | | 1.41 | 10.6 | 4.02 | 8.83 | 0.06 | 0.03 | 0.03 | 0.027 | 0.06 | 10.4 | 16.5 | 0.43 | 185 | 1.57 |
| I315703 | | 1.71 | 11.5 | 2.80 | 9.92 | 0.05 | 0.05 | 0.01 | 0.018 | 0.06 | 11.2 | 10.6 | 0.60 | 232 | 1.28 |
| I315704 | | 5.12 | 21.9 | 2.87 | 6.78 | 0.08 | 0.05 | 0.02 | 0.020 | 0.11 | 27.0 | 20.3 | 0.77 | 325 | 0.61 |
| I315705 | | 2.43 | 17.1 | 3.09 | 6.85 | 0.05 | 0.03 | 0.02 | 0.025 | 0.08 | 10.8 | 16.6 | 0.67 | 308 | 1.06 |
| I315706 | | 2.71 | 8.1 | 2.06 | 6.74 | 0.05 | 0.02 | 0.02 | 0.013 | 0.07 | 16.0 | 9.8 | 0.42 | 288 | 0.90 |
| I315707 | | 1.55 | 14.8 | 3.02 | 6.49 | 0.06 | 0.05 | 0.01 | 0.019 | 0.05 | 13.6 | 15.2 | 0.53 | 222 | 0.89 |
| I315708 | | 1.43 | 13.2 | 3.45 | 8.98 | 0.05 | 0.03 | 0.01 | 0.024 | 0.04 | 10.0 | 14.5 | 0.46 | 221 | 1.35 |
| I315709 | | 5.36 | 28.9 | 3.28 | 7.08 | 0.07 | 0.06 | 0.02 | 0.022 | 0.09 | 17.7 | 18.9 | 0.94 | 512 | 0.94 |
| I315710 | | 1.63 | 29.2 | 2.79 | 7.51 | 0.05 | 0.03 | 0.01 | 0.018 | 0.04 | 8.4 | 11.9 | 0.56 | 241 | 1.05 |
| I315711 | | 1.20 | 27.8 | 3.45 | 7.78 | 0.05 | 0.08 | 0.02 | 0.027 | 0.05 | 7.9 | 16.8 | 0.49 | 230 | 1.31 |
| I315712 | | 1.43 | 32.7 | 3.05 | 7.03 | 0.05 | 0.02 | 0.01 | 0.017 | 0.10 | 5.6 | 13.9 | 0.78 | 494 | 0.74 |
| I315713 | | 1.28 | 13.8 | 3.60 | 9.13 | 0.05 | 0.03 | 0.02 | 0.028 | 0.06 | 9.4 | 19.5 | 0.57 | 732 | 1.38 |
| I315714 | | 1.10 | 13.4 | 3.57 | 8.40 | 0.05 | 0.05 | 0.02 | 0.027 | 0.06 | 8.9 | 18.3 | 0.58 | 359 | 1.46 |
| I315715 | | 1.32 | 13.2 | 4.34 | 9.28 | 0.07 | 0.03 | 0.02 | 0.031 | 0.09 | 12.5 | 18.8 | 0.52 | 316 | 1.42 |
| I315716 | | 1.40 | 16.2 | 4.59 | 9.70 | 0.06 | 0.04 | 0.02 | 0.034 | 0.12 | 13.4 | 20.0 | 0.59 | 403 | 1.58 |
| I315717 | | 1.00 | 14.3 | 4.39 | 11.20 | 0.07 | 0.04 | 0.02 | 0.027 | 0.11 | 17.8 | 24.4 | 0.65 | 394 | 1.58 |
| I315718 | | 1.04 | 18.4 | 3.60 | 7.69 | 0.05 | 0.14 | 0.03 | 0.033 | 0.06 | 10.2 | 18.6 | 0.49 | 202 | 0.99 |
| I315719 | | 1.59 | 15.9 | 4.14 | 9.00 | 0.07 | 0.03 | 0.01 | 0.028 | 0.20 | 17.9 | 25.0 | 0.65 | 326 | 1.13 |
| I315720 | | 1.22 | 18.9 | 4.30 | 10.10 | 0.06 | 0.08 | 0.01 | 0.022 | 0.12 | 10.6 | 26.4 | 0.82 | 272 | 1.11 |
| I315721 | | 0.81 | 11.2 | 3.10 | 9.02 | 0.05 | 0.03 | 0.01 | 0.020 | 0.04 | 10.0 | 14.8 | 0.37 | 224 | 1.24 |
| I315722 | | 0.82 | 10.1 | 3.27 | 8.66 | 0.05 | 0.03 | 0.01 | 0.023 | 0.05 | 9.3 | 11.7 | 0.28 | 230 | 1.59 |
| I315723 | | 0.83 | 13.9 | 3.15 | 8.19 | 0.05 | 0.04 | 0.02 | 0.025 | 0.08 | 11.0 | 15.6 | 0.47 | 236 | 1.24 |
| I315724 | | 1.15 | 15.7 | 4.34 | 9.87 | 0.06 | 0.06 | 0.03 | 0.032 | 0.09 | 9.8 | 23.0 | 0.54 | 325 | 1.78 |
| I315725 | | 1.28 | 17.4 | 4.39 | 11.10 | 0.07 | 0.05 | 0.01 | 0.028 | 0.13 | 11.3 | 22.7 | 0.53 | 269 | 1.42 |
| I315726 | | 0.99 | 10.8 | 3.31 | 9.17 | 0.05 | 0.04 | 0.01 | 0.022 | 0.12 | 9.4 | 14.4 | 0.40 | 300 | 1.28 |
| I315727 | | 1.26 | 13.3 | 3.38 | 9.67 | 0.05 | 0.02 | 0.02 | 0.025 | 0.08 | 11.6 | 22.6 | 0.58 | 293 | 1.25 |
| I315728 | | 0.98 | 15.2 | 3.60 | 8.99 | 0.06 | 0.04 | 0.01 | 0.029 | 0.07 | 11.0 | 20.2 | 0.53 | 293 | 1.07 |
| I315729 | | 3.06 | 20.2 | 4.28 | 11.30 | 0.09 | 0.07 | 0.01 | 0.031 | 0.57 | 21.8 | 23.7 | 0.97 | 276 | 0.81 |
| I315730 | | 2.00 | 16.3 | 4.16 | 9.93 | 0.07 | 0.07 | 0.02 | 0.032 | 0.29 | 14.7 | 23.7 | 0.71 | 275 | 1.13 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I315691 | | 2.64 | 19.8 | 590 | 10.9 | 29.6 | 0.001 | 0.05 | 0.31 | 3.3 | 0.9 | 0.4 | 48.9 | 0.01 | 0.02 | 2.7 |
| I315692 | | 1.46 | 19.1 | 680 | 5.4 | 10.0 | <0.001 | 0.13 | 0.34 | 2.1 | 1.3 | 0.2 | 110.0 | 0.01 | 0.02 | 1.0 |
| I315693 | | 4.13 | 25.2 | 480 | 9.0 | 45.9 | 0.001 | 0.01 | 0.24 | 4.0 | 0.3 | 0.6 | 25.4 | <0.01 | 0.02 | 6.0 |
| I315694 | | 3.88 | 23.9 | 430 | 9.2 | 41.1 | <0.001 | 0.01 | 0.26 | 3.9 | 0.3 | 0.6 | 23.8 | <0.01 | 0.01 | 6.1 |
| I315695 | | 2.80 | 18.2 | 210 | 8.4 | 21.2 | <0.001 | 0.01 | 0.36 | 3.2 | 0.2 | 0.6 | 15.2 | <0.01 | 0.02 | 4.0 |
| I315696 | | 3.32 | 27.8 | 380 | 9.3 | 31.7 | <0.001 | 0.01 | 0.32 | 3.3 | 0.3 | 0.6 | 13.5 | <0.01 | 0.02 | 7.8 |
| I315697 | | 2.33 | 20.1 | 230 | 7.9 | 13.3 | <0.001 | 0.01 | 0.36 | 3.1 | <0.2 | 0.6 | 16.6 | <0.01 | 0.01 | 3.7 |
| I315698 | | 2.34 | 25.1 | 680 | 7.2 | 20.8 | <0.001 | 0.02 | 0.38 | 4.3 | 0.4 | 0.6 | 72.1 | <0.01 | 0.02 | 3.4 |
| I315699 | | 3.09 | 23.2 | 720 | 6.0 | 25.4 | <0.001 | 0.02 | 0.19 | 4.0 | 0.6 | 0.5 | 31.7 | <0.01 | 0.01 | 7.2 |
| I315700 | | 3.69 | 22.8 | 460 | 5.7 | 30.7 | <0.001 | 0.02 | 0.19 | 4.7 | 0.4 | 0.7 | 29.0 | <0.01 | 0.01 | 10.4 |
| I315701 | | 3.31 | 27.9 | 440 | 24.2 | 26.3 | <0.001 | 0.02 | 0.32 | 2.6 | 0.4 | 0.6 | 11.8 | <0.01 | 0.03 | 10.8 |
| I315702 | | 2.72 | 15.5 | 360 | 23.0 | 19.4 | <0.001 | 0.02 | 0.38 | 2.8 | 0.3 | 0.7 | 14.0 | <0.01 | 0.03 | 3.7 |
| I315703 | | 3.17 | 18.4 | 230 | 15.9 | 26.6 | <0.001 | 0.01 | 0.28 | 3.0 | 0.2 | 1.0 | 13.5 | <0.01 | 0.02 | 5.1 |
| I315704 | | 3.15 | 31.5 | 520 | 34.2 | 38.1 | <0.001 | 0.02 | 0.20 | 3.3 | 0.3 | 0.6 | 23.0 | <0.01 | 0.02 | 9.9 |
| I315705 | | 2.54 | 25.8 | 380 | 17.1 | 36.4 | <0.001 | 0.02 | 0.39 | 2.9 | 0.3 | 0.6 | 16.2 | <0.01 | 0.02 | 3.8 |
| I315706 | | 2.02 | 16.7 | 430 | 24.9 | 30.7 | <0.001 | 0.02 | 0.19 | 1.7 | <0.2 | 0.6 | 10.6 | <0.01 | 0.02 | 2.4 |
| I315707 | | 2.19 | 22.2 | 540 | 24.2 | 12.1 | <0.001 | 0.01 | 0.30 | 3.2 | 0.2 | 0.5 | 21.2 | <0.01 | 0.02 | 5.5 |
| I315708 | | 2.05 | 16.6 | 240 | 13.3 | 9.2 | <0.001 | 0.01 | 0.38 | 3.7 | 0.2 | 0.7 | 18.0 | <0.01 | 0.02 | 2.4 |
| I315709 | | 1.97 | 36.1 | 590 | 16.5 | 19.9 | <0.001 | 0.02 | 0.26 | 4.7 | 0.3 | 0.6 | 66.6 | <0.01 | 0.02 | 7.4 |
| I315710 | | 1.77 | 16.9 | 210 | 10.9 | 12.9 | <0.001 | 0.01 | 0.29 | 3.4 | 0.2 | 0.6 | 17.2 | <0.01 | 0.01 | 2.0 |
| I315711 | | 1.69 | 18.0 | 320 | 8.7 | 17.1 | <0.001 | 0.01 | 0.38 | 3.5 | 0.2 | 0.6 | 12.7 | <0.01 | 0.02 | 2.4 |
| I315712 | | 1.18 | 21.8 | 890 | 6.5 | 24.9 | <0.001 | 0.01 | 0.25 | 2.9 | <0.2 | 0.5 | 18.4 | <0.01 | 0.02 | 1.1 |
| I315713 | | 1.92 | 21.1 | 370 | 10.4 | 20.3 | <0.001 | 0.01 | 0.35 | 3.6 | <0.2 | 0.7 | 17.7 | <0.01 | 0.02 | 2.1 |
| I315714 | | 2.07 | 27.9 | 340 | 10.1 | 14.9 | <0.001 | 0.01 | 0.48 | 3.4 | 0.2 | 0.7 | 14.7 | <0.01 | 0.02 | 2.7 |
| I315715 | | 2.30 | 20.7 | 470 | 10.5 | 19.4 | <0.001 | 0.01 | 0.47 | 3.0 | 0.3 | 0.7 | 11.9 | <0.01 | 0.03 | 2.5 |
| I315716 | | 2.38 | 25.4 | 480 | 11.4 | 22.3 | <0.001 | 0.01 | 0.50 | 3.7 | 0.2 | 0.8 | 14.4 | <0.01 | 0.03 | 3.8 |
| I315717 | | 2.46 | 20.6 | 570 | 11.4 | 21.3 | <0.001 | 0.01 | 0.42 | 4.1 | 0.2 | 0.9 | 14.3 | <0.01 | 0.03 | 5.5 |
| I315718 | | 2.35 | 25.1 | 280 | 10.1 | 12.0 | <0.001 | 0.02 | 0.45 | 3.9 | 0.3 | 0.6 | 14.7 | 0.01 | 0.03 | 4.2 |
| I315719 | | 3.32 | 21.8 | 260 | 7.9 | 29.6 | <0.001 | 0.01 | 0.34 | 3.3 | 0.2 | 0.7 | 14.8 | <0.01 | 0.02 | 6.8 |
| I315720 | | 2.74 | 18.4 | 310 | 8.5 | 24.1 | <0.001 | 0.01 | 0.36 | 3.8 | 0.2 | 0.8 | 19.0 | <0.01 | 0.02 | 3.9 |
| I315721 | | 2.09 | 12.3 | 290 | 9.4 | 10.7 | <0.001 | 0.01 | 0.34 | 2.9 | 0.2 | 0.8 | 12.8 | <0.01 | 0.02 | 2.1 |
| I315722 | | 2.18 | 12.5 | 380 | 10.0 | 10.8 | <0.001 | 0.01 | 0.46 | 2.5 | 0.2 | 0.7 | 13.1 | <0.01 | 0.03 | 2.0 |
| I315723 | | 2.47 | 17.7 | 190 | 9.7 | 17.0 | <0.001 | <0.01 | 0.38 | 3.3 | 0.2 | 0.7 | 19.8 | <0.01 | 0.02 | 3.9 |
| I315724 | | 2.41 | 22.9 | 450 | 11.8 | 17.2 | <0.001 | <0.01 | 0.58 | 3.7 | 0.2 | 0.7 | 14.4 | <0.01 | 0.04 | 3.8 |
| I315725 | | 3.19 | 21.2 | 460 | 13.7 | 29.7 | <0.001 | <0.01 | 0.49 | 3.8 | 0.2 | 0.9 | 12.1 | <0.01 | 0.04 | 4.4 |
| I315726 | | 2.52 | 16.7 | 360 | 13.0 | 19.7 | <0.001 | <0.01 | 0.44 | 2.8 | <0.2 | 0.8 | 13.1 | <0.01 | 0.03 | 2.9 |
| I315727 | | 2.02 | 18.8 | 300 | 10.0 | 16.6 | <0.001 | <0.01 | 0.37 | 3.3 | <0.2 | 0.8 | 13.2 | <0.01 | 0.03 | 4.1 |
| I315728 | | 2.50 | 24.3 | 260 | 10.7 | 12.9 | <0.001 | <0.01 | 0.48 | 3.5 | 0.2 | 0.8 | 17.1 | <0.01 | 0.02 | 3.9 |
| I315729 | | 3.16 | 40.7 | 240 | 12.7 | 75.4 | <0.001 | <0.01 | 0.23 | 5.3 | 0.2 | 0.9 | 21.6 | <0.01 | 0.02 | 10.2 |
| I315730 | | 3.46 | 31.5 | 280 | 11.8 | 43.6 | <0.001 | <0.01 | 0.37 | 4.3 | 0.2 | 0.8 | 17.5 | <0.01 | 0.02 | 6.5 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I315691 | | 0.106 | 0.12 | 1.32 | 46 | 0.12 | 15.85 | 69 | 1.3 |
| I315692 | | 0.052 | 0.07 | 1.46 | 28 | 0.06 | 12.30 | 30 | 2.2 |
| I315693 | | 0.211 | 0.26 | 0.68 | 71 | 0.16 | 6.53 | 66 | 1.7 |
| I315694 | | 0.196 | 0.24 | 0.67 | 68 | 0.25 | 6.08 | 60 | 1.9 |
| I315695 | | 0.139 | 0.11 | 0.47 | 79 | 0.16 | 4.38 | 40 | 2.7 |
| I315696 | | 0.146 | 0.19 | 0.87 | 60 | 0.14 | 6.17 | 66 | 1.1 |
| I315697 | | 0.121 | 0.10 | 0.39 | 65 | 0.10 | 2.91 | 46 | 3.0 |
| I315698 | | 0.122 | 0.10 | 0.53 | 62 | 0.22 | 8.53 | 53 | 2.0 |
| I315699 | | 0.134 | 0.13 | 1.44 | 48 | 0.13 | 13.55 | 53 | 1.3 |
| I315700 | | 0.170 | 0.18 | 1.76 | 54 | 0.13 | 13.35 | 60 | 1.5 |
| I315701 | | 0.095 | 0.17 | 1.12 | 44 | 0.20 | 4.86 | 53 | 1.7 |
| I315702 | | 0.094 | 0.14 | 0.60 | 78 | 0.18 | 2.78 | 40 | 1.3 |
| I315703 | | 0.129 | 0.17 | 0.57 | 72 | 0.18 | 2.52 | 42 | 1.8 |
| I315704 | | 0.111 | 0.26 | 2.46 | 41 | 0.15 | 8.87 | 60 | 2.0 |
| I315705 | | 0.093 | 0.17 | 0.89 | 60 | 0.19 | 2.71 | 50 | 1.4 |
| I315706 | | 0.090 | 0.19 | 1.23 | 44 | 0.12 | 3.92 | 42 | 0.6 |
| I315707 | | 0.096 | 0.17 | 1.10 | 62 | 0.21 | 4.86 | 43 | 2.1 |
| I315708 | | 0.107 | 0.15 | 0.49 | 86 | 0.18 | 2.98 | 42 | 1.3 |
| I315709 | | 0.116 | 0.27 | 1.35 | 63 | 0.17 | 6.74 | 59 | 2.1 |
| I315710 | | 0.131 | 0.16 | 0.52 | 78 | 0.14 | 3.02 | 47 | 1.5 |
| I315711 | | 0.107 | 0.15 | 0.45 | 82 | 0.16 | 2.45 | 36 | 3.2 |
| I315712 | | 0.122 | 0.10 | 0.27 | 74 | 0.13 | 1.77 | 60 | 0.9 |
| I315713 | | 0.099 | 0.15 | 0.37 | 83 | 0.15 | 2.65 | 69 | 1.2 |
| I315714 | | 0.109 | 0.13 | 0.38 | 81 | 0.21 | 2.27 | 65 | 2.1 |
| I315715 | | 0.107 | 0.12 | 0.48 | 86 | 0.19 | 2.77 | 70 | 1.1 |
| I315716 | | 0.121 | 0.15 | 0.61 | 90 | 0.22 | 3.35 | 83 | 1.5 |
| I315717 | | 0.107 | 0.13 | 0.51 | 88 | 0.19 | 3.73 | 82 | 1.6 |
| I315718 | | 0.102 | 0.11 | 0.47 | 71 | 0.17 | 3.20 | 39 | 6.0 |
| I315719 | | 0.139 | 0.16 | 0.51 | 64 | 0.14 | 4.89 | 45 | 1.4 |
| I315720 | | 0.169 | 0.14 | 0.50 | 91 | 0.16 | 3.08 | 55 | 3.3 |
| I315721 | | 0.105 | 0.10 | 0.37 | 80 | 0.16 | 2.46 | 37 | 1.3 |
| I315722 | | 0.105 | 0.10 | 0.40 | 80 | 0.19 | 2.24 | 35 | 1.2 |
| I315723 | | 0.114 | 0.12 | 0.50 | 71 | 0.21 | 4.10 | 51 | 2.1 |
| I315724 | | 0.126 | 0.11 | 0.46 | 88 | 0.21 | 2.71 | 56 | 2.5 |
| I315725 | | 0.148 | 0.17 | 0.43 | 86 | 0.20 | 3.04 | 99 | 2.5 |
| I315726 | | 0.118 | 0.13 | 0.36 | 77 | 0.21 | 2.18 | 73 | 1.8 |
| I315727 | | 0.101 | 0.11 | 0.44 | 76 | 0.16 | 3.51 | 56 | 0.8 |
| I315728 | | 0.100 | 0.11 | 0.46 | 76 | 0.15 | 2.83 | 61 | 2.2 |
| I315729 | | 0.231 | 0.49 | 0.92 | 60 | 0.18 | 6.57 | 82 | 2.7 |
| I315730 | | 0.165 | 0.29 | 0.63 | 69 | 0.18 | 4.28 | 68 | 2.9 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315731 | | 0.30 | <0.005 | 0.15 | 2.39 | 9.0 | <0.2 | <10 | 170 | 0.46 | 0.20 | 0.13 | 0.17 | 20.5 | 9.5 | 34 |
| I315732 | | 0.34 | <0.005 | 0.14 | 2.23 | 8.3 | <0.2 | <10 | 210 | 0.40 | 0.19 | 0.15 | 0.20 | 20.1 | 9.9 | 31 |
| I315733 | | 0.32 | <0.005 | 0.07 | 2.09 | 6.4 | <0.2 | <10 | 240 | 0.43 | 0.16 | 0.23 | 0.14 | 19.85 | 10.1 | 33 |
| I315734 | | 0.38 | <0.005 | 0.13 | 2.34 | 6.4 | <0.2 | <10 | 170 | 0.45 | 0.20 | 0.17 | 0.13 | 34.4 | 10.8 | 31 |
| I315735 | | 0.34 | <0.005 | 0.11 | 1.84 | 5.6 | <0.2 | <10 | 260 | 0.34 | 0.14 | 0.47 | 0.07 | 25.1 | 11.2 | 30 |
| I315736 | | 0.30 | <0.005 | 0.07 | 1.64 | 4.5 | <0.2 | <10 | 180 | 0.23 | 0.14 | 0.33 | 0.09 | 17.35 | 8.8 | 28 |
| I315737 | | 0.34 | <0.005 | 0.12 | 1.87 | 4.8 | <0.2 | <10 | 150 | 0.33 | 0.17 | 0.16 | 0.10 | 22.2 | 8.0 | 29 |
| I315738 | | 0.26 | <0.005 | 0.10 | 1.93 | 5.1 | <0.2 | <10 | 180 | 0.35 | 0.17 | 0.35 | 0.08 | 23.6 | 9.2 | 31 |
| I315739 | | 0.26 | <0.005 | 0.09 | 2.11 | 5.4 | <0.2 | <10 | 240 | 0.49 | 0.22 | 0.27 | 0.06 | 27.1 | 12.7 | 30 |
| I315740 | | 0.28 | <0.005 | 0.09 | 1.79 | 4.6 | <0.2 | <10 | 210 | 0.34 | 0.16 | 0.25 | 0.09 | 18.30 | 8.9 | 29 |
| I315741 | | 0.40 | <0.005 | 0.04 | 2.36 | 5.4 | <0.2 | <10 | 220 | 0.49 | 0.18 | 0.24 | 0.06 | 34.4 | 12.6 | 36 |
| I315742 | | 0.40 | <0.005 | 0.05 | 2.35 | 5.2 | <0.2 | <10 | 230 | 0.47 | 0.17 | 0.27 | 0.07 | 36.2 | 12.1 | 35 |
| I315743 | | 0.40 | <0.005 | 0.08 | 1.45 | 5.1 | <0.2 | <10 | 190 | 0.36 | 0.10 | 0.71 | 0.14 | 23.7 | 10.1 | 25 |
| I315744 | | 0.46 | <0.005 | 0.08 | 1.46 | 5.3 | <0.2 | <10 | 200 | 0.36 | 0.10 | 0.76 | 0.14 | 24.1 | 10.2 | 25 |
| I315745 | | 0.34 | <0.005 | 0.11 | 1.65 | 5.2 | <0.2 | <10 | 190 | 0.51 | 0.12 | 0.74 | 0.15 | 31.3 | 11.1 | 29 |
| I315746 | | 0.30 | <0.005 | 0.11 | 1.71 | 5.9 | <0.2 | <10 | 200 | 0.40 | 0.12 | 0.63 | 0.18 | 27.3 | 12.0 | 29 |
| I315747 | | 0.34 | 0.008 | 0.26 | 1.83 | 9.5 | <0.2 | <10 | 170 | 1.39 | 0.56 | 0.40 | 0.23 | 67.7 | 4.7 | 17 |
| I315748 | | 0.30 | <0.005 | 0.20 | 2.24 | 4.9 | <0.2 | <10 | 220 | 0.52 | 0.35 | 0.39 | 0.26 | 40.4 | 6.1 | 29 |
| I315749 | | 0.38 | <0.005 | 0.35 | 2.12 | 8.3 | <0.2 | <10 | 270 | 0.59 | 0.34 | 0.62 | 0.37 | 40.6 | 9.3 | 28 |
| I315750 | | 0.36 | <0.005 | 0.16 | 2.30 | 8.0 | <0.2 | <10 | 220 | 0.44 | 0.22 | 0.61 | 0.19 | 24.5 | 11.1 | 39 |
| I315751 | | 0.56 | <0.005 | 0.04 | 2.03 | 5.1 | <0.2 | <10 | 170 | 0.63 | 0.11 | 0.49 | 0.10 | 39.3 | 13.3 | 52 |
| I315752 | | 0.36 | <0.005 | 0.06 | 2.09 | 7.2 | <0.2 | <10 | 140 | 0.59 | 0.12 | 0.46 | 0.09 | 30.6 | 13.4 | 48 |
| I315753 | | 0.40 | <0.005 | 0.10 | 2.29 | 9.1 | <0.2 | <10 | 130 | 0.57 | 0.18 | 0.31 | 0.21 | 27.8 | 13.1 | 57 |
| I315754 | | 0.34 | <0.005 | 0.14 | 1.39 | 5.7 | <0.2 | <10 | 80 | 0.42 | 0.16 | 0.18 | 0.28 | 13.45 | 6.3 | 29 |
| I315755 | | 0.32 | <0.005 | 0.20 | 2.31 | 29.4 | <0.2 | <10 | 150 | 0.65 | 0.17 | 0.36 | 0.22 | 25.1 | 13.4 | 52 |
| I315756 | | 0.42 | <0.005 | 0.08 | 2.44 | 19.6 | <0.2 | <10 | 160 | 0.73 | 0.16 | 0.49 | 0.12 | 30.2 | 15.2 | 54 |
| I315757 | | 0.42 | <0.005 | 0.10 | 2.51 | 18.3 | <0.2 | <10 | 220 | 0.59 | 0.15 | 0.60 | 0.18 | 27.1 | 19.6 | 56 |
| I315758 | | 0.38 | <0.005 | 0.14 | 2.34 | 11.7 | <0.2 | <10 | 220 | 0.49 | 0.16 | 0.57 | 0.09 | 21.9 | 14.2 | 50 |
| I315759 | | 0.42 | 0.051 | 0.18 | 2.41 | 41.3 | <0.2 | <10 | 200 | 0.47 | 0.14 | 0.41 | 0.11 | 21.3 | 11.2 | 57 |
| I315760 | | 0.40 | NSS | 0.03 | 0.36 | 11.9 | <0.2 | <10 | 100 | 0.31 | 0.03 | 0.62 | 0.22 | 43.3 | 11.0 | 18 |
| I315761 | | 0.30 | <0.005 | 0.30 | 1.43 | 5.9 | <0.2 | <10 | 160 | 0.41 | 0.09 | 0.42 | 0.16 | 19.55 | 8.5 | 25 |
| I315762 | | 0.52 | <0.005 | 0.08 | 2.33 | 12.3 | <0.2 | <10 | 220 | 0.52 | 0.12 | 0.49 | 0.10 | 26.6 | 14.1 | 58 |
| I315763 | | 0.26 | <0.005 | 0.28 | 2.38 | 11.3 | <0.2 | <10 | 330 | 0.65 | 0.13 | 0.82 | 0.28 | 35.5 | 17.9 | 50 |
| I315764 | | 0.48 | <0.005 | 0.12 | 2.50 | 14.4 | <0.2 | <10 | 260 | 0.56 | 0.13 | 0.53 | 0.09 | 23.4 | 11.0 | 58 |
| I315765 | | 0.36 | <0.005 | 0.18 | 2.49 | 11.4 | <0.2 | <10 | 280 | 0.47 | 0.13 | 0.73 | 0.09 | 21.0 | 13.4 | 52 |
| I315766 | | 0.36 | <0.005 | 0.30 | 2.19 | 14.5 | <0.2 | <10 | 270 | 0.47 | 0.13 | 0.74 | 0.22 | 20.7 | 11.2 | 44 |
| I315767 | | 0.38 | <0.005 | 0.22 | 2.53 | 19.7 | <0.2 | <10 | 280 | 0.37 | 0.20 | 0.56 | 0.11 | 19.60 | 14.6 | 59 |
| I315768 | | 0.34 | <0.005 | 0.23 | 2.72 | 18.0 | <0.2 | <10 | 300 | 0.52 | 0.26 | 0.73 | 0.42 | 22.2 | 20.0 | 55 |
| I315769 | | 0.44 | <0.005 | 0.21 | 2.23 | 11.7 | <0.2 | <10 | 230 | 0.42 | 0.32 | 0.40 | 0.30 | 20.0 | 11.8 | 51 |
| I315770 | | 0.46 | <0.005 | 0.16 | 2.12 | 10.7 | <0.2 | <10 | 220 | 0.48 | 0.36 | 0.39 | 0.28 | 20.3 | 11.0 | 48 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I315731 | | 1.11 | 15.0 | 3.73 | 8.83 | 0.05 | 0.03 | 0.02 | 0.029 | 0.06 | 9.9 | 17.5 | 0.40 | 266 | 1.17 |
| I315732 | | 0.80 | 12.1 | 3.53 | 8.17 | 0.05 | 0.05 | 0.02 | 0.026 | 0.08 | 9.6 | 16.0 | 0.42 | 255 | 1.21 |
| I315733 | | 0.76 | 13.5 | 3.13 | 6.87 | 0.05 | 0.07 | 0.01 | 0.025 | 0.07 | 9.9 | 14.3 | 0.46 | 256 | 0.88 |
| I315734 | | 1.06 | 11.5 | 3.62 | 8.93 | 0.06 | 0.03 | 0.01 | 0.022 | 0.12 | 14.7 | 20.1 | 0.56 | 220 | 1.01 |
| I315735 | | 0.60 | 14.7 | 3.05 | 6.24 | 0.06 | 0.06 | 0.01 | 0.019 | 0.33 | 12.3 | 14.2 | 0.63 | 227 | 0.67 |
| I315736 | | 0.44 | 10.5 | 2.71 | 5.84 | 0.05 | 0.05 | 0.01 | 0.019 | 0.12 | 8.5 | 10.6 | 0.45 | 188 | 0.83 |
| I315737 | | 0.68 | 11.6 | 2.89 | 6.78 | 0.05 | 0.03 | 0.01 | 0.021 | 0.09 | 10.5 | 15.4 | 0.47 | 186 | 0.80 |
| I315738 | | 0.56 | 11.3 | 3.03 | 6.59 | 0.05 | 0.03 | 0.02 | 0.022 | 0.15 | 10.8 | 13.2 | 0.52 | 223 | 0.81 |
| I315739 | | 0.56 | 13.6 | 3.02 | 6.99 | 0.05 | 0.08 | 0.01 | 0.030 | 0.08 | 13.2 | 14.9 | 0.50 | 235 | 0.99 |
| I315740 | | 0.38 | 11.5 | 2.89 | 6.39 | 0.05 | 0.08 | 0.01 | 0.023 | 0.11 | 8.8 | 11.0 | 0.45 | 179 | 1.07 |
| I315741 | | 1.62 | 18.7 | 3.76 | 8.74 | 0.08 | 0.06 | 0.01 | 0.022 | 0.34 | 14.2 | 20.0 | 0.80 | 227 | 0.93 |
| I315742 | | 1.56 | 18.4 | 3.70 | 8.89 | 0.07 | 0.05 | 0.02 | 0.022 | 0.30 | 15.4 | 19.1 | 0.77 | 220 | 0.97 |
| I315743 | | 0.66 | 19.2 | 2.44 | 5.05 | 0.07 | 0.08 | 0.02 | 0.018 | 0.06 | 11.7 | 15.6 | 0.61 | 283 | 0.53 |
| I315744 | | 0.63 | 20.7 | 2.44 | 5.02 | 0.07 | 0.08 | 0.02 | 0.020 | 0.06 | 11.9 | 14.7 | 0.60 | 282 | 0.53 |
| I315745 | | 0.82 | 22.7 | 2.65 | 5.97 | 0.08 | 0.06 | 0.02 | 0.020 | 0.07 | 15.8 | 19.5 | 0.62 | 406 | 0.69 |
| I315746 | | 1.15 | 22.3 | 2.86 | 6.42 | 0.07 | 0.04 | 0.02 | 0.022 | 0.07 | 13.2 | 22.4 | 0.74 | 450 | 0.86 |
| I315747 | | 2.54 | 74.1 | 2.32 | 6.56 | 0.13 | 0.07 | 0.16 | 0.030 | 0.11 | 45.8 | 9.0 | 0.28 | 657 | 2.39 |
| I315748 | | 2.29 | 28.1 | 2.54 | 7.77 | 0.08 | 0.04 | 0.08 | 0.033 | 0.09 | 24.8 | 13.3 | 0.42 | 403 | 1.28 |
| I315749 | | 1.90 | 45.7 | 2.75 | 6.97 | 0.09 | 0.05 | 0.10 | 0.031 | 0.07 | 25.2 | 9.5 | 0.37 | 919 | 2.17 |
| I315750 | | 1.37 | 24.5 | 2.74 | 7.52 | 0.07 | 0.05 | 0.05 | 0.029 | 0.10 | 13.5 | 17.2 | 0.62 | 417 | 1.15 |
| I315751 | | 2.35 | 89.0 | 3.08 | 7.12 | 0.13 | 0.11 | 0.02 | 0.029 | 0.28 | 19.5 | 13.1 | 0.75 | 374 | 28.1 |
| I315752 | | 2.49 | 112.5 | 3.12 | 7.28 | 0.12 | 0.06 | 0.03 | 0.028 | 0.24 | 18.1 | 13.4 | 0.65 | 312 | 63.7 |
| I315753 | | 2.71 | 81.7 | 3.64 | 10.45 | 0.09 | 0.04 | 0.02 | 0.059 | 0.21 | 13.3 | 16.0 | 0.75 | 456 | 31.5 |
| I315754 | | 1.50 | 30.6 | 2.51 | 8.04 | <0.05 | 0.03 | 0.04 | 0.021 | 0.09 | 6.9 | 8.1 | 0.32 | 228 | 14.05 |
| I315755 | | 2.40 | 113.5 | 3.27 | 9.51 | 0.06 | 0.05 | 0.04 | 0.031 | 0.20 | 13.8 | 14.5 | 0.71 | 455 | 61.0 |
| I315756 | | 2.26 | 179.5 | 3.33 | 8.52 | 0.11 | 0.07 | 0.03 | 0.032 | 0.25 | 13.6 | 14.7 | 0.86 | 415 | 41.7 |
| I315757 | | 2.40 | 97.4 | 3.95 | 8.01 | 0.10 | 0.05 | 0.03 | 0.032 | 0.17 | 13.0 | 15.1 | 0.81 | 1120 | 108.5 |
| I315758 | | 2.48 | 75.4 | 2.92 | 8.28 | 0.07 | 0.03 | 0.04 | 0.028 | 0.07 | 11.2 | 15.1 | 0.78 | 543 | 116.0 |
| I315759 | | 2.88 | 132.5 | 3.20 | 8.52 | 0.09 | 0.03 | 0.04 | 0.028 | 0.21 | 11.1 | 13.8 | 0.88 | 321 | 90.9 |
| I315760 | | 0.38 | 16.2 | 2.50 | 2.05 | 0.11 | 0.03 | 0.02 | 0.009 | 0.06 | 23.0 | 4.5 | 0.26 | 885 | 7.35 |
| I315761 | | 1.25 | 107.5 | 1.58 | 4.49 | 0.05 | 0.02 | 0.11 | 0.017 | 0.06 | 11.1 | 5.4 | 0.32 | 299 | 52.6 |
| I315762 | | 2.47 | 115.5 | 3.37 | 7.78 | 0.12 | 0.09 | 0.03 | 0.027 | 0.27 | 13.3 | 14.6 | 0.86 | 334 | 60.6 |
| I315763 | | 1.97 | 153.0 | 2.85 | 7.53 | 0.10 | 0.04 | 0.06 | 0.025 | 0.13 | 18.0 | 12.4 | 0.67 | 1380 | 182.0 |
| I315764 | | 2.42 | 118.0 | 2.95 | 8.38 | 0.11 | 0.07 | 0.04 | 0.028 | 0.21 | 12.1 | 15.8 | 0.89 | 268 | 107.5 |
| I315765 | | 2.04 | 88.4 | 3.04 | 8.18 | 0.09 | 0.05 | 0.05 | 0.027 | 0.16 | 11.0 | 13.6 | 0.75 | 699 | 207 |
| I315766 | | 1.90 | 108.5 | 2.69 | 7.11 | 0.08 | 0.04 | 0.10 | 0.024 | 0.15 | 11.0 | 14.0 | 0.62 | 553 | 158.5 |
| I315767 | | 3.11 | 112.0 | 3.07 | 8.78 | 0.10 | 0.04 | 0.09 | 0.025 | 0.25 | 10.1 | 16.2 | 0.82 | 541 | 157.5 |
| I315768 | | 2.69 | 165.0 | 3.32 | 9.13 | 0.09 | 0.03 | 0.05 | 0.030 | 0.21 | 11.3 | 13.6 | 0.74 | 978 | 189.5 |
| I315769 | | 2.98 | 95.8 | 2.92 | 8.58 | 0.08 | 0.03 | 0.02 | 0.023 | 0.33 | 10.5 | 11.9 | 0.73 | 340 | 104.5 |
| I315770 | | 2.81 | 89.5 | 2.76 | 7.89 | 0.09 | 0.02 | 0.02 | 0.044 | 0.34 | 10.7 | 11.6 | 0.71 | 320 | 93.4 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I315731 | | 2.63 | 21.8 | 390 | 11.4 | 13.5 | <0.001 | 0.01 | 0.57 | 3.3 | 0.2 | 0.8 | 13.9 | <0.01 | 0.03 | 2.8 |
| I315732 | | 1.86 | 19.6 | 360 | 10.9 | 14.9 | <0.001 | <0.01 | 0.51 | 3.1 | <0.2 | 0.7 | 15.5 | <0.01 | 0.02 | 3.0 |
| I315733 | | 1.70 | 21.3 | 290 | 9.6 | 16.2 | <0.001 | <0.01 | 0.46 | 3.5 | <0.2 | 0.6 | 21.8 | <0.01 | 0.02 | 3.0 |
| I315734 | | 3.24 | 20.9 | 310 | 10.3 | 18.9 | <0.001 | <0.01 | 0.33 | 3.3 | <0.2 | 0.8 | 18.7 | <0.01 | 0.02 | 5.9 |
| I315735 | | 2.91 | 21.7 | 190 | 7.7 | 22.8 | <0.001 | <0.01 | 0.35 | 3.7 | 0.3 | 0.5 | 39.1 | <0.01 | 0.02 | 4.8 |
| I315736 | | 2.19 | 17.4 | 140 | 7.5 | 8.8 | <0.001 | <0.01 | 0.35 | 3.2 | <0.2 | 0.6 | 25.4 | <0.01 | 0.03 | 3.1 |
| I315737 | | 2.01 | 18.0 | 180 | 11.1 | 12.7 | <0.001 | <0.01 | 0.34 | 2.9 | 0.2 | 0.6 | 16.5 | <0.01 | 0.02 | 4.3 |
| I315738 | | 2.38 | 20.4 | 230 | 8.1 | 13.0 | <0.001 | 0.01 | 0.35 | 3.3 | 0.2 | 0.7 | 23.3 | <0.01 | 0.02 | 3.1 |
| I315739 | | 1.71 | 19.5 | 140 | 9.7 | 8.2 | <0.001 | <0.01 | 0.29 | 4.2 | 0.2 | 1.1 | 20.2 | <0.01 | 0.02 | 5.2 |
| I315740 | | 2.20 | 17.9 | 150 | 9.0 | 6.8 | <0.001 | <0.01 | 0.35 | 3.2 | <0.2 | 0.7 | 23.1 | <0.01 | 0.02 | 3.0 |
| I315741 | | 3.57 | 29.5 | 220 | 10.1 | 45.6 | <0.001 | <0.01 | 0.28 | 3.9 | 0.2 | 0.8 | 21.0 | <0.01 | 0.02 | 6.5 |
| I315742 | | 3.79 | 28.6 | 220 | 9.9 | 41.6 | <0.001 | 0.01 | 0.29 | 4.0 | 0.3 | 0.8 | 23.6 | <0.01 | 0.02 | 6.1 |
| I315743 | | 1.57 | 20.2 | 670 | 6.4 | 7.8 | <0.001 | 0.01 | 0.35 | 4.5 | 0.4 | 0.4 | 41.2 | <0.01 | 0.02 | 2.9 |
| I315744 | | 1.61 | 21.0 | 700 | 6.3 | 7.6 | <0.001 | 0.01 | 0.38 | 4.6 | 0.4 | 0.4 | 43.8 | <0.01 | 0.01 | 2.8 |
| I315745 | | 2.00 | 18.7 | 580 | 7.8 | 10.6 | <0.001 | 0.02 | 0.34 | 5.0 | 0.5 | 0.5 | 40.6 | <0.01 | 0.03 | 4.0 |
| I315746 | | 1.70 | 17.8 | 590 | 8.2 | 10.2 | <0.001 | 0.02 | 0.33 | 5.4 | 0.5 | 0.5 | 36.8 | <0.01 | 0.02 | 3.0 |
| I315747 | | 2.96 | 10.0 | 710 | 12.5 | 30.4 | <0.001 | 0.04 | 0.52 | 5.5 | 1.5 | 1.2 | 32.2 | 0.01 | 0.07 | 6.9 |
| I315748 | | 2.39 | 15.3 | 860 | 10.8 | 32.7 | <0.001 | 0.07 | 0.29 | 5.1 | 0.7 | 1.1 | 34.5 | <0.01 | 0.03 | 3.2 |
| I315749 | | 1.71 | 17.1 | 1370 | 10.2 | 22.4 | <0.001 | 0.14 | 0.53 | 4.7 | 1.1 | 0.9 | 62.9 | <0.01 | 0.06 | 1.3 |
| I315750 | | 2.23 | 24.5 | 740 | 8.6 | 26.8 | <0.001 | 0.06 | 0.47 | 5.0 | 0.6 | 0.7 | 44.2 | <0.01 | 0.02 | 1.4 |
| I315751 | | 1.73 | 33.6 | 780 | 4.1 | 37.2 | <0.001 | <0.01 | 0.29 | 7.5 | 0.5 | 1.0 | 30.3 | <0.01 | 0.03 | 3.9 |
| I315752 | | 2.21 | 33.5 | 610 | 3.7 | 33.2 | <0.001 | 0.01 | 0.37 | 5.8 | 0.5 | 0.6 | 26.7 | <0.01 | 0.04 | 3.9 |
| I315753 | | 2.97 | 31.7 | 470 | 6.0 | 28.7 | <0.001 | 0.02 | 0.40 | 5.8 | 0.5 | 0.7 | 22.3 | <0.01 | 0.04 | 2.4 |
| I315754 | | 2.08 | 16.5 | 330 | 6.2 | 23.1 | <0.001 | 0.02 | 0.40 | 2.9 | 0.3 | 0.6 | 15.8 | <0.01 | 0.03 | 1.0 |
| I315755 | | 2.89 | 34.1 | 450 | 6.5 | 33.4 | <0.001 | 0.03 | 0.66 | 5.6 | 0.5 | 0.7 | 26.8 | <0.01 | 0.04 | 2.3 |
| I315756 | | 2.69 | 37.3 | 690 | 4.0 | 39.5 | 0.001 | 0.02 | 0.65 | 6.4 | 0.5 | 0.6 | 29.0 | <0.01 | 0.05 | 4.0 |
| I315757 | | 2.36 | 33.2 | 650 | 4.5 | 31.9 | 0.002 | 0.03 | 0.60 | 6.3 | 0.7 | 0.7 | 30.4 | <0.01 | 0.05 | 3.1 |
| I315758 | | 1.95 | 29.6 | 580 | 5.1 | 20.4 | 0.001 | 0.06 | 0.46 | 4.9 | 0.6 | 0.6 | 32.9 | <0.01 | 0.04 | 1.0 |
| I315759 | | 2.16 | 35.3 | 530 | 5.9 | 35.9 | 0.001 | 0.04 | 1.25 | 6.5 | 0.5 | 0.7 | 26.4 | <0.01 | 0.06 | 1.8 |
| I315760 | | 0.90 | 23.5 | 720 | 4.7 | 7.4 | <0.001 | 0.04 | 0.60 | 2.2 | 0.4 | 0.4 | 16.3 | <0.01 | 0.01 | 9.5 |
| I315761 | | 0.72 | 21.6 | 780 | 3.1 | 15.7 | 0.001 | 0.08 | 0.37 | 2.0 | 0.9 | 0.4 | 28.0 | <0.01 | 0.04 | 0.3 |
| I315762 | | 2.37 | 31.7 | 730 | 5.0 | 37.2 | <0.001 | 0.02 | 0.57 | 8.2 | 0.7 | 0.6 | 28.2 | <0.01 | 0.05 | 3.7 |
| I315763 | | 1.59 | 33.1 | 1250 | 5.2 | 23.2 | 0.003 | 0.09 | 0.80 | 5.5 | 1.7 | 0.6 | 46.2 | <0.01 | 0.05 | 0.8 |
| I315764 | | 2.37 | 28.7 | 640 | 5.8 | 34.3 | 0.001 | 0.03 | 1.05 | 8.6 | 0.8 | 0.6 | 29.0 | <0.01 | 0.04 | 3.2 |
| I315765 | | 2.02 | 28.0 | 940 | 5.2 | 29.6 | 0.002 | 0.07 | 0.55 | 7.0 | 1.0 | 0.6 | 39.1 | <0.01 | 0.05 | 1.7 |
| I315766 | | 1.84 | 30.3 | 860 | 4.9 | 29.8 | 0.003 | 0.08 | 0.74 | 5.8 | 1.0 | 0.6 | 40.5 | <0.01 | 0.05 | 1.1 |
| I315767 | | 2.12 | 36.4 | 660 | 5.3 | 37.3 | 0.001 | 0.05 | 0.79 | 7.5 | 0.7 | 0.7 | 31.1 | <0.01 | 0.07 | 1.9 |
| I315768 | | 1.75 | 41.2 | 1010 | 6.0 | 37.9 | 0.001 | 0.08 | 0.63 | 5.9 | 0.8 | 0.8 | 42.8 | <0.01 | 0.09 | 0.9 |
| I315769 | | 2.25 | 32.1 | 570 | 5.0 | 56.0 | <0.001 | 0.03 | 0.38 | 5.7 | 0.4 | 0.7 | 24.0 | <0.01 | 0.08 | 1.6 |
| I315770 | | 2.12 | 30.6 | 630 | 4.5 | 50.1 | <0.001 | 0.03 | 0.36 | 5.5 | 0.4 | 0.7 | 21.7 | <0.01 | 0.07 | 1.7 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 |
| I315731 | | 0.106 | 0.12 | 0.43 | 77 | 0.19 | 3.08 | 59 |
| I315732 | | 0.102 | 0.10 | 0.34 | 78 | 0.16 | 2.37 | 67 |
| I315733 | | 0.098 | 0.11 | 0.38 | 72 | 0.18 | 2.69 | 56 |
| I315734 | | 0.121 | 0.14 | 0.53 | 68 | 0.15 | 3.67 | 59 |
| I315735 | | 0.137 | 0.15 | 0.50 | 61 | 0.13 | 3.90 | 50 |
| I315736 | | 0.103 | 0.08 | 0.34 | 62 | 0.16 | 2.43 | 40 |
| I315737 | | 0.093 | 0.11 | 0.44 | 60 | 0.19 | 3.37 | 51 |
| I315738 | | 0.112 | 0.12 | 0.44 | 61 | 0.14 | 3.08 | 48 |
| I315739 | | 0.088 | 0.11 | 0.39 | 61 | 0.10 | 3.65 | 44 |
| I315740 | | 0.098 | 0.09 | 0.34 | 65 | 0.19 | 2.51 | 38 |
| I315741 | | 0.194 | 0.25 | 0.65 | 58 | 0.14 | 5.13 | 63 |
| I315742 | | 0.193 | 0.23 | 0.65 | 59 | 0.17 | 5.44 | 61 |
| I315743 | | 0.099 | 0.06 | 0.80 | 52 | 0.20 | 7.65 | 55 |
| I315744 | | 0.100 | 0.05 | 0.81 | 53 | 0.14 | 7.85 | 54 |
| I315745 | | 0.103 | 0.06 | 1.17 | 57 | 0.29 | 9.57 | 58 |
| I315746 | | 0.109 | 0.08 | 1.05 | 65 | 0.24 | 8.31 | 72 |
| I315747 | | 0.061 | 0.35 | 29.1 | 33 | 1.51 | 76.1 | 55 |
| I315748 | | 0.086 | 0.25 | 7.26 | 51 | 0.47 | 15.25 | 76 |
| I315749 | | 0.061 | 0.20 | 9.96 | 59 | 0.70 | 19.90 | 64 |
| I315750 | | 0.117 | 0.17 | 2.37 | 62 | 0.86 | 8.80 | 75 |
| I315751 | | 0.194 | 0.29 | 0.99 | 83 | 4.70 | 11.95 | 60 |
| I315752 | | 0.181 | 0.25 | 1.44 | 82 | 7.28 | 9.79 | 62 |
| I315753 | | 0.190 | 0.21 | 0.66 | 88 | 5.06 | 5.86 | 67 |
| I315754 | | 0.126 | 0.12 | 0.43 | 63 | 1.37 | 2.83 | 45 |
| I315755 | | 0.181 | 0.21 | 0.73 | 81 | 4.49 | 5.96 | 64 |
| I315756 | | 0.185 | 0.26 | 0.69 | 85 | 14.30 | 7.17 | 59 |
| I315757 | | 0.177 | 0.28 | 0.93 | 89 | 2.33 | 6.81 | 71 |
| I315758 | | 0.136 | 0.18 | 0.73 | 76 | 1.19 | 5.30 | 68 |
| I315759 | | 0.160 | 0.26 | 0.70 | 90 | 7.15 | 5.33 | 64 |
| I315760 | | 0.028 | 0.14 | 1.09 | 22 | 0.24 | 9.80 | 25 |
| I315761 | | 0.051 | 0.14 | 1.09 | 32 | 0.36 | 7.68 | 29 |
| I315762 | | 0.190 | 0.30 | 0.86 | 94 | 1.07 | 8.58 | 55 |
| I315763 | | 0.109 | 0.24 | 2.56 | 82 | 4.30 | 14.35 | 48 |
| I315764 | | 0.191 | 0.33 | 0.97 | 98 | 1.13 | 7.90 | 52 |
| I315765 | | 0.146 | 0.24 | 1.03 | 90 | 1.41 | 8.24 | 52 |
| I315766 | | 0.119 | 0.19 | 1.22 | 75 | 4.74 | 8.94 | 58 |
| I315767 | | 0.152 | 0.41 | 0.91 | 94 | 3.37 | 5.72 | 68 |
| I315768 | | 0.114 | 0.26 | 1.19 | 97 | 2.23 | 7.30 | 82 |
| I315769 | | 0.146 | 0.32 | 0.69 | 87 | 2.18 | 5.10 | 63 |
| I315770 | | 0.139 | 0.32 | 0.67 | 82 | 2.12 | 5.05 | 58 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315771 | | 0.44 | 0.024 | 1.08 | 4.27 | 19.9 | <0.2 | <10 | 760 | 1.68 | 1.47 | 0.58 | 0.11 | 46.7 | 17.3 | 94 |
| I315772 | | 0.38 | 0.010 | 0.74 | 2.99 | 6.0 | <0.2 | <10 | 510 | 1.08 | 0.68 | 1.03 | 0.32 | 34.0 | 14.4 | 60 |
| I315773 | | 0.36 | 0.010 | 0.42 | 3.48 | 17.4 | <0.2 | <10 | 440 | 0.68 | 0.65 | 1.07 | 0.32 | 30.0 | 24.5 | 69 |
| I315774 | | 0.34 | <0.005 | 0.35 | 3.09 | 11.6 | <0.2 | <10 | 400 | 0.55 | 0.45 | 1.21 | 0.36 | 21.0 | 20.6 | 60 |
| I315775 | | 0.48 | <0.005 | 0.16 | 5.83 | 5.3 | <0.2 | <10 | 500 | 0.23 | 2.69 | 1.02 | 0.15 | 5.96 | 35.6 | 220 |
| I315776 | | 0.34 | <0.005 | 0.16 | 4.13 | 4.8 | <0.2 | <10 | 540 | 0.31 | 1.48 | 0.48 | 0.26 | 13.05 | 16.5 | 80 |
| I315777 | | 0.32 | <0.005 | 0.39 | 3.56 | 6.1 | <0.2 | <10 | 430 | 0.33 | 0.74 | 1.33 | 0.18 | 13.00 | 17.1 | 97 |
| I315778 | | 0.30 | <0.005 | 0.26 | 2.47 | 8.2 | <0.2 | <10 | 320 | 0.33 | 0.40 | 1.69 | 0.47 | 15.85 | 18.5 | 62 |
| I315779 | | 0.36 | <0.005 | 0.44 | 3.50 | 13.0 | <0.2 | <10 | 400 | 0.42 | 0.45 | 1.28 | 0.42 | 21.3 | 25.3 | 81 |
| I315780 | | 0.46 | NSS | 0.02 | 0.16 | 1.9 | <0.2 | <10 | 30 | 0.10 | 0.03 | 0.13 | 0.03 | 10.75 | 2.2 | 3 |
| I315781 | | 0.40 | 0.008 | 0.55 | 2.76 | 8.8 | <0.2 | <10 | 410 | 0.37 | 0.30 | 1.17 | 0.74 | 20.5 | 17.6 | 48 |
| I315782 | | 0.44 | <0.005 | 0.04 | 2.35 | 9.1 | <0.2 | <10 | 140 | 0.30 | 0.12 | 0.14 | 0.06 | 14.65 | 11.1 | 28 |
| I315783 | | 0.38 | <0.005 | 0.07 | 2.32 | 5.5 | <0.2 | <10 | 170 | 0.36 | 0.10 | 0.30 | 0.04 | 17.45 | 11.1 | 28 |
| I315784 | | 0.34 | <0.005 | 0.22 | 1.61 | 4.0 | <0.2 | <10 | 150 | 0.35 | 0.13 | 0.33 | 0.05 | 16.20 | 6.9 | 20 |
| I315785 | | 0.40 | <0.005 | 0.08 | 2.43 | 5.8 | <0.2 | <10 | 170 | 0.35 | 0.14 | 0.34 | 0.06 | 15.90 | 10.2 | 22 |
| I315786 | | 0.40 | <0.005 | 0.08 | 1.68 | 6.1 | <0.2 | <10 | 240 | 0.43 | 0.14 | 0.45 | 0.08 | 24.9 | 9.9 | 27 |
| I315787 | | 0.32 | <0.005 | 0.13 | 1.50 | 5.1 | <0.2 | <10 | 340 | 0.46 | 0.12 | 0.77 | 0.29 | 20.9 | 9.7 | 26 |
| I315788 | | 0.36 | <0.005 | 0.09 | 1.53 | 6.4 | <0.2 | <10 | 280 | 0.42 | 0.13 | 0.68 | 0.11 | 24.2 | 8.4 | 26 |
| I315789 | | 0.34 | <0.005 | 0.09 | 1.44 | 6.2 | <0.2 | <10 | 250 | 0.35 | 0.11 | 0.74 | 0.06 | 22.8 | 7.8 | 25 |
| I315790 | | 0.40 | <0.005 | 0.07 | 1.51 | 7.1 | <0.2 | <10 | 250 | 0.35 | 0.12 | 0.67 | 0.05 | 24.1 | 9.1 | 25 |
| I315791 | | 0.28 | <0.005 | 0.05 | 1.33 | 6.7 | <0.2 | <10 | 270 | 0.33 | 0.11 | 1.00 | 0.22 | 22.1 | 8.0 | 24 |
| I315792 | | 0.42 | <0.005 | 0.14 | 1.50 | 8.0 | <0.2 | <10 | 260 | 0.42 | 0.12 | 0.65 | 0.22 | 25.8 | 9.3 | 27 |
| I315793 | | 0.46 | <0.005 | 0.03 | 1.57 | 2.7 | <0.2 | <10 | 210 | 0.30 | 0.06 | 0.38 | 0.06 | 16.30 | 9.1 | 15 |
| I315794 | | 0.38 | <0.005 | 0.04 | 3.48 | 1.3 | <0.2 | <10 | 400 | 0.49 | 0.01 | 0.65 | 0.03 | 26.8 | 19.8 | 35 |
| I315795 | | 0.48 | <0.005 | 0.11 | 1.75 | 6.2 | <0.2 | <10 | 260 | 0.34 | 0.16 | 0.33 | 0.05 | 19.70 | 9.4 | 31 |
| I315796 | | 0.34 | <0.005 | 0.04 | 1.30 | 3.4 | <0.2 | <10 | 150 | 0.29 | 0.07 | 0.34 | 0.03 | 23.2 | 6.2 | 12 |
| I315797 | | 0.44 | <0.005 | 0.10 | 1.60 | 5.2 | <0.2 | <10 | 170 | 0.39 | 0.10 | 0.31 | 0.04 | 20.7 | 6.6 | 20 |
| I315798 | | 0.44 | <0.005 | 0.03 | 0.70 | 1.9 | <0.2 | <10 | 80 | 0.18 | 0.05 | 0.15 | 0.02 | 22.4 | 4.2 | 7 |
| I315799 | | 0.34 | <0.005 | 0.06 | 2.03 | 7.5 | <0.2 | <10 | 190 | 0.38 | 0.17 | 0.14 | 0.07 | 19.45 | 6.7 | 32 |
| I315800 | | 0.44 | NSS | 0.02 | 0.19 | 1.9 | <0.2 | <10 | 40 | 0.12 | 0.04 | 0.12 | 0.03 | 10.55 | 2.1 | 4 |
| I315801 | | 0.44 | 0.008 | 0.25 | 2.44 | 54.9 | <0.2 | <10 | 210 | 0.80 | 0.19 | 0.63 | 0.01 | 26.8 | 15.1 | 53 |
| I315802 | | 0.48 | 0.015 | 0.56 | 2.33 | 40.3 | <0.2 | <10 | 230 | 1.03 | 0.16 | 0.63 | <0.01 | 32.3 | 10.2 | 41 |
| I315803 | | 0.56 | 0.013 | 0.28 | 2.53 | 42.3 | <0.2 | <10 | 210 | 0.85 | 0.21 | 0.56 | <0.01 | 25.3 | 13.1 | 54 |
| I315804 | | 0.44 | 0.008 | 0.54 | 2.71 | 41.4 | <0.2 | <10 | 270 | 1.04 | 0.23 | 0.65 | <0.01 | 30.5 | 18.3 | 51 |
| I315805 | | 0.36 | 0.005 | 0.33 | 2.76 | 25.7 | <0.2 | <10 | 280 | 0.78 | 0.19 | 0.58 | <0.01 | 30.1 | 13.8 | 51 |
| I315806 | | 0.64 | 0.008 | 0.23 | 2.13 | 14.9 | <0.2 | <10 | 280 | 0.55 | 0.21 | 0.42 | <0.01 | 25.2 | 10.7 | 51 |
| I315807 | | 0.66 | <0.005 | 0.29 | 2.32 | 15.6 | <0.2 | <10 | 310 | 0.61 | 0.21 | 0.44 | <0.01 | 28.3 | 11.9 | 54 |
| I315808 | | 0.58 | <0.005 | 0.23 | 2.62 | 13.3 | <0.2 | <10 | 280 | 0.42 | 0.20 | 0.46 | <0.01 | 26.5 | 16.6 | 52 |
| I315809 | | 0.42 | <0.005 | 0.21 | 2.48 | 12.6 | <0.2 | <10 | 230 | 0.45 | 0.18 | 0.44 | <0.01 | 21.4 | 11.2 | 48 |
| I315810 | | 0.56 | <0.005 | 0.30 | 2.19 | 18.3 | <0.2 | <10 | 220 | 0.46 | 0.19 | 0.47 | <0.01 | 24.3 | 12.6 | 45 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I315771 | | 4.64 | 289 | 4.41 | 13.85 | 0.18 | 0.05 | 0.07 | 0.027 | 0.71 | 24.5 | 27.5 | 1.59 | 315 | 129.0 |
| I315772 | | 3.26 | 211 | 2.16 | 9.18 | 0.11 | 0.05 | 0.11 | 0.021 | 0.41 | 16.3 | 16.1 | 0.99 | 201 | 89.6 |
| I315773 | | 4.63 | 153.0 | 4.05 | 10.80 | 0.13 | 0.04 | 0.08 | 0.028 | 0.51 | 14.3 | 18.3 | 1.37 | 1020 | 239 |
| I315774 | | 4.81 | 119.0 | 3.81 | 9.71 | 0.11 | 0.05 | 0.06 | 0.025 | 0.49 | 10.5 | 17.8 | 1.34 | 1160 | 222 |
| I315775 | | 5.29 | 88.8 | 5.54 | 14.90 | 0.14 | <0.02 | 0.01 | 0.026 | 0.87 | 2.7 | 20.6 | 3.34 | 487 | 34.9 |
| I315776 | | 4.16 | 64.0 | 4.15 | 12.55 | 0.11 | <0.02 | 0.02 | 0.033 | 0.76 | 6.3 | 14.9 | 2.52 | 511 | 50.2 |
| I315777 | | 3.58 | 101.5 | 3.76 | 10.35 | 0.10 | 0.02 | 0.05 | 0.029 | 0.52 | 7.1 | 16.8 | 1.96 | 460 | 52.7 |
| I315778 | | 2.06 | 90.5 | 2.75 | 6.99 | 0.08 | 0.04 | 0.06 | 0.022 | 0.24 | 8.6 | 13.5 | 1.08 | 1340 | 85.8 |
| I315779 | | 2.96 | 117.0 | 4.04 | 9.68 | 0.10 | 0.04 | 0.07 | 0.029 | 0.41 | 9.8 | 17.3 | 1.45 | 1240 | 104.0 |
| I315780 | | 0.09 | 3.0 | 0.82 | 0.69 | <0.05 | 0.09 | 0.02 | <0.005 | 0.05 | 5.4 | 1.4 | 0.04 | 161 | 0.37 |
| I315781 | | 2.71 | 60.0 | 3.34 | 8.18 | 0.08 | 0.04 | 0.07 | 0.020 | 0.36 | 10.5 | 15.6 | 1.34 | 517 | 2.74 |
| I315782 | | 1.16 | 12.9 | 3.57 | 8.30 | 0.05 | 0.04 | 0.01 | 0.021 | 0.16 | 7.6 | 21.8 | 0.89 | 340 | 0.88 |
| I315783 | | 1.13 | 19.1 | 3.34 | 9.19 | 0.05 | 0.05 | 0.01 | 0.021 | 0.07 | 9.4 | 22.9 | 1.15 | 295 | 0.53 |
| I315784 | | 0.95 | 29.2 | 2.64 | 7.99 | <0.05 | 0.03 | 0.01 | 0.016 | 0.05 | 9.5 | 18.1 | 0.51 | 323 | 1.13 |
| I315785 | | 1.05 | 27.5 | 3.76 | 9.38 | 0.05 | 0.03 | 0.01 | 0.024 | 0.09 | 8.4 | 26.1 | 0.89 | 306 | 1.02 |
| I315786 | | 0.59 | 23.3 | 2.85 | 5.99 | 0.06 | 0.05 | 0.02 | 0.022 | 0.09 | 13.4 | 18.7 | 0.61 | 290 | 0.64 |
| I315787 | | 0.54 | 26.2 | 2.19 | 5.10 | 0.05 | 0.04 | 0.02 | 0.020 | 0.04 | 10.6 | 9.9 | 0.41 | 676 | 0.95 |
| I315788 | | 0.64 | 22.5 | 2.37 | 5.19 | 0.05 | 0.06 | 0.02 | 0.021 | 0.05 | 12.6 | 10.8 | 0.43 | 342 | 0.93 |
| I315789 | | 0.63 | 18.6 | 2.20 | 4.67 | 0.05 | 0.04 | 0.02 | 0.020 | 0.04 | 11.7 | 10.6 | 0.42 | 266 | 1.03 |
| I315790 | | 0.63 | 17.5 | 2.39 | 4.99 | 0.05 | 0.04 | 0.01 | 0.021 | 0.04 | 12.2 | 11.2 | 0.42 | 296 | 1.20 |
| I315791 | | 0.57 | 19.7 | 2.13 | 4.35 | 0.06 | 0.04 | 0.02 | 0.021 | 0.06 | 11.7 | 11.3 | 0.43 | 348 | 0.95 |
| I315792 | | 0.47 | 24.0 | 2.48 | 4.78 | 0.05 | 0.06 | 0.03 | 0.021 | 0.06 | 13.2 | 12.1 | 0.46 | 327 | 1.06 |
| I315793 | | 2.43 | 12.4 | 3.07 | 7.07 | 0.08 | 0.05 | <0.01 | 0.029 | 0.45 | 9.9 | 15.8 | 0.77 | 453 | 0.36 |
| I315794 | | 8.60 | 7.5 | 5.38 | 13.00 | 0.22 | 0.05 | 0.01 | 0.038 | 1.30 | 19.2 | 32.2 | 2.51 | 869 | 0.84 |
| I315795 | | 0.57 | 14.1 | 2.54 | 6.32 | 0.07 | 0.10 | 0.01 | 0.020 | 0.04 | 9.9 | 10.8 | 0.39 | 380 | 1.64 |
| I315796 | | 0.77 | 8.6 | 2.36 | 6.51 | 0.09 | 0.03 | 0.02 | 0.037 | 0.06 | 12.2 | 11.8 | 0.56 | 218 | 0.66 |
| I315797 | | 0.49 | 29.1 | 2.68 | 6.64 | 0.08 | 0.02 | 0.01 | 0.039 | 0.03 | 10.4 | 12.2 | 0.56 | 192 | 0.52 |
| I315798 | | 0.43 | 8.4 | 1.44 | 3.42 | 0.09 | <0.02 | 0.01 | 0.029 | 0.03 | 13.4 | 5.8 | 0.21 | 188 | 0.96 |
| I315799 | | 0.95 | 14.6 | 2.82 | 7.11 | 0.08 | 0.05 | 0.02 | 0.029 | 0.04 | 9.7 | 13.9 | 0.40 | 148 | 1.48 |
| I315800 | | 0.09 | 3.4 | 0.77 | 0.71 | <0.05 | 0.11 | 0.02 | <0.005 | 0.07 | 5.3 | 1.6 | 0.04 | 170 | 0.46 |
| I315801 | | 3.81 | 148.5 | 3.08 | 8.68 | 0.16 | 0.03 | 0.10 | 0.038 | 0.15 | 14.5 | 15.4 | 0.74 | 567 | 138.0 |
| I315802 | | 3.00 | 210 | 2.34 | 7.62 | 0.14 | 0.04 | 0.44 | 0.037 | 0.09 | 18.5 | 13.3 | 0.54 | 346 | 96.5 |
| I315803 | | 3.47 | 136.0 | 3.08 | 9.27 | 0.16 | 0.05 | 0.26 | 0.051 | 0.17 | 12.9 | 18.2 | 0.79 | 359 | 109.0 |
| I315804 | | 3.81 | 141.0 | 3.39 | 8.99 | 0.17 | 0.03 | 0.30 | 0.050 | 0.19 | 14.9 | 16.6 | 0.75 | 1030 | 207 |
| I315805 | | 3.72 | 120.0 | 3.05 | 8.97 | 0.15 | 0.03 | 0.17 | 0.039 | 0.15 | 15.5 | 16.5 | 0.77 | 535 | 178.0 |
| I315806 | | 3.01 | 154.5 | 2.78 | 7.39 | 0.15 | 0.02 | 0.06 | 0.030 | 0.30 | 12.5 | 11.0 | 0.72 | 300 | 149.5 |
| I315807 | | 3.35 | 160.5 | 2.94 | 8.48 | 0.18 | 0.02 | 0.09 | 0.033 | 0.30 | 14.3 | 13.6 | 0.78 | 333 | 160.5 |
| I315808 | | 2.82 | 130.0 | 3.25 | 9.12 | 0.14 | 0.02 | 0.09 | 0.030 | 0.22 | 13.1 | 14.0 | 0.78 | 519 | 213 |
| I315809 | | 1.90 | 78.0 | 2.95 | 7.92 | 0.10 | 0.02 | 0.08 | 0.030 | 0.11 | 10.9 | 12.3 | 0.69 | 477 | 193.0 |
| I315810 | | 1.97 | 91.2 | 2.81 | 7.75 | 0.12 | 0.03 | 0.09 | 0.028 | 0.15 | 12.3 | 13.5 | 0.67 | 478 | 151.0 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Nb | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te |
| | | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.05 | 0.2 | 10 | 0.2 | 0.1 | 0.001 | 0.01 | 0.05 | 0.1 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 |
| I315771 | | 2.06 | 81.8 | 880 | 4.4 | 58.0 | 0.005 | 0.05 | 0.40 | 10.3 | 1.2 | 1.1 | 39.3 | <0.01 | 0.28 |
| I315772 | | 1.75 | 51.1 | 850 | 3.8 | 40.5 | 0.013 | 0.15 | 0.46 | 7.2 | 1.4 | 0.7 | 50.1 | <0.01 | 0.13 |
| I315773 | | 2.26 | 43.9 | 720 | 6.1 | 55.7 | 0.015 | 0.12 | 0.62 | 10.5 | 2.1 | 0.9 | 52.0 | <0.01 | 0.12 |
| I315774 | | 2.25 | 37.9 | 800 | 4.8 | 56.1 | 0.013 | 0.13 | 0.50 | 9.0 | 2.3 | 0.7 | 55.8 | <0.01 | 0.08 |
| I315775 | | 0.53 | 100.5 | 540 | 6.0 | 66.6 | 0.002 | 0.02 | 0.39 | 15.4 | 0.6 | 0.7 | 62.0 | <0.01 | 1.00 |
| I315776 | | 1.51 | 33.6 | 660 | 4.7 | 50.2 | 0.001 | 0.03 | 0.31 | 15.3 | 0.6 | 1.1 | 29.0 | <0.01 | 0.56 |
| I315777 | | 1.41 | 54.1 | 610 | 5.0 | 36.4 | 0.004 | 0.12 | 0.48 | 11.5 | 1.2 | 0.8 | 67.6 | <0.01 | 0.26 |
| I315778 | | 1.40 | 43.7 | 780 | 5.2 | 31.4 | 0.004 | 0.16 | 0.75 | 5.9 | 1.3 | 0.5 | 77.8 | <0.01 | 0.14 |
| I315779 | | 1.64 | 47.8 | 770 | 7.2 | 37.8 | 0.010 | 0.23 | 0.68 | 9.8 | 1.4 | 0.6 | 62.6 | <0.01 | 0.10 |
| I315780 | | 0.18 | 3.9 | 120 | 1.7 | 2.7 | <0.001 | <0.01 | 0.22 | 0.7 | 0.2 | 0.2 | 9.4 | <0.01 | 0.01 |
| I315781 | | 1.60 | 28.6 | 820 | 6.0 | 35.7 | <0.001 | 0.17 | 0.94 | 5.3 | 1.1 | 0.6 | 46.4 | <0.01 | 0.04 |
| I315782 | | 2.15 | 16.2 | 190 | 8.1 | 18.9 | <0.001 | 0.01 | 0.45 | 4.5 | 0.3 | 0.7 | 18.5 | <0.01 | 0.02 |
| I315783 | | 1.12 | 14.0 | 390 | 7.8 | 11.5 | <0.001 | 0.01 | 0.24 | 6.7 | 0.3 | 0.6 | 25.3 | <0.01 | 0.02 |
| I315784 | | 2.05 | 10.5 | 220 | 8.1 | 11.4 | <0.001 | 0.01 | 0.35 | 3.4 | 0.2 | 0.6 | 29.5 | <0.01 | 0.03 |
| I315785 | | 1.84 | 11.9 | 480 | 11.6 | 13.7 | <0.001 | 0.01 | 0.33 | 6.1 | 0.3 | 0.6 | 30.9 | <0.01 | 0.02 |
| I315786 | | 1.36 | 14.2 | 550 | 12.1 | 9.6 | <0.001 | 0.01 | 0.40 | 5.4 | 0.4 | 0.5 | 35.3 | <0.01 | 0.01 |
| I315787 | | 1.33 | 19.8 | 580 | 6.7 | 6.2 | 0.001 | 0.02 | 0.43 | 4.1 | 1.5 | 0.5 | 52.5 | <0.01 | 0.02 |
| I315788 | | 1.51 | 20.0 | 510 | 7.6 | 8.3 | <0.001 | 0.01 | 0.44 | 4.6 | 0.8 | 0.5 | 45.6 | <0.01 | 0.02 |
| I315789 | | 1.37 | 18.3 | 590 | 6.9 | 5.7 | <0.001 | 0.03 | 0.41 | 4.0 | 0.8 | 0.5 | 48.3 | <0.01 | 0.01 |
| I315790 | | 1.44 | 17.6 | 540 | 7.3 | 5.9 | <0.001 | 0.03 | 0.38 | 4.2 | 0.8 | 0.5 | 44.6 | <0.01 | 0.01 |
| I315791 | | 1.33 | 19.4 | 660 | 6.8 | 9.5 | <0.001 | 0.04 | 0.53 | 3.7 | 0.7 | 0.4 | 60.2 | <0.01 | 0.01 |
| I315792 | | 1.46 | 21.4 | 750 | 7.9 | 7.7 | <0.001 | 0.02 | 0.52 | 4.6 | 0.6 | 0.5 | 43.5 | <0.01 | 0.02 |
| I315793 | | 1.24 | 10.2 | 810 | 3.0 | 32.6 | <0.001 | <0.01 | 0.16 | 7.0 | 0.3 | 0.6 | 18.8 | <0.01 | <0.01 |
| I315794 | | 0.80 | 19.3 | 1330 | 1.9 | 98.8 | <0.001 | 0.01 | 0.18 | 19.8 | 0.4 | 0.8 | 29.8 | <0.01 | <0.01 |
| I315795 | | 1.29 | 16.0 | 200 | 10.0 | 9.1 | <0.001 | 0.02 | 0.33 | 3.8 | 0.4 | 0.6 | 24.9 | <0.01 | 0.04 |
| I315796 | | 1.11 | 7.3 | 550 | 4.8 | 9.9 | <0.001 | 0.03 | 0.22 | 6.1 | 0.5 | 0.6 | 21.5 | <0.01 | 0.02 |
| I315797 | | 0.79 | 10.7 | 610 | 5.5 | 5.2 | <0.001 | 0.01 | 0.26 | 7.7 | 0.5 | 0.6 | 19.3 | <0.01 | 0.02 |
| I315798 | | 0.67 | 5.4 | 480 | 2.8 | 7.3 | <0.001 | 0.02 | 0.14 | 4.2 | 0.3 | 0.4 | 9.1 | <0.01 | 0.03 |
| I315799 | | 1.36 | 17.8 | 230 | 10.4 | 12.8 | 0.001 | <0.01 | 0.37 | 3.9 | 0.3 | 0.7 | 14.5 | <0.01 | 0.04 |
| I315800 | | 0.19 | 4.2 | 110 | 1.9 | 3.2 | <0.001 | <0.01 | 0.20 | 0.7 | 0.2 | 0.2 | 11.4 | <0.01 | 0.03 |
| I315801 | | 2.04 | 42.3 | 700 | 5.7 | 52.7 | 0.001 | 0.01 | 1.85 | 6.5 | 0.9 | 0.7 | 36.1 | <0.01 | 0.07 |
| I315802 | | 1.48 | 35.8 | 810 | 4.9 | 28.7 | 0.005 | 0.05 | 1.96 | 5.5 | 1.8 | 0.6 | 36.0 | 0.01 | 0.06 |
| I315803 | | 2.38 | 34.5 | 590 | 5.9 | 47.5 | 0.002 | 0.02 | 1.65 | 7.5 | 0.8 | 0.8 | 32.3 | <0.01 | 0.07 |
| I315804 | | 1.88 | 33.7 | 780 | 5.4 | 56.1 | 0.003 | 0.05 | 0.88 | 7.4 | 1.3 | 0.8 | 36.0 | <0.01 | 0.08 |
| I315805 | | 1.98 | 34.7 | 810 | 5.6 | 48.5 | 0.004 | 0.04 | 0.46 | 7.1 | 1.4 | 0.7 | 36.3 | <0.01 | 0.07 |
| I315806 | | 1.71 | 30.2 | 840 | 5.2 | 44.2 | 0.002 | 0.03 | 0.44 | 7.2 | 0.9 | 0.6 | 24.6 | <0.01 | 0.12 |
| I315807 | | 2.04 | 32.7 | 790 | 5.2 | 50.1 | 0.003 | 0.03 | 0.50 | 8.0 | 1.0 | 0.7 | 28.3 | <0.01 | 0.11 |
| I315808 | | 2.08 | 31.2 | 730 | 6.2 | 42.8 | 0.002 | <0.01 | 0.70 | 7.5 | 0.8 | 0.7 | 32.7 | <0.01 | 0.10 |
| I315809 | | 1.63 | 27.1 | 880 | 6.5 | 25.7 | 0.001 | 0.02 | 0.85 | 5.6 | 0.8 | 0.6 | 29.2 | <0.01 | 0.07 |
| I315810 | | 1.84 | 28.4 | 730 | 6.6 | 34.1 | 0.002 | <0.01 | 0.56 | 6.5 | 1.0 | 0.6 | 33.7 | <0.01 | 0.07 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I315771 | | 0.160 | 0.55 | 3.44 | 131 | 8.12 | 17.45 | 85 | 2.0 |
| I315772 | | 0.112 | 0.43 | 2.33 | 86 | 7.06 | 14.00 | 67 | 2.2 |
| I315773 | | 0.172 | 0.52 | 2.29 | 116 | 2.69 | 11.20 | 92 | 2.1 |
| I315774 | | 0.157 | 0.55 | 2.23 | 106 | 3.08 | 8.78 | 76 | 2.0 |
| I315775 | | 0.210 | 0.70 | 0.33 | 161 | 0.68 | 3.89 | 87 | <0.5 |
| I315776 | | 0.162 | 0.48 | 0.49 | 107 | 0.58 | 4.17 | 90 | <0.5 |
| I315777 | | 0.129 | 0.36 | 1.17 | 101 | 0.71 | 8.39 | 76 | 0.9 |
| I315778 | | 0.093 | 0.27 | 1.25 | 73 | 1.23 | 11.10 | 82 | 1.5 |
| I315779 | | 0.120 | 0.32 | 1.36 | 98 | 1.20 | 10.65 | 88 | 1.6 |
| I315780 | | 0.008 | 0.04 | 0.31 | 5 | 0.06 | 2.58 | 3 | 3.1 |
| I315781 | | 0.120 | 0.23 | 0.87 | 79 | 0.28 | 11.15 | 132 | 1.7 |
| I315782 | | 0.188 | 0.12 | 0.33 | 86 | 0.18 | 2.29 | 51 | 1.9 |
| I315783 | | 0.142 | 0.09 | 0.37 | 91 | 0.12 | 5.28 | 69 | 2.0 |
| I315784 | | 0.124 | 0.12 | 0.42 | 86 | 0.16 | 3.31 | 51 | 1.4 |
| I315785 | | 0.156 | 0.08 | 0.39 | 98 | 0.15 | 3.81 | 82 | 1.5 |
| I315786 | | 0.115 | 0.07 | 0.95 | 65 | 0.14 | 7.81 | 54 | 2.1 |
| I315787 | | 0.065 | 0.07 | 3.08 | 49 | 0.30 | 7.08 | 37 | 1.4 |
| I315788 | | 0.078 | 0.07 | 1.22 | 52 | 0.21 | 7.77 | 42 | 2.2 |
| I315789 | | 0.068 | 0.05 | 1.58 | 48 | 0.39 | 6.91 | 38 | 1.6 |
| I315790 | | 0.071 | 0.06 | 1.46 | 54 | 0.14 | 6.70 | 39 | 1.7 |
| I315791 | | 0.065 | 0.06 | 1.01 | 43 | 0.25 | 7.25 | 46 | 1.3 |
| I315792 | | 0.077 | 0.05 | 0.97 | 50 | 0.21 | 7.93 | 48 | 2.3 |
| I315793 | | 0.155 | 0.19 | 0.30 | 40 | 0.07 | 8.20 | 79 | 2.0 |
| I315794 | | 0.420 | 0.43 | 0.21 | 120 | 0.14 | 10.70 | 249 | 1.6 |
| I315795 | | 0.071 | 0.10 | 0.62 | 69 | 0.17 | 4.39 | 37 | 4.1 |
| I315796 | | 0.071 | 0.07 | 0.53 | 32 | 0.10 | 10.55 | 52 | 1.4 |
| I315797 | | 0.066 | 0.06 | 0.61 | 50 | 0.14 | 8.42 | 53 | 1.3 |
| I315798 | | 0.037 | 0.04 | 0.22 | 17 | 0.09 | 7.28 | 40 | <0.5 |
| I315799 | | 0.075 | 0.10 | 0.47 | 67 | 0.17 | 2.86 | 43 | 2.2 |
| I315800 | | 0.007 | 0.04 | 0.30 | 4 | 0.05 | 2.47 | 3 | 3.7 |
| I315801 | | 0.135 | 0.23 | 1.32 | 79 | 2.10 | 8.05 | 70 | 1.6 |
| I315802 | | 0.091 | 0.26 | 2.28 | 55 | 0.85 | 15.35 | 48 | 1.8 |
| I315803 | | 0.156 | 0.36 | 1.05 | 81 | 10.20 | 7.03 | 65 | 2.0 |
| I315804 | | 0.123 | 0.38 | 1.77 | 91 | 2.71 | 8.92 | 91 | 1.4 |
| I315805 | | 0.132 | 0.31 | 2.31 | 87 | 1.33 | 9.60 | 76 | 1.6 |
| I315806 | | 0.138 | 0.36 | 1.08 | 83 | 3.27 | 8.70 | 48 | 1.1 |
| I315807 | | 0.147 | 0.41 | 1.24 | 87 | 1.12 | 9.48 | 49 | 1.2 |
| I315808 | | 0.150 | 0.32 | 1.21 | 91 | 3.57 | 7.55 | 61 | 1.4 |
| I315809 | | 0.124 | 0.18 | 1.13 | 81 | 0.46 | 6.16 | 57 | 1.4 |
| I315810 | | 0.125 | 0.23 | 1.40 | 80 | 0.81 | 8.09 | 55 | 1.6 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315811 | | 0.52 | 0.006 | 0.36 | 2.62 | 18.2 | <0.2 | <10 | 240 | 0.60 | 0.36 | 0.64 | 0.20 | 22.3 | 11.0 | 52 |
| I315812 | | 0.46 | <0.005 | 0.25 | 2.45 | 11.7 | <0.2 | <10 | 240 | 0.55 | 0.28 | 1.02 | <0.01 | 21.6 | 11.3 | 46 |
| I315813 | | 0.52 | <0.005 | 0.26 | 2.36 | 9.6 | <0.2 | <10 | 220 | 0.53 | 0.24 | 1.09 | 0.36 | 23.0 | 14.3 | 43 |
| I315814 | | 0.58 | <0.005 | 0.30 | 2.85 | 8.6 | <0.2 | <10 | 320 | 0.53 | 0.32 | 0.91 | 0.10 | 21.9 | 12.3 | 56 |
| I315815 | | 0.64 | <0.005 | 0.33 | 2.77 | 8.8 | <0.2 | <10 | 310 | 0.59 | 0.33 | 0.89 | 0.10 | 22.5 | 12.1 | 54 |
| I315816 | | 0.48 | 0.008 | 0.31 | 2.95 | 7.0 | <0.2 | <10 | 320 | 0.50 | 0.32 | 1.14 | 0.15 | 18.20 | 13.0 | 55 |
| I315817 | | 0.46 | <0.005 | 0.30 | 2.12 | 7.2 | <0.2 | <10 | 260 | 0.56 | 0.26 | 1.46 | 0.23 | 21.8 | 12.6 | 40 |
| I315818 | | 0.62 | <0.005 | 0.21 | 2.38 | 7.2 | <0.2 | <10 | 260 | 0.37 | 0.31 | 1.02 | 0.16 | 15.80 | 13.1 | 53 |
| I315819 | | 0.54 | <0.005 | 0.26 | 2.10 | 13.2 | <0.2 | <10 | 460 | 0.49 | 0.49 | 1.95 | 1.24 | 27.4 | 109.5 | 46 |
| I315820 | | 0.44 | <0.005 | 0.30 | 2.99 | 8.3 | <0.2 | <10 | 410 | 0.47 | 0.58 | 1.01 | 0.30 | 19.45 | 19.1 | 63 |
| I315821 | | 0.48 | 0.006 | 0.69 | 2.35 | 12.1 | <0.2 | <10 | 470 | 0.45 | 0.37 | 1.30 | 0.58 | 21.3 | 15.5 | 44 |
| I315822 | | 0.44 | 0.013 | 0.32 | 2.33 | 27.7 | <0.2 | <10 | 280 | 0.43 | 0.34 | 0.66 | 0.30 | 17.65 | 9.2 | 41 |
| I315823 | | 0.50 | 0.005 | 0.30 | 2.79 | 19.7 | <0.2 | <10 | 420 | 0.39 | 0.35 | 1.27 | 0.34 | 18.10 | 17.5 | 60 |
| I315824 | | 0.74 | <0.005 | 0.09 | 1.56 | 6.8 | <0.2 | <10 | 190 | 0.46 | 0.15 | 0.19 | 0.04 | 27.2 | 8.0 | 32 |
| I315825 | | 0.66 | <0.005 | 0.08 | 1.79 | 7.5 | <0.2 | <10 | 140 | 0.26 | 0.12 | 0.22 | 0.04 | 20.8 | 8.1 | 29 |
| I315826 | | 0.50 | <0.005 | 0.20 | 1.85 | 9.0 | <0.2 | <10 | 160 | 0.39 | 0.17 | 0.15 | 0.04 | 18.45 | 7.9 | 30 |
| I315827 | | 0.56 | <0.005 | 0.09 | 1.93 | 10.9 | <0.2 | <10 | 170 | 0.38 | 0.16 | 0.14 | 0.05 | 21.2 | 9.0 | 47 |
| I315828 | | 0.66 | <0.005 | 0.09 | 2.67 | 7.2 | <0.2 | <10 | 150 | 0.43 | 0.10 | 0.37 | 0.06 | 10.85 | 14.0 | 44 |
| I315829 | | 0.62 | <0.005 | 0.12 | 1.23 | 4.2 | <0.2 | <10 | 120 | 0.29 | 0.13 | 0.21 | 0.05 | 16.75 | 6.0 | 20 |
| I315830 | | 0.74 | <0.005 | 0.07 | 1.79 | 5.1 | <0.2 | <10 | 130 | 0.69 | 0.18 | 0.52 | 0.04 | 18.75 | 8.1 | 24 |
| I315831 | | 1.08 | <0.005 | 0.09 | 1.80 | 6.0 | <0.2 | <10 | 210 | 0.79 | 0.14 | 0.59 | 0.07 | 25.6 | 7.8 | 28 |
| I315832 | | 0.94 | <0.005 | 0.08 | 1.80 | 5.8 | <0.2 | <10 | 210 | 0.92 | 0.15 | 0.61 | 0.08 | 27.1 | 8.2 | 27 |
| I315833 | | 0.60 | <0.005 | 0.09 | 1.58 | 4.5 | <0.2 | <10 | 120 | 0.37 | 0.11 | 0.39 | 0.05 | 12.35 | 8.4 | 23 |
| I315834 | | 0.44 | <0.005 | 0.08 | 1.83 | 8.5 | <0.2 | <10 | 330 | 0.37 | 0.16 | 0.34 | 0.21 | 16.50 | 19.1 | 25 |
| I315835 | | 1.08 | <0.005 | 0.29 | 1.94 | 10.3 | <0.2 | <10 | 300 | 0.60 | 0.18 | 0.66 | 0.13 | 30.0 | 10.7 | 32 |
| I315836 | | 0.46 | <0.005 | 0.08 | 1.52 | 4.3 | <0.2 | <10 | 230 | 0.28 | 0.10 | 0.52 | 0.13 | 15.25 | 5.9 | 21 |
| I315837 | | 0.68 | <0.005 | 0.03 | 1.63 | 7.9 | <0.2 | <10 | 260 | 0.40 | 0.14 | 0.36 | 0.07 | 27.4 | 7.6 | 29 |
| I315838 | | 0.80 | <0.005 | 0.10 | 1.60 | 8.8 | <0.2 | <10 | 240 | 0.42 | 0.14 | 0.56 | 0.10 | 26.2 | 9.3 | 27 |
| I315839 | | 0.76 | <0.005 | 0.09 | 1.74 | 8.6 | <0.2 | <10 | 270 | 0.41 | 0.16 | 0.54 | 0.13 | 27.4 | 8.8 | 28 |
| I315840 | | 0.72 | <0.005 | 0.04 | 1.65 | 6.6 | <0.2 | <10 | 220 | 0.45 | 0.09 | 0.52 | 0.06 | 24.0 | 7.2 | 27 |
| I315841 | | 0.86 | <0.005 | 0.08 | 1.61 | 5.9 | <0.2 | <10 | 250 | 0.45 | 0.12 | 0.38 | 0.08 | 24.2 | 9.2 | 22 |
| I315842 | | 0.78 | <0.005 | 0.06 | 1.90 | 10.2 | <0.2 | <10 | 220 | 0.34 | 0.16 | 0.21 | 0.07 | 20.1 | 8.2 | 32 |
| I315843 | | 0.64 | 0.005 | 0.09 | 1.55 | 5.9 | <0.2 | <10 | 310 | 0.44 | 0.13 | 0.47 | 0.10 | 27.4 | 7.8 | 22 |
| I315844 | | 0.52 | <0.005 | 0.24 | 1.89 | 10.1 | <0.2 | <10 | 400 | 0.53 | 0.10 | 0.63 | 0.07 | 42.2 | 10.3 | 17 |
| I315845 | | 0.62 | <0.005 | 0.07 | 1.68 | 2.9 | <0.2 | <10 | 110 | 0.36 | 0.06 | 0.30 | 0.08 | 10.65 | 6.5 | 10 |
| I315846 | | 0.86 | <0.005 | 0.09 | 1.95 | 8.7 | <0.2 | <10 | 160 | 0.40 | 0.12 | 0.56 | 0.11 | 41.2 | 12.0 | 15 |
| I315847 | | 0.78 | 0.006 | 0.22 | 1.93 | 13.0 | <0.2 | <10 | 200 | 0.29 | 0.18 | 0.38 | 0.13 | 13.90 | 10.2 | 22 |
| I315848 | | 0.46 | 0.006 | 0.12 | 1.96 | 10.6 | <0.2 | <10 | 200 | 0.28 | 0.13 | 0.59 | 0.14 | 15.55 | 10.2 | 35 |
| I315849 | | 0.78 | 0.009 | 0.12 | 2.11 | 21.5 | <0.2 | <10 | 210 | 0.44 | 0.22 | 0.40 | 0.18 | 30.0 | 14.2 | 52 |
| I315850 | | 0.64 | 0.011 | 0.17 | 1.79 | 53.5 | <0.2 | <10 | 180 | 0.42 | 0.22 | 0.35 | 0.29 | 28.4 | 14.5 | 57 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I315811 | | 2.68 | 97.7 | 3.11 | 8.76 | 0.12 | 0.04 | 0.08 | 0.028 | 0.24 | 11.7 | 17.2 | 0.89 | 317 | 143.5 |
| I315812 | | 2.69 | 125.5 | 2.86 | 7.60 | 0.13 | 0.04 | 0.07 | 0.024 | 0.21 | 10.9 | 13.0 | 0.87 | 315 | 131.0 |
| I315813 | | 2.44 | 141.5 | 2.75 | 7.65 | 0.13 | 0.04 | 0.07 | 0.025 | 0.19 | 11.3 | 13.2 | 0.76 | 498 | 101.0 |
| I315814 | | 2.57 | 118.0 | 3.07 | 8.68 | 0.14 | 0.03 | 0.06 | 0.026 | 0.28 | 11.2 | 13.4 | 0.96 | 372 | 50.6 |
| I315815 | | 2.49 | 118.0 | 2.98 | 8.72 | 0.13 | 0.04 | 0.06 | 0.025 | 0.26 | 11.4 | 13.7 | 0.92 | 344 | 50.8 |
| I315816 | | 2.05 | 115.5 | 2.94 | 7.92 | 0.12 | 0.04 | 0.07 | 0.023 | 0.28 | 9.5 | 13.6 | 0.91 | 368 | 11.95 |
| I315817 | | 1.43 | 114.0 | 2.44 | 6.53 | 0.11 | 0.04 | 0.08 | 0.025 | 0.10 | 11.0 | 9.7 | 0.61 | 402 | 8.45 |
| I315818 | | 2.16 | 76.5 | 2.62 | 6.85 | 0.12 | 0.03 | 0.05 | 0.021 | 0.33 | 7.8 | 10.6 | 1.00 | 372 | 4.58 |
| I315819 | | 1.24 | 77.3 | 4.41 | 5.32 | 0.15 | 0.02 | 0.08 | 0.022 | 0.17 | 8.7 | 6.9 | 0.93 | 5780 | 3.50 |
| I315820 | | 2.14 | 49.4 | 3.42 | 8.74 | 0.14 | 0.04 | 0.05 | 0.028 | 0.28 | 9.3 | 15.3 | 1.31 | 688 | 1.63 |
| I315821 | | 2.54 | 69.0 | 2.91 | 6.74 | 0.12 | 0.03 | 0.09 | 0.022 | 0.26 | 10.5 | 12.5 | 1.05 | 559 | 1.13 |
| I315822 | | 1.82 | 33.0 | 2.52 | 7.18 | 0.10 | <0.02 | 0.06 | 0.019 | 0.31 | 8.5 | 12.5 | 1.14 | 261 | 0.50 |
| I315823 | | 2.49 | 42.2 | 3.51 | 9.33 | 0.13 | 0.03 | 0.21 | 0.023 | 0.47 | 8.9 | 14.4 | 1.75 | 674 | 0.97 |
| I315824 | | 0.71 | 19.2 | 2.51 | 5.11 | 0.09 | 0.09 | 0.02 | 0.023 | 0.05 | 13.4 | 12.2 | 0.48 | 170 | 0.62 |
| I315825 | | 0.91 | 16.1 | 2.68 | 6.29 | 0.08 | 0.02 | 0.02 | 0.021 | 0.06 | 10.4 | 15.6 | 0.68 | 183 | 0.64 |
| I315826 | | 0.83 | 17.1 | 2.83 | 6.66 | 0.08 | 0.07 | 0.03 | 0.024 | 0.05 | 9.5 | 14.0 | 0.43 | 245 | 1.08 |
| I315827 | | 0.98 | 23.9 | 2.95 | 6.89 | 0.08 | <0.02 | 0.01 | 0.025 | 0.05 | 10.3 | 15.2 | 0.56 | 198 | 0.78 |
| I315828 | | 1.46 | 21.2 | 4.27 | 10.45 | 0.10 | 0.07 | 0.01 | 0.019 | 0.09 | 5.5 | 30.9 | 1.36 | 356 | 0.51 |
| I315829 | | 0.62 | 11.8 | 2.22 | 7.01 | 0.07 | 0.04 | 0.02 | 0.013 | 0.11 | 8.4 | 12.3 | 0.49 | 356 | 0.83 |
| I315830 | | 0.89 | 18.7 | 2.53 | 7.48 | 0.09 | <0.02 | 0.03 | 0.015 | 0.09 | 10.1 | 20.1 | 0.73 | 190 | 0.47 |
| I315831 | | 0.67 | 20.2 | 2.50 | 6.73 | 0.08 | 0.03 | 0.03 | 0.019 | 0.07 | 14.1 | 14.5 | 0.65 | 273 | 0.47 |
| I315832 | | 0.78 | 21.1 | 2.52 | 7.06 | 0.09 | 0.03 | 0.03 | 0.016 | 0.08 | 15.0 | 16.1 | 0.68 | 272 | 0.46 |
| I315833 | | 0.80 | 10.4 | 2.33 | 8.66 | 0.05 | <0.02 | 0.02 | 0.011 | 0.10 | 7.1 | 16.8 | 0.80 | 232 | 0.61 |
| I315834 | | 0.60 | 12.4 | 2.89 | 6.81 | 0.05 | 0.02 | 0.02 | 0.024 | 0.05 | 7.6 | 12.7 | 0.47 | 1560 | 3.39 |
| I315835 | | 0.52 | 30.0 | 2.82 | 6.19 | 0.09 | 0.24 | 0.04 | 0.031 | 0.05 | 15.4 | 12.6 | 0.52 | 347 | 0.62 |
| I315836 | | 0.81 | 12.9 | 1.97 | 6.01 | 0.05 | <0.02 | 0.02 | 0.019 | 0.04 | 8.0 | 11.4 | 0.61 | 180 | 1.04 |
| I315837 | | 0.52 | 14.5 | 2.43 | 5.12 | 0.07 | 0.20 | 0.01 | 0.023 | 0.05 | 13.2 | 12.2 | 0.48 | 176 | 0.89 |
| I315838 | | 0.48 | 23.2 | 2.44 | 4.92 | 0.07 | 0.11 | 0.03 | 0.024 | 0.05 | 13.2 | 11.0 | 0.47 | 330 | 0.72 |
| I315839 | | 0.48 | 22.1 | 2.46 | 5.99 | 0.07 | 0.14 | 0.02 | 0.028 | 0.05 | 13.8 | 12.2 | 0.47 | 253 | 0.77 |
| I315840 | | 0.66 | 17.2 | 2.70 | 6.57 | 0.08 | 0.06 | 0.01 | 0.032 | 0.05 | 14.7 | 18.0 | 0.69 | 294 | 0.73 |
| I315841 | | 0.64 | 18.6 | 2.53 | 5.86 | 0.06 | 0.17 | 0.03 | 0.028 | 0.04 | 12.4 | 11.8 | 0.49 | 319 | 1.01 |
| I315842 | | 0.89 | 18.0 | 2.80 | 6.20 | 0.07 | 0.10 | 0.02 | 0.026 | 0.04 | 10.5 | 13.9 | 0.48 | 198 | 0.92 |
| I315843 | | 0.61 | 19.6 | 2.27 | 5.58 | 0.07 | 0.07 | 0.04 | 0.024 | 0.04 | 14.4 | 12.1 | 0.44 | 261 | 1.03 |
| I315844 | | 0.88 | 19.4 | 2.23 | 5.69 | 0.08 | 0.07 | 0.01 | 0.020 | 0.09 | 21.6 | 11.0 | 0.37 | 195 | 0.81 |
| I315845 | | 0.77 | 11.6 | 2.64 | 10.15 | 0.06 | <0.02 | 0.03 | 0.024 | 0.09 | 5.7 | 11.9 | 0.64 | 192 | 0.47 |
| I315846 | | 1.08 | 40.4 | 3.69 | 6.30 | 0.10 | <0.02 | 0.01 | 0.032 | 0.07 | 19.6 | 18.7 | 0.53 | 264 | 2.85 |
| I315847 | | 1.60 | 26.7 | 2.26 | 6.00 | 0.07 | <0.02 | 0.04 | 0.019 | 0.04 | 7.5 | 7.7 | 0.37 | 568 | 1.02 |
| I315848 | | 1.27 | 23.9 | 2.66 | 6.72 | 0.08 | <0.02 | 0.04 | 0.021 | 0.07 | 8.3 | 13.7 | 0.60 | 470 | 1.11 |
| I315849 | | 1.44 | 35.6 | 3.24 | 6.28 | 0.11 | 0.05 | 0.04 | 0.027 | 0.11 | 14.2 | 13.2 | 0.74 | 668 | 1.66 |
| I315850 | | 1.96 | 65.3 | 2.88 | 6.75 | 0.10 | 0.05 | 0.02 | 0.024 | 0.26 | 14.0 | 13.9 | 0.83 | 410 | 1.95 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I315811 | | 2.31 | 35.5 | 610 | 7.7 | 56.2 | 0.002 | 0.01 | 0.52 | 7.9 | 1.2 | 0.7 | 35.9 | <0.01 | 0.10 | 2.3 |
| I315812 | | 1.98 | 31.2 | 700 | 5.2 | 41.6 | 0.008 | 0.06 | 0.56 | 6.3 | 2.6 | 0.5 | 47.1 | <0.01 | 0.09 | 1.3 |
| I315813 | | 1.85 | 33.8 | 740 | 5.7 | 40.5 | 0.004 | 0.07 | 0.51 | 5.8 | 2.1 | 0.5 | 52.7 | <0.01 | 0.07 | 0.9 |
| I315814 | | 1.84 | 36.8 | 680 | 5.1 | 42.9 | 0.003 | 0.04 | 0.52 | 7.2 | 1.3 | 0.6 | 46.7 | <0.01 | 0.09 | 1.5 |
| I315815 | | 1.91 | 36.3 | 670 | 5.2 | 42.3 | 0.003 | 0.04 | 0.51 | 7.4 | 1.3 | 0.6 | 47.4 | <0.01 | 0.08 | 1.4 |
| I315816 | | 1.81 | 33.4 | 730 | 5.1 | 40.5 | 0.007 | 0.07 | 0.55 | 6.6 | 1.6 | 0.6 | 51.6 | <0.01 | 0.08 | 1.2 |
| I315817 | | 1.61 | 27.7 | 810 | 5.1 | 22.8 | 0.002 | 0.07 | 0.61 | 4.8 | 1.5 | 0.5 | 69.7 | <0.01 | 0.09 | 0.6 |
| I315818 | | 1.41 | 30.9 | 670 | 5.4 | 36.9 | 0.003 | 0.05 | 0.75 | 6.3 | 1.1 | 0.4 | 46.3 | <0.01 | 0.11 | 1.1 |
| I315819 | | 0.75 | 33.1 | 1080 | 3.8 | 19.6 | 0.003 | 0.17 | 0.59 | 5.0 | 2.0 | 0.4 | 79.7 | <0.01 | 0.33 | 0.5 |
| I315820 | | 1.40 | 36.0 | 650 | 7.3 | 34.7 | 0.002 | 0.05 | 0.69 | 9.2 | 1.2 | 0.5 | 43.9 | <0.01 | 0.14 | 1.5 |
| I315821 | | 1.14 | 27.2 | 910 | 7.1 | 31.0 | 0.001 | 0.11 | 1.64 | 4.6 | 1.4 | 0.4 | 47.3 | <0.01 | 0.08 | 0.4 |
| I315822 | | 1.22 | 23.2 | 680 | 10.7 | 32.2 | <0.001 | 0.07 | 0.92 | 5.1 | 0.6 | 0.4 | 28.9 | <0.01 | 0.04 | 1.1 |
| I315823 | | 1.83 | 34.8 | 680 | 6.3 | 51.1 | <0.001 | 0.05 | 0.53 | 5.1 | 0.9 | 0.5 | 47.2 | <0.01 | 0.08 | 0.8 |
| I315824 | | 0.75 | 18.1 | 100 | 8.3 | 12.8 | <0.001 | <0.01 | 0.43 | 5.2 | 0.4 | 0.5 | 19.9 | <0.01 | 0.03 | 3.7 |
| I315825 | | 1.08 | 17.0 | 180 | 7.1 | 10.9 | <0.001 | <0.01 | 0.38 | 4.3 | 0.3 | 0.5 | 30.8 | <0.01 | 0.03 | 2.6 |
| I315826 | | 1.73 | 18.8 | 230 | 9.3 | 12.2 | <0.001 | <0.01 | 0.47 | 3.7 | 0.4 | 0.6 | 17.8 | <0.01 | 0.03 | 3.2 |
| I315827 | | 1.41 | 24.2 | 220 | 8.8 | 11.7 | <0.001 | <0.01 | 0.47 | 3.8 | 0.4 | 0.5 | 18.2 | <0.01 | 0.03 | 1.9 |
| I315828 | | 1.36 | 29.9 | 430 | 7.8 | 12.6 | <0.001 | <0.01 | 0.24 | 5.6 | 0.4 | 0.5 | 60.9 | <0.01 | 0.03 | 1.7 |
| I315829 | | 1.51 | 11.1 | 230 | 8.5 | 19.8 | <0.001 | <0.01 | 0.26 | 2.4 | 0.2 | 0.5 | 27.2 | <0.01 | 0.03 | 2.0 |
| I315830 | | 1.39 | 14.5 | 690 | 16.7 | 14.6 | <0.001 | <0.01 | 0.21 | 3.0 | 0.3 | 0.4 | 59.4 | <0.01 | 0.02 | 2.4 |
| I315831 | | 1.01 | 15.9 | 610 | 11.5 | 9.4 | <0.001 | <0.01 | 0.23 | 4.0 | 0.5 | 0.4 | 57.8 | <0.01 | 0.01 | 2.8 |
| I315832 | | 1.06 | 16.3 | 680 | 13.1 | 10.8 | <0.001 | <0.01 | 0.24 | 4.1 | 0.6 | 0.4 | 61.6 | <0.01 | <0.01 | 3.2 |
| I315833 | | 1.54 | 12.3 | 470 | 10.7 | 12.8 | <0.001 | <0.01 | 0.18 | 2.0 | 0.3 | 0.4 | 36.7 | <0.01 | <0.01 | 1.4 |
| I315834 | | 1.65 | 15.1 | 680 | 9.1 | 11.7 | <0.001 | <0.01 | 0.26 | 3.3 | 0.5 | 0.6 | 29.0 | <0.01 | 0.02 | 2.2 |
| I315835 | | 1.56 | 25.0 | 440 | 10.2 | 7.3 | <0.001 | <0.01 | 0.52 | 6.9 | 0.8 | 0.6 | 48.3 | <0.01 | 0.03 | 4.2 |
| I315836 | | 1.43 | 11.8 | 320 | 6.1 | 7.6 | <0.001 | <0.01 | 0.19 | 3.4 | 0.5 | 0.5 | 36.5 | <0.01 | <0.01 | 1.6 |
| I315837 | | 0.66 | 17.1 | 320 | 9.0 | 6.7 | <0.001 | <0.01 | 0.30 | 5.1 | 0.4 | 0.5 | 26.9 | <0.01 | <0.01 | 4.3 |
| I315838 | | 1.27 | 20.7 | 450 | 8.5 | 6.7 | <0.001 | <0.01 | 0.44 | 5.4 | 0.6 | 0.5 | 39.2 | <0.01 | 0.01 | 3.4 |
| I315839 | | 1.63 | 18.7 | 420 | 10.1 | 6.6 | <0.001 | <0.01 | 0.34 | 5.6 | 0.7 | 0.6 | 39.2 | <0.01 | 0.03 | 3.9 |
| I315840 | | 1.80 | 15.6 | 570 | 6.1 | 7.9 | <0.001 | <0.01 | 0.24 | 6.7 | 0.7 | 0.6 | 30.7 | <0.01 | 0.01 | 3.1 |
| I315841 | | 0.84 | 13.9 | 410 | 7.9 | 6.9 | <0.001 | <0.01 | 0.37 | 5.2 | 0.5 | 0.5 | 27.1 | <0.01 | 0.01 | 4.3 |
| I315842 | | 1.16 | 19.6 | 200 | 9.8 | 8.0 | <0.001 | <0.01 | 0.38 | 4.0 | 0.4 | 0.6 | 20.1 | <0.01 | 0.01 | 3.6 |
| I315843 | | 1.16 | 15.8 | 490 | 7.8 | 5.9 | <0.001 | <0.01 | 0.33 | 4.1 | 0.7 | 0.4 | 36.0 | <0.01 | 0.01 | 3.5 |
| I315844 | | 0.65 | 12.0 | 290 | 10.8 | 6.9 | <0.001 | <0.01 | 0.23 | 4.7 | 0.6 | 0.4 | 84.8 | 0.01 | 0.02 | 5.7 |
| I315845 | | 0.63 | 5.8 | 450 | 5.8 | 10.5 | <0.001 | <0.01 | 0.10 | 3.3 | 0.4 | 0.5 | 30.8 | <0.01 | 0.01 | 0.4 |
| I315846 | | 0.56 | 13.5 | 340 | 8.4 | 6.2 | <0.001 | 0.01 | 0.67 | 4.7 | 0.9 | 0.4 | 59.6 | 0.01 | 0.06 | 6.0 |
| I315847 | | 0.92 | 13.8 | 860 | 9.3 | 8.0 | <0.001 | 0.04 | 0.63 | 3.0 | 0.6 | 0.4 | 40.0 | <0.01 | <0.01 | 0.7 |
| I315848 | | 1.75 | 20.7 | 680 | 6.1 | 13.2 | <0.001 | 0.04 | 0.49 | 3.9 | 0.7 | 0.5 | 38.9 | <0.01 | 0.02 | 0.9 |
| I315849 | | 1.57 | 36.6 | 760 | 11.4 | 21.1 | <0.001 | <0.01 | 0.94 | 6.6 | 0.8 | 0.5 | 26.1 | <0.01 | 0.02 | 3.7 |
| I315850 | | 1.97 | 34.1 | 750 | 14.1 | 32.0 | <0.001 | <0.01 | 2.32 | 6.2 | 0.6 | 0.7 | 20.2 | <0.01 | 0.04 | 3.3 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|
| | | Ti | Ti | U | V | W | Y | Zn |
| | | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 |
| | | | | | | | | 0.5 |
| I315811 | | 0.149 | 0.34 | 1.58 | 90 | 1.83 | 6.90 | 80 |
| I315812 | | 0.126 | 0.30 | 3.37 | 81 | 3.07 | 8.27 | 62 |
| I315813 | | 0.112 | 0.25 | 2.61 | 78 | 2.74 | 9.15 | 69 |
| I315814 | | 0.135 | 0.32 | 1.57 | 86 | 2.72 | 8.79 | 68 |
| I315815 | | 0.129 | 0.30 | 1.55 | 84 | 2.97 | 8.96 | 67 |
| I315816 | | 0.126 | 0.28 | 1.22 | 84 | 3.06 | 8.22 | 74 |
| I315817 | | 0.087 | 0.17 | 1.15 | 63 | 1.63 | 10.35 | 50 |
| I315818 | | 0.113 | 0.27 | 0.76 | 72 | 2.49 | 6.50 | 63 |
| I315819 | | 0.057 | 0.52 | 1.07 | 83 | 0.51 | 10.15 | 83 |
| I315820 | | 0.118 | 0.27 | 1.00 | 105 | 0.58 | 8.56 | 86 |
| I315821 | | 0.092 | 0.20 | 1.05 | 65 | 0.27 | 12.45 | 97 |
| I315822 | | 0.114 | 0.18 | 0.63 | 67 | 0.28 | 6.63 | 99 |
| I315823 | | 0.142 | 0.25 | 0.63 | 84 | 0.28 | 9.36 | 94 |
| I315824 | | 0.092 | 0.08 | 0.56 | 55 | 0.15 | 5.88 | 36 |
| I315825 | | 0.113 | 0.08 | 0.43 | 65 | 0.15 | 3.45 | 42 |
| I315826 | | 0.094 | 0.10 | 0.42 | 64 | 0.19 | 2.68 | 46 |
| I315827 | | 0.105 | 0.10 | 0.49 | 68 | 0.19 | 3.44 | 41 |
| I315828 | | 0.221 | 0.10 | 0.32 | 118 | 0.16 | 2.47 | 60 |
| I315829 | | 0.105 | 0.09 | 0.33 | 62 | 0.13 | 2.40 | 48 |
| I315830 | | 0.117 | 0.10 | 0.82 | 55 | 0.12 | 4.36 | 69 |
| I315831 | | 0.094 | 0.08 | 1.03 | 56 | 0.13 | 7.34 | 64 |
| I315832 | | 0.100 | 0.09 | 1.11 | 55 | 0.09 | 7.51 | 67 |
| I315833 | | 0.127 | 0.10 | 0.60 | 54 | 0.06 | 2.02 | 81 |
| I315834 | | 0.077 | 0.11 | 0.36 | 65 | 0.16 | 2.71 | 58 |
| I315835 | | 0.097 | 0.06 | 2.05 | 63 | 0.15 | 10.50 | 47 |
| I315836 | | 0.086 | 0.07 | 0.50 | 45 | 0.15 | 3.37 | 38 |
| I315837 | | 0.079 | 0.07 | 0.68 | 54 | 0.14 | 6.51 | 35 |
| I315838 | | 0.080 | 0.06 | 0.62 | 53 | 0.19 | 8.09 | 41 |
| I315839 | | 0.083 | 0.06 | 0.87 | 55 | 0.17 | 7.55 | 43 |
| I315840 | | 0.119 | 0.07 | 0.58 | 47 | 0.11 | 13.60 | 51 |
| I315841 | | 0.066 | 0.06 | 1.05 | 53 | 0.12 | 6.41 | 47 |
| I315842 | | 0.072 | 0.10 | 0.51 | 61 | 0.16 | 3.19 | 44 |
| I315843 | | 0.047 | 0.07 | 1.17 | 45 | 0.18 | 6.96 | 45 |
| I315844 | | 0.020 | 0.05 | 0.90 | 35 | 0.09 | 7.09 | 55 |
| I315845 | | 0.051 | 0.07 | 0.51 | 44 | 0.07 | 4.71 | 100 |
| I315846 | | 0.008 | 0.06 | 1.11 | 38 | 0.10 | 7.85 | 68 |
| I315847 | | 0.064 | 0.14 | 2.25 | 51 | 0.23 | 5.82 | 48 |
| I315848 | | 0.105 | 0.13 | 0.73 | 59 | 0.42 | 4.33 | 56 |
| I315849 | | 0.140 | 0.19 | 2.46 | 77 | 0.64 | 9.33 | 57 |
| I315850 | | 0.149 | 0.25 | 2.14 | 76 | 1.90 | 7.20 | 59 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I315851 | | 0.54 | <0.005 | 0.05 | 1.08 | 6.9 | <0.2 | <10 | 270 | 0.16 | 0.17 | 0.31 | 0.48 | 18.40 | 14.0 | 24 |
| I315852 | | 0.60 | <0.005 | 0.02 | 1.46 | 9.2 | <0.2 | <10 | 170 | 0.36 | 0.16 | 0.19 | 0.14 | 21.8 | 8.5 | 25 |
| I315853 | | 0.68 | <0.005 | 0.03 | 1.53 | 10.1 | <0.2 | <10 | 190 | 0.41 | 0.14 | 0.30 | 0.12 | 24.2 | 8.8 | 25 |
| I315854 | | 0.64 | <0.005 | 0.08 | 1.51 | 11.0 | <0.2 | <10 | 330 | 0.42 | 0.14 | 0.44 | 0.11 | 27.3 | 9.5 | 29 |
| I315855 | | 0.56 | <0.005 | 0.12 | 1.48 | 9.8 | <0.2 | <10 | 400 | 0.59 | 0.18 | 0.69 | 0.28 | 37.7 | 10.1 | 32 |
| I315856 | | 0.60 | <0.005 | 0.05 | 1.82 | 16.0 | <0.2 | <10 | 370 | 0.72 | 0.24 | 0.68 | 0.27 | 45.2 | 13.4 | 42 |
| I315857 | | 0.58 | 0.043 | 0.12 | 1.19 | 9.0 | <0.2 | <10 | 320 | 0.36 | 0.11 | 1.15 | 0.34 | 23.3 | 9.0 | 26 |
| I315858 | | 0.66 | 0.006 | 0.22 | 1.21 | 10.2 | <0.2 | <10 | 310 | 0.44 | 0.13 | 0.93 | 0.41 | 26.5 | 10.4 | 28 |
| I315859 | | 0.42 | <0.005 | 0.16 | 1.60 | 9.2 | <0.2 | <10 | 360 | 0.62 | 0.17 | 0.66 | 0.41 | 31.5 | 13.0 | 27 |
| I315860 | | 0.50 | <0.005 | 0.14 | 1.44 | 10.5 | <0.2 | <10 | 360 | 0.44 | 0.15 | 0.68 | 0.18 | 29.5 | 10.8 | 28 |
| I315861 | | 0.44 | 0.005 | 0.08 | 1.54 | 8.0 | <0.2 | <10 | 240 | 0.52 | 0.14 | 0.49 | 0.09 | 25.0 | 7.3 | 27 |
| I315862 | | 0.52 | 0.005 | 0.09 | 1.57 | 8.8 | <0.2 | <10 | 330 | 0.54 | 0.15 | 1.20 | 0.19 | 27.8 | 10.9 | 28 |
| I315863 | | 0.50 | <0.005 | 0.08 | 1.31 | 7.0 | <0.2 | <10 | 270 | 0.34 | 0.11 | 0.51 | 0.12 | 22.4 | 8.5 | 24 |
| I315864 | | 0.50 | <0.005 | 0.11 | 1.64 | 9.5 | <0.2 | <10 | 350 | 0.53 | 0.16 | 0.92 | 0.14 | 29.7 | 10.2 | 28 |
| I315865 | | 0.52 | <0.005 | 0.11 | 1.49 | 7.8 | <0.2 | <10 | 290 | 0.49 | 0.15 | 0.49 | 0.07 | 23.9 | 10.3 | 28 |
| I315866 | | 0.46 | <0.005 | 0.16 | 1.57 | 12.0 | <0.2 | <10 | 300 | 0.51 | 0.19 | 0.51 | 0.18 | 26.4 | 10.0 | 33 |
| I315867 | | 0.60 | <0.005 | 0.20 | 1.52 | 11.0 | <0.2 | <10 | 580 | 0.59 | 0.19 | 2.07 | 0.77 | 27.6 | 10.2 | 29 |
| I315868 | | 0.56 | <0.005 | 0.11 | 1.86 | 12.2 | <0.2 | <10 | 300 | 0.39 | 0.23 | 0.81 | 0.27 | 24.8 | 14.1 | 38 |
| I315869 | | 0.44 | <0.005 | 0.10 | 1.76 | 7.3 | <0.2 | <10 | 420 | 0.50 | 0.16 | 0.71 | 0.07 | 27.4 | 8.7 | 30 |
| I315870 | | 0.56 | <0.005 | 0.10 | 1.51 | 8.6 | <0.2 | <10 | 290 | 0.42 | 0.14 | 0.52 | 0.08 | 23.2 | 10.3 | 28 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I315851 | | 0.64 | 9.1 | 1.97 | 5.15 | 0.05 | <0.02 | 0.05 | 0.019 | 0.05 | 8.4 | 7.2 | 0.37 | 2400 | 2.08 | 0.01 |
| I315852 | | 0.70 | 17.0 | 2.44 | 4.51 | 0.06 | 0.14 | 0.03 | 0.020 | 0.05 | 10.5 | 10.7 | 0.36 | 202 | 0.93 | <0.01 |
| I315853 | | 0.54 | 16.9 | 2.33 | 5.16 | 0.07 | 0.11 | 0.03 | 0.022 | 0.04 | 11.2 | 9.7 | 0.38 | 190 | 1.10 | <0.01 |
| I315854 | | 0.55 | 24.8 | 2.52 | 4.79 | 0.07 | 0.05 | 0.04 | 0.023 | 0.04 | 14.0 | 11.7 | 0.46 | 442 | 1.31 | 0.01 |
| I315855 | | 0.76 | 39.5 | 2.53 | 4.74 | 0.10 | 0.07 | 0.08 | 0.023 | 0.06 | 20.2 | 12.4 | 0.54 | 345 | 0.76 | 0.01 |
| I315856 | | 1.45 | 39.7 | 3.40 | 5.70 | 0.11 | 0.15 | 0.05 | 0.030 | 0.13 | 23.7 | 16.9 | 0.74 | 572 | 1.21 | 0.01 |
| I315857 | | 0.49 | 27.7 | 2.29 | 3.73 | 0.08 | 0.05 | 0.04 | 0.019 | 0.05 | 11.9 | 9.3 | 0.47 | 611 | 1.07 | 0.01 |
| I315858 | | 0.58 | 32.3 | 2.50 | 4.10 | 0.09 | 0.11 | 0.05 | 0.022 | 0.06 | 13.5 | 11.1 | 0.53 | 673 | 1.20 | 0.01 |
| I315859 | | 0.49 | 35.4 | 2.57 | 5.26 | 0.08 | 0.09 | 0.04 | 0.026 | 0.08 | 15.6 | 10.7 | 0.45 | 474 | 1.13 | 0.01 |
| I315860 | | 0.49 | 28.9 | 2.70 | 4.51 | 0.10 | 0.18 | 0.05 | 0.025 | 0.08 | 14.9 | 12.2 | 0.50 | 288 | 1.15 | 0.01 |
| I315861 | | 0.38 | 20.8 | 2.35 | 4.73 | 0.08 | 0.26 | 0.03 | 0.021 | 0.06 | 12.3 | 10.8 | 0.44 | 177 | 1.09 | 0.01 |
| I315862 | | 0.55 | 33.2 | 2.61 | 4.84 | 0.10 | 0.19 | 0.02 | 0.025 | 0.08 | 13.9 | 11.8 | 0.57 | 355 | 0.64 | 0.02 |
| I315863 | | 0.37 | 20.0 | 2.14 | 4.17 | 0.06 | 0.16 | 0.03 | 0.021 | 0.05 | 11.3 | 8.9 | 0.42 | 304 | 1.11 | 0.01 |
| I315864 | | 0.45 | 28.7 | 2.41 | 5.02 | 0.09 | 0.07 | 0.05 | 0.025 | 0.06 | 15.7 | 10.5 | 0.46 | 552 | 1.57 | 0.01 |
| I315865 | | 0.41 | 18.3 | 2.48 | 5.00 | 0.07 | 0.19 | 0.02 | 0.022 | 0.07 | 12.4 | 10.0 | 0.45 | 349 | 1.11 | 0.01 |
| I315866 | | 0.51 | 26.4 | 2.71 | 5.16 | 0.07 | 0.05 | 0.03 | 0.026 | 0.14 | 13.2 | 13.6 | 0.52 | 237 | 1.36 | <0.01 |
| I315867 | | 0.53 | 42.1 | 2.71 | 4.38 | 0.07 | 0.13 | 0.02 | 0.026 | 0.10 | 13.6 | 11.0 | 0.56 | 422 | 0.95 | 0.03 |
| I315868 | | 0.66 | 27.0 | 3.20 | 5.36 | 0.08 | 0.08 | 0.02 | 0.023 | 0.15 | 11.7 | 13.6 | 0.63 | 549 | 1.29 | 0.02 |
| I315869 | | 0.53 | 32.2 | 2.60 | 4.78 | 0.07 | 0.07 | 0.03 | 0.026 | 0.05 | 13.5 | 11.8 | 0.53 | 295 | 0.78 | 0.03 |
| I315870 | | 0.43 | 25.5 | 2.50 | 4.62 | 0.07 | 0.10 | 0.02 | 0.022 | 0.05 | 10.5 | 9.6 | 0.47 | 361 | 1.12 | 0.02 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I315851 | | 1.34 | 13.5 | 350 | 7.7 | 7.5 | <0.001 | <0.01 | 0.33 | 2.9 | 0.4 | 0.5 | 26.1 | <0.01 | 0.02 | 1.8 |
| I315852 | | 1.29 | 23.3 | 270 | 8.9 | 8.5 | <0.001 | <0.01 | 0.43 | 3.3 | 0.5 | 0.5 | 18.2 | <0.01 | 0.03 | 4.2 |
| I315853 | | 1.38 | 19.8 | 350 | 8.0 | 4.5 | <0.001 | <0.01 | 0.37 | 4.3 | 0.5 | 0.5 | 23.9 | <0.01 | 0.01 | 3.5 |
| I315854 | | 1.30 | 23.1 | 540 | 8.0 | 5.2 | <0.001 | <0.01 | 0.54 | 5.0 | 1.0 | 0.5 | 32.2 | <0.01 | 0.01 | 3.4 |
| I315855 | | 1.41 | 35.4 | 540 | 10.1 | 7.0 | <0.001 | <0.01 | 0.79 | 5.2 | 1.3 | 0.5 | 47.9 | <0.01 | 0.02 | 4.6 |
| I315856 | | 1.58 | 41.3 | 500 | 13.0 | 12.8 | <0.001 | <0.01 | 0.84 | 6.2 | 1.1 | 0.6 | 42.5 | <0.01 | 0.03 | 7.6 |
| I315857 | | 1.17 | 26.9 | 880 | 6.5 | 5.3 | <0.001 | 0.01 | 0.57 | 3.9 | 1.2 | 0.4 | 59.4 | <0.01 | 0.02 | 1.9 |
| I315858 | | 1.42 | 33.3 | 850 | 7.6 | 6.3 | <0.001 | <0.01 | 0.65 | 4.6 | 1.1 | 0.4 | 53.6 | <0.01 | 0.02 | 3.2 |
| I315859 | | 1.57 | 28.8 | 820 | 9.2 | 8.0 | <0.001 | <0.01 | 0.54 | 5.4 | 1.1 | 0.5 | 47.9 | <0.01 | 0.01 | 3.2 |
| I315860 | | 1.60 | 28.1 | 750 | 9.0 | 6.8 | <0.001 | <0.01 | 0.62 | 5.4 | 1.6 | 0.4 | 48.5 | <0.01 | 0.01 | 4.5 |
| I315861 | | 1.39 | 19.7 | 530 | 8.2 | 5.9 | <0.001 | <0.01 | 0.43 | 5.1 | 0.7 | 0.5 | 34.3 | <0.01 | 0.02 | 4.0 |
| I315862 | | 1.58 | 27.8 | 610 | 8.6 | 8.4 | <0.001 | <0.01 | 0.55 | 5.5 | 0.7 | 0.5 | 49.8 | <0.01 | 0.01 | 3.7 |
| I315863 | | 1.29 | 20.6 | 570 | 6.4 | 4.8 | <0.001 | <0.01 | 0.37 | 4.3 | 0.5 | 0.4 | 36.2 | <0.01 | <0.01 | 3.1 |
| I315864 | | 1.40 | 26.6 | 610 | 8.4 | 5.6 | <0.001 | <0.01 | 0.55 | 5.2 | 1.2 | 0.5 | 61.6 | <0.01 | 0.01 | 2.4 |
| I315865 | | 1.25 | 22.1 | 460 | 7.8 | 8.7 | <0.001 | <0.01 | 0.39 | 5.1 | 0.8 | 0.5 | 33.4 | <0.01 | 0.03 | 3.5 |
| I315866 | | 1.50 | 28.8 | 380 | 10.5 | 10.1 | <0.001 | <0.01 | 0.65 | 5.0 | 0.9 | 0.5 | 33.7 | <0.01 | 0.02 | 3.9 |
| I315867 | | 1.41 | 34.0 | 900 | 9.0 | 7.3 | 0.001 | 0.02 | 0.84 | 5.4 | 1.3 | 0.4 | 123.0 | 0.01 | 0.04 | 4.0 |
| I315868 | | 1.48 | 27.2 | 650 | 10.8 | 12.4 | 0.001 | 0.02 | 0.72 | 5.2 | 0.7 | 0.6 | 50.4 | <0.01 | 0.04 | 3.2 |
| I315869 | | 1.41 | 23.8 | 540 | 7.9 | 6.5 | <0.001 | 0.02 | 0.49 | 5.1 | 1.1 | 0.5 | 48.3 | 0.01 | 0.03 | 2.5 |
| I315870 | | 1.26 | 18.6 | 540 | 7.3 | 5.8 | <0.001 | 0.02 | 0.45 | 4.4 | 0.7 | 0.5 | 36.0 | <0.01 | 0.03 | 3.3 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I315851 | | 0.065 | 0.08 | 0.41 | 53 | 0.20 | 2.95 | 48 | 0.7 |
| I315852 | | 0.059 | 0.08 | 0.46 | 48 | 0.57 | 4.11 | 41 | 5.1 |
| I315853 | | 0.066 | 0.07 | 0.57 | 49 | 0.16 | 5.07 | 39 | 5.0 |
| I315854 | | 0.067 | 0.06 | 1.91 | 54 | 0.19 | 8.95 | 41 | 2.7 |
| I315855 | | 0.060 | 0.08 | 3.73 | 48 | 0.18 | 13.30 | 49 | 3.2 |
| I315856 | | 0.067 | 0.13 | 2.74 | 58 | 0.21 | 13.30 | 78 | 6.3 |
| I315857 | | 0.061 | 0.04 | 1.77 | 48 | 0.34 | 8.90 | 47 | 2.3 |
| I315858 | | 0.074 | 0.06 | 1.22 | 53 | 0.23 | 10.15 | 58 | 3.9 |
| I315859 | | 0.080 | 0.06 | 2.49 | 54 | 0.16 | 10.95 | 46 | 4.2 |
| I315860 | | 0.078 | 0.07 | 2.95 | 54 | 0.16 | 10.80 | 56 | 7.3 |
| I315861 | | 0.081 | 0.05 | 1.36 | 49 | 0.25 | 8.41 | 41 | 9.5 |
| I315862 | | 0.095 | 0.06 | 0.89 | 54 | 0.16 | 10.85 | 52 | 8.2 |
| I315863 | | 0.070 | 0.05 | 0.74 | 46 | 0.18 | 7.95 | 40 | 5.9 |
| I315864 | | 0.066 | 0.06 | 1.56 | 50 | 0.21 | 11.75 | 42 | 3.0 |
| I315865 | | 0.066 | 0.06 | 1.24 | 50 | 0.20 | 7.69 | 40 | 6.7 |
| I315866 | | 0.053 | 0.07 | 0.73 | 51 | 0.18 | 5.83 | 58 | 2.4 |
| I315867 | | 0.064 | 0.05 | 1.60 | 53 | 0.34 | 11.60 | 71 | 5.3 |
| I315868 | | 0.074 | 0.08 | 0.85 | 65 | 0.23 | 5.75 | 79 | 2.9 |
| I315869 | | 0.072 | 0.07 | 1.37 | 53 | 0.21 | 10.70 | 47 | 2.6 |
| I315870 | | 0.075 | 0.06 | 1.63 | 55 | 0.26 | 6.66 | 40 | 4.1 |
| | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122680

| Method | CERTIFICATE COMMENTS |
|------------------------|---|
| ALL METHODS ME-MS41 | NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 24-SEP-2010
Account: EIASQI

CERTIFICATE WH10122682

Project: SQI10-06
P.O. No.: SQI10-06_23
This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| SCR-41 | Screen to -180um and save both |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I316091 | | 0.68 | 0.010 | 0.11 | 2.63 | 5.6 | <0.2 | <10 | 260 | 1.01 | 0.22 | 0.42 | 0.13 | 26.3 | 11.4 | 54 |
| I316092 | | 0.68 | 0.009 | 0.14 | 2.55 | 8.1 | <0.2 | <10 | 220 | 0.81 | 0.30 | 0.39 | 0.22 | 32.6 | 11.2 | 52 |
| I316093 | | 0.48 | NSS | 0.01 | 0.13 | 1.6 | <0.2 | <10 | 30 | 0.10 | 0.02 | 0.09 | 0.03 | 11.30 | 2.0 | 3 |
| I316094 | | 0.74 | 0.015 | 0.08 | 2.21 | 5.3 | <0.2 | <10 | 170 | 0.51 | 0.29 | 0.44 | 0.15 | 21.5 | 13.3 | 49 |
| I316095 | | 0.76 | 0.006 | 0.08 | 2.86 | 10.5 | <0.2 | <10 | 200 | 0.64 | 0.43 | 0.42 | 0.10 | 31.6 | 15.1 | 60 |
| I316096 | | 0.78 | 0.024 | 0.13 | 2.36 | 53.0 | <0.2 | <10 | 180 | 0.78 | 0.42 | 0.48 | 0.15 | 44.6 | 13.3 | 48 |
| I316097 | | 0.82 | 0.009 | 0.03 | 2.36 | 9.2 | <0.2 | <10 | 120 | 0.38 | 0.23 | 0.42 | 0.06 | 24.8 | 13.7 | 76 |
| I316098 | | 0.68 | 0.007 | 0.07 | 2.08 | 8.3 | <0.2 | <10 | 130 | 0.23 | 0.16 | 0.29 | 0.11 | 13.85 | 14.7 | 56 |
| I316099 | | 0.82 | 0.008 | 0.05 | 1.95 | 3.6 | <0.2 | <10 | 120 | 0.29 | 0.26 | 0.38 | 0.09 | 17.85 | 13.0 | 68 |
| I316100 | | 0.94 | 0.009 | 0.04 | 2.04 | 2.6 | <0.2 | <10 | 210 | 0.33 | 0.35 | 0.31 | 0.08 | 18.50 | 14.8 | 77 |
| I316101 | | 0.36 | 0.014 | 0.17 | 3.01 | 8.2 | <0.2 | <10 | 130 | 0.62 | 0.61 | 0.23 | 0.12 | 16.45 | 14.7 | 49 |
| I316102 | | 0.40 | 0.035 | 0.06 | 1.39 | 43.2 | <0.2 | <10 | 120 | 0.31 | 0.30 | 0.20 | 0.22 | 14.95 | 7.9 | 36 |
| I316103 | | 0.32 | 0.022 | 0.17 | 2.32 | 63.0 | <0.2 | <10 | 180 | 0.61 | 0.43 | 0.37 | 0.22 | 24.1 | 12.0 | 49 |
| I316104 | | 0.58 | 0.017 | 0.11 | 1.55 | 60.4 | <0.2 | <10 | 170 | 0.35 | 0.58 | 0.21 | 0.11 | 17.25 | 9.8 | 41 |
| I316105 | | 0.34 | 0.025 | 0.11 | 1.47 | 77.0 | <0.2 | <10 | 180 | 0.50 | 0.23 | 0.31 | 0.22 | 22.3 | 8.4 | 41 |
| I316106 | | 0.32 | 0.025 | 0.13 | 1.74 | 111.5 | <0.2 | <10 | 110 | 0.46 | 0.38 | 0.24 | 0.29 | 17.50 | 10.2 | 48 |
| I316107 | | 0.40 | 0.023 | 0.20 | 2.57 | 62.9 | <0.2 | <10 | 220 | 0.65 | 0.41 | 0.84 | 0.16 | 24.9 | 15.4 | 58 |
| I316108 | | 0.40 | 0.041 | 0.14 | 2.46 | 46.5 | <0.2 | <10 | 260 | 0.54 | 0.21 | 0.47 | 0.18 | 33.5 | 17.4 | 50 |
| I316109 | | 0.44 | 0.010 | 0.14 | 1.31 | 39.1 | <0.2 | <10 | 120 | 0.39 | 0.13 | 0.29 | 0.07 | 17.90 | 10.8 | 27 |
| I316110 | | 0.38 | 0.010 | 0.10 | 1.85 | 14.8 | <0.2 | <10 | 170 | 0.47 | 0.16 | 0.47 | 0.16 | 23.9 | 23.0 | 36 |
| I316111 | | 0.56 | 0.014 | 0.06 | 2.41 | 12.3 | <0.2 | <10 | 210 | 0.41 | 0.19 | 0.51 | 0.11 | 24.1 | 10.3 | 52 |
| I316112 | | 0.60 | 0.010 | 0.07 | 2.73 | 26.7 | <0.2 | <10 | 270 | 0.61 | 0.18 | 0.41 | 0.14 | 36.4 | 13.2 | 57 |
| I316113 | | 0.46 | 0.012 | 0.11 | 2.77 | 27.6 | <0.2 | <10 | 320 | 0.68 | 0.20 | 0.52 | 0.07 | 29.7 | 10.9 | 64 |
| I316114 | | 0.38 | 0.016 | 0.38 | 2.66 | 15.8 | <0.2 | <10 | 250 | 0.58 | 0.45 | 0.55 | 0.16 | 54.5 | 10.7 | 45 |
| I316115 | | 0.56 | 0.012 | 0.15 | 2.05 | 9.1 | <0.2 | <10 | 140 | 0.39 | 0.54 | 0.38 | 0.12 | 17.30 | 9.7 | 46 |
| I316116 | | 0.40 | 0.008 | 0.21 | 2.79 | 13.7 | <0.2 | <10 | 120 | 0.32 | 0.31 | 0.16 | 0.07 | 15.00 | 10.4 | 56 |
| I316117 | | 0.56 | 0.013 | 0.07 | 2.03 | 11.6 | <0.2 | <10 | 200 | 0.36 | 0.27 | 0.40 | 0.10 | 18.30 | 13.5 | 88 |
| I316118 | | 0.44 | 0.009 | 0.23 | 2.33 | 13.1 | <0.2 | <10 | 270 | 0.53 | 0.25 | 0.88 | 0.19 | 21.8 | 11.2 | 47 |
| I316119 | | 0.62 | 0.009 | 0.10 | 3.00 | 9.8 | <0.2 | <10 | 200 | 0.49 | 0.25 | 0.44 | 0.10 | 23.8 | 12.2 | 51 |
| I316120 | | 0.48 | 0.007 | 0.12 | 2.93 | 9.9 | <0.2 | <10 | 220 | 0.46 | 0.21 | 0.49 | 0.13 | 23.5 | 13.1 | 50 |
| I316121 | | 0.62 | 0.008 | 0.13 | 2.30 | 6.9 | <0.2 | <10 | 230 | 0.32 | 0.15 | 0.43 | 0.08 | 23.0 | 12.2 | 36 |
| I316122 | | 0.46 | 0.013 | 0.17 | 2.50 | 23.4 | <0.2 | <10 | 210 | 0.54 | 0.37 | 0.56 | 0.13 | 35.2 | 11.2 | 33 |
| I316123 | | 0.64 | 0.008 | 0.12 | 2.46 | 13.0 | <0.2 | <10 | 170 | 0.52 | 0.21 | 0.44 | 0.12 | 30.4 | 11.8 | 33 |
| I316124 | | 0.46 | 0.010 | 0.36 | 2.11 | 28.2 | <0.2 | <10 | 100 | 0.59 | 0.26 | 0.21 | 0.20 | 25.9 | 7.2 | 30 |
| I316125 | | 0.50 | 0.018 | 0.15 | 2.29 | 39.4 | <0.2 | <10 | 120 | 0.57 | 0.35 | 0.23 | 0.35 | 27.2 | 8.8 | 31 |
| I316126 | | 0.60 | 0.006 | 0.05 | 1.05 | 14.5 | <0.2 | <10 | 60 | 0.24 | 0.33 | 0.11 | 0.13 | 23.1 | 4.1 | 16 |
| I316127 | | 0.62 | 0.007 | 0.06 | 2.18 | 7.8 | <0.2 | <10 | 170 | 0.44 | 0.47 | 0.35 | 0.12 | 61.5 | 9.3 | 32 |
| I316128 | | 0.46 | 0.007 | 0.06 | 0.67 | 3.0 | <0.2 | <10 | 30 | 0.13 | 0.15 | 0.06 | 0.06 | 7.18 | 2.6 | 9 |
| I316129 | | 0.52 | 0.007 | 0.07 | 1.19 | 4.2 | <0.2 | <10 | 60 | 0.28 | 0.48 | 0.18 | 0.10 | 27.5 | 5.5 | 18 |
| I316130 | | 0.52 | 0.008 | 0.05 | 2.03 | 6.0 | <0.2 | <10 | 150 | 0.33 | 0.21 | 0.33 | 0.20 | 36.1 | 11.4 | 34 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I316091 | | 3.78 | 93.5 | 2.94 | 9.25 | 0.14 | 0.05 | 0.10 | 0.036 | 0.19 | 13.8 | 16.5 | 0.89 | 310 | 60.5 | <0.01 |
| I316092 | | 2.24 | 130.0 | 3.05 | 8.66 | 0.14 | 0.05 | 0.08 | 0.033 | 0.14 | 16.4 | 15.6 | 0.69 | 267 | 95.9 | <0.01 |
| I316093 | | 0.09 | 2.3 | 0.65 | 0.61 | <0.05 | 0.07 | <0.01 | <0.005 | 0.05 | 5.8 | 1.4 | 0.04 | 143 | 0.32 | 0.02 |
| I316094 | | 2.38 | 63.4 | 2.83 | 8.09 | 0.13 | 0.05 | 0.04 | 0.028 | 0.19 | 11.5 | 14.3 | 0.69 | 436 | 65.3 | <0.01 |
| I316095 | | 3.69 | 98.5 | 3.28 | 9.75 | 0.15 | 0.05 | 0.05 | 0.036 | 0.25 | 15.9 | 15.1 | 0.82 | 342 | 14.55 | 0.01 |
| I316096 | | 2.88 | 140.0 | 3.32 | 8.76 | 0.18 | 0.13 | 0.04 | 0.032 | 0.28 | 25.4 | 15.1 | 0.79 | 308 | 3.93 | 0.01 |
| I316097 | | 2.96 | 67.8 | 2.67 | 7.53 | 0.12 | 0.06 | 0.03 | 0.023 | 0.18 | 12.2 | 15.4 | 0.90 | 228 | 1.53 | 0.01 |
| I316098 | | 2.81 | 135.5 | 3.11 | 6.50 | 0.11 | 0.03 | 0.03 | 0.017 | 0.18 | 7.0 | 14.9 | 0.96 | 159 | 0.93 | 0.01 |
| I316099 | | 1.80 | 98.4 | 2.18 | 5.55 | 0.09 | 0.05 | 0.02 | 0.017 | 0.08 | 8.8 | 14.3 | 0.79 | 201 | 0.42 | 0.01 |
| I316100 | | 3.32 | 81.1 | 2.50 | 5.89 | 0.08 | 0.03 | 0.02 | 0.015 | 0.31 | 10.0 | 14.5 | 1.07 | 196 | 0.39 | 0.02 |
| I316101 | | 2.43 | 116.5 | 3.79 | 8.37 | 0.11 | 0.03 | 0.18 | 0.028 | 0.10 | 8.2 | 13.0 | 0.80 | 376 | 4.09 | <0.01 |
| I316102 | | 2.30 | 35.5 | 2.65 | 8.38 | 0.10 | 0.02 | 0.03 | 0.021 | 0.24 | 7.3 | 6.1 | 0.53 | 292 | 2.35 | 0.01 |
| I316103 | | 2.81 | 80.9 | 3.36 | 8.14 | 0.12 | 0.03 | 0.07 | 0.027 | 0.24 | 14.1 | 11.7 | 0.79 | 317 | 3.58 | 0.01 |
| I316104 | | 2.19 | 57.4 | 2.58 | 7.19 | 0.09 | 0.02 | 0.04 | 0.022 | 0.16 | 8.7 | 6.9 | 0.50 | 223 | 3.31 | 0.01 |
| I316105 | | 1.82 | 85.9 | 2.72 | 5.22 | 0.12 | 0.03 | 0.04 | 0.021 | 0.21 | 12.1 | 8.5 | 0.61 | 218 | 2.80 | 0.01 |
| I316106 | | 2.90 | 75.1 | 3.70 | 8.99 | 0.10 | 0.04 | 0.05 | 0.026 | 0.10 | 9.1 | 11.1 | 0.62 | 267 | 6.49 | 0.01 |
| I316107 | | 3.48 | 134.0 | 3.37 | 7.97 | 0.14 | 0.05 | 0.11 | 0.034 | 0.15 | 12.8 | 14.7 | 1.05 | 396 | 8.72 | 0.03 |
| I316108 | | 1.98 | 104.0 | 2.32 | 7.25 | 0.11 | 0.05 | 0.10 | 0.026 | 0.09 | 15.8 | 12.6 | 0.82 | 191 | 9.82 | 0.02 |
| I316109 | | 0.98 | 41.2 | 1.80 | 4.92 | 0.08 | 0.02 | 0.05 | 0.018 | 0.04 | 7.9 | 5.8 | 0.34 | 360 | 17.85 | 0.02 |
| I316110 | | 1.17 | 45.6 | 4.19 | 6.38 | 0.12 | 0.03 | 0.06 | 0.021 | 0.08 | 11.1 | 8.9 | 0.55 | 2320 | 47.8 | 0.02 |
| I316111 | | 1.56 | 54.7 | 2.52 | 7.31 | 0.13 | 0.07 | 0.03 | 0.031 | 0.13 | 12.8 | 12.5 | 0.78 | 212 | 5.91 | 0.02 |
| I316112 | | 1.91 | 63.6 | 3.29 | 8.43 | 0.15 | 0.08 | 0.04 | 0.033 | 0.12 | 17.8 | 13.1 | 0.80 | 208 | 5.46 | 0.02 |
| I316113 | | 3.66 | 88.4 | 3.23 | 8.98 | 0.16 | 0.05 | 0.05 | 0.029 | 0.22 | 15.5 | 12.8 | 0.88 | 240 | 33.5 | 0.01 |
| I316114 | | 2.05 | 58.4 | 2.65 | 8.19 | 0.15 | 0.04 | 0.10 | 0.029 | 0.13 | 39.5 | 10.7 | 0.47 | 603 | 3.25 | 0.01 |
| I316115 | | 2.11 | 42.5 | 2.44 | 6.71 | 0.10 | 0.02 | 0.05 | 0.024 | 0.14 | 16.9 | 11.3 | 0.56 | 377 | 2.55 | 0.01 |
| I316116 | | 2.25 | 49.4 | 3.55 | 9.67 | 0.09 | 0.06 | 0.03 | 0.030 | 0.08 | 8.6 | 14.6 | 0.61 | 351 | 2.27 | 0.01 |
| I316117 | | 3.37 | 62.7 | 2.79 | 6.32 | 0.13 | 0.04 | 0.02 | 0.023 | 0.34 | 9.8 | 14.5 | 0.98 | 385 | 1.58 | 0.01 |
| I316118 | | 1.81 | 49.1 | 2.85 | 7.46 | 0.12 | 0.04 | 0.06 | 0.025 | 0.16 | 12.3 | 13.5 | 0.68 | 624 | 2.01 | 0.01 |
| I316119 | | 1.70 | 31.8 | 3.26 | 8.49 | 0.11 | 0.04 | 0.04 | 0.030 | 0.22 | 12.3 | 16.3 | 0.87 | 304 | 1.23 | 0.01 |
| I316120 | | 1.79 | 28.6 | 3.21 | 8.93 | 0.12 | 0.04 | 0.05 | 0.030 | 0.23 | 11.9 | 16.8 | 0.84 | 422 | 1.53 | 0.01 |
| I316121 | | 1.48 | 38.8 | 3.18 | 6.86 | 0.11 | 0.04 | 0.04 | 0.026 | 0.09 | 11.8 | 15.3 | 0.65 | 310 | 1.78 | 0.01 |
| I316122 | | 2.98 | 51.7 | 3.29 | 7.78 | 0.14 | 0.10 | 0.05 | 0.034 | 0.11 | 21.2 | 14.5 | 0.62 | 389 | 2.45 | 0.02 |
| I316123 | | 3.50 | 47.8 | 3.26 | 7.72 | 0.12 | 0.05 | 0.04 | 0.029 | 0.10 | 16.6 | 14.0 | 0.64 | 444 | 1.28 | 0.01 |
| I316124 | | 2.79 | 35.0 | 2.76 | 7.61 | 0.10 | 0.04 | 0.06 | 0.033 | 0.08 | 15.1 | 12.2 | 0.44 | 283 | 1.47 | <0.01 |
| I316125 | | 3.46 | 34.3 | 3.61 | 9.62 | 0.11 | 0.06 | 0.03 | 0.039 | 0.11 | 15.4 | 13.6 | 0.50 | 457 | 1.88 | <0.01 |
| I316126 | | 1.87 | 20.2 | 2.13 | 7.22 | 0.08 | 0.03 | 0.03 | 0.027 | 0.06 | 13.3 | 6.5 | 0.27 | 228 | 1.27 | <0.01 |
| I316127 | | 3.68 | 36.5 | 3.26 | 8.13 | 0.09 | 0.08 | 0.05 | 0.034 | 0.13 | 34.5 | 13.9 | 0.62 | 388 | 0.94 | 0.02 |
| I316128 | | 1.80 | 10.1 | 1.37 | 4.67 | <0.05 | 0.02 | 0.03 | 0.011 | 0.03 | 3.4 | 3.0 | 0.09 | 112 | 1.28 | 0.02 |
| I316129 | | 4.69 | 18.3 | 2.60 | 6.10 | 0.06 | 0.04 | 0.03 | 0.023 | 0.11 | 13.5 | 7.6 | 0.35 | 386 | 1.08 | 0.01 |
| I316130 | | 2.40 | 25.4 | 3.11 | 7.01 | 0.08 | 0.08 | 0.03 | 0.030 | 0.10 | 19.2 | 13.1 | 0.58 | 587 | 0.88 | 0.02 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I316091 | | 2.30 | 40.8 | 810 | 6.4 | 33.3 | <0.001 | 0.03 | 0.16 | 6.9 | 0.7 | 0.7 | 27.2 | <0.01 | 0.04 | 2.5 |
| I316092 | | 1.97 | 35.0 | 740 | 6.6 | 24.6 | <0.001 | 0.02 | 0.22 | 7.6 | 1.2 | 0.8 | 29.6 | <0.01 | 0.06 | 3.4 |
| I316093 | | 0.16 | 3.9 | 110 | 1.6 | 2.5 | <0.001 | <0.01 | 0.08 | 0.6 | <0.2 | <0.2 | 8.4 | <0.01 | <0.01 | 2.1 |
| I316094 | | 2.18 | 26.3 | 840 | 5.6 | 29.5 | <0.001 | 0.03 | 0.22 | 6.4 | 0.8 | 0.8 | 30.2 | <0.01 | 0.06 | 3.1 |
| I316095 | | 2.17 | 30.8 | 810 | 6.6 | 37.8 | <0.001 | 0.02 | 0.42 | 7.5 | 0.9 | 0.8 | 31.2 | <0.01 | 0.07 | 4.3 |
| I316096 | | 1.53 | 25.6 | 790 | 6.5 | 41.9 | <0.001 | 0.01 | 1.53 | 9.5 | 1.2 | 0.9 | 32.6 | <0.01 | 0.07 | 7.8 |
| I316097 | | 1.50 | 39.4 | 540 | 5.3 | 31.4 | <0.001 | 0.01 | 0.39 | 7.1 | 0.4 | 0.5 | 28.7 | <0.01 | 0.04 | 3.5 |
| I316098 | | 1.07 | 23.7 | 660 | 3.4 | 20.4 | <0.001 | 0.09 | 0.22 | 5.6 | 0.8 | 0.4 | 22.5 | <0.01 | 0.04 | 1.2 |
| I316099 | | 0.90 | 28.3 | 490 | 4.4 | 15.3 | <0.001 | 0.01 | 0.20 | 5.4 | 0.4 | 0.4 | 36.5 | <0.01 | 0.03 | 1.5 |
| I316100 | | 0.77 | 32.3 | 440 | 3.4 | 40.5 | <0.001 | <0.01 | 0.16 | 5.6 | 0.3 | 0.5 | 19.4 | <0.01 | 0.04 | 2.2 |
| I316101 | | 1.72 | 38.2 | 590 | 5.9 | 18.8 | <0.001 | 0.06 | 0.41 | 5.7 | 1.2 | 0.5 | 19.0 | <0.01 | 0.11 | 1.0 |
| I316102 | | 1.98 | 21.8 | 550 | 5.9 | 23.9 | <0.001 | 0.04 | 0.42 | 4.9 | 0.7 | 0.7 | 14.0 | <0.01 | 0.08 | 1.4 |
| I316103 | | 2.21 | 34.7 | 780 | 6.6 | 30.6 | <0.001 | 0.06 | 1.09 | 5.5 | 1.1 | 0.6 | 25.0 | <0.01 | 0.10 | 1.8 |
| I316104 | | 1.67 | 24.5 | 560 | 5.6 | 21.1 | <0.001 | 0.04 | 1.16 | 4.7 | 0.8 | 0.6 | 17.2 | <0.01 | 0.10 | 1.1 |
| I316105 | | 1.57 | 26.6 | 470 | 4.8 | 25.0 | <0.001 | 0.04 | 1.28 | 4.9 | 0.9 | 0.5 | 20.2 | <0.01 | 0.09 | 1.8 |
| I316106 | | 2.47 | 33.0 | 480 | 8.9 | 15.4 | <0.001 | 0.06 | 3.44 | 5.0 | 1.0 | 0.6 | 22.7 | <0.01 | 0.10 | 1.6 |
| I316107 | | 2.13 | 45.2 | 780 | 6.6 | 25.6 | <0.001 | 0.10 | 1.87 | 6.3 | 1.5 | 0.6 | 34.8 | <0.01 | 0.07 | 1.6 |
| I316108 | | 1.89 | 35.7 | 820 | 5.8 | 18.1 | <0.001 | 0.12 | 0.90 | 5.4 | 1.2 | 0.5 | 30.9 | <0.01 | 0.04 | 0.9 |
| I316109 | | 0.97 | 12.8 | 960 | 4.4 | 6.9 | <0.001 | 0.08 | 0.50 | 2.4 | 1.0 | 0.3 | 20.6 | <0.01 | 0.03 | 0.3 |
| I316110 | | 1.28 | 21.5 | 900 | 5.6 | 11.8 | <0.001 | 0.08 | 0.37 | 3.8 | 1.1 | 0.4 | 29.8 | <0.01 | 0.05 | 0.7 |
| I316111 | | 2.12 | 28.6 | 800 | 5.7 | 19.1 | <0.001 | 0.02 | 0.78 | 6.6 | 0.7 | 0.5 | 28.3 | <0.01 | 0.04 | 3.7 |
| I316112 | | 2.33 | 31.3 | 710 | 6.0 | 19.0 | <0.001 | 0.02 | 0.54 | 9.1 | 0.8 | 0.6 | 26.1 | <0.01 | 0.05 | 4.8 |
| I316113 | | 2.71 | 37.4 | 700 | 5.7 | 32.9 | <0.001 | 0.04 | 0.38 | 7.4 | 0.8 | 0.6 | 35.0 | <0.01 | 0.06 | 2.5 |
| I316114 | | 1.30 | 25.3 | 910 | 7.1 | 23.2 | <0.001 | 0.08 | 0.33 | 5.6 | 1.4 | 0.8 | 44.9 | <0.01 | 0.08 | 1.4 |
| I316115 | | 1.23 | 21.1 | 650 | 6.7 | 22.2 | <0.001 | 0.03 | 0.24 | 4.2 | 0.6 | 0.8 | 27.4 | <0.01 | 0.06 | 2.2 |
| I316116 | | 2.07 | 25.6 | 360 | 8.2 | 15.8 | <0.001 | 0.03 | 0.39 | 5.4 | 0.6 | 0.7 | 17.2 | <0.01 | 0.05 | 2.3 |
| I316117 | | 1.43 | 35.3 | 620 | 4.3 | 35.4 | <0.001 | 0.01 | 0.26 | 6.4 | 0.4 | 0.6 | 23.7 | <0.01 | 0.03 | 2.8 |
| I316118 | | 2.15 | 33.1 | 950 | 7.0 | 28.3 | <0.001 | 0.09 | 0.38 | 4.5 | 1.2 | 0.6 | 56.9 | <0.01 | 0.05 | 0.8 |
| I316119 | | 2.91 | 31.2 | 670 | 9.4 | 30.9 | <0.001 | 0.04 | 0.44 | 6.2 | 0.6 | 0.6 | 32.4 | <0.01 | 0.04 | 2.2 |
| I316120 | | 2.82 | 31.0 | 760 | 8.9 | 32.2 | <0.001 | 0.05 | 0.45 | 6.0 | 0.8 | 0.6 | 37.0 | <0.01 | 0.05 | 1.9 |
| I316121 | | 1.33 | 20.6 | 770 | 6.0 | 14.4 | <0.001 | 0.03 | 0.34 | 6.8 | 0.7 | 0.5 | 31.3 | <0.01 | 0.03 | 2.0 |
| I316122 | | 2.46 | 18.4 | 960 | 12.1 | 24.8 | <0.001 | 0.02 | 0.96 | 7.9 | 0.9 | 1.1 | 42.3 | <0.01 | 0.04 | 6.9 |
| I316123 | | 2.14 | 22.0 | 1020 | 9.7 | 23.1 | <0.001 | 0.02 | 0.55 | 5.9 | 0.8 | 0.9 | 28.2 | <0.01 | 0.04 | 3.4 |
| I316124 | | 2.40 | 15.7 | 520 | 17.5 | 17.7 | <0.001 | 0.03 | 1.01 | 4.7 | 0.8 | 1.0 | 18.9 | <0.01 | 0.04 | 3.4 |
| I316125 | | 3.30 | 16.4 | 470 | 20.8 | 23.2 | <0.001 | 0.03 | 0.86 | 5.1 | 0.7 | 1.2 | 19.2 | <0.01 | 0.04 | 6.8 |
| I316126 | | 1.86 | 8.7 | 320 | 11.6 | 12.0 | <0.001 | 0.02 | 0.31 | 2.7 | 0.4 | 0.9 | 12.5 | <0.01 | 0.03 | 3.1 |
| I316127 | | 2.83 | 19.2 | 690 | 9.1 | 24.6 | <0.001 | 0.02 | 0.41 | 6.4 | 0.8 | 1.0 | 22.8 | <0.01 | 0.05 | 14.4 |
| I316128 | | 1.23 | 4.5 | 240 | 4.3 | 8.4 | <0.001 | 0.03 | 0.33 | 1.1 | 0.5 | 0.5 | 7.6 | <0.01 | 0.03 | 0.5 |
| I316129 | | 2.51 | 9.5 | 570 | 6.9 | 22.5 | <0.001 | 0.03 | 0.28 | 2.7 | 0.6 | 0.9 | 12.0 | <0.01 | 0.04 | 4.3 |
| I316130 | | 2.77 | 20.6 | 750 | 7.1 | 22.1 | <0.001 | 0.02 | 0.40 | 5.5 | 0.7 | 0.8 | 21.5 | <0.01 | 0.03 | 9.5 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|-----------|----------|----------|----------|----------|-----------|
| | | Ti % | Ti ppm | U ppm | V ppm | W ppm | Y ppm | Zn ppm |
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 |
| I316091 | | 0.153 | 0.31 | 1.38 | 85 | 9.92 | 6.73 | 97 |
| I316092 | | 0.136 | 0.21 | 2.71 | 93 | 3.11 | 10.80 | 70 |
| I316093 | | 0.006 | 0.03 | 0.31 | 4 | <0.05 | 1.94 | 5 |
| I316094 | | 0.145 | 0.23 | 1.08 | 77 | 2.01 | 7.02 | 64 |
| I316095 | | 0.164 | 0.32 | 1.36 | 79 | 3.50 | 8.58 | 63 |
| I316096 | | 0.169 | 0.35 | 2.35 | 83 | 2.34 | 19.70 | 63 |
| I316097 | | 0.147 | 0.27 | 0.87 | 75 | 1.60 | 7.34 | 44 |
| I316098 | | 0.123 | 0.20 | 0.54 | 83 | 1.66 | 5.37 | 41 |
| I316099 | | 0.118 | 0.15 | 0.40 | 61 | 1.01 | 5.95 | 34 |
| I316100 | | 0.151 | 0.37 | 0.47 | 76 | 0.65 | 5.30 | 41 |
| I316101 | | 0.116 | 0.18 | 0.72 | 87 | 1.82 | 4.88 | 73 |
| I316102 | | 0.125 | 0.17 | 0.45 | 94 | 1.63 | 3.37 | 60 |
| I316103 | | 0.121 | 0.27 | 1.11 | 82 | 0.56 | 6.15 | 76 |
| I316104 | | 0.118 | 0.21 | 0.62 | 78 | 0.69 | 4.18 | 44 |
| I316105 | | 0.115 | 0.23 | 0.81 | 72 | 2.24 | 5.71 | 55 |
| I316106 | | 0.144 | 0.16 | 0.63 | 93 | 1.08 | 3.83 | 66 |
| I316107 | | 0.138 | 0.21 | 1.29 | 85 | 7.17 | 8.15 | 83 |
| I316108 | | 0.121 | 0.29 | 1.17 | 76 | 0.98 | 11.25 | 64 |
| I316109 | | 0.069 | 0.20 | 0.72 | 50 | 0.34 | 5.46 | 31 |
| I316110 | | 0.098 | 0.17 | 0.72 | 71 | 1.26 | 7.08 | 50 |
| I316111 | | 0.159 | 0.20 | 0.66 | 79 | 7.46 | 7.57 | 56 |
| I316112 | | 0.169 | 0.23 | 1.02 | 99 | 4.59 | 11.20 | 60 |
| I316113 | | 0.169 | 0.33 | 1.45 | 95 | 3.45 | 8.30 | 68 |
| I316114 | | 0.077 | 0.19 | 2.46 | 59 | 1.58 | 16.30 | 56 |
| I316115 | | 0.089 | 0.18 | 0.87 | 56 | 2.01 | 4.94 | 54 |
| I316116 | | 0.137 | 0.17 | 0.58 | 89 | 0.86 | 3.26 | 48 |
| I316117 | | 0.153 | 0.31 | 0.67 | 78 | 1.31 | 4.95 | 57 |
| I316118 | | 0.105 | 0.19 | 1.33 | 62 | 1.51 | 7.55 | 68 |
| I316119 | | 0.159 | 0.25 | 0.79 | 71 | 0.47 | 5.35 | 71 |
| I316120 | | 0.150 | 0.24 | 0.82 | 71 | 0.45 | 5.62 | 76 |
| I316121 | | 0.125 | 0.14 | 2.05 | 77 | 0.43 | 8.89 | 52 |
| I316122 | | 0.134 | 0.34 | 7.25 | 73 | 0.28 | 14.90 | 62 |
| I316123 | | 0.121 | 0.28 | 4.27 | 73 | 0.34 | 11.00 | 60 |
| I316124 | | 0.100 | 0.23 | 3.94 | 59 | 0.34 | 6.90 | 52 |
| I316125 | | 0.128 | 0.32 | 2.41 | 77 | 0.29 | 7.53 | 64 |
| I316126 | | 0.094 | 0.21 | 1.25 | 52 | 0.29 | 4.90 | 47 |
| I316127 | | 0.145 | 0.36 | 3.68 | 69 | 0.77 | 14.15 | 62 |
| I316128 | | 0.064 | 0.09 | 0.50 | 34 | 0.12 | 1.62 | 19 |
| I316129 | | 0.112 | 0.31 | 1.52 | 50 | 0.36 | 6.97 | 43 |
| I316130 | | 0.137 | 0.23 | 1.74 | 65 | 0.35 | 9.08 | 56 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I316131 | | 0.56 | 0.013 | 0.06 | 2.21 | 6.6 | <0.2 | <10 | 170 | 0.39 | 0.25 | 0.36 | 0.14 | 54.3 | 10.9 | 35 |
| I316132 | | 0.38 | 0.007 | 0.10 | 1.88 | 9.1 | <0.2 | <10 | 120 | 0.32 | 0.23 | 0.18 | 0.26 | 32.5 | 9.8 | 29 |
| I316133 | | 0.60 | 0.008 | 0.11 | 2.21 | 6.7 | <0.2 | <10 | 260 | 0.24 | 0.13 | 0.77 | 0.21 | 24.4 | 19.9 | 25 |
| I316134 | | 0.36 | <0.005 | 0.02 | 0.16 | 0.3 | <0.2 | <10 | 20 | <0.05 | 0.06 | 0.12 | 0.08 | 1.92 | 1.1 | 4 |
| I316135 | | 0.32 | 0.008 | 0.15 | 1.87 | 4.4 | <0.2 | <10 | 270 | 0.27 | 0.16 | 0.98 | 0.18 | 39.2 | 8.1 | 26 |
| I316136 | | 0.44 | 0.006 | 0.08 | 0.89 | 5.2 | <0.2 | <10 | 110 | 0.12 | 0.20 | 0.22 | 0.10 | 9.09 | 5.6 | 14 |
| I316137 | | 0.48 | 0.008 | 0.13 | 2.29 | 4.8 | <0.2 | <10 | 290 | 0.28 | 1.23 | 0.80 | 0.28 | 35.8 | 16.3 | 24 |
| I316138 | | 0.34 | 0.008 | 0.42 | 1.71 | 4.5 | <0.2 | <10 | 310 | 0.33 | 0.52 | 1.02 | 0.90 | 64.6 | 11.1 | 19 |
| I316139 | | 0.40 | 0.008 | 0.12 | 1.73 | 6.1 | <0.2 | <10 | 170 | 0.23 | 0.14 | 0.62 | 0.15 | 34.2 | 11.6 | 27 |
| I316140 | | 0.36 | <0.005 | 0.12 | 1.76 | 6.2 | <0.2 | <10 | 170 | 0.21 | 0.13 | 0.63 | 0.15 | 33.1 | 12.6 | 27 |
| I316141 | | 0.56 | <0.005 | 0.05 | 2.08 | 4.9 | <0.2 | <10 | 200 | 0.27 | 0.13 | 0.37 | 0.12 | 32.6 | 12.9 | 18 |
| I316142 | | 0.36 | <0.005 | 0.06 | 2.14 | 3.1 | <0.2 | <10 | 200 | 0.23 | 0.14 | 0.53 | 0.14 | 16.00 | 12.9 | 18 |
| I316143 | | 0.38 | <0.005 | 0.07 | 1.87 | 4.1 | <0.2 | <10 | 130 | 0.17 | 0.12 | 0.30 | 0.14 | 20.2 | 9.8 | 21 |
| I316144 | | 0.40 | <0.005 | 0.07 | 1.90 | 5.0 | <0.2 | <10 | 170 | 0.21 | 0.13 | 0.36 | 0.11 | 20.1 | 14.7 | 25 |
| I316145 | | 0.36 | <0.005 | 0.06 | 1.47 | 3.6 | <0.2 | <10 | 100 | 0.13 | 0.12 | 0.26 | 0.11 | 14.75 | 8.6 | 23 |
| I316146 | | 0.38 | <0.005 | 0.05 | 1.57 | 3.5 | <0.2 | <10 | 110 | 0.14 | 0.12 | 0.30 | 0.12 | 15.80 | 9.3 | 19 |
| I316147 | | 0.40 | <0.005 | 0.07 | 1.56 | 3.7 | <0.2 | <10 | 110 | 0.16 | 0.12 | 0.28 | 0.11 | 16.25 | 10.0 | 21 |
| I316148 | | 0.44 | <0.005 | 0.06 | 1.67 | 4.1 | <0.2 | <10 | 130 | 0.16 | 0.11 | 0.33 | 0.15 | 21.6 | 9.6 | 23 |
| I316149 | | 0.26 | <0.005 | 0.08 | 1.74 | 4.2 | <0.2 | <10 | 130 | 0.17 | 0.13 | 0.33 | 0.14 | 21.2 | 8.9 | 29 |
| I316150 | | 0.38 | NSS | 0.01 | 0.15 | 1.6 | <0.2 | <10 | 40 | 0.16 | 0.02 | 0.08 | 0.04 | 11.25 | 2.5 | 5 |
| I316151 | | 0.44 | <0.005 | 0.07 | 1.75 | 9.2 | <0.2 | <10 | 340 | 0.46 | 0.16 | 0.62 | 0.13 | 25.6 | 10.4 | 30 |
| I316152 | | 0.36 | <0.005 | 0.07 | 1.63 | 6.9 | <0.2 | <10 | 280 | 0.40 | 0.15 | 0.61 | 0.09 | 21.7 | 8.9 | 26 |
| I316153 | | 0.46 | <0.005 | 0.04 | 1.38 | 6.1 | <0.2 | <10 | 150 | 0.25 | 0.13 | 0.20 | 0.05 | 16.30 | 6.1 | 23 |
| I316154 | | 0.48 | <0.005 | 0.08 | 1.69 | 6.0 | <0.2 | <10 | 150 | 0.29 | 0.15 | 0.15 | 0.06 | 16.25 | 8.7 | 24 |
| I316155 | | 0.32 | 0.011 | 1.14 | 1.49 | 6.1 | <0.2 | <10 | 310 | 0.51 | 0.15 | 1.02 | 0.25 | 47.4 | 8.0 | 19 |
| I316156 | | 0.38 | 0.008 | 0.37 | 1.41 | 17.7 | <0.2 | <10 | 280 | 0.51 | 0.15 | 0.96 | 0.40 | 33.8 | 12.8 | 19 |
| I316157 | | 0.42 | <0.005 | 0.03 | 1.85 | 10.1 | <0.2 | <10 | 170 | 0.27 | 0.57 | 0.17 | 0.08 | 17.60 | 7.5 | 32 |
| I316158 | | 0.46 | <0.005 | 0.06 | 1.03 | 11.1 | <0.2 | <10 | 120 | 0.23 | 0.21 | 0.31 | 0.08 | 19.55 | 6.3 | 19 |
| I316159 | | 0.30 | <0.005 | 0.18 | 1.88 | 9.7 | <0.2 | <10 | 210 | 0.29 | 0.23 | 0.50 | 0.27 | 19.40 | 14.3 | 26 |
| I316160 | | 0.32 | <0.005 | 0.19 | 1.42 | 8.3 | <0.2 | <10 | 160 | 0.28 | 0.19 | 0.38 | 0.20 | 16.75 | 13.4 | 20 |
| I316161 | | 0.52 | <0.005 | 0.12 | 2.16 | 11.0 | <0.2 | <10 | 200 | 0.35 | 0.19 | 0.48 | 0.22 | 22.7 | 11.2 | 34 |
| I316162 | | 0.32 | <0.005 | 0.21 | 2.04 | 25.7 | <0.2 | <10 | 460 | 0.35 | 0.22 | 0.61 | 0.49 | 43.1 | 47.2 | 37 |
| I316163 | | 0.46 | 0.009 | 0.10 | 1.42 | 20.5 | <0.2 | <10 | 130 | 0.21 | 0.12 | 0.36 | 0.13 | 16.55 | 11.4 | 39 |
| I316164 | | 0.30 | <0.005 | 0.21 | 1.15 | 16.7 | <0.2 | <10 | 110 | 0.21 | 0.17 | 0.49 | 0.16 | 8.09 | 6.4 | 34 |
| I316165 | | 0.42 | NSS | 0.01 | 0.14 | 1.5 | <0.2 | <10 | 30 | 0.15 | 0.02 | 0.07 | 0.04 | 11.10 | 2.4 | 38 |
| I316166 | | 0.46 | 0.006 | 0.13 | 2.48 | 10.4 | <0.2 | <10 | 170 | 0.40 | 0.18 | 0.40 | 0.11 | 21.8 | 13.1 | 59 |
| I316167 | | 0.30 | <0.005 | 0.39 | 2.72 | 12.8 | <0.2 | <10 | 280 | 0.78 | 0.37 | 0.59 | 0.43 | 96.4 | 19.0 | 46 |
| I316168 | | 0.34 | 0.011 | 0.57 | 3.15 | 22.9 | <0.2 | <10 | 230 | 0.78 | 0.45 | 0.45 | 0.15 | 64.2 | 8.1 | 49 |
| I316169 | | 0.32 | <0.005 | 0.06 | 2.46 | 27.1 | <0.2 | <10 | 110 | 0.83 | 0.28 | 0.26 | 0.12 | 32.2 | 12.8 | 48 |
| I316170 | | 0.42 | <0.005 | 0.07 | 2.73 | 7.6 | <0.2 | <10 | 260 | 0.58 | 0.28 | 0.48 | 0.09 | 38.6 | 12.2 | 64 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I316131 | | 2.24 | 33.6 | 3.53 | 7.42 | 0.09 | 0.11 | 0.03 | 0.033 | 0.12 | 28.9 | 14.5 | 0.68 | 572 | 0.86 | 0.02 |
| I316132 | | 1.82 | 22.2 | 3.50 | 8.16 | 0.07 | 0.06 | 0.05 | 0.030 | 0.08 | 16.8 | 13.4 | 0.50 | 606 | 1.34 | 0.02 |
| I316133 | | 1.83 | 12.5 | 4.81 | 8.47 | 0.10 | 0.05 | 0.03 | 0.030 | 0.25 | 11.2 | 16.3 | 0.92 | 2260 | 1.01 | 0.03 |
| I316134 | | 0.30 | 2.8 | 0.49 | 1.29 | <0.05 | <0.02 | 0.01 | 0.005 | 0.02 | 1.0 | 0.5 | 0.03 | 33 | 0.40 | 0.02 |
| I316135 | | 1.01 | 16.9 | 2.53 | 7.29 | 0.07 | 0.05 | 0.09 | 0.025 | 0.13 | 23.8 | 11.6 | 0.59 | 326 | 0.84 | 0.03 |
| I316136 | | 0.80 | 9.9 | 2.15 | 7.21 | <0.05 | 0.03 | 0.04 | 0.014 | 0.11 | 4.5 | 5.0 | 0.31 | 286 | 1.19 | 0.02 |
| I316137 | | 1.85 | 15.9 | 3.80 | 8.38 | 0.10 | 0.07 | 0.05 | 0.030 | 0.36 | 17.6 | 16.0 | 0.92 | 1520 | 1.28 | 0.03 |
| I316138 | | 1.55 | 17.5 | 3.06 | 6.62 | 0.10 | 0.07 | 0.06 | 0.038 | 0.24 | 33.0 | 11.3 | 0.65 | 586 | 0.95 | 0.03 |
| I316139 | | 0.96 | 17.9 | 2.77 | 6.17 | 0.08 | 0.06 | 0.05 | 0.023 | 0.10 | 18.7 | 13.0 | 0.68 | 455 | 0.58 | 0.04 |
| I316140 | | 0.97 | 17.6 | 2.88 | 6.15 | 0.08 | 0.05 | 0.06 | 0.023 | 0.11 | 18.3 | 12.7 | 0.68 | 625 | 0.68 | 0.04 |
| I316141 | | 2.19 | 9.4 | 3.70 | 7.86 | 0.10 | 0.05 | 0.02 | 0.023 | 0.50 | 17.3 | 16.0 | 0.84 | 612 | 0.67 | 0.02 |
| I316142 | | 2.50 | 8.4 | 3.43 | 8.40 | 0.10 | 0.04 | 0.05 | 0.024 | 0.49 | 8.2 | 14.1 | 0.85 | 758 | 0.65 | 0.03 |
| I316143 | | 1.40 | 9.3 | 2.94 | 6.96 | 0.07 | 0.03 | 0.03 | 0.021 | 0.19 | 10.4 | 13.2 | 0.71 | 328 | 0.61 | 0.02 |
| I316144 | | 1.18 | 9.7 | 3.08 | 7.17 | 0.06 | 0.03 | 0.05 | 0.023 | 0.11 | 10.2 | 14.0 | 0.67 | 557 | 0.69 | 0.02 |
| I316145 | | 1.13 | 8.3 | 2.29 | 6.46 | 0.06 | 0.03 | 0.04 | 0.015 | 0.09 | 7.7 | 10.0 | 0.54 | 249 | 0.60 | 0.02 |
| I316146 | | 1.15 | 7.2 | 2.38 | 6.30 | 0.06 | 0.03 | 0.03 | 0.016 | 0.14 | 8.1 | 10.6 | 0.60 | 287 | 0.52 | 0.02 |
| I316147 | | 1.07 | 7.5 | 2.43 | 6.14 | 0.06 | 0.03 | 0.03 | 0.017 | 0.13 | 8.3 | 10.1 | 0.59 | 346 | 0.55 | 0.02 |
| I316148 | | 1.13 | 8.7 | 2.60 | 6.13 | 0.06 | 0.04 | 0.04 | 0.018 | 0.13 | 10.9 | 11.7 | 0.61 | 305 | 0.48 | 0.02 |
| I316149 | | 1.25 | 9.4 | 2.71 | 6.54 | 0.07 | 0.04 | 0.03 | 0.019 | 0.14 | 11.0 | 11.3 | 0.66 | 289 | 0.59 | 0.03 |
| I316150 | | 0.09 | 2.6 | 0.90 | 0.75 | <0.05 | 0.10 | <0.01 | <0.005 | 0.04 | 5.9 | 3.2 | 0.04 | 180 | 0.32 | 0.02 |
| I316151 | | 0.55 | 29.1 | 2.80 | 6.05 | 0.08 | 0.25 | 0.03 | 0.028 | 0.06 | 13.1 | 12.2 | 0.60 | 266 | 0.53 | 0.03 |
| I316152 | | 0.45 | 20.4 | 2.53 | 5.74 | 0.07 | 0.28 | 0.01 | 0.024 | 0.05 | 10.5 | 10.4 | 0.49 | 214 | 0.53 | 0.03 |
| I316153 | | 0.45 | 10.6 | 2.21 | 5.48 | <0.05 | 0.06 | 0.03 | 0.021 | 0.03 | 8.2 | 11.5 | 0.39 | 142 | 0.99 | 0.01 |
| I316154 | | 0.94 | 12.6 | 2.64 | 6.66 | 0.05 | 0.08 | 0.01 | 0.028 | 0.06 | 7.9 | 12.1 | 0.63 | 237 | 0.73 | 0.02 |
| I316155 | | 0.76 | 37.9 | 1.83 | 5.44 | 0.07 | 0.03 | 0.07 | 0.023 | 0.06 | 27.0 | 6.6 | 0.30 | 720 | 1.19 | 0.03 |
| I316156 | | 0.62 | 45.0 | 2.53 | 5.24 | 0.07 | 0.08 | 0.03 | 0.025 | 0.07 | 18.4 | 11.5 | 0.45 | 864 | 2.01 | 0.03 |
| I316157 | | 0.74 | 12.5 | 2.64 | 6.86 | 0.05 | 0.02 | 0.01 | 0.023 | 0.04 | 8.8 | 13.0 | 0.38 | 151 | 1.21 | 0.01 |
| I316158 | | 0.51 | 13.4 | 1.53 | 4.00 | <0.05 | <0.02 | 0.01 | 0.016 | 0.04 | 9.9 | 9.1 | 0.33 | 119 | 0.93 | 0.02 |
| I316159 | | 1.42 | 24.4 | 2.48 | 6.32 | 0.05 | 0.03 | 0.05 | 0.022 | 0.05 | 10.3 | 9.9 | 0.39 | 1420 | 1.29 | 0.03 |
| I316160 | | 1.06 | 21.1 | 2.22 | 5.40 | 0.05 | 0.03 | 0.05 | 0.020 | 0.03 | 9.0 | 7.0 | 0.29 | 1280 | 1.18 | 0.03 |
| I316161 | | 1.77 | 26.0 | 2.75 | 7.06 | 0.07 | 0.05 | 0.06 | 0.028 | 0.06 | 12.7 | 14.3 | 0.54 | 420 | 0.86 | 0.03 |
| I316162 | | 1.14 | 23.4 | 4.31 | 6.69 | 0.08 | 0.03 | 0.06 | 0.027 | 0.07 | 13.1 | 10.0 | 0.54 | 7360 | 4.16 | 0.03 |
| I316163 | | 0.97 | 48.8 | 2.21 | 4.42 | 0.06 | 0.05 | 0.02 | 0.017 | 0.07 | 7.6 | 14.3 | 0.56 | 445 | 3.18 | 0.03 |
| I316164 | | 1.43 | 69.3 | 1.73 | 5.07 | <0.05 | 0.02 | 0.05 | 0.015 | 0.05 | 4.5 | 7.0 | 0.36 | 339 | 5.27 | 0.03 |
| I316165 | | 0.09 | 2.6 | 0.68 | 0.70 | <0.05 | 0.09 | <0.01 | <0.005 | 0.03 | 5.8 | 1.3 | 0.04 | 156 | 0.53 | 0.02 |
| I316166 | | 1.85 | 81.5 | 3.01 | 7.17 | 0.08 | 0.04 | 0.05 | 0.022 | 0.12 | 11.1 | 15.6 | 0.77 | 405 | 6.63 | 0.03 |
| I316167 | | 2.31 | 170.5 | 3.15 | 8.75 | 0.13 | 0.05 | 0.18 | 0.033 | 0.17 | 61.3 | 10.9 | 0.62 | 1720 | 29.5 | 0.03 |
| I316168 | | 2.56 | 168.0 | 3.29 | 9.93 | 0.11 | 0.05 | 0.48 | 0.038 | 0.15 | 58.3 | 11.9 | 0.55 | 336 | 21.8 | 0.03 |
| I316169 | | 2.40 | 103.5 | 2.98 | 8.41 | 0.08 | 0.05 | 0.04 | 0.024 | 0.15 | 14.0 | 13.4 | 0.60 | 440 | 7.98 | 0.03 |
| I316170 | | 3.01 | 89.7 | 3.52 | 9.46 | 0.13 | 0.14 | 0.04 | 0.033 | 0.28 | 20.1 | 15.2 | 0.94 | 274 | 7.76 | 0.03 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I316131 | | 2.66 | 23.0 | 770 | 7.6 | 24.7 | <0.001 | 0.01 | 0.39 | 6.6 | 0.7 | 0.9 | 21.9 | <0.01 | 0.03 | 13.1 |
| I316132 | | 2.49 | 17.9 | 480 | 9.1 | 17.1 | <0.001 | 0.03 | 0.50 | 4.1 | 0.8 | 0.9 | 15.7 | <0.01 | 0.05 | 6.9 |
| I316133 | | 2.28 | 13.2 | 1090 | 6.8 | 29.6 | <0.001 | 0.04 | 0.31 | 6.2 | 0.9 | 0.9 | 38.8 | <0.01 | 0.03 | 3.4 |
| I316134 | | 0.30 | 1.4 | 210 | 1.2 | 2.4 | <0.001 | 0.01 | 0.09 | 0.5 | 0.3 | 0.2 | 9.8 | <0.01 | 0.01 | <0.2 |
| I316135 | | 1.49 | 13.8 | 940 | 7.0 | 18.5 | <0.001 | 0.09 | 0.31 | 3.7 | 1.0 | 0.7 | 62.8 | <0.01 | 0.03 | 0.7 |
| I316136 | | 1.62 | 8.0 | 310 | 6.0 | 25.7 | <0.001 | 0.03 | 0.31 | 2.6 | 0.5 | 0.6 | 17.3 | <0.01 | 0.04 | 0.8 |
| I316137 | | 2.22 | 14.3 | 910 | 6.0 | 40.4 | <0.001 | 0.05 | 0.34 | 9.4 | 1.0 | 0.8 | 44.0 | <0.01 | 0.04 | 3.2 |
| I316138 | | 1.70 | 12.2 | 920 | 18.3 | 31.6 | <0.001 | 0.10 | 0.40 | 8.8 | 1.4 | 0.8 | 58.9 | 0.01 | 0.05 | 2.8 |
| I316139 | | 1.68 | 17.4 | 820 | 6.3 | 14.6 | <0.001 | 0.06 | 0.37 | 5.3 | 1.0 | 0.5 | 38.3 | <0.01 | 0.03 | 1.8 |
| I316140 | | 1.64 | 16.4 | 840 | 6.5 | 15.3 | <0.001 | 0.06 | 0.39 | 5.2 | 1.0 | 0.6 | 37.9 | <0.01 | 0.02 | 1.7 |
| I316141 | | 2.02 | 9.9 | 860 | 7.4 | 42.9 | <0.001 | 0.02 | 0.28 | 6.2 | 0.6 | 0.7 | 19.0 | <0.01 | 0.01 | 5.8 |
| I316142 | | 2.10 | 8.8 | 560 | 6.6 | 46.1 | <0.001 | 0.03 | 0.25 | 6.0 | 0.5 | 0.8 | 35.2 | <0.01 | 0.01 | 2.7 |
| I316143 | | 1.74 | 12.6 | 580 | 6.6 | 26.2 | <0.001 | 0.02 | 0.23 | 4.3 | 0.6 | 0.6 | 20.1 | <0.01 | 0.02 | 1.7 |
| I316144 | | 1.53 | 13.9 | 560 | 6.5 | 15.3 | <0.001 | 0.03 | 0.26 | 3.8 | 0.6 | 0.6 | 25.4 | <0.01 | 0.03 | 1.3 |
| I316145 | | 1.45 | 12.5 | 460 | 5.5 | 14.1 | <0.001 | 0.03 | 0.22 | 3.1 | 0.6 | 0.6 | 19.2 | <0.01 | 0.02 | 0.8 |
| I316146 | | 1.47 | 11.0 | 570 | 5.2 | 19.0 | <0.001 | 0.02 | 0.21 | 3.3 | 0.6 | 0.5 | 18.7 | <0.01 | 0.02 | 1.1 |
| I316147 | | 1.49 | 11.5 | 570 | 5.1 | 17.3 | <0.001 | 0.03 | 0.21 | 3.3 | 0.7 | 0.5 | 17.9 | <0.01 | 0.02 | 1.1 |
| I316148 | | 1.64 | 14.0 | 670 | 5.6 | 19.1 | <0.001 | 0.03 | 0.25 | 3.9 | 0.6 | 0.5 | 20.8 | <0.01 | 0.02 | 1.7 |
| I316149 | | 1.67 | 15.6 | 660 | 5.7 | 20.8 | <0.001 | 0.04 | 0.25 | 3.8 | 0.7 | 0.6 | 20.8 | <0.01 | 0.02 | 1.6 |
| I316150 | | 0.14 | 4.2 | 130 | 1.7 | 3.1 | <0.001 | 0.01 | 0.16 | 0.9 | <0.2 | <0.2 | 10.2 | <0.01 | <0.01 | 1.8 |
| I316151 | | 1.34 | 21.6 | 540 | 8.0 | 8.7 | 0.001 | 0.01 | 0.69 | 6.5 | 0.8 | 0.6 | 40.6 | <0.01 | 0.03 | 3.5 |
| I316152 | | 1.52 | 15.7 | 450 | 7.5 | 6.5 | <0.001 | 0.01 | 0.54 | 5.3 | 0.9 | 0.6 | 35.2 | <0.01 | 0.03 | 3.3 |
| I316153 | | 1.20 | 11.8 | 200 | 7.0 | 6.0 | <0.001 | 0.02 | 0.34 | 3.5 | 0.4 | 0.6 | 14.7 | <0.01 | 0.02 | 2.2 |
| I316154 | | 1.53 | 15.2 | 170 | 6.6 | 10.7 | <0.001 | 0.15 | 0.41 | 4.6 | 0.3 | 0.8 | 12.8 | <0.01 | 0.02 | 2.7 |
| I316155 | | 0.79 | 11.5 | 650 | 11.6 | 9.1 | 0.001 | 0.20 | 0.36 | 3.3 | 1.7 | 0.5 | 53.2 | <0.01 | 0.06 | 0.4 |
| I316156 | | 0.85 | 16.2 | 760 | 11.9 | 7.3 | 0.001 | 0.13 | 0.55 | 4.5 | 1.7 | 0.4 | 45.3 | 0.01 | 0.08 | 3.0 |
| I316157 | | 1.46 | 17.6 | 250 | 8.7 | 7.4 | <0.001 | 0.05 | 0.44 | 2.8 | 0.4 | 0.7 | 15.9 | <0.01 | 0.03 | 1.3 |
| I316158 | | 1.35 | 10.9 | 480 | 9.0 | 6.7 | <0.001 | 0.04 | 0.38 | 2.1 | 0.4 | 0.5 | 22.2 | <0.01 | 0.02 | 1.4 |
| I316159 | | 1.28 | 14.7 | 1110 | 9.4 | 9.9 | <0.001 | 0.07 | 0.57 | 3.2 | 0.9 | 0.6 | 46.8 | <0.01 | 0.04 | 1.1 |
| I316160 | | 0.95 | 10.3 | 960 | 7.4 | 6.8 | <0.001 | 0.07 | 0.50 | 2.5 | 0.9 | 0.5 | 39.1 | <0.01 | 0.04 | 0.7 |
| I316161 | | 1.83 | 18.5 | 770 | 8.0 | 13.7 | <0.001 | 0.04 | 0.67 | 4.9 | 0.8 | 0.7 | 33.5 | <0.01 | 0.03 | 2.6 |
| I316162 | | 1.52 | 28.0 | 830 | 10.6 | 15.1 | <0.001 | 0.06 | 1.42 | 4.2 | 1.0 | 0.6 | 43.0 | <0.01 | 0.05 | 1.2 |
| I316163 | | 0.88 | 19.8 | 640 | 4.6 | 12.2 | <0.001 | <0.01 | 2.32 | 4.2 | 0.5 | 0.4 | 18.3 | <0.01 | 0.03 | 1.7 |
| I316164 | | 0.42 | 14.2 | 850 | 4.1 | 12.2 | 0.001 | 0.08 | 0.91 | 1.6 | 0.8 | 0.4 | 30.0 | <0.01 | 0.05 | <0.2 |
| I316165 | | 0.15 | 5.0 | 130 | 1.7 | 2.7 | <0.001 | 0.01 | 0.16 | 0.8 | <0.2 | <0.2 | 9.2 | <0.01 | <0.01 | 1.9 |
| I316166 | | 1.00 | 36.2 | 690 | 5.5 | 19.5 | <0.001 | 0.02 | 0.58 | 5.4 | 0.8 | 0.5 | 26.6 | <0.01 | 0.03 | 1.5 |
| I316167 | | 1.18 | 28.5 | 1130 | 6.6 | 29.3 | 0.001 | 0.14 | 0.70 | 5.9 | 1.9 | 0.7 | 50.5 | 0.01 | 0.07 | 1.8 |
| I316168 | | 1.20 | 26.4 | 1180 | 7.8 | 26.4 | 0.001 | 0.13 | 0.87 | 5.6 | 1.6 | 0.9 | 40.3 | <0.01 | 0.08 | 2.5 |
| I316169 | | 1.82 | 24.6 | 560 | 6.0 | 27.3 | <0.001 | 0.02 | 0.76 | 4.4 | 0.9 | 0.8 | 22.5 | 0.01 | 0.07 | 3.9 |
| I316170 | | 1.53 | 28.7 | 760 | 5.4 | 44.2 | 0.001 | <0.01 | 0.32 | 9.6 | 0.9 | 1.0 | 30.1 | <0.01 | 0.06 | 5.2 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I316131 | | 0.147 | 0.29 | 2.75 | 70 | 0.36 | 12.85 | 62 | 4.9 |
| I316132 | | 0.114 | 0.20 | 1.43 | 70 | 0.40 | 5.49 | 56 | 2.6 |
| I316133 | | 0.162 | 0.27 | 1.38 | 95 | 0.16 | 8.19 | 82 | 2.1 |
| I316134 | | 0.027 | 0.02 | 0.34 | 13 | <0.05 | 0.43 | 11 | <0.5 |
| I316135 | | 0.095 | 0.13 | 3.48 | 59 | 0.24 | 8.26 | 51 | 2.0 |
| I316136 | | 0.128 | 0.10 | 0.47 | 66 | 0.15 | 1.82 | 33 | 1.1 |
| I316137 | | 0.163 | 0.34 | 2.79 | 87 | 0.22 | 13.05 | 76 | 3.2 |
| I316138 | | 0.098 | 0.23 | 2.91 | 64 | 0.28 | 24.0 | 72 | 2.1 |
| I316139 | | 0.114 | 0.14 | 2.18 | 64 | 0.31 | 10.50 | 54 | 2.3 |
| I316140 | | 0.115 | 0.14 | 2.29 | 66 | 0.20 | 10.35 | 55 | 2.0 |
| I316141 | | 0.164 | 0.36 | 1.72 | 80 | 0.16 | 9.14 | 66 | 1.8 |
| I316142 | | 0.169 | 0.33 | 1.38 | 74 | 0.18 | 4.00 | 65 | 1.3 |
| I316143 | | 0.139 | 0.20 | 1.49 | 68 | 0.36 | 5.18 | 61 | 1.3 |
| I316144 | | 0.131 | 0.15 | 1.36 | 75 | 0.49 | 4.83 | 58 | 1.1 |
| I316145 | | 0.115 | 0.13 | 0.81 | 54 | 0.20 | 3.03 | 49 | 1.0 |
| I316146 | | 0.125 | 0.15 | 1.72 | 59 | 0.15 | 4.09 | 51 | 1.1 |
| I316147 | | 0.126 | 0.15 | 0.89 | 60 | 0.12 | 3.84 | 50 | 1.1 |
| I316148 | | 0.130 | 0.17 | 1.45 | 64 | 0.32 | 5.17 | 54 | 1.3 |
| I316149 | | 0.132 | 0.17 | 1.34 | 64 | 0.19 | 4.75 | 56 | 1.4 |
| I316150 | | 0.007 | 0.03 | 0.35 | 5 | <0.05 | 2.49 | 5 | 3.4 |
| I316151 | | 0.100 | 0.07 | 0.69 | 58 | 0.12 | 10.10 | 54 | 11.8 |
| I316152 | | 0.096 | 0.05 | 1.24 | 55 | 0.18 | 6.46 | 44 | 11.9 |
| I316153 | | 0.069 | 0.06 | 0.35 | 52 | 0.17 | 2.96 | 31 | 2.5 |
| I316154 | | 0.091 | 0.09 | 0.31 | 56 | 0.18 | 2.18 | 41 | 3.6 |
| I316155 | | 0.038 | 0.07 | 1.71 | 35 | 0.16 | 22.3 | 33 | 0.6 |
| I316156 | | 0.032 | 0.06 | 1.49 | 41 | 0.13 | 12.95 | 51 | 3.4 |
| I316157 | | 0.070 | 0.08 | 0.41 | 63 | 0.23 | 2.31 | 39 | 0.8 |
| I316158 | | 0.059 | 0.06 | 0.68 | 34 | 0.28 | 4.65 | 39 | 0.6 |
| I316159 | | 0.063 | 0.18 | 3.84 | 50 | 0.27 | 7.69 | 55 | 1.2 |
| I316160 | | 0.051 | 0.14 | 3.57 | 43 | 0.41 | 6.69 | 41 | 1.0 |
| I316161 | | 0.099 | 0.17 | 4.73 | 60 | 0.52 | 8.60 | 60 | 2.1 |
| I316162 | | 0.094 | 0.21 | 2.73 | 60 | 0.46 | 9.67 | 53 | 1.4 |
| I316163 | | 0.106 | 0.11 | 0.64 | 58 | 5.00 | 4.49 | 42 | 2.1 |
| I316164 | | 0.053 | 0.09 | 0.49 | 46 | 3.34 | 3.61 | 34 | 0.7 |
| I316165 | | 0.007 | 0.04 | 0.35 | 4 | <0.05 | 2.54 | 5 | 3.3 |
| I316166 | | 0.113 | 0.16 | 1.05 | 72 | 2.21 | 7.60 | 57 | 1.5 |
| I316167 | | 0.095 | 0.37 | 7.51 | 67 | 0.69 | 27.7 | 67 | 1.4 |
| I316168 | | 0.085 | 0.28 | 10.30 | 66 | 1.22 | 15.30 | 72 | 2.0 |
| I316169 | | 0.132 | 0.22 | 1.69 | 65 | 2.01 | 5.54 | 50 | 1.9 |
| I316170 | | 0.182 | 0.38 | 1.26 | 97 | 1.86 | 11.20 | 57 | 6.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I316171 | | 0.34 | <0.005 | 0.09 | 2.32 | 6.4 | <0.2 | <10 | 200 | 0.57 | 0.36 | 0.54 | 0.13 | 42.8 | 11.4 | 67 |
| I316172 | | 0.52 | <0.005 | 0.07 | 2.02 | 5.3 | <0.2 | <10 | 200 | 0.78 | 0.30 | 0.45 | 0.10 | 46.2 | 13.3 | 51 |
| I316173 | | 0.40 | <0.005 | 0.09 | 2.35 | 7.9 | <0.2 | <10 | 220 | 0.84 | 0.35 | 0.39 | <0.01 | 35.7 | 12.9 | 67 |
| I316174 | | 0.36 | <0.005 | 0.07 | 2.29 | 12.6 | <0.2 | <10 | 200 | 0.79 | 0.18 | 0.42 | 0.06 | 24.7 | 9.9 | 51 |
| I316175 | | 0.46 | <0.005 | 0.10 | 2.27 | 10.7 | <0.2 | <10 | 260 | 1.10 | 0.24 | 0.56 | 0.04 | 35.3 | 14.8 | 57 |
| I316176 | | 0.48 | <0.005 | 0.09 | 2.79 | 4.7 | <0.2 | <10 | 170 | 1.13 | 0.22 | 0.58 | 0.05 | 53.7 | 12.8 | 68 |
| I316177 | | 0.58 | <0.005 | 0.12 | 2.31 | 6.5 | <0.2 | <10 | 160 | 1.48 | 0.28 | 0.53 | 0.10 | 53.5 | 13.9 | 58 |
| I316178 | | 0.60 | <0.005 | 0.06 | 2.49 | 16.7 | <0.2 | <10 | 260 | 1.06 | 0.18 | 0.54 | 0.03 | 32.5 | 13.5 | 68 |
| I316179 | | 0.46 | 0.012 | 0.10 | 2.66 | 50.6 | <0.2 | <10 | 220 | 1.02 | 0.19 | 0.52 | 0.06 | 29.3 | 10.5 | 52 |
| I316180 | | 0.42 | 0.012 | 0.09 | 2.45 | 50.2 | <0.2 | <10 | 210 | 0.95 | 0.19 | 0.54 | 0.07 | 27.5 | 10.8 | 52 |
| I316181 | | 0.26 | <0.005 | 0.08 | 0.73 | 4.2 | <0.2 | <10 | 50 | 0.21 | 0.15 | 0.13 | 0.09 | 5.99 | 3.2 | 15 |
| I316182 | | 0.32 | <0.005 | 0.09 | 2.15 | 29.7 | <0.2 | <10 | 180 | 0.73 | 0.16 | 0.46 | 0.11 | 24.9 | 11.0 | 47 |
| I316183 | | 0.38 | 0.014 | 0.08 | 1.96 | 24.0 | <0.2 | <10 | 150 | 0.39 | 0.13 | 0.39 | 0.17 | 21.5 | 10.1 | 45 |
| I316184 | | 0.34 | <0.005 | 0.07 | 1.35 | 9.2 | <0.2 | <10 | 130 | 0.25 | 0.14 | 0.20 | 0.09 | 13.95 | 7.4 | 35 |
| I316185 | | 0.22 | <0.005 | 0.14 | 0.82 | 3.8 | <0.2 | <10 | 110 | 0.27 | 0.16 | 0.14 | 0.35 | 10.25 | 8.2 | 20 |
| I316186 | | 0.30 | <0.005 | 0.09 | 1.50 | 8.1 | <0.2 | <10 | 100 | 0.27 | 0.22 | 0.12 | 0.15 | 15.25 | 7.2 | 29 |
| I316187 | | 0.34 | 0.013 | 0.25 | 1.95 | 30.2 | <0.2 | <10 | 180 | 0.34 | 0.21 | 0.28 | 0.33 | 17.95 | 11.7 | 42 |
| I316188 | | 0.26 | <0.005 | 0.19 | 1.10 | 6.8 | <0.2 | <10 | 140 | 0.24 | 0.17 | 0.17 | 0.15 | 14.50 | 8.6 | 22 |
| I316189 | | 0.38 | <0.005 | 0.21 | 2.02 | 12.1 | <0.2 | <10 | 170 | 0.34 | 0.17 | 0.30 | 0.16 | 17.90 | 9.4 | 44 |
| I316190 | | 0.32 | <0.005 | 0.28 | 2.21 | 15.3 | <0.2 | <10 | 150 | 0.34 | 0.29 | 0.15 | 0.48 | 15.20 | 8.9 | 38 |
| I316191 | | 0.28 | 0.005 | 0.41 | 2.36 | 16.8 | <0.2 | <10 | 230 | 0.50 | 0.21 | 0.45 | 0.20 | 20.7 | 8.7 | 36 |
| I316192 | | 0.28 | <0.005 | 0.31 | 2.46 | 12.7 | <0.2 | <10 | 230 | 0.35 | 0.23 | 0.54 | 0.32 | 18.50 | 17.8 | 43 |
| I316193 | | 0.36 | 0.006 | 0.24 | 2.59 | 12.1 | <0.2 | <10 | 260 | 0.41 | 0.21 | 0.53 | 0.13 | 20.4 | 11.6 | 43 |
| I316194 | | 0.30 | <0.005 | 0.38 | 2.52 | 11.4 | <0.2 | <10 | 280 | 0.51 | 0.22 | 0.73 | 0.16 | 21.9 | 12.2 | 41 |
| I316195 | | 0.28 | 0.008 | 0.13 | 2.12 | 12.6 | <0.2 | <10 | 230 | 0.35 | 0.23 | 0.58 | 0.19 | 18.10 | 11.4 | 39 |
| I316196 | | 0.40 | 0.006 | 0.13 | 2.24 | 18.3 | <0.2 | <10 | 220 | 0.36 | 0.38 | 0.47 | 0.07 | 15.20 | 10.5 | 45 |
| I316197 | | 0.32 | 0.005 | 0.27 | 0.92 | 7.0 | <0.2 | <10 | 100 | 0.27 | 0.14 | 0.45 | 0.13 | 11.55 | 3.4 | 15 |
| I316198 | | 0.36 | 0.014 | 0.17 | 2.02 | 38.1 | <0.2 | <10 | 190 | 0.43 | 0.50 | 0.42 | 0.27 | 19.00 | 9.4 | 46 |
| I316199 | | 0.40 | 0.033 | 0.06 | 0.53 | 56.9 | <0.2 | <10 | 60 | 0.10 | 0.31 | 0.13 | 0.36 | 6.87 | 2.9 | 13 |
| I316200 | | 0.38 | <0.005 | 0.13 | 3.07 | 11.1 | <0.2 | <10 | 160 | 0.48 | 0.52 | 0.37 | 0.24 | 15.20 | 19.5 | 56 |
| I316201 | | 0.42 | <0.005 | 0.15 | 2.22 | 7.7 | <0.2 | <10 | 180 | 0.31 | 0.19 | 0.38 | 0.21 | 29.7 | 13.7 | 40 |
| I316202 | | 0.22 | NSS | 0.09 | 0.48 | 2.1 | <0.2 | <10 | 160 | 0.10 | 0.05 | 1.23 | 0.44 | 16.55 | 62.9 | 7 |
| I316203 | | 0.26 | <0.005 | 0.38 | 0.85 | 3.5 | <0.2 | <10 | 130 | 0.22 | 0.11 | 0.88 | 0.17 | 25.7 | 29.7 | 22 |
| I316204 | | 0.38 | <0.005 | 0.12 | 1.95 | 3.4 | <0.2 | <10 | 150 | 0.20 | 0.12 | 0.40 | 0.12 | 17.05 | 11.2 | 39 |
| I316205 | | 0.38 | <0.005 | 0.23 | 1.80 | 6.5 | <0.2 | <10 | 150 | 0.25 | 0.13 | 0.47 | 0.15 | 17.90 | 12.8 | 35 |
| I316206 | | 0.42 | <0.005 | 0.11 | 1.89 | 3.7 | <0.2 | <10 | 180 | 0.22 | 0.12 | 0.56 | 0.14 | 18.35 | 12.0 | 45 |
| I316207 | | 0.44 | <0.005 | 0.10 | 1.37 | 3.0 | <0.2 | <10 | 120 | 0.13 | 0.12 | 0.31 | 0.14 | 12.30 | 6.1 | 30 |
| I316208 | | 0.52 | NSS | 0.01 | 0.12 | 1.7 | <0.2 | <10 | 30 | 0.08 | 0.01 | 0.08 | 0.03 | 8.89 | 1.9 | 3 |
| I316209 | | 0.40 | <0.005 | 0.27 | 2.84 | 15.8 | <0.2 | <10 | 150 | 0.55 | 0.20 | 0.98 | 0.37 | 62.4 | 18.5 | 56 |
| I316210 | | 0.46 | <0.005 | 0.16 | 3.15 | 5.5 | <0.2 | <10 | 180 | 0.57 | 0.20 | 0.88 | 0.25 | 39.2 | 16.8 | 60 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I316171 | | 3.24 | 141.0 | 3.67 | 8.66 | 0.13 | 0.11 | 0.05 | 0.035 | 0.32 | 24.7 | 13.8 | 0.88 | 437 | 25.0 |
| I316172 | | 3.45 | 153.5 | 3.10 | 7.74 | 0.12 | 0.09 | 0.04 | 0.031 | 0.22 | 24.6 | 13.7 | 0.77 | 415 | 46.4 |
| I316173 | | 6.78 | 146.5 | 3.55 | 9.16 | 0.11 | 0.07 | 0.14 | 0.035 | 0.25 | 21.8 | 14.6 | 0.90 | 483 | 301 |
| I316174 | | 4.33 | 73.3 | 3.12 | 8.53 | 0.11 | 0.08 | 0.08 | 0.035 | 0.24 | 13.0 | 15.9 | 0.80 | 285 | 121.0 |
| I316175 | | 3.42 | 107.0 | 3.77 | 8.08 | 0.13 | 0.14 | 0.09 | 0.046 | 0.18 | 17.5 | 12.5 | 0.93 | 386 | 56.0 |
| I316176 | | 6.92 | 109.5 | 3.97 | 11.45 | 0.15 | 0.10 | 0.05 | 0.059 | 0.51 | 27.2 | 17.6 | 1.03 | 317 | 67.5 |
| I316177 | | 5.61 | 217 | 3.65 | 9.82 | 0.13 | 0.07 | 0.15 | 0.057 | 0.27 | 34.2 | 14.9 | 0.83 | 420 | 91.0 |
| I316178 | | 5.30 | 116.0 | 3.58 | 9.59 | 0.11 | 0.07 | 0.10 | 0.054 | 0.29 | 17.4 | 13.2 | 0.84 | 328 | 87.5 |
| I316179 | | 4.51 | 87.8 | 3.34 | 8.94 | 0.10 | 0.08 | 0.07 | 0.046 | 0.12 | 17.0 | 14.8 | 0.93 | 292 | 29.1 |
| I316180 | | 4.26 | 83.9 | 3.25 | 8.66 | 0.10 | 0.09 | 0.07 | 0.043 | 0.13 | 16.4 | 14.4 | 0.90 | 311 | 26.6 |
| I316181 | | 2.49 | 16.5 | 1.30 | 4.27 | <0.05 | <0.02 | 0.03 | 0.012 | 0.04 | 3.2 | 3.4 | 0.18 | 194 | 21.6 |
| I316182 | | 3.68 | 125.0 | 3.39 | 8.08 | 0.09 | 0.07 | 0.08 | 0.034 | 0.09 | 13.1 | 12.1 | 0.77 | 376 | 72.8 |
| I316183 | | 2.18 | 75.8 | 3.07 | 8.25 | 0.09 | 0.06 | 0.06 | 0.024 | 0.12 | 10.8 | 12.9 | 0.73 | 296 | 49.2 |
| I316184 | | 2.56 | 61.7 | 2.88 | 8.07 | 0.06 | 0.03 | 0.03 | 0.017 | 0.09 | 7.5 | 9.8 | 0.47 | 230 | 76.2 |
| I316185 | | 1.18 | 40.2 | 1.87 | 5.21 | <0.05 | 0.02 | 0.05 | 0.016 | 0.07 | 5.4 | 3.7 | 0.21 | 514 | 23.0 |
| I316186 | | 1.71 | 38.1 | 3.25 | 10.95 | 0.06 | 0.05 | 0.04 | 0.020 | 0.08 | 8.0 | 10.7 | 0.37 | 314 | 41.6 |
| I316187 | | 1.71 | 128.0 | 3.38 | 8.55 | 0.06 | 0.04 | 0.03 | 0.024 | 0.15 | 9.0 | 11.0 | 0.60 | 451 | 23.4 |
| I316188 | | 1.08 | 56.5 | 2.06 | 6.97 | 0.05 | 0.03 | 0.03 | 0.016 | 0.07 | 7.5 | 5.6 | 0.28 | 428 | 18.85 |
| I316189 | | 1.57 | 115.5 | 2.97 | 8.79 | 0.07 | 0.05 | 0.03 | 0.020 | 0.14 | 9.6 | 11.2 | 0.67 | 295 | 22.4 |
| I316190 | | 1.55 | 76.4 | 3.38 | 10.70 | 0.06 | 0.05 | 0.04 | 0.026 | 0.08 | 8.0 | 12.9 | 0.46 | 321 | 11.75 |
| I316191 | | 1.47 | 137.0 | 2.57 | 7.92 | 0.07 | 0.03 | 0.06 | 0.024 | 0.11 | 11.6 | 9.8 | 0.49 | 249 | 8.37 |
| I316192 | | 1.55 | 120.5 | 2.85 | 8.45 | 0.08 | 0.03 | 0.06 | 0.024 | 0.12 | 9.5 | 11.3 | 0.66 | 764 | 9.41 |
| I316193 | | 1.45 | 76.1 | 2.88 | 7.94 | 0.08 | 0.03 | 0.06 | 0.024 | 0.12 | 10.9 | 11.1 | 0.68 | 327 | 5.01 |
| I316194 | | 1.35 | 106.5 | 2.84 | 7.81 | 0.08 | 0.04 | 0.08 | 0.026 | 0.10 | 11.8 | 10.5 | 0.62 | 580 | 4.98 |
| I316195 | | 1.22 | 46.7 | 2.67 | 6.86 | 0.07 | 0.04 | 0.04 | 0.021 | 0.14 | 9.2 | 9.6 | 0.64 | 561 | 2.86 |
| I316196 | | 1.38 | 36.8 | 2.27 | 6.94 | 0.07 | 0.03 | 0.04 | 0.020 | 0.11 | 8.3 | 10.1 | 0.68 | 225 | 0.94 |
| I316197 | | 0.55 | 27.3 | 0.97 | 3.02 | <0.05 | <0.02 | 0.08 | 0.010 | 0.04 | 7.5 | 2.8 | 0.17 | 370 | 1.21 |
| I316198 | | 1.86 | 56.2 | 2.62 | 7.41 | 0.08 | 0.03 | 0.06 | 0.020 | 0.17 | 13.3 | 8.8 | 0.62 | 237 | 1.99 |
| I316199 | | 0.86 | 17.3 | 1.21 | 4.48 | <0.05 | <0.02 | 0.03 | 0.009 | 0.06 | 3.4 | 2.4 | 0.15 | 111 | 0.97 |
| I316200 | | 2.52 | 67.5 | 3.46 | 8.62 | 0.08 | 0.05 | 0.06 | 0.027 | 0.14 | 6.8 | 15.0 | 0.73 | 599 | 1.71 |
| I316201 | | 1.33 | 19.5 | 2.96 | 6.98 | 0.08 | 0.05 | 0.06 | 0.031 | 0.06 | 15.7 | 13.6 | 0.59 | 521 | 1.41 |
| I316202 | | 0.18 | 27.3 | 1.12 | 1.11 | <0.05 | <0.02 | 0.10 | 0.009 | 0.05 | 5.9 | 1.1 | 0.12 | 4050 | 1.35 |
| I316203 | | 0.26 | 18.1 | 4.11 | 2.97 | 0.07 | 0.02 | 0.08 | 0.020 | 0.03 | 9.5 | 1.5 | 0.11 | 2840 | 3.85 |
| I316204 | | 1.12 | 13.3 | 2.33 | 6.78 | 0.06 | 0.03 | 0.05 | 0.021 | 0.07 | 8.4 | 13.8 | 0.60 | 210 | 1.07 |
| I316205 | | 0.94 | 18.2 | 3.18 | 5.83 | 0.08 | 0.03 | 0.05 | 0.022 | 0.07 | 8.7 | 10.2 | 0.49 | 402 | 1.97 |
| I316206 | | 1.10 | 15.3 | 2.48 | 7.14 | 0.08 | 0.04 | 0.03 | 0.022 | 0.10 | 9.2 | 13.9 | 0.66 | 330 | 0.83 |
| I316207 | | 0.89 | 12.6 | 1.67 | 5.71 | 0.05 | 0.02 | 0.08 | 0.016 | 0.04 | 6.2 | 8.9 | 0.41 | 132 | 0.69 |
| I316208 | | 0.08 | 2.3 | 0.66 | 0.55 | <0.05 | 0.07 | <0.01 | <0.005 | 0.04 | 4.6 | 0.8 | 0.03 | 150 | 0.30 |
| I316209 | | 1.68 | 87.8 | 2.98 | 8.38 | 0.19 | 0.06 | 0.09 | 0.046 | 0.13 | 71.8 | 17.7 | 0.78 | 572 | 1.68 |
| I316210 | | 2.00 | 45.0 | 3.30 | 9.24 | 0.13 | 0.06 | 0.04 | 0.027 | 0.28 | 19.8 | 20.6 | 0.97 | 408 | 1.05 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I316171 | | 1.53 | 29.7 | 860 | 4.6 | 42.6 | <0.001 | 0.01 | 0.30 | 8.7 | 0.8 | 1.2 | 38.0 | <0.01 | 0.09 | 4.4 |
| I316172 | | 1.39 | 25.8 | 790 | 4.4 | 34.5 | 0.001 | <0.01 | 0.22 | 7.7 | 0.9 | 1.2 | 24.9 | <0.01 | 0.05 | 5.2 |
| I316173 | | 1.80 | 40.6 | 760 | 5.9 | 34.0 | 0.001 | 0.01 | 0.25 | 8.1 | 1.5 | 0.9 | 24.3 | <0.01 | 0.10 | 5.0 |
| I316174 | | 1.72 | 31.2 | 930 | 5.4 | 33.7 | 0.001 | 0.01 | 0.23 | 6.7 | 1.0 | 0.8 | 21.0 | <0.01 | 0.05 | 3.5 |
| I316175 | | 1.37 | 29.0 | 830 | 4.9 | 29.3 | 0.001 | 0.01 | 0.30 | 8.3 | 1.0 | 0.8 | 26.1 | <0.01 | 0.06 | 4.6 |
| I316176 | | 2.92 | 28.4 | 730 | 4.7 | 64.2 | 0.001 | 0.01 | 0.23 | 10.9 | 0.8 | 1.1 | 30.6 | <0.01 | 0.04 | 6.7 |
| I316177 | | 1.47 | 30.9 | 720 | 4.6 | 45.5 | 0.001 | 0.01 | 0.25 | 8.7 | 0.9 | 1.3 | 28.1 | <0.01 | 0.05 | 6.7 |
| I316178 | | 1.05 | 29.6 | 800 | 4.1 | 37.9 | <0.001 | 0.01 | 0.24 | 8.9 | 0.8 | 1.0 | 23.1 | <0.01 | 0.04 | 4.2 |
| I316179 | | 1.14 | 31.4 | 770 | 5.0 | 23.8 | 0.001 | 0.01 | 0.88 | 7.1 | 0.6 | 0.7 | 30.0 | <0.01 | 0.04 | 3.4 |
| I316180 | | 1.21 | 31.6 | 760 | 5.4 | 24.5 | 0.001 | 0.01 | 0.85 | 7.0 | 0.6 | 0.7 | 32.3 | <0.01 | 0.04 | 3.4 |
| I316181 | | 0.39 | 8.2 | 400 | 4.2 | 11.3 | <0.001 | 0.04 | 0.27 | 0.7 | 0.7 | 0.4 | 12.4 | <0.01 | 0.04 | <0.2 |
| I316182 | | 1.55 | 29.2 | 810 | 4.5 | 15.2 | 0.001 | 0.01 | 0.62 | 5.2 | 0.7 | 0.6 | 24.2 | <0.01 | 0.04 | 2.6 |
| I316183 | | 1.69 | 28.5 | 730 | 5.1 | 22.6 | <0.001 | 0.02 | 0.41 | 5.1 | 0.9 | 0.6 | 22.7 | <0.01 | 0.05 | 1.9 |
| I316184 | | 1.38 | 20.8 | 500 | 5.6 | 21.2 | <0.001 | 0.02 | 0.33 | 3.1 | 0.7 | 0.6 | 15.1 | <0.01 | 0.06 | 0.6 |
| I316185 | | 0.72 | 13.8 | 440 | 4.8 | 25.6 | <0.001 | 0.03 | 0.29 | 1.2 | 0.6 | 0.4 | 13.4 | <0.01 | 0.04 | 0.2 |
| I316186 | | 1.96 | 14.4 | 350 | 7.6 | 28.2 | <0.001 | 0.02 | 0.49 | 2.8 | 0.6 | 0.8 | 12.6 | <0.01 | 0.08 | 1.6 |
| I316187 | | 1.49 | 25.4 | 710 | 9.4 | 28.8 | <0.001 | 0.02 | 1.18 | 4.2 | 0.7 | 0.7 | 18.7 | <0.01 | 0.08 | 1.6 |
| I316188 | | 1.09 | 12.9 | 330 | 4.9 | 18.2 | <0.001 | 0.02 | 0.38 | 2.2 | 0.6 | 0.6 | 15.0 | <0.01 | 0.06 | 0.5 |
| I316189 | | 1.61 | 25.1 | 500 | 6.0 | 25.5 | <0.001 | 0.02 | 0.45 | 4.9 | 0.7 | 0.7 | 19.7 | <0.01 | 0.06 | 1.9 |
| I316190 | | 1.73 | 24.0 | 450 | 9.0 | 17.8 | <0.001 | 0.02 | 0.57 | 4.2 | 0.8 | 0.7 | 14.0 | <0.01 | 0.09 | 1.4 |
| I316191 | | 0.99 | 25.3 | 670 | 5.5 | 19.8 | <0.001 | 0.06 | 0.51 | 2.7 | 1.3 | 0.6 | 32.3 | <0.01 | 0.07 | 0.3 |
| I316192 | | 1.21 | 27.9 | 740 | 6.0 | 21.3 | <0.001 | 0.05 | 0.47 | 3.9 | 1.0 | 0.6 | 35.1 | <0.01 | 0.07 | 0.6 |
| I316193 | | 1.23 | 25.1 | 720 | 5.5 | 20.4 | 0.001 | 0.05 | 0.44 | 4.5 | 1.0 | 0.5 | 29.0 | <0.01 | 0.07 | 1.1 |
| I316194 | | 1.04 | 25.3 | 1110 | 5.7 | 21.7 | 0.001 | 0.09 | 0.56 | 3.8 | 1.5 | 0.5 | 40.6 | <0.01 | 0.08 | 0.7 |
| I316195 | | 1.27 | 21.9 | 660 | 4.8 | 21.8 | <0.001 | 0.04 | 0.42 | 3.9 | 0.9 | 0.5 | 30.1 | <0.01 | 0.08 | 1.1 |
| I316196 | | 1.02 | 21.3 | 760 | 5.8 | 17.8 | <0.001 | 0.06 | 1.17 | 3.7 | 0.9 | 0.5 | 25.7 | <0.01 | 0.05 | 0.8 |
| I316197 | | 0.31 | 7.7 | 780 | 2.7 | 5.6 | <0.001 | 0.09 | 0.87 | 0.5 | 1.1 | 0.2 | 21.3 | <0.01 | 0.04 | <0.2 |
| I316198 | | 1.19 | 24.6 | 520 | 5.6 | 25.0 | <0.001 | 0.06 | 2.15 | 3.7 | 1.1 | 0.6 | 25.0 | <0.01 | 0.09 | 1.0 |
| I316199 | | 0.70 | 7.5 | 280 | 5.6 | 9.0 | <0.001 | 0.02 | 1.33 | 1.4 | 0.3 | 0.5 | 9.9 | <0.01 | 0.04 | 0.3 |
| I316200 | | 2.09 | 33.3 | 640 | 5.4 | 21.1 | <0.001 | 0.05 | 0.83 | 5.4 | 0.8 | 0.6 | 25.5 | 0.01 | 0.07 | 1.4 |
| I316201 | | 1.90 | 22.5 | 700 | 11.3 | 14.3 | <0.001 | 0.03 | 0.35 | 5.0 | 0.8 | 0.6 | 25.9 | <0.01 | 0.03 | 3.5 |
| I316202 | | 0.24 | 7.7 | 1140 | 2.6 | 2.2 | <0.001 | 0.16 | 0.42 | 1.3 | 0.8 | <0.2 | 67.7 | <0.01 | 0.01 | 0.2 |
| I316203 | | 0.42 | 7.6 | 1880 | 4.7 | 3.7 | <0.001 | 0.21 | 0.35 | 1.4 | 1.2 | 0.2 | 47.9 | <0.01 | 0.05 | 0.2 |
| I316204 | | 1.66 | 22.9 | 620 | 7.3 | 10.9 | <0.001 | 0.07 | 0.22 | 3.9 | 0.6 | 0.5 | 28.6 | <0.01 | 0.02 | 0.9 |
| I316205 | | 1.31 | 21.5 | 990 | 10.3 | 11.0 | <0.001 | 0.10 | 0.24 | 2.8 | 0.9 | 0.4 | 30.0 | <0.01 | 0.03 | 0.4 |
| I316206 | | 1.76 | 25.7 | 570 | 8.7 | 16.0 | <0.001 | 0.05 | 0.21 | 4.3 | 0.6 | 0.5 | 32.3 | <0.01 | 0.02 | 1.3 |
| I316207 | | 1.03 | 16.6 | 660 | 7.8 | 7.9 | <0.001 | 0.06 | 0.24 | 2.4 | 0.7 | 0.4 | 22.3 | <0.01 | 0.01 | 0.3 |
| I316208 | | 0.13 | 3.8 | 110 | 1.4 | 1.9 | <0.001 | <0.01 | 0.10 | 0.6 | <0.2 | <0.2 | 6.5 | <0.01 | <0.01 | 1.5 |
| I316209 | | 1.67 | 47.9 | 1000 | 11.5 | 24.2 | <0.001 | 0.11 | 0.47 | 5.4 | 2.7 | 0.6 | 49.5 | 0.01 | 0.04 | 1.0 |
| I316210 | | 2.24 | 44.5 | 1030 | 10.2 | 43.7 | <0.001 | 0.04 | 0.25 | 6.2 | 0.9 | 0.6 | 48.7 | <0.01 | 0.03 | 3.8 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I316171 | | 0.175 | 0.32 | 1.46 | 84 | 1.89 | 13.35 | 69 | 5.2 |
| I316172 | | 0.165 | 0.30 | 1.53 | 84 | 5.79 | 13.20 | 62 | 4.3 |
| I316173 | | 0.165 | 0.36 | 2.51 | 125 | 1.71 | 13.00 | 89 | 3.3 |
| I316174 | | 0.157 | 0.34 | 0.86 | 94 | 2.55 | 6.82 | 73 | 3.3 |
| I316175 | | 0.167 | 0.32 | 1.52 | 98 | 8.76 | 10.70 | 62 | 6.9 |
| I316176 | | 0.252 | 0.47 | 1.05 | 93 | 3.44 | 11.75 | 72 | 4.5 |
| I316177 | | 0.178 | 0.41 | 1.73 | 81 | 4.10 | 13.45 | 72 | 3.0 |
| I316178 | | 0.187 | 0.38 | 0.92 | 107 | 1.71 | 9.93 | 64 | 2.7 |
| I316179 | | 0.154 | 0.22 | 0.76 | 77 | 0.81 | 9.70 | 60 | 3.6 |
| I316180 | | 0.159 | 0.21 | 0.73 | 77 | 1.30 | 9.72 | 61 | 4.0 |
| I316181 | | 0.049 | 0.11 | 0.32 | 33 | 0.11 | 1.50 | 24 | 0.5 |
| I316182 | | 0.154 | 0.16 | 0.76 | 90 | 1.72 | 6.92 | 64 | 3.0 |
| I316183 | | 0.150 | 0.21 | 0.67 | 87 | 0.61 | 5.88 | 56 | 2.5 |
| I316184 | | 0.128 | 0.14 | 0.55 | 82 | 0.56 | 3.23 | 48 | 1.2 |
| I316185 | | 0.075 | 0.08 | 0.41 | 49 | 0.15 | 2.26 | 43 | 0.6 |
| I316186 | | 0.143 | 0.15 | 0.49 | 105 | 0.26 | 2.30 | 53 | 2.4 |
| I316187 | | 0.143 | 0.16 | 0.60 | 94 | 0.40 | 4.33 | 59 | 1.9 |
| I316188 | | 0.103 | 0.10 | 0.47 | 63 | 0.39 | 3.65 | 38 | 1.1 |
| I316189 | | 0.145 | 0.17 | 0.66 | 86 | 2.29 | 4.21 | 52 | 1.8 |
| I316190 | | 0.142 | 0.14 | 0.63 | 96 | 0.97 | 3.21 | 59 | 2.1 |
| I316191 | | 0.083 | 0.14 | 1.33 | 63 | 1.71 | 6.57 | 50 | 0.9 |
| I316192 | | 0.107 | 0.16 | 1.02 | 73 | 1.59 | 5.13 | 65 | 1.0 |
| I316193 | | 0.112 | 0.17 | 0.93 | 71 | 4.97 | 6.13 | 57 | 1.4 |
| I316194 | | 0.090 | 0.16 | 1.30 | 70 | 1.75 | 9.19 | 64 | 1.3 |
| I316195 | | 0.105 | 0.15 | 0.84 | 70 | 1.70 | 5.24 | 65 | 1.3 |
| I316196 | | 0.107 | 0.17 | 1.02 | 64 | 0.75 | 4.68 | 47 | 1.1 |
| I316197 | | 0.031 | 0.08 | 1.70 | 22 | 0.19 | 4.71 | 18 | <0.5 |
| I316198 | | 0.105 | 0.19 | 1.61 | 71 | 2.25 | 7.00 | 57 | 1.0 |
| I316199 | | 0.067 | 0.07 | 0.32 | 41 | 0.57 | 1.23 | 32 | <0.5 |
| I316200 | | 0.127 | 0.15 | 0.54 | 94 | 10.30 | 3.80 | 90 | 2.1 |
| I316201 | | 0.116 | 0.15 | 1.98 | 76 | 0.18 | 7.64 | 70 | 2.0 |
| I316202 | | 0.014 | 0.11 | 0.38 | 11 | 0.06 | 3.78 | 39 | <0.5 |
| I316203 | | 0.024 | 0.27 | 1.03 | 39 | 0.12 | 5.03 | 18 | <0.5 |
| I316204 | | 0.111 | 0.13 | 0.66 | 67 | 0.18 | 4.18 | 57 | 1.4 |
| I316205 | | 0.075 | 0.12 | 0.85 | 106 | 0.14 | 4.43 | 59 | 1.2 |
| I316206 | | 0.123 | 0.12 | 0.58 | 72 | 0.17 | 4.67 | 73 | 1.4 |
| I316207 | | 0.080 | 0.09 | 0.54 | 41 | 0.13 | 2.94 | 49 | 1.0 |
| I316208 | | 0.006 | 0.03 | 0.27 | 4 | 0.05 | 2.01 | 4 | 2.6 |
| I316209 | | 0.101 | 0.21 | 3.76 | 75 | 0.20 | 38.6 | 110 | 1.8 |
| I316210 | | 0.139 | 0.26 | 1.33 | 85 | 0.27 | 10.60 | 100 | 2.4 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I316211 | | 0.30 | 0.011 | 0.46 | 1.45 | 4.0 | <0.2 | <10 | 200 | 0.53 | 0.15 | 1.66 | 1.99 | 167.0 | 7.1 | 25 |
| I316212 | | 0.56 | 0.006 | 0.13 | 2.26 | 4.5 | <0.2 | <10 | 190 | 0.40 | 0.15 | 0.54 | 0.20 | 34.2 | 13.0 | 43 |
| I316213 | | 0.32 | <0.005 | 0.16 | 0.51 | 1.0 | <0.2 | <10 | 60 | 0.12 | 0.06 | 0.15 | 0.05 | 22.7 | 2.4 | 7 |
| I316214 | | Not Recvd | | | | | | | | | | | | | | |
| I316215 | | Not Recvd | | | | | | | | | | | | | | |
| I316216 | | 0.34 | <0.005 | 0.14 | 0.36 | 0.9 | <0.2 | <10 | 40 | 0.09 | 0.06 | 0.14 | 0.03 | 5.94 | 1.6 | 7 |
| I316217 | | 0.40 | <0.005 | 0.12 | 0.23 | 0.3 | <0.2 | <10 | 30 | <0.05 | 0.06 | 0.13 | 0.04 | 3.05 | 1.1 | 5 |
| I316218 | | 0.42 | <0.005 | 0.22 | 2.40 | 7.6 | <0.2 | <10 | 160 | 0.41 | 0.23 | 0.40 | 0.24 | 50.2 | 16.7 | 49 |
| I316219 | | 0.42 | 0.010 | 0.19 | 1.90 | 7.0 | <0.2 | <10 | 210 | 0.36 | 0.26 | 0.50 | 0.55 | 62.8 | 23.8 | 73 |
| I316220 | | 0.32 | <0.005 | 0.16 | 2.09 | 4.7 | <0.2 | <10 | 170 | 0.28 | 0.19 | 0.80 | 0.68 | 29.5 | 15.4 | 65 |
| I316221 | | 0.44 | <0.005 | 0.17 | 2.28 | 3.7 | <0.2 | <10 | 190 | 0.29 | 0.19 | 0.68 | 0.16 | 35.2 | 13.4 | 54 |
| I316222 | | 0.52 | <0.005 | 0.18 | 2.26 | 5.1 | <0.2 | <10 | 370 | 0.28 | 0.21 | 0.74 | 0.20 | 45.2 | 22.1 | 50 |
| I316223 | | 0.50 | NSS | 0.01 | 0.12 | 1.8 | <0.2 | <10 | 30 | 0.08 | 0.04 | 0.09 | 0.03 | 8.68 | 2.0 | 3 |
| I316224 | | 0.30 | 0.008 | 0.21 | 1.64 | 3.4 | <0.2 | <10 | 300 | 0.28 | 0.14 | 1.88 | 0.27 | 30.9 | 12.1 | 31 |
| I316225 | | 0.38 | 0.007 | 0.14 | 1.67 | 3.7 | <0.2 | <10 | 160 | 0.24 | 0.15 | 1.31 | 0.32 | 26.5 | 11.3 | 35 |
| I316226 | | 0.46 | 0.005 | 0.17 | 1.73 | 3.8 | <0.2 | <10 | 160 | 0.22 | 0.13 | 0.87 | 0.30 | 23.3 | 12.0 | 53 |
| I316227 | | 0.48 | <0.005 | 0.22 | 1.78 | 5.4 | <0.2 | <10 | 160 | 0.25 | 0.17 | 1.40 | 0.30 | 22.1 | 11.9 | 52 |
| I316228 | | 0.42 | 0.005 | 0.14 | 1.75 | 5.0 | <0.2 | <10 | 610 | 0.25 | 0.16 | 0.77 | 0.26 | 28.3 | 13.0 | 40 |
| I316229 | | 0.38 | 0.008 | 0.23 | 1.30 | 3.3 | <0.2 | <10 | 160 | 0.21 | 0.12 | 2.29 | 0.60 | 17.35 | 8.9 | 40 |
| I316230 | | 0.34 | <0.005 | 0.19 | 1.64 | 11.8 | <0.2 | <10 | 270 | 0.37 | 0.11 | 0.77 | 0.77 | 38.4 | 66.7 | 65 |
| I316231 | | 0.36 | <0.005 | 0.06 | 1.74 | 3.3 | <0.2 | <10 | 180 | 0.18 | 0.11 | 0.53 | 0.16 | 16.75 | 13.9 | 75 |
| I316232 | | 0.44 | 0.006 | 0.07 | 1.76 | 3.8 | <0.2 | <10 | 190 | 0.26 | 0.13 | 0.54 | 0.31 | 28.9 | 19.9 | 70 |
| I316233 | | 0.50 | <0.005 | 0.06 | 1.70 | 2.1 | <0.2 | <10 | 160 | 0.19 | 0.13 | 0.49 | 0.18 | 15.70 | 13.5 | 90 |
| I316234 | | 0.56 | <0.005 | 0.07 | 1.60 | 3.7 | <0.2 | <10 | 180 | 0.22 | 0.11 | 0.47 | 0.22 | 17.10 | 16.6 | 83 |
| I316235 | | 0.36 | <0.005 | 0.11 | 1.28 | 3.6 | <0.2 | <10 | 190 | 0.26 | 0.11 | 0.77 | 0.23 | 14.40 | 9.5 | 32 |
| I316236 | | 0.34 | NSS | 0.12 | 1.29 | 4.0 | <0.2 | <10 | 210 | 0.29 | 0.12 | 0.92 | 0.30 | 14.55 | 11.6 | 35 |
| I316237 | | 0.24 | NSS | 0.15 | 1.31 | 6.5 | <0.2 | <10 | 510 | 0.26 | 0.14 | 1.01 | 0.55 | 23.5 | 20.6 | 30 |
| I316238 | | 0.40 | <0.005 | 0.13 | 2.40 | 6.3 | <0.2 | <10 | 300 | 0.23 | 0.20 | 0.60 | 0.27 | 22.5 | 14.6 | 35 |
| I316239 | | 0.32 | NSS | 0.44 | 2.39 | 7.3 | <0.2 | <10 | 350 | 0.26 | 0.35 | 0.95 | 0.45 | 65.1 | 12.8 | 28 |
| I316240 | | 0.40 | <0.005 | 0.12 | 2.55 | 4.8 | <0.2 | <10 | 310 | 0.29 | 0.25 | 0.48 | 0.22 | 36.6 | 13.5 | 21 |
| I316241 | | 0.40 | <0.005 | 0.21 | 2.28 | 6.4 | <0.2 | <10 | 210 | 0.23 | 0.21 | 0.56 | 0.24 | 26.5 | 11.3 | 21 |
| I316242 | | 0.44 | <0.005 | 0.09 | 2.09 | 4.0 | <0.2 | <10 | 240 | 0.18 | 0.15 | 0.53 | 0.12 | 19.00 | 9.9 | 27 |
| I316243 | | 0.36 | <0.005 | 0.13 | 2.13 | 3.6 | <0.2 | <10 | 330 | 0.22 | 0.14 | 0.92 | 0.25 | 29.7 | 10.4 | 26 |
| I316244 | | 0.28 | <0.005 | 0.94 | 0.60 | 3.6 | <0.2 | <10 | 60 | 0.20 | 0.23 | 0.15 | 0.31 | 13.70 | 2.6 | 13 |
| I316245 | | 0.50 | <0.005 | 0.06 | 2.19 | 4.3 | <0.2 | <10 | 200 | 0.26 | 0.12 | 0.49 | 0.10 | 33.8 | 9.9 | 33 |
| I316246 | | 0.40 | 0.006 | 0.05 | 2.04 | 5.2 | <0.2 | <10 | 170 | 0.22 | 0.12 | 0.47 | 0.13 | 23.3 | 11.5 | 32 |
| I316247 | | 0.28 | <0.005 | 0.08 | 2.18 | 3.3 | <0.2 | <10 | 270 | 0.22 | 0.15 | 0.64 | 0.13 | 24.9 | 11.8 | 31 |
| I316248 | | 0.54 | <0.005 | 0.08 | 2.74 | 5.2 | <0.2 | <10 | 280 | 0.26 | 0.19 | 0.44 | 0.11 | 31.0 | 15.6 | 34 |
| I316249 | | 0.38 | <0.005 | 0.13 | 1.77 | 7.0 | <0.2 | <10 | 190 | 0.19 | 0.19 | 0.38 | 0.12 | 14.45 | 26.7 | 28 |
| I316250 | | 0.40 | <0.005 | 0.08 | 2.22 | 5.1 | <0.2 | <10 | 310 | 0.22 | 0.15 | 0.53 | 0.24 | 21.1 | 12.1 | 33 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I316211 | | 0.54 | 71.3 | 1.05 | 3.43 | 0.16 | 0.09 | 0.13 | 0.022 | 0.05 | 59.8 | 3.8 | 0.23 | 297 | 1.35 |
| I316212 | | 1.08 | 30.5 | 3.05 | 6.67 | 0.10 | 0.05 | 0.03 | 0.029 | 0.15 | 18.0 | 12.6 | 0.75 | 490 | 0.96 |
| I316213 | | 0.29 | 9.9 | 0.81 | 2.12 | 0.06 | <0.02 | 0.02 | 0.007 | 0.03 | 16.6 | 1.6 | 0.10 | 60 | 0.36 |
| I316214 | | | | | | | | | | | | | | | |
| I316215 | | | | | | | | | | | | | | | |
| I316216 | | 0.39 | 6.7 | 0.71 | 1.61 | <0.05 | <0.02 | 0.02 | 0.006 | 0.03 | 3.2 | 1.0 | 0.06 | 39 | 0.55 |
| I316217 | | 0.32 | 3.7 | 0.46 | 1.45 | <0.05 | <0.02 | 0.03 | <0.005 | 0.02 | 2.5 | 0.7 | 0.05 | 46 | 0.34 |
| I316218 | | 1.35 | 35.5 | 3.74 | 7.56 | 0.14 | 0.05 | 0.04 | 0.032 | 0.16 | 28.7 | 13.8 | 0.85 | 580 | 1.42 |
| I316219 | | 1.46 | 65.5 | 4.58 | 6.40 | 0.16 | 0.09 | 0.02 | 0.029 | 0.25 | 27.1 | 7.8 | 1.08 | 848 | 2.84 |
| I316220 | | 0.97 | 40.8 | 3.26 | 6.35 | 0.10 | 0.04 | 0.05 | 0.024 | 0.09 | 14.1 | 10.7 | 1.13 | 884 | 1.52 |
| I316221 | | 0.84 | 35.8 | 2.96 | 6.50 | 0.09 | 0.07 | 0.03 | 0.029 | 0.07 | 17.1 | 11.9 | 1.05 | 386 | 1.04 |
| I316222 | | 0.74 | 36.4 | 3.91 | 6.79 | 0.10 | 0.08 | 0.03 | 0.029 | 0.07 | 19.7 | 11.9 | 0.98 | 6010 | 1.31 |
| I316223 | | 0.08 | 2.1 | 0.74 | 0.59 | <0.05 | 0.06 | <0.01 | <0.005 | 0.04 | 4.6 | 0.9 | 0.03 | 157 | 0.29 |
| I316224 | | 0.62 | 49.4 | 2.14 | 4.54 | 0.08 | 0.09 | 0.06 | 0.022 | 0.05 | 16.2 | 8.2 | 0.63 | 474 | 0.86 |
| I316225 | | 0.58 | 35.4 | 2.30 | 4.94 | 0.07 | 0.06 | 0.04 | 0.025 | 0.07 | 13.1 | 9.4 | 0.65 | 698 | 0.91 |
| I316226 | | 0.90 | 27.6 | 2.44 | 5.21 | 0.08 | 0.06 | 0.03 | 0.021 | 0.06 | 11.1 | 10.5 | 0.86 | 573 | 0.70 |
| I316227 | | 0.78 | 41.8 | 2.64 | 5.23 | 0.09 | 0.07 | 0.05 | 0.022 | 0.05 | 13.7 | 11.0 | 0.91 | 513 | 0.79 |
| I316228 | | 0.55 | 28.7 | 2.70 | 5.19 | 0.08 | 0.07 | 0.03 | 0.023 | 0.06 | 12.8 | 10.3 | 0.78 | 650 | 0.83 |
| I316229 | | 0.54 | 56.8 | 1.70 | 3.52 | 0.07 | 0.07 | 0.07 | 0.016 | 0.04 | 10.7 | 7.4 | 0.74 | 855 | 0.75 |
| I316230 | | 0.83 | 30.5 | 7.25 | 4.47 | 0.17 | 0.05 | 0.04 | 0.023 | 0.05 | 17.5 | 11.1 | 0.82 | 4720 | 4.35 |
| I316231 | | 0.75 | 19.1 | 2.32 | 5.51 | 0.08 | 0.04 | 0.02 | 0.019 | 0.05 | 9.5 | 14.3 | 1.08 | 447 | 0.70 |
| I316232 | | 0.90 | 24.2 | 2.63 | 5.42 | 0.09 | 0.06 | 0.04 | 0.023 | 0.08 | 13.9 | 15.2 | 0.86 | 1420 | 0.63 |
| I316233 | | 1.22 | 27.0 | 1.94 | 5.62 | 0.06 | 0.04 | 0.10 | 0.022 | 0.04 | 7.2 | 13.8 | 0.88 | 378 | 0.36 |
| I316234 | | 0.75 | 25.8 | 2.32 | 5.00 | 0.07 | 0.05 | 0.04 | 0.021 | 0.04 | 7.3 | 13.5 | 0.82 | 848 | 0.62 |
| I316235 | | 0.57 | 28.9 | 1.57 | 3.57 | 0.06 | 0.07 | 0.06 | 0.019 | 0.04 | 8.1 | 7.8 | 0.61 | 511 | 0.59 |
| I316236 | | 0.64 | 38.2 | 1.61 | 3.59 | 0.07 | 0.07 | 0.07 | 0.019 | 0.05 | 8.3 | 7.5 | 0.68 | 711 | 0.70 |
| I316237 | | 0.82 | 29.6 | 2.76 | 4.53 | 0.09 | 0.05 | 0.10 | 0.022 | 0.08 | 10.3 | 9.5 | 0.49 | 2670 | 2.00 |
| I316238 | | 1.86 | 22.1 | 3.41 | 7.62 | 0.08 | 0.04 | 0.05 | 0.031 | 0.21 | 10.7 | 11.6 | 0.73 | 931 | 1.18 |
| I316239 | | 1.88 | 30.2 | 3.38 | 7.48 | 0.12 | 0.07 | 0.10 | 0.036 | 0.23 | 40.1 | 9.4 | 0.62 | 1010 | 1.54 |
| I316240 | | 2.78 | 14.3 | 3.76 | 9.35 | 0.12 | 0.04 | 0.04 | 0.032 | 0.44 | 19.5 | 15.1 | 0.89 | 735 | 0.81 |
| I316241 | | 3.69 | 12.6 | 3.69 | 8.23 | 0.11 | 0.05 | 0.04 | 0.029 | 0.37 | 16.3 | 18.5 | 0.89 | 517 | 0.86 |
| I316242 | | 1.30 | 12.0 | 3.11 | 6.85 | 0.08 | 0.04 | 0.02 | 0.025 | 0.13 | 9.8 | 13.3 | 0.73 | 511 | 0.76 |
| I316243 | | 1.43 | 15.8 | 3.04 | 7.21 | 0.10 | 0.07 | 0.05 | 0.028 | 0.20 | 20.0 | 14.4 | 0.75 | 550 | 0.76 |
| I316244 | | 1.73 | 11.1 | 1.19 | 3.04 | <0.05 | <0.02 | 0.09 | 0.011 | 0.03 | 7.6 | 1.4 | 0.09 | 78 | 1.33 |
| I316245 | | 1.63 | 22.2 | 3.34 | 7.34 | 0.11 | 0.11 | 0.02 | 0.027 | 0.21 | 17.3 | 13.8 | 0.85 | 392 | 0.47 |
| I316246 | | 1.03 | 18.3 | 3.03 | 6.87 | 0.09 | 0.06 | 0.03 | 0.022 | 0.11 | 11.0 | 12.3 | 0.70 | 616 | 0.60 |
| I316247 | | 1.47 | 16.4 | 2.76 | 7.42 | 0.07 | 0.03 | 0.04 | 0.025 | 0.09 | 10.9 | 12.1 | 0.69 | 1020 | 1.04 |
| I316248 | | 2.23 | 18.9 | 3.68 | 8.99 | 0.11 | 0.07 | 0.02 | 0.029 | 0.22 | 13.9 | 16.2 | 1.01 | 416 | 0.80 |
| I316249 | | 1.44 | 16.2 | 3.50 | 9.08 | 0.07 | 0.03 | 0.04 | 0.029 | 0.09 | 6.8 | 9.1 | 0.56 | 1420 | 2.73 |
| I316250 | | 1.90 | 22.3 | 3.59 | 8.29 | 0.10 | 0.04 | 0.03 | 0.026 | 0.25 | 10.0 | 13.6 | 0.85 | 644 | 1.20 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|-------------|------------|-----------|------------|------------|--------------|-----------|-------------|------------|------------|------------|------------|-------------|-------------|
| | | Nb | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te |
| | | ppm 0.05 | ppm 0.2 | ppm 10 | ppm 0.2 | ppm 0.1 | ppm 0.001 | % 0.01 | ppm 0.05 | ppm 0.1 | ppm 0.2 | ppm 0.2 | ppm 0.2 | ppm 0.01 | ppm 0.01 |
| I316211 | | 0.61 | 29.0 | 2030 | 4.6 | 5.5 | 0.001 | 0.37 | 0.47 | 2.6 | 3.6 | 0.2 | 60.2 | 0.01 | 0.04 |
| I316212 | | 1.54 | 36.1 | 870 | 8.6 | 19.3 | 0.001 | 0.04 | 0.28 | 4.8 | 0.9 | 0.5 | 29.2 | <0.01 | 0.03 |
| I316213 | | 0.20 | 5.6 | 400 | 2.4 | 2.8 | <0.001 | 0.04 | 0.11 | 0.5 | 0.5 | 0.2 | 13.0 | <0.01 | 0.01 |
| I316214 | | | | | | | | | | | | | | | |
| I316215 | | | | | | | | | | | | | | | |
| I316216 | | 0.15 | 3.9 | 480 | 2.2 | 3.4 | <0.001 | 0.04 | 0.13 | 0.3 | 0.3 | 0.2 | 10.9 | <0.01 | 0.01 |
| I316217 | | 0.27 | 2.1 | 380 | 2.0 | 3.1 | <0.001 | 0.03 | 0.08 | 0.4 | 0.2 | 0.2 | 10.2 | <0.01 | 0.01 |
| I316218 | | 1.74 | 40.1 | 840 | 11.3 | 19.3 | <0.001 | 0.04 | 0.36 | 5.4 | 1.0 | 0.6 | 25.8 | <0.01 | 0.04 |
| I316219 | | 0.74 | 78.1 | 1500 | 10.2 | 22.2 | <0.001 | 0.05 | 0.28 | 5.8 | 1.4 | 0.4 | 37.2 | <0.01 | 0.06 |
| I316220 | | 1.16 | 48.3 | 750 | 7.3 | 13.7 | <0.001 | 0.05 | 0.29 | 4.4 | 0.8 | 0.4 | 30.5 | <0.01 | 0.04 |
| I316221 | | 1.28 | 38.3 | 870 | 8.5 | 12.8 | <0.001 | 0.04 | 0.24 | 5.7 | 0.8 | 0.4 | 28.0 | <0.01 | 0.04 |
| I316222 | | 1.39 | 46.2 | 870 | 9.0 | 10.3 | <0.001 | 0.03 | 0.27 | 6.4 | 0.9 | 0.5 | 29.1 | <0.01 | 0.05 |
| I316223 | | 0.14 | 3.7 | 110 | 1.4 | 2.1 | <0.001 | <0.01 | 0.10 | 0.6 | <0.2 | <0.2 | 6.9 | <0.01 | <0.01 |
| I316224 | | 1.01 | 28.2 | 1160 | 5.9 | 7.5 | 0.001 | 0.17 | 0.40 | 3.4 | 1.4 | 0.3 | 53.1 | 0.01 | 0.04 |
| I316225 | | 1.03 | 29.4 | 860 | 6.8 | 12.8 | <0.001 | 0.10 | 0.31 | 3.8 | 1.0 | 0.4 | 45.1 | <0.01 | 0.04 |
| I316226 | | 0.93 | 37.9 | 760 | 7.9 | 10.4 | <0.001 | 0.05 | 0.25 | 4.9 | 0.7 | 0.3 | 32.0 | <0.01 | 0.03 |
| I316227 | | 0.87 | 38.9 | 730 | 7.8 | 9.0 | <0.001 | 0.11 | 0.37 | 4.8 | 1.3 | 0.3 | 45.4 | <0.01 | 0.05 |
| I316228 | | 1.06 | 28.8 | 820 | 7.2 | 8.7 | <0.001 | 0.05 | 0.27 | 4.8 | 0.8 | 0.4 | 30.9 | <0.01 | 0.03 |
| I316229 | | 0.58 | 33.4 | 1050 | 7.1 | 6.8 | 0.003 | 0.20 | 0.40 | 2.9 | 1.4 | 0.2 | 60.7 | <0.01 | 0.05 |
| I316230 | | 0.88 | 100.5 | 1070 | 3.9 | 9.5 | <0.001 | 0.10 | 0.42 | 4.0 | 1.2 | 0.3 | 47.9 | <0.01 | 0.05 |
| I316231 | | 1.08 | 55.7 | 600 | 4.7 | 13.1 | <0.001 | 0.04 | 0.23 | 4.2 | 0.5 | 0.4 | 34.5 | <0.01 | 0.02 |
| I316232 | | 1.21 | 74.1 | 760 | 5.9 | 15.2 | <0.001 | 0.04 | 0.30 | 4.8 | 0.6 | 0.4 | 34.8 | <0.01 | 0.03 |
| I316233 | | 0.97 | 81.6 | 770 | 6.2 | 7.4 | <0.001 | 0.05 | 0.26 | 4.4 | 0.6 | 0.4 | 32.3 | <0.01 | 0.02 |
| I316234 | | 1.08 | 87.0 | 740 | 5.1 | 6.8 | <0.001 | 0.03 | 0.27 | 4.9 | 0.5 | 0.4 | 32.4 | <0.01 | 0.02 |
| I316235 | | 0.78 | 212 | 970 | 4.4 | 5.2 | <0.001 | 0.11 | 0.40 | 3.0 | 1.0 | 0.3 | 57.3 | <0.01 | 0.02 |
| I316236 | | 0.77 | 285 | 1030 | 4.5 | 5.6 | <0.001 | 0.14 | 0.48 | 3.1 | 1.0 | 0.6 | 68.9 | <0.01 | 0.03 |
| I316237 | | 1.05 | 33.2 | 1060 | 6.8 | 10.3 | <0.001 | 0.14 | 0.37 | 3.3 | 1.5 | 0.4 | 57.3 | <0.01 | 0.04 |
| I316238 | | 1.15 | 21.4 | 880 | 5.9 | 25.5 | <0.001 | 0.05 | 0.26 | 6.0 | 0.7 | 0.6 | 40.7 | <0.01 | 0.03 |
| I316239 | | 1.25 | 24.3 | 1170 | 7.6 | 30.6 | <0.001 | 0.11 | 0.45 | 5.6 | 1.6 | 0.6 | 70.5 | 0.01 | 0.05 |
| I316240 | | 1.76 | 12.7 | 730 | 7.0 | 46.5 | <0.001 | 0.03 | 0.25 | 6.8 | 0.8 | 0.7 | 34.7 | <0.01 | 0.03 |
| I316241 | | 1.81 | 13.4 | 580 | 6.9 | 48.9 | <0.001 | 0.03 | 0.22 | 6.4 | 0.7 | 0.6 | 38.7 | <0.01 | 0.03 |
| I316242 | | 1.39 | 14.8 | 650 | 5.5 | 24.7 | <0.001 | 0.03 | 0.19 | 4.3 | 0.6 | 0.6 | 36.1 | <0.01 | 0.02 |
| I316243 | | 1.74 | 15.8 | 840 | 5.4 | 38.8 | <0.001 | 0.07 | 0.26 | 5.8 | 0.9 | 0.6 | 66.7 | <0.01 | 0.03 |
| I316244 | | 0.31 | 6.6 | 920 | 4.4 | 4.8 | <0.001 | 0.07 | 0.27 | 0.4 | 0.8 | 0.3 | 14.6 | <0.01 | 0.04 |
| I316245 | | 1.22 | 19.1 | 850 | 5.9 | 28.0 | <0.001 | <0.01 | 0.29 | 7.0 | 0.5 | 0.6 | 29.9 | <0.01 | 0.02 |
| I316246 | | 1.60 | 22.0 | 820 | 6.1 | 16.7 | <0.001 | 0.01 | 0.30 | 4.3 | 0.6 | 0.5 | 29.3 | <0.01 | 0.02 |
| I316247 | | 1.20 | 18.7 | 940 | 6.8 | 16.3 | <0.001 | 0.06 | 0.30 | 3.8 | 0.8 | 0.5 | 41.5 | <0.01 | 0.03 |
| I316248 | | 1.89 | 22.0 | 680 | 7.8 | 28.7 | <0.001 | 0.01 | 0.24 | 6.5 | 0.6 | 0.7 | 27.3 | <0.01 | 0.02 |
| I316249 | | 1.36 | 15.8 | 610 | 12.1 | 15.3 | <0.001 | 0.04 | 0.33 | 2.7 | 0.7 | 0.6 | 30.3 | <0.01 | 0.04 |
| I316250 | | 1.73 | 19.8 | 860 | 5.4 | 30.7 | <0.001 | 0.04 | 0.29 | 4.8 | 0.8 | 0.7 | 38.6 | <0.01 | 0.04 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I316211 | | 0.025 | 0.17 | 3.77 | 31 | 0.47 | 38.2 | 32 | 2.9 |
| I316212 | | 0.113 | 0.13 | 1.06 | 72 | 0.18 | 11.45 | 81 | 1.9 |
| I316213 | | 0.027 | 0.04 | 0.57 | 18 | 0.06 | 8.28 | 13 | <0.5 |
| I316214 | | | | | | | | | |
| I316215 | | | | | | | | | |
| I316216 | | 0.022 | 0.03 | 0.34 | 18 | 0.05 | 1.38 | 12 | <0.5 |
| I316217 | | 0.027 | 0.03 | 0.22 | 13 | 0.37 | 1.03 | 8 | <0.5 |
| I316218 | | 0.122 | 0.14 | 1.24 | 83 | 0.19 | 14.00 | 78 | 1.6 |
| I316219 | | 0.099 | 0.21 | 1.49 | 79 | 0.12 | 11.25 | 134 | 5.3 |
| I316220 | | 0.094 | 0.11 | 0.96 | 70 | 0.13 | 9.37 | 99 | 1.7 |
| I316221 | | 0.090 | 0.09 | 1.19 | 66 | 0.12 | 10.50 | 83 | 2.7 |
| I316222 | | 0.102 | 0.10 | 1.08 | 69 | 0.14 | 12.15 | 77 | 3.5 |
| I316223 | | 0.006 | 0.03 | 0.27 | 4 | <0.05 | 2.01 | 4 | 2.8 |
| I316224 | | 0.053 | 0.08 | 1.17 | 45 | 0.08 | 13.50 | 56 | 3.3 |
| I316225 | | 0.061 | 0.08 | 0.85 | 50 | 0.38 | 9.47 | 71 | 2.3 |
| I316226 | | 0.072 | 0.10 | 0.59 | 54 | 0.18 | 7.00 | 74 | 2.4 |
| I316227 | | 0.058 | 0.07 | 1.10 | 56 | 0.22 | 10.25 | 75 | 2.8 |
| I316228 | | 0.077 | 0.07 | 0.81 | 60 | 0.10 | 8.55 | 72 | 2.8 |
| I316229 | | 0.035 | 0.08 | 0.60 | 38 | 0.09 | 11.00 | 61 | 2.9 |
| I316230 | | 0.059 | 0.14 | 0.78 | 85 | 0.16 | 13.40 | 71 | 2.2 |
| I316231 | | 0.094 | 0.09 | 0.48 | 59 | 0.11 | 6.28 | 55 | 1.4 |
| I316232 | | 0.102 | 0.12 | 0.68 | 63 | 0.21 | 8.65 | 61 | 2.3 |
| I316233 | | 0.082 | 0.10 | 0.47 | 58 | 0.12 | 5.43 | 52 | 1.3 |
| I316234 | | 0.088 | 0.07 | 0.43 | 61 | 0.24 | 5.60 | 56 | 1.9 |
| I316235 | | 0.044 | 0.07 | 0.60 | 34 | 0.11 | 9.49 | 37 | 2.4 |
| I316236 | | 0.045 | 0.07 | 0.59 | 36 | 0.15 | 10.15 | 43 | 2.6 |
| I316237 | | 0.064 | 0.12 | 1.44 | 55 | 0.18 | 9.76 | 53 | 1.8 |
| I316238 | | 0.103 | 0.19 | 1.15 | 80 | 0.20 | 8.00 | 70 | 1.5 |
| I316239 | | 0.080 | 0.22 | 3.69 | 74 | 0.35 | 33.7 | 64 | 1.6 |
| I316240 | | 0.153 | 0.35 | 2.67 | 87 | 0.24 | 10.20 | 70 | 1.4 |
| I316241 | | 0.148 | 0.34 | 2.97 | 80 | 0.43 | 9.25 | 80 | 1.7 |
| I316242 | | 0.129 | 0.15 | 1.48 | 74 | 0.34 | 5.33 | 70 | 1.3 |
| I316243 | | 0.126 | 0.23 | 3.21 | 70 | 0.14 | 14.35 | 80 | 2.3 |
| I316244 | | 0.029 | 0.10 | 0.77 | 32 | 1.15 | 3.72 | 20 | <0.5 |
| I316245 | | 0.169 | 0.24 | 1.63 | 77 | 0.18 | 10.35 | 61 | 4.3 |
| I316246 | | 0.140 | 0.12 | 0.86 | 71 | 0.22 | 6.63 | 59 | 2.4 |
| I316247 | | 0.108 | 0.20 | 1.17 | 64 | 0.15 | 5.90 | 72 | 1.5 |
| I316248 | | 0.182 | 0.29 | 1.40 | 92 | 0.18 | 6.66 | 73 | 2.4 |
| I316249 | | 0.116 | 0.18 | 0.76 | 83 | 0.20 | 3.31 | 52 | 1.4 |
| I316250 | | 0.152 | 0.23 | 1.10 | 88 | 0.21 | 6.05 | 74 | 1.7 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I316251 | | 0.86 | 0.008 | 0.10 | 2.07 | 33.7 | <0.2 | <10 | 240 | 0.34 | 0.20 | 0.47 | 0.10 | 26.6 | 13.3 | 41 |
| I316252 | | 0.82 | <0.005 | 0.13 | 2.06 | 36.5 | <0.2 | <10 | 240 | 0.34 | 0.20 | 0.45 | 0.11 | 28.1 | 15.2 | 42 |
| I316253 | | 0.80 | <0.005 | 0.11 | 2.07 | 82.5 | <0.2 | <10 | 200 | 0.34 | 0.23 | 0.44 | 0.17 | 29.5 | 12.0 | 42 |
| I316254 | | 0.88 | 0.007 | 0.11 | 2.39 | 26.2 | <0.2 | <10 | 240 | 0.36 | 0.19 | 0.63 | 0.10 | 23.3 | 20.3 | 54 |
| I316255 | | 0.76 | <0.005 | 0.11 | 2.11 | 14.4 | <0.2 | <10 | 210 | 0.29 | 0.18 | 0.43 | 0.14 | 25.6 | 19.9 | 45 |
| I316256 | | 0.84 | <0.005 | 0.14 | 2.23 | 9.6 | <0.2 | <10 | 200 | 0.32 | 0.17 | 0.46 | 0.10 | 24.8 | 7.1 | 45 |
| I316257 | | 0.64 | <0.005 | 0.12 | 2.10 | 5.1 | <0.2 | <10 | 260 | 0.30 | 0.27 | 0.55 | 0.08 | 21.0 | 13.1 | 101 |
| I316258 | | 0.74 | <0.005 | 0.22 | 2.42 | 8.0 | <0.2 | <10 | 290 | 0.41 | 0.27 | 0.67 | 0.24 | 32.6 | 17.1 | 48 |
| I316259 | | 0.66 | 0.005 | 0.21 | 2.49 | 6.7 | <0.2 | <10 | 260 | 0.29 | 0.46 | 0.61 | 0.16 | 22.7 | 13.4 | 57 |
| I316260 | | 0.62 | 0.006 | 0.23 | 1.69 | 13.0 | <0.2 | <10 | 180 | 0.26 | 0.25 | 0.47 | 0.08 | 24.9 | 6.4 | 50 |
| I316261 | | 1.08 | 0.017 | 0.08 | 1.76 | 50.5 | <0.2 | <10 | 170 | 0.47 | 0.71 | 0.51 | 0.18 | 51.7 | 11.3 | 32 |
| I316262 | | 0.90 | <0.005 | 0.12 | 1.98 | 10.7 | <0.2 | <10 | 180 | 0.29 | 0.25 | 0.37 | 0.15 | 34.5 | 7.8 | 31 |
| I316263 | | 0.82 | <0.005 | 0.12 | 1.75 | 13.7 | <0.2 | <10 | 190 | 0.27 | 0.27 | 0.46 | 0.16 | 29.4 | 11.6 | 30 |
| I316264 | | 1.06 | <0.005 | 0.18 | 2.10 | 16.3 | <0.2 | <10 | 210 | 0.36 | 0.34 | 0.37 | 0.20 | 48.8 | 12.6 | 36 |
| I316265 | | 0.68 | <0.005 | 0.14 | 2.68 | 21.6 | <0.2 | <10 | 180 | 0.53 | 0.70 | 0.30 | 0.45 | 62.4 | 15.1 | 42 |
| I316266 | | 0.54 | <0.005 | 0.11 | 0.76 | 7.0 | <0.2 | <10 | 40 | 0.06 | 0.22 | 0.06 | 0.10 | 8.33 | 3.0 | 14 |
| I316267 | | 0.70 | <0.005 | 0.08 | 1.98 | 7.4 | <0.2 | <10 | 110 | 0.43 | 0.74 | 0.26 | 0.22 | 57.4 | 9.6 | 33 |
| I316268 | | 0.72 | <0.005 | 0.15 | 1.57 | 11.3 | <0.2 | <10 | 60 | 0.21 | 0.70 | 0.09 | 0.13 | 20.1 | 9.6 | 26 |
| I316269 | | 0.74 | <0.005 | 0.12 | 1.85 | 10.6 | <0.2 | <10 | 130 | 0.38 | 0.49 | 0.24 | 0.21 | 90.1 | 11.4 | 29 |
| I316270 | | 0.96 | 0.007 | 0.06 | 2.30 | 39.6 | <0.2 | <10 | 150 | 0.43 | 0.23 | 0.31 | 0.13 | 52.9 | 9.8 | 31 |
| I316271 | | 0.96 | 0.005 | 0.07 | 2.37 | 43.4 | <0.2 | <10 | 150 | 0.45 | 0.23 | 0.30 | 0.14 | 52.8 | 10.0 | 34 |
| I316272 | | 0.66 | <0.005 | 0.12 | 1.45 | 30.9 | <0.2 | <10 | 70 | 0.22 | 0.26 | 0.16 | 0.14 | 28.3 | 4.7 | 24 |
| I316273 | | 0.48 | <0.005 | 0.08 | 0.25 | 0.5 | <0.2 | <10 | 30 | 0.06 | 0.04 | 0.07 | 0.02 | 3.04 | 0.6 | 4 |
| I316274 | | 0.98 | <0.005 | 0.12 | 3.96 | 14.2 | <0.2 | <10 | 400 | 0.59 | 0.22 | 0.88 | 0.14 | 15.25 | 20.2 | 26 |
| I316275 | | 1.00 | <0.005 | 0.12 | 2.96 | 18.7 | <0.2 | <10 | 220 | 0.46 | 0.26 | 0.55 | 0.09 | 23.2 | 14.5 | 33 |
| I316276 | | 0.86 | <0.005 | 0.12 | 2.02 | 6.9 | <0.2 | <10 | 190 | 0.35 | 0.13 | 0.47 | 0.10 | 22.4 | 19.6 | 39 |
| I316277 | | 0.94 | <0.005 | 0.06 | 2.70 | 6.6 | <0.2 | <10 | 220 | 0.42 | 0.26 | 0.49 | 0.08 | 27.2 | 12.3 | 46 |
| I316278 | | 0.80 | 0.015 | 0.11 | 2.61 | 27.6 | <0.2 | <10 | 190 | 0.44 | 0.32 | 0.51 | 0.12 | 28.3 | 19.3 | 52 |
| I316279 | | 0.76 | <0.005 | 0.06 | 2.26 | 10.4 | <0.2 | <10 | 200 | 0.64 | 0.22 | 0.44 | 0.16 | 35.1 | 14.2 | 55 |
| I316280 | | 0.68 | <0.005 | 0.28 | 1.99 | 5.8 | <0.2 | <10 | 220 | 0.29 | 0.16 | 0.34 | 0.08 | 14.85 | 9.3 | 40 |
| I316281 | | 0.48 | <0.005 | 0.20 | 1.58 | 5.1 | <0.2 | <10 | 130 | 0.22 | 0.19 | 0.33 | 0.15 | 10.75 | 6.9 | 34 |
| I316282 | | 0.72 | 0.005 | 0.19 | 2.96 | 17.3 | <0.2 | <10 | 210 | 0.37 | 0.30 | 0.47 | 0.13 | 20.3 | 13.9 | 62 |
| I316283 | | 0.78 | 0.009 | 0.19 | 2.92 | 13.2 | <0.2 | <10 | 210 | 0.60 | 0.33 | 0.35 | 0.09 | 35.6 | 13.6 | 45 |
| I316284 | | 0.56 | <0.005 | 0.26 | 3.43 | 11.1 | <0.2 | <10 | 370 | 0.94 | 0.43 | 0.73 | 0.21 | 51.0 | 16.1 | 95 |
| I316285 | | 1.12 | 0.005 | 0.07 | 2.33 | 6.1 | <0.2 | <10 | 240 | 0.58 | 0.17 | 0.49 | 0.14 | 27.9 | 12.0 | 52 |
| I316286 | | 0.68 | <0.005 | 0.06 | 2.15 | 6.3 | <0.2 | <10 | 210 | 0.54 | 0.15 | 0.39 | 0.13 | 24.6 | 14.5 | 44 |
| I316287 | | 0.44 | <0.005 | 0.10 | 2.43 | 40.2 | <0.2 | <10 | 210 | 0.62 | 0.21 | 0.36 | 0.14 | 20.8 | 13.9 | 59 |
| I316288 | | 0.40 | <0.005 | 0.14 | 1.78 | 35.4 | <0.2 | <10 | 210 | 0.45 | 0.15 | 0.72 | 0.31 | 20.1 | 9.1 | 45 |
| I316289 | | 0.78 | 0.008 | 0.11 | 2.64 | 25.9 | <0.2 | <10 | 200 | 0.60 | 0.15 | 0.37 | 0.08 | 21.7 | 12.1 | 55 |
| I316290 | | 0.68 | <0.005 | 0.11 | 2.08 | 20.2 | <0.2 | <10 | 190 | 0.65 | 0.14 | 0.48 | 0.14 | 22.4 | 13.7 | 41 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I316251 | | 1.38 | 41.3 | 3.17 | 6.53 | 0.09 | 0.04 | 0.03 | 0.024 | 0.09 | 11.6 | 10.2 | 0.66 | 617 | 3.49 | 0.03 |
| I316252 | | 1.44 | 42.8 | 3.20 | 6.59 | 0.09 | 0.04 | 0.04 | 0.024 | 0.08 | 12.3 | 9.6 | 0.63 | 793 | 4.38 | 0.03 |
| I316253 | | 1.58 | 46.0 | 3.84 | 6.55 | 0.11 | 0.07 | 0.04 | 0.026 | 0.12 | 13.5 | 9.5 | 0.61 | 381 | 10.55 | 0.03 |
| I316254 | | 1.65 | 26.6 | 3.29 | 8.66 | 0.10 | 0.05 | 0.04 | 0.026 | 0.10 | 10.8 | 11.9 | 0.80 | 789 | 5.74 | 0.04 |
| I316255 | | 1.66 | 28.1 | 2.74 | 7.48 | 0.08 | 0.04 | 0.04 | 0.024 | 0.07 | 11.6 | 11.2 | 0.63 | 1300 | 4.99 | 0.03 |
| I316256 | | 2.10 | 53.2 | 2.23 | 7.36 | 0.09 | 0.04 | 0.13 | 0.029 | 0.08 | 12.3 | 11.5 | 0.55 | 214 | 14.90 | 0.02 |
| I316257 | | 2.85 | 35.4 | 2.67 | 8.72 | 0.09 | 0.02 | 0.05 | 0.028 | 0.16 | 11.4 | 8.0 | 0.86 | 625 | 3.97 | 0.03 |
| I316258 | | 2.42 | 46.2 | 2.95 | 7.74 | 0.09 | 0.03 | 0.10 | 0.029 | 0.17 | 14.8 | 10.4 | 0.63 | 3120 | 3.57 | 0.03 |
| I316259 | | 3.78 | 56.7 | 2.75 | 7.57 | 0.08 | 0.02 | 0.09 | 0.025 | 0.12 | 11.4 | 12.4 | 0.67 | 639 | 2.46 | 0.03 |
| I316260 | | 3.88 | 42.3 | 1.82 | 6.21 | 0.07 | 0.03 | 0.10 | 0.019 | 0.10 | 15.5 | 7.9 | 0.49 | 153 | 1.22 | 0.03 |
| I316261 | | 4.82 | 41.4 | 3.14 | 6.99 | 0.12 | 0.12 | 0.10 | 0.032 | 0.18 | 24.1 | 11.2 | 0.59 | 510 | 1.80 | 0.04 |
| I316262 | | 2.89 | 30.8 | 2.58 | 7.02 | 0.07 | 0.09 | 0.05 | 0.033 | 0.08 | 16.8 | 11.6 | 0.46 | 304 | 1.03 | 0.03 |
| I316263 | | 2.99 | 25.5 | 2.97 | 6.36 | 0.09 | 0.08 | 0.04 | 0.032 | 0.09 | 14.8 | 10.1 | 0.47 | 1230 | 1.36 | 0.02 |
| I316264 | | 3.60 | 38.9 | 3.99 | 7.47 | 0.12 | 0.21 | 0.05 | 0.039 | 0.11 | 24.8 | 12.6 | 0.52 | 895 | 1.16 | 0.02 |
| I316265 | | 4.18 | 64.9 | 3.98 | 10.10 | 0.11 | 0.09 | 0.07 | 0.053 | 0.12 | 36.3 | 17.0 | 0.60 | 1150 | 1.82 | 0.03 |
| I316266 | | 1.17 | 13.7 | 1.77 | 5.50 | 0.05 | 0.02 | 0.04 | 0.012 | 0.03 | 4.2 | 3.3 | 0.14 | 144 | 0.99 | 0.02 |
| I316267 | | 5.86 | 32.8 | 3.44 | 7.85 | 0.10 | 0.06 | 0.06 | 0.033 | 0.14 | 26.1 | 13.2 | 0.50 | 698 | 2.08 | 0.02 |
| I316268 | | 3.68 | 25.6 | 3.70 | 10.40 | 0.07 | 0.04 | 0.06 | 0.031 | 0.07 | 8.5 | 7.8 | 0.29 | 942 | 3.03 | 0.02 |
| I316269 | | 7.51 | 48.4 | 3.92 | 8.27 | 0.12 | 0.09 | 0.08 | 0.041 | 0.30 | 46.0 | 11.9 | 0.53 | 1300 | 2.83 | 0.02 |
| I316270 | | 2.61 | 34.3 | 3.10 | 7.43 | 0.09 | 0.09 | 0.04 | 0.034 | 0.09 | 28.9 | 13.2 | 0.62 | 318 | 0.83 | 0.02 |
| I316271 | | 2.61 | 33.7 | 3.38 | 7.45 | 0.09 | 0.08 | 0.03 | 0.033 | 0.09 | 28.5 | 12.8 | 0.61 | 348 | 1.13 | 0.02 |
| I316272 | | 2.62 | 15.7 | 2.69 | 6.73 | 0.07 | 0.04 | 0.04 | 0.026 | 0.05 | 14.1 | 7.0 | 0.31 | 287 | 1.23 | 0.02 |
| I316273 | | 0.64 | 6.0 | 0.28 | 1.12 | <0.05 | <0.02 | 0.03 | <0.005 | 0.02 | 1.5 | 0.5 | 0.03 | 16 | 0.32 | 0.04 |
| I316274 | | 7.09 | 130.5 | 4.45 | 10.35 | 0.14 | 0.09 | 0.04 | 0.025 | 0.41 | 7.9 | 22.5 | 1.13 | 564 | 1.17 | 0.08 |
| I316275 | | 4.12 | 76.3 | 3.88 | 8.50 | 0.13 | 0.07 | 0.03 | 0.030 | 0.22 | 13.2 | 17.4 | 0.88 | 451 | 1.61 | 0.04 |
| I316276 | | 2.51 | 56.7 | 3.66 | 6.17 | 0.13 | 0.09 | 0.04 | 0.024 | 0.20 | 11.9 | 16.5 | 0.75 | 479 | 1.67 | 0.04 |
| I316277 | | 1.69 | 33.8 | 3.04 | 7.37 | 0.11 | 0.08 | 0.04 | 0.028 | 0.16 | 13.2 | 15.3 | 0.80 | 253 | 1.22 | 0.04 |
| I316278 | | 2.25 | 30.9 | 4.09 | 8.95 | 0.13 | 0.05 | 0.04 | 0.033 | 0.20 | 13.7 | 16.0 | 0.86 | 1000 | 1.90 | 0.03 |
| I316279 | | 2.25 | 31.6 | 3.28 | 7.14 | 0.16 | 0.15 | 0.02 | 0.030 | 0.26 | 16.7 | 14.2 | 0.90 | 594 | 1.11 | 0.03 |
| I316280 | | 1.43 | 51.4 | 2.39 | 5.06 | 0.08 | 0.04 | 0.08 | 0.022 | 0.09 | 8.1 | 8.7 | 0.45 | 385 | 1.50 | 0.03 |
| I316281 | | 1.19 | 39.5 | 1.89 | 4.70 | 0.06 | 0.03 | 0.06 | 0.018 | 0.06 | 5.3 | 7.9 | 0.37 | 302 | 1.19 | 0.03 |
| I316282 | | 2.07 | 60.4 | 3.39 | 8.10 | 0.11 | 0.05 | 0.05 | 0.030 | 0.13 | 12.8 | 16.7 | 0.72 | 596 | 2.81 | 0.03 |
| I316283 | | 2.32 | 56.3 | 2.86 | 9.28 | 0.08 | 0.03 | 0.10 | 0.028 | 0.14 | 23.5 | 12.5 | 0.50 | 438 | 3.94 | 0.04 |
| I316284 | | 3.81 | 106.0 | 3.31 | 11.35 | 0.10 | 0.05 | 0.08 | 0.040 | 0.22 | 30.3 | 19.9 | 0.87 | 772 | 35.7 | 0.04 |
| I316285 | | 1.67 | 106.0 | 2.97 | 7.65 | 0.09 | 0.07 | 0.02 | 0.024 | 0.18 | 13.6 | 14.1 | 0.83 | 263 | 7.53 | 0.04 |
| I316286 | | 1.52 | 68.7 | 2.75 | 6.90 | 0.07 | 0.04 | 0.04 | 0.024 | 0.14 | 11.4 | 13.5 | 0.70 | 390 | 6.46 | 0.04 |
| I316287 | | 3.04 | 71.2 | 3.20 | 9.88 | 0.08 | 0.04 | 0.06 | 0.031 | 0.20 | 9.6 | 16.1 | 0.83 | 411 | 8.57 | 0.05 |
| I316288 | | 2.36 | 74.6 | 2.28 | 6.49 | 0.06 | 0.04 | 0.05 | 0.023 | 0.12 | 11.1 | 9.8 | 0.61 | 231 | 9.01 | 0.04 |
| I316289 | | 2.32 | 64.2 | 2.62 | 8.31 | 0.07 | 0.04 | 0.10 | 0.042 | 0.12 | 10.7 | 17.2 | 0.86 | 223 | 11.65 | 0.04 |
| I316290 | | 1.65 | 46.8 | 2.51 | 6.94 | 0.07 | 0.03 | 0.04 | 0.026 | 0.11 | 10.7 | 14.0 | 0.64 | 707 | 20.4 | 0.04 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I316251 | | 1.91 | 23.7 | 880 | 5.6 | 14.6 | <0.001 | 0.01 | 0.68 | 5.1 | 0.7 | 0.5 | 23.4 | <0.01 | 0.05 | 2.9 |
| I316252 | | 1.89 | 25.4 | 900 | 6.1 | 13.7 | <0.001 | 0.02 | 0.73 | 4.9 | 0.8 | 0.5 | 24.2 | <0.01 | 0.07 | 2.5 |
| I316253 | | 2.33 | 25.2 | 770 | 5.5 | 20.2 | <0.001 | 0.01 | 1.30 | 5.2 | 0.8 | 0.5 | 27.1 | <0.01 | 0.06 | 3.8 |
| I316254 | | 3.17 | 27.4 | 720 | 6.1 | 14.7 | <0.001 | 0.03 | 0.74 | 5.6 | 0.7 | 0.7 | 35.1 | <0.01 | 0.05 | 2.9 |
| I316255 | | 2.45 | 23.2 | 760 | 5.6 | 13.4 | <0.001 | 0.02 | 0.62 | 4.9 | 0.7 | 0.6 | 24.9 | <0.01 | 0.04 | 2.8 |
| I316256 | | 1.84 | 24.6 | 740 | 4.5 | 15.4 | <0.001 | 0.04 | 0.34 | 5.1 | 0.8 | 0.6 | 26.0 | <0.01 | 0.03 | 1.9 |
| I316257 | | 2.11 | 57.8 | 1040 | 4.5 | 28.8 | <0.001 | 0.06 | 0.21 | 4.5 | 0.9 | 0.9 | 42.7 | <0.01 | 0.07 | 1.1 |
| I316258 | | 1.36 | 25.8 | 940 | 5.6 | 24.6 | <0.001 | 0.06 | 0.38 | 5.1 | 1.0 | 0.6 | 51.7 | <0.01 | 0.05 | 1.6 |
| I316259 | | 1.10 | 26.1 | 770 | 5.4 | 23.0 | <0.001 | 0.07 | 0.30 | 4.4 | 1.0 | 0.5 | 52.0 | <0.01 | 0.08 | 0.8 |
| I316260 | | 1.10 | 20.8 | 630 | 4.7 | 20.5 | <0.001 | 0.05 | 0.44 | 4.0 | 1.0 | 0.6 | 40.2 | <0.01 | 0.04 | 0.7 |
| I316261 | | 2.15 | 19.1 | 930 | 10.3 | 34.0 | <0.001 | <0.01 | 0.74 | 6.4 | 0.7 | 0.9 | 36.8 | <0.01 | 0.17 | 11.0 |
| I316262 | | 3.19 | 14.7 | 620 | 8.8 | 23.8 | <0.001 | 0.01 | 0.47 | 6.2 | 0.7 | 1.1 | 27.7 | <0.01 | 0.03 | 6.5 |
| I316263 | | 3.03 | 14.1 | 760 | 10.7 | 25.5 | <0.001 | 0.02 | 0.56 | 5.0 | 0.7 | 1.2 | 32.9 | <0.01 | 0.03 | 6.9 |
| I316264 | | 3.12 | 20.1 | 690 | 13.3 | 26.7 | <0.001 | <0.01 | 0.58 | 7.8 | 0.9 | 1.4 | 26.5 | <0.01 | 0.04 | 13.1 |
| I316265 | | 3.42 | 23.7 | 600 | 14.3 | 33.0 | <0.001 | 0.03 | 0.68 | 7.5 | 1.2 | 1.5 | 30.4 | <0.01 | 0.08 | 7.1 |
| I316266 | | 1.56 | 6.4 | 200 | 5.6 | 8.4 | <0.001 | 0.01 | 0.33 | 1.3 | 0.5 | 0.6 | 7.6 | <0.01 | 0.04 | 0.9 |
| I316267 | | 2.65 | 20.2 | 730 | 9.4 | 31.5 | <0.001 | 0.02 | 0.36 | 3.6 | 0.8 | 1.0 | 16.5 | <0.01 | 0.08 | 7.1 |
| I316268 | | 2.48 | 12.8 | 510 | 11.7 | 16.5 | <0.001 | 0.02 | 0.52 | 2.7 | 0.7 | 0.8 | 11.2 | <0.01 | 0.09 | 3.8 |
| I316269 | | 5.05 | 18.6 | 820 | 11.0 | 57.5 | <0.001 | 0.02 | 0.43 | 4.2 | 0.8 | 1.2 | 15.9 | <0.01 | 0.04 | 23.1 |
| I316270 | | 2.18 | 23.5 | 670 | 9.5 | 17.9 | <0.001 | <0.01 | 0.42 | 5.0 | 0.7 | 0.7 | 21.5 | <0.01 | 0.03 | 9.4 |
| I316271 | | 2.16 | 23.1 | 710 | 10.0 | 17.9 | <0.001 | 0.01 | 0.42 | 4.8 | 0.7 | 0.7 | 21.4 | <0.01 | 0.03 | 8.3 |
| I316272 | | 1.49 | 10.7 | 480 | 17.0 | 11.6 | <0.001 | 0.02 | 0.92 | 2.4 | 0.7 | 0.8 | 14.0 | <0.01 | 0.03 | 2.6 |
| I316273 | | 0.11 | 1.6 | 340 | 1.8 | 2.2 | <0.001 | 0.03 | 0.09 | 0.2 | 0.2 | 0.2 | 10.2 | <0.01 | 0.01 | <0.2 |
| I316274 | | 1.00 | 19.8 | 1950 | 5.1 | 46.4 | 0.001 | 0.02 | 0.57 | 6.6 | 0.8 | 0.6 | 67.3 | <0.01 | 0.04 | 1.6 |
| I316275 | | 1.67 | 21.8 | 1040 | 7.3 | 28.3 | <0.001 | 0.02 | 0.57 | 6.6 | 0.8 | 0.9 | 31.9 | <0.01 | 0.04 | 2.5 |
| I316276 | | 1.34 | 21.9 | 730 | 5.2 | 28.5 | <0.001 | 0.02 | 0.44 | 7.2 | 0.9 | 0.6 | 27.6 | 0.01 | 0.02 | 3.3 |
| I316277 | | 2.41 | 26.7 | 610 | 7.1 | 28.0 | <0.001 | 0.02 | 0.46 | 6.7 | 0.8 | 0.6 | 31.8 | <0.01 | 0.06 | 3.4 |
| I316278 | | 2.81 | 33.6 | 690 | 12.9 | 29.5 | <0.001 | 0.03 | 0.83 | 6.3 | 0.8 | 0.9 | 31.7 | <0.01 | 0.05 | 2.8 |
| I316279 | | 1.99 | 33.5 | 660 | 9.5 | 37.2 | <0.001 | 0.01 | 0.39 | 8.1 | 0.8 | 0.9 | 27.9 | 0.01 | 0.03 | 5.1 |
| I316280 | | 0.81 | 18.4 | 900 | 5.0 | 15.1 | <0.001 | 0.08 | 0.27 | 2.9 | 1.0 | 0.4 | 23.2 | <0.01 | 0.03 | 0.2 |
| I316281 | | 0.70 | 15.9 | 640 | 4.2 | 12.2 | <0.001 | 0.06 | 0.24 | 2.5 | 0.8 | 0.4 | 24.8 | <0.01 | 0.03 | 0.2 |
| I316282 | | 1.37 | 33.3 | 770 | 7.2 | 26.4 | <0.001 | 0.05 | 0.42 | 5.3 | 0.9 | 0.8 | 33.5 | <0.01 | 0.04 | 1.3 |
| I316283 | | 1.44 | 24.1 | 650 | 6.8 | 22.2 | <0.001 | 0.05 | 0.28 | 5.0 | 0.7 | 0.6 | 33.5 | <0.01 | 0.05 | 1.9 |
| I316284 | | 2.19 | 59.8 | 830 | 6.4 | 36.8 | 0.001 | 0.07 | 0.30 | 7.3 | 1.1 | 1.1 | 64.9 | <0.01 | 0.09 | 2.6 |
| I316285 | | 2.10 | 36.9 | 900 | 5.5 | 23.1 | <0.001 | 0.03 | 0.32 | 6.8 | 0.8 | 0.5 | 30.0 | <0.01 | 0.05 | 3.1 |
| I316286 | | 1.99 | 31.0 | 790 | 5.0 | 18.1 | <0.001 | 0.03 | 0.25 | 5.5 | 0.6 | 0.5 | 23.4 | <0.01 | 0.04 | 2.3 |
| I316287 | | 2.42 | 35.4 | 680 | 6.2 | 25.5 | <0.001 | 0.05 | 0.76 | 5.6 | 0.7 | 0.7 | 26.6 | <0.01 | 0.07 | 1.3 |
| I316288 | | 1.65 | 29.5 | 670 | 4.5 | 18.3 | 0.001 | 0.11 | 0.90 | 3.9 | 0.7 | 0.5 | 43.1 | <0.01 | 0.05 | 0.4 |
| I316289 | | 2.02 | 35.0 | 750 | 6.8 | 18.2 | <0.001 | 0.05 | 0.48 | 5.9 | 0.6 | 0.6 | 24.4 | <0.01 | 0.03 | 1.5 |
| I316290 | | 1.51 | 25.1 | 840 | 5.3 | 15.5 | <0.001 | 0.05 | 0.46 | 4.4 | 0.5 | 0.5 | 31.6 | <0.01 | 0.03 | 1.1 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 Ti % | ME-MS41 Ti ppm | ME-MS41 U ppm | ME-MS41 V ppm | ME-MS41 W ppm | ME-MS41 Y ppm | ME-MS41 Zn ppm | ME-MS41 Zr ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
| | | 0.005 | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 |
| I316251 | | 0.125 | 0.20 | 0.76 | 72 | 0.63 | 6.64 | 58 | 1.7 |
| I316252 | | 0.113 | 0.20 | 0.74 | 71 | 0.44 | 7.04 | 59 | 1.5 |
| I316253 | | 0.125 | 0.20 | 0.84 | 72 | 0.84 | 7.74 | 58 | 2.4 |
| I316254 | | 0.164 | 0.21 | 0.62 | 72 | 0.71 | 5.38 | 68 | 1.9 |
| I316255 | | 0.134 | 0.19 | 0.62 | 60 | 1.12 | 5.81 | 63 | 1.7 |
| I316256 | | 0.118 | 0.19 | 1.14 | 54 | 4.41 | 6.44 | 54 | 1.2 |
| I316257 | | 0.116 | 0.25 | 1.25 | 75 | 0.70 | 5.74 | 56 | 0.8 |
| I316258 | | 0.096 | 0.27 | 1.55 | 66 | 1.23 | 7.61 | 58 | 1.0 |
| I316259 | | 0.090 | 0.22 | 1.56 | 67 | 2.09 | 8.15 | 63 | 0.9 |
| I316260 | | 0.076 | 0.20 | 3.04 | 38 | 0.68 | 8.86 | 43 | 1.2 |
| I316261 | | 0.131 | 0.62 | 3.78 | 62 | 0.51 | 12.20 | 68 | 4.5 |
| I316262 | | 0.125 | 0.32 | 5.47 | 59 | 0.29 | 10.30 | 59 | 3.5 |
| I316263 | | 0.119 | 0.37 | 3.82 | 57 | 0.34 | 9.29 | 60 | 3.1 |
| I316264 | | 0.138 | 0.42 | 9.95 | 67 | 0.26 | 17.55 | 68 | 8.1 |
| I316265 | | 0.131 | 0.46 | 10.00 | 76 | 0.38 | 19.25 | 80 | 3.2 |
| I316266 | | 0.084 | 0.14 | 0.46 | 45 | 0.16 | 1.43 | 22 | 0.8 |
| I316267 | | 0.128 | 0.42 | 3.32 | 67 | 0.50 | 10.80 | 65 | 1.9 |
| I316268 | | 0.116 | 0.21 | 1.19 | 78 | 0.50 | 3.44 | 43 | 1.8 |
| I316269 | | 0.172 | 0.72 | 3.97 | 61 | 1.31 | 13.50 | 69 | 3.3 |
| I316270 | | 0.118 | 0.24 | 2.32 | 62 | 0.33 | 10.40 | 52 | 3.1 |
| I316271 | | 0.115 | 0.25 | 2.56 | 67 | 0.34 | 10.50 | 53 | 2.6 |
| I316272 | | 0.080 | 0.24 | 1.60 | 55 | 0.25 | 5.68 | 42 | 1.2 |
| I316273 | | 0.012 | 0.05 | 0.63 | 7 | 0.07 | 1.15 | 4 | <0.5 |
| I316274 | | 0.161 | 0.42 | 1.18 | 105 | 11.00 | 7.02 | 73 | 2.1 |
| I316275 | | 0.164 | 0.27 | 1.57 | 95 | 0.29 | 7.87 | 64 | 1.6 |
| I316276 | | 0.162 | 0.24 | 1.35 | 86 | 0.54 | 9.84 | 52 | 2.7 |
| I316277 | | 0.160 | 0.23 | 1.00 | 68 | 1.97 | 7.03 | 53 | 2.2 |
| I316278 | | 0.170 | 0.23 | 0.73 | 79 | 2.84 | 5.54 | 71 | 1.5 |
| I316279 | | 0.181 | 0.29 | 1.46 | 75 | 0.78 | 9.25 | 62 | 5.1 |
| I316280 | | 0.076 | 0.12 | 0.85 | 53 | 0.39 | 5.11 | 38 | 0.9 |
| I316281 | | 0.065 | 0.08 | 0.46 | 42 | 0.57 | 3.82 | 39 | 0.6 |
| I316282 | | 0.108 | 0.16 | 0.87 | 81 | 1.41 | 6.19 | 77 | 1.2 |
| I316283 | | 0.088 | 0.17 | 1.81 | 63 | 1.50 | 10.70 | 45 | 1.2 |
| I316284 | | 0.118 | 0.27 | 2.67 | 80 | 1.03 | 16.70 | 102 | 1.5 |
| I316285 | | 0.167 | 0.21 | 1.10 | 84 | 1.26 | 8.27 | 63 | 3.1 |
| I316286 | | 0.135 | 0.16 | 0.88 | 77 | 2.02 | 6.43 | 61 | 1.7 |
| I316287 | | 0.161 | 0.22 | 0.70 | 98 | 13.95 | 4.69 | 73 | 1.7 |
| I316288 | | 0.098 | 0.16 | 0.73 | 65 | 1.86 | 5.61 | 61 | 1.5 |
| I316289 | | 0.153 | 0.19 | 0.99 | 81 | 2.72 | 5.52 | 70 | 1.7 |
| I316290 | | 0.119 | 0.17 | 0.77 | 67 | 0.78 | 5.96 | 65 | 1.3 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I316291 | | 0.64 | 0.007 | 0.14 | 2.49 | 38.2 | <0.2 | <10 | 190 | 0.80 | 0.14 | 0.42 | 0.11 | 23.8 | 10.0 | 48 |
| I316292 | | 0.58 | <0.005 | 0.20 | 1.78 | 5.5 | <0.2 | <10 | 230 | 1.02 | 0.17 | 0.35 | 0.11 | 17.05 | 7.5 | 30 |
| I316293 | | 0.54 | <0.005 | 0.17 | 2.24 | 6.4 | <0.2 | <10 | 290 | 0.70 | 0.19 | 0.44 | 0.29 | 22.1 | 11.7 | 46 |
| I316294 | | 0.90 | <0.005 | 0.11 | 2.09 | 4.0 | <0.2 | <10 | 200 | 0.51 | 0.24 | 0.40 | 0.10 | 19.00 | 10.4 | 66 |
| I316295 | | 0.88 | <0.005 | 0.10 | 2.97 | 7.2 | <0.2 | <10 | 240 | 0.63 | 0.37 | 0.43 | 0.11 | 35.7 | 11.9 | 66 |
| I316296 | | 1.00 | <0.005 | 0.07 | 2.72 | 14.8 | <0.2 | <10 | 250 | 0.59 | 0.27 | 0.44 | 0.13 | 35.9 | 11.8 | 60 |
| I316297 | | 1.00 | 0.012 | 0.12 | 2.78 | 16.2 | <0.2 | <10 | 150 | 0.45 | 0.31 | 0.37 | 0.11 | 20.3 | 15.1 | 82 |
| I316298 | | 1.00 | 0.005 | 0.14 | 2.86 | 14.4 | <0.2 | <10 | 160 | 0.42 | 0.31 | 0.37 | 0.11 | 20.7 | 15.3 | 83 |
| I316299 | | 0.90 | <0.005 | 0.06 | 2.47 | 5.5 | <0.2 | <10 | 140 | 0.35 | 0.20 | 0.28 | 0.07 | 15.20 | 12.6 | 62 |
| I316300 | | 0.46 | <0.005 | 0.13 | 1.50 | 3.5 | <0.2 | <10 | 120 | 0.21 | 0.23 | 0.32 | 0.17 | 9.65 | 6.8 | 63 |
| I316301 | | 0.32 | <0.005 | 0.16 | 1.86 | 9.0 | <0.2 | <10 | 250 | 0.56 | 0.19 | 0.95 | 0.42 | 23.7 | 11.3 | 32 |
| I316302 | | 0.30 | <0.005 | 0.19 | 2.23 | 9.3 | <0.2 | <10 | 310 | 0.50 | 0.24 | 0.87 | 0.33 | 23.0 | 23.0 | 40 |
| I316303 | | 0.58 | <0.005 | 0.09 | 2.60 | 6.7 | <0.2 | <10 | 300 | 0.42 | 0.41 | 0.55 | 0.17 | 17.50 | 16.9 | 54 |
| I316304 | | 0.22 | <0.005 | 0.36 | 2.53 | 12.1 | <0.2 | <10 | 330 | 0.37 | 0.41 | 0.92 | 0.30 | 14.10 | 23.4 | 49 |
| I316305 | | 0.20 | <0.005 | 0.24 | 2.09 | 6.2 | <0.2 | <10 | 300 | 0.36 | 0.27 | 0.72 | 0.43 | 16.10 | 12.4 | 41 |
| I316306 | | 0.24 | <0.005 | 0.29 | 2.02 | 8.6 | <0.2 | <10 | 250 | 0.32 | 0.27 | 0.60 | 0.56 | 15.65 | 10.8 | 39 |
| I316307 | | 0.36 | <0.005 | 0.15 | 2.26 | 4.6 | <0.2 | <10 | 240 | 0.28 | 0.21 | 0.54 | 0.21 | 10.30 | 12.5 | 54 |
| I316308 | | 0.22 | <0.005 | 0.07 | 0.44 | 2.3 | <0.2 | <10 | 30 | 0.10 | 0.09 | 0.13 | 0.06 | 3.39 | 2.2 | 10 |
| I316309 | | 0.28 | <0.005 | 0.24 | 1.66 | 6.8 | <0.2 | <10 | 130 | 0.27 | 0.32 | 0.30 | 0.25 | 9.59 | 10.5 | 40 |
| I316310 | | 0.24 | <0.005 | 0.22 | 0.77 | 9.5 | <0.2 | <10 | 100 | 0.33 | 0.23 | 0.13 | 1.46 | 11.60 | 4.2 | 18 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Cs | Cu | Fe | Ga | Ge | Hf | Hg | In | K | La | Li | Mg | Mn | Mo |
| | | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.05 | 0.2 | 0.01 | 0.05 | 0.05 | 0.02 | 0.01 | 0.005 | 0.01 | 0.2 | 0.1 | 0.01 | 5 | 0.05 |
| I316291 | | 2.00 | 51.1 | 2.77 | 7.99 | 0.06 | 0.05 | 0.07 | 0.035 | 0.06 | 11.9 | 17.2 | 0.70 | 197 | 51.0 |
| I316292 | | 2.23 | 78.7 | 2.35 | 6.43 | 0.05 | 0.03 | 0.10 | 0.025 | 0.10 | 8.8 | 7.8 | 0.39 | 265 | 69.9 |
| I316293 | | 2.29 | 76.5 | 2.63 | 8.15 | 0.06 | 0.04 | 0.07 | 0.029 | 0.11 | 11.1 | 12.0 | 0.61 | 582 | 99.7 |
| I316294 | | 1.83 | 57.4 | 2.17 | 7.06 | 0.06 | 0.03 | 0.03 | 0.026 | 0.10 | 10.4 | 12.3 | 0.62 | 370 | 61.3 |
| I316295 | | 3.10 | 100.5 | 3.06 | 9.45 | 0.10 | 0.07 | 0.06 | 0.032 | 0.29 | 19.0 | 16.6 | 0.80 | 286 | 9.85 |
| I316296 | | 2.76 | 75.3 | 2.77 | 7.84 | 0.08 | 0.06 | 0.02 | 0.024 | 0.24 | 17.3 | 15.7 | 0.74 | 299 | 2.70 |
| I316297 | | 2.19 | 60.1 | 3.11 | 7.79 | 0.06 | 0.04 | 0.03 | 0.024 | 0.10 | 9.3 | 16.8 | 0.80 | 451 | 2.19 |
| I316298 | | 2.19 | 60.9 | 3.13 | 7.87 | 0.05 | 0.05 | 0.03 | 0.026 | 0.10 | 9.3 | 17.0 | 0.81 | 458 | 2.19 |
| I316299 | | 2.25 | 69.2 | 2.50 | 6.38 | 0.06 | 0.04 | 0.03 | 0.019 | 0.14 | 7.0 | 15.7 | 0.89 | 186 | 0.71 |
| I316300 | | 1.66 | 55.8 | 1.65 | 4.68 | <0.05 | 0.02 | 0.04 | 0.013 | 0.07 | 4.8 | 9.7 | 0.55 | 146 | 1.20 |
| I316301 | | 1.04 | 52.5 | 2.15 | 5.26 | 0.06 | 0.04 | 0.06 | 0.020 | 0.13 | 11.1 | 9.3 | 0.48 | 727 | 2.12 |
| I316302 | | 1.27 | 43.5 | 2.81 | 6.43 | 0.07 | 0.03 | 0.06 | 0.022 | 0.11 | 9.3 | 11.4 | 0.61 | 2110 | 2.44 |
| I316303 | | 1.53 | 36.2 | 2.69 | 7.44 | 0.07 | 0.04 | 0.02 | 0.023 | 0.18 | 7.9 | 13.6 | 1.14 | 909 | 1.07 |
| I316304 | | 1.37 | 51.6 | 3.06 | 7.08 | 0.06 | 0.03 | 0.05 | 0.023 | 0.13 | 6.5 | 11.4 | 0.99 | 978 | 1.44 |
| I316305 | | 1.08 | 42.2 | 2.29 | 6.19 | 0.05 | 0.03 | 0.04 | 0.021 | 0.10 | 7.7 | 10.1 | 0.84 | 471 | 1.16 |
| I316306 | | 1.28 | 38.4 | 2.27 | 6.54 | 0.05 | 0.03 | 0.04 | 0.019 | 0.11 | 7.4 | 10.1 | 0.80 | 538 | 1.21 |
| I316307 | | 1.29 | 29.0 | 2.70 | 8.12 | 0.07 | 0.03 | 0.02 | 0.015 | 0.33 | 5.0 | 11.3 | 1.44 | 354 | 1.05 |
| I316308 | | 0.56 | 8.8 | 0.80 | 2.76 | <0.05 | <0.02 | 0.02 | 0.006 | 0.03 | 1.8 | 2.5 | 0.11 | 51 | 0.59 |
| I316309 | | 1.67 | 34.7 | 2.62 | 7.83 | 0.05 | 0.02 | 0.05 | 0.008 | 0.09 | 4.7 | 9.0 | 0.38 | 937 | 1.87 |
| I316310 | | 1.06 | 48.9 | 1.33 | 3.77 | <0.05 | <0.02 | 0.07 | <0.005 | 0.05 | 7.3 | 2.2 | 0.13 | 83 | 1.31 |
| | | | | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I316291 | | 1.97 | 27.3 | 700 | 5.9 | 11.4 | 0.001 | 0.06 | 0.60 | 5.5 | 0.5 | 0.6 | 27.4 | <0.01 | 0.04 | 1.4 |
| I316292 | | 1.07 | 24.5 | 900 | 5.3 | 27.5 | <0.001 | 0.09 | 0.24 | 3.1 | 0.6 | 0.5 | 31.4 | <0.01 | 0.05 | 0.4 |
| I316293 | | 1.64 | 29.9 | 800 | 6.4 | 24.9 | 0.001 | 0.08 | 0.25 | 4.6 | 0.7 | 0.6 | 38.8 | <0.01 | 0.05 | 0.9 |
| I316294 | | 1.42 | 34.7 | 710 | 4.8 | 18.2 | 0.001 | 0.05 | 0.19 | 3.9 | 0.5 | 0.7 | 31.7 | <0.01 | 0.05 | 1.1 |
| I316295 | | 1.89 | 29.8 | 760 | 6.1 | 40.2 | <0.001 | 0.02 | 0.39 | 7.7 | 0.6 | 0.9 | 33.1 | <0.01 | 0.06 | 5.6 |
| I316296 | | 1.53 | 23.7 | 750 | 7.3 | 29.7 | <0.001 | 0.01 | 0.39 | 6.2 | 0.5 | 0.7 | 32.4 | <0.01 | 0.04 | 5.3 |
| I316297 | | 1.26 | 42.5 | 590 | 5.8 | 16.7 | <0.001 | 0.02 | 0.43 | 6.4 | 0.5 | 0.5 | 26.6 | <0.01 | 0.05 | 1.5 |
| I316298 | | 1.25 | 42.1 | 600 | 5.9 | 16.8 | <0.001 | 0.02 | 0.43 | 6.3 | 0.5 | 0.5 | 26.6 | <0.01 | 0.04 | 1.5 |
| I316299 | | 1.24 | 28.7 | 530 | 4.9 | 18.5 | <0.001 | 0.02 | 0.31 | 4.7 | 0.4 | 0.4 | 18.9 | <0.01 | 0.03 | 1.2 |
| I316300 | | 0.72 | 24.5 | 510 | 3.7 | 14.0 | <0.001 | 0.06 | 0.32 | 2.5 | 0.5 | 0.4 | 27.2 | <0.01 | 0.04 | 0.2 |
| I316301 | | 1.41 | 22.0 | 960 | 4.5 | 17.9 | <0.001 | 0.11 | 0.52 | 3.9 | 1.0 | 0.5 | 46.7 | <0.01 | 0.06 | 0.8 |
| I316302 | | 1.20 | 24.6 | 960 | 5.8 | 21.4 | 0.001 | 0.12 | 0.41 | 4.3 | 1.2 | 0.4 | 47.6 | <0.01 | 0.07 | 0.7 |
| I316303 | | 1.62 | 26.9 | 630 | 5.6 | 23.2 | 0.001 | 0.04 | 0.44 | 6.3 | 0.6 | 0.6 | 29.8 | <0.01 | 0.12 | 2.2 |
| I316304 | | 0.99 | 28.1 | 1080 | 6.7 | 17.9 | <0.001 | 0.13 | 1.00 | 4.4 | 1.2 | 0.5 | 48.8 | <0.01 | 0.12 | 0.5 |
| I316305 | | 1.11 | 25.2 | 700 | 4.8 | 14.8 | 0.001 | 0.08 | 0.60 | 4.0 | 0.8 | 0.5 | 41.7 | <0.01 | 0.09 | 0.4 |
| I316306 | | 1.06 | 24.9 | 730 | 5.7 | 19.3 | <0.001 | 0.09 | 1.17 | 3.4 | 0.7 | 0.5 | 37.3 | <0.01 | 0.05 | 0.4 |
| I316307 | | 1.61 | 28.5 | 460 | 4.8 | 23.5 | <0.001 | 0.04 | 0.49 | 3.5 | 0.4 | 0.5 | 24.8 | <0.01 | 0.05 | 0.6 |
| I316308 | | 0.46 | 4.7 | 160 | 2.5 | 4.9 | <0.001 | 0.02 | 0.14 | 1.0 | 0.2 | 0.2 | 9.7 | <0.01 | 0.02 | <0.2 |
| I316309 | | 0.89 | 17.9 | 620 | 6.1 | 20.8 | <0.001 | 0.10 | 0.50 | 2.2 | 0.6 | 0.6 | 22.6 | <0.01 | 0.07 | 0.2 |
| I316310 | | 0.48 | 17.0 | 650 | 5.0 | 9.9 | <0.001 | 0.07 | 0.34 | 0.7 | 0.7 | 0.4 | 13.4 | <0.01 | 0.04 | <0.2 |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

www.alsglobal.com

SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Total # Pages: 7 (A - D)

Plus Appendix Pages

Finalized Date: 24-SEP-2010

Account: EIASQI

Project: SQL10-06

CERTIFICATE OF ANALYSIS WH10122682

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122682

| Method | CERTIFICATE COMMENTS |
|------------------------|---|
| ALL METHODS ME-MS41 | NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |