



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KLONDIKE SILVER
711 - 675 WEST HASTINGS STREET
VANCOUVER BC V6B 1N2

Page: 1
Finalized Date: 6-SEP-2010
This copy reported on
9-SEP-2010
Account: KLOSIL

CERTIFICATE WH10113323

Project: CN
P.O. No.:
This report is for 21 Rock samples submitted to our lab in Whitehorse, YT, Canada
on 16-AUG-2010.

The following have access to data associated with this certificate:

JOHN DE JONG

BILL MANN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-TL42	Trace Level Au - 15 g AR	ICP-MS
ME-MS41	51 anal. aqua regia ICPMS	
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: KLONDIKE SILVER
ATTN: BILL MANN
19 HAYES CRES
WHITEHORSE YT Y1A 0E1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KLONDIKE SILVER
711 - 675 WEST HASTINGS STREET
VANCOUVER BC V6B 1N2

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-SEP-2010
Account: KLOSIL

Project: CN

CERTIFICATE OF ANALYSIS WH10113323

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-TL42 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I065022		0.33	0.010	0.28	1.29	180.5	<0.2	<10	110	0.31	0.68	0.11	0.36	18.35	5.6	27
I065023		0.06	>1.00	>100	0.36	>10000	1.2	<10	80	0.74	901	0.10	25.5	16.70	10.2	5
I065024		0.30	0.051	57.6	1.92	4050	<0.2	<10	440	0.45	159.0	0.32	1.48	11.55	5.8	23
I065025		0.38	0.002	0.36	1.12	49	<0.2	<10	20	0.09	2.16	10.30	0.09	10.95	2.6	12
I065026		0.23	>1.00	27.4	0.05	>10000	4.2	<10	20	0.10	36.3	<0.01	1.14	1.66	0.3	6
I065027		0.38	0.026	0.23	1.01	139.5	<0.2	<10	90	0.48	1.14	0.31	1.31	50.6	2.1	6
I065028		0.68	0.029	3.00	1.89	241	<0.2	<10	20	0.54	3.05	1.52	2.96	9.62	2.6	141
I065029		0.49	0.009	0.15	1.08	10.3	<0.2	<10	30	0.32	0.20	5.51	0.16	6.63	2.4	6
I065030		0.27	0.004	0.12	0.39	25.3	<0.2	<10	30	0.07	0.13	0.48	0.19	2.26	14.9	65
I065031		0.35	0.512	6.96	0.53	4260	0.5	<10	400	0.62	0.15	0.23	35.1	53.7	14.5	12
I065032		0.30	0.006	0.07	0.70	25.4	<0.2	<10	100	0.08	0.05	0.88	0.20	3.16	9.6	69
I065033		0.51	0.003	0.12	0.75	29.8	<0.2	<10	40	0.17	0.33	1.08	0.21	5.63	4.4	9
I065034		0.55	>1.00	>100	0.16	>10000	2.6	<10	80	0.10	816	0.02	5.95	1.28	0.6	13
I065035		0.64	0.018	1.01	0.31	538	<0.2	<10	50	0.20	2.57	0.08	0.61	28.7	1.1	9
I065036		0.57	0.043	5.16	0.57	1385	<0.2	<10	80	0.44	12.80	0.13	0.30	39.7	1.4	3
I065037		0.70	0.004	0.27	0.04	83.6	<0.2	<10	<10	0.08	1.75	<0.01	0.06	0.71	0.7	12
I065038		0.57	0.004	0.21	0.18	72	<0.2	<10	10	0.06	0.51	17.55	0.21	2.59	0.8	19
I064732		0.20	0.001	0.03	0.57	4.6	<0.2	<10	90	0.14	0.07	7.70	0.15	21.5	4.1	4
I064734		0.61	0.002	0.23	2.34	9	<0.2	<10	320	0.45	0.12	13.85	0.81	22.4	9.4	9
I064735		0.27	0.003	0.12	1.17	23.6	<0.2	<10	2170	0.24	0.20	5.43	0.06	15.75	7.8	16
I064736		0.51	0.002	0.16	1.12	9	<0.2	<10	1720	0.22	0.09	20.8	1.49	27.2	5.0	6

Comments: ***Corrected Copy for Sample Description from g5022 - g5038, g4732 - g4736 to I065022 - I065038, I064732 - I064736***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KLONDIKE SILVER
711 - 675 WEST HASTINGS STREET
VANCOUVER BC V6B 1N2

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-SEP-2010
Account: KLOSIL

Project: CN

CERTIFICATE OF ANALYSIS WH10113323

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I065022		3.51	10.0	2.42	5.18	0.05	0.02	<0.01	0.034	0.20	8.5	38.6	0.59	753	0.34	0.02
I065023		2.10	4830	27.9	4.27	1.40	<0.02	0.26	1.950	0.13	12.4	9.5	0.02	159	41.3	0.05
I065024		5.06	251	3.61	7.48	0.07	0.02	0.01	0.229	0.80	5.4	27.6	0.82	300	0.92	0.09
I065025		0.63	31.9	10.60	7.26	0.27	0.22	0.01	0.678	0.01	3.3	2.9	0.04	2570	0.44	0.03
I065026		0.15	484	4.75	2.59	<0.05	<0.02	0.01	0.850	<0.01	1.1	1.2	<0.01	34	18.60	<0.01
I065027		3.36	101.0	2.04	6.77	0.08	0.18	<0.01	0.016	0.34	32.9	22.0	0.37	257	5.89	0.03
I065028		1.97	201	6.15	9.42	0.49	0.29	0.01	1.950	<0.01	4.9	16.6	0.62	2630	1.27	0.01
I065029		1.21	30.3	0.39	3.01	<0.05	0.10	<0.01	0.014	0.08	3.5	5.9	0.20	226	0.66	0.08
I065030		0.35	27.4	1.03	1.38	0.06	0.02	<0.01	0.040	0.03	0.9	2.5	0.72	513	0.12	0.03
I065031		1.70	136.0	8.19	1.80	0.14	0.06	0.03	0.446	0.17	32.9	1.7	0.10	4860	17.25	0.01
I065032		0.77	13.9	1.43	2.39	0.08	0.06	<0.01	0.012	0.05	1.6	3.4	1.00	418	0.14	0.07
I065033		0.18	3.0	1.27	3.06	0.08	0.23	<0.01	0.109	<0.01	2.5	4.5	0.37	731	0.31	0.01
I065034		0.18	1495	13.50	2.76	0.29	0.02	0.07	7.59	0.03	0.9	0.7	0.02	46	12.85	0.01
I065035		0.64	8.8	1.01	2.66	<0.05	<0.02	<0.01	0.026	0.08	9.8	5.2	0.11	1570	0.46	0.02
I065036		1.31	22.1	2.30	2.33	0.06	0.36	<0.01	0.146	0.21	20.7	2.0	0.08	1120	1.57	0.02
I065037		0.22	73.6	0.81	0.43	<0.05	<0.02	<0.01	0.066	0.01	0.5	0.3	<0.01	36	1.15	0.01
I065038		0.24	4.0	0.37	0.45	<0.05	0.02	<0.01	0.010	0.08	1.6	3.4	4.25	82	0.10	0.02
I064732		0.60	3.9	0.99	1.79	<0.05	0.04	<0.01	0.008	0.21	10.7	4.0	0.49	485	0.12	0.02
I064734		1.07	36.9	2.54	7.13	0.06	0.02	0.03	0.020	0.12	11.8	19.6	1.85	380	0.11	0.03
I064735		0.29	14.4	1.53	3.47	<0.05	<0.02	0.03	0.012	0.12	7.9	10.2	1.01	599	0.13	0.02
I064736		0.65	14.6	1.47	3.29	0.06	0.04	0.03	0.018	0.04	17.1	12.3	1.57	760	9.32	0.03

Comments: ***Corrected Copy for Sample Description from g5022 - g5038, g4732 - g4736 to I065022 - I065038, I064732 - I064736***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KLONDIKE SILVER
711 - 675 WEST HASTINGS STREET
VANCOUVER BC V6B 1N2

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-SEP-2010
Account: KLOSIL

Project: CN

CERTIFICATE OF ANALYSIS WH10113323

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I065022		0.36	9.7	440	81.0	29.0	<0.001	<0.01	0.67	6.9	0.2	0.4	6.9	<0.01	0.01	4.3
I065023		0.21	16.5	160	>10000	5.0	<0.001	1.77	370	5.2	42.4	6.5	83.7	<0.01	25.0	1.1
I065024		0.43	11.0	590	7300	56.9	<0.001	0.26	6.25	6.9	3.0	0.7	68.9	<0.01	4.21	2.5
I065025		0.48	1.2	370	49.8	3.1	<0.001	<0.01	0.21	5.1	0.5	14.2	14.2	0.01	0.24	0.8
I065026		0.09	0.4	80	461	1.8	<0.001	0.08	206	0.7	0.8	0.9	10.0	0.01	0.07	0.7
I065027		1.75	1.4	620	18.0	48.9	0.001	<0.01	0.93	3.9	0.4	1.2	51.4	0.01	0.02	33.7
I065028		0.57	5.4	40	2240	7.4	<0.001	<0.01	7.23	8.4	0.5	23.2	31.3	0.01	0.05	2.6
I065029		0.93	2.1	540	37.3	4.3	0.002	<0.01	0.43	1.2	0.6	0.4	207	<0.01	<0.01	1.5
I065030		0.10	8.6	160	42.2	2.1	<0.001	0.05	0.20	5.3	0.3	0.4	9.4	<0.01	0.02	0.3
I065031		0.07	99.6	720	1285	19.0	0.001	0.02	549	4.5	2.6	0.5	20.1	0.01	0.12	3.5
I065032		0.08	6.6	760	10.9	3.4	<0.001	0.05	1.62	6.5	0.2	0.2	26.4	<0.01	0.01	0.4
I065033		0.82	4.4	200	27.3	0.7	<0.001	<0.01	3.40	1.9	0.2	0.4	53.7	<0.01	0.01	1.0
I065034		0.21	1.3	1470	>10000	3.0	0.001	2.78	614	2.3	34.8	9.4	2.8	<0.01	4.13	0.4
I065035		0.11	2.0	360	388	9.2	<0.001	0.01	1.90	0.8	0.3	0.2	3.1	<0.01	0.03	8.0
I065036		0.06	1.3	810	2220	28.6	<0.001	0.04	8.33	1.6	0.7	0.4	5.3	<0.01	0.06	18.2
I065037		0.05	2.7	40	58.6	1.5	<0.001	0.01	0.63	0.2	0.2	<0.2	0.5	<0.01	0.01	0.2
I065038		0.05	9.8	190	81.4	3.7	<0.001	0.01	0.76	1.5	0.6	<0.2	71.7	<0.01	0.02	<0.2
I064732		0.05	2.5	360	6.4	10.3	<0.001	<0.01	0.10	2.8	0.3	<0.2	82.3	<0.01	0.01	3.1
I064734		0.06	5.0	700	8.6	6.5	<0.001	0.02	0.11	5.7	0.4	<0.2	225	<0.01	0.03	1.6
I064735		0.05	15.9	510	27.9	5.1	<0.001	0.06	0.33	2.7	<0.2	<0.2	128.5	<0.01	0.02	1.8
I064736		0.08	8.9	290	9.2	2.3	0.012	0.10	0.12	4.9	1.0	<0.2	251	<0.01	0.04	1.0

Comments: ***Corrected Copy for Sample Description from g5022 - g5038, g4732 - g4736 to I065022 - I065038, I064732 - I064736***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KLONDIKE SILVER
711 - 675 WEST HASTINGS STREET
VANCOUVER BC V6B 1N2

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-SEP-2010
Account: KLOSIL

Project: CN

CERTIFICATE OF ANALYSIS WH10113323

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm	Ag-OG46 Ag ppm	Pb-OG46 Pb %	Au-ICP21 Au ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001	0.001
I065022		0.043	0.26	0.48	62	0.05	5.55	86	0.5			
I065023		<0.005	1.11	16.40	6	0.17	10.60	1340	0.6	528	6.33	1.200
I065024		0.151	0.77	0.43	65	0.16	2.56	73	<0.5			
I065025		0.062	0.03	2.16	36	4.72	12.60	14	10.7			
I065026		<0.005	0.35	2.92	2	0.61	0.19	16	<0.5			4.23
I065027		0.115	0.38	10.45	39	0.50	7.11	83	5.3			
I065028		0.143	0.12	1.56	62	0.65	6.53	2700	7.1			
I065029		0.083	0.02	1.38	14	0.29	4.25	38	2.6			
I065030		0.033	0.02	0.09	28	<0.05	1.82	65	0.7			
I065031		<0.005	0.17	3.39	11	0.47	47.7	5420	1.6			
I065032		0.058	0.02	0.06	41	<0.05	2.79	57	1.0			
I065033		0.091	<0.02	2.65	11	0.24	4.75	42	5.7			
I065034		0.005	0.27	1.33	33	<0.05	0.81	39	0.7	343	14.60	2.52
I065035		<0.005	0.10	0.90	4	<0.05	5.52	51	<0.5			
I065036		<0.005	0.28	1.75	12	0.06	7.69	93	20.5			
I065037		<0.005	<0.02	1.00	1	0.08	0.44	16	<0.5			
I065038		<0.005	0.03	0.38	9	<0.05	5.06	13	1.3			
I064732		0.021	0.05	0.22	10	<0.05	6.55	19	1.8			
I064734		0.011	0.05	0.40	47	0.05	8.82	50	0.7			
I064735		<0.005	0.02	0.14	20	<0.05	4.36	39	<0.5			
I064736		<0.005	0.02	1.37	23	0.12	19.60	43	1.7			

Comments: ***Corrected Copy for Sample Description from g5022 - g5038, g4732 - g4736 to I065022 - I065038, I064732 - I064736***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: KLONDIKE SILVER
711 - 675 WEST HASTINGS STREET
VANCOUVER BC V6B 1N2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6-SEP-2010
Account: KLOSIL

Project: CN

CERTIFICATE OF ANALYSIS WH10113323

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).