

Silver Quest Resources Ltd.

**2010 GEOCHEMICAL REPORT ON THE
SIZZLER PROPERTY**

Located in the North Dawson Range Area
Dawson Mining District
NTS 115J/16
63°56" N Latitude; 138°18" W Longitude
Claims: CCR 1 – 36
Work Conducted August 6 – 8, 2010

-prepared for-

SILVER QUEST RESOURCES LTD.
Suite 1410, 650 West Georgia Street
Vancouver, British Columbia, Canada, V6B 4N8

-prepared by-

Darcy Baker, Ph.D.

EQUITY EXPLORATION CONSULTANTS LTD.
Suite 200, 900 West Hastings Street
Vancouver, British Columbia, Canada, V6C 1E5

April 3, 2011

TABLE OF CONTENTS

TABLE OF CONTENTS	1
LIST OF APPENDICES	1
LIST OF TABLES	1
LIST OF FIGURES	1
1.0 SUMMARY	2
2.0 INTRODUCTION	2
3.0 PROPERTY DESCRIPTION AND LOCATION	2
4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY	5
5.0 HISTORY	5
5.1 Previous Work	5
5.2 2010 Exploration Program	5
6.0 REGIONAL GEOLOGY AND MINERALIZATION	7
6.1 Geology	7
6.2 Mineralization	7
7.0 PROPERTY GEOLOGY AND MINERALIZATION	7
8.0 GEOCHEMISTRY	8
8.1 Rock Geochemistry	8
8.2 Soil Geochemistry	8
8.3 Silt Geochemistry	9
9.0 DISCUSSION AND CONCLUSIONS	9

LIST OF APPENDICES

Appendix A: Bibliography
Appendix B: Statement of Expenditures
Appendix C: Laboratory Certificates
Appendix D: Data Disc
Appendix E: Geologist's Certificates

LIST OF TABLES

Table 1: Sizzler Claims	2
-------------------------------	---

LIST OF FIGURES

Figure 1: Location Map	3
Figure 2: Tenure information	4
Figure 3: Regional Geology surrounding the Sizzler Property	6
Figure 4: Sample Locations	back pocket
Figure 5: Sizzler Interpreted Geology	back pocket
Figure 6a: Au Geochemistry	back pocket
Figure 6b: As Geochemistry	back pocket
Figure 6c: Sb Geochemistry	back pocket
Figure 6d: Mo Geochemistry	back pocket

1.0 SUMMARY

The work described in this report was conducted on the Sizzler property, comprising 36 quartz claims located in the White Gold district, Yukon.

Work in 2010 consisted of three days of geological mapping and collection of two silt, three rock and 337 soil samples. The soil sampling was designed to in-fill grid sampling from 1986 which returned some low-level anomalous samples including a rock sample returning 1.05 g/t Au.

In spite of poor outcrop exposure, mapping has shown that the Sizzler property is centred on an undeformed (Cretaceous or Jurassic?) feldspar±quartz porphyritic plutonic body which intruded into strongly deformed Paleozoic gneiss and schist. Soil sampling has delineated a cluster of several small Au or pathfinder metal anomalies across a 1.5 by 1.3 km area. The 2010 sampling delineated a Au anomaly with coincident As and Mo anomalies. No rock sampling has been completed within this anomaly so it is worthy of follow-up work. Elsewhere, isolated samples returned Au values up to 60 ppb Au so these should be evaluated as well. Local skarn occurs near the pluton / gneiss contact but seems to be barren.

2.0 INTRODUCTION

Equity Exploration Consultants Ltd (“Equity”) was contracted by Silver Quest Resources Ltd. (“Silver Quest”) to carry out the sampling work at on the Sizzler property as part of a larger exploration program focused at the Boulevard Property 50 km to the west.

3.0 PROPERTY DESCRIPTION AND LOCATION

The Sizzler property (Yukon MINFILE number 115J 098) is located on an upper headwater part of Cripple Creek about 7 km NE of Selwyn Dome in west-central Yukon. The property claim block is centered at 62°56'20" N latitude and 138°18'07" W longitude (Figure 1).

The claim block comprises 36 contiguous quartz claims of the CCR group and covers an area of 748 hectares in the Dawson Mining District (Table 1, Figure 2). The claims were staked in June 2009 by the group of owners listed in Table 1 and subsequently acquired by Silver Quest as part of an option agreement involving the VO property as detailed in a Silver Quest press release dated August 21, 2009.

Table 1: Sizzler Claims

Grant Numbers	Claim Names	Staking Date	Expiry Date	Owners
YC95245 – YC95280	CCR 1 – 36	2009-06-03	2012-11-03	Mark Fekete (25%) Farrell J. Andersen (25%) Carl Michael Schulze (25%) Jackie Ziehe (25%)



0 150 300
kilometers




Silver Quest Resources Ltd.

**Sizzler Project
LOCATION
MAP**



Date:	FEB 2011	Scale:	1:7,000,000	Figure
U.T.M. Zone	UTM7 - NAD83	Mining District	WHITEHORSE	1
N.T.S.	115J/13	State/Province	YUKON	



2 km

Silver Quest Resources Ltd.

Sizzler Project Tenure Map



Date: FEB 2011	Scale: 1:50,000	Figure
U.T.M. Zone 11N	Mining District Whitehorse	2
N.T.S. 115N/01, 115O/04	Province Yukon	

4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY

Primary access to the property is by helicopter from Dawson City. Supplies can be flown to the Thistle or Ballarat airstrips near the Yukon River to the west. Alternatively, several boat operators in Dawson City and a barge operating out of Minto Landing are available for hire to transport supplies to points along the Yukon River where they can be subsequently mobilized by helicopter to the property. During the 2010 program, personnel and supplies were mobilized from the Boulevard camp, 50 km to the west.

The topography of the area is characterized by rolling hills typical of the Dawson Ranges. Vegetation is sparse, with lower elevations covered by spruce, birch, aspen, alder and willow, whereas higher elevations have thick moss, grasses and scrub birch. Creek valleys are filled with thick willow and alder thickets. North-facing slopes locally exhibit permafrost, which complicates soil sampling. South-facing slopes are more typically vegetated by deciduous trees such as aspen and birch. Drainage systems vary from well channelled, discrete streams to swamps in broader, flat-bottomed valleys.

The area has a sub-arctic continental climate, with cold winters and cool, wet summers. Exploration can be carried out from June until October.

5.0 HISTORY

5.1 Previous Work

Kerr Addison Mines Ltd. staked claims over the Sizzler property in 1985 following discovery of quartz stringer veins and silicified breccias near the headwaters of three placer creeks. Kerr Addison completed geological mapping, rock and soil sampling during 1985 and 1986 (Pautler, 1986) within a 1.0 by 0.6 km grid. Two rock samples returned 1050 ppb and 400 ppb Au from the southwest margin of the silicified zone but soil geochemistry did not identify significant anomalies.

After optioning the property in 2009, Silver Quest collected 54 soil samples over two small grid areas (Johnston, 2010).

The bedrock geology of the region was most recently compiled by Gordey and Makepeace (1999); the section of this map which shows the geology underlying the Sizzler property is shown in Figure 3.

5.2 2010 Exploration Program

Work in 2010 on the Sizzler property included digital compilation of silt, rock, soil and geological data from Pautler (1986) prior to the field season, and soil, rock and silt sampling and geological mapping in early August, 2010.

Soil sampling was completed along north-south trending grid lines to in-fill the 1986 soil grid and along reconnaissance contour lines near the Sizzler Creek, located in the centre of the property. Soil sample spacing is 50 m along the grid lines and 100 m along the contour lines. Two silt samples and four rocks samples were also collected (see Figure 4 for sample locations).

Samples were submitted to the ALS Laboratory Group preparation facility in Whitehorse and were analysed for a 51-element high precision suite (ME-MS41) and gold by 30 g fire assay (Au-AA23). Assay certificates of analysis are presented in an Appendix at the end of this report. Rock and silt sample sites are marked with blue and pink flagging tape, and a metal tag inscribed with the sample number. Soil sample sites are marked with blue and orange flagging and a Tyvek tag. All sample locations for silt, soil and rock samples were recorded by hand-held GPS.


A magnetic declination of 22° E was used for all compass measurements. All maps and UTM coordinates are referenced to the 1983 North American Datum (NAD-83; Zone 7).

Regional Stratigraphy

Q	Quaternary silt/sand/gravel
IES2	Lower Eocene misc clastics/tuff/breccia/dacite/rhyolite/flows/dykes/sills
DMgPW	Late Devonian to Mississippian orthogneiss/amphibolite/quartz-mica-schist/phyllite
DMN3	Devonian, Mississippian and(?) older quartzite/qt-ms-schist

Intrusive Rocks

ETqN	Early Tertiary granite/quartz monzonite
EJgA	Early Jurassic granodiorite/diorite/monzodiorite
EJqL	Early Jurassic quartz monzonite



Silver Quest Resources Ltd.

Sizzler Project REGIONAL GEOLOGY

Geology from Colin & Makepeace

EQUITY	Date:	MAR 2011	Scale:	1:100,000	Figure
	U.T.M. Zone	UTM7 - NAD83	Mining District	WHITEHORSE	3
	N.T.S.	115J/13	State/Province	YUKON	

6.0 REGIONAL GEOLOGY AND MINERALIZATION

6.1 Geology

The Sizzler property is located within the Yukon-Tanana Terrane in west-central Yukon (Colpron, 2006), a pericratonic terrane of continental affinity that occupies a position between the ancestral continental margin of North America and outboard accreted terranes. The pericratonic terranes were accreted in the Early Jurassic, while subsequent outboard exotic terranes began accreting in the early to mid-Cretaceous. At this time, the pericratonic package was intruded by a voluminous, northwest-to southeast-trending plutonic suite, referred to as the Dawson Range plutonic belt by Hart et al. (2004) (Klotassin batholith of Templeman-Kluit, 1974).

Regional-scale geological compilation maps (Gordey and Makepeace, 1999) show that the Sizzler property is centred on a triple junction between Nasina, Klondike Shist and Jurassic plutonic rocks (Figure 3).

6.2 Mineralization

Good examples of gold mineralization occur 60 km northwest of the Sizzler property at the Golden Saddle zone and about 40 km west at the Coffee Property. Mineralization at the Golden Saddle is associated with an E-W, steeply north-dipping normal fault formed during middle Cretaceous to early Tertiary extension (MacKenzie et al., 2010). This structure is tectonically late (post-dates ductile deformation fabrics) and forms the boundary between two broadly different Permian amphibolite-facies metamorphic rock packages – one to the south of predominantly quartzite (with minor marble and quartz-pebble conglomerate) and one to the north comprising hornblende, biotite and felsic gneiss. Gold mineralization and associated alteration are strongly controlled by rock type with more brittle and coherent quartzite and felsic gneiss units hosting much higher grade gold (MacKenzie et al., 2010). Hornblende and biotite gneissic rocks seemingly did not fracture as proficiently and therefore are much poorer host-rocks for gold. Quartz veins are not common at Whitegold but gold is hosted predominantly in fractures and minor quartz breccias with a strong pyrite-gold association.

The Coffee property is a recent discovery which has returned drill intercepts of 17.1 g/t Au over 15.5 m and 6.3 g/t Au over 35 m within a 15 km long Au in soil anomaly. Unlike at Golden Saddle, however, gold is hosted in both N-S and E-W trending structures at Coffee (Carpenter, 2011) but at both locations gold-bearing structures overprint regional gneissic and schistose deformation fabrics indicating that gold is tectonically late. Gold-bearing zones at Coffee are characterised by silicification plus sericite-clay alteration with variable As-Ag-Sb-Ba-Mo enrichment but the dominant sulphide phase is arsenic-rich pyrite. Like at the Golden Saddle, gold mineralization at Coffee is hosted by many different rock-types including augen orthogneiss, hornblende-biotite granite, schist and dacite dykes.

7.0 PROPERTY GEOLOGY AND MINERALIZATION

Outcrop is poorly distributed on the Sizzler property (Figure 5). Excellent outcrop and subcrop is present on the ridges above Sizzler Creek. Much of this outcrop lies along a 1.5 km-long E-W ridge that is off the claim boundary to the north by some hundreds of metres. Good outcrop and subcrop extend south along the western, open (burnt) ridge, for about 1 km. The upper parts of the eastern ridge equally have good outcrop, but only for about 300 m south into the claim block.

Elsewhere, outcrop and subcrop are entirely absent and mapping was undertaken using float. Fortunately, float is abundant downslope from the western ridge towards Sizzler Creek. This area of float contains the best examples of alteration (epidote-muscovite-quartz) overprinting quartz-feldspar and feldspar porphyritic dykes (QFPO and FSPO, Figure 5) and gneissic rocks (GNSS) and the area coincides with patchy high As in soil samples.

Rock types include gneiss (GNSS) and schist (SCHT) representing the older, well-foliated package of Paleozoic biotite- and garnet-amphibolite-facies metamorphic rocks. GNSS may include dioritic igneous precursors containing hornblende-biotite-feldspar-quartz while other GNSS varieties are quite siliceous and consist dominantly of quartz and biotite. Small, euhedral red garnet is conspicuous in GNSS near

636300/6981600, where it is commonly overprinted by abundant apidote-actinolite-chlorite comprising a skarn-like retrograde assemblage.

SCHT is dominated by biotite-muscovite-quartz, although quite mafic SCHAT is present north of the claims near 636680/6983500. GNSS and lesser SCHAT occupy north-trending belts that form the ridges west and east of Sizzler Creek headwaters. The dominant foliation (S1) strikes generally NW (range 306-354°) and dips moderately to the NE (56-63°). Rare, tight mesoscopic moderately north-plunging folds re-fold the gneissosity at 637130/6983480 (F1 plunges 45° towards 013°).

FSPO and QFPO form broad, N-trending bodies that intrude the Paleozoic metamorphic rocks. These bodies are undeformed and largely unaltered, except as indicated above, for a north-trending zone at least 200 m long, along the contact between the porphyries and the western GNSS belt, near 636350/6981550. Intense epidote alterations, accompanied by sericite-quartz overprint QFPO and FSPO in this area and also overprint garnet-diopside „skarn“ in the GNSS upslope from the porphyry subcrop and float.

At the Sizzler property, no metallic phases were identified in 2010. However, grab samples were taken of highly epidote-altered „skarn“ GNSS and QFPO (sample numbers I034201-I034203). Veining is rare in float from the alteration zone, suggesting that the hydrothermal system responsible for the epidote-sericite-chlorite-actinolite-quartz assemblage may be small. Nevertheless, this zone should be the target for data synthesis, using current and previous soil, and rock-chip geochemistry.

8.0 GEOCHEMISTRY

8.1 Rock Geochemistry

None of the three rock samples collected returned significant values for Au, As, Sb, Mo or other metals (Figures 6a – 6d). The highest gold value from 2010 is 11 ppb Au whereas previous rock samples returned highest Au results of 1.05 g/t Au and 0.4 g/t Au (Pautler, 1986). Most rock samples collected from the property have returned below detection for Au.

8.2 Soil Geochemistry

During the 2010 program, 337 soil samples were collected from in-fill grid lines and from reconnaissance-type contour lines adjacent to Sizzler Creek. The grid sampling was designed to in-fill areas of elevated metals within the 1986 soil grid. Combined, the 1986, 2009 and 2010 soil sample datasets now comprise 604 soil samples.

The soil results have been compared with a larger (14,000+ samples) database of soil samples from numerous Silver Quest properties across the Dawson Range. Based on this larger dataset, several small regions of anomalous Au, As, Sb and Mo exist across a 1.5 by 1.3 km region near a region underlain by gneiss but surrounded to the east and west by porphyry (Figure 5). In general, the values are not significantly elevated but are considered anomalous based on the larger regional database.

The most significant individual soil anomaly occurs adjacent to Sizzler Creek within one of the 2009 soil grids (Johnston, 2010) near a 2009 silt sample which returned elevated As (15 ppm) and Au (25 ppb). Here, a cluster of seven samples on three lines returned 15 to 25 ppb Au (Figure 6a). Partly coincident with this Au anomaly are smaller As and Mo anomalies. The anomaly is open to the north and no rock samples have been collected within this anomaly.

Considered in isolation, these data were not considered significant (Johnston, 2010), however, in comparison with the large soil sample database, this area does stand out. This anomaly should be prospected and the soil coverage extended to the north.

A single soil line anomaly from 2010 north of the 1986 grid has two adjacent soil samples which returned 20 and 33 ppb Au and should be followed up with further soil sampling. Most other anomalies are single element type anomalies. Two isolated samples returned 60 and 27 ppb Au and are also worthy of prospecting.

8.3 Silt Geochemistry

Two silt samples were collected from creeks on the Sizzler property in 2010 (Figures 4, 6a – d). Compared with results from Silver Quest's proprietary database of 752 silt samples from across the region, both samples low values of elements of interest.

9.0 DISCUSSION AND CONCLUSIONS

The Sizzler property is an early-stage prospect which shows local anomalous Au and pathfinder element concentrations in soil, silt and rock samples. The property is centred on a body of undeformed felsic porphyry which locally is altered. This intrusive body intruded highly strained Paleozoic gneiss and schist but the age of the intrusive body is difficult to constrain. It could be part of the Dawson Range batholith (Cretaceous) but some Jurassic plutonic rocks in the region have also escaped strong deformation (pers. comm. Jim Mortensen 2010). Either way, the coincidence of elevated geochemistry near a gneiss / pluton contact is a prospective location for gold mineralization in the Dawson Range.

In particular, the cluster of elevated Au-in-soil samples near Sizzler Creek with local elevated As and Mo should be prospected and mapped and the soil coverage should be expanded to the north. Several isolated Au in soil samples returned elevated Au values and should be prospected.

The skarn-like assemblages recognized near the gneiss / pluton contact do not coincide with elevated soil geochemistry and are probably barren.

The Sizzler property is worthy of follow-up prospecting and soil sampling. Mapping within the lower parts of the Sizzler Creek drainage is challenging owing to a lack of outcrop.

Respectfully submitted,

Darcy Baker Ph.D., P.Geo.

EQUITY EXPLORATION CONSULTANTS LTD.

Vancouver, British Columbia

April 3, 2011

Appendix A: Bibliography

- Carpenter, R. (2011), Geology of New Lode Gold Discoveries in the Coffee Creek Area; White Gold District, West-Central Yukon: Mineral Exploration Roundup 2011, Vancouver, BC, 2011, p. 48-50.
- Colpron, M. (2006), Tectonic assembly map of the Yukon -- Tanana and related terranes in Yukon and British Columbia (1:1,000,000), Yukon Geological Survey Open File 2006-1.
- Gordey, S. P., and Makepeace, A. J. (1999), Yukon digital geology, Geological Survey of Canada, Open File D3826.
- Hart, J. R., Goldfarb, R., Lewis, L. L., and Mair, J. L. (2004), The northern Cordilleran mid-Cretaceous plutonic province: Ilmenite/magnetite-series granitoids and intrusion-related mineralization: Resource Geology, v. 54, p. 253-280.
- Johnston, K. (2010), 2009 Geochemical Soil Sampling on the Sizzler Property, Silver Quest Resources Ltd., Assessment Report, p. 20.
- MacKenzie, D., Craw, D., Cooley, M., and Fleming, A. (2010), Lithogeochemical localization of disseminated gold in the White River area, Yukon, Canada: Mineralium Deposita, v. 45, p. 683-705.
- Pautler, J. (1986), Geological and Geochemical Report on the Sizzler Claims, Kerr Addison Mines Ltd., Assessment report 091866, p. 32.
- Templeman-Kluit, D. J. (1974), Reconnaissance geology of Aishihik Lake, Snag and part of Stewart River am-areas, west-central Yukon (115H, 115K-J and 115N-O), Geological Survey of Canada, Paper 73-41, p. 97.

Appendix B: Statement of Expenditures

STATEMENT OF EXPENDITURES
SIZZLER (CCR 1 - 36 claims)

	number	rate	cost
rock samples	3	\$28.00	\$84.00
silt samples	2	\$28.00	\$56.00
soil samples	337	\$28.00	\$9,436.00
Prospector/mapping days	3	\$475.00	\$1,425.00
Sampler days	10	\$275.00	\$2,750.00
camp/shared costs per man day	13	\$441.48	\$5,739.23
Heli hours (wet)	4.50	\$1,324.00	\$5,958.00
			<u>\$25,448.23</u>
Project Supervision		12.00%	<u>\$3,053.79</u>
			<u>\$28,502.02</u>

36 claims

\$791.72 per claim

Work completed between August 6 & 9, 2010

Appendix C: Laboratory Certificates



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **2-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10113327

Project: SQI10-06

P.O. No.: SQI10-06_21

This report is for 250 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314001		0.38	<0.005	0.09	2.03	9.8	<0.2	<10	160	0.32	0.22	0.17	0.10	18.05	8.3	27
I314002		0.26	0.006	0.09	1.41	9.8	<0.2	<10	110	0.23	0.21	0.12	0.08	18.20	4.3	23
I314003		0.30	<0.005	0.09	2.41	12.6	<0.2	<10	220	0.44	0.23	0.13	0.20	17.75	11.5	34
I314004		0.34	<0.005	0.14	2.41	12.5	<0.2	<10	170	0.48	0.21	0.11	0.13	17.65	8.8	39
I314005		0.36	<0.005	0.18	2.61	6.6	<0.2	<10	180	0.49	0.14	0.16	0.10	11.00	11.3	27
I314006		0.40	<0.005	0.10	1.88	5.0	<0.2	<10	250	0.40	0.12	0.35	0.11	11.30	11.7	18
I314007		0.32	<0.005	0.12	1.87	9.9	<0.2	<10	250	0.40	0.19	0.23	0.10	14.95	9.4	28
I314008		0.42	<0.005	0.12	1.56	7.0	<0.2	<10	260	0.33	0.13	0.34	0.11	14.30	10.4	22
I314009		0.36	<0.005	0.10	1.56	5.8	<0.2	<10	370	0.34	0.15	0.40	0.12	16.75	11.0	22
I314010		0.36	<0.005	0.21	1.46	6.2	<0.2	<10	410	0.45	0.19	0.46	0.11	17.75	11.0	24
I314011		0.34	0.010	0.20	1.43	6.2	<0.2	<10	410	0.45	0.20	0.45	0.11	16.30	10.9	23
I314012		0.36	0.005	0.11	1.56	5.9	<0.2	<10	440	0.51	0.20	0.37	0.22	14.50	9.7	26
I314013		0.38	<0.005	0.16	1.43	7.9	<0.2	<10	420	0.52	0.17	0.37	0.10	17.55	8.2	26
I314014		0.32	<0.005	0.12	1.97	4.1	<0.2	<10	170	0.49	0.12	0.32	0.10	12.40	11.2	21
I314015		0.32	0.006	0.17	1.67	5.4	<0.2	<10	280	0.35	0.13	0.45	0.13	12.25	9.5	27
I314016		0.44	<0.005	0.07	1.49	6.1	<0.2	<10	210	0.35	0.15	0.32	0.11	14.90	7.2	27
I314017		0.40	0.008	0.19	1.39	8.0	<0.2	<10	280	0.58	0.26	0.34	0.33	19.85	10.0	28
I314018		0.40	0.006	0.17	1.61	6.7	<0.2	<10	280	0.47	0.15	0.49	0.23	17.45	10.7	31
I314019		0.36	<0.005	0.15	1.59	6.3	<0.2	<10	420	0.56	0.20	0.37	0.46	17.85	12.3	28
I314020		0.08	<0.005	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	1.22	0.1	1
I314021		0.32	<0.005	0.26	1.73	5.9	<0.2	<10	260	0.54	0.17	0.40	0.12	21.9	11.5	32
I314022		0.32	<0.005	0.14	1.71	5.7	<0.2	<10	210	0.52	0.21	0.46	0.12	23.0	10.5	27
I314023		0.36	<0.005	0.16	1.59	8.8	<0.2	<10	220	0.86	0.30	0.45	0.10	30.8	26.2	26
I314024		0.48	0.005	0.05	1.44	5.8	<0.2	<10	150	0.62	0.17	0.53	0.05	19.00	9.0	18
I314025		0.38	0.006	0.09	1.88	5.6	<0.2	<10	210	0.86	0.29	0.57	0.11	21.9	8.4	27
I314026		0.32	0.016	0.14	1.56	4.4	<0.2	<10	300	0.57	0.21	0.40	0.22	19.55	9.1	25
I314027		0.42	0.006	0.08	1.78	6.9	<0.2	<10	140	0.59	0.18	0.37	0.11	16.20	9.0	27
I314028		0.40	0.010	0.06	1.73	11.1	<0.2	<10	210	0.59	0.19	0.29	0.06	21.2	9.7	28
I314029		0.34	0.011	0.15	1.14	7.3	<0.2	<10	170	0.54	0.25	0.28	0.19	17.00	5.8	21
I314030		0.38	0.010	0.10	1.30	10.4	<0.2	<10	150	0.52	0.23	0.24	0.10	17.75	6.2	22
I314031		0.36	0.007	0.31	1.65	13.7	<0.2	<10	160	0.37	0.19	0.18	0.06	15.45	6.4	26
I314032		0.52	0.020	0.06	1.34	7.4	<0.2	<10	150	0.42	0.14	0.29	0.07	17.25	7.5	22
I314033		0.34	0.033	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314034		0.36	0.005	0.22	1.84	6.5	<0.2	<10	140	0.26	0.33	0.35	0.16	16.20	8.5	20
I314035		0.32	0.005	0.55	1.87	5.4	<0.2	<10	250	0.44	0.28	0.54	0.59	24.7	9.5	26
I314036		0.24	0.016	0.26	1.71	13.4	<0.2	<10	170	0.30	0.14	0.27	0.16	21.6	9.2	23
I314037		0.40	<0.005	0.09	2.19	7.8	<0.2	<10	240	0.25	0.08	0.32	0.07	14.10	12.7	26
I314038		0.44	<0.005	0.08	2.70	7.3	<0.2	<10	170	0.37	0.06	0.40	0.09	11.05	19.6	15
I314039		0.44	<0.005	0.07	1.90	9.8	<0.2	<10	130	0.27	0.11	0.22	0.09	19.35	10.6	24
I314040		0.20	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314001		2.18	15.0	3.38	7.74	<0.05	0.06	0.02	0.029	0.06	9.2	18.2	0.47	246	1.68
I314002		1.52	11.4	2.79	7.21	<0.05	0.02	0.01	0.023	0.05	9.4	9.4	0.28	122	0.99
I314003		2.15	18.6	4.51	8.78	0.05	0.04	0.01	0.034	0.05	8.8	20.8	0.55	394	1.56
I314004		1.79	19.1	3.53	6.85	0.05	0.05	0.03	0.038	0.06	8.9	18.2	0.45	273	1.36
I314005		3.47	18.5	3.81	7.34	0.06	<0.02	0.02	0.024	0.13	5.8	21.7	0.59	300	0.98
I314006		3.19	11.1	3.14	7.54	0.05	<0.02	0.02	0.021	0.08	5.7	17.4	0.54	775	0.97
I314007		1.42	9.3	3.31	7.87	0.06	<0.02	0.02	0.025	0.08	7.8	15.1	0.47	645	1.24
I314008		1.36	8.3	2.98	6.75	0.05	<0.02	0.02	0.022	0.09	6.8	11.5	0.48	714	0.96
I314009		1.71	9.2	2.93	6.52	0.06	<0.02	0.01	0.027	0.14	8.1	14.1	0.53	1250	0.81
I314010		1.75	11.1	2.63	5.67	0.06	<0.02	0.02	0.020	0.14	8.9	9.3	0.40	1980	1.07
I314011		1.77	10.8	2.61	5.49	0.06	<0.02	0.02	0.021	0.15	8.2	10.0	0.40	1830	0.99
I314012		0.84	9.8	2.53	5.52	0.05	<0.02	0.04	0.022	0.08	7.1	9.0	0.39	1120	0.71
I314013		1.15	10.1	2.34	4.76	0.05	<0.02	0.02	0.018	0.11	8.7	9.5	0.40	680	0.81
I314014		3.09	24.1	3.87	9.01	0.07	<0.02	0.01	0.034	0.20	5.8	21.0	0.75	684	0.80
I314015		1.40	13.9	2.94	5.77	0.05	<0.02	0.01	0.023	0.14	5.9	12.7	0.53	709	0.74
I314016		0.55	9.5	2.49	5.08	0.05	0.03	0.02	0.018	0.13	7.8	8.6	0.38	441	0.90
I314017		1.91	12.9	2.63	4.94	0.06	0.02	0.01	0.021	0.13	9.1	9.6	0.43	625	0.80
I314018		1.04	14.0	2.79	5.52	0.05	0.02	0.02	0.024	0.11	7.9	10.0	0.46	779	0.74
I314019		0.80	12.0	2.67	5.55	0.05	<0.02	0.01	0.021	0.10	8.2	9.6	0.41	1610	0.88
I314020		<0.05	0.7	0.02	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.6	0.1	<0.01	<5	<0.05
I314021		1.10	14.0	3.01	6.04	0.07	0.05	0.02	0.025	0.18	9.8	11.1	0.52	926	0.75
I314022		1.35	16.6	2.91	6.14	0.07	<0.02	0.02	0.026	0.16	10.8	11.9	0.49	722	0.74
I314023		3.36	12.9	2.96	5.48	0.09	0.02	0.05	0.024	0.06	15.6	12.4	0.45	1250	1.36
I314024		2.95	7.9	2.40	5.15	0.07	<0.02	0.02	0.016	0.04	10.4	14.8	0.51	385	0.61
I314025		3.70	13.8	2.36	6.24	0.08	0.03	0.04	0.021	0.06	12.1	17.4	0.57	289	0.73
I314026		3.98	14.3	2.03	6.32	0.07	<0.02	0.04	0.021	0.07	11.7	11.5	0.38	772	1.45
I314027		3.76	12.0	2.65	6.22	0.07	<0.02	0.02	0.019	0.05	9.0	16.3	0.58	331	0.83
I314028		3.16	18.4	2.66	6.82	0.08	<0.02	0.02	0.019	0.06	11.6	16.8	0.51	278	1.07
I314029		2.25	13.9	1.76	5.88	0.05	<0.02	0.03	0.013	0.08	9.7	5.6	0.27	491	1.30
I314030		2.37	11.3	2.27	6.20	0.06	<0.02	0.02	0.015	0.06	9.3	9.3	0.35	389	1.26
I314031		1.58	11.4	2.87	6.46	0.05	0.03	0.02	0.020	0.09	8.1	14.2	0.34	215	1.27
I314032		1.49	11.8	2.41	4.73	0.06	<0.02	0.02	0.016	0.09	8.9	14.3	0.50	282	0.74
I314033		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314034		2.76	79.4	3.19	8.67	0.07	0.02	0.02	0.035	0.13	8.1	12.1	0.82	309	1.62
I314035		4.82	24.4	2.61	7.41	0.08	0.02	0.08	0.025	0.06	13.0	14.3	0.59	434	1.13
I314036		2.82	21.5	2.70	6.73	0.07	0.02	0.04	0.020	0.11	11.0	11.2	0.56	195	1.23
I314037		4.64	28.1	3.43	9.32	0.09	0.02	0.01	0.012	0.45	6.6	16.8	1.11	350	0.95
I314038		5.13	29.9	5.00	9.73	0.09	0.02	0.01	0.014	0.29	4.6	29.0	1.15	578	0.69
I314039		3.03	17.4	4.10	8.85	0.09	0.05	0.01	0.021	0.38	9.0	19.6	0.75	412	0.93
I314040		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314001		1.55	13.4	390	11.8	10.1	<0.001	<0.01	0.51	3.8	0.2	0.6	15.7	<0.01	0.03
I314002		1.41	8.3	420	10.8	8.3	<0.001	<0.01	0.44	2.7	0.2	0.7	12.9	<0.01	0.02
I314003		2.18	16.5	830	11.7	12.9	<0.001	<0.01	0.64	4.0	0.3	0.6	14.1	0.01	0.04
I314004		1.96	21.3	530	10.9	11.5	<0.001	0.01	0.70	4.0	0.4	0.6	11.4	0.01	0.03
I314005		1.56	13.0	440	8.0	20.3	<0.001	<0.01	0.35	3.7	0.3	0.5	13.9	<0.01	0.02
I314006		0.95	10.1	340	6.5	17.6	<0.001	<0.01	0.33	5.2	0.2	0.6	24.2	<0.01	0.03
I314007		1.39	13.7	470	8.9	12.7	<0.001	<0.01	0.46	4.0	0.3	0.7	18.8	<0.01	0.03
I314008		1.04	11.0	360	6.5	12.3	<0.001	<0.01	0.36	4.1	0.2	0.5	23.0	<0.01	0.02
I314009		0.98	12.9	390	5.9	16.4	<0.001	<0.01	0.41	4.4	0.3	0.5	26.2	<0.01	0.03
I314010		1.16	15.0	240	10.3	13.9	<0.001	<0.01	0.42	4.1	0.3	0.7	34.0	<0.01	0.03
I314011		1.14	14.7	250	10.4	14.9	<0.001	<0.01	0.42	4.0	0.3	0.6	32.0	<0.01	0.02
I314012		1.04	16.9	470	14.5	5.7	<0.001	<0.01	0.35	3.3	0.3	0.5	27.5	<0.01	0.03
I314013		0.91	15.0	560	10.0	7.6	<0.001	<0.01	0.34	3.1	0.3	0.4	26.4	<0.01	0.02
I314014		1.07	11.1	900	9.4	19.2	<0.001	<0.01	0.47	6.6	0.3	0.6	16.7	<0.01	0.03
I314015		1.13	15.0	460	7.7	14.3	<0.001	<0.01	0.40	4.3	0.2	0.5	26.5	<0.01	0.03
I314016		1.23	15.2	280	10.2	7.0	<0.001	<0.01	0.36	3.2	0.2	0.6	23.1	<0.01	0.02
I314017		1.00	15.9	300	19.9	16.8	<0.001	<0.01	0.47	5.8	0.3	0.4	22.0	<0.01	0.02
I314018		1.19	18.2	490	10.9	10.0	<0.001	<0.01	0.43	5.0	0.3	0.5	29.4	<0.01	0.03
I314019		1.19	17.8	440	14.3	10.0	<0.001	<0.01	0.34	4.4	0.3	0.5	27.9	<0.01	0.02
I314020		<0.05	0.3	10	0.4	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	0.01
I314021		1.15	18.7	320	10.9	19.2	<0.001	<0.01	0.36	6.2	0.4	0.5	26.2	<0.01	0.03
I314022		1.17	14.9	330	13.1	20.9	<0.001	<0.01	0.39	6.0	0.3	0.5	29.6	<0.01	0.02
I314023		2.11	15.0	730	14.7	17.4	<0.001	0.01	0.40	4.8	0.8	0.7	32.8	0.01	0.04
I314024		1.32	10.4	880	7.5	10.0	<0.001	<0.01	0.27	3.5	0.4	0.5	27.2	<0.01	0.01
I314025		2.17	16.1	560	10.0	16.9	<0.001	<0.01	0.35	4.6	0.6	0.7	31.4	<0.01	0.03
I314026		1.51	15.0	670	8.6	19.0	<0.001	0.01	0.25	4.2	0.6	0.6	29.3	<0.01	0.03
I314027		1.91	15.9	560	7.8	16.5	<0.001	<0.01	0.35	3.8	0.4	0.7	22.7	<0.01	0.03
I314028		2.02	14.9	380	9.1	17.7	<0.001	<0.01	0.43	4.8	0.6	0.9	20.3	<0.01	0.02
I314029		1.74	11.4	490	9.8	17.6	<0.001	<0.01	0.38	2.2	0.5	0.9	21.1	<0.01	0.02
I314030		2.04	11.1	400	10.5	16.9	<0.001	<0.01	0.41	2.5	0.3	0.8	17.9	<0.01	0.03
I314031		1.60	12.7	260	9.1	8.3	<0.001	<0.01	0.40	3.0	0.3	0.6	16.7	<0.01	0.04
I314032		1.59	13.6	500	6.9	12.2	<0.001	<0.01	0.32	2.9	0.3	0.4	18.7	<0.01	0.02
I314033		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314034		2.11	9.8	690	9.1	25.2	<0.001	0.02	0.31	4.0	0.4	1.1	19.6	<0.01	0.10
I314035		1.44	13.4	890	11.2	15.1	<0.001	0.05	0.33	5.7	0.8	0.8	36.1	<0.01	0.02
I314036		1.19	12.3	720	8.4	11.9	<0.001	0.03	0.42	4.8	0.6	0.4	20.8	<0.01	0.03
I314037		1.91	10.4	670	4.7	34.1	<0.001	0.01	0.25	4.8	0.3	0.4	17.7	<0.01	0.02
I314038		0.66	7.2	1040	5.2	19.9	<0.001	0.01	0.31	5.2	0.3	0.2	20.1	<0.01	0.02
I314039		2.15	12.0	920	6.6	26.6	<0.001	0.01	0.34	6.3	0.3	0.5	14.4	<0.01	0.03
I314040		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314001		0.089	0.09	0.46	81	0.21	2.62	54	2.7
I314002		0.078	0.09	0.45	69	0.21	2.45	31	0.6
I314003		0.115	0.11	0.47	100	0.34	2.37	66	1.6
I314004		0.083	0.10	0.52	72	0.30	2.61	54	1.9
I314005		0.114	0.14	0.31	86	0.20	1.95	81	0.9
I314006		0.043	0.12	0.25	81	0.20	1.89	61	0.5
I314007		0.075	0.10	0.33	79	0.23	2.20	67	0.7
I314008		0.060	0.09	0.27	60	0.22	2.56	64	<0.5
I314009		0.065	0.08	0.31	57	0.17	2.92	70	<0.5
I314010		0.060	0.11	0.41	55	0.18	3.04	48	1.5
I314011		0.059	0.10	0.41	54	0.20	2.84	46	1.3
I314012		0.050	0.09	0.35	55	0.17	2.48	59	0.6
I314013		0.043	0.08	0.41	49	0.19	2.58	43	<0.5
I314014		0.107	0.11	0.35	73	0.23	3.80	137	<0.5
I314015		0.080	0.08	0.27	68	0.16	2.31	85	1.1
I314016		0.058	0.08	0.32	58	0.15	2.01	49	2.1
I314017		0.054	0.09	0.69	58	0.24	3.64	78	1.5
I314018		0.062	0.08	0.40	64	0.23	3.04	74	1.5
I314019		0.059	0.10	0.40	60	0.16	2.71	63	0.8
I314020		<0.005	<0.02	0.10	1	<0.05	0.62	<2	0.5
I314021		0.074	0.10	0.41	64	0.16	3.84	56	2.5
I314022		0.081	0.09	0.50	61	0.19	4.61	55	1.2
I314023		0.065	0.12	1.96	58	0.21	13.20	48	1.1
I314024		0.052	0.08	1.30	45	0.21	6.62	42	1.1
I314025		0.064	0.12	1.69	48	0.26	10.30	51	1.8
I314026		0.058	0.11	1.21	43	0.22	8.79	42	0.6
I314027		0.068	0.11	0.74	57	0.61	5.87	48	0.7
I314028		0.070	0.14	0.96	63	0.23	9.32	47	0.6
I314029		0.045	0.12	0.93	42	0.21	5.87	39	<0.5
I314030		0.053	0.13	0.75	52	0.26	4.71	39	0.6
I314031		0.064	0.09	0.44	64	0.19	2.35	33	2.1
I314032		0.071	0.08	0.52	48	0.17	3.69	37	0.9
I314033		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314034		0.117	0.20	0.56	75	0.20	4.30	92	0.8
I314035		0.061	0.15	1.29	55	0.19	11.95	101	0.5
I314036		0.098	0.10	0.86	66	0.25	5.19	60	0.7
I314037		0.242	0.20	0.45	97	0.18	2.80	71	0.6
I314038		0.183	0.12	0.35	105	0.10	3.26	107	0.6
I314039		0.206	0.16	0.47	97	0.16	3.86	63	2.1
I314040		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314041		0.40	0.005	0.06	2.21	11.2	<0.2	<10	140	0.38	0.12	0.18	0.15	18.95	12.3	29
I314042		0.46	<0.005	0.18	1.92	13.0	<0.2	<10	130	0.23	0.13	0.19	0.13	15.10	9.2	23
I314043		0.38	0.006	0.07	2.39	9.1	<0.2	<10	200	0.40	0.15	0.15	0.06	19.55	9.0	32
I314044		0.36	<0.005	0.03	2.08	3.7	<0.2	<10	150	0.32	0.05	0.27	0.05	12.40	11.6	14
I314045		0.42	0.009	0.07	1.91	5.3	<0.2	<10	200	0.49	0.08	0.26	0.06	19.80	11.2	25
I314046		0.40	0.005	0.06	1.65	7.4	<0.2	<10	170	0.25	0.13	0.19	0.06	18.15	6.1	24
I314047		0.36	<0.005	0.09	1.80	9.9	<0.2	<10	180	0.41	0.15	0.14	0.15	17.20	9.8	31
I314048		0.38	<0.005	0.18	1.94	7.7	<0.2	<10	260	0.37	0.14	0.23	0.13	16.10	8.0	23
I314049		0.24	<0.005	0.19	2.00	9.3	<0.2	<10	220	0.44	0.17	0.21	0.14	17.85	11.0	28
I314050		0.32	<0.005	0.18	1.90	8.4	<0.2	<10	230	0.43	0.17	0.21	0.14	16.20	10.5	26
I314051		0.22	<0.005	0.16	1.57	6.0	<0.2	<10	160	0.41	0.23	0.30	0.19	22.5	4.7	23
I314052		0.24	0.006	0.08	1.31	5.0	<0.2	<10	200	0.53	0.17	0.39	0.11	24.9	9.3	18
I314053		0.26	0.007	0.14	1.84	5.7	<0.2	<10	190	0.55	0.20	0.38	0.11	21.3	6.0	25
I314054		0.20	0.005	0.13	1.95	5.4	<0.2	<10	270	0.51	0.27	0.33	0.14	25.4	11.2	25
I314055		0.24	<0.005	0.08	1.35	2.8	<0.2	<10	280	0.34	0.12	0.24	0.09	36.9	5.9	21
I314056		0.28	0.006	0.13	2.25	5.9	<0.2	<10	330	0.57	0.22	0.46	0.14	23.8	9.2	29
I314057		0.20	0.006	0.24	2.22	7.3	<0.2	<10	540	0.80	0.23	0.58	0.32	52.4	22.4	27
I314058		0.28	0.007	0.17	2.38	8.9	<0.2	<10	300	0.66	0.30	0.46	0.19	26.5	11.3	28
I314059		0.26	<0.005	0.13	1.97	6.6	<0.2	<10	270	0.36	0.16	0.45	0.15	22.1	8.8	29
I314060		0.26	0.005	0.09	1.97	6.8	<0.2	<10	240	0.40	0.15	0.45	0.14	22.4	9.0	30
I314061		0.38	<0.005	0.14	2.59	17.2	<0.2	<10	220	0.34	0.15	0.28	0.19	18.70	9.3	24
I314062		0.28	<0.005	0.11	1.67	7.5	<0.2	<10	220	0.28	0.14	0.29	0.12	17.00	9.5	26
I314063		0.36	<0.005	0.20	1.62	6.2	<0.2	<10	200	0.27	0.14	0.46	0.24	17.55	11.4	19
I314064		0.38	<0.005	0.20	1.74	7.7	<0.2	<10	150	0.26	0.11	0.33	0.14	18.10	11.3	21
I314065		0.30	0.006	0.26	2.27	8.8	<0.2	<10	240	0.38	0.14	0.36	0.29	27.1	10.0	28
I314066		0.34	<0.005	0.11	1.76	8.9	<0.2	<10	230	0.38	0.10	0.35	0.09	27.0	9.8	22
I314067		0.22	<0.005	0.15	1.18	5.8	<0.2	<10	140	0.16	0.12	0.21	0.28	15.10	5.4	14
I314068		0.36	0.005	0.45	1.77	10.3	<0.2	<10	160	0.32	0.12	0.31	0.13	19.25	8.5	22
I314069		0.26	<0.005	0.62	1.52	8.3	<0.2	<10	170	0.30	0.10	0.32	0.14	18.55	6.3	16
I314070		0.48	NSS	0.04	0.31	8.9	<0.2	<10	80	0.32	0.03	0.51	0.24	25.9	7.7	10
I314071		0.22	<0.005	0.35	1.66	8.6	<0.2	<10	250	0.42	0.13	0.30	0.29	20.1	6.8	21
I314072		0.28	<0.005	0.19	2.39	7.8	<0.2	<10	430	0.64	0.20	0.58	0.30	21.8	12.2	25
I314073		0.22	<0.005	0.29	1.26	2.6	<0.2	<10	240	0.31	0.30	0.33	0.14	17.60	4.5	16
I314074		0.24	0.005	0.15	2.80	9.9	<0.2	<10	330	0.99	0.33	0.35	0.24	30.5	15.8	34
I314075		0.22	<0.005	0.12	1.98	11.7	<0.2	<10	170	0.58	0.18	0.19	0.12	17.85	7.5	26
I314076		0.22	<0.005	0.08	1.94	9.2	<0.2	<10	170	0.40	0.22	0.23	0.11	18.95	10.4	26
I314077		0.32	<0.005	0.12	1.52	9.5	<0.2	<10	160	0.26	0.25	0.22	0.07	15.05	5.8	22
I314078		0.28	<0.005	0.10	1.20	9.4	<0.2	<10	140	0.16	0.16	0.21	0.08	14.40	5.1	17
I314079		0.20	0.009	0.26	1.24	5.4	<0.2	<10	270	0.32	0.19	0.29	0.24	17.10	9.6	17
I314080		0.32	<0.005	0.14	1.73	9.6	<0.2	<10	220	0.33	0.19	0.21	0.07	16.05	7.7	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314041		2.08	13.5	3.40	6.96	0.06	0.03	0.02	0.022	0.14	8.9	18.3	0.65	421	1.41
I314042		3.89	11.9	3.22	8.41	0.06	0.02	0.01	0.015	0.22	7.0	15.3	0.74	296	1.90
I314043		1.61	22.0	3.43	7.21	0.05	0.06	0.01	0.026	0.06	9.5	18.0	0.50	229	1.15
I314044		2.39	24.3	2.92	5.84	0.05	0.03	0.02	0.012	0.09	6.1	17.7	0.69	273	0.52
I314045		3.96	25.9	3.10	5.94	0.06	0.04	0.02	0.019	0.08	10.9	20.1	0.68	370	0.62
I314046		2.32	9.0	2.81	6.72	0.05	0.04	0.02	0.018	0.05	9.0	15.2	0.41	167	0.80
I314047		1.60	17.5	2.89	5.83	0.05	0.05	0.01	0.025	0.07	8.6	14.9	0.50	277	1.29
I314048		2.80	10.5	3.11	7.62	0.06	0.03	0.02	0.023	0.06	7.9	18.0	0.45	371	1.20
I314049		2.66	10.2	3.35	9.01	0.06	0.02	0.02	0.031	0.08	8.7	17.7	0.52	998	1.22
I314050		2.34	9.5	3.29	8.44	0.06	0.02	0.02	0.028	0.07	7.9	16.6	0.49	999	1.13
I314051		1.96	15.0	1.96	6.52	0.06	0.02	0.06	0.022	0.06	12.5	8.8	0.31	144	1.05
I314052		2.33	9.5	2.02	4.42	0.06	0.03	0.03	0.016	0.05	12.6	10.1	0.41	523	0.74
I314053		2.89	12.8	2.42	5.85	0.05	0.02	0.04	0.018	0.05	10.8	13.1	0.51	192	0.85
I314054		3.19	11.7	2.41	7.25	0.06	0.02	0.06	0.020	0.08	13.1	11.3	0.51	798	1.18
I314055		3.86	17.6	2.07	6.38	0.07	0.05	0.03	0.012	0.09	19.5	8.4	0.37	199	0.73
I314056		2.76	14.8	2.92	7.22	0.07	0.05	0.05	0.024	0.07	13.5	15.8	0.64	378	0.99
I314057		3.49	22.1	3.02	6.91	0.11	0.06	0.10	0.031	0.07	23.9	14.9	0.52	2230	1.38
I314058		3.44	17.2	3.14	8.20	0.08	0.04	0.04	0.026	0.11	16.3	17.9	0.60	585	1.60
I314059		1.52	16.3	2.75	6.21	0.07	0.05	0.03	0.020	0.11	11.8	13.2	0.59	629	1.01
I314060		1.53	16.5	2.80	6.05	0.06	0.06	0.03	0.020	0.11	11.8	13.8	0.62	508	0.95
I314061		3.34	17.1	3.90	9.58	0.08	0.04	0.02	0.017	0.24	9.4	22.3	0.93	551	2.26
I314062		0.84	12.7	2.86	6.20	0.05	0.04	0.02	0.016	0.11	8.6	11.6	0.51	335	1.27
I314063		2.43	29.4	2.54	5.96	0.06	0.02	0.04	0.020	0.09	9.1	14.6	0.68	389	0.98
I314064		3.05	16.2	2.86	6.24	0.07	0.02	0.05	0.018	0.08	9.3	16.2	0.65	407	0.90
I314065		3.50	20.4	3.22	6.82	0.08	0.04	0.04	0.022	0.10	14.7	20.9	0.77	326	0.92
I314066		2.95	16.1	2.93	6.24	0.08	0.07	0.02	0.019	0.10	14.6	21.8	0.67	295	0.89
I314067		2.75	10.9	1.92	6.96	0.05	0.02	0.03	0.014	0.11	7.7	7.2	0.38	186	1.01
I314068		4.18	16.5	2.92	6.72	0.06	0.03	0.03	0.020	0.13	10.1	18.1	0.62	313	1.18
I314069		3.42	21.3	2.54	6.49	0.06	0.02	0.04	0.016	0.10	10.2	11.2	0.49	190	1.11
I314070		0.37	7.7	2.11	1.53	0.07	0.04	0.01	<0.005	0.05	12.7	3.6	0.22	766	1.30
I314071		3.80	20.6	2.39	6.10	0.05	0.02	0.04	0.019	0.08	11.0	11.8	0.44	208	0.98
I314072		5.60	19.7	3.41	7.20	0.07	0.04	0.02	0.025	0.12	11.2	22.6	0.60	1340	1.05
I314073		3.21	12.0	1.64	6.53	0.05	0.04	0.01	0.013	0.09	9.1	6.0	0.27	468	0.77
I314074		12.45	25.0	3.83	8.30	0.09	0.03	0.05	0.030	0.10	15.2	24.7	0.69	1470	1.18
I314075		4.23	14.2	3.02	7.58	0.06	0.02	0.03	0.021	0.06	9.3	13.0	0.45	313	1.19
I314076		4.78	15.9	2.98	6.28	0.06	0.05	0.02	0.020	0.08	9.5	17.2	0.51	375	1.13
I314077		2.48	12.0	2.78	6.26	<0.05	0.02	0.03	0.020	0.06	7.6	10.3	0.36	221	1.49
I314078		1.74	9.8	2.28	5.85	<0.05	<0.02	0.02	0.015	0.05	7.2	6.8	0.33	208	0.90
I314079		2.39	11.8	2.40	6.26	<0.05	<0.02	0.04	0.019	0.07	8.8	5.5	0.29	1130	1.23
I314080		1.69	11.0	2.99	6.05	<0.05	0.04	0.02	0.024	0.05	8.0	12.5	0.39	292	1.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314041		1.66	15.2	640	6.5	22.0	<0.001	0.02	0.37	4.3	0.5	0.5	13.8	<0.01	0.04
I314042		1.19	9.4	660	7.1	24.8	<0.001	0.01	0.46	4.2	0.4	0.4	11.2	<0.01	0.03
I314043		1.79	18.4	230	8.9	10.3	<0.001	0.02	0.47	4.1	0.5	0.6	15.2	<0.01	0.03
I314044		0.92	9.3	550	5.1	12.4	<0.001	0.01	0.25	3.6	0.4	0.3	17.6	<0.01	0.02
I314045		1.08	15.0	510	6.1	12.3	<0.001	0.01	0.36	5.7	0.5	0.4	17.4	<0.01	0.02
I314046		1.36	12.1	330	8.0	9.1	<0.001	0.01	0.26	3.9	0.4	0.5	16.5	<0.01	0.02
I314047		1.57	18.6	420	8.9	13.0	<0.001	0.02	0.50	3.6	0.5	0.5	13.2	<0.01	0.02
I314048		1.17	12.9	310	7.9	13.5	<0.001	0.01	0.41	4.6	0.3	0.6	18.6	<0.01	0.03
I314049		1.45	14.0	650	8.2	16.5	<0.001	0.02	0.43	5.1	0.4	0.8	16.1	<0.01	0.03
I314050		1.41	13.2	630	8.3	13.9	<0.001	0.02	0.42	4.6	0.3	0.7	15.5	<0.01	0.03
I314051		1.22	13.1	520	10.6	12.5	<0.001	0.03	0.32	3.0	0.6	0.7	24.8	<0.01	0.03
I314052		1.51	10.9	680	8.5	13.0	<0.001	0.03	0.27	3.3	0.6	0.6	24.9	<0.01	0.02
I314053		1.37	13.2	600	8.4	16.2	<0.001	0.03	0.24	3.3	0.5	0.5	23.3	<0.01	0.02
I314054		1.61	14.0	470	11.4	21.2	<0.001	0.03	0.27	4.1	0.5	0.7	24.9	<0.01	0.03
I314055		1.29	13.2	330	5.7	23.9	<0.001	0.02	0.19	3.1	0.4	0.5	18.2	<0.01	0.02
I314056		2.20	16.0	550	10.7	12.7	<0.001	0.03	0.29	5.5	0.7	0.8	28.2	<0.01	0.03
I314057		1.85	15.4	860	11.1	12.9	0.001	0.05	0.51	7.9	1.4	0.7	34.7	0.01	0.04
I314058		2.45	16.1	660	12.6	21.1	<0.001	0.03	0.46	5.0	0.7	1.0	26.5	<0.01	0.04
I314059		1.84	16.8	380	7.8	15.9	<0.001	0.02	0.38	4.0	0.5	0.5	33.3	<0.01	0.03
I314060		1.87	17.1	410	7.6	15.7	<0.001	0.02	0.40	4.1	0.5	0.5	31.9	<0.01	0.02
I314061		3.19	14.0	710	7.6	41.5	<0.001	0.03	0.48	3.3	0.4	0.6	22.0	<0.01	0.04
I314062		1.91	15.0	260	7.3	15.5	<0.001	0.02	0.36	3.1	0.4	0.5	21.7	<0.01	0.03
I314063		1.18	10.4	980	7.0	17.3	<0.001	0.03	0.24	4.1	0.5	0.6	23.3	<0.01	0.04
I314064		1.05	11.2	730	8.2	13.8	<0.001	0.04	0.28	4.3	0.5	0.4	21.1	<0.01	0.03
I314065		1.41	14.9	570	8.8	15.9	<0.001	0.03	0.30	5.9	0.6	0.5	24.4	<0.01	0.04
I314066		1.11	11.9	620	6.5	13.7	<0.001	0.02	0.27	5.5	0.4	0.4	23.2	<0.01	0.02
I314067		0.82	7.4	380	5.2	18.6	<0.001	0.03	0.21	2.6	0.4	0.5	17.4	<0.01	0.03
I314068		1.31	13.0	670	6.8	16.7	<0.001	0.02	0.30	4.9	0.5	0.5	20.8	<0.01	0.03
I314069		0.98	9.0	430	7.5	16.1	<0.001	0.02	0.29	4.6	0.6	0.4	20.4	<0.01	0.03
I314070		0.60	17.1	640	4.1	5.5	<0.001	0.02	0.46	1.9	0.5	0.3	10.6	<0.01	0.02
I314071		1.12	13.6	480	10.2	11.3	<0.001	0.03	0.33	3.6	0.6	0.5	23.2	<0.01	0.03
I314072		1.36	14.7	940	11.4	24.1	0.001	0.02	0.34	5.5	0.5	0.5	33.9	<0.01	0.03
I314073		1.29	7.9	380	20.1	16.3	<0.001	0.02	0.19	3.4	0.3	0.6	23.5	<0.01	0.02
I314074		1.30	19.2	840	29.6	26.0	<0.001	0.03	0.50	7.2	0.8	0.6	26.4	<0.01	0.03
I314075		1.19	13.5	390	11.7	15.2	<0.001	0.02	0.40	3.5	0.5	0.6	16.2	<0.01	0.03
I314076		1.41	15.9	550	12.2	17.9	<0.001	0.02	0.41	4.1	0.4	0.5	17.5	<0.01	0.03
I314077		1.20	11.8	290	15.1	10.3	<0.001	0.01	0.49	2.9	0.2	0.5	18.6	<0.01	0.03
I314078		1.07	9.5	360	7.8	9.3	<0.001	0.01	0.42	2.9	0.2	0.5	17.4	<0.01	0.03
I314079		0.91	10.7	820	12.8	13.0	<0.001	0.02	0.35	3.2	0.3	0.5	22.7	<0.01	0.03
I314080		1.22	13.6	390	10.4	9.0	<0.001	0.01	0.40	3.2	0.2	0.5	18.2	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314041		0.128	0.14	0.64	75	0.22	2.99	80	0.9
I314042		0.135	0.15	0.36	87	0.20	2.48	65	0.6
I314043		0.104	0.12	0.52	76	0.19	2.91	51	3.0
I314044		0.137	0.09	0.29	71	0.14	2.73	63	1.4
I314045		0.100	0.12	0.61	66	0.20	5.71	59	1.5
I314046		0.089	0.12	0.38	66	0.19	3.17	39	1.7
I314047		0.089	0.10	0.52	61	0.20	2.46	55	2.3
I314048		0.042	0.12	0.29	72	0.32	2.39	56	1.3
I314049		0.066	0.12	0.36	77	0.23	2.76	90	0.6
I314050		0.064	0.12	0.32	75	0.23	2.37	86	0.6
I314051		0.064	0.10	1.19	44	0.36	4.94	37	0.5
I314052		0.057	0.10	1.29	43	0.18	8.34	40	0.6
I314053		0.060	0.11	1.32	50	0.20	5.77	49	0.5
I314054		0.072	0.13	1.08	55	0.20	6.97	52	0.6
I314055		0.065	0.13	0.69	37	0.19	6.19	38	1.4
I314056		0.078	0.15	1.41	62	0.22	8.69	60	1.8
I314057		0.059	0.17	2.80	58	0.23	21.0	53	1.1
I314058		0.074	0.14	1.36	67	0.29	10.10	58	0.9
I314059		0.108	0.10	0.55	60	0.21	5.21	54	1.8
I314060		0.116	0.09	0.56	61	0.20	4.98	55	2.2
I314061		0.179	0.23	0.60	79	0.27	2.75	65	1.6
I314062		0.101	0.10	0.40	65	0.20	2.56	41	1.5
I314063		0.098	0.13	0.62	58	0.22	4.64	78	<0.5
I314064		0.095	0.11	0.66	64	0.18	4.24	68	<0.5
I314065		0.105	0.12	0.95	67	0.18	7.10	83	1.1
I314066		0.116	0.10	0.75	67	0.36	6.26	61	2.5
I314067		0.096	0.10	0.38	57	0.16	2.79	39	0.5
I314068		0.102	0.11	0.54	72	0.16	3.95	60	1.1
I314069		0.098	0.12	0.56	64	0.15	6.62	52	0.5
I314070		0.024	0.13	0.84	18	0.09	6.91	23	2.1
I314071		0.070	0.09	0.69	57	0.17	4.41	56	0.5
I314072		0.093	0.11	0.90	74	0.19	6.46	99	1.5
I314073		0.070	0.07	0.48	45	0.12	3.55	46	1.7
I314074		0.089	0.17	1.69	79	0.30	11.30	73	0.9
I314075		0.077	0.13	0.59	73	0.23	3.45	47	0.5
I314076		0.074	0.11	0.55	66	0.21	3.43	49	2.2
I314077		0.058	0.12	0.46	66	0.25	2.53	42	0.8
I314078		0.065	0.10	0.35	59	0.24	2.25	34	<0.5
I314079		0.060	0.09	0.48	54	0.23	3.70	43	<0.5
I314080		0.051	0.11	0.41	62	0.23	2.50	42	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314081		0.28	<0.005	0.14	1.84	6.7	<0.2	<10	310	0.50	0.23	0.28	0.17	18.05	13.6	29
I314082		0.28	0.005	0.19	1.76	7.4	<0.2	<10	280	0.30	0.20	0.15	0.12	16.70	10.9	28
I314083		0.30	<0.005	0.17	1.82	8.4	<0.2	<10	260	0.37	0.20	0.14	0.12	16.00	9.9	29
I314084		0.30	<0.005	0.13	1.72	3.4	<0.2	<10	210	0.27	0.09	0.33	0.46	7.58	12.2	37
I314085		0.22	<0.005	0.16	1.91	6.9	<0.2	<10	260	0.40	0.12	0.60	0.39	10.35	14.8	31
I314086		0.30	<0.005	0.07	1.92	5.1	<0.2	<10	200	0.43	0.16	0.23	0.21	15.65	12.7	25
I314087		0.26	<0.005	0.15	1.49	4.5	<0.2	<10	280	0.38	0.15	0.41	0.62	15.00	11.1	18
I314088		0.32	<0.005	0.10	2.03	6.0	<0.2	<10	200	0.38	0.13	0.31	0.17	11.45	13.7	36
I314089		0.28	<0.005	0.08	1.77	5.6	<0.2	<10	160	0.33	0.16	0.40	0.15	11.70	10.1	25
I314090		0.26	<0.005	0.69	2.41	4.7	<0.2	<10	230	0.45	0.15	0.49	0.30	17.85	16.5	53
I314091		0.22	<0.005	0.50	2.77	3.3	<0.2	<10	250	0.56	0.17	0.60	0.41	16.45	22.6	55
I314092		0.38	<0.005	0.11	1.45	5.2	<0.2	<10	240	1.69	1.32	0.52	0.22	34.3	7.0	19
I314093		0.26	0.015	0.16	1.94	7.6	<0.2	<10	1120	0.64	0.26	0.22	0.08	22.0	9.3	28
I314094		0.26	<0.005	0.10	1.87	6.4	<0.2	<10	520	0.39	0.19	0.22	0.09	17.70	7.4	27
I314095		0.32	<0.005	0.05	1.69	4.3	<0.2	<10	890	0.55	0.14	0.90	0.12	27.2	11.1	20
I314096		0.38	<0.005	0.06	1.74	5.7	<0.2	<10	730	0.53	0.14	0.79	0.08	30.6	10.3	31
I314097		0.30	<0.005	0.10	1.82	9.3	<0.2	<10	410	0.55	0.17	0.92	0.09	29.8	12.6	34
I314098		0.54	NSS	0.02	0.33	10.9	<0.2	<10	100	0.35	0.04	0.67	0.22	27.8	11.4	13
I314099		0.32	<0.005	0.12	1.81	6.5	<0.2	<10	440	0.55	0.17	0.90	0.09	25.6	11.6	34
I314100		0.26	<0.005	0.05	2.03	5.6	<0.2	<10	530	0.54	0.15	0.54	0.10	21.5	11.4	28
I314101		0.20	<0.005	0.10	1.12	10.6	<0.2	<10	210	0.65	0.57	0.41	0.16	25.3	4.2	20
I314102		0.20	<0.005	0.21	1.85	8.8	<0.2	<10	310	0.86	0.65	0.35	0.29	33.6	8.8	30
I314103		0.28	<0.005	0.02	2.04	8.6	<0.2	<10	230	0.72	0.28	0.23	0.07	22.1	9.6	33
I314104		0.30	<0.005	0.07	2.09	7.4	<0.2	<10	210	0.30	0.28	0.18	0.12	17.25	8.8	26
I314105		0.24	<0.005	0.15	1.72	7.1	<0.2	<10	190	0.81	0.52	0.27	0.11	23.3	5.0	23
I314106		0.40	NSS	0.04	0.37	11.0	<0.2	<10	110	0.34	0.07	0.85	0.28	34.8	11.1	12
I314107		0.26	0.009	0.18	1.51	4.7	<0.2	<10	220	3.42	0.80	1.57	0.11	38.9	7.3	20
I314108		0.36	<0.005	0.03	2.19	5.9	<0.2	<10	190	1.24	0.72	0.57	0.04	21.5	8.4	24
I314109		0.20	0.016	0.40	2.18	15.7	<0.2	<10	730	1.09	0.21	2.05	0.61	44.5	22.4	20
I314110		0.32	<0.005	0.03	2.16	7.1	<0.2	<10	200	0.47	0.17	0.22	0.12	21.6	7.5	23
I314111		0.20	<0.005	0.04	1.90	8.5	<0.2	<10	140	0.66	0.45	0.14	0.36	23.3	6.9	24
I314112		0.28	<0.005	0.05	1.93	9.7	<0.2	<10	160	0.41	0.26	0.14	0.06	21.3	7.5	31
I314113		0.28	<0.005	0.18	2.26	12.5	<0.2	<10	170	0.40	0.16	0.28	0.10	18.80	6.8	23
I314114		0.32	<0.005	0.17	1.21	3.4	<0.2	<10	110	0.16	0.19	0.15	0.09	15.85	2.9	15
I314115		0.34	<0.005	0.09	2.54	6.7	<0.2	<10	160	0.32	0.14	0.32	0.15	13.40	11.0	28
I314116		0.28	<0.005	0.09	1.78	6.1	<0.2	<10	150	0.36	0.11	0.37	0.19	17.35	9.1	25
I314117		0.32	<0.005	0.16	1.88	7.1	<0.2	<10	220	0.37	0.12	0.28	0.13	19.85	9.4	31
I314118		0.30	<0.005	0.11	2.92	5.7	<0.2	<10	150	0.45	0.16	0.23	0.34	11.10	14.5	22
I314119		0.28	<0.005	0.08	2.11	11.3	<0.2	<10	170	0.36	0.21	0.12	0.15	20.4	7.6	35
I314120		0.22	NSS	0.24	1.33	3.8	<0.2	<10	340	0.51	0.17	0.19	0.44	24.9	3.3	19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314081		1.72	13.2	3.20	6.49	<0.05	0.02	0.03	0.032	0.07	9.0	9.0	0.41	1440	1.12
I314082		1.10	16.0	3.09	6.54	<0.05	0.04	0.02	0.026	0.06	8.1	11.1	0.43	1360	1.33
I314083		1.38	16.6	3.15	6.47	0.05	0.05	0.02	0.026	0.06	8.0	11.5	0.45	943	1.30
I314084		2.65	23.4	3.00	5.97	<0.05	0.02	0.02	0.019	0.06	3.5	16.6	0.79	720	0.66
I314085		2.44	15.3	3.75	7.62	0.05	0.03	0.01	0.032	0.19	4.6	16.6	0.79	1330	0.66
I314086		3.59	13.2	3.48	6.88	<0.05	0.04	0.01	0.034	0.08	6.9	12.5	0.59	809	0.90
I314087		2.79	17.0	3.01	5.42	<0.05	<0.02	0.02	0.028	0.11	6.3	10.3	0.49	1020	0.88
I314088		2.20	18.7	3.46	6.94	<0.05	0.02	0.01	0.027	0.07	5.2	15.2	0.82	810	0.71
I314089		1.87	19.4	3.31	6.52	<0.05	0.04	0.01	0.026	0.08	5.5	13.9	0.62	334	0.75
I314090		2.00	13.7	4.25	8.04	0.06	0.03	0.02	0.038	0.15	6.8	19.4	1.06	865	0.86
I314091		3.40	35.5	5.10	10.25	0.08	0.04	0.03	0.040	0.17	7.1	25.6	1.39	2260	0.90
I314092		1.78	10.0	2.03	5.47	<0.05	0.18	0.01	0.028	0.17	14.2	16.1	0.33	789	1.39
I314093		0.62	11.3	3.02	5.99	<0.05	0.03	0.02	0.035	0.07	11.0	10.2	0.40	795	5.96
I314094		0.54	9.6	2.93	5.92	<0.05	0.02	0.01	0.023	0.07	8.7	9.0	0.37	352	1.17
I314095		0.70	9.5	3.72	5.52	0.05	0.05	0.01	0.036	0.16	9.5	6.6	0.30	881	0.92
I314096		0.44	12.3	3.31	5.35	0.05	0.07	0.01	0.028	0.22	12.2	6.9	0.46	665	1.06
I314097		0.56	28.6	3.31	5.71	0.05	0.10	0.02	0.032	0.22	13.8	9.6	0.57	749	1.42
I314098		0.29	10.2	2.55	1.58	0.06	0.08	0.02	0.008	0.05	14.3	3.9	0.27	909	1.50
I314099		0.48	12.7	3.15	6.10	0.05	0.09	0.01	0.031	0.30	10.4	8.5	0.56	729	1.09
I314100		0.59	11.7	3.35	6.69	0.05	0.05	0.02	0.030	0.12	8.3	8.0	0.55	701	1.12
I314101		4.12	12.7	2.68	6.46	<0.05	0.02	0.02	0.020	0.07	14.8	5.9	0.24	230	1.36
I314102		3.64	18.6	2.81	6.90	0.06	0.03	0.07	0.027	0.08	21.0	10.7	0.42	705	1.53
I314103		1.98	19.3	2.95	5.78	<0.05	0.11	0.02	0.030	0.06	10.9	16.5	0.52	346	0.77
I314104		3.31	12.6	3.20	6.61	<0.05	0.03	0.03	0.024	0.09	8.2	12.7	0.56	571	1.16
I314105		4.61	12.6	2.38	7.50	<0.05	0.03	0.04	0.023	0.07	12.3	8.4	0.34	210	1.38
I314106		0.63	9.1	2.38	1.77	0.06	0.04	0.02	0.011	0.05	19.5	4.1	0.35	962	1.54
I314107		8.78	21.1	1.72	4.65	0.07	0.20	0.10	0.030	0.06	30.3	9.7	0.28	624	2.02
I314108		11.95	12.2	2.89	6.94	<0.05	0.10	0.01	0.033	0.07	10.7	20.0	0.70	292	0.95
I314109		8.37	23.7	2.61	5.56	0.05	0.07	0.14	0.032	0.06	20.5	14.7	0.41	7940	3.15
I314110		3.79	12.9	2.83	7.96	<0.05	<0.02	0.02	0.022	0.07	11.8	14.7	0.56	276	1.03
I314111		6.50	12.8	2.58	7.18	<0.05	0.02	0.03	0.027	0.08	10.6	12.9	0.41	225	0.90
I314112		2.25	11.5	3.35	6.94	<0.05	0.07	0.01	0.035	0.05	10.9	14.0	0.39	281	1.50
I314113		4.20	12.0	3.32	8.09	0.06	0.07	0.02	0.023	0.08	10.2	28.2	0.66	259	1.33
I314114		2.44	14.1	1.54	6.88	0.05	<0.02	0.02	0.012	0.04	8.3	5.8	0.29	136	1.11
I314115		3.18	97.3	3.80	8.14	0.07	0.02	0.02	0.024	0.22	6.8	19.1	1.15	404	1.64
I314116		1.88	55.7	3.11	5.47	0.07	0.02	0.02	0.020	0.14	8.4	15.6	0.73	391	0.91
I314117		1.38	49.1	2.85	5.19	0.07	0.05	0.03	0.023	0.05	10.6	16.0	0.61	289	0.69
I314118		5.66	24.7	5.70	10.10	0.08	0.02	0.01	0.023	0.15	5.5	32.8	1.40	836	1.67
I314119		1.73	13.2	3.82	6.39	0.07	0.05	0.02	0.032	0.07	10.3	17.4	0.48	185	1.45
I314120		0.82	23.0	1.78	4.36	0.06	0.02	0.06	0.023	0.05	12.8	2.3	0.08	78	1.10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314081		1.35	17.0	360	11.1	9.6	<0.001	0.01	0.51	3.4	0.3	0.6	24.9	<0.01	0.03
I314082		1.25	16.0	350	10.8	7.4	<0.001	0.02	0.49	3.7	0.2	0.6	15.5	<0.01	0.03
I314083		1.22	16.3	310	10.9	9.8	<0.001	0.01	0.52	3.7	0.2	0.6	15.5	<0.01	0.03
I314084		0.71	16.8	310	18.1	9.4	<0.001	0.01	0.46	4.6	0.2	0.3	18.1	<0.01	0.03
I314085		0.83	13.7	490	13.7	17.8	<0.001	0.01	0.75	7.2	0.2	0.4	32.6	<0.01	0.01
I314086		0.93	14.9	470	12.2	8.5	<0.001	0.01	0.92	5.7	0.2	0.6	15.0	<0.01	0.02
I314087		0.65	10.8	480	25.3	12.0	<0.001	0.01	0.67	4.5	0.2	0.5	24.1	<0.01	0.02
I314088		0.83	17.3	480	11.7	8.6	<0.001	0.01	0.59	5.3	0.2	0.5	18.2	<0.01	0.02
I314089		1.00	13.9	410	13.6	7.3	<0.001	0.01	0.47	5.1	0.2	0.5	22.1	<0.01	0.02
I314090		1.02	19.9	270	17.4	14.0	<0.001	0.01	0.53	8.4	0.2	0.5	25.3	<0.01	0.02
I314091		1.37	28.6	450	13.7	27.4	<0.001	0.02	0.46	12.7	0.3	0.6	34.8	<0.01	0.03
I314092		5.78	9.8	290	63.9	22.1	<0.001	0.02	0.33	3.3	0.4	2.0	38.4	0.01	0.02
I314093		1.27	19.0	290	12.5	6.0	<0.001	0.01	0.45	4.0	0.3	0.6	20.5	<0.01	0.10
I314094		1.14	15.5	270	9.5	4.8	<0.001	0.01	0.43	3.1	0.2	0.5	20.3	<0.01	0.03
I314095		0.83	12.4	320	9.2	8.8	<0.001	0.02	0.42	5.7	0.2	0.5	41.4	<0.01	0.02
I314096		1.09	18.7	350	7.9	8.8	<0.001	0.03	0.40	5.3	0.2	0.4	48.6	<0.01	0.02
I314097		1.19	24.8	350	8.6	10.3	<0.001	0.01	0.55	7.4	0.4	0.5	41.8	<0.01	0.03
I314098		0.74	21.8	720	5.4	5.2	<0.001	0.02	0.55	2.3	0.3	0.3	16.6	<0.01	0.02
I314099		1.21	19.4	550	9.1	10.1	<0.001	0.01	0.41	6.5	0.3	0.5	44.3	<0.01	0.05
I314100		1.05	16.3	510	8.3	6.9	<0.001	0.02	0.37	5.6	0.2	0.6	33.9	<0.01	0.04
I314101		1.68	11.8	660	22.5	22.7	<0.001	0.03	0.53	2.9	0.4	0.7	33.2	<0.01	0.04
I314102		1.80	19.0	550	21.9	23.8	<0.001	0.03	0.51	4.7	0.5	0.7	34.5	<0.01	0.04
I314103		2.11	19.1	380	13.1	11.9	<0.001	0.01	0.47	4.5	0.3	0.8	24.8	<0.01	0.03
I314104		2.10	15.8	490	10.4	19.1	<0.001	0.01	0.38	3.1	0.3	0.6	17.4	<0.01	0.03
I314105		2.82	12.7	460	20.5	20.9	<0.001	0.02	0.41	3.5	0.4	1.2	25.5	<0.01	0.04
I314106		1.70	25.4	800	7.6	6.6	<0.001	0.03	0.56	2.1	0.4	0.6	18.5	0.01	0.02
I314107		4.22	13.8	1080	23.2	21.4	0.001	0.12	0.64	3.4	1.7	1.1	96.9	0.03	0.03
I314108		3.32	14.3	460	17.9	23.4	<0.001	0.01	0.46	4.1	0.3	1.6	32.9	<0.01	0.02
I314109		1.13	17.6	1590	7.2	11.7	0.001	0.14	1.07	4.4	2.0	0.5	90.1	0.01	0.03
I314110		1.17	12.8	520	7.9	16.7	<0.001	0.02	0.35	3.0	0.3	0.7	20.3	<0.01	0.02
I314111		2.29	16.9	470	25.0	17.7	<0.001	0.02	0.38	1.9	0.4	1.1	15.4	<0.01	0.03
I314112		1.80	14.6	270	12.1	19.1	<0.001	0.02	0.54	3.2	0.2	0.8	14.7	<0.01	0.03
I314113		2.09	12.1	510	8.4	20.2	<0.001	<0.01	0.35	3.7	0.3	0.6	18.5	<0.01	0.02
I314114		1.23	6.1	250	8.6	11.2	<0.001	<0.01	0.20	1.7	0.3	0.6	13.4	<0.01	0.01
I314115		2.06	13.6	620	9.2	24.8	<0.001	<0.01	0.28	2.8	0.4	1.5	21.8	<0.01	0.10
I314116		0.98	15.0	1050	7.2	14.8	<0.001	<0.01	0.41	2.2	0.5	0.7	21.7	<0.01	0.03
I314117		1.24	17.6	450	8.0	8.8	<0.001	<0.01	0.36	4.5	0.5	0.4	21.0	<0.01	0.02
I314118		0.86	9.0	1370	12.9	28.8	<0.001	<0.01	0.45	7.0	0.4	0.5	16.2	<0.01	0.03
I314119		1.86	15.6	320	11.2	14.2	<0.001	<0.01	0.69	3.4	0.5	0.6	12.6	0.01	0.04
I314120		0.42	7.4	1470	12.2	6.2	<0.001	<0.01	0.19	1.3	1.0	0.5	27.5	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 2-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I314081		0.066	0.13	0.38	67	0.23	2.34	63
I314082		0.075	0.10	0.37	68	0.21	2.74	67
I314083		0.076	0.10	0.40	68	0.21	2.67	67
I314084		0.102	0.07	0.19	82	0.19	1.73	149
I314085		0.055	0.10	0.24	101	0.20	2.92	166
I314086		0.063	0.11	0.35	81	0.24	2.91	116
I314087		0.037	0.08	0.38	68	0.23	2.92	107
I314088		0.107	0.09	0.26	90	0.22	2.26	95
I314089		0.117	0.07	0.30	89	0.23	2.82	76
I314090		0.111	0.13	0.30	114	0.22	2.87	125
I314091		0.232	0.25	0.54	150	0.25	5.65	125
I314092		0.038	0.21	4.34	40	0.27	21.7	57
I314093		0.050	0.09	0.55	64	0.19	5.22	41
I314094		0.047	0.08	0.41	63	0.20	2.07	47
I314095		0.027	0.07	0.42	72	0.28	4.65	46
I314096		0.044	0.07	0.43	61	0.16	4.48	44
I314097		0.066	0.07	0.38	71	0.21	9.77	52
I314098		0.024	0.14	0.78	21	0.09	8.68	26
I314099		0.072	0.07	0.34	68	0.15	5.18	50
I314100		0.051	0.07	0.34	72	0.17	3.99	52
I314101		0.082	0.12	0.94	70	0.32	5.99	34
I314102		0.070	0.13	1.72	63	0.28	12.75	47
I314103		0.072	0.10	1.24	61	0.19	7.23	48
I314104		0.097	0.11	0.67	62	0.29	2.91	47
I314105		0.075	0.18	1.45	58	0.25	10.05	42
I314106		0.037	0.16	1.16	23	0.11	10.40	25
I314107		0.026	0.19	16.15	29	0.25	88.2	34
I314108		0.054	0.26	1.71	56	0.30	12.05	56
I314109		0.027	0.24	14.90	46	0.23	22.1	42
I314110		0.070	0.11	0.80	65	0.24	4.58	42
I314111		0.043	0.14	1.10	58	0.25	9.91	50
I314112		0.086	0.14	0.65	71	0.26	2.98	44
I314113		0.080	0.14	0.44	70	0.21	3.61	48
I314114		0.089	0.11	0.32	47	0.15	1.94	29
I314115		0.195	0.22	0.36	89	0.24	2.33	151
I314116		0.114	0.12	0.47	70	0.18	3.37	97
I314117		0.090	0.09	0.57	61	0.19	4.76	71
I314118		0.115	0.14	0.34	122	0.27	3.32	144
I314119		0.086	0.11	0.54	76	0.31	2.28	54
I314120		0.035	0.06	0.88	26	0.09	5.26	15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314121		0.36	<0.005	0.14	2.21	13.9	<0.2	<10	200	0.35	0.18	0.15	0.12	15.55	9.8	27
I314122		0.34	<0.005	0.24	2.08	7.6	<0.2	<10	220	0.34	0.17	0.12	0.10	15.55	7.6	25
I314123		0.32	<0.005	0.19	1.61	5.4	<0.2	<10	180	0.21	0.15	0.15	0.11	13.45	6.0	16
I314124		0.36	<0.005	0.29	2.42	104.0	<0.2	<10	470	0.76	0.15	0.34	0.13	28.9	10.5	33
I314125		0.30	<0.005	0.16	2.57	16.9	<0.2	<10	210	0.42	0.12	0.25	0.10	16.40	9.9	25
I314126		0.38	<0.005	0.12	2.18	7.2	<0.2	<10	150	0.36	0.10	0.19	0.12	12.20	10.8	25
I314127		0.30	<0.005	0.21	1.63	6.2	<0.2	<10	160	0.29	0.15	0.21	0.09	15.20	6.7	22
I314128		0.36	<0.005	0.16	1.97	5.9	<0.2	<10	340	0.50	0.15	0.27	0.12	18.25	15.0	25
I314129		0.36	<0.005	0.17	2.17	3.6	<0.2	<10	290	0.62	0.12	0.20	0.12	18.30	11.6	20
I314130		0.54	NSS	0.06	0.31	9.0	<0.2	<10	90	0.33	0.03	0.62	0.26	26.1	9.0	9
I314131		0.32	0.005	0.46	2.31	7.3	<0.2	<10	590	0.77	0.11	0.77	0.30	24.2	12.6	22
I314132		0.30	<0.005	0.14	1.74	4.2	<0.2	<10	250	0.33	0.12	0.54	0.14	13.15	9.7	22
I314133		0.36	0.016	0.18	1.60	7.2	<0.2	<10	200	0.46	0.12	0.25	0.07	18.70	7.6	25
I314134		0.26	<0.005	0.37	1.75	3.8	<0.2	<10	720	0.45	0.14	1.32	0.84	21.8	13.1	23
I314135		0.30	<0.005	0.15	1.50	8.5	<0.2	<10	200	0.45	0.11	0.19	0.09	18.40	6.6	17
I314136		0.28	<0.005	0.16	1.41	8.1	<0.2	<10	190	0.47	0.12	0.18	0.15	19.20	9.4	21
I314137		0.32	<0.005	0.22	1.68	5.6	<0.2	<10	290	0.82	0.09	0.43	0.11	26.0	7.8	17
I314138		0.22	<0.005	0.19	1.44	4.9	<0.2	<10	160	0.26	0.14	0.15	0.39	14.80	7.2	27
I314139		0.28	<0.005	0.15	1.46	6.6	<0.2	<10	200	0.53	0.21	0.27	0.22	19.20	8.4	24
I314140		0.28	<0.005	0.11	1.83	7.3	<0.2	<10	170	0.50	0.16	0.25	0.33	17.75	9.7	28
I314141		0.22	<0.005	0.16	1.70	5.1	<0.2	<10	270	0.41	0.16	0.40	0.59	15.05	11.3	28
I314142		0.26	<0.005	0.12	1.88	5.5	<0.2	<10	300	0.39	0.13	0.48	1.19	15.40	11.8	23
I314143		0.24	<0.005	0.17	1.57	3.0	<0.2	<10	270	0.67	0.12	0.52	0.47	25.3	9.4	17
I314144		0.22	<0.005	0.11	1.45	3.6	<0.2	<10	990	0.59	0.13	0.62	0.31	28.5	8.5	21
I314145		0.26	<0.005	0.11	1.60	4.5	<0.2	<10	750	0.45	0.13	0.48	0.14	17.80	11.2	25
I314146		0.26	0.008	0.12	1.57	4.7	<0.2	<10	720	0.44	0.13	0.46	0.13	17.85	10.9	27
I314147		0.24	0.017	0.16	2.02	5.3	<0.2	<10	490	0.59	0.13	0.57	0.16	21.1	11.7	28
I314148		0.22	<0.005	0.11	2.19	3.6	<0.2	<10	580	0.59	0.11	0.62	0.12	17.50	11.9	25
I314149		0.24	<0.005	0.14	1.67	7.5	<0.2	<10	300	0.33	0.15	0.49	0.12	15.35	9.8	28
I314150		0.30	<0.005	0.09	2.12	10.3	<0.2	<10	340	0.62	0.15	0.65	0.08	31.3	14.4	40
I314151		0.38	<0.005	0.22	1.65	5.9	<0.2	<10	1020	0.51	0.15	0.50	0.34	29.4	12.1	25
I314152		0.46	<0.005	0.08	1.89	10.0	<0.2	<10	220	0.32	0.20	0.18	0.11	18.35	7.9	29
I314153		0.38	<0.005	0.13	1.55	5.2	<0.2	<10	290	0.35	0.11	0.44	0.19	26.3	10.6	29
I314154		0.42	<0.005	0.19	1.45	4.7	<0.2	<10	330	0.27	0.13	0.36	0.17	25.4	9.9	29
I314155		0.48	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314156		0.50	<0.005	0.13	1.89	6.3	<0.2	<10	420	0.44	0.14	0.42	0.11	45.5	11.7	32
I314157		0.38	<0.005	0.17	1.60	9.6	<0.2	<10	350	0.39	0.15	0.35	0.11	90.3	8.5	24
I314158		0.52	<0.005	0.17	1.32	5.5	<0.2	<10	320	0.32	0.13	0.37	0.15	41.8	5.7	19
I314159		0.28	0.005	0.34	1.70	6.4	<0.2	<10	320	0.41	0.14	0.35	0.23	41.5	10.2	33
I314160		0.36	<0.005	0.25	1.44	8.0	<0.2	<10	430	0.58	0.12	0.49	0.37	44.3	9.5	16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314121		1.72	16.2	3.62	7.95	0.07	0.04	0.02	0.033	0.08	7.7	18.1	0.50	259	1.45
I314122		2.68	12.6	3.34	7.22	0.06	0.04	0.02	0.021	0.07	7.9	17.3	0.48	335	1.61
I314123		1.92	9.8	2.72	6.93	<0.05	0.02	0.01	0.013	0.11	7.0	11.3	0.51	338	1.14
I314124		10.65	21.1	3.88	7.46	0.09	0.03	0.03	0.032	0.09	18.6	27.8	0.64	938	2.81
I314125		3.55	13.3	3.81	8.43	0.07	0.06	0.01	0.025	0.22	8.1	24.5	0.86	417	1.59
I314126		2.50	21.1	3.23	6.27	0.06	0.03	0.02	0.021	0.10	6.2	22.9	0.73	328	0.91
I314127		1.65	13.7	2.81	5.96	0.06	0.02	0.02	0.017	0.07	7.8	13.0	0.46	265	1.03
I314128		2.03	15.8	3.18	6.94	0.08	0.05	0.02	0.022	0.09	8.8	15.4	0.54	1400	1.09
I314129		4.27	17.6	3.39	6.19	0.07	0.06	0.02	0.024	0.10	9.5	18.3	0.49	815	0.99
I314130		0.45	7.0	2.13	1.41	0.08	0.07	0.02	0.006	0.04	13.0	3.8	0.26	868	1.21
I314131		9.37	39.5	3.22	6.98	0.11	0.07	0.06	0.025	0.11	17.6	25.0	0.62	972	0.72
I314132		1.99	14.5	2.93	5.75	0.05	0.04	0.01	0.019	0.13	6.7	17.2	0.60	643	0.76
I314133		1.78	11.7	2.73	4.94	0.06	0.05	0.02	0.019	0.08	10.1	12.8	0.45	415	0.95
I314134		2.14	15.7	2.83	6.10	0.07	0.04	<0.01	0.023	0.27	10.6	10.2	0.46	2960	0.86
I314135		4.94	13.1	3.02	6.00	0.07	0.02	0.03	0.028	0.18	8.3	17.6	0.52	636	1.00
I314136		2.25	9.7	2.65	4.71	0.06	<0.02	0.01	0.023	0.09	8.9	11.4	0.37	623	0.99
I314137		4.88	15.1	3.15	6.42	0.10	0.04	0.02	0.029	0.34	16.9	17.9	0.58	656	1.01
I314138		1.16	11.1	2.81	5.42	0.06	0.02	0.01	0.020	0.10	7.2	9.4	0.42	258	1.09
I314139		0.72	12.9	2.50	5.08	0.06	0.05	0.02	0.022	0.12	9.8	12.1	0.43	297	0.96
I314140		0.99	13.5	3.07	6.12	0.06	0.08	0.02	0.026	0.09	8.4	14.5	0.52	431	1.14
I314141		1.44	17.5	2.89	6.41	0.06	0.02	0.01	0.025	0.07	7.0	13.3	0.53	1270	1.04
I314142		1.47	18.8	3.37	7.18	0.07	0.04	0.01	0.031	0.07	7.3	19.0	0.70	766	0.92
I314143		2.73	18.7	3.26	6.28	0.09	0.03	0.02	0.033	0.26	13.4	11.2	0.48	783	0.96
I314144		0.26	11.5	2.73	4.73	0.08	0.06	0.02	0.020	0.24	16.4	8.4	0.41	876	0.77
I314145		0.37	9.6	2.68	5.28	0.06	0.05	0.01	0.019	0.10	8.3	8.4	0.47	1400	0.98
I314146		0.29	9.4	2.70	5.20	0.05	0.06	0.02	0.020	0.11	8.6	8.6	0.48	1280	0.94
I314147		0.44	10.3	3.31	7.04	0.07	0.06	0.02	0.026	0.13	8.6	9.6	0.62	1120	0.82
I314148		0.37	8.7	3.46	7.84	0.06	0.06	0.02	0.027	0.12	7.3	11.5	0.81	819	0.79
I314149		0.29	20.7	2.68	6.02	0.06	0.08	0.01	0.023	0.05	7.8	9.6	0.48	292	2.05
I314150		0.38	32.4	3.28	6.57	0.08	0.17	0.03	0.027	0.12	15.8	12.5	0.70	599	1.07
I314151		1.95	25.7	2.65	5.70	0.06	<0.02	0.04	0.023	0.12	14.3	9.9	0.36	1670	1.18
I314152		0.95	12.0	3.01	7.00	0.06	<0.02	0.02	0.023	0.06	9.2	13.4	0.39	278	1.49
I314153		1.09	22.3	2.70	5.24	0.08	<0.02	0.04	0.026	0.09	14.7	11.9	0.63	324	0.66
I314154		0.90	17.8	2.46	5.78	0.08	0.02	0.04	0.020	0.14	15.9	9.3	0.63	461	0.89
I314155		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314156		2.05	37.3	3.01	6.71	0.10	0.03	0.03	0.026	0.22	22.5	14.8	0.87	414	1.08
I314157		2.45	27.9	2.85	6.73	0.12	0.02	0.03	0.023	0.21	49.1	12.2	0.65	393	1.65
I314158		1.85	15.9	2.08	6.30	0.06	0.02	0.02	0.016	0.18	23.5	7.2	0.43	292	1.12
I314159		3.03	23.6	2.85	7.19	0.08	<0.02	0.05	0.020	0.29	24.6	12.3	0.58	681	2.67
I314160		4.05	16.8	2.32	6.45	0.09	0.02	0.03	0.018	0.20	30.6	11.7	0.52	1340	1.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314121		1.64	14.2	420	9.5	13.9	<0.001	<0.01	0.54	3.9	0.4	0.7	13.7	<0.01	0.05
I314122		1.81	10.7	340	10.3	17.0	<0.001	<0.01	0.37	2.9	0.4	0.6	12.9	<0.01	0.03
I314123		1.39	7.2	490	8.9	16.9	<0.001	<0.01	0.25	2.4	0.3	0.5	13.7	<0.01	0.02
I314124		0.90	15.6	510	9.0	23.7	0.001	0.01	0.83	6.6	0.6	0.4	23.6	<0.01	0.04
I314125		1.50	9.9	540	8.1	28.8	<0.001	<0.01	0.40	5.6	0.3	0.6	14.9	<0.01	0.03
I314126		1.17	15.1	360	6.2	13.4	<0.001	<0.01	0.37	4.0	0.4	0.4	15.5	<0.01	0.02
I314127		1.32	10.4	240	8.7	13.6	<0.001	<0.01	0.33	2.8	0.3	0.5	17.1	<0.01	0.02
I314128		1.43	14.1	410	8.0	12.0	<0.001	<0.01	0.41	4.3	0.4	0.6	20.9	<0.01	0.02
I314129		0.90	11.6	250	7.4	17.2	<0.001	<0.01	0.43	4.7	0.4	0.4	14.9	<0.01	0.02
I314130		0.47	16.7	600	3.9	5.1	<0.001	<0.01	0.44	1.9	0.4	0.2	11.1	<0.01	0.01
I314131		0.94	14.6	670	7.0	23.0	0.001	0.01	0.51	9.0	1.0	0.4	38.8	0.01	0.02
I314132		1.00	11.9	320	7.6	9.6	<0.001	<0.01	0.41	4.1	0.3	0.4	30.7	<0.01	0.01
I314133		1.10	12.6	200	6.6	9.8	<0.001	<0.01	0.34	3.7	0.3	0.5	16.8	<0.01	0.01
I314134		1.02	15.6	1170	8.4	17.8	<0.001	<0.01	0.32	3.9	0.3	0.6	78.1	<0.01	0.02
I314135		0.93	8.7	470	7.7	23.9	<0.001	<0.01	0.49	4.8	0.4	0.5	12.2	<0.01	0.02
I314136		0.85	12.4	300	6.7	12.6	<0.001	<0.01	0.45	3.0	0.3	0.4	15.8	<0.01	0.01
I314137		0.96	10.0	520	7.1	26.5	<0.001	<0.01	0.43	6.2	0.6	0.5	23.8	<0.01	0.02
I314138		1.28	14.7	220	9.6	7.6	<0.001	<0.01	0.39	3.2	0.3	0.5	12.4	<0.01	0.01
I314139		1.31	15.5	280	14.7	8.0	<0.001	<0.01	0.46	3.7	0.4	0.5	21.5	<0.01	0.02
I314140		0.85	14.8	380	15.5	7.2	<0.001	<0.01	0.42	5.1	0.3	0.6	18.9	<0.01	0.02
I314141		1.02	13.9	360	16.1	8.0	<0.001	<0.01	0.39	4.5	0.4	0.5	25.4	<0.01	0.02
I314142		1.15	12.6	730	41.8	10.6	<0.001	<0.01	0.41	6.3	0.4	0.6	27.4	<0.01	0.02
I314143		0.58	10.0	730	18.8	28.3	<0.001	<0.01	0.38	7.5	0.6	0.5	29.3	<0.01	0.01
I314144		1.08	13.7	390	7.7	11.7	<0.001	<0.01	0.30	3.7	0.4	0.4	37.6	<0.01	0.01
I314145		1.26	15.7	350	7.3	8.5	<0.001	<0.01	0.34	3.6	0.3	0.5	42.7	<0.01	0.02
I314146		1.25	16.5	350	7.3	8.0	<0.001	<0.01	0.33	3.5	0.3	0.5	39.8	<0.01	0.01
I314147		1.06	15.6	660	8.3	10.5	<0.001	<0.01	0.31	5.5	0.3	0.6	38.9	<0.01	0.03
I314148		1.06	15.1	620	15.5	8.5	<0.001	<0.01	0.25	5.8	0.4	0.5	47.1	<0.01	0.04
I314149		1.53	17.4	330	6.9	3.5	<0.001	0.01	0.29	4.6	0.3	0.5	32.5	<0.01	0.04
I314150		1.80	26.2	480	7.3	9.2	<0.001	0.01	0.46	8.4	0.6	0.5	46.4	<0.01	0.03
I314151		1.72	19.2	350	8.2	18.8	<0.001	0.02	0.43	5.0	0.5	0.6	43.4	<0.01	0.03
I314152		2.04	16.3	300	9.8	9.5	<0.001	0.01	0.49	3.5	0.3	0.7	18.0	<0.01	0.03
I314153		1.41	17.0	910	5.9	11.4	<0.001	0.04	0.29	6.2	0.7	0.4	30.0	<0.01	0.03
I314154		1.70	16.2	370	6.2	13.4	<0.001	0.02	0.24	5.3	0.4	0.5	24.7	<0.01	0.03
I314155		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314156		2.33	17.7	780	6.7	23.5	<0.001	0.02	0.35	6.1	0.5	0.6	28.1	<0.01	0.03
I314157		2.21	13.9	440	6.9	23.5	<0.001	0.02	0.47	4.7	0.8	0.6	29.6	0.01	0.04
I314158		2.61	9.6	290	6.5	22.3	<0.001	0.01	0.25	3.7	0.4	0.6	25.1	<0.01	0.03
I314159		2.75	16.7	540	6.9	30.6	<0.001	0.02	0.32	3.5	0.6	0.7	25.4	<0.01	0.03
I314160		1.73	10.7	540	6.6	22.5	<0.001	0.02	0.43	4.1	0.6	0.6	30.9	0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I314121		0.107	0.11	0.37	97	0.23	2.03	50
I314122		0.100	0.14	0.36	80	0.56	1.89	62
I314123		0.135	0.12	0.27	71	0.14	1.64	56
I314124		0.037	0.11	0.87	90	0.18	9.21	76
I314125		0.136	0.15	0.44	95	0.17	2.91	75
I314126		0.123	0.09	0.29	80	0.17	2.21	55
I314127		0.089	0.10	0.33	67	0.20	1.98	45
I314128		0.083	0.12	0.38	71	0.21	2.89	66
I314129		0.030	0.11	0.37	74	0.23	4.41	59
I314130		0.019	0.13	0.65	19	0.08	6.66	20
I314131		0.045	0.12	0.87	79	0.34	23.4	67
I314132		0.048	0.08	0.30	67	0.22	3.25	58
I314133		0.054	0.09	0.39	60	0.19	3.85	49
I314134		0.068	0.07	0.30	57	0.17	3.17	128
I314135		0.062	0.12	0.31	53	0.20	4.25	73
I314136		0.039	0.10	0.33	52	0.17	2.15	51
I314137		0.079	0.15	0.51	56	0.19	13.60	66
I314138		0.081	0.09	0.27	62	0.24	2.07	76
I314139		0.050	0.09	0.52	56	0.22	4.19	57
I314140		0.058	0.08	0.42	71	0.17	2.83	84
I314141		0.069	0.08	0.36	73	0.21	2.78	104
I314142		0.102	0.08	0.35	91	0.25	3.99	213
I314143		0.044	0.12	1.46	54	0.24	9.28	104
I314144		0.051	0.05	0.37	50	0.15	7.36	48
I314145		0.061	0.08	0.33	58	0.24	2.98	46
I314146		0.061	0.07	0.33	57	0.16	2.93	49
I314147		0.052	0.08	0.31	72	0.15	3.60	61
I314148		0.055	0.07	0.25	77	0.14	4.71	77
I314149		0.070	0.07	0.39	69	0.20	3.11	43
I314150		0.100	0.06	0.73	75	0.29	10.60	56
I314151		0.065	0.09	0.75	56	0.24	7.08	47
I314152		0.073	0.10	0.38	72	0.24	2.11	44
I314153		0.082	0.07	1.10	57	0.21	8.32	56
I314154		0.104	0.08	0.59	59	0.20	7.18	48
I314155		NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314156		0.136	0.14	1.24	65	0.20	9.63	73
I314157		0.105	0.12	1.08	59	0.26	12.50	59
I314158		0.108	0.12	0.69	50	0.25	5.91	43
I314159		0.119	0.14	0.81	57	0.27	7.34	59
I314160		0.061	0.10	0.99	46	0.35	12.80	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314161		0.38	<0.005	0.26	1.37	5.2	<0.2	<10	250	0.27	0.13	0.27	0.10	23.2	7.4	19
I314162		0.36	<0.005	0.20	2.10	9.9	<0.2	<10	390	0.49	0.13	0.53	0.13	19.85	15.7	27
I314163		0.44	<0.005	0.21	2.12	9.6	<0.2	<10	380	0.50	0.13	0.47	0.13	21.1	16.3	27
I314164		0.38	<0.005	0.08	1.54	6.1	<0.2	<10	250	0.37	0.12	0.32	0.07	22.9	9.6	25
I314165		0.46	<0.005	0.23	2.18	8.7	<0.2	<10	470	0.65	0.19	0.49	0.23	37.6	15.2	43
I314166		0.48	<0.005	0.11	2.01	9.3	<0.2	<10	420	0.47	0.23	0.48	0.13	24.2	13.2	29
I314167		0.38	<0.005	0.26	1.77	10.8	<0.2	<10	400	0.50	0.21	1.00	0.27	23.7	11.4	25
I314168		0.46	<0.005	0.09	1.58	8.4	<0.2	<10	260	0.39	0.15	0.24	0.07	20.3	7.4	27
I314169		0.38	<0.005	0.08	1.42	6.1	<0.2	<10	350	0.35	0.21	0.32	0.10	17.75	7.6	25
I314170		0.52	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314171		0.44	<0.005	0.14	2.17	5.3	<0.2	<10	340	0.35	0.13	0.36	0.17	12.80	13.9	35
I314172		0.40	<0.005	0.16	1.77	4.2	<0.2	<10	590	0.35	0.11	0.49	0.12	15.10	10.8	28
I314173		0.44	<0.005	0.14	1.91	5.5	<0.2	<10	430	0.38	0.17	0.37	0.09	17.55	11.4	31
I314174		0.46	<0.005	0.15	1.66	6.2	<0.2	<10	320	0.26	0.17	0.31	0.09	17.40	8.0	26
I314175		0.44	<0.005	0.14	1.79	6.5	<0.2	<10	410	0.36	0.19	0.36	0.17	16.65	14.5	35
I314176		0.38	<0.005	0.10	2.09	5.3	<0.2	<10	740	0.37	0.15	0.34	0.08	15.50	11.1	28
I314177		0.46	0.005	0.08	1.89	4.9	<0.2	<10	380	0.39	0.16	0.43	0.05	19.45	13.1	46
I314178		0.44	<0.005	0.05	3.12	3.6	<0.2	<10	350	0.98	0.49	0.70	0.08	13.25	27.0	65
I314179		0.48	<0.005	0.09	1.72	4.6	<0.2	<10	380	0.31	0.11	0.38	0.07	14.40	10.4	33
I314180		0.54	<0.005	0.13	1.83	9.3	<0.2	<10	290	0.39	0.14	0.36	0.10	19.60	12.5	28
I314181		0.48	<0.005	0.20	2.30	10.5	<0.2	<10	280	0.41	0.11	0.56	0.07	21.6	14.5	57
I314182		0.50	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314183		0.48	0.009	0.09	1.08	4.3	<0.2	<10	420	0.28	0.28	0.54	0.13	22.2	8.1	20
I314184		0.46	0.013	0.05	1.41	4.7	<0.2	<10	480	0.37	0.19	0.20	0.19	29.8	8.5	19
I314185		0.36	0.011	0.12	1.97	5.4	<0.2	<10	1460	0.90	0.24	1.23	0.25	74.4	10.2	27
I314186		0.48	<0.005	0.34	2.00	8.3	<0.2	<10	330	0.50	0.33	0.53	0.21	18.75	8.0	24
I314187		0.54	<0.005	0.30	2.04	4.9	<0.2	<10	420	0.38	0.31	0.58	0.26	21.6	12.0	21
I314188		0.44	<0.005	0.56	1.87	8.8	<0.2	<10	420	0.54	0.20	0.49	0.21	54.0	9.9	25
I314189		0.32	0.019	0.24	1.71	11.4	<0.2	<10	390	0.60	0.20	0.57	0.14	43.0	13.4	22
I314190		0.50	<0.005	0.15	2.41	39.0	<0.2	<10	350	0.35	0.09	0.40	0.07	14.50	13.9	22
I314191		0.56	<0.005	0.12	2.54	37.8	<0.2	<10	370	0.38	0.10	0.42	0.07	14.25	14.8	23
I314192		0.56	<0.005	0.13	1.89	16.8	<0.2	<10	210	0.30	0.12	0.42	0.10	12.70	10.4	19
I314193		0.56	<0.005	0.34	2.33	101.5	<0.2	<10	460	0.51	0.17	0.61	0.27	46.5	18.0	29
I314194		0.34	<0.005	0.80	2.93	13.9	<0.2	<10	720	0.66	0.18	0.96	0.76	91.1	28.3	28
I314195		0.38	<0.005	0.29	1.53	6.7	<0.2	<10	200	0.31	0.16	0.34	0.11	15.05	7.7	21
I314196		0.42	<0.005	0.20	1.43	6.0	<0.2	<10	310	0.45	0.13	1.06	0.19	18.30	9.3	16
I314197		0.48	<0.005	0.15	1.60	8.9	<0.2	<10	190	0.32	0.14	0.35	0.10	14.60	8.5	18
I314198		0.44	<0.005	0.33	1.18	11.3	<0.2	<10	290	0.29	0.15	0.31	0.24	15.10	8.6	18
I314199		0.50	<0.005	0.09	1.70	6.6	<0.2	<10	210	0.35	0.17	0.26	0.10	14.00	10.5	33
I314200		0.34	<0.005	0.11	1.46	5.6	<0.2	<10	260	0.28	0.14	0.43	0.12	12.80	9.5	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314161		3.66	14.8	2.32	5.82	0.07	<0.02	0.03	0.014	0.31	14.4	9.5	0.55	314	0.77
I314162		4.09	16.3	3.65	7.70	0.08	0.02	0.03	0.019	0.44	7.9	15.5	0.92	979	1.01
I314163		4.14	16.4	3.68	7.83	0.08	0.02	0.03	0.020	0.44	8.0	15.7	0.92	982	1.01
I314164		2.03	42.9	2.64	5.31	0.08	0.03	0.02	0.021	0.22	13.5	13.1	0.68	341	1.46
I314165		7.11	60.3	3.55	7.81	0.11	0.04	0.04	0.028	0.61	22.3	16.0	1.08	586	1.97
I314166		4.34	83.0	3.25	6.74	0.09	<0.02	0.02	0.051	0.31	14.8	18.7	0.83	421	2.17
I314167		3.41	22.9	2.91	5.73	0.08	0.03	0.03	0.020	0.52	11.8	14.1	0.74	803	1.33
I314168		1.45	11.8	2.56	4.90	0.06	0.04	0.01	0.022	0.10	10.5	8.9	0.43	189	1.03
I314169		0.85	9.7	2.29	4.46	0.06	<0.02	0.01	0.017	0.10	9.0	8.1	0.39	298	1.01
I314170		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314171		1.48	15.7	3.57	7.50	0.07	<0.02	0.02	0.020	0.18	6.5	16.1	0.81	550	0.93
I314172		1.51	17.6	3.31	6.90	0.07	<0.02	0.01	0.024	0.29	7.1	12.6	0.65	637	0.74
I314173		1.99	20.3	3.32	6.68	0.06	0.05	0.01	0.028	0.14	8.5	12.3	0.59	400	1.24
I314174		2.03	15.3	2.79	6.56	0.07	<0.02	0.03	0.022	0.13	9.3	12.2	0.63	301	0.86
I314175		1.73	17.2	3.33	6.73	0.09	0.03	0.02	0.025	0.41	8.3	13.6	0.82	740	0.84
I314176		1.98	9.4	3.43	8.09	0.07	<0.02	0.01	0.027	0.15	7.9	15.0	0.84	434	0.81
I314177		1.80	9.0	3.19	6.56	0.08	0.07	0.01	0.027	0.35	8.5	11.7	0.90	483	0.65
I314178		5.26	6.9	4.44	10.30	0.11	0.05	0.02	0.033	0.43	5.2	41.9	2.60	983	0.59
I314179		0.81	9.0	2.88	6.63	0.06	0.02	0.01	0.017	0.24	7.1	11.2	0.68	369	0.64
I314180		0.60	23.3	3.11	6.41	0.06	0.03	0.02	0.031	0.19	9.6	11.5	0.61	433	1.34
I314181		0.92	30.3	3.72	8.64	0.08	<0.02	0.01	0.042	0.22	8.6	14.5	1.02	326	2.16
I314182		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314183		0.64	12.7	1.93	3.76	0.06	<0.02	0.03	0.023	0.05	11.8	7.7	0.37	489	1.03
I314184		1.75	6.9	2.95	4.69	0.07	<0.02	0.02	0.026	0.09	16.2	9.1	0.32	296	0.96
I314185		1.47	31.1	2.77	6.46	0.14	0.12	0.06	0.032	0.10	57.9	8.8	0.39	1090	2.53
I314186		5.33	38.3	2.96	6.62	0.07	0.03	0.04	0.044	0.16	10.9	16.1	0.62	333	1.07
I314187		5.24	39.0	2.84	8.14	0.08	0.03	0.04	0.044	0.34	11.0	15.1	0.83	361	0.86
I314188		4.06	23.9	2.84	7.04	0.13	0.07	0.08	0.026	0.12	29.6	19.8	0.56	432	1.07
I314189		4.73	22.4	2.77	5.58	0.10	0.04	0.08	0.024	0.06	23.4	17.5	0.51	796	1.35
I314190		7.81	16.7	3.50	8.72	0.10	0.03	0.02	0.025	0.54	7.9	19.8	1.14	210	1.46
I314191		8.04	18.2	3.71	9.21	0.12	0.02	0.03	0.022	0.57	7.8	21.2	1.21	243	1.47
I314192		10.20	16.5	3.41	7.14	0.09	0.03	0.02	0.018	0.48	6.5	17.3	0.83	354	1.49
I314193		8.54	35.9	3.53	8.16	0.12	0.04	0.05	0.034	0.27	24.9	21.3	1.09	469	2.17
I314194		8.71	55.0	4.92	9.93	0.19	0.08	0.09	0.053	0.33	44.0	27.9	0.74	1950	2.41
I314195		3.65	17.0	2.54	5.99	0.05	0.02	0.04	0.018	0.10	7.7	11.8	0.45	361	1.09
I314196		6.39	15.6	2.20	4.59	0.06	0.03	0.05	0.018	0.11	9.0	12.0	0.40	678	1.00
I314197		7.21	14.3	2.67	5.40	0.07	0.02	0.03	0.017	0.11	7.6	15.0	0.49	352	1.25
I314198		2.49	11.0	2.02	5.33	0.05	<0.02	0.05	0.015	0.12	7.9	7.5	0.33	964	1.08
I314199		1.50	9.0	2.98	6.44	0.05	0.03	0.02	0.020	0.09	7.1	13.2	0.52	417	0.90
I314200		1.25	7.7	2.70	6.41	<0.05	<0.02	0.03	0.021	0.06	5.7	10.8	0.44	980	0.93



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314161		2.37	11.0	370	5.8	29.0	<0.001	0.02	0.33	3.2	0.4	0.5	19.6	<0.01	0.02
I314162		4.31	15.4	410	7.3	48.0	<0.001	0.02	0.55	4.8	0.4	0.8	33.4	<0.01	0.03
I314163		4.46	16.0	370	7.3	47.2	<0.001	0.01	0.53	4.9	0.3	0.7	30.0	<0.01	0.02
I314164		2.15	14.8	310	6.4	22.2	<0.001	0.01	0.44	4.0	0.5	0.6	22.4	<0.01	0.02
I314165		2.98	22.7	510	8.2	48.8	<0.001	0.02	0.68	6.1	0.7	0.7	28.5	0.01	0.04
I314166		2.30	15.8	480	8.2	30.3	<0.001	0.02	0.60	5.5	0.6	1.1	27.2	<0.01	0.05
I314167		2.39	18.8	1000	10.5	30.8	<0.001	0.04	0.64	4.4	0.7	0.5	45.5	<0.01	0.03
I314168		1.62	15.6	130	8.5	9.5	<0.001	0.01	0.47	3.8	0.3	0.5	18.3	<0.01	0.02
I314169		1.43	14.4	170	12.3	7.6	<0.001	0.01	0.41	3.1	0.3	0.5	23.3	<0.01	0.02
I314170		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314171		1.89	20.5	300	9.1	15.2	<0.001	0.02	0.38	3.9	0.3	0.5	24.9	<0.01	0.03
I314172		2.27	17.6	410	6.0	23.8	<0.001	0.02	0.35	5.3	0.3	0.7	35.6	<0.01	0.03
I314173		1.88	16.7	210	11.0	14.4	<0.001	0.01	0.55	5.5	0.3	0.6	25.5	<0.01	0.03
I314174		1.64	14.5	570	7.2	17.1	<0.001	0.01	0.35	4.9	0.4	0.5	25.3	<0.01	0.03
I314175		2.07	19.1	360	7.2	26.5	<0.001	0.01	0.40	5.7	0.3	0.6	27.5	<0.01	0.03
I314176		2.14	16.5	230	7.7	15.9	<0.001	0.01	0.45	5.4	0.3	0.8	26.7	<0.01	0.03
I314177		2.03	24.3	150	6.8	25.9	<0.001	0.01	0.42	7.2	0.3	0.6	32.1	<0.01	0.02
I314178		1.41	36.0	390	9.2	37.3	<0.001	0.02	0.47	17.0	0.4	0.4	28.9	<0.01	0.02
I314179		1.91	15.2	190	5.7	19.3	<0.001	0.02	0.33	3.7	0.2	0.4	35.3	<0.01	0.03
I314180		1.55	16.8	240	7.0	17.3	<0.001	0.01	0.40	6.2	0.4	0.5	28.2	<0.01	0.03
I314181		1.61	25.3	340	5.9	21.6	<0.001	0.01	0.31	7.8	0.5	0.6	53.7	<0.01	0.05
I314182		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314183		1.08	12.8	800	5.2	7.0	<0.001	0.02	0.24	3.3	0.5	0.3	40.3	<0.01	0.07
I314184		1.05	12.1	400	7.3	9.4	<0.001	0.01	0.24	3.1	0.3	0.4	20.4	<0.01	0.04
I314185		1.00	24.6	440	9.9	9.5	0.001	0.04	0.42	6.9	1.5	0.5	97.2	0.01	0.18
I314186		1.45	13.5	990	16.4	16.1	<0.001	0.05	0.34	4.6	0.6	0.8	28.9	<0.01	0.04
I314187		1.71	12.1	920	8.2	37.4	<0.001	0.05	0.22	5.2	0.8	1.1	32.0	<0.01	0.09
I314188		1.58	15.0	650	10.0	19.5	0.001	0.05	0.31	6.4	1.2	0.5	33.4	0.01	0.03
I314189		0.88	13.7	910	11.7	10.3	<0.001	0.08	0.52	6.0	1.3	0.3	39.4	<0.01	0.03
I314190		1.09	9.9	970	4.5	42.9	<0.001	0.03	0.50	6.5	0.5	0.4	15.7	<0.01	0.05
I314191		1.07	10.1	980	4.4	45.5	<0.001	0.03	0.48	6.9	0.5	0.4	16.3	<0.01	0.05
I314192		1.38	9.5	640	6.0	44.8	<0.001	0.02	0.44	5.0	0.4	0.3	19.7	<0.01	0.03
I314193		1.27	14.9	930	8.1	23.1	<0.001	0.04	1.22	8.7	1.0	0.5	35.0	<0.01	0.05
I314194		2.21	16.8	980	51.6	24.2	<0.001	0.05	0.61	11.7	1.6	0.5	44.8	0.01	0.05
I314195		1.18	13.3	420	7.5	12.9	<0.001	0.03	0.32	3.6	0.5	0.4	20.4	<0.01	0.03
I314196		0.71	11.8	800	6.2	18.0	<0.001	0.06	0.54	3.2	0.9	0.3	38.6	<0.01	0.02
I314197		0.92	11.8	470	6.6	17.0	<0.001	0.04	0.49	3.8	0.4	0.4	21.7	<0.01	0.02
I314198		0.84	12.6	500	12.7	11.0	<0.001	0.04	0.40	2.8	0.6	0.4	25.3	<0.01	0.02
I314199		1.24	18.6	310	8.0	10.7	<0.001	0.02	0.41	3.8	0.3	0.6	19.3	<0.01	0.02
I314200		0.85	12.6	590	7.2	8.4	<0.001	0.03	0.38	2.7	0.4	0.5	29.2	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I314161		0.104	0.13	0.58	53	0.22	4.40	36
I314162		0.166	0.22	0.58	76	0.27	2.80	66
I314163		0.173	0.23	0.58	77	0.25	2.77	65
I314164		0.120	0.14	0.61	59	0.20	5.97	57
I314165		0.164	0.26	1.14	70	0.33	13.25	117
I314166		0.128	0.18	0.97	71	0.33	7.11	87
I314167		0.101	0.13	0.64	55	0.22	5.63	54
I314168		0.066	0.08	0.31	56	0.14	2.22	36
I314169		0.053	0.08	0.38	51	0.14	2.13	37
I314170		NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314171		0.172	0.11	0.28	82	0.18	2.00	72
I314172		0.152	0.11	0.28	63	0.17	3.14	83
I314173		0.110	0.12	0.39	70	0.17	2.87	58
I314174		0.116	0.09	0.48	64	0.22	3.77	54
I314175		0.166	0.12	0.41	75	0.24	3.13	64
I314176		0.144	0.12	0.25	76	0.24	2.05	62
I314177		0.155	0.12	0.36	73	0.16	3.26	53
I314178		0.159	0.16	0.60	123	0.17	6.63	71
I314179		0.144	0.09	0.30	67	0.12	2.11	59
I314180		0.104	0.09	0.45	84	0.17	4.04	47
I314181		0.125	0.11	0.50	95	0.12	3.71	49
I314182		NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314183		0.051	0.05	0.72	41	0.54	5.87	47
I314184		0.041	0.06	0.43	46	0.19	4.78	63
I314185		0.034	0.08	1.31	53	0.15	40.0	46
I314186		0.085	0.12	0.89	63	0.64	6.68	92
I314187		0.130	0.23	0.82	67	0.19	9.33	92
I314188		0.080	0.15	1.71	58	0.22	24.5	65
I314189		0.054	0.14	1.86	58	0.14	21.3	55
I314190		0.217	0.30	0.61	102	0.14	3.75	67
I314191		0.234	0.31	0.65	108	0.16	3.42	71
I314192		0.149	0.27	0.35	79	0.14	3.27	74
I314193		0.148	0.15	1.72	99	0.19	15.65	90
I314194		0.146	0.19	2.47	118	0.23	32.2	142
I314195		0.082	0.08	0.46	62	0.20	3.40	49
I314196		0.038	0.13	0.63	43	0.28	8.36	40
I314197		0.056	0.11	0.42	57	0.26	3.85	46
I314198		0.053	0.08	0.33	49	0.28	2.87	37
I314199		0.076	0.08	0.31	70	0.20	2.30	57
I314200		0.063	0.09	0.26	57	0.17	2.48	54



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314201		0.40	<0.005	0.13	1.68	8.6	<0.2	<10	280	0.34	0.19	0.31	0.08	19.05	10.1	29
I314202		0.38	<0.005	0.23	1.75	10.7	<0.2	<10	290	0.55	0.23	0.35	0.16	18.25	9.9	28
I314203		0.32	<0.005	0.09	1.64	6.7	<0.2	<10	320	0.47	0.54	0.41	0.13	14.75	8.1	24
I314204		0.40	<0.005	0.08	1.38	4.5	<0.2	<10	240	0.47	0.18	0.19	0.09	23.2	5.6	20
I314205		0.42	<0.005	0.12	1.51	5.9	<0.2	<10	350	0.48	0.15	0.24	0.14	16.70	11.1	25
I314206		0.38	<0.005	0.09	1.34	8.1	<0.2	<10	250	0.43	0.16	0.50	0.14	24.0	10.3	24
I314207		0.34	<0.005	0.15	1.46	5.2	<0.2	<10	280	0.42	0.13	0.36	0.40	16.15	11.2	22
I314208		0.40	<0.005	0.21	1.90	10.5	<0.2	<10	250	0.73	0.14	0.40	0.25	34.1	11.3	27
I314209		0.32	<0.005	0.19	1.95	6.3	<0.2	<10	310	0.58	0.15	0.74	0.34	24.2	13.3	25
I314210		0.24	NSS	0.05	0.45	9.2	<0.2	<10	100	0.35	0.05	0.47	0.21	34.5	10.0	13
I314211		0.34	<0.005	0.15	1.79	8.0	<0.2	<10	220	0.57	0.13	0.62	0.28	23.1	12.7	19
I314212		0.36	<0.005	0.21	1.64	8.5	<0.2	<10	230	0.57	0.14	0.81	0.42	27.9	12.0	24
I314213		0.30	<0.005	0.48	1.84	7.8	<0.2	<10	200	0.58	0.16	0.70	0.13	25.3	13.6	41
I314214		0.38	0.007	0.52	2.43	4.7	<0.2	<10	150	0.53	0.10	3.35	0.40	16.30	20.5	84
I314215		0.28	<0.005	0.18	1.28	3.7	<0.2	<10	360	1.70	0.89	2.04	0.24	33.9	7.0	20
I314216		0.46	<0.005	0.05	1.72	5.6	<0.2	<10	600	0.49	0.15	0.24	0.11	22.7	8.1	24
I314217		0.40	<0.005	0.07	1.55	6.4	<0.2	<10	540	0.52	0.14	0.55	0.09	26.9	10.1	28
I314218		0.44	<0.005	0.16	2.41	7.5	<0.2	<10	420	0.54	0.13	0.84	0.13	18.50	16.9	49
I314219		0.38	<0.005	0.09	1.29	4.8	<0.2	<10	180	0.65	0.19	0.24	0.06	30.7	13.2	26
I314220		0.44	<0.005	0.08	1.31	6.4	<0.2	<10	160	0.61	0.18	0.24	0.06	29.9	10.7	30
I314221		0.38	<0.005	0.10	1.37	4.9	<0.2	<10	170	0.36	0.19	0.29	0.11	22.4	5.3	21
I314222		0.30	NSS	0.26	2.89	6.9	<0.2	<10	280	1.21	0.30	0.62	0.19	217	7.7	32
I314223		0.32	<0.005	0.14	2.16	6.3	<0.2	<10	220	0.71	0.23	0.45	0.12	90.3	11.1	36
I314224		0.34	<0.005	0.09	1.30	4.6	<0.2	<10	160	0.50	0.20	0.31	0.11	56.6	7.1	20
I314225		0.42	0.015	0.07	1.33	4.7	<0.2	<10	180	0.41	0.31	0.27	0.12	29.7	6.7	19
I314226		0.40	<0.005	0.05	1.62	5.0	<0.2	<10	140	0.37	0.16	0.30	0.05	39.2	7.4	24
I314227		0.34	<0.005	0.05	1.97	5.5	<0.2	<10	140	0.43	0.15	0.18	0.10	29.5	12.4	32
I314228		0.40	<0.005	0.06	1.49	5.2	<0.2	<10	160	0.49	0.21	0.26	0.20	37.4	8.5	23
I314229		0.30	<0.005	0.38	2.93	7.2	<0.2	<10	320	3.01	0.52	0.83	0.26	363	7.3	31
I314230		0.28	NSS	0.02	0.24	8.4	<0.2	<10	80	0.29	0.04	0.49	0.20	42.2	8.2	8
I314231		0.40	<0.005	0.08	1.37	4.4	<0.2	<10	140	0.67	0.25	0.29	0.13	66.5	7.0	19
I314232		0.40	<0.005	0.11	1.36	4.2	<0.2	<10	130	0.58	0.23	0.27	0.09	74.3	11.3	19
I314233		0.32	<0.005	0.13	2.24	4.1	<0.2	<10	210	1.18	0.39	0.71	0.13	285	6.3	24
I314234		0.34	<0.005	0.10	1.71	4.1	<0.2	<10	140	0.47	0.26	0.34	0.10	73.3	6.6	23
I314235		0.48	<0.005	0.13	1.75	4.8	<0.2	<10	130	0.31	0.24	0.37	0.09	44.9	6.7	27
I314236		0.46	<0.005	0.10	1.97	5.4	<0.2	<10	170	0.59	0.31	0.45	0.13	82.9	7.6	28
I314237		0.38	<0.005	0.08	2.05	5.5	<0.2	<10	200	0.83	0.31	0.44	0.18	104.0	13.4	30
I314238		0.38	<0.005	0.09	2.13	5.5	<0.2	<10	170	0.66	0.34	0.39	0.10	117.0	10.0	28
I314239		0.34	<0.005	0.11	1.99	5.4	<0.2	<10	180	0.62	0.36	0.34	0.25	143.0	12.5	28
I314240		0.38	<0.005	0.10	2.00	5.6	<0.2	<10	180	0.62	0.37	0.36	0.24	140.0	12.4	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314201		0.74	12.3	2.89	6.79	0.06	0.03	0.03	0.022	0.07	9.9	12.2	0.48	506	1.16
I314202		1.71	13.0	2.87	6.31	0.05	0.02	0.02	0.022	0.07	9.4	11.5	0.43	744	1.08
I314203		1.56	9.7	2.52	5.77	0.05	0.02	0.02	0.021	0.08	7.6	11.1	0.39	861	1.09
I314204		1.66	7.1	2.08	4.27	0.05	0.05	0.01	0.016	0.09	12.4	7.8	0.32	273	0.72
I314205		1.55	9.7	2.63	6.61	0.06	0.04	0.01	0.024	0.18	8.2	12.5	0.51	684	0.77
I314206		1.61	16.1	2.74	5.30	0.06	0.02	0.02	0.026	0.19	10.3	12.4	0.52	699	0.80
I314207		2.29	14.9	2.91	5.54	0.06	0.02	0.02	0.023	0.12	7.3	11.5	0.50	906	0.89
I314208		3.44	28.4	3.20	6.22	0.14	0.08	0.02	0.033	0.15	30.9	19.0	0.54	687	0.82
I314209		3.80	28.1	3.43	7.20	0.07	0.06	0.03	0.037	0.11	10.2	15.7	0.59	1380	0.73
I314210		1.07	9.2	2.19	2.20	0.08	0.04	0.01	0.010	0.05	17.1	5.4	0.24	820	1.19
I314211		4.08	20.3	3.24	6.77	0.07	0.06	0.03	0.032	0.18	9.4	17.4	0.58	658	0.82
I314212		3.57	32.4	3.19	5.98	0.09	0.09	0.03	0.028	0.19	13.5	16.9	0.62	819	0.69
I314213		2.57	32.1	3.17	6.28	0.09	0.08	0.04	0.026	0.15	13.5	18.0	0.74	732	0.73
I314214		3.87	81.4	4.16	8.79	0.10	0.08	0.05	0.031	0.32	9.2	31.1	1.51	1200	0.67
I314215		2.39	14.4	1.52	4.88	0.07	0.16	0.04	0.020	0.16	16.7	12.3	0.40	1240	1.56
I314216		0.60	10.6	2.75	5.42	0.05	0.04	0.01	0.042	0.11	10.3	8.8	0.32	316	1.29
I314217		0.41	14.5	2.70	4.99	0.05	0.05	0.02	0.022	0.11	11.9	8.0	0.42	585	1.16
I314218		0.71	45.6	3.91	7.95	0.07	0.09	0.02	0.031	0.12	7.6	11.8	0.85	697	3.77
I314219		1.96	12.4	2.47	5.05	0.07	0.03	0.03	0.025	0.08	23.8	8.6	0.33	760	1.18
I314220		1.74	12.3	2.51	4.98	0.07	0.05	0.02	0.026	0.09	21.8	10.1	0.39	516	1.07
I314221		2.24	13.4	2.34	5.84	0.06	<0.02	0.02	0.025	0.12	17.3	11.0	0.33	192	1.45
I314222		3.63	27.0	3.15	10.90	0.32	0.08	0.07	0.054	0.17	150.0	21.0	0.42	310	1.53
I314223		1.28	22.5	2.84	7.74	0.14	0.06	0.03	0.035	0.12	48.2	13.8	0.44	858	1.34
I314224		1.43	15.2	2.16	5.66	0.08	<0.02	0.02	0.020	0.14	30.6	10.1	0.38	584	1.07
I314225		1.37	12.6	2.40	5.67	0.07	<0.02	0.01	0.021	0.06	20.1	9.9	0.28	341	1.05
I314226		1.07	13.1	2.55	6.03	0.08	<0.02	0.02	0.025	0.09	35.2	12.6	0.36	357	1.06
I314227		0.86	16.1	3.03	6.60	0.07	<0.02	0.02	0.027	0.08	16.4	11.4	0.44	333	1.30
I314228		1.53	16.8	2.47	5.83	0.09	<0.02	0.02	0.024	0.11	33.7	11.9	0.35	334	1.27
I314229		3.51	47.0	3.41	11.45	0.32	0.13	0.11	0.060	0.23	119.0	17.6	0.40	710	1.30
I314230		0.26	6.1	1.92	1.48	0.08	0.05	0.02	0.007	0.04	20.2	3.4	0.19	707	1.12
I314231		1.73	13.5	2.12	6.12	0.09	0.03	0.03	0.026	0.07	41.5	10.3	0.26	371	0.89
I314232		1.91	12.1	2.21	6.66	0.08	0.04	0.02	0.025	0.13	42.3	11.5	0.30	620	1.02
I314233		3.40	20.5	2.63	10.15	0.26	0.11	0.08	0.044	0.15	173.0	20.9	0.40	241	0.81
I314234		1.45	16.2	2.22	7.97	0.08	0.03	0.03	0.024	0.08	36.3	14.3	0.39	168	0.67
I314235		0.97	15.0	2.39	6.41	0.08	0.07	0.02	0.023	0.06	26.5	14.7	0.43	171	0.57
I314236		1.37	22.6	2.58	7.47	0.10	0.11	0.03	0.029	0.08	48.2	16.7	0.42	182	0.72
I314237		1.16	27.3	2.70	7.74	0.10	0.10	0.05	0.032	0.09	46.4	17.6	0.43	460	0.89
I314238		1.56	15.9	2.76	7.99	0.11	0.09	0.04	0.031	0.09	65.1	17.3	0.43	410	1.04
I314239		1.34	19.6	2.67	7.81	0.12	0.05	0.04	0.030	0.08	79.3	15.6	0.42	1340	1.16
I314240		1.38	18.7	2.70	7.84	0.11	0.05	0.04	0.029	0.09	76.1	16.0	0.44	1250	1.15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314201		1.32	16.8	350	8.5	7.5	<0.001	0.02	0.45	4.2	0.4	0.6	23.6	<0.01	0.02
I314202		1.22	17.8	360	13.4	10.0	<0.001	0.03	0.47	3.3	0.4	0.5	23.9	<0.01	0.03
I314203		1.01	14.5	450	22.8	7.5	<0.001	0.03	0.41	3.2	0.3	0.5	30.2	<0.01	0.02
I314204		0.76	11.6	230	12.2	9.4	<0.001	0.02	0.35	2.5	0.2	0.4	15.3	<0.01	0.02
I314205		0.98	16.2	650	7.5	14.6	<0.001	0.02	0.41	4.8	0.3	0.5	22.9	<0.01	0.02
I314206		0.90	15.7	800	7.9	13.2	<0.001	0.03	0.50	4.9	0.5	0.4	34.5	<0.01	0.03
I314207		0.92	14.5	580	7.4	14.7	<0.001	0.03	0.50	4.5	0.3	0.5	25.1	<0.01	0.02
I314208		0.86	18.7	410	10.8	14.4	<0.001	0.02	0.69	10.4	1.3	0.5	22.6	0.01	0.03
I314209		0.90	18.1	500	13.1	14.5	<0.001	0.03	0.78	9.7	0.6	0.5	32.1	<0.01	0.02
I314210		0.55	20.4	590	5.8	6.5	<0.001	0.03	0.56	2.8	0.4	0.2	12.6	<0.01	0.02
I314211		0.82	13.1	430	29.5	18.3	<0.001	0.02	0.67	8.9	0.5	0.5	22.6	<0.01	0.02
I314212		0.95	18.1	1020	19.8	17.9	<0.001	0.03	0.67	8.8	0.7	0.4	32.7	<0.01	0.02
I314213		1.06	24.7	410	13.0	21.6	<0.001	0.03	0.56	8.1	0.6	0.4	34.3	<0.01	0.02
I314214		1.12	37.8	920	10.0	40.0	<0.001	0.08	0.63	12.7	1.5	0.4	121.5	<0.01	0.03
I314215		3.01	15.5	640	19.8	21.4	<0.001	0.10	0.44	3.3	1.4	1.1	156.5	0.01	0.03
I314216		0.91	14.6	220	8.2	10.1	<0.001	0.03	0.34	3.7	0.4	0.4	26.6	<0.01	0.03
I314217		1.00	17.8	250	6.5	6.4	<0.001	0.03	0.39	5.3	0.5	0.4	52.4	<0.01	0.03
I314218		1.14	23.8	340	8.2	9.0	<0.001	0.03	0.39	9.5	0.6	0.5	42.2	<0.01	0.05
I314219		1.03	15.3	210	11.7	13.6	<0.001	0.02	0.34	3.5	0.4	0.7	21.9	<0.01	0.02
I314220		1.08	17.4	180	10.8	16.3	<0.001	0.02	0.40	3.8	0.4	0.7	23.1	<0.01	0.02
I314221		0.98	11.4	280	12.2	17.6	<0.001	0.01	0.30	3.0	0.3	1.0	23.0	<0.01	0.03
I314222		1.35	20.1	890	20.7	32.3	<0.001	0.05	0.39	8.6	1.7	1.4	51.6	0.01	0.04
I314223		1.20	18.3	570	13.7	19.7	<0.001	0.01	0.30	6.0	0.8	0.9	36.2	<0.01	0.03
I314224		0.94	12.7	410	13.3	19.6	<0.001	0.01	0.25	2.8	0.4	0.7	24.4	<0.01	0.03
I314225		0.93	12.5	320	17.4	12.3	<0.001	0.01	0.34	2.2	0.3	0.8	24.3	<0.01	0.02
I314226		0.98	15.2	290	11.2	13.5	<0.001	0.01	0.34	3.0	0.3	0.8	25.9	<0.01	0.03
I314227		1.16	19.3	250	8.9	9.3	<0.001	<0.01	0.48	3.6	0.3	0.7	18.0	<0.01	0.03
I314228		1.00	15.0	420	12.0	17.0	<0.001	0.01	0.35	2.9	0.4	0.7	25.6	<0.01	0.03
I314229		1.14	24.5	940	19.3	29.2	0.001	0.04	0.61	11.5	2.7	1.5	61.4	0.02	0.04
I314230		0.43	16.3	600	4.1	5.0	<0.001	0.01	0.48	1.7	0.3	0.2	13.1	<0.01	0.01
I314231		0.94	10.9	440	16.4	19.9	<0.001	0.01	0.22	3.3	0.5	0.7	29.3	<0.01	0.01
I314232		0.96	10.6	490	14.0	28.8	<0.001	0.01	0.24	3.1	0.4	0.8	29.4	<0.01	0.01
I314233		1.19	14.6	650	18.3	32.7	0.001	0.05	0.30	8.7	1.6	1.2	57.2	0.01	0.02
I314234		1.18	13.5	370	9.1	17.6	<0.001	0.02	0.24	4.0	0.5	0.8	33.7	<0.01	0.02
I314235		1.36	14.3	470	7.2	11.3	<0.001	0.01	0.28	4.3	0.4	0.6	31.2	<0.01	0.02
I314236		1.37	16.1	470	9.9	16.7	<0.001	0.02	0.27	4.9	0.6	0.8	41.0	<0.01	0.02
I314237		1.39	18.0	420	9.5	14.6	<0.001	0.02	0.30	5.8	0.7	0.8	41.9	<0.01	0.02
I314238		1.34	14.9	590	11.8	18.2	<0.001	0.02	0.26	5.4	0.7	0.8	35.5	<0.01	0.01
I314239		1.16	16.3	640	10.4	14.5	<0.001	0.02	0.31	5.6	0.7	0.7	36.5	<0.01	0.02
I314240		1.21	16.2	630	10.8	15.5	<0.001	0.02	0.32	5.5	0.7	0.7	36.6	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I314201		0.079	0.09	0.47	69	0.23	3.16	60
I314202		0.058	0.11	0.56	64	0.23	3.52	67
I314203		0.038	0.10	0.39	57	0.27	2.56	55
I314204		0.033	0.10	0.37	42	0.15	2.17	39
I314205		0.102	0.10	0.31	64	0.16	3.07	75
I314206		0.075	0.09	0.58	55	0.29	4.80	58
I314207		0.059	0.08	0.28	66	0.22	3.17	76
I314208		0.045	0.10	0.73	72	0.40	51.8	70
I314209		0.050	0.10	0.58	86	0.30	9.13	105
I314210		0.027	0.14	0.64	28	0.11	7.49	29
I314211		0.054	0.10	0.43	79	0.25	6.83	108
I314212		0.064	0.08	0.61	70	0.29	11.85	102
I314213		0.096	0.11	0.63	80	0.22	12.85	71
I314214		0.190	0.18	1.59	132	0.21	11.35	124
I314215		0.019	0.17	3.94	29	0.18	17.55	44
I314216		0.036	0.07	0.74	53	0.14	3.81	41
I314217		0.053	0.07	0.46	57	0.18	6.31	36
I314218		0.068	0.07	0.42	113	0.18	4.20	57
I314219		0.074	0.11	0.64	53	0.13	5.74	33
I314220		0.087	0.11	0.71	56	0.10	6.36	37
I314221		0.069	0.14	0.65	56	0.13	4.25	41
I314222		0.059	0.21	6.09	49	0.22	40.5	64
I314223		0.089	0.12	2.51	58	0.14	17.20	55
I314224		0.074	0.12	1.35	48	0.16	7.70	43
I314225		0.066	0.10	0.90	53	0.11	6.89	42
I314226		0.067	0.11	0.81	55	0.11	4.39	41
I314227		0.091	0.09	0.43	71	0.12	3.37	51
I314228		0.071	0.10	1.27	53	0.13	6.89	40
I314229		0.033	0.21	15.20	44	0.17	75.1	73
I314230		0.017	0.13	0.91	16	0.07	8.47	19
I314231		0.049	0.11	1.67	46	0.14	14.10	40
I314232		0.067	0.14	1.29	44	0.32	9.87	43
I314233		0.050	0.20	7.48	40	0.17	55.4	63
I314234		0.092	0.11	1.87	49	0.15	10.75	46
I314235		0.109	0.07	1.41	55	0.14	7.71	46
I314236		0.105	0.08	3.05	54	0.11	14.40	47
I314237		0.102	0.07	3.48	59	0.17	18.20	51
I314238		0.088	0.12	2.63	57	0.31	15.25	51
I314239		0.083	0.09	2.25	58	0.18	15.25	51
I314240		0.087	0.09	2.21	59	0.15	14.95	52



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 2-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314241		0.32	<0.005	0.07	1.63	4.3	<0.2	<10	130	0.92	0.32	0.40	0.10	312	9.3	27
I314242		0.36	0.005	0.06	1.42	5.6	<0.2	<10	140	0.30	0.11	0.81	0.12	31.0	9.4	28
I314243		0.34	<0.005	0.08	1.78	4.5	<0.2	<10	150	0.42	0.13	0.49	0.08	41.2	9.0	29
I314244		0.48	<0.005	0.08	1.48	3.8	<0.2	<10	130	0.42	0.10	1.22	0.22	35.5	11.0	30
I314245		0.48	<0.005	0.09	1.74	5.7	<0.2	<10	180	0.38	0.11	0.58	0.19	33.0	11.8	33
I314246		0.38	<0.005	0.06	1.43	5.3	<0.2	<10	150	0.29	0.10	0.80	0.12	22.8	9.9	28
I314247		0.36	<0.005	0.08	1.50	5.3	<0.2	<10	150	0.31	0.10	1.24	0.13	24.4	10.5	30
I314248		0.28	<0.005	0.10	1.38	3.9	<0.2	<10	140	0.55	0.09	1.40	0.20	25.2	10.2	28
I314249		0.34	<0.005	0.06	1.55	5.0	<0.2	<10	160	0.34	0.10	1.15	0.17	27.4	10.9	30
I314250		0.32	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314241		1.81	32.2	2.57	8.04	0.27	0.13	0.03	0.031	0.17	210	14.9	0.40	511	0.83
I314242		0.63	24.2	2.34	4.83	0.09	0.10	0.03	0.022	0.07	18.8	12.0	0.60	355	0.62
I314243		0.78	14.4	2.57	6.58	0.07	0.10	0.02	0.021	0.08	24.7	16.8	0.48	282	0.84
I314244		1.81	22.1	2.41	5.17	0.09	0.06	0.03	0.021	0.17	17.8	16.5	0.65	378	0.57
I314245		1.26	24.7	2.70	5.78	0.07	0.05	0.02	0.023	0.07	16.6	15.7	0.59	367	0.71
I314246		0.67	17.9	2.36	4.95	0.06	0.06	0.03	0.019	0.05	11.1	11.5	0.51	363	0.64
I314247		0.81	20.3	2.41	4.83	0.07	0.08	0.02	0.018	0.06	12.1	12.4	0.56	416	0.45
I314248		0.85	35.5	2.08	4.34	0.07	0.05	0.05	0.019	0.06	12.9	10.4	0.44	250	0.41
I314249		1.12	23.1	2.44	4.90	0.08	0.10	0.04	0.020	0.11	14.4	13.0	0.53	406	0.44
I314250		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 2-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I314241		1.29	20.3	260	10.5	29.6	<0.001	0.01	0.31	6.5	1.1	0.9	34.3	0.01	0.02	19.5
I314242		1.36	21.8	810	5.0	8.0	<0.001	0.03	0.39	4.5	0.6	0.4	47.3	<0.01	0.02	2.6
I314243		1.49	16.6	390	7.8	12.6	<0.001	0.01	0.25	4.1	0.4	0.6	37.3	<0.01	0.02	5.2
I314244		1.11	23.6	1190	9.6	28.5	<0.001	0.04	0.28	4.1	0.7	0.5	54.7	<0.01	0.02	4.4
I314245		1.30	24.4	680	7.1	15.4	<0.001	0.02	0.34	4.6	0.6	0.5	39.7	<0.01	0.01	3.0
I314246		1.32	18.7	590	5.4	9.2	<0.001	0.04	0.31	3.9	0.7	0.4	51.7	<0.01	0.01	1.8
I314247		1.25	20.7	720	5.7	10.3	<0.001	0.05	0.35	3.8	0.7	0.4	73.6	<0.01	0.02	1.6
I314248		1.11	29.6	640	4.9	10.4	<0.001	0.05	0.37	3.7	1.0	0.3	66.2	<0.01	0.02	0.9
I314249		1.41	21.8	550	6.8	20.8	<0.001	0.03	0.37	4.4	0.7	0.4	71.0	<0.01	0.02	3.3
I314250		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 2-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314241		0.083	0.14	3.05	51	0.16	44.3	49	3.9
I314242		0.110	0.05	0.61	61	0.14	10.00	55	3.8
I314243		0.102	0.08	0.75	62	0.22	7.45	51	3.7
I314244		0.083	0.16	1.07	48	0.20	10.20	80	2.5
I314245		0.104	0.10	0.85	61	0.25	9.47	63	2.0
I314246		0.091	0.08	0.62	58	0.13	6.65	50	2.3
I314247		0.095	0.08	0.63	56	0.25	7.59	58	3.2
I314248		0.076	0.08	0.80	42	0.14	9.77	47	2.1
I314249		0.104	0.09	0.87	52	0.16	8.51	50	4.3
I314250		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113327

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

CERTIFICATE WH10113328

Project: SQI10-06

P.O. No.: SQI10-06_21

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314251		0.22	<0.005	0.06	1.64	7.2	<0.2	<10	310	0.39	0.14	0.36	0.10	21.9	8.8	30
I314252		0.18	<0.005	0.10	1.46	6.2	<0.2	<10	270	0.28	0.14	0.38	0.12	16.25	9.2	28
I314253		0.14	0.005	0.31	1.43	5.4	<0.2	<10	570	0.38	0.11	1.25	0.44	25.6	8.3	23
I314254		0.30	0.007	0.10	1.58	7.8	<0.2	<10	360	0.45	0.13	0.64	0.07	27.9	10.1	30
I314255		0.18	0.017	0.14	1.62	7.3	<0.2	<10	630	0.47	0.15	1.14	0.19	26.8	9.7	27
I314256		0.16	0.006	0.09	1.08	4.3	<0.2	<10	480	0.36	0.10	1.45	0.29	21.7	6.5	19
I314257		0.20	0.011	0.10	1.38	5.6	<0.2	<10	290	0.50	0.16	0.79	0.18	27.8	8.8	27
I314258		0.22	0.005	0.06	1.64	8.5	<0.2	<10	260	0.51	0.14	1.07	0.27	31.1	11.7	31
I314259		0.28	NSS	0.02	0.22	7.3	<0.2	<10	70	0.25	0.03	0.37	0.21	22.2	7.2	11
I314260		0.24	<0.005	0.10	2.43	5.6	<0.2	<10	660	0.58	0.19	0.67	0.12	32.4	13.9	57
I314261		0.20	<0.005	0.12	1.67	5.9	<0.2	<10	330	0.41	0.15	0.88	0.48	25.2	10.0	31
I314262		0.20	<0.005	0.05	2.41	6.7	<0.2	<10	310	0.39	0.15	0.36	0.10	18.80	13.0	35
I314263		0.30	<0.005	0.05	1.71	6.4	<0.2	<10	120	0.26	0.16	0.18	0.08	16.35	8.0	52
I314264		0.32	<0.005	0.05	1.32	4.4	<0.2	<10	130	0.22	0.20	0.18	0.05	17.60	5.5	20
I314265		0.34	<0.005	0.05	2.41	11.0	<0.2	<10	120	0.32	0.21	0.18	0.07	18.40	9.1	38
I314266		0.30	0.008	0.02	1.23	6.5	<0.2	<10	80	0.15	0.19	0.10	0.02	11.50	2.9	20
I314267		0.30	<0.005	0.03	2.15	10.9	<0.2	<10	120	0.25	0.17	0.21	0.05	14.15	7.7	35
I314268		0.28	<0.005	0.02	2.60	11.1	<0.2	<10	140	0.36	0.19	0.15	0.07	19.45	8.7	38
I314269		0.20	<0.005	0.06	0.70	2.7	<0.2	<10	100	0.13	0.11	0.10	0.15	7.84	2.0	13
I314270		0.26	0.009	0.05	0.80	3.4	<0.2	<10	100	0.13	0.11	0.10	0.10	8.93	2.2	14
I314271		0.28	0.006	0.06	2.43	10.2	<0.2	<10	130	0.36	0.19	0.19	0.11	17.55	10.9	38
I314272		0.28	0.343	0.23	0.84	2.2	<0.2	<10	100	0.21	0.12	0.20	0.12	13.80	4.1	16
I314273		0.34	0.006	0.07	3.45	14.0	<0.2	<10	190	0.58	0.21	0.18	0.08	19.35	15.7	48
I314274		0.32	0.006	0.10	2.07	8.2	<0.2	<10	100	0.28	0.20	0.13	0.12	13.75	8.8	32
I314275		0.28	0.005	0.01	2.19	11.7	<0.2	<10	130	0.26	0.20	0.19	0.17	18.40	7.4	38
I314276		0.32	0.010	<0.01	2.68	5.0	<0.2	<10	130	0.56	0.08	0.29	0.10	25.2	19.3	49
I314277		0.38	0.008	0.20	2.78	9.9	<0.2	<10	170	0.44	0.19	0.35	0.61	19.40	15.7	47
I314278		0.26	0.005	0.26	1.63	6.4	<0.2	<10	110	0.25	0.21	0.12	0.24	14.20	4.7	24
I314279		0.30	0.005	0.49	2.28	6.9	<0.2	<10	180	0.43	0.18	0.37	0.21	18.60	8.0	31
I314280		0.30	0.005	0.16	2.09	10.0	<0.2	<10	120	0.27	0.19	0.23	0.11	16.80	7.3	33
I314281		0.30	0.008	0.48	2.34	10.8	<0.2	<10	160	0.38	0.19	0.18	0.40	20.5	8.3	36
I314282		0.30	0.005	0.34	1.84	7.5	<0.2	<10	140	0.22	0.17	0.21	0.68	13.10	18.5	33
I314283		0.24	<0.005	0.16	2.09	7.7	<0.2	<10	150	0.45	0.18	0.20	0.18	35.3	14.5	34
I314284		0.24	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314285		0.24	0.005	0.10	2.14	6.4	<0.2	<10	150	0.30	0.24	0.56	0.15	13.20	9.5	33
I314286		0.34	0.015	0.05	1.55	7.1	<0.2	<10	80	0.23	0.18	0.10	0.06	15.55	5.6	24
I314287		0.24	<0.005	0.12	0.69	2.1	<0.2	<10	60	0.22	0.09	0.10	0.12	12.75	2.2	14
I314288		0.26	0.005	0.05	1.07	4.3	<0.2	<10	80	0.15	0.16	0.13	0.11	8.90	6.3	18
I314289		0.24	<0.005	0.10	0.70	2.4	<0.2	<10	50	0.16	0.12	0.09	0.07	14.20	2.3	14
I314290		0.36	0.005	0.03	1.67	6.9	<0.2	<10	80	0.25	0.15	0.10	0.04	28.2	6.6	17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314251		0.43	12.9	2.75	5.60	0.06	0.03	0.02	0.021	0.08	10.0	9.5	0.49	475	1.04
I314252		0.51	10.7	2.59	5.25	0.05	0.03	0.03	0.019	0.07	8.1	8.1	0.40	336	1.23
I314253		0.45	25.5	2.29	4.81	0.06	0.03	0.04	0.021	0.10	13.9	7.3	0.40	500	1.16
I314254		0.36	26.1	2.63	5.16	0.07	0.15	0.03	0.022	0.07	14.1	11.3	0.57	426	0.94
I314255		0.45	30.4	2.60	5.01	0.06	0.12	0.04	0.023	0.09	14.3	12.0	0.50	575	1.33
I314256		0.38	23.1	1.74	3.57	0.05	0.05	0.07	0.016	0.07	11.7	7.4	0.35	337	1.38
I314257		0.53	19.8	2.28	4.59	0.06	0.06	0.03	0.019	0.07	14.1	11.6	0.53	410	1.19
I314258		0.54	27.6	2.80	5.41	0.07	0.07	0.03	0.023	0.09	15.2	13.4	0.66	591	1.05
I314259		0.20	6.5	1.93	1.28	0.06	0.03	0.01	<0.005	0.04	11.6	3.3	0.16	713	1.24
I314260		3.33	20.8	3.84	8.70	0.08	0.10	0.04	0.034	0.27	16.5	29.7	1.14	607	1.63
I314261		1.41	34.2	2.91	4.78	0.08	0.07	0.03	0.025	0.16	13.2	12.9	0.60	570	0.66
I314262		1.61	18.3	3.80	7.35	0.07	0.05	0.01	0.023	0.20	8.1	20.3	0.70	444	0.92
I314263		1.46	29.5	2.60	6.06	0.06	0.02	0.04	0.026	0.04	8.5	9.5	0.39	135	1.34
I314264		1.44	16.5	2.10	6.29	0.06	0.02	0.02	0.019	0.06	9.0	9.4	0.25	160	0.86
I314265		1.80	18.9	4.03	8.53	0.08	0.06	0.02	0.029	0.05	9.9	16.9	0.50	295	1.63
I314266		0.81	11.0	2.38	6.81	0.05	0.02	0.02	0.016	0.02	6.0	6.0	0.17	82	1.00
I314267		0.94	15.2	4.01	7.58	0.07	0.05	0.02	0.028	0.06	6.9	18.2	0.54	241	1.44
I314268		1.29	16.7	3.98	7.89	0.07	0.06	0.03	0.029	0.04	9.3	16.0	0.48	216	1.38
I314269		0.63	14.7	1.23	3.54	<0.05	<0.02	0.03	0.013	0.02	3.9	2.6	0.09	43	0.67
I314270		0.71	14.8	1.51	4.18	<0.05	<0.02	0.03	0.014	0.03	4.6	3.4	0.09	47	0.76
I314271		1.63	21.1	3.70	8.42	0.07	0.04	0.03	0.028	0.06	8.2	17.4	0.57	248	1.39
I314272		0.85	19.3	1.21	3.51	<0.05	<0.02	0.04	0.013	0.04	7.9	4.1	0.16	68	0.62
I314273		1.84	22.2	4.51	8.56	0.08	0.08	0.03	0.039	0.05	9.5	19.4	0.61	366	1.81
I314274		1.39	18.4	3.70	8.39	0.06	0.03	0.03	0.026	0.05	6.8	15.2	0.35	240	1.67
I314275		1.57	20.3	4.12	8.64	0.07	0.03	0.02	0.031	0.06	9.1	17.7	0.48	202	1.39
I314276		4.62	40.7	4.31	6.41	0.09	0.05	0.01	0.022	0.42	11.3	28.3	1.01	364	0.54
I314277		1.47	55.4	3.86	7.11	0.08	0.03	0.04	0.034	0.05	10.0	17.4	0.62	264	1.30
I314278		1.23	16.7	2.69	8.11	0.05	0.04	0.04	0.022	0.03	7.4	9.4	0.19	131	2.12
I314279		1.29	28.6	3.01	6.93	0.06	0.03	0.04	0.027	0.03	8.9	10.8	0.38	254	1.24
I314280		1.63	17.2	3.63	8.58	0.08	0.05	0.02	0.027	0.04	8.6	14.5	0.41	184	2.04
I314281		1.85	37.0	3.66	8.25	0.07	0.04	0.03	0.027	0.06	11.0	14.4	0.43	223	2.28
I314282		1.53	19.1	3.16	6.96	0.06	0.03	0.02	0.018	0.06	6.3	12.8	0.48	948	3.17
I314283		3.22	21.2	3.24	7.61	0.08	0.02	0.05	0.031	0.08	16.4	16.1	0.47	655	1.52
I314284		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314285		1.24	20.0	2.99	7.30	0.05	0.03	0.02	0.022	0.04	6.8	16.5	0.55	304	0.91
I314286		1.26	14.3	2.61	6.91	0.05	0.02	0.02	0.020	0.04	6.5	10.3	0.27	164	1.23
I314287		1.07	22.5	1.11	2.78	<0.05	<0.02	0.03	0.013	0.04	7.1	2.6	0.10	52	0.85
I314288		0.95	11.7	2.09	5.08	<0.05	<0.02	0.03	0.017	0.03	4.3	6.7	0.18	684	1.01
I314289		0.68	15.2	1.20	3.82	<0.05	<0.02	0.03	0.013	0.05	7.9	2.0	0.10	55	0.79
I314290		4.96	16.1	2.90	8.62	0.06	0.02	0.02	0.020	0.24	10.1	11.2	0.45	204	1.19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314251		1.23	18.3	350	7.6	6.9	<0.001	0.01	0.41	3.8	0.4	0.5	30.3	<0.01	0.02
I314252		1.36	16.3	320	7.2	7.3	<0.001	0.01	0.38	3.0	0.3	0.5	28.2	<0.01	0.02
I314253		1.01	19.5	690	6.2	9.2	<0.001	0.04	0.43	3.4	1.0	0.4	87.1	<0.01	0.02
I314254		1.38	22.6	520	7.1	7.5	<0.001	0.01	0.65	5.1	0.6	0.5	59.0	<0.01	0.05
I314255		1.37	21.9	560	8.6	9.8	<0.001	0.02	0.47	5.2	0.7	0.4	101.5	<0.01	0.06
I314256		1.04	16.2	550	5.2	8.1	0.001	0.07	0.41	3.1	0.9	0.3	117.0	<0.01	0.05
I314257		1.30	18.6	720	8.6	7.9	<0.001	0.02	0.42	4.1	0.7	0.5	61.2	<0.01	0.05
I314258		1.49	23.2	880	7.7	10.1	<0.001	0.03	0.53	5.1	0.9	0.5	55.4	<0.01	0.04
I314259		0.47	16.9	540	3.4	4.3	<0.001	<0.01	0.43	1.6	0.3	0.2	9.6	<0.01	0.01
I314260		1.96	33.5	340	9.9	34.3	0.001	0.02	0.55	8.5	0.9	0.8	80.1	<0.01	0.01
I314261		1.36	21.4	460	9.9	19.6	<0.001	0.01	0.54	5.9	0.6	0.5	40.0	0.01	0.02
I314262		2.38	24.1	310	9.8	29.7	<0.001	0.01	0.36	2.9	0.3	0.8	30.6	<0.01	0.03
I314263		0.96	26.2	400	8.7	9.5	<0.001	0.02	0.33	2.2	0.5	0.6	18.9	0.01	0.03
I314264		0.73	10.7	310	10.7	13.3	<0.001	0.01	0.17	1.8	0.4	0.7	18.2	<0.01	0.02
I314265		2.22	18.6	410	10.0	15.8	<0.001	0.01	0.57	3.5	0.4	0.8	19.2	0.01	0.04
I314266		1.27	7.1	220	9.0	6.6	<0.001	0.01	0.31	1.7	0.3	0.7	11.3	<0.01	0.02
I314267		2.06	16.2	320	8.5	11.3	<0.001	0.01	0.41	3.2	0.4	0.6	20.8	<0.01	0.04
I314268		2.01	17.5	340	9.5	10.6	<0.001	0.01	0.46	4.0	0.5	0.7	14.7	0.02	0.03
I314269		0.33	6.3	570	5.3	5.8	<0.001	0.02	0.16	0.6	0.4	0.3	13.2	<0.01	0.02
I314270		0.39	6.1	570	5.9	7.2	<0.001	0.02	0.18	0.7	0.4	0.4	13.4	<0.01	0.02
I314271		1.84	22.8	340	10.3	14.8	<0.001	0.02	0.43	3.6	0.4	0.7	18.9	0.01	0.03
I314272		0.74	9.4	310	5.2	10.8	<0.001	0.02	0.16	1.9	0.4	0.4	20.2	<0.01	0.02
I314273		2.13	27.0	390	10.5	13.5	<0.001	0.02	0.59	4.8	0.5	0.8	17.9	0.01	0.04
I314274		1.83	19.4	320	9.4	16.9	<0.001	0.02	0.46	3.0	0.3	0.8	12.3	<0.01	0.04
I314275		1.79	23.6	480	13.1	10.6	<0.001	0.02	0.44	4.0	0.5	0.8	15.7	<0.01	0.04
I314276		2.02	51.1	460	5.9	48.3	<0.001	0.01	0.23	3.8	0.4	0.4	23.6	<0.01	0.03
I314277		1.70	61.3	940	11.8	10.1	<0.001	0.01	0.35	4.9	0.6	0.6	23.1	<0.01	0.04
I314278		1.80	11.0	230	11.1	10.5	<0.001	0.02	0.37	2.8	0.5	0.8	15.3	<0.01	0.04
I314279		1.51	16.2	350	9.6	7.3	<0.001	0.02	0.32	3.7	0.6	0.7	23.9	<0.01	0.03
I314280		1.93	16.4	260	13.5	11.9	<0.001	0.01	0.44	3.6	0.5	0.8	21.4	<0.01	0.03
I314281		2.10	20.9	470	10.6	12.1	<0.001	0.05	0.40	3.5	0.8	0.7	23.9	<0.01	0.05
I314282		1.68	22.6	310	10.1	29.2	<0.001	0.02	0.34	2.6	0.4	0.6	17.8	<0.01	0.04
I314283		1.25	20.2	430	10.7	25.4	<0.001	0.03	0.43	4.0	0.6	0.8	20.9	<0.01	0.03
I314284		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314285		1.72	21.8	280	8.8	10.2	<0.001	0.02	0.30	3.6	0.3	0.7	31.0	<0.01	0.04
I314286		1.37	13.3	290	10.5	11.8	<0.001	0.01	0.37	2.6	0.3	0.7	12.0	<0.01	0.03
I314287		0.33	7.2	520	5.0	9.3	<0.001	0.02	0.14	0.6	0.4	0.3	11.7	<0.01	0.02
I314288		0.83	8.0	280	6.6	9.3	<0.001	0.02	0.26	1.6	0.3	0.5	11.7	<0.01	0.03
I314289		0.39	6.5	340	6.7	6.7	<0.001	0.02	0.20	0.9	0.3	0.5	11.3	<0.01	0.02
I314290		0.90	12.6	250	9.1	37.7	<0.001	0.02	0.83	2.6	0.3	0.8	13.4	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I314251		0.063	0.07	0.46	62	0.20	3.39	46
I314252		0.063	0.08	0.32	60	0.43	2.22	38
I314253		0.042	0.05	0.91	48	0.16	8.44	35
I314254		0.082	0.05	0.70	56	0.16	9.47	49
I314255		0.066	0.05	1.03	52	0.22	10.45	52
I314256		0.043	0.04	0.82	35	0.15	8.80	43
I314257		0.065	0.06	1.09	50	0.29	8.77	56
I314258		0.078	0.06	1.35	60	0.17	10.80	68
I314259		0.016	0.13	0.54	14	0.09	6.06	19
I314260		0.146	0.14	8.72	87	0.30	10.95	84
I314261		0.099	0.08	0.62	65	0.21	10.35	62
I314262		0.157	0.19	0.45	71	0.12	2.74	68
I314263		0.080	0.14	0.59	65	0.12	3.30	30
I314264		0.059	0.12	0.46	48	0.10	3.77	25
I314265		0.133	0.15	0.54	92	0.17	3.46	48
I314266		0.083	0.11	0.31	71	0.11	1.59	17
I314267		0.126	0.11	0.38	86	0.17	2.50	43
I314268		0.127	0.14	0.59	92	0.18	3.84	39
I314269		0.035	0.06	0.30	30	0.07	1.45	10
I314270		0.040	0.07	0.36	35	0.12	1.57	11
I314271		0.133	0.13	0.47	85	0.15	2.97	47
I314272		0.066	0.08	0.49	30	0.09	2.90	17
I314273		0.124	0.16	0.60	97	0.15	3.69	69
I314274		0.107	0.12	0.36	93	0.13	2.70	53
I314275		0.112	0.12	0.46	115	0.18	3.57	59
I314276		0.173	0.32	0.40	65	0.13	4.77	82
I314277		0.123	0.12	0.72	88	0.23	4.89	92
I314278		0.106	0.15	0.41	87	0.15	2.30	27
I314279		0.096	0.14	0.74	77	0.26	4.44	43
I314280		0.126	0.15	0.48	97	0.18	3.21	38
I314281		0.134	0.21	0.80	99	0.15	3.86	68
I314282		0.130	0.17	0.40	79	0.15	2.13	89
I314283		0.085	0.16	0.72	71	0.17	7.46	51
I314284		NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314285		0.104	0.16	0.40	72	0.17	2.70	51
I314286		0.096	0.11	0.45	63	0.15	2.56	31
I314287		0.034	0.06	0.67	23	0.07	2.13	13
I314288		0.076	0.08	0.29	54	0.09	1.59	30
I314289		0.046	0.09	0.46	35	0.08	2.09	14
I314290		0.076	0.28	0.44	58	0.11	4.18	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314291		0.22	NSS	0.13	0.47	1.4	<0.2	<10	50	0.14	0.07	0.08	0.21	12.25	1.8	10
I314292		0.36	0.010	0.03	1.85	5.9	<0.2	<10	130	0.36	0.15	0.20	0.08	30.0	8.0	34
I314293		0.28	0.009	0.08	1.25	3.6	<0.2	<10	130	0.39	0.13	0.18	0.13	30.0	3.9	21
I314294		0.26	0.008	0.08	1.37	4.8	<0.2	<10	110	0.36	0.16	0.19	0.13	28.6	5.3	25
I314295		0.20	0.025	0.16	0.59	1.6	<0.2	<10	80	0.26	0.12	0.34	0.29	29.7	3.8	14
I314296		0.34	0.006	0.03	1.65	5.7	<0.2	<10	100	0.29	0.11	0.25	0.05	45.1	8.4	28
I314297		0.24	<0.005	0.52	2.65	21.7	<0.2	<10	250	1.28	0.28	0.53	0.14	174.0	24.5	34
I314298		0.32	0.006	0.09	2.16	6.4	<0.2	<10	190	0.60	0.14	0.30	0.03	66.4	13.4	31
I314299		0.28	0.006	0.07	1.33	8.0	<0.2	<10	110	0.17	0.12	0.14	0.03	10.50	6.0	21
I314300		0.20	<0.005	0.07	0.55	2.6	<0.2	<10	70	0.13	0.11	0.09	0.06	8.66	1.4	10
I314301		0.40	0.009	0.16	1.80	8.3	<0.2	<10	280	0.60	0.17	0.43	0.14	29.8	9.7	24
I314302		0.38	0.005	0.19	1.79	7.0	<0.2	<10	300	0.43	0.16	0.33	0.14	23.7	8.8	23
I314303		0.46	<0.005	0.16	1.64	10.0	<0.2	<10	280	0.42	0.71	0.42	0.30	23.3	11.9	26
I314304		0.44	0.005	0.10	1.66	6.9	<0.2	<10	230	0.30	0.17	0.28	0.23	13.80	11.1	20
I314305		0.50	0.006	0.07	2.07	6.3	<0.2	<10	230	0.39	0.13	0.27	0.22	15.70	12.6	25
I314306		0.46	<0.005	0.20	1.86	4.9	<0.2	<10	340	0.39	0.15	0.30	1.21	16.00	12.8	29
I314307		0.42	<0.005	0.25	1.61	6.1	<0.2	<10	330	0.34	0.16	0.65	0.74	17.35	12.1	27
I314308		0.50	NSS	0.03	0.28	9.4	<0.2	<10	100	0.33	0.03	0.54	0.25	27.3	9.6	16
I314309		0.38	<0.005	0.09	2.44	4.1	<0.2	<10	800	0.84	0.12	0.76	0.13	43.9	17.4	97
I314310		0.42	<0.005	0.39	1.68	9.6	<0.2	<10	390	0.39	0.13	0.48	0.08	21.3	11.6	33
I314311		0.50	<0.005	0.23	2.82	12.6	<0.2	<10	200	0.35	0.11	0.81	0.22	12.90	23.8	62
I314312		0.38	<0.005	0.16	1.95	6.7	<0.2	<10	510	0.55	0.15	0.53	0.23	17.25	14.5	67
I314313		0.44	<0.005	0.05	1.74	4.7	<0.2	<10	420	0.33	0.15	0.42	0.10	14.60	6.6	22
I314314		0.38	<0.005	0.08	1.47	6.0	<0.2	<10	520	0.24	0.15	0.35	0.14	15.35	9.1	24
I314315		0.54	0.021	0.16	1.61	4.3	<0.2	<10	1500	1.02	0.17	0.55	0.11	37.8	7.9	22
I314316		0.52	0.009	0.15	1.54	7.3	<0.2	<10	430	0.97	0.39	0.89	0.19	30.7	10.2	26
I314317		0.48	0.006	0.15	1.83	5.2	<0.2	<10	190	0.50	0.15	1.14	0.31	25.4	11.8	31
I314318		0.46	0.005	0.09	1.63	6.8	<0.2	<10	210	0.32	0.14	0.83	0.23	20.3	10.8	26
I314319		0.38	<0.005	0.05	1.43	6.8	<0.2	<10	140	0.20	0.14	0.22	0.11	16.05	6.6	19
I314320		0.56	0.015	0.10	1.40	6.3	<0.2	<10	240	0.38	0.27	0.62	0.20	26.8	10.4	21
I314321		0.38	<0.005	0.30	1.63	4.4	<0.2	<10	390	0.38	0.10	0.78	0.66	17.75	10.6	36
I314322		0.40	<0.005	0.08	1.48	5.3	<0.2	<10	230	0.26	0.14	0.30	0.16	15.10	10.1	25
I314323		0.44	<0.005	0.08	1.51	6.7	<0.2	<10	270	0.34	0.13	0.42	0.09	19.90	9.6	26
I314324		0.38	NSS	0.06	0.33	10.1	<0.2	<10	120	0.31	0.03	0.64	0.27	31.8	11.0	19
I314325		0.44	<0.005	0.09	1.73	6.1	<0.2	<10	500	0.57	0.10	1.70	0.53	22.9	9.3	33
I314326		0.38	0.006	0.32	1.55	26.2	<0.2	<10	190	0.45	0.08	2.48	1.41	25.2	11.8	78
I314327		0.40	<0.005	0.05	1.73	4.8	<0.2	<10	200	0.32	0.11	0.45	0.15	16.35	9.2	37
I314328		0.46	<0.005	0.05	2.74	5.4	<0.2	<10	390	0.53	0.10	0.48	0.05	20.0	16.1	57
I314329		0.38	<0.005	0.06	1.70	4.8	<0.2	<10	520	0.32	0.18	0.57	0.16	14.70	10.9	26
I314330		0.36	0.012	0.05	2.19	5.9	<0.2	<10	200	0.45	0.10	0.51	0.11	23.1	14.5	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314291		0.56	16.0	0.78	1.93	<0.05	<0.02	0.06	0.010	0.03	9.1	0.9	0.04	33	0.67
I314292		1.81	24.7	3.14	7.21	0.08	0.02	0.03	0.023	0.09	18.0	14.2	0.50	202	0.90
I314293		1.06	25.9	1.78	5.00	0.06	0.02	0.03	0.019	0.04	18.1	5.6	0.19	83	0.73
I314294		1.47	29.6	2.25	5.18	0.07	0.03	0.05	0.021	0.05	19.2	9.7	0.32	174	0.92
I314295		0.95	27.3	0.93	2.53	0.06	0.02	0.06	0.013	0.05	16.5	2.1	0.10	53	0.66
I314296		4.29	24.0	3.02	5.84	0.09	0.02	0.02	0.016	0.32	21.0	16.9	0.65	192	0.66
I314297		5.09	46.3	3.45	12.00	0.31	0.08	0.15	0.055	0.08	158.0	20.9	0.36	2010	1.54
I314298		4.95	24.6	3.29	8.00	0.10	0.04	0.05	0.025	0.34	46.3	24.4	0.72	217	0.64
I314299		1.33	11.4	2.21	5.91	<0.05	0.02	0.02	0.020	0.01	5.6	8.5	0.25	136	1.02
I314300		0.77	9.1	0.65	3.96	<0.05	<0.02	0.02	0.010	0.02	5.2	1.8	0.07	32	0.37
I314301		4.41	18.1	3.04	7.98	0.11	0.04	0.05	0.028	0.17	25.1	14.7	0.57	462	0.94
I314302		2.65	17.0	2.91	7.11	0.08	0.04	0.03	0.031	0.12	14.4	12.7	0.47	534	0.95
I314303		2.12	32.2	2.85	6.55	0.06	0.03	0.04	0.034	0.08	11.4	14.4	0.54	1080	0.77
I314304		2.02	16.0	2.88	7.43	0.05	0.02	0.02	0.026	0.07	7.1	11.7	0.40	680	1.09
I314305		1.13	21.8	3.35	8.28	0.06	0.05	0.01	0.029	0.05	7.6	15.5	0.64	329	1.04
I314306		2.13	14.4	3.06	7.22	0.05	0.03	0.03	0.027	0.04	7.8	10.1	0.46	1720	1.15
I314307		1.83	12.7	2.91	6.48	0.05	0.04	0.03	0.027	0.10	7.9	8.9	0.45	961	1.08
I314308		0.28	7.7	2.18	1.58	0.07	0.09	0.02	0.008	0.02	13.2	3.3	0.22	919	1.46
I314309		0.50	15.3	3.61	9.05	0.08	0.07	0.02	0.033	0.12	16.6	9.1	1.18	663	1.13
I314310		0.42	18.2	2.68	6.37	0.05	0.07	0.02	0.023	0.08	9.2	7.8	0.48	690	2.23
I314311		0.47	55.1	3.78	8.82	0.07	0.08	0.02	0.035	0.10	5.4	9.9	0.88	803	1.15
I314312		0.37	20.1	3.07	7.45	0.05	0.08	0.01	0.026	0.19	8.4	9.0	0.64	1140	1.35
I314313		0.23	7.4	2.58	6.71	0.05	0.02	0.01	0.019	0.13	7.5	7.7	0.32	369	1.18
I314314		0.36	12.3	2.38	6.31	<0.05	0.04	0.02	0.019	0.08	8.0	7.6	0.33	950	1.05
I314315		0.45	24.3	2.36	5.34	0.10	0.06	0.06	0.024	0.08	28.7	8.2	0.27	401	1.90
I314316		0.67	23.2	2.35	5.41	0.06	0.15	0.04	0.029	0.05	15.1	13.3	0.44	474	4.09
I314317		1.81	23.9	2.87	7.07	0.08	0.08	0.04	0.029	0.10	12.6	14.6	0.76	559	0.73
I314318		1.18	19.4	2.68	5.79	0.07	0.08	0.03	0.026	0.07	10.1	13.0	0.61	437	0.72
I314319		1.33	11.2	2.53	6.56	0.05	0.06	0.02	0.023	0.10	8.8	10.3	0.39	207	0.82
I314320		1.54	21.5	2.42	5.40	0.07	0.05	0.04	0.028	0.07	14.2	13.1	0.48	457	0.64
I314321		1.89	23.4	2.83	7.38	0.07	0.03	0.04	0.028	0.09	10.8	14.3	0.70	618	0.64
I314322		0.84	10.9	2.48	6.26	0.05	0.05	0.04	0.023	0.05	7.6	9.5	0.39	487	1.31
I314323		0.72	13.7	2.42	5.73	0.05	0.07	0.03	0.022	0.04	9.5	8.9	0.40	467	0.90
I314324		0.38	17.1	2.24	2.00	0.09	0.05	0.02	0.009	0.03	16.7	3.8	0.27	952	1.53
I314325		0.66	54.4	2.03	5.06	0.06	0.09	0.05	0.025	0.02	14.5	7.8	0.49	342	0.49
I314326		0.42	48.3	2.21	5.11	0.07	0.14	0.08	0.024	0.02	14.4	7.3	0.88	467	2.96
I314327		0.75	18.4	2.61	7.45	0.05	0.03	0.02	0.023	0.03	8.0	7.6	0.54	414	0.96
I314328		0.56	25.7	3.30	8.96	0.06	0.07	0.02	0.033	0.02	10.0	12.9	1.12	574	0.91
I314329		0.36	16.6	2.39	6.06	<0.05	0.04	0.03	0.020	0.07	7.2	8.6	0.48	1000	1.24
I314330		1.20	31.6	3.03	7.16	0.07	0.12	0.04	0.031	0.04	12.1	12.9	0.91	294	0.59



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314291		0.17	5.9	510	4.1	3.9	<0.001	0.05	0.17	0.2	0.4	0.2	12.2	<0.01	0.02
I314292		0.84	26.3	420	8.3	15.7	<0.001	0.02	0.35	2.2	0.5	0.6	20.2	<0.01	0.02
I314293		0.31	14.8	500	7.5	8.7	<0.001	0.03	0.22	0.5	0.6	0.5	20.6	<0.01	0.02
I314294		0.74	17.5	420	19.5	10.6	<0.001	0.03	0.24	1.9	0.5	0.5	20.2	<0.01	0.03
I314295		0.42	11.7	470	5.4	7.1	<0.001	0.05	0.19	1.3	0.6	0.3	31.7	0.01	0.02
I314296		1.48	31.0	340	7.8	43.6	<0.001	0.01	0.14	2.6	0.4	0.6	20.0	<0.01	0.02
I314297		1.06	33.5	670	29.3	24.6	0.001	0.04	0.33	10.0	2.1	1.0	46.5	0.01	0.04
I314298		1.77	29.1	710	19.7	41.9	<0.001	0.01	0.62	4.6	0.7	0.6	24.0	<0.01	0.02
I314299		1.26	13.2	170	7.5	7.5	<0.001	0.01	0.31	2.3	0.4	0.5	14.5	<0.01	0.02
I314300		0.21	3.9	360	7.6	9.8	<0.001	0.01	0.08	0.4	0.3	0.4	12.1	<0.01	0.01
I314301		1.19	15.1	550	13.0	20.5	<0.001	0.01	0.46	8.1	0.8	0.5	27.8	0.01	0.02
I314302		1.26	14.0	480	8.7	13.0	<0.001	0.01	0.38	6.3	0.5	0.5	25.7	<0.01	0.02
I314303		1.28	25.5	550	18.3	9.8	<0.001	0.02	0.63	5.5	0.5	0.5	24.2	<0.01	0.04
I314304		1.28	12.2	630	11.7	10.4	<0.001	0.01	0.50	4.2	0.4	0.6	24.2	<0.01	0.02
I314305		1.42	16.3	550	16.1	8.8	<0.001	0.01	0.41	4.8	0.3	0.6	19.4	<0.01	0.02
I314306		1.27	16.6	300	20.4	8.3	<0.001	0.01	0.44	4.9	0.3	0.6	21.2	<0.01	0.01
I314307		1.42	15.8	330	18.1	15.0	<0.001	0.01	0.47	4.6	0.4	0.6	32.8	<0.01	0.02
I314308		0.58	23.7	650	4.9	4.7	<0.001	0.02	0.55	2.0	0.3	0.2	12.7	<0.01	0.01
I314309		2.72	72.8	670	8.1	10.4	<0.001	0.01	0.23	6.3	0.4	0.6	46.8	<0.01	0.03
I314310		1.43	20.3	270	7.6	9.9	<0.001	0.01	0.30	5.4	0.4	0.5	29.1	<0.01	0.04
I314311		0.97	26.1	610	7.8	7.6	<0.001	0.02	0.31	12.5	0.5	0.5	30.2	<0.01	0.06
I314312		1.62	34.4	620	9.1	9.9	<0.001	0.01	0.35	4.5	0.3	0.6	32.3	<0.01	0.04
I314313		1.24	13.1	300	8.2	5.5	<0.001	0.01	0.29	2.8	0.2	0.5	26.2	<0.01	0.02
I314314		1.37	15.8	380	8.0	9.6	<0.001	0.01	0.32	3.1	0.3	0.5	27.2	<0.01	0.02
I314315		1.14	21.7	350	8.7	7.6	<0.001	0.02	0.30	5.5	1.1	0.4	58.5	0.01	0.10
I314316		2.19	19.2	470	18.9	10.0	0.001	0.03	0.51	5.1	1.0	0.6	230	<0.01	0.38
I314317		1.15	20.6	980	11.5	13.3	<0.001	0.04	0.54	7.2	0.9	0.5	56.6	<0.01	0.03
I314318		1.46	17.7	790	13.1	10.8	<0.001	0.02	0.51	5.7	0.6	0.5	45.2	<0.01	0.02
I314319		1.34	10.5	470	7.9	11.2	<0.001	0.01	0.34	4.4	0.3	0.5	17.8	<0.01	0.02
I314320		1.13	15.4	840	8.9	9.7	<0.001	0.02	0.48	5.7	0.7	0.4	33.0	<0.01	0.02
I314321		1.16	30.2	1120	7.1	11.1	<0.001	0.02	0.56	6.0	0.6	0.6	46.4	<0.01	0.01
I314322		1.43	14.7	190	10.0	8.0	<0.001	0.01	0.39	3.5	0.4	0.6	24.1	<0.01	0.02
I314323		1.45	17.7	190	8.4	4.7	<0.001	0.01	0.41	4.7	0.4	0.5	26.6	<0.01	0.02
I314324		0.81	27.0	720	5.3	5.3	<0.001	0.02	0.62	2.2	0.5	0.3	15.8	<0.01	0.02
I314325		1.11	30.0	600	5.6	4.1	<0.001	0.05	0.40	5.6	1.3	0.4	64.5	0.01	0.02
I314326		0.84	62.1	1130	7.4	3.9	0.001	0.08	0.89	4.3	2.4	0.3	106.0	0.01	0.03
I314327		1.61	23.5	330	5.8	6.6	<0.001	0.02	0.30	3.8	0.5	0.6	37.5	<0.01	0.02
I314328		1.80	35.7	410	6.6	4.8	<0.001	0.01	0.22	8.1	0.4	0.6	28.9	<0.01	0.01
I314329		1.43	18.9	330	9.3	13.8	<0.001	0.02	0.30	3.2	0.4	0.5	41.5	<0.01	0.01
I314330		1.42	28.4	340	6.3	6.2	<0.001	0.02	0.28	8.5	0.6	0.5	30.5	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314291		0.019	0.04	0.38	20	0.07	3.18	9	<0.5
I314292		0.072	0.13	0.61	61	0.10	7.30	47	<0.5
I314293		0.022	0.07	0.67	37	0.08	7.53	21	<0.5
I314294		0.064	0.08	1.13	48	0.15	7.36	32	0.5
I314295		0.035	0.05	1.20	22	0.07	10.65	19	<0.5
I314296		0.116	0.34	1.18	37	0.10	8.21	58	<0.5
I314297		0.032	0.23	3.32	62	0.22	51.7	50	0.8
I314298		0.110	0.41	1.61	38	0.12	14.55	61	1.1
I314299		0.072	0.10	0.35	51	0.14	2.01	25	0.9
I314300		0.026	0.08	0.32	17	0.05	1.76	11	<0.5
I314301		0.082	0.13	1.01	63	0.23	23.2	58	1.0
I314302		0.074	0.11	0.91	57	0.20	9.55	60	1.1
I314303		0.076	0.08	0.60	61	0.27	5.07	123	0.9
I314304		0.069	0.11	0.38	71	0.22	2.54	69	0.6
I314305		0.131	0.09	0.37	85	0.20	3.01	111	1.7
I314306		0.080	0.11	0.35	76	0.21	2.98	125	1.0
I314307		0.077	0.09	0.49	69	0.28	2.77	105	1.4
I314308		0.021	0.15	0.75	17	0.10	7.80	23	4.1
I314309		0.113	0.10	0.59	79	0.14	4.52	57	3.3
I314310		0.067	0.11	0.35	68	0.17	3.79	49	2.5
I314311		0.125	0.07	0.37	112	0.32	4.77	97	2.2
I314312		0.074	0.08	0.38	73	0.25	2.97	72	3.2
I314313		0.037	0.09	0.43	56	0.18	1.97	47	0.7
I314314		0.059	0.08	0.35	57	0.19	2.27	41	1.5
I314315		0.041	0.06	1.35	42	0.17	37.7	39	1.5
I314316		0.060	0.09	5.63	48	0.29	12.30	56	5.6
I314317		0.068	0.09	1.20	62	0.27	10.30	77	2.6
I314318		0.084	0.07	0.64	60	0.27	6.70	78	3.0
I314319		0.080	0.09	0.43	59	0.22	3.82	50	2.0
I314320		0.069	0.07	0.84	54	0.26	11.15	70	1.4
I314321		0.086	0.09	0.62	62	0.34	7.89	71	0.8
I314322		0.063	0.08	0.36	58	0.20	2.23	45	1.9
I314323		0.063	0.08	0.51	55	0.26	3.98	42	2.7
I314324		0.027	0.17	0.82	20	0.11	8.53	27	2.4
I314325		0.049	0.06	2.33	45	0.15	14.80	49	3.3
I314326		0.037	0.06	1.74	45	0.10	11.35	66	6.0
I314327		0.088	0.09	0.43	69	0.23	3.61	38	1.2
I314328		0.080	0.09	0.41	77	0.13	5.04	51	2.9
I314329		0.066	0.11	0.42	57	0.15	3.26	40	1.5
I314330		0.082	0.06	0.42	74	0.12	9.86	48	4.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314331		0.38	<0.005	0.06	2.09	7.6	<0.2	<10	250	0.36	0.07	1.02	0.17	16.55	16.9	53
I314332		0.44	<0.005	0.04	2.15	4.2	<0.2	<10	150	0.46	0.07	0.43	0.08	10.30	16.2	92
I314333		0.40	0.006	0.07	2.22	4.8	<0.2	<10	190	0.32	0.10	0.70	0.15	17.90	14.4	50
I314334		0.24	<0.005	0.06	2.15	4.3	<0.2	<10	180	0.41	0.08	1.21	0.12	16.30	13.6	58
I314335		0.46	<0.005	0.07	1.86	4.2	<0.2	<10	170	0.40	0.06	1.19	0.18	16.00	12.0	50
I314336		0.42	<0.005	0.06	1.99	4.6	<0.2	<10	160	0.51	0.06	1.41	0.16	18.90	14.9	65
I314337		0.50	NSS	0.02	0.28	8.9	<0.2	<10	70	0.29	0.01	0.51	0.17	28.3	8.1	12
I314338		0.30	<0.005	0.09	1.75	7.3	<0.2	<10	250	1.54	0.13	0.76	0.18	115.5	9.7	28
I314339		0.36	0.006	0.12	1.77	7.2	<0.2	<10	210	1.39	0.26	0.83	0.12	124.5	7.1	28
I314340		0.20	0.010	0.20	0.59	3.7	<0.2	<10	80	0.18	0.14	0.39	0.84	10.25	3.9	15
I314341		0.44	<0.005	0.24	0.78	52.9	<0.2	<10	100	0.45	0.11	0.85	0.35	14.60	9.9	18
I314342		0.58	0.007	0.05	1.95	10.6	<0.2	<10	120	0.61	0.32	0.29	0.12	51.7	17.3	34
I314343		0.46	<0.005	0.11	1.66	13.9	<0.2	<10	100	0.30	0.11	0.32	0.21	27.9	9.9	35
I314344		0.50	<0.005	0.12	1.73	16.0	<0.2	<10	110	0.38	0.10	0.25	0.14	29.2	11.3	35
I314345		0.58	0.007	0.31	1.72	16.1	<0.2	<10	150	0.46	0.19	0.30	0.34	44.6	15.4	33
I314346		0.48	<0.005	0.12	1.72	12.2	<0.2	<10	150	0.40	0.08	0.33	0.30	27.0	12.8	38
I314347		0.40	<0.005	0.06	0.42	2.5	<0.2	<10	40	<0.05	0.10	0.06	0.14	7.54	2.2	9
I314348		0.42	0.005	0.08	0.65	6.0	<0.2	<10	40	0.09	0.15	0.06	0.12	12.25	3.1	12
I314349		0.42	<0.005	0.12	0.81	4.4	<0.2	<10	60	0.12	0.17	0.10	0.16	10.70	3.2	15
I314350		0.42	<0.005	0.09	0.60	8.0	<0.2	<10	50	0.11	0.15	0.05	0.14	7.89	2.7	12
I314351		0.32	0.008	0.06	1.64	5.7	<0.2	<10	160	0.43	0.06	1.58	0.10	25.5	11.6	32
I314352		0.42	0.009	0.05	1.66	6.8	<0.2	<10	140	0.30	0.09	0.45	0.10	23.6	11.0	27
I314353		0.34	0.006	0.06	1.52	5.2	<0.2	<10	130	0.31	0.09	1.38	0.17	25.3	9.9	27
I314354		0.28	0.006	0.08	1.60	4.5	<0.2	<10	170	0.47	0.10	1.48	0.21	58.0	9.2	24
I314355		0.30	<0.005	0.08	1.81	7.3	<0.2	<10	150	0.50	0.09	1.99	0.20	33.9	11.2	31
I314356		0.32	0.006	0.04	1.59	7.6	<0.2	<10	120	0.36	0.09	0.74	0.20	23.4	11.1	30
I314357		0.40	0.005	0.07	1.51	7.2	<0.2	<10	120	0.26	0.10	0.56	0.15	17.85	9.6	27
I314358		0.36	0.005	0.04	1.48	7.0	<0.2	<10	170	0.25	0.08	0.59	0.10	21.8	12.0	30
I314359		0.42	0.008	0.06	1.74	7.1	<0.2	<10	150	0.40	0.10	0.48	0.09	24.7	10.3	30
I314360		0.40	0.009	0.07	1.77	7.5	<0.2	<10	170	0.45	0.10	0.51	0.12	27.1	11.8	31
I314361		0.26	0.007	0.06	1.48	6.0	<0.2	<10	140	0.28	0.08	0.49	0.11	19.65	9.5	26
I314362		0.52	<0.005	0.08	1.86	5.5	<0.2	<10	170	0.51	0.08	0.77	0.10	45.5	13.1	36
I314363		0.32	0.005	0.07	1.71	5.1	<0.2	<10	130	0.27	0.08	0.56	0.09	27.9	8.0	31
I314364		0.40	<0.005	0.08	1.65	6.2	<0.2	<10	160	0.33	0.08	0.66	0.09	21.8	11.3	30
I314365		0.34	0.005	0.08	1.77	9.1	<0.2	<10	140	0.39	0.09	0.56	0.11	22.0	9.6	33
I314366		0.34	0.007	0.07	1.84	9.2	<0.2	<10	170	0.38	0.09	0.76	0.16	25.2	12.9	38
I314367		0.38	0.012	0.09	1.68	11.5	<0.2	<10	220	0.79	0.13	1.33	0.28	30.1	12.1	33
I314368		0.34	0.006	0.05	1.86	7.6	<0.2	<10	230	0.86	0.12	0.66	0.06	45.3	12.2	32
I314369		0.46	<0.005	0.07	1.74	6.7	<0.2	<10	220	0.51	0.18	0.49	0.09	36.0	9.3	30
I314370		0.30	NSS	0.02	0.20	7.8	<0.2	<10	40	0.27	0.03	0.31	0.20	24.4	6.9	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314331		1.60	47.1	3.07	6.32	0.07	0.07	0.03	0.029	0.03	9.4	11.0	0.98	459	0.48
I314332		0.72	28.2	2.86	7.66	0.05	0.04	0.02	0.019	0.02	5.4	12.6	1.15	289	0.71
I314333		0.81	29.5	2.83	6.02	0.05	0.08	0.03	0.023	0.03	10.2	13.2	1.02	453	0.50
I314334		1.13	37.1	2.54	6.07	0.06	0.11	0.05	0.022	0.02	9.1	12.4	0.89	275	0.52
I314335		0.48	31.4	2.31	5.01	0.06	0.06	0.06	0.020	0.02	9.1	10.8	0.80	291	0.50
I314336		0.59	31.2	2.70	5.40	0.06	0.06	0.04	0.020	0.03	10.9	12.8	0.94	414	0.40
I314337		0.23	6.5	1.94	1.36	0.06	0.06	0.02	0.006	0.02	14.3	3.4	0.22	623	1.03
I314338		0.85	25.8	2.45	7.14	0.19	0.07	0.05	0.028	0.12	103.5	9.4	0.38	501	1.41
I314339		1.80	24.2	2.22	6.32	0.21	0.12	0.06	0.027	0.09	127.0	9.9	0.40	216	0.94
I314340		6.36	17.0	1.24	2.72	<0.05	<0.02	0.17	0.015	0.04	5.9	1.2	0.09	196	1.63
I314341		7.98	16.9	1.85	2.91	0.05	0.03	0.09	0.017	0.04	8.5	4.3	0.23	633	1.21
I314342		5.12	27.5	3.12	6.10	0.10	0.09	0.05	0.033	0.06	24.9	16.1	0.63	245	0.47
I314343		8.58	30.4	2.93	5.17	0.07	0.03	0.03	0.022	0.12	14.9	14.3	0.62	247	1.04
I314344		12.55	30.1	3.21	4.86	0.07	0.03	0.03	0.023	0.11	16.3	14.4	0.62	326	1.21
I314345		11.85	55.0	3.01	4.99	0.09	0.03	0.06	0.035	0.07	22.3	10.5	0.48	233	1.39
I314346		6.38	25.9	2.93	4.85	0.08	0.04	0.04	0.021	0.09	14.1	13.7	0.64	443	0.98
I314347		0.73	9.9	1.04	3.48	<0.05	<0.02	0.02	0.007	<0.01	4.0	1.1	0.05	53	0.88
I314348		1.01	11.7	1.56	5.71	<0.05	0.02	0.03	0.011	0.01	6.4	1.8	0.08	91	1.19
I314349		0.77	16.0	1.81	6.04	<0.05	0.02	0.03	0.012	<0.01	5.6	2.4	0.07	83	1.29
I314350		2.18	12.6	1.50	5.12	<0.05	<0.02	0.02	0.012	0.01	4.2	1.4	0.05	236	1.07
I314351		1.66	25.9	2.63	4.57	0.10	0.08	0.03	0.017	0.20	14.3	15.0	0.77	328	0.43
I314352		0.65	17.7	2.50	5.29	0.06	0.15	0.01	0.021	0.04	12.5	10.9	0.46	220	0.64
I314353		0.71	19.0	2.27	4.66	0.08	0.09	0.06	0.021	0.05	13.2	10.8	0.55	368	0.59
I314354		0.94	23.9	2.34	4.98	0.10	0.08	0.06	0.025	0.03	36.5	9.2	0.39	247	0.55
I314355		0.97	24.0	2.58	5.03	0.08	0.10	0.06	0.028	0.05	18.1	13.1	0.62	459	0.55
I314356		0.42	29.4	2.69	4.76	0.08	0.16	0.02	0.021	0.09	11.8	11.2	0.65	330	0.52
I314357		0.42	20.2	2.45	4.66	0.07	0.07	0.01	0.020	0.06	8.9	9.9	0.53	267	0.72
I314358		0.66	14.1	2.64	4.88	0.07	0.14	0.03	0.019	0.03	11.1	11.0	0.56	359	0.52
I314359		1.15	20.5	2.65	5.72	0.07	0.05	0.03	0.022	0.03	13.2	12.5	0.53	285	0.71
I314360		1.22	22.5	2.70	5.61	0.07	0.06	0.03	0.022	0.03	14.2	12.8	0.54	337	0.70
I314361		1.24	15.8	2.27	5.31	0.06	0.03	0.03	0.019	0.04	10.5	10.5	0.48	326	0.89
I314362		3.88	21.9	3.06	6.28	0.10	0.06	0.05	0.023	0.10	26.9	16.1	0.68	338	0.61
I314363		1.22	17.7	2.51	5.53	0.07	0.03	0.04	0.018	0.04	16.1	11.8	0.53	208	0.81
I314364		0.93	18.6	2.48	5.54	0.05	0.03	0.03	0.018	0.02	11.9	10.2	0.52	304	0.85
I314365		1.40	18.1	2.48	6.26	0.07	0.03	0.04	0.019	0.03	12.4	12.3	0.54	186	0.77
I314366		2.13	19.7	2.66	6.24	0.08	0.06	0.05	0.023	0.03	14.7	12.9	0.51	408	1.00
I314367		1.94	29.6	2.83	5.59	0.09	0.09	0.05	0.037	0.04	18.7	11.5	0.36	339	0.71
I314368		1.09	24.7	2.91	6.24	0.09	0.18	0.03	0.034	0.04	23.9	12.4	0.47	410	0.61
I314369		1.62	15.1	2.83	5.57	0.07	0.10	0.02	0.027	0.05	28.1	10.7	0.43	319	0.77
I314370		0.19	5.8	1.91	1.23	0.06	0.08	0.01	<0.005	0.01	12.6	2.7	0.14	689	1.26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I314331		1.15	35.9	640	4.2	6.3	<0.001	0.03	0.52	9.0	0.7	0.4	40.4	<0.01	0.01	1.4
I314332		1.62	52.0	370	4.3	2.8	<0.001	0.01	0.24	4.9	0.4	0.5	26.8	<0.01	0.01	1.2
I314333		1.35	31.6	530	5.1	6.4	<0.001	0.02	0.27	6.3	0.6	0.5	34.0	<0.01	0.02	1.7
I314334		1.39	34.8	490	5.1	4.9	<0.001	0.05	0.30	6.8	0.9	0.5	49.4	0.01	0.02	1.3
I314335		1.26	33.9	770	4.4	6.0	<0.001	0.05	0.32	5.1	0.8	0.4	52.9	<0.01	0.02	0.9
I314336		1.10	41.0	740	5.3	5.3	<0.001	0.05	0.22	6.4	0.8	0.4	57.2	<0.01	0.01	1.1
I314337		0.56	16.6	600	4.0	4.3	<0.001	0.01	0.42	1.8	0.4	0.2	12.4	<0.01	0.01	21.5
I314338		1.30	19.3	490	13.2	14.1	<0.001	0.03	0.38	6.5	1.4	0.7	56.4	0.01	0.03	8.3
I314339		1.33	18.4	550	20.3	17.7	<0.001	0.04	0.42	6.4	1.6	0.9	64.2	0.01	0.02	13.7
I314340		0.43	8.6	1600	6.8	7.2	<0.001	0.19	0.40	0.7	0.8	0.3	30.3	0.01	0.04	<0.2
I314341		0.57	14.9	1060	37.5	7.1	<0.001	0.15	3.83	2.2	0.8	0.3	49.0	0.01	0.03	0.6
I314342		1.28	28.6	520	17.8	13.4	<0.001	0.01	0.83	6.7	0.7	0.5	22.4	<0.01	0.02	7.4
I314343		1.26	27.4	570	8.5	22.5	<0.001	0.02	0.96	3.7	0.6	0.4	26.8	<0.01	0.03	2.5
I314344		1.04	31.3	630	7.2	15.4	<0.001	0.02	1.22	4.5	0.8	0.3	22.3	<0.01	0.03	2.4
I314345		0.96	38.0	790	12.6	13.7	<0.001	0.02	1.25	7.7	1.4	0.4	25.5	<0.01	0.04	2.9
I314346		1.15	24.7	660	6.1	14.9	<0.001	0.03	0.96	5.0	0.7	0.4	25.9	<0.01	0.03	2.0
I314347		0.49	5.4	190	3.7	3.9	<0.001	0.02	0.22	1.0	0.3	0.4	8.9	<0.01	0.02	<0.2
I314348		1.02	6.9	290	6.0	5.1	<0.001	0.02	0.35	1.5	0.4	0.5	8.7	<0.01	0.02	0.5
I314349		0.99	8.1	250	7.9	3.5	<0.001	0.02	0.33	1.7	0.3	0.6	12.2	<0.01	0.02	0.6
I314350		0.77	5.8	330	7.6	4.6	<0.001	0.01	0.32	1.3	0.4	0.5	8.8	<0.01	0.02	0.2
I314351		1.22	23.7	630	6.6	26.9	<0.001	0.05	0.26	4.0	0.8	0.3	65.1	<0.01	0.02	2.5
I314352		1.46	19.8	510	6.6	8.4	<0.001	0.01	0.27	4.4	0.4	0.5	32.7	<0.01	0.02	3.2
I314353		1.27	18.5	570	7.7	13.5	<0.001	0.05	0.34	4.1	0.7	0.4	56.7	0.01	0.02	2.2
I314354		1.15	21.4	560	8.4	9.3	<0.001	0.05	0.36	4.6	1.1	0.4	54.7	0.01	0.03	3.6
I314355		1.06	24.0	770	9.5	10.1	<0.001	0.07	0.44	5.0	1.0	0.4	82.7	0.01	0.03	2.1
I314356		1.58	24.8	740	6.3	8.9	<0.001	0.02	0.35	5.3	0.6	0.4	40.3	<0.01	0.02	2.9
I314357		1.38	20.2	690	5.7	6.4	<0.001	0.02	0.32	4.1	0.5	0.4	31.9	<0.01	0.02	2.0
I314358		1.43	19.4	540	6.7	7.5	<0.001	0.01	0.26	4.3	0.4	0.4	31.9	<0.01	0.02	3.3
I314359		1.45	20.8	560	8.4	10.4	<0.001	0.02	0.31	4.4	0.5	0.5	31.2	<0.01	0.02	3.2
I314360		1.43	21.5	590	8.6	11.3	<0.001	0.02	0.33	4.7	0.6	0.5	32.4	<0.01	0.02	3.3
I314361		1.15	16.4	610	6.7	11.7	<0.001	0.03	0.28	3.6	0.5	0.4	35.1	<0.01	0.01	1.7
I314362		1.23	24.9	740	6.7	19.5	<0.001	0.03	0.33	6.9	0.8	0.5	43.9	<0.01	0.02	5.8
I314363		1.15	19.5	580	5.9	10.3	<0.001	0.05	0.21	4.3	0.6	0.4	33.6	<0.01	0.02	2.0
I314364		1.21	18.5	560	6.7	7.1	<0.001	0.04	0.21	4.0	0.6	0.4	35.9	<0.01	0.03	2.0
I314365		1.25	23.1	450	7.0	10.3	<0.001	0.04	0.23	4.6	0.5	0.5	34.0	<0.01	0.02	2.5
I314366		1.36	22.8	480	8.0	13.0	<0.001	0.02	0.28	6.0	0.7	0.5	42.2	<0.01	0.02	3.5
I314367		1.01	27.4	790	10.4	11.0	<0.001	0.03	0.88	7.4	1.0	0.5	64.0	<0.01	0.03	3.7
I314368		1.13	25.5	390	10.4	10.1	<0.001	0.01	0.34	7.0	0.8	0.7	42.6	<0.01	0.02	7.7
I314369		1.33	17.0	450	11.9	12.3	<0.001	0.01	0.32	5.2	0.5	0.6	33.9	<0.01	0.01	7.0
I314370		0.43	15.6	510	3.1	3.6	<0.001	0.01	0.44	1.6	0.3	0.2	9.0	<0.01	0.01	3.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I314331		0.069	0.05	0.47	76	0.12	9.26	49
I314332		0.106	0.05	0.25	75	0.10	3.15	48
I314333		0.106	0.05	0.54	65	0.13	7.58	51
I314334		0.077	0.06	0.86	59	0.13	7.94	47
I314335		0.080	0.04	0.89	50	0.12	8.26	46
I314336		0.060	0.03	1.10	60	0.09	11.30	52
I314337		0.022	0.11	0.72	17	0.09	7.23	20
I314338		0.055	0.08	2.79	48	0.22	42.6	42
I314339		0.058	0.09	3.28	41	0.26	45.9	38
I314340		0.025	0.06	1.03	33	0.10	2.63	57
I314341		0.040	0.10	1.47	33	0.16	5.89	71
I314342		0.100	0.12	1.42	59	0.16	11.80	65
I314343		0.107	0.17	0.89	53	0.10	5.29	80
I314344		0.092	0.14	1.21	53	0.11	5.83	91
I314345		0.079	0.16	2.32	56	0.12	12.65	112
I314346		0.105	0.14	0.87	58	0.12	5.43	74
I314347		0.057	0.07	0.23	36	0.07	1.15	19
I314348		0.086	0.07	0.34	58	0.13	1.53	24
I314349		0.083	0.08	0.31	59	0.08	1.55	28
I314350		0.076	0.07	0.25	48	0.09	1.21	31
I314351		0.097	0.15	1.17	48	0.10	8.13	56
I314352		0.105	0.05	0.60	61	0.39	7.08	42
I314353		0.084	0.07	0.88	48	0.15	7.08	53
I314354		0.067	0.08	0.87	43	0.14	15.25	44
I314355		0.061	0.08	0.99	47	0.11	12.70	58
I314356		0.126	0.05	0.81	69	0.16	9.46	53
I314357		0.114	0.05	0.38	63	0.16	5.83	46
I314358		0.114	0.05	0.74	64	0.14	6.06	49
I314359		0.102	0.08	0.94	60	0.19	6.78	50
I314360		0.101	0.09	1.11	60	0.16	8.02	51
I314361		0.091	0.09	0.78	56	0.15	4.99	55
I314362		0.089	0.15	1.51	53	0.15	13.85	69
I314363		0.080	0.08	0.78	51	0.13	6.20	51
I314364		0.085	0.07	0.79	56	0.17	5.30	44
I314365		0.089	0.10	0.79	53	0.14	5.58	54
I314366		0.081	0.11	1.00	58	0.13	6.94	54
I314367		0.044	0.08	1.48	55	0.12	15.05	61
I314368		0.065	0.08	1.04	54	0.13	13.90	47
I314369		0.078	0.09	0.75	58	0.14	11.00	43
I314370		0.010	0.11	0.70	13	0.07	6.10	16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314371		0.44	0.006	0.08	1.01	2.1	<0.2	<10	160	0.33	0.17	0.55	0.10	20.2	4.0	18
I314372		0.46	0.008	0.05	1.23	3.2	<0.2	<10	130	0.39	0.15	0.19	0.04	23.7	4.6	16
I314373		0.38	<0.005	0.06	2.00	5.9	<0.2	<10	90	0.43	0.21	0.23	0.06	29.5	8.4	30
I314374		0.52	0.005	0.06	2.11	10.4	<0.2	<10	160	0.76	0.31	0.18	0.13	111.5	9.1	28
I314375		0.32	0.018	0.05	1.99	4.4	<0.2	<10	210	0.62	0.17	0.70	0.07	59.0	11.0	33
I314376		0.50	<0.005	0.10	1.61	3.6	<0.2	<10	180	0.69	0.15	0.82	0.13	88.7	13.5	31
I314377		0.38	0.005	0.09	1.30	5.6	<0.2	<10	270	0.63	0.15	0.96	0.19	47.1	9.2	22
I314378		0.38	0.008	0.07	1.62	9.3	<0.2	<10	190	0.34	0.13	0.57	0.14	34.6	10.4	37
I314379		0.32	<0.005	0.07	1.50	12.2	<0.2	<10	180	0.35	0.10	1.13	0.21	27.0	11.9	30
I314380		0.36	<0.005	0.06	1.49	12.8	<0.2	<10	180	0.37	0.10	1.19	0.24	29.5	12.7	30
I314381		0.28	0.005	0.09	1.56	6.9	<0.2	<10	150	0.42	0.10	0.93	0.38	26.7	11.9	33
I314382		0.38	0.009	0.08	1.47	4.6	<0.2	<10	120	0.39	0.09	0.64	0.14	23.6	10.7	34
I314383		0.34	0.005	0.04	1.43	6.1	<0.2	<10	120	0.31	0.10	0.77	0.16	21.4	9.8	28
I314384		0.46	0.007	0.07	1.51	5.3	<0.2	<10	160	0.34	0.11	0.62	0.12	22.7	10.0	28
I314385		0.50	0.005	0.07	1.39	4.5	<0.2	<10	180	0.55	0.12	1.14	0.14	49.8	9.4	23
I314386		0.42	0.010	0.06	1.39	3.9	<0.2	<10	100	0.46	0.15	0.41	0.12	19.70	6.7	24
I314387		0.40	<0.005	0.07	1.84	5.6	<0.2	<10	260	0.61	0.17	0.68	0.11	32.8	11.5	31
I314388		0.34	0.007	0.08	1.95	5.0	<0.2	<10	200	0.62	0.44	0.39	0.06	41.7	7.7	29
I314389		0.32	0.007	0.11	1.68	5.9	<0.2	<10	110	0.25	0.14	0.32	0.11	20.4	7.2	28
I314390		0.28	NSS	0.02	0.20	7.9	<0.2	<10	50	0.27	0.03	0.35	0.17	22.0	8.0	8
I314391		0.40	0.006	0.09	1.67	4.9	<0.2	<10	240	0.68	0.16	0.44	0.12	49.2	9.5	28
I314392		0.28	<0.005	0.05	1.41	4.3	<0.2	<10	140	0.50	0.18	0.42	0.09	33.7	6.6	27
I314393		0.34	<0.005	0.05	1.36	3.5	<0.2	<10	110	0.55	0.14	0.30	0.04	37.2	7.1	23
I314394		0.32	<0.005	0.09	1.48	5.1	<0.2	<10	210	0.60	0.17	0.18	0.06	17.65	9.1	23
I314395		0.30	<0.005	0.06	1.64	5.0	<0.2	<10	180	0.25	0.15	0.36	0.04	18.05	9.4	28
I314396		0.28	0.005	0.12	1.24	4.4	<0.2	<10	130	0.29	0.14	0.27	0.07	20.4	6.4	23
I314397		0.40	<0.005	0.09	2.09	11.2	<0.2	<10	350	0.39	0.17	0.18	0.10	30.3	9.8	46
I314398		0.44	<0.005	0.09	2.34	7.5	<0.2	<10	170	0.53	0.11	0.19	0.14	30.7	11.2	45
I314399		0.46	0.007	0.13	2.01	5.3	<0.2	<10	170	0.40	0.11	0.44	0.16	31.9	12.1	46
I314400		0.50	0.005	0.13	2.02	6.1	<0.2	<10	180	0.43	0.12	0.44	0.17	31.7	12.8	47
I314401		0.52	<0.005	0.10	2.22	12.6	<0.2	<10	80	0.31	0.21	0.11	0.23	16.85	10.4	33
I314402		0.52	<0.005	0.08	3.01	13.8	<0.2	<10	100	0.42	0.19	0.14	0.25	16.40	14.5	41
I314403		0.46	<0.005	0.07	1.19	7.4	<0.2	<10	70	0.26	0.17	0.16	0.14	19.05	8.1	21
I314404		0.38	<0.005	0.10	0.69	2.1	<0.2	<10	70	0.14	0.12	0.13	0.35	7.68	3.4	12
I314405		0.58	0.007	0.09	1.93	6.4	<0.2	<10	130	0.35	0.13	0.45	0.17	24.3	11.9	41
I314406		0.56	0.008	0.10	1.78	5.5	<0.2	<10	180	0.32	0.14	0.55	0.18	17.85	13.2	41
I314407		0.62	0.011	0.07	1.77	5.1	<0.2	<10	120	0.26	0.12	0.36	0.16	19.70	9.3	37
I314408		0.50	<0.005	0.14	1.40	6.3	<0.2	<10	110	0.26	0.13	0.25	0.16	22.5	7.6	31
I314409		0.40	<0.005	0.17	1.50	7.7	<0.2	<10	100	0.26	0.14	0.23	0.17	19.05	8.1	33
I314410		0.48	<0.005	0.11	1.73	16.9	<0.2	<10	110	0.32	0.19	0.34	0.16	21.8	14.2	38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314371		4.17	9.6	1.59	5.53	0.05	0.05	0.03	0.019	0.12	14.3	6.7	0.27	142	0.99
I314372		4.07	6.3	1.96	5.62	0.05	0.06	0.02	0.021	0.08	19.0	9.1	0.25	133	0.74
I314373		3.78	12.1	3.13	8.53	0.07	0.05	0.02	0.025	0.13	20.7	21.9	0.57	272	1.02
I314374		6.29	22.7	3.24	8.38	0.11	0.04	0.02	0.042	0.15	71.4	21.9	0.54	271	0.84
I314375		6.41	10.7	3.71	9.11	0.11	0.05	0.02	0.026	0.30	42.6	30.6	0.87	396	1.02
I314376		3.82	11.7	3.08	8.61	0.11	0.04	0.04	0.033	0.14	55.5	25.1	0.58	709	1.06
I314377		2.43	18.1	2.54	4.52	0.08	0.07	0.06	0.029	0.05	26.7	8.2	0.31	422	0.74
I314378		1.22	17.7	2.88	5.71	0.06	0.05	0.02	0.024	0.05	19.6	13.1	0.50	307	0.77
I314379		1.63	15.2	2.61	5.27	0.05	0.05	0.04	0.020	0.02	13.0	11.5	0.53	587	0.73
I314380		1.65	16.8	2.61	5.23	0.06	0.05	0.04	0.022	0.02	14.0	11.2	0.52	680	0.84
I314381		1.24	20.8	2.68	5.61	0.06	0.04	0.05	0.020	0.03	13.6	12.7	0.58	422	0.85
I314382		1.06	16.1	2.51	5.57	0.05	0.03	0.03	0.017	0.02	12.1	11.8	0.56	393	0.67
I314383		0.36	21.3	2.57	4.76	0.06	0.11	0.02	0.020	0.08	10.0	10.7	0.59	362	0.65
I314384		0.69	16.9	2.49	4.90	0.06	0.06	0.02	0.023	0.02	11.3	11.2	0.51	409	0.57
I314385		3.52	21.7	2.72	5.26	0.10	0.11	0.05	0.029	0.19	41.3	13.7	0.55	277	0.53
I314386		1.36	11.1	2.69	6.10	<0.05	0.05	0.01	0.020	0.19	7.8	11.1	0.42	224	1.03
I314387		0.98	18.4	2.90	6.60	0.06	0.14	0.03	0.031	0.06	16.1	11.5	0.45	929	0.72
I314388		1.67	16.4	2.75	6.94	0.08	0.08	0.02	0.029	0.03	36.9	16.1	0.40	244	0.69
I314389		0.62	11.4	2.74	6.02	0.06	0.05	0.03	0.023	0.05	14.8	11.6	0.47	204	0.64
I314390		0.20	6.1	1.92	1.24	0.06	0.08	0.01	0.005	0.01	11.2	3.1	0.15	665	1.14
I314391		1.06	20.6	2.64	6.04	0.08	0.07	0.02	0.025	0.06	39.2	13.0	0.44	693	0.66
I314392		1.95	14.2	2.36	6.47	0.07	0.06	0.03	0.023	0.06	29.3	12.8	0.44	213	0.83
I314393		1.54	13.4	2.38	5.60	0.07	0.13	0.01	0.023	0.09	35.4	11.6	0.39	210	0.92
I314394		1.27	13.6	3.01	6.13	<0.05	0.03	0.01	0.033	0.04	7.7	9.3	0.31	545	1.15
I314395		1.16	13.1	2.71	6.59	<0.05	0.06	0.01	0.020	0.09	7.6	14.4	0.51	615	0.90
I314396		0.93	14.3	2.28	6.07	0.05	0.06	0.01	0.014	0.10	14.6	10.4	0.45	203	0.94
I314397		3.88	23.0	4.17	9.76	0.07	0.02	0.06	0.035	0.08	13.8	19.1	0.63	427	1.68
I314398		3.22	22.4	3.44	7.16	0.07	0.02	0.04	0.028	0.05	16.6	17.8	0.71	441	1.04
I314399		2.40	22.1	2.94	6.65	0.09	0.05	0.04	0.024	0.07	18.1	15.9	0.79	342	0.86
I314400		2.61	22.8	3.12	6.85	0.09	0.04	0.03	0.024	0.07	18.0	15.9	0.79	411	0.93
I314401		1.89	16.5	3.99	9.23	0.05	0.06	0.05	0.027	0.02	8.6	16.7	0.37	301	1.66
I314402		2.08	16.1	4.38	8.63	0.06	0.09	0.03	0.035	0.03	8.2	21.5	0.49	436	1.50
I314403		5.57	19.7	2.63	6.58	<0.05	<0.02	0.05	0.021	0.02	9.7	8.9	0.18	402	1.59
I314404		0.63	17.9	1.22	3.60	<0.05	<0.02	0.05	0.011	<0.01	4.1	1.9	0.05	356	0.74
I314405		1.57	24.2	2.89	6.07	0.07	0.07	0.03	0.028	0.04	12.7	13.1	0.65	259	0.88
I314406		1.96	19.2	2.74	6.02	0.06	0.03	0.04	0.024	0.05	9.8	11.2	0.62	561	1.35
I314407		1.54	18.8	2.58	5.99	0.05	0.03	0.02	0.021	0.06	10.6	12.3	0.61	243	0.81
I314408		1.90	18.3	2.26	5.66	<0.05	0.03	0.04	0.018	0.03	12.1	8.2	0.43	197	0.96
I314409		2.85	22.7	2.36	5.76	0.05	<0.02	0.05	0.021	0.04	10.6	8.9	0.46	213	0.84
I314410		5.09	21.4	3.05	6.19	0.06	<0.02	0.03	0.024	0.10	12.6	12.5	0.64	514	0.92



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314371		1.08	8.8	330	9.4	37.5	0.001	0.02	0.20	3.8	0.4	0.7	34.2	<0.01	0.01
I314372		0.92	7.5	210	9.8	25.1	<0.001	<0.01	0.22	3.7	0.3	0.7	16.8	<0.01	<0.01
I314373		1.69	14.6	400	11.9	30.7	<0.001	0.01	0.28	3.9	0.4	0.8	19.1	<0.01	0.01
I314374		1.33	20.4	320	20.5	35.2	<0.001	0.02	0.42	4.6	0.4	1.0	16.6	<0.01	0.03
I314375		1.53	17.3	900	10.8	57.2	<0.001	0.02	0.24	4.4	0.5	0.8	41.5	<0.01	0.01
I314376		1.00	14.9	730	14.2	28.7	<0.001	0.03	0.23	4.1	0.7	0.9	44.5	<0.01	0.01
I314377		0.97	16.6	740	13.3	14.0	<0.001	0.03	0.43	4.9	0.8	0.5	50.0	<0.01	0.01
I314378		1.27	25.0	720	9.8	12.1	<0.001	0.01	0.47	3.8	0.4	0.5	30.5	<0.01	0.02
I314379		1.20	18.5	680	7.2	8.6	<0.001	0.04	0.34	4.0	0.7	0.4	50.3	<0.01	0.02
I314380		1.11	19.1	790	7.2	8.2	<0.001	0.05	0.36	3.9	0.8	0.4	52.5	<0.01	0.02
I314381		1.25	23.0	740	6.5	12.8	<0.001	0.04	0.33	4.0	0.7	0.4	46.8	<0.01	0.02
I314382		1.13	20.6	590	6.7	10.3	<0.001	0.03	0.20	3.8	0.4	0.5	38.0	<0.01	0.02
I314383		1.42	20.9	680	4.6	6.7	<0.001	0.01	0.37	4.3	0.5	0.4	40.4	<0.01	0.02
I314384		1.42	18.0	620	5.4	6.7	0.001	0.01	0.32	4.1	0.5	0.4	38.8	<0.01	0.02
I314385		1.28	18.3	800	11.8	25.4	<0.001	0.02	0.34	5.1	1.0	0.6	55.5	<0.01	0.01
I314386		1.43	12.9	220	15.5	25.2	<0.001	0.01	0.36	2.7	0.3	0.6	28.4	<0.01	0.01
I314387		1.53	18.7	170	11.3	11.6	<0.001	0.01	0.34	5.1	0.4	0.7	49.7	<0.01	0.02
I314388		1.47	14.9	310	14.2	13.9	<0.001	0.01	0.28	4.7	0.5	0.8	32.5	<0.01	0.02
I314389		1.42	14.2	600	7.5	5.5	<0.001	0.01	0.29	3.3	0.4	0.6	24.6	<0.01	0.02
I314390		0.44	15.5	510	2.9	3.6	<0.001	0.01	0.44	1.5	0.3	0.3	8.5	<0.01	0.01
I314391		1.31	15.2	510	11.1	11.8	0.001	0.01	0.28	4.7	0.6	0.6	33.2	<0.01	0.01
I314392		1.39	14.3	400	11.2	18.3	<0.001	0.01	0.25	4.0	0.4	1.0	31.7	<0.01	0.01
I314393		0.96	12.4	250	9.4	14.9	0.001	<0.01	0.25	4.0	0.4	0.7	25.0	<0.01	0.01
I314394		0.93	13.5	360	14.2	7.6	<0.001	<0.01	0.34	3.8	0.2	0.8	17.6	<0.01	0.01
I314395		1.69	15.3	310	9.0	15.9	<0.001	<0.01	0.25	3.3	0.3	0.7	29.4	<0.01	0.01
I314396		1.59	13.5	260	8.8	20.0	<0.001	<0.01	0.25	2.8	0.3	0.6	23.9	<0.01	0.02
I314397		1.11	22.8	630	9.1	23.5	0.001	0.03	0.44	4.0	0.6	0.7	19.1	<0.01	0.05
I314398		1.08	25.8	600	7.3	15.9	<0.001	0.04	0.36	2.7	0.7	0.5	19.1	<0.01	0.02
I314399		1.38	27.2	850	7.8	14.6	<0.001	0.02	0.32	4.9	0.6	0.5	31.5	<0.01	0.02
I314400		1.41	27.3	830	7.7	15.4	0.001	0.02	0.35	4.8	0.6	0.5	32.7	<0.01	0.02
I314401		2.18	21.8	320	12.7	8.2	<0.001	0.01	0.63	3.5	0.4	0.7	13.8	0.01	0.03
I314402		2.44	28.2	370	14.1	8.5	<0.001	0.02	0.61	4.3	0.5	0.6	15.7	0.02	0.05
I314403		0.89	15.6	530	8.1	5.4	<0.001	0.04	0.55	1.8	0.8	0.5	15.9	<0.01	0.04
I314404		0.34	9.4	420	3.5	3.2	0.001	0.04	0.29	0.6	0.4	0.3	16.1	<0.01	0.02
I314405		1.52	23.1	710	7.4	7.4	<0.001	0.01	0.43	5.8	0.8	0.5	27.7	<0.01	0.03
I314406		1.17	20.8	840	9.0	13.5	<0.001	0.03	0.32	4.6	0.6	0.4	37.3	<0.01	0.04
I314407		1.38	20.7	710	7.0	12.0	<0.001	0.02	0.28	3.9	0.5	0.5	24.2	<0.01	0.03
I314408		1.15	17.7	400	6.0	10.6	<0.001	0.03	0.36	3.6	0.5	0.5	21.6	<0.01	0.03
I314409		0.95	18.2	560	6.5	10.9	<0.001	0.03	0.61	3.5	0.5	0.4	18.8	<0.01	0.03
I314410		1.04	24.8	690	9.1	16.8	<0.001	0.02	2.15	4.2	0.6	0.4	26.7	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I314371		0.055	0.17	0.81	33	0.09	7.23	34
I314372		0.046	0.15	0.59	37	0.07	6.09	34
I314373		0.116	0.22	0.72	62	0.22	6.02	58
I314374		0.083	0.32	1.11	53	0.15	11.65	80
I314375		0.117	0.40	0.93	56	0.19	13.40	83
I314376		0.057	0.19	2.66	45	0.18	15.80	78
I314377		0.035	0.11	1.96	43	0.11	14.70	53
I314378		0.071	0.09	0.83	55	0.10	8.27	68
I314379		0.062	0.11	0.84	55	0.09	6.95	70
I314380		0.055	0.10	0.92	54	0.27	7.71	70
I314381		0.075	0.10	0.83	64	0.22	7.71	67
I314382		0.068	0.08	0.63	53	0.28	5.58	54
I314383		0.107	0.05	0.38	65	0.15	7.48	47
I314384		0.089	0.07	0.65	62	0.17	7.30	43
I314385		0.075	0.18	1.69	45	0.12	20.7	52
I314386		0.078	0.12	0.53	51	0.09	2.95	47
I314387		0.079	0.08	1.08	63	0.13	9.10	43
I314388		0.074	0.10	1.01	59	0.13	12.50	40
I314389		0.093	0.06	0.49	67	0.19	5.32	44
I314390		0.010	0.13	0.51	14	0.06	5.60	17
I314391		0.078	0.08	1.42	52	0.16	15.40	45
I314392		0.068	0.12	0.76	50	0.16	11.20	46
I314393		0.057	0.13	1.11	46	0.10	8.87	38
I314394		0.030	0.13	1.00	51	0.09	3.40	46
I314395		0.091	0.13	0.44	59	0.16	4.14	43
I314396		0.096	0.11	0.51	57	0.16	6.15	36
I314397		0.036	0.12	0.49	80	0.13	5.22	77
I314398		0.060	0.14	0.86	63	0.10	6.71	69
I314399		0.102	0.13	0.95	62	0.15	9.73	87
I314400		0.106	0.13	0.90	67	0.18	9.54	91
I314401		0.104	0.09	0.42	89	0.13	2.81	50
I314402		0.118	0.10	0.46	86	0.17	3.25	60
I314403		0.048	0.11	0.71	59	0.13	3.33	58
I314404		0.028	0.03	0.30	34	0.06	1.78	24
I314405		0.110	0.09	0.89	69	0.13	6.06	77
I314406		0.092	0.11	0.95	64	0.11	4.69	64
I314407		0.106	0.09	0.64	60	0.14	4.32	59
I314408		0.081	0.09	0.66	54	0.17	3.96	52
I314409		0.068	0.10	0.75	54	0.12	3.85	55
I314410		0.070	0.15	0.85	64	0.20	4.65	74



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314411		0.58	0.006	0.17	1.73	30.3	<0.2	<10	110	0.47	0.28	0.53	0.37	27.7	16.8	31
I314412		0.50	0.006	0.10	1.79	6.0	<0.2	<10	110	0.39	0.17	0.50	0.15	31.0	21.0	37
I314413		0.46	0.006	0.12	1.58	4.9	<0.2	<10	90	0.37	0.14	0.43	0.12	31.9	14.7	33
I314414		0.66	0.008	0.07	1.72	19.6	<0.2	<10	100	0.49	0.16	0.36	0.12	36.7	16.0	33
I314415		0.64	0.008	0.06	2.48	5.9	<0.2	<10	100	0.65	0.41	0.20	0.09	31.9	19.0	59
I314416		0.48	0.012	0.04	1.66	4.7	<0.2	<10	80	0.35	0.17	0.61	0.09	35.5	17.5	39
I314417		0.50	<0.005	0.07	2.25	9.2	<0.2	<10	140	0.31	0.17	0.10	0.08	16.75	11.1	32
I314418		0.52	<0.005	0.05	2.40	9.0	<0.2	<10	90	0.40	0.14	0.13	0.08	16.40	8.8	32
I314419		0.48	<0.005	0.06	1.85	4.4	<0.2	<10	70	0.31	0.11	0.15	0.06	12.10	5.8	28
I314420		0.58	<0.005	0.11	1.62	9.0	<0.2	<10	110	0.42	0.22	0.12	0.06	20.7	5.3	30
I314421		0.74	<0.005	0.02	2.35	3.5	<0.2	<10	30	0.36	0.09	0.22	0.09	9.15	10.3	23
I314422		0.56	<0.005	0.04	2.62	9.9	<0.2	<10	130	0.50	0.16	0.16	0.08	16.10	8.8	30
I314423		0.62	<0.005	0.09	1.63	7.2	<0.2	<10	90	0.26	0.17	0.14	0.09	13.95	5.8	25
I314424		0.58	<0.005	0.14	2.05	9.0	<0.2	<10	140	0.33	0.16	0.17	0.06	16.10	7.0	31
I314425		0.40	<0.005	0.16	2.61	11.6	<0.2	<10	250	0.71	0.24	0.13	0.08	22.3	12.3	39
I314426		0.44	<0.005	0.13	2.90	10.7	<0.2	<10	310	0.77	0.19	0.14	0.06	27.7	12.9	40
I314427		0.48	<0.005	0.11	2.05	7.9	<0.2	<10	150	0.31	0.26	0.13	0.07	19.55	5.5	30
I314428		0.48	<0.005	0.07	2.33	6.4	<0.2	<10	160	0.43	0.16	0.27	0.07	22.4	8.6	32
I314429		0.56	<0.005	0.11	2.08	6.6	<0.2	<10	180	0.24	0.16	0.30	0.09	15.40	10.4	37
I314430		0.46	<0.005	0.42	1.46	4.9	<0.2	<10	160	0.21	0.20	0.13	0.14	14.85	4.5	19
I314431		0.46	<0.005	0.83	1.94	7.0	<0.2	<10	150	0.36	0.20	0.15	0.09	19.45	5.8	26
I314432		0.56	<0.005	0.27	2.21	10.1	<0.2	<10	170	0.52	0.21	0.14	0.13	18.15	9.3	37
I314433		0.52	<0.005	0.75	2.20	6.7	<0.2	<10	220	0.80	0.19	0.20	0.09	22.5	7.0	28
I314434		0.48	<0.005	0.10	2.38	5.9	<0.2	<10	340	0.58	0.16	0.78	0.11	25.3	9.4	26
I314435		0.38	<0.005	0.08	1.73	4.4	<0.2	<10	240	0.38	0.18	1.12	0.25	16.15	9.1	25
I314436		0.52	<0.005	0.06	2.22	4.1	<0.2	<10	300	0.42	0.22	0.73	0.46	19.75	10.6	34
I314437		0.56	<0.005	0.54	1.82	6.4	<0.2	<10	110	0.31	0.16	0.16	0.16	15.35	8.7	28
I314438		0.58	<0.005	0.23	1.89	4.8	<0.2	<10	150	0.26	0.12	0.29	0.12	11.65	12.1	40
I314439		0.52	<0.005	0.38	1.07	3.7	<0.2	<10	150	0.14	0.13	0.16	0.09	10.55	7.0	22
I314440		0.46	<0.005	0.18	2.36	2.0	<0.2	<10	190	0.25	0.12	0.24	0.11	11.30	12.6	15
I314441		0.48	<0.005	0.30	2.03	2.5	<0.2	<10	180	0.26	0.10	0.32	0.07	10.50	15.2	17
I314442		0.56	<0.005	0.02	0.20	7.1	<0.2	<10	40	0.30	0.05	0.33	0.17	23.6	7.7	7
I314443		0.40	<0.005	0.09	1.69	2.3	<0.2	<10	290	0.40	0.24	0.23	0.18	16.20	9.2	26
I314444		0.44	<0.005	0.22	1.45	3.4	<0.2	<10	480	0.42	0.14	0.31	0.08	21.9	10.5	28
I314445		0.46	0.005	0.20	1.58	6.5	<0.2	<10	270	0.48	0.16	0.34	0.06	28.7	10.4	32
I314446		0.36	<0.005	0.08	1.81	3.3	<0.2	<10	280	0.47	0.12	0.50	0.08	19.70	10.4	40
I314447		0.36	<0.005	0.19	1.80	4.1	<0.2	<10	210	0.46	0.12	0.55	0.06	17.95	8.8	26
I314448		0.54	<0.005	0.27	1.59	3.0	<0.2	<10	250	0.42	0.16	0.43	0.07	23.6	8.4	29
I314449		0.54	<0.005	0.23	1.64	5.9	<0.2	<10	280	0.47	0.15	0.58	0.10	25.4	10.0	32
I314450		0.48	<0.005	0.10	1.83	3.7	<0.2	<10	270	0.39	0.13	0.46	0.06	21.9	11.2	27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314411		6.01	21.2	2.75	5.90	0.06	0.03	0.05	0.024	0.08	13.7	12.9	0.62	847	1.13
I314412		4.83	20.8	3.46	6.03	0.07	0.02	0.03	0.020	0.28	16.9	15.2	0.83	803	0.84
I314413		5.61	20.9	2.96	5.81	0.06	0.02	0.03	0.020	0.16	17.8	13.5	0.64	430	0.77
I314414		5.20	19.5	3.29	5.86	0.06	0.02	0.02	0.027	0.06	19.8	15.8	0.59	482	1.01
I314415		6.71	30.5	4.86	8.46	0.09	0.07	0.02	0.028	0.39	16.2	21.0	1.07	478	1.10
I314416		4.92	21.6	3.52	6.48	0.08	0.03	0.01	0.027	0.12	18.7	15.9	0.75	461	0.88
I314417		1.54	11.6	3.48	9.44	0.05	0.04	0.02	0.023	0.02	9.0	17.3	0.53	472	1.23
I314418		2.01	14.2	3.70	9.67	0.05	0.04	0.03	0.020	0.06	8.7	21.7	0.74	311	0.95
I314419		1.10	11.4	2.40	8.97	<0.05	0.02	0.02	0.016	0.03	6.3	14.5	0.60	207	0.64
I314420		0.96	10.6	2.93	8.28	<0.05	0.03	0.02	0.018	0.03	11.1	10.5	0.41	166	1.20
I314421		1.39	15.1	3.36	13.60	0.05	<0.02	0.01	0.011	0.05	4.2	20.7	1.25	314	0.48
I314422		1.12	11.7	3.62	9.40	0.05	0.04	0.02	0.023	0.04	8.6	23.3	0.62	212	0.91
I314423		1.50	8.4	2.71	9.18	<0.05	0.02	0.01	0.017	0.01	7.4	11.6	0.37	154	1.04
I314424		1.04	11.4	3.01	8.73	0.05	0.06	0.02	0.022	0.01	8.6	12.3	0.51	185	0.95
I314425		2.03	17.9	3.84	7.93	0.06	0.03	0.03	0.039	0.02	11.7	13.9	0.41	255	1.35
I314426		1.88	23.2	3.42	7.10	0.06	0.05	0.03	0.034	0.03	14.1	14.4	0.53	292	1.16
I314427		1.40	9.7	3.41	9.37	0.05	0.02	0.02	0.054	0.01	10.5	12.5	0.30	196	1.65
I314428		1.92	15.1	2.79	7.44	0.05	0.03	0.02	0.029	0.01	11.6	16.2	0.89	445	0.89
I314429		2.39	18.9	3.19	8.90	0.05	<0.02	0.07	0.022	0.03	7.4	17.7	1.00	510	1.71
I314430		1.35	14.1	2.06	7.21	<0.05	<0.02	0.03	0.019	0.03	8.0	7.6	0.27	188	1.16
I314431		0.92	19.2	2.62	7.92	<0.05	0.02	0.03	0.020	0.02	10.5	12.2	0.44	223	1.04
I314432		1.42	19.3	3.68	7.67	0.05	0.02	0.03	0.030	0.04	9.8	13.6	0.45	224	1.08
I314433		1.80	20.7	2.94	8.10	0.06	0.02	0.03	0.029	0.02	14.7	16.7	0.43	339	1.67
I314434		1.05	16.9	2.75	8.37	0.05	0.06	0.03	0.026	0.02	12.9	12.6	0.57	669	0.59
I314435		1.19	13.4	2.36	6.22	<0.05	0.02	0.02	0.021	0.03	8.0	10.1	0.43	785	0.75
I314436		1.69	13.0	3.07	7.65	<0.05	0.12	0.01	0.032	0.04	8.7	10.5	0.57	1070	0.83
I314437		0.44	18.4	3.01	6.38	0.05	0.07	0.02	0.019	0.21	8.1	13.3	0.55	208	1.02
I314438		0.57	31.5	3.04	6.24	<0.05	0.05	0.02	0.015	0.12	6.3	16.1	1.04	299	0.90
I314439		0.59	15.5	2.24	6.34	<0.05	0.03	0.02	0.010	0.07	5.7	7.3	0.44	315	0.86
I314440		1.44	9.6	3.10	9.64	0.05	<0.02	0.02	0.016	0.06	5.8	22.2	1.83	921	0.65
I314441		0.78	16.4	3.16	7.35	0.05	0.02	0.01	0.015	0.09	5.2	21.0	1.17	660	0.71
I314442		0.19	5.1	1.82	1.25	0.06	0.09	0.02	0.005	0.01	11.8	3.2	0.14	597	0.96
I314443		0.73	14.4	2.45	6.04	<0.05	0.03	0.01	0.017	0.05	7.3	12.1	0.62	654	0.96
I314444		0.49	13.0	2.40	4.95	<0.05	0.07	0.02	0.019	0.10	9.0	9.4	0.43	1110	0.75
I314445		0.46	17.3	2.67	4.97	0.06	0.07	0.03	0.046	0.04	11.9	9.7	0.46	537	0.91
I314446		0.50	12.7	2.44	6.04	<0.05	0.05	0.01	0.023	0.06	7.9	11.9	0.71	899	1.30
I314447		0.41	16.6	2.76	7.08	0.05	0.03	0.02	0.024	0.12	7.0	14.6	0.67	568	1.38
I314448		0.37	12.7	2.41	5.86	<0.05	0.05	0.02	0.022	0.09	9.9	9.0	0.43	495	1.44
I314449		0.36	18.3	2.63	5.11	0.05	0.05	0.02	0.023	0.06	10.5	9.1	0.43	605	1.22
I314450		0.75	20.1	3.00	6.27	0.05	0.08	0.02	0.023	0.18	8.8	11.5	0.63	853	1.47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314411		1.16	22.3	930	20.3	14.0	<0.001	0.04	1.08	3.9	0.7	0.4	41.5	<0.01	0.03
I314412		1.26	33.0	680	22.7	36.0	<0.001	0.03	0.36	3.8	0.5	0.5	39.6	<0.01	0.03
I314413		1.04	28.8	630	12.6	29.8	<0.001	0.03	0.32	3.7	0.6	0.4	37.3	<0.01	0.03
I314414		0.91	30.1	610	13.5	15.2	<0.001	0.02	0.99	4.5	0.5	0.5	29.4	<0.01	0.03
I314415		1.57	44.2	630	49.1	38.5	<0.001	0.01	0.33	6.2	0.4	0.8	22.5	<0.01	0.05
I314416		1.26	37.6	410	13.8	23.0	<0.001	0.03	0.30	4.3	0.4	0.5	44.1	<0.01	0.03
I314417		2.16	18.1	430	9.3	12.6	<0.001	0.01	0.40	2.9	0.3	0.7	17.3	<0.01	0.04
I314418		1.99	18.2	460	9.8	16.2	<0.001	0.01	0.38	3.1	0.5	0.5	17.8	<0.01	0.03
I314419		1.09	12.7	420	9.4	9.3	<0.001	0.01	0.25	2.4	0.3	0.5	19.1	<0.01	0.02
I314420		1.81	13.3	370	9.1	9.9	<0.001	0.01	0.42	2.9	0.3	0.7	15.2	<0.01	0.03
I314421		0.93	14.2	530	8.4	10.3	<0.001	<0.01	0.14	1.6	0.2	0.4	28.4	<0.01	0.02
I314422		1.76	17.0	300	9.8	8.2	<0.001	0.01	0.32	3.1	0.3	0.6	19.1	<0.01	0.04
I314423		1.67	12.4	240	9.6	8.8	<0.001	<0.01	0.28	2.4	0.2	0.7	19.6	<0.01	0.02
I314424		1.74	16.5	180	9.1	6.3	<0.001	<0.01	0.34	3.7	0.3	0.7	18.2	<0.01	0.02
I314425		1.89	23.5	360	11.8	11.6	<0.001	0.01	0.56	3.9	0.5	0.7	14.6	0.01	0.04
I314426		1.71	27.5	300	9.9	11.1	<0.001	0.01	0.51	5.0	0.5	0.6	16.5	0.01	0.03
I314427		1.84	11.6	310	12.0	9.3	<0.001	0.01	0.38	3.0	0.4	0.9	14.2	<0.01	0.03
I314428		1.41	19.5	180	9.8	8.1	<0.001	0.01	0.27	4.0	0.3	0.6	15.3	<0.01	0.03
I314429		0.84	18.2	350	7.4	12.6	<0.001	0.01	0.41	3.8	0.3	0.6	19.6	<0.01	0.03
I314430		0.81	10.4	340	9.0	8.5	<0.001	0.01	0.27	1.9	0.3	0.6	15.6	<0.01	0.03
I314431		1.43	15.1	300	8.7	8.2	<0.001	0.01	0.29	3.8	0.4	0.7	16.5	<0.01	0.03
I314432		1.60	23.2	450	10.6	11.8	<0.001	0.01	0.46	2.9	0.4	0.7	14.4	<0.01	0.04
I314433		1.35	15.8	460	9.6	8.7	<0.001	0.01	0.33	3.9	0.4	0.7	20.4	<0.01	0.02
I314434		1.09	14.1	570	10.3	5.1	<0.001	0.01	0.23	5.2	0.4	0.6	29.8	<0.01	0.02
I314435		1.11	15.0	340	10.8	8.7	<0.001	0.02	0.29	3.0	0.3	0.5	26.0	<0.01	0.03
I314436		1.59	19.4	150	13.0	13.7	<0.001	<0.01	0.28	4.5	0.2	0.7	24.5	<0.01	0.03
I314437		1.56	17.8	180	8.3	11.4	<0.001	<0.01	0.43	2.9	0.2	0.5	13.8	<0.01	0.02
I314438		1.25	20.3	250	6.4	8.7	<0.001	0.01	0.30	3.5	0.2	0.4	22.2	<0.01	0.02
I314439		1.26	9.4	430	5.9	13.8	<0.001	0.01	0.27	2.2	0.2	0.4	18.8	<0.01	0.02
I314440		0.75	10.3	450	5.0	17.2	<0.001	0.01	0.18	3.5	0.2	0.5	21.8	<0.01	0.02
I314441		1.05	12.4	310	5.9	12.1	<0.001	<0.01	0.21	2.8	0.2	0.4	24.5	<0.01	0.02
I314442		0.47	14.2	500	3.6	4.0	<0.001	<0.01	0.42	1.6	0.2	0.2	9.3	<0.01	0.01
I314443		1.06	15.1	680	10.9	9.0	<0.001	<0.01	0.22	3.0	<0.2	0.5	16.1	<0.01	0.02
I314444		1.23	19.8	540	6.7	16.7	<0.001	<0.01	0.28	3.8	0.2	0.4	24.8	<0.01	0.01
I314445		1.36	21.0	400	7.3	7.5	0.001	<0.01	0.42	5.4	0.4	0.4	26.5	<0.01	0.02
I314446		1.11	23.9	460	7.3	6.8	<0.001	0.01	0.23	4.8	0.3	0.4	28.1	<0.01	0.02
I314447		0.84	18.1	450	6.4	10.9	<0.001	0.01	0.20	4.4	0.4	0.3	34.3	<0.01	0.02
I314448		1.11	15.1	630	7.4	6.7	0.001	0.01	0.23	3.9	0.3	0.4	29.1	<0.01	0.02
I314449		1.21	18.9	500	7.2	7.1	<0.001	0.01	0.36	4.8	0.3	0.4	34.7	<0.01	0.02
I314450		1.25	17.4	210	6.1	26.1	<0.001	<0.01	0.26	6.1	0.3	0.4	29.9	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314411		0.091	0.20	1.14	69	0.20	7.02	70	1.2
I314412		0.097	0.26	0.97	49	0.09	5.76	76	0.9
I314413		0.079	0.22	1.04	48	0.13	5.99	64	0.7
I314414		0.055	0.14	1.05	50	0.12	6.05	62	0.7
I314415		0.123	0.32	0.72	79	0.15	5.30	76	2.6
I314416		0.097	0.21	0.82	53	0.09	5.01	68	1.4
I314417		0.114	0.13	0.36	81	0.20	1.76	77	1.6
I314418		0.120	0.16	0.54	77	0.18	2.37	80	1.7
I314419		0.077	0.09	0.47	56	0.15	1.67	62	0.6
I314420		0.084	0.10	0.43	76	0.22	2.69	39	1.2
I314421		0.091	0.10	0.41	73	0.09	1.52	128	<0.5
I314422		0.098	0.11	0.35	78	0.18	2.12	57	1.4
I314423		0.083	0.12	0.31	68	0.17	1.77	35	0.7
I314424		0.085	0.13	0.38	78	0.23	2.45	43	2.4
I314425		0.074	0.14	0.63	79	0.30	4.02	45	1.2
I314426		0.070	0.13	0.80	70	0.19	5.23	45	2.4
I314427		0.082	0.11	0.44	87	0.19	2.41	28	0.8
I314428		0.070	0.12	0.42	69	0.17	3.16	40	1.1
I314429		0.045	0.12	0.35	84	0.55	3.42	46	<0.5
I314430		0.053	0.13	0.32	59	0.19	2.59	32	<0.5
I314431		0.072	0.09	0.51	70	0.20	5.42	42	0.6
I314432		0.072	0.13	0.41	82	0.22	2.89	44	0.8
I314433		0.046	0.15	0.74	74	0.20	8.36	39	<0.5
I314434		0.028	0.11	0.72	68	0.16	7.19	47	2.1
I314435		0.044	0.08	0.50	57	0.16	3.22	39	0.9
I314436		0.066	0.09	0.32	71	0.21	2.99	44	4.2
I314437		0.103	0.08	0.30	75	0.14	1.78	46	2.7
I314438		0.127	0.08	0.27	91	0.16	1.87	49	1.9
I314439		0.131	0.07	0.21	68	0.12	1.35	38	1.0
I314440		0.088	0.09	0.21	104	0.10	1.79	73	<0.5
I314441		0.117	0.07	0.21	113	0.12	1.84	59	0.9
I314442		0.010	0.10	0.52	14	0.05	5.80	17	4.1
I314443		0.037	0.07	0.25	52	0.15	2.49	44	1.1
I314444		0.060	0.07	0.26	51	0.13	3.02	36	2.7
I314445		0.073	0.07	0.54	60	0.20	4.73	41	3.0
I314446		0.044	0.06	0.25	54	0.13	4.36	46	1.6
I314447		0.038	0.05	0.38	62	0.10	3.66	50	1.0
I314448		0.043	0.07	0.38	54	0.14	3.12	53	1.7
I314449		0.063	0.06	0.33	58	0.20	3.61	49	1.7
I314450		0.083	0.08	0.36	73	0.14	4.73	46	3.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **3-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10113880

Project: SQI10-06

P.O. No.: SQI10-06_20

This report is for 275 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
LOG-24	Pulp Login - Rcd w/o Barcode
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I031901		<0.005	0.13	1.74	6.0	<0.2	<10	170	0.44	0.12	4.53	0.30	22.1	7.2	24	0.69
I031902		<0.005	0.12	1.56	8.9	<0.2	<10	300	0.45	0.15	1.70	0.29	27.7	9.8	27	0.40
I031903		0.042	0.33	1.83	7.7	<0.2	<10	1180	0.76	0.19	1.20	0.20	93.8	10.2	22	0.62
I031904		0.005	0.41	1.42	3.8	<0.2	<10	670	0.41	0.95	0.68	0.32	32.0	7.1	19	0.42
I031905		<0.005	0.11	0.80	1.1	<0.2	<10	380	0.16	0.38	0.42	0.33	15.10	2.6	11	0.36
I031906		<0.005	0.09	1.49	4.5	<0.2	<10	300	0.29	0.40	0.40	0.06	21.6	5.7	18	0.23
I031907		<0.005	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I031908		<0.005	0.12	1.04	5.4	<0.2	<10	690	0.44	0.16	2.44	0.13	25.2	5.9	17	0.32
I031909		<0.005	0.23	1.78	4.8	<0.2	<10	1720	1.46	0.69	1.05	0.95	92.0	10.6	23	0.61
I031910		<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	1.01	0.1	<1	<0.05
I031911		0.005	0.15	1.50	4.7	<0.2	<10	630	0.76	0.42	1.95	0.39	43.9	10.0	26	0.79
I031912		<0.005	0.13	1.54	6.8	<0.2	<10	320	0.54	0.27	0.43	0.29	41.9	8.6	21	0.68
I031913		<0.005	0.10	1.28	6.8	<0.2	<10	440	0.53	0.27	1.31	0.44	39.9	8.2	22	0.47
I031914		<0.005	0.10	1.17	5.5	<0.2	<10	460	0.50	0.21	1.74	0.38	30.4	9.7	19	0.32
I031915		<0.005	0.13	1.27	6.0	<0.2	<10	390	0.40	0.14	1.33	0.21	20.3	7.3	23	0.30
I031916		<0.005	0.13	1.43	7.7	<0.2	<10	320	0.42	0.15	0.83	0.24	22.9	8.8	26	0.38
I031917		<0.005	0.10	0.98	6.2	<0.2	<10	360	0.38	0.12	2.36	0.46	19.70	8.9	18	0.33
I031918		0.010	0.13	1.43	8.6	<0.2	<10	290	0.46	0.19	1.05	0.19	27.9	10.3	26	0.45
I031919		<0.005	0.11	1.30	8.2	<0.2	<10	320	0.35	0.16	1.70	0.28	23.1	9.7	26	0.52
I031920		<0.005	0.09	1.06	6.7	<0.2	<10	190	0.32	0.11	0.95	0.18	20.2	7.8	23	0.36
I031921		<0.005	0.10	1.16	7.4	<0.2	<10	220	0.36	0.13	0.88	0.16	23.1	8.6	25	0.41
I031922		0.014	0.04	1.79	8.5	<0.2	<10	190	0.38	0.16	0.17	0.13	16.75	8.0	30	0.59
I031923		<0.005	0.32	1.67	6.4	<0.2	<10	220	0.70	0.38	0.19	0.24	29.4	6.1	24	4.59
I031924		<0.005	0.18	1.66	8.0	<0.2	<10	230	0.52	0.26	0.22	0.17	32.4	6.1	27	2.37
I031925		<0.005	0.18	1.47	7.0	<0.2	<10	290	1.00	0.27	0.16	0.14	66.1	8.1	22	3.37
I031926		0.006	0.25	1.68	9.4	<0.2	<10	170	0.54	0.34	0.17	0.23	25.0	6.5	28	3.64
I031927		<0.005	0.09	2.13	9.2	<0.2	<10	150	0.67	0.37	0.14	0.07	21.6	6.0	29	5.32
I031928		<0.005	0.22	1.68	8.2	<0.2	<10	230	1.01	0.33	0.22	0.13	32.8	6.0	25	3.36
I031929		<0.005	0.13	1.61	7.3	<0.2	<10	150	1.43	0.59	0.70	0.17	24.8	6.4	26	7.48
I031930		<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	1.09	0.1	<1	<0.05
I031931		<0.005	0.15	1.03	3.6	<0.2	<10	140	0.86	0.40	0.24	0.29	21.0	2.0	15	4.74
I031932		<0.005	0.09	2.11	8.5	<0.2	<10	240	0.50	0.28	0.16	0.11	24.5	15.9	31	1.94
I031933		<0.005	0.04	2.22	11.0	<0.2	<10	200	0.53	0.23	0.14	0.10	20.1	10.1	35	1.89
I031934		<0.005	0.12	1.52	11.3	<0.2	<10	110	0.22	0.17	0.19	0.05	15.30	7.0	23	1.61
I031935		<0.005	0.04	1.96	11.8	<0.2	<10	120	0.38	0.23	0.11	0.08	24.0	6.3	34	1.64
I031936		<0.005	0.05	2.05	11.8	<0.2	<10	160	0.41	0.21	0.13	0.05	22.5	8.1	32	1.56
I031937		<0.005	0.12	2.12	9.1	<0.2	<10	160	0.41	0.22	0.13	0.07	19.70	7.9	34	2.32
I031938		<0.005	0.17	2.13	14.2	<0.2	<10	200	0.54	0.13	0.34	0.15	22.9	10.7	48	5.62
I031939		<0.005	0.40	1.74	6.1	<0.2	<10	180	0.39	0.15	0.32	0.05	21.0	7.8	25	3.37
I031940		<0.005	0.16	2.61	9.7	<0.2	<10	190	0.38	0.22	0.27	0.18	16.30	9.5	27	4.46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
I031901		25.3	1.94	4.72	0.07	0.19	0.05	0.020	0.05	11.8	13.4	1.44	278	0.65	0.02	1.28
I031902		32.1	2.27	4.79	0.07	0.15	0.06	0.023	0.04	14.5	10.7	0.57	448	0.33	0.02	1.28
I031903		41.3	2.36	5.08	0.12	0.12	0.08	0.027	0.08	48.1	8.8	0.37	532	1.01	0.04	0.92
I031904		47.9	1.94	5.27	0.07	0.06	0.07	0.027	0.08	25.8	9.8	0.40	374	2.03	0.02	0.90
I031905		18.6	0.98	4.46	<0.05	0.03	0.02	0.012	0.07	7.9	3.6	0.14	790	2.00	0.01	0.67
I031906		18.7	2.14	5.16	<0.05	0.09	0.02	0.023	0.11	11.7	9.5	0.33	235	1.26	0.01	1.11
I031907		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I031908		20.4	1.69	3.33	0.06	0.03	0.04	0.016	0.06	13.1	7.3	0.31	272	0.67	0.02	0.66
I031909		109.5	2.65	5.87	0.26	0.13	0.06	0.037	0.08	104.0	7.5	0.36	1120	0.97	0.03	0.84
I031910		0.6	0.02	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	<0.1	<0.01	<5	<0.05	<0.01	<0.05
I031911		42.7	2.80	5.03	0.12	0.08	0.08	0.032	0.13	30.8	11.8	0.69	408	0.79	0.02	0.89
I031912		16.7	2.60	5.77	0.07	0.04	0.02	0.025	0.11	19.8	8.6	0.40	434	1.05	0.02	1.77
I031913		28.6	2.36	4.71	0.08	0.05	0.02	0.022	0.12	21.0	9.2	0.43	386	0.83	0.02	1.32
I031914		23.0	2.11	4.04	0.07	0.02	0.02	0.020	0.09	14.0	6.6	0.37	499	0.70	0.02	0.94
I031915		19.1	2.08	4.14	0.05	0.04	0.02	0.020	0.03	9.7	7.8	0.41	299	0.62	0.02	1.03
I031916		18.1	2.48	4.65	0.07	0.05	0.01	0.021	0.04	10.6	9.7	0.51	398	0.90	0.03	1.11
I031917		25.7	1.71	3.21	0.06	0.06	0.04	0.016	0.05	9.8	6.5	0.40	903	0.93	0.03	0.84
I031918		24.7	2.62	4.68	0.07	0.07	0.03	0.022	0.07	13.0	10.5	0.55	426	1.24	0.03	1.28
I031919		18.6	2.24	4.32	0.06	0.05	0.04	0.022	0.06	10.1	9.4	0.56	536	1.03	0.03	1.08
I031920		17.1	2.09	3.58	0.06	0.05	0.02	0.016	0.04	9.8	7.8	0.47	317	0.99	0.03	0.95
I031921		20.8	2.26	3.93	0.07	0.06	0.02	0.019	0.04	10.9	8.7	0.50	322	1.08	0.03	1.06
I031922		12.9	2.56	5.52	<0.05	0.02	0.01	0.023	0.04	7.9	11.2	0.36	164	1.00	0.01	1.40
I031923		21.7	2.38	9.28	0.06	<0.02	0.02	0.027	0.06	16.0	7.7	0.31	203	1.76	0.01	1.91
I031924		14.4	2.44	7.84	0.07	<0.02	0.04	0.022	0.05	18.3	9.2	0.34	201	1.17	0.01	1.55
I031925		13.3	2.87	7.81	0.10	<0.02	0.03	0.021	0.07	43.4	9.0	0.22	1260	1.27	0.01	1.72
I031926		14.2	2.82	7.31	0.06	<0.02	0.05	0.023	0.07	11.6	11.2	0.35	219	1.45	0.01	1.66
I031927		11.0	2.98	8.75	0.06	0.03	0.02	0.029	0.04	10.5	15.4	0.38	177	1.08	0.01	2.46
I031928		14.9	2.35	7.78	0.07	<0.02	0.04	0.023	0.06	19.9	9.1	0.31	179	1.55	0.01	2.41
I031929		18.1	2.13	6.59	0.06	0.06	0.03	0.028	0.07	13.7	16.8	0.38	262	2.29	0.01	3.21
I031930		0.6	0.02	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	<0.1	<0.01	<5	<0.05	<0.01	<0.05
I031931		15.3	1.30	5.34	<0.05	<0.02	0.06	0.025	0.05	11.3	3.5	0.11	107	1.01	0.02	1.31
I031932		16.6	3.09	8.43	0.06	0.05	0.03	0.029	0.04	10.7	12.8	0.33	2100	1.94	0.01	1.87
I031933		16.9	3.25	6.80	0.06	0.09	0.03	0.031	0.04	9.5	14.9	0.47	305	1.23	0.01	1.79
I031934		15.5	2.51	7.76	0.05	<0.02	0.04	0.018	0.04	7.4	10.8	0.44	185	0.89	0.02	1.22
I031935		13.0	3.53	7.15	0.07	<0.02	0.02	0.030	0.04	11.1	15.2	0.34	191	1.45	0.01	1.94
I031936		13.9	3.17	7.53	0.07	0.03	0.01	0.029	0.04	11.0	14.5	0.43	209	1.22	0.01	1.75
I031937		14.1	3.21	7.86	0.06	0.10	0.02	0.029	0.05	9.5	15.1	0.38	254	1.44	0.01	1.56
I031938		17.0	3.21	8.86	0.07	<0.02	0.03	0.018	0.07	11.2	23.5	0.89	567	1.39	0.01	1.85
I031939		32.4	2.42	5.91	0.06	0.03	0.03	0.022	0.04	10.4	17.8	0.53	193	1.71	0.01	1.35
I031940		85.9	4.02	10.45	0.07	0.02	0.02	0.031	0.28	7.9	18.3	0.97	369	1.82	0.01	2.86



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I031901		21.1	620	9.6	7.8	<0.001	0.04	0.69	4.2	0.9	0.4	61.4	<0.01	0.01	1.8
I031902		26.6	610	8.0	6.8	<0.001	0.04	0.74	4.2	1.0	0.4	41.3	<0.01	0.02	1.8
I031903		23.4	540	8.5	11.0	<0.001	0.04	0.99	6.7	1.3	0.4	48.7	0.01	0.02	3.9
I031904		11.5	440	24.7	11.6	0.001	0.03	1.78	4.1	0.7	0.6	35.5	<0.01	0.07	3.8
I031905		6.0	200	8.5	7.3	<0.001	0.03	0.44	2.3	0.3	0.5	27.6	<0.01	0.02	1.7
I031906		11.1	300	10.4	8.3	<0.001	0.03	0.60	3.2	0.4	0.6	24.0	<0.01	0.03	3.3
I031907		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I031908		12.1	560	8.3	5.9	0.001	0.07	0.46	2.2	1.1	0.3	75.2	0.01	0.02	1.5
I031909		26.0	470	32.3	10.1	0.002	0.02	1.98	6.8	2.4	0.7	40.3	0.02	0.04	7.2
I031910		<0.2	10	0.6	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.3
I031911		17.6	810	17.3	13.7	0.001	0.05	2.46	4.9	1.5	0.6	50.0	0.01	0.03	2.9
I031912		14.1	220	22.7	13.2	<0.001	0.01	0.43	3.6	0.6	0.8	23.1	<0.01	0.02	6.4
I031913		17.2	570	14.8	13.1	<0.001	0.04	0.90	3.6	1.2	0.5	42.7	0.01	0.03	3.4
I031914		13.8	660	9.2	9.8	<0.001	0.04	0.91	2.7	1.1	0.4	52.0	<0.01	0.03	1.3
I031915		17.2	560	6.4	3.8	0.001	0.04	0.61	3.1	1.2	0.4	51.8	<0.01	0.03	1.3
I031916		20.9	620	6.8	4.8	<0.001	0.02	0.53	3.6	0.8	0.4	47.4	<0.01	0.03	1.7
I031917		19.2	890	5.0	5.9	0.001	0.09	0.89	2.2	1.3	0.3	83.0	<0.01	0.04	0.7
I031918		20.0	740	8.3	7.4	0.001	0.03	0.73	4.2	0.8	0.4	48.7	<0.01	0.03	2.7
I031919		18.0	860	7.0	6.1	0.001	0.07	0.78	3.4	1.1	0.4	73.7	<0.01	0.03	1.1
I031920		17.1	740	5.0	4.1	0.001	0.03	0.53	3.0	0.7	0.3	47.6	<0.01	0.02	1.5
I031921		18.5	750	5.7	4.8	<0.001	0.03	0.61	3.6	0.9	0.4	46.3	<0.01	0.02	1.8
I031922		18.9	150	7.7	7.1	<0.001	0.01	0.47	2.9	0.3	0.5	14.5	<0.01	0.02	2.5
I031923		13.3	570	19.6	23.4	<0.001	0.01	0.39	3.2	0.6	1.2	21.5	<0.01	0.03	1.0
I031924		14.3	530	10.9	12.0	<0.001	0.02	0.40	3.1	0.6	0.8	22.5	<0.01	0.02	1.2
I031925		10.4	440	11.9	22.0	<0.001	0.01	0.40	3.1	0.7	0.7	14.7	<0.01	0.03	3.8
I031926		14.4	400	13.9	23.0	<0.001	0.02	0.46	2.7	0.6	0.7	17.2	<0.01	0.03	1.4
I031927		13.9	210	14.1	14.7	<0.001	0.01	0.34	3.7	0.4	1.1	14.4	<0.01	0.03	3.7
I031928		12.4	360	14.2	14.5	<0.001	0.02	0.39	3.7	0.7	1.0	21.6	<0.01	0.03	3.5
I031929		14.3	480	14.6	23.7	<0.001	0.03	0.33	3.5	1.0	1.3	49.5	0.01	0.02	4.1
I031930		<0.2	10	0.4	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.3
I031931		5.3	510	25.5	9.1	<0.001	0.02	0.20	1.1	0.8	1.0	20.3	<0.01	0.02	0.2
I031932		15.3	240	12.2	11.4	<0.001	0.01	0.51	4.1	0.6	0.8	16.1	<0.01	0.03	3.1
I031933		21.4	290	11.0	10.7	<0.001	0.01	0.56	3.7	0.5	0.6	14.2	<0.01	0.03	3.7
I031934		11.7	410	7.0	6.1	<0.001	0.02	0.45	3.4	0.6	0.6	14.9	<0.01	0.03	0.8
I031935		12.7	420	11.2	11.7	<0.001	0.01	0.64	3.3	0.7	0.6	11.7	0.01	0.04	3.4
I031936		16.8	240	10.1	9.2	<0.001	0.01	0.51	3.6	0.4	0.7	14.1	<0.01	0.03	3.8
I031937		15.2	230	9.9	11.6	<0.001	0.01	0.44	3.4	0.3	0.7	12.1	<0.01	0.03	3.3
I031938		21.6	530	11.0	17.6	<0.001	0.01	0.37	3.6	0.5	0.5	21.3	<0.01	0.02	1.0
I031939		15.8	500	7.9	8.5	<0.001	0.01	0.37	3.6	0.5	0.5	21.3	<0.01	0.03	2.6
I031940		15.5	840	10.7	28.9	<0.001	0.01	0.35	4.0	0.5	1.3	19.2	<0.01	0.09	1.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I031901		0.06	0.81	44	0.27	10.25	56	8.6	0.26
I031902		0.05	0.55	50	0.16	12.15	50	6.5	0.32
I031903		0.07	1.52	47	0.19	40.4	42	4.4	0.32
I031904		0.07	0.86	44	0.16	14.25	53	1.7	0.24
I031905		0.07	0.40	27	0.11	2.45	76	1.2	0.12
I031906		0.06	0.59	45	0.16	4.28	42	3.1	0.22
I031907		NSS	NSS	NSS	NSS	NSS	NSS	NSS	0.20
I031908		0.04	1.02	28	0.20	10.15	34	1.8	0.38
I031909		0.08	1.12	42	0.22	66.5	64	3.0	0.24
I031910		<0.02	0.10	<1	<0.05	0.60	2	0.6	0.10
I031911		0.09	1.37	46	0.17	28.4	63	3.0	0.34
I031912		0.09	0.91	49	0.27	6.21	54	1.9	0.28
I031913		0.05	1.59	46	0.76	13.55	57	2.2	0.28
I031914		0.04	0.96	42	0.18	8.48	61	1.4	0.28
I031915		0.04	1.47	46	0.16	6.13	39	2.0	0.48
I031916		0.04	1.02	55	0.14	6.97	50	2.2	0.34
I031917		0.04	1.64	37	0.15	8.33	52	2.7	0.28
I031918		0.05	1.12	53	0.39	8.87	57	3.6	0.44
I031919		0.06	1.35	49	0.18	6.98	63	2.5	0.22
I031920		0.04	0.69	47	0.14	6.06	41	2.5	0.38
I031921		0.04	0.78	50	0.26	7.48	43	2.8	0.40
I031922		0.07	0.33	61	0.20	2.10	58	1.8	0.42
I031923		0.15	1.08	60	0.24	6.80	40	0.9	0.28
I031924		0.12	0.66	59	0.25	6.44	41	0.7	0.30
I031925		0.12	0.78	65	0.20	8.78	39	0.9	0.38
I031926		0.11	0.66	64	0.23	4.10	37	0.7	0.34
I031927		0.16	0.85	69	0.20	4.78	40	1.7	0.46
I031928		0.13	1.00	60	0.25	8.42	38	1.0	0.30
I031929		0.13	7.40	46	0.24	19.20	43	1.9	0.32
I031930		<0.02	0.13	<1	<0.05	0.64	<2	0.6	0.10
I031931		0.10	2.68	25	0.14	10.20	16	<0.5	0.24
I031932		0.16	0.57	77	0.22	3.02	34	2.9	0.34
I031933		0.11	0.80	68	0.23	2.83	51	4.1	0.36
I031934		0.09	0.38	77	0.20	2.46	33	0.8	0.40
I031935		0.11	0.65	69	0.30	2.88	37	1.1	0.44
I031936		0.12	0.58	70	0.21	2.99	42	2.4	0.52
I031937		0.12	0.46	72	0.18	2.32	39	4.8	0.42
I031938		0.09	0.62	63	0.18	5.15	61	0.5	0.46
I031939		0.09	0.55	50	0.15	4.66	52	1.8	0.34
I031940		0.27	0.46	104	0.31	2.72	125	1.4	0.40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I031941		<0.005	0.16	2.43	9.6	<0.2	<10	180	0.35	0.22	0.24	0.18	16.65	9.2	27	4.06
I031942		<0.005	0.14	1.67	8.7	<0.2	<10	140	0.24	0.21	0.15	0.12	18.50	6.0	25	1.22
I031943		<0.005	0.12	1.52	6.2	<0.2	<10	140	0.25	0.13	0.24	0.11	19.70	7.1	27	1.25
I031944		<0.005	0.05	2.43	10.1	<0.2	<10	180	0.38	0.18	0.12	0.18	20.2	10.8	36	2.79
I031945		<0.005	0.12	2.33	10.9	<0.2	<10	190	0.72	0.43	0.11	0.13	22.2	12.5	38	2.83
I031946		<0.005	0.04	2.16	14.5	<0.2	<10	160	0.45	0.22	0.14	0.10	27.5	13.6	31	3.48
I031947		<0.005	0.07	2.43	11.3	<0.2	<10	170	0.40	0.23	0.11	0.07	26.8	9.2	36	1.97
I031948		<0.005	0.08	2.07	8.0	<0.2	<10	150	0.32	0.14	0.14	0.14	27.4	7.3	19	3.44
I031949		<0.005	0.05	2.68	18.5	<0.2	<10	90	0.29	0.19	0.10	0.10	15.10	11.5	22	4.33
I031950		<0.005	<0.01	0.01	0.1	<0.2	<10	10	<0.05	<0.01	<0.01	0.01	1.21	0.2	1	0.05
I031951		<0.005	0.03	2.09	5.7	<0.2	<10	180	0.37	0.15	0.31	0.05	16.60	7.9	27	1.08
I031952		<0.005	0.05	2.23	6.1	<0.2	<10	230	0.44	0.15	0.36	0.07	20.0	9.5	27	0.98
I031953		<0.005	0.05	1.87	4.8	<0.2	<10	160	0.28	0.14	0.35	0.07	15.10	5.5	29	0.79
I031954		<0.005	0.06	1.75	4.9	<0.2	<10	140	0.26	0.12	0.24	0.05	15.05	5.8	25	0.85
I031955		<0.005	0.04	2.29	4.9	<0.2	<10	230	0.43	0.12	0.67	0.07	14.80	9.4	24	0.85
I031956		<0.005	0.08	1.93	6.4	<0.2	<10	200	0.44	0.12	1.04	0.07	25.0	7.9	25	0.59
I031957		<0.005	0.07	1.38	5.1	<0.2	<10	210	0.52	0.12	0.78	0.10	29.8	6.4	20	0.39
I031958		<0.005	0.08	1.82	9.2	<0.2	<10	130	0.27	0.15	0.10	0.05	15.20	6.6	24	0.79
I031959		<0.005	0.14	1.97	6.5	<0.2	<10	150	0.35	0.16	0.09	0.04	15.10	6.3	26	0.91
I031960		<0.005	0.20	1.95	7.3	<0.2	<10	170	0.41	0.16	0.10	0.04	15.75	6.8	29	0.85
I031961		<0.005	0.08	1.75	7.4	<0.2	<10	140	0.26	0.12	0.08	0.04	14.70	5.8	24	0.72
I031962		<0.005	0.06	1.65	8.2	<0.2	<10	160	0.24	0.14	0.14	0.05	15.65	6.6	24	0.61
I031963		<0.005	0.14	1.36	6.3	<0.2	<10	160	0.37	0.19	0.11	0.07	23.6	4.5	23	0.65
I031964		<0.005	0.05	1.60	5.4	<0.2	<10	300	0.19	0.13	0.23	0.08	10.90	11.9	34	0.84
I031965		<0.005	0.04	2.16	5.5	<0.2	<10	230	0.42	0.17	0.52	0.07	19.60	11.0	32	0.83
I031966		<0.005	0.07	2.77	8.0	<0.2	<10	280	0.83	0.20	0.56	0.13	36.9	11.8	52	0.74
I031967		<0.005	0.03	2.38	3.9	<0.2	<10	240	0.56	0.22	0.34	0.06	46.7	9.7	21	1.05
I031968		<0.005	0.11	1.62	6.4	<0.2	<10	190	0.21	0.18	0.09	0.13	17.75	6.1	25	0.45
I031969		<0.005	0.13	1.65	3.1	<0.2	<10	410	0.25	0.16	0.33	0.36	19.80	8.8	21	0.45
I031970		<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	<0.01	0.01	1.09	0.2	<1	<0.05
I031971		<0.005	0.14	1.50	5.2	<0.2	<10	480	0.32	0.16	0.32	0.12	22.2	7.2	24	0.35
I031972		<0.005	0.19	1.82	3.3	<0.2	<10	470	0.39	0.19	0.46	0.25	27.1	10.4	85	0.54
I031973		<0.005	0.31	1.51	3.6	<0.2	<10	780	0.40	0.19	0.41	0.56	24.2	10.1	22	0.51
I031974		<0.005	0.19	1.71	4.7	<0.2	<10	470	0.57	0.21	0.42	0.09	27.2	10.0	29	0.34
I031975		<0.005	0.09	1.64	7.6	<0.2	<10	270	0.35	0.17	0.32	0.12	19.05	8.5	29	0.41
I031976		<0.005	0.07	1.51	3.7	<0.2	<10	200	0.31	0.15	0.20	0.12	18.55	6.2	24	0.42
I031977		<0.005	0.11	1.60	5.2	<0.2	<10	480	0.43	0.19	0.34	0.11	24.3	8.7	28	0.40
I031978		<0.005	0.06	1.34	1.8	<0.2	<10	220	0.25	0.23	0.26	0.18	17.90	6.0	16	0.41
I031979		<0.005	0.13	1.71	5.2	<0.2	<10	370	0.40	0.24	0.39	0.10	19.20	9.0	28	0.27
I031980		<0.005	0.14	1.93	6.2	<0.2	<10	390	0.52	0.24	0.41	0.10	21.2	9.7	31	0.32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I031941		77.5	3.75	10.00	0.08	<0.02	0.02	0.029	0.24	8.3	17.5	0.86	331	1.74	0.01
I031942		27.3	2.89	7.99	0.06	<0.02	0.02	0.023	0.06	9.0	11.6	0.41	194	1.21	0.01
I031943		49.1	2.24	5.22	0.05	0.04	0.03	0.021	0.05	10.2	14.2	0.50	183	0.61	<0.01
I031944		19.7	3.33	6.74	0.07	0.05	0.02	0.032	0.05	10.2	18.4	0.55	283	1.13	<0.01
I031945		13.8	3.44	6.98	0.07	0.06	0.01	0.037	0.05	11.4	17.7	0.41	269	1.65	<0.01
I031946		18.5	3.22	6.95	0.07	<0.02	0.01	0.033	0.10	12.9	18.8	0.56	268	1.50	<0.01
I031947		14.8	3.28	8.16	0.07	0.03	0.03	0.034	0.05	13.6	17.9	0.42	193	1.49	<0.01
I031948		14.3	3.15	8.85	0.07	<0.02	0.02	0.023	0.26	11.9	21.7	0.54	356	1.11	<0.01
I031949		20.7	4.83	9.57	0.08	<0.02	0.01	0.025	0.07	6.2	29.3	0.86	461	2.78	<0.01
I031950		1.0	0.03	0.19	<0.05	<0.02	<0.01	<0.005	<0.01	0.6	0.5	<0.01	<5	0.07	<0.01
I031951		13.5	2.33	6.74	0.05	0.03	0.01	0.048	0.03	7.7	18.6	0.83	169	0.52	<0.01
I031952		12.6	2.54	7.17	0.05	0.06	0.02	0.025	0.03	9.3	17.7	0.68	334	0.58	0.01
I031953		13.1	2.01	7.06	0.05	0.03	0.01	0.023	0.02	7.6	16.0	0.66	142	0.60	<0.01
I031954		9.5	1.93	5.93	0.05	<0.02	0.01	0.020	0.03	7.9	15.6	0.53	144	0.67	<0.01
I031955		20.3	2.51	7.39	0.06	0.05	0.02	0.022	0.04	7.1	20.1	1.02	528	0.43	0.01
I031956		25.4	2.19	5.33	0.06	0.07	0.03	0.023	0.03	12.9	16.8	1.06	336	0.25	0.02
I031957		17.6	1.82	4.46	0.06	0.04	0.03	0.018	0.04	15.7	9.8	0.39	315	0.28	0.01
I031958		14.5	2.54	6.69	0.05	<0.02	0.02	0.020	0.04	8.2	10.7	0.40	203	1.14	<0.01
I031959		14.9	2.53	6.57	0.05	<0.02	0.01	0.025	0.05	7.7	14.1	0.38	163	0.71	<0.01
I031960		18.6	2.55	6.34	0.05	<0.02	0.01	0.025	0.05	8.0	12.6	0.41	172	0.72	<0.01
I031961		13.9	2.24	5.39	0.05	<0.02	0.01	0.019	0.04	7.6	12.6	0.33	169	1.03	<0.01
I031962		12.3	2.58	6.29	0.05	0.03	0.01	0.018	0.06	8.2	16.3	0.47	195	0.84	<0.01
I031963		9.6	2.14	6.53	0.05	<0.02	0.01	0.017	0.04	12.7	12.3	0.26	214	1.05	<0.01
I031964		16.1	2.22	5.92	0.05	<0.02	0.01	0.015	0.07	5.5	15.6	0.81	656	0.67	0.01
I031965		14.5	2.68	6.94	0.05	0.08	0.02	0.051	0.03	9.2	13.5	0.58	449	1.21	0.01
I031966		19.5	3.04	8.34	0.08	0.25	0.02	0.038	0.03	19.0	14.8	0.78	440	0.73	0.02
I031967		29.8	3.26	6.51	0.07	0.07	0.01	0.025	0.06	22.9	20.2	0.53	182	0.73	0.01
I031968		9.5	2.52	6.58	0.05	0.02	0.01	0.020	0.03	8.9	11.0	0.32	511	1.44	<0.01
I031969		12.3	2.33	6.48	0.06	0.03	0.01	0.020	0.07	10.0	9.0	0.35	1020	1.26	0.01
I031970		0.8	0.02	0.14	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05	<0.01
I031971		9.9	2.28	5.05	0.05	<0.02	0.01	0.021	0.09	11.2	10.0	0.34	460	1.08	0.01
I031972		15.3	2.52	6.10	0.06	0.02	0.01	0.024	0.23	12.3	10.2	0.59	990	1.78	0.02
I031973		16.2	2.12	5.67	0.05	<0.02	0.02	0.020	0.08	12.9	7.8	0.29	2340	1.03	0.03
I031974		18.4	2.72	5.46	0.05	0.04	0.02	0.025	0.12	11.8	8.8	0.38	627	1.25	0.01
I031975		13.7	2.50	5.35	0.05	<0.02	0.01	0.022	0.09	9.3	9.3	0.38	447	1.03	0.01
I031976		9.6	2.06	5.90	<0.05	<0.02	0.01	0.022	0.04	9.4	10.3	0.38	276	0.91	0.01
I031977		11.7	2.33	5.14	0.05	0.10	0.01	0.022	0.11	12.0	8.4	0.32	774	1.15	0.02
I031978		12.8	2.20	5.61	<0.05	<0.02	0.01	0.040	0.08	7.8	8.3	0.32	299	1.44	0.01
I031979		10.3	2.61	5.17	0.05	0.07	0.01	0.024	0.08	9.7	8.1	0.40	484	1.37	0.01
I031980		11.8	2.80	5.61	0.05	0.09	0.02	0.026	0.09	10.6	8.6	0.42	510	1.48	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I031941		15.5	730	10.4	25.6	<0.001	0.01	0.37	3.8	0.5	1.2	18.7	<0.01	0.07	1.7
I031942		11.0	430	9.3	12.7	<0.001	0.01	0.34	3.0	0.4	0.8	14.9	<0.01	0.05	1.8
I031943		15.9	440	8.0	8.8	<0.001	<0.01	0.34	3.5	0.2	0.5	20.3	<0.01	0.01	2.7
I031944		21.2	260	10.9	11.9	<0.001	<0.01	0.50	4.3	0.3	0.6	14.9	<0.01	0.02	3.7
I031945		22.7	310	20.1	19.0	<0.001	0.01	0.58	3.7	0.3	0.9	13.0	0.01	0.03	4.3
I031946		18.8	410	9.7	15.0	<0.001	0.01	0.57	4.7	0.4	0.6	15.0	<0.01	0.04	3.0
I031947		16.8	330	10.5	11.8	<0.001	0.01	0.58	4.7	0.4	0.8	14.2	0.01	0.03	3.8
I031948		9.2	640	12.9	33.3	<0.001	0.01	0.32	4.1	0.4	0.9	11.5	<0.01	0.03	3.0
I031949		9.5	580	9.2	18.4	<0.001	0.01	0.56	4.7	0.3	0.4	8.6	<0.01	0.08	3.0
I031950		0.4	10	0.5	0.3	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.3
I031951		18.2	290	6.6	8.2	<0.001	0.01	0.24	3.6	0.2	0.5	18.5	<0.01	0.02	1.9
I031952		19.5	230	8.3	8.6	<0.001	<0.01	0.27	4.0	0.3	0.6	19.4	<0.01	0.02	2.5
I031953		16.7	170	6.9	4.8	<0.001	0.01	0.24	3.6	0.2	0.6	17.0	<0.01	0.02	1.8
I031954		13.3	240	6.6	6.0	<0.001	<0.01	0.25	3.1	0.2	0.5	16.3	<0.01	0.02	1.8
I031955		14.7	340	6.0	7.6	<0.001	0.01	0.23	4.3	0.3	0.5	27.9	<0.01	0.02	1.9
I031956		18.0	570	6.7	6.0	<0.001	0.02	0.32	4.4	0.7	0.4	33.3	<0.01	0.02	2.0
I031957		13.2	460	5.7	7.1	<0.001	0.02	0.28	3.5	0.7	0.3	31.1	<0.01	0.02	2.4
I031958		14.5	430	7.7	10.5	<0.001	0.01	0.42	2.6	0.2	0.5	14.5	<0.01	0.02	1.6
I031959		16.5	170	8.1	12.4	<0.001	<0.01	0.35	2.7	<0.2	0.5	11.0	<0.01	0.02	2.2
I031960		18.9	160	8.3	11.5	<0.001	<0.01	0.39	2.8	<0.2	0.5	11.9	<0.01	0.02	2.1
I031961		14.1	160	6.7	9.7	<0.001	<0.01	0.40	2.2	0.2	0.5	10.9	<0.01	0.02	1.2
I031962		14.8	210	8.2	10.0	<0.001	<0.01	0.37	2.5	<0.2	0.5	15.3	<0.01	0.02	2.4
I031963		12.4	360	8.4	11.1	<0.001	<0.01	0.31	2.4	<0.2	0.6	12.2	<0.01	0.02	2.2
I031964		24.5	300	7.0	13.7	<0.001	0.01	0.31	2.7	<0.2	0.4	21.4	<0.01	0.02	0.9
I031965		18.6	130	12.1	6.3	<0.001	0.01	0.31	5.3	0.3	0.6	24.1	<0.01	0.02	2.5
I031966		28.6	110	11.4	6.7	<0.001	0.01	0.35	8.2	0.5	0.8	24.3	<0.01	0.03	4.2
I031967		13.8	130	7.5	11.7	<0.001	<0.01	0.18	4.7	0.3	0.4	18.1	<0.01	0.03	5.0
I031968		13.0	210	8.3	6.3	<0.001	0.01	0.40	2.7	<0.2	0.6	10.6	<0.01	0.03	2.3
I031969		12.5	360	7.0	10.3	<0.001	0.01	0.30	3.8	0.2	0.6	24.5	<0.01	0.02	2.4
I031970		0.5	10	0.5	0.2	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.9	<0.01	<0.01	0.3
I031971		13.3	300	7.7	10.1	<0.001	<0.01	0.37	2.8	0.2	0.5	18.0	<0.01	0.02	2.2
I031972		29.5	380	22.7	20.0	<0.001	0.01	0.31	4.4	0.2	0.5	25.1	<0.01	0.02	3.6
I031973		16.6	380	10.2	14.2	<0.001	0.01	0.31	3.0	0.3	0.6	28.5	<0.01	0.03	2.3
I031974		15.9	220	10.4	14.3	<0.001	0.01	0.32	5.3	0.3	0.5	21.4	<0.01	0.02	3.2
I031975		16.7	230	7.7	12.0	<0.001	0.01	0.46	3.7	0.3	0.5	23.9	<0.01	0.02	2.9
I031976		12.7	230	6.9	5.2	<0.001	<0.01	0.28	3.0	0.2	0.7	18.3	<0.01	0.01	2.9
I031977		16.4	190	7.9	10.0	<0.001	<0.01	0.35	3.9	0.2	0.6	22.5	<0.01	0.02	4.0
I031978		8.9	490	7.0	9.0	<0.001	0.01	0.25	1.6	<0.2	1.2	17.2	<0.01	0.01	0.4
I031979		15.1	200	9.8	5.3	<0.001	0.01	0.32	3.9	0.3	0.6	21.1	<0.01	0.02	3.5
I031980		16.9	210	10.4	5.8	<0.001	0.01	0.37	4.6	0.3	0.7	21.8	<0.01	0.02	4.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I031941		0.24	0.45	97	0.42	2.77	111	1.3	0.42
I031942		0.11	0.39	74	0.20	2.22	47	0.9	0.36
I031943		0.09	0.57	57	0.15	4.06	59	2.2	0.44
I031944		0.13	0.57	74	0.21	3.19	67	3.5	0.40
I031945		0.14	0.67	70	0.30	4.29	68	3.8	0.34
I031946		0.13	0.78	71	0.21	4.77	64	1.2	0.38
I031947		0.12	0.84	79	0.28	4.14	46	2.3	0.42
I031948		0.18	0.58	67	0.21	4.74	99	1.0	0.46
I031949		0.13	0.47	101	0.13	4.27	79	1.2	0.38
I031950		<0.02	0.12	2	<0.05	0.66	3	0.6	0.08
I031951		0.07	0.55	55	0.16	3.16	36	2.3	0.32
I031952		0.10	0.53	63	0.15	3.74	38	3.5	0.24
I031953		0.08	0.44	61	0.15	2.84	27	2.1	0.26
I031954		0.09	0.36	53	0.17	2.70	30	1.4	0.28
I031955		0.08	0.60	63	0.13	4.67	46	3.1	0.22
I031956		0.05	0.77	50	0.16	11.05	41	4.0	0.32
I031957		0.04	1.04	37	0.13	10.40	34	2.4	0.26
I031958		0.09	0.32	62	0.16	2.30	41	0.8	0.28
I031959		0.09	0.33	57	0.13	2.00	33	1.3	0.36
I031960		0.09	0.37	58	0.12	2.14	35	1.3	0.26
I031961		0.07	0.31	52	0.13	2.34	32	0.5	0.28
I031962		0.07	0.32	56	0.15	2.01	45	2.3	0.34
I031963		0.08	0.38	61	0.14	2.86	32	0.9	0.22
I031964		0.07	0.23	63	0.20	1.66	49	0.6	0.22
I031965		0.10	0.62	73	0.19	3.73	42	4.1	0.24
I031966		0.09	0.52	82	0.15	16.55	49	11.0	0.36
I031967		0.12	0.56	47	0.09	8.35	56	3.6	0.24
I031968		0.10	0.32	65	0.19	2.05	39	1.6	0.28
I031969		0.12	0.31	60	0.16	3.02	100	2.4	0.26
I031970		<0.02	0.09	1	<0.05	0.60	4	0.6	0.10
I031971		0.09	0.39	50	0.16	2.78	50	0.9	0.26
I031972		0.14	0.46	49	0.12	4.57	92	1.4	0.28
I031973		0.09	0.40	53	0.17	4.23	93	1.3	0.16
I031974		0.08	0.60	58	0.15	4.55	52	2.3	0.32
I031975		0.07	0.43	57	0.15	3.15	56	1.4	0.32
I031976		0.09	0.36	52	0.12	3.47	55	1.0	0.30
I031977		0.09	0.38	54	0.13	3.53	57	4.7	0.28
I031978		0.09	0.43	45	0.14	2.96	58	<0.5	0.26
I031979		0.08	0.35	56	0.18	2.86	54	2.8	0.28
I031980		0.08	0.41	59	0.19	3.19	56	3.8	0.36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I031981		<0.005	0.13	1.78	7.0	<0.2	<10	530	0.65	0.21	0.49	0.13	35.7	11.3	32	0.30
I031982		<0.005	0.07	1.65	7.4	<0.2	<10	320	0.49	0.21	0.51	0.10	27.6	10.1	30	0.41
I031983		<0.005	0.24	1.51	7.0	<0.2	<10	500	0.59	0.22	0.71	0.25	38.7	9.7	26	0.45
I031984		<0.005	0.10	1.53	7.2	<0.2	<10	440	0.47	0.21	0.97	0.56	24.7	10.6	26	0.41
I031985		<0.005	0.06	1.71	7.6	<0.2	<10	340	0.43	0.17	0.51	0.11	23.7	8.9	29	0.30
I031986		<0.005	0.07	1.43	7.6	<0.2	<10	390	0.43	0.16	0.71	0.23	23.3	11.0	25	0.40
I031987		0.008	0.10	1.29	4.7	<0.2	<10	320	0.41	0.16	0.72	0.10	20.3	7.0	24	0.39
I031988		<0.005	0.15	1.54	9.1	<0.2	<10	310	0.54	0.19	1.01	0.21	27.0	11.7	26	0.47
I031989		0.022	0.10	0.97	5.1	<0.2	<10	390	0.44	0.09	2.72	1.55	19.20	9.1	16	0.36
I031990		<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	0.03	0.01	0.01	1.00	0.1	<1	<0.05
I031991		<0.005	0.06	1.23	10.5	<0.2	<10	70	0.15	0.35	0.10	0.12	19.70	4.0	24	3.57
I031992		<0.005	0.12	2.17	11.7	<0.2	<10	170	0.58	0.35	0.14	0.17	19.50	10.9	32	4.05
I031993		<0.005	0.17	2.42	9.6	<0.2	<10	170	0.69	0.27	0.13	0.13	30.5	11.0	32	2.60
I031994		<0.005	0.14	1.12	6.9	<0.2	<10	180	0.33	0.46	0.25	0.12	21.3	4.0	19	2.12
I031995		<0.005	0.11	1.75	8.6	<0.2	<10	160	0.40	0.26	0.18	0.09	20.5	8.6	27	1.89
I031996		<0.005	0.20	1.82	7.4	<0.2	<10	160	0.31	0.21	0.20	0.07	17.45	9.6	22	2.35
I031997		<0.005	0.04	2.24	7.8	<0.2	<10	310	0.38	0.19	0.30	0.08	16.25	11.3	29	1.25
I031998		0.027	0.25	2.08	8.5	<0.2	<10	320	1.97	0.29	1.19	0.08	36.9	9.4	25	7.77
I031999		<0.005	0.08	2.12	7.7	<0.2	<10	150	0.34	0.14	0.47	0.12	16.30	15.1	31	3.98
I032000		<0.005	0.06	2.02	7.3	<0.2	<10	140	0.31	0.14	0.48	0.11	16.50	14.2	30	3.93
I032001		<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.02	1.03	0.1	<1	<0.05
I032002		<0.005	0.08	2.59	7.0	<0.2	<10	500	0.41	0.10	0.57	0.08	29.1	17.8	40	2.61
I032003		<0.005	0.07	1.96	8.7	<0.2	<10	370	0.45	0.13	0.60	0.08	25.3	15.3	35	1.49
I032004		0.005	0.08	2.46	15.4	<0.2	<10	310	0.50	0.08	0.69	0.07	16.30	18.3	45	1.11
I032005		<0.005	0.16	2.03	14.4	<0.2	<10	330	0.40	0.15	0.54	0.15	19.35	15.9	38	0.76
I032006		0.005	0.22	1.82	10.8	<0.2	<10	350	0.33	0.12	0.60	0.15	16.35	12.7	35	0.44
I032007		<0.005	0.09	2.31	9.3	<0.2	<10	450	0.51	0.09	0.74	0.11	18.90	18.4	39	1.17
I032008		<0.005	0.08	2.16	10.3	<0.2	<10	320	0.30	0.07	0.80	0.08	15.40	14.9	33	0.76
I032009		<0.005	0.08	1.87	8.4	<0.2	<10	350	0.41	0.12	0.72	0.10	16.70	14.4	33	0.49
I032010		<0.005	0.09	2.01	5.5	<0.2	<10	290	0.47	0.13	0.61	0.12	21.8	13.0	42	0.45
I032011		<0.005	0.12	2.04	5.5	<0.2	<10	310	0.49	0.14	0.66	0.13	23.2	13.5	42	0.45
I032012		<0.005	0.10	2.11	6.4	<0.2	<10	260	0.52	0.17	0.58	0.11	29.5	13.3	34	0.48
I032013		<0.005	0.15	2.50	3.8	<0.2	<10	370	0.38	0.26	0.50	0.14	18.30	13.3	28	1.00
I032014		<0.005	0.21	1.89	6.1	<0.2	<10	470	0.52	0.19	0.60	0.30	29.0	14.4	31	0.47
I032015		<0.005	0.12	2.48	4.4	<0.2	<10	340	0.48	0.15	1.02	0.13	35.9	13.2	26	1.64
I032016		<0.005	0.09	1.60	4.2	<0.2	<10	310	0.50	0.17	1.43	0.29	23.6	12.4	38	1.29
I032017		<0.005	0.08	1.54	6.2	<0.2	<10	380	0.39	0.16	1.70	0.57	23.1	10.5	30	0.85
I032018		<0.005	0.09	2.18	5.7	<0.2	<10	230	0.50	0.25	0.44	0.10	25.2	14.7	40	0.81
I032019		<0.005	0.09	2.22	3.4	<0.2	<10	260	0.29	0.18	0.46	0.14	11.05	14.0	23	0.70
I032020		<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	0.85	0.1	<1	<0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %	ME-MS41 Nb ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
I031981		14.9	2.95	5.21	0.07	0.11	0.02	0.027	0.13	18.9	7.9	0.39	755	1.40	0.02	1.21
I031982		19.9	2.88	4.80	0.07	0.12	0.02	0.025	0.12	12.6	9.2	0.48	449	0.88	0.02	1.09
I031983		33.1	2.59	4.72	0.10	0.09	0.03	0.024	0.06	28.5	10.0	0.48	733	0.92	0.03	1.20
I031984		23.4	2.68	4.62	0.07	0.05	0.02	0.023	0.07	12.8	9.2	0.49	631	0.97	0.03	1.14
I031985		14.5	2.57	4.77	0.05	0.07	0.01	0.023	0.05	11.1	9.6	0.43	335	1.01	0.02	1.15
I031986		19.8	2.44	4.42	0.06	0.03	0.02	0.020	0.04	11.3	8.0	0.39	560	1.34	0.02	1.07
I031987		29.3	2.05	4.17	0.06	0.06	0.02	0.019	0.05	10.9	8.0	0.47	220	0.65	0.03	1.16
I031988		33.2	2.62	4.71	0.07	0.07	0.03	0.024	0.05	13.8	10.4	0.50	429	1.31	0.03	1.33
I031989		36.4	1.39	2.43	0.07	0.07	0.06	0.015	0.05	10.5	3.4	0.41	795	1.04	0.04	0.71
I031990		0.6	0.01	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01	<0.05
I031991		10.2	3.03	9.57	0.05	<0.02	0.02	0.017	0.04	10.1	4.0	0.23	241	1.85	0.01	1.20
I031992		15.7	3.41	7.55	0.05	0.03	0.03	0.030	0.06	10.1	14.7	0.43	525	1.27	0.01	1.88
I031993		12.7	3.43	8.27	0.06	0.04	0.03	0.033	0.06	11.2	12.7	0.43	625	1.27	0.01	2.39
I031994		9.7	2.31	7.11	0.05	0.03	0.02	0.018	0.07	10.5	7.8	0.26	208	1.39	0.01	2.27
I031995		11.4	3.15	6.53	0.06	0.04	0.02	0.025	0.10	10.8	11.3	0.44	379	1.60	0.01	1.90
I031996		12.6	3.15	7.83	0.06	0.04	0.04	0.021	0.11	9.0	11.8	0.59	530	1.45	0.01	2.40
I031997		10.7	3.22	7.46	0.06	0.04	0.02	0.023	0.07	8.4	13.4	0.62	410	1.20	0.01	1.95
I031998		17.8	2.76	5.67	0.12	0.11	0.08	0.028	0.10	30.2	18.7	0.72	532	2.07	0.01	1.64
I031999		32.0	3.70	8.39	0.07	0.02	0.02	0.020	0.09	8.6	20.1	1.00	404	1.50	0.02	1.93
I032000		30.0	3.52	8.41	0.06	0.03	0.02	0.019	0.09	8.8	18.3	0.95	379	1.54	0.02	1.90
I032001		0.6	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01	<0.05
I032002		74.1	4.20	8.81	0.13	0.10	0.02	0.036	0.79	12.6	13.4	1.43	800	0.79	0.02	1.34
I032003		29.2	3.54	6.43	0.10	0.10	0.02	0.030	0.38	11.1	10.0	0.72	743	1.17	0.02	1.18
I032004		43.8	4.32	8.33	0.08	0.07	0.02	0.032	0.26	7.7	10.9	1.03	715	1.02	0.03	0.62
I032005		28.3	3.15	6.33	0.06	0.09	0.02	0.027	0.10	8.5	9.2	0.62	765	1.86	0.02	1.20
I032006		24.9	3.14	4.95	0.05	0.06	0.02	0.021	0.13	7.1	6.6	0.54	810	1.33	0.02	0.93
I032007		30.0	3.64	7.21	0.11	0.05	0.02	0.017	0.66	8.7	12.8	1.24	814	0.70	0.02	1.19
I032008		47.5	3.44	7.37	0.09	0.06	0.01	0.022	0.29	6.7	9.6	0.95	560	0.55	0.04	0.81
I032009		31.0	3.07	6.36	0.06	0.06	0.02	0.022	0.14	7.5	10.1	0.70	542	0.78	0.03	1.17
I032010		26.5	2.99	5.93	0.07	0.09	0.02	0.025	0.10	8.8	10.3	0.67	630	0.92	0.03	1.15
I032011		27.8	3.05	6.08	0.06	0.08	0.03	0.025	0.11	9.7	10.3	0.69	704	0.95	0.02	1.19
I032012		21.7	3.27	6.84	0.08	0.07	0.02	0.028	0.15	13.6	11.7	0.75	470	0.94	0.02	1.43
I032013		17.8	3.36	8.08	0.06	0.02	0.01	0.020	0.08	8.0	14.3	0.98	570	1.21	0.02	2.11
I032014		27.8	3.17	6.04	0.08	0.03	0.03	0.029	0.12	14.1	9.2	0.49	948	1.25	0.02	1.18
I032015		20.8	3.87	8.74	0.15	0.07	0.02	0.028	0.46	41.5	17.5	1.17	419	0.73	0.02	2.65
I032016		39.4	3.04	6.00	0.08	0.07	0.03	0.031	0.10	12.9	9.9	0.68	395	0.64	0.03	1.12
I032017		37.9	2.43	5.27	0.07	0.04	0.02	0.026	0.15	11.7	10.4	0.61	427	0.50	0.03	1.15
I032018		30.2	3.37	7.63	0.06	0.04	0.01	0.033	0.08	9.0	12.3	0.78	298	0.85	0.02	1.62
I032019		29.6	3.53	8.50	0.06	0.02	0.02	0.020	0.41	5.3	13.2	1.02	487	1.09	0.01	1.96
I032020		0.9	0.02	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.4	<0.1	<0.01	<5	<0.05	<0.01	<0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I031981		21.6	230	10.4	7.7	<0.001	0.01	0.51	5.9	0.5	0.6	25.3	<0.01	0.02	5.1
I031982		21.7	280	8.6	11.3	<0.001	0.01	0.45	5.7	0.5	0.5	32.7	<0.01	0.03	4.0
I031983		26.8	540	9.1	8.9	<0.001	0.01	0.46	4.7	1.0	0.5	44.4	<0.01	0.03	3.9
I031984		21.5	680	9.0	12.1	<0.001	0.03	0.51	3.9	1.4	0.5	53.7	<0.01	0.03	2.7
I031985		19.7	420	7.6	5.4	<0.001	0.01	0.45	4.6	0.5	0.5	31.3	<0.01	0.03	2.8
I031986		28.0	490	7.2	6.2	<0.001	0.02	0.46	3.7	0.7	0.4	44.5	<0.01	0.04	1.4
I031987		20.5	600	7.4	6.9	<0.001	0.02	0.44	4.0	0.7	0.4	45.2	<0.01	0.02	2.4
I031988		27.7	790	7.9	7.3	0.001	0.04	0.73	4.6	1.3	0.4	63.8	<0.01	0.04	2.0
I031989		27.4	1170	3.5	6.2	<0.001	0.15	0.92	1.7	2.1	0.2	141.5	0.01	0.04	0.3
I031990		0.3	10	0.4	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
I031991		10.0	570	16.3	12.8	<0.001	0.02	0.61	1.7	0.4	0.9	9.8	<0.01	0.04	0.3
I031992		19.1	340	15.6	18.0	<0.001	0.02	0.48	3.7	0.5	0.8	14.7	<0.01	0.04	2.6
I031993		18.4	260	12.6	19.2	<0.001	0.01	0.53	4.3	0.4	1.1	13.5	<0.01	0.04	4.4
I031994		9.7	250	14.0	19.4	<0.001	0.02	0.37	2.7	0.4	1.2	23.9	<0.01	0.03	2.8
I031995		14.6	200	10.7	25.4	<0.001	0.01	0.47	3.3	0.3	0.8	17.0	<0.01	0.03	3.0
I031996		13.2	270	8.0	21.2	<0.001	0.01	0.39	3.7	0.4	0.7	16.0	<0.01	0.03	2.8
I031997		19.5	310	8.7	22.4	<0.001	0.01	0.50	3.6	0.3	0.6	29.6	<0.01	0.03	2.6
I031998		13.9	1100	10.6	19.2	<0.001	0.06	0.59	5.7	1.7	0.7	58.2	0.01	0.02	3.5
I031999		19.7	770	6.2	15.4	<0.001	0.02	0.61	5.1	0.3	0.8	26.4	<0.01	0.03	1.7
I032000		18.4	760	6.2	16.7	<0.001	0.01	0.61	4.9	0.4	0.8	26.6	<0.01	0.03	1.7
I032001		0.3	10	0.4	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
I032002		25.9	510	5.4	35.7	<0.001	0.03	0.35	10.9	0.7	0.7	33.6	<0.01	0.04	2.9
I032003		22.6	300	6.3	20.1	<0.001	0.02	0.62	8.8	0.6	0.5	32.3	<0.01	0.03	2.9
I032004		25.7	820	4.2	11.0	<0.001	0.02	0.40	11.1	0.5	0.6	39.9	<0.01	0.03	1.8
I032005		25.6	360	7.0	9.4	<0.001	0.01	0.59	6.7	0.4	0.5	33.6	<0.01	0.04	2.3
I032006		19.7	510	5.7	8.5	<0.001	0.01	0.66	5.6	0.4	0.4	31.0	<0.01	0.03	1.7
I032007		24.6	1320	4.7	35.7	<0.001	0.01	0.38	5.1	0.5	0.4	56.2	<0.01	0.02	1.8
I032008		19.2	1420	4.1	17.7	<0.001	0.01	0.26	7.0	0.3	0.5	44.5	<0.01	0.03	1.7
I032009		21.7	950	5.9	10.6	<0.001	0.01	0.33	6.4	0.3	0.5	45.4	<0.01	0.02	2.2
I032010		25.5	400	6.9	8.1	<0.001	0.01	0.34	6.8	0.4	0.5	32.2	<0.01	0.03	2.4
I032011		25.9	420	7.8	9.1	<0.001	0.01	0.32	6.9	0.5	0.5	34.3	<0.01	0.03	2.4
I032012		19.2	520	10.5	9.6	<0.001	0.02	0.34	6.8	0.6	0.6	35.9	<0.01	0.03	4.2
I032013		18.9	470	8.3	8.1	<0.001	0.01	0.28	4.1	0.4	0.7	33.6	<0.01	0.09	1.9
I032014		21.9	340	10.0	9.0	<0.001	0.01	0.47	6.6	0.7	0.6	35.4	<0.01	0.03	2.3
I032015		14.2	320	8.5	36.3	<0.001	0.02	0.36	7.0	1.2	0.7	34.3	0.01	0.02	5.3
I032016		22.0	470	10.2	11.4	0.001	0.03	0.46	7.8	1.1	0.5	58.1	0.01	0.03	2.1
I032017		21.1	780	8.8	13.5	<0.001	0.05	0.50	4.4	1.4	0.4	68.0	<0.01	0.02	1.0
I032018		19.4	170	9.3	7.0	<0.001	0.01	0.36	7.7	0.4	0.8	27.8	<0.01	0.03	2.7
I032019		15.7	500	11.4	16.1	<0.001	0.01	0.28	3.6	0.3	0.5	40.9	<0.01	0.02	2.0
I032020		0.3	10	0.5	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I031981		0.08	0.53	58	0.18	7.10	53	4.1	0.28
I031982		0.06	0.31	57	0.14	6.24	46	4.7	0.24
I031983		0.05	0.71	51	0.24	15.30	54	2.9	0.28
I031984		0.05	1.59	51	0.14	6.50	85	1.9	0.20
I031985		0.05	0.52	59	0.19	5.25	54	2.5	0.40
I031986		0.04	0.73	53	0.15	5.98	55	1.1	0.26
I031987		0.03	0.95	42	0.12	6.89	51	2.3	0.36
I031988		0.05	2.71	52	0.17	10.30	44	3.0	0.24
I031989		0.03	1.47	27	0.10	10.70	40	2.6	0.16
I031990		<0.02	0.07	<1	<0.05	0.60	2	0.5	0.10
I031991		0.13	0.50	93	0.26	2.76	38	0.5	0.26
I031992		0.13	0.62	75	0.25	3.67	54	1.0	0.30
I031993		0.16	0.60	77	0.21	3.69	69	1.6	0.32
I031994		0.12	0.58	67	0.34	4.02	31	1.0	0.38
I031995		0.11	0.52	70	0.29	3.65	45	1.7	0.34
I031996		0.12	0.52	74	0.23	3.14	46	1.7	0.32
I031997		0.11	0.40	73	0.19	2.15	58	1.8	0.26
I031998		0.12	8.46	48	0.22	50.4	48	2.0	0.30
I031999		0.08	0.44	100	0.27	3.34	70	0.9	0.26
I032000		0.08	0.44	95	0.27	3.19	66	0.9	0.32
I032001		<0.02	0.10	1	<0.05	0.61	2	0.5	0.10
I032002		0.14	0.42	93	0.12	10.70	73	3.4	0.38
I032003		0.09	0.36	77	0.13	6.52	52	3.5	0.32
I032004		0.05	0.39	111	0.09	6.87	73	2.0	0.28
I032005		0.08	0.33	73	0.25	3.59	64	3.0	0.36
I032006		0.05	0.28	67	0.13	3.33	71	1.9	0.24
I032007		0.09	0.36	77	0.12	4.11	92	1.8	0.30
I032008		0.06	0.30	79	0.10	5.57	70	2.0	0.36
I032009		0.06	0.36	69	0.13	4.13	62	2.4	0.30
I032010		0.06	0.35	64	0.15	4.20	58	3.1	0.30
I032011		0.06	0.37	65	0.15	4.61	58	3.1	0.30
I032012		0.07	0.61	70	0.20	7.44	69	2.6	0.30
I032013		0.12	0.50	77	0.23	3.51	85	0.6	0.30
I032014		0.06	0.60	65	0.18	8.39	59	1.2	0.26
I032015		0.15	1.47	80	0.15	24.3	82	3.0	0.42
I032016		0.06	1.29	66	0.15	13.25	60	2.7	0.32
I032017		0.06	1.34	51	0.14	10.75	64	2.2	0.26
I032018		0.09	0.48	87	0.23	4.87	69	2.2	0.40
I032019		0.09	0.41	77	0.15	3.06	74	2.0	0.28
I032020		<0.02	0.08	<1	<0.05	0.60	3	0.6	0.12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I032021		<0.005	0.16	2.09	3.7	<0.2	<10	380	0.30	0.10	0.47	0.14	13.50	13.8	24	0.73
I032022		<0.005	0.10	1.96	5.3	<0.2	<10	370	0.29	0.11	0.28	0.08	19.25	12.5	23	0.82
I032023		0.008	0.19	1.78	7.0	<0.2	<10	210	0.31	0.14	0.17	0.15	16.40	9.4	29	0.55
I032024		<0.005	0.78	2.50	6.7	<0.2	<10	430	0.50	0.60	0.51	0.82	22.9	17.7	45	0.86
I032025		<0.005	0.13	1.76	3.2	<0.2	<10	280	0.28	0.10	0.47	0.10	14.80	39.6	52	0.77
I032026		<0.005	0.26	2.49	4.8	<0.2	<10	550	0.37	0.12	0.55	0.19	26.9	27.9	44	0.81
I032027		<0.005	0.10	2.24	3.8	<0.2	<10	570	0.29	0.10	0.80	0.10	13.10	44.8	30	0.48
I032028		<0.005	0.08	2.17	5.0	<0.2	<10	340	0.31	0.11	0.30	0.08	12.20	19.0	133	0.74
I032029		<0.005	0.11	1.93	5.5	<0.2	<10	230	0.34	0.10	0.49	0.05	17.25	18.2	51	0.64
I032030		<0.005	0.08	1.96	4.3	<0.2	<10	340	0.43	0.12	0.48	0.08	20.6	14.0	34	0.52
I032031		<0.005	0.07	1.89	4.4	<0.2	<10	320	0.43	0.11	0.42	0.07	20.2	13.9	32	0.53
I032032		<0.005	0.11	1.88	3.5	<0.2	<10	200	0.32	0.12	0.32	0.11	14.40	10.2	29	0.44
I032033		<0.005	0.16	1.69	5.2	<0.2	<10	390	0.37	0.14	0.63	0.15	23.6	12.7	31	0.44
I032034		0.005	0.07	1.77	5.1	<0.2	<10	350	0.38	0.14	0.45	0.11	20.5	11.9	28	0.42
I032035		<0.005	0.09	1.80	5.3	<0.2	<10	330	0.42	0.14	0.55	0.17	19.85	14.8	36	0.50
I032036		<0.005	0.08	1.90	5.8	<0.2	<10	230	0.33	0.12	0.60	0.19	15.55	12.1	29	0.72
I032037		<0.005	0.10	1.99	5.9	<0.2	<10	350	0.39	0.13	0.32	0.09	17.90	12.3	27	0.44
I032038		<0.005	0.15	2.65	3.3	<0.2	<10	410	0.38	0.12	0.52	0.18	18.10	20.5	25	0.45
I032039		<0.005	0.08	2.41	2.6	<0.2	<10	160	0.27	0.10	0.40	0.18	11.10	18.1	39	0.57
I032040		<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	0.01	0.01	0.02	1.11	0.1	<1	<0.05
I032041		<0.005	0.16	2.26	4.7	<0.2	<10	270	0.24	0.12	0.31	0.18	11.60	14.6	20	1.07
I032042		<0.005	0.15	2.11	6.0	<0.2	<10	370	0.23	0.12	0.32	0.16	9.82	12.8	23	1.39
I032043		<0.005	0.09	1.77	7.1	<0.2	<10	300	0.37	0.15	0.30	0.17	19.25	12.2	32	0.53
I032044		<0.005	0.05	1.84	4.7	<0.2	<10	310	0.44	0.11	0.57	0.19	16.30	15.6	50	0.27
I032045		<0.005	0.18	1.80	5.6	<0.2	<10	350	0.33	0.13	0.34	0.11	17.15	12.6	36	0.31
I032046		<0.005	0.10	2.02	5.5	<0.2	<10	270	0.40	0.13	0.39	0.08	16.85	13.9	36	0.50
I032047		<0.005	0.05	1.82	6.1	<0.2	<10	320	0.48	0.11	0.52	0.06	29.2	12.2	35	0.59
I032048		<0.005	0.05	2.05	3.7	<0.2	<10	280	0.39	0.08	0.58	0.06	15.55	19.4	50	0.75
I032049		<0.005	0.08	2.23	6.9	<0.2	<10	380	0.63	0.07	0.64	0.08	23.5	20.1	63	0.68
I032050		<0.005	0.08	2.17	6.5	<0.2	<10	380	0.63	0.07	0.64	0.07	22.1	19.5	60	0.64
I032051		<0.005	0.08	1.59	4.2	<0.2	<10	100	0.19	0.14	0.19	0.07	15.10	6.4	19	1.34
I032052		<0.005	0.07	2.47	6.5	<0.2	<10	130	0.33	0.14	0.38	0.07	20.8	11.4	29	1.43
I032053		<0.005	0.05	1.51	5.1	<0.2	<10	100	0.19	0.13	0.18	0.10	11.65	6.7	19	1.02
I032054		0.008	0.04	1.95	5.6	<0.2	<10	100	0.23	0.12	0.33	0.08	15.90	9.4	24	1.24
I032055		0.008	0.10	1.17	4.5	<0.2	<10	160	0.24	0.11	0.82	0.10	20.5	7.6	17	1.49
I032056		<0.005	0.06	2.49	8.0	<0.2	<10	220	0.33	0.14	0.46	0.09	23.0	13.7	27	2.91
I032057		0.005	0.17	2.44	6.7	<0.2	<10	220	0.51	0.20	0.40	0.09	26.4	11.5	27	2.11
I032058		<0.005	0.03	2.16	19.2	<0.2	<10	110	0.30	0.14	0.20	0.11	14.55	8.6	24	1.60
I032059		0.008	0.19	2.09	25.1	<0.2	<10	200	0.33	0.12	0.35	0.08	23.1	9.5	20	1.85
I032060		<0.005	0.06	1.49	4.6	<0.2	<10	90	0.18	0.12	0.22	0.04	13.15	6.1	18	0.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I032021		25.5	3.21	7.23	0.06	0.02	0.02	0.019	0.23	5.9	12.3	1.01	539	0.94	0.02
I032022		17.3	3.35	7.90	0.06	<0.02	0.02	0.029	0.25	8.6	12.3	0.87	710	0.90	0.01
I032023		17.0	2.80	6.24	0.05	0.03	0.02	0.027	0.07	7.3	9.9	0.53	253	1.01	0.01
I032024		74.5	4.39	9.51	0.07	0.02	0.03	0.037	0.31	8.1	11.9	0.85	1470	1.22	0.02
I032025		180.5	3.13	5.57	0.08	0.09	0.01	0.019	0.40	6.4	8.5	1.03	475	0.58	0.03
I032026		88.6	4.10	8.18	0.08	0.03	0.02	0.042	0.54	11.9	10.2	1.27	669	0.82	0.02
I032027		163.5	3.90	7.05	0.07	0.03	0.01	0.023	0.23	5.7	9.4	1.12	439	0.60	0.04
I032028		30.2	3.15	6.42	0.06	0.03	0.02	0.019	0.24	5.8	8.8	1.35	253	0.70	0.02
I032029		63.4	2.74	5.93	0.05	0.07	0.01	0.021	0.24	7.3	11.0	1.09	337	0.63	0.03
I032030		23.4	3.02	6.79	0.05	0.03	0.02	0.025	0.08	7.7	9.7	0.63	603	0.84	0.02
I032031		22.9	2.94	6.74	0.05	0.04	0.02	0.025	0.07	7.5	9.2	0.61	551	0.82	0.02
I032032		21.9	2.97	7.64	0.05	<0.02	0.01	0.026	0.08	6.4	8.5	0.62	305	0.85	0.02
I032033		19.7	2.82	5.70	<0.05	0.07	0.02	0.024	0.25	9.4	8.6	0.50	862	0.93	0.02
I032034		14.1	3.03	6.61	0.05	0.02	0.03	0.028	0.18	8.0	8.6	0.52	741	1.07	0.02
I032035		21.5	3.01	6.50	0.05	0.04	0.02	0.025	0.23	7.7	9.1	0.59	893	0.88	0.02
I032036		23.3	3.24	7.17	0.07	0.04	0.02	0.032	0.34	7.3	11.6	0.80	522	0.65	0.02
I032037		23.5	3.44	8.02	0.05	0.02	0.01	0.049	0.13	7.6	9.6	0.76	517	1.17	0.02
I032038		30.1	4.52	11.35	0.06	<0.02	0.01	0.048	0.11	7.2	12.0	1.29	1800	0.89	0.02
I032039		50.1	3.87	9.50	0.06	<0.02	0.01	0.022	0.05	5.2	14.0	1.03	476	0.72	0.03
I032040		0.6	0.02	0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
I032041		30.6	3.94	11.45	0.07	0.02	0.02	0.051	0.21	5.3	11.3	1.43	595	0.91	0.02
I032042		32.2	4.11	9.12	0.07	0.03	0.02	0.022	0.48	4.7	13.9	1.01	379	1.04	0.02
I032043		15.0	2.99	6.58	<0.05	<0.02	0.04	0.029	0.11	7.8	9.7	0.47	361	1.14	0.01
I032044		21.7	3.49	7.63	0.06	0.04	0.02	0.038	0.20	7.3	10.3	0.77	702	0.96	0.02
I032045		14.3	2.82	6.75	0.05	0.02	0.03	0.023	0.09	7.7	9.7	0.55	856	1.03	0.02
I032046		13.4	3.07	7.28	0.05	<0.02	0.02	0.028	0.09	7.2	9.4	0.53	468	1.21	0.01
I032047		20.0	3.06	7.09	0.07	0.08	0.02	0.029	0.28	10.1	12.0	0.68	505	0.61	0.02
I032048		21.2	3.58	8.67	0.07	0.05	0.01	0.022	0.25	7.1	13.2	1.08	567	0.56	0.02
I032049		40.6	3.76	8.30	0.09	0.06	0.02	0.027	0.27	14.8	11.6	0.95	579	0.67	0.02
I032050		37.3	3.62	8.15	0.08	0.06	0.02	0.030	0.22	12.5	11.3	0.90	536	0.68	0.02
I032051		14.1	2.35	7.08	<0.05	0.03	0.03	0.015	0.07	7.8	8.7	0.41	252	1.03	0.02
I032052		17.8	3.42	8.46	<0.05	0.08	0.03	0.022	0.11	10.3	15.7	0.67	461	1.16	0.02
I032053		14.0	2.54	7.69	<0.05	0.08	0.02	0.010	0.05	5.7	9.4	0.35	250	0.97	0.02
I032054		14.6	3.52	8.15	0.05	0.10	0.02	0.016	0.06	7.6	15.5	0.60	323	0.80	0.02
I032055		16.3	1.82	3.72	<0.05	0.04	0.07	0.008	0.06	10.1	6.7	0.38	425	0.91	0.03
I032056		15.3	3.57	8.65	0.05	0.07	0.03	0.024	0.10	11.0	17.4	0.87	614	0.70	0.03
I032057		18.1	3.26	7.79	0.05	0.05	0.04	0.030	0.09	12.9	17.3	0.77	505	0.71	0.02
I032058		15.2	3.35	8.32	0.05	0.05	0.02	0.017	0.07	7.5	18.0	0.55	274	1.84	0.01
I032059		14.4	3.22	7.28	<0.05	0.02	0.05	0.020	0.10	12.5	16.7	0.68	328	1.00	0.02
I032060		10.8	2.29	5.98	<0.05	0.08	0.02	0.013	0.04	7.2	9.6	0.40	183	0.70	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I032021		15.9	470	6.5	15.0	<0.001	0.01	0.25	4.9	0.4	0.4	35.8	<0.01	0.05	1.3
I032022		16.3	260	6.1	18.9	<0.001	0.01	0.35	5.7	0.4	0.7	22.4	<0.01	0.02	2.5
I032023		18.2	220	7.2	7.0	<0.001	<0.01	0.39	3.9	0.3	0.5	18.8	<0.01	0.03	2.5
I032024		51.2	340	29.9	22.5	<0.001	0.01	0.38	4.9	0.5	2.5	39.1	<0.01	0.09	4.0
I032025		58.9	250	4.5	29.4	<0.001	0.01	0.24	6.8	0.3	0.6	26.3	<0.01	0.03	2.1
I032026		29.8	560	6.3	31.3	<0.001	0.02	0.28	6.2	0.4	1.6	35.3	<0.01	0.03	3.9
I032027		35.1	1720	4.7	13.4	<0.001	0.02	0.25	6.5	0.4	0.5	44.0	<0.01	0.03	1.4
I032028		43.9	240	5.5	34.3	<0.001	0.01	0.35	4.3	0.3	0.4	21.9	<0.01	0.02	1.4
I032029		39.5	410	5.4	27.1	<0.001	0.01	0.30	5.6	0.3	0.4	27.9	<0.01	0.02	2.5
I032030		20.5	510	5.7	7.3	<0.001	0.01	0.30	6.1	0.3	0.5	30.5	<0.01	0.02	2.1
I032031		20.0	450	5.6	6.4	<0.001	0.01	0.30	6.2	0.4	0.5	27.4	<0.01	0.02	2.4
I032032		15.6	660	5.1	5.2	<0.001	0.01	0.30	4.5	0.3	0.6	21.5	<0.01	0.02	1.2
I032033		21.0	600	7.4	15.9	<0.001	0.01	0.26	5.7	0.5	0.5	40.3	<0.01	0.02	2.3
I032034		17.7	460	6.0	12.0	<0.001	0.01	0.35	4.8	0.3	0.7	32.2	<0.01	0.02	3.3
I032035		22.1	560	7.1	13.5	<0.001	0.02	0.37	5.5	0.4	0.5	33.5	<0.01	0.02	1.8
I032036		17.4	670	5.8	21.1	<0.001	0.02	0.31	6.3	0.6	0.5	29.3	<0.01	0.03	1.7
I032037		15.8	500	5.9	5.4	<0.001	0.01	0.37	7.2	0.3	0.6	24.4	<0.01	0.03	1.8
I032038		16.0	920	6.0	3.5	<0.001	0.01	0.24	8.2	0.4	0.6	33.3	<0.01	0.03	1.0
I032039		17.5	590	4.5	4.4	<0.001	0.01	0.24	6.8	0.3	0.5	21.2	<0.01	0.02	0.7
I032040		<0.2	10	0.4	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
I032041		14.4	620	5.4	11.8	<0.001	0.04	0.31	8.1	0.4	0.7	26.3	<0.01	0.02	1.4
I032042		15.9	480	8.0	31.9	<0.001	0.10	0.36	5.5	0.5	0.5	36.0	<0.01	0.04	1.3
I032043		18.5	210	7.7	12.4	<0.001	0.01	0.45	4.2	0.3	0.6	27.2	<0.01	0.02	1.9
I032044		22.9	340	7.0	10.4	<0.001	0.01	0.40	6.5	0.3	1.2	33.1	<0.01	0.02	2.3
I032045		18.4	320	7.0	6.8	<0.001	0.01	0.38	4.2	0.4	0.6	24.8	<0.01	0.02	1.9
I032046		19.4	300	8.0	7.2	<0.001	0.01	0.42	4.7	0.3	0.6	28.3	<0.01	0.02	1.7
I032047		21.5	320	7.4	21.8	<0.001	0.01	0.30	6.7	0.5	0.5	32.7	<0.01	0.03	3.7
I032048		24.2	320	7.9	21.1	<0.001	0.01	0.25	7.0	0.3	0.5	34.1	<0.01	0.02	2.7
I032049		32.6	280	6.0	15.5	<0.001	0.01	0.53	11.1	0.6	0.5	32.4	<0.01	0.02	2.9
I032050		30.4	260	6.1	13.6	<0.001	0.01	0.52	10.8	0.6	0.5	31.8	<0.01	0.02	2.7
I032051		11.1	330	7.2	12.1	<0.001	<0.01	0.34	3.9	0.4	0.7	20.6	<0.01	0.02	1.2
I032052		17.9	530	8.3	15.7	<0.001	<0.01	0.40	5.3	0.3	0.7	29.3	0.01	0.02	3.1
I032053		11.5	270	7.5	10.7	<0.001	<0.01	0.32	3.1	0.2	0.6	19.0	<0.01	0.03	1.7
I032054		15.5	520	6.6	8.6	<0.001	<0.01	0.35	4.6	0.3	0.7	25.5	0.01	0.03	2.6
I032055		11.5	690	4.5	10.0	<0.001	0.08	0.40	3.8	0.6	0.4	45.5	<0.01	0.02	0.6
I032056		18.2	600	6.5	18.6	<0.001	<0.01	0.40	6.4	0.4	0.7	32.6	<0.01	0.02	2.5
I032057		18.3	580	10.8	16.4	<0.001	<0.01	0.52	6.1	0.4	0.6	27.3	<0.01	0.02	3.5
I032058		13.7	390	8.2	17.8	<0.001	<0.01	0.61	4.1	0.3	0.6	18.0	<0.01	0.03	2.0
I032059		12.1	590	8.3	18.8	<0.001	<0.01	0.55	5.2	0.4	0.6	23.7	<0.01	0.02	2.6
I032060		10.7	260	5.5	7.0	<0.001	<0.01	0.32	3.6	0.3	0.5	18.9	<0.01	0.02	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I032021		0.09	0.42	78	0.13	2.98	72	1.5	0.28
I032022		0.10	0.38	79	0.13	4.41	58	1.2	0.36
I032023		0.07	0.39	67	0.12	2.83	56	2.2	0.42
I032024		0.10	0.73	80	0.17	5.49	174	1.5	0.34
I032025		0.11	0.27	76	0.10	3.31	50	3.8	0.40
I032026		0.22	0.56	95	0.14	6.19	128	2.1	0.38
I032027		0.10	0.39	94	0.09	3.78	57	1.7	0.38
I032028		0.13	0.27	84	0.18	2.24	43	1.9	0.32
I032029		0.14	0.35	68	0.20	3.94	42	3.7	0.48
I032030		0.08	0.34	69	0.17	3.89	50	2.0	0.30
I032031		0.08	0.35	67	0.16	3.65	47	2.4	0.30
I032032		0.09	0.32	67	0.17	3.39	53	1.0	0.32
I032033		0.07	0.37	59	0.16	4.63	51	2.7	0.34
I032034		0.08	0.44	65	0.14	3.73	51	1.9	0.46
I032035		0.07	0.29	64	0.18	3.79	59	2.1	0.30
I032036		0.09	0.40	68	0.20	5.07	66	2.3	0.28
I032037		0.08	0.31	71	0.15	4.01	91	1.3	0.32
I032038		0.08	0.37	93	0.10	6.04	160	0.7	0.36
I032039		0.08	0.29	109	0.09	2.96	82	0.7	0.38
I032040		<0.02	0.08	1	<0.05	0.66	2	0.6	0.10
I032041		0.09	0.30	86	0.12	3.12	127	1.6	0.28
I032042		0.16	0.36	97	0.10	2.20	83	2.2	0.24
I032043		0.08	0.35	65	0.26	2.72	48	1.1	0.30
I032044		0.08	0.34	80	0.24	3.65	56	2.4	0.30
I032045		0.08	0.31	66	0.20	2.70	48	1.6	0.36
I032046		0.09	0.32	72	0.23	2.54	49	1.0	0.34
I032047		0.09	0.42	60	0.14	7.06	51	4.1	0.38
I032048		0.11	0.37	87	0.15	5.55	46	3.0	0.38
I032049		0.07	0.67	89	0.14	17.00	47	2.4	0.40
I032050		0.06	0.60	86	0.13	13.95	45	2.5	0.38
I032051		0.10	0.65	62	0.15	3.81	38	1.3	0.28
I032052		0.14	0.73	88	0.24	5.76	52	3.5	0.34
I032053		0.08	0.39	72	0.13	2.85	37	3.8	0.30
I032054		0.09	0.59	95	0.29	4.69	45	3.9	0.30
I032055		0.12	1.75	43	0.12	6.97	36	1.4	0.24
I032056		0.23	1.07	93	0.22	7.76	67	3.0	0.42
I032057		0.16	1.82	79	0.16	8.82	66	2.1	0.44
I032058		0.11	0.62	87	0.24	3.53	52	2.2	0.40
I032059		0.12	1.43	72	0.22	6.19	56	0.9	0.40
I032060		0.10	0.51	62	0.21	3.98	33	3.1	0.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I032061		<0.005	0.10	2.51	6.7	<0.2	<10	200	0.34	0.17	0.40	0.07	19.15	10.8	26	1.84
I032062		<0.005	0.05	2.37	13.2	<0.2	<10	260	0.32	0.14	0.28	0.11	21.3	11.2	22	3.95
I032063		<0.005	0.03	2.72	13.7	<0.2	<10	230	0.34	0.14	0.31	0.10	20.9	13.6	38	2.76
I032064		<0.005	0.03	2.21	8.5	<0.2	<10	120	0.26	0.15	0.19	0.09	19.80	9.3	27	2.27
I032065		<0.005	0.03	0.83	7.8	<0.2	<10	50	0.17	0.08	0.11	0.04	8.13	2.6	10	1.00
I032066		<0.005	0.04	2.73	6.5	<0.2	<10	300	0.35	0.11	0.37	0.06	21.7	12.1	31	1.72
I032067		<0.005	0.53	0.94	129.0	<0.2	<10	120	0.20	0.08	0.27	0.08	10.60	5.1	12	2.37
I032068		<0.005	0.11	1.16	25.8	<0.2	<10	160	0.21	0.10	0.24	0.30	15.20	4.9	16	2.01
I032069		<0.005	0.17	2.43	250	<0.2	<10	230	0.34	0.13	0.40	0.53	20.2	13.6	30	2.34
I032070		0.005	0.06	2.84	11.9	<0.2	<10	200	0.42	0.16	0.22	0.06	23.4	12.1	43	1.63
I032071		<0.005	0.07	2.31	22.4	<0.2	<10	170	0.27	0.29	0.27	0.09	20.4	11.0	27	2.76
I032072		<0.005	0.02	3.13	9.1	<0.2	<10	210	0.37	0.12	0.34	0.07	19.50	14.7	27	2.92
I032073		<0.005	0.13	3.10	10.7	<0.2	<10	190	0.50	0.38	0.26	0.12	23.6	14.4	41	1.37
I032074		<0.005	0.02	0.87	3.7	<0.2	<10	70	0.12	0.09	0.15	0.02	9.46	3.0	12	0.53
I032075		<0.005	0.02	2.34	10.1	<0.2	<10	120	0.25	0.20	0.22	0.07	18.80	7.2	33	1.01
I032076		<0.005	0.02	4.08	9.4	<0.2	<10	180	0.38	0.18	0.16	0.11	16.15	12.2	28	2.38
I032077		<0.005	0.04	2.88	10.3	<0.2	<10	260	0.41	0.27	0.26	0.10	21.2	11.5	27	2.49
I032078		<0.005	0.12	1.63	7.4	<0.2	<10	140	0.36	0.11	0.62	0.13	18.40	12.7	32	0.64
I032079		<0.005	0.04	1.61	5.6	<0.2	<10	120	0.25	0.12	0.14	0.03	16.85	5.7	21	0.88
I032080		<0.005	0.07	1.35	5.8	<0.2	<10	170	0.32	0.12	0.30	0.08	26.4	7.5	24	0.70
I032081		<0.005	0.07	1.83	3.9	<0.2	<10	180	0.28	0.14	0.28	0.08	19.15	6.0	21	1.06
I032082		<0.005	0.16	1.81	5.6	<0.2	<10	420	0.60	0.13	1.00	0.13	35.3	9.5	28	0.76
I032083		<0.005	0.12	1.65	5.3	<0.2	<10	140	0.18	0.15	0.25	0.06	18.50	5.1	22	0.92
I032084		<0.005	0.08	1.37	6.3	<0.2	<10	130	0.17	0.15	0.23	0.08	16.15	4.6	20	0.68
I032085		<0.005	0.07	1.63	7.2	<0.2	<10	120	0.28	0.19	0.15	0.05	18.75	5.4	25	0.75
I032086		<0.005	0.07	1.17	3.3	<0.2	<10	210	0.44	0.12	0.22	0.05	22.3	4.0	16	0.71
I032087		<0.005	0.05	1.56	3.9	<0.2	<10	260	0.45	0.11	0.27	0.04	21.6	6.1	22	0.60
I032088		<0.005	0.07	0.86	6.3	<0.2	<10	190	0.35	0.15	0.14	0.09	15.10	3.7	12	0.64
I032089		<0.005	0.09	1.75	5.4	<0.2	<10	470	0.52	0.18	0.54	0.23	28.1	11.0	25	0.61
I032090		<0.005	0.04	1.40	4.5	<0.2	<10	280	0.25	0.10	0.23	0.04	13.50	7.7	21	0.52
I032091		<0.005	0.04	1.40	4.8	<0.2	<10	280	0.25	0.10	0.23	0.03	14.45	7.5	21	0.55
I032092		<0.005	0.06	1.03	6.1	<0.2	<10	320	0.18	0.11	0.07	0.03	13.20	3.8	13	0.43
I032093		<0.005	0.16	1.18	5.0	<0.2	<10	630	0.26	0.18	0.21	0.08	20.5	5.8	15	0.45
I032094		<0.005	0.12	1.25	5.6	<0.2	<10	570	0.24	0.14	0.20	0.06	19.25	5.5	16	0.34
I032095		0.005	0.07	1.33	7.5	<0.2	<10	420	0.39	0.13	0.63	0.09	24.2	8.2	24	0.45
I032096		<0.005	0.08	1.49	4.9	<0.2	<10	770	0.48	0.13	0.31	0.14	30.1	7.0	19	0.42
I032097		<0.005	0.03	2.83	4.8	<0.2	<10	460	0.25	0.07	0.73	0.03	8.02	22.7	84	2.05
I032098		0.005	0.07	1.46	9.5	<0.2	<10	390	0.41	0.14	0.48	0.07	22.0	8.9	27	0.33
I032099		<0.005	0.10	1.43	8.2	<0.2	<10	480	0.39	0.15	0.60	0.20	21.8	9.5	24	0.33
I032100		<0.005	0.05	1.36	6.7	<0.2	<10	360	0.40	0.14	0.59	0.20	20.8	9.2	23	0.32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I032061		16.8	3.20	8.38	<0.05	0.07	0.02	0.023	0.06	10.7	14.1	0.59	434	1.26	0.02
I032062		10.8	3.57	9.09	0.06	0.06	0.03	0.020	0.25	10.4	14.3	0.83	362	0.76	0.02
I032063		19.3	3.83	8.29	0.05	0.07	0.03	0.027	0.12	9.8	17.8	0.95	474	0.96	0.02
I032064		15.1	3.24	7.81	0.05	0.03	0.03	0.022	0.07	9.6	14.0	0.59	277	0.93	0.01
I032065		8.2	1.38	4.12	<0.05	0.02	0.02	<0.005	0.03	4.2	5.0	0.15	76	0.60	0.02
I032066		25.1	3.35	7.17	0.07	0.11	0.03	0.022	0.10	10.8	14.8	0.77	336	0.58	0.02
I032067		10.6	1.59	3.63	<0.05	<0.02	0.24	0.007	0.03	5.5	6.0	0.18	331	0.65	0.02
I032068		14.1	1.57	4.21	<0.05	0.02	0.10	0.007	0.05	8.4	5.8	0.26	174	0.62	0.02
I032069		16.3	3.09	6.76	<0.05	0.09	0.93	0.025	0.05	9.8	13.5	0.63	397	1.08	0.02
I032070		27.4	3.79	8.81	0.06	0.17	0.02	0.029	0.07	11.4	15.4	0.65	302	1.46	0.02
I032071		22.4	3.42	7.64	0.05	0.08	0.03	0.020	0.13	9.5	13.7	0.70	335	1.15	0.02
I032072		16.8	4.33	9.89	0.06	0.11	0.02	0.028	0.22	9.0	20.2	0.93	514	0.95	0.03
I032073		27.5	3.72	7.32	0.05	0.27	0.04	0.030	0.07	10.6	15.9	0.66	383	1.28	0.02
I032074		7.2	1.40	4.23	<0.05	<0.02	0.02	<0.005	0.03	4.8	4.5	0.16	76	0.58	0.02
I032075		16.4	3.39	9.05	<0.05	0.06	0.04	0.022	0.04	9.5	13.0	0.42	171	1.44	0.01
I032076		18.3	5.09	12.90	0.07	0.11	0.04	0.030	0.21	7.0	19.4	0.83	423	1.71	0.02
I032077		15.6	4.04	10.40	0.05	0.07	0.09	0.032	0.09	10.8	18.1	0.63	507	1.26	0.02
I032078		27.0	3.12	5.45	<0.05	0.11	0.02	0.020	0.03	8.7	8.5	0.57	393	0.62	0.05
I032079		12.5	2.25	5.53	<0.05	0.03	0.02	0.012	0.03	8.8	13.9	0.42	208	0.53	<0.01
I032080		17.8	2.20	4.37	<0.05	0.07	0.02	0.013	0.04	12.9	11.7	0.47	336	0.53	0.01
I032081		13.0	2.32	6.83	<0.05	0.03	0.02	0.014	0.05	10.2	13.4	0.50	296	0.60	0.01
I032082		20.8	2.37	5.42	0.05	0.05	0.06	0.019	0.04	19.2	14.8	0.48	821	1.12	0.02
I032083		9.5	2.10	6.38	<0.05	0.03	0.03	0.012	0.03	9.5	11.1	0.40	147	0.78	0.01
I032084		9.8	2.01	5.80	<0.05	<0.02	0.02	0.009	0.05	8.2	9.0	0.34	141	1.01	0.01
I032085		10.9	2.66	7.16	<0.05	0.07	0.01	0.015	0.05	9.7	13.7	0.36	198	0.99	0.01
I032086		9.1	1.81	5.34	<0.05	0.03	0.01	0.005	0.06	12.6	10.2	0.36	225	0.63	0.01
I032087		14.0	2.07	5.52	0.07	0.03	0.01	0.019	0.05	11.2	14.2	0.55	366	0.44	0.02
I032088		10.7	1.54	3.32	0.05	0.03	0.02	0.013	0.05	7.6	6.1	0.20	363	1.00	0.01
I032089		27.8	2.49	5.45	0.07	0.05	0.02	0.027	0.09	11.8	11.5	0.46	891	0.99	0.04
I032090		14.7	2.14	5.16	0.07	0.02	0.01	0.013	0.08	8.8	12.3	0.63	472	0.72	0.02
I032091		14.8	2.11	5.05	0.07	0.03	0.01	0.014	0.07	9.9	13.9	0.64	377	0.73	0.02
I032092		7.3	1.91	4.50	0.06	0.04	0.01	0.012	0.04	6.8	9.6	0.25	152	1.23	0.01
I032093		18.7	1.90	5.56	0.06	0.02	0.02	0.013	0.05	11.3	8.2	0.25	991	1.34	0.03
I032094		16.0	1.99	4.90	0.06	0.02	0.02	0.013	0.05	10.2	10.1	0.30	815	1.16	0.02
I032095		21.5	2.27	4.03	0.09	0.13	0.02	0.018	0.05	12.5	13.0	0.50	336	0.80	0.04
I032096		15.4	2.12	4.69	0.08	0.04	0.02	0.021	0.10	14.8	11.1	0.43	734	0.79	0.03
I032097		8.3	2.55	8.13	0.10	0.03	0.01	0.018	0.06	4.3	25.0	3.03	552	0.35	0.02
I032098		17.9	2.48	4.49	0.09	0.10	0.09	0.022	0.06	10.9	12.2	0.47	299	0.88	0.03
I032099		18.8	2.37	4.41	0.08	0.09	0.02	0.021	0.08	10.7	11.3	0.49	547	0.88	0.04
I032100		20.2	2.35	4.25	0.08	0.08	0.01	0.020	0.09	9.9	10.6	0.47	521	0.92	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
I032061		16.1	350	7.0	13.5	<0.001	<0.01	0.53	5.6	0.3	0.7	30.0	<0.01	0.03	2.6
I032062		13.0	340	8.1	45.3	<0.001	<0.01	0.64	5.9	0.3	0.8	22.4	<0.01	0.02	2.7
I032063		25.4	570	6.4	20.4	<0.001	<0.01	1.42	6.1	0.3	0.8	25.3	<0.01	0.02	2.8
I032064		15.3	430	7.9	10.6	<0.001	<0.01	1.09	5.1	0.3	0.8	17.1	0.01	0.02	1.8
I032065		4.3	270	4.6	6.7	<0.001	<0.01	0.23	1.9	0.3	0.3	11.1	<0.01	0.02	0.5
I032066		22.1	480	6.2	14.4	<0.001	<0.01	0.32	6.0	0.2	0.6	25.9	<0.01	0.02	2.9
I032067		6.6	550	16.9	4.8	<0.001	<0.01	0.57	2.9	0.3	0.3	18.8	<0.01	0.01	0.4
I032068		8.5	380	12.2	9.2	<0.001	<0.01	0.54	3.0	0.3	0.4	22.3	<0.01	0.02	0.4
I032069		22.7	530	51.9	10.8	<0.001	<0.01	1.97	5.5	0.3	0.6	30.1	<0.01	0.03	2.7
I032070		28.3	270	8.9	11.3	<0.001	<0.01	0.64	5.6	0.4	0.7	22.3	<0.01	0.02	4.4
I032071		14.9	390	19.9	18.7	<0.001	<0.01	0.56	5.8	0.4	0.7	20.5	<0.01	0.03	2.7
I032072		17.8	610	7.0	29.0	<0.001	<0.01	0.34	6.4	0.4	0.8	25.6	<0.01	0.02	3.0
I032073		25.6	310	8.6	11.2	<0.001	<0.01	0.47	6.5	0.4	0.7	25.2	0.01	0.02	4.9
I032074		5.3	270	4.6	4.5	<0.001	<0.01	0.17	1.9	0.3	0.3	15.8	<0.01	0.02	0.5
I032075		15.3	330	10.5	7.5	<0.001	<0.01	0.42	4.4	0.4	0.7	22.7	0.01	0.03	2.2
I032076		15.0	550	8.5	23.8	<0.001	<0.01	0.45	7.0	0.4	0.9	14.8	0.01	0.04	2.7
I032077		16.9	380	9.1	15.4	<0.001	<0.01	0.36	6.5	0.3	0.8	21.9	<0.01	0.05	2.9
I032078		22.5	490	6.3	5.3	<0.001	<0.01	0.31	4.3	0.3	0.5	36.0	<0.01	0.02	2.0
I032079		12.3	280	6.0	5.9	<0.001	<0.01	0.26	3.1	0.2	0.4	11.9	<0.01	0.01	2.4
I032080		16.3	590	6.8	6.9	<0.001	<0.01	0.39	3.8	0.3	0.4	22.1	<0.01	0.02	4.0
I032081		11.9	460	7.8	12.8	<0.001	<0.01	0.25	3.5	0.3	0.4	22.3	<0.01	0.02	2.5
I032082		23.4	750	7.9	7.8	<0.001	0.02	0.52	4.5	0.9	0.6	65.1	<0.01	0.02	1.8
I032083		12.0	260	8.8	9.1	<0.001	<0.01	0.24	3.3	0.3	0.5	22.1	<0.01	0.01	2.4
I032084		11.0	430	8.7	8.9	<0.001	<0.01	0.26	2.7	0.3	0.5	19.4	<0.01	0.02	1.1
I032085		11.4	450	10.9	9.8	<0.001	<0.01	0.28	3.0	0.2	0.6	13.3	<0.01	0.03	2.8
I032086		9.0	220	8.9	10.4	<0.001	<0.01	0.19	2.7	<0.2	0.4	20.4	<0.01	0.02	2.3
I032087		16.1	310	6.2	8.2	<0.001	<0.01	0.21	3.4	0.3	0.3	23.8	<0.01	0.02	3.3
I032088		9.1	170	11.3	14.2	<0.001	<0.01	0.27	1.9	0.4	0.4	11.9	0.01	0.02	3.8
I032089		20.9	330	8.0	13.1	<0.001	<0.01	0.44	4.5	0.6	0.5	29.9	<0.01	0.04	3.1
I032090		16.2	270	4.8	10.9	<0.001	<0.01	0.25	2.9	0.3	0.3	17.1	<0.01	0.02	1.9
I032091		16.7	260	4.7	11.1	<0.001	<0.01	0.26	3.0	0.3	0.3	17.6	<0.01	0.02	2.1
I032092		7.9	130	5.6	7.9	<0.001	<0.01	0.30	2.2	0.2	0.4	7.7	<0.01	0.02	2.3
I032093		11.8	300	7.3	9.3	<0.001	<0.01	0.33	2.7	0.4	0.5	15.8	<0.01	0.04	2.0
I032094		11.3	220	6.1	9.1	<0.001	<0.01	0.32	2.5	0.3	0.4	14.4	<0.01	0.03	2.4
I032095		21.3	560	6.4	7.6	<0.001	<0.01	0.44	4.5	0.7	0.4	39.3	<0.01	0.03	4.0
I032096		16.7	330	5.7	13.3	0.001	<0.01	0.26	4.0	0.4	0.4	23.4	<0.01	0.02	3.2
I032097		70.5	280	3.4	15.8	<0.001	<0.01	0.13	8.6	0.3	0.4	25.9	<0.01	0.01	1.1
I032098		20.8	300	7.1	7.6	<0.001	<0.01	0.45	5.0	0.5	0.4	33.5	<0.01	0.03	4.0
I032099		21.5	430	7.2	9.6	<0.001	<0.01	0.41	4.5	0.8	0.4	39.1	<0.01	0.03	3.4
I032100		20.7	710	6.6	8.8	0.001	<0.01	0.39	4.1	0.5	0.4	37.8	<0.01	0.03	3.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I032061		0.14	0.86	83	0.24	6.76	47	3.5	0.44
I032062		0.27	0.68	92	0.17	5.17	56	2.6	0.42
I032063		0.17	0.58	98	0.24	5.46	65	3.4	0.48
I032064		0.10	0.61	78	0.24	4.24	50	1.2	0.40
I032065		0.04	0.37	32	0.10	2.24	16	0.7	0.22
I032066		0.18	0.76	85	0.19	5.78	51	4.4	0.56
I032067		0.09	0.57	34	0.18	4.90	44	<0.5	0.38
I032068		0.09	0.63	39	0.30	4.80	59	0.6	0.28
I032069		0.22	0.67	71	0.20	5.46	388	4.5	0.58
I032070		0.12	0.60	97	0.18	3.98	65	8.2	0.50
I032071		0.18	0.74	91	0.51	5.32	53	4.0	0.44
I032072		0.26	0.59	108	0.20	5.49	69	4.1	0.42
I032073		0.12	0.85	86	0.19	5.01	55	11.9	0.56
I032074		0.04	0.32	36	0.09	2.13	17	0.6	0.36
I032075		0.10	0.63	86	0.14	4.13	41	2.8	0.42
I032076		0.18	0.70	132	0.25	3.73	62	4.4	0.40
I032077		0.15	0.96	105	0.20	5.28	70	3.2	0.40
I032078		0.06	0.49	80	0.11	5.83	47	5.2	0.24
I032079		0.07	0.34	50	0.16	3.63	34	1.3	0.38
I032080		0.05	0.61	44	0.19	6.81	51	3.0	0.40
I032081		0.06	0.42	49	0.36	5.08	57	1.5	0.34
I032082		0.06	2.01	45	0.18	15.85	56	1.9	0.34
I032083		0.10	0.47	52	0.21	2.92	45	1.5	0.50
I032084		0.07	0.36	51	0.27	2.60	43	0.5	0.38
I032085		0.10	0.40	67	0.17	2.48	42	3.1	0.38
I032086		0.06	0.42	42	0.09	3.76	43	1.1	0.34
I032087		0.05	0.36	40	0.09	4.35	41	1.1	0.40
I032088		0.07	0.68	31	0.13	6.42	32	0.8	0.34
I032089		0.06	0.59	51	0.32	5.04	43	1.9	0.20
I032090		0.06	0.27	50	0.10	2.84	43	0.8	0.36
I032091		0.06	0.29	50	0.11	3.03	44	1.0	0.36
I032092		0.05	0.21	47	0.14	1.68	22	1.5	0.36
I032093		0.07	0.38	53	0.19	4.20	29	0.5	0.30
I032094		0.06	0.32	47	0.18	3.75	30	0.7	0.48
I032095		0.05	0.63	49	0.17	7.58	45	5.0	0.30
I032096		0.05	0.47	42	0.12	5.10	32	0.9	0.36
I032097		0.08	0.22	74	0.10	1.94	77	1.3	0.42
I032098		0.04	0.53	55	0.24	5.31	43	4.1	0.40
I032099		0.04	0.71	53	0.15	6.05	46	3.3	0.38
I032100		0.04	0.65	50	0.29	5.31	46	2.8	0.34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I032101		0.005	0.04	1.03	5.3	<0.2	<10	30	0.16	0.17	0.08	0.09	16.15	4.7	20	0.88
I032102		<0.005	<0.01	0.01	<0.1	<0.2	<10	<10	<0.05	0.01	<0.01	0.01	0.96	0.1	<1	<0.05
I032103		0.006	0.07	1.81	5.8	<0.2	<10	110	0.32	0.20	0.18	0.08	42.9	9.8	32	1.95
I032104		<0.005	0.04	1.92	13.7	<0.2	<10	110	0.52	0.22	0.11	0.17	36.3	11.6	30	1.29
I032105		<0.005	0.04	2.16	9.4	<0.2	<10	100	0.44	0.17	0.13	0.14	19.40	8.6	35	1.20
I032106		<0.005	0.09	2.16	11.4	<0.2	<10	120	0.41	0.24	0.09	0.12	18.80	7.1	33	1.33
I032107		<0.005	0.10	2.32	8.7	<0.2	<10	90	0.41	0.14	0.14	0.14	17.45	11.5	36	1.22
I032108		<0.005	0.03	2.02	4.0	<0.2	<10	50	0.14	0.05	0.20	0.06	4.84	12.7	136	2.21
I032109		<0.005	0.08	1.82	4.7	<0.2	<10	140	0.22	0.13	0.18	0.09	6.55	10.9	55	0.93
I032110		<0.005	0.23	1.81	6.2	<0.2	<10	180	0.22	0.15	0.22	0.15	9.27	12.9	21	1.55
I032111		<0.005	0.04	1.91	3.2	<0.2	<10	700	0.20	0.08	0.18	0.05	5.10	13.0	13	0.94
I032112		<0.005	0.17	1.25	6.6	<0.2	<10	120	0.14	0.13	0.20	0.08	11.60	6.6	27	0.78
I032113		<0.005	0.18	1.33	7.9	<0.2	<10	430	0.20	0.15	0.33	0.15	16.45	8.3	30	1.28
I032114		0.006	0.13	1.36	5.2	<0.2	<10	160	0.14	0.11	0.28	0.08	13.05	9.0	30	0.81
I032115		<0.005	0.26	0.86	2.3	<0.2	<10	190	0.18	0.11	0.19	0.16	11.55	4.1	16	1.89
I032116		<0.005	0.03	1.87	7.1	<0.2	<10	150	0.19	0.14	0.16	0.10	12.20	11.2	28	2.67
I032117		<0.005	0.04	1.88	6.8	<0.2	<10	170	0.22	0.13	0.17	0.11	13.80	11.1	29	2.65
I032118		<0.005	0.14	1.26	5.2	<0.2	<10	170	0.16	0.14	0.21	0.09	13.00	6.4	22	0.91
I032119		<0.005	0.06	2.41	10.2	<0.2	<10	90	0.31	0.14	0.10	0.17	12.70	14.6	78	1.87
I032120		<0.005	0.14	1.96	3.1	<0.2	<10	390	0.23	0.10	0.59	0.05	10.35	22.5	69	2.31
I032121		<0.005	0.04	1.85	6.0	<0.2	<10	90	0.17	0.11	0.12	0.10	10.55	13.5	35	1.75
I032122		0.005	0.16	1.78	4.9	<0.2	<10	210	0.21	0.12	0.26	0.10	13.30	11.7	26	1.96
I032123		0.020	0.19	2.01	3.9	<0.2	<10	470	0.24	0.14	0.45	0.11	14.90	14.8	33	3.75
I032124		<0.005	0.19	1.77	4.0	<0.2	<10	240	0.24	0.09	0.32	0.08	12.45	14.2	20	3.71
I032125		0.006	0.04	2.25	6.4	<0.2	<10	120	0.37	0.17	0.36	0.15	21.6	9.9	36	1.68
I032126		<0.005	0.05	2.69	7.8	<0.2	<10	190	0.55	0.17	0.36	0.10	23.5	12.4	45	1.78
I032127		<0.005	0.23	3.12	9.1	<0.2	<10	420	0.59	0.23	0.51	0.12	24.5	13.7	46	4.06
I032128		0.005	1.12	1.12	42.2	<0.2	<10	150	0.18	0.12	0.16	0.43	13.55	3.4	17	2.33
I032129		<0.005	0.08	2.13	12.5	<0.2	<10	190	0.26	0.17	0.30	0.08	17.50	8.2	33	3.78
I032130		<0.005	0.13	1.82	4.8	<0.2	<10	180	0.17	0.19	0.28	0.09	13.55	6.9	25	1.37
I032131		<0.005	0.03	2.36	5.3	<0.2	<10	220	0.31	0.16	0.44	0.05	29.7	10.8	36	2.22
I032132		<0.005	0.04	1.89	157.5	<0.2	<10	130	0.26	0.15	0.19	0.12	24.2	10.3	24	4.26
I032133		<0.005	0.05	2.65	17.7	<0.2	<10	220	0.32	0.14	0.46	0.07	25.4	12.9	36	2.33
I032134		<0.005	0.04	2.72	5.2	<0.2	<10	250	0.29	0.14	0.57	0.05	19.90	11.8	27	1.77
I032135		<0.005	0.04	2.44	6.6	<0.2	<10	150	0.25	0.15	0.27	0.14	15.00	10.4	27	1.20
I032136		0.007	0.01	2.36	7.8	<0.2	<10	150	0.23	0.15	0.36	0.08	18.00	10.3	31	1.39
I032137		0.007	0.05	2.67	6.6	<0.2	<10	190	0.27	0.16	0.43	0.07	21.8	12.1	33	1.57
I032138		<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	1.00	0.1	2	<0.05
I032139		<0.005	0.08	2.88	8.5	<0.2	<10	330	0.32	0.17	0.68	0.07	28.8	14.5	32	3.45
I032140		<0.005	0.15	2.76	7.6	<0.2	<10	400	0.34	0.16	0.84	0.08	35.1	13.8	35	3.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I032101		14.0	2.13	6.29	0.07	0.02	0.03	0.016	0.06	7.8	7.4	0.29	136	1.00	0.01
I032102		1.2	0.02	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.16	<0.01
I032103		27.0	2.82	6.67	0.13	0.04	0.03	0.024	0.18	23.6	15.5	0.59	201	1.10	0.01
I032104		30.4	3.24	6.23	0.10	0.02	0.04	0.029	0.05	17.3	12.5	0.37	231	1.50	0.01
I032105		17.8	2.92	6.33	0.08	0.04	0.07	0.028	0.06	9.3	16.7	0.43	288	1.27	0.01
I032106		20.4	3.35	8.18	0.08	0.05	0.04	0.030	0.03	9.7	16.0	0.28	223	2.02	0.01
I032107		51.1	3.33	7.91	0.09	0.07	0.03	0.024	0.05	8.3	17.4	0.67	206	1.16	0.02
I032108		19.2	2.74	7.09	0.08	<0.02	0.01	0.009	0.07	2.5	21.9	1.45	187	0.70	0.02
I032109		25.2	2.78	7.45	0.07	0.02	0.02	0.018	0.05	3.4	15.7	0.84	257	0.98	0.03
I032110		77.0	3.19	7.14	0.05	0.02	0.04	0.017	0.08	4.7	13.2	0.60	403	1.00	0.02
I032111		89.6	2.83	8.45	0.05	0.02	0.01	0.016	0.12	2.4	18.8	0.90	212	0.58	0.03
I032112		32.3	2.19	5.66	0.05	0.02	0.03	0.016	0.05	6.0	9.0	0.44	139	0.84	0.02
I032113		44.2	2.30	5.54	0.05	0.02	0.03	0.021	0.07	8.6	9.7	0.42	245	1.30	0.02
I032114		50.1	2.25	5.58	0.06	0.02	0.03	0.014	0.08	6.7	10.0	0.63	186	0.84	0.02
I032115		69.5	1.13	3.16	<0.05	<0.02	0.06	0.013	0.04	6.0	2.7	0.14	55	0.66	0.02
I032116		51.4	3.12	7.62	0.05	0.02	0.02	0.022	0.04	6.1	13.9	0.54	373	1.14	0.01
I032117		55.4	2.93	6.83	0.06	0.02	0.02	0.022	0.04	6.8	13.9	0.52	336	1.01	0.02
I032118		36.2	1.94	5.96	0.05	0.02	0.03	0.015	0.04	6.7	8.0	0.36	128	0.87	0.02
I032119		26.0	3.89	8.76	0.06	0.11	0.03	0.026	0.06	6.5	23.2	0.97	289	1.07	0.01
I032120		52.1	3.44	7.84	0.06	0.02	0.03	0.019	0.08	4.9	15.3	1.17	743	0.83	0.02
I032121		63.1	3.65	9.08	0.08	0.04	0.02	0.016	0.12	5.4	12.1	0.90	248	1.01	0.01
I032122		74.3	2.81	7.00	0.06	0.02	0.04	0.020	0.09	6.8	13.1	0.68	215	0.88	0.02
I032123		112.0	3.28	7.14	0.06	0.03	0.08	0.027	0.12	7.6	12.8	0.73	401	0.81	0.02
I032124		84.6	4.26	7.27	0.07	0.02	0.05	0.029	0.18	6.0	10.0	0.71	408	0.68	0.01
I032125		18.8	3.56	8.51	0.08	0.07	0.02	0.032	0.22	10.9	12.4	0.97	415	0.90	<0.01
I032126		24.5	3.75	8.33	0.09	0.09	0.01	0.039	0.16	11.4	14.2	0.99	527	0.95	0.01
I032127		30.6	4.32	9.37	0.09	0.05	0.07	0.048	0.18	12.5	11.8	0.94	740	1.47	0.02
I032128		15.4	1.72	4.72	<0.05	0.02	0.14	0.019	0.05	7.9	4.3	0.23	121	0.79	0.01
I032129		15.6	3.23	7.12	0.06	0.03	0.04	0.027	0.06	9.1	11.7	0.55	253	1.07	0.01
I032130		17.7	2.33	5.52	0.05	0.03	0.02	0.019	0.05	7.1	10.0	0.43	227	0.69	0.01
I032131		22.7	3.48	7.13	0.10	0.12	0.02	0.027	0.17	15.7	13.4	0.85	435	0.52	0.01
I032132		12.2	4.19	7.42	0.06	0.03	0.03	0.032	0.12	12.6	8.4	0.47	667	1.40	<0.01
I032133		23.6	3.42	7.34	0.09	0.09	0.03	0.032	0.12	12.6	12.7	0.82	438	0.42	0.01
I032134		18.2	3.52	7.90	0.09	0.08	0.04	0.031	0.14	10.1	12.9	0.96	396	0.36	0.03
I032135		22.1	3.63	7.95	0.07	0.07	0.04	0.023	0.09	7.3	11.1	0.64	378	0.93	0.02
I032136		17.0	3.82	9.08	0.07	0.09	0.03	0.026	0.14	8.7	12.7	0.78	407	0.90	0.01
I032137		23.3	3.71	7.83	0.09	0.09	0.02	0.025	0.17	10.9	13.2	0.88	417	0.73	0.01
I032138		0.7	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05	<0.01
I032139		22.3	4.17	8.94	0.11	0.06	0.03	0.037	0.24	13.3	14.4	1.08	648	0.90	0.02
I032140		25.6	3.95	7.58	0.12	0.08	0.06	0.032	0.24	18.0	14.4	0.98	738	0.68	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
I032101		12.9	300	7.9	9.3	<0.001	0.02	0.26	2.1	0.5	0.5	9.1	<0.01	0.04	1.5
I032102		1.1	10	0.8	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
I032103		24.1	450	9.0	28.2	<0.001	0.01	0.36	4.1	0.7	0.6	15.2	<0.01	0.03	6.3
I032104		27.0	520	10.5	11.6	<0.001	0.01	0.35	3.1	0.9	0.5	12.3	0.01	0.05	1.4
I032105		20.4	420	8.2	11.7	<0.001	0.02	0.46	3.9	0.7	0.6	13.6	0.01	0.05	3.7
I032106		17.4	290	10.3	11.8	<0.001	0.01	0.63	3.8	0.5	0.7	11.2	0.01	0.06	3.3
I032107		24.2	360	6.6	10.9	<0.001	0.01	0.50	5.3	0.5	0.5	10.1	0.01	0.05	2.9
I032108		40.0	350	2.6	11.4	<0.001	<0.01	0.16	3.0	0.4	0.3	10.5	<0.01	0.03	0.4
I032109		22.8	310	4.8	10.2	<0.001	0.01	0.35	4.0	0.5	0.4	15.5	<0.01	0.04	0.6
I032110		16.8	350	5.8	15.6	<0.001	0.03	0.43	2.9	0.4	0.5	15.5	<0.01	0.04	0.5
I032111		13.6	470	2.8	11.1	<0.001	0.02	0.21	4.1	0.3	0.4	9.1	<0.01	0.03	0.5
I032112		15.7	260	5.1	8.7	<0.001	0.03	0.33	2.9	0.4	0.4	14.7	0.01	0.04	0.8
I032113		21.6	570	6.2	14.5	<0.001	0.04	0.31	3.3	0.6	0.4	21.5	<0.01	0.03	0.4
I032114		17.8	590	4.9	9.8	<0.001	0.02	0.23	3.0	0.4	0.4	15.8	<0.01	0.03	0.8
I032115		10.9	680	4.0	6.4	<0.001	0.04	0.19	0.6	0.6	0.3	17.8	<0.01	0.02	<0.2
I032116		20.0	370	6.1	9.4	<0.001	0.01	0.29	4.4	0.3	0.5	13.0	<0.01	0.04	0.7
I032117		21.3	380	6.0	9.1	<0.001	0.01	0.30	4.1	0.4	0.5	14.1	<0.01	0.04	0.5
I032118		13.5	370	5.7	6.9	<0.001	0.01	0.24	3.1	0.4	0.5	15.4	<0.01	0.03	0.6
I032119		35.3	260	7.4	11.1	<0.001	0.01	0.47	4.8	0.5	0.5	10.0	<0.01	0.04	2.2
I032120		34.4	720	5.0	10.0	<0.001	0.03	0.19	4.9	0.4	0.4	26.5	<0.01	0.03	0.3
I032121		20.8	310	5.4	14.7	<0.001	0.01	0.28	4.3	0.3	0.5	10.0	<0.01	0.03	1.2
I032122		18.3	620	5.3	11.9	<0.001	0.02	0.26	4.6	0.4	0.4	17.7	<0.01	0.03	0.7
I032123		19.4	600	6.0	14.2	<0.001	0.02	0.22	7.1	0.5	0.5	24.1	<0.01	0.02	0.6
I032124		14.0	730	3.9	18.0	<0.001	<0.01	0.31	6.6	0.4	0.4	15.4	<0.01	0.02	0.8
I032125		21.2	500	9.3	25.6	<0.001	<0.01	0.26	5.5	0.4	1.0	23.4	<0.01	0.02	3.2
I032126		28.6	390	8.6	24.8	<0.001	<0.01	0.30	7.0	0.4	1.0	27.9	<0.01	0.02	3.6
I032127		26.4	590	11.0	26.2	<0.001	0.01	0.38	8.9	0.6	1.0	38.5	<0.01	0.03	2.4
I032128		7.9	260	17.3	13.1	<0.001	<0.01	1.06	3.3	0.4	0.5	17.0	<0.01	0.02	0.5
I032129		17.9	520	7.9	12.8	<0.001	<0.01	0.36	4.5	0.5	0.6	24.7	<0.01	0.02	1.3
I032130		15.7	540	5.5	9.7	<0.001	<0.01	0.20	3.2	0.3	0.5	20.0	<0.01	0.02	0.9
I032131		21.3	630	6.6	22.8	<0.001	<0.01	0.27	7.3	0.5	0.7	30.1	<0.01	0.02	4.4
I032132		12.5	350	15.5	18.7	<0.001	<0.01	1.01	5.8	0.4	0.5	14.8	<0.01	0.03	3.8
I032133		24.1	650	9.0	19.0	<0.001	<0.01	0.42	6.8	0.5	0.6	29.0	<0.01	0.02	3.4
I032134		18.8	740	6.1	17.0	<0.001	0.01	0.38	6.1	0.5	0.7	32.9	<0.01	0.01	2.8
I032135		16.5	430	6.1	11.2	<0.001	<0.01	0.31	4.0	0.5	0.5	21.1	0.01	0.03	1.8
I032136		19.4	420	7.4	19.5	<0.001	<0.01	0.35	4.8	0.4	0.6	26.5	<0.01	0.02	2.4
I032137		23.2	640	6.2	21.8	<0.001	<0.01	0.27	5.2	0.5	0.6	26.8	<0.01	0.02	3.2
I032138		0.6	10	0.4	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
I032139		21.2	860	5.7	34.5	<0.001	0.01	0.40	8.6	0.6	0.7	40.1	<0.01	0.02	2.6
I032140		20.7	900	6.0	33.9	<0.001	0.02	0.44	9.1	0.9	0.6	44.6	<0.01	0.03	2.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I032101		0.13	0.58	51	0.10	2.42	32	0.6	0.28
I032102		<0.02	0.09	<1	<0.05	0.59	3	0.5	0.10
I032103		0.24	1.08	52	0.13	7.10	57	1.4	0.38
I032104		0.16	1.20	57	0.14	6.15	53	0.5	0.30
I032105		0.12	0.81	63	0.16	3.35	46	1.2	0.40
I032106		0.10	0.61	79	0.21	3.10	42	2.2	0.42
I032107		0.12	0.59	99	0.17	4.19	49	3.2	0.38
I032108		0.06	0.18	83	0.06	1.35	39	<0.5	0.36
I032109		0.09	0.28	82	0.10	1.73	48	0.7	0.32
I032110		0.08	0.30	91	0.13	1.93	51	0.8	0.32
I032111		0.07	0.20	97	0.06	1.88	60	0.9	0.40
I032112		0.06	0.36	62	0.13	2.23	32	0.8	0.28
I032113		0.08	0.62	56	0.14	4.70	44	<0.5	0.28
I032114		0.06	0.38	63	0.16	3.15	40	0.6	0.40
I032115		0.05	0.62	23	0.08	4.64	18	<0.5	0.22
I032116		0.08	0.34	84	0.13	2.52	46	0.5	0.36
I032117		0.07	0.36	74	0.18	2.87	45	<0.5	0.36
I032118		0.07	0.39	56	0.25	2.97	32	0.5	0.42
I032119		0.08	0.38	95	0.14	2.36	48	4.1	0.32
I032120		0.07	0.30	111	0.12	3.25	43	0.5	0.44
I032121		0.09	0.24	123	0.12	1.80	52	1.5	0.32
I032122		0.09	0.48	79	0.11	3.14	51	0.7	0.38
I032123		0.10	0.49	94	0.12	6.80	73	0.8	0.40
I032124		0.11	0.32	129	0.12	3.70	68	0.7	0.34
I032125		0.22	0.61	82	0.18	4.96	72	3.0	0.44
I032126		0.22	0.72	82	0.15	5.91	71	4.3	0.38
I032127		0.22	1.10	87	0.18	9.51	70	2.1	0.38
I032128		0.10	0.65	45	0.11	4.19	33	0.5	0.30
I032129		0.14	0.70	75	0.14	5.35	46	1.2	0.36
I032130		0.09	0.60	54	0.13	4.13	39	1.1	0.34
I032131		0.22	0.97	84	0.14	9.08	55	5.4	0.40
I032132		0.26	0.62	83	0.21	4.27	54	1.0	0.48
I032133		0.18	1.00	78	0.17	8.66	55	3.9	0.42
I032134		0.19	0.68	83	0.16	7.61	55	2.9	0.38
I032135		0.12	0.46	86	0.15	4.13	44	3.0	0.30
I032136		0.15	0.51	97	0.25	4.90	51	3.5	0.36
I032137		0.19	0.77	89	0.22	6.48	60	3.8	0.36
I032138		<0.02	0.07	1	<0.05	0.60	3	0.5	0.10
I032139		0.25	1.44	99	0.27	11.50	64	2.5	0.40
I032140		0.27	2.82	99	0.30	18.50	64	3.1	0.50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I032141		<0.005	0.12	2.32	11.9	<0.2	<10	240	0.25	0.23	0.45	0.11	17.35	12.0	28	2.85
I032142		<0.005	0.22	3.57	11.1	<0.2	<10	240	0.47	0.26	0.33	0.11	22.4	13.3	39	2.11
I032143		<0.005	0.05	2.52	7.4	<0.2	<10	300	0.39	0.22	0.52	0.07	33.8	12.2	38	2.28
I032144		<0.005	0.09	2.46	11.5	<0.2	<10	190	0.25	0.13	0.34	0.08	16.70	9.7	36	1.29
I032145		<0.005	0.05	2.83	7.6	<0.2	<10	280	0.36	0.12	0.52	0.07	36.5	14.7	41	2.55
I032146		<0.005	0.04	2.41	9.3	<0.2	<10	290	0.37	0.15	0.41	0.08	32.0	12.8	34	3.86
I032147		<0.005	0.29	2.84	7.8	<0.2	<10	140	0.34	0.28	0.26	0.08	16.70	12.1	37	1.96
I032148		<0.005	0.08	2.18	5.6	<0.2	<10	140	0.19	0.21	0.43	0.08	18.60	8.7	29	1.71
I032149		<0.005	0.10	1.88	5.3	<0.2	<10	110	0.25	0.16	0.22	0.08	22.3	7.7	22	1.56
I032150		<0.005	0.10	1.75	5.5	<0.2	<10	110	0.23	0.16	0.21	0.08	21.1	7.1	22	1.38
I032151		<0.005	0.04	2.66	8.2	<0.2	<10	130	0.31	0.16	0.27	0.13	19.15	10.8	33	1.63
I032152		<0.005	0.03	1.79	7.8	<0.2	<10	100	0.21	0.15	0.20	0.10	13.70	7.4	28	0.98
I032153		0.005	0.05	3.72	7.1	<0.2	<10	270	0.60	0.23	0.27	0.10	26.6	16.1	34	3.64
I032154		<0.005	0.03	1.36	3.7	<0.2	<10	80	0.19	0.19	0.21	0.06	11.65	6.5	16	1.07
I032155		<0.005	0.14	2.96	8.4	<0.2	<10	190	0.41	0.27	0.38	0.12	21.7	13.5	37	1.45
I032156		<0.005	0.11	1.44	8.1	<0.2	<10	110	0.23	0.11	0.15	0.05	13.75	5.1	18	0.98
I032157		<0.005	0.06	2.47	7.2	<0.2	<10	130	0.27	0.14	0.32	0.09	16.55	9.6	33	1.16
I032158		<0.005	0.06	1.84	3.8	<0.2	<10	130	0.21	0.11	0.31	0.08	16.25	8.3	27	1.07
I032159		<0.005	0.05	2.25	11.3	<0.2	<10	100	0.38	0.16	0.20	0.07	16.35	7.1	31	0.94
I032160		<0.005	0.12	2.90	7.6	<0.2	<10	170	0.40	0.13	0.26	0.06	17.85	10.1	25	1.59
I032161		<0.005	0.11	1.09	3.9	<0.2	<10	90	0.25	0.10	0.18	0.06	15.50	4.7	14	0.98
I032162		<0.005	0.07	2.31	7.3	<0.2	<10	120	0.38	0.15	0.24	0.08	20.5	9.0	25	1.45
I032163		<0.005	0.04	1.98	8.9	<0.2	<10	120	0.25	0.17	0.34	0.13	17.40	11.2	31	1.22
I032164		<0.005	0.20	2.13	4.4	0.2	<10	160	0.28	0.14	0.32	0.10	16.70	8.7	23	1.81
I032165		<0.005	0.08	2.51	11.2	<0.2	<10	130	0.36	0.27	0.16	0.14	21.7	9.0	18	4.30
I032166		<0.005	0.08	1.96	14.1	<0.2	<10	120	0.27	0.19	0.23	0.16	16.05	10.1	33	1.20
I032167		<0.005	0.10	1.65	8.1	<0.2	<10	210	0.40	0.17	0.33	0.08	31.9	8.8	27	5.70
I032168		0.012	0.05	1.50	15.3	<0.2	<10	210	0.38	0.15	0.53	0.09	23.5	9.3	22	3.19
I032169		<0.005	0.10	1.69	7.5	<0.2	<10	280	0.38	0.16	0.49	0.10	22.8	8.5	25	1.31
I032170		<0.005	0.09	1.60	7.0	<0.2	<10	290	0.34	0.18	0.69	0.13	21.1	9.7	25	1.30
I032171		<0.005	0.07	1.36	7.3	<0.2	<10	230	0.45	0.25	0.57	0.10	25.2	8.1	24	1.31
I032172		<0.005	0.07	1.62	7.3	<0.2	<10	190	0.38	0.16	0.24	0.11	20.6	11.2	30	1.64
I032173		<0.005	0.09	1.76	10.5	<0.2	<10	360	0.44	0.14	0.48	0.10	26.1	9.8	20	6.39
I032174		0.005	0.32	1.77	7.2	<0.2	<10	510	0.46	0.22	0.75	0.15	25.1	8.7	18	5.42
I032175		NSS	0.02	0.27	10.4	<0.2	<10	90	0.32	0.03	0.61	0.22	28.7	10.5	9	0.29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I032141		18.1	3.42	7.08	0.09	0.07	0.02	0.027	0.16	8.4	12.2	0.85	491	0.83	0.01
I032142		23.8	4.39	8.62	0.08	0.07	0.04	0.038	0.07	10.6	15.8	0.86	402	1.08	0.01
I032143		24.3	3.95	7.97	0.12	0.15	0.03	0.032	0.23	17.5	13.6	1.04	511	0.61	0.02
I032144		15.3	4.12	6.76	0.07	0.05	0.02	0.028	0.07	8.3	12.5	0.72	320	0.82	0.01
I032145		30.9	4.36	8.84	0.15	0.13	0.02	0.036	0.36	20.5	13.4	1.18	609	0.49	0.02
I032146		30.5	3.67	7.00	0.11	0.08	0.03	0.032	0.22	15.0	12.0	0.84	624	0.92	0.02
I032147		18.6	3.88	7.53	0.07	0.06	0.04	0.032	0.10	7.8	13.3	0.74	413	1.01	<0.01
I032148		14.8	3.06	8.38	0.06	0.03	0.01	0.025	0.07	9.5	13.0	0.69	276	0.90	<0.01
I032149		13.1	2.93	8.19	0.06	0.03	0.02	0.022	0.05	12.6	8.8	0.55	290	1.26	0.01
I032150		13.3	2.73	7.30	0.06	0.03	0.02	0.022	0.05	12.0	8.6	0.47	255	1.18	<0.01
I032151		15.0	3.84	8.48	0.07	0.06	0.02	0.030	0.07	9.8	16.2	0.67	387	1.37	<0.01
I032152		18.5	2.78	7.11	0.05	0.03	0.02	0.024	0.05	6.8	9.3	0.42	189	1.02	<0.01
I032153		23.9	4.64	9.99	0.09	0.12	0.02	0.043	0.15	12.0	16.6	1.16	560	0.65	0.01
I032154		10.9	2.12	5.27	0.05	0.03	0.01	0.016	0.07	5.6	6.3	0.38	234	0.59	0.01
I032155		22.2	3.64	8.34	0.08	0.08	0.03	0.031	0.10	10.2	13.0	0.71	415	0.90	0.01
I032156		12.2	1.81	4.76	0.05	0.02	0.05	0.016	0.03	7.2	6.0	0.22	152	0.80	0.01
I032157		17.0	3.51	7.85	0.07	0.07	0.02	0.025	0.06	8.5	13.1	0.66	340	0.96	<0.01
I032158		17.4	2.72	6.29	0.07	0.05	0.01	0.020	0.11	8.1	9.9	0.65	345	0.68	0.01
I032159		14.7	4.19	8.62	<0.05	0.07	0.02	0.028	0.05	7.6	16.1	0.49	229	1.66	0.02
I032160		13.1	3.87	9.85	0.05	0.06	0.02	0.030	0.07	8.1	17.8	0.75	351	0.96	0.02
I032161		13.3	1.64	4.41	<0.05	<0.02	0.03	0.015	0.04	8.6	5.2	0.21	260	0.82	0.02
I032162		17.1	3.52	8.68	0.05	0.03	0.02	0.031	0.05	9.7	16.8	0.60	316	1.10	0.02
I032163		12.9	3.36	8.31	0.05	0.02	0.02	0.023	0.07	8.0	14.7	0.61	770	1.32	0.02
I032164		17.3	2.66	7.42	0.07	0.03	0.03	0.025	0.10	9.0	13.3	0.55	322	0.89	0.02
I032165		14.4	3.74	13.55	0.07	0.10	0.02	0.029	0.16	10.6	13.7	0.67	321	1.86	0.01
I032166		15.0	3.93	10.20	0.07	0.14	0.01	0.028	0.05	7.9	16.0	0.60	300	1.93	0.02
I032167		15.5	2.62	6.19	0.08	0.05	0.03	0.016	0.23	18.1	15.4	0.56	247	1.17	0.01
I032168		17.4	2.31	5.35	0.07	0.04	0.04	0.018	0.09	12.3	15.1	0.52	291	1.00	0.02
I032169		16.1	2.42	5.90	0.07	0.04	0.04	0.021	0.08	12.6	15.4	0.54	289	0.81	0.02
I032170		16.4	2.38	5.44	0.07	0.05	0.03	0.020	0.05	11.1	14.2	0.52	347	0.79	0.02
I032171		19.2	2.28	4.62	0.08	0.07	0.03	0.018	0.05	12.7	10.6	0.53	301	0.60	0.02
I032172		15.8	2.84	5.36	0.09	0.06	0.01	0.019	0.24	9.5	11.3	0.65	380	1.06	0.02
I032173		25.6	3.04	6.78	0.10	0.02	0.02	0.018	0.27	13.9	18.9	0.91	345	1.29	0.02
I032174		52.1	2.81	6.25	0.10	0.03	0.07	0.025	0.20	13.4	20.3	0.76	330	1.08	0.02
I032175		7.6	2.21	1.60	0.09	0.09	0.02	0.007	0.05	14.4	3.8	0.25	825	1.41	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2	ME-MS41 Ti % 0.005
I032141		17.4	610	8.5	18.7	<0.001	<0.01	0.52	6.0	0.4	0.6	26.7	<0.01	0.03	1.9	0.175
I032142		24.3	420	7.5	14.5	<0.001	0.01	0.51	6.8	0.6	0.7	22.8	0.01	0.04	2.6	0.162
I032143		21.5	530	10.7	29.8	<0.001	<0.01	0.46	9.0	0.6	1.0	34.0	<0.01	0.02	5.7	0.215
I032144		18.9	550	6.2	11.0	<0.001	<0.01	0.36	4.4	0.5	0.5	21.3	<0.01	0.02	1.6	0.153
I032145		23.3	610	5.8	48.2	<0.001	<0.01	0.43	10.5	0.6	0.9	37.0	<0.01	0.01	4.2	0.246
I032146		21.7	720	5.9	26.4	<0.001	<0.01	0.57	9.3	0.7	0.5	25.7	<0.01	0.02	3.2	0.170
I032147		22.8	460	7.2	14.6	<0.001	<0.01	0.39	5.2	0.6	0.6	20.7	0.01	0.35	1.8	0.145
I032148		17.6	560	7.3	14.7	<0.001	<0.01	0.31	4.8	0.4	0.7	29.2	<0.01	0.02	1.7	0.124
I032149		11.5	300	6.4	13.8	<0.001	<0.01	0.35	5.5	0.4	0.7	19.6	<0.01	0.02	2.4	0.109
I032150		12.1	310	6.3	11.8	<0.001	<0.01	0.34	4.6	0.4	0.6	19.3	<0.01	0.02	2.1	0.098
I032151		19.6	620	8.1	12.4	<0.001	<0.01	0.52	4.7	0.5	0.6	21.3	0.01	0.03	3.1	0.120
I032152		17.8	430	7.0	8.0	<0.001	<0.01	0.37	3.0	0.5	0.5	16.4	0.01	0.02	0.7	0.107
I032153		26.0	260	12.1	26.8	<0.001	<0.01	0.55	8.0	0.4	1.2	25.2	<0.01	0.02	4.2	0.162
I032154		8.8	480	4.4	12.2	<0.001	<0.01	0.20	2.7	0.3	0.5	16.0	<0.01	0.02	0.5	0.105
I032155		24.6	690	9.3	14.6	<0.001	<0.01	0.40	6.2	0.7	0.6	28.6	0.01	0.05	2.6	0.163
I032156		8.2	420	5.1	6.6	<0.001	<0.01	0.22	2.8	0.4	0.4	15.2	<0.01	0.02	0.5	0.064
I032157		19.6	510	6.8	12.1	<0.001	<0.01	0.33	4.7	0.5	0.6	22.8	0.01	0.02	2.2	0.153
I032158		16.0	470	5.2	15.4	<0.001	<0.01	0.25	4.2	0.4	0.6	23.8	<0.01	0.01	1.4	0.163
I032159		16.1	400	9.2	8.6	<0.001	0.03	0.50	3.8	0.4	0.6	17.8	0.01	0.04	2.0	0.126
I032160		16.1	290	8.4	12.3	<0.001	0.02	0.40	5.2	0.2	0.8	23.2	<0.01	0.02	2.5	0.164
I032161		7.4	330	5.1	7.7	<0.001	0.02	0.22	2.2	0.4	0.3	17.0	<0.01	0.02	0.4	0.059
I032162		15.0	310	7.7	10.6	<0.001	0.02	0.55	4.8	0.3	0.7	24.6	<0.01	0.03	1.7	0.143
I032163		17.4	350	8.8	11.8	<0.001	0.02	0.33	3.2	0.2	0.7	25.0	<0.01	0.03	1.2	0.112
I032164		15.2	450	7.0	16.3	<0.001	0.02	0.43	4.8	0.5	0.6	26.1	<0.01	0.03	1.6	0.113
I032165		9.6	160	12.6	29.2	<0.001	0.01	1.23	6.2	0.3	1.1	16.9	<0.01	0.03	3.1	0.118
I032166		21.8	290	8.9	12.2	<0.001	0.01	0.47	4.4	0.3	0.7	19.7	<0.01	0.04	2.9	0.159
I032167		17.8	490	7.0	27.6	<0.001	0.01	0.29	3.4	0.4	0.5	20.8	<0.01	0.02	6.0	0.102
I032168		15.5	730	6.6	15.4	<0.001	0.02	0.56	4.1	0.6	0.6	29.0	<0.01	0.03	2.5	0.062
I032169		16.5	540	7.5	9.9	<0.001	0.01	0.33	4.3	0.5	0.5	33.3	<0.01	0.02	2.7	0.072
I032170		16.7	510	8.6	11.0	<0.001	0.03	0.35	4.2	0.6	0.5	41.8	<0.01	0.02	2.3	0.070
I032171		16.3	580	10.8	9.8	<0.001	0.02	0.41	4.0	0.6	0.3	33.1	<0.01	0.03	3.5	0.070
I032172		17.1	200	8.4	34.0	<0.001	0.06	0.45	3.2	0.3	0.4	21.8	<0.01	0.03	3.7	0.124
I032173		12.2	960	7.7	27.8	<0.001	0.05	0.45	3.3	0.4	0.4	23.9	<0.01	0.03	2.0	0.097
I032174		11.5	910	9.1	24.5	<0.001	0.05	0.36	4.1	0.6	0.5	39.8	<0.01	0.04	2.1	0.087
I032175		18.8	630	4.6	5.2	<0.001	0.01	0.53	2.0	0.5	0.3	13.2	<0.01	0.02	7.7	0.020



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 8 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I032141		0.18	0.56	87	0.32	6.00	55	2.6	0.32
I032142		0.22	0.85	101	0.42	7.27	60	2.7	0.34
I032143		0.25	1.24	101	0.49	14.85	66	6.1	0.40
I032144		0.10	0.50	91	0.13	5.29	52	2.0	0.36
I032145		0.36	1.41	111	0.15	16.40	70	5.5	0.38
I032146		0.24	0.97	87	0.20	14.45	56	3.3	0.46
I032147		0.14	0.50	89	0.26	4.79	51	2.4	0.44
I032148		0.13	0.58	81	0.18	5.67	48	1.3	0.38
I032149		0.15	0.51	80	0.14	5.80	40	1.3	0.34
I032150		0.13	0.52	72	0.14	5.96	37	1.1	0.30
I032151		0.12	0.56	83	0.16	4.43	51	2.9	0.28
I032152		0.08	0.43	68	0.16	3.41	34	1.2	0.34
I032153		0.31	0.76	103	0.18	8.15	63	4.6	0.32
I032154		0.09	0.35	50	0.12	3.60	27	0.9	0.26
I032155		0.13	0.75	87	0.20	6.17	50	3.3	0.34
I032156		0.09	0.61	38	0.12	4.13	21	0.5	0.32
I032157		0.11	0.63	82	0.15	5.02	50	2.7	0.26
I032158		0.13	0.64	68	0.13	5.20	45	1.9	0.30
I032159		0.12	0.62	85	0.18	3.74	41	3.0	0.28
I032160		0.14	0.46	92	0.18	4.75	47	2.7	0.44
I032161		0.07	1.18	39	0.10	5.26	20	<0.5	0.22
I032162		0.11	0.67	89	0.25	6.05	40	1.4	0.32
I032163		0.11	0.43	86	0.15	3.26	60	1.0	0.30
I032164		0.15	0.89	62	0.18	5.63	39	1.2	0.30
I032165		0.21	0.52	107	0.19	4.11	45	4.0	0.36
I032166		0.10	0.56	106	0.19	3.80	44	5.8	0.36
I032167		0.15	0.94	47	0.20	5.24	57	1.7	0.38
I032168		0.10	1.29	48	0.28	7.00	47	1.0	0.38
I032169		0.07	0.85	52	0.17	7.10	48	1.4	0.46
I032170		0.08	0.83	50	0.17	5.75	49	1.7	0.28
I032171		0.08	0.87	46	0.17	6.05	49	2.6	0.40
I032172		0.17	0.57	57	0.19	2.87	51	2.7	0.38
I032173		0.19	0.76	57	0.30	5.40	63	<0.5	0.40
I032174		0.18	1.16	50	0.22	8.08	75	0.8	0.42
I032175		0.14	0.95	16	0.09	7.84	20	4.2	0.46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **9-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10113881

Project: SQI10-06

P.O. No.: SQI10-06_20

This report is for 275 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032176		0.36	<0.005	0.09	1.97	3.3	<0.2	<10	260	0.30	0.32	0.50	0.09	27.0	8.6	13
I032177		0.38	0.009	0.36	1.79	7.4	<0.2	<10	220	0.32	0.20	0.35	0.13	24.6	8.1	23
I032178		0.30	0.007	0.20	1.74	11.2	<0.2	<10	250	0.34	0.17	0.40	0.14	24.9	13.3	23
I032179		0.38	<0.005	0.11	1.86	29.7	<0.2	<10	220	0.38	0.11	0.36	0.10	22.9	11.7	19
I032180		0.40	<0.005	0.21	1.65	11.9	<0.2	<10	240	0.40	0.15	0.41	0.20	30.5	14.0	20
I032181		0.30	0.007	0.38	1.67	14.8	<0.2	<10	400	0.52	0.16	0.69	0.31	49.6	14.1	22
I032182		0.36	<0.005	0.21	2.03	8.4	<0.2	<10	240	0.36	0.10	0.31	0.21	24.5	11.9	22
I032183		0.36	0.007	0.19	1.65	8.2	<0.2	<10	310	0.38	0.11	0.67	0.22	29.8	12.9	20
I032184		0.46	0.005	0.10	1.61	8.5	<0.2	<10	250	0.32	0.14	0.50	0.14	23.1	11.7	22
I032185		0.26	0.010	0.62	2.72	15	<0.2	10	1270	1.34	0.13	11.05	1.13	135.5	12.0	27
I032186		0.34	0.007	0.21	1.16	12.8	<0.2	<10	170	0.25	0.10	0.48	0.19	15.20	7.0	15
I032187		0.34	0.008	0.12	1.69	13.1	<0.2	<10	310	0.54	0.18	0.48	0.13	30.9	11.6	24
I032188		0.34	0.005	0.12	2.04	7.0	<0.2	<10	310	0.28	0.10	0.35	0.16	11.35	17.1	16
I032189		0.30	<0.005	0.24	1.96	10.1	<0.2	<10	370	0.44	0.17	0.47	0.22	17.20	21.9	28
I032190		0.40	0.005	0.13	2.05	7.4	<0.2	<10	420	0.47	0.15	0.17	0.11	26.7	16.6	29
I032191		0.34	<0.005	0.14	2.11	7.8	<0.2	<10	390	0.42	0.15	0.18	0.12	25.1	16.3	30
I032192		0.34	0.006	0.10	1.83	8.5	<0.2	<10	270	0.46	0.17	0.17	0.15	25.3	15.5	30
I032193		0.32	0.007	0.13	1.68	8.6	<0.2	<10	300	0.46	0.16	0.56	0.16	48.3	11.3	22
I032194		0.36	0.008	0.12	1.72	7.5	<0.2	<10	280	0.46	0.16	0.48	0.21	34.6	11.8	26
I032195		0.34	<0.005	0.17	1.81	6.8	<0.2	<10	240	0.39	0.17	0.42	0.30	23.2	11.5	25
I032196		0.28	<0.005	0.34	1.38	6.9	<0.2	<10	240	0.31	0.14	0.44	0.28	22.5	10.7	21
I032197		0.34	0.005	0.23	1.92	4.8	<0.2	<10	270	0.46	0.12	0.56	0.97	15.00	17.5	26
I032198		0.32	<0.005	0.15	1.76	8.4	<0.2	<10	310	0.51	0.17	0.35	0.24	23.2	12.2	29
I032199		0.34	<0.005	0.15	1.58	6.4	<0.2	<10	410	0.46	0.18	0.51	0.29	19.60	10.1	27
I032200		0.34	<0.005	0.15	1.83	6.9	<0.2	<10	390	0.49	0.16	0.53	0.56	20.6	13.5	25
I032201		0.38	<0.005	0.12	2.11	4.1	<0.2	<10	660	0.51	0.12	0.51	0.10	23.5	18.5	41
I032202		0.34	<0.005	0.12	1.52	6.2	<0.2	<10	420	0.38	0.14	0.58	0.21	24.6	14.4	28
I032203		0.30	<0.005	0.06	2.72	3.7	<0.2	<10	570	0.51	0.08	0.52	0.15	26.2	24.4	72
I032204		0.40	<0.005	0.04	2.09	3.6	<0.2	<10	360	0.58	0.09	0.38	0.12	36.2	12.9	29
I032205		0.36	<0.005	0.30	1.72	4.5	<0.2	<10	520	0.45	0.12	0.29	0.16	27.8	11.8	23
I032206		0.36	<0.005	0.08	1.56	5.3	<0.2	<10	440	0.41	0.13	0.35	0.15	26.8	13.3	27
I032207		0.42	<0.005	0.17	1.55	4.9	<0.2	<10	260	0.26	0.13	0.29	0.19	13.40	8.8	22
I032208		0.28	0.006	0.31	2.63	3.8	<0.2	<10	460	0.34	0.11	0.49	0.28	22.4	24.3	33
I032209		0.44	<0.005	0.16	2.74	4.8	<0.2	<10	380	0.31	0.09	0.47	0.23	21.4	23.7	35
I032210		0.52	<0.005	0.02	0.15	1.8	<0.2	<10	30	0.10	0.02	0.09	0.04	11.40	2.5	4
I032211		0.34	<0.005	0.15	2.53	4.4	<0.2	<10	290	0.33	0.10	0.35	0.27	22.4	22.2	39
I032212		0.38	<0.005	0.23	2.20	5.0	<0.2	<10	340	0.35	0.12	0.43	0.29	24.3	21.6	49
I032213		0.40	<0.005	0.26	2.31	5.0	<0.2	<10	300	0.30	0.12	0.37	0.26	17.85	24.5	51
I032214		0.26	<0.005	0.23	1.84	8.0	<0.2	<10	340	0.47	0.18	0.52	0.48	30.1	17.6	37
I032215		0.38	<0.005	0.22	1.78	6.6	<0.2	<10	260	0.33	0.14	0.32	0.18	13.65	15.3	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032176		10.35	54.2	2.92	7.24	0.06	0.03	0.01	0.024	0.50	14.6	15.4	0.95	394	1.26
I032177		3.70	19.4	2.82	6.37	0.06	0.06	0.04	0.026	0.11	13.2	19.1	0.58	316	0.78
I032178		3.24	16.6	2.99	6.45	0.06	0.03	0.05	0.023	0.13	12.9	19.4	0.61	695	1.11
I032179		5.45	16.0	3.14	6.04	0.06	0.04	0.02	0.023	0.29	11.8	22.6	0.71	249	1.13
I032180		5.24	19.7	2.66	7.14	0.06	0.03	0.04	0.020	0.13	14.9	19.9	0.59	436	1.26
I032181		5.80	26.3	2.57	7.19	0.10	0.05	0.07	0.024	0.13	24.8	19.6	0.62	578	1.52
I032182		5.20	27.7	3.43	9.68	0.08	0.04	0.04	0.020	0.58	13.3	17.7	0.84	309	1.50
I032183		3.93	27.6	2.67	7.00	0.07	0.05	0.05	0.023	0.19	14.6	19.3	0.65	433	0.97
I032184		2.92	20.0	2.71	6.40	0.06	0.05	0.03	0.021	0.16	11.8	18.1	0.61	342	1.09
I032185		7.13	91.0	3.44	6.94	0.26	0.45	0.03	0.038	0.34	96.4	13.6	0.91	1780	2.18
I032186		6.84	17.0	2.27	7.94	0.05	0.03	0.01	0.015	0.27	7.3	8.0	0.47	375	1.49
I032187		4.80	22.6	2.76	7.16	0.07	0.10	0.03	0.024	0.13	16.9	18.8	0.62	396	0.82
I032188		4.65	21.4	3.55	8.06	0.06	0.05	0.02	0.015	0.31	5.5	22.5	0.94	539	1.18
I032189		4.70	34.1	3.34	9.23	0.06	0.05	0.03	0.028	0.24	7.6	17.9	0.70	860	1.45
I032190		1.77	19.7	3.32	8.94	0.06	0.05	0.02	0.027	0.23	11.9	15.9	0.62	767	1.00
I032191		1.98	19.9	3.47	9.24	0.06	0.05	0.03	0.028	0.24	11.2	17.2	0.66	649	1.10
I032192		1.52	14.5	3.09	8.20	0.05	0.03	0.03	0.028	0.12	11.2	13.9	0.48	665	1.21
I032193		3.10	21.4	2.74	7.95	0.11	0.08	0.07	0.031	0.11	25.6	17.9	0.59	438	0.94
I032194		2.17	24.5	2.66	7.62	0.08	0.05	0.07	0.029	0.09	17.0	19.3	0.60	390	0.93
I032195		3.46	21.0	2.89	8.45	0.06	0.09	0.03	0.029	0.07	11.0	18.5	0.57	489	1.22
I032196		3.09	20.9	2.63	7.84	0.06	0.03	0.03	0.026	0.11	9.9	12.6	0.45	467	1.46
I032197		4.97	26.1	4.00	12.00	0.08	0.05	0.02	0.023	0.26	7.0	19.4	0.86	1220	1.59
I032198		1.93	18.8	2.90	7.03	0.06	0.08	0.03	0.029	0.09	10.4	13.9	0.52	442	0.86
I032199		1.43	20.7	2.70	5.59	0.05	0.04	0.03	0.021	0.12	10.3	10.5	0.50	989	0.83
I032200		2.23	15.0	3.46	8.87	0.06	0.03	0.03	0.036	0.18	8.9	17.1	0.70	953	1.37
I032201		0.70	19.1	3.10	8.42	0.06	0.11	0.01	0.026	0.14	9.3	10.5	0.74	1160	1.07
I032202		0.53	19.7	2.61	6.17	0.05	0.07	0.02	0.023	0.22	9.3	9.8	0.48	881	1.30
I032203		1.65	36.0	4.06	13.15	0.11	0.10	0.01	0.027	0.75	13.0	21.8	1.72	1060	0.98
I032204		1.20	17.5	3.45	11.80	0.07	0.06	0.01	0.036	0.39	13.2	13.7	0.89	695	0.96
I032205		0.55	11.4	2.81	8.56	0.05	0.04	0.02	0.029	0.11	12.2	9.9	0.45	1140	1.40
I032206		0.44	12.5	2.56	6.51	0.06	0.06	0.02	0.025	0.09	11.3	9.7	0.44	522	1.20
I032207		0.31	14.9	2.34	6.96	<0.05	0.03	0.01	0.019	0.05	6.3	8.2	0.39	358	1.41
I032208		1.00	63.9	3.97	11.00	0.09	0.05	0.02	0.038	0.28	9.5	15.1	1.31	1040	1.02
I032209		1.40	60.7	4.34	12.20	0.10	0.07	0.02	0.048	0.41	8.3	15.8	1.61	683	1.01
I032210		0.10	2.1	0.68	0.74	<0.05	0.08	<0.01	<0.005	0.05	5.5	1.5	0.05	168	0.33
I032211		1.46	52.0	3.93	11.30	0.09	0.06	0.01	0.034	0.47	9.6	16.0	1.49	389	1.14
I032212		1.03	39.1	3.44	9.42	0.07	0.06	0.02	0.027	0.35	9.8	15.4	1.22	915	1.28
I032213		0.94	35.3	3.61	10.50	0.06	0.05	0.02	0.025	0.22	7.6	16.4	1.27	704	1.44
I032214		0.42	23.7	2.96	7.11	0.06	0.13	0.02	0.032	0.18	12.0	11.6	0.57	1080	1.20
I032215		0.54	21.4	3.24	9.47	0.05	0.03	0.02	0.030	0.11	6.6	11.7	0.64	390	1.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032176		1.99	8.0	1050	6.5	37.2	<0.001	0.01	0.31	2.9	0.2	0.9	22.7	<0.01	0.04
I032177		1.57	11.8	570	9.5	15.1	<0.001	0.02	0.26	4.5	0.3	0.6	24.1	<0.01	0.01
I032178		1.23	11.8	570	10.4	17.8	<0.001	0.03	0.32	4.8	0.4	0.4	26.3	<0.01	0.02
I032179		1.04	9.3	830	7.3	25.5	<0.001	0.02	0.64	5.1	0.3	0.3	18.4	<0.01	0.03
I032180		1.56	12.1	830	11.4	20.0	<0.001	0.03	0.43	5.1	0.4	0.4	24.1	<0.01	0.03
I032181		1.31	14.2	750	11.1	20.0	<0.001	0.05	0.60	6.9	0.9	0.5	39.8	0.01	0.03
I032182		2.77	12.4	750	8.9	47.4	<0.001	0.03	0.38	5.9	0.5	0.5	20.8	<0.01	0.05
I032183		1.71	13.0	760	10.7	22.7	<0.001	0.02	0.47	6.3	0.6	0.4	29.2	<0.01	0.03
I032184		1.57	14.8	580	9.8	15.6	<0.001	0.02	0.44	4.8	0.4	0.5	26.1	<0.01	0.03
I032185		1.32	31.9	3530	9.4	22.7	0.001	0.17	2.66	15.0	2.7	0.4	357	0.04	0.06
I032186		1.97	8.2	270	5.9	32.9	<0.001	0.01	0.67	3.9	0.3	0.5	23.0	<0.01	0.02
I032187		1.37	16.8	660	11.5	17.9	<0.001	0.01	0.70	6.3	0.5	0.5	27.5	<0.01	0.03
I032188		1.64	12.7	640	7.0	33.7	<0.001	0.01	0.55	3.9	0.3	0.4	20.8	<0.01	0.02
I032189		1.82	21.9	400	11.4	34.2	<0.001	0.02	0.63	6.2	0.4	0.6	36.2	<0.01	0.03
I032190		1.47	21.4	240	8.4	21.9	<0.001	0.01	0.48	6.5	0.3	0.9	19.0	<0.01	0.03
I032191		1.59	22.2	250	9.0	23.3	<0.001	0.01	0.52	6.6	0.4	0.7	20.6	<0.01	0.03
I032192		1.48	19.5	360	9.4	18.8	<0.001	0.01	0.55	5.6	0.3	0.7	18.1	<0.01	0.03
I032193		1.43	14.5	860	9.2	14.0	<0.001	0.03	0.66	9.1	0.8	0.5	34.5	<0.01	0.03
I032194		1.55	18.1	610	11.0	14.8	<0.001	0.02	0.59	6.9	0.6	0.6	33.3	<0.01	0.03
I032195		1.34	17.3	610	12.5	16.4	<0.001	0.01	0.70	6.9	0.4	0.6	26.2	<0.01	0.03
I032196		1.32	14.8	480	11.6	19.8	<0.001	0.02	0.59	5.1	0.3	0.6	27.1	<0.01	0.03
I032197		1.61	13.6	760	55.4	37.9	<0.001	0.02	0.67	7.4	0.3	0.6	33.6	<0.01	0.03
I032198		1.46	20.4	250	16.3	12.0	<0.001	0.02	0.66	6.7	0.4	0.6	25.4	<0.01	0.03
I032199		1.08	17.2	280	19.4	10.1	<0.001	0.02	0.56	6.1	0.4	0.7	25.8	<0.01	0.02
I032200		1.30	14.9	660	43.0	21.5	<0.001	0.02	0.62	7.3	0.4	0.7	31.4	<0.01	0.03
I032201		1.67	24.6	180	7.6	15.9	<0.001	0.01	0.37	6.9	0.2	0.6	29.8	<0.01	0.03
I032202		1.77	20.7	270	9.0	21.5	<0.001	0.02	0.53	5.4	0.4	0.5	33.1	<0.01	0.03
I032203		2.83	35.7	380	6.9	49.6	<0.001	0.02	0.30	7.9	0.4	0.7	39.1	<0.01	0.02
I032204		4.17	16.4	300	11.7	36.1	<0.001	0.02	0.33	7.7	0.5	0.8	32.6	<0.01	0.03
I032205		2.33	15.5	270	9.2	10.9	<0.001	0.02	0.39	4.9	0.3	0.7	25.4	<0.01	0.03
I032206		1.64	17.6	240	8.3	8.1	<0.001	0.01	0.41	5.2	0.2	0.6	30.1	<0.01	0.03
I032207		2.07	13.5	230	10.9	3.9	<0.001	0.01	0.33	3.9	0.2	0.5	22.5	<0.01	0.04
I032208		1.15	22.3	640	6.1	15.8	<0.001	0.05	0.30	10.6	0.6	0.6	35.9	<0.01	0.07
I032209		0.99	18.3	640	5.9	28.3	<0.001	0.10	0.23	13.3	0.6	0.6	38.7	<0.01	0.10
I032210		0.14	4.2	130	1.6	2.6	<0.001	0.01	0.12	0.7	<0.2	<0.2	8.1	<0.01	<0.01
I032211		1.28	21.3	450	6.7	30.8	<0.001	0.04	0.27	9.6	0.5	0.5	26.8	<0.01	0.06
I032212		1.46	24.6	510	7.9	23.5	<0.001	0.03	0.32	7.3	0.4	0.6	33.9	<0.01	0.05
I032213		1.29	23.1	400	7.6	14.4	<0.001	0.02	0.35	6.7	0.3	0.5	29.6	<0.01	0.04
I032214		1.47	24.6	450	8.6	9.8	<0.001	0.02	0.49	7.4	0.5	0.6	38.1	<0.01	0.04
I032215		1.33	17.2	390	7.3	8.9	<0.001	0.08	0.38	5.2	0.4	0.6	36.4	<0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032176		0.116	0.27	0.42	55	0.79	3.76	97
I032177		0.085	0.12	0.79	58	0.17	6.62	66
I032178		0.082	0.11	0.85	64	0.17	6.71	64
I032179		0.115	0.16	0.71	68	0.14	4.75	61
I032180		0.078	0.12	1.05	55	0.63	6.81	69
I032181		0.076	0.12	1.65	60	0.25	16.30	69
I032182		0.187	0.23	0.89	82	0.24	6.23	83
I032183		0.097	0.11	1.12	59	0.27	8.71	79
I032184		0.094	0.10	0.63	62	0.23	5.59	65
I032185		0.101	0.20	3.49	74	0.35	89.3	152
I032186		0.107	0.18	0.37	65	0.19	4.31	53
I032187		0.070	0.09	0.73	58	0.26	11.35	60
I032188		0.180	0.13	0.30	79	0.29	2.53	69
I032189		0.130	0.14	0.47	90	0.25	3.48	79
I032190		0.103	0.12	0.46	81	0.19	5.05	55
I032191		0.109	0.13	0.45	84	0.19	4.71	56
I032192		0.096	0.10	0.48	69	0.23	4.26	52
I032193		0.073	0.09	1.24	55	0.28	18.80	75
I032194		0.081	0.08	0.87	61	0.38	10.65	71
I032195		0.065	0.09	0.58	69	0.32	6.09	79
I032196		0.073	0.08	0.44	66	0.26	4.42	57
I032197		0.187	0.13	0.36	106	0.24	3.84	198
I032198		0.065	0.08	0.63	68	0.25	4.07	66
I032199		0.064	0.06	0.62	66	0.24	9.16	72
I032200		0.080	0.09	0.50	76	0.26	5.17	119
I032201		0.105	0.09	0.29	71	0.16	5.07	47
I032202		0.088	0.06	0.31	56	0.17	3.88	50
I032203		0.223	0.21	0.47	82	0.13	8.50	99
I032204		0.140	0.14	0.77	52	0.13	11.60	98
I032205		0.066	0.10	0.44	53	0.14	6.63	72
I032206		0.065	0.08	0.42	60	0.13	3.84	54
I032207		0.046	0.07	0.34	60	0.13	4.58	53
I032208		0.144	0.09	0.65	92	0.12	6.66	108
I032209		0.158	0.14	0.54	107	0.08	7.39	150
I032210		0.011	0.03	0.33	7	<0.05	2.41	8
I032211		0.175	0.15	0.43	93	0.12	6.35	103
I032212		0.144	0.11	0.48	84	0.17	4.82	93
I032213		0.144	0.10	0.42	81	0.11	3.57	95
I032214		0.093	0.07	0.47	67	0.16	6.54	75
I032215		0.096	0.07	0.37	67	0.09	2.89	75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032216		0.38	0.005	0.22	1.72	5.9	<0.2	<10	250	0.26	0.14	0.30	0.19	15.90	15.6	36
I032217		0.40	0.005	0.24	2.17	6.3	<0.2	<10	440	0.29	0.12	0.58	0.31	16.85	21.1	27
I032218		0.28	0.005	0.15	1.94	5.7	<0.2	<10	400	0.31	0.12	0.61	0.13	21.6	15.0	27
I032219		0.28	<0.005	0.12	2.08	4.2	<0.2	<10	430	0.27	0.12	0.47	0.12	11.45	17.5	22
I032220		0.32	0.005	0.13	2.49	5.3	<0.2	<10	250	0.35	0.10	0.39	0.09	15.35	18.5	25
I032221		0.30	<0.005	0.16	2.45	5.8	<0.2	<10	280	0.38	0.10	0.39	0.12	15.90	17.5	27
I032222		0.38	<0.005	0.12	2.10	6.7	<0.2	<10	330	0.37	0.13	0.58	0.09	21.2	16.5	33
I032223		0.30	0.005	0.26	2.65	3.7	<0.2	<10	260	0.31	0.10	0.78	0.15	13.00	22.2	36
I032224		0.34	0.005	0.20	2.06	5.9	<0.2	<10	520	0.33	0.14	0.34	0.18	14.70	19.7	30
I032225		0.36	0.007	0.13	2.01	6.3	<0.2	<10	410	0.24	0.10	0.47	0.14	14.95	13.7	24
I032226		0.40	0.005	0.14	2.03	7.4	<0.2	<10	380	0.17	0.10	0.40	0.07	11.65	14.4	24
I032227		0.32	0.005	0.09	2.11	5.6	<0.2	<10	320	0.19	0.10	0.25	0.08	10.60	14.6	25
I032228		0.32	0.005	0.16	1.74	6.4	<0.2	<10	370	0.29	0.12	0.45	0.27	16.60	14.2	27
I032229		0.34	<0.005	0.09	1.87	7.4	<0.2	<10	220	0.24	0.13	0.24	0.09	11.25	12.5	26
I032230		0.50	<0.005	0.03	0.12	2.4	<0.2	<10	30	0.08	0.03	0.09	0.04	9.53	2.2	4
I032231		0.34	0.005	0.06	1.75	7.3	<0.2	<10	310	0.19	0.12	0.30	0.12	13.25	14.3	47
I032232		0.26	0.012	0.38	1.73	4.2	<0.2	<10	270	0.28	0.07	0.41	0.35	17.60	9.5	21
I032233		0.36	0.006	0.20	1.54	5.5	<0.2	<10	310	0.26	0.14	0.30	0.35	18.85	9.6	22
I032234		0.30	0.006	0.41	2.72	4.6	<0.2	<10	120	0.35	0.09	0.30	0.65	17.05	50.4	38
I032235		0.32	0.013	0.12	1.74	6.1	<0.2	<10	130	0.20	0.14	0.21	0.22	15.60	35.4	32
I032236		0.26	0.005	0.11	1.90	7.6	<0.2	<10	160	0.24	0.13	0.16	0.27	13.80	12.7	28
I032237		0.32	0.006	0.13	1.75	6.0	<0.2	<10	200	0.19	0.09	0.29	0.11	14.90	12.6	32
I032238		0.22	<0.005	0.27	1.83	5.2	<0.2	<10	310	0.26	0.13	0.27	0.20	19.10	25.2	24
I032239		0.32	<0.005	0.25	1.78	4.6	<0.2	<10	170	0.21	0.09	0.57	0.13	15.00	13.5	33
I032240		0.18	0.010	0.06	1.19	5.2	<0.2	<10	110	0.20	0.11	0.30	0.11	15.90	6.2	19
I032241		0.28	0.006	0.06	1.16	4.8	<0.2	<10	110	0.14	0.11	0.29	0.10	15.90	6.0	19
I032242		0.44	0.010	0.11	1.42	5.2	<0.2	<10	170	0.16	0.12	0.33	0.15	20.1	8.0	21
I032243		0.32	0.007	0.06	1.05	3.5	<0.2	<10	110	0.13	0.09	0.30	0.11	18.00	5.1	16
I032244		0.24	0.014	0.07	1.30	4.5	<0.2	<10	150	0.18	0.10	0.29	0.13	17.75	6.0	19
I032245		0.32	0.008	0.08	1.80	9.2	<0.2	<10	170	0.15	0.11	0.29	0.11	17.95	8.9	26
I032246		0.40	0.008	0.08	1.85	16.5	<0.2	<10	240	0.31	0.11	0.35	0.15	20.7	11.0	27
I032247		0.34	0.005	0.06	1.77	8.4	<0.2	<10	240	0.24	0.12	0.29	0.09	16.20	10.0	28
I032248		0.32	0.007	0.10	1.67	3.9	<0.2	<10	230	0.15	0.08	0.23	0.11	14.50	10.4	21
I032249		0.28	0.007	0.10	1.61	3.5	<0.2	<10	210	0.13	0.10	0.23	0.09	14.50	9.8	23
I032250		0.52	<0.005	0.02	0.11	6.7	<0.2	<10	30	0.07	0.06	0.08	0.04	10.55	2.4	4
I032251		0.22	NSS	0.09	0.92	2.7	<0.2	<10	140	0.11	0.09	0.18	0.09	12.65	4.7	16
I032252		0.40	0.006	0.06	2.04	6.0	<0.2	<10	140	0.20	0.14	0.22	0.15	15.45	9.2	30
I032253		0.42	0.006	0.05	2.05	6.2	<0.2	<10	310	0.30	0.12	0.35	0.11	18.65	12.8	35
I032254		0.52	<0.005	0.05	2.48	4.6	<0.2	<10	380	0.19	0.09	0.19	0.09	17.05	9.4	26
I032255		0.36	<0.005	0.20	2.75	3.0	<0.2	<10	350	0.15	0.11	0.47	0.09	15.85	15.1	71



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032216		0.41	27.4	3.23	6.59	0.07	0.04	0.02	0.027	0.20	7.7	8.8	0.70	460	1.29
I032217		1.26	44.9	4.16	7.74	0.11	0.06	0.02	0.026	0.65	6.9	12.3	1.02	848	1.25
I032218		1.06	26.3	3.23	6.45	0.10	0.09	0.03	0.027	0.45	9.3	11.3	0.88	1130	0.91
I032219		1.28	36.0	3.79	7.81	0.10	0.05	0.02	0.020	0.33	5.3	12.8	0.88	829	1.04
I032220		1.49	38.9	4.29	8.38	0.11	0.06	0.01	0.023	0.40	6.9	14.0	1.10	577	1.20
I032221		1.32	33.8	4.22	7.86	0.11	0.07	0.01	0.022	0.36	6.5	13.8	1.07	593	1.08
I032222		0.80	28.6	3.32	6.72	0.10	0.13	0.02	0.025	0.45	9.0	12.8	0.92	526	0.66
I032223		1.18	45.8	4.01	8.38	0.10	0.06	0.02	0.019	0.41	5.4	16.7	1.20	977	1.04
I032224		0.51	27.1	3.30	7.09	0.08	0.09	0.02	0.023	0.18	6.7	11.2	0.80	1160	0.84
I032225		0.99	26.7	3.36	7.54	0.09	0.06	0.01	0.027	0.34	7.4	14.2	1.13	495	0.70
I032226		1.15	31.1	3.50	7.83	0.10	0.06	0.02	0.024	0.45	5.8	15.5	1.12	455	0.81
I032227		1.37	26.7	3.72	8.54	0.10	0.03	0.01	0.020	0.31	5.4	12.0	1.38	372	1.03
I032228		0.48	25.3	2.85	5.93	0.07	0.04	0.03	0.022	0.28	6.6	9.9	0.63	1000	1.07
I032229		0.45	21.6	3.11	6.64	0.06	0.04	0.02	0.021	0.11	5.6	10.2	0.64	380	0.93
I032230		0.09	2.2	0.69	0.65	<0.05	0.06	<0.01	<0.005	0.04	4.9	1.2	0.04	158	0.34
I032231		0.80	44.7	3.26	8.17	0.08	0.04	0.03	0.016	0.25	6.0	13.3	0.95	386	0.99
I032232		0.69	39.5	2.76	6.88	0.10	0.04	0.06	0.015	0.25	9.4	9.8	0.85	213	0.82
I032233		0.44	21.1	2.71	6.87	0.08	0.02	0.04	0.023	0.10	9.8	10.2	0.54	1040	1.08
I032234		0.63	106.0	6.02	12.65	0.13	0.03	0.03	0.024	0.07	5.9	19.7	1.28	1540	2.35
I032235		0.71	40.2	3.42	8.11	0.08	0.04	0.03	0.018	0.06	6.6	10.5	0.63	783	1.56
I032236		0.92	25.9	3.60	8.08	0.08	0.03	0.03	0.022	0.14	6.6	13.2	0.64	592	1.22
I032237		0.46	44.3	3.04	6.37	0.09	0.04	0.02	0.021	0.16	7.6	10.0	0.87	254	1.29
I032238		0.81	31.9	3.48	8.28	0.09	0.02	0.02	0.033	0.26	8.9	8.5	0.76	1460	0.97
I032239		0.53	69.4	3.07	6.17	0.10	0.04	0.03	0.021	0.18	8.1	11.8	0.98	273	1.14
I032240		0.69	17.2	1.94	5.07	0.06	0.02	0.03	0.018	0.04	8.1	7.0	0.37	131	0.70
I032241		0.72	16.6	1.89	5.17	0.06	0.02	0.03	0.016	0.03	8.1	7.0	0.37	127	0.65
I032242		0.70	38.2	2.46	5.78	0.06	0.03	0.02	0.022	0.05	10.0	8.3	0.53	219	0.79
I032243		0.49	18.7	1.76	4.61	0.06	0.02	0.02	0.017	0.04	9.3	6.0	0.39	132	0.51
I032244		0.58	20.9	2.03	5.30	0.06	0.02	0.02	0.021	0.05	9.1	6.5	0.42	154	0.58
I032245		0.58	26.3	2.89	7.13	0.07	0.03	0.02	0.026	0.09	9.4	10.1	0.74	278	0.85
I032246		0.59	27.9	2.87	6.48	0.08	0.04	0.02	0.026	0.05	10.5	11.2	0.66	297	0.74
I032247		0.46	22.5	2.97	6.42	0.07	0.03	0.04	0.024	0.06	8.3	10.3	0.60	266	0.99
I032248		1.40	40.4	2.68	6.44	0.07	0.03	0.03	0.018	0.20	7.5	9.6	0.87	243	0.70
I032249		1.20	28.5	2.38	6.68	0.08	0.03	0.02	0.017	0.12	7.7	8.9	0.87	181	0.53
I032250		0.09	2.7	0.77	0.66	0.05	0.06	<0.01	<0.005	0.03	5.4	1.2	0.04	157	0.45
I032251		0.96	19.5	1.48	4.46	0.07	0.02	0.03	0.014	0.06	6.5	4.2	0.36	87	0.39
I032252		0.60	26.3	2.99	7.53	<0.05	0.03	0.04	0.027	0.04	7.6	10.5	0.62	219	0.84
I032253		0.54	15.9	3.08	6.32	<0.05	0.10	0.02	0.025	0.03	7.8	10.1	0.62	527	0.80
I032254		0.78	33.9	4.37	9.84	0.08	0.05	0.01	0.043	0.32	8.4	11.9	1.27	299	0.94
I032255		1.14	51.4	4.75	9.79	0.12	0.04	0.03	0.040	0.47	7.8	13.7	1.65	370	1.15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032216		1.53	20.0	300	7.6	13.1	<0.001	0.06	0.34	5.5	0.7	0.5	29.8	<0.01	0.06
I032217		1.74	20.7	580	6.3	30.0	<0.001	0.13	0.27	7.9	1.1	0.4	46.7	<0.01	0.09
I032218		1.79	22.8	350	6.8	31.1	<0.001	0.03	0.29	6.9	0.6	0.4	27.1	<0.01	0.03
I032219		2.06	17.7	370	5.7	28.4	<0.001	0.01	0.28	5.1	0.5	0.4	32.8	<0.01	0.03
I032220		2.10	20.3	440	5.4	23.6	<0.001	0.01	0.25	6.2	0.5	0.4	31.5	<0.01	0.03
I032221		2.02	21.3	350	5.6	22.4	<0.001	0.01	0.26	6.7	0.4	0.4	29.2	<0.01	0.03
I032222		1.79	25.5	270	6.7	22.0	<0.001	0.02	0.27	6.7	0.5	0.4	30.6	<0.01	0.03
I032223		1.28	23.2	320	5.2	23.4	<0.001	0.02	0.21	6.2	0.7	0.3	49.9	<0.01	0.03
I032224		1.72	23.7	370	7.0	11.8	<0.001	0.01	0.34	5.1	0.5	0.4	30.3	<0.01	0.03
I032225		1.75	16.8	460	5.5	20.9	<0.001	0.02	0.22	7.1	0.4	0.4	31.7	<0.01	0.02
I032226		1.62	17.6	270	5.5	24.2	<0.001	0.01	0.28	7.9	0.5	0.4	23.6	<0.01	0.02
I032227		1.81	15.4	240	5.5	20.6	<0.001	0.02	0.25	6.7	0.4	0.4	17.4	<0.01	0.02
I032228		1.55	21.9	450	6.4	17.0	<0.001	0.02	0.34	4.6	0.5	0.4	33.6	<0.01	0.02
I032229		1.69	16.7	280	6.4	8.0	<0.001	0.01	0.37	4.0	0.3	0.5	22.9	<0.01	0.02
I032230		0.21	4.8	120	2.0	2.2	<0.001	<0.01	0.13	0.7	<0.2	<0.2	6.9	<0.01	<0.01
I032231		1.95	20.5	560	5.7	19.1	<0.001	0.02	0.29	4.0	0.5	0.4	25.5	<0.01	0.03
I032232		1.64	13.0	670	4.1	18.8	<0.001	0.07	0.20	5.2	1.2	0.3	42.6	<0.01	0.03
I032233		1.48	14.1	450	11.6	11.1	<0.001	0.05	0.32	3.9	0.7	0.5	27.0	<0.01	0.04
I032234		2.62	26.8	730	6.2	10.5	<0.001	0.03	0.35	5.8	1.2	0.6	18.5	<0.01	0.07
I032235		2.08	19.9	340	6.6	8.9	<0.001	0.02	0.35	3.8	0.6	0.6	14.8	<0.01	0.03
I032236		2.25	16.6	490	7.2	18.0	<0.001	0.02	0.36	3.1	0.6	0.5	13.8	<0.01	0.03
I032237		1.64	24.7	570	8.6	12.1	<0.001	0.13	0.24	4.9	0.6	0.4	29.3	<0.01	0.05
I032238		3.60	16.8	600	5.8	22.0	<0.001	0.02	0.28	5.3	0.5	0.8	19.5	<0.01	0.04
I032239		1.53	28.4	600	7.2	16.4	0.001	0.12	0.21	5.4	1.3	0.4	34.5	<0.01	0.06
I032240		1.19	11.7	600	5.0	6.4	<0.001	0.04	0.22	2.9	0.8	0.4	21.3	<0.01	0.02
I032241		1.11	11.6	550	5.1	6.5	<0.001	0.04	0.20	2.8	0.8	0.4	20.9	<0.01	0.02
I032242		1.26	13.2	640	5.8	7.3	<0.001	0.09	0.22	4.1	0.8	0.4	28.2	<0.01	0.04
I032243		1.11	9.2	530	4.7	4.9	<0.001	0.04	0.15	3.6	0.5	0.4	19.7	<0.01	0.02
I032244		1.14	11.2	520	4.9	6.6	<0.001	0.04	0.17	3.1	0.7	0.4	21.7	<0.01	0.02
I032245		1.94	15.0	520	5.2	10.3	<0.001	0.05	0.20	4.9	0.7	0.5	23.4	<0.01	0.03
I032246		1.74	16.8	630	5.6	8.7	<0.001	0.03	0.28	5.2	0.7	0.5	29.6	<0.01	0.03
I032247		1.82	17.5	350	6.5	8.7	<0.001	0.03	0.29	4.5	0.6	0.8	28.5	<0.01	0.03
I032248		1.38	12.2	510	4.5	15.9	<0.001	0.03	0.18	4.8	0.7	0.4	17.0	<0.01	0.02
I032249		1.54	12.2	410	4.9	14.3	<0.001	0.03	0.15	4.7	0.6	0.5	19.4	<0.01	0.02
I032250		0.26	4.5	130	1.6	2.0	<0.001	0.01	0.12	0.7	0.2	<0.2	7.0	<0.01	<0.01
I032251		0.98	8.7	450	4.8	10.6	<0.001	0.04	0.14	2.4	0.9	0.3	16.5	<0.01	0.02
I032252		1.10	16.5	500	6.3	7.0	<0.001	0.03	0.27	3.7	0.4	0.6	18.7	<0.01	0.04
I032253		1.34	18.3	180	6.9	4.9	<0.001	0.02	0.32	5.5	0.2	0.5	27.4	<0.01	0.02
I032254		0.78	12.9	730	4.7	12.1	<0.001	0.45	0.19	8.2	1.1	0.7	41.2	<0.01	0.11
I032255		0.83	20.7	630	4.4	17.1	0.001	0.42	0.16	11.9	1.9	0.5	40.0	<0.01	0.14



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032216		0.102	0.08	0.48	76	0.13	3.81	63
I032217		0.155	0.15	0.48	98	0.10	4.36	70
I032218		0.138	0.12	0.29	72	0.11	6.17	61
I032219		0.170	0.15	0.29	84	0.10	2.70	65
I032220		0.187	0.15	0.41	85	0.10	3.76	69
I032221		0.176	0.13	0.43	85	0.12	3.55	65
I032222		0.143	0.12	0.25	76	0.11	6.01	52
I032223		0.185	0.12	0.66	121	0.09	4.14	58
I032224		0.128	0.09	0.29	89	0.11	2.84	60
I032225		0.143	0.11	0.40	90	0.20	3.58	60
I032226		0.174	0.14	0.32	102	0.13	2.43	53
I032227		0.185	0.14	0.27	117	0.12	1.82	52
I032228		0.107	0.07	0.37	68	0.13	2.71	45
I032229		0.110	0.08	0.27	77	0.12	1.78	48
I032230		0.008	0.03	0.32	5	<0.05	2.03	5
I032231		0.172	0.09	0.42	96	0.16	2.07	51
I032232		0.129	0.08	1.50	62	0.10	12.45	55
I032233		0.078	0.06	0.79	54	0.10	6.23	59
I032234		0.290	0.09	1.56	129	0.06	10.00	261
I032235		0.156	0.11	0.56	88	0.19	4.72	94
I032236		0.152	0.12	0.42	85	0.17	2.98	86
I032237		0.123	0.13	0.46	68	0.11	2.97	67
I032238		0.137	0.12	0.43	59	0.09	3.34	71
I032239		0.120	0.17	1.38	69	0.14	6.07	82
I032240		0.064	0.06	0.54	46	0.28	4.40	41
I032241		0.066	0.07	0.51	45	0.16	3.98	39
I032242		0.081	0.07	0.72	68	0.24	5.64	67
I032243		0.075	0.05	0.54	47	0.67	4.45	41
I032244		0.073	0.06	0.56	48	0.20	5.03	44
I032245		0.124	0.09	0.60	69	0.12	4.78	64
I032246		0.107	0.07	0.63	68	0.12	5.90	65
I032247		0.102	0.06	0.47	73	0.17	4.15	52
I032248		0.130	0.11	0.50	79	0.18	3.33	48
I032249		0.134	0.10	0.47	68	0.14	3.14	47
I032250		0.008	0.03	0.31	5	0.26	2.37	5
I032251		0.065	0.08	0.45	27	0.16	2.55	28
I032252		0.097	0.06	0.59	69	0.18	4.56	62
I032253		0.099	0.09	0.34	74	0.13	3.09	52
I032254		0.134	0.11	0.53	90	0.09	4.71	88
I032255		0.170	0.14	0.58	137	0.08	4.95	83



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032256		0.22	0.007	0.17	1.25	3.5	<0.2	<10	300	0.18	0.05	2.79	0.22	11.00	9.2	20
I032257		0.30	<0.005	0.25	2.15	3.2	<0.2	<10	390	0.27	0.05	1.20	0.23	15.80	19.6	33
I032258		0.36	0.036	0.15	1.88	4.0	<0.2	<10	370	0.23	0.06	0.91	0.18	17.45	12.9	25
I032259		0.38	0.005	0.05	2.76	9.1	<0.2	<10	130	0.48	0.18	0.16	0.16	42.9	18.6	40
I032260		0.52	<0.005	0.02	0.13	6.1	<0.2	<10	30	0.08	0.03	0.06	0.05	9.39	2.7	5
I032261		0.36	<0.005	0.16	2.51	9.8	<0.2	<10	130	0.78	0.30	0.10	0.18	108.0	31.1	31
I032262		0.40	0.005	0.03	1.51	9.5	<0.2	<10	80	0.21	0.23	0.10	0.10	19.45	4.7	31
I032263		0.34	<0.005	0.09	1.71	5.8	<0.2	<10	130	0.49	0.25	0.15	0.09	57.2	12.4	31
I032264		0.36	0.005	0.09	2.05	6.0	<0.2	<10	120	0.50	0.26	0.10	0.11	63.3	8.2	30
I032265		0.30	<0.005	0.05	1.40	8.6	<0.2	<10	80	0.16	0.19	0.13	0.12	24.5	7.0	31
I032266		0.34	<0.005	0.10	1.71	7.5	0.3	<10	90	0.28	0.31	0.09	0.10	64.8	10.5	33
I032267		0.38	<0.005	0.04	2.35	8.9	<0.2	<10	140	0.42	0.17	0.18	0.11	49.0	14.3	37
I032268		0.28	<0.005	0.04	2.44	10.4	<0.2	<10	90	0.36	0.19	0.11	0.14	26.8	11.6	37
I032269		0.40	<0.005	0.08	1.93	2.6	<0.2	<10	120	0.32	0.33	0.05	0.07	74.8	5.2	33
I032270		0.32	<0.005	0.05	2.32	6.8	<0.2	<10	140	0.52	0.20	0.13	0.13	54.8	13.1	34
I032271		0.36	<0.005	0.05	2.48	4.9	<0.2	<10	160	0.57	0.19	0.12	0.13	67.8	13.5	36
I032272		0.38	<0.005	0.11	2.01	8.0	<0.2	<10	110	0.41	0.25	0.13	0.12	42.9	12.5	32
I032273		0.34	<0.005	0.10	1.98	8.2	<0.2	<10	110	0.33	0.23	0.11	0.13	36.4	11.0	34
I032274		0.36	<0.005	0.10	2.46	3.7	<0.2	<10	90	0.57	0.32	0.40	0.18	80.7	18.4	35
I032275		0.30	<0.005	0.28	2.61	8.1	<0.2	<10	80	0.49	0.26	0.12	0.13	88.6	15.0	39
I032276		0.40	0.008	0.11	2.53	9.0	<0.2	<10	210	0.38	0.21	0.17	0.11	23.4	16.4	49
I032277		0.34	<0.005	0.08	2.53	4.3	<0.2	<10	120	0.90	0.22	0.04	0.20	110.5	16.2	31
I032278		0.38	<0.005	0.04	2.54	11.3	<0.2	<10	150	0.51	0.16	0.16	0.14	38.3	15.4	40
I032279		0.48	<0.005	0.03	3.47	1.4	<0.2	<10	130	0.84	0.21	0.06	0.13	91.3	21.3	42
I032280		0.50	NSS	0.03	0.36	9.6	<0.2	<10	130	0.28	0.03	0.67	0.26	31.6	12.4	12
I032281		0.28	<0.005	0.07	2.12	2.9	<0.2	<10	180	0.36	0.11	0.29	0.11	37.3	12.5	47
I032282		0.42	<0.005	0.03	2.18	17.1	<0.2	<10	90	0.29	0.17	0.15	0.19	24.1	12.7	52
I032283		0.48	<0.005	0.06	2.66	4.5	<0.2	<10	90	0.44	0.28	0.07	0.11	88.5	13.8	34
I032284		0.38	<0.005	0.08	2.00	7.8	<0.2	<10	100	0.35	0.25	0.18	0.19	24.9	11.1	34
I032285		0.32	<0.005	0.07	2.26	5.9	<0.2	<10	80	0.32	0.12	0.16	0.12	13.75	11.6	50
I032286		0.36	0.005	0.30	2.03	5.6	<0.2	<10	90	0.39	0.24	0.09	0.14	25.6	10.0	35
I032287		0.34	<0.005	0.09	2.00	9.9	<0.2	<10	280	0.32	0.19	0.29	0.11	18.15	11.3	35
I032288		0.34	0.006	0.14	2.58	8.8	<0.2	<10	80	0.58	0.27	0.12	0.10	35.5	11.4	44
I032289		0.34	<0.005	0.23	2.51	5.8	<0.2	<10	80	0.52	0.27	0.19	0.28	25.8	12.0	73
I032290		0.36	<0.005	0.05	2.20	7.2	<0.2	<10	130	0.39	0.33	0.09	0.17	46.8	16.0	33
I032291		0.36	<0.005	0.05	1.87	7.2	<0.2	<10	110	0.33	0.30	0.08	0.17	41.2	12.4	28
I032292		0.42	0.006	0.04	2.04	5.5	<0.2	<10	190	0.32	0.12	0.35	0.04	33.0	10.4	32
I032293		0.42	0.005	0.03	1.85	7.1	<0.2	<10	100	0.25	0.11	0.27	0.06	16.90	8.8	27
I032294		0.32	<0.005	0.15	2.99	9.7	<0.2	<10	210	0.47	0.24	0.25	0.12	25.1	15.4	40
I032295		0.28	<0.005	0.07	0.42	2.3	<0.2	<10	20	<0.05	0.08	0.03	0.10	5.41	1.4	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032256		0.61	61.5	2.05	3.76	0.06	0.08	0.05	0.013	0.12	6.3	8.5	0.68	296	0.55
I032257		0.90	78.6	3.08	5.85	0.06	0.05	0.05	0.015	0.18	8.6	15.3	1.16	610	0.40
I032258		0.90	31.7	2.86	6.08	0.07	0.04	0.03	0.021	0.10	9.4	13.7	1.04	435	0.62
I032259		1.86	24.4	3.62	7.46	0.07	0.08	0.03	0.029	0.18	13.5	23.8	0.87	326	1.05
I032260		0.09	3.0	0.85	0.71	<0.05	0.07	<0.01	<0.005	0.02	4.7	1.6	0.04	160	0.43
I032261		1.70	41.3	5.30	6.41	0.10	0.09	0.05	0.033	0.07	43.0	16.8	0.43	428	2.10
I032262		1.11	12.5	2.91	8.13	0.05	0.02	0.05	0.049	0.02	10.2	10.1	0.33	154	1.66
I032263		1.05	40.5	3.68	5.00	0.08	0.04	0.03	0.028	0.04	30.0	12.2	0.50	372	1.75
I032264		2.22	29.1	4.41	6.72	0.09	0.03	0.03	0.030	0.17	35.5	17.5	0.64	222	1.72
I032265		1.29	12.2	2.92	7.45	0.05	0.04	0.04	0.019	0.06	11.9	12.0	0.48	167	1.26
I032266		1.98	19.9	4.34	9.32	0.09	0.06	0.02	0.021	0.34	27.2	13.9	0.69	346	1.89
I032267		1.38	23.7	3.47	6.65	0.07	0.08	0.02	0.026	0.16	17.9	16.6	0.77	360	0.94
I032268		1.66	15.6	3.70	7.79	0.06	0.05	0.04	0.028	0.09	13.0	19.5	0.60	293	1.31
I032269		2.84	35.6	4.07	9.73	0.11	0.02	0.02	0.031	0.45	43.7	20.2	0.99	138	1.78
I032270		1.72	32.2	3.93	7.39	0.12	0.06	0.03	0.028	0.30	56.4	23.7	0.77	308	1.63
I032271		2.19	35.1	4.16	8.13	0.14	0.07	0.02	0.030	0.43	72.5	28.5	0.90	292	1.68
I032272		1.20	28.2	3.89	8.99	0.07	0.03	0.03	0.029	0.07	21.6	17.2	0.54	287	1.63
I032273		1.36	20.9	3.77	8.62	0.06	0.05	0.02	0.025	0.06	13.0	15.6	0.53	333	1.51
I032274		2.42	54.6	5.01	6.49	0.11	0.06	0.03	0.043	0.41	27.3	16.1	0.88	684	0.67
I032275		2.65	31.7	3.87	7.33	0.09	0.09	0.06	0.031	0.19	37.0	19.4	0.72	327	0.97
I032276		1.67	17.7	4.53	10.85	0.07	0.07	0.02	0.034	0.08	11.0	20.2	0.64	586	1.53
I032277		1.07	29.8	8.29	3.71	0.12	0.20	0.05	0.068	0.02	24.0	2.4	0.09	4820	0.55
I032278		1.09	23.0	3.59	6.51	0.07	0.07	0.04	0.032	0.06	14.3	14.7	0.65	396	1.08
I032279		5.28	24.1	5.30	9.98	0.12	0.10	0.01	0.038	1.12	13.8	24.9	1.29	142	0.35
I032280		0.43	8.6	2.45	1.79	0.08	0.09	0.01	0.008	0.07	14.1	4.7	0.29	1020	1.41
I032281		2.82	25.4	3.25	8.41	0.07	0.03	0.03	0.022	0.45	15.5	20.1	1.07	275	0.76
I032282		1.62	18.8	4.70	9.11	0.08	0.06	0.02	0.030	0.15	11.1	24.5	0.89	351	1.15
I032283		3.34	32.7	4.93	8.16	0.09	0.06	0.02	0.027	0.57	19.0	30.4	0.83	321	0.99
I032284		1.47	17.5	3.66	7.56	0.06	0.04	0.02	0.026	0.07	9.7	13.1	0.51	220	1.05
I032285		1.32	14.5	3.55	8.39	0.05	0.04	0.02	0.020	0.08	6.3	15.2	0.80	228	1.13
I032286		1.46	17.2	4.00	9.84	0.05	0.03	0.02	0.029	0.09	9.9	19.4	0.66	227	1.28
I032287		1.31	15.6	3.53	7.70	0.05	0.03	0.02	0.028	0.03	9.0	14.9	0.54	494	1.36
I032288		2.06	25.2	4.62	9.78	0.08	0.07	0.04	0.039	0.06	14.9	25.7	0.58	260	1.53
I032289		1.85	22.4	4.11	9.18	0.09	0.06	0.02	0.032	0.09	12.6	23.5	0.84	264	1.30
I032290		2.43	32.1	4.86	9.78	0.10	0.10	0.02	0.025	0.30	14.9	21.8	0.70	482	1.18
I032291		1.78	25.8	4.23	9.76	0.09	0.09	0.02	0.023	0.19	13.5	16.2	0.53	394	1.35
I032292		2.02	23.0	2.99	6.35	0.10	0.12	0.05	0.026	0.12	17.5	15.7	0.69	428	0.61
I032293		1.27	15.8	2.63	5.88	0.08	0.05	0.02	0.020	0.03	8.6	13.9	0.49	305	0.69
I032294		2.18	26.2	3.79	9.30	0.09	0.11	0.05	0.038	0.07	14.4	16.7	0.54	779	1.46
I032295		0.44	9.6	0.84	2.41	<0.05	<0.02	0.03	0.007	0.01	2.9	1.1	0.05	50	0.90



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032256		0.96	17.5	860	3.5	9.9	<0.001	0.12	0.33	3.2	1.1	0.2	37.8	0.01	0.03
I032257		0.83	21.6	680	3.5	19.8	<0.001	0.04	0.20	5.0	0.8	0.3	41.3	<0.01	0.03
I032258		1.10	16.5	740	4.1	16.7	<0.001	0.03	0.23	5.7	0.6	0.4	35.1	<0.01	0.02
I032259		1.53	39.3	450	8.1	26.5	<0.001	0.04	0.41	4.6	0.6	0.6	15.3	0.01	0.03
I032260		0.20	4.7	130	1.5	2.3	<0.001	<0.01	0.12	0.6	<0.2	0.2	7.0	<0.01	0.01
I032261		1.17	74.1	630	12.2	19.6	<0.001	0.08	0.47	3.8	1.1	0.5	22.7	0.01	0.04
I032262		0.94	11.2	440	9.9	8.3	<0.001	0.04	0.44	1.4	0.5	0.7	13.3	<0.01	0.03
I032263		1.01	29.6	490	13.4	11.3	<0.001	0.05	0.42	4.6	0.8	0.4	18.9	<0.01	0.03
I032264		0.94	18.4	610	10.6	28.2	<0.001	0.20	0.32	3.5	1.0	0.5	19.4	<0.01	0.04
I032265		1.84	16.2	400	8.9	15.1	<0.001	0.03	0.37	2.4	0.5	0.6	13.9	<0.01	0.03
I032266		3.02	25.8	530	12.7	39.4	<0.001	0.05	0.36	3.1	0.5	0.7	12.2	<0.01	0.03
I032267		2.18	33.0	370	8.2	22.1	<0.001	0.03	0.42	4.1	0.6	0.5	15.3	<0.01	0.03
I032268		2.43	21.3	470	9.4	17.9	<0.001	0.02	0.48	3.8	0.5	0.6	12.6	0.01	0.03
I032269		0.98	11.7	620	13.1	42.1	<0.001	0.29	0.14	3.3	0.9	0.6	18.8	<0.01	0.05
I032270		1.91	28.4	590	10.9	34.0	<0.001	0.09	0.34	4.2	0.8	0.6	15.5	0.01	0.03
I032271		2.06	30.5	570	11.5	42.8	<0.001	0.11	0.25	4.7	0.8	0.7	15.2	0.01	0.03
I032272		1.59	30.9	440	9.5	18.1	<0.001	0.07	0.44	3.2	0.6	0.7	16.6	<0.01	0.04
I032273		2.12	25.7	370	10.0	20.3	<0.001	0.03	0.49	3.3	0.4	0.7	12.2	<0.01	0.03
I032274		9.27	46.7	1370	50.9	55.4	<0.001	0.03	0.18	4.2	0.7	0.7	17.3	0.01	0.05
I032275		3.69	31.9	320	11.7	31.8	<0.001	0.03	0.42	4.5	0.8	0.6	13.9	0.01	0.03
I032276		3.10	29.4	280	11.6	24.1	<0.001	0.01	0.46	4.5	0.4	1.0	16.3	<0.01	0.04
I032277		0.39	30.7	700	49.4	13.8	<0.001	0.03	0.24	7.0	1.6	0.5	8.5	0.01	0.03
I032278		1.59	30.7	440	10.4	12.7	<0.001	0.02	0.53	5.1	0.6	0.5	16.0	0.01	0.03
I032279		4.99	39.1	330	11.4	116.5	<0.001	0.01	0.08	4.8	0.4	1.0	5.4	<0.01	0.02
I032280		0.90	19.7	750	4.5	9.9	<0.001	0.01	0.50	1.9	0.3	13.0	13.0	<0.01	0.02
I032281		2.39	23.2	610	6.6	43.9	<0.001	0.03	0.17	3.5	0.4	0.9	19.6	<0.01	0.02
I032282		2.34	29.0	340	14.4	22.7	<0.001	0.02	0.38	5.1	0.4	0.7	13.7	<0.01	0.03
I032283		3.23	36.2	390	13.3	70.3	<0.001	0.03	0.25	3.6	0.6	0.6	9.4	0.01	0.04
I032284		2.85	26.3	290	9.7	22.7	<0.001	0.01	0.44	2.9	0.4	0.6	15.0	<0.01	0.04
I032285		2.26	26.5	300	7.3	18.9	<0.001	0.02	0.39	3.5	0.4	0.7	12.6	<0.01	0.03
I032286		1.60	23.3	400	13.0	34.2	<0.001	0.03	0.45	3.5	0.4	0.9	11.1	<0.01	0.04
I032287		2.17	22.1	290	10.5	17.5	<0.001	0.02	0.50	3.6	0.4	0.7	21.1	<0.01	0.03
I032288		2.95	31.7	390	21.6	25.1	<0.001	0.02	0.52	4.2	0.7	0.8	11.5	0.01	0.03
I032289		2.55	38.3	250	18.9	35.2	<0.001	0.01	0.38	5.0	0.4	0.8	14.1	<0.01	0.03
I032290		4.13	30.4	480	15.2	46.0	<0.001	0.01	0.27	3.7	0.5	0.9	9.2	0.01	0.04
I032291		3.97	25.0	420	14.7	36.7	<0.001	0.01	0.33	3.2	0.4	0.9	8.9	<0.01	0.04
I032292		1.82	22.2	640	6.6	24.8	<0.001	0.01	0.26	7.0	0.5	0.8	25.2	<0.01	0.01
I032293		1.60	19.8	610	5.7	9.0	<0.001	0.01	0.31	3.4	0.5	0.5	22.3	0.01	0.02
I032294		2.35	23.1	520	12.9	18.5	<0.001	0.02	0.36	6.1	0.7	0.9	23.8	<0.01	0.02
I032295		0.31	4.8	300	3.3	2.9	<0.001	0.01	0.17	0.6	0.4	0.3	8.2	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032256		0.080	0.09	0.67	49	0.31	7.43	50	3.0
I032257		0.153	0.16	1.00	83	0.13	13.80	68	1.9
I032258		0.130	0.10	0.79	71	0.15	8.61	64	1.6
I032259		0.127	0.20	1.16	60	0.16	5.39	70	2.9
I032260		0.007	0.03	0.29	4	0.17	2.01	4	2.9
I032261		0.050	0.17	2.39	52	0.16	19.70	120	2.9
I032262		0.064	0.12	0.62	73	0.16	2.37	36	0.7
I032263		0.059	0.16	1.85	50	0.13	11.85	60	1.3
I032264		0.087	0.27	1.80	45	0.24	5.47	64	1.1
I032265		0.106	0.15	0.70	66	0.18	3.43	45	1.4
I032266		0.157	0.31	1.78	68	0.15	6.88	67	2.5
I032267		0.136	0.20	1.34	62	0.16	6.63	64	2.9
I032268		0.109	0.18	0.81	72	0.21	3.99	60	1.9
I032269		0.118	0.38	1.72	47	0.06	2.61	69	0.6
I032270		0.115	0.25	2.50	52	0.13	12.30	72	2.3
I032271		0.135	0.33	3.08	50	0.12	15.70	81	2.8
I032272		0.115	0.17	1.11	71	0.15	5.64	66	1.5
I032273		0.118	0.16	0.88	74	0.15	4.73	63	2.1
I032274		0.152	0.41	1.35	34	0.10	12.95	123	2.6
I032275		0.153	0.31	2.23	57	0.28	13.90	71	3.6
I032276		0.163	0.17	0.48	102	0.13	4.15	79	3.0
I032277		0.008	0.18	1.73	21	0.06	21.1	90	7.0
I032278		0.100	0.12	0.81	67	0.16	4.85	64	2.8
I032279		0.220	0.88	0.91	44	0.05	7.27	133	4.6
I032280		0.029	0.18	0.66	17	0.07	7.85	25	4.5
I032281		0.155	0.27	0.72	51	0.12	7.43	65	1.0
I032282		0.160	0.16	0.59	88	0.16	3.96	66	2.6
I032283		0.161	0.55	1.70	41	0.10	11.70	90	2.4
I032284		0.122	0.17	0.66	66	0.17	4.32	63	1.7
I032285		0.166	0.16	0.43	78	0.13	2.65	62	1.7
I032286		0.127	0.17	0.60	76	0.11	4.06	75	1.6
I032287		0.093	0.15	0.44	75	0.16	3.43	56	1.4
I032288		0.117	0.17	1.12	89	0.17	7.72	84	2.5
I032289		0.129	0.19	0.75	90	0.14	5.06	78	2.1
I032290		0.174	0.39	1.58	67	0.13	9.22	105	4.1
I032291		0.151	0.28	1.19	73	0.13	7.44	89	3.7
I032292		0.157	0.22	1.34	73	0.17	10.80	51	4.6
I032293		0.111	0.11	0.61	61	0.18	4.91	41	1.5
I032294		0.138	0.20	2.72	90	0.19	6.34	58	4.2
I032295		0.035	0.04	0.34	22	0.07	0.98	13	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032296		0.28	<0.005	0.06	0.53	1.6	<0.2	<10	40	0.11	0.07	0.08	0.05	9.05	1.8	9
I032297		0.44	0.005	0.05	2.65	7.4	<0.2	<10	200	0.42	0.14	0.36	0.05	33.0	11.3	37
I032298		0.30	0.005	0.08	1.35	4.4	<0.2	<10	100	0.13	0.13	0.22	0.09	14.50	5.6	23
I032299		0.34	0.006	0.05	2.41	16.1	<0.2	<10	170	0.47	0.17	0.28	0.08	30.0	11.4	34
I032300		0.10	<0.005	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	<0.01	0.01	1.14	0.1	1
I032301		0.40	<0.005	0.03	2.12	5.4	<0.2	<10	120	0.27	0.12	0.30	0.07	20.6	9.7	31
I032302		0.38	<0.005	0.07	2.31	8.0	<0.2	<10	150	0.35	0.13	0.31	0.08	19.50	11.1	34
I032303		0.28	<0.005	0.11	1.02	2.7	<0.2	<10	60	0.16	0.09	0.07	0.05	10.45	2.8	15
I032304		0.28	<0.005	0.04	1.88	4.7	<0.2	<10	70	0.17	0.12	0.18	0.10	12.75	6.7	26
I032305		0.42	<0.005	0.07	1.68	4.1	<0.2	<10	110	0.19	0.11	0.17	0.07	15.65	6.8	23
I032306		0.38	<0.005	0.05	1.93	10.0	<0.2	<10	140	0.31	0.19	0.14	0.19	16.30	10.0	20
I032307		0.42	0.006	0.04	2.48	15.3	<0.2	<10	120	0.43	0.19	0.12	0.28	18.05	10.3	34
I032308		0.40	<0.005	0.04	1.65	96.6	<0.2	<10	80	0.24	0.30	0.11	0.11	13.45	5.1	22
I032309		0.30	<0.005	0.11	0.80	4.4	<0.2	<10	70	0.10	0.10	0.09	0.05	8.16	2.4	11
I032310		0.36	0.005	0.12	1.99	18.5	<0.2	<10	110	0.34	0.30	0.15	0.08	14.20	7.0	26
I032311		0.36	0.005	0.13	2.16	25.0	<0.2	<10	130	0.36	0.29	0.17	0.09	15.45	8.6	26
I032312		0.26	0.016	0.31	2.12	631	<0.2	<10	400	0.55	0.19	0.48	0.41	31.8	11.7	25
I032313		0.28	<0.005	0.11	2.13	28.0	<0.2	<10	150	0.29	0.17	0.33	0.15	26.1	9.2	29
I032314		0.32	0.010	0.17	2.24	14.9	<0.2	<10	310	0.50	0.16	0.66	0.20	55.1	11.5	29
I032315		0.32	<0.005	0.08	2.12	10.7	<0.2	<10	230	0.25	0.14	0.59	0.11	24.3	9.8	28
I032316		0.54	<0.005	0.06	2.08	7.7	<0.2	<10	230	0.31	0.13	0.70	0.12	26.4	11.2	31
I032317		0.40	<0.005	0.12	2.10	6.6	<0.2	<10	190	0.31	0.15	0.43	0.11	21.0	8.7	28
I032318		0.34	0.005	0.10	1.91	5.8	<0.2	<10	200	0.20	0.14	0.56	0.12	18.65	9.9	28
I032319		0.34	<0.005	0.08	1.92	4.9	<0.2	<10	150	0.21	0.37	0.34	0.09	17.80	7.4	25
I032320		0.10	<0.005	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	<0.01	0.01	0.96	0.1	1
I032321		0.34	0.010	0.08	2.03	5.1	<0.2	<10	200	0.26	0.13	0.51	0.07	19.45	9.3	26
I032322		0.42	0.006	0.06	1.64	5.6	<0.2	<10	130	0.28	0.10	0.93	0.11	18.70	10.2	32
I032323		0.34	0.010	0.03	1.51	6.9	<0.2	<10	120	0.22	0.09	0.79	0.11	17.90	10.6	30
I032324		0.32	0.006	0.06	1.33	5.7	<0.2	<10	110	0.21	0.09	0.43	0.13	15.30	8.4	26
I032325		0.34	0.006	0.03	1.98	4.7	<0.2	<10	210	0.29	0.12	0.37	0.06	14.20	6.7	32
I032326		0.32	<0.005	0.03	1.89	5.5	<0.2	<10	150	0.41	0.13	0.30	0.07	15.00	6.5	32
I032327		0.32	<0.005	0.04	2.65	2.8	<0.2	<10	160	0.32	0.11	0.67	0.05	21.0	9.9	20
I032328		0.26	0.009	0.05	0.87	2.3	<0.2	<10	130	0.12	0.11	0.21	0.05	11.20	3.4	16
I032329		0.30	<0.005	0.04	1.24	5.4	<0.2	<10	150	0.16	0.13	0.11	0.03	13.60	4.8	19
I032330		0.40	0.006	0.04	1.42	4.1	<0.2	<10	230	0.43	0.12	0.23	0.03	18.05	5.9	20
I032331		0.30	<0.005	0.06	1.46	4.1	<0.2	<10	250	0.41	0.14	0.25	0.04	19.80	6.4	21
I032332		0.28	0.006	0.03	1.50	5.5	<0.2	<10	260	0.36	0.14	0.18	0.12	16.10	7.6	26
I032333		0.30	<0.005	0.05	1.57	3.5	<0.2	<10	150	0.34	0.12	0.18	0.10	13.85	5.8	22
I032334		0.38	0.006	0.07	1.80	6.1	<0.2	<10	170	0.41	0.15	0.14	0.08	14.05	7.3	28
I032335		0.36	<0.005	0.22	1.81	9.7	<0.2	<10	180	0.28	0.14	0.12	0.04	13.50	7.0	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032296		0.50	8.1	0.79	2.47	<0.05	<0.02	0.02	0.008	0.01	5.2	1.9	0.10	68	0.42
I032297		1.43	31.4	3.24	6.88	0.09	0.14	0.04	0.028	0.06	17.8	16.1	0.67	309	0.59
I032298		1.17	15.2	2.02	5.45	0.06	0.03	0.03	0.017	0.03	7.6	8.7	0.41	160	0.70
I032299		3.14	25.5	3.23	6.43	0.09	0.11	0.04	0.028	0.10	15.2	16.2	0.69	421	0.60
I032300		<0.05	0.6	0.02	0.07	<0.05	0.02	<0.01	<0.005	<0.01	0.6	0.1	<0.01	<5	<0.05
I032301		1.33	18.5	2.92	6.25	0.09	0.11	0.02	0.025	0.06	11.4	16.9	0.64	306	0.54
I032302		1.76	23.3	3.16	6.33	0.09	0.12	0.03	0.026	0.06	10.6	15.3	0.62	328	0.77
I032303		1.06	11.9	1.35	3.72	<0.05	0.02	0.04	0.014	0.02	5.7	4.3	0.16	99	0.48
I032304		1.12	15.1	2.54	5.53	0.06	0.06	0.02	0.021	0.04	6.8	12.4	0.45	191	0.61
I032305		2.00	14.1	2.36	5.48	0.06	0.05	0.03	0.019	0.07	8.3	11.3	0.47	215	0.52
I032306		5.07	16.1	3.76	9.44	0.07	0.05	0.04	0.032	0.23	8.2	13.5	0.54	513	1.13
I032307		1.74	18.5	3.83	7.35	0.07	0.12	0.03	0.030	0.04	9.3	17.4	0.46	408	1.32
I032308		1.82	13.3	2.77	7.85	0.06	0.04	0.02	0.021	0.04	7.1	10.3	0.32	165	1.11
I032309		0.64	8.8	1.38	3.56	<0.05	<0.02	0.03	0.012	0.01	4.1	3.1	0.12	68	0.46
I032310		1.59	14.5	3.29	7.96	0.07	0.07	0.03	0.025	0.05	7.4	11.5	0.33	221	1.33
I032311		2.47	16.0	3.46	7.84	0.07	0.08	0.04	0.029	0.10	7.6	12.2	0.41	312	1.18
I032312		6.39	22.5	3.26	5.73	0.08	0.05	1.05	0.033	0.12	18.4	11.2	0.39	948	1.15
I032313		1.47	22.5	3.18	6.89	0.08	0.08	0.05	0.025	0.09	15.5	13.2	0.57	395	0.85
I032314		1.24	30.4	3.02	6.54	0.11	0.09	0.08	0.028	0.10	35.3	13.4	0.47	685	1.00
I032315		1.60	16.6	3.32	7.01	0.10	0.10	0.03	0.026	0.17	15.6	15.0	0.68	526	0.76
I032316		1.48	20.3	3.25	6.80	0.11	0.17	0.02	0.026	0.19	14.9	17.7	0.79	426	0.49
I032317		0.99	19.4	3.08	7.06	0.08	0.09	0.02	0.024	0.07	12.4	13.8	0.61	318	0.89
I032318		1.41	16.1	2.96	6.66	0.08	0.06	0.02	0.021	0.13	11.5	13.1	0.65	443	0.97
I032319		0.95	13.7	2.69	6.61	0.07	0.07	0.02	0.019	0.06	10.3	11.6	0.57	236	0.84
I032320		<0.05	0.6	0.02	0.08	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.06
I032321		0.81	15.3	2.98	6.10	0.08	0.07	0.02	0.022	0.04	11.1	14.5	0.60	301	0.71
I032322		0.38	25.9	2.76	4.61	0.09	0.13	0.02	0.020	0.06	9.7	12.3	0.69	365	0.43
I032323		0.46	16.9	2.68	4.51	0.08	0.12	0.02	0.019	0.03	8.8	11.2	0.61	449	0.60
I032324		0.64	13.8	2.25	4.77	<0.05	0.04	0.03	0.016	0.05	7.6	9.2	0.46	314	0.68
I032325		0.55	10.9	2.59	5.01	<0.05	0.05	0.01	0.016	0.04	6.7	11.0	0.72	436	0.58
I032326		0.65	10.7	2.45	4.64	<0.05	0.06	0.01	0.019	0.06	6.2	10.4	0.61	228	0.54
I032327		0.77	26.0	2.71	8.34	0.05	0.06	0.01	0.027	0.05	9.8	24.8	2.14	636	0.37
I032328		0.29	5.5	1.66	3.66	<0.05	0.03	0.01	0.007	0.04	5.6	4.4	0.23	154	0.64
I032329		0.39	5.7	2.15	4.84	<0.05	0.03	<0.01	0.012	0.03	6.7	7.6	0.28	382	0.79
I032330		0.68	10.3	2.19	4.95	<0.05	0.06	0.01	0.015	0.06	9.6	10.9	0.49	236	0.49
I032331		0.73	12.5	2.23	5.36	<0.05	0.04	0.01	0.016	0.06	10.8	11.2	0.49	280	0.57
I032332		0.46	10.1	2.42	5.37	<0.05	0.03	0.01	0.019	0.07	7.9	10.5	0.40	464	0.87
I032333		0.32	6.8	2.42	7.61	<0.05	<0.02	0.01	0.017	0.06	7.1	9.5	0.44	223	0.71
I032334		0.55	9.7	2.65	6.12	<0.05	0.07	<0.01	0.023	0.05	7.3	10.6	0.39	235	0.90
I032335		0.89	11.7	2.71	6.19	<0.05	0.02	<0.01	0.018	0.05	7.0	12.2	0.72	322	0.76



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032296		0.27	4.4	270	2.7	4.2	<0.001	0.01	0.11	0.6	0.3	0.2	10.6	<0.01	0.01
I032297		1.89	27.7	640	6.9	14.5	<0.001	0.01	0.29	6.9	0.5	0.6	27.8	<0.01	0.02
I032298		1.20	15.2	470	5.5	8.7	<0.001	0.02	0.24	2.6	0.4	0.5	19.9	<0.01	0.01
I032299		2.16	23.7	630	7.2	20.1	<0.001	0.01	0.35	6.3	0.6	0.7	21.1	<0.01	0.01
I032300		<0.05	0.3	10	0.7	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01
I032301		2.27	21.0	660	6.5	13.8	<0.001	0.01	0.26	5.0	0.4	0.7	21.6	<0.01	0.01
I032302		1.97	26.8	580	6.3	11.5	<0.001	0.02	0.30	5.0	0.6	0.6	23.4	<0.01	0.02
I032303		0.74	7.0	340	3.8	6.8	<0.001	0.02	0.14	1.6	0.5	0.4	9.3	<0.01	0.01
I032304		1.87	14.8	500	5.4	10.8	<0.001	0.01	0.28	3.1	0.4	0.5	14.4	<0.01	0.02
I032305		1.76	13.8	570	5.2	17.9	<0.001	0.01	0.22	3.3	0.4	0.6	16.0	<0.01	0.01
I032306		3.00	11.5	620	8.6	37.1	<0.001	0.02	0.40	5.5	0.6	2.1	16.2	<0.01	0.03
I032307		1.95	21.4	390	20.9	10.1	<0.001	0.01	0.40	4.1	0.4	0.6	14.2	0.01	0.03
I032308		1.81	10.3	240	10.8	10.2	<0.001	0.01	0.39	3.4	0.3	0.7	13.5	<0.01	0.03
I032309		0.55	4.8	340	4.3	5.2	<0.001	0.01	0.18	1.1	0.4	0.3	12.6	<0.01	0.01
I032310		1.99	13.6	330	10.4	12.2	<0.001	0.01	0.37	3.8	0.4	0.8	18.2	0.01	0.02
I032311		2.08	14.9	390	10.0	19.1	<0.001	0.01	0.39	5.1	0.4	0.9	17.9	0.01	0.02
I032312		1.15	14.5	780	18.5	23.3	<0.001	0.04	1.77	8.6	0.9	0.5	37.4	<0.01	0.03
I032313		2.26	16.9	590	9.1	19.2	<0.001	0.02	0.33	5.2	0.6	0.7	26.7	<0.01	0.02
I032314		1.77	18.5	730	7.8	20.3	<0.001	0.04	0.36	7.1	1.0	1.0	47.6	0.01	0.02
I032315		2.64	15.9	600	6.1	37.1	<0.001	0.02	0.39	5.3	0.5	0.8	34.1	<0.01	0.02
I032316		2.39	19.1	730	5.8	31.7	<0.001	0.01	0.28	6.2	0.5	0.6	40.2	<0.01	0.02
I032317		2.30	17.3	510	6.8	16.0	<0.001	0.02	0.25	4.4	0.5	0.6	29.8	<0.01	0.01
I032318		2.07	16.7	530	5.7	27.3	<0.001	0.02	0.26	4.2	0.5	0.6	34.9	<0.01	0.02
I032319		2.11	14.6	450	6.2	13.8	<0.001	0.02	0.21	3.8	0.5	0.6	25.1	<0.01	0.01
I032320		<0.05	0.3	10	0.4	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01
I032321		2.21	15.8	540	5.6	8.5	<0.001	0.02	0.24	4.0	0.5	0.6	32.1	<0.01	0.02
I032322		1.54	24.2	810	5.4	6.8	<0.001	0.02	0.33	4.9	0.5	0.4	46.5	<0.01	0.01
I032323		1.63	20.4	650	5.0	6.2	<0.001	0.01	0.28	4.2	0.5	0.4	40.3	<0.01	0.01
I032324		1.49	15.7	680	5.2	6.9	0.001	0.01	0.20	3.2	0.4	0.4	28.8	<0.01	0.01
I032325		1.44	15.1	180	6.8	5.2	0.001	<0.01	0.20	3.2	<0.2	0.5	13.8	<0.01	0.01
I032326		1.31	15.5	230	8.1	8.7	0.001	<0.01	0.16	3.3	<0.2	0.4	10.4	<0.01	0.01
I032327		1.74	13.6	190	5.0	9.4	0.001	<0.01	0.12	6.0	0.3	0.5	20.7	<0.01	0.02
I032328		1.20	6.3	140	5.0	5.1	0.001	<0.01	0.14	1.5	<0.2	0.3	9.6	<0.01	0.01
I032329		1.46	8.4	240	6.5	5.0	0.001	<0.01	0.18	1.9	<0.2	0.4	9.0	<0.01	0.01
I032330		1.33	11.9	230	6.4	9.1	0.001	<0.01	0.18	2.5	<0.2	0.4	17.5	<0.01	0.01
I032331		1.40	13.2	240	6.8	9.5	0.001	<0.01	0.20	2.8	<0.2	0.5	20.0	<0.01	0.01
I032332		1.51	15.6	570	7.3	8.2	0.001	<0.01	0.28	2.6	<0.2	0.4	18.5	<0.01	0.01
I032333		0.88	12.3	660	8.3	5.5	<0.001	<0.01	0.21	1.9	<0.2	0.5	16.0	<0.01	0.01
I032334		1.30	14.9	500	8.7	8.8	<0.001	<0.01	0.35	2.6	<0.2	0.6	13.6	<0.01	0.02
I032335		1.10	11.5	200	6.5	17.5	<0.001	<0.01	0.34	2.9	0.2	0.5	10.9	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032296		0.032	0.05	0.81	18	0.05	2.00	12
I032297		0.145	0.18	1.43	73	0.15	9.89	53
I032298		0.100	0.10	0.75	52	0.13	3.60	37
I032299		0.138	0.24	1.47	74	0.20	7.27	54
I032300		<0.005	<0.02	0.08	1	<0.05	0.61	3
								0.5
I032301		0.160	0.18	0.98	73	0.19	5.97	50
I032302		0.129	0.17	0.97	72	0.24	5.60	51
I032303		0.061	0.08	0.96	31	0.09	2.28	19
I032304		0.133	0.12	0.49	62	0.16	3.32	43
I032305		0.123	0.18	0.81	57	0.17	3.83	37
								1.7
I032306		0.163	0.36	1.09	94	0.19	4.93	61
I032307		0.093	0.13	1.83	83	0.13	3.89	55
I032308		0.085	0.17	0.46	76	0.27	2.61	33
I032309		0.048	0.05	0.28	31	0.15	1.78	17
I032310		0.103	0.14	0.66	77	0.15	3.24	37
								2.5
I032311		0.102	0.18	0.81	79	0.13	4.20	43
I032312		0.056	0.71	2.90	62	0.16	13.85	112
I032313		0.152	0.18	1.38	80	0.28	6.83	62
I032314		0.126	0.13	5.05	69	0.24	18.00	49
I032315		0.193	0.19	1.42	87	0.19	7.76	62
								3.4
I032316		0.208	0.24	1.88	84	0.19	9.01	65
I032317		0.166	0.13	1.37	79	0.17	5.18	51
I032318		0.159	0.14	1.35	79	0.23	5.01	58
I032319		0.162	0.13	0.93	72	0.27	4.07	47
I032320		<0.005	<0.02	0.11	1	<0.05	0.55	4
								0.5
I032321		0.161	0.12	1.61	77	0.26	4.91	49
I032322		0.127	0.05	0.50	70	0.12	8.13	55
I032323		0.130	0.05	0.52	75	0.23	6.36	50
I032324		0.096	0.06	0.40	63	0.13	4.80	53
I032325		0.073	0.07	0.30	64	0.10	2.43	36
								1.9
I032326		0.058	0.06	0.72	53	0.10	2.48	35
I032327		0.115	0.06	0.45	62	0.09	3.25	56
I032328		0.065	0.05	0.15	49	0.06	1.18	21
I032329		0.060	0.07	0.17	55	0.08	1.37	27
I032330		0.061	0.07	0.37	44	0.07	3.23	41
								1.9
I032331		0.062	0.08	0.40	45	0.10	3.61	41
I032332		0.060	0.07	0.30	52	0.15	1.91	56
I032333		0.044	0.05	0.32	55	0.19	1.72	74
I032334		0.067	0.09	0.31	61	0.16	1.59	63
I032335		0.094	0.08	0.29	61	0.16	1.99	34
								0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032336		0.34	0.007	0.12	1.22	4.2	<0.2	<10	130	0.27	0.14	0.06	0.04	14.25	2.8	16
I032337		0.38	<0.005	0.09	1.78	7.1	<0.2	<10	160	0.24	0.14	0.10	0.03	17.60	5.2	22
I032338		0.34	0.005	0.03	2.31	9.8	<0.2	<10	260	0.39	0.12	0.13	0.04	14.90	10.8	33
I032339		0.26	0.005	0.05	2.14	6.9	<0.2	<10	320	0.57	0.17	0.54	0.24	26.4	10.2	31
I032340		0.10	<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	<0.01	0.01	1.11	0.1	1
I032341		0.46	0.011	0.13	1.52	8.9	<0.2	<10	250	0.52	0.14	1.64	0.24	24.2	10.4	25
I032342		0.30	<0.005	0.06	2.09	8.3	<0.2	<10	330	0.55	0.15	0.54	0.15	27.4	10.8	33
I032343		0.40	0.005	0.07	2.03	7.3	<0.2	<10	310	0.53	0.16	0.46	0.09	25.1	9.1	31
I032344		0.36	<0.005	0.07	2.30	7.9	<0.2	<10	340	0.67	0.16	0.72	0.28	27.1	10.2	34
I032345		0.46	0.009	0.13	1.64	9.1	<0.2	<10	280	0.47	0.14	1.80	0.23	25.6	10.2	28
I032346		0.44	0.010	0.10	1.60	8.2	<0.2	<10	290	0.51	0.14	0.86	0.12	26.9	9.6	28
I032347		0.40	0.008	0.08	1.42	7.6	<0.2	<10	260	0.37	0.13	0.97	0.15	21.7	8.3	25
I032348		0.42	0.007	0.10	1.45	8.0	<0.2	<10	290	0.42	0.11	0.82	0.14	22.2	8.3	27
I032349		0.34	0.008	0.12	1.45	7.3	<0.2	<10	300	0.45	0.13	1.22	0.21	24.3	9.8	26
I032350		0.26	<0.005	0.11	1.50	5.2	<0.2	<10	150	0.48	0.09	5.20	0.35	17.95	6.9	22
I032351		0.36	0.005	0.13	1.75	7.4	<0.2	<10	220	0.40	0.14	0.20	0.21	17.90	9.8	28
I032352		0.40	<0.005	0.08	1.71	4.9	<0.2	<10	420	0.94	0.29	0.91	0.15	40.5	7.1	16
I032353		0.34	0.008	0.03	1.57	6.8	<0.2	<10	280	0.45	0.15	0.30	0.05	23.0	7.2	29
I032354		0.32	<0.005	0.12	1.70	8.0	<0.2	<10	550	0.34	0.18	0.17	0.15	17.80	8.0	28
I032355		0.36	<0.005	0.05	1.84	6.0	<0.2	<10	430	0.44	0.14	0.30	0.12	18.15	10.2	28
I032356		0.48	0.009	0.07	2.99	8.2	<0.2	<10	310	0.42	0.11	0.71	0.23	16.80	18.6	36
I032357		0.38	0.010	0.22	2.16	9.0	<0.2	<10	290	0.42	0.11	0.53	0.14	18.25	13.5	33
I032358		0.32	0.009	0.04	1.41	5.8	<0.2	<10	140	0.25	0.08	0.92	0.05	21.5	6.4	30
I032359		0.24	0.013	0.06	1.11	5.1	<0.2	<10	200	0.37	0.10	1.99	0.45	17.40	8.5	21
I032360		0.30	0.006	0.06	1.48	5.2	<0.2	<10	180	0.33	0.12	0.87	0.18	17.35	8.6	26
I032361		0.34	0.006	0.08	1.33	6.2	<0.2	<10	150	0.37	0.10	0.90	0.21	25.8	9.0	29
I032362		0.38	0.007	0.07	1.57	6.4	<0.2	<10	160	0.33	0.10	0.70	0.07	22.3	8.5	30
I032363		0.28	0.009	0.07	1.50	4.2	<0.2	<10	180	0.32	0.10	0.94	0.10	22.1	7.2	31
I032364		0.28	0.005	0.05	1.21	4.3	<0.2	<10	120	0.24	0.09	0.94	0.17	18.45	7.9	26
I032365		0.32	0.016	0.07	1.76	7.1	<0.2	<10	160	0.31	0.12	0.59	0.11	19.60	10.0	35
I032366		0.28	0.009	0.10	1.62	3.9	<0.2	<10	260	0.46	0.10	1.54	0.45	26.0	10.0	29
I032367		0.30	0.007	0.16	1.68	5.1	<0.2	<10	200	0.53	0.16	0.60	0.10	68.1	11.2	29
I032368		0.32	0.006	0.09	1.26	3.9	<0.2	<10	150	0.29	0.15	0.42	0.07	19.00	6.6	24
I032369		0.34	0.007	0.11	1.74	4.8	<0.2	<10	230	0.44	0.17	0.41	0.09	49.9	9.2	31
I032370		0.52	NSS	0.05	0.40	11.5	<0.2	<10	120	0.36	0.07	0.63	0.24	32.6	10.5	16
I032371		0.36	0.006	0.07	1.79	5.8	<0.2	<10	210	0.37	0.14	0.48	0.07	20.7	10.7	35
I032372		0.28	0.007	0.07	1.69	5.3	<0.2	<10	180	0.35	0.12	0.38	0.08	18.80	10.7	35
I032373		0.34	0.008	0.11	1.42	7.9	<0.2	<10	190	0.39	0.12	0.98	0.23	25.4	9.8	30
I032374		0.42	0.006	0.05	1.67	4.9	<0.2	<10	160	0.32	0.14	0.55	0.09	25.9	9.4	31
I032375		0.42	0.011	0.07	1.87	5.6	<0.2	<10	170	0.40	0.14	0.53	0.10	27.2	9.8	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032336		0.72	12.5	1.77	6.08	<0.05	0.02	0.01	0.015	0.03	7.3	5.1	0.18	103	0.90
I032337		0.65	11.7	2.50	7.09	<0.05	<0.02	<0.01	0.017	0.04	9.0	11.4	0.45	174	0.84
I032338		1.30	14.3	2.83	6.29	<0.05	0.02	<0.01	0.026	0.05	7.6	15.6	0.80	232	0.82
I032339		0.57	21.9	2.57	6.67	0.07	0.08	0.03	0.031	0.03	13.7	9.0	0.49	614	1.15
I032340		<0.05	0.5	0.02	0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	<0.1	<0.01	<5	<0.05
I032341		0.42	33.3	2.42	4.87	0.07	0.19	0.03	0.022	0.05	12.8	10.4	0.73	376	0.59
I032342		0.56	19.2	2.65	6.35	0.06	0.09	0.02	0.027	0.03	13.2	11.1	0.54	324	0.70
I032343		0.61	20.4	2.62	6.76	0.06	0.13	0.01	0.028	0.03	12.5	10.5	0.47	285	0.67
I032344		0.55	21.9	2.73	6.74	0.06	0.15	0.03	0.030	0.04	13.3	10.6	0.50	245	0.91
I032345		0.49	32.1	2.46	4.95	0.08	0.22	0.04	0.023	0.05	13.1	10.7	0.84	404	0.59
I032346		0.51	24.2	2.40	4.91	0.07	0.11	0.05	0.022	0.04	13.8	10.8	0.51	292	0.31
I032347		0.37	18.6	2.21	4.66	0.06	0.09	0.02	0.022	0.04	10.5	10.1	0.48	249	0.37
I032348		0.35	20.6	2.32	3.99	0.05	0.09	0.03	0.018	0.04	11.1	8.8	0.51	223	0.30
I032349		0.41	28.7	2.26	4.50	0.06	0.11	0.04	0.022	0.04	12.2	10.2	0.54	477	0.32
I032350		0.55	23.7	1.71	4.21	0.07	0.18	0.05	0.019	0.05	9.3	11.1	1.43	279	0.78
I032351		1.08	16.7	3.21	7.03	0.05	0.04	0.01	0.024	0.11	8.4	12.0	0.58	544	0.94
I032352		2.52	11.9	2.02	5.62	0.07	0.07	0.01	0.033	0.13	18.0	10.3	0.39	356	0.95
I032353		0.89	11.2	2.22	5.19	<0.05	0.04	0.01	0.021	0.06	11.7	10.9	0.37	243	1.68
I032354		0.55	11.3	2.91	7.26	0.05	0.03	0.01	0.022	0.07	9.2	10.9	0.34	551	1.89
I032355		0.54	10.0	3.10	7.12	0.05	0.02	0.01	0.026	0.08	8.9	10.0	0.47	546	1.08
I032356		0.58	16.6	4.43	9.36	0.07	0.09	0.01	0.030	0.11	6.8	9.7	0.83	858	1.95
I032357		0.33	24.3	3.52	7.23	0.06	0.06	<0.01	0.024	0.12	7.7	9.1	0.60	617	1.67
I032358		0.46	16.6	2.46	4.38	0.08	0.09	0.01	0.019	0.05	11.2	9.3	0.58	201	0.54
I032359		0.37	30.7	1.73	3.51	0.06	0.07	0.04	0.017	0.05	9.2	6.6	0.36	555	0.88
I032360		0.41	25.5	2.22	4.79	0.05	0.08	0.01	0.020	0.05	8.4	7.9	0.45	409	0.84
I032361		0.51	25.3	2.31	4.15	0.06	0.09	0.02	0.020	0.06	12.5	9.3	0.50	400	0.64
I032362		0.52	21.0	2.51	4.79	0.06	0.09	0.02	0.022	0.05	11.1	11.4	0.58	247	0.46
I032363		0.57	17.2	2.23	4.74	0.06	0.08	0.03	0.021	0.06	12.6	11.2	0.56	249	0.55
I032364		0.51	14.3	2.06	4.25	0.06	0.07	0.01	0.018	0.07	9.8	8.2	0.44	256	0.68
I032365		0.30	17.4	2.85	5.27	0.06	0.12	0.01	0.023	0.12	9.2	10.3	0.53	302	0.92
I032366		0.51	27.5	2.45	4.99	0.07	0.14	<0.01	0.022	0.15	13.2	5.4	0.55	540	0.44
I032367		1.70	20.1	2.71	7.09	0.15	0.05	0.02	0.029	0.18	66.3	13.5	0.41	894	1.57
I032368		0.99	13.6	2.39	5.99	0.06	0.10	0.01	0.017	0.18	16.5	9.1	0.40	370	1.06
I032369		1.85	19.0	2.64	6.94	0.11	0.09	0.01	0.027	0.18	41.4	12.6	0.44	406	1.17
I032370		0.50	9.1	2.48	2.09	0.08	0.05	0.01	0.009	0.06	17.0	4.3	0.28	965	1.59
I032371		0.80	17.8	2.81	5.99	0.05	0.11	0.01	0.024	0.09	9.7	13.4	0.53	457	0.80
I032372		0.83	14.4	2.80	5.78	<0.05	0.08	0.01	0.024	0.09	7.9	10.5	0.43	472	0.97
I032373		0.59	31.1	2.48	4.61	0.07	0.08	0.02	0.021	0.06	12.9	10.2	0.57	493	0.60
I032374		0.81	16.1	2.62	5.51	0.07	0.14	0.01	0.023	0.07	15.6	14.0	0.52	284	0.51
I032375		0.86	17.7	2.71	6.26	0.07	0.22	0.01	0.028	0.08	13.7	12.6	0.49	271	0.73



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032336		1.02	6.7	170	8.2	11.7	<0.001	<0.01	0.22	2.0	0.2	0.5	7.5	<0.01	0.01
I032337		1.18	10.0	180	8.1	12.3	<0.001	<0.01	0.26	2.7	0.2	0.5	10.4	<0.01	0.02
I032338		1.07	19.6	260	7.6	13.3	<0.001	<0.01	0.40	3.5	0.2	0.4	12.6	<0.01	0.01
I032339		1.20	22.9	260	9.5	4.2	<0.001	<0.01	0.34	6.0	0.5	0.6	20.3	<0.01	0.02
I032340		<0.05	0.4	10	0.4	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01
I032341		1.19	27.1	610	8.6	7.0	<0.001	<0.01	0.60	4.9	0.5	0.4	46.2	<0.01	0.02
I032342		1.31	23.4	260	9.5	4.8	<0.001	<0.01	0.36	5.5	0.6	0.5	24.2	<0.01	0.03
I032343		1.45	19.8	150	10.0	7.7	<0.001	<0.01	0.30	5.1	0.4	0.6	23.8	<0.01	0.03
I032344		1.52	25.6	200	12.2	7.1	<0.001	<0.01	0.38	5.7	0.6	0.6	28.9	<0.01	0.03
I032345		1.35	26.6	550	11.6	6.5	<0.001	<0.01	0.75	5.0	0.5	0.4	41.1	<0.01	0.02
I032346		1.25	20.4	550	9.2	5.7	<0.001	<0.01	0.53	4.6	0.7	0.4	35.1	<0.01	0.02
I032347		1.18	17.5	500	8.8	5.3	<0.001	0.01	0.51	3.8	0.6	0.5	37.2	<0.01	0.02
I032348		1.04	17.7	580	8.3	4.4	<0.001	<0.01	0.47	3.7	0.6	0.3	30.0	<0.01	0.02
I032349		1.24	23.2	560	9.3	5.0	<0.001	0.03	0.67	4.1	1.0	0.4	39.3	<0.01	0.02
I032350		1.10	19.5	610	9.0	6.4	<0.001	0.03	0.57	3.8	0.8	0.3	62.4	<0.01	0.02
I032351		1.00	16.4	220	11.1	13.5	<0.001	<0.01	0.43	4.2	0.3	0.5	18.9	<0.01	0.02
I032352		0.55	10.8	740	12.1	16.6	<0.001	<0.01	0.15	4.4	0.4	0.7	61.0	<0.01	0.02
I032353		0.97	17.5	420	9.0	11.1	<0.001	<0.01	0.27	3.0	0.3	0.5	27.4	<0.01	0.03
I032354		1.32	14.1	480	9.5	8.5	<0.001	0.01	0.36	3.0	0.2	0.7	18.0	<0.01	0.04
I032355		1.22	14.5	260	8.1	6.9	<0.001	0.02	0.33	3.2	0.2	0.6	23.3	<0.01	0.01
I032356		1.13	17.1	400	7.2	6.3	<0.001	0.03	0.23	10.2	0.4	0.4	33.5	<0.01	0.03
I032357		1.09	18.1	350	6.4	7.3	<0.001	0.02	0.30	6.5	0.3	0.4	28.2	<0.01	0.03
I032358		1.31	16.5	870	5.1	5.7	<0.001	0.03	0.25	4.0	0.4	0.4	47.3	<0.01	0.01
I032359		0.96	21.1	840	4.6	4.9	<0.001	0.07	0.51	2.6	0.9	0.3	98.9	0.01	0.02
I032360		1.25	18.4	460	5.6	5.0	<0.001	<0.01	0.33	3.7	0.5	0.4	49.9	<0.01	0.02
I032361		1.24	20.8	800	5.4	7.8	<0.001	0.02	0.34	4.0	0.5	0.4	47.9	<0.01	0.02
I032362		1.37	20.5	770	5.7	7.0	<0.001	<0.01	0.34	4.3	0.5	0.5	41.4	<0.01	0.02
I032363		1.33	18.9	770	6.1	8.1	<0.001	0.01	0.30	4.4	0.5	0.5	54.5	<0.01	0.02
I032364		1.23	14.5	660	4.8	15.7	<0.001	<0.01	0.27	3.7	0.4	0.4	49.4	<0.01	0.01
I032365		1.42	20.2	580	6.3	7.0	<0.001	<0.01	0.30	4.5	0.4	0.5	33.4	<0.01	0.02
I032366		1.08	23.4	920	5.8	12.6	<0.001	<0.01	0.35	5.1	0.5	0.5	70.5	<0.01	0.02
I032367		1.14	15.5	510	14.8	29.8	<0.001	<0.01	0.29	4.5	0.7	0.7	40.6	<0.01	0.02
I032368		1.54	13.0	290	8.4	19.9	<0.001	0.08	0.24	3.0	0.3	0.7	29.3	<0.01	0.02
I032369		1.61	16.4	340	10.2	31.4	<0.001	0.14	0.27	4.3	0.5	0.8	30.8	<0.01	0.02
I032370		0.61	21.5	730	6.0	7.1	<0.001	0.11	0.67	2.1	0.3	0.3	16.5	<0.01	0.01
I032371		1.53	20.0	300	7.4	11.6	<0.001	<0.01	0.33	4.1	0.4	0.6	33.8	<0.01	0.02
I032372		1.40	17.5	170	7.4	14.1	<0.001	<0.01	0.34	4.8	0.2	0.6	27.1	<0.01	0.02
I032373		1.34	25.1	880	5.9	9.2	<0.001	<0.01	0.44	4.3	0.6	0.4	46.3	<0.01	0.02
I032374		1.30	15.8	610	7.2	9.9	<0.001	<0.01	0.28	4.4	0.3	0.5	37.5	<0.01	0.02
I032375		1.51	17.9	560	9.5	13.3	<0.001	<0.01	0.28	5.3	0.4	0.6	37.8	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032336		0.060	0.07	0.26	45	0.12	1.76	19
I032337		0.053	0.09	0.35	58	0.15	2.20	33
I032338		0.076	0.09	0.34	57	0.17	1.96	45
I032339		0.055	0.08	0.71	61	0.29	9.31	49
I032340		<0.005	<0.02	0.09	1	<0.05	0.59	2
								<0.5
I032341		0.075	0.06	0.48	47	0.23	10.20	50
I032342		0.065	0.07	0.91	64	0.20	8.93	43
I032343		0.083	0.07	0.63	63	0.21	6.71	38
I032344		0.075	0.06	0.69	66	0.28	9.10	44
I032345		0.087	0.06	0.49	52	0.33	10.45	57
								9.2
I032346		0.071	0.06	0.84	54	0.23	9.28	47
I032347		0.066	0.04	0.85	48	0.30	6.43	50
I032348		0.069	0.04	0.64	51	0.16	7.71	48
I032349		0.065	0.05	0.62	47	0.32	9.31	48
I032350		0.059	0.06	0.79	38	0.22	8.45	50
								7.4
I032351		0.095	0.10	0.38	75	0.17	3.39	71
I032352		0.010	0.12	0.89	36	0.07	5.82	44
I032353		0.051	0.09	0.54	49	0.16	3.85	36
I032354		0.060	0.09	0.35	68	0.17	2.04	53
I032355		0.052	0.08	0.39	71	0.15	2.54	51
								0.6
I032356		0.095	0.10	0.35	111	0.28	5.66	89
I032357		0.094	0.09	0.32	79	0.23	3.62	67
I032358		0.113	0.04	0.65	61	0.29	7.42	46
I032359		0.057	0.04	1.15	41	0.12	8.11	42
I032360		0.086	0.05	1.57	56	0.16	6.07	40
								2.8
I032361		0.092	0.05	1.11	56	0.19	9.27	48
I032362		0.105	0.06	0.67	59	0.15	7.87	53
I032363		0.099	0.06	0.99	50	0.15	8.74	52
I032364		0.102	0.05	0.67	53	0.27	5.82	50
I032365		0.121	0.05	0.47	72	0.26	5.03	45
								4.0
I032366		0.097	0.07	0.42	54	0.18	9.68	69
I032367		0.081	0.13	2.31	54	0.13	16.25	48
I032368		0.116	0.11	0.64	54	0.16	5.93	46
I032369		0.114	0.14	0.88	57	0.15	16.40	46
I032370		0.030	0.16	0.89	23	0.08	8.60	27
								2.6
I032371		0.109	0.09	0.42	61	0.15	4.65	43
I032372		0.109	0.09	0.33	68	0.13	2.99	38
I032373		0.095	0.06	0.55	56	0.20	9.17	61
I032374		0.122	0.08	0.70	58	0.15	7.49	51
I032375		0.127	0.10	0.61	60	0.12	7.67	50
								8.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032376		0.30	0.005	0.07	1.77	7.1	<0.2	<10	180	0.43	0.16	0.68	0.06	29.1	10.3	33
I032377		0.34	0.009	0.07	1.33	2.0	<0.2	<10	140	0.43	0.11	1.11	0.09	39.3	6.7	27
I032378		0.30	0.011	0.04	1.47	7.0	<0.2	<10	120	0.32	0.10	0.72	0.11	19.10	9.9	30
I032379		0.44	0.009	0.05	1.40	5.1	<0.2	<10	130	0.34	0.09	0.70	0.13	27.9	9.2	28
I032380		0.28	0.006	0.07	1.51	6.7	<0.2	<10	170	0.33	0.10	0.86	0.15	21.4	9.4	29
I032381		0.36	0.008	0.09	1.65	6.1	<0.2	<10	170	0.34	0.10	0.75	0.23	23.1	10.7	32
I032382		0.34	<0.005	0.07	1.58	6.3	<0.2	<10	190	0.36	0.12	0.80	0.16	26.1	10.4	29
I032383		0.28	0.006	0.08	1.61	4.7	<0.2	<10	200	0.38	0.15	0.89	0.14	45.0	9.3	27
I032384		0.36	0.007	0.10	1.06	6.2	<0.2	<10	150	0.55	0.20	0.80	0.11	38.7	8.3	18
I032385		0.38	<0.005	0.09	1.62	4.9	<0.2	<10	160	0.47	0.19	1.08	0.12	39.6	9.7	26
I032386		0.52	0.007	0.09	1.69	6.3	<0.2	<10	160	0.48	0.21	0.53	0.08	34.6	9.3	29
I032387		0.32	<0.005	0.05	1.43	4.7	<0.2	<10	150	0.44	0.14	0.74	0.11	32.7	8.9	25
I032388		0.34	0.012	0.05	1.49	5.1	<0.2	<10	150	0.40	0.13	0.71	0.12	30.1	8.5	26
I032389		0.24	0.007	0.04	1.61	6.2	<0.2	<10	180	0.27	0.11	0.82	0.23	18.35	9.8	31
I032390		0.34	0.005	0.04	2.16	8.4	<0.2	<10	160	0.48	0.16	0.30	0.06	19.05	9.9	33
I032391		0.36	0.009	0.07	1.54	7.9	<0.2	<10	190	0.49	0.09	1.02	0.16	29.6	14.5	32
I032392		0.34	0.009	0.08	1.45	6.5	<0.2	<10	140	0.37	0.11	0.92	0.19	23.2	10.4	30
I032393		0.42	0.006	0.08	1.85	5.8	<0.2	<10	150	0.42	0.16	0.36	0.08	39.9	7.9	29
I032394		0.30	0.007	0.09	1.83	5.5	<0.2	<10	140	0.42	0.17	0.35	0.08	41.3	7.6	29
I032395		0.44	<0.005	0.02	1.71	7.3	<0.2	<10	90	0.34	0.15	0.19	0.07	24.7	6.2	25
I032396		0.44	<0.005	0.02	0.09	7.5	<0.2	<10	10	0.11	0.06	0.07	0.04	10.35	2.2	4
I032397		0.42	<0.005	0.05	2.08	6.8	<0.2	<10	90	0.41	0.19	0.18	0.08	38.3	7.1	29
I032398		0.32	0.007	0.06	1.72	6.8	<0.2	<10	190	0.37	0.13	0.77	0.13	24.6	10.8	33
I032399		0.26	0.008	0.05	1.62	6.3	<0.2	<10	160	0.37	0.11	0.75	0.11	19.50	11.0	30
I032400		0.34	0.007	0.08	1.60	7.1	<0.2	<10	160	0.38	0.11	0.95	0.15	22.4	11.6	32
I032401		0.42	0.006	0.06	1.68	6.3	<0.2	<10	160	0.32	0.12	0.72	0.09	21.4	10.2	32
I032402		0.36	0.006	0.03	1.77	5.9	<0.2	<10	160	0.58	0.20	0.41	0.07	38.1	8.9	34
I032403		0.42	0.010	0.07	1.94	5.4	<0.2	<10	170	1.07	0.38	0.67	0.08	127.0	7.9	28
I032404		0.50	0.006	0.03	1.29	3.7	<0.2	<10	100	0.35	0.19	0.40	0.04	31.2	5.9	23
I032405		0.42	0.012	0.05	1.63	3.7	<0.2	<10	130	0.49	0.28	0.42	0.09	30.8	6.5	24
I032406		0.40	0.007	0.35	1.44	3.6	<0.2	<10	120	0.70	0.28	0.52	0.06	48.5	6.8	20
I032407		0.32	0.007	0.25	2.79	8.9	<0.2	<10	270	1.94	0.53	1.03	0.22	359	9.3	34
I032408		0.36	0.006	0.07	2.05	4.9	<0.2	<10	150	0.65	0.29	0.56	0.08	73.5	6.8	28
I032409		0.44	0.006	0.18	2.91	6.1	<0.2	<10	230	1.23	0.60	0.52	0.08	155.5	6.2	33
I032410		0.36	0.005	0.01	1.24	3.5	<0.2	<10	70	0.47	0.29	0.21	0.03	25.4	4.6	19
I032411		0.38	<0.005	0.08	1.56	4.4	<0.2	<10	260	0.80	0.22	0.32	0.16	47.7	12.0	25
I032412		0.44	0.007	0.05	1.67	4.8	<0.2	<10	140	0.57	0.22	0.22	0.05	25.5	8.0	25
I032413		0.44	<0.005	0.07	1.69	5.1	<0.2	<10	160	0.52	0.18	0.44	0.08	29.9	8.2	31
I032414		0.40	0.005	0.05	1.38	4.7	<0.2	<10	140	0.46	0.16	0.28	0.08	34.4	7.7	24
I032415		0.42	0.005	0.09	1.80	5.6	<0.2	<10	170	0.38	0.16	0.62	0.08	26.3	10.1	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032376		0.49	20.4	2.83	5.66	0.05	0.13	0.02	0.027	0.15	11.8	10.6	0.53	405	0.55
I032377		0.77	22.9	1.45	4.49	0.09	0.09	0.02	0.021	0.06	23.5	12.3	0.49	130	0.54
I032378		0.50	18.7	2.60	4.86	0.08	0.13	0.02	0.019	0.09	9.4	11.0	0.61	256	0.72
I032379		0.96	17.0	2.40	4.72	0.07	0.08	0.02	0.020	0.07	14.2	11.6	0.54	369	0.47
I032380		0.45	22.5	2.50	4.90	0.06	0.17	0.03	0.021	0.07	10.7	11.2	0.59	345	0.48
I032381		0.66	22.0	2.56	5.62	0.07	0.08	0.02	0.023	0.07	11.3	11.7	0.56	457	0.73
I032382		0.78	20.7	2.45	5.27	0.07	0.07	0.03	0.022	0.06	12.7	11.8	0.52	404	0.75
I032383		1.88	14.5	2.32	6.12	0.08	0.07	0.04	0.023	0.08	25.3	15.9	0.50	452	0.68
I032384		1.81	11.7	2.08	4.04	0.08	0.09	0.03	0.026	0.10	20.2	9.6	0.35	432	0.86
I032385		2.55	14.1	2.55	5.92	0.07	0.08	0.03	0.025	0.11	19.7	20.4	0.53	478	0.66
I032386		1.78	19.0	2.69	6.10	0.09	0.13	0.02	0.029	0.08	25.4	15.9	0.52	266	0.49
I032387		1.97	14.9	2.41	5.32	0.08	0.09	0.02	0.022	0.12	17.8	14.0	0.50	363	0.52
I032388		1.22	15.7	2.32	5.10	0.07	0.10	0.02	0.021	0.07	14.7	11.7	0.47	357	0.54
I032389		0.54	20.7	2.63	5.11	0.06	0.11	0.02	0.023	0.07	8.8	11.7	0.58	428	0.70
I032390		2.86	17.0	3.22	8.34	0.05	0.09	<0.01	0.029	0.09	10.3	14.2	0.47	219	0.82
I032391		1.27	20.4	2.67	5.25	0.07	0.07	0.02	0.025	0.06	15.8	12.3	0.55	912	0.71
I032392		0.55	27.8	2.51	4.93	0.08	0.11	0.02	0.020	0.07	11.5	11.5	0.60	360	0.51
I032393		1.77	14.7	2.75	6.06	0.08	0.10	0.04	0.030	0.07	28.6	10.6	0.38	217	0.70
I032394		1.89	15.5	2.69	6.59	0.09	0.08	0.04	0.031	0.07	29.7	10.0	0.37	211	0.74
I032395		6.74	10.6	2.79	7.08	0.05	0.08	<0.01	0.026	0.07	14.5	9.2	0.29	150	1.13
I032396		0.09	2.2	0.58	0.49	<0.05	0.05	<0.01	<0.005	0.01	5.5	1.2	0.04	152	0.30
I032397		1.98	14.1	3.17	6.70	0.06	0.06	0.02	0.034	0.04	17.6	11.5	0.30	209	1.03
I032398		0.50	26.3	2.90	4.95	0.07	0.13	0.02	0.022	0.04	13.0	11.8	0.60	411	0.57
I032399		0.58	21.9	2.70	5.07	0.07	0.09	0.03	0.024	0.03	10.5	11.2	0.57	333	0.66
I032400		0.55	31.7	2.92	4.81	0.09	0.11	0.02	0.022	0.06	12.4	12.7	0.71	547	0.58
I032401		0.53	22.9	2.83	4.97	0.07	0.11	0.02	0.020	0.04	11.4	11.8	0.60	334	0.58
I032402		1.24	18.7	2.77	5.75	0.07	0.13	0.01	0.024	0.08	21.5	14.4	0.50	237	0.56
I032403		2.24	25.9	2.76	6.99	0.17	0.18	0.05	0.033	0.08	97.5	16.0	0.43	309	0.49
I032404		1.38	10.8	2.08	4.45	0.07	0.16	0.01	0.020	0.06	19.6	11.0	0.36	184	0.35
I032405		1.25	14.9	2.39	5.84	0.07	0.06	0.04	0.024	0.08	25.4	12.6	0.35	207	0.51
I032406		1.63	18.0	2.26	5.23	0.09	0.18	0.03	0.025	0.07	39.4	13.2	0.29	380	0.54
I032407		4.36	56.2	3.50	10.70	0.50	0.46	0.12	0.060	0.18	340	24.3	0.44	237	0.62
I032408		3.24	17.2	2.95	7.52	0.14	0.12	0.04	0.032	0.17	83.1	17.5	0.44	212	0.68
I032409		5.13	32.1	3.30	10.15	0.25	0.22	0.07	0.052	0.17	170.0	18.8	0.37	234	0.70
I032410		3.37	7.7	2.06	5.08	0.06	0.06	0.03	0.021	0.12	20.1	11.5	0.31	146	0.46
I032411		1.83	20.3	2.58	5.79	0.07	0.03	0.02	0.030	0.10	21.4	8.9	0.31	791	0.92
I032412		5.85	12.3	2.75	6.63	0.06	0.06	0.02	0.029	0.25	14.1	16.9	0.41	251	0.74
I032413		1.52	15.8	2.74	5.85	0.07	0.06	0.02	0.028	0.14	25.0	14.4	0.40	333	0.86
I032414		1.63	14.0	2.50	5.03	0.06	0.04	0.02	0.027	0.09	24.7	10.5	0.35	358	1.00
I032415		1.35	15.9	2.94	6.21	0.07	0.09	0.02	0.024	0.19	16.5	15.8	0.50	620	0.88



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032376		1.47	19.6	330	14.2	16.6	<0.001	<0.01	0.32	5.6	0.4	0.6	40.9	<0.01	0.01
I032377		1.09	15.2	800	8.2	7.8	<0.001	0.07	0.33	4.5	0.7	0.4	65.6	<0.01	0.01
I032378		1.47	19.9	710	5.5	11.1	<0.001	0.08	0.33	4.4	0.3	0.4	40.3	<0.01	0.01
I032379		1.27	17.4	710	6.4	11.6	<0.001	0.09	0.28	4.1	0.4	0.5	39.4	<0.01	0.01
I032380		1.59	21.1	590	5.6	8.1	<0.001	0.11	0.37	4.8	0.4	0.5	47.7	<0.01	0.02
I032381		1.47	21.6	810	6.0	13.7	<0.001	0.15	0.33	5.0	0.5	0.5	44.8	<0.01	0.02
I032382		1.34	20.2	670	7.0	11.7	<0.001	0.13	0.36	4.4	0.6	0.5	52.8	<0.01	0.02
I032383		1.36	15.2	650	10.0	18.7	<0.001	0.07	0.30	4.3	0.6	0.6	58.6	<0.01	0.01
I032384		0.91	11.5	640	11.4	16.1	<0.001	0.01	0.35	4.0	0.5	0.6	52.0	<0.01	0.01
I032385		1.30	15.4	690	13.7	28.4	<0.001	0.02	0.28	4.2	0.6	0.7	70.5	<0.01	0.01
I032386		1.39	18.0	590	12.1	16.3	<0.001	<0.01	0.34	4.8	0.5	0.7	38.9	<0.01	0.02
I032387		1.30	15.9	700	8.0	20.3	<0.001	0.05	0.27	4.3	0.5	0.6	44.5	<0.01	0.02
I032388		1.29	15.6	640	7.1	11.7	<0.001	0.03	0.28	3.9	0.4	0.5	42.2	<0.01	0.02
I032389		1.50	20.8	610	5.6	10.6	<0.001	0.01	0.35	4.7	0.4	0.5	44.9	<0.01	0.02
I032390		1.18	20.4	340	10.3	17.9	<0.001	<0.01	0.36	4.3	0.2	0.9	25.6	<0.01	0.02
I032391		1.12	22.2	780	7.0	9.4	<0.001	0.04	0.39	5.4	0.6	0.5	55.8	<0.01	0.01
I032392		1.45	23.7	800	5.7	7.8	<0.001	0.02	0.46	4.9	0.5	0.5	47.9	<0.01	0.03
I032393		1.26	15.2	470	10.6	11.8	<0.001	<0.01	0.32	4.5	0.5	0.6	26.1	<0.01	0.02
I032394		1.20	15.6	460	10.7	12.2	<0.001	<0.01	0.33	4.6	0.4	0.6	27.0	<0.01	0.02
I032395		1.24	13.0	320	11.8	21.5	<0.001	<0.01	0.37	3.4	0.3	0.7	16.1	<0.01	0.02
I032396		0.19	4.3	140	1.9	1.7	<0.001	<0.01	0.13	0.6	<0.2	<0.2	5.7	<0.01	<0.01
I032397		1.60	13.4	270	11.1	12.0	<0.001	0.01	0.38	4.6	0.4	0.6	19.5	<0.01	0.02
I032398		1.74	22.3	670	6.0	6.9	<0.001	0.02	0.39	5.1	0.6	0.4	43.6	<0.01	0.02
I032399		1.67	21.4	580	5.9	7.6	<0.001	0.03	0.36	4.9	0.7	0.5	41.6	<0.01	0.02
I032400		1.63	28.0	880	5.7	7.2	0.001	0.03	0.42	5.4	0.6	0.4	46.6	<0.01	0.02
I032401		1.61	21.5	740	6.0	7.7	<0.001	0.02	0.33	5.0	0.5	0.4	39.2	<0.01	0.01
I032402		1.39	17.3	450	9.8	15.9	<0.001	0.01	0.28	5.3	0.5	0.6	29.3	<0.01	0.01
I032403		1.41	17.3	740	16.7	20.0	0.001	0.02	0.28	7.1	1.0	0.8	41.3	0.01	0.02
I032404		1.37	10.5	370	9.7	16.4	<0.001	<0.01	0.24	3.6	0.3	0.5	28.7	<0.01	0.01
I032405		1.28	12.3	320	12.7	18.2	<0.001	0.01	0.19	3.9	0.4	0.7	29.7	<0.01	0.02
I032406		1.26	9.6	340	19.1	18.5	0.001	0.01	0.24	4.4	0.5	0.7	33.2	<0.01	0.01
I032407		1.85	34.8	590	36.1	35.2	0.002	0.05	0.50	12.9	3.0	1.2	66.2	0.05	0.03
I032408		1.53	14.2	530	16.7	33.5	0.001	0.02	0.27	5.8	0.8	0.9	37.4	0.01	0.01
I032409		1.47	16.9	560	33.2	33.8	0.001	0.02	0.20	9.7	1.2	1.3	39.1	0.01	0.02
I032410		1.34	9.2	280	13.9	28.9	<0.001	0.01	0.19	3.1	0.3	0.8	20.2	<0.01	0.01
I032411		1.11	14.6	470	13.9	17.6	<0.001	0.02	0.28	3.9	0.5	0.8	26.9	<0.01	0.01
I032412		1.59	13.6	260	13.7	44.5	<0.001	0.01	0.26	3.9	0.4	1.0	21.4	<0.01	0.02
I032413		1.40	15.6	320	11.4	25.0	<0.001	0.01	0.28	4.5	0.4	0.7	31.6	<0.01	0.02
I032414		1.24	13.4	230	12.7	17.0	<0.001	0.01	0.29	3.8	0.4	0.8	24.9	<0.01	<0.01
I032415		1.72	15.3	390	11.8	31.0	<0.001	0.01	0.28	4.2	0.6	0.7	39.9	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032376		0.109	0.06	0.53	62	0.17	6.02	45
I032377		0.084	0.06	8.11	46	0.11	15.05	42
I032378		0.129	0.05	0.48	68	0.19	6.31	47
I032379		0.110	0.07	0.71	58	0.25	8.53	53
I032380		0.117	0.05	0.65	61	0.25	7.95	48
I032381		0.113	0.06	0.77	64	0.23	8.02	54
I032382		0.094	0.07	0.83	60	0.19	8.28	49
I032383		0.097	0.14	2.15	52	0.13	10.10	57
I032384		0.060	0.11	5.33	40	0.11	10.35	44
I032385		0.093	0.19	2.69	51	0.19	9.52	56
I032386		0.118	0.12	1.00	58	0.12	12.10	51
I032387		0.103	0.13	1.19	53	0.21	10.30	53
I032388		0.101	0.10	0.93	56	1.21	8.44	49
I032389		0.120	0.06	0.40	67	0.13	5.71	55
I032390		0.107	0.15	0.45	73	0.09	4.36	49
I032391		0.077	0.08	1.09	57	0.25	10.25	53
I032392		0.114	0.06	0.47	64	0.18	9.40	52
I032393		0.085	0.09	0.83	57	0.14	7.59	44
I032394		0.082	0.09	0.86	56	0.14	7.94	43
I032395		0.070	0.16	0.46	63	0.13	4.04	39
I032396		0.010	0.03	0.31	5	0.28	2.52	12
I032397		0.083	0.12	0.67	71	0.12	4.27	44
I032398		0.124	0.06	0.66	71	0.11	8.95	54
I032399		0.105	0.07	0.65	67	0.17	7.88	51
I032400		0.126	0.06	0.47	69	0.21	9.94	63
I032401		0.133	0.06	0.59	72	0.21	7.39	53
I032402		0.117	0.11	1.35	66	0.18	8.87	48
I032403		0.086	0.13	9.66	53	0.16	28.9	48
I032404		0.112	0.12	1.06	49	0.23	6.70	42
I032405		0.083	0.10	1.39	47	0.10	9.29	41
I032406		0.073	0.11	2.70	41	0.11	15.65	42
I032407		0.089	0.23	17.95	51	0.28	130.5	110
I032408		0.092	0.19	2.55	53	0.12	19.90	59
I032409		0.067	0.23	6.69	52	0.19	39.8	62
I032410		0.084	0.20	1.11	43	0.12	7.24	41
I032411		0.071	0.11	1.30	56	0.17	7.00	47
I032412		0.092	0.31	0.94	52	0.09	4.74	50
I032413		0.089	0.12	0.95	58	0.10	7.33	45
I032414		0.075	0.11	1.01	52	0.13	5.48	43
I032415		0.119	0.12	0.92	68	0.14	6.37	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032416		0.34	<0.005	0.04	2.23	7.1	<0.2	<10	190	0.61	0.18	0.45	0.04	68.8	11.5	38
I032417		0.30	<0.005	0.12	2.50	5.3	<0.2	<10	260	0.90	0.24	0.59	0.09	138.0	11.3	35
I032418		0.34	<0.005	0.04	1.83	4.8	<0.2	<10	160	0.42	0.17	0.42	0.08	24.1	7.1	26
I032419		0.32	<0.005	0.12	1.95	4.3	<0.2	<10	170	0.66	0.17	0.46	0.08	52.8	9.5	28
I032420		0.28	<0.005	0.12	2.10	6.8	<0.2	<10	150	0.50	0.21	0.37	0.09	31.9	7.6	29
I032421		0.34	<0.005	0.06	1.75	5.7	<0.2	<10	120	0.34	0.20	0.27	0.09	14.40	6.3	25
I032422		0.42	<0.005	0.05	1.48	7.0	<0.2	<10	110	0.30	0.20	0.27	0.09	15.85	5.8	21
I032423		0.36	<0.005	0.05	1.60	6.1	<0.2	<10	100	0.56	0.19	0.25	0.08	38.3	6.4	25
I032424		0.34	<0.005	0.06	1.29	4.7	<0.2	<10	90	0.24	0.17	0.25	0.08	16.20	4.5	22
I032425		0.26	<0.005	0.07	1.80	5.5	<0.2	<10	150	0.34	0.24	0.40	0.09	19.40	7.6	26
I032426		0.32	<0.005	0.05	1.45	4.4	<0.2	<10	170	0.40	0.16	0.37	0.09	20.3	5.8	23
I032427		0.40	<0.005	0.04	2.03	6.4	<0.2	<10	240	0.47	0.16	0.47	0.03	22.4	9.5	32
I032428		0.38	<0.005	0.03	2.57	9.2	<0.2	<10	170	0.47	0.18	0.26	0.08	21.9	14.7	36
I032429		0.34	<0.005	0.05	1.66	4.2	<0.2	<10	110	0.47	0.67	0.26	0.05	16.00	6.0	22
I032430		0.40	<0.005	0.01	0.12	2.0	<0.2	<10	30	0.10	0.02	0.05	0.04	10.20	2.2	3
I032431		0.32	<0.005	1.13	2.32	13.1	<0.2	<10	200	0.41	0.21	0.14	0.24	33.3	6.8	43
I032432		0.40	<0.005	0.07	2.73	10.4	<0.2	<10	120	0.37	0.14	0.15	0.11	15.60	14.8	59
I032433		0.30	<0.005	0.13	1.83	7.9	<0.2	<10	200	0.35	0.20	0.52	0.16	17.75	11.6	30
I032434		0.34	0.005	0.18	2.12	7.2	<0.2	<10	220	0.63	0.17	0.81	0.16	33.1	22.8	28
I032435		0.38	<0.005	0.06	2.60	4.1	<0.2	<10	120	0.49	0.09	0.69	0.06	21.5	18.9	41
I032436		0.40	<0.005	0.05	2.10	5.5	<0.2	<10	90	0.53	0.15	0.30	0.06	35.1	17.3	38
I032437		0.34	<0.005	0.19	2.45	4.4	<0.2	<10	220	0.51	0.12	0.40	0.26	30.6	18.5	62
I032438		0.30	<0.005	0.19	2.78	10.0	<0.2	<10	130	0.51	0.18	0.14	0.10	17.75	11.5	40
I032439		0.36	0.005	0.13	2.49	11.7	<0.2	<10	110	0.71	0.28	0.14	0.12	28.0	11.0	38
I032440		0.34	0.007	0.15	1.94	8.6	<0.2	<10	100	0.47	0.22	0.19	0.13	27.8	8.7	56
I032441		0.40	<0.005	0.12	2.72	6.2	<0.2	<10	180	1.21	0.29	0.70	0.14	51.3	19.7	70
I032442		0.52	0.005	0.04	1.98	11.1	<0.2	<10	80	0.71	0.26	0.13	0.12	42.7	9.0	31
I032443		0.40	<0.005	0.01	0.10	2.2	<0.2	<10	30	0.10	0.02	0.07	0.04	10.90	2.4	3
I032444		0.54	<0.005	0.14	1.52	7.0	<0.2	<10	120	0.48	0.16	0.37	0.08	47.4	8.5	27
I032445		0.36	<0.005	0.10	2.90	12.3	<0.2	<10	110	0.43	0.21	0.14	0.15	18.70	8.8	45
I032446		0.34	<0.005	0.31	2.55	11.3	<0.2	<10	160	0.35	0.22	0.22	0.22	19.65	8.5	38
I032447		0.30	<0.005	0.05	2.14	4.0	<0.2	<10	180	0.33	0.13	0.18	0.12	14.75	13.7	43
I032448		0.40	<0.005	0.13	2.36	3.6	<0.2	<10	180	0.50	0.12	0.32	0.13	32.9	17.8	38
I032449		0.46	<0.005	0.06	1.85	7.5	<0.2	<10	80	0.24	0.17	0.20	0.09	20.8	9.6	36
I032450		0.42	<0.005	0.12	2.07	8.6	<0.2	<10	240	0.62	0.14	0.31	0.06	49.8	12.9	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032416		2.04	19.5	3.33	7.28	0.12	0.26	0.02	0.033	0.18	51.3	22.8	0.62	401	0.74
I032417		5.45	20.5	3.48	8.87	0.19	0.17	0.04	0.043	0.30	125.5	32.3	0.66	450	0.76
I032418		2.39	9.9	2.82	6.13	0.07	0.11	0.01	0.032	0.16	18.2	12.6	0.43	336	0.94
I032419		4.75	14.8	3.08	7.55	0.10	0.07	0.02	0.032	0.34	33.7	20.5	0.58	390	0.92
I032420		2.45	15.2	3.08	7.53	0.08	0.06	0.03	0.030	0.13	21.6	13.7	0.44	410	1.39
I032421		1.17	10.8	2.74	6.57	0.06	0.04	0.02	0.023	0.07	8.0	15.8	0.34	288	1.45
I032422		1.07	10.5	2.36	6.03	<0.05	0.04	0.01	0.020	0.04	8.2	12.2	0.28	234	0.99
I032423		1.83	12.6	2.36	5.01	0.07	0.05	0.02	0.025	0.06	22.7	16.1	0.36	256	0.82
I032424		0.93	10.2	2.27	6.14	0.05	0.04	0.01	0.017	0.05	8.9	9.1	0.28	177	0.92
I032425		0.98	13.7	2.72	6.86	0.05	0.05	0.02	0.023	0.09	12.9	15.5	0.47	269	1.06
I032426		0.94	11.6	2.30	6.04	0.05	0.06	0.01	0.020	0.08	10.5	9.7	0.28	326	0.99
I032427		1.19	16.5	3.04	6.77	0.07	0.17	0.01	0.025	0.04	11.4	11.5	0.47	265	0.70
I032428		1.22	17.5	3.65	8.58	0.07	0.09	0.02	0.034	0.04	11.7	15.2	0.48	447	1.47
I032429		2.79	10.6	2.81	8.33	0.06	0.03	0.01	0.028	0.16	8.4	12.1	0.38	198	1.07
I032430		0.10	1.7	0.61	0.57	<0.05	0.05	0.01	<0.005	<0.01	5.3	1.2	0.03	150	0.28
I032431		2.45	42.9	5.17	8.55	0.09	0.04	0.08	0.036	0.08	19.7	15.5	0.39	215	4.44
I032432		1.99	24.8	4.89	10.10	0.09	0.08	0.03	0.028	0.08	7.2	25.0	0.81	317	1.35
I032433		1.93	15.7	3.13	8.02	0.07	0.02	0.04	0.030	0.02	9.0	14.0	0.42	606	1.56
I032434		2.60	25.9	3.29	6.32	0.08	0.04	0.04	0.030	0.03	16.4	15.2	0.61	1280	1.16
I032435		3.59	21.4	3.80	7.04	0.09	0.04	0.01	0.020	0.06	10.1	37.6	1.25	475	0.66
I032436		3.14	26.8	3.84	6.92	0.10	0.04	0.03	0.031	0.06	17.5	22.0	0.74	273	1.07
I032437		2.71	36.9	3.52	6.56	0.09	0.03	0.03	0.026	0.13	11.3	21.0	0.90	342	1.11
I032438		1.43	17.0	4.05	8.21	0.09	0.05	0.03	0.036	0.03	8.9	17.3	0.43	292	1.41
I032439		3.27	17.2	4.61	10.10	0.10	0.07	0.02	0.041	0.07	16.8	31.8	0.51	412	2.00
I032440		2.88	13.6	3.56	8.27	0.09	0.06	0.03	0.030	0.07	15.3	21.4	0.56	258	1.15
I032441		4.84	33.5	4.14	9.34	0.12	0.05	0.03	0.036	0.35	30.0	25.5	1.14	789	1.10
I032442		2.29	14.6	3.37	7.63	0.10	0.04	0.03	0.032	0.07	22.3	16.8	0.34	299	1.71
I032443		0.09	1.7	0.62	0.56	<0.05	0.05	<0.01	<0.005	<0.01	5.6	1.3	0.04	164	0.30
I032444		1.64	18.2	2.67	5.09	0.09	0.04	0.07	0.028	0.06	28.5	11.4	0.34	258	1.45
I032445		2.11	17.6	4.47	10.10	0.08	0.06	0.05	0.032	0.02	9.5	19.1	0.40	242	1.83
I032446		1.17	18.3	3.93	10.10	0.08	0.07	0.03	0.031	0.02	9.8	14.7	0.41	228	1.65
I032447		1.19	15.9	3.53	7.73	0.07	0.02	0.01	0.020	0.07	6.1	18.0	0.70	622	0.86
I032448		2.57	45.5	3.97	7.04	0.11	0.03	0.01	0.021	0.21	18.0	22.1	0.88	416	0.93
I032449		1.45	17.5	3.60	7.87	0.08	0.05	0.01	0.025	0.09	10.4	15.6	0.58	248	1.03
I032450		1.18	30.0	3.15	6.03	0.11	0.05	0.03	0.030	0.05	28.9	13.2	0.53	255	0.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I032416		1.73	19.0	340	12.2	34.1	<0.001	0.01	0.33	6.3	0.6	0.9	32.4	0.01	0.01	12.3
I032417		1.86	18.5	600	19.1	53.3	0.001	0.02	0.25	8.2	1.1	1.1	38.6	0.01	0.02	19.7
I032418		1.45	11.8	510	11.8	26.1	<0.001	0.01	0.20	4.5	0.4	0.9	29.4	<0.01	0.01	9.2
I032419		1.51	14.6	620	13.5	48.9	<0.001	0.02	0.21	4.9	0.6	1.1	32.6	<0.01	0.02	8.7
I032420		1.55	13.5	330	15.4	27.5	<0.001	0.02	0.27	4.6	0.6	0.9	29.8	<0.01	0.02	7.0
I032421		1.60	10.9	330	13.1	14.2	<0.001	0.01	0.24	3.0	0.2	1.0	22.4	<0.01	0.02	3.1
I032422		1.25	9.7	450	10.1	12.7	<0.001	0.01	0.24	2.6	0.3	0.8	23.2	<0.01	0.01	1.6
I032423		1.37	13.5	400	20.1	17.8	<0.001	0.01	0.28	3.1	0.4	0.8	22.7	<0.01	0.01	4.4
I032424		1.52	9.0	260	12.6	12.3	<0.001	0.01	0.28	2.6	0.2	0.8	21.4	<0.01	0.01	2.3
I032425		1.43	14.6	360	10.4	16.2	<0.001	0.01	0.23	3.7	0.4	0.8	27.9	<0.01	0.02	3.2
I032426		1.41	11.7	280	14.4	15.5	<0.001	0.01	0.24	2.9	0.3	0.8	25.7	<0.01	0.01	3.7
I032427		1.27	19.9	410	9.3	8.0	<0.001	0.01	0.38	5.3	0.4	0.7	31.0	<0.01	0.02	3.2
I032428		1.94	22.8	310	10.0	12.3	<0.001	0.01	0.41	4.8	0.4	0.8	25.8	<0.01	0.03	3.8
I032429		1.29	11.8	440	15.5	35.8	<0.001	0.01	0.21	3.9	0.3	1.9	18.1	<0.01	0.01	3.0
I032430		0.22	3.7	170	1.5	1.8	<0.001	<0.01	0.12	0.6	<0.2	<0.2	8.9	<0.01	<0.01	1.8
I032431		1.60	20.1	980	8.6	12.3	<0.001	0.17	0.63	3.1	2.0	0.6	35.6	<0.01	0.07	0.6
I032432		2.33	32.5	330	7.8	13.3	<0.001	0.01	0.39	4.5	0.6	0.6	12.6	<0.01	0.03	2.3
I032433		1.50	18.3	500	9.0	8.5	<0.001	0.03	0.28	2.9	0.7	0.6	27.6	<0.01	0.04	0.6
I032434		1.05	21.6	830	10.0	9.7	<0.001	0.04	0.39	4.3	0.9	0.5	32.6	<0.01	0.04	1.1
I032435		2.54	35.4	390	8.5	17.3	<0.001	0.02	0.13	3.2	0.5	0.7	41.5	<0.01	0.02	3.3
I032436		1.50	37.8	400	8.2	14.1	<0.001	0.04	0.21	4.6	0.5	0.4	22.7	<0.01	0.03	5.4
I032437		1.43	54.3	800	9.2	23.0	<0.001	0.02	0.18	4.1	0.9	0.5	28.4	<0.01	0.03	1.5
I032438		2.15	22.8	410	9.6	10.7	<0.001	0.02	0.42	4.3	0.7	0.6	16.1	0.01	0.03	2.3
I032439		2.35	21.7	500	24.6	22.6	<0.001	0.01	0.42	4.5	0.7	1.0	17.6	<0.01	0.05	7.4
I032440		2.04	21.8	400	20.9	22.6	<0.001	0.01	0.28	4.5	0.6	0.6	18.6	<0.01	0.03	4.2
I032441		1.38	33.2	1250	18.3	51.7	<0.001	0.03	0.21	6.6	0.7	0.8	52.7	<0.01	0.03	12.3
I032442		1.70	18.4	430	19.2	20.4	<0.001	0.01	0.32	4.1	0.7	0.7	14.6	0.01	0.04	5.8
I032443		0.20	4.0	180	1.5	1.6	<0.001	<0.01	0.13	0.6	0.2	<0.2	10.1	<0.01	<0.01	1.8
I032444		0.79	17.1	1050	13.5	15.0	<0.001	0.03	0.23	3.6	0.8	0.6	29.3	<0.01	0.02	2.5
I032445		2.66	21.9	370	10.7	12.2	<0.001	0.02	0.58	4.1	0.8	0.7	17.1	0.01	0.05	2.0
I032446		2.39	17.1	380	11.5	10.5	<0.001	0.02	0.46	4.2	0.6	0.8	21.2	0.01	0.03	2.5
I032447		1.88	32.6	460	9.1	22.5	<0.001	0.01	0.30	2.5	0.5	0.5	18.6	<0.01	0.04	2.1
I032448		1.55	40.0	600	34.6	32.2	<0.001	0.02	0.17	3.1	0.6	0.4	29.3	<0.01	0.04	1.6
I032449		2.11	23.7	360	11.2	15.2	<0.001	0.02	0.31	3.4	0.5	0.6	18.3	<0.01	0.03	2.0
I032450		1.27	28.7	720	9.1	13.4	<0.001	0.02	0.30	5.8	0.9	0.5	25.4	0.01	0.02	2.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032416		0.143	0.18	1.35	68	0.13	17.50	58	9.9
I032417		0.123	0.37	2.88	58	0.16	36.0	73	4.7
I032418		0.099	0.15	1.19	55	0.10	8.03	54	4.1
I032419		0.111	0.31	1.56	51	0.13	12.80	66	1.9
I032420		0.095	0.15	1.19	66	0.17	8.14	54	2.1
I032421		0.092	0.11	0.56	68	0.11	2.94	53	1.4
I032422		0.087	0.09	0.66	59	0.14	4.12	38	1.3
I032423		0.077	0.12	1.51	56	0.17	9.61	39	1.4
I032424		0.095	0.10	0.58	65	0.09	3.31	42	1.5
I032425		0.092	0.12	0.70	61	0.11	6.00	46	1.8
I032426		0.083	0.10	0.57	59	0.09	3.81	39	2.3
I032427		0.102	0.10	0.63	72	0.09	5.61	44	6.7
I032428		0.113	0.12	0.58	84	0.10	4.29	50	3.5
I032429		0.089	0.25	0.55	55	0.11	3.88	47	1.5
I032430		0.006	0.03	0.31	4	<0.05	2.06	5	2.1
I032431		0.104	0.21	1.23	115	0.17	6.18	65	1.3
I032432		0.182	0.15	0.39	120	0.14	3.47	58	3.5
I032433		0.080	0.15	0.45	78	0.16	4.02	41	1.0
I032434		0.059	0.17	2.13	64	0.12	8.41	49	1.0
I032435		0.153	0.20	0.55	50	0.13	4.30	108	1.4
I032436		0.085	0.17	0.87	65	0.10	6.21	75	1.4
I032437		0.115	0.22	0.93	70	0.11	7.24	84	1.1
I032438		0.100	0.11	0.57	86	0.14	3.89	48	2.3
I032439		0.095	0.17	0.80	82	0.16	6.76	66	2.7
I032440		0.098	0.22	0.58	73	0.17	5.34	53	2.2
I032441		0.119	0.42	1.32	76	0.13	11.40	81	1.7
I032442		0.069	0.18	1.40	67	0.16	7.63	46	1.2
I032443		0.007	0.03	0.30	5	<0.05	2.28	6	2.0
I032444		0.031	0.14	2.78	49	0.10	11.80	51	0.6
I032445		0.123	0.17	0.59	100	0.18	3.76	45	3.0
I032446		0.118	0.14	0.58	99	0.14	3.52	48	3.4
I032447		0.129	0.18	0.35	64	0.09	2.52	86	0.8
I032448		0.121	0.23	0.76	57	0.08	6.36	65	0.7
I032449		0.135	0.13	0.61	77	0.11	4.08	54	1.8
I032450		0.075	0.12	1.56	59	0.18	16.70	52	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.
ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 17-SEP-2010
Account: EIASQI

CERTIFICATE WH10120405

Project: SQI10-01
P.O. No.: SQI10-06_22
This report is for 22 Rock samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10120405

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I034053		0.43	<0.005	0.74	0.40	0.6	<0.2	<10	440	0.23	0.14	1.01	0.07	112.0	0.4	35
I034054		1.70	<0.005	1.09	0.27	0.6	<0.2	<10	500	0.23	0.10	0.21	0.12	27.7	0.3	35
I034151		1.64	<0.005	0.35	1.22	3	<0.2	<10	60	0.46	0.12	11.50	0.28	18.00	16.5	10
I034152		0.93	<0.005	0.01	0.21	0.3	<0.2	<10	10	0.27	0.11	0.05	0.01	6.11	0.9	13
I034153		0.90	<0.005	0.14	0.07	0.1	<0.2	<10	30	0.06	0.17	0.09	0.01	8.94	0.6	51
I034154		1.14	<0.005	0.02	0.03	0.6	<0.2	<10	10	0.06	0.27	0.02	0.01	0.44	0.8	39
I034201		0.70	<0.005	0.03	0.33	0.4	<0.2	<10	50	0.91	0.48	0.32	0.14	14.10	0.3	10
I034202		0.58	0.011	0.01	1.02	0.7	<0.2	<10	20	0.17	0.03	1.59	0.06	2.88	19.7	9
I034203		0.63	0.005	0.07	1.06	12.9	<0.2	<10	1550	1.20	0.04	0.90	0.12	52.4	5.5	5
I319659		0.92	<0.005	0.02	2.33	0.4	<0.2	<10	30	0.27	0.02	1.60	0.03	5.86	32.0	197
I319660		0.69	<0.005	0.04	0.17	3.7	<0.2	<10	20	<0.05	0.24	0.06	0.04	3.91	2.3	40
I319661		0.50	<0.005	0.04	0.25	2.8	<0.2	<10	40	0.06	1.11	0.05	0.11	3.59	4.0	34
I319662		0.44	<0.005	0.02	0.57	0.3	<0.2	<10	130	0.12	0.03	0.15	0.02	4.50	1.4	12
I319663		0.52	<0.005	0.01	0.18	2.7	<0.2	<10	100	0.08	0.01	0.04	0.04	6.37	1.8	6
I319664		0.90	<0.005	0.03	0.02	1.6	<0.2	<10	200	<0.05	<0.01	0.29	0.03	1.14	0.6	47
I319665		0.62	<0.005	0.51	0.18	5.8	<0.2	<10	220	0.19	0.13	0.09	0.91	45.9	4.1	12
I319666		0.69	<0.005	0.02	0.43	0.2	<0.2	<10	130	0.14	0.09	0.08	0.02	5.17	1.4	9
I319667		0.58	<0.005	0.02	0.24	0.6	<0.2	<10	120	0.07	0.03	0.04	0.03	3.24	0.7	9
I319668		0.77	<0.005	0.02	0.02	0.8	<0.2	<10	10	<0.05	0.01	0.07	0.02	0.36	0.4	37
I319669		0.32	<0.005	0.04	1.53	0.2	<0.2	<10	30	0.21	0.03	0.51	0.08	5.33	13.9	58
I319670		0.97	<0.005	0.08	2.75	0.3	<0.2	<10	70	0.37	0.02	0.53	0.07	5.13	20.4	10
I319671		1.32	0.008	0.20	1.51	1.1	<0.2	<10	70	0.30	0.04	0.52	0.02	3.70	11.5	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17 - SEP - 2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I034053		0.32	10.7	1.43	2.88	0.20	0.17	0.03	0.082	0.16	75.8	1.8	0.06	41	7.70
I034054		0.21	9.9	1.08	1.77	0.07	0.08	0.01	0.034	0.16	15.2	1.5	0.04	30	9.40
I034151		0.32	24.1	4.69	6.01	0.09	0.04	<0.01	0.109	0.30	8.9	10.2	1.71	1880	3.19
I034152		0.82	8.3	0.32	1.16	<0.05	0.30	<0.01	0.006	0.11	2.2	1.9	0.03	79	0.47
I034153		0.08	37.0	0.54	0.55	<0.05	<0.02	<0.01	<0.005	0.02	7.2	0.5	0.03	49	16.70
I034154		<0.05	22.0	0.33	0.14	<0.05	<0.02	<0.01	<0.005	0.01	0.3	0.2	0.01	26	4.79
I034201		4.21	1.0	0.25	1.34	<0.05	0.52	<0.01	0.006	0.23	6.9	0.8	0.01	427	0.21
I034202		0.14	60.9	2.09	2.40	0.12	0.13	<0.01	0.007	0.04	1.4	1.4	0.35	330	0.34
I034203		8.68	1.5	1.53	2.40	0.08	0.31	<0.01	0.010	0.34	28.5	14.7	0.24	649	0.05
I319659		0.07	42.8	2.80	6.21	0.08	0.09	<0.01	0.007	0.07	3.0	12.2	2.29	517	0.13
I319660		0.07	3.8	0.53	0.52	<0.05	0.08	<0.01	<0.005	0.01	1.6	1.2	0.11	92	0.55
I319661		0.05	19.0	0.86	0.25	<0.05	0.08	<0.01	0.007	0.01	1.5	1.0	0.04	129	2.31
I319662		0.28	11.1	0.93	3.73	<0.05	0.04	<0.01	0.008	0.05	2.2	6.7	0.22	103	0.35
I319663		0.35	1.4	0.82	0.62	<0.05	0.03	<0.01	0.014	0.13	2.9	0.2	0.01	196	0.26
I319664		<0.05	2.3	0.50	0.14	<0.05	<0.02	<0.01	<0.005	0.01	0.6	0.2	0.10	196	0.30
I319665		0.08	37.1	2.05	0.88	0.06	0.57	0.01	0.020	0.05	28.3	0.5	0.01	1500	0.74
I319666		0.25	1.5	0.75	2.76	<0.05	0.02	<0.01	<0.005	0.19	2.5	4.0	0.08	154	0.12
I319667		0.07	2.6	0.31	0.79	<0.05	0.02	<0.01	<0.005	0.13	1.2	0.7	0.01	62	0.15
I319668		<0.05	1.4	0.25	0.21	<0.05	<0.02	<0.01	<0.005	<0.01	0.2	0.2	<0.01	84	0.23
I319669		0.13	35.3	2.70	6.48	0.15	0.06	<0.01	0.010	0.02	2.6	22.8	1.43	494	0.35
I319670		0.81	54.6	4.69	11.00	0.10	0.05	<0.01	0.012	0.09	2.6	39.6	2.29	824	0.32
I319671		0.46	22.1	2.47	5.49	<0.05	0.02	0.04	<0.005	0.09	1.7	30.4	1.19	486	0.12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I034053		1.61	7.0	5080	6.2	9.3	0.001	0.02	0.10	3.6	2.5	0.3	41.8	0.01	0.06	5.4
I034054		2.12	1.8	2070	3.4	8.0	0.001	0.06	0.06	3.2	3.6	0.3	15.0	0.01	0.06	4.0
I034151		0.10	22.8	1570	3.2	6.5	0.002	1.03	0.26	9.7	0.9	<0.2	213	<0.01	0.06	1.0
I034152		9.13	0.8	40	3.3	16.5	<0.001	0.01	0.05	1.5	0.3	1.3	1.9	0.01	0.01	7.4
I034153		0.16	1.7	120	0.5	1.8	<0.001	0.03	<0.05	0.6	1.0	0.2	23.5	<0.01	0.06	0.4
I034154		0.12	1.9	10	1.0	0.4	<0.001	0.01	0.06	0.3	<0.2	<0.2	0.7	<0.01	0.07	<0.2
I034201		0.24	1.3	130	60.0	21.5	<0.001	<0.01	0.09	1.2	0.4	0.2	9.5	<0.01	0.01	11.8
I034202		0.92	7.2	1000	1.9	1.0	<0.001	<0.01	0.29	3.6	0.4	<0.2	114.5	0.01	0.03	0.2
I034203		<0.05	5.8	660	26.8	23.1	<0.001	0.04	0.36	1.7	0.3	0.2	45.2	<0.01	<0.01	9.7
I319659		0.45	108.5	1440	1.2	1.7	<0.001	<0.01	0.09	4.7	0.3	0.3	54.3	0.01	<0.01	1.0
I319660		0.06	18.6	100	10.9	0.9	<0.001	0.01	0.06	0.6	<0.2	<0.2	5.2	<0.01	0.04	3.4
I319661		0.07	40.6	60	37.9	0.4	<0.001	0.01	0.08	0.5	0.3	<0.2	5.1	<0.01	0.05	3.0
I319662		0.34	1.3	250	2.2	3.6	<0.001	0.06	0.08	0.7	<0.2	0.2	16.8	<0.01	0.02	1.5
I319663		0.09	2.0	140	1.4	2.8	<0.001	0.02	0.06	1.0	<0.2	<0.2	28.9	<0.01	<0.01	0.3
I319664		0.09	1.4	30	1.1	0.4	<0.001	0.02	0.11	1.0	<0.2	<0.2	24.9	<0.01	<0.01	0.2
I319665		0.27	7.2	370	183.0	1.9	<0.001	0.04	0.17	2.2	0.2	0.2	37.5	<0.01	0.02	7.2
I319666		1.34	1.1	110	3.4	9.3	<0.001	0.01	<0.05	0.3	<0.2	<0.2	23.9	<0.01	<0.01	0.8
I319667		0.38	1.3	110	9.4	4.3	<0.001	0.01	<0.05	0.1	<0.2	<0.2	12.5	<0.01	0.01	0.4
I319668		0.12	1.4	220	0.3	0.2	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	1.7	<0.01	0.01	<0.2
I319669		0.37	16.1	230	2.7	1.6	<0.001	0.01	0.12	6.2	0.3	0.2	86.5	<0.01	0.03	0.9
I319670		0.40	5.5	420	2.8	5.3	<0.001	<0.01	0.07	10.5	0.3	0.2	39.2	<0.01	0.02	0.7
I319671		0.41	4.2	340	1.0	4.2	<0.001	0.03	0.05	3.4	0.2	0.2	35.9	<0.01	0.17	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17 - SEP - 2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I034053		0.056	0.06	12.35	320	0.77	47.9	80	6.2
I034054		0.065	0.07	2.92	95	0.19	11.30	11	2.6
I034151		0.022	0.04	0.18	68	0.11	17.60	36	1.1
I034152		<0.005	0.11	3.91	3	0.40	4.23	4	3.5
I034153		<0.005	0.02	0.31	5	0.11	1.38	<2	<0.5
I034154		<0.005	<0.02	<0.05	2	2.90	0.25	<2	<0.5
I034201		<0.005	0.13	4.32	<1	0.10	13.20	18	10.6
I034202		0.185	<0.02	0.09	26	0.22	2.42	17	3.3
I034203		<0.005	0.11	1.87	7	0.13	9.25	48	12.5
I319659		0.342	<0.02	0.11	65	0.08	4.42	61	2.6
I319660		0.005	<0.02	0.11	5	<0.05	1.60	11	3.8
I319661		<0.005	<0.02	0.85	5	<0.05	2.78	32	4.2
I319662		0.030	0.02	0.35	13	<0.05	2.01	26	0.9
I319663		<0.005	0.02	0.24	5	0.16	1.15	8	1.0
I319664		<0.005	<0.02	0.06	5	0.05	1.21	3	<0.5
I319665		<0.005	0.02	2.39	13	0.32	4.89	85	18.6
I319666		0.037	0.07	0.17	5	<0.05	2.01	30	0.6
I319667		0.006	0.02	0.22	2	<0.05	1.18	7	0.6
I319668		<0.005	<0.02	<0.05	1	<0.05	0.27	2	<0.5
I319669		0.153	<0.02	0.26	59	0.15	2.86	55	1.2
I319670		0.236	0.03	0.35	118	0.14	5.96	85	0.7
I319671		0.148	0.03	0.17	45	0.34	3.75	49	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 21-SEP-2010
Account: EIASQI

CERTIFICATE WH10122483

Project: SQI10-06
P.O. No.: SQI10-06_22
This report is for 160 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033151		0.24	0.007	0.12	1.99	7.1	<0.2	<10	270	0.40	0.12	0.49	0.14	38.7	13.2	98
I033152		0.30	<0.005	0.11	1.88	5.2	<0.2	<10	270	0.50	0.11	1.23	0.20	38.4	13.5	60
I033153		0.38	0.005	0.06	1.72	5.3	<0.2	<10	150	0.24	0.11	0.45	0.10	24.2	11.7	51
I033154		0.32	0.006	0.08	1.93	5.4	<0.2	<10	230	0.33	0.10	0.59	0.12	28.1	16.4	63
I033155		0.26	<0.005	0.06	1.52	3.7	<0.2	<10	160	0.25	0.08	1.19	0.16	12.25	13.1	47
I033156		0.30	<0.005	0.06	1.29	4.0	<0.2	<10	140	0.27	0.09	1.22	0.14	12.20	9.1	33
I033157		0.26	<0.005	0.06	1.30	3.3	<0.2	<10	140	0.21	0.07	1.36	0.15	10.10	10.2	35
I033158		0.38	<0.005	0.11	1.52	3.0	<0.2	<10	170	0.06	0.05	0.65	0.10	10.30	10.8	46
I033159		0.34	0.006	0.08	1.38	5.5	<0.2	<10	140	0.25	0.08	1.57	0.20	18.80	11.3	38
I033160		0.26	0.014	0.14	1.88	4.6	<0.2	<10	230	0.26	0.08	1.10	0.16	13.85	13.5	29
I033161		0.40	<0.005	0.09	1.89	4.2	<0.2	<10	240	0.27	0.09	1.12	0.14	15.20	13.7	44
I033162		0.36	0.005	0.09	1.96	4.3	<0.2	<10	250	0.32	0.17	1.14	0.13	15.90	14.6	49
I033163		0.24	0.005	0.11	1.61	3.0	<0.2	<10	180	0.23	0.09	2.61	0.25	13.70	11.5	47
I033164		0.36	<0.005	0.04	1.31	3.4	<0.2	<10	60	0.20	0.12	0.45	0.10	19.50	9.8	37
I033165		0.36	<0.005	0.04	1.77	3.4	<0.2	<10	70	0.29	0.11	0.31	0.07	16.15	14.6	54
I033166		0.28	<0.005	0.06	1.19	2.9	<0.2	<10	80	0.33	0.12	0.81	0.13	65.1	10.6	27
I033167		0.22	0.005	0.08	0.80	3.1	<0.2	<10	60	0.22	0.11	0.31	0.08	16.05	3.8	19
I033168		0.38	0.005	0.10	1.49	3.2	<0.2	<10	90	0.37	0.11	0.81	0.12	65.4	18.9	32
I033169		0.34	<0.005	0.04	1.05	2.3	<0.2	<10	60	0.28	0.06	1.02	0.09	25.2	10.6	21
I033170		0.34	<0.005	0.06	1.53	2.4	<0.2	<10	90	0.40	0.09	0.94	0.14	40.6	14.4	28
I033171		0.54	<0.005	0.05	1.45	3.1	<0.2	<10	70	0.37	0.09	0.62	0.07	32.8	13.8	34
I033172		0.42	0.013	0.10	1.68	3.4	<0.2	<10	100	0.27	0.13	0.42	0.10	32.5	14.4	37
I033173		0.48	0.014	0.06	1.44	3.6	<0.2	<10	90	0.33	0.13	0.47	0.09	38.8	14.1	31
I033174		0.34	<0.005	0.07	1.40	3.4	<0.2	<10	90	0.23	0.13	0.63	0.13	30.0	14.7	31
I033175		0.32	0.007	0.11	1.64	3.1	<0.2	<10	100	0.36	0.16	0.50	0.11	38.7	23.0	38
I033176		0.26	0.007	0.07	1.27	2.9	<0.2	<10	70	0.64	0.21	0.25	0.13	80.0	20.6	34
I033177		0.40	<0.005	0.04	1.39	5.9	<0.2	<10	90	0.29	0.20	0.79	0.08	24.5	14.1	27
I033178		0.40	<0.005	0.06	1.55	4.2	<0.2	<10	90	0.48	0.10	1.20	0.09	43.0	14.2	32
I033179		0.36	0.005	0.05	1.29	2.7	<0.2	<10	70	0.41	0.13	0.89	0.09	31.4	11.9	26
I033180		0.26	<0.005	0.10	1.52	5.0	<0.2	<10	120	0.46	0.14	0.56	0.08	35.7	15.6	33
I033185		0.32	<0.005	0.05	1.29	5.6	<0.2	<10	50	0.15	0.33	0.09	0.10	25.1	7.5	23
I033186		0.36	<0.005	0.03	3.83	3.1	<0.2	<10	180	0.69	0.20	0.17	0.04	41.6	24.7	77
I033187		0.32	<0.005	0.02	2.58	9.4	<0.2	<10	100	0.33	0.22	0.09	0.08	31.9	11.6	41
I033188		0.28	<0.005	0.08	2.23	11.7	<0.2	<10	130	0.32	0.27	0.15	0.14	17.40	9.0	37
I033189		0.28	<0.005	0.12	2.05	9.3	<0.2	<10	150	0.36	0.28	0.16	0.16	24.5	10.9	33
I033190		0.22	<0.005	0.06	1.72	6.1	<0.2	<10	200	0.33	0.11	0.27	0.18	20.8	12.1	41
I033191		0.34	<0.005	0.09	2.55	10.9	<0.2	<10	240	0.29	0.16	0.30	0.19	16.60	12.7	43
I033192		0.18	<0.005	0.11	1.34	4.2	<0.2	<10	260	0.26	0.14	0.36	0.20	13.55	10.5	27
I033193		0.26	0.005	0.22	2.30	5.5	<0.2	<10	240	0.60	0.13	0.74	0.24	61.5	13.6	52
I033194		0.14	<0.005	0.11	0.83	2.0	<0.2	<10	220	0.20	0.07	3.41	0.21	18.00	6.2	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033151		2.05	24.2	3.11	7.74	<0.05	0.04	0.05	0.018	0.10	20.5	13.7	1.09	500	0.95
I033152		1.44	42.3	2.94	6.68	0.06	0.04	0.05	0.022	0.12	19.4	15.4	0.83	489	0.73
I033153		1.25	28.9	2.93	6.60	<0.05	0.03	0.03	0.016	0.07	11.9	11.1	0.83	412	0.89
I033154		1.54	34.1	3.23	7.63	0.05	0.03	0.05	0.021	0.10	13.5	14.2	1.02	716	0.97
I033155		0.79	29.2	2.49	5.55	<0.05	0.05	0.05	0.016	0.07	5.6	11.1	0.82	580	0.88
I033156		0.65	20.7	2.01	5.22	<0.05	0.05	0.04	0.016	0.04	5.7	8.6	0.52	469	0.86
I033157		0.62	29.7	2.08	5.07	<0.05	0.04	0.09	0.014	0.05	4.8	8.6	0.64	284	0.67
I033158		1.21	34.9	2.73	5.98	0.09	0.02	0.02	0.016	0.13	5.6	7.9	0.87	348	0.74
I033159		0.71	38.2	2.60	4.50	0.11	0.09	0.01	0.019	0.08	9.7	9.0	0.63	326	0.70
I033160		2.05	66.0	2.93	5.42	0.08	0.05	0.03	0.019	0.17	6.2	13.8	0.85	440	1.26
I033161		1.26	49.2	2.91	5.33	0.07	0.06	0.03	0.019	0.19	7.2	13.5	0.94	417	0.70
I033162		1.44	51.9	2.97	5.49	0.08	0.06	0.03	0.021	0.22	7.3	14.2	1.02	443	0.75
I033163		1.36	54.6	2.35	4.41	0.07	0.06	0.05	0.016	0.14	6.5	11.3	0.75	407	0.74
I033164		1.26	25.1	2.44	6.52	0.05	0.02	0.02	0.016	0.10	10.2	10.8	0.53	237	0.91
I033165		1.49	20.4	3.16	7.79	0.05	<0.02	0.02	0.019	0.06	8.4	13.0	0.82	320	0.86
I033166		0.89	28.8	2.35	5.46	0.07	0.02	0.05	0.022	0.08	34.9	8.0	0.34	275	0.69
I033167		0.92	15.6	1.51	4.37	<0.05	<0.02	0.05	0.014	0.04	8.0	3.8	0.20	85	0.47
I033168		1.15	26.3	2.97	5.41	0.08	0.03	0.05	0.022	0.06	32.1	13.8	0.51	642	0.78
I033169		0.93	15.3	1.98	3.94	0.06	0.03	0.02	0.013	0.07	12.0	9.7	0.45	357	0.30
I033170		2.30	22.0	2.99	5.63	0.08	0.03	0.03	0.017	0.20	20.8	13.8	0.67	461	0.77
I033171		2.16	18.0	3.17	5.35	0.08	0.03	0.02	0.018	0.18	16.1	13.5	0.67	382	0.83
I033172		1.86	20.1	2.99	6.57	0.06	0.02	0.04	0.021	0.08	15.9	12.7	0.62	583	0.77
I033173		2.25	18.5	3.16	5.52	0.07	0.02	0.03	0.022	0.09	18.8	10.8	0.56	457	0.68
I033174		1.61	16.5	2.63	5.37	0.06	0.02	0.07	0.019	0.08	14.4	10.2	0.53	692	0.78
I033175		3.62	22.8	3.34	6.58	0.08	0.02	0.02	0.022	0.25	22.0	14.8	0.71	835	0.77
I033176		4.12	35.0	4.37	4.43	0.10	0.03	0.02	0.034	0.16	36.8	12.0	0.43	395	0.96
I033177		1.63	11.9	2.92	5.53	0.07	0.04	0.02	0.023	0.08	11.4	17.2	0.54	455	0.53
I033178		2.28	22.8	3.04	5.47	0.09	0.04	0.03	0.023	0.15	18.9	18.2	0.61	377	0.45
I033179		2.07	16.3	2.53	4.67	0.08	0.03	0.02	0.016	0.12	15.5	13.9	0.52	318	0.33
I033180		2.81	20.3	3.04	6.24	0.07	0.02	0.03	0.022	0.08	17.6	14.7	0.56	669	0.71
I033185		1.22	19.1	2.66	9.91	0.05	0.02	0.02	0.015	0.16	7.3	5.4	0.44	154	1.23
I033186		2.09	20.1	4.58	16.40	0.12	0.04	0.02	0.045	0.50	7.7	22.7	1.74	190	0.86
I033187		1.51	24.2	4.85	13.10	0.08	0.04	0.01	0.026	0.27	16.6	18.2	0.86	231	1.46
I033188		1.34	15.5	4.62	12.50	0.07	0.03	0.02	0.029	0.05	8.4	18.5	0.43	277	1.97
I033189		1.29	19.9	3.64	8.97	<0.05	0.05	0.01	0.021	0.17	7.6	14.6	0.59	274	1.38
I033190		0.93	24.5	2.78	6.90	<0.05	0.04	0.02	0.022	0.10	10.4	14.1	0.63	254	0.94
I033191		0.69	19.1	3.59	8.15	<0.05	0.10	0.02	0.030	0.07	7.7	17.0	0.67	426	1.49
I033192		0.50	12.9	2.26	5.78	<0.05	0.03	0.02	0.017	0.17	6.0	9.4	0.38	591	0.91
I033193		1.38	39.8	3.53	7.57	0.10	0.08	0.04	0.025	0.28	41.5	16.1	0.95	396	0.78
I033194		0.76	50.2	1.32	2.74	0.05	0.05	0.07	0.036	0.14	12.0	6.0	0.44	312	0.64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I033151		1.51	41.3	710	7.9	32.2	<0.001	0.04	0.27	4.4	0.9	0.6	32.6	<0.01	0.03	2.6
I033152		1.38	34.2	720	6.2	25.2	<0.001	0.05	0.24	5.2	1.2	0.4	41.1	<0.01	0.04	1.9
I033153		1.27	25.9	740	5.8	17.7	<0.001	0.03	0.17	4.1	0.7	0.4	25.4	<0.01	0.03	2.0
I033154		1.46	32.6	810	5.8	25.7	<0.001	0.04	0.18	4.9	0.9	0.5	31.7	<0.01	0.03	1.9
I033155		1.02	24.9	710	4.1	12.1	<0.001	0.05	0.17	4.5	1.0	0.3	35.2	<0.01	0.03	0.7
I033156		1.04	16.4	680	5.1	5.6	<0.001	0.07	0.23	3.6	1.1	0.4	38.1	<0.01	0.04	0.5
I033157		0.93	19.8	610	4.0	7.8	<0.001	0.09	0.22	4.1	1.1	0.3	41.5	<0.01	0.03	0.5
I033158		0.99	22.8	630	4.4	14.0	0.001	0.03	0.16	4.3	0.8	0.4	28.7	<0.01	0.03	0.8
I033159		1.41	25.9	590	5.1	11.7	0.001	0.04	0.28	4.2	1.3	0.4	39.2	<0.01	0.03	1.3
I033160		1.10	19.5	580	6.3	20.1	0.001	0.11	0.18	4.7	0.9	0.3	34.3	<0.01	0.04	1.1
I033161		1.30	26.1	610	5.6	22.2	<0.001	0.05	0.19	4.8	0.6	0.4	32.5	<0.01	0.03	1.5
I033162		1.33	29.0	660	5.6	24.7	<0.001	0.05	0.18	5.0	0.6	0.7	32.9	<0.01	0.03	1.5
I033163		1.16	25.4	590	5.4	17.5	<0.001	0.09	0.19	3.9	0.9	0.3	49.5	0.01	0.04	0.7
I033164		1.02	28.2	320	8.0	14.6	<0.001	0.03	0.15	2.7	0.3	0.4	30.0	<0.01	0.03	2.1
I033165		0.98	34.7	450	6.7	14.6	<0.001	0.04	0.15	4.3	0.4	0.4	22.6	<0.01	0.03	1.7
I033166		0.71	29.0	440	7.3	9.6	<0.001	0.04	0.25	3.5	0.7	0.4	57.5	<0.01	0.03	2.2
I033167		0.69	10.4	620	7.0	8.4	<0.001	0.07	0.13	1.3	0.7	0.4	24.8	<0.01	0.03	0.2
I033168		1.11	30.8	580	8.9	14.9	<0.001	0.06	0.15	4.0	0.8	0.3	55.6	<0.01	0.04	4.5
I033169		1.10	20.3	540	5.1	15.9	<0.001	0.05	0.12	2.9	0.6	0.3	64.0	<0.01	0.03	2.3
I033170		1.45	27.0	750	8.4	41.4	<0.001	0.05	0.13	3.6	0.7	0.3	63.7	<0.01	0.03	4.7
I033171		1.20	29.5	540	8.0	26.0	<0.001	0.04	0.16	4.3	0.5	0.4	45.3	<0.01	0.03	5.8
I033172		1.07	28.2	710	9.2	19.5	<0.001	0.04	0.17	4.3	0.5	0.5	31.4	<0.01	0.04	2.4
I033173		0.98	27.9	690	10.9	19.0	<0.001	0.03	0.16	4.8	0.5	0.4	33.7	<0.01	0.03	4.8
I033174		1.01	22.5	630	10.8	19.4	<0.001	0.05	0.20	3.9	0.7	0.4	52.2	<0.01	0.03	2.7
I033175		1.05	34.1	660	16.4	39.8	<0.001	0.04	0.14	4.6	0.6	0.5	43.5	<0.01	0.04	4.3
I033176		0.72	50.0	480	13.8	24.8	<0.001	0.02	0.20	5.8	0.5	0.4	22.3	<0.01	0.04	11.6
I033177		1.16	21.4	610	12.0	12.9	<0.001	0.03	0.17	3.7	0.5	0.5	55.2	<0.01	0.03	3.7
I033178		1.20	30.5	580	9.7	27.3	<0.001	0.05	0.18	4.4	0.8	0.4	85.1	<0.01	0.03	3.6
I033179		1.10	25.0	750	9.4	22.7	<0.001	0.03	0.13	3.7	0.5	0.4	65.1	<0.01	0.02	3.6
I033180		1.14	28.3	600	9.0	21.6	<0.001	0.03	0.20	4.5	0.6	0.5	47.5	<0.01	0.04	3.1
I033185		2.02	16.4	350	8.4	30.3	<0.001	0.02	0.26	2.8	0.4	0.7	10.1	<0.01	0.04	3.8
I033186		0.99	82.3	610	5.7	66.1	<0.001	0.01	0.10	8.4	0.4	1.9	8.8	<0.01	0.03	12.0
I033187		4.04	24.1	510	10.6	30.2	<0.001	0.08	0.36	4.7	0.4	0.9	14.2	<0.01	0.05	10.7
I033188		2.41	16.6	460	11.9	15.8	<0.001	0.02	0.65	3.7	0.4	0.8	15.7	<0.01	0.07	1.6
I033189		2.04	26.5	350	21.3	25.5	0.001	0.02	0.40	3.1	0.2	0.7	17.5	<0.01	0.04	3.3
I033190		1.49	34.9	650	5.4	13.7	<0.001	0.02	0.24	3.4	0.4	0.5	21.9	<0.01	0.03	1.9
I033191		1.40	28.4	370	9.2	11.0	<0.001	0.02	0.43	4.2	0.2	0.7	28.9	<0.01	0.04	2.6
I033192		1.13	19.8	380	6.4	17.6	0.001	0.02	0.25	2.6	0.2	0.5	27.1	<0.01	0.03	1.1
I033193		1.78	41.3	560	9.1	37.3	<0.001	0.03	0.19	6.3	0.7	0.6	40.5	<0.01	0.04	7.5
I033194		0.74	19.0	690	4.0	17.1	0.001	0.17	0.22	1.8	1.3	0.2	151.5	<0.01	0.03	0.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033151		0.138	0.22	0.96	70	0.49	7.32	70	1.1
I033152		0.112	0.15	0.93	63	0.47	11.85	71	1.8
I033153		0.118	0.13	0.71	67	0.37	5.25	62	0.9
I033154		0.127	0.15	0.83	71	0.29	6.96	66	1.4
I033155		0.098	0.09	0.49	64	0.26	4.86	63	1.8
I033156		0.075	0.06	0.54	53	0.26	4.63	46	2.0
I033157		0.077	0.05	0.42	52	0.26	3.94	53	1.6
I033158		0.105	0.07	0.38	59	0.08	3.66	65	0.9
I033159		0.096	0.06	0.83	53	0.12	8.70	50	3.9
I033160		0.144	0.14	0.76	70	0.12	7.66	55	2.1
I033161		0.153	0.11	0.63	71	0.09	7.98	66	2.7
I033162		0.155	0.13	0.68	73	0.26	8.59	67	2.8
I033163		0.101	0.11	0.80	57	0.08	8.24	60	2.7
I033164		0.089	0.11	0.56	52	0.10	4.54	56	0.5
I033165		0.075	0.11	0.37	59	0.12	3.86	71	0.5
I033166		0.042	0.08	0.66	39	0.09	13.80	48	<0.5
I033167		0.042	0.10	0.60	23	0.08	3.09	26	<0.5
I033168		0.060	0.11	1.21	44	0.12	11.05	63	0.7
I033169		0.059	0.10	0.69	29	0.06	6.26	52	1.1
I033170		0.090	0.26	0.80	38	0.12	9.15	63	1.1
I033171		0.085	0.22	0.72	42	0.16	6.45	74	1.2
I033172		0.074	0.15	0.62	51	0.16	6.14	68	0.6
I033173		0.063	0.15	0.69	46	0.51	7.69	64	0.6
I033174		0.062	0.13	0.64	44	0.14	5.94	65	0.8
I033175		0.081	0.27	0.70	51	0.16	8.68	77	0.7
I033176		0.024	0.15	1.34	36	0.07	11.05	67	0.7
I033177		0.075	0.11	0.80	49	0.09	4.98	61	1.4
I033178		0.076	0.19	0.93	41	0.08	9.48	59	1.6
I033179		0.072	0.15	0.69	38	0.07	7.71	58	1.2
I033180		0.072	0.16	0.88	50	0.10	8.27	63	0.6
I033185		0.140	0.23	1.08	67	0.12	4.05	44	0.8
I033186		0.204	0.39	1.24	69	0.06	7.58	67	1.7
I033187		0.205	0.21	1.54	82	0.13	5.39	60	1.7
I033188		0.134	0.14	0.44	106	0.18	2.84	72	1.4
I033189		0.142	0.20	0.43	75	0.16	3.52	58	1.9
I033190		0.122	0.10	0.49	71	0.13	4.32	57	1.5
I033191		0.105	0.10	0.42	85	0.15	2.83	65	4.0
I033192		0.088	0.07	0.29	56	0.13	2.42	50	1.2
I033193		0.135	0.21	1.53	70	0.16	23.7	77	2.4
I033194		0.047	0.10	1.86	28	0.06	9.18	52	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033195		0.22	<0.005	0.13	2.05	3.8	<0.2	<10	420	0.49	0.11	1.69	0.23	35.5	16.5	115
I033196		0.28	<0.005	0.03	1.23	5.4	<0.2	<10	70	0.16	0.12	0.20	0.09	12.15	9.2	29
I033197		0.22	<0.005	0.15	0.89	2.9	<0.2	<10	150	0.19	0.09	0.32	0.13	15.65	7.0	39
I033198		0.30	<0.005	0.09	1.78	6.7	<0.2	<10	210	0.32	0.13	0.43	0.12	22.8	13.0	71
I033199		0.22	<0.005	0.14	1.85	3.5	<0.2	<10	230	0.29	0.10	0.51	0.10	24.4	16.4	119
I033200		0.24	<0.005	0.07	1.70	3.6	<0.2	<10	160	0.24	0.12	0.45	0.13	29.3	13.4	71
I033307		0.24	0.005	0.10	1.61	8.1	<0.2	<10	150	0.37	0.10	0.90	0.14	23.7	14.6	32
I033308		0.24	0.009	0.10	1.58	7.6	<0.2	<10	140	0.41	0.10	0.79	0.19	21.2	13.8	30
I033309		0.46	<0.005	0.06	2.06	5.6	<0.2	<10	280	0.51	0.16	0.82	0.08	28.8	10.8	35
I033310		0.58	<0.005	0.06	2.02	4.1	<0.2	<10	290	0.45	0.14	0.89	0.07	27.9	9.5	26
I033311		0.50	<0.005	0.08	2.43	5.0	<0.2	<10	160	0.56	0.11	0.37	0.08	34.8	17.3	51
I033312		0.54	<0.005	0.07	2.29	5.7	<0.2	<10	160	0.50	0.11	0.37	0.07	34.2	15.7	51
I033313		0.64	<0.005	0.05	1.96	2.2	<0.2	<10	240	0.68	0.13	0.52	0.11	53.1	11.6	19
I033314		0.22	<0.005	0.20	2.09	7.5	<0.2	<10	290	0.42	0.18	0.25	0.06	31.6	7.9	28
I033315		0.32	0.006	0.04	1.66	26.6	<0.2	<10	120	0.43	0.13	0.23	0.08	33.0	9.3	32
I033316		0.30	<0.005	0.05	2.66	11.1	<0.2	<10	110	0.43	0.15	0.26	0.10	19.40	10.8	35
I033317		0.38	<0.005	0.08	2.09	7.7	<0.2	<10	130	0.29	0.16	0.22	0.06	18.30	8.1	27
I033318		0.38	<0.005	0.29	2.41	8.4	<0.2	<10	190	0.37	0.33	0.51	0.21	18.40	15.3	29
I033319		0.30	0.006	0.20	1.34	5.5	<0.2	<10	160	0.21	0.30	0.11	0.16	17.05	3.7	21
I033320		0.08	0.006	<0.01	0.02	<0.1	<0.2	<10	10	<0.05	0.01	0.01	0.01	1.14	0.1	1
I033321		0.24	<0.005	0.29	1.80	5.5	<0.2	<10	260	0.31	0.28	0.32	0.30	17.50	9.3	23
I033322		0.30	<0.005	0.20	1.64	8.1	<0.2	<10	140	0.33	0.18	0.28	0.17	15.00	7.1	28
I033323		0.40	<0.005	0.18	2.16	8.9	<0.2	<10	180	0.32	0.22	0.19	0.43	15.15	12.4	39
I033324		0.34	<0.005	0.06	2.25	5.4	<0.2	<10	230	0.38	0.09	0.28	0.09	14.00	12.3	31
I033325		0.34	<0.005	0.18	1.67	5.5	<0.2	<10	160	0.26	0.17	0.26	0.10	13.90	11.0	31
I033326		0.30	<0.005	0.19	2.54	5.1	<0.2	<10	260	0.86	0.14	0.46	0.10	30.0	16.3	37
I033327		0.38	<0.005	0.29	1.76	6.3	<0.2	<10	160	1.86	0.68	0.47	0.22	34.3	7.9	23
I033328		0.40	0.009	0.57	3.03	24.1	<0.2	<10	380	1.50	0.37	0.74	0.19	59.2	14.1	27
I033329		0.40	<0.005	0.12	1.58	19.5	<0.2	<10	140	0.50	0.38	0.24	0.08	18.40	8.2	23
I033330		0.36	0.012	0.12	1.37	21.4	<0.2	<10	150	0.42	0.49	0.22	0.09	16.25	8.1	21
I033331		0.46	<0.005	0.14	1.59	10.9	<0.2	<10	190	0.37	0.16	0.31	0.06	17.45	7.0	21
I033332		0.36	<0.005	0.12	2.15	13.9	<0.2	<10	180	0.40	0.19	0.19	0.08	19.10	8.3	20
I033333		0.44	<0.005	0.19	1.49	9.0	<0.2	<10	230	0.50	0.17	0.34	0.06	21.5	8.3	24
I033334		0.32	<0.005	0.16	1.34	6.0	<0.2	<10	140	0.69	0.71	0.26	0.09	13.40	6.7	18
I033335		0.30	<0.005	0.10	1.53	5.7	<0.2	<10	260	0.31	0.18	0.45	0.12	15.85	8.8	21
I033336		0.36	0.011	0.10	1.71	5.1	<0.2	<10	270	0.61	0.17	0.44	0.11	17.25	10.2	19
I033337		0.28	0.017	0.16	1.76	7.3	<0.2	<10	450	0.42	0.18	0.27	0.08	19.60	13.0	29
I033338		0.30	<0.005	0.10	1.70	6.8	<0.2	<10	280	0.43	0.17	0.35	0.11	17.40	10.1	25
I033339		0.36	<0.005	0.12	1.73	6.5	<0.2	<10	250	0.37	0.14	0.33	0.08	15.10	12.1	24
I033340		0.10	<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	1.09	0.1	<1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033195		1.94	63.3	3.16	7.33	0.08	0.07	0.03	0.024	0.14	20.2	14.2	1.19	526	0.53
I033196		1.15	10.6	2.32	5.66	<0.05	0.03	0.02	0.016	0.05	6.2	12.6	0.40	321	1.97
I033197		0.99	19.1	1.76	3.92	0.05	0.02	0.06	0.013	0.06	8.0	5.4	0.37	173	1.34
I033198		2.09	20.3	2.96	6.60	0.06	0.04	0.04	0.021	0.17	11.3	14.5	0.90	308	0.83
I033199		2.43	20.4	2.89	7.62	0.05	0.03	0.04	0.018	0.11	12.7	12.3	1.11	720	1.03
I033200		1.60	18.7	2.58	6.79	0.05	0.03	0.04	0.022	0.08	16.2	11.8	0.85	479	0.73
I033307		0.48	26.1	3.04	5.06	0.06	0.13	0.02	0.026	0.05	10.7	10.3	0.59	472	0.58
I033308		0.54	26.8	2.93	5.31	0.06	0.13	0.03	0.025	0.05	9.7	9.8	0.56	415	0.57
I033309		0.70	18.7	3.04	5.82	0.05	0.10	0.02	0.029	0.04	13.4	11.1	0.60	538	0.50
I033310		0.98	13.9	2.96	5.98	0.05	0.08	0.02	0.028	0.03	12.1	10.0	0.51	555	0.84
I033311		2.50	28.8	3.58	7.12	0.07	0.05	0.03	0.026	0.20	17.6	16.8	0.84	462	0.68
I033312		2.00	28.2	3.34	6.73	0.07	0.08	0.02	0.027	0.14	18.4	16.2	0.80	433	0.63
I033313		0.91	10.2	5.07	6.91	0.07	0.12	0.01	0.060	0.04	18.6	9.3	0.30	402	1.95
I033314		3.49	19.8	2.81	7.43	<0.05	0.03	0.03	0.024	0.07	17.9	13.1	0.40	210	1.03
I033315		2.76	18.8	2.80	5.27	0.05	0.05	0.01	0.022	0.12	17.3	16.8	0.62	283	1.17
I033316		2.51	14.7	4.18	8.93	0.05	0.07	0.03	0.028	0.10	9.2	27.5	0.90	371	1.42
I033317		3.40	25.7	3.22	7.07	<0.05	0.06	0.02	0.022	0.08	9.1	20.4	0.68	265	1.03
I033318		5.60	121.5	3.75	8.62	0.05	0.02	0.02	0.031	0.13	9.4	23.5	0.98	702	4.17
I033319		1.35	47.4	1.75	7.71	<0.05	<0.02	0.04	0.018	0.06	8.5	8.8	0.29	108	1.20
I033320		<0.05	1.5	0.03	0.20	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05
I033321		1.06	17.6	3.22	8.63	<0.05	0.03	0.02	0.035	0.11	8.6	11.4	0.53	497	1.19
I033322		1.29	12.2	3.23	8.12	<0.05	0.05	0.02	0.021	0.05	7.5	14.8	0.47	386	1.24
I033323		1.56	45.9	3.56	8.05	0.05	0.04	0.03	0.031	0.10	7.2	21.0	0.68	967	1.13
I033324		1.47	19.9	3.40	7.71	0.06	0.03	0.01	0.017	0.12	6.9	21.1	0.95	505	0.78
I033325		1.74	11.9	3.27	8.24	<0.05	0.04	0.02	0.021	0.13	6.9	11.3	0.60	711	1.28
I033326		4.44	28.4	3.87	9.14	0.07	0.08	0.02	0.025	0.29	17.1	28.3	1.00	1000	0.94
I033327		9.11	29.2	2.70	6.53	0.07	0.07	0.04	0.033	0.14	26.6	19.5	0.48	442	1.22
I033328		12.40	39.9	4.32	10.40	0.10	0.08	0.04	0.049	0.21	45.6	44.8	0.69	832	1.52
I033329		3.48	13.2	2.92	6.40	<0.05	0.08	0.01	0.023	0.08	9.4	23.1	0.51	346	1.38
I033330		3.73	11.3	2.84	6.47	<0.05	0.04	0.01	0.021	0.09	7.9	16.4	0.44	519	1.87
I033331		3.21	16.5	2.56	5.96	<0.05	0.07	0.01	0.019	0.07	9.9	17.8	0.50	207	0.93
I033332		3.52	12.8	3.45	8.05	0.05	0.05	0.01	0.023	0.21	9.0	29.5	0.65	259	1.23
I033333		7.18	20.8	2.81	5.39	0.05	0.05	0.02	0.020	0.14	16.5	19.8	0.60	407	0.81
I033334		2.58	10.4	2.49	5.67	<0.05	0.06	0.01	0.018	0.11	7.0	13.7	0.43	258	0.95
I033335		1.45	12.3	2.86	6.37	<0.05	0.05	0.01	0.021	0.12	8.3	14.7	0.50	445	1.39
I033336		2.57	13.6	3.02	5.89	<0.05	0.03	0.01	0.021	0.12	8.2	17.9	0.52	561	0.79
I033337		1.18	15.3	2.95	5.93	<0.05	0.06	0.03	0.024	0.10	9.3	13.3	0.47	998	1.02
I033338		1.22	13.1	3.07	5.98	<0.05	0.05	0.01	0.026	0.12	8.3	15.0	0.50	369	0.96
I033339		1.14	17.3	3.10	5.95	<0.05	0.03	0.01	0.023	0.12	7.5	17.4	0.58	411	0.75
I033340		<0.05	0.8	0.02	0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033195		1.41	56.8	580	7.5	24.7	0.001	0.07	0.20	6.2	0.7	0.5	76.8	<0.01	0.02
I033196		1.27	17.2	380	7.4	12.6	<0.001	0.02	0.18	2.5	0.2	0.4	15.3	<0.01	0.03
I033197		0.68	16.8	990	4.3	10.5	<0.001	0.09	0.22	1.5	0.6	0.3	25.9	<0.01	0.04
I033198		1.40	31.1	870	9.3	33.3	0.001	0.05	0.24	3.8	0.5	0.5	28.9	<0.01	0.03
I033199		1.14	44.2	710	8.3	32.2	0.001	0.06	0.15	3.3	0.5	0.5	35.1	<0.01	0.04
I033200		1.21	31.8	620	8.0	24.1	<0.001	0.05	0.18	3.7	0.4	0.5	32.7	<0.01	0.02
I033307		1.60	25.6	600	5.4	6.0	0.001	0.04	0.32	5.3	0.5	0.5	48.7	<0.01	0.03
I033308		1.60	25.1	560	5.5	6.2	<0.001	0.04	0.30	4.9	0.5	0.5	44.7	<0.01	0.01
I033309		1.16	20.7	380	7.9	5.3	<0.001	0.03	0.31	6.9	0.3	0.6	46.9	<0.01	0.02
I033310		1.15	15.2	750	6.6	5.2	0.001	0.03	0.26	6.4	0.4	0.6	53.4	<0.01	0.03
I033311		1.33	43.0	520	9.0	23.8	<0.001	0.02	0.22	5.3	0.2	0.5	31.1	<0.01	0.02
I033312		1.21	40.8	450	8.7	17.0	<0.001	0.02	0.22	5.8	0.4	0.6	31.7	<0.01	0.03
I033313		1.08	8.6	1200	6.9	5.2	<0.001	0.02	0.22	11.0	0.2	1.1	30.9	<0.01	0.02
I033314		1.85	16.4	300	9.0	14.5	0.001	0.02	0.31	4.6	0.3	0.7	19.3	<0.01	0.03
I033315		1.48	19.3	430	9.4	15.3	<0.001	0.02	0.60	3.6	0.2	0.5	16.9	<0.01	0.02
I033316		3.17	19.0	550	8.4	18.8	<0.001	0.02	0.47	3.8	0.3	0.6	19.6	<0.01	0.05
I033317		1.79	15.2	280	7.9	15.4	<0.001	0.02	0.32	3.2	0.3	0.6	17.0	<0.01	0.05
I033318		2.53	17.2	790	18.3	23.1	<0.001	0.03	0.34	3.9	0.4	1.3	30.9	<0.01	0.17
I033319		1.21	8.0	330	13.3	12.5	<0.001	0.03	0.26	1.6	0.3	0.9	13.6	<0.01	0.10
I033320		0.06	0.4	10	0.6	0.2	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.9	<0.01	<0.01
I033321		1.83	11.0	830	10.5	17.1	<0.001	0.03	0.29	3.3	0.2	1.7	25.5	<0.01	0.04
I033322		1.56	11.2	340	10.4	13.9	<0.001	0.01	0.42	4.1	0.2	0.7	18.4	<0.01	0.03
I033323		1.44	16.8	340	21.2	12.6	0.001	0.01	0.46	5.7	0.3	0.7	14.0	<0.01	0.04
I033324		1.41	14.7	350	9.0	15.6	<0.001	0.01	0.30	4.0	<0.2	0.5	17.5	<0.01	0.02
I033325		1.61	12.5	320	10.3	24.3	0.001	0.02	0.33	3.6	0.2	0.7	17.7	<0.01	0.03
I033326		1.88	17.2	480	10.6	36.3	<0.001	0.01	0.26	7.9	0.5	0.7	23.9	<0.01	0.02
I033327		5.12	12.0	490	18.4	33.2	0.001	0.02	0.35	7.2	0.7	1.3	26.5	0.01	0.02
I033328		3.99	16.8	640	29.1	31.3	0.001	0.03	0.57	10.8	0.9	1.0	41.9	0.01	0.05
I033329		2.57	12.0	320	11.3	17.4	<0.001	0.01	0.38	4.1	0.2	0.9	17.7	<0.01	0.03
I033330		3.16	10.0	290	13.4	21.7	<0.001	0.01	0.35	3.4	0.2	1.0	16.9	<0.01	0.04
I033331		1.14	12.0	320	8.8	11.8	<0.001	0.01	0.36	4.5	0.2	0.5	19.4	<0.01	0.02
I033332		2.57	11.5	340	10.3	29.5	<0.001	0.01	0.42	4.6	0.2	0.7	15.1	<0.01	0.02
I033333		1.56	13.8	280	6.8	18.0	<0.001	0.01	0.39	5.8	0.3	0.4	22.1	<0.01	0.02
I033334		2.61	10.4	180	11.5	20.1	<0.001	0.01	0.38	3.6	0.2	0.9	17.7	<0.01	0.02
I033335		1.33	12.7	370	8.3	13.7	<0.001	0.02	0.33	4.0	0.2	0.5	25.0	<0.01	0.02
I033336		1.31	11.8	310	7.9	19.2	<0.001	0.01	0.34	4.1	0.3	0.5	22.7	<0.01	0.03
I033337		1.32	17.3	230	8.6	11.2	<0.001	0.01	0.41	5.2	0.3	0.6	21.8	<0.01	0.02
I033338		1.18	15.8	240	8.0	10.8	<0.001	0.01	0.46	4.3	0.2	0.5	20.6	<0.01	0.02
I033339		1.05	14.3	290	7.0	13.1	<0.001	0.01	0.45	4.8	0.2	0.5	22.1	<0.01	0.02
I033340		<0.05	0.4	10	0.5	0.2	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033195		0.118	0.12	0.91	66	0.10	12.20	47	2.2
I033196		0.085	0.09	0.51	48	0.14	3.32	50	1.4
I033197		0.054	0.07	0.89	37	0.17	4.46	31	0.7
I033198		0.128	0.17	0.84	71	0.31	5.17	60	1.6
I033199		0.138	0.17	0.89	69	0.21	5.04	60	1.1
I033200		0.115	0.13	0.79	58	0.25	6.14	68	1.2
I033307		0.121	0.04	0.66	70	0.10	9.62	54	5.8
I033308		0.120	0.06	0.61	70	0.11	8.60	49	5.1
I033309		0.075	0.05	0.34	60	0.12	9.69	52	3.3
I033310		0.071	0.06	0.59	60	0.17	8.19	47	2.4
I033311		0.120	0.18	0.70	64	0.09	7.46	65	1.9
I033312		0.124	0.15	0.78	65	0.11	7.64	59	2.8
I033313		0.124	0.06	0.47	101	0.06	9.83	89	4.3
I033314		0.066	0.13	0.91	65	0.20	6.01	43	1.1
I033315		0.097	0.13	1.10	55	0.20	6.13	54	1.8
I033316		0.141	0.14	0.52	83	0.28	2.91	68	2.5
I033317		0.086	0.12	0.42	60	0.17	3.38	46	1.8
I033318		0.142	0.15	0.54	81	0.30	3.83	133	0.7
I033319		0.088	0.17	0.46	58	0.16	2.30	37	0.5
I033320		<0.005	<0.02	0.10	1	<0.05	0.69	3	<0.5
I033321		0.113	0.11	0.42	69	0.14	2.12	87	1.1
I033322		0.094	0.09	0.32	86	0.26	3.14	67	1.9
I033323		0.097	0.09	0.37	86	0.19	2.75	137	1.5
I033324		0.194	0.11	0.31	82	0.28	2.95	93	1.3
I033325		0.171	0.10	0.32	85	0.19	2.66	70	1.8
I033326		0.206	0.18	1.02	98	0.22	15.25	89	2.1
I033327		0.063	0.19	3.58	58	0.40	45.5	72	1.3
I033328		0.054	0.16	2.22	87	0.30	54.7	83	1.7
I033329		0.069	0.11	0.55	68	0.17	5.40	50	2.4
I033330		0.075	0.12	0.51	74	0.26	4.03	48	1.4
I033331		0.075	0.11	0.48	62	0.34	4.54	49	2.5
I033332		0.108	0.17	0.41	67	0.25	3.93	63	1.6
I033333		0.097	0.10	0.78	59	0.25	10.35	49	2.2
I033334		0.051	0.15	0.52	57	0.34	7.13	55	1.9
I033335		0.066	0.09	0.38	62	0.24	3.28	63	2.0
I033336		0.044	0.13	0.53	58	0.24	4.19	62	1.0
I033337		0.068	0.09	0.47	62	0.18	3.50	55	2.6
I033338		0.055	0.09	0.35	63	0.28	2.63	58	1.6
I033339		0.058	0.08	0.31	70	0.18	2.36	56	1.5
I033340		<0.005	<0.02	0.08	<1	<0.05	0.63	2	0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033341		0.36	<0.005	0.09	1.54	5.1	<0.2	<10	220	0.25	0.13	0.35	0.07	22.4	8.6	21
I033342		0.34	<0.005	0.07	1.98	7.6	<0.2	<10	170	0.40	0.16	0.24	0.08	25.5	8.4	28
I033343		0.40	<0.005	0.06	1.89	7.3	<0.2	<10	220	0.42	0.14	0.41	0.09	16.85	11.5	28
I033344		0.28	<0.005	0.13	1.79	6.5	<0.2	<10	300	0.43	0.17	0.59	0.31	20.1	10.8	28
I033345		0.46	<0.005	0.05	0.97	2.6	<0.2	<10	230	0.62	0.49	0.27	0.06	36.4	3.7	8
I033346		0.40	<0.005	0.10	2.37	4.3	<0.2	<10	600	0.54	0.13	0.59	0.12	17.75	10.0	20
I033347		0.34	<0.005	0.12	2.16	7.2	<0.2	<10	490	0.56	0.13	0.68	0.12	22.1	14.8	44
I033348		0.32	<0.005	0.07	2.03	5.4	<0.2	<10	1020	0.75	0.14	0.53	0.15	24.6	10.7	24
I033349		0.28	0.006	0.22	1.87	6.7	<0.2	<10	670	0.85	0.71	0.54	0.13	23.7	10.1	31
I033350		0.30	<0.005	0.18	1.93	8.3	<0.2	<10	650	0.85	0.70	0.55	0.12	26.5	10.0	33
I033531		0.16	<0.005	0.06	1.92	5.2	<0.2	<10	170	0.33	0.14	0.29	0.14	15.35	16.9	52
I033532		0.14	<0.005	0.11	1.35	3.2	<0.2	<10	130	0.21	0.16	0.16	0.09	5.73	9.5	32
I033533		0.14	<0.005	0.03	2.77	8.6	<0.2	<10	150	0.50	0.17	0.20	0.09	22.6	13.2	34
I033534		0.12	0.016	0.11	1.96	6.7	<0.2	<10	160	0.35	0.13	0.28	0.14	25.6	11.4	29
I033535		0.10	<0.005	0.11	1.83	11.6	<0.2	<10	70	0.32	0.23	0.11	0.21	18.20	7.0	28
I033536		0.12	<0.005	0.11	1.68	3.9	<0.2	<10	250	0.30	0.14	0.20	0.35	10.30	13.2	31
I033537		0.12	<0.005	0.17	1.54	3.2	<0.2	<10	450	0.24	0.20	0.31	0.28	16.15	14.5	24
I033538		0.12	<0.005	0.37	1.83	2.3	<0.2	<10	360	0.27	0.11	0.45	0.26	9.39	19.4	31
I033539		0.18	<0.005	0.20	2.64	7.5	<0.2	<10	510	0.56	0.15	0.25	0.18	23.3	15.9	42
I033540		0.16	<0.005	0.13	1.91	5.1	<0.2	<10	270	0.35	0.18	0.26	0.23	17.15	15.4	33
I033541		0.12	<0.005	0.19	2.00	4.1	<0.2	<10	340	0.36	0.20	0.26	0.23	19.90	13.2	26
I033542		0.18	<0.005	0.06	2.31	6.5	<0.2	<10	200	0.52	0.13	0.38	0.08	31.0	18.7	41
I033543		0.16	<0.005	0.20	2.15	11.8	<0.2	<10	640	0.56	0.15	0.51	0.23	35.4	15.2	28
I033544		0.18	<0.005	0.09	3.01	6.0	<0.2	<10	350	0.48	0.10	0.38	0.10	20.6	24.8	28
I033545		0.24	<0.005	0.10	2.32	3.7	<0.2	<10	230	0.28	0.18	0.51	0.05	17.95	12.8	21
I033546		0.14	0.010	0.42	2.47	3.7	<0.2	<10	240	0.34	0.23	0.21	0.12	23.5	12.5	26
I033547		0.14	<0.005	0.08	1.91	2.8	<0.2	<10	250	0.24	0.04	0.40	0.12	8.04	13.5	22
I033548		0.18	<0.005	0.14	2.01	3.5	<0.2	<10	220	0.33	0.13	1.89	0.08	11.20	15.8	74
I033549		0.12	<0.005	0.07	1.84	3.9	<0.2	<10	190	0.30	0.07	0.94	0.06	11.10	12.8	53
I033550		0.16	<0.005	0.09	1.66	3.9	<0.2	<10	210	0.34	0.09	0.24	0.08	16.15	10.7	26
I033601		0.10	0.052	0.14	1.54	3.4	<0.2	<10	250	0.31	0.09	2.52	0.23	12.65	11.9	51
I033602		0.14	<0.005	0.08	1.30	3.3	<0.2	<10	130	0.29	0.06	2.15	0.15	13.30	10.9	40
I033603		0.12	<0.005	0.08	1.26	3.1	<0.2	<10	140	0.28	0.07	2.32	0.14	13.10	10.7	39
I033604		0.14	<0.005	0.10	2.20	4.2	<0.2	<10	480	0.55	0.11	1.44	0.20	32.2	18.1	140
I033605		0.16	<0.005	0.07	1.56	3.2	<0.2	<10	140	0.41	0.09	0.78	0.14	28.5	13.8	38
I033606		0.12	<0.005	0.10	1.52	1.6	<0.2	<10	190	0.32	0.08	1.56	0.16	21.1	9.2	73
I033607		0.36	0.005	0.08	1.10	4.9	<0.2	<10	60	0.22	0.16	0.27	0.14	15.80	5.8	29
I033608		0.32	<0.005	0.07	1.25	10.4	<0.2	<10	60	0.28	0.13	0.28	0.12	17.65	8.4	30
I033609		0.18	0.016	0.14	0.40	4.7	<0.2	<10	120	0.32	0.04	1.96	0.64	13.05	2.6	5
I033610		0.32	<0.005	0.11	1.01	3.7	<0.2	<10	120	0.32	0.13	1.39	0.26	24.7	10.4	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033341		1.06	9.7	2.93	6.24	<0.05	0.02	<0.01	0.024	0.17	10.8	12.5	0.52	325	0.83
I033342		1.17	14.2	3.13	6.67	<0.05	0.05	0.01	0.034	0.09	12.7	14.7	0.53	265	0.98
I033343		0.70	14.2	2.79	6.32	<0.05	0.03	0.01	0.023	0.08	8.1	15.7	0.70	252	0.75
I033344		0.53	15.2	2.99	6.14	<0.05	0.03	0.02	0.028	0.10	9.1	12.8	0.52	761	0.92
I033345		1.34	6.5	1.36	3.11	<0.05	0.03	<0.01	0.011	0.16	18.5	9.2	0.21	145	0.98
I033346		0.28	12.1	3.46	8.82	<0.05	0.02	0.01	0.030	0.10	6.8	12.0	0.68	672	1.10
I033347		0.46	35.8	3.19	6.76	<0.05	0.05	0.01	0.030	0.12	9.3	11.4	0.72	657	0.82
I033348		0.57	10.2	3.21	6.98	<0.05	0.04	0.01	0.029	0.12	10.7	10.5	0.56	696	0.86
I033349		0.54	13.4	2.71	5.83	<0.05	0.06	0.02	0.026	0.08	10.3	8.1	0.39	998	0.99
I033350		0.55	14.2	2.81	5.90	<0.05	0.06	0.02	0.028	0.09	11.8	8.9	0.42	795	0.91
I033531		0.79	52.1	3.76	8.85	<0.05	0.03	0.01	0.016	0.05	6.3	19.9	1.00	290	1.02
I033532		0.48	12.7	2.33	6.03	<0.05	0.02	0.01	0.044	0.05	2.8	8.4	0.48	183	0.78
I033533		1.31	15.5	4.06	8.95	0.06	0.06	0.01	0.027	0.07	11.6	20.7	0.77	316	1.24
I033534		0.76	23.9	3.14	6.07	0.05	0.04	0.04	0.026	0.05	13.0	13.1	0.57	252	1.00
I033535		1.07	21.2	4.25	10.15	0.05	0.05	0.01	0.025	0.07	9.2	14.4	0.48	173	1.91
I033536		0.67	17.9	2.87	6.68	<0.05	0.03	0.01	0.020	0.06	5.1	11.3	0.48	532	0.86
I033537		0.49	14.7	2.71	6.51	<0.05	0.02	0.01	0.019	0.09	6.5	9.7	0.42	1140	1.14
I033538		0.69	26.8	2.74	6.32	<0.05	0.03	0.02	0.016	0.19	4.8	13.4	0.89	1120	0.69
I033539		0.73	16.4	3.78	7.91	<0.05	0.17	0.01	0.030	0.20	9.8	13.9	0.76	510	1.15
I033540		0.34	18.5	3.40	6.39	<0.05	0.10	0.01	0.028	0.20	7.3	10.9	0.59	671	1.08
I033541		1.58	19.6	3.45	7.40	0.05	0.10	0.01	0.023	0.51	10.8	12.6	0.78	357	1.11
I033542		0.85	41.1	3.68	7.63	0.07	0.14	0.01	0.028	0.30	13.9	18.8	0.96	416	0.91
I033543		1.23	34.3	3.42	7.09	0.05	0.08	0.01	0.028	0.25	15.9	13.6	0.73	541	0.97
I033544		0.63	33.9	4.06	10.20	<0.05	0.09	0.01	0.026	0.12	7.7	22.0	1.36	446	1.18
I033545		1.34	75.7	4.30	7.40	0.10	0.05	0.01	0.033	0.44	8.3	15.4	1.04	388	2.43
I033546		0.71	125.5	4.08	7.86	0.06	0.04	0.03	0.041	0.28	11.4	13.6	0.92	311	4.42
I033547		3.11	67.5	3.42	6.30	0.08	0.04	0.01	0.013	0.72	3.3	16.8	1.16	434	1.49
I033548		2.50	108.0	3.42	6.32	0.09	0.07	0.03	0.016	0.40	6.1	16.7	1.41	354	1.01
I033549		2.39	60.4	3.13	6.17	0.09	0.05	0.03	0.016	0.44	5.4	14.9	1.15	438	0.85
I033550		0.71	25.6	2.74	6.19	0.06	0.04	0.01	0.016	0.24	6.3	10.6	0.72	254	1.27
I033601		1.15	72.7	2.40	5.03	0.08	0.05	0.04	0.014	0.23	7.2	11.8	0.88	460	1.16
I033602		0.61	45.4	2.42	4.64	0.08	0.04	0.02	0.015	0.10	7.2	9.2	0.80	353	0.71
I033603		0.63	46.3	2.32	4.43	0.08	0.03	0.03	0.015	0.10	7.2	9.0	0.78	371	0.69
I033604		3.50	55.9	3.29	8.28	0.13	0.06	0.02	0.019	0.70	16.5	22.1	1.61	514	0.48
I033605		1.49	35.0	3.08	5.16	0.12	0.06	0.01	0.013	0.50	17.4	12.4	0.92	382	0.56
I033606		1.46	48.2	2.10	5.83	0.09	0.06	0.05	0.018	0.23	14.0	12.2	0.95	208	0.44
I033607		1.89	11.6	1.59	5.12	<0.05	<0.02	0.02	0.014	0.05	8.6	9.0	0.45	134	0.51
I033608		2.69	13.8	1.94	5.04	0.05	0.02	0.02	0.013	0.06	9.5	12.8	0.54	171	0.58
I033609		1.13	20.6	0.53	0.88	<0.05	0.03	0.09	0.007	0.03	7.8	0.9	0.13	233	0.60
I033610		3.36	21.4	1.79	3.84	0.06	0.03	0.08	0.016	0.06	12.4	9.4	0.38	873	0.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033341		1.56	13.0	260	6.5	12.4	<0.001	0.01	0.36	3.4	<0.2	0.6	26.6	<0.01	0.01
I033342		1.27	17.3	240	7.7	10.4	<0.001	0.01	0.43	4.7	0.2	0.6	20.1	<0.01	0.02
I033343		1.13	18.7	310	7.7	10.3	<0.001	0.01	0.45	4.7	0.2	0.5	25.7	<0.01	0.02
I033344		1.23	17.6	480	11.7	7.5	<0.001	0.02	0.45	5.2	0.3	0.5	35.1	<0.01	0.03
I033345		0.98	5.5	250	14.2	15.3	<0.001	0.01	0.10	1.7	0.2	0.6	27.7	<0.01	0.01
I033346		0.81	12.7	690	7.1	8.3	<0.001	0.02	0.27	4.9	0.2	0.6	67.5	<0.01	0.03
I033347		1.02	22.8	440	7.1	10.9	<0.001	0.02	0.33	8.3	0.2	0.5	54.5	<0.01	0.07
I033348		1.03	15.0	370	8.3	14.5	0.001	0.02	0.32	5.8	0.3	0.5	35.5	<0.01	0.03
I033349		1.77	18.2	290	15.7	6.4	<0.001	0.02	0.38	5.7	0.3	0.5	31.0	<0.01	0.03
I033350		1.79	20.1	290	15.8	7.9	<0.001	0.02	0.43	6.1	0.4	0.6	31.1	<0.01	0.03
I033531		1.17	24.5	1010	5.5	13.5	<0.001	0.02	0.40	3.6	0.3	0.6	18.7	<0.01	0.04
I033532		1.22	17.6	220	4.5	10.9	<0.001	0.02	0.32	2.0	0.2	0.4	15.7	<0.01	0.03
I033533		2.11	18.3	450	7.4	14.4	<0.001	0.02	0.41	4.5	0.4	0.6	19.5	0.01	0.04
I033534		1.54	17.4	610	7.0	8.9	<0.001	0.04	0.34	5.0	0.5	0.5	19.8	<0.01	0.03
I033535		2.48	14.9	440	13.4	13.4	<0.001	0.03	0.59	3.3	0.4	0.7	11.7	0.01	0.09
I033536		1.40	18.2	300	6.0	9.2	<0.001	0.02	0.41	3.4	0.2	0.5	17.2	<0.01	0.04
I033537		1.22	16.9	390	8.0	13.9	<0.001	0.02	0.32	2.8	0.2	0.6	24.0	<0.01	0.03
I033538		1.27	21.1	340	4.0	11.7	<0.001	0.02	0.19	3.5	0.3	0.4	28.0	<0.01	0.02
I033539		1.17	27.1	190	8.3	21.6	<0.001	0.01	0.49	8.7	0.2	0.6	21.3	<0.01	0.02
I033540		1.11	22.1	190	9.2	9.5	<0.001	0.02	0.39	6.0	0.2	0.5	17.1	<0.01	0.03
I033541		2.04	18.5	160	12.7	51.9	<0.001	0.01	0.30	5.4	0.2	0.7	20.2	<0.01	0.03
I033542		1.16	25.6	180	8.3	25.5	<0.001	0.02	0.31	8.8	0.4	0.6	32.1	<0.01	0.03
I033543		1.64	26.1	280	8.0	27.2	<0.001	0.02	0.37	8.2	0.3	0.5	32.5	<0.01	0.04
I033544		1.48	22.0	200	5.6	7.5	<0.001	0.02	0.27	9.3	0.2	0.5	23.3	<0.01	0.03
I033545		1.02	12.0	370	5.4	29.0	0.001	0.31	0.18	10.9	2.1	0.5	46.7	<0.01	0.24
I033546		0.95	15.3	410	5.3	15.3	0.002	0.24	0.22	10.8	1.9	0.8	34.7	<0.01	0.20
I033547		1.05	14.8	370	3.2	35.9	<0.001	0.03	0.13	4.1	0.3	0.3	26.2	<0.01	0.03
I033548		0.87	36.0	630	5.7	27.6	<0.001	0.08	0.20	5.8	0.6	0.3	50.1	<0.01	0.03
I033549		0.91	26.9	470	4.0	28.3	<0.001	0.06	0.17	5.5	0.6	0.4	28.2	<0.01	0.02
I033550		1.12	15.0	220	6.4	21.5	<0.001	0.03	0.26	3.0	0.2	0.4	21.0	<0.01	0.02
I033601		0.83	28.3	620	5.7	20.8	<0.001	0.11	0.22	4.0	1.0	0.3	63.2	<0.01	0.04
I033602		0.62	24.3	590	4.0	10.3	0.001	0.12	0.23	3.7	0.9	0.3	64.8	<0.01	0.06
I033603		0.59	23.6	590	3.9	10.0	0.001	0.12	0.22	3.4	1.0	0.2	66.6	<0.01	0.06
I033604		1.58	60.1	810	8.9	68.6	0.001	0.05	0.24	5.3	0.7	0.6	60.2	<0.01	0.01
I033605		1.65	31.3	580	8.1	49.7	<0.001	0.02	0.14	3.2	0.8	0.4	41.7	<0.01	0.03
I033606		1.09	35.9	650	6.1	28.8	0.001	0.10	0.20	5.3	0.9	0.4	70.8	<0.01	0.01
I033607		0.70	17.4	490	13.1	10.5	<0.001	0.01	0.50	2.6	0.3	0.4	21.1	<0.01	0.01
I033608		0.80	21.1	320	9.2	9.8	<0.001	0.01	1.08	3.0	0.4	0.4	21.1	<0.01	0.01
I033609		0.16	12.6	770	5.2	2.2	<0.001	0.16	1.61	1.1	0.8	0.2	104.0	<0.01	0.01
I033610		0.61	19.0	880	11.7	10.6	<0.001	0.10	0.47	2.5	0.8	0.3	82.3	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033341		0.081	0.09	0.31	56	0.16	2.86	52
I033342		0.059	0.09	0.36	63	0.19	2.95	63
I033343		0.108	0.09	0.35	75	0.16	2.47	55
I033344		0.074	0.08	0.80	68	0.32	3.45	73
I033345		0.012	0.13	1.09	17	0.11	5.25	35
I033346		0.024	0.09	0.34	76	0.15	3.38	63
I033347		0.067	0.08	0.40	77	0.17	4.80	62
I033348		0.042	0.09	0.28	61	0.16	5.51	53
I033349		0.055	0.10	0.39	59	0.18	4.55	48
I033350		0.060	0.10	0.43	61	0.18	5.69	48
I033531		0.160	0.08	0.41	88	0.12	2.94	64
I033532		0.138	0.07	0.19	60	0.08	1.09	39
I033533		0.155	0.13	0.55	79	0.16	4.49	51
I033534		0.112	0.10	0.88	65	0.14	6.60	55
I033535		0.156	0.14	0.52	91	0.16	2.94	65
I033536		0.113	0.08	0.22	67	0.12	2.14	62
I033537		0.087	0.10	0.33	59	0.09	2.34	63
I033538		0.151	0.11	0.23	64	0.07	2.90	69
I033539		0.136	0.12	0.44	85	0.10	3.81	60
I033540		0.108	0.08	0.28	77	0.09	3.11	63
I033541		0.185	0.27	0.47	69	0.14	4.35	75
I033542		0.156	0.15	0.86	91	0.09	8.32	68
I033543		0.139	0.15	0.97	79	0.16	9.39	54
I033544		0.176	0.13	0.46	98	0.09	3.96	75
I033545		0.131	0.20	0.94	96	<0.05	5.13	72
I033546		0.114	0.12	1.03	87	0.06	10.90	60
I033547		0.212	0.24	0.22	61	0.08	3.27	72
I033548		0.158	0.19	0.48	73	0.10	7.56	69
I033549		0.150	0.15	0.47	63	0.13	6.89	63
I033550		0.102	0.10	0.34	53	0.08	2.66	65
I033601		0.091	0.12	0.86	54	0.06	10.85	60
I033602		0.057	0.07	0.60	53	<0.05	6.38	43
I033603		0.054	0.06	0.57	49	0.07	6.41	41
I033604		0.158	0.31	1.17	75	0.12	7.10	63
I033605		0.129	0.33	0.71	43	0.09	8.05	85
I033606		0.092	0.16	1.23	44	0.08	9.21	61
I033607		0.073	0.10	0.65	31	0.12	3.52	40
I033608		0.074	0.13	0.69	36	0.18	3.52	50
I033609		0.014	0.05	0.66	7	<0.05	6.65	24
I033610		0.040	0.10	0.92	35	0.08	8.02	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033611		0.46	0.008	0.10	1.12	3.9	<0.2	<10	80	0.20	0.21	0.33	0.10	21.1	6.1	27
I033612		0.34	0.006	0.10	0.95	4.0	<0.2	<10	90	0.27	0.17	0.28	0.19	15.85	6.8	20
I033613		0.34	<0.005	0.08	1.48	4.8	<0.2	<10	90	0.35	0.16	0.36	0.13	33.3	17.0	34
I033614		0.28	<0.005	0.11	1.96	7.8	<0.2	<10	140	0.40	0.25	0.11	0.10	21.0	7.8	31
I033615		0.44	<0.005	0.06	2.37	4.2	<0.2	<10	90	0.65	0.25	0.14	0.09	82.7	12.7	34
I033616		0.40	<0.005	0.08	2.40	94.9	<0.2	<10	120	0.49	0.28	0.26	0.16	30.4	13.6	49
I033617		0.40	<0.005	0.06	2.56	226	<0.2	<10	130	0.86	0.46	0.15	0.13	71.6	20.3	35
I033618		0.34	<0.005	0.08	2.31	16.6	<0.2	<10	120	0.48	0.26	0.16	0.14	36.9	12.0	37
I033619		0.36	<0.005	0.08	2.57	6.5	<0.2	<10	80	0.62	0.48	0.11	0.06	127.5	14.6	37
I033620		0.38	<0.005	0.10	1.94	26.7	<0.2	<10	140	0.48	0.20	0.27	0.13	53.0	12.9	33
I033621		0.36	<0.005	0.10	1.96	25.1	<0.2	<10	140	0.45	0.20	0.27	0.12	52.1	12.8	31
I033622		0.36	<0.005	0.04	1.73	85.8	<0.2	<10	100	0.39	0.22	0.19	0.18	34.8	10.9	31
I033623		0.34	<0.005	0.04	2.11	11.5	<0.2	<10	150	0.39	0.21	0.15	0.13	29.9	11.8	34
I033624		0.24	<0.005	0.14	1.04	7.9	<0.2	<10	90	0.19	0.20	0.17	0.21	16.35	5.3	23
I033625		0.34	<0.005	0.12	2.78	10.5	<0.2	<10	160	0.56	0.22	0.17	0.15	32.3	11.2	39
I033626		0.32	<0.005	0.11	2.23	9.7	<0.2	<10	170	0.38	0.25	0.11	0.13	19.80	9.8	34
I033627		0.48	<0.005	0.06	2.69	6.9	<0.2	<10	200	0.50	0.96	0.15	0.29	54.4	14.3	39
I033628		0.34	<0.005	0.05	1.68	9.9	<0.2	<10	110	0.32	0.23	0.12	0.17	19.45	8.2	28
I033629		0.38	<0.005	0.03	1.85	10.6	<0.2	<10	130	0.32	0.20	0.16	0.12	23.6	9.6	32
I033630		0.42	<0.005	0.05	1.65	7.6	<0.2	<10	130	0.31	0.18	0.20	0.11	18.95	8.9	28
I033631		0.42	<0.005	0.06	2.39	5.1	<0.2	<10	80	0.52	0.24	0.08	0.08	89.1	14.9	33
I033632		0.36	<0.005	0.04	1.86	8.3	<0.2	<10	150	0.38	0.17	0.18	0.14	27.9	13.5	30
I033633		0.44	<0.005	0.04	2.25	7.6	<0.2	<10	130	0.49	0.29	0.17	0.11	77.6	17.1	32
I033634		0.42	<0.005	0.11	2.99	9.4	<0.2	<10	100	0.58	0.23	0.13	0.13	38.4	15.6	43
I033635		0.40	<0.005	0.04	2.16	6.0	<0.2	<10	110	0.35	0.22	0.14	0.12	50.7	12.7	32
I033636		0.36	0.005	0.10	1.62	5.9	<0.2	<10	80	0.28	0.37	0.11	0.12	36.2	7.4	24
I033637		0.42	<0.005	0.09	1.89	7.8	<0.2	<10	110	0.35	0.23	0.14	0.15	40.9	9.8	30
I033638		0.38	<0.005	0.04	1.49	7.2	<0.2	<10	80	0.22	0.24	0.10	0.07	18.80	7.0	44
I033639		0.50	<0.005	0.10	2.33	8.2	<0.2	<10	130	0.39	0.37	0.12	0.18	48.3	13.3	37
I033640		0.40	<0.005	0.04	1.94	6.3	<0.2	<10	200	0.31	0.42	0.20	0.07	73.4	10.7	28
I033641		0.40	<0.005	0.04	2.03	6.3	<0.2	<10	160	0.32	0.44	0.19	0.07	67.8	10.6	29
I033642		0.44	<0.005	0.09	4.51	4.6	<0.2	<10	190	0.72	0.21	0.31	0.06	29.4	28.0	485
I033643		0.44	<0.005	0.05	2.00	8.4	<0.2	<10	90	0.35	0.22	0.10	0.07	46.6	9.9	40
I033644		0.44	<0.005	0.06	2.80	8.2	<0.2	<10	150	0.51	0.21	0.17	0.13	56.0	15.9	40
I033645		0.34	<0.005	0.23	3.04	12.7	<0.2	<10	140	0.50	0.22	0.15	0.12	34.5	14.7	45
I033646		0.32	<0.005	0.10	2.59	10.6	<0.2	<10	430	0.72	0.09	0.74	0.16	29.0	19.8	44
I033647		0.36	<0.005	0.09	1.65	5.6	<0.2	<10	330	0.41	0.13	0.55	0.06	23.3	11.3	34
I033648		0.44	0.009	0.09	2.29	4.1	<0.2	<10	420	0.33	0.08	0.58	0.07	19.40	18.4	81
I033649		0.38	<0.005	0.10	2.52	4.2	<0.2	<10	500	0.37	0.08	0.62	0.06	19.85	18.1	50
I033650		0.34	<0.005	0.08	1.82	9.2	<0.2	<10	320	0.39	0.09	0.70	0.10	17.95	15.6	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033611		4.53	10.7	1.80	5.90	0.06	<0.02	0.04	0.018	0.06	11.4	9.4	0.41	148	0.74
I033612		1.90	23.3	1.90	5.03	<0.05	<0.02	0.17	0.018	0.05	8.5	4.7	0.21	943	0.98
I033613		4.33	18.6	2.83	6.37	0.08	0.02	0.04	0.022	0.10	17.3	13.6	0.68	732	0.78
I033614		1.03	16.1	3.58	9.51	0.06	0.05	0.02	0.025	0.04	9.4	17.0	0.33	216	1.47
I033615		2.69	30.4	4.18	9.44	0.08	0.05	0.03	0.027	0.31	15.1	26.3	0.76	250	0.85
I033616		1.75	32.0	4.70	11.10	0.08	0.06	0.02	0.034	0.14	12.5	31.1	0.85	519	1.46
I033617		3.69	35.2	4.56	8.53	0.10	0.09	0.02	0.042	0.43	17.4	33.0	0.87	489	0.79
I033618		1.61	20.8	4.27	9.32	0.09	0.05	0.03	0.030	0.20	13.7	22.6	0.62	364	1.32
I033619		5.07	44.0	5.74	9.08	0.19	0.06	0.02	0.025	0.81	62.4	33.8	1.05	306	1.02
I033620		1.36	35.8	3.09	6.05	0.09	0.04	0.04	0.023	0.17	26.5	18.9	0.61	325	0.83
I033621		1.36	33.9	3.01	5.90	0.09	0.05	0.04	0.023	0.16	26.3	18.3	0.61	321	0.77
I033622		1.19	20.4	3.68	8.57	0.07	0.06	0.02	0.041	0.09	12.3	19.0	0.55	314	1.07
I033623		1.01	17.3	3.80	7.88	0.07	0.11	0.02	0.029	0.07	14.4	24.0	0.48	270	1.38
I033624		0.75	16.4	2.58	6.74	<0.05	0.02	0.05	0.018	0.06	8.1	7.8	0.29	153	1.19
I033625		1.36	24.5	3.58	7.38	0.08	0.05	0.06	0.031	0.12	17.5	18.3	0.59	267	1.38
I033626		1.12	16.1	3.68	9.25	0.06	0.03	0.02	0.029	0.04	9.3	15.0	0.42	380	1.77
I033627		2.33	30.1	4.19	7.78	0.10	0.15	0.02	0.031	0.57	20.7	20.7	0.84	420	0.66
I033628		1.12	15.5	3.17	7.96	0.06	0.03	0.04	0.025	0.06	8.3	15.5	0.41	394	1.46
I033629		1.11	15.5	3.67	8.23	0.07	0.07	0.02	0.027	0.06	11.0	17.0	0.54	262	1.33
I033630		1.12	14.0	2.95	7.32	0.06	0.03	0.01	0.024	0.06	9.8	14.5	0.47	249	1.09
I033631		3.36	24.4	3.87	7.79	0.11	0.08	0.02	0.028	0.22	31.9	25.7	0.66	194	1.14
I033632		1.09	18.1	3.23	6.92	0.07	0.07	0.03	0.027	0.07	12.9	15.9	0.50	349	1.05
I033633		1.32	30.2	3.88	6.44	0.07	0.06	0.03	0.031	0.14	17.6	15.9	0.53	446	1.10
I033634		1.87	26.8	4.02	8.81	0.07	0.10	0.03	0.033	0.14	16.5	25.3	0.71	262	1.16
I033635		2.04	24.1	3.60	7.12	0.06	0.07	0.02	0.022	0.27	16.3	21.6	0.65	273	0.90
I033636		1.44	21.0	3.93	8.81	0.05	0.06	0.02	0.020	0.10	13.0	11.3	0.30	194	1.63
I033637		1.38	22.0	3.60	7.56	0.06	0.08	0.03	0.029	0.11	15.4	17.7	0.43	302	1.17
I033638		1.09	14.5	3.18	7.90	0.05	0.03	0.02	0.024	0.06	7.8	12.8	0.43	206	1.29
I033639		1.79	24.8	4.90	9.51	0.06	0.07	0.01	0.031	0.20	11.4	25.7	0.59	380	1.43
I033640		2.06	16.9	4.32	7.57	0.09	0.07	0.02	0.029	0.36	34.5	23.7	0.55	324	0.84
I033641		2.28	18.8	4.31	7.76	0.08	0.07	0.01	0.044	0.35	29.9	26.3	0.57	311	0.86
I033642		5.72	14.1	5.62	16.45	0.09	0.04	0.02	0.042	0.36	11.4	60.4	3.15	574	1.42
I033643		2.04	22.1	4.50	9.40	0.06	0.09	0.02	0.030	0.16	9.8	29.1	0.62	195	1.07
I033644		2.20	34.4	3.79	7.68	0.06	0.06	0.03	0.029	0.11	14.5	25.5	0.73	233	0.93
I033645		1.58	26.8	3.71	7.38	0.07	0.13	0.07	0.033	0.07	12.9	20.2	0.61	349	1.30
I033646		5.38	52.8	5.20	9.18	0.11	0.07	0.02	0.036	0.44	12.6	16.5	1.32	1120	1.59
I033647		0.70	16.7	2.85	5.03	0.06	0.10	0.01	0.024	0.26	8.7	8.4	0.51	645	1.00
I033648		1.80	43.6	3.83	7.59	0.10	0.07	0.01	0.019	0.67	9.7	14.1	1.46	709	0.92
I033649		1.71	41.3	4.17	8.52	0.10	0.07	0.01	0.022	0.59	8.5	15.9	1.50	836	0.99
I033650		1.09	46.5	3.49	5.97	0.06	0.07	0.02	0.028	0.23	7.5	9.5	0.82	706	1.08



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033611		0.69	16.6	690	17.6	11.4	<0.001	0.04	0.30	2.5	0.4	0.5	25.6	<0.01	0.02
I033612		0.42	14.9	800	7.0	8.4	<0.001	0.08	0.44	1.1	0.5	0.5	25.3	<0.01	0.03
I033613		0.70	27.4	690	9.6	18.7	<0.001	0.04	0.25	3.8	0.5	0.5	27.3	<0.01	0.03
I033614		1.84	18.7	210	12.5	10.5	<0.001	0.01	0.55	3.3	0.2	0.8	11.2	<0.01	0.03
I033615		4.39	34.5	360	13.0	36.3	<0.001	0.01	0.26	3.4	0.5	0.7	12.6	<0.01	0.02
I033616		1.48	28.5	380	17.9	22.5	<0.001	0.01	0.97	5.8	0.4	0.8	15.3	<0.01	0.03
I033617		2.39	36.2	450	22.3	55.0	<0.001	0.01	2.51	4.3	0.5	0.6	9.7	<0.01	0.04
I033618		2.47	24.8	380	13.6	31.2	<0.001	0.01	0.67	4.3	0.5	0.7	14.3	0.01	0.04
I033619		3.21	33.8	360	9.8	97.8	<0.001	0.02	0.49	3.7	0.7	0.6	13.2	<0.01	0.04
I033620		2.15	29.1	690	8.9	22.4	<0.001	0.03	0.65	3.8	0.6	0.5	18.7	<0.01	0.02
I033621		2.16	28.3	660	8.6	21.7	<0.001	0.02	0.62	3.9	0.6	0.5	18.9	0.01	0.02
I033622		2.22	24.7	380	13.4	14.5	<0.001	<0.01	1.18	3.7	0.4	0.6	14.1	<0.01	0.04
I033623		2.33	27.4	230	11.2	13.9	<0.001	<0.01	0.58	3.6	0.4	0.6	14.7	0.02	0.03
I033624		1.43	14.4	410	7.4	8.6	<0.001	0.02	0.47	1.8	0.3	0.6	16.2	<0.01	0.03
I033625		2.01	25.0	410	9.9	19.8	<0.001	0.03	0.58	4.6	0.8	0.6	19.2	0.02	0.03
I033626		1.85	18.7	320	11.6	12.6	<0.001	<0.01	0.65	3.6	0.4	0.8	13.2	0.01	0.04
I033627		3.60	32.6	260	49.6	71.0	<0.001	<0.01	0.30	4.8	0.6	0.7	13.3	0.01	0.05
I033628		1.62	17.4	350	10.1	14.0	<0.001	0.01	0.52	2.9	0.3	0.6	13.0	<0.01	0.04
I033629		2.14	20.7	290	10.7	13.8	<0.001	<0.01	0.52	3.6	0.4	0.6	17.0	<0.01	0.03
I033630		1.93	18.6	340	9.0	13.6	<0.001	<0.01	0.37	3.3	0.3	0.6	17.1	<0.01	0.02
I033631		2.77	36.1	280	10.3	33.5	<0.001	<0.01	0.31	3.6	0.4	0.6	8.6	<0.01	0.02
I033632		1.97	23.2	430	8.5	14.5	<0.001	<0.01	0.48	3.9	0.4	0.5	15.8	0.01	0.03
I033633		2.32	40.5	480	16.7	25.6	<0.001	0.03	0.34	4.2	0.7	0.6	14.1	0.02	0.04
I033634		5.01	34.9	260	11.1	29.8	<0.001	0.02	0.49	4.5	0.5	0.8	12.4	0.02	0.04
I033635		3.93	30.1	420	10.2	37.7	<0.001	0.03	0.30	3.7	0.5	0.6	12.3	0.01	0.03
I033636		3.45	18.5	250	15.5	30.2	<0.001	0.01	0.48	2.5	0.3	0.8	10.2	<0.01	0.04
I033637		2.51	23.0	270	15.1	21.9	<0.001	0.02	0.43	3.9	0.4	0.7	11.2	<0.01	0.05
I033638		2.08	15.7	260	10.3	13.2	<0.001	0.01	0.43	2.8	0.3	0.7	10.8	<0.01	0.03
I033639		3.26	27.7	370	18.9	37.3	<0.001	0.02	0.51	3.8	0.5	0.8	10.4	0.01	0.05
I033640		3.31	25.0	250	10.7	53.1	<0.001	0.01	0.27	3.6	0.4	0.7	17.3	<0.01	0.04
I033641		3.31	23.8	260	11.8	54.9	<0.001	0.01	0.26	3.7	0.5	0.7	17.5	<0.01	0.04
I033642		4.67	48.6	470	11.1	76.7	<0.001	0.03	0.20	10.6	0.4	1.6	22.5	<0.01	0.04
I033643		4.35	25.1	320	9.5	31.7	<0.001	0.02	0.42	4.0	0.4	0.8	9.0	<0.01	0.04
I033644		3.26	41.2	220	8.7	27.6	<0.001	0.02	0.41	4.3	0.5	0.7	14.9	0.01	0.03
I033645		2.62	31.7	310	10.6	16.2	<0.001	0.02	0.60	5.7	0.6	0.6	14.5	0.02	0.03
I033646		0.84	22.9	940	6.9	26.8	<0.001	0.01	0.84	10.7	0.5	0.6	31.3	<0.01	0.03
I033647		1.16	18.0	280	6.8	16.7	<0.001	0.01	0.38	5.5	0.4	0.5	30.1	<0.01	0.03
I033648		1.34	42.2	660	4.8	39.1	<0.001	0.02	0.24	5.7	0.4	0.4	30.0	<0.01	0.02
I033649		1.79	28.0	610	4.9	33.8	<0.001	0.02	0.22	6.0	0.4	0.5	31.8	<0.01	0.02
I033650		1.01	17.6	520	5.0	8.8	<0.001	0.02	0.55	7.7	0.4	0.4	30.5	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033611		0.067	0.11	0.73	35	0.11	3.41	50	0.5
I033612		0.043	0.09	0.59	49	0.08	3.18	56	<0.5
I033613		0.069	0.18	1.08	45	0.07	6.21	67	0.6
I033614		0.081	0.14	0.57	86	0.16	3.04	57	2.3
I033615		0.157	0.27	1.53	47	0.08	7.87	76	2.1
I033616		0.109	0.21	1.27	92	0.14	5.91	76	3.0
I033617		0.147	0.38	2.39	36	0.08	11.85	90	4.3
I033618		0.137	0.24	1.07	72	0.19	6.43	67	2.1
I033619		0.218	0.72	3.19	39	0.07	14.40	105	3.4
I033620		0.111	0.17	0.99	51	0.16	8.35	74	1.7
I033621		0.111	0.17	0.96	50	0.15	8.39	54	1.7
I033622		0.128	0.12	0.71	78	0.25	4.99	54	2.2
I033623		0.110	0.12	0.60	69	0.18	3.82	47	4.5
I033624		0.082	0.09	0.51	64	0.16	1.98	34	0.7
I033625		0.095	0.19	1.17	66	0.20	4.64	59	2.0
I033626		0.092	0.16	0.51	84	0.20	3.02	57	1.5
I033627		0.231	0.58	1.04	49	0.14	11.30	121	6.8
I033628		0.095	0.11	0.46	68	0.18	2.72	46	1.1
I033629		0.111	0.12	0.62	72	0.20	3.51	49	2.9
I033630		0.098	0.12	0.53	65	0.16	3.34	42	1.1
I033631		0.117	0.31	1.17	50	0.11	7.95	70	4.1
I033632		0.109	0.13	0.57	64	0.17	5.20	48	2.9
I033633		0.100	0.21	1.20	51	0.14	11.35	67	2.6
I033634		0.149	0.25	0.98	68	0.14	6.04	75	4.9
I033635		0.169	0.32	1.20	53	0.11	8.59	60	3.2
I033636		0.122	0.24	1.16	69	0.10	5.74	48	3.1
I033637		0.116	0.18	0.97	63	0.14	6.72	66	3.7
I033638		0.109	0.15	0.61	68	0.14	3.81	40	1.2
I033639		0.165	0.29	1.10	73	0.14	8.94	80	4.1
I033640		0.173	0.39	1.09	51	0.10	11.50	66	3.2
I033641		0.179	0.43	1.23	53	0.10	10.75	67	3.6
I033642		0.314	0.45	0.77	127	0.10	7.81	112	2.2
I033643		0.168	0.21	1.24	72	0.13	6.96	61	4.7
I033644		0.140	0.28	1.09	68	0.15	6.06	75	3.2
I033645		0.116	0.19	0.92	73	0.21	5.28	60	6.0
I033646		0.124	0.13	0.52	116	0.09	11.75	116	2.0
I033647		0.099	0.08	0.25	60	0.14	4.28	39	3.3
I033648		0.200	0.22	0.45	85	0.10	7.52	80	2.9
I033649		0.207	0.14	0.43	90	0.10	6.07	84	2.5
I033650		0.081	0.07	0.25	74	0.08	6.61	57	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **20-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10122489

Project: SQI10-06
P.O. No.: SQI10-06_23
This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
EXTRA-01	Extra Sample received in Shipment
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I034008		0.68	0.005	0.08	1.31	2.3	<0.2	<10	380	0.23	0.11	0.48	0.13	21.7	10.7	54
I034009		0.70	0.005	0.16	1.99	5.5	<0.2	<10	640	0.39	0.08	1.21	0.78	21.7	21.3	86
I034316		0.36	0.009	0.06	1.25	10.4	<0.2	<10	110	0.28	0.16	0.69	0.19	26.9	10.8	28
I034317		0.46	0.006	0.06	1.39	12.2	<0.2	<10	110	0.38	0.18	0.53	0.22	40.5	16.7	34
I034318		0.46	0.026	0.08	1.21	24.6	<0.2	<10	140	0.33	0.42	0.45	0.56	31.7	13.5	26
I034319		0.32	0.014	0.15	1.39	38.6	<0.2	<10	110	0.39	0.47	0.52	0.39	29.5	13.8	30
I034320		0.38	0.005	0.07	0.62	10.9	<0.2	<10	150	0.25	0.15	0.31	0.28	33.8	10.8	17
I034321		0.42	0.007	0.02	0.81	2.4	<0.2	<10	130	0.13	0.08	0.32	0.06	14.15	9.6	20
I034322		0.42	<0.005	0.02	0.73	1.5	<0.2	<10	110	0.11	0.07	0.29	0.07	17.70	7.8	19
I034323		0.44	<0.005	0.03	1.00	2.2	<0.2	<10	160	0.13	0.15	0.35	0.06	10.75	8.7	23
I034324		0.48	<0.005	0.05	1.28	3.5	<0.2	<10	170	0.23	0.08	0.71	0.14	18.75	10.8	21
I034325		0.50	<0.005	0.05	1.16	2.8	<0.2	<10	160	0.18	0.06	0.70	0.14	16.60	9.2	18
I034326		0.50	<0.005	0.07	1.33	3.0	<0.2	<10	190	0.16	0.07	0.69	0.25	15.00	12.1	17
I034327		0.34	<0.005	0.10	1.68	3.3	<0.2	<10	270	0.18	0.09	0.75	0.16	14.85	10.5	22
I034328		0.56	0.009	0.05	1.21	2.1	<0.2	<10	150	0.12	0.06	0.42	0.11	12.05	9.6	15
I319501		0.58	<0.005	0.05	1.04	3.8	<0.2	<10	210	0.23	0.08	0.59	0.12	19.80	6.8	21
I319502		0.22	<0.005	0.07	1.18	2.3	<0.2	<10	220	0.28	0.10	0.65	0.16	23.0	6.3	23
I319551		0.72	<0.005	0.06	1.44	3.3	<0.2	<10	330	0.30	0.10	0.51	0.11	22.7	9.2	25
I319552		0.56	<0.005	0.10	1.39	7.5	<0.2	<10	250	0.30	0.11	1.63	0.19	21.4	11.8	24
I319553		0.64	<0.005	0.13	1.53	4.7	<0.2	<10	450	0.27	0.11	0.76	0.17	17.75	12.0	69
I319554		0.60	<0.005	0.07	1.28	2.1	<0.2	<10	180	0.19	0.11	0.27	0.13	15.75	11.7	60
I319555		0.34	<0.005	0.05	1.06	5.1	<0.2	<10	180	0.19	0.10	1.01	0.25	15.60	8.5	23
I319701		0.32	<0.005	0.12	1.44	15.6	<0.2	<10	270	0.41	0.13	0.91	0.30	24.8	10.5	25
I319702		0.50	NSS	0.07	1.26	13.2	<0.2	<10	300	0.38	0.09	0.91	0.28	22.3	11.5	20
I319703		0.52	<0.005	0.04	0.96	2.6	<0.2	<10	160	0.19	0.07	0.72	0.14	18.40	6.7	18
I319704		0.44	<0.005	0.08	1.26	12.8	<0.2	<10	210	0.34	0.12	0.73	0.20	22.4	9.3	23
I319705		0.54	<0.005	0.18	1.49	5.2	<0.2	<10	220	0.26	0.12	0.64	0.32	24.4	10.7	37
I319706		0.58	0.008	0.07	1.10	4.0	<0.2	<10	110	0.21	0.10	0.38	0.09	23.5	7.7	32
I319707		0.62	0.017	0.08	1.22	4.5	<0.2	<10	150	0.20	0.11	0.51	0.16	22.0	9.2	31
I319708		0.44	<0.005	0.09	1.43	4.0	<0.2	<10	160	0.33	0.12	0.74	0.20	31.1	10.5	28
I319709		0.66	<0.005	0.08	1.22	3.9	<0.2	<10	140	0.22	0.10	0.53	0.15	22.8	8.5	29
I319710		0.48	0.014	0.05	1.20	3.7	<0.2	<10	150	0.23	0.09	0.59	0.12	21.4	8.2	23
I319711		0.44	<0.005	0.18	1.64	9.4	<0.2	<10	240	0.48	0.24	0.85	0.25	40.2	13.3	31
I319751		0.82	<0.005	0.10	1.34	13.3	<0.2	<10	250	0.41	0.16	0.81	0.31	27.5	12.1	25
I319752		0.44	<0.005	0.15	0.94	25.1	<0.2	<10	480	0.31	0.11	1.12	0.43	24.9	19.0	16
I032451		0.50	<0.005	0.11	2.10	6.3	<0.2	<10	290	0.51	0.15	0.78	0.34	29.1	21.1	78
I032452		0.46	<0.005	0.11	1.61	4.5	<0.2	<10	390	0.56	0.42	1.20	0.20	40.4	14.6	37
I032453		0.50	<0.005	0.10	1.92	6.5	<0.2	<10	210	0.68	0.37	0.67	0.09	44.6	11.0	29
I032454		0.66	0.016	1.32	2.16	28.5	<0.2	<10	130	0.62	0.55	0.40	0.38	23.9	16.0	41
I032455		0.46	<0.005	0.03	2.31	9.9	<0.2	<10	190	0.56	0.23	0.22	0.08	24.2	11.6	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I034008		2.16	17.4	2.16	4.76	0.05	0.02	<0.01	0.010	0.15	12.4	11.8	0.91	402	0.56
I034009		1.63	52.7	3.76	6.95	0.10	0.09	0.01	0.027	0.36	12.7	19.0	1.35	490	0.91
I034316		2.54	17.7	2.61	3.84	0.06	0.05	0.01	0.016	0.11	14.1	11.9	0.60	486	0.60
I034317		3.38	20.8	3.32	4.76	0.08	0.03	0.01	0.020	0.14	19.5	13.4	0.66	797	0.84
I034318		5.32	20.1	2.70	3.85	0.07	0.02	0.01	0.015	0.15	14.6	14.4	0.58	2800	1.39
I034319		5.93	24.8	2.72	4.78	0.06	0.02	0.01	0.019	0.12	15.3	13.0	0.61	941	1.42
I034320		4.41	25.0	2.67	2.00	0.06	0.03	<0.01	0.014	0.09	15.7	6.3	0.25	743	1.50
I034321		0.94	21.5	1.97	3.22	0.05	0.02	<0.01	0.013	0.06	7.2	7.1	0.52	386	0.46
I034322		0.61	15.6	1.68	2.80	<0.05	<0.02	<0.01	0.009	0.06	9.3	6.9	0.44	290	0.33
I034323		0.65	27.4	1.92	3.67	<0.05	<0.02	<0.01	0.013	0.05	5.8	8.8	0.58	245	0.40
I034324		0.67	25.5	2.63	4.35	0.07	0.04	0.01	0.018	0.13	9.9	8.4	0.78	410	0.67
I034325		0.63	21.9	2.46	3.86	0.06	0.03	<0.01	0.017	0.12	8.9	7.4	0.69	391	0.59
I034326		0.47	29.7	2.82	4.43	0.06	0.02	0.01	0.020	0.11	7.8	7.8	0.72	1300	0.78
I034327		0.67	39.9	2.98	5.76	0.06	0.03	0.02	0.025	0.20	8.3	8.6	0.93	448	0.71
I034328		0.40	20.0	2.16	4.26	0.05	0.02	<0.01	0.016	0.08	6.3	6.6	0.70	327	0.45
I319501		0.56	13.1	1.93	3.44	0.05	0.05	<0.01	0.013	0.06	10.5	9.5	0.55	281	0.49
I319502		0.54	16.8	1.71	3.79	<0.05	0.05	0.02	0.016	0.06	12.0	10.4	0.53	213	0.40
I319551		3.47	32.2	2.94	5.52	0.07	0.02	0.02	0.022	0.25	12.9	13.2	0.77	452	0.76
I319552		0.75	33.0	2.99	4.89	0.07	0.08	0.02	0.024	0.17	11.6	10.1	0.90	441	1.01
I319553		1.84	31.7	2.54	5.22	0.05	0.03	0.03	0.015	0.15	10.1	13.0	0.96	509	0.73
I319554		1.94	17.7	2.12	4.51	<0.05	<0.02	0.01	0.010	0.12	8.6	10.0	0.88	405	0.65
I319555		0.43	14.7	1.95	3.39	0.05	0.04	0.03	0.015	0.10	8.3	8.0	0.51	821	0.43
I319701		0.70	18.6	2.62	4.06	0.05	0.05	0.03	0.022	0.06	13.2	12.2	0.51	561	0.59
I319702		0.67	15.4	2.54	4.64	0.05	0.04	0.01	0.020	0.08	11.1	10.3	0.55	692	1.27
I319703		0.33	12.2	1.58	3.19	0.05	0.07	0.01	0.013	0.04	10.0	7.4	0.41	121	0.29
I319704		0.62	16.8	2.25	4.14	0.05	0.05	0.02	0.019	0.05	11.9	10.6	0.48	296	0.47
I319705		0.99	25.6	2.43	4.91	0.06	0.03	0.01	0.016	0.10	13.0	17.1	0.81	561	1.04
I319706		0.81	12.3	1.93	3.93	0.05	0.02	0.01	0.012	0.08	12.9	13.0	0.57	234	0.61
I319707		0.76	18.5	2.22	4.14	0.05	0.04	0.02	0.013	0.09	12.2	14.0	0.67	346	0.66
I319708		0.87	21.7	2.49	5.46	0.07	0.03	0.02	0.017	0.08	16.9	17.9	0.63	338	0.70
I319709		0.70	15.7	2.11	4.07	0.06	0.04	0.01	0.014	0.09	12.6	13.2	0.60	344	0.61
I319710		0.64	15.7	2.21	4.35	0.05	0.06	<0.01	0.016	0.05	11.2	13.2	0.57	296	0.46
I319711		0.92	29.6	2.90	5.99	0.07	0.06	0.04	0.024	0.08	22.2	18.3	0.64	730	0.95
I319751		0.77	19.5	2.45	4.76	0.06	0.07	0.03	0.022	0.06	14.6	13.0	0.54	581	0.59
I319752		0.52	15.0	4.69	4.02	0.09	0.03	0.03	0.018	0.06	13.4	8.4	0.46	3280	0.93
I032451		0.40	56.4	3.43	6.82	0.07	0.07	0.03	0.027	0.07	15.8	12.8	1.45	774	1.54
I032452		0.46	42.5	2.92	4.62	0.06	0.11	0.04	0.026	0.09	21.4	8.4	0.82	601	0.85
I032453		0.81	22.1	2.76	6.08	0.07	0.12	0.02	0.030	0.12	28.8	11.6	0.46	296	1.32
I032454		4.67	61.2	3.12	5.85	0.06	0.05	0.05	0.039	0.06	13.9	13.9	0.78	216	1.22
I032455		1.21	23.1	3.38	7.23	0.05	0.06	0.02	0.037	0.06	15.4	12.9	0.48	171	1.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I034008		0.95	28.8	720	8.2	25.9	<0.001	<0.01	0.12	2.8	0.2	0.3	28.8	<0.01	<0.01
I034009		2.03	77.6	1530	6.5	25.6	<0.001	0.02	0.26	6.8	0.8	0.3	49.7	<0.01	0.02
I034316		0.90	22.6	860	8.1	14.9	<0.001	<0.01	0.39	3.5	0.4	0.3	42.5	<0.01	0.01
I034317		0.79	31.1	770	11.3	18.3	<0.001	<0.01	0.49	3.9	0.4	0.3	39.6	<0.01	0.02
I034318		0.78	26.8	810	13.3	21.2	<0.001	<0.01	1.05	3.0	0.4	0.3	37.7	<0.01	0.03
I034319		0.95	23.0	840	19.0	17.0	<0.001	<0.01	1.39	3.6	0.4	0.4	42.8	<0.01	0.03
I034320		0.55	25.5	1110	6.7	12.4	<0.001	<0.01	0.53	2.7	0.9	<0.2	22.7	<0.01	0.06
I034321		0.55	13.1	710	3.0	8.3	<0.001	<0.01	0.20	2.8	0.2	0.2	12.2	<0.01	<0.01
I034322		0.73	10.8	650	3.2	11.2	<0.001	<0.01	0.08	2.1	<0.2	0.2	10.6	<0.01	<0.01
I034323		0.60	12.8	610	2.9	8.2	<0.001	<0.01	0.12	2.8	0.2	0.2	14.1	<0.01	0.01
I034324		0.81	13.6	880	4.7	10.2	<0.001	0.03	0.19	4.7	0.5	0.3	37.3	<0.01	0.02
I034325		0.77	12.4	900	4.2	9.3	<0.001	0.03	0.17	4.4	0.5	0.3	33.5	<0.01	0.02
I034326		0.69	12.0	770	3.8	7.8	<0.001	0.08	0.16	5.0	0.7	0.3	38.0	<0.01	0.05
I034327		0.91	13.3	610	4.6	13.0	<0.001	0.12	0.17	5.5	0.9	0.3	40.1	<0.01	0.06
I034328		0.62	9.7	530	3.6	6.4	<0.001	0.04	0.12	4.1	0.4	0.2	26.3	<0.01	0.04
I319501		0.87	15.5	710	4.7	7.3	<0.001	<0.01	0.29	2.9	0.3	0.3	29.9	<0.01	0.01
I319502		0.98	16.3	730	6.0	7.9	<0.001	0.02	0.33	3.3	0.3	0.3	36.6	<0.01	<0.01
I319551		1.18	13.5	980	5.8	24.9	<0.001	<0.01	0.31	4.8	0.3	0.4	26.9	<0.01	0.01
I319552		1.03	19.6	1060	5.9	11.9	<0.001	0.01	0.37	6.0	0.6	0.4	74.6	<0.01	0.03
I319553		1.06	28.9	780	6.8	22.9	<0.001	0.02	0.21	3.4	0.5	0.3	35.9	<0.01	0.01
I319554		0.83	26.6	590	7.5	18.8	<0.001	<0.01	0.10	2.4	0.2	0.3	18.3	<0.01	0.01
I319555		1.01	16.4	870	5.9	10.6	<0.001	0.06	0.31	2.7	0.6	0.3	50.3	<0.01	0.01
I319701		1.09	21.1	670	11.4	10.1	<0.001	0.02	0.43	4.0	0.6	0.3	55.6	<0.01	0.01
I319702		1.10	16.0	740	8.3	9.6	<0.001	0.02	0.32	5.1	0.6	0.3	58.7	0.01	0.01
I319703		0.98	13.0	740	4.9	5.1	<0.001	0.02	0.27	3.0	0.3	0.3	35.8	0.01	<0.01
I319704		1.08	18.1	640	9.7	9.0	<0.001	0.02	0.39	3.6	0.5	0.3	49.1	<0.01	0.01
I319705		1.13	21.8	640	10.6	13.4	<0.001	0.02	0.18	3.7	0.7	0.3	33.3	<0.01	0.02
I319706		1.25	19.6	520	6.6	12.3	<0.001	<0.01	0.15	2.8	0.4	0.3	21.1	<0.01	0.02
I319707		1.27	20.0	580	7.7	12.4	<0.001	<0.01	0.17	3.1	0.4	0.3	27.4	<0.01	0.02
I319708		1.53	17.5	630	6.6	11.6	<0.001	0.03	0.20	3.5	0.8	0.4	38.0	<0.01	0.01
I319709		1.27	17.7	610	6.7	11.1	<0.001	0.01	0.17	3.0	0.5	0.3	25.6	<0.01	0.01
I319710		1.22	15.3	650	5.7	6.8	<0.001	<0.01	0.24	3.9	0.4	0.3	30.8	<0.01	0.01
I319711		1.79	28.5	680	12.2	13.9	<0.001	0.01	0.40	4.6	0.9	0.4	47.8	<0.01	0.04
I319751		1.28	23.3	700	10.9	10.5	<0.001	<0.01	0.46	4.5	0.6	0.4	55.8	<0.01	0.02
I319752		1.06	19.1	1260	5.6	8.9	0.002	0.03	0.39	3.3	1.0	0.3	82.7	<0.01	0.03
I032451		0.83	51.7	580	10.7	7.2	<0.001	<0.01	0.34	8.6	0.8	0.4	50.5	<0.01	0.02
I032452		0.94	25.5	650	29.6	10.1	0.001	0.05	0.33	5.9	1.0	0.4	82.1	<0.01	0.02
I032453		2.00	19.0	370	20.9	14.3	<0.001	0.02	0.25	5.3	0.6	0.7	53.3	<0.01	0.02
I032454		1.47	38.5	710	128.5	11.1	<0.001	0.03	2.44	6.1	1.0	0.5	20.8	<0.01	0.09
I032455		1.62	27.1	270	12.0	9.5	<0.001	0.01	0.40	4.4	0.5	0.8	20.5	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I034008		0.115	0.14	0.89	48	0.10	4.52	53	0.6
I034009		0.164	0.16	1.24	83	0.25	11.35	121	3.0
I034316		0.078	0.11	1.21	46	0.14	7.35	62	1.3
I034317		0.057	0.15	1.19	43	0.09	7.71	77	0.7
I034318		0.060	0.22	1.45	37	0.11	6.48	74	0.6
I034319		0.076	0.21	1.95	50	0.25	7.00	68	0.7
I034320		0.026	0.12	1.35	32	0.10	8.41	71	0.8
I034321		0.056	0.04	0.38	44	0.08	3.31	37	0.5
I034322		0.050	0.06	0.41	29	<0.05	3.43	37	<0.5
I034323		0.066	0.05	0.30	46	0.13	2.90	40	<0.5
I034324		0.085	0.06	1.09	57	0.08	7.06	64	1.0
I034325		0.080	0.05	0.88	53	0.25	6.78	58	0.9
I034326		0.081	0.06	0.82	60	0.06	7.37	71	0.5
I034327		0.112	0.08	0.77	71	0.07	7.22	72	0.9
I034328		0.082	0.04	0.34	50	0.05	4.65	54	<0.5
I319501		0.062	0.04	0.52	38	0.10	6.00	52	1.4
I319502		0.064	0.05	0.65	38	0.35	7.11	60	1.4
I319551		0.106	0.12	0.73	58	0.20	6.12	84	0.6
I319552		0.080	0.08	0.50	60	0.12	8.53	71	2.4
I319553		0.102	0.13	0.97	62	0.19	5.81	60	1.0
I319554		0.104	0.13	0.77	51	0.09	3.84	55	<0.5
I319555		0.058	0.05	0.60	35	0.33	5.13	64	1.2
I319701		0.059	0.07	0.89	48	0.14	9.08	83	1.6
I319702		0.064	0.06	0.99	42	0.34	7.75	83	1.3
I319703		0.063	0.04	0.85	31	0.32	6.28	54	2.2
I319704		0.059	0.06	0.85	44	0.38	7.56	66	1.5
I319705		0.091	0.10	1.09	50	0.09	7.66	102	0.9
I319706		0.075	0.07	1.02	35	0.19	6.24	54	0.7
I319707		0.083	0.08	1.05	40	0.20	6.35	71	1.1
I319708		0.090	0.07	1.62	49	0.15	10.20	66	0.7
I319709		0.087	0.07	1.28	41	0.12	6.75	64	1.1
I319710		0.088	0.05	0.75	48	0.23	6.70	54	2.0
I319711		0.086	0.09	1.18	53	0.19	13.35	80	2.1
I319751		0.067	0.08	0.89	46	0.21	9.33	76	2.1
I319752		0.060	0.06	0.67	64	0.19	8.78	66	0.8
I032451		0.047	0.05	0.76	69	0.10	14.35	75	2.1
I032452		0.056	0.08	1.59	49	0.18	11.95	64	4.5
I032453		0.098	0.08	2.01	57	0.40	9.06	40	4.3
I032454		0.112	0.20	1.28	72	0.14	7.76	96	1.8
I032455		0.093	0.11	0.61	77	0.14	4.99	42	2.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032456		0.52	<0.005	0.03	1.99	8.2	<0.2	<10	250	0.56	0.17	0.36	0.05	32.1	12.7	35
I032457		0.40	<0.005	0.05	1.39	5.7	<0.2	<10	180	0.32	0.17	0.21	0.10	16.85	7.0	22
I032458		0.32	<0.005	0.09	1.67	5.6	<0.2	<10	150	1.03	0.21	0.28	0.10	80.5	8.1	21
I032459		0.58	<0.005	0.04	2.13	9.7	<0.2	<10	150	0.50	0.24	0.26	0.08	39.4	9.0	29
I032460		0.54	<0.005	0.03	2.24	10.0	<0.2	<10	150	0.49	0.25	0.27	0.07	40.9	8.6	30
I032461		0.24	<0.005	0.01	0.11	2.3	<0.2	<10	30	0.11	0.03	0.09	0.04	11.40	2.9	3
I032462		0.52	<0.005	0.07	1.88	6.5	<0.2	<10	160	0.48	0.19	0.30	0.07	39.7	7.0	27
I032463		0.44	<0.005	0.10	1.99	8.5	<0.2	<10	170	0.47	0.23	0.29	0.10	37.4	7.3	27
I032464		0.40	<0.005	0.22	1.86	3.4	<0.2	<10	300	0.75	0.15	0.49	0.21	169.0	4.8	22
I032465		0.48	<0.005	0.05	1.77	4.4	<0.2	<10	110	0.42	0.20	0.27	0.05	22.0	9.4	26
I032466		0.64	0.008	0.04	1.82	6.1	<0.2	<10	160	0.75	0.21	0.25	0.07	43.2	7.9	27
I032467		0.70	<0.005	0.02	1.02	3.9	<0.2	<10	80	0.72	0.19	0.11	0.03	34.5	3.7	11
I032468		0.58	<0.005	0.03	2.14	9.1	<0.2	<10	150	0.74	0.20	0.23	0.06	33.5	8.2	25
I032469		0.46	<0.005	0.02	1.87	9.1	<0.2	<10	90	0.31	0.21	0.16	0.08	25.6	7.1	28
I032470		0.64	<0.005	0.02	1.52	3.7	<0.2	<10	70	0.71	0.28	0.14	0.04	29.5	7.0	20
I032471		0.54	<0.005	0.05	1.91	6.6	<0.2	<10	150	0.40	0.18	0.27	0.06	32.1	6.3	27
I032472		0.50	<0.005	0.01	0.93	2.5	<0.2	<10	50	0.39	0.39	0.10	0.06	38.3	3.6	13
I032473		0.40	<0.005	0.04	2.92	10.9	<0.2	<10	180	0.66	0.19	0.18	0.08	23.9	13.4	44
I032474		0.46	<0.005	0.01	1.93	8.7	<0.2	<10	90	0.32	0.18	0.20	0.10	18.40	7.2	30
I032475		0.54	<0.005	0.12	3.28	10.6	<0.2	<10	220	1.03	0.37	0.21	0.07	42.4	13.1	45
I032476		0.58	<0.005	0.09	2.51	11.5	<0.2	<10	160	0.65	0.95	0.20	0.16	25.6	7.0	35
I032477		0.62	<0.005	0.04	1.74	7.7	<0.2	<10	110	0.39	0.21	0.17	0.07	15.95	6.4	25
I032478		0.48	<0.005	0.04	2.05	5.3	<0.2	<10	130	0.77	0.34	0.14	0.07	42.4	7.1	20
I032479		0.42	<0.005	0.04	1.16	7.1	<0.2	<10	90	0.22	0.21	0.13	0.07	14.35	4.0	20
I032480		0.48	<0.005	0.03	1.96	9.1	<0.2	<10	130	0.41	0.42	0.16	0.06	22.0	8.4	28
I032481		0.46	<0.005	0.05	2.23	10.4	<0.2	<10	150	0.40	0.20	0.21	0.04	17.85	10.6	35
I032482		0.34	<0.005	0.01	0.12	2.0	<0.2	<10	30	0.11	0.02	0.08	0.04	11.35	2.6	4
I032483		0.28	<0.005	0.22	1.92	5.7	<0.2	<10	200	0.41	0.25	0.63	0.18	36.6	14.5	33
I032484		0.48	<0.005	0.19	2.75	6.8	<0.2	<10	220	0.69	0.36	0.50	0.11	17.70	14.9	28
I032485		0.58	<0.005	0.12	2.37	4.4	<0.2	<10	220	0.63	0.18	0.48	0.11	27.5	12.3	36
I032486		0.46	<0.005	0.22	1.92	8.7	<0.2	<10	200	0.28	0.20	0.13	0.06	12.55	9.7	30
I032487		0.56	<0.005	0.21	1.60	6.5	<0.2	<10	220	0.31	0.15	0.25	0.09	15.85	8.0	27
I032488		0.52	<0.005	0.40	1.23	5.4	<0.2	<10	140	0.18	0.15	0.18	0.12	13.80	6.2	22
I032489		0.62	<0.005	0.15	1.84	5.9	<0.2	<10	160	0.41	0.17	0.11	0.09	21.0	10.6	28
I032490		0.62	<0.005	0.31	1.59	5.6	<0.2	<10	190	0.32	0.15	0.21	0.09	14.75	8.2	26
I032491		0.50	<0.005	0.13	1.32	7.7	<0.2	<10	250	0.39	0.13	0.32	0.10	19.50	8.6	23
I032492		0.48	<0.005	0.09	1.80	4.8	<0.2	<10	320	0.34	0.11	0.37	0.09	16.90	10.9	25
I032493		0.52	<0.005	0.11	1.59	5.2	<0.2	<10	280	0.37	0.14	0.37	0.07	18.20	9.3	27
I032494		0.44	<0.005	0.02	0.12	2.0	<0.2	<10	30	0.09	0.02	0.08	0.04	13.05	2.5	3
I032495		0.56	<0.005	0.08	1.56	4.3	<0.2	<10	300	0.44	0.13	0.31	0.07	20.6	9.3	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032456		0.98	24.8	3.12	6.30	0.06	0.16	0.03	0.036	0.05	17.3	16.3	0.55	238	0.81
I032457		1.02	18.0	2.19	5.73	<0.05	0.05	0.02	0.024	0.05	9.7	9.9	0.26	511	1.62
I032458		2.11	21.1	2.28	6.08	0.11	0.04	0.05	0.035	0.06	47.1	14.7	0.24	543	1.48
I032459		2.08	14.1	3.22	7.44	0.08	0.06	0.03	0.035	0.09	23.8	27.2	0.46	256	1.35
I032460		2.09	14.0	3.32	7.72	0.07	0.07	0.02	0.036	0.08	23.7	26.8	0.49	243	1.21
I032461		0.10	2.2	0.72	0.52	<0.05	0.06	0.01	<0.005	0.03	5.9	1.5	0.05	191	0.34
I032462		2.05	14.5	2.65	6.85	0.07	0.09	0.02	0.029	0.08	22.7	21.5	0.42	185	0.95
I032463		1.92	15.8	2.82	7.68	0.07	0.08	0.03	0.035	0.07	23.0	14.5	0.38	298	1.22
I032464		3.10	17.8	2.16	6.13	0.25	0.09	0.11	0.039	0.10	123.5	10.7	0.18	87	0.95
I032465		4.19	7.3	2.86	8.57	0.06	0.04	0.02	0.031	0.24	12.9	25.6	0.58	302	1.06
I032466		3.83	13.7	2.90	6.93	0.07	0.04	0.02	0.037	0.12	30.8	19.6	0.48	275	1.07
I032467		7.50	6.5	2.27	5.08	0.06	0.04	0.01	0.029	0.14	23.0	9.6	0.24	115	0.58
I032468		5.25	15.9	3.56	7.63	0.07	0.06	0.02	0.053	0.16	27.1	24.2	0.53	204	0.91
I032469		3.31	12.5	3.45	9.27	0.05	0.05	0.02	0.025	0.14	12.7	22.2	0.53	233	1.16
I032470		5.91	7.7	2.63	5.88	0.07	0.05	0.01	0.028	0.33	20.4	19.4	0.50	229	0.48
I032471		2.02	12.0	2.66	6.70	0.06	0.11	0.03	0.028	0.07	17.4	20.1	0.42	159	1.01
I032472		5.59	9.7	1.69	6.19	0.11	0.04	0.01	0.022	0.25	57.5	11.3	0.28	130	0.65
I032473		1.39	30.2	3.72	6.67	0.06	0.14	0.02	0.039	0.05	12.1	14.2	0.54	248	1.33
I032474		2.35	11.3	3.01	8.77	<0.05	0.05	0.02	0.022	0.10	15.1	26.2	0.56	201	0.96
I032475		2.87	31.1	4.22	8.53	0.08	0.12	0.04	0.054	0.06	23.9	24.2	0.56	281	1.45
I032476		1.88	29.2	4.45	9.73	0.06	0.03	0.04	0.045	0.08	14.2	16.8	0.36	167	1.60
I032477		2.55	11.2	3.13	7.98	<0.05	0.04	0.01	0.027	0.08	8.0	15.2	0.41	173	1.41
I032478		6.51	9.6	3.18	10.15	0.07	0.03	0.01	0.034	0.25	26.4	37.1	0.59	236	0.79
I032479		1.86	8.5	2.56	7.32	<0.05	0.03	0.01	0.020	0.04	7.5	6.8	0.23	149	1.37
I032480		2.27	12.5	3.38	7.37	<0.05	0.03	<0.01	0.036	0.05	6.7	18.4	0.45	181	0.98
I032481		1.93	18.0	3.72	7.71	0.05	0.06	0.02	0.036	0.05	10.5	18.0	0.52	196	1.35
I032482		0.09	1.8	0.71	0.53	<0.05	0.07	<0.01	<0.005	0.03	5.8	1.4	0.04	173	0.29
I032483		1.65	32.3	3.28	6.04	0.08	0.04	0.04	0.025	0.06	24.6	11.2	0.51	296	1.07
I032484		1.34	44.4	3.91	8.37	0.06	0.10	0.01	0.031	0.07	9.3	19.5	1.23	409	0.58
I032485		0.95	23.0	3.07	7.85	0.06	0.09	0.02	0.033	0.04	13.1	14.9	1.00	447	0.65
I032486		1.49	23.0	3.01	6.85	0.05	0.05	0.01	0.021	0.06	6.3	15.8	0.72	275	1.28
I032487		0.49	13.8	2.67	5.24	0.05	0.06	0.01	0.021	0.09	8.2	12.3	0.47	329	1.49
I032488		0.31	12.0	2.45	5.23	<0.05	0.04	0.02	0.016	0.08	7.1	8.5	0.38	300	1.94
I032489		1.11	21.5	2.94	7.33	0.05	0.10	0.01	0.030	0.05	9.7	11.2	0.46	901	1.48
I032490		0.61	13.3	2.58	5.77	<0.05	0.03	0.02	0.021	0.05	7.5	11.2	0.45	396	1.54
I032491		0.57	11.9	2.40	5.33	0.05	0.04	0.01	0.022	0.11	8.5	8.4	0.40	758	0.90
I032492		1.27	22.3	3.29	7.26	0.06	0.05	0.01	0.029	0.24	7.3	12.1	0.76	950	0.92
I032493		0.36	12.4	2.61	5.89	<0.05	0.06	0.01	0.023	0.06	8.8	9.2	0.49	712	1.11
I032494		0.09	1.9	0.68	0.64	<0.05	0.07	<0.01	<0.005	0.03	6.6	1.3	0.04	176	0.32
I032495		0.40	10.6	2.46	5.62	<0.05	0.02	0.01	0.021	0.08	9.4	7.9	0.39	625	0.98



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032456		1.47	27.1	470	8.6	8.3	<0.001	0.01	0.38	6.5	0.7	0.7	28.2	<0.01	0.02
I032457		1.33	13.5	440	10.7	11.3	<0.001	0.01	0.26	3.7	0.3	0.7	20.9	<0.01	0.02
I032458		1.14	11.9	590	22.2	19.8	<0.001	0.03	0.26	3.4	1.1	0.8	24.3	0.01	0.02
I032459		1.77	17.2	480	16.5	19.5	<0.001	0.01	0.31	4.1	0.7	0.9	22.9	<0.01	0.03
I032460		1.76	18.1	470	17.6	19.4	<0.001	0.01	0.30	4.3	0.7	1.0	22.6	<0.01	0.02
I032461		0.17	5.0	160	1.7	1.8	<0.001	<0.01	0.18	0.7	<0.2	<0.2	5.8	<0.01	0.01
I032462		1.79	14.1	310	12.7	20.2	<0.001	0.01	0.26	4.0	0.6	0.9	24.2	<0.01	0.02
I032463		1.73	15.1	370	13.7	17.3	<0.001	0.02	0.28	4.6	0.8	1.2	23.7	<0.01	0.03
I032464		1.04	13.5	1110	17.3	26.4	<0.001	0.11	0.24	3.4	2.1	0.7	43.5	0.02	0.03
I032465		1.56	13.1	420	14.7	53.1	<0.001	0.01	0.15	4.1	0.4	1.6	18.4	<0.01	0.02
I032466		1.27	15.6	340	21.0	28.7	<0.001	0.01	0.27	4.3	0.6	1.1	21.0	<0.01	0.02
I032467		0.70	7.0	190	12.5	39.7	<0.001	0.01	0.31	3.0	0.4	1.0	15.1	<0.01	0.01
I032468		1.55	20.5	370	21.7	32.4	<0.001	0.01	0.29	5.2	0.6	1.5	18.5	<0.01	0.02
I032469		1.95	13.7	440	12.0	28.2	<0.001	0.01	0.33	3.2	0.6	0.9	14.3	<0.01	0.03
I032470		1.19	13.9	260	12.9	55.6	<0.001	0.01	0.21	3.3	0.4	1.1	10.4	<0.01	0.01
I032471		1.68	13.9	240	12.8	18.8	<0.001	0.01	0.24	3.9	0.5	0.9	22.1	<0.01	0.02
I032472		0.85	8.0	390	12.9	46.1	<0.001	0.01	0.13	2.0	0.5	1.3	10.2	<0.01	0.01
I032473		1.83	28.6	270	10.8	10.1	<0.001	0.01	0.57	5.7	0.6	0.7	22.0	0.02	0.03
I032474		1.71	15.3	320	12.1	24.2	<0.001	0.01	0.27	3.1	0.3	0.8	17.0	<0.01	0.03
I032475		2.09	29.5	400	19.2	16.3	<0.001	0.02	0.53	5.7	0.8	0.9	23.7	0.01	0.03
I032476		1.70	14.6	700	149.0	17.7	<0.001	0.02	0.44	3.7	0.7	0.9	21.3	0.01	0.04
I032477		1.51	14.0	270	11.4	19.7	<0.001	0.01	0.37	2.9	0.4	1.2	16.3	<0.01	0.02
I032478		1.46	13.7	330	13.4	45.5	<0.001	0.01	0.20	3.4	0.4	2.3	12.0	<0.01	0.02
I032479		1.37	7.4	400	11.5	16.7	<0.001	0.01	0.27	2.3	0.3	0.8	14.1	<0.01	0.02
I032480		1.28	16.7	280	18.2	13.3	<0.001	0.01	0.33	3.9	0.3	1.2	13.8	<0.01	0.02
I032481		1.62	19.3	320	10.4	13.0	<0.001	0.01	0.48	4.6	0.5	0.8	20.2	<0.01	0.03
I032482		0.17	4.1	140	1.6	1.9	<0.001	0.01	0.13	0.6	<0.2	<0.2	5.9	<0.01	<0.01
I032483		1.29	30.1	560	22.5	11.0	<0.001	0.06	0.27	4.0	0.7	0.5	40.9	<0.01	0.03
I032484		1.27	23.1	250	9.5	10.5	<0.001	0.01	0.35	5.9	0.5	0.6	23.8	<0.01	0.03
I032485		1.19	24.4	180	9.1	5.9	<0.001	0.01	0.25	5.8	0.5	0.5	21.2	<0.01	0.02
I032486		1.08	20.9	210	7.4	11.6	<0.001	0.01	0.36	3.3	0.3	0.5	11.9	<0.01	0.02
I032487		1.24	17.8	180	7.7	8.1	<0.001	0.01	0.38	3.1	0.3	0.5	19.6	<0.01	0.03
I032488		1.20	14.0	190	7.3	5.5	<0.001	0.01	0.37	2.5	0.3	0.4	14.5	<0.01	0.02
I032489		1.09	18.1	200	7.9	9.3	<0.001	<0.01	0.39	4.7	0.3	0.5	11.3	<0.01	0.03
I032490		1.29	16.4	230	7.8	6.9	<0.001	<0.01	0.34	2.9	0.2	0.5	18.2	<0.01	0.03
I032491		1.07	15.1	450	8.0	17.0	<0.001	0.01	0.34	3.6	0.3	0.4	24.7	<0.01	0.02
I032492		1.17	17.3	230	5.6	20.6	<0.001	<0.01	0.29	7.1	0.4	0.4	25.9	<0.01	0.02
I032493		1.21	18.4	170	6.9	7.9	<0.001	<0.01	0.32	4.3	0.3	0.5	24.5	<0.01	0.02
I032494		0.17	4.3	150	1.7	2.1	<0.001	<0.01	0.13	0.7	<0.2	<0.2	7.0	<0.01	0.01
I032495		1.00	15.1	430	7.8	4.9	<0.001	0.01	0.29	3.6	0.3	0.5	27.6	<0.01	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032456		0.097	0.09	2.11	66	0.16	10.05	48	6.5
I032457		0.075	0.10	0.51	50	0.17	4.12	47	1.9
I032458		0.043	0.11	3.41	43	0.20	19.45	37	0.6
I032459		0.091	0.15	1.37	67	0.27	8.76	51	1.9
I032460		0.096	0.16	1.43	71	0.17	8.70	54	2.2
I032461		0.008	0.03	0.35	4	<0.05	2.25	6	2.0
I032462		0.098	0.13	1.31	58	0.15	9.20	43	3.0
I032463		0.093	0.13	1.68	63	0.20	10.60	48	2.8
I032464		0.040	0.14	4.67	18	0.17	38.5	37	1.2
I032465		0.096	0.35	0.82	51	0.15	6.10	66	1.4
I032466		0.074	0.24	1.26	54	0.21	8.53	58	1.4
I032467		0.034	0.32	2.02	23	0.08	7.96	51	1.2
I032468		0.068	0.30	0.76	58	0.13	9.68	53	1.9
I032469		0.122	0.27	0.61	74	0.18	3.56	54	2.0
I032470		0.084	0.45	1.72	33	0.13	6.86	64	1.7
I032471		0.101	0.15	1.16	59	0.16	7.72	42	4.0
I032472		0.074	0.30	1.99	28	0.11	9.63	37	0.8
I032473		0.108	0.13	1.10	76	0.15	5.39	46	6.5
I032474		0.119	0.20	0.66	71	0.12	2.87	46	1.6
I032475		0.108	0.26	1.37	76	0.18	7.61	61	5.3
I032476		0.080	0.16	0.88	91	0.19	5.06	66	1.1
I032477		0.092	0.15	0.48	69	0.14	2.90	41	1.6
I032478		0.073	0.38	0.88	41	0.11	5.83	68	0.6
I032479		0.089	0.12	0.35	70	0.12	2.04	29	1.3
I032480		0.074	0.14	0.67	66	0.11	2.97	48	1.5
I032481		0.108	0.14	0.63	78	0.14	4.14	48	2.4
I032482		0.010	0.03	0.35	4	<0.05	2.12	6	2.3
I032483		0.078	0.11	0.98	62	0.18	8.96	49	1.2
I032484		0.074	0.09	0.44	98	0.20	3.77	66	3.9
I032485		0.048	0.09	0.39	75	0.27	7.09	48	2.8
I032486		0.084	0.11	0.27	68	0.15	1.97	53	2.0
I032487		0.071	0.08	0.33	62	0.13	2.21	47	2.6
I032488		0.061	0.05	0.27	59	0.15	1.98	46	1.6
I032489		0.066	0.11	0.37	68	0.14	3.81	58	3.9
I032490		0.062	0.08	0.31	59	0.14	2.26	56	1.4
I032491		0.060	0.07	0.38	48	0.13	2.99	53	1.6
I032492		0.103	0.10	0.35	79	0.13	4.56	50	2.1
I032493		0.062	0.07	0.33	58	0.13	3.18	43	2.6
I032494		0.008	0.03	0.37	3	<0.05	2.51	6	2.4
I032495		0.050	0.08	0.35	54	0.15	2.84	68	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032496		0.64	<0.005	0.09	1.36	2.7	<0.2	<10	140	0.32	0.09	0.20	0.07	11.85	5.7	17
I032497		0.52	<0.005	0.17	1.86	3.5	<0.2	<10	320	0.44	0.12	0.41	0.06	18.40	11.3	43
I032498		0.62	<0.005	0.04	1.49	4.7	<0.2	<10	200	0.31	0.12	0.33	0.07	14.45	8.1	24
I032499		0.50	<0.005	0.09	1.25	3.7	<0.2	<10	200	0.24	0.13	0.47	0.12	15.35	6.4	20
I032500		0.50	<0.005	0.08	1.56	4.0	<0.2	<10	250	0.36	0.15	0.59	0.09	18.25	7.8	24
I033143		0.64	<0.005	0.04	2.98	10.8	<0.2	<10	200	0.50	0.16	0.29	0.14	25.1	15.3	43
I314651		0.72	<0.005	0.01	0.91	1.4	<0.2	<10	110	0.24	0.02	0.24	0.01	21.9	6.7	10
I314652		0.50	<0.005	0.04	1.60	7.2	<0.2	<10	230	0.52	0.21	0.37	0.04	26.7	7.7	29
I314653		0.64	<0.005	0.03	1.57	6.6	<0.2	<10	280	0.42	0.14	0.37	0.05	21.9	6.8	27
I314654		0.72	<0.005	0.07	1.71	7.7	<0.2	<10	330	0.47	0.18	0.60	0.09	25.0	9.8	27
I314655		0.78	<0.005	0.05	1.79	8.4	<0.2	<10	280	0.53	0.18	0.71	0.08	24.7	10.4	28
I314656		0.92	<0.005	0.06	1.54	9.4	<0.2	<10	320	0.45	0.16	0.49	0.07	25.4	8.8	28
I314657		0.86	<0.005	0.05	1.50	9.7	<0.2	<10	260	0.39	0.17	0.59	0.11	26.0	10.5	28
I314658		0.72	<0.005	0.03	1.42	8.9	<0.2	<10	250	0.38	0.16	0.47	0.06	23.6	8.9	25
I314659		0.50	<0.005	0.06	1.35	6.8	<0.2	<10	260	0.40	0.14	0.51	0.06	22.6	7.3	23
I314660		0.66	<0.005	0.08	1.43	11.7	<0.2	<10	260	0.50	0.18	0.54	0.08	26.5	8.3	28
I314661		0.38	<0.005	0.01	0.08	1.6	<0.2	<10	20	0.07	0.02	0.05	0.04	9.14	2.1	2
I314662		0.54	0.008	0.22	1.84	13.8	<0.2	<10	350	0.66	0.29	0.70	0.32	38.0	13.4	39
I314663		0.68	<0.005	0.10	1.50	11.3	<0.2	<10	350	0.48	0.18	1.00	0.14	27.3	10.7	29
I314664		0.60	<0.005	0.22	2.34	20.8	<0.2	<10	470	0.96	0.42	0.57	0.28	50.5	16.1	51
I314665		0.56	<0.005	0.28	2.16	17.7	<0.2	<10	400	0.90	0.37	0.63	0.32	47.0	17.6	48
I314666		0.84	<0.005	0.15	1.64	12.2	<0.2	<10	310	0.61	0.26	0.54	0.19	33.3	11.8	38
I314667		0.84	<0.005	0.10	1.33	19.9	<0.2	<10	250	0.57	0.17	0.49	0.14	29.4	8.5	23
I314668		0.72	<0.005	0.05	1.93	10.4	<0.2	<10	290	0.49	0.22	0.15	0.15	19.85	13.6	31
I314669		0.60	<0.005	0.04	1.71	8.0	<0.2	<10	280	0.43	0.17	0.21	0.07	20.8	9.7	31
I314670		0.36	<0.005	0.02	0.10	1.8	<0.2	<10	20	0.08	0.03	0.06	0.03	12.20	2.3	3
I314671		0.60	<0.005	0.05	1.42	6.7	<0.2	<10	310	0.27	0.17	0.25	0.10	16.15	7.2	24
I314672		0.64	<0.005	0.05	1.34	6.8	<0.2	<10	280	0.24	0.15	0.26	0.09	16.10	6.7	25
I314673		0.56	<0.005	0.09	1.18	3.9	<0.2	<10	350	0.37	0.26	0.28	0.11	16.50	10.5	18
I314674		0.72	<0.005	0.07	1.91	2.9	<0.2	<10	320	1.09	0.16	0.67	0.08	47.1	12.2	68
I315451		0.48	<0.005	0.16	1.98	5.2	<0.2	<10	170	0.25	1.13	0.28	0.25	21.1	40.6	36
I315452		0.52	<0.005	0.07	1.54	7.7	<0.2	<10	140	0.28	0.83	0.39	0.27	20.7	11.2	28
I315453		0.54	<0.005	1.94	2.01	6.3	<0.2	<10	250	0.37	0.89	0.54	0.53	39.2	34.3	40
I315454		0.70	0.006	0.15	2.22	20.1	<0.2	<10	150	0.40	0.89	0.30	0.13	32.0	7.8	32
I315455		0.50	<0.005	0.23	2.12	11.1	<0.2	<10	200	0.37	0.56	0.32	0.17	33.2	13.8	32
I315456		0.46	NSS	0.24	1.98	8.2	<0.2	<10	280	0.62	0.45	0.55	0.50	87.2	6.9	24
I315457		0.60	<0.005	0.04	2.62	5.6	<0.2	<10	190	0.85	0.69	0.19	0.24	57.5	7.2	38
I315458		0.50	<0.005	0.31	2.46	4.5	<0.2	<10	300	0.43	0.44	0.58	0.37	23.5	18.4	33
I315459		0.50	0.008	0.17	2.23	7.6	<0.2	<10	230	0.47	0.34	0.66	0.20	24.4	11.1	34
I315460		0.40	0.010	0.32	3.17	41.9	<0.2	<10	310	0.53	0.46	0.51	0.25	20.3	22.7	141



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032496		0.33	9.9	2.27	6.31	<0.05	<0.02	<0.01	0.017	0.05	6.2	8.4	0.44	202	0.63
I032497		0.71	16.9	3.23	6.99	0.05	0.06	0.01	0.027	0.09	8.1	11.4	0.63	602	1.31
I032498		0.43	23.9	2.79	6.43	0.05	0.08	0.01	0.023	0.07	7.1	10.6	0.52	229	1.06
I032499		0.45	16.3	2.19	5.38	0.05	0.04	0.01	0.017	0.08	8.0	7.2	0.42	281	1.10
I032500		0.46	19.1	2.39	5.63	0.05	0.06	0.03	0.021	0.08	9.7	9.4	0.55	380	0.97
I033143		1.16	30.0	3.61	7.99	0.07	0.10	0.02	0.036	0.06	9.4	14.1	0.72	419	1.26
I314651		0.62	5.1	1.68	5.27	0.05	0.03	<0.01	0.018	0.02	11.1	6.5	0.47	189	0.12
I314652		0.44	26.7	2.53	5.31	0.06	0.16	0.02	0.025	0.06	14.4	9.3	0.47	210	0.40
I314653		0.42	20.9	2.25	5.29	<0.05	0.10	0.01	0.022	0.04	11.5	9.3	0.44	138	0.42
I314654		0.51	25.1	2.71	6.11	0.06	0.13	0.02	0.028	0.05	13.5	11.1	0.51	306	0.71
I314655		0.62	33.3	2.92	5.93	0.08	0.36	0.03	0.030	0.07	14.5	12.1	0.62	287	0.41
I314656		0.57	24.1	2.62	5.02	0.06	0.22	0.02	0.023	0.05	13.3	11.6	0.50	220	0.87
I314657		0.53	26.0	2.66	5.34	0.06	0.12	0.03	0.023	0.06	13.7	11.4	0.55	347	0.89
I314658		0.50	21.1	2.41	5.10	0.06	0.24	0.02	0.021	0.05	12.4	10.4	0.49	243	0.92
I314659		0.48	23.9	2.16	4.69	0.06	0.21	0.02	0.020	0.04	12.8	9.9	0.44	206	0.64
I314660		0.95	30.9	2.55	5.10	0.07	0.15	0.03	0.024	0.08	15.5	11.4	0.55	251	0.71
I314661		0.07	1.5	0.51	0.48	<0.05	0.05	0.01	<0.005	0.02	4.7	1.1	0.03	151	0.26
I314662		1.29	40.3	3.35	6.46	0.08	0.07	0.06	0.030	0.15	19.8	14.9	0.67	486	1.33
I314663		0.54	33.2	2.62	4.98	0.07	0.16	0.03	0.023	0.06	15.0	11.2	0.56	442	0.73
I314664		2.27	60.3	4.39	8.31	0.11	0.18	0.09	0.041	0.23	28.7	23.9	0.92	503	1.34
I314665		1.73	50.8	3.91	7.72	0.09	0.11	0.08	0.038	0.19	25.0	19.8	0.82	586	1.35
I314666		1.21	41.6	3.17	5.96	0.08	0.11	0.05	0.029	0.13	18.1	15.1	0.70	413	1.00
I314667		0.58	25.9	2.47	4.76	0.06	0.10	0.03	0.023	0.05	15.9	10.0	0.43	295	0.75
I314668		0.83	14.6	2.82	6.64	0.05	<0.02	0.01	0.030	0.05	10.1	11.6	0.42	411	1.05
I314669		0.72	14.6	2.55	5.80	0.05	0.10	0.01	0.024	0.04	10.1	11.4	0.42	314	0.96
I314670		0.08	2.0	0.61	0.55	<0.05	0.05	0.01	<0.005	0.03	6.4	1.2	0.04	142	0.26
I314671		0.53	10.6	2.09	5.38	<0.05	<0.02	0.01	0.019	0.03	8.4	9.4	0.33	419	0.82
I314672		0.50	11.4	2.03	4.69	<0.05	0.02	<0.01	0.018	0.03	8.5	9.6	0.34	306	0.75
I314673		0.53	9.0	1.61	4.93	<0.05	0.02	0.01	0.019	0.07	9.0	7.5	0.25	491	0.79
I314674		0.22	15.6	2.88	7.43	0.07	0.08	0.02	0.026	0.19	21.4	14.5	0.86	750	0.59
I315451		2.11	40.5	3.03	7.24	0.07	0.03	0.09	0.029	0.09	11.4	9.5	0.62	2070	0.87
I315452		2.06	43.2	2.52	4.77	0.06	0.03	0.04	0.024	0.17	11.6	8.8	0.54	854	0.77
I315453		1.53	104.0	3.69	6.70	0.09	0.05	0.22	0.036	0.11	18.3	10.6	0.53	2080	4.92
I315454		2.07	42.0	3.00	6.89	0.08	0.06	0.08	0.036	0.09	17.4	13.2	0.52	357	1.63
I315455		2.07	30.2	2.87	7.28	0.07	0.04	0.12	0.034	0.07	18.2	9.9	0.44	1220	2.23
I315456		2.13	38.6	2.16	6.60	0.14	0.08	0.20	0.031	0.08	54.6	10.0	0.36	628	1.45
I315457		3.16	45.8	3.02	8.40	0.10	0.12	0.07	0.041	0.11	36.1	12.6	0.47	447	1.61
I315458		3.83	63.9	2.85	7.67	0.07	0.04	0.08	0.030	0.12	12.9	11.0	0.61	1440	2.32
I315459		2.77	71.5	2.40	6.57	0.08	0.05	0.06	0.029	0.14	13.3	11.5	0.63	408	2.39
I315460		9.51	94.4	3.30	9.22	0.13	0.03	0.05	0.032	0.58	10.0	17.5	1.54	592	3.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032496		0.73	9.8	370	6.8	4.1	<0.001	0.01	0.21	2.0	<0.2	0.5	18.4	<0.01	0.01
I032497		1.04	17.5	410	5.9	7.8	<0.001	0.01	0.26	6.4	0.3	0.5	26.7	<0.01	0.02
I032498		0.83	16.4	340	6.0	7.5	<0.001	0.01	0.29	4.1	0.4	0.4	25.4	<0.01	0.02
I032499		1.07	14.8	280	6.3	11.2	<0.001	0.01	0.28	3.5	0.5	0.4	33.5	<0.01	0.02
I032500		1.08	16.3	460	7.0	9.1	<0.001	0.01	0.34	4.0	0.5	0.4	39.2	<0.01	0.01
I033143		2.12	34.2	210	12.0	9.7	<0.001	0.01	0.47	6.6	0.5	0.7	28.1	0.01	0.03
I314651		0.35	5.6	400	1.5	4.2	<0.001	<0.01	0.09	6.2	0.3	0.4	16.0	<0.01	0.01
I314652		0.81	18.5	290	7.5	7.0	<0.001	<0.01	0.42	6.5	0.4	0.5	25.4	<0.01	0.02
I314653		1.34	17.2	230	6.7	5.9	<0.001	0.01	0.38	5.0	0.4	0.5	29.1	<0.01	0.02
I314654		1.47	22.5	410	8.7	7.5	<0.001	0.01	0.50	6.0	0.6	0.6	43.4	<0.01	0.03
I314655		1.08	23.6	460	9.0	9.5	<0.001	0.01	0.57	6.4	0.6	0.6	43.7	<0.01	0.03
I314656		1.20	22.2	440	8.6	6.8	<0.001	<0.01	0.52	4.9	0.7	0.5	31.6	<0.01	0.03
I314657		1.53	24.1	570	8.5	7.7	<0.001	0.01	0.56	5.2	0.7	0.5	37.2	<0.01	0.02
I314658		1.40	19.5	460	8.0	6.6	<0.001	<0.01	0.50	4.7	0.6	0.5	33.2	<0.01	0.03
I314659		1.25	19.2	500	7.1	6.4	<0.001	0.01	0.45	4.6	0.6	0.4	34.1	<0.01	0.02
I314660		1.32	24.5	620	9.1	9.9	<0.001	0.01	0.61	5.1	0.5	0.5	35.0	<0.01	0.02
I314661		0.14	3.4	110	1.3	1.5	<0.001	<0.01	0.10	0.6	<0.2	<0.2	4.9	<0.01	0.01
I314662		1.63	35.5	730	13.7	15.9	<0.001	0.02	1.04	5.9	1.0	0.6	46.0	<0.01	0.04
I314663		1.51	26.9	640	8.9	7.2	<0.001	0.02	0.74	4.8	1.3	0.4	52.6	<0.01	0.02
I314664		1.73	52.8	560	19.2	22.0	<0.001	0.01	1.34	7.6	1.4	0.8	44.5	0.01	0.04
I314665		1.83	45.8	550	17.6	18.3	<0.001	0.01	1.26	7.0	1.4	0.7	46.2	<0.01	0.04
I314666		1.42	37.5	720	11.5	13.5	<0.001	0.01	0.91	6.0	0.8	0.6	37.7	<0.01	0.03
I314667		1.31	19.3	520	12.4	7.2	<0.001	0.01	0.46	4.3	0.9	0.4	31.4	<0.01	0.02
I314668		1.22	20.9	600	9.9	9.5	<0.001	0.01	0.42	3.3	0.3	0.6	17.7	<0.01	0.03
I314669		1.49	20.3	160	8.8	8.4	<0.001	<0.01	0.42	4.0	0.3	0.6	22.6	<0.01	0.02
I314670		0.17	3.8	130	1.6	1.7	<0.001	0.01	0.24	0.6	<0.2	<0.2	5.6	<0.01	0.02
I314671		1.34	14.0	260	7.6	5.2	<0.001	0.01	0.37	2.8	0.2	0.6	24.3	<0.01	0.02
I314672		1.34	13.9	210	7.5	5.5	<0.001	0.01	0.37	2.7	0.3	0.5	24.7	<0.01	0.02
I314673		1.43	11.8	720	9.7	9.5	<0.001	0.02	0.26	2.4	0.3	0.7	29.8	<0.01	0.01
I314674		0.54	19.5	410	10.7	8.7	<0.001	0.01	0.23	6.9	0.6	0.5	40.7	<0.01	0.01
I315451		1.40	16.5	650	11.2	14.4	<0.001	0.05	0.26	5.5	0.6	0.7	23.4	<0.01	0.03
I315452		0.82	12.5	910	5.4	20.9	<0.001	0.03	0.34	5.9	0.5	0.6	20.5	<0.01	0.01
I315453		0.71	17.9	1180	6.6	16.4	<0.001	0.12	0.41	6.9	1.3	0.6	47.4	0.01	0.03
I315454		2.90	16.8	580	10.1	22.5	<0.001	0.02	0.78	5.1	0.6	1.0	24.8	<0.01	0.06
I315455		2.09	16.0	760	11.4	17.2	<0.001	0.06	0.40	4.8	0.8	1.0	30.1	<0.01	0.03
I315456		2.49	15.8	830	10.1	24.4	<0.001	0.08	0.41	5.0	1.5	0.9	50.0	0.01	0.03
I315457		2.94	16.4	340	13.8	29.2	<0.001	0.02	0.28	6.1	0.8	1.4	17.8	0.01	0.05
I315458		1.29	18.9	1130	7.9	30.9	<0.001	0.10	0.26	5.5	0.9	0.8	57.3	<0.01	0.04
I315459		1.53	20.4	1120	6.6	24.1	<0.001	0.06	0.39	5.2	0.9	0.7	45.4	<0.01	0.03
I315460		1.52	61.0	490	5.3	69.2	<0.001	0.04	2.75	9.2	0.7	0.8	30.5	<0.01	0.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032496		0.031	0.04	0.33	47	0.12	1.70	74	<0.5
I032497		0.066	0.08	0.35	72	0.14	4.26	60	2.2
I032498		0.041	0.05	0.47	55	0.12	4.15	52	2.8
I032499		0.048	0.05	0.56	46	0.13	3.81	40	1.7
I032500		0.055	0.05	1.07	44	0.13	5.35	46	2.1
I033143		0.135	0.11	1.07	79	0.17	5.30	60	3.9
I314651		0.043	0.02	0.46	24	<0.05	7.99	45	1.3
I314652		0.074	0.05	1.06	49	0.09	9.10	40	6.9
I314653		0.074	0.05	0.66	50	0.14	5.55	36	4.2
I314654		0.083	0.06	1.61	55	0.15	9.12	48	5.4
I314655		0.113	0.07	1.20	57	0.15	11.80	58	15.8
I314656		0.072	0.06	0.80	54	0.22	8.80	44	8.9
I314657		0.079	0.06	0.94	53	0.28	8.88	48	4.7
I314658		0.080	0.05	0.73	49	0.14	7.35	41	9.1
I314659		0.073	0.06	1.01	42	0.60	8.19	38	8.1
I314660		0.076	0.08	0.67	46	0.16	10.40	57	6.9
I314661		0.007	0.03	0.25	2	<0.05	2.01	5	1.7
I314662		0.061	0.11	1.96	57	0.23	12.30	86	2.7
I314663		0.074	0.06	3.15	51	0.25	11.00	57	6.2
I314664		0.057	0.18	2.37	67	0.25	16.55	128	7.1
I314665		0.052	0.14	2.03	64	0.24	15.30	112	4.2
I314666		0.061	0.12	0.99	55	0.27	11.65	85	4.4
I314667		0.058	0.06	3.28	42	0.17	9.81	52	3.8
I314668		0.054	0.09	0.49	60	0.21	3.15	66	0.5
I314669		0.064	0.09	0.49	57	0.18	2.76	42	4.3
I314670		0.005	0.03	0.34	1	<0.05	2.27	4	1.9
I314671		0.053	0.09	0.33	53	0.21	2.31	52	0.7
I314672		0.052	0.08	0.36	49	0.22	2.26	48	0.8
I314673		0.046	0.08	0.38	35	0.24	2.14	64	0.7
I314674		0.011	0.04	0.71	50	0.98	9.19	61	1.9
I315451		0.125	0.23	2.72	84	0.86	8.46	69	1.0
I315452		0.096	0.20	1.92	65	1.99	8.08	60	0.8
I315453		0.078	0.25	4.34	94	6.68	16.65	55	1.0
I315454		0.125	0.29	4.16	58	2.25	8.66	69	2.2
I315455		0.097	0.25	5.71	63	1.16	9.62	65	1.3
I315456		0.071	0.25	11.55	44	3.55	32.2	63	1.6
I315457		0.115	0.40	8.57	61	1.49	19.15	70	3.4
I315458		0.095	0.32	5.36	74	3.02	9.58	81	1.1
I315459		0.102	0.25	4.16	70	3.03	10.00	65	1.5
I315460		0.169	0.71	1.29	102	5.04	6.57	73	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315461		0.56	0.011	0.19	2.11	71.8	<0.2	<10	190	0.45	0.45	0.44	0.15	39.9	18.2	51
I315462		0.44	<0.005	0.09	1.71	20.4	<0.2	<10	130	0.32	0.29	0.34	0.11	21.1	16.9	52
I315463		0.20	<0.005	0.01	0.12	1.8	<0.2	<10	30	0.08	0.04	0.08	0.04	11.35	2.2	3
I315464		0.46	<0.005	0.08	1.74	3.5	<0.2	<10	120	0.17	0.25	0.33	0.11	16.35	8.2	60
I315465		0.44	<0.005	0.11	1.52	2.9	<0.2	<10	160	0.23	0.26	0.43	0.19	20.0	5.8	44
I315466		0.50	<0.005	0.16	2.08	6.8	<0.2	<10	200	0.45	0.31	0.39	0.11	34.3	13.9	60
I315467		0.60	<0.005	0.12	2.05	7.6	<0.2	<10	180	0.58	0.34	0.33	0.18	39.7	13.8	48
I315468		0.50	<0.005	0.05	1.08	5.6	<0.2	<10	60	0.17	0.32	0.11	0.11	10.95	4.7	26
I315469		0.42	<0.005	0.19	1.43	5.4	<0.2	<10	150	0.60	0.41	0.56	0.55	61.0	15.9	32
I315470		0.30	<0.005	0.08	0.46	1.9	<0.2	<10	50	0.09	0.15	0.10	0.23	6.39	2.2	16
I315471		0.52	<0.005	0.07	1.16	7.5	<0.2	<10	140	0.29	0.23	0.17	0.20	14.80	5.3	29
I315472		0.62	<0.005	0.06	1.84	10.7	<0.2	<10	250	0.74	0.14	0.37	0.32	28.1	12.6	57
I315473		0.14	<0.005	0.01	0.12	1.6	<0.2	<10	30	0.08	0.02	0.09	0.04	10.55	2.2	3
I315474		0.54	<0.005	0.17	1.43	3.3	<0.2	<10	140	0.40	0.34	0.19	0.17	48.6	9.8	30
I315475		0.48	<0.005	0.10	1.19	3.8	<0.2	<10	50	0.39	0.48	0.12	0.10	33.3	6.2	26
I315476		0.54	<0.005	0.09	1.77	7.6	<0.2	<10	280	0.39	0.18	0.20	0.20	17.50	9.8	43
I315477		0.58	<0.005	0.20	1.13	14.9	<0.2	<10	150	0.19	0.63	0.13	0.23	22.3	4.4	19
I315478		0.46	<0.005	0.05	1.60	6.5	<0.2	<10	220	0.28	0.18	0.16	0.19	13.35	13.4	71
I315479		0.44	<0.005	0.07	0.71	2.2	<0.2	<10	90	0.12	0.28	0.13	0.10	22.2	2.7	13
I315480		0.56	<0.005	0.03	1.82	6.6	<0.2	<10	150	0.33	0.17	0.20	0.17	23.1	9.5	30
I315481		0.64	<0.005	0.04	1.84	9.3	<0.2	<10	180	0.22	0.16	0.21	0.17	21.1	11.2	65
I315482		0.54	<0.005	0.03	2.18	8.5	<0.2	<10	200	0.42	0.23	0.16	0.14	27.3	12.6	46
I315483		0.46	<0.005	0.11	1.26	4.1	<0.2	<10	240	0.27	0.15	0.23	0.18	20.9	6.6	29
I315484		0.42	<0.005	0.16	1.20	2.2	<0.2	<10	340	0.20	0.13	0.34	0.26	14.35	10.2	75
I315485		0.44	<0.005	0.51	1.56	3.0	<0.2	<10	470	0.32	0.14	0.38	0.21	21.6	15.9	68
I315486		0.38	<0.005	0.46	1.49	2.6	<0.2	<10	450	0.32	0.12	0.37	0.19	21.3	14.6	64
I315487		0.46	<0.005	0.19	1.89	3.4	<0.2	<10	360	0.18	0.12	0.27	0.15	9.81	15.9	46
I315488		0.50	<0.005	0.56	1.98	3.6	<0.2	<10	550	0.27	0.10	0.43	0.06	14.55	17.1	96
I315489		0.44	<0.005	0.62	1.15	3.2	<0.2	<10	370	0.23	0.15	0.24	0.21	20.0	8.4	44
I315490		0.36	<0.005	1.18	2.10	4.7	<0.2	<10	800	0.88	0.18	0.67	0.25	38.6	16.1	62
I315491		0.52	<0.005	0.09	2.24	4.2	<0.2	<10	410	0.30	0.11	0.50	0.13	15.35	19.0	180
I315492		0.64	<0.005	0.16	2.15	5.8	<0.2	<10	520	0.40	0.12	0.46	0.11	20.3	15.9	110
I315493		0.38	<0.005	0.38	1.54	2.8	<0.2	<10	440	0.29	0.16	0.72	0.22	12.35	18.4	55
I315494		0.58	<0.005	0.28	1.88	8.4	<0.2	<10	230	0.49	0.20	0.33	0.21	32.3	11.3	42
I315495		0.48	<0.005	0.29	1.95	3.6	<0.2	<10	400	0.41	0.24	0.50	0.76	29.9	17.0	33
I315496		0.70	<0.005	0.04	1.54	6.8	<0.2	<10	250	0.32	0.15	0.53	0.12	24.6	10.5	30
I315497		0.72	<0.005	0.12	1.52	10.2	<0.2	<10	330	0.46	0.17	0.74	0.17	30.7	10.0	30
I315498		0.58	<0.005	0.11	1.71	13.5	<0.2	<10	350	0.56	0.24	0.61	0.20	47.6	12.4	40
I315499		0.70	<0.005	0.13	1.92	15.6	<0.2	<10	370	0.71	0.29	0.52	0.19	53.9	13.5	43
I315500		0.58	<0.005	0.08	1.09	9.7	<0.2	<10	100	0.19	0.19	0.18	0.26	13.50	4.7	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315461		2.58	52.8	2.68	7.21	0.08	0.04	0.07	0.030	0.09	22.3	11.9	0.62	873	12.65
I315462		2.02	32.7	2.39	6.79	0.06	0.03	0.05	0.022	0.10	11.5	10.6	0.61	586	36.2
I315463		0.09	1.9	0.65	0.56	<0.05	0.07	0.01	<0.005	0.04	5.8	1.2	0.04	160	0.29
I315464		2.32	26.4	2.00	7.74	0.06	0.03	0.05	0.021	0.08	9.0	10.0	0.65	175	13.00
I315465		2.01	28.3	1.65	6.67	0.05	0.03	0.07	0.020	0.07	11.8	8.2	0.54	152	12.20
I315466		2.53	56.0	2.51	7.62	0.08	0.04	0.05	0.028	0.11	18.4	12.0	0.69	590	35.1
I315467		2.65	77.9	2.68	7.10	0.11	0.05	0.07	0.031	0.16	23.6	12.4	0.62	344	37.8
I315468		1.57	25.9	2.11	7.62	<0.05	0.04	0.05	0.020	0.06	5.5	5.4	0.28	157	23.4
I315469		3.79	175.0	2.15	5.66	0.12	0.05	0.08	0.028	0.11	38.4	6.7	0.39	579	38.2
I315470		0.65	23.0	1.11	3.25	<0.05	<0.02	0.06	0.013	0.04	3.4	1.1	0.10	77	3.82
I315471		1.38	24.6	2.90	9.70	0.05	0.03	0.04	0.023	0.08	7.5	9.4	0.28	212	17.10
I315472		4.60	120.0	3.36	6.52	0.13	0.06	0.06	0.028	0.36	14.9	11.8	0.80	390	78.0
I315473		0.09	1.8	0.71	0.54	<0.05	0.07	0.01	<0.005	0.04	5.5	1.2	0.04	165	0.48
I315474		4.29	20.9	2.96	5.45	0.08	0.03	0.02	0.016	0.14	25.5	16.1	0.82	192	1.59
I315475		3.00	11.4	2.66	7.62	0.05	0.03	0.03	0.019	0.09	17.6	11.8	0.44	206	1.11
I315476		1.87	13.4	2.97	7.02	0.05	0.03	0.04	0.024	0.10	8.9	17.9	0.62	254	1.12
I315477		1.11	16.2	2.63	5.92	0.05	<0.02	0.03	0.019	0.07	13.5	6.7	0.21	112	2.75
I315478		1.76	15.7	2.81	6.72	<0.05	0.03	0.02	0.020	0.07	6.8	16.1	0.69	313	1.11
I315479		1.28	7.7	1.41	5.33	<0.05	<0.02	0.03	0.011	0.04	12.8	3.1	0.12	125	0.90
I315480		1.63	16.5	2.63	5.81	0.05	0.03	0.02	0.024	0.06	11.8	13.2	0.51	310	0.80
I315481		2.11	14.5	3.71	7.13	0.06	0.03	0.03	0.022	0.06	11.2	19.1	0.75	273	1.00
I315482		2.35	24.3	3.12	5.98	0.05	0.03	0.06	0.029	0.06	13.5	16.2	0.67	349	0.97
I315483		0.99	16.1	1.92	4.97	0.05	0.02	0.02	0.016	0.07	11.8	8.3	0.45	189	0.82
I315484		1.77	18.4	1.89	5.94	<0.05	<0.02	0.03	0.012	0.11	8.4	6.4	0.71	584	1.36
I315485		1.94	44.5	2.59	6.92	0.06	0.02	0.03	0.016	0.11	11.9	13.5	0.86	855	1.09
I315486		1.85	40.4	2.46	6.58	0.06	0.02	0.02	0.018	0.10	11.8	12.9	0.83	746	1.06
I315487		1.74	66.5	3.24	8.69	0.06	0.03	0.02	0.016	0.15	5.0	18.5	1.14	262	0.98
I315488		1.71	61.3	3.22	8.52	0.07	0.04	0.02	0.016	0.21	7.5	16.9	1.37	469	0.64
I315489		1.07	23.3	2.14	6.22	0.05	0.02	0.02	0.016	0.14	10.2	7.8	0.53	326	0.73
I315490		2.59	76.9	3.20	7.69	0.12	0.05	0.08	0.034	0.10	27.5	19.3	0.71	1500	0.77
I315491		4.18	50.6	3.39	9.06	0.09	0.05	0.01	0.019	0.32	8.4	26.8	1.64	323	0.41
I315492		2.23	27.6	3.33	9.75	0.08	0.06	0.01	0.019	0.29	9.5	21.2	1.42	254	0.90
I315493		1.41	23.4	2.64	6.40	0.06	0.03	0.01	0.021	0.27	5.2	13.0	0.72	1200	1.53
I315494		1.27	47.2	3.12	6.77	0.08	0.06	0.01	0.030	0.27	13.7	15.3	0.89	337	2.14
I315495		1.16	46.5	3.09	6.19	0.07	0.04	0.02	0.026	0.21	13.6	11.8	0.76	746	3.09
I315496		0.52	23.8	2.38	4.91	0.05	0.06	0.02	0.019	0.05	10.2	9.6	0.49	402	0.79
I315497		0.65	34.6	2.60	4.69	0.07	0.07	0.04	0.021	0.05	14.6	11.1	0.50	474	0.92
I315498		1.45	40.0	3.23	5.56	0.09	0.10	0.05	0.026	0.13	23.6	14.7	0.71	582	1.01
I315499		2.05	45.8	3.61	6.58	0.11	0.10	0.05	0.031	0.19	28.0	18.2	0.80	518	1.05
I315500		0.61	14.4	1.75	4.53	<0.05	<0.02	0.03	0.011	0.04	7.0	5.8	0.23	213	0.68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315461		1.44	26.2	650	8.8	22.6	<0.001	0.05	2.52	4.5	0.9	0.7	34.8	<0.01	0.05
I315462		1.53	23.1	590	6.8	20.0	<0.001	0.04	0.56	3.5	0.6	0.7	31.7	<0.01	0.03
I315463		0.15	4.1	120	1.6	2.0	<0.001	0.01	0.15	0.6	<0.2	<0.2	7.5	<0.01	0.01
I315464		1.53	24.3	460	6.2	19.0	<0.001	0.05	0.15	3.9	0.6	0.7	28.9	<0.01	0.02
I315465		1.40	21.9	540	5.8	17.2	<0.001	0.06	0.16	3.6	0.8	0.6	33.7	<0.01	0.02
I315466		1.63	32.7	690	6.1	24.8	<0.001	0.06	0.21	4.8	1.1	0.7	30.3	<0.01	0.04
I315467		1.63	37.5	850	5.4	26.1	<0.001	0.03	0.24	5.3	1.4	0.7	23.8	<0.01	0.07
I315468		1.90	14.7	250	6.0	9.2	<0.001	0.02	0.30	2.9	0.6	0.8	11.4	<0.01	0.05
I315469		1.08	37.3	730	5.0	19.6	0.002	0.11	0.36	3.0	2.1	0.7	40.2	0.01	0.08
I315470		0.46	7.3	600	3.0	6.9	<0.001	0.06	0.24	0.7	0.7	0.4	11.4	<0.01	0.03
I315471		2.18	13.9	360	8.6	16.0	<0.001	0.04	0.46	2.7	0.5	0.9	16.7	<0.01	0.04
I315472		1.53	33.7	840	5.4	36.1	<0.001	0.08	0.25	6.1	1.4	0.6	30.5	<0.01	0.04
I315473		0.15	3.7	130	1.6	2.2	<0.001	<0.01	0.11	0.6	<0.2	<0.2	7.6	<0.01	<0.01
I315474		2.12	36.6	340	41.9	28.6	0.001	0.03	0.24	2.5	0.8	0.5	14.4	<0.01	0.02
I315475		2.13	18.8	380	24.7	24.1	<0.001	0.02	0.23	2.3	0.5	1.1	12.9	<0.01	0.03
I315476		1.49	22.4	470	21.0	16.7	<0.001	0.03	0.31	3.2	0.6	0.7	16.8	<0.01	0.02
I315477		0.92	10.1	380	42.3	9.8	<0.001	0.13	0.57	1.7	0.6	0.5	22.6	<0.01	0.03
I315478		1.35	30.7	340	7.8	16.9	<0.001	0.02	0.32	3.0	0.4	0.6	15.4	<0.01	0.03
I315479		1.37	6.2	190	11.5	13.6	<0.001	0.02	0.21	1.4	0.3	0.7	14.3	<0.01	0.02
I315480		1.66	22.4	400	14.8	12.2	<0.001	0.02	0.31	3.0	0.6	0.5	28.8	<0.01	0.02
I315481		1.72	30.4	390	9.7	12.6	<0.001	0.02	0.38	3.3	0.5	0.5	24.6	<0.01	0.02
I315482		1.56	29.5	350	14.1	14.0	<0.001	0.02	0.40	3.6	0.6	0.5	16.1	<0.01	0.02
I315483		1.27	16.9	390	10.5	15.8	<0.001	0.02	0.25	2.8	0.4	0.5	18.4	<0.01	0.01
I315484		1.10	34.1	470	7.5	25.5	<0.001	0.04	0.16	2.1	0.4	0.5	22.1	<0.01	0.02
I315485		0.97	34.9	610	8.3	35.8	<0.001	0.04	0.21	3.6	0.4	0.5	27.8	0.02	0.02
I315486		0.93	32.9	610	7.5	33.1	<0.001	0.04	0.19	3.4	0.4	0.5	26.8	0.01	0.02
I315487		1.21	27.8	360	5.6	25.5	<0.001	0.02	0.19	3.6	0.3	0.5	23.0	0.01	0.02
I315488		1.42	37.6	440	5.2	39.7	<0.001	0.01	0.18	3.8	0.3	0.6	26.7	0.01	0.02
I315489		1.16	20.6	430	7.9	31.3	<0.001	0.02	0.23	2.9	0.3	0.5	18.7	0.01	0.02
I315490		1.26	32.1	540	7.6	23.9	0.001	0.03	0.36	8.4	1.1	0.5	43.5	0.02	0.03
I315491		1.41	53.9	260	6.3	56.8	<0.001	0.01	0.19	5.0	0.2	0.6	29.5	0.01	0.02
I315492		1.44	41.0	460	7.2	35.1	<0.001	0.01	0.29	3.7	0.3	0.7	33.6	0.01	0.01
I315493		1.06	33.1	490	7.6	21.6	<0.001	0.03	0.27	3.1	0.4	0.5	40.0	0.01	0.03
I315494		1.36	38.8	500	11.7	24.7	<0.001	0.10	0.36	5.2	1.0	0.6	33.9	0.01	0.04
I315495		1.26	29.4	710	11.4	23.4	<0.001	0.09	0.29	4.0	1.0	0.6	36.1	<0.01	0.04
I315496		1.45	20.1	500	6.9	6.7	<0.001	0.02	0.47	4.5	0.4	0.5	34.3	<0.01	0.02
I315497		1.43	27.9	810	7.5	7.3	0.001	0.03	0.71	4.9	1.2	0.5	47.1	<0.01	0.03
I315498		1.58	36.2	570	11.2	14.4	<0.001	0.03	0.93	5.7	0.7	0.6	39.4	<0.01	0.03
I315499		1.55	41.6	570	12.8	20.6	<0.001	0.02	1.07	6.3	0.8	0.7	36.9	<0.01	0.04
I315500		0.38	15.2	470	7.9	6.4	<0.001	0.03	0.39	0.5	0.5	0.5	15.7	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I315461		0.103	0.21	2.78	69	2.78	10.85	61
I315462		0.113	0.18	1.09	69	1.81	4.49	62
I315463		0.007	0.03	0.33	4	<0.05	2.03	5
I315464		0.129	0.17	0.83	50	4.19	3.88	62
I315465		0.109	0.14	1.16	42	1.92	5.35	56
I315466		0.125	0.24	2.06	77	0.86	8.63	66
I315467		0.124	0.23	2.39	82	6.59	13.60	63
I315468		0.128	0.12	0.55	80	0.96	2.24	30
I315469		0.073	0.28	2.62	61	2.85	17.70	59
I315470		0.038	0.06	0.60	44	0.19	1.58	18
I315471		0.137	0.11	0.51	104	0.47	2.30	46
I315472		0.160	0.41	1.43	113	2.06	6.87	80
I315473		0.007	0.03	0.31	4	<0.05	2.16	5
I315474		0.117	0.26	1.89	39	0.16	7.48	51
I315475		0.115	0.20	1.01	63	0.16	3.88	36
I315476		0.108	0.15	0.60	72	0.20	2.64	42
I315477		0.052	0.14	1.30	55	0.19	2.36	44
I315478		0.123	0.10	0.36	73	0.18	2.16	41
I315479		0.076	0.11	0.47	47	0.11	1.88	21
I315480		0.083	0.09	0.80	57	0.14	4.23	49
I315481		0.126	0.10	0.50	81	0.19	2.84	55
I315482		0.094	0.15	0.82	63	0.18	3.51	58
I315483		0.089	0.09	0.79	51	0.14	3.51	36
I315484		0.114	0.11	0.58	57	0.13	1.97	39
I315485		0.119	0.17	1.11	66	0.19	6.37	55
I315486		0.111	0.16	1.08	63	0.15	6.19	49
I315487		0.192	0.15	0.39	107	0.17	2.27	63
I315488		0.178	0.22	0.51	95	0.16	4.15	55
I315489		0.105	0.13	0.47	54	0.20	3.78	41
I315490		0.094	0.17	2.22	77	0.23	32.4	43
I315491		0.195	0.23	0.47	103	0.23	5.46	58
I315492		0.200	0.20	0.66	90	0.21	3.23	46
I315493		0.101	0.17	0.24	54	0.20	2.67	41
I315494		0.108	0.19	1.04	77	0.16	5.34	76
I315495		0.091	0.15	1.18	66	0.12	6.39	94
I315496		0.088	0.05	0.71	54	0.17	5.26	45
I315497		0.075	0.06	1.66	53	0.27	11.30	50
I315498		0.072	0.13	1.06	55	0.21	12.20	81
I315499		0.076	0.17	1.60	59	0.20	14.45	97
I315500		0.022	0.07	0.39	34	0.15	2.91	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315501		0.42	<0.005	0.18	1.32	4.8	<0.2	<10	80	0.22	0.26	0.12	0.08	20.7	7.4	30
I315502		0.26	<0.005	0.12	1.99	5.3	<0.2	<10	70	0.27	0.27	0.15	0.04	28.0	9.7	46
I315503		0.34	<0.005	0.14	1.88	3.2	<0.2	<10	230	0.40	0.18	1.32	0.18	45.5	8.5	39
I315504		0.42	<0.005	0.16	2.25	5.4	<0.2	<10	300	0.52	0.17	1.02	0.18	66.9	11.4	44
I315505		0.34	<0.005	0.12	1.61	6.9	<0.2	<10	280	0.34	0.16	0.67	0.12	28.2	9.5	33
I315506		0.40	<0.005	0.07	1.90	4.2	<0.2	<10	150	0.20	0.17	0.52	0.13	19.20	8.9	52
I315507		0.44	<0.005	0.02	0.13	2.1	<0.2	<10	30	0.09	0.04	0.09	0.04	9.71	2.2	3
I315508		0.44	<0.005	0.12	2.65	6.0	<0.2	<10	240	0.46	0.16	0.32	0.17	34.6	15.9	77
I315509		0.36	<0.005	0.12	1.82	7.2	<0.2	<10	210	0.41	0.16	0.41	0.14	31.9	11.4	34
I315510		0.38	0.014	0.18	1.75	6.8	<0.2	<10	250	0.32	0.18	0.60	0.20	24.8	11.3	31
I315511		0.36	<0.005	0.35	2.13	6.5	<0.2	<10	320	0.36	0.15	0.26	0.23	19.75	14.0	36
I315512		0.40	<0.005	0.12	1.72	5.9	<0.2	<10	190	0.24	0.13	0.14	0.14	14.60	9.1	28
I315513		0.34	<0.005	0.14	1.91	7.6	<0.2	<10	300	0.40	0.17	0.85	0.28	38.9	13.2	33
I315514		0.48	<0.005	0.12	1.70	4.5	<0.2	<10	140	0.26	0.23	0.67	0.16	30.0	11.7	31
I315515		0.34	<0.005	0.47	1.79	6.3	<0.2	<10	200	0.60	0.20	0.46	1.20	30.8	10.6	38
I315516		0.44	<0.005	0.18	1.77	8.7	<0.2	<10	240	0.38	0.16	0.44	0.62	27.0	10.1	32
I315517		0.44	<0.005	0.13	1.78	7.6	<0.2	<10	140	0.29	0.15	0.41	0.24	19.90	8.7	33
I315518		0.36	<0.005	0.54	1.88	6.4	<0.2	<10	220	0.47	0.16	0.75	0.44	26.9	9.3	37
I315519		0.44	<0.005	0.71	1.94	6.2	<0.2	<10	290	0.47	0.17	0.51	1.19	34.0	12.2	67
I315520		0.42	<0.005	0.03	0.11	2.1	<0.2	<10	30	0.10	0.02	0.08	0.05	10.60	2.4	3
I315521		0.44	<0.005	0.17	2.36	3.6	<0.2	<10	230	0.45	0.18	0.41	0.06	58.2	9.9	49
I315522		0.34	<0.005	0.26	2.40	5.3	<0.2	<10	200	0.50	0.21	0.34	0.05	56.8	13.5	37
I315523		0.54	<0.005	0.11	2.21	4.0	<0.2	<10	170	0.38	0.15	0.35	0.07	36.1	10.6	42
I315524		0.40	<0.005	0.26	2.41	7.1	<0.2	<10	260	0.60	0.20	0.42	0.10	63.5	15.6	36
I315525		0.40	<0.005	0.11	1.76	4.1	<0.2	<10	190	0.31	0.16	0.64	0.10	26.3	9.7	30
I315526		0.54	<0.005	0.10	1.77	5.5	<0.2	<10	170	0.33	0.18	0.38	0.05	30.4	7.1	27
I315527		0.50	<0.005	0.09	1.92	6.7	<0.2	<10	210	0.42	0.17	0.49	0.09	42.7	11.1	35
I315528		0.40	<0.005	0.09	1.82	9.9	<0.2	<10	170	0.30	0.20	0.34	0.15	21.5	8.2	40
I315529		0.32	<0.005	0.24	1.70	16.6	<0.2	<10	170	0.22	0.18	0.51	0.30	17.40	8.9	46
I315530		0.34	<0.005	0.32	2.50	23.9	<0.2	<10	230	0.58	0.26	0.43	0.17	53.1	15.6	49
I315531		0.34	<0.005	0.30	2.20	16.2	<0.2	<10	200	0.48	0.32	0.41	0.18	48.9	11.2	38
I315532		0.30	<0.005	0.27	2.14	15.0	<0.2	<10	190	0.47	0.31	0.38	0.15	43.6	10.1	37
I315533		0.32	<0.005	0.26	2.74	24.2	<0.2	<10	230	0.63	1.33	0.51	0.11	45.9	13.9	49
I315534		0.38	<0.005	0.13	0.36	2.1	<0.2	<10	40	0.05	0.14	0.10	0.15	4.05	2.1	10
I315535		0.36	<0.005	0.18	2.18	57.3	<0.2	<10	160	0.69	0.98	0.32	0.21	56.5	10.3	44
I315536		0.34	<0.005	0.11	2.01	10.0	<0.2	<10	200	0.37	0.33	0.44	0.24	27.0	11.2	51
I315537		0.44	<0.005	0.10	2.17	10.9	<0.2	<10	180	0.45	0.41	0.36	0.14	25.9	10.1	48
I315538		0.32	<0.005	0.14	2.72	8.3	<0.2	<10	210	0.70	0.32	0.35	0.14	34.8	12.4	56
I315539		0.30	<0.005	0.15	2.57	11.4	<0.2	<10	170	0.80	0.34	0.32	0.27	30.6	13.3	82
I315540		0.36	<0.005	0.11	1.97	11.8	<0.2	<10	100	0.69	0.57	0.24	0.13	28.8	8.2	36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315501		1.50	21.1	2.74	8.25	0.06	0.02	0.08	0.014	0.09	10.2	9.1	0.38	443	0.95
I315502		2.20	16.1	3.32	9.33	0.06	0.03	0.04	0.017	0.10	14.6	16.1	0.77	230	0.92
I315503		1.08	31.0	2.36	5.98	0.09	0.10	0.07	0.021	0.18	27.4	17.8	0.63	212	0.48
I315504		1.13	45.2	3.14	6.93	0.15	0.09	0.04	0.021	0.30	64.9	18.0	0.70	338	0.78
I315505		0.64	29.5	2.64	5.14	0.07	0.06	0.04	0.021	0.12	14.8	12.4	0.53	379	0.56
I315506		1.24	19.3	3.06	7.86	0.08	0.05	0.02	0.017	0.35	10.0	12.4	0.77	191	0.80
I315507		0.08	2.8	0.68	0.59	<0.05	0.06	0.01	<0.005	0.04	4.8	1.2	0.04	160	0.23
I315508		1.31	21.6	3.93	10.10	0.08	0.09	0.01	0.030	0.32	14.3	25.0	0.92	419	0.88
I315509		0.60	18.6	3.09	6.41	0.07	0.16	0.01	0.025	0.22	13.8	13.6	0.58	297	0.90
I315510		0.57	18.0	3.12	6.28	0.05	0.06	0.01	0.022	0.18	11.0	12.2	0.59	341	0.89
I315511		0.42	12.4	3.17	7.10	0.05	0.05	0.03	0.026	0.09	8.3	12.2	0.55	554	0.87
I315512		0.52	11.8	2.93	6.73	0.05	0.03	<0.01	0.019	0.07	7.3	10.3	0.46	198	0.83
I315513		0.86	19.0	3.21	6.59	0.07	0.06	0.08	0.024	0.19	15.5	11.3	0.52	998	0.83
I315514		1.44	19.9	3.16	7.11	0.08	0.05	0.01	0.020	0.39	13.6	12.2	0.68	364	0.85
I315515		1.08	35.8	3.03	7.78	0.07	0.07	0.01	0.025	0.09	17.6	13.2	0.59	281	1.39
I315516		0.71	25.4	2.77	6.73	0.07	0.06	0.01	0.022	0.08	13.5	16.6	0.57	460	1.73
I315517		0.74	17.7	2.78	7.32	0.06	0.03	0.01	0.019	0.08	10.1	18.6	0.63	213	3.03
I315518		1.05	35.9	2.71	7.27	0.08	0.06	0.03	0.023	0.06	16.8	15.8	0.68	288	2.46
I315519		1.52	52.4	2.95	7.54	0.10	0.05	0.03	0.025	0.13	19.8	18.5	0.98	229	4.33
I315520		0.09	2.5	0.64	0.68	<0.05	0.07	<0.01	<0.005	0.03	5.2	1.4	0.04	157	0.32
I315521		1.69	19.0	3.56	9.56	0.10	0.06	0.04	0.023	0.26	34.8	25.5	1.00	288	0.72
I315522		1.41	20.3	3.64	9.01	0.10	0.06	0.04	0.030	0.17	35.4	27.8	0.82	529	0.80
I315523		1.94	27.4	3.61	8.52	0.08	0.05	0.01	0.027	0.40	19.8	25.1	1.01	313	0.71
I315524		1.18	29.3	3.95	9.27	0.12	0.10	0.04	0.036	0.22	37.8	27.9	0.74	892	0.98
I315525		0.89	16.3	2.91	7.55	0.06	0.05	0.03	0.021	0.17	13.8	17.2	0.61	358	0.75
I315526		1.09	17.8	2.94	7.97	0.05	0.04	0.01	0.020	0.21	14.9	21.0	0.59	233	0.94
I315527		0.96	25.0	3.30	6.67	0.08	0.08	0.02	0.027	0.14	22.8	25.6	0.75	299	0.64
I315528		1.39	22.3	2.39	6.08	0.07	0.04	0.04	0.025	0.09	11.6	12.4	0.61	309	1.33
I315529		1.66	53.6	2.13	5.69	0.06	0.03	0.03	0.023	0.07	9.3	11.4	0.56	308	5.76
I315530		1.68	67.9	2.88	7.37	0.11	0.05	0.05	0.034	0.06	25.8	15.0	0.54	841	11.85
I315531		1.88	69.1	2.77	8.05	0.09	0.04	0.10	0.034	0.08	29.2	13.5	0.53	623	14.20
I315532		1.87	62.3	2.70	7.69	0.08	0.04	0.12	0.030	0.08	26.6	14.1	0.53	513	12.95
I315533		2.84	106.0	3.70	9.23	0.11	0.05	0.09	0.038	0.11	29.9	17.2	0.65	680	22.4
I315534		0.36	8.1	0.96	3.03	<0.05	<0.02	0.04	0.006	0.03	2.1	1.2	0.06	139	1.51
I315535		3.49	107.0	3.32	7.83	0.09	0.04	0.03	0.033	0.19	26.2	12.9	0.57	645	15.30
I315536		2.01	48.2	2.69	7.26	0.08	0.04	0.03	0.028	0.12	14.6	14.1	0.65	594	21.5
I315537		2.26	61.8	2.88	7.81	0.11	0.05	0.04	0.030	0.14	13.9	15.1	0.71	313	26.7
I315538		3.09	94.7	3.26	9.05	0.11	0.06	0.06	0.043	0.19	18.8	18.2	0.82	295	50.9
I315539		4.70	138.5	3.40	9.07	0.13	0.05	0.05	0.045	0.21	16.5	17.2	0.92	472	59.4
I315540		3.02	123.5	2.96	7.54	0.08	0.05	0.04	0.034	0.10	16.0	13.0	0.51	235	59.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315501		3.06	14.1	300	10.4	24.8	<0.001	0.02	0.20	2.6	0.4	0.7	11.8	<0.01	0.04
I315502		4.86	20.2	290	14.7	22.9	<0.001	0.04	0.18	4.0	0.5	0.8	12.7	<0.01	0.03
I315503		2.96	24.7	610	9.9	24.2	0.001	0.09	0.39	5.0	1.1	0.5	59.0	0.01	0.03
I315504		3.16	28.4	410	10.9	29.0	0.001	0.05	0.39	5.7	1.2	0.5	39.4	0.01	0.03
I315505		1.88	22.8	520	7.9	15.6	<0.001	0.03	0.35	4.3	0.6	0.5	38.9	<0.01	0.03
I315506		3.32	21.7	230	8.4	32.0	<0.001	0.02	0.25	4.6	0.3	0.7	21.1	<0.01	0.02
I315507		0.15	4.2	130	1.9	2.2	<0.001	0.01	0.12	0.6	<0.2	<0.2	7.5	<0.01	0.01
I315508		3.15	34.3	230	12.4	37.8	<0.001	0.01	0.32	6.5	0.3	0.8	23.5	0.01	0.02
I315509		2.10	23.8	230	10.4	21.2	<0.001	0.01	0.39	5.1	0.4	0.6	31.5	0.01	0.02
I315510		1.88	22.8	340	11.7	19.0	<0.001	0.02	0.35	4.2	0.3	0.5	37.0	0.01	0.02
I315511		1.90	22.3	270	10.0	7.3	<0.001	0.01	0.37	4.2	0.2	0.6	23.9	0.01	0.02
I315512		1.73	17.2	190	8.7	8.7	<0.001	0.01	0.34	2.8	<0.2	0.6	14.9	0.01	0.02
I315513		2.32	26.6	260	15.7	33.9	<0.001	0.02	0.35	4.6	0.4	0.5	44.7	0.01	0.03
I315514		2.89	29.1	290	22.6	50.4	<0.001	0.03	0.23	3.5	0.5	0.6	34.4	0.01	0.03
I315515		2.25	35.0	420	15.3	17.4	<0.001	0.01	0.31	3.9	0.6	0.6	31.8	0.02	0.03
I315516		1.59	26.3	400	11.9	16.3	<0.001	0.02	0.30	3.7	0.5	0.4	32.9	0.01	0.03
I315517		1.72	24.7	600	10.0	13.8	<0.001	0.01	0.21	3.2	0.5	0.5	28.0	0.01	0.03
I315518		1.70	31.2	500	10.0	16.4	<0.001	0.03	0.25	4.4	1.1	0.5	45.4	0.02	0.04
I315519		1.68	59.4	800	9.1	17.5	0.001	0.10	0.18	4.8	2.3	0.5	48.2	0.01	0.05
I315520		0.19	4.7	130	1.6	2.0	<0.001	0.01	0.12	0.6	<0.2	<0.2	6.9	0.01	0.01
I315521		3.58	24.0	390	6.6	34.0	<0.001	0.02	0.18	5.7	0.7	0.7	32.6	0.01	0.02
I315522		2.76	21.0	400	7.9	28.1	<0.001	0.02	0.19	6.0	0.7	0.9	28.7	0.01	0.02
I315523		3.11	23.2	380	5.9	45.8	<0.001	0.02	0.15	4.8	0.4	0.7	30.1	<0.01	0.01
I315524		2.75	22.4	370	9.4	27.9	0.001	0.02	0.28	6.9	0.9	0.8	34.6	0.01	0.03
I315525		3.09	19.6	240	8.4	20.2	<0.001	0.02	0.28	4.2	0.5	0.6	35.6	<0.01	0.03
I315526		2.69	17.9	420	7.5	23.0	<0.001	0.02	0.22	3.4	0.3	0.7	28.6	<0.01	0.02
I315527		2.46	24.9	330	8.9	17.6	<0.001	0.02	0.30	5.0	0.6	0.6	35.5	<0.01	0.02
I315528		1.72	22.4	690	9.0	16.2	<0.001	0.03	0.56	4.9	0.5	0.6	24.6	<0.01	0.02
I315529		0.96	22.7	690	5.2	15.0	<0.001	0.06	1.04	4.1	0.6	0.5	38.5	<0.01	0.03
I315530		1.19	28.7	1060	8.7	14.3	<0.001	0.10	1.29	4.8	1.4	0.6	40.6	0.01	0.04
I315531		1.40	21.1	930	9.2	18.9	<0.001	0.09	0.49	4.5	1.1	0.7	37.9	0.01	0.04
I315532		1.44	20.8	870	8.7	19.0	<0.001	0.09	0.46	4.5	1.0	0.7	36.4	0.01	0.04
I315533		2.08	32.8	940	9.7	23.4	<0.001	0.07	0.69	6.1	1.2	0.9	44.0	0.01	0.14
I315534		0.45	5.2	410	2.9	3.4	<0.001	0.05	0.24	0.9	0.4	0.3	12.5	<0.01	0.02
I315535		1.70	25.3	770	28.0	35.7	<0.001	0.03	3.63	4.9	0.8	0.8	56.0	<0.01	0.11
I315536		1.58	26.6	620	5.9	23.5	<0.001	0.06	0.39	4.6	0.6	0.6	38.3	<0.01	0.05
I315537		1.92	28.3	690	5.9	25.1	<0.001	0.04	0.32	5.1	0.7	0.6	31.1	<0.01	0.07
I315538		2.29	34.8	710	7.1	35.6	0.001	0.03	0.33	7.8	0.9	0.8	28.9	<0.01	0.05
I315539		2.48	52.3	600	5.3	37.1	0.001	0.04	0.30	6.9	0.8	1.0	28.9	<0.01	0.06
I315540		2.23	21.4	440	4.9	21.9	0.001	0.03	0.37	5.3	0.7	0.9	23.0	0.01	0.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I315501		0.150	0.12	0.63	63	0.20	3.28	46
I315502		0.186	0.21	1.00	72	0.17	4.12	65
I315503		0.118	0.13	1.49	48	0.13	13.30	60
I315504		0.159	0.15	4.11	60	0.18	29.1	64
I315505		0.110	0.08	0.70	56	0.18	9.08	49
I315506		0.189	0.19	0.52	67	0.16	3.70	66
I315507		0.007	0.03	0.32	4	<0.05	2.07	6
I315508		0.203	0.21	0.68	80	0.19	4.81	68
I315509		0.133	0.10	0.63	63	0.17	5.99	56
I315510		0.113	0.09	0.56	63	0.17	4.25	65
I315511		0.115	0.10	0.38	67	0.20	2.93	79
I315512		0.119	0.09	0.31	69	0.15	1.99	45
I315513		0.117	0.13	0.71	59	0.20	6.78	66
I315514		0.173	0.23	0.66	55	0.14	4.49	82
I315515		0.118	0.11	1.30	75	0.19	10.20	112
I315516		0.093	0.09	0.80	63	0.19	6.28	81
I315517		0.114	0.09	0.61	75	0.38	4.51	96
I315518		0.105	0.14	1.78	78	0.16	10.00	109
I315519		0.134	0.18	2.37	96	0.19	13.25	211
I315520		0.007	0.04	0.32	4	<0.05	2.19	5
I315521		0.183	0.19	2.10	59	0.13	15.45	65
I315522		0.145	0.16	1.89	65	0.16	14.95	54
I315523		0.198	0.24	0.98	63	0.27	8.88	59
I315524		0.145	0.15	2.75	71	0.19	22.5	65
I315525		0.139	0.12	0.68	56	0.34	5.78	49
I315526		0.137	0.15	0.70	54	0.22	6.58	44
I315527		0.129	0.10	1.07	61	0.44	11.30	56
I315528		0.120	0.14	1.47	59	1.29	5.93	55
I315529		0.089	0.12	0.68	56	1.50	7.20	48
I315530		0.088	0.18	2.98	68	1.10	23.1	63
I315531		0.099	0.20	6.06	65	0.90	13.60	64
I315532		0.104	0.19	5.43	64	1.18	12.25	63
I315533		0.133	0.29	6.80	83	4.31	14.00	70
I315534		0.045	0.05	0.33	30	0.20	0.87	19
I315535		0.111	0.30	2.58	63	5.95	9.64	79
I315536		0.128	0.18	1.32	66	0.95	7.22	65
I315537		0.146	0.19	1.27	74	1.41	6.88	61
I315538		0.165	0.30	2.33	86	1.65	9.59	65
I315539		0.165	0.30	1.89	86	4.25	7.58	82
I315540		0.138	0.21	1.56	72	9.35	8.19	51



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315541		0.48	<0.005	0.08	2.45	14.0	<0.2	<10	230	1.11	0.26	0.48	0.18	34.3	10.6	54
I315542		0.48	<0.005	0.17	2.22	12.1	<0.2	<10	200	1.19	0.28	0.52	0.22	35.8	13.3	58
I315543		0.54	<0.005	0.12	2.32	18.3	<0.2	<10	170	1.28	0.30	0.51	0.14	37.4	14.7	52
I315544		0.46	<0.005	0.52	1.91	8.9	<0.2	<10	100	5.56	4.07	0.82	0.28	37.8	16.0	46
I315545		0.50	<0.005	0.07	2.55	6.0	<0.2	<10	150	1.56	0.19	0.42	0.09	38.8	12.8	61
I315546		0.40	<0.005	0.06	2.67	5.9	<0.2	<10	160	1.63	0.19	0.43	0.07	44.5	13.3	63
I315547		0.36	<0.005	0.09	2.40	7.0	<0.2	<10	130	1.12	0.37	0.33	0.24	29.8	12.0	55
I315548		0.48	0.007	0.15	2.63	49.3	<0.2	<10	170	1.15	0.21	0.49	0.15	38.8	11.9	68
I315549		0.42	<0.005	0.18	2.66	28.7	<0.2	<10	180	1.18	0.21	0.51	0.14	43.8	14.6	60
I315550		0.38	<0.005	0.15	2.76	59.0	<0.2	<10	190	0.80	0.22	0.48	0.10	26.3	13.0	61
I034251		0.38	<0.005	0.19	1.87	2.4	<0.2	<10	330	0.22	0.11	0.63	0.24	26.5	14.5	20
I034252		0.36	<0.005	0.10	1.40	5.0	<0.2	<10	140	0.25	0.03	0.64	0.21	18.10	16.5	22
I034253		0.24	<0.005	0.10	1.22	3.2	<0.2	<10	170	0.14	0.02	0.41	0.10	16.85	9.8	17
I034254		0.58	<0.005	0.06	1.78	13.6	<0.2	<10	220	0.28	0.05	0.70	0.15	24.1	10.8	20
I034255		0.46	<0.005	0.04	1.28	5.1	<0.2	<10	100	0.36	0.15	0.69	0.10	25.4	13.0	31
I034256		0.44	<0.005	0.03	1.19	3.5	<0.2	<10	100	0.27	0.02	0.59	0.09	25.4	10.9	28
I034257		0.40	<0.005	0.04	1.47	4.6	<0.2	<10	130	0.35	0.07	0.78	0.13	18.85	10.0	33
I034258		0.32	<0.005	0.07	1.46	4.5	<0.2	<10	200	0.57	0.11	1.28	0.13	44.5	9.1	26
I034259		0.64	<0.005	0.12	0.91	6.3	<0.2	<10	160	0.24	0.12	0.27	0.18	37.3	14.5	21
I033141		0.44	0.005	0.63	1.68	8.3	<0.2	<10	130	0.31	0.75	0.25	0.33	11.90	9.4	26



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315541		4.14	105.5	3.15	8.89	0.13	0.08	0.07	0.048	0.25	18.6	17.8	0.83	313	65.2
I315542		4.77	191.5	3.13	7.73	0.16	0.24	0.18	0.052	0.27	16.6	14.7	0.77	231	112.5
I315543		3.79	186.0	3.90	8.13	0.16	0.17	0.13	0.048	0.23	16.9	14.5	0.80	366	127.0
I315544		10.00	579	6.28	8.34	0.33	0.05	8.03	0.393	0.18	24.0	12.3	0.62	982	259
I315545		3.62	104.0	3.76	8.85	0.12	0.07	0.07	0.064	0.30	19.8	15.2	0.90	457	20.7
I315546		3.67	109.0	3.78	9.04	0.13	0.09	0.08	0.066	0.30	23.2	15.6	0.92	441	21.0
I315547		4.28	168.5	3.86	10.30	0.11	0.05	0.05	0.050	0.24	14.6	16.2	0.76	406	96.6
I315548		4.72	224	3.81	9.33	0.15	0.06	0.08	0.053	0.32	18.9	16.7	0.95	393	115.5
I315549		3.70	201	3.50	9.24	0.12	0.05	0.07	0.047	0.25	21.8	15.9	0.84	478	124.5
I315550		3.52	123.5	3.57	9.53	0.10	0.05	0.07	0.042	0.18	12.8	17.3	0.92	373	126.0
I034251		0.72	58.0	2.85	7.27	0.09	0.02	0.06	0.033	0.17	11.6	10.0	0.95	627	0.78
I034252		0.60	29.5	2.39	5.10	0.06	<0.02	0.03	0.017	0.10	9.6	10.9	0.62	388	0.72
I034253		0.64	25.7	2.12	5.03	0.06	<0.02	0.04	0.017	0.07	8.6	7.3	0.51	291	0.68
I034254		1.65	13.0	2.82	6.11	0.09	0.05	0.05	0.022	0.21	12.5	13.0	0.70	502	0.50
I034255		1.84	15.2	2.51	4.40	0.08	0.03	0.02	0.019	0.10	13.5	12.4	0.63	382	0.47
I034256		1.53	13.3	2.21	4.24	0.07	0.02	0.02	0.016	0.08	14.4	10.3	0.52	333	0.41
I034257		0.69	16.3	2.48	5.05	<0.05	0.05	0.02	0.017	0.05	8.9	11.7	0.63	378	0.47
I034258		1.56	22.6	2.37	5.56	0.05	0.10	0.04	0.022	0.08	31.3	13.1	0.58	303	0.39
I034259		4.45	15.5	2.35	3.40	<0.05	0.02	0.02	0.017	0.07	18.5	6.3	0.28	769	2.00
I033141		1.46	110.5	2.83	7.06	<0.05	0.04	0.04	0.028	0.25	6.0	11.8	0.56	561	3.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I315541		2.35	32.8	700	5.9	39.7	0.001	0.02	0.26	9.1	0.8	0.9	31.8	<0.01	0.05	5.3
I315542		1.75	39.8	740	5.3	41.5	0.003	0.07	0.34	9.8	1.0	1.0	35.7	<0.01	0.05	5.6
I315543		1.66	39.2	840	5.4	37.5	0.001	0.02	0.32	8.5	1.1	0.9	29.0	<0.01	0.05	5.7
I315544		0.94	36.0	1120	2.9	22.6	0.002	0.03	0.22	11.0	1.6	8.0	23.2	<0.01	0.16	6.1
I315545		2.65	32.7	420	4.6	39.6	0.001	0.03	0.25	8.2	0.5	1.4	30.0	<0.01	0.03	5.2
I315546		2.58	33.2	470	4.7	38.6	0.001	0.03	0.26	8.7	0.6	1.4	30.1	<0.01	0.03	5.7
I315547		3.28	35.9	410	4.9	37.8	0.001	0.04	0.30	6.6	0.6	1.2	22.4	<0.01	0.06	3.5
I315548		2.57	37.9	600	4.3	49.3	0.001	0.03	1.75	8.9	0.7	1.0	29.6	<0.01	0.05	5.1
I315549		2.64	36.7	730	4.9	36.1	0.001	0.05	1.07	7.9	1.1	1.0	31.2	<0.01	0.05	3.6
I315550		2.56	34.4	580	4.9	27.6	0.001	0.04	1.25	6.8	0.7	0.8	29.5	<0.01	0.05	3.0
I034251		1.11	13.6	950	4.6	13.5	0.001	0.15	0.15	8.3	1.2	0.5	38.8	<0.01	0.05	1.2
I034252		1.03	13.7	600	5.2	9.3	<0.001	0.04	0.15	4.6	0.9	0.4	33.3	<0.01	0.02	1.5
I034253		0.82	10.2	580	4.3	8.3	<0.001	0.04	0.12	4.2	0.6	0.3	23.4	<0.01	0.02	0.8
I034254		1.97	13.2	670	5.3	21.0	<0.001	0.01	0.31	5.6	0.7	0.6	37.1	<0.01	0.01	2.1
I034255		1.02	25.6	610	7.2	17.6	<0.001	0.01	0.28	3.5	0.5	0.3	33.2	<0.01	0.02	4.2
I034256		0.94	21.1	640	6.2	13.3	<0.001	0.01	0.20	3.2	0.6	0.3	32.9	<0.01	0.01	3.8
I034257		1.33	22.0	690	5.4	7.9	<0.001	0.02	0.23	4.2	0.5	0.4	40.8	<0.01	0.02	2.6
I034258		1.33	20.6	700	10.0	13.3	0.001	0.05	0.36	4.6	1.1	0.5	94.5	0.01	0.02	4.6
I034259		0.68	20.3	900	6.5	12.6	0.001	0.02	0.27	2.7	0.7	0.3	19.5	<0.01	0.04	3.0
I033141		1.10	14.5	530	5.3	26.5	<0.001	0.03	0.47	5.1	0.7	0.6	19.2	<0.01	0.03	0.6



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

www.alsqglobal.com

**SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5**

**Total # Pages: 7 (A - D)
Plus Appendix Pages**

Finalized Date: 20-SEP-2010
Account: EIASOI

Project: SQL10-06

CERTIFICATE OF ANALYSIS WH10122489

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

Appendix D: Data Disc

Report text, geochemical databases, drafting and plot files

Appendix E: Geologist's Certificates

GEOLOGIST'S CERTIFICATE


Darcy E.L. Baker
Suite 114 – 2635 Prince Edward Street,
Vancouver, BC, Canada

I, Darcy Baker, P.Geol. do hereby certify that:

- I am a Geologist and President of Equity Exploration Consultants Ltd., with offices at Suite 200–900 West Hastings Street in the City of Vancouver, B.C., in the Province of British Columbia.
- I am a member in good standing (#33,448) of the Association of Professional Engineers and Geoscientists of British Columbia.
- I am a graduate of Dalhousie University (1997) with an Honours Bachelor of Science degree in Geology, and am a graduate of the University of Newcastle, Australia (2003) with a Doctor of Philosophy degree in Geology, and I have practiced my profession continuously since 1997.
- Since 1997 I have been involved in mineral exploration for gold, silver, copper, uranium, molybdenum, lead and zinc across Canada and in Alaska, Nevada and Australia.
- I am a Consulting Geologist and principal of Equity Exploration Consultants Ltd. (a geological consulting and contracting firm) and have been so since May 2003.
- I managed the Yukon field exploration campaigns for Silver Quest during 2010.
- I am independent of Silver Quest.

Dated at Vancouver, British Columbia, this _____ day of _____, 2011.

Darcy Baker, Ph.D., P.Geol.




▲ 2010 Silt Sample
■ 2010 Rock Sample
Soil Samples
● 2010
■ pre 2010

Silver Quest Resources Ltd.

Sizzler PROJECT

Sample Location Map

	Date:	March 2011	Scale:	1:10,000	Figure
	U.T.M. Zone	UTM 7 - NAD83	Mining District	Whitehorse	4
	N.T.S.	115J/14	Province	Yukon	




Silver Quest Resources Ltd.

Sizzler PROJECT
Proport Geology
Map

interpreted geology partly after Paulter (1986)

	Date:	March 2011	Scale:	1:10,000	Figure 5
	U.T.M. Zone	UTM 7 - NAD83	Mining District	Whitehorse	
	N.T.S.	1153/14	Province	Yukon	



Silver Quest Resources Ltd.

Sizzler PROJECT

Geochemistry Gold (ppb)

EQUITY

Date: March 2011

U.T.M. Zone: UTM 7 - NAD83


N.T.S.: 1153/14

Scale: 1:10,000

Mining District: Whitehorse

Province: Yukon

Figure 6a




Silver Quest Resources Ltd.


Sizzler PROJECT

Geochemistry
Arsenic (ppm)

EQUITY

Date:	March 2011	Scale:	1:10,000	Figure
U.T.M. Zone	UTM 7 - NAD83	Mining District	Whitehorse	6b
N.T.S.	1153/14	Province	Yukon	





Silt Geochemistry
Molybdenum (ppm)

- ▲ 2 to 3.5
- ▲ 0.91 to 1.26
- ▲ < 0.91 ppm

Rock Geochemistry
Molybdenum (ppm)

- > 98.44 ppm
- 23.2 to 98.44
- 3 to 23.2
- 2 to 3
- < 2 ppm

Soil Geochemistry
Molybdenum (ppm)

- > 17 ppm
- 4 to 17
- 2 to 4
- 1 to 2
- < 1 ppm

Soil Anomalies

- Antimony > 10ppb
- Antimony > 0.8ppm
- Molybdenum > 2ppm
- Arsenic > 11ppm

Silver Quest Resources Ltd.

Sizzler PROJECT
Geochemistry
Molybdenum (ppm)

Date:	March 2011	Scale:	1:10,000	Figure 6d
U.T.M. Zone	UTM 7 - NAD83	Mining District	Whitehorse	
N.T.S.	1153/14	Province	Yukon	