

TABLE OF CONTENTS

TABLE OF CONTENTS.....	1
LIST OF APPENDICES.....	1
LIST OF TABLES.....	1
LIST OF FIGURES.....	1
1.0 SUMMARY.....	2
2.0 INTRODUCTION.....	2
3.0 RELIANCE ON OTHER EXPERTS.....	2
4.0 PROPERTY DESCRIPTION AND LOCATION.....	2
5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY.....	6
6.0 REGIONAL AND PROPERTY GEOLOGY.....	6
7.0 HISTORY.....	6
7.1 Previous Work.....	6
7.2 2010 Program.....	7
8.0 GEOCHEMISTRY.....	9
9.0 THIN SECTION PETROGRAPHY.....	9
10.0 DISCUSSION AND CONCLUSIONS.....	13

LIST OF APPENDICES

Appendix A: Bibliography
Appendix B: Statement of Expenditures
Appendix C: Trench sample descriptions and weighted averages
Appendix D: Petrographic Report
Appendix E: Certificates of Analysis
Appendix F: Compact Disc
Appendix G: Geologist's Certificate

LIST OF TABLES

Table 1: Tenure details for the IND Claims.....	3
Table 2: Percentile values for 2010 trench samples.....	9
Table 3: Correlation matrix for 2010 trench samples.....	9
Table 4: Summary of significant assays from Trench 4.....	9

LIST OF FIGURES

Figure 1: Location Map.....	4
Figure 2: Tenure information.....	5
Figure 3: Regional Geology of the IND area.....	8
Figure 4a: 2010 trench locations.....	10
Figure 4b: 2010 trench 4 sample locations and gold values.....	11
Figure 4c: 2010 trench 5 sample locations and gold values.....	12

1.0 SUMMARY

The IND property lies approximately 25 km south-southwest of Dawson City, within the Dawson Mining district of the Yukon Territory. The property consists of 136 claims totalling approximately 3000 hectares, which have been optioned from Ryanwood Exploration by Aldrin Resource Corp.

Access to the property is possible via maintained secondary roads from Dawson City. The area has a sub-arctic climate with discontinuous permafrost. Elevation in the region ranges from 1100 m on ridge tops to 330 m at drainage base, the Yukon River. The claim block lies within the Yukon-Tanana Terrane, and is underlain by metamorphic rocks of the Devonian-Mississippian Nasina Assemblage and the Permian Jim Creek Pluton.

Previous work in the area has been limited. Between 2005 and 2008, Ryanwood staked the IND claims, conducted extensive soil sampling and a ground-based geophysical survey. The results of these surveys were sufficiently encouraging to justify a mapping and rock sampling program in 2009 by Jean Pautler, P.Geol.

The 2010 program consisted of geochemical and petrographic analysis of rock samples from two trenches with a total length of 685m. The eastern trench (TR10-4) contained several zones with highly anomalous gold grades (up to 12 g/t over 30 cm and 2 g/t over 10 m), hosted within granite interpreted to be part of the Jim Creek Pluton. Six samples were submitted for petrographic analysis, showing evidence of hydrothermal alteration both within the granite of the pluton and in the country rock. Based on the results of the programs of this and previous years, it is concluded that the IND property has sufficient potential for widespread gold mineralization to warrant additional exploration.

2.0 INTRODUCTION

Equity Exploration Consultants Ltd (“Equity”) was contracted by Aldrin Resource Corporation (“Aldrin”) to compile the results of a trenching and petrographic analysis program carried out by Aldrin personnel on the IND property in September, 2010. The purpose of the work was early stage exploration of the property for gold and/or other economic metals. The information used in the compilation of this report consists of assessment reports filed with the Yukon Department of Mines, Energy and Resources, maps and reports from the Geological Survey of Canada and private information supplied by Aldrin.

3.0 RELIANCE ON OTHER EXPERTS

The author has not relied on a report, opinion or statement of an expert for information concerning legal, environmental, political or other issues.

4.0 PROPERTY DESCRIPTION AND LOCATION

The IND property is located approximately 25 km south-southwest of Dawson City and 5 km east of the Yukon River (Figure 1). The claim block is centred at 63°50' north latitude and 139°33' east longitude on NTS map sheet 1150/13.

The IND claim block consists of 136 adjoining quartz claims with a total area of approximately 3000 hectares (Table 1, Figure 2). Claims were originally staked and are still owned by Ryanwood Exploration, subject to an option agreement under which Aldrin can earn a 100% interest through work commitments and payments of cash and shares to Ryanwood.

There are no known environmental liabilities on the property.

Work in 2010 was conducted under a Class 1 Quartz Mining Land Use permit.

Table 1: Tenure details for the IND Claims


Grant Numbers	Claim Names	Recording Date	Staking Date	Expiry Date
YC36103 – YC36112	IND 1 – IND 10	6/2/2005	5/26/2005	3/15/2015
YC44987 – YC44996	IND 11 – IND 20	10/3/2006	9/22/2006	3/15/2014
YC61018 – YC61039	IND 21 – IND 42	6/4/2007	5/28/2007	3/15/2015
YC95578 – YC95579	IND 105 – IND106	6/25/2009	6/16/2009	3/15/2013
YC96101 – YC96200	IND 43 – IND 103 IND 107 – IND 130	6/25/2009	6/16/2009	3/15/2013



ALDRIN RESOURCE CORPORATION

**IND Project
LOCATION
MAP**


	Date:	JAN 2011	Scale:	1:6,000,000	Figure
	U.T.M. Zone	UTM 7 - NAD83	Mining District	DAWSON	1
	N.T.S.	1150/13	State/Province	YUKON	




ALDRIN RESOURCE CORP

IND Project

Tenure Map

	Date	January 2011	Scale	1:35,000	Figure	2
	U.T.M. Zone	7	Mining District	Dawson		
	M.T.S. 1150/13	State/Province	Yukon			



5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY

The IND property lies approximately 25 km southwest of Dawson city, near the confluence of the Yukon and Indian Rivers. There is a well-developed network of good secondary roads which allow road access from Dawson City to the property. Dawson City is the nearest supply and population centre, with all equipment and personnel mobilized by road from there to the IND property for the 2010 work program.

The climate of the area is classified as sub-arctic, with long cold winters and short cool summers. Permafrost is widespread. The area is generally snow-free from early June until late September, making field work outside of this time period difficult. The claims straddle a gently sloping ridge with peaks up to 1100 m elevation, drained by creeks which flow into either the Yukon or Indian rivers. The Yukon River forms a local base level at 330 m. Vegetation in the region consists of conifer and deciduous forests in valleys and on ridge-flanks, with sub-alpine scrub vegetation on the ridge-tops. North facing slopes are generally frozen year round and poorly drained.

6.0 REGIONAL AND PROPERTY GEOLOGY

The IND property lies within the Yukon-Tanana Terrane, a series of mid-Paleozoic to Mid-Mesozoic continental arc assemblages built on Lower Palaeozoic and possibly older continental basement. The terrane is generally composed of variably deformed metamorphic rocks including pelitic and quartzofeldspathic schist and paragneiss, felsic orthogneiss, and mafic to felsic metavolcanic and metaplutonic rocks, all of which are intruded by plutonic suites that range in age from Paleozoic to Neogene (Mortensen 1992). In the Stewart River area (the map sheet on which the IND property is located) bedrock geology is dominated by Devonian to Carboniferous metasedimentary units intruded by Permian to Cretaceous igneous bodies. Underlying the IND claim block itself (Figure 3) are quartzite, metapelite and marble of the Devonian-Mississippian Nasina Assemblage intruded by the ~252 Ma Jim Creek Pluton, a coarse-grained unfoliated biotite-bearing granite to quartz monzonite (Gordey and Ryan 2005).

Of particular interest when considering potential gold mineralization on the IND property is proximity to the Klondike placer deposits. Eldorado, Hunker and Bonanza creeks, all of which have supported placer operations for over a century, lie within 25 km to the northeast. Pautler (2009) has also suggested that mineralization on the IND property shows similarities to the nearby White Gold deposit.

7.0 HISTORY

7.1 Previous Work

Very little historical work on the immediate IND area is recorded with the Yukon Department of Mines, Energy and Resources. A small drill program (7 holes totalling 189 feet) for Tamark Inc. on Ensley Creek directly north of the IND block is recorded by Beets (1986) but no results are reported.


The first work reported directly on the IND claims is the geophysical and geochemical program described by Ryan (2008). At the time of the work, IND 1 – 42 (see Table 1) were held by Ryanwood Exploration. The rest of the IND block had yet to be staked. Soil sampling in 2005 and 2006 had identified a gold-in-soil anomaly, and the purpose of the 2007 program was to better define and extend this anomaly. Geophysical work consisted of a ground-based magnetic survey which delineated two broad magnetic highs, the westernmost of which is roughly co-incident with the previously mapped extent of the Jim Creek Pluton. The eastern magnetic high does not coincide with the previously mapped extent of the pluton (Gordey and Ryan 2005), however Ryan (2008) states that the pluton may be more extensive than previously shown, and thus the eastern magnetic high may also represent igneous bedrock. Gold-in-soil anomalies with co-incident lanthanum and bismuth highs are located primarily over these magnetic highs.

This program was followed up with a two day geological and geochemical evaluation by Jean Pautler, described fully in Pautler (2009). The author produced a 1:7,500 scale map of, and took grab rock samples from, the geochemically anomalous area identified by Ryan (2008). Results confirm that the Jim Creek

Pluton has outliers not recorded on the map of Gordey and Ryan (2005). Primarily within the granite but extending into country rock, Pautler (2009) identified minor pyrite, limonite after pyrite, hematite, silicification, sericite alteration and quartz stockwork veining. It was recommended that a trenching and property-wide mapping program be conducted in order to identify promising drill targets. Based on these recommendations, three trenches were excavated and left unfilled.

7.2 2010 Program

The 2010 program consisted of the digging of two new trenches with a total length of 685 m. Equipment was mobilized out of Dawson City along the network of dirt roads running over the property. A total of 145 samples were generally taken over 5m intervals along the trenches (every attempt was made to obtain an even distribution of material from the entire 5m sample length), though smaller intervals were sampled where warranted. Samples were submitted to ACME Labs in Vancouver, BC for fire assay fusion followed by ICP-ES analysis for Au (ALS code G601) and Aqua Regia digestion followed by ICP-MS analysis for a 37-element suite (ALS code 1DX15). Certificates of analysis are presented in Appendix C. Six samples were submitted to Dr. Tim Liverton for petrographic analysis, the results of which are presented in Appendix D. The trenches were not backfilled upon completion of mapping and sampling.



ALDRIN RESOURCE CORP

IND Project

Regional Geology



Date January 2011
 U.T.M. Zone 7
 N.T.S. 1150/13

Scale 1:50,000
 Mining District Dawson
 State/Province Yukon

Figure
 3

PERMIAN



KLONDIKE SCHIST:
 Muscovite-chlorite-feldspar schist,
 chlorite schist and chlorite phyllonite



JIM CREEK PLUTON (ca 252 Ma)
 Coarse-grained biotite-bearing
 quartz monzonite to granite



ORTHOGNEISS:
 orthogneiss derived from
 quartz monzonite

DEVONIAN TO MISSISSIPPIAN



NASINA ASSEMBLAGE:
 DMNq, fine-grained dark-grey
 to black carbonaceous quartzite
 and metapelite; DMNI, marble



IND Claim Boundaries

Geology after Gordey and Ryan (2005)

8.0 GEOCHEMISTRY

145 rock samples were collected from the two trenches dug during the 2010 program. Percentiles and a correlation matrix for elements of interest from these samples are presented in Tables 2 and 3. There is extremely good correlation between Au and Ag, and between Bi and Au, suggesting that both these elements may be useful as pathfinders of gold on the IND property. Trench locations are shown on Figure 4a and sample locations with gold analyses on Figures 4b and 4c. Detailed descriptions with assay values for Au, As, Ag, Sb and Bi are presented in Appendix C. As shown in Figure 4c, Trench 5 encountered little in the way of gold mineralization; however, Trench 4 intersected several zones (all within the granite of the Jim Creek Pluton) of good gold grades (Figure 4b). Table 4 summarizes the most interesting zones, most notably a 10 m stretch averaging 2.1 g/t Au and one 30 cm sample from a quartz vein which assayed 12.5 g/t Au.

Table 2: Percentile values for 2010 trench samples

	Au (ppm)	As (ppm)	Ag (ppm)	Sb (ppm)	Bi (ppm)
Max Value	12.46	261	4.7	0.4	25
Min Value	0.005	0.7	0.1	0.1	0.1
98th	1.43	122	1.4	0.3	7.9
95th	0.40	72	0.8	0.3	2.7
90th	0.21	50	0.7	0.3	1.5
80th	0.11	20	0.5	0.2	0.8
50th	0.03	7.5	0.3	0.2	0.2

Table 3: Correlation matrix for 2010 trench samples


	Au	As	Ag	Sb
As	0.14			
Ag	0.81	0.02		
Sb	0.03	0.34	-0.02	
Bi	0.90	0.24	0.69	0.18


Table 4: Summary of significant assays from Trench 4

From	To	Length	Au (g/t)
0	5	5	1.186
56	66	10	1.02
56	76	20	0.587
58.7	59	0.3	12.46
205	220	15	0.821
280	285	5	4.05
280	290	10	2.09

9.0 THIN SECTION PETROGRAPHY

Six samples were selected for thin section petrographic analysis by Dr. Tim Liverton. The full petrographic report is presented in Appendix D.





7,080,250 mN

570,750 mE

570,800 mE

570,850 mE

570,900 mE

570,950 mE

571,000 mE

571,050 mE

7,080,200 mN

7,080,150 mN

7,080,100 mN



7,080,050 mN



0 15 30 metres Scale 1:1,250

Sample #	Gold Values (ppm)
11XXXX	> 1.43 (98th percentile)
	0.4 - 1.43 (95th percentile)
	0.2 - 0.4 (90th percentile)
	0.11 - 0.2 (80th percentile)
	0.03 - 0.11 (50th percentile)
	< 0.03 (below 50th percentile)

ALDRIN RESOURCE CORP					
IND Project					
Trench 10-4 with gold assays and sample locations					
	Date	January 2011	Scale	1:1,250	Figure 4b
	U.T.M. Zone	7	Mining District	Dawson	
	N.T.S.	1150/13	State/Province	Yukon	



ALDRIN RESOURCE CORP

IND Project
Trench 10-5 with gold assays
and sample locations

	Date	January 2011	Scale	1:1,500	Figure	4c
	U.T.M. Zone	7	Mining District	Dawson		
	N.T.S.	1150/13	State/Province	Yukon		

10.0 DISCUSSION AND CONCLUSIONS

Though the scope of work in 2010 was limited, it confirmed that significant gold grades are present in bedrock underneath zones of the IND property which had previously yielded anomalous gold-in-soil values. Mineralization appears to be hosted within the Jim Creek Pluton, and may be related to quartz veining of unknown age and genesis. Determining the extent of this mineralization and veining should be a priority for any future work.

Respectfully submitted,



David Swanton, M.Sc.

EQUITY EXPLORATION CONSULTANTS LTD.

Vancouver, British Columbia

January 20, 2011

Appendix A: Bibliography

REFERENCES

- Gordey, S.P. and Ryan, J.J. 2005. Geology, Steward River Area (115N, 115O and part of 115J), Yukon Territory; Geological Survey and Canada, Open File 4970, scale 1:250,000.
- Mortensen, J.K. 1992. Pre-mid-Mesozoic tectonic evolution of the Yukon-Tanana terrane, Yukon and Alaska. *Tectonics*, **11**: 836 – 853.
- Pautler, J. 2009. Technical Report on the Indian River Project, Dawson, Yukon Territory.
- Ryan, Shawn. 2008. Geophysical-geochemical report, IND claims. Yukon Mines, Energy and Resources Report YMIP 2007-047.

Appendix B: Statement of Expenditures

IND Project – Statement of 2010 Expenditures
Fieldwork: September 23 – October 1, 2010

2010 exploration work completed on the IND claim block involved excavating two trenches, and a petrographic study and associated support work including:

- Mobilization of excavator from Dawson City to IND claims and excavation of two trenches totaling 685-meters in length averaging approximately 1.5-meters in depth. Cost: \$3,200
- Fee for consultant Ted Archibald: \$2,500
- Lodging for consultant: \$1,500
- Fee for sample helper: \$1,000
- Petrographic study and report: \$1,200
- Cost of multiple element assays for 147 samples: \$5,145
- Shipping: \$250
- Helicopter for sample pickup: \$350
- Field supplies: \$200
- Vehicle rental for 10-days: \$1,000

Summary of Expenses:

Excavator:	\$ 3,200
Consultant and helper:	5,000
Petrographic study and report:	1,200
Assays:	5,145
Shipping and helicopter:	550
Field Supplies:	200
Truck rental:	<u>1,000</u>
Total:	\$ 16,295

**Appendix C: Trench sample descriptions and
weighted averages**

IND Project

2010 TRENCH SAMPLE DESCRIPTIONS AND RESULTS

SAMPLE #	TRENCH #	LOCATION (m)		Type	DESCRIPTION	Au	Ag	As	Sb	Bi
		Start	Finish			g/t	ppm	ppm	ppm	ppm
116201	TR10-4	0	5	rock	Granite, often weakly limonitic 571033/7080213	1.186	0.4	6.5	0.3	7.8
116202	TR10-4	5	10	rock	Granite, often weakly limonitic	0.127	0.2	5.1	0.2	1.2
116203	TR10-4	10	15	rock	Granite, often weakly limonitic	0.094	0.2	4.2	0.2	0.8
116204	TR10-4	15	20	rock	Granite, often weakly limonitic	0.161	0.2	2.4	0.1	1.4
116205	TR10-4	20	25	rock	Granite, often weakly limonitic	0.244	0.3	4.3	0.2	1.8
116206	TR10-4	25	28	rock	Silicified intrusive, grayish quartz with finely disseminated sulphides	0.289	0.5	2.6	0.1	1.7
116207	TR10-4	28	31	rock	Silicified intrusive, grayish quartz with finely disseminated sulphides	0.058	0.4	20.3	0.1	0.5
116208	TR10-4	31	36	rock	Granite, often weakly limonitic	0.407	0.3	22.6	0.2	2.9
116209	TR10-4	36	41	rock	Granite, often weakly limonitic	0.207	0.3	83.4	0.3	1.6
116210	TR10-4	41	46	rock	Granite, often weakly limonitic	0.139	0.3	74.4	0.2	0.8
116211	TR10-4	46	51	rock	Granite, often weakly limonitic	0.087	0.2	57.4	0.3	0.8
116212	TR10-4	51	56	rock	Granite, often weakly limonitic 570989/7080188	0.085	0.2	46.9	0.3	1
116213	TR10-4	56	61	rock	Granite, often weakly limonitic	1.359	1.2	90.4	0.3	5.8
116214	TR10-4	61	66	rock	Granite, often weakly limonitic	0.681	0.7	54.5	0.3	3.6
		56	66		weighted average	1.02 Au over 10m				
116215	TR10-4	66	71	rock	Granite, often weakly limonitic	0.109	0.4	19.2	0.1	0.9
116216	TR10-4	71	76	rock	Granite, often weakly limonitic	0.199	0.4	35.4	0.2	1.2
		56	76		weighted average	0.587 Au over 20m				
116217	TR10-4	76	81	rock	Granite, often weakly limonitic	0.042	0.2	46.6	0.3	0.5
116218	TR10-4	81	86	rock	Granite, often weakly limonitic	0.236	0.2	14.2	0.2	1.2
116219	TR10-4	86	90.5	rock	Silicified intrusive, grayish quartz with finely disseminated sulphides	0.208	0.3	14.8	0.2	1.5
116220	TR10-4	90.5	95	rock	Silicified intrusive, grayish quartz with finely disseminated sulphides	0.063	0.3	3.6	<0.1	0.4
116221	TR10-4			rock	Blank	<0.005	<0.1	1.5	0.2	<0.1
116222	TR10-4			rock	Standard	1.051	0.2	1578.1	1.5	0.1
116223	TR10-4	95	100	rock	Granite, often weakly limonitic	0.09	0.2	12.1	0.2	0.6
116224	TR10-4	100	105	rock	Granite, often weakly limonitic 570944/7080172	0.054	0.2	38.6	0.2	0.3
116225	TR10-4	105	110	rock	Granite, often weakly limonitic	0.198	0.4	12.5	0.2	1.2

116226	TR10-4	110	115	rock	Granite, often weakly limonitic	0.073	0.3	8.6	0.1	0.6
116227	TR10-4	115	120	rock	Granite, often weakly limonitic	0.26	0.4	20.8	0.1	1.6
116228	TR10-4	120	125	rock	Granite, often weakly limonitic	0.092	0.1	261.5	0.2	0.5
116229	TR10-4	125	130	rock	Granite, often weakly limonitic	0.059	0.1	136	0.2	0.2
116230	TR10-4	130	135	rock	Granite, often weakly limonitic	0.026	<0.1	10.9	<0.1	0.2
116231	TR10-4	135	140	rock	Granite, often weakly limonitic	0.007	<0.1	6.3	<0.1	<0.1
116232	TR10-4	140	145	rock	Quartzite 290/flat lying	0.017	0.1	10.1	0.1	0.1
116233	TR10-4	145	150	rock	Quartzite	0.041	0.1	9.5	0.1	<0.1
116234	TR10-4	150	155	rock	Quartzite 570897/7080153	0.019	<0.1	3	<0.1	0.2
116235	TR10-4	155	160	rock	Quartzite	0.037	0.2	4.2	<0.1	0.2
116236	TR10-4	160	165	rock	Quartzite	0.21	0.1	2.9	<0.1	1.2
116237	TR10-4	165	170	rock	Quartzite	0.032	<0.1	8.6	0.2	0.2
116238	TR10-4	170	175	rock	Granite	0.033	0.1	5.3	0.1	0.3
116239	TR10-4	175	180	rock	Granite	0.015	<0.1	5.4	0.2	0.1
116240	TR10-4	180	185	rock	Granite	0.007	<0.1	3	<0.1	<0.1
116241	TR10-4	185	190	rock	Granite	0.007	<0.1	9.8	0.1	<0.1
116242	TR10-4	190	195	rock	Granite	0.03	0.1	11.5	0.1	0.2
116243	TR10-4	195	200	rock	Granite	0.021	0.1	10.9	0.2	0.1
116244	TR10-4	200	205	rock	Granite 570850/7080136	0.032	0.1	24	0.2	0.3
116245	TR10-4			rock	Blank	<0.005	<0.1	1.7	0.2	<0.1
116246	TR10-4			rock	Standard	0.989	0.2	1534.5	1.3	0.1
116247	TR10-4	205	210	rock	Granite	0.203	0.2	15.5	0.2	1.3
116248	TR10-4	210	215	rock	Granite	1.956	0.7	23.7	0.3	8.7
116249	TR10-4	215	220	rock	Granite	0.305	0.4	12.9	0.2	1.9
					weighted average			0.821 over 15m		
116250	TR10-4	220	225	rock	Granite	0.071	<0.1	5	0.1	0.6
116251	TR10-4	225	230	rock	Granite	0.014	<0.1	4.8	<0.1	0.2
116252	TR10-4	230	235	rock	Granite	0.211	0.2	15.2	0.1	0.9
116253	TR10-4	235	240	rock	Granite	0.393	0.3	9.9	0.2	2
116254	TR10-4	240	245	rock	Granite	0.041	<0.1	8.7	0.1	0.3
116255	TR10-4	245	250	rock	Granite	0.124	0.1	17.2	0.2	0.8
116256	TR10-4	250	255	rock	Granite 570804/7080122	0.61	0.4	12.3	0.1	3

116257	TR10-4	255	260	rock	Granite	0.13	0.3	28.7	0.2	1.1
116258	TR10-4	260	265	rock	Granite	0.131	0.3	23.4	0.3	0.8
116259	TR10-4	265	270	rock	Granite	0.109	0.2	16.7	0.2	0.7
116260	TR10-4	270	275	rock	Granite	0.098	0.2	12.7	0.2	0.6
116261	TR10-4	275	280	rock	Granite	0.079	0.2	15.7	0.2	0.6
116262	TR10-4	280	285	rock	Granite	4.053	1.4	120.4	0.4	22.2
116263	TR10-4	285	290	rock	Granite	0.135	0.3	53.2	0.3	0.8
					weighted average	2.094 over 10m				
116264	TR10-4	290	295	rock	Granite	0.08	0.2	17.5	0.2	0.7
116265	TR10-4	295	300	rock	Granite	0.06	0.2	33.7	0.2	0.5
116266	TR10-4	300	305	rock	Granite 570750/7080110	0.085	0.2	146	0.3	0.8
116267	TR10-4	27m		rock	Grab Bert J. Siliceous granite, grey quartz with finely disseminated sulphides. 571011/7080200	0.055	0.7	5.1	0.2	0.5
116268	TR10-4	66m		rock	Grab Bert J. Granite with a few weathered out pyrites	0.086	0.6	13.3	0.2	0.8
116269	TR10-4	90.5m		rock	Grab Bert J. Siliceous granite, grey quartz with finely disseminated sulphides. 570952/7080171	0.089	0.5	3.2	0.1	0.7
116270	TR10-4	45.7m		rock	Grab, Ted A. Granite, quartz rich with majority of feldspars turned to clay 570996/7080193	0.048	0.3	78.7	0.2	0.4
116271	TR10-4	59m		rock	Grab. Ted A. Quartz vein, located on both sides of trench, 5-10 cms wide, 145/90(?), rock badly fractured/broken up 570982/7080186	12.46	4.7	32.1	<0.1	25
116272	TR10-5	0	5	rock	Granite crumble 570375/7080214	0.024	0.2	62.6	0.2	0.2
116273	TR10-5	5	10	rock	Granite crumble	0.034	0.2	64.5	0.2	0.2
116274	TR10-5	10	15	rock	Granite crumble	0.028	0.1	28.7	0.2	0.2
116275	TR10-5	15	19	rock	Granite crumble	0.025	0.3	16.2	0.2	0.2
116276	TR10-5	19	23	rock	Granite crumble	0.019	0.3	12.9	0.2	0.2
116277	TR10-5	23	28	rock	Quartzite (overlying granite)	0.008	0.4	23.9	0.3	0.2
116278	TR10-5	28	33	rock	Quartzite (overlying granite)	0.016	0.3	20.2	0.4	0.2
116279	TR10-5	33	38	rock	Quartzite	0.01	0.4	16.6	0.3	0.2
116280	TR10-5	38	43	rock	Quartzite	0.008	0.7	13.9	0.3	0.1
116281	TR10-5	43	48	rock	Quartzite	0.01	0.6	14.8	0.2	0.1
116282	TR10-5	48	53	rock	Quartzite 570327/7080202	0.024	0.3	10.4	0.2	0.2
116283	TR10-5	53	58	rock	Quartzite	0.008	0.7	13	0.3	0.1

116284	TR10-5	58	63	rock	Quartzite	0.044	0.6	10	0.2	0.4
116285	TR10-5	63	68	rock	Quartzite	0.01	0.4	6.9	0.2	0.2
116286	TR10-5	68	73	rock	Quartzite	0.012	0.2	4.8	0.2	0.2
116287	TR10-5	78m		rock	Quartzite, start channel sampling	<0.005	0.3	4.1	0.2	0.1
116288	TR10-5	83m		rock	Quartzite	0.012	0.3	4.7	0.2	0.1
116289	TR10-5	88m		rock	Quartzite	0.013	0.4	8.6	0.3	0.2
116290	TR10-5	93m		rock	Quartzite	<0.005	0.4	8.8	0.3	0.1
116291	TR10-5	98m		rock	Quartzite 570278/7080191	0.012	0.4	8.8	0.2	0.2
116292	TR10-5	103m		rock	Quartzite	<0.005	0.4	3.5	0.2	<0.1
116293	TR10-5	108m		rock	Quartzite	0.012	0.7	3.6	0.2	0.2
116294	TR10-5	113m		rock	Quartzite	0.018	0.6	4.2	0.2	0.2
116295	TR10-5	118m		rock	Quartzite	0.089	0.5	7.5	0.3	0.1
116296	TR10-5	123m		rock	Quartzite	0.034	0.4	3.8	0.2	0.1
116297	TR10-5	128m		rock	Quartzite	0.007	0.6	1.8	0.1	0.1
116298	TR10-5	133m		rock	Quartzite	0.013	0.4	2.6	0.2	0.2
116299	TR10-5	136	141	rock	Graphitic quartzite	0.007	0.2	1.9	0.2	0.1
116300	TR10-5	141	146.5	rock	Graphitic quartzite	<0.005	0.3	0.9	0.1	<0.1
116301	TR10-5	146.5	150.3	rock	Granite	0.028	0.3	2.1	0.2	0.2
116302	TR10-5	150.3	155	rock	Quartzite, somewhat sheared 570228/7080181	0.007	0.3	2.1	0.1	0.1
116303	TR10-5	160m		rock	Quartzite, often micaceous, occasionally schistose	<0.005	0.2	2.1	0.3	<0.1
116304	TR10-5	165m		rock	Quartzite, often micaceous, occasionally schistose	0.01	0.3	4.1	0.3	0.1
116305	TR10-5	170	173.5	rock	Quartzite, often micaceous, occasionally schistose	0.012	0.3	2.9	0.2	<0.1
116306	TR10-5	173.5	178.5	rock	Granite	0.006	0.3	3	0.2	0.1
116307	TR10-5	178.5	183.5	rock	Granite	0.009	0.3	3.2	0.2	0.2
116308	TR10-5	183.5	188.5	rock	Granite	0.012	0.4	2.9	0.2	0.1
116309	TR10-5	188.5	193.5	rock	Granite	0.007	0.5	2.7	0.1	0.2
116310	TR10-5	193.5	198.5	rock	Granite	0.009	0.5	2.4	0.2	0.2
116311	TR10-5	198.5	204	rock	Granite	0.018	0.4	4.9	0.2	0.2
116312	TR10-5	204	209	rock	Quartzite	<0.005	0.8	1.7	0.1	0.1
116313	TR10-5	214m		rock	Quartzite, start 1.5m channel sampling	0.005	0.6	1.8	0.2	<0.1
116314	TR10-5	219m		rock	Quartzite	<0.005	0.9	2.3	0.2	<0.1

116315	TR10-5	224m		rock	Quartzite	<0.005	0.6	3.9	0.2	<0.1
116316	TR10-5	229m		rock	Quartzite	<0.005	0.8	1.4	0.1	<0.1
116317	TR10-5	234m		rock	Quartzite	<0.005	0.8	0.8	<0.1	<0.1
116318	TR10-5	239m		rock	Quartzite	<0.005	0.9	0.7	0.1	0.1
116319	TR10-5	244m		rock	Quartzite	<0.005	0.7	1.3	0.2	<0.1
116320	TR10-5	249m		rock	Quartzite	<0.005	1.7	0.8	<0.1	<0.1
116321	TR10-5	254	259	rock	Quartzite	<0.005	2.0	1.9	0.1	0.1
116322	TR10-5	259	264	rock	Granite	0.01	0.3	3.5	0.2	0.1
116323	TR10-5	264	269	rock	Granite	0.006	0.5	1.7	0.1	<0.1
116324	TR10-5	269	274	rock	Granite	0.012	0.2	1.9	0.2	<0.1
116325	TR10-5	274	279	rock	Granite	0.008	0.2	1.9	0.1	0.1
116326	TR10-5	279	284	rock	Granite	0.018	0.3	2.8	0.1	0.2
116327	TR10-5	284	289	rock	Granite	0.02	0.2	5.6	0.2	0.2
116328	TR10-5	289	294	rock	Granite	0.058	0.3	55.9	0.2	0.3
116329	TR10-5	294	299	rock	Granite	0.043	0.3	4.2	0.2	0.3
116330	TR10-5	299	304	rock	Granite 570081/7080141	0.027	0.1	59.8	0.2	0.2
116331	TR10-5	304	309	rock	Granite	0.03	0.2	15.2	0.2	0.2
116332	TR10-5	309	314	rock	Granite	0.034	0.2	18.8	0.2	0.2
116333	TR10-5	314	319	rock	Granite	0.033	0.3	3.7	0.2	0.2
116334	TR10-5	319	324	rock	Granite	0.043	0.3	18.6	0.2	0.2
116335	TR10-5	324	329	rock	Granite	0.04	0.2	4.5	0.2	0.3
116336	TR10-5	329	334	rock	Granite	0.029	0.2	6.4	0.2	0.2
116337	TR10-5	334	339	rock	Granite	0.033	0.2	5.2	0.2	0.2
116338	TR10-5	339	344	rock	Granite	0.014	0.2	3.9	0.2	0.1
116339	TR10-5	344	347	rock	Quartzite	<0.005	0.2	6	0.2	<0.1
116340	TR10-5	347	350	rock	Quartzite	<0.005	0.2	7.5	0.2	<0.1
116341	TR10-5	350	355	rock	Granite 570028/7080134	0.027	0.1	3.2	<0.1	0.2
116342	TR10-5	355	360	rock	Granite	0.018	<0.1	3.3	0.1	0.1
116343	TR10-5	360	365	rock	Granite	0.063	0.3	2.2	<0.1	0.4
116344	TR10-5	365	370	rock	Granite	0.054	0.2	6.9	0.1	0.4
116345	TR10-5	370	375	rock	Granite	0.028	0.2	16.7	0.2	0.2
116346	TR10-5	375	380	rock	Granite 569999/7080129	0.04	0.2	4.4	0.1	0.3
116347	TR10-5	382m		rock	Grab 569998/7080129 Just before the very end of the trench there is a narrow short finger of quartzite so sampled seperately	<0.005	<0.1	1.5	<0.1	<0.1

Appendix D: Petrographic Report

Indian River Petrographic Descriptions

By Dr. Tim Liverton, May 2, 2010

(TS No. field description)

IND 1 Sample 253122 – epidote, garnet, actinolite calc-silicate skarn

This rock is an obvious exoskarn. About $\frac{3}{4}$ of the slide is tremolite-actinolite skarn and since the amphibole is colourless it is close to the tremolite end-member. It forms subhedral crystals up to 1mm long in a fairly random orientation. Interstitial to the amphiboles are grains of feldspar of 0.5-1mm size, $\leq 10\%$ of the rock and probably a calcic plagioclase, but twinning is too indistinct for composition to be determined (it is optically negative). Rare carbonate and opaques are also present. The opaques have subhedral cubic and possibly pyritohedron forms and appear 'brassy' if illuminated with oblique source (the thin section was not polished), so they are likely pyrite. One 10mm, very corroded diopside-hedenbergite crystal is replaced by the tremolite. The remaining quarter of the slide consists of subhedral diopside-hedenbergite that has been heavily replaced by carbonate and much smaller tremolite crystals. The pyroxene is colourless, so it is likely close to the diopside end-member.

IND 2 Trench 2, south end – more mica rich granite

This rock is a granite *sensu stricto*. It is composed of coarse orthoclase phenocrysts, quartz and subordinate amounts of plagioclase. Biotite is the only ferromagnesian mineral with a little muscovite as alteration. Occasional ≤ 0.15 mm long monazite crystals are included in the biotite, together with a few tiny (0.05mm long) brown, high relief subhedral crystals that are possibly cassiterite. The biotite is pleichroic from red-brown to golden. Where the biotite crystals occur in clusters they have a mantle of 0.1mm garnet grains. Orthoclase constitutes about 40% of the volume of this rock, plagioclase about 15% and biotite forms 5-15% of any field of view. The rock is clearly a syenogranite according to Streckeisen's classification. With one small thin section it is of little use to attempt a quantitative modal analysis (but please note the amount of stained K-feldspar in the scanned image of the offcut block).

IND 3**Trench 2, south end –metased contaminated granite, at contact**

This is a biotite-rich hydrothermally or deuterically altered granitic rock. The fabric is dominated by subhedral prismatic muscovite (sericite) pseudomorphs of what were likely originally plagioclase crystals. These are up to 7mm long. Individual randomly oriented sericite 'flakes' are up to 0.03 long. Anhedral polygonized quartz and orthoclase to 2mm size are interstitial to the large pseudomorphed phenocrysts, together with 'ragged' red-brown to golden biotite that appears quite unaltered. Opaques, both 'brassy' and black in incident light i.e., possibly both pyrite and magnetite, occur with clusters of small (0.3mm) biotite crystals (25% of the sericite-altered lithofacies) and occupy from 1-10% of any field of view. These clusters of the finer grained biotite and opaques tend to mantle the sericite pseudomorphs. A few tiny yellow-brown, highly birefringent crystals and ≤ 0.06 mm long acicular opaques are included in the individual coarse biotite crystals and some also surround biotites. No pleichroic halos are produced in the biotite by the yellow-brown minerals, so these could be cassiterite rather than monazite. Note: in hand specimen a slight foliation is visible. This is not as obvious in thin section. The matching stained offcut slab of rock shows a contact between the sericite altered rock and a quartz-rich granitic rock showing K-feldspar phenocrysts to 5mm across with some 'mantling' of these by muscovite. In thin section the orthoclase phenocrysts are anhedral, quite 'ragged' and contain inclusions of biotite that is itself 'mantled' by muscovite. In this lithofacies of the granite biotite still constitutes about 25% of the volume, but is in anhedral, equant 2mm grains.

IND 4**Trench 1 – garnet aplite**

This rock is very potassic granite with what is assumed to be an endoskarn alteration. It consists of coarse orthoclase and microcline (to 7 mm long) with quartz intergrowths i.e., it has an incipient granophyric texture. At least 60% of the volume is K feldspar and about 10% quartz. Only occasional plagioclase crystals are seen. A few ragged muscovite crystals to 2mm long are present (<2% of the total volume). No biotite was seen. Masses of quartz from 4 to 16mm long contain garnet grains that form almost a 'net' texture. No monazite or other 'heavy' minerals were noted.

IND 5**Trench 2 – quartz stockwork, silicified granite**

This material is likely from a quartz vein. The section is composed entirely of polygonized quartz, with individual domains up to 3mm grain size. A series of irregular yet subparallel fractures crosses the slide. These contain some limonite staining. No other minerals were noted.

IND 6**Trench 2, north end – clay altered granite**

This is another granite that contains quite altered biotite and some masses of garnet. Single-twinned orthoclase megacrysts up to 5mm across dominate the texture. Compared to specimen 4, this granite has a much higher plagioclase content. Approximate modal composition is K-feldspar 35% plagioclase 30%, quartz 25%, biotite 5% and garnet 5%. The plagioclase crystals are ≤ 1.5 mm grain size and are quite anhedral. Biotite is in very 'ragged' to skeletal grains to 1.5mm grain size and is altered to leucoxene and some limonite. Some 0.01-0.03 mm grains of opaques, probably ilmenite or magnetite are contained within the altered mica. Most of the garnets are from 0.8 – 2mm grain size as individual grains, but a few 0.08mm sized grains are clustered amongst the biotite. The garnet is pink and quite isotropic, so it may be almandine rather than a grossular-andradite. One 2mm wide, discontinuous quartz vein crosses the section.




10mm scale bar


IND 1




IND 2



IND 3



IND 4




IND 5





IND 6

IND PETROGRAPHIC SPECIMENS: MATCHING COBALTINITRITE STAINED SLABS



IND 1



1 - General view: mostly subhedral tremolite with two grains of diopside (deep blue). xp




2 & 3 - tremolite with remnant diopside. pp & xp




4 - Tremolite (some euhedral) & diopside. pp 5 - sulphides, probably pyrite.

All scale bars represent 1mm.


IND 2




1 - General view: orthoclase, plagioclase, quartz & biotite. xp.




2 - Both feldspars & biotite (deformed). xp



3 - Biotite with a little garnet. pp




4 - Biotite & garnet. pp.




5 - A rather unusual plagioclase. xp.



All scale bars represent 1mm.





1 - Biotite mantled with garnet. pp.



2 - Biotite mantled with garnet. pp.




3 & 4 - Zircon in biotite. xp & pp.




5 & 6 - Inclusions of (?) cassiterite in biotite. Oil immersion, pp.



Scale bars for 1-4 represent 1mm; those of 5 & 6, 0.05mm




1 - general view: orthoclase, quartz, muscovite. xp.




2 - Sericite pseudomorphs of (?) plagioclase with biotite, muscovite. xp



3 & 4 - Biotite & muscovite. xp & pp.




5 - Biotite with ilmenite or magnetite. pp.




6 - Biotite with ilmenite or magnetite. pp.

All scale bars represent 1mm.




1, 2 - General view: orthoclase. quartz, garnet. pp & xp.




3 - Quartz & orthoclase: incipient granophyre. xp.

4 - Garnet with some chlorite. pp.




5 - Perthite showing twinned plagioclase intergrowths. xp.


All scale bars represent 1mm.




1 - General view. Single-twinned orthoclase carlsbad-albite twinned plagioclase, quartz & muscovite. xp.




2 - Irregular quartz vein cutting the granite. pp.




3 - Altered biotite & garnet. pp.



4 - Garnet & altered biotite. pp.



5 - Biotite. pp.



6 - Biotite & opaques. pp.

All scale bars represent 1mm.

Appendix E: Certificates of Analysis



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Submitted By: Bert Jeffries

Receiving Lab: Canada-Whitehorse

Received: October 02, 2010

Report Date: November 19, 2010

Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI10000574.3

CLIENT JOB INFORMATION

Project: IND
Shipment ID: 1
P.O. Number
Number of Samples: 81

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1
Canada


CC: Jean Pautler
Johnathan More

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	81	Crush, split and pulverize 250 g rock to 200 mesh			VAN
G601	81	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
1DX2	81	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G6	1	Lead collection fire assay fusion - Grav finish	30	Completed	VAN
3B01	81	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS

Version 3: 3B01 included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND
 Report Date: November 19, 2010

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000574.3

Method	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
116267	Rock	2.44	0.055	1.4	24.0	6.5	116	0.7	21.7	6.8	41	0.80	5.1	3.0	49.8	21.1	22	2.8	0.2	0.5	4
116268	Rock	2.16	0.086	1.0	9.2	5.3	17	0.6	0.9	0.5	71	1.09	13.3	1.3	92.1	21.4	40	<0.1	0.2	0.8	4
116269	Rock	3.22	0.089	1.1	11.0	4.5	79	0.5	4.7	3.1	96	1.48	3.2	1.8	93.7	25.5	24	0.6	0.1	0.7	7
116270	Rock	1.46	0.048	1.1	8.1	3.7	14	0.3	1.0	0.3	24	1.36	78.7	1.4	55.8	22.5	15	0.2	0.2	0.4	3
116271	Rock	2.27	>10	0.3	4.6	3.9	21	4.7	0.9	0.4	35	0.49	32.1	0.6	10901	1.8	2	<0.1	<0.1	25.0	<2
116272	Rock	3.40	0.024	2.5	11.2	3.5	57	0.2	8.9	2.1	172	1.41	62.6	2.3	22.2	20.0	10	0.2	0.2	0.2	5
116273	Rock	4.47	0.034	1.9	12.9	3.7	183	0.2	21.2	3.8	389	1.64	64.5	2.4	26.3	20.5	9	0.6	0.2	0.2	5
116274	Rock	3.33	0.028	2.8	12.4	2.9	100	0.1	14.9	2.5	95	1.55	28.7	2.1	28.4	19.1	11	0.2	0.2	0.2	6
116275	Rock	3.52	0.025	2.0	26.9	2.8	86	0.3	16.9	2.4	136	1.23	16.2	3.3	15.2	14.0	15	0.3	0.2	0.2	123
116276	Rock	3.07	0.019	8.0	51.9	2.9	121	0.3	25.0	4.4	197	2.30	12.9	4.6	9.1	10.9	16	0.6	0.2	0.2	110
116277	Rock	3.54	0.008	5.6	33.8	5.2	74	0.4	27.4	3.5	123	2.00	23.9	1.6	9.1	5.3	17	0.3	0.3	0.2	39
116278	Rock	4.22	0.016	5.3	37.5	6.6	93	0.3	30.5	4.5	152	2.21	20.2	2.1	9.3	5.7	20	0.3	0.4	0.2	72
116279	Rock	3.22	0.010	6.7	27.6	8.6	74	0.4	19.5	2.3	91	1.57	16.6	2.5	9.8	4.6	19	0.2	0.3	0.2	82
116280	Rock	3.20	0.008	7.8	36.4	7.5	62	0.7	18.8	2.2	75	1.53	13.9	2.9	4.1	4.4	17	0.2	0.3	0.1	72
116281	Rock	3.24	0.010	5.8	30.8	6.3	45	0.6	23.8	1.9	70	1.16	14.8	3.1	5.7	3.9	16	<0.1	0.2	0.1	65
116282	Rock	3.87	0.024	6.2	40.2	5.2	64	0.3	20.7	1.1	77	1.15	10.4	4.5	17.1	3.7	15	0.3	0.2	0.2	89
116283	Rock	3.69	0.008	4.5	41.6	4.5	49	0.7	11.0	1.0	63	1.06	13.0	2.1	6.3	4.7	7	0.2	0.3	0.1	37
116284	Rock	3.25	0.044	4.4	32.1	6.6	54	0.6	18.2	1.3	92	1.04	10.0	2.7	25.0	4.2	17	0.2	0.2	0.4	117
116285	Rock	3.86	0.010	3.5	37.1	4.1	66	0.4	16.2	1.4	96	1.14	6.9	2.1	8.4	3.8	10	<0.1	0.2	0.2	63
116286	Rock	4.10	0.012	7.9	57.1	4.0	109	0.2	32.4	1.5	104	1.22	4.8	2.7	7.7	5.7	10	0.2	0.2	0.2	144
116287	Rock	3.29	<0.005	4.1	57.0	4.4	84	0.3	21.5	1.3	101	1.00	4.1	2.5	<0.5	3.1	7	0.2	0.2	0.1	84
116288	Rock	2.92	0.012	3.1	25.9	3.9	69	0.3	33.4	1.9	104	0.88	4.7	2.4	7.5	2.7	10	0.1	0.2	0.1	136
116289	Rock	2.34	0.013	4.5	71.6	4.8	174	0.4	47.1	5.1	232	1.53	8.6	3.7	10.9	4.7	16	0.4	0.3	0.2	119
116290	Rock	3.83	<0.005	4.3	61.7	4.6	102	0.4	31.5	2.0	95	1.18	8.8	2.6	3.0	3.6	9	0.2	0.3	0.1	58
116291	Rock	3.59	0.012	3.3	28.8	8.5	49	0.4	16.0	2.0	101	0.99	8.8	2.4	10.4	4.5	16	<0.1	0.2	0.2	66
116292	Rock	2.85	<0.005	4.9	65.5	2.4	125	0.4	40.7	1.9	112	1.19	3.5	3.8	2.2	2.4	20	0.4	0.2	<0.1	123
116293	Rock	2.93	0.012	4.8	51.5	2.2	62	0.7	11.9	1.0	75	1.09	3.6	2.9	5.2	2.8	12	0.2	0.2	0.2	71
116294	Rock	4.05	0.018	3.5	29.1	4.1	42	0.6	12.7	1.7	96	1.09	4.2	1.9	37.8	3.1	16	0.1	0.2	0.2	54
116295	Rock	2.42	0.089	5.6	32.8	2.4	46	0.5	11.0	1.4	57	1.42	7.5	1.1	39.8	2.5	5	0.2	0.3	0.1	24
116296	Rock	3.24	0.034	4.8	49.1	3.4	45	0.4	9.3	1.6	93	1.45	3.8	1.5	7.5	3.4	9	0.3	0.2	0.1	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND
 Report Date: November 19, 2010

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000574.3

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6Gr
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	0.17	
116267	Rock	0.06	0.018	33	1	0.03	191	0.010	<1	0.53	0.042	0.15	<0.1	<0.01	2.1	0.1	0.19	2	1.1	<0.2	
116268	Rock	0.05	0.019	82	2	0.03	279	0.013	<1	0.52	0.059	0.18	<0.1	0.01	2.7	<0.1	0.10	2	1.1	0.4	
116269	Rock	0.12	0.023	30	2	0.08	353	0.067	<1	0.59	0.056	0.22	<0.1	<0.01	4.1	<0.1	0.32	3	1.2	<0.2	
116270	Rock	0.02	0.015	33	2	0.01	167	0.002	<1	0.38	0.039	0.14	<0.1	0.01	1.7	<0.1	<0.05	1	0.8	<0.2	
116271	Rock	<0.01	0.005	32	1	<0.01	37	<0.001	<1	0.14	0.004	0.02	<0.1	0.11	1.0	<0.1	<0.05	<1	<0.5	5.8	12.46
116272	Rock	0.02	0.015	70	2	0.02	201	0.004	<1	0.50	0.020	0.12	<0.1	0.02	4.8	0.1	<0.05	1	1.1	<0.2	
116273	Rock	0.03	0.015	125	2	0.02	257	0.006	<1	0.46	0.023	0.11	<0.1	0.01	5.5	0.2	<0.05	1	0.6	<0.2	
116274	Rock	0.03	0.019	70	3	0.03	261	0.007	<1	0.60	0.024	0.14	<0.1	<0.01	4.2	0.2	<0.05	2	<0.5	<0.2	
116275	Rock	0.11	0.049	58	21	0.13	351	0.018	<1	0.68	0.030	0.22	<0.1	<0.01	3.6	0.2	<0.05	2	1.1	<0.2	
116276	Rock	0.09	0.053	95	26	0.13	523	0.039	1	0.93	0.037	0.29	<0.1	0.02	4.8	0.2	<0.05	3	3.1	<0.2	
116277	Rock	0.06	0.048	23	16	0.05	574	0.009	<1	0.51	0.008	0.11	<0.1	<0.01	2.0	0.1	<0.05	2	2.5	<0.2	
116278	Rock	0.11	0.071	36	21	0.08	585	0.016	<1	0.61	0.010	0.14	<0.1	<0.01	3.1	0.1	<0.05	2	1.5	<0.2	
116279	Rock	0.12	0.090	27	18	0.08	300	0.015	1	0.52	0.008	0.16	0.1	0.01	2.1	0.2	0.07	2	3.5	<0.2	
116280	Rock	0.12	0.088	29	17	0.08	258	0.017	1	0.59	0.009	0.17	0.1	0.02	2.1	0.2	0.06	2	3.0	<0.2	
116281	Rock	0.42	0.228	28	19	0.08	218	0.012	1	0.51	0.009	0.15	0.1	<0.01	1.8	0.1	<0.05	2	2.0	<0.2	
116282	Rock	0.64	0.320	36	33	0.08	176	0.014	1	0.66	0.013	0.20	0.1	<0.01	2.1	0.2	<0.05	2	1.4	0.4	
116283	Rock	0.04	0.030	19	16	0.10	128	0.012	<1	0.50	0.010	0.19	<0.1	<0.01	1.3	0.3	<0.05	2	2.9	<0.2	
116284	Rock	0.34	0.163	24	27	0.17	210	0.022	1	0.60	0.011	0.23	0.2	0.02	1.7	0.2	<0.05	2	2.1	<0.2	
116285	Rock	0.19	0.087	18	25	0.18	172	0.028	2	0.61	0.015	0.23	0.2	<0.01	1.8	0.3	<0.05	2	1.6	0.4	
116286	Rock	0.12	0.060	19	26	0.17	159	0.036	<1	0.62	0.015	0.27	0.2	<0.01	1.8	0.4	<0.05	2	0.8	<0.2	
116287	Rock	0.14	0.073	14	29	0.13	165	0.024	2	0.57	0.011	0.22	0.1	0.01	1.5	0.3	<0.05	2	1.5	<0.2	
116288	Rock	0.20	0.089	12	31	0.20	266	0.025	<1	0.52	0.008	0.20	0.2	0.01	1.7	0.2	<0.05	2	1.2	<0.2	
116289	Rock	0.30	0.115	26	41	0.27	278	0.034	1	1.00	0.012	0.20	1.2	0.06	2.9	0.3	<0.05	3	2.0	<0.2	
116290	Rock	0.07	0.040	13	32	0.17	226	0.023	2	0.51	0.006	0.22	<0.1	0.02	1.9	0.3	<0.05	2	1.6	<0.2	
116291	Rock	0.21	0.100	42	26	0.14	313	0.023	1	0.52	0.012	0.18	0.2	0.01	1.9	0.1	<0.05	2	1.4	<0.2	
116292	Rock	1.30	0.635	15	45	0.13	176	0.022	1	0.52	0.003	0.16	0.1	<0.01	2.4	0.2	<0.05	2	2.9	<0.2	
116293	Rock	0.20	0.107	16	27	0.10	230	0.021	1	0.46	0.005	0.17	0.2	<0.01	2.0	0.2	<0.05	2	5.4	<0.2	
116294	Rock	0.21	0.093	15	26	0.13	320	0.033	1	0.54	0.013	0.19	<0.1	<0.01	1.5	0.2	0.05	2	2.1	<0.2	
116295	Rock	0.02	0.023	11	13	0.07	107	0.013	<1	0.32	0.005	0.10	<0.1	<0.01	1.1	<0.1	<0.05	1	4.0	<0.2	
116296	Rock	0.04	0.028	14	18	0.17	199	0.028	1	0.52	0.010	0.20	<0.1	0.01	1.5	0.3	0.05	2	2.4	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 2 of 4 Part 3

CERTIFICATE OF ANALYSIS

WHI10000574.3

	Method	3B
	Analyte	Au
	Unit	ppb
	MDL	2
116267	Rock	57
116268	Rock	90
116269	Rock	91
116270	Rock	52
116271	Rock	>10000
116272	Rock	23
116273	Rock	30
116274	Rock	35
116275	Rock	27
116276	Rock	15
116277	Rock	10
116278	Rock	12
116279	Rock	14
116280	Rock	8
116281	Rock	7
116282	Rock	27
116283	Rock	7
116284	Rock	45
116285	Rock	12
116286	Rock	9
116287	Rock	3
116288	Rock	15
116289	Rock	11
116290	Rock	4
116291	Rock	15
116292	Rock	7
116293	Rock	10
116294	Rock	14
116295	Rock	64
116296	Rock	9



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND
 Report Date: November 19, 2010

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000574.3

Method	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
116297	Rock	2.79	0.007	4.3	32.0	2.5	57	0.6	10.3	1.3	62	1.39	1.8	1.1	2.2	2.8	6	0.2	0.1	0.1	25
116298	Rock	3.33	0.013	3.6	27.1	5.0	44	0.4	10.0	1.6	102	1.20	2.6	1.5	7.8	5.1	14	0.1	0.2	0.2	34
116299	Rock	3.86	0.007	2.9	25.2	2.9	63	0.2	15.6	1.5	110	1.21	1.9	2.3	3.4	2.9	18	0.2	0.2	0.1	83
116300	Rock	4.10	<0.005	3.5	52.2	1.3	120	0.3	40.9	2.1	203	1.17	0.9	3.9	0.8	2.7	14	0.3	0.1	<0.1	91
116301	Rock	3.53	0.028	2.7	29.4	4.0	65	0.3	10.7	2.6	175	1.89	2.1	1.9	16.4	7.0	16	0.3	0.2	0.2	38
116302	Rock	3.84	0.007	1.7	25.8	3.7	77	0.3	11.5	2.7	140	2.50	2.1	0.8	2.6	8.0	14	0.2	0.1	0.1	54
116303	Rock	3.60	<0.005	1.3	29.7	5.4	83	0.2	23.8	6.6	177	3.33	2.1	1.0	0.9	8.8	15	0.2	0.3	<0.1	61
116304	Rock	3.33	0.010	2.6	29.3	5.4	64	0.3	15.5	3.7	173	2.15	4.1	1.4	5.9	8.9	17	0.2	0.3	0.1	49
116305	Rock	3.66	0.012	1.8	28.6	5.1	97	0.3	23.7	4.3	216	2.20	2.9	1.0	2.8	8.2	18	0.5	0.2	<0.1	54
116306	Rock	3.74	0.006	3.8	40.1	5.3	117	0.3	23.2	4.8	206	2.33	3.0	1.9	7.9	9.2	13	0.7	0.2	0.1	59
116307	Rock	3.75	0.009	3.6	31.6	4.4	75	0.3	12.7	3.7	166	1.90	3.2	1.9	6.7	6.6	22	0.4	0.2	0.2	64
116308	Rock	3.86	0.012	3.1	34.6	4.3	55	0.4	12.6	3.1	149	1.33	2.9	1.7	8.7	5.0	15	0.5	0.2	0.1	45
116309	Rock	4.05	0.007	2.3	37.2	3.4	64	0.5	19.6	2.8	149	1.31	2.7	1.8	2.6	4.5	20	1.5	0.1	0.2	46
116310	Rock	4.36	0.009	2.1	28.5	3.8	57	0.5	13.4	2.1	130	1.14	2.4	1.6	8.7	4.7	14	0.6	0.2	0.2	35
116311	Rock	3.65	0.018	3.2	46.1	3.4	122	0.4	29.5	3.6	159	1.41	4.9	1.9	14.7	9.6	21	1.6	0.2	0.2	74
116312	Rock	4.10	<0.005	2.0	39.9	3.8	71	0.8	16.7	2.4	152	1.18	1.7	2.1	2.8	3.6	17	0.4	0.1	0.1	85
116313	Rock	2.90	0.005	1.1	40.5	4.2	53	0.6	13.8	2.3	134	1.19	1.8	1.3	3.2	4.9	13	0.2	0.2	<0.1	38
116314	Rock	4.06	<0.005	5.1	81.6	2.1	146	0.9	33.5	3.2	144	1.31	2.3	2.9	1.9	2.2	8	0.7	0.2	<0.1	36
116315	Rock	1.58	<0.005	2.8	69.7	1.2	161	0.6	57.5	2.0	257	1.00	3.9	7.0	0.8	3.6	32	1.9	0.2	<0.1	68
116316	Rock	2.04	<0.005	3.3	47.6	1.6	141	0.8	37.5	2.9	153	0.97	1.4	2.7	0.7	2.5	15	1.7	0.1	<0.1	40
116317	Rock	2.60	<0.005	1.5	24.4	4.1	38	0.8	6.1	1.3	97	0.85	0.8	0.8	<0.5	1.8	7	0.2	<0.1	<0.1	15
116318	Rock	2.06	<0.005	2.7	30.0	3.5	61	0.9	7.6	0.9	79	0.92	0.7	2.4	<0.5	2.6	18	0.8	0.1	0.1	52
116319	Rock	2.02	<0.005	3.6	45.1	3.2	106	0.7	20.5	3.7	166	1.41	1.3	3.6	<0.5	3.0	19	0.6	0.2	<0.1	230
116320	Rock	2.37	<0.005	3.4	59.0	2.2	76	1.7	18.1	1.9	130	1.10	0.8	2.9	0.6	2.3	24	2.4	<0.1	<0.1	43
116321	Rock	3.79	<0.005	3.4	80.5	3.7	153	2.0	42.7	4.6	341	1.84	1.9	3.2	0.7	5.2	35	3.8	0.1	0.1	65
116322	Rock	3.68	0.010	2.2	27.6	5.2	86	0.3	9.3	2.2	147	1.22	3.5	2.4	10.6	17.5	17	0.6	0.2	0.1	20
116323	Rock	3.99	0.006	1.5	31.9	3.4	87	0.5	11.3	2.0	159	1.10	1.7	1.4	4.1	5.5	18	0.6	0.1	<0.1	35
116324	Rock	3.97	0.012	1.5	27.4	2.6	79	0.2	10.6	2.8	143	1.37	1.9	1.7	11.6	12.3	18	0.3	0.2	<0.1	44
116325	Rock	4.45	0.008	1.3	16.0	3.2	47	0.2	7.3	1.6	133	1.18	1.9	1.7	7.8	18.3	14	0.3	0.1	0.1	18
116326	Rock	3.64	0.018	1.6	19.9	3.5	60	0.3	7.0	1.6	149	1.40	2.8	1.9	17.6	21.1	23	0.3	0.1	0.2	25

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND
 Report Date: November 19, 2010

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000574.3

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6Gr
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.05	1	0.5	0.2	0.2	0.17	
116297	Rock	0.04	0.029	11	15	0.10	135	0.014	<1	0.32	0.008	0.14	<0.1	<0.01	1.2	0.1	0.07	1	1.4	<0.2	
116298	Rock	0.10	0.051	22	13	0.14	200	0.021	1	0.53	0.016	0.19	0.1	0.01	1.5	0.2	0.06	2	2.0	<0.2	
116299	Rock	0.87	0.409	20	26	0.13	165	0.025	1	0.52	0.008	0.16	0.1	<0.01	1.5	0.2	<0.05	2	1.4	<0.2	
116300	Rock	0.17	0.052	12	61	0.48	336	0.040	<1	1.00	0.006	0.31	<0.1	0.01	2.2	0.2	<0.05	3	2.7	<0.2	
116301	Rock	0.09	0.031	21	24	0.24	393	0.081	<1	0.93	0.029	0.43	<0.1	0.01	3.3	0.3	0.06	4	1.0	<0.2	
116302	Rock	0.05	0.018	19	28	0.41	366	0.144	<1	1.12	0.024	0.70	<0.1	0.01	3.7	0.4	0.09	5	<0.5	<0.2	
116303	Rock	0.09	0.037	20	31	0.59	507	0.115	<1	1.62	0.014	0.73	<0.1	0.01	4.2	0.4	<0.05	6	1.0	<0.2	
116304	Rock	0.22	0.105	24	24	0.34	274	0.046	<1	0.97	0.014	0.26	<0.1	0.02	2.5	0.2	0.06	3	1.6	<0.2	
116305	Rock	0.25	0.048	17	29	0.49	348	0.095	<1	1.25	0.016	0.49	0.1	<0.01	2.5	0.2	<0.05	4	0.8	<0.2	
116306	Rock	0.08	0.032	33	28	0.50	368	0.098	<1	1.17	0.014	0.58	<0.1	0.02	3.8	0.3	<0.05	4	1.1	<0.2	
116307	Rock	0.15	0.073	26	22	0.40	401	0.080	<1	1.04	0.022	0.49	0.1	<0.01	2.8	0.3	0.07	4	1.5	<0.2	
116308	Rock	0.10	0.038	21	17	0.21	256	0.037	<1	0.69	0.018	0.20	<0.1	<0.01	1.9	0.2	<0.05	2	1.4	0.2	
116309	Rock	0.14	0.024	18	18	0.20	267	0.040	<1	0.70	0.015	0.16	<0.1	0.02	1.8	0.2	0.11	3	1.8	<0.2	
116310	Rock	0.08	0.024	20	16	0.17	180	0.036	<1	0.54	0.013	0.13	<0.1	<0.01	1.7	0.2	0.08	2	1.7	<0.2	
116311	Rock	0.16	0.051	40	24	0.22	264	0.037	1	0.84	0.028	0.22	<0.1	<0.01	2.1	0.1	0.08	3	3.0	<0.2	
116312	Rock	0.18	0.084	18	36	0.27	218	0.038	<1	0.65	0.012	0.23	0.1	<0.01	1.9	0.2	0.05	3	2.8	<0.2	
116313	Rock	0.10	0.043	21	34	0.20	172	0.027	<1	0.57	0.016	0.19	<0.1	<0.01	2.0	0.2	0.07	3	1.9	<0.2	
116314	Rock	0.11	0.050	18	37	0.23	105	0.016	<1	0.53	0.006	0.20	<0.1	0.01	1.9	0.3	<0.05	2	4.2	<0.2	
116315	Rock	0.42	0.036	13	75	0.62	349	0.070	<1	1.39	0.013	0.29	0.1	0.01	2.4	0.7	0.06	5	2.8	<0.2	
116316	Rock	0.29	0.092	13	28	0.20	160	0.028	<1	0.54	0.006	0.10	<0.1	<0.01	1.5	0.3	<0.05	2	1.9	<0.2	
116317	Rock	0.03	0.013	8	12	0.09	114	0.006	<1	0.33	0.015	0.11	<0.1	<0.01	0.9	0.1	0.06	1	1.4	<0.2	
116318	Rock	0.15	0.081	13	29	0.10	217	0.012	<1	0.31	0.008	0.13	<0.1	0.01	1.2	0.2	0.08	1	4.5	0.4	
116319	Rock	0.69	0.329	18	81	0.28	810	0.023	<1	0.55	0.008	0.24	0.1	<0.01	2.1	0.4	0.08	3	4.4	<0.2	
116320	Rock	0.11	0.023	13	21	0.21	201	0.032	<1	0.61	0.007	0.12	<0.1	0.02	1.9	0.2	0.07	3	2.5	<0.2	
116321	Rock	0.18	0.029	23	49	0.66	304	0.048	<1	1.52	0.027	0.48	<0.1	0.01	3.6	0.7	0.15	7	1.7	<0.2	
116322	Rock	0.07	0.030	84	9	0.14	277	0.024	<1	0.63	0.033	0.21	<0.1	0.01	2.6	0.2	<0.05	3	0.8	<0.2	
116323	Rock	0.09	0.025	40	19	0.21	270	0.036	<1	0.75	0.025	0.24	<0.1	0.02	2.4	0.2	<0.05	3	1.1	<0.2	
116324	Rock	0.08	0.024	58	19	0.26	295	0.053	<1	0.81	0.030	0.30	<0.1	0.02	3.0	0.2	<0.05	4	0.8	<0.2	
116325	Rock	0.07	0.016	52	8	0.12	261	0.034	<1	0.62	0.025	0.17	<0.1	<0.01	2.4	0.1	<0.05	3	0.7	<0.2	
116326	Rock	0.11	0.027	60	8	0.15	360	0.036	<1	0.71	0.043	0.21	<0.1	<0.01	3.5	<0.1	<0.05	3	0.6	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 3 of 4 Part 3

CERTIFICATE OF ANALYSIS

WHI10000574.3

	Method	3B
	Analyte	Au
	Unit	ppb
	MDL	2
116297	Rock	2
116298	Rock	16
116299	Rock	5
116300	Rock	5
116301	Rock	20
116302	Rock	5
116303	Rock	3
116304	Rock	8
116305	Rock	2
116306	Rock	5
116307	Rock	9
116308	Rock	13
116309	Rock	6
116310	Rock	8
116311	Rock	16
116312	Rock	3
116313	Rock	4
116314	Rock	2
116315	Rock	<2
116316	Rock	<2
116317	Rock	<2
116318	Rock	<2
116319	Rock	6
116320	Rock	<2
116321	Rock	<2
116322	Rock	20
116323	Rock	4
116324	Rock	8
116325	Rock	10
116326	Rock	19



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND
 Report Date: November 19, 2010

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000574.3

	Method Analyte Unit MDL	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1
116327	Rock	3.96	0.020	1.6	20.0	3.0	60	0.2	12.2	2.8	179	1.56	5.6	1.9	17.9	15.7	27	0.3	0.2	0.2	30
116328	Rock	3.22	0.058	1.4	13.7	3.7	73	0.3	8.5	2.4	174	1.53	55.9	1.8	50.6	22.4	23	0.8	0.2	0.3	22
116329	Rock	3.18	0.043	1.5	15.6	4.0	60	0.3	6.2	1.7	185	1.65	4.2	2.1	41.4	27.9	29	0.5	0.2	0.3	16
116330	Rock	3.58	0.027	0.9	10.9	2.4	43	0.1	4.3	1.3	148	1.42	59.8	1.6	24.5	25.0	25	0.2	0.2	0.2	12
116331	Rock	3.52	0.030	2.5	16.2	2.6	43	0.2	4.8	2.5	180	1.71	15.2	1.5	29.2	20.7	34	0.1	0.2	0.2	17
116332	Rock	3.79	0.034	1.1	13.0	2.8	40	0.2	3.4	1.7	188	1.84	18.8	2.0	36.4	26.6	26	0.1	0.2	0.2	8
116333	Rock	3.71	0.033	1.0	13.1	3.0	35	0.3	3.0	1.4	165	1.81	3.7	2.1	31.8	26.6	31	0.1	0.2	0.2	9
116334	Rock	4.09	0.043	1.2	14.8	3.4	35	0.3	4.4	1.5	166	1.56	18.6	1.8	27.9	21.4	29	0.2	0.2	0.2	14
116335	Rock	3.15	0.040	1.1	17.0	3.9	43	0.2	5.0	2.3	190	1.62	4.5	1.7	35.5	21.5	27	0.2	0.2	0.3	16
116336	Rock	3.07	0.029	1.3	15.0	3.9	51	0.2	5.9	2.4	198	1.71	6.4	2.0	25.7	22.8	24	0.1	0.2	0.2	18
116337	Rock	4.19	0.033	1.5	17.7	3.4	44	0.2	7.3	2.5	160	1.61	5.2	1.8	22.5	20.6	24	<0.1	0.2	0.2	18
116338	Rock	3.79	0.014	1.9	25.3	3.1	68	0.2	20.1	4.4	233	2.06	3.9	1.3	10.1	9.5	18	<0.1	0.2	0.1	82
116339	Rock	3.40	<0.005	2.2	40.6	3.0	78	0.2	23.7	5.3	185	2.39	6.0	2.0	0.9	7.9	16	<0.1	0.2	<0.1	163
116340	Rock	3.82	<0.005	2.6	44.5	3.4	72	0.2	20.6	3.7	143	2.14	7.5	2.1	2.4	8.7	17	<0.1	0.2	<0.1	139
116341	Rock	4.21	0.027	1.6	29.2	3.1	81	0.1	19.7	4.4	199	2.12	3.2	1.7	26.7	17.7	23	<0.1	<0.1	0.2	55
116342	Rock	3.42	0.018	1.8	15.2	2.8	59	<0.1	16.7	3.5	176	1.67	3.3	1.3	18.9	14.3	17	<0.1	0.1	0.1	33
116343	Rock	4.08	0.063	1.2	10.5	2.9	38	0.3	6.6	2.2	161	1.68	2.2	2.1	78.4	27.8	41	<0.1	<0.1	0.4	7
116344	Rock	4.00	0.054	1.6	14.4	2.9	54	0.2	13.1	2.6	175	1.68	6.9	1.7	61.5	23.2	23	0.1	0.1	0.4	9
116345	Rock	4.38	0.028	2.1	20.1	3.5	52	0.2	18.3	2.3	126	1.45	16.7	2.0	32.1	15.6	14	<0.1	0.2	0.2	44
116346	Rock	3.61	0.040	1.2	15.2	2.6	49	0.2	14.9	2.2	175	1.52	4.4	1.6	43.2	19.2	22	<0.1	0.1	0.3	22
116347	Rock	1.09	<0.005	0.9	8.2	1.9	72	<0.1	40.6	8.6	215	2.34	1.5	0.5	4.7	5.5	8	<0.1	<0.1	<0.1	156



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND
 Report Date: November 19, 2010

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000574.3

Method	Analyte	Unit	MDL	1DX15 Ca	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	1DX15 Te	G6Gr Au
				%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
				0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.17
116327	Rock			0.15	0.033	54	9	0.17	371	0.056	<1	0.76	0.030	0.19	<0.1	0.02	3.5	0.1	<0.05	3	0.8	<0.2	
116328	Rock			0.08	0.023	116	7	0.12	340	0.034	1	0.70	0.037	0.22	<0.1	0.02	3.6	0.1	<0.05	4	0.6	<0.2	
116329	Rock			0.10	0.024	97	4	0.11	379	0.041	1	0.77	0.044	0.22	<0.1	0.03	4.5	0.1	<0.05	4	<0.5	<0.2	
116330	Rock			0.09	0.019	62	3	0.09	353	0.043	<1	0.68	0.032	0.20	<0.1	0.01	4.2	<0.1	<0.05	3	<0.5	<0.2	
116331	Rock			0.09	0.026	61	4	0.09	427	0.058	1	0.75	0.043	0.26	<0.1	0.02	4.1	0.1	0.07	4	2.6	<0.2	
116332	Rock			0.09	0.028	46	3	0.09	344	0.068	2	0.79	0.034	0.24	<0.1	<0.01	4.4	0.1	<0.05	4	<0.5	<0.2	
116333	Rock			0.09	0.027	59	3	0.09	352	0.062	<1	0.78	0.044	0.23	<0.1	0.01	4.5	0.1	0.06	4	1.3	0.3	
116334	Rock			0.08	0.026	68	6	0.10	294	0.041	<1	0.75	0.033	0.20	<0.1	<0.01	4.0	0.1	0.05	3	1.0	<0.2	
116335	Rock			0.08	0.026	70	7	0.12	298	0.043	<1	0.87	0.036	0.21	<0.1	<0.01	4.2	0.1	<0.05	4	1.1	<0.2	
116336	Rock			0.08	0.028	100	4	0.12	317	0.041	<1	0.85	0.035	0.22	<0.1	0.01	5.0	0.2	<0.05	3	1.2	0.3	
116337	Rock			0.08	0.034	79	9	0.14	327	0.051	1	0.79	0.029	0.24	<0.1	<0.01	5.2	0.2	<0.05	3	1.1	<0.2	
116338	Rock			0.14	0.049	33	35	0.48	570	0.115	<1	1.32	0.030	0.56	<0.1	0.01	4.5	0.3	<0.05	5	1.3	<0.2	
116339	Rock			0.28	0.131	34	66	0.69	780	0.171	<1	1.49	0.013	0.80	0.1	0.03	4.3	0.4	<0.05	6	1.7	<0.2	
116340	Rock			0.19	0.096	36	54	0.61	875	0.139	<1	1.34	0.014	0.64	<0.1	0.04	4.1	0.4	<0.05	5	2.0	<0.2	
116341	Rock			0.12	0.050	71	22	0.32	617	0.107	<1	1.23	0.027	0.50	<0.1	0.01	4.3	0.2	<0.05	5	1.1	<0.2	
116342	Rock			0.09	0.035	52	15	0.26	465	0.083	<1	1.12	0.025	0.42	<0.1	0.01	3.2	0.2	<0.05	5	1.5	<0.2	
116343	Rock			0.07	0.033	92	2	0.10	485	0.052	<1	0.95	0.040	0.27	<0.1	0.02	5.4	0.1	0.06	4	0.8	<0.2	
116344	Rock			0.08	0.033	73	3	0.12	508	0.058	<1	1.08	0.039	0.30	<0.1	0.02	5.7	0.2	<0.05	5	1.2	0.6	
116345	Rock			0.10	0.048	58	18	0.23	441	0.051	<1	0.86	0.017	0.26	<0.1	0.04	3.7	0.2	<0.05	4	1.5	<0.2	
116346	Rock			0.11	0.037	57	7	0.18	524	0.062	<1	1.08	0.034	0.31	<0.1	0.02	5.0	0.2	<0.05	5	1.0	<0.2	
116347	Rock			0.29	0.138	11	71	0.90	538	0.240	<1	1.59	0.014	1.19	<0.1	<0.01	5.1	0.4	<0.05	7	<0.5	<0.2	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 4 of 4 Part 3

CERTIFICATE OF ANALYSIS

WHI10000574.3

Method	3B
Analyte	Au
Unit	ppb
MDL	2
116327	21
116328	58
116329	50
116330	32
116331	29
116332	36
116333	40
116334	33
116335	37
116336	28
116337	35
116338	15
116339	3
116340	3
116341	29
116342	21
116343	63
116344	90
116345	30
116346	47
116347	<2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000574.3

Method	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
Pulp Duplicates																					
116290	Rock	3.83	<0.005	4.3	61.7	4.6	102	0.4	31.5	2.0	95	1.18	8.8	2.6	3.0	3.6	9	0.2	0.3	0.1	58
REP 116290	QC																				
116294	Rock	4.05	0.018	3.5	29.1	4.1	42	0.6	12.7	1.7	96	1.09	4.2	1.9	37.8	3.1	16	0.1	0.2	0.2	54
REP 116294	QC																				
116326	Rock	3.64	0.018	1.6	19.9	3.5	60	0.3	7.0	1.6	149	1.40	2.8	1.9	17.6	21.1	23	0.3	0.1	0.2	25
REP 116326	QC		0.021																		
116329	Rock	3.18	0.043	1.5	15.6	4.0	60	0.3	6.2	1.7	185	1.65	4.2	2.1	41.4	27.9	29	0.5	0.2	0.3	16
REP 116329	QC			1.4	15.1	4.0	58	0.3	6.4	1.7	178	1.64	4.2	2.2	45.0	28.1	29	0.4	0.2	0.3	16
REP 116337	QC		0.025																		
116338	Rock	3.79	0.014	1.9	25.3	3.1	68	0.2	20.1	4.4	233	2.06	3.9	1.3	10.1	9.5	18	<0.1	0.2	0.1	82
REP 116338	QC			1.6	25.5	3.0	62	0.2	18.9	4.2	227	2.01	3.8	1.2	28.8	9.4	17	<0.1	0.2	0.1	80
Core Reject Duplicates																					
116267	Rock	2.44	0.055	1.4	24.0	6.5	116	0.7	21.7	6.8	41	0.80	5.1	3.0	49.8	21.1	22	2.8	0.2	0.5	4
DUP 116267	QC		0.082	1.4	25.5	6.4	112	0.7	21.4	6.7	40	0.77	4.7	2.9	53.0	20.7	21	2.8	0.2	0.5	4
116302	Rock	3.84	0.007	1.7	25.8	3.7	77	0.3	11.5	2.7	140	2.50	2.1	0.8	2.6	8.0	14	0.2	0.1	0.1	54
DUP 116302	QC		0.007	1.8	26.1	3.6	79	0.3	11.0	2.5	138	2.50	2.1	0.8	3.1	8.2	14	0.3	0.1	0.1	55
116337	Rock	4.19	0.033	1.5	17.7	3.4	44	0.2	7.3	2.5	160	1.61	5.2	1.8	22.5	20.6	24	<0.1	0.2	0.2	18
DUP 116337	QC		0.024	1.3	16.5	3.5	43	0.2	6.8	2.1	151	1.50	5.0	1.6	24.7	19.2	24	<0.1	0.2	0.2	17
Reference Materials																					
STD CDN-ME-3	Standard																				
STD DS7	Standard			21.8	112.4	69.7	396	1.0	56.9	9.3	622	2.43	49.8	4.9	87.0	4.6	75	5.5	5.8	4.6	82
STD DS7	Standard			22.5	113.3	65.8	399	1.0	58.8	9.4	640	2.42	48.8	4.8	58.8	4.7	78	5.6	5.6	4.3	83
STD DS7	Standard			19.7	105.9	64.6	383	0.9	52.1	8.8	588	2.29	47.4	4.6	59.1	4.4	71	5.5	5.4	4.4	80
STD DS7	Standard			22.4	113.4	73.4	414	1.0	58.2	9.8	653	2.50	53.3	5.2	71.9	5.2	79	6.4	6.4	5.1	86
STD DS7	Standard			20.5	108.0	70.3	389	1.0	55.1	9.2	614	2.42	51.7	4.9	87.4	4.8	75	5.9	5.8	4.8	81
STD DS7	Standard			21.0	110.3	71.0	396	1.0	55.5	9.3	607	2.41	52.1	4.9	74.2	4.7	74	6.4	6.1	4.8	82
STD OXC72	Standard																				
STD OXC72	Standard																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000574.3

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6Gr
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.17		
Pulp Duplicates																					
116290	Rock	0.07	0.040	13	32	0.17	226	0.023	2	0.51	0.006	0.22	<0.1	0.02	1.9	0.3	<0.05	2	1.6	<0.2	
REP 116290	QC																				
116294	Rock	0.21	0.093	15	26	0.13	320	0.033	1	0.54	0.013	0.19	<0.1	<0.01	1.5	0.2	0.05	2	2.1	<0.2	
REP 116294	QC																				
116326	Rock	0.11	0.027	60	8	0.15	360	0.036	<1	0.71	0.043	0.21	<0.1	<0.01	3.5	<0.1	<0.05	3	0.6	<0.2	
REP 116326	QC																				
116329	Rock	0.10	0.024	97	4	0.11	379	0.041	1	0.77	0.044	0.22	<0.1	0.03	4.5	0.1	<0.05	4	<0.5	<0.2	
REP 116329	QC	0.10	0.023	94	4	0.11	376	0.041	<1	0.77	0.044	0.22	<0.1	0.03	4.5	<0.1	<0.05	3	<0.5	<0.2	
REP 116337	QC																				
116338	Rock	0.14	0.049	33	35	0.48	570	0.115	<1	1.32	0.030	0.56	<0.1	0.01	4.5	0.3	<0.05	5	1.3	<0.2	
REP 116338	QC	0.14	0.049	33	34	0.46	540	0.112	<1	1.28	0.028	0.55	<0.1	0.02	4.5	0.3	<0.05	5	0.9	<0.2	
Core Reject Duplicates																					
116267	Rock	0.06	0.018	33	1	0.03	191	0.010	<1	0.53	0.042	0.15	<0.1	<0.01	2.1	0.1	0.19	2	1.1	<0.2	
DUP 116267	QC	0.05	0.019	33	1	0.03	185	0.010	<1	0.52	0.040	0.15	<0.1	<0.01	2.0	<0.1	0.18	2	1.5	<0.2	
116302	Rock	0.05	0.018	19	28	0.41	366	0.144	<1	1.12	0.024	0.70	<0.1	0.01	3.7	0.4	0.09	5	<0.5	<0.2	
DUP 116302	QC	0.05	0.018	20	28	0.41	373	0.144	<1	1.13	0.024	0.69	<0.1	<0.01	3.8	0.4	0.09	5	0.6	<0.2	
116337	Rock	0.08	0.034	79	9	0.14	327	0.051	1	0.79	0.029	0.24	<0.1	<0.01	5.2	0.2	<0.05	3	1.1	<0.2	
DUP 116337	QC	0.07	0.032	74	8	0.13	309	0.048	<1	0.74	0.027	0.22	<0.1	<0.01	4.9	0.2	<0.05	3	<0.5	<0.2	
Reference Materials																					
STD CDN-ME-3	Standard																				10.04
STD DS7	Standard	0.99	0.071	13	218	1.07	406	0.128	38	1.06	0.100	0.46	3.6	0.24	2.4	4.1	0.21	5	3.2	2.1	
STD DS7	Standard	1.02	0.074	14	217	1.06	404	0.137	40	1.08	0.103	0.46	3.8	0.20	2.6	3.9	0.21	5	3.4	1.5	
STD DS7	Standard	0.92	0.070	12	189	0.98	362	0.120	40	0.97	0.091	0.43	3.4	0.20	2.2	3.7	0.19	4	3.2	0.9	
STD DS7	Standard	1.02	0.079	14	212	1.10	421	0.139	37	1.10	0.104	0.49	4.0	0.21	2.6	4.3	0.20	5	4.2	1.2	
STD DS7	Standard	0.96	0.075	13	205	1.03	385	0.125	39	1.02	0.097	0.46	3.4	0.22	2.4	3.9	0.20	5	3.2	1.3	
STD DS7	Standard	0.96	0.077	13	202	1.03	381	0.125	39	1.02	0.095	0.46	3.7	0.21	2.4	4.1	0.20	5	2.8	1.3	
STD OXC72	Standard																				
STD OXC72	Standard																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 1 of 3 Part 3

QUALITY CONTROL REPORT

WHI10000574.3

Method	3B
Analyte	Au
Unit	ppb
MDL	2
Pulp Duplicates	
116290 Rock	4
REP 116290 QC	5
116294 Rock	14
REP 116294 QC	10
116326 Rock	19
REP 116326 QC	
116329 Rock	50
REP 116329 QC	
REP 116337 QC	
116338 Rock	15
REP 116338 QC	
Core Reject Duplicates	
116267 Rock	57
DUP 116267 QC	59
116302 Rock	5
DUP 116302 QC	4
116337 Rock	35
DUP 116337 QC	35
Reference Materials	
STD CDN-ME-3 Standard	
STD DS7 Standard	
STD DS7 Standard	
STD DS7 Standard	
STD DS7 Standard	
STD DS7 Standard	
STD DS7 Standard	
STD OXC72 Standard	201
STD OXC72 Standard	207



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 2 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI10000574.3

		WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXH66	Standard		1.314																		
STD OXH66	Standard		1.335																		
STD OXH66	Standard		1.263																		
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXK79	Standard		3.616																		
STD OXK79	Standard		3.681																		
STD OXK79	Standard		3.453																		
STD DS7 Expected				20.5	109	70.6	411	0.9	56	9.7	627	2.39	50	4.9	70	4.4	72	6.4	4.6	4.5	84
STD OXK79 Expected			3.532																		
STD CDN-ME-3 Expected																					
STD OXH66 Expected			1.285																		
STD OXC72 Expected																					
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 2 of 3 **Part** 2

QUALITY CONTROL REPORT

WHI10000574.3

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6Gr
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.17	
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD DS7 Expected		0.93	0.08	13	192	1.05	410	0.124	39	1.0195	0.089	0.44	3.4	0.21	2.5	4.2	0.19	5	3.5	1.18	
STD OXK79 Expected																					
STD CDN-ME-3 Expected																					9.97
STD OXH66 Expected																					
STD OXC72 Expected																					
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				<0.17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 2 of 3 Part 3

QUALITY CONTROL REPORT

WHI10000574.3

		3B Au ppb 2
STD OXC72	Standard	196
STD OXC72	Standard	191
STD OXC72	Standard	194
STD OXH66	Standard	
STD OXH66	Standard	
STD OXH66	Standard	
STD OXH66	Standard	1290
STD OXH66	Standard	1311
STD OXH66	Standard	1223
STD OXH66	Standard	1269
STD OXH66	Standard	1219
STD OXK79	Standard	
STD OXK79	Standard	
STD OXK79	Standard	
STD DS7 Expected		
STD OXK79 Expected		
STD CDN-ME-3 Expected		
STD OXH66 Expected		1285
STD OXC72 Expected		205
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 3 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000574.3

		WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		<0.005	<0.1	2.5	6.1	46	<0.1	1.1	3.5	537	1.84	1.3	1.6	0.9	6.1	54	<0.1	<0.1	<0.1	36
G1	Prep Blank		<0.005	0.1	3.7	5.7	46	<0.1	1.8	4.0	572	1.98	1.6	1.9	<0.5	7.2	66	<0.1	0.1	<0.1	39



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000574.3

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6Gr
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.17	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
G1	Prep Blank	0.48	0.073	15	3	0.43	113	0.118	<1	0.80	0.099	0.44	0.2	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2		
G1	Prep Blank	0.56	0.076	18	3	0.48	118	0.139	<1	0.90	0.119	0.49	0.7	<0.01	2.3	0.3	<0.05	5	<0.5	<0.2		



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 3 of 3 Part 3

QUALITY CONTROL REPORT

WHI10000574.3

		3B Au ppb 2
BLK	Blank	<2
BLK	Blank	<2
BLK	Blank	<2
BLK	Blank	<2
BLK	Blank	<2
BLK	Blank	11
BLK	Blank	<2
BLK	Blank	<2
BLK	Blank	<2
BLK	Blank	<2
Prep Wash		
G1	Prep Blank	N.A.
G1	Prep Blank	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Submitted By: Bert Jeffries

Receiving Lab: Canada-Whitehorse

Received: October 02, 2010

Report Date: October 26, 2010

Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI10000573.1

CLIENT JOB INFORMATION

Project: IND
Shipment ID: 1
P.O. Number
Number of Samples: 69

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1
Canada

CC: Jean Pautler
Johnathan More

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	64	Crush, split and pulverize 250 g rock to 200 mesh			VAN
G601	66	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
1DX2	66	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND
 Report Date: October 26, 2010

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000573.1

Method	Analyte	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	Unit	kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	0.1
116201	Rock	4.47	1.186	2.7	17.1	3.9	41	0.4	6.7	1.5	101	1.31	6.5	1.5	774.0	20.4	26	0.2	0.3	7.8	11
116202	Rock	3.48	0.127	2.9	22.1	3.1	52	0.2	7.2	1.9	97	1.27	5.1	1.9	155.8	20.0	20	0.2	0.2	1.2	8
116203	Rock	4.35	0.094	2.2	19.3	3.1	85	0.2	12.1	2.4	128	1.73	4.2	1.7	80.8	20.8	27	0.3	0.2	0.8	12
116204	Rock	3.07	0.161	1.6	11.8	2.5	58	0.2	5.7	1.8	146	1.52	2.4	1.7	140.6	19.8	22	0.2	0.1	1.4	11
116205	Rock	2.95	0.244	1.8	18.0	3.0	61	0.3	7.5	2.1	127	1.52	4.3	1.5	248.7	20.3	27	0.2	0.2	1.8	11
116206	Rock	3.13	0.289	1.8	15.6	2.4	49	0.5	7.1	2.5	82	1.20	2.6	1.5	319.8	16.8	26	0.8	0.1	1.7	6
116207	Rock	3.07	0.058	1.3	13.3	2.6	69	0.4	10.5	3.4	87	1.24	20.3	1.9	73.8	22.0	29	0.6	0.1	0.5	6
116208	Rock	4.28	0.407	1.3	14.5	3.0	38	0.3	6.1	1.8	113	1.21	22.6	1.7	475.1	21.7	28	0.2	0.2	2.9	8
116209	Rock	4.31	0.207	2.2	19.7	3.9	39	0.3	6.3	1.6	78	1.36	83.4	2.3	187.8	23.1	20	0.3	0.3	1.6	7
116210	Rock	3.48	0.139	1.7	15.6	3.9	33	0.3	3.3	0.6	47	1.74	74.4	2.8	166.3	27.5	15	0.3	0.2	0.8	5
116211	Rock	4.99	0.087	1.5	11.3	3.9	29	0.2	2.5	0.9	68	1.82	57.4	2.2	136.5	27.5	20	0.1	0.3	0.8	8
116212	Rock	4.89	0.085	1.1	9.5	3.9	29	0.2	2.4	1.1	70	1.54	46.9	2.4	99.8	27.9	17	<0.1	0.3	1.0	5
116213	Rock	3.28	1.359	1.1	8.9	5.9	31	1.2	1.9	0.7	61	1.42	90.4	2.2	1486	24.8	16	0.1	0.3	5.8	5
116214	Rock	3.50	0.681	1.1	9.4	5.3	27	0.7	1.8	0.8	74	1.33	54.5	1.6	599.1	22.2	25	0.2	0.3	3.6	6
116215	Rock	4.54	0.109	1.0	9.0	2.9	28	0.4	1.8	0.9	91	1.66	19.2	1.6	168.9	26.1	36	<0.1	0.1	0.9	7
116216	Rock	4.37	0.199	1.0	9.6	4.0	27	0.4	2.4	1.1	75	1.44	35.4	1.7	203.3	24.9	33	0.1	0.2	1.2	5
116217	Rock	4.33	0.042	1.1	9.9	5.3	33	0.2	2.4	1.3	93	1.61	46.6	1.8	52.3	23.3	24	<0.1	0.3	0.5	6
116218	Rock	4.89	0.236	1.2	8.2	3.8	45	0.2	3.0	1.6	123	1.65	14.2	2.4	198.7	28.4	20	0.1	0.2	1.2	7
116219	Rock	3.13	0.208	1.3	8.3	3.9	33	0.3	2.9	1.4	103	1.67	14.8	2.1	299.7	23.2	19	<0.1	0.2	1.5	9
116220	Rock	3.19	0.063	0.9	9.0	2.3	32	0.3	1.6	0.7	104	1.37	3.6	1.7	60.6	26.1	25	0.1	<0.1	0.4	7
116221	Rock	1.31	<0.005	0.2	1.3	2.4	4	<0.1	1.7	0.4	72	0.33	1.5	0.1	1.0	0.8	13	0.2	0.2	<0.1	<2
116222	Rock Pulp	0.10	1.051	1.2	55.6	7.9	68	0.2	117.8	29.7	699	4.39	1578	0.3	1080	1.7	62	0.1	1.5	0.1	24
116223	Rock	4.08	0.090	1.2	8.5	4.2	51	0.2	3.2	2.0	130	1.75	12.1	2.5	41.6	29.5	19	0.1	0.2	0.6	9
116224	Rock	4.67	0.054	1.3	9.0	3.0	57	0.2	3.7	2.5	155	1.92	38.6	2.0	50.9	26.8	19	0.1	0.2	0.3	10
116225	Rock	4.64	0.198	1.1	9.2	3.4	42	0.4	2.8	1.9	108	1.75	12.5	1.9	173.5	26.0	27	0.1	0.2	1.2	7
116226	Rock	5.21	0.073	1.3	10.1	2.8	36	0.3	2.3	1.5	114	1.70	8.6	1.9	96.7	26.1	27	<0.1	0.1	0.6	8
116227	Rock	5.35	0.260	1.3	10.4	2.8	47	0.4	2.4	1.5	104	1.67	20.8	1.8	235.0	25.7	19	0.1	0.1	1.6	7
116228	Rock	5.37	0.092	1.1	9.4	2.7	47	0.1	3.4	1.7	108	1.54	261.5	1.6	90.4	22.6	15	0.2	0.2	0.5	7
116229	Rock	4.85	0.059	1.1	11.2	2.5	56	0.1	3.3	1.6	133	1.64	136.0	1.7	45.1	22.6	18	0.2	0.2	0.2	7
116230	Rock	3.72	0.026	0.8	9.0	2.0	52	<0.1	3.3	1.5	129	1.43	10.9	1.1	26.5	20.2	16	<0.1	<0.1	0.2	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND
 Report Date: October 26, 2010

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000573.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2		
116201	Rock	0.06	0.021	54	4	0.06	210	0.020	1	0.63	0.052	0.19	<0.1	<0.01	1.9	0.1	0.06	3	1.5	1.3
116202	Rock	0.05	0.019	50	3	0.06	210	0.024	<1	0.69	0.042	0.19	<0.1	<0.01	2.0	0.1	<0.05	3	1.4	<0.2
116203	Rock	0.07	0.025	67	5	0.10	296	0.052	<1	0.95	0.051	0.30	<0.1	<0.01	2.3	0.2	<0.05	4	1.1	0.3
116204	Rock	0.07	0.023	54	4	0.10	269	0.058	<1	0.82	0.043	0.30	<0.1	<0.01	2.6	0.1	<0.05	4	0.8	0.3
116205	Rock	0.05	0.020	59	4	0.07	230	0.037	<1	0.77	0.046	0.24	<0.1	<0.01	2.7	0.1	0.06	4	1.3	0.3
116206	Rock	0.07	0.020	36	2	0.06	227	0.029	<1	0.58	0.051	0.22	<0.1	<0.01	3.3	<0.1	0.06	3	0.9	<0.2
116207	Rock	0.06	0.022	60	2	0.06	248	0.030	1	0.65	0.051	0.23	<0.1	<0.01	2.7	<0.1	0.08	3	0.8	<0.2
116208	Rock	0.06	0.021	56	3	0.06	218	0.025	<1	0.67	0.049	0.18	<0.1	<0.01	2.6	<0.1	<0.05	3	1.1	0.7
116209	Rock	0.03	0.024	62	3	0.04	225	0.008	1	0.65	0.047	0.20	<0.1	0.02	2.0	<0.1	<0.05	3	2.6	<0.2
116210	Rock	0.03	0.025	89	2	0.02	156	0.003	1	0.52	0.032	0.14	<0.1	0.02	2.2	<0.1	<0.05	2	1.3	<0.2
116211	Rock	0.03	0.021	52	2	0.02	198	0.006	1	0.59	0.040	0.17	<0.1	0.02	2.6	<0.1	<0.05	3	1.8	0.3
116212	Rock	0.03	0.024	74	2	0.03	182	0.005	<1	0.59	0.037	0.15	<0.1	0.01	2.8	<0.1	<0.05	3	1.2	0.5
116213	Rock	0.04	0.021	78	2	0.03	168	0.006	<1	0.60	0.035	0.16	<0.1	0.03	2.6	<0.1	<0.05	3	1.3	1.5
116214	Rock	0.06	0.019	58	2	0.05	219	0.018	<1	0.67	0.044	0.21	<0.1	0.02	3.2	<0.1	<0.05	3	1.0	0.5
116215	Rock	0.06	0.022	60	2	0.06	260	0.026	1	0.74	0.057	0.21	<0.1	0.01	4.2	0.1	0.08	3	1.0	<0.2
116216	Rock	0.05	0.028	117	2	0.04	201	0.010	<1	0.73	0.042	0.15	<0.1	0.02	3.0	<0.1	<0.05	3	0.8	0.2
116217	Rock	0.05	0.022	77	2	0.05	213	0.010	<1	0.72	0.045	0.17	<0.1	0.01	2.7	<0.1	<0.05	3	0.9	0.3
116218	Rock	0.09	0.024	74	2	0.08	281	0.026	<1	0.93	0.043	0.19	<0.1	<0.01	3.2	<0.1	<0.05	5	0.6	0.2
116219	Rock	0.07	0.022	45	3	0.08	263	0.029	<1	0.76	0.042	0.18	<0.1	0.01	2.9	<0.1	<0.05	4	1.0	0.4
116220	Rock	0.10	0.023	31	2	0.09	465	0.062	<1	0.76	0.052	0.24	<0.1	<0.01	4.3	0.1	0.06	4	0.7	<0.2
116221	Rock	0.02	0.003	1	2	<0.01	136	<0.001	<1	0.06	0.003	0.02	<0.1	0.04	0.1	<0.1	<0.05	<1	<0.5	<0.2
116222	Rock Pulp	0.95	0.124	13	29	2.08	75	0.098	1	1.02	0.233	0.06	0.3	<0.01	2.1	<0.1	0.47	3	1.0	0.6
116223	Rock	0.10	0.024	91	3	0.11	315	0.029	1	0.88	0.040	0.19	<0.1	0.02	3.1	<0.1	<0.05	5	1.0	<0.2
116224	Rock	0.11	0.022	94	4	0.11	333	0.045	<1	0.90	0.044	0.24	<0.1	0.01	3.7	0.1	<0.05	5	0.8	<0.2
116225	Rock	0.07	0.023	84	3	0.08	336	0.023	<1	0.87	0.052	0.21	<0.1	<0.01	3.4	<0.1	<0.05	4	0.9	<0.2
116226	Rock	0.07	0.023	66	3	0.09	294	0.043	<1	0.77	0.041	0.19	<0.1	<0.01	3.7	0.2	<0.05	4	0.9	<0.2
116227	Rock	0.07	0.023	80	3	0.09	260	0.034	<1	0.80	0.034	0.19	<0.1	<0.01	3.6	0.1	<0.05	4	0.7	0.4
116228	Rock	0.08	0.023	67	3	0.09	262	0.027	<1	0.71	0.026	0.15	<0.1	0.01	2.3	<0.1	<0.05	4	<0.5	<0.2
116229	Rock	0.10	0.021	66	2	0.10	306	0.041	<1	0.77	0.036	0.24	<0.1	<0.01	3.1	0.1	<0.05	4	<0.5	<0.2
116230	Rock	0.10	0.020	60	<1	0.10	287	0.039	<1	0.79	0.037	0.24	<0.1	<0.01	2.9	0.2	<0.05	4	<0.5	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND
 Report Date: October 26, 2010

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000573.1

Method	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
116231	Rock	4.08	0.007	1.0	25.8	3.0	56	<0.1	8.9	2.9	160	1.59	6.3	1.1	5.5	10.6	15	<0.1	<0.1	<0.1	41
116232	Rock	4.10	0.017	1.1	42.6	3.0	68	0.1	14.8	4.3	309	2.36	10.1	1.6	4.6	8.4	20	<0.1	0.1	0.1	80
116233	Rock	4.33	0.041	1.1	40.4	2.7	54	0.1	9.4	2.5	255	2.09	9.5	1.0	45.4	5.0	12	<0.1	0.1	<0.1	74
116234	Rock	2.49	0.019	0.8	32.5	1.9	45	<0.1	12.0	3.4	327	1.78	3.0	1.0	11.2	4.2	12	<0.1	<0.1	0.2	91
116235	Rock	2.26	0.037	1.0	45.8	3.6	54	0.2	10.2	3.5	313	2.39	4.2	0.8	10.8	6.4	16	<0.1	<0.1	0.2	86
116236	Rock	3.36	0.210	1.1	15.8	2.2	43	0.1	9.2	2.9	182	1.69	2.9	0.9	214.6	12.0	16	<0.1	<0.1	1.2	46
116237	Rock	3.26	0.032	1.2	12.4	2.0	47	<0.1	7.5	2.7	210	1.60	8.6	1.7	29.9	21.4	15	<0.1	0.2	0.2	8
116238	Rock	2.41	0.033	1.0	9.1	2.3	36	0.1	6.4	1.8	158	1.30	5.3	1.3	35.8	18.2	18	<0.1	0.1	0.3	8
116239	Rock	3.29	0.015	1.0	12.5	2.2	45	<0.1	14.8	4.7	239	1.30	5.4	1.3	13.7	16.8	13	<0.1	0.2	0.1	25
116240	Rock	3.33	0.007	0.6	9.2	2.0	32	<0.1	7.5	1.7	159	1.02	3.0	0.8	9.8	18.7	12	<0.1	<0.1	<0.1	5
116241	Rock	3.47	0.007	1.2	24.1	2.1	62	<0.1	17.8	4.2	253	1.83	9.8	1.3	7.0	10.2	13	0.1	0.1	<0.1	68
116242	Rock	3.03	0.030	0.9	11.2	2.5	25	0.1	6.1	1.6	134	1.13	11.5	1.1	19.0	19.8	15	<0.1	0.1	0.2	7
116243	Rock	2.69	0.021	0.7	19.5	3.3	42	0.1	8.9	2.6	176	1.54	10.9	1.1	18.1	20.5	16	0.2	0.2	0.1	20
116244	Rock	4.18	0.032	1.6	12.5	3.1	47	0.1	7.5	1.6	164	1.27	24.0	1.1	36.4	22.3	16	0.2	0.2	0.3	14
116245	Rock	0.79	<0.005	0.3	1.9	1.2	6	<0.1	2.0	0.6	93	0.33	1.7	0.1	<0.5	0.7	11	<0.1	0.2	<0.1	<2
116246	Rock Pulp	0.10	0.989	1.3	55.0	7.1	65	0.2	116.2	27.8	674	4.34	1535	0.4	982.1	1.8	60	<0.1	1.3	0.1	22
116247	Rock	3.10	0.203	1.7	5.2	3.2	54	0.2	5.1	1.7	162	1.25	15.5	1.2	223.3	25.1	15	0.2	0.2	1.3	5
116248	Rock	3.59	1.956	2.0	13.7	5.7	102	0.7	8.0	1.2	122	1.21	23.7	1.9	1726	25.5	15	0.2	0.3	8.7	8
116249	Rock	3.40	0.305	1.4	9.4	5.3	44	0.4	5.3	2.1	143	1.23	12.9	1.2	473.9	18.8	15	0.2	0.2	1.9	14
116250	Rock	3.45	0.071	0.7	7.3	2.0	29	<0.1	3.0	1.2	134	1.10	5.0	1.0	66.6	17.7	15	0.1	0.1	0.6	5
116251	Rock	4.45	0.014	0.7	9.5	2.3	34	<0.1	4.0	1.7	159	1.25	4.8	1.0	21.0	20.3	15	<0.1	<0.1	0.2	5
116252	Rock	4.47	0.211	0.7	11.1	3.2	39	0.2	3.8	1.2	153	1.27	15.2	1.2	187.1	21.5	15	0.2	0.1	0.9	5
116253	Rock	3.86	0.393	0.8	11.7	3.3	36	0.3	3.4	1.4	141	1.16	9.9	1.3	393.4	21.3	13	0.2	0.2	2.0	6
116254	Rock	3.34	0.041	1.0	10.0	2.3	34	<0.1	3.3	1.8	181	1.23	8.7	1.6	41.9	22.4	14	0.1	0.1	0.3	6
116255	Rock	3.33	0.124	0.9	12.9	3.0	39	0.1	4.3	1.8	178	1.36	17.2	1.8	77.8	20.0	13	0.1	0.2	0.8	8
116256	Rock	3.54	0.610	1.1	11.2	3.2	32	0.4	3.4	1.4	151	1.23	12.3	1.7	687.7	18.4	18	0.1	0.1	3.0	8
116257	Rock	3.95	0.130	1.2	13.5	3.9	41	0.3	5.6	2.5	157	1.37	28.7	2.1	172.4	19.6	14	0.2	0.2	1.1	13
116258	Rock	4.50	0.131	1.5	13.3	3.8	40	0.3	5.6	2.0	160	1.47	23.4	2.6	172.0	21.1	18	0.2	0.3	0.8	14
116259	Rock	2.72	0.109	1.1	12.0	3.5	31	0.2	4.6	1.9	148	1.37	16.7	2.0	119.9	20.6	18	0.1	0.2	0.7	11
116260	Rock	3.43	0.098	1.0	11.8	3.1	33	0.2	4.7	2.0	144	1.40	12.7	2.0	89.1	19.3	17	0.1	0.2	0.6	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND
 Report Date: October 26, 2010

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000573.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
116231	Rock	0.08	0.020	45	20	0.32	333	0.089	<1	1.05	0.028	0.46	<0.1	<0.01	2.6	0.2	<0.05	4	<0.5	<0.2
116232	Rock	0.10	0.025	102	45	0.68	499	0.157	<1	1.34	0.010	0.65	<0.1	<0.01	4.0	0.3	0.06	5	0.8	<0.2
116233	Rock	0.04	0.021	32	38	0.64	835	0.143	<1	1.37	0.021	0.69	<0.1	<0.01	2.8	0.3	0.11	4	1.3	<0.2
116234	Rock	0.09	0.033	34	46	0.55	916	0.146	<1	1.25	0.025	0.56	0.1	<0.01	3.8	0.2	<0.05	4	0.6	<0.2
116235	Rock	0.06	0.029	31	46	0.64	791	0.176	<1	1.57	0.025	0.79	<0.1	<0.01	4.1	0.3	0.16	5	1.3	<0.2
116236	Rock	0.10	0.028	39	17	0.25	386	0.095	<1	1.08	0.033	0.43	<0.1	<0.01	3.1	0.2	<0.05	4	<0.5	<0.2
116237	Rock	0.10	0.019	57	4	0.08	265	0.044	1	0.89	0.037	0.26	<0.1	<0.01	2.7	0.1	<0.05	3	<0.5	<0.2
116238	Rock	0.08	0.015	52	3	0.08	245	0.036	<1	0.76	0.033	0.20	<0.1	<0.01	2.1	0.1	<0.05	3	<0.5	<0.2
116239	Rock	0.10	0.025	68	13	0.15	225	0.047	<1	0.87	0.026	0.28	<0.1	<0.01	1.9	0.1	<0.05	3	<0.5	<0.2
116240	Rock	0.08	0.016	46	2	0.06	188	0.033	<1	0.73	0.032	0.23	<0.1	<0.01	1.2	<0.1	<0.05	2	<0.5	<0.2
116241	Rock	0.16	0.060	60	30	0.33	287	0.105	<1	1.08	0.023	0.50	<0.1	<0.01	3.5	0.2	<0.05	5	<0.5	<0.2
116242	Rock	0.08	0.016	54	4	0.07	220	0.030	<1	0.66	0.033	0.23	<0.1	<0.01	1.8	0.1	<0.05	2	<0.5	<0.2
116243	Rock	0.10	0.018	58	11	0.17	294	0.055	<1	0.94	0.030	0.30	<0.1	<0.01	3.0	0.1	<0.05	4	<0.5	<0.2
116244	Rock	0.13	0.041	72	6	0.11	297	0.035	<1	0.76	0.028	0.26	<0.1	<0.01	1.6	0.1	<0.05	2	<0.5	<0.2
116245	Rock	0.02	0.003	2	2	<0.01	117	0.001	<1	0.05	0.002	0.02	<0.1	0.04	0.1	<0.1	<0.05	<1	<0.5	<0.2
116246	Rock Pulp	0.87	0.121	14	28	2.01	72	0.094	1	0.89	0.205	0.06	0.3	<0.01	1.7	<0.1	0.45	3	1.3	0.3
116247	Rock	0.09	0.018	73	2	0.07	269	0.034	<1	0.77	0.033	0.24	<0.1	<0.01	1.9	<0.1	<0.05	3	<0.5	<0.2
116248	Rock	0.09	0.027	73	4	0.06	203	0.018	<1	0.67	0.025	0.17	<0.1	<0.01	1.6	<0.1	<0.05	2	0.6	0.7
116249	Rock	0.07	0.024	52	5	0.07	235	0.030	<1	0.75	0.033	0.21	<0.1	<0.01	1.8	<0.1	<0.05	2	<0.5	0.3
116250	Rock	0.08	0.013	40	3	0.07	216	0.032	<1	0.70	0.035	0.21	<0.1	<0.01	2.7	<0.1	<0.05	3	<0.5	0.2
116251	Rock	0.10	0.018	46	3	0.07	278	0.040	<1	0.77	0.037	0.23	<0.1	<0.01	3.5	<0.1	<0.05	3	<0.5	<0.2
116252	Rock	0.08	0.013	62	3	0.06	257	0.037	<1	0.70	0.038	0.23	<0.1	<0.01	3.7	0.1	<0.05	3	<0.5	<0.2
116253	Rock	0.06	0.015	60	3	0.05	207	0.031	<1	0.61	0.035	0.19	<0.1	<0.01	3.1	<0.1	<0.05	2	0.5	0.6
116254	Rock	0.07	0.015	60	3	0.06	213	0.030	<1	0.63	0.034	0.21	<0.1	<0.01	4.5	0.1	<0.05	3	<0.5	<0.2
116255	Rock	0.07	0.016	65	5	0.07	223	0.031	<1	0.72	0.033	0.19	<0.1	<0.01	3.9	<0.1	<0.05	3	<0.5	<0.2
116256	Rock	0.07	0.015	53	4	0.07	228	0.033	<1	0.63	0.038	0.18	<0.1	<0.01	3.9	<0.1	<0.05	3	<0.5	0.7
116257	Rock	0.07	0.017	58	6	0.09	219	0.030	<1	0.81	0.031	0.17	<0.1	<0.01	3.7	<0.1	<0.05	3	<0.5	0.2
116258	Rock	0.09	0.025	75	7	0.08	277	0.035	<1	0.76	0.040	0.17	<0.1	<0.01	3.7	<0.1	<0.05	3	0.6	0.4
116259	Rock	0.07	0.017	53	6	0.08	284	0.037	<1	0.72	0.041	0.18	<0.1	<0.01	3.5	<0.1	<0.05	3	<0.5	0.5
116260	Rock	0.09	0.018	46	6	0.09	274	0.052	<1	0.68	0.030	0.16	<0.1	<0.01	4.6	<0.1	<0.05	3	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND
 Report Date: October 26, 2010

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000573.1

Method	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
116261	Rock	3.31	0.079	1.2	13.9	3.1	35	0.2	5.7	2.5	169	1.43	15.7	2.3	130.1	16.6	23	0.2	0.2	0.6	17
116262	Rock	3.43	4.053	1.4	13.3	6.2	62	1.4	6.0	2.3	145	1.49	120.4	2.3	3855	20.1	28	0.4	0.4	22.2	13
116263	Rock	2.52	0.135	1.2	16.0	4.3	49	0.3	7.3	3.2	184	1.89	53.2	2.1	111.6	21.1	23	0.2	0.3	0.8	18
116264	Rock	3.56	0.080	1.2	11.5	4.0	35	0.2	5.3	2.1	147	1.45	17.5	1.7	49.8	20.0	19	0.2	0.2	0.7	13
116265	Rock	3.27	0.060	0.9	14.0	3.5	37	0.2	9.1	2.4	145	1.42	33.7	1.8	52.2	17.3	22	0.2	0.2	0.5	14
116266	Rock	2.73	0.085	1.2	12.1	4.0	29	0.2	5.7	2.2	142	1.33	146.0	1.9	76.9	19.1	19	0.2	0.3	0.8	12
116001	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
116002	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
116003	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND
Report Date: October 26, 2010

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000573.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
116261	Rock	0.16	0.032	51	8	0.11	336	0.055	1	0.81	0.045	0.17	<0.1	<0.01	4.6	<0.1	<0.05	3	0.6	<0.2
116262	Rock	0.09	0.020	65	7	0.10	251	0.036	<1	0.68	0.030	0.14	<0.1	<0.01	3.5	<0.1	<0.05	2	0.5	4.1
116263	Rock	0.11	0.025	79	9	0.14	323	0.051	1	0.81	0.038	0.19	<0.1	<0.01	4.8	<0.1	<0.05	3	<0.5	<0.2
116264	Rock	0.08	0.020	52	6	0.10	258	0.039	1	0.63	0.033	0.17	<0.1	<0.01	3.4	<0.1	<0.05	3	0.9	<0.2
116265	Rock	0.13	0.031	49	7	0.11	320	0.041	1	0.69	0.041	0.17	<0.1	<0.01	3.1	<0.1	<0.05	3	0.6	0.4
116266	Rock	0.09	0.019	53	6	0.10	255	0.030	1	0.55	0.032	0.14	<0.1	<0.01	2.7	<0.1	<0.05	2	<0.5	<0.2
116001	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
116002	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
116003	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: IND
Report Date: October 26, 2010

Page: 1 of 2 **Part** 1

QUALITY CONTROL REPORT

WHI10000573.1

Method	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V		
Unit	kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1		
Pulp Duplicates																						
REP G1	QC	<0.005																				
116218	Rock	4.89	0.236	1.2	8.2	3.8	45	0.2	3.0	1.6	123	1.65	14.2	2.4	198.7	28.4	20	0.1	0.2	1.2	7	
REP 116218	QC			1.1	7.9	3.5	44	0.2	2.9	1.5	122	1.60	14.3	2.3	172.3	27.0	19	0.1	0.2	1.1	7	
116233	Rock	4.33	0.041	1.1	40.4	2.7	54	0.1	9.4	2.5	255	2.09	9.5	1.0	45.4	5.0	12	<0.1	0.1	<0.1	74	
REP 116233	QC			0.065																		
116246	Rock Pulp	0.10	0.989	1.3	55.0	7.1	65	0.2	116.2	27.8	674	4.34	1535	0.4	982.1	1.8	60	<0.1	1.3	0.1	22	
REP 116246	QC			1.2	55.9	7.1	67	0.2	118.4	28.9	690	4.37	1563	0.4	905.3	1.6	57	<0.1	1.2	0.1	22	
116262	Rock	3.43	4.053	1.4	13.3	6.2	62	1.4	6.0	2.3	145	1.49	120.4	2.3	3855	20.1	28	0.4	0.4	22.2	13	
REP 116262	QC			4.199																		
116264	Rock	3.56	0.080	1.2	11.5	4.0	35	0.2	5.3	2.1	147	1.45	17.5	1.7	49.8	20.0	19	0.2	0.2	0.7	13	
REP 116264	QC			1.0	11.5	3.8	32	0.3	4.9	2.0	141	1.42	16.5	1.8	103.3	19.4	18	0.1	0.2	0.6	13	
Core Reject Duplicates																						
116206	Rock	3.13	0.289	1.8	15.6	2.4	49	0.5	7.1	2.5	82	1.20	2.6	1.5	319.8	16.8	26	0.8	0.1	1.7	6	
DUP 116206	QC	<0.01	0.316	1.4	16.1	2.5	50	0.5	7.3	2.4	86	1.21	2.1	1.5	294.2	17.5	28	0.9	0.1	1.9	6	
116241	Rock	3.47	0.007	1.2	24.1	2.1	62	<0.1	17.8	4.2	253	1.83	9.8	1.3	7.0	10.2	13	0.1	0.1	<0.1	68	
DUP 116241	QC	<0.01	0.009	1.5	25.8	2.3	64	<0.1	18.8	4.3	257	1.88	10.6	1.4	9.4	11.0	13	0.1	0.1	0.1	73	
Reference Materials																						
STD DS7	Standard			21.8	112.4	69.7	396	1.0	56.9	9.3	622	2.43	49.8	4.9	87.0	4.6	75	5.5	5.8	4.6	82	
STD DS7	Standard			22.5	113.3	65.8	399	1.0	58.8	9.4	640	2.42	48.8	4.8	58.8	4.7	78	5.6	5.6	4.3	83	
STD DS7	Standard			21.0	111.5	74.3	396	1.1	54.9	10.2	636	2.44	52.1	5.2	122.2	5.2	75	6.6	6.5	5.0	84	
STD DS7	Standard			20.6	110.8	72.4	395	1.0	54.8	10.2	648	2.45	53.4	5.2	97.1	5.3	78	6.9	6.5	4.9	84	
STD DS7	Standard			20.0	111.3	70.3	387	1.0	56.6	9.4	628	2.43	49.5	5.2	64.3	5.0	74	6.2	5.5	4.7	82	
STD DS7	Standard			20.7	110.6	68.0	392	0.9	58.2	9.8	636	2.43	48.8	4.9	75.1	5.3	82	6.2	5.8	4.6	84	
STD DS7	Standard			21.2	102.5	64.8	396	1.0	53.5	9.4	616	2.37	51.5	4.5	65.5	4.3	70	5.9	5.7	4.4	84	
STD DS7	Standard			20.9	101.9	67.0	401	1.1	54.1	9.3	612	2.37	51.8	4.9	80.2	4.6	72	6.0	5.5	4.6	85	
STD OXH66	Standard			1.314																		
STD OXH66	Standard			1.346																		
STD OXH66	Standard			1.286																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
 Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND
 Report Date: October 26, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000573.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
Pulp Duplicates																				
REP G1	QC																			
116218	Rock	0.09	0.024	74	2	0.08	281	0.026	<1	0.93	0.043	0.19	<0.1	<0.01	3.2	<0.1	<0.05	5	0.6	0.2
REP 116218	QC	0.09	0.023	71	2	0.08	266	0.025	<1	0.90	0.042	0.19	<0.1	<0.01	3.1	<0.1	<0.05	5	0.7	0.3
116233	Rock	0.04	0.021	32	38	0.64	835	0.143	<1	1.37	0.021	0.69	<0.1	<0.01	2.8	0.3	0.11	4	1.3	<0.2
REP 116233	QC																			
116246	Rock Pulp	0.87	0.121	14	28	2.01	72	0.094	1	0.89	0.205	0.06	0.3	<0.01	1.7	<0.1	0.45	3	1.3	0.3
REP 116246	QC	0.90	0.117	12	28	1.95	67	0.098	1	0.86	0.206	0.06	0.2	<0.01	1.6	<0.1	0.47	3	0.9	<0.2
116262	Rock	0.09	0.020	65	7	0.10	251	0.036	<1	0.68	0.030	0.14	<0.1	<0.01	3.5	<0.1	<0.05	2	0.5	4.1
REP 116262	QC																			
116264	Rock	0.08	0.020	52	6	0.10	258	0.039	1	0.63	0.033	0.17	<0.1	<0.01	3.4	<0.1	<0.05	3	0.9	<0.2
REP 116264	QC	0.08	0.020	52	6	0.10	262	0.039	<1	0.62	0.033	0.17	<0.1	0.01	3.4	<0.1	<0.05	3	0.6	<0.2
Core Reject Duplicates																				
116206	Rock	0.07	0.020	36	2	0.06	227	0.029	<1	0.58	0.051	0.22	<0.1	<0.01	3.3	<0.1	0.06	3	0.9	<0.2
DUP 116206	QC	0.07	0.020	36	2	0.06	244	0.029	<1	0.61	0.056	0.23	<0.1	<0.01	3.4	<0.1	0.06	3	1.1	0.5
116241	Rock	0.16	0.060	60	30	0.33	287	0.105	<1	1.08	0.023	0.50	<0.1	<0.01	3.5	0.2	<0.05	5	<0.5	<0.2
DUP 116241	QC	0.15	0.063	64	31	0.33	310	0.104	<1	1.13	0.023	0.51	<0.1	<0.01	3.3	0.2	<0.05	5	0.5	<0.2
Reference Materials																				
STD DS7	Standard	0.99	0.071	13	218	1.07	406	0.128	38	1.06	0.100	0.46	3.6	0.24	2.4	4.1	0.21	5	3.2	2.1
STD DS7	Standard	1.02	0.074	14	217	1.06	404	0.137	40	1.08	0.103	0.46	3.8	0.20	2.6	3.9	0.21	5	3.4	1.5
STD DS7	Standard	1.02	0.081	14	209	1.08	408	0.126	41	1.08	0.099	0.48	3.8	0.21	2.6	4.5	0.21	5	3.4	1.7
STD DS7	Standard	1.03	0.083	15	209	1.09	421	0.130	41	1.11	0.103	0.48	3.8	0.22	2.6	4.4	0.20	5	3.5	1.7
STD DS7	Standard	0.98	0.076	14	222	1.07	357	0.129	43	1.06	0.097	0.46	3.2	0.22	2.5	3.8	0.20	5	3.1	1.0
STD DS7	Standard	1.02	0.077	15	231	1.06	369	0.143	40	1.14	0.105	0.46	3.3	0.21	2.6	3.9	0.20	5	3.3	0.7
STD DS7	Standard	0.93	0.080	12	220	1.04	361	0.109	37	1.00	0.088	0.45	3.6	0.21	2.2	4.0	0.18	5	3.6	1.2
STD DS7	Standard	0.95	0.081	13	224	1.04	394	0.110	41	1.02	0.091	0.47	4.2	0.22	2.3	4.3	0.19	5	3.1	1.0
STD OXH66	Standard																			
STD OXH66	Standard																			
STD OXH66	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**

Suite 2020 - 401 W. Georgia Street
 Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: October 26, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000573.1

		WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1
STD OXK79	Standard	3.616																			
STD OXK79	Standard	3.646																			
STD OXK79	Standard	3.595																			
STD OXH66 Expected		1.285																			
STD OXK79 Expected		3.532																			
STD DS7 Expected				20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1	Prep Blank	<0.005		0.1	2.8	3.1	46	<0.1	1.3	3.8	565	1.92	<0.5	1.7	<0.5	6.4	56	<0.1	<0.1	<0.1	38
G1	Prep Blank			0.1	2.4	3.1	45	<0.1	1.2	3.6	562	1.95	0.5	2.0	<0.5	6.8	58	<0.1	<0.1	<0.1	38
G1	Prep Blank	<0.005																			



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: October 26, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000573.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXH66 Expected																					
STD OXK79 Expected																					
STD DS7 Expected		0.93	0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																					
G1	Prep Blank	0.57	0.080	16	2	0.46	102	0.116	1	0.80	0.084	0.42	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2	
G1	Prep Blank	0.57	0.080	17	2	0.48	107	0.122	<1	0.83	0.093	0.43	<0.1	<0.01	2.0	0.4	<0.05	5	<0.5	<0.2	
G1	Prep Blank																				

Appendix F: Compact Disc

Report text, geochemical and drill databases, geophysical files, drafting and plot files, photographs

Appendix G: Geologist's Certificate

GEOLOGIST'S CERTIFICATE

David A. Swanton
402-1595 East 6th Avenue
Vancouver, British Columbia
daves@equityexploration.com

I, David Swanton, do hereby certify that:

- I am a Project Geologist with Equity Exploration Consultants Ltd, with offices at Suite 200-900 West Hastings St., Vancouver, British Columbia.
- I am a graduate of the University of British Columbia (2004) with a Bachelor of Science degree and of Acadia University (2010) with a Master of Science degree in Geology.
- I have been involved in the mineral exploration industry since 2006.
- I have prepared this report based on data provided to me by Aldrin Resource Corporation.

Dated at Vancouver, British Columbia, this ___20___ day of ___January_____, 2011.



David Swanton, M.Sc.