



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street  
Vancouver BC V6B 5A1 Canada

Submitted By: Bert Jeffries

Receiving Lab: Canada-Whitehorse

Received: October 02, 2010

Report Date: October 26, 2010

Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI10000573.1

### CLIENT JOB INFORMATION

Project: IND  
Shipment ID: 1  
P.O. Number  
Number of Samples: 69

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Aldrin Resource Corporation  
Suite 2020 - 401 W. Georgia Street  
Vancouver BC V6B 5A1  
Canada

CC: Jean Pautler  
Johnathan More

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	64	Crush, split and pulverize 250 g rock to 200 mesh			VAN
G601	66	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
1DX2	66	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.  
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.  
\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Aldrin Resource Corporation**

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

IND

Report Date:

October 26, 2010

Page:

2 of 4

Part 1

## CERTIFICATE OF ANALYSIS

WHI10000573.1

	Method Analyte Unit MDL	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
116201	Rock	4.47	1.186	2.7	17.1	3.9	41	0.4	6.7	1.5	101	1.31	6.5	1.5	774.0	20.4	26	0.2	0.3	7.8	11
116202	Rock	3.48	0.127	2.9	22.1	3.1	52	0.2	7.2	1.9	97	1.27	5.1	1.9	155.8	20.0	20	0.2	0.2	1.2	8
116203	Rock	4.35	0.094	2.2	19.3	3.1	85	0.2	12.1	2.4	128	1.73	4.2	1.7	80.8	20.8	27	0.3	0.2	0.8	12
116204	Rock	3.07	0.161	1.6	11.8	2.5	58	0.2	5.7	1.8	146	1.52	2.4	1.7	140.6	19.8	22	0.2	0.1	1.4	11
116205	Rock	2.95	0.244	1.8	18.0	3.0	61	0.3	7.5	2.1	127	1.52	4.3	1.5	248.7	20.3	27	0.2	0.2	1.8	11
116206	Rock	3.13	0.289	1.8	15.6	2.4	49	0.5	7.1	2.5	82	1.20	2.6	1.5	319.8	16.8	26	0.8	0.1	1.7	6
116207	Rock	3.07	0.058	1.3	13.3	2.6	69	0.4	10.5	3.4	87	1.24	20.3	1.9	73.8	22.0	29	0.6	0.1	0.5	6
116208	Rock	4.28	0.407	1.3	14.5	3.0	38	0.3	6.1	1.8	113	1.21	22.6	1.7	475.1	21.7	28	0.2	0.2	2.9	8
116209	Rock	4.31	0.207	2.2	19.7	3.9	39	0.3	6.3	1.6	78	1.36	83.4	2.3	187.8	23.1	20	0.3	0.3	1.6	7
116210	Rock	3.48	0.139	1.7	15.6	3.9	33	0.3	3.3	0.6	47	1.74	74.4	2.8	166.3	27.5	15	0.3	0.2	0.8	5
116211	Rock	4.99	0.087	1.5	11.3	3.9	29	0.2	2.5	0.9	68	1.82	57.4	2.2	136.5	27.5	20	0.1	0.3	0.8	8
116212	Rock	4.89	0.085	1.1	9.5	3.9	29	0.2	2.4	1.1	70	1.54	46.9	2.4	99.8	27.9	17	<0.1	0.3	1.0	5
116213	Rock	3.28	1.359	1.1	8.9	5.9	31	1.2	1.9	0.7	61	1.42	90.4	2.2	1486	24.8	16	0.1	0.3	5.8	5
116214	Rock	3.50	0.681	1.1	9.4	5.3	27	0.7	1.8	0.8	74	1.33	54.5	1.6	599.1	22.2	25	0.2	0.3	3.6	6
116215	Rock	4.54	0.109	1.0	9.0	2.9	28	0.4	1.8	0.9	91	1.66	19.2	1.6	168.9	26.1	36	<0.1	0.1	0.9	7
116216	Rock	4.37	0.199	1.0	9.6	4.0	27	0.4	2.4	1.1	75	1.44	35.4	1.7	203.3	24.9	33	0.1	0.2	1.2	5
116217	Rock	4.33	0.042	1.1	9.9	5.3	33	0.2	2.4	1.3	93	1.61	46.6	1.8	52.3	23.3	24	<0.1	0.3	0.5	6
116218	Rock	4.89	0.236	1.2	8.2	3.8	45	0.2	3.0	1.6	123	1.65	14.2	2.4	198.7	28.4	20	0.1	0.2	1.2	7
116219	Rock	3.13	0.208	1.3	8.3	3.9	33	0.3	2.9	1.4	103	1.67	14.8	2.1	299.7	23.2	19	<0.1	0.2	1.5	9
116220	Rock	3.19	0.063	0.9	9.0	2.3	32	0.3	1.6	0.7	104	1.37	3.6	1.7	60.6	26.1	25	0.1	<0.1	0.4	7
116221	Rock	1.31	<0.005	0.2	1.3	2.4	4	<0.1	1.7	0.4	72	0.33	1.5	0.1	1.0	0.8	13	0.2	0.2	<0.1	<2
116222	Rock Pulp	0.10	1.051	1.2	55.6	7.9	68	0.2	117.8	29.7	699	4.39	1578	0.3	1080	1.7	62	0.1	1.5	0.1	24
116223	Rock	4.08	0.090	1.2	8.5	4.2	51	0.2	3.2	2.0	130	1.75	12.1	2.5	41.6	29.5	19	0.1	0.2	0.6	9
116224	Rock	4.67	0.054	1.3	9.0	3.0	57	0.2	3.7	2.5	155	1.92	38.6	2.0	50.9	26.8	19	0.1	0.2	0.3	10
116225	Rock	4.64	0.198	1.1	9.2	3.4	42	0.4	2.8	1.9	108	1.75	12.5	1.9	173.5	26.0	27	0.1	0.2	1.2	7
116226	Rock	5.21	0.073	1.3	10.1	2.8	36	0.3	2.3	1.5	114	1.70	8.6	1.9	96.7	26.1	27	<0.1	0.1	0.6	8
116227	Rock	5.35	0.260	1.3	10.4	2.8	47	0.4	2.4	1.5	104	1.67	20.8	1.8	235.0	25.7	19	0.1	0.1	1.6	7
116228	Rock	5.37	0.092	1.1	9.4	2.7	47	0.1	3.4	1.7	108	1.54	261.5	1.6	90.4	22.6	15	0.2	0.2	0.5	7
116229	Rock	4.85	0.059	1.1	11.2	2.5	56	0.1	3.3	1.6	133	1.64	136.0	1.7	45.1	22.6	18	0.2	0.2	0.2	7
116230	Rock	3.72	0.026	0.8	9.0	2.0	52	<0.1	3.3	1.5	129	1.43	10.9	1.1	26.5	20.2	16	<0.1	<0.1	0.2	6



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Aldrin Resource Corporation**  
Suite 2020 - 401 W. Georgia Street  
Vancouver BC V6B 5A1 Canada

Project: IND  
Report Date: October 26, 2010

Page: 2 of 4 Part 2

## CERTIFICATE OF ANALYSIS

WHI10000573.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
116201	Rock	0.06	0.021	54	4	0.06	210	0.020	1	0.63	0.052	0.19	<0.1	<0.01	1.9	0.1	0.06	3	1.5	1.3
116202	Rock	0.05	0.019	50	3	0.06	210	0.024	<1	0.69	0.042	0.19	<0.1	<0.01	2.0	0.1	<0.05	3	1.4	<0.2
116203	Rock	0.07	0.025	67	5	0.10	296	0.052	<1	0.95	0.051	0.30	<0.1	<0.01	2.3	0.2	<0.05	4	1.1	0.3
116204	Rock	0.07	0.023	54	4	0.10	269	0.058	<1	0.82	0.043	0.30	<0.1	<0.01	2.6	0.1	<0.05	4	0.8	0.3
116205	Rock	0.05	0.020	59	4	0.07	230	0.037	<1	0.77	0.046	0.24	<0.1	<0.01	2.7	0.1	0.06	4	1.3	0.3
116206	Rock	0.07	0.020	36	2	0.06	227	0.029	<1	0.58	0.051	0.22	<0.1	<0.01	3.3	<0.1	0.06	3	0.9	<0.2
116207	Rock	0.06	0.022	60	2	0.06	248	0.030	1	0.65	0.051	0.23	<0.1	<0.01	2.7	<0.1	0.08	3	0.8	<0.2
116208	Rock	0.06	0.021	56	3	0.06	218	0.025	<1	0.67	0.049	0.18	<0.1	<0.01	2.6	<0.1	<0.05	3	1.1	0.7
116209	Rock	0.03	0.024	62	3	0.04	225	0.008	1	0.65	0.047	0.20	<0.1	0.02	2.0	<0.1	<0.05	3	2.6	<0.2
116210	Rock	0.03	0.025	89	2	0.02	156	0.003	1	0.52	0.032	0.14	<0.1	0.02	2.2	<0.1	<0.05	2	1.3	<0.2
116211	Rock	0.03	0.021	52	2	0.02	198	0.006	1	0.59	0.040	0.17	<0.1	0.02	2.6	<0.1	<0.05	3	1.8	0.3
116212	Rock	0.03	0.024	74	2	0.03	182	0.005	<1	0.59	0.037	0.15	<0.1	0.01	2.8	<0.1	<0.05	3	1.2	0.5
116213	Rock	0.04	0.021	78	2	0.03	168	0.006	<1	0.60	0.035	0.16	<0.1	0.03	2.6	<0.1	<0.05	3	1.3	1.5
116214	Rock	0.06	0.019	58	2	0.05	219	0.018	<1	0.67	0.044	0.21	<0.1	0.02	3.2	<0.1	<0.05	3	1.0	0.5
116215	Rock	0.06	0.022	60	2	0.06	260	0.026	1	0.74	0.057	0.21	<0.1	0.01	4.2	0.1	0.08	3	1.0	<0.2
116216	Rock	0.05	0.028	117	2	0.04	201	0.010	<1	0.73	0.042	0.15	<0.1	0.02	3.0	<0.1	<0.05	3	0.8	0.2
116217	Rock	0.05	0.022	77	2	0.05	213	0.010	<1	0.72	0.045	0.17	<0.1	0.01	2.7	<0.1	<0.05	3	0.9	0.3
116218	Rock	0.09	0.024	74	2	0.08	281	0.026	<1	0.93	0.043	0.19	<0.1	<0.01	3.2	<0.1	<0.05	5	0.6	0.2
116219	Rock	0.07	0.022	45	3	0.08	263	0.029	<1	0.76	0.042	0.18	<0.1	0.01	2.9	<0.1	<0.05	4	1.0	0.4
116220	Rock	0.10	0.023	31	2	0.09	465	0.062	<1	0.76	0.052	0.24	<0.1	<0.01	4.3	0.1	0.06	4	0.7	<0.2
116221	Rock	0.02	0.003	1	2	<0.01	136	<0.001	<1	0.06	0.003	0.02	<0.1	0.04	0.1	<0.1	<0.05	<1	<0.5	<0.2
116222	Rock Pulp	0.95	0.124	13	29	2.08	75	0.098	1	1.02	0.233	0.06	0.3	<0.01	2.1	<0.1	0.47	3	1.0	0.6
116223	Rock	0.10	0.024	91	3	0.11	315	0.029	1	0.88	0.040	0.19	<0.1	0.02	3.1	<0.1	<0.05	5	1.0	<0.2
116224	Rock	0.11	0.022	94	4	0.11	333	0.045	<1	0.90	0.044	0.24	<0.1	0.01	3.7	0.1	<0.05	5	0.8	<0.2
116225	Rock	0.07	0.023	84	3	0.08	336	0.023	<1	0.87	0.052	0.21	<0.1	<0.01	3.4	<0.1	<0.05	4	0.9	<0.2
116226	Rock	0.07	0.023	66	3	0.09	294	0.043	<1	0.77	0.041	0.19	<0.1	<0.01	3.7	0.2	<0.05	4	0.9	<0.2
116227	Rock	0.07	0.023	80	3	0.09	260	0.034	<1	0.80	0.034	0.19	<0.1	<0.01	3.6	0.1	<0.05	4	0.7	0.4
116228	Rock	0.08	0.023	67	3	0.09	262	0.027	<1	0.71	0.026	0.15	<0.1	0.01	2.3	<0.1	<0.05	4	<0.5	<0.2
116229	Rock	0.10	0.021	66	2	0.10	306	0.041	<1	0.77	0.036	0.24	<0.1	<0.01	3.1	0.1	<0.05	4	<0.5	<0.2
116230	Rock	0.10	0.020	60	<1	0.10	287	0.039	<1	0.79	0.037	0.24	<0.1	<0.01	2.9	0.2	<0.05	4	<0.5	0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Aldrin Resource Corporation**

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

IND

Report Date:

October 26, 2010

Page:

3 of 4

Part 1

## CERTIFICATE OF ANALYSIS

WHI10000573.1

	Method Analyte Unit MDL	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
116231	Rock	4.08	0.007	1.0	25.8	3.0	56	<0.1	8.9	2.9	160	1.59	6.3	1.1	5.5	10.6	15	<0.1	<0.1	<0.1	41
116232	Rock	4.10	0.017	1.1	42.6	3.0	68	0.1	14.8	4.3	309	2.36	10.1	1.6	4.6	8.4	20	<0.1	0.1	0.1	80
116233	Rock	4.33	0.041	1.1	40.4	2.7	54	0.1	9.4	2.5	255	2.09	9.5	1.0	45.4	5.0	12	<0.1	0.1	<0.1	74
116234	Rock	2.49	0.019	0.8	32.5	1.9	45	<0.1	12.0	3.4	327	1.78	3.0	1.0	11.2	4.2	12	<0.1	<0.1	0.2	91
116235	Rock	2.26	0.037	1.0	45.8	3.6	54	0.2	10.2	3.5	313	2.39	4.2	0.8	10.8	6.4	16	<0.1	<0.1	0.2	86
116236	Rock	3.36	0.210	1.1	15.8	2.2	43	0.1	9.2	2.9	182	1.69	2.9	0.9	214.6	12.0	16	<0.1	<0.1	1.2	46
116237	Rock	3.26	0.032	1.2	12.4	2.0	47	<0.1	7.5	2.7	210	1.60	8.6	1.7	29.9	21.4	15	<0.1	0.2	0.2	8
116238	Rock	2.41	0.033	1.0	9.1	2.3	36	0.1	6.4	1.8	158	1.30	5.3	1.3	35.8	18.2	18	<0.1	0.1	0.3	8
116239	Rock	3.29	0.015	1.0	12.5	2.2	45	<0.1	14.8	4.7	239	1.30	5.4	1.3	13.7	16.8	13	<0.1	0.2	0.1	25
116240	Rock	3.33	0.007	0.6	9.2	2.0	32	<0.1	7.5	1.7	159	1.02	3.0	0.8	9.8	18.7	12	<0.1	<0.1	<0.1	5
116241	Rock	3.47	0.007	1.2	24.1	2.1	62	<0.1	17.8	4.2	253	1.83	9.8	1.3	7.0	10.2	13	0.1	0.1	<0.1	68
116242	Rock	3.03	0.030	0.9	11.2	2.5	25	0.1	6.1	1.6	134	1.13	11.5	1.1	19.0	19.8	15	<0.1	0.1	0.2	7
116243	Rock	2.69	0.021	0.7	19.5	3.3	42	0.1	8.9	2.6	176	1.54	10.9	1.1	18.1	20.5	16	0.2	0.2	0.1	20
116244	Rock	4.18	0.032	1.6	12.5	3.1	47	0.1	7.5	1.6	164	1.27	24.0	1.1	36.4	22.3	16	0.2	0.2	0.3	14
116245	Rock	0.79	<0.005	0.3	1.9	1.2	6	<0.1	2.0	0.6	93	0.33	1.7	0.1	<0.5	0.7	11	<0.1	0.2	<0.1	<2
116246	Rock Pulp	0.10	0.989	1.3	55.0	7.1	65	0.2	116.2	27.8	674	4.34	1535	0.4	982.1	1.8	60	<0.1	1.3	0.1	22
116247	Rock	3.10	0.203	1.7	5.2	3.2	54	0.2	5.1	1.7	162	1.25	15.5	1.2	223.3	25.1	15	0.2	0.2	1.3	5
116248	Rock	3.59	1.956	2.0	13.7	5.7	102	0.7	8.0	1.2	122	1.21	23.7	1.9	1726	25.5	15	0.2	0.3	8.7	8
116249	Rock	3.40	0.305	1.4	9.4	5.3	44	0.4	5.3	2.1	143	1.23	12.9	1.2	473.9	18.8	15	0.2	0.2	1.9	14
116250	Rock	3.45	0.071	0.7	7.3	2.0	29	<0.1	3.0	1.2	134	1.10	5.0	1.0	66.6	17.7	15	0.1	0.1	0.6	5
116251	Rock	4.45	0.014	0.7	9.5	2.3	34	<0.1	4.0	1.7	159	1.25	4.8	1.0	21.0	20.3	15	<0.1	<0.1	0.2	5
116252	Rock	4.47	0.211	0.7	11.1	3.2	39	0.2	3.8	1.2	153	1.27	15.2	1.2	187.1	21.5	15	0.2	0.1	0.9	5
116253	Rock	3.86	0.393	0.8	11.7	3.3	36	0.3	3.4	1.4	141	1.16	9.9	1.3	393.4	21.3	13	0.2	0.2	2.0	6
116254	Rock	3.34	0.041	1.0	10.0	2.3	34	<0.1	3.3	1.8	181	1.23	8.7	1.6	41.9	22.4	14	0.1	0.1	0.3	6
116255	Rock	3.33	0.124	0.9	12.9	3.0	39	0.1	4.3	1.8	178	1.36	17.2	1.8	77.8	20.0	13	0.1	0.2	0.8	8
116256	Rock	3.54	0.610	1.1	11.2	3.2	32	0.4	3.4	1.4	151	1.23	12.3	1.7	687.7	18.4	18	0.1	0.1	3.0	8
116257	Rock	3.95	0.130	1.2	13.5	3.9	41	0.3	5.6	2.5	157	1.37	28.7	2.1	172.4	19.6	14	0.2	0.2	1.1	13
116258	Rock	4.50	0.131	1.5	13.3	3.8	40	0.3	5.6	2.0	160	1.47	23.4	2.6	172.0	21.1	18	0.2	0.3	0.8	14
116259	Rock	2.72	0.109	1.1	12.0	3.5	31	0.2	4.6	1.9	148	1.37	16.7	2.0	119.9	20.6	18	0.1	0.2	0.7	11
116260	Rock	3.43	0.098	1.0	11.8	3.1	33	0.2	4.7	2.0	144	1.40	12.7	2.0	89.1	19.3	17	0.1	0.2	0.6	12



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Aldrin Resource Corporation**

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

IND

Report Date:

October 26, 2010

Page:

3 of 4

Part 2

## CERTIFICATE OF ANALYSIS

WHI10000573.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
116231	Rock	0.08	0.020	45	20	0.32	333	0.089	<1	1.05	0.028	0.46	<0.1	<0.01	2.6	0.2	<0.05	4	<0.5	<0.2
116232	Rock	0.10	0.025	102	45	0.68	499	0.157	<1	1.34	0.010	0.65	<0.1	<0.01	4.0	0.3	0.06	5	0.8	<0.2
116233	Rock	0.04	0.021	32	38	0.64	835	0.143	<1	1.37	0.021	0.69	<0.1	<0.01	2.8	0.3	0.11	4	1.3	<0.2
116234	Rock	0.09	0.033	34	46	0.55	916	0.146	<1	1.25	0.025	0.56	0.1	<0.01	3.8	0.2	<0.05	4	0.6	<0.2
116235	Rock	0.06	0.029	31	46	0.64	791	0.176	<1	1.57	0.025	0.79	<0.1	<0.01	4.1	0.3	0.16	5	1.3	<0.2
116236	Rock	0.10	0.028	39	17	0.25	386	0.095	<1	1.08	0.033	0.43	<0.1	<0.01	3.1	0.2	<0.05	4	<0.5	<0.2
116237	Rock	0.10	0.019	57	4	0.08	265	0.044	1	0.89	0.037	0.26	<0.1	<0.01	2.7	0.1	<0.05	3	<0.5	<0.2
116238	Rock	0.08	0.015	52	3	0.08	245	0.036	<1	0.76	0.033	0.20	<0.1	<0.01	2.1	0.1	<0.05	3	<0.5	<0.2
116239	Rock	0.10	0.025	68	13	0.15	225	0.047	<1	0.87	0.026	0.28	<0.1	<0.01	1.9	0.1	<0.05	3	<0.5	<0.2
116240	Rock	0.08	0.016	46	2	0.06	188	0.033	<1	0.73	0.032	0.23	<0.1	<0.01	1.2	<0.1	<0.05	2	<0.5	<0.2
116241	Rock	0.16	0.060	60	30	0.33	287	0.105	<1	1.08	0.023	0.50	<0.1	<0.01	3.5	0.2	<0.05	5	<0.5	<0.2
116242	Rock	0.08	0.016	54	4	0.07	220	0.030	<1	0.66	0.033	0.23	<0.1	<0.01	1.8	0.1	<0.05	2	<0.5	<0.2
116243	Rock	0.10	0.018	58	11	0.17	294	0.055	<1	0.94	0.030	0.30	<0.1	<0.01	3.0	0.1	<0.05	4	<0.5	<0.2
116244	Rock	0.13	0.041	72	6	0.11	297	0.035	<1	0.76	0.028	0.26	<0.1	<0.01	1.6	0.1	<0.05	2	<0.5	<0.2
116245	Rock	0.02	0.003	2	2	<0.01	117	0.001	<1	0.05	0.002	0.02	<0.1	0.04	0.1	<0.1	<0.05	<1	<0.5	<0.2
116246	Rock Pulp	0.87	0.121	14	28	2.01	72	0.094	1	0.89	0.205	0.06	0.3	<0.01	1.7	<0.1	0.45	3	1.3	0.3
116247	Rock	0.09	0.018	73	2	0.07	269	0.034	<1	0.77	0.033	0.24	<0.1	<0.01	1.9	<0.1	<0.05	3	<0.5	<0.2
116248	Rock	0.09	0.027	73	4	0.06	203	0.018	<1	0.67	0.025	0.17	<0.1	<0.01	1.6	<0.1	<0.05	2	0.6	0.7
116249	Rock	0.07	0.024	52	5	0.07	235	0.030	<1	0.75	0.033	0.21	<0.1	<0.01	1.8	<0.1	<0.05	2	<0.5	0.3
116250	Rock	0.08	0.013	40	3	0.07	216	0.032	<1	0.70	0.035	0.21	<0.1	<0.01	2.7	<0.1	<0.05	3	<0.5	0.2
116251	Rock	0.10	0.018	46	3	0.07	278	0.040	<1	0.77	0.037	0.23	<0.1	<0.01	3.5	<0.1	<0.05	3	<0.5	<0.2
116252	Rock	0.08	0.013	62	3	0.06	257	0.037	<1	0.70	0.038	0.23	<0.1	<0.01	3.7	0.1	<0.05	3	<0.5	<0.2
116253	Rock	0.06	0.015	60	3	0.05	207	0.031	<1	0.61	0.035	0.19	<0.1	<0.01	3.1	<0.1	<0.05	2	0.5	0.6
116254	Rock	0.07	0.015	60	3	0.06	213	0.030	<1	0.63	0.034	0.21	<0.1	<0.01	4.5	0.1	<0.05	3	<0.5	<0.2
116255	Rock	0.07	0.016	65	5	0.07	223	0.031	<1	0.72	0.033	0.19	<0.1	<0.01	3.9	<0.1	<0.05	3	<0.5	<0.2
116256	Rock	0.07	0.015	53	4	0.07	228	0.033	<1	0.63	0.038	0.18	<0.1	<0.01	3.9	<0.1	<0.05	3	<0.5	0.7
116257	Rock	0.07	0.017	58	6	0.09	219	0.030	<1	0.81	0.031	0.17	<0.1	<0.01	3.7	<0.1	<0.05	3	<0.5	0.2
116258	Rock	0.09	0.025	75	7	0.08	277	0.035	<1	0.76	0.040	0.17	<0.1	<0.01	3.7	<0.1	<0.05	3	0.6	0.4
116259	Rock	0.07	0.017	53	6	0.08	284	0.037	<1	0.72	0.041	0.18	<0.1	<0.01	3.5	<0.1	<0.05	3	<0.5	0.5
116260	Rock	0.09	0.018	46	6	0.09	274	0.052	<1	0.68	0.030	0.16	<0.1	<0.01	4.6	<0.1	<0.05	3	0.8	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.  
1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**  
Suite 2020 - 401 W. Georgia Street  
Vancouver BC V6B 5A1 Canada

Project: IND  
Report Date: October 26, 2010

Page: 4 of 4 Part 1

## CERTIFICATE OF ANALYSIS

WHI10000573.1

	Method Analyte Unit MDL	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
116261	Rock	3.31	0.079	1.2	13.9	3.1	35	0.2	5.7	2.5	169	1.43	15.7	2.3	130.1	16.6	23	0.2	0.2	0.6	17
116262	Rock	3.43	4.053	1.4	13.3	6.2	62	1.4	6.0	2.3	145	1.49	120.4	2.3	3855	20.1	28	0.4	0.4	22.2	13
116263	Rock	2.52	0.135	1.2	16.0	4.3	49	0.3	7.3	3.2	184	1.89	53.2	2.1	111.6	21.1	23	0.2	0.3	0.8	18
116264	Rock	3.56	0.080	1.2	11.5	4.0	35	0.2	5.3	2.1	147	1.45	17.5	1.7	49.8	20.0	19	0.2	0.2	0.7	13
116265	Rock	3.27	0.060	0.9	14.0	3.5	37	0.2	9.1	2.4	145	1.42	33.7	1.8	52.2	17.3	22	0.2	0.2	0.5	14
116266	Rock	2.73	0.085	1.2	12.1	4.0	29	0.2	5.7	2.2	142	1.33	146.0	1.9	76.9	19.1	19	0.2	0.3	0.8	12
116001	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
116002	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
116003	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**  
Suite 2020 - 401 W. Georgia Street  
Vancouver BC V6B 5A1 Canada

Project: IND  
Report Date: October 26, 2010

Page: 4 of 4 Part 2

## CERTIFICATE OF ANALYSIS

WHI10000573.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
116261	Rock	0.16	0.032	51	8	0.11	336	0.055	1	0.81	0.045	0.17	<0.1	<0.01	4.6	<0.1	<0.05	3	0.6
116262	Rock	0.09	0.020	65	7	0.10	251	0.036	<1	0.68	0.030	0.14	<0.1	<0.01	3.5	<0.1	<0.05	2	0.5
116263	Rock	0.11	0.025	79	9	0.14	323	0.051	1	0.81	0.038	0.19	<0.1	<0.01	4.8	<0.1	<0.05	3	<0.5
116264	Rock	0.08	0.020	52	6	0.10	258	0.039	1	0.63	0.033	0.17	<0.1	<0.01	3.4	<0.1	<0.05	3	0.9
116265	Rock	0.13	0.031	49	7	0.11	320	0.041	1	0.69	0.041	0.17	<0.1	<0.01	3.1	<0.1	<0.05	3	0.6
116266	Rock	0.09	0.019	53	6	0.10	255	0.030	1	0.55	0.032	0.14	<0.1	<0.01	2.7	<0.1	<0.05	2	<0.5
116001	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
116002	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
116003	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: October 26, 2010

Page: 1 of 2 Part 1

## QUALITY CONTROL REPORT

WHI10000573.1

	Method Analyte Unit MDL	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
Pulp Duplicates		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
REP G1	QC	<0.005																			
116218	Rock	4.89	0.236	1.2	8.2	3.8	45	0.2	3.0	1.6	123	1.65	14.2	2.4	198.7	28.4	20	0.1	0.2	1.2	7
REP 116218	QC			1.1	7.9	3.5	44	0.2	2.9	1.5	122	1.60	14.3	2.3	172.3	27.0	19	0.1	0.2	1.1	7
116233	Rock	4.33	0.041	1.1	40.4	2.7	54	0.1	9.4	2.5	255	2.09	9.5	1.0	45.4	5.0	12	<0.1	0.1	<0.1	74
REP 116233	QC		0.065																		
116246	Rock Pulp	0.10	0.989	1.3	55.0	7.1	65	0.2	116.2	27.8	674	4.34	1535	0.4	982.1	1.8	60	<0.1	1.3	0.1	22
REP 116246	QC			1.2	55.9	7.1	67	0.2	118.4	28.9	690	4.37	1563	0.4	905.3	1.6	57	<0.1	1.2	0.1	22
116262	Rock	3.43	4.053	1.4	13.3	6.2	62	1.4	6.0	2.3	145	1.49	120.4	2.3	3855	20.1	28	0.4	0.4	22.2	13
REP 116262	QC		4.199																		
116264	Rock	3.56	0.080	1.2	11.5	4.0	35	0.2	5.3	2.1	147	1.45	17.5	1.7	49.8	20.0	19	0.2	0.2	0.7	13
REP 116264	QC			1.0	11.5	3.8	32	0.3	4.9	2.0	141	1.42	16.5	1.8	103.3	19.4	18	0.1	0.2	0.6	13
Core Reject Duplicates																					
116206	Rock	3.13	0.289	1.8	15.6	2.4	49	0.5	7.1	2.5	82	1.20	2.6	1.5	319.8	16.8	26	0.8	0.1	1.7	6
DUP 116206	QC	<0.01	0.316	1.4	16.1	2.5	50	0.5	7.3	2.4	86	1.21	2.1	1.5	294.2	17.5	28	0.9	0.1	1.9	6
116241	Rock	3.47	0.007	1.2	24.1	2.1	62	<0.1	17.8	4.2	253	1.83	9.8	1.3	7.0	10.2	13	0.1	0.1	<0.1	68
DUP 116241	QC	<0.01	0.009	1.5	25.8	2.3	64	<0.1	18.8	4.3	257	1.88	10.6	1.4	9.4	11.0	13	0.1	0.1	0.1	73
Reference Materials																					
STD DS7	Standard			21.8	112.4	69.7	396	1.0	56.9	9.3	622	2.43	49.8	4.9	87.0	4.6	75	5.5	5.8	4.6	82
STD DS7	Standard			22.5	113.3	65.8	399	1.0	58.8	9.4	640	2.42	48.8	4.8	58.8	4.7	78	5.6	5.6	4.3	83
STD DS7	Standard			21.0	111.5	74.3	396	1.1	54.9	10.2	636	2.44	52.1	5.2	122.2	5.2	75	6.6	6.5	5.0	84
STD DS7	Standard			20.6	110.8	72.4	395	1.0	54.8	10.2	648	2.45	53.4	5.2	97.1	5.3	78	6.9	6.5	4.9	84
STD DS7	Standard			20.0	111.3	70.3	387	1.0	56.6	9.4	628	2.43	49.5	5.2	64.3	5.0	74	6.2	5.5	4.7	82
STD DS7	Standard			20.7	110.6	68.0	392	0.9	58.2	9.8	636	2.43	48.8	4.9	75.1	5.3	82	6.2	5.8	4.6	84
STD DS7	Standard			21.2	102.5	64.8	396	1.0	53.5	9.4	616	2.37	51.5	4.5	65.5	4.3	70	5.9	5.7	4.4	84
STD DS7	Standard			20.9	101.9	67.0	401	1.1	54.1	9.3	612	2.37	51.8	4.9	80.2	4.6	72	6.0	5.5	4.6	85
STD OXH66	Standard		1.314																		
STD OXH66	Standard		1.346																		
STD OXH66	Standard		1.286																		





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**  
Suite 2020 - 401 W. Georgia Street  
Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: October 26, 2010

Page: 1 of 2 Part 2

## QUALITY CONTROL REPORT

WHI10000573.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																				
REP G1	QC																			
116218	Rock	0.09	0.024	74	2	0.08	281	0.026	<1	0.93	0.043	0.19	<0.1	<0.01	3.2	<0.1	<0.05	5	0.6	0.2
REP 116218	QC	0.09	0.023	71	2	0.08	266	0.025	<1	0.90	0.042	0.19	<0.1	<0.01	3.1	<0.1	<0.05	5	0.7	0.3
116233	Rock	0.04	0.021	32	38	0.64	835	0.143	<1	1.37	0.021	0.69	<0.1	<0.01	2.8	0.3	0.11	4	1.3	<0.2
REP 116233	QC																			
116246	Rock Pulp	0.87	0.121	14	28	2.01	72	0.094	1	0.89	0.205	0.06	0.3	<0.01	1.7	<0.1	0.45	3	1.3	0.3
REP 116246	QC	0.90	0.117	12	28	1.95	67	0.098	1	0.86	0.206	0.06	0.2	<0.01	1.6	<0.1	0.47	3	0.9	<0.2
116262	Rock	0.09	0.020	65	7	0.10	251	0.036	<1	0.68	0.030	0.14	<0.1	<0.01	3.5	<0.1	<0.05	2	0.5	4.1
REP 116262	QC																			
116264	Rock	0.08	0.020	52	6	0.10	258	0.039	1	0.63	0.033	0.17	<0.1	<0.01	3.4	<0.1	<0.05	3	0.9	<0.2
REP 116264	QC	0.08	0.020	52	6	0.10	262	0.039	<1	0.62	0.033	0.17	<0.1	0.01	3.4	<0.1	<0.05	3	0.6	<0.2
Core Reject Duplicates																				
116206	Rock	0.07	0.020	36	2	0.06	227	0.029	<1	0.58	0.051	0.22	<0.1	<0.01	3.3	<0.1	0.06	3	0.9	<0.2
DUP 116206	QC	0.07	0.020	36	2	0.06	244	0.029	<1	0.61	0.056	0.23	<0.1	<0.01	3.4	<0.1	0.06	3	1.1	0.5
116241	Rock	0.16	0.060	60	30	0.33	287	0.105	<1	1.08	0.023	0.50	<0.1	<0.01	3.5	0.2	<0.05	5	<0.5	<0.2
DUP 116241	QC	0.15	0.063	64	31	0.33	310	0.104	<1	1.13	0.023	0.51	<0.1	<0.01	3.3	0.2	<0.05	5	0.5	<0.2
Reference Materials																				
STD DS7	Standard	0.99	0.071	13	218	1.07	406	0.128	38	1.06	0.100	0.46	3.6	0.24	2.4	4.1	0.21	5	3.2	2.1
STD DS7	Standard	1.02	0.074	14	217	1.06	404	0.137	40	1.08	0.103	0.46	3.8	0.20	2.6	3.9	0.21	5	3.4	1.5
STD DS7	Standard	1.02	0.081	14	209	1.08	408	0.126	41	1.08	0.099	0.48	3.8	0.21	2.6	4.5	0.21	5	3.4	1.7
STD DS7	Standard	1.03	0.083	15	209	1.09	421	0.130	41	1.11	0.103	0.48	3.8	0.22	2.6	4.4	0.20	5	3.5	1.7
STD DS7	Standard	0.98	0.076	14	222	1.07	357	0.129	43	1.06	0.097	0.46	3.2	0.22	2.5	3.8	0.20	5	3.1	1.0
STD DS7	Standard	1.02	0.077	15	231	1.06	369	0.143	40	1.14	0.105	0.46	3.3	0.21	2.6	3.9	0.20	5	3.3	0.7
STD DS7	Standard	0.93	0.080	12	220	1.04	361	0.109	37	1.00	0.088	0.45	3.6	0.21	2.2	4.0	0.18	5	3.6	1.2
STD DS7	Standard	0.95	0.081	13	224	1.04	394	0.110	41	1.02	0.091	0.47	4.2	0.22	2.3	4.3	0.19	5	3.1	1.0
STD OXH66	Standard																			
STD OXH66	Standard																			
STD OXH66	Standard																			



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: October 26, 2010

Page: 2 of 2 Part 1

## QUALITY CONTROL REPORT

WHI10000573.1

		WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD OXK79	Standard	3.616																			
STD OXK79	Standard	3.646																			
STD OXK79	Standard	3.595																			
STD OXH66 Expected		1.285																			
STD OXK79 Expected		3.532																			
STD DS7 Expected				20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1	Prep Blank		<0.005	0.1	2.8	3.1	46	<0.1	1.3	3.8	565	1.92	<0.5	1.7	<0.5	6.4	56	<0.1	<0.1	<0.1	38
G1	Prep Blank			0.1	2.4	3.1	45	<0.1	1.2	3.6	562	1.95	0.5	2.0	<0.5	6.8	58	<0.1	<0.1	<0.1	38
G1	Prep Blank	<0.005																			



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: October 26, 2010

Page: 2 of 2 Part 2

## QUALITY CONTROL REPORT

WHI10000573.1

		1DX15 Ca %	1DX15 P %	1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Tl ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXK79	Standard																			
STD OXK79	Standard																			
STD OXK79	Standard																			
STD OXH66 Expected																				
STD OXK79 Expected																				
STD DS7 Expected		0.93	0.08	12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																				
G1	Prep Blank	0.57	0.080	16	2	0.46	102	0.116	1	0.80	0.084	0.42	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	0.57	0.080	17	2	0.48	107	0.122	<1	0.83	0.093	0.43	<0.1	<0.01	2.0	0.4	<0.05	5	<0.5	<0.2
G1	Prep Blank																			