



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Submitted By: Bert Jeffries

Receiving Lab: Canada-Whitehorse

Received: October 02, 2010

Report Date: November 19, 2010

Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI10000574.3

CLIENT JOB INFORMATION

Project: IND
Shipment ID: 1
P.O. Number
Number of Samples: 81

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
STOR-RJT Store After 90 days Invoice for Storage

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1
Canada

CC: Jean Pautler
Johnathan More

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	81	Crush, split and pulverize 250 g rock to 200 mesh			VAN
G601	81	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
1DX2	81	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G6	1	Lead collection fire assay fusion - Grav finish	30	Completed	VAN
3B01	81	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS

Version 3: 3B01 included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

IND

Report Date:

November 19, 2010

Page:

2 of 4

Part 1

CERTIFICATE OF ANALYSIS

WHI10000574.3

	Method Analyte Unit MDL	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
116267	Rock	2.44	0.055	1.4	24.0	6.5	116	0.7	21.7	6.8	41	0.80	5.1	3.0	49.8	21.1	22	2.8	0.2	0.5	4
116268	Rock	2.16	0.086	1.0	9.2	5.3	17	0.6	0.9	0.5	71	1.09	13.3	1.3	92.1	21.4	40	<0.1	0.2	0.8	4
116269	Rock	3.22	0.089	1.1	11.0	4.5	79	0.5	4.7	3.1	96	1.48	3.2	1.8	93.7	25.5	24	0.6	0.1	0.7	7
116270	Rock	1.46	0.048	1.1	8.1	3.7	14	0.3	1.0	0.3	24	1.36	78.7	1.4	55.8	22.5	15	0.2	0.2	0.4	3
116271	Rock	2.27	>10	0.3	4.6	3.9	21	4.7	0.9	0.4	35	0.49	32.1	0.6	10901	1.8	2	<0.1	<0.1	25.0	<2
116272	Rock	3.40	0.024	2.5	11.2	3.5	57	0.2	8.9	2.1	172	1.41	62.6	2.3	22.2	20.0	10	0.2	0.2	0.2	5
116273	Rock	4.47	0.034	1.9	12.9	3.7	183	0.2	21.2	3.8	389	1.64	64.5	2.4	26.3	20.5	9	0.6	0.2	0.2	5
116274	Rock	3.33	0.028	2.8	12.4	2.9	100	0.1	14.9	2.5	95	1.55	28.7	2.1	28.4	19.1	11	0.2	0.2	0.2	6
116275	Rock	3.52	0.025	2.0	26.9	2.8	86	0.3	16.9	2.4	136	1.23	16.2	3.3	15.2	14.0	15	0.3	0.2	0.2	123
116276	Rock	3.07	0.019	8.0	51.9	2.9	121	0.3	25.0	4.4	197	2.30	12.9	4.6	9.1	10.9	16	0.6	0.2	0.2	110
116277	Rock	3.54	0.008	5.6	33.8	5.2	74	0.4	27.4	3.5	123	2.00	23.9	1.6	9.1	5.3	17	0.3	0.3	0.2	39
116278	Rock	4.22	0.016	5.3	37.5	6.6	93	0.3	30.5	4.5	152	2.21	20.2	2.1	9.3	5.7	20	0.3	0.4	0.2	72
116279	Rock	3.22	0.010	6.7	27.6	8.6	74	0.4	19.5	2.3	91	1.57	16.6	2.5	9.8	4.6	19	0.2	0.3	0.2	82
116280	Rock	3.20	0.008	7.8	36.4	7.5	62	0.7	18.8	2.2	75	1.53	13.9	2.9	4.1	4.4	17	0.2	0.3	0.1	72
116281	Rock	3.24	0.010	5.8	30.8	6.3	45	0.6	23.8	1.9	70	1.16	14.8	3.1	5.7	3.9	16	<0.1	0.2	0.1	65
116282	Rock	3.87	0.024	6.2	40.2	5.2	64	0.3	20.7	1.1	77	1.15	10.4	4.5	17.1	3.7	15	0.3	0.2	0.2	89
116283	Rock	3.69	0.008	4.5	41.6	4.5	49	0.7	11.0	1.0	63	1.06	13.0	2.1	6.3	4.7	7	0.2	0.3	0.1	37
116284	Rock	3.25	0.044	4.4	32.1	6.6	54	0.6	18.2	1.3	92	1.04	10.0	2.7	25.0	4.2	17	0.2	0.2	0.4	117
116285	Rock	3.86	0.010	3.5	37.1	4.1	66	0.4	16.2	1.4	96	1.14	6.9	2.1	8.4	3.8	10	<0.1	0.2	0.2	63
116286	Rock	4.10	0.012	7.9	57.1	4.0	109	0.2	32.4	1.5	104	1.22	4.8	2.7	7.7	5.7	10	0.2	0.2	0.2	144
116287	Rock	3.29	<0.005	4.1	57.0	4.4	84	0.3	21.5	1.3	101	1.00	4.1	2.5	<0.5	3.1	7	0.2	0.2	0.1	84
116288	Rock	2.92	0.012	3.1	25.9	3.9	69	0.3	33.4	1.9	104	0.88	4.7	2.4	7.5	2.7	10	0.1	0.2	0.1	136
116289	Rock	2.34	0.013	4.5	71.6	4.8	174	0.4	47.1	5.1	232	1.53	8.6	3.7	10.9	4.7	16	0.4	0.3	0.2	119
116290	Rock	3.83	<0.005	4.3	61.7	4.6	102	0.4	31.5	2.0	95	1.18	8.8	2.6	3.0	3.6	9	0.2	0.3	0.1	58
116291	Rock	3.59	0.012	3.3	28.8	8.5	49	0.4	16.0	2.0	101	0.99	8.8	2.4	10.4	4.5	16	<0.1	0.2	0.2	66
116292	Rock	2.85	<0.005	4.9	65.5	2.4	125	0.4	40.7	1.9	112	1.19	3.5	3.8	2.2	2.4	20	0.4	0.2	<0.1	123
116293	Rock	2.93	0.012	4.8	51.5	2.2	62	0.7	11.9	1.0	75	1.09	3.6	2.9	5.2	2.8	12	0.2	0.2	0.2	71
116294	Rock	4.05	0.018	3.5	29.1	4.1	42	0.6	12.7	1.7	96	1.09	4.2	1.9	37.8	3.1	16	0.1	0.2	0.2	54
116295	Rock	2.42	0.089	5.6	32.8	2.4	46	0.5	11.0	1.4	57	1.42	7.5	1.1	39.8	2.5	5	0.2	0.3	0.1	24
116296	Rock	3.24	0.034	4.8	49.1	3.4	45	0.4	9.3	1.6	93	1.45	3.8	1.5	7.5	3.4	9	0.3	0.2	0.1	36

CERTIFICATE OF ANALYSIS

WHI10000574.3

		Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
--	--	----------------------------------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: IND
Report Date: November 19, 2010

Page: 2 of 4 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000574.3

	Method Analyte Unit MDL	3B Au ppb 2
116267	Rock	57
116268	Rock	90
116269	Rock	91
116270	Rock	52
116271	Rock	>10000
116272	Rock	23
116273	Rock	30
116274	Rock	35
116275	Rock	27
116276	Rock	15
116277	Rock	10
116278	Rock	12
116279	Rock	14
116280	Rock	8
116281	Rock	7
116282	Rock	27
116283	Rock	7
116284	Rock	45
116285	Rock	12
116286	Rock	9
116287	Rock	3
116288	Rock	15
116289	Rock	11
116290	Rock	4
116291	Rock	15
116292	Rock	7
116293	Rock	10
116294	Rock	14
116295	Rock	64
116296	Rock	9



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

IND

Report Date:

November 19, 2010

Page:

3 of 4

Part 1

CERTIFICATE OF ANALYSIS

WHI10000574.3

	Method Analyte Unit MDL	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
116297	Rock	2.79	0.007	4.3	32.0	2.5	57	0.6	10.3	1.3	62	1.39	1.8	1.1	2.2	2.8	6	0.2	0.1	0.1	25
116298	Rock	3.33	0.013	3.6	27.1	5.0	44	0.4	10.0	1.6	102	1.20	2.6	1.5	7.8	5.1	14	0.1	0.2	0.2	34
116299	Rock	3.86	0.007	2.9	25.2	2.9	63	0.2	15.6	1.5	110	1.21	1.9	2.3	3.4	2.9	18	0.2	0.2	0.1	83
116300	Rock	4.10	<0.005	3.5	52.2	1.3	120	0.3	40.9	2.1	203	1.17	0.9	3.9	0.8	2.7	14	0.3	0.1	<0.1	91
116301	Rock	3.53	0.028	2.7	29.4	4.0	65	0.3	10.7	2.6	175	1.89	2.1	1.9	16.4	7.0	16	0.3	0.2	0.2	38
116302	Rock	3.84	0.007	1.7	25.8	3.7	77	0.3	11.5	2.7	140	2.50	2.1	0.8	2.6	8.0	14	0.2	0.1	0.1	54
116303	Rock	3.60	<0.005	1.3	29.7	5.4	83	0.2	23.8	6.6	177	3.33	2.1	1.0	0.9	8.8	15	0.2	0.3	<0.1	61
116304	Rock	3.33	0.010	2.6	29.3	5.4	64	0.3	15.5	3.7	173	2.15	4.1	1.4	5.9	8.9	17	0.2	0.3	0.1	49
116305	Rock	3.66	0.012	1.8	28.6	5.1	97	0.3	23.7	4.3	216	2.20	2.9	1.0	2.8	8.2	18	0.5	0.2	<0.1	54
116306	Rock	3.74	0.006	3.8	40.1	5.3	117	0.3	23.2	4.8	206	2.33	3.0	1.9	7.9	9.2	13	0.7	0.2	0.1	59
116307	Rock	3.75	0.009	3.6	31.6	4.4	75	0.3	12.7	3.7	166	1.90	3.2	1.9	6.7	6.6	22	0.4	0.2	0.2	64
116308	Rock	3.86	0.012	3.1	34.6	4.3	55	0.4	12.6	3.1	149	1.33	2.9	1.7	8.7	5.0	15	0.5	0.2	0.1	45
116309	Rock	4.05	0.007	2.3	37.2	3.4	64	0.5	19.6	2.8	149	1.31	2.7	1.8	2.6	4.5	20	1.5	0.1	0.2	46
116310	Rock	4.36	0.009	2.1	28.5	3.8	57	0.5	13.4	2.1	130	1.14	2.4	1.6	8.7	4.7	14	0.6	0.2	0.2	35
116311	Rock	3.65	0.018	3.2	46.1	3.4	122	0.4	29.5	3.6	159	1.41	4.9	1.9	14.7	9.6	21	1.6	0.2	0.2	74
116312	Rock	4.10	<0.005	2.0	39.9	3.8	71	0.8	16.7	2.4	152	1.18	1.7	2.1	2.8	3.6	17	0.4	0.1	0.1	85
116313	Rock	2.90	0.005	1.1	40.5	4.2	53	0.6	13.8	2.3	134	1.19	1.8	1.3	3.2	4.9	13	0.2	0.2	<0.1	38
116314	Rock	4.06	<0.005	5.1	81.6	2.1	146	0.9	33.5	3.2	144	1.31	2.3	2.9	1.9	2.2	8	0.7	0.2	<0.1	36
116315	Rock	1.58	<0.005	2.8	69.7	1.2	161	0.6	57.5	2.0	257	1.00	3.9	7.0	0.8	3.6	32	1.9	0.2	<0.1	68
116316	Rock	2.04	<0.005	3.3	47.6	1.6	141	0.8	37.5	2.9	153	0.97	1.4	2.7	0.7	2.5	15	1.7	0.1	<0.1	40
116317	Rock	2.60	<0.005	1.5	24.4	4.1	38	0.8	6.1	1.3	97	0.85	0.8	0.8	<0.5	1.8	7	0.2	<0.1	<0.1	15
116318	Rock	2.06	<0.005	2.7	30.0	3.5	61	0.9	7.6	0.9	79	0.92	0.7	2.4	<0.5	2.6	18	0.8	0.1	0.1	52
116319	Rock	2.02	<0.005	3.6	45.1	3.2	106	0.7	20.5	3.7	166	1.41	1.3	3.6	<0.5	3.0	19	0.6	0.2	<0.1	230
116320	Rock	2.37	<0.005	3.4	59.0	2.2	76	1.7	18.1	1.9	130	1.10	0.8	2.9	0.6	2.3	24	2.4	<0.1	<0.1	43
116321	Rock	3.79	<0.005	3.4	80.5	3.7	153	2.0	42.7	4.6	341	1.84	1.9	3.2	0.7	5.2	35	3.8	0.1	0.1	65
116322	Rock	3.68	0.010	2.2	27.6	5.2	86	0.3	9.3	2.2	147	1.22	3.5	2.4	10.6	17.5	17	0.6	0.2	0.1	20
116323	Rock	3.99	0.006	1.5	31.9	3.4	87	0.5	11.3	2.0	159	1.10	1.7	1.4	4.1	5.5	18	0.6	0.1	<0.1	35
116324	Rock	3.97	0.012	1.5	27.4	2.6	79	0.2	10.6	2.8	143	1.37	1.9	1.7	11.6	12.3	18	0.3	0.2	<0.1	44
116325	Rock	4.45	0.008	1.3	16.0	3.2	47	0.2	7.3	1.6	133	1.18	1.9	1.7	7.8	18.3	14	0.3	0.1	0.1	18
116326	Rock	3.64	0.018	1.6	19.9	3.5	60	0.3	7.0	1.6	149	1.40	2.8	1.9	17.6	21.1	23	0.3	0.1	0.2	25

CERTIFICATE OF ANALYSIS

WHI10000574.3

	Method	Analyte	1DX15																		G6Gr		
			Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se		Te	Au
			%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		ppm	gm/t
			0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5		0.2	0.17
116297	Rock	0.04	0.029	11	15	0.10	135	0.014	<1	0.32	0.008	0.14	<0.1	<0.01	1.2	0.1	0.07	1	1.4	<0.2			
116298	Rock	0.10	0.051	22	13	0.14	200	0.021	1	0.53	0.016	0.19	0.1	0.01	1.5	0.2	0.06	2	2.0	<0.2			
116299	Rock	0.87	0.409	20	26	0.13	165	0.025	1	0.52	0.008	0.16	0.1	<0.01	1.5	0.2	<0.05	2	1.4	<0.2			
116300	Rock	0.17	0.052	12	61	0.48	336	0.040	<1	1.00	0.006	0.31	<0.1	0.01	2.2	0.2	<0.05	3	2.7	<0.2			
116301	Rock	0.09	0.031	21	24	0.24	393	0.081	<1	0.93	0.029	0.43	<0.1	0.01	3.3	0.3	0.06	4	1.0	<0.2			
116302	Rock	0.05	0.018	19	28	0.41	366	0.144	<1	1.12	0.024	0.70	<0.1	0.01	3.7	0.4	0.09	5	<0.5	<0.2			
116303	Rock	0.09	0.037	20	31	0.59	507	0.115	<1	1.62	0.014	0.73	<0.1	0.01	4.2	0.4	<0.05	6	1.0	<0.2			
116304	Rock	0.22	0.105	24	24	0.34	274	0.046	<1	0.97	0.014	0.26	<0.1	0.02	2.5	0.2	0.06	3	1.6	<0.2			
116305	Rock	0.25	0.048	17	29	0.49	348	0.095	<1	1.25	0.016	0.49	0.1	<0.01	2.5	0.2	<0.05	4	0.8	<0.2			
116306	Rock	0.08	0.032	33	28	0.50	368	0.098	<1	1.17	0.014	0.58	<0.1	0.02	3.8	0.3	<0.05	4	1.1	<0.2			
116307	Rock	0.15	0.073	26	22	0.40	401	0.080	<1	1.04	0.022	0.49	0.1	<0.01	2.8	0.3	0.07	4	1.5	<0.2			
116308	Rock	0.10	0.038	21	17	0.21	256	0.037	<1	0.69	0.018	0.20	<0.1	<0.01	1.9	0.2	<0.05	2	1.4	0.2			
116309	Rock	0.14	0.024	18	18	0.20	267	0.040	<1	0.70	0.015	0.16	<0.1	0.02	1.8	0.2	0.11	3	1.8	<0.2			
116310	Rock	0.08	0.024	20	16	0.17	180	0.036	<1	0.54	0.013	0.13	<0.1	<0.01	1.7	0.2	0.08	2	1.7	<0.2			
116311	Rock	0.16	0.051	40	24	0.22	264	0.037	1	0.84	0.028	0.22	<0.1	<0.01	2.1	0.1	0.08	3	3.0	<0.2			
116312	Rock	0.18	0.084	18	36	0.27	218	0.038	<1	0.65	0.012	0.23	0.1	<0.01	1.9	0.2	0.05	3	2.8	<0.2			
116313	Rock	0.10	0.043	21	34	0.20	172	0.027	<1	0.57	0.016	0.19	<0.1	<0.01	2.0	0.2	0.07	3	1.9	<0.2			
116314	Rock	0.11	0.050	18	37	0.23	105	0.016	<1	0.53	0.006	0.20	<0.1	0.01	1.9	0.3	<0.05	2	4.2	<0.2			
116315	Rock	0.42	0.036	13	75	0.62	349	0.070	<1	1.39	0.013	0.29	0.1	0.01	2.4	0.7	0.06	5	2.8	<0.2			
116316	Rock	0.29	0.092	13	28	0.20	160	0.028	<1	0.54	0.006	0.10	<0.1	<0.01	1.5	0.3	<0.05	2	1.9	<0.2			
116317	Rock	0.03	0.013	8	12	0.09	114	0.006	<1	0.33	0.015	0.11	<0.1	<0.01	0.9	0.1	0.06	1	1.4	<0.2			
116318	Rock	0.15	0.081	13	29	0.10	217	0.012	<1	0.31	0.008	0.13	<0.1	0.01	1.2	0.2	0.08	1	4.5	0.4			
116319	Rock	0.69	0.329	18	81	0.28	810	0.023	<1	0.55	0.008	0.24	0.1	<0.01	2.1	0.4	0.08	3	4.4	<0.2			
116320	Rock	0.11	0.023	13	21	0.21	201	0.032	<1	0.61	0.007	0.12	<0.1	0.02	1.9	0.2	0.07	3	2.5	<0.2			
116321	Rock	0.18	0.029	23	49	0.66	304	0.048	<1	1.52	0.027	0.48	<0.1	0.01	3.6	0.7	0.15	7	1.7	<0.2			
116322	Rock	0.07	0.030	84	9	0.14	277	0.024	<1	0.63	0.033	0.21	<0.1	0.01	2.6	0.2	<0.05	3	0.8	<0.2			
116323	Rock	0.09	0.025	40	19	0.21	270	0.036	<1	0.75	0.025	0.24	<0.1	0.02	2.4	0.2	<0.05	3	1.1	<0.2			
116324	Rock	0.08	0.024	58	19	0.26	295	0.053	<1	0.81	0.030	0.30	<0.1	0.02	3.0	0.2	<0.05	4	0.8	<0.2			
116325	Rock	0.07	0.016	52	8	0.12	261	0.034	<1	0.62	0.025	0.17	<0.1	<0.01	2.4	0.1	<0.05	3	0.7	<0.2			
116326	Rock	0.11	0.027	60	8	0.15	360	0.036	<1	0.71	0.043	0.21	<0.1	<0.01	3.5	<0.1	<0.05	3	0.6	<0.2			



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: IND
Report Date: November 19, 2010

Page: 3 of 4 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000574.3

	Method Analyte Unit MDL	3B Au ppb 2
116297	Rock	2
116298	Rock	16
116299	Rock	5
116300	Rock	5
116301	Rock	20
116302	Rock	5
116303	Rock	3
116304	Rock	8
116305	Rock	2
116306	Rock	5
116307	Rock	9
116308	Rock	13
116309	Rock	6
116310	Rock	8
116311	Rock	16
116312	Rock	3
116313	Rock	4
116314	Rock	2
116315	Rock	<2
116316	Rock	<2
116317	Rock	<2
116318	Rock	<2
116319	Rock	6
116320	Rock	<2
116321	Rock	<2
116322	Rock	20
116323	Rock	4
116324	Rock	8
116325	Rock	10
116326	Rock	19



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: IND
Report Date: November 19, 2010

Page: 4 of 4 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000574.3

	Method Analyte Unit MDL	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
116327	Rock	3.96	0.020	1.6	20.0	3.0	60	0.2	12.2	2.8	179	1.56	5.6	1.9	17.9	15.7	27	0.3	0.2	0.2	30
116328	Rock	3.22	0.058	1.4	13.7	3.7	73	0.3	8.5	2.4	174	1.53	55.9	1.8	50.6	22.4	23	0.8	0.2	0.3	22
116329	Rock	3.18	0.043	1.5	15.6	4.0	60	0.3	6.2	1.7	185	1.65	4.2	2.1	41.4	27.9	29	0.5	0.2	0.3	16
116330	Rock	3.58	0.027	0.9	10.9	2.4	43	0.1	4.3	1.3	148	1.42	59.8	1.6	24.5	25.0	25	0.2	0.2	0.2	12
116331	Rock	3.52	0.030	2.5	16.2	2.6	43	0.2	4.8	2.5	180	1.71	15.2	1.5	29.2	20.7	34	0.1	0.2	0.2	17
116332	Rock	3.79	0.034	1.1	13.0	2.8	40	0.2	3.4	1.7	188	1.84	18.8	2.0	36.4	26.6	26	0.1	0.2	0.2	8
116333	Rock	3.71	0.033	1.0	13.1	3.0	35	0.3	3.0	1.4	165	1.81	3.7	2.1	31.8	26.6	31	0.1	0.2	0.2	9
116334	Rock	4.09	0.043	1.2	14.8	3.4	35	0.3	4.4	1.5	166	1.56	18.6	1.8	27.9	21.4	29	0.2	0.2	0.2	14
116335	Rock	3.15	0.040	1.1	17.0	3.9	43	0.2	5.0	2.3	190	1.62	4.5	1.7	35.5	21.5	27	0.2	0.2	0.3	16
116336	Rock	3.07	0.029	1.3	15.0	3.9	51	0.2	5.9	2.4	198	1.71	6.4	2.0	25.7	22.8	24	0.1	0.2	0.2	18
116337	Rock	4.19	0.033	1.5	17.7	3.4	44	0.2	7.3	2.5	160	1.61	5.2	1.8	22.5	20.6	24	<0.1	0.2	0.2	18
116338	Rock	3.79	0.014	1.9	25.3	3.1	68	0.2	20.1	4.4	233	2.06	3.9	1.3	10.1	9.5	18	<0.1	0.2	0.1	82
116339	Rock	3.40	<0.005	2.2	40.6	3.0	78	0.2	23.7	5.3	185	2.39	6.0	2.0	0.9	7.9	16	<0.1	0.2	<0.1	163
116340	Rock	3.82	<0.005	2.6	44.5	3.4	72	0.2	20.6	3.7	143	2.14	7.5	2.1	2.4	8.7	17	<0.1	0.2	<0.1	139
116341	Rock	4.21	0.027	1.6	29.2	3.1	81	0.1	19.7	4.4	199	2.12	3.2	1.7	26.7	17.7	23	<0.1	<0.1	0.2	55
116342	Rock	3.42	0.018	1.8	15.2	2.8	59	<0.1	16.7	3.5	176	1.67	3.3	1.3	18.9	14.3	17	<0.1	0.1	0.1	33
116343	Rock	4.08	0.063	1.2	10.5	2.9	38	0.3	6.6	2.2	161	1.68	2.2	2.1	78.4	27.8	41	<0.1	<0.1	0.4	7
116344	Rock	4.00	0.054	1.6	14.4	2.9	54	0.2	13.1	2.6	175	1.68	6.9	1.7	61.5	23.2	23	0.1	0.1	0.4	9
116345	Rock	4.38	0.028	2.1	20.1	3.5	52	0.2	18.3	2.3	126	1.45	16.7	2.0	32.1	15.6	14	<0.1	0.2	0.2	44
116346	Rock	3.61	0.040	1.2	15.2	2.6	49	0.2	14.9	2.2	175	1.52	4.4	1.6	43.2	19.2	22	<0.1	0.1	0.3	22
116347	Rock	1.09	<0.005	0.9	8.2	1.9	72	<0.1	40.6	8.6	215	2.34	1.5	0.5	4.7	5.5	8	<0.1	<0.1	<0.1	156

CERTIFICATE OF ANALYSIS

WHI10000574.3

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1
--	--------	---------	------	-----	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	---



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: IND
Report Date: November 19, 2010

Page: 4 of 4 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000574.3

	Method Analyte Unit MDL	3B Au ppb 2
116327	Rock	21
116328	Rock	58
116329	Rock	50
116330	Rock	32
116331	Rock	29
116332	Rock	36
116333	Rock	40
116334	Rock	33
116335	Rock	37
116336	Rock	28
116337	Rock	35
116338	Rock	15
116339	Rock	3
116340	Rock	3
116341	Rock	29
116342	Rock	21
116343	Rock	63
116344	Rock	90
116345	Rock	30
116346	Rock	47
116347	Rock	<2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000574.3

	Method Analyte Unit MDL	WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1
Pulp Duplicates																					
116290	Rock	3.83	<0.005	4.3	61.7	4.6	102	0.4	31.5	2.0	95	1.18	8.8	2.6	3.0	3.6	9	0.2	0.3	0.1	58
REP 116290	QC																				
116294	Rock	4.05	0.018	3.5	29.1	4.1	42	0.6	12.7	1.7	96	1.09	4.2	1.9	37.8	3.1	16	0.1	0.2	0.2	54
REP 116294	QC																				
116326	Rock	3.64	0.018	1.6	19.9	3.5	60	0.3	7.0	1.6	149	1.40	2.8	1.9	17.6	21.1	23	0.3	0.1	0.2	25
REP 116326	QC	0.021																			
116329	Rock	3.18	0.043	1.5	15.6	4.0	60	0.3	6.2	1.7	185	1.65	4.2	2.1	41.4	27.9	29	0.5	0.2	0.3	16
REP 116329	QC	1.4		15.1	4.0	58	0.3	6.4	1.7	178	1.64	4.2	2.2	45.0	28.1	29	0.4	0.2	0.3	16	
REP 116337	QC	0.025																			
116338	Rock	3.79	0.014	1.9	25.3	3.1	68	0.2	20.1	4.4	233	2.06	3.9	1.3	10.1	9.5	18	<0.1	0.2	0.1	82
REP 116338	QC	1.6		25.5	3.0	62	0.2	18.9	4.2	227	2.01	3.8	1.2	28.8	9.4	17	<0.1	0.2	0.1	80	
Core Reject Duplicates																					
116267	Rock	2.44	0.055	1.4	24.0	6.5	116	0.7	21.7	6.8	41	0.80	5.1	3.0	49.8	21.1	22	2.8	0.2	0.5	4
DUP 116267	QC	0.082		1.4	25.5	6.4	112	0.7	21.4	6.7	40	0.77	4.7	2.9	53.0	20.7	21	2.8	0.2	0.5	4
116302	Rock	3.84	0.007	1.7	25.8	3.7	77	0.3	11.5	2.7	140	2.50	2.1	0.8	2.6	8.0	14	0.2	0.1	0.1	54
DUP 116302	QC	0.007		1.8	26.1	3.6	79	0.3	11.0	2.5	138	2.50	2.1	0.8	3.1	8.2	14	0.3	0.1	0.1	55
116337	Rock	4.19	0.033	1.5	17.7	3.4	44	0.2	7.3	2.5	160	1.61	5.2	1.8	22.5	20.6	24	<0.1	0.2	0.2	18
DUP 116337	QC	0.024		1.3	16.5	3.5	43	0.2	6.8	2.1	151	1.50	5.0	1.6	24.7	19.2	24	<0.1	0.2	0.2	17
Reference Materials																					
STD CDN-ME-3	Standard																				
STD DS7	Standard	21.8		112.4	69.7	396	1.0	56.9	9.3	622	2.43	49.8	4.9	87.0	4.6	75	5.5	5.8	4.6	82	
STD DS7	Standard	22.5		113.3	65.8	399	1.0	58.8	9.4	640	2.42	48.8	4.8	58.8	4.7	78	5.6	5.6	4.3	83	
STD DS7	Standard	19.7		105.9	64.6	383	0.9	52.1	8.8	588	2.29	47.4	4.6	59.1	4.4	71	5.5	5.4	4.4	80	
STD DS7	Standard	22.4		113.4	73.4	414	1.0	58.2	9.8	653	2.50	53.3	5.2	71.9	5.2	79	6.4	6.4	5.1	86	
STD DS7	Standard	20.5		108.0	70.3	389	1.0	55.1	9.2	614	2.42	51.7	4.9	87.4	4.8	75	5.9	5.8	4.8	81	
STD DS7	Standard	21.0		110.3	71.0	396	1.0	55.5	9.3	607	2.41	52.1	4.9	74.2	4.7	74	6.4	6.1	4.8	82	
STD OXC72	Standard																				
STD OXC72	Standard																				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000574.3

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6Gr
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																					
116290	Rock	0.07	0.040	13	32	0.17	226	0.023	2	0.51	0.006	0.22	<0.1	0.02	1.9	0.3	<0.05	2	1.6	<0.2	
REP 116290	QC																				
116294	Rock	0.21	0.093	15	26	0.13	320	0.033	1	0.54	0.013	0.19	<0.1	<0.01	1.5	0.2	0.05	2	2.1	<0.2	
REP 116294	QC																				
116326	Rock	0.11	0.027	60	8	0.15	360	0.036	<1	0.71	0.043	0.21	<0.1	<0.01	3.5	<0.1	<0.05	3	0.6	<0.2	
REP 116326	QC																				
116329	Rock	0.10	0.024	97	4	0.11	379	0.041	1	0.77	0.044	0.22	<0.1	0.03	4.5	0.1	<0.05	4	<0.5	<0.2	
REP 116329	QC	0.10	0.023	94	4	0.11	376	0.041	<1	0.77	0.044	0.22	<0.1	0.03	4.5	<0.1	<0.05	3	<0.5	<0.2	
REP 116337	QC																				
116338	Rock	0.14	0.049	33	35	0.48	570	0.115	<1	1.32	0.030	0.56	<0.1	0.01	4.5	0.3	<0.05	5	1.3	<0.2	
REP 116338	QC	0.14	0.049	33	34	0.46	540	0.112	<1	1.28	0.028	0.55	<0.1	0.02	4.5	0.3	<0.05	5	0.9	<0.2	
Core Reject Duplicates																					
116267	Rock	0.06	0.018	33	1	0.03	191	0.010	<1	0.53	0.042	0.15	<0.1	<0.01	2.1	0.1	0.19	2	1.1	<0.2	
DUP 116267	QC	0.05	0.019	33	1	0.03	185	0.010	<1	0.52	0.040	0.15	<0.1	<0.01	2.0	<0.1	0.18	2	1.5	<0.2	
116302	Rock	0.05	0.018	19	28	0.41	366	0.144	<1	1.12	0.024	0.70	<0.1	0.01	3.7	0.4	0.09	5	<0.5	<0.2	
DUP 116302	QC	0.05	0.018	20	28	0.41	373	0.144	<1	1.13	0.024	0.69	<0.1	<0.01	3.8	0.4	0.09	5	0.6	<0.2	
116337	Rock	0.08	0.034	79	9	0.14	327	0.051	1	0.79	0.029	0.24	<0.1	<0.01	5.2	0.2	<0.05	3	1.1	<0.2	
DUP 116337	QC	0.07	0.032	74	8	0.13	309	0.048	<1	0.74	0.027	0.22	<0.1	<0.01	4.9	0.2	<0.05	3	<0.5	<0.2	
Reference Materials																					
STD CDN-ME-3	Standard																				10.04
STD DS7	Standard	0.99	0.071	13	218	1.07	406	0.128	38	1.06	0.100	0.46	3.6	0.24	2.4	4.1	0.21	5	3.2	2.1	
STD DS7	Standard	1.02	0.074	14	217	1.06	404	0.137	40	1.08	0.103	0.46	3.8	0.20	2.6	3.9	0.21	5	3.4	1.5	
STD DS7	Standard	0.92	0.070	12	189	0.98	362	0.120	40	0.97	0.091	0.43	3.4	0.20	2.2	3.7	0.19	4	3.2	0.9	
STD DS7	Standard	1.02	0.079	14	212	1.10	421	0.139	37	1.10	0.104	0.49	4.0	0.21	2.6	4.3	0.20	5	4.2	1.2	
STD DS7	Standard	0.96	0.075	13	205	1.03	385	0.125	39	1.02	0.097	0.46	3.4	0.22	2.4	3.9	0.20	5	3.2	1.3	
STD DS7	Standard	0.96	0.077	13	202	1.03	381	0.125	39	1.02	0.095	0.46	3.7	0.21	2.4	4.1	0.20	5	2.8	1.3	
STD OXC72	Standard																				
STD OXC72	Standard																				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 1 of 3 **Part** 3

QUALITY CONTROL REPORT

WHI10000574.3

Method	3B
Analyte	Au
Unit	ppb
MDL	2
Pulp Duplicates	
116290 Rock	4
REP 116290 QC	5
116294 Rock	14
REP 116294 QC	10
116326 Rock	19
REP 116326 QC	
116329 Rock	50
REP 116329 QC	
REP 116337 QC	
116338 Rock	15
REP 116338 QC	
Core Reject Duplicates	
116267 Rock	57
DUP 116267 QC	59
116302 Rock	5
DUP 116302 QC	4
116337 Rock	35
DUP 116337 QC	35
Reference Materials	
STD CDN-ME-3 Standard	
STD DS7 Standard	
STD DS7 Standard	
STD DS7 Standard	
STD DS7 Standard	
STD DS7 Standard	
STD DS7 Standard	
STD OXC72 Standard	201
STD OXC72 Standard	207



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000574.3

		WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXH66	Standard		1.314																		
STD OXH66	Standard		1.335																		
STD OXH66	Standard		1.263																		
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXK79	Standard		3.616																		
STD OXK79	Standard		3.681																		
STD OXK79	Standard		3.453																		
STD DS7 Expected				20.5	109	70.6	411	0.9	56	9.7	627	2.39	50	4.9	70	4.4	72	6.4	4.6	4.5	84
STD OXK79 Expected			3.532																		
STD CDN-ME-3 Expected																					
STD OXH66 Expected			1.285																		
STD OXC72 Expected																					
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank																				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000574.3

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6Gr
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	Au
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.17
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD OXK79	Standard																				
STD DS7 Expected		0.93	0.08	13	192	1.05	410	0.124	39	1.0195	0.089	0.44	3.4	0.21	2.5	4.2	0.19	5	3.5	1.18	
STD OXK79 Expected																					
STD CDN-ME-3 Expected																					9.97
STD OXH66 Expected																					
STD OXC72 Expected																					
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				<0.17



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 2 of 3 **Part** 3

QUALITY CONTROL REPORT

WHI10000574.3

		3B Au ppb 2
STD OXC72	Standard	196
STD OXC72	Standard	191
STD OXC72	Standard	194
STD OXH66	Standard	
STD OXH66	Standard	
STD OXH66	Standard	
STD OXH66	Standard	1290
STD OXH66	Standard	1311
STD OXH66	Standard	1223
STD OXH66	Standard	1269
STD OXH66	Standard	1219
STD OXK79	Standard	
STD OXK79	Standard	
STD OXK79	Standard	
STD DS7 Expected		
STD OXK79 Expected		
STD CDN-ME-3 Expected		
STD OXH66 Expected		1285
STD OXC72 Expected		205
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 3 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000574.3

		WGHT	G6	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	gm/t	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		<0.005	<0.1	2.5	6.1	46	<0.1	1.1	3.5	537	1.84	1.3	1.6	0.9	6.1	54	<0.1	<0.1	<0.1	36
G1	Prep Blank		<0.005	0.1	3.7	5.7	46	<0.1	1.8	4.0	572	1.98	1.6	1.9	<0.5	7.2	66	<0.1	0.1	<0.1	39



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000574.3

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6Gr
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	Au
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.17
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	0.48	0.073	15	3	0.43	113	0.118	<1	0.80	0.099	0.44	0.2	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2	
G1	Prep Blank	0.56	0.076	18	3	0.48	118	0.139	<1	0.90	0.119	0.49	0.7	<0.01	2.3	0.3	<0.05	5	<0.5	<0.2	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: IND

Report Date: November 19, 2010

Page: 3 of 3 **Part** 3

QUALITY CONTROL REPORT

WHI10000574.3

		3B Au ppb 2
BLK	Blank	<2
BLK	Blank	<2
BLK	Blank	<2
BLK	Blank	<2
BLK	Blank	<2
BLK	Blank	11
BLK	Blank	<2
BLK	Blank	<2
BLK	Blank	<2
BLK	Blank	<2
Prep Wash		
G1	Prep Blank	N.A.
G1	Prep Blank	N.A.