



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 1  
Finalized Date: 23-SEP-2010  
Account: EIASQI

**CERTIFICATE WH10122681**

Project: SQI10-06  
P.O. No.: SQI10-06\_23  
This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.  
ATTN: DARCY BAKER  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315871		0.56	<0.005	0.16	1.79	10.9	<0.2	<10	330	0.64	0.19	0.59	0.12	33.9	13.9	33
I315872		0.60	<0.005	0.07	1.52	7.7	<0.2	<10	270	0.30	0.18	0.44	0.19	16.05	9.9	26
I315873		0.44	<0.005	0.13	1.97	4.4	<0.2	<10	210	0.63	0.27	0.21	0.31	67.8	6.4	28
I315874		0.44	<0.005	0.44	2.22	8.1	<0.2	<10	420	1.00	0.34	0.59	0.50	123.0	17.2	32
I315875		0.44	NSS	0.03	0.29	10.2	<0.2	<10	90	0.34	0.04	0.57	0.28	35.9	10.9	14
I315876		0.50	0.006	0.31	2.14	7.4	<0.2	<10	240	0.43	0.23	0.76	0.50	26.2	8.9	27
I315877		0.44	<0.005	0.17	2.44	8.6	<0.2	<10	250	0.32	0.23	0.66	0.27	20.3	12.4	37
I315878		0.46	<0.005	0.09	0.47	2.7	<0.2	<10	30	0.08	0.11	0.07	0.09	5.36	1.4	12
I315879		0.48	0.007	0.30	1.99	10.1	<0.2	<10	200	0.36	0.19	0.67	0.24	28.6	12.2	37
I315880		0.52	0.007	0.20	2.21	11.4	<0.2	<10	210	0.43	0.22	0.64	0.27	32.2	11.5	44
I315881		0.52	<0.005	0.07	0.78	4.5	<0.2	<10	30	0.17	0.17	0.10	0.11	7.97	3.1	14
I315882		0.56	0.006	0.11	2.07	15.2	<0.2	<10	110	0.44	0.34	0.21	0.19	17.85	9.6	33
I315883		0.48	0.006	0.13	0.45	3.3	<0.2	<10	50	0.09	0.22	0.10	0.16	7.04	3.1	11
I315884		0.54	<0.005	0.09	1.55	10.4	<0.2	<10	120	0.34	0.61	0.35	0.23	29.3	8.6	33
I315885		0.60	<0.005	0.08	1.91	15.1	<0.2	<10	70	0.29	0.43	0.24	0.14	13.45	7.1	37
I315886		0.62	<0.005	0.09	2.42	4.8	<0.2	<10	150	0.49	0.54	0.33	0.14	31.4	14.3	112
I315887		0.40	NSS	0.02	0.25	9.3	<0.2	<10	70	0.28	0.04	0.40	0.26	27.3	9.1	11
I315888		0.70	0.006	0.14	2.85	6.9	<0.2	<10	240	0.67	0.50	0.40	0.18	40.8	19.8	89
I315889		0.52	0.005	0.05	2.57	8.1	<0.2	<10	160	0.88	0.24	0.29	0.20	27.6	15.4	64
I315890		0.64	<0.005	0.11	2.76	17.7	<0.2	<10	200	0.91	0.23	0.34	0.11	26.3	9.9	53
I315891		0.74	0.005	0.11	2.16	5.7	<0.2	<10	160	1.03	0.29	0.57	0.10	34.6	14.9	50
I315892		0.48	<0.005	0.15	0.88	0.9	<0.2	<10	60	0.36	0.10	0.38	0.14	9.96	4.0	20
I315893		0.64	<0.005	0.08	2.32	5.5	<0.2	<10	160	0.88	0.18	0.47	0.10	36.6	11.0	56
I315894		0.80	<0.005	0.10	2.72	10.8	<0.2	<10	310	1.12	0.16	0.66	0.11	39.5	16.9	78
I315895		0.80	0.010	0.09	2.57	29.9	<0.2	<10	140	1.01	0.21	0.35	0.13	26.7	11.6	50
I315896		0.60	0.027	0.13	2.52	82.9	<0.2	<10	190	0.85	0.21	0.43	0.19	31.9	17.5	49
I315897		0.54	<0.005	0.06	2.47	12.9	<0.2	<10	210	0.45	0.14	0.50	0.04	18.20	12.1	60
I315898		0.66	<0.005	0.08	1.83	10.1	<0.2	<10	150	0.41	0.09	0.38	0.05	19.70	10.3	44
I315899		0.50	<0.005	0.16	2.32	20.5	<0.2	<10	160	0.57	0.15	0.26	0.14	20.3	12.0	42
I315900		0.52	<0.005	0.19	2.44	25.8	<0.2	<10	170	0.67	0.19	0.27	0.17	23.0	13.6	45
I315901		0.32	0.011	0.22	1.29	37.1	<0.2	<10	100	0.60	0.18	0.68	0.25	20.1	5.5	26
I315902		0.26	0.028	0.42	2.54	169.5	<0.2	<10	180	1.05	0.29	0.70	0.12	25.3	14.4	45
I315903		0.26	<0.005	0.20	1.54	42.1	<0.2	<10	130	0.72	0.17	0.44	0.21	19.05	8.4	28
I315904		0.34	0.006	0.12	1.60	14.1	<0.2	<10	130	0.48	0.17	0.36	0.25	16.55	7.9	32
I315905		0.34	<0.005	0.07	2.54	17.1	<0.2	<10	220	0.62	0.16	0.33	0.03	19.10	15.0	47
I315906		0.30	<0.005	0.17	1.72	8.3	<0.2	<10	190	0.47	0.14	0.29	0.14	18.25	10.6	32
I315907		0.30	<0.005	0.17	1.41	12.6	<0.2	<10	110	0.22	0.13	0.20	0.11	12.35	5.5	26
I315908		0.22	<0.005	0.10	1.65	11.0	<0.2	<10	140	0.27	0.13	0.27	0.22	13.90	7.8	30
I315909		0.34	0.008	0.35	3.23	19.9	<0.2	<10	350	0.60	0.20	0.47	0.03	23.7	12.9	62
I315910		0.36	<0.005	0.32	2.93	18.1	<0.2	<10	330	0.49	0.20	0.46	0.02	23.9	11.7	50



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - B  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315871		0.50	34.3	2.91	5.93	0.05	0.21	0.04	0.026	0.06	15.8	13.2	0.56	449	1.24
I315872		0.37	12.4	2.25	6.09	<0.05	0.02	0.02	0.019	0.08	8.4	12.3	0.39	425	1.39
I315873		1.40	25.5	2.37	7.22	0.08	0.06	0.07	0.033	0.06	43.2	8.9	0.28	324	1.09
I315874		1.95	50.6	3.05	8.53	0.19	0.10	0.19	0.039	0.07	68.7	10.1	0.35	3540	2.28
I315875		0.28	9.0	2.21	1.90	0.06	0.04	0.02	0.007	0.05	19.4	4.2	0.24	868	1.48
I315876		1.53	34.2	2.11	6.90	<0.05	0.05	0.08	0.025	0.06	15.2	11.4	0.43	486	1.03
I315877		1.39	30.3	2.99	6.73	0.07	0.06	0.06	0.030	0.11	12.0	11.5	0.54	681	1.82
I315878		0.56	9.4	0.69	2.47	<0.05	<0.02	0.03	0.007	0.03	3.0	1.4	0.07	42	0.89
I315879		1.37	92.2	2.23	5.58	0.08	0.04	0.07	0.024	0.07	14.0	12.1	0.48	602	7.13
I315880		1.48	72.0	2.55	6.82	0.08	0.04	0.06	0.026	0.08	18.8	13.1	0.57	627	13.25
I315881		0.84	15.6	1.32	5.34	<0.05	<0.02	0.05	0.013	0.04	4.2	3.7	0.14	89	2.49
I315882		1.89	48.3	3.10	8.37	0.07	0.07	0.05	0.030	0.08	8.6	13.3	0.46	416	5.78
I315883		0.59	17.7	1.01	3.00	<0.05	<0.02	0.05	0.010	0.04	4.0	1.5	0.08	59	2.81
I315884		1.36	50.6	2.32	6.29	0.08	0.04	0.05	0.025	0.11	15.4	9.5	0.44	299	5.15
I315885		1.59	35.6	2.58	9.44	0.07	0.05	0.04	0.022	0.08	7.1	10.3	0.40	163	10.30
I315886		3.86	110.5	2.85	7.58	0.12	0.06	0.04	0.028	0.16	16.1	15.6	1.06	305	26.8
I315887		0.26	10.2	2.08	1.48	0.08	0.07	0.02	0.007	0.04	13.1	3.4	0.18	732	1.59
I315888		4.82	284	3.94	9.45	0.12	0.08	0.04	0.044	0.24	21.1	17.7	0.93	490	68.0
I315889		4.63	95.8	3.59	8.64	0.12	0.07	0.04	0.039	0.27	13.6	15.8	0.79	510	103.0
I315890		2.84	92.4	3.51	8.55	0.10	0.06	0.07	0.038	0.13	13.4	13.6	0.73	227	51.9
I315891		3.60	122.0	3.33	7.56	0.15	0.12	0.06	0.048	0.21	17.0	14.0	1.10	495	47.8
I315892		1.07	43.1	1.05	4.18	<0.05	0.02	0.09	0.015	0.04	6.2	4.3	0.28	363	60.5
I315893		3.17	117.5	3.23	8.05	0.11	0.09	0.03	0.043	0.22	20.2	13.9	0.83	350	51.0
I315894		5.81	120.5	3.79	9.66	0.17	0.16	0.04	0.056	0.46	20.2	16.3	1.07	371	121.0
I315895		3.44	65.7	3.08	10.15	0.11	0.06	0.04	0.048	0.14	13.0	15.0	0.82	272	72.6
I315896		3.70	100.5	3.37	8.01	0.11	0.05	0.07	0.048	0.10	15.5	13.4	0.71	759	89.5
I315897		2.85	127.0	3.28	7.09	0.07	0.07	0.03	0.030	0.07	9.5	13.4	1.02	418	120.0
I315898		2.95	104.5	2.67	6.25	0.11	0.06	0.04	0.022	0.15	11.3	10.3	0.69	271	142.0
I315899		2.59	125.5	3.19	8.53	0.07	0.05	0.05	0.025	0.08	11.1	13.0	0.61	398	72.7
I315900		3.18	140.5	3.55	10.05	0.08	0.05	0.07	0.030	0.09	12.5	14.8	0.66	436	87.2
I315901		4.27	133.5	1.74	5.19	0.06	0.03	0.09	0.027	0.06	11.8	8.2	0.39	220	60.0
I315902		7.91	293	3.42	8.03	0.10	0.03	0.20	0.062	0.09	13.8	16.6	0.69	792	159.5
I315903		4.18	99.8	2.03	5.64	0.07	0.03	0.09	0.030	0.06	12.0	8.9	0.39	314	78.3
I315904		2.46	49.7	2.18	7.09	0.06	0.03	0.02	0.024	0.08	9.0	9.8	0.49	329	65.8
I315905		2.49	71.9	2.99	7.87	0.08	0.04	0.03	0.031	0.07	9.5	13.2	0.70	748	152.0
I315906		1.68	47.2	2.32	6.60	0.07	0.04	0.07	0.022	0.07	9.9	9.5	0.46	403	117.5
I315907		1.19	31.0	1.94	6.10	0.05	0.03	0.03	0.016	0.05	6.5	7.3	0.33	146	68.0
I315908		1.37	41.4	2.30	6.82	0.06	0.05	0.04	0.021	0.07	7.1	10.5	0.41	256	86.7
I315909		3.58	161.0	3.60	10.10	0.10	0.05	0.10	0.035	0.17	12.0	15.0	0.88	442	210
I315910		2.56	134.5	3.24	8.77	0.08	0.05	0.09	0.032	0.12	12.3	12.4	0.69	458	228



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I315871		1.61	26.1	630	9.2	7.6	0.001	0.01	0.70	7.2	0.8	0.6	42.2	<0.01	0.03	4.6
I315872		1.41	17.7	370	7.6	7.9	<0.001	0.01	0.38	3.4	<0.2	0.6	34.4	<0.01	0.03	1.3
I315873		2.06	13.0	750	8.5	18.5	0.001	0.05	0.31	5.3	1.3	0.9	21.9	0.01	0.04	2.1
I315874		1.85	21.0	1330	10.9	16.8	0.002	0.13	0.56	7.8	2.6	1.1	62.3	0.02	0.06	2.7
I315875		0.66	22.2	650	4.5	6.1	<0.001	0.01	0.59	2.4	<0.2	0.3	13.8	<0.01	0.02	4.8
I315876		1.53	17.2	1140	8.2	15.2	0.001	0.10	1.12	5.2	0.9	0.8	75.2	0.01	0.04	1.4
I315877		1.89	21.1	880	7.3	22.9	0.001	0.10	0.51	4.6	0.7	0.8	51.7	<0.01	0.05	1.3
I315878		0.42	3.8	460	3.0	5.2	<0.001	0.04	0.26	0.8	0.4	0.3	8.4	<0.01	0.01	<0.2
I315879		0.94	22.7	870	5.4	14.5	<0.001	0.10	0.89	3.7	1.0	0.5	48.6	<0.01	0.04	0.5
I315880		1.19	27.9	800	6.3	14.2	0.001	0.09	0.61	3.5	0.9	0.6	47.2	<0.01	0.04	0.8
I315881		0.80	7.4	360	5.4	6.1	<0.001	0.04	0.37	1.2	0.6	0.5	11.9	<0.01	0.04	0.3
I315882		2.48	20.7	540	8.3	16.6	<0.001	0.04	0.56	3.3	0.6	0.9	18.0	<0.01	0.07	4.3
I315883		0.48	7.8	460	3.4	5.4	<0.001	0.05	0.44	0.9	0.5	0.4	13.7	<0.01	0.04	<0.2
I315884		1.55	19.5	640	4.9	18.2	<0.001	0.05	0.44	2.9	0.7	0.7	28.2	<0.01	0.06	1.3
I315885		2.37	17.3	360	7.4	15.1	<0.001	0.02	0.62	3.4	0.5	1.7	24.2	<0.01	0.08	2.1
I315886		1.96	63.8	680	4.6	30.9	0.001	0.02	0.26	4.6	0.7	0.7	24.6	<0.01	0.22	3.6
I315887		0.59	16.8	540	4.0	5.0	<0.001	0.02	0.56	1.6	0.3	0.3	10.1	<0.01	0.02	4.8
I315888		2.42	50.2	770	5.7	33.1	0.001	0.03	0.40	6.0	0.9	1.0	48.5	0.01	0.10	4.8
I315889		2.38	33.4	660	5.6	30.7	<0.001	0.03	0.30	6.4	0.8	1.0	18.3	<0.01	0.06	3.8
I315890		1.92	26.4	610	6.0	18.4	0.001	0.02	0.28	5.9	0.6	0.8	21.0	<0.01	0.04	2.5
I315891		2.63	28.1	840	5.3	32.8	0.001	0.02	0.33	6.8	0.7	0.8	28.7	<0.01	0.05	4.5
I315892		0.76	8.8	740	3.4	5.0	0.001	0.10	0.15	1.5	0.9	0.3	21.6	<0.01	0.01	0.3
I315893		2.36	29.1	630	4.7	30.5	0.001	0.02	0.28	7.3	0.6	1.0	31.6	<0.01	0.03	4.6
I315894		2.12	39.0	740	4.4	56.6	0.003	0.04	0.27	10.0	0.9	0.9	32.7	<0.01	0.04	5.5
I315895		2.40	26.9	710	6.5	21.5	<0.001	0.03	0.65	5.3	0.6	1.0	20.1	<0.01	0.04	2.6
I315896		1.83	28.1	870	5.9	17.2	0.001	0.03	1.67	5.3	0.6	0.8	24.6	<0.01	0.05	2.4
I315897		2.36	28.9	480	4.3	14.7	0.001	0.03	0.54	5.5	0.5	0.6	20.6	<0.01	0.04	2.0
I315898		2.10	26.8	650	3.6	23.0	0.001	0.02	0.32	5.5	0.6	0.5	21.8	<0.01	0.04	1.9
I315899		1.86	26.4	590	6.6	17.8	0.001	0.04	1.35	4.3	0.7	0.7	20.0	<0.01	0.06	0.8
I315900		2.16	29.9	580	7.5	21.2	<0.001	0.04	1.67	5.0	0.9	0.7	22.3	<0.01	0.08	1.1
I315901		1.06	17.8	820	3.9	12.7	0.002	0.10	1.23	1.9	1.1	0.5	33.3	<0.01	0.05	0.2
I315902		1.57	34.7	920	5.1	18.9	0.002	0.09	5.66	4.6	1.3	0.9	35.1	<0.01	0.08	0.9
I315903		1.07	19.7	640	4.0	15.7	0.001	0.06	1.17	3.3	0.9	0.6	26.6	<0.01	0.04	0.5
I315904		1.54	19.7	410	5.3	33.8	<0.001	0.03	0.44	2.9	0.5	0.7	23.5	<0.01	0.03	0.5
I315905		1.73	25.0	590	5.6	15.3	0.001	0.03	0.39	4.8	0.7	0.6	20.4	<0.01	0.04	1.3
I315906		1.59	19.3	510	5.2	17.8	0.001	0.03	0.27	3.5	0.7	0.5	25.8	<0.01	0.04	0.7
I315907		1.33	15.0	410	4.9	13.5	<0.001	0.03	0.98	2.5	0.5	0.5	17.2	<0.01	0.03	0.5
I315908		1.81	18.8	370	5.2	20.6	<0.001	0.02	0.71	3.8	0.6	0.6	23.5	<0.01	0.04	1.1
I315909		2.05	37.8	710	6.7	29.6	0.002	0.05	0.53	7.9	1.2	0.8	36.4	<0.01	0.07	1.7
I315910		1.71	32.3	840	6.4	21.6	0.002	0.07	0.49	6.4	1.1	0.7	35.4	<0.01	0.06	1.1



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - D  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315871		0.085	0.07	2.53	62	0.18	11.45	53	10.0
I315872		0.062	0.07	0.35	57	0.22	2.79	49	0.8
I315873		0.072	0.16	8.48	46	0.33	26.0	45	1.5
I315874		0.056	0.33	27.7	55	0.47	59.3	68	1.5
I315875		0.020	0.17	0.80	17	0.14	8.51	22	2.4
I315876		0.065	0.16	4.85	46	0.40	13.45	73	1.6
I315877		0.090	0.14	2.55	61	0.78	8.15	83	2.0
I315878		0.036	0.05	0.73	18	0.24	1.40	12	<0.5
I315879		0.069	0.13	1.12	51	0.99	12.25	49	1.1
I315880		0.083	0.13	2.31	64	1.16	15.15	70	1.3
I315881		0.059	0.07	0.58	34	0.24	1.67	22	0.6
I315882		0.115	0.15	1.42	67	3.66	3.80	58	2.3
I315883		0.038	0.08	0.82	31	0.29	1.42	23	<0.5
I315884		0.101	0.14	1.58	55	2.83	6.18	50	1.6
I315885		0.136	0.13	0.62	70	1.47	3.33	35	2.1
I315886		0.136	0.25	1.63	63	2.76	6.69	58	2.0
I315887		0.023	0.13	0.66	18	0.11	6.92	20	3.3
I315888		0.168	0.30	2.83	84	8.24	9.96	78	2.9
I315889		0.169	0.31	0.92	109	1.57	6.81	69	2.9
I315890		0.147	0.27	1.05	86	5.13	6.97	61	2.1
I315891		0.167	0.28	0.92	77	19.30	9.18	65	5.1
I315892		0.061	0.09	1.03	24	0.84	3.35	27	0.8
I315893		0.185	0.28	1.02	81	4.26	9.06	67	3.9
I315894		0.246	0.45	1.22	120	4.50	11.25	75	5.8
I315895		0.151	0.21	0.84	80	3.14	5.66	63	1.9
I315896		0.141	0.24	1.02	79	1.01	8.68	68	2.0
I315897		0.171	0.14	0.94	89	1.60	4.43	63	2.4
I315898		0.161	0.20	0.72	81	2.17	7.19	48	2.4
I315899		0.124	0.16	0.95	88	0.33	6.04	58	1.7
I315900		0.140	0.18	1.01	97	0.36	6.61	62	1.9
I315901		0.059	0.11	1.09	39	1.40	5.83	50	1.2
I315902		0.095	0.17	1.64	70	1.97	7.99	102	1.2
I315903		0.069	0.10	1.20	45	1.07	5.82	61	1.0
I315904		0.102	0.09	0.57	53	1.12	3.33	64	1.0
I315905		0.134	0.18	0.99	80	0.46	4.42	58	1.6
I315906		0.108	0.11	0.90	60	0.27	5.06	46	1.2
I315907		0.099	0.09	0.50	56	0.25	2.72	36	1.0
I315908		0.110	0.10	0.54	61	0.24	3.40	46	1.6
I315909		0.153	0.30	1.24	104	0.63	7.12	66	2.2
I315910		0.119	0.22	1.38	93	0.49	7.53	58	1.7



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315911		0.32	0.008	0.58	2.39	18.9	<0.2	<10	250	0.54	0.28	1.19	0.40	25.2	11.5	41
I315912		0.32	0.008	0.23	2.48	13.4	<0.2	<10	220	0.48	0.25	0.50	0.14	19.20	17.1	45
I315913		0.36	0.011	0.39	2.70	13.6	<0.2	<10	250	0.45	0.26	0.74	0.17	19.70	13.8	44
I315914		0.48	0.013	0.31	3.22	21.2	<0.2	<10	350	0.44	0.50	0.70	0.18	18.05	13.7	61
I315915		0.34	0.009	0.14	2.64	5.8	<0.2	<10	320	0.43	0.37	0.63	0.19	19.20	12.5	55
I315916		0.36	0.010	0.30	2.57	10.1	<0.2	<10	350	0.38	0.59	0.85	0.46	16.85	14.5	50
I315917		0.32	0.006	0.34	2.38	18.3	<0.2	<10	310	0.33	0.44	0.77	0.33	14.20	12.7	42
I315918		0.42	0.009	0.38	2.74	11.7	<0.2	<10	300	0.41	0.45	0.61	0.42	19.30	17.4	46
I315919		0.50	0.036	0.27	3.06	53.1	<0.2	<10	370	0.42	0.44	0.43	0.16	16.05	16.2	51
I315920		0.46	0.012	0.19	2.59	38.6	<0.2	<10	310	0.41	0.36	0.34	0.11	15.95	13.9	49
I315921		0.44	0.016	0.20	2.78	49.6	<0.2	<10	270	0.35	0.47	0.43	0.18	16.70	17.6	59
I315922		0.52	NSS	0.02	0.27	8.5	<0.2	<10	80	0.29	0.04	0.48	0.22	22.9	7.9	11
I315923		0.46	0.009	0.20	3.03	17.8	<0.2	<10	310	0.40	0.52	0.76	0.20	15.45	15.3	59
I315924		0.38	0.007	0.11	2.55	9.7	<0.2	<10	200	0.37	0.44	0.52	0.09	17.70	11.7	49
I315925		0.40	0.005	0.11	2.56	16.6	<0.2	<10	400	0.52	0.39	0.46	0.08	21.1	16.1	47
I315926		0.52	0.012	0.09	2.59	14.7	<0.2	<10	330	0.51	0.37	0.50	0.11	23.0	13.4	52
I315927		0.48	0.010	0.06	2.32	19.0	<0.2	<10	270	0.45	0.32	0.47	0.09	18.80	9.6	45
I315928		0.30	0.006	0.15	2.46	9.6	<0.2	<10	310	0.44	0.31	0.58	0.26	20.3	13.1	44
I315929		0.36	<0.005	0.28	2.24	17.3	<0.2	<10	290	0.53	0.32	0.78	0.11	24.2	20.0	36
I315930		0.30	0.006	0.16	2.29	9.6	<0.2	<10	220	0.44	0.28	0.50	0.18	16.85	10.2	39
I315931		0.60	0.007	0.14	2.37	11.3	<0.2	<10	240	0.48	0.26	0.36	0.08	17.15	10.5	41
I315932		0.40	0.013	0.38	2.75	23.5	<0.2	<10	250	0.65	0.29	0.47	0.19	21.7	13.1	43
I315933		0.46	0.012	0.12	1.88	32.5	<0.2	<10	190	0.50	0.21	0.39	0.11	20.1	10.1	36
I315934		0.28	0.006	0.08	0.79	5.7	<0.2	<10	60	0.21	0.24	0.11	0.41	9.82	4.3	16
I315935		0.28	0.005	0.08	0.69	5.1	<0.2	<10	50	0.17	0.23	0.09	0.24	7.27	6.6	14
I315936		0.48	0.011	0.15	2.15	25.2	<0.2	<10	200	0.47	0.17	0.37	0.13	21.7	9.6	37
I315937		0.32	0.010	0.27	1.55	13.7	<0.2	<10	160	0.53	0.17	0.64	0.18	20.2	21.3	24
I315938		0.38	0.005	0.11	1.80	7.0	<0.2	<10	160	0.46	0.18	0.33	0.29	16.00	9.9	35
I315939		0.34	0.006	0.18	1.51	5.4	<0.2	<10	110	0.42	0.14	0.21	0.46	13.55	8.1	28
I315940		0.46	0.005	0.03	2.20	4.9	<0.2	<10	160	0.51	0.15	0.25	0.24	20.4	10.4	50
I315941		0.48	0.007	0.11	2.39	6.5	<0.2	<10	200	0.56	0.17	0.36	0.09	31.7	12.3	53
I315942		0.54	0.008	0.13	2.87	15.4	<0.2	<10	260	0.69	0.17	0.45	0.15	35.9	14.9	57
I315943		0.48	0.005	0.06	2.43	6.2	<0.2	<10	210	0.52	0.13	0.39	0.07	24.4	12.2	50
I315944		0.36	0.005	0.04	1.90	27.9	<0.2	<10	150	0.55	0.16	0.26	0.14	22.0	10.0	45
I315945		0.42	0.020	0.33	2.07	26.4	<0.2	<10	160	0.69	0.19	0.49	0.08	19.70	7.1	46
I315946		0.60	0.005	0.07	2.42	11.4	<0.2	<10	210	0.72	0.15	0.45	0.08	31.0	10.2	49
I315947		0.60	0.011	0.08	2.60	61.0	<0.2	<10	210	1.61	0.17	0.44	0.07	47.3	13.4	66
I315948		0.48	NSS	0.02	0.31	10.4	<0.2	<10	90	0.37	0.04	0.64	0.24	33.5	8.8	14
I315949		0.52	0.008	0.09	2.64	7.6	<0.2	<10	160	2.66	0.46	0.49	0.07	45.8	14.0	68
I315950		0.56	0.005	0.12	2.40	12.9	<0.2	<10	180	1.45	0.19	0.47	<0.01	31.8	14.7	52



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315911		2.41	188.0	2.61	7.27	0.10	0.08	0.14	0.028	0.10	14.2	17.2	0.61	382	164.0
I315912		1.59	85.6	3.09	7.69	0.09	0.04	0.11	0.024	0.15	9.7	14.0	0.69	521	93.4
I315913		1.73	112.0	3.03	8.04	0.08	0.06	0.09	0.027	0.12	9.8	13.5	0.64	627	20.3
I315914		2.62	82.1	3.09	9.40	0.08	0.04	0.05	0.023	0.39	9.1	14.4	1.01	411	5.88
I315915		1.78	52.6	2.27	7.52	0.07	0.05	0.04	0.026	0.23	9.2	12.9	0.91	235	0.91
I315916		1.58	40.2	2.81	7.57	0.07	0.05	0.05	0.025	0.16	8.7	12.8	1.02	640	1.30
I315917		1.75	37.4	2.96	8.03	0.06	0.04	0.05	0.021	0.17	7.2	13.3	1.08	453	1.18
I315918		1.48	41.6	3.14	7.89	0.08	0.03	0.05	0.022	0.29	8.8	14.7	1.13	750	1.04
I315919		1.75	66.3	3.62	8.62	0.09	0.03	0.03	0.021	0.34	8.1	15.0	1.38	454	1.05
I315920		1.57	41.8	3.34	7.56	0.08	0.04	0.02	0.021	0.24	7.7	14.5	1.15	310	0.91
I315921		2.21	33.0	3.21	8.46	0.09	0.04	0.02	0.023	0.27	8.2	14.9	1.37	547	1.08
I315922		0.25	6.9	1.89	1.38	0.06	0.06	0.02	0.006	0.05	11.1	3.8	0.20	674	1.22
I315923		1.88	30.3	3.44	8.60	0.09	0.03	0.03	0.026	0.25	7.8	13.9	1.39	662	1.24
I315924		1.23	30.9	2.83	7.41	0.07	0.04	0.02	0.028	0.10	8.5	14.2	0.94	243	0.86
I315925		1.26	33.7	3.07	7.60	0.07	0.03	0.03	0.057	0.10	9.9	12.3	0.78	674	1.32
I315926		1.57	42.4	2.91	7.84	0.08	0.06	0.02	0.025	0.18	11.1	12.9	0.87	251	1.10
I315927		1.44	36.6	2.64	7.06	0.07	0.06	0.02	0.023	0.15	9.6	12.3	0.73	237	1.07
I315928		1.46	45.6	2.64	7.44	0.07	0.04	0.05	0.023	0.09	10.1	11.3	0.61	689	1.96
I315929		1.19	56.6	4.25	6.31	0.08	0.03	0.09	0.024	0.06	12.6	8.5	0.47	1590	6.48
I315930		1.33	50.2	2.24	7.31	0.06	0.03	0.04	0.024	0.08	8.9	11.8	0.57	228	2.67
I315931		1.37	65.8	2.70	7.21	0.06	0.04	0.03	0.023	0.12	8.8	12.0	0.61	299	3.81
I315932		1.49	82.7	3.11	8.21	0.08	0.04	0.07	0.029	0.09	12.3	14.1	0.62	485	7.32
I315933		1.49	97.7	2.41	5.88	0.07	0.03	0.03	0.019	0.18	10.6	10.7	0.51	317	6.13
I315934		0.95	32.2	1.87	6.95	<0.05	0.03	0.02	0.013	0.05	4.9	3.9	0.15	167	4.00
I315935		0.95	22.1	1.76	6.51	<0.05	0.02	0.02	0.012	0.04	3.6	3.3	0.13	374	3.50
I315936		1.42	150.0	2.72	6.93	0.08	0.04	0.03	0.021	0.12	11.0	11.0	0.62	299	8.87
I315937		1.49	233	2.01	5.23	0.05	0.02	0.08	0.020	0.06	12.0	5.2	0.22	722	37.8
I315938		1.23	46.7	2.72	7.37	0.05	0.02	0.07	0.022	0.10	7.7	10.7	0.47	457	5.03
I315939		1.07	48.3	2.23	6.12	<0.05	0.03	0.04	0.017	0.06	6.6	8.3	0.34	264	5.20
I315940		3.02	89.8	2.80	8.24	0.08	0.04	0.02	0.022	0.24	10.2	12.3	0.73	216	7.08
I315941		2.18	151.0	3.24	7.69	0.09	0.06	0.03	0.024	0.17	15.5	12.6	0.73	234	19.60
I315942		2.51	179.5	3.37	8.49	0.10	0.09	0.13	0.030	0.18	17.7	15.0	0.79	257	18.60
I315943		1.92	105.0	2.95	7.82	0.10	0.07	0.05	0.028	0.17	11.5	13.9	0.74	266	10.15
I315944		2.04	67.2	2.87	9.22	0.07	0.04	0.03	0.027	0.17	10.3	12.2	0.60	267	23.5
I315945		2.70	149.5	1.80	7.82	0.07	0.04	0.22	0.031	0.11	12.9	12.6	0.58	150	92.1
I315946		1.59	67.3	2.55	7.84	0.08	0.09	0.04	0.034	0.06	15.4	16.1	0.71	214	58.0
I315947		6.06	97.5	3.59	9.44	0.16	0.11	0.08	0.057	0.37	22.1	16.5	0.80	302	92.2
I315948		0.36	12.5	2.09	1.78	0.08	0.04	0.02	0.008	0.05	16.6	4.5	0.26	845	5.08
I315949		4.52	136.0	3.68	10.35	0.25	0.19	0.09	0.132	0.34	22.0	17.0	0.82	349	35.5
I315950		6.80	65.9	3.46	8.20	0.13	0.09	0.26	0.046	0.15	15.3	20.0	0.70	1040	161.0



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315911		2.10	34.5	680	7.0	27.4	0.010	0.11	1.15	6.2	3.2	0.6	60.6	<0.01	0.07
I315912		1.83	27.8	590	6.4	23.8	0.002	0.06	0.52	5.5	1.0	0.6	28.8	<0.01	0.07
I315913		1.56	29.7	840	6.7	24.4	<0.001	0.10	0.65	5.3	1.2	0.6	42.7	<0.01	0.07
I315914		1.81	37.7	760	7.3	39.3	<0.001	0.09	3.00	7.3	1.0	0.6	43.5	<0.01	0.10
I315915		1.50	28.4	610	5.8	29.0	<0.001	0.12	0.45	6.7	0.8	0.6	37.8	<0.01	0.06
I315916		1.23	27.5	670	11.6	21.7	<0.001	0.10	1.89	6.1	0.9	0.6	48.2	<0.01	0.09
I315917		1.26	23.8	770	8.1	26.1	<0.001	0.12	1.45	4.0	0.7	0.6	39.0	<0.01	0.08
I315918		1.23	27.5	730	8.8	31.8	<0.001	0.07	1.01	4.9	0.7	0.5	31.2	<0.01	0.07
I315919		1.37	29.0	600	8.2	32.4	<0.001	0.03	8.91	5.1	0.6	0.5	25.6	<0.01	0.08
I315920		1.48	25.7	550	7.9	25.9	<0.001	0.03	1.56	5.0	0.6	0.5	21.6	<0.01	0.05
I315921		1.33	28.3	610	8.5	30.1	<0.001	0.02	1.69	6.1	0.6	0.5	25.5	<0.01	0.08
I315922		0.59	17.2	610	3.6	5.2	<0.001	0.02	0.47	1.8	0.3	0.4	11.9	<0.01	0.01
I315923		1.25	29.2	710	8.1	23.1	<0.001	0.05	0.81	7.0	0.6	0.6	37.2	<0.01	0.09
I315924		1.45	27.1	600	6.9	15.7	<0.001	0.04	0.52	5.4	0.5	0.6	28.3	<0.01	0.07
I315925		1.47	27.3	700	5.7	16.4	<0.001	0.04	0.65	5.1	0.7	0.6	29.5	<0.01	0.07
I315926		1.87	28.6	670	5.8	27.1	<0.001	0.03	0.79	6.4	0.7	0.6	30.1	<0.01	0.06
I315927		1.89	25.9	530	5.3	23.6	<0.001	0.03	0.71	5.4	0.5	0.6	27.2	<0.01	0.05
I315928		1.48	26.9	1010	5.9	18.3	<0.001	0.10	0.53	4.0	1.1	0.6	40.7	<0.01	0.06
I315929		1.08	23.8	1300	5.2	13.2	0.001	0.16	0.75	3.4	2.2	0.5	43.2	<0.01	0.10
I315930		1.38	28.7	630	5.5	16.5	<0.001	0.08	0.35	3.7	0.9	0.5	34.1	<0.01	0.04
I315931		1.66	28.4	510	5.4	19.2	<0.001	0.03	0.44	4.6	0.6	0.5	24.9	<0.01	0.06
I315932		1.79	32.3	780	7.9	18.0	<0.001	0.07	0.72	5.0	1.1	0.6	34.8	<0.01	0.07
I315933		1.37	26.9	660	4.4	23.4	<0.001	0.03	0.59	4.5	0.6	0.5	23.9	<0.01	0.07
I315934		1.36	8.8	290	7.1	16.3	<0.001	0.02	0.35	1.7	0.3	0.6	11.6	<0.01	0.04
I315935		1.26	7.0	310	5.7	13.5	<0.001	0.02	0.29	1.4	0.3	0.5	10.0	<0.01	0.04
I315936		1.43	28.4	550	4.6	18.1	<0.001	0.04	1.01	4.5	0.8	0.5	26.2	<0.01	0.05
I315937		0.70	23.1	920	5.2	13.0	<0.001	0.12	0.50	2.1	1.5	0.4	32.9	<0.01	0.07
I315938		1.41	23.2	760	6.2	20.8	<0.001	0.09	0.42	2.5	0.7	0.6	29.5	<0.01	0.04
I315939		1.23	22.1	650	5.4	13.1	<0.001	0.07	0.36	2.2	0.7	0.5	20.7	<0.01	0.04
I315940		1.92	31.1	510	5.1	34.1	<0.001	0.02	0.22	5.8	0.4	0.6	19.9	<0.01	0.05
I315941		1.97	34.6	800	5.7	26.2	<0.001	0.02	0.28	7.4	0.8	0.6	26.1	<0.01	0.05
I315942		1.84	43.6	670	6.5	27.9	<0.001	0.02	0.31	8.6	0.8	0.7	32.9	<0.01	0.05
I315943		1.95	31.3	630	5.0	25.1	<0.001	0.03	0.27	7.2	0.6	0.6	27.2	<0.01	0.04
I315944		2.16	29.8	650	5.0	21.8	<0.001	0.03	0.57	5.2	0.5	0.7	17.9	<0.01	0.05
I315945		1.54	30.1	760	5.0	16.7	0.004	0.16	1.47	5.0	1.1	0.7	26.4	<0.01	0.03
I315946		1.89	26.8	730	6.2	10.4	0.001	0.02	0.55	7.0	0.5	0.6	27.3	<0.01	0.02
I315947		2.09	29.6	770	4.6	50.2	<0.001	0.02	0.68	9.6	0.6	1.0	25.9	<0.01	0.03
I315948		0.61	20.7	690	4.3	5.8	<0.001	0.02	0.53	2.1	0.4	0.3	14.0	<0.01	0.01
I315949		2.57	28.7	460	5.4	47.7	<0.001	0.02	0.32	11.3	0.7	2.3	22.8	<0.01	0.06
I315950		2.46	29.7	570	5.3	30.5	0.001	0.01	0.19	8.2	0.7	0.9	30.3	<0.01	0.05





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 3 - D  
 Total # Pages: 7 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 23-SEP-2010  
 Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315911		0.108	0.21	3.65	72	0.67	11.30	58	3.1
I315912		0.129	0.17	1.14	84	2.06	5.05	65	1.6
I315913		0.113	0.20	1.11	82	1.25	7.47	69	2.1
I315914		0.141	0.32	1.20	95	2.89	6.73	79	1.9
I315915		0.119	0.25	1.19	70	1.38	6.96	66	1.7
I315916		0.104	0.17	0.74	83	0.48	7.79	93	1.8
I315917		0.114	0.15	0.65	74	0.36	6.11	95	1.5
I315918		0.118	0.21	0.89	73	0.34	7.17	120	1.4
I315919		0.151	0.20	0.58	82	0.28	5.53	107	1.5
I315920		0.143	0.20	0.53	77	0.27	4.84	70	1.8
I315921		0.155	0.26	0.58	92	0.34	5.29	71	1.7
I315922		0.023	0.14	0.69	16	0.08	7.73	20	3.1
I315923		0.133	0.19	0.59	95	0.32	5.23	85	1.5
I315924		0.125	0.13	0.57	74	0.32	5.10	59	1.8
I315925		0.114	0.15	0.82	78	0.69	5.84	57	1.4
I315926		0.144	0.22	0.96	82	4.24	6.78	61	2.4
I315927		0.140	0.20	0.82	74	1.47	5.22	58	2.6
I315928		0.092	0.15	1.30	68	0.82	7.57	62	1.4
I315929		0.063	0.14	1.47	74	0.77	10.45	41	1.2
I315930		0.094	0.13	0.96	66	0.94	5.51	59	1.3
I315931		0.117	0.16	0.93	74	5.39	5.27	52	1.6
I315932		0.109	0.14	1.82	81	0.76	8.28	66	1.7
I315933		0.103	0.18	1.09	65	4.67	7.23	52	1.1
I315934		0.102	0.07	0.39	65	0.26	1.71	29	1.1
I315935		0.090	0.07	0.31	57	0.18	1.32	25	1.0
I315936		0.119	0.15	0.88	75	2.15	7.43	47	1.6
I315937		0.049	0.13	2.00	49	0.52	11.45	30	0.8
I315938		0.095	0.14	0.69	77	0.35	3.88	63	1.0
I315939		0.082	0.10	0.69	57	0.23	3.81	46	1.2
I315940		0.159	0.30	0.67	92	0.23	5.00	46	2.0
I315941		0.159	0.27	1.50	85	0.36	10.00	56	2.6
I315942		0.169	0.29	1.44	93	0.33	12.30	71	4.0
I315943		0.173	0.24	0.82	89	1.41	7.78	50	3.1
I315944		0.157	0.19	0.54	98	0.94	6.08	59	1.6
I315945		0.108	0.17	1.05	55	2.58	8.18	50	1.8
I315946		0.163	0.18	1.02	81	2.17	9.19	57	3.8
I315947		0.206	0.46	1.17	98	5.01	10.10	70	5.0
I315948		0.025	0.16	0.90	18	0.19	8.26	21	2.0
I315949		0.206	0.40	1.86	86	31.7	9.55	86	7.0
I315950		0.157	0.51	1.97	80	19.25	8.54	79	3.1



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - A  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315951		0.50	<0.005	0.15	1.68	15.0	<0.2	<10	160	0.34	0.34	0.25	0.15	33.6	14.4	23
I315952		0.28	<0.005	0.13	1.37	6.1	<0.2	<10	120	0.28	0.16	0.26	0.20	25.0	7.6	26
I315953		0.40	0.005	0.07	1.52	5.0	<0.2	<10	140	0.24	0.13	0.31	0.12	30.9	6.8	20
I315954		0.38	<0.005	0.11	1.74	6.2	<0.2	<10	160	0.33	0.16	0.32	0.19	41.5	15.4	24
I315955		0.40	<0.005	0.13	1.44	5.7	<0.2	<10	310	0.37	0.16	0.31	0.34	62.9	10.0	22
I315956		0.46	<0.005	0.03	1.77	9.5	<0.2	<10	150	0.26	0.19	0.12	0.17	16.40	8.1	26
I315957		0.44	<0.005	0.10	1.63	8.2	<0.2	<10	180	0.28	0.18	0.15	0.11	12.15	7.6	24
I315958		0.52	<0.005	0.10	2.10	10.6	<0.2	<10	260	0.38	0.19	0.18	0.13	15.30	10.0	30
I315959		0.42	<0.005	0.13	1.66	6.4	<0.2	<10	240	0.36	0.15	0.33	0.13	54.7	10.7	25
I315960		0.32	0.006	0.05	1.02	7.4	<0.2	<10	110	0.17	0.23	0.11	0.09	16.20	3.3	20
I315961		0.30	0.005	0.04	0.72	6.7	<0.2	<10	110	0.19	0.18	0.11	0.08	12.40	4.2	13
I315962		0.30	<0.005	0.12	1.79	7.3	<0.2	<10	450	0.39	0.19	0.45	0.36	58.4	8.7	22
I315963		0.40	<0.005	0.08	1.45	6.3	<0.2	<10	220	0.37	0.17	0.17	0.12	45.8	9.5	18
I315964		0.42	0.005	0.11	2.18	9.5	<0.2	<10	240	0.45	0.15	0.38	0.07	58.9	13.5	35
I315965		0.42	0.005	0.11	2.44	8.4	<0.2	<10	220	0.47	0.17	0.43	0.18	41.7	14.7	29
I315966		0.28	0.010	0.09	1.04	4.0	<0.2	<10	90	0.15	0.14	0.22	0.08	22.1	4.0	19
I315967		0.52	0.005	0.09	1.98	4.4	<0.2	<10	160	0.31	0.18	0.31	0.12	39.7	9.1	27
I315968		0.44	<0.005	0.10	2.48	8.9	<0.2	<10	200	0.38	0.28	0.30	0.10	38.4	12.8	31
I315969		0.38	<0.005	0.15	1.70	5.2	<0.2	<10	310	0.38	0.17	0.39	0.13	86.7	7.4	23
I315970		0.36	<0.005	0.08	1.54	7.2	<0.2	<10	270	0.45	0.20	0.27	0.09	74.8	7.0	19
I315971		0.54	0.013	0.02	0.21	7.5	<0.2	<10	60	0.29	0.03	0.38	0.16	21.6	8.7	7
I315972		0.38	0.005	0.09	1.90	10.7	<0.2	<10	200	0.24	0.20	0.21	0.09	13.70	8.3	30
I315973		0.38	0.005	0.15	2.57	10.5	<0.2	<10	190	0.50	0.19	0.64	0.19	31.3	12.2	32
I315974		0.36	0.007	0.10	0.87	4.5	<0.2	<10	140	0.23	0.16	0.21	0.06	24.0	4.7	14
I315975		0.50	0.005	0.18	2.53	9.2	<0.2	<10	180	0.33	0.22	0.33	0.19	28.3	12.0	31
I315976		0.40	0.006	0.18	1.89	9.0	<0.2	<10	200	0.29	0.21	0.34	0.14	20.8	9.3	28
I315977		0.34	0.006	0.08	0.74	2.4	<0.2	<10	90	0.17	0.15	0.16	0.12	22.9	4.2	16
I315978		0.54	0.009	0.08	1.76	7.9	<0.2	<10	160	0.31	0.16	0.32	0.17	35.0	22.7	26
I315979		0.38	<0.005	0.14	1.69	5.2	<0.2	<10	130	0.27	0.17	0.23	0.20	31.7	6.3	25
I315980		0.32	<0.005	0.20	1.84	6.4	<0.2	<10	160	0.27	0.19	0.25	0.23	31.1	8.7	30
I315981		0.34	0.007	0.23	1.84	5.6	<0.2	<10	150	0.30	0.19	0.26	0.30	29.0	9.0	31
I315982		0.32	<0.005	0.20	1.87	5.8	<0.2	<10	150	0.35	0.20	0.25	0.30	31.3	9.5	31
I315983		0.38	0.006	0.13	2.00	5.9	<0.2	<10	240	0.41	0.14	1.26	0.29	31.1	12.7	44
I315984		0.36	0.008	0.23	2.05	9.8	<0.2	<10	260	0.47	0.16	1.73	0.46	26.9	14.5	45
I315985		0.34	0.007	0.24	2.12	10.9	<0.2	<10	280	0.58	0.17	1.64	0.59	24.4	16.3	50
I315986		0.48	0.008	0.10	2.58	5.4	<0.2	<10	160	0.60	0.11	1.09	0.12	23.3	16.5	66
I315987		0.36	0.006	0.09	1.77	4.1	<0.2	<10	160	0.39	0.10	2.18	0.25	15.10	10.3	35
I315988		0.46	<0.005	0.29	1.20	13.5	<0.2	<10	70	0.21	0.16	0.16	0.13	28.1	4.5	24
I315989		0.36	<0.005	0.09	1.80	46.5	<0.2	<10	80	0.38	0.31	0.09	0.18	36.4	12.3	33
I315990		0.46	<0.005	0.38	1.77	36.5	<0.2	<10	120	0.44	0.26	0.16	0.36	41.3	18.9	31



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - B  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I315951		9.27	11.3	4.02	9.19	0.11	0.07	0.13	0.034	0.17	19.8	12.4	0.54	1360	3.51	0.02
I315952		1.53	12.4	2.24	5.25	<0.05	0.03	0.13	0.020	0.04	12.6	8.0	0.37	226	1.76	0.02
I315953		3.72	8.2	2.33	6.47	0.05	0.05	0.11	0.023	0.06	18.4	10.6	0.47	255	0.76	0.02
I315954		3.91	11.4	3.15	7.04	0.08	0.06	0.17	0.030	0.08	23.4	12.6	0.50	977	0.94	0.02
I315955		3.94	17.4	2.95	7.02	0.13	0.10	0.13	0.029	0.16	57.9	9.9	0.45	782	1.25	0.02
I315956		2.86	13.1	3.28	8.37	<0.05	0.08	0.02	0.027	0.06	8.1	11.9	0.43	302	1.63	0.01
I315957		1.23	13.2	2.83	7.70	<0.05	0.05	0.03	0.022	0.05	6.7	12.1	0.35	326	1.50	0.02
I315958		1.80	16.3	3.34	8.18	<0.05	0.08	0.03	0.031	0.05	8.2	16.0	0.46	406	1.64	0.02
I315959		7.17	14.0	3.21	7.38	0.09	0.08	0.38	0.032	0.11	33.3	14.0	0.50	545	1.24	0.02
I315960		3.69	15.4	2.12	9.57	<0.05	0.05	0.15	0.020	0.05	11.0	3.4	0.18	169	1.52	0.01
I315961		3.74	8.9	2.28	7.75	<0.05	0.03	0.49	0.022	0.07	5.1	3.3	0.14	257	1.78	0.01
I315962		8.05	16.5	2.96	8.72	0.12	0.07	0.65	0.031	0.12	57.8	10.3	0.41	503	1.42	0.02
I315963		3.78	11.4	2.45	7.17	0.07	0.07	0.15	0.026	0.08	44.3	10.0	0.28	1020	1.51	0.02
I315964		2.45	23.4	3.71	7.57	0.11	0.21	0.05	0.034	0.20	31.7	18.3	0.68	517	1.60	0.03
I315965		6.10	18.3	4.49	9.71	0.14	0.14	0.07	0.043	0.38	17.4	22.5	0.84	742	1.50	0.03
I315966		2.85	7.2	1.66	5.77	<0.05	0.04	0.17	0.016	0.07	11.6	6.0	0.30	164	0.61	0.02
I315967		5.75	11.0	2.66	8.13	0.09	0.08	0.47	0.032	0.13	23.3	17.3	0.59	329	0.70	0.02
I315968		9.21	13.0	3.91	10.75	0.11	0.08	0.27	0.037	0.14	23.6	22.3	0.69	609	1.65	0.02
I315969		13.45	12.0	2.40	8.03	0.12	0.10	0.31	0.028	0.11	64.9	13.5	0.39	300	1.19	0.02
I315970		6.66	14.6	2.41	8.35	0.13	0.06	0.29	0.027	0.07	53.2	10.2	0.25	412	1.27	0.02
I315971		0.23	5.5	1.76	1.25	<0.05	0.10	0.02	0.005	0.04	9.9	3.3	0.16	566	1.03	0.01
I315972		5.15	12.6	3.69	8.66	0.05	0.17	0.03	0.027	0.10	6.9	15.5	0.50	295	2.06	0.01
I315973		8.47	16.6	4.24	9.83	0.11	0.14	0.07	0.040	0.46	16.6	27.3	0.74	629	2.06	0.02
I315974		3.93	10.8	1.82	6.18	<0.05	0.07	0.05	0.017	0.07	20.3	6.5	0.21	312	1.64	0.02
I315975		8.23	17.5	4.38	10.70	0.11	0.14	0.05	0.036	0.24	14.2	25.7	0.77	611	2.04	0.02
I315976		5.89	16.7	3.41	9.53	0.07	0.10	0.10	0.029	0.16	10.7	12.5	0.53	733	1.99	0.02
I315977		3.56	11.6	1.19	4.92	<0.05	0.02	0.07	0.014	0.05	12.7	3.7	0.17	201	0.77	0.02
I315978		5.97	12.0	3.72	7.99	0.11	0.07	0.04	0.030	0.13	17.3	15.5	0.62	1840	1.50	0.02
I315979		1.98	14.4	2.39	6.52	0.05	0.04	0.07	0.024	0.07	17.5	10.6	0.44	224	0.79	0.02
I315980		1.92	16.1	2.61	7.37	0.06	0.05	0.07	0.026	0.06	15.7	12.6	0.49	271	1.04	0.02
I315981		1.86	18.1	2.62	7.37	0.06	0.05	0.07	0.027	0.08	16.1	12.5	0.51	303	1.09	0.02
I315982		1.94	19.5	2.65	7.76	0.08	0.05	0.07	0.027	0.09	18.8	13.0	0.51	318	1.10	0.02
I315983		1.95	19.5	2.65	7.07	0.08	0.06	0.07	0.024	0.09	14.1	16.1	0.62	625	1.15	0.04
I315984		1.81	32.1	2.79	6.62	0.10	0.09	0.10	0.026	0.14	12.9	18.6	0.63	504	1.23	0.04
I315985		1.87	43.4	3.42	7.54	0.13	0.08	0.05	0.027	0.21	12.2	18.0	0.72	545	1.68	0.05
I315986		2.19	27.3	3.42	8.36	0.12	0.08	0.03	0.024	0.21	12.1	21.6	1.18	263	0.42	0.07
I315987		1.24	22.4	2.15	5.85	0.09	0.07	0.05	0.015	0.14	8.8	13.0	0.54	436	0.69	0.04
I315988		2.53	19.1	1.78	5.99	<0.05	<0.02	0.04	0.014	0.07	14.6	7.8	0.42	128	0.85	0.02
I315989		2.39	26.5	3.61	9.47	0.06	0.02	0.01	0.023	0.09	18.4	13.6	0.59	626	2.26	0.01
I315990		4.68	36.9	2.73	6.95	0.05	<0.02	0.03	0.027	0.10	21.8	18.2	0.62	736	1.50	0.02



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - C  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I315951		6.35	12.3	640	22.7	45.1	<0.001	0.02	0.93	5.4	0.5	1.4	17.9	<0.01	0.04	7.6
I315952		1.42	14.8	750	10.3	8.5	<0.001	0.04	0.80	3.2	0.6	0.6	20.4	<0.01	0.04	0.9
I315953		3.24	12.2	580	9.4	20.8	<0.001	0.02	0.41	4.2	0.5	0.8	19.3	<0.01	0.02	3.7
I315954		3.15	13.2	700	20.3	24.0	<0.001	0.02	0.37	5.2	0.5	0.9	20.0	<0.01	0.03	5.9
I315955		3.92	13.5	380	16.0	30.3	<0.001	0.02	0.51	5.8	0.8	0.9	26.0	0.01	0.03	7.4
I315956		3.11	15.0	230	15.1	16.6	<0.001	<0.01	0.76	4.4	0.2	0.9	11.5	<0.01	0.04	4.2
I315957		2.19	14.3	240	10.0	9.7	<0.001	<0.01	0.50	3.5	0.2	0.8	15.1	<0.01	0.04	2.2
I315958		2.42	20.7	260	11.5	11.5	<0.001	<0.01	0.61	4.2	0.3	0.8	19.6	<0.01	0.04	3.6
I315959		3.79	15.2	800	9.2	30.1	<0.001	0.03	0.83	5.4	0.8	1.0	22.1	<0.01	0.04	7.0
I315960		2.60	6.9	270	10.3	12.4	<0.001	0.01	0.56	3.0	0.5	1.0	13.2	<0.01	0.04	3.0
I315961		2.17	6.3	600	8.0	13.9	<0.001	0.01	1.13	2.8	0.2	1.2	10.0	<0.01	0.03	1.3
I315962		3.22	13.3	490	13.3	28.7	<0.001	0.02	1.92	5.3	0.7	1.1	33.0	<0.01	0.04	7.2
I315963		2.71	9.2	380	8.3	16.7	<0.001	<0.01	1.19	4.1	0.5	0.8	14.4	<0.01	0.03	9.2
I315964		3.55	21.4	350	9.3	30.0	<0.001	0.01	0.81	7.3	0.8	0.9	25.9	0.01	0.03	12.6
I315965		7.76	19.2	640	10.7	64.9	<0.001	0.01	1.95	7.5	0.7	1.4	28.1	<0.01	0.04	10.3
I315966		2.35	8.2	600	9.6	22.2	<0.001	0.04	0.48	2.6	0.6	0.7	17.1	<0.01	0.03	1.1
I315967		4.67	15.1	640	12.6	35.5	<0.001	0.02	1.71	5.2	0.6	1.0	19.9	<0.01	0.03	8.1
I315968		5.53	18.4	620	15.7	40.5	<0.001	0.02	1.70	5.6	0.7	1.4	23.1	<0.01	0.04	8.6
I315969		4.84	13.6	470	10.3	34.2	<0.001	0.03	0.99	5.4	0.9	1.2	34.1	0.01	0.03	9.3
I315970		2.75	9.5	500	13.6	22.8	<0.001	0.02	1.15	4.1	0.9	1.0	25.2	0.01	0.04	3.6
I315971		0.51	14.4	460	3.5	4.3	<0.001	<0.01	0.52	1.8	<0.2	0.2	9.6	<0.01	0.02	2.6
I315972		3.37	15.5	310	10.1	22.9	<0.001	<0.01	0.57	4.2	0.3	1.0	18.1	<0.01	0.04	4.5
I315973		8.97	19.4	470	13.3	63.6	<0.001	0.02	0.63	6.3	0.6	1.5	49.1	<0.01	0.04	13.7
I315974		2.79	6.9	240	7.9	12.7	<0.001	0.01	0.25	2.9	0.4	0.7	17.0	<0.01	0.03	7.4
I315975		8.24	19.1	590	12.9	53.1	<0.001	0.01	0.41	6.3	0.6	1.6	23.9	<0.01	0.04	9.6
I315976		4.75	16.2	300	11.6	35.6	<0.001	0.01	0.46	5.6	0.5	1.3	28.0	<0.01	0.04	4.7
I315977		1.46	7.0	500	7.6	12.5	<0.001	0.04	0.22	1.9	0.5	0.8	15.1	<0.01	0.03	0.6
I315978		4.53	15.5	740	13.6	36.0	<0.001	0.01	0.33	5.1	0.5	1.1	21.0	<0.01	0.03	7.5
I315979		2.33	13.9	570	10.7	17.8	<0.001	0.03	0.26	3.8	0.8	0.7	17.5	<0.01	0.03	1.9
I315980		2.41	17.3	560	11.5	15.8	<0.001	0.03	0.29	4.2	0.9	0.8	20.8	<0.01	0.03	2.0
I315981		2.45	19.0	560	12.1	18.9	<0.001	0.03	0.26	4.4	0.9	0.8	20.5	<0.01	0.04	2.1
I315982		2.57	19.7	580	12.3	19.8	<0.001	0.03	0.26	4.6	1.0	0.8	20.3	<0.01	0.04	2.2
I315983		2.43	26.1	560	8.9	24.1	<0.001	0.06	0.34	5.5	1.1	0.7	66.0	<0.01	0.05	2.3
I315984		2.31	33.2	690	7.7	28.5	0.001	0.11	0.47	5.3	2.0	0.6	81.0	0.01	0.06	1.5
I315985		2.11	34.8	830	7.1	34.2	0.002	0.13	0.34	5.4	2.2	0.6	73.6	<0.01	0.07	1.5
I315986		2.42	36.7	720	7.2	34.2	0.001	0.02	0.21	6.5	0.8	0.6	52.0	<0.01	0.02	3.6
I315987		1.73	20.3	790	5.2	24.5	<0.001	0.11	0.23	3.1	1.1	0.4	89.4	0.01	0.03	0.6
I315988		0.61	16.3	530	7.3	11.0	<0.001	0.04	0.33	1.5	0.9	0.3	14.8	<0.01	0.05	0.3
I315989		1.52	24.8	410	14.1	18.5	<0.001	0.02	0.85	2.7	0.6	1.5	12.5	<0.01	0.07	2.4
I315990		0.74	28.6	470	16.5	19.1	<0.001	0.02	0.69	2.5	0.7	0.5	15.9	<0.01	0.05	1.2



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - D  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315951		0.191	0.58	1.64	112	0.30	6.99	77	2.3
I315952		0.074	0.16	1.06	60	0.19	5.52	51	1.0
I315953		0.120	0.24	1.16	51	0.16	7.21	62	1.6
I315954		0.125	0.31	1.88	62	0.15	8.04	72	1.9
I315955		0.138	0.24	3.09	60	0.27	18.30	54	2.6
I315956		0.127	0.21	0.57	82	0.18	2.84	48	3.2
I315957		0.102	0.11	0.37	72	0.16	2.16	38	2.2
I315958		0.106	0.14	0.48	75	0.18	2.87	43	3.1
I315959		0.129	0.37	1.76	64	0.18	9.66	65	2.4
I315960		0.140	0.17	0.57	69	0.17	2.49	27	1.8
I315961		0.109	0.23	0.54	59	0.14	2.52	39	1.2
I315962		0.118	0.44	1.70	65	0.15	11.95	54	2.4
I315963		0.098	0.23	1.32	53	0.15	7.99	40	2.2
I315964		0.176	0.28	2.16	78	0.19	12.65	59	7.6
I315965		0.259	0.60	1.23	87	0.69	9.40	85	5.3
I315966		0.097	0.20	1.12	37	0.20	4.10	36	1.2
I315967		0.168	0.40	2.37	58	0.18	7.94	76	2.6
I315968		0.198	0.55	2.46	91	0.20	7.78	90	2.6
I315969		0.136	0.37	2.79	50	0.36	14.50	54	2.8
I315970		0.097	0.30	1.71	56	0.16	16.35	42	1.3
I315971		0.016	0.12	0.53	13	0.09	6.03	17	4.6
I315972		0.154	0.34	0.54	85	0.15	2.72	54	6.1
I315973		0.223	0.53	1.11	81	0.20	5.29	76	5.1
I315974		0.110	0.18	1.20	48	0.14	6.05	23	2.2
I315975		0.255	0.58	0.98	93	0.23	8.08	80	5.4
I315976		0.186	0.42	0.71	85	0.22	4.78	58	3.6
I315977		0.063	0.16	1.56	27	0.20	3.79	26	0.5
I315978		0.178	0.39	1.38	79	0.28	8.28	78	2.3
I315979		0.091	0.19	1.42	46	0.16	5.94	53	1.2
I315980		0.102	0.19	1.36	61	0.15	5.80	59	1.5
I315981		0.105	0.19	1.38	60	0.20	6.29	68	1.4
I315982		0.105	0.21	1.52	60	0.16	6.60	67	1.4
I315983		0.109	0.22	1.15	62	0.16	8.52	76	2.3
I315984		0.096	0.25	1.38	61	0.23	10.55	94	3.0
I315985		0.109	0.23	1.96	76	0.13	10.75	85	3.2
I315986		0.158	0.25	0.62	80	0.19	8.38	67	3.0
I315987		0.081	0.14	0.61	51	0.12	7.46	59	2.7
I315988		0.042	0.13	0.91	28	0.08	5.21	51	<0.5
I315989		0.103	0.16	0.69	85	0.16	5.32	75	0.7
I315990		0.063	0.19	1.42	53	0.12	7.96	87	<0.5



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - A  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315991		0.36	<0.005	0.06	0.28	3.4	<0.2	<10	30	0.12	0.05	0.06	0.07	11.20	1.8	6
I315992		0.40	<0.005	0.19	1.95	56.6	<0.2	<10	110	0.64	0.22	0.12	0.15	53.7	19.0	32
I315993		0.38	<0.005	0.17	1.10	27.3	<0.2	<10	70	0.34	0.23	0.07	0.12	38.1	7.5	17
I315994		0.40	0.007	0.02	0.19	6.8	<0.2	<10	50	0.24	0.03	0.28	0.13	16.85	6.1	6
I315995		0.36	<0.005	0.15	1.42	9.1	<0.2	<10	90	0.37	0.22	0.11	0.31	11.90	5.1	21
I315996		0.38	0.010	0.57	1.21	95.3	<0.2	<10	130	0.61	0.19	0.19	0.36	49.1	3.7	23
I315997		0.36	<0.005	0.47	1.63	98.7	<0.2	<10	130	0.64	0.33	0.34	0.25	56.5	7.8	30
I315998		0.40	0.008	0.27	2.06	372	<0.2	<10	100	0.41	0.27	0.13	0.34	23.1	8.9	35
I315999		0.36	<0.005	0.21	2.72	309	<0.2	<10	140	0.74	0.39	0.11	0.54	20.5	12.9	59
I316000		0.40	<0.005	0.18	1.54	110.5	<0.2	<10	110	0.69	0.70	0.11	0.32	22.3	5.3	24
I316001		0.90	<0.005	0.11	2.12	14.9	<0.2	<10	200	0.29	0.12	0.36	0.10	10.55	13.6	130
I316002		0.82	<0.005	0.10	2.13	14.9	<0.2	<10	200	0.26	0.13	0.36	0.09	10.55	13.2	128
I316003		0.90	0.009	0.17	2.61	9.1	<0.2	<10	160	0.35	0.14	0.33	0.09	13.90	16.4	81
I316004		0.78	<0.005	0.06	2.95	6.9	<0.2	<10	110	0.24	0.16	0.41	0.05	6.75	21.6	286
I316005		0.98	0.009	0.41	3.56	14.8	<0.2	<10	170	0.72	0.27	0.39	0.11	33.3	18.0	103
I316006		0.52	0.006	0.17	1.01	5.8	<0.2	<10	80	0.35	0.25	0.12	0.10	13.05	4.2	20
I316007		0.88	0.022	0.21	2.44	82.7	<0.2	<10	140	0.75	0.33	0.48	0.11	54.9	11.8	68
I316008		0.86	0.016	0.19	2.86	53.2	<0.2	<10	190	0.96	0.30	0.38	0.09	56.6	12.8	58
I316009		0.80	0.010	0.10	2.79	27.4	<0.2	<10	260	1.01	0.31	0.39	0.12	40.9	16.5	66
I316010		0.88	0.007	0.08	2.63	5.5	<0.2	<10	240	0.63	0.19	0.51	0.08	37.3	15.8	149
I316011		1.22	<0.005	0.06	2.23	6.4	<0.2	<10	220	0.97	0.22	0.44	0.15	36.7	13.0	63
I316012		1.00	0.006	0.08	2.26	18.1	<0.2	<10	230	0.79	0.16	0.40	0.02	27.9	11.3	52
I316013		1.00	<0.005	0.12	2.69	9.7	<0.2	<10	300	1.27	0.21	0.43	0.09	26.6	15.5	63
I316014		0.52	<0.005	0.24	0.95	2.8	<0.2	<10	140	1.00	0.13	1.29	0.08	11.10	4.5	21
I316015		0.96	<0.005	0.13	3.06	3.8	<0.2	<10	210	3.67	0.19	0.56	0.10	50.5	14.7	90
I316016		1.26	0.005	0.07	2.48	24.5	<0.2	<10	170	1.70	0.16	0.41	0.05	38.1	11.9	63
I316017		1.32	0.021	0.18	2.62	106.0	<0.2	<10	240	1.04	0.16	0.65	0.07	34.2	15.2	60
I316018		1.08	0.021	0.20	2.66	111.5	<0.2	<10	250	0.98	0.17	0.63	0.05	36.1	17.2	58
I316019		0.78	0.017	0.11	2.28	33.9	<0.2	<10	170	0.90	0.18	0.61	<0.01	27.0	13.9	49
I316020		0.60	0.011	0.17	2.12	28.4	<0.2	<10	140	0.90	0.19	0.37	0.18	20.4	17.5	48
I316021		0.68	<0.005	0.07	2.18	13.0	<0.2	<10	120	0.33	0.16	0.26	0.13	15.30	10.5	50
I316022		0.76	<0.005	0.04	2.59	9.8	<0.2	<10	180	0.57	0.11	0.44	0.21	26.7	14.3	61
I316023		0.62	0.007	0.08	2.01	12.7	<0.2	<10	140	0.35	0.18	0.18	0.17	18.05	8.0	54
I316024		0.58	<0.005	0.06	0.36	1.5	<0.2	<10	30	0.09	0.05	0.09	0.07	2.85	2.2	5
I316025		0.60	<0.005	0.08	2.21	9.9	<0.2	<10	180	0.63	0.14	0.36	0.15	23.0	13.8	46
I316026		0.76	0.009	0.08	1.90	10.1	<0.2	<10	110	0.46	0.17	0.31	0.22	20.8	13.5	43
I316027		0.56	0.005	0.13	2.77	13.7	<0.2	<10	160	0.61	0.21	0.29	0.37	23.0	12.0	52
I316028		0.46	0.007	0.20	1.51	10.1	<0.2	<10	90	0.28	0.19	0.14	0.30	15.15	6.6	29
I316029		0.54	0.006	0.21	1.33	9.8	<0.2	<10	100	0.31	0.13	0.19	0.13	12.75	7.3	24
I316030		0.50	0.007	0.20	2.14	20.5	<0.2	<10	150	0.47	0.16	0.35	0.13	15.45	12.7	36



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - B  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I315991		0.84	12.3	0.66	1.69	<0.05	<0.02	0.01	0.007	0.02	6.1	0.7	0.04	37	0.20	0.02
I315992		3.56	29.8	3.40	8.46	0.11	0.02	0.02	0.023	0.25	26.5	20.5	0.66	567	1.85	0.01
I315993		1.69	26.9	2.48	6.06	0.08	<0.02	0.01	0.016	0.06	18.8	11.8	0.24	244	1.68	0.01
I315994		0.16	8.1	1.42	1.16	0.06	0.06	0.01	0.005	0.03	8.0	2.4	0.12	454	0.72	0.01
I315995		0.73	12.0	2.82	7.73	0.06	0.06	0.01	0.022	0.04	6.3	9.2	0.20	114	1.83	0.02
I315996		2.62	56.7	2.16	5.03	0.13	0.04	0.07	0.032	0.06	18.6	6.7	0.24	89	2.13	0.02
I315997		1.66	25.4	2.38	7.15	0.16	0.05	0.07	0.038	0.07	30.1	12.3	0.46	243	1.62	0.02
I315998		2.42	20.9	4.10	9.26	0.08	0.04	0.03	0.031	0.07	13.9	15.5	0.46	457	1.82	0.02
I315999		5.22	51.7	4.81	12.25	0.10	0.03	0.02	0.056	0.10	11.0	26.0	0.79	547	4.75	0.02
I316000		2.59	19.9	3.00	8.45	0.07	0.07	0.02	0.039	0.12	12.7	9.1	0.29	210	3.41	0.02
I316001		2.76	106.0	2.45	5.95	0.09	0.03	0.02	0.015	0.18	5.0	17.1	1.12	279	0.90	0.02
I316002		2.73	106.0	2.46	5.87	0.09	0.03	0.02	0.015	0.17	5.0	16.2	1.11	278	0.86	0.02
I316003		2.81	95.4	2.94	7.63	0.10	0.03	0.03	0.021	0.15	7.0	16.6	1.07	312	1.13	0.02
I316004		6.33	111.5	2.65	9.24	0.11	0.03	0.01	0.016	0.39	3.4	20.8	2.15	231	1.81	0.04
I316005		2.83	191.5	3.67	10.40	0.13	0.06	0.05	0.024	0.26	16.2	21.9	1.18	434	5.11	0.04
I316006		1.01	29.3	2.10	7.23	0.06	0.02	0.07	0.015	0.03	6.8	3.6	0.14	244	2.99	0.02
I316007		4.36	257	3.71	8.78	0.21	0.13	0.11	0.027	0.36	38.6	16.0	0.95	358	13.50	0.03
I316008		3.40	162.5	3.75	9.96	0.16	0.07	0.13	0.037	0.21	33.7	15.5	0.75	390	11.65	0.02
I316009		3.77	85.7	3.41	10.25	0.17	0.07	0.06	0.035	0.28	19.5	15.8	0.87	414	17.20	0.02
I316010		4.01	88.2	3.11	9.30	0.17	0.09	0.05	0.024	0.33	18.6	15.0	1.19	329	32.2	0.04
I316011		2.98	117.5	2.94	8.88	0.15	0.13	0.06	0.038	0.21	17.3	14.0	0.80	292	48.5	0.02
I316012		2.98	86.3	3.87	8.64	0.16	0.07	0.09	0.027	0.16	14.3	14.8	0.77	207	165.0	0.02
I316013		3.91	84.3	3.58	9.65	0.16	0.06	0.07	0.037	0.17	13.1	15.7	0.94	410	53.8	0.03
I316014		1.22	85.5	1.21	3.30	0.08	0.04	0.13	0.023	0.03	8.3	3.4	0.30	768	48.5	0.03
I316015		7.19	150.0	3.95	13.15	0.29	0.09	0.07	0.099	0.76	23.2	18.1	1.20	403	42.5	0.03
I316016		5.72	100.5	3.42	9.77	0.15	0.08	0.17	0.052	0.27	18.1	14.6	0.79	249	36.4	0.02
I316017		4.32	111.5	3.71	9.01	0.17	0.11	0.07	0.039	0.18	16.7	16.8	0.84	502	137.0	0.03
I316018		3.57	101.5	3.80	9.25	0.15	0.12	0.07	0.043	0.15	16.9	17.6	0.81	544	167.0	0.03
I316019		2.89	169.0	2.78	8.40	0.16	0.09	0.09	0.038	0.12	15.2	14.3	0.76	233	324	0.03
I316020		3.09	129.0	3.12	8.86	0.11	0.04	0.12	0.041	0.14	9.4	13.3	0.64	670	52.4	0.03
I316021		3.10	117.0	3.53	9.73	0.06	0.04	0.04	0.028	0.18	7.6	10.1	0.69	386	39.4	0.02
I316022		3.55	129.5	3.17	7.89	0.09	0.08	0.03	0.026	0.23	11.6	14.2	0.93	339	28.5	0.03
I316023		2.67	58.8	4.46	15.40	0.07	0.05	0.05	0.028	0.23	7.8	10.5	0.66	373	19.85	0.02
I316024		0.40	6.1	0.74	2.65	<0.05	<0.02	0.01	<0.005	0.02	1.2	2.7	0.12	107	1.29	0.03
I316025		2.08	148.5	3.33	8.55	0.09	0.05	0.03	0.024	0.18	10.7	17.0	0.74	381	21.8	0.01
I316026		1.91	58.6	3.49	8.99	0.06	0.05	0.04	0.025	0.18	9.3	12.0	0.61	514	19.55	0.02
I316027		2.17	100.5	3.91	10.55	0.06	0.06	0.04	0.028	0.15	10.1	20.4	0.82	370	13.70	0.03
I316028		1.37	44.7	2.86	9.54	<0.05	0.07	0.03	0.020	0.09	7.0	9.5	0.36	266	10.80	0.02
I316029		1.17	117.0	1.80	5.18	<0.05	0.03	0.03	0.014	0.08	6.3	6.6	0.34	195	5.52	0.03
I316030		1.47	90.3	2.66	6.74	0.05	0.05	0.04	0.025	0.09	7.4	11.4	0.57	407	10.25	0.03





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - C  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315991		0.10	4.3	330	2.9	3.6	<0.001	0.01	0.13	0.2	0.3	0.2	7.0	<0.01	0.01
I315992		1.72	24.5	440	17.4	36.0	<0.001	0.03	1.00	2.8	1.1	0.6	16.4	<0.01	0.07
I315993		0.60	21.0	390	9.0	11.0	<0.001	0.02	0.69	1.5	0.6	0.5	11.7	<0.01	0.05
I315994		0.40	11.2	400	2.8	3.2	<0.001	<0.01	0.34	1.3	0.2	0.2	8.5	<0.01	<0.01
I315995		3.65	11.0	140	15.1	9.4	<0.001	0.02	0.57	1.9	0.2	1.0	11.7	<0.01	0.04
I315996		1.94	14.0	690	11.5	16.4	0.003	0.08	1.35	2.1	3.4	0.5	20.6	0.01	0.11
I315997		2.21	18.1	640	70.6	11.3	0.001	0.04	1.17	3.0	3.1	0.7	26.5	0.01	0.09
I315998		2.47	17.1	410	30.8	8.4	<0.001	0.04	2.08	3.7	0.8	0.7	18.5	<0.01	0.09
I315999		4.35	43.4	650	17.2	18.1	<0.001	0.04	2.68	4.3	1.4	1.3	21.9	<0.01	0.12
I316000		12.50	13.9	310	20.2	15.7	0.001	0.10	1.28	2.5	0.7	1.4	18.1	0.01	0.06
I316001		0.80	38.7	480	3.4	23.3	<0.001	<0.01	0.67	4.5	0.3	0.4	25.3	<0.01	0.02
I316002		0.78	37.8	490	3.4	22.8	0.001	<0.01	0.85	4.4	0.4	0.4	24.6	<0.01	0.02
I316003		1.12	32.9	520	4.8	23.8	<0.001	0.01	0.44	5.2	0.6	0.5	25.4	<0.01	0.03
I316004		0.35	93.0	330	1.7	34.7	<0.001	<0.01	0.26	7.6	0.3	0.5	23.9	<0.01	0.03
I316005		1.58	56.9	610	5.2	33.8	<0.001	0.03	0.50	7.2	1.1	0.7	30.9	<0.01	0.05
I316006		1.12	8.6	520	5.9	7.7	<0.001	0.04	0.54	1.5	0.6	0.9	14.8	<0.01	0.05
I316007		1.22	27.3	670	8.2	52.9	0.001	0.01	2.77	9.0	1.1	1.0	38.3	<0.01	0.08
I316008		2.11	28.0	670	7.5	35.1	0.001	0.01	1.55	8.0	1.0	1.2	29.4	<0.01	0.07
I316009		2.97	38.9	790	5.7	41.1	0.001	0.01	0.66	8.7	0.9	1.3	27.1	<0.01	0.07
I316010		1.55	61.1	620	4.4	50.6	0.001	<0.01	0.23	8.1	0.9	1.0	45.5	<0.01	0.06
I316011		1.97	31.8	840	5.5	30.8	0.001	<0.01	0.26	8.5	1.1	1.4	27.3	<0.01	0.06
I316012		2.19	29.5	840	5.8	23.1	0.001	<0.01	0.28	7.6	1.0	0.8	24.6	<0.01	0.04
I316013		2.27	33.6	820	5.8	28.5	0.001	0.01	0.26	7.9	0.9	0.8	25.1	<0.01	0.06
I316014		0.59	14.3	1670	2.5	4.4	0.004	0.20	0.23	1.3	1.6	0.3	53.9	<0.01	0.06
I316015		2.78	37.1	580	3.8	78.9	0.001	0.01	0.22	12.7	0.8	1.7	35.7	<0.01	0.04
I316016		2.18	25.6	630	5.0	42.3	0.001	0.01	0.30	9.5	0.7	1.3	24.5	<0.01	0.03
I316017		1.25	34.4	890	5.4	31.7	0.001	0.01	1.54	10.5	1.0	0.8	33.7	<0.01	0.04
I316018		1.28	34.1	860	5.9	27.4	0.001	0.01	1.65	10.4	1.2	0.7	34.5	<0.01	0.05
I316019		1.95	32.7	960	5.2	19.8	0.007	0.07	1.17	6.6	1.1	0.7	30.3	<0.01	0.04
I316020		1.69	31.8	680	5.0	22.4	0.001	0.04	0.67	5.4	0.8	0.7	25.0	<0.01	0.08
I316021		2.07	25.5	450	5.7	39.1	<0.001	0.02	0.47	4.6	0.5	0.7	22.5	<0.01	0.06
I316022		2.27	32.1	700	5.0	31.7	<0.001	<0.01	0.38	8.1	0.4	0.6	28.1	<0.01	0.05
I316023		3.30	20.6	460	8.5	25.5	<0.001	0.03	0.52	5.6	0.5	0.9	13.8	<0.01	0.07
I316024		0.60	2.9	130	2.1	4.5	<0.001	<0.01	0.13	0.7	<0.2	0.2	9.9	<0.01	0.01
I316025		1.77	42.7	670	5.7	25.8	<0.001	0.03	0.39	5.9	0.6	0.7	23.8	<0.01	0.07
I316026		2.42	24.2	630	6.9	27.2	<0.001	0.01	0.40	4.4	0.4	0.7	21.0	<0.01	0.06
I316027		2.76	29.6	580	6.4	27.1	<0.001	0.02	0.39	5.7	0.6	0.7	22.2	<0.01	0.08
I316028		2.12	15.4	380	7.8	22.7	<0.001	0.01	0.38	3.2	0.4	0.7	14.3	0.01	0.05
I316029		1.08	14.7	280	4.7	15.1	<0.001	0.01	0.37	2.7	0.4	0.5	16.0	<0.01	0.04
I316030		1.65	21.6	490	5.3	15.9	<0.001	0.01	0.48	4.1	0.6	0.5	26.5	<0.01	0.05





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 5 - D  
 Total # Pages: 7 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 23-SEP-2010  
 Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315991		0.018	0.04	0.44	14	<0.05	2.49	12	<0.5
I315992		0.088	0.31	1.18	52	0.14	8.60	98	<0.5
I315993		0.045	0.11	0.78	46	0.11	6.17	59	<0.5
I315994		0.014	0.09	0.52	11	0.06	4.75	14	3.4
I315995		0.078	0.11	0.29	73	0.18	2.09	35	2.2
I315996		0.038	0.22	4.19	30	0.27	13.80	44	0.9
I315997		0.076	0.16	1.80	58	0.21	16.60	89	1.4
I315998		0.090	0.12	0.52	102	0.27	3.94	77	1.4
I315999		0.067	0.23	0.92	135	0.39	8.33	179	0.8
I316000		0.074	0.17	1.07	76	0.44	9.20	78	2.0
I316001		0.138	0.18	0.27	69	2.32	3.27	45	1.2
I316002		0.138	0.18	0.28	69	1.78	3.30	45	1.1
I316003		0.134	0.22	0.44	82	4.56	4.35	53	1.4
I316004		0.126	0.39	0.21	97	0.39	2.64	47	1.2
I316005		0.151	0.31	1.92	100	2.90	11.20	69	2.1
I316006		0.080	0.13	0.91	67	0.35	3.29	35	0.8
I316007		0.191	0.59	3.92	87	1.62	18.55	73	5.8
I316008		0.165	0.48	3.57	80	2.35	13.45	65	2.6
I316009		0.187	0.33	1.28	91	3.66	11.30	66	2.7
I316010		0.188	0.40	1.47	86	1.07	10.90	60	4.4
I316011		0.178	0.27	1.70	102	4.68	12.85	74	6.1
I316012		0.172	0.29	1.27	110	2.43	9.70	66	2.9
I316013		0.177	0.31	0.90	96	2.77	7.64	70	2.3
I316014		0.032	0.13	1.77	24	1.07	6.67	28	1.6
I316015		0.260	0.59	1.36	98	8.32	11.20	109	4.4
I316016		0.191	0.55	0.90	92	1.92	8.83	69	3.8
I316017		0.178	0.29	1.29	93	1.09	12.40	74	5.6
I316018		0.176	0.27	1.36	93	1.24	12.85	72	6.2
I316019		0.173	0.19	1.02	86	4.33	9.58	60	3.4
I316020		0.129	0.21	0.67	85	1.05	5.20	75	1.5
I316021		0.177	0.20	0.58	107	0.82	3.39	52	2.0
I316022		0.203	0.32	0.81	103	0.36	6.95	69	4.1
I316023		0.247	0.25	0.58	159	0.34	3.49	49	2.4
I316024		0.047	0.02	0.13	18	0.13	0.76	15	<0.5
I316025		0.160	0.21	0.87	98	0.59	5.77	66	1.8
I316026		0.171	0.18	0.73	113	0.37	4.17	54	2.3
I316027		0.175	0.18	0.74	113	0.93	4.65	73	2.7
I316028		0.130	0.11	0.63	90	0.39	2.70	42	3.1
I316029		0.092	0.12	0.74	51	0.63	3.60	33	1.1
I316030		0.116	0.14	0.80	70	0.96	4.36	47	2.2



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - A  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316031		0.46	0.007	0.21	2.75	12.2	<0.2	<10	250	0.56	0.18	0.60	0.20	28.0	17.5	41
I316032		0.68	0.007	0.22	2.91	18.5	<0.2	<10	300	0.71	0.25	0.54	0.10	25.8	15.1	44
I316033		0.60	0.008	0.31	3.75	27.7	<0.2	<10	400	0.67	0.34	0.68	0.19	21.5	25.4	45
I316034		0.54	<0.005	0.23	2.28	9.1	<0.2	<10	230	0.41	0.19	0.50	0.09	18.15	9.1	39
I316035		0.94	0.008	0.10	2.41	11.1	<0.2	<10	240	0.42	0.27	0.54	0.11	19.85	9.9	42
I316036		0.74	0.015	0.16	2.54	13.6	<0.2	<10	310	0.45	0.25	0.58	0.15	22.7	14.0	41
I316037		0.90	0.009	0.07	2.52	10.5	<0.2	<10	280	0.42	0.29	0.54	0.08	20.1	9.0	46
I316038		0.50	0.006	0.16	1.42	3.2	<0.2	<10	360	0.45	0.15	1.05	0.27	24.6	4.5	23
I316039		0.78	0.007	0.15	2.59	10.4	<0.2	<10	270	0.28	0.34	0.51	0.14	14.25	12.2	61
I316040		0.54	0.009	0.02	0.19	1.8	<0.2	<10	40	0.11	0.02	0.10	0.04	11.10	2.3	4
I316041		0.88	0.015	0.34	3.14	42.5	<0.2	<10	320	0.45	0.39	0.50	0.14	22.7	18.2	72
I316042		1.06	0.007	0.18	2.93	12.2	<0.2	<10	270	0.37	0.35	0.50	0.09	21.7	13.1	56
I316043		0.86	0.006	0.12	2.52	10.8	<0.2	<10	240	0.37	0.26	0.47	0.10	22.0	14.0	48
I316044		0.78	0.006	0.20	2.52	10.4	<0.2	<10	250	0.34	0.22	0.39	0.20	13.60	13.2	46
I316045		0.82	0.008	0.08	2.35	21.6	<0.2	<10	230	0.53	0.29	0.42	0.16	25.1	12.0	44
I316046		0.52	0.012	0.35	1.77	69.2	<0.2	<10	160	0.67	0.32	0.36	0.13	33.6	11.4	29
I316047		0.44	<0.005	0.45	0.95	21.9	<0.2	<10	230	0.45	0.12	0.80	0.37	33.0	20.6	17
I316048		0.70	0.005	0.18	1.72	18.9	<0.2	<10	190	0.29	0.19	0.33	0.15	18.30	16.8	39
I316049		0.84	0.005	0.09	2.37	25.4	<0.2	<10	210	0.46	0.26	0.39	0.14	26.0	11.3	47
I316050		1.10	0.008	0.09	2.37	16.6	<0.2	<10	220	0.44	0.20	0.42	0.15	28.9	9.8	45
I316051		0.54	0.018	0.38	2.46	34.8	<0.2	<10	300	0.41	0.39	0.98	0.48	22.6	13.8	46
I316052		0.68	0.008	0.10	2.34	23.7	<0.2	<10	240	0.34	0.41	0.61	0.18	18.25	12.0	46
I316053		0.78	0.013	0.11	2.54	48.3	<0.2	<10	390	0.52	0.41	0.48	0.11	28.2	11.5	49
I316054		0.56	0.010	0.14	2.99	23.6	<0.2	<10	500	0.64	0.56	0.45	0.15	32.8	13.5	55
I316055		0.62	0.008	0.12	2.54	17.1	<0.2	<10	320	0.55	0.40	0.46	0.11	23.0	12.0	50
I316056		0.62	0.007	0.13	2.62	13.0	<0.2	<10	300	0.48	0.36	0.50	0.09	19.60	10.6	52
I316057		0.56	0.008	0.10	2.38	13.8	<0.2	<10	220	0.40	0.32	0.34	0.14	18.55	11.4	43
I316058		0.50	<0.005	0.20	1.24	6.6	<0.2	<10	90	0.29	0.19	0.20	0.16	9.70	7.0	20
I316059		0.70	0.010	0.10	2.35	17.3	<0.2	<10	170	0.37	0.31	0.42	0.16	18.50	11.5	46
I316060		0.46	0.009	0.22	2.54	18.0	<0.2	<10	220	0.37	0.58	0.57	0.27	17.35	11.7	52
I316061		0.54	0.014	0.12	1.38	47.9	<0.2	<10	100	0.22	0.35	0.23	0.21	9.36	7.1	34
I316062		0.56	<0.005	0.17	1.94	9.6	<0.2	<10	120	0.34	0.26	0.27	0.25	16.30	10.6	37
I316063		0.52	0.011	0.15	2.13	10.3	<0.2	<10	130	0.36	0.26	0.29	0.21	16.70	12.6	41
I316064		0.60	0.007	0.12	2.30	5.4	<0.2	<10	180	0.46	0.20	0.31	0.14	17.70	12.4	46
I316065		0.68	0.042	0.14	2.35	36.2	<0.2	<10	220	0.53	0.19	0.33	0.10	24.7	12.0	48
I316066		0.60	0.012	0.12	1.98	41.7	<0.2	<10	300	0.61	0.43	0.27	0.25	35.2	10.6	52
I316067		0.44	0.007	0.04	0.55	2.5	<0.2	<10	40	0.11	0.10	0.09	0.07	5.48	2.9	11
I316068		0.64	0.010	0.15	1.89	36.1	<0.2	<10	170	0.21	0.15	0.47	0.18	15.20	13.5	30
I316069		0.54	0.007	0.22	1.29	13.4	<0.2	<10	90	0.31	0.13	0.42	0.12	19.80	7.5	20
I316070		0.58	0.012	0.43	2.53	25.5	<0.2	<10	200	0.52	0.38	0.34	0.36	21.0	11.8	60



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - B  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I316031		1.53	129.0	2.71	7.13	0.06	0.04	0.07	0.026	0.10	13.0	11.1	0.60	733	8.27	0.03
I316032		1.68	119.0	3.14	9.20	0.10	0.04	0.06	0.029	0.10	13.3	17.4	0.67	486	8.87	0.01
I316033		1.69	79.8	3.67	10.65	0.11	0.04	0.11	0.036	0.14	10.4	14.1	0.58	714	7.51	0.01
I316034		1.31	54.6	2.59	6.91	0.05	0.04	0.05	0.024	0.09	8.6	10.2	0.60	384	3.22	0.03
I316035		1.46	44.5	2.63	6.88	0.05	0.05	0.03	0.024	0.15	8.9	11.4	0.71	296	1.68	0.03
I316036		1.22	46.2	4.29	6.75	0.07	0.04	0.05	0.023	0.10	9.3	9.1	0.57	1360	2.31	0.03
I316037		1.47	34.3	2.48	7.02	0.06	0.06	0.02	0.025	0.13	8.9	11.7	0.82	213	0.86	0.04
I316038		0.69	56.5	1.17	3.43	0.05	0.05	0.08	0.015	0.05	12.1	4.6	0.33	439	0.45	0.03
I316039		1.54	32.1	3.01	7.22	0.06	0.04	0.03	0.026	0.14	6.7	12.8	1.22	324	0.94	0.03
I316040		0.09	3.9	1.00	0.71	<0.05	0.09	<0.01	<0.005	0.07	5.5	1.6	0.04	194	0.46	0.04
I316041		2.17	56.8	3.77	8.92	0.08	0.06	0.03	0.033	0.31	9.4	13.9	1.61	398	1.46	0.04
I316042		1.79	41.8	3.36	8.42	0.08	0.06	0.03	0.027	0.23	9.5	13.5	1.33	296	0.97	0.04
I316043		1.28	30.6	3.14	7.30	0.08	0.06	0.03	0.023	0.18	9.3	12.4	1.09	312	0.91	0.03
I316044		1.24	32.1	2.97	7.61	0.06	0.04	0.03	0.019	0.21	6.4	11.6	1.15	443	1.01	0.03
I316045		1.42	56.8	2.89	6.82	0.08	0.05	0.03	0.024	0.20	10.8	10.9	0.73	343	1.34	0.04
I316046		1.06	53.4	2.49	4.76	0.06	0.03	0.14	0.023	0.06	19.5	4.0	0.23	896	3.73	0.03
I316047		0.59	54.5	1.64	2.69	0.05	0.02	0.10	0.018	0.05	15.8	2.0	0.17	2540	6.32	0.03
I316048		1.20	26.1	2.76	6.38	0.06	0.02	0.04	0.020	0.07	8.5	7.3	0.57	1140	4.37	0.03
I316049		1.82	40.0	3.13	7.10	0.07	0.05	0.04	0.025	0.12	11.6	11.8	0.74	250	2.52	0.02
I316050		1.56	55.0	2.75	6.76	0.07	0.07	0.05	0.027	0.09	12.4	11.9	0.70	199	1.98	0.02
I316051		1.47	40.0	2.73	6.99	0.07	0.05	0.07	0.027	0.14	10.1	10.7	0.81	964	1.94	0.04
I316052		1.57	28.6	2.81	6.56	0.06	0.05	0.03	0.024	0.16	8.2	10.8	1.00	377	0.98	0.03
I316053		1.54	41.2	3.12	7.45	0.08	0.06	0.02	0.028	0.17	12.2	10.4	0.75	386	1.25	0.03
I316054		1.95	55.2	3.06	8.54	0.08	0.06	0.03	0.031	0.17	15.0	12.5	0.88	285	1.29	0.03
I316055		1.83	41.1	2.78	7.66	0.07	0.04	0.03	0.025	0.22	10.3	11.4	0.86	366	1.29	0.03
I316056		1.83	38.4	2.74	7.36	0.06	0.03	0.03	0.025	0.19	9.0	10.5	0.81	307	1.51	0.05
I316057		1.51	45.3	2.87	7.27	0.08	0.05	0.03	0.024	0.18	8.3	11.9	0.75	310	1.37	0.02
I316058		0.92	35.1	2.04	5.29	<0.05	0.02	0.04	0.016	0.05	5.0	5.8	0.28	244	1.42	0.03
I316059		1.63	77.8	2.86	6.46	0.07	0.04	0.03	0.023	0.17	8.5	10.9	0.73	309	2.14	0.03
I316060		2.08	108.0	2.98	7.95	0.06	0.04	0.07	0.025	0.13	9.4	11.5	0.70	450	6.17	0.03
I316061		2.92	47.1	2.57	7.34	0.05	0.03	0.04	0.017	0.10	4.6	9.1	0.46	282	2.45	0.02
I316062		2.09	88.3	2.79	7.18	0.05	0.03	0.07	0.020	0.08	7.3	9.6	0.51	276	2.17	0.02
I316063		2.22	94.0	2.98	7.44	0.05	0.04	0.05	0.022	0.09	7.5	11.0	0.55	317	2.27	0.02
I316064		1.97	92.8	3.10	6.66	0.08	0.05	0.04	0.024	0.20	8.5	10.6	0.74	320	2.08	0.02
I316065		2.06	71.4	3.02	7.01	0.08	0.06	0.04	0.023	0.27	10.9	11.7	0.78	259	2.37	0.02
I316066		4.11	171.0	3.56	6.92	0.09	0.06	0.16	0.026	0.48	15.8	9.7	0.81	273	7.91	0.02
I316067		0.55	13.5	1.35	3.52	<0.05	<0.02	0.04	0.010	0.03	2.7	2.2	0.12	140	1.02	0.02
I316068		1.48	29.1	2.54	5.58	0.05	0.04	0.04	0.019	0.12	7.3	12.0	0.58	664	1.15	0.03
I316069		0.63	27.8	1.88	4.04	<0.05	0.02	0.06	0.017	0.05	10.4	4.6	0.25	1200	3.54	0.03
I316070		2.44	50.4	3.18	8.22	0.06	0.04	0.07	0.029	0.14	10.2	11.7	0.80	467	2.19	0.02



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - C  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I316031		1.40	26.7	890	6.0	16.9	0.001	0.06	0.52	4.2	0.9	0.5	38.7	<0.01	0.05	0.6
I316032		1.66	35.2	760	6.3	20.4	<0.001	0.06	0.49	5.6	1.1	0.6	36.4	<0.01	0.07	1.2
I316033		1.57	41.3	970	7.1	23.7	<0.001	0.08	0.68	6.6	1.1	0.7	45.3	<0.01	0.11	1.4
I316034		1.45	22.1	720	5.5	15.6	<0.001	0.05	0.52	4.0	0.7	0.5	28.6	<0.01	0.06	0.6
I316035		1.80	24.4	670	5.8	21.9	0.001	0.02	0.40	5.1	0.6	0.6	31.0	<0.01	0.06	1.8
I316036		1.43	22.9	870	5.0	16.3	0.001	0.05	0.45	4.7	1.0	0.5	36.6	<0.01	0.07	1.2
I316037		1.96	22.7	590	5.8	18.0	0.001	0.02	0.59	5.5	0.5	0.6	28.7	<0.01	0.05	2.7
I316038		0.86	14.9	1060	3.4	9.3	0.001	0.22	0.79	2.2	1.5	0.3	57.3	0.01	0.03	0.3
I316039		1.32	29.5	650	5.7	16.9	<0.001	0.03	0.47	5.3	0.5	0.6	30.7	<0.01	0.07	1.2
I316040		0.13	4.3	130	1.9	3.1	<0.001	<0.01	0.13	0.7	<0.2	0.2	10.7	<0.01	<0.01	2.1
I316041		1.32	31.6	600	13.5	28.8	<0.001	0.02	2.36	9.3	0.8	0.6	27.1	<0.01	0.08	2.5
I316042		1.60	26.9	550	6.9	25.0	<0.001	0.01	0.89	7.2	0.6	0.6	28.1	<0.01	0.05	2.6
I316043		1.54	24.0	560	6.3	20.3	<0.001	0.01	0.89	5.8	0.5	0.5	26.9	<0.01	0.04	2.5
I316044		1.42	22.9	580	5.8	20.9	<0.001	0.03	1.40	3.9	0.4	0.5	23.8	<0.01	0.04	1.0
I316045		1.87	29.8	880	5.3	20.6	<0.001	0.01	0.43	5.6	0.5	0.6	25.2	<0.01	0.06	2.3
I316046		0.75	12.7	1430	6.0	8.0	0.001	0.14	0.80	2.3	2.4	0.4	26.4	0.01	0.10	0.3
I316047		0.36	12.7	1570	3.9	6.5	0.001	0.18	2.05	1.4	1.3	0.3	45.6	<0.01	0.07	<0.2
I316048		1.46	16.9	1030	5.2	9.1	<0.001	0.05	0.92	3.6	0.6	0.5	21.8	<0.01	0.05	0.7
I316049		2.49	24.8	710	6.8	17.9	<0.001	0.01	1.27	5.4	0.5	0.6	24.7	<0.01	0.05	3.5
I316050		2.15	23.1	710	6.6	14.6	<0.001	<0.01	0.84	6.0	0.5	0.6	25.1	<0.01	0.04	4.3
I316051		1.34	27.6	1020	9.4	20.6	0.001	0.09	3.92	4.9	1.1	0.5	50.9	<0.01	0.07	0.9
I316052		1.52	23.3	700	5.5	20.9	<0.001	0.02	1.68	5.3	0.6	0.5	31.2	<0.01	0.07	2.0
I316053		1.87	26.5	660	5.7	26.3	<0.001	0.01	1.64	6.6	0.7	0.6	30.1	<0.01	0.06	3.5
I316054		2.12	30.3	650	6.8	26.1	<0.001	0.01	1.50	7.3	0.9	0.8	28.3	<0.01	0.08	3.3
I316055		2.05	28.4	560	5.8	30.0	<0.001	0.01	1.25	5.9	0.7	0.7	28.4	<0.01	0.06	2.5
I316056		1.60	25.8	640	5.0	25.8	<0.001	0.04	0.80	4.4	0.7	0.6	31.8	<0.01	0.05	1.0
I316057		2.15	28.5	570	5.9	21.0	<0.001	0.01	0.80	5.1	0.5	0.6	22.7	<0.01	0.05	2.4
I316058		1.00	11.1	340	5.4	9.7	<0.001	0.01	0.37	1.9	0.4	0.4	16.0	<0.01	0.04	0.4
I316059		1.55	27.2	550	5.1	19.7	<0.001	0.02	1.40	4.8	0.6	0.5	27.1	<0.01	0.06	1.6
I316060		1.49	27.5	620	5.8	21.2	<0.001	0.06	1.01	4.3	0.9	0.6	38.1	<0.01	0.10	0.8
I316061		1.56	17.8	340	6.3	31.9	<0.001	0.01	0.42	3.1	0.3	0.6	15.7	<0.01	0.07	0.9
I316062		1.58	22.7	470	5.8	17.6	<0.001	0.03	0.43	3.6	0.6	0.5	22.4	0.01	0.06	1.0
I316063		1.67	24.9	500	6.2	18.6	<0.001	0.02	0.44	4.1	0.6	0.5	23.1	0.01	0.07	1.3
I316064		2.21	32.9	550	5.1	28.8	<0.001	0.03	0.28	5.1	0.6	0.6	25.0	<0.01	0.06	1.7
I316065		2.17	31.5	640	13.2	32.4	<0.001	<0.01	2.66	6.5	0.5	0.6	22.4	<0.01	0.07	2.9
I316066		2.09	30.2	630	7.2	48.9	<0.001	<0.01	1.56	7.5	1.1	0.7	21.4	<0.01	0.12	4.4
I316067		0.45	5.4	320	3.1	4.0	<0.001	0.02	0.27	0.8	0.3	0.3	10.0	<0.01	0.02	<0.2
I316068		1.07	15.9	560	7.5	13.9	<0.001	0.04	2.06	4.5	0.5	0.4	32.6	<0.01	0.02	1.0
I316069		0.65	12.2	1060	4.9	7.7	<0.001	0.09	0.51	1.8	0.8	0.3	29.5	<0.01	0.03	0.2
I316070		1.80	37.2	960	23.5	20.7	<0.001	0.08	1.72	4.0	0.7	0.7	32.5	<0.01	0.06	0.7



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 6 - D  
 Total # Pages: 7 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 23-SEP-2010  
 Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I316031		0.099	0.16	1.52	68	2.49	9.17	58	1.5
I316032		0.121	0.19	1.29	80	3.24	8.32	59	1.3
I316033		0.099	0.18	1.31	88	0.54	8.15	72	1.5
I316034		0.102	0.14	1.05	66	0.66	6.12	51	1.6
I316035		0.123	0.18	0.88	73	6.31	5.27	59	2.0
I316036		0.095	0.15	1.29	70	1.48	7.24	59	1.9
I316037		0.139	0.21	0.94	74	1.12	4.89	57	2.6
I316038		0.047	0.09	1.35	24	0.32	11.70	28	2.1
I316039		0.111	0.13	0.55	81	0.47	4.22	69	1.5
I316040		0.008	0.04	0.36	4	0.06	2.35	4	3.6
I316041		0.142	0.26	0.84	109	0.26	8.27	82	2.7
I316042		0.155	0.21	0.77	90	0.35	6.86	66	2.9
I316043		0.145	0.17	0.72	78	0.38	6.70	55	2.7
I316044		0.129	0.13	0.55	71	0.20	4.36	86	1.6
I316045		0.133	0.16	0.97	83	1.93	7.60	61	2.0
I316046		0.045	0.15	2.66	53	0.30	12.65	20	0.8
I316047		0.026	0.23	1.97	33	0.19	12.25	26	<0.5
I316048		0.100	0.14	0.76	79	0.74	5.17	50	1.0
I316049		0.146	0.22	0.92	79	0.42	6.49	63	2.6
I316050		0.149	0.20	1.03	72	0.57	7.25	60	3.3
I316051		0.090	0.23	1.29	72	0.71	9.26	72	2.0
I316052		0.116	0.16	0.78	78	0.86	5.14	63	2.0
I316053		0.131	0.19	1.55	78	0.59	8.14	60	3.2
I316054		0.143	0.23	1.57	87	0.85	9.19	66	2.6
I316055		0.135	0.21	1.08	77	0.74	5.92	61	2.1
I316056		0.118	0.19	0.97	76	1.29	5.43	57	1.4
I316057		0.136	0.17	0.73	78	1.38	4.75	61	2.1
I316058		0.073	0.07	0.59	48	0.45	2.86	36	0.7
I316059		0.128	0.16	0.90	80	1.03	5.14	64	1.8
I316060		0.108	0.19	1.22	82	5.40	5.89	66	1.6
I316061		0.109	0.11	0.39	70	1.96	2.09	60	1.1
I316062		0.105	0.14	0.63	74	2.63	4.29	48	1.4
I316063		0.113	0.15	0.67	79	4.18	4.31	49	1.6
I316064		0.131	0.22	0.83	76	0.50	4.37	69	2.2
I316065		0.148	0.26	1.07	82	0.33	6.97	58	2.9
I316066		0.148	0.56	2.06	90	0.39	9.26	73	2.7
I316067		0.052	0.06	0.31	32	0.10	1.25	20	0.5
I316068		0.106	0.14	0.77	65	0.82	5.30	59	1.6
I316069		0.051	0.09	0.98	40	0.42	6.51	30	0.8
I316070		0.103	0.23	2.16	74	0.72	6.14	75	1.8



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 7 - A  
 Total # Pages: 7 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 23-SEP-2010  
 Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316071		0.80	0.010	0.13	2.56	10.1	<0.2	<10	240	0.44	0.22	0.34	0.19	31.0	15.6	68
I316072		0.72	0.008	0.12	1.88	3.3	<0.2	<10	120	0.19	0.24	0.34	0.09	12.90	9.9	71
I316073		0.78	0.006	0.03	2.47	2.3	<0.2	<10	180	0.19	0.09	0.37	0.04	13.45	12.8	75
I316074		0.72	0.015	0.05	2.45	14.4	<0.2	<10	110	0.28	0.33	0.39	0.06	15.10	13.7	139
I316075		0.78	0.014	0.05	2.63	12.4	<0.2	<10	120	0.29	0.38	0.44	0.05	14.60	13.0	162
I316076		0.82	0.010	0.07	2.55	29.7	<0.2	<10	160	0.42	0.24	0.48	0.09	36.0	14.7	86
I316077		0.76	0.020	0.17	2.51	34.7	<0.2	<10	170	0.47	0.32	0.47	0.13	61.8	16.5	73
I316078		0.74	0.012	0.06	2.57	13.8	<0.2	<10	190	0.68	0.50	0.51	0.16	53.8	10.9	71
I316079		0.82	0.006	0.06	2.41	3.0	<0.2	<10	250	0.55	0.25	0.48	0.10	42.4	10.0	59
I316080		0.86	0.006	0.10	2.35	5.3	<0.2	<10	240	0.65	0.30	0.39	0.26	36.3	11.3	49
I316081		0.74	0.005	0.05	2.36	10.2	<0.2	<10	260	0.65	0.16	0.35	0.15	27.3	11.0	50
I316082		0.56	<0.005	0.08	0.80	2.0	<0.2	<10	100	0.25	0.09	0.28	0.10	7.25	3.9	17
I316083		0.56	<0.005	0.06	0.89	3.5	<0.2	<10	70	0.16	0.10	0.18	0.13	9.55	4.4	18
I316084		0.66	0.011	0.04	1.78	7.2	<0.2	<10	160	0.31	0.10	0.43	0.20	22.4	9.6	37
I316085		0.74	0.007	0.05	1.85	9.2	<0.2	<10	150	0.34	0.11	0.32	0.18	18.20	10.2	37
I316086		0.48	0.006	0.06	0.97	6.3	<0.2	<10	50	0.14	0.15	0.09	0.11	9.09	3.5	21
I316087		0.52	0.020	0.34	1.38	9.8	<0.2	<10	130	0.52	0.11	0.40	0.18	17.45	3.8	28
I316088		0.56	0.006	0.10	2.22	21.9	<0.2	<10	200	0.48	0.13	0.56	0.18	25.7	15.7	51
I316089		0.50	0.009	0.12	1.26	10.6	<0.2	<10	110	0.35	0.09	0.32	0.09	10.10	3.2	23
I316090		0.78	<0.005	0.12	2.58	15.1	<0.2	<10	180	0.90	0.23	0.47	0.12	24.8	12.6	47



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 7 - B  
Total # Pages: 7 (A - D)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I316071		2.75	57.5	3.29	8.74	0.10	0.07	0.03	0.032	0.32	14.3	16.6	1.09	471	1.19
I316072		1.87	106.0	2.24	4.77	0.05	0.03	0.03	0.020	0.10	6.2	14.3	0.73	225	0.94
I316073		3.46	104.5	2.66	6.08	0.06	0.03	0.01	0.015	0.23	6.5	14.4	1.29	152	0.32
I316074		2.91	87.5	2.61	6.52	0.06	0.04	0.02	0.018	0.17	7.4	13.4	1.21	226	1.09
I316075		3.65	91.4	2.66	6.69	0.07	0.04	0.02	0.017	0.20	7.4	14.6	1.42	195	0.92
I316076		3.59	111.5	3.08	7.51	0.09	0.07	0.03	0.022	0.31	18.2	13.4	1.04	437	3.58
I316077		4.53	251	4.11	8.66	0.13	0.15	0.05	0.032	0.43	37.7	15.2	0.94	505	9.65
I316078		5.58	284	2.84	7.78	0.11	0.11	0.06	0.033	0.34	32.7	12.8	0.88	353	11.30
I316079		5.13	132.5	2.98	8.73	0.10	0.09	0.04	0.034	0.39	19.8	13.2	0.85	318	30.2
I316080		3.09	128.5	2.70	7.83	0.10	0.05	0.03	0.040	0.26	18.4	12.4	0.75	278	66.0
I316081		3.50	69.1	2.94	7.34	0.08	0.04	0.05	0.027	0.24	12.6	12.3	0.75	273	103.0
I316082		1.05	36.8	1.18	3.03	<0.05	0.02	0.05	0.012	0.05	3.7	3.9	0.28	249	31.7
I316083		0.66	32.8	1.47	3.57	<0.05	0.02	0.06	0.012	0.05	4.7	3.9	0.24	133	3.34
I316084		1.19	77.7	2.46	5.19	0.07	0.05	0.05	0.020	0.12	10.0	9.7	0.61	245	7.56
I316085		1.27	67.8	2.45	5.44	0.06	0.05	0.03	0.021	0.15	8.1	9.5	0.55	446	9.37
I316086		1.06	19.7	2.27	6.13	<0.05	0.02	0.05	0.015	0.05	4.6	5.0	0.19	153	4.05
I316087		1.50	68.6	1.10	3.62	<0.05	0.03	0.15	0.017	0.07	9.4	5.1	0.32	169	8.50
I316088		2.04	44.4	2.72	8.07	0.06	0.03	0.03	0.032	0.07	10.3	13.7	0.76	1260	103.5
I316089		0.84	44.9	1.21	4.09	<0.05	0.02	0.08	0.017	0.03	5.3	4.6	0.21	91	74.3
I316090		3.05	70.5	3.19	9.57	0.07	0.03	0.08	0.048	0.09	11.8	13.7	0.68	544	87.1



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 7 - C  
 Total # Pages: 7 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 23-SEP-2010  
 Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I316071		2.76	42.7	580	9.9	44.8	<0.001	<0.01	0.52	7.8	0.5	0.9	24.4	<0.01	0.04	3.7
I316072		0.99	25.4	510	4.1	15.7	<0.001	<0.01	0.21	3.8	0.4	0.4	24.8	<0.01	0.03	1.0
I316073		0.60	29.4	450	2.6	24.2	<0.001	<0.01	0.13	5.6	0.2	0.4	24.1	<0.01	0.02	1.3
I316074		0.81	52.3	470	3.7	21.7	<0.001	<0.01	0.56	5.7	0.3	0.5	24.5	<0.01	0.04	2.1
I316075		0.65	56.8	450	3.5	23.8	<0.001	<0.01	0.53	6.2	0.3	0.5	25.1	<0.01	0.06	2.1
I316076		1.23	40.5	570	4.4	46.1	<0.001	<0.01	0.68	7.2	0.4	0.7	39.2	<0.01	0.04	4.7
I316077		1.27	31.0	630	5.0	55.3	<0.001	<0.01	1.02	9.2	0.7	0.9	36.6	<0.01	0.06	6.7
I316078		1.46	25.3	680	6.0	49.8	<0.001	<0.01	0.64	7.6	0.7	1.1	39.4	<0.01	0.07	8.4
I316079		1.72	21.6	820	4.3	51.9	<0.001	<0.01	0.19	8.2	0.7	0.9	51.0	<0.01	0.05	6.0
I316080		2.06	31.8	830	5.1	34.4	<0.001	<0.01	0.23	6.6	0.9	1.3	27.0	<0.01	0.07	4.4
I316081		2.04	29.6	800	5.5	29.8	<0.001	<0.01	0.21	6.0	0.6	0.7	19.1	<0.01	0.04	3.5
I316082		0.63	12.3	570	2.2	7.4	<0.001	0.02	0.15	1.5	0.3	0.3	19.7	<0.01	0.03	0.3
I316083		0.55	10.9	510	3.2	6.6	<0.001	0.03	0.28	1.3	0.4	0.3	13.2	<0.01	0.02	<0.2
I316084		1.53	24.4	800	4.4	13.5	<0.001	<0.01	0.31	4.5	0.4	0.4	23.0	<0.01	0.03	2.2
I316085		1.51	23.1	760	4.0	15.6	<0.001	0.01	0.29	4.0	0.4	0.4	16.1	<0.01	0.04	2.3
I316086		1.08	8.2	430	5.6	6.1	<0.001	0.02	0.46	1.6	0.4	0.5	9.9	<0.01	0.04	0.3
I316087		0.66	13.5	1080	3.0	8.2	0.001	0.13	0.60	1.7	0.9	0.3	27.9	<0.01	0.04	<0.2
I316088		1.82	24.6	730	5.4	12.4	0.001	0.03	0.62	5.1	0.5	0.7	31.4	<0.01	0.04	1.3
I316089		0.59	9.4	920	3.7	3.8	0.002	0.08	0.36	1.7	0.6	0.3	21.4	<0.01	0.02	0.2
I316090		1.82	27.3	720	6.0	17.1	<0.001	0.03	0.29	5.4	0.5	0.9	36.0	<0.01	0.06	1.4





2103 Dollarton Hwy  
North Vancouver BC V7H 0A7

www.alsglobal.com

SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

**Total # Pages: 7 (A - D)  
Plus Appendix Pages**

Account: EIASQI

Project: SQL10-06

**CERTIFICATE OF ANALYSIS    WH10122681**

[illegible]

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 23-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10122681**

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).