



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 23-SEP-2010
Account: EIASQI

CERTIFICATE WH10122684

Project: SQI10-06
P.O. No.: SQI10-06_23
This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316531		0.62	0.010	0.14	2.53	5.4	<0.2	<10	200	0.40	0.22	0.35	0.13	27.6	10.6	56
I316532		0.74	0.011	0.11	2.33	6.7	<0.2	<10	170	0.41	0.21	0.35	0.17	45.8	10.6	40
I316533		0.40	0.009	0.18	1.29	5.6	<0.2	<10	120	0.35	0.23	0.21	0.12	31.8	5.0	23
I316534		0.66	0.009	0.11	2.85	8.1	<0.2	<10	180	0.78	0.42	0.32	0.12	57.3	9.3	57
I316535		0.42	0.013	0.13	2.62	5.9	<0.2	<10	240	0.60	0.32	0.34	0.22	50.6	9.1	53
I316536		0.54	0.007	0.15	1.47	18.3	<0.2	<10	210	0.36	0.23	0.94	0.27	21.4	13.0	35
I316537		0.46	<0.005	0.15	2.44	4.6	<0.2	<10	260	0.58	0.30	0.78	0.27	32.9	14.2	56
I316538		0.30	0.005	0.10	2.28	5.0	<0.2	<10	250	0.49	0.24	0.77	0.22	30.1	9.0	54
I316539		0.58	<0.005	0.10	3.04	15.0	<0.2	<10	240	0.71	0.36	0.74	0.21	34.0	13.7	69
I316540		0.40	<0.005	0.13	2.30	11.4	<0.2	<10	290	0.43	0.38	1.21	0.17	29.8	17.6	56
I316541		0.50	<0.005	0.16	3.11	10.6	<0.2	<10	500	0.58	0.38	0.82	0.35	35.4	26.6	82
I316542		0.58	<0.005	0.10	3.22	8.1	<0.2	<10	430	0.55	0.26	0.77	0.16	25.5	17.5	88
I316543		0.54	<0.005	0.13	3.39	15.9	<0.2	<10	520	0.53	0.25	0.77	0.26	26.9	28.8	102
I316544		0.46	0.008	0.19	2.96	7.6	<0.2	<10	370	0.51	0.23	0.84	0.34	40.4	18.9	96
I316545		0.60	<0.005	0.17	2.70	9.0	<0.2	<10	320	0.60	0.16	0.66	0.27	46.7	13.7	61
I316546		0.64	0.005	0.10	2.65	8.7	<0.2	<10	290	0.55	0.19	0.55	0.17	29.0	19.7	58
I316547		0.32	<0.005	0.15	2.05	3.8	<0.2	<10	320	0.38	0.17	0.88	0.11	17.75	11.0	47
I316548		0.42	0.005	0.21	3.27	7.3	<0.2	<10	370	0.66	0.26	0.73	0.11	33.7	18.7	68
I316549		0.84	<0.005	0.08	3.81	5.4	<0.2	<10	220	0.89	0.15	0.75	0.11	38.2	18.1	84
I316550		0.72	0.009	0.12	2.83	11.3	<0.2	<10	260	0.71	0.25	0.69	0.26	46.7	14.7	54
I316551		1.04	0.006	0.07	2.38	4.6	<0.2	<10	210	0.46	0.20	0.40	0.08	29.9	14.9	76
I316552		0.78	0.007	0.13	2.79	26.1	<0.2	<10	150	0.54	0.21	0.35	0.15	25.3	10.9	40
I316553		0.90	0.006	0.08	2.43	8.0	<0.2	<10	180	0.74	0.26	0.41	0.12	32.5	10.7	54
I316554		0.78	0.010	0.09	2.48	8.4	<0.2	<10	200	0.42	0.15	0.46	0.14	24.2	11.9	36
I316555		0.80	0.010	0.09	2.49	22.5	<0.2	<10	170	0.42	0.18	0.33	0.22	26.2	13.9	33
I316556		0.90	0.208	1.34	3.97	805	0.2	<10	350	1.09	1.35	1.16	1.06	10.40	18.9	19
I316557		0.94	0.006	0.10	2.63	23.6	<0.2	<10	240	0.67	0.46	0.70	0.09	27.0	10.1	33
I316558		0.56	0.005	0.19	1.83	50.9	<0.2	<10	370	0.73	0.31	1.06	0.41	44.5	9.0	22
I316559		0.54	0.005	0.16	2.15	149.0	<0.2	<10	300	0.66	0.24	0.66	0.26	29.0	10.0	31
I316560		0.50	<0.005	0.09	2.17	6.2	<0.2	<10	230	0.77	0.18	0.62	0.15	29.5	16.5	14
I316561		0.54	0.005	0.18	2.00	42.4	<0.2	<10	330	0.50	0.17	0.36	0.14	17.55	13.5	19
I316562		0.64	0.005	0.16	2.00	50.7	<0.2	<10	310	0.46	0.18	0.40	0.41	26.1	12.3	25
I316563		0.64	<0.005	0.22	2.37	161.5	<0.2	<10	320	0.55	0.34	0.44	0.46	19.20	14.5	25
I316564		0.60	0.005	0.34	2.53	162.5	<0.2	<10	380	0.70	0.30	0.50	0.78	20.6	12.9	28
I316565		0.36	0.014	1.27	2.51	473	<0.2	<10	520	0.67	0.47	0.90	1.45	25.4	10.1	35
I316566		0.52	<0.005	0.78	2.36	211	<0.2	<10	530	0.78	0.63	0.46	2.05	30.9	15.6	46
I316567		0.48	0.007	0.50	2.60	122.0	<0.2	<10	370	0.73	0.44	0.44	1.51	30.4	15.7	42
I316568		0.54	0.005	0.44	2.46	254	<0.2	<10	300	0.61	0.37	0.22	1.28	21.3	15.1	39
I316569		0.54	0.007	1.28	2.85	352	<0.2	<10	270	0.31	0.21	0.32	1.32	17.05	12.4	37
I316570		0.68	<0.005	0.49	2.97	730	<0.2	<10	260	0.64	0.89	0.31	1.07	32.4	18.9	64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I316531		2.71	32.4	2.84	8.17	0.07	0.05	0.04	0.031	0.12	18.7	13.1	0.69	395	0.86
I316532		2.85	28.3	2.88	7.54	0.07	0.06	0.04	0.030	0.15	27.4	13.1	0.60	607	0.88
I316533		1.15	18.9	1.86	4.65	0.06	0.03	0.05	0.017	0.05	21.1	4.6	0.23	452	0.97
I316534		4.10	21.3	3.66	9.83	0.10	0.08	0.04	0.034	0.35	37.4	15.9	0.73	493	1.53
I316535		3.11	32.6	2.38	8.45	0.08	0.05	0.11	0.034	0.15	27.6	13.5	0.55	458	8.28
I316536		1.54	26.9	3.42	4.41	0.07	0.05	0.08	0.020	0.11	10.4	7.7	0.46	818	2.29
I316537		2.76	33.8	2.93	7.20	0.09	0.07	0.10	0.029	0.21	15.5	15.5	0.82	819	0.75
I316538		2.49	31.6	2.21	6.84	0.08	0.07	0.07	0.024	0.22	14.6	14.9	0.77	232	0.64
I316539		3.47	34.4	3.25	9.33	0.12	0.08	0.04	0.030	0.43	18.0	20.5	1.07	244	0.60
I316540		2.38	28.6	5.07	6.59	0.12	0.05	0.04	0.024	0.28	15.8	14.6	0.83	634	0.90
I316541		3.00	42.5	4.08	8.69	0.12	0.07	0.05	0.033	0.49	16.7	17.2	1.18	1960	1.56
I316542		2.64	33.4	3.52	9.49	0.12	0.06	0.03	0.027	0.63	12.9	18.2	1.31	333	0.33
I316543		2.47	38.1	5.70	9.80	0.14	0.05	0.04	0.027	0.62	12.7	19.6	1.49	1480	0.88
I316544		2.17	56.8	3.18	8.54	0.12	0.04	0.05	0.026	0.39	21.1	19.1	1.17	426	0.59
I316545		1.81	38.6	3.17	7.70	0.11	0.07	0.03	0.032	0.22	25.6	16.2	0.90	291	0.52
I316546		1.78	25.5	3.20	7.69	0.09	0.05	0.03	0.030	0.22	13.0	16.1	0.90	926	0.66
I316547		1.27	27.0	2.43	7.21	0.07	0.05	0.05	0.022	0.10	10.3	13.1	0.72	508	0.86
I316548		2.61	36.2	4.06	9.93	0.10	0.04	0.04	0.030	0.34	17.3	23.3	1.12	631	0.84
I316549		5.45	39.3	4.63	11.95	0.16	0.09	0.02	0.029	0.93	20.1	32.2	1.54	597	0.38
I316550		2.81	40.6	3.91	8.19	0.13	0.09	0.17	0.028	0.33	25.7	21.1	1.02	333	0.60
I316551		2.75	81.0	3.51	7.56	0.10	0.06	0.02	0.025	0.25	14.2	20.2	1.03	384	0.97
I316552		1.78	39.4	3.16	7.91	0.08	0.06	0.03	0.026	0.15	11.8	14.2	0.70	310	1.06
I316553		2.28	39.0	3.27	7.48	0.11	0.06	0.03	0.028	0.25	15.8	13.8	0.81	425	0.93
I316554		1.84	46.3	2.33	6.99	0.06	0.05	0.03	0.022	0.13	11.5	15.7	0.69	207	0.62
I316555		1.83	49.8	3.29	6.64	0.07	0.06	0.02	0.026	0.10	12.2	14.2	0.67	264	0.84
I316556		11.30	205	6.04	9.90	0.12	0.08	0.04	0.050	0.45	6.5	14.6	1.13	933	2.86
I316557		6.66	67.7	3.53	7.77	0.09	0.06	0.02	0.029	0.14	14.0	13.6	0.76	406	0.47
I316558		1.28	23.0	2.74	5.29	0.10	0.06	0.04	0.030	0.08	33.2	10.3	0.46	555	1.43
I316559		1.21	33.2	3.12	6.16	0.07	0.06	0.04	0.035	0.07	14.7	12.7	0.57	467	1.86
I316560		2.64	26.1	4.26	6.29	0.10	0.04	0.03	0.031	0.25	21.4	13.7	0.92	671	0.87
I316561		1.85	17.6	3.15	6.75	0.06	0.03	0.03	0.024	0.04	8.3	10.4	0.58	1100	1.36
I316562		0.97	21.0	3.09	6.39	0.06	0.04	0.02	0.024	0.09	13.8	11.9	0.60	541	1.19
I316563		1.81	55.7	4.07	6.17	0.07	0.04	0.03	0.037	0.17	9.3	14.3	0.96	502	1.97
I316564		2.19	49.8	3.87	7.07	0.06	0.03	0.04	0.035	0.09	10.4	18.1	0.78	601	1.64
I316565		2.56	86.6	3.55	6.61	0.07	0.06	0.10	0.049	0.10	14.1	15.4	0.56	486	2.80
I316566		1.90	95.3	3.74	7.04	0.08	0.03	0.06	0.061	0.09	16.0	16.1	0.59	920	3.10
I316567		1.28	56.5	3.57	7.80	0.06	0.04	0.03	0.044	0.08	14.0	15.9	0.58	742	2.05
I316568		1.62	41.3	3.83	8.11	0.07	0.05	0.03	0.041	0.11	10.4	16.3	0.52	630	2.62
I316569		1.22	31.5	3.74	8.06	0.05	0.06	0.04	0.036	0.09	8.8	17.3	0.60	714	1.56
I316570		2.77	92.3	4.87	8.05	0.09	0.04	0.03	0.065	0.10	15.8	20.3	0.95	1080	4.20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I316531		2.11	27.0	620	6.9	24.5	<0.001	<0.01	0.34	6.0	0.4	0.9	27.7	<0.01	0.03	5.3
I316532		2.17	18.8	690	7.1	29.0	<0.001	<0.01	0.35	6.1	0.4	0.9	27.3	<0.01	0.02	6.9
I316533		0.86	10.2	780	4.8	10.9	<0.001	0.06	0.29	2.9	0.6	0.5	20.3	<0.01	0.03	1.2
I316534		3.06	21.7	690	10.6	54.2	<0.001	0.02	0.31	5.5	0.6	1.4	24.7	<0.01	0.04	12.2
I316535		2.60	21.2	670	8.0	29.7	0.001	0.04	0.46	6.1	0.7	1.0	27.5	<0.01	0.04	8.7
I316536		1.43	17.5	930	4.6	14.9	0.001	0.12	0.41	3.8	1.0	0.4	34.5	<0.01	0.04	1.5
I316537		2.44	29.3	580	7.0	33.6	0.001	0.11	0.54	7.1	1.0	0.6	33.6	<0.01	0.03	3.6
I316538		2.39	25.8	600	6.5	31.5	0.001	0.15	0.51	6.6	0.9	0.6	33.4	<0.01	0.02	3.6
I316539		3.34	37.8	650	7.0	51.8	<0.001	0.08	0.29	8.2	0.8	0.7	38.3	<0.01	0.04	5.4
I316540		2.22	33.1	990	5.4	35.4	0.001	0.16	0.29	5.0	1.4	0.5	46.5	<0.01	0.07	1.7
I316541		2.70	44.6	760	6.8	47.4	0.001	0.09	0.38	7.9	1.1	0.6	35.2	<0.01	0.07	3.6
I316542		3.01	44.4	870	5.6	55.6	<0.001	0.07	0.29	8.0	0.7	0.6	32.8	<0.01	0.04	3.7
I316543		3.06	51.4	1180	4.7	46.9	<0.001	0.07	0.37	7.5	0.8	0.6	32.3	<0.01	0.05	3.2
I316544		3.36	55.5	1460	5.4	35.5	0.001	0.11	0.56	6.3	1.1	0.6	41.4	<0.01	0.03	3.0
I316545		2.04	39.4	880	7.4	31.2	<0.001	0.04	0.90	7.3	1.0	0.6	34.0	<0.01	0.04	3.6
I316546		1.83	34.2	810	8.0	28.3	<0.001	0.02	0.59	6.4	0.6	0.6	27.5	<0.01	0.04	3.8
I316547		1.71	28.4	870	5.7	11.4	<0.001	0.08	0.34	4.2	0.8	0.6	47.5	<0.01	0.04	1.1
I316548		2.26	41.1	720	8.7	38.0	<0.001	0.06	0.44	7.1	0.8	0.9	43.5	<0.01	0.05	2.2
I316549		1.71	48.7	800	7.5	91.7	<0.001	<0.01	0.26	8.1	0.4	0.8	63.1	<0.01	0.03	6.4
I316550		2.49	36.5	780	8.0	39.7	<0.001	0.03	0.46	7.1	1.0	0.7	33.9	<0.01	0.04	4.7
I316551		1.70	34.0	570	6.2	33.1	<0.001	<0.01	0.25	7.3	0.5	0.7	25.4	<0.01	0.03	3.6
I316552		2.26	24.0	640	9.2	22.0	<0.001	0.02	1.01	5.4	0.5	0.6	22.4	<0.01	0.04	2.5
I316553		1.84	32.6	650	10.2	36.9	<0.001	<0.01	0.48	7.2	0.4	0.8	31.5	<0.01	0.03	5.0
I316554		1.18	20.0	590	6.4	20.2	<0.001	0.01	0.55	5.2	0.5	0.5	35.1	<0.01	0.02	2.1
I316555		1.49	20.8	680	10.7	16.7	<0.001	0.01	1.08	5.4	0.6	0.5	17.9	<0.01	0.03	2.0
I316556		0.49	14.0	2150	94.7	59.4	<0.001	0.01	24.9	10.8	0.7	0.6	101.0	<0.01	0.17	2.4
I316557		1.05	20.0	1200	10.7	23.5	<0.001	<0.01	0.79	6.8	0.4	0.8	42.2	<0.01	0.05	6.0
I316558		0.75	17.0	630	8.9	14.2	0.002	0.04	0.67	5.2	2.5	0.7	57.5	<0.01	0.04	3.3
I316559		0.91	22.8	570	12.0	9.2	0.001	0.02	0.93	5.9	1.9	0.7	34.6	<0.01	0.03	3.9
I316560		0.71	10.1	610	8.3	26.9	<0.001	0.01	0.23	7.2	1.0	1.1	33.7	<0.01	0.02	3.7
I316561		0.85	12.1	360	7.5	12.0	<0.001	0.01	0.37	5.1	0.6	0.5	25.0	<0.01	0.03	2.3
I316562		1.07	17.4	570	8.8	10.5	<0.001	0.01	0.45	4.1	0.8	0.6	30.2	<0.01	0.03	2.4
I316563		0.74	22.2	440	18.2	20.7	<0.001	0.01	1.03	5.1	1.5	0.4	27.4	<0.01	0.04	2.2
I316564		0.90	25.5	440	14.4	17.9	<0.001	0.01	0.81	6.1	0.9	0.6	32.6	<0.01	0.04	2.0
I316565		0.81	43.4	720	30.1	16.3	0.001	0.04	1.86	7.1	2.0	0.7	46.7	<0.01	0.07	2.9
I316566		0.86	45.3	620	26.4	14.4	0.001	0.01	1.48	8.6	1.4	0.9	33.5	0.04	0.08	3.2
I316567		1.32	36.2	400	19.4	12.9	<0.001	<0.01	0.91	5.5	0.9	0.8	36.3	<0.01	0.04	2.8
I316568		1.40	31.1	530	32.0	16.6	<0.001	<0.01	1.14	4.5	0.8	0.8	18.3	<0.01	0.05	2.7
I316569		1.59	31.8	600	77.8	12.6	<0.001	<0.01	0.77	5.0	0.5	0.6	26.5	<0.01	0.04	2.3
I316570		0.33	54.0	800	65.5	17.4	<0.001	<0.01	2.52	7.8	1.7	0.8	21.7	<0.01	0.11	4.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I316531		0.124	0.23	2.36	72	0.32	7.70	63
I316532		0.131	0.24	3.46	63	0.37	8.81	63
I316533		0.055	0.12	3.14	36	0.32	6.59	35
I316534		0.155	0.50	4.09	64	0.93	9.92	81
I316535		0.126	0.35	3.44	64	0.73	10.40	66
I316536		0.074	0.18	1.33	52	0.19	7.22	44
I316537		0.131	0.38	1.92	79	0.23	10.25	73
I316538		0.130	0.34	1.60	69	0.23	9.10	62
I316539		0.169	0.36	1.43	91	0.29	11.70	74
I316540		0.098	0.24	1.52	82	0.20	10.25	79
I316541		0.151	0.38	1.51	101	0.39	11.50	92
I316542		0.173	0.37	1.09	99	0.20	8.57	85
I316543		0.163	0.33	1.00	113	0.19	8.60	90
I316544		0.141	0.25	1.70	83	0.19	14.95	74
I316545		0.124	0.21	1.87	81	0.18	19.75	71
I316546		0.138	0.24	0.91	81	0.37	7.87	69
I316547		0.100	0.12	0.63	61	0.13	7.46	74
I316548		0.164	0.28	1.06	96	0.29	10.30	99
I316549		0.211	0.63	0.77	82	0.22	9.36	97
I316550		0.138	0.32	2.16	80	0.21	16.35	82
I316551		0.179	0.27	1.16	90	0.98	7.76	57
I316552		0.135	0.21	0.71	69	0.46	6.36	57
I316553		0.170	0.32	1.59	70	0.38	8.53	61
I316554		0.127	0.20	0.93	69	0.68	7.72	48
I316555		0.130	0.21	1.33	77	0.20	8.81	54
I316556		0.108	0.63	2.19	117	0.21	16.25	149
I316557		0.127	0.35	2.16	76	0.34	11.05	62
I316558		0.040	0.09	2.48	51	0.25	24.5	58
I316559		0.043	0.10	3.27	63	0.17	10.55	85
I316560		0.099	0.18	1.83	85	0.17	15.10	57
I316561		0.059	0.12	0.83	72	0.13	6.92	52
I316562		0.083	0.09	0.93	67	0.17	7.34	57
I316563		0.091	0.16	1.06	83	0.13	6.76	152
I316564		0.061	0.14	0.95	79	0.16	8.17	133
I316565		0.027	0.15	2.86	71	0.19	18.70	182
I316566		0.028	0.10	1.92	80	0.20	18.95	201
I316567		0.046	0.12	1.23	83	0.17	6.62	140
I316568		0.055	0.12	0.54	87	0.18	3.90	172
I316569		0.088	0.12	0.41	90	0.16	2.92	156
I316570		0.011	0.13	0.95	113	0.24	8.02	306



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316571		0.58	0.009	0.87	1.61	101.0	<0.2	<10	250	0.39	0.31	0.14	0.84	24.2	7.7	26
I316572		0.50	0.007	0.51	2.10	112.5	<0.2	<10	310	0.37	0.29	0.34	0.34	29.4	9.8	35
I316573		0.44	0.006	0.42	0.46	49.6	<0.2	<10	80	0.08	0.08	0.13	0.23	4.65	2.0	5
I316574		0.66	0.007	0.49	1.93	376	<0.2	<10	310	0.31	0.27	0.25	0.58	23.7	9.9	29
I316575		0.58	0.005	0.49	2.12	469	<0.2	<10	360	0.43	0.54	0.27	1.05	41.1	15.1	26
I316576		0.72	<0.005	0.36	2.11	97.9	<0.2	<10	270	0.36	0.41	0.20	0.55	45.5	11.3	31
I316577		0.70	<0.005	0.32	2.04	94.5	<0.2	<10	260	0.31	0.35	0.21	0.54	41.6	11.2	30
I316578		0.66	<0.005	0.14	1.99	34.6	<0.2	<10	290	0.31	0.19	0.18	0.35	34.5	11.0	28
I316579		0.46	0.008	0.25	1.92	10.6	<0.2	<10	400	0.41	0.25	0.23	0.43	17.30	14.4	24
I316580		0.50	<0.005	0.19	1.33	23.6	<0.2	<10	180	0.25	0.84	0.14	0.16	30.8	4.6	13
I316581		0.68	0.006	0.41	1.99	165.5	<0.2	<10	350	0.33	0.56	0.44	0.39	30.0	7.7	26
I316582		0.54	0.005	0.44	1.94	82.2	<0.2	<10	270	0.41	0.58	0.64	0.37	34.0	9.6	27
I316583		0.34	0.007	0.76	1.72	69.2	<0.2	<10	210	0.42	0.35	0.32	0.83	23.7	8.1	24
I316584		0.54	0.008	0.18	2.40	40.7	<0.2	<10	240	0.56	0.40	0.21	0.17	43.7	12.0	41
I316585		0.52	0.005	0.43	2.20	34.5	<0.2	<10	240	0.37	0.49	0.22	0.16	25.4	11.2	30
I316586		0.60	0.005	0.34	2.18	204	<0.2	<10	320	0.51	0.60	0.21	0.32	37.8	10.3	36
I316587		0.62	0.005	0.30	2.28	51.5	<0.2	<10	210	0.42	0.22	0.25	0.25	21.2	11.1	37
I316588		0.46	0.005	0.40	1.23	50.5	<0.2	<10	230	0.27	0.21	0.22	0.68	15.90	8.1	21
I316589		0.58	<0.005	0.32	1.60	39.3	<0.2	<10	260	0.27	0.32	0.21	0.42	22.2	9.7	23
I316590		0.62	0.006	0.12	1.93	28.0	<0.2	<10	280	0.50	0.20	0.28	0.16	31.2	11.9	38
I316591		0.46	0.006	0.19	2.09	32.9	<0.2	<10	220	0.34	0.21	0.24	0.32	16.80	8.2	32
I316592		0.56	0.005	0.22	2.38	81.7	<0.2	<10	310	0.42	0.24	0.27	0.40	31.0	11.6	39
I316593		0.46	0.015	0.20	2.01	113.5	<0.2	<10	240	0.33	0.26	0.21	0.67	28.3	12.4	38
I316594		0.76	0.007	0.31	2.06	88.7	<0.2	<10	220	0.39	0.18	0.36	0.45	33.8	12.0	40
I316595		0.38	<0.005	0.02	0.19	2.2	<0.2	<10	50	0.11	0.02	0.09	0.04	12.05	2.5	3
I316596		0.88	0.012	0.10	1.94	37.2	<0.2	<10	230	0.32	0.18	0.70	0.17	24.4	10.9	33
I316597		0.48	0.006	0.12	1.56	21.6	<0.2	<10	230	0.30	0.14	0.73	0.32	22.4	8.6	25
I316598		0.72	0.007	0.09	1.93	14.6	<0.2	<10	220	0.31	0.15	0.68	0.14	25.3	10.6	29
I316599		0.60	0.005	0.09	1.79	12.9	<0.2	<10	210	0.32	0.14	0.67	0.23	22.4	9.6	27
I316600		0.62	0.010	0.17	3.12	23.0	<0.2	<10	190	0.43	0.41	0.66	0.11	15.35	15.0	26
I316601		0.78	0.007	0.06	1.68	14.2	<0.2	<10	180	0.31	0.13	0.67	0.16	23.0	10.3	27
I316602		0.70	0.006	0.05	2.69	3.8	<0.2	<10	290	0.60	0.29	0.42	0.10	36.1	13.8	96
I316603		0.58	0.005	0.07	0.61	2.7	<0.2	<10	20	0.11	0.07	0.07	0.03	4.62	1.9	7
I316604		0.50	0.014	0.10	1.69	25.3	<0.2	<10	150	0.19	0.13	0.44	0.16	12.50	10.9	26
I316605		0.70	0.029	0.55	3.02	81.1	<0.2	<10	220	0.50	0.64	0.40	0.21	35.7	14.6	57
I316606		0.50	0.007	0.30	2.46	74.1	<0.2	<10	370	0.38	0.29	0.67	0.77	15.45	13.8	30
I316607		0.62	0.008	0.14	2.89	19.6	<0.2	<10	340	0.88	0.10	0.44	0.15	8.74	16.3	12
I316608		0.54	0.006	0.39	2.93	58.7	<0.2	<10	750	0.77	0.23	0.90	0.77	15.80	15.4	22
I316609		0.58	0.009	0.37	2.02	95.3	<0.2	<10	530	0.58	0.21	0.94	0.84	26.2	11.1	29
I316610		0.50	0.005	0.11	2.53	17.8	<0.2	<10	280	0.48	0.19	0.20	0.17	16.00	13.2	31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I316571		2.49	33.6	2.37	6.22	0.05	0.03	0.03	0.027	0.06	12.8	9.9	0.32	357	1.15
I316572		1.58	35.5	2.91	6.14	0.06	0.04	0.03	0.029	0.08	15.4	12.4	0.60	456	1.05
I316573		0.69	6.2	0.82	2.95	<0.05	<0.02	0.01	0.006	0.04	2.4	2.3	0.10	68	0.53
I316574		1.44	34.3	3.02	6.59	0.05	0.05	0.02	0.031	0.08	12.3	15.4	0.52	314	1.84
I316575		1.21	56.2	3.99	6.59	0.07	0.03	0.02	0.037	0.12	21.6	15.4	0.44	779	3.84
I316576		1.27	40.7	3.65	7.48	0.07	0.03	0.01	0.037	0.09	23.7	15.5	0.59	406	2.35
I316577		1.29	40.5	3.57	7.29	0.08	0.03	0.02	0.034	0.10	21.5	15.1	0.59	421	2.34
I316578		0.68	20.6	3.12	6.83	0.06	0.02	0.01	0.026	0.10	17.2	15.2	0.44	534	1.04
I316579		0.85	16.9	2.59	6.93	<0.05	0.03	0.01	0.023	0.08	8.8	8.9	0.35	990	1.00
I316580		1.54	17.0	1.95	5.33	<0.05	0.02	0.02	0.021	0.11	16.2	7.9	0.26	142	1.57
I316581		1.48	35.2	2.74	6.32	0.06	0.05	0.02	0.030	0.08	15.6	16.8	0.50	205	1.94
I316582		1.69	31.7	2.69	6.62	0.06	0.05	0.02	0.031	0.11	19.6	14.2	0.48	495	1.66
I316583		2.01	44.4	2.29	6.29	0.05	0.03	0.04	0.030	0.09	12.4	10.7	0.43	287	1.26
I316584		0.77	37.9	3.46	6.43	0.07	0.20	0.02	0.037	0.07	22.0	16.8	0.76	291	0.60
I316585		0.61	19.7	3.01	6.94	<0.05	0.12	0.01	0.027	0.06	12.9	12.3	0.48	387	0.92
I316586		0.83	44.4	3.57	6.78	0.07	0.04	0.01	0.039	0.08	18.9	16.9	0.64	444	1.24
I316587		0.59	26.9	3.48	7.95	0.05	0.06	0.01	0.027	0.06	10.6	15.3	0.69	505	0.96
I316588		0.65	16.3	2.42	5.91	0.05	0.02	0.01	0.017	0.07	8.0	7.7	0.29	607	1.19
I316589		0.90	22.1	3.12	7.40	0.06	0.04	0.01	0.025	0.05	11.0	11.1	0.33	374	1.96
I316590		0.75	39.8	3.14	5.87	0.08	0.16	0.02	0.027	0.05	14.9	13.7	0.63	293	1.14
I316591		0.61	24.7	2.92	7.17	0.06	0.07	0.02	0.025	0.08	8.3	11.6	0.45	227	1.31
I316592		1.16	39.3	3.20	7.61	0.06	0.06	0.02	0.032	0.07	15.6	14.1	0.58	342	1.72
I316593		1.20	34.1	2.99	7.41	0.06	0.02	0.02	0.028	0.09	14.6	12.8	0.59	564	1.92
I316594		1.56	46.5	3.11	6.66	0.08	0.10	0.03	0.033	0.08	17.3	17.2	0.78	395	1.59
I316595		0.10	2.5	0.78	0.80	<0.05	0.10	<0.01	<0.005	0.07	6.2	1.7	0.04	175	0.30
I316596		0.79	27.8	2.86	5.64	0.06	0.15	0.04	0.026	0.06	12.6	13.6	0.66	333	0.78
I316597		0.65	29.0	2.26	4.76	0.06	0.07	0.04	0.023	0.05	11.4	10.2	0.50	355	0.88
I316598		0.53	27.8	2.75	5.65	0.06	0.09	0.03	0.026	0.07	12.7	12.3	0.57	373	0.89
I316599		0.59	22.3	2.54	5.38	0.05	0.05	0.04	0.026	0.07	11.4	11.4	0.53	440	0.83
I316600		4.73	64.3	3.31	8.28	0.08	0.04	0.03	0.025	0.11	7.8	16.0	0.85	485	0.80
I316601		0.55	26.1	2.53	4.85	0.06	0.13	0.02	0.021	0.06	11.3	11.8	0.59	363	0.63
I316602		3.86	61.3	3.30	8.57	0.13	0.07	0.05	0.027	0.44	18.5	16.1	1.28	366	0.91
I316603		0.29	6.1	0.82	3.15	<0.05	<0.02	0.03	0.006	0.02	2.4	1.5	0.10	43	0.39
I316604		2.46	47.9	2.91	6.85	0.07	0.03	0.02	0.021	0.22	6.5	11.6	0.64	311	1.07
I316605		2.34	88.8	3.97	9.50	0.10	0.03	0.05	0.035	0.25	17.9	17.0	0.88	371	1.20
I316606		1.31	28.1	3.67	9.57	0.06	0.02	0.03	0.034	0.09	7.5	12.1	0.50	926	2.88
I316607		4.99	14.5	4.82	9.62	0.10	0.04	0.02	0.016	0.70	5.3	27.3	1.87	668	1.02
I316608		3.73	25.2	4.59	9.30	0.08	0.03	0.04	0.039	0.32	7.8	19.7	1.32	846	1.93
I316609		1.76	33.8	2.91	6.35	0.06	0.05	0.04	0.034	0.06	15.1	12.0	0.58	679	2.06
I316610		1.55	20.3	3.34	8.76	0.05	0.04	0.02	0.027	0.05	7.9	14.2	0.50	346	1.52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I316571		1.10	20.6	220	14.5	13.7	<0.001	<0.01	0.60	4.2	0.5	0.6	14.7	<0.01	0.03	2.3
I316572		1.25	27.9	450	12.2	10.9	0.001	<0.01	0.94	5.1	0.6	0.7	27.0	<0.01	0.04	2.0
I316573		0.49	4.3	110	4.5	4.9	<0.001	<0.01	0.23	1.0	0.2	0.3	11.2	<0.01	0.02	0.4
I316574		1.26	28.9	350	19.1	11.3	<0.001	<0.01	1.52	4.3	0.6	0.6	22.4	<0.01	0.04	2.5
I316575		0.84	39.2	420	36.4	12.2	<0.001	<0.01	2.69	5.1	1.2	0.5	27.5	<0.01	0.09	4.2
I316576		0.83	31.8	310	14.8	10.3	<0.001	<0.01	1.42	4.5	0.6	0.7	20.6	<0.01	0.06	4.8
I316577		0.83	31.5	310	13.9	11.1	<0.001	<0.01	1.42	4.3	0.6	0.6	21.7	<0.01	0.06	4.4
I316578		1.13	21.9	250	11.7	10.3	<0.001	<0.01	0.52	3.6	0.3	0.6	15.6	<0.01	0.03	3.5
I316579		1.17	18.2	390	9.6	9.4	<0.001	<0.01	0.34	3.4	0.2	0.6	23.2	<0.01	0.03	1.8
I316580		0.78	14.9	260	10.8	11.4	<0.001	0.01	0.44	2.5	0.5	0.6	16.6	<0.01	0.03	4.0
I316581		1.22	26.5	470	13.4	11.7	<0.001	0.01	1.12	3.6	1.0	0.7	35.0	<0.01	0.05	3.6
I316582		1.46	25.7	490	16.4	16.6	<0.001	<0.01	0.72	4.4	0.6	0.7	39.7	<0.01	0.04	4.1
I316583		1.33	22.0	400	15.0	21.4	<0.001	<0.01	0.71	4.4	0.6	0.6	28.8	<0.01	0.04	2.3
I316584		0.49	34.4	170	17.3	8.4	<0.001	<0.01	0.61	5.5	0.4	0.6	20.2	<0.01	0.03	7.1
I316585		1.18	23.2	200	11.4	8.3	<0.001	<0.01	0.54	3.5	0.3	0.7	22.9	<0.01	0.03	4.1
I316586		0.67	34.8	410	19.9	9.5	<0.001	<0.01	1.94	4.1	0.5	0.9	20.7	<0.01	0.05	3.7
I316587		0.99	25.6	420	8.5	8.5	<0.001	<0.01	0.62	4.1	0.2	0.7	20.7	<0.01	0.04	2.6
I316588		0.84	14.7	690	9.3	7.7	<0.001	<0.01	0.53	2.2	0.3	0.5	16.8	<0.01	0.03	1.2
I316589		1.11	17.2	920	11.1	9.3	<0.001	<0.01	0.59	2.8	0.4	0.6	22.3	<0.01	0.04	2.6
I316590		1.01	29.0	270	9.6	7.3	<0.001	<0.01	0.61	6.1	0.6	0.5	24.6	<0.01	0.04	3.7
I316591		1.26	22.3	460	8.2	7.7	<0.001	<0.01	0.45	4.3	0.4	0.5	23.5	<0.01	0.04	2.1
I316592		1.39	31.7	440	9.3	12.6	<0.001	<0.01	0.71	5.3	0.6	0.6	27.1	<0.01	0.05	2.7
I316593		1.00	32.0	490	10.5	17.5	<0.001	<0.01	0.99	4.1	0.6	0.6	23.4	<0.01	0.05	1.5
I316594		1.15	38.0	580	9.5	11.8	<0.001	<0.01	1.07	7.4	0.9	0.5	31.8	<0.01	0.05	3.8
I316595		0.14	4.4	120	1.9	3.6	<0.001	<0.01	0.12	0.7	<0.2	<0.2	11.0	<0.01	0.01	2.1
I316596		1.31	25.0	670	7.9	8.0	0.001	<0.01	0.62	4.8	0.5	0.5	41.1	<0.01	0.03	3.4
I316597		1.30	21.6	650	6.4	9.2	<0.001	<0.01	0.51	4.4	0.6	0.4	47.0	<0.01	0.02	1.8
I316598		1.60	21.5	590	8.0	9.7	<0.001	<0.01	0.43	5.0	0.6	0.5	46.0	<0.01	0.03	2.4
I316599		1.47	18.9	670	7.5	11.1	0.001	0.01	0.40	4.2	0.6	0.5	44.6	<0.01	0.03	1.5
I316600		1.19	21.3	1450	9.8	19.9	<0.001	0.02	0.71	5.1	0.5	0.6	45.1	<0.01	0.03	1.4
I316601		1.55	21.6	670	7.0	7.5	0.001	<0.01	0.44	4.7	0.5	0.4	44.2	<0.01	0.02	2.5
I316602		1.88	56.1	550	7.3	59.8	<0.001	<0.01	0.23	8.6	0.4	0.8	33.3	<0.01	0.04	4.8
I316603		0.43	2.8	280	2.7	2.4	<0.001	<0.01	0.14	0.6	0.3	0.2	8.7	<0.01	0.02	<0.2
I316604		1.18	15.0	970	4.0	25.2	<0.001	0.01	0.63	4.4	0.4	0.5	24.8	<0.01	0.03	0.8
I316605		2.01	41.5	660	32.5	31.7	<0.001	0.02	4.08	7.8	0.6	0.7	31.7	<0.01	0.08	3.2
I316606		1.00	20.7	840	22.4	15.6	<0.001	0.02	0.70	4.3	0.7	0.7	41.9	<0.01	0.06	0.7
I316607		0.60	10.5	580	4.9	83.5	<0.001	0.02	0.25	5.2	0.7	0.4	28.8	<0.01	0.01	1.1
I316608		0.58	19.8	560	11.3	39.1	0.002	0.03	0.65	9.0	1.9	0.6	49.9	<0.01	0.02	1.5
I316609		0.72	28.9	690	10.6	13.5	0.002	0.04	0.81	5.7	2.1	0.7	49.2	<0.01	0.04	2.4
I316610		1.32	18.2	340	8.5	13.2	<0.001	0.01	0.45	4.5	0.4	0.7	21.4	<0.01	0.03	2.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I316571		0.049	0.11	0.65	59	0.15	10.45	84	1.1
I316572		0.083	0.08	0.87	68	0.15	8.23	68	1.1
I316573		0.037	0.04	0.16	22	0.06	0.81	16	<0.5
I316574		0.070	0.10	0.71	71	0.22	5.82	85	1.7
I316575		0.034	0.12	1.03	77	0.17	7.04	150	1.2
I316576		0.040	0.15	0.91	84	0.18	6.05	113	0.9
I316577		0.039	0.14	0.85	81	0.16	6.23	112	0.9
I316578		0.054	0.09	0.46	74	0.14	3.82	71	0.9
I316579		0.095	0.10	0.40	67	0.10	3.32	84	1.3
I316580		0.041	0.10	0.69	44	0.14	5.35	42	1.0
I316581		0.060	0.12	1.24	71	0.20	7.42	75	1.9
I316582		0.063	0.10	1.12	62	0.18	12.45	88	1.9
I316583		0.063	0.10	1.13	54	0.18	12.20	90	1.0
I316584		0.060	0.07	0.75	76	0.11	6.63	86	7.2
I316585		0.086	0.09	0.44	76	0.13	3.47	57	5.0
I316586		0.030	0.10	0.95	72	0.19	4.76	91	1.6
I316587		0.064	0.10	0.41	75	0.14	2.92	76	2.5
I316588		0.060	0.08	0.43	55	0.16	2.24	77	0.5
I316589		0.070	0.13	0.55	72	0.12	3.09	81	2.1
I316590		0.108	0.08	1.16	73	0.12	9.03	61	7.2
I316591		0.091	0.07	0.61	69	0.16	4.01	45	3.1
I316592		0.097	0.11	1.19	78	0.14	8.71	73	2.2
I316593		0.093	0.12	0.84	77	0.13	6.33	93	0.7
I316594		0.103	0.14	1.35	81	0.13	10.40	120	4.4
I316595		0.009	0.04	0.36	6	0.05	2.51	6	3.5
I316596		0.117	0.07	0.69	70	0.18	7.02	71	5.5
I316597		0.097	0.06	0.88	54	0.13	8.30	58	2.5
I316598		0.117	0.06	0.91	66	0.16	8.98	59	3.5
I316599		0.106	0.06	0.74	62	0.19	7.03	72	1.9
I316600		0.131	0.21	1.18	91	0.37	5.76	69	1.2
I316601		0.120	0.06	0.59	65	0.15	8.71	62	4.7
I316602		0.215	0.43	1.28	85	0.22	9.54	67	3.4
I316603		0.045	0.03	0.33	19	0.10	1.25	12	<0.5
I316604		0.146	0.18	0.50	77	0.77	5.06	49	0.9
I316605		0.161	0.26	0.86	77	3.17	9.13	77	1.4
I316606		0.059	0.12	0.65	91	0.21	5.01	88	0.5
I316607		0.233	0.49	0.51	110	0.25	3.55	115	1.5
I316608		0.087	0.24	1.73	101	0.17	9.39	105	1.1
I316609		0.035	0.10	2.43	63	0.21	13.10	69	1.3
I316610		0.094	0.14	0.51	85	0.18	6.58	53	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316611		0.66	0.010	0.07	1.30	88.3	<0.2	<10	130	0.23	0.22	0.18	0.34	13.70	7.4	17
I316612		0.62	0.011	0.81	1.87	223	<0.2	<10	370	0.42	0.39	0.32	1.31	23.1	10.1	35
I316613		0.62	0.013	1.31	2.30	293	<0.2	<10	390	0.50	0.65	0.75	6.68	26.8	10.4	38
I316614		0.48	0.012	1.04	1.94	611	<0.2	<10	410	0.50	0.47	0.34	3.22	21.9	10.6	29
I316615		0.64	0.022	1.15	1.37	110.5	<0.2	<10	550	0.23	0.35	0.72	2.37	23.8	7.1	24
I316616		0.54	0.011	0.82	1.60	129.0	<0.2	<10	460	0.40	0.50	0.29	0.80	18.40	6.7	21
I316617		0.62	0.010	1.33	2.28	71.8	<0.2	<10	340	0.37	0.65	0.13	1.52	23.9	13.8	33
I316618		0.66	0.008	1.26	2.21	68.5	<0.2	<10	320	0.37	0.77	0.12	1.43	24.5	13.4	31
I316619		0.48	0.006	1.24	1.71	35.4	<0.2	<10	380	0.37	0.21	0.25	0.36	23.5	13.0	31
I316620		0.56	0.007	0.57	1.85	18.0	<0.2	<10	290	0.30	0.22	0.29	0.40	19.90	13.7	30
I316621		0.66	0.010	0.60	2.19	147.5	<0.2	<10	330	0.47	0.38	0.21	0.41	29.0	21.8	41
I316622		0.60	0.006	0.27	2.05	43.4	<0.2	<10	210	0.30	0.20	0.33	0.22	16.90	11.5	30
I316623		0.54	0.008	1.58	1.75	75.6	<0.2	<10	530	0.33	0.30	0.52	1.31	20.1	8.0	24
I316624		0.66	0.012	0.16	1.94	30.8	<0.2	<10	240	0.25	0.68	0.22	0.31	28.1	8.3	28
I316625		0.46	0.008	0.22	1.51	13.5	<0.2	<10	210	0.19	0.34	0.38	0.23	28.5	7.7	22
I316626		0.52	0.009	0.27	1.61	9.8	<0.2	<10	360	0.21	0.20	0.24	0.44	16.65	10.2	24
I316627		0.50	0.011	0.97	1.88	45.7	<0.2	<10	210	0.31	0.42	0.17	1.67	31.4	10.6	32
I316628		0.38	0.008	2.35	2.13	294	<0.2	<10	490	0.47	0.40	0.32	2.72	25.2	11.9	32
I316629		0.52	0.008	0.23	2.09	32.8	<0.2	<10	170	0.44	0.31	0.29	0.26	24.6	7.9	35
I316630		0.64	0.010	0.50	2.67	19.0	<0.2	<10	260	0.36	0.21	0.15	0.24	21.6	14.2	39
I316631		0.38	0.009	0.06	0.19	39.8	<0.2	<10	40	0.10	0.05	0.10	0.09	9.21	3.5	27
I316632		0.60	0.006	0.19	2.54	18.0	<0.2	<10	140	0.29	0.28	0.09	0.71	28.1	11.2	36
I316633		0.56	0.009	0.21	1.86	7.6	<0.2	<10	140	0.25	0.35	0.10	0.27	19.20	11.5	24
I316634		0.54	0.012	0.28	2.00	11.6	<0.2	<10	140	0.29	0.52	0.09	0.17	22.5	6.2	27
I316635		0.50	0.009	0.12	0.97	9.2	<0.2	<10	100	0.21	0.56	0.07	0.22	19.60	2.8	14
I316636		0.44	0.011	0.23	1.01	15.6	<0.2	<10	180	0.34	0.76	0.08	0.34	32.6	2.6	14
I316637		0.44	0.009	0.29	1.38	86.6	<0.2	<10	110	0.17	1.05	0.10	0.49	34.9	5.6	23
I316638		0.54	0.010	0.24	1.75	222	<0.2	<10	180	0.30	0.43	0.19	0.52	26.2	7.3	34
I316639		0.64	0.010	0.22	2.44	198.5	<0.2	<10	280	0.44	0.37	0.41	0.36	46.5	13.2	48
I316640		0.54	0.010	0.43	2.52	137.0	<0.2	<10	260	0.42	0.36	0.26	0.40	24.3	11.3	38
I316641		0.58	0.009	0.28	2.26	186.5	<0.2	<10	210	0.41	0.34	0.32	0.33	22.7	10.0	37
I316642		0.70	0.009	0.20	2.29	108.0	<0.2	<10	250	0.51	0.27	0.32	0.26	30.6	11.6	37
I316643		0.76	0.015	0.20	2.07	78.7	<0.2	<10	220	0.46	0.24	0.39	0.27	29.6	11.4	34
I316644		0.64	0.014	0.17	1.89	60.4	<0.2	<10	200	0.37	0.21	0.33	0.22	25.0	9.8	30
I316645		0.52	<0.005	0.12	1.73	13.8	<0.2	<10	220	0.58	0.14	1.06	0.26	14.65	11.8	22
I316646		0.54	<0.005	0.16	1.56	24.6	<0.2	<10	250	0.60	0.32	0.93	0.21	34.5	11.8	20
I316647		0.36	<0.005	0.17	1.46	5.7	<0.2	<10	360	0.58	0.15	1.48	0.48	58.1	11.8	14
I316648		0.46	<0.005	0.12	1.53	9.5	<0.2	<10	210	0.40	0.16	0.45	0.33	14.80	8.3	17
I316649		0.64	<0.005	0.11	1.73	4.5	<0.2	<10	160	0.34	0.15	0.27	0.08	12.10	12.2	17
I316650		0.46	<0.005	0.23	2.47	30.8	<0.2	<10	460	0.65	0.18	0.53	0.92	27.1	14.5	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I316611		0.50	16.9	2.85	7.03	0.05	<0.02	0.01	0.017	0.06	6.5	7.8	0.37	230	1.31	0.01
I316612		1.05	66.5	3.01	5.58	0.06	0.03	0.03	0.061	0.05	11.2	13.7	0.56	500	2.22	0.01
I316613		2.04	151.5	3.31	6.93	0.08	0.03	0.07	0.060	0.07	14.8	13.9	0.60	481	3.43	0.01
I316614		2.48	96.5	2.79	6.64	0.06	0.02	0.04	0.042	0.07	12.9	8.7	0.36	583	2.49	0.02
I316615		1.53	54.7	2.31	6.03	0.05	0.02	0.03	0.027	0.13	13.4	8.5	0.46	445	1.91	0.02
I316616		3.20	57.3	2.10	5.85	0.05	0.03	0.03	0.026	0.07	12.3	8.8	0.27	373	2.35	0.02
I316617		1.10	66.4	3.84	8.85	0.07	<0.02	0.03	0.044	0.07	11.6	16.0	0.59	1040	2.38	0.01
I316618		1.13	84.9	3.77	8.47	0.07	0.02	0.02	0.048	0.07	11.5	15.9	0.60	986	2.55	0.01
I316619		1.69	31.0	2.73	7.04	0.06	0.02	0.03	0.027	0.11	11.2	9.2	0.40	1390	1.33	0.02
I316620		0.99	25.6	2.90	7.67	0.06	<0.02	0.02	0.026	0.07	9.7	9.2	0.47	1640	1.33	0.02
I316621		2.54	45.0	3.41	7.45	0.08	0.02	0.03	0.040	0.08	14.3	12.3	0.68	959	2.02	0.01
I316622		0.98	18.7	3.01	7.27	0.06	0.02	0.02	0.027	0.06	8.2	11.1	0.53	609	1.39	0.01
I316623		1.31	39.6	2.32	6.57	0.07	0.02	0.03	0.024	0.11	10.8	7.2	0.35	456	1.70	0.02
I316624		1.07	18.8	3.01	7.46	0.07	0.02	0.01	0.026	0.09	14.1	12.3	0.53	356	1.49	0.01
I316625		0.65	11.6	2.39	6.23	0.05	0.03	0.01	0.019	0.14	14.1	9.9	0.40	551	1.33	0.01
I316626		0.91	14.0	2.59	6.47	0.05	0.02	0.01	0.021	0.05	8.4	8.0	0.35	1220	1.12	0.02
I316627		1.75	68.8	3.34	7.85	0.08	0.02	0.03	0.058	0.19	16.8	11.3	0.51	830	3.40	0.01
I316628		5.38	104.5	3.04	7.57	0.07	0.03	0.05	0.046	0.15	15.7	12.1	0.43	928	2.19	0.02
I316629		1.66	31.7	3.12	6.94	0.06	0.05	0.01	0.031	0.08	12.3	15.1	0.75	276	1.04	0.01
I316630		0.71	20.9	3.51	8.29	0.06	0.10	0.02	0.035	0.06	10.4	16.1	0.61	580	1.28	0.01
I316631		0.45	12.5	0.89	0.84	<0.05	0.08	<0.01	0.018	0.06	4.7	1.7	0.09	189	0.35	0.02
I316632		1.10	21.1	3.76	9.20	0.07	0.03	0.01	0.033	0.07	14.0	15.5	0.57	322	1.24	0.01
I316633		0.80	15.3	2.80	7.85	0.05	0.05	0.03	0.024	0.04	9.4	9.3	0.29	685	1.36	0.01
I316634		1.25	16.5	2.94	9.05	0.05	0.03	0.02	0.028	0.05	11.4	10.1	0.31	201	1.52	0.01
I316635		0.92	15.1	1.30	4.95	<0.05	<0.02	0.04	0.016	0.06	10.7	3.8	0.16	75	0.64	0.01
I316636		0.83	19.8	1.23	5.06	0.05	<0.02	0.01	0.016	0.09	18.5	4.0	0.15	119	0.76	0.02
I316637		0.99	23.7	2.44	7.52	0.06	<0.02	0.02	0.025	0.09	18.0	6.8	0.39	189	1.15	0.01
I316638		1.32	38.6	2.75	7.46	0.06	0.02	0.01	0.032	0.08	13.6	8.4	0.52	277	1.45	0.01
I316639		2.17	55.6	3.97	8.67	0.10	0.02	0.02	0.042	0.16	23.4	16.8	1.02	663	1.27	0.01
I316640		1.23	43.9	3.44	9.24	0.07	0.03	0.02	0.037	0.10	12.5	12.5	0.67	555	1.50	0.02
I316641		1.14	42.3	3.23	8.18	0.07	0.04	0.04	0.030	0.09	10.6	14.4	0.70	483	1.28	0.02
I316642		1.16	42.6	3.16	7.42	0.08	0.05	0.03	0.034	0.06	14.6	18.3	0.75	523	1.00	0.02
I316643		1.07	41.8	2.88	6.63	0.07	0.05	0.04	0.032	0.05	13.4	17.2	0.68	423	0.83	0.02
I316644		0.93	30.7	2.63	6.32	0.06	0.03	0.04	0.027	0.05	11.4	15.4	0.59	352	0.87	0.02
I316645		1.88	17.8	2.59	5.13	0.08	0.04	0.05	0.018	0.18	8.4	14.9	0.88	244	0.80	0.02
I316646		1.04	25.0	2.68	5.17	0.08	0.05	0.05	0.025	0.10	19.2	11.0	0.49	559	0.96	0.02
I316647		1.16	23.5	2.24	5.04	0.11	0.05	0.06	0.021	0.12	44.6	8.6	0.45	995	1.07	0.02
I316648		1.12	20.1	2.48	6.34	0.05	0.03	0.03	0.016	0.12	7.9	9.6	0.51	279	0.97	0.02
I316649		1.08	16.4	2.86	7.75	0.05	0.03	0.02	0.016	0.11	5.8	9.8	0.64	428	0.93	0.02
I316650		2.06	27.9	3.65	8.02	0.07	0.09	0.01	0.027	0.25	12.6	9.9	0.91	491	0.73	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I316611		0.81	11.8	250	8.9	8.5	<0.001	0.02	0.81	2.4	0.4	0.6	15.8	<0.01	0.04
I316612		0.75	35.4	450	29.9	8.8	<0.001	0.01	1.37	5.1	1.7	0.5	23.3	<0.01	0.07
I316613		0.78	49.4	630	31.5	13.4	<0.001	0.03	1.93	5.7	2.1	0.7	49.7	<0.01	0.09
I316614		0.64	35.6	590	29.2	13.4	<0.001	0.03	1.32	3.9	1.1	0.6	29.5	<0.01	0.06
I316615		0.71	25.5	470	12.0	16.5	<0.001	0.02	0.85	4.6	0.7	0.5	44.3	<0.01	0.04
I316616		0.74	27.4	340	12.0	12.7	<0.001	0.02	0.85	4.1	0.7	0.7	27.2	<0.01	0.04
I316617		0.96	24.8	450	25.0	10.9	<0.001	0.02	0.93	3.9	0.7	0.9	15.2	<0.01	0.07
I316618		0.90	24.2	460	26.5	14.2	<0.001	0.02	1.06	3.9	0.8	0.8	14.7	<0.01	0.09
I316619		1.11	25.0	400	8.2	14.6	<0.001	0.02	0.49	4.0	0.4	0.6	25.5	<0.01	0.04
I316620		1.09	23.6	360	8.3	7.9	<0.001	0.02	0.45	3.1	0.3	0.6	30.7	<0.01	0.03
I316621		1.00	32.5	490	11.6	14.1	<0.001	0.03	1.53	4.8	0.8	1.1	23.9	<0.01	0.05
I316622		1.20	23.4	300	8.6	9.2	<0.001	0.01	0.65	3.1	0.3	0.7	28.5	<0.01	0.03
I316623		0.95	27.0	600	12.0	12.6	<0.001	0.03	0.74	3.2	0.8	0.6	44.4	<0.01	0.04
I316624		1.03	21.0	300	12.0	8.7	<0.001	0.01	0.62	2.8	0.4	0.7	19.8	<0.01	0.04
I316625		0.96	14.4	280	10.8	13.5	<0.001	0.01	0.50	2.2	0.2	0.6	26.5	<0.01	0.04
I316626		0.97	16.0	250	8.9	7.3	<0.001	0.01	0.38	2.7	0.2	0.7	21.9	<0.01	0.03
I316627		0.92	29.5	480	26.9	18.4	<0.001	0.02	0.86	4.0	0.8	0.9	20.3	<0.01	0.06
I316628		1.03	37.5	890	23.3	21.9	0.001	0.05	1.76	6.0	1.1	0.7	32.1	<0.01	0.05
I316629		1.05	24.6	240	12.6	12.4	<0.001	0.01	0.61	4.7	0.4	0.7	23.5	<0.01	0.03
I316630		0.92	26.8	200	9.9	6.7	<0.001	0.01	0.57	4.0	0.2	0.8	17.1	<0.01	0.03
I316631		0.15	14.8	120	2.3	4.2	<0.001	0.01	0.23	0.8	<0.2	0.3	8.2	<0.01	0.01
I316632		1.09	26.3	480	21.4	10.9	<0.001	0.01	0.56	3.5	0.2	0.7	10.7	<0.01	0.05
I316633		1.20	12.9	370	10.2	7.6	<0.001	0.01	0.46	2.4	0.3	0.8	11.6	<0.01	0.03
I316634		1.37	13.6	310	16.0	10.3	<0.001	0.01	0.45	2.9	0.2	0.9	11.7	<0.01	0.04
I316635		0.39	9.1	340	12.4	9.3	<0.001	0.02	0.21	0.9	0.4	0.5	12.1	<0.01	0.03
I316636		0.34	10.0	390	12.8	9.4	<0.001	0.01	0.24	1.3	0.4	0.6	15.3	<0.01	0.03
I316637		0.66	21.4	540	10.6	10.9	<0.001	0.01	0.94	2.7	0.4	0.9	12.1	<0.01	0.05
I316638		0.71	29.4	380	13.5	13.1	<0.001	0.01	1.92	3.0	0.5	1.0	21.6	<0.01	0.05
I316639		0.76	43.3	790	12.7	19.5	<0.001	0.02	1.56	5.4	0.5	0.9	32.8	<0.01	0.06
I316640		0.97	30.2	600	11.7	13.7	<0.001	0.01	1.06	4.1	0.5	0.9	27.6	<0.01	0.06
I316641		1.17	30.0	460	12.2	14.7	<0.001	0.02	1.06	5.4	0.5	0.7	27.8	<0.01	0.06
I316642		1.11	28.4	530	11.4	9.5	<0.001	0.01	0.91	6.4	0.6	0.6	23.9	<0.01	0.05
I316643		1.19	26.1	650	10.5	9.1	<0.001	0.02	0.82	6.1	0.8	0.5	28.3	<0.01	0.04
I316644		1.11	22.6	580	10.3	9.1	<0.001	0.02	0.66	4.8	0.6	0.5	26.1	<0.01	0.05
I316645		0.62	16.5	620	8.8	27.0	0.004	0.08	0.32	6.5	1.8	0.5	44.4	<0.01	0.02
I316646		0.87	15.4	590	12.8	13.5	<0.001	0.05	0.40	5.1	1.2	0.6	50.8	<0.01	0.04
I316647		0.78	13.0	830	7.7	20.3	<0.001	0.07	0.38	3.3	1.3	0.6	82.0	0.01	0.02
I316648		1.19	12.0	400	5.8	17.4	<0.001	0.02	0.27	3.6	0.4	0.5	32.8	<0.01	0.03
I316649		1.25	11.7	240	5.3	19.1	<0.001	0.01	0.22	3.5	0.3	0.5	20.7	<0.01	0.02
I316650		1.16	21.6	920	8.7	30.0	<0.001	0.01	0.41	7.3	0.7	0.6	38.2	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I316611		0.057	0.07	0.37	76	0.14	2.56	53	<0.5
I316612		0.045	0.07	0.77	68	0.14	7.86	191	1.0
I316613		0.032	0.11	1.17	77	0.18	13.40	363	0.7
I316614		0.030	0.12	1.40	63	0.15	13.75	156	<0.5
I316615		0.050	0.08	1.12	56	0.12	8.80	117	<0.5
I316616		0.028	0.14	2.42	47	0.15	16.05	54	0.8
I316617		0.052	0.11	0.54	90	0.17	5.08	250	0.5
I316618		0.044	0.11	0.56	86	0.18	5.30	258	<0.5
I316619		0.076	0.10	0.50	63	0.15	7.14	50	0.6
I316620		0.072	0.10	0.39	73	0.14	2.75	46	0.5
I316621		0.078	0.14	1.16	79	0.18	8.21	77	0.6
I316622		0.082	0.09	0.36	73	0.17	3.20	51	1.7
I316623		0.065	0.09	0.97	56	0.19	10.55	63	0.6
I316624		0.061	0.10	0.45	74	0.18	3.52	57	0.5
I316625		0.056	0.08	0.35	61	0.12	2.87	48	1.0
I316626		0.064	0.10	0.25	67	0.18	2.83	52	0.7
I316627		0.072	0.12	1.04	91	0.16	8.41	204	0.6
I316628		0.056	0.15	1.50	70	0.19	23.1	160	0.7
I316629		0.080	0.09	0.70	73	0.17	6.63	72	1.8
I316630		0.085	0.10	0.35	86	0.15	2.92	58	4.4
I316631		0.008	0.06	0.28	6	0.38	2.00	11	2.7
I316632		0.068	0.10	0.36	90	0.16	3.01	103	1.4
I316633		0.070	0.10	0.32	71	0.17	2.15	55	2.1
I316634		0.085	0.12	0.48	80	0.22	3.59	42	1.4
I316635		0.037	0.07	0.69	29	0.09	3.59	21	<0.5
I316636		0.034	0.08	0.99	26	0.11	8.84	32	<0.5
I316637		0.065	0.12	0.65	64	0.19	4.30	65	<0.5
I316638		0.069	0.11	1.01	66	0.16	4.69	79	0.5
I316639		0.074	0.17	1.47	78	0.17	9.50	98	0.5
I316640		0.091	0.10	0.98	77	0.18	5.30	81	0.8
I316641		0.086	0.10	1.11	73	0.20	5.51	76	1.3
I316642		0.089	0.10	1.35	66	0.17	6.21	78	2.0
I316643		0.090	0.10	1.38	60	0.24	7.34	73	1.9
I316644		0.084	0.09	1.00	58	0.17	6.04	62	1.0
I316645		0.069	0.15	1.44	58	0.10	10.75	72	1.1
I316646		0.062	0.09	1.72	54	0.23	15.40	52	1.5
I316647		0.055	0.11	2.48	45	0.17	26.2	42	1.0
I316648		0.094	0.09	0.71	56	0.15	4.56	42	0.9
I316649		0.122	0.10	0.35	66	0.11	2.77	47	1.0
I316650		0.145	0.20	1.10	70	0.11	8.19	104	3.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316651		0.40	<0.005	0.16	1.47	136.0	<0.2	<10	150	0.79	0.43	0.14	0.30	38.0	8.0	24
I316652		0.34	<0.005	0.85	1.45	80.8	<0.2	<10	140	0.76	0.21	0.41	1.16	39.3	5.6	24
I316653		0.44	<0.005	0.55	2.45	78.3	<0.2	<10	490	0.53	0.22	0.62	0.72	34.5	18.9	52
I316654		0.28	<0.005	0.77	3.49	59.5	<0.2	<10	560	0.70	0.26	1.18	0.94	34.2	24.9	115
I316655		0.38	<0.005	0.20	1.10	11.7	<0.2	<10	170	0.28	0.19	0.17	0.48	16.35	12.7	21
I316656		0.34	<0.005	0.38	1.29	13.0	<0.2	<10	260	0.50	0.22	0.28	0.81	24.8	12.5	25
I316657		0.36	<0.005	0.23	3.27	62.9	<0.2	<10	260	0.67	0.32	0.13	0.43	26.1	17.4	76
I316658		0.28	<0.005	0.21	1.32	22.0	<0.2	<10	190	0.37	0.19	0.09	1.18	24.7	6.2	21
I316659		0.38	<0.005	0.24	2.31	19.7	<0.2	<10	120	0.49	0.27	0.11	0.98	28.4	13.1	37
I316660		0.32	0.006	4.20	1.71	14.8	<0.2	<10	350	0.49	0.22	1.05	8.92	35.0	17.2	24
I316661		0.36	<0.005	0.44	1.12	6.7	<0.2	<10	130	0.18	0.34	0.16	0.35	24.3	4.6	27
I316662		0.40	<0.005	0.81	1.76	8.3	<0.2	<10	230	0.29	0.18	0.67	1.34	22.2	9.0	27
I316663		0.40	<0.005	0.11	1.05	3.8	<0.2	<10	90	0.09	0.16	0.09	0.41	18.30	3.0	16
I316664		0.38	<0.005	0.49	1.29	6.3	<0.2	<10	120	0.33	0.24	0.13	0.55	29.1	15.2	33
I316665		0.36	<0.005	0.62	1.76	6.8	<0.2	<10	230	0.57	0.18	0.31	1.15	26.1	9.6	30
I316666		0.42	<0.005	0.37	2.03	13.5	<0.2	<10	160	0.52	0.26	0.16	0.73	40.2	14.8	46
I316667		0.32	<0.005	0.95	0.99	2.3	<0.2	<10	360	0.53	0.15	0.95	1.55	30.4	7.0	16
I316668		0.32	<0.005	1.22	1.93	4.3	<0.2	<10	540	0.49	0.24	0.72	1.90	33.3	8.5	40
I316669		0.26	<0.005	0.34	1.77	3.1	<0.2	<10	250	0.29	0.21	0.46	0.64	25.6	8.1	40
I316670		0.32	<0.005	0.02	0.14	1.9	<0.2	<10	30	0.11	0.05	0.09	0.04	10.50	2.1	3
I316671		0.34	<0.005	1.30	1.31	3.7	<0.2	<10	310	0.37	0.20	0.42	2.00	27.8	10.6	31
I316672		0.36	<0.005	0.53	1.17	3.3	<0.2	<10	170	0.19	0.21	0.36	0.37	24.0	4.5	24
I316673		0.32	<0.005	0.21	1.76	3.3	<0.2	<10	330	0.31	0.25	0.80	0.26	36.4	14.2	23
I316674		0.38	<0.005	0.29	1.67	3.8	<0.2	<10	250	0.37	0.35	0.30	0.74	23.3	11.6	29
I316675		0.46	<0.005	0.22	1.43	3.2	<0.2	<10	170	0.34	0.29	0.16	0.56	19.35	8.4	26
I316676		0.40	<0.005	0.20	1.99	6.5	<0.2	<10	140	0.34	0.41	0.20	0.47	24.3	11.7	34
I316677		0.38	<0.005	0.13	1.80	4.3	<0.2	<10	140	0.31	0.48	0.19	0.37	21.4	12.7	44
I316678		0.48	<0.005	0.50	1.45	3.4	<0.2	<10	210	0.32	0.50	0.19	0.56	22.0	8.8	38
I316679		0.38	<0.005	0.96	1.53	3.1	<0.2	<10	430	0.43	0.36	0.50	1.03	42.1	18.6	29
I316680		0.44	<0.005	0.74	1.92	3.2	<0.2	<10	240	0.32	0.49	0.30	0.57	25.4	14.0	36
I316681		0.50	<0.005	0.35	2.42	42.4	<0.2	<10	370	0.47	0.37	0.50	1.24	24.1	21.1	47
I316682		0.46	<0.005	0.50	2.45	36.2	<0.2	<10	390	0.58	0.40	0.52	1.52	29.0	22.9	49
I316683		0.42	<0.005	0.27	1.95	6.8	<0.2	<10	270	2.14	1.20	0.36	0.61	32.1	17.0	40
I316684		0.32	<0.005	0.39	0.59	2.2	<0.2	<10	200	0.39	0.13	0.41	0.33	15.15	3.6	13
I316685		0.40	<0.005	0.66	2.10	13.0	<0.2	<10	470	0.31	0.58	0.73	0.79	21.9	13.5	37
I316686		0.32	<0.005	0.46	1.39	7.7	<0.2	<10	450	0.28	0.17	0.33	0.54	20.6	5.5	29
I316687		0.48	<0.005	0.18	1.73	22.9	<0.2	<10	460	0.24	0.23	0.33	0.39	15.50	33.6	35
I316688		0.36	<0.005	0.32	1.34	7.6	<0.2	<10	470	0.19	0.20	0.25	0.47	14.65	8.4	31
I316689		0.40	<0.005	0.15	1.70	13.1	<0.2	<10	140	0.23	0.16	0.20	0.19	13.40	11.5	48
I316690		0.36	<0.005	0.33	0.87	8.4	<0.2	<10	280	0.29	0.09	0.32	0.27	15.30	8.4	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I316651		2.49	25.9	2.79	6.54	0.06	0.03	0.01	0.051	0.13	18.8	15.8	0.37	377	3.31	0.02
I316652		3.77	59.6	1.66	5.19	0.07	0.02	0.11	0.026	0.07	18.4	10.6	0.33	217	1.10	0.02
I316653		4.02	62.4	3.71	8.88	0.08	0.04	0.03	0.035	0.10	16.9	27.1	1.00	615	2.84	0.03
I316654		4.55	59.9	4.16	12.20	0.09	0.13	0.01	0.040	0.22	17.0	16.9	1.42	685	2.00	0.05
I316655		1.91	25.6	2.22	6.23	0.05	0.03	0.01	0.021	0.07	8.7	9.2	0.26	1160	3.61	0.02
I316656		2.05	41.1	2.33	7.10	0.07	0.03	0.02	0.024	0.09	15.3	9.0	0.28	1010	3.56	0.03
I316657		3.54	57.5	5.65	10.80	0.09	0.05	0.02	0.047	0.12	12.4	24.7	1.11	782	4.07	0.01
I316658		1.51	37.5	1.72	5.31	0.05	<0.02	0.04	0.021	0.05	12.6	8.8	0.20	239	1.50	0.02
I316659		1.68	51.3	5.13	10.40	0.08	0.03	0.04	0.040	0.08	14.0	30.0	0.44	461	5.20	0.01
I316660		2.03	122.5	2.22	5.84	0.12	0.04	0.14	0.029	0.08	17.9	13.7	0.35	2050	6.29	0.02
I316661		1.42	28.2	2.05	5.35	0.06	<0.02	0.06	0.017	0.06	11.6	6.4	0.36	178	3.44	0.01
I316662		1.44	43.0	2.06	6.20	0.07	0.04	0.05	0.026	0.07	10.9	15.0	0.41	349	2.37	0.02
I316663		0.77	12.6	1.52	6.37	<0.05	<0.02	0.01	0.012	0.04	8.4	5.2	0.20	121	1.39	0.02
I316664		1.80	30.8	2.99	8.87	0.06	0.02	0.02	0.024	0.10	12.6	8.6	0.38	928	2.76	0.02
I316665		1.35	40.5	2.72	7.29	0.06	<0.02	0.03	0.028	0.11	13.1	14.5	0.38	389	2.54	0.02
I316666		1.56	54.9	4.16	9.25	0.08	0.02	0.01	0.039	0.12	18.6	20.7	0.56	863	4.45	0.01
I316667		1.07	55.3	1.57	2.68	0.07	0.02	0.11	0.023	0.06	14.9	3.6	0.19	219	2.04	0.02
I316668		1.59	74.8	2.78	4.53	0.07	0.04	0.06	0.024	0.10	18.3	10.5	0.56	400	1.99	0.03
I316669		1.81	37.8	2.77	5.39	0.05	0.03	0.03	0.022	0.11	12.6	14.2	0.67	256	2.30	0.03
I316670		0.09	2.6	0.75	0.60	<0.05	0.07	<0.01	<0.005	0.04	4.7	1.5	0.04	165	0.31	0.02
I316671		3.82	83.4	1.92	5.18	0.06	0.02	0.06	0.025	0.06	12.7	10.6	0.38	378	1.23	0.02
I316672		2.83	24.5	1.73	4.55	0.05	0.02	0.07	0.017	0.06	11.0	8.4	0.31	164	0.90	0.02
I316673		1.65	24.2	2.63	5.61	0.07	0.04	0.04	0.027	0.17	17.7	13.2	0.66	702	1.17	0.02
I316674		1.90	46.9	3.08	5.47	0.06	0.03	0.08	0.035	0.07	10.9	14.5	0.52	530	2.21	0.02
I316675		1.67	41.9	2.64	5.38	0.05	0.02	0.02	0.027	0.05	8.8	11.3	0.37	246	3.64	0.01
I316676		1.25	46.0	3.95	7.12	0.06	0.04	0.03	0.034	0.10	11.2	16.4	0.53	356	4.23	0.01
I316677		2.26	38.1	3.59	6.51	0.07	0.02	0.06	0.028	0.11	10.9	11.8	0.66	404	2.52	0.01
I316678		2.21	51.1	2.99	6.57	0.07	<0.02	0.04	0.027	0.15	11.3	6.9	0.47	304	2.45	0.01
I316679		2.12	39.9	2.56	5.91	0.09	0.03	0.05	0.029	0.11	26.1	8.5	0.49	730	2.43	0.02
I316680		2.38	41.6	3.61	7.01	0.08	0.02	0.04	0.035	0.09	13.8	11.7	0.67	492	2.85	0.01
I316681		3.73	69.5	4.40	8.06	0.10	0.03	0.01	0.027	0.31	12.8	15.9	1.37	610	3.04	0.02
I316682		4.18	81.6	4.41	8.55	0.11	0.03	0.02	0.034	0.32	15.4	18.0	1.36	606	3.47	0.02
I316683		2.91	55.7	3.67	8.15	0.11	0.05	0.02	0.040	0.19	16.3	18.5	0.89	535	3.20	0.02
I316684		1.35	22.4	1.17	2.39	0.05	<0.02	0.09	0.012	0.04	8.1	2.3	0.13	79	1.48	0.02
I316685		1.21	56.6	2.84	6.00	0.06	0.03	0.06	0.032	0.07	11.7	17.2	0.50	415	2.43	0.02
I316686		0.94	36.2	1.83	4.65	0.05	0.02	0.08	0.019	0.04	10.9	6.5	0.27	156	0.76	0.02
I316687		1.33	37.6	3.41	6.54	0.08	0.02	0.04	0.026	0.06	7.9	12.2	0.51	1310	3.53	0.02
I316688		1.18	38.5	1.92	5.53	0.05	<0.02	0.08	0.020	0.04	7.8	8.6	0.34	213	1.53	0.02
I316689		1.30	29.9	3.02	7.21	0.06	0.02	0.03	0.022	0.05	7.2	9.6	0.59	244	1.93	0.02
I316690		1.33	32.5	1.80	2.93	0.05	<0.02	0.08	0.016	0.04	8.0	3.5	0.20	275	1.39	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I316651		10.20	18.6	260	19.2	16.9	<0.001	0.15	1.50	2.7	0.8	1.0	23.1	0.01	0.07	4.0
I316652		1.03	29.9	800	17.4	15.5	0.002	0.10	1.51	2.8	3.6	0.4	37.6	0.01	0.04	0.8
I316653		1.55	55.9	810	9.8	16.8	0.001	0.05	1.11	6.9	1.7	0.6	41.3	<0.01	0.06	2.4
I316654		0.86	128.5	920	11.4	23.4	0.001	0.01	0.76	10.9	1.0	0.8	77.4	0.01	0.06	4.0
I316655		1.24	16.5	250	6.2	7.1	<0.001	0.01	0.44	3.0	0.7	0.5	16.3	<0.01	0.04	1.3
I316656		1.23	22.7	380	7.2	8.1	<0.001	0.01	0.54	4.4	1.0	0.5	27.3	<0.01	0.05	1.3
I316657		1.53	57.2	670	11.2	15.5	<0.001	0.03	1.47	6.9	1.2	0.7	16.1	<0.01	0.09	3.1
I316658		0.30	22.4	520	6.3	7.7	<0.001	0.03	0.50	0.9	1.0	0.6	12.8	<0.01	0.04	<0.2
I316659		1.84	42.3	700	16.5	13.4	<0.001	0.03	1.04	4.3	1.4	0.7	18.4	<0.01	0.09	2.2
I316660		0.63	82.2	1080	14.9	12.0	0.013	0.09	1.52	3.3	12.8	0.4	60.4	0.01	0.06	0.4
I316661		0.42	18.9	920	14.2	10.4	<0.001	0.06	0.64	1.0	2.3	0.4	18.6	<0.01	0.08	<0.2
I316662		1.06	30.5	650	10.5	11.1	0.003	0.07	0.47	3.8	5.6	0.5	45.3	<0.01	0.04	1.2
I316663		0.65	10.5	240	9.9	5.3	<0.001	0.02	0.25	1.3	0.6	0.5	10.8	<0.01	0.03	0.2
I316664		0.75	25.7	630	13.0	19.1	<0.001	0.02	0.42	2.0	0.9	0.7	14.4	<0.01	0.05	0.3
I316665		0.68	32.1	530	9.3	11.0	<0.001	0.02	0.47	3.2	1.2	0.6	22.8	<0.01	0.04	0.3
I316666		0.89	47.2	730	12.4	17.1	<0.001	0.03	0.94	4.8	1.6	0.7	22.1	<0.01	0.09	2.3
I316667		0.39	23.2	1140	11.4	5.2	0.001	0.12	0.48	1.7	4.3	0.2	72.2	0.01	0.03	<0.2
I316668		0.76	41.5	870	10.3	12.2	0.001	0.07	0.47	4.6	2.8	0.4	49.4	<0.01	0.05	1.3
I316669		0.87	33.1	480	10.5	15.2	0.001	0.06	0.48	3.7	1.5	0.4	33.9	<0.01	0.04	3.0
I316670		0.20	3.9	120	1.6	2.2	<0.001	0.01	0.12	0.6	<0.2	<0.2	7.4	<0.01	0.01	1.8
I316671		0.59	39.6	920	11.6	14.6	0.002	0.07	0.31	2.7	3.0	0.4	37.1	<0.01	0.05	0.4
I316672		0.64	18.2	760	9.2	10.0	0.001	0.08	0.38	2.7	3.3	0.4	30.6	<0.01	0.04	0.7
I316673		1.07	18.1	510	9.3	19.6	<0.001	0.04	0.22	5.3	0.9	0.5	43.4	<0.01	0.04	2.3
I316674		0.95	29.1	590	13.3	12.2	<0.001	0.02	0.31	4.7	1.0	0.6	22.1	<0.01	0.05	2.5
I316675		0.89	29.9	390	15.8	10.0	0.001	0.03	0.26	3.2	1.4	0.5	23.6	<0.01	0.05	1.6
I316676		1.52	37.2	580	28.3	11.1	0.001	0.06	0.30	3.7	1.2	0.6	26.6	<0.01	0.09	3.0
I316677		0.96	39.6	610	40.2	15.3	0.001	0.03	0.28	4.0	1.0	0.6	18.3	<0.01	0.07	2.3
I316678		0.76	26.9	780	36.5	20.0	0.001	0.06	0.19	2.5	1.9	0.6	21.3	<0.01	0.07	0.4
I316679		0.82	29.2	690	22.3	20.1	0.001	0.06	0.18	5.7	2.3	0.6	37.5	<0.01	0.06	1.3
I316680		0.70	36.5	830	32.9	17.1	<0.001	0.04	0.18	5.1	1.5	0.7	21.1	<0.01	0.07	1.8
I316681		1.45	42.7	1060	25.4	32.1	0.001	0.05	0.19	4.6	1.6	0.7	23.0	<0.01	0.05	2.5
I316682		1.56	48.9	1170	30.6	37.0	0.001	0.05	0.20	5.4	1.9	0.7	26.7	<0.01	0.07	2.9
I316683		1.86	40.4	980	63.6	26.6	0.001	0.03	0.26	4.5	1.7	1.3	20.3	<0.01	0.07	5.3
I316684		0.50	14.6	910	6.1	7.1	<0.001	0.10	0.19	2.6	1.4	0.4	28.7	<0.01	0.05	0.3
I316685		0.97	32.6	690	68.8	10.1	0.001	0.05	0.57	5.8	1.4	0.5	36.0	<0.01	0.04	1.3
I316686		0.78	25.1	790	17.2	7.8	<0.001	0.06	0.37	3.8	1.6	0.4	27.9	<0.01	0.05	0.3
I316687		0.95	36.1	940	17.0	8.5	<0.001	0.02	1.07	4.1	1.6	0.5	30.5	<0.01	0.06	1.2
I316688		0.73	23.0	590	11.5	9.5	<0.001	0.04	0.37	3.0	1.9	0.5	22.1	0.01	0.05	0.3
I316689		0.90	32.3	390	8.6	7.2	<0.001	0.03	0.65	4.4	0.9	0.6	16.2	<0.01	0.05	1.1
I316690		0.49	17.9	950	3.8	6.7	<0.001	0.09	0.52	2.8	1.8	0.3	23.2	<0.01	0.06	0.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I316651		0.047	0.16	1.55	55	0.36	10.85	71	0.6
I316652		0.030	0.16	3.03	27	0.25	13.40	75	<0.5
I316653		0.091	0.16	2.00	89	0.18	11.05	108	1.2
I316654		0.116	0.31	1.40	96	0.13	14.65	120	5.1
I316655		0.072	0.09	0.78	60	0.14	6.30	49	0.9
I316656		0.075	0.09	1.60	60	0.17	13.95	54	0.8
I316657		0.121	0.20	0.85	130	0.20	4.58	133	1.9
I316658		0.029	0.08	1.15	37	0.10	8.08	54	<0.5
I316659		0.081	0.14	0.99	111	0.29	5.64	186	1.1
I316660		0.032	0.18	3.81	46	0.23	31.3	292	<0.5
I316661		0.033	0.17	1.22	48	0.13	4.24	57	<0.5
I316662		0.046	0.12	2.14	50	0.16	7.66	96	1.4
I316663		0.051	0.10	0.31	47	0.12	1.96	41	<0.5
I316664		0.074	0.13	0.64	88	0.15	3.80	104	<0.5
I316665		0.046	0.11	1.00	67	0.14	9.16	89	<0.5
I316666		0.047	0.16	0.99	104	0.19	7.04	163	<0.5
I316667		0.018	0.06	2.57	20	0.10	18.60	27	<0.5
I316668		0.051	0.10	2.49	56	0.18	18.90	114	0.7
I316669		0.065	0.14	1.07	64	0.12	5.85	121	1.3
I316670		0.007	0.03	0.30	4	<0.05	2.03	5	2.2
I316671		0.033	0.14	2.81	40	0.12	9.72	92	<0.5
I316672		0.038	0.11	1.16	24	0.14	5.66	56	0.5
I316673		0.082	0.14	1.05	56	0.12	10.10	73	1.3
I316674		0.060	0.10	1.29	67	0.20	8.47	123	0.9
I316675		0.047	0.10	1.07	65	0.20	6.68	117	0.5
I316676		0.069	0.13	1.04	82	0.22	5.33	125	1.5
I316677		0.080	0.17	0.97	79	0.21	6.14	145	0.7
I316678		0.067	0.16	1.38	70	0.32	6.81	96	<0.5
I316679		0.053	0.17	2.29	53	0.14	14.90	97	0.5
I316680		0.046	0.20	1.12	78	0.17	8.16	162	0.5
I316681		0.142	0.26	1.09	88	0.17	7.42	307	0.8
I316682		0.137	0.29	1.35	86	0.19	9.34	325	1.0
I316683		0.100	0.22	1.51	74	0.23	12.60	199	1.7
I316684		0.027	0.07	0.87	20	0.10	8.07	32	<0.5
I316685		0.074	0.09	0.85	78	0.18	8.85	127	0.9
I316686		0.049	0.09	1.18	33	0.14	8.13	50	0.5
I316687		0.082	0.14	0.66	86	0.17	5.51	110	0.6
I316688		0.052	0.13	0.74	38	0.12	5.26	57	<0.5
I316689		0.086	0.14	0.40	87	0.17	3.90	69	0.5
I316690		0.034	0.09	0.85	30	0.10	6.39	29	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316691		0.44	<0.005	0.14	1.59	16.7	<0.2	<10	170	0.17	0.15	0.28	0.14	11.10	8.3	38
I316692		0.40	<0.005	0.10	2.01	4.3	<0.2	<10	120	0.28	0.14	0.32	0.12	16.35	12.0	23
I316693	Not Recvd															
I316694		0.46	<0.005	0.07	2.16	3.3	<0.2	<10	140	0.27	0.11	0.41	0.09	11.30	18.6	21
I316695		0.32	<0.005	0.11	1.39	3.1	<0.2	<10	90	0.20	0.26	0.24	0.08	12.45	6.4	18
I316696		0.44	<0.005	0.05	1.73	4.0	<0.2	<10	60	0.17	0.09	0.25	0.10	9.40	11.7	22
I316697		0.32	<0.005	0.09	1.49	2.7	<0.2	<10	110	0.19	0.09	0.32	0.13	11.25	8.4	19
I316698		0.40	<0.005	0.09	1.50	3.1	<0.2	<10	100	0.17	0.10	0.30	0.11	11.05	6.6	20
I316699		0.34	<0.005	0.09	1.47	3.6	<0.2	<10	120	0.21	0.10	0.38	0.13	14.80	8.2	20
I316700		0.42	<0.005	0.09	1.43	3.7	<0.2	<10	110	0.20	0.12	0.26	0.10	11.50	5.6	20
I316701		0.32	<0.005	0.20	1.69	4.7	<0.2	<10	210	0.20	0.06	1.46	0.43	10.55	12.3	77
I316702		0.42	<0.005	0.13	2.59	2.9	<0.2	<10	290	0.50	0.17	1.43	0.18	40.1	18.8	134
I316703		0.44	<0.005	0.16	2.68	5.1	<0.2	<10	340	0.56	0.21	1.05	0.35	41.7	19.1	86
I316704		0.46	<0.005	0.15	2.60	4.3	<0.2	<10	170	0.43	0.32	0.51	0.46	15.90	24.6	85
I316705		0.40	<0.005	0.08	2.36	4.1	<0.2	<10	70	0.16	0.25	0.52	0.09	14.75	18.2	40
I316706		0.36	<0.005	0.19	1.60	4.0	<0.2	<10	120	0.22	0.13	1.17	0.20	17.55	12.8	29
I316707		0.40	<0.005	0.16	1.80	4.2	<0.2	<10	130	0.24	0.19	0.32	0.21	16.85	13.1	33
I316708		0.34	<0.005	0.35	1.55	4.2	<0.2	<10	170	0.30	0.14	1.55	0.57	22.3	18.0	29
I316709		0.46	<0.005	0.06	1.55	5.0	<0.2	<10	50	0.16	0.13	0.25	0.16	9.82	9.0	37
I316710		0.42	<0.005	0.05	2.11	5.8	<0.2	<10	80	0.23	0.14	0.33	0.16	11.30	12.3	49
I316711		0.30	<0.005	0.11	2.37	3.0	<0.2	<10	230	0.41	0.16	1.27	0.32	36.9	18.0	109
I316712		0.36	<0.005	0.17	2.38	3.0	<0.2	<10	210	0.38	0.15	1.51	0.19	27.5	15.8	116
I316713		0.30	<0.005	0.15	1.94	6.0	<0.2	<10	220	0.30	0.09	2.29	0.39	19.15	15.8	83
I316714		0.36	<0.005	0.10	2.07	3.0	<0.2	<10	190	0.17	0.10	0.35	0.15	14.05	23.6	209
I316715		0.48	<0.005	0.07	2.13	4.6	<0.2	<10	310	0.21	0.12	0.42	0.17	13.90	22.6	172
I316716		0.40	<0.005	0.08	1.54	4.5	<0.2	<10	290	0.17	0.14	0.47	0.13	14.20	9.8	52
I316717		0.40	<0.005	0.11	2.09	7.2	<0.2	<10	120	0.30	0.24	0.17	0.29	14.75	11.2	34
I316718		0.50	<0.005	0.13	2.37	5.5	<0.2	<10	320	0.24	0.14	0.55	0.13	24.5	12.3	26
I316719		0.40	<0.005	0.19	2.44	5.9	<0.2	<10	310	0.38	0.14	0.93	0.15	50.7	11.8	26
I316720		0.38	<0.005	0.01	0.10	1.9	<0.2	<10	30	0.15	0.02	0.08	0.04	8.23	2.1	2
I316721		0.54	<0.005	0.11	3.07	5.0	<0.2	<10	220	0.31	0.11	0.41	0.13	27.4	16.2	21
I316722		0.28	<0.005	0.18	1.91	4.9	<0.2	<10	130	0.27	0.10	0.24	0.09	15.05	10.5	19
I316723		0.56	<0.005	0.07	2.47	4.5	<0.2	<10	170	0.29	0.11	0.43	0.14	24.1	11.9	23
I316724		0.46	0.011	0.06	1.94	2.7	<0.2	<10	270	0.23	0.17	0.59	0.19	32.8	11.1	13
I316725		0.46	<0.005	0.07	2.82	1.9	<0.2	<10	340	0.29	0.09	0.58	0.14	23.6	11.0	18
I316726		0.34	0.006	0.14	1.94	3.5	<0.2	<10	240	0.29	0.14	0.38	0.11	33.1	7.9	21
I316727		0.38	0.006	0.19	2.87	5.9	<0.2	<10	320	0.35	0.16	0.77	0.12	34.0	11.7	33
I316728		0.44	0.005	0.07	2.73	5.0	<0.2	<10	200	0.35	0.12	0.42	0.17	28.9	11.6	32
I316729		0.32	0.010	0.07	2.77	6.6	<0.2	<10	240	0.38	0.13	0.36	0.14	39.1	12.3	33
I316730		0.56	<0.005	0.06	2.73	6.5	<0.2	<10	220	0.39	0.14	0.33	0.15	38.8	11.9	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I316691		1.64	19.0	2.57	6.47	0.06	<0.02	0.04	0.015	0.05	5.8	10.3	0.56	186	1.98
I316692		0.84	14.2	2.99	7.14	0.06	0.02	0.04	0.019	0.04	8.2	9.2	0.63	270	0.71
I316693															
I316694		0.83	15.1	3.68	7.07	0.07	0.02	0.03	0.017	0.03	5.7	9.0	0.88	616	0.52
I316695		1.05	14.3	2.03	6.11	0.05	<0.02	0.04	0.013	0.05	6.8	7.0	0.42	137	0.57
I316696		0.52	16.3	2.92	6.09	0.07	0.02	0.02	0.016	0.04	5.0	9.6	0.66	322	0.58
I316697		0.67	12.3	2.01	5.25	0.05	0.02	0.04	0.014	0.05	5.7	8.4	0.49	169	0.45
I316698		0.61	10.2	1.91	5.66	0.05	0.02	0.04	0.014	0.04	5.7	7.9	0.42	151	0.35
I316699		0.53	13.3	2.01	4.81	0.05	0.03	0.04	0.016	0.04	7.4	8.6	0.45	171	0.37
I316700		0.92	10.5	2.02	6.09	0.05	<0.02	0.05	0.015	0.04	6.0	7.8	0.40	125	0.44
I316701		0.93	30.0	2.21	5.60	0.08	0.03	0.05	0.016	0.15	5.4	12.2	1.15	410	2.54
I316702		1.72	28.9	3.06	8.39	0.14	0.10	0.04	0.017	0.70	24.8	15.6	2.02	651	0.98
I316703		2.05	37.1	3.87	10.85	0.16	0.06	0.05	0.024	1.08	17.3	19.7	1.69	965	1.14
I316704		0.91	42.8	4.11	9.02	0.10	0.07	0.02	0.020	0.21	6.6	15.6	1.78	579	0.95
I316705		0.60	43.7	3.92	7.90	0.09	0.04	0.01	0.021	0.09	7.1	11.9	1.83	587	1.02
I316706		0.56	24.6	2.32	5.09	0.06	0.04	0.06	0.016	0.04	9.5	8.4	0.72	570	1.03
I316707		0.61	19.3	2.65	5.92	0.07	0.02	0.11	0.018	0.06	8.8	9.0	0.76	434	0.78
I316708		0.55	68.9	2.44	4.56	0.06	0.05	0.08	0.015	0.03	13.4	6.9	0.58	1620	1.46
I316709		0.47	18.4	2.71	7.21	0.05	0.04	0.02	0.016	0.05	5.1	9.1	0.72	291	1.16
I316710		0.54	21.4	3.32	7.51	0.07	0.07	0.02	0.020	0.05	5.6	12.6	0.95	379	1.08
I316711		1.11	28.5	2.82	7.71	0.12	0.10	0.03	0.015	0.37	21.2	14.3	1.78	591	0.71
I316712		1.32	24.3	2.75	7.52	0.11	0.10	0.03	0.016	0.45	16.3	13.1	1.77	527	0.96
I316713		0.79	38.4	2.32	6.02	0.10	0.08	0.04	0.015	0.28	12.5	13.4	1.25	479	1.92
I316714		2.04	30.5	2.68	6.52	0.08	0.02	0.03	0.019	0.08	6.4	16.7	1.78	910	0.74
I316715		1.53	35.7	3.28	6.80	0.09	0.03	0.03	0.023	0.08	7.1	16.4	1.70	613	0.56
I316716		1.43	26.7	2.52	6.08	0.08	0.03	0.03	0.019	0.18	7.7	12.8	0.77	406	1.12
I316717		2.02	40.8	4.28	8.43	0.09	0.06	0.03	0.033	0.13	5.7	14.8	0.60	576	1.42
I316718		2.46	14.7	3.92	7.63	0.12	0.06	0.04	0.028	0.41	12.4	14.4	1.01	627	0.79
I316719		1.71	25.5	3.49	7.27	0.18	0.12	0.06	0.033	0.36	47.6	16.5	0.83	694	0.73
I316720		0.07	2.1	0.60	0.46	<0.05	0.05	<0.01	<0.005	0.03	4.0	1.5	0.04	146	0.32
I316721		2.51	15.5	4.62	9.29	0.14	0.08	0.02	0.031	0.75	10.2	23.3	1.27	923	0.63
I316722		1.13	11.9	2.82	6.49	0.08	0.04	0.04	0.019	0.12	8.0	15.6	0.56	459	0.96
I316723		1.85	18.6	3.54	7.38	0.13	0.07	0.02	0.022	0.53	12.8	16.5	0.89	659	0.64
I316724		1.53	9.3	3.15	6.03	0.12	0.04	0.03	0.017	0.41	15.4	14.1	0.77	1010	0.54
I316725		2.04	14.3	3.73	9.32	0.12	0.05	0.02	0.027	0.76	14.9	19.1	1.13	527	0.47
I316726		1.09	17.6	2.25	6.54	0.08	0.04	0.03	0.021	0.06	17.9	11.5	0.46	189	0.50
I316727		1.20	23.8	3.41	8.20	0.12	0.06	0.05	0.033	0.17	23.4	14.6	0.72	752	1.14
I316728		1.37	22.3	3.61	7.70	0.11	0.09	0.02	0.029	0.28	14.6	16.5	0.86	559	0.55
I316729		1.96	25.5	3.82	7.98	0.12	0.07	0.02	0.031	0.24	18.8	14.9	0.85	661	0.81
I316730		2.04	24.6	3.79	8.11	0.12	0.07	0.03	0.033	0.23	18.9	15.6	0.84	622	0.81



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I316691		0.84	23.4	600	7.4	8.6	<0.001	0.04	0.98	3.9	1.0	0.6	17.9	<0.01	0.04	0.6
I316692		1.03	13.9	480	5.3	6.9	<0.001	0.04	0.22	4.9	0.7	0.8	21.7	<0.01	0.03	0.8
I316693																
I316694		0.70	11.5	580	5.8	6.9	<0.001	0.03	0.17	5.7	0.6	0.6	24.0	<0.01	0.03	0.9
I316695		0.77	9.8	560	9.9	9.5	<0.001	0.05	0.15	2.7	0.9	0.5	17.4	<0.01	0.04	0.5
I316696		1.02	12.5	450	4.4	4.9	<0.001	0.02	0.20	3.7	0.5	0.6	15.9	<0.01	0.02	0.9
I316697		0.85	12.1	570	5.5	7.7	<0.001	0.04	0.17	3.3	0.6	0.4	19.3	<0.01	0.02	0.4
I316698		0.93	11.6	570	5.6	7.1	<0.001	0.04	0.19	3.3	0.7	0.5	19.1	<0.01	0.03	0.4
I316699		1.03	13.6	620	5.0	7.0	<0.001	0.05	0.22	3.9	0.8	0.4	22.6	<0.01	0.02	0.7
I316700		0.88	10.8	580	7.1	7.5	<0.001	0.06	0.18	3.0	0.9	0.5	18.7	<0.01	0.03	0.3
I316701		0.93	42.1	850	3.1	14.2	0.001	0.12	0.36	3.8	1.7	0.3	48.5	<0.01	0.04	0.3
I316702		2.46	55.7	690	11.2	54.3	0.001	0.07	0.19	5.8	1.2	0.7	42.5	<0.01	0.06	4.5
I316703		2.80	38.3	1060	11.1	60.9	0.001	0.07	0.33	5.4	1.2	0.8	45.1	0.01	0.07	2.4
I316704		1.17	46.8	240	23.8	27.3	<0.001	0.02	0.40	6.7	0.6	0.5	22.3	<0.01	0.12	2.7
I316705		0.77	23.5	580	5.1	9.6	<0.001	0.03	0.21	6.3	0.6	0.4	14.6	<0.01	0.07	2.8
I316706		0.92	18.7	660	6.0	6.4	0.001	0.08	0.27	3.9	1.3	0.3	32.2	<0.01	0.05	0.7
I316707		1.08	19.6	420	8.3	8.8	<0.001	0.03	0.19	4.6	0.6	0.5	19.3	<0.01	0.06	1.2
I316708		0.72	20.0	890	5.5	7.8	<0.001	0.11	0.40	3.7	1.8	0.3	37.0	<0.01	0.10	0.4
I316709		1.31	21.4	180	11.5	9.8	<0.001	0.02	0.26	3.9	0.4	0.6	14.6	<0.01	0.05	1.4
I316710		1.40	28.7	190	17.0	9.1	<0.001	0.01	0.25	4.8	0.5	0.6	16.7	<0.01	0.04	1.9
I316711		1.99	48.1	500	12.6	38.8	<0.001	0.06	0.20	4.9	1.0	0.5	37.0	<0.01	0.05	4.0
I316712		2.15	47.4	540	11.8	44.6	0.001	0.08	0.21	4.8	1.4	0.6	42.1	<0.01	0.04	3.0
I316713		1.58	48.9	670	5.8	25.5	0.001	0.12	0.33	4.9	2.8	0.4	56.4	<0.01	0.05	1.3
I316714		0.94	123.0	540	5.3	13.8	<0.001	0.03	0.15	6.1	0.4	0.5	21.1	<0.01	0.02	1.0
I316715		1.12	135.0	530	5.3	10.9	<0.001	0.02	0.19	6.6	0.4	0.5	26.1	<0.01	0.02	1.2
I316716		1.35	28.5	640	4.9	18.2	<0.001	0.05	0.21	4.7	0.5	0.5	28.6	<0.01	0.03	1.0
I316717		1.74	19.4	500	23.7	14.3	<0.001	0.01	0.35	6.0	0.5	0.6	12.9	<0.01	0.07	2.3
I316718		2.01	14.8	830	6.4	40.3	<0.001	0.02	0.27	7.7	0.5	0.7	29.1	<0.01	0.03	3.3
I316719		1.84	19.9	710	6.1	36.6	<0.001	0.04	0.43	10.3	1.2	0.7	50.0	0.01	0.02	3.6
I316720		0.20	3.8	110	1.4	1.6	<0.001	<0.01	0.11	0.5	<0.2	<0.2	5.1	<0.01	0.01	1.5
I316721		1.74	15.3	750	6.7	64.0	<0.001	0.01	0.24	7.8	0.4	0.8	23.4	<0.01	0.01	3.8
I316722		1.83	12.9	480	5.1	16.7	<0.001	0.01	0.18	4.0	0.4	0.5	20.4	<0.01	0.02	1.7
I316723		2.22	14.9	680	5.7	44.9	<0.001	0.01	0.25	5.7	0.4	0.6	26.7	<0.01	0.01	4.1
I316724		2.05	8.4	940	3.5	41.8	<0.001	0.03	0.18	6.0	0.6	0.6	35.1	<0.01	0.01	2.5
I316725		2.35	9.4	930	6.1	58.3	<0.001	0.04	0.20	8.1	0.5	0.9	35.6	<0.01	0.02	2.7
I316726		1.42	13.6	790	5.7	12.3	<0.001	0.07	0.25	4.1	0.7	0.5	36.9	<0.01	0.03	0.6
I316727		1.77	21.6	850	6.6	22.3	<0.001	0.06	0.35	7.9	0.8	0.7	47.5	<0.01	0.02	1.5
I316728		1.91	20.1	770	5.7	30.0	<0.001	0.01	0.28	8.2	0.5	0.7	27.4	<0.01	0.03	3.1
I316729		2.00	22.2	670	5.9	27.4	<0.001	0.01	0.32	8.4	0.6	0.7	29.1	0.01	0.02	2.9
I316730		2.07	20.9	670	6.4	27.3	<0.001	0.02	0.33	8.1	0.6	0.8	27.7	0.01	0.02	3.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I316691		0.067	0.13	0.37	75	0.14	3.55	61	<0.5
I316692		0.076	0.09	0.53	75	0.15	4.17	57	0.6
I316693									
I316694		0.078	0.07	0.43	81	0.10	3.98	66	0.6
I316695		0.061	0.11	0.58	38	0.11	2.63	41	<0.5
I316696		0.112	0.07	0.32	81	0.27	2.56	53	0.9
I316697		0.077	0.07	0.36	39	0.14	3.11	45	0.6
I316698		0.077	0.08	0.41	35	0.13	3.09	41	0.6
I316699		0.079	0.06	0.55	41	0.13	4.94	46	1.0
I316700		0.072	0.09	0.46	36	0.11	2.90	41	<0.5
I316701		0.074	0.11	0.64	63	0.11	5.51	53	1.3
I316702		0.148	0.34	1.05	73	0.26	11.25	72	4.9
I316703		0.169	0.31	1.06	85	0.18	10.30	67	2.3
I316704		0.135	0.18	0.42	106	0.15	4.34	79	3.4
I316705		0.105	0.08	0.38	79	0.09	5.09	90	1.6
I316706		0.063	0.07	0.69	50	0.26	6.97	45	1.6
I316707		0.083	0.09	0.57	61	0.21	4.70	55	0.9
I316708		0.045	0.08	1.01	43	0.10	21.1	50	1.4
I316709		0.099	0.09	0.26	70	0.19	2.29	56	1.8
I316710		0.105	0.11	0.28	76	0.17	2.65	71	3.2
I316711		0.126	0.22	0.80	62	0.10	8.57	76	4.2
I316712		0.124	0.25	1.61	64	0.10	7.36	70	4.8
I316713		0.106	0.16	2.77	65	0.08	8.82	59	4.4
I316714		0.091	0.14	0.38	81	0.37	4.12	59	0.8
I316715		0.109	0.08	0.45	89	0.19	5.20	67	1.2
I316716		0.104	0.12	0.63	71	0.20	4.91	57	1.3
I316717		0.149	0.18	0.96	103	0.25	5.06	66	2.4
I316718		0.177	0.27	1.31	98	0.23	7.39	69	2.4
I316719		0.127	0.24	3.79	79	0.19	57.3	67	2.9
I316720		0.006	0.03	0.27	4	0.06	1.81	4	1.8
I316721		0.201	0.40	0.89	104	0.15	7.15	82	2.8
I316722		0.121	0.13	0.79	62	0.13	4.34	48	1.7
I316723		0.191	0.30	1.18	86	0.16	8.67	66	2.7
I316724		0.148	0.25	1.71	71	0.19	11.15	71	1.2
I316725		0.186	0.35	1.53	93	0.31	8.98	86	1.8
I316726		0.084	0.16	1.67	57	0.18	8.97	38	1.5
I316727		0.125	0.19	2.73	80	0.23	15.15	72	2.1
I316728		0.170	0.20	1.40	86	0.40	9.76	70	3.3
I316729		0.157	0.20	1.98	87	0.19	12.05	63	2.4
I316730		0.154	0.19	2.01	86	0.19	11.40	62	2.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316731		0.46	0.010	0.05	2.05	5.1	<0.2	<10	150	0.31	0.08	0.48	0.24	28.6	11.8	30
I316732		0.44	<0.005	0.20	1.55	3.6	<0.2	<10	190	0.26	0.10	0.46	0.16	24.4	8.5	22
I316733		0.60	<0.005	0.07	2.47	3.6	<0.2	<10	270	0.29	0.12	0.52	0.14	23.7	11.6	28
I316734		0.38	<0.005	0.07	2.11	4.3	<0.2	<10	270	0.23	0.14	0.52	0.13	22.9	10.1	25
I316735		0.34	<0.005	0.15	1.58	1.9	<0.2	<10	260	0.22	0.09	0.48	0.19	35.7	15.7	21
I316736		0.32	0.007	0.17	0.88	1.5	<0.2	<10	170	0.24	0.07	0.42	0.11	30.8	4.8	14
I316737		0.38	<0.005	0.09	2.16	2.4	<0.2	<10	280	0.25	0.14	0.49	0.21	21.6	8.9	46
I316738		0.40	0.005	0.19	1.98	7.6	<0.2	<10	350	0.30	0.16	0.42	0.11	21.4	11.4	33
I316739		0.52	<0.005	0.10	2.89	12.1	<0.2	<10	260	0.32	0.18	0.15	0.30	19.65	13.7	51
I316740		0.42	<0.005	0.01	0.14	2.3	<0.2	<10	30	0.14	0.02	0.08	0.03	8.86	2.1	3
I316741		0.46	0.009	0.05	1.92	6.1	<0.2	<10	290	0.28	0.13	0.35	0.11	18.70	11.1	44
I316742		0.26	0.005	0.10	1.17	2.9	<0.2	<10	200	0.23	0.10	0.71	0.15	13.00	20.2	63
I316743		0.66	0.006	0.11	1.68	4.7	<0.2	<10	200	0.29	0.14	0.56	0.33	22.9	22.2	88
I316744		0.46	0.005	0.04	1.86	3.9	<0.2	<10	170	0.22	0.10	0.43	0.12	17.00	17.6	79
I316745		0.48	0.008	0.07	1.97	3.1	<0.2	<10	190	0.30	0.13	0.44	0.22	31.6	25.4	146
I316746		0.42	0.007	0.09	2.11	4.2	<0.2	<10	290	0.27	0.10	0.63	0.24	24.9	23.0	103
I316747		0.46	<0.005	0.10	2.81	3.0	<0.2	<10	260	0.52	0.35	0.90	0.20	61.7	18.1	136
I316748		0.34	0.016	0.31	1.88	4.2	<0.2	<10	100	0.30	0.18	1.26	0.43	22.7	10.8	49
I316749		0.50	0.007	0.29	2.04	6.1	<0.2	<10	130	0.24	0.19	1.07	0.39	21.1	12.1	45
I316750		0.42	0.006	0.32	2.39	7.1	<0.2	<10	150	0.29	0.22	1.06	0.46	25.3	14.7	51



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I316731		0.88	22.8	3.25	5.82	0.11	0.09	0.02	0.022	0.14	12.1	12.7	0.73	640	0.78	0.02
I316732		1.01	15.6	2.42	5.35	0.09	0.05	0.05	0.021	0.13	14.8	8.7	0.47	471	0.66	0.02
I316733		1.60	14.8	3.34	7.53	0.11	0.06	0.02	0.030	0.26	12.7	16.2	0.90	478	0.39	0.02
I316734		1.28	15.1	3.14	7.44	0.09	0.04	0.02	0.024	0.19	12.1	14.0	0.77	523	0.84	0.02
I316735		0.98	13.8	3.38	4.98	0.10	0.05	0.06	0.016	0.14	18.6	9.4	0.47	1270	0.79	0.02
I316736		0.52	15.1	1.69	2.94	0.08	0.03	0.05	0.012	0.07	16.6	4.1	0.23	431	0.46	0.02
I316737		1.99	23.4	2.58	7.41	0.10	0.06	0.11	0.030	0.36	14.0	20.2	1.01	409	0.42	0.02
I316738		1.49	36.2	2.92	6.78	0.08	0.04	0.04	0.026	0.16	13.9	14.1	0.58	782	1.78	0.03
I316739		2.24	48.6	4.96	11.45	0.10	0.09	0.03	0.039	0.26	8.7	22.0	0.98	818	2.20	0.02
I316740		0.08	2.1	0.66	0.56	<0.05	0.07	<0.01	<0.005	0.05	4.3	1.6	0.04	159	0.26	0.02
I316741		1.24	33.3	2.82	6.25	0.09	0.05	0.03	0.024	0.10	8.9	17.2	0.73	410	0.63	0.02
I316742		0.67	26.0	1.79	3.50	0.07	0.08	0.04	0.015	0.04	5.4	8.3	0.93	1040	0.47	0.03
I316743		0.83	55.8	2.65	5.00	0.13	0.15	0.03	0.023	0.06	11.1	13.2	1.29	258	0.37	0.03
I316744		0.91	31.9	3.31	5.52	0.11	0.09	0.02	0.017	0.18	8.0	13.5	1.35	346	0.20	0.02
I316745		1.04	32.8	2.90	5.65	<0.05	0.11	0.03	0.024	0.17	13.4	11.8	1.52	578	0.27	0.04
I316746		1.06	29.5	3.10	5.96	<0.05	0.07	0.03	0.021	0.13	12.8	14.9	1.82	1240	0.65	0.04
I316747		1.28	30.6	3.26	7.78	0.09	0.11	0.01	0.021	0.74	31.3	13.7	2.22	643	0.51	0.03
I316748		0.74	38.6	2.67	5.33	<0.05	0.06	0.06	0.022	0.08	16.0	8.7	0.99	432	1.03	0.03
I316749		0.69	43.8	3.12	5.35	0.08	0.06	0.05	0.021	0.06	13.5	11.1	1.05	541	1.18	0.02
I316750		0.86	48.6	3.39	6.11	0.07	0.07	0.05	0.026	0.07	15.7	13.4	1.16	579	1.39	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I316731		1.89	23.1	1010	4.5	15.5	<0.001	0.01	0.26	5.2	0.4	0.6	26.4	<0.01	0.02	3.3
I316732		1.10	10.5	1180	3.9	16.8	<0.001	0.06	0.24	5.4	0.8	0.5	30.9	<0.01	0.02	0.8
I316733		1.95	14.8	840	5.9	32.5	<0.001	0.01	0.24	7.9	0.5	0.8	30.7	<0.01	0.01	3.6
I316734		1.67	14.2	780	6.3	29.3	<0.001	0.05	0.23	5.5	0.5	0.7	40.4	<0.01	0.02	1.2
I316735		1.23	9.6	1060	4.3	19.3	<0.001	0.07	0.26	4.9	0.8	0.5	36.1	0.01	0.02	0.9
I316736		0.75	6.9	1160	2.6	6.7	<0.001	0.09	0.20	3.3	0.8	0.3	30.8	<0.01	0.02	0.3
I316737		1.89	53.9	450	7.2	40.5	<0.001	0.04	0.34	9.2	0.5	0.8	28.5	<0.01	0.02	4.6
I316738		1.39	21.1	490	6.2	17.0	<0.001	0.03	0.28	6.3	0.6	0.5	29.5	<0.01	0.03	1.3
I316739		2.35	24.1	420	8.3	23.5	<0.001	0.01	0.39	8.2	0.5	0.8	13.0	<0.01	0.05	2.3
I316740		0.18	3.6	110	1.5	2.2	<0.001	<0.01	0.13	0.6	<0.2	1.4	7.1	<0.01	<0.01	1.5
I316741		1.58	34.0	680	5.5	15.0	<0.001	0.01	0.24	4.8	0.4	0.5	21.8	<0.01	0.02	1.9
I316742		0.80	197.0	1010	3.7	5.5	<0.001	0.06	0.23	3.9	0.6	0.3	43.9	<0.01	0.02	0.6
I316743		1.59	217	630	5.2	9.6	<0.001	0.04	0.39	8.3	1.3	0.4	33.3	<0.01	0.02	2.8
I316744		1.16	91.8	550	3.8	18.6	<0.001	0.01	0.19	6.5	0.4	0.3	24.2	<0.01	0.02	2.9
I316745		1.11	154.5	560	5.5	17.6	<0.001	0.04	0.28	7.1	0.3	0.4	27.0	<0.01	0.03	4.0
I316746		1.08	125.5	980	4.7	14.6	<0.001	0.06	0.20	5.1	0.4	0.4	32.9	<0.01	0.02	2.2
I316747		2.13	54.3	1050	15.3	52.9	0.001	0.03	0.13	5.3	0.4	0.6	36.5	<0.01	0.09	10.3
I316748		0.94	30.0	720	12.3	12.4	<0.001	0.11	0.28	4.4	0.8	0.4	37.3	0.01	0.07	1.2
I316749		0.91	30.4	610	9.3	9.3	<0.001	0.06	0.29	5.1	0.8	0.3	31.4	<0.01	0.05	1.2
I316750		1.05	34.6	640	11.1	11.8	0.001	0.06	0.36	5.9	0.9	0.4	33.7	<0.01	0.05	1.4



Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

TO: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQL10-06

CERTIFICATE OF ANALYSIS WH10122684

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122684

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).