



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 13-OCT-2010
Account: EIASQI

CERTIFICATE WH10137856

Project: SQI10-06
P.O. No.: SQI10-06_32
This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100429		0.34	<0.005	0.58	1.51	49.3	<0.2	<10	150	0.49	0.20	0.19	0.44	21.1	7.8	22
I100430		0.24	<0.005	0.16	1.07	22.3	<0.2	<10	170	0.13	0.17	0.30	0.27	15.25	5.1	24
I100431		0.42	<0.005	0.21	1.41	55.0	<0.2	<10	170	0.20	0.36	0.26	0.83	19.10	6.5	26
I100432		0.44	<0.005	0.40	1.49	61.6	<0.2	<10	130	0.20	0.54	0.24	0.77	22.0	6.9	24
I100433		0.48	<0.005	0.36	1.37	150.5	<0.2	<10	130	0.20	0.47	0.26	1.19	19.50	6.7	25
I100434		0.36	<0.005	0.42	1.44	71.8	<0.2	<10	190	0.43	0.36	0.28	1.64	32.1	54.2	30
I100435		0.42	<0.005	0.23	1.66	107.5	<0.2	<10	160	0.31	0.40	0.26	1.04	21.9	17.1	40
I100436		0.42	<0.005	1.04	1.75	47.1	<0.2	<10	190	0.31	0.71	0.27	1.92	23.3	12.8	38
I100437		0.32	<0.005	0.86	1.18	114.5	<0.2	<10	120	0.25	0.81	0.27	3.40	24.9	7.6	32
I100438		0.32	<0.005	1.31	1.39	75.4	<0.2	<10	130	0.33	0.72	0.21	3.20	28.6	10.4	28
I100439		0.22	<0.005	0.48	0.92	11.3	<0.2	<10	210	0.23	0.29	0.52	1.75	21.1	4.5	17
I100440		0.30	<0.005	0.89	1.38	37.5	<0.2	<10	200	0.34	0.56	0.43	2.79	22.9	11.8	27
I100441		0.26	<0.005	0.35	0.36	8.3	<0.2	<10	60	0.10	0.10	0.12	0.28	7.26	1.4	7
I100442		0.26	<0.005	0.38	1.06	28.3	<0.2	<10	110	0.22	0.22	0.15	0.43	15.55	4.7	17
I100443		0.32	0.039	0.19	1.26	30.7	<0.2	<10	150	0.27	0.32	0.18	0.48	23.6	4.7	20
I100444		0.42	<0.005	0.17	0.81	21.3	<0.2	<10	100	0.15	0.21	0.13	0.31	15.60	2.8	12
I100445		0.32	<0.005	0.88	1.47	21.0	<0.2	<10	160	0.33	0.22	0.12	1.19	13.80	10.4	20
I100446		0.42	<0.005	0.52	2.10	61.7	<0.2	<10	280	0.34	0.34	0.22	2.27	18.65	6.9	33
I100447		0.40	<0.005	0.74	2.51	137.5	<0.2	<10	250	0.58	0.34	0.18	0.56	37.0	14.2	40
I100448		0.48	<0.005	1.01	1.83	91.2	<0.2	<10	270	0.38	0.25	0.12	0.42	17.50	10.8	26
I100449		0.32	<0.005	0.37	1.27	103.5	<0.2	<10	210	0.30	1.29	0.27	0.56	34.1	6.3	21
I100450		0.32	<0.005	0.18	1.59	4.1	<0.2	<10	240	0.40	0.18	1.08	0.53	25.7	10.2	54
I100451		0.60	<0.005	0.46	2.21	12.3	<0.2	<10	240	0.46	0.28	0.61	0.56	29.8	16.8	67
I100452		0.20	<0.005	0.40	1.46	32.5	<0.2	<10	160	0.25	0.25	0.25	1.37	19.55	8.1	28
I100453		0.34	<0.005	0.36	1.64	91.0	<0.2	<10	210	0.29	0.28	0.22	0.65	22.1	6.6	28
I100454		0.32	<0.005	0.46	0.98	24.5	<0.2	<10	130	0.18	0.24	0.10	0.52	17.00	3.3	18
I100455		0.46	<0.005	0.77	1.82	27.3	<0.2	<10	290	0.35	0.28	0.18	0.96	23.0	15.3	28
I100456		0.28	<0.005	0.60	1.66	47.5	<0.2	<10	180	0.45	0.19	0.32	0.51	19.10	8.0	24
I100457		0.38	<0.005	0.54	1.76	53.8	<0.2	<10	160	0.49	0.20	0.18	0.35	20.1	8.2	25
I100458		0.36	<0.005	0.56	1.57	48.4	<0.2	<10	160	0.41	0.18	0.19	0.44	19.00	7.5	23
I100459		0.40	<0.005	0.69	1.60	51.0	<0.2	<10	170	0.43	0.18	0.23	0.64	19.45	8.0	23
I100460		0.38	<0.005	0.66	1.66	52.2	<0.2	<10	170	0.43	0.19	0.33	0.58	19.40	7.9	24
I100461		0.42	<0.005	0.58	1.70	50.1	<0.2	<10	160	0.41	0.20	0.21	0.42	20.2	9.3	25
I100462		0.44	<0.005	0.63	1.75	55.6	<0.2	<10	170	0.39	0.19	0.21	0.45	19.95	9.4	26
I100463		0.38	<0.005	0.65	1.80	51.4	<0.2	<10	190	0.41	0.18	0.34	0.64	19.95	9.7	27
I100464		0.20	<0.005	0.07	2.12	4.7	<0.2	<10	90	0.40	0.14	0.29	0.10	28.5	16.6	53
I100465		0.34	<0.005	0.04	2.31	5.4	<0.2	<10	130	0.36	0.15	0.25	0.08	29.5	15.8	49
I100466		0.38	<0.005	0.04	2.25	4.2	<0.2	<10	160	0.36	0.12	0.41	0.08	32.9	16.9	67
I100467		0.38	<0.005	0.05	2.19	4.2	<0.2	<10	120	0.65	0.17	0.42	0.07	48.5	12.8	30
I100468		0.52	<0.005	0.05	2.03	4.3	<0.2	<10	120	0.65	0.16	0.36	0.07	42.9	12.0	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100429		1.26	18.8	2.52	7.01	<0.05	0.02	0.02	0.024	0.05	10.5	11.3	0.29	270	1.56
I100430		1.03	18.9	1.92	4.08	<0.05	<0.02	0.04	0.017	0.04	7.9	6.2	0.38	159	1.85
I100431		1.12	23.2	2.24	4.86	<0.05	0.02	0.04	0.022	0.04	10.2	9.8	0.48	242	1.36
I100432		1.55	35.1	2.51	5.47	<0.05	<0.02	0.05	0.027	0.05	11.7	12.1	0.49	335	2.02
I100433		1.35	34.2	2.58	5.46	0.05	<0.02	0.04	0.027	0.05	10.4	11.0	0.46	388	3.50
I100434		0.97	57.2	3.07	4.98	0.06	0.02	0.05	0.038	0.05	13.0	8.7	0.39	4130	3.46
I100435		1.78	58.8	3.08	6.15	0.07	0.02	0.03	0.033	0.08	11.4	13.0	0.66	699	2.89
I100436		1.95	83.2	2.80	6.42	0.06	0.02	0.08	0.037	0.09	12.6	13.8	0.65	494	2.48
I100437		1.87	122.5	2.53	4.69	0.05	0.02	0.05	0.037	0.09	13.2	9.2	0.42	374	3.37
I100438		2.03	138.5	2.52	5.60	0.05	0.02	0.07	0.040	0.07	15.2	11.1	0.42	545	2.29
I100439		1.54	51.2	1.50	3.44	<0.05	0.02	0.09	0.018	0.04	10.9	6.1	0.28	202	1.22
I100440		2.23	82.5	2.50	5.18	0.05	0.02	0.07	0.030	0.06	12.3	10.1	0.46	794	2.40
I100441		0.52	14.9	0.72	1.88	<0.05	<0.02	0.04	0.008	0.03	4.5	1.0	0.05	68	0.47
I100442		1.16	27.9	1.75	4.10	<0.05	<0.02	0.06	0.019	0.04	8.5	6.8	0.24	167	0.93
I100443		1.34	32.5	2.32	5.86	<0.05	<0.02	0.03	0.026	0.04	12.5	7.5	0.27	183	1.30
I100444		1.00	22.9	1.39	4.06	<0.05	<0.02	0.02	0.015	0.03	8.8	3.9	0.14	102	0.80
I100445		0.99	25.2	2.39	7.13	<0.05	<0.02	0.04	0.025	0.03	6.9	7.4	0.18	574	1.35
I100446		1.11	40.9	3.08	7.51	<0.05	0.06	0.03	0.044	0.04	10.0	13.8	0.52	274	2.52
I100447		2.31	48.1	4.22	8.45	0.06	0.02	0.02	0.042	0.09	17.0	27.5	0.76	794	2.45
I100448		1.57	17.0	2.59	6.36	<0.05	<0.02	0.03	0.027	0.06	8.7	11.2	0.37	727	1.32
I100449		1.33	20.8	2.41	5.88	<0.05	<0.02	0.02	0.027	0.08	16.1	8.3	0.35	400	1.77
I100450		1.45	19.8	2.06	5.43	<0.05	0.04	0.06	0.030	0.04	13.1	9.9	0.66	922	1.07
I100451		2.71	63.0	3.24	6.08	0.06	0.04	0.04	0.031	0.09	17.5	18.6	1.13	768	1.60
I100452		1.38	56.4	2.26	4.94	0.05	<0.02	0.04	0.023	0.05	10.9	10.7	0.45	321	1.94
I100453		1.53	43.4	2.53	5.93	0.05	0.02	0.08	0.027	0.09	11.9	9.3	0.45	239	2.02
I100454		1.10	21.9	1.89	5.64	<0.05	<0.02	0.03	0.016	0.05	8.9	5.6	0.21	203	1.91
I100455		1.91	27.6	2.81	7.92	<0.05	0.02	0.04	0.026	0.06	11.5	10.9	0.40	1040	2.82
I100456		1.18	18.2	2.71	6.69	<0.05	<0.02	0.01	0.024	0.06	10.0	10.8	0.31	753	1.55
I100457		1.32	18.3	2.84	6.98	<0.05	0.02	0.02	0.026	0.06	10.7	11.9	0.33	295	1.61
I100458		1.19	18.1	2.59	6.64	<0.05	0.02	0.01	0.022	0.05	9.9	10.4	0.29	293	1.53
I100459		1.25	19.2	2.59	6.71	<0.05	0.02	0.02	0.025	0.06	10.2	10.6	0.30	365	1.58
I100460		1.24	18.5	2.64	6.78	<0.05	<0.02	0.02	0.024	0.06	10.1	11.1	0.31	783	1.58
I100461		1.29	22.4	2.85	7.01	0.05	0.02	0.02	0.025	0.06	10.3	10.5	0.31	340	1.60
I100462		1.24	23.0	2.93	7.05	<0.05	0.02	0.02	0.027	0.06	10.3	10.5	0.32	337	1.64
I100463		1.24	23.5	2.91	6.74	<0.05	0.02	0.02	0.024	0.06	10.1	10.1	0.32	704	1.61
I100464		2.67	33.1	3.63	7.34	0.05	0.02	0.02	0.021	0.38	8.7	21.3	0.96	495	1.27
I100465		3.40	26.1	3.98	8.47	0.07	0.03	0.02	0.027	0.39	11.2	17.3	0.93	488	1.04
I100466		3.21	26.0	3.88	8.84	0.07	0.02	0.01	0.018	0.35	15.1	17.7	1.11	464	0.83
I100467		3.96	24.8	3.87	7.91	0.06	0.06	0.01	0.034	0.41	23.3	19.4	0.67	316	1.80
I100468		3.63	23.5	3.60	7.48	0.07	0.07	0.02	0.032	0.38	24.4	18.4	0.62	284	1.69



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I100429		1.56	16.5	280	16.0	10.1	<0.001	0.01	0.64	2.4	0.5	0.7	20.5	<0.01	0.04	1.6
I100430		0.60	17.8	700	15.7	6.3	<0.001	0.05	0.37	2.5	1.2	0.4	21.2	<0.01	0.05	0.6
I100431		0.68	20.4	590	28.6	9.6	<0.001	0.04	0.83	2.9	1.8	0.4	20.6	<0.01	0.05	1.0
I100432		0.69	18.5	680	38.1	10.5	<0.001	0.04	0.85	2.9	2.2	0.5	19.5	<0.01	0.06	0.9
I100433		0.66	19.4	730	40.8	8.8	<0.001	0.04	0.99	2.5	1.8	0.5	19.8	<0.01	0.08	0.6
I100434		0.64	24.1	860	64.9	8.3	<0.001	0.06	0.95	3.4	2.4	0.4	24.5	<0.01	0.08	0.8
I100435		0.79	39.2	660	40.9	12.3	<0.001	0.03	1.49	4.0	1.5	0.6	20.8	<0.01	0.07	1.8
I100436		0.84	33.5	750	85.0	16.2	<0.001	0.05	0.68	4.0	1.8	0.6	23.6	<0.01	0.08	1.2
I100437		0.65	29.8	640	93.4	14.8	<0.001	0.06	1.28	2.7	2.1	0.5	23.8	<0.01	0.09	1.2
I100438		0.65	25.8	810	116.0	14.2	<0.001	0.05	0.74	2.5	1.7	0.5	19.9	<0.01	0.09	0.8
I100439		0.59	17.4	910	18.6	7.9	<0.001	0.09	0.47	2.6	1.5	0.3	40.2	<0.01	0.04	0.3
I100440		0.66	24.1	940	40.1	11.5	<0.001	0.07	0.60	3.8	1.9	0.5	31.4	<0.01	0.06	0.8
I100441		0.09	4.6	430	5.0	3.4	<0.001	0.03	0.14	0.3	0.5	0.2	12.6	<0.01	0.02	<0.2
I100442		0.42	14.8	410	13.4	6.4	<0.001	0.02	0.38	1.6	0.7	0.4	14.5	<0.01	0.04	<0.2
I100443		0.66	14.9	420	18.7	8.9	<0.001	0.01	0.49	2.3	0.7	0.6	18.1	<0.01	0.05	0.3
I100444		0.37	8.8	330	12.1	6.0	<0.001	0.01	0.27	1.3	0.5	0.4	13.5	<0.01	0.04	<0.2
I100445		0.84	11.2	370	20.6	5.3	<0.001	0.01	0.45	2.1	0.5	0.7	12.5	<0.01	0.05	0.3
I100446		1.40	24.2	180	26.4	7.8	<0.001	0.01	0.67	4.5	0.6	0.7	20.5	<0.01	0.06	2.5
I100447		0.57	43.0	670	17.6	12.3	<0.001	0.01	1.73	4.2	0.7	1.2	18.5	<0.01	0.07	1.7
I100448		0.93	19.6	390	11.3	10.0	<0.001	0.01	0.88	3.3	0.4	0.7	13.0	<0.01	0.05	1.3
I100449		0.47	26.8	490	12.5	12.3	<0.001	0.01	1.44	1.9	0.4	0.7	23.7	<0.01	0.05	0.7
I100450		0.59	26.1	960	7.4	7.1	<0.001	0.08	0.25	3.4	1.0	0.7	40.3	<0.01	0.04	0.8
I100451		0.83	49.2	640	52.6	19.2	<0.001	0.02	0.54	6.4	1.3	0.6	30.1	<0.01	0.04	2.4
I100452		0.64	27.2	420	41.0	11.7	<0.001	0.03	0.51	2.8	0.9	0.4	21.1	<0.01	0.04	0.4
I100453		1.01	25.5	450	13.8	10.7	<0.001	0.03	0.83	3.5	0.9	0.5	22.2	<0.01	0.06	1.1
I100454		0.71	13.3	340	9.5	8.5	<0.001	0.01	0.55	1.9	0.5	0.5	13.9	<0.01	0.05	0.4
I100455		1.09	21.5	430	13.3	9.8	<0.001	0.01	0.65	4.1	0.5	0.7	19.9	<0.01	0.05	1.3
I100456		1.39	16.4	370	15.4	9.6	<0.001	0.01	0.59	2.4	0.4	1.0	25.2	<0.01	0.04	1.3
I100457		1.63	17.2	280	16.1	10.1	<0.001	0.01	0.66	2.7	0.4	1.0	19.1	<0.01	0.04	1.9
I100458		1.33	15.9	300	14.8	9.6	<0.001	0.01	0.60	2.3	0.4	1.0	20.0	<0.01	0.04	1.0
I100459		1.45	17.1	310	15.1	10.4	<0.001	0.01	0.63	2.4	0.4	0.9	23.4	<0.01	0.05	1.1
I100460		1.41	16.5	350	15.6	9.8	<0.001	0.01	0.64	2.4	0.4	0.8	25.3	<0.01	0.05	1.3
I100461		1.90	19.9	300	16.6	10.7	<0.001	0.01	0.62	2.7	0.4	0.9	22.8	<0.01	0.04	1.6
I100462		1.90	20.2	310	16.6	10.3	<0.001	0.01	0.66	2.7	0.5	0.9	22.7	<0.01	0.04	1.7
I100463		1.73	20.3	380	15.8	10.6	<0.001	0.01	0.62	2.6	0.4	0.8	27.5	<0.01	0.04	1.3
I100464		1.52	50.8	660	12.6	34.5	<0.001	0.02	0.20	2.9	0.4	1.1	20.3	<0.01	0.05	2.1
I100465		2.01	35.7	530	13.1	41.1	<0.001	0.01	0.21	4.2	0.4	0.8	18.0	<0.01	0.04	4.6
I100466		1.51	52.0	530	9.8	36.2	<0.001	0.01	0.14	3.6	0.4	0.7	24.0	<0.01	0.05	2.2
I100467		1.55	24.5	620	22.0	59.3	<0.001	0.01	0.24	4.5	0.4	1.0	32.3	<0.01	0.04	10.2
I100468		1.43	23.7	550	20.7	56.1	<0.001	0.01	0.23	4.1	0.4	0.9	28.6	<0.01	0.03	9.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I100429		0.069	0.10	0.47	64	0.15	3.40	53	0.7
I100430		0.043	0.09	0.63	39	0.10	4.54	65	<0.5
I100431		0.043	0.11	0.77	44	0.12	5.57	113	0.5
I100432		0.049	0.14	1.16	50	0.11	5.13	140	<0.5
I100433		0.051	0.12	0.92	66	0.21	5.12	144	<0.5
I100434		0.058	0.18	1.68	63	0.15	7.42	152	0.5
I100435		0.080	0.16	1.20	79	0.12	5.82	212	0.6
I100436		0.075	0.16	1.37	66	0.22	6.05	301	0.7
I100437		0.050	0.14	1.24	57	0.34	6.51	398	<0.5
I100438		0.052	0.14	1.62	56	0.12	7.39	452	<0.5
I100439		0.033	0.11	1.35	26	0.10	8.65	127	<0.5
I100440		0.041	0.16	1.37	54	0.12	9.16	236	0.5
I100441		0.016	0.04	0.37	17	<0.05	2.67	18	<0.5
I100442		0.039	0.07	0.52	37	0.09	4.90	46	<0.5
I100443		0.054	0.09	0.64	54	0.11	6.48	53	<0.5
I100444		0.038	0.06	0.47	34	0.07	4.83	30	<0.5
I100445		0.066	0.11	0.40	65	0.12	2.70	75	0.5
I100446		0.093	0.12	0.64	82	0.17	5.05	117	2.6
I100447		0.037	0.16	0.87	77	0.17	6.23	104	<0.5
I100448		0.061	0.12	0.44	62	0.17	3.38	79	0.5
I100449		0.038	0.10	0.79	52	0.16	5.11	98	<0.5
I100450		0.048	0.14	0.90	43	0.08	10.50	46	1.2
I100451		0.098	0.16	1.52	66	0.14	13.05	176	1.2
I100452		0.059	0.10	1.05	53	0.11	7.92	137	<0.5
I100453		0.082	0.13	1.16	61	0.15	6.61	89	0.8
I100454		0.067	0.09	0.56	54	0.14	4.13	52	0.5
I100455		0.073	0.14	0.67	78	0.17	5.82	76	0.6
I100456		0.070	0.10	0.46	67	0.13	3.22	72	0.6
I100457		0.075	0.10	0.48	70	0.15	3.44	58	0.9
I100458		0.069	0.09	0.47	65	0.13	3.26	55	0.5
I100459		0.070	0.10	0.47	65	0.15	3.51	59	0.6
I100460		0.070	0.10	0.47	66	0.13	3.39	72	0.6
I100461		0.080	0.11	0.54	69	0.16	3.79	60	0.7
I100462		0.078	0.11	0.54	71	0.15	3.93	62	0.8
I100463		0.079	0.10	0.53	70	0.16	4.00	75	0.6
I100464		0.141	0.24	0.56	69	0.11	4.29	64	0.8
I100465		0.176	0.34	0.74	80	0.12	5.34	64	1.1
I100466		0.171	0.28	0.72	71	0.10	6.99	67	0.6
I100467		0.118	0.49	1.29	50	0.13	11.70	73	2.2
I100468		0.104	0.45	1.16	45	0.12	11.00	67	2.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100469		0.44	<0.005	0.06	2.13	4.2	<0.2	<10	130	0.59	0.16	0.37	0.08	41.0	11.8	28
I100470		0.48	<0.005	0.06	2.08	4.4	<0.2	<10	130	0.54	0.16	0.29	0.07	32.2	11.1	28
I100471		0.30	<0.005	0.03	1.91	4.4	<0.2	<10	130	0.57	0.37	0.36	0.06	17.75	15.3	19
I100472		0.32	0.005	0.03	1.37	4.3	<0.2	<10	110	0.51	0.25	0.27	0.06	20.9	8.6	12
I100473		0.28	<0.005	0.09	2.09	4.4	<0.2	<10	190	0.38	0.24	0.68	0.05	21.0	16.4	22
I100474		0.28	<0.005	0.10	1.98	4.8	<0.2	<10	190	0.37	0.24	0.46	0.13	21.5	11.7	23
I100475		0.28	<0.005	0.10	1.78	4.1	<0.2	<10	190	0.34	0.17	0.52	0.19	17.00	9.9	24
I100476		0.26	<0.005	0.09	2.14	4.6	<0.2	<10	210	0.37	0.16	0.48	0.09	22.2	11.7	25
I100477		0.26	<0.005	0.05	1.74	3.8	<0.2	<10	150	0.29	0.11	0.54	0.09	16.50	11.2	21
I100478		0.40	<0.005	0.06	1.93	4.9	<0.2	<10	170	0.32	0.13	0.40	0.10	17.40	10.2	24
I100479		0.28	<0.005	0.44	2.00	9.2	<0.2	<10	190	0.33	0.28	0.62	0.58	25.1	19.5	55
I100480		0.30	0.007	0.38	2.12	28.9	<0.2	<10	210	0.31	0.34	0.54	0.80	20.6	14.2	71
I100481		0.34	0.009	0.37	2.16	40.4	<0.2	<10	160	0.23	0.29	0.26	0.39	17.35	9.5	39
I100482		0.34	0.044	0.46	2.49	99.1	<0.2	<10	190	0.35	0.32	0.25	0.79	21.0	15.2	46
I100483		0.26	0.017	0.48	2.01	83.4	<0.2	<10	210	0.30	0.40	0.26	0.62	27.5	10.0	39
I100484		0.24	<0.005	0.61	1.56	58.8	<0.2	<10	200	0.24	0.22	0.18	1.15	16.45	11.0	25
I100485		0.26	<0.005	1.15	2.37	177.5	<0.2	<10	230	0.50	0.28	0.76	0.47	29.1	12.7	38
I100486		0.30	<0.005	0.15	2.68	9.8	<0.2	<10	190	0.38	0.16	0.37	0.43	10.40	13.5	141
I100487		0.24	<0.005	0.30	1.75	32.9	<0.2	<10	180	0.31	0.28	0.11	0.43	32.0	7.2	27
I100488		0.34	0.008	0.10	1.55	51.6	<0.2	<10	150	0.31	0.34	0.32	0.67	23.7	10.5	32
I100489		0.32	0.006	0.55	2.20	42.8	<0.2	<10	270	0.34	0.32	0.25	1.20	24.9	9.5	42
I100490		0.34	<0.005	0.30	1.89	38.1	<0.2	<10	200	0.30	0.35	0.48	0.91	25.3	25.4	50
I100501		0.54	<0.005	0.32	1.88	152.5	<0.2	<10	450	0.48	0.32	0.34	0.64	42.5	19.8	38
I100502		0.48	<0.005	0.62	1.14	289	<0.2	<10	360	0.32	0.22	0.51	0.58	15.85	32.2	32
I100503		0.58	<0.005	0.22	2.08	206	<0.2	<10	240	0.25	0.25	0.36	0.36	19.60	10.7	43
I100504		0.50	<0.005	0.35	1.58	148.5	<0.2	<10	430	0.36	0.28	0.74	0.64	22.0	42.9	36
I100505		0.46	<0.005	0.22	1.99	102.5	<0.2	<10	300	0.37	0.30	0.51	0.61	25.9	14.3	38
I100506		0.48	0.014	0.25	1.63	74.2	<0.2	<10	240	0.24	0.24	0.51	0.31	20.2	11.6	31
I100507		0.26	<0.005	0.29	1.62	93.6	<0.2	<10	150	0.21	0.36	0.21	0.31	18.55	10.6	27
I100508		0.56	0.007	0.25	1.56	94.2	<0.2	<10	190	0.33	0.38	0.46	0.93	19.25	13.7	26
I100509	Not Recvd															
I100510		0.44	<0.005	0.28	1.59	59.4	<0.2	<10	140	0.24	0.55	0.25	0.85	17.85	10.9	26
I100511		0.58	<0.005	0.28	1.53	35.8	<0.2	<10	120	0.25	0.47	0.26	0.67	18.15	8.8	22
I100512		0.50	<0.005	0.25	1.37	30.2	<0.2	<10	130	0.28	0.40	0.22	0.82	17.15	9.1	21
I100513		0.48	0.009	0.21	1.88	10.5	<0.2	<10	130	0.38	0.24	0.07	0.26	13.85	8.7	32
I100514		0.44	<0.005	0.87	2.85	11.3	<0.2	<10	190	0.51	0.35	0.10	1.00	18.10	11.6	40
I100515		0.48	<0.005	0.20	2.88	12.3	<0.2	<10	200	0.44	0.22	0.16	0.35	14.95	15.2	48
I100516		0.48	<0.005	0.23	1.75	17.7	<0.2	<10	100	0.34	0.40	0.03	0.24	20.4	11.6	22
I100517		0.42	<0.005	0.06	1.73	10.6	<0.2	<10	100	0.23	0.29	0.04	0.14	18.10	11.2	39
I100518		0.48	<0.005	0.05	1.68	8.2	<0.2	<10	140	0.22	0.18	0.13	0.13	22.3	7.0	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100469		3.31	22.2	3.71	7.40	0.07	0.05	0.02	0.032	0.38	22.9	17.0	0.63	301	1.70
I100470		2.46	20.7	3.46	7.38	0.06	0.05	0.01	0.030	0.31	18.2	15.6	0.57	282	1.77
I100471		2.79	14.2	5.08	5.56	0.07	0.04	0.02	0.047	0.17	8.6	9.5	0.61	350	0.94
I100472		2.30	18.3	2.93	4.43	<0.05	0.03	0.01	0.030	0.13	10.7	5.3	0.30	262	1.05
I100473		1.41	17.4	3.44	6.43	0.05	0.03	0.03	0.031	0.07	12.5	11.5	0.70	576	1.20
I100474		1.06	19.4	2.93	6.05	0.06	0.03	0.04	0.028	0.07	11.2	10.9	0.63	334	0.89
I100475		0.90	22.3	2.70	5.88	0.05	0.02	0.03	0.023	0.06	8.8	9.0	0.59	377	0.90
I100476		1.14	18.9	3.15	6.54	0.07	0.03	0.03	0.025	0.11	11.5	11.7	0.80	277	0.69
I100477		0.94	13.5	2.66	5.10	0.07	0.03	0.03	0.018	0.12	8.2	10.3	0.79	296	0.54
I100478		0.94	16.7	2.77	6.25	0.05	0.02	0.03	0.022	0.05	8.7	11.8	0.72	209	0.50
I100479		2.02	49.1	3.00	5.84	0.06	0.02	0.04	0.027	0.06	13.0	14.2	1.00	876	1.57
I100480		2.73	61.7	3.17	5.70	0.07	0.03	0.03	0.025	0.16	10.9	16.2	1.18	466	1.92
I100481		1.17	39.1	3.13	7.18	0.05	0.04	0.02	0.027	0.08	9.0	11.1	0.58	328	2.48
I100482		1.39	56.3	3.91	7.40	0.05	0.04	0.03	0.039	0.09	11.0	16.8	0.70	484	3.69
I100483		2.20	51.1	3.52	7.36	0.05	0.03	0.03	0.033	0.08	14.3	13.8	0.63	357	4.09
I100484		1.09	24.5	2.62	6.74	<0.05	0.02	0.03	0.022	0.06	8.1	9.4	0.35	1100	2.04
I100485		3.45	50.1	3.21	6.69	0.07	0.07	0.06	0.036	0.10	17.9	15.3	0.51	712	1.56
I100486		4.34	29.7	3.93	10.00	0.07	0.04	0.01	0.020	0.26	5.2	19.1	1.74	412	0.97
I100487		1.96	44.6	2.67	6.85	0.06	0.02	0.03	0.028	0.07	16.4	9.6	0.53	255	1.84
I100488		1.07	37.2	2.78	4.94	0.06	0.04	0.01	0.026	0.08	11.9	12.4	0.53	430	1.70
I100489		1.37	65.6	3.33	6.90	0.06	0.04	0.03	0.037	0.08	13.0	12.6	0.58	386	3.31
I100490		1.65	58.4	3.02	5.54	0.06	0.03	0.03	0.029	0.06	12.1	13.2	0.83	1120	2.09
I100501		1.80	42.5	3.54	4.97	0.07	0.07	0.03	0.041	0.08	19.2	13.9	0.50	474	3.77
I100502		1.17	28.7	3.38	4.54	<0.05	0.03	0.05	0.038	0.03	6.8	5.8	0.31	4030	4.27
I100503		1.33	21.6	3.84	6.56	0.05	0.03	0.05	0.035	0.05	9.5	16.0	0.64	434	2.43
I100504		0.99	32.6	3.73	5.09	0.06	0.03	0.06	0.041	0.04	9.6	8.7	0.47	4820	4.41
I100505		1.21	33.9	3.11	5.86	0.06	0.04	0.04	0.039	0.05	12.6	14.4	0.61	668	2.10
I100506		0.90	27.1	2.48	4.82	<0.05	0.02	0.05	0.027	0.05	10.0	10.7	0.50	687	1.87
I100507		0.99	23.5	2.40	5.70	0.05	0.02	0.04	0.026	0.04	9.5	11.0	0.43	348	2.18
I100508		0.83	43.9	2.57	5.40	0.05	0.03	0.03	0.031	0.04	9.4	12.8	0.52	595	2.06
I100509															
I100510		0.95	42.3	2.53	6.05	0.06	0.02	0.05	0.029	0.04	9.1	12.6	0.49	361	2.31
I100511		0.89	35.4	2.35	5.40	0.06	0.02	0.04	0.067	0.04	9.3	10.7	0.49	264	1.82
I100512		0.80	35.9	2.23	5.31	0.06	0.02	0.05	0.023	0.03	8.6	10.9	0.40	270	1.59
I100513		1.34	19.4	3.63	10.25	0.06	0.09	0.03	0.029	0.04	7.0	17.3	0.34	206	1.81
I100514		1.47	35.3	3.60	11.15	0.06	0.13	0.04	0.038	0.04	9.0	17.0	0.42	267	2.18
I100515		2.04	27.0	3.81	8.87	0.07	0.14	0.03	0.039	0.06	7.5	21.6	0.67	406	1.73
I100516		0.95	17.8	4.67	6.82	0.08	0.04	0.03	0.028	0.03	11.2	12.3	0.27	345	6.47
I100517		0.72	15.2	3.40	7.25	0.05	<0.02	0.01	0.029	0.04	9.2	9.3	0.64	246	3.46
I100518		0.91	13.1	2.87	8.26	0.05	0.03	0.02	0.025	0.05	9.9	14.3	0.43	248	1.52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I100469		1.61	22.6	540	19.7	51.0	<0.001	0.01	0.25	4.1	0.4	1.0	28.5	<0.01	0.03	9.4
I100470		1.58	21.8	350	17.6	39.8	<0.001	0.01	0.27	3.8	0.3	0.9	24.2	<0.01	0.03	6.9
I100471		0.92	12.4	480	10.5	26.8	<0.001	0.01	0.28	8.9	0.4	1.3	19.6	<0.01	0.03	3.4
I100472		0.67	9.6	560	7.8	18.0	<0.001	0.01	0.22	5.2	0.4	0.8	15.9	<0.01	0.03	9.0
I100473		1.20	13.0	590	10.8	10.6	<0.001	0.03	0.20	5.0	0.6	0.9	36.5	<0.01	0.04	5.2
I100474		1.16	15.5	610	8.3	11.6	<0.001	0.03	0.29	5.1	0.6	0.7	30.6	<0.01	0.04	3.2
I100475		1.18	15.5	480	6.6	10.7	<0.001	0.02	0.24	4.4	0.5	0.6	34.0	<0.01	0.04	1.9
I100476		1.29	16.5	510	6.6	14.2	<0.001	0.02	0.26	5.8	0.6	0.7	34.1	<0.01	0.03	2.9
I100477		1.13	14.9	600	5.1	13.1	<0.001	0.02	0.24	4.6	0.5	0.6	36.6	<0.01	0.02	2.6
I100478		1.25	16.0	450	6.6	10.8	<0.001	0.01	0.22	4.6	0.4	0.6	29.7	<0.01	0.03	2.2
I100479		0.82	37.7	560	39.6	15.3	<0.001	0.03	0.31	6.4	1.0	0.7	30.3	<0.01	0.05	1.4
I100480		1.00	47.7	480	47.3	22.1	<0.001	0.03	0.49	6.3	1.1	0.4	27.8	<0.01	0.05	2.1
I100481		1.35	29.0	390	20.6	11.6	<0.001	0.02	0.57	4.1	0.7	0.6	23.8	<0.01	0.06	2.4
I100482		1.26	43.4	540	21.8	10.3	<0.001	0.02	1.01	4.7	1.1	0.6	24.1	<0.01	0.07	3.2
I100483		1.13	35.2	570	22.5	15.9	<0.001	0.02	0.99	4.6	0.8	0.6	24.4	<0.01	0.06	3.3
I100484		1.19	21.6	450	14.3	8.7	<0.001	0.01	0.57	3.3	0.4	0.6	19.1	<0.01	0.04	1.4
I100485		1.44	36.5	510	17.8	10.8	<0.001	0.02	1.16	8.6	1.0	0.5	50.0	0.01	0.05	2.7
I100486		3.83	87.6	240	11.1	31.6	<0.001	<0.01	0.36	5.1	0.4	0.6	21.9	<0.01	0.02	1.5
I100487		0.88	25.7	270	14.9	13.0	<0.001	0.01	0.43	4.1	0.6	0.6	12.5	<0.01	0.04	1.8
I100488		1.46	29.4	650	16.6	11.0	0.001	0.01	0.69	3.9	0.8	0.6	24.6	<0.01	0.04	3.3
I100489		1.22	41.7	550	17.8	11.5	<0.001	0.02	0.61	5.5	1.1	0.6	23.6	<0.01	0.07	2.8
I100490		1.13	38.9	650	33.0	16.9	<0.001	0.04	0.64	4.7	1.3	0.4	29.3	<0.01	0.05	1.6
I100501		0.49	46.2	830	31.1	14.2	0.001	0.06	1.59	6.1	2.1	0.6	21.3	<0.01	0.06	8.8
I100502		0.53	22.8	1180	22.4	6.9	0.001	0.08	1.32	3.9	1.6	0.3	31.9	<0.01	0.08	0.9
I100503		1.03	37.3	700	21.6	11.6	0.001	0.04	1.08	4.8	1.1	0.6	23.2	<0.01	0.06	2.9
I100504		0.69	31.4	1310	19.1	8.1	0.001	0.10	1.23	4.3	2.0	0.5	48.1	<0.01	0.10	1.2
I100505		0.97	36.2	900	20.3	11.1	0.001	0.04	1.01	5.1	1.4	0.6	31.2	<0.01	0.04	3.2
I100506		0.82	28.4	810	13.7	10.1	<0.001	0.06	0.72	4.0	1.3	0.5	32.5	<0.01	0.04	1.4
I100507		0.77	23.1	630	20.6	11.0	<0.001	0.05	0.79	3.6	1.3	0.5	18.8	<0.01	0.06	1.6
I100508		0.68	28.5	860	27.5	9.6	<0.001	0.03	0.83	3.6	1.3	0.4	29.0	<0.01	0.05	1.9
I100509																
I100510		0.84	23.3	620	41.4	8.0	<0.001	0.03	0.68	3.3	1.3	0.5	20.8	<0.01	0.07	1.5
I100511		0.78	19.8	670	32.8	9.8	<0.001	0.03	0.52	2.9	1.0	0.4	20.0	<0.01	0.05	1.5
I100512		0.71	19.0	610	29.8	7.8	<0.001	0.03	0.50	2.7	1.2	0.4	19.2	<0.01	0.05	0.9
I100513		1.84	22.7	340	11.0	12.5	<0.001	0.01	0.65	2.8	0.4	0.8	10.6	<0.01	0.06	1.7
I100514		1.94	27.0	290	76.1	11.6	<0.001	0.01	0.76	4.5	0.7	0.9	16.1	0.01	0.07	2.5
I100515		1.51	36.2	250	15.4	15.2	<0.001	0.01	0.55	4.6	0.5	0.7	17.6	0.01	0.05	2.9
I100516		1.02	24.4	450	29.5	8.2	<0.001	0.03	0.41	2.7	1.6	0.5	16.2	<0.01	0.08	3.9
I100517		0.60	41.7	410	8.4	7.2	<0.001	0.02	0.36	3.0	0.9	0.5	14.7	<0.01	0.07	1.0
I100518		1.20	16.5	250	7.8	10.1	<0.001	<0.01	0.35	3.0	0.3	0.6	14.0	<0.01	0.04	2.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I100469		0.115	0.41	1.13	50	0.10	10.05	67	2.0
I100470		0.106	0.35	0.88	52	0.10	7.24	60	2.0
I100471		0.068	0.24	1.15	99	0.14	6.60	63	1.5
I100472		0.032	0.16	1.96	52	0.15	9.55	43	0.8
I100473		0.082	0.14	1.32	80	0.18	8.03	45	1.1
I100474		0.086	0.11	1.25	65	0.20	8.98	48	1.1
I100475		0.093	0.09	1.05	63	0.14	6.24	45	0.8
I100476		0.112	0.12	1.13	70	0.15	8.95	50	1.2
I100477		0.109	0.11	0.73	60	0.14	6.31	45	1.1
I100478		0.107	0.10	0.86	65	0.14	5.64	47	0.8
I100479		0.069	0.15	1.00	59	0.11	12.20	110	0.6
I100480		0.099	0.19	1.08	70	0.16	7.32	211	0.8
I100481		0.101	0.14	0.71	79	0.15	4.69	91	2.1
I100482		0.084	0.13	0.96	86	0.20	6.33	139	2.0
I100483		0.082	0.19	0.90	91	0.19	6.45	124	1.1
I100484		0.081	0.11	0.42	69	0.14	2.89	67	0.8
I100485		0.081	0.14	1.63	73	0.23	27.7	82	2.1
I100486		0.273	0.31	0.32	97	0.15	3.72	104	1.5
I100487		0.062	0.17	1.10	66	0.15	7.85	86	<0.5
I100488		0.087	0.09	1.29	67	0.19	9.47	107	1.4
I100489		0.085	0.12	1.69	84	0.18	11.30	152	1.6
I100490		0.082	0.15	1.35	64	0.17	8.31	146	0.8
I100501		0.014	0.18	1.92	71	0.17	10.75	153	1.9
I100502		0.032	0.12	1.14	68	0.16	7.34	77	0.7
I100503		0.041	0.14	0.93	91	0.17	5.82	118	1.1
I100504		0.041	0.16	1.80	78	0.17	9.35	94	0.9
I100505		0.050	0.14	1.72	70	0.15	9.17	138	1.1
I100506		0.042	0.10	1.41	57	0.13	7.47	103	0.5
I100507		0.036	0.11	1.18	61	0.13	6.44	106	0.8
I100508		0.039	0.09	1.14	58	0.15	7.06	171	0.8
I100509									
I100510		0.052	0.10	0.81	63	0.12	4.82	167	0.6
I100511		0.054	0.09	0.77	52	0.38	4.79	149	0.6
I100512		0.044	0.08	0.89	53	0.12	4.60	118	<0.5
I100513		0.105	0.11	0.34	95	0.17	2.22	45	3.8
I100514		0.103	0.13	0.54	94	0.19	3.84	111	5.8
I100515		0.113	0.14	0.47	83	0.15	3.22	58	6.7
I100516		0.048	0.09	2.06	53	0.15	6.80	59	1.8
I100517		0.041	0.07	0.97	52	0.14	6.44	51	<0.5
I100518		0.081	0.07	0.50	66	0.15	6.85	35	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100519		0.54	<0.005	0.24	2.18	5.3	<0.2	<10	190	0.35	0.20	0.37	0.10	25.7	10.4	52
I100520		0.48	<0.005	0.22	1.55	3.1	<0.2	<10	190	0.40	0.16	0.67	0.21	25.3	10.0	38
I100521		0.60	0.007	0.08	1.80	6.7	<0.2	<10	180	0.42	0.12	0.71	0.14	18.90	12.7	26
I100522		0.58	0.006	0.08	2.07	6.2	<0.2	<10	170	0.38	0.16	0.53	0.13	15.30	12.6	27
I100523		0.44	0.009	0.11	2.25	5.7	<0.2	<10	200	0.55	0.15	0.55	0.07	19.70	14.2	30
I100524		0.36	<0.005	0.14	2.14	4.2	<0.2	<10	230	0.51	0.13	0.66	0.16	20.9	15.6	23
I100525		0.48	<0.005	0.10	1.90	3.4	<0.2	<10	210	0.43	0.12	0.93	0.20	15.50	11.6	22
I100526		0.42	<0.005	0.09	1.91	3.4	<0.2	<10	220	0.54	0.12	0.91	0.22	17.60	12.1	23
I100527		0.38	<0.005	0.09	2.08	4.4	<0.2	<10	200	0.46	0.13	0.51	0.15	18.45	11.3	26
I100528		0.36	<0.005	0.16	2.17	4.2	<0.2	<10	300	0.42	0.13	1.28	0.34	22.3	8.7	29
I100529		0.46	<0.005	0.11	1.62	4.9	<0.2	<10	180	0.40	0.13	0.30	0.17	15.20	9.3	23
I100530		0.38	<0.005	0.13	1.74	4.5	<0.2	<10	220	0.38	0.23	0.52	0.13	15.20	13.3	24
I100531		0.32	<0.005	0.14	1.66	4.6	<0.2	<10	280	0.67	0.15	1.34	0.31	19.00	11.6	21
I100532		0.46	<0.005	0.07	2.11	8.1	<0.2	<10	200	0.43	0.14	0.55	0.11	15.30	16.6	31
I100533		0.58	<0.005	0.05	2.11	6.8	<0.2	<10	190	0.52	0.24	0.38	0.06	16.75	13.0	40
I100534		0.52	<0.005	0.05	2.22	7.4	<0.2	<10	150	0.42	0.13	0.31	0.08	14.00	15.6	35
I100535		0.46	<0.005	0.14	2.15	8.8	<0.2	<10	150	0.33	0.17	0.23	0.17	12.95	10.7	31
I100536		0.44	<0.005	0.05	2.40	14.6	<0.2	<10	130	0.29	0.20	0.16	0.14	13.55	11.4	32
I100537		0.44	<0.005	0.12	2.27	11.7	<0.2	<10	150	0.30	0.20	0.15	0.13	15.10	10.2	28
I100538		0.44	<0.005	0.38	2.44	67.7	<0.2	<10	180	0.35	0.25	0.16	0.37	22.4	10.5	42
I100539		0.50	<0.005	0.37	2.89	120.5	<0.2	<10	280	0.45	0.32	0.18	0.33	33.3	15.3	106
I100540		0.40	<0.005	0.19	2.66	90.7	<0.2	<10	200	0.48	0.21	0.17	0.32	21.3	12.3	45
I100541		0.46	<0.005	0.26	2.55	76.8	<0.2	<10	270	0.54	0.23	0.22	0.41	28.5	14.0	37
I100542		0.38	<0.005	0.17	1.36	4.5	<0.2	<10	120	0.16	0.19	0.20	0.10	8.54	8.1	17
I100543		0.36	<0.005	0.40	1.76	7.4	<0.2	<10	170	0.44	0.36	0.30	0.13	12.80	8.6	27
I100544		0.38	<0.005	0.13	2.15	9.4	<0.2	<10	210	0.29	0.17	0.55	0.17	15.40	10.1	24
I100545		0.50	0.008	0.13	2.47	21.0	<0.2	<10	230	0.44	0.21	0.45	0.17	30.6	11.6	30
I100546		0.40	0.005	0.13	2.11	28.5	<0.2	<10	210	0.37	0.19	0.76	0.27	26.4	11.6	26
I100547		0.38	<0.005	0.13	1.78	49.6	<0.2	<10	120	0.20	0.17	0.61	0.19	20.4	12.0	30
I100548		0.42	<0.005	0.19	1.72	47.8	<0.2	<10	190	0.30	0.14	0.80	0.22	24.9	11.3	28
I100549		0.44	<0.005	0.22	2.20	75.6	<0.2	<10	290	0.46	0.20	0.73	0.25	30.1	17.7	34
I100550		0.50	<0.005	0.15	2.14	85.8	<0.2	<10	250	0.38	0.19	0.54	0.21	25.0	16.1	33
I100551		0.40	<0.005	0.87	2.41	8.0	<0.2	<10	180	0.42	0.16	0.22	0.20	23.8	10.9	30
I100552		0.46	<0.005	0.14	1.52	5.6	<0.2	<10	210	0.29	0.14	0.21	0.13	25.3	7.6	21
I100553		0.62	<0.005	0.37	2.06	6.4	<0.2	<10	260	0.40	0.11	0.51	0.14	75.4	11.3	23
I100554		0.52	<0.005	0.36	2.60	3.6	<0.2	<10	250	0.46	0.08	0.49	0.16	122.5	11.5	18
I100555		0.50	<0.005	0.17	1.85	5.9	<0.2	<10	270	0.35	0.12	0.74	0.23	57.9	8.7	23
I100556		0.34	<0.005	0.18	2.37	8.9	<0.2	<10	300	0.41	0.17	0.41	0.14	44.0	14.6	32
I100557		0.38	<0.005	0.17	2.00	8.2	<0.2	<10	230	0.40	0.14	0.24	0.12	24.6	10.6	33
I100558		0.54	<0.005	0.10	2.22	9.1	<0.2	<10	240	0.45	0.13	0.29	0.05	33.7	11.7	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I100519		2.06	17.8	2.97	9.27	0.06	0.02	0.02	0.034	0.07	14.7	13.7	1.14	323	1.25	<0.01
I100520		1.50	24.8	1.97	5.85	0.07	0.03	0.04	0.029	0.05	13.0	10.9	0.70	488	0.88	<0.01
I100521		0.55	20.6	2.37	5.76	0.06	0.06	0.04	0.022	0.04	8.7	12.3	0.52	403	0.74	0.01
I100522		0.56	17.4	2.56	6.91	0.06	0.04	0.04	0.022	0.04	7.3	13.0	0.67	347	0.79	<0.01
I100523		0.73	21.2	2.96	7.14	0.07	0.04	0.05	0.026	0.03	9.8	12.4	0.61	356	0.69	0.01
I100524		0.75	20.7	2.64	6.86	0.06	0.04	0.07	0.024	0.03	10.6	11.0	0.57	755	0.73	0.01
I100525		0.63	22.0	2.39	6.18	0.06	0.03	0.06	0.021	0.03	8.0	10.0	0.55	604	0.61	<0.01
I100526		0.59	26.3	2.45	6.26	0.06	0.02	0.07	0.023	0.04	8.8	10.1	0.56	832	0.62	0.01
I100527		0.64	21.9	2.79	6.67	0.06	0.03	0.04	0.022	0.04	9.4	11.1	0.59	367	0.77	<0.01
I100528		0.62	22.3	2.52	5.97	0.06	0.05	0.06	0.027	0.05	12.1	9.1	0.46	348	0.93	0.01
I100529		0.63	22.6	2.17	5.73	0.05	<0.02	0.05	0.021	0.03	7.5	9.7	0.39	285	0.76	0.01
I100530		0.67	26.1	2.28	5.88	0.05	0.02	0.05	0.020	0.04	7.6	9.9	0.45	475	1.05	0.01
I100531		0.59	34.4	2.01	4.70	0.06	0.05	0.08	0.018	0.04	10.0	8.1	0.39	608	0.83	0.01
I100532		0.84	19.6	3.17	6.82	0.07	0.07	0.04	0.024	0.04	7.3	12.9	0.71	578	1.12	0.01
I100533		0.84	22.9	3.08	6.64	0.07	0.05	0.02	0.021	0.04	8.6	12.4	0.79	349	0.91	<0.01
I100534		0.85	19.0	3.34	6.86	0.07	0.04	0.02	0.022	0.05	6.6	12.4	0.87	548	0.76	<0.01
I100535		0.81	20.7	3.19	7.80	0.05	0.04	0.02	0.023	0.05	6.1	10.7	0.66	360	0.92	<0.01
I100536		1.01	17.6	3.50	8.88	0.06	0.06	0.02	0.025	0.04	6.4	13.6	0.70	331	1.14	<0.01
I100537		1.32	16.9	3.08	8.75	0.05	0.05	0.02	0.026	0.04	7.1	14.2	0.46	245	1.16	<0.01
I100538		1.13	26.7	3.35	8.72	0.06	0.05	0.04	0.030	0.04	10.8	13.5	0.48	305	1.65	<0.01
I100539		1.98	45.4	4.26	9.89	0.09	0.04	0.02	0.043	0.04	17.4	16.0	0.99	425	2.98	<0.01
I100540		1.27	32.9	3.48	8.06	0.06	0.07	0.04	0.033	0.05	10.0	14.8	0.56	352	1.58	<0.01
I100541		1.42	46.2	3.37	7.81	0.07	0.03	0.03	0.034	0.04	15.1	14.4	0.51	425	2.10	<0.01
I100542		0.57	11.1	2.24	6.40	<0.05	0.02	0.01	0.014	0.05	4.3	5.6	0.40	399	1.15	<0.01
I100543		1.29	22.1	3.00	7.40	0.06	0.02	0.05	0.061	0.07	6.6	8.0	0.65	255	1.15	<0.01
I100544		1.41	20.9	3.38	7.37	0.06	0.02	0.02	0.024	0.08	7.1	14.8	0.76	384	0.86	0.02
I100545		1.54	26.5	3.40	7.66	0.07	0.03	0.06	0.031	0.10	14.5	18.5	0.70	421	0.93	0.02
I100546		1.25	25.4	3.25	7.00	0.07	0.02	0.04	0.027	0.07	12.2	15.6	0.70	441	0.97	0.03
I100547		1.09	23.7	2.77	6.16	0.06	0.02	0.04	0.025	0.06	9.2	14.1	0.64	464	1.19	0.02
I100548		1.22	27.0	2.98	5.92	0.07	0.02	0.04	0.024	0.07	11.4	13.9	0.68	431	1.17	0.02
I100549		1.79	44.8	3.48	7.24	0.07	0.03	0.04	0.033	0.07	13.8	19.9	0.72	844	1.62	0.02
I100550		1.41	40.7	3.45	6.89	0.07	0.03	0.03	0.031	0.06	11.8	19.6	0.75	463	1.63	0.02
I100551		0.90	13.3	3.22	8.18	0.06	<0.02	0.02	0.026	0.08	10.6	17.6	0.53	635	1.05	0.01
I100552		0.85	10.5	2.77	7.49	0.06	0.03	0.02	0.018	0.15	11.8	18.1	0.46	427	0.91	0.01
I100553		1.13	18.4	3.06	7.60	0.10	0.03	0.04	0.019	0.20	49.3	26.4	0.64	804	0.79	0.01
I100554		1.41	22.7	3.46	9.32	0.13	0.04	0.04	0.017	0.49	77.2	33.9	0.79	969	0.69	0.01
I100555		0.85	22.7	2.69	6.45	0.08	0.04	0.04	0.020	0.19	32.1	23.3	0.60	484	0.71	0.02
I100556		0.85	24.0	3.40	7.72	0.08	0.05	0.06	0.031	0.15	22.3	22.7	0.60	813	1.17	0.02
I100557		0.65	17.9	2.86	6.35	0.05	0.04	0.02	0.025	0.07	11.1	18.2	0.48	649	0.79	0.01
I100558		0.67	19.0	3.27	7.32	0.07	0.03	0.02	0.026	0.13	15.7	18.8	0.57	425	0.98	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I100519		0.97	41.4	450	7.7	24.0	<0.001	0.01	0.24	4.5	0.4	1.3	23.5	<0.01	0.02	2.8
I100520		0.59	28.5	710	7.5	11.6	<0.001	0.05	0.18	3.7	0.8	0.7	29.1	<0.01	0.03	1.2
I100521		1.01	18.9	520	5.9	6.3	<0.001	0.04	0.31	5.2	0.5	0.6	41.5	<0.01	0.03	1.2
I100522		0.92	17.9	520	7.0	6.7	<0.001	0.04	0.30	6.0	0.6	0.7	36.2	<0.01	0.03	1.1
I100523		0.97	18.7	530	6.1	6.8	<0.001	0.03	0.34	6.6	0.5	0.5	36.0	<0.01	0.04	1.3
I100524		0.88	17.1	690	5.1	7.2	<0.001	0.06	0.35	6.2	0.7	0.5	46.1	<0.01	0.02	0.7
I100525		0.69	17.0	680	4.6	6.2	<0.001	0.05	0.34	4.4	0.7	0.4	61.2	<0.01	0.03	0.4
I100526		0.68	19.4	650	4.6	5.7	<0.001	0.04	0.33	4.2	0.7	0.4	61.4	<0.01	0.03	0.3
I100527		0.88	16.9	600	5.3	5.2	<0.001	0.03	0.26	5.3	0.5	0.5	36.7	<0.01	0.03	0.9
I100528		0.96	18.3	940	5.3	5.5	<0.001	0.06	0.44	5.4	1.0	0.4	84.8	<0.01	0.03	0.7
I100529		0.70	15.1	450	5.7	6.4	<0.001	0.02	0.24	3.4	0.4	0.4	27.1	<0.01	0.03	0.3
I100530		0.80	17.0	670	14.0	5.8	<0.001	0.04	0.26	3.6	0.6	0.4	39.6	<0.01	0.03	0.4
I100531		0.74	20.5	830	5.3	5.9	<0.001	0.09	0.47	3.6	1.0	0.3	78.9	<0.01	0.03	0.4
I100532		0.89	18.6	530	5.6	6.4	<0.001	0.02	0.30	5.9	0.5	0.4	36.5	<0.01	0.03	1.4
I100533		0.81	20.3	450	4.9	7.2	<0.001	0.01	0.28	6.1	0.4	0.4	29.1	<0.01	0.02	1.6
I100534		0.83	17.3	440	5.0	8.2	<0.001	<0.01	0.26	4.8	0.4	0.4	24.8	<0.01	0.02	1.6
I100535		1.13	16.8	490	6.9	10.2	<0.001	0.01	0.33	4.3	0.3	0.5	21.4	<0.01	0.02	1.2
I100536		1.07	16.9	250	7.5	10.1	<0.001	<0.01	0.41	4.3	0.3	0.6	16.4	<0.01	0.02	1.8
I100537		1.58	18.3	260	9.1	9.6	<0.001	0.01	0.45	3.8	0.4	0.7	18.4	0.01	0.04	1.7
I100538		1.19	26.1	310	25.5	10.6	<0.001	<0.01	0.71	4.9	0.6	0.8	17.2	<0.01	0.05	3.0
I100539		0.98	94.9	410	29.6	11.5	<0.001	<0.01	1.12	5.8	1.1	0.7	18.5	<0.01	0.06	3.3
I100540		1.50	32.2	380	42.6	10.0	<0.001	0.01	0.83	5.3	0.7	0.7	17.5	0.01	0.05	3.3
I100541		1.13	40.6	600	42.8	10.0	<0.001	0.01	1.17	4.9	1.0	0.6	19.6	<0.01	0.05	2.0
I100542		0.92	8.8	220	7.8	7.4	<0.001	0.01	0.21	2.4	0.2	0.5	16.1	<0.01	0.03	0.9
I100543		0.90	12.2	570	11.4	15.6	<0.001	0.04	0.23	3.0	0.5	0.5	27.8	<0.01	0.04	0.5
I100544		1.11	15.4	450	9.2	12.3	<0.001	<0.01	0.35	4.1	0.4	0.6	38.4	<0.01	0.03	1.0
I100545		1.25	21.1	570	13.6	15.1	<0.001	<0.01	0.42	5.6	0.5	0.7	35.8	<0.01	0.04	2.5
I100546		1.14	18.9	640	15.0	11.3	<0.001	0.02	0.42	4.9	0.6	0.6	44.8	<0.01	0.04	1.6
I100547		1.09	21.3	750	21.8	9.9	0.001	0.03	0.47	3.9	0.7	0.5	35.4	<0.01	0.04	1.0
I100548		0.95	22.3	870	13.1	11.6	0.002	0.04	0.56	5.1	1.1	0.6	46.2	<0.01	0.04	1.2
I100549		1.11	29.9	860	17.6	12.8	0.001	0.03	0.69	6.0	1.2	0.5	48.7	<0.01	0.06	1.2
I100550		1.15	30.1	760	13.4	10.9	<0.001	0.02	0.78	5.4	1.0	0.6	36.7	<0.01	0.05	1.9
I100551		1.60	20.5	450	9.7	17.5	<0.001	<0.01	0.60	3.2	0.3	0.8	23.3	<0.01	0.05	1.8
I100552		2.83	15.2	480	7.6	26.7	<0.001	<0.01	0.39	2.6	0.3	0.6	21.4	<0.01	0.03	3.2
I100553		3.60	15.6	650	6.9	38.4	<0.001	0.01	0.27	4.1	0.5	0.6	36.3	<0.01	0.03	6.5
I100554		4.55	14.7	780	5.7	62.2	<0.001	<0.01	0.28	4.5	0.5	0.6	35.5	<0.01	0.03	12.8
I100555		3.13	18.4	510	6.4	27.0	<0.001	0.02	0.49	4.3	0.6	0.5	48.7	<0.01	0.03	4.6
I100556		2.96	20.5	670	8.6	19.3	<0.001	<0.01	0.53	5.2	0.7	0.6	33.3	<0.01	0.04	6.2
I100557		1.46	23.5	590	8.1	9.6	<0.001	<0.01	0.51	3.2	0.3	0.6	23.0	<0.01	0.03	3.0
I100558		1.84	23.9	400	8.0	12.4	<0.001	<0.01	0.51	4.8	0.3	0.6	25.1	<0.01	0.03	5.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I100519		0.097	0.19	0.76	66	0.09	8.47	56
I100520		0.051	0.10	0.72	37	0.06	10.25	43
I100521		0.078	0.06	0.64	60	0.09	6.85	45
I100522		0.069	0.05	0.56	69	0.09	5.60	49
I100523		0.083	0.08	0.70	71	0.14	9.11	46
I100524		0.065	0.08	0.85	64	0.10	11.40	45
I100525		0.057	0.06	0.64	56	0.10	8.15	49
I100526		0.057	0.05	0.68	57	0.08	8.83	53
I100527		0.071	0.05	0.73	65	0.10	7.81	46
I100528		0.065	0.06	1.42	54	0.09	12.50	51
I100529		0.064	0.05	0.67	51	0.09	5.45	37
I100530		0.065	0.07	0.71	56	0.11	5.49	48
I100531		0.052	0.06	0.71	43	0.07	11.90	40
I100532		0.081	0.07	0.65	75	0.09	5.95	47
I100533		0.097	0.07	0.69	72	0.10	6.43	49
I100534		0.105	0.07	0.49	75	0.10	4.24	52
I100535		0.099	0.08	0.46	74	0.13	3.39	52
I100536		0.118	0.09	0.35	89	0.13	2.71	52
I100537		0.104	0.10	0.41	78	0.14	3.14	39
I100538		0.080	0.13	0.60	84	0.15	4.88	64
I100539		0.054	0.18	0.87	99	0.15	11.75	126
I100540		0.089	0.13	0.80	80	0.25	5.66	62
I100541		0.056	0.14	0.93	76	0.26	11.95	90
I100542		0.088	0.08	0.26	61	0.14	2.20	35
I100543		0.110	0.10	0.90	76	0.11	4.11	48
I100544		0.112	0.10	0.43	77	0.12	4.38	64
I100545		0.102	0.10	0.83	75	0.14	7.92	63
I100546		0.086	0.09	0.84	74	0.15	6.90	60
I100547		0.081	0.09	0.55	68	0.13	5.20	63
I100548		0.073	0.10	0.65	67	0.13	9.54	63
I100549		0.079	0.12	0.92	76	0.15	10.60	79
I100550		0.085	0.11	0.90	75	0.13	7.12	76
I100551		0.081	0.12	0.43	74	0.17	2.52	68
I100552		0.112	0.13	0.30	62	0.15	2.66	46
I100553		0.125	0.17	1.33	62	0.14	8.76	58
I100554		0.159	0.26	2.12	60	0.14	11.40	78
I100555		0.108	0.12	1.07	52	0.15	9.87	62
I100556		0.119	0.11	0.78	69	0.20	5.96	59
I100557		0.085	0.09	0.30	67	0.14	2.50	70
I100558		0.114	0.13	0.40	70	0.18	3.62	52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100559		0.64	<0.005	0.10	2.02	8.7	<0.2	<10	210	0.43	0.13	0.25	0.05	32.2	10.0	34
I100560		0.46	<0.005	0.14	2.15	7.0	<0.2	<10	350	0.50	0.13	0.78	0.13	49.0	9.3	27
I100561		0.54	<0.005	0.04	1.78	8.6	<0.2	<10	180	0.32	0.12	0.24	0.17	26.2	8.8	25
I100562		0.50	<0.005	0.03	1.79	5.4	<0.2	<10	120	0.27	0.12	0.13	0.05	17.55	7.5	19
I100563		0.58	<0.005	0.06	2.42	3.9	<0.2	<10	160	0.46	0.17	0.35	0.11	43.7	7.6	15
I100564		0.56	<0.005	0.05	1.97	7.9	<0.2	<10	230	0.30	0.21	0.17	0.09	17.20	9.1	28
I100565		0.52	<0.005	0.06	1.60	7.3	<0.2	<10	260	0.24	0.16	0.23	0.08	16.45	8.6	27
I100566		0.52	<0.005	0.02	1.59	9.1	<0.2	<10	100	0.22	0.17	0.16	0.10	22.5	6.1	18
I100567		0.70	0.022	0.05	2.01	6.6	<0.2	<10	190	0.29	0.13	0.30	0.06	32.8	8.7	21
I100568		0.52	0.006	0.14	2.19	6.1	<0.2	<10	250	0.37	0.10	0.44	0.13	70.1	11.2	24
I100569		0.52	0.005	0.23	2.07	6.5	<0.2	<10	230	0.71	0.15	0.55	0.11	158.0	8.7	27
I100570		0.52	<0.005	0.10	1.77	9.2	<0.2	<10	150	0.23	0.14	0.19	0.10	24.6	7.4	31
I100571		0.56	<0.005	0.21	2.13	8.2	0.3	<10	350	0.37	0.13	0.29	0.11	31.4	12.6	24
I100572		0.72	<0.005	0.12	2.28	8.5	<0.2	<10	270	0.56	0.15	0.47	0.10	76.5	11.3	32
I100573		0.60	<0.005	0.09	2.18	13.2	<0.2	<10	330	0.57	0.16	0.51	0.08	68.6	12.2	37
I100574		0.56	<0.005	0.08	2.16	8.1	<0.2	<10	310	0.56	0.16	0.71	0.15	64.5	10.6	29
I100575		0.52	<0.005	0.11	1.98	9.5	<0.2	<10	310	0.52	0.16	0.71	0.14	50.8	10.6	31
I100576		0.40	<0.005	0.14	3.49	6.9	<0.2	<10	80	0.57	0.14	0.22	0.15	10.75	16.0	13
I100577		0.50	0.005	0.09	2.72	8.0	<0.2	<10	200	0.44	0.14	0.44	0.06	29.6	13.1	35
I100578		0.40	<0.005	0.11	1.11	2.9	<0.2	<10	100	0.21	0.12	0.15	0.10	11.20	4.2	17
I100579		0.46	<0.005	0.05	2.98	7.9	<0.2	<10	170	0.35	0.16	0.26	0.09	19.60	11.7	40
I100580		0.34	<0.005	0.03	1.62	4.9	<0.2	<10	120	0.25	0.12	0.16	0.09	14.15	5.6	16
I100581		0.58	<0.005	0.03	2.74	7.8	<0.2	<10	140	0.41	0.14	0.19	0.09	19.70	12.6	36
I100582		0.52	<0.005	0.13	3.04	9.5	<0.2	<10	210	0.47	0.20	0.15	0.08	21.7	15.9	37
I100583		0.36	<0.005	0.06	3.45	5.6	<0.2	<10	80	0.65	0.12	0.26	0.08	7.84	25.2	12
I100584		0.34	<0.005	0.07	3.42	5.3	<0.2	<10	70	0.60	0.11	0.29	0.09	7.00	27.8	11
I100585		0.56	<0.005	0.03	3.80	7.8	<0.2	<10	220	0.59	0.18	0.27	0.12	17.40	25.8	26
I100586		0.42	<0.005	0.64	3.62	46.1	<0.2	<10	190	0.49	0.18	0.16	0.41	20.2	15.8	47
I100587		0.56	<0.005	0.10	2.67	36.7	<0.2	<10	190	0.44	0.23	0.10	0.55	15.10	14.9	41
I100588		0.34	<0.005	0.12	3.15	12.5	<0.2	<10	220	0.48	0.25	0.11	0.70	20.7	12.0	40
I100589		0.44	<0.005	0.79	3.43	9.8	<0.2	<10	290	0.73	0.17	0.20	0.27	25.2	14.3	49
I100590		0.40	<0.005	0.53	3.41	11.4	<0.2	<10	210	0.46	0.17	0.16	0.51	20.6	16.9	49
I100591		0.54	<0.005	0.19	1.89	5.0	<0.2	<10	110	0.22	0.28	0.05	0.31	16.40	12.1	25
I100592		0.48	<0.005	1.11	3.46	9.7	<0.2	<10	230	0.54	0.22	0.14	0.47	28.2	12.2	47
I100593		0.56	<0.005	0.24	1.96	5.7	<0.2	<10	230	0.41	0.37	0.16	0.35	43.6	12.9	32
I100594		0.44	<0.005	0.21	1.83	13.5	<0.2	<10	140	0.39	0.40	0.11	0.65	19.70	7.9	28
I100595		0.46	<0.005	0.11	2.39	12.6	<0.2	<10	200	0.62	0.52	0.12	0.60	36.8	29.3	42
I100596		0.42	<0.005	3.22	3.32	15.3	<0.2	<10	270	0.59	0.32	0.08	0.81	28.0	24.5	42
I100597		0.42	<0.005	0.53	2.01	11.9	0.2	<10	150	0.32	0.23	0.10	0.35	17.40	12.3	28
I100598		0.46	<0.005	0.28	1.98	7.9	<0.2	<10	190	0.29	0.23	0.15	0.27	20.1	7.1	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100559		0.78	15.7	3.09	6.54	0.06	0.06	0.01	0.027	0.20	15.0	18.1	0.53	463	0.83
I100560		0.84	25.8	3.21	7.14	0.09	0.08	0.04	0.026	0.27	31.8	22.1	0.62	730	0.75
I100561		0.74	17.8	2.91	6.33	0.06	0.03	0.01	0.019	0.13	14.1	21.4	0.51	257	0.94
I100562		0.70	10.2	2.63	6.72	0.07	0.05	<0.01	0.018	0.15	10.9	12.6	0.41	286	0.98
I100563		1.22	8.9	3.41	7.82	0.09	0.03	0.03	0.023	0.54	35.8	12.5	0.67	435	1.01
I100564		0.52	12.0	3.02	6.71	0.06	0.08	<0.01	0.025	0.08	8.8	14.6	0.46	314	1.07
I100565		0.42	11.3	2.58	5.31	0.06	0.02	0.01	0.023	0.07	8.7	10.6	0.39	413	1.11
I100566		1.04	9.0	3.41	9.44	0.07	0.02	<0.01	0.016	0.30	11.4	8.3	0.44	298	1.46
I100567		0.99	12.7	3.27	7.53	0.09	0.04	<0.01	0.021	0.30	21.9	15.2	0.63	377	1.07
I100568		1.18	15.7	3.40	8.13	0.10	0.04	0.03	0.022	0.33	42.6	30.6	0.77	920	1.18
I100569		0.69	24.6	2.83	7.22	0.17	0.06	0.04	0.028	0.08	134.0	23.0	0.45	1140	1.16
I100570		0.52	13.8	2.81	5.80	0.05	0.09	0.01	0.022	0.11	10.8	17.7	0.43	338	1.64
I100571		1.17	15.9	3.37	8.11	0.07	0.03	0.02	0.022	0.29	11.4	22.2	0.59	963	1.40
I100572		0.93	21.9	3.42	7.78	0.09	0.10	0.02	0.029	0.32	34.0	17.9	0.58	608	2.79
I100573		0.72	33.6	3.34	7.03	0.10	0.26	0.02	0.028	0.23	29.2	20.0	0.60	430	1.65
I100574		0.94	35.0	3.25	7.51	0.10	0.11	0.03	0.028	0.19	42.4	22.3	0.64	507	1.52
I100575		0.74	27.7	3.00	6.63	0.08	0.06	0.02	0.029	0.11	24.1	19.7	0.63	550	1.20
I100576		2.30	40.0	6.39	13.15	0.08	0.03	0.03	0.027	0.15	5.0	25.5	1.16	406	1.20
I100577		1.27	33.1	3.57	8.12	0.08	0.05	0.03	0.030	0.06	12.9	21.6	0.82	380	0.66
I100578		0.68	18.6	1.61	5.26	<0.05	<0.02	0.02	0.016	0.03	5.3	5.4	0.20	103	0.71
I100579		1.14	22.3	3.56	9.14	0.07	0.06	0.02	0.033	0.04	8.9	21.9	0.70	312	0.66
I100580		1.16	13.1	2.53	6.61	0.05	0.02	0.03	0.022	0.04	7.0	7.8	0.35	190	0.82
I100581		1.18	20.8	3.27	8.04	0.07	0.08	0.03	0.031	0.04	9.9	13.9	0.60	238	1.15
I100582		1.72	21.1	3.74	10.80	0.08	0.17	0.03	0.037	0.03	10.8	15.3	0.51	385	1.82
I100583		1.57	23.5	6.65	11.15	0.13	0.07	0.03	0.035	0.03	3.9	12.2	1.16	523	1.67
I100584		1.47	24.6	6.68	11.30	0.14	0.06	0.03	0.036	0.04	3.4	11.3	1.18	537	1.65
I100585		3.93	30.2	5.44	10.75	0.12	0.10	0.02	0.035	0.14	8.4	16.7	1.30	654	1.04
I100586		1.84	43.9	4.16	9.31	0.08	0.15	0.06	0.039	0.08	9.7	18.0	0.69	329	2.02
I100587		1.91	32.4	4.45	8.85	0.08	0.10	0.03	0.081	0.09	7.5	15.9	0.50	422	2.56
I100588		1.45	17.4	4.74	12.70	0.08	0.16	0.04	0.038	0.05	10.4	20.7	0.42	428	2.31
I100589		2.80	38.5	3.84	8.25	0.07	0.14	0.07	0.043	0.06	12.2	13.9	0.57	338	1.17
I100590		1.83	29.6	4.02	8.41	0.08	0.23	0.06	0.045	0.06	10.0	19.0	0.60	371	1.68
I100591		1.58	32.8	3.95	7.77	0.07	0.02	0.01	0.039	0.05	6.4	9.7	0.71	375	2.45
I100592		1.84	23.5	3.74	9.59	0.09	0.44	0.05	0.040	0.05	14.6	14.0	0.47	291	2.18
I100593		2.47	63.8	3.81	7.08	0.10	0.03	0.03	0.037	0.08	27.8	10.0	0.53	403	2.45
I100594		1.62	27.5	3.50	10.40	0.07	0.03	0.04	0.033	0.06	10.3	13.2	0.32	312	3.31
I100595		3.67	74.3	5.62	7.17	0.13	0.06	0.03	0.062	0.16	17.0	16.1	0.63	1990	4.25
I100596		2.04	86.6	5.78	9.62	0.10	0.09	0.06	0.046	0.07	13.1	18.1	0.44	731	4.49
I100597		1.42	33.4	3.88	8.27	0.08	0.03	0.04	0.030	0.05	8.2	14.3	0.32	477	2.63
I100598		1.30	21.6	3.44	10.10	0.07	0.09	0.02	0.028	0.04	9.9	9.9	0.27	229	2.11



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I100559		1.94	22.6	280	8.0	27.4	<0.001	<0.01	0.52	4.3	0.4	0.6	26.2	<0.01	0.03	5.7
I100560		3.41	22.7	490	7.0	32.1	<0.001	<0.01	0.54	5.5	0.6	0.6	58.9	<0.01	0.04	7.7
I100561		2.34	18.0	490	7.2	17.3	<0.001	<0.01	0.48	3.0	0.3	0.5	20.8	<0.01	0.03	4.4
I100562		2.97	11.0	180	7.7	29.4	<0.001	0.02	0.28	2.9	<0.2	0.6	16.0	<0.01	0.01	7.1
I100563		3.16	9.5	560	5.9	58.2	<0.001	0.02	0.22	4.4	0.4	0.8	29.8	<0.01	0.02	7.9
I100564		1.94	18.6	290	9.1	13.7	<0.001	0.02	0.43	3.3	<0.2	0.6	21.0	<0.01	0.02	4.6
I100565		1.65	16.7	290	7.9	13.8	<0.001	0.03	0.38	3.0	<0.2	0.5	23.2	<0.01	0.02	2.8
I100566		2.25	9.5	590	8.2	49.3	<0.001	0.03	0.32	1.9	<0.2	0.7	15.3	<0.01	0.02	1.0
I100567		3.49	12.9	410	6.8	42.0	<0.001	0.03	0.26	3.6	0.2	0.6	23.1	<0.01	0.02	7.8
I100568		3.38	16.2	700	6.4	47.9	<0.001	<0.01	0.36	5.0	0.5	0.7	32.7	<0.01	0.03	11.6
I100569		1.13	20.0	580	8.5	11.7	<0.001	<0.01	0.47	5.9	1.1	0.6	37.8	0.01	0.04	13.0
I100570		1.44	18.1	220	8.4	14.6	<0.001	<0.01	0.55	2.9	0.3	0.6	20.3	<0.01	0.03	4.1
I100571		3.92	17.8	600	8.2	36.5	<0.001	<0.01	0.49	3.4	0.3	0.8	29.9	<0.01	0.03	5.6
I100572		2.17	22.5	520	10.2	32.2	<0.001	<0.01	0.47	6.6	0.4	0.7	37.2	<0.01	0.04	12.2
I100573		1.37	29.8	290	10.8	19.1	<0.001	<0.01	0.60	7.1	0.5	0.6	35.3	<0.01	0.03	9.6
I100574		3.09	24.1	470	10.3	28.1	<0.001	<0.01	0.62	5.8	0.9	0.8	52.4	<0.01	0.05	9.2
I100575		2.04	26.6	430	10.9	16.1	<0.001	<0.01	0.66	5.4	0.8	0.7	48.5	<0.01	0.04	4.7
I100576		1.78	8.1	650	4.6	18.1	<0.001	<0.01	0.40	6.4	0.6	0.7	19.1	<0.01	0.06	1.1
I100577		1.43	25.8	580	8.3	9.7	<0.001	<0.01	0.38	6.7	0.5	0.6	33.5	<0.01	0.03	2.0
I100578		0.53	9.2	300	6.0	5.7	<0.001	<0.01	0.24	1.5	0.3	0.5	16.1	<0.01	0.03	<0.2
I100579		1.57	23.5	250	11.2	8.4	<0.001	<0.01	0.40	5.1	0.3	0.7	22.7	<0.01	0.03	2.1
I100580		0.71	8.8	480	6.5	5.9	<0.001	0.01	0.28	2.3	0.4	0.5	21.1	0.01	0.03	0.3
I100581		1.51	20.7	360	7.1	9.5	<0.001	<0.01	0.38	5.5	0.6	0.7	19.6	0.01	0.03	2.5
I100582		2.03	22.0	250	10.2	9.5	<0.001	0.01	0.56	5.3	0.6	0.9	21.0	0.01	0.05	2.9
I100583		1.13	9.1	330	4.6	5.5	<0.001	0.02	0.51	9.6	0.7	0.6	20.8	0.01	0.04	0.9
I100584		1.07	8.2	330	4.3	5.4	<0.001	0.02	0.51	9.9	0.7	0.5	23.7	<0.01	0.04	0.8
I100585		1.31	19.7	290	6.9	21.2	<0.001	0.01	0.40	6.2	0.6	0.6	29.5	0.01	0.04	2.5
I100586		1.80	44.3	430	9.8	12.2	<0.001	0.02	0.86	6.3	0.8	0.7	19.8	0.01	0.06	3.1
I100587		1.77	31.7	550	9.9	14.0	<0.001	0.05	1.62	5.6	0.8	0.7	16.5	0.01	0.06	2.7
I100588		2.38	20.8	610	12.3	10.6	<0.001	0.02	0.76	4.4	0.5	1.0	15.0	0.02	0.07	2.8
I100589		1.57	41.6	420	10.2	12.1	<0.001	0.01	0.56	8.0	0.8	0.7	22.5	0.01	0.05	4.1
I100590		2.21	35.5	360	13.8	13.4	<0.001	0.02	0.67	5.7	0.8	0.7	18.9	0.01	0.05	3.8
I100591		0.69	29.8	520	13.4	10.6	<0.001	0.01	0.37	5.5	0.7	0.6	8.5	<0.01	0.05	1.6
I100592		1.78	24.9	380	11.8	17.2	<0.001	0.01	0.63	7.5	0.6	0.9	21.4	0.01	0.04	4.8
I100593		0.87	36.7	480	16.4	17.6	<0.001	0.03	0.33	4.9	1.4	0.7	22.5	0.01	0.07	1.7
I100594		1.49	23.1	830	20.9	12.8	<0.001	0.02	0.57	2.7	1.0	1.1	17.0	<0.01	0.07	0.7
I100595		0.90	57.5	890	23.5	27.5	<0.001	0.04	0.62	6.5	1.9	0.8	18.5	<0.01	0.12	5.1
I100596		1.34	87.1	560	15.7	16.5	<0.001	0.04	1.04	5.2	1.1	0.7	15.5	0.01	0.12	5.4
I100597		1.58	32.8	470	14.3	8.9	<0.001	0.03	0.67	3.4	0.8	0.7	17.6	0.01	0.07	1.7
I100598		1.46	16.1	220	11.9	9.9	<0.001	0.01	0.51	3.5	0.5	1.0	18.9	<0.01	0.06	2.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I100559		0.112	0.11	0.40	65	0.15	3.50	53	2.9
I100560		0.114	0.14	0.67	63	0.23	11.10	57	3.6
I100561		0.111	0.11	0.37	64	0.15	3.74	52	1.3
I100562		0.122	0.13	0.57	56	0.09	2.45	43	2.3
I100563		0.111	0.28	1.42	60	0.13	6.95	70	0.9
I100564		0.092	0.10	0.37	62	0.12	2.20	55	3.4
I100565		0.075	0.07	0.34	56	0.15	2.28	42	1.0
I100566		0.115	0.19	0.71	75	0.17	2.56	58	0.7
I100567		0.144	0.20	1.03	66	0.14	4.80	57	1.2
I100568		0.147	0.22	1.56	67	0.15	9.15	71	1.6
I100569		0.070	0.08	2.01	55	0.19	35.1	49	1.2
I100570		0.092	0.08	0.33	61	0.16	3.01	41	3.8
I100571		0.127	0.20	0.48	65	0.16	3.15	69	1.6
I100572		0.116	0.17	0.79	66	0.19	7.56	65	4.8
I100573		0.126	0.11	0.48	72	0.24	7.72	58	12.1
I100574		0.120	0.14	0.97	61	0.18	15.15	71	5.4
I100575		0.100	0.09	1.43	62	0.30	9.50	63	2.6
I100576		0.195	0.19	0.60	118	0.08	3.59	82	1.2
I100577		0.133	0.11	0.47	86	0.15	8.90	58	1.9
I100578		0.061	0.06	0.32	42	0.15	2.40	24	<0.5
I100579		0.135	0.10	0.34	86	0.15	3.61	51	2.7
I100580		0.065	0.09	0.45	59	0.19	3.11	37	0.5
I100581		0.115	0.11	0.62	85	0.14	4.59	53	3.4
I100582		0.125	0.15	0.58	99	0.16	4.38	54	7.6
I100583		0.152	0.06	0.27	140	0.17	5.53	79	2.3
I100584		0.156	0.05	0.25	139	0.16	5.80	78	2.0
I100585		0.173	0.20	0.42	117	0.17	4.29	78	4.0
I100586		0.118	0.21	0.62	100	0.18	4.89	85	6.2
I100587		0.092	0.22	0.63	99	0.23	4.61	76	4.6
I100588		0.136	0.14	0.53	122	0.21	3.71	71	7.7
I100589		0.095	0.19	0.84	94	0.18	7.53	65	6.5
I100590		0.136	0.14	0.60	91	0.23	4.77	61	10.3
I100591		0.040	0.12	0.54	79	0.24	6.82	89	0.5
I100592		0.133	0.16	1.01	93	0.17	7.15	60	20.4
I100593		0.068	0.18	1.69	75	0.18	16.25	110	1.0
I100594		0.087	0.15	0.99	92	0.23	5.68	107	1.1
I100595		0.038	0.27	1.89	88	0.21	13.60	178	2.1
I100596		0.072	0.20	1.89	91	0.20	11.60	210	4.5
I100597		0.090	0.13	0.72	85	0.17	4.51	84	1.4
I100598		0.088	0.15	0.57	102	0.14	3.35	51	4.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100599		0.48	<0.005	0.27	1.37	10.3	<0.2	<10	180	0.36	0.44	0.11	0.52	28.2	20.5	29
I100600		0.44	<0.005	0.13	3.24	10.0	<0.2	<10	270	0.56	0.19	0.17	0.38	29.7	20.2	62
I100601		0.62	<0.005	0.16	2.61	9.7	<0.2	<10	300	0.42	0.30	0.12	0.41	24.0	11.5	38
I100602		0.52	<0.005	0.15	2.03	4.0	<0.2	<10	190	0.48	0.99	0.15	0.37	42.0	17.0	41
I100603		0.54	<0.005	0.39	1.43	2.1	<0.2	<10	230	0.25	0.82	0.23	0.55	31.6	14.8	25
I100604		0.54	<0.005	0.46	1.60	2.4	<0.2	<10	260	0.25	0.89	0.25	0.64	37.6	16.0	28
I100605		0.52	<0.005	0.75	2.19	5.0	<0.2	<10	320	0.42	0.70	0.21	0.76	31.9	18.3	41
I100606		0.60	<0.005	0.09	1.67	14.0	<0.2	<10	260	0.27	0.13	0.73	0.22	22.2	8.3	29
I100607		0.38	<0.005	0.10	1.62	13.7	<0.2	<10	230	0.32	0.13	0.86	0.23	24.8	11.8	30
I100608		0.58	<0.005	0.15	1.65	40.0	<0.2	<10	290	0.39	0.18	0.90	0.55	27.4	14.6	28
I100609		0.46	<0.005	0.14	1.77	41.2	<0.2	<10	260	0.36	0.26	0.60	0.17	25.4	7.3	29
I100610		0.62	<0.005	0.13	1.98	80.3	<0.2	<10	290	0.46	0.42	0.51	0.25	33.2	12.0	32
I100611		0.40	<0.005	0.25	2.07	67.3	<0.2	<10	350	0.53	0.44	0.69	0.37	33.0	14.7	32
I100612		0.52	<0.005	0.97	2.42	12.8	<0.2	<10	240	0.65	0.17	0.18	1.36	28.8	13.0	60
I100613		0.46	<0.005	0.44	1.81	11.8	<0.2	<10	240	0.36	0.14	0.47	0.67	18.95	10.4	39
I100614		0.44	<0.005	0.53	2.02	19.1	<0.2	<10	290	0.46	0.21	0.50	1.28	24.5	15.2	61
I100615		0.42	<0.005	0.36	1.82	18.4	<0.2	<10	290	0.49	0.16	0.61	0.68	30.1	12.2	37
I100616		0.52	<0.005	0.29	1.90	23.8	<0.2	<10	180	0.75	0.20	0.64	0.41	41.0	9.4	38
I100617		0.48	<0.005	0.25	1.63	9.3	<0.2	<10	220	0.67	0.18	0.93	0.44	37.8	8.5	32
I100618		0.46	<0.005	0.15	1.65	14.7	<0.2	<10	200	0.40	0.22	0.71	0.22	22.7	9.1	32
I100619		0.46	<0.005	0.10	1.65	18.8	<0.2	<10	190	0.35	0.20	0.63	0.22	27.7	11.1	33
I100620		0.54	<0.005	0.07	1.67	10.2	<0.2	<10	200	0.41	0.13	0.73	0.13	25.4	11.4	31
I100621		0.48	0.006	0.10	1.69	12.5	<0.2	<10	230	0.44	0.13	0.85	0.14	26.9	12.4	31
I100622		0.42	<0.005	0.10	1.64	31.7	<0.2	<10	210	0.42	0.14	0.74	0.25	24.1	12.4	28
I100623		0.54	<0.005	0.12	1.69	22.7	<0.2	<10	210	0.34	0.13	0.55	0.22	24.5	11.3	29
I100624		0.82	<0.005	0.30	1.90	59.6	<0.2	<10	220	0.36	0.22	0.32	0.38	33.7	12.1	36
I100625		0.62	<0.005	0.32	2.13	132.0	<0.2	<10	330	0.41	0.21	0.26	0.70	28.7	26.5	42
I100626		0.50	<0.005	0.32	2.05	317	<0.2	<10	210	0.40	0.25	0.31	0.45	38.0	16.9	40
I100627		0.52	<0.005	0.52	2.68	263	<0.2	<10	320	0.56	0.26	0.42	0.57	34.3	23.6	90
I100628		0.54	<0.005	0.41	2.60	225	<0.2	<10	310	0.51	0.24	0.41	0.45	30.5	19.8	86
I100629		0.50	<0.005	0.46	3.00	31.4	<0.2	<10	800	0.62	0.43	0.75	0.45	31.8	39.6	263
I100630		0.50	<0.005	0.51	2.24	41.0	<0.2	<10	840	0.49	0.27	0.78	0.74	37.2	17.4	50
I100631		0.52	0.005	0.45	2.00	18.3	<0.2	<10	270	0.58	0.24	0.37	0.99	46.2	15.0	42
I100632		0.48	<0.005	0.54	1.81	12.9	<0.2	<10	170	0.39	0.24	0.37	0.47	34.4	12.2	52
I100633		0.42	<0.005	1.00	2.19	33.9	<0.2	<10	260	0.64	0.24	1.03	1.61	48.5	20.4	51
I100634		0.44	<0.005	0.58	2.04	7.4	<0.2	<10	250	0.54	0.27	0.23	0.74	47.4	22.9	41
I100635		0.48	<0.005	0.39	1.73	47.6	<0.2	<10	200	0.42	0.35	0.23	0.58	51.8	17.2	44
I100636		0.38	<0.005	0.45	1.29	25.4	<0.2	<10	140	0.37	0.25	0.08	0.69	32.4	7.4	24
I100637		0.48	<0.005	0.69	2.75	25.5	<0.2	<10	150	0.67	0.24	0.14	1.21	37.1	21.4	40
I100638		0.50	<0.005	0.35	2.33	31.1	<0.2	<10	200	0.67	0.39	0.20	1.48	50.0	22.7	49



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100599		1.90	79.9	4.84	5.66	0.09	0.02	0.02	0.044	0.12	14.4	7.2	0.26	1320	6.79
I100600		3.84	42.3	4.84	9.08	0.12	0.09	0.02	0.044	0.18	13.3	21.2	0.96	455	2.62
I100601		2.18	29.6	3.72	11.10	0.08	0.06	0.03	0.038	0.07	12.6	14.8	0.39	476	2.28
I100602		2.88	31.2	4.09	6.96	0.10	0.03	0.03	0.042	0.15	21.4	12.1	0.65	669	2.57
I100603		3.19	47.4	3.11	6.26	0.10	0.02	0.02	0.029	0.14	18.1	6.9	0.66	636	6.37
I100604		3.40	53.9	3.43	7.08	0.10	0.02	0.02	0.033	0.15	20.9	8.0	0.74	665	6.60
I100605		3.26	65.4	4.24	7.92	0.10	0.02	0.04	0.045	0.17	16.8	13.7	0.69	879	4.40
I100606		0.56	25.0	2.59	5.10	0.08	0.08	0.03	0.022	0.06	11.0	11.2	0.61	287	0.75
I100607		0.62	31.8	2.79	5.08	0.10	0.11	0.03	0.022	0.07	12.3	12.1	0.70	407	0.68
I100608		0.65	33.2	2.62	5.24	0.08	0.04	0.04	0.024	0.06	13.2	10.6	0.51	1570	1.23
I100609		0.89	28.8	2.44	5.73	0.08	0.05	0.03	0.024	0.06	13.1	12.7	0.56	230	0.73
I100610		1.38	32.9	2.91	6.28	0.09	0.06	0.03	0.031	0.06	17.0	14.8	0.67	521	1.36
I100611		1.36	40.4	2.87	6.67	0.08	0.04	0.06	0.034	0.06	16.8	14.9	0.62	592	1.26
I100612		1.01	68.8	3.95	8.93	0.10	0.04	0.02	0.041	0.08	16.3	15.9	0.82	365	3.40
I100613		0.60	26.4	2.92	6.42	0.06	0.02	0.02	0.026	0.17	9.7	12.3	0.55	576	1.71
I100614		1.30	62.3	3.55	8.21	0.09	0.03	0.03	0.036	0.18	13.5	16.5	0.82	595	3.29
I100615		0.68	39.4	2.78	6.36	0.08	0.09	0.03	0.028	0.12	15.6	13.2	0.55	717	1.66
I100616		1.15	48.4	2.77	6.72	0.09	0.11	0.03	0.034	0.07	24.5	13.8	0.57	351	2.18
I100617		0.81	40.9	2.27	5.93	0.07	0.05	0.05	0.030	0.07	18.8	10.7	0.48	448	1.88
I100618		0.92	29.1	2.36	5.82	0.05	0.03	0.04	0.027	0.06	11.7	12.4	0.63	334	1.04
I100619		0.90	31.0	2.50	5.36	0.07	0.05	0.02	0.024	0.06	14.1	12.5	0.66	359	0.77
I100620		0.53	32.0	2.66	5.25	0.08	0.10	0.02	0.023	0.06	12.3	12.1	0.57	411	0.88
I100621		0.54	36.0	2.81	5.54	0.08	0.11	0.03	0.024	0.06	12.9	11.9	0.60	455	0.83
I100622		0.67	31.2	2.63	5.39	0.08	0.06	0.03	0.023	0.06	11.4	11.2	0.64	320	0.90
I100623		0.78	29.3	2.61	5.51	0.06	0.04	0.17	0.023	0.05	11.8	11.3	0.54	332	0.91
I100624		3.55	45.1	3.09	6.77	0.07	0.04	0.06	0.033	0.06	18.0	16.2	0.65	331	2.66
I100625		2.99	46.3	3.60	9.20	0.07	0.02	0.02	0.032	0.17	14.5	15.1	0.75	1040	4.08
I100626		2.63	50.9	3.63	7.51	0.07	0.03	0.01	0.037	0.08	20.0	15.3	0.71	574	3.28
I100627		3.03	53.1	4.01	10.00	0.07	0.05	0.02	0.039	0.09	17.9	20.4	1.07	715	3.03
I100628		2.81	47.1	3.85	9.96	0.08	0.06	0.02	0.034	0.09	15.9	18.8	1.05	562	2.66
I100629		5.37	71.2	4.52	9.69	0.09	0.05	0.02	0.042	0.16	15.8	27.8	2.37	849	2.48
I100630		2.36	49.1	3.40	9.12	0.07	0.02	0.03	0.035	0.09	19.6	18.6	0.71	636	4.27
I100631		3.27	61.6	3.57	7.04	0.09	0.05	0.02	0.036	0.13	23.4	18.7	0.69	656	4.22
I100632		2.04	46.0	3.15	7.61	0.07	0.03	0.03	0.028	0.15	18.0	13.5	0.70	422	5.36
I100633		2.78	66.6	3.38	7.53	0.11	0.08	0.05	0.039	0.18	29.2	21.9	0.81	785	3.33
I100634		2.79	56.5	3.46	7.35	0.08	0.02	0.04	0.037	0.14	24.8	20.4	0.68	1080	3.02
I100635		2.56	48.3	3.21	9.71	0.08	0.02	0.01	0.031	0.24	26.7	12.7	0.62	631	3.67
I100636		1.20	38.1	3.01	9.37	0.05	0.02	0.01	0.025	0.07	16.0	9.2	0.18	268	3.92
I100637		1.85	65.1	4.76	9.00	0.07	0.07	0.06	0.049	0.08	18.9	27.1	0.44	541	6.34
I100638		3.20	82.9	4.28	7.88	0.09	0.03	0.01	0.044	0.12	25.3	24.6	0.77	849	5.52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I100599		0.53	64.1	1150	34.0	17.4	<0.001	0.06	2.67	2.7	1.8	0.5	27.5	<0.01	0.16	0.9
I100600		1.51	53.1	580	11.3	27.2	<0.001	0.03	0.54	6.6	1.1	0.9	17.2	0.01	0.07	4.4
I100601		1.67	25.3	380	13.2	15.5	<0.001	0.02	0.41	4.6	0.7	1.0	16.6	<0.01	0.06	3.1
I100602		0.89	38.6	810	25.4	22.9	<0.001	0.02	0.22	5.0	0.9	1.0	13.0	<0.01	0.08	5.2
I100603		0.52	39.0	570	57.2	26.4	0.001	0.07	0.15	3.6	1.6	0.6	29.2	<0.01	0.08	1.8
I100604		0.60	43.9	620	63.9	28.9	0.001	0.08	0.15	4.1	1.7	0.6	33.0	<0.01	0.08	2.4
I100605		0.83	51.0	950	56.4	26.3	0.001	0.13	0.30	4.4	2.0	0.7	64.3	<0.01	0.10	2.1
I100606		1.36	21.7	690	7.5	7.5	<0.001	0.03	0.49	4.4	0.7	0.5	44.5	<0.01	0.03	2.2
I100607		1.48	27.1	770	6.9	7.6	0.001	0.02	0.57	5.1	0.7	0.5	47.9	<0.01	0.03	2.6
I100608		1.04	26.3	790	7.9	8.7	0.001	0.03	0.69	4.4	0.9	0.5	57.0	<0.01	0.04	1.3
I100609		1.14	22.5	570	9.8	10.1	0.001	0.03	0.69	4.7	0.7	0.6	41.5	<0.01	0.04	1.8
I100610		1.22	25.6	480	15.3	11.9	<0.001	0.01	1.06	4.7	0.7	0.7	36.8	<0.01	0.06	4.1
I100611		1.16	27.5	660	13.6	11.1	<0.001	0.03	0.93	5.3	1.0	0.7	48.9	<0.01	0.05	2.4
I100612		0.76	56.3	790	9.1	9.3	<0.001	0.03	0.62	6.0	1.6	0.7	23.6	<0.01	0.10	3.7
I100613		0.91	31.3	530	6.9	15.5	<0.001	0.02	0.50	3.3	0.7	0.6	34.5	<0.01	0.05	0.9
I100614		0.91	51.1	710	8.7	17.7	<0.001	0.03	0.72	5.2	1.4	0.6	44.3	<0.01	0.11	2.5
I100615		1.29	32.9	460	8.5	11.7	<0.001	0.02	0.64	5.1	1.0	0.6	47.0	<0.01	0.05	3.1
I100616		3.41	36.6	540	12.9	10.6	<0.001	0.03	0.64	6.2	1.3	0.7	46.9	0.01	0.06	4.7
I100617		2.44	29.5	700	12.1	12.0	<0.001	0.06	0.51	4.0	1.8	0.5	62.5	0.01	0.05	1.4
I100618		1.23	24.2	580	13.7	11.5	0.001	0.05	0.40	4.6	0.9	0.4	47.6	<0.01	0.04	1.4
I100619		1.27	27.0	670	13.8	9.1	<0.001	0.03	0.45	4.9	0.7	0.5	35.1	<0.01	0.04	2.8
I100620		1.57	25.8	710	6.7	7.9	<0.001	0.01	0.46	5.8	0.6	0.4	46.7	<0.01	0.03	2.9
I100621		1.64	30.2	750	7.0	7.2	0.001	0.02	0.62	6.0	0.7	0.4	51.2	<0.01	0.03	2.8
I100622		1.34	25.3	710	7.8	8.0	0.001	0.05	0.67	5.3	0.8	0.4	50.4	<0.01	0.03	2.3
I100623		1.37	25.0	630	7.0	7.3	0.001	0.02	0.60	4.9	0.6	0.4	35.6	<0.01	0.03	2.2
I100624		1.25	37.0	650	11.4	10.7	0.002	0.05	1.55	4.8	1.4	0.5	37.0	<0.01	0.07	3.8
I100625		1.88	49.5	730	11.0	17.6	<0.001	0.05	1.61	4.6	1.2	0.6	30.3	<0.01	0.07	2.1
I100626		1.00	43.7	620	13.4	11.2	<0.001	0.04	3.71	4.6	1.5	0.5	31.7	<0.01	0.08	4.0
I100627		1.60	76.6	650	13.3	15.4	<0.001	0.02	1.47	6.6	1.2	0.7	35.7	<0.01	0.06	3.5
I100628		1.69	69.2	480	11.3	15.0	<0.001	0.02	1.28	6.3	1.2	0.7	32.8	<0.01	0.07	3.2
I100629		1.33	200	1130	8.6	23.0	0.001	0.02	0.68	10.0	1.3	0.7	43.3	<0.01	0.08	2.7
I100630		1.14	46.5	760	13.4	13.7	0.001	0.04	1.21	5.1	2.2	0.6	56.2	<0.01	0.07	2.2
I100631		0.78	60.9	790	14.2	16.0	<0.001	0.04	1.83	5.0	2.2	0.5	33.4	<0.01	0.07	5.9
I100632		1.14	50.4	530	15.9	21.3	0.001	0.06	0.97	4.4	2.0	0.5	33.3	<0.01	0.07	3.8
I100633		1.15	67.7	950	18.7	22.4	0.001	0.06	1.40	8.3	3.1	0.5	72.0	0.01	0.07	4.3
I100634		0.94	53.8	770	27.2	21.8	<0.001	0.06	1.38	3.9	1.9	0.5	31.7	<0.01	0.06	3.6
I100635		1.12	44.8	710	27.3	32.8	0.001	0.06	1.17	3.4	1.4	0.7	26.6	<0.01	0.07	3.3
I100636		1.37	24.6	460	15.5	10.0	<0.001	0.07	2.53	2.5	1.5	0.8	17.5	<0.01	0.07	2.7
I100637		1.89	69.5	1010	16.5	13.5	<0.001	0.06	1.54	4.6	2.1	0.7	23.3	0.01	0.09	4.7
I100638		1.02	78.0	800	13.9	18.2	<0.001	0.04	1.64	4.9	2.4	0.6	24.5	<0.01	0.09	5.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I100599		0.031	0.21	1.61	89	0.29	8.61	210	<0.5
I100600		0.127	0.22	1.70	118	0.17	9.32	121	3.9
I100601		0.068	0.16	0.78	96	0.17	5.76	79	2.8
I100602		0.041	0.18	1.38	73	0.18	9.02	112	0.7
I100603		0.050	0.21	1.88	70	0.18	9.45	177	<0.5
I100604		0.054	0.23	2.05	75	0.22	11.10	192	<0.5
I100605		0.052	0.21	2.34	82	0.24	9.79	197	<0.5
I100606		0.112	0.05	0.75	64	0.17	7.59	68	3.1
I100607		0.120	0.06	0.73	68	0.18	9.39	68	4.6
I100608		0.080	0.06	1.01	62	0.17	9.83	71	1.4
I100609		0.085	0.07	0.95	58	0.19	7.95	65	1.6
I100610		0.075	0.10	1.01	64	0.18	9.21	94	2.5
I100611		0.067	0.11	1.48	64	0.18	10.65	83	1.4
I100612		0.061	0.11	1.21	122	0.30	9.56	172	1.3
I100613		0.083	0.09	0.53	77	0.22	4.75	89	0.8
I100614		0.074	0.13	1.00	98	0.62	9.26	141	1.4
I100615		0.095	0.08	0.92	69	0.43	10.45	79	4.0
I100616		0.081	0.10	1.94	61	0.36	25.7	88	4.5
I100617		0.056	0.08	1.64	46	0.22	20.2	70	1.6
I100618		0.081	0.09	1.02	49	0.25	8.86	71	1.3
I100619		0.090	0.09	1.03	58	0.21	10.50	80	2.2
I100620		0.120	0.06	0.95	64	0.18	10.35	52	4.9
I100621		0.118	0.06	1.24	67	0.16	11.05	54	5.6
I100622		0.099	0.07	1.56	66	0.24	9.29	74	2.5
I100623		0.099	0.07	0.85	62	0.18	8.89	61	1.9
I100624		0.090	0.16	1.28	68	0.20	7.47	112	2.2
I100625		0.119	0.17	1.11	84	0.20	7.03	112	1.1
I100626		0.077	0.13	1.19	77	0.19	7.50	110	1.7
I100627		0.108	0.14	1.16	92	0.20	8.40	103	2.3
I100628		0.118	0.15	0.93	93	0.18	7.71	91	2.9
I100629		0.112	0.25	1.63	104	0.17	11.40	93	2.1
I100630		0.073	0.15	1.89	86	0.24	9.89	117	0.6
I100631		0.081	0.18	1.98	76	0.20	10.10	203	3.0
I100632		0.081	0.17	1.38	78	0.18	7.38	127	1.1
I100633		0.080	0.21	5.53	77	0.16	26.7	177	3.1
I100634		0.073	0.23	2.21	60	0.17	8.85	154	0.5
I100635		0.091	0.28	1.46	76	0.18	8.93	119	<0.5
I100636		0.090	0.15	1.10	86	0.17	4.56	105	1.1
I100637		0.095	0.18	1.62	98	0.35	8.35	258	3.5
I100638		0.073	0.21	1.99	88	0.23	11.05	251	1.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).