095610

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

PROSPECTING, MAPPING AND GEOCHEMICAL SAMPLING

at the

HARLOW PROPERTY

Harlow 1-20	YC57072-YC57091
21-77	YC57373-YC57429



NTS 105O/3
Latitude 63°13'N; Longitude 131°18'W
10 11

in the

Mayo Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

Daniel Gregory, B.Sc.
February 2008

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION AND ACCESS	1
HISTORY	1
GEOMORPHOLOGY	2
REGIONAL GEOLOGY	2
PROPERTY GEOLOGY	3
GEOCHEMISTRY	6
DISCUSSION AND CONCLUSIONS	7

APPENDICES

I STATEMENT OF QUALIFICATIONS

II CERTIFICATES OF ANALYSIS

III ROCK SAMPLE DESCRIPTIONS

FIGURES

No.	Description	Follows Page
1	Property Location	1
2	Claim Location	in pocket
3	Access	1
4	Tectonic Setting	2
5	Property Geology	in pocket
6	Sample Locations	in pocket
7	Nickel Soil Geochemistry	in pocket
8	Zinc Soil Geochemistry	in pocket
9	Trench Map	7

TABLES

No.	Description	Page
I	Stratigraphic Column - Harlow Claims	3

INTRODUCTION

The Harlow claims were staked in summer 2007 to cover geochemical anomalies outlined on the lapsed Jet claims by previous operators. The stratigraphy and geochemical signature are analogous to that of the NiMo massive sulphide horizon found on the Nick property in central Yukon.

This report describes work that was conducted on August 17 and September 17 to 23, 2007 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals Ltd. The 2007 field program consisted of geological mapping, prospecting, soil sampling and hand trenching. The author's Statement of Qualifications is located in Appendix I.

PROPERTY LOCATION AND ACCESS

The Harlow property is comprised of 77 contiguous mineral claims located 7 km south of Niddery Lake in eastern Yukon, approximately 35 km northwest of the North Canol Road and 140 km northeast of the community of Ross River (Figure 1). The property lies near an established winter road route through the Selwyn Mountains. The property trends roughly northwest to southeast, centred at latitude 63°10′ north and 131°11′ west on map sheet 105 O/3. The claims are registered with the Mayo Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic. Claim data are listed below while locations of individual claims are shown in Figure 2.


Claim Name	Grant Numbers	Expiry Date*
Harlow 1-20	YC57072-YC57091	August 13, 2008
21-77	YC57373-YC57429	September 27, 2008


* Expiry dates do not include 2007 work which has not yet been filed for assessment credit

In 2007, access to property was provided by a Bell 206 helicopter and Hughes 500 helicopter operating from a temporary base at a field camp near Jeff Lake on the North Canol road (Figure 3).

HISTORY

The Harlow target was first staked and explored by Atlas Exploration Ltd. in 1967-70. It was again explored by Itsi Joint Venture (Union Oil Ltd., Aquitaine Company of Canada Ltd. and St. Joseph Explorations Ltd.) in 1976, Hudson Bay Exploration & Development Co. Ltd. in 1981-82 and AGIP Canada Ltd. in 1983. These operators were attracted by highly anomalous values of zinc and silver in silt and water samples of local drainages. The lack of supportive lead geochemistry and the inability of prospectors to find a source for the anomalies led early workers to abandon the properties, attributing the geochemical response to high metal backgrounds in supposed Silurian Road River shales. Later the area was mapped by the Geological Survey of Canada (GSC). This, along with fossil evidence, led to the reassignment of the country rocks to the Lower Devonian Road River Group-Earn Group contact.


STRATEGIC METALS LTD.
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
FIGURE 1
PROPERTY LOCATION
HARLOW PROPERTY
STRATEGIC Ni PROJECT
0 50 100 150 200 km
FILE: ...2007/STRATEGIC Ni/FIGURES/-LOCATION.DWG February 2008
IVVAVIK NATIONAL PARK
VUNTUT NATIONAL PARK
INUVIK
ALASKA
YUKON TERRITORY
NORTHWEST
TERRITORIES
DAWSON
YUKON
KLONDIKE
HWY
ELSA
MAYO
Harlow
CARMACKS
FARO
ROSS RIVER
RIVER
KLUANE
NATIONAL
PARK
HAINES JUNCTION
WHITEHORSE
CARCROSS
ALASKA
WATSON LAKE
HWY
SKAGWAY
ATLIN
CASSIAR
HAINES
ALASKA
BRITISH
COLUMBIA


PLATA-INCA
WIL
HESS
SCOT
HARVEST
MACTUNG
NWT
N
HARLOT
HARLOW
TOM
JASON
JEFF LAKE
CAMP SITE
FAIRWEATHER
YUKON
HOWARDS
PASS
HARKEN
NORTH CANOL
HAULAGE ROAD
30km
STRATEGIC METALS
ARCHER, CATHRO & ASSOCIATES (1981)
FIGURE 3
ACCESS
HARLOW PROPERTY
STRATEGIC Ni PROJECT
...2007/Strat Ni/Harlow/Harlow Access
February 2008

The Jet claims were staked to cover the exploration target by NDU Resources Ltd. in April, 1990 based on geochemical and geological similarities with the Nick nickel-zinc sedex deposit in north-central Yukon. This work returned soil samples that often exceeded 1% Zn and Ni that ranged up to 3160 ppm near the contact between the Road River Group and Earn Group shales.

In 1998 Expatriate Resources conducted a hand trenching program on the Jet claims; two trenches were dug over what is now the Harlow property.

In summer 2007 the area was staked as the Harlow claims by Strategic.

GEOMORPHOLOGY

The Harlow property straddles a southeast trending ridge in the Hess Mountains. The property drains into Hess River to the north and the North Macmillan River to the south, both of which are part of the Yukon River watershed.

Local elevations range from 1450 m above sea level in creek valleys to a maximum of 2050 m on top of the main ridge. Topographic relief is steep on the flanks of the ridge coming to a sharp crest at the top.


Vegetation on the property is sparse with minor grass in sheltered areas on the ridge and nearly complete grass cover in the valley bottoms, with occasional bushes of arctic black birch along creeks.

REGIONAL GEOLOGY

The Harlow property lies within Selwyn Basin, a northwest trending belt of deep water off-shelf sedimentation that formed from Lower Ordovician to Lower Devonian time. This basin is bounded to the north and east by Mackenzie Platform, to the south by Macdonald Platform, and to the west by Cassiar Platform and Tintina Fault (Figure 4).

Selwyn Basin stratigraphy consists of a Lower Ordovician to Lower Devonian succession of shale, basinal limestone, chert and gritty turbiditic sandstone of the Road River Group. Lower Silurian siliceous and carbonaceous mudstones host the world class Howard's Pass stratiform zinc and lead sulphide deposits. From Lower Devonian to Middle Mississippian time, Earn Group turbiditic chert rich clastic rocks were deposited from uplifted portions of west and central Selwyn Basin. These uplifts are related to a rift event that produced local, felsic volcanism and widespread bedded barite mineralization with localized barite hosted zinc-lead sedex deposits. Lower Devonian shales in central Yukon also host the Nick nickel-zinc massive sulphide mineralization as well as a number of other economically significant occurrences of a similar nature.

Early Cretaceous northeast-southwest compression led to northwest trending decollement style folds and minor thrust faults. Middle to Late Cretaceous intrusions which intrude all lithologies are responsible for localization of tungsten skarns (notably at Cantung and Mactung) as well as intrusive hosted and hornfels gold vein and stockwork mineralization in the Macmillan Pass area.



ANCESTRAL NORTH AMERICA

- MP — Mackenzie Platform
- SB — Selwyn Basin
- RT — Richardson Trough

TERRANES
Displaced Continental Margin

- AA — Arctic Alaska
- CA — Cassiar
- PC — Porcupine

Pericratonic Terranes

- YT — Yukon-Tanana / Slide Mountain

ACCRETED TERRANES

- ST — Stikinia / Cache Creek
- AX — Alexander
- WR — Wrangellia
- CG — Chugach

STRATEGIC METALS LTD

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 4

TECTONIC SETTING
HARLOW PROPERTY
STRATEGIC Ni PROJECT

0 100 200 km

FILE: ...2007\STRATEGICNi\HARLOT\F_4-REGIONAL.D | DATE: FEBRUARY 2008

PROPERTY GEOLOGY

Stratigraphy on the property is broken into two main sequences. The Lower Ordovician to Upper Silurian Road River Group comprises a variably calcareous or dolomitic starved basin shale, mudstone and chert assemblage. The overlying Early to Middle Devonian Lower Earn Group consists of fine grained siliceous argillite and black shale interfingered with coarse grained siliciclastic rocks deposited as turbidites and debris flows (Figure 5).

The Road River Group hosts the 500+ million tonne Howard's Pass zinc-lead sedex deposit 140 km southeast of the Harlow property while the unique stratiform shale hosted, nickel zinc-platinum group element bearing Nick massive sulphide mineralization in central Yukon occurs at the base of Earn Group. The Tom and Jason barite-hosted lead-zinc-silver sedex deposits occur in Upper Devonian Earn Group siliceous argillites at Macmillan Pass, 45 km to the southeast.

Structural geology of the Harlow property area is relatively simple at a large scale. The underlying strata have an overall dip of 30 to 70° southwest and are exposed along the rugged face of a southeast-trending ridge. However, the structural geology is more complex in detail. Numerous small scale faults and upright, isoclinal, low amplitude folds locally modify the essentially homoclinal strata. Normal faults and fold axes strike northeast paralleling regional structural trends.

Table I - Stratigraphic Column - Harlow Claims

MID-CRETACEOUS
Selwyn Suite

mKqS equigranular to porphyritic (K-feldspar) biotite +/- hornblende +/- muscovite granite, quartz monzonite and granodiorite; porphyritic biotite hornblende granite with large smoky grey quartz phenocrysts and locally K-feldspar phenocrysts

TRIASSIC
Jones Lake Formation

TrJ buff weathering sandstone, argillite and shale with minor orange weathering platey limestone

CARBONIFEROUS AND PERMIAN
Mount Christie Formation

CPMC green argillites; minor siltstone, quartzite and black shale

MISSISSIPPIAN
Keno Hill Quartzite

MK Massive grey to white quartzite with minor shale

DEVONIAN AND MISSISSIPPIAN

UPPER EARN GROUP

uDM1 undivided Earn Group

uDMtb brown weathering shale and siltstone

LOWER EARN GROUP

Portrait Lake Formation

DPbs silvery-grey weathering black shale; minor sandstone and pebbly mudstone; includes DPgl near base

DPms silty black mudstone and sandstone (intermediate to distal turbidites); facies equivalent of mDcg

DPsc bluish white weathering, black siliceous shale and chert

DPcg massive chert pebble conglomerate and thick bedded chert with silty shale interbeds (debris flows and proximal turbidites)

DPgl minor lenses of buff to grey weathering, massive to laminated, bioclastic to micritic limestone

DPca black chert, cherty argillite

DPls lenses or mounds of fossiliferous, grey pyritic limestone; often with irregular masses of bitumen

DPba dark grey laminated barite, nodular barite, barium carbonate lenses; apparently the same stratigraphic interval as DPls

DPbm sooty black, non-siliceous, silty mudstone

LOWER ORDOVICIAN TO UPPER SILURIAN

ROAD RIVER GROUP

OSDu undivided Road River Group

Duo Lake Formation

OSDsc calcareous, sooty black mudstone; discontinuous

OSDca calcareous black shale, siliceous argillite and chert

OSDsm tan-brown weathering dolomitic siltstone, limestone, calcareous mudstone

OSDgc black and grey banded chert; rusty brown weathering grey pyretic chert; minor chert nodule limestone

OSDcg thin bedded calcareous mudstone and silty shale

OSDls grey weathering, black to grey pyritic chert; discontinuous grey fossiliferous limestone lenses and pods

On the Harlow property, the generally recessive Road River Group consists of five units of the Duo Lake Formation and one unit of the overlying Steel Formation. Road River Group rocks to the south and north of the property were not mapped in detail and are referred to as undivided Road River Group.

The oldest rocks exposed on the property are thin bedded calcareous mudstones and silty shales (Unit OSCcm) of the Duo Lake Formation. This unit is overlain by black and grey banded chert and rusty brown weathering pyritic grey chert with minor chert nodule limestone intervals (Unit OSDgc). Tan-brown weathering dolomitic siltstone, limestone and calcareous mudstone (Unit OSDsm) forms a reliable marker horizon within the Road River Assemblage. A calcareous black shale, siliceous argillite and chert sequence (Unit OSDca) overlies the dolomitic marker unit. These rocks may display a high degree of internal structural complexity, probably due to abrupt changes in ductility between the chert and argillite members. The uppermost member of the Duo Lake Formation is poorly exposed, relatively recessive, discontinuous, calcareous sooty black mudstone unit (Unit OSDsc).

The Steel Formation is comprised of grey weathering, black to grey pyritic chert and discontinuous grey fossiliferous limestone lenses and pods (Unit OSDls). This is the youngest unit of the Road River Group.

Geological mapping has confirmed that anomalous geochemical response is possibly related to an intermittent metaliferous horizon located stratigraphically above the discontinuous limestone unit in a setting similar to the Nick mineralization. Unlike the latter occurrence, which has carbonate concretions in the footwall, the Harlow limestone is generally bedded or podiform carrying a diverse assortment of macrofossils, including trilobite carapaces, single and double ossicle crinoid fragments, as well as bryozoan and coral debris. The faunal assemblage is indicative of an upper Early Devonian (Emsian) age of deposition in a relatively shallow water environment. This is in contrast to the apparently deep water shale facies which enclose the limestone. In addition to the unusual faunal assemblage, the carbonate is often sulphide rich with irregular pyrite masses distributed throughout. Vug fillings and scattered disseminations of bituminous material are also often present. Lenses of grey weathering, black to grey pyritic chert occasionally occur as lateral equivalents to limestone bodies

The unusual association of a metaliferous horizon with a sulphide rich, yet biologically diverse limestone/chert unit, might be indicative of proximity to hydrothermal vent areas in a manner analogous to present day "shallow water" biota that exist in deep water by deriving energy from oxidation of sulphide sulphur near hydrothermal vent areas rather than depending on a food chain based on photosynthesis.

Lower Earn Group

The Early to Middle Devonian Lower Earn Group on the property consists of seven units of variably fine to coarse grained siliciclastic rocks of the Portrait Lake Formation. This stratigraphy is relatively well defined because these resistant lithologies occur at higher elevations on the property. The lowest member (Unit DPbm) of the Earn Group consists of a thin, dark grey weathering, sooty, black, non-siliceous silty mudstone which overlies the Road River Group stratigraphy. Dark grey laminated barite, nodular barite and barium carbonate lenses (Unit DPba) and lenses or mounds of fossiliferous, grey, pyritic limestone, often with irregular masses of bitumen (Unit DPls) occur above the sooty black mudstone unit. Although this barite is probably correlative with baritic lead-zinc-silver sedex deposits at Macmillan Pass, results of geochemical surveys suggest that similar mineralization is not present on the Harlow property. Overlying these units is a black chert and cherty argillite sequence (Unit DPca). Minor lenses of buff to grey weathering, massive to laminated, bioclastic to micritic limestone (Unit DPgl) appear stratigraphically above the chert and cherty argillite. Resistant, massive chert pebble conglomerate and thick bedded chert with silty shale interbeds (Unit DPcg) were deposited as debris flows and proximal facies turbidites, respectively, from topographic highs to the northwest. The uppermost member of the Lower Earn Group and Portrait Lake Formation is a bluish white weathering, black siliceous shale and chert (Unit DPsc).

GEOCHEMISTRY

Soil Sampling

Sixty seven soil samples were taken on the Harlow property in 2007. All soil samples were sent to ALS Chemex where they were dried and sieved to -180 microns. A portion of the sample was then digested in aqua-regia acid and analyzed for 34 elements by the inductively-coupled plasma with atomic emission spectroscopy technique (ME- ICP41).

The samples were taken along contour lines that ran the length of the property to define areas of highest geochemical response in preparation for drilling. Closely spaced soil samples were taken across favourable stratigraphy during prospecting. Results were encouraging with nine samples over 5000 ppm zinc and 400 ppm nickel. The best two soil sample taken in 2007 returned 10400 ppm zinc and 994 ppm nickel and 15400 ppm zinc and 464 ppm nickel (Figures 6 to 8).

Rock Sampling

A total of eight rock samples were taken during prospecting and mapping in summer 2007 on the Harlow property. All but one sample were taken from the contact between the Earn Group and Road River Group shales on the northeast side of the claims. The best two samples returned values of 18.35% ppm and 0.85% Zn and 3270 ppm and 483 ppm Ni respectively (Figures 6 to 8).

Hand Trenching

An eleven metre long 1 to 1.5 m deep hand trench was dug across a saddle near where a rock sample that returned 18.35% Zn was taken. Weather conditions made reaching the trench site difficult and as a result bedrock was not reached, instead chip samples were taken of subcrop across 1 m intervals along the length of the trench. Results were encouraging with all but two samples exceeding 1600 ppm Zn and 140 ppm Ni with a maximum of 5760 ppm Zn and 316 ppm Ni across 1 m (Figure 9).

DISCUSSION AND CONCLUSIONS


In other areas inYukon, the zinc and nickel rich NiMo horizon occurs at a predictable stratigraphic location with considerable lateral continuity. These factors, coupled with the diverse and consistently high metal value, make it an attractive exploration target. Though the NiMo horizon has not yet been definitively observed in outcrop on the Harlow property, the host stratigraphy has been observed near high zinc and nickel soil sample anomalies suggesting that the NiMo horizon is present but has been weathered out at surface.

Future work should include diamond drilling in the areas with the strongest soil geochemical response. These drill holes should be oriented to intersect the contact between the Road River Group and Earn Group to determine whether the NiMo horizon exists on the Harlow property.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Daniel Gregory, B.Sc.



Dark grey-black cherty siltstone with brown to yellow-beige limonitic staining on fractures

Dark grey-black slightly cherty (medium hard with concoidal fracture) calcareous siltstone with calcite coating on fractures

Dark grey-brown medium hard calcareous siltstone

NOTE: No outcrop was observed. Chips were taken across 1m intervals from subcrop at the bottom of the 1-1.5m deep trench.

Sample #	Ag (ppm)	Ba (ppm)	Cu (ppm)	Mo (ppm)	Ni (ppm)	Zn (ppm)
C386251	1.44	1840	102.5	20.9	181.0	2380
C386252	1.97	2850	384.0	24.2	269.0	4130
C386253	2.33	2860	295.0	26.1	316.0	5760
C386254	2.39	2870	147.5	28.9	161.0	1830
C386255	1.56	760	100.5	11.1	93.4	694
C386256	1.11	1330	57.6	19.8	76.9	868
C386257	1.49	2840	100.0	36.3	144.5	2240
C386258	1.92	3750	156.0	57.7	185.0	2990
C386259	1.19	1750	71.1	31.4	140.0	1670
C386260	1.29	1750	165.0	38.8	190.5	3910

STRATEGIC METALS LTD.

FIGURE 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TRENCH MAP

HARLOW PROPERTY

0m 1m 2m

UTM NAD 83 ZONE 8W, 1050/03

DRAWN / REVISED BY: J. LANE	PROJECT: HARLOW
FILE: ...2007/Strategic NI/Harlow/Figures/TR-07HW01	DATE: FEBRUARY, 2008

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Daniel Gregory, geologist, with business addresses in Vancouver, British Columbia and Whitehorse, Yukon Territory and residential address in Vancouver, British Columbia, do hereby certify that:

1. I graduated from the University of British Columbia in 2007 with a B.Sc (Hons) in Honours Geology.

2. From 2004 to present, I have been actively engaged in mineral exploration in the Yukon Territory.

3. I have personally participated in the fieldwork reported herein.



Daniel Gregory, B.Sc.

APPENDIX II

CERTIFICATES OF ANALYSIS

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized 24-OCT-2007
Account: MTT

CERTIFICATE VA07101932

Project: STRATEGIC NI
P.O. No.: Regional – Harlot, Harlow, Harvest
This report is for 27 Rock samples submitted to our lab in Vancouver, BC, Canada on 27-AUG-2007.
The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-AA62	Ore grade Zn - four acid / AAS	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8
Project: STRATEGIC NI

Finalized Date: 24-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07101932

Sample Description	Method	WEI-21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
B375621		1.24	<0.5	1.02	10	2610	0.9	<2	3.47	22.7	23	15	75	4.07	<10	0.18
B375622		1.18	3.8	1.24	66	2290	1.6	<2	0.05	1.3	<1	145	76	1.48	10	0.57
B375623		1.20	6.1	7.22	512	1090	2.4	3	0.04	3.3	<1	124	107	2.52	<10	1.32
B375624		0.62	2.0	1.25	143	370	0.7	2	0.04	1.6	<1	264	94	4.14	10	1.07
B375625		1.94	<0.5	0.30	37	2730	<0.5	2	0.20	873	124	5	7	12.60	<10	0.05
B375626		1.80	<0.5	0.16	<5	>10000	<0.5	<2	0.22	0.7	<1	4	14	0.11	<10	0.01
B375627		1.10	1.5	3.09	48	7630	2.2	<2	0.51	44.4	5	95	134	4.84	<10	0.14
B375628		1.28	<0.5	0.09	<5	>10000	<0.5	<2	22.1	2.3	<1	3	5	0.10	<10	0.05
B375629		1.14	<0.5	7.06	146	8030	4.6	<2	0.29	9.6	<1	1	1	0.68	20	0.02
B375630		1.70	<0.5	0.03	<5	3330	<0.5	<2	0.06	<0.5	<1	<1	<1	0.01	<10	0.01
B375631		2.76	<0.5	0.12	8	>10000	<0.5	<2	3.39	<0.5	<1	5	7	0.08	<10	0.03
B375632		2.00	<0.5	0.25	15	3250	<0.5	<2	0.02	3.1	<1	3	24	0.41	<10	0.01
B375633		0.96	<0.5	0.45	8	2830	0.5	2	0.01	3.2	<1	2	31	0.54	<10	<0.01
B375634		0.98	<0.5	0.05	<5	1960	<0.5	<2	0.08	0.9	<1	1	1	0.03	<10	<0.01
B375635		1.28	<0.5	0.05	15	3470	0.5	<2	22.0	0.5	<1	6	3	0.05	<10	<0.01
C384971		0.60	1.6	2.59	58	1510	1.3	<2	3.37	142.5	11	115	421	2.30	<10	0.66
C384972		1.00	1.7	3.38	63	1710	1.5	<2	7.30	102.0	11	167	318	2.02	<10	0.58
C384973		1.98	2.1	0.94	26	1280	0.7	<2	0.59	22.3	3	90	91	1.23	<10	2.10
C384974		2.02	<0.5	0.06	<5	2050	<0.5	<2	29.7	1.5	1	5	5	0.34	<10	0.03
C384975		2.06	1.5	2.14	13	1120	1.2	<2	0.36	3.3	1	70	52	0.68	10	0.41
C384976		0.76	1.2	2.12	46	4910	1.6	<2	10.00	91.5	11	76	336	1.31	<10	0.14
C384977		1.22	<0.5	0.05	<5	680	<0.5	<2	37.6	0.7	<1	9	20	0.10	<10	0.02
C384978		1.62	1.4	0.39	<5	1270	0.5	<2	0.09	0.7	1	45	94	0.92	<10	0.22
C384979		1.04	0.7	4.07	26	4300	1.7	<2	5.89	3.1	9	47	37	1.94	<10	0.09
C384980		2.52	<0.5	0.05	<5	>10000	<0.5	3	11.35	9.8	2	1	5	0.04	<10	0.02
C384981		2.58	<0.5	0.20	<5	5190	<0.5	<2	0.05	0.5	<1	5	5	0.11	<10	0.01
C384982		2.62	<0.5	0.32	<5	5890	<0.5	<2	0.03	6.0	2	11	8	0.18	<10	0.04

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 24-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07101932

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 Th ppm 20
B375621		0.01	<10	1.22	1280	28	<0.01	483	2810	14	0.16	15	7	259	0.03	<20
B375622		0.36	10	0.10	56	65	<0.01	60	710	7	0.27	49	4	45	0.07	<20
B375623		0.17	10	0.06	29	80	<0.01	176	9390	28	0.45	74	9	61	0.05	<20
B375624		0.14	10	0.04	81	70	<0.01	138	2650	6	0.12	87	7	16	0.05	<20
B375625		0.03	<10	0.11	6580	260	<0.01	4000	750	3	0.13	10	<1	619	0.01	<20
B375626		0.03	<10	0.01	15	5	1.25	14	120	<2	0.02	<5	<1	7620	0.01	30
B375627		0.69	10	0.11	73	93	<0.01	571	4180	<2	0.06	26	8	499	0.09	<20
B375628		0.02	<10	2.31	81	2	0.30	9	130	12	0.02	<5	<1	1785	<0.01	<20
B375629		3.62	10	0.07	128	<1	1.38	51	100	37	0.26	44	3	74	0.01	<20
B375630		0.01	<10	<0.01	<5	<1	<0.01	1	10	<2	0.08	<5	<1	3190	<0.01	<20
B375631		0.02	<10	2.18	47	3	1.14	22	300	<2	0.02	5	<1	9060	0.01	30
B375632		0.04	<10	0.01	5	10	<0.01	50	120	<2	0.06	24	<1	205	0.01	<20
B375633		0.01	<10	<0.01	8	12	<0.01	80	220	<2	0.06	17	1	114	<0.01	<20
B375634		0.02	<10	<0.01	5	<1	<0.01	7	20	<2	0.08	<5	<1	224	<0.01	<20
B375635		0.01	<10	3.44	78	<1	<0.01	7	380	12	0.08	<5	<1	1170	<0.01	<20
C384971		0.58	10	2.10	337	29	<0.01	351	440	35	0.30	56	6	241	0.12	<20
C384972		0.88	20	3.80	366	10	0.01	341	6850	46	0.32	57	9	460	0.17	<20
C384973		0.26	10	0.08	83	26	<0.01	69	1980	13	0.31	33	3	61	0.06	<20
C384974		0.01	<10	3.48	393	<1	<0.01	13	230	16	0.22	<5	<1	1045	<0.01	<20
C384975		0.59	10	0.14	17	17	<0.01	64	1970	4	0.34	9	3	50	0.10	<20
C384976		0.56	10	0.90	208	23	<0.01	492	690	53	0.26	23	6	324	0.09	<20
C384977		0.01	<10	0.18	292	<1	<0.01	9	90	11	0.04	<5	4	671	<0.01	<20
C384978		0.10	<10	0.03	52	13	<0.01	36	250	6	0.13	10	1	31	0.02	<20
C384979		1.84	30	3.74	322	33	0.19	195	670	25	0.12	12	7	176	0.22	<20
C384980		0.01	<10	0.11	18	<1	<0.01	10	170	<2	0.01	5	<1	3150	<0.01	40
C384981		0.06	<10	<0.01	<5	2	<0.01	7	120	2	0.04	<5	<1	427	0.01	<20
C384982		0.09	<10	<0.01	32	4	<0.01	30	60	<2	0.05	<5	<1	1190	0.02	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 24-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07101932

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	Tl	U	V	W	Zn	Zn
	Units	ppm	ppm	ppm	ppm	ppm	%
	LOR	10	10	1	10	2	0.01
B375621		10	10	504	<10	8520	
B375622		<10	20	2520	<10	100	
B375623		<10	40	1355	<10	222	
B375624		<10	30	848	<10	332	
B375625		10	10	112	<10	>10000	9.02
B375626		<10	10	53	<10	146	
B375627		<10	30	626	<10	3860	
B375628		<10	20	38	<10	214	
B375629		10	10	4	<10	927	
B375630		<10	<10	5	<10	19	
B375631		<10	10	103	<10	146	
B375632		<10	20	94	<10	276	
B375633		<10	40	103	<10	429	
B375634		<10	<10	10	<10	81	
B375635		<10	<10	127	<10	32	
C384971		<10	20	882	<10	5740	
C384972		10	10	460	<10	5590	
C384973		<10	10	1080	<10	1380	
C384974		<10	<10	82	<10	118	
C384975		<10	10	755	<10	52	
C384976		<10	<10	788	<10	9410	
C384977		20	<10	107	<10	95	
C384978		<10	10	864	<10	29	
C384979		<10	<10	509	<10	1200	
C384980		<10	<10	30	<10	138	
C384981		<10	<10	73	<10	31	
C384982		<10	<10	117	<10	431	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 10-SEP-2007
Account: MTT

CERTIFICATE VA07087486

Project: START-Ni-HARLOW

P.O. No.:

This report is for 3 Rock samples submitted to our lab in Vancouver, BC, Canada on 11-AUG-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: START-Ni-HARLOW

Finalized Date: 10-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07087486

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
C107398		0.40	<0.2	2.03	42	<10	970	1.7	<2	0.08	3.6	5	45	280	3.23	10
C107399		0.20	1.3	2.14	367	<10	620	3.2	<2	0.06	5.1	17	236	531	13.2	30
C107400		0.38	0.5	3.86	168	<10	600	10.6	<2	0.86	>1000	188	69	4850	18.7	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: START-Ni-HARLOW

Finalized Date: 10-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07087486

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
C107398		<1	0.07	30	0.05	71	47	<0.01	190	2210	7	0.18	21	3	446	<20
C107399		<1	0.14	30	0.09	54	387	0.01	357	5770	13	0.43	87	6	175	<20
C107400		2	0.02	20	0.41	6840	143	0.02	3270	2000	19	0.04	57	6	61	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: START-Ni-HARLOW

Finalized Date: 10-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07087486

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-OG46	PGM-ICP23	PGM-ICP23	PGM-ICP23
	Analyte	Ti	Tl	U	V	W	Zn	Zn	Au	Pt	Pd
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	0.01	0.001	0.005	0.001
C107398		0.02	<10	40	895	<10	1555		0.002	<0.005	0.002
C107399		0.01	<10	90	4370	<10	5380		0.004	0.009	0.007
C107400		0.01	<10	180	830	<10	>10000	18.35	0.002	0.013	<0.001

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : **26-SEP-2007**
Account: MTT

CERTIFICATE VA07094498

Project: STRATEGIC NI
P.O. No.: Regional - Harlot, Harlow, Harvest, Harken
This report is for 241 Soil samples submitted to our lab in Vancouver, BC, Canada on 27-AUG-2007.
The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC40161		0.12	6.55	0.55	81.9	<0.2	<10	320	0.45	0.4	0.06	2.17	13.3	2	163	1.45
CC40162		0.16	3.43	0.86	48.7	<0.2	<10	460	1.37	0.14	7.92	29.9	21.7	12.4	114	0.92
CC40163		0.12	0.96	0.34	22.8	<0.2	<10	160	1.02	0.19	2.04	10.75	15.75	12.3	25	0.64
CC40164		0.12	1.64	0.27	53.2	<0.2	<10	230	0.82	0.11	8.16	29.1	19.9	7.7	30	0.56
CC40165		0.14	5.3	0.69	94.1	<0.2	<10	360	1.04	0.2	3.96	42.6	15.8	7.6	91	0.82
CC40166		0.10	5.76	0.8	72.9	<0.2	<10	470	1.68	0.29	1.95	58.6	30	20.6	126	0.87
CC40167		0.10	6.83	0.65	113	<0.2	<10	420	1.01	0.21	3.91	51.9	18.4	12.4	82	0.77
CC40168		0.06	0.48	0.82	7.7	<0.2	<10	480	0.1	0.02	1.23	3.83	1.74	1.1	88	0.05
CC40169		0.12	10.35	1.41	147.5	<0.2	<10	660	2.21	0.29	3.42	71.5	34.4	16.7	204	1.91
CC40170		0.12	14.05	1.55	206	<0.2	<10	800	2.7	0.3	2.1	85.4	34.8	19.8	250	2.24
CC40171		0.10	15.7	1.1	130	<0.2	<10	620	1.65	0.37	0.82	45.1	27.6	27	226	1.55
CC40172		0.14	7.29	1	101.5	<0.2	<10	1640	1.46	0.21	1.13	48.6	17.15	6.6	113	0.9
CC40173		0.12	19.85	1.33	128.5	<0.2	<10	930	2.03	0.24	1.13	25.9	19.2	4.4	232	2.04
CC40174		0.12	15.5	1.6	157	<0.2	<10	720	1.83	0.34	1	25.5	26.2	3.7	268	2.71
CC40175		0.08	7.85	1.29	141	<0.2	10	630	1.78	0.26	1.15	20.8	21.8	5.7	204	1.99
CC40176		0.14	15.8	1.39	186.5	<0.2	10	630	1.58	0.3	1.14	43.4	28.6	7.4	217	2.04
CC40177		0.10	4.84	1.04	84	<0.2	<10	540	1.15	0.21	0.35	17.95	13.1	4.4	124	1.45
CC40178		0.14	7.95	1.01	341	<0.2	10	640	1.35	0.4	0.55	28.2	17.7	7.2	133	2.2
CC40179		0.10	9.25	1.26	160.5	<0.2	<10	580	3.04	0.34	1.26	97.9	22.5	8.7	144	1.5
CC40180		0.08	9.45	1.09	156	<0.2	10	530	1.76	0.29	0.96	23	23.3	2.9	173	1.77
CC40182		0.12	1.81	0.52	40	<0.2	<10	840	0.68	0.27	0.12	1.23	26.3	6.7	25	1.5
CC40183		0.20	0.37	0.47	14.9	<0.2	<10	1040	0.64	0.34	0.11	0.99	54.1	48.9	7	3.01
CC40184		0.14	0.51	0.95	14.8	<0.2	<10	470	0.77	0.43	0.03	0.53	37.9	46.9	9	4.31
CC40185		0.16	1.8	0.92	38.3	<0.2	<10	610	0.73	0.47	0.17	1.82	46.4	39.6	24	4.99
CC40186		0.20	2.84	0.31	35.5	<0.2	<10	1850	0.45	0.19	3.29	5.14	29.9	6.5	49	1.04
CC40187		0.18	8.76	0.46	68.9	<0.2	<10	1410	1.18	0.25	3.65	9.25	15.15	42.8	170	1.71
CC40188		0.12	4.24	0.96	55.4	<0.2	10	700	1.5	0.2	0.25	9.31	33.6	2.2	135	3.26
CC40189		0.18	2.9	1.01	148	<0.2	<10	50	0.92	0.31	0.15	7.38	40.7	1.5	85	3.69
CC40190		0.12	6.55	1.13	133	<0.2	10	80	1.2	0.21	0.49	6.84	29.9	2.7	164	3.09
CC40191		0.20	0.76	0.38	17.6	<0.2	<10	4030	0.56	0.12	0.03	3.29	21.3	1.3	27	0.88
CC40192		0.20	0.17	0.56	31	<0.2	<10	>10000	0.3	0.03	2.17	258	3.4	50.3	15	0.27
CC40193		0.18	2.74	0.34	16.8	<0.2	<10	>10000	0.57	0.13	0.12	7.87	23.7	0.5	31	1.07
CC40194		0.20	0.63	0.6	106	<0.2	<10	1470	0.47	0.59	0.01	1.48	71.7	12.5	26	3.49
CC40195		0.12	0.16	0.42	23.5	<0.2	<10	850	0.59	0.32	0.06	0.9	33.2	34.8	7	2.73
CC40196		0.16	0.3	0.66	523	<0.2	<10	2440	0.63	0.34	0.1	1.01	36.7	27.4	8	1.8
CC40197		0.16	2.24	0.64	70.9	<0.2	<10	1950	0.64	0.36	0.28	1.27	31.9	26	29	2.03
CC40198		0.14	4.7	1.01	63	<0.2	10	780	1.17	0.19	0.31	15.25	27.7	5.1	108	2.5
CC40239		0.10	0.57	1.03	19.9	<0.2	<10	360	0.4	0.08	0.3	8.04	11.85	3.5	28	0.78
CC40240		0.04	0.79	0.73	13.6	<0.2	<10	380	0.32	0.06	0.28	13.75	8.55	2.3	15	0.66
CC40241		0.08	0.34	0.12	0.6	<0.2	<10	90	<0.05	<0.01	0.13	0.27	0.69	0.8	2	0.09

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC40161		82.7	3.08	9.5	0.28	<0.02	0.72	0.066	0.15	11.1	1.8	0.05	38	65.8	<0.01	0.09
CC40162		103	1.58	3.32	0.15	0.07	0.23	0.018	0.15	13.9	12.4	4.66	686	27.7	0.01	0.13
CC40163		49.8	2.64	1.4	0.06	0.03	0.21	0.03	0.09	7.6	3	1.11	235	10.5	0.01	0.08
CC40164		150	1.26	2.64	0.1	0.31	0.57	0.025	0.08	12.3	6.3	5.14	193	57	0.02	0.13
CC40165		193.5	2.17	5	0.19	0.04	2.58	0.06	0.16	11.6	4.9	2.46	275	75.6	0.02	0.16
CC40166		219	2.94	4.47	0.17	0.06	0.83	0.052	0.15	19.5	9.2	0.8	619	54.1	0.01	0.19
CC40167		257	2.7	4.04	0.19	0.07	3.03	0.061	0.15	13.5	4.5	1.78	507	76.9	0.01	0.13
CC40168		18.5	2.93	0.33	<0.05	<0.02	0.11	<0.005	0.13	1.1	0.5	0.18	437	5.98	0.01	<0.05
CC40169		495	3.46	8.59	0.3	0.11	0.72	0.097	0.25	27.5	13.7	1.76	419	122	0.01	0.28
CC40170		532	4.74	8.79	0.34	0.09	2.02	0.136	0.24	28.3	10.7	0.74	524	142.5	0.01	0.27
CC40171		335	3.69	6.65	0.26	0.08	2.63	0.106	0.22	27.3	4.6	0.06	862	84.9	<0.01	0.11
CC40172		343	2.25	4.52	0.17	0.11	2.11	0.052	0.13	14.4	5.5	0.15	257	60.1	<0.01	0.14
CC40173		495	2.66	6.59	0.28	0.07	3.53	0.083	0.18	20	6.4	0.09	102	81.9	0.03	0.19
CC40174		296	4.16	9.43	0.53	0.08	2.22	0.144	0.29	25.1	8.2	0.14	113	109.5	0.02	0.16
CC40175		185.5	3.76	8.01	0.4	0.06	0.41	0.102	0.27	18.3	7.5	0.13	249	135	0.02	0.14
CC40176		198.5	5.05	7.89	0.47	0.12	5.93	0.155	0.27	25	4.6	0.07	372	108	0.02	0.13
CC40177		189	2.29	4.93	0.21	0.03	2.39	0.066	0.1	11	2.5	0.05	162	52.7	0.02	0.12
CC40178		191.5	7.06	8.28	0.65	0.06	1.45	0.176	0.28	13.4	3.1	0.05	349	350	0.02	0.12
CC40179		597	3.52	8.46	0.39	0.07	1.64	0.16	0.25	18.4	3.5	0.04	285	157	0.01	0.12
CC40180		240	4.36	7.34	0.61	0.05	1.19	0.133	0.27	20.3	3.3	0.06	99	119	0.02	0.1
CC40182		69.5	3.51	2.22	0.1	0.02	0.17	0.052	0.14	17.9	2	0.04	84	25.8	0.02	0.16
CC40183		58.5	5.67	1.09	0.12	0.06	0.14	0.038	0.11	26.9	2.5	0.1	1530	2.63	0.02	0.08
CC40184		163	10.75	0.98	0.16	0.13	0.12	0.067	0.18	17.8	3.5	0.06	1315	5.65	0.04	0.12
CC40185		181	11.2	1.42	0.18	0.11	0.39	0.071	0.23	23.5	2.6	0.09	967	8.4	0.05	0.17
CC40186		109.5	1.95	1.48	0.14	0.18	0.52	0.033	0.07	16.9	3.4	1.77	159	12.65	0.05	0.08
CC40187		192	2.58	2.87	0.21	0.16	1.21	0.039	0.09	12.3	4.5	1.53	816	25	0.04	0.08
CC40188		138.5	2.05	6.92	0.25	0.03	0.38	0.051	0.18	29	5	0.06	56	107.5	0.02	0.21
CC40189		158	4.99	8.78	0.77	0.12	0.44	0.105	0.34	28.5	3.8	0.05	43	277	0.02	0.66
CC40190		174.5	4.71	8.17	0.48	0.07	0.69	0.083	0.38	22.5	4.3	0.06	53	135	0.02	0.55
CC40191		68.3	0.7	2.84	0.11	0.02	0.05	0.023	0.06	16.2	2	0.03	63	40.9	0.09	0.14
CC40192		14.4	3.67	2.57	0.11	0.04	0.03	0.005	0.01	2.1	0.5	0.05	3170	69.1	0.29	0.05
CC40193		61.8	0.5	4.06	0.08	0.25	0.31	0.03	0.1	19.4	3.1	0.01	13	9.56	0.26	<0.05
CC40194		76.3	9.37	2	0.18	0.03	0.11	0.077	0.09	35	1.7	0.04	460	11.75	0.04	0.24
CC40195		48	6.3	0.77	0.1	0.07	0.09	0.053	0.09	12.8	1.5	0.06	1510	2.4	0.02	0.08
CC40196		79.1	6.44	1.25	0.11	0.14	0.15	0.048	0.12	16	2	0.09	1175	12.75	0.06	0.08
CC40197		122.5	5.97	1.39	0.13	0.07	0.27	0.052	0.1	17.6	2.6	0.11	617	9.43	0.05	0.21
CC40198		129.5	2.26	5.74	0.3	0.03	0.43	0.052	0.16	21.8	3.3	0.04	130	83.3	0.03	0.13
CC40239		37.9	0.98	3.76	0.07	0.02	0.15	0.015	0.05	7.2	7.5	0.8	135	7.1	0.03	0.16
CC40240		24.8	0.63	2.63	0.06	0.02	0.13	0.012	0.04	4.8	3.2	0.24	132	5.42	0.03	0.2
CC40241		3.3	0.28	0.53	<0.05	0.03	0.04	<0.005	0.02	0.4	0.3	0.03	15	1.92	0.03	0.17

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC40161		52.3	3400	74.5	15.6	0.004	0.35	58.5	0.3	54.8	3.1	81.1	<0.01	0.39	<0.2	<0.005
CC40162		243	5180	10.7	18.2	0.002	0.08	43.3	3.6	32.2	0.5	400	<0.01	0.17	0.9	0.009
CC40163		125.5	990	14.5	7	0.003	0.1	16.35	6	6.3	1	74.6	<0.01	0.05	5.2	<0.005
CC40164		182.5	540	10.7	6.9	0.034	0.02	45	5.7	6.7	0.7	180	<0.01	0.1	4.4	<0.005
CC40165		242	3920	59.5	11.9	0.007	0.23	67.8	3.6	27.3	2.6	233	<0.01	0.32	1	0.007
CC40166		522	3200	26	13.9	0.003	0.09	54	6	18.8	1.4	101	0.01	0.31	2.1	0.007
CC40167		340	3930	77.9	11.2	0.011	0.2	82.1	4	30.6	7.3	219	0.01	0.39	1.1	0.005
CC40168		526	3760	2.8	1.1	<0.001	0.13	4.32	0.4	1.6	0.2	10.8	<0.01	0.02	<0.2	0.006
CC40169		612	3980	26	24.4	0.009	0.29	94.8	7.6	40.8	1.4	215	0.01	0.43	1.9	0.014
CC40170		657	6000	43.3	24.2	0.012	0.34	143.5	8.4	50.9	3.9	247	0.01	0.61	2	0.012
CC40171		156	8080	41.5	18.5	0.008	0.54	103.5	5	44.2	2.7	207	0.01	0.63	1.3	0.006
CC40172		440	3960	29.5	13.9	0.016	0.2	55.3	3.7	27.1	1.2	160.5	0.01	0.44	0.9	0.005
CC40173		324	6320	29.2	19.9	0.01	0.33	72.1	3.6	34.5	1.3	189	0.01	0.48	0.6	0.01
CC40174		232	>10000	35.4	27.4	0.018	0.56	91.3	5	72	2.1	226	0.01	0.82	1.1	0.011
CC40175		219	8250	24.4	22.9	0.009	0.56	92.9	4.4	44.6	1.4	186.5	0.01	0.65	1	0.011
CC40176		193.5	>10000	103.5	20.9	0.014	0.58	488	5.9	53.8	2.4	245	0.01	1.12	1.7	0.007
CC40177		91.9	5890	37.8	16	0.011	0.29	56.2	0.4	25.1	1	86.7	0.01	0.52	<0.2	<0.005
CC40178		134	>10000	206	19.5	0.034	0.6	212	6.1	118.5	3.1	241	0.01	1.94	2.1	0.005
CC40179		380	7100	158	18.8	0.021	0.66	95.6	6.3	60.7	2.4	336	0.01	1.08	2.6	0.005
CC40180		137	>10000	41.1	19.5	0.054	0.58	103	5.3	130	1.8	237	0.01	1.2	1.8	0.006
CC40182		76.8	3200	29.1	9.8	0.003	0.38	10	0.5	8.3	0.4	90.3	<0.01	0.25	<0.2	<0.005
CC40183		68.6	530	26.2	8.7	0.001	0.03	4.39	7.5	1.7	0.3	16.8	0.01	0.21	6.2	<0.005
CC40184		94.8	810	34	9.7	0.001	0.56	3.13	12.6	1.7	0.4	56.7	0.01	0.2	7.9	<0.005
CC40185		175.5	1740	47.2	11.2	0.003	0.61	9.75	12.4	6	0.5	131	0.01	0.26	8.1	<0.005
CC40186		164	810	8.7	3.8	0.006	0.1	13.35	5.2	9	0.9	175	<0.01	0.11	4.9	<0.005
CC40187		608	5160	15.5	7.2	0.006	0.08	31.5	5.6	22.7	1	291	<0.01	0.27	4.5	<0.005
CC40188		75.5	2860	14.7	16.3	0.006	0.34	40.3	2.6	29.2	0.9	105.5	0.01	0.36	0.3	0.02
CC40189		64	3390	21	25.7	0.022	1.2	109.5	8	158.5	1.3	254	<0.01	1.93	5	0.039
CC40190		98.7	5550	15	23.5	0.008	1.02	77.1	8.7	73.6	0.9	238	0.01	0.44	3.5	0.038
CC40191		31.9	780	7.9	6.6	0.004	0.12	13.9	1.8	9.5	0.5	87.3	<0.01	0.19	0.3	0.008
CC40192		1525	2770	1.7	1.4	0.004	0.03	13.85	1.2	5.4	0.2	310	0.01	0.04	0.4	<0.005
CC40193		42.7	890	7.5	7.5	0.005	0.08	7.22	2.5	6.8	0.6	180	<0.01	0.15	3.2	<0.005
CC40194		69.6	1300	37.2	8.9	0.001	0.13	27.8	8.3	9.1	0.5	52.3	<0.01	0.23	10.4	0.007
CC40195		114	380	16.3	6.7	0.001	0.02	5.13	7.8	1.4	0.2	14.7	<0.01	0.15	5.6	<0.005
CC40196		139	550	30.6	8.2	0.002	0.07	14.05	6.8	2.7	0.2	36.1	<0.01	0.13	5.9	<0.005
CC40197		126.5	1050	22.9	7.2	0.002	0.1	12	7.4	6	0.4	59.9	0.01	0.16	3.7	0.007
CC40198		110	4290	13.4	15	0.007	0.32	29	0.6	50	0.8	153.5	<0.01	0.43	<0.2	0.009
CC40239		74.9	1560	13	10.1	0.001	0.06	6.74	0.5	4.6	0.4	35.1	<0.01	0.05	<0.2	0.015
CC40240		29.8	2720	7.8	6.7	0.004	0.16	4.01	0.3	7.8	0.3	31.1	<0.01	0.03	<0.2	0.006
CC40241		1.7	410	0.7	1	<0.001	0.04	0.54	0.3	1.3	<0.2	14.9	<0.01	<0.01	<0.2	0.012

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Tl ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Zn-OG46 Zn % 0.01
CC40161		4.36	13.6	788	0.75	11.15	341	<0.5	
CC40162		1.94	8.64	731	0.3	37	2860	4	
CC40163		0.99	3.29	82	0.15	20	1340	2.4	
CC40164		2.56	7.07	559	0.31	30.6	2710	24.7	
CC40165		4.77	19.05	915	0.73	34.2	2590	1.7	
CC40166		2.54	10.9	627	0.71	52.4	6300	2.5	
CC40167		4.05	22.7	773	0.84	44.7	3820	2.3	
CC40168		0.21	1.39	590	<0.05	4.5	6830	0.5	
CC40169		9.79	30.7	1975	1.26	61.3	8620	5.4	
CC40170		11.5	55	2190	1.49	74.3	9150	3.5	
CC40171		7.03	31.5	883	1.8	59.5	959	2.7	
CC40172		4.27	34.5	957	0.7	47.9	6300	4.4	
CC40173		8.5	45.4	1505	1.03	52.7	1600	2.5	
CC40174		12.15	43.4	1830	1.36	47.2	1590	2.7	
CC40175		11.95	29.6	1725	1.37	48.5	1060	1.4	
CC40176		9.72	36.5	976	1.21	63	1190	4.5	
CC40177		5.92	18.45	531	0.56	28.8	535	<0.5	
CC40178		20.4	28.4	1240	2.08	43.1	847	1.5	
CC40179		15.5	44.4	836	1.43	84.7	5280	1.7	
CC40180		6.76	25.2	937	1.4	50.6	807	1.1	
CC40182		0.38	6.2	173	0.21	15.45	340	<0.5	
CC40183		0.21	1.56	33	<0.05	17.95	236	2.7	
CC40184		0.31	3.15	27	<0.05	18.9	259	7.7	
CC40185		0.5	2.99	73	0.09	29.3	686	8.1	
CC40186		0.57	3.18	130	0.16	16.05	676	11.5	
CC40187		0.39	4.74	291	0.3	15.55	3750	12.3	
CC40188		5.27	22.3	2020	0.57	31.4	278	<0.5	
CC40189		9.2	20.2	1585	1.29	28.7	244	12.2	
CC40190		6.17	22.6	1475	0.67	37.9	435	4.7	
CC40191		1.91	9.3	361	0.37	15.35	156	0.5	
CC40192		0.3	5.97	194	0.18	52.8	>10000	0.9	2.43
CC40193		0.77	3.94	86	0.15	9.65	338	10.1	
CC40194		0.58	3.07	127	0.15	9.95	616	1.3	
CC40195		0.17	1.87	22	<0.05	13.55	834	3.6	
CC40196		0.33	4.08	33	<0.05	21	756	8.2	
CC40197		0.38	4.17	153	0.09	24.9	651	2.6	
CC40198		4.03	15.5	1020	0.49	29.7	609	0.5	
CC40239		0.94	2.04	285	0.14	5.84	1320	0.6	
CC40240		1.05	3.18	111	0.14	5.54	381	0.7	
CC40241		0.04	0.48	14	<0.05	0.27	15	0.7	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC40242		0.08	1.78	1.83	53.4	<0.2	<10	690	1.22	0.12	1.22	29.8	19.3	7.2	93	1.86
CC40243		0.14	2.78	1.2	91.1	<0.2	<10	380	1.08	0.15	1.42	16.65	45.2	4.6	111	1.62
CC40244		0.06	4.34	0.59	70.6	<0.2	<10	610	0.4	0.34	0.08	1.79	49.8	1.4	74	2.07
CC40245		0.18	14.3	1.51	117.5	<0.2	<10	510	0.91	0.26	0.16	2.93	34.1	3.3	142	3.15
CC40246		0.10	5.68	1.33	140.5	<0.2	10	680	1.41	0.2	1.29	5.39	40.3	1.3	157	1.85
CC40247		0.08	0.94	2.38	58.6	<0.2	<10	210	1.41	0.18	0.84	5.51	26.4	11	72	4.16
CC40248		0.06	1.4	3.36	102	<0.2	<10	250	2	0.28	1.07	16.85	18.65	22.8	70	5.48
CC40249		0.08	1.04	2.17	54.8	<0.2	<10	220	1.11	0.21	0.61	7.58	30.8	11.9	59	3.81
CC40250		0.10	1.84	1.64	86.2	<0.2	<10	270	0.81	0.24	0.25	8.81	25.4	6.4	57	3.24
CC40251		0.10	0.73	0.58	30.5	<0.2	<10	1240	0.37	0.16	0.13	0.77	12.6	5.3	16	1.31
CC40252		0.20	1.36	0.91	111.5	<0.2	<10	700	0.75	0.47	0.09	1.14	30	32.5	19	2.84
CC40253		0.22	10.05	1.14	64.8	<0.2	10	1610	2.23	0.24	0.05	4.58	41	2.2	302	3.65
CC40254		0.16	10.5	1.29	69.4	<0.2	10	520	2.73	0.25	0.27	13.9	37.1	3.3	401	2.62
CC40261		0.18	2.79	0.69	48.5	<0.2	10	630	1.3	0.2	1.43	9.77	54.5	16.3	30	2.43
CC40262		0.16	0.78	0.91	79.4	<0.2	<10	740	1.44	0.23	0.29	13.05	53	13.4	13	2.89
CC40263		0.18	0.2	0.71	98.6	<0.2	<10	760	0.78	0.25	0.12	1.09	38.7	23.3	13	2.49
CC40264		0.12	0.18	0.8	28.1	<0.2	<10	440	0.49	0.14	0.09	0.79	19.5	11.3	10	2.16
CC40265		0.14	2.3	0.55	76.9	<0.2	10	610	0.98	0.26	0.61	4.67	58.9	10.5	43	2.54
CC40266		0.12	1.78	1.08	50.4	<0.2	<10	3580	1.54	0.21	0.08	10.95	30.1	4.1	122	2.04
CC40267		0.12	1.58	0.74	32.4	<0.2	10	1590	0.85	0.12	0.25	17.1	16.3	2.1	62	1.24
CC40268		0.20	4.44	1.44	128	<0.2	10	670	1.22	0.33	0.18	76.8	49.3	40.9	134	3.63
CC40269		0.22	5.33	0.94	195.5	<0.2	<10	2120	1.64	0.3	0.8	86.2	57.8	30.1	150	3.21
CC40270		0.18	2.23	0.93	78	<0.2	20	1490	2.08	0.16	1.65	82.6	40.2	12.3	116	3.65
CC40271		0.16	3.65	0.89	113.5	<0.2	10	1620	1.72	0.19	0.47	50.4	39.4	19.3	164	2.35
CC40272		0.08	4.19	0.98	53.2	<0.2	10	2190	1.23	0.15	0.89	25.9	24.4	7.3	107	1.71
CC40273		0.10	2.58	0.82	36.4	<0.2	10	2000	1.13	0.21	0.63	11.45	19.15	7	89	1.42
CC40274		0.12	0.67	0.6	41.2	<0.2	<10	620	0.53	0.32	0.04	1.02	33	16.7	22	2.06
CC40275		0.24	0.21	0.63	18.7	<0.2	<10	240	0.43	0.5	0.01	0.22	52.6	24.1	6	2.47
CC40276		0.12	2.97	0.45	42.6	<0.2	<10	250	0.38	0.37	0.04	0.78	34.7	3.2	40	1.98
CC40277		0.10	0.11	0.16	0.8	<0.2	<10	50	0.05	0.02	0.04	0.1	1.37	0.7	3	0.16
CC40278		0.12	1.57	1.32	53.2	<0.2	10	760	1.04	0.28	0.72	4.17	45.5	13.5	77	1.85
CC40279		0.12	0.67	0.69	34.2	<0.2	<10	880	0.8	0.25	0.14	1.33	22.6	11.1	53	1.61
CC40280		0.10	0.22	0.36	13.5	<0.2	<10	210	0.24	0.14	0.04	0.21	10.45	4.1	14	0.96
CC40281		0.08	0.14	0.34	5.1	<0.2	<10	570	0.12	0.08	0.03	0.16	7.36	1.7	8	0.63
CC40282		0.14	0.25	0.32	9.7	<0.2	<10	270	0.18	0.11	0.03	0.2	9.63	3.5	8	1.34
CC40283		0.16	0.27	0.47	7.9	<0.2	<10	150	0.21	0.1	0.04	0.15	7.58	2.1	11	1.53
CC40284		0.10	0.55	1.48	39.5	<0.2	<10	330	0.8	0.23	0.12	0.43	18.3	5.5	37	2.96
CC40285		0.10	0.35	0.82	26	<0.2	<10	380	0.64	0.17	0.12	0.87	14.65	11.6	27	3.07
CC40286		0.12	0.24	1.7	37.6	<0.2	<10	220	0.66	0.33	0.03	0.52	16.6	8.4	108	3.3
CC40287		0.10	0.65	2.01	56.5	<0.2	<10	1280	1.36	0.41	0.25	1.12	37.3	11.1	70	2.98

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
CC40242		69	1.97	4.97	0.11	0.07	0.27	0.036	0.06	12	17.8	2.4	397	13.2	0.03	0.36
CC40243		204	1.72	4.09	0.32	0.03	0.38	0.036	0.13	34.7	13.5	1.28	88	57.6	0.02	0.14
CC40244		50.1	1.65	6.04	0.24	<0.02	0.4	0.079	0.17	44.4	2.3	0.06	41	130.5	0.02	0.23
CC40245		178	3.51	7.95	0.37	0.04	1.64	0.095	0.17	27.2	10.9	0.44	73	83.2	0.01	0.21
CC40246		164	2.47	6.92	0.59	0.04	2.12	0.068	0.31	39.7	7.1	0.14	48	95.7	0.02	0.2
CC40247		56.2	3.2	9.1	0.25	0.07	0.23	0.078	0.19	10.2	25.7	2.45	338	17	0.02	2.11
CC40248		106.5	4.23	10.9	0.24	0.09	0.76	0.066	0.12	9.9	34.4	3.3	605	14	0.01	1.25
CC40249		78.9	3.57	7.52	0.21	0.04	0.34	0.057	0.14	13.4	24.8	2.4	364	14.05	0.01	1.67
CC40250		73.1	3.13	7.75	0.2	0.02	0.77	0.076	0.12	15.7	18.4	1.4	214	27.3	<0.01	1.73
CC40251		48.6	1.91	2.14	0.07	0.02	0.11	0.022	0.05	8.2	2.4	0.05	120	6.72	0.04	0.32
CC40252		149	8.45	2.85	0.16	0.03	0.13	0.065	0.09	16.7	2.7	0.07	616	11.85	0.01	0.44
CC40253		272	2.16	9.35	0.51	0.04	1.66	0.049	0.18	55.9	5.9	0.1	53	82.6	0.03	0.4
CC40254		317	2.63	10.05	0.47	0.04	0.8	0.065	0.2	48.9	7.7	0.15	96	80.3	0.01	0.73
CC40261		82.3	4.12	2.25	0.17	0.07	0.65	0.07	0.23	46	5.9	0.09	553	19.75	0.01	0.25
CC40262		222	4.31	1.49	0.14	0.07	0.22	0.051	0.16	34.1	3.6	0.06	181	5.67	0.01	0.16
CC40263		70.2	3.82	2.81	0.09	0.04	0.1	0.048	0.16	22.5	5.5	0.09	909	7.68	0.01	0.33
CC40264		80.7	3.29	2.75	0.08	0.02	0.06	0.029	0.06	12.6	2.8	0.04	568	9.62	0.01	0.23
CC40265		178	3.95	2.21	0.19	0.1	0.57	0.06	0.27	37	3	0.06	147	33.8	0.01	0.15
CC40266		138.5	2.1	7.91	0.17	0.03	0.52	0.036	0.14	30	6.4	0.09	67	78.9	0.08	0.18
CC40267		70.9	1.08	3.48	0.12	0.03	0.22	0.028	0.09	15.8	3.6	0.07	44	41.1	0.05	0.21
CC40268		213	3.62	7.97	0.34	0.11	1.16	0.063	0.19	44.7	4.6	0.07	915	135	0.01	0.68
CC40269		188.5	3.63	7.97	0.37	0.18	2.77	0.069	0.2	56.4	5.6	0.11	729	211	0.04	1.13
CC40270		142.5	1.9	6.35	0.31	0.16	0.87	0.032	0.22	50	8.1	0.64	380	144.5	0.03	0.48
CC40271		164.5	2.81	6.18	0.31	0.11	0.46	0.053	0.17	42.9	5.3	0.09	457	137.5	0.03	1.36
CC40272		223	1.31	4.52	0.18	0.02	0.8	0.026	0.14	21.6	18.7	0.71	183	46.6	0.05	0.2
CC40273		88.4	1.48	3.66	0.13	0.02	0.27	0.024	0.1	16.5	8.2	0.23	230	24.7	0.05	0.17
CC40274		73.8	5.61	1.95	0.12	0.03	0.07	0.037	0.15	20.4	2.4	0.07	631	8.47	0.01	0.23
CC40275		92.1	8.58	1.33	0.15	0.07	0.09	0.048	0.08	28.9	2.6	0.06	1190	4.33	<0.01	0.25
CC40276		54.4	4.58	4.06	0.15	<0.02	0.11	0.086	0.39	26.7	3	0.03	41	57.2	0.01	0.12
CC40277		3.1	0.38	0.7	<0.05	<0.02	0.02	<0.005	0.03	1	0.3	0.01	26	1.06	0.01	<0.05
CC40278		81.1	3.96	4.55	0.16	0.05	0.12	0.06	0.23	32.5	14.8	0.45	263	19.85	0.02	0.17
CC40279		64	3.09	3.2	0.09	<0.02	0.07	0.034	0.14	15.4	4	0.12	472	12.4	0.02	0.09
CC40280		25.7	1.48	2.28	<0.05	<0.02	0.03	0.018	0.07	7.2	1.5	0.03	89	4.71	0.01	0.05
CC40281		9.2	0.79	2.64	<0.05	<0.02	0.02	0.008	0.04	5	1.1	0.03	68	3.36	0.02	<0.05
CC40282		19.8	1.15	1.95	0.05	<0.02	0.05	0.011	0.05	6.4	1	0.02	561	5.97	0.01	0.07
CC40283		21.4	1.11	2.54	0.06	<0.02	0.05	0.012	0.04	5.2	1.4	0.05	41	3.15	0.01	0.12
CC40284		57.6	4.11	8.04	0.21	<0.02	0.06	0.037	0.2	12.2	6.6	0.38	163	9.11	0.01	0.77
CC40285		39.9	1.91	3.23	0.06	<0.02	0.08	0.027	0.09	9.6	2.9	0.07	1365	9.58	0.01	0.09
CC40286		59	3.01	7.22	0.07	<0.02	0.06	0.033	0.1	10.9	9.9	0.49	165	9.77	<0.01	0.78
CC40287		57.2	4.28	6.18	0.13	0.02	0.1	0.062	0.16	26	15	0.4	332	11.15	0.03	0.23

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-SEP-2007
Account: MTT

Project: STRATEGIC NI

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC40242		170.5	2790	26.6	14.2	0.002	0.07	21.9	3	9.7	0.7	76.4	<0.01	0.1	0.8	0.03
CC40243		240	6970	42.4	17.4	0.002	0.03	54.6	3.5	41.2	0.5	108	0.01	0.23	1.8	0.024
CC40244		42.9	1440	108.5	20.9	0.003	0.32	47.5	0.6	46.4	1.6	41.7	<0.01	0.48	<0.2	0.009
CC40245		117	6500	60.1	26.3	0.004	0.38	62.6	1.8	75.3	1.7	103	0.01	0.38	0.4	0.011
CC40246		69.3	9170	32.4	24.3	0.01	0.36	88.7	4.7	99.1	1.4	238	0.01	0.51	1.5	0.013
CC40247		89.3	1710	22.2	31.9	0.009	0.17	15.35	6.5	14.9	1	56.9	0.01	0.1	6.4	0.1
CC40248		139.5	1210	41.6	25.1	0.005	0.08	24.4	6.9	9.8	0.8	70.1	<0.01	0.16	5.3	0.08
CC40249		83.5	1050	26.7	29.3	0.004	0.12	19.1	6	9.5	0.9	40.5	<0.01	0.1	4.7	0.095
CC40250		78.8	1360	35.8	26.1	0.004	0.2	23.4	3.4	21.2	1	52.6	<0.01	0.19	1.3	0.071
CC40251		30.9	890	9.6	6.1	0.001	0.08	5.21	1.4	3.2	0.3	30.1	<0.01	0.08	0.2	0.011
CC40252		91.3	1790	33.3	10	0.002	0.13	13.1	5.1	5.3	0.5	35.9	<0.01	0.3	1.6	0.011
CC40253		75.7	2360	22	18.6	0.015	0.25	48.5	4.4	50.6	1.1	186.5	0.01	0.46	0.3	0.042
CC40254		145.5	3470	18	19.4	0.011	0.27	33.7	3.5	56.5	1.1	213	0.01	0.53	0.3	0.075
CC40261		190.5	5060	16	12	0.003	0.25	9.36	6.9	7.2	0.4	142	0.01	0.12	3.8	0.005
CC40262		107	2330	20.1	7.8	0.003	0.19	15.4	6.1	5.4	0.3	176	0.01	0.12	3.2	<0.005
CC40263		47.6	1700	17.3	13.8	0.001	0.11	6.05	3.2	2.4	0.6	16.7	<0.01	0.09	1.2	0.007
CC40264		55.7	1940	12.2	6.3	0.001	0.14	6.5	0.6	3	0.4	20.5	<0.01	0.09	<0.2	0.005
CC40265		109.5	4360	24	10.7	0.013	0.44	23	7.1	15	0.7	129	<0.01	0.17	6.3	<0.005
CC40266		137	1780	18.1	17	0.007	0.14	34.3	1	16.3	1	172.5	<0.01	0.3	<0.2	0.017
CC40267		74.4	1220	7.7	9.9	0.003	0.18	24.1	1.5	11.9	0.5	79.9	<0.01	0.13	0.2	0.012
CC40268		387	1860	22.1	18.3	0.004	0.33	134.5	9.6	51.9	1.5	234	0.01	0.51	5.1	0.041
CC40269		786	3240	24	18.1	0.005	0.24	152.5	12	46.7	1.3	313	0.01	0.49	6.3	0.06
CC40270		292	2860	13.6	21.6	0.004	0.3	50.2	7.4	21.9	0.8	331	0.01	0.26	4.1	0.034
CC40271		337	2660	16.9	15.6	0.005	0.19	128.5	8.3	31.9	0.9	197	0.01	0.35	4.2	0.08
CC40272		291	2350	15.3	22.8	0.003	0.15	25.3	0.7	16	0.7	95.4	<0.01	0.23	<0.2	0.008
CC40273		149	3220	13.9	12.3	0.003	0.12	15.45	0.6	12.3	0.7	82.2	<0.01	0.17	<0.2	0.005
CC40274		58.6	1560	24.7	12.6	0.001	0.31	6.07	2.9	3.4	0.5	57.9	<0.01	0.13	0.5	0.008
CC40275		54.1	810	30.7	8.3	<0.001	0.04	2.6	9.8	1.5	0.3	5.2	0.01	0.23	5.8	0.006
CC40276		23.3	2990	38.9	21.6	0.002	1.13	9.32	0.3	10.5	1	207	<0.01	0.3	<0.2	<0.005
CC40277		2.2	880	1.6	1.9	<0.001	0.03	0.28	0.1	0.4	<0.2	10.6	<0.01	0.01	<0.2	<0.005
CC40278		105.5	5490	28.8	15.7	0.002	0.39	10.75	1.2	7.6	0.6	180.5	0.01	0.22	0.4	0.011
CC40279		67.6	2690	31.1	13.2	0.001	0.24	6.2	0.2	4.4	0.5	58.9	<0.01	0.13	<0.2	<0.005
CC40280		21.9	1250	13.2	7.5	0.001	0.1	2.19	0.1	1.7	0.3	23.1	<0.01	0.04	<0.2	<0.005
CC40281		8.8	810	6.4	5.8	<0.001	0.06	1.12	0.1	1	0.3	18.7	<0.01	0.02	<0.2	<0.005
CC40282		14.3	1090	10.3	7.6	<0.001	0.08	1.92	0.2	1.7	0.4	20.2	<0.01	0.04	<0.2	<0.005
CC40283		11.7	1370	6.8	8.1	<0.001	0.1	1.16	0.1	1.4	0.3	16.3	<0.01	0.04	<0.2	<0.005
CC40284		28.9	2030	18.5	19.5	<0.001	0.25	4.37	0.3	3.3	0.9	60.2	<0.01	0.1	<0.2	0.014
CC40285		44	2280	29.6	15.6	<0.001	0.17	3.89	0.1	2.6	0.5	36.3	<0.01	0.07	<0.2	<0.005
CC40286		91.7	1070	26.3	18	<0.001	0.14	5.06	0.9	2.8	0.8	45.8	<0.01	0.08	<0.2	0.037
CC40287		87.4	4050	43.8	19.6	0.001	0.3	9	0.4	5.8	0.7	173.5	<0.01	0.24	<0.2	0.006

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Tl ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Zn-OG46 Zn % 0.01
CC40242		1.17	3.23	491	0.24	18.75	3550	2.8	
CC40243		1.96	11.45	923	0.54	36.5	2730	1.1	
CC40244		7.55	13.35	983	1.34	7.67	169	<0.5	
CC40245		5.06	22.5	805	1.23	24.6	585	1.3	
CC40246		4.63	25.4	2270	1.05	34.9	340	1.1	
CC40247		0.5	4.29	316	0.35	16.5	722	3.5	
CC40248		0.93	4.51	311	0.41	16.15	1790	3.6	
CC40249		0.9	4.68	249	0.29	16.4	1050	1.9	
CC40250		1.1	4.14	327	0.34	11.4	1080	1.1	
CC40251		0.31	2.19	137	0.1	8.55	122	0.5	
CC40252		0.48	3.81	192	0.14	13.85	348	1	
CC40253		3.3	36.8	2810	0.75	57.6	389	<0.5	
CC40254		4.4	36.8	2740	0.55	57.2	653	0.8	
CC40261		0.78	4.48	148	0.12	53.4	736	3.4	
CC40262		0.21	5.4	87	0.07	43	561	1.8	
CC40263		0.25	1.6	104	0.13	9.16	213	0.9	
CC40264		0.23	1.42	112	0.11	6.63	355	0.5	
CC40265		0.96	7.44	223	0.37	31.5	438	8.5	
CC40266		6.7	14.5	2820	1.42	40.7	565	0.6	
CC40267		2.63	11.4	889	0.48	23.4	305	0.8	
CC40268		9.15	15.8	1920	6.13	54.7	1920	7.6	
CC40269		11.75	16.7	2380	8.83	69	>10000	19.5	1.06
CC40270		10.3	25.4	4120	1.34	83.6	3830	17.8	
CC40271		8.29	23.7	2500	3.6	54	3350	10.9	
CC40272		4.1	8.55	1425	0.54	38.2	3110	0.7	
CC40273		1.85	8.76	672	0.37	23.2	928	0.6	
CC40274		0.44	2.27	108	0.17	12.5	259	0.6	
CC40275		0.2	1.88	19	0.05	13.95	172	3.8	
CC40276		2.28	5.22	284	0.35	8.29	111	<0.5	
CC40277		0.07	0.66	17	<0.05	0.49	12	<0.5	
CC40278		0.72	5.82	233	0.2	28.6	439	1.4	
CC40279		0.39	3.13	139	0.15	7.45	356	<0.5	
CC40280		0.2	1.34	65	0.07	2.41	110	<0.5	
CC40281		0.19	0.62	55	0.07	1.53	43	<0.5	
CC40282		0.26	0.79	81	0.08	2.38	74	<0.5	
CC40283		0.17	1.19	59	0.09	2.27	48	<0.5	
CC40284		0.18	2.09	200	0.24	4.92	158	<0.5	
CC40285		0.59	2.34	144	0.09	3.69	233	<0.5	
CC40286		0.43	1.93	161	0.22	5.13	211	0.8	
CC40287		0.36	5.14	135	0.2	16.8	340	<0.5	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC40288		0.20	0.5	1.1	25.3	<0.2	<10	510	0.79	0.37	0.08	0.8	52.5	28.7	32	3.9
CC40289		0.18	0.54	1.87	27	<0.2	<10	660	0.78	0.35	0.13	3.41	50.7	29.6	81	2.66
CC40290		0.06	0.91	2.58	42.4	<0.2	<10	860	1.1	0.23	1.24	13.6	20.1	14.7	192	2.44
CC40291		0.12	4.39	1.14	194.5	<0.2	10	2100	1.54	0.2	0.31	28.5	34	11.2	121	4.34
CC40292		0.12	0.62	0.32	33.8	<0.2	<10	750	0.38	0.13	0.04	2.1	23.5	2	55	2.68
CC40293		0.18	1.67	0.38	31.9	<0.2	10	700	0.7	0.13	0.16	23.3	25.7	4.3	63	1.18
CC40294		0.28	2.09	0.82	60.7	<0.2	<10	450	0.84	0.16	6.54	116	19.1	11.3	69	1.51
CC40295		0.18	4.95	1.25	118	<0.2	10	470	1.49	0.27	0.21	4.9	45.4	2.6	215	5.9
CC40296		0.16	6.06	1.21	90.3	<0.2	10	1110	2.05	0.28	0.13	6.01	48.1	3.4	260	3.11
CC40297		0.22	5.5	1.23	97.6	<0.2	10	1780	2.14	0.24	0.24	14.85	45.3	8.9	261	2.97
CC40298		0.18	3.9	1.19	185	<0.2	10	230	1.5	0.24	0.29	7.13	36.6	9.5	229	3.41
CC40299		0.18	3.65	1.63	116	<0.2	<10	2080	1.59	0.31	0.31	52.4	38.7	16.6	190	3.43
CC40300		0.36	1.7	1.82	173	<0.2	<10	4980	1.39	0.27	0.47	34.8	36	24.3	98	2.52
CC40301		0.28	1.82	1.02	69.9	<0.2	<10	2970	1.37	0.2	0.68	40.8	43.8	30	67	3.01
CC40302		0.30	1.37	0.83	20.5	<0.2	<10	1580	0.48	0.18	0.34	4.22	27.2	5.2	26	1
CC40303		0.16	2.64	1.09	25.5	<0.2	<10	2330	0.76	0.2	0.33	10.35	24.4	5.9	46	1.09
CC40304		0.16	0.83	0.56	12.4	<0.2	<10	390	0.23	0.15	0.09	0.96	25.2	2.2	10	0.41
CC40305		0.16	0.89	0.43	7.2	<0.2	<10	600	0.27	0.06	0.25	3.43	8.53	2.7	11	0.5
CC40306		0.12	0.57	0.6	6	<0.2	<10	950	0.3	0.06	1.19	10.35	6.61	2.3	13	0.57
CC40307		0.14	1.82	0.74	25.2	<0.2	<10	920	0.62	0.18	0.58	5.6	20.2	2.9	55	0.54
CC40308		0.10	0.96	0.99	32.8	<0.2	<10	850	0.72	0.12	1.24	57.9	15.4	9.9	28	0.58
CC40309		0.26	0.25	0.71	18.3	<0.2	<10	640	0.8	0.12	1.48	10.35	31.7	9.3	22	0.55
CC40310		0.18	0.06	0.1	<0.1	<0.2	<10	60	<0.05	0.01	0.09	0.16	0.44	0.7	1	0.05
CC40311		0.16	0.33	0.63	7.6	<0.2	<10	370	0.46	0.09	1.24	5.89	15	3.9	10	0.34
CC40312		0.12	1.71	0.87	6.5	<0.2	<10	980	0.5	0.12	0.48	2.19	14	3.2	15	0.68
CC40314		0.10	1.09	0.18	0.3	<0.2	<10	450	<0.05	0.02	0.04	0.08	1.28	0.5	2	0.14
CC40315		0.12	1.13	0.18	0.3	<0.2	<10	40	<0.05	0.02	0.03	0.04	1.92	0.6	3	0.14
CC40316		0.18	0.4	0.24	1.5	<0.2	<10	50	<0.05	0.03	0.02	0.05	7.88	1.3	4	0.35
CC40317		0.20	1.6	0.1	0.1	<0.2	<10	20	<0.05	0.01	0.03	0.03	0.94	0.8	2	0.1
CC40318		0.16	0.88	0.73	17.7	<0.2	<10	360	0.31	0.21	0.01	0.53	26.5	4	23	0.95
CC40319		0.16	0.29	0.68	18.8	<0.2	<10	380	0.26	0.25	0.02	0.54	25.5	3.3	19	1.08
CC40320		0.16	0.91	0.11	0.2	<0.2	<10	40	<0.05	0.01	0.03	0.05	1.19	1.6	2	0.13
CC40321		0.12	0.61	0.19	0.7	<0.2	<10	40	<0.05	0.03	0.02	0.05	4.6	0.6	4	0.27
CC40322		0.22	0.35	0.46	10.2	<0.2	<10	170	0.15	0.15	0.01	0.2	21.1	2.6	11	0.94
CC40323		0.14	<0.01	0.09	0.1	<0.2	<10	20	<0.05	<0.01	0.03	<0.01	0.31	<0.1	1	<0.05
CC40324		0.14	0.23	0.41	6.9	<0.2	<10	130	0.12	0.11	0.02	0.14	15	2.4	10	0.77
CC40325		0.16	0.41	0.36	2	<0.2	<10	110	0.06	0.05	0.02	0.04	9.72	0.8	4	0.43
CC40326		0.20	0.37	0.43	5.8	<0.2	<10	170	0.12	0.1	0.02	0.15	18.35	1.4	9	1.09
CC40327		0.14	0.07	0.18	0.1	<0.2	<10	70	0.05	0.01	0.02	0.11	4.83	1	3	0.2
CC40328		0.18	0.86	0.12	<0.1	<0.2	<10	30	<0.05	0.01	0.03	0.02	0.75	0.6	1	0.16

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC40288		77.2	5.56	3.2	0.15	0.03	0.05	0.048	0.18	29.9	8.6	0.31	1345	7.38	0.01	0.43
CC40289		77.2	5.23	4.76	0.14	0.02	0.08	0.042	0.12	28.7	17.7	0.8	1080	11.2	0.01	0.68
CC40290		58.1	2.55	7.24	0.12	0.02	0.08	0.025	0.06	14.5	28.2	1.55	368	11.75	0.04	0.61
CC40291		142	2	5.47	0.25	0.03	0.84	0.047	0.2	43.9	9.5	0.55	366	110	0.05	0.29
CC40292		32	1.15	2.66	0.1	<0.02	0.15	0.017	0.08	23.4	1.5	0.03	40	59.4	0.02	0.21
CC40293		86.1	1.42	3.4	0.17	0.1	0.24	0.033	0.09	22.9	3.9	0.04	77	74.3	0.01	0.1
CC40294		89.2	2.12	3.79	0.19	0.27	1.1	0.037	0.17	13.6	3.1	3.75	416	82.1	0.02	0.41
CC40295		234	3.51	11.2	0.58	0.12	0.64	0.064	0.29	44.3	6.9	0.09	44	131.5	0.01	0.47
CC40296		258	2.63	11.15	0.4	0.04	0.92	0.069	0.19	51.3	8.6	0.09	65	124	0.02	0.24
CC40297		287	2.89	10.75	0.46	0.04	0.52	0.062	0.2	47.5	10.8	0.15	241	134.5	0.03	0.41
CC40298		194.5	6.06	12.35	0.39	0.05	0.42	0.109	0.29	31.6	7.8	0.11	190	198	<0.01	0.39
CC40299		188	3.43	8.48	0.29	0.04	0.35	0.058	0.16	35.2	12.5	0.46	379	109	0.05	0.49
CC40300		176.5	3.6	5.75	0.19	0.04	0.42	0.055	0.15	23.9	10.6	0.49	482	112	0.11	0.57
CC40301		252	3.5	3.75	0.14	0.06	0.41	0.056	0.13	27.4	7.6	0.21	575	38.9	0.06	0.23
CC40302		40.8	1.78	3.35	0.07	0.02	0.18	0.026	0.1	16.2	7.5	0.23	124	22	0.03	0.28
CC40303		69.4	2.02	3.92	0.08	0.03	0.51	0.034	0.14	14.9	10.1	0.31	102	28.5	0.05	0.28
CC40304		24.5	1.36	2.18	0.05	<0.02	0.08	0.018	0.06	14.2	3.1	0.1	34	11.35	<0.01	0.12
CC40305		22.8	0.9	1.61	0.05	<0.02	0.15	0.011	0.05	5.1	3.1	0.1	42	8.08	0.03	0.15
CC40306		25.1	0.68	1.98	0.05	0.05	0.15	0.01	0.06	4	3.2	0.22	44	6.81	0.04	0.34
CC40307		55.5	1.37	3.43	0.07	0.04	0.34	0.025	0.07	13.1	6.5	0.2	49	17.45	0.02	0.23
CC40308		59.2	1.4	2.93	0.11	0.11	0.56	0.024	0.08	9.4	8.2	0.36	377	28.7	0.03	0.32
CC40309		31.1	1.79	2.37	0.08	0.05	0.22	0.03	0.11	20.3	9.7	0.66	124	61.4	0.01	0.17
CC40310		1.8	0.25	0.59	<0.05	<0.02	0.01	<0.005	0.02	0.2	0.2	0.02	16	0.36	0.03	0.1
CC40311		23.6	1	1.88	0.06	0.06	0.14	0.015	0.07	9.1	5.6	0.22	153	15.25	0.02	0.26
CC40312		33	1.24	2.7	0.05	0.06	0.24	0.018	0.06	8	5.5	0.14	133	7.84	0.03	0.39
CC40314		2.6	0.19	0.87	<0.05	<0.02	0.03	<0.005	0.02	0.7	0.2	0.01	9	0.54	0.02	0.11
CC40315		2.9	0.27	0.99	<0.05	<0.02	0.03	<0.005	0.02	1.1	0.3	0.01	11	0.67	0.01	0.05
CC40316		4.6	0.49	1.97	<0.05	<0.02	0.01	<0.005	0.03	4.5	0.6	0.02	18	1.93	<0.01	<0.05
CC40317		1.7	0.3	0.72	<0.05	<0.02	0.03	<0.005	0.02	0.5	0.2	0.01	14	0.35	0.01	0.06
CC40318		28.6	1.63	4.26	0.06	<0.02	0.04	0.022	0.09	16.3	3.6	0.08	27	21.2	<0.01	0.1
CC40319		23.8	1.72	3.99	0.05	<0.02	0.05	0.02	0.08	15.4	3	0.07	33	16.3	0.01	0.12
CC40320		2.8	0.57	1.07	<0.05	<0.02	0.03	<0.005	0.01	0.7	0.2	0.02	25	0.28	0.01	<0.05
CC40321		3.2	0.27	1.43	<0.05	<0.02	0.03	<0.005	0.02	2.7	0.3	0.01	11	0.96	0.01	<0.05
CC40322		15.4	1.03	3.3	<0.05	<0.02	0.02	0.012	0.06	12.2	1.3	0.03	23	10.1	<0.01	<0.05
CC40323		0.2	0.26	<0.05	<0.05	<0.02	<0.01	<0.005	0.02	0.2	<0.1	0.01	12	0.14	0.01	<0.05
CC40324		11.8	0.97	3.56	<0.05	<0.02	0.02	0.008	0.04	9.1	1.1	0.03	27	7.1	<0.01	<0.05
CC40325		6.6	0.32	2.55	<0.05	<0.02	0.02	0.005	0.03	5.6	0.7	0.02	10	2.1	0.01	0.09
CC40326		10.6	0.62	2.9	<0.05	<0.02	0.03	0.011	0.05	10.6	1.2	0.03	15	6.51	<0.01	0.05
CC40327		2.5	0.36	1.21	<0.05	<0.02	0.01	<0.005	0.02	2.7	0.3	0.02	15	0.52	0.01	0.05
CC40328		1.3	0.21	0.8	<0.05	<0.02	0.02	<0.005	0.02	0.4	0.2	0.01	11	0.13	0.01	0.06

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC40288		88.4	1740	27.6	16.3	0.001	0.25	4.47	7.5	3.9	0.5	44.7	0.01	0.17	3.9	0.021
CC40289		147	1220	21.5	13.7	0.001	0.14	8.43	4.6	4.7	0.7	35.5	0.01	0.1	1.6	0.043
CC40290		150.5	2560	15.7	14.7	0.002	0.12	9.16	0.9	9.8	0.6	85.9	<0.01	0.09	0.2	0.02
CC40291		237	1970	19	23	0.003	0.15	54.7	1.9	28.3	0.8	97.1	0.01	0.28	<0.2	0.028
CC40292		67.8	1010	9.4	9.9	0.001	0.13	16.75	0.5	9.3	0.9	21.4	<0.01	0.13	<0.2	0.012
CC40293		182	630	11.7	8.8	0.003	0.15	28.3	3.2	16	0.6	82.9	<0.01	0.17	2.6	0.006
CC40294		299	1330	11.6	10.8	0.013	0.43	44.6	6	28.6	0.9	837	<0.01	0.19	3.4	0.025
CC40295		109.5	4130	21.8	27.4	0.017	0.57	59	10.5	101.5	1.3	276	0.01	0.67	4.9	0.035
CC40296		144	2850	22.7	20.5	0.007	0.31	54.1	4.1	47.2	1.4	167	0.01	0.49	0.4	0.034
CC40297		209	2900	22.6	21.7	0.005	0.21	74.2	8.5	43.8	1.3	115	0.01	0.5	1.9	0.045
CC40298		164.5	4560	24.4	20.6	0.005	0.81	85.2	11.5	48	1.7	227	0.01	0.6	3.2	0.025
CC40299		443	2800	22.4	21.3	0.005	0.17	47.3	6.6	27.7	1.1	143	0.01	0.35	1.3	0.047
CC40300		388	2620	31.1	9.4	0.012	0.08	43.6	8	16.5	0.9	150	0.01	0.35	1.9	0.04
CC40301		435	3730	14.6	12.2	0.009	0.11	23.6	6.7	7.9	0.7	142	0.01	0.2	1.5	0.009
CC40302		58.4	1310	15.1	11.8	0.006	0.07	6.92	1.4	4.6	0.5	47.4	<0.01	0.08	0.6	0.01
CC40303		97.1	1620	13.4	15.4	0.008	0.08	11.35	1.7	7.1	0.6	43.6	<0.01	0.12	0.5	0.008
CC40304		31.1	830	7.9	7.5	0.004	0.02	3.91	1.1	2	0.4	9.4	<0.01	0.06	0.9	<0.005
CC40305		42.8	470	4.4	4.9	<0.001	0.02	3.14	1.3	1.7	0.2	19.2	<0.01	0.03	0.3	0.011
CC40306		137	690	5.2	6.3	0.002	0.07	4.07	1.1	3.3	0.3	59.6	<0.01	0.03	0.3	0.011
CC40307		74	1290	12.1	8	0.005	0.06	7.46	1.9	4.1	0.7	40	<0.01	0.13	0.7	0.007
CC40308		614	1340	9.2	10.1	0.022	0.12	11.35	2.3	7.8	0.8	82.2	<0.01	0.09	1	0.007
CC40309		318	1160	9.3	8.7	0.007	0.07	6.09	3.9	5.2	1.1	66.4	<0.01	0.07	2.8	<0.005
CC40310		4.3	60	0.6	0.6	<0.001	0.01	0.08	0.2	<0.2	<0.2	12	<0.01	<0.01	<0.2	0.013
CC40311		198	840	7	6.2	0.01	0.07	3.55	1.7	4.2	0.4	74.3	<0.01	0.04	1.1	0.008
CC40312		50	1230	6.1	7.5	0.015	0.1	2.71	1.9	4.1	0.4	39.1	<0.01	0.04	0.5	0.008
CC40314		1.8	360	1.2	1.7	<0.001	0.02	0.12	0.1	0.3	<0.2	9.4	<0.01	<0.01	<0.2	0.01
CC40315		1.8	370	1.9	1.1	<0.001	0.02	0.13	0.1	0.3	<0.2	6.5	<0.01	0.01	<0.2	0.009
CC40316		2.7	310	2.1	3.4	<0.001	0.01	0.33	0.1	0.3	0.2	5.6	<0.01	0.01	<0.2	0.01
CC40317		1.5	230	1	0.9	<0.001	0.01	0.05	0.2	<0.2	<0.2	6.8	<0.01	<0.01	<0.2	0.014
CC40318		46.8	880	17.1	11.4	<0.001	0.04	6.58	0.3	3.6	0.6	18	<0.01	0.09	<0.2	<0.005
CC40319		28.1	1130	19.6	11.7	<0.001	0.05	4.5	0.3	3.1	0.6	18.1	<0.01	0.08	<0.2	0.005
CC40320		1.4	160	0.8	1.1	<0.001	0.01	0.09	0.1	0.2	<0.2	7.1	<0.01	<0.01	<0.2	0.019
CC40321		2.1	390	1.9	2.2	<0.001	0.01	0.21	0.2	0.2	0.2	5.2	<0.01	0.01	<0.2	0.009
CC40322		17.8	760	11.4	10.8	<0.001	0.03	2.57	0.2	1.6	0.5	10.4	<0.01	0.05	<0.2	<0.005
CC40323		0.2	130	<0.2	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01	<0.01	<0.2	0.015
CC40324		13	600	7.7	7.7	<0.001	0.02	1.92	0.2	1.2	0.4	7.9	<0.01	0.05	<0.2	0.006
CC40325		3.2	410	3	3.9	<0.001	0.02	0.46	0.2	0.5	0.3	6.3	<0.01	0.02	<0.2	0.008
CC40326		8.3	620	8.3	8.3	<0.001	0.02	1.29	0.2	0.9	0.4	7.8	<0.01	0.03	<0.2	<0.005
CC40327		1.7	240	1.4	1.7	<0.001	0.01	0.08	0.2	0.2	<0.2	6.6	<0.01	0.01	<0.2	0.013
CC40328		0.6	270	0.8	1.4	<0.001	0.01	<0.05	0.2	<0.2	<0.2	6.1	<0.01	<0.01	<0.2	0.011

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC40288		0.34	2.53	55	0.11	20.5	399	0.8	
CC40289		0.55	3.05	157	0.29	17.4	755	0.6	
CC40290		0.57	3.87	374	0.28	15.7	1110	0.7	
CC40291		3.85	18.75	2730	1.26	53.6	1440	0.6	
CC40292		1.8	4.08	689	0.69	8.66	220	<0.5	
CC40293		3.25	4.65	1060	0.47	23.2	838	7.9	
CC40294		4.12	8.93	917	1.39	23.3	4630	18.3	
CC40295		6.98	28	3480	1.4	52.7	519	10.8	
CC40296		7.37	25.8	3460	1.28	69.3	540	0.7	
CC40297		9.77	35.1	4850	1.2	60	804	1.5	
CC40298		11.1	31.1	3000	1.48	53.7	768	2	
CC40299		7.57	25.4	2720	1.09	43.1	3570	1.1	
CC40300		2.7	34.6	1020	0.91	36.5	2490	1.2	
CC40301		3.06	19.65	725	0.42	46.6	3770	1.5	
CC40302		0.8	2.83	413	0.21	11.25	392	0.6	
CC40303		1.64	4.73	716	0.26	16.4	656	0.7	
CC40304		0.36	1.46	115	0.07	3.54	203	<0.5	
CC40305		0.36	2.61	127	0.08	5.39	347	<0.5	
CC40306		0.42	1.94	162	0.08	4.56	952	2	
CC40307		0.78	6.37	403	0.2	14.2	536	1.1	
CC40308		2.48	13.95	382	0.26	14.7	7060	4.5	
CC40309		1.93	12.5	173	0.33	28	2390	2.8	
CC40310		<0.02	0.15	9	<0.05	0.29	36	<0.5	
CC40311		0.36	6.68	65	0.13	10.65	1910	2.5	
CC40312		0.27	6.84	104	0.09	13	294	2.2	
CC40314		0.02	0.3	8	<0.05	0.34	7	<0.5	
CC40315		0.05	0.23	14	<0.05	0.3	9	<0.5	
CC40316		0.1	0.24	32	<0.05	0.53	22	<0.5	
CC40317		0.02	0.15	12	<0.05	0.16	5	<0.5	
CC40318		0.62	1.43	288	0.21	3.8	273	<0.5	
CC40319		0.64	1.7	260	0.23	3.54	179	<0.5	
CC40320		0.04	0.22	26	<0.05	0.22	9	<0.5	
CC40321		0.12	0.25	22	<0.05	0.38	11	<0.5	
CC40322		0.41	0.8	145	0.13	1.92	102	<0.5	
CC40323		<0.02	<0.05	10	<0.05	<0.05	4	<0.5	
CC40324		0.3	0.55	127	0.12	1.34	77	<0.5	
CC40325		0.15	0.38	37	0.05	0.75	22	<0.5	
CC40326		0.38	0.66	93	0.24	1.48	57	<0.5	
CC40327		0.07	0.24	20	<0.05	0.54	8	<0.5	
CC40328		0.05	0.18	14	<0.05	0.15	4	<0.5	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC40329		0.14	0.31	0.1	<0.1	<0.2	<10	10	<0.05	0.01	0.03	0.02	0.45	0.6	1	0.05
CC40330		0.16	0.21	0.65	8.6	<0.2	<10	160	0.16	0.13	0.01	0.16	29.9	2	11	0.87
CC40331		0.12	4.58	1.68	20	<0.2	<10	2630	1.02	0.19	0.53	11.95	36.6	12.7	30	2.13
CC40332		0.20	1.14	1	14.4	<0.2	<10	1110	0.48	0.19	0.57	2.99	29.3	5.2	22	1.25
CC40333		0.18	1.24	0.86	15.6	<0.2	<10	1040	0.47	0.16	0.63	3.67	32.6	5.9	18	0.97
CC40334		0.22	0.87	0.88	114	<0.2	<10	1030	0.99	0.38	0.25	0.21	41.6	19.7	18	2.38
CC40335		0.18	1.34	0.61	39.4	<0.2	<10	830	0.78	0.32	0.39	0.54	38.2	6.4	18	1.39
CC40336		0.20	0.34	0.93	27.5	<0.2	<10	960	0.67	0.32	0.04	0.58	42.9	22.5	11	3.99
CC40337		0.18	0.69	0.69	25.7	<0.2	<10	1260	0.62	0.19	0.06	1.27	23.6	8.1	34	2.03
CC40338		0.14	0.4	0.49	211	<0.2	<10	620	0.3	0.73	0.03	0.26	27.6	6.7	13	5.58
CC40339		0.18	2.71	0.82	262	<0.2	<10	3020	0.83	1.66	0.24	2.88	50.6	23.4	24	7.43
CC40340		0.16	2.58	0.98	47.7	<0.2	10	210	1.08	0.28	0.16	3.75	40.5	2.5	75	2.55
CC40341		0.22	1.78	0.84	55.7	<0.2	10	600	1.43	0.25	0.26	28.2	48.7	8	54	1.4
CC40342		0.24	1.92	0.73	96.9	<0.2	<10	2600	0.79	0.21	9.78	15.8	18.1	19.4	37	1.4
CC40343		0.20	2.56	0.58	34.4	<0.2	10	5110	0.75	0.17	0.23	13.3	23.5	1.4	40	1.89
CC40344		0.22	1.96	0.59	22.5	<0.2	10	6990	0.7	0.13	0.17	12.05	21.7	2.1	46	1.39
CC40345		0.28	0.41	0.13	5.2	<0.2	<10	>10000	0.15	0.16	0.09	6.35	4.2	2.2	13	0.3
CC40346		0.26	0.36	0.19	12.5	<0.2	<10	>10000	0.13	0.12	0.17	18.2	3.96	9.4	16	0.29
CC40347		0.32	0.2	0.28	7.1	<0.2	<10	>10000	0.16	0.1	0.06	84.1	3.32	43.7	8	0.27
CC40348		0.16	3.11	1.13	119.5	<0.2	<10	220	0.77	0.36	0.04	4.15	36.8	2.3	98	2.99
CC40349		0.30	3.22	1.22	111	<0.2	10	170	1.19	0.36	0.17	16.45	53.9	4.7	101	3.75
CC40350		0.20	4.43	1.2	143.5	<0.2	10	250	1.29	0.31	0.54	35.6	43.1	9.3	134	2.92
CC40351		0.24	12.8	1.49	125.5	<0.2	<10	220	2.62	0.24	0.17	14.85	45.1	2.7	573	3.73
CC40353		0.14	15.95	1.09	73.7	<0.2	<10	430	1.85	0.3	0.17	19.65	33.3	3.1	295	2.07
CC40367		0.14	1.66	0.93	11.5	<0.2	<10	1090	0.35	0.14	0.3	2.53	18.2	3.1	20	1.31
CC40368		0.14	0.62	0.39	7.4	<0.2	<10	240	0.14	0.09	0.02	0.26	16.3	2.3	11	0.77
CC40369		0.18	0.48	0.36	5.2	<0.2	<10	230	0.11	0.1	0.01	0.13	44.9	1.5	7	1.16
CC40370		0.16	0.84	0.08	0.1	<0.2	<10	60	<0.05	0.01	0.03	0.07	0.53	0.7	1	<0.05
CC40372		0.14	0.96	0.29	3	<0.2	<10	130	0.06	0.05	0.01	0.06	22.8	1.1	6	0.57
CC40373		0.14	1.47	0.14	0.9	<0.2	<10	90	<0.05	0.02	0.02	0.05	7.36	0.7	3	0.28
CC40374		0.14	0.86	0.62	12.4	<0.2	<10	790	0.33	0.12	0.1	2.35	21.1	3.6	17	0.89
CC40375		0.14	0.99	0.25	4	<0.2	<10	310	0.11	0.04	0.03	0.61	7.3	1.2	5	0.53
CC40376		0.10	1.77	0.33	3.5	<0.2	<10	230	0.13	0.09	0.03	0.31	11.5	1.2	10	0.68
CC40377		0.14	0.19	0.18	2	<0.2	<10	70	0.05	0.03	0.02	0.08	11.65	0.7	5	0.52
CC40378		0.18	0.21	0.08	0.5	<0.2	<10	30	<0.05	0.01	0.02	0.05	0.54	0.6	2	0.12
CC40379		0.24	2.06	0.89	31.2	<0.2	<10	2360	0.89	0.19	0.17	19.1	41.8	5.4	39	1.14
CC40381		0.16	0.75	0.94	15.1	<0.2	<10	1100	0.68	0.18	0.57	4.35	33	6.5	27	0.93
CC40382		0.18	0.44	0.29	2.9	<0.2	<10	490	0.16	0.04	0.4	0.63	4.34	1.2	7	0.32
CC40383		0.20	1.15	0.78	9.5	<0.2	<10	920	0.38	0.11	0.55	1.2	9.55	2.9	18	0.73
CC40384		0.14	0.55	0.63	4.7	<0.2	<10	860	0.37	0.07	3.02	4.07	6.89	2.7	11	0.49

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC40329		0.9	0.23	0.52	<0.05	<0.02	0.01	<0.005	0.02	0.2	0.2	0.01	12	0.1	0.02	0.09
CC40330		10.9	0.93	4.14	0.06	<0.02	0.02	0.01	0.06	17.1	2.3	0.05	22	7.56	<0.01	0.16
CC40331		102.5	2.52	4.03	0.1	0.05	0.48	0.041	0.17	19.5	13.1	0.38	250	19.65	0.06	0.35
CC40332		36.9	1.88	3.03	0.06	0.02	0.16	0.028	0.12	17.2	10.4	0.24	70	12.5	0.03	0.28
CC40333		43.7	1.97	2.61	0.06	0.02	0.15	0.025	0.12	18.3	9.1	0.31	63	15	0.02	0.22
CC40334		68.9	4	2.29	0.1	0.02	0.1	0.049	0.16	24.6	5.4	0.1	832	6.73	0.02	0.06
CC40335		65.8	2.9	1.68	0.1	0.03	0.15	0.042	0.16	23.5	3.3	0.04	243	7.73	0.01	0.07
CC40336		65.6	4.76	2.35	0.1	0.02	0.03	0.043	0.12	20.8	4.7	0.09	1115	6.44	0.02	0.23
CC40337		47.5	2.48	2.37	0.08	<0.02	0.08	0.027	0.07	13.9	2.5	0.04	273	12.95	0.03	0.06
CC40338		31.5	3.42	2.65	0.08	<0.02	0.06	0.031	0.11	15.5	1.6	0.03	178	8.57	0.01	0.18
CC40339		116.5	6.29	1.9	0.16	0.08	0.21	0.066	0.1	27.3	3.7	0.09	814	13.05	<0.01	0.26
CC40340		83.8	2.45	6.27	0.27	0.04	0.23	0.047	0.22	30	4.4	0.07	81	86.1	0.02	0.17
CC40341		153.5	1.9	5.26	0.3	0.04	0.19	0.052	0.17	33.7	4.5	0.05	158	117.5	0.02	0.2
CC40342		47.6	2.16	2.66	0.08	0.06	0.31	0.024	0.09	11.7	4.3	2.53	687	34.35	0.01	0.28
CC40343		108.5	1.04	3.67	0.12	0.02	0.65	0.032	0.09	18.9	2.3	0.04	34	48	<0.01	0.09
CC40344		93	0.9	3.43	0.14	0.02	0.34	0.026	0.09	17	3.2	0.07	74	44.6	<0.01	0.24
CC40345		24.1	0.31	0.64	0.07	0.22	0.09	0.007	<0.01	6	0.7	0.02	79	9.5	<0.01	0.11
CC40346		25.7	0.5	0.81	0.07	0.21	0.08	0.007	0.01	5.5	0.5	0.11	288	14.15	<0.01	0.08
CC40347		38.8	0.59	0.73	0.06	0.12	0.04	0.005	0.01	3.3	0.4	0.06	1340	28.2	<0.01	0.07
CC40348		140.5	3.9	9.01	0.38	0.03	0.33	0.065	0.19	29	2.5	0.04	40	229	0.02	0.97
CC40349		189	3.52	7.91	0.43	0.03	0.33	0.072	0.26	38.4	3.6	0.06	132	166	0.02	0.38
CC40350		201	3.55	8.88	0.54	0.09	0.57	0.082	0.27	31.6	4.3	0.09	206	153.5	0.02	0.76
CC40351		517	3.22	13.1	0.76	0.05	1.03	0.072	0.21	55.6	6	0.11	62	167.5	0.02	2.14
CC40353		283	2.56	8.42	0.44	0.04	1.13	0.058	0.16	38.2	3.4	0.04	83	80.1	0.02	0.13
CC40367		23.4	1.36	3.18	0.05	<0.02	0.2	0.023	0.09	10.6	7.3	0.17	45	9.73	0.02	0.23
CC40368		12.7	0.92	2.82	<0.05	<0.02	0.03	0.012	0.05	9.8	1.4	0.04	22	10.85	0.03	<0.05
CC40369		9.3	0.65	2.96	0.06	<0.02	0.01	0.008	0.06	24.6	1	0.03	13	5.72	0.02	0.12
CC40370		1.2	0.27	0.51	<0.05	<0.02	0.01	<0.005	0.02	0.3	0.1	0.01	13	0.22	0.04	0.09
CC40372		4.9	0.46	2.49	<0.05	<0.02	0.01	0.005	0.03	13.4	0.7	0.02	14	3.15	0.02	<0.05
CC40373		2.7	0.3	1.05	<0.05	<0.02	0.01	<0.005	0.02	4.2	0.3	0.01	12	1.23	0.03	0.09
CC40374		34.9	1.39	2.81	0.06	0.02	0.14	0.022	0.08	12.8	4.3	0.1	39	14.65	0.02	0.24
CC40375		9.5	0.5	1.05	<0.05	<0.02	0.08	0.007	0.03	4.5	0.8	0.02	14	5.33	0.03	<0.05
CC40376		8.8	0.59	2.02	<0.05	<0.02	0.06	0.01	0.05	7.4	1.5	0.04	16	3.67	0.03	<0.05
CC40377		3.8	0.35	1.71	<0.05	<0.02	0.02	<0.005	0.03	8.4	0.5	0.02	13	4.33	0.03	<0.05
CC40378		1.9	0.23	0.43	<0.05	<0.02	0.02	<0.005	0.01	0.3	0.2	0.01	12	0.32	0.04	0.08
CC40379		97.7	2.41	3.91	0.13	0.03	0.52	0.042	0.11	26.4	7.4	0.19	48	44.7	<0.01	0.3
CC40381		57.6	1.9	3.09	0.09	0.06	0.24	0.028	0.12	19.7	10.7	0.34	102	14.8	0.03	0.25
CC40382		12.3	0.54	1.1	<0.05	0.03	0.1	0.006	0.03	2.6	1.8	0.08	20	3.27	0.03	0.14
CC40383		25.3	1.29	2.66	0.05	0.06	0.2	0.017	0.07	5.2	5.1	0.15	50	8.97	0.04	0.27
CC40384		48.3	0.6	1.71	0.05	0.1	0.21	0.011	0.03	4.5	3.7	0.16	163	3.58	0.23	0.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC40329		0.6	130	1.2	0.6	<0.001	0.01	<0.05	0.1	<0.2	<0.2	5.9	<0.01	<0.01	<0.2	0.013
CC40330		14.3	550	9.5	11.3	0.001	0.02	1.62	0.2	1	0.4	7.1	<0.01	0.04	<0.2	0.006
CC40331		114.5	2370	20.1	19.5	0.017	0.13	7.3	1.3	5.8	0.6	48.6	<0.01	0.08	0.3	0.005
CC40332		52.5	1190	15.7	13.9	0.003	0.06	4.36	1.2	2.5	0.4	58	<0.01	0.07	0.5	0.006
CC40333		52.8	1090	13.6	11.8	0.005	0.07	5.71	1.2	3.1	0.3	60.1	<0.01	0.07	0.4	0.006
CC40334		48.3	3370	48.2	11.7	0.003	0.26	11.65	0.9	4.7	0.5	100	<0.01	0.23	0.2	<0.005
CC40335		35.2	4100	40.4	9.9	0.003	0.31	7.92	1.1	5.3	0.4	118.5	<0.01	0.23	0.4	<0.005
CC40336		59.6	1210	23.2	12.7	0.001	0.13	5.43	5.2	2.8	0.4	28	<0.01	0.13	2.2	0.009
CC40337		73.8	1880	11.9	9.2	0.002	0.12	7.7	0.1	4.4	0.5	19.5	<0.01	0.11	<0.2	<0.005
CC40338		33.8	1310	55.9	15.3	0.001	0.21	124.5	0.5	3.9	0.9	44.3	<0.01	0.09	0.2	0.007
CC40339		121	1180	107.5	9.3	0.002	0.12	262	8.2	9.1	1.7	58	0.02	0.18	3.3	0.007
CC40340		45.4	3030	17.9	21.4	0.007	0.54	22.7	2.1	44	1	130.5	0.01	0.46	0.5	0.01
CC40341		223	1760	16.7	12.4	0.009	0.17	35.1	5.1	47.7	1	218	0.01	0.65	1.6	0.007
CC40342		368	1440	50.5	9.8	0.002	0.07	31.8	2.2	11.1	1.3	601	0.01	0.14	0.9	0.01
CC40343		75.7	2300	12.5	10.3	0.006	0.08	18.3	2.8	13.8	0.8	330	0.01	0.27	0.7	<0.005
CC40344		99.4	1810	8.6	9.9	0.007	0.04	13.05	3.1	12.7	0.6	209	0.01	0.24	1.1	0.012
CC40345		44	480	2.9	1.9	0.05	<0.01	5.43	1.3	2.7	0.2	5860	0.01	0.09	0.3	0.005
CC40346		172	480	2.7	1.9	0.045	<0.01	9.55	1.6	2.9	0.3	5510	0.01	0.07	0.4	<0.005
CC40347		569	440	1.7	1.2	0.014	<0.01	5.25	0.9	2.9	0.2	1690	0.01	0.04	0.3	<0.005
CC40348		98.5	3110	20.5	16.6	0.009	0.69	67.3	3.1	50.1	1.1	231	0.01	0.64	0.3	0.067
CC40349		155.5	3500	22.5	17.5	0.007	0.46	51	5.6	76.3	1.2	429	0.01	0.7	0.9	0.03
CC40350		352	4080	19.5	18.4	0.011	0.32	63.4	9.5	101	1.3	392	0.01	0.85	5.3	0.047
CC40351		188	5370	22	19.8	0.057	0.34	71.5	11.6	81.1	1.4	239	0.01	0.66	2.6	0.154
CC40353		120	4120	19.9	14.8	0.007	0.44	56.3	0.6	54.8	1.1	195.5	0.01	0.57	<0.2	<0.005
CC40367		33.7	1290	11.8	14.2	0.003	0.08	3.5	0.2	2.6	0.4	38	<0.01	0.06	<0.2	<0.005
CC40368		21.3	520	6.3	7.9	0.001	0.01	2.81	0.1	1.3	0.4	7.7	<0.01	0.05	<0.2	<0.005
CC40369		9.2	390	7.4	9	0.001	<0.01	1.22	0.4	0.8	0.5	6.3	<0.01	0.04	0.4	0.006
CC40370		0.8	190	0.7	0.6	<0.001	<0.01	0.05	0.1	<0.2	<0.2	6.5	<0.01	0.01	<0.2	0.015
CC40372		5.4	320	2.9	4.5	<0.001	<0.01	0.76	0.1	0.5	0.4	4.7	<0.01	0.03	<0.2	0.005
CC40373		2.9	250	1.2	2	<0.001	<0.01	0.28	0.2	0.2	0.2	5.6	<0.01	0.01	<0.2	0.012
CC40374		34.4	1310	11.2	11.7	0.005	0.06	5.13	0.7	3	0.4	21	<0.01	0.07	<0.2	0.008
CC40375		11.1	580	4	3.8	0.001	0.02	1.78	0.1	1.2	0.2	28.4	<0.01	0.02	<0.2	<0.005
CC40376		9.1	630	6.5	5.4	0.002	0.04	2.02	0.1	1.3	0.3	55.8	<0.01	0.03	<0.2	0.005
CC40377		3.3	220	1.6	2.9	<0.001	<0.01	2.15	0.1	0.6	0.3	7.4	<0.01	0.02	<0.2	0.009
CC40378		1.1	150	0.5	0.7	<0.001	<0.01	0.08	0.2	<0.2	<0.2	6	<0.01	0.01	<0.2	0.013
CC40379		112.5	1980	15.6	13.1	0.005	0.08	19.4	2.5	11.4	0.8	115.5	0.01	0.17	0.7	0.014
CC40381		71	1370	12.1	11.3	0.003	0.05	6.05	3.4	3.8	0.4	55.9	<0.01	0.11	2.4	0.009
CC40382		17.4	340	2.5	2.9	0.001	0.03	1.51	0.7	1.2	0.2	25.9	<0.01	0.04	0.3	0.011
CC40383		38.8	870	6.7	7.2	0.004	0.08	3.45	1.3	2.6	0.3	41.5	<0.01	0.1	0.5	0.011
CC40384		111.5	1580	5.9	2.8	0.016	0.39	3.21	0.8	6.8	0.3	138.5	<0.01	0.05	0.3	0.006

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC40329		0.02	0.12	9	<0.05	0.11	4	<0.5	
CC40330		0.35	0.64	118	0.15	1.98	87	<0.5	
CC40331		0.81	8.26	283	0.19	29.9	629	1.2	
CC40332		0.52	2.18	215	0.25	10.5	360	0.6	
CC40333		0.42	2.58	162	0.18	9.62	376	0.5	
CC40334		0.17	4.48	72	0.08	19.05	140	<0.5	
CC40335		0.16	4.98	81	0.08	20.8	124	0.8	
CC40336		0.23	1.88	50	0.09	15.3	192	0.5	
CC40337		0.21	3.09	149	0.12	13.2	275	<0.5	
CC40338		0.23	1.5	92	0.25	4.5	148	<0.5	
CC40339		0.45	4.43	131	0.18	37.6	493	1.9	
CC40340		2.93	13.1	885	0.65	21.7	248	1	
CC40341		3.96	13.05	752	0.82	30.1	1940	1.2	
CC40342		1.09	2.79	256	0.53	17.4	4630	2	
CC40343		2.25	12.05	327	0.54	24.3	429	<0.5	
CC40344		1.98	9.5	450	0.39	19.85	904	0.9	
CC40345		0.43	2.1	142	0.21	9.44	466	<0.5	
CC40346		0.64	3.39	185	0.29	11.1	1990	<0.5	
CC40347		0.41	2.83	108	0.2	28.9	7930	<0.5	
CC40348		6.91	25.7	1380	1.15	28.5	408	1	
CC40349		6.3	31.5	1060	1.13	36.3	887	0.6	
CC40350		5.96	29.9	1620	1.23	39.7	2850	7.8	
CC40351		3.68	67.9	3880	1.3	96.6	838	2.3	
CC40353		3.72	35.7	1510	0.6	59.3	428	<0.5	
CC40367		0.61	3.76	200	0.2	6.05	317	<0.5	
CC40368		0.29	0.62	133	0.11	1.53	129	<0.5	
CC40369		0.21	0.46	67	0.1	2	69	<0.5	
CC40370		<0.02	0.13	10	<0.05	0.12	5	<0.5	
CC40372		0.17	0.28	45	0.07	1.03	37	<0.5	
CC40373		0.06	0.18	18	<0.05	0.42	15	<0.5	
CC40374		0.42	2.04	193	0.14	6.64	274	<0.5	
CC40375		0.2	1.08	63	0.05	3.33	71	<0.5	
CC40376		0.25	0.81	75	<0.05	2.07	72	<0.5	
CC40377		0.26	0.28	88	0.05	0.89	29	<0.5	
CC40378		0.04	0.11	10	<0.05	0.13	5	<0.5	
CC40379		1.44	7.07	896	0.37	36.5	807	0.6	
CC40381		0.45	4.62	211	0.2	15.1	457	1.7	
CC40382		0.13	0.95	58	<0.05	1.7	102	0.7	
CC40383		0.3	2.89	153	0.11	5.02	261	1.8	
CC40384		0.18	39.9	69	0.13	8.06	226	3	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC40385		0.18	0.06	0.2	0.3	<0.2	<10	100	0.05	0.01	0.33	0.21	3.53	0.8	2	0.09
CC40386		0.16	0.03	0.15	0.2	<0.2	<10	60	<0.05	0.01	0.11	0.25	1.24	0.5	2	0.06
CC40387		0.10	0.87	0.61	5.8	<0.2	<10	820	0.39	0.1	1.64	10.1	17.65	2.3	13	0.8
CC40388		0.14	0.78	0.55	5.8	<0.2	<10	430	0.23	0.08	0.35	3.83	19.75	1.3	15	0.81
CC40389		0.20	0.63	1.01	18.1	<0.2	<10	980	0.6	0.18	0.33	6.49	35.1	4.9	26	1.05
CC40390		0.20	1.63	1.04	10.2	<0.2	<10	1390	0.53	0.17	0.66	20.7	32.2	5.7	24	1.02
CC40391		0.12	0.59	0.65	7.4	<0.2	<10	1090	0.27	0.12	0.85	12.8	15.75	4.7	11	0.46
CC40392		0.20	0.86	0.94	19.9	<0.2	<10	1410	0.54	0.19	0.6	11.35	32.9	4.5	28	0.99
CC40393		0.12	0.93	0.88	16.7	<0.2	<10	1330	0.56	0.16	1.26	17.9	26.6	7.4	26	0.76
CC40394		0.24	0.95	0.94	21.5	<0.2	<10	1290	0.67	0.18	0.41	10.4	37.6	5.7	30	0.97
CC40395		0.24	1.18	0.96	21.7	<0.2	<10	1450	0.68	0.18	0.54	15.5	35.9	5	29	1.07
CC40396		0.18	1.14	1.08	20.9	<0.2	<10	1270	0.63	0.18	0.7	15.35	33	6.2	31	0.94
CC40397		0.10	1.26	1.19	16.8	<0.2	<10	880	0.7	0.17	1.42	30.7	27.7	6.8	32	0.98
CC40398		0.14	1.43	1.11	21.1	<0.2	<10	1410	0.7	0.17	1	36.9	34.2	8.3	33	1.18
CC40399		0.16	1.19	1	19.9	<0.2	<10	1440	0.63	0.15	1.76	48.7	27.1	8.7	27	0.89
CC40400		0.06	0.64	0.9	11.2	<0.2	<10	630	0.5	0.11	1.78	66.3	21.7	5	23	0.92
CC40401		0.16	1.56	0.66	3.2	<0.2	<10	1650	0.39	0.07	0.95	68.7	8.86	1.8	12	0.57
CC40402		0.20	2.55	1.11	17.4	<0.2	<10	2110	0.56	0.15	0.23	37.1	17.85	4.6	31	1.76
CC40403		0.10	2.06	0.88	6.9	<0.2	<10	1760	0.47	0.08	0.18	27.5	12.55	3	19	1.19
CC40404		0.18	2.96	1.5	21.8	<0.2	<10	3080	0.74	0.16	0.63	34.7	20.5	5.3	36	1.52
CC40405		0.14	1.49	0.92	14.6	<0.2	<10	1960	0.53	0.13	0.79	49.7	18.4	2.7	23	1.46
CC40406		0.14	5.35	1.06	9.7	<0.2	<10	1810	0.5	0.09	0.41	39.9	16.45	3.4	25	1.38
CC40407		0.12	0.92	0.38	4.7	<0.2	<10	730	0.13	0.05	0.03	2.5	8.53	1.4	11	0.8
CC40408		0.12	0.44	0.32	1.5	<0.2	<10	680	0.13	0.06	0.03	5.34	5.29	0.8	6	0.36
CC40409		0.16	0.31	0.11	0.3	<0.2	<10	150	<0.05	0.01	0.02	0.58	1.65	0.6	2	0.07
CC40410		0.10	0.2	0.16	0.5	<0.2	<10	140	<0.05	0.01	0.03	0.52	1.34	0.7	3	0.16
CC40411		0.10	2.07	0.73	3.9	<0.2	<10	1830	0.17	0.05	0.03	1.85	6.22	1.3	8	0.69
CC40412		0.14	0.42	0.15	0.1	<0.2	<10	130	<0.05	0.01	0.03	0.4	1.24	0.6	4	0.09
CC40413		0.12	0.37	0.11	0.2	<0.2	<10	60	<0.05	0.01	0.03	0.2	0.51	0.7	3	0.05
CC40414		0.24	0.75	0.59	39	<0.2	<10	450	0.76	0.23	0.15	2.61	35.3	11.1	18	2.22
CC40415		0.14	0.55	0.36	42.1	<0.2	<10	540	0.35	0.15	0.15	1.44	17.8	10	13	2.96
CC40416		0.16	0.56	0.51	76.4	<0.2	<10	630	0.87	0.19	0.47	0.89	63.4	15	8	2.16
CC40417		0.10	0.36	0.34	4.2	<0.2	<10	460	0.15	0.04	0.1	0.64	4.13	0.9	8	0.51
CC40418		0.38	7.85	1.35	84.2	<0.2	10	1280	2.31	0.28	0.2	4.4	54.3	3.9	254	3.12
CC40419		0.38	6.69	1.57	106	<0.2	20	1430	2.83	0.31	0.15	3.74	65.2	3.2	377	4.07
CC40420		0.26	7.68	1.18	66.4	<0.2	20	1340	1.99	0.27	0.11	2.63	51.3	2.1	231	3.62
CC40421		0.20	7.96	1.23	76	<0.2	10	240	1.16	0.33	0.17	2.59	62.6	2.2	218	4.21
CC40422		0.34	1.47	0.61	58.9	<0.2	10	360	0.63	0.15	0.04	2.15	29	2.4	73	1.87
CC40423		0.28	3.87	1.07	58.5	<0.2	10	1240	1.79	0.21	0.13	10.35	42.8	3.4	165	3.23
CC40424		0.20	6.41	0.87	125.5	<0.2	10	860	1.68	0.25	1.93	66.8	41.1	14.4	194	2.35

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC40385		2.7	0.26	1.01	<0.05	0.02	0.01	<0.005	0.02	1.6	0.4	0.03	25	0.33	0.04	0.14
CC40386		1.7	0.21	0.68	<0.05	0.02	<0.01	<0.005	0.01	0.6	0.2	0.02	11	0.25	0.03	0.13
CC40387		53.8	0.89	1.69	0.06	0.1	0.19	0.016	0.06	11.5	4.2	0.22	79	5.18	0.04	0.23
CC40388		22.7	0.67	2.88	0.06	0.06	0.22	0.01	0.06	12.2	2.4	0.08	14	9.01	0.02	0.19
CC40389		36	1.68	3.5	0.09	0.07	0.29	0.028	0.11	20.8	10.3	0.29	111	15	0.02	0.19
CC40390		40.6	1.48	3.14	0.08	0.08	0.38	0.025	0.11	18.9	11.6	0.39	237	11.3	0.03	0.28
CC40391		23.8	1.19	2.02	0.05	0.05	0.18	0.015	0.05	8.8	5	0.17	428	8.89	0.04	0.26
CC40392		43	2.09	3.05	0.09	0.05	0.29	0.028	0.11	19.8	9.8	0.33	94	20.5	0.03	0.28
CC40393		44	1.82	2.55	0.08	0.1	0.29	0.027	0.1	16	9.1	0.34	162	16.4	0.04	0.24
CC40394		49	2.02	2.87	0.1	0.06	0.33	0.03	0.12	22.9	9.1	0.3	102	21.4	0.03	0.23
CC40395		55.2	1.97	3.12	0.11	0.09	0.38	0.029	0.12	21.8	10.7	0.35	81	20.8	0.03	0.26
CC40396		49.9	1.84	3.28	0.1	0.13	0.38	0.029	0.11	19.6	11.2	0.34	223	19.55	0.03	0.26
CC40397		62.9	1.84	3.1	0.09	0.13	0.43	0.031	0.12	16.7	10.8	0.44	171	14.1	0.03	0.29
CC40398		69.4	1.9	3.03	0.11	0.09	0.46	0.031	0.13	20.6	10.7	0.39	282	18.2	0.03	0.23
CC40399		59.1	1.65	2.83	0.1	0.12	0.35	0.026	0.11	16.1	9.9	0.51	262	15.6	0.04	0.26
CC40400		39.5	1.19	2.45	0.1	0.11	0.41	0.023	0.1	12.7	8.2	0.39	244	10.75	0.03	0.27
CC40401		103.5	0.64	1.44	0.06	0.06	0.49	0.015	0.04	4.8	2	0.09	81	2.49	0.05	0.21
CC40402		78.7	1.85	3.49	0.08	0.06	0.57	0.029	0.15	10.7	7.9	0.25	124	15.35	0.05	0.2
CC40403		75.5	0.89	2.4	0.06	0.03	0.39	0.019	0.09	6.4	4.3	0.11	109	7.06	0.05	0.17
CC40404		129.5	2	4.22	0.08	0.06	0.58	0.036	0.18	12.4	11	0.36	163	18.65	0.07	0.22
CC40405		120	1.25	2.97	0.08	0.03	0.39	0.023	0.1	11.5	7	0.29	104	14.15	0.05	0.15
CC40406		103.5	1	2.56	0.09	0.06	0.54	0.02	0.08	10.2	6.5	0.27	654	21.6	0.05	0.14
CC40407		22.1	0.65	2.01	0.05	<0.02	0.17	0.009	0.05	5.4	1.8	0.05	21	8.69	0.03	0.07
CC40408		84.4	0.39	1.03	<0.05	<0.02	0.06	0.011	0.02	3.3	0.3	0.01	14	1.44	0.03	0.06
CC40409		5	0.28	0.61	<0.05	<0.02	0.02	<0.005	0.02	1.1	0.2	0.01	13	0.37	0.03	<0.05
CC40410		12.9	0.32	0.7	<0.05	<0.02	0.03	<0.005	0.02	0.8	0.2	0.01	14	0.66	0.03	0.06
CC40411		64.6	0.56	1.42	0.06	<0.02	0.42	0.012	0.03	3.7	0.7	0.02	10	4.43	0.05	0.12
CC40412		7.7	0.28	0.63	<0.05	<0.02	0.03	<0.005	0.02	0.7	0.2	0.01	14	0.62	0.03	<0.05
CC40413		3.1	0.3	0.55	<0.05	<0.02	0.03	<0.005	0.02	0.3	0.2	0.01	15	0.41	0.03	<0.05
CC40414		143	3.25	1.98	0.1	<0.02	0.18	0.044	0.08	22	2	0.04	320	35.9	0.02	0.05
CC40415		46.9	2.07	1.41	0.05	<0.02	0.14	0.02	0.11	10.6	2	0.05	468	9.26	0.02	0.15
CC40416		68.4	4.72	1.51	0.13	0.07	0.18	0.052	0.09	34.2	3.7	0.08	413	8.62	0.02	0.15
CC40417		10.2	0.52	1.04	<0.05	<0.02	0.08	0.006	0.04	2.5	0.5	0.02	19	3.78	0.04	0.06
CC40418		262	2.93	10.4	0.59	0.06	0.46	0.057	0.2	55.9	8.5	0.13	92	143.5	0.03	0.31
CC40419		313	3.43	13.75	0.77	0.09	0.7	0.073	0.25	70.7	10.6	0.16	63	175.5	0.04	0.47
CC40420		226	2.62	11	0.54	0.14	0.5	0.067	0.23	52.4	8.5	0.11	41	147	0.03	0.38
CC40421		209	3.66	11.2	0.49	0.03	0.48	0.061	0.34	56.1	6.2	0.12	56	137	0.02	0.22
CC40422		62.8	2.46	4.14	0.2	0.05	0.3	0.026	0.18	21.7	2.6	0.03	56	82.6	0.01	0.24
CC40423		127	2.1	6.81	0.28	0.02	0.27	0.043	0.19	47.1	8.2	0.1	155	130	0.03	0.08
CC40424		338	2.45	6.96	0.35	0.06	1.79	0.047	0.2	38.8	7.7	0.28	350	63.95	0.02	0.13

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2	ME-MS41 Ti % 0.005
CC40385		5	550	0.7	0.6	0.001	0.02	0.11	0.2	0.4	<0.2	23	<0.01	0.02	<0.2	0.016
CC40386		2.2	130	0.6	0.5	<0.001	0.01	0.07	0.2	0.2	<0.2	13.4	<0.01	0.01	<0.2	0.013
CC40387		140	1320	6	6.9	0.009	0.12	2.69	1.3	3.5	0.3	90.9	<0.01	0.06	0.6	0.01
CC40388		33	810	5.7	9.4	0.003	0.08	2.69	0.9	2.3	0.4	35.8	<0.01	0.06	0.6	0.009
CC40389		77.7	2050	11.2	12.3	0.004	0.05	6.07	1.5	3.3	0.5	42.4	<0.01	0.11	0.9	0.009
CC40390		150.5	1500	8.4	13.2	0.01	0.06	4.25	2.7	4	0.5	69.4	<0.01	0.08	1.8	0.008
CC40391		106	1190	6.3	5.4	0.006	0.08	3.1	1.1	3.4	0.3	71.6	<0.01	0.05	0.6	0.011
CC40392		128	1590	13.7	11.4	0.007	0.07	8.61	2.1	6	0.4	79.3	<0.01	0.11	1.7	0.01
CC40393		94.5	1680	12.6	9.6	0.007	0.08	6.9	2.3	7.6	0.4	85.7	<0.01	0.1	1.5	0.007
CC40394		95.6	1700	13.7	11.1	0.007	0.05	8.18	2.4	4.9	0.4	41.7	<0.01	0.11	1.9	0.009
CC40395		133.5	1870	14.4	12.2	0.007	0.06	8.44	2.4	6.1	0.5	58.9	<0.01	0.12	1.6	0.01
CC40396		134.5	2030	11.9	13.4	0.006	0.07	7.37	2.3	6.7	0.4	67.8	<0.01	0.1	1.6	0.008
CC40397		354	1950	12.9	12.2	0.007	0.11	7.08	2.5	7	0.4	98.9	<0.01	0.1	1.4	0.008
CC40398		515	2020	12.3	14.2	0.004	0.08	9.35	2.4	7.9	0.5	83	<0.01	0.12	1.1	0.01
CC40399		575	1610	10.6	12.2	0.005	0.12	8.65	2.4	9	0.4	125	<0.01	0.1	1.4	0.009
CC40400		259	1670	7.2	12.5	0.007	0.13	6.43	1.9	12.9	0.3	110	<0.01	0.07	0.9	0.009
CC40401		305	1110	4.2	4.6	0.004	0.13	3.97	1.3	4.4	0.3	93.5	<0.01	0.04	0.4	0.008
CC40402		166	1770	13.4	17.7	0.004	0.11	8.61	1.7	4.5	0.5	53.4	<0.01	0.12	0.4	0.008
CC40403		96.5	1820	5	11.5	0.004	0.1	3.84	0.7	3.2	0.4	40.9	<0.01	0.05	<0.2	0.007
CC40404		220	2280	10.5	26.2	0.004	0.15	9.29	1.7	6.3	0.5	95.2	<0.01	0.13	0.4	0.005
CC40405		355	1720	9.4	15.6	0.004	0.13	8.36	0.8	4.9	0.3	90	<0.01	0.1	0.2	0.009
CC40406		182	1790	10.2	12.7	0.002	0.11	6	1.7	4.8	0.3	86.8	<0.01	0.09	0.5	0.01
CC40407		12.9	1120	3.3	5.8	0.003	0.08	2.78	0.2	3	0.3	21.6	<0.01	0.06	<0.2	0.007
CC40408		7.4	840	2.6	1.6	0.001	0.04	0.69	0.1	2.1	0.3	9.4	<0.01	0.03	<0.2	0.006
CC40409		1.2	250	0.6	0.7	<0.001	0.01	0.11	0.2	0.3	<0.2	5.1	<0.01	0.01	<0.2	0.014
CC40410		2.4	260	0.8	1.1	<0.001	0.01	0.36	0.2	0.3	<0.2	7.9	<0.01	0.01	<0.2	0.013
CC40411		6.7	1410	3.3	3.7	0.003	0.11	2.39	0.5	3	0.2	24.7	<0.01	0.03	<0.2	0.008
CC40412		3.3	360	1	0.7	0.001	0.02	0.13	0.1	0.2	<0.2	6.8	<0.01	0.01	<0.2	0.01
CC40413		2.2	360	0.6	0.5	<0.001	0.01	0.07	0.1	0.2	<0.2	6.2	<0.01	0.01	<0.2	0.011
CC40414		93.7	3200	45.1	8.7	0.002	0.18	15.3	0.3	7.7	0.4	29	<0.01	0.17	<0.2	<0.005
CC40415		30.4	2500	9.4	8.2	0.001	0.21	8.71	0.5	2.3	0.4	19	<0.01	0.07	<0.2	0.005
CC40416		45.7	1360	15.7	6	0.003	0.07	14.15	5.4	2.8	0.4	30.7	<0.01	0.11	1.3	<0.005
CC40417		7.8	1810	3.1	2	0.001	0.12	1.41	0.1	1.3	0.2	16.6	<0.01	0.02	<0.2	<0.005
CC40418		168.5	3300	24.8	24.8	0.014	0.28	63.1	9.2	58.7	1.1	122.5	<0.01	0.39	3.9	0.035
CC40419		174	3730	27.7	29.6	0.018	0.37	82.2	12.8	70.9	1.4	137.5	0.01	0.51	5.3	0.072
CC40420		129.5	2400	21.7	25.4	0.017	0.39	60.6	9.7	54.1	1.2	133	<0.01	0.4	5.1	0.046
CC40421		80.5	3430	27.1	29.3	0.02	0.83	54.7	6.6	64.5	1.3	154.5	<0.01	0.44	2.3	0.024
CC40422		87.1	1480	14.3	12.4	0.007	0.48	43.3	4.5	27.7	0.6	262	<0.01	0.24	2.8	0.017
CC40423		131	2070	19.3	25.7	0.002	0.34	38.5	1	24.7	0.8	111	<0.01	0.28	<0.2	0.018
CC40424		247	7000	24.4	16.3	0.009	0.12	75.8	5.9	35.6	1.4	196	<0.01	0.37	3.2	0.012

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC40385		0.02	0.54	11	0.08	0.69	20	0.7	
CC40386		0.02	0.32	7	<0.05	0.29	11	<0.5	
CC40387		0.31	28.4	89	0.07	15.1	861	2.7	
CC40388		0.56	3.68	149	0.13	2.17	293	1.5	
CC40389		0.9	5.74	305	0.21	12.65	802	1.5	
CC40390		0.88	12.25	211	0.16	13.4	2190	2.2	
CC40391		0.26	10.65	98	0.16	5.89	1780	1.4	
CC40392		0.8	10.95	349	0.22	12.35	1760	1.3	
CC40393		0.64	6.33	297	0.15	15	1220	2.7	
CC40394		0.76	8.52	360	0.29	18.05	948	1.5	
CC40395		0.95	12	379	0.2	18.65	1445	2.3	
CC40396		0.99	17.25	378	0.39	18.05	1760	4.2	
CC40397		1.04	16.55	365	0.13	16.75	4070	4.4	
CC40398		1.19	5.34	366	0.14	19.2	7710	2.3	
CC40399		0.98	6.76	307	0.15	15.75	7430	3.3	
CC40400		1.15	16.2	245	0.1	12.1	3470	3.7	
CC40401		0.35	23.2	88	0.06	10.3	2500	1.7	
CC40402		1.21	11.4	318	0.18	13.2	1680	1.1	
CC40403		0.87	15.05	188	0.1	10	674	0.5	
CC40404		1.88	11.95	393	0.22	18.85	2120	1.5	
CC40405		2.2	3.3	237	0.18	15.35	3790	0.6	
CC40406		2.07	8.4	232	0.15	15.9	1605	1.2	
CC40407		1.08	4.65	128	0.07	2.78	92	<0.5	
CC40408		0.19	7.73	37	<0.05	4.61	21	<0.5	
CC40409		0.05	0.63	14	<0.05	0.64	8	<0.5	
CC40410		0.07	1.4	19	<0.05	1.16	8	<0.5	
CC40411		0.49	10.95	79	0.07	10.65	26	<0.5	
CC40412		0.03	0.49	11	<0.05	0.45	7	<0.5	
CC40413		0.02	0.28	11	<0.05	0.2	6	<0.5	
CC40414		0.37	5.11	124	0.11	18.05	809	<0.5	
CC40415		0.23	1.74	118	0.12	3.52	151	<0.5	
CC40416		0.16	1.49	42	0.07	24.2	194	1.7	
CC40417		0.2	1.11	72	0.08	2.27	33	<0.5	
CC40418		5.33	41	4540	1.01	60.1	577	3.6	
CC40419		6.26	51.7	6210	1.23	62.3	603	5.9	
CC40420		7.22	31.8	4070	0.94	52.5	465	11	
CC40421		3.78	29	2250	0.99	44.8	330	1.2	
CC40422		4.2	11.6	921	1.21	15.45	431	3.3	
CC40423		8.3	24.1	3030	0.74	44.6	556	<0.5	
CC40424		3.85	33.9	1800	1.31	63	2100	4	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC40425		0.10	2.41	0.84	57.2	<0.2	<10	710	1.5	0.2	0.52	12.45	27.9	4.4	123	1.18
CC40426		0.14	0.44	0.45	2.9	<0.2	<10	340	0.16	0.05	0.05	0.35	6.26	1	6	0.54
CC40427		0.16	0.19	0.66	11.7	<0.2	<10	360	0.22	0.16	0.02	0.29	36	1.8	16	1.01
CC40428		0.20	0.28	0.3	1.9	<0.2	<10	190	0.08	0.06	0.02	0.15	30	0.5	8	0.83
CC40429		0.26	0.29	0.94	19.2	<0.2	<10	640	0.25	0.3	0.02	0.36	44.8	2.6	19	0.99
CC40430		0.18	0.2	0.24	1.3	<0.2	<10	150	<0.05	0.03	0.02	0.1	4.33	0.7	5	0.17
CC40431		0.20	0.36	1.34	29.4	<0.2	<10	1400	0.51	0.35	0.06	0.67	36.5	4	31	1.31
CC40432		0.16	0.5	0.17	1.2	<0.2	<10	1200	0.06	0.04	0.03	0.11	12.35	0.6	8	0.27
CC40433		0.18	1	0.27	2.6	<0.2	<10	2720	0.08	0.09	0.01	0.1	15.5	0.3	7	0.6
CC40434		0.20	5.9	0.9	57.8	<0.2	10	720	1.53	0.2	1.66	29.8	25.4	6.2	163	1.56
CC40435		0.18	0.52	0.4	7.6	<0.2	<10	2540	0.14	0.09	0.03	0.29	12.15	0.5	12	0.49
CC40436		0.18	1.3	0.63	13.9	<0.2	<10	2830	0.4	0.16	0.06	0.95	23.9	1.4	30	0.76
CC40437		0.24	0.96	0.82	20.6	<0.2	<10	3250	0.58	0.21	0.27	3.15	35.6	4.6	25	0.92
CC40438		0.26	1.67	0.93	16.1	<0.2	<10	2860	0.53	0.19	1.54	3.32	31.8	4.4	24	1.1
CC40439		0.18	0.94	0.65	9	<0.2	<10	1510	0.25	0.1	17.85	12.9	14.35	3.7	14	0.7
CC40440		0.18	2.27	1.26	17.1	<0.2	<10	1970	0.55	0.15	1.76	6.6	19.25	15.5	21	0.86
CC40441		0.22	1.33	1.21	10.7	<0.2	<10	1920	0.61	0.16	2.87	4.77	22.1	5.9	22	0.91
CC40442		0.20	0.79	0.67	5.8	<0.2	<10	940	0.31	0.08	2	3.51	10.75	3	11	0.47
CC40443		0.14	0.83	0.75	5.6	<0.2	<10	1330	0.34	0.08	1.65	4.55	11	2.9	14	0.54
CC40444		0.22	1.08	0.78	16.5	<0.2	<10	1290	0.56	0.21	0.74	2.7	38	7.3	16	0.81
CC40445		0.20	1.53	1.22	14	<0.2	<10	4000	0.6	0.19	0.43	5.28	28.3	5.6	27	0.94
CC40446		0.16	1.93	0.73	7.7	<0.2	<10	1990	0.4	0.11	0.4	3.75	8.99	11.1	14	0.53
CC40447		0.24	1.72	0.81	17.1	1.2	<10	3400	0.57	0.17	0.36	3.72	23.6	2.4	43	0.9
CC40448		0.14	0.62	0.27	3	<0.2	<10	2300	0.09	0.04	0.29	1.88	3.86	0.8	6	0.24
CC40449		0.20	1.06	0.69	19.5	<0.2	<10	2330	0.29	0.15	0.03	0.59	20.4	0.8	22	0.62
CC40450		0.16	0.21	0.21	0.7	<0.2	<10	480	0.05	0.02	0.04	0.09	1.6	1	4	0.18
CC40451		0.26	1.14	0.95	19.5	<0.2	<10	3670	0.62	0.15	0.12	2.06	26.2	1.4	26	0.56
CC40452		0.22	0.44	0.71	8.6	<0.2	<10	420	0.22	0.15	0.04	0.38	29.1	1.6	16	0.96
CC40453		0.14	0.18	0.15	0.3	<0.2	<10	100	<0.05	0.01	0.06	0.11	1.37	0.5	6	0.08
CC40454		0.16	0.59	0.17	0.8	<0.2	<10	50	<0.05	0.02	0.04	0.06	2.59	0.5	4	0.23
CC40455		0.26	0.11	0.49	11.7	<0.2	<10	230	0.18	0.16	0.01	0.15	53.7	1.7	9	0.81
CC40456		0.18	0.12	0.2	1	<0.2	<10	80	<0.05	0.02	0.02	0.06	4.21	0.5	3	0.28
CC40457		0.20	0.04	0.28	1.1	<0.2	<10	100	0.06	0.03	0.02	0.05	15.6	0.6	6	0.5
CC40458		0.20	0.83	0.13	0.2	<0.2	<10	40	<0.05	0.01	0.03	0.06	1.32	0.5	2	0.11
CC40459		0.18	0.37	0.09	<0.1	<0.2	<10	50	<0.05	0.01	0.08	0.52	0.68	0.4	6	0.07
CC40460		0.24	0.91	0.45	6.6	<0.2	<10	680	0.23	0.11	0.46	4.79	16.35	1.7	14	0.77
CC40461		0.18	0.21	0.1	0.3	<0.2	<10	120	<0.05	0.01	0.03	0.15	1.19	0.6	5	0.12
CC40462		0.16	1.07	0.96	15.4	<0.2	<10	1320	0.63	0.15	0.91	52.2	28.8	4.9	26	1.01
CC40463		0.22	0.1	0.13	<0.1	<0.2	<10	100	<0.05	0.01	0.1	3.91	1.28	1	1	0.06
CC40464		0.28	0.2	0.13	<0.1	<0.2	<10	40	<0.05	0.01	0.07	0.71	0.52	0.5	1	<0.05

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method Analyte Units LOR	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
CC40425		68	1.79	4.2	0.17	0.02	0.41	0.029	0.1	25.1	5.6	0.1	138	33.8	0.02	<0.05
CC40426		7.4	0.68	1.52	<0.05	<0.02	0.07	0.008	0.03	3.6	1.6	0.05	21	2.05	0.03	0.07
CC40427		14.7	1.25	4.07	0.07	<0.02	0.02	0.016	0.08	20.8	3.3	0.08	35	9.58	0.01	0.14
CC40428		8.8	0.36	2.3	0.05	<0.02	0.01	<0.005	0.04	17	0.9	0.02	10	2.45	0.02	0.1
CC40429		17.2	2.08	5.41	0.08	<0.02	0.02	0.018	0.09	25.1	4.2	0.13	61	14.85	0.02	0.48
CC40430		3	0.39	1.42	<0.05	<0.02	0.01	<0.005	0.02	2.6	0.7	0.02	14	1.77	0.02	0.05
CC40431		28.7	3.38	5.76	0.09	<0.02	0.04	0.034	0.15	21.4	9	0.3	89	20	0.03	0.56
CC40432		5.7	0.37	1	<0.05	<0.02	0.01	<0.005	0.02	7.2	0.5	0.02	15	1.84	0.04	0.06
CC40433		13.6	0.35	1.96	0.05	<0.02	0.02	0.013	0.03	7.3	0.7	0.01	7	3.16	0.05	0.11
CC40434		178	1.83	3.9	0.16	0.1	0.77	0.029	0.15	21.4	13.3	0.6	204	29.3	0.02	0.13
CC40435		12.7	0.68	2.03	0.05	<0.02	0.07	0.016	0.04	6.5	1.5	0.03	12	8.56	0.05	0.13
CC40436		31.3	1	3.01	0.07	0.02	0.18	0.018	0.08	15.2	4.3	0.11	26	17.65	0.05	0.18
CC40437		42.4	2.05	2.44	0.09	0.02	0.13	0.031	0.12	20.9	8.6	0.21	129	20.5	0.06	0.2
CC40438		51.5	1.87	2.71	0.08	0.02	0.23	0.031	0.13	19.4	9.9	0.25	109	17.85	0.06	0.21
CC40439		37.5	1.22	1.55	0.05	0.07	0.17	0.02	0.09	7.5	5.8	0.36	192	7.87	0.04	0.16
CC40440		50.4	2	3.18	0.06	0.06	0.35	0.025	0.09	9.2	8.1	0.29	1445	13.25	0.07	0.34
CC40441		45.3	1.45	2.95	0.06	0.09	0.28	0.028	0.13	12.8	10.9	0.47	289	6.6	0.05	0.3
CC40442		21.8	0.9	1.52	<0.05	0.08	0.16	0.014	0.07	5.5	5.3	0.3	355	3.25	0.04	0.2
CC40443		27.4	0.8	2.28	0.05	0.08	0.16	0.013	0.04	5.5	4.2	0.22	184	4.85	0.05	0.27
CC40444		35.8	2.59	1.99	0.09	0.06	0.2	0.031	0.11	21.9	7.3	0.32	145	19.95	0.03	0.14
CC40445		45.5	1.61	3.41	0.07	0.09	0.35	0.03	0.11	16.5	9.7	0.3	275	9.25	0.08	0.32
CC40446		52	1.35	2.66	0.05	0.03	0.25	0.02	0.05	4.5	2.6	0.09	1010	14.85	0.06	0.26
CC40447		41.1	1.25	3.13	0.08	0.03	0.37	0.035	0.11	15.9	6.9	0.19	70	18	0.06	0.3
CC40448		12.8	0.48	0.98	<0.05	0.02	0.08	0.01	0.04	2.3	0.7	0.04	18	3.75	0.07	0.12
CC40449		28.7	1.24	2.82	0.07	0.02	0.2	0.029	0.08	12.8	2.2	0.05	13	23.4	0.05	0.16
CC40450		3.1	0.55	1.13	<0.05	<0.02	0.03	0.006	0.02	1	0.3	0.02	23	0.93	0.03	<0.05
CC40451		58.7	1.18	2.4	0.08	0.05	0.26	0.019	0.1	16.8	5.4	0.12	28	23	0.07	0.13
CC40452		13.9	1	4.2	0.06	<0.02	0.05	0.013	0.07	16.8	3.1	0.08	21	7.68	0.01	0.2
CC40453		1.8	0.23	0.59	<0.05	<0.02	<0.01	<0.005	0.02	0.7	0.2	0.01	10	0.79	0.02	0.11
CC40454		2.8	0.28	0.9	<0.05	<0.02	0.01	<0.005	0.02	1.5	0.4	0.02	12	0.99	0.02	0.06
CC40455		10.5	1.03	3.36	0.08	<0.02	<0.01	0.01	0.05	30.8	2.4	0.06	27	8.36	0.01	0.19
CC40456		3	0.29	1.29	<0.05	<0.02	0.01	<0.005	0.02	2.4	0.5	0.02	12	0.94	0.02	<0.05
CC40457		3.7	0.32	2.85	<0.05	<0.02	<0.01	<0.005	0.03	8.4	0.8	0.02	12	1.16	0.01	<0.05
CC40458		4.3	0.26	0.69	<0.05	<0.02	0.01	<0.005	0.02	0.7	0.2	0.01	11	0.29	0.02	<0.05
CC40459		1.4	0.19	0.42	<0.05	<0.02	<0.01	<0.005	0.01	0.4	0.2	0.01	11	0.76	0.03	0.06
CC40460		34.6	0.98	1.92	0.05	0.03	0.17	0.013	0.06	8.4	3.2	0.11	38	5.75	0.03	0.2
CC40461		2	0.29	0.58	<0.05	<0.02	0.01	<0.005	0.02	0.7	0.2	0.01	14	0.83	0.02	0.05
CC40462		58.2	1.54	2.73	0.09	0.08	0.4	0.027	0.1	16.8	9.4	0.35	178	11.4	0.03	0.26
CC40463		4.4	0.3	0.65	<0.05	<0.02	<0.01	<0.005	0.02	0.6	0.2	0.02	44	0.86	0.03	0.08
CC40464		1.3	0.22	0.54	<0.05	<0.02	<0.01	<0.005	0.02	0.3	0.2	0.01	11	0.29	0.03	<0.05

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2	ME-MS41 Ti % 0.005
CC40425		151.5	3950	14.9	12.3	0.002	0.14	54.2	0.2	18.9	0.7	67.2	<0.01	0.23	<0.2	<0.005
CC40426		6	670	3.8	5	<0.001	0.03	0.74	0.1	0.8	<0.2	11.9	<0.01	0.02	<0.2	0.01
CC40427		18.2	710	10.2	10.5	0.001	0.03	2.52	0.5	1.4	0.4	18.1	<0.01	0.06	0.2	0.009
CC40428		3.8	250	2.8	4.3	<0.001	0.01	0.55	0.3	0.4	0.3	5.4	<0.01	0.02	0.3	0.012
CC40429		22.7	510	19.6	13.6	<0.001	0.04	3.42	1.3	2	0.6	17.9	<0.01	0.08	2	0.019
CC40430		3.7	220	2	1.4	<0.001	0.01	0.84	0.1	0.4	<0.2	4.8	<0.01	0.02	<0.2	0.012
CC40431		42.7	1730	22.4	21.3	0.001	0.07	6.08	2	3.8	0.7	35.3	<0.01	0.11	1.9	0.016
CC40432		3.1	250	1.7	1.6	<0.001	0.04	0.41	0.1	0.3	0.2	7.1	<0.01	0.02	<0.2	0.015
CC40433		1.6	400	5.6	4.3	<0.001	0.08	0.57	0.3	0.6	0.6	22.4	<0.01	0.03	0.4	0.009
CC40434		320	4450	12.3	13.8	0.002	0.12	28.7	3.3	14.7	0.7	153	<0.01	0.2	1	0.009
CC40435		6.6	600	13.3	5.1	0.001	0.09	2.25	0.9	1.7	0.4	41.2	<0.01	0.05	0.3	0.01
CC40436		24	860	20.2	9.9	0.003	0.11	5.75	1.4	3.5	0.6	60.3	<0.01	0.08	0.7	0.009
CC40437		51.2	1520	15.4	10.1	0.004	0.11	8.86	2.2	4	0.4	67.7	<0.01	0.1	2.5	0.009
CC40438		84.7	1270	15.5	10.6	0.003	0.13	7.31	2.2	3.1	0.5	105.5	<0.01	0.1	1.3	0.01
CC40439		69.4	980	7.5	7.6	0.004	0.38	3.36	2.3	2.3	0.3	366	<0.01	0.05	1.5	0.005
CC40440		65.5	1430	9.7	8.2	0.008	0.19	6.13	1.8	3.5	0.4	146	<0.01	0.09	0.5	0.011
CC40441		59.5	1410	9.9	11.1	0.006	0.22	5.09	2.1	3.6	0.4	167.5	<0.01	0.07	1	0.008
CC40442		28.2	1010	5	5.7	0.004	0.23	2.35	0.9	2.2	0.2	118.5	<0.01	0.03	0.5	0.011
CC40443		29.3	1430	4.7	4.6	0.009	0.14	3.76	0.8	4.8	0.4	90.4	<0.01	0.05	0.3	0.009
CC40444		76.3	1680	13.1	8.8	0.004	0.05	4.6	3.5	2.9	0.3	58.8	<0.01	0.07	3	0.005
CC40445		42.8	1450	14.1	12.4	0.006	0.11	5.34	2.6	3	0.5	74.9	<0.01	0.09	1.3	0.011
CC40446		23.5	1410	7.5	4.1	0.006	0.12	3.92	1.1	3.6	0.3	47	<0.01	0.05	<0.2	0.013
CC40447		45.6	950	17.3	10.9	0.004	0.11	6.86	2.6	3.9	0.7	93.5	<0.01	0.11	1	0.016
CC40448		6.3	490	4.8	2.4	0.001	0.09	1.34	0.6	1.5	0.2	43.8	<0.01	0.03	0.2	0.016
CC40449		16.9	1270	27.6	8.1	0.002	0.14	6.51	1	4.2	0.6	71.5	<0.01	0.11	0.3	0.01
CC40450		2	520	2	1.4	<0.001	0.03	0.35	0.1	0.4	<0.2	9.2	<0.01	0.01	<0.2	0.008
CC40451		29.5	1370	40.8	8.4	0.005	0.12	8.42	1.7	3.7	0.4	82.4	<0.01	0.11	1	0.008
CC40452		17.2	720	9.7	9.3	0.001	0.03	2.24	0.8	1.4	0.5	13.6	<0.01	0.05	0.5	0.008
CC40453		4	190	0.9	0.8	<0.001	0.02	0.11	0.3	0.3	<0.2	10.4	<0.01	0.01	<0.2	0.012
CC40454		2.7	360	1.5	1.7	<0.001	0.02	0.2	0.1	0.3	<0.2	5.9	<0.01	0.01	<0.2	0.011
CC40455		14.6	370	8.8	9.9	<0.001	0.01	2.15	0.7	1.1	0.4	8.2	<0.01	0.06	1.8	0.008
CC40456		2.4	280	1.6	2.2	<0.001	0.01	0.23	0.1	0.2	<0.2	5.4	<0.01	0.01	<0.2	0.009
CC40457		2.4	330	2.1	2.9	<0.001	0.01	0.24	0.1	0.2	0.2	4.8	<0.01	0.02	<0.2	0.008
CC40458		1.1	260	0.7	0.7	<0.001	0.01	0|05	0.1	<0.2	<0.2	5.6	<0.01	0.01	<0.2	0.009
CC40459		4.1	190	0.4	0.7	<0.001	0.01	0.07	0.1	0.2	<0.2	9.4	<0.01	0.01	<0.2	0.01
CC40460		34.9	980	8.1	7.7	0.002	0.07	2.01	0.8	2.1	0.3	51.4	<0.01	0.05	0.5	0.01
CC40461		3.4	210	0.7	0.7	<0.001	0.01	0.19	0.1	0.2	<0.2	5.8	<0.01	0.01	<0.2	0.014
CC40462		260	1550	9.7	12.9	0.004	0.08	6.5	2	8.4	0.3	81.5	<0.01	0.08	1	0.008
CC40463		14.3	160	0.4	0.6	<0.001	0.01	0.13	0.2	0.3	<0.2	14.9	<0.01	0.01	<0.2	0.017
CC40464		2.5	260	0.4	0.5	<0.001	0.01	<0.05	<0.1	0.2	<0.2	10.4	<0.01	0.01	<0.2	0.01

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC40425		2.07	14.1	767	0.92	46.8	817	<0.5	
CC40426		0.16	0.84	44	0.05	1.54	39	<0.5	
CC40427		0.32	0.87	142	0.19	2.14	130	<0.5	
CC40428		0.12	0.42	48	0.11	1.07	28	<0.5	
CC40429		0.4	0.97	223	0.32	2.68	173	<0.5	
CC40430		0.1	0.25	52	0.05	0.46	23	<0.5	
CC40431		0.66	1.73	273	0.46	4.19	302	<0.5	
CC40432		0.09	0.4	38	0.05	0.62	16	<0.5	
CC40433		0.18	0.87	35	0.1	0.8	11	<0.5	
CC40434		1.59	11.15	864	0.5	35	2270	3.9	
CC40435		0.28	1.35	105	0.16	1.33	42	<0.5	
CC40436		0.79	2.56	457	0.31	5.8	189	<0.5	
CC40437		0.7	3.2	328	1.9	12.35	394	0.8	
CC40438		0.62	3.7	292	0.21	13.25	857	0.6	
CC40439		0.4	2.95	139	0.15	14.8	1395	2.3	
CC40440		0.46	7.2	245	0.24	15.4	470	1.7	
CC40441		0.49	4.86	217	0.19	13.45	422	2.8	
CC40442		0.21	3.88	89	0.14	5.72	199	2.2	
CC40443		0.23	6.07	108	0.1	4.78	196	2.4	
CC40444		0.36	3.67	99	0.19	17.2	540	1.9	
CC40445		0.55	12.85	312	0.59	14.5	398	2.4	
CC40446		0.22	13.3	138	0.16	7.54	132	0.8	
CC40447		0.95	3.63	705	0.37	11.25	404	0.7	
CC40448		0.2	1.99	63	0.07	1.65	42	0.5	
CC40449		0.79	3.22	264	0.32	3.57	118	0.6	
CC40450		0.07	0.66	30	<0.05	0.44	11	<0.5	
CC40451		0.82	7.64	278	0.41	10.8	248	1.1	
CC40452		0.31	1.39	147	0.17	2.25	112	<0.5	
CC40453		0.02	0.29	9	<0.05	0.32	8	<0.5	
CC40454		0.06	0.19	20	<0.05	0.25	13	<0.5	
CC40455		0.25	0.62	115	0.21	2.01	107	<0.5	
CC40456		0.05	0.18	21	<0.05	0.33	14	<0.5	
CC40457		0.09	0.28	31	<0.05	0.61	17	<0.5	
CC40458		0.02	0.19	11	<0.05	0.17	6	<0.5	
CC40459		0.03	0.29	10	<0.05	0.16	20	<0.5	
CC40460		0.33	3.32	72	0.34	3.98	400	0.7	
CC40461		0.03	0.2	20	<0.05	0.22	14	<0.5	
CC40462		1.07	10.8	279	0.11	15	3310	2.1	
CC40463		0.02	0.42	12	<0.05	0.48	107	<0.5	
CC40464		<0.02	0.12	8	<0.05	0.13	29	<0.5	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC40465		0.20	1.19	0.98	10.6	<0.2	<10	1080	0.58	0.1	0.73	63.2	14.7	3.1	17	1.31

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method Analyte Units LOR	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
CC40465		105.5	0.97	3.07	0.07	0.03	0.3	0.018	0.07	7.8	5.6	0.17	230	8.51	0.04	0.25

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC40465		254	1590	5.9	12.1	0.005	0.09	5.18	0.5	4.1	0.3	71.9	<0.01	0.07	0.2	0.008

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC40465		1.57	15.2	159	0.09	10.9	2390	0.7	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : 26-SEP-2007
Account: MTT

CERTIFICATE VA07094499

Project: STRATEGIC NI
P.O. No.: Regional - Harlow, Harlot, Harvest, Harken
This report is for 223 Soil samples submitted to our lab in Vancouver, BC, Canada on 27-AUG-2007.
The following have access to data associated with this certificate:

JOAN MARIACHER		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME-MS41	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Zn-OG46 Zn % 0.01	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
BB38723		0.26		1.24	0.6	26	<0.2	<10	510	0.97	0.03	17.5	1.33	4.73	1.7	108
BB38724		0.22		2.32	2.06	41	<0.2	<10	330	2.11	0.09	6.84	14.9	14.9	5.1	254
BB38725		0.18		2.22	0.82	43	<0.2	<10	660	0.78	0.06	16.15	7.99	8.22	1.6	62
BB38726		0.20	1.04	4.72	2.21	113	<0.2	<10	370	3	0.14	1.84	59.2	30.7	38.9	293
BB38727		0.20		1.65	2.52	96	<0.2	<10	770	1.84	0.14	2.29	92.4	27.1	14.4	79
BB38728		0.22		1.48	1.02	25.1	<0.2	<10	560	0.65	0.25	0.3	4.22	11.3	4.3	44
BB38729		0.26		3.23	1.87	22.8	<0.2	<10	1000	0.94	0.44	0.87	24	27.6	10.5	39
BB38730		0.24		0.66	2.77	14	<0.2	<10	1720	0.99	0.1	11.1	8.71	17.85	8.3	32
BB38731		0.20		1.79	2.51	41.9	<0.2	<10	550	1.04	0.36	0.66	26.4	61.7	37.1	69
BB38732		0.20	1.54	1.67	1.51	74.2	<0.2	<10	790	1.39	0.24	2.29	168	25.6	64.5	50
BB38733		0.20		0.6	2.5	21.3	<0.2	<10	1300	1.12	0.12	1.84	19.95	23.6	12.5	59
BB38734		0.18		11.1	3.16	553	<0.2	<10	630	3.53	0.24	2.42	145	31.6	20.3	274
BB38735		0.20		0.88	0.99	12.1	<0.2	<10	1460	0.42	0.12	0.78	29.4	30.8	6.6	15
BB38736		0.24		0.88	0.93	14.7	<0.2	<10	1660	0.5	0.15	0.88	29.9	32.2	9.1	15
BB38737		0.32		1.14	1.34	26.4	<0.2	<10	1790	0.57	0.14	1.11	73.9	27.7	24	15
CC20500		0.30		4.74	0.84	75.6	<0.2	<10	570	1.16	0.21	2.36	42.4	20.1	7.8	105
CC26652		0.20	5.49	3.88	7.85	199.5	<0.2	<10	2140	8.26	0.16	3.07	226	55.3	40.7	137
CC26658		0.20		4.77	1.38	132	<0.2	<10	1000	1.88	0.17	11.25	86.6	29.6	22.8	92
CC26659		0.20		2.95	0.43	77.9	<0.2	10	1230	0.67	0.12	9.1	14.25	25.8	7.9	99
CC26660		0.16		3.86	1.04	127.5	<0.2	<10	480	1.2	0.21	2.31	43.4	25.1	8.4	97
CC26741		0.18		5.31	0.05	70.6	<0.2	<10	950	0.11	0.14	0.01	0.25	10.6	0.2	20
CC26742		0.16		3.17	0.09	9.5	<0.2	<10	660	0.21	0.17	0.11	0.72	6.27	0.2	14
CC26743		0.24		1.59	0.07	11.4	<0.2	<10	2580	0.13	0.13	0.28	0.61	9.04	0.5	19
CC26744		0.16		2.34	0.11	30.7	<0.2	<10	2240	0.12	0.15	0.12	1.36	8.67	0.7	28
CC26745		0.16		4.27	0.05	27.8	<0.2	<10	1110	<0.05	0.16	0.02	1.43	10.2	0.1	30
CC26746		0.22		2.54	0.05	9.1	<0.2	<10	1670	0.05	0.14	0.01	1.25	9.42	0.1	49
CC26747		0.20		3.19	1.23	62	<0.2	<10	>10000	1.23	0.09	10.45	27.7	11.8	4.7	187
CC27715		0.20		6.39	1.96	93	<0.2	<10	9970	2.73	0.24	2.73	58.7	22.7	27.6	397
CC32059		0.18		4.7	0.65	24.1	<0.2	<10	1730	0.45	0.14	0.25	3.94	13.75	1.2	35
CC32060		0.20		4.57	0.75	41.3	<0.2	<10	1220	0.8	0.19	0.36	5.99	20	1.7	63
CC32061		0.24		6.78	1.02	79.6	<0.2	10	1080	1.17	0.2	1.18	21.5	25.2	3.7	94
CC32062		0.20		6.74	0.79	41.7	<0.2	10	1290	0.8	0.18	0.44	13.95	18.7	2.4	68
CC32063		0.22		12.25	0.91	74.4	<0.2	10	580	1.24	0.21	0.32	13.8	28.2	1.4	183
CC32064		0.24		8.02	0.63	63.2	<0.2	<10	590	0.66	0.17	0.16	6.83	19.3	1.3	117
CC32065		0.24		5.67	0.97	138	<0.2	10	850	1.57	0.18	0.67	25.3	26.1	4.3	158
CC32066		0.22		6.49	1.09	233	<0.2	10	420	1.45	0.23	0.99	41.2	35.2	14.9	170
CC32067		0.24		3.08	0.44	71.7	<0.2	<10	610	1.01	0.23	1.09	48.8	40.9	16.7	55
CC32068		0.20		2.46	0.53	90.4	<0.2	<10	780	0.89	0.16	1.39	24.1	50.5	10.1	49
CC39101		0.10		3.5	0.75	46.7	<0.2	10	600	0.92	0.17	1.3	26	18.95	7.2	120
CC39102		0.14		2.49	1.02	45.2	<0.2	10	690	0.9	0.2	0.64	15.15	24.7	10.2	105

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
BB38723		1.12	45.2	0.43	2.63	0.12	0.12	0.12	0.006	0.07	3.7	14.9	10.65	398	8.17	0.03
BB38724		3.26	100	1.06	9.79	0.39	0.24	0.2	0.027	0.26	9.8	35.5	3.98	161	38.9	0.01
BB38725		1.01	76.8	0.4	2.35	0.12	0.13	0.12	0.009	0.06	5.9	7.1	9.52	152	17.45	0.03
BB38726		4.05	899	2.74	9.18	1.01	0.06	0.62	0.03	0.21	22.2	28.2	3.08	769	34.7	0.01
BB38727		2.54	129.5	2.47	9.58	0.25	0.15	0.39	0.046	0.17	16.6	21	3.83	365	88.45	0.02
BB38728		1.57	50.9	3.17	3.17	0.19	0.18	0.07	0.069	0.34	4.6	17.4	1.09	38	3.13	0.01
BB38729		2.33	60.2	5.32	4.41	0.21	0.13	0.1	0.045	0.24	12.9	22.7	2.24	207	5.07	0.02
BB38730		3.8	19.5	2.23	5.26	0.1	0.11	0.06	0.015	0.08	7	34.1	6.07	632	1.98	0.04
BB38731		3.46	84.6	5.92	7.77	0.25	0.27	0.07	0.045	0.42	30.2	23.8	2.84	441	11.8	0.01
BB38732		1.5	101	6.67	3.07	0.17	0.16	0.1	0.055	0.14	12.9	13.4	1.97	1650	12	0.02
BB38733		3.63	37.9	3.15	6.56	0.15	0.1	0.06	0.033	0.16	11.3	30.3	3.65	466	6.68	0.03
BB38734		3.69	1105	8.24	16.65	0.75	0.06	3.04	0.164	0.34	27.3	8	0.33	818	246	0.02
BB38735		1.27	69.1	1.32	2.13	0.09	0.06	0.35	0.019	0.09	17.4	8.6	0.27	195	4.61	0.03
BB38736		1.18	61.3	2	2.2	0.09	0.05	0.29	0.024	0.1	17.9	8.7	0.26	731	7.59	0.04
BB38737		1.38	83.3	2.63	1.91	0.1	0.09	0.44	0.024	0.09	15.5	7.7	0.25	4590	17.8	0.04
CC20500		1.36	191	2.31	3.87	0.17	0.04	0.79	0.04	0.14	14.9	7	1.01	445	48.1	0.02
CC26652		0.46	1085	2.6	11.7	0.44	0.38	1.75	0.172	0.07	39.9	22.1	0.65	590	231	0.05
CC26658		0.58	320	1.88	7.78	0.17	0.06	1.06	0.061	0.08	21.1	2.9	1.78	347	66.15	0.03
CC26659		0.42	182	1.71	1.75	0.1	0.1	0.22	0.022	0.09	17.2	2.5	3.86	235	29.2	0.04
CC26660		0.45	202	3.06	2.93	0.24	0.07	0.47	0.042	0.05	17.7	2.9	1.22	146	88.2	0.02
CC26741		0.06	27.7	2.05	0.53	0.12	<0.02	4.56	0.006	0.03	11.2	0.4	<0.01	<5	7.95	0.02
CC26742		0.26	20.4	1.37	0.97	0.07	0.13	1.08	0.015	0.12	5.3	0.8	0.01	13	40.9	0.02
CC26743		0.25	13.9	0.76	0.79	0.06	0.08	0.88	0.009	0.02	5.9	1.3	0.01	50	14.4	0.05
CC26744		0.22	18	1.96	1.16	0.09	<0.02	0.63	0.008	0.02	6.5	0.9	0.02	59	30.3	0.04
CC26745		0.17	13.8	1.18	0.9	0.1	0.05	1.11	<0.005	0.03	9.3	1	0.01	10	19.75	0.02
CC26746		0.12	6.4	0.52	0.57	0.06	<0.02	0.6	<0.005	0.01	6.9	0.7	<0.01	5	15.25	0.03
CC26747		0.84	203	1.02	4.98	0.31	0.11	0.2	0.015	0.17	9.3	11.8	6.81	267	14.6	0.32
CC27715		1.6	415	2.71	8.4	1.43	0.16	0.4	0.035	0.38	16.7	23.2	2.15	606	34.9	0.22
CC32059		0.68	54.3	1.27	3.55	0.14	0.02	4.26	0.03	0.08	10.7	1.7	0.07	41	22.5	0.04
CC32060		0.7	73.3	2.06	4.66	0.23	0.02	1.1	0.049	0.14	15.1	2.2	0.05	51	34.5	0.03
CC32061		0.85	167.5	2.57	5.75	0.31	0.05	2.27	0.06	0.19	20.9	3.2	0.06	119	53.4	0.02
CC32062		0.86	118.5	2.01	4.57	0.22	0.02	2.04	0.048	0.13	14.5	2.4	0.05	60	35.4	0.03
CC32063		1.58	173.5	2.57	7.42	0.45	0.03	2.4	0.065	0.2	29.4	2.7	0.05	34	63.9	0.02
CC32064		1.07	126	2.5	5.85	0.31	0.02	1.63	0.057	0.14	17.9	1.2	0.03	18	49.5	0.01
CC32065		1.74	383	2.62	7	0.48	0.03	1.24	0.062	0.24	24.3	4.2	0.08	123	77.1	0.02
CC32066		1.33	359	6.09	7.89	0.56	0.06	1.49	0.125	0.26	25.3	3.1	0.12	353	147.5	0.02
CC32067		0.9	189.5	5.47	2.18	0.25	0.03	0.68	0.055	0.11	23.5	1	0.46	311	44.3	0.01
CC32068		0.64	123.5	2.66	2.72	0.2	0.05	1.2	0.041	0.09	31.8	1.7	0.56	311	57.2	0.02
CC39101		1.43	125	1.64	3.15	0.19	0.14	0.43	0.022	0.13	16	8.1	0.49	161	19.4	0.02
CC39102		1.98	97.7	1.96	3.84	0.16	0.07	0.29	0.022	0.13	17.9	7.6	0.37	711	22.6	0.02

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
BB38723		<0.05	97.5	820	3.2	22.4	0.005	0.02	8.47	1.8	4.1	<0.2	849	<0.01	0.05	0.8
BB38724		<0.05	234	600	6.1	68.6	0.004	0.02	14.9	5.4	11	0.6	318	<0.01	0.13	2.4
BB38725		<0.05	109	440	3.3	16.2	0.036	0.02	17.9	2.1	7.6	0.2	817	<0.01	0.07	1
BB38726		0.13	994	8290	11	45.2	0.007	0.06	63.7	6.8	32.8	0.6	259	<0.01	0.31	4
BB38727		0.06	334	1670	16.9	42.4	0.002	0.05	22.5	7.1	16.5	0.9	145	<0.01	0.15	5.3
BB38728		<0.05	94.9	1200	22.6	35.3	0.004	0.51	6.53	2.3	37.8	0.2	100	<0.01	0.12	8.9
BB38729		0.07	142	1250	41.6	35.1	0.005	0.44	8.95	5.6	27.8	0.2	117	0.01	0.1	9.2
BB38730		<0.05	74.2	1480	10.4	15.9	0.005	0.13	2.47	7.7	4.3	0.3	569	<0.01	0.05	5.1
BB38731		0.06	205	1140	30.6	60.5	0.004	0.4	7.96	9.1	14.7	0.4	77.5	<0.01	0.12	15.8
BB38732		<0.05	464	1740	38.2	15.9	0.002	0.4	12.35	8.4	18.9	0.5	222	0.01	0.15	11.4
BB38733		0.09	139.5	890	9.4	26.8	0.001	0.1	5.28	7.2	7.1	0.5	115.5	<0.01	0.06	7.2
BB38734		0.25	610	8690	97.4	35.7	0.015	0.86	327	12.5	94.1	2.2	379	0.01	0.91	6.6
BB38735		0.17	264	1560	8.5	12	0.005	0.14	3.62	2.1	5.9	0.2	113	<0.01	0.06	1.6
BB38736		0.17	320	1720	9.8	11	0.003	0.1	4.01	2.1	4.5	0.2	127	<0.01	0.08	1.8
BB38737		0.17	561	2150	9.4	12	0.006	0.11	5.53	2.1	6.5	0.2	146.5	<0.01	0.08	1.7
CC20500		0.14	261	4500	38.2	17.6	0.006	0.14	51.3	2.3	15.5	1.4	148	<0.01	0.22	0.7
CC26652		0.58	4400	6820	102.5	4.2	0.069	0.2	76.4	15.8	22.7	2	521	0.02	0.36	4.5
CC26658		<0.05	589	3820	59.1	5.8	0.045	0.22	81.8	4.5	19.2	1	791	0.01	0.19	2.3
CC26659		<0.05	237	4900	37.5	5.3	0.056	0.22	30.1	3.2	13.9	0.5	569	<0.01	0.15	2.6
CC26660		<0.05	308	2210	92.9	4.1	0.025	0.28	72.3	5.8	51.4	0.4	114.5	<0.01	0.18	2.7
CC26741		0.6	6.6	2310	128.5	3.2	0.016	0.32	10.45	1.3	17.3	0.4	82.3	<0.01	0.2	0.6
CC26742		1.38	6.8	530	197.5	6.3	0.006	0.43	14.8	0.5	7.9	0.4	68	<0.01	0.12	1.1
CC26743		0.52	16.3	1700	163.5	2.1	<0.001	0.12	11.95	0.6	2.8	<0.2	113.5	<0.01	0.1	1
CC26744		0.77	14.9	3250	120.5	2	<0.001	0.13	12.05	1.5	6.2	0.3	116	<0.01	0.13	1
CC26745		0.75	3.1	900	70.1	2.9	<0.001	0.22	14.6	0.8	5.4	1.3	169.5	<0.01	0.14	1.2
CC26746		2.51	1.3	400	81.2	1.3	0.003	0.09	7.36	0.7	2.5	0.4	61.1	<0.01	0.07	0.8
CC26747		0.92	214	2730	7	10.8	<0.001	0.05	26.7	3.5	10.5	0.6	571	<0.01	0.2	1.8
CC27715		1.43	518	5980	19.2	28.7	0.001	0.08	32.4	8.1	28.3	0.8	344	0.01	0.36	4.3
CC32059		0.11	31.6	2800	18.1	7	<0.001	0.25	13	0.4	12.8	0.7	93.8	<0.01	0.25	<0.2
CC32060		0.11	44.2	3740	28.6	8.9	0.001	0.33	22.5	0.5	32.4	1	146	<0.01	0.4	<0.2
CC32061		0.35	158.5	7240	32.2	12.2	0.007	0.29	44	4.9	37.1	1.1	262	0.01	0.64	1.9
CC32062		0.18	79.4	3920	32.5	10.1	0.003	0.35	25.8	0.6	26.2	1	146	<0.01	0.4	<0.2
CC32063		0.05	79.2	4690	29.4	15.1	0.017	0.57	31.7	0.6	52.8	1.3	173	0.01	0.38	<0.2
CC32064		0.1	57.6	3470	31	11.5	0.041	0.53	33.3	0.5	46.8	1.3	131.5	0.01	0.35	<0.2
CC32065		0.09	130.5	5490	20.1	17.7	0.089	0.54	57.4	5.6	58.7	1	250	0.01	0.47	1.6
CC32066		0.11	263	8700	92.4	16.7	0.062	0.59	113.5	7	82.7	1.6	246	0.01	1.04	1.6
CC32067		0.07	328	2360	43.9	7	0.019	0.49	28.7	7.4	22.1	0.5	75	0.01	0.23	3
CC32068		0.07	184.5	2160	38.4	8.1	0.006	0.09	31.3	3.7	17.5	0.9	81.8	0.01	0.19	1
CC39101		0.16	263	4230	11.4	12	<0.001	0.15	19.8	2.9	17.4	0.6	122.5	<0.01	0.19	1.3
CC39102		0.18	195	3590	15.3	15.9	<0.001	0.12	17.85	2	14.8	0.7	90.8	0.01	0.18	0.7

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Ti % 0.005	ME-MS41 Tl ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5
BB38723		0.012	0.66	1.75	700	0.09	6.27	460	8.9
BB38724		0.06	3.26	4.41	1300	0.34	16.65	1415	11
BB38725		0.023	0.87	2.55	808	0.22	10.6	1135	10
BB38726		0.044	4.81	32.2	1235	0.64	55.7	>10000	9.1
BB38727		0.068	3.63	14.05	1140	0.44	43.4	5410	11.3
BB38728		0.022	0.72	3.52	96	0.05	17.1	1000	7.4
BB38729		0.031	0.85	4.91	106	0.05	28.3	2250	6
BB38730		0.05	0.77	1.3	73	<0.05	26.8	1260	5.5
BB38731		0.052	1.46	5.64	222	0.09	29.3	2920	13.5
BB38732		0.016	1.16	7.6	420	0.15	66.3	>10000	8.3
BB38733		0.044	0.81	2.46	155	0.06	22	1935	4.4
BB38734		0.025	21.4	121.5	4590	1.6	95.4	8050	3.6
BB38735		0.007	0.76	11.7	134	0.09	15.05	3140	1.6
BB38736		0.008	0.51	5.45	124	0.37	14.25	3710	1.4
BB38737		0.007	0.88	9.65	148	0.11	20.3	7430	2.4
CC20500		0.011	2.21	16.7	889	0.49	34	3690	1.1
CC26652		0.036	2.37	152.75	914	0.91	245	>10000	18.3
CC26658		<0.005	2.02	24.1	476	0.44	55	7300	3.1
CC26659		<0.005	0.93	8.93	503	0.21	15.45	1730	8.9
CC26660		<0.005	1.45	11.85	493	0.47	22.4	5880	4.2
CC26741		0.057	0.46	2.06	470	0.4	2.44	72	0.5
CC26742		0.024	2.69	0.95	275	1.26	1.89	53	7.3
CC26743		0.028	1.83	1.63	453	0.6	3.53	233	4
CC26744		0.037	2.25	1.97	459	1.14	4.28	192	0.7
CC26745		0.044	3.19	2.63	378	0.95	4.76	35	3.9
CC26746		0.123	2.51	1.29	633	0.61	3.18	38	0.9
CC26747		0.064	1.16	4.57	577	0.41	20.2	1440	9.3
CC27715		0.102	2.28	21.5	914	0.99	46.7	4170	17
CC32059		<0.005	2.22	6.18	232	0.37	11.75	184	0.5
CC32060		<0.005	3.93	6.78	436	0.4	17.6	349	<0.5
CC32061		0.016	5.02	13.4	737	0.61	36.1	991	1.7
CC32062		<0.005	3.68	11.55	493	0.45	24.8	609	<0.5
CC32063		<0.005	6.13	25.1	1305	0.62	32.6	324	<0.5
CC32064		<0.005	5.47	16.55	828	0.44	25.8	263	<0.5
CC32065		0.011	3.87	22.7	2170	0.66	35.1	915	0.7
CC32066		0.006	8.67	29.1	1525	1.02	50.5	1720	1.6
CC32067		<0.005	2.3	13	286	0.23	28.8	4110	0.6
CC32068		<0.005	3.09	17.8	516	0.4	39.6	1930	1.7
CC39101		0.007	1.17	7.17	468	0.46	25.9	2010	6.2
CC39102		0.01	1.37	5.36	512	0.47	21.3	1420	2.8

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Zn-OG46 Zn % 0.01	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
CC39103		0.12		0.62	0.46	11.8	<0.2	<10	320	0.3	0.15	0.07	1.53	18.5	10	15
CC39104		0.24		2.08	1.22	44.1	<0.2	10	600	1.08	0.24	2.3	2.11	41.3	6.8	61
CC39105		0.22		2.45	1.4	83.3	<0.2	<10	330	1.49	0.35	0.37	6.1	51.7	17.3	21
CC39106		0.18		0.92	0.82	47.3	<0.2	<10	520	0.72	0.38	0.14	0.91	49.3	13.7	26
CC39107		0.14		0.73	0.9	29.3	<0.2	10	280	0.78	0.29	0.57	1.19	41.5	13.1	30
CC39108		0.22		1.36	0.64	43.9	<0.2	10	680	0.85	0.28	0.51	7.5	46.5	14.6	28
CC39109		0.30		0.75	0.79	34.2	<0.2	<10	490	0.85	0.26	0.28	2.02	46.8	19	20
CC39110		0.16		1.19	0.89	42.4	<0.2	<10	530	0.76	0.29	0.18	1.39	39.4	11.2	22
CC39111		0.22		1.08	1.08	51.2	<0.2	<10	500	1.06	0.3	0.28	2.56	44.7	15.5	25
CC39112		0.14		0.91	0.52	47.4	<0.2	<10	660	0.49	0.26	0.08	0.79	27.8	7.2	17
CC39113		0.38		0.57	0.86	37	<0.2	<10	610	0.45	0.31	0.1	0.67	36.1	15.5	16
CC39114		0.14		0.32	0.92	23.8	<0.2	<10	490	0.52	0.37	0.03	0.8	30.7	19.6	16
CC39115		0.10		0.42	0.61	19.9	<0.2	<10	680	0.45	0.43	0.09	1.83	22.5	17.1	13
CC39116		0.18		2.53	0.75	20.3	<0.2	<10	2880	0.62	0.27	0.41	13.4	34.6	17.2	44
CC39117		0.18		1.2	0.26	28.9	<0.2	10	540	0.44	0.23	1.88	6.22	52	13.5	28
CC39118		0.08		2.75	0.4	50	<0.2	<10	540	0.52	0.19	0.92	11.35	19.8	7.2	74
CC39119		0.16		4.92	0.51	44.1	<0.2	<10	560	1.02	0.19	1.63	18.7	21.8	8	167
CC39120		0.28		2.5	0.75	118.5	<0.2	10	2780	1.77	0.2	1.07	44.7	34	10.6	128
CC39121		0.24		2.83	0.72	132	<0.2	10	310	1.47	0.32	0.4	17.1	47.5	4.3	152
CC39122		0.30		5.27	0.75	147	<0.2	10	1470	1.79	0.26	1.02	63.7	36.6	9.7	157
CC39123		0.26		4.31	0.89	183	<0.2	10	650	1.16	0.24	0.71	41.5	34.6	29.5	155
CC39124		0.28		2.25	0.57	62.2	<0.2	<10	3470	0.88	0.14	0.43	32	21.1	16.1	92
CC39125		0.28		3.81	0.76	90.8	<0.2	10	2240	1.55	0.23	0.87	44.8	32.9	10.5	160
CC39126		0.32		1.85	0.78	67.6	<0.2	10	2750	0.99	0.15	0.58	33	28.4	8.3	100
CC40001		0.24		1.29	0.25	19.8	<0.2	10	880	0.47	0.15	0.1	16.1	30.2	0.9	22
CC40002		0.20		1.95	0.62	39.8	<0.2	<10	1790	0.72	0.14	0.55	12	25.2	3.3	41
CC40003		0.26		0.3	0.27	21.9	<0.2	<10	990	0.92	0.42	0.12	6.21	68.6	24.9	7
CC40004		0.18		2.64	0.67	64.5	<0.2	<10	1470	0.89	0.18	0.88	20.9	30.5	6.7	60
CC40005		0.12		0.22	0.15	3.3	<0.2	<10	160	0.06	0.02	0.11	0.31	2	0.6	3
CC40006		0.14		1.95	0.62	41.2	<0.2	<10	780	0.41	0.2	0.08	1.08	28.5	1.2	49
CC40007		0.22		1.75	0.38	30.6	<0.2	<10	620	0.74	0.23	0.15	7.13	46.5	9.3	19
CC40008		0.22		0.79	0.48	12.6	<0.2	<10	210	0.23	0.09	0.03	0.91	15.55	1.4	11
CC40009		0.20		1.58	0.4	58.3	<0.2	<10	480	0.54	0.22	0.34	5.19	41.2	3.4	28
CC40010		0.18		1.9	0.3	26.3	<0.2	10	1070	0.44	0.15	0.12	3.89	27.5	1.2	30
CC40011		0.18		2.14	0.43	52.8	<0.2	<10	630	0.69	0.16	3.14	22.3	38	7.6	32
CC40012		0.24		1.27	1.02	23.4	<0.2	<10	250	0.87	0.2	2.53	8.86	39.3	14.7	29
CC40013		0.20		2.3	0.39	24.5	<0.2	<10	2280	0.75	0.38	1.67	3.76	50.9	19	27
CC40014		0.22		1.6	0.36	19.7	<0.2	<10	290	1.05	0.48	3.51	50.6	60.4	31.3	33
CC40015		0.22		2.05	1.83	9.6	<0.2	<10	>10000	0.7	0.46	1.33	1.7	46.6	13.6	16
CC40016		0.18		1.03	0.47	13	<0.2	10	330	1.09	0.24	0.82	0.96	90.7	16.3	19

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC39103		2.2	28.8	2.24	1.86	0.05	0.02	0.07	0.02	0.08	10.2	2.4	0.09	776	8.03	0.01
CC39104		2.56	102	3.79	5.2	0.18	0.05	0.12	0.063	0.32	33.3	7.9	0.17	243	32.6	0.02
CC39105		1.99	374	5.91	2.58	0.17	0.05	0.22	0.062	0.11	33.1	6	0.09	522	30.4	0.01
CC39106		2.08	116	4.51	3.19	0.13	0.04	0.07	0.055	0.2	28.1	4.4	0.08	265	14.55	0.02
CC39107		3.18	122.5	3.53	3.15	0.12	0.03	0.08	0.038	0.19	22.2	4.7	0.2	556	11.05	0.01
CC39108		1.53	131	4.62	1.98	0.14	0.03	0.27	0.05	0.19	25.9	5.2	0.12	439	14.7	0.02
CC39109		1.61	80.4	4.21	2.68	0.12	0.03	0.06	0.04	0.15	25.8	5.2	0.09	789	14.4	0.01
CC39110		1.52	109	4.12	2.9	0.11	0.06	0.1	0.045	0.17	23.7	5	0.08	297	16.1	0.02
CC39111		1.72	169.5	5.33	3.06	0.12	0.1	0.15	0.054	0.17	29.7	5.7	0.08	337	20.3	0.02
CC39112		0.86	47.2	3.36	2.53	0.1	<0.02	0.08	0.04	0.16	16.8	2.1	0.05	159	11.05	0.02
CC39113		1.64	56.3	4.02	2.74	0.11	0.03	0.06	0.035	0.13	18.5	3.5	0.09	725	8.11	0.01
CC39114		2.07	65.4	6.09	2.94	0.12	0.03	0.05	0.036	0.1	15.2	4	0.09	981	7.49	0.01
CC39115		1.44	65.6	5.75	1.96	0.1	0.02	0.07	0.032	0.11	10.8	2.2	0.06	658	6.46	0.02
CC39116		1.07	98	5.22	1.88	0.13	0.09	0.46	0.035	0.11	18.9	4.7	0.2	601	8.79	0.06
CC39117		1.17	80	3.81	0.95	0.12	0.14	0.17	0.037	0.08	28.1	2	0.97	321	6.12	0.01
CC39118		1.06	63.8	2.27	2.29	0.11	0.09	0.4	0.028	0.11	13.8	2.5	0.17	306	27.4	0.02
CC39119		0.76	112.5	2.06	2.2	0.12	0.07	0.71	0.028	0.07	17.7	3.2	0.45	209	17.6	0.01
CC39120		2.24	202	2.05	4.92	0.25	0.05	2.2	0.029	0.17	31	6.7	0.07	153	116.5	0.05
CC39121		2.88	130.5	3.3	6.44	0.28	0.03	0.69	0.085	0.21	43.3	5	0.06	68	278	<0.01
CC39122		2.18	231	2.88	5.43	0.26	0.04	1.8	0.051	0.16	34.7	6.1	0.07	206	129.5	0.03
CC39123		2.41	198	4.07	5.86	0.35	0.05	1.27	0.07	0.19	31.7	4.7	0.06	733	185	0.01
CC39124		1.42	131	1.74	4.01	0.16	0.04	0.26	0.024	0.07	17.5	3	0.07	408	62.7	0.06
CC39125		2.43	202	2.15	5.38	0.32	0.05	0.72	0.037	0.16	33.4	5.8	0.12	266	106.5	0.04
CC39126		2.09	110.5	1.62	3.88	0.19	0.07	0.45	0.026	0.12	26.8	7.9	0.28	201	75.7	0.06
CC40001		2.07	104	1.08	2.35	0.1	0.02	0.72	0.034	0.12	19.4	1.2	0.02	27	9.82	0.01
CC40002		0.83	146	1.54	3.07	0.08	0.05	0.62	0.032	0.07	16.4	2.4	0.09	110	19.05	0.04
CC40003		0.76	70.2	5.97	0.79	0.14	0.04	0.1	0.031	0.1	33.8	0.8	0.05	719	8.04	0.01
CC40004		0.84	180	2.55	3.58	0.13	0.06	0.82	0.05	0.1	19.3	1.9	0.1	210	26.3	0.03
CC40005		0.17	5.7	0.3	0.68	<0.05	<0.02	0.09	<0.005	0.02	1.2	0.2	0.02	12	2.99	0.02
CC40006		1.37	62.9	1.66	4.07	0.11	<0.02	1.23	0.051	0.09	17.7	1	0.03	23	24.6	0.01
CC40007		0.74	80.6	3.28	1.71	0.11	0.02	0.67	0.036	0.07	25.3	0.8	0.03	170	13.65	0.01
CC40008		0.55	27.7	0.86	2.18	<0.05	<0.02	0.21	0.016	0.04	9.9	0.9	0.02	27	15.45	0.01
CC40009		0.84	60.9	2.74	2.56	0.11	0.03	0.57	0.034	0.09	24.3	0.9	0.03	111	22.7	0.01
CC40010		1.15	71.6	1.26	2.7	0.11	<0.02	0.86	0.046	0.11	18.8	0.9	0.02	43	14.8	0.02
CC40011		0.99	116	2.3	1.63	0.12	0.03	0.72	0.031	0.08	23.8	1.8	1.34	146	44.6	0.02
CC40012		1.58	68	3.21	0.75	0.11	0.18	0.24	0.046	0.07	21.9	1.2	1.11	212	6.63	<0.01
CC40013		0.78	118.5	6.27	0.85	0.16	0.09	0.88	0.048	0.11	27.1	0.5	0.68	279	5.35	0.05
CC40014		1.02	121.5	8.22	0.98	0.22	0.24	0.3	0.04	0.1	28.3	0.7	1.7	585	4.52	0.01
CC40015		1.64	79.8	2.61	3.13	0.11	0.2	0.42	0.033	0.6	25.2	0.9	0.52	205	4.55	0.33
CC40016		1.68	95.4	3.34	1.63	0.15	0.16	0.38	0.036	0.16	51.9	0.7	0.06	169	2.52	<0.01

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC39103		0.11	40.2	1220	12.6	9.3	0.001	0.11	3.56	0.7	2.4	0.3	17	<0.01	0.05	0.2
CC39104		0.37	66	>10000	20.9	17.4	0.002	0.42	11.75	5	9.2	0.6	282	0.01	0.14	2.7
CC39105		0.29	158.5	3630	259	9.4	0.001	0.13	15.3	6.7	7.8	0.4	64.8	0.01	0.19	3.2
CC39106		0.19	82.6	2430	67.6	14.4	0.001	0.38	9.51	2.8	5.5	0.4	111	<0.01	0.24	0.7
CC39107		0.07	60.7	4350	31.3	18.6	0.001	0.11	5.11	0.6	5.2	0.4	42.9	<0.01	0.1	0.2
CC39108		0.15	127.5	3040	51.7	11.1	0.003	0.3	9.15	6.2	6.3	0.4	144	<0.01	0.16	4
CC39109		0.18	87.4	2900	74.6	13	0.002	0.16	7.69	3.5	5.1	0.4	73	<0.01	0.12	1.5
CC39110		0.13	73.2	3110	113.5	14	0.001	0.26	8.45	1.6	6.5	0.4	101.5	<0.01	0.15	0.7
CC39111		0.14	105	3970	149	13.1	0.002	0.28	10.4	2.8	6.6	0.4	117.5	0.01	0.17	1.2
CC39112		0.1	48.6	2110	26.7	9.3	0.001	0.35	7.49	0.3	5.8	0.4	144.5	<0.01	0.16	<0.2
CC39113		0.3	57.4	1690	29.2	12.8	0.001	0.2	4.84	3.1	4.4	0.4	73.7	<0.01	0.13	1.1
CC39114		0.33	72.8	1160	25.8	12.6	0.001	0.15	4.44	3.3	3	0.4	38.4	<0.01	0.12	1.1
CC39115		0.27	74.4	1370	24.2	9.9	0.001	0.21	4.38	2.5	3.1	0.4	51.2	<0.01	0.11	0.7
CC39116		0.16	137	1630	19.6	9.2	0.003	0.14	6.59	6.4	6.9	0.6	74.5	0.01	0.1	1.9
CC39117		0.1	117	770	12.3	5.9	0.005	0.07	6.18	7.8	6.3	0.3	84.3	<0.01	0.06	7.5
CC39118		0.17	136.5	3190	12.9	9.7	0.005	0.18	18.9	2.5	12.9	0.6	71.2	<0.01	0.14	0.9
CC39119		0.18	311	2910	12	7.1	0.002	0.08	25.2	5.9	14.9	0.8	108	<0.01	0.18	1.3
CC39120		0.29	417	4790	15.8	15.1	0.077	0.1	43.6	4.8	35.4	0.9	221	0.01	0.33	1.8
CC39121		0.41	235	3050	23	18.5	0.018	0.57	57.8	3.2	42.3	1.7	189	0.01	0.52	0.4
CC39122		0.21	466	4020	20.2	15.1	0.006	0.21	58.1	3.8	38.5	1.1	193.5	0.01	0.46	0.8
CC39123		0.39	361	3870	19.8	14.7	0.009	0.33	87.9	7.5	44.6	1.2	258	0.01	0.37	2.7
CC39124		0.34	292	1530	10.8	8	0.005	0.07	34.3	4.7	17.3	0.6	425	0.01	0.2	0.5
CC39125		0.78	309	3500	19.1	14.7	0.028	0.16	58.5	6.2	38.6	1.1	238	0.01	0.33	2.3
CC39126		0.56	283	2080	13	11.7	0.018	0.14	35.7	4.6	19.2	0.6	170.5	<0.01	0.2	2.7
CC40001		0.07	78.3	730	23.4	10.1	0.017	0.29	9.95	3.2	9.6	1.1	46	<0.01	0.13	2.7
CC40002		0.22	67.5	2280	24.4	8	0.008	0.18	16.5	1.7	9.1	0.9	75.6	<0.01	0.15	0.6
CC40003		0.09	103.5	570	18.4	6.6	0.002	0.06	3.43	7.6	1.9	0.2	20.9	<0.01	0.11	8.8
CC40004		0.17	112.5	3800	44.5	9	0.015	0.19	24.8	3.2	12.7	2.7	116.5	<0.01	0.21	1.2
CC40005		0.12	4.5	550	2.8	1	0.003	0.05	2.03	0.1	3.1	0.3	13	<0.01	0.02	<0.2
CC40006		0.1	21.5	2610	72.7	9.4	0.008	0.2	18.8	0.4	14	7.4	97.3	<0.01	0.23	<0.2
CC40007		0.15	79.1	1350	32.6	7	0.003	0.06	10.2	3.4	5.6	0.9	35.5	<0.01	0.13	1.4
CC40008		0.08	21.6	810	12.2	5	0.002	0.06	3.92	0.2	3	0.8	14.2	<0.01	0.06	<0.2
CC40009		0.13	64.4	2320	32.6	9	0.012	0.11	20.2	2.4	9.2	0.9	51	<0.01	0.26	1.3
CC40010		0.08	24.3	1560	42	9.4	0.015	0.27	14	1.9	11.1	3.5	55.1	<0.01	0.18	0.7
CC40011		0.17	278	1710	15.4	7	0.016	0.1	17.45	4	7.6	0.7	132	<0.01	0.13	1.3
CC40012		0.12	150.5	2020	19.7	5.1	0.009	0.07	3.32	8.5	3.9	0.2	117.5	0.01	0.07	6
CC40013		0.1	170	1310	26.3	5.6	0.007	0.14	2.83	11.6	5.9	0.4	90.4	0.01	0.12	6.7
CC40014		0.14	270	1960	36.2	6.4	0.011	0.2	2.64	19.5	11.5	0.4	187	0.01	0.1	8.9
CC40015		<0.05	56.1	1620	28.4	23.7	0.014	0.04	2.11	6.3	5.1	0.5	118.5	0.01	0.13	8.2
CC40016		0.11	135.5	2990	19	10	0.009	0.09	2.15	8	2.8	0.3	97.4	<0.01	0.14	11.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Ti % 0.005	ME-MS41 Tl ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5
CC39103		0.007	0.45	1.47	68	0.1	5.03	255	0.7
CC39104		0.026	1.28	12.1	415	0.29	43.3	209	1.6
CC39105		0.01	0.52	4.94	138	0.11	34.9	1785	1.2
CC39106		0.012	0.52	4.29	137	0.12	16.05	422	0.8
CC39107		<0.005	0.33	4.11	90	0.07	17.05	352	0.5
CC39108		0.006	0.6	5.54	135	0.15	28.5	1080	0.9
CC39109		0.014	0.61	3.71	147	0.14	18.4	647	0.7
CC39110		0.008	0.63	4.16	149	0.19	16.7	521	1.7
CC39111		0.008	0.66	5.13	146	0.15	26.8	929	3.2
CC39112		<0.005	0.54	2.76	105	0.17	8.44	208	<0.5
CC39113		0.015	0.42	2.38	106	0.18	13	281	0.7
CC39114		0.016	0.33	2.17	96	0.17	10.65	390	0.7
CC39115		0.01	0.27	1.85	76	0.14	9.47	409	0.5
CC39116		0.005	0.43	4.1	207	0.13	34.4	1270	2.6
CC39117		<0.005	0.34	1.79	89	0.08	21.7	973	10.4
CC39118		0.005	2.44	4.24	422	0.6	16.1	815	3.5
CC39119		0.007	0.92	3.2	279	0.38	20	2230	2.9
CC39120		0.022	3.49	15.15	2020	1.69	65.2	1900	2.2
CC39121		0.024	13.55	28	1905	2.07	47.7	904	0.7
CC39122		0.012	6.34	19.95	1510	2.21	53	3220	0.9
CC39123		0.021	9.07	31.3	1575	2.04	49.3	2780	2.8
CC39124		0.018	4.53	13.5	1305	1.01	44	2330	0.9
CC39125		0.043	5.71	22.3	2260	1.17	51.7	2070	3.2
CC39126		0.036	3.71	11.2	1420	0.85	35.5	2270	5.6
CC40001		<0.005	1.25	4.71	115	0.18	7.17	765	1.3
CC40002		0.005	1.84	9.61	314	0.28	17.25	738	2
CC40003		<0.005	0.36	5.61	16	<0.05	17.15	719	1.4
CC40004		0.005	2.18	13.4	378	0.31	28	970	2.2
CC40005		0.007	0.16	0.71	23	<0.05	0.85	24	<0.5
CC40006		<0.005	2.03	7.13	247	0.29	13.7	114	<0.5
CC40007		<0.005	0.87	4.18	126	0.14	16.95	611	<0.5
CC40008		<0.005	0.62	2.77	86	0.14	5.69	73	<0.5
CC40009		<0.005	1.23	4.97	332	0.23	15.55	616	0.9
CC40010		<0.005	1.53	5.96	218	0.23	10.35	132	<0.5
CC40011		<0.005	1.91	10.8	306	0.26	25	2210	1.1
CC40012		<0.005	0.49	4.63	64	0.07	34.6	691	11.1
CC40013		<0.005	0.35	3.33	50	0.08	33.8	1160	4.1
CC40014		<0.005	0.3	6.28	83	0.08	41.8	3540	15.7
CC40015		<0.005	0.37	3.07	25	0.1	28.4	289	10.6
CC40016		<0.005	0.13	2.38	31	0.05	26.2	779	8.9

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	WEI-21	Zn-OG46	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Zn	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC40017		0.18		1.2	0.42	20.9	<0.2	10	470	0.86	0.25	1.48	5.07	43.4	11	19
CC40018		0.18		1.34	0.2	18.4	<0.2	<10	220	0.75	0.21	1.77	4.2	37.2	15.2	28
CC40019		0.16		0.16	0.31	2.5	<0.2	<10	120	0.12	0.02	0.23	1.97	5.22	1.5	2
CC40020		0.24		0.66	0.28	35.7	<0.2	<10	390	0.61	0.16	4.9	7.36	33.8	14.8	16
CC40021		0.22		1.06	0.32	79.4	<0.2	<10	450	0.64	0.12	6.91	17.5	39.3	27.8	24
CC40022		0.18		0.53	0.26	34	<0.2	10	420	0.43	0.1	8.11	6.71	30.8	9	17
CC40023		0.26		2.42	0.43	58	<0.2	<10	690	0.9	0.18	1.89	34.4	35	11.3	40
CC40024		0.20		2.24	0.34	50.6	<0.2	<10	770	0.81	0.19	0.51	14.9	37.9	9.1	35
CC40025		0.20		3.1	0.44	57.1	<0.2	10	1150	0.6	0.19	0.62	10.95	25.5	1.5	50
CC40026		0.28		2.95	0.55	75	<0.2	10	620	0.89	0.15	0.91	61.4	23.9	11	59
CC40027		0.16		0.97	0.42	16	<0.2	<10	260	0.25	0.08	0.06	2.64	14.35	1.1	18
CC40028		0.22		3.04	0.41	58.2	<0.2	10	720	0.57	0.16	0.89	17.3	22.5	4.1	48
CC40029		0.22		3.94	0.91	84.2	<0.2	<10	860	0.87	0.19	0.2	8.96	26.3	4.3	82
CC40030		0.34		6.94	0.94	123.5	<0.2	<10	1020	1	0.26	0.29	23	37.5	4.9	104
CC40031		0.18		4.25	0.85	107.5	<0.2	<10	600	0.71	0.22	0.05	8.58	30.1	1.9	88
CC40032		0.34		5.66	1.19	254	<0.2	10	990	1.42	0.24	0.45	41.7	39.3	4.3	224
CC40033		0.30		4.63	1.73	119	<0.2	<10	1680	1.35	0.22	1.01	41.1	34.1	6.1	89
CC40034		0.26		9.51	1.54	97	<0.2	10	7540	1.36	0.21	0.72	12.85	29.4	4	173
CC40035		0.22		6.85	1.76	151.5	<0.2	10	260	1.2	0.21	0.25	5.35	28.9	2.8	191
CC40036		0.22		11.85	1.71	255	<0.2	10	180	1.69	0.32	0.22	14	39.2	5	309
CC40037		0.18		5.31	1.33	133.5	<0.2	10	360	1.25	0.3	0.4	36.4	37.6	8.5	143
CC40038		0.16		2.96	0.65	36.1	<0.2	10	400	0.68	0.23	0.09	2.78	29.1	1.3	123
CC40039		0.22		1.33	0.54	28.6	<0.2	<10	520	0.31	0.16	0.02	0.86	21.1	1.4	50
CC40040		0.26		4.81	1.13	124	<0.2	<10	1520	0.98	0.26	0.27	15.25	42.4	16.3	121
CC40041		0.16		0.32	0.33	31.7	<0.2	<10	430	0.18	0.18	0.05	0.49	10.4	3.9	9
CC40042		0.16		0.13	0.15	3.5	<0.2	<10	140	0.06	0.08	0.03	0.19	3.45	2.4	3
CC40043		0.26		0.35	0.8	33.5	<0.2	<10	740	0.62	0.24	0.28	0.71	24.9	11	15
CC40044		0.20		0.13	0.3	10.7	<0.2	<10	190	0.13	0.12	0.02	0.29	16.75	4.9	9
CC40045		0.16		0.18	0.31	0.8	<0.2	<10	120	0.1	0.03	0.1	0.19	3.85	0.8	2
CC40046		0.12		0.14	0.32	3	<0.2	<10	150	0.09	0.04	0.04	0.29	3.43	1.4	3
CC40047		0.28		1.01	0.74	38	<0.2	<10	820	0.45	0.27	0.11	2.12	40.8	13.7	17
CC40048		0.12		0.4	0.21	2.4	<0.2	<10	150	0.1	0.03	0.06	0.46	3.42	1.1	4
CC40049		0.12		0.25	0.15	0.8	<0.2	<10	270	<0.05	0.02	0.09	2.06	1.45	0.9	3
CC40050		0.18		1.73	1.18	92.4	<0.2	<10	960	0.73	0.18	0.58	5.59	33.5	20.8	12
CC40051		0.18		0.08	0.31	3.9	<0.2	<10	110	0.07	0.05	0.03	0.11	4.28	1.9	2
CC40052		0.20		0.13	0.53	8.1	<0.2	<10	200	0.12	0.13	0.03	0.14	9.96	2.1	6
CC40053		0.18		0.06	0.26	8.3	<0.2	<10	150	0.07	0.09	0.02	0.08	8.76	1.8	5
CC40054		0.18		0.2	0.97	63.2	<0.2	<10	560	0.48	0.3	0.03	0.52	32.3	14.9	17
CC40055		0.18		0.07	0.32	7.2	<0.2	<10	150	0.1	0.09	0.02	0.22	9.01	2.9	7
CC40056		0.18		0.09	0.13	0.1	<0.2	<10	110	<0.05	0.01	0.18	0.03	0.59	0.5	1

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC40017		1.29	79	3.36	1.37	0.12	0.05	0.39	0.04	0.14	24.2	0.8	0.39	219	9.94	0.01
CC40018		1.12	65.7	4.22	0.69	0.1	0.08	0.48	0.027	0.07	20.2	0.6	0.88	233	4.95	<0.01
CC40019		0.14	11.9	0.46	0.9	<0.05	0.02	0.07	<0.005	0.03	2.5	0.4	0.04	39	1.78	0.03
CC40020		0.98	74.6	3.13	1.03	0.11	0.13	0.58	0.026	0.09	20	1.4	2.36	270	65.9	0.01
CC40021		0.97	161	3.53	1.66	0.14	0.14	1.02	0.032	0.1	23.7	2.2	2.29	291	91.2	0.01
CC40022		0.99	71.3	1.82	0.99	0.08	0.13	0.5	0.022	0.09	19.7	2	3.34	314	69.4	0.02
CC40023		0.95	154.5	2.72	2.36	0.16	0.06	0.77	0.044	0.12	22.1	1.2	0.67	296	43.8	0.01
CC40024		0.67	121.5	3.07	1.85	0.14	0.07	0.8	0.045	0.11	23.3	1	0.06	265	38.1	0.01
CC40025		1.13	101	1.83	3.66	0.2	0.05	0.55	0.042	0.15	22.4	0.8	0.03	48	55.7	0.02
CC40026		1.38	255	2.79	3.25	0.26	0.06	0.66	0.055	0.14	20	1	0.04	306	78.6	0.01
CC40027		0.74	52.9	1.01	2.64	0.08	0.04	0.17	0.019	0.05	9.9	0.4	0.01	22	22	0.01
CC40028		1.19	133	2.05	2.88	0.23	0.07	0.97	0.041	0.16	17.3	1	0.06	243	72.2	0.01
CC40029		3.34	195	2.66	3.92	0.24	0.08	0.22	0.053	0.14	21.7	2.6	0.07	221	73.6	0.01
CC40030		3.21	149	2.51	5.02	0.3	0.06	1.95	0.078	0.17	32.1	2.4	0.06	168	111	0.02
CC40031		3.67	137	2.39	5.73	0.24	0.05	0.49	0.047	0.17	26.5	3	0.05	39	113	0.01
CC40032		5.73	265	3.67	7.77	0.49	0.12	0.97	0.081	0.19	40.3	4.1	0.09	281	188	0.02
CC40033		5.02	332	2.81	5.03	0.35	0.1	0.65	0.054	0.19	26.6	3.9	0.28	241	79.6	0.03
CC40034		4	244	2.52	6.64	0.44	0.09	0.56	0.056	0.19	24.8	4.7	0.08	166	67.2	0.15
CC40035		5.83	279	3.47	7.25	0.65	0.07	0.83	0.078	0.2	26.3	4.5	0.08	97	133	<0.01
CC40036		5.72	297	5.25	11.2	0.67	0.06	0.91	0.113	0.22	35.2	5.8	0.08	169	220	<0.01
CC40037		6.12	306	4.8	7.05	0.34	0.08	0.44	0.069	0.2	31.6	5.1	0.11	315	107.5	0.01
CC40038		3.74	73.1	2.09	6.07	0.26	0.05	0.28	0.041	0.16	26.9	1.8	0.03	25	73.3	0.01
CC40039		3.1	49.8	1.28	3.74	0.12	0.04	0.12	0.026	0.07	17.2	1.2	0.02	26	39.2	0.01
CC40040		4.14	225	3.63	5.49	0.31	0.07	0.52	0.084	0.14	36.9	3.4	0.06	393	172	0.03
CC40041		3.65	22	1.44	1.44	<0.05	0.04	0.04	0.015	0.06	6.6	1	0.03	76	7.58	0.01
CC40042		3.45	5.9	0.56	0.99	<0.05	0.04	0.03	<0.005	0.03	2.1	0.4	0.01	413	3.05	0.02
CC40043		3.56	45.9	3.6	2.51	0.07	0.05	0.05	0.031	0.1	13.3	5.1	0.12	655	9.77	0.02
CC40044		6.77	21.1	1.22	2.23	<0.05	0.04	0.03	0.01	0.06	10.4	0.7	0.02	436	9.02	0.01
CC40045		0.34	3.7	0.4	1.39	<0.05	0.05	0.03	<0.005	0.02	1.9	0.6	0.02	29	0.56	0.02
CC40046		0.39	8.1	0.59	1.55	<0.05	0.04	0.04	<0.005	0.02	1.9	0.3	0.02	169	1.35	0.02
CC40047		3.76	97.5	3.72	2.99	0.09	0.07	0.11	0.038	0.09	25.1	8	0.13	193	17.3	0.01
CC40048		0.49	10.7	0.52	0.68	<0.05	0.04	0.04	0.005	0.02	2.1	0.3	0.02	18	1.35	0.02
CC40049		0.26	5.4	0.36	0.63	<0.05	0.04	0.04	<0.005	0.03	0.8	0.3	0.03	26	0.68	0.02
CC40050		0.76	114	5.36	1.85	0.11	0.11	0.25	0.04	0.06	17.7	5.3	0.13	682	42.5	0.02
CC40051		0.53	10.4	0.85	1.56	<0.05	0.04	0.02	0.006	0.03	2.3	0.4	0.02	38	1.66	0.02
CC40052		1.17	15.9	1.03	2.43	<0.05	0.04	0.03	0.009	0.04	5.5	0.9	0.02	40	3.83	0.02
CC40053		1.31	10.5	0.77	1.91	<0.05	0.04	0.01	0.006	0.04	5.2	0.6	0.02	26	3.63	0.01
CC40054		2.47	62.1	4.7	3.1	0.07	0.08	0.04	0.035	0.07	17.8	9.2	0.09	529	10.35	0.01
CC40055		1.74	18.1	1.2	2.28	<0.05	0.04	0.03	0.011	0.04	5.4	1.3	0.03	41	4.37	0.01
CC40056		0.05	1.5	0.18	0.51	<0.05	0.04	0.01	<0.005	0.02	0.3	0.3	0.02	14	0.13	0.04

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC40017		0.09	95.2	2810	21.8	8.3	0.011	0.11	4.24	6.3	5.8	0.4	116	<0.01	0.11	4.2
CC40018		0.1	103	530	17.8	5.1	0.005	0.4	2.57	9.4	3.9	0.2	41.6	<0.01	0.05	7
CC40019		0.19	22.5	460	2.2	1.3	0.001	0.02	1.05	0.5	1.1	<0.2	14.6	<0.01	0.02	<0.2
CC40020		0.13	207	1270	18.2	5.7	0.019	0.22	5.79	6.6	8.5	0.6	161	<0.01	0.08	5.8
CC40021		0.17	288	2140	16.5	6.4	0.036	0.19	29.5	7.2	12.2	0.8	204	0.01	0.13	5.2
CC40022		0.15	200	1250	10.8	5.8	0.023	0.17	9.58	5.1	5.3	0.5	247	<0.01	0.07	3.1
CC40023		0.08	207	3340	26.5	8.1	0.034	0.25	26.5	4.4	20.7	0.8	152.5	<0.01	0.27	1.7
CC40024		0.08	94.3	2380	27.6	6.8	0.026	0.25	21.9	5	20.2	0.7	76.8	<0.01	0.24	2
CC40025		0.07	44.4	3580	43.5	10.5	0.059	0.23	34.6	2.6	32.3	1.4	140	<0.01	0.51	0.9
CC40026		0.08	137.5	5480	22.4	9.9	0.078	0.24	49.5	4.8	41.3	1.1	171	<0.01	0.59	1.7
CC40027		0.09	17.9	770	14.6	4.2	0.012	0.13	9.79	0.2	8.1	1.5	26.3	<0.01	0.19	<0.2
CC40028		0.08	112	3590	34	9.9	0.065	0.38	38.9	2.5	33.4	2.5	160	<0.01	0.56	0.8
CC40029		0.18	113	3170	17.7	13.7	0.003	0.23	43.1	2.3	36.8	1.7	272	<0.01	0.37	0.6
CC40030		0.46	129	3480	67.7	14.8	0.019	0.2	104.5	4.4	52.8	2.2	229	<0.01	0.44	1
CC40031		0.11	59.1	1720	25.5	18.9	0.007	0.3	50.5	0.5	45	2.1	83.9	<0.01	0.43	<0.2
CC40032		0.6	167	5660	25.3	17.6	0.036	0.19	103	9.8	48.9	1.6	281	0.01	0.61	5.1
CC40033		0.26	285	3790	15.7	15.2	0.007	0.14	44.4	4.1	62.3	1.3	376	0.01	0.64	1.3
CC40034		0.41	146.5	4890	14.6	14.2	0.007	0.05	49.9	3	64.7	1.1	411	0.01	0.35	0.5
CC40035		0.64	137.5	4090	19	15.9	0.008	0.49	67.7	3.6	93.2	1.2	193	0.01	0.56	0.4
CC40036		0.85	213	4460	25.3	18.5	0.008	0.46	88.8	4.3	106.5	1.5	147.5	0.01	0.69	0.6
CC40037		2.5	281	2820	24.5	14.3	0.006	0.3	62.6	4.9	44.2	1.2	171	0.01	0.48	1.4
CC40038		1.23	43.5	1600	19.7	14.8	0.006	0.41	25.5	0.7	50.2	1.1	127.5	0.01	0.4	<0.2
CC40039		0.13	37.8	970	12.6	8.7	0.001	0.13	21.1	0.2	17.6	0.9	28.1	<0.01	0.17	<0.2
CC40040		0.3	300	3090	21.9	11.6	0.004	0.19	79.6	4.9	39.7	1.6	134	0.01	0.45	1.6
CC40041		0.14	14.7	870	10.4	6.6	0.001	0.07	3.98	0.3	2.9	0.4	13.8	<0.01	0.05	<0.2
CC40042		0.16	4.8	350	11.1	2.5	<0.001	0.02	1.01	0.4	0.7	0.2	6.7	<0.01	0.01	<0.2
CC40043		0.21	28.3	2070	19.8	7.3	0.001	0.14	3.97	0.6	3.1	0.4	20.2	<0.01	0.09	0.2
CC40044		0.05	13	670	6.9	6.5	<0.001	0.04	2.53	0.2	1.7	0.5	6.3	<0.01	0.04	<0.2
CC40045		0.22	2.1	440	1.7	1.3	<0.001	0.04	0.26	0.3	0.4	<0.2	9.3	<0.01	<0.01	<0.2
CC40046		0.08	3.2	800	3.2	1.5	<0.001	0.05	0.58	0.1	0.8	<0.2	8.4	<0.01	0.01	<0.2
CC40047		0.25	49	1790	20.6	9.4	0.004	0.11	6.98	1.8	5.9	0.5	24.7	<0.01	0.13	0.7
CC40048		<0.05	3.7	1160	3.6	1.3	<0.001	0.05	0.7	0.1	0.9	<0.2	8.9	<0.01	0.01	<0.2
CC40049		0.17	2.2	590	1.2	1.2	<0.001	0.06	0.31	0.1	0.4	<0.2	12.6	<0.01	0.01	<0.2
CC40050		0.34	133	2250	56.2	6.5	0.001	0.1	8.45	2.6	5.4	0.3	31.6	0.01	0.13	0.9
CC40051		0.15	6.1	380	3	3.1	<0.001	0.03	0.6	0.2	0.5	0.2	7.5	<0.01	0.02	<0.2
CC40052		0.16	8.6	660	6	5.9	<0.001	0.05	1.62	0.2	1.2	0.4	9.9	<0.01	0.04	<0.2
CC40053		0.07	7.5	430	5.1	5.7	<0.001	0.03	1.4	0.2	0.9	0.3	10.1	<0.01	0.04	<0.2
CC40054		0.29	41	1200	24.7	9.7	0.001	0.06	3.96	2.8	2.7	0.4	12.9	<0.01	0.06	1.6
CC40055		0.11	9.2	630	4.4	4.7	<0.001	0.05	1.61	0.3	1.1	0.3	6.6	<0.01	0.05	<0.2
CC40056		0.11	0.6	190	0.5	0.5	<0.001	0.03	0.08	0.2	<0.2	<0.2	13.4	<0.01	<0.01	<0.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC40017		<0.005	0.33	3.44	73	0.11	28.9	777	1.9
CC40018		<0.005	0.22	1.92	32	<0.05	19.6	605	5.6
CC40019		0.016	0.17	0.55	21	<0.05	2.33	178	0.7
CC40020		<0.005	1.41	14.4	124	0.23	26.5	726	12.5
CC40021		<0.005	2.05	23	278	0.33	35.6	2300	14.7
CC40022		<0.005	1.52	12.95	262	0.27	27.4	783	8.1
CC40023		<0.005	1.95	10.9	380	0.31	28.3	2530	0.6
CC40024		<0.005	1.66	7.64	253	0.29	22.2	769	1.3
CC40025		<0.005	2.48	12.8	596	0.52	27	266	0.6
CC40026		<0.005	3.28	14.55	826	0.52	33.3	1720	0.9
CC40027		<0.005	1.76	4.3	188	0.21	8.65	91	<0.5
CC40028		<0.005	3.87	11.4	659	0.62	21.4	726	1.2
CC40029		0.012	4.07	13.85	618	1.28	27.9	655	1.2
CC40030		0.027	8.1	21.9	961	3.5	35.5	786	0.5
CC40031		0.009	10.85	17.65	1405	2.47	20.3	441	<0.5
CC40032		0.043	7.75	41	2420	3.3	54.4	1540	8.7
CC40033		0.012	3.98	23	983	1.13	46.8	2220	2.2
CC40034		0.023	3.27	28.1	1125	0.65	40.8	683	1.7
CC40035		0.062	5.65	25.8	1985	0.82	34.5	535	1.2
CC40036		0.098	11.3	33.1	3170	1.05	39.3	844	0.8
CC40037		0.121	9.32	25.9	2230	0.75	47.5	1710	2.1
CC40038		0.056	3.41	10.65	1270	0.46	13.95	261	0.7
CC40039		0.007	1.67	3.88	473	0.33	6.44	208	<0.5
CC40040		0.017	6.15	20.7	1085	0.87	52.9	1080	1.1
CC40041		0.005	0.27	1.15	73	0.1	2.01	82	<0.5
CC40042		0.014	0.11	0.45	43	0.07	0.56	33	<0.5
CC40043		<0.005	0.27	1.69	64	0.09	6.03	142	0.5
CC40044		0.005	0.26	0.61	113	0.14	1.37	80	<0.5
CC40045		0.016	0.04	0.36	13	0.07	1.28	11	<0.5
CC40046		<0.005	0.07	0.56	20	<0.05	0.96	19	<0.5
CC40047		0.007	0.52	2.25	154	0.15	9.03	302	1.1
CC40048		<0.005	0.08	0.57	26	<0.05	1.53	21	<0.5
CC40049		0.007	0.03	0.32	12	<0.05	0.33	26	<0.5
CC40050		0.005	0.34	3.6	118	0.13	24.4	1290	2.6
CC40051		0.017	0.06	0.39	25	0.06	0.82	24	<0.5
CC40052		0.012	0.15	0.67	57	0.3	1.4	41	<0.5
CC40053		0.009	0.14	0.43	57	0.11	1.15	38	<0.5
CC40054		<0.005	0.32	1.74	104	0.09	5.71	253	1.6
CC40055		0.008	0.16	0.5	74	0.09	1.18	56	<0.5
CC40056		0.01	<0.02	0.1	7	<0.05	0.25	4	<0.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	WEI-21	Zn-OG46	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Zn	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC40057		0.22		0.19	0.18	4.6	<0.2	<10	170	0.06	0.06	0.02	0.1	7.93	2	4
CC40058		0.20		2.42	0.97	13.6	<0.2	<10	960	0.53	0.22	0.42	1.4	34.6	13.9	13
CC40059		0.18		0.13	0.23	3.6	<0.2	<10	90	0.08	0.09	0.01	0.11	6.03	1.3	5
CC40060		0.18		0.23	0.18	2.9	<0.2	<10	70	0.05	0.08	0.02	0.12	2.2	1.4	4
CC40061		0.14		0.31	0.14	1	<0.2	<10	70	<0.05	0.03	0.02	0.06	3.83	1.2	3
CC40062		0.12		4.4	0.21	5.1	<0.2	<10	710	0.08	0.04	0.02	0.47	5.78	1.5	6
CC40063		0.12		1.39	0.3	16.7	<0.2	<10	2450	0.32	0.1	0.08	6.74	15.2	0.9	59
CC40064		0.14		1.1	0.23	14.3	<0.2	<10	1850	0.18	0.1	0.02	0.55	12.7	0.8	39
CC40065		0.14		5.11	0.65	50.5	<0.2	<10	1360	0.78	0.23	0.01	2.67	23.5	1.4	160
CC40066		0.10		1.12	0.09	1.2	<0.2	<10	370	<0.05	0.01	0.02	0.26	1.15	0.6	7
CC40067		0.24		15.35	1.29	215	<0.2	<10	1350	3.17	0.35	0.47	63.3	45.6	16.2	425
CC40068		0.22		6.14	0.88	142.5	<0.2	<10	2110	1.65	0.22	0.48	69.5	32.8	14.7	193
CC40069		0.24		6.16	1.17	192.5	<0.2	<10	3460	2.11	0.24	0.35	72.7	31.1	18.5	249
CC40070		0.16		0.37	0.25	2.6	<0.2	<10	830	0.16	0.03	0.42	5.8	4.94	1.5	6
CC40071		0.16		0.5	0.5	9.5	<0.2	<10	1050	0.27	0.11	0.49	1.84	16.65	3.1	13
CC40072		0.16		0.4	0.42	4.8	<0.2	<10	980	0.21	0.07	0.49	2.4	9.73	2.6	8
CC40073		0.16		2.63	2	28.4	<0.2	10	2660	1.1	0.2	0.86	5.8	20.4	6.3	41
CC40074		0.16		0.23	0.11	0.3	<0.2	<10	90	<0.05	0.01	0.04	0.11	0.91	0.8	4
CC40075		0.22		0.47	0.29	6.3	<0.2	<10	160	0.08	0.14	0.01	0.09	46.7	1	8
CC40076		0.16		0.65	0.19	1.9	<0.2	<10	130	0.06	0.04	0.02	0.12	14.15	0.7	5
CC40077		0.22		1.21	0.57	18.3	<0.2	<10	1350	0.22	0.18	0.01	0.45	18.05	1.3	20
CC40078		0.20		0.65	0.12	0.2	<0.2	<10	70	<0.05	0.02	0.02	0.04	2.93	0.5	5
CC40079		0.14		0.73	0.19	0.5	<0.2	<10	100	<0.05	0.04	0.03	0.14	2.66	0.5	5
CC40080		0.10		0.47	0.08	0.1	<0.2	<10	60	<0.05	0.01	0.02	0.02	0.58	0.6	1
CC40081		0.14		1.31	0.24	0.1	<0.2	<10	10	<0.05	0.02	0.03	0.03	1.21	0.5	1
CC40082		0.20		0.32	0.62	6.4	<0.2	<10	340	0.13	0.14	0.01	0.17	30.6	1.1	9
CC40083		0.22		0.28	0.57	9.7	<0.2	<10	330	0.2	0.18	0.02	0.36	38	1.7	11
CC40084		0.22		0.32	0.95	25.2	<0.2	<10	1760	0.47	0.31	0.15	1	34.3	6.5	25
CC40085		0.26		0.4	0.45	3.5	<0.2	<10	430	0.18	0.05	0.13	0.28	4.88	1.5	8
CC40086		0.22		1.06	1.17	12.5	<0.2	<10	2150	0.71	0.19	1.02	3.11	29	5.7	20
CC40087		0.22		1.94	1.66	44.7	<0.2	<10	1920	0.74	0.2	0.78	26.1	22.2	13.7	27
CC40088		0.18		0.46	0.18	0.7	<0.2	<10	150	<0.05	0.03	0.03	1.31	4.8	0.9	3
CC40089		0.18		0.66	0.15	0.3	<0.2	<10	130	<0.05	0.02	0.03	0.41	1.59	1.9	1
CC40090		0.22		0.48	0.11	0.5	<0.2	<10	70	<0.05	0.01	0.04	0.68	0.86	0.5	1
CC40091		0.18		0.31	0.16	2	<0.2	<10	210	<0.05	0.03	0.03	1.41	6.63	0.8	2
CC40092		0.20		0.12	0.06	<0.1	<0.2	<10	40	<0.05	<0.01	0.03	0.57	0.42	0.6	1
CC40093		0.18		1.49	1.1	43.8	<0.2	<10	1560	0.8	0.16	0.97	99.7	27.2	34.9	24
CC40094		0.14		1.4	1.06	49.2	<0.2	<10	1980	0.68	0.14	1.23	174	22.2	51.2	23
CC40095		0.14		1.49	1.14	54.4	<0.2	<10	1890	0.73	0.15	1.06	125.5	23.5	52.2	25
CC40096		0.18	1.42	1.27	1.15	44	<0.2	<10	1880	0.72	0.15	1.15	201	24.9	90.4	26

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC40057		0.92	18.4	0.79	1.5	<0.05	0.04	0.02	0.007	0.03	4.9	0.5	0.02	26	3.85	0.01
CC40058		3.82	52	2.16	2.97	0.08	0.04	0.27	0.032	0.06	18.8	3.7	0.09	825	9.81	0.01
CC40059		1.74	6.8	0.61	1.79	<0.05	0.02	0.02	0.008	0.03	3.4	0.6	0.02	30	3.32	0.02
CC40060		0.9	3.7	0.68	1.07	<0.05	<0.02	0.02	0.005	0.02	1.2	0.7	0.02	106	1.22	0.02
CC40061		1.72	2.9	0.45	1.32	<0.05	<0.02	0.02	0.005	0.02	2.1	0.4	0.01	33	1.54	0.02
CC40062		0.55	10.1	0.61	1.26	<0.05	0.02	0.06	0.006	0.02	3.4	0.8	0.02	21	4.38	0.01
CC40063		1.5	40.7	0.83	3.53	0.1	<0.02	0.18	0.019	0.04	13.7	1.4	0.02	13	25	<0.01
CC40064		1.21	24.1	0.75	3.18	0.08	<0.02	0.09	0.015	0.04	11	1	0.02	14	23.7	<0.01
CC40065		4.43	87.5	2.03	8.33	0.3	0.02	0.22	0.032	0.11	23.2	2.8	0.04	17	77.4	0.01
CC40066		0.21	5.5	0.29	0.65	<0.05	<0.02	0.05	<0.005	0.02	1	0.2	0.01	11	2.08	0.02
CC40067		6.09	653	4.4	14.25	0.77	0.13	0.87	0.111	0.19	53.5	8.6	0.11	661	167	0.01
CC40068		3.29	324	3	7.13	0.48	0.08	0.41	0.059	0.13	30.2	5.1	0.1	628	121.5	<0.01
CC40069		3.15	475	3.83	10.2	0.58	0.16	0.24	0.081	0.14	28.4	7.2	0.14	517	183	<0.01
CC40070		0.22	14.9	0.43	1.02	<0.05	0.04	0.06	<0.005	0.02	2.8	0.8	0.04	108	2.69	0.03
CC40071		0.61	21.8	1.07	1.92	<0.05	0.06	0.12	0.015	0.05	9.3	5.4	0.18	81	8.18	0.02
CC40072		0.42	15.3	0.81	1.66	<0.05	0.05	0.09	0.01	0.04	5.3	3.2	0.12	132	3.65	0.02
CC40073		1.7	93	2.49	5.85	0.08	0.28	0.59	0.042	0.27	12.3	17.6	0.61	96	13.45	<0.01
CC40074		0.16	1.9	0.35	0.69	<0.05	<0.02	0.02	<0.005	0.02	0.5	0.3	0.02	16	0.57	0.02
CC40075		1.12	8.8	0.65	3.71	0.06	<0.02	0.02	0.006	0.04	25.3	0.9	0.02	17	8.12	0.01
CC40076		0.47	6.7	0.38	1.58	<0.05	<0.02	0.02	0.005	0.02	8.4	0.4	0.01	15	3.36	0.02
CC40077		0.66	27.7	1.7	3.51	0.06	0.05	0.08	0.025	0.08	11.5	3	0.06	17	20.6	<0.01
CC40078		0.18	3.2	0.23	0.77	<0.05	<0.02	0.01	<0.005	0.01	1.6	0.2	0.01	11	0.81	0.02
CC40079		0.15	7.8	0.25	0.9	<0.05	<0.02	0.03	<0.005	0.02	1.4	0.2	0.01	11	1.12	0.02
CC40080		0.05	1.4	0.25	0.49	<0.05	<0.02	0.02	<0.005	0.01	0.3	0.1	0.01	12	0.19	0.02
CC40081		<0.05	1.2	0.22	1.35	<0.05	<0.02	0.01	<0.005	0.01	0.6	0.2	0.01	11	0.08	0.02
CC40082		0.75	11.9	0.75	4	<0.05	<0.02	0.02	0.01	0.03	17	1.7	0.04	17	5.1	0.01
CC40083		0.95	17.7	1.13	3.24	0.06	0.02	0.03	0.015	0.05	20.2	2.3	0.05	24	8.29	<0.01
CC40084		1.53	38.1	2.81	4.33	0.09	0.04	0.06	0.035	0.11	18.5	9.4	0.31	155	16.15	<0.01
CC40085		0.46	9.5	0.65	1.62	<0.05	<0.02	0.06	0.008	0.04	2.6	2.1	0.05	29	2.6	0.03
CC40086		0.86	54.9	1.69	3.26	0.08	0.12	0.3	0.032	0.09	17.1	9.3	0.29	67	8.48	<0.01
CC40087		1.67	111.5	2.68	4.57	0.11	0.15	0.71	0.036	0.12	13.3	11.3	0.26	571	14.9	0.01
CC40088		0.59	11.3	0.31	0.86	<0.05	0.02	0.04	<0.005	0.02	2.5	0.4	0.01	16	0.85	0.01
CC40089		0.29	9.6	0.27	0.63	<0.05	0.02	0.05	<0.005	0.01	0.7	0.3	0.01	40	0.28	0.02
CC40090		0.08	4.6	0.18	0.47	<0.05	<0.02	0.02	<0.005	0.01	0.4	0.2	0.01	10	0.2	0.02
CC40091		0.87	9.2	0.38	0.73	<0.05	<0.02	0.04	0.006	0.02	3.4	0.4	0.01	17	1.69	0.01
CC40092		0.05	2.3	0.21	0.36	<0.05	<0.02	0.01	<0.005	0.01	0.2	0.1	0.01	11	0.06	0.02
CC40093		1.32	92.8	3.54	3.34	0.14	0.12	0.4	0.032	0.11	16.5	9.3	0.39	1190	57.5	0.01
CC40094		1.82	105.5	5.62	3.07	0.16	0.11	0.55	0.027	0.1	14.2	7.3	0.35	3320	91.6	0.01
CC40095		1.85	112	5.45	3.43	0.15	0.11	0.61	0.03	0.1	15	8	0.37	3190	90.4	<0.01
CC40096		2.08	117.5	4.53	3.47	0.14	0.12	0.54	0.031	0.11	15.5	8.1	0.36	4910	67.9	<0.01

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC40057		0.06	6.7	430	3.7	3.1	<0.001	0.03	1.16	0.2	0.8	0.3	5.7	<0.01	0.02	<0.2
CC40058		0.14	29.3	2220	24.7	10.2	0.003	0.07	2.49	0.7	4.1	0.4	32.9	0.01	0.06	0.2
CC40059		0.15	5	380	3	3.9	<0.001	0.01	1.04	0.5	0.6	0.3	4.2	<0.01	0.02	<0.2
CC40060		0.18	3.1	260	2.6	3.1	<0.001	<0.01	0.46	0.5	0.4	<0.2	5.5	<0.01	0.01	<0.2
CC40061		0.08	2.6	260	1.9	3.2	<0.001	<0.01	0.35	0.6	0.3	0.2	4.4	<0.01	0.01	<0.2
CC40062		0.16	8.4	250	4.7	2.2	0.001	0.01	1.52	0.6	1.3	0.2	10.1	<0.01	0.01	<0.2
CC40063		0.09	39	560	22.5	7.1	0.001	0.06	13.55	0.3	10.3	0.8	53.2	<0.01	0.12	<0.2
CC40064		0.06	23.7	510	15.9	5.2	0.001	0.08	12.3	0.3	9	0.6	37.7	<0.01	0.1	<0.2
CC40065		0.39	77.8	770	26.5	19.4	0.003	0.2	43.9	0.9	35.4	1.1	61.1	<0.01	0.29	<0.2
CC40066		0.08	3	230	1.4	1	<0.001	0.03	1.13	0.4	1	<0.2	9.5	<0.01	0.01	<0.2
CC40067		0.19	335	5600	75.8	23	0.007	0.18	108	5.8	59.6	3	228	0.02	0.74	0.7
CC40068		0.45	304	3430	65.4	13.6	0.005	0.09	90	7.3	38.8	2	177	0.01	0.4	2.8
CC40069		1.71	402	3200	30.5	15.4	0.004	0.08	83.6	9.5	48.1	1.2	176	0.02	0.46	3.8
CC40070		0.25	20.5	450	2.2	1.6	0.001	0.05	1.49	0.6	1.3	0.2	32	<0.01	0.02	<0.2
CC40071		0.29	33.6	910	7.1	6	0.002	0.02	3.81	1.4	2	0.3	39.2	<0.01	0.04	0.9
CC40072		0.21	22.8	530	4.3	4.6	0.003	0.02	2	0.9	1.6	0.2	35.4	<0.01	0.03	0.4
CC40073		0.48	102.5	1080	15.1	21	0.009	0.07	8.54	5	5.9	0.7	72.5	0.01	0.11	1.9
CC40074		<0.05	3	210	1	1	<0.001	<0.01	0.16	0.2	0.2	<0.2	7	<0.01	<0.01	<0.2
CC40075		0.23	7.1	250	8	5.6	0.001	<0.01	2.33	0.5	1.4	0.8	9.2	<0.01	0.05	0.5
CC40076		0.05	3.8	230	3.2	1.9	<0.001	0.01	0.81	0.2	1.2	0.3	7	<0.01	0.03	<0.2
CC40077		0.32	21.6	860	13.6	8.8	0.002	0.16	7.49	1.3	5.8	0.7	63	<0.01	0.11	1
CC40078		0.08	2.9	250	1	1.2	<0.001	0.01	0.11	0.3	0.2	0.2	6.2	<0.01	<0.01	<0.2
CC40079		0.13	4	270	2.5	1	<0.001	0.01	0.19	0.2	0.3	<0.2	8	<0.01	<0.01	<0.2
CC40080		0.05	0.6	200	0.7	0.6	<0.001	<0.01	0.06	0.1	<0.2	<0.2	6.6	<0.01	<0.01	<0.2
CC40081		0.07	0.4	230	1.3	0.8	<0.001	<0.01	<0.05	0.1	0.2	<0.2	7.3	<0.01	<0.01	<0.2
CC40082		0.19	7.6	370	8.6	5.8	<0.001	<0.01	1.15	0.5	1	0.5	11.9	<0.01	0.03	0.3
CC40083		0.38	13.1	420	14.3	9.1	0.001	0.02	2.69	1	1.8	0.4	26.3	<0.01	0.06	1.2
CC40084		0.3	48.1	1850	20.7	13.9	0.002	0.07	7.2	1.6	3.5	0.5	50.7	<0.01	0.11	1
CC40085		0.1	13.2	410	3.8	3.9	<0.001	<0.01	1.09	0.3	0.7	0.2	16.1	<0.01	0.02	<0.2
CC40086		0.34	59.2	1380	14.2	10.5	0.007	0.08	4.72	2.7	3.2	0.3	63.9	<0.01	0.07	1.4
CC40087		0.46	281	1700	15.6	16.6	0.01	0.11	6.89	2.8	7.5	0.5	120	0.01	0.1	1
CC40088		0.13	7	450	1.7	2.5	<0.001	0.02	0.21	0.6	1.2	<0.2	9.2	<0.01	<0.01	<0.2
CC40089		0.19	2.9	290	0.9	1.8	<0.001	0.02	0.12	0.5	0.8	<0.2	8.2	<0.01	<0.01	<0.2
CC40090		0.13	5.8	170	0.6	0.6	<0.001	<0.01	0.06	0.3	0.4	<0.2	10.4	<0.01	<0.01	<0.2
CC40091		0.14	7.7	410	2.7	2.3	<0.001	0.02	0.47	0.5	0.8	<0.2	15.3	<0.01	0.01	<0.2
CC40092		0.07	2.6	60	0.3	0.4	<0.001	<0.01	<0.05	0.2	0.2	<0.2	8.5	<0.01	<0.01	<0.2
CC40093		0.34	551	2240	11.8	18.7	0.005	0.05	31.5	3	10.1	0.4	110.5	0.01	0.12	1.8
CC40094		0.33	840	2210	12.4	17.1	0.011	0.11	55.2	3	9.8	0.3	123.5	0.01	0.13	1.5
CC40095		0.35	659	2330	12	16.1	0.008	0.1	52.4	3.1	9.8	0.3	118.5	<0.01	0.14	1.4
CC40096		0.32	1200	2150	11.6	17.6	0.005	0.1	34.4	2.9	6.7	0.4	121	<0.01	0.13	1.3

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC40057		0.006	0.13	0.43	50	0.07	0.85	38	<0.5
CC40058		<0.005	0.56	2.37	60	0.09	11	138	<0.5
CC40059		0.008	0.11	0.4	62	0.08	0.73	35	<0.5
CC40060		0.012	0.08	0.24	30	<0.05	0.42	22	<0.5
CC40061		0.009	0.09	0.23	30	<0.05	0.43	18	<0.5
CC40062		0.015	0.16	0.62	67	<0.05	1.66	51	<0.5
CC40063		0.008	2	4.94	587	0.26	8.13	328	<0.5
CC40064		0.007	1.35	3.04	360	0.26	3.21	134	<0.5
CC40065		0.051	7.32	8	2140	0.54	8.83	453	<0.5
CC40066		0.013	0.26	1.13	53	<0.05	0.82	16	<0.5
CC40067		0.018	11.2	64.2	3190	1.42	85.2	2770	1.5
CC40068		0.031	7.63	35.8	2230	1.06	47.3	4140	2.3
CC40069		0.115	8.98	51.7	3560	1.13	69.3	4340	7
CC40070		0.015	0.15	1.25	51	0.05	3.47	156	1
CC40071		0.011	0.29	1.8	152	0.17	5.93	242	1.6
CC40072		0.013	0.19	2.39	78	0.1	3.96	143	1.3
CC40073		0.007	1.15	3.97	540	0.41	17.5	590	8.1
CC40074		0.01	0.06	0.19	20	<0.05	0.27	12	<0.5
CC40075		0.01	0.32	0.61	93	0.25	2.09	49	<0.5
CC40076		0.007	0.17	0.39	40	0.07	0.92	19	<0.5
CC40077		0.007	0.85	1.64	238	0.36	3.24	152	1.5
CC40078		0.011	0.05	0.13	12	<0.05	0.25	6	<0.5
CC40079		0.011	0.03	0.21	10	<0.05	0.35	6	<0.5
CC40080		0.012	<0.02	0.13	9	<0.05	0.11	5	<0.5
CC40081		0.015	<0.02	0.17	9	<0.05	0.23	3	<0.5
CC40082		0.009	0.23	0.59	75	0.17	1.96	53	<0.5
CC40083		0.013	0.36	1.05	132	0.24	3.52	95	<0.5
CC40084		0.011	0.6	2.43	239	0.7	7.05	320	0.7
CC40085		0.009	0.11	0.89	45	0.06	2.4	70	<0.5
CC40086		0.007	0.39	2.95	154	0.17	16.45	341	3
CC40087		0.008	1.18	12.2	287	0.29	22.9	1990	3.4
CC40088		0.01	0.12	1.77	17	<0.05	1.65	31	<0.5
CC40089		0.011	0.09	1.1	11	<0.05	1.15	10	0.5
CC40090		0.01	0.03	0.4	7	<0.05	0.58	12	<0.5
CC40091		0.01	0.12	0.78	22	<0.05	1.38	35	<0.5
CC40092		0.011	<0.02	0.15	7	<0.05	0.28	9	<0.5
CC40093		0.008	3.34	8.78	285	0.21	18.8	5170	3.1
CC40094		0.009	3.1	8.21	277	0.22	17.55	8790	2.9
CC40095		0.009	2.76	8.61	294	0.25	18.6	7320	2.7
CC40096		0.01	3.18	7.82	269	0.25	18.85	>10000	2.9

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Zn-OG46 Zn % 0.01	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
CC40097		0.16		1.19	0.72	7.3	<0.2	<10	960	0.29	0.1	0.68	32	17.6	2.2	12
CC40098		0.14		0.44	0.22	0.2	<0.2	<10	70	0.06	0.02	0.13	2.32	1.42	0.6	2
CC40099		0.18		0.62	0.24	0.2	<0.2	<10	50	<0.05	0.03	0.04	0.28	1.38	0.4	1
CC40100		0.16		0.37	0.23	0.9	<0.2	<10	50	<0.05	0.03	0.02	0.1	8.26	0.6	3
CC40101		0.10		1.12	1.75	46.3	<0.2	<10	170	0.68	0.21	0.16	5.04	27.7	6.9	45
CC40102		0.12		2.72	1.09	39.3	<0.2	<10	260	0.5	0.16	0.26	9.43	24.7	4.4	38
CC40103		0.28		1.02	2.26	47.1	<0.2	<10	270	0.73	0.24	0.14	8.26	38.6	11.3	52
CC40104		0.12		2.13	2.18	51.7	<0.2	<10	410	1	0.16	0.77	30.1	40.1	14.2	63
CC40105		0.12		3.82	1.87	92.1	<0.2	<10	590	1.02	0.18	1.03	23	37.1	6.7	88
CC40106		0.08		4.1	1.15	54.7	<0.2	<10	580	0.76	0.16	0.29	13.05	17.8	3.1	89
CC40107		0.12		3.18	1	68.1	<0.2	<10	390	0.59	0.16	0.29	2.55	24.7	2.8	54
CC40108		0.12		5.19	1.37	129	<0.2	<10	710	1.19	0.22	0.98	55.6	40.5	12.6	99
CC40109		0.08		0.85	0.49	12.5	<0.2	<10	190	0.2	0.08	0.08	2.65	8.65	1.4	22
CC40110		0.20		4.68	1.41	126.5	<0.2	<10	610	1.14	0.24	0.54	21.7	37.4	8	87
CC40111		0.10		4.53	1.18	79.3	<0.2	<10	790	1.01	0.18	0.94	69.8	31.8	14	85
CC40112		0.18		3.83	1	105	<0.2	<10	550	1.09	0.22	1.25	10.2	34.2	11.1	82
CC40113		0.14		3.9	1.14	90.2	<0.2	<10	600	1.05	0.17	0.62	31.7	31.9	92.2	54
CC40114		0.26		4.64	1.04	63.9	<0.2	<10	770	0.74	0.26	0.2	2.57	36.8	10.7	51
CC40115		0.06		1.26	1.75	50.3	<0.2	<10	770	0.81	0.17	0.49	14.3	41.2	10.3	55
CC40116		0.12		1.73	0.3	36.3	<0.2	<10	610	0.27	0.15	0.09	3.07	24.4	2.1	25
CC40117		0.16		7.03	1.45	208	<0.2	<10	700	1.8	0.23	0.23	27.9	30.1	5.5	125
CC40118		0.22		1.18	0.18	16.3	<0.2	<10	260	0.11	0.18	0.02	0.4	45.7	0.3	11
CC40119		0.14		0.37	0.92	23.3	<0.2	<10	400	0.43	0.15	0.19	1.3	55.6	5.7	30
CC40120		0.18		2.79	0.41	44.2	<0.2	<10	330	0.52	0.37	0.1	0.77	42.8	5.2	16
CC40121		0.16		0.73	0.79	34.6	<0.2	<10	280	0.94	0.36	0.06	1.08	39.5	13.4	28
CC40122		0.26		0.55	0.94	14.4	<0.2	<10	1080	0.74	0.28	0.1	2.8	50.6	13.3	22
CC40123		0.22		1.1	0.83	22.9	<0.2	<10	650	0.72	0.24	0.27	5.85	55.8	11	23
CC40124		0.12		1.5	0.95	24.1	<0.2	<10	860	0.82	0.32	0.88	3.44	41.8	11.7	25
CC40125		0.12		2.31	0.73	81	<0.2	<10	460	0.56	0.21	0.09	4.53	40.5	6.5	62
CC40126		0.08		1.7	0.48	34	<0.2	<10	610	0.52	0.11	0.81	34.7	19.05	4.6	25
CC40127		0.10		1.95	0.75	55.3	<0.2	<10	900	0.79	0.17	0.64	24.1	34	8.7	43
CC40128		0.16		2.49	0.85	68.1	<0.2	<10	670	0.94	0.21	0.41	14.9	52.8	10.5	53
CC40129		0.20		1.81	1.15	62.5	<0.2	<10	470	0.79	0.15	0.26	9.6	32.7	5.3	54
CC40130		0.06		1.4	0.25	18.8	<0.2	<10	300	0.18	0.13	0.05	0.98	20.7	3.2	14
CC40131		0.10		0.7	0.35	18.1	<0.2	<10	440	0.42	0.23	0.69	5.36	32.2	10.5	14
CC40132		0.08		1.12	0.55	30	<0.2	<10	1330	0.74	0.23	0.8	11.25	21.4	9.6	20
CC40133		0.16		0.8	0.84	31.5	<0.2	<10	1540	0.83	0.35	0.6	7.96	48.3	13.4	26
CC40134		0.12		2.31	1.23	167.5	<0.2	<10	460	0.8	4.5	0.45	2.99	24.9	7.1	40
CC40135		0.12		2.31	1.54	198.5	<0.2	<10	340	0.78	3.28	0.31	6.27	25.5	17.7	45
CC40136		0.10		1.21	0.55	187.5	<0.2	<10	460	0.61	2.92	0.27	5.19	18.95	5.2	25

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC40097		1.43	102.5	1.01	2.38	0.05	0.06	0.23	0.016	0.05	9.8	3.1	0.11	46	6.96	0.01
CC40098		0.12	2.6	0.2	0.92	<0.05	<0.02	0.02	<0.005	0.02	0.7	0.3	0.02	20	0.41	0.03
CC40099		0.06	1.6	0.2	1.21	<0.05	<0.02	0.02	<0.005	0.02	0.7	0.2	0.01	10	0.3	0.02
CC40100		0.48	5.5	0.28	1.51	<0.05	<0.02	0.02	<0.005	0.03	4.4	0.4	0.01	12	0.89	0.01
CC40101		3.52	68.9	3.01	6.95	0.21	0.05	0.55	0.043	0.1	13.1	19.1	1.65	329	18.15	0.01
CC40102		1.71	74.8	2.33	4.11	0.14	0.03	0.62	0.044	0.09	14.4	9.7	0.91	156	22.6	0.01
CC40103		4.12	75.7	4.08	8.31	0.19	0.03	0.14	0.063	0.13	19.7	19.9	2.31	464	11.85	0.01
CC40104		3.24	140	3.07	7.52	0.28	0.07	0.6	0.042	0.14	20.6	20.1	2.8	354	39.5	0.01
CC40105		2.65	223	2.57	7.02	0.37	0.06	1.13	0.063	0.18	26.2	14	1.74	155	56.2	0.01
CC40106		1.8	145.5	1.63	4.86	0.24	0.03	0.64	0.041	0.15	14.1	6.4	0.73	71	49.4	0.01
CC40107		1.08	109.5	1.89	4.32	0.18	0.03	0.89	0.05	0.1	19.4	4.3	0.24	58	42.4	0.01
CC40108		1.5	319	3.12	5.4	0.36	0.07	1.16	0.068	0.18	30.5	7.4	0.83	400	95.2	0.01
CC40109		0.62	31	0.73	2.68	<0.05	<0.02	0.15	0.011	0.03	5.7	1.8	0.2	32	9.07	0.02
CC40110		1.89	172	3.63	5.73	0.2	0.06	0.84	0.061	0.15	26.1	9.8	1.19	322	84	<0.01
CC40111		1.38	234	2.37	5.38	0.36	0.08	1.12	0.047	0.19	23.6	7.2	0.92	446	73.5	0.01
CC40112		1.31	125	2.72	4.25	0.25	0.06	0.74	0.058	0.22	23.8	5.8	0.41	317	65.5	<0.01
CC40113		1.26	321	4.38	3.83	0.21	0.06	0.87	0.058	0.12	20.6	6.2	0.16	3840	103.5	<0.01
CC40114		1.72	154.5	3.35	4.87	0.17	0.06	2.07	0.069	0.13	25.1	5.2	0.25	519	63.6	<0.01
CC40115		1.74	98.1	2.57	5.64	0.12	0.08	0.2	0.04	0.16	22.3	15.6	2.03	300	29.5	<0.01
CC40116		0.84	31.8	1.46	2.12	0.08	<0.02	0.13	0.029	0.12	15	1.5	0.08	83	20.1	<0.01
CC40117		2.16	390	3.67	8.64	0.34	0.07	1.57	0.074	0.27	24.9	5.7	0.19	206	128	<0.01
CC40118		0.81	20.8	0.55	1.52	0.08	<0.02	0.37	0.029	0.06	28.9	0.8	0.03	9	10.85	<0.01
CC40119		1.78	31.1	2.04	3.48	0.1	0.05	0.08	0.024	0.15	28.9	7.8	0.77	86	27.2	<0.01
CC40120		0.92	60.6	3.36	2.04	0.12	0.03	0.21	0.053	0.13	23.3	1.3	0.05	82	17	<0.01
CC40121		1.33	97.7	7.93	2.8	0.13	0.04	0.11	0.059	0.11	20.4	4.3	0.14	254	13.8	<0.01
CC40122		1.61	36.8	4.64	3.02	0.11	0.07	0.13	0.038	0.15	25.9	6	0.31	508	11.15	<0.01
CC40123		1.66	58.8	3.41	3.04	0.1	0.05	0.11	0.041	0.13	28.6	5.7	0.3	212	15.6	<0.01
CC40124		1.94	55	4.3	3.12	0.11	0.11	0.15	0.045	0.18	20.8	8	0.59	299	10.6	0.01
CC40125		0.86	58.4	2.38	4.31	0.17	0.07	1.02	0.034	0.12	25.7	2.2	0.08	206	54.1	<0.01
CC40126		0.5	136.5	1.35	1.65	0.15	0.11	0.71	0.024	0.07	10.7	1.4	0.18	145	24.3	0.01
CC40127		0.69	127.5	2.19	2.84	0.2	0.17	0.78	0.033	0.1	19.7	3.5	0.25	268	34.3	0.01
CC40128		1.24	123	3.09	3.55	0.22	0.12	1.05	0.041	0.13	29.4	4.6	0.23	157	38.3	<0.01
CC40129		1.25	125	1.98	5.36	0.18	0.06	0.48	0.044	0.09	21.3	5.6	0.3	138	45.9	0.01
CC40130		0.9	23.5	1.25	1.38	0.06	<0.02	0.21	0.016	0.09	12.4	0.8	0.04	124	15.75	<0.01
CC40131		0.44	41.1	2.65	1.3	0.08	0.05	0.16	0.027	0.1	16.7	1.1	0.15	482	14.75	<0.01
CC40132		0.65	67.5	2.72	2.07	0.12	0.09	0.3	0.037	0.1	11.2	2.2	0.18	304	16.5	0.01
CC40133		0.88	78.1	3.93	2.61	0.14	0.05	0.1	0.049	0.2	29.1	3.6	0.11	652	14.75	<0.01
CC40134		1.53	80.4	2.86	4.51	0.09	0.03	0.3	0.177	0.14	16	8.5	0.65	241	18.25	<0.01
CC40135		1.82	82.9	3.1	5.54	0.09	0.02	0.38	0.283	0.12	15.1	12.5	1.02	657	21.3	0.01
CC40136		0.97	66.2	3.12	2.46	0.09	<0.02	0.15	0.119	0.1	12.1	3	0.1	85	16.15	0.01

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC40097		0.33	247	910	7.1	7.6	0.012	0.07	3.44	1.4	4.7	0.3	70.8	<0.01	0.06	0.5
CC40098		0.16	6.7	460	1.1	1.6	<0.001	0.02	0.12	0.2	0.4	<0.2	14.5	<0.01	<0.01	<0.2
CC40099		0.14	1.6	360	1.4	0.8	<0.001	0.02	0.05	0.2	0.3	<0.2	8.6	<0.01	0.01	<0.2
CC40100		0.09	2.6	350	2.3	2.6	<0.001	0.01	0.29	0.3	0.3	0.2	5	<0.01	0.01	<0.2
CC40101		1.93	68.1	990	25.9	24.4	0.002	0.19	13.9	4.5	22.9	0.9	27.5	0.01	0.1	2.2
CC40102		0.57	64	1770	23.6	16.4	0.002	0.2	17.35	1.8	15.6	0.6	44.2	<0.01	0.16	0.3
CC40103		0.47	111	1540	24	25.2	0.001	0.26	9.82	5.6	10.7	0.7	39.3	<0.01	0.09	2.3
CC40104		0.73	180	1840	28.7	30.1	0.004	0.12	16.45	6.2	19.2	0.7	62.2	0.01	0.11	3.2
CC40105		0.17	154.5	5890	59.4	26.6	0.006	0.22	47.6	2.1	52.5	1.1	176.5	0.01	0.32	0.4
CC40106		0.1	145.5	2750	46.9	23.4	0.003	0.24	38.8	0.4	40.3	0.8	88.2	<0.01	0.21	<0.2
CC40107		0.1	68.8	3410	49.5	11.5	0.002	0.17	36.6	0.4	27.7	0.8	123.5	<0.01	0.25	<0.2
CC40108		0.13	265	6410	84.1	19.4	0.007	0.21	67.8	3.6	56.5	1.3	206	0.01	0.38	0.9
CC40109		0.07	36.7	980	12.4	5.2	<0.001	0.06	5.34	0.2	5.2	0.3	19.2	<0.01	0.05	<0.2
CC40110		0.17	308	4420	108.5	17.8	0.002	0.14	61.5	3.9	24	1.3	91.2	0.01	0.57	1.2
CC40111		0.16	218	4160	65.1	18.8	0.008	0.21	52	2.7	53	0.8	122.5	0.01	0.26	0.7
CC40112		0.14	105.5	7370	69.4	19.9	0.005	0.18	66.4	3.4	32.5	0.9	165.5	0.01	0.34	2.1
CC40113		0.21	248	6530	48.3	11.9	0.007	0.16	46	3	20.5	0.8	121.5	0.01	0.36	1.4
CC40114		0.13	62.7	4310	61.7	16.3	0.002	0.27	32	1.6	20.1	1.1	145.5	0.01	0.36	0.5
CC40115		0.16	188	2470	23.6	21.3	0.001	0.1	22.4	3.5	9.6	1	63.7	<0.01	0.16	1.9
CC40116		<0.05	27.8	1730	31.8	9.6	0.002	0.26	13.6	0.4	9.9	0.5	79.2	<0.01	0.13	<0.2
CC40117		0.21	230	3200	57.1	24	0.007	0.39	116.5	4.4	51.6	1	149.5	0.01	0.45	1.2
CC40118		0.09	5.7	660	20.4	5.3	0.001	0.07	8.67	1.6	4.8	0.3	26.5	<0.01	0.14	0.9
CC40119		0.1	72.1	980	10.2	19.2	0.001	0.02	6.79	3	3.1	0.6	31.8	<0.01	0.08	4.1
CC40120		0.1	50.4	2860	37.4	11.6	0.002	0.19	11.25	2.5	8.8	0.5	126.5	<0.01	0.24	3.6
CC40121		0.25	73	1570	27.4	12.1	0.001	0.16	12.25	4.3	7.1	0.4	74.1	<0.01	0.23	3.5
CC40122		0.16	45.4	850	22.1	17	0.001	0.06	3.23	4.1	2.7	0.4	32	<0.01	0.09	3.4
CC40123		0.17	79	1350	20.9	16.1	0.001	0.07	8.21	4	4.2	0.4	50	0.01	0.1	2.3
CC40124		0.26	68.5	1410	29	18.3	0.002	0.25	7.11	5.7	4.4	0.4	124.5	0.01	0.12	3.8
CC40125		0.15	116	2610	46.7	15	0.004	0.15	38.6	2	27.2	0.9	84.8	<0.01	0.18	0.7
CC40126		0.11	102	1970	19.5	7.4	0.008	0.22	20.4	2.4	27	0.4	90.1	0.01	0.1	1
CC40127		0.19	119	2190	30.1	11.7	0.011	0.15	27.9	3.9	32.4	0.5	90.5	0.01	0.14	2.1
CC40128		0.14	150.5	2390	37.4	14.1	0.005	0.1	33.6	4.8	30.9	0.7	110.5	0.01	0.18	2.3
CC40129		0.21	147.5	2160	39.9	13.4	0.002	0.09	34.2	1.9	25.5	0.8	95.5	0.01	0.2	0.5
CC40130		0.11	29.4	1460	16.3	7.2	0.001	0.09	6.68	0.9	5.5	0.4	33.7	<0.01	0.08	0.2
CC40131		0.11	47.7	1140	16.2	7.3	0.006	0.13	8.08	2.4	7.6	0.2	80.8	<0.01	0.1	1.6
CC40132		0.2	84.7	2210	18.9	10.8	0.004	0.21	17.35	2.9	11.4	0.4	121	<0.01	0.11	1.7
CC40133		0.12	104.5	4520	40.4	11.9	0.003	0.16	10.5	4.5	7.8	0.4	369	<0.01	0.29	4.5
CC40134		0.12	76.6	3790	91.4	15	<0.001	0.03	50	0.8	4.4	3.9	108	<0.01	0.29	0.3
CC40135		0.27	96.2	2280	149	16.2	<0.001	0.04	63.2	1	4.9	5.7	54.5	<0.01	0.29	0.2
CC40136		0.05	64.1	3390	55.3	10.4	<0.001	0.09	67	0.2	7.9	1.7	232	<0.01	0.4	<0.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Ti % 0.005	ME-MS41 Tl ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5
CC40097		0.011	0.53	12.55	98	0.16	10.75	2550	1.4
CC40098		0.009	0.03	0.81	8	<0.05	0.57	85	<0.5
CC40099		0.012	0.02	0.45	5	<0.05	0.42	9	<0.5
CC40100		0.008	0.04	0.28	16	<0.05	0.46	17	<0.5
CC40101		0.088	0.76	3.9	167	0.27	14.8	831	1.2
CC40102		0.033	0.85	6.3	162	0.34	15.75	1170	0.5
CC40103		0.05	0.82	3.36	153	0.18	14.55	1770	0.5
CC40104		0.058	1.81	8.59	425	0.4	30.1	2430	1.8
CC40105		0.024	3.16	16.7	850	0.67	35.4	1530	0.8
CC40106		<0.005	3.14	13.55	941	0.48	17.85	1310	<0.5
CC40107		<0.005	2.29	13.4	492	0.49	19.25	484	<0.5
CC40108		0.016	4.27	21.8	926	0.8	41.2	2720	1.1
CC40109		0.005	0.6	2.45	165	0.15	4.49	269	<0.5
CC40110		0.015	4.03	13.7	675	0.99	27.2	4590	1.5
CC40111		0.014	3.72	18.15	855	0.64	33.7	2970	1.8
CC40112		0.012	2.49	17.9	818	0.63	32.8	702	1.2
CC40113		0.012	5.13	22	363	0.65	27.3	1510	1.1
CC40114		0.01	3.95	16.25	342	0.67	20.4	523	1
CC40115		0.021	2.13	6.07	457	0.35	14.5	3210	2.1
CC40116		<0.005	1.18	3.59	119	0.26	6.61	253	<0.5
CC40117		0.019	9.65	36	2530	0.94	31.1	2370	1
CC40118		0.005	0.45	2.28	45	0.19	4.17	42	<0.5
CC40119		0.011	0.8	2.95	164	0.18	10.2	425	1.6
CC40120		0.005	0.74	3.83	82	0.14	8.74	234	<0.5
CC40121		0.01	1.23	3.18	100	0.2	9.35	434	0.6
CC40122		0.009	0.31	2.27	66	0.09	15.6	352	1.4
CC40123		0.009	0.65	4.69	152	0.13	18.75	937	0.9
CC40124		0.014	0.48	3.38	117	0.09	17.5	649	3
CC40125		0.005	3.3	9.54	926	0.57	16.4	722	1.6
CC40126		<0.005	1.09	11.8	288	0.2	23.3	961	3.1
CC40127		0.006	1.82	13.85	544	0.34	31	1150	4.9
CC40128		0.006	2.57	13	626	0.34	29.3	1450	3.1
CC40129		0.013	3.72	13.3	822	0.41	22.4	1800	1
CC40130		0.005	0.64	2.46	151	0.16	4.04	218	<0.5
CC40131		<0.005	0.17	2.55	57	0.08	8.55	442	1.4
CC40132		0.005	0.45	5.46	174	0.16	17.2	718	2.3
CC40133		0.006	0.49	5.38	140	0.11	21.1	767	1.2
CC40134		0.012	0.45	6.71	223	0.5	12.45	605	0.6
CC40135		0.019	0.67	5.01	264	0.49	11.5	1035	<0.5
CC40136		<0.005	0.33	6.17	143	2.15	10.95	408	<0.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Zn-OG46 Zn % 0.01	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
CC40137		0.16		0.34	0.83	104	<0.2	<10	290	0.44	7	0.16	1.28	19.65	2.5	22
CC40138		0.16		1.8	0.73	971	<0.2	<10	720	0.58	24.7	0.35	3.76	24.3	8.3	21
CC40139		0.08		4.96	0.9	93.7	<0.2	<10	450	0.91	1.03	0.99	54.8	12.75	4.7	56
CC40140		0.08		4.03	0.73	84.9	<0.2	<10	300	1.19	0.27	0.78	34.7	20.2	7.7	102
CC40141		0.10		2.63	0.8	105.5	<0.2	<10	290	0.85	0.57	0.45	11	19.05	6.7	72
CC40142		0.16		2.46	1.86	55.7	<0.2	<10	420	1.25	0.29	0.61	22	25.1	10.3	83
CC40143		0.08		1.25	1.88	45.9	<0.2	<10	860	1	0.29	0.52	13.45	20.4	9.9	73
CC40144		0.10		4.58	1.52	91.3	<0.2	<10	590	1.29	0.2	1.45	41.4	24.7	13.7	90
CC40145		0.08		1.45	2.34	52.6	<0.2	<10	260	1.23	0.19	0.36	2.3	18.1	13.4	60
CC40146		0.12		3.24	2.3	103	<0.2	<10	340	1.55	0.24	0.7	18.7	28.7	17.3	84
CC40147		0.08		1.35	2.18	123.5	<0.2	<10	340	1.15	0.24	0.46	10.5	37.7	23.3	71
CC40148		0.10		3.81	2.78	77.3	<0.2	<10	450	1.55	0.2	1	33	22.4	13.4	113
CC40149		0.20		2.42	2.39	45.5	<0.2	<10	360	1.05	0.18	0.6	9.5	14.4	10.3	84
CC40150		0.16		5.95	1.07	219	<0.2	<10	760	1.78	0.76	0.53	36.1	40.4	25.8	74
CC40151		0.14		3.19	1.4	88.4	<0.2	<10	540	1.19	0.26	0.59	15.25	31.9	9.4	89
CC40152		0.16		3.33	1.16	91.9	<0.2	<10	290	1.25	0.26	0.2	9.51	25.2	14.5	57
CC40153		0.10		1.69	0.9	96.4	<0.2	<10	250	0.62	0.48	0.06	1.35	27.1	4.2	53
CC40154		0.10		2.94	0.74	63.3	<0.2	<10	400	0.98	0.34	1.04	3.29	25.6	2.5	56
CC40155		0.18		0.94	0.68	33.3	<0.2	<10	140	0.32	0.19	0.05	1.13	14.4	2.3	20
CC40156		0.24		1.74	1.6	38.5	<0.2	<10	240	1.56	0.28	0.1	4.48	47.9	17.3	49
CC40157		0.18		3.9	0.94	213	<0.2	<10	550	1.91	0.37	0.63	52.6	72.5	23	58
CC40158		0.08		3.35	1.37	110	<0.2	<10	580	1.38	0.18	1.44	54.2	27.2	13.7	86
CC40159		0.08		4.59	1.99	110.5	<0.2	<10	520	1.57	0.19	0.94	25.3	30.5	7	149

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC40137		1.42	42	1.92	3.43	0.07	<0.02	0.13	0.309	0.06	12.9	4.6	0.13	59	12.8	0.01
CC40138		1.36	49.3	3.91	3.04	0.09	0.03	0.1	0.151	0.07	14.1	5.1	0.19	269	9.41	0.01
CC40139		1.14	185	1.65	3.33	0.11	0.06	0.85	0.046	0.09	9.1	8.3	0.27	218	19.85	0.02
CC40140		1.23	177	1.77	3.49	0.18	0.06	0.62	0.055	0.16	16.8	6.6	0.3	236	52.6	0.02
CC40141		0.96	90.5	2.41	3.87	0.13	0.03	0.44	0.074	0.14	12.6	6.1	0.44	169	38.4	0.01
CC40142		3	155.5	2.89	6.58	0.15	0.07	0.72	0.052	0.24	15.2	17	2.05	240	30.7	0.01
CC40143		3.4	74.3	2.72	7.1	0.12	0.04	0.19	0.05	0.2	11.7	17.3	1.93	276	19.7	0.01
CC40144		2.51	219	2.76	6.31	0.23	0.05	0.86	0.093	0.27	18.2	12.1	1.62	365	50.9	0.01
CC40145		3.8	59.3	2.89	7.69	0.12	0.06	0.13	0.072	0.17	10.4	15.5	1.98	312	8.47	0.01
CC40146		3.94	136	3.89	7.77	0.22	0.12	0.47	0.117	0.45	16.5	18.1	2.24	370	22.9	0.01
CC40147		4.2	94.8	4.28	7.39	0.2	0.08	0.24	0.098	0.25	15.5	22.5	2.23	436	18.65	0.01
CC40148		4.28	208	2.9	9.24	0.25	0.13	0.93	0.073	0.37	14	20.8	2.74	264	33.8	0.02
CC40149		3.96	93.7	2.63	8.99	0.14	0.1	0.4	0.048	0.28	9.4	18.4	2.38	235	23.7	0.01
CC40150		1.57	337	6.73	4.27	0.25	0.06	0.68	0.208	0.11	28.5	7.5	0.31	889	66.4	0.01
CC40151		2.36	167.5	3.45	7.09	0.25	0.03	0.48	0.11	0.19	22.9	14.9	1	241	58	0.01
CC40152		2	153	4.07	4.43	0.15	0.04	0.58	0.093	0.17	16.6	11.6	0.76	389	51.8	<0.01
CC40153		1.66	104.5	4.22	5.09	0.13	<0.02	0.12	0.099	0.1	21.1	4.8	0.16	92	47	0.01
CC40154		1.3	127.5	2.78	3.17	0.12	<0.02	0.28	0.096	0.14	21.6	3.6	0.1	43	31.4	0.01
CC40155		0.82	37.9	1.91	2.98	0.07	<0.02	0.1	0.037	0.05	9.2	2.3	0.1	43	12.55	0.02
CC40156		2.71	83.1	4.7	5.51	0.1	0.03	0.13	0.057	0.14	25.5	25.7	1.5	429	14.35	0.01
CC40157		1.99	222	5.43	3.32	0.19	0.03	0.88	0.081	0.15	48	7.7	0.69	657	94.3	0.01
CC40158		1.86	251	3.14	4.65	0.22	0.06	0.83	0.058	0.27	20	14.3	1.13	337	64.1	0.02
CC40159		3.07	237	2.77	7.54	0.32	0.04	0.28	0.057	0.28	27.2	15.4	1.14	171	81.8	0.01

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC40137		0.13	49.6	1810	124	8.5	<0.001	0.01	32.8	0.4	4.4	12.3	143.5	<0.01	0.19	<0.2
CC40138		0.33	58.7	1710	53.7	10.8	<0.001	0.05	29.4	1.6	4.8	2.4	47.6	<0.01	2.1	0.5
CC40139		0.41	198	2190	30.8	11.7	0.01	0.12	26.8	1.1	16.7	1.4	72.2	<0.01	0.2	0.2
CC40140		0.26	166	3660	31.6	17.3	0.002	0.14	49.3	1.6	28.8	2.3	78.2	<0.01	0.27	0.4
CC40141		0.15	158.5	2670	51.4	15.5	0.001	0.05	45.1	2	14.7	1.6	43.9	<0.01	0.21	0.5
CC40142		0.82	203	1740	38.4	34.4	<0.001	0.01	25.9	6.2	8.3	1.6	40.2	<0.01	0.15	3.5
CC40143		0.98	86.1	1450	28.1	28.3	0.001	0.06	17	3.3	6.8	1.5	33.7	<0.01	0.1	0.9
CC40144		0.74	199.5	2980	92	26.5	0.003	0.13	67.2	4.2	20.9	4.9	100.5	0.01	0.29	1.1
CC40145		1.52	64.2	1130	48.7	28.9	<0.001	0.05	18.4	3.8	3.7	2.8	26.9	0.01	0.09	1.2
CC40146		1.67	166.5	1840	109.5	43.5	0.001	0.07	73.3	7.4	7.9	5	45.1	0.01	0.16	5.6
CC40147		1.26	156	1300	87	37.4	0.001	0.1	48.6	5.3	5.7	4.4	32.7	<0.01	0.15	2.7
CC40148		1.31	305	2040	50.2	47.3	0.005	0.05	36.4	7.7	10.3	2.8	60.2	0.01	0.19	3.9
CC40149		1.03	175.5	1680	24	38.8	0.001	0.06	22.5	5	6.7	1.3	43.7	<0.01	0.13	1.8
CC40150		0.11	461	6060	178.5	13.2	0.001	0.09	121	5.6	31.3	1.1	97.8	0.01	0.49	1.1
CC40151		0.37	182.5	3720	92.1	20.5	0.01	0.17	59.1	4.1	30.8	2.5	89.9	0.01	0.4	1.2
CC40152		0.09	172	2800	67.6	18.9	0.001	0.06	47.4	1.7	18.1	2.3	37.7	<0.01	0.26	0.6
CC40153		0.07	94.1	3950	91.8	15	<0.001	0.15	32.2	0.3	13.2	1.2	83.2	<0.01	0.47	<0.2
CC40154		0.06	80.9	9870	83	10.5	0.001	0.19	23	0.2	12.6	1.9	178.5	<0.01	0.37	<0.2
CC40155		0.1	40.3	1890	43	6.9	0.001	0.12	11.15	0.2	8.8	0.5	26.6	<0.01	0.14	<0.2
CC40156		0.18	193.5	1510	27.4	20.2	0.001	0.08	16.9	4.6	4.3	0.7	16.2	<0.01	0.09	0.8
CC40157		0.21	481	2010	40.3	15.4	0.004	0.16	101.5	8.8	22.3	0.9	42.6	0.01	0.27	3.2
CC40158		0.44	238	5040	33.2	23.6	0.007	0.23	48	5.9	28.7	1.2	152.5	<0.01	0.22	4.2
CC40159		0.53	209	5960	46.8	28.7	0.005	0.27	53.8	3	40.9	1	117.5	<0.01	0.3	0.6

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Ti % 0.005	ME-MS41 Tl ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5
CC40137		0.011	0.33	3.45	223	0.61	7.96	317	<0.5
CC40138		0.015	0.32	2.68	146	0.53	7.94	554	0.6
CC40139		0.01	1.38	18.2	394	0.42	21.1	3180	1.5
CC40140		0.009	2.81	17.4	975	0.7	21.6	1330	2
CC40141		0.011	1.53	7.05	587	1.27	15.15	1305	0.8
CC40142		0.062	1.69	9.04	516	0.44	26.4	2060	2.5
CC40143		0.057	1.02	5.34	334	0.42	14	780	1.1
CC40144		0.04	2.32	15.45	691	0.66	29.9	2380	1.4
CC40145		0.078	0.53	3.56	141	0.46	13.5	427	1.7
CC40146		0.095	0.93	7.57	304	0.55	23.4	2090	4.8
CC40147		0.075	0.74	5.23	300	0.41	15.85	1480	3.1
CC40148		0.084	1.7	14.25	666	0.58	27.4	4790	5.2
CC40149		0.061	1.25	5.75	411	0.51	14.1	2130	3.2
CC40150		0.007	1.58	16.85	512	1.51	38	3830	0.7
CC40151		0.027	2.31	14.6	801	0.71	25.4	2060	<0.5
CC40152		0.012	1.34	8.99	441	0.41	16.35	1975	0.9
CC40153		<0.005	0.96	9.2	458	0.98	7.33	506	<0.5
CC40154		<0.005	0.49	15	314	1.06	21.4	405	<0.5
CC40155		<0.005	0.35	2.98	156	0.29	5.23	272	<0.5
CC40156		0.014	0.63	3.82	125	0.47	16.75	1410	0.8
CC40157		0.011	2.56	9.94	709	0.93	44	7400	0.7
CC40158		0.025	2.93	19.4	838	0.58	38.5	2640	3.6
CC40159		0.027	3.25	22.5	1720	0.79	32.4	1330	1.6

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

APPENDIX III

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions Project: Strategic Ni Property: Harlow

Sample Number:	Grid East: 0-1 m	E	Grid North:	N	Type: chip	Dimension:
C386251	UTM: 389482	E	UTM: 7006261	N	Sample Width: 1 m	Abundance:
	Elevation:	m				

Comments: dark GY -> BL cherty siltstone (DMe).

Sample Number:	Grid East: 1-2 m	E	Grid North:	N	Type: chip	Dimension:
C386252	UTM: 389482	E	UTM: 7006261	N	Sample Width: 1 m	Abundance:
	Elevation:	m				

Comments: cherty dark GY->BL siltstone with concoidal fracture and minor limonization along fractures. Chip taken of subcrop on bottom of trench and includes fine, slightly clayey black soil (~20% of sample). Non-calcareous.

Sample Number:	Grid East: 2-3 m	E	Grid North:	N	Type: chip	Dimension:
C386253	UTM: 389482	E	UTM: 7006261	N	Sample Width: 1 m	Abundance:
	Elevation:	m				

Comments: Cherty dark GY->BL siltstone with concoidal fracture. Non calcareous. Sample ~ 60% black soil.

Sample Number:	Grid East: 3-4 m	E	Grid North:	N	Type: chip	Dimension:
C386254	UTM: 389482	E	UTM: 7006261	N	Sample Width: 1 m	Abundance:
	Elevation:	m				

Comments: dark GY -> BL some what cherty calcareous siltstone. Minor calcite forming along fractures. Sample ~20% black soil.

Sample Number:	Grid East: 4-5 m	E	Grid North:	N	Type: chip	Dimension:
C386255	UTM: 389482	E	UTM: 7006261	N	Sample Width: 1 m	Abundance:
	Elevation:	m				

Comments: dark GY -> BL some what cherty calcareous siltstone. Minor calcite forming along fractures. Sample ~0% black soil.

Sample Number:	Grid East: 5-6 m	E	Grid North:	N	Type: chip	Dimension:
C386256	UTM: 389482	E	UTM: 7006261	N	Sample Width: 1 m	Abundance:
	Elevation:	m				

Comments: dark GY -> BL some what cherty calcareous siltstone. Minor calcite forming along fractures. Sample ~10% black soil.

Rock Sample Descriptions Project: Strategic Ni Property: Harlow

Sample Number:	Grid East:	6-7 m	E	Grid North:	N	Type:	chip	Dimension:
C386257	UTM:	389482	E	UTM:	7006261 N	Sample Width:	1 m	Abundance:
	Elevation:		m					

Comments: Mixture of calcareous dark Gy -> BK somewhat cherty shale and non-calcareous dark GY cherty shale. Minor calcite coating fractures in calcareous shale. ~30% BK soil.

Sample Number:	Grid East:	7-8m	E	Grid North:	N	Type:	chip	Dimension:
C386258	UTM:	389482	E	UTM:	7006261 N	Sample Width:	1 m	Abundance:
	Elevation:		m					

Comments: Dark GY -> BL cherty siltstone with minor calcareous lite yellow/beige 0.5 mm wide veins along fracture. ~ 40% black soil.

Sample Number:	Grid East:	8-9m	E	Grid North:	N	Type:	chip	Dimension:
C386259	UTM:	389482	E	UTM:	7006261 N	Sample Width:	1 m	Abundance:
	Elevation:		m					

Comments: Mixture of calcareous dark Gy -> BK somewhat cherty shale and non-calcareous dark GY cherty shale. Minor calcite coating fractures in calcareous shale.

Sample Number:	Grid East:	9-10m	E	Grid North:	N	Type:	chip	Dimension:
C386260	UTM:	389482	E	UTM:	7006261 N	Sample Width:	1 m	Abundance:
	Elevation:		m					

Comments: Dark GY cherty siltstone. ~10% BK soil

Sample Number:	Grid East:		E	Grid North:	N	Type:	specimen	Dimension:
C386261	UTM:	389482	E	UTM:	7006261 N	Sample Width:		Abundance:
	Elevation:		m					

Comments: Dark GY massive barito-calcite with white calcite forming on fractures. Heavy and slightly fetid. Taken from subcrop 20m north of trench.

Sample Number:	Grid East:		E	Grid North:	N	Type:	specimen	Dimension:
C107398	UTM:	389533	E	UTM:	7006270 N	Sample Width:	4 cm	Abundance:
	Elevation:		m					

Comments: 2-3 cm wide white ribbon quartz adjoins 2 to 5 cm of yellow brown to deep brown limonite at base of 10 m high chert cliff on south side of pronounced notch on ridge line. Mineralized horizon extends beneath talus in both directions. Minor pyrobitumen blebs up to 3 mm diameter in limonite. A 1 m wide lically fossil berring limestone is located in centre of notch. Notch is ~ 20m wide. Sample qtz and limonite.

Rock Sample Descriptions Project: Strategic Ni Property: Harlow

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
C107399	UTM: 389533	E	UTM: 7006270	N	Sample Width: 3 cm	Abundance:
	Elevation:	m				

Comments: Adjoins C107298 yellow brown limonite with blebs of pyrobitumen.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
C107400	UTM: 389533	E	UTM: 7006270	N	Sample Width: 3 cm	Abundance:
	Elevation:	m				

Comments: Dark brown limonite or non-calcareous carbonate collected from soil in notch between limestone horizon and limonite stained cliff. Seems to be oxidizing to white sulphate? On broken surface.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
B375621	UTM: 389792	E	UTM: 7006035	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: well laminated mixture of thinnly layered grey shale; heavily limonized layers with small (3 mm diameter) soft white non-calcareous balls and thin soft white laminae.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
B375622	UTM: 389552	E	UTM: 7006242	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Float of DMe cherty shale with red staineing along fractures (smithsonite?)

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
B375635	UTM: 389521	E	UTM: 7006326	N	Sample Width:	Abundance:
	Elevation:	m				

Comments: Float of dark GY bedded micrite.

Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension:
B375623	UTM: 389549	E	UTM: 7006355	N	Sample Width: 40 cm	Abundance:
	Elevation:	m				

Comments: 40 cm wide breccia, heavily limonized and Mn stained; ~70% angular to sub-angular DMe cherty shale clasts in limonitic matrix with extensive sulphide casts.

Rock Sample Descriptions

Project: Strategic Ni Property: Harlow

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
B375624	UTM:	389656	E	UTM:	7006298	N	Sample Width:	Abundance:
	Elevation:		m					

Comments: Extensively limonized purple/red float. Limonization too intense to identify protolith.

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
	UTM:		E	UTM:		N	Sample Width:	Abundance:
	Elevation:		m					

Comments:

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
	UTM:		E	UTM:		N	Sample Width:	Abundance:
	Elevation:		m					

Comments:

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
	UTM:		E	UTM:		N	Sample Width:	Abundance:
	Elevation:		m					


Comments:

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
	UTM:		E	UTM:		N	Sample Width:	Abundance:
	Elevation:		m					

Comments:

Sample Number:	Grid East:		E	Grid North:		N	Type:	Dimension:
	UTM:		E	UTM:		N	Sample Width:	Abundance:
	Elevation:		m					

Comments:



STRATEGIC METALS LTD.

FIGURE 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATION


HARLOW PROPERTY


0 0.25 0.5 0.75 1.0 1.25 km


UTM ZONE 8W, NAD 83, 105O/03


FILE: ...STRATEGIC\MARLOW\FIGURES\CLAIM LOCATION.WOR

DATE: FEBRUARY 2008


mKqS
OSDu
uDM1
DPcg
OSDls
DPls
DPca
Possible NiMo Horizon
Property Boundary
DPsc
mDca
DPba
DPbm
OSDcm
OSDcg
OSDsm
OSDca
uDMtb
uDMsc
DPbs
DPgl
DPgl&DPbs
DPms
OSDcm
OSDca
T.N.
Grid north
Magnetic north
Annual change decreasing 27.5'
Complete section can be found in Table 1
STRATEGIC METALS LTD.
FIGURE 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY GEOLOGY
HARLOW PROPERTY
0 0.25 0.5 0.75 1.0 km
UTM ZONE 8W, NAD 83, 105O/03
FILE: ...RATEGIC\HARLOW\HARLOWGEOLOGY.WOR
DATE: FEBRUARY 2008


389000
390000
391000
392000
393000
7007000
7006000
7005000
7004000
T.N.
120°
24°48'
Grid north
Magnetic north
Annual change decreasing 27.5'
CC40173
CC40172
CC40175
CC40174
CC40159
CC40177
CC40157
CC40176
CC40178
CC40179
B375623
CC40153
CC40170
B375635
CC40171
CC40155
B375624
CC40149
CC40169
CC40151
B375622
CC40158
CC40154
CC40168
CC40180
CC40156
CC40147
CC40148
CC40167
CC40150
CC40152
CC40166
CC40141
CC40161
CC40143
B375621
CC40162
CC40146
CC40137
CC40163
CC40164
CC40139
CC40144
CC40142
CC40165
CC40135
CC40140
CC40138
CC40136
CC40134
CC26744
CC27715
BB38726
BB38730
BB38734
CC26741
BB38724
BB38728
BB38732
CC26746
CC26743
CC26747
BB38729
BB38733
CC26745
BB38727
BB38731
BB38723
BB38737
Soil sample
CC40239
Silt sample
Rock sample
B375621
Only samples taken in 2007 are labelled with sample number
STRATEGIC METALS LTD.
FIGURE 6
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SAMPLE LOCATION
HARLOW PROPERTY
0
0.2
0.4
0.6
0.8 km
UTM ZONE 8W, NAD 83, 105Q/I03
FILE: ...STRATEGIC\NR\HARLOW\FIGURES\HARLOWSAMPLELOC.WOR
DATE: FEBRUARY 2008


389000
390000
391000
392000
393000
7007000
7006000
7005000
7004000
Possible NiMo Horizon
Property Boundary
Possible NiMo Horizon
Property Boundary
T.N.
Grid north
Magnetic north
24°48'
12°
Annual change decreasing 27.5'
Rock sample
(Ni ppm)
Soil sample
Silt sample
Trench location
Possible NiMo horizon
Nickel soil geochemistry
(ppm)
≥502 to 4,400
≥363 to 502
≥289 to 363
≥182 to 289
≥45 to 182
0 to 45
For points in the top two percentile the value is given in ppm next to the point.
STRATEGIC METALS LTD.
FIGURE 7
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
NICKEL SOIL GEOCHEMISTRY
HARLOW PROPERTY
0 0.2 0.4 0.6 0.8 km
UTM ZONE 8W, NAD 83, 105G/03
FILE: ...STRATEGIC\NI\HARLOW\FIGURES\HARLOWNIMAP.WOR
DATE: FEBRUARY 2008


389000
390000
391000
392000
393000
7007000
7006000
7005000
7004000
Possible NiMo Horizon
Property Boundary
Property Boundary
Possible NiMo Horizon
T.N.
Grid north
Magnetic north
24°48'
Annual change decreasing 27.5'
Rock sample
(Zn ppm)
Soil sample
Silt sample
Trench location
Possible NiMo horizon
Soil zinc geochemistry (ppm)
≥10,000 to 54,900
≥6,000 to 10,000
≥3,210 to 6,000
≥1,730 to 3,210
≥425 to 1,730
≥0 to 425
For points in the top two percentile the value is given in ppm next to the point.
STRATEGIC METALS LTD.
FIGURE 8
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ZINC SOIL GEOCHEMISTRY
HARLOW PROPERTY
0 0.2 0.4 0.6 0.8 km
UTM ZONE 8W, NAD 83, 105O/03
FILE: ...STRATEGIC\NI\HARLOW\FIGURES\HARLOWZnMAP.WOR
DATE: FEBRUARY 2008