095639

Vol. 2

ASSAY

CERTIFICATES



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CASH MINERALS LTD.
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 2-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07133137

Project: IGOR : DDH-I-2006-14

P.O. No.: 19526

This report is for 50 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 2-JAN-2008
Account: CASMIN

Project: IGOR : DDH-I-2006-14

CERTIFICATE OF ANALYSIS VA07133137

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E387051		0.54	0.16	7.24	5	5210	2.05	0.2	4.27	<0.02	118.5	37.6	39	11.55	1200	6.39
E387052		0.62	1.15	2.92	41	90	0.72	4.02	12	<0.02	104.5	90.6	22	1.62	>10000	12.8
E387053		0.42	2.64	3.37	54	50	0.93	4.14	11.4	0.02	174	121.5	18	2.2	>10000	13.65
E387054		0.44	0.87	2.95	56	120	0.98	2.45	10.6	<0.02	293	131.5	13	1.98	4730	16.5
E387055		0.66	0.71	3.48	106.5	90	0.97	3.28	9.57	<0.02	159.5	149.5	18	2	754	17.45
E387056		0.50	0.87	3.14	118	80	0.99	4.41	9.48	<0.02	258	177.5	14	1.89	558	21.1
E387057		0.28	1.69	2.33	170	50	0.67	9	11.05	0.04	170	227	10	1.42	327	17.3
E387058		0.96	1.49	1.24	149	60	0.31	9.5	12	0.02	181	225	4	0.78	2100	18
E387059		0.76	0.46	4.17	70	310	1.16	2.31	5.18	<0.02	221	123	24	2.59	112.5	16.75
E387060		0.76	0.28	2.81	43.8	150	0.68	2.01	6.25	<0.02	95.6	99.3	14	1.52	176.5	19.75
E387061		Not Recvd														
E387062		Not Recvd														
E387063		Not Recvd														
E387064		Not Recvd														
E387065		Not Recvd														
E387066		Not Recvd														
E387067		Not Recvd														
E387068		Not Recvd														
E387069		Not Recvd														
E387070		Not Recvd														
E387071		1.06	0.91	2.45	90.3	250	0.75	3.87	2.66	<0.02	238	136.5	15	1.39	3850	21.4
E387072		0.16	0.02	0.16	<5	40	0.1	<0.01	>50	0.44	3.05	1.2	6	<0.05	10.8	0.09
E387073		0.18	1.01	5.41	54.4	100	1.67	2.34	1.93	<0.02	47.7	141	33	3.44	7510	8.51
E387074		0.72	1.01	3.68	97.7	70	1.1	5.73	5.59	<0.02	243	123.5	18	2.55	3360	19.65
E387075		1.14	0.88	3.62	71	60	1.25	6.4	8.54	<0.02	106	104	17	2.87	3700	16.25
E387076		1.20	1.31	3.06	130.5	40	1.13	12.8	6.31	<0.02	154	175	14	2.72	5630	15.9
E387077		1.06	1.99	1.84	97.3	80	0.74	19.95	7.93	<0.02	135	237	10	1.81	8560	18.55
E387078		1.10	1.36	3.8	62	110	1.41	13.35	6.23	0.02	182	170.5	21	3.89	6080	15.95
E387079		0.62	0.71	4.99	59.9	200	1.88	10.15	5.27	<0.02	121.5	135	27	4.99	712	11.65
E387080		1.18	0.54	5.65	43.4	170	2.19	6.16	4.66	<0.02	138.5	81.5	32	5.85	823	9.65
E387081		0.86	0.37	6.37	39.3	580	2.69	5.72	3.96	<0.02	123	67.9	38	6.61	757	8.07
E387082		0.76	0.68	6.29	62	150	2.46	7.48	2.69	<0.02	136.5	117.5	43	6.16	2880	9.94
E387083		0.96	0.34	7.08	52.7	160	2.82	6.85	2.2	<0.02	80.3	80.5	47	6.64	174	7.19
E387084		0.16	0.05	0.12	8	30	0.27	0.05	42.3	0.42	2.12	0.8	6	0.06	3.9	0.05
E387085		1.10	0.08	6.55	13.4	1020	3.19	0.75	2.44	0.02	115	54.9	43	6.6	58.3	7.5
E387086		0.94	0.06	6.68	7.7	2610	3.19	0.2	2.43	0.05	129.5	55.8	43	6.58	68.2	7.41
E387087		1.16	0.03	6.39	4.8	2510	3.27	0.08	2.86	0.05	97.4	38.8	36	6.39	33.1	6.66
E387088		1.08	0.06	6.88	6	3650	3.27	0.11	2.48	<0.02	103.5	41.7	46	7.06	131.5	6.61
E387089		1.18	0.06	6.07	6.5	4560	2.88	0.09	3.46	0.02	94.9	40.1	36	6.12	243	6.98
E387090		1.80	0.16	5.62	16	550	2.57	0.94	4.54	0.03	152.5	55.1	34	5.59	334	8.28

ee A ix Pa comn egar is ce ****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 2-JAN-2008
Account: CASMIN

Project: IGOR : DDH-I-2006-14

CERTIFICATE OF ANALYSIS VA07133137

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E387051		19.8	0.1	2.4	0.145	3.54	69.9	21.8	1.35	4110	8.18	0.75	4.7	28.4	770	2.4
E387052		7.41	0.15	1	0.163	1.32	73.3	24.3	2.95	8940	44.7	0.4	2.5	27.1	640	7.1
E387053		9	0.24	1.3	0.248	1.55	130.5	28	3.05	8490	23.9	0.4	2.8	37	620	9.4
E387054		9.23	0.27	0.8	0.092	1.33	223	26.9	3.28	7430	30.8	0.08	4.6	42.3	1180	6.2
E387055		9.2	0.24	1	0.072	1.52	112.5	31.7	2.37	7430	40.1	0.2	5.1	42.2	1260	8.9
E387056		9.63	0.29	0.9	0.07	1.37	189.5	30.8	2.4	7240	36.1	0.12	4.4	53.8	1670	8.1
E387057		6.96	0.35	0.8	0.059	0.9	124	23.9	2.65	8090	53.8	0.03	4.1	59.1	1230	12.6
E387058		4.41	0.38	0.4	0.06	0.43	138.5	12.6	3.53	7640	48.4	0.14	3.6	53.9	1070	9.9
E387059		11.85	0.35	1.3	0.057	1.54	149	44.9	1.88	5420	16	0.24	4.3	58.1	1160	5.2
E387060		9.02	0.34	0.7	0.038	1.21	58.6	27.5	2.28	4730	16.1	0.22	4.4	44.8	1160	3.1
E387061																
E387062																
E387063																
E387064																
E387065																
E387066																
E387067																
E387068																
E387069																
E387070																
E387071		10.65	0.4	0.7	0.055	0.72	162	25.2	1.71	4250	31.9	0.02	6	70	2080	5.2
E387072		0.52	<0.05	0.1	<0.005	0.04	2.3	1.3	0.6	52	0.43	0.02	0.4	4.7	140	0.7
E387073		13.9	0.19	1.7	0.141	2.09	19	17.9	1.1	2950	59.7	0.93	3.6	37.3	760	18.1
E387074		11.8	0.38	1.1	0.07	1.51	166.5	39.9	2.37	5570	67.8	0.11	6.8	60.4	1900	5
E387075		10.1	0.29	1.1	0.083	1.57	70.7	35.7	2.89	6960	61.8	0.13	3.9	41.3	1170	5.2
E387076		9.3	0.32	1.1	0.077	1.54	111	34.2	2.22	4700	56.6	0.03	3.7	42	850	6.5
E387077		6.47	0.3	0.5	0.113	0.99	104	25.7	2.75	6140	52.1	0.02	2.2	44.9	780	13.4
E387078		12.25	0.27	1.2	0.1	2.02	144	54.5	2.48	4860	75.1	0.04	3.6	36	1120	6.3
E387079		14.9	0.23	1.6	0.065	2.73	95	73.9	1.97	3700	28.1	0.05	3.8	28.7	1170	5.1
E387080		17.2	0.27	1.8	0.077	3.11	99.5	72	1.7	3880	24.4	0.05	3.4	24.1	1010	4.6
E387081		20.3	0.24	2.1	0.086	3.41	83	78.2	1.8	3210	14.55	0.06	3.4	25.9	770	3.4
E387082		21.9	0.27	2.1	0.082	3.55	84	82.9	1.39	2430	11	0.08	2.4	31.3	890	5.4
E387083		23.1	0.22	2.4	0.079	4.19	46.2	90.5	1.36	1810	10.6	0.09	3.5	24.9	710	4.8
E387084		0.63	0.11	0.1	0.007	0.03	2.2	1.7	0.49	35	0.41	0.01	0.3	<0.2	90	0.6
E387085		22	0.24	2.1	0.079	3.79	69.7	84.3	1.52	1950	7.14	0.07	3.3	24.1	630	1.7
E387086		22.8	0.31	2.1	0.078	3.62	79.5	82.7	1.36	1850	9.69	0.07	3.3	26.1	630	1.6
E387087		20.3	0.23	1.9	0.065	3.24	57.9	68.9	1.58	1880	5.81	0.06	2.9	24.2	620	1.4
E387088		22	0.26	2.2	0.078	3.79	60.8	75.9	1.48	1680	1.3	0.07	3.2	23.5	650	1.6
E387089		19.5	0.2	2	0.071	3.24	58.8	72.2	1.68	2270	2.5	0.06	3.3	24.8	750	1.3
E387090		17.75	0.27	1.8	0.07	2.92	93.8	60.7	1.87	3230	16.45	0.07	2.9	25.2	780	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 2-JAN-2008
Account: CASMIN

Project: IGOR : DDH-I-2006-14

CERTIFICATE OF ANALYSIS VA07133137

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E387051		140.5	<0.002	0.2	3.11	11.6	<1	3.6	99.2	0.31	0.1	16.5	0.152	0.39	4.4	69
E387052		47	0.008	2.9	1.55	9.2	5	10.7	128.5	0.08	0.34	3.6	0.051	0.31	11.7	44
E387053		59.1	0.007	4.56	2.44	10.4	12	13.5	121.5	0.08	0.42	10.1	0.06	0.35	71	54
E387054		51.2	0.007	2.62	1.66	6.3	4	13.6	122	0.1	0.32	5.6	0.05	0.4	2	66
E387055		57.2	0.005	2.67	3.31	5.8	1	16.5	97.8	0.12	0.4	6	0.06	0.76	2.4	69
E387056		53.9	0.006	3.17	4.09	5	2	16.1	98.4	0.1	0.41	5.7	0.053	0.95	3.1	72
E387057		43.8	0.01	5.11	4.37	4.8	2	9.8	86.9	0.1	0.71	3.9	0.038	1.23	5.2	53
E387058		19.9	0.012	5.91	4.07	3.6	3	5.8	140	0.07	0.84	2.2	0.022	0.57	5.4	51
E387059		74.9	<0.002	1.34	3.06	7.3	1	10.6	74.6	0.16	0.29	9.1	0.066	0.47	5.4	81
E387060		57.7	0.006	1.88	2.44	4.4	1	9.1	123.5	0.18	0.3	3.9	0.053	0.34	1.3	86
E387061																
E387062																
E387063																
E387064																
E387065																
E387066																
E387067																
E387068																
E387069																
E387070																
E387071		36.5	0.005	2.86	2.65	3.2	3	6	35.1	0.14	0.21	7.3	0.057	0.42	3.5	73
E387072		0.9	<0.002	0.08	0.08	0.5	<1	<0.2	337	<0.05	<0.05	0.2	0.007	<0.02	0.8	6
E387073		91.1	0.02	2.06	1.53	8.8	1	6.8	486	0.19	0.23	7	0.082	0.35	282	53
E387074		79.3	0.01	3.76	2.88	5.6	3	12.7	86.7	0.14	0.46	7.9	0.073	0.48	6.8	65
E387075		83.2	0.014	4.05	2.06	5.6	2	12	113.5	0.1	0.39	5.3	0.057	0.52	8.7	51
E387076		85.2	0.016	9.06	2.28	5.2	3	14.4	92	0.11	0.8	6.8	0.057	1.12	4.7	46
E387077		48.1	0.018	>10.0	3.49	4.2	4	8.2	91.7	0.07	0.98	5.5	0.032	1.86	3.3	30
E387078		97.3	0.035	9.22	3.2	7.3	4	14.1	86	0.14	0.76	8	0.069	1.37	5.4	49
E387079		128	0.013	6.19	2.62	10.2	3	15.7	77.2	0.17	0.57	9.7	0.09	0.72	4.3	70
E387080		151.5	0.006	2.91	2.61	11.6	4	14.5	75	0.16	0.32	12.6	0.1	0.75	9.4	67
E387081		163	0.005	2.26	2.64	13.8	3	12.6	77.1	0.19	0.3	12.8	0.118	0.63	5.1	61
E387082		157	0.002	2.94	3.08	14.2	3	11	75	0.13	0.26	15	0.111	0.74	6.3	65
E387083		164.5	0.003	2.99	2.97	14.2	2	12.1	78.7	0.19	0.31	13.2	0.14	0.71	5.8	69
E387084		0.7	0.006	0.06	0.12	0.7	4	<0.2	257	<0.05	0.24	0.3	0.006	<0.02	0.7	1
E387085		178	0.004	0.65	1.65	14.2	4	11.6	210	0.18	0.24	12.1	0.119	0.58	2.9	64
E387086		182.5	0.005	0.38	1.61	13.8	4	11.9	419	0.18	0.22	13.9	0.118	0.57	3	65
E387087		164	0.006	0.33	1.39	12.8	4	9.7	694	0.19	0.23	11.4	0.106	0.52	2.7	59
E387088		179	0.007	0.34	1.64	13.7	4	11.2	452	0.21	0.27	12.8	0.126	0.55	3.5	67
E387089		156.5	0.003	0.32	1.42	13.9	2	9.9	259	0.18	0.12	12.7	0.106	0.5	3.4	62
E387090		136.5	0.009	0.73	1.61	11.9	3	8.5	353	0.13	0.26	13.4	0.093	0.48	3.4	58

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 2-JAN-2008
Account: CASMIN

Project: IGOR : DDH-I-2006-14

CERTIFICATE OF ANALYSIS VA07133137

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E387051		6.8	15.3	14	81.7		0.023	0.55
E387052		5.6	21.7	9	33.7	1.195	0.059	
E387053		11.2	26.3	2	43.9	2.61	0.168	
E387054		9.9	24.1	20	26.5		0.048	
E387055		9.8	23.5	24	32.7		0.030	
E387056		8.8	22.2	24	30.5		0.033	
E387057		5.7	17.2	22	28.2		0.049	
E387058		4.1	14.8	19	13.7		0.084	
E387059		7.2	21.3	31	47.6		0.017	
E387060		6	19.5	19	25.2		0.018	
E387061								
E387062								
E387063								
E387064								
E387065								
E387066								
E387067								
E387068								
E387069								
E387070								
E387071		5.6	17.4	26	24.7		0.061	
E387072		0.1	3.4	25	4.4		0.002	
E387073		8.1	14	11	61.1		0.063	
E387074		7.6	21.1	24	39		0.069	
E387075		8.2	17.1	19	38.9		0.070	
E387076		9.7	15.2	3	36		0.132	
E387077		5.8	12.5	<2	16.5		0.170	
E387078		10	14.7	5	38.3		0.112	
E387079		11.7	14.1	3	51.9		0.043	
E387080		13.8	15.2	3	59.6		0.024	
E387081		14.1	15.8	4	66		0.023	
E387082		13.2	17.6	4	67.9		0.052	
E387083		14.2	15.3	3	77.7		0.025	
E387084		0.1	2.8	21	3.1		0.003	
E387085		11.9	15.2	3	68.6		0.004	
E387086		11.5	15.8	2	67.1		0.002	
E387087		11.4	14.7	2	63.2		0.002	
E387088		11.6	15	5	68.6		0.002	
E387089		10.6	16.3	5	62		0.003	
E387090		9.5	17.6	7	59.1		0.006	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 2-JAN-2008
Account: CASMIN

Project: IGOR : DDH-I-2006-14

CERTIFICATE OF ANALYSIS VA07133137

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E387091		1.72	0.18	5.23	29.8	150	1.92	7.48	4.07	<0.02	66.3	60.8	27	6.11	61.6	6.87
E387092		1.00	0.13	5.19	27.3	150	1.92	4.56	3	<0.02	51.6	47.9	31	5.1	39.2	5.22
E387093		0.92	0.22	5.68	51.3	370	2.45	7.22	2.45	0.02	37.5	98.1	33	6.24	80.9	7.8
E387094		1.22	0.65	2.44	38.2	40	0.77	13.45	7.17	<0.02	104	152	11	1.88	1090	20
E387095		0.14	0.03	0.12	5	40	0.17	0.07	46	0.42	2.03	0.8	6	<0.05	3.6	0.07
E387096		0.24	1.2	2.26	70.4	50	0.78	10.4	2.16	<0.02	191.5	319	12	2.66	9030	28.8
E387097		0.98	1.05	1.03	44.3	30	0.44	12.85	8.17	<0.02	116.5	113.5	4	0.91	2170	19.8
E387098		0.70	0.87	5.96	89.5	600	2.09	17.75	3.65	<0.02	213	186	29	6.79	318	12.2
E387099		0.94	0.62	7.22	82.8	160	3.36	12.3	2	<0.02	77.1	144.5	38	7.78	174	7.67
E387100		1.74	0.04	7.82	3	5620	2.51	0.33	0.21	<0.02	85.4	5.7	46	7.76	58.4	1.35

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 2-JAN-2008
Account: CASMIN

Project: IGOR : DDH-I-2006-14

CERTIFICATE OF ANALYSIS VA07133137

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E387091		17.7	0.21	1.8	0.09	2.4	33.2	39.4	1.61	4170	7.75	0.24	3.2	28	720	2.1
E387092		16.6	0.23	1.6	0.075	1.94	20.5	31.8	1.13	3340	8.11	0.94	2.5	17.8	530	2.3
E387093		21.3	0.21	2	0.106	2.35	19	41.7	1.16	3700	10.45	0.67	3.1	24.4	620	3
E387094		9.6	0.3	0.8	0.246	0.58	68.3	17.1	2.97	11750	120	0.68	3.3	54.2	860	8.6
E387095		0.55	0.1	0.1	0.017	0.03	1.7	1.5	0.52	45	0.44	0.02	0.3	<0.2	90	0.6
E387096		11	0.41	0.7	0.266	0.66	126	23.8	1.53	6370	59.4	0.22	5.8	61.5	2390	5.9
E387097		5.5	0.25	0.3	0.12	0.23	76.8	10.9	3.66	11900	147.5	0.14	6.6	56.6	1360	9.6
E387098		18.5	0.41	2.5	0.092	1.9	128	33.2	2.29	4680	121.5	0.8	4.9	66.3	900	9.3
E387099		24.6	0.24	2.8	0.08	3.1	38.5	29.4	1.2	1910	103.5	0.17	4.8	45.1	480	5.7
E387100		24	0.16	3.7	0.049	3.63	44.4	13.1	0.33	234	5.1	0.14	8.6	9.9	270	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 2-JAN-2008
Account: CASMIN

Project: IGOR : DDH-I-2006-14

CERTIFICATE OF ANALYSIS VA07133137

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E387091		125	0.011	2.09	3.09	9.9	3	8.7	389	0.18	0.27	11	0.092	0.54	3	79
E387092		102.5	0.008	1.61	2.27	9.3	4	8.9	613	0.16	0.26	9.7	0.079	0.4	2.5	52
E387093		125	0.012	3.27	2.17	12.1	4	12.8	227	0.16	0.33	10.5	0.089	0.68	15.1	76
E387094		30.1	0.012	6.91	3.78	7.9	3	3.7	198	0.2	0.39	8	0.032	0.3	46.5	52
E387095		0.3	0.004	0.08	0.1	0.6	3	<0.2	272	<0.05	0.22	0.2	0.006	<0.02	0.7	<1
E387096		34.2	0.017	6.47	2.12	5.4	6	7.3	195	0.12	1.11	5.8	0.034	0.52	15.3	55
E387097		10.6	0.01	7.72	3.57	3.5	3	1.9	208	0.48	0.53	5.7	0.023	0.18	24.8	63
E387098		82.6	0.018	6.78	4.07	11.6	4	5.7	65.6	0.21	0.53	16.6	0.082	0.54	68.8	55
E387099		130	0.015	4.84	3.23	14.2	3	7.8	32.5	0.26	0.36	13.9	0.115	0.71	43.9	65
E387100		180	<0.002	0.12	1.8	13.5	2	4.7	26.7	0.68	0.14	21.5	0.21	0.64	5.5	60

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 2-JAN-2008
Account: CASMIN

Project: IGOR : DDH-I-2006-14

CERTIFICATE OF ANALYSIS VA07133137

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E387091		12.6	13.4	4	57		0.019	
E387092		11	11.8	3	52.2		0.011	
E387093		10.1	12.3	4	63.9		0.018	
E387094		4	19.8	8	25.9		0.026	
E387095		0.1	2.9	22	2.9		0.002	
E387096		6.4	14.8	12	23.3		0.123	
E387097		3.8	12.8	9	10.3		0.031	
E387098		7.8	16.6	14	75.6		0.022	
E387099		9.5	14	8	88.8		0.017	
E387100		12.4	12.5	2	116.5		0.002	0.61

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 2-JAN-2008
Account: CASMIN

Project: IGOR : DDH-I-2006-14

CERTIFICATE OF ANALYSIS VA07133137

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07138855

Project: IGOR:DDW-I-2006-14

P.O. No.: 19526

This report is for 10 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 21-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-JAN-2008
Account: CASMIN

Project: IGOR:DDW-I-2006-14

CERTIFICATE OF ANALYSIS VA07138855

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E387061		0.14	0.01	0.16	6	20	0.12	0.01	48.3	0.41	2.31	1.2	5	<0.05	2.4	0.05
E387062		0.98	0.45	4.43	62.7	110	1.04	2.64	6.32	<0.02	232	148	26	2.25	197.5	20.7
E387063		0.58	0.3	3.62	39.1	420	1.09	1.14	8.25	<0.02	204	82.1	24	1.9	576	16.85
E387064		0.88	0.19	5.4	37.6	270	1.12	1.16	6.27	<0.02	170	77.1	30	1.84	95	13.55
E387065		0.94	0.57	4.93	73.6	90	1.53	3.47	7.38	<0.02	115	166.5	24	3.94	1020	17.35
E387066		0.76	0.23	6.28	47.2	640	1.76	2.08	4.58	<0.02	113.5	69.7	37	3.83	152	11.1
E387067		0.82	0.31	8.07	48.8	3000	3.8	1.61	1.9	<0.02	291	53.3	52	6.14	328	6.4
E387068		0.78	0.26	7.48	25.5	2960	3.31	1.04	3.22	<0.02	145	29	41	5.19	1370	6.19
E387069		0.74	0.28	6.81	49.5	1490	2.78	1.76	3.32	<0.02	106	47.9	40	4.53	756	6.81
E387070		0.92	0.37	5.78	68.5	350	2.32	2.47	3.43	<0.02	93	67.8	32	3.52	348	8.86

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-JAN-2008
Account: CASMIN

Project: IGOR:DDW-I-2006-14

CERTIFICATE OF ANALYSIS VA07138855

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E387061		0.66	0.15	0.1	<0.005	0.04	1.7	1.5	0.51	37	0.16	0.02	0.3	<0.2	90	0.8
E387062		12.2	0.39	1.4	0.063	1.72	151.5	47.1	2.3	5130	20.4	0.48	4.2	51.7	1270	7.1
E387063		10.25	0.33	0.8	0.058	1.52	144	34.1	2.25	6800	25.1	0.32	3.3	40.4	1530	4.2
E387064		10.9	0.27	1.5	0.029	0.87	129.5	63.9	2.96	4210	32	0.9	2.5	44.5	1090	3.1
E387065		11.15	0.3	1.5	0.065	1.51	80.8	61.7	3.34	5880	57.1	0.13	3.3	74.9	1230	7.2
E387066		14.95	0.15	1.8	0.058	2.66	82.6	58.1	1.87	3870	21.7	0.66	4.5	35	940	3.1
E387067		27.2	0.36	2.7	0.052	4.35	195.5	84.1	1.12	1755	22.2	0.11	3.8	27.8	880	4.2
E387068		23.6	0.25	2.7	0.048	3.94	104.5	57.8	1.27	3480	43.1	0.06	4.9	19.3	870	5.3
E387069		20.5	0.23	2.1	0.046	3.69	76.4	55.1	1.29	2520	36.5	0.07	3.7	20.3	790	3.3
E387070		16.85	0.23	1.3	0.038	2.81	64.9	55.3	1.4	2850	24.1	0.12	3.8	33.9	790	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-JAN-2008
Account: CASMIN

Project: IGOR:DDW-I-2006-14

CERTIFICATE OF ANALYSIS VA07138855

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E387061		0.9	<0.002	0.06	0.08	0.5	3	<0.2	288	<0.05	<0.05	0.3	0.007	<0.02	0.7	7
E387062		80.2	0.007	2.29	3.69	7.1	3	13.1	109	0.17	0.38	13	0.069	0.62	3.3	99
E387063		66.8	0.004	1.11	1.81	7.5	3	8.9	106	0.11	0.17	10.2	0.058	0.33	2.1	69
E387064		38.7	0.008	1.06	1.9	11.3	3	5.4	125.5	0.11	0.19	7.5	0.058	0.37	2.6	49
E387065		67.1	0.013	2.79	2.76	9.9	6	11.2	99.6	0.12	0.65	8.4	0.06	0.7	9.9	67
E387066		99.3	0.005	1.13	1.85	9.6	2	14.4	116	0.3	0.31	8.5	0.099	0.41	3.7	74
E387067		154	0.005	0.85	1.97	12.3	1	20.5	34.1	0.18	0.25	25.5	0.147	0.68	8.5	79
E387068		167.5	0.008	0.54	1.75	8.6	1	16.7	47.4	0.25	0.16	20.7	0.146	0.62	49.3	66
E387069		150	0.011	1.24	1.84	8.5	1	16	60.7	0.17	0.2	15	0.123	0.61	25.2	65
E387070		121.5	0.004	1.67	2.26	10.1	1	16	61.1	0.17	0.26	12.5	0.103	0.53	6.5	67

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-JAN-2008
Account: CASMIN

Project: IGOR:DDW-I-2006-14

CERTIFICATE OF ANALYSIS VA07138855

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001
E387061		<0.1	2.9	24	3.4	<0.001
E387062		8.1	23.5	17	43.2	0.021
E387063		7.2	23.3	15	24.4	0.012
E387064		5.3	13.4	21	48.4	0.012
E387065		7.6	16.5	33	48.8	0.045
E387066		10.8	15.8	6	58.3	0.019
E387067		18.1	15.2	4	90.3	0.022
E387068		17.1	17.2	6	90	0.020
E387069		15.3	13.8	2	71.5	0.022
E387070		11.1	13.1	4	45.7	0.023

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-JAN-2008
Account: CASMIN

Project: IGOR:DDW-I-2006-14

CERTIFICATE OF ANALYSIS VA07138855

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE VA07093116

Project: IGOR

P.O. No.:

This report is for 182 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 22-AUG-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW RUSSELL SMITS	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E918734	0.92	1.20	5.91	109.0	200	3.52	5.36	4.78	<0.02	215.00	173.0	38	3.24	7180.0	10.40
E918735	1.05	0.92	7.47	68.0	780	4.44	4.83	4.68	<0.02	84.60	228.0	62	9.45	8790.0	11.05
E918736	1.01	3.44	1.77	226.0	90	0.62	20.90	0.65	<0.02	320.00	418.0	11	1.18	>10000	25.00
E918737	0.94	3.89	2.32	207.0	60	0.99	23.40	1.44	<0.02	298.00	506.0	15	1.57	>10000	22.40
E918738	0.77	1.97	5.85	172.0	70	2.65	10.40	4.93	<0.02	306.00	372.0	33	2.67	>10000	17.75
E918739	0.62	3.42	1.27	165.5	20	0.53	11.55	6.60	<0.02	388.00	398.0	7	0.47	>10000	22.70
E918740	1.84	4.65	1.34	142.0	20	0.27	18.45	6.44	<0.02	346.00	527.0	6	0.37	>10000	25.10
E918741	1.43	5.90	0.24	289.0	130	0.12	18.75	5.50	<0.02	307.00	637.0	<1	0.19	>10000	31.80
E918742	1.66	4.26	0.46	211.0	30	0.26	15.50	7.39	<0.02	357.00	392.0	<1	0.28	>10000	30.60
E918744	1.73	2.37	0.24	121.5	30	0.11	10.45	8.95	<0.02	355.00	196.0	<1	0.13	>10000	24.10
E918745	1.52	6.03	1.23	263.0	60	0.09	18.70	1.97	<0.02	305.00	393.0	3	0.37	>10000	33.20
E918746	1.29	2.96	2.40	287.0	30	0.57	14.60	2.41	<0.02	349.00	479.0	9	0.89	>10000	31.70
E918747	1.54	1.99	0.49	245.0	170	0.17	6.80	6.24	<0.02	182.50	203.0	<1	0.14	>10000	32.10
E918748	1.19	1.67	1.03	279.0	50	0.40	7.92	7.83	<0.02	216.00	226.0	2	0.31	6120.0	24.60
E918749	1.58	1.53	2.25	310.0	40	0.96	8.17	6.51	<0.02	118.00	350.0	9	0.78	4990.0	24.70
E918750	1.67	2.22	0.99	326.0	50	0.20	8.33	6.94	<0.02	183.50	638.0	2	0.32	7020.0	28.70
E918751	1.66	2.03	0.82	308.0	60	0.17	7.73	8.40	<0.02	104.00	479.0	<1	0.22	1390.0	31.90
E918752	1.69	2.99	0.62	387.0	60	0.16	9.24	6.00	<0.02	141.00	600.0	<1	0.22	852.0	32.80
E918754	0.20	1.05	6.02	74.7	70	2.06	2.54	1.91	<0.02	43.30	164.5	31	3.52	7850.0	9.56
E918755	1.85	3.12	0.99	435.0	90	0.23	11.15	7.31	<0.02	147.00	507.0	2	0.26	5010.0	33.60
E918756	2.25	3.51	1.07	524.0	80	0.24	12.35	7.65	<0.02	113.00	652.0	<1	0.37	901.0	36.40
E918757	1.77	1.66	1.57	194.0	110	0.34	7.39	6.17	<0.02	167.50	430.0	5	0.47	1590.0	32.70
E918758	1.36	0.91	1.31	186.0	40	0.31	4.94	5.73	<0.02	199.50	300.0	4	0.35	574.0	29.60
E918759	0.99	0.86	0.55	261.0	40	0.21	4.95	6.85	<0.02	202.00	724.0	<1	0.21	1450.0	34.60
E918760	1.31	1.49	0.72	440.0	50	0.20	11.85	4.25	<0.02	232.00	706.0	<1	0.22	1610.0	36.10
E918761	1.38	0.52	3.83	80.3	200	0.46	1.62	7.75	0.02	196.00	152.5	12	0.31	353.0	15.60
E918762	1.62	0.49	3.06	97.5	240	0.33	3.84	7.21	<0.02	227.00	282.0	9	0.41	167.5	20.90
E918763	1.34	0.65	4.67	115.5	120	0.43	4.18	6.12	<0.02	209.00	268.0	18	0.79	149.5	17.40
E918765	1.73	1.00	1.97	110.0	120	0.44	6.59	2.73	<0.02	175.50	468.0	9	0.76	247.0	23.90
E918766	1.24	0.65	4.29	76.1	200	0.68	4.73	3.78	<0.02	183.50	282.0	20	0.81	304.0	15.90
E918767	1.49	0.50	2.86	97.9	110	0.43	3.52	3.29	<0.02	212.00	323.0	14	0.68	148.5	20.30
E918768	2.10	0.49	1.86	106.5	60	0.34	3.68	3.48	<0.02	273.00	310.0	13	0.55	149.0	21.80
E918769	2.66	0.37	6.61	54.3	180	2.38	3.54	6.39	<0.02	92.80	137.0	31	2.41	572.0	13.25
E918770	1.98	0.24	5.34	25.5	180	2.61	1.96	6.44	<0.02	79.60	80.1	26	2.48	391.0	9.63
E918771	2.15	0.19	6.29	34.3	200	3.57	3.05	5.11	<0.02	87.00	112.5	32	3.32	220.0	11.35
E918772	2.12	0.12	6.70	34.8	610	4.61	1.44	4.44	<0.02	88.90	50.4	38	4.76	105.0	8.85
E918773	2.79	0.15	6.00	46.2	470	3.98	1.61	4.92	<0.02	101.00	57.1	30	3.71	1360.0	11.90
E918775	0.22	1.20	2.48	130.5	50	0.85	10.15	2.24	<0.02	174.50	355.0	14	2.62	9420.0	27.50
E918776	2.84	0.13	6.07	25.3	430	4.18	1.29	4.76	<0.02	152.00	50.6	35	3.94	418.0	12.15
E918777	2.68	0.12	5.69	26.0	300	3.71	1.38	4.75	<0.02	182.50	79.4	31	3.75	351.0	12.60

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E918734		15.60	0.26	1.6	0.115	3.01	167.5	28.4	1.66	4840	28.20	0.04	5.2	44.9	1650	5.1
E918735		18.25	0.23	1.7	0.204	3.46	66.7	45.4	2.22	5320	13.30	0.04	3.8	81.4	640	3.7
E918736		6.98	0.45	0.3	0.049	0.20	243.0	32.1	0.47	150	80.00	0.01	2.8	109.0	2630	11.2
E918737		8.63	0.39	0.7	0.093	0.71	198.0	22.3	0.58	790	53.30	0.02	5.2	91.3	2800	12.3
E918738		15.25	0.34	1.3	0.274	2.32	245.0	40.4	2.43	6160	85.30	0.03	6.5	77.9	3600	6.1
E918739		4.96	0.44	0.3	0.444	0.27	315.0	13.1	2.61	7150	128.00	0.01	3.8	75.6	2560	9.2
E918740		4.65	0.46	0.3	0.352	0.14	250.0	18.1	2.32	6100	159.50	0.01	7.7	89.3	3190	12.4
E918741		1.91	0.49	0.1	0.293	0.03	230.0	2.7	1.66	4820	113.50	0.01	4.2	87.9	2320	16.3
E918742		3.28	0.49	0.1	0.298	0.13	310.0	4.9	2.38	7440	94.30	0.01	3.5	61.7	1870	14.6
E918744		3.30	0.42	0.1	0.282	0.02	303.0	3.5	3.17	8460	99.80	0.01	5.1	43.8	2840	11.3
E918745		5.04	0.44	0.2	0.179	0.08	233.0	17.1	1.15	5550	99.10	0.01	7.0	90.1	3110	14.9
E918746		6.43	0.50	0.6	0.135	0.30	249.0	32.6	1.07	3280	81.20	0.01	6.3	111.0	3440	12.5
E918747		3.47	0.41	0.1	0.261	0.03	146.5	6.8	2.24	7780	113.00	0.01	1.6	46.4	1270	7.9
E918748		3.19	0.37	0.3	0.156	0.15	189.0	12.6	3.22	12750	35.90	0.01	2.9	41.0	980	9.8
E918749		4.83	0.31	0.7	0.105	0.62	98.1	22.7	2.38	7000	38.50	0.01	5.7	56.1	1230	9.6
E918750		4.60	0.42	0.3	0.091	0.04	154.0	14.7	2.22	7510	86.90	0.01	3.4	58.5	1320	12.5
E918751		4.17	0.37	0.2	0.108	0.02	87.5	11.3	2.80	9920	60.30	0.01	3.0	52.9	1020	13.1
E918752		5.18	0.41	0.1	0.057	0.04	122.5	8.9	1.86	6510	115.00	0.01	2.3	60.4	940	19.0
E918754		14.70	0.16	1.7	0.142	2.15	15.7	24.8	1.15	3370	62.10	0.98	3.4	37.0	870	19.7
E918755		4.36	0.38	0.3	0.081	0.04	124.5	13.3	2.31	7550	81.40	0.01	3.2	64.3	1150	18.4
E918756		5.29	0.43	0.3	0.100	0.04	96.3	14.7	2.29	7860	102.50	0.01	3.9	76.6	1380	28.5
E918757		6.25	0.41	0.5	0.085	0.07	139.5	17.5	2.03	7600	44.50	0.27	7.1	63.6	1630	12.9
E918758		6.06	0.38	0.3	0.037	0.06	168.0	16.4	1.89	6630	41.60	0.11	2.8	55.8	1390	8.0
E918759		5.89	0.41	0.1	0.044	0.03	171.0	7.8	2.21	7790	65.10	0.01	0.8	54.8	1920	8.7
E918760		5.21	0.47	0.1	0.030	0.05	200.0	8.1	1.35	4620	97.40	0.15	1.5	84.8	1950	13.8
E918761		5.62	0.26	1.0	0.022	0.14	167.0	9.1	2.11	6930	19.45	2.34	8.0	33.1	2190	6.3
E918762		5.96	0.32	0.7	0.026	0.15	190.0	12.0	2.22	7700	44.20	1.65	3.1	39.0	1950	6.3
E918763		7.51	0.27	1.1	0.025	0.87	179.5	13.6	2.00	5580	38.10	2.19	4.7	35.1	1550	7.9
E918765		6.65	0.34	0.5	0.020	0.10	158.5	18.9	1.05	2660	42.80	0.52	1.5	47.4	700	12.2
E918766		7.20	0.27	1.1	0.020	0.16	160.5	23.2	1.43	3720	47.90	2.05	3.9	39.5	660	9.5
E918767		6.91	0.33	0.7	0.023	0.13	196.5	21.3	1.30	3630	57.30	1.05	1.6	41.0	810	8.2
E918768		6.52	0.35	0.5	0.020	0.12	245.0	18.4	1.25	4020	55.30	0.52	1.7	41.1	710	6.9
E918769		12.50	0.22	1.5	0.054	2.73	75.3	25.8	2.14	6300	27.40	1.43	4.0	38.3	1020	4.9
E918770		12.35	0.15	1.4	0.053	2.30	60.4	24.4	1.99	6140	18.15	0.95	3.3	32.5	820	2.9
E918771		15.25	0.19	1.8	0.053	2.92	62.5	34.6	1.68	4990	16.60	0.54	3.7	41.9	810	3.7
E918772		18.25	0.18	2.0	0.066	3.35	58.1	42.6	1.63	4270	8.93	0.07	4.2	33.6	830	2.5
E918773		15.85	0.21	1.6	0.076	2.98	64.8	39.3	1.67	4680	11.65	0.07	3.4	47.7	1290	2.3
E918775		10.10	0.46	0.7	0.272	0.69	116.0	23.7	1.53	6730	61.80	0.23	6.6	64.4	2490	7.0
E918776		16.60	0.23	1.7	0.070	2.85	100.5	43.8	1.78	4190	8.78	0.08	3.2	48.3	1100	2.5
E918777		17.00	0.30	1.6	0.094	2.77	116.5	39.1	1.84	4500	9.56	0.04	3.6	46.1	1300	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E918734		111.5	0.017	3.92	1.93	17.7	2	23.6	42.6	0.17	0.64	7.7	0.126	0.42	13.9	136
E918735		129.5	0.006	3.11	2.63	29.5	1	25.2	25.9	0.10	0.40	3.3	0.219	0.44	29.2	224
E918736		7.6	0.032	>10.0	7.60	3.9	3	5.9	35.6	0.08	1.13	2.7	0.029	0.12	69.5	102
E918737		28.0	0.022	>10.0	7.19	6.1	3	12.4	69.7	0.19	1.76	4.7	0.047	0.21	116.5	90
E918738		84.7	0.012	7.56	4.15	18.9	3	36.7	34.8	0.12	1.28	4.8	0.098	0.32	39.0	169
E918739		10.3	0.036	>10.0	3.09	7.8	12	15.9	48.5	0.08	1.93	2.8	0.023	0.17	39.6	63
E918740		5.4	0.072	>10.0	4.90	5.5	10	17.5	75.5	0.12	3.61	3.2	0.024	0.22	44.9	45
E918741		1.3	0.060	>10.0	3.62	4.5	17	15.3	51.5	0.09	5.03	1.5	0.006	0.40	29.3	17
E918742		5.2	0.046	>10.0	3.64	3.7	10	10.2	39.1	0.08	3.10	2.0	0.008	0.31	19.4	36
E918744		0.6	0.039	>10.0	3.92	3.8	3	8.8	48.4	0.13	1.07	2.0	0.007	0.07	13.5	52
E918745		3.2	0.042	>10.0	4.35	4.5	7	15.6	22.2	0.14	1.71	2.7	0.019	0.25	15.6	41
E918746		11.7	0.028	>10.0	4.19	6.1	3	10.2	49.2	0.12	2.30	4.9	0.027	0.14	33.7	47
E918747		1.2	0.019	9.50	2.91	5.8	4	8.6	27.5	<0.05	1.19	1.5	0.008	0.10	19.8	40
E918748		5.9	0.007	>10.0	2.00	3.7	1	5.7	28.5	0.05	0.63	2.6	0.013	0.11	12.2	18
E918749		24.0	0.005	>10.0	1.80	5.4	1	14.6	28.9	0.15	0.55	4.5	0.037	0.17	20.5	36
E918750		1.4	0.010	>10.0	2.51	4.9	3	3.9	29.6	0.09	0.57	3.9	0.015	0.19	22.8	35
E918751		0.8	0.005	>10.0	2.71	5.4	2	1.6	40.7	0.06	0.51	3.1	0.011	0.12	17.7	29
E918752		1.5	0.007	>10.0	3.25	4.8	2	1.8	38.9	0.05	0.60	2.0	0.008	0.62	19.8	32
E918754		87.2	0.022	2.39	1.59	9.5	2	7.5	518.0	0.18	0.26	7.3	0.085	0.44	276.0	53
E918755		1.5	0.010	>10.0	3.81	4.9	3	3.3	33.2	0.08	0.76	3.2	0.014	0.89	23.8	33
E918756		1.3	0.008	>10.0	5.95	5.1	2	3.0	39.6	0.07	1.02	2.2	0.013	1.57	21.5	30
E918757		2.3	0.003	9.38	4.83	5.9	1	3.6	36.9	0.16	0.60	3.8	0.020	0.19	25.6	35
E918758		2.2	0.005	7.03	3.77	5.2	1	2.3	53.4	0.07	0.43	3.0	0.012	0.11	10.9	35
E918759		1.1	0.010	9.27	3.65	4.3	3	1.8	41.3	<0.05	0.49	2.5	0.006	0.18	8.6	33
E918760		1.7	0.017	>10.0	6.16	3.2	3	4.0	30.0	<0.05	1.42	3.3	0.007	0.13	14.5	28
E918761		3.9	<0.002	2.51	4.34	7.1	<1	2.1	69.7	0.23	0.21	9.3	0.028	0.27	10.5	28
E918762		4.3	0.005	5.15	6.31	6.7	3	2.8	56.1	0.11	1.04	5.5	0.019	0.12	11.4	37
E918763		24.6	0.004	5.19	4.63	7.8	3	5.6	55.7	0.11	0.52	7.3	0.030	0.26	10.4	30
E918765		3.3	0.007	7.77	7.70	3.6	2	2.2	21.7	0.05	0.72	4.0	0.018	0.17	12.7	25
E918766		5.0	0.003	4.41	5.73	5.5	2	2.2	38.4	0.14	0.62	5.3	0.027	0.08	11.4	23
E918767		3.8	0.003	4.75	6.32	4.2	1	1.8	26.2	0.06	0.39	5.3	0.023	0.18	9.2	33
E918768		4.0	0.003	4.90	6.38	4.6	1	1.9	32.8	0.07	0.43	5.6	0.022	0.11	8.1	35
E918769		82.9	0.003	4.89	3.93	12.9	1	15.9	49.8	0.17	0.52	8.2	0.081	0.23	10.5	58
E918770		83.8	0.002	2.92	2.47	8.7	1	11.0	56.9	0.16	0.21	10.1	0.081	0.25	4.6	49
E918771		107.5	0.002	3.92	1.97	10.0	<1	13.2	46.1	0.18	0.27	9.6	0.103	0.26	5.6	60
E918772		134.5	<0.002	1.51	2.04	11.2	<1	13.3	42.1	0.23	0.35	10.8	0.125	0.30	4.5	67
E918773		116.5	<0.002	1.76	1.84	9.9	1	10.1	47.5	0.21	0.44	11.8	0.103	0.29	5.2	70
E918775		36.6	0.020	7.39	2.30	4.8	5	7.8	188.0	0.14	1.35	5.9	0.038	0.50	16.4	61
E918776		115.0	<0.002	1.38	1.44	9.9	1	11.1	50.5	0.16	0.25	13.6	0.100	0.32	4.7	66
E918777		118.5	<0.002	1.70	1.41	10.5	1	12.4	63.4	0.16	0.28	13.2	0.099	0.31	5.8	56

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E918734		12.3	18.1	11	47.1		0.071
E918735		17.7	18.2	28	52.5		0.055
E918736		17.2	13.5	27	11.2	1.460	0.186
E918737		12.9	16.0	23	21.2	1.420	0.161
E918738		13.2	24.3	28	38.0	1.120	0.124
E918739		8.8	18.7	15	9.9	3.31	0.392
E918740		9.2	20.0	27	10.5	4.48	0.456
E918741		4.9	13.2	9	2.5	2.68	0.243
E918742		6.0	16.4	8	3.8	2.77	0.490
E918744		6.0	21.6	8	2.6	2.52	0.392
E918745		12.7	15.0	24	10.8	4.36	0.567
E918746		11.4	18.4	40	21.7	1.240	0.202
E918747		11.0	12.1	14	3.3	2.44	0.287
E918748		3.7	12.2	17	11.5		0.149
E918749		7.6	13.0	18	23.0		0.140
E918750		4.2	13.7	16	11.0		0.144
E918751		4.8	12.8	18	8.0		0.100
E918752		3.8	10.9	15	5.7		0.126
E918754		8.4	15.5	8	58.3		0.049
E918755		4.8	12.6	16	11.7		0.189
E918756		5.6	13.8	23	9.9		0.173
E918757		4.3	15.0	24	19.6		0.084
E918758		3.2	12.2	21	12.3		0.069
E918759		3.1	15.1	12	2.0		0.085
E918760		5.4	12.8	10	5.5		0.197
E918761		2.9	17.0	13	35.6		0.022
E918762		3.4	16.0	12	27.0		0.053
E918763		4.7	17.6	13	37.3		0.043
E918765		6.8	6.5	20	17.6		0.071
E918766		3.7	8.9	19	39.7		0.062
E918767		5.5	7.6	19	21.6		0.041
E918768		6.2	8.1	16	17.9		0.040
E918769		7.9	12.1	10	54.3		0.039
E918770		7.8	13.0	4	51.5		0.023
E918771		9.1	15.4	6	58.7		0.027
E918772		11.5	15.8	5	71.3		0.012
E918773		10.0	21.1	5	54.3		0.019
E918775		7.2	15.5	9	25.6		0.112
E918776		10.2	18.9	7	56.4		0.012
E918777		14.6	19.6	7	58.9		0.014

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E918778	2.86	0.15	6.99	16.0	900	4.46	1.18	4.56	<0.02	109.00	87.0	40	5.50	309.0	10.40
E918779	2.28	1.37	4.63	70.2	200	0.98	5.43	4.10	<0.02	302.00	237.0	22	2.96	129.0	14.65
E918780	2.58	0.39	6.61	70.2	390	2.06	4.34	6.73	<0.02	73.60	125.5	43	5.20	179.5	11.00
E918781	2.64	0.18	6.99	55.4	1860	2.60	1.97	5.65	<0.02	33.30	72.8	53	4.12	442.0	7.28
E918782	3.00	0.33	3.21	95.7	130	1.10	7.67	7.77	<0.02	227.00	133.0	21	1.95	709.0	18.65
E918783	3.29	0.59	2.76	102.0	90	0.82	12.70	7.50	<0.02	366.00	165.5	16	1.50	372.0	22.40
E918784	3.23	0.24	1.69	55.4	480	0.61	4.93	4.21	<0.02	479.00	103.0	25	0.92	312.0	21.30
E918786	2.08	0.17	8.05	41.2	370	2.65	9.11	5.82	<0.02	31.10	91.1	65	5.53	36.1	7.38
E918787	2.90	0.09	6.23	25.7	1590	1.85	2.35	7.96	<0.02	87.80	61.9	41	3.60	363.0	10.55
E918788	3.68	0.18	5.83	58.6	260	1.72	6.12	6.90	<0.02	143.00	95.4	42	3.44	482.0	12.70
E918789	2.12	0.27	6.60	59.4	420	1.85	5.80	4.72	<0.02	190.50	94.7	42	3.51	530.0	11.50
E918790	2.04	0.39	6.90	87.7	170	1.84	11.95	3.50	<0.02	12.35	140.5	36	3.81	58.0	9.98
E918791	1.95	0.26	6.31	63.4	220	1.86	11.80	2.06	<0.02	22.80	124.5	35	3.59	55.9	9.80
E918792	1.80	0.35	7.84	97.4	610	1.96	15.00	0.79	<0.02	31.60	147.5	51	4.31	51.6	11.10
E918793	2.29	0.08	7.60	12.9	2290	2.04	1.32	2.90	<0.02	77.50	21.4	40	4.00	839.0	4.87
E918794	2.49	0.09	8.56	7.9	2730	2.20	0.92	5.28	<0.02	66.70	13.0	47	3.98	1840.0	5.52
E918796	0.19	0.24	7.20	43.2	180	2.68	1.61	1.87	<0.02	75.80	110.0	42	6.70	1605.0	6.90
E918797	3.04	0.20	6.62	8.4	2020	1.70	0.91	7.97	<0.02	29.90	13.1	27	2.79	1470.0	5.77
E918798	2.60	0.21	7.76	33.3	1180	2.02	3.88	4.63	<0.02	83.10	65.2	43	3.76	475.0	6.48
E918799	3.33	0.17	8.24	39.5	430	2.28	5.38	2.45	<0.02	84.70	87.3	46	4.44	698.0	7.40
E918800	2.77	0.05	9.66	22.5	3370	3.07	2.86	2.14	<0.02	93.20	43.1	61	5.08	70.7	8.70
E918801	2.10	0.04	7.62	16.4	2640	2.35	1.91	3.66	<0.02	30.40	35.0	38	3.82	366.0	6.43
E918802	2.92	0.01	8.17	11.7	3180	2.65	1.02	2.42	<0.02	36.00	24.3	45	4.44	506.0	6.25
E918803	2.97	0.03	8.13	8.6	3080	2.61	0.70	2.22	<0.02	18.75	15.5	49	4.27	1670.0	6.89
E918804	2.21	0.08	10.95	15.0	4910	3.50	1.09	1.40	<0.02	22.30	25.2	69	5.59	425.0	5.42
E918805	2.93	0.07	6.86	12.2	3490	2.19	1.11	2.56	<0.02	14.95	26.5	38	3.53	355.0	9.07
E918807	2.93	0.07	8.61	21.2	4660	2.74	1.70	2.55	<0.02	42.00	44.0	51	4.62	480.0	11.30
E918808	2.04	0.25	7.66	29.5	290	2.65	4.29	2.81	<0.02	77.40	89.3	47	3.90	138.5	12.80
E918809	2.12	0.18	8.77	21.0	1630	3.22	2.89	2.78	<0.02	52.40	59.8	53	5.25	136.0	8.42
E918810	1.34	0.16	9.11	24.1	2080	3.24	2.65	2.94	<0.02	65.20	52.4	56	4.92	175.0	9.08
E918811	0.84	0.14	7.68	22.7	1480	2.24	2.08	3.17	<0.02	125.50	40.4	44	3.17	435.0	15.45
E918812	1.45	0.10	4.93	19.2	780	0.87	2.04	3.83	<0.02	110.50	43.0	23	1.36	175.0	21.20
E918813	0.73	0.20	8.20	38.8	400	3.02	3.43	4.00	<0.02	107.00	119.5	52	4.70	24.7	13.35
E918814	1.25	0.21	5.73	34.5	170	1.49	3.57	5.21	<0.02	118.50	99.1	27	2.05	92.5	16.70
E918815	1.35	0.22	6.85	31.4	300	1.65	2.94	5.23	<0.02	147.00	100.5	28	2.53	131.0	14.00
E918817	0.20	1.05	6.23	59.9	160	2.03	2.97	2.00	<0.02	58.30	174.0	36	3.91	8000.0	9.99
E918818	1.49	0.43	6.33	45.5	210	1.89	5.62	4.94	<0.02	200.00	155.5	30	3.47	229.0	13.50
E918819	1.34	0.31	5.67	45.6	190	1.78	5.84	4.14	<0.02	198.00	155.0	28	2.72	126.5	11.50
E918820	1.40	0.42	6.76	39.3	150	2.36	4.77	2.85	<0.02	120.00	152.5	38	3.21	228.0	12.35
E918821	1.27	0.35	6.29	26.4	150	2.01	3.09	2.38	<0.02	133.00	160.0	35	3.25	213.0	13.00

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E918778		18.40	0.23	2.0	0.077	2.89	75.7	62.0	2.31	4110	11.45	0.07	3.1	42.5	810	2.7
E918779		8.23	0.29	1.3	0.058	0.38	253.0	36.1	2.22	5970	63.20	1.79	2.7	52.9	940	9.8
E918780		14.95	0.19	1.9	0.102	2.39	56.0	37.7	2.76	5460	123.00	0.29	3.8	67.7	770	4.2
E918781		16.75	0.13	1.7	0.114	3.54	25.2	14.4	2.14	6400	27.90	0.05	2.2	43.2	950	2.0
E918782		10.05	0.45	0.7	0.090	1.49	202.0	9.7	3.09	10700	38.60	0.05	3.4	75.7	2670	6.3
E918783		10.50	0.62	0.7	0.082	1.21	316.0	10.1	2.21	8330	98.10	0.03	6.0	88.2	3630	5.2
E918784		8.12	0.63	0.5	0.087	0.79	403.0	5.2	2.48	11000	32.90	0.02	3.9	58.6	1590	2.9
E918786		23.00	0.20	2.3	0.107	4.39	25.6	19.3	2.19	5140	5.89	0.05	3.4	44.9	480	2.2
E918787		15.90	0.26	1.7	0.095	3.04	73.4	13.0	2.67	7560	12.85	0.04	2.8	37.8	740	1.8
E918788		15.50	0.33	1.6	0.092	2.84	121.0	11.1	2.50	7860	23.80	0.04	5.3	52.0	1030	2.2
E918789		19.50	0.36	2.3	0.107	3.08	139.5	14.1	1.88	6330	66.80	0.04	7.0	52.8	1130	3.0
E918790		18.75	0.23	2.2	0.094	3.18	7.5	14.8	1.39	4210	62.40	0.05	8.5	57.4	640	5.3
E918791		18.45	0.24	1.9	0.095	3.10	14.7	10.2	1.15	4900	14.35	0.05	6.6	44.1	520	3.6
E918792		21.40	0.23	2.4	0.106	3.84	18.0	12.1	0.72	4210	18.60	0.05	7.2	46.7	680	6.3
E918793		21.70	0.17	2.4	0.086	3.72	47.7	7.1	1.22	3620	57.10	0.05	9.2	15.1	620	1.9
E918794		24.50	0.20	2.8	0.099	4.34	39.0	7.9	1.92	5970	43.50	0.06	10.7	12.4	730	2.1
E918796		20.20	0.22	2.1	0.129	3.04	41.6	22.9	1.35	3300	19.60	0.60	3.7	26.5	790	2.6
E918797		18.20	0.17	2.1	0.092	3.14	17.3	7.7	2.94	8160	17.25	0.05	8.0	10.3	570	3.3
E918798		23.10	0.22	2.6	0.098	3.62	49.1	10.7	1.95	5980	17.30	0.05	10.4	24.0	720	3.6
E918799		23.50	0.23	2.4	0.084	3.92	50.2	11.1	1.23	4050	7.93	0.05	9.4	28.5	710	3.3
E918800		28.50	0.26	3.0	0.080	4.70	57.1	12.2	1.07	3360	8.06	0.08	8.9	27.3	740	2.3
E918801		21.70	0.18	2.3	0.081	3.71	18.5	9.8	1.09	4180	9.66	0.06	7.5	17.2	700	1.8
E918802		24.50	0.19	2.4	0.075	4.04	22.7	12.1	0.93	2900	4.92	0.06	7.0	17.4	710	1.7
E918803		23.90	0.18	2.5	0.072	4.11	11.4	11.3	1.00	3150	22.10	0.05	6.6	13.7	770	1.5
E918804		32.90	0.16	3.5	0.075	5.41	14.6	17.9	0.55	1465	23.70	0.07	6.5	15.4	910	1.9
E918805		20.70	0.19	2.1	0.058	3.40	9.9	14.9	1.15	3790	10.90	0.05	4.4	16.2	750	1.8
E918807		25.90	0.27	2.5	0.064	4.17	29.3	24.9	1.19	3530	15.35	0.06	4.6	23.4	900	2.5
E918808		25.10	0.33	2.2	0.061	3.58	54.2	25.9	1.19	3690	18.75	0.05	4.6	34.4	770	3.6
E918809		30.00	0.24	2.7	0.066	4.47	37.2	21.9	1.07	3750	18.75	0.05	5.5	21.5	880	2.6
E918810		29.70	0.25	2.8	0.068	4.64	46.7	19.7	0.90	3330	8.90	0.09	5.6	20.2	1000	2.7
E918811		21.60	0.39	1.8	0.046	4.69	92.2	14.9	0.78	3870	11.25	0.12	3.4	26.7	670	3.0
E918812		12.60	0.46	1.1	0.031	3.45	85.9	8.5	0.78	4940	11.00	0.37	1.4	32.6	550	2.6
E918813		24.30	0.36	2.4	0.064	4.76	83.7	25.9	1.12	5320	33.10	0.36	4.3	28.8	1200	3.4
E918814		14.95	0.43	1.5	0.055	2.54	87.4	19.0	1.38	6620	31.20	0.80	2.4	30.4	870	3.4
E918815		16.80	0.36	1.4	0.059	2.71	114.0	21.3	1.87	5870	28.10	1.35	2.8	28.1	890	3.6
E918817		16.30	0.26	2.0	0.136	2.29	23.6	25.3	1.22	3590	65.70	0.92	4.6	40.5	930	21.1
E918818		17.45	0.39	1.8	0.059	2.98	146.5	27.2	1.70	5820	45.20	0.50	3.9	35.2	1260	6.7
E918819		16.00	0.37	1.7	0.044	2.93	147.0	20.5	1.38	4930	37.80	0.28	4.1	33.1	1210	4.8
E918820		20.50	0.34	2.3	0.042	3.03	87.9	24.8	1.07	2940	39.90	0.51	5.3	36.2	1800	5.0
E918821		17.75	0.33	2.3	0.039	2.59	92.5	25.3	1.08	3590	33.20	0.74	4.1	34.0	1830	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E918778		120.0	<0.002	1.46	1.37	11.6	1	13.2	35.0	0.17	0.13	13.8	0.114	0.45	6.0	61
E918779		12.6	0.002	5.27	5.40	7.2	1	2.5	32.4	0.12	0.78	13.3	0.039	0.14	12.6	26
E918780		80.4	<0.002	2.47	2.26	22.4	<1	6.8	29.6	0.13	0.23	4.9	0.146	0.26	12.8	165
E918781		119.5	<0.002	1.03	1.60	30.3	<1	8.6	19.6	0.08	0.05	1.8	0.214	0.35	6.2	260
E918782		48.6	0.003	3.13	1.99	18.0	3	7.1	29.9	0.09	0.41	2.3	0.087	0.25	8.3	169
E918783		42.3	0.017	4.22	2.39	14.6	6	9.4	40.7	0.09	0.79	2.7	0.062	0.18	10.6	112
E918784		27.7	0.008	2.22	1.89	9.7	4	6.7	17.2	0.05	0.40	4.0	0.042	0.21	6.5	68
E918786		118.5	0.004	2.65	1.74	32.1	3	28.1	19.7	0.15	0.48	1.0	0.226	0.44	7.4	233
E918787		97.0	<0.002	0.91	1.14	27.2	3	15.9	21.6	0.11	0.21	2.0	0.161	0.33	4.9	210
E918788		88.1	0.004	2.28	1.54	26.1	3	14.1	19.6	0.10	0.62	2.6	0.169	0.29	6.4	204
E918789		99.6	0.005	2.11	1.74	12.2	3	11.8	20.1	0.28	1.45	11.8	0.135	0.39	9.3	89
E918790		106.5	<0.002	3.66	2.38	10.2	3	9.1	12.0	0.41	1.14	10.3	0.140	0.38	18.8	65
E918791		101.0	0.004	3.39	1.71	11.6	2	7.7	10.6	0.33	0.69	10.7	0.124	0.36	20.8	55
E918792		117.5	0.019	4.49	2.50	11.5	2	8.2	9.7	0.36	0.90	11.8	0.159	0.45	35.3	68
E918793		110.5	<0.002	0.37	1.33	12.4	2	6.6	13.2	0.57	0.26	12.6	0.171	0.38	6.8	66
E918794		118.5	0.011	0.34	0.99	15.1	4	6.3	17.7	0.68	0.27	15.3	0.202	0.43	6.9	81
E918796		122.5	0.005	1.34	1.16	11.4	3	7.9	493.0	0.22	0.20	11.7	0.116	0.38	17.4	62
E918797		91.7	<0.002	0.34	0.82	12.3	3	4.3	19.7	0.45	0.20	11.6	0.144	0.33	8.1	63
E918798		114.0	0.006	1.26	1.49	14.0	3	5.1	17.8	0.56	0.43	13.4	0.172	0.39	11.9	70
E918799		116.0	0.005	1.72	1.90	13.1	3	5.4	13.1	0.51	0.41	13.6	0.171	0.42	7.5	73
E918800		150.5	<0.002	0.95	1.82	20.1	2	6.9	18.3	0.43	0.23	18.2	0.187	0.49	8.2	99
E918801		111.0	<0.002	0.67	1.08	14.7	2	5.5	26.6	0.43	0.14	12.6	0.163	0.36	7.1	67
E918802		120.5	<0.002	0.38	1.33	16.2	2	6.7	22.4	0.44	0.06	13.7	0.188	0.37	8.4	74
E918803		121.0	<0.002	0.37	1.12	14.4	3	7.1	13.9	0.41	0.05	16.1	0.190	0.39	6.1	75
E918804		164.0	<0.002	0.52	1.48	19.4	2	12.2	28.1	0.37	0.08	22.6	0.246	0.51	7.7	105
E918805		103.0	<0.002	0.48	1.70	12.6	2	7.5	21.9	0.24	0.08	14.9	0.146	0.32	7.2	69
E918807		124.0	<0.002	0.77	2.88	14.2	3	9.1	49.7	0.24	0.13	15.3	0.159	0.38	8.2	85
E918808		113.5	<0.002	1.90	3.39	14.4	6	11.2	33.9	0.24	0.34	11.9	0.144	0.41	8.0	82
E918809		152.5	<0.002	1.13	2.54	16.8	4	13.5	51.7	0.32	0.21	17.6	0.191	0.48	8.1	82
E918810		145.0	<0.002	1.14	3.18	16.0	3	14.2	57.9	0.33	0.17	16.2	0.198	0.51	7.3	87
E918811		124.0	0.003	1.02	3.68	12.3	3	10.3	47.8	0.18	0.15	12.4	0.127	0.47	6.5	77
E918812		74.1	<0.002	0.94	3.19	5.8	2	3.3	60.6	0.07	0.12	6.4	0.038	0.22	6.6	58
E918813		117.5	0.003	2.54	2.43	21.4	3	17.8	67.3	0.19	0.30	17.3	0.143	0.41	10.0	79
E918814		67.8	<0.002	2.19	3.10	9.4	3	7.1	121.0	0.10	0.25	11.3	0.063	0.21	6.2	56
E918815		76.1	<0.002	1.95	2.85	11.1	3	8.1	71.9	0.13	0.19	8.4	0.076	0.24	7.7	53
E918817		80.8	0.021	2.40	1.75	10.6	4	8.0	620.0	0.23	0.27	8.5	0.099	0.45	287.0	55
E918818		87.5	0.005	3.46	3.37	12.2	3	10.4	97.1	0.16	0.46	11.3	0.096	0.27	13.3	65
E918819		86.3	0.006	3.59	2.47	11.2	3	10.5	41.9	0.16	0.47	12.6	0.097	0.23	10.6	60
E918820		99.2	0.005	3.51	1.92	11.6	3	14.2	43.1	0.20	0.36	11.6	0.117	0.52	15.8	82
E918821		80.8	0.005	2.98	1.76	8.9	3	11.1	54.0	0.18	0.25	12.0	0.097	0.31	24.5	65

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E918778		11.8	17.3	20	68.9		0.009
E918779		6.3	12.2	18	45.7		0.043
E918780		16.1	13.0	19	59.7		0.023
E918781		22.3	14.1	3	54.6		0.007
E918782		12.9	16.7	6	24.0		0.027
E918783		13.0	21.7	7	24.7		0.045
E918784		8.6	16.6	3	16.6		0.024
E918786		21.9	14.5	2	74.5		0.026
E918787		16.2	15.0	4	58.1		0.009
E918788		16.9	15.4	4	52.9		0.023
E918789		13.8	15.9	6	76.8		0.032
E918790		12.7	11.6	5	73.0		0.032
E918791		10.6	9.1	3	64.6		0.027
E918792		12.1	10.6	3	78.9		0.035
E918793		12.2	10.9	<2	75.3		0.012
E918794		13.2	24.8	3	91.0		0.017
E918796		8.6	11.7	6	70.3		0.018
E918797		9.2	33.2	6	72.5		0.015
E918798		11.5	24.5	6	83.8		0.023
E918799		11.3	11.7	5	77.6		0.032
E918800		12.6	14.9	3	94.0		0.020
E918801		10.4	15.3	3	73.8		0.010
E918802		12.8	10.5	3	76.4		0.009
E918803		12.8	10.3	2	79.4		0.017
E918804		16.9	12.5	5	109.0		0.009
E918805		11.2	9.9	5	71.3		0.009
E918807		12.9	12.7	10	83.4		0.008
E918808		13.5	12.4	10	74.3		0.022
E918809		17.2	12.8	5	89.9		0.013
E918810		17.6	12.4	4	91.0		0.013
E918811		11.9	11.7	3	64.7		0.016
E918812		4.7	9.5	4	42.3		0.009
E918813		14.8	17.8	6	84.9		0.015
E918814		7.1	13.8	8	54.3		0.012
E918815		8.4	13.7	9	51.2		0.012
E918817		9.2	15.9	10	65.5		0.050
E918818		10.8	16.8	9	64.5		0.020
E918819		9.9	13.4	5	59.8		0.027
E918820		11.8	13.4	6	76.2		0.025
E918821		9.8	15.5	10	75.0		0.021

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E918822		1.24	0.26	5.11	15.2	200	1.32	2.48	2.56	<0.02	62.30	105.5	26	2.42	851.0	10.95
E918823		1.17	0.07	7.80	5.7	1020	2.89	0.29	1.57	<0.02	96.00	47.6	40	3.07	238.0	11.60
E918824		1.28	0.09	4.96	8.4	410	1.30	0.65	2.16	<0.02	97.00	71.5	25	1.56	160.0	12.90
E918825		1.53	0.15	4.93	10.4	450	0.83	1.50	2.67	<0.02	42.50	78.6	23	1.40	380.0	10.00
E918826		1.79	0.19	5.04	15.7	340	0.67	1.73	4.30	<0.02	89.20	86.9	24	1.13	228.0	10.45
E918828		1.04	0.40	5.02	30.4	480	0.63	2.30	3.85	<0.02	101.50	134.5	20	0.79	220.0	11.70
E918829		1.07	0.27	6.59	26.5	330	0.52	2.07	4.03	<0.02	94.00	95.8	21	0.40	68.8	7.53
E918830		1.54	0.17	6.35	21.5	330	0.62	1.77	4.47	<0.02	171.00	94.2	22	0.69	92.7	10.40
E918831		1.22	0.54	4.76	51.9	120	0.51	4.01	6.12	<0.02	226.00	146.0	25	1.08	99.8	14.30
E918832		1.43	1.86	4.40	184.5	140	0.58	12.75	3.55	0.02	80.40	399.0	16	1.56	233.0	20.10
E918833		1.60	0.49	6.42	59.3	100	0.73	4.38	2.69	<0.02	117.00	157.0	29	0.66	49.6	12.00
E918834		1.40	0.50	4.67	51.7	120	0.52	4.74	1.94	<0.02	63.40	176.5	28	0.53	191.5	16.40
E918835		0.95	1.19	6.17	127.0	160	0.71	9.05	2.51	<0.02	96.70	330.0	21	0.85	65.8	13.75
E918836		1.77	0.28	6.39	48.3	140	0.63	3.82	2.36	<0.02	142.00	144.0	27	0.39	35.1	11.15
E918838		0.25	1.15	2.35	70.3	50	0.81	10.55	2.15	<0.02	229.00	344.0	13	2.77	9200.0	27.00
E918839		1.52	0.37	6.95	58.1	150	0.79	3.38	3.52	<0.02	128.00	130.5	12	0.73	87.3	8.04
E918840		1.34	0.45	6.49	108.5	90	0.53	4.11	4.93	<0.02	191.50	180.0	14	0.47	47.7	9.04
E918841		1.32	0.67	4.10	75.0	240	0.50	4.74	3.87	<0.02	106.50	246.0	21	0.75	135.0	15.80
E918842		2.09	0.85	4.02	105.5	90	0.45	6.48	3.95	<0.02	62.50	275.0	17	0.85	282.0	17.45
E918843		2.02	0.16	7.14	18.2	1530	2.13	0.79	4.86	<0.02	45.70	38.7	36	3.41	176.5	5.60
E918844		3.01	0.29	6.12	25.9	1460	2.61	0.87	4.04	<0.02	62.20	35.6	28	3.89	234.0	4.58
E918845		2.24	0.13	5.38	22.1	1560	2.44	0.97	5.63	<0.02	88.90	31.0	25	3.46	826.0	6.87
E918846		2.66	0.08	5.34	18.9	1730	1.95	0.94	6.70	<0.02	89.70	28.6	23	2.66	114.0	6.47
E918847		2.53	0.68	3.77	97.4	90	1.60	8.50	5.63	<0.02	126.00	146.0	16	2.49	333.0	13.85
E918849		2.53	0.17	6.27	37.1	630	2.40	2.43	3.59	<0.02	88.40	55.1	32	3.92	637.0	7.00
E918850		2.22	0.11	6.99	23.6	2100	2.86	1.49	5.42	<0.02	87.90	28.7	32	4.66	238.0	5.61
E918901		2.44	1.35	3.80	107.5	290	1.22	10.25	5.71	<0.02	99.90	153.5	17	1.96	209.0	17.35
E918902		2.87	0.54	5.66	70.3	150	2.10	4.43	5.77	<0.02	71.50	77.7	30	3.75	176.5	11.05
E918903		2.93	0.86	2.09	74.8	120	0.52	10.20	5.20	<0.02	152.00	186.0	6	1.15	1170.0	24.40
E918904		2.76	0.71	0.99	77.1	130	0.28	8.61	3.44	<0.02	113.50	211.0	5	0.57	2080.0	27.60
E918905		3.06	0.50	5.45	61.5	260	2.30	4.08	5.48	<0.02	150.00	116.5	30	3.95	205.0	10.90
E918906		2.78	0.21	3.03	24.7	740	1.14	1.06	6.92	<0.02	146.50	39.9	19	2.10	957.0	18.25
E918907		2.39	0.16	6.40	27.7	2740	2.85	0.80	7.01	<0.02	332.00	26.1	35	4.78	100.0	6.95
E918909		0.18	0.26	6.60	41.1	790	2.37	1.58	1.93	<0.02	78.90	105.5	46	5.94	1570.0	6.62
E918910		1.86	0.15	7.09	35.4	1690	3.38	1.43	4.01	<0.02	70.00	37.3	42	5.84	446.0	5.92
E918911		2.88	0.22	6.36	39.4	680	3.06	2.11	4.80	<0.02	57.80	58.4	37	5.43	254.0	7.80
E918912		2.58	0.45	6.78	43.9	440	3.07	2.07	3.12	<0.02	444.00	71.3	40	5.02	107.0	7.75
E918913		2.56	0.30	8.23	30.0	1090	3.89	1.88	3.08	<0.02	91.60	68.8	46	7.37	340.0	6.74
E918947		2.02	1.05	5.15	279.0	870	2.34	26.30	3.01	<0.02	123.00	319.0	24	4.27	1260.0	17.10
E918948		1.53	1.49	3.82	317.0	1280	1.62	36.90	4.62	<0.02	124.00	385.0	14	3.08	1290.0	24.50

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E918822		12.90	0.22	1.6	0.031	2.62	45.2	23.2	0.98	3140	50.10	0.40	2.3	28.5	1010	4.3
E918823		22.80	0.25	2.3	0.045	4.37	71.8	21.5	0.69	1750	11.75	0.14	2.4	22.4	1140	2.2
E918824		13.05	0.24	1.6	0.027	2.94	71.1	19.0	0.82	2570	7.11	0.31	1.4	29.6	770	1.9
E918825		11.15	0.20	1.5	0.021	2.68	31.4	25.1	0.88	3020	30.00	0.70	1.3	24.1	700	2.9
E918826		11.20	0.22	1.4	0.024	0.41	67.1	62.3	1.52	3920	23.00	1.99	1.8	22.7	940	2.2
E918828		11.35	0.25	1.3	0.024	0.34	78.7	16.9	1.32	3700	53.50	2.86	3.1	28.2	1220	5.1
E918829		10.55	0.16	1.5	0.011	0.22	71.1	8.2	1.17	3260	30.00	4.78	2.8	16.7	1480	3.2
E918830		12.40	0.27	1.4	0.022	0.27	136.5	11.9	1.42	4210	21.40	4.15	2.9	20.0	1040	3.1
E918831		11.30	0.34	1.3	0.052	0.38	180.0	19.2	2.19	6180	28.50	2.38	3.4	37.9	1270	8.9
E918832		9.75	0.30	1.2	0.037	0.49	61.8	25.9	1.60	3940	25.70	1.64	2.8	69.2	740	28.9
E918833		12.90	0.24	1.7	0.018	0.25	90.4	12.5	1.02	2900	32.40	4.26	2.9	35.5	1400	8.9
E918834		11.80	0.26	1.2	0.024	0.18	47.7	10.2	0.76	1800	32.80	2.95	3.3	44.9	1270	8.2
E918835		12.10	0.25	1.8	0.015	0.25	76.7	15.1	0.94	2450	44.00	3.89	3.8	52.7	1160	19.8
E918836		12.85	0.26	1.5	0.008	0.13	111.0	8.2	0.73	1960	37.30	4.55	2.4	31.6	1040	4.6
E918838		8.31	0.39	0.7	0.256	0.66	130.0	23.8	1.48	6030	61.50	0.24	5.4	59.3	2420	6.0
E918839		12.95	0.20	1.7	0.016	0.27	94.9	13.7	1.13	3240	20.00	4.76	2.1	27.3	730	6.6
E918840		11.60	0.26	2.3	0.008	0.17	146.5	7.9	1.38	3720	12.70	4.48	3.0	34.1	850	7.4
E918841		9.86	0.26	1.4	0.019	0.22	81.7	15.4	1.43	3420	45.00	2.29	2.6	43.1	830	11.1
E918842		10.20	0.27	1.3	0.021	0.22	46.6	17.5	1.44	3400	29.70	2.14	2.7	53.3	550	11.6
E918843		18.25	0.14	2.1	0.049	2.09	30.7	26.8	1.87	4810	5.98	2.32	3.9	18.3	680	3.1
E918844		17.95	0.15	2.4	0.053	2.83	42.0	16.8	1.53	4010	60.10	0.68	4.5	27.3	500	3.4
E918845		14.90	0.18	1.8	0.066	2.65	60.4	14.1	2.15	6570	12.90	0.12	4.6	14.3	740	2.5
E918846		11.80	0.15	1.7	0.062	2.72	60.0	10.8	2.41	6610	10.85	0.07	4.6	11.2	720	1.7
E918847		10.85	0.30	1.6	0.052	1.81	94.6	13.6	1.93	7430	29.50	0.09	5.3	38.7	1320	5.5
E918849		15.40	0.16	2.2	0.064	3.14	60.2	16.1	1.23	4400	14.80	0.04	3.8	17.6	660	2.4
E918850		18.35	0.18	2.4	0.070	3.58	55.8	16.3	2.02	5250	20.60	0.05	4.8	13.6	620	2.0
E918901		8.63	0.25	1.1	0.039	1.85	77.0	11.6	1.66	6800	29.40	0.12	3.5	41.8	840	5.4
E918902		14.35	0.20	1.6	0.065	2.69	57.3	25.4	1.67	7420	28.10	0.08	3.4	30.3	720	3.7
E918903		7.28	0.38	0.5	0.082	0.37	129.5	24.6	2.11	7630	36.50	0.06	2.0	60.8	620	8.6
E918904		5.94	0.38	0.3	0.040	0.23	100.0	9.3	1.03	4790	39.70	0.01	1.9	51.4	630	5.7
E918905		14.35	0.24	1.5	0.065	2.70	112.0	27.9	1.68	6270	38.30	0.04	4.2	40.5	1020	4.2
E918906		9.91	0.33	0.9	0.067	1.36	106.0	17.5	1.77	9710	19.00	0.08	3.9	46.6	830	3.1
E918907		17.55	0.33	1.9	0.068	3.28	230.0	25.6	2.13	6760	11.50	0.06	4.2	22.7	970	2.1
E918909		17.70	0.17	1.7	0.115	2.95	45.3	20.3	1.27	3160	20.60	0.57	3.4	24.4	980	2.6
E918910		19.30	0.19	2.1	0.076	3.69	45.3	29.7	1.27	5240	4.92	0.05	3.6	21.5	700	2.2
E918911		17.25	0.17	2.0	0.074	3.29	39.5	29.8	1.39	6330	20.70	0.05	3.7	28.0	750	2.5
E918912		20.50	0.53	1.8	0.065	3.46	331.0	42.2	1.17	3820	17.20	0.04	5.9	30.3	1410	3.2
E918913		23.20	0.27	2.4	0.083	4.16	56.0	46.8	1.34	3730	12.80	0.06	4.8	26.3	760	2.5
E918947		14.80	0.35	1.6	0.064	2.57	93.2	27.4	1.08	3700	25.40	0.05	6.3	62.1	1680	4.4
E918948		10.95	0.39	1.0	0.069	1.93	98.5	19.6	1.08	5090	43.50	0.04	4.8	83.6	1330	5.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E918822		79.9	0.002	2.46	1.45	5.9	1	7.2	105.5	0.13	0.17	12.0	0.067	0.23	20.3	48
E918823		147.0	<0.002	1.46	1.04	9.9	1	17.0	44.5	0.12	<0.05	13.8	0.122	0.32	11.5	67
E918824		80.5	<0.002	2.11	1.02	4.4	1	5.3	37.5	0.10	<0.05	11.7	0.051	0.20	10.9	42
E918825		69.8	<0.002	1.57	1.25	6.1	1	3.5	45.2	0.09	0.09	12.2	0.038	0.20	12.7	38
E918826		13.6	<0.002	1.32	1.19	7.9	1	1.1	104.5	0.11	0.12	12.0	0.030	0.08	10.2	30
E918828		9.9	<0.002	2.33	1.68	7.0	2	1.5	47.4	0.16	0.16	11.9	0.044	0.07	14.9	41
E918829		2.8	<0.002	1.82	1.16	5.6	1	1.4	49.7	0.17	0.14	14.0	0.054	0.03	8.3	22
E918830		7.1	<0.002	1.40	2.39	8.2	1	1.3	52.5	0.16	0.11	12.4	0.042	0.05	9.1	36
E918831		12.1	0.004	2.96	2.22	9.1	1	1.5	49.4	0.18	0.24	13.1	0.040	0.10	19.3	47
E918832		13.8	0.005	>10.0	2.92	6.1	2	1.3	35.3	0.15	0.61	6.8	0.037	0.19	35.9	44
E918833		6.4	0.017	3.51	1.98	5.1	1	1.4	45.2	0.16	0.25	12.6	0.043	0.10	12.4	41
E918834		4.7	0.006	4.08	2.36	3.5	2	1.5	87.5	0.17	0.24	10.6	0.041	0.10	10.4	72
E918835		5.7	0.007	7.60	2.59	5.2	2	1.8	43.5	0.22	0.50	12.0	0.054	0.10	22.3	36
E918836		3.0	0.006	3.09	1.57	4.3	1	1.4	48.6	0.13	0.22	11.5	0.035	0.06	8.3	42
E918838		34.4	0.015	7.68	2.29	3.8	5	7.4	166.0	0.13	1.29	6.6	0.034	0.48	14.5	57
E918839		6.3	0.002	2.95	1.19	6.2	1	1.3	53.8	0.13	0.21	13.2	0.035	0.08	12.1	16
E918840		3.9	0.002	5.21	1.56	9.9	1	1.4	58.8	0.18	0.29	16.9	0.045	0.06	8.4	10
E918841		6.0	0.005	6.36	2.20	5.8	1	1.3	38.1	0.15	0.22	11.8	0.041	0.10	13.5	53
E918842		6.3	0.002	8.35	1.93	6.4	2	1.1	38.2	0.17	0.31	9.9	0.040	0.10	16.6	53
E918843		79.4	<0.002	0.59	1.14	11.7	1	6.2	44.3	0.30	0.09	14.5	0.112	0.26	8.9	48
E918844		108.5	0.021	0.83	1.30	10.9	1	7.6	25.3	0.34	0.09	20.0	0.123	0.32	6.0	51
E918845		101.0	0.003	0.98	0.76	8.8	1	6.6	20.3	0.27	0.14	12.1	0.112	0.27	5.8	48
E918846		82.8	<0.002	0.81	0.78	6.3	<1	6.2	24.4	0.25	0.11	12.1	0.114	0.23	4.4	48
E918847		74.1	0.004	5.90	1.81	7.0	2	6.6	45.0	0.21	0.64	10.4	0.078	0.30	9.2	47
E918849		116.5	0.004	1.83	0.84	9.9	1	9.3	30.1	0.24	0.15	12.9	0.129	0.34	9.2	54
E918850		130.0	0.007	1.08	2.20	14.8	1	8.6	20.9	0.34	0.12	13.5	0.265	0.39	7.5	115
E918901		57.9	0.004	9.66	1.98	6.0	1	6.0	51.1	0.13	0.69	7.8	0.077	0.34	9.1	51
E918902		100.5	0.004	4.06	1.39	8.9	1	11.9	65.6	0.15	0.29	12.2	0.104	0.44	8.8	55
E918903		14.9	0.003	7.39	3.15	2.9	2	2.3	32.9	0.07	0.63	5.5	0.026	0.22	12.2	33
E918904		9.2	0.003	8.17	3.44	1.8	2	2.0	36.6	0.06	0.67	3.4	0.022	0.10	8.6	35
E918905		105.0	0.004	3.40	2.42	9.5	2	11.0	67.4	0.18	0.49	12.1	0.108	0.34	8.1	65
E918906		55.2	0.003	1.11	1.17	5.4	2	4.8	108.0	0.10	0.18	10.5	0.060	0.18	7.4	49
E918907		126.5	0.002	0.90	1.04	10.4	1	8.2	84.0	0.24	0.17	19.8	0.140	0.35	4.9	65
E918909		122.0	0.005	1.39	1.07	10.0	1	7.2	503.0	0.21	0.17	13.1	0.120	0.33	18.6	60
E918910		147.0	<0.002	1.32	1.11	11.8	1	9.1	53.0	0.24	0.18	14.7	0.154	0.43	7.2	68
E918911		134.0	0.004	1.83	1.21	11.3	1	8.6	71.0	0.22	0.23	12.1	0.136	0.38	10.5	63
E918912		134.5	0.006	1.59	3.11	11.6	2	12.0	55.2	0.23	0.23	12.8	0.138	0.39	7.5	63
E918913		169.5	0.009	1.54	2.95	13.8	2	10.0	45.6	0.26	0.21	12.3	0.170	0.64	8.2	77
E918947		103.5	0.009	>10.0	1.94	7.8	3	17.6	28.7	0.20	0.45	9.7	0.088	0.56	14.7	77
E918948		75.8	0.014	>10.0	2.30	6.7	3	14.0	46.3	0.13	0.81	5.5	0.062	0.48	15.8	64

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E918822		7.1	10.9	10	50.4		0.014
E918823		11.5	12.0	7	72.0		0.002
E918824		5.9	10.2	11	50.4		0.011
E918825		4.3	9.1	10	48.3		0.008
E918826		3.5	10.4	14	44.7		0.004
E918828		6.4	12.3	10	41.6		0.017
E918829		5.0	10.3	7	47.7		0.017
E918830		6.9	12.6	8	46.1		0.006
E918831		8.6	15.9	15	38.6		0.021
E918832		9.0	11.8	29	38.2		0.090
E918833		5.6	12.2	12	51.2		0.024
E918834		7.9	9.5	10	36.8		0.033
E918835		7.3	11.9	18	55.4		0.060
E918836		5.1	9.6	8	44.5		0.024
E918838		6.4	14.2	10	22.4		0.114
E918839		3.9	10.2	13	50.8		0.023
E918840		4.0	12.4	7	65.8		0.036
E918841		7.3	10.2	13	39.8		0.030
E918842		6.3	9.5	14	40.6		0.051
E918843		9.6	14.8	11	63.0		0.004
E918844		10.6	14.6	9	69.0		0.008
E918845		10.6	14.7	7	54.4		0.011
E918846		9.8	13.2	4	49.6		0.005
E918847		10.1	16.0	6	45.8		0.041
E918849		12.2	14.0	3	65.2		0.012
E918850		22.5	15.4	4	69.0		0.007
E918901		7.7	11.6	5	34.0		0.041
E918902		12.0	13.2	7	49.1		0.017
E918903		10.3	14.0	20	15.3		0.041
E918904		6.6	11.0	10	10.4		0.047
E918905		12.5	16.0	8	46.4		0.016
E918906		7.0	19.9	13	28.3		0.006
E918907		13.3	18.8	5	55.8		0.003
E918909		8.8	11.5	6	52.2		0.015
E918910		15.5	14.7	4	63.0		0.008
E918911		13.5	16.1	5	60.9		0.011
E918912		13.6	19.7	10	59.9		0.006
E918913		15.0	16.0	11	74.9		0.004
E918947		10.6	16.7	4	52.0		0.063
E918948		8.8	18.4	5	32.8		0.116

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E918949		2.30	1.54	2.58	185.5	80	1.38	23.30	4.38	0.03	264.00	277.0	15	2.12	>10000	25.00
E209551		1.91	4.92	0.39	340.0	90	0.65	39.60	3.56	<0.02	189.50	412.0	<1	0.45	>10000	37.50
E209552		1.98	1.43	2.42	217.0	60	1.12	18.15	6.00	<0.02	229.00	277.0	12	2.28	4570.0	22.10
E209553		2.39	0.28	5.28	90.9	220	2.53	6.72	4.90	<0.02	75.00	80.0	22	4.71	160.5	7.66
E209554		2.69	0.31	6.25	79.4	180	2.97	6.95	5.08	<0.02	75.30	86.0	28	5.56	51.9	7.53
E209555		2.54	0.27	7.92	64.9	560	4.06	4.20	3.73	<0.02	86.30	68.5	41	7.13	45.6	5.62
E209556		2.27	0.21	7.19	46.2	950	3.65	3.19	2.21	<0.02	80.10	55.3	38	6.44	142.5	5.33
E209557		1.82	2.68	3.40	187.0	100	1.47	24.80	1.66	0.02	64.00	401.0	18	2.89	>10000	21.10
E209558		1.21	0.39	8.49	121.0	250	4.25	10.25	0.63	<0.02	21.10	216.0	52	7.65	309.0	9.91
E209559		1.83	0.85	4.64	81.9	100	2.27	10.55	2.13	<0.02	61.00	149.0	29	3.94	5820.0	18.10
E209561		1.81	1.44	4.03	115.5	80	1.91	16.20	1.06	0.02	101.50	247.0	26	3.62	>10000	20.90
E209562		1.22	1.57	4.39	193.5	160	1.99	20.40	0.34	0.03	225.00	337.0	29	4.26	5000.0	19.35
E209563		1.22	0.74	4.26	116.5	130	1.85	16.40	0.42	<0.02	108.50	207.0	23	3.66	688.0	20.80
E209564		1.52	0.89	2.25	128.0	60	0.98	23.30	0.68	<0.02	180.00	319.0	10	2.04	2320.0	30.20
E209765		2.19	0.44	5.92	116.5	110	2.43	9.55	3.93	<0.02	66.00	160.0	29	5.76	643.0	9.29
E209766		1.88	1.49	4.74	209.0	1190	1.79	37.30	1.59	<0.02	451.00	381.0	28	4.21	4610.0	16.45
E209767		1.22	1.26	5.64	245.0	2100	2.03	33.40	1.74	<0.02	326.00	548.0	30	5.23	1580.0	18.75
E209769		0.23	1.19	2.49	81.6	50	0.60	11.00	2.27	<0.02	171.50	359.0	13	2.71	9660.0	28.30
E209770		1.72	1.10	3.33	167.5	50	1.35	17.80	5.60	<0.02	357.00	337.0	21	3.04	>10000	15.45
E209771		1.57	1.29	4.17	275.0	590	1.54	29.40	3.70	<0.02	280.00	492.0	19	3.78	1490.0	15.65
E209772		1.52	1.08	4.38	204.0	1700	1.93	27.50	3.85	<0.02	>500	432.0	21	4.56	226.0	15.15
E209773		1.47	0.52	6.24	75.0	250	2.92	8.07	1.14	<0.02	194.00	163.0	40	6.50	534.0	12.80
E209774		1.21	1.70	2.48	305.0	100	0.91	33.00	4.39	<0.02	271.00	608.0	10	2.25	1140.0	18.60
E209775		1.71	3.12	4.95	381.0	1260	1.66	58.70	0.76	0.03	347.00	874.0	30	4.71	1690.0	23.30
E209776		2.58	0.93	5.56	130.5	180	1.64	15.90	3.34	<0.02	233.00	249.0	27	5.19	3060.0	13.15
E209777		Not Recvd														
E209778		1.35	0.03	6.79	7.7	3270	3.37	0.29	0.87	<0.02	109.50	17.7	42	8.26	153.5	4.74
E209779		1.35	0.03	6.98	7.7	3150	3.54	0.18	0.70	<0.02	94.10	17.7	43	8.44	112.5	4.51
E210074		2.26	0.01	7.70	3.3	1810	2.76	0.09	0.21	0.02	45.40	42.7	56	9.16	15.5	4.98
E210075		1.37	0.02	8.39	4.5	730	1.92	0.09	1.67	<0.02	94.50	97.3	55	6.31	10.7	7.21
E210076		0.92	0.03	7.88	13.0	540	1.09	0.21	1.66	<0.02	37.40	87.1	40	5.82	8.4	8.06
E210078		0.26	1.07	5.89	60.5	130	1.80	2.85	1.98	<0.02	55.70	167.5	34	3.73	7850.0	9.40
E210079		0.94	0.04	5.08	22.2	210	0.71	0.27	2.31	<0.02	54.80	129.5	24	2.78	11.3	8.89
E210080		1.64	3.98	3.75	49.3	90	0.58	3.04	2.95	<0.02	32.90	237.0	18	0.60	99.2	10.70
E210081		1.14	0.13	7.03	3.6	910	0.54	0.11	1.88	<0.02	18.75	42.3	34	1.16	4.7	7.83
E210082		0.93	0.10	6.79	4.6	460	0.56	0.10	1.87	<0.02	77.60	62.4	32	0.56	15.7	8.23
E210083		1.10	0.21	6.51	4.5	420	0.63	0.25	2.78	<0.02	72.60	100.5	33	0.68	7.8	8.27
E210084		1.29	0.08	5.99	4.3	1400	0.62	0.04	3.55	<0.02	108.50	19.6	27	0.33	7.6	8.29
E210085		1.20	0.04	4.13	9.1	200	0.48	0.08	4.10	<0.02	176.50	96.0	20	0.69	3.0	9.87
E210086		1.89	0.04	2.31	13.5	210	0.28	0.07	2.16	<0.02	391.00	87.5	14	0.33	3.2	14.55

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E918949		10.20	0.48	0.8	0.242	1.28	220.0	13.4	1.18	5270	69.00	0.03	4.6	73.8	1890	5.7
E209551		5.30	0.60	<0.1	0.552	0.18	159.5	2.9	0.87	4770	98.40	0.01	4.2	124.5	1230	18.2
E209552		9.34	0.45	0.8	0.125	1.20	179.0	14.2	1.37	7240	62.00	0.03	4.1	70.0	1770	6.5
E209553		13.45	0.22	2.1	0.065	2.65	44.9	31.1	1.40	5020	7.29	0.05	3.0	22.7	580	2.4
E209554		16.00	0.22	2.2	0.070	3.07	45.4	38.7	1.54	5170	7.61	0.06	3.3	26.3	640	2.5
E209555		21.70	0.23	2.6	0.084	4.01	52.2	46.4	1.30	4080	13.30	0.08	6.1	19.9	770	2.2
E209556		18.55	0.22	2.7	0.110	3.69	50.2	38.9	1.16	3840	8.76	0.07	6.4	14.8	720	2.0
E209557		10.10	0.30	1.0	0.231	1.52	42.7	22.8	1.18	6620	58.00	0.03	8.1	80.8	1800	6.1
E209558		22.70	0.18	2.7	0.120	4.18	11.6	47.0	0.96	6180	20.20	0.07	8.7	39.8	1030	2.1
E209559		13.80	0.30	1.5	0.248	2.20	40.9	25.5	1.84	12850	35.00	0.04	9.7	34.5	1340	3.3
E209561		12.30	0.36	1.3	0.208	1.97	76.2	20.8	1.30	11650	61.00	0.04	10.1	44.5	1120	6.0
E209562		14.60	0.42	1.3	0.160	2.04	173.0	18.8	1.00	11650	33.30	0.04	6.8	50.1	1040	7.2
E209563		13.50	0.35	1.4	0.191	1.97	74.1	16.0	1.02	16900	36.60	0.04	4.3	39.4	1040	4.1
E209564		8.70	0.51	0.6	0.219	1.09	138.0	7.9	1.08	22700	53.10	0.03	4.6	55.0	1880	4.1
E209765		17.25	0.23	1.7	0.153	2.74	32.7	29.4	1.66	6300	21.10	0.05	5.9	39.5	1190	4.2
E209766		18.70	0.59	1.5	0.165	2.05	331.0	24.9	1.20	8350	69.00	0.04	11.8	98.3	3490	6.1
E209767		19.45	0.43	1.8	0.183	2.51	262.0	28.3	1.36	6400	66.40	0.04	17.3	116.0	3290	3.7
E209769		10.55	0.48	0.7	0.280	0.70	103.5	22.6	1.58	6420	67.90	0.24	6.4	63.2	2540	5.9
E209770		13.40	0.46	0.9	0.227	1.42	263.0	17.6	2.38	9260	68.90	0.03	10.0	88.9	2660	3.1
E209771		16.50	0.45	1.2	0.144	1.75	208.0	23.1	1.55	5610	61.50	0.03	9.9	104.0	2400	5.8
E209772		19.25	0.59	1.3	0.129	1.82	470.0	22.2	1.68	6420	89.30	0.04	25.3	87.9	3000	5.4
E209773		21.20	0.30	1.6	0.124	2.90	143.5	21.2	1.11	7430	19.25	0.05	13.2	40.2	1460	2.4
E209774		10.30	0.47	0.9	0.122	0.95	182.5	12.9	1.69	7360	90.20	0.03	14.5	126.5	2530	5.0
E209775		18.85	0.56	1.4	0.099	2.04	233.0	20.8	0.84	3530	90.50	0.04	18.8	160.5	2660	7.4
E209776		16.95	0.37	1.4	0.117	1.53	163.0	42.1	2.16	4500	44.20	0.34	12.9	72.3	2400	3.7
E209777																
E209778		27.70	0.20	1.8	0.114	3.15	68.4	36.5	0.69	1020	0.69	0.06	3.1	17.8	730	1.1
E209779		27.80	0.21	1.9	0.116	3.30	58.3	36.6	0.64	1020	0.43	0.06	3.4	17.0	720	1.1
E210074		23.10	0.14	2.2	0.038	3.67	30.2	29.3	0.47	54	1.35	0.57	5.9	9.0	800	1.5
E210075		23.20	0.24	2.5	0.023	1.74	66.4	14.7	0.69	1190	12.00	4.05	8.5	8.5	880	1.4
E210076		16.60	0.19	2.2	0.009	0.94	27.0	5.5	0.59	1150	6.73	4.68	5.6	8.8	750	1.4
E210078		15.50	0.23	1.7	0.145	2.14	24.1	25.3	1.19	3440	67.50	0.97	4.4	37.7	880	21.8
E210079		10.45	0.21	1.6	<0.005	0.55	29.2	3.2	0.70	1560	6.54	2.98	6.2	11.7	840	2.2
E210080		7.18	0.54	1.3	0.008	0.28	15.4	3.0	0.80	2400	1400.00	2.37	4.0	30.7	730	147.5
E210081		11.35	0.18	1.6	<0.005	0.34	14.5	2.4	0.56	1430	173.00	4.87	2.3	5.5	770	1.4
E210082		11.50	0.24	1.7	0.013	0.29	60.7	5.2	0.70	2040	151.50	4.75	2.6	5.5	840	1.3
E210083		12.05	0.25	1.8	0.017	0.33	56.9	2.8	1.01	2780	395.00	4.56	4.2	8.4	940	1.6
E210084		12.35	0.26	1.2	0.011	0.23	90.5	2.8	0.97	2880	24.10	4.14	3.7	7.2	1100	1.2
E210085		11.30	0.34	0.9	0.014	0.35	133.0	7.3	1.53	2600	3.43	2.36	1.8	20.9	1740	1.4
E210086		12.50	0.59	0.6	0.013	0.18	276.0	11.8	0.97	1310	3.97	0.97	1.6	48.7	2720	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E918949		54.0	0.017	>10.0	3.07	4.4	5	11.7	40.8	0.09	0.56	6.5	0.046	0.59	23.5	52
E209551		8.1	0.028	>10.0	6.01	1.5	8	6.9	36.2	0.06	1.37	2.7	0.013	0.87	44.3	27
E209552		53.9	0.014	9.15	2.88	4.5	4	10.0	77.8	0.10	0.55	6.8	0.041	0.98	14.3	55
E209553		112.0	0.005	4.38	1.26	7.2	2	12.1	71.7	0.19	0.09	11.6	0.093	0.55	7.4	40
E209554		129.0	0.004	3.93	1.34	9.0	2	12.1	79.5	0.21	0.07	12.0	0.105	0.64	10.5	51
E209555		174.5	0.008	2.02	1.74	11.6	2	17.0	61.5	0.36	0.09	14.8	0.148	0.83	21.1	70
E209556		153.0	0.011	1.39	1.41	10.6	2	17.4	24.1	0.34	0.09	12.8	0.134	0.85	23.6	69
E209557		69.6	0.013	>10.0	2.25	4.6	4	12.4	13.3	0.21	0.52	3.1	0.058	1.04	16.1	56
E209558		174.5	0.006	3.67	1.29	12.0	1	29.9	12.5	0.26	0.26	3.1	0.133	1.22	9.2	84
E209559		96.0	0.006	3.56	1.19	7.7	2	15.5	13.3	0.32	0.18	4.0	0.071	0.83	15.5	53
E209561		84.9	0.011	5.87	1.44	5.7	3	12.8	11.0	0.37	0.26	5.3	0.061	1.07	30.5	45
E209562		91.8	0.008	6.48	1.54	5.9	2	11.9	12.4	0.23	0.35	9.3	0.069	1.74	16.9	46
E209563		84.0	0.009	4.23	1.24	6.9	2	9.3	12.8	0.14	0.33	9.3	0.067	0.80	16.5	49
E209564		48.9	0.016	7.28	1.95	4.7	5	7.2	14.3	0.08	1.06	4.9	0.035	0.57	5.0	41
E209765		120.5	0.014	4.33	1.09	10.0	3	12.8	227.0	0.23	0.44	8.3	0.102	0.55	11.3	77
E209766		92.2	0.036	9.97	2.73	7.9	7	21.6	26.5	0.21	1.53	10.6	0.081	0.73	32.9	116
E209767		107.0	0.029	>10.0	1.83	7.6	7	29.4	32.9	0.28	1.87	10.4	0.106	0.50	19.0	134
E209769		37.8	0.019	7.75	2.17	4.6	5	7.7	171.0	0.13	1.02	5.2	0.038	0.46	15.8	61
E209770		65.9	0.046	9.04	1.44	8.5	8	16.8	23.9	0.22	0.96	5.9	0.070	0.29	12.7	105
E209771		77.6	0.041	>10.0	2.19	7.3	6	19.7	43.4	0.21	1.09	7.3	0.082	0.33	16.9	88
E209772		84.1	0.025	>10.0	4.41	7.0	6	43.7	55.7	0.34	1.36	9.4	0.084	0.38	13.4	89
E209773		127.5	0.009	2.97	1.25	8.1	3	49.1	50.9	0.29	0.40	11.0	0.099	0.51	12.2	98
E209774		43.2	0.024	>10.0	2.86	5.6	9	18.5	70.2	0.25	1.44	6.2	0.052	0.24	11.6	65
E209775		89.9	0.021	>10.0	3.26	5.2	8	32.6	49.8	0.35	1.61	9.3	0.087	0.53	18.1	105
E209776		70.5	0.018	6.44	1.76	8.6	4	15.3	43.2	0.42	0.43	11.9	0.106	0.39	15.0	94
E209777																
E209778		152.5	0.003	0.26	1.10	12.3	1	8.2	399.0	0.16	<0.05	10.5	0.138	0.54	4.2	67
E209779		154.0	0.002	0.23	1.08	12.5	1	8.4	389.0	0.19	<0.05	10.0	0.147	0.58	2.8	69
E210074		144.5	0.002	0.47	1.09	12.0	1	13.1	1155.0	0.37	<0.05	12.7	0.210	0.40	8.3	71
E210075		73.0	0.003	0.79	0.48	27.0	1	18.3	777.0	0.57	<0.05	12.2	0.239	0.22	6.6	88
E210076		34.3	0.002	0.96	0.40	11.3	2	8.8	445.0	0.45	0.07	9.7	0.200	0.14	6.7	58
E210078		88.5	0.025	2.49	1.64	10.0	3	7.7	589.0	0.22	0.22	7.7	0.095	0.44	295.0	55
E210079		17.5	0.002	1.45	0.46	8.0	2	5.7	1240.0	0.42	0.10	4.7	0.149	0.11	17.1	47
E210080		10.2	0.132	3.65	1.85	5.6	7	4.9	897.0	0.26	0.47	12.6	0.107	0.41	1760.0	45
E210081		13.1	0.012	0.46	0.39	4.5	2	6.7	1060.0	0.24	<0.05	4.7	0.172	0.09	5.9	60
E210082		11.0	0.018	0.63	0.36	5.7	2	6.8	1130.0	0.27	0.07	4.6	0.183	0.08	6.4	56
E210083		11.7	0.058	0.90	0.33	8.3	3	6.6	807.0	0.43	0.11	10.0	0.164	0.08	4.9	49
E210084		7.9	0.007	0.29	0.40	7.8	2	5.8	1315.0	0.31	0.10	6.7	0.127	0.06	2.9	46
E210085		11.5	0.003	0.79	0.80	9.5	2	3.9	1055.0	0.12	0.05	7.3	0.068	0.08	1.8	57
E210086		6.5	0.003	0.71	0.81	4.9	2	2.2	1690.0	0.08	0.07	12.6	0.034	0.04	3.3	99

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E918949		7.6	23.0	2	27.0	1.475	0.125
E209551		3.7	21.5	3	4.3	5.10	0.327
E209552		7.7	27.9	4	25.6		0.063
E209553		10.3	16.9	3	65.4		0.013
E209554		12.3	17.6	3	68.0		0.009
E209555		13.7	19.1	4	82.2		0.006
E209556		13.3	15.9	5	82.7		0.011
E209557		9.8	13.9	7	34.7	1.540	0.102
E209558		14.7	14.0	10	82.4		0.028
E209559		9.6	16.9	15	47.1		0.033
E209561		9.0	13.0	17	41.1	1.145	0.041
E209562		9.4	12.5	8	45.4		0.037
E209563		10.7	12.8	10	45.7		0.018
E209564		9.9	13.5	10	19.4		0.029
E209765		14.8	16.6	7	53.9		0.018
E209766		14.7	22.3	12	44.6		0.056
E209767		17.6	20.3	12	58.4		0.065
E209769		6.9	15.3	7	24.2		0.114
E209770		12.9	25.4	10	30.9	1.365	0.088
E209771		14.8	21.0	11	39.7		0.075
E209772		15.1	21.9	11	42.6		0.048
E209773		14.9	13.2	8	51.8		0.014
E209774		11.0	16.8	11	27.1		0.084
E209775		14.0	18.0	16	45.3		0.125
E209776		11.9	17.7	27	45.8		0.033
E209777							
E209778		13.1	9.2	5	60.6		0.004
E209779		14.0	8.7	5	61.2		0.008
E210074		7.8	8.9	5	75.7		0.008
E210075		4.7	10.4	4	82.8		0.002
E210076		2.5	9.2	5	74.8		0.005
E210078		8.9	15.6	8	57.3		0.056
E210079		2.9	8.2	4	51.8		0.005
E210080		4.3	36.2	4	44.1		0.090
E210081		3.5	8.0	3	52.3		0.007
E210082		3.1	9.2	4	53.3		0.005
E210083		2.4	10.6	4	61.9		0.010
E210084		2.5	9.0	4	41.8		0.005
E210085		3.1	10.0	6	28.9		0.002
E210086		2.9	12.6	9	19.3		0.003

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E210087		0.75	0.07	3.97	4.9	210	0.49	0.10	3.10	<0.02	101.50	175.5	20	0.62	3.6	8.04
E210088		0.56	0.11	4.23	7.8	120	0.50	0.18	4.01	<0.02	97.30	329.0	22	0.89	3.1	10.80
E210090		2.22	0.04	7.55	7.5	380	0.99	0.06	3.48	<0.02	17.25	137.0	40	1.09	19.8	9.73
E210091		1.09	0.14	7.20	6.8	970	0.77	0.19	3.19	<0.02	24.20	85.8	35	0.76	24.0	8.06
E210092		1.21	1.02	8.36	17.7	110	1.71	1.02	1.63	<0.02	14.60	572.0	48	2.40	48.8	8.49
E210093		1.02	0.03	7.85	3.8	1880	1.18	0.08	4.48	<0.02	8.84	82.5	47	1.55	4.2	4.02
E210094		1.54	0.01	7.07	5.3	380	0.94	0.06	3.07	<0.02	2.80	43.2	41	0.65	3.4	2.40
E210095		1.76	0.05	8.29	8.6	1670	1.63	0.09	2.68	0.05	2.92	38.3	55	0.82	10.5	4.18
E210096		0.69	0.04	8.26	20.3	790	1.79	0.23	3.06	<0.02	2.30	125.0	55	1.07	6.3	4.57
E210127		2.39	0.48	7.13	240.0	250	0.46	2.07	3.82	<0.02	25.80	255.0	29	0.22	46.0	7.91
E210128		3.25	0.31	9.35	196.0	340	1.60	1.50	1.29	<0.02	140.00	114.0	50	1.27	18.3	4.67
E210129		1.23	0.62	8.89	781.0	110	1.31	3.13	1.52	<0.02	60.70	306.0	45	0.93	43.0	6.63
E210130		1.31	0.70	8.65	662.0	100	1.72	3.38	1.63	<0.02	113.00	368.0	51	1.51	52.4	7.42
E210131		0.52	0.38	7.06	266.0	210	0.50	1.08	3.25	<0.02	53.00	167.0	29	0.30	25.4	8.31
E210132		0.68	0.37	6.80	143.0	250	0.48	0.83	3.35	<0.02	58.20	133.5	30	0.29	24.2	7.19
E210134		1.17	0.58	6.22	487.0	170	0.54	2.78	2.28	<0.02	112.50	307.0	36	0.27	43.1	7.67
E210135		1.28	0.93	6.46	206.0	160	1.09	3.21	0.69	<0.02	10.10	465.0	42	0.70	86.4	6.34
E210136		1.32	1.21	3.84	187.0	170	0.26	2.15	3.08	0.02	28.50	981.0	18	0.25	74.4	16.90
E210137		2.12	4.35	3.97	288.0	210	0.37	3.70	3.05	<0.02	30.20	1220.0	17	0.31	66.1	21.00
E210138		0.92	2.18	4.13	245.0	90	0.40	4.86	5.59	<0.02	143.00	645.0	23	0.30	63.1	15.45
E210139		1.72	2.97	5.99	231.0	180	0.80	6.33	2.90	<0.02	79.40	975.0	19	0.68	162.0	13.55
E210140		2.61	1.84	6.26	229.0	340	0.45	2.96	4.37	<0.02	74.60	610.0	34	0.19	37.6	10.45

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E210087		7.64	0.26	1.1	0.010	0.19	60.0	3.9	1.01	2590	8.23	2.60	1.6	16.1	510	4.3
E210088		8.55	0.29	1.1	0.008	0.27	56.8	5.4	1.30	3340	6.83	2.65	2.0	25.6	680	7.1
E210090		14.95	0.18	1.8	0.018	0.69	13.1	4.6	1.76	4780	4.83	4.70	3.2	13.9	730	1.7
E210091		13.25	0.19	1.5	0.021	0.35	17.2	6.3	1.55	4510	10.90	4.98	2.4	10.2	620	18.7
E210092		19.20	0.26	2.5	0.021	0.63	6.2	12.3	1.15	1100	87.90	4.40	6.9	56.3	690	110.5
E210093		16.25	0.15	1.7	0.026	0.34	5.3	5.6	2.09	2560	7.73	5.40	7.1	14.3	790	1.6
E210094		15.65	0.12	1.7	0.016	0.21	1.3	4.3	1.30	1860	5.35	5.47	4.8	10.2	670	1.3
E210095		16.95	0.13	1.9	0.016	0.41	1.5	7.2	1.27	2290	1.50	5.46	4.8	19.7	720	3.4
E210096		16.65	0.15	1.9	0.026	0.55	1.1	6.3	1.53	2640	0.37	5.68	5.7	19.4	560	1.9
E210127		15.10	0.19	1.6	0.018	0.20	18.3	2.3	1.13	2960	31.90	5.28	4.3	36.1	800	5.1
E210128		26.60	0.27	3.1	0.024	1.28	106.0	13.1	0.58	1130	20.30	5.37	5.1	19.2	1250	4.2
E210129		24.30	0.20	2.8	0.019	0.90	46.1	10.7	0.61	1010	29.40	5.68	3.8	38.3	1140	5.7
E210130		26.30	0.28	2.9	0.028	1.49	82.8	14.8	0.74	1070	37.40	4.50	3.3	49.4	1160	6.9
E210131		15.05	0.22	1.9	0.031	0.21	40.5	9.9	1.64	4280	19.90	4.91	2.9	31.2	1000	3.6
E210132		14.70	0.19	1.8	0.030	0.21	45.9	9.2	1.50	3590	20.20	4.72	2.7	26.5	930	2.7
E210134		15.30	0.26	1.7	0.010	0.21	90.4	6.8	0.75	1610	20.80	4.30	4.2	52.1	1020	5.7
E210135		19.95	0.18	1.8	0.012	0.69	5.2	18.6	0.40	468	90.20	3.70	5.0	71.2	660	15.0
E210136		10.90	0.27	1.0	0.070	0.11	18.0	7.3	1.38	4380	10.85	2.55	3.1	91.3	380	12.4
E210137		12.00	0.34	1.0	0.123	0.13	18.2	9.4	1.72	5470	13.90	2.42	1.7	109.0	370	40.6
E210138		10.95	0.44	1.0	0.115	0.13	89.5	8.8	2.52	6070	18.10	2.57	2.3	71.2	420	114.5
E210139		13.95	0.37	1.7	0.028	0.30	48.2	10.2	1.10	2520	168.50	3.76	2.7	139.5	610	447.0
E210140		14.35	0.28	1.4	0.034	0.12	53.3	6.6	1.71	3580	11.20	4.28	1.8	57.1	630	14.0

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E210087		7.1	0.004	1.32	0.45	6.5	2	2.6	1405.0	0.16	<0.05	8.3	0.068	0.06	33.6	48
E210088		9.2	0.003	2.48	0.55	7.7	3	3.1	1070.0	0.19	0.06	9.1	0.074	0.07	42.2	62
E210090		27.3	0.002	1.11	0.30	19.1	2	8.8	269.0	0.40	<0.05	13.9	0.204	0.09	5.7	57
E210091		11.9	0.006	0.70	0.96	9.7	2	6.7	488.0	0.35	<0.05	18.6	0.184	0.11	308.0	45
E210092		19.0	0.028	5.46	2.96	20.7	15	7.3	162.0	0.54	0.19	42.0	0.222	0.17	1380.0	63
E210093		8.4	0.003	0.59	1.49	12.5	2	4.2	119.0	0.39	<0.05	15.4	0.128	0.05	23.8	35
E210094		4.8	0.002	0.33	1.73	8.9	1	3.6	68.6	0.41	<0.05	15.3	0.108	0.03	6.5	17
E210095		9.3	0.002	0.34	1.62	13.6	2	5.9	101.5	0.43	<0.05	12.6	0.172	0.07	13.4	48
E210096		13.0	<0.002	0.97	1.81	14.0	2	7.1	92.0	0.41	<0.05	15.9	0.187	0.09	11.3	40
E210127		6.3	0.004	4.32	0.94	9.3	2	3.3	131.0	0.29	0.71	5.9	0.111	0.05	16.1	39
E210128		56.0	0.006	2.15	0.84	19.6	2	11.5	101.0	0.32	0.47	25.6	0.141	0.14	34.9	81
E210129		39.9	0.005	6.33	0.90	14.8	3	8.9	52.2	0.25	0.55	23.4	0.113	0.09	13.5	66
E210130		67.5	0.007	6.66	0.88	28.4	3	12.7	43.0	0.20	0.59	16.2	0.121	0.15	36.0	85
E210131		7.1	0.005	3.01	0.64	9.3	2	2.7	84.0	0.21	0.19	9.0	0.075	0.03	30.9	34
E210132		7.6	0.004	2.05	0.60	9.1	2	2.8	80.6	0.21	0.14	6.5	0.076	0.03	16.8	36
E210134		9.2	0.004	6.40	1.23	8.5	2	2.8	43.6	0.27	0.58	7.8	0.089	0.09	11.9	45
E210135		33.3	0.024	6.26	1.95	20.8	2	6.8	38.0	0.28	0.59	15.8	0.107	0.13	306.0	62
E210136		3.8	0.007	8.37	1.10	6.3	4	2.4	131.0	0.17	0.47	7.0	0.057	0.11	160.0	47
E210137		5.1	0.005	>10.0	1.66	8.0	5	2.6	89.9	0.13	0.90	9.3	0.048	0.41	438.0	61
E210138		4.8	0.003	8.09	2.78	9.6	4	3.9	140.0	0.20	0.82	33.2	0.077	0.25	1410.0	53
E210139		11.0	0.093	>10.0	5.07	6.4	7	2.6	116.0	0.28	1.12	33.2	0.070	0.39	4420.0	37
E210140		3.7	0.002	7.75	0.66	6.9	2	1.7	185.0	0.15	0.83	5.7	0.039	0.58	48.9	24

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Au-ICP21
	Analyte	W	Y	Zn	Zr	Cu	Au
	Units	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.1	0.1	2	0.5	0.001	0.001
E210087		3.6	10.4	5	34.3		0.005
E210088		3.6	11.6	7	35.2		0.002
E210090		2.6	8.3	6	58.4		0.004
E210091		3.2	13.9	10	49.4		0.004
E210092		7.7	29.7	21	76.9		0.025
E210093		5.5	8.2	5	52.1		0.003
E210094		5.5	6.5	3	50.2		0.002
E210095		5.8	7.3	15	59.4		0.003
E210096		7.4	7.3	6	61.0		0.004
E210127		5.7	7.8	5	53.1		0.030
E210128		10.9	11.7	5	97.4		0.023
E210129		9.9	10.1	3	89.4		0.044
E210130		10.1	10.1	4	93.2		0.046
E210131		4.8	8.7	8	61.3		0.014
E210132		5.0	8.4	7	57.4		0.010
E210134		8.1	8.3	5	51.9		0.025
E210135		9.2	11.6	10	58.2		0.023
E210136		6.4	8.4	8	31.5		0.018
E210137		6.5	13.8	12	33.6		0.035
E210138		14.9	33.9	10	33.6		0.030
E210139		10.6	65.1	16	47.7		0.056
E210140		2.6	7.7	5	46.8		0.025

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 13-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093116

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 5-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07132667

Project: IGOR: 1G-2007-03

P.O. No.: 198716

This report is for 88 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 5-JAN-2008
Account: CASMIN

Project: IGOR: 1G-2007-03

CERTIFICATE OF ANALYSIS VA07132667

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E210024		2.18	0.06	7.39	6.5	2660	1.9	0.02	3.02	<0.02	14.45	35.6	48	3.28	6.5	8.19
E210025		2.14	0.29	7	4.8	750	1.99	0.08	2.19	<0.02	99.9	74.9	42	2.98	4	7.73
E210026		2.28	0.03	7.79	2.3	3330	2.05	0.02	2.17	<0.02	56.9	56.2	41	3.24	12.3	7.76
E210027		2.40	0.16	8.17	2.8	3470	2.18	0.02	1.83	<0.02	114	73.8	49	3.82	10.9	7.76
E210028		1.90	0.09	8.09	2.6	6800	2.48	0.03	1.29	<0.02	92.6	51.3	51	4.56	6.5	6.92
E210029		2.64	0.13	6.71	2.5	1140	1.68	0.04	1.85	<0.02	88.4	61.7	41	2.66	6.2	8.13
E210030		2.56	0.06	7.44	2.8	6000	2.54	0.02	0.89	<0.02	57.8	43.1	49	3.96	1.9	6.74
E210031		1.88	0.07	7	2.6	5040	1.48	0.02	2.23	<0.02	307	47	43	2.84	2.2	7.34
E210032		2.48	0.16	6.85	3.5	3250	1.15	0.06	2.72	<0.02	115	39.4	35	2.37	54.8	6.9
E210033		0.16	0.01	0.13	<5	60	0.06	<0.01	45.8	0.38	2.46	1	6	<0.05	<0.2	0.05
E210034		0.22	1.14	2.33	73	70	0.54	10.1	2.21	0.03	163	315	11	2.46	8590	25.1
E210035		1.02	0.13	8.3	6.2	1060	2.4	0.09	1.46	<0.02	5.05	46.2	51	4.81	16.6	7.01
E210036		1.18	0.07	7.35	5.5	1130	1.91	0.03	1.77	<0.02	6.13	40.2	41	3.34	6.8	5.93
E210037		1.20	0.15	8.55	13.4	4140	2.89	0.49	1.2	<0.02	5.06	34.4	60	5.75	19.8	4.21
E210038		1.14	0.18	7.15	13.1	1630	2.29	0.92	1.54	<0.02	4.77	30.8	40	3.88	16.8	4.3
E210039		1.06	15.55	6.18	77.9	550	2.52	33.9	0.82	<0.02	77.8	114	43	3.4	57.1	3.88
E210040		1.06	0.1	8.25	5.6	1810	2.87	0.3	1.24	<0.02	3.33	34.2	52	3.79	8.7	4.3
E210041		1.12	0.05	7.22	7.4	920	2.45	0.09	2.17	<0.02	3.82	31.6	40	1.59	8	5.07
E210042		1.16	0.04	7.06	7.2	2250	2.21	0.04	1.66	<0.02	7.89	17.5	47	2.82	2.3	7.29
E210043		1.54	0.05	7.03	5.4	2200	2.16	0.04	0.92	<0.02	9.25	24.7	49	3.28	3.3	5.08
E210044		Not Recvd														
E210045		0.18	0.01	0.14	11	150	0.06	<0.01	42.5	0.39	1.95	0.9	6	<0.05	5.5	0.06
E210046		1.26	0.05	7.81	7	2220	2.65	0.04	0.21	<0.02	7.72	65.1	53	10.25	7.5	9.76
E210047		1.30	0.07	7.43	8	1110	2.57	0.14	0.56	<0.02	20.1	34.7	52	4.73	4.6	7.98
E210048		1.94	0.11	7.22	8.9	2730	2.59	0.09	0.22	<0.02	11.5	41.5	45	6.01	4.7	8.19
E210049		2.58	0.06	6.1	5.2	1800	2.15	0.04	0.21	<0.02	12.95	55.9	42	7.15	4.8	11.65
E210050		1.82	0.23	7.48	5.2	1340	2.79	0.12	0.42	<0.02	275	56.9	52	6.09	21.6	6.62
E210051		2.18	0.09	6.81	3.8	1180	1.77	0.07	0.77	<0.02	92.2	55	42	4.5	9.8	7.05
E210052		2.42	0.1	5.62	5.7	470	1.31	0.1	1.66	<0.02	176	63.3	30	2.52	15.8	6.8
E210053		2.28	0.08	7.48	6.2	1620	1.86	0.08	1.86	<0.02	35.5	52.8	42	2.68	6.2	7.07
E210054		2.02	0.14	7.4	9	360	2	0.14	1.03	<0.02	57.5	78.1	44	3.55	22.9	6.04
E210055		0.18	0.01	0.14	<5	70	0.09	<0.01	45.9	0.4	2.14	1	7	<0.05	2.2	0.05
E210056		0.20	0.29	6.91	44.2	650	2.55	1.56	1.93	<0.02	72.9	117.5	40	6.43	1525	6.86
E210057		2.86	0.08	8.19	17	1290	3.55	0.1	0.43	<0.02	58.8	63.4	60	5.99	17.7	6.2
E210058		2.26	0.07	8.17	9.3	1350	2.14	0.04	2.04	<0.02	64	76.1	44	7.24	3.4	7.54
E210059		2.28	0.08	8.2	13	870	2.72	0.24	1.47	<0.02	25	41.9	46	3.81	17.2	4.89
E210060		2.32	0.06	8.54	12.5	2420	2.74	0.14	1.05	<0.02	96.8	47.8	53	4.09	6.2	4.31
E210061		2.48	0.09	8.93	3.1	2870	3.03	0.03	0.83	<0.02	151	36.6	57	5.31	16.3	5.19
E210062		2.20	0.05	7.65	2.6	3520	2.6	0.02	1.29	<0.02	98.9	29.6	48	7.71	10.6	4.57
E210063		2.28	0.05	7.56	1.8	4100	2.29	0.02	1.31	<0.02	47.1	23.9	46	3.35	50.5	4.48

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 5-JAN-2008
Account: CASMIN

Project: IGOR: 1G-2007-03

CERTIFICATE OF ANALYSIS VA07132667

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E210024		14.5	0.13	2	0.055	2.85	8.9	23.6	1.12	3480	1.12	1.46	6.9	10.1	910	1.4
E210025		16.85	0.16	2	0.048	2.88	60.1	27.2	1.04	2440	5.56	0.95	5.5	12.8	750	2.1
E210026		19.95	0.16	2.2	0.059	3.29	34.9	25.7	0.97	2470	4.97	0.96	4.6	22.2	690	1.3
E210027		20.8	0.18	2.3	0.062	3.53	72.4	27.9	0.89	2170	5.55	1.08	5.9	15.6	720	1.4
E210028		22.9	0.16	2.4	0.06	3.68	59.9	29.1	0.63	1610	0.63	0.77	7	10.8	720	1.3
E210029		17	0.16	1.9	0.05	2.57	61	22.2	0.72	2180	1.06	1.4	5.3	11.3	670	1.6
E210030		21.4	0.14	2.3	0.055	3.42	37.8	26.8	0.57	886	1.14	0.82	7.1	9.4	670	1.2
E210031		18.4	0.25	2.1	0.032	1.94	190	18.9	0.86	1930	1.47	2.72	4.6	9.6	820	1.3
E210032		13.45	0.16	1.8	0.02	1.27	77.3	15.2	1.02	2490	1.43	3.26	2.7	13	750	1.3
E210033		0.54	<0.05	0.1	<0.005	0.03	1.9	0.9	0.49	35	0.22	0.02	0.3	0.6	140	0.6
E210034		9.92	0.42	0.7	0.253	0.63	97.4	18.3	1.45	6070	68.3	0.23	5.9	58.2	2330	6.6
E210035		19.45	0.13	2	0.058	3.5	2.6	27.8	0.78	1660	0.44	1.11	5.3	13.2	840	1.9
E210036		16.15	0.12	1.7	0.049	2.99	3.1	20.8	0.77	2080	0.32	1.2	4.5	11.2	820	1.4
E210037		21.8	0.11	2.3	0.07	4.15	2.6	31.6	0.66	1420	24.3	0.57	5	13.4	820	2.3
E210038		15.9	0.12	1.7	0.05	3.11	2.7	26.5	0.69	1790	35.2	0.65	3.3	10.2	850	2
E210039		15.15	0.27	2.1	0.027	2.77	38.5	26.9	0.51	919	1005	0.35	5	20.8	590	205
E210040		20.6	0.12	2.1	0.055	3.66	1.8	22.7	0.67	1350	14.5	0.75	4	13.9	740	2.5
E210041		12.55	0.12	1.6	0.024	1.35	2	8.7	0.77	2350	2.18	3.26	3.8	17.2	860	1.6
E210042		14.3	0.16	1.7	0.045	2.43	4.3	15	0.79	1640	2.67	1.39	4.5	16.3	990	1.2
E210043		13.95	0.12	1.7	0.041	2.73	4.9	18.9	0.72	843	3.84	1.02	4.1	14.4	820	1.1
E210044																
E210045		0.5	0.09	0.1	<0.005	0.03	1.6	1.4	0.45	36	0.34	0.02	0.3	<0.2	90	0.8
E210046		15.8	0.16	2	0.037	2.52	3.8	60.2	1.94	158	0.57	0.1	3.7	31.5	700	1.4
E210047		18.45	0.17	1.8	0.057	3.04	11	47.7	1.36	518	1.76	0.06	5.6	21.7	720	1.8
E210048		16.1	0.14	1.9	0.043	2.52	6.5	72.3	1.97	236	1.86	0.04	2.7	19.7	630	1.9
E210049		14.45	0.18	1.8	0.03	1.33	6.7	91.5	2.74	277	1.46	0.05	3.2	20.8	760	1.6
E210050		24.1	0.33	2.3	0.043	3.08	154	50.9	1.17	298	75.2	0.38	4.3	16.1	1070	1.8
E210051		16.1	0.18	1.6	0.031	2.49	51.9	37.8	0.92	744	11.1	0.66	3.3	18	1080	1.8
E210052		13.7	0.26	1.4	0.028	1.7	101	29.2	0.91	1730	8.49	1.14	3.3	16.7	1140	1.6
E210053		20.4	0.17	2.1	0.044	3.02	20.6	22.8	0.76	2180	5.97	1.44	4.4	12.4	810	1.3
E210054		21.6	0.17	2	0.044	3.05	27.8	31.3	0.61	1250	4	0.87	3.5	11.2	820	1.6
E210055		0.58	0.1	0.1	<0.005	0.03	1.7	1.6	0.49	37	0.23	0.02	0.4	1.2	120	0.6
E210056		20.7	0.19	1.8	0.13	2.99	37.3	25.1	1.3	3180	21.4	0.6	3.5	26.7	740	2.6
E210057		30.2	0.18	2.6	0.067	3.83	32.7	35.7	0.63	418	5.07	0.24	3.8	21.9	760	1.6
E210058		18.75	0.18	2.2	0.039	2.8	32.4	30.8	1.33	2080	1.73	1.87	2.2	25.9	810	1.3
E210059		23.7	0.15	2.3	0.06	3.12	13	23.4	0.73	1585	4.54	1.59	3.9	13.1	760	1.5
E210060		24.5	0.2	2.4	0.055	3.63	52.2	24.5	0.58	1155	3.39	1.36	3.3	11.6	820	1.2
E210061		29.3	0.24	2.5	0.056	3.69	84.1	27.1	0.51	879	7.45	1.26	3.8	11.9	800	1.5
E210062		23.4	0.2	2.1	0.041	3.02	53.9	23.9	0.73	1180	4.91	1.25	3.1	13.1	760	1.5
E210063		22.3	0.17	2	0.046	2.76	25.4	21.5	0.6	1350	5.56	1.7	3.9	10.6	670	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 5-JAN-2008
Account: CASMIN

Project: IGOR: 1G-2007-03

CERTIFICATE OF ANALYSIS VA07132667

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E210024		131	<0.002	0.41	0.89	10.1	1	8.5	620	0.42	0.05	16.3	0.238	0.3	5.7	58
E210025		127	<0.002	0.7	1.11	11.3	1	8.3	451	0.32	0.11	15.3	0.197	0.29	11.2	62
E210026		147.5	<0.002	0.59	0.86	13.3	<1	7.3	74.2	0.23	<0.05	14.6	0.131	0.32	5.6	72
E210027		154	<0.002	0.75	0.84	14.1	1	9.1	120.5	0.34	<0.05	17	0.205	0.35	6.4	79
E210028		163	<0.002	0.58	1.04	15.5	1	10	157.5	0.43	0.07	12.9	0.234	0.37	5.8	71
E210029		110.5	<0.002	0.56	0.79	12.7	1	8.2	349	0.34	0.05	12.3	0.199	0.27	7	65
E210030		151.5	<0.002	0.47	1.23	13.2	1	10.8	106.5	0.49	0.1	15	0.241	0.33	6.7	64
E210031		80.5	<0.002	0.43	0.81	12.6	1	7.2	124.5	0.38	0.06	16.5	0.195	0.2	4.6	66
E210032		50.8	<0.002	0.4	0.75	8.6	1	3.8	543	0.21	0.05	12.4	0.114	0.17	3.9	47
E210033		0.8	<0.002	0.06	0.08	0.5	1	<0.2	281	<0.05	<0.05	0.2	0.006	<0.02	0.7	<1
E210034		36.1	0.019	6.68	2.13	4.4	5	7.2	159.5	0.13	1.05	5.4	0.033	0.51	14.9	55
E210035		165	<0.002	0.42	0.86	11.9	2	9.1	734	0.35	0.06	11.3	0.229	0.46	4.5	62
E210036		138	<0.002	0.4	0.83	10.1	2	7.4	786	0.3	0.06	12.5	0.2	0.37	4.3	51
E210037		184	<0.002	0.31	1.44	13.4	2	9.2	389	0.23	0.05	13.5	0.178	0.5	12	65
E210038		142	<0.002	0.25	1.46	9.8	2	6.8	720	0.19	0.06	9.7	0.146	0.38	19.3	45
E210039		127.5	0.845	0.58	7.72	12.1	4	7.6	596	0.34	1.11	21.7	0.171	1.19	3480	42
E210040		168	0.003	0.36	1.29	14.4	1	8.1	800	0.19	0.07	6.4	0.159	0.42	26.1	61
E210041		59.9	<0.002	0.36	0.91	11	2	4.7	1005	0.2	<0.05	2	0.132	0.19	6.4	36
E210042		110.5	<0.002	0.22	0.93	11.9	2	7.6	676	0.33	<0.05	6.4	0.216	0.28	6.9	59
E210043		127	<0.002	0.32	1.16	11.1	2	7.1	781	0.23	<0.05	4.9	0.171	0.32	5.1	50
E210044																
E210045		0.7	<0.002	0.07	0.11	0.5	2	<0.2	271	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E210046		117.5	<0.002	0.61	1.04	15.2	2	7.7	514	0.26	0.05	6.4	0.207	0.34	7	50
E210047		148.5	<0.002	0.38	1.52	12.4	2	9.3	574	0.29	0.06	5.5	0.211	0.33	10	60
E210048		116	<0.002	0.39	1.46	8.1	2	7.7	222	0.14	0.06	4.3	0.157	0.27	15.2	51
E210049		22.8	<0.002	0.32	1.56	7.7	2	7	425	0.19	0.05	4.2	0.153	0.17	6	48
E210050		145	0.016	0.49	1.41	12	2	10	297	0.24	0.12	18.1	0.169	0.34	8.8	70
E210051		95.9	<0.002	0.5	0.99	9.6	2	6.4	324	0.21	0.05	12.6	0.149	0.26	5.7	68
E210052		72.5	<0.002	0.52	1.17	7.4	2	5.2	272	0.21	0.06	13	0.104	0.23	3.4	51
E210053		122.5	<0.002	0.61	0.95	12.4	2	7.6	211	0.3	0.13	14.4	0.171	0.31	7.4	75
E210054		134.5	<0.002	0.93	1.02	11.3	2	7.4	394	0.22	0.09	13.7	0.151	0.4	6.5	63
E210055		0.6	<0.002	0.07	0.07	0.5	2	<0.2	291	<0.05	<0.05	0.2	0.007	<0.02	0.7	5
E210056		141	0.003	1.35	1.21	11.1	2	8.2	452	0.21	0.18	12.1	0.118	0.37	17.1	63
E210057		183	<0.002	0.54	1.45	14.8	2	10.1	355	0.19	0.15	17.7	0.131	0.38	9.3	69
E210058		85.8	<0.002	0.67	0.72	8.3	1	4.1	255	0.15	0.08	13.5	0.079	0.27	8	70
E210059		141	<0.002	0.69	1.48	9.5	2	6.8	206	0.25	0.16	16	0.128	0.28	6.9	66
E210060		158.5	<0.002	0.71	1.01	6.5	2	6.8	165	0.19	0.12	17.4	0.126	0.36	6	64
E210061		172.5	<0.002	0.38	1.28	15.3	2	9.2	320	0.22	<0.05	17	0.144	0.43	5.6	86
E210062		130.5	<0.002	0.33	1.22	18.7	1	5.6	305	0.2	<0.05	15	0.105	0.33	11.1	87
E210063		123.5	<0.002	0.35	1.18	13.5	1	6.1	422	0.28	<0.05	14	0.122	0.3	5	57

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 5-JAN-2008
Account: CASMIN

Project: IGOR: 1G-2007-03

CERTIFICATE OF ANALYSIS VA07132667

Method / Analyte / Units / LOR — Sample Description	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E210024	11.1	12.6	3	63.6		0.001	
E210025	9.9	11.5	5	65		0.002	
E210026	8.5	11.2	6	71.6		0.002	
E210027	9.2	11.2	4	74.7		0.002	
E210028	10.3	11	2	77.1		0.001	1.02
E210029	9.1	8.3	4	61		0.001	
E210030	11.3	9.7	2	71.2		<0.001	0.66
E210031	7.2	12.2	4	66.7		0.001	0.56
E210032	4.9	11.5	6	56.3		0.008	
E210033	0.1	2.7	22	3.1		<0.001	
E210034	6.5	15	11	21.8		0.042	
E210035	10.2	12	4	64.6		<0.001	
E210036	8.8	11.2	3	56.5		0.001	
E210037	13.3	12.6	3	76		0.003	
E210038	10.4	11.7	5	55.7		0.005	
E210039	20.8	63.2	7	63.9		0.378	
E210040	11.3	9.3	3	69.4		0.005	
E210041	6.4	8.3	3	53.2		0.001	
E210042	12.6	8.3	3	55.1		<0.001	
E210043	12.8	7.5	4	56.5		<0.001	
E210044							
E210045	0.1	2.7	21	3.2		0.001	
E210046	7.8	8.2	42	66.4		0.001	
E210047	12.6	9.2	27	60.8		0.003	
E210048	9.9	9.8	48	63.7		0.002	
E210049	8.4	6.3	49	60.2		0.001	
E210050	10.7	13.3	18	80.7		0.008	
E210051	7.2	9.8	16	53.6		0.002	
E210052	7.4	11.1	13	47.5		0.002	
E210053	9.6	10.8	7	67.2		0.004	
E210054	8.5	9.8	6	66.9		0.004	
E210055	0.1	2.9	23	3.4		0.001	
E210056	8.7	11.7	5	59		0.025	
E210057	10.9	11.1	10	84.8		0.005	
E210058	5.3	10.9	17	75.2		0.003	
E210059	8.5	11.1	5	74.8		0.005	
E210060	7.9	12.3	4	78.3		0.006	
E210061	10.3	12.8	4	81.3		0.002	
E210062	6.9	11.9	6	70.1		0.001	
E210063	7.8	10.2	5	64		0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 5-JAN-2008
Account: CASMIN

Project: IGOR: 1G-2007-03

CERTIFICATE OF ANALYSIS VA07132667

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E210064		1.98	0.07	7.88	2	1940	2.29	0.02	1.46	<0.02	158	48.9	44	3.21	4.5	5.79
E210065		Not Recvd														
E210066		2.28	0.06	7.3	2.3	6330	1.61	0.01	2.4	<0.02	98.8	14	41	2.42	25.7	4.04
E210067		0.18	0.01	0.14	<5	50	0.07	<0.01	45.5	0.39	2.14	0.9	5	<0.05	2.2	0.05
E210068		2.40	0.06	7.21	2.1	2880	1.7	0.01	3.68	<0.02	85.7	35.5	37	2.02	40.7	6.33
E210069		2.40	0.08	8.39	2.2	3820	2.69	0.02	1.74	<0.02	64	26.2	50	3.87	14.7	4.29
E210070		2.22	0.04	8.22	2.5	2560	2.6	<0.01	0.87	<0.02	68.5	32.8	55	4.52	2.5	4.71
E210071		2.24	0.05	7.9	2.1	2100	2.45	<0.01	0.66	<0.02	56	29.8	53	3.43	4.1	4.61
E210072		2.60	0.05	8.5	3.5	1220	2.77	0.03	0.42	0.02	74.1	30	56	6.29	24.4	4.88
E210073		2.34	0.03	7.81	3.9	430	2.63	0.04	0.2	0.02	62.6	75.4	46	11.55	12.3	6.43
E210097		2.16	0.11	8.08	28.6	1310	1.01	0.51	4.12	<0.02	10.55	109.5	31	2.33	25.6	4.13
E210098		2.10	0.4	8.04	111.5	560	1.07	2.35	3.58	<0.02	3.38	235	40	0.69	87.4	5.09
E210099		0.18	0.01	0.18	6	70	0.05	0.01	>50	0.43	2.35	2	5	<0.05	3.2	0.06
E210100		0.24	1.24	2.58	118.5	40	0.61	10.75	2.25	<0.02	197	364	13	2.77	>10000	29.3
E210101		2.02	0.08	8.67	36.4	1470	4.25	0.4	0.32	<0.02	3.93	32.6	56	3.71	23.4	2.76
E210102		2.46	0.22	8.56	117.5	1030	4.47	0.99	0.49	<0.02	13.55	59.8	58	5.22	151	4.06
E210103		1.88	0.4	6.88	262	520	2.63	1.6	2.8	<0.02	114	141.5	44	6.95	49.7	4.27
E210104		2.52	0.98	7.26	617	1250	3.69	3.69	1.53	<0.02	24.9	409	46	13.15	140.5	8.1
E210105		2.24	0.65	8.65	318	200	3.67	2.41	0.82	<0.02	60.4	313	50	11.85	88.6	5.78
E210106		2.12	0.17	6.86	33.2	890	2.15	0.66	0.84	<0.02	60.5	73.5	44	6.14	39.2	2.95
E210107		2.68	0.23	8.01	19.4	1290	1.27	0.8	1.64	<0.02	58.7	134	46	1.17	10.9	3.69
E210108		2.16	0.3	5.93	46.3	440	1.05	1.24	2	<0.02	132	168.5	45	0.67	28.8	4.88
E210109		2.28	0.31	8.09	72.2	260	1.39	1.71	2.33	<0.02	81.9	207	45	0.7	25.3	6.41
E210110		Not Recvd														
E210111		0.16	0.01	0.15	10	40	0.09	<0.01	50	0.43	2.24	1.5	7	<0.05	8.9	0.06
E210112		2.66	0.67	7.14	296	270	1.16	4.33	1.81	<0.02	101	374	43	0.47	47.3	9.03
E210113		2.60	0.71	4.86	264	100	0.62	5.42	2.03	<0.02	218	216	23	0.2	20.2	8.25
E210114		2.42	0.79	6.38	204	350	1.01	4.59	1.79	<0.02	46.1	288	40	0.35	36.1	8.65
E210115		2.44	0.59	7.04	234	120	0.7	2.91	2.92	<0.02	58.3	136.5	40	0.25	63.4	7.72
E210116		2.44	0.47	5.77	214	100	0.95	2.44	1.28	<0.02	27.9	155	35	0.7	39.1	7.53
E210117		2.16	0.4	6.68	223	100	0.9	2.32	1.86	<0.02	44.1	215	43	0.41	48.2	6.83
E210118		2.52	0.24	7.59	68.5	140	0.99	1.91	2.23	<0.02	37.1	276	51	0.34	27.3	6
E210119		2.28	0.3	6.83	128	60	1.56	2.23	1.82	<0.02	45.7	287	41	0.68	20.8	7.02
E210120		2.30	0.29	7.01	171.5	70	0.85	1.71	2.22	<0.02	14.85	221	35	0.37	32.3	6.96
E210121		0.16	0.01	0.15	12	40	0.11	<0.01	>50	0.41	2.16	1.3	7	<0.05	4.4	0.05
E210122		0.20	0.27	6.82	47.6	840	3.3	1.62	2.1	<0.02	64.9	120	45	6.57	1630	7.25
E210123		2.30	0.53	6.25	331	100	0.38	3.47	2.56	<0.02	24.5	327	36	0.22	32.3	10.65
E210124		2.42	0.8	6.22	331	480	0.58	4.92	2.55	<0.02	37.3	343	40	0.38	61.7	9.12
E210125		2.22	0.6	7.87	456	210	1.7	2.77	2.65	<0.02	15.25	250	49	0.76	60.3	7.76
E210126		2.24	0.62	7.4	187.5	120	0.55	2.08	3.22	<0.02	56.3	219	29	0.23	122	6.13

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 5-JAN-2008
Account: CASMIN

Project: IGOR: 1G-2007-03

CERTIFICATE OF ANALYSIS VA07132667

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E210064		26.2	0.25	2	0.046	3.48	85.1	22.2	0.63	1695	11.25	1.25	3.1	15.2	760	1.3
E210065																
E210066		20.6	0.2	2	0.039	2.29	51	18.3	0.72	2960	8.35	2.61	3.7	8.8	720	1.6
E210067		0.57	0.11	0.1	<0.005	0.03	1.6	1.5	0.48	37	0.22	0.02	0.4	1.1	110	0.7
E210068		19.45	0.19	2.1	0.045	2.64	47.5	19.8	1.03	4420	6.91	1.94	2.4	15	740	1.5
E210069		25.3	0.17	2.3	0.061	3.75	34.8	26.2	0.72	1960	15.85	1.03	3.5	11	840	1.9
E210070		26.2	0.18	2.4	0.052	3.8	38.6	22.3	0.53	817	7.5	0.72	3.8	11.1	790	1.5
E210071		24	0.17	2.2	0.048	3.62	30.9	24	0.45	611	1.51	0.75	3.9	9.9	730	1.2
E210072		23.8	0.14	2.5	0.045	3.63	42.7	24	0.5	298	1.54	0.75	3.4	8.7	800	2.1
E210073		20.6	0.15	2.6	0.029	3.54	31.3	24	0.57	66	1.35	0.36	2.7	13.3	740	1.7
E210097		14.95	0.09	1.5	0.022	0.52	6.9	18.3	1.8	3030	7.76	4.64	2.7	17.7	730	2.2
E210098		14.6	0.11	1.6	0.023	0.37	1.5	8.5	1.56	2780	2.92	5.26	2.4	25.1	730	3.5
E210099		0.57	<0.05	0.1	<0.005	0.04	1.8	2.3	0.55	44	0.22	0.03	0.2	<0.2	130	0.9
E210100		9.74	0.52	0.8	0.29	0.71	117.5	25.6	1.54	6700	62.4	0.25	4.9	58.9	2590	6.6
E210101		31.7	0.08	2.2	0.031	3.06	2.4	82.9	0.62	209	1.07	1.97	3.9	11.9	520	1.9
E210102		29	0.11	2.7	0.041	3.85	8.2	91.5	0.85	365	7.65	0.62	3.5	19	830	4.5
E210103		20.2	0.14	2	0.036	2.6	76.8	48.2	0.98	985	12.55	1.2	3.3	17	8080	5.5
E210104		18.35	0.12	2.8	0.036	3.27	17.1	43.7	1.17	875	33.9	0.42	3	33.4	1600	8
E210105		24.7	0.13	2.8	0.022	3.47	48.3	44.1	0.8	439	55.6	1.96	2.5	28.9	1250	5.5
E210106		21.8	0.12	2.5	0.019	2.22	51.6	30.1	0.71	491	140.5	2.35	4.8	12.9	1210	3.4
E210107		20.6	0.12	2.8	0.013	0.62	44.1	8.1	0.69	939	196.5	5.55	5.6	7.7	1150	2.9
E210108		15.4	0.16	2.1	0.024	0.53	105	12.2	1.02	1930	217	3.85	4.3	14.5	1240	4.3
E210109		18.15	0.14	2.4	0.013	0.75	61.8	6.2	0.95	1415	28.8	5.9	6.4	18.8	1250	3.7
E210110																
E210111		0.63	<0.05	0.1	<0.005	0.04	1.9	1.9	0.54	41	0.54	0.02	0.3	<0.2	120	0.8
E210112		17.4	0.16	2.1	0.016	0.57	80.7	6.5	0.67	964	29.2	5.05	4.4	31.7	1180	5.8
E210113		9.94	0.32	1.1	0.013	0.14	129.5	4.3	0.65	1335	21.8	3.42	7.3	24.3	970	5.5
E210114		15.25	0.12	1.9	0.027	0.3	34.4	8.4	0.81	1650	30	4.45	5.5	29.2	920	6
E210115		14.75	0.12	2.2	0.02	0.21	50.9	5.1	1.08	1865	25.4	5.42	4.2	21.8	930	6.5
E210116		13.75	0.12	1.8	0.018	0.61	13.1	10.8	0.77	1425	15.65	3.3	3.4	22.6	670	5.4
E210117		16.9	0.11	1.8	0.012	0.4	33.3	13.7	0.86	1270	26.3	4.42	4.5	28	880	4.4
E210118		21	0.1	2	0.011	0.4	28.5	8.1	0.86	1260	20.7	5.41	5.6	22	990	3.7
E210119		23.5	0.11	2	0.019	0.96	34.5	19.4	0.81	1210	22	3.94	3.4	35.3	1060	4.7
E210120		16.95	0.09	2.1	0.012	0.4	9.1	5.1	0.81	1520	25.1	5.08	3	37.6	980	4.9
E210121		0.56	<0.05	0.1	<0.005	0.03	1.9	1.7	0.55	39	0.29	0.02	0.3	<0.2	120	0.7
E210122		20.1	0.17	2.1	0.139	3.18	40.3	27.8	1.32	3220	24.4	0.57	3.2	27.7	770	2.9
E210123		13.45	0.12	1.7	0.013	0.18	19.9	3.4	0.9	1930	28.3	4.65	3.5	34.8	760	6.4
E210124		14.65	0.12	1.7	0.015	0.31	25.8	5.4	0.79	1930	22.9	4.43	4.1	36.7	820	9.5
E210125		20.6	0.11	2.2	0.03	1.06	10.9	9.5	0.9	1995	20.7	4.58	5	33.5	1030	6.4
E210126		17.45	0.13	1.9	0.026	0.23	45.5	5.4	0.95	2560	36.7	5.69	4.4	34.3	1020	7.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 5-JAN-2008
Account: CASMIN

Project: IGOR: 1G-2007-03

CERTIFICATE OF ANALYSIS VA07132667

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E210064		144.5	<0.002	0.54	0.89	19.7	1	6.6	188.5	0.22	0.05	14.1	0.119	0.38	4.2	81
E210065																
E210066		86.8	<0.002	0.27	0.94	13.3	1	4.1	247	0.26	<0.05	13.6	0.108	0.28	7.2	63
E210067		0.6	<0.002	0.06	0.07	0.5	2	<0.2	289	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E210068		105.5	<0.002	0.34	0.84	15.4	1	4.3	218	0.16	0.07	15.3	0.086	0.25	6.5	66
E210069		159.5	<0.002	0.32	1.17	13.9	2	7.3	478	0.25	0.06	16.2	0.136	0.38	5.1	72
E210070		168	<0.002	0.38	1.02	12.7	2	8	542	0.27	<0.05	15.5	0.156	0.41	5.6	75
E210071		163	<0.002	0.35	0.89	7.2	2	8.4	625	0.25	0.05	15.4	0.17	0.39	6.2	59
E210072		158	<0.002	0.32	0.98	7	2	9.2	904	0.21	<0.05	15.8	0.185	0.39	6.2	63
E210073		146.5	<0.002	0.74	0.88	8.7	3	8.6	1610	0.18	0.06	13.6	0.18	0.37	6.5	64
E210097		16.5	0.002	0.79	1.12	9.1	2	2	89.3	0.18	0.19	10	0.055	0.08	26.1	14
E210098		11	<0.002	2.83	1.18	11.7	3	2.9	91.2	0.2	0.81	13.7	0.077	0.09	3.7	27
E210099		0.7	<0.002	0.09	0.08	0.7	3	<0.2	325	<0.05	<0.05	0.3	0.007	<0.02	0.7	3
E210100		35.8	0.019	7.63	2.33	4.7	6	7.9	182.5	0.11	1.18	6.1	0.034	0.49	18.7	61
E210101		154	<0.002	0.63	1.07	24.8	2	25.5	35.2	0.3	0.06	17.2	0.157	0.26	14.6	101
E210102		181	<0.002	1.06	1.5	19.6	2	24.3	123.5	0.25	0.08	10.8	0.17	0.36	102	96
E210103		108	0.003	2.07	1.57	16.3	2	10.6	91.2	0.21	0.16	13.9	0.095	0.28	69.5	77
E210104		125	0.004	5.62	1.78	13.4	2	10.3	104.5	0.21	0.44	16	0.084	0.43	52.8	69
E210105		132.5	0.006	3.49	1.28	18	2	12.5	86.6	0.18	0.44	10.6	0.111	0.39	42.6	94
E210106		77.5	0.02	0.69	1.37	23.4	2	8.8	135.5	0.35	0.15	20	0.105	0.21	59.2	93
E210107		25.1	0.029	1.3	1.04	11.5	3	5.8	103	0.53	0.16	12.1	0.118	0.12	22.3	63
E210108		20.8	0.038	1.7	1.01	14.6	6	4.3	56.7	0.31	0.22	22	0.124	0.09	26.7	62
E210109		25	0.003	2.72	0.96	16.5	<1	7.4	67.8	0.37	0.35	10.1	0.188	0.12	19.7	82
E210110																
E210111		0.7	<0.002	0.07	0.07	0.7	1	<0.2	316	<0.05	<0.05	0.3	0.007	<0.02	0.8	5
E210112		18.1	0.003	6.43	1.25	14.8	2	6.7	63.3	0.28	1.6	20.2	0.158	0.16	11.2	79
E210113		4.5	0.003	7.18	1.48	5.1	2	1.8	244	0.39	2.71	10.1	0.048	0.17	15.8	14
E210114		13.3	0.003	5.92	1.28	20.8	2	4.2	283	0.35	1.7	7.3	0.12	0.16	7.2	74
E210115		5.9	0.003	3.91	0.84	9.8	2	4.3	56.8	0.36	0.84	22.9	0.138	0.06	66.7	59
E210116		25.1	0.003	3.5	0.82	14.4	<1	5.6	620	0.27	0.92	4.4	0.113	0.09	30.2	61
E210117		15.7	0.002	4.36	1.18	12.8	1	4.7	55.2	0.3	0.66	14.3	0.118	0.09	9.5	59
E210118		14.8	<0.002	3.64	1.6	17.5	<1	5.1	61.9	0.4	0.27	13.1	0.156	0.08	4.8	78
E210119		35.3	0.002	4.38	1.2	25.4	1	7.3	68.6	0.27	0.19	15.7	0.118	0.14	5.3	91
E210120		11.9	0.002	3.52	0.86	10.1	2	4.3	333	0.26	0.38	12.7	0.119	0.06	73.3	59
E210121		0.6	<0.002	0.07	0.07	0.6	1	<0.2	320	<0.05	<0.05	0.2	0.007	<0.02	0.8	5
E210122		136	0.009	1.35	1.08	12.8	2	7.7	438	0.22	0.19	13.3	0.113	0.41	19.9	64
E210123		5.7	0.003	6.6	0.98	7.3	2	4	43.5	0.27	1.2	6.8	0.12	0.07	21.7	57
E210124		10.4	0.003	6.24	1.31	10.6	2	3.6	142.5	0.28	1.63	6.3	0.101	0.12	19.9	47
E210125		42.1	0.002	5.04	0.94	35	2	9	51.8	0.29	1.06	17.3	0.131	0.12	18	74
E210126		6.7	0.005	3.03	0.9	7.1	2	2.7	411	0.26	0.75	16.7	0.092	0.05	78.1	38

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 5-JAN-2008
Account: CASMIN

Project: IGOR: 1G-2007-03

CERTIFICATE OF ANALYSIS VA07132667

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E210064		6.5	11.6	5	68.4		0.002	
E210065								
E210066		6.2	9.5	4	67.4		0.001	1.54
E210067		0.1	2.9	23	3.3		<0.001	
E210068		5.5	12.7	5	65.5		0.002	
E210069		8.5	10.6	4	74.4		0.002	
E210070		7.8	11	5	78.8		0.001	
E210071		7.3	9.8	3	72.1		0.001	
E210072		6.3	11.1	7	87.3		0.001	
E210073		5.4	12	9	87.4		0.001	
E210097		3.1	9.3	8	53.8		0.005	
E210098		4	7.7	4	54.6		0.023	
E210099		0.1	3.1	27	4.1		0.002	
E210100		6.4	14.9	10	26.2	0.901	0.113	
E210101		9.8	7.9	3	76.2		0.004	
E210102		11.2	10.7	9	90		0.008	
E210103		8.7	26.1	8	68.7		0.011	
E210104		9.3	14.8	10	98		0.029	
E210105		7.3	13.3	8	95.2		0.020	
E210106		9.1	11.8	8	83		0.009	
E210107		9.2	11	3	80.7		0.008	
E210108		7.2	11.1	6	70.3		0.010	
E210109		8.2	11.9	<2	82.6		0.014	
E210110								
E210111		0.1	3.3	26	4.4		0.002	
E210112		7	10.4	<2	71.5		0.050	
E210113		5.9	11.2	3	41		0.066	
E210114		7	9.9	4	68.5		0.047	
E210115		5.9	11.2	3	67.7		0.030	
E210116		6.6	7.7	10	63.5		0.027	
E210117		8.3	8.2	7	63.9		0.026	
E210118		7.9	8.3	3	71		0.014	
E210119		6.9	8.5	7	69		0.017	
E210120		7.5	9.3	3	73.3		0.022	
E210121		0.1	3.2	39	4.2		0.001	
E210122		8.1	12.4	6	63		0.022	
E210123		6.1	7.7	2	55.6		0.043	
E210124		7.1	8.3	8	60.5		0.047	
E210125		9.5	9.9	4	75.8		0.030	
E210126		6.8	11.7	5	69.7		0.026	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 5-JAN-2008
Account: CASMIN

Project: IGOR: 1G-2007-03

CERTIFICATE OF ANALYSIS VA07132667

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E210141		2.14	1.2	6.55	219	290	0.55	1.96	3.83	<0.02	125.5	394	26	0.21	16.9	9.74
E210142		2.88	0.64	7.12	192.5	110	0.5	1.62	2.86	<0.02	26.6	233	29	0.18	9.8	7.89
E210143		0.16	0.01	0.14	8	30	0.12	<0.01	46.9	0.36	1.94	1.1	7	<0.05	2.2	0.05
E210144		0.24	1.04	5.55	59.9	80	1.93	2.92	2.07	<0.02	50	166	38	3.46	7590	9.76
E210145		2.04	0.75	6.35	154	720	0.52	0.97	4.66	<0.02	124	159.5	28	0.19	17.3	9.25
E210146		2.82	2.16	6.2	459	520	0.74	3.8	1.37	<0.02	84.1	568	40	0.65	144.5	7.78
E210147		1.70	1.98	6.66	466	110	0.42	3.63	4.02	<0.02	187	689	9	0.27	322	7.47
E210148		0.90	0.68	6.95	232	590	0.9	1.7	2.03	<0.02	26.2	304	41	0.7	1040	3.76

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 5-JAN-2008
Account: CASMIN

Project: IGOR: 1G-2007-03

CERTIFICATE OF ANALYSIS VA07132667

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E210141		14.1	0.2	1.5	0.037	0.17	102	5.7	1.34	3610	26.1	4.81	2.1	33.8	590	13.4
E210142		15.95	0.1	2	0.015	0.13	22.1	3.7	0.83	2190	22.7	5.42	2	21.2	770	10.6
E210143		0.52	<0.05	0.1	<0.005	0.03	1.6	1.7	0.52	36	0.24	0.02	0.3	<0.2	120	0.8
E210144		14.75	0.17	1.8	0.14	2.07	25.4	26.4	1.19	3400	67.3	0.93	4	38.2	850	20.4
E210145		13.25	0.18	1.4	0.021	0.16	105.5	3.7	1.41	4230	39.3	4.72	1.2	24.7	620	11.6
E210146		15.55	0.14	2.4	0.018	0.49	58.8	7.4	0.54	1085	21.3	4.28	5.4	58.6	940	13
E210147		13.35	0.16	2.2	0.026	0.12	138	3.9	1.52	2340	30.2	5.25	5.9	42	1010	22.2
E210148		18.95	0.09	2.5	0.025	0.61	17.2	7.2	0.84	1350	17.75	5.45	5.3	23.8	900	9.9

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 5-JAN-2008
Account: CASMIN

Project: IGOR: 1G-2007-03

CERTIFICATE OF ANALYSIS VA07132667

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E210141		5.2	0.002	4.86	0.65	7.1	1	2.3	172	0.19	0.62	9.4	0.062	0.54	31.3	26
E210142		3.8	<0.002	3.25	0.53	5.5	2	2.9	73.4	0.28	0.51	9.2	0.101	0.5	14.4	33
E210143		0.6	<0.002	0.07	0.06	0.5	1	<0.2	308	<0.05	<0.05	0.2	0.008	<0.02	0.8	5
E210144		90.6	0.02	2.26	1.49	10.5	2	7.2	535	0.23	0.25	8	0.085	0.46	269	52
E210145		5	0.002	2.72	0.54	8.1	1	2.1	168	0.12	0.33	9.8	0.048	0.59	5.7	32
E210146		21.3	0.007	7.68	1.15	14.6	3	5.9	108.5	0.36	1.03	12.8	0.101	0.51	19.5	36
E210147		3.7	0.007	7.4	1.42	9.5	4	2.5	68.3	0.4	0.96	19.1	0.082	0.99	107	8
E210148		21.4	<0.002	3.05	1.35	12.9	1	8.6	51.5	0.33	0.36	13.4	0.119	0.52	36.2	29

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 5-JAN-2008
Account: CASMIN

Project: IGOR: 1G-2007-03

CERTIFICATE OF ANALYSIS VA07132667

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E210141		3	8.7	5	52.4		0.015	
E210142		2.4	7.6	2	70		0.013	
E210143		0.1	2.9	25	3.6		0.003	
E210144		8.3	15.5	9	54		0.050	
E210145		2.7	8.3	2	42.7		0.010	
E210146		9.1	10.8	7	73.7		0.039	
E210147		7.4	12.2	5	67.8		0.030	
E210148		11.9	8.9	2	75.3		0.018	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 5-JAN-2008
Account: CASMIN

Project: IGOR: 1G-2007-03

CERTIFICATE OF ANALYSIS VA07132667

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07111002

Project: IGOR- HOLE 4

P.O. No.: 195449

This report is for 159 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 1-OCT-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E383776		2.99	0.7	6.59	24.3	380	1.81	5.54	5.01	0.54	45.2	109	32	9.1	147	9.16
E383777		1.23	0.3	6.08	47	610	1.68	8.56	5.48	0.16	88.3	165	27	8.44	216	9.76
E383778		1.68	0.5	5.53	48.8	370	1.52	8.58	5.19	0.26	52.5	243	23	8.39	505	13.25
E383779		1.52	0.23	5.35	43.7	180	1.64	7.26	3.21	0.05	58.6	269	24	8.53	348	15.15
E383780		0.18	0.04	0.15	<5	50	0.08	0.03	44.8	0.45	2.2	0.9	4	0.05	2.2	0.07
E383781		0.18	0.26	7.05	52.5	390	2.65	1.51	1.94	0.02	76.6	110	39	6.41	1580	7.17
E383782		1.67	0.46	5.32	72.9	240	1.63	14.65	2.75	0.13	45.5	373	22	8.35	653	16.7
E383783		1.66	0.4	5.33	72.6	380	1.63	13.25	3.45	<0.02	92.4	268	23	7.59	426	13.95
E383784		1.61	3.3	2.8	196.5	80	0.55	28.1	3.15	0.35	184.5	508	5	2.29	6490	23
E383785		1.50	2.16	3.59	127	70	0.81	22	2.76	0.05	122.5	430	11	3.36	8530	21.5
E383786		1.58	1.02	3.66	79.2	70	0.68	21	1.4	0.14	53.6	346	13	3.07	3070	20.8
E383787		1.93	1.08	3.9	43.6	80	0.7	9.94	2.35	0.07	59	239	13	3.4	8840	17.85
E383788		1.29	0.61	5.23	28.2	180	1.34	5.69	2.12	0.12	28.1	132.5	24	5.98	568	12.4
E383789		1.89	0.52	7.93	20.9	970	2.01	3.39	1.87	0.04	55.9	122.5	42	8.63	2330	10.25
E383790		1.08	0.39	6.6	18.6	870	1.55	3.03	2.78	0.09	60.7	116	29	6.78	1090	10.95
E383791		1.15	0.61	5.7	41.1	190	1.67	6.92	1.27	0.08	55.3	183.5	29	7.61	805	12.75
E383792		0.17	0.02	0.14	<5	40	0.08	0.01	41.5	0.37	2.08	0.8	3	0.05	8	0.07
E383793		1.40	0.43	5.85	21.4	290	1.61	4.66	1.49	0.03	43.2	140	27	7.84	4310	11.85
E383794		2.68	0.21	5.46	11.1	1640	1.52	1.55	1.77	0.04	65.6	78.8	28	6.13	683	10.2
E383795		3.24	0.18	3.78	36.3	180	0.97	0.58	6.25	0.02	130	155	18	1.33	1550	12.8
E383796		1.49	0.11	4.57	9.7	840	1.49	0.18	3.47	0.02	98.5	60.1	26	1.78	928	10.7
E383797		1.13	0.53	2.65	39.3	170	0.78	1.35	3.92	0.02	177	110	11	0.93	3660	14.25
E383798		1.68	1.62	1.99	72	70	0.41	4.62	8.06	0.03	187	248	6	0.65	9240	13.7
E383799		1.38	1.12	1.78	49.2	80	0.38	2.63	6.29	0.05	387	154	3	0.44	6610	15.75
E383800		1.38	0.5	2.47	16.7	290	0.56	0.38	4.84	<0.02	208	63	16	0.72	6560	14.5
E383801		1.54	0.21	2.18	18.4	1130	0.49	0.25	2.93	0.05	208	69.3	8	0.7	1790	16.9
E383802		1.51	0.41	6.81	36.7	550	1.82	1.28	1.13	<0.02	268	154	51	4.98	1850	13
E383803		0.17	0.03	0.13	<5	40	0.08	<0.01	40.1	0.37	2.33	0.8	6	<0.05	6.8	0.07
E383804		0.20	1.08	5.7	59.7	150	1.81	2.35	1.93	0.04	46.7	149	32	3.36	7790	9.07
E383805		1.61	1.84	6.64	370	1520	2.49	11.45	2.8	<0.02	60.4	383	41	5.29	218	14.95
E383806		1.41	1.12	3.69	147.5	110	0.89	8.14	8.05	0.05	86.3	160.5	15	1.07	153	13.2
E383807		1.57	0.99	3.32	186	100	0.78	7.52	8.82	0.03	87.7	181	13	0.83	159.5	15.7
E383808		1.24	0.63	3.39	138	150	0.69	4.09	9.7	0.02	87.4	103.5	18	0.8	190.5	11.8
E383809		1.87	1.68	3.99	340	390	1.08	12.9	6.35	0.02	103.5	341	15	1.38	355	16.3
E383810		1.48	0.52	4.21	50	120	1.07	3.59	7.85	<0.02	77.2	191	21	1.08	155	12.7
E383811		2.93	0.21	4.01	26.2	190	1.09	0.42	6.11	<0.02	85.2	98	18	1.1	1680	15.3
E383812		2.80	0.54	4.44	45	120	1.15	1.01	7.26	<0.02	86.1	217	24	1.45	2800	14.2
E383813		1.37	0.18	7.03	8.3	2740	1.51	0.29	7.09	<0.02	21.8	47.4	46	2.66	992	7.98
E383814		1.21	0.06	7.33	3.4	5210	1.87	0.12	4.13	<0.02	33.5	24.3	47	2.29	311	10.4
E383815		0.16	0.02	0.14	<5	100	0.05	<0.01	41.8	0.35	2.67	0.7	4	0.05	3.8	0.11

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E383776		17.7	0.11	2	0.244	2.93	29.8	44.6	1.77	6150	17.3	0.21	1.3	36.2	610	44.5
E383777		17.15	0.15	1.9	0.15	2.69	57.5	46.1	1.84	6140	23.9	0.17	1.4	45	600	14.2
E383778		15.6	0.14	1.7	0.273	2.46	32.4	37.4	1.79	7590	27.5	0.16	1.8	46	540	21
E383779		15.4	0.18	1.7	0.335	2.42	35.4	32.3	1.3	8290	52.7	0.1	1.6	46.6	610	6.2
E383780		0.49	<0.05	<0.1	<0.005	0.03	1.9	1.4	0.46	57	0.36	0.02	0.2	2.2	100	1.5
E383781		19.55	0.13	2.2	0.131	3	44.7	23.5	1.27	3240	20.7	0.56	2.7	26.1	730	3.3
E383782		15.3	0.16	1.7	0.282	2.35	25.8	33.5	1.09	6410	31.5	0.08	2.2	54.8	590	12.2
E383783		15.2	0.17	1.6	0.247	2.15	62.8	33.6	1.27	6160	31.7	0.3	5.1	47.1	820	11
E383784		7.09	0.25	0.7	0.358	0.62	136.5	13.4	1.24	9020	47.4	0.9	5.5	73.6	1260	37.7
E383785		9.8	0.25	1.1	0.391	0.85	73.4	23.6	1.17	8500	41.6	0.9	7.2	77.9	1510	31.5
E383786		9.09	0.2	1	0.351	0.9	22.6	16.1	0.91	8910	23.9	1.19	2.4	65.9	1660	14.7
E383787		9.33	0.2	1.1	0.384	1.01	30.2	16.6	1.02	7390	50.8	1.2	2.9	46.9	1240	6.6
E383788		12.55	0.14	1.6	0.284	1.93	15.9	34.5	1.14	6670	8.3	0.75	3.1	29.4	520	19.1
E383789		22.8	0.13	2.7	0.305	3.14	37.1	43.9	1.07	4930	16.25	0.91	1.7	28.8	760	5.6
E383790		16.3	0.12	2.3	0.285	2.38	43.3	36.4	1.27	6230	12.55	0.99	1.4	29.4	670	6.5
E383791		16.6	0.15	2.2	0.305	2.33	36.4	41.5	1.41	6230	14.9	0.1	1.8	37.7	620	6.2
E383792		0.49	<0.05	<0.1	0.006	0.03	1.8	1.3	0.43	54	0.27	0.02	0.2	1.3	100	1
E383793		16.1	0.13	2.1	0.317	2.45	29.8	36.8	1.2	5660	15	0.23	1.3	31.7	550	5.1
E383794		15.15	0.11	1.6	0.313	2.42	47.6	30.5	1.14	5880	6.39	0.19	1.7	24.5	540	3
E383795		9.41	0.16	1	0.145	1.42	96.4	30.5	3.06	6230	34.6	0.03	3.2	36	970	3.2
E383796		13.3	0.13	1.3	0.177	2.31	74.8	27.6	2.19	6430	12.15	0.03	2.1	28.8	520	1.8
E383797		8.95	0.19	0.7	0.247	1.13	118	21.5	2.74	9920	20	0.03	2.2	37.6	600	4.6
E383798		5.38	0.23	0.5	0.13	0.43	97.3	23.5	3.73	5960	38.2	0.02	3.8	57.6	1150	5.1
E383799		5.93	0.31	0.4	0.274	0.41	249	20.9	3.7	10050	50	0.02	2.8	42.1	1140	4.7
E383800		7.45	0.19	0.6	0.221	0.82	146.5	23.6	2.81	7420	29.6	0.02	3.8	28.3	1110	2.3
E383801		7.11	0.19	0.5	0.333	0.72	162	26	2.46	9990	37.8	0.02	3	30.7	1150	2
E383802		19.05	0.23	2	0.086	2.02	194	72.8	1.99	1465	27.4	0.03	2.1	61.7	1030	4.2
E383803		0.42	<0.05	<0.1	<0.005	0.03	2	1.3	0.42	45	0.32	0.02	0.2	2.2	80	1
E383804		14.5	0.13	1.8	0.125	2.08	16.9	20.9	1.08	3020	63.6	0.97	2.5	36.1	790	19.1
E383805		18.1	0.18	2.1	0.073	2.36	47.4	48.4	1.74	3030	42	0.35	2.2	141.5	750	17.9
E383806		8.27	0.15	1.1	0.06	1.13	78.1	9.8	2.1	9290	25.4	1.02	2.3	59.1	590	11.7
E383807		7.28	0.17	0.9	0.057	0.97	77.6	9.8	2.14	10400	26.9	0.91	2	66.9	620	10.8
E383808		7.2	0.14	0.9	0.075	0.94	76.1	10.2	2.71	10900	22.3	1.03	2.4	50.9	630	7.4
E383809		9.21	0.16	1.2	0.056	1.16	87.8	28.5	2.73	6090	34	0.41	3	89.8	540	13.3
E383810		9.63	0.14	1.1	0.061	1.17	49	30.9	3.36	7520	31.7	0.45	3.6	57.5	720	4.7
E383811		10.25	0.15	1	0.064	1.09	69.1	30.7	2.89	6490	20.9	0.31	1.9	48	510	1.7
E383812		9.61	0.17	0.9	0.084	1.28	56.7	17	2.41	8440	24.9	1.05	2.2	58.2	670	2.8
E383813		14.1	0.08	1.2	0.099	2.21	15	14.2	2.59	7290	7.38	2.17	1.1	36.9	320	1.9
E383814		15.95	0.12	1.5	0.124	2.32	24.8	13.9	2.23	8290	6.8	2.29	0.7	36.8	360	1.4
E383815		0.45	<0.05	<0.1	<0.005	0.03	2.1	1.2	0.44	90	0.22	0.03	0.2	2.3	110	0.8

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E383776		153	0.005	1.87	1.56	10.2	1	5.7	65.7	0.09	0.33	12.5	0.078	0.33	22.7	61
E383777		145.5	0.009	3.16	1.86	9.6	1	5.6	80.7	0.09	0.28	12.1	0.077	0.31	27	56
E383778		136	0.013	4.94	1.89	9.3	3	6	69.1	0.11	0.84	10.4	0.083	0.28	28.8	56
E383779		134	0.011	4.47	1.41	9.1	4	6.5	47.3	0.09	0.82	10.5	0.078	0.28	15.8	51
E383780		0.9	<0.002	0.06	0.11	0.3	2	<0.2	264	<0.05	0.08	0.2	0.007	<0.02	0.7	5
E383781		139.5	0.005	1.28	1.22	10.6	2	7.4	461	0.16	0.19	14.8	0.109	0.35	17.6	64
E383782		129.5	0.008	8.62	1.89	7.8	4	7.1	47	0.11	1.24	9.1	0.084	0.3	19.8	54
E383783		120.5	0.08	5.99	2.52	7.6	3	8.2	66.4	0.19	0.66	12.4	0.101	0.44	58.9	62
E383784		35.4	0.027	8.68	3.63	3.6	4	4.4	75.9	0.1	0.51	7.4	0.037	0.72	46.7	41
E383785		50.8	0.016	6.79	3.71	5.2	3	7.5	144.5	0.13	0.43	7.4	0.044	0.29	116	56
E383786		53.8	0.019	6.23	2.15	5.9	2	5.5	159	0.07	0.44	5.2	0.033	0.26	53.5	49
E383787		58.4	0.047	4.37	1.78	4.5	3	5.2	167	0.06	0.29	6	0.035	0.14	73.5	48
E383788		105	0.005	1.46	2.95	8.7	1	6.5	177.5	0.07	0.11	13.8	0.075	0.33	44.7	57
E383789		170	0.006	1.12	1.96	12.3	2	10.4	142	0.07	0.1	17.4	0.087	0.37	17	72
E383790		130.5	0.005	1.08	1.59	10	1	7.7	60.5	0.07	0.12	15.4	0.067	0.3	13.7	55
E383791		130	0.004	2.55	2.61	10.3	2	8.6	49.1	0.07	0.2	13.2	0.066	0.34	19.3	59
E383792		0.9	<0.002	0.05	0.1	0.3	2	<0.2	244	<0.05	0.06	0.2	0.006	<0.02	0.6	4
E383793		137	0.003	2.08	2.11	9.8	2	8.2	30.1	0.06	0.16	13.4	0.066	0.29	21.4	52
E383794		132.5	0.007	0.63	2.08	8	1	8.9	51.8	0.07	<0.05	10.7	0.071	0.25	6.9	53
E383795		62.2	0.006	1.62	0.98	13.7	3	9.2	265	0.1	0.29	3.3	0.144	0.13	5.1	108
E383796		98.2	0.002	0.67	0.84	16.4	2	10.7	121.5	0.08	0.14	3.5	0.16	0.19	6.1	123
E383797		52.5	0.006	2.07	0.82	11.6	3	7.7	403	0.07	0.31	3.1	0.087	0.1	4.4	71
E383798		19.1	0.014	6.01	1.03	9	6	5.4	498	0.08	1.07	3	0.06	0.06	20.8	48
E383799		17.8	0.024	3.38	0.81	10.1	7	4.7	221	0.06	1.12	4.2	0.036	0.05	8.2	49
E383800		36.9	0.01	1.05	1.04	12.4	5	7.1	387	0.08	0.29	2.6	0.069	0.08	8.5	88
E383801		32.9	0.013	0.66	1.19	10.4	3	5.9	146	0.06	0.46	2.7	0.051	0.07	8.3	81
E383802		93.7	0.008	1.78	1.27	25	3	10.7	63.4	0.07	0.22	4.2	0.15	0.24	9.4	209
E383803		0.6	<0.002	0.06	0.08	0.4	2	<0.2	238	<0.05	<0.05	0.2	0.006	<0.02	0.6	5
E383804		86.4	0.021	2.21	1.46	9	2	6.5	574	0.13	0.21	8	0.072	0.34	272	52
E383805		111.5	0.007	9.54	2.76	24.9	2	12.3	92	0.12	0.53	4.5	0.12	0.54	14.8	200
E383806		49.5	0.004	7.11	2.19	9	1	4.8	106.5	0.12	0.35	4.9	0.052	0.16	9.4	54
E383807		41.1	0.003	8.72	1.8	8.6	2	5	134.5	0.09	0.3	4	0.046	0.12	7	59
E383808		39.4	0.004	4.17	1.4	9.2	1	5.6	248	0.07	0.17	3	0.057	0.13	12.9	78
E383809		52.8	0.004	>10.0	2.28	9.8	2	8.1	121.5	0.14	0.59	4.5	0.091	0.17	16.7	77
E383810		50.5	0.006	3.84	1.49	10.6	2	9.1	372	0.13	0.19	4.5	0.107	0.1	19.7	89
E383811		50.7	0.002	1.3	0.88	12.2	2	12.7	315	0.08	<0.05	3	0.11	0.1	2.2	100
E383812		57.1	0.003	2.72	1	15.6	2	9.1	280	0.07	0.21	2.5	0.114	0.16	5.9	127
E383813		96.1	<0.002	0.6	1.08	23.3	1	6.9	270	0.06	0.09	1	0.215	0.26	3.5	235
E383814		110	<0.002	0.35	0.72	24.4	1	6.6	102	<0.05	<0.05	1.5	0.182	0.23	5.4	224
E383815		0.7	<0.002	0.05	0.07	0.3	2	<0.2	252	<0.05	<0.05	<0.2	0.006	<0.02	0.6	6

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E383776		8.6	14	79	55.7	0.018	
E383777		9.7	14.1	18	54.1	0.027	
E383778		9.4	15.2	33	50.8	0.029	
E383779		8.2	12.7	7	46.9	0.024	
E383780		0.1	2.9	30	2.9	0.002	
E383781		7.8	11.6	7	61.5	0.020	
E383782		8.7	12.5	16	48.7	0.047	
E383783		13.9	15.8	6	45.4	0.038	
E383784		11.3	15.1	41	23.1	0.069	
E383785		10.8	21.2	6	33	0.062	
E383786		7.7	13.9	20	31.3	0.054	
E383787		11	12.9	5	33.2	0.049	
E383788		14.2	18.7	12	45.8	0.014	
E383789		10.8	16.3	6	71.7	0.012	
E383790		8.8	14.7	11	60	0.012	
E383791		8.8	12.5	14	59.8	0.023	
E383792		0.1	2.7	26	2.6	0.002	
E383793		7.8	11.6	6	54.5	0.023	
E383794		8.5	10.9	7	46.2	0.004	
E383795		10.9	11.3	12	30.1	0.008	
E383796		11	9.7	6	38.4	0.002	
E383797		6.8	8.6	10	22.4	0.017	
E383798		5.9	10.6	13	17.8	0.062	
E383799		5.6	9.2	9	13.7	0.036	
E383800		7.4	11.1	12	19.4	0.008	
E383801		7	10.7	9	18.7	0.009	
E383802		11.6	16.2	33	55.9	0.012	
E383803		0.1	2.5	21	2.7	0.001	
E383804		7	14.8	10	50.7	0.056	
E383805		15	12.3	22	56.8	0.067	
E383806		8.8	10	5	34.1	0.038	
E383807		7.7	9.3	6	29.4	0.036	
E383808		11.2	10.6	9	28.9	0.019	
E383809		12.6	9.5	9	34.3	0.071	
E383810		14.1	10.2	10	33.2	0.019	
E383811		10.7	8.9	10	30.4	0.008	
E383812		11.9	10.3	7	31.4	0.017	
E383813		13.7	9.9	4	36.5	0.003	
E383814		10.1	9.4	<2	42.7	0.001	0.56
E383815		0.1	2.6	20	2.4	0.001	

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E383816		1.17	0.13	5.91	50.2	190	1.24	0.45	5.7	<0.02	80.8	215	42	1.46	238	12.45
E383817		1.42	0.13	5.23	29.3	320	1.13	0.31	4.71	<0.02	159	119	29	1.55	177.5	13.65
E383818		1.54	0.15	5.83	46.1	240	1.5	0.43	4.86	<0.02	180	213	35	3.45	450	14.45
E383819		1.50	0.13	3.6	19.2	900	0.68	0.36	2.47	<0.02	159.5	78.6	15	1.44	257	20.3
E383820		1.44	0.17	4.25	15	780	1.3	0.2	1.59	<0.02	53.9	66.5	24	4.42	1520	19.9
E383821		1.54	0.08	7.94	29.9	2320	2.28	0.42	4.15	<0.02	90.7	117	61	4.54	23.8	10.15
E383822		1.63	0.06	5.09	27.4	1770	1.17	0.29	6.81	<0.02	108.5	106	32	1.31	16.3	13.8
E383823		1.32	0.07	5.55	26.2	1310	1.31	0.37	6.76	<0.02	107.5	109	35	1.87	8.3	13.15
E383824		1.39	0.11	4.35	23.8	340	1.01	0.4	5.82	<0.02	134.5	92	24	1.91	388	15.35
E383825		1.69	0.1	1.32	10.5	4070	0.28	0.17	2.05	<0.02	177.5	17.5	<1	0.62	396	23.4
E383826		0.18	0.03	0.13	<5	40	0.06	<0.01	42	0.36	2.38	0.7	4	0.05	2.7	0.09
E383827		0.21	1.32	2.5	115	60	0.72	10.4	2.3	<0.02	190.5	327	4	2.74	9300	29.4
E383828		1.72	1.94	3.18	184.5	100	0.85	12.2	3.65	<0.02	43.6	353	14	1.45	1110	19.8
E383829		1.73	1.86	2.58	194	110	0.48	12.9	5.54	0.02	114	321	7	0.79	1150	21.7
E383830		1.86	1.26	1.39	108.5	30	0.18	5.92	6.83	<0.02	145.5	186.5	<1	0.26	2350	17.5
E383831		1.84	1.25	2.06	111	40	0.28	5.95	7.61	<0.02	135	270	5	0.51	3110	17.85
E383832		1.24	0.25	2.97	22.4	130	0.62	0.72	7.2	<0.02	168	79.6	13	0.99	908	16.15
E383833		1.76	0.26	1.15	17.3	300	0.21	0.46	2.76	<0.02	343	58.1	<1	0.24	622	24.1
E383834		1.58	0.4	3.24	29.8	160	0.54	0.5	1.05	<0.02	156.5	69.9	20	1.7	4070	17.4
E383835		1.90	0.69	5.82	49.2	210	0.82	0.93	1.98	<0.02	154.5	115	29	2.37	6150	18.3
E383836		1.15	0.57	5.99	34.6	300	0.82	1.04	2.55	<0.02	370	150	31	2.08	3950	18.25
E383837		1.76	0.55	2.6	49.9	80	0.51	1.52	1.18	<0.02	268	117	9	0.95	1870	16.95
E383838		0.16	0.02	0.13	<5	110	0.11	0.01	40.8	0.35	2.59	0.7	4	<0.05	5.9	0.08
E383839		1.62	0.28	2.1	18.3	150	0.3	0.34	3.09	<0.02	291	55.2	6	0.74	3050	20.4
E383840		1.60	0.12	1.68	13.2	2590	0.17	0.22	2.89	<0.02	285	31.8	2	0.39	239	18.75
E383841		1.23	0.11	3.72	24.2	300	0.31	0.3	6.12	0.02	270	103.5	15	0.57	99.9	14.7
E383842		1.18	0.13	5.2	23	540	0.51	0.37	5.15	<0.02	204	100.5	28	1.45	8.5	14.75
E383843		1.25	0.15	5.03	18.9	570	0.45	0.36	4.38	<0.02	227	97.7	25	1.14	102.5	19.8
E383844		1.73	0.06	5.37	12.3	550	0.41	0.18	4.75	<0.02	106.5	102.5	29	0.66	6.9	14.7
E383845		1.07	0.04	4.89	11.9	240	0.36	0.19	4.14	<0.02	78.3	85.3	25	0.48	14.3	12.4
E383846		1.35	0.26	4.86	31.8	90	0.4	1.3	4.27	<0.02	32	175.5	26	0.59	56.3	12.95
E383847		1.66	1.41	2.8	293	120	0.25	7.59	2.14	0.04	198	578	4	0.49	113	23
E383848		1.71	0.81	2.35	95.8	120	0.28	3.35	4.48	<0.02	176.5	443	5	0.27	179.5	24
E383849		0.17	0.04	0.12	<5	70	0.12	0.01	44.7	0.4	2.37	1.5	6	0.05	3.2	0.07
E383850		0.17	0.29	7.15	50	290	2.52	1.49	2.06	<0.02	79.5	106.5	44	5.76	1565	7.46
E383851		1.41	1.42	1.57	178	150	0.31	4.64	3.28	<0.02	203	560	6	1.33	147	31.3
E383852		1.55	1.07	2.31	94.9	160	0.34	3.44	3.72	<0.02	207	537	6	1.4	233	28.7
E383853		1.63	2.2	1.68	256	70	0.32	7.65	2.56	<0.02	245	738	4	1.03	216	32.7
E383854		1.78	2.08	2.3	235	220	0.27	8.75	2.74	<0.02	238	578	11	1.39	127	25.5
E383855		1.36	0.47	4.05	51	60	0.36	1.82	3.58	<0.02	232	269	13	0.28	61	16.6

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method Analyte Units LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E383816		12.5	0.15	1.2	0.088	1.45	55.7	15.1	2.23	6720	16.35	2.02	2.4	65.8	1010	2
E383817		11.8	0.17	0.8	0.163	1.45	114.5	17.9	2.68	7440	22	1.45	2.7	44.7	1200	1.7
E383818		13.75	0.22	1.3	0.185	1.86	118	34.6	2.99	5720	22.6	0.47	1.9	58.6	1140	1.6
E383819		8.27	0.22	0.8	0.42	0.9	110	32	3.14	12650	25	0.03	3.1	45.1	1290	1.8
E383820		9.23	0.21	1	0.414	1.56	39.2	26.6	2.93	14750	10.8	0.05	1.4	46.2	510	1.9
E383821		18.6	0.13	2.1	0.114	2.8	70.1	30	2.26	3950	14.5	1.66	1.3	48.3	580	1.8
E383822		10.3	0.14	0.9	0.084	1.77	87.3	18.9	3.02	6300	20.2	0.86	1.5	49.8	830	1.3
E383823		11.85	0.15	1.2	0.107	1.73	88.3	21.7	3.06	6850	23.5	1.21	1.4	50.4	860	1.6
E383824		10.8	0.15	0.9	0.133	1.18	101	38.2	3.4	6710	28.3	0.15	1.5	64.1	1000	1.5
E383825		3.89	0.23	0.1	0.45	0.23	137	17.3	3	16350	18.1	0.02	3.6	31.3	1210	1.8
E383826		0.43	<0.05	<0.1	<0.005	0.03	1.8	1.3	0.45	69	0.27	0.02	0.3	2	110	0.6
E383827		9.48	0.31	0.7	0.281	0.69	108.5	19.4	1.55	6420	65.6	0.25	6.1	61.4	2480	6
E383828		8.25	0.21	0.8	0.084	0.96	12.8	21.8	1.98	3950	57.3	0.18	3.4	116	1230	9.9
E383829		5.8	0.24	0.6	0.066	0.53	57.3	15	2.33	6870	43.3	0.6	4.7	86.6	920	11
E383830		3.35	0.23	0.1	0.077	0.14	73.1	10.5	2.71	8730	44.5	0.34	3.5	66.5	1210	5.7
E383831		4.04	0.22	0.3	0.087	0.22	67.1	14.6	2.92	9630	49	0.45	3.8	87	1220	6.2
E383832		8.21	0.19	0.6	0.133	0.74	88.3	23.9	4	9860	61.6	0.04	3.8	59	1280	2
E383833		3.75	0.26	0.1	0.214	0.08	241	15.5	3.11	15800	53.6	0.03	4.5	36.1	1380	2.3
E383834		7.72	0.18	0.7	0.106	0.76	99.1	28.3	2.18	9300	58.7	0.02	5	41.7	1470	2.5
E383835		13.8	0.22	1.6	0.076	0.81	104.5	65.5	2.63	4360	36.5	0.02	3.6	84.2	1830	2.7
E383836		15.25	0.27	1.5	0.069	0.79	268	68.8	2.85	2860	45.9	0.02	4.1	89.5	1800	2.7
E383837		7.98	0.26	0.6	0.118	0.34	133.5	32.5	1.83	7380	33.5	0.02	4	73.1	2180	3.3
E383838		0.44	<0.05	<0.1	<0.005	0.03	1.9	1.2	0.43	49	0.39	0.02	0.2	2.6	100	0.6
E383839		5.72	0.23	0.5	0.139	0.24	196	24.6	2.71	9650	29.8	0.02	5.2	42	2310	2.2
E383840		4.05	0.21	0.2	0.109	0.07	226	18.3	2.42	10100	31.7	0.39	5.4	22.9	1570	2.3
E383841		7.57	0.2	0.8	0.038	0.13	198.5	17.2	2.79	5320	38.5	1.76	4.5	21.9	1420	2
E383842		11.25	0.19	1.2	0.027	0.46	159.5	31.2	2.78	3850	31.4	1.67	3.6	56.8	1160	2.2
E383843		11.15	0.25	1.3	0.032	0.17	177	63.3	3.6	3780	37	0.05	4.1	80.5	1330	2
E383844		9.77	0.16	1.2	0.021	0.15	78.4	28.7	2.52	3730	18.9	2.18	3.2	46.6	950	1.5
E383845		8.67	0.14	1	0.017	0.18	50.9	14.1	1.66	3510	20.2	2.72	3.4	20.3	700	1.2
E383846		7.72	0.14	1.1	0.019	0.2	17.4	14.7	1.88	4490	55.2	2.65	3	27.2	640	2.5
E383847		6.41	0.29	0.6	0.034	0.12	142.5	12	1.63	7340	39.1	1.34	1.7	62.3	850	8.9
E383848		8.17	0.29	0.5	0.011	0.05	145.5	11.6	1.69	4070	39.7	1.1	1.6	62.4	1390	6.5
E383849		0.5	0.14	0.1	<0.005	0.03	2	1.4	0.48	41	0.33	0.01	0.3	<0.2	100	1.3
E383850		17.6	0.21	1.9	0.12	3.11	42.4	21.8	1.43	3520	20.5	0.62	2.6	25.1	780	2.8
E383851		7.82	0.35	0.5	0.007	0.18	176.5	12.4	1.55	4240	47.1	0.16	4.8	72.5	1700	10.6
E383852		8.27	0.35	0.4	0.005	0.22	180.5	13	1.58	3850	38.7	0.68	3.2	65.6	1600	7.1
E383853		8.11	0.39	0.5	<0.005	0.13	211	11.5	1.18	3070	88.4	0.37	5.5	81.2	1820	12.4
E383854		7.65	0.31	0.7	0.007	0.16	193.5	10.6	1.29	3370	50.5	1.04	2.7	75.5	1110	10.6
E383855		7.72	0.26	0.9	0.034	0.1	174.5	6.1	1.67	7720	38.7	2.84	1.1	35	1010	2.9

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E383816		64.6	0.004	1.63	1.02	20.9	2	8	253	0.07	0.29	1.7	0.233	0.16	4.4	201
E383817		63.9	0.005	0.86	0.76	16.6	2	7.7	164	<0.05	0.22	1.7	0.099	0.13	5.1	143
E383818		78.2	0.006	1.59	0.83	22.4	3	10.4	261	<0.05	0.43	1.7	0.119	0.16	10.2	162
E383819		37.7	0.007	0.52	0.87	13.4	2	5.8	119	0.05	0.26	1.8	0.06	0.08	3.2	97
E383820		65	0.002	0.61	0.89	17.8	2	6.7	138	<0.05	0.11	1.2	0.102	0.14	3	134
E383821		123.5	0.003	0.89	1.47	39.5	2	13.1	113.5	0.06	0.19	1.5	0.25	0.24	7.3	256
E383822		63.5	0.004	0.94	1.24	20.4	2	8	56	<0.05	0.18	1.5	0.194	0.13	5.1	188
E383823		72.7	0.005	1.05	1.27	23.9	2	9.7	76.3	<0.05	0.16	1.5	0.185	0.16	4.8	181
E383824		55.3	0.004	1	1.13	18.3	2	8.8	177	<0.05	0.17	1.5	0.127	0.13	3.4	149
E383825		9.6	0.005	0.18	0.93	5.8	1	3.6	223	0.05	0.08	1.2	0.04	0.02	1.9	59
E383826		0.5	<0.002	0.05	0.06	0.3	2	<0.2	256	<0.05	<0.05	<0.2	0.007	<0.02	0.6	5
E383827		37.4	0.019	7.24	2.1	4.4	5	7.4	172	0.12	1.1	6	0.034	0.42	14.5	61
E383828		45.3	0.011	>10.0	1.32	10	3	12.8	105	0.08	1.05	0.9	0.1	0.3	8.6	117
E383829		23.5	0.011	>10.0	1.51	9.6	3	8.3	137	0.1	0.91	1.3	0.081	0.14	7.5	101
E383830		5.5	0.014	9.41	0.85	5	4	3.3	256	0.05	0.7	1.2	0.022	0.09	7	59
E383831		8.7	0.009	8.94	0.91	4.8	3	4.3	282	0.07	0.69	1.3	0.038	0.08	9.4	82
E383832		32.1	0.011	1.86	0.63	8.7	3	12.9	552	0.07	0.27	1.4	0.069	0.08	9.3	125
E383833		3.4	0.024	1.05	0.86	4	3	16.9	294	0.05	1.03	1.2	0.019	<0.02	4.9	47
E383834		28.6	0.019	1.34	0.66	10.8	3	11.5	419	0.07	0.33	1.6	0.066	0.08	10.5	102
E383835		36.8	0.014	1.92	1.03	23	4	14.4	183.5	0.08	0.24	2.8	0.087	0.09	7.6	142
E383836		34.1	0.018	2.41	1.11	23.1	4	20.1	68.4	0.1	0.25	3.1	0.165	0.1	10.3	165
E383837		16.1	0.009	2.5	0.95	10.8	2	9.3	602	0.06	0.31	2.7	0.047	0.06	7.5	64
E383838		0.5	<0.002	0.05	0.06	0.3	2	<0.2	247	<0.05	<0.05	<0.2	0.006	<0.02	0.6	5
E383839		9.4	0.014	1.06	0.83	8.9	2	10.8	387	0.08	0.16	2.8	0.044	0.03	2.8	64
E383840		2.6	0.013	0.42	1.02	5.2	2	9.5	255	0.09	0.29	2.2	0.056	<0.02	5.3	55
E383841		4.4	0.014	1.43	1.07	10	3	12.3	268	0.1	0.31	3.2	0.121	0.02	4.2	88
E383842		18.9	0.011	1.34	1.11	13.7	2	20.3	166.5	0.11	0.3	3	0.183	0.06	6.7	141
E383843		6.8	0.016	1.38	1.12	9.9	3	17.1	158	0.13	0.18	4.1	0.161	0.03	4.8	156
E383844		5	0.004	1.31	0.64	9.2	2	18	254	0.12	0.07	2.5	0.239	0.02	3	134
E383845		6.2	0.005	0.93	0.5	8.9	2	14	620	0.11	0.11	1.7	0.225	0.04	2.5	107
E383846		6.8	0.006	1.96	0.48	9.2	2	13.2	474	0.1	0.14	0.8	0.218	0.04	3.6	103
E383847		4.3	0.011	>10.0	1	7.5	4	3.4	126	<0.05	1.1	2.5	0.059	0.07	4.9	57
E383848		1.7	0.017	8.25	1.03	6.5	4	1.7	54.9	0.05	0.45	2.6	0.022	0.04	8.2	66
E383849		0.6	0.002	0.07	0.14	0.5	3	<0.2	260	<0.05	0.07	<0.2	0.006	<0.02	0.6	2
E383850		126.5	0.007	1.36	1	10.5	3	7.1	452	0.16	0.19	13.7	0.11	0.33	18.7	68
E383851		6.1	0.019	>10.0	1.4	5.4	5	1.8	24.6	0.1	0.7	3.3	0.026	0.08	14.8	79
E383852		6.8	0.015	9.23	1.18	5.9	5	1.7	26	0.06	0.55	3.2	0.022	0.06	15.9	68
E383853		4.2	0.023	>10.0	1.9	4	6	1.5	27.5	0.11	1.28	3.7	0.02	0.22	9.7	81
E383854		5.2	0.012	>10.0	1.6	4.4	5	2.5	57.8	0.08	1.51	3.6	0.04	0.15	7.7	103
E383855		2.4	0.012	3.6	0.56	8	3	1.9	207	0.05	0.27	4	0.034	0.02	4.1	52

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E383816		12.6	11.7	7	34	0.005	
E383817		10	10.6	6	27	0.003	
E383818		11.5	13.8	21	38.8	0.007	
E383819		9.5	10.9	16	26.4	0.005	
E383820		9.8	10.6	15	33.9	0.004	
E383821		17.2	15.2	10	60	0.004	
E383822		12.1	10.4	6	29.1	0.004	
E383823		14.2	12.1	6	35.3	0.003	
E383824		9.2	11	12	28.3	0.005	
E383825		5.7	7.9	10	9.5	0.002	
E383826		0.1	2.8	22	2.8	<0.001	
E383827		6.9	15.5	6	24.5	0.119	
E383828		11.8	9.7	7	25.5	0.085	
E383829		9.6	9.5	8	22.6	0.095	
E383830		4.4	9.7	6	10.3	0.058	
E383831		6.7	10.5	11	15	0.058	
E383832		9.6	10.9	11	22.2	0.012	
E383833		5.6	9.4	10	10.2	0.022	
E383834		5.4	10.3	17	23.9	0.023	
E383835		9	16.1	45	46.9	0.015	
E383836		10.7	16.7	33	46.5	0.018	
E383837		4.1	10	18	22.9	0.020	
E383838		0.1	2.7	19	2.3	0.002	
E383839		5.6	9.7	14	19.6	0.008	
E383840		5.3	8.2	10	13	0.006	
E383841		6.4	10.8	8	27.4	0.007	
E383842		8	11.6	15	38.7	0.006	
E383843		7.1	12.6	29	41.1	0.006	
E383844		7.1	10.8	14	38.2	0.003	
E383845		4.7	7.9	5	31.5	0.002	
E383846		3.8	7.9	7	34.4	0.014	
E383847		2.8	8.6	7	22.2	0.098	
E383848		2.5	11.1	11	15.9	0.046	
E383849		0.1	2.8	23	2.8	<0.001	
E383850		7.7	11.1	5	58.7	0.017	
E383851		4.7	12.7	15	15	0.074	
E383852		4.4	12.5	12	13.1	0.064	
E383853		4.1	12.4	11	17.4	0.122	
E383854		4.4	10.2	10	21.5	0.144	
E383855		3.2	10.5	7	27.8	0.027	

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E383856		1.79	0.05	3.66	11.9	90	0.35	0.18	3.06	<0.02	82.9	172.5	19	0.62	10.1	14.55
E383857		1.38	0.13	1.99	19.3	100	0.32	0.5	2.18	<0.02	69.3	148.5	11	1.22	173	14.15
E383858		2.46	0.1	2.52	15.1	130	0.32	0.29	3.86	<0.02	117	124	14	0.41	46.2	15.15
E383859		1.19	0.08	3.71	9.4	150	0.51	0.2	5.4	<0.02	106	96.9	18	0.35	13.1	13.55
E383860		1.44	0.02	3.86	7.4	200	0.53	0.11	4.78	<0.02	74.2	98.9	21	0.32	5.4	12.5
E383861		0.16	0.01	0.12	<5	70	0.18	0.02	42.2	0.34	2.09	1.1	6	0.05	2.1	0.05
E383862		1.86	0.08	3.32	7.9	190	0.52	0.12	4.15	<0.02	76.1	80.6	18	0.94	33.6	12.75
E383863		1.36	0.13	4.19	7	160	1.05	0.12	4.4	<0.02	59.6	88.2	24	1.41	10.4	12.4
E383864		1.71	0.09	3.82	12	60	0.64	0.26	5.95	<0.02	142.5	183.5	21	0.78	21.7	14.4
E383865		1.37	0.25	4.04	11.3	100	0.58	0.31	4.97	<0.02	177	135	24	0.94	2080	17.8
E383866		1.89	0.13	3.02	9.1	130	0.54	0.24	2.18	<0.02	106	76.8	19	0.6	34.2	13.05
E383867		2.02	0.12	2.89	7.6	190	0.31	0.17	2.06	<0.02	145.5	65.8	14	0.56	36.5	15.2
E383868		1.82	0.15	3.41	10.2	140	0.44	0.19	5.19	<0.02	232	90.1	18	0.96	31.6	16.15
E383869		1.50	0.1	3.48	15.2	130	0.4	0.26	5.28	<0.02	257	101.5	20	1.63	14.6	15.15
E383870		1.69	0.14	3.5	9.5	180	0.65	0.18	4.88	<0.02	218	81	22	0.75	31.6	16
E383871		1.51	0.09	3.2	11.8	110	0.47	0.18	3.7	<0.02	62.6	158.5	16	0.42	7.4	13.75
E383872		0.18	0.03	0.12	<5	140	0.08	<0.01	42.6	0.36	2.16	1.4	6	<0.05	2.1	0.06
E383873		0.19	1.09	5.64	59.2	140	1.96	2.45	1.91	<0.02	46.2	150	33	3.28	7910	9.02
E383874		1.71	0.06	3.32	8.9	180	0.64	0.08	4.7	<0.02	68.9	101.5	15	0.61	34.4	14.7
E383875		1.41	0.07	5.34	17.8	1500	0.48	0.1	6.56	<0.02	172.5	66.9	28	0.21	47.6	12.5
E383876		1.32	0.41	3.48	202	80	0.5	2.17	5.32	<0.02	296	416	16	0.14	1150	14.05
E383877		1.65	0.74	0.98	126	60	0.48	2.95	4.05	<0.02	35.7	272	3	0.2	1365	14.4
E383878		1.88	0.73	0.92	129.5	50	0.37	2.78	3.92	<0.02	35.5	279	4	0.2	1620	14.05
E383879		1.71	0.52	0.14	111.5	30	0.24	2.41	7.22	0.02	117	225	<1	0.06	230	17.6
E383880		1.93	0.36	0.19	104.5	30	0.24	1.7	4.1	<0.02	139.5	268	<1	0.05	415	26.9
E383881		1.84	0.26	3.38	146.5	100	0.78	1	4.49	<0.02	90.8	223	15	0.62	504	17.3
E383882		1.51	0.26	3.15	167	80	0.62	1.11	4.65	<0.02	97.7	236	13	0.51	715	19.15
E383883		1.51	0.22	2.39	60.8	110	0.34	0.84	9.61	0.02	258	110	10	0.08	167.5	14.15
E383884		0.18	0.02	0.13	7	220	0.05	0.01	43.1	0.35	2.46	1	6	<0.05	2.4	0.07
E383885		1.33	0.43	4.71	97	80	0.91	1.58	6.6	<0.02	194.5	155	26	0.97	131.5	12.45
E383886		1.43	0.37	6.57	49.3	200	1.99	1.44	5.22	<0.02	38.7	128	49	2.08	59.6	11.6
E383887		1.90	0.11	4.64	131	200	0.5	0.33	5.6	<0.02	144	125	28	0.49	72.2	13.4
E383888		1.25	0.25	6.18	103	170	1.62	0.71	5.04	<0.02	123	148.5	47	1.89	307	11.65
E383889		1.47	0.91	5.65	138	260	1.59	3.67	4.8	<0.02	99	501	39	1.76	78.5	14.45
E383890		1.60	1.36	2.67	245	70	0.24	6.28	5.5	<0.02	123	860	16	0.23	414	20.9
E383891		1.57	0.98	0.57	125.5	30	0.33	2.73	2.22	<0.02	10.8	654	3	0.09	3770	18.6
E383892		1.75	2.27	2.27	319	90	0.39	7.94	2.97	<0.02	76.2	1025	11	0.28	629	20.1
E383893		1.75	0.74	3.03	276	70	0.46	4.19	4.14	0.04	133	441	9	0.22	127.5	13.35
E383894		1.51	0.58	5.16	82.6	130	0.33	2.71	4.93	0.04	71.9	233	21	0.34	27.7	13.3
E383895		0.16	0.02	0.12	<5	90	0.08	0.02	42.5	0.43	2.04	1.6	5	<0.05	2.1	0.06

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E383856		6.31	0.21	1	0.018	0.24	50.5	6.4	1.34	4380	20.2	2.34	1.3	19.4	800	1.5
E383857		5.14	0.2	0.4	0.033	0.39	25	11.5	1.08	3300	8.45	0.51	2.1	28.9	1240	2.2
E383858		5.73	0.21	0.6	0.033	0.19	60	14.2	1.76	3870	14.8	1.07	4.2	22.6	1160	2.1
E383859		6.72	0.18	0.9	0.028	0.16	66.2	9.9	2.14	4320	21.5	2.27	4.7	16.2	990	2.1
E383860		7.23	0.17	1.1	0.024	0.24	45.8	7	1.85	3950	20.4	2.49	3.2	13.5	650	1.4
E383861		0.44	0.17	0.1	0.005	0.03	1.7	1.2	0.45	35	0.23	0.01	0.2	<0.2	100	1.2
E383862		6.4	0.19	0.9	0.019	0.35	34.6	10.8	1.58	3830	23.7	1.82	2.9	10.6	710	1.8
E383863		9.29	0.16	1.2	0.021	0.89	34.7	11.4	1.91	3300	18.15	1.67	4	14	710	1.8
E383864		8.37	0.21	1	0.035	0.27	93.7	19.1	2.75	4730	28.5	1.78	4.4	26	1060	2.1
E383865		11.9	0.23	1.2	0.041	0.51	127	49.3	3.28	4210	30.2	0.04	4.5	36.4	1100	2
E383866		8.75	0.19	0.9	0.026	0.33	47.3	40.4	2	2830	27.9	0.04	3.9	23.3	830	2.2
E383867		7.67	0.22	0.9	0.036	0.15	79.9	38.5	2.23	5130	37.5	0.15	3.1	20.5	1000	2.2
E383868		8.61	0.24	1	0.037	0.26	162	49.2	3.24	4110	39.5	0.02	4.6	22.4	1210	2.1
E383869		8.36	0.25	0.9	0.032	0.29	176	43.7	3.15	4090	52	0.26	4.2	18.6	1300	1.9
E383870		9.55	0.25	0.9	0.049	0.36	144.5	42	3.27	5600	45.1	0.18	4.8	25.3	1150	1.6
E383871		6.73	0.2	0.8	0.018	0.31	30.5	6.7	1.2	3320	27.6	1.87	5.1	17.6	1040	1.4
E383872		0.46	0.17	0.1	<0.005	0.03	2.1	1.3	0.46	37	0.32	0.01	0.3	0.7	90	0.7
E383873		13.35	0.18	1.7	0.133	2.14	19.9	21.2	1.14	3100	61.8	1.08	2.8	37.5	760	20.6
E383874		6.44	0.21	0.9	0.01	0.57	36.9	5.3	1.27	4250	21.3	1.77	4.1	12.9	860	1.2
E383875		9.64	0.22	1.3	0.012	0.15	145.5	6.1	1.78	6010	36.2	4.01	3.3	14.3	1330	2.1
E383876		7.46	0.27	0.8	0.016	0.08	187	5.4	1.23	4860	68.9	2.59	2.1	57.5	1350	3.5
E383877		2.59	0.18	0.3	0.01	0.14	10.3	3.8	0.94	4420	23.4	0.43	1.4	50.7	1190	6.9
E383878		2.58	0.2	0.2	0.009	0.14	11.1	4	0.91	4310	22.7	0.41	1.4	51.1	1150	7.1
E383879		2.78	0.24	0.1	0.024	0.01	63.6	1.1	2.35	6080	21	0.03	1.4	40.7	1090	5.7
E383880		4.95	0.31	0.1	0.015	<0.01	86.9	1.5	1.23	5040	36.8	0.04	1	65.1	1190	8.3
E383881		8.15	0.26	0.6	0.014	0.58	56.5	8.8	1.02	4220	27.6	1.58	2.5	61	1070	3.1
E383882		8.05	0.24	0.5	0.015	0.5	60.6	8.5	1.03	4350	29.6	1.5	2.2	65.4	1180	3.4
E383883		4.24	0.27	0.4	0.013	0.05	201	3.1	2	8970	26.8	1.78	1.2	31.6	1190	2.4
E383884		0.42	<0.05	0.1	<0.005	0.03	2	1.5	0.44	45	0.27	0.02	0.3	0.3	90	0.8
E383885		8.38	0.24	1	0.024	0.88	146	7.9	1.49	6100	40.9	2.27	13.3	37.1	1030	3.2
E383886		13.55	0.16	1.9	0.036	2.18	34	14.8	1.45	5270	39	1.9	15.7	32.6	640	3
E383887		6.81	0.22	1.2	0.011	0.43	123	6.8	1.31	5010	22	2.76	4.4	24.1	1530	1.5
E383888		12.25	0.19	1.9	0.032	1.73	107.5	14.9	1.35	4680	39.9	2.06	20.3	46	1130	2.6
E383889		11.65	0.24	2.1	0.033	1.63	88.7	14.3	1.38	4610	141	1.81	25.3	104	820	7.1
E383890		4.64	0.33	0.7	0.013	0.11	102	6.6	1.52	5600	125	1.58	5.6	232	980	9.3
E383891		3.23	0.25	0.1	0.017	0.03	2.7	3	0.69	2710	158.5	0.23	1	192	540	4.3
E383892		4.19	0.32	0.6	0.012	0.1	28.1	8.5	1	2570	144.5	1.26	2.4	197	1220	24.6
E383893		5.1	0.26	0.7	0.013	0.1	82.8	5.2	1.41	3830	23.4	2.04	1.8	97.8	1350	6.3
E383894		7.17	0.21	1.5	0.013	0.2	62.9	7.1	1.51	4550	24.3	3.53	1.8	43	740	4.1
E383895		0.37	<0.05	0.1	<0.005	0.03	1.6	1.4	0.45	39	0.25	0.01	0.2	1	90	1.1

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E383856		7.6	0.007	2.06	0.85	7.5	3	7.7	691	0.07	0.06	2	0.136	0.05	2.7	59
E383857		13.5	0.006	2.05	0.68	4.1	3	5.7	701	0.07	0.09	1.3	0.073	0.11	3.1	56
E383858		6	0.008	1.73	0.95	5	3	11.4	831	0.12	0.14	2	0.095	0.04	3.9	62
E383859		4.9	0.011	1.7	1.07	7.3	3	18.7	792	0.17	0.1	3.4	0.147	0.02	2.9	85
E383860		8.2	0.006	1.36	0.76	8.7	3	15.7	1030	0.17	0.11	2.5	0.169	0.03	3.1	87
E383861		0.6	0.002	0.07	0.09	0.4	3	<0.2	244	<0.05	0.05	<0.2	0.006	<0.02	0.6	3
E383862		12.2	0.007	1.02	0.91	8.2	2	13	1150	0.15	0.08	2.8	0.155	0.08	3.6	80
E383863		35.3	0.005	1.34	0.86	15.7	2	18.3	1065	0.18	0.09	2.9	0.194	0.12	3.7	100
E383864		8.7	0.013	2.87	0.85	10.9	4	11.5	396	0.18	0.27	4.3	0.148	0.04	4.5	79
E383865		20.5	0.017	2.08	1	12.5	5	17.8	203	0.14	0.48	4.6	0.15	0.05	5.4	115
E383866		13.7	0.019	1.36	0.82	8.2	4	12.2	715	0.11	0.86	2.9	0.121	0.03	9.7	77
E383867		5.2	0.028	1.02	0.73	6.2	4	7.8	693	0.11	0.89	3.4	0.091	0.02	5.1	69
E383868		8.9	0.031	1.29	1.11	9.3	4	11.8	347	0.14	0.92	4.4	0.116	0.03	7.7	82
E383869		10.8	0.029	1.39	1.08	8.8	5	10.6	447	0.12	1.12	4.8	0.111	0.05	5.9	77
E383870		13.6	0.026	1.19	0.9	11.1	4	13.9	654	0.12	1.28	4	0.131	0.03	8.2	95
E383871		10.8	0.019	1.93	0.94	6.7	4	11.4	801	0.18	0.24	2.2	0.14	0.07	4.6	72
E383872		0.6	<0.002	0.07	0.06	0.5	3	<0.2	248	<0.05	0.05	<0.2	0.006	<0.02	0.6	3
E383873		82.2	0.023	2.2	1.37	9	3	6.6	615	0.15	0.25	7.8	0.078	0.38	292	54
E383874		20.1	0.008	0.91	0.8	10.7	3	11.7	1225	0.2	0.06	2.6	0.132	0.11	3.8	72
E383875		4.3	0.017	0.59	0.51	13.4	3	8	217	0.15	0.11	4.4	0.19	0.02	5.8	114
E383876		2.4	0.027	4.76	0.8	8.2	5	4.6	521	0.09	0.52	4.7	0.096	0.03	8.7	74
E383877		5.3	0.007	5.39	1.22	3.4	3	2.8	380	0.07	0.61	0.8	0.036	0.21	20.9	38
E383878		5.1	0.007	5.24	1.28	3.5	3	2.8	371	0.06	0.64	0.8	0.036	0.21	22.6	38
E383879		0.2	0.005	4.63	1.77	5.8	3	1.8	650	<0.05	0.51	1.4	0.007	0.06	8.6	51
E383880		0.2	0.011	3.82	1.83	4	3	1.3	621	<0.05	0.3	2.3	0.006	0.05	44.2	84
E383881		24.7	0.006	3.22	0.67	11.1	3	10	571	0.05	0.22	1.7	0.096	0.07	12.1	81
E383882		20.5	0.008	3.49	0.73	10	4	8.4	566	0.05	0.23	1.7	0.085	0.07	12.5	82
E383883		1.5	0.003	1.59	0.59	8.1	3	4.7	646	<0.05	0.17	3	0.074	<0.02	2.5	55
E383884		0.6	<0.002	0.07	0.13	0.5	1	<0.2	255	<0.05	<0.05	0.2	0.006	<0.02	0.6	8
E383885		38.9	0.006	3.4	1.08	15.1	2	13.8	311	0.14	0.28	4.3	0.129	0.1	36.4	80
E383886		95.3	0.004	2.81	1.12	33.1	2	29.9	112.5	0.23	0.23	2.8	0.246	0.23	41.8	151
E383887		18.5	0.005	1.51	0.61	11.2	2	13.1	364	0.15	0.11	2.1	0.221	0.05	2.7	87
E383888		77.5	0.006	1.84	1.07	29.7	2	29.7	297	0.34	0.21	3.7	0.26	0.15	39.5	121
E383889		73.4	0.013	6.7	1.63	29.5	3	27	72.9	0.42	0.71	7.2	0.209	0.15	121	107
E383890		4	0.012	>10.0	2.27	7.7	4	6.9	138.5	0.13	1.39	1.8	0.14	0.03	7	57
E383891		1.1	0.015	7.98	1.66	2.5	3	1.4	232	<0.05	0.52	0.3	0.014	0.02	30.2	28
E383892		3.6	0.027	>10.0	3.51	4.5	4	3.5	201	0.1	1.68	3.9	0.069	0.11	353	40
E383893		4.3	0.005	6.52	1.51	6.5	4	4.3	470	0.1	0.77	3.3	0.08	0.06	9.6	40
E383894		7.1	0.005	3.04	1.03	7.9	3	5.2	109	0.11	0.45	2.6	0.12	0.07	5.9	61
E383895		0.6	<0.002	0.06	0.06	0.5	4	<0.2	251	<0.05	<0.05	0.2	0.006	<0.02	0.7	3

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E383856		3.6	7.4	4	30.2	0.004	
E383857		4.5	8.4	9	13	0.007	
E383858		5.5	9.6	13	18.9	0.007	
E383859		7.6	9.2	9	26.8	0.007	
E383860		8.3	8.1	6	32.9	<0.001	
E383861		0.6	2.6	21	2.8	0.002	
E383862		9.4	7.5	8	25.1	0.004	
E383863		11	7.4	6	33.6	0.006	
E383864		8	9.5	11	29.3	0.008	
E383865		9	10.9	19	34	0.018	
E383866		6.7	8.9	19	26.8	0.009	
E383867		4.8	9	21	24.7	0.008	
E383868		8.4	11.8	21	28.7	0.005	
E383869		8.3	11	21	26.7	0.010	
E383870		9.8	10	19	27.6	0.013	
E383871		11.7	9.4	5	23.2	0.006	
E383872		0.2	2.6	22	2.6	0.003	
E383873		8.4	13.5	6	49.9	0.055	
E383874		9.5	8.5	3	27.3	0.003	
E383875		6.6	12.9	7	37.8	0.004	
E383876		2.8	17.1	6	24.2	0.047	
E383877		3.2	7.9	<2	7.7	0.047	
E383878		3.6	8.2	3	7.4	0.051	
E383879		3.7	10.1	7	1.7	0.031	
E383880		6	10.9	6	1.5	0.023	
E383881		5.8	11.3	6	16	0.022	
E383882		4.4	12.3	6	13.5	0.026	
E383883		3.9	15.2	6	12.3	0.012	
E383884		0.1	2.7	21	3.4	0.002	
E383885		7.3	13.8	4	31.5	0.026	
E383886		10.9	9.4	2	59.5	0.026	
E383887		5.5	11.2	4	38.1	0.013	
E383888		10.3	11.2	3	62.1	0.017	
E383889		10	13.2	3	66.6	0.054	
E383890		4.1	7.9	4	23.4	0.068	
E383891		4.7	4	2	4.2	0.068	
E383892		4.9	17.9	6	24.1	0.110	
E383893		4.3	10.6	5	24.4	0.043	
E383894		3.5	8	6	50.9	0.025	
E383895		0.1	2.6	22	3.2	0.001	

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E383896		0.21	1.15	2.41	106	60	0.63	10.8	2.26	0.08	212	335	12	2.7	8700	28
E383897		1.38	0.22	5.24	49.9	220	0.36	2.44	5.79	0.15	97	212	25	0.24	19.7	12.85
E383898		1.33	0.1	6.27	21.8	910	0.43	0.77	1.98	0.29	102.5	123	20	0.4	11.5	11.4
E383899		1.58	0.11	6.4	22.8	1260	0.67	0.89	2.79	0.06	78.2	133.5	32	1.14	11.2	13.15
E383900		1.53	0.07	4.85	47.3	260	0.35	0.6	6.13	0.03	178	123	27	0.36	7.9	13.2
E383901		1.39	0.14	3.67	47	80	0.31	0.52	4.89	0.04	165.5	186	19	0.33	11.8	14.35
E383902		1.66	0.11	1.66	17.3	120	0.25	0.3	1.88	<0.02	149.5	175.5	8	0.38	39.8	15.95
E383903		1.75	0.08	1.01	9.7	5040	0.11	0.11	0.85	0.02	382	23.1	4	0.27	64.3	18.85
E383904		2.92	0.11	2.26	11	1930	0.23	0.27	4.36	<0.02	285	35.8	11	0.76	187.5	16.15
E383905		2.64	0.36	5.1	63.4	400	1.43	5.04	3.43	0.03	81.4	106.5	26	2.85	182	6.21
E383906		1.31	0.67	6.7	77.4	450	2.29	6.67	0.65	<0.02	94.6	142.5	40	5.32	1260	10.9
E383907		0.16	0.01	0.12	<5	60	0.07	0.02	41	0.35	2.17	1.4	6	<0.05	3.1	0.05
E383908		1.32	1.24	6.94	123.5	5820	2	12.45	0.6	<0.02	129.5	219	35	5.58	1170	15.3
E383909		1.51	1.61	2.97	160.5	50	0.61	15.75	0.97	<0.02	184	353	12	1.68	2910	23.8
E383910		1.76	1.05	1.02	122	30	0.27	10	5.46	0.02	40.9	230	<1	0.74	2260	21.8
E383911		1.79	0.74	1.18	98.1	40	0.33	7.45	7.32	<0.02	64.2	164.5	4	0.81	1460	18.8
E383912		1.46	0.87	3.24	93.9	100	0.85	9.69	8.82	<0.02	111	185.5	14	2.45	974	14.7
E383913		1.57	1.61	3.43	204	250	0.87	25.9	6.9	<0.02	130.5	350	15	2.61	435	16.7
E383914		1.56	1.26	2.68	154.5	100	0.46	17.95	8.72	<0.02	54.4	258	11	1.57	261	14.45
E383915		1.85	1.53	3.06	183	150	0.84	17.75	8.19	<0.02	71.8	295	12	2.25	1990	16.3
E383916		1.45	0.79	3.54	101.5	80	0.88	10.9	9.4	<0.02	95.7	167.5	15	2.73	393	12.55
E383917		1.64	0.87	3.82	123.5	150	1.24	12.05	9.71	<0.02	143	215	16	3.64	676	12.55
E383918		0.16	0.02	0.13	<5	50	<0.05	0.07	41	0.37	2.14	4.9	6	<0.05	3.5	0.08
E383919		0.20	0.25	6.77	47.1	390	2.36	1.55	2.18	<0.02	75.6	107.5	42	6.14	1500	6.97
E383920		1.57	0.93	0.35	150.5	130	0.08	8.02	6.5	0.06	173.5	204	<1	0.36	3670	29.8
E383921		1.78	2.15	1.83	211	20	0.42	17.1	10.65	0.02	122.5	332	6	1.76	855	18.55
E383922		1.19	2.02	1.44	158	30	0.31	14.5	12.15	0.03	136.5	239	4	1.19	3980	15.75
E383923		1.26	1.53	2.57	137	30	0.59	10.45	11.45	0.03	119	206	9	2.22	883	14.7
E383924		1.73	1.66	0.72	168	30	0.14	10.85	8.61	0.04	87.7	282	<1	0.52	3390	22.9
E383925		2.07	2.48	0.85	249	900	0.24	15.2	6.62	0.04	107.5	337	1	0.95	3870	28.9
E383926		1.40	2.32	2.33	196.5	70	0.88	20.2	9.8	0.03	134.5	239	10	2.7	611	18.6
E383927		1.05	3.63	6.93	307	840	2.23	21.5	3.9	0.03	199.5	393	33	8.96	400	16.2
E383928		1.53	1.23	5.5	102.5	90	1.51	7.86	5.54	<0.02	78.7	203	22	6.22	774	11.5
E383929		1.19	0.65	5.51	54.6	130	1.34	3.86	5.42	<0.02	147.5	112	24	5.08	226	9.35
E383930		0.17	<0.01	0.14	9	30	0.06	0.05	47.5	0.4	2.17	0.9	6	<0.05	8.6	0.07
E383931		0.89	0.55	5.04	71.9	100	1.41	3.95	7.96	<0.02	143.5	136	22	4.74	171	12.25
E383932		2.16	0.08	5.69	18.1	420	1.48	0.49	5.85	<0.02	169	52.2	25	5.03	92.7	9.23
E383933		1.33	0.03	5.12	7.8	1640	1.18	0.21	5.05	<0.02	54.3	24.8	24	4.12	66.6	7.83
E383934		2.92	3.03	5.06	216	60	1.41	8.16	1.12	0.03	65	357	28	4.65	168.5	18.45

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E383896		9.37	0.39	0.7	0.253	0.66	138.5	20.8	1.59	5950	60.7	0.24	5.7	62.8	2440	6.9
E383897		7.19	0.17	1.5	0.009	0.18	84.8	3	1.66	4920	24.5	3.79	1.8	27.4	1070	2.9
E383898		9.07	0.18	1.5	0.041	0.22	92.1	9.6	1.14	6030	19.85	4.32	1.6	15.5	950	2.3
E383899		9.3	0.18	1.8	0.023	0.55	70.3	12.1	1.38	5720	19.25	3.86	4.3	21.8	760	1.7
E383900		7.74	0.24	1.2	0.012	0.17	153	6.2	1.77	4310	28.5	3.33	2.7	24.9	1210	1.9
E383901		5.96	0.26	0.9	0.007	0.14	115.5	7.1	1.5	3860	22	2.41	3.4	20.8	1330	1.9
E383902		3.46	0.27	0.4	0.021	0.14	80.3	16.3	0.9	2570	22.9	0.57	4.6	22.7	990	1.9
E383903		3.34	0.35	0.3	0.166	0.02	330	20.5	1.77	10700	28.6	0.02	5.3	9.9	1280	1.6
E383904		5.35	0.33	0.6	0.067	0.03	252	41	2.43	4510	38.5	0.01	7.3	16.6	1300	1.6
E383905		11.25	0.16	1.7	0.068	1.44	54.9	18.6	1.36	5090	4.97	1.39	2	26.7	650	8.8
E383906		17.15	0.23	2.3	0.077	2.05	60.6	59.2	1.33	1120	53.6	0.07	1.4	55.5	960	10.8
E383907		0.38	<0.05	0.1	<0.005	0.03	1.7	1.4	0.43	37	0.3	0.01	0.2	1	100	0.7
E383908		15.85	0.26	2.3	0.075	1.89	85.4	63.3	1.5	2560	22.4	0.04	1.8	71.3	2260	12.7
E383909		6.48	0.44	0.8	0.114	0.47	65.8	35.3	1.34	12350	31.3	0.01	2.3	70	4140	14
E383910		3.31	0.31	0.3	0.205	0.24	14.7	10.3	2.54	12450	40.2	0.01	2	44.7	3020	13.9
E383911		3.82	0.29	0.4	0.187	0.3	32.7	10.7	3.09	12400	41.1	0.04	2.2	43.3	3260	11.3
E383912		8.26	0.26	0.9	0.093	1.22	79	11.4	2.93	13200	18.25	0.6	2	37.7	2030	7.3
E383913		7.87	0.3	1.1	0.075	1.3	93.1	13.5	2.38	8120	26.1	0.7	3.1	55.7	1760	15.7
E383914		5.05	0.23	0.7	0.088	0.9	34.3	9.8	3.2	9250	30.6	0.63	2.6	40.5	1070	11.3
E383915		6.94	0.26	0.9	0.088	1.06	44.1	15.2	2.65	11100	29.2	0.6	2.1	47.2	1820	14.8
E383916		8.64	0.21	1	0.086	1.28	69	15.8	2.79	12200	21.5	0.75	2	34.5	1470	7.1
E383917		9.79	0.24	1.2	0.098	1.6	107	24.3	3.31	11250	41.3	0.39	2.6	39.8	1590	9.7
E383918		0.44	<0.05	0.1	<0.005	0.03	1.7	1.5	0.44	49	0.56	0.01	0.2	2	110	0.9
E383919		17.7	0.16	1.8	0.123	2.91	42.5	21.9	1.29	3110	18.35	0.55	2.5	24.8	720	2.5
E383920		3.24	0.4	0.1	0.208	0.09	130.5	3.9	3.08	32300	38.2	0.04	2	45.6	3150	13.4
E383921		5.2	0.28	0.6	0.115	0.8	88.4	12	3.62	15700	29	0.12	3.3	46	1850	15.3
E383922		4	0.25	0.4	0.133	0.54	103.5	10.2	4.66	12050	24.1	0.14	2	33.3	1410	10.7
E383923		6.29	0.21	0.8	0.11	1.03	88.6	21.4	4.05	13950	23.1	0.21	2.3	33.5	1460	10.3
E383924		2.78	0.26	0.2	0.187	0.16	65.9	7.2	4	23200	40.3	0.02	2.1	43.4	1890	11
E383925		4.04	0.31	0.2	0.204	0.33	78.1	7	3.05	23400	22.3	0.03	1.6	45.2	1770	19.7
E383926		6.94	0.27	0.8	0.117	0.93	95.5	20.1	3.82	14400	19.8	0.05	3.7	43.6	1780	19.9
E383927		18.9	0.32	2.4	0.126	3.21	134	45.4	1.93	5160	43	0.08	3.2	62.5	1990	26.6
E383928		12.4	0.19	1.7	0.104	2.17	52.7	42	2.5	5980	20.8	0.09	2	33.4	870	6.5
E383929		14.05	0.21	1.4	0.107	2.43	102.5	35.1	2.29	8040	12.75	0.09	1.9	20.2	740	3.6
E383930		0.47	0.1	0.1	0.019	0.03	1.6	1.4	0.51	53	0.26	0.01	0.3	1	120	0.7
E383931		11	0.22	1.6	0.177	1.87	99.1	47.7	3.5	10000	13.35	0.04	1.6	28.8	660	3.4
E383932		13.4	0.22	1.6	0.129	2.18	121.5	49.2	2.61	7470	25	0.05	2.6	19.9	1190	1.8
E383933		9.45	0.12	1.8	0.099	1.58	37.6	50.9	2.95	6950	11.3	0.04	1.6	12.2	760	1.5
E383934		13.95	0.26	1.5	0.182	1.7	27.8	35.7	1.74	14800	24.9	0.04	1.4	62.3	980	15.9

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E383896		35.6	0.018	7.28	2.06	4.4	6	7	197	0.12	1.16	6.4	0.033	0.49	15.5	62
E383897		5.9	0.005	2.31	1.04	8.3	3	6.3	107.5	0.12	0.49	3.2	0.144	0.03	2.4	69
E383898		8.2	0.005	1.02	0.48	7.1	3	5.5	89.9	0.13	0.12	3.5	0.109	0.04	2.4	48
E383899		21.8	0.005	1.31	0.55	14.7	3	9.8	64.8	0.18	0.15	2.7	0.203	0.07	3.3	77
E383900		5.8	0.008	1.6	0.45	10.4	3	8.3	165	0.14	0.16	4.9	0.185	0.02	2.5	84
E383901		4.7	0.012	1.99	0.7	8.3	3	8.9	601	0.16	0.17	4.1	0.15	0.03	2.5	65
E383902		5.5	0.023	1.97	0.98	3.7	3	8.4	1065	0.1	0.28	2	0.053	0.06	3.6	34
E383903		0.6	0.023	0.23	0.98	3.5	3	8.7	315	0.09	0.32	2.5	0.029	<0.02	4	30
E383904		0.9	0.045	0.35	1.27	5.3	3	12.3	601	0.16	0.52	3.5	0.075	0.02	6.1	50
E383905		65.8	0.005	2.21	0.95	5.5	2	5.7	55.1	0.12	0.09	11	0.063	0.89	24.5	45
E383906		95.2	0.045	3.24	0.99	9.1	3	7.5	139	0.08	0.14	16.9	0.069	1.02	94.2	70
E383907		0.7	<0.002	0.06	0.06	0.5	4	<0.2	249	<0.05	<0.05	0.2	0.006	<0.02	0.7	3
E383908		85.8	0.05	6.39	1.13	7.7	3	8.6	117	0.08	0.21	15.2	0.061	1.36	44.7	88
E383909		22.5	0.021	9.7	1.25	6.2	4	4	144.5	0.08	0.49	7.6	0.024	1.02	15.2	50
E383910		11.1	0.008	7.96	1.41	5.4	3	2.4	290	0.08	0.19	1.8	0.013	0.99	8.8	40
E383911		13.8	0.007	5.19	1.01	5.1	4	2.7	340	0.07	0.15	2.8	0.016	0.74	8	47
E383912		54.2	0.008	8.24	0.94	6.3	3	7.1	87.9	0.07	0.23	6.8	0.038	0.51	17.6	54
E383913		59	0.01	>10.0	1.17	6.5	3	8.8	71.2	0.11	0.56	7.2	0.05	1.72	16.7	67
E383914		39.5	0.013	>10.0	0.78	4.7	3	5.4	123	0.1	0.38	4.5	0.035	0.78	28.6	42
E383915		49	0.008	>10.0	0.91	5.6	3	6.7	246	0.08	0.26	5.2	0.038	1.39	13.4	49
E383916		59.7	0.01	5.58	0.66	5.9	3	7.9	149	0.09	0.24	7.1	0.04	0.63	17.8	57
E383917		74.7	0.013	6.16	0.91	8.8	3	11.8	129	0.07	0.25	7.5	0.046	0.88	26.5	54
E383918		0.7	<0.002	0.09	0.08	0.5	4	<0.2	249	<0.05	<0.05	0.2	0.006	<0.02	0.9	3
E383919		128.5	0.007	1.35	1.01	9.9	3	7.2	434	0.14	0.17	12.4	0.1	0.34	17.3	62
E383920		3.2	0.006	3.48	1.18	5.7	4	1.7	72.7	0.05	0.13	1.4	0.005	1.71	3	42
E383921		31.2	0.01	9.64	1.36	5.7	3	6.9	151.5	0.08	0.31	3.3	0.026	1.31	11.9	43
E383922		20.9	0.009	8.79	1.42	3.6	3	4.7	83.2	0.05	0.24	3.5	0.017	0.58	6.9	29
E383923		38.6	0.009	7.12	1.03	4.5	2	6.7	106	0.07	0.34	4.8	0.033	0.69	12.2	42
E383924		5.8	0.009	7.51	1.09	2.7	3	2.4	42.5	0.05	0.35	2.2	0.008	0.95	3.6	33
E383925		13.2	0.008	8.95	1.86	2.1	4	3.6	55.5	<0.05	0.39	2.7	0.017	2.49	10.3	36
E383926		48.8	0.008	8.21	1.65	3.2	3	6.4	62.4	0.1	0.58	6.1	0.035	2.04	13.8	50
E383927		136	0.014	8.91	1.92	7.9	3	20.1	30.4	0.12	0.79	13.5	0.097	4.19	27.9	92
E383928		93.6	0.007	4.71	1.45	5.6	2	10.7	51.2	0.11	0.36	9.5	0.073	0.81	27.8	48
E383929		98.9	0.01	3.01	1.03	9.2	2	11.4	98.2	0.09	0.31	11.8	0.085	0.56	11.8	56
E383930		0.5	<0.002	0.08	0.07	0.5	2	<0.2	295	<0.05	<0.05	0.2	0.007	<0.02	0.6	15
E383931		76.5	0.008	3.43	0.82	10.4	2	9.2	69.3	0.08	0.53	10.8	0.067	0.39	8.1	53
E383932		91	0.011	0.56	0.9	9.4	2	10.6	305	0.11	0.11	11	0.08	0.43	6.2	58
E383933		67.1	0.006	0.22	0.69	6.3	1	6.3	659	0.09	0.05	10.4	0.061	0.32	8.9	48
E383934		70.1	0.029	4.76	1.51	8.8	5	5.2	130.5	0.06	0.79	8.1	0.062	1.5	64.1	58

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Au-ICP21	ME-XRF10
Analyte	W	Y	Zn	Zr	Au	Ba
Units	ppm	ppm	ppm	ppm	ppm	%
Sample Description LOR	0.1	0.1	2	0.5	0.001	0.01
E383896	6.7	15	10	24.1	0.117	
E383897	3.1	8.3	4	50.1	0.019	
E383898	2.6	8.5	7	50	0.006	
E383899	3.8	8.4	7	56.3	0.008	
E383900	3.1	13.7	5	42.8	0.011	
E383901	4.7	10.4	7	27.2	0.010	
E383902	5.6	7.2	9	11.8	0.010	
E383903	4.6	9.4	14	8.6	0.010	2.36
E383904	6.8	11.3	25	18.7	0.009	
E383905	5.9	8.5	9	56.3	0.016	
E383906	5.9	12.7	31	75.5	0.033	
E383907	0.1	2.5	20	3	<0.001	
E383908	5.6	14.6	35	72.8	0.050	0.87
E383909	3.7	18.2	26	26.4	0.059	
E383910	4.2	15.3	10	9.4	0.048	
E383911	4.5	16.6	10	13.3	0.035	
E383912	6.5	13.3	5	29.4	0.044	
E383913	6	12	6	36.7	0.080	
E383914	4.4	9.9	4	24	0.064	
E383915	5.4	12.8	4	28	0.066	
E383916	5.6	12.7	5	33	0.039	
E383917	6.8	13.8	7	39.1	0.041	
E383918	0.1	2.5	20	3.3	0.004	
E383919	7.5	11.1	5	59.4	0.018	
E383920	2	16	9	3.9	0.029	
E383921	4.9	16.3	4	20.9	0.056	
E383922	3.5	16.5	6	15.4	0.065	
E383923	5.4	16.1	6	28.3	0.045	
E383924	3	13.5	8	6.7	0.050	
E383925	4.4	12.9	7	8.6	0.067	
E383926	6.9	15.9	6	27.8	0.065	
E383927	15.5	16.2	6	83.7	0.070	
E383928	10	11.1	11	64.1	0.038	
E383929	11.9	11	6	48.4	0.021	
E383930	0.1	2.9	24	5.3	0.001	
E383931	11.1	13.7	11	54.3	0.020	
E383932	13.8	13.6	12	55.9	0.004	
E383933	8.8	11.5	23	66.8	0.001	
E383934	6.5	13.1	18	53	0.055	

Comments: **CORRECTED COPY FOR ME-MS61 ON SAMPLE E383931**

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 8-NOV-2007
Account: CASMIN

Project: IGOR- HOLE 4

CERTIFICATE OF ANALYSIS VA07111002

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-NOV-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE EL07113541

Project: IGOR: 16-2007-05

P.O. No.: 195422

This report is for 101 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 11-SEP-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim 'or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-05

CERTIFICATE OF ANALYSIS EL07113541

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385222		0.68	4.45	1.43	86.7	40	0.8	12.2	5.89	0.05	237	316	10	0.87	>10000	19.1
E385223		1.24	6.65	0.27	89.3	30	0.17	14.6	7.63	0.02	150	263	2	0.22	>10000	22
E385224		1.18	4.21	0.17	88.6	60	0.1	15.75	7.33	<0.02	234	257	12	0.14	>10000	27.5
E385225		1.09	4.42	0.33	247	30	0.3	15.65	5.12	0.05	229	238	<1	0.21	>10000	33.9
E385226		1.31	5.31	1.02	277	40	0.45	14.65	4.89	<0.02	376	266	6	0.48	>10000	30.4
E385227		2.07	3.74	1.09	246	30	0.54	12.15	6.22	0.05	213	233	16	0.69	>10000	31.4
E385228		1.37	4.04	4.48	429	1050	2.26	13.7	3.67	<0.02	130	391	27	2.66	1950	24.7
E385229		1.24	4.98	2.01	437	50	0.96	14.65	5.93	0.03	221	386	12	1.36	3070	32.8
E385230		1.72	6.81	0.48	409	90	0.15	12.75	7.29	0.07	334	278	11	0.26	9030	30.8
E385231		1.55	2.92	0.48	420	30	0.2	15.2	7.59	0.04	204	343	2	0.25	7830	31.2
E385232		0.16	0.02	0.13	<5	30	0.06	0.02	45.9	0.35	2.39	0.9	6	<0.05	22.6	0.08
E385233		0.19	1.02	5.41	50.4	90	1.85	2.26	1.96	<0.02	50.4	155.5	37	3.79	8220	9.08
E385234		1.81	1.1	1.45	98.3	40	0.44	9.47	7.1	0.05	214	292	7	0.64	1930	24.5
E385235		1.98	0.85	0.6	54.2	70	0.18	5.16	7.36	<0.02	255	214	10	0.15	3770	22.3
E385236		1.91	0.79	0.66	65.5	60	0.18	4.6	7.82	<0.02	363	183.5	4	0.15	3710	23.8
E385237		1.62	0.97	0.74	82.3	60	0.16	8.63	8.9	<0.02	245	296	4	0.19	2720	21.5
E385238		0.86	0.81	0.44	66.1	30	0.16	3.32	7.77	0.03	244	348	6	0.14	667	24.8
E385239		1.12	0.86	0.68	81.3	30	0.24	7.94	9.34	0.03	491	433	2	0.48	983	22.6
E385240		3.14	0.29	3.08	42.5	310	1.21	2.65	9	<0.02	144	176.5	14	8.05	321	19.55
E385241		1.16	1.71	4.43	131.5	240	1.73	6.35	5.71	0.04	267	326	20	10.8	889	20.1
E385242		1.89	1.78	2.85	68.4	50	0.92	6.03	4.94	0.02	143	509	9	6.31	1185	22
E385243		1.00	0.53	4.46	27.6	460	1.39	2.04	5.78	<0.02	432	117	17	9.2	401	16.7
E385244		0.17	0.02	0.14	12	30	0.08	0.02	46.3	0.37	2.73	0.9	6	<0.05	6.8	0.09
E385245		0.96	1.3	3.23	103	140	0.74	6.89	4.05	<0.02	252	342	14	4.68	1590	24.2
E385246		1.26	1.09	3.38	102.5	90	0.8	6.05	3.87	<0.02	296	354	28	5.9	533	22.2
E385247		1.07	0.95	3.57	75.8	60	0.85	6.6	7.84	<0.02	314	236	17	3.12	1140	18.45
E385248		1.26	0.47	4.33	41.9	100	1.63	4.14	3.77	<0.02	246	189.5	28	1.94	156	15.6
E385249		1.82	0.16	6.11	17.2	120	2.89	2.22	4.55	<0.02	82.1	64.5	38	3.76	258	7.95
E385250		2.91	0.26	6.49	32.8	230	3.47	2.88	5.39	<0.02	179.5	72.4	36	4.56	152	11.95
E385251		1.39	0.13	7.42	14.2	2700	4.9	1.15	3.46	<0.02	92.1	28.1	44	5.1	451	6.5
E385252		1.73	0.2	5.73	22.4	260	3.47	3.8	3.88	<0.02	105.5	73.1	37	3.87	519	7.82
E385253		1.37	0.18	6.14	28.7	410	3.62	2.78	4.67	<0.02	159	67.3	36	4.04	129	10.65
E385254		0.18	0.01	0.15	<5	40	0.09	0.03	46.3	0.38	2.73	1.3	6	<0.05	4	0.08
E385255		0.21	1.16	2.25	119	60	0.59	10.9	2.21	<0.02	204	345	14	2.72	9010	26.9
E385256		1.46	0.02	7.75	2.7	3340	5.55	0.15	2.33	<0.02	165	9.6	49	5.32	738	5.09
E385257		1.04	0.03	6.84	2.3	3240	4.61	0.07	3.73	<0.02	95.5	7.1	45	4.79	1120	6.7
E385258		1.28	0.14	8.28	14.1	760	6.11	2.04	3.58	<0.02	124.5	46.5	53	5.56	776	7.69
E385259		1.12	0.32	5.43	43.5	200	2.74	8.02	5.53	<0.02	12.95	151.5	34	3.29	361	12.8
E385260		0.98	>100	3.03	59.2	90	1.52	8.41	6.67	0.07	161	136.5	24	1.72	5310	13.45
E385261		1.43	0.22	6.38	16.1	250	2.67	2.42	6.01	<0.02	43.3	105.5	30	3.52	65	10.75

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-05

CERTIFICATE OF ANALYSIS EL07113541

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E385222		4.94	0.24	0.5	0.408	0.64	186	11.3	1.7	8210	64.3	0.02	7	67.4	1260	71
E385223		1.78	0.27	0.2	0.432	0.06	123	4.6	2.34	6560	43.8	0.01	9.4	71.9	1180	130.5
E385224		1.76	0.27	0.1	0.278	0.03	198.5	2.2	2.09	7330	82.7	0.01	7.9	77.1	1250	103.5
E385225		2.85	0.33	0.1	0.26	0.06	186	4.1	1.58	6170	87	0.01	1.6	88	2760	17
E385226		4.25	0.35	0.6	0.187	0.36	289	9.5	1.6	5040	69.5	0.01	7.5	80.4	3210	24.3
E385227		4.86	0.28	0.3	0.141	0.36	176.5	11.5	2.51	7790	95.2	0.01	2.9	62	1040	17.6
E385228		10.45	0.23	1.4	0.097	2.27	106	28.9	1.73	4200	84.9	0.03	13	76.7	980	20.6
E385229		5.71	0.32	0.5	0.08	0.51	173	31.2	2.28	7580	87.5	0.01	5.5	80.7	1480	29.8
E385230		3.74	0.34	0.1	0.095	0.03	275	7	2.53	10300	100	0.01	3	60.6	1140	28.5
E385231		3.13	0.28	0.1	0.115	0.07	169	6.1	2.55	9750	140	0.01	2.7	65.9	1310	18.6
E385232		0.46	<0.05	0.1	<0.005	0.03	1.9	1.7	0.51	47	0.61	0.01	0.3	2.2	110	0.7
E385233		14.95	0.11	1.8	0.137	2.26	20.1	26.1	1.14	3040	64.9	0.94	4.1	40.2	810	19.9
E385234		4.56	0.25	0.4	0.09	0.25	176	21.3	3.07	8160	42.4	0.01	4.3	58.2	1340	8.9
E385235		3.76	0.25	0.3	0.071	0.03	208	9.3	2.74	8120	43.9	0.01	4.6	44.4	1660	5.1
E385236		4.64	0.28	0.3	0.101	0.03	318	10.7	2.86	9620	63.4	0.01	4.4	48.2	1600	4.8
E385237		3.56	0.26	0.4	0.11	0.05	200	11.5	3.19	10200	17.25	0.01	4.9	54.8	1160	6.7
E385238		4.53	0.29	0.1	0.199	0.02	188.5	6.9	3.13	12800	25.3	0.01	1.8	46.6	5050	6.9
E385239		5.5	0.33	0.2	0.179	0.02	430	12.7	3.26	10050	47.4	0.01	2.3	58.6	2120	8.7
E385240		6.07	0.2	1	0.192	0.06	118	91.2	4.77	9400	27.5	0.01	5.4	44	1500	4.7
E385241		8.86	0.26	1.5	0.165	0.06	207	123	4.53	6220	143	0.01	2.9	74	1490	12.1
E385242		6.45	0.22	0.9	0.09	0.23	107	62.4	2.96	4740	35.6	0.01	2.3	55.5	1350	10.5
E385243		8.7	0.27	1.4	0.104	0.59	323	98.5	4.14	6210	17.25	0.02	3.2	39.6	1140	6.4
E385244		0.49	<0.05	0.1	0.01	0.03	2.2	1.8	0.53	49	0.28	0.01	0.3	3	120	0.7
E385245		8.71	0.31	0.9	0.055	0.32	202	50.8	2.73	4170	48.6	0.01	1.5	60.2	990	12.9
E385246		8.17	0.29	1	0.054	0.3	229	51.2	2.67	3710	61.4	0.02	2.2	61.9	720	11.4
E385247		7.67	0.28	1.2	0.072	0.62	233	34.3	3.2	7000	61.4	0.32	2.9	74	1800	9.5
E385248		10.8	0.22	1.3	0.039	2.07	182	29.1	1.55	3430	20.9	0.13	3	49.1	760	5.1
E385249		15.4	0.15	1.9	0.054	3.65	53.9	29.6	1.56	4000	24.2	0.19	3.2	28.3	720	2.6
E385250		17.95	0.19	2.1	0.072	3.42	112.5	39.4	1.9	4760	35.6	0.28	4	41.8	900	3.6
E385251		21	0.14	2.3	0.08	3.96	55	39.7	1.26	2840	6.79	0.07	3.5	26.8	740	2.1
E385252		15.8	0.14	1.9	0.076	2.95	63.5	30.4	1.32	3370	11.5	0.04	3.1	34.1	640	3.1
E385253		17.05	0.2	2	0.072	3.21	95.3	35.3	1.59	4140	12.65	0.05	3.2	45.2	770	4.1
E385254		0.58	<0.05	0.1	<0.005	0.04	2	1.6	0.52	47	0.3	0.01	0.3	2	110	0.9
E385255		9.61	0.33	0.8	0.246	0.65	113	20.2	1.52	5970	63.4	0.23	6.2	65.9	2320	6.5
E385256		22	0.16	2.3	0.083	4.16	96.8	41	0.94	1925	2.22	0.07	3.1	21.1	760	1.6
E385257		19.6	0.15	2.4	0.084	3.71	55	38.7	1.29	3300	3.59	0.07	3.3	25.6	630	1.5
E385258		23.6	0.16	2.7	0.094	4.44	71.6	46.8	1.33	3210	6.24	0.06	4.4	32.2	760	3
E385259		13.4	0.17	1.8	0.076	2.71	7.9	24.1	1.81	5130	20.3	0.07	3.8	56	670	25.6
E385260		9.24	0.31	1.4	0.122	1.35	134	19.6	2.16	6920	142	0.03	59.3	101	1130	7.8
E385261		18.2	0.16	1.7	0.071	2.87	30.1	26.8	2.36	5570	13.65	0.98	4	42.9	970	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-05

CERTIFICATE OF ANALYSIS EL07113541

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E385222		25.4	0.021	>10.0	3.14	8	7	10.1	36.6	0.08	0.99	2.6	0.035	0.3	680	59
E385223		2.6	0.008	>10.0	3.45	3.6	8	7.4	36.4	0.08	0.97	1.2	0.009	0.21	770	15
E385224		0.9	0.032	>10.0	2.69	2.6	7	5	28.9	0.06	1.85	0.9	<0.005	0.12	590	24
E385225		2.5	0.017	>10.0	2.48	3.3	5	7.1	27.3	<0.05	0.83	1.3	0.006	0.4	115.5	39
E385226		14	0.013	>10.0	2.8	3.7	5	9.8	38	0.11	1.11	4.7	0.026	1.06	85.9	38
E385227		14.9	0.012	>10.0	3.27	4.3	5	11.8	31.4	0.05	0.95	2.2	0.017	0.84	40.5	44
E385228		93.6	0.005	>10.0	2.25	10.6	4	44.9	32.5	0.16	0.92	7	0.09	1.68	44	55
E385229		21.7	0.012	>10.0	2.99	4.5	6	12.1	44.4	0.07	1.71	3.5	0.027	2.46	45.6	38
E385230		1.4	0.016	>10.0	3.16	3.2	5	5.4	24.6	0.05	1.21	2.2	0.008	1.87	23.5	24
E385231		2.7	0.022	>10.0	3.12	2.9	6	6.4	36.8	<0.05	1.87	1.3	0.009	0.68	20.5	20
E385232		0.7	<0.002	0.09	0.08	0.3	3	<0.2	278	<0.05	<0.05	0.2	0.007	<0.02	0.9	5
E385233		96.2	0.023	2.15	1.67	9.5	4	7.5	630	0.2	0.18	8.2	0.092	0.4	294	54
E385234		9.7	0.006	9.31	5.19	4.2	3	8	29.2	0.09	0.5	5.3	0.021	0.2	18	30
E385235		0.9	0.012	5.74	5.8	3.5	3	4.7	26.3	0.08	0.31	2.4	0.012	0.1	5.9	24
E385236		1	0.018	4.4	7.44	3.8	3	5.6	23.7	0.06	0.29	2.9	0.012	0.16	5.1	23
E385237		1.8	0.007	8.22	7.67	4.4	2	8	23.9	0.07	0.61	2.4	0.015	0.1	5.8	18
E385238		0.7	0.006	3.54	2.62	4.9	3	2.1	30.6	<0.05	0.25	2.4	0.008	0.35	5.7	34
E385239		0.8	0.013	8.22	7.86	5	3	3	72.3	<0.05	0.85	5.5	0.008	0.58	9.8	29
E385240		3.9	0.015	2.93	5.26	7.2	3	2.7	49.4	0.14	0.24	6.6	0.023	0.12	14.9	31
E385241		4.1	0.018	5.98	3.12	7.3	3	2.1	33.8	0.09	0.52	8.4	0.019	0.62	24.2	27
E385242		13	0.013	6.8	3.5	7.1	5	2.8	58.9	0.07	0.52	4.1	0.018	0.39	16.5	28
E385243		24.7	0.005	1.88	3.29	8	4	2.5	32.9	0.11	0.2	11.7	0.028	0.35	15.1	36
E385244		0.6	<0.002	0.08	0.08	0.4	4	<0.2	294	<0.05	<0.05	0.2	0.007	<0.02	0.7	5
E385245		10.7	0.006	5.65	6.09	5.9	3	2.3	32.9	0.06	0.55	5.7	0.02	0.35	21	35
E385246		10.4	0.007	6.27	7.5	6.2	3	2.5	34.5	0.1	0.77	6.9	0.022	0.26	19.1	31
E385247		25.5	0.008	6.67	5.95	9.3	3	7.2	77.8	0.09	0.97	7.4	0.037	0.2	23	42
E385248		75	0.007	5.37	3.46	9.5	2	14.5	164.5	0.12	0.65	8.2	0.067	0.23	6.5	60
E385249		128	0.003	2.45	1.96	10.6	2	15.1	194.5	0.17	0.2	10.7	0.102	0.35	8.4	59
E385250		135	0.005	2.77	5.38	11.8	2	16.1	56.7	0.2	0.31	14.6	0.116	0.39	7.8	70
E385251		164.5	0.003	0.88	3.34	12.2	2	13.6	42.4	0.22	0.11	16.2	0.155	0.43	5.5	69
E385252		120	0.004	2.47	1.94	9.3	2	11.8	42.9	0.18	0.28	12.3	0.119	0.35	6.9	57
E385253		128	0.003	2.21	4.79	10.9	2	11.6	47.5	0.17	0.33	12.5	0.116	0.58	6.8	61
E385254		1	<0.002	0.08	0.13	0.5	2	0.2	286	<0.05	<0.05	0.2	0.007	<0.02	0.7	4
E385255		37.3	0.018	6.6	2.17	4.3	5	7.2	195	0.13	1.13	6	0.034	0.51	15.6	59
E385256		175.5	0.002	0.16	0.87	11.7	1	12.2	37.3	0.18	<0.05	18.4	0.156	0.44	3.9	70
E385257		153	0.002	0.14	0.96	11.2	2	12.1	55.5	0.2	<0.05	14.1	0.142	0.39	4.8	64
E385258		187.5	0.003	1.39	2.07	13.7	2	15.5	61.1	0.24	0.25	15.3	0.172	0.47	5.2	79
E385259		109	0.005	6.35	3.94	8.7	3	14	51.7	0.17	0.76	12	0.112	0.33	8.7	59
E385260		55.3	0.028	5.75	5.62	6.9	4	14.9	54.1	0.27	1.1	8.6	0.082	0.36	32.8	74
E385261		111.5	0.004	4.56	1.3	11.6	2	18.4	35.9	0.18	0.63	7.8	0.103	0.29	4.7	96

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-05

CERTIFICATE OF ANALYSIS EL07113541

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E385222		10.2	39.5	13	17.2		4.70	0.751
E385223		7.1	22	8	10		6.17	0.580
E385224		6.1	18.5	8	6.7		4.64	0.471
E385225		2.9	16.5	7	3.7		3.19	0.335
E385226		4.5	23.5	14	21.1		2.39	0.361
E385227		5.7	12.8	12	9.6		2.29	0.252
E385228		12.9	13.3	19	46.9			0.162
E385229		6	14.8	29	16.4			0.121
E385230		4.6	14.2	11	4.6			0.237
E385231		8.9	14.2	11	4.7			0.200
E385232		0.1	2.8	37	3.7			<0.001
E385233		9.1	15.3	11	60.8			0.056
E385234		6.6	14.7	22	16.1			0.078
E385235		5.6	13.4	11	8.9			0.081
E385236		5.2	15.9	14	9.1			0.069
E385237		7.6	14.9	12	13.8			0.112
E385238		10.6	22.1	13	3.3			0.035
E385239		7.3	19.9	16	5.2			0.090
E385240		3.3	19.3	59	32.5			0.025
E385241		4.2	19.6	84	53			0.087
E385242		7.5	13	47	29.9			0.085
E385243		4.1	17.3	71	47.9			0.027
E385244		0.1	3	23	3.8			<0.001
E385245		5.5	13.5	50	30.5			0.063
E385246		5.5	12.2	53	36			0.076
E385247		5.5	18.6	36	40.3			0.074
E385248		8.9	13.5	13	44.6			0.044
E385249		9.8	13.9	<2	60.5			0.013
E385250		11.6	18.9	<2	66.5			0.016
E385251		16.5	15.5	<2	73			0.005
E385252		13.3	13.6	<2	59			0.022
E385253		12	17.2	<2	64.1			0.014
E385254		0.1	3	24	3.6			<0.001
E385255		6.6	15.9	8	25.9			0.125
E385256		16.3	15.4	<2	71.3			0.001
E385257		15.3	17.4	<2	77.4			0.004
E385258		20	17.8	<2	84			0.008
E385259		14.7	10.9	<2	56.9			0.050
E385260		1270	13.1	3	43.3	145		0.070
E385261		13.4	9.9	<2	54.7			0.018

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-05

CERTIFICATE OF ANALYSIS EL07113541

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E385262		1.37	0.6	6.07	37.8	360	1.84	8.57	4.15	<0.02	26.4	228	29	2.57	37.7	16.2
E385263		1.18	3.71	8.05	18.8	610	2.64	2.65	3.92	<0.02	29.4	114.5	39	3.16	62.2	10.9
E385264		0.95	0.62	6.12	16.1	500	0.73	2.16	5.17	<0.02	61.5	117	24	0.87	169	9.72
E385265		0.17	0.01	0.16	5	40	0.08	0.02	48.6	0.4	2.73	1.4	8	<0.05	4.2	0.08
E385266		0.98	0.37	7.13	15.8	940	0.86	1.95	4.27	<0.02	131	71.5	47	1.3	493	7.85
E385267		1.11	1.62	7.41	42	1120	0.85	6.03	3.26	<0.02	65.9	150.5	33	1.95	5670	9.21
E385268		1.07	0.23	7.09	30.6	550	0.7	3.14	4.55	<0.02	38.2	89.3	30	0.45	42.9	7.13
E385269		1.97	0.26	4.09	43.8	220	0.36	2.79	4.81	<0.02	234	107	25	0.29	86.6	15.25
E385270		1.77	0.29	0.61	34.4	230	0.11	3.05	3.17	<0.02	>500	181.5	3	0.17	88	29.4
E385271		1.64	0.59	2.44	76.5	80	0.26	8.48	4.15	<0.02	366	350	7	0.39	188	24.4
E385272		1.58	0.87	1.45	107	70	0.2	14.65	2.62	<0.02	242	481	37	0.41	114	19.5
E385273		1.55	0.4	2.54	53.2	80	0.3	5.73	4.52	<0.02	444	257	33	0.49	32	15.5
E385274		1.61	0.45	5.41	55.7	70	0.56	6.02	2.86	<0.02	213	232	24	0.81	59.7	11.95
E385275		0.16	0.01	0.14	8	30	0.09	0.03	46.4	0.38	2.96	1.5	6	<0.05	3.3	0.07
E385276		0.19	0.28	6.82	62.1	240	2.76	1.7	2	<0.02	71.8	136	41	6.62	1580	7.35
E385277		1.51	0.85	3.86	71.7	120	0.53	5.81	3.08	<0.02	84.5	217	33	1.13	320	18.75
E385278		1.35	0.45	7	98.1	210	0.78	3.74	4.8	<0.02	35.5	142	30	0.64	249	7.75
E385279		1.49	0.31	9.36	93.7	470	2.98	3.29	3.49	<0.02	42	130.5	75	4.63	157.5	8
E385280		1.27	0.25	7.28	70.1	520	2.59	4.36	3.42	<0.02	47.4	103.5	63	8.16	500	12.3
E385281		1.37	0.33	6.03	88.6	370	2.2	4.99	5.13	<0.02	94.3	126.5	52	5.48	162.5	10.95
E385282		0.98	0.3	4.65	79.5	410	1.63	4.29	8.09	<0.02	138.5	114.5	45	3.7	84.4	11.9
E385283		1.24	0.3	4.8	96	1000	2.14	2.9	5.76	<0.02	83.8	152	42	3.54	2570	17.9
E385284		1.33	0.25	4.71	40.8	1060	1.88	0.84	6.89	<0.02	38.2	85.4	42	2.64	7080	15.55
E385285		1.35	0.22	3.38	70.5	860	1.44	2.56	6.68	<0.02	76.1	151	34	2.15	454	17.75
E385286		0.15	0.02	0.16	6	30	0.1	<0.01	48.3	0.39	2.58	1.4	8	<0.05	21.1	0.11
E385287		0.72	0.2	5.81	93.2	1370	2.69	1.82	6.34	<0.02	123	168.5	49	3.1	152.5	9.11
E385288		0.87	0.18	5.44	73	1560	2.53	1.75	6.1	<0.02	44.7	145	46	2.99	961	10.2
E385289		0.98	0.07	4.5	16.4	2650	2.15	0.45	6.19	<0.02	20.9	46.3	43	3.57	998	14.65
E385290		1.39	0.17	6.85	35.7	1830	2.97	1.71	6.13	<0.02	51.8	74.8	57	4.47	1400	9.74
E385291		1.83	0.14	5.25	41.5	4370	2.05	1.23	2.8	<0.02	18.85	86.8	52	2.87	1070	16.55
E385292		1.29	0.18	5.96	28.9	1610	1.98	1.65	3.89	<0.02	23.2	54.6	51	4.43	816	8.05
E385293		1.35	0.18	5.66	9.5	1620	1.64	0.96	3.48	<0.02	8.37	18.3	36	3.37	1250	5.1
E385294		1.81	0.25	8.36	22.9	2300	2.46	2.59	3	<0.02	39.3	30.6	55	5.56	3500	5.51
E385295		2.16	0.22	7.46	51.9	2290	3.7	2.59	1.73	<0.02	226	71.3	53	7.07	2000	11.95
E385296		0.15	0.02	0.15	5	30	0.1	<0.01	48.8	0.42	2.64	1.2	7	0.05	4.5	0.07
E385297		0.20	1.11	5.68	69.1	110	2.21	2.75	2.31	<0.02	54.8	163.5	34	3.84	8410	9.63
E385298		1.91	0.96	2.53	140	120	1.2	13.55	6.54	<0.02	370	133.5	13	2.34	1710	20.6
E385299		1.87	0.53	3.9	95.9	250	1.81	7.65	6.13	<0.02	273	102.5	21	4.1	2340	18.05
E385300		2.01	0.62	5.77	125.5	180	2.9	10.85	4.22	<0.02	92.1	133.5	37	5.25	2640	9.98
E385301		1.54	0.92	3.44	199.5	90	1.77	21.3	5.39	<0.02	178	240	19	3.62	1910	16.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-05

CERTIFICATE OF ANALYSIS EL07113541

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385262		14.2	0.19	1.6	0.047	2.16	18.4	87.5	1.62	4150	17.15	0.82	2.5	70	930	5.3
E385263		18.8	0.17	2	0.046	3.36	20.1	87.2	1.66	3780	92.5	1.22	3.1	44.8	1070	16.1
E385264		11.15	0.13	1.9	0.041	0.79	45.4	70	1.76	4540	346	3.16	2.4	28.6	760	5
E385265		0.57	<0.05	0.1	<0.005	0.03	2.1	1.8	0.55	50	1.36	0.02	0.3	1.5	110	0.8
E385266		12.8	0.11	2.4	0.031	0.75	99.1	57	1.42	3730	43.1	4.22	2.6	19.2	780	3.2
E385267		10.65	0.14	2.6	0.061	1.92	47.5	44.4	1.03	3030	33.2	3.85	3	33.3	1030	22.9
E385268		9.05	0.1	2.5	0.012	0.64	28.8	4.3	1.2	2920	10.6	5.22	3.3	18.5	700	4.4
E385269		8.03	0.2	1.1	0.02	0.09	192.5	6.8	1.53	4000	47.45	2.96	1.4	31.9	1100	4.1
E385270		8.35	0.44	0.1	0.013	0.02	620	8.3	1.26	3440	73.8	0.09	1.1	47.8	890	4.8
E385271		6.82	0.33	0.7	0.018	0.06	291	12.5	1.36	3740	59.5	1.28	0.9	64.8	550	8.3
E385272		3.66	0.26	0.8	0.009	0.07	200	9.2	0.73	1875	64.6	0.75	2.3	63.9	920	14.1
E385273		5.53	0.25	1.1	0.016	0.08	340	9.2	1.3	3370	44.1	1.53	3	38	1090	7.6
E385274		8.33	0.16	1.2	0.012	0.13	173	12.8	0.93	2220	61.4	3.64	2.6	32.5	720	8.7
E385275		0.51	<0.05	0.1	<0.005	0.03	2.2	1.6	0.53	41	0.42	0.02	0.3	1	120	0.7
E385276		19.3	0.13	2.2	0.126	3	36.6	27.4	1.36	3160	21	0.6	3.5	29.1	760	2.8
E385277		7.85	0.23	1.1	0.023	0.19	66.8	18.1	1.22	2940	73.8	2.08	2.4	57.1	1370	10
E385278		8.78	0.1	2.1	0.024	0.31	27.2	9.8	1.43	3380	163.5	5.17	7	33.3	690	5.1
E385279		23	0.13	2.6	0.068	3.77	29.4	27.5	1.49	2780	156	2.02	1.1	64.3	440	3.4
E385280		17.45	0.14	1.9	0.095	3.34	31.9	35.8	2.18	6450	9.24	0.43	0.9	78.9	430	3.5
E385281		15.2	0.15	1.3	0.116	3.29	62.9	12	2.23	6880	69.4	0.05	1.3	72.9	890	4.1
E385282		12.1	0.17	1	0.102	2.31	97.2	9.7	2.84	7340	50	0.04	2.5	62.3	1370	3.9
E385283		14.4	0.23	1.1	0.081	2.26	59.6	14.8	1.75	5440	29.6	0.18	1.4	109	870	2.7
E385284		12.55	0.2	1	0.083	2.21	27	12.4	2.04	6590	14.7	0.42	0.9	78.8	440	2
E385285		9.74	0.21	0.8	0.063	1.46	55.2	16.4	1.96	6680	24.9	0.06	1.6	91.2	570	2.3
E385286		0.54	<0.05	0.1	<0.005	0.04	1.9	1.6	0.55	61	0.3	0.02	0.4	3	130	0.9
E385287		14	0.16	1.4	0.1	3.2	86.3	16.9	2.07	5860	7.34	0.07	1.4	74.2	430	1.8
E385288		12.7	0.13	1.3	0.12	2.8	31	14.6	2.35	5550	11.5	0.05	0.9	68.3	310	2.5
E385289		11.7	0.17	1	0.114	2.08	12.7	17.9	2.55	6800	6.04	0.05	0.7	77.3	230	1.3
E385290		16.85	0.15	1.5	0.136	3.45	33.5	15.1	2.45	6480	10.4	0.06	1.8	58.8	400	1.9
E385291		13.2	0.19	1.2	0.179	2.7	10.8	9.7	2.44	14000	2.01	0.06	1.1	58.4	220	1.6
E385292		16.45	0.13	1.5	0.106	2.91	13.4	10	1.6	5640	11.55	0.05	4.4	33.1	430	2.1
E385293		16.1	0.09	1.5	0.101	2.9	4.3	7.6	1.48	4060	37	0.05	6.2	17.3	520	1.8
E385294		26.2	0.14	2.5	0.118	4.47	22.5	10.6	1.1	3110	31	0.07	10.8	23.7	730	2.1
E385295		21	0.21	2	0.125	3.7	145	23.7	1.12	7700	15.9	0.1	9.2	26.4	1410	2.6
E385296		0.48	<0.05	0.1	<0.005	0.04	1.9	1.7	0.54	44	0.24	0.01	0.4	1.6	110	1.2
E385297		15.45	0.13	1.7	0.152	2.24	20.9	24.8	1.22	3250	63.3	1.05	3.5	40	840	20.9
E385298		9.86	0.34	0.7	0.132	1.07	248	16.9	2.02	10350	40.1	0.03	12.3	54.7	2950	4.1
E385299		12.3	0.27	1.1	0.143	1.72	179	22	2.15	9780	35.4	0.05	9	38.9	2350	3.9
E385300		14.35	0.17	1.6	0.078	2.66	66.1	27.1	1.42	5210	22	0.06	7.6	34.4	900	4.2
E385301		10.45	0.24	1.1	0.105	1.61	137.5	19.1	2.05	8440	26.2	0.04	6.6	56.2	2160	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-05

CERTIFICATE OF ANALYSIS EL07113541

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385262		76.4	0.005	>10.0	2.09	8.5	4	12.5	28.9	0.12	1.41	6.4	0.072	0.25	10.4	71
E385263		110	0.011	3.83	2.02	14.8	2	16.3	37.4	0.15	0.34	9.2	0.1	0.31	7.8	79
E385264		22.4	0.028	3.2	2.04	8.9	2	2.4	44.4	0.15	0.25	11.8	0.048	0.14	9.5	32
E385265		0.8	<0.002	0.08	0.09	0.5	2	<0.2	306	<0.05	<0.05	0.3	0.006	<0.02	0.7	4
E385266		21.8	0.005	1.5	2.05	8.3	2	2.8	52.1	0.17	0.21	12.2	0.054	0.14	9.6	40
E385267		49.8	0.014	5.21	2.45	8.4	3	4	77.1	0.13	0.68	16.6	0.046	0.21	108	26
E385268		15.6	0.003	3.26	1.84	9.2	2	4.7	69.6	0.24	0.5	12.4	0.101	0.13	6.5	26
E385269		2.7	0.004	3.2	2.23	6.6	3	1.8	56.6	0.06	0.35	5.3	0.025	0.04	4.5	29
E385270		0.7	0.005	5.16	2.75	3.8	3	1.6	19.6	<0.05	0.25	12.2	0.005	0.02	5	36
E385271		1.6	0.006	>10.0	4.84	6.1	3	1	38.7	<0.05	1.12	8	0.01	0.05	5.6	25
E385272		2.4	0.006	>10.0	6.05	3.8	3	2	26.3	0.09	2.35	6.8	0.022	0.08	5.8	22
E385273		2.6	0.005	6.29	4.35	6.7	2	2.5	42.3	0.13	0.8	12.1	0.037	0.1	7.1	36
E385274		3.7	0.006	5.15	6.35	3.7	2	2.2	43.3	0.11	0.71	8.4	0.034	0.09	9.7	26
E385275		0.6	<0.002	0.08	0.1	0.5	2	<0.2	297	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E385276		138.5	0.007	1.5	1.2	10.6	2	8.3	426	0.21	0.24	12.2	0.118	0.4	19.7	65
E385277		5.8	0.007	4.71	4.98	3.9	2	1.7	36.1	0.09	0.71	3.8	0.025	0.09	8.6	62
E385278		9.1	0.003	2.98	1.85	8	2	3.2	69.2	0.32	0.29	3.3	0.071	0.1	7.3	29
E385279		138	0.002	2.44	1.79	36.2	2	18.9	35.8	0.06	0.09	2.3	0.204	0.45	5.4	322
E385280		118	0.003	1.77	1.16	29.9	2	9	24.9	<0.05	0.13	1.6	0.149	0.41	8.6	268
E385281		114	0.013	2.22	1.16	23.9	2	7.7	52.2	<0.05	0.36	1.8	0.15	0.38	5.9	240
E385282		87.2	0.007	2.14	1.33	23.9	3	6.7	29.7	0.07	0.46	1.5	0.12	0.33	5.5	191
E385283		87.6	0.004	1.72	2.05	23.7	3	6.8	42.1	0.05	0.23	1.1	0.126	0.31	7.2	256
E385284		76.9	0.003	1.19	1.27	21.3	3	5.6	51.4	<0.05	0.07	0.8	0.12	0.24	4.9	231
E385285		54.9	0.005	1.94	1.26	15.4	2	5.1	48.8	<0.05	0.23	1.4	0.084	0.18	6.1	151
E385286		1	<0.002	0.07	0.09	0.5	2	<0.2	303	<0.05	<0.05	0.2	0.008	<0.02	0.7	6
E385287		109	0.002	1.44	1.29	28.2	1	8.7	38.3	0.06	0.14	1.5	0.194	0.31	3.9	210
E385288		94.3	0.002	1.13	1.21	25	2	5.7	19.7	0.05	0.11	0.9	0.169	0.27	5.3	211
E385289		73.8	<0.002	0.27	1.12	19.8	1	3.5	31	<0.05	<0.05	0.6	0.126	0.23	7	190
E385290		119.5	0.002	0.53	1.23	30.6	2	4.7	13.5	0.08	0.06	1.3	0.204	0.5	5.4	247
E385291		90.9	<0.002	0.57	0.62	25.7	1	1.8	39.9	<0.05	<0.05	0.8	0.139	0.29	4.7	211
E385292		105.5	<0.002	0.43	1.17	18.3	1	3.8	11.9	0.25	0.12	6.4	0.149	0.35	9.5	120
E385293		93.6	0.002	0.26	1.2	9.7	2	4.4	11.9	0.35	0.12	10.6	0.13	0.3	6.9	53
E385294		147.5	0.002	0.82	1.22	12.7	3	6.5	13.3	0.67	0.31	17.4	0.2	0.54	13.1	77
E385295		142.5	0.007	1.11	1.31	13.7	2	15	24.3	0.36	0.17	18.8	0.119	0.58	13.2	79
E385296		0.9	<0.002	0.07	0.16	0.5	2	<0.2	299	<0.05	<0.05	0.3	0.008	<0.02	0.7	5
E385297		92.6	0.025	2.32	1.66	9.8	3	7.9	640	0.18	0.28	8.4	0.085	0.41	279	55
E385298		48.4	0.008	3.71	2.27	8.9	3	10.4	60.1	0.27	0.61	11.1	0.045	0.35	6.4	96
E385299		76.2	0.012	2.95	2.03	9.2	3	14.1	46.7	0.2	0.33	11.1	0.071	0.42	14.4	81
E385300		114	0.006	4.4	2.06	10.1	2	15.8	38.8	0.3	0.41	11	0.108	0.72	17	69
E385301		71.4	0.008	7.2	4.45	6.6	2	10.5	42.5	0.2	0.74	9.2	0.07	0.45	6.2	62

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-05

CERTIFICATE OF ANALYSIS EL07113541

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E385262		9	7.4	<2	53.4			0.055
E385263		43.9	9.5	<2	62.6			0.015
E385264		4.7	11.6	<2	61.6			0.016
E385265		0.1	3.3	23	4.1			<0.001
E385266		4.9	11.6	<2	76.4			0.013
E385267		5.2	14.8	3	87			0.060
E385268		3.9	8.5	<2	80.2			0.026
E385269		3.6	10.8	<2	36.6			0.026
E385270		7.1	14.7	<2	4.2			0.024
E385271		4.3	9.1	5	24			0.087
E385272		5.4	7.1	2	26			0.167
E385273		4.4	12.6	<2	37.2			0.053
E385274		4	9	<2	40			0.043
E385275		0.1	3	28	4			0.001
E385276		8.9	12.2	<2	68.3			0.017
E385277		10.6	9.2	7	36.9			0.045
E385278		5.8	9.5	<2	66.7			0.024
E385279		16.4	12.9	<2	76.5			0.022
E385280		13.2	12.3	5	59.5			0.015
E385281		15.5	13.1	<2	41.4			0.020
E385282		15.1	14	<2	31.4			0.015
E385283		12.2	13.2	<2	36.2			0.030
E385284		10.1	10.4	6	33.7			0.054
E385285		8.3	12.1	3	25.9			0.020
E385286		0.1	3.1	23	3.2			0.003
E385287		15.3	13	<2	42.6			0.014
E385288		11.8	11.8	<2	41.4			0.015
E385289		11.4	10.6	3	33.2			0.006
E385290		11.3	13.6	<2	48			0.009
E385291		6.7	9.8	<2	35.7			0.007
E385292		8.4	11.2	<2	47.9			0.007
E385293		8.2	8.3	<2	46.8			0.020
E385294		13.1	12.8	<2	76.7			0.059
E385295		12.6	16.6	<2	63.6			0.015
E385296		0.1	3.1	24	3.2			0.001
E385297		8.6	16	10	53.7			0.068
E385298		8.7	26	<2	24.4			0.031
E385299		21.4	24.3	<2	36.7			0.021
E385300		12.4	12.6	<2	51.5			0.039
E385301		11	17.5	<2	35.1			0.052

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-05

CERTIFICATE OF ANALYSIS EL07113541

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E385302		2.54	1.33	4.09	270	100	2.04	17.3	5.99	<0.02	126.5	242	28	4.33	5730	16.5
E385303		3.05	2.16	3.08	435	100	1.62	28.2	3.43	0.02	178	400	18	3.5	7390	23.6
E385304		0.81	0.94	9.03	421	90	5.61	19.75	1.68	<0.02	61.4	361	61	9.78	756	12.5
E385305		1.47	0.25	7.17	93.2	490	4.12	4.52	3.57	<0.02	82.7	88	44	7.25	90.5	8.88
E385306		1.01	0.09	7.37	23.7	3160	3.15	1.17	4.35	<0.02	139.5	24.5	41	7.97	57.3	4.6
E385307		0.16	0.01	0.15	<5	30	0.08	0.02	48.5	0.41	2.24	0.8	6	<0.05	2.8	0.06
E385308		1.28	0.09	7.78	23.2	3330	3.33	1.01	4.69	<0.02	106.5	21.6	41	8.58	22	4.71
E385309		3.23	0.23	5.97	50.2	460	2.49	2.27	4.05	<0.02	161.5	56.5	33	6.09	390	8.77
E385310		2.69	0.53	5.78	195.5	220	1.87	17.5	1.6	<0.02	68.3	184	32	6.19	173	14.75
E385311		1.82	0.31	4.64	71.6	120	1.39	5.24	1.97	<0.02	140	103.5	33	4.83	780	17.7
E385312		1.63	0.37	6.58	98	120	1.81	5.47	1.57	0.02	161.5	108.5	39	7.1	262	13.6
E385313		1.27	0.51	5.31	172.5	120	1.27	5.98	0.42	<0.02	218	111.5	34	7.37	894	16.8
E385314		1.57	0.89	1.45	144	100	0.39	10.7	0.86	0.03	135.5	139.5	11	2.38	5180	31.7
E385315		2.26	1.99	0.29	461	10	0.08	27.4	0.53	0.03	467	246	<1	0.51	7750	36.8
E385316		1.80	1.71	0.84	318	20	0.19	19.4	0.78	0.03	82.9	244	4	1.34	>10000	36.4
E385317		0.16	0.02	0.13	<5	40	0.08	0.04	45.3	0.39	2.27	1	5	<0.05	15.3	0.34
E385318		0.21	1.06	2.22	100.5	20	0.48	10.5	2.62	<0.02	185	309	11	2.48	8330	27.1
E385319		1.05	0.86	0.31	166.5	140	0.12	11.2	0.69	0.03	56.5	160.5	2	0.54	6020	36.2
E385320		1.48	1.05	0.59	257	70	0.17	19.1	0.59	0.05	40.8	212	1	1	3230	36.6
E385321		1.50	0.29	7.03	109.5	200	1.66	3.53	0.28	<0.02	191	85.2	53	9.91	1750	10.9
E385322		2.33	0.06	6.71	8.1	2720	1.8	0.34	3.69	<0.02	107.5	27.2	38	10.4	24.8	6.93

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-05

CERTIFICATE OF ANALYSIS EL07113541

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385302		11.95	0.24	1.3	0.168	1.87	83.7	25.7	1.92	7900	30.4	0.05	9.5	58.8	1450	8.2
E385303		9.58	0.31	0.9	0.135	1.39	114	20.8	1.42	7000	50.3	0.04	12.1	99.5	1330	10.5
E385304		25	0.2	3.1	0.085	4.61	31.9	45.5	0.94	2380	9.78	0.12	17.2	80.6	1180	7.3
E385305		19.05	0.16	2.1	0.087	3.42	50.1	31.7	1.49	7140	13.4	0.09	6.4	26.9	860	2.8
E385306		19.15	0.21	2.6	0.059	3.81	91	26.5	1.16	4230	13.4	0.09	3.6	13.9	690	2.2
E385307		0.55	0.24	0.1	0.007	0.04	1.7	1.1	0.49	46	0.29	0.01	0.3	<0.2	110	1
E385308		19.65	0.18	2.7	0.072	3.79	68.7	26.6	1.29	4290	4.94	0.09	3.7	15.2	710	1.9
E385309		15.3	0.26	2	0.071	2.87	95.2	16.7	1.54	7280	11.75	0.07	3	26.6	910	2.7
E385310		14.3	0.23	1.7	0.074	2.71	40.4	12.6	1.1	5260	13.35	0.08	3.2	69	800	3.1
E385311		11.8	0.29	1.5	0.116	2.18	96.7	8.5	1.78	11050	18.7	0.07	4.2	47.1	1180	2.1
E385312		16	0.31	1.9	0.103	3.12	111	10.2	1.24	7280	25.1	0.09	5.5	40	1600	2.9
E385313		16.3	0.35	1.6	0.122	2.53	143	12.5	1.25	9510	13.6	0.08	4.9	43.5	1200	4.2
E385314		5.51	0.45	0.5	0.236	0.67	104	4.3	2.16	19000	25.6	0.03	4.7	60.5	2730	5
E385315		3.29	0.68	0.1	0.268	0.13	369	1.1	1.74	14800	50.3	0.01	3.9	100.5	1620	10.3
E385316		3.41	0.48	0.3	0.281	0.4	62.1	2.5	1.71	17000	43.6	0.02	9.1	87.5	2560	8.7
E385317		0.41	<0.05	0.1	<0.005	0.03	1.8	0.9	0.47	165	0.3	0.01	0.3	5	120	1
E385318		8.17	0.42	0.7	0.257	0.63	115	13.3	1.46	5570	59.2	0.22	5.1	55.3	2180	6.5
E385319		1.93	0.42	0.1	0.309	0.13	43.8	1.5	1.98	19750	42.1	0.01	7	53.9	1610	5.2
E385320		2.68	0.44	0.1	0.29	0.28	33.2	2.3	1.98	19350	33.9	0.02	3.7	72.9	1370	6.7
E385321		19.1	0.27	2.3	0.115	3.2	128.5	17.1	0.91	5440	10.55	0.1	5.6	31.6	930	2.4
E385322		16.9	0.2	2.1	0.086	3.09	61.6	19.5	1.61	5200	0.63	0.11	2.6	12.4	650	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-05

CERTIFICATE OF ANALYSIS EL07113541

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E385302		80	0.012	6.65	2.51	7.2	3	12.4	43.2	0.27	0.41	8.6	0.088	1.23	14.4	73
E385303		66	0.012	>10.0	3.43	4.6	3	10.3	31.5	0.33	0.75	7.6	0.063	1.47	13.4	59
E385304		169.5	0.004	>10.0	3.23	12.5	2	22.9	23.2	0.52	0.52	22.9	0.177	1.36	187	87
E385305		149.5	0.006	1.9	1.68	10.5	1	14.1	44.5	0.26	0.1	15.9	0.106	0.81	26.7	71
E385306		142.5	0.006	0.49	1.28	9.8	2	11.9	64.6	0.21	<0.05	16.8	0.105	0.71	10.5	69
E385307		0.7	<0.002	0.06	0.08	0.6	3	<0.2	274	<0.05	<0.05	0.2	0.007	<0.02	0.7	2
E385308		140.5	0.007	0.45	1.33	10.7	2	11.2	71.6	0.21	<0.05	18	0.107	0.71	13.2	66
E385309		125.5	0.007	1.23	1.42	8.7	2	7.1	55.3	0.14	0.15	14.5	0.08	0.58	11.1	59
E385310		103	0.006	8.23	1.96	8	2	6.9	19.9	0.13	0.34	11.6	0.065	0.51	8.5	67
E385311		95.2	0.007	2.68	1.42	7.3	3	6.9	15.9	0.15	0.25	9	0.058	0.39	9.7	82
E385312		118.5	0.009	3.31	1.34	8.8	3	11.3	20.2	0.19	0.3	14.8	0.073	0.58	13.1	90
E385313		120.5	0.007	2.52	1.61	7.3	2	14.3	13.9	0.18	0.27	14.3	0.059	0.76	5.7	82
E385314		32.4	0.012	3.49	1.7	3.5	4	5.1	21.2	0.15	0.34	4.5	0.021	0.34	6.8	83
E385315		6.3	0.017	>10.0	3.99	1.1	5	3.2	13.7	<0.05	0.79	2.3	0.006	0.46	10.4	29
E385316		18.6	0.022	>10.0	2.82	1.2	5	5.9	14.4	0.12	0.76	1.3	0.015	0.97	30.3	56
E385317		0.5	<0.002	0.15	0.08	0.5	2	<0.2	260	<0.05	<0.05	0.2	0.006	<0.02	0.7	2
E385318		31.7	0.018	6.66	2.11	3.6	6	7.2	169	0.11	1.12	5.8	0.03	0.48	15.3	57
E385319		6.3	0.01	5.95	2.61	0.9	4	2.6	10.7	0.1	0.59	0.8	0.008	0.37	12.1	37
E385320		13.1	0.006	7.93	4.6	1.9	3	3.6	10.4	0.1	0.61	0.8	0.008	0.45	3.9	36
E385321		136	0.013	2.5	1.66	8.2	2	13.9	18.3	0.21	0.19	14.6	0.078	0.8	5.1	76
E385322		139	<0.002	0.64	1.16	9.4	1	7.8	52.6	0.21	<0.05	15.5	0.084	0.6	3.1	62

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-05

CERTIFICATE OF ANALYSIS EL07113541

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Cu-OG62	Au-ICP21
	Analyte	W	Y	Zn	Zr	Ag	Cu	Au
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.1	0.1	2	0.5	1	0.001	0.001
E385302		12.2	21.1	6	42.4			0.049
E385303		10.4	18.5	7	28			0.104
E385304		22.1	18.6	<2	96.3			0.057
E385305		12.6	16.1	<2	64.3			0.011
E385306		12.3	17.2	<2	77.9			0.004
E385307		0.1	2.8	22	3.3			0.002
E385308		13.5	18.9	2	82.3			0.003
E385309		10.2	14.9	2	61.1			0.006
E385310		8.2	10.9	3	56.2			0.034
E385311		7.6	11.1	3	46.6			0.014
E385312		8.5	13.5	4	62.9			0.019
E385313		8.8	12.9	5	53.9			0.009
E385314		4.7	14.2	6	16.8			0.021
E385315		4.2	8.1	14	4.4			0.050
E385316		5	8.5	10	9.7		1.085	0.046
E385317		0.1	2.6	21	3			0.001
E385318		6.2	13.5	6	21.9			0.113
E385319		3.5	6.2	16	3.7			0.027
E385320		5.1	6.6	5	4.2			0.032
E385321		10.1	12.3	5	72.1			0.009
E385322		8.3	12.9	6	67.5			0.001

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-05

CERTIFICATE OF ANALYSIS EL07113541

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE VA07093115

Project: IGOR

P.O. No.: 195255

This report is for 78 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 22-AUG-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093115

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E210201		2.99	0.11	5.10	2.8	1680	0.43	0.19	2.59	<0.02	95.00	8.7	28	0.85	64.7	8.74
E210202		1.12	0.14	3.58	8.0	640	1.09	0.62	1.84	<0.02	245.00	44.4	14	7.68	201.0	14.45
E210203		0.94	0.25	2.08	20.5	190	0.80	2.34	2.69	<0.02	222.00	212.0	9	4.08	91.3	19.35
E210204		2.90	0.18	2.35	47.6	100	0.73	1.24	3.16	<0.02	239.00	516.0	11	3.87	826.0	17.25
E210205		1.22	0.69	1.69	8.5	330	0.37	0.86	0.86	<0.02	63.40	100.5	8	0.82	529.0	10.95
E210206		1.51	3.63	1.60	16.1	220	0.30	3.87	1.83	<0.02	117.00	205.0	6	0.54	806.0	12.95
E210207		1.67	0.06	2.79	2.0	780	1.31	0.23	0.66	<0.02	58.90	47.2	18	3.48	218.0	6.33
E210208		0.77	0.03	5.73	3.7	4420	2.15	0.34	0.55	0.02	151.00	83.6	37	6.54	113.5	9.69
E210209		1.38	0.03	5.90	6.4	3310	2.28	0.39	0.67	0.02	144.00	122.5	40	6.64	73.6	10.50
E210211		1.50	0.49	4.68	14.3	550	1.65	1.72	1.19	<0.02	171.50	183.0	29	5.31	1570.0	13.10
E210212		1.46	0.60	3.36	22.9	220	0.97	3.09	1.44	<0.02	270.00	297.0	19	4.62	5480.0	20.20
E210213		1.15	0.20	3.68	13.4	1060	1.24	1.87	0.80	<0.02	257.00	191.0	22	4.16	491.0	15.80
E210214		1.18	0.09	3.40	14.1	1700	1.00	0.65	1.30	<0.02	196.00	107.5	16	3.50	280.0	15.15
E210215		1.78	0.07	1.90	14.0	1760	0.38	1.02	0.96	<0.02	267.00	152.5	8	1.26	69.6	21.00
E210216		1.21	0.25	2.06	16.5	760	0.48	2.65	0.95	<0.02	308.00	154.5	9	1.79	2000.0	21.10
E210217		2.35	0.36	2.53	19.0	340	0.68	2.73	0.85	<0.02	349.00	131.5	14	2.74	4330.0	18.60
E210218		3.12	0.09	0.61	9.8	300	0.25	2.22	0.52	<0.02	182.00	189.5	1	0.30	524.0	19.45
E210219		2.59	0.06	5.71	5.7	2500	1.98	0.79	0.28	<0.02	110.50	88.2	34	6.73	40.5	10.65
E210221		0.15	1.10	5.26	56.0	120	1.78	2.82	1.82	<0.02	61.20	157.0	34	3.70	6770.0	9.07
E210222		2.03	0.13	1.66	8.6	800	0.41	1.30	0.66	<0.02	172.50	166.5	6	1.44	523.0	18.30
E210223		2.19	0.04	4.93	2.8	4530	1.63	0.22	3.49	<0.02	92.10	63.9	27	6.06	76.1	8.10
E210233		1.91	1.94	2.71	10.9	380	0.87	5.28	1.51	<0.02	54.20	183.5	15	2.04	2440.0	12.75
E210234		1.33	0.65	1.96	7.6	390	0.58	2.48	1.46	<0.02	57.70	160.5	13	1.70	1645.0	12.85
E210235		2.03	0.30	2.83	6.8	930	0.53	1.18	1.53	<0.02	70.80	172.5	20	1.79	190.5	14.00
E210236		1.55	0.04	2.75	5.0	1750	0.76	0.53	0.61	<0.02	117.00	147.0	16	2.91	28.4	16.85
E210237		1.25	0.11	3.43	6.6	1460	0.91	1.14	0.50	0.02	168.00	139.0	18	3.78	92.9	14.45
E210238		1.48	0.12	2.69	6.9	1630	0.72	1.48	0.54	<0.02	220.00	171.0	14	2.82	25.6	18.10
E210239		1.47	0.74	1.82	5.8	1410	0.51	3.77	0.56	<0.02	162.50	191.5	8	1.67	48.9	20.70
E210241		0.18	1.17	2.42	87.2	80	0.65	10.80	2.23	<0.02	209.00	335.0	12	2.85	8900.0	28.70
E210242		2.69	1.78	2.67	10.7	160	0.91	6.01	3.67	<0.02	166.00	139.0	12	2.60	7670.0	16.35
E210243		2.46	0.05	5.85	1.9	7600	2.43	0.17	4.79	<0.02	28.10	63.6	30	9.40	175.0	6.46
E210244		1.84	0.25	6.07	2.4	3150	2.99	0.64	5.08	<0.02	115.50	49.4	33	11.80	2020.0	5.03
E210245		1.36	1.59	6.69	1.6	1320	3.10	1.78	6.11	<0.02	86.00	53.6	45	12.70	>10000	7.20
E210246		2.08	0.17	6.53	1.3	4030	3.00	0.26	6.06	<0.02	60.90	48.6	34	12.75	1285.0	5.89
E210247		1.07	1.26	4.97	2.7	650	1.92	1.31	3.63	<0.02	70.80	117.0	27	6.37	8090.0	11.75
E210248		1.82	2.88	3.97	10.0	140	1.16	2.86	4.01	<0.02	74.60	150.5	24	3.47	>10000	15.15
E210249		0.90	7.98	3.40	11.0	120	1.00	6.69	3.47	<0.02	106.00	168.0	16	2.84	>10000	18.05
E210251		1.12	3.86	3.32	8.1	100	0.95	2.67	2.88	<0.02	35.80	229.0	14	3.83	>10000	22.50
E210252		1.87	5.92	1.26	12.1	60	0.48	3.63	2.93	0.02	52.40	177.0	5	1.43	>10000	17.40
E210253		1.47	0.13	0.52	1.1	1050	0.13	0.12	0.09	<0.02	15.50	6.8	8	0.43	787.0	1.13

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093115

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E210201		14.70	0.18	1.4	0.040	0.11	68.7	20.3	1.32	2460	8.11	3.04	6.2	11.2	1070	2.0
E210202		12.65	0.28	1.2	0.053	0.31	175.5	42.8	1.80	1900	38.80	0.76	10.5	19.7	2210	3.8
E210203		7.27	0.33	0.8	0.068	0.17	163.5	39.2	1.67	2610	56.20	0.01	12.3	40.1	2570	2.9
E210204		8.43	0.36	0.9	0.081	0.41	152.5	46.9	1.98	3090	17.60	0.01	12.6	43.3	2740	3.4
E210205		4.22	0.16	0.6	0.114	0.21	33.7	17.2	1.04	6280	44.10	0.37	5.2	32.4	1260	5.5
E210206		3.47	0.17	0.6	0.158	0.16	60.3	8.4	1.45	9870	306.00	0.81	7.1	38.1	1750	40.3
E210207		9.60	0.14	0.9	0.134	1.32	37.4	22.3	0.62	3110	9.49	0.08	4.0	12.5	420	2.5
E210208		19.80	0.22	1.9	0.306	2.75	113.5	40.1	0.80	5500	6.01	0.03	8.1	19.6	1140	4.9
E210209		20.20	0.21	2.0	0.326	2.87	107.0	39.9	0.86	6760	36.10	0.09	5.0	23.8	1350	3.3
E210211		16.95	0.27	1.7	0.333	2.24	127.5	32.3	1.23	9630	103.50	0.08	4.8	29.2	1490	6.0
E210212		13.00	0.43	1.1	0.379	1.30	184.5	22.5	1.53	13750	52.70	0.41	4.6	46.3	2050	7.1
E210213		13.75	0.34	1.3	0.308	1.62	195.0	22.8	1.19	12300	18.50	0.27	3.9	25.5	1360	5.2
E210214		11.50	0.29	1.0	0.213	1.35	156.0	23.8	1.15	7890	6.41	0.27	5.8	23.8	2200	6.8
E210215		6.75	0.39	0.7	0.238	0.41	216.0	13.8	1.25	12400	8.85	0.47	7.5	32.0	2410	4.0
E210216		7.81	0.41	0.7	0.241	0.54	241.0	17.7	1.15	10850	13.20	0.33	6.9	29.2	2430	5.7
E210217		10.50	0.44	0.9	0.201	0.92	257.0	24.0	0.87	6550	14.70	0.16	8.1	29.7	2830	7.2
E210218		2.85	0.29	0.2	0.205	0.07	126.5	5.3	0.85	12400	13.35	0.22	4.6	17.5	1250	4.0
E210219		19.30	0.22	2.2	0.170	2.18	74.8	41.9	1.19	3890	7.41	0.03	4.1	42.0	1110	3.1
E210221		15.90	0.21	1.8	0.141	1.93	25.1	19.0	1.11	3420	64.80	0.81	3.7	36.7	830	19.9
E210222		6.50	0.30	0.6	0.267	0.27	118.5	21.4	1.45	13300	18.95	0.01	4.3	39.2	1580	4.1
E210223		17.15	0.21	1.6	0.241	1.93	67.2	39.9	2.54	8340	2.13	0.27	3.6	20.4	700	5.9
E210233		9.84	0.15	0.9	0.328	0.74	28.0	12.8	1.52	15900	153.50	0.88	5.0	30.4	700	289.0
E210234		6.72	0.19	0.7	0.318	0.56	32.3	8.4	1.42	15450	53.00	0.68	2.2	27.3	740	27.9
E210235		7.98	0.21	1.0	0.281	0.63	49.6	8.6	1.49	16600	42.00	1.24	2.8	29.1	900	10.4
E210236		9.86	0.27	1.0	0.275	0.97	84.1	14.9	0.89	11200	10.95	0.54	3.9	30.0	1370	1.9
E210237		12.20	0.28	1.3	0.285	1.10	124.5	26.7	1.00	9470	13.00	0.33	3.6	32.0	1890	3.7
E210238		9.58	0.34	0.8	0.347	0.81	168.0	32.1	1.10	14600	13.70	0.30	3.9	37.2	2070	2.6
E210239		6.16	0.28	0.6	0.376	0.36	127.0	26.8	1.53	18500	50.10	0.25	5.5	45.3	1490	6.0
E210241		10.20	0.39	0.7	0.284	0.63	127.5	23.1	1.55	6450	62.70	0.23	5.3	59.2	2440	6.4
E210242		7.52	0.31	1.0	0.362	0.53	95.1	39.5	2.16	12250	77.70	0.19	7.2	38.2	1470	150.0
E210243		17.65	0.15	1.7	0.199	2.63	16.3	42.4	2.05	7280	5.73	0.03	3.0	23.0	540	2.6
E210244		17.90	0.21	1.8	0.138	2.71	65.6	52.7	2.12	5760	1.47	0.04	3.6	19.5	600	3.8
E210245		18.90	0.23	1.8	0.259	2.96	52.2	51.4	2.56	7050	6.91	0.06	3.6	24.6	620	3.1
E210246		18.30	0.15	1.9	0.153	2.82	35.5	57.7	2.99	6780	1.52	0.05	3.8	22.7	640	2.1
E210247		13.10	0.20	1.4	0.305	1.25	44.7	57.1	2.59	9870	6.36	0.52	2.9	32.9	530	4.5
E210248		9.99	0.25	1.3	0.500	0.81	39.4	29.7	2.63	14450	10.65	1.17	4.4	35.4	630	83.7
E210249		8.51	0.26	1.0	0.731	0.68	66.7	26.8	2.42	13100	18.85	0.99	5.6	43.9	640	176.5
E210251		8.01	0.27	0.6	0.696	0.98	21.5	20.0	2.52	19750	28.80	0.45	3.1	49.0	850	9.0
E210252		4.30	0.24	0.4	0.627	0.32	20.6	14.8	1.95	13050	35.70	0.04	2.6	42.5	820	60.8
E210253		1.48	0.08	0.3	0.019	0.20	7.4	3.9	0.09	532	1.13	0.02	1.0	3.2	40	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093115

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E210201		5.2	0.002	0.23	1.65	4.7	1	10.3	1260.0	0.28	0.15	8.6	0.118	0.03	3.6	44
E210202		21.9	0.003	0.36	3.49	4.6	2	16.2	1425.0	0.32	0.45	9.4	0.074	0.10	17.4	52
E210203		11.5	0.003	0.97	3.09	3.9	5	17.1	357.0	0.27	0.70	5.5	0.053	0.07	20.0	49
E210204		27.7	0.004	2.20	2.29	4.2	4	13.1	435.0	0.32	0.42	6.8	0.066	0.11	22.5	45
E210205		12.8	0.004	0.49	1.10	2.7	2	3.6	3320.0	0.16	0.21	1.9	0.041	0.18	38.8	26
E210206		8.7	0.062	0.70	1.30	2.6	3	3.3	2580.0	0.18	0.88	3.9	0.034	0.13	203.0	28
E210207		86.3	0.004	0.24	0.85	4.8	1	8.5	3340.0	0.20	0.11	5.2	0.093	0.14	22.3	33
E210208		178.0	0.003	0.18	1.83	9.3	2	18.1	771.0	0.32	0.08	12.5	0.139	0.29	22.1	63
E210209		182.0	0.002	0.22	1.46	9.7	1	19.9	879.0	0.18	0.14	11.2	0.115	0.30	46.3	70
E210211		139.5	0.007	0.35	1.37	8.3	3	16.1	1015.0	0.14	0.52	10.3	0.084	0.25	55.8	58
E210212		85.8	0.010	0.86	1.30	5.8	5	12.2	963.0	0.11	0.45	9.5	0.055	0.23	20.1	53
E210213		107.0	0.006	0.23	0.92	6.4	2	14.6	1170.0	0.10	0.36	9.2	0.072	0.18	45.5	48
E210214		83.7	0.002	0.12	1.40	5.3	1	14.0	925.0	0.15	0.27	6.4	0.076	0.14	23.3	45
E210215		26.2	0.003	0.14	1.20	3.7	2	7.7	1010.0	0.14	0.73	5.1	0.035	0.06	13.9	38
E210216		35.0	0.004	0.33	1.24	3.6	3	11.4	996.0	0.15	0.61	6.6	0.043	0.06	35.4	39
E210217		59.1	0.003	0.46	1.68	4.8	5	21.2	795.0	0.16	0.53	8.0	0.053	0.13	63.5	50
E210218		4.4	0.004	0.30	0.54	1.0	2	3.6	2840.0	0.06	0.27	1.4	0.010	0.03	39.4	19
E210219		141.5	0.002	0.23	1.76	9.8	2	10.2	1550.0	0.20	0.31	10.9	0.125	0.32	19.2	63
E210221		89.4	0.022	2.27	1.61	9.6	3	8.0	546.0	0.18	0.25	8.7	0.084	0.43	260.0	50
E210222		18.3	0.004	0.17	0.95	2.9	2	3.1	1710.0	0.12	0.32	4.9	0.025	0.04	26.3	32
E210223		123.0	0.003	0.16	1.43	8.2	1	14.5	462.0	0.18	0.07	11.7	0.102	0.22	21.4	55
E210233		43.0	0.046	0.42	3.58	6.3	2	6.7	2110.0	0.16	0.16	4.4	0.051	0.17	1610.0	63
E210234		37.0	0.024	0.29	0.99	5.9	3	4.9	2330.0	0.07	0.19	2.6	0.036	0.10	78.1	55
E210235		39.3	0.011	0.19	1.16	7.8	2	5.6	2470.0	0.10	0.13	3.6	0.058	0.10	38.5	72
E210236		63.0	0.002	0.12	1.07	5.5	1	8.7	1515.0	0.08	0.15	6.6	0.043	0.11	16.7	49
E210237		75.6	0.003	0.15	1.19	5.9	2	10.7	1145.0	0.10	0.29	8.4	0.049	0.15	37.1	49
E210238		55.1	0.002	0.19	0.99	5.3	1	8.6	1560.0	0.10	0.46	7.1	0.035	0.10	24.6	46
E210239		21.6	0.014	0.21	0.97	3.4	2	6.1	1655.0	0.15	0.79	4.8	0.031	0.06	33.8	42
E210241		37.3	0.017	7.41	2.15	4.6	5	7.3	183.5	0.12	1.06	6.6	0.033	0.47	16.2	61
E210242		34.0	0.040	0.83	5.13	6.4	6	4.4	1140.0	0.22	0.43	6.7	0.056	0.25	1150.0	38
E210243		155.5	0.003	0.21	1.37	10.0	1	7.2	341.0	0.22	<0.05	9.8	0.116	0.37	45.0	60
E210244		169.0	0.002	0.26	2.21	10.8	2	3.6	108.5	0.30	<0.05	13.5	0.132	0.44	33.3	60
E210245		179.5	0.002	1.36	1.98	11.9	11	4.0	124.0	0.29	0.26	13.7	0.140	0.45	8.7	69
E210246		172.5	0.002	0.16	2.07	11.5	2	3.8	107.0	0.29	0.07	13.7	0.140	0.42	4.9	64
E210247		83.5	0.008	0.83	1.88	9.1	2	3.2	348.0	0.20	0.12	11.2	0.077	0.24	35.0	39
E210248		53.6	0.006	1.54	4.51	6.7	2	5.2	456.0	0.20	0.17	7.1	0.067	0.20	1170.0	38
E210249		40.2	0.009	3.15	6.82	5.2	3	6.4	84.1	0.21	0.49	7.5	0.061	0.18	2130.0	41
E210251		56.3	0.010	2.23	1.33	4.5	2	7.4	418.0	0.10	0.25	2.7	0.041	0.20	75.7	44
E210252		20.3	0.014	2.64	2.83	2.2	3	3.9	882.0	0.08	0.35	2.0	0.022	0.09	690.0	31
E210253		8.1	0.002	0.11	0.28	0.8	1	0.4	24.9	<0.05	<0.05	2.0	0.031	0.05	6.4	6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093115

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E210201		16.0	11.7	10	45.9		0.005
E210202		36.9	15.1	22	36.2		0.013
E210203		52.3	15.7	17	25.5		0.013
E210204		21.7	19.0	22	31.1		0.011
E210205		9.1	7.7	18	20.1		0.017
E210206		13.3	14.3	9	18.1		0.062
E210207		10.9	6.6	6	29.9		0.002
E210208		17.3	12.5	6	59.0		0.003
E210209		17.4	14.5	7	62.7		0.002
E210211		14.3	14.5	9	50.1		0.011
E210212		18.2	16.2	9	32.6		0.024
E210213		14.2	13.1	8	40.2		0.008
E210214		15.6	13.1	14	32.3		0.004
E210215		15.8	14.7	10	21.5		0.005
E210216		16.0	14.4	10	23.7		0.008
E210217		16.9	15.9	11	29.9		0.017
E210218		7.7	6.3	9	6.0		0.005
E210219		15.9	11.0	17	65.7		0.002
E210221		8.5	15.0	5	61.1		0.052
E210222		8.4	9.8	16	20.1		0.005
E210223		15.7	10.6	14	51.0		<0.001
E210233		74.8	16.4	4	30.3		0.018
E210234		16.7	7.2	5	23.6		0.009
E210235		15.3	9.2	6	32.1		0.005
E210236		12.3	10.4	5	30.6		0.005
E210237		11.2	14.1	11	39.2		0.005
E210238		7.9	13.7	9	28.0		0.003
E210239		6.8	10.5	13	19.2		0.015
E210241		6.1	15.6	6	24.7		0.120
E210242		23.8	35.4	14	30.8		0.033
E210243		14.0	13.3	7	55.5		0.001
E210244		10.7	14.2	10	54.8		0.005
E210245		11.6	15.0	7	57.5	1.635	0.019
E210246		11.1	14.4	13	57.1		0.004
E210247		10.3	11.9	19	46.8		0.010
E210248		17.9	21.5	16	41.2	1.865	0.022
E210249		22.8	29.8	11	31.6	4.21	0.046
E210251		7.6	7.9	16	20.1	2.91	0.029
E210252		9.6	13.1	10	12.3	3.78	0.053
E210253		0.4	2.0	2	8.5		<0.001

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093115

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E210254		1.80	6.15	4.90	7.9	240	1.77	3.79	5.06	<0.02	94.40	143.0	29	6.80	>10000	15.80
E210255		1.28	6.02	6.05	5.5	1590	2.48	2.40	5.81	<0.02	188.00	70.5	35	9.69	>10000	8.08
E210256		1.01	0.37	7.23	3.5	5690	2.86	0.29	5.18	<0.02	61.10	64.3	37	12.15	384.0	5.55
E210257		1.88	2.77	6.25	5.7	690	2.48	2.30	7.08	<0.02	121.50	122.0	38	9.87	>10000	9.04
E210258		1.40	0.39	6.54	2.6	4980	2.67	0.44	5.71	<0.02	99.30	53.4	34	11.00	101.0	5.47
E210259		1.29	0.29	6.23	0.7	3140	2.65	0.39	5.87	<0.02	64.40	56.8	30	10.70	50.3	5.61
E210261		0.15	0.25	7.06	43.9	580	2.47	1.62	1.82	<0.02	73.20	107.0	43	6.45	1450.0	6.63
E210262		0.78	0.16	5.90	0.8	6570	2.46	0.21	6.92	<0.02	25.30	51.4	27	10.10	110.0	5.58
E210263		1.23	0.29	6.21	1.0	3080	2.51	0.32	6.50	<0.02	60.80	67.8	30	10.05	39.2	6.26
E210264		0.57	0.33	6.13	2.2	2950	2.41	0.39	6.38	0.03	73.80	75.5	30	10.15	29.5	6.45
E210265		0.78	0.25	4.57	<5	7460	1.75	0.33	11.70	<0.02	147.00	86.8	20	7.25	141.5	7.38
E210266		1.12	0.16	6.47	2.2	3580	2.58	0.28	6.18	<0.02	89.70	87.5	36	12.10	20.4	7.27
E210267		0.87	0.25	6.73	1.7	>10000	2.47	0.29	5.90	<0.02	171.00	108.0	36	10.95	987.0	9.48
E210268		1.60	0.20	5.23	2.0	6620	1.88	0.28	4.55	<0.02	70.40	133.5	26	7.11	197.0	10.60
E210269		1.01	0.27	5.53	2.3	9520	2.08	0.33	3.97	0.04	68.00	144.0	28	8.33	981.0	12.10
E210270		1.66	1.17	6.56	2.0	3750	2.57	1.09	3.75	0.04	87.00	141.5	44	10.95	7930.0	12.90
E210272		1.46	5.43	3.77	7.7	90	1.11	3.69	3.63	<0.02	127.00	203.0	20	4.82	>10000	19.10
E210273		1.14	6.61	3.84	13.4	170	1.35	4.52	3.19	<0.02	142.00	221.0	21	4.54	>10000	19.10
E210274		1.15	10.45	5.19	43.7	150	1.85	6.37	5.45	0.03	78.90	278.0	25	6.18	>10000	18.25
E210275		1.13	10.10	4.12	27.2	80	2.20	10.90	4.77	0.02	85.50	196.5	24	5.94	>10000	13.75
E210276		1.61	4.51	3.67	15.4	140	1.55	5.38	4.52	<0.02	95.60	233.0	20	4.92	>10000	18.45
E210277		1.67	7.27	2.97	15.0	70	1.15	10.55	7.70	0.04	137.50	230.0	16	3.21	>10000	16.60
E210278		1.63	32.10	2.21	42.8	20	0.78	80.90	3.75	0.07	94.90	183.0	15	2.51	>10000	21.50
E210279		0.98	3.26	6.53	14.3	1270	2.39	10.75	6.51	<0.02	114.00	224.0	42	6.90	>10000	15.15
E210280		0.93	12.40	5.06	28.5	80	1.85	20.10	7.13	<0.02	92.20	204.0	29	5.96	>10000	15.75
E210282		0.20	1.00	5.66	69.2	60	1.70	2.63	1.93	<0.02	51.70	164.5	36	3.57	7190.0	9.93
E210283		1.22	2.71	5.67	8.9	190	2.15	5.56	6.12	<0.02	90.80	140.5	38	7.47	>10000	11.45
E210284		0.91	0.38	5.12	2.0	4660	2.17	0.82	3.83	<0.02	71.00	66.4	33	8.37	1070.0	5.82
E210285		1.76	5.67	3.64	405.0	80	1.58	143.00	6.34	<0.02	47.00	475.0	26	5.08	>10000	12.25
E210286		1.57	8.66	0.96	793.0	30	0.46	589.00	5.11	0.05	86.90	916.0	5	0.91	>10000	20.20
E210287		1.13	3.80	2.82	106.0	80	0.43	52.20	4.71	0.02	87.20	292.0	17	1.41	>10000	14.50
E210288		1.30	9.16	2.54	162.0	20	0.83	90.10	3.72	<0.02	105.00	406.0	16	1.59	>10000	22.40
E210289		1.39	11.60	0.87	170.5	10	0.27	226.00	2.03	0.03	49.40	444.0	6	0.29	>10000	25.60
E210290		0.81	5.44	4.37	50.5	40	2.03	43.50	5.68	0.02	68.00	167.5	28	4.71	>10000	11.45
E210291		1.13	5.05	6.39	50.0	110	3.21	31.80	4.59	0.02	125.00	166.5	38	9.31	>10000	9.90
E210293		1.28	14.05	2.71	169.5	20	1.60	304.00	2.91	0.10	27.30	332.0	17	3.86	>10000	15.40
E210294		1.58	16.45	1.74	816.0	10	1.43	241.00	2.22	<0.02	64.20	883.0	13	1.96	>10000	19.90
E210295		1.99	0.58	4.65	4.4	4890	1.25	2.92	0.49	<0.02	42.70	46.2	27	8.26	292.0	10.55

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093115

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E210254		9.94	0.30	1.4	0.571	0.97	63.3	67.6	4.31	10950	28.10	0.03	4.6	38.9	610	26.2
E210255		18.00	0.36	1.6	0.253	2.33	97.2	50.2	3.11	8130	63.70	0.06	4.4	19.9	640	42.7
E210256		20.20	0.17	1.7	0.186	3.10	34.0	49.0	2.45	6330	12.00	0.10	4.0	15.9	550	3.0
E210257		17.25	0.29	1.6	0.425	2.17	68.2	61.8	3.72	9180	16.70	0.05	4.7	25.5	650	7.3
E210258		18.85	0.19	1.8	0.212	2.71	61.2	52.2	2.81	7070	44.10	0.08	4.2	14.0	580	3.0
E210259		17.80	0.15	1.6	0.153	2.66	41.0	50.0	2.74	7380	50.00	0.07	3.4	15.5	560	2.6
E210261		19.05	0.18	1.9	0.128	2.92	44.6	20.9	1.34	3250	20.80	0.56	3.5	24.9	760	2.5
E210262		16.95	0.13	1.5	0.243	2.55	14.3	48.1	3.16	8550	16.95	0.09	3.8	14.9	500	2.9
E210263		17.65	0.16	1.5	0.179	2.59	35.4	50.2	2.93	8060	68.10	0.07	3.4	18.6	580	2.3
E210264		17.05	0.17	1.6	0.166	2.58	46.6	46.8	2.67	8300	54.50	0.07	3.4	19.6	530	3.0
E210265		12.75	0.24	1.3	0.167	1.79	88.1	41.2	5.40	15900	24.30	0.09	3.1	15.1	590	4.5
E210266		17.95	0.21	1.8	0.160	2.45	56.0	60.3	2.97	7990	13.70	0.07	4.0	19.0	850	3.4
E210267		18.30	0.26	1.8	0.222	2.54	97.7	58.0	3.28	10600	6.99	0.14	4.1	22.8	720	2.7
E210268		11.30	0.19	1.3	0.182	1.35	42.0	62.6	3.46	8800	12.45	0.08	2.2	25.5	460	2.7
E210269		14.25	0.21	1.4	0.257	1.81	40.3	52.4	3.16	11700	2.27	0.10	2.0	25.9	460	7.1
E210270		19.45	0.25	1.7	0.315	2.59	55.9	45.8	2.82	11900	4.48	0.07	2.5	27.3	590	5.5
E210272		8.62	0.33	1.1	0.581	0.55	63.0	49.3	3.48	11950	30.80	0.02	3.8	42.2	910	7.5
E210273		8.68	0.32	1.2	0.607	0.36	77.3	60.3	3.72	11100	23.70	0.02	4.3	48.2	760	17.1
E210274		9.83	0.30	1.5	0.805	0.45	50.0	93.9	4.77	8490	14.65	0.02	6.2	50.1	470	40.6
E210275		13.95	0.33	1.3	0.618	0.98	35.0	61.6	3.25	7930	16.70	0.03	7.0	34.6	570	234.0
E210276		11.95	0.28	1.1	0.644	0.91	64.2	45.2	3.63	16350	20.40	0.03	3.8	36.7	760	26.4
E210277		8.75	0.31	1.1	0.895	0.39	97.4	46.7	4.93	15400	22.70	0.02	8.5	38.1	800	43.1
E210278		7.30	0.38	0.7	1.750	0.44	62.8	26.4	2.44	7060	32.10	0.04	2.3	25.6	640	17.7
E210279		16.75	0.22	2.0	0.537	0.84	79.7	114.0	6.11	7610	9.03	0.04	4.7	57.0	590	10.3
E210280		13.55	0.24	1.5	0.553	0.53	49.5	92.8	5.40	8970	107.50	0.02	5.7	41.1	510	91.9
E210282		15.15	0.16	1.7	0.139	2.05	17.3	26.1	1.22	3310	63.20	0.98	2.5	36.6	850	21.6
E210283		16.35	0.18	1.5	0.298	1.22	56.9	89.3	4.40	8070	4.78	0.04	4.3	26.0	590	17.3
E210284		17.45	0.13	1.3	0.132	1.77	45.0	65.7	2.37	4460	1.68	0.07	3.4	11.7	530	2.7
E210285		11.00	0.17	1.0	0.317	1.09	17.0	52.8	3.40	11000	16.10	0.03	4.0	29.3	610	82.9
E210286		3.30	0.30	0.4	0.419	0.21	45.4	14.1	2.36	17200	43.70	0.07	5.8	71.0	1100	114.5
E210287		7.49	0.18	0.9	0.304	0.40	45.0	14.0	2.13	16100	29.10	1.46	3.8	35.0	1140	23.3
E210288		9.33	0.39	0.9	0.550	0.45	65.2	18.1	2.26	22600	35.00	1.14	5.1	47.0	990	99.3
E210289		3.97	0.33	0.3	0.637	0.10	27.6	6.3	1.70	24900	36.30	0.46	2.9	45.0	1080	60.3
E210290		15.40	0.19	1.6	0.286	1.28	26.8	56.9	2.78	9120	15.00	0.41	8.7	38.7	990	60.8
E210291		24.10	0.20	2.2	0.298	2.07	79.5	78.1	2.76	5960	15.70	0.41	7.0	35.2	860	24.2
E210293		11.30	0.37	1.0	0.441	0.89	7.5	34.2	2.07	7660	38.80	0.03	5.1	41.8	1180	59.3
E210294		6.06	0.40	0.8	0.397	0.32	27.3	29.3	1.91	10350	47.80	0.02	4.3	55.5	1330	19.0
E210295		12.55	0.14	1.9	0.346	1.88	26.9	24.3	1.54	8230	34.60	0.09	1.0	20.2	570	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093115

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E210254		57.4	0.030	2.85	3.69	7.1	8	3.4	77.7	0.26	0.34	9.2	0.093	0.21	404.0	45
E210255		134.0	0.060	1.02	4.37	10.0	6	4.0	107.5	0.34	0.25	16.7	0.135	0.42	590.0	61
E210256		180.0	0.020	0.22	2.43	10.8	1	4.7	159.5	0.31	0.05	10.9	0.141	0.61	34.9	71
E210257		125.5	0.023	1.07	2.64	10.7	5	4.3	257.0	0.35	0.16	10.3	0.132	0.38	21.0	59
E210258		159.0	0.041	0.09	2.07	10.1	1	5.0	123.5	0.34	0.08	12.7	0.138	0.44	10.5	62
E210259		152.5	0.036	0.02	1.69	10.0	1	4.7	119.5	0.25	0.08	12.0	0.115	0.41	7.0	59
E210261		126.5	0.006	1.36	1.12	10.7	2	7.1	479.0	0.21	0.16	12.3	0.121	0.36	19.8	66
E210262		148.5	0.014	0.13	1.82	9.7	1	4.8	196.0	0.28	0.06	8.7	0.120	0.38	8.2	56
E210263		152.0	0.044	0.02	1.71	10.1	1	5.2	126.0	0.23	0.09	9.6	0.113	0.41	8.4	61
E210264		147.0	0.033	0.01	1.85	11.0	1	4.8	132.0	0.25	0.11	13.0	0.113	0.42	7.8	62
E210265		105.0	0.020	0.21	1.33	7.6	1	3.5	487.0	0.23	0.10	10.1	0.090	0.29	16.2	43
E210266		147.0	0.013	0.02	2.38	11.1	1	5.5	147.5	0.30	0.07	13.3	0.130	0.38	14.4	65
E210267		140.5	0.010	0.36	1.98	12.1	1	5.3	337.0	0.32	0.05	15.7	0.138	0.40	18.4	78
E210268		79.4	0.010	0.24	1.37	7.9	1	2.9	671.0	0.17	0.05	7.9	0.073	0.23	31.7	50
E210269		104.0	0.007	0.30	1.62	9.0	1	4.7	232.0	0.14	0.06	12.1	0.080	0.31	104.0	60
E210270		148.5	0.010	0.73	1.30	11.0	2	7.9	85.6	0.16	0.09	13.4	0.098	0.44	16.1	70
E210272		35.6	0.020	2.73	1.84	5.6	6	5.5	705.0	0.16	0.35	7.4	0.056	0.14	35.4	39
E210273		23.3	0.023	2.68	3.25	5.8	6	4.6	488.0	0.21	0.33	7.8	0.067	0.13	363.0	38
E210274		29.0	0.013	4.08	5.14	6.9	6	5.1	214.0	0.30	1.04	9.7	0.100	0.18	1010.0	35
E210275		69.0	0.017	3.04	10.40	7.4	5	8.9	460.0	0.27	0.35	9.7	0.088	0.34	2990.0	44
E210276		54.7	0.010	2.22	2.71	6.6	3	8.2	254.0	0.18	0.22	5.9	0.066	0.20	419.0	49
E210277		24.3	0.009	3.34	4.52	5.0	2	8.0	206.0	0.25	0.37	7.2	0.080	0.18	1150.0	37
E210278		26.7	0.029	>10.0	2.15	4.1	5	12.0	101.5	0.10	3.58	5.2	0.030	0.12	144.0	21
E210279		48.3	0.008	2.24	2.44	9.8	2	10.9	101.0	0.25	0.24	12.4	0.097	0.19	165.0	75
E210280		32.9	0.063	3.92	8.15	7.7	5	9.7	321.0	0.27	0.57	9.4	0.087	0.24	1550.0	41
E210282		85.8	0.027	2.30	1.61	9.6	3	7.8	555.0	0.12	0.23	8.3	0.072	0.44	267.0	54
E210283		77.8	0.013	1.28	3.22	9.1	2	6.8	367.0	0.23	0.13	9.3	0.089	0.25	297.0	55
E210284		108.0	0.005	0.19	2.01	9.4	1	6.6	190.0	0.24	0.05	9.5	0.095	0.31	15.8	55
E210285		62.0	0.007	2.05	3.98	6.3	3	5.9	899.0	0.16	0.42	5.9	0.059	0.24	860.0	43
E210286		12.8	0.025	2.77	5.24	2.7	3	9.0	868.0	0.14	0.57	2.2	0.021	0.13	1100.0	37
E210287		21.5	0.019	1.73	1.77	4.1	3	6.0	1750.0	0.14	0.22	4.9	0.034	0.17	111.5	44
E210288		24.0	0.012	4.82	4.81	5.4	3	8.0	265.0	0.16	0.51	5.9	0.045	0.14	1180.0	34
E210289		5.1	0.026	5.86	3.12	2.2	4	4.8	320.0	0.07	0.29	1.6	0.015	0.10	580.0	19
E210290		66.9	0.013	3.32	6.19	7.3	2	8.7	431.0	0.26	0.18	8.3	0.103	0.30	1410.0	55
E210291		116.0	0.029	2.64	5.33	9.8	2	11.3	244.0	0.28	0.16	13.0	0.128	0.45	740.0	69
E210293		53.3	0.037	6.73	5.14	5.8	5	8.9	340.0	0.15	0.48	2.6	0.061	0.20	750.0	39
E210294		19.2	0.031	7.53	3.08	4.8	6	10.1	446.0	0.10	0.91	2.1	0.035	0.16	163.5	31
E210295		115.0	0.011	0.24	1.50	7.2	2	3.1	90.3	0.07	0.12	11.2	0.053	0.37	20.4	43

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093115

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E210254		17.9	15.3	31	45.7	3.64	0.033
E210255		26.7	22.4	12	53.3	1.100	0.019
E210256		19.0	12.3	17	55.6		0.002
E210257		20.6	15.0	21	53.0	1.040	0.014
E210258		17.5	12.8	18	53.2		0.003
E210259		13.9	12.8	17	50.2		0.003
E210261		8.2	11.3	11	62.1		0.017
E210262		14.4	12.8	19	46.5		<0.001
E210263		14.5	14.8	18	50.4		0.002
E210264		14.3	15.5	20	52.6		0.002
E210265		12.0	18.0	22	40.8		<0.001
E210266		17.8	16.5	25	58.2		<0.001
E210267		20.0	16.3	27	57.5		0.001
E210268		8.7	12.3	41	42.7		0.001
E210269		10.0	14.2	38	46.6		0.003
E210270		11.2	14.0	23	57.2		0.006
E210272		9.2	12.8	32	36.4	3.31	0.030
E210273		14.2	17.2	37	39.0	3.57	0.035
E210274		24.2	25.2	45	50.3	5.07	0.061
E210275		40.2	45.0	21	44.9	3.85	0.067
E210276		14.9	17.5	25	36.7	2.72	0.029
E210277		24.0	27.7	29	37.3	4.39	0.046
E210278		6.9	8.8	24	23.4	17.75	0.189
E210279		12.9	16.4	68	66.9	2.53	0.021
E210280		32.3	28.7	39	53.6	4.56	0.108
E210282		7.6	14.2	10	58.8		0.049
E210283		21.4	16.0	33	54.8	1.370	0.009
E210284		17.6	9.5	16	47.2		0.001
E210285		22.5	16.7	23	35.3	2.29	0.018
E210286		42.8	18.6	10	11.9	3.20	0.031
E210287		25.0	10.0	20	29.7	1.720	0.014
E210288		50.7	17.4	10	31.7	5.66	0.039
E210289		66.2	11.0	6	13.1	8.11	0.053
E210290		58.5	21.6	21	55.3	3.98	0.044
E210291		38.7	19.1	27	74.0	3.10	0.017
E210293		23.9	13.6	16	35.4	8.96	0.071
E210294		14.8	11.4	25	26.4	10.00	0.109
E210295		5.2	8.7	11	63.9		0.009

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093115

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07122089

Project: IGOR: 16-2007-06

P.O. No.: 198715

This report is for 65 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 24-OCT-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
Account: CASMIN

Project: IGOR: 16-2007-06

CERTIFICATE OF ANALYSIS VA07122089

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386401		3.82	0.17	1.29	29.5	430	0.5	0.77	0.74	0.19	85.7	162	5	0.99	312	20
E386402		2.68	0.11	2.05	10.5	480	0.46	0.87	0.8	0.05	102	173	11	1.24	115	15.9
E386403		2.58	0.12	1.1	12.5	520	0.27	1.13	0.96	0.03	116	163.5	5	0.46	32	15
E386404		2.32	0.12	0.98	18.3	550	0.24	1.18	1.23	0.03	114.5	190	2	0.31	178.5	19.7
E386405		3.24	0.1	1.29	21.3	530	0.24	0.64	1.17	0.03	101	194	4	0.4	66.3	19.8
E386406		3.04	0.09	1.95	12.9	780	0.51	0.73	1.13	0.03	105	160	10	1.89	104	19.1
E386407		2.98	0.11	0.92	11.6	740	0.22	0.71	1.7	0.02	100.5	179	3	0.48	23	21.4
E386408		3.16	0.13	0.84	10.2	480	0.19	0.89	0.81	<0.02	83.1	166	4	0.23	38.6	18.75
E386409		3.18	0.17	1.57	21.3	1540	0.19	1.72	2.77	0.02	146	176.5	3	0.35	126.5	23.9
E386410		2.94	0.21	2.25	21.1	840	0.45	2.02	2.32	<0.02	188	183	6	1.13	280	20.9
E386411		0.14	0.01	0.13	<5	130	0.06	0.01	46.1	0.38	2.38	1	4	<0.05	2.1	0.06
E386412		3.04	0.12	2.46	15.3	1900	0.71	1.13	1.27	<0.02	161.5	143.5	9	2.37	86.3	20.8
E386413		2.52	0.08	5.03	13.3	3110	1.5	0.91	0.65	<0.02	101	166.5	30	5.22	45.8	17.9
E386414		2.44	0.14	1.75	9.2	3360	0.41	3.14	0.94	<0.02	101.5	175.5	9	1.48	68.2	24.5
E386415		2.32	0.15	0.6	12.2	980	0.17	2.18	0.56	0.03	130	180	<1	0.31	16.1	30.6
E386416		3.42	0.22	0.98	9.5	1600	0.18	2.49	1	0.03	106.5	189.5	2	0.33	9.4	26
E386417		2.56	0.16	2.6	12.3	760	0.84	3.01	1.37	<0.02	134	170	14	2.56	135	20.7
E386418		2.76	0.1	4.79	9.7	2570	1.51	1.11	0.64	<0.02	155.5	130	27	4.52	77.9	15.05
E386419		1.92	0.11	4.64	9.8	1900	1.63	1.15	1.21	<0.02	95.6	121.5	24	4.63	82.4	13.35
E386420		2.34	0.09	4.65	5.7	1810	1.54	0.82	1.21	<0.02	51.6	63.3	25	5.27	86.8	8.35
E386421		1.94	0.06	4.57	7.2	2220	1.11	0.31	1.53	<0.02	111	65.6	24	3.38	144.5	9.63
E386422		0.16	0.02	0.14	<5	90	0.09	<0.01	46.1	0.44	2.29	1.3	6	<0.05	2.6	0.07
E386423		0.18	0.98	5.65	62.4	80	1.81	2.55	1.96	0.02	39.9	148	32	3.24	7920	9.03
E386424		2.14	0.1	4.86	5.1	2750	1.77	0.62	0.69	0.03	131	83.2	28	5.35	46.9	9.27
E386425		2.18	0.06	5.59	4.2	3670	2.15	0.36	1.21	<0.02	146.5	65.1	31	6.15	37.3	8.61
E386426		2.48	0.16	5.43	9.7	3500	1.93	1.36	0.83	<0.02	97.3	110	28	5.56	151.5	12.2
E386427		2.34	0.05	5.91	8.2	4030	2.1	0.45	0.55	<0.02	96.3	93.6	35	6.06	67.5	13.3
E386428		2.52	0.12	5.37	10.9	4040	1.67	1.11	0.52	<0.02	122	106.5	28	5.17	136.5	16.05
E386429		1.24	0.08	8.38	6.9	9330	3.52	0.77	0.84	<0.02	173	63.1	56	9.53	32.3	10.85
E386430		2.14	0.04	6.37	1.8	>10000	2.51	0.09	4.77	<0.02	69.7	63.2	33	8.6	71.5	7.17
E386431		1.84	0.3	2.48	48.6	510	0.66	0.93	8.78	<0.02	55.2	228	8	1.33	2280	15.95
E386432		2.58	0.2	2.76	13.8	720	0.82	1.03	3.02	<0.02	130.5	152.5	13	2.85	302	15.65
E386433		2.10	0.09	4.9	6.8	5080	2.08	0.37	2.76	<0.02	48.6	106.5	28	7.91	171	10.75
E386434		0.16	0.02	0.15	<5	100	0.08	<0.01	45.8	0.42	2.27	1.4	6	0.05	3	0.07
E386435		1.94	0.04	7.13	1.2	9560	3.2	0.12	2.52	<0.02	281	46.8	44	11.6	29.9	5.36
E386436		2.16	0.03	7.38	0.8	>10000	3.52	0.09	3.83	<0.02	140.5	33.6	44	12.1	16.6	3.97
E386437		2.06	0.02	7.51	0.5	8860	3.53	0.07	3.95	<0.02	29.9	28.9	41	12.35	13.3	3.97
E386438		2.30	0.05	7.01	1	8140	3.37	0.15	4.95	<0.02	41.4	32.7	39	11.8	3.2	4.73
E386439		2.16	0.05	5.95	0.5	>10000	2.88	0.07	6.3	<0.02	39.1	36.1	32	9.91	4.7	5.38
E386440		2.22	0.02	6.14	0.4	>10000	2.78	0.11	6.54	<0.02	30	39.9	31	9.87	2.9	5.86

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
Account: CASMIN

Project: IGOR: 16-2007-06

CERTIFICATE OF ANALYSIS VA07122089

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386401		5.13	0.26	0.2	0.151	0.54	50.8	11.4	0.72	10250	12.25	0.07	6.2	12.4	1500	8.4
E386402		6.69	0.24	0.6	0.247	0.54	64.4	13.1	0.99	11600	6.31	0.57	3.8	20.3	1110	4.1
E386403		3.68	0.24	0.3	0.191	0.16	71.8	10.3	0.9	11400	11.3	0.36	4.1	22.8	1590	3.1
E386404		2.66	0.16	0.3	0.21	0.09	75.9	10.1	1.08	13550	11.1	0.29	3.2	24.6	2210	3.5
E386405		3.23	0.18	0.5	0.225	0.13	67	9.8	1.18	14450	7.01	0.49	2.4	27.2	2290	4.7
E386406		5.42	0.19	0.8	0.23	0.69	73.2	17.8	1.3	14450	7.09	0.14	3.3	26.5	1790	3.6
E386407		2.7	0.17	0.3	0.272	0.09	74.8	9.9	1.29	16000	11.7	0.17	3.6	23.7	1580	2.5
E386408		2.59	0.15	0.3	0.186	0.06	56.2	10.3	0.9	13150	19.3	0.13	3.6	26.2	1130	2.6
E386409		4.36	0.24	0.5	0.317	0.1	111	23.4	1.82	14550	24.7	0.01	8.8	34.1	2000	3.2
E386410		6.27	0.26	0.9	0.32	0.41	142.5	30.4	1.78	13400	32.9	0.01	7.6	37.4	2300	3.1
E386411		0.48	0.06	0.1	<0.005	0.02	1.9	1.3	0.48	52	0.32	0.01	0.3	1.4	120	0.9
E386412		7.5	0.23	1	0.276	0.96	123	24.1	1.33	12150	16.25	0.02	9.8	46.6	2030	2.2
E386413		13.25	0.18	1.7	0.271	2.28	77.4	42.9	1.55	12050	16.85	0.03	6.2	38.8	1340	2.3
E386414		4.23	0.23	0.5	0.304	0.32	70.5	22.9	1.76	16900	14.55	0.01	5.6	34.7	1530	3.2
E386415		3.33	0.26	0.2	0.264	0.05	86.7	7.5	1.1	19350	22.5	0.01	6.6	41.2	1740	2.7
E386416		4.96	0.5	0.3	0.303	0.03	72.9	17.5	1.67	19500	16.75	0.01	9.2	49.8	1620	3.7
E386417		9.23	0.45	0.9	0.341	0.98	96.9	33.9	1.78	15300	14.45	0.02	7.8	46.5	1590	3.1
E386418		14.8	0.36	1.5	0.217	1.95	113	49.4	1.33	8980	9.72	0.03	5.2	46.9	1640	2.4
E386419		13.4	0.31	1.4	0.185	2	67.3	48.7	1.47	8290	6.64	0.04	2.7	49	1760	2.6
E386420		12.95	0.23	1.5	0.111	1.96	34.6	43.2	1.14	3640	4.1	0.14	2.8	21.6	810	2.9
E386421		11.55	0.26	1.5	0.098	1.53	76.9	38.6	1.09	4960	4.99	0.82	3.6	23.5	1150	2.5
E386422		0.48	0.05	0.1	0.005	0.03	1.8	1.8	0.49	52	0.23	0.01	0.3	2	110	0.8
E386423		13.6	0.2	1.5	0.139	2.12	16	23.1	1.11	3050	60.5	1.02	2.5	33.8	780	19.6
E386424		16.45	0.28	1.7	0.149	2.35	93	41.4	0.87	5070	24.6	0.05	1.6	31.7	740	3.1
E386425		18.1	0.25	2.1	0.14	2.6	105.5	47.8	1.17	3660	13.9	0.05	2.4	21.2	700	2
E386426		17.05	0.28	1.8	0.186	2.24	69.9	46.6	1.25	6840	14.45	0.27	2.5	47.4	1120	1.4
E386427		18.2	0.29	1.7	0.178	2.46	67.2	60	1.23	5950	5.63	0.1	3.6	43.2	1360	1.6
E386428		13.45	0.33	1.7	0.231	1.46	86	79.3	2.2	8080	20	0.06	4.9	42.4	1810	3
E386429		28.3	0.31	2.6	0.155	3.69	119	88.3	1.52	1460	9.04	0.06	8	40.9	1390	2.8
E386430		17.4	0.17	1.7	0.17	2.8	39.3	54.7	2.28	7090	1.03	0.06	3.5	27	620	3.4
E386431		6.18	0.25	0.7	0.327	0.31	39.5	50.6	4.78	17400	17.85	0.01	4.8	39.3	910	2.4
E386432		5.98	0.29	0.8	0.217	0.49	95.2	43	2.95	13150	44.2	0.01	4.3	37.6	1200	2
E386433		14	0.2	1.4	0.214	2.03	33.5	40.5	2.25	9420	22.8	0.05	3.5	37.1	700	1.8
E386434		0.59	<0.05	0.1	<0.005	0.04	1.8	2	0.49	59	0.3	0.01	0.3	2	110	2.8
E386435		21.7	0.29	2	0.152	3.36	154	52.1	1.43	4450	4.04	0.07	4.2	25.7	710	1.9
E386436		21.7	0.19	2.1	0.124	3.53	86.7	53	1.57	4200	0.84	0.08	4.1	22.8	730	1.9
E386437		20.7	0.12	2	0.124	3.67	18.1	50.2	1.64	4280	0.36	0.08	4.8	17.3	660	1.3
E386438		19.4	0.13	2	0.111	3.55	27.1	49.7	2	4930	0.63	0.07	5.8	15.7	620	1.6
E386439		16.2	0.14	1.7	0.11	2.97	24.3	42	2.45	6570	0.73	0.07	4.5	15	570	1.8
E386440		15.85	0.14	1.6	0.105	2.98	19.2	43.4	2.51	6710	0.64	0.07	3.1	17.1	570	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
Account: CASMIN

Project: IGOR: 16-2007-06

CERTIFICATE OF ANALYSIS VA07122089

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E386401		31	0.004	0.29	0.8	1.9	2	13.3	3780	0.08	0.17	1.4	0.023	0.06	26.1	46
E386402		33.1	0.002	0.3	1.03	3.9	1	7.3	3790	0.1	0.19	3.7	0.032	0.1	12.6	35
E386403		10.4	0.003	0.27	0.61	2.1	2	3.1	3960	0.08	0.34	2.2	0.016	0.03	17.6	27
E386404		5.4	0.003	0.31	0.43	1.6	2	1.9	3900	0.07	0.36	2.3	0.01	0.02	21.1	32
E386405		7.5	0.004	0.32	0.51	2.1	2	1.7	3410	0.06	0.21	2.7	0.011	0.05	24.3	29
E386406		35.6	0.004	0.25	0.74	3.1	1	5.9	2840	0.07	0.25	4.4	0.028	0.14	22.7	36
E386407		4.1	0.003	0.26	0.46	1.8	1	1.9	3970	0.07	0.27	2.3	0.01	0.02	18.8	34
E386408		3.2	0.004	0.28	0.45	1.4	1	2.2	4290	0.1	0.29	2.1	0.013	0.02	14.8	34
E386409		5.3	0.002	0.15	1.02	4.5	2	5.4	1200	0.25	0.37	4	0.029	0.03	15.1	44
E386410		22.4	0.005	0.21	1.07	4.8	3	6.4	1365	0.27	0.42	5.8	0.043	0.06	18	43
E386411		0.6	<0.002	0.06	0.07	0.3	2	0.3	267	<0.05	0.05	0.2	0.006	<0.02	0.7	5
E386412		50.1	0.003	0.11	1.86	4.2	2	9.6	916	0.35	0.36	6.5	0.06	0.11	11.6	49
E386413		115	0.003	0.15	1.72	12.4	2	13.1	541	0.19	0.22	6.2	0.108	0.29	18.1	96
E386414		17.7	0.002	0.15	1.22	5.8	2	3.3	1030	0.13	0.24	2.4	0.045	0.06	6.1	51
E386415		3.2	0.004	0.31	2	1.6	1	1	727	0.11	0.21	2.1	0.012	0.57	12.2	44
E386416		1.8	0.007	0.32	1.66	2	2	1.4	748	0.14	0.82	1.6	0.018	0.43	19.8	39
E386417		52.6	0.003	0.21	1.73	5.1	2	10.4	658	0.22	1.09	6.2	0.065	0.27	22.8	48
E386418		104	0.002	0.15	1.71	7	2	10.3	751	0.18	0.28	9.5	0.1	0.27	20.2	63
E386419		113	0.002	0.17	1.66	7.2	2	7.6	645	0.13	0.19	8.9	0.092	0.39	16	50
E386420		113	0.002	0.16	1.76	6.6	2	7	1630	0.15	0.11	8.6	0.101	0.3	12.5	43
E386421		83.5	0.002	0.16	1.53	6.1	2	6.7	1210	0.17	0.08	8.1	0.101	0.21	11.1	43
E386422		0.7	<0.002	0.07	0.2	0.5	3	0.2	285	<0.05	<0.05	0.2	0.006	<0.02	0.6	4
E386423		80.7	0.02	2.17	1.44	9.3	3	6.8	609	0.12	0.24	5.9	0.072	0.37	280	51
E386424		139.5	0.002	0.13	1.5	7.7	2	6.9	768	0.08	0.13	10.5	0.09	0.33	30.4	47
E386425		156	0.002	0.16	1.46	8.9	2	8.8	739	0.1	0.09	11.3	0.107	0.34	23	50
E386426		133	0.002	0.14	1.42	8.3	2	7.1	561	0.17	0.23	10.7	0.094	0.29	16.9	56
E386427		145	0.002	0.16	2.06	9.5	2	10.2	614	0.22	0.11	10.9	0.138	0.31	30.2	62
E386428		81.7	0.005	0.18	1.61	8.2	2	7.7	478	0.25	0.32	10.7	0.114	0.18	15.8	51
E386429		198.5	0.002	0.3	2.16	13.7	2	16.6	570	0.4	0.26	17.6	0.216	0.47	21.2	91
E386430		164.5	<0.002	0.25	1.49	10.5	1	7.1	314	0.21	0.09	10.7	0.114	0.35	14.4	60
E386431		17.3	0.004	0.51	0.9	4.6	3	2	278	0.12	0.34	4	0.039	0.08	11.9	28
E386432		27.6	0.019	0.2	1.02	4.5	2	2.5	1660	0.13	0.44	4.8	0.042	0.1	12.4	39
E386433		129	0.008	0.15	1.7	8.6	2	5.2	291	0.18	0.12	7.2	0.089	0.3	13	55
E386434		0.9	<0.002	0.06	0.1	0.6	3	0.2	281	<0.05	<0.05	0.2	0.007	<0.02	0.6	4
E386435		206	<0.002	0.19	1.85	11.6	1	6.9	137	0.27	0.05	17.2	0.139	0.45	11.8	69
E386436		221	<0.002	0.2	1.93	12.7	2	6.2	174	0.29	0.08	16.2	0.139	0.48	8.2	67
E386437		224	<0.002	0.16	2.27	12.1	1	6	140.5	0.36	0.07	11.7	0.158	0.48	5.6	67
E386438		215	<0.002	0.17	2.53	11.8	1	5.5	126.5	0.44	0.08	11	0.174	0.49	5.9	64
E386439		182.5	<0.002	0.23	2.08	10.3	1	4.6	193.5	0.33	0.11	11.5	0.142	0.4	5.7	56
E386440		178	<0.002	0.29	1.6	10.6	1	4.4	238	0.21	0.06	9.8	0.119	0.4	5.5	55

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
Account: CASMIN

Project: IGOR: 16-2007-06

CERTIFICATE OF ANALYSIS VA07122089

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386401		13.9	6	25	7.2	0.005	
E386402		8.8	7.8	14	18.1	0.004	
E386403		5.9	7.5	12	10.3	0.004	
E386404		6	9.4	17	10.9	0.008	
E386405		6.7	10.1	17	14.4	0.003	
E386406		8.1	9.6	15	24.4	0.004	
E386407		5	8.5	13	10.5	0.003	
E386408		4.7	7.1	15	9	0.004	
E386409		13.8	12.1	14	16.1	0.007	
E386410		8.7	14.2	14	26.8	0.009	
E386411		0.1	3	39	3.9	0.001	
E386412		12.4	13.5	11	30	0.003	
E386413		14.3	12.5	13	48.1	0.003	
E386414		14.7	11.1	19	15.8	0.004	
E386415		7.9	11.8	11	5.8	0.003	
E386416		7.7	9.8	11	8.6	0.003	
E386417		10.9	11.5	12	26.5	0.003	
E386418		13.3	11.2	14	43.5	0.003	
E386419		12.8	10.3	14	38.8	0.005	
E386420		14.5	8.3	13	45.7	0.003	
E386421		13.9	9.4	10	43.1	0.002	
E386422		0.1	2.7	23	3.5	0.001	
E386423		6.9	13.3	7	47.9	0.059	
E386424		11	7.9	10	53.4	0.004	
E386425		12.2	8.4	9	64.3	0.001	
E386426		12.6	8.9	9	53.8	0.005	
E386427		15.5	10.5	12	52.4	0.002	
E386428		15.6	12.3	28	50.3	0.004	
E386429		25.5	15.6	18	76.2	0.005	3.43
E386430		14.3	12.3	11	49	0.001	1.90
E386431		7.2	11.7	26	21.3	0.008	
E386432		6.5	8.9	20	24.2	0.005	
E386433		12.1	9.4	12	42	0.001	2.00
E386434		0.1	2.8	23	3.3	<0.001	
E386435		16	12.4	6	59.6	0.001	1.11
E386436		14.4	12.8	4	65.6	<0.001	1.14
E386437		14.2	11.4	2	58.5	<0.001	1.00
E386438		15.3	11.5	3	59.7	<0.001	0.94
E386439		12.7	11.5	3	53	<0.001	1.17
E386440		11	10.7	4	46.6	<0.001	1.37

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
Account: CASMIN

Project: IGOR: 16-2007-06

CERTIFICATE OF ANALYSIS VA07122089

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386441		2.12	0.03	6.55	0.5	>10000	3.16	0.14	5.18	<0.02	87.1	34.8	35	10.85	7.7	4.96
E386442		2.02	0.04	7.69	0.7	>10000	3.79	0.09	3.17	<0.02	124	29.7	43	12.7	9.7	4.15
E386443		2.44	0.02	7.43	0.6	>10000	3.58	0.03	4.63	<0.02	42.1	34.7	40	11.65	9.3	4.57
E386444		0.42	0.02	6.55	0.5	7020	3.32	0.03	3.87	<0.02	57.4	30.7	37	10.8	6.8	3.7
E386445		0.18	0.02	0.16	<5	60	0.11	<0.01	49.6	0.45	2.31	1.3	5	0.05	2.8	0.06
E386446		0.22	1.2	2.4	116	30	0.8	11.9	2.26	0.02	192.5	332	12	2.55	8890	26.8
E386447		1.44	0.06	5.14	0.8	9880	2.34	0.17	5.37	<0.02	60.4	45.7	26	7.54	47.4	7.33
E386448		2.14	0.03	6.09	1.4	>10000	3	0.09	2.88	<0.02	44.4	26.2	34	9.47	33.8	5.95
E386449		1.92	0.03	4.8	1.4	4540	2.46	0.1	2.45	<0.02	114	33.5	27	7.45	23.7	8.43
E386450		1.78	0.02	6.99	0.5	9870	3.59	0.07	3.83	<0.02	79.7	24.2	37	11.35	23.8	3.87
E386451		2.16	0.03	6.2	0.6	>10000	3.32	0.03	4.08	<0.02	42	24.3	34	9.92	12.9	4.4
E386452		1.90	0.06	7.13	1.7	7030	3.35	0.08	3.98	<0.02	193	26.2	39	11.1	38	4.54
E386453		1.44	0.04	8.46	1.1	5770	4.28	0.11	0.73	<0.02	183	23.6	54	13.4	53.5	5.77
E386454		1.64	0.04	8.37	1.2	7480	4.8	0.03	0.88	<0.02	101.5	21.2	53	14.6	82.8	5.33
E386455		2.56	0.17	6.57	1.3	9420	3.09	0.06	3.97	<0.02	170.5	35.7	35	9.45	36.3	5.64
E386456		1.96	0.06	6.87	1	4310	3.48	0.14	4.65	<0.02	88.4	59.2	36	9.23	191	6.64
E386457		0.16	0.02	0.16	<5	50	0.09	<0.01	49	0.42	2.57	1.4	6	0.06	2.6	0.06
E386458		1.94	0.07	5.57	1	2950	2.68	0.08	5.23	<0.02	65.7	57.3	30	7.31	402	6.31
E386459		2.22	0.05	7.27	1	4760	3.5	0.04	3.95	<0.02	319	38.1	40	10.85	115	4.52
E386460		2.14	0.11	5.77	1.7	2790	2.46	0.18	6.27	<0.02	35.6	58.2	27	8	892	6.5
E386461		2.14	0.06	6.26	1.2	3250	3.12	0.05	5.98	<0.02	102.5	52.4	32	9.52	277	5.67
E386462		1.98	0.13	7.16	1.9	3630	3.81	0.29	5.03	<0.02	117	61.7	37	11.7	1270	5.96
E386463		1.66	0.06	7.11	1.6	9240	3.76	0.07	4.53	<0.02	176.5	50	38	12.35	198.5	5.01
E386464		2.10	0.06	7.13	1	7380	3.96	0.01	4.5	<0.02	49.4	47.5	35	12.9	133	4.7
E386465		1.60	0.29	7.26	2	4190	3.85	0.76	5.2	<0.02	97.7	58.5	41	13.15	1720	5.43

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
Account: CASMIN

Project: IGOR: 16-2007-06

CERTIFICATE OF ANALYSIS VA07122089

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E386441		17.85	0.16	1.8	0.112	3.21	50.6	46.7	2.03	5390	0.59	0.08	3.4	17.3	640	1.8
E386442		21.9	0.18	2	0.111	3.73	73	54.1	1.4	3370	0.4	0.08	4.7	18.1	770	1.8
E386443		20.1	0.13	1.8	0.112	3.56	26.5	46.8	1.78	4900	0.34	0.08	3.6	17.9	770	1.4
E386444		18.55	0.13	1.9	0.093	3.19	33.8	41.1	1.45	4060	0.27	0.07	3.2	15.7	580	1.4
E386445		0.57	<0.05	0.1	0.005	0.04	1.8	2	0.53	49	0.2	0.01	0.3	0.2	130	0.7
E386446		9.73	0.44	0.7	0.273	0.66	124	28.5	1.54	5910	64.4	0.24	5.2	59.9	2410	6.5
E386447		14.1	0.16	1.5	0.145	2.22	36.7	46.9	2.85	8640	0.7	0.06	2.1	23.5	520	1.7
E386448		17.7	0.15	1.7	0.2	2.81	28.9	47.5	2.09	7220	0.71	0.06	2.2	18.8	610	2.1
E386449		15.1	0.22	1.2	0.31	2.12	55.4	42.4	2.36	11100	3.21	0.05	1.2	19.1	480	3.2
E386450		19.95	0.14	1.9	0.123	3.34	53.4	44.1	1.82	4190	0.66	0.07	2.9	16.3	650	1.4
E386451		17.9	0.12	1.6	0.139	2.97	25.6	41	2.1	5540	1.21	0.07	2.5	14.9	640	1.6
E386452		19.8	0.24	1.9	0.188	3.37	91.5	49.2	2.37	5190	5.2	0.07	4	17.8	730	3.2
E386453		24.8	0.22	2.2	0.211	3.99	96.1	63.4	1.44	4660	6.26	0.08	3.9	22.5	820	3
E386454		26.4	0.19	2.1	0.248	4.3	50.4	62.7	1.41	5280	0.87	0.08	4.1	19.8	830	2
E386455		17.55	0.22	1.8	0.183	2.88	86.6	54.5	2.5	5600	0.76	0.06	3.2	22.4	660	2.3
E386456		17.8	0.18	1.9	0.156	2.58	43.8	73.1	2.52	5440	5.43	0.06	3.6	25	710	2.4
E386457		0.56	<0.05	0.1	0.005	0.04	1.9	1.9	0.53	51	0.2	0.02	0.2	0.2	130	0.6
E386458		14.05	0.16	1.6	0.156	2.2	34.3	55.2	2.52	6010	1.26	0.05	3.3	21.6	570	2
E386459		20.5	0.29	2	0.164	3.25	156.5	57	2.06	4380	0.83	0.07	4.6	18.9	750	2.8
E386460		13.45	0.15	1.7	0.143	2.12	18.8	65.5	3.37	6940	1.32	0.05	2.9	20	630	2.9
E386461		16.3	0.19	1.7	0.135	2.68	50.6	59.9	2.82	6670	0.6	0.06	3.1	18.3	630	2.2
E386462		19.6	0.19	2	0.149	3.03	61.6	79.4	2.67	5570	1.82	0.06	2.8	24.7	740	1.8
E386463		18.6	0.19	2.1	0.128	3.19	103.5	67.7	2.24	4930	2.44	0.07	3	21.1	650	2.4
E386464		19.75	0.13	1.8	0.127	3.3	26.3	64.1	1.99	4890	0.27	0.07	3	19.8	700	3.2
E386465		19.6	0.16	2.1	0.15	3.27	46	67.5	2.42	5550	0.28	0.07	3.8	21.2	680	2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
Account: CASMIN

Project: IGOR: 16-2007-06

CERTIFICATE OF ANALYSIS VA07122089

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E386441		194.5	<0.002	0.28	1.89	11.4	1	4.9	217	0.25	0.12	13.4	0.128	0.44	6	60
E386442		230	<0.002	0.22	2.38	12.8	1	5.7	184	0.34	0.06	14.3	0.163	0.5	6.1	69
E386443		218	<0.002	0.22	1.99	12.1	1	5.3	202	0.26	0.05	12.2	0.134	0.47	5.2	65
E386444		196.5	<0.002	0.11	1.98	10.9	1	4.8	128.5	0.24	<0.05	10.9	0.12	0.44	4.7	56
E386445		1	<0.002	0.07	0.09	0.6	3	<0.2	304	<0.05	<0.05	0.2	0.007	<0.02	0.6	5
E386446		35.1	0.016	7.04	2.31	4.9	6	7.8	182	0.11	1.16	5.3	0.031	0.48	13.6	57
E386447		137	<0.002	0.24	1.36	8.8	1	3.5	202	0.15	0.06	10.5	0.085	0.31	8.2	43
E386448		176.5	<0.002	0.26	1.59	10.5	1	5.1	176	0.16	0.06	11.1	0.094	0.41	9.7	55
E386449		141	<0.002	0.17	1.17	9.1	1	3.6	596	0.08	<0.05	8.5	0.061	0.34	8.3	45
E386450		211	0.002	0.19	1.71	12.3	1	4.6	145.5	0.21	0.13	12.7	0.114	0.47	5.2	62
E386451		188.5	<0.002	0.22	1.57	11.6	1	4.1	235	0.18	0.07	10.8	0.098	0.43	5.6	55
E386452		200	0.002	0.11	2.13	12.2	1	4.7	87.7	0.31	<0.05	15.4	0.141	0.47	6.9	66
E386453		229	<0.002	0.06	2.04	13.9	2	5.8	40.9	0.29	<0.05	17.8	0.153	0.57	10.5	84
E386454		244	<0.002	0.1	2.09	15.3	1	6	67.4	0.28	<0.05	16.6	0.16	0.61	6.4	85
E386455		168.5	0.003	0.21	1.86	10.9	1	4	201	0.24	<0.05	14.6	0.123	0.4	7.6	58
E386456		157.5	0.007	0.07	2	10.6	1	4.6	104.5	0.28	<0.05	13.8	0.12	0.41	12.6	62
E386457		1	<0.002	0.07	0.08	0.5	2	0.2	301	<0.05	<0.05	0.2	0.007	<0.02	0.6	5
E386458		129	0.002	0.07	1.93	8.8	2	3.2	96.2	0.26	<0.05	11.2	0.111	0.33	12.3	50
E386459		194.5	<0.002	0.06	2.26	11.6	2	4.7	78	0.35	<0.05	19.7	0.156	0.48	8.9	69
E386460		127	<0.002	0.11	1.85	8.9	2	2.9	95.7	0.24	<0.05	11.7	0.102	0.31	21	46
E386461		160	<0.002	0.06	1.87	10.2	1	3.6	109.5	0.23	<0.05	12.8	0.112	0.4	14	55
E386462		187	<0.002	0.15	1.89	12.9	2	4.3	106.5	0.2	<0.05	15.1	0.109	0.43	10.6	65
E386463		192	0.002	0.2	2.05	12.1	2	4	199.5	0.22	<0.05	16.2	0.112	0.45	12.7	62
E386464		204	<0.002	0.13	1.97	12.5	1	4.4	168.5	0.21	<0.05	13.3	0.116	0.48	6.3	64
E386465		204	<0.002	0.21	2.26	12.8	2	4.3	119.5	0.28	<0.05	14.4	0.131	0.48	10.9	64

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
Account: CASMIN

Project: IGOR: 16-2007-06

CERTIFICATE OF ANALYSIS VA07122089

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386441		11.8	11.8	3	52.5	<0.001	1.42
E386442		14.2	11.9	3	61.3	<0.001	1.30
E386443		11.6	12.1	3	54.9	<0.001	1.19
E386444		10.4	11.3	2	55.8	<0.001	0.78
E386445		0.1	3	26	3.6	0.001	
E386446		6.2	14.6	12	22.4	0.113	
E386447		7.3	11.6	11	45.1	0.001	1.09
E386448		9.2	10.4	8	50.7	<0.001	1.40
E386449		6	10.5	12	36.2	0.001	
E386450		9.9	11.9	4	55.1	0.001	1.11
E386451		8.4	11.3	5	47.9	<0.001	1.70
E386452		12.3	13	10	54.5	0.001	0.77
E386453		13.9	11.1	10	64.6	0.001	0.62
E386454		13.6	10.4	7	63.3	<0.001	0.81
E386455		10.1	12.1	13	52.3	0.001	1.55
E386456		14.1	12.9	18	54.3	0.001	
E386457		0.1	2.8	23	3.6	<0.001	
E386458		11.1	11.8	16	46.2	<0.001	
E386459		14.5	13.3	11	57	<0.001	
E386460		9.9	12.9	20	49.3	0.001	
E386461		11	13.3	12	50.4	<0.001	
E386462		10.8	14.7	13	60.6	0.001	
E386463		10.2	14.3	11	68.9	0.001	0.98
E386464		10.2	12.8	7	56.3	<0.001	0.80
E386465		11.5	13.6	9	63.2	0.003	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
Account: CASMIN

Project: IGOR: 16-2007-06

CERTIFICATE OF ANALYSIS VA07122089

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-SEP-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE VA07101729

Project: IGOR

P.O. No.: 195255

This report is for 8 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 22-AUG-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
U-XRF10	Fusion XRF - U Ore Grade	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101729

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
E210224		1.95	0.111	7.99	2.12	38.9	90	0.67	13.6	1.12	<0.02	69.7	175	24	1.53	7200
E210225		1.61	0.120	7.41	0.78	41.9	40	0.31	26.6	1.2	<0.02	42.8	276	14	0.34	>10000
E210226		1.88	0.044	6.29	0.76	45.6	50	0.26	38.1	1.51	<0.02	31.8	265	12	0.2	>10000
E210227		1.49	0.048	4.73	0.75	33.9	40	0.21	92.5	2.23	<0.02	18	293	14	0.18	>10000
E210228		1.77	0.065	4.46	0.72	59.8	40	0.19	270	2	<0.02	22.2	295	13	0.16	>10000
E210229		1.36	0.069	3.94	0.74	33	60	0.22	379	2.26	<0.02	34.4	315	17	0.22	>10000
E210231		1.75	0.070	5.4	0.77	37.7	30	0.3	217	1.03	0.02	45.8	280	14	0.26	>10000
E210232		1.47	0.079	9.52	2.39	40.2	70	0.98	29.2	2.63	<0.02	61.9	186	29	1.94	>10000

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101729

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
E210224		13.5	7.26	0.37	1.2	0.438	0.33	16	25.8	2.18	15500	228	0.63	15.6	40.4	1370
E210225		20.6	3.99	0.5	0.6	0.895	0.06	9	6	1.95	23200	116	0.43	12.7	43.7	670
E210226		20.2	3.92	0.53	0.5	0.774	0.04	6	3	1.96	22600	111.5	0.51	10.7	45.4	820
E210227		22.5	3.89	0.52	0.4	1.01	0.04	4	2	2.14	24100	67.3	0.55	7.8	39.4	590
E210228		22.9	3.92	0.55	0.4	0.974	0.03	6.6	1.9	2.18	23800	83.4	0.53	8.3	44.2	720
E210229		22.8	4.09	0.53	0.4	0.985	0.04	14.1	3.2	1.85	23500	81.4	0.5	7.5	48.4	890
E210231		21.6	4.38	0.54	0.4	0.998	0.06	16.5	2.2	1.82	22500	129.5	0.53	9.6	44.3	860
E210232		11.85	11.6	0.37	1.2	0.437	0.72	14.1	12.1	1.62	11750	424	0.78	14.2	34.7	830

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101729

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
E210224		1770	21.2	0.119	1.58	18.4	3.6	3	6.3	1140	0.25	0.58	3.8	0.047	0.38	>10000
E210225		1880	3.8	0.043	3.52	18.2	1.9	4	5.8	701	0.17	0.46	1.3	0.028	0.22	>10000
E210226		1560	2.7	0.03	2.83	12.85	2.1	4	4.9	868	0.17	0.34	1.3	0.026	0.16	>10000
E210227		755	2.3	0.024	3.33	8.17	2	4	5.8	573	0.14	0.38	1	0.026	0.08	5520
E210228		822	1.6	0.031	3.19	6.87	2.1	4	4.8	581	0.14	0.66	1	0.025	0.06	5210
E210229		748	2.5	0.024	3.22	5.49	1.7	4	5.2	876	0.15	0.58	1.4	0.022	0.06	4040
E210231		1300	4.1	0.039	3.28	8.85	2	4	5.1	611	0.14	0.52	1	0.022	0.08	8390
E210232		2220	47.4	0.177	1.81	12.4	6.3	4	10.3	1030	0.2	0.52	3.1	0.069	0.34	>10000

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101729

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	U-XRF10 U % 0.01
E210224		39	93.7	63.4	14	43.3		1.26
E210225		20	102	62.5	10	19.6	3.35	1.37
E210226		24	91.2	51.1	9	17.3	2.45	1.12
E210227		21	79.8	26	11	12.7	4.11	0.54
E210228		22	91	24.6	6	14.5	4.00	0.51
E210229		22	224	19.6	8	12.8	3.83	
E210231		25	178.5	36.3	8	15.2	4.21	0.83
E210232		69	301	61.6	2	40.5	1.415	1.35

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101729

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-OCT-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE EL07104813

Project: IGOR

P.O. No.: 195292

This report is for 105 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 5-SEP-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim 'or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104813

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385001		2.28	0.08	5.67	15.3	990	1.71	0.38	2.16	0.03	105	142.5	32	5.01	65	12.3
E385002		1.53	0.16	5.88	25.4	430	1.82	0.79	1.46	0.03	153	209	38	5.02	87.1	15.05
E385003		1.54	0.22	5.64	72.3	1580	1.86	0.9	3.32	<0.02	95	415	31	4.92	746	15.45
E385004		1.40	0.43	2.65	20.7	420	0.78	0.92	5.87	<0.02	323	81.7	15	2.4	4560	17.9
E385005		1.57	0.29	3.25	17.6	1000	0.78	1.29	8.59	<0.02	268	88.4	12	2.26	2030	16.7
E385006		1.79	0.13	1.82	12	3770	0.45	0.4	10.1	<0.02	189.5	64.4	7	0.87	128	17.65
E385007		1.88	0.21	1.1	19.4	1700	0.3	1.43	5.04	0.03	204	101.5	2	0.6	599	21.6
E385008		1.17	0.25	1.23	27	3080	0.41	0.79	11.6	<0.02	162.5	43.1	6	0.78	602	15.6
E385009		1.47	0.5	2.98	10.9	1920	0.77	0.9	6.7	0.02	212	108	9	2.71	2610	17.9
E385010		1.40	0.34	3.36	9.8	1570	0.84	0.68	6.07	0.03	124.5	85.9	12	3.13	3100	20.5
E385011		0.42	0.03	3.13	1.1	1950	0.43	<0.01	0.26	<0.02	16.4	1.1	49	0.6	28.3	0.44
E385012		1.16	0.27	3.28	11.6	2070	0.97	0.88	9.17	0.03	66.2	101.5	11	3.25	1640	15.95
E385013		1.78	0.2	2.3	6.8	1450	0.75	0.41	8.69	0.03	33.8	81	16	2.69	1655	15.2
E385014		1.31	0.09	4.02	7.7	2870	1.18	0.18	6.35	0.02	71.2	79.4	19	3.76	56	15.05
E385015		1.31	0.15	3.18	10.5	5310	0.5	0.79	8.51	0.02	157	89.5	14	1.42	287	16.9
E385016		1.43	0.5	1.2	18.7	2220	0.35	1.67	9.86	0.03	238	134	3	0.82	884	16.8
E385017		1.43	0.12	3.62	12.3	4210	0.97	0.53	8.29	<0.02	168	97.3	16	2.23	155	15.75
E385018		1.33	0.09	2.58	9.4	4540	0.84	0.58	4.37	0.02	136	114	14	2.05	52	18.1
E385019		1.84	0.14	1.84	5.8	3720	0.48	0.83	7.39	0.03	117	123.5	7	1.18	182.5	18.35
E385020		1.53	0.21	0.82	7.2	3910	0.23	1.16	7.61	0.02	78.7	142	5	0.55	263	20
E385021		0.39	0.11	0.33	18	90	0.08	<0.01	20.1	0.15	4.7	2.2	8	0.14	5	0.29
E385022		0.19	1.04	5.83	50.5	120	1.85	2.77	1.91	<0.02	59.4	163.5	35	3.46	7590	9.48
E385023		1.32	0.1	3.85	8.9	5990	1.33	0.61	4.64	<0.02	121	116	17	4.19	250	17.2
E385024		1.38	0.13	1.81	8.9	2430	0.22	0.87	3.72	0.03	108.5	169.5	8	0.36	208	19.45
E385025		1.33	0.11	2.32	8.3	3070	0.58	1.15	2.68	<0.02	108	164.5	9	1.52	120	19.4
E385026		1.43	0.21	2.62	9	3000	0.52	1.2	2.53	<0.02	120.5	180.5	9	1.68	151.5	19.6
E385027		1.83	0.09	1.89	8.6	3320	0.49	0.93	1.46	0.02	96.2	214	8	1.62	50.8	21.7
E385028		1.99	0.23	2.02	9.4	2030	0.61	3.15	1.35	0.02	110	188	6	1.41	673	21
E385029		1.24	0.09	1.5	14.9	4730	0.46	0.87	1.02	0.02	91.1	166.5	4	0.77	9.7	23.5
E385030		1.06	0.12	4.66	8.7	5860	2.18	0.9	1.35	<0.02	131	112	29	5.44	128	13.1
E385031		0.40	0.11	0.33	8	110	0.06	<0.01	19.65	0.15	5.44	2.3	7	0.15	4	0.29
E385032		1.40	0.19	6.87	9.3	>10000	2.65	1.01	0.47	<0.02	169.5	105	35	6.89	257	15
E385033		1.47	0.15	6.73	7.7	8520	2.59	1.04	0.7	<0.02	109	87.9	44	6.52	516	15.25
E385034		1.38	0.11	4.77	9.3	5120	1.61	0.77	2.64	<0.02	172	107.5	20	3.79	321	17.5
E385035		0.97	0.19	8.57	5.4	9990	3.65	0.56	0.76	<0.02	164.5	97.1	53	9	1375	12.85
E385036		1.19	0.26	4.34	8.1	4130	1.67	1.49	0.46	<0.02	121	116.5	25	4.35	397	19.1
E385037		1.66	0.14	1.08	11.6	3030	0.35	0.33	1.13	0.02	139.5	165.5	1	0.6	41.6	24.7
E385038		1.90	0.12	0.6	9.8	1810	0.18	0.37	1.02	0.02	106	187.5	5	0.26	243	25
E385039		1.68	0.11	1.97	15.3	2850	0.75	0.44	0.53	<0.02	136.5	182	8	1.81	131.5	22.3
E385040		0.43	0.14	0.34	9	350	0.08	0.02	20.2	0.15	5	3.1	11	0.15	5.5	0.38

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104813

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E385001		17.1	0.25	1.8	0.243	2.29	79.3	65.9	2.35	7040	13.55	0.03	10	27.7	1050	2.4
E385002		17.1	0.29	1.9	0.211	2.06	115	73.5	2.54	7030	25.4	0.03	12.5	41.5	2100	2.2
E385003		17.4	0.28	1.8	0.122	1.99	71.5	67.5	2.7	2720	15.75	0.03	16	37.7	1850	1.9
E385004		7.59	0.36	1.3	0.176	0.39	229	45.9	3.43	5600	31.6	0.01	11.1	19.4	5750	2.5
E385005		9.24	0.33	1.6	0.248	0.63	208	43.3	4.84	8880	21.9	0.02	15.7	24.8	3390	2.8
E385006		5.39	0.29	0.8	0.335	0.23	143.5	24.9	5.36	12900	18.25	0.03	12.6	21.6	3550	2.2
E385007		4.3	0.33	0.4	0.483	0.13	155.5	15	4.47	24300	13.45	0.03	9	16.5	2840	2.6
E385008		4.05	0.26	0.5	0.316	0.23	131	16.5	5.4	12350	15.7	0.03	8	11.4	1890	2.5
E385009		7.05	0.32	0.9	0.283	0.18	159.5	45.2	5.06	15000	10.45	0.03	7.9	30.4	2210	3.7
E385010		7.96	0.29	1.1	0.432	0.25	97.7	51	5.38	18800	9.71	0.03	8	30.1	1900	3.2
E385011		6.35	0.08	0.3	0.007	2.28	9.7	7.7	0.06	196	0.34	0.66	1.9	1.4	70	10.8
E385012		7.93	0.2	1	0.268	0.5	49.8	44.8	5.21	9750	8.57	0.03	10	30.1	1630	3.9
E385013		6.99	0.18	0.7	0.269	0.75	23.7	27	3.94	12350	6.05	0.03	9.5	20.7	1610	4
E385014		13.15	0.21	1.2	0.233	1.65	54.5	38.9	2.92	10650	7.43	0.17	12.7	22.4	1750	2.5
E385015		7.74	0.28	0.9	0.219	0.75	133	17.7	3.22	13600	13.8	1.12	9.3	18.1	1950	3.2
E385016		3.7	0.31	0.4	0.338	0.05	180	20.4	5.1	15550	55.8	0.03	6.9	13.7	2040	3.6
E385017		9.07	0.28	1.1	0.226	1.14	139.5	29.2	3.2	12150	8.78	0.68	9.4	20.6	1680	2.5
E385018		8.5	0.26	0.7	0.279	0.98	109	27.2	2.36	14150	7.54	0.11	10.2	34	1850	2.4
E385019		5.43	0.28	0.5	0.285	0.46	91	17.2	3.32	17600	9.58	0.27	9.5	27.7	1350	3.2
E385020		3.41	0.26	0.2	0.304	0.17	56.5	9.3	3.18	19650	15.8	0.11	6.6	33.5	1270	3
E385021		0.89	0.15	0.1	0.008	0.05	2.6	3.4	10.75	274	0.33	0.02	0.5	5.1	430	1.5
E385022		15.05	0.19	1.8	0.137	2.12	26	21.4	1.18	3540	65.3	0.91	3.9	34.3	900	18.8
E385023		12.45	0.29	1.3	0.295	1.24	89.9	32.6	2.79	13900	7.94	0.37	11.4	44.3	2030	1.9
E385024		4.28	0.26	0.5	0.314	0.09	78.4	20.8	2.16	17500	11.9	0.61	7.5	37.3	1450	2.5
E385025		6.44	0.29	0.6	0.32	0.17	81.7	38.4	2.5	15450	11.05	0.25	11	38.3	1500	3.1
E385026		7.07	0.27	0.8	0.29	0.2	90.9	33.4	2.38	15400	12.7	0.43	9.9	45.8	1790	3.1
E385027		5.65	0.29	0.6	0.322	0.04	73.7	30.3	2.22	16150	5.37	0.03	8.4	51.2	1540	2.5
E385028		6.58	0.29	0.7	0.359	0.21	83.3	31.7	2.25	16950	7.16	0.03	8.3	47.9	1660	3.4
E385029		4.88	0.3	0.4	0.255	0.14	67.7	27.3	1.94	17950	5.71	0.04	11.7	47.7	2230	1.4
E385030		17.25	0.27	1.7	0.22	1.79	94.3	56.1	2.15	9760	6.19	0.06	8.3	42.6	1430	2.2
E385031		0.91	0.13	0.1	0.008	0.05	3	3.8	10.6	266	0.32	0.02	0.5	5.5	410	1.1
E385032		21.4	0.28	2.1	0.171	2.43	120	70.8	2.12	5330	11	0.11	11.2	45.1	2010	3.4
E385033		19.15	0.27	2.6	0.166	1.92	76.2	87.8	2.57	3820	8.64	0.09	13.4	41.5	1600	4
E385034		12.85	0.32	1.6	0.211	0.96	125	74.5	3.39	7780	8.59	0.05	10.6	44.2	2150	2.1
E385035		28.7	0.28	3.3	0.15	3.03	111	99.9	2.63	1590	5.83	0.1	11.8	47.2	1580	1.8
E385036		15.2	0.29	1.5	0.302	1.37	87.9	47.9	2.44	14900	16.2	0.05	7.1	57.9	1610	3.1
E385037		5.44	0.32	0.3	0.312	0.06	108.5	21.1	2.52	24200	5.75	0.03	5.6	80.9	2600	3.7
E385038		4.57	0.29	0.2	0.278	0.03	84.2	11.7	1.89	23100	5.28	0.02	5.1	83.2	2480	2.5
E385039		8.17	0.33	0.7	0.267	0.49	106	32.1	1.8	17400	6.1	0.03	6.5	95.3	2210	1.5
E385040		0.88	0.07	0.1	0.011	0.05	2.8	4.2	10.95	348	0.36	0.02	0.5	5.9	440	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104813

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385001		129	0.006	0.39	1.91	10.8	2	12.6	23.6	0.48	0.13	11.2	0.156	0.22	8.4	58
E385002		109	0.009	0.58	1.81	10.2	3	14.3	17.3	0.53	0.34	12	0.16	0.19	7.2	66
E385003		107	0.009	0.8	1.97	9.8	3	17.9	66.7	0.55	0.22	9.2	0.164	0.18	6.9	75
E385004		22.2	0.022	0.54	2.4	4.7	3	11	256	0.36	0.1	9.4	0.094	0.06	8.9	59
E385005		33.3	0.007	0.38	2.58	5.2	3	14.5	165	0.44	0.31	9.4	0.102	0.17	9.5	61
E385006		11.8	0.005	0.17	2.05	2.9	2	10.5	328	0.33	0.2	5.7	0.055	0.04	7.8	45
E385007		7.5	0.004	0.27	1.66	2	2	8.5	279	0.19	0.35	3.1	0.029	0.14	11.2	35
E385008		11.5	0.004	0.19	2.14	2.2	2	14.2	194	0.18	0.17	2.4	0.04	0.08	9.4	29
E385009		9.3	0.006	0.37	1.61	5.5	2	7.9	56.1	0.23	0.11	7.4	0.063	0.05	11.8	39
E385010		14	0.005	0.37	1.69	4.3	2	8.5	46.9	0.22	0.09	2.8	0.08	0.07	10.2	40
E385011		58.9	<0.002	<0.01	0.3	0.4	1	0.3	221	0.13	<0.05	2	0.012	0.26	0.4	2
E385012		27.9	0.004	0.32	2.08	4	2	10.7	248	0.28	0.13	2.8	0.087	0.15	11.7	47
E385013		41.3	0.005	0.24	1.89	6.3	2	12.3	435	0.23	0.15	1.9	0.07	0.07	9.4	40
E385014		85.1	0.005	0.09	1.75	6.4	2	17.7	90.7	0.35	0.08	4.8	0.119	0.15	8.3	57
E385015		35.2	0.006	0.19	1.98	4.7	2	11	160.5	0.25	0.29	5.5	0.078	0.1	10.3	47
E385016		2.6	0.012	0.32	1.76	2.8	3	8.3	255	0.16	0.16	5.7	0.032	0.03	13.8	29
E385017		52.8	0.004	0.15	1.93	5.1	2	11.9	134	0.29	0.15	7.1	0.093	0.11	9.6	44
E385018		48.7	0.004	0.14	1.83	4.7	2	10	240	0.26	0.17	4.9	0.064	0.08	12.7	47
E385019		23.4	0.006	0.15	1.57	3.4	2	6	555	0.21	0.25	3.3	0.047	0.04	16.9	45
E385020		9.2	0.005	0.19	1.26	2.3	2	4.1	835	0.12	0.19	1.6	0.019	0.03	14.3	40
E385021		1.3	<0.002	0.03	0.35	1.2	2	0.2	110.5	<0.05	<0.05	0.4	0.014	<0.02	0.2	4
E385022		82.1	0.025	2.34	1.5	9.6	3	7.3	621	0.19	0.22	8.6	0.086	0.44	263	54
E385023		60.5	0.005	0.21	1.37	5.7	2	12.6	272	0.35	0.14	5.6	0.088	0.14	15	56
E385024		4.2	0.005	0.15	1.35	3.1	1	4.5	965	0.21	0.18	3.4	0.046	0.02	13.4	35
E385025		9.2	0.004	0.13	1.58	4	2	6.2	541	0.22	0.31	3.9	0.057	0.04	17.6	43
E385026		10.8	0.004	0.15	1.54	3.6	2	5.8	718	0.28	0.23	4.6	0.052	0.04	17.7	41
E385027		2.3	0.003	0.16	1.25	2.8	2	3.7	793	0.25	0.28	3.6	0.035	<0.02	15.6	40
E385028		12.7	0.005	0.18	1.51	3.3	2	6	959	0.22	0.33	4.9	0.038	0.04	38.2	40
E385029		7.8	0.003	0.14	2.19	2.7	1	9	263	0.13	0.23	2.9	0.032	0.02	13.4	24
E385030		110.5	0.004	0.18	2.43	10	2	22.6	247	0.2	0.2	10.6	0.084	0.25	29.3	51
E385031		1.4	<0.002	0.03	0.32	1.2	2	0.2	107	<0.05	<0.05	0.5	0.015	<0.02	0.3	4
E385032		139	0.011	0.35	2.8	9.8	2	25.5	304	0.38	0.22	14.2	0.144	0.29	43.3	78
E385033		110	0.005	0.32	2.8	8.7	2	23.9	320	0.41	0.25	12.5	0.17	0.23	30.2	75
E385034		53.6	0.004	0.2	2.03	6	2	14.1	238	0.32	0.15	8	0.105	0.13	12	63
E385035		145	0.012	0.43	2.17	9.6	2	31.3	178.5	0.3	0.14	12.1	0.191	0.38	19.7	95
E385036		78.9	0.015	0.22	1.58	6.5	2	16.7	425	0.29	0.17	8.2	0.096	0.18	24.1	64
E385037		4.3	<0.002	0.15	1.03	2.3	2	3.2	604	0.33	0.07	3.5	0.021	<0.02	10	47
E385038		2.1	0.003	0.13	0.86	1.4	1	1.8	643	0.29	0.08	2.8	0.012	<0.02	6.1	54
E385039		29.7	0.003	0.13	1.65	3.4	1	7.5	565	0.38	0.09	5.5	0.046	0.05	10.7	51
E385040		1.5	<0.002	0.04	0.35	1.2	2	0.2	115	<0.05	<0.05	0.4	0.015	<0.02	0.2	4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104813

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385001		16	12.8	21	59	0.004	
E385002		21.1	15.2	31	59.5	0.007	
E385003		27.9	14.5	27	58.4	0.012	
E385004		19.9	25.9	26	41.2	0.017	
E385005		21.1	22.1	27	50.6	0.013	
E385006		20	19.9	20	24.6	0.007	
E385007		17.3	15	17	13.5	0.008	
E385008		18	17.4	16	14.3	0.007	0.97
E385009		22.1	18.4	37	26.2	0.039	
E385010		15.3	17.8	41	33.6	0.036	
E385011		0.3	2	3	7.1	0.003	
E385012		15	17.5	34	30.8	0.006	
E385013		18.4	17.5	17	22.4	0.006	
E385014		20.4	15.2	13	37.6	0.004	
E385015		18.1	15.2	10	29.7	0.007	0.52
E385016		13.6	16.8	20	11.8	0.016	
E385017		17.4	16	13	34.3	0.002	
E385018		13.7	13.8	12	22.9	0.005	1.11
E385019		11.7	13.5	12	14.4	0.006	2.43
E385020		9.7	12.3	9	6.6	0.005	3.63
E385021		0.4	3.4	12	3.2	0.003	
E385022		8.4	14.7	14	57.4	0.056	
E385023		19.4	18.3	15	39.3	0.006	1.31
E385024		14.4	12	13	16	0.006	5.49
E385025		18.5	11.8	24	19.9	<0.001	3.17
E385026		13	12.1	25	25.7	0.006	4.28
E385027		13.6	8.8	28	17.4	0.006	
E385028		15.5	9.6	20	22	0.002	
E385029		22.1	9.6	25	12.8	0.002	1.71
E385030		17.9	13.2	23	53	<0.001	1.53
E385031		0.5	3.3	11	3.4	0.003	
E385032		21.2	14.3	31	63.9	0.003	1.53
E385033		21.6	15.7	41	78.1	0.009	1.68
E385034		16.5	17	39	49.6	0.008	1.65
E385035		25.3	18.3	39	101	0.006	1.23
E385036		19.2	13.5	26	47.9	0.007	
E385037		10	10.1	18	8.9	0.002	
E385038		11.6	8.8	11	5.9	0.001	
E385039		13.7	9.7	15	19.6	0.002	
E385040		0.5	3.4	12	3.4	<0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104813

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385041		0.20	1.18	2.46	74.8	50	0.67	10.55	2.15	<0.02	177	339	12	2.45	9310	27.7
E385042		1.81	0.1	1.9	18.9	3370	0.53	0.49	0.64	<0.02	156.5	215	7	1.32	86.9	23.4
E385043		1.58	0.1	1.73	13.6	3830	0.49	0.52	0.92	0.02	129	228	5	1.25	55.1	23.3
E385044		1.24	0.08	3.45	10.9	3660	1.34	0.88	3.29	<0.02	116	134.5	20	3.41	131.5	15.9
E385045		1.13	0.18	3.99	11.3	2120	1.62	1.64	3.4	<0.02	267	131	18	3.84	462	15.95
E385046		1.16	0.2	4.4	12.2	2230	1.85	1.98	2.36	<0.02	376	126	26	4.58	505	16.8
E385047		1.80	0.23	4.47	14.2	5430	1.86	2.02	1.39	<0.02	462	153.5	20	4.42	686	18.75
E385048		1.34	0.24	4.58	15.7	7500	1.83	2.48	1.7	<0.02	409	119.5	21	4.16	421	16.85
E385049		1.24	0.13	0.99	10.5	2640	0.22	0.61	2.66	<0.02	119	162.5	5	0.44	99.6	21.5
E385050		1.43	0.19	2.71	12	2080	0.95	0.89	2.33	<0.02	128.5	145	10	2.58	595	18
E385051		0.28	0.09	0.34	10	280	0.1	0.04	19.9	0.14	5.49	3	8	0.16	6.6	0.36
E385052		1.39	0.18	3.73	11.3	4300	1.52	0.85	1.84	<0.02	189	122	18	4.11	583	16.95
E385053		1.22	0.11	4.87	10.7	7260	1.95	0.62	1.21	<0.02	158.5	97.8	27	5.12	236	14.15
E385054		0.82	0.19	4.4	11.1	4400	1.79	0.71	1.23	<0.02	149	136.5	35	4.59	796	16.25
E385055		1.32	0.14	1.89	15.3	2350	0.63	0.47	0.84	<0.02	231	92.9	9	1.37	232	19.3
E385056		1.94	0.22	2.84	11.7	1880	1.05	0.65	1.26	<0.02	169.5	81.9	16	2.41	932	16.95
E385057		1.38	0.36	0.9	14.8	4450	0.25	1	0.97	<0.02	165	108.5	8	0.33	259	24.7
E385058		2.09	0.19	1.41	19.6	4020	0.32	1.07	1.84	<0.02	198.5	134.5	5	0.67	370	22.4
E385059		1.60	0.18	2.19	23.5	4340	0.55	1.16	3.39	<0.02	245	146	7	1.47	146	22.7
E385060		1.41	0.18	2.5	19.5	4300	0.71	1.11	2.02	<0.02	235	139	13	2.46	87.4	19.85
E385061		0.29	0.15	0.34	5	120	0.09	0.02	20.1	0.14	5.13	2.5	8	0.15	3.7	0.31
E385062		0.17	0.27	7.11	39.1	530	2.59	1.49	1.86	<0.02	70.9	106.5	45	6.06	1480	6.76
E385063		1.60	0.17	1.73	18	4370	0.52	1.1	4.63	<0.02	198.5	143.5	5	1.28	137.5	22.1
E385064		1.55	0.18	3.4	12.9	2500	0.99	0.81	2.19	<0.02	149	133	24	2.74	407	16.95
E385065		1.13	0.13	5.6	13.4	2320	1.7	0.48	1.89	<0.02	88.3	219	41	5.09	445	17.3
E385066		1.23	0.19	2.02	11.9	6610	0.91	0.61	1.84	<0.02	76.8	111.5	22	2.2	504	18.25
E385067		1.28	0.4	4.3	9.8	4320	1.55	0.68	1.8	<0.02	90.6	160	29	4.97	1430	17.35
E385068		1.34	0.27	3.32	14.3	6050	1.3	0.82	1.32	<0.02	235	160	27	3.86	768	19.95
E385069		1.55	0.2	5.71	8.8	2960	2.21	0.45	1.52	0.02	114.5	179	44	6.62	1160	18
E385070		1.78	0.93	3.18	8.8	4560	1.12	0.33	1.75	<0.02	226	140	25	3.28	425	18.55
E385071		0.25	0.14	0.34	8	80	0.08	0.07	19.8	0.19	5.26	2.7	10	0.16	6	0.33
E385072		1.54	0.13	1.3	12	5290	0.59	0.18	3.08	<0.02	357	52.1	10	1.7	23.8	19.75
E385073		1.16	0.41	5.35	13.5	3320	2.13	0.93	2.88	0.02	116.5	186	38	8.11	318	17.3
E385074		1.28	0.28	4.97	11.6	5870	1.63	0.93	1.29	<0.02	86.3	206	41	6.69	1730	21.6
E385075		1.23	0.14	3.66	14	6430	1.29	0.36	1.86	0.02	86.9	192	26	4.7	305	21.2
E385076		0.71	0.13	4.08	18.4	4830	1.13	0.31	2.19	0.02	66.8	256	31	4.24	13.6	23
E385077		1.24	0.1	3.99	19.5	1430	1.27	0.34	1.91	0.02	75.7	237	29	4.94	15.7	22.3
E385078		2.02	0.15	2.4	33.8	720	0.69	0.6	2.72	<0.02	97.3	295	14	3.11	159	25.6
E385079		1.25	0.24	3.18	67.8	200	0.92	1.21	3.77	<0.02	70.7	494	14	3.57	372	21.4
E385080		1.40	0.12	3.85	27.4	1680	1.32	0.6	1.64	<0.02	314	202	25	4.99	55.3	19.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104813

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E385041		9.74	0.38	0.7	0.234	0.7	107	22.7	1.5	6120	62.6	0.24	5.8	59	2510	5.7
E385042		6.15	0.31	0.6	0.289	0.08	121	37.8	2.37	19150	7.92	0.03	6.2	89	2340	1.6
E385043		5.52	0.32	0.5	0.259	0.04	98.2	33.5	2.17	17550	8.42	0.03	5.9	84	2660	2.1
E385044		10.65	0.25	1	0.233	1.14	87.4	48	2.5	12050	9.19	0.04	5.5	47.1	1990	2.3
E385045		12.2	0.33	1.2	0.232	1.39	223	54.2	2.68	9590	19.9	0.04	7.9	37.9	2050	2.6
E385046		15.15	0.35	1.4	0.257	1.77	305	54.1	2.11	8480	22.9	0.04	14.1	39.5	2320	2.8
E385047		15.45	0.42	1.4	0.266	1.83	374	55	1.88	10150	33.7	0.06	17.2	43.5	2720	2.9
E385048		15.9	0.39	1.6	0.249	1.92	323	44.5	1.6	9320	44.8	0.3	18.9	37.3	3100	2.7
E385049		4.1	0.32	0.3	0.374	0.09	88.6	18.5	2.77	19750	11.6	0.13	10.4	45.1	1590	1.9
E385050		7.92	0.28	0.8	0.273	0.78	97.4	41.6	2.34	12350	18.3	0.08	8.6	44	1850	1.9
E385051		0.92	0.1	0.1	0.008	0.05	3.1	4.5	10.85	304	0.42	0.02	0.6	6.6	430	2.4
E385052		12.15	0.33	1.2	0.288	1.33	141	51.9	2.29	11700	19.45	0.05	10.9	45.7	2120	1.9
E385053		16.85	0.25	1.5	0.224	2.19	117	53.3	1.4	6940	16.25	0.08	13.5	45.6	1990	1.9
E385054		15.7	0.28	1.6	0.279	1.75	110.5	53.6	1.81	11100	14.95	0.05	11.9	57.7	1730	2
E385055		7.01	0.34	0.7	0.332	0.44	159.5	32.8	1.91	15950	15.8	0.03	8.6	36.6	3820	1.9
E385056		10.75	0.32	1	0.281	1.04	120.5	37.1	1.99	14500	15.75	0.03	11.1	44	2830	1.8
E385057		3.89	0.38	0.3	0.364	0.02	116	18.4	2.43	27000	27.5	0.04	9.3	49	4060	1.7
E385058		4.45	0.38	0.5	0.247	0.03	138.5	28.4	2.3	18400	28.2	0.04	10.9	51.6	5440	1.6
E385059		4.91	0.32	0.6	0.159	0.03	180.5	40.3	2.76	12300	27.8	0.04	11	54.6	7280	1.6
E385060		5.73	0.33	0.7	0.147	0.06	167.5	62.3	2.45	9110	26.2	0.04	10	51.8	5320	1.8
E385061		0.89	0.11	0.1	0.009	0.05	2.9	4.4	11	276	0.36	0.02	0.6	6.9	450	1.3
E385062		19.25	0.2	2	0.123	2.97	37.7	25.2	1.28	3250	19.8	0.56	3.4	23.9	780	2.4
E385063		4.83	0.34	0.5	0.219	0.03	144.5	36.7	3	15550	25.7	0.04	11.9	51.6	4810	1.7
E385064		9.88	0.27	1	0.196	0.91	109.5	46	1.9	10700	23.6	0.03	8.4	50.5	3130	1.3
E385065		14	0.28	1.4	0.307	1.89	66	75.6	2.54	12200	16.2	0.04	3.5	58.8	860	2.2
E385066		6.7	0.25	0.5	0.267	0.82	59.9	26.2	1.57	9430	19.9	0.06	6.8	34.1	1380	1.9
E385067		12.95	0.3	1.3	0.375	1.92	68.6	48.4	1.95	12450	13.55	0.05	5.9	50.1	1510	2
E385068		11	0.36	1.1	0.352	1.48	175.5	34.7	1.45	12450	17.15	0.06	8.6	59.4	3350	1.9
E385069		15.75	0.32	1.6	0.331	2.15	77.9	81.2	2.84	13500	11.65	0.04	3.7	62	1220	2.1
E385070		9.5	0.31	0.8	0.274	1.26	178	42.2	1.9	11750	19.05	0.05	5.6	44.7	1280	1.7
E385071		0.92	0.1	0.1	0.009	0.05	2.8	4.5	10.7	284	0.39	0.02	0.5	6.9	430	1.3
E385072		4.99	0.26	0.3	0.13	0.49	279	18	1.78	6530	11.05	0.02	9.4	21	1320	2.2
E385073		16.9	0.27	1.6	0.371	2	79.5	75.5	3.54	13250	38.3	0.05	2.7	58.1	910	5.8
E385074		16.25	0.3	1.4	0.388	1.76	54.7	64.3	2.93	14050	16.15	0.07	2.8	78	790	2.7
E385075		13.25	0.29	1.1	0.334	1.25	55.8	44.4	2.54	14900	12.3	0.06	4.3	65.9	1080	1.5
E385076		13.3	0.31	1.3	0.339	1.29	43.2	53.8	2.91	16300	12.65	0.05	4.3	70.4	930	1.3
E385077		13.9	0.29	1.2	0.336	1.49	50.8	49.6	2.76	15450	10.55	0.03	5.1	63.8	1050	1.3
E385078		8.34	0.33	0.8	0.371	0.64	62.7	35.3	2.95	17100	19.15	0.02	6.7	70.1	1370	1.7
E385079		10.4	0.29	0.9	0.332	1	37.2	39.7	2.95	13900	17.1	0.02	8	60.1	1150	2
E385080		15.6	0.33	1.4	0.294	1.72	205	41.6	1.83	10150	15.9	0.03	9.3	55.8	2100	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104813

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E385041		34.9	0.016	7.21	2.09	4.3	5	7.3	179	0.12	0.97	5.6	0.035	0.47	15	61
E385042		4.9	0.003	0.14	1.57	2.6	1	4.4	505	0.33	0.08	5.3	0.039	<0.02	8.8	40
E385043		2.8	0.004	0.16	1.49	2.7	2	3.7	524	0.3	0.12	4.6	0.038	<0.02	7.4	40
E385044		64	0.003	0.16	1.5	5.2	1	10.3	558	0.23	0.31	6.6	0.078	0.11	10.9	45
E385045		74.4	0.005	0.11	2.19	5.7	2	15.7	49.6	0.26	0.49	9.4	0.107	0.13	11.9	50
E385046		101	0.006	0.11	2.68	6.7	3	20	41.7	0.42	0.67	11.6	0.127	0.19	6.6	60
E385047		101.5	0.009	0.2	2.84	5.9	3	20.1	96	0.48	0.71	12.1	0.121	0.2	8.7	62
E385048		106	0.012	0.24	2.73	5.7	3	21.4	203	0.59	0.96	12.2	0.133	0.21	7.5	69
E385049		5.3	0.003	0.15	1.88	1.9	2	4	1100	0.23	0.22	3.3	0.026	<0.02	4.7	40
E385050		44.9	0.004	0.16	1.94	4.1	2	8.7	826	0.23	0.25	6	0.061	0.08	6.9	43
E385051		1.6	<0.002	0.04	0.36	1.2	2	0.3	116.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	4
E385052		77.8	0.005	0.17	2.11	5.6	2	14	227	0.33	0.22	8.9	0.105	0.12	7.3	55
E385053		123.5	0.005	0.21	2.3	6.9	2	20.4	181	0.43	0.15	9.2	0.143	0.2	9.4	68
E385054		99.1	0.002	0.2	1.91	6.6	2	16	201	0.47	0.11	8.7	0.131	0.18	10.9	68
E385055		26.2	0.008	0.13	2.1	4	2	10.7	520	0.2	0.11	8.1	0.06	0.05	6.5	40
E385056		59.4	0.007	0.18	1.93	4.9	2	13.8	590	0.35	0.19	6.4	0.084	0.09	12.9	52
E385057		1	0.016	0.17	1.98	1.6	2	8	446	0.29	0.38	3.1	0.024	<0.02	9.5	47
E385058		1.5	0.018	0.18	2.13	2.3	2	8.4	611	0.32	0.33	4	0.038	<0.02	7.5	47
E385059		2	0.017	0.18	2.64	2.8	2	8.5	605	0.33	0.4	5.3	0.048	<0.02	8.7	53
E385060		4.6	0.013	0.19	2.91	3.3	3	9.7	770	0.3	0.4	6.7	0.05	<0.02	8.6	43
E385061		1.3	<0.002	0.04	0.36	1.2	2	0.2	114.5	<0.05	0.05	0.4	0.015	<0.02	0.2	4
E385062		132.5	0.005	1.3	1.17	10.5	2	8.1	469	0.2	0.14	12.1	0.113	0.35	19	61
E385063		1.9	0.014	0.19	2.91	2.8	2	11.7	538	0.31	0.46	4.6	0.046	<0.02	7.7	47
E385064		52.2	0.008	0.18	2.51	7.3	2	11.6	593	0.23	0.31	4.8	0.086	0.11	8.6	70
E385065		107	<0.002	0.28	3.16	19.4	3	8	45.3	0.11	0.2	2.6	0.199	0.21	13.6	162
E385066		46	0.003	0.23	3.32	7.9	2	8.3	168.5	0.16	0.2	2.5	0.073	0.09	5.7	68
E385067		109	0.003	0.26	2.45	14.6	3	7.9	95.3	0.19	0.28	4.4	0.124	0.21	8.2	116
E385068		83.6	0.003	0.23	2.84	10.7	3	7.6	196.5	0.32	0.46	7.9	0.089	0.17	4.8	105
E385069		124	0.002	0.19	3.02	22.4	3	6.6	65.3	0.13	0.16	4.1	0.159	0.26	17.3	192
E385070		73.1	<0.002	0.17	2.59	14.9	2	7	253	0.1	0.09	7	0.101	0.13	2.8	118
E385071		1.7	<0.002	0.03	0.41	1.2	2	0.2	107.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	4
E385072		27.2	0.003	0.14	2.82	5.7	4	9.7	114.5	0.12	0.08	9.6	0.053	0.07	4.9	60
E385073		120.5	0.01	0.12	2.92	19.9	3	6.3	93.8	0.1	0.24	4.2	0.131	0.29	188.5	167
E385074		102	0.003	0.31	2.73	19	4	6.2	172.5	0.09	0.24	2.4	0.13	0.21	14.3	173
E385075		77.6	0.003	0.27	2.69	15	3	5.9	138	0.11	0.17	2.5	0.117	0.17	3.7	126
E385076		76.7	0.002	0.32	2.13	13.8	3	6.6	105	0.11	0.17	2.3	0.127	0.19	2.8	137
E385077		89	0.003	0.24	2.36	13	3	7.6	43.4	0.12	0.29	2	0.125	0.19	2.6	125
E385078		38	0.004	0.45	2.71	6.6	4	6.7	297	0.18	0.33	2.6	0.079	0.09	2.5	72
E385079		56.5	0.003	1.11	2.68	7.2	5	8.8	620	0.19	0.41	3	0.081	0.13	2.7	61
E385080		100	0.004	0.34	3.27	8.9	3	13.6	170.5	0.29	0.28	9.3	0.101	0.18	3.1	78

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104813

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385041		6.5	13.9	6	23	0.115	
E385042		10.6	9.8	23	17.8	0.004	
E385043		7.5	9.8	24	15.3	0.005	
E385044		12.7	12.6	17	31	0.005	
E385045		16.9	14.7	20	39.9	0.007	
E385046		20.7	16.4	15	43.8	0.008	
E385047		20.1	16.9	18	43.3	0.006	0.54
E385048		22.4	18.4	11	47.6	0.006	0.90
E385049		9.3	11.2	12	9.7	0.002	
E385050		12	11.8	17	24.7	0.004	
E385051		0.5	3.5	12	3.5	0.001	
E385052		18.3	14.7	16	36.4	0.003	
E385053		21.2	14.6	11	47	0.004	1.04
E385054		19.6	14.2	15	45.8	0.004	1.12
E385055		14.1	17.9	14	20.5	0.005	
E385056		15.4	15.9	12	31.1	0.010	
E385057		10.6	16.4	13	8.8	0.007	
E385058		12.2	19.4	17	14.2	0.009	
E385059		11.8	21.5	24	17.8	0.004	
E385060		12.3	19.2	29	22.5	0.009	
E385061		0.4	3.5	13	3.6	<0.001	
E385062		8.1	10.5	6	61	0.018	
E385063		14.1	19.3	21	16.7	0.007	
E385064		15.8	15.2	17	29.4	0.012	
E385065		25.5	13.9	21	42.3	0.006	
E385066		17.1	8.7	9	17.7	0.009	0.96
E385067		16	13.7	10	38.9	0.013	
E385068		14.2	17.1	8	33.6	0.009	0.88
E385069		16.5	15.5	22	49.7	0.007	
E385070		15.4	11.5	11	25.4	0.004	
E385071		0.5	3.3	12	3.6	<0.001	
E385072		20.9	10	10	11	0.002	0.52
E385073		17.9	20.8	23	48.6	0.011	
E385074		16.6	13.5	24	42	0.010	0.67
E385075		14.7	14.8	16	33	0.003	0.70
E385076		13.8	13.7	18	39.3	0.004	
E385077		13.5	13	16	35.7	0.002	
E385078		12.4	13.1	17	24.8	0.004	
E385079		12.8	13.3	19	26.6	0.008	
E385080		16.5	15.9	12	42.2	0.004	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104813

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385081		0.30	0.02	0.32	11	180	0.11	0.07	20.3	0.13	5.21	3.3	8	0.18	5.1	0.4
E385082		0.17	1.1	5.75	81.3	130	2.02	2.56	1.98	<0.02	65.1	164	33	3.75	7420	10.25
E385083		1.73	0.23	2.47	52.9	740	0.86	1.33	2.36	0.02	161	313	11	2.72	456	23.7
E385084		3.47	0.15	2.82	21.9	2040	0.78	0.61	2.81	<0.02	138	197.5	18	3.53	103.5	23.5
E385085		1.91	0.06	8.44	8	4730	2.19	0.06	0.74	0.02	267	32.5	60	5.67	24.6	7.14
E385086		1.33	0.06	5.81	7.5	1610	1.43	0.11	0.96	<0.02	314	29	49	4.14	45	7.35
E385087		0.97	0.04	6.56	7.2	3020	1.76	0.03	0.44	0.02	231	25.1	48	4.61	9.2	5.54
E385088		1.01	0.04	9.85	8.1	8410	2.51	0.03	0.62	<0.02	354	33.9	73	5.96	9.7	6.06
E385089		0.76	0.05	10.4	9.3	7630	2.57	0.02	0.41	0.02	242	41.6	78	6.21	3.4	5.85
E385090		0.69	0.06	9.22	9.6	5240	2.26	0.04	0.67	<0.02	328	52.5	70	5.51	3.8	7.2
E385091		0.35	0.02	0.33	7	70	0.1	0.01	20.3	0.15	5.22	1.9	8	0.17	3.7	0.28
E385092		0.98	0.05	8.54	7.6	3270	2.19	0.04	0.81	0.02	272	48.6	66	5.05	28.9	7.38
E385093		0.92	0.09	8.75	7.5	4910	2.22	0.07	0.59	<0.02	337	42.3	63	5.63	124	8.51
E385094		1.39	0.2	8.82	9.9	3010	2.28	0.18	0.47	0.02	488	52.7	68	4.91	218	7.46
E385095		1.21	0.08	8.41	8.2	2980	2.4	0.04	0.42	<0.02	376	31.9	59	4.87	75	5.74
E385096		1.47	0.08	7.12	8.6	750	1.79	0.06	1.01	<0.02	321	69.4	48	3.51	22.1	7.82
E385097		0.92	0.08	7.8	9.6	1130	2.01	0.04	0.65	<0.02	190.5	70.9	67	4.05	28.6	7.75
E385098		0.99	0.12	8.46	9.5	4120	2.36	0.13	0.3	0.02	401	53.6	60	4.64	104.5	6.81
E385099		0.88	0.08	8.48	8.8	3270	2.38	0.05	0.35	<0.02	307	52.8	62	4.63	25.4	8.09
E385100		0.87	0.07	8.77	8.3	5630	2.14	0.04	0.24	0.03	500	53.5	69	5.15	19.1	8.25
E385101		0.34	0.02	0.34	9	70	0.07	0.01	20.4	0.16	5.59	1.9	6	0.15	3.7	0.29
E385102		0.20	1.29	2.51	133	70	0.57	10.35	2.38	<0.02	231	353	12	2.94	9360	29.6
E385103		1.28	0.07	6.19	6.8	2790	1.61	0.07	0.53	<0.02	>500	38.3	43	3.68	36.8	7.09
E385104		1.93	0.07	7	7.4	3250	1.54	0.08	3.01	0.02	305	33	50	3.2	39.3	8.97
E385105		1.20	0.04	7.37	7.8	2590	1.48	0.02	5.81	<0.02	111	41.1	38	2.74	38	9.95

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104813

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E385081		0.94	0.06	0.1	0.007	0.05	2.6	4.1	11	306	0.34	0.02	0.5	9.9	400	1.4
E385082		16.25	0.19	1.8	0.135	2.11	27.3	24.1	1.22	3420	63.6	0.97	3.2	39.1	860	20.1
E385083		8.71	0.34	0.9	0.303	0.81	104	32.4	2.3	13300	23.4	0.02	9.1	66.5	1790	2.1
E385084		8.09	0.32	0.9	0.278	0.67	93	45.2	3.14	13000	19	0.03	7.6	60.7	1650	1.6
E385085		27.8	0.22	2.8	0.097	4.65	131	29.1	0.62	966	1.17	0.18	8.8	14.3	760	1.8
E385086		17.55	0.25	2.1	0.06	3.16	149	20.9	0.61	1380	2.14	0.12	4.4	13.1	630	1.9
E385087		21.4	0.21	2.3	0.071	3.57	109	22.6	0.42	534	0.63	0.11	5.8	11	620	1.5
E385088		32.3	0.24	3.3	0.111	5.56	171	33.2	0.6	679	0.88	0.12	10.2	14.3	940	1.7
E385089		33.3	0.2	3.7	0.122	5.86	115.5	35.7	0.57	370	0.5	0.11	9.7	15	1050	1.5
E385090		28.8	0.25	3.3	0.103	5.06	162.5	32.4	0.58	721	0.46	0.09	9.3	14	980	2.3
E385091		0.86	<0.05	0.1	0.005	0.06	2.4	3.8	11.05	230	0.32	0.02	0.5	7.5	400	1.3
E385092		27.2	0.21	2.6	0.099	4.71	133.5	31.5	0.57	956	0.63	0.07	8.6	13.8	760	1.7
E385093		26.5	0.27	2.7	0.088	4.64	165.5	40.3	0.8	944	0.84	0.11	8	20.4	790	2
E385094		26.6	0.32	2.8	0.088	4.81	245	40.2	0.63	500	0.81	0.07	8.8	17	850	2.6
E385095		26.8	0.28	2.9	0.09	4.6	184.5	39.8	0.54	458	0.84	0.08	6.8	15.8	720	2.2
E385096		19.9	0.28	2.3	0.073	3.78	154.5	31.3	0.67	1490	0.57	0.17	6.8	17.3	690	2.2
E385097		22	0.19	2.4	0.08	4.18	90.5	35.2	0.6	1115	0.51	0.15	8.6	16.8	730	1.9
E385098		24.9	0.25	2.8	0.093	4.69	204	37.2	0.49	393	1.67	0.1	10.2	14.2	820	5.6
E385099		25.6	0.28	2.8	0.087	4.67	155.5	35.6	0.48	389	1.44	0.1	10.3	15.3	780	3
E385100		27.5	0.39	2.9	0.099	4.77	277	37.9	0.46	205	1.15	0.1	11	15.2	850	2.6
E385101		0.83	<0.05	0.1	0.006	0.06	2.6	3.8	11.1	229	0.21	0.02	0.5	7.4	400	1.9
E385102		10.65	0.39	0.8	0.28	0.73	135.5	22	1.68	6850	68.4	0.26	5.7	59	2520	6
E385103		20.5	0.33	2.2	0.063	3.41	279	25.2	0.38	775	1.45	0.11	7	13.9	580	2.2
E385104		18.8	0.25	2.2	0.069	3.5	156	24.1	0.89	4880	0.88	0.49	6.9	17.3	640	2.3
E385105		18.35	0.18	2.1	0.074	3.68	58.1	23.8	1.48	10100	0.8	0.67	6	19.4	670	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104813

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E385081		1.7	<0.002	0.04	0.37	1.2	3	1.5	115.5	<0.05	<0.05	0.4	0.014	<0.02	0.2	6
E385082		81.8	0.023	2.34	1.57	9.1	4	9.4	602	0.16	0.31	7.8	0.078	0.42	273	54
E385083		42.8	0.005	0.56	3.08	4.9	4	9.2	414	0.23	0.38	5.1	0.066	0.1	2.9	50
E385084		37.6	0.004	0.28	3.03	5.9	3	7.1	418	0.18	0.3	3.7	0.076	0.08	4.4	59
E385085		194	<0.002	0.27	1.28	13	2	5.3	594	0.5	0.07	12.7	0.276	0.44	23	71
E385086		132	0.002	0.2	1.57	9.2	2	3.9	909	0.22	0.06	12.8	0.186	0.33	17.6	73
E385087		154	<0.002	0.2	1.28	11.4	2	4.3	907	0.3	<0.05	10.3	0.205	0.38	9.7	67
E385088		223	<0.002	0.32	1.18	15.6	2	5.7	198.5	0.41	<0.05	15.4	0.257	0.52	16.3	82
E385089		235	<0.002	0.35	1.05	16.8	3	5.8	175.5	0.38	0.05	12.6	0.258	0.55	9.4	86
E385090		204	<0.002	0.37	1.4	15.9	3	5.5	296	0.41	0.05	17.1	0.286	0.48	10.8	84
E385091		1.8	<0.002	0.03	0.32	1	2	0.2	112.5	<0.05	<0.05	0.4	0.014	<0.02	0.2	6
E385092		188	0.002	0.32	1.56	14.9	3	5.3	403	0.46	0.06	14.1	0.285	0.41	7.4	82
E385093		184	<0.002	0.33	1.12	13.6	2	6.2	418	0.34	0.05	16.3	0.257	0.43	15.1	81
E385094		189	<0.002	0.43	1.17	13.1	3	7.3	348	0.41	0.17	20.3	0.257	0.44	18.3	78
E385095		189	<0.002	0.26	1.23	13.9	2	6.7	630	0.27	1	17.5	0.198	0.45	20.6	71
E385096		146	<0.002	0.42	1.28	11.4	2	4.9	607	0.35	0.12	16.6	0.219	0.33	18	66
E385097		164	<0.002	0.41	1.25	13.1	2	5.3	430	0.43	0.12	10.5	0.241	0.38	15.3	74
E385098		185.5	0.002	0.38	1.85	13.5	3	5.5	227	0.44	0.08	25.9	0.263	0.4	94.5	77
E385099		189.5	<0.002	0.35	1.66	14.1	3	5.5	362	0.55	0.07	15.7	0.288	0.44	27.8	85
E385100		199.5	<0.002	0.4	1.43	15.1	3	5.8	295	0.59	0.08	20.7	0.289	0.45	13.1	90
E385101		2	<0.002	0.03	0.46	1	2	0.2	113	<0.05	<0.05	0.4	0.015	<0.02	0.4	6
E385102		35.8	0.021	7.31	2.32	3.8	7	8.4	200	0.12	1.32	6	0.032	0.51	14.8	63
E385103		139.5	<0.002	0.26	2.38	11.1	3	4	243	0.35	0.09	16.3	0.21	0.32	10.1	67
E385104		135	<0.002	0.24	1.53	14	2	4.1	585	0.36	0.07	11.8	0.217	0.3	7.3	75
E385105		136.5	<0.002	0.21	0.81	13.1	2	3.9	146.5	0.35	0.06	13.2	0.211	0.26	5	80

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104813

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385081		0.4	3.5	11	3.5	<0.001	
E385082		8.4	14.5	10	53.8	0.055	
E385083		13.2	13.5	15	25	0.012	
E385084		10.8	13.6	23	26.4	0.005	
E385085		21.2	12.6	2	83	0.003	
E385086		16.9	11.5	3	59.2	0.006	
E385087		16.8	9.8	2	65.1	0.004	
E385088		24.1	14.5	<2	97.4	0.004	0.91
E385089		24.3	13.3	<2	103	0.006	0.82
E385090		22.6	13.9	<2	91.1	0.011	1.56
E385091		0.5	3.4	11	3.5	<0.001	
E385092		20.3	11.4	<2	73.1	0.002	
E385093		20.6	13.5	6	77.3	0.003	
E385094		21.5	15.6	3	80.3	0.006	
E385095		22	13.8	3	81.5	0.085	
E385096		18.2	12.3	3	64.1	0.005	
E385097		20.3	10.6	3	68.1	0.015	
E385098		22.8	16.6	3	78.9	0.007	
E385099		21.9	12.3	<2	79.4	0.008	
E385100		23	14.5	<2	82.1	0.007	1.28
E385101		0.5	3.3	11	3.4	<0.001	
E385102		7.3	15.6	6	23.1	0.118	
E385103		15.4	13.3	2	61.8	0.004	
E385104		16.2	11.3	2	63.7	0.002	
E385105		14.8	10.3	2	62	0.002	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104813

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-SEP-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE VA07101839

Project: IGOR

P.O. No.: 195296

This report is for 115 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 5-SEP-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101839

Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
Sample Description															
E385106	1.54	0.17	7.16	10.8	4060	2.26	0.02	2.27	<0.02	51.00	43.4	43	4.19	11.3	5.29
E385107	1.23	0.26	8.29	14.4	6980	2.53	0.04	1.33	<0.02	31.10	42.0	56	5.15	5.5	5.79
E385108	1.05	0.10	8.57	15.2	>10000	2.62	0.11	1.27	0.03	40.70	30.8	59	5.57	16.6	6.12
E385109	0.70	0.17	7.63	12.5	7850	2.24	0.07	2.22	<0.02	71.40	33.0	51	4.82	11.0	6.40
E385110	1.35	0.08	9.08	12.1	>10000	2.15	0.07	1.02	<0.02	22.60	20.1	59	4.67	17.1	5.51
E385111	0.23	0.09	0.36	<5	140	0.10	<0.01	20.70	0.17	4.99	2.4	8	0.20	5.2	0.29
E385112	0.95	0.11	7.99	13.9	4960	2.33	0.08	2.11	<0.02	19.90	22.0	59	4.93	395.0	5.69
E385113	1.20	0.05	6.89	11.3	3500	1.71	<0.01	3.18	<0.02	15.20	18.3	40	3.66	19.7	5.67
E385114	0.96	0.09	6.79	12.7	5480	1.76	0.02	2.39	<0.02	15.00	20.9	40	3.84	3.3	6.47
E385115	1.48	0.10	7.34	10.0	5210	2.03	<0.01	2.56	<0.02	14.50	25.7	45	3.76	5.8	6.00
E385116	1.48	0.08	7.42	9.1	3620	1.98	<0.01	3.01	<0.02	8.07	28.7	45	3.68	3.3	7.92
E385117	1.04	0.08	7.53	9.5	8710	2.06	0.01	1.65	<0.02	14.00	15.2	47	4.11	38.6	9.72
E385118	1.20	0.10	4.96	5.6	3450	1.18	0.03	3.38	<0.02	13.90	27.3	27	1.84	19.7	12.85
E385119	1.14	0.07	6.72	9.5	3430	2.24	0.01	2.16	<0.02	17.45	35.8	45	3.18	6.3	8.63
E385120	1.72	0.11	7.15	7.8	2110	2.61	0.01	2.31	<0.02	9.56	46.7	47	2.54	16.5	8.64
E385121	0.35	0.06	0.35	6	100	0.08	0.02	21.3	0.15	4.92	2.1	9	0.16	4.8	0.29
E385122	0.18	0.35	7.02	57.3	170	2.63	1.63	1.93	<0.02	91.90	116.0	43	7.03	1595.0	7.31
E385123	1.48	0.09	8.70	12.2	1960	3.33	0.02	0.99	<0.02	8.26	45.8	64	4.06	7.7	8.15
E385124	1.12	0.12	7.82	10.4	1400	2.90	0.03	1.62	<0.02	16.15	54.4	51	3.50	270.0	8.15
E385125	1.10	0.08	6.81	11.1	1370	2.68	<0.01	1.66	<0.02	23.60	37.7	44	2.94	107.0	7.15
E385126	1.54	0.12	5.90	9.9	840	2.33	0.02	1.55	<0.02	16.85	34.3	36	2.42	72.9	6.51
E385127	1.11	0.12	7.03	7.4	3200	2.42	0.02	3.36	<0.02	5.37	17.2	39	2.43	92.8	4.60
E385128	1.39	0.12	7.27	40.0	500	2.19	0.29	3.59	<0.02	4.93	65.8	38	2.77	26.2	5.46
E385129	1.28	0.19	6.24	106.5	280	2.14	0.57	2.32	<0.02	19.55	133.0	36	2.72	19.5	4.74
E385130	1.30	0.16	7.57	57.0	380	2.50	0.38	3.11	<0.02	105.00	137.0	47	2.80	16.3	6.38
E385131	0.28	0.03	0.31	<5	20	0.08	0.02	21	0.13	4.48	2.1	8	0.15	4.3	0.27
E385132	1.28	0.09	5.54	51.0	320	2.37	0.38	2.87	<0.02	26.80	56.8	34	2.22	7.0	5.90
E385133	0.99	0.14	7.50	107.5	330	1.98	0.39	2.80	<0.02	7.44	128.0	45	2.27	19.2	6.90
E385134	1.19	0.21	7.30	130.0	460	2.39	0.64	2.40	<0.02	24.20	152.5	38	2.67	54.1	7.84
E385135	1.30	0.23	6.66	80.1	1700	2.74	0.41	2.25	<0.02	9.22	110.0	41	2.82	47.3	7.13
E385136	1.14	0.18	6.11	52.0	620	2.88	0.32	1.91	<0.02	10.45	102.0	38	2.79	77.1	6.78
E385137	1.40	0.16	8.08	40.8	940	3.51	0.26	2.00	<0.02	7.49	156.0	47	2.90	11.7	8.68
E385138	1.28	<0.01	8.59	13.6	9470	3.58	0.03	2.55	<0.02	12.15	40.8	47	2.81	18	8.09
E385139	1.12	0.13	3.72	34.5	160	1.27	0.57	2.42	<0.02	47.8	86.3	28	1.15	84.3	9.95
E385140	1.35	0.05	3.79	17.1	230	1.43	0.11	1.9	<0.02	19.1	125	22	1.19	184.5	13.2
E385141	0.34	0.01	0.34	<5	430	0.08	0.02	20.7	0.16	5.07	2.9	10	0.15	5.5	0.34
E385142	0.22	1.1	5.55	53.6	110	1.7	3.03	1.96	<0.02	67.9	166.5	36	3.66	7180	9.8
E385143	1.41	0.09	5.08	16.7	330	1.52	0.15	3.06	<0.02	22	101	25	1.55	23.1	12.25
E385144	0.48	0.54	2.84	36	90	0.7	1.05	3.81	<0.02	22.2	414	13	0.72	27.3	19.6
E385145	1.54	0.53	2.02	18.6	100	0.55	0.91	4.95	<0.02	45.3	233	7	0.57	33	21.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101839

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385106		22.30	0.16	2.1	0.079	3.91	31.2	27.3	0.96	3410	0.56	0.28	4.1	16.4	640	4.7
E385107		25.90	0.14	2.5	0.092	4.82	18.4	31.6	0.77	1890	0.51	0.21	4.5	15.9	750	6.5
E385108		27.20	0.18	2.6	0.094	4.97	25.9	30.8	0.79	1870	1.19	0.21	5.3	16.6	760	5.3
E385109		23.60	0.20	2.2	0.082	4.50	42.3	26.5	1.20	2550	0.54	0.11	5.1	15.5	700	6.1
E385110		21.80	0.11	2.1	0.074	5.16	13.3	24.8	0.69	1250	0.75	0.16	4.4	12.5	800	3.3
E385111		1.05	0.06	0.1	0.009	0.08	2.5	3.2	11.85	246	0.22	0.02	0.5	11.0	420	3.4
E385112		23.20	0.14	2.5	0.088	4.17	11.7	28.6	1.07	3230	0.84	0.46	4.1	20.0	680	2.4
E385113		18.65	0.13	2.0	0.074	3.43	8.8	20.3	1.17	4810	1.98	0.81	3.0	12.1	600	2.1
E385114		18.95	0.14	1.9	0.075	3.74	8.7	22.1	0.98	3630	2.22	0.38	2.8	13.0	620	2.7
E385115		20.20	0.13	2.1	0.075	3.93	8.4	24.2	0.85	3990	1.39	0.46	3.8	14.7	600	1.6
E385116		19.20	0.15	2.0	0.079	3.80	4.5	24.6	1.01	4450	1.47	0.65	4.9	14.6	690	1.9
E385117		20.60	0.18	2.1	0.080	4.28	8.2	25.6	0.74	2310	0.87	0.26	5.4	18.2	620	1.7
E385118		11.35	0.21	1.2	0.053	2.27	8.4	16.0	0.99	5350	2.37	0.68	4.1	27.4	300	1.7
E385119		17.40	0.16	1.6	0.065	3.52	10.4	21.5	0.82	3100	1.23	0.31	6.0	21.5	720	1.8
E385120		19.20	0.16	1.7	0.059	3.50	5.7	22.7	1.00	3390	1.75	0.59	7.7	30.6	580	2.0
E385121		0.88	0.05	0.1	0.006	0.06	2.5	3.4	12	241	0.25	0.02	0.5	10	410	1.9
E385122		20.90	0.20	2.1	0.127	3.28	49.8	22.1	1.40	3190	22.70	0.63	2.8	26.9	740	2.9
E385123		23.30	0.14	2.3	0.077	4.45	4.7	31.0	0.73	1270	1.07	0.46	10.1	26.0	820	1.9
E385124		20.10	0.16	1.8	0.076	3.90	9.5	28.0	0.90	1910	1.02	0.28	8.3	25.1	700	1.9
E385125		18.30	0.15	1.7	0.065	3.37	14.0	25.7	0.86	2260	1.43	0.22	6.7	25.6	740	1.8
E385126		15.90	0.14	1.5	0.054	2.77	9.4	20.6	0.72	2040	0.75	0.38	4.3	19.8	620	1.9
E385127		16.95	0.10	1.9	0.067	3.00	3.3	22.8	1.26	4560	17.10	1.17	3.5	15.0	520	1.5
E385128		15.70	0.12	1.8	0.068	3.09	2.9	22.9	1.13	5080	7.73	1.55	2.8	15.7	700	2.4
E385129		14.35	0.12	1.6	0.060	2.82	12.5	22.8	0.89	3000	3.47	0.97	1.9	14.4	590	3.5
E385130		19.45	0.20	2.1	0.067	3.48	69.1	30.4	1.08	4390	11.05	1.25	3.9	19.5	660	3.2
E385131		0.84	0.08	0.1	0.005	0.05	2.2	3.5	11.75	228	0.23	0.02	0.5	10.7	400	1.7
E385132		15.40	0.13	1.7	0.054	2.55	18.3	23.2	0.98	3820	2.98	0.62	2.8	19.8	500	2.3
E385133		14.25	0.10	1.6	0.054	3.67	3.9	23.3	1.23	3150	5.19	0.93	2.5	18.0	580	3.7
E385134		18.85	0.17	1.8	0.064	3.45	16.0	31.8	0.96	3040	6.15	0.99	3.2	27.5	870	4.1
E385135		17.30	0.14	1.9	0.075	3.43	4.3	32.5	1.03	3420	30.30	0.54	4.7	23.0	670	7.5
E385136		17.30	0.13	1.8	0.066	3.32	6.2	32.9	0.93	2400	2.90	0.09	5.8	20.8	720	5.3
E385137		24.40	0.17	2.0	0.078	4.60	4.3	43.0	0.96	2480	6.39	0.20	8.4	20.6	730	3.9
E385138		25.1	0.2	1.9	0.095	4.82	6.8	44.5	1.04	3340	4.29	0.16	13.1	12.9	750	2.2
E385139		9.71	0.23	1.1	0.045	1.82	21.7	20.2	0.78	3490	11.05	0.11	7.7	17.2	1140	12.3
E385140		10.4	0.26	1.1	0.039	1.91	7.1	22.8	0.62	2710	18.35	0.08	9.2	24	1850	4.6
E385141		0.91	0.08	0.1	0.008	0.07	2.4	4.3	11.3	258	0.42	0.02	0.6	1.3	410	1.9
E385142		13.85	0.26	1.5	0.154	2.08	26.3	24.7	1.19	3480	62.3	0.9	3.5	36.9	860	19.8
E385143		11.8	0.21	1.2	0.047	2.2	12.6	26.2	1.03	4070	27.2	0.43	10	21.5	1630	5
E385144		8.33	0.28	0.7	0.046	1.16	6.1	17.9	1.46	6030	31.7	0.04	11.5	44	3180	20.8
E385145		7.29	0.32	0.5	0.08	0.77	24.3	16.6	2.07	9390	25.5	0.02	9.9	43.8	1390	10.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101839

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E385106		167.0	<0.002	0.32	1.84	12.3	1	4.0	438.0	0.28	<0.05	14.4	0.185	0.35	14.7	67
E385107		188.0	<0.002	0.39	1.62	12.0	1	4.2	485.0	0.29	0.06	17.0	0.244	0.40	20.5	83
E385108		195.0	<0.002	0.40	1.56	13.1	1	4.4	310.0	0.31	0.06	32.4	0.257	0.43	78.7	91
E385109		169.0	<0.002	0.36	1.38	12.1	<1	4.0	442.0	0.32	0.05	14.0	0.245	0.36	42.2	83
E385110		172.0	<0.002	0.40	1.16	10.6	<1	3.7	590.0	0.21	0.05	11.0	0.245	0.34	37.5	87
E385111		3.0	<0.002	0.03	0.47	1.4	1	0.2	120.5	<0.05	<0.05	0.5	0.016	<0.02	0.4	4
E385112		171.5	<0.002	0.28	1.26	12.1	<1	3.6	925.0	0.26	<0.05	13.2	0.196	0.39	8.4	72
E385113		137.0	<0.002	0.20	1.30	10.0	<1	2.8	1180.0	0.20	<0.05	13.9	0.170	0.32	6.6	62
E385114		145.5	<0.002	0.23	1.55	10.3	<1	3.3	651.0	0.20	<0.05	12.4	0.201	0.31	6.3	79
E385115		150.0	<0.002	0.27	1.26	10.8	<1	4.0	815.0	0.23	0.06	14.1	0.198	0.30	8.6	66
E385116		154.5	<0.002	0.25	1.02	10.8	<1	4.6	1080.0	0.44	<0.05	14.2	0.245	0.30	7.3	78
E385117		161.0	<0.002	0.27	1.56	11.5	<1	5.1	506.0	0.56	<0.05	15.6	0.277	0.33	6.1	113
E385118		89.8	<0.002	0.17	1.15	9.3	<1	4.3	701.0	0.38	<0.05	9.2	0.181	0.17	3.1	103
E385119		136.5	<0.002	0.26	1.45	13.0	<1	4.8	619.0	0.42	0.05	15.1	0.242	0.28	5.5	65
E385120		132.5	<0.002	0.35	0.97	17.8	<1	5.6	1070.0	0.56	0.08	13.2	0.259	0.26	6.1	59
E385121		2.4	<0.002	0.03	0.32	1.2	1	<0.2	115.5	<0.05	<0.05	0.6	0.016	<0.02	0.2	3
E385122		137.0	0.006	1.30	1.17	10.9	1	8.1	456.0	0.18	0.18	15.1	0.115	0.38	21.5	68
E385123		177.0	<0.002	0.38	1.27	16.9	1	6.8	1380.0	0.67	0.07	16.4	0.317	0.34	9.4	63
E385124		158.0	<0.002	0.43	1.25	15.5	1	6.4	1090.0	0.54	0.09	15.8	0.276	0.29	6.6	59
E385125		136.0	<0.002	0.31	1.38	14.0	<1	5.2	1430.0	0.44	0.06	15.7	0.231	0.26	7.3	53
E385126		116.0	<0.002	0.33	1.40	14.0	<1	4.7	2400.0	0.29	0.21	10.4	0.212	0.21	4.7	63
E385127		118.5	<0.002	0.21	1.53	13.6	<1	5.1	1240.0	0.25	0.12	10.8	0.152	0.21	4.9	74
E385128		120.5	<0.002	0.75	1.46	9.6	<1	4.7	500.0	0.20	0.19	13.2	0.126	0.22	16.0	66
E385129		115.0	<0.002	1.54	1.69	9.1	<1	5.0	448.0	0.13	0.48	10.5	0.102	0.20	31.8	54
E385130		137.0	<0.002	1.01	1.63	12.5	1	7.7	453.0	0.30	0.37	16.2	0.161	0.25	31.7	82
E385131		1.7	<0.002	0.04	0.31	1.2	1	<0.2	111	<0.05	<0.05	0.4	0.015	<0.02	0.2	2
E385132		102.5	<0.002	0.85	2.06	14.3	<1	6.0	234.0	0.21	0.26	13.0	0.126	0.17	17.6	72
E385133		110.0	<0.002	1.87	1.25	11.7	<1	6.3	108.5	0.15	0.44	15.1	0.135	0.19	86.1	78
E385134		141.0	<0.002	1.69	1.42	8.9	1	9.3	118.0	0.19	0.94	15.1	0.110	0.24	74.5	68
E385135		136.5	<0.002	0.98	1.91	11.7	<1	8.7	65.2	0.26	0.31	16.6	0.135	0.23	213.0	60
E385136		138.5	<0.002	0.91	1.75	10.6	<1	11.5	280.0	0.36	0.19	11.1	0.153	0.23	51.7	63
E385137		176.5	<0.002	1.37	1.03	14.7	1	19.3	130.5	0.42	0.42	8.2	0.211	0.27	47.8	93
E385138		171.5	0.002	0.43	1.09	16.4	1	24.9	244	0.76	0.12	4.9	0.238	0.32	30.8	99
E385139		76.3	0.003	1.23	1.82	5.9	2	11.6	633	0.45	0.61	12.4	0.124	0.15	117.5	58
E385140		79.3	0.005	0.81	1.35	6.1	2	13.5	1140	0.35	0.3	7	0.113	0.16	32.4	53
E385141		2.1	<0.002	0.05	0.37	1.2	1	0.3	123	<0.05	0.05	0.5	0.017	<0.02	0.9	3
E385142		81.7	0.024	2.24	1.8	9.5	3	8.3	577	0.21	0.34	9.4	0.082	0.48	274	52
E385143		86.4	0.007	0.8	1.14	8	2	14.7	685	0.35	0.28	7.3	0.118	0.19	69.2	69
E385144		43.2	0.009	4.73	1.39	4.3	4	10.4	309	0.24	1.68	6.5	0.058	0.11	250	63
E385145		30	0.009	2.16	0.96	3.3	3	7.2	320	0.24	0.69	5.1	0.044	0.1	80.2	42

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101839

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Au	Ba
	Units	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.01
E385106		15.0	8.7	3	68.4	0.003	
E385107		16.7	9.8	2	80.9	0.004	2.00
E385108		20.5	11.1	3	83.7	0.003	1.37
E385109		18.0	9.6	3	70.4	0.003	1.99
E385110		15.6	8.3	2	67.8	0.018	2.20
E385111		0.5	4.0	12	4.4	<0.001	
E385112		16.1	9.6	7	82.2	0.004	
E385113		13.0	8.1	5	65.0	0.003	
E385114		13.1	7.6	3	61.5	0.002	2.49
E385115		14.6	7.8	2	67.2	0.003	3.12
E385116		14.3	8.0	3	64.8	0.003	
E385117		15.5	7.2	4	66.2	0.002	2.02
E385118		11.4	5.7	7	38.1	0.002	
E385119		12.9	6.8	4	52.4	0.002	
E385120		14.3	7.2	5	55.5	0.003	
E385121		0.4	3.8	10	3.7	0.003	
E385122		8.7	12.5	6	66.6	0.021	
E385123		16.6	8.4	3	72.0	0.005	
E385124		15.7	7.6	3	59.2	0.008	
E385125		12.6	7.4	3	55.5	0.006	
E385126		11.6	6.4	2	50.1	0.009	
E385127		15.4	8.0	2	60.1	0.005	
E385128		13.2	8.3	3	57.0	0.011	
E385129		11.1	6.8	3	49.2	0.037	
E385130		14.6	10.9	4	68.0	0.028	
E385131		0.4	3.7	10	3.4	<0.001	
E385132		13.9	7.5	4	54.4	0.018	
E385133		10.9	7.4	3	50.2	0.051	
E385134		13.2	9.7	4	58.1	0.069	
E385135		15.8	11.0	4	58.7	0.035	
E385136		17.1	8.7	3	56.8	0.018	
E385137		17.9	9.2	4	61.2	0.057	
E385138		19.8	8.7	3	58.7	0.002	1.16
E385139		14.4	10.9	4	33.6	0.047	
E385140		12.2	7.8	3	34.5	0.011	
E385141		0.7	3.6	11	3.5	0.001	
E385142		9	15	10	48.5	0.054	
E385143		14.7	10	4	40.4	0.011	
E385144		12.3	19.4	7	24.2	0.058	
E385145		9.8	14.3	13	17.9	0.031	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101839

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385146		1.27	0.04	3.93	6.8	2740	1.32	0.05	3.3	<0.02	98.1	22.4	20	1.3	7.7	13.7
E385147		1.47	0.02	4.62	11.4	2000	1.65	0.05	2.84	<0.02	119	33.3	25	1.4	6.8	13.6
E385148		1.39	0.02	5.2	14.3	2040	1.85	0.06	2.26	<0.02	131.5	38.6	28	1.8	3.4	11.85
E385149		1.46	0.05	4.63	14.9	2110	1.78	0.08	2.06	<0.02	160	18	27	1.72	8	12.6
E385150		1.28	0.03	4.8	12.6	3640	1.92	0.05	1.93	<0.02	183.5	13.9	28	1.75	9.4	12.5
E385151		0.30	0.01	0.33	<5	300	0.09	0.02	20.2	0.16	5.58	2.2	11	0.16	3.9	0.33
E385152		0.90	0.07	3.89	12	1380	1.53	0.06	2.66	<0.02	152	13.2	20	1.32	18.9	12.65
E385153		1.56	0.01	4.6	11.3	2440	1.58	0.04	2.67	<0.02	142.5	18.5	24	1.18	3	13.9
E385154		1.47	0.03	5.25	9.8	1120	1.98	0.05	2.52	<0.02	98.2	44.5	26	1.54	5.7	14.25
E385155		1.02	0.03	4.39	13.2	1080	1.99	0.06	1.09	<0.02	142	45.6	24	1.49	9.2	13.35
E385156		1.56	0.06	4.92	13.5	300	2.08	0.11	1.24	<0.02	170	125	31	1.77	42.7	15.15
E385157		1.86	0.01	4.4	11.2	470	1.62	0.08	2.17	<0.02	171.5	86.2	26	1.32	19.1	13.95
E385158		1.45	0.05	4.37	12.2	180	1.56	0.16	2.67	<0.02	451	233	24	1.18	8.5	14.75
E385159		1.22	0.1	2.33	12	90	0.44	0.32	2.59	<0.02	>500	555	14	0.27	7.2	18.85
E385160		1.46	0.02	5.3	4	1340	0.77	0.05	4.3	0.02	77.4	58.3	24	0.53	4	9.51
E385161		0.26	0.04	0.32	<5	110	0.1	0.02	20	0.14	6.65	3.1	10	0.14	3.9	0.29
E385162		0.20	1.23	2.22	55.6	40	0.66	11	2.06	<0.02	195	299	11	2.57	8300	25.1
E385163		1.25	0.03	6.29	7.3	800	0.99	0.1	3.98	<0.02	83.2	101.5	31	0.8	13.5	10.35
E385164		1.11	0.01	6.75	7.6	1230	1.29	0.07	3.35	<0.02	83.4	86.1	34	1.02	7.6	10.35
E385165		1.26	0.03	5.24	8.6	340	0.98	0.1	2.85	<0.02	148	126.5	31	0.78	9.9	11.15
E385166		1.64	0.06	2.6	6	900	0.41	0.04	3.31	<0.02	285	32.8	13	0.26	6.8	15.2
E385167		1.81	0.04	3	7.6	470	0.4	0.13	4.44	<0.02	217	47	14	0.38	6.9	16.25
E385168		1.02	0.04	4.05	6.4	2030	1.06	0.07	3.51	<0.02	161.5	33.2	22	1.83	3.7	13.2
E385169		1.25	1.05	5.29	18.1	320	1.33	0.16	4.09	0.03	143	184.5	30	1.2	4.2	11.7
E385170		1.55	0.25	4.83	17.4	180	1.35	0.19	3.78	<0.02	97.5	184	25	1.36	6.7	10.55
E385171		0.27	0.05	0.37	<5	220	0.08	0.02	20.3	0.16	6.82	3.4	11	0.15	4.7	0.37
E385172		1.02	0.04	4.94	19.6	420	1.64	0.12	2.9	<0.02	138	96.2	27	1.73	21.7	10.1
E385173		1.11	0.03	4.52	17.9	230	1.73	0.26	3.14	0.04	96.7	138	27	1.79	9.8	10
E385174		1.50	0.1	5.25	23.4	560	2.28	0.06	2.85	<0.02	179	79.6	29	2.38	9.9	11.45
E385175		1.30	0.04	6.26	8.6	3170	2.66	0.06	3.06	<0.02	76.9	56.4	36	3.12	2.6	9.99
E385176		1.04	0.08	4.18	12.4	2650	1.88	0.14	2.18	<0.02	282	22.1	24	1.65	10.1	13.1
E385177		2.02	0.04	3.66	10.1	420	1.76	0.06	2.03	<0.02	138.5	86.9	21	1.26	21.8	10.5
E385178		1.04	0.04	5.35	17.8	160	2.23	0.22	1	<0.02	46.1	321	28	1.86	7.6	9.47
E385179		1.65	0.05	4.9	12.3	160	1.47	0.11	3.12	<0.02	63.5	213	25	1.22	45.6	11.2
E385180		1.32	0.01	5.96	4.3	550	2.47	0.06	4.71	<0.02	42.8	118.5	30	2.39	22.9	7.72
E385181		0.29	0.02	0.34	<5	850	0.08	0.02	20.1	0.16	5.44	3.6	9	0.16	3.6	0.32
E385182		0.16	0.29	6.61	40.3	630	2.83	1.56	1.8	<0.02	76.6	117.5	45	6.51	1570	6.63
E385183		1.13	0.02	5.05	7.1	320	1.89	0.1	3.29	<0.02	89.9	102.5	27	2.5	9.5	8.99
E385184		1.50	0.15	7.11	6	1050	2.46	0.15	2.9	<0.02	145.5	73.3	42	3.22	5.7	10.1
E385185		1.39	0.06	5.7	4.8	910	1.89	0.19	6.42	<0.02	131	87	33	2.59	10.2	10.05

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101839

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385146		10.8	0.23	1	0.051	1.86	68.5	24.6	1.21	4320	22.3	0.03	12.3	19.9	1440	2.3
E385147		11.25	0.24	1.3	0.045	2.15	85.3	30.4	1.04	3460	28.1	0.04	15.5	15.1	1400	2
E385148		12.6	0.23	1.4	0.054	2.57	95.5	30.3	1.01	2410	30.4	0.09	15.1	10.5	1590	2.3
E385149		11.65	0.23	1.3	0.052	2.33	117.5	26.9	0.87	2690	50.7	0.11	14	8.9	1660	3
E385150		12.75	0.24	1.4	0.053	2.4	134.5	28.7	0.91	2140	44.7	0.15	14.9	9	1440	3.6
E385151		0.82	<0.05	0.1	0.007	0.06	2.8	4	11	243	0.88	0.02	0.6	<0.2	390	1.7
E385152		10.1	0.21	1	0.049	1.77	110	22.1	1.12	3040	51.9	0.22	11.8	10.4	1280	4.7
E385153		10.95	0.23	1.2	0.04	2.03	107	24.8	0.95	3540	49	0.39	13.4	10.2	1220	3.6
E385154		12.7	0.22	1.5	0.053	2.46	73.8	30.2	0.97	4080	44.2	0.22	14.9	11.2	1230	2.3
E385155		12.4	0.22	1.1	0.047	2.25	104.5	29.7	0.62	2180	44.3	0.04	15.2	9.9	1430	2
E385156		13.15	0.25	1.2	0.044	2.47	122.5	29.9	0.74	2190	33.2	0.07	12.9	14.6	1340	2
E385157		11.15	0.23	1	0.034	2.06	124	21.8	0.86	2640	33.5	0.37	11.1	11.3	1250	1.8
E385158		12.75	0.34	1.2	0.035	1.98	332	23.4	0.94	3110	40.4	0.43	13	18.1	1400	2.3
E385159		8.04	0.56	0.7	0.015	0.45	860	9.4	0.84	2810	35.8	0.93	8.9	30.8	1480	3.5
E385160		9.22	0.16	1.5	0.019	0.74	57.5	7.1	1.21	4390	9.64	3.23	5.4	5.9	700	2.8
E385161		0.72	<0.05	0.1	0.005	0.05	3.5	3.9	11.05	239	0.4	0.02	0.5	<0.2	400	1.8
E385162		8.84	0.42	0.7	0.287	0.62	109	20	1.45	5870	60	0.23	5.9	57.5	2200	6
E385163		11.1	0.13	1.5	0.026	1.2	61.4	9.8	1.25	3870	26	3.39	6.3	7.7	1120	2.5
E385164		11.85	0.12	1.8	0.028	1.4	62.4	11.9	1.1	3090	18.55	3.47	7.9	6.8	1190	2.3
E385165		10.25	0.14	1.3	0.022	1.32	110.5	12.1	0.98	2570	26.4	2.19	7.3	10.9	1150	4.2
E385166		5.82	0.23	0.5	0.01	0.4	209	9.1	1.25	3570	36	1.08	5.3	10.6	1320	2.2
E385167		6.33	0.22	0.7	0.012	0.44	150.5	10.8	1.67	4830	26.3	1.26	5.2	13.7	1320	4.8
E385168		8.7	0.16	1	0.036	1.41	130.5	12.9	1.34	3940	19.45	0.87	6.1	11.7	1150	2.1
E385169		10.6	0.12	1.4	0.039	2.06	109	16.2	1.31	4280	22.7	1.1	7.6	14.9	1250	25.7
E385170		9.6	0.12	1.2	0.038	2.05	62.7	17	1.32	4630	24.3	0.76	7.1	16.9	1150	7.8
E385171		0.79	<0.05	0.1	0.007	0.07	3.7	3.9	11.05	280	0.73	0.03	0.5	0.6	410	1.9
E385172		10.35	0.1	1.1	0.047	2.36	96.7	20.6	1.08	3470	30.4	0.37	8	8.7	1100	3.3
E385173		9.57	0.11	1.3	0.046	2.15	58.7	21.9	1.19	3800	28.3	0.15	9.5	13.1	1450	2.6
E385174		16	0.4	1.5	0.058	2.7	135.5	27.2	1.23	3100	29.5	0.05	13.3	13	2380	2.3
E385175		16.35	0.28	2	0.066	2.88	58.8	44.8	1.99	3340	15.6	0.05	9.7	12.4	900	1.9
E385176		13.5	0.42	1.1	0.05	1.95	225	26.8	1.17	3300	41.1	0.04	9.1	12.8	1390	2
E385177		12.15	0.36	1.1	0.047	1.76	88.3	25.6	1	2710	26.1	0.05	7.5	15.7	910	1.9
E385178		15.1	0.3	1.2	0.048	2.6	14.8	25.3	0.67	1230	15.3	0.21	9	18.5	970	1.4
E385179		13.75	0.33	1.3	0.05	1.87	32.4	16.5	1.04	4740	12.7	1.06	7.1	21.2	1050	1.6
E385180		19.6	0.28	2.1	0.097	3.23	28.6	23.2	1.78	5790	3.85	0.23	9	13.8	620	1.8
E385181		1.08	0.09	0.1	0.006	0.06	2.8	3.5	11.05	256	0.37	0.02	0.5	<0.2	400	1.7
E385182		22.1	0.25	2.2	0.132	3.03	40	22.5	1.24	3010	20.2	0.57	3.3	25.7	730	3.1
E385183		14.9	0.29	1.9	0.079	2.2	53.2	38	2.05	2950	9.51	0.05	6.8	21.7	860	1.7
E385184		19.4	0.34	2.3	0.083	3.37	89.8	38	2.05	2440	27.8	0.04	8.8	25.1	950	2.2
E385185		16.25	0.33	1.9	0.116	2.94	79	26.3	3.1	5100	20.2	0.04	7.3	15.5	770	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101839

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E385146		73.5	0.006	0.15	0.94	6.6	1	15.5	641	0.31	0.09	8.8	0.109	0.15	12.3	56
E385147		85.4	0.006	0.18	1.21	7.3	1	19.5	945	0.44	0.11	9.3	0.135	0.17	11.3	54
E385148		100.5	0.008	0.23	1.6	8.3	1	21.7	729	0.52	0.1	10.1	0.162	0.21	11.6	56
E385149		95	0.009	0.13	1.97	7.8	1	21.5	754	0.54	0.1	10.7	0.155	0.19	15.3	53
E385150		98.7	0.012	0.14	1.9	9.1	2	23.9	617	0.53	0.1	10.4	0.166	0.2	20.1	58
E385151		2	<0.002	0.04	0.43	1.1	2	0.3	116.5	<0.05	<0.05	0.5	0.016	<0.02	0.3	3
E385152		72.9	0.012	0.17	1.27	7.4	1	17.8	1590	0.41	0.1	8.8	0.117	0.16	27.6	43
E385153		76.8	0.012	0.17	1.15	8.6	2	21.3	1190	0.45	0.11	7.3	0.14	0.18	21.3	47
E385154		93.8	0.009	0.23	1.17	10.6	1	25.8	784	0.5	0.12	5.7	0.155	0.2	11	54
E385155		90.3	0.013	0.27	1.87	11.7	2	30.3	691	0.41	0.12	5.5	0.14	0.2	6.3	55
E385156		92.9	0.009	0.92	2.06	12.9	3	30.5	491	0.4	0.19	5.9	0.177	0.19	6.6	61
E385157		73.3	0.007	0.62	2.32	12.7	2	23.1	568	0.4	0.13	6.8	0.149	0.17	6.6	54
E385158		73.1	0.011	1.62	2.4	20.2	3	25.7	232	0.56	0.24	14.4	0.156	0.17	7.3	55
E385159		15.3	0.012	3.91	3.43	9	4	13.3	306	0.4	0.32	30.4	0.091	0.05	3.8	35
E385160		25.6	0.003	0.4	0.92	10.6	1	12.3	439	0.42	0.07	7.5	0.154	0.08	11.7	42
E385161		1.5	0.002	0.04	0.38	1.1	2	0.3	112	<0.05	<0.05	0.5	0.015	<0.02	0.2	2
E385162		32.8	0.02	6.19	2.41	3.9	6	8	173	0.15	1.36	5.9	0.032	0.5	15	52
E385163		40.3	0.006	0.75	1.09	11.4	1	15.5	234	0.48	0.15	8.1	0.184	0.11	9.2	47
E385164		46.2	0.004	0.62	1.12	11.6	1	17.6	181	0.59	0.1	5.8	0.206	0.13	7.2	52
E385165		41	0.008	0.82	1.75	12.3	2	16.3	318	0.41	0.2	7.1	0.177	0.13	22.4	55
E385166		9.9	0.011	0.21	1.27	5.4	1	8.6	1450	0.26	0.07	6.5	0.077	0.05	11.1	37
E385167		10.8	0.007	0.43	1.11	6.4	1	8.6	1080	0.23	0.15	6	0.087	0.06	60.5	37
E385168		53.6	0.004	0.23	1.83	8.7	1	9.5	783	0.28	0.06	5.2	0.118	0.14	12.9	46
E385169		67.7	0.005	1.47	2.65	13.1	2	18.6	182	0.38	0.27	4.9	0.179	0.21	5.8	64
E385170		69.8	0.005	1.64	1.27	9.8	3	14.7	615	0.34	0.51	5.1	0.141	0.19	16.2	57
E385171		2.1	<0.002	0.04	0.37	1.2	1	0.4	112	<0.05	<0.05	0.5	0.016	<0.02	0.3	4
E385172		83.4	0.005	0.68	1.5	8.3	2	16.3	1090	0.37	0.28	7	0.169	0.19	16.6	56
E385173		82.1	0.006	1.31	1.63	7.7	3	14.9	997	0.45	0.35	9.3	0.157	0.19	11.7	50
E385174		112.5	0.009	0.41	1.9	9.6	2	18.9	502	0.53	0.15	10.3	0.154	0.2	5.3	58
E385175		114	0.003	0.31	1.47	11.4	2	16.2	277	0.5	0.07	8.7	0.213	0.21	8.9	65
E385176		83.3	0.008	0.14	2.3	8	2	13.7	900	0.31	0.06	8.5	0.131	0.16	3.6	47
E385177		76.9	0.006	0.44	1.25	7.1	2	10.5	2090	0.32	0.08	6.7	0.126	0.13	8.1	38
E385178		108	0.003	1.58	0.88	8.6	3	11.8	1770	0.41	0.62	5	0.142	0.2	3.1	42
E385179		74.5	0.004	1.68	0.89	7.6	2	7.3	1440	0.36	0.35	6.2	0.125	0.14	4	47
E385180		136	0.002	0.65	1.09	11.1	2	9.1	353	0.53	0.12	13.6	0.196	0.24	10.5	60
E385181		2	<0.002	0.08	0.32	1.3	2	0.2	138	<0.05	<0.05	0.5	0.015	<0.02	0.2	3
E385182		129	0.007	1.21	1.2	12.2	3	8	426	0.2	0.2	13.7	0.112	0.39	22.4	61
E385183		98.7	0.003	0.81	1.51	8.1	2	7.4	865	0.42	0.2	10.4	0.154	0.18	6.3	52
E385184		143.5	0.006	0.57	1.29	11.5	2	8.8	237	0.55	0.2	13.7	0.214	0.28	16.6	65
E385185		119	0.003	0.55	1.2	10.4	1	7.3	253	0.5	0.22	13	0.201	0.23	10.1	59

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101839

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385146		13.3	10	6	32.3	0.002	
E385147		16.9	9.3	5	39.9	0.009	
E385148		18	9.3	4	44.7	0.005	
E385149		18.3	9.9	3	41	0.006	
E385150		19.7	10.3	4	43.3	0.005	
E385151		0.5	3.4	12	5.4	<0.001	
E385152		15.1	9.5	4	31.1	0.004	
E385153		14.7	8.6	3	36.3	0.004	
E385154		14.9	8.2	3	46.1	0.008	
E385155		17.6	8.4	4	35	0.011	
E385156		17.4	8.7	4	37.8	0.006	
E385157		15.6	8.1	4	32.7	0.007	
E385158		17.7	11.9	4	38.1	0.006	
E385159		11.5	17.2	5	20.1	0.009	
E385160		7.8	7.5	3	46.9	0.002	
E385161		0.5	3.5	11	2.9	0.002	
E385162		7.4	15.3	3	21.2	0.119	
E385163		9.4	8.1	3	47.4	0.004	
E385164		10.2	9.2	2	58.7	0.003	
E385165		9.6	8.6	4	39.1	0.006	
E385166		5.3	8.4	5	17.8	0.003	
E385167		4.5	9.9	8	22.2	0.005	
E385168		7.1	9.4	6	32.3	0.002	
E385169		10.9	8.8	8	43.4	0.006	
E385170		10.8	8	4	37.4	0.011	
E385171		0.5	3.3	11	3.3	0.002	
E385172		16	8	4	35.5	0.008	
E385173		17.5	8.9	4	40.1	0.010	
E385174		19.7	12.5	4	38.8	0.003	
E385175		18.7	10.5	14	53.2	0.003	
E385176		21.4	11.2	5	28.2	0.005	
E385177		19.2	9.3	7	28	0.003	
E385178		18.7	7.5	4	32.7	0.009	
E385179		18.9	9.9	3	32.8	0.008	
E385180		17.5	13	2	52.8	0.003	
E385181		0.5	3.7	11	3.3	0.001	
E385182		8.8	12.5	5	57.6	0.019	
E385183		14.7	12.1	11	49.2	0.004	
E385184		17.2	12.5	10	59.3	0.008	
E385185		15.5	13.6	5	52.7	0.009	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101839

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385186		0.97	0.05	5.63	2.8	900	2.03	0.16	6.32	<0.02	92.9	38.9	37	2.44	7.8	7.54
E385187		1.31	0.07	6.42	2.6	4750	2.59	0.11	7.54	<0.02	81.2	34.4	33	3.44	90.1	7.73
E385188		0.82	0.43	6.41	2.5	2840	2.79	0.11	5.09	<0.02	55.2	34.4	37	5.08	10.6	7.59
E385189		1.41	0.27	3.17	20.7	180	1.2	0.55	2.99	<0.02	90.6	153	17	3.61	180	16.35
E385190		0.68	0.05	6	38.7	1080	2.26	0.38	4.51	<0.02	207	156.5	31	3	33.6	9.86
E385191		0.30	0.02	0.36	<5	360	0.1	0.03	20.4	0.15	5.79	3.5	11	0.2	5.5	0.43
E385192		1.32	0.08	6.7	35.9	450	2.57	0.57	4.9	<0.02	118.5	137.5	43	3.69	50.2	9.56
E385193		1.04	0.02	7.08	8.9	1200	2.9	0.08	1.53	0.02	93.9	18.3	45	2.75	750	10.9
E385194		1.19	0.08	8.38	11.4	810	3.64	0.14	1.36	<0.02	247	17.9	52	3.76	824	11.05
E385195		1.52	0.19	3.76	39.9	180	1.17	0.59	3.37	<0.02	164	228	20	1.36	2300	16.25
E385196		1.46	0.16	4.45	43.3	720	1.73	0.35	1.57	<0.02	130.5	282	23	1.96	1730	15.1
E385197		1.46	0.11	4.42	53	160	1.33	0.55	6.51	<0.02	169	233	24	1.59	1020	13.55
E385198		1.22	0.2	4.44	45.4	130	1.39	0.45	4.57	<0.02	52.2	286	27	1.56	1240	11.65
E385199		1.46	0.32	5.2	11.6	390	1.62	0.23	4.9	<0.02	107.5	139	28	1.89	4080	11.1
E385200		0.55	0.18	6.14	12.1	3820	1.92	0.17	3.54	<0.02	177	82	31	2.27	1760	12.15
E385201		0.23	0.02	0.38	<5	150	0.09	0.02	20.1	0.16	6.46	3.3	11	0.18	46	0.36
E385202		0.20	1.13	5.63	58.2	120	1.84	2.88	1.99	<0.02	62	168	36	3.63	7440	9.8
E385203		1.14	0.62	5.87	16.7	1350	1.78	0.31	3.42	<0.02	271	121	28	2.19	6170	13.95
E385204		1.54	0.28	3.85	16.6	1070	1.27	0.16	5.09	0.02	246	91.2	20	1.45	2270	13.9
E385205		1.28	0.3	6.43	14.5	510	2.1	0.26	3.36	<0.02	164	134.5	36	2.83	3540	11.4
E385206		0.95	0.23	5.47	8.9	850	1.65	0.17	5.97	<0.02	88.2	104	30	2.15	3050	11.35
E385207		0.83	0.25	4.93	14.1	1170	1.35	0.17	5.17	<0.02	146	111.5	24	2	1830	12.85
E385208		1.05	0.38	5.02	12.7	790	1.42	0.29	4.6	<0.02	174.5	107	29	2.05	3230	12.1
E385209		1.49	0.74	4.34	11.2	250	1.17	0.42	4.9	<0.02	120	94	26	1.58	6260	13.3
E385210		1.36	1.43	4.47	13.5	400	1.38	0.41	4	<0.02	124.5	33.3	28	1.92	9220	13.1
E385211		0.29	0.03	0.32	<5	170	0.13	0.02	19.75	0.14	6.86	2.6	15	0.16	73.1	0.35
E385212		1.10	1.93	3.91	38	200	1.17	0.64	4.26	<0.02	171.5	191	27	1.65	8060	14.2
E385213		1.08	0.45	5.18	11.9	2940	1.5	0.21	4.62	<0.02	188.5	27.9	35	2.24	3110	13.15
E385214		1.65	0.59	4.35	12.9	1030	1.53	0.34	0.5	<0.02	254	21.8	34	2.23	5120	13.25
E385215		1.07	0.48	6.65	14.5	1390	2.52	0.31	0.41	<0.02	155	35	50	3.41	5660	10.05
E385216		1.36	0.55	6.44	10.8	2630	2.3	0.23	0.31	<0.02	156.5	13.2	44	3.3	3650	10.6
E385217		1.36	0.16	5.09	12.9	4800	1.69	0.14	1.17	<0.02	169.5	16.4	30	2.63	1560	12.25
E385218		1.18	0.21	6.05	11.4	890	1.9	0.54	5.43	<0.02	213	79.4	29	4.25	1830	12.25
E385219		1.89	0.06	4	8.5	1640	1.36	0.13	4.34	<0.02	103	25.6	28	2.31	91.3	9.78
E385220		0.97	<0.01	7.48	4.7	850	3.55	0.04	3.25	<0.02	29.3	16.5	48	4.88	48.4	7.47

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101839

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E385186		16.7	0.25	1.9	0.116	3.07	58.4	17.7	2.7	5990	15.65	0.04	6	10.8	600	1.9
E385187		19.6	0.25	2	0.144	3.5	49.6	26.8	3.69	6440	24.5	0.05	6.6	15.7	720	2.8
E385188		19.35	0.25	2.2	0.12	3.31	32.1	25.5	2.59	4620	16.9	0.05	5.4	16.5	680	2.2
E385189		11.4	0.39	0.9	0.179	1.46	46.5	20.7	2.77	13050	19.05	0.03	7	41.6	1110	4.7
E385190		17.15	0.36	1.8	0.1	3.01	151	29.7	2.39	4680	30.2	0.13	8.1	24.2	1700	2.3
E385191		1.19	0.07	0.1	0.006	0.07	3	4	11.2	347	0.59	0.02	0.6	<0.2	410	2.1
E385192		19.2	0.28	2.9	0.097	3.14	91.6	39.4	2.89	4130	32.3	0.04	8	24.2	1370	2.5
E385193		22.5	0.3	2.4	0.086	3.7	71.1	29.4	1.05	1285	8.42	0.04	14.7	14.1	940	2.4
E385194		26.9	0.39	2.9	0.107	4.66	190.5	34.6	0.95	1040	63.5	0.05	13.7	15.5	2010	2.3
E385195		11.3	0.45	1.1	0.106	1.6	120.5	28.9	3.19	11150	21.2	0.02	6.9	35	1270	3.8
E385196		15.1	0.44	1.4	0.12	2.16	97.6	29.4	1.66	8770	34.6	0.03	11	34	2020	2
E385197		12.6	0.4	1.3	0.103	2.08	115	29	3.18	8450	32.9	0.03	9.8	36.1	2340	3
E385198		11.6	0.31	1.5	0.105	2.04	28.6	27.9	2.65	8020	68	0.03	6.7	31.7	1100	4
E385199		14.75	0.34	1.9	0.109	2.31	72.7	36.6	2.7	4800	26.1	0.03	7.9	29	1240	3.8
E385200		18.4	0.35	2.1	0.111	2.74	127	35.6	2.44	4530	24.4	0.04	9.6	30.5	1580	2
E385201		1.2	0.07	0.1	0.007	0.08	3.6	3.5	11.05	282	0.72	0.02	0.6	<0.2	420	2.1
E385202		16.3	0.3	1.9	0.142	2.19	26.5	24.4	1.22	3530	63.2	0.89	3.6	36.6	870	22.5
E385203		18.75	0.44	2.2	0.131	2.5	192	35.4	2.52	5170	27.6	0.03	10.5	36.7	2180	2.5
E385204		13.9	0.47	1.4	0.126	1.86	173	19.6	2.74	6290	26.8	0.03	9.6	26.9	3180	2
E385205		20	0.34	2.3	0.122	3.17	116.5	28.3	2	3680	19.6	0.03	10.9	24.3	1620	2
E385206		14.75	0.32	1.9	0.106	2.37	61.2	35.2	3.16	4510	12.6	0.03	5.8	28.8	870	2
E385207		13.95	0.4	1.6	0.158	2.15	105	29.1	3.29	7460	21.1	0.03	6.4	31.5	1830	1.9
E385208		14.35	0.42	1.8	0.112	2.3	124	23.9	2.62	4690	24.2	0.03	7.2	27.9	1160	4.2
E385209		12.5	0.36	1.4	0.158	2.01	84.1	21.8	2.8	6330	23.7	0.02	6.9	27	1180	11.3
E385210		12.6	0.37	1.3	0.17	2	91.9	25.6	2.55	5220	20.3	0.02	7.2	33	1250	3.2
E385211		0.96	<0.05	<0.1	0.008	0.07	3.6	4	10.65	280	0.58	0.02	0.5	9.6	390	1.6
E385212		11.35	0.42	1.3	0.232	1.71	122	25.9	2.95	6960	59.5	0.02	7.4	35.9	1070	5.9
E385213		14.4	0.39	1.8	0.196	2.54	144.5	25.7	2.89	6230	20.4	0.03	7.8	29.6	1130	2.2
E385214		13.3	0.44	1.3	0.208	2.2	184	18.7	1.26	5270	18.2	0.02	9.2	20.9	1200	1.7
E385215		20.4	0.35	2.2	0.146	3.52	113.5	26.6	0.91	2100	18.25	0.03	14.1	16.5	1000	2
E385216		18.85	0.35	2.3	0.145	3.34	112.5	25.9	0.91	2210	27.4	0.03	13.9	15.2	1220	1.9
E385217		15.1	0.37	1.7	0.219	2.44	122	30.1	1.68	4200	13.25	0.03	10.9	19.4	1170	1.8
E385218		18.1	0.43	2.2	0.207	2.36	143.5	53	4.02	4230	12.75	0.03	7.4	31.3	1220	2.2
E385219		11.8	0.25	1.2	0.201	2.06	68.5	17.3	2.18	4160	20.3	0.02	6	16.6	1130	1.5
E385220		24.8	0.17	1.8	0.116	2.14	17.5	57.4	3.19	2080	0.85	1.46	6.7	37.8	700	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101839

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E385186		130	0.003	0.16	1.72	11.8	1	7	28.7	0.4	0.13	10.9	0.198	0.23	18.4	54
E385187		146.5	0.008	0.24	1.09	12.5	2	7.9	130	0.44	0.1	12.5	0.209	0.27	49.7	61
E385188		141.5	0.012	0.21	1.23	11.7	1	8	68	0.37	<0.05	11.5	0.216	0.26	25.7	64
E385189		64.7	0.007	0.96	0.88	6.4	2	5	332	0.23	0.36	11.9	0.078	0.13	73.4	35
E385190		118.5	0.009	1.2	1.29	8.8	3	11.5	36.2	0.33	0.41	16.6	0.158	0.23	18.7	60
E385191		2.4	<0.002	0.06	0.33	1.4	2	0.2	125	<0.05	<0.05	0.6	0.015	0.02	1	3
E385192		131.5	0.01	1.24	1.54	9.7	2	12.7	18	0.3	0.25	16	0.161	0.25	28.2	64
E385193		147	0.004	0.13	2.57	12.4	2	21.6	22.5	0.84	0.07	12.3	0.26	0.23	8.8	88
E385194		187	0.019	0.12	2.14	15.1	2	24	16.5	0.71	0.06	11.8	0.29	0.32	7.6	118
E385195		67.9	0.007	1.98	0.89	8.2	3	7.9	45	0.24	0.39	7.4	0.083	0.13	25.8	43
E385196		95.5	0.009	1.46	1.08	9.1	3	11.3	49.3	0.41	0.36	7.5	0.11	0.17	5.2	55
E385197		82.3	0.006	1.95	0.94	9.3	2	9	240	0.31	0.63	7.7	0.09	0.15	26.4	60
E385198		80.7	0.005	1.63	1.08	7.3	2	7	444	0.24	0.59	6.4	0.092	0.17	44.8	39
E385199		94.5	0.005	1.08	1.24	9.1	3	8.3	151	0.33	0.25	15	0.113	0.18	76.7	50
E385200		111.5	0.005	0.62	0.76	10.7	2	11.2	82	0.42	0.18	13.2	0.148	0.2	11.5	62
E385201		2.7	<0.002	0.04	0.35	1.4	2	0.2	119.5	<0.05	<0.05	0.6	0.016	<0.02	0.9	4
E385202		80.4	0.025	2.28	1.61	10.3	3	7.8	572	0.19	0.25	8.8	0.087	0.49	292	54
E385203		109	0.006	1.09	0.89	10.1	3	11.4	41.1	0.45	0.3	14.4	0.131	0.19	12.8	66
E385204		77.9	0.007	0.61	0.94	8.1	3	8.6	38	0.4	0.21	10.7	0.103	0.15	7	67
E385205		133	0.006	0.99	1.07	12.5	3	13.2	112	0.5	0.3	13.1	0.193	0.26	10.9	71
E385206		95.9	0.004	0.83	0.82	10.2	2	8.3	217	0.28	0.17	10.3	0.159	0.21	15.4	56
E385207		86.2	0.005	0.69	0.88	8.5	2	7.6	64.8	0.25	0.22	9.1	0.106	0.18	12.9	51
E385208		92.3	0.006	0.86	1.39	8.8	3	8.9	91.8	0.3	0.26	10.6	0.139	0.21	75.5	52
E385209		78.2	0.005	0.98	1.14	7.4	3	8.5	195	0.28	0.3	8.8	0.104	0.17	29.9	45
E385210		88.9	0.005	1.05	1.33	7.7	5	10.3	69.6	0.31	0.38	8.7	0.109	0.18	61.8	47
E385211		2.3	<0.002	0.04	0.34	1.2	2	0.2	100.5	<0.05	<0.05	0.5	0.016	<0.02	0.5	4
E385212		76	0.006	1.53	1.62	7.8	6	9.2	76.9	0.32	1.27	11.8	0.103	0.18	177.5	45
E385213		100.5	0.004	0.43	1.16	9.2	3	11.3	88.7	0.32	0.16	6.3	0.149	0.21	32.9	59
E385214		95.5	0.009	0.54	1.56	7.3	3	13.8	106	0.39	0.27	10.2	0.143	0.19	10.7	49
E385215		157	0.009	0.61	1.62	11.8	4	20.9	180.5	0.57	0.27	9.2	0.204	0.31	16.7	70
E385216		147	0.01	0.43	1.44	10.7	4	20	165.5	0.57	0.25	9.5	0.202	0.29	16.6	73
E385217		108.5	0.004	0.28	1.54	9.4	2	16.2	94.2	0.45	0.16	8.2	0.159	0.21	13.3	60
E385218		101	0.005	0.64	1.06	10.5	2	11.9	34.8	0.31	0.15	10.3	0.171	0.23	11.7	68
E385219		87.2	0.009	0.18	1.16	7.5	2	8.6	356	0.29	0.08	7.3	0.131	0.2	6.8	53
E385220		117	<0.002	0.03	1.3	14.5	1	3.5	40.8	0.59	<0.05	12.2	0.212	0.19	6.5	73

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 25-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101839

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385186		16.4	13.6	3	50.9	0.007	
E385187		18.5	16.7	6	55.3	0.005	
E385188		17.3	14.5	7	56.7	0.004	
E385189		10.3	14.4	10	25.9	0.011	
E385190		15.5	13.5	7	48.9	0.013	
E385191		0.6	3.9	12	3.5	0.001	
E385192		17.9	14.7	10	76.1	0.009	
E385193		27.4	11.4	3	62.3	0.010	
E385194		32.7	18.7	2	77.9	0.012	
E385195		15.9	12.9	7	29.9	0.035	
E385196		22	14.5	4	38.9	0.028	
E385197		19.6	18.3	7	33.3	0.026	
E385198		17.3	11.2	4	41.4	0.027	
E385199		13.3	13.8	3	52	0.044	
E385200		14	16.1	7	56.1	0.025	
E385201		0.6	3.9	12	5.6	0.002	
E385202		9	16.3	8	49.7	0.048	
E385203		14.4	20.5	9	59.1	0.079	
E385204		12.2	23.1	4	35.5	0.029	
E385205		17.5	16.9	<2	61.5	0.059	
E385206		12.3	13.5	4	52.6	0.056	
E385207		10.9	15.3	8	43	0.025	
E385208		13	14	5	48.4	0.045	
E385209		12.1	11.8	5	37.6	0.095	
E385210		11.2	11.2	7	41.7	0.088	
E385211		0.5	3.2	10	3.9	<0.001	
E385212		12.9	13.7	5	41.9	0.118	
E385213		13.3	12.3	<2	54.7	0.025	
E385214		14.3	9.9	<2	41.9	0.047	
E385215		18.7	12.7	<2	67.9	0.041	
E385216		18.1	12.6	<2	66.1	0.024	
E385217		13.7	11.3	5	52.4	0.012	
E385218		12.1	15.7	17	63.5	0.020	
E385219		11.8	11.7	3	36.7	0.003	
E385220		4.7	10.5	24	55.2	0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07101839

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE EL07113418

Project: IGOR: 16-2007-08

P.O. No.: 198711

This report is for 61 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 11-SEP-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim 'or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-08

CERTIFICATE OF ANALYSIS EL07113418

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385467		3.22	0.15	7.68	11.5	2520	1.16	1.96	4	0.04	160	28.2	42	6.47	185	6.76
E385468		1.58	0.13	7.66	13.7	1670	1.2	1.78	4.35	0.02	111	28.3	43	6.41	312	6.39
E385469		0.87	0.11	6.92	13.4	960	1.06	1.97	4.44	<0.02	93	31	40	5.44	338	7.25
E385470		1.34	0.11	8.16	11.2	3010	1.3	1.41	4.58	<0.02	167	25.3	45	6.89	370	7.26
E385471		0.25	0.03	0.15	5	70	0.06	0.01	46.8	0.39	2.48	0.9	6	0.05	2.3	0.06
E385472		1.81	0.11	7.83	11.4	2730	1.17	1.48	3.71	<0.02	140.5	27.3	45	6.84	120.5	8.12
E385473		0.85	0.11	6.96	9.1	2570	1.17	1.46	3.63	<0.02	123.5	21.8	38	6.03	902	8.75
E385474		1.18	0.09	7.48	8.3	2870	1.29	1.2	3.44	<0.02	122.5	24	41	6.38	193	8.7
E385475		1.08	0.19	6.89	7.7	3160	1.17	1.26	3.97	0.02	92	25.4	40	5.82	41.7	8.85
E385476		1.58	0.09	7.2	9.4	1470	1.11	1.39	3.92	<0.02	91.6	21.5	42	5.84	17.5	8.73
E385477		1.28	0.06	7.92	6.3	4980	1.16	1.15	4.22	<0.02	159.5	16.5	44	6.32	11.1	8
E385478		1.27	0.11	7.64	7.4	2300	1.32	1.24	4.16	<0.02	106	17.7	46	6.5	25.2	8.49
E385479		0.65	0.12	7.21	11.3	620	1.22	2.68	3.76	<0.02	87.1	27.4	41	6.11	15.5	9.21
E385480		1.72	0.19	7.23	15.1	430	1.27	4.06	4.32	<0.02	112	40	43	6.55	34	9.75
E385481		0.27	0.02	0.15	8	70	0.08	0.02	46.3	0.36	2.38	0.9	6	<0.05	2	0.07
E385482		0.23	1.11	2.41	84.3	100	0.56	10.3	2.28	<0.02	204	334	19	2.66	8730	27.6
E385483		2.75	0.43	6.64	26.5	3260	1.27	8.16	1.93	<0.02	172.5	72	39	5.9	1730	12.6
E385484		1.27	0.09	6.74	7.2	1160	1.44	1.19	1.2	<0.02	208	17.3	38	6.23	165	9.06
E385485		1.53	0.17	7.19	11.7	1290	1.41	2.23	2.02	<0.02	96.1	23.1	42	6.15	57.9	8.19
E385486		0.94	0.13	7.78	13.6	1180	1.66	2.58	2.58	<0.02	136	24.2	50	7.49	15.7	7.78
E385487		1.40	0.37	4.97	67.4	320	1.1	7.86	3.46	<0.02	286	103	30	5.65	599	11.65
E385488		0.92	0.4	5.38	81.2	2360	1.12	13.8	1.99	<0.02	179	144	29	6.01	161	11.6
E385489		1.09	0.29	6.98	55.5	1420	1.53	10.4	2.6	<0.02	242	132.5	39	7.41	111.5	9.55
E385490		0.99	0.3	7.33	30.1	3850	1.82	4.65	4.15	<0.02	86.6	45.5	40	7.72	27.1	7.75
E385491		0.21	0.06	0.13	<5	70	<0.05	0.03	43.8	0.35	2.47	0.9	6	0.05	2.2	0.06
E385492		1.05	0.2	7.07	37.3	2390	1.75	5.01	1.56	<0.02	64.7	60.3	40	7.57	109.5	9.26
E385493		2.85	0.34	5.13	45.5	700	1.47	8.16	0.36	<0.02	85.9	96.8	30	5.45	611	13.15
E385494		1.75	0.14	7.25	4.6	4550	1.71	0.09	4.82	<0.02	109	10.5	39	10.75	84.1	7.16
E385495		1.19	0.14	6.09	6	5800	1.53	0.17	3.45	<0.02	125	35.9	36	9.92	403	6.78
E385496		3.07	0.68	5.63	34.5	990	1.68	6.14	0.63	<0.02	110	169.5	21	9.75	348	10.2
E385497		0.92	0.43	4.25	24.7	240	1.08	3.87	1.15	<0.02	70.7	153.5	15	7.19	130	11.1
E385498		1.63	0.05	6.3	5.9	3660	1.1	0.09	1.12	<0.02	101	61.9	28	8.37	760	8.42
E385499		1.76	0.1	5.49	9.3	1920	1.41	0.15	2.17	<0.02	111.5	78.5	25	10.25	1200	11.65
E385500		1.71	0.08	5.27	7.3	2600	1.31	0.12	1.91	<0.02	155.5	43.8	22	9.46	471	8.51
E384751		1.87	0.09	5.33	8	1530	1.39	0.07	2.45	<0.02	112.5	46.8	17	8.95	708	8.43
E384752		0.28	0.01	0.12	<5	40	0.06	<0.01	43.6	0.4	2.26	0.9	6	<0.05	3.2	0.05
E384753		1.09	0.05	6.01	3.6	>10000	1.72	0.03	0.67	<0.02	93.5	30.8	22	10.15	145	6.51
E384754		1.54	0.21	6.01	12.1	1010	1.95	1.05	2.09	<0.02	85.6	76.7	33	10.55	153.5	7.55
E384755		1.28	0.07	6.19	3.3	3000	1.88	0.04	4.21	<0.02	90.2	55	35	9.77	167.5	7.64
E384756		1.49	0.09	5.7	6.1	4930	1.92	0.13	3.72	<0.02	143.5	67.3	35	8.96	521	10.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-08

CERTIFICATE OF ANALYSIS EL07113418

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385467		19.25	0.22	2.2	0.097	3.44	97.1	9.5	1.18	4270	29.4	0.08	6.2	35.95	800	4.1
E385468		18.6	0.21	2.2	0.105	3.4	67.6	10.5	1.19	4170	6.95	0.07	6.4	18.6	780	2.4
E385469		16.1	0.19	2	0.122	2.96	56.9	11	1.31	4660	4.33	0.07	5.5	17.4	700	2.7
E385470		20.4	0.23	2.4	0.118	3.69	107.5	11.4	1.32	4250	7.98	0.08	7.7	15.9	840	2.3
E385471		0.58	0.06	<0.1	<0.005	0.04	2	1.5	0.49	45	0.21	0.01	0.4	4.1	100	1.1
E385472		19.45	0.2	2.3	0.119	3.52	89.5	11.8	1.39	4610	5.37	0.07	6	16.4	790	2.3
E385473		17.2	0.21	1.9	0.11	3.13	81.5	10.6	1.47	4630	3.8	0.07	5.3	15.8	690	2.4
E385474		19.1	0.19	2	0.108	3.38	80.2	11.5	1.4	4820	4.66	0.07	4.9	15.4	760	2.3
E385475		17.5	0.19	1.9	0.102	3.12	60.8	11.3	1.37	4680	5.41	0.07	4.6	18.3	680	2.7
E385476		18.45	0.19	1.9	0.093	3.29	59.8	12.8	1.04	3950	6.94	0.07	3.6	17.8	700	2.4
E385477		20	0.19	2.3	0.093	3.56	105	14	1.18	4080	9.95	0.08	4.7	13.4	790	2.4
E385478		19.7	0.19	2.2	0.103	3.45	71.2	16.1	1.57	4690	11.55	0.07	4.3	14.4	740	2.8
E385479		18.3	0.18	2.1	0.102	3.14	56	18.6	1.41	5040	7.78	0.07	4.8	19.1	680	2.4
E385480		18.4	0.2	2.1	0.101	3.17	70.7	22.8	1.54	4820	17.55	0.07	6	22.6	670	3.5
E385481		0.55	0.05	<0.1	<0.005	0.03	1.8	1.5	0.5	46	0.24	0.01	0.3	2.8	130	1.3
E385482		9.43	0.41	0.7	0.248	0.65	125.5	21.6	1.54	5950	61.8	0.23	6.6	66.8	2480	6.6
E385483		16.4	0.25	2	0.105	2.83	118.5	20.8	0.98	3560	56.3	0.06	5.6	32.8	720	4
E385484		16.4	0.21	1.8	0.123	2.93	149	21.6	0.95	4320	9.77	0.06	5	15.1	740	2
E385485		16.25	0.17	1.9	0.126	2.97	67.2	26	1.27	3750	35	0.06	6	19.9	810	3.1
E385486		19.4	0.18	2.3	0.113	3.43	102.5	29.2	1.56	3830	17.1	0.08	8.3	18.5	820	2.7
E385487		12.55	0.26	1.3	0.104	2.2	208	25.3	1.25	4580	28.3	0.05	6.6	33.3	1880	3.2
E385488		12.8	0.22	1.7	0.105	2.48	127.5	27.9	1.1	3430	16.65	0.05	6.9	37	1230	3.2
E385489		16.7	0.24	2.1	0.1	3.26	153.5	36.8	0.8	2410	38.3	0.06	6.6	28.7	950	3.6
E385490		17.1	0.18	2.3	0.11	3.34	54.4	36.3	1.5	3800	157	0.07	6.1	18.7	750	2.7
E385491		0.5	<0.05	<0.1	<0.005	0.03	1.9	1.6	0.45	39	0.53	0.01	0.3	2.6	110	20.2
E385492		17.55	0.17	2.1	0.152	3.21	40.1	40.1	1.24	4800	24.7	0.06	4.2	24.3	820	2.9
E385493		15.2	0.23	1.4	0.189	2.31	51.8	29.7	1.32	9630	18.7	0.04	4.1	37.4	1230	2.8
E385494		21	0.18	2.2	0.18	3.42	65.8	65.2	1.71	4070	7.85	0.08	4.4	19.4	700	1.7
E385495		16.8	0.17	2	0.23	2.77	81	59.6	1.6	4290	11.15	0.07	3.5	15.5	650	1.9
E385496		15.35	0.22	3.1	0.262	2.62	61.4	52.6	0.86	4120	7.52	0.06	3.9	25	460	4.9
E385497		11.4	0.19	2.3	0.285	1.97	40.7	38.2	1.01	6260	5.66	0.05	2.5	21.2	410	3
E385498		13.75	0.15	1.9	0.244	3.04	69	47.5	1.08	4840	1.1	0.07	2.7	12.1	770	1.2
E385499		15.35	0.23	1.8	0.333	2.54	81.9	56.1	1.46	6770	3.21	0.06	3.7	19.3	1380	1.7
E385500		14.8	0.21	2.3	0.238	2.41	113.5	52.2	1.18	4070	1.9	0.05	3.9	15.1	970	2
E384751		14.05	0.18	2.4	0.239	2.4	81.2	47.2	1.24	4200	1.75	0.05	3.8	13.4	1040	1.5
E384752		0.51	<0.05	0.1	<0.005	0.03	1.8	1.6	0.44	35	0.19	0.01	0.3	<0.2	110	0.8
E384753		15.95	0.14	2.9	0.28	2.78	65.5	54.6	0.87	3790	2.92	0.08	3.6	11.8	460	1.6
E384754		16.9	0.18	2	0.295	2.76	52.3	59.2	1.31	4220	10.8	0.06	3.5	18.5	660	2.7
E384755		14.9	0.15	1.5	0.229	2.84	56.1	51.4	1.67	5070	6.45	0.07	3.4	15.9	740	1.4
E384756		15.2	0.21	1.5	0.282	2.29	91.6	50.4	1.69	7230	12.95	0.2	3.7	22.1	920	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-08

CERTIFICATE OF ANALYSIS EL07113418

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385467		135	0.03	0.77	1.64	14.3	4	6	23.4	0.37	0.29	14.6	0.137	0.55	10	71
E385468		134.5	0.008	0.8	1.46	13.2	3	6.1	23	0.38	0.26	13.7	0.137	0.48	17.3	71
E385469		120	0.006	0.95	1.51	11.2	3	5.6	25.5	0.34	0.25	12.3	0.122	0.41	10.8	68
E385470		149	0.013	0.73	1.61	14.1	3	6.9	26	0.44	0.2	14.6	0.153	0.49	21.7	76
E385471		0.9	<0.002	0.07	0.13	0.5	3	<0.2	278	<0.05	<0.05	0.2	0.006	<0.02	0.6	4
E385472		139.5	0.007	0.78	1.47	12.9	2	6.4	22.7	0.36	0.18	13.9	0.136	0.47	17.6	72
E385473		125	0.004	0.69	1.35	12	3	5.8	19.4	0.32	0.15	12.3	0.126	0.4	16.6	63
E385474		138	0.004	0.64	1.33	12.9	3	6.1	20.7	0.28	0.12	12.6	0.127	0.44	14.1	68
E385475		125	0.012	0.75	1.57	12.3	3	5.9	37.4	0.27	0.11	11.4	0.123	0.42	9.7	61
E385476		128	0.004	0.83	1.33	12.8	2	6	63.6	0.21	0.13	12.6	0.118	0.43	6.4	65
E385477		140.5	0.006	0.66	1.33	13.4	2	6.8	62.7	0.29	0.11	15.6	0.137	0.46	7.3	71
E385478		141.5	0.011	0.76	1.24	13.7	2	6.9	35.4	0.24	0.1	13.2	0.12	0.46	9	68
E385479		129	0.008	1.47	1.39	12.5	3	6.7	39.4	0.29	0.15	11.3	0.12	0.44	10.3	65
E385480		131.5	0.009	2.2	1.73	12.2	3	6.9	41.9	0.38	0.22	12.6	0.133	0.47	19.8	65
E385481		0.8	<0.002	0.06	0.09	0.4	3	<0.2	275	<0.05	<0.05	0.2	0.006	<0.02	0.6	4
E385482		36.4	0.019	7.13	2.09	4.8	5	6.9	180	0.15	1.16	5.8	0.036	0.47	13	56
E385483		118	0.013	4.92	2.23	10.8	6	7.4	29.6	0.3	0.6	13.1	0.114	0.51	26.4	59
E385484		128.5	0.004	0.73	1.29	11.5	2	8.4	17.6	0.23	0.09	12.8	0.102	0.4	10.4	62
E385485		125.5	0.009	1.01	1.64	12.6	3	8.7	17	0.31	0.11	11.8	0.117	0.42	40.5	70
E385486		148.5	0.005	1.09	2.3	13.9	2	10.3	34.1	0.43	0.14	12	0.139	0.46	21.7	76
E385487		97.4	0.011	4.66	2.2	9.1	3	8.6	71.1	0.22	0.43	12.6	0.085	0.33	4.2	57
E385488		112	0.008	6.73	2.7	9.4	3	9.4	32.6	0.28	0.68	8.4	0.099	0.35	5	57
E385489		142.5	0.005	5.11	2.67	11.1	2	9.9	68.8	0.34	0.49	14.5	0.124	0.46	15.6	61
E385490		147.5	0.007	3.04	2.1	11.7	2	9.8	63.7	0.38	0.16	13.3	0.148	0.5	15.9	63
E385491		0.8	<0.002	0.07	0.12	0.4	3	<0.2	258	<0.05	<0.05	0.2	0.006	<0.02	0.6	4
E385492		149	0.01	3.35	1.74	11.4	2	10	20	0.24	0.17	11.9	0.118	0.5	11.1	61
E385493		112	0.008	3.68	1.72	9.6	2	8.2	15.4	0.18	0.23	9.1	0.09	0.37	7.2	66
E385494		170.5	<0.002	0.08	1.89	11.7	2	4.3	140	0.32	0.32	13.9	0.157	0.57	4	66
E385495		161.5	0.004	0.34	1.97	10	2	6.3	102.5	0.21	0.18	15	0.126	0.48	3.5	64
E385496		157.5	<0.002	4.04	4.3	7.3	3	7.2	25.3	0.2	0.56	14.6	0.087	0.5	15.1	36
E385497		114.5	<0.002	2.61	3.11	6.8	2	5.4	92.3	0.12	0.21	11.4	0.063	0.38	2.7	30
E385498		139.5	<0.002	0.51	1.21	6.6	2	6.5	63.3	0.13	<0.05	11.8	0.101	0.36	1.8	46
E385499		151.5	<0.002	0.55	1.44	9.4	2	8.6	91.7	0.15	<0.05	14.2	0.09	0.42	2.5	54
E385500		143	<0.002	0.3	1.61	7.4	2	8	282	0.18	<0.05	14.8	0.087	0.38	2.5	44
E384751		140	<0.002	0.37	1.37	7.3	2	8.1	301	0.16	0.05	13.3	0.08	0.38	4.9	41
E384752		0.8	<0.002	0.06	0.07	0.5	2	<0.2	269	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E384753		159	<0.002	0.23	1.49	8	2	8.6	230	0.19	<0.05	14.9	0.094	0.46	3.2	40
E384754		161	0.004	0.67	2.56	10.2	2	8.5	445	0.21	0.15	12.3	0.117	0.54	17.5	55
E384755		147	0.004	0.36	1.4	8.9	2	7.4	534	0.22	<0.05	10.6	0.126	0.39	2.4	60
E384756		133.5	0.007	0.33	1.4	9	2	6.8	148	0.18	0.07	13.5	0.099	0.38	2.3	55

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-08

CERTIFICATE OF ANALYSIS EL07113418

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385467		10.7	15.9	9	62.5	0.026	
E385468		10.3	14.6	4	63.8	0.020	
E385469		9.8	13.9	6	57.4	0.020	
E385470		12	16	4	68.5	0.012	
E385471		0.1	3	22	2.8	0.001	
E385472		10.8	15	4	65.7	0.026	
E385473		10.3	13.6	3	55.9	0.049	
E385474		10.5	14.1	3	60.5	0.013	
E385475		10.5	13.3	3	56.6	0.011	
E385476		9.6	13.7	3	57.7	0.014	
E385477		11.3	15.2	3	65	0.009	
E385478		11.2	15.1	3	63.9	0.008	
E385479		12.3	14.5	4	60.1	0.020	
E385480		13.2	15.9	4	61.4	0.019	
E385481		0.1	3	22	3.2	0.002	
E385482		7.1	15.5	12	22.6	0.125	
E385483		13	13.8	4	56.5	0.084	
E385484		12.9	13.1	5	51.5	0.009	
E385485		14.2	13.2	7	55.8	0.012	
E385486		16	16.9	4	64.4	0.012	
E385487		11.8	17.2	6	39.2	0.062	
E385488		12.7	13.3	4	46	0.067	
E385489		16.1	15.7	2	61.4	0.051	
E385490		17.1	15.5	4	66	0.019	
E385491		0.1	2.8	21	2.6	<0.001	
E385492		14.7	13.3	9	59.4	0.018	
E385493		10.1	11.5	14	49.8	0.025	
E385494		24.3	15.5	9	74	0.010	
E385495		19.9	13.6	6	67	0.008	0.60
E385496		12.7	16.6	5	93.6	0.051	
E385497		8.9	13.2	5	71.2	0.028	
E385498		10.7	10.7	4	58.4	0.006	
E385499		12.3	14.5	5	62.6	0.012	
E385500		11.5	14.2	5	72.2	0.005	
E384751		10.7	16.2	5	76.6	0.007	
E384752		0.1	2.9	22	3.8	<0.001	
E384753		10.9	15.3	6	87.2	0.002	2.01
E384754		12.7	12.8	7	66.9	0.009	
E384755		10.7	12.9	5	51.6	0.002	
E384756		9.5	13.8	15	51.8	0.005	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-08

CERTIFICATE OF ANALYSIS EL07113418

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384757		0.88	0.47	4.91	70.7	190	1.43	1.92	3.05	<0.02	140	322	23	6.98	288	15.9
E384758		0.98	0.45	3.36	56.4	100	1.11	0.89	5.2	<0.02	160	336	15	4.79	890	14.85
E384759		1.01	0.34	4	27.8	200	1.22	0.42	6.2	<0.02	117.5	352	18	5.63	1630	16.25
E384760		1.07	0.93	0.51	74.2	150	0.14	3.18	5.39	<0.02	134.5	393	<1	0.35	416	21.5
E384761		1.38	0.31	3.18	39.5	260	1.05	1.02	4.24	<0.02	164.5	206	14	4.36	861	18.4
E384762		1.31	0.86	3.87	57.7	180	1.5	2.13	5.76	<0.02	110	232	19	5.96	886	13.6
E384763		0.25	0.02	0.13	<5	40	0.06	0.02	45.7	0.4	2.24	1	6	<0.05	3	0.05
E384764		0.22	1.05	2.22	66	100	0.56	9.27	2.16	<0.02	184	302	11	2.2	8050	24.4
E384765		1.40	0.04	6.16	4.5	6370	2.69	0.03	5.81	<0.02	88.5	46.5	34	10	18.3	6.56
E384766		1.23	0.04	5.48	5.1	8650	2.16	0.03	5.22	<0.02	72.6	38.7	29	8.77	15.9	7.56
E384767		1.44	0.04	6.36	3.1	>10000	2.53	0.04	3.66	<0.02	90.3	22	34	10.2	10.6	6.97
E384768		1.20	0.03	6.59	5	>10000	2.69	0.02	3.74	<0.02	104.5	47.8	37	10.95	9.1	7.41
E384769		1.18	0.02	6.47	9.5	6310	2.75	0.03	3.02	<0.02	96.2	90	39	10.6	4.4	8.44
E384770		1.37	0.03	6.74	4.8	6310	2.9	0.02	4.31	<0.02	87.5	51.4	37	10.65	22.6	7.99
E384771		1.33	0.53	5.93	44.6	650	2.59	0.5	7.11	<0.02	122.5	103	32	8.29	2680	9.21
E384772		1.01	0.09	6.4	18.5	5300	2.42	0.23	5.39	<0.02	96.9	62.8	35	8.28	166	7.18
E384773		1.25	0.24	5.39	44.6	950	2.08	0.61	6.76	<0.02	113.5	99.9	25	5.62	282	10
E384774		1.31	0.06	6.88	20.2	5430	3.06	0.11	4.73	<0.02	115	46.3	36	9.81	49.9	5.94
E384775		0.16	0.01	0.13	<5	40	0.07	0.01	43.5	0.38	2.08	1.4	5	<0.05	3.1	0.04
E384776		1.27	1.56	4.47	133.5	460	1.62	5.84	6.99	<0.02	143.5	285	21	5.62	1720	13.8
E384777		2.32	0.06	7.29	2.2	>10000	2.85	0.04	3.74	<0.02	93.6	21.5	42	11.25	8.8	5.69

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-08

CERTIFICATE OF ANALYSIS EL07113418

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384757		13.1	0.28	1.4	0.311	1.8	86.5	46.8	1.85	10050	23.7	0.41	3.4	34.1	970	2.6
E384758		10.15	0.31	0.9	0.222	1.14	105	38.9	2.09	8540	27.6	0.08	5	35.4	1410	2.4
E384759		11.8	0.3	1.2	0.191	1.18	77.6	52	2.53	7820	24.1	0.03	5.5	37.2	1380	2.4
E384760		5.15	0.35	0.2	0.228	0.04	96.2	9.3	2.02	9300	25.1	0.01	3	40.4	1560	3.1
E384761		9.99	0.3	0.9	0.257	1.03	108	34	2.11	10600	14.85	0.1	3.3	41.5	1280	1.8
E384762		12	0.27	1.1	0.246	1.69	63.5	26.3	2.23	10250	61.3	0.05	4	31.5	1210	2.4
E384763		0.52	<0.05	0.1	0.005	0.03	1.7	1.7	0.47	42	0.27	0.01	0.3	<0.2	110	0.9
E384764		8.2	0.33	0.6	0.216	0.61	116.5	18.9	1.43	5330	52.9	0.23	5.1	49	2180	5.4
E384765		16.85	0.15	1.8	0.187	2.84	49.7	40.1	1.84	6440	2.15	0.08	3.2	18.3	600	1.9
E384766		14.3	0.16	1.6	0.164	2.46	40.6	35.7	1.64	5640	2.77	0.08	2.5	18.9	560	1.6
E384767		17.35	0.16	1.8	0.166	2.84	50.3	38.4	1.21	4000	2.51	0.1	2.9	18.7	640	3.9
E384768		18.55	0.19	1.8	0.183	3.16	57.6	38.4	1.15	3810	1.75	0.1	2.8	20.1	690	1.9
E384769		18.7	0.18	1.7	0.175	3.1	54.1	37.5	0.95	3240	3.13	0.08	2.3	21.7	660	1.3
E384770		18.8	0.16	2	0.181	3.12	49	37.3	1.25	4610	2.45	0.09	3.1	21.7	650	1.4
E384771		16.6	0.23	1.7	0.26	2.73	77.2	36.5	2.15	8590	27	0.18	5.3	18.8	1030	2.4
E384772		15.6	0.17	1.9	0.201	2.79	63	42.5	1.69	6320	3.98	0.52	5.2	14.3	820	1.8
E384773		12.15	0.21	1.7	0.22	1.74	73	53.2	2.3	7650	6.26	0.47	6.2	21.1	980	1.9
E384774		18.25	0.15	2.1	0.197	2.96	71.4	50.6	1.69	5060	2.48	0.2	5.2	15	700	1.9
E384775		0.55	<0.05	0.1	<0.005	0.03	1.6	1.5	0.46	40	0.21	0.01	0.2	<0.2	100	0.6
E384776		11.35	0.25	1.2	0.192	1.69	89.9	25.7	2.24	8990	69.2	0.06	6.5	37.6	1360	4.1
E384777		19.6	0.16	2.1	0.154	3.37	54.1	29.1	1.15	3620	2.88	0.11	5.6	18.7	640	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-08

CERTIFICATE OF ANALYSIS EL07113418

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384757		105.5	0.01	3.22	2.2	7.9	4	5.6	113	0.13	0.88	11.3	0.069	0.29	5.8	48
E384758		64.9	0.016	3.79	2.54	5.3	5	3.9	198	0.19	0.73	10.4	0.054	0.2	7.3	44
E384759		66.9	0.019	2.66	1.77	6.4	3	4.8	198.5	0.22	0.11	8.9	0.062	0.21	2.8	66
E384760		2.4	0.011	5.71	4	1.9	5	0.6	245	0.28	0.8	4.6	0.01	0.04	1.5	49
E384761		57.5	0.006	1.97	2.27	5.1	3	3.6	143.5	0.14	0.34	7.6	0.046	0.18	4.1	47
E384762		97.4	0.023	2.96	5.14	6.9	6	3.7	164.5	0.16	0.91	8.2	0.069	0.27	3.5	50
E384763		0.6	<0.002	0.07	0.08	0.5	2	<0.2	282	<0.05	<0.05	0.2	0.006	<0.02	0.7	6
E384764		30.3	0.012	6.26	1.98	3.6	5	6.6	169	0.12	0.97	5.3	0.033	0.41	13.6	53
E384765		159	<0.002	0.19	1.6	10.3	1	5.8	186.5	0.22	<0.05	13.5	0.118	0.46	2.5	59
E384766		134	<0.002	0.28	1.41	8.4	1	4.8	214	0.17	<0.05	11.6	0.101	0.38	1.9	51
E384767		163	<0.002	0.3	1.58	9.7	2	5.6	237	0.21	<0.05	14.4	0.116	0.45	2.1	56
E384768		173.5	<0.002	0.34	1.43	10.5	2	6.1	262	0.2	<0.05	15.4	0.128	0.49	2.3	61
E384769		169.5	<0.002	0.4	1.22	10.2	2	6.4	119.5	0.16	<0.05	14.8	0.119	0.5	2.2	61
E384770		172.5	<0.002	0.2	1.39	10.3	2	6.5	156.5	0.22	<0.05	13.7	0.128	0.48	2.2	64
E384771		123.5	0.015	1.13	3.05	9.7	4	6.6	259	0.25	0.3	12.7	0.115	0.4	10.5	68
E384772		117	0.004	0.47	1.72	9.3	2	9.4	213	0.26	0.12	13.5	0.128	0.38	3.4	75
E384773		81.6	0.006	0.9	1.67	7.4	3	6.6	248	0.2	0.33	11.2	0.079	0.27	5	50
E384774		137.5	0.006	0.29	1.75	10.2	2	8.6	153	0.28	0.08	15.5	0.129	0.43	3.3	65
E384775		0.6	<0.002	0.06	0.1	0.5	4	<0.2	262	<0.05	<0.05	0.2	0.006	<0.02	0.6	8
E384776		102.5	0.03	5.53	7.7	6.6	5	3.7	200	0.22	4.04	9.2	0.082	0.25	4.6	42
E384777		192.5	<0.002	0.33	1.95	10.3	2	5	431	0.46	<0.05	15.6	0.169	0.51	3	63

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-08

CERTIFICATE OF ANALYSIS EL07113418

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384757		7.3	12.2	12	46.1	0.029	
E384758		6.2	16	12	30.6	0.026	
E384759		6.9	17.2	16	40.8	0.019	
E384760		4	18.4	7	5.9	0.042	
E384761		4.9	13.8	14	29.8	0.018	
E384762		5.8	15.6	7	39.2	0.040	
E384763		0.1	2.9	22	3.5	<0.001	
E384764		6	12.5	8	21.5	0.151	
E384765		7.2	15.1	4	63.1	<0.001	0.70
E384766		6	13.3	5	56	0.001	0.97
E384767		6.9	12.2	4	59.7	<0.001	1.58
E384768		6.8	13.1	3	61.3	0.001	1.36
E384769		6.4	11.8	4	59.3	<0.001	0.73
E384770		6.8	13.7	4	67.3	<0.001	0.65
E384771		7.2	18.4	11	56.9	0.032	
E384772		7.2	14.1	13	61.4	0.002	0.56
E384773		5.8	16	19	54.2	0.009	
E384774		8.2	13.6	8	66.7	0.002	0.56
E384775		0.1	2.7	21	4.8	<0.001	
E384776		5.5	16.8	10	37.6	0.084	
E384777		7.1	13.5	3	65.8	<0.001	2.30

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-08

CERTIFICATE OF ANALYSIS EL07113418

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 21-NOV-2007
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07111001

Project: IGOR- HOLE-09

P.O. No.: 195450

This report is for 109 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 1-OCT-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 21-NOV-2007
Account: CASMIN

Project: IGOR- HOLE-09

CERTIFICATE OF ANALYSIS VA07111001

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E383667		0.48	2.36	1.75	147	40	0.7	8.59	6.51	0.03	323	212	8	0.81	>10000	21.6
E383668		0.85	3.65	1.75	369	30	0.69	9.53	7	0.03	247	260	3	0.99	>10000	31
E383669		1.02	3.96	0.37	425	130	0.09	8.03	7.22	0.05	412	244	<1	0.14	>10000	30.8
E383670		1.44	4.96	0.21	441	50	0.09	8.15	7.94	0.04	325	236	<1	0.12	>10000	28.1
E383671		1.25	0.04	8.1	9.5	2300	2.1	1	4.74	<0.02	80.7	59.9	41	10.95	119.5	6.77
E383672		1.87	4.41	0.17	403	70	0.05	9.8	6.94	0.06	222	272	<1	0.14	>10000	34.9
E383673		1.95	1.57	0.58	284	90	0.1	9.4	7.1	0.06	252	207	<1	0.28	>10000	32.6
E383674		1.98	1.05	1.23	91.4	200	0.19	5.63	8.45	<0.02	98	200	<1	0.38	9560	27.8
E383675		1.71	0.9	1.49	58.6	60	0.19	6.27	7.42	0.02	236	217	<1	0.3	3910	24.2
E383676		0.87	0.85	1.71	68.1	50	0.29	6.9	6.68	0.02	136	283	4	0.36	2220	27.1
E383677		0.16	<0.01	0.14	8	30	0.07	0.05	48.4	0.39	2.37	1.2	5	<0.05	8.7	0.11
E383678		1.40	1.06	0.71	90.4	40	0.17	8.14	6.2	0.02	134	332	<1	0.22	6310	33.1
E383679		1.39	0.57	4.62	97.3	130	1.24	1.88	5.05	<0.02	251	203	19	1.37	3630	20.6
E383680		1.52	0.95	4.1	92.9	110	1.02	2.55	4.31	<0.02	175	172	16	1.26	>10000	19.8
E383681		1.33	1.5	2.73	155	60	0.4	5.03	5.54	0.02	207	231	11	0.83	>10000	20.9
E383682		1.12	1.92	1.55	190	50	0.27	8.7	6.78	<0.02	399	449	4	0.87	>10000	22.6
E383683		1.57	0.69	3.27	47.4	230	0.29	2.23	7.65	<0.02	221	226	6	0.57	>10000	13.1
E383684		1.19	1.16	2.39	98.4	100	0.26	1.96	6.35	0.02	>500	247	6	0.66	1110	19.7
E383685		1.74	0.86	1.17	125	40	0.14	5.59	6.66	0.03	353	398	2	0.42	352	23.3
E383686		1.79	0.31	0.67	37.5	20	0.09	2.36	3.05	0.02	142	204	<1	0.15	207	29.1
E383687		1.85	0.77	0.67	65.6	30	0.11	7.19	5.81	0.03	447	417	<1	0.24	1205	26.2
E383688		0.16	0.01	0.15	9	30	0.05	0.01	49.1	0.43	2.42	1.3	6	<0.05	2.6	0.06
E383689		0.24	1.17	2.37	123	40	0.6	10.45	2.17	<0.02	193.5	334	9	2.64	9300	27.4
E383690		1.75	0.78	0.64	202	30	0.14	7.99	2.52	0.04	327	755	<1	0.23	600	31.5
E383691		1.61	0.73	0.67	192	20	0.12	6.88	2.26	0.04	>500	842	<1	0.17	656	29.9
E383692		1.59	0.67	1.74	62.3	210	0.63	6.64	4.97	<0.02	>500	413	4	1.19	1085	24.2
E383693		1.47	0.18	5.11	38.2	210	2.71	1.99	5.27	<0.02	340	131	26	3.41	144.5	14.65
E383694		1.33	0.05	6.24	8.5	2370	3.84	0.52	3.76	<0.02	135.5	69.5	34	5.39	604	9.04
E383695		1.76	0.11	4.11	18.2	1320	2.27	1.02	5.72	<0.02	195	40.4	18	3.22	1065	15.85
E383696		1.45	0.16	1.46	33.8	770	0.72	1.26	4.46	<0.02	>500	55.5	6	0.88	150	24.6
E383697		2.28	0.07	7.21	16.3	1020	4.63	1.11	4.05	<0.02	167	33	39	4.71	304	7.01
E383698		1.86	0.47	7.47	40.6	1220	1.76	6.15	5.36	<0.02	82	228	31	2.13	129	10.3
E383699		2.20	0.83	2.72	104.5	60	0.34	11.5	4.41	<0.02	440	360	7	0.77	289	22.5
E383700		0.17	0.01	0.14	<5	30	<0.05	0.02	46.6	0.4	2.63	1.5	6	<0.05	3.5	0.08
E383701		2.17	0.38	0.67	46.8	60	0.19	4.47	0.52	<0.02	>500	299	1	0.34	613	34.4
E383702		1.91	0.19	0.5	21.1	50	0.1	1.99	0.61	<0.02	433	122	<1	0.2	975	30.5
E383703		1.76	0.8	0.86	35.6	200	0.23	9.65	1.76	<0.02	331	218	<1	0.61	1405	32.2
E383704		2.02	0.48	2.64	35.1	140	0.34	4.65	4.63	<0.02	192.5	263	17	0.76	126	16.55
E383705		1.68	0.46	4.66	38.3	130	0.58	4.86	2.67	<0.02	103.5	185.5	23	0.83	73.6	14.65
E383706		1.03	0.34	8.79	37	1320	2.44	1.46	3.32	<0.02	137.5	89.9	52	3.46	390	10.05

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 21-NOV-2007
Account: CASMIN

Project: IGOR- HOLE-09

CERTIFICATE OF ANALYSIS VA07111001

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E383667		6.78	0.4	0.5	0.189	0.67	256	10.1	1.71	8200	38.7	0.03	2.8	63.3	2530	19.1
E383668		5.86	0.41	0.5	0.128	0.74	208	8.5	2.2	8750	84.7	0.05	4.5	51.2	1360	13.5
E383669		4.39	0.45	0.1	0.131	0.03	347	3.3	2.37	8470	92.5	0.01	2.3	48.3	1540	19.3
E383670		3.72	0.38	0.1	0.131	0.02	286	1.9	2.71	9050	89.5	0.01	2	44.9	1450	18.3
E383671		19.15	0.14	2.1	0.159	3.34	50.9	49.9	1.62	4960	16.95	0.47	3.6	20.6	790	2.5
E383672		3.28	0.38	<0.1	0.111	0.02	196	1.4	2.74	9180	127.5	0.01	1.3	43.5	1390	22.8
E383673		4.13	0.39	0.2	0.11	0.06	217	5.1	2.9	9200	108.5	0.01	2.6	44.6	1510	9.9
E383674		4.63	0.3	0.4	0.104	0.08	80.6	13.9	3.42	9080	27.2	0.02	4.5	52.3	1570	5.3
E383675		4.61	0.33	0.4	0.074	0.12	202	15.1	3.5	8260	26.1	0.01	4.3	43.5	1370	6.8
E383676		4.91	0.32	0.7	0.052	0.19	114	16.9	2.72	6460	20.6	0.01	9.4	50.9	1450	6.7
E383677		0.44	0.07	0.1	0.007	0.03	1.8	1.5	0.54	53	0.33	0.01	0.3	0.4	130	0.7
E383678		4.69	0.3	0.3	0.069	0.07	115	7.1	1.92	6130	37.7	0.01	3	48.8	1100	6.7
E383679		9.59	0.35	1.1	0.06	2.55	192	16.7	1.63	5700	73	0.43	3	40.1	1840	3.8
E383680		8.33	0.31	1	0.105	2.58	123	11.7	1.42	4990	60.6	0.2	2.6	38.3	1570	5.9
E383681		5.98	0.33	0.8	0.101	1.69	160	11	1.91	6300	89.7	0.09	4	42.3	2010	11.6
E383682		5.5	0.44	0.5	0.072	0.47	326	9.6	1.96	6150	46.1	0.18	2.2	51.5	1380	10.4
E383683		5.12	0.24	1.3	0.073	0.26	188.5	10.5	2.5	6310	35.3	1.77	2.8	23.8	830	4.3
E383684		8.3	0.47	0.5	0.039	0.2	480	10.5	2.32	6040	24.5	1.01	2.6	59.8	2540	12.1
E383685		5.63	0.37	0.3	0.047	0.09	324	11.6	2.22	6610	87.2	0.1	1.3	48.1	800	9.8
E383686		4.83	0.31	0.1	0.036	0.02	132	6.8	1.32	3560	51.8	0.01	0.8	30.2	270	4.1
E383687		5.72	0.45	0.2	0.039	0.03	384	7.6	2.06	5020	33.2	0.01	2	41.1	1870	7.3
E383688		0.58	<0.05	0.1	<0.005	0.04	1.8	1.5	0.54	40	0.21	0.01	0.3	2	120	1
E383689		10.1	0.48	0.7	0.266	0.65	116	20	1.52	6290	65.1	0.24	5.2	62.2	2420	6.1
E383690		6.7	0.54	0.1	0.06	0.02	264	8.1	1.45	6340	52.2	0.01	1.7	48.1	1310	7.9
E383691		10.5	0.92	0.1	0.041	<0.01	940	9.3	1.07	4480	63.5	0.01	0.9	50.2	590	7.8
E383692		8.99	0.58	0.5	0.064	0.45	394	16.9	2.02	5380	50.9	0.01	1.6	51	640	6.7
E383693		15.85	0.41	1.3	0.083	2.32	224	31.1	2.58	5310	15.55	0.03	2.9	50.5	990	4
E383694		17.65	0.25	1.7	0.08	3.12	89.5	34.9	1.58	3700	10.3	0.04	3.4	30.5	750	1.9
E383695		13.75	0.35	1.1	0.122	1.86	149	27.8	2.45	7240	31.9	0.03	2.5	53.8	950	2.1
E383696		10.05	0.65	0.3	0.09	0.62	412	10.6	1.87	7160	59.2	0.02	1.2	69.8	1060	2.5
E383697		19.7	0.25	1.9	0.078	3.77	108	38.2	1.4	3530	16.85	0.04	3.4	28	750	2.2
E383698		14.6	0.25	1.9	0.031	3.83	56.4	16.7	1.46	3910	14.15	1.99	3.2	45.1	840	6
E383699		7.88	0.54	0.7	0.025	0.21	330	16.3	1.47	3580	46.1	1.09	2.5	72.3	1360	10.5
E383700		0.54	<0.05	0.1	<0.005	0.03	2	1.5	0.51	44	0.29	0.01	0.3	1.3	110	0.7
E383701		8.22	0.71	0.2	0.035	0.05	550	9.5	0.7	4450	53.8	0.01	1.4	45.9	1280	5.5
E383702		7.26	0.55	0.1	0.028	0.01	340	6.8	0.66	3910	44.8	0.01	0.9	35.2	560	3.3
E383703		7.74	0.54	0.1	0.055	0.07	257	10.7	0.84	3250	55.8	0.01	0.9	47.1	460	9.2
E383704		5.51	0.35	0.9	0.024	0.18	159.5	15.9	1.47	3740	29	1.12	2.2	37.1	1110	5.8
E383705		8.16	0.26	1.2	0.023	0.22	85.9	35.3	1.16	2500	33.3	2.05	3	36.8	640	6
E383706		16.75	0.22	1.7	0.06	2.52	111.5	48.6	1.46	3350	21.6	2.41	1.3	42.8	610	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 21-NOV-2007
Account: CASMIN

Project: IGOR- HOLE-09

CERTIFICATE OF ANALYSIS VA07111001

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E383667		18.2	0.011	7.58	3.23	7.4	5	7.1	60.1	0.07	0.78	3.2	0.033	0.23	132.5	79
E383668		22.6	0.009	>10.0	2.81	6.8	4	19.6	39.6	0.05	0.91	2.8	0.027	0.52	50.7	48
E383669		0.8	0.015	>10.0	2.74	4.7	5	8.6	29.4	<0.05	0.75	2.1	0.007	1.58	20.7	36
E383670		0.6	0.016	>10.0	3.14	4.7	5	8	29	<0.05	0.74	1.3	0.005	1.14	17.2	31
E383671		157	0.004	0.58	1.68	11.7	2	7.7	75.1	0.25	0.22	15.9	0.134	0.41	6.5	74
E383672		0.6	0.02	>10.0	3.36	4.1	4	7.1	21.8	<0.05	0.69	1.2	0.005	1.51	16.7	26
E383673		1.8	0.016	>10.0	4.78	3.3	4	7.2	22.2	<0.05	0.52	2.3	0.009	0.29	15.4	25
E383674		2.8	0.007	5.93	7.24	3.9	3	6.4	32.2	0.11	0.29	1.6	0.018	0.11	13.2	37
E383675		3.5	0.004	6.68	5.68	4	2	5.4	36.6	0.06	0.46	2.8	0.014	0.08	10.7	25
E383676		5.4	0.002	7.3	6.97	3.8	2	7.2	43.2	0.13	0.52	1.8	0.023	0.07	16.2	27
E383677		0.5	<0.002	0.09	0.08	0.5	2	<0.2	321	<0.05	<0.05	0.2	0.007	<0.02	0.6	16
E383678		2	0.006	9.68	6.7	2.6	3	4.7	25.9	<0.05	0.93	1.3	0.013	0.09	19.9	26
E383679		60.5	0.01	3.33	1.74	7.1	5	20.1	98.4	0.05	0.71	6.3	0.041	0.33	12.3	49
E383680		60.4	0.01	4.87	1.54	6.7	4	18	143	0.05	0.4	7.1	0.037	0.51	30.9	38
E383681		32.7	0.043	6.75	2.55	5	4	5.9	37.5	0.09	0.61	11.1	0.028	0.71	27.7	28
E383682		9.8	0.013	>10.0	5.04	6.6	4	5.6	44.7	<0.05	1.24	6.1	0.013	0.33	24	29
E383683		5.3	0.006	4.23	2.07	10.4	4	3.4	57.6	0.07	0.3	4.4	0.02	0.18	12.1	12
E383684		4.3	0.003	3.53	4.05	5.7	3	1.4	36.8	<0.05	0.24	8.6	0.012	1.25	8.2	38
E383685		2.3	0.014	8.04	5.65	4.8	3	1.4	31.1	<0.05	0.7	4.3	0.008	0.4	6.1	23
E383686		0.6	0.003	4.01	3.64	2.2	2	1.4	7.4	<0.05	0.17	1.3	0.007	0.11	3.9	20
E383687		0.8	0.005	6.99	5.9	6.5	3	1.8	28	<0.05	0.46	5.5	0.008	0.11	12.8	32
E383688		0.7	<0.002	0.08	0.12	0.6	3	<0.2	317	<0.05	<0.05	0.2	0.008	<0.02	0.7	15
E383689		34.9	0.02	7.12	2.23	4.4	7	7.5	176.5	0.12	1.33	5.7	0.031	0.47	15.1	63
E383690		1	0.01	9.82	7.13	4.3	5	1.4	12.9	<0.05	0.77	3.6	0.007	0.16	14	33
E383691		0.2	0.009	9.66	8.21	3.6	6	1	10	<0.05	0.59	14.8	0.005	0.21	12.6	31
E383692		17.9	0.007	6.27	6.52	7.1	4	3.1	19.1	0.05	0.46	8.4	0.026	0.12	11.1	40
E383693		92.5	0.004	2.78	3.28	9.5	4	9.2	15.4	0.14	0.17	13.2	0.089	0.28	6.9	57
E383694		127.5	0.002	0.8	1.23	11.1	2	11.4	38.3	0.2	<0.05	13.3	0.113	0.3	9.2	59
E383695		75.6	0.003	0.78	2.27	6.8	3	8.7	38.3	0.08	0.12	7.2	0.074	0.19	12.8	46
E383696		25.7	0.003	1.25	3.88	3.6	3	3.6	34.3	<0.05	0.17	11.2	0.027	0.1	4.2	33
E383697		154.5	0.003	0.99	2.24	11.8	3	15.2	98.9	0.18	0.18	14.9	0.145	0.4	6.5	71
E383698		102.5	0.005	5.77	3.89	12.9	3	13.3	70.4	0.22	0.56	13.2	0.099	0.25	8	54
E383699		6.1	0.009	>10.0	7.64	5.8	5	2.8	127	0.08	1.77	7.8	0.013	0.57	5.3	28
E383700		0.6	<0.002	0.09	0.08	0.6	3	<0.2	297	<0.05	<0.05	0.2	0.007	<0.02	0.6	14
E383701		1.8	0.008	9.31	3.13	2.5	4	1.7	37.4	<0.05	0.41	14.7	0.007	0.14	8.8	57
E383702		0.4	0.004	4.14	2.34	1.6	3	1.7	29.1	<0.05	0.11	7.1	0.009	0.23	9.8	42
E383703		2.6	0.005	5.32	3.92	2.7	3	1.2	13.9	<0.05	0.29	3.7	0.011	0.11	17.9	48
E383704		5.2	0.003	6.79	3.97	7	3	2	34.1	0.09	0.53	5.9	0.024	0.07	5.1	24
E383705		6.7	0.002	3.87	5.49	4.5	3	2.2	28.5	0.12	0.43	5.7	0.033	0.08	8.7	31
E383706		87.6	<0.002	1.28	1.79	25.5	2	20.6	38.2	0.06	0.12	3.7	0.103	0.31	6.5	204

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 21-NOV-2007
Account: CASMIN

Project: IGOR- HOLE-09

CERTIFICATE OF ANALYSIS VA07111001

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E383667		7.9	32	16	16.3	2.73	0.166
E383668		6.4	19.2	11	16.2	1.425	0.172
E383669		4.4	17.9	7	3.2	1.530	0.179
E383670		4.5	16.2	9	2	1.620	0.186
E383671		14.7	15.6	2	74.4		0.007
E383672		4.8	12.3	<2	1.2	1.215	0.177
E383673		4.4	15	13	5.2	1.030	0.176
E383674		3.6	14.2	23	13.4		0.137
E383675		4.1	19.6	23	13		0.076
E383676		4.3	16.4	25	23.8		0.065
E383677		<0.1	2.9	25	3.8		0.002
E383678		4.2	14.1	12	8.6		0.135
E383679		4.9	16.7	9	37.5		0.049
E383680		4.2	15.5	6	36.9	1.565	0.224
E383681		2.3	20.6	14	26.2	1.500	0.212
E383682		3.3	16.8	12	17	1.165	0.217
E383683		2.3	13.2	8	48.3	1.355	0.251
E383684		3.1	18.1	14	18.8		0.037
E383685		7	10.9	15	10.7		0.097
E383686		14.5	4.3	10	2.7		0.031
E383687		10	12.6	10	5.8		0.049
E383688		0.1	2.9	28	3.9		0.001
E383689		6.9	14.5	4	22.4		0.109
E383690		6.5	9.4	11	3.6		0.056
E383691		5.5	17.2	12	1.2		0.049
E383692		11.8	12.3	14	17.4		0.041
E383693		12.6	14.1	9	45.4		0.019
E383694		12.6	14.6	5	59.8		0.003
E383695		12.7	17.8	9	35.5		0.003
E383696		4.4	19.2	4	10.6		0.006
E383697		16.4	15.3	2	66.5		0.005
E383698		8.7	12.2	3	67.9		0.053
E383699		5.4	12.6	10	22.3		0.094
E383700		0.1	2.8	23	3.9		<0.001
E383701		6.9	13.5	5	5.1		0.025
E383702		8.5	7.7	5	2.8		0.009
E383703		17.5	7.4	9	5.6		0.023
E383704		5.4	8.8	9	33.7		0.031
E383705		5	9.2	13	40.8		0.029
E383706		9.8	10.6	8	55.3		0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 21-NOV-2007
Account: CASMIN

Project: IGOR- HOLE-09

CERTIFICATE OF ANALYSIS VA07111001

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E383707		1.07	0.09	7.39	32.5	1480	1.62	0.64	5.95	<0.02	39	74.8	48	2.29	797	6.91
E383708		1.23	0.13	7.27	22.5	1720	2.36	0.95	5.47	<0.02	29.3	53.8	55	3.61	2910	7.31
E383709		0.84	0.05	7.05	20.1	1810	2.89	0.35	6.7	<0.02	51.3	55	54	3.66	1525	9.5
E383710		1.21	0.04	6.91	10.7	1870	2.84	0.31	6.96	<0.02	37.4	36.1	54	3.39	1645	10.15
E383711		0.14	0.01	0.15	7	30	0.06	0.01	48.8	0.43	2.44	1.4	6	<0.05	4.8	0.07
E383712		0.19	0.28	7.35	53.5	180	2.47	1.58	1.93	<0.02	91.4	109	45	6.41	1690	7.45
E383713		1.44	0.03	5.87	23.1	1690	2.64	0.27	7.85	<0.02	25.8	62.8	43	2.99	790	10.05
E383714		1.20	0.03	7.37	24.4	2450	3.04	0.32	5.11	<0.02	6.41	92.1	57	3.47	194.5	10.7
E383715		1.26	0.15	6.43	21.6	2150	2.64	1.28	6.17	<0.02	5.37	80.5	50	3.6	4690	15.1
E383716		1.44	0.08	5.58	35.2	2330	1.77	1.41	7.43	<0.02	19.1	94.5	37	2.6	831	15.1
E383717		1.28	0.09	6.27	46.1	1520	2.46	1.44	6.76	<0.02	16.7	98.8	47	2.92	290	11.65
E383718		2.58	0.07	6.84	42.3	1810	2.86	1.3	6.83	<0.02	24	76.3	52	3.01	332	10.3
E383719		2.60	0.29	5.81	66.7	130	2.05	1.64	4.47	<0.02	45.4	95.1	29	4.72	2350	10.05
E383720		1.33	0.3	4.71	82.9	260	1.68	1.98	5.6	<0.02	166.5	86.7	27	3.88	2790	15.3
E383721		1.22	2.01	6.46	105.5	110	2.94	5.7	3.18	<0.02	193	108	37	8.71	8310	10.6
E383722		1.61	5.17	2.89	383	130	1.14	15.55	5.42	<0.02	37.9	357	13	2.99	>10000	21.6
E383723		0.17	0.01	0.13	9	40	<0.05	0.02	44	0.39	2.1	1.2	5	<0.05	13.2	0.07
E383724		1.23	1.01	6.47	91.4	4440	2.56	5.27	4.33	<0.02	38.6	137	36	7.34	4420	11
E383725		1.20	0.15	7.19	42.9	3050	2.7	0.55	5.13	<0.02	46.3	71.7	37	6.26	630	7.9
E383726		1.06	0.09	4.83	38.8	1760	1.54	0.56	7.48	<0.02	18.4	61.5	24	3.38	180	11.5
E383727		2.60	0.17	5.37	49.3	1770	1.9	0.99	7.15	<0.02	67.2	87.4	25	4.51	1095	12.15
E383728		1.79	0.34	7.81	48.1	600	1.79	2.67	1.31	<0.02	123.5	69.2	54	9.39	2860	6.53
E383729		1.76	0.67	2.18	135.5	110	0.51	12.45	0.5	<0.02	128.5	148.5	10	3.3	3180	24.2
E383730		1.64	0.99	2.06	180.5	190	0.49	21.9	0.55	<0.02	141	204	7	2.88	1210	31.5
E383731		1.94	0.51	0.79	133	70	0.16	9.09	0.59	<0.02	101.5	148.5	<1	1.11	130	33.2
E383732		1.64	0.56	1.35	173	70	0.39	11.8	0.55	<0.02	155.5	203	3	2.02	555	30.9
E383733		2.06	0.32	0.6	59.2	190	0.2	3.14	0.52	<0.02	211	57.6	<1	0.89	5360	31.4
E383734		0.17	0.01	0.13	<5	30	0.1	0.05	45.3	0.44	2.93	1.9	6	0.05	10.8	0.18
E383735		0.18	1.04	5.46	47	200	1.95	2.4	1.8	<0.02	49.8	151	33	3.39	7850	8.88
E383736		1.65	0.44	2.53	111.5	90	0.66	7.21	0.47	<0.02	89.9	120	7	3.95	601	22.8
E383737		1.16	0.21	5.14	48.5	520	1.42	3.31	0.28	<0.02	17.5	56.6	27	6.87	149	14.8
E383738		1.84	0.13	4.2	26.2	410	1.1	2.26	0.31	<0.02	36.3	48.3	26	5.64	164.5	17.45
E383739		1.44	0.05	5.97	8.5	2700	1.44	0.54	0.3	<0.02	45.9	18.1	38	7.91	111	13.55
E383740		1.50	0.13	5.1	43.6	390	1.32	2.63	0.26	<0.02	114.5	49.6	34	6.87	188	11.5
E383741		1.82	0.16	6.26	64.4	1180	1.71	4.44	0.19	<0.02	65.5	67.4	41	7.83	94	11.9
E383742		1.96	0.18	6.57	77.3	1550	1.61	5.37	0.21	<0.02	119	97.3	36	8.53	109.5	12.6
E383743		1.48	0.2	4.02	65.2	620	0.97	6.31	0.35	<0.02	170.5	91.2	22	7.79	484	18.5
E383744		0.92	0.18	4.03	77.2	690	0.89	4.46	0.32	<0.02	55	84.8	24	7.47	791	19.15
E383745		2.32	0.16	3.97	78.7	580	0.83	5.95	0.33	<0.02	83.7	96.8	22	6.21	328	19.1
E383746		0.17	0.01	0.12	9	20	0.09	0.02	42.4	0.37	2.23	1.4	5	<0.05	3	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 21-NOV-2007
Account: CASMIN

Project: IGOR- HOLE-09

CERTIFICATE OF ANALYSIS VA07111001

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E383707		15.25	0.16	1.5	0.074	2.27	27.4	18.4	2.02	4920	26.7	2.57	1.1	37.3	600	1.4
E383708		17.05	0.16	1.4	0.123	3.23	19.2	21.3	1.91	4420	16.2	0.72	1	51.3	350	1.5
E383709		16.65	0.19	1.4	0.136	3.26	35.1	18.4	1.86	6060	4.51	0.13	1.4	65.4	290	1.3
E383710		15.75	0.2	1.4	0.115	3.32	24.4	17.5	1.88	6580	6.65	0.13	1.2	59.9	290	1
E383711		0.59	<0.05	0.1	<0.005	0.04	1.9	1.6	0.53	48	0.24	0.01	0.3	1.1	130	0.8
E383712		20.3	0.21	1.8	0.127	3.09	46.9	25.2	1.34	3250	20.7	0.63	3.1	26.9	790	2.9
E383713		14.25	0.2	1.3	0.109	2.89	17	12.7	2.14	6730	3.65	0.08	1	56.4	380	0.8
E383714		17.6	0.18	1.4	0.101	3.74	3.8	16.6	1.43	4480	9.26	0.07	0.7	71.3	310	0.8
E383715		18.2	0.26	1.4	0.14	3.13	3.1	17.7	2.09	6850	3.17	0.14	0.8	92.2	250	1.9
E383716		13.8	0.25	1.1	0.089	2.44	12.3	23.9	2.57	8190	6.51	0.56	0.6	100	230	2
E383717		15.85	0.21	1.4	0.125	2.65	10.2	27.7	2.76	7690	2.55	0.06	0.7	78.8	260	1.2
E383718		17.15	0.2	1.6	0.153	3.32	13.8	10.6	1.77	7530	4.35	0.08	0.9	64.5	300	1.5
E383719		13.75	0.21	1.4	0.085	2.71	25.7	25.1	1.4	5240	43.6	0.05	2.4	27.7	830	3.9
E383720		13.45	0.32	1.3	0.078	2.26	119.5	24.9	1.63	6310	49.2	0.04	3.5	41.9	2070	3.5
E383721		17.7	0.28	2.2	0.12	2.82	129.5	49.7	1.26	3680	40.1	0.06	4.9	46.4	1880	18.6
E383722		8.6	0.34	1	0.21	1.32	16.6	19.8	2.04	8500	95.1	0.03	3.7	92	1050	32.1
E383723		0.48	<0.05	0.1	<0.005	0.03	1.6	1.4	0.48	46	0.34	0.01	0.2	0.9	120	0.8
E383724		15.95	0.2	1.8	0.112	2.94	21.2	37.8	1.55	5450	60.3	0.06	3.7	43.1	1110	8.4
E383725		16.7	0.15	2	0.087	3.36	31.9	32.1	1.45	5290	27.3	0.2	3.1	23.3	1010	2.8
E383726		9.73	0.18	1.2	0.067	1.85	12.2	21.8	1.94	7640	12.8	0.68	2.1	28.8	930	2.5
E383727		11.9	0.21	1.4	0.078	2.14	53.9	25.7	1.95	7410	6.18	0.55	3.2	34.9	1160	2.9
E383728		20.3	0.19	2.4	0.091	3.6	77.4	27.8	1.05	3720	53.6	0.1	3.5	28.5	890	2.4
E383729		7.32	0.4	0.8	0.252	0.81	94.2	18.3	1.92	16950	45	0.03	4.3	64.1	1260	4.1
E383730		7.2	0.53	0.8	0.239	0.63	119	18.5	2.03	17100	37.1	0.02	6.2	80.4	1920	6.6
E383731		3.37	0.42	0.2	0.251	0.31	74.6	5	2.15	23600	42.2	0.02	3.9	45.7	1970	4.5
E383732		4.76	0.42	0.5	0.176	0.58	119	5.9	1.82	17850	51.8	0.02	6.6	63.5	1870	4.4
E383733		3.37	0.46	0.2	0.32	0.23	181.5	3.9	2.47	25000	25	0.01	3.8	30.2	1670	3.1
E383734		0.47	<0.05	0.1	0.005	0.03	2.3	1.5	0.51	132	0.48	0.01	0.4	1.9	100	1.2
E383735		14.25	0.18	1.5	0.133	2.01	20.7	21.6	1.08	2970	62.9	0.92	3.7	37.5	780	21.4
E383736		7.93	0.35	1.1	0.143	1.16	65.2	11.2	1.7	15750	37.2	0.04	4.2	45.9	1530	3.6
E383737		14.8	0.23	1.6	0.104	2.34	11.6	20.1	1.35	14300	21.3	0.08	3.7	26.2	1030	2.1
E383738		12	0.28	1.1	0.127	1.89	26.5	16	1.69	16400	19.2	0.06	2.9	20.5	980	2
E383739		16.55	0.24	1.8	0.099	2.76	27.4	20.6	1.49	14700	10.2	0.09	2.2	12.2	1090	1.7
E383740		14.1	0.22	1.5	0.074	2.26	78.4	15.4	1.16	9450	12.85	0.08	2.4	20.4	910	2.1
E383741		16.8	0.22	1.9	0.061	2.8	40.9	21.3	1.02	9720	8.47	0.09	2.7	33.1	740	2.4
E383742		17.55	0.27	2.1	0.059	2.74	73	25.5	1.09	7390	17.1	0.09	2.7	44.7	840	2.9
E383743		11.85	0.35	1.4	0.12	1.67	118.5	17.7	1.62	12350	27	0.06	6.1	39	1140	3.4
E383744		11.2	0.3	1.4	0.112	1.75	39.2	13.4	1.65	12400	24	0.07	4.9	32.4	930	2.8
E383745		12.2	0.31	1.3	0.106	1.73	59.8	12.5	1.56	11750	31.3	0.07	4.4	35.8	1030	2.7
E383746		0.43	<0.05	0.1	<0.005	0.03	1.7	1.3	0.46	65	0.31	0.01	0.3	2.1	100	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 21-NOV-2007
Account: CASMIN

Project: IGOR- HOLE-09

CERTIFICATE OF ANALYSIS VA07111001

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E383707		69.6	0.002	0.67	1.62	23.5	3	8.6	49.5	0.05	0.15	1.1	0.13	0.19	3.6	198
E383708		106.5	0.002	0.44	1.88	32.6	4	8.1	42.7	0.07	0.05	0.9	0.216	0.39	5.3	295
E383709		110	<0.002	0.32	1.21	30.4	3	4.1	59.4	0.07	<0.05	1.3	0.186	0.32	3.8	254
E383710		110.5	0.002	0.18	0.96	31.3	2	4.1	66.1	0.07	<0.05	1.1	0.173	0.3	4.1	261
E383711		0.7	<0.002	0.08	0.07	0.6	3	<0.2	312	<0.05	<0.05	0.2	0.007	<0.02	0.7	16
E383712		138	0.006	1.34	1.2	11.1	3	8.2	475	0.19	0.19	14	0.119	0.36	18.7	69
E383713		96.4	0.002	0.32	1.21	29.4	2	4.5	93.3	0.06	<0.05	0.9	0.181	0.26	2.4	238
E383714		119	<0.002	0.52	0.97	31.2	2	7.7	50.6	<0.05	<0.05	0.8	0.171	0.32	2.1	248
E383715		100	<0.002	0.82	1.16	31.3	3	7.8	40.4	<0.05	<0.05	0.9	0.145	0.3	6.8	245
E383716		69.6	0.002	0.67	0.97	21.8	2	5	63.8	<0.05	0.05	0.9	0.102	0.18	3.6	183
E383717		91.4	<0.002	0.57	1.44	30	2	4.9	16.5	0.05	0.05	0.9	0.174	0.25	4.7	242
E383718		109.5	0.003	0.44	1.53	30.6	3	3.2	128	0.06	<0.05	1.1	0.219	0.33	3	259
E383719		103.5	0.002	1.56	1.31	11.5	2	8.6	156	0.11	0.21	10.6	0.103	0.41	17.2	59
E383720		87.7	0.007	1.87	1.35	10.2	4	10.8	63.1	0.11	0.38	11.4	0.085	0.39	10.6	94
E383721		114.5	0.01	3.79	3.49	9.7	4	15.2	50.5	0.21	0.34	14.5	0.128	0.83	295	101
E383722		52.1	0.021	>10.0	3.96	5.9	4	8.1	55.4	0.13	0.67	5.2	0.067	1.59	315	53
E383723		0.6	<0.002	0.08	0.07	0.4	3	<0.2	280	<0.05	<0.05	0.2	0.006	<0.02	0.8	14
E383724		120.5	0.007	3.57	1.72	13	3	10.7	120	0.14	0.2	11.2	0.104	1.27	43	65
E383725		133.5	<0.002	0.49	1.16	13.9	2	9.1	58.4	0.16	<0.05	14.5	0.113	0.59	16	68
E383726		74.3	<0.002	0.45	1.13	9.7	2	6.6	89.4	0.11	0.07	6.3	0.069	0.34	12.2	56
E383727		89.8	0.002	0.88	1.25	11.9	2	9.8	82	0.14	0.13	9.6	0.078	0.38	6.1	66
E383728		168	0.015	1.55	1.61	10.4	2	12.2	27.6	0.17	0.14	17	0.114	0.72	11.6	76
E383729		47.5	0.011	6.24	2.04	4.5	4	11.7	34.3	0.11	0.5	5.9	0.037	0.41	7.7	39
E383730		35.6	0.014	9.57	2.28	3.6	3	11.5	30.8	0.17	0.66	4.2	0.043	0.24	10.4	55
E383731		16	0.005	6.53	1.59	1.9	3	4.8	17.2	0.08	0.53	1.9	0.013	0.12	7.9	36
E383732		32.3	0.007	8.68	2.2	2.2	4	8.4	13.6	0.13	0.85	4.3	0.025	0.21	9.8	40
E383733		12.7	0.005	4.92	1.38	0.9	3	5.1	17.5	0.05	0.3	1.7	0.01	0.29	3.8	15
E383734		0.8	<0.002	0.1	0.09	0.5	3	0.2	286	<0.05	<0.05	0.2	0.007	<0.02	0.7	14
E383735		85.4	0.022	2.15	1.56	9.2	4	7	640	0.2	0.24	8.3	0.087	0.4	280	50
E383736		64.7	0.009	5.68	2.11	3	3	12.4	18.2	0.09	0.52	5.7	0.03	0.49	7.4	39
E383737		127	0.004	2.76	1.33	7.8	2	19.2	13.4	0.15	0.3	11.2	0.066	0.55	4.7	51
E383738		102.5	0.006	1.47	1.39	7.3	2	14.3	12.1	0.13	0.23	8.3	0.054	0.42	6.5	55
E383739		142	0.007	0.29	0.99	9.6	2	12.3	13.8	0.15	0.1	13.7	0.079	0.57	9.9	56
E383740		119.5	0.009	1.86	1.23	8.4	2	9.2	13	0.14	0.27	11.6	0.067	0.46	7.8	51
E383741		145	0.003	3.78	1.25	11.5	2	9.6	14.8	0.19	0.23	12.8	0.093	0.56	8.1	60
E383742		145	0.005	5.09	1.54	9.2	2	10.9	13.3	0.16	0.31	15.7	0.079	0.57	10.8	60
E383743		97.2	0.006	4.56	1.39	6.7	3	9.8	15.7	0.2	0.38	10.1	0.066	0.43	14.6	62
E383744		97.2	0.005	4.1	1.13	6.7	2	10	18.6	0.17	0.34	7.8	0.062	0.41	11.8	58
E383745		99.2	0.006	4.7	1.24	7	2	10.5	15.6	0.17	0.34	7.9	0.059	0.39	13.1	55
E383746		0.7	<0.002	0.07	0.06	0.4	3	<0.2	269	<0.05	<0.05	0.2	0.006	<0.02	0.6	13

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 21-NOV-2007
Account: CASMIN

Project: IGOR- HOLE-09

CERTIFICATE OF ANALYSIS VA07111001

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E383707		10.5	11	6	50.8		0.006
E383708		13.3	12.2	5	47.6		0.023
E383709		8.2	11.9	5	47.4		0.011
E383710		7.1	11.5	5	48.3		0.011
E383711		0.1	3	27	3.5		0.002
E383712		9.1	11.8	4	64		0.016
E383713		7.7	11.6	3	43.1		0.005
E383714		9.5	8.9	4	46.8		0.002
E383715		11.2	10	5	46.5		0.030
E383716		7.2	10.2	12	37.7		0.013
E383717		7.3	11.2	9	47.8		0.007
E383718		6.5	10.2	4	53		0.008
E383719		13.2	11.7	2	46.5		0.020
E383720		11.7	19	2	41.9		0.029
E383721		15.7	23.2	4	76.5		0.057
E383722		9.5	17.6	10	36.3	1.620	0.180
E383723		0.1	2.6	22	2.9		0.001
E383724		10.8	16.8	5	59.3		0.056
E383725		11.1	16.6	4	64.3		0.005
E383726		8	11.8	3	41.5		0.003
E383727		8.5	17.3	3	45.8		0.014
E383728		15.1	13.5	3	77		0.009
E383729		6.3	10.8	13	24.5		0.015
E383730		7.4	13.2	19	24.9		0.022
E383731		3.2	9.6	8	7.1		0.014
E383732		5.1	9.7	7	15.2		0.022
E383733		4.1	9.6	8	5.5		0.011
E383734		0.1	3.1	22	3.5		0.001
E383735		8.1	14.9	6	48.9		0.050
E383736		5.5	11	6	32.9		0.016
E383737		9.1	10.6	9	51.6		0.008
E383738		7.6	9	8	35.2		0.005
E383739		9	12.3	9	56.8		0.002
E383740		8.6	10.5	6	46.6		0.010
E383741		10.4	10.4	7	58.8		0.012
E383742		9.5	12.1	10	65.2		0.014
E383743		10.7	10.9	9	44		0.020
E383744		9.6	10.3	6	43.6		0.021
E383745		9.5	9.7	4	41.9		0.020
E383746		0.1	2.8	21	3		<0.001

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 21-NOV-2007
Account: CASMIN

Project: IGOR- HOLE-09

CERTIFICATE OF ANALYSIS VA07111001

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E383747		1.24	0.19	4.08	85.6	700	0.77	6.8	0.28	<0.02	86.1	96.2	26	6.54	72.6	18.65
E383748		1.58	0.16	4.87	81.1	1140	1.03	6.59	0.26	<0.02	85.2	100.5	27	7.89	65.4	20.4
E383749		1.64	0.16	4.8	71.9	920	0.92	5.59	0.25	<0.02	102	97.2	27	7.64	53.9	17.65
E383750		1.57	0.18	3.37	56.4	280	0.72	5.27	0.5	<0.02	110	93.1	16	5.43	208	21.8
E383751		1.59	0.31	1.08	100.5	90	0.25	9.21	0.74	<0.02	147	153.5	5	1.72	435	26.5
E383752		1.68	0.38	4.31	141	1390	0.86	14.2	0.42	<0.02	241	176.5	14	6.53	363	23.3
E383753		1.51	0.67	1.3	273	270	0.25	25.4	0.37	<0.02	120	219	1	1.97	333	32.3
E383754		1.79	0.75	0.79	182.5	20	0.22	22.3	0.36	<0.02	106.5	167	<1	0.99	192	37.4
E383755		1.15	0.35	0.68	85.1	40	0.2	9.22	0.75	<0.02	133.5	119.5	<1	1.08	129.5	34.8
E383756		1.39	0.35	1.31	92.8	90	0.38	6.57	0.74	<0.02	182.5	170	1	2.19	661	31
E383757		0.17	0.01	0.12	<5	30	0.1	0.03	43.1	0.38	2.3	1.3	6	<0.05	2.3	0.11
E383758		0.23	1.09	2.18	76.1	80	0.64	10.2	1.96	<0.02	194	310	9	2.49	8640	24.9
E383759		1.64	0.23	1.85	69	230	0.45	2.72	0.77	<0.02	173.5	119.5	7	3.18	1565	31.7
E383760		1.39	0.2	3.77	103	390	0.63	7.36	0.68	<0.02	155	116	22	5.18	1370	21.8
E383761		1.16	0.29	1.54	95.5	110	0.28	9.75	0.51	0.02	101.5	115	7	2.42	900	32.9
E383762		1.65	0.19	0.58	76.9	280	0.12	5.82	0.61	<0.02	58.3	92.5	<1	0.92	85.3	37.7
E383763		2.21	0.28	1.73	188.5	100	0.32	9.99	0.52	<0.02	146.5	137	4	2.42	139	35.7
E383764		1.72	0.16	2.2	49.5	390	0.41	2.53	0.87	<0.02	181	63.3	8	2.97	418	32.6
E383765		1.21	0.29	6.3	83.2	600	1.17	1.55	0.79	<0.02	152.5	74.3	33	8.3	2970	18.9
E383766		1.59	0.8	6.15	651	1450	1.08	22.9	1.04	<0.02	275	385	35	7.46	1140	18.3
E383767		1.54	0.45	6.07	281	1910	1.14	10.5	0.57	<0.02	174	150	25	7.38	1480	20.2
E383768		1.57	16.65	5.36	64.8	1340	1.13	4.68	0.76	<0.02	159.5	80.8	21	6.72	2050	23.2
E383769		0.17	0.06	0.13	7	60	<0.05	0.03	42.8	0.33	2.28	0.8	6	<0.05	3.6	0.08
E383770		1.46	0.32	4.77	26.1	2380	1.03	1.27	0.63	<0.02	110	35.6	21	6.31	693	25.5
E383771		1.46	0.25	6.38	59.5	750	1.55	4.96	0.41	<0.02	71	63.8	25	8.25	1190	20.8
E383772		1.55	0.37	5.36	54	960	1.25	5.76	0.26	<0.02	84.5	83.5	38	7.77	1150	19
E383773		1.21	0.22	3.28	21.6	240	0.82	2.24	0.2	<0.02	64.9	49.1	17	4.61	181	16.9
E383774		1.50	0.13	4.29	10.2	1540	0.83	0.3	0.23	0.02	65.3	21.5	25	5.03	40.8	13.55
E383775		2.27	0.08	4.41	8.4	1540	0.84	0.25	0.21	<0.02	56.4	26	26	5.06	26.8	13.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 21-NOV-2007
Account: CASMIN

Project: IGOR- HOLE-09

CERTIFICATE OF ANALYSIS VA07111001

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E383747		12.95	0.32	1.3	0.105	1.77	59.2	13.3	1.48	10900	24	0.07	3.2	39.9	720	2.9
E383748		14	0.34	1.6	0.127	2.12	60.8	16.1	1.71	12000	19.05	0.09	3.3	43.8	620	2.3
E383749		13.55	0.27	1.7	0.096	2.1	76	14.1	1.37	9580	26.9	0.08	4.6	39	720	2.4
E383750		10.5	0.34	1.2	0.124	1.48	84.2	10.5	1.69	13700	47.6	0.06	7.1	43.7	1720	2.3
E383751		4.21	0.43	0.5	0.12	0.47	117.5	4.3	1.67	15900	92.8	0.02	8.7	68.8	2770	3.2
E383752		15.15	0.44	1.6	0.098	1.86	198	14	1.2	9980	76.5	0.07	7.3	96	1740	3.6
E383753		4.82	0.46	0.5	0.106	0.55	94.7	4.9	1.27	11850	77.6	0.02	6	102.5	1180	4.2
E383754		3.37	0.51	0.3	0.221	0.27	104.5	4.5	1.81	17050	84.9	0.01	7.4	78.9	1050	7.1
E383755		3.22	0.53	0.2	0.214	0.28	99.3	3.1	1.97	21500	80	0.02	7.1	50.8	2790	4
E383756		5.15	0.51	0.4	0.189	0.56	144.5	5	1.79	17700	79.7	0.03	8.3	54.7	2850	3.1
E383757		0.46	<0.05	0.1	<0.005	0.03	1.9	1.3	0.47	74	0.43	0.01	0.3	2.1	110	0.9
E383758		9.02	0.43	0.7	0.249	0.61	124	18.5	1.4	5680	59.4	0.22	5.5	58.3	2200	6.3
E383759		6.99	0.53	0.7	0.185	0.8	133	6.6	2.07	20900	71.4	0.04	11	38	2820	2.4
E383760		10.8	0.25	1	0.107	1.6	126	9.4	1.46	12700	57.1	0.07	7.5	55.8	2550	2.8
E383761		4.85	0.31	0.4	0.228	0.65	79.2	4.3	2.21	21700	46.7	0.03	3.6	60.6	1520	5.7
E383762		2.23	0.27	<0.1	0.191	0.25	43.6	2.3	2.33	25000	36.7	0.01	6.1	53.5	1740	3
E383763		5.35	0.31	0.3	0.166	0.73	120.5	4.3	2.11	20100	43.6	0.03	3.8	71.1	1590	4.3
E383764		6.5	0.32	0.9	0.169	0.92	146	5.1	2.29	21600	60.6	0.05	7.7	40.9	3040	2.1
E383765		17.1	0.22	2.7	0.178	2.57	118	11.6	1.51	12650	51.5	0.12	11.2	39.3	3080	2
E383766		18.65	0.31	1.9	0.046	2.51	202	10.4	0.22	264	201	0.12	11.8	161	4860	5
E383767		17.65	0.25	1.9	0.125	2.46	118	11.3	1.23	9900	66.9	0.12	5.9	75.1	2220	3
E383768		15.25	0.3	1.5	0.174	2.17	131.5	10.2	1.9	16200	43.4	0.1	6.8	48.5	2710	1.9
E383769		0.45	<0.05	<0.1	<0.005	0.03	1.9	1.2	0.46	54	0.39	0.01	0.2	2.7	100	0.9
E383770		13.6	0.38	1.7	0.226	1.89	93.9	10.8	2.35	21300	42.9	0.09	7.6	28.2	1640	2.9
E383771		18.65	0.21	2.3	0.218	2.58	51.7	12.4	1.58	15150	35.7	0.13	6.1	31.1	1100	3.6
E383772		14.8	0.2	1.7	0.284	2	56.4	16.4	1.58	15450	21.5	0.1	4	39.2	640	4.8
E383773		8.66	0.18	1.1	0.231	1.21	32	13.7	1.57	18200	1.14	0.06	2.2	20.6	430	3.3
E383774		10.4	0.16	1.3	0.144	1.69	35.8	6.6	1.24	11050	1.27	0.1	2.2	18	500	1.7
E383775		10.5	0.14	1.5	0.127	1.71	31.3	6.7	1.12	10750	1.61	0.1	3.8	13.9	430	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 21-NOV-2007
Account: CASMIN

Project: IGOR- HOLE-09

CERTIFICATE OF ANALYSIS VA07111001

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E383747		105.5	0.004	5.39	1.29	8.3	2	11.2	10.9	0.14	0.41	8.3	0.052	0.4	12.1	54
E383748		114.5	0.002	5.86	1.17	7.6	2	12.4	11.5	0.16	0.41	9.1	0.063	0.47	12.9	51
E383749		119	0.003	5.52	1.24	6.4	2	11.8	11.2	0.19	0.34	11	0.071	0.48	13.4	58
E383750		87	0.012	4.6	1.19	7	3	9.5	11.4	0.2	0.47	7.6	0.05	0.34	18.3	79
E383751		27	0.037	8.87	1.51	6.1	6	3.9	11.5	0.24	0.98	3.1	0.029	0.13	11.6	91
E383752		103	0.013	>10.0	2.28	9.2	4	12.9	19.4	0.16	0.8	6.8	0.102	0.45	11.6	151
E383753		31.7	0.017	>10.0	3.76	5.7	4	6.3	8.8	0.14	1.28	3.4	0.026	0.15	4.8	57
E383754		15.6	0.028	>10.0	1.83	3.7	4	4	33.7	0.11	1.49	1.6	0.018	0.19	3	44
E383755		16.4	0.021	8.16	1.64	3.3	4	3.4	19.6	0.19	1.19	2	0.012	0.1	10.6	67
E383756		34	0.027	7.13	1.09	4.3	7	4.1	25.6	0.23	2.88	4.4	0.024	0.17	15.6	78
E383757		0.6	<0.002	0.08	0.06	0.4	3	<0.2	273	<0.05	<0.05	0.2	0.006	<0.02	0.7	14
E383758		33.9	0.016	6.45	2.08	4	6	7.1	175.5	0.12	1.21	5.8	0.031	0.47	14.2	55
E383759		50.4	0.021	3.36	0.8	5.7	7	5.3	18.4	0.26	3.01	5.4	0.034	0.2	10.1	91
E383760		90	0.015	6.17	1.77	7.4	4	8.2	15.4	0.23	0.92	9.3	0.052	0.33	19	103
E383761		38.5	0.011	6.53	2.01	6.7	3	3.2	19.3	0.11	0.78	4.6	0.022	0.16	3.4	61
E383762		13.9	0.006	3.98	1.36	4	2	2	10.4	0.2	0.34	1.7	0.011	0.06	1.8	63
E383763		40.6	0.007	8.98	3.78	8.4	2	3.2	11.6	0.1	0.75	3.7	0.043	0.16	5	88
E383764		51.3	0.015	2.33	1.16	8.7	2	3.6	16	0.25	0.51	6.7	0.045	0.19	5.7	108
E383765		146	0.017	2.36	1.23	13.5	3	9.8	21.2	0.36	0.26	13.6	0.144	0.52	24	195
E383766		138	0.021	>10.0	5.05	6.7	6	11.7	29	0.39	1.36	12.6	0.134	0.56	18.3	207
E383767		117.5	0.011	8.1	2.84	13.2	3	8.6	17.7	0.18	0.67	6.8	0.183	0.54	17.2	224
E383768		124	0.013	3.28	1.58	17.5	3	6.8	18.2	0.29	0.42	7	0.168	0.45	12.3	214
E383769		0.7	<0.002	0.06	0.08	0.3	2	<0.2	245	<0.05	0.06	<0.2	0.006	<0.02	0.6	4
E383770		106.5	0.011	0.97	1.1	16.5	2	6	19.2	0.25	0.08	6.9	0.248	0.41	18.7	192
E383771		95.2	0.007	3.74	2.25	15.7	2	8	17.9	0.22	0.19	4.6	0.368	0.57	21.1	245
E383772		116.5	0.009	3.37	1.77	13.4	2	5.9	23.7	0.28	0.26	8	0.177	0.44	55.6	98
E383773		72.2	<0.002	2.45	1.99	6.5	1	2.4	57.5	0.14	0.05	8.2	0.061	0.33	12.2	50
E383774		95.9	<0.002	0.5	0.84	9.3	1	2.7	14.2	0.16	<0.05	8.9	0.088	0.33	2.5	62
E383775		98.6	0.003	0.35	0.85	8.7	1	3.2	15.2	0.29	0.05	10.2	0.099	0.35	11	65

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 21-NOV-2007
Account: CASMIN

Project: IGOR- HOLE-09

CERTIFICATE OF ANALYSIS VA07111001

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E383747		9	8.5	3	40.8		0.024
E383748		9	9.2	3	48.8		0.021
E383749		11	10.8	2	51.4		0.019
E383750		8.5	12.9	4	36.2		0.023
E383751		5.9	11.8	7	14.6		0.040
E383752		17.6	14.4	6	44.7		0.044
E383753		6.4	6.4	5	14.5		0.073
E383754		4.2	5.2	9	8.2		0.045
E383755		2.9	10	7	5.4		0.033
E383756		4.7	12.1	5	14		0.051
E383757		0.1	2.7	23	3		0.001
E383758		6.2	14.4	<2	21.2		0.116
E383759		8.2	14	5	20.4		0.038
E383760		10.2	12.5	6	30.3		0.047
E383761		4.8	8.8	8	15.7		0.039
E383762		5.1	7.2	8	3.7		0.016
E383763		8.4	7.9	7	11.7		0.033
E383764		7	13	7	30.7		0.013
E383765		15.2	17.8	3	77.8		0.018
E383766		16.9	24.1	<2	54.2		0.085
E383767		14.1	14.4	3	51.7		0.037
E383768		13.8	14.8	5	42		0.026
E383769		0.1	2.7	22	2.1		<0.001
E383770		16.4	13.4	10	45.2		0.007
E383771		21.3	12.2	7	58.6		0.014
E383772		12.4	12.6	12	47.7		0.017
E383773		5.2	8.3	15	33.1		0.004
E383774		6.4	7.7	9	36.9		0.002
E383775		5.8	7.6	9	41.9		<0.001

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 21-NOV-2007
Account: CASMIN

Project: IGOR- HOLE-09

CERTIFICATE OF ANALYSIS VA07111001

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E147361		0.6	4	11	4.1		<0.001	
E147362		6.6	16.9	9	25.8		0.118	
E147363		13.7	12.7	12	73.5		0.003	
E147364		18.6	14.2	8	78.6		0.003	
E147365		15.4	12.4	8	67.8		0.002	
E147366		12.1	16.4	16	57.2		0.002	
E147367		12.8	11	9	62.1		0.002	
E147368		11.2	9.7	9	55.5		0.003	
E147369		7.2	11.5	22	69.4		0.002	
E147370		9.8	9.9	20	51.3		0.001	
E147371		0.5	4.1	11	3.9		<0.001	
E147372		10.7	9.8	13	63.3		0.003	
E147373		11.5	11	11	68.2		0.002	
E147374		12.3	9.3	9	69		0.003	
E147375		14.5	19.4	29	73.2		0.018	
E147376		12.9	21.4	25	64.1		0.019	
E147377		6.8	8.9	8	62.2		0.001	
E147378		7.7	9.6	20	58.4		<0.001	
E147379		9.7	7.5	9	51		0.002	
E147380		15.7	15.4	6	50.8		0.032	
E147381		0.5	3.9	11	3.7		0.001	
E147382		8.8	12.8	6	68		0.016	
E147383		14.3	20	4	41.9		0.032	
E147384		10.2	9.9	4	70.2		0.003	
E147385		11.7	9.9	6	56.9		0.002	
E147386		11.9	9.9	4	37.7		0.002	
E147387		14.1	11	5	59.6		0.002	
E147388		11.6	11	5	51.6		0.002	
E147389		14.8	13.9	9	58.8		0.003	
E147390		14.3	11.9	4	53		0.005	
E147391		0.5	3.8	11	3.9		<0.001	
E147392		14.4	12.3	4	58.5		0.004	
E147393		15.5	15.9	5	65.2		0.004	
E147394		11.9	20.8	6	69.7		0.007	
E147395		6.5	12	6	52.7		0.033	
E147396		4.4	11.7	5	44.9		0.042	
E147397		9.8	17	2	48.8		0.021	
E147398		7.3	12.8	4	47.3		0.034	
E147399		11.3	13.9	3	53.7		0.019	
E147400		15.8	11.6	2	65.6		0.007	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E147361		2.1	<0.002	0.05	0.39	1.4	1	0.2	132	<0.05	<0.05	0.5	0.016	<0.02	0.4	5
E147362		38.8	0.019	7.72	2.3	4.8	5	7.9	151	0.12	1.34	6.6	0.032	0.56	16.7	68
E147363		120	0.003	0.9	1.5	27.2	2	21.5	509	0.19	0.14	4.2	0.358	0.35	9.1	227
E147364		160	0.004	0.93	1.45	34.3	2	27.7	150	0.13	0.16	7.9	0.426	0.39	39.8	294
E147365		152.5	0.006	0.83	1.5	41.8	2	27.6	184	0.15	0.24	3.8	0.385	0.38	17.4	246
E147366		65	0.012	0.16	1.49	20	1	13.7	290	0.29	0.06	13.6	0.167	0.19	15.8	113
E147367		99.4	0.006	0.83	1.82	27.8	2	19.3	243	0.27	0.13	6.8	0.291	0.26	5.9	159
E147368		83.8	0.005	0.67	1.68	21.8	2	16	298	0.26	0.11	7.6	0.238	0.24	5.2	131
E147369		98.4	0.003	0.75	1.05	17.7	2	11.1	558	0.38	0.08	12.1	0.199	0.33	9.2	94
E147370		82.1	0.004	0.53	1.27	13.1	1	13.3	806	0.44	0.08	13	0.159	0.25	12.2	65
E147371		2.1	<0.002	0.04	0.52	1.4	1	0.2	123	<0.05	<0.05	0.5	0.014	<0.02	0.3	4
E147372		118.5	0.004	1	1.2	13.1	1	15.7	983	0.52	0.25	13	0.208	0.37	18.6	72
E147373		127.5	0.006	0.75	1.08	15.8	1	18.9	1120	0.59	0.14	14.9	0.236	0.35	17.4	83
E147374		152.5	0.005	0.95	1.25	20.1	1	22.2	704	0.57	0.19	11.9	0.236	0.4	12.1	77
E147375		130	0.039	2.36	1.8	20.9	3	20.5	352	0.61	0.42	19.7	0.218	0.41	620	77
E147376		122	0.024	2.29	1.94	23.8	3	19.3	460	0.47	0.37	29.2	0.207	0.37	750	73
E147377		68.3	0.007	0.5	1.02	15.5	1	12.1	747	0.61	0.15	8.1	0.214	0.27	18.4	64
E147378		71.4	0.003	0.39	0.84	28.3	1	13.5	689	0.42	0.06	15.6	0.178	0.2	11.1	65
E147379		88.3	0.003	0.49	1.19	18.1	1	17.5	1145	0.44	0.07	12.2	0.194	0.18	7.1	63
E147380		78.9	0.028	1.13	1.99	11	3	12.3	1160	0.42	0.33	6.2	0.155	0.31	570	47
E147381		1.9	<0.002	0.04	0.37	1.3	1	0.2	123	<0.05	<0.05	0.5	0.014	<0.02	0.8	5
E147382		132	0.007	1.27	1.21	12.2	2	8.2	450	0.21	0.23	16.3	0.112	0.41	17.6	65
E147383		35.1	0.015	0.95	2.09	5.9	2	4.5	1365	0.36	0.28	6.8	0.122	0.17	910	27
E147384		83.1	0.004	0.64	0.88	13	2	11.8	821	0.49	0.09	12.7	0.197	0.22	12.4	47
E147385		71.4	0.005	0.45	1.52	8.5	2	11.4	1160	0.51	0.1	9.6	0.162	0.18	10.5	45
E147386		72.6	0.008	0.47	1.02	9.4	1	11.9	1310	0.46	0.11	8	0.123	0.19	13.6	50
E147387		104	0.005	0.5	1.36	12.9	1	15.6	837	0.55	0.1	10.1	0.179	0.28	20.8	63
E147388		75.8	0.004	0.47	1.4	9.4	1	12.1	836	0.53	0.1	10.5	0.161	0.2	14.9	57
E147389		99.4	0.004	0.36	1.59	11.7	1	15.5	465	0.6	0.12	12.3	0.198	0.27	29.6	72
E147390		77.9	0.005	0.49	1.78	10.5	2	13.1	385	0.58	0.13	12.3	0.183	0.2	24.6	59
E147391		1.9	<0.002	0.04	0.43	1.3	1	0.2	117.5	<0.05	<0.05	0.5	0.015	<0.02	0.4	4
E147392		104.5	0.005	0.35	1.47	13.6	1	15.5	211	0.6	0.08	13.6	0.218	0.21	12.5	67
E147393		115	0.003	0.41	1.35	14.2	2	16.1	254	0.59	0.13	18.6	0.219	0.24	19.9	70
E147394		108	0.003	0.87	0.56	12.7	2	12.7	655	0.48	0.09	22.3	0.148	0.3	11.2	53
E147395		44.7	0.004	1.13	0.61	6.5	2	4.8	722	0.28	0.49	8.2	0.084	0.15	49.7	35
E147396		22.1	0.002	1.23	0.63	5.5	4	2.9	564	0.18	0.24	8.8	0.051	0.08	28	31
E147397		83.1	0.003	0.85	0.59	9.1	3	10.5	1095	0.36	0.13	20.8	0.122	0.18	104.5	43
E147398		47.6	<0.002	0.85	0.5	6.7	3	7.2	731	0.25	0.11	11	0.098	0.12	18.7	34
E147399		89.6	0.003	0.78	0.55	9.2	3	11.1	1090	0.42	0.11	13.7	0.143	0.2	58.9	48
E147400		123.5	0.011	0.42	1.6	11.1	3	15.1	1040	0.53	0.15	13.1	0.203	0.28	21.6	59

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E147361		0.97	<0.05	0.1	0.007	0.06	2.9	4.7	11.5	263	0.46	0.02	0.5	4.5	420	2.2
E147362		10.05	0.37	0.8	0.286	0.68	92	23.4	1.68	6680	64.1	0.25	5.6	49.6	2620	6.9
E147363		18.55	0.19	2.3	0.042	2.92	22.7	43.6	1.08	1205	21.2	1.19	3.1	19.6	930	1.9
E147364		23.5	0.2	2.7	0.062	4.15	45.7	45.3	0.82	743	19.45	1.41	3.4	17	710	2.4
E147365		21.3	0.19	2.2	0.056	4.61	29.2	39.8	0.77	671	26.7	0.72	4.4	15.4	890	2
E147366		14.65	0.32	1.7	0.035	1.74	227	28.5	1.24	1975	32	1.19	6.7	24.5	1710	2.1
E147367		15.95	0.2	1.9	0.041	2.68	51.2	34	0.84	1320	27.2	1.19	5.7	15.4	970	2.2
E147368		13.75	0.18	1.7	0.031	2.32	46.1	29.9	0.91	1550	23	1.1	5	12.3	990	2
E147369		14.6	0.17	2.1	0.035	2.86	39.1	51.6	1.78	1855	15.3	0.2	4.3	20.2	1060	2.1
E147370		14.7	0.2	1.6	0.03	2.07	66.4	48.6	1.31	1075	11.7	0.11	6.9	15.7	1200	2.9
E147371		0.96	<0.05	0.1	0.006	0.06	2.7	4.5	11.45	250	0.4	0.02	0.5	4.7	440	2
E147372		16.7	0.15	1.9	0.031	2.96	26	42.6	0.94	408	10.85	0.25	7.7	16	1070	3.3
E147373		18.05	0.18	2.1	0.04	3.26	48.5	40.1	1.03	993	19.3	0.41	8.5	12.2	1110	3.3
E147374		22.4	0.14	2.2	0.054	3.8	13	45.7	0.8	287	11.25	0.07	8.9	12.5	930	1.9
E147375		22.3	0.16	2.3	0.053	3.61	13	63.4	1.31	594	107	0.05	10	25.6	1130	57.5
E147376		20.3	0.17	2	0.055	3.01	12.4	50.5	1.16	846	118	0.04	8.7	24.6	1080	75.2
E147377		17.95	0.26	2.1	0.041	2.04	17.6	19.1	1.17	2220	15.55	1.85	6.8	12.7	640	3.3
E147378		14	0.15	1.8	0.024	2.19	26.7	33.2	1.46	1840	10.95	0.74	7.1	15.5	770	2.9
E147379		14	0.12	1.6	0.035	2.44	22.2	28.1	0.96	1515	13.55	0.3	7.8	10.7	650	2.6
E147380		12.15	0.14	1.6	0.033	2.03	3.7	25	0.61	509	117	0.38	7	19.9	780	32.8
E147381		0.9	<0.05	0.1	0.006	0.06	2.5	4.6	11.15	242	0.48	0.02	0.5	4.6	430	2.5
E147382		20	0.19	2.1	0.139	2.86	55.1	25.7	1.32	3360	19.75	0.57	3.4	24	780	3.1
E147383		6.75	0.13	1.3	0.038	0.9	5.5	10.3	0.83	1880	106	1.33	5.2	13.4	570	38.9
E147384		14.6	0.15	2.2	0.043	2.07	47.8	20.8	0.9	1970	9.09	1.88	7.3	10.3	770	2.3
E147385		11.7	0.18	1.7	0.035	1.73	55.5	16.6	0.68	1440	13.45	1.19	8.4	9.1	1230	2.6
E147386		11.35	0.2	1.2	0.032	1.86	84.5	16.4	0.72	1875	15.05	0.35	9.4	12.3	1230	3
E147387		15.95	0.17	1.9	0.049	2.43	36.4	25.6	1	2700	10.15	0.71	10.5	13.4	770	3.8
E147388		12.1	0.15	1.6	0.048	1.94	34.5	21.4	1.21	3460	9.01	0.67	9.2	11.5	990	3.4
E147389		15.5	0.17	1.9	0.061	2.51	58.4	32.1	1.35	3180	9.13	0.4	11	13.9	1060	5.3
E147390		13.2	0.18	1.7	0.054	1.97	44	20.5	1.09	3410	11.7	1.03	9.2	11.1	1000	5.6
E147391		0.89	<0.05	0.1	0.005	0.05	2.5	4.4	11.05	244	0.33	0.02	0.5	4.5	420	1.7
E147392		17.1	0.17	1.9	0.07	2.49	42	27.6	1.38	3910	7.74	0.97	10.1	10.7	790	2.6
E147393		18.75	0.28	2.1	0.068	2.8	199.5	30.6	1.1	3220	6.09	0.73	9.8	12.3	1000	4.6
E147394		18.95	0.45	2.3	0.063	2.59	375	27.4	1.24	3850	20.7	1.5	6.9	19.4	490	3.1
E147395		9.13	0.16	1.6	0.035	1.2	22.1	10.5	0.95	4670	52.2	2	3.3	22.3	500	5.6
E147396		8.93	0.26	1.5	0.055	0.65	51.1	6.9	1.46	7610	20.8	2.69	2	33.5	440	4.4
E147397		14.9	0.37	1.6	0.059	2.05	229	16.7	1.51	4970	18.35	1.36	5.3	22.8	560	14.1
E147398		12	0.25	1.6	0.057	1.21	132.5	12.6	1.47	6600	10.5	2.44	3.5	23	470	3.8
E147399		15.5	0.31	1.8	0.063	2.13	173	18.7	1.43	4800	23.6	1.49	5.9	20.6	640	8.3
E147400		19.55	0.25	2.3	0.044	2.95	137	26.1	0.44	645	28.3	0.84	8.3	14.7	1110	4.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E147361		0.21	0.02	0.35	<5	610	0.09	<0.01	21	0.14	6.33	2.4	8	0.16	6.2	0.32
E147362		0.25	1.29	2.46	131	50	0.76	11.35	2.44	<0.02	185.5	378	13	2.73	9720	30.3
E147363		1.24	0.07	7.4	12	630	2.46	0.13	1.41	<0.02	36.8	135.5	69	4	24.5	13
E147364		1.33	0.07	9.2	10.2	1780	3.49	0.14	0.85	<0.02	62	134	97	4.09	39.6	12
E147365		0.98	0.09	8.31	8.2	1430	3.24	0.14	0.83	<0.02	43.3	119	83	4.69	38.3	11.95
E147366		1.15	0.05	5.27	7.1	3880	1.4	0.04	2.26	<0.02	305	18.5	37	2.96	3.8	16.2
E147367		1.51	0.06	6.08	9.7	390	1.98	0.19	1.48	<0.02	76.5	116.5	57	3.02	27.5	11.9
E147368		0.91	0.05	5.52	9.3	540	1.82	0.12	1.87	<0.02	67.6	90.3	42	2.48	22.2	10.95
E147369		1.56	0.06	6.3	11.4	530	1.84	0.06	2.09	0.02	59.6	105.5	46	6.29	17.7	11.65
E147370		1.21	0.04	5.05	9.3	500	2.09	0.08	1.16	<0.02	108	68.7	32	4.25	38.3	11.2
E147371		0.29	0.02	0.31	<5	160	0.15	<0.01	21	0.13	5.9	2.5	7	0.15	6.3	0.27
E147372		0.93	0.04	6.45	17.6	330	2.67	0.41	0.66	<0.02	50.3	97.3	56	5.75	83.6	9.18
E147373		1.25	0.03	7.02	14.6	830	2.84	0.22	1.28	<0.02	83.1	75.6	47	4.26	36.5	9.91
E147374		1.06	0.05	7.36	26.2	400	3.57	0.73	0.45	<0.02	26.1	96.6	59	4.18	71	7.43
E147375		1.22	0.89	7.37	42.3	490	3.61	2.46	0.79	<0.02	33.3	257	51	4.16	76.2	9.73
E147376		1.51	0.64	6.52	28.9	2170	2.87	3.77	1.03	<0.02	34.4	237	42	3.58	86.1	10.45
E147377		1.16	1.66	5.98	8.1	610	1.36	0.4	2.62	0.04	27.7	62.3	51	2.02	154	8.92
E147378		1.17	0.01	5.32	5.3	930	1.55	0.05	2.23	<0.02	39.1	56.1	40	2.54	20.3	9.06
E147379		0.93	0.05	4.8	7.4	490	2.07	0.16	1.81	<0.02	39.3	56.4	52	1.9	587	8.75
E147380		1.44	0.97	4.74	26.1	180	2.15	1.52	0.7	0.02	16.65	134.5	34	3.28	1645	7.34
E147381		0.24	0.02	0.31	<5	310	0.12	<0.01	20.8	0.14	5.74	2.4	7	0.13	7.5	0.28
E147382		0.19	0.29	6.77	57.2	210	2.73	1.6	2	<0.02	111.5	110.5	42	6.45	1590	7.36
E147383		1.10	0.94	3.44	23	240	1	1.39	2.22	<0.02	24.1	124.5	18	1.24	472	6.22
E147384		1.42	0.04	6.19	6.1	330	2.03	0.05	2.2	<0.02	75.6	93.4	41	2.41	90.9	8.49
E147385		1.28	0.02	4.61	13.7	440	1.63	0.06	1.76	<0.02	96.6	59	26	1.72	233	9.22
E147386		1.57	0.02	3.83	12.1	330	1.68	0.03	1.74	<0.02	159	64.5	19	1.37	37.9	9.8
E147387		0.88	0.07	5.54	7.7	670	2.56	0.08	2.58	<0.02	54.5	67	39	2.43	234	9.41
E147388		1.69	0.04	4.43	9.7	470	1.92	0.09	2.98	<0.02	53.2	62.1	24	1.96	531	9.64
E147389		0.91	0.07	5.5	10.4	1300	2.28	0.03	3.12	<0.02	86	55.9	30	2.65	26.1	10.8
E147390		1.13	0.16	4.85	10.1	520	2.06	0.05	3.32	<0.02	67.6	70.6	38	1.66	58.1	9.69
E147391		0.25	0.02	0.3	<5	320	0.1	<0.01	20.3	0.12	5.67	2.3	7	0.13	7	0.27
E147392		1.07	0.03	5.75	5.9	2320	2.91	0.03	3.72	<0.02	60.4	49.7	36	2.11	20.8	9.13
E147393		1.49	0.06	5.75	9.6	1340	2.91	0.03	2.96	<0.02	294	61.6	42	2.17	41.4	8.96
E147394		1.09	0.07	6.84	9.8	420	2.24	0.05	2.74	<0.02	490	105.5	36	2.53	502	9.96
E147395		1.15	0.18	4.87	21.4	150	0.95	0.22	2.95	<0.02	39.8	145.5	33	0.71	1130	10.2
E147396		1.16	0.35	4.68	10.1	120	0.44	0.18	5.17	<0.02	74.9	127.5	17	0.32	3540	12.7
E147397		1.44	0.22	5.48	8.5	230	1.3	0.17	4.29	<0.02	360	86	28	1.33	2320	10.6
E147398		1.11	0.18	5.45	6.2	230	0.92	0.12	4.44	<0.02	187	80.8	20	0.9	2960	11.6
E147399		1.02	0.2	5.9	9.6	250	1.43	0.13	4.09	<0.02	257	81.2	26	1.3	1905	10.6
E147400		1.20	0.07	6.6	10	700	2.35	0.12	0.7	<0.02	189	56.2	45	2.51	169	8.91

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E147271		0.5	3.5	11	4.1		0.002	
E147272		7.8	11.3	5	59		0.022	
E147273		19	15.1	5	64.8		0.006	
E147274		16.2	15.9	7	75		0.008	
E147275		18.6	15.4	13	78.5		0.008	
E147276		11.6	17.1	13	76.3		0.005	
E147277		10.4	20.5	11	76		0.011	
E147278		10.2	17.7	14	73.5		0.010	
E147279		11.6	14.5	30	83.3		0.005	
E147280		10	13.8	23	74.9		0.153	
E147281		0.5	3.8	13	3.6		0.002	
E147282		20.7	18.7	21	86.3		0.020	
E147283		21	16.7	13	67.7		0.024	0.57
E147284		20.1	20.8	21	65.4		0.301	
E147285		18.5	13.3	11	66.1		0.014	
E147286		21	16.8	13	79.6		0.009	
E147287		24.7	21.9	10	73		0.017	0.85
E147288		26.5	15.7	8	45.6		0.007	
E147289		19.1	16	7	53.7		0.007	1.12
E147290		18.8	14.7	3	56		0.008	
E147291		0.6	3.7	12	3.9		<0.001	
E147292		8.9	16	16	56.9		0.053	
E147293		18.1	13.4	3	53.9		0.005	2.71
E147294		20.1	16	5	57.9		0.057	
E147295		12.3	13.1	7	49.9		0.003	0.71
E147296		14.2	15.4	5	54.2		0.002	0.65
E147297		21.6	15.9	7	72.5		0.008	
E147298		22.1	13.9	8	77.6		0.007	0.70
E147299		15.6	15.7	6	71.2		0.003	0.60
E147300		15.2	16.6	10	70.1		0.001	
E147351		0.5	3.6	11	3.4		<0.001	
E147352		15.3	14.2	13	75.7		<0.001	
E147353		13.2	17.2	7	72.1		0.011	
E147354		11.4	15.4	5	65.3		0.003	
E147355		9.8	14.9	5	56.5		0.004	1.33
E147356		10.8	15.7	6	58.6		0.002	1.52
E147357		10.2	11.3	8	63		<0.001	
E147358		8.6	10.7	17	32.7		0.009	
E147359		8	12.8	15	28.1		0.004	
E147360		13.9	11.9	14	48.1		0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E147271		2.3	<0.002	0.03	0.6	1.4	2	0.2	104.5	<0.05	0.1	0.5	0.016	<0.02	0.1	4
E147272		131	0.007	1.3	1.13	10.7	3	8	463	0.13	0.19	13	0.106	0.36	18.2	66
E147273		137.5	0.004	0.15	1.18	12.3	2	4.6	49.4	0.29	0.07	16.2	0.201	0.35	24.9	67
E147274		142	<0.002	0.34	2.16	15.8	3	8.2	68.9	0.61	0.13	17.8	0.21	0.32	38.3	67
E147275		107	<0.002	0.16	2.82	14.1	2	5.6	72.5	0.52	0.08	15.2	0.178	0.28	63.6	67
E147276		90.4	<0.002	0.03	2.27	8.2	3	2.5	34.2	0.39	<0.05	16.3	0.168	0.21	82.8	43
E147277		115.5	<0.002	0.06	2.39	12.9	3	5	36.2	0.37	0.06	26.3	0.186	0.36	96.4	58
E147278		109	<0.002	0.09	2.44	12	2	4.2	39.3	0.28	0.07	18.6	0.16	0.3	115.25	54
E147279		113.5	0.004	0.49	2.54	17.4	3	6.8	38	0.29	0.07	19	0.201	0.29	124	77
E147280		125	0.011	0.5	2.21	19.6	5	6.9	77.2	0.4	0.16	17.1	0.178	0.32	93.3	66
E147281		1.6	<0.002	0.02	0.45	1.4	3	0.2	116.5	<0.05	<0.05	0.4	0.014	<0.02	0.3	3
E147282		121	0.056	0.23	2.59	14.1	4	8.7	54	0.61	0.15	17.1	0.203	0.28	186.5	67
E147283		110.5	0.059	0.28	1.87	10.9	4	7.5	103.5	0.54	0.27	13	0.185	0.22	139	57
E147284		87.4	0.191	0.54	2.29	8.9	7	5.7	247	0.47	0.98	12.2	0.16	0.6	560	44
E147285		102	<0.002	0.29	1.53	8.3	3	7.3	437	0.5	0.16	10	0.187	0.22	39.9	51
E147286		123.5	0.103	0.43	1.33	14.8	4	8.7	84.6	0.55	0.12	17	0.196	0.28	116.5	62
E147287		128.5	0.024	0.28	2.19	10.5	3	11.3	149	0.55	0.28	15.5	0.19	0.32	53.3	66
E147288		85.9	0.008	0.15	2.7	8.3	3	12.2	213	0.45	0.2	10.2	0.126	0.19	21.3	53
E147289		120	0.008	0.27	2.15	11	3	11.4	147	0.57	0.16	12.8	0.177	0.2	14.9	68
E147290		134	0.007	0.47	1.49	10.4	4	9.2	112	0.34	0.12	12.6	0.165	0.21	15.5	63
E147291		1.7	<0.002	0.03	0.4	1.3	3	0.2	112	<0.05	<0.05	0.4	0.015	<0.02	0.2	3
E147292		76.3	0.02	2.05	1.83	10.4	4	8.3	557	0.23	0.29	9.5	0.084	0.42	263	50
E147293		129.5	<0.002	0.28	1.31	10.1	2	8	298	0.27	0.18	10.6	0.155	0.2	11.8	57
E147294		136	<0.002	0.32	1.69	11.2	4	9.1	229	0.35	1.82	12.8	0.166	0.22	14.2	58
E147295		86.8	<0.002	0.23	1.42	7.5	2	5.1	145	0.27	<0.05	9.9	0.136	0.13	12.8	40
E147296		92.3	<0.002	0.21	2.05	8.8	2	7	132.5	0.52	0.11	10.3	0.134	0.14	10.5	51
E147297		144	0.005	0.2	1.64	13.4	3	10.5	71.6	0.45	0.13	17	0.215	0.35	38.8	69
E147298		151.5	0.006	0.32	1.32	15.7	3	11.8	116	0.35	0.16	15.7	0.195	0.35	63.2	69
E147299		152.5	<0.002	0.22	1.1	16.3	2	7.7	110.5	0.37	<0.05	14.4	0.208	0.32	21.1	75
E147300		131.5	<0.002	0.16	1.14	15.8	2	7.1	49.5	0.31	<0.05	16.4	0.22	0.31	29.9	76
E147351		1.6	<0.002	0.03	0.36	1.2	3	0.2	110.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	3
E147352		145	<0.002	0.05	1.15	15.6	2	7.3	45.1	0.53	<0.05	18.9	0.227	0.34	29.8	67
E147353		132.5	<0.002	0.13	1.19	14.5	2	6.3	93.8	0.35	<0.05	16.2	0.21	0.39	20.8	67
E147354		119	<0.002	0.09	1.43	13.2	3	5.5	77.5	0.43	<0.05	13.4	0.2	0.32	13.4	59
E147355		120	<0.002	0.29	1.1	12.3	2	4.8	250	0.42	<0.05	11.7	0.185	0.29	8.3	56
E147356		128	<0.002	0.29	1.14	12.2	3	5.3	295	0.39	<0.05	13.1	0.181	0.32	8.7	58
E147357		114.5	<0.002	0.23	1.22	9.4	2	5.2	764	0.33	<0.05	12.4	0.178	0.32	8.1	55
E147358		39.4	0.005	0.39	1.24	5.7	3	3.7	1275	0.16	0.06	6.2	0.076	0.11	22	39
E147359		15.8	0.006	0.48	1.04	5.6	3	4.6	1500	0.13	0.1	6.4	0.061	0.06	30.2	35
E147360		78.6	0.005	0.53	2.19	22.3	1	19.3	1235	0.18	0.1	6.1	0.221	0.24	4.9	121

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E147271		1.07	0.1	0.1	0.015	0.07	2.8	4.4	10.95	238	0.69	0.02	0.5	6.5	380	1.6
E147272		20.8	0.23	1.9	0.133	2.97	43.2	24.7	1.37	3290	20.3	0.58	2.4	25.7	770	2.3
E147273		17.55	0.3	2.1	0.114	3.71	76.8	23.6	2.31	6160	11.25	0.04	4.5	21.7	580	1.7
E147274		25.1	0.21	2.7	0.1	3.69	83.2	25.2	1.39	2790	13.2	0.04	9.5	27.7	870	3.7
E147275		17.9	0.21	2.7	0.073	3.2	55.2	29.2	1.69	2580	17.6	0.04	7.6	27.4	880	4.7
E147276		11.65	0.21	2.7	0.07	2.87	71.1	29.9	2.1	3320	9.24	0.04	5	17.3	650	5.1
E147277		22.5	0.29	2.7	0.059	3.91	153.5	28.1	1.32	1370	14.8	0.05	4.4	19.2	750	5.9
E147278		19.1	0.23	2.5	0.048	4.3	99.6	31.2	1.45	1330	15.45	0.05	3.3	22.6	660	5.3
E147279		26.2	0.22	2.9	0.042	3.26	56.2	68.2	2.46	376	7.99	0.03	3.5	49.3	860	4.2
E147280		25.7	0.26	2.6	0.073	3.66	88.8	46.8	1.69	1310	15.3	0.03	6.4	42.3	750	3.3
E147281		1	0.05	0.1	<0.005	0.06	2.6	3.4	11.05	229	0.29	0.02	0.5	3.8	390	2.6
E147282		21.8	0.25	2.9	0.12	2.67	89.3	62.1	1.93	2290	21	0.03	9.3	44.4	810	6.2
E147283		18.15	0.22	2.2	0.116	2.57	79.9	37.4	2.31	3770	40.8	0.03	8.7	32.6	1090	7.3
E147284		14.6	0.17	2.1	0.129	2.16	32.2	41.7	2.4	3480	276	0.03	6.9	43.8	630	20
E147285		14.9	0.16	2.2	0.084	2.81	39.2	32	1.77	2580	9.46	0.03	7.2	28.4	730	3.3
E147286		20.3	0.17	2.7	0.096	2.83	33.2	41.6	2.38	3090	8.39	0.44	7.9	35.9	670	4.8
E147287		19.45	0.24	2.4	0.175	2.91	138.5	39.3	2.9	5100	36.3	0.04	10.4	25.5	1190	5.2
E147288		14.55	0.25	1.5	0.129	2.13	122	24.6	2.17	4360	27.6	0.03	9.8	19.6	1200	2.6
E147289		20.8	0.23	1.8	0.089	3.09	131	29.4	1.83	3870	33.4	0.04	11.3	22.4	1410	2.2
E147290		20.5	0.19	1.9	0.112	3.28	68.3	28.1	2.05	5370	19.4	0.04	7.4	19.4	850	2.1
E147291		1.01	<0.05	0.1	<0.005	0.06	2.6	3.1	10.55	225	0.32	0.02	0.5	3.3	390	1.8
E147292		16.5	0.19	1.8	0.139	2.02	31	20.9	1.09	3110	63.6	0.86	4.1	32.4	790	22.3
E147293		19.2	0.16	1.8	0.112	3.22	44.2	30.8	1.95	4670	11.25	0.04	5.2	16	690	1.7
E147294		20.1	0.2	1.9	0.128	3.28	86.5	33.9	2.24	4600	18.95	0.04	7	19.3	970	2.1
E147295		12.1	0.13	1.6	0.094	2.28	12.9	24.8	3.08	8600	4.92	0.03	4.6	17.8	520	1.7
E147296		14.35	0.17	1.9	0.092	2.32	92	23.2	2.47	6520	4.62	0.03	8.8	16.3	730	1.8
E147297		21.7	0.2	2.5	0.083	3.17	83.7	34.6	1.71	2790	26.7	0.04	7.2	23.5	900	2.6
E147298		22.1	0.17	2.5	0.089	3.85	33.4	33.1	1.99	3140	25.95	0.05	5.6	23.2	790	2.8
E147299		24	0.21	2.3	0.113	3.68	91.6	30.8	2.48	4870	2.24	0.08	5.5	16.6	680	1.7
E147300		24.6	0.19	2.3	0.107	2.85	88.2	36.4	2.57	3930	1.13	0.08	5.1	18.9	610	1.8
E147351		0.94	<0.05	0.1	<0.005	0.06	2.5	3.1	10.55	222	0.28	0.02	0.5	3.8	400	1.5
E147352		26.3	0.22	2.5	0.107	2.86	94.5	42.8	2.54	3390	1.2	0.05	8	23.2	710	2.1
E147353		25.3	0.18	2.4	0.139	2.83	58.6	30.1	2.42	3810	0.96	0.04	5.6	15.8	690	1.8
E147354		19.7	0.17	2.2	0.127	2.7	30.1	22.6	2.55	4780	0.79	0.03	6	13.5	610	1.6
E147355		17.85	0.16	1.9	0.104	3.38	22.4	20.8	2.59	6230	1.14	0.04	5.6	14.3	560	1.6
E147356		18.65	0.19	1.9	0.127	3.42	51.6	21.3	2.62	5940	0.66	0.04	5.6	13.5	630	1.9
E147357		15.85	0.17	2.1	0.072	3.23	39.6	24.7	1.52	2250	1.07	0.04	4.8	13.6	710	1.8
E147358		10.95	0.19	1.1	0.05	1.05	40.7	29.8	1.67	2790	21.9	0.02	3.4	28.8	1120	2.3
E147359		9.39	0.28	0.9	0.068	0.5	123.5	19.3	2.12	6510	52.7	0.06	3.4	28.8	960	2.4
E147360		14.6	0.25	1.4	0.04	1.91	97.3	35.8	1.34	1930	25.1	0.18	5.1	21.2	930	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E147271		0.23	0.18	0.34	<5	50	0.1	0.22	20.2	0.38	5.04	2.5	8	0.18	11	0.3
E147272		0.17	0.28	6.88	57.9	550	2.74	1.7	2.06	0.02	80.6	107	41	6.47	1590	7.53
E147273		1.09	0.07	6.37	8.1	1720	1.39	0.3	5.41	0.03	129	59.8	36	3.1	63.2	8.92
E147274		1.10	0.1	6.71	14.1	3450	2.22	0.48	2.43	<0.02	133.5	105.5	40	4.36	222	8.93
E147275		1.13	0.11	6.33	9.9	3570	1.83	0.53	2.5	<0.02	96.6	42.2	33	4.15	274	11.05
E147276		0.95	0.07	5.22	5.4	720	1.07	0.2	3.39	<0.02	132	23.8	24	2.11	45.9	7.3
E147277		0.98	0.13	7.39	5.6	1560	1.5	0.31	1.41	<0.02	273	20.4	57	3.94	50.1	6.35
E147278		1.23	0.18	6.86	5.6	1880	1.28	0.25	1.39	<0.02	178.5	33.9	46	2.83	46.2	5.98
E147279		1.16	0.09	7.85	18.1	1970	2.05	0.44	0.35	<0.02	102.5	191	53	5.82	64.1	10.95
E147280		1.21	0.28	6.84	11.1	4340	1.78	0.95	0.78	<0.02	156	87.9	52	4.2	2330	9.56
E147281		0.42	0.02	0.32	<5	30	0.11	0.02	20.4	0.16	5.56	2.2	8	0.16	6.6	0.27
E147282		1.19	0.22	6.68	10.2	1810	2.7	0.64	0.75	<0.02	138	59.3	36	6.54	734	10.75
E147283		1.39	0.21	5.84	7.6	5380	1.76	0.42	2.97	<0.02	128	48.7	29	4.78	164	10.85
E147284		1.03	3.46	5.09	12.6	810	1.49	2.05	3.01	<0.02	60.3	99.7	41	3.22	1070	9.12
E147285		1.22	0.11	5.48	6.1	1750	1.4	0.2	2.7	<0.02	66.3	57.8	32	3.1	215	8.95
E147286		0.96	0.17	7.03	7	3950	2.08	0.31	3.51	<0.02	57.4	66.6	35	4.93	288	9.61
E147287		0.95	0.23	5.99	9.5	7810	2.23	0.37	5.05	<0.02	193	28.8	32	8.07	37.9	10.85
E147288		1.07	0.14	4.03	12.5	4270	1.11	0.15	4.68	<0.02	192	20	20	3.11	40.8	14.05
E147289		1.18	0.07	5.52	9.2	9000	1.46	0.12	3.91	<0.02	195	27.5	35	3.36	22.1	9.74
E147290		1.17	0.09	5.64	10.5	2810	1.58	0.16	4.78	<0.02	104.5	113	33	3.41	427	7.88
E147291		0.32	0.01	0.32	5	120	0.08	0.01	19.5	0.16	5.4	2.1	8	0.16	5	0.26
E147292		0.20	1.13	5.19	56.4	300	1.98	2.76	1.81	<0.02	66.5	155.5	31	3.74	6790	9.09
E147293		1.00	0.07	5.51	3.9	5490	1.73	0.1	4.52	<0.02	69.8	32.8	29	3.37	535	6.58
E147294		1.35	0.13	5.73	8	2860	1.84	0.19	4.94	<0.02	133.5	79.8	31	3.83	100	7.29
E147295		1.38	0.03	3.98	3.8	6540	1.24	0.08	7.66	<0.02	20.8	48.8	20	2.12	27.2	7.88
E147296		0.94	0.04	3.99	5.8	5910	1.25	0.07	6.21	<0.02	134.5	39.1	25	2.1	12.4	7.67
E147297		1.31	0.16	7.04	8.9	3350	1.81	0.13	2.98	<0.02	121.5	52.3	42	4.85	8.9	8.34
E147298		0.95	0.11	7.52	6	6450	1.79	0.12	3.66	<0.02	50.4	46.2	43	3.75	197	8.75
E147299		0.83	0.04	7.07	6	5440	1.77	0.07	5.2	<0.02	142	38.1	44	4.3	90	7.19
E147300		1.07	0.06	7.51	6.6	1960	1.87	0.06	4.42	<0.02	142.5	43.7	43	5.47	195.5	7.56
E147351		0.25	0.01	0.31	8	40	0.1	0.01	19.45	0.15	5.38	2	8	0.15	4.7	0.26
E147352		0.90	0.04	7.9	3.8	1430	2.17	0.04	3.78	<0.02	167	23.7	44	7.28	21.2	8.11
E147353		1.33	0.03	7.51	3.7	3170	2.12	0.06	4.67	<0.02	103.5	22.8	42	5.99	15.6	6.97
E147354		1.46	0.02	6.11	5	2100	1.69	0.05	5.46	<0.02	55.7	20.4	33	5.01	10.1	7.05
E147355		1.14	0.05	5.68	4.3	8230	1.42	0.06	6.29	<0.02	42.2	27	30	3.67	70.1	7.56
E147356		1.21	0.05	5.77	3.3	8690	1.53	0.04	6.18	<0.02	94.4	20.3	29	3.89	143	7.7
E147357		0.96	0.06	5.82	5.3	4770	1.43	0.04	2.56	<0.02	75.8	16.1	38	4.1	163.5	7.41
E147358		1.72	0.13	3.16	7.6	450	0.79	0.15	1.82	0.02	72.7	63.6	15	3.25	90.2	13.55
E147359		1.33	0.17	2.06	7	350	0.61	0.11	2.47	<0.02	214	75.1	10	1.92	336	15.85
E147360		1.31	0.09	4.54	9.1	390	1.94	0.09	2.03	<0.02	168	70.6	40	3.48	121	14.05

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E147181		0.5	3.7	12	3.6		0.002	
E147182		9.7	16.7	10	62.8		0.064	
E147183		5.5	14.3	32	24.4		0.003	
E147184		5.7	25	52	35.3		0.006	
E147185		9.8	15.9	63	53.8		0.003	4.68
E147186		17.2	20.6	47	78.6		0.002	1.94
E147187		10.7	13.7	14	29.4		0.003	
E147188		9.5	11.1	13	11.6		0.002	3.69
E147189		16.1	20.9	26	40.3		0.002	
E147190		7.2	9.9	14	13.6		0.024	
E147191		6.9	11.9	7	5.8		0.014	4.14
E147192		13.1	16.7	47	45.6		0.013	
E147193		12.5	14.6	22	13.9	1.890	0.053	
E147194		15.1	18	37	13.7		0.029	
E147195		11.4	7.3	17	9.9		0.029	
E147196								
E147197		39.9	23.9	18	9.9	2.46	0.078	
E147198		30.7	36.8	42	33.8	2.43	0.088	
E147199		5.6	13.5	40	33.3		0.015	
E147200		7.1	10.4	30	42.3		0.011	
E147251		0.4	3.6	11	3.4		0.001	
E147252		6.7	14.7	10	22.9		0.115	
E147253		9.1	12	37	48.2		0.006	
E147254		12.2	14.2	62	51.1	1.995	0.017	
E147255		15	17.7	53	38.7	3.03	0.028	
E147256		22.4	25.6	49	40	5.01	0.067	
E147257		14.6	22.2	45	52.9	4.10	0.070	
E147258		12.9	16.8	51	54.8		0.013	
E147259		10.9	19.5	34	43.4		0.013	
E147260		10.1	16.6	16	57.3		0.009	
E147261		0.4	3.5	10	3.7		0.003	
E147262		7.1	19.1	20	50.8		0.011	
E147263		22.5	16.7	6	59.3		0.004	0.92
E147264		25.3	11.6	4	61.5		0.014	
E147265		21.8	16.1	10	78.7		0.007	
E147266		19.4	16.6	5	55.2		0.014	
E147267		12.7	13.4	6	67.3		0.008	0.57
E147268		14.8	12	3	81.2		0.006	
E147269		12.2	11.8	3	65.5		0.003	2.12
E147270		16.7	14.2	5	69.9		0.004	0.71

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E147181		1.6	<0.002	0.04	0.41	1.4	3	<0.2	121.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	4
E147182		94.5	0.023	2.63	1.88	11.3	4	8.6	614	0.24	0.28	8.8	0.1	0.42	282	57
E147183		1.1	0.002	0.15	1.23	4.4	3	2	520	0.15	0.15	3.9	0.021	0.02	28.5	51
E147184		3.6	0.012	0.22	1.73	7.5	3	2.4	781	0.16	0.17	27.2	0.028	0.04	105.5	38
E147185		50.3	0.032	0.32	1.74	9.4	2	15.9	744	0.17	0.11	10.7	0.084	0.13	20.7	79
E147186		139.5	0.003	0.33	2.01	18	3	40.5	380	0.22	0.07	20.6	0.167	0.26	8.8	99
E147187		32.1	0.006	0.14	1.12	5.2	2	9.7	779	0.12	0.28	8.7	0.055	0.08	6	53
E147188		2.6	0.009	0.17	1.12	2.6	2	1.9	640	0.13	0.12	2.6	0.018	<0.02	6.5	62
E147189		47.3	0.005	0.13	1.33	5.4	2	15	776	0.18	0.58	8.8	0.082	0.09	11.4	69
E147190		5.1	0.006	0.48	0.91	2.6	4	2.8	895	0.19	0.18	2.7	0.019	0.02	26.1	36
E147191		1	0.005	0.22	0.91	1.1	2	1.7	739	0.24	0.14	2.7	0.008	<0.02	16.1	38
E147192		44.4	0.007	0.39	1.67	7.5	3	15.2	907	0.18	0.54	9.1	0.088	0.12	58.2	62
E147193		7.4	0.016	1.9	1.87	5.2	4	4.3	1200	0.08	0.18	2.2	0.022	0.09	340	25
E147194		3.8	0.011	0.9	4.29	2.3	2	2.6	1660	0.08	0.11	2.3	0.021	0.08	341	21
E147195		1.7	0.005	1.03	1.88	1.8	2	1.8	1540	0.07	0.14	1.4	0.014	0.04	382	17
E147196																
E147197		1.9	0.01	2.55	11.4	1.1	3	1.7	812	0.07	0.3	0.5	0.019	0.13	2500	11
E147198		30.9	0.02	1.42	12.65	5.8	6	2.4	403	0.13	0.26	7	0.05	0.22	700	29
E147199		31.6	0.01	0.58	1.64	5.1	2	1.2	229	0.12	0.1	7.9	0.044	0.11	74.1	26
E147200		76.8	0.007	0.58	1.5	7.5	2	2.5	370	0.13	0.09	9	0.065	0.19	36.7	44
E147251		1.5	0.003	0.03	0.46	1.4	2	<0.2	111.5	<0.05	0.08	0.5	0.014	<0.02	0.7	4
E147252		35.8	0.019	6.83	2.24	4.1	6	7.7	175.5	0.12	1.09	5.9	0.035	0.46	16.3	62
E147253		80.3	0.005	0.41	1.76	7.8	2	2.4	421	0.18	0.05	13.3	0.08	0.21	48.6	42
E147254		34.4	0.009	1.71	3.32	8.4	3	3.7	182.5	0.19	0.12	10.5	0.072	0.14	150	52
E147255		21.6	0.025	2.5	4.1	6.3	3	5.7	227	0.25	0.15	7.8	0.073	0.18	429	50
E147256		16.8	0.039	4.23	7.22	5.4	4	5.6	177.5	0.22	0.29	8.4	0.064	0.28	2140	45
E147257		52.7	0.045	3.21	4.16	8.4	3	5	201	0.21	0.3	11.1	0.081	0.47	490	52
E147258		81.7	0.013	0.55	1.89	9.1	2	6.2	409	0.22	0.11	10.1	0.094	0.41	146.5	59
E147259		61.8	0.046	1.04	1.94	7.9	2	4.6	268	0.23	0.11	8	0.089	0.3	316	50
E147260		144	0.017	0.72	2.14	19.1	3	4.3	146	0.19	0.08	7.5	0.123	0.58	77.7	138
E147261		1.5	<0.002	0.04	0.38	1.5	2	<0.2	106.5	<0.05	0.05	0.4	0.015	<0.02	0.8	5
E147262		95.2	0.046	1.76	1.93	9.8	3	6.1	297	0.22	0.23	10.3	0.085	0.42	48.2	68
E147263		136.5	0.006	0.32	2.42	11.6	2	7.5	139.5	0.55	0.16	13.8	0.224	0.38	28.9	64
E147264		159	0.004	0.13	2.89	10.4	2	8.6	69.3	0.78	0.39	16.8	0.253	0.39	19.5	68
E147265		154	0.007	0.16	2.78	11.7	2	9.5	76.4	0.53	0.13	16.7	0.251	0.44	31.7	74
E147266		109.5	0.004	0.15	2.8	16.1	3	11.3	53.6	0.52	0.62	11.7	0.178	0.26	25.1	82
E147267		147	0.004	0.17	1.89	10.7	2	6.7	75.3	0.35	0.2	15.8	0.208	0.36	21	68
E147268		187	0.004	0.14	1.49	11.4	2	6.7	48.9	0.36	0.09	16.6	0.239	0.42	19	75
E147269		169	0.005	0.27	1.14	11.4	2	6.2	258	0.2	<0.05	15.9	0.207	0.38	20.1	71
E147270		161.5	0.005	0.22	1.27	15.1	2	5.1	126.5	0.27	<0.05	14.7	0.208	0.38	23	71

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E147181		0.98	<0.05	0.1	0.005	0.05	2.8	3.9	11.9	299	0.32	0.02	0.5	6	450	1.6
E147182		17.1	0.26	2.1	0.149	2.2	28.8	26	1.3	3720	75.2	1.03	4.3	40.8	960	21.8
E147183		9.06	0.55	0.8	0.171	0.02	46.5	39.5	2.31	10450	15.15	0.02	6.4	66.4	2300	2.3
E147184		11.45	0.86	1.2	0.239	0.05	401	69.7	3.24	8720	3.64	0.02	5.5	65.8	2630	206
E147185		14.3	0.55	1.7	0.137	0.78	148	96.7	3.11	3580	2.27	0.05	4.5	55.6	2090	10.4
E147186		25.3	0.43	2.7	0.105	2.2	245	111.5	2.44	1000	11.65	1.01	5.5	31.8	2390	4.9
E147187		10.75	0.41	1	0.149	0.52	157	31.9	1.39	8050	15.2	1.17	3.8	38.7	1890	2.1
E147188		5.39	0.38	0.4	0.148	0.04	58	16.7	1.81	11300	17.95	0.16	4.8	47.3	1570	1.6
E147189		12.35	0.39	1.3	0.153	0.81	111	54.1	1.86	8420	7.15	0.2	5.8	49.1	3780	1.8
E147190		4.6	0.39	0.4	0.371	0.09	66.2	15.9	2.06	17350	8.29	0.01	8.3	45.1	1250	2.3
E147191		3.94	0.47	0.2	0.426	0.02	141	8.7	1.79	19600	14.25	0.02	11.5	39.7	1660	1.8
E147192		15.5	0.35	1.5	0.257	0.8	78.1	93.4	4.07	8080	12.7	0.02	6.1	44.7	2640	2.4
E147193		4.65	0.22	0.4	0.403	0.12	11.1	27.3	3.66	12300	57.9	0.02	3.1	30.2	730	38.8
E147194		4.31	0.17	0.4	0.351	0.07	17.5	28.2	4.56	13050	32.3	0.02	3.6	22.2	600	144.5
E147195		3.14	0.18	0.3	0.239	0.03	10.4	21.5	1.78	6280	15.7	0.01	2.2	26	420	35.4
E147196																
E147197		2.44	0.14	0.3	0.5	0.03	0.5	15.4	1.91	9910	50.9	0.01	3.4	34.1	220	265
E147198		8.42	0.3	1.1	0.545	0.52	11.9	59.6	4.14	11950	90.4	0.02	3.9	42.2	380	252
E147199		8.13	0.19	1.1	0.257	0.51	20	57.1	6.16	10350	12.35	0.03	1.6	30	360	8.2
E147200		12.25	0.19	1.3	0.187	1.32	14.5	58	3.78	8200	9.68	0.04	1.8	24.5	460	3
E147251		0.98	0.06	0.1	0.014	0.05	2.6	4.8	11.45	254	0.37	0.02	0.5	6.6	400	2.2
E147252		10.55	0.47	0.7	0.272	0.66	112	23.2	1.62	5980	60.2	0.25	5.6	58.8	2410	5.7
E147253		13.7	0.29	1.5	0.193	1.38	83.8	67.2	4.35	10150	10.95	0.04	2.6	26.7	550	3
E147254		14.2	0.27	1.6	0.479	0.56	46.5	96	5.49	9620	13.75	0.03	3.1	40.7	580	11.2
E147255		11.3	0.32	1.3	0.655	0.35	74.9	71.3	4.77	11700	72.8	0.02	7.2	46.8	1020	32.1
E147256		9.19	0.3	1.3	0.748	0.29	59.3	65.5	4.22	9630	223	0.02	8.4	55.8	1040	102.5
E147257		14.2	0.31	1.7	0.562	0.96	51.9	83.4	4.15	10850	184.5	0.03	4.6	49.6	710	48.8
E147258		17.7	0.27	1.7	0.374	1.46	69.3	87.7	5.02	12000	8.65	0.04	4	42.3	840	10.9
E147259		13.6	0.22	1.3	0.432	1.06	32.7	69.3	5.31	12400	19.2	0.04	3.9	33.5	580	7.7
E147260		19.3	0.23	1.8	0.235	2.51	34.2	58.6	3.15	7280	14.75	0.1	2.9	40.9	680	3.2
E147261		0.97	0.05	0.1	0.01	0.05	2.7	4.9	10.9	257	0.65	0.02	0.5	6.4	380	1.5
E147262		15.75	0.31	1.7	0.212	1.7	93.9	50.3	2.84	8410	30.1	0.06	4.8	38.1	1090	5.6
E147263		17.6	0.27	1.9	0.133	3.04	57.6	33.3	1.94	4580	18.7	0.05	9.5	20.1	810	2.2
E147264		19.2	0.27	2.1	0.078	3.47	71.3	36.6	1.25	1890	25.4	0.05	12.2	22.1	810	2.1
E147265		22	0.32	2.6	0.1	3.32	103	61.4	1.78	2250	16.45	0.04	9.9	33	1060	2.3
E147266		16.4	0.33	1.9	0.093	2.55	85.7	30	1.87	3900	32.5	0.03	13.1	22.8	2150	2.4
E147267		20.7	0.3	2.2	0.065	4.1	96.6	36	1.18	1575	14.9	0.05	6.7	25.7	1190	2.1
E147268		25	0.26	2.7	0.083	5.62	48.7	28.9	1.12	1760	17.6	0.06	6.1	21.7	800	1.6
E147269		26.3	0.31	2.1	0.096	5.11	88.7	26.8	0.94	2150	8.84	0.05	3.7	21.5	720	1.6
E147270		19.85	0.32	2.3	0.085	4.9	72.1	25.3	1.54	3380	6.89	0.06	3.9	19.8	700	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E147181		0.25	0.01	0.36	7	80	0.05	0.02	21.8	0.15	6.24	2.8	8	0.14	4.6	0.36
E147182		0.20	1.21	6.41	59.3	140	1.84	3.14	2.14	<0.02	67	176.5	37	3.92	8330	9.99
E147183		1.62	0.1	2.44	8.6	2910	0.71	0.46	1.16	<0.02	74.8	136.5	8	1.05	33.5	29.8
E147184		1.33	0.19	3.8	11.2	2520	1.44	0.82	1.16	<0.02	>500	166	16	3.19	61.8	22.1
E147185		1.25	0.07	6.06	5.9	5290	2.44	0.29	0.49	<0.02	229	129	30	6.23	85.6	20.3
E147186		1.03	0.05	8.99	5.5	>10000	3.38	0.22	0.48	<0.02	390	81.7	53	8.42	14.6	13.9
E147187		1.75	0.08	3.58	8.6	3070	0.86	0.69	0.98	0.02	223	95.7	19	1.5	13.6	20.9
E147188		1.48	0.08	1.34	8.1	5000	0.24	0.3	1.7	<0.02	80.9	87.4	2	0.31	18.9	33.1
E147189		1.93	0.09	4	13.2	2410	1.23	1.18	1.41	<0.02	154.5	125.5	19	2.73	38.7	20.9
E147190		1.38	0.67	1.14	13.1	1000	0.27	2.7	1.29	0.02	97.4	191.5	6	0.55	4220	25.9
E147191		1.48	0.2	0.5	10.6	5150	0.16	0.86	0.78	<0.02	205	137.5	<1	0.14	317	29.2
E147192		1.01	0.47	4.99	19.7	780	2.24	3.4	3.51	<0.02	117	138.5	22	3.81	2850	19.05
E147193		1.56	3.09	1.59	16.3	100	0.62	15.45	8.24	<0.02	33	102.5	6	0.87	>10000	13.35
E147194		1.16	2.35	1.45	26.9	180	0.8	215	8.89	0.02	39.9	82	4	0.71	5360	9.67
E147195		1.72	1.62	1.01	6.5	270	0.57	178.5	3.98	<0.02	29.6	69	3	0.59	9780	8.01
E147196		Empty Bag														
E147197		2.37	6.06	0.77	20.7	140	0.44	334	2.07	<0.02	4.08	49.9	4	0.6	>10000	12.55
E147198		1.25	6.05	3.58	23.7	150	1.9	21.1	4.15	<0.02	37.6	74.2	19	3.63	>10000	14.4
E147199		1.28	1.08	3.53	<5	1200	1.45	3.05	10.45	0.02	35.8	61.9	11	3.7	6560	9.99
E147200		1.28	0.92	4.82	3.2	430	2.21	1.81	7.35	<0.02	28.8	67.9	27	6.37	6480	9.56
E147251		0.22	0.21	0.33	5	90	0.08	0.05	20.8	0.17	5.06	2.4	7	0.17	30.5	0.29
E147252		0.24	1.15	2.45	113	100	0.64	11.1	2.36	<0.02	182	332	11	2.65	9140	29.7
E147253		1.38	0.82	5.31	3.6	3220	2.37	1.26	8.23	<0.02	153.5	74.6	22	6.76	4220	10.4
E147254		1.18	3.83	5.37	15.3	510	2.56	6.77	7.33	0.02	75.2	115.5	27	6.76	>10000	14.55
E147255		1.40	5.82	3.99	16.8	110	1.98	8.82	6.12	<0.02	108	120	19	5.07	>10000	17.8
E147256		2.10	9.76	3.63	26.1	140	1.69	25.1	5.07	<0.02	105.5	105	18	4.33	>10000	18.7
E147257		1.07	9.57	5.06	23.4	470	2.4	45.2	4.8	<0.02	101.5	105.5	29	5.61	>10000	15.15
E147258		0.94	1.07	5.98	9.9	1360	2.86	7.52	5.68	<0.02	112.5	62.8	28	6.53	5610	14
E147259		0.99	1.69	4.49	12.9	860	2.1	12.9	9.97	<0.02	53.6	60.4	19	6.26	7270	11.05
E147260		1.23	0.33	6.95	12.7	2650	2.26	2.32	5.95	<0.02	58.3	118.5	42	13.45	1060	9.83
E147261		0.25	0.2	0.33	<5	70	0.12	0.04	20	0.16	5.21	2.8	10	0.19	36.8	0.31
E147262		2.07	0.57	5.22	34.2	180	1.82	8.31	5.4	<0.02	158.5	94	26	9.2	1330	11.85
E147263		0.93	0.16	6.24	10.6	8350	2.33	0.9	4.05	<0.02	91.1	22.8	36	6.49	520	12.25
E147264		1.24	0.25	7.26	11.7	4330	2.69	1.2	1.75	<0.02	107	17.6	46	6.82	45.8	12.6
E147265		0.74	0.11	7.43	12.1	3900	3.28	0.74	2.04	<0.02	154.5	35.3	41	11	177.5	12.05
E147266		1.03	0.23	5.08	18.8	2800	1.66	0.74	4.04	<0.02	128	32.4	26	4.43	469	13.55
E147267		1.19	0.11	6.84	10.5	5540	1.75	0.45	1.56	<0.02	157	26.7	43	4.09	201	8.63
E147268		1.10	0.08	7.95	10.1	3180	2.14	0.48	1.73	<0.02	81.2	42.1	58	5.03	54	6.78
E147269		0.90	0.04	7.48	6.3	8260	1.95	0.23	1.19	<0.02	152.5	26.5	46	3.84	342	7
E147270		0.86	0.06	7.13	8.2	7020	1.63	0.22	3.17	<0.02	127	31.6	40	3.58	59.4	8.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E147091		0.8	3.7	12	3.7		<0.001	
E147092		7.2	16.2	10	26.6		0.113	
E147093		6.1	12.4	8	13.5		0.020	
E147094		4.8	14.6	13	25.6		0.017	
E147095		3.9	17.2	35	40.1		0.007	
E147096		3.8	17.1	41	44.4		<0.001	
E147097		4	18.7	36	34.6		0.007	
E147098		4.6	19	33	33.4		0.006	
E147099		3.6	20.2	29	28.1		0.015	
E147100		4.4	28.9	25	22.8		0.022	
E147151		0.5	3.9	14	3.9		<0.001	
E147152		5.5	58	28	24.5		0.009	
E147153		6.8	19.2	34	27		0.010	
E147154		6.6	23.1	32	26.3		0.010	
E147155		6.1	12.8	16	12.6		0.009	
E147156		5.9	14.3	24	14.2		0.013	
E147157		7.3	17.7	16	16.1		0.022	
E147158		12	16.5	28	24.6		0.012	
E147159		15.4	16.9	27	22		0.010	
E147160		13.9	17.7	58	16.4		0.032	
E147161		0.5	3.7	13	3.7		<0.001	
E147162		9	12.1	6	66.7		0.017	
E147163		6.7	18.7	66	30.2		0.013	
E147164		6.2	20.1	22	20.5		0.032	
E147165		4.7	17.7	44	32.6		0.008	
E147166		10	16.4	63	48.9		0.012	
E147167		8.7	19.4	52	50.2		0.008	
E147168		5.9	16.2	39	29.7		0.006	
E147169		9	16.9	33	30.3		0.006	
E147170		12.8	15.5	40	37.7		0.010	
E147171		0.4	3.8	14	3.9		0.002	
E147172		13.8	14.4	58	35.7		0.015	
E147173		18.1	18.7	60	42.9		0.025	0.58
E147174		9.2	18.9	41	18.3		0.006	0.74
E147175		7.9	12.8	33	20.1		0.005	
E147176		10.2	11.4	20	7.8		0.009	
E147177		7.9	12.6	21	7.3		0.006	
E147178		5.7	13.6	29	12.7		0.005	
E147179		8.2	10.9	30	14.8		0.003	
E147180		12.5	20	30	26.1		0.005	1.02

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E147091		1.6	<0.002	0.06	0.37	1.3	2	0.2	127	<0.05	<0.05	0.5	0.016	<0.02	0.3	5
E147092		37.1	0.019	7.24	2.29	4.6	6	7.9	185.5	0.14	1.49	6.2	0.039	0.51	15.6	63
E147093		9	0.009	1.21	0.65	5.3	4	1.8	1760	0.07	0.36	3.2	0.02	0.03	14.3	60
E147094		11.8	0.015	1.47	0.81	5.3	4	2.1	1100	0.1	0.34	4.7	0.026	0.03	13.1	73
E147095		9.9	0.003	0.45	0.85	6.2	3	1.8	1490	0.09	0.17	5.4	0.019	0.04	14.3	76
E147096		5	0.007	0.41	0.86	5.8	2	1.8	1815	0.09	0.11	5.2	0.018	0.04	18.4	86
E147097		4.7	0.005	0.35	0.98	6.6	2	1.7	1540	0.09	0.11	4.7	0.02	0.05	14.4	96
E147098		2.5	0.006	0.41	1.09	5.8	3	1.9	1280	0.1	0.16	4.6	0.025	0.03	19.9	111
E147099		1.5	0.005	0.5	1.15	3.3	4	1.8	1140	0.11	0.16	5.8	0.017	0.02	16.3	83
E147100		1.6	0.005	0.63	1.21	4.4	4	2.4	971	0.14	0.23	6.5	0.021	0.02	9.2	68
E147151		1.7	<0.002	0.04	0.51	1.3	2	<0.2	124.5	<0.05	<0.05	0.4	0.016	<0.02	0.2	5
E147152		3	0.007	0.3	1.09	6.8	4	2.9	1025	0.16	0.16	8.9	0.032	0.02	8.8	78
E147153		1.8	0.009	0.3	1.09	6.3	3	2.4	891	0.13	0.22	7	0.022	0.02	10.5	80
E147154		2.4	0.01	0.22	1.11	5.9	3	3.6	1130	0.11	0.17	7.4	0.033	0.02	13.1	68
E147155		0.9	0.004	0.37	0.56	3	3	2	2270	0.08	0.47	2.9	0.012	<0.02	5.2	41
E147156		0.7	0.005	0.4	0.67	3.8	4	2.4	1450	0.1	0.28	3.5	0.016	<0.02	7	49
E147157		0.6	0.002	0.23	0.95	3.1	3	3.5	834	0.14	0.2	4.2	0.023	0.03	6.8	45
E147158		2.3	0.006	0.12	1.64	3.2	3	10.9	555	0.24	0.3	6.4	0.052	0.03	10.1	43
E147159		2.1	0.002	0.3	1.53	3.2	3	8	242	0.21	0.26	5.4	0.041	0.05	27.9	53
E147160		0.7	0.011	0.74	1.14	4.7	5	3	74.9	0.15	0.38	4.5	0.022	0.02	9.2	55
E147161		1.5	<0.002	0.04	0.36	1.2	2	0.2	116.5	<0.05	<0.05	0.4	0.016	<0.02	0.2	5
E147162		133.5	0.005	1.41	1.24	10.8	3	7.9	470	0.26	0.19	12.9	0.131	0.37	18.2	66
E147163		4.9	0.008	0.77	0.83	5.8	5	4.6	121.5	0.15	0.4	8.6	0.032	0.02	10.5	47
E147164		3.1	0.014	1.11	1.08	5	4	3	347	0.19	0.31	7.1	0.031	0.03	11	71
E147165		0.8	0.006	0.34	1.02	5.1	3	2.4	502	0.14	0.14	6	0.026	<0.02	11.1	81
E147166		26.2	0.004	0.19	1.5	9.6	3	12.1	361	0.16	0.18	9.9	0.078	0.06	9.4	72
E147167		34.7	0.01	0.2	1.45	11.6	3	16.3	380	0.19	0.35	9.7	0.061	0.07	14.4	73
E147168		1.9	0.01	0.16	1.28	4.8	3	10.9	526	0.13	0.56	6.8	0.028	0.02	7	64
E147169		20.2	0.004	0.12	1.25	4.9	2	15.7	632	0.22	0.35	7.8	0.05	0.05	8.1	55
E147170		36.2	0.006	0.12	1.88	6	3	20.5	323	0.29	0.37	8.7	0.077	0.1	68.7	62
E147171		1.8	<0.002	0.03	0.34	1.2	2	0.2	119	<0.05	<0.05	0.5	0.015	<0.02	0.3	4
E147172		26	0.004	0.18	2.41	5.4	3	15	104.5	0.27	0.42	6.8	0.067	0.08	9.5	53
E147173		23.9	0.005	0.32	2.59	6.4	5	16	151	0.33	0.35	7	0.084	0.09	23.6	75
E147174		0.7	0.003	0.22	1.69	2.6	2	5.8	190.5	0.33	0.47	5.8	0.032	0.09	5.6	67
E147175		0.7	0.004	0.13	1.39	2.9	2	5.7	583	0.26	0.15	3.1	0.036	0.04	4.3	49
E147176		0.7	0.008	0.15	1.39	1.4	2	1.5	838	0.12	0.2	2.4	0.01	0.02	4.5	50
E147177		0.7	0.002	0.13	1.26	2.7	3	1.3	668	0.14	0.14	1.6	0.011	<0.02	3.9	46
E147178		0.7	<0.002	0.22	0.94	4.2	3	1.9	275	0.14	0.17	3.3	0.016	0.02	7.5	41
E147179		0.5	<0.002	0.15	1.42	3.3	2	2.1	300	0.16	0.13	2.2	0.021	<0.02	6	57
E147180		0.5	0.003	0.2	1.5	4.9	3	3.3	244	0.37	0.28	12.4	0.031	0.02	17.3	47

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE EL07104814

Project: IGOR

P.O. No.:

This report is for 200 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-AUG-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim 'or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E147051		0.97	0.52	5.14	27.1	200	1	1.03	2.46	0.02	98.2	160.5	26	1.77	4350	10.7
E147052		0.59	2.03	3.81	23.1	40	0.76	2.97	1.47	0.03	70.1	273	26	1.01	>10000	16.3
E147053		0.48	0.93	5.29	10.5	120	0.96	1.58	2.73	0.05	120	153.5	29	2.61	>10000	13.2
E147054		0.52	0.08	7.24	3.5	3240	0.9	0.6	2.75	0.02	80.3	37	37	1.67	775	7.11
E147055		0.72	0.04	7.11	1.4	2480	0.84	0.16	2.56	0.02	142.5	33.3	53	1.04	302	6.61
E147056		0.87	0.39	4.21	3.1	530	0.48	0.42	4.1	0.03	86.9	47.5	24	0.59	4490	8.66
E147057		1.10	0.55	3.38	8.7	260	0.7	0.4	2.17	<0.02	105	86.2	15	0.31	4150	12.85
E147058		1.05	0.1	3.51	3.9	820	0.95	0.29	2.48	0.02	105	63.3	13	1.81	759	11.85
E147059		1.37	1.02	2.51	8.6	130	0.5	0.9	1.91	0.02	149	92.9	11	0.44	>10000	24.5
E147060		1.24	1.03	2.54	8.4	100	0.38	0.92	2.5	0.02	138	98.5	10	0.53	>10000	24.5
E147061		0.25	0.01	0.37	<5	280	0.08	0.02	23.5	0.16	5.27	2	9	0.13	14.2	0.33
E147062		1.61	1.08	6.63	9.4	200	0.76	1.73	2.04	0.02	92.8	148.5	36	0.95	7630	11.7
E147063		0.89	0.13	6.75	1.9	2150	0.85	0.18	1.34	<0.02	103.5	61.1	38	1.02	1200	8.69
E147064		1.03	0.25	6.54	1.8	590	0.79	0.38	2.27	0.03	82.1	68.3	56	0.84	4650	9.57
E147065		1.23	3.3	2.51	22.9	40	0.51	171.5	1.53	0.07	51.3	322	17	0.52	>10000	16.55
E147066		1.23	1.42	2.44	10.4	130	0.6	11.25	0.66	<0.02	55.4	93.6	14	0.38	>10000	10.85
E147067		1.37	0.08	2.9	8.1	600	0.64	0.57	0.77	<0.02	132	98.5	20	0.28	495	13.4
E147068		1.34	0.59	1.53	12.8	200	0.57	1.58	1.04	<0.02	68.5	148	8	0.25	4080	16.05
E147069		1.54	0.44	2.64	9.5	180	0.84	1.11	1.18	<0.02	78.7	109.5	11	0.84	6330	13.4
E147070		1.77	0.23	2.41	7.9	310	1.11	0.5	2.59	<0.02	76.4	95.3	13	1.56	2640	13.8
E147071		0.25	0.01	0.33	<5	200	0.08	0.03	21.4	0.16	4.93	2.2	10	0.12	8.7	0.28
E147072		0.24	1.1	6.29	71.3	50	2.11	3.07	2.11	<0.02	69	179	36	3.71	8300	10.35
E147073		1.35	0.75	4.16	21.8	80	2.18	2.25	2.27	<0.02	40.1	269	27	2.52	5170	12.9
E147074		1.31	0.31	3.22	10.9	230	0.79	0.61	3.02	0.02	188.5	91	22	1.13	2880	13.45
E147075		1.57	0.63	4.41	6.2	120	0.99	0.87	1.39	0.03	36.5	78.5	34	1.08	9850	12.35
E147076		1.21	0.95	4.78	8.8	220	0.92	1.51	2.33	0.08	91.3	69.7	18	0.59	8400	9.59
E147077		1.36	0.49	4.15	5.6	600	1.08	1.66	1.52	0.02	125	38.8	20	1.04	2530	8.57
E147078		1.41	0.26	3.12	8.3	450	0.52	0.62	1.11	<0.02	197	41.7	23	0.61	3440	20.1
E147079		1.38	0.26	4.45	5.4	690	1.05	0.62	2.64	<0.02	108.5	37.5	25	1.55	2960	14.15
E147080		1.20	0.03	7.6	4	8850	4.77	0.2	1.75	<0.02	14.8	19.5	78	8.21	30.7	6.79
E147081		0.24	0.04	0.32	5	130	0.09	0.02	19.9	0.12	4.63	1.7	10	0.14	9.1	0.28
E147082		1.28	0.29	5.21	6.3	2140	1.64	1.69	2.33	<0.02	164.5	50.5	34	2.78	770	12.95
E147083		1.42	0.15	3.14	9.4	480	0.71	0.73	2.1	<0.02	125	60.2	15	0.49	1340	15
E147084		1.51	0.17	3.46	7.5	570	0.79	0.68	1.95	<0.02	140.5	54.4	23	1.03	1930	14.65
E147085		1.23	0.17	4.04	7.5	960	0.73	0.68	1.86	<0.02	189	61.3	20	0.62	1300	16.75
E147086		1.53	0.18	4.1	7.2	810	0.66	0.54	1.57	<0.02	212	77.5	22	1.37	1740	17.3
E147087		1.21	0.19	4.74	5.4	1250	0.7	0.48	1.62	<0.02	208	74.9	29	1.37	1860	17.35
E147088		1.22	0.08	4.55	7.2	710	1.24	0.39	1.52	<0.02	134	100.5	28	2.11	700	15.9
E147089		1.55	0.1	4.52	7	500	0.75	0.42	2.15	<0.02	128	110	24	1.53	991	18.5
E147090		1.21	0.76	5.15	9.9	650	0.93	2.04	1.16	<0.02	192.5	101.5	39	1.73	217	15

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E147051		12	0.21	1.5	0.192	1.07	52.6	19.3	1.56	8460	18.7	2.28	2.8	28.8	810	9.4
E147052		8.07	0.28	1.2	0.357	0.47	24.5	14.8	1.42	9830	39.4	1.95	3	53.5	1140	67.8
E147053		13.3	0.24	1.7	0.273	0.68	61.2	46	2.4	5650	16.4	1.36	4.7	47.8	1500	24
E147054		16.5	0.16	2	0.08	0.44	48.3	39.4	2.03	3410	3.65	3.66	4.9	31.3	580	6.9
E147055		17.35	0.16	2	0.074	0.33	90.3	23.6	1.51	3930	2.98	4.25	5.2	25.7	770	6.8
E147056		9.61	0.17	1.3	0.091	0.22	51.6	11.3	1.48	5220	20.1	2.64	4.7	22.6	890	6.3
E147057		9.04	0.26	1	0.096	0.13	48.6	11.2	1.21	5170	9.79	2.07	2.8	34.7	1630	3.6
E147058		11.3	0.25	1	0.209	0.11	61.9	63.2	2.86	8150	3.04	0.79	1.9	45.7	590	5.5
E147059		10.8	0.37	0.7	0.232	0.09	71.6	17.5	1.65	8080	16.35	1.14	3.7	60.3	2510	6
E147060		10.05	0.34	0.7	0.234	0.09	69.7	18.7	1.94	8730	15.25	1.01	3.9	57.6	2520	6.4
E147061		0.86	<0.05	0.1	0.005	0.06	2.3	3.4	12.1	282	0.25	0.02	0.4	7.6	450	2
E147062		16.4	0.2	1.9	0.171	0.33	46.6	22.7	1.71	7170	58.2	3.87	4.7	28.8	590	27
E147063		19.25	0.15	2.1	0.105	0.35	58.5	25.9	1.29	5120	7.65	3.96	5.4	25.7	670	5.1
E147064		15.15	0.16	1.8	0.169	0.33	45.7	15.5	1.59	7580	7	4.23	4.4	20.8	690	3.9
E147065		6.37	0.25	0.9	0.423	0.09	14.8	18.8	1.43	8170	112.5	1.09	4.2	42.3	860	103.5
E147066		5.88	0.17	1	0.205	0.1	16.7	18.3	0.98	5460	50.3	1.07	3.4	34.6	940	117
E147067		7.62	0.24	1	0.1	0.13	68.4	11.4	1.13	7700	7.61	1.65	1.9	43.6	1580	4.6
E147068		4.63	0.23	0.6	0.162	0.05	24.5	8.3	1.2	9580	33.5	0.86	2.3	46.6	1450	16.4
E147069		6.36	0.21	1	0.117	0.08	28.3	27.7	1.48	4900	17.05	1.09	3.8	44	1390	3.7
E147070		7.13	0.22	0.7	0.077	0.16	32.8	50.1	2.45	2640	13.4	0.07	6.1	42	1250	4.3
E147071		0.84	<0.05	0.1	0.005	0.05	2.2	3.6	11.2	245	0.35	0.02	0.5	7.9	430	2
E147072		16	0.2	2	0.144	2.3	26.1	25.8	1.31	3860	73.6	0.98	3.5	38.8	980	21.9
E147073		12.35	0.2	1.3	0.134	0.98	10.3	56	1.93	3110	27.5	0.89	4.5	33.9	910	79.3
E147074		7.88	0.25	1.1	0.176	0.12	96.5	42.5	2.86	10950	17.4	1.18	2.9	43.6	1720	10.9
E147075		8.68	0.16	1.5	0.151	0.11	12.7	46	1.88	3930	4.47	1.84	2.4	32.1	710	7.6
E147076		11.3	0.15	1.6	0.168	0.12	45.2	25.7	1.37	4400	10.4	3.08	2.5	22.2	820	30.8
E147077		9.36	0.14	1.4	0.05	0.14	73.3	40.3	1.19	1700	63.1	2.05	3.3	21.3	1390	9.8
E147078		11.65	0.25	1	0.044	0.05	132.5	35.6	0.87	708	9.82	1.5	1.4	50.9	2380	3.2
E147079		11.6	0.16	1.2	0.065	0.54	75.4	32.7	1.22	2600	9.95	2.18	1.8	31.1	1360	3.3
E147080		22.9	0.08	1.9	0.083	3.78	10.8	80.5	1.31	1560	2.68	0.87	0.9	21.9	360	2.1
E147081		0.86	<0.05	0.1	<0.005	0.06	2.4	4.2	11.2	234	0.27	0.02	0.5	6.6	380	2
E147082		13.5	0.19	1.4	0.064	0.93	119.5	64	1.77	3130	14.5	1.48	2.5	28.3	1590	5
E147083		8.84	0.21	1	0.032	0.08	75.9	31.6	1.1	2060	9.7	1.46	2.2	29.1	2440	2.2
E147084		9.64	0.21	1.1	0.026	0.1	89.2	42.5	1.32	1860	14	1.49	1.9	29.3	2250	4
E147085		12	0.21	1.2	0.018	0.08	133.5	32.3	0.94	1570	14.15	2.28	2.5	35	2320	3.2
E147086		12.5	0.23	1.3	0.018	0.1	154.5	45.4	1.03	844	18.8	2.15	1.9	40.7	2240	3.1
E147087		13.15	0.23	1.5	0.014	0.12	151	44.7	1.02	850	13.65	2.6	2	40.7	1740	3.5
E147088		12.1	0.19	1.4	0.015	0.42	92.2	52.8	1.15	906	12.75	1.87	1.9	38.9	2020	2.4
E147089		11.05	0.23	1.3	0.038	0.14	82	31.2	0.9	1790	14.4	2.71	3	46.6	2180	2.9
E147090		12.85	0.24	1.8	0.051	0.2	123.5	40.1	0.97	1550	123	2.94	4	48	2520	7.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E147051		53.1	0.011	0.71	1.85	6.5	<1	6.3	658	0.19	0.38	7.9	0.057	0.25	28.6	46
E147052		22.7	0.02	2.51	4.54	4.3	2	4.6	500	0.17	0.47	6.8	0.04	0.44	550	38
E147053		34.7	0.005	1.82	2.87	6.7	1	6.7	309	0.33	0.43	8.8	0.094	0.13	133	57
E147054		20.7	0.002	0.21	2.31	8.9	<1	6.5	588	0.43	0.06	10.8	0.125	0.08	17	48
E147055		16.5	<0.002	0.17	1.88	10.4	<1	7.1	674	0.42	0.05	12.8	0.13	0.05	12.7	51
E147056		11.4	0.006	0.48	1.77	7	<1	4	526	0.29	0.15	7.8	0.085	0.04	24.4	46
E147057		6.9	0.002	0.58	0.99	4.8	<1	2.6	1230	0.14	0.3	5.6	0.032	0.03	18.5	48
E147058		5.5	0.002	0.28	0.92	4.6	<1	2.1	1930	0.12	0.13	5.5	0.025	0.06	14.1	36
E147059		4.4	0.006	1.28	1.77	4.7	1	3.5	702	0.16	0.29	5.4	0.034	0.06	44.2	91
E147060		4.2	0.005	1.42	1.71	4.6	1	3.6	762	0.15	0.26	4.8	0.035	0.06	46.8	86
E147061		1.5	<0.002	0.03	0.36	1.2	<1	0.2	124	<0.05	<0.05	0.4	0.016	<0.02	0.3	7
E147062		15.2	0.023	1.02	2.98	9.5	1	5.9	429	0.4	0.24	12.5	0.13	0.06	153.5	61
E147063		18	0.002	0.2	2.04	11.8	<1	6.5	484	0.47	0.07	11.8	0.142	0.05	15.5	66
E147064		16.8	0.002	0.49	1.71	10.1	<1	4.9	550	0.36	0.12	9.5	0.107	0.04	13.9	43
E147065		4.5	0.036	3.03	3.87	3.6	4	5.6	478	0.21	1.41	3.6	0.058	0.13	405	27
E147066		4.9	0.006	0.87	3.79	3.4	<1	3.5	1410	0.14	0.28	3.7	0.034	0.05	416	36
E147067		6.9	0.002	0.27	0.7	4.3	<1	3.1	1840	0.09	0.13	4.9	0.021	0.03	18.2	54
E147068		2.8	0.006	0.67	0.96	3.4	<1	2.4	1480	0.12	0.21	2.9	0.018	0.06	158.5	39
E147069		4.6	0.004	0.92	0.73	3.8	1	4.9	1430	0.21	0.22	3.7	0.043	0.06	44.9	43
E147070		10.4	0.003	0.6	0.9	5.9	<1	8.3	2190	0.24	0.16	3.1	0.072	0.05	27.3	65
E147071		1.5	<0.002	0.04	0.37	1.1	<1	0.2	119.5	<0.05	<0.05	0.4	0.014	<0.02	0.2	7
E147072		91.8	0.027	2.62	1.81	9.8	1	8.8	563	0.21	0.27	8.4	0.091	0.49	292	61
E147073		61	0.022	1.61	2.81	11.6	1	14.7	851	0.16	0.23	2.3	0.124	0.17	292	119
E147074		8.4	0.022	0.56	1.32	9.6	<1	4.6	1070	0.1	0.17	3.3	0.059	0.06	185	81
E147075		5.3	0.004	1.2	1.16	6.1	<1	3.8	1110	0.14	0.21	4.8	0.047	0.05	159	39
E147076		6.5	0.007	1.01	2.31	10	2	3	764	0.14	0.18	13	0.047	0.1	157.5	31
E147077		8.6	0.042	0.47	1.13	5.8	2	2.6	1490	0.14	0.19	6.7	0.037	0.06	50.5	28
E147078		2.8	0.004	0.5	0.94	3	2	2	1100	0.06	0.12	5	0.019	<0.02	19.2	68
E147079		33.4	0.004	0.47	0.9	10.8	2	8	965	0.08	0.12	3.7	0.039	0.07	18.6	89
E147080		220	<0.002	0.31	1.68	39.9	1	46.2	681	0.07	0.09	1.1	0.234	0.45	3.8	261
E147081		2.1	<0.002	0.03	0.35	1.2	1	0.3	107	<0.05	<0.05	0.4	0.015	<0.02	0.2	4
E147082		55	0.002	0.27	1.34	15.1	2	11.4	1010	0.12	0.13	6.2	0.065	0.15	13	110
E147083		4.1	0.002	0.41	0.9	9.8	1	1.8	1380	0.13	0.11	5.1	0.02	0.03	14	60
E147084		6.1	0.003	0.4	0.93	7.4	2	2.1	1160	0.12	0.11	5.3	0.025	0.03	12.6	62
E147085		4.4	0.002	0.38	0.81	6.6	2	2.2	1035	0.12	0.13	7	0.023	0.02	10	68
E147086		7.1	0.003	0.43	0.7	3.9	2	2.6	949	0.09	0.13	7.9	0.027	0.02	12.7	67
E147087		8.4	0.006	0.4	0.71	4.2	2	2.9	797	0.1	0.09	9.5	0.033	0.03	15.4	65
E147088		29.1	0.005	0.42	0.67	7.6	1	7.5	1220	0.09	0.11	5.9	0.035	0.07	17.2	61
E147089		12.7	0.005	0.45	0.74	5.6	3	2.7	1075	0.12	0.14	7.2	0.032	0.03	15.9	69
E147090		19.5	0.049	0.38	1.12	4.5	4	3.7	1285	0.15	0.46	9.8	0.047	0.09	40.2	60

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Cu	Au	Ba
	Units	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.001	0.01
E147051		11.3	9.6	17	44.3		0.023	
E147052		21.7	20.7	4	36.1	1.725	0.065	
E147053		16.9	19.7	13	51.9	1.650	0.031	
E147054		15.7	13.5	17	58.4		0.008	
E147055		17.4	12	10	61.6		<0.001	
E147056		12.5	9.8	14	39.8		0.022	
E147057		8.9	10.4	14	30.4		0.010	
E147058		5.6	7.8	30	27.8		0.003	
E147059		11.3	15.2	8	22	1.280	0.056	
E147060		10	14.2	10	20.3	1.285	0.040	
E147061		0.4	3.4	15	3.6		0.002	
E147062		22	17.5	<2	57.5		0.040	
E147063		17.1	10.2	13	62.3		0.004	
E147064		13.9	10.2	14	55.1		0.013	
E147065		19.8	17.3	8	27.9	2.22	0.208	
E147066		16.4	17.8	6	31	1.140	0.066	
E147067		5.4	9.4	7	30.8		0.006	
E147068		6.3	9.3	13	17.6		0.019	
E147069		6.1	8.5	7	29.5		0.026	
E147070		12.9	8.6	17	23.2		0.011	
E147071		0.4	3.4	12	3.6		0.001	
E147072		8.5	15.2	16	62.6		0.055	
E147073		17.1	19.9	16	39.6		0.040	
E147074		9.6	17.2	17	32.2		0.012	
E147075		7.8	8.7	16	46.8		0.050	
E147076		15.9	25.7	4	55.6		0.056	
E147077		9.4	14	14	49.3		0.023	
E147078		5.5	15.2	14	33.4		0.022	
E147079		8	13.8	3	42.2		0.015	
E147080		23.9	9.5	4	56.8		<0.001	5.03
E147081		0.7	3.4	12	3.9		<0.001	
E147082		12	17.3	22	44.1		0.009	
E147083		7.2	18.2	10	34.9		0.011	
E147084		6.8	17.3	10	36.5		0.010	
E147085		6.3	19.6	7	41.6		0.011	
E147086		4.8	18.7	8	42		0.014	
E147087		5.5	16.5	8	49.1		0.010	
E147088		6	16.5	9	46.6		0.004	
E147089		6.6	21	6	44.6		0.006	
E147090		9	22.4	8	57.8		0.023	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E147091		0.22	0.01	0.35	<5	690	0.07	0.02	22.1	0.16	5.42	2.1	8	0.13	8.8	0.38
E147092		0.20	1.07	2.41	89.7	80	0.72	10.85	2.25	<0.02	197	370	15	2.77	9600	27.3
E147093		1.64	0.26	1.45	11.9	140	0.97	0.81	2.66	<0.02	103	268	7	0.46	1650	18.65
E147094		1.47	0.24	2.62	11.9	130	0.66	0.79	2	<0.02	129	366	17	0.68	1380	21.2
E147095		1.45	0.06	3.91	7	720	0.87	0.32	0.99	<0.02	197	99.9	23	2.11	306	23.7
E147096		1.69	0.08	3.95	6.3	990	1.13	0.19	0.9	<0.02	189.5	70.5	24	3.24	370	23.4
E147097		1.23	0.07	3.58	7	710	1.27	0.29	1.86	<0.02	146.5	101	22	3.46	112	25.2
E147098		1.63	0.08	3.22	7.7	600	1.04	0.29	1.96	<0.02	173.5	120	20	2.74	390	25.6
E147099		1.81	0.21	2.48	9.3	280	0.79	0.58	1.31	<0.02	213	115.5	13	1.66	2140	29.9
E147100		1.31	0.19	2.22	11.1	270	0.83	0.71	1.78	<0.02	212	186.5	14	1.33	1410	28.9
E147151		0.25	0.01	0.36	6	270	0.08	0.02	22.5	0.17	5.88	2.1	9	0.14	10.4	0.38
E147152		1.50	0.14	2.41	10.6	500	0.87	0.39	3.24	<0.02	256	105.5	14	1.53	962	28
E147153		1.68	0.13	2.69	8.6	680	0.98	0.44	1.38	0.02	286	117	18	1.95	541	28.7
E147154		1.55	0.11	2.56	9.4	780	1.13	0.36	1.8	0.02	359	95.8	14	1.87	86.3	27.6
E147155		1.49	0.08	1.13	15.8	430	0.91	0.47	1.95	<0.02	182	162.5	5	0.45	141	19.15
E147156		1.51	0.13	1.42	17.8	350	0.66	0.86	2.98	<0.02	183.5	202	7	0.65	280	24.6
E147157		1.52	0.2	1.52	12.6	830	0.42	0.99	2	<0.02	260	149	4	0.45	959	27
E147158		1.37	0.29	2.25	12.2	2080	0.61	1.54	0.82	<0.02	337	110.5	11	1.01	249	22.2
E147159		1.38	0.19	2.03	17	1240	0.46	1.37	2.6	<0.02	267	201	13	0.39	89.7	24.3
E147160		1.59	0.17	1.98	20.6	2000	0.52	1.19	6.79	0.02	159.5	261	5	0.51	546	22.6
E147161		0.25	0.01	0.35	8	220	<0.05	0.02	21.6	0.15	6.39	2.5	7	0.13	6.6	0.39
E147162		0.20	0.24	7.18	42.1	370	2.24	1.5	2.01	<0.02	77.8	114	45	6.37	1580	7.16
E147163		1.22	0.11	3.09	19	760	0.94	0.93	4.68	<0.02	235	281	14	0.89	74	23.5
E147164		1.48	0.24	2.13	16.3	140	0.43	1.17	3.42	<0.02	273	286	8	0.65	2300	25.9
E147165		1.72	0.12	3.33	8.6	740	1.07	0.54	1.68	<0.02	157.5	127.5	15	1.64	648	24.6
E147166		1.12	0.05	5.09	7.9	3160	1.63	0.46	0.69	<0.02	207	123	35	2.93	48.8	19.2
E147167		1.41	0.1	4.82	9.4	4110	2.38	0.98	0.57	<0.02	209	149	23	5.28	63.6	23.9
E147168		1.83	0.11	2.76	10.1	2840	1.1	1.33	0.53	<0.02	203	156	13	2.58	64.2	29
E147169		1.50	0.09	2.83	10.9	2460	1.28	0.88	1.21	<0.02	240	148.5	16	1.96	47.4	24.2
E147170		1.76	0.2	3.52	13.8	3130	1.42	1.35	1.29	<0.02	164.5	139	17	2.22	140	20.6
E147171		0.22	0.01	0.36	<5	160	0.08	0.02	21.8	0.15	5.68	2.4	8	0.13	7.2	0.41
E147172		1.31	0.27	2.9	14	4920	1.07	1.32	1.54	<0.02	143.5	102.5	11	1.69	613	24
E147173		1.29	0.47	3.3	17.6	5540	1.14	2.03	3.26	<0.02	139	122.5	15	1.84	1725	24.5
E147174		1.79	0.18	1.56	11.2	7070	0.53	1.09	5.22	0.03	279	111.5	5	0.45	45.7	27.1
E147175		1.30	0.13	1.59	12.5	2680	0.54	0.53	1.07	<0.02	139.5	131.5	4	0.47	17.8	23.9
E147176		1.84	0.21	0.91	10.6	2250	0.36	0.71	0.79	0.03	139.5	76.8	<1	0.37	379	25.5
E147177		1.59	0.11	1.13	8.9	2430	0.42	0.37	1.42	<0.02	90.3	107.5	7	0.35	214	28.6
E147178		1.49	0.11	1.41	13.2	3440	0.35	0.63	1.56	<0.02	170.5	189	3	0.48	24.6	30.8
E147179		1.53	0.08	2.12	7.2	4660	0.5	0.24	1.14	<0.02	114.5	120	5	0.5	19.5	29.4
E147180		1.82	0.16	2.03	8.9	6340	0.52	1.11	1.69	<0.02	460	128	15	0.55	50.2	25.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E147091		0.76	<0.05	0.1	0.007	0.05	2.6	3.6	12	262	0.69	0.03	0.5	7.5	450	1.7
E147092		9.85	0.37	0.8	0.284	0.69	115	20.9	1.54	6540	63.5	0.24	6.7	65.7	2440	6.4
E147093		5.49	0.22	0.4	0.042	0.07	43.9	28.2	1.23	2990	40.1	0.43	2.4	46	1460	3.3
E147094		7.83	0.28	0.7	0.045	0.1	60.1	41.7	1.41	2340	46.2	0.93	3.1	52.3	1900	2.7
E147095		10.2	0.28	1.2	0.04	0.19	129	78.2	2.48	698	16.75	0.18	2.2	51.2	2490	2.7
E147096		9.87	0.29	1.4	0.059	0.11	132.5	97.5	3.1	684	18.1	0.01	2.2	50.1	2530	4.2
E147097		9.35	0.28	1	0.077	0.07	98.9	86.4	3.28	2150	15.95	0.01	2.3	52.3	2190	3.5
E147098		8.53	0.32	1	0.07	0.05	115.5	78.2	3.03	2150	16.7	0.01	3.3	52.4	2330	3.4
E147099		8.07	0.39	0.8	0.055	0.02	133	53.7	2.2	1240	17.55	0.01	3.9	56.1	3070	9.7
E147100		8.87	0.39	0.7	0.075	0.02	129.5	46.6	2.19	2940	21.6	0.01	4.7	57.9	3950	3.1
E147151		0.82	<0.05	0.1	0.005	0.05	2.8	3.5	12.25	266	0.4	0.02	0.5	7.8	470	2.8
E147152		8.96	0.39	0.8	0.074	0.04	163.5	41.8	2.48	5150	21.3	0.01	4.3	55.4	8310	2.9
E147153		9.97	0.41	0.9	0.093	0.02	194	50.3	2.37	3860	38.1	0.01	4.6	59.6	2410	2.8
E147154		9.77	0.38	0.8	0.062	0.03	246	51.5	2.39	3080	33.7	0.01	4.4	51.9	3670	2.7
E147155		4.13	0.26	0.4	0.147	0.01	113	21.3	2	11450	20.9	0.01	4.7	34.5	2650	4
E147156		5.61	0.29	0.4	0.193	0.01	123	22	2.6	13550	27.3	0.01	4.5	44.5	2200	2.1
E147157		5.68	0.34	0.5	0.19	0.01	193.5	20.1	2.01	12850	31.7	0.01	7.7	43.5	3010	2.8
E147158		6.79	0.34	0.7	0.122	0.04	254	37.8	1.59	6140	27.9	0.02	11.2	38.1	3010	5
E147159		8.04	0.32	0.6	0.207	0.03	194.5	26.9	2.29	12250	27.6	0.01	10.5	52.3	2730	370
E147160		7.37	0.27	0.5	0.247	0.01	113.5	30.9	3.75	13150	29.6	0.02	8.4	51.2	1910	2.6
E147161		0.89	<0.05	0.1	<0.005	0.05	3.3	3.4	11.75	281	0.49	0.02	0.6	7.1	430	1.8
E147162		18.95	0.16	2.1	0.13	2.96	39.9	19.5	1.37	3350	19.8	0.58	4.3	27.3	800	3
E147163		9.56	0.34	0.9	0.231	0.08	169	48.6	3.63	12800	30.3	0.02	5.5	59.8	2200	2
E147164		9.64	0.36	0.6	0.054	0.06	179.5	25.9	1.89	4070	43.2	0.04	6.9	53.7	2670	2.1
E147165		10.15	0.3	1	0.04	0.01	108.5	60.5	2.53	2110	26.8	0.01	4.3	50	2320	1.7
E147166		13.4	0.28	1.5	0.09	0.39	145	99.2	3.13	2620	22.3	0.02	5.2	44.4	1910	2.2
E147167		13.35	0.33	1.6	0.138	0.49	146.5	81	3.17	5470	26.4	0.02	6.5	55.5	2550	2.7
E147168		8.87	0.36	0.9	0.152	0.02	142	42.4	2.36	8890	28.6	0.02	5.1	57.8	2380	2.6
E147169		9.67	0.38	0.9	0.211	0.32	167.5	45.9	2.32	11400	22.5	0.02	9.2	55.9	2500	2.8
E147170		11.3	0.29	1.2	0.233	0.59	114.5	52.3	2.29	9180	22.3	0.02	11.2	55.6	2180	8.6
E147171		0.95	<0.05	0.1	0.005	0.06	2.8	3.4	11.9	286	0.43	0.02	0.5	8.3	440	2.1
E147172		9.97	0.36	1	0.362	0.41	109.5	46.2	3.16	16650	24.9	0.01	8.6	40.8	1820	2.6
E147173		11.65	0.39	1.2	0.349	0.37	91.5	46.8	3.61	13950	27.9	0.01	11	46.9	1820	3.9
E147174		5.94	0.42	0.6	0.264	0.01	207	23.5	3.49	15350	22.7	0.01	11	52.3	2980	3
E147175		5.63	0.34	0.6	0.203	0.01	105	24.7	2.17	14450	21.6	0.01	11.7	42.6	2180	1.6
E147176		5.12	0.37	0.2	0.105	0.01	90.75	13.3	1.23	6690	26.8	<0.01	6.4	36.4	1950	1.7
E147177		6.76	0.57	0.3	0.214	0.01	56.6	20.9	1.95	13400	19.8	0.02	5.8	59.4	2050	1.7
E147178		7.58	0.68	0.4	0.365	0.01	111.5	23	2.86	22300	3.57	0.03	6.8	63.3	2390	2.1
E147179		9.78	0.6	0.5	0.177	0.01	73.9	31.7	2.33	12150	4.34	0.03	7.4	68.5	1680	1.6
E147180		11	0.86	0.9	0.151	0.01	362	30.7	2.45	12550	8.95	0.04	15.9	60.7	2390	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E147091		1.6	<0.002	0.06	0.37	1.3	2	0.2	127	<0.05	<0.05	0.5	0.016	<0.02	0.3	5
E147092		37.1	0.019	7.24	2.29	4.6	6	7.9	185.5	0.14	1.49	6.2	0.039	0.51	15.6	63
E147093		9	0.009	1.21	0.65	5.3	4	1.8	1760	0.07	0.36	3.2	0.02	0.03	14.3	60
E147094		11.8	0.015	1.47	0.81	5.3	4	2.1	1100	0.1	0.34	4.7	0.026	0.03	13.1	73
E147095		9.9	0.003	0.45	0.85	6.2	3	1.8	1490	0.09	0.17	5.4	0.019	0.04	14.3	76
E147096		5	0.007	0.41	0.86	5.8	2	1.8	1815	0.09	0.11	5.2	0.018	0.04	18.4	86
E147097		4.7	0.005	0.35	0.98	6.6	2	1.7	1540	0.09	0.11	4.7	0.02	0.05	14.4	96
E147098		2.5	0.006	0.41	1.09	5.8	3	1.9	1280	0.1	0.16	4.6	0.025	0.03	19.9	111
E147099		1.5	0.005	0.5	1.15	3.3	4	1.8	1140	0.11	0.16	5.8	0.017	0.02	16.3	83
E147100		1.6	0.005	0.63	1.21	4.4	4	2.4	971	0.14	0.23	6.5	0.021	0.02	9.2	68
E147151		1.7	<0.002	0.04	0.51	1.3	2	<0.2	124.5	<0.05	<0.05	0.4	0.016	<0.02	0.2	5
E147152		3	0.007	0.3	1.09	6.8	4	2.9	1025	0.16	0.16	8.9	0.032	0.02	8.8	78
E147153		1.8	0.009	0.3	1.09	6.3	3	2.4	891	0.13	0.22	7	0.022	0.02	10.5	80
E147154		2.4	0.01	0.22	1.11	5.9	3	3.6	1130	0.11	0.17	7.4	0.033	0.02	13.1	68
E147155		0.9	0.004	0.37	0.56	3	3	2	2270	0.08	0.47	2.9	0.012	<0.02	5.2	41
E147156		0.7	0.005	0.4	0.67	3.8	4	2.4	1450	0.1	0.28	3.5	0.016	<0.02	7	49
E147157		0.6	0.002	0.23	0.95	3.1	3	3.5	834	0.14	0.2	4.2	0.023	0.03	6.8	45
E147158		2.3	0.006	0.12	1.64	3.2	3	10.9	555	0.24	0.3	6.4	0.052	0.03	10.1	43
E147159		2.1	0.002	0.3	1.53	3.2	3	8	242	0.21	0.26	5.4	0.041	0.05	27.9	53
E147160		0.7	0.011	0.74	1.14	4.7	5	3	74.9	0.15	0.38	4.5	0.022	0.02	9.2	55
E147161		1.5	<0.002	0.04	0.36	1.2	2	0.2	116.5	<0.05	<0.05	0.4	0.016	<0.02	0.2	5
E147162		133.5	0.005	1.41	1.24	10.8	3	7.9	470	0.26	0.19	12.9	0.131	0.37	18.2	66
E147163		4.9	0.008	0.77	0.83	5.8	5	4.6	121.5	0.15	0.4	8.6	0.032	0.02	10.5	47
E147164		3.1	0.014	1.11	1.08	5	4	3	347	0.19	0.31	7.1	0.031	0.03	11	71
E147165		0.8	0.006	0.34	1.02	5.1	3	2.4	502	0.14	0.14	6	0.026	<0.02	11.1	81
E147166		26.2	0.004	0.19	1.5	9.6	3	12.1	361	0.16	0.18	9.9	0.078	0.06	9.4	72
E147167		34.7	0.01	0.2	1.45	11.6	3	16.3	380	0.19	0.35	9.7	0.061	0.07	14.4	73
E147168		1.9	0.01	0.16	1.28	4.8	3	10.9	526	0.13	0.56	6.8	0.028	0.02	7	64
E147169		20.2	0.004	0.12	1.25	4.9	2	15.7	632	0.22	0.35	7.8	0.05	0.05	8.1	55
E147170		36.2	0.006	0.12	1.88	6	3	20.5	323	0.29	0.37	8.7	0.077	0.1	68.7	62
E147171		1.8	<0.002	0.03	0.34	1.2	2	0.2	119	<0.05	<0.05	0.5	0.015	<0.02	0.3	4
E147172		26	0.004	0.18	2.41	5.4	3	15	104.5	0.27	0.42	6.8	0.067	0.08	9.5	53
E147173		23.9	0.005	0.32	2.59	6.4	5	16	151	0.33	0.35	7	0.084	0.09	23.6	75
E147174		0.7	0.003	0.22	1.69	2.6	2	5.8	190.5	0.33	0.47	5.8	0.032	0.09	5.6	67
E147175		0.7	0.004	0.13	1.39	2.9	2	5.7	583	0.26	0.15	3.1	0.036	0.04	4.3	49
E147176		0.7	0.008	0.15	1.39	1.4	2	1.5	838	0.12	0.2	2.4	0.01	0.02	4.5	50
E147177		0.7	0.002	0.13	1.26	2.7	3	1.3	668	0.14	0.14	1.6	0.011	<0.02	3.9	46
E147178		0.7	<0.002	0.22	0.94	4.2	3	1.9	275	0.14	0.17	3.3	0.016	0.02	7.5	41
E147179		0.5	<0.002	0.15	1.42	3.3	2	2.1	300	0.16	0.13	2.2	0.021	<0.02	6	57
E147180		0.5	0.003	0.2	1.5	4.9	3	3.3	244	0.37	0.28	12.4	0.031	0.02	17.3	47

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E147091		0.8	3.7	12	3.7		<0.001	
E147092		7.2	16.2	10	26.6		0.113	
E147093		6.1	12.4	8	13.5		0.020	
E147094		4.8	14.6	13	25.6		0.017	
E147095		3.9	17.2	35	40.1		0.007	
E147096		3.8	17.1	41	44.4		<0.001	
E147097		4	18.7	36	34.6		0.007	
E147098		4.6	19	33	33.4		0.006	
E147099		3.6	20.2	29	28.1		0.015	
E147100		4.4	28.9	25	22.8		0.022	
E147151		0.5	3.9	14	3.9		<0.001	
E147152		5.5	58	28	24.5		0.009	
E147153		6.8	19.2	34	27		0.010	
E147154		6.6	23.1	32	26.3		0.010	
E147155		6.1	12.8	16	12.6		0.009	
E147156		5.9	14.3	24	14.2		0.013	
E147157		7.3	17.7	16	16.1		0.022	
E147158		12	16.5	28	24.6		0.012	
E147159		15.4	16.9	27	22		0.010	
E147160		13.9	17.7	58	16.4		0.032	
E147161		0.5	3.7	13	3.7		<0.001	
E147162		9	12.1	6	66.7		0.017	
E147163		6.7	18.7	66	30.2		0.013	
E147164		6.2	20.1	22	20.5		0.032	
E147165		4.7	17.7	44	32.6		0.008	
E147166		10	16.4	63	48.9		0.012	
E147167		8.7	19.4	52	50.2		0.008	
E147168		5.9	16.2	39	29.7		0.006	
E147169		9	16.9	33	30.3		0.006	
E147170		12.8	15.5	40	37.7		0.010	
E147171		0.4	3.8	14	3.9		0.002	
E147172		13.8	14.4	58	35.7		0.015	
E147173		18.1	18.7	60	42.9		0.025	0.58
E147174		9.2	18.9	41	18.3		0.006	0.74
E147175		7.9	12.8	33	20.1		0.005	
E147176		10.2	11.4	20	7.8		0.009	
E147177		7.9	12.6	21	7.3		0.006	
E147178		5.7	13.6	29	12.7		0.005	
E147179		8.2	10.9	30	14.8		0.003	
E147180		12.5	20	30	26.1		0.005	1.02

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E147181		0.25	0.01	0.36	7	80	0.05	0.02	21.8	0.15	6.24	2.8	8	0.14	4.6	0.36
E147182		0.20	1.21	6.41	59.3	140	1.84	3.14	2.14	<0.02	67	176.5	37	3.92	8330	9.99
E147183		1.62	0.1	2.44	8.6	2910	0.71	0.46	1.16	<0.02	74.8	136.5	8	1.05	33.5	29.8
E147184		1.33	0.19	3.8	11.2	2520	1.44	0.82	1.16	<0.02	>500	166	16	3.19	61.8	22.1
E147185		1.25	0.07	6.06	5.9	5290	2.44	0.29	0.49	<0.02	229	129	30	6.23	85.6	20.3
E147186		1.03	0.05	8.99	5.5	>10000	3.38	0.22	0.48	<0.02	390	81.7	53	8.42	14.6	13.9
E147187		1.75	0.08	3.58	8.6	3070	0.86	0.69	0.98	0.02	223	95.7	19	1.5	13.6	20.9
E147188		1.48	0.08	1.34	8.1	5000	0.24	0.3	1.7	<0.02	80.9	87.4	2	0.31	18.9	33.1
E147189		1.93	0.09	4	13.2	2410	1.23	1.18	1.41	<0.02	154.5	125.5	19	2.73	38.7	20.9
E147190		1.38	0.67	1.14	13.1	1000	0.27	2.7	1.29	0.02	97.4	191.5	6	0.55	4220	25.9
E147191		1.48	0.2	0.5	10.6	5150	0.16	0.86	0.78	<0.02	205	137.5	<1	0.14	317	29.2
E147192		1.01	0.47	4.99	19.7	780	2.24	3.4	3.51	<0.02	117	138.5	22	3.81	2850	19.05
E147193		1.56	3.09	1.59	16.3	100	0.62	15.45	8.24	<0.02	33	102.5	6	0.87	>10000	13.35
E147194		1.16	2.35	1.45	26.9	180	0.8	215	8.89	0.02	39.9	82	4	0.71	5360	9.67
E147195		1.72	1.62	1.01	6.5	270	0.57	178.5	3.98	<0.02	29.6	69	3	0.59	9780	8.01
E147196		Empty Bag														
E147197		2.37	6.06	0.77	20.7	140	0.44	334	2.07	<0.02	4.08	49.9	4	0.6	>10000	12.55
E147198		1.25	6.05	3.58	23.7	150	1.9	21.1	4.15	<0.02	37.6	74.2	19	3.63	>10000	14.4
E147199		1.28	1.08	3.53	<5	1200	1.45	3.05	10.45	0.02	35.8	61.9	11	3.7	6560	9.99
E147200		1.28	0.92	4.82	3.2	430	2.21	1.81	7.35	<0.02	28.8	67.9	27	6.37	6480	9.56
E147251		0.22	0.21	0.33	5	90	0.08	0.05	20.8	0.17	5.06	2.4	7	0.17	30.5	0.29
E147252		0.24	1.15	2.45	113	100	0.64	11.1	2.36	<0.02	182	332	11	2.65	9140	29.7
E147253		1.38	0.82	5.31	3.6	3220	2.37	1.26	8.23	<0.02	153.5	74.6	22	6.76	4220	10.4
E147254		1.18	3.83	5.37	15.3	510	2.56	6.77	7.33	0.02	75.2	115.5	27	6.76	>10000	14.55
E147255		1.40	5.82	3.99	16.8	110	1.98	8.82	6.12	<0.02	108	120	19	5.07	>10000	17.8
E147256		2.10	9.76	3.63	26.1	140	1.69	25.1	5.07	<0.02	105.5	105	18	4.33	>10000	18.7
E147257		1.07	9.57	5.06	23.4	470	2.4	45.2	4.8	<0.02	101.5	105.5	29	5.61	>10000	15.15
E147258		0.94	1.07	5.98	9.9	1360	2.86	7.52	5.68	<0.02	112.5	62.8	28	6.53	5610	14
E147259		0.99	1.69	4.49	12.9	860	2.1	12.9	9.97	<0.02	53.6	60.4	19	6.26	7270	11.05
E147260		1.23	0.33	6.95	12.7	2650	2.26	2.32	5.95	<0.02	58.3	118.5	42	13.45	1060	9.83
E147261		0.25	0.2	0.33	<5	70	0.12	0.04	20	0.16	5.21	2.8	10	0.19	36.8	0.31
E147262		2.07	0.57	5.22	34.2	180	1.82	8.31	5.4	<0.02	158.5	94	26	9.2	1330	11.85
E147263		0.93	0.16	6.24	10.6	8350	2.33	0.9	4.05	<0.02	91.1	22.8	36	6.49	520	12.25
E147264		1.24	0.25	7.26	11.7	4330	2.69	1.2	1.75	<0.02	107	17.6	46	6.82	45.8	12.6
E147265		0.74	0.11	7.43	12.1	3900	3.28	0.74	2.04	<0.02	154.5	35.3	41	11	177.5	12.05
E147266		1.03	0.23	5.08	18.8	2800	1.66	0.74	4.04	<0.02	128	32.4	26	4.43	469	13.55
E147267		1.19	0.11	6.84	10.5	5540	1.75	0.45	1.56	<0.02	157	26.7	43	4.09	201	8.63
E147268		1.10	0.08	7.95	10.1	3180	2.14	0.48	1.73	<0.02	81.2	42.1	58	5.03	54	6.78
E147269		0.90	0.04	7.48	6.3	8260	1.95	0.23	1.19	<0.02	152.5	26.5	46	3.84	342	7
E147270		0.86	0.06	7.13	8.2	7020	1.63	0.22	3.17	<0.02	127	31.6	40	3.58	59.4	8.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E147181		0.98	<0.05	0.1	0.005	0.05	2.8	3.9	11.9	299	0.32	0.02	0.5	6	450	1.6
E147182		17.1	0.26	2.1	0.149	2.2	28.8	26	1.3	3720	75.2	1.03	4.3	40.8	960	21.8
E147183		9.06	0.55	0.8	0.171	0.02	46.5	39.5	2.31	10450	15.15	0.02	6.4	66.4	2300	2.3
E147184		11.45	0.86	1.2	0.239	0.05	401	69.7	3.24	8720	3.64	0.02	5.5	65.8	2630	206
E147185		14.3	0.55	1.7	0.137	0.78	148	96.7	3.11	3580	2.27	0.05	4.5	55.6	2090	10.4
E147186		25.3	0.43	2.7	0.105	2.2	245	111.5	2.44	1000	11.65	1.01	5.5	31.8	2390	4.9
E147187		10.75	0.41	1	0.149	0.52	157	31.9	1.39	8050	15.2	1.17	3.8	38.7	1890	2.1
E147188		5.39	0.38	0.4	0.148	0.04	58	16.7	1.81	11300	17.95	0.16	4.8	47.3	1570	1.6
E147189		12.35	0.39	1.3	0.153	0.81	111	54.1	1.86	8420	7.15	0.2	5.8	49.1	3780	1.8
E147190		4.6	0.39	0.4	0.371	0.09	66.2	15.9	2.06	17350	8.29	0.01	8.3	45.1	1250	2.3
E147191		3.94	0.47	0.2	0.426	0.02	141	8.7	1.79	19600	14.25	0.02	11.5	39.7	1660	1.8
E147192		15.5	0.35	1.5	0.257	0.8	78.1	93.4	4.07	8080	12.7	0.02	6.1	44.7	2640	2.4
E147193		4.65	0.22	0.4	0.403	0.12	11.1	27.3	3.66	12300	57.9	0.02	3.1	30.2	730	38.8
E147194		4.31	0.17	0.4	0.351	0.07	17.5	28.2	4.56	13050	32.3	0.02	3.6	22.2	600	144.5
E147195		3.14	0.18	0.3	0.239	0.03	10.4	21.5	1.78	6280	15.7	0.01	2.2	26	420	35.4
E147196																
E147197		2.44	0.14	0.3	0.5	0.03	0.5	15.4	1.91	9910	50.9	0.01	3.4	34.1	220	265
E147198		8.42	0.3	1.1	0.545	0.52	11.9	59.6	4.14	11950	90.4	0.02	3.9	42.2	380	252
E147199		8.13	0.19	1.1	0.257	0.51	20	57.1	6.16	10350	12.35	0.03	1.6	30	360	8.2
E147200		12.25	0.19	1.3	0.187	1.32	14.5	58	3.78	8200	9.68	0.04	1.8	24.5	460	3
E147251		0.98	0.06	0.1	0.014	0.05	2.6	4.8	11.45	254	0.37	0.02	0.5	6.6	400	2.2
E147252		10.55	0.47	0.7	0.272	0.66	112	23.2	1.62	5980	60.2	0.25	5.6	58.8	2410	5.7
E147253		13.7	0.29	1.5	0.193	1.38	83.8	67.2	4.35	10150	10.95	0.04	2.6	26.7	550	3
E147254		14.2	0.27	1.6	0.479	0.56	46.5	96	5.49	9620	13.75	0.03	3.1	40.7	580	11.2
E147255		11.3	0.32	1.3	0.655	0.35	74.9	71.3	4.77	11700	72.8	0.02	7.2	46.8	1020	32.1
E147256		9.19	0.3	1.3	0.748	0.29	59.3	65.5	4.22	9630	223	0.02	8.4	55.8	1040	102.5
E147257		14.2	0.31	1.7	0.562	0.96	51.9	83.4	4.15	10850	184.5	0.03	4.6	49.6	710	48.8
E147258		17.7	0.27	1.7	0.374	1.46	69.3	87.7	5.02	12000	8.65	0.04	4	42.3	840	10.9
E147259		13.6	0.22	1.3	0.432	1.06	32.7	69.3	5.31	12400	19.2	0.04	3.9	33.5	580	7.7
E147260		19.3	0.23	1.8	0.235	2.51	34.2	58.6	3.15	7280	14.75	0.1	2.9	40.9	680	3.2
E147261		0.97	0.05	0.1	0.01	0.05	2.7	4.9	10.9	257	0.65	0.02	0.5	6.4	380	1.5
E147262		15.75	0.31	1.7	0.212	1.7	93.9	50.3	2.84	8410	30.1	0.06	4.8	38.1	1090	5.6
E147263		17.6	0.27	1.9	0.133	3.04	57.6	33.3	1.94	4580	18.7	0.05	9.5	20.1	810	2.2
E147264		19.2	0.27	2.1	0.078	3.47	71.3	36.6	1.25	1890	25.4	0.05	12.2	22.1	810	2.1
E147265		22	0.32	2.6	0.1	3.32	103	61.4	1.78	2250	16.45	0.04	9.9	33	1060	2.3
E147266		16.4	0.33	1.9	0.093	2.55	85.7	30	1.87	3900	32.5	0.03	13.1	22.8	2150	2.4
E147267		20.7	0.3	2.2	0.065	4.1	96.6	36	1.18	1575	14.9	0.05	6.7	25.7	1190	2.1
E147268		25	0.26	2.7	0.083	5.62	48.7	28.9	1.12	1760	17.6	0.06	6.1	21.7	800	1.6
E147269		26.3	0.31	2.1	0.096	5.11	88.7	26.8	0.94	2150	8.84	0.05	3.7	21.5	720	1.6
E147270		19.85	0.32	2.3	0.085	4.9	72.1	25.3	1.54	3380	6.89	0.06	3.9	19.8	700	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E147181		1.6	<0.002	0.04	0.41	1.4	3	<0.2	121.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	4
E147182		94.5	0.023	2.63	1.88	11.3	4	8.6	614	0.24	0.28	8.8	0.1	0.42	282	57
E147183		1.1	0.002	0.15	1.23	4.4	3	2	520	0.15	0.15	3.9	0.021	0.02	28.5	51
E147184		3.6	0.012	0.22	1.73	7.5	3	2.4	781	0.16	0.17	27.2	0.028	0.04	105.5	38
E147185		50.3	0.032	0.32	1.74	9.4	2	15.9	744	0.17	0.11	10.7	0.084	0.13	20.7	79
E147186		139.5	0.003	0.33	2.01	18	3	40.5	380	0.22	0.07	20.6	0.167	0.26	8.8	99
E147187		32.1	0.006	0.14	1.12	5.2	2	9.7	779	0.12	0.28	8.7	0.055	0.08	6	53
E147188		2.6	0.009	0.17	1.12	2.6	2	1.9	640	0.13	0.12	2.6	0.018	<0.02	6.5	62
E147189		47.3	0.005	0.13	1.33	5.4	2	15	776	0.18	0.58	8.8	0.082	0.09	11.4	69
E147190		5.1	0.006	0.48	0.91	2.6	4	2.8	895	0.19	0.18	2.7	0.019	0.02	26.1	36
E147191		1	0.005	0.22	0.91	1.1	2	1.7	739	0.24	0.14	2.7	0.008	<0.02	16.1	38
E147192		44.4	0.007	0.39	1.67	7.5	3	15.2	907	0.18	0.54	9.1	0.088	0.12	58.2	62
E147193		7.4	0.016	1.9	1.87	5.2	4	4.3	1200	0.08	0.18	2.2	0.022	0.09	340	25
E147194		3.8	0.011	0.9	4.29	2.3	2	2.6	1660	0.08	0.11	2.3	0.021	0.08	341	21
E147195		1.7	0.005	1.03	1.88	1.8	2	1.8	1540	0.07	0.14	1.4	0.014	0.04	382	17
E147196																
E147197		1.9	0.01	2.55	11.4	1.1	3	1.7	812	0.07	0.3	0.5	0.019	0.13	2500	11
E147198		30.9	0.02	1.42	12.65	5.8	6	2.4	403	0.13	0.26	7	0.05	0.22	700	29
E147199		31.6	0.01	0.58	1.64	5.1	2	1.2	229	0.12	0.1	7.9	0.044	0.11	74.1	26
E147200		76.8	0.007	0.58	1.5	7.5	2	2.5	370	0.13	0.09	9	0.065	0.19	36.7	44
E147251		1.5	0.003	0.03	0.46	1.4	2	<0.2	111.5	<0.05	0.08	0.5	0.014	<0.02	0.7	4
E147252		35.8	0.019	6.83	2.24	4.1	6	7.7	175.5	0.12	1.09	5.9	0.035	0.46	16.3	62
E147253		80.3	0.005	0.41	1.76	7.8	2	2.4	421	0.18	0.05	13.3	0.08	0.21	48.6	42
E147254		34.4	0.009	1.71	3.32	8.4	3	3.7	182.5	0.19	0.12	10.5	0.072	0.14	150	52
E147255		21.6	0.025	2.5	4.1	6.3	3	5.7	227	0.25	0.15	7.8	0.073	0.18	429	50
E147256		16.8	0.039	4.23	7.22	5.4	4	5.6	177.5	0.22	0.29	8.4	0.064	0.28	2140	45
E147257		52.7	0.045	3.21	4.16	8.4	3	5	201	0.21	0.3	11.1	0.081	0.47	490	52
E147258		81.7	0.013	0.55	1.89	9.1	2	6.2	409	0.22	0.11	10.1	0.094	0.41	146.5	59
E147259		61.8	0.046	1.04	1.94	7.9	2	4.6	268	0.23	0.11	8	0.089	0.3	316	50
E147260		144	0.017	0.72	2.14	19.1	3	4.3	146	0.19	0.08	7.5	0.123	0.58	77.7	138
E147261		1.5	<0.002	0.04	0.38	1.5	2	<0.2	106.5	<0.05	0.05	0.4	0.015	<0.02	0.8	5
E147262		95.2	0.046	1.76	1.93	9.8	3	6.1	297	0.22	0.23	10.3	0.085	0.42	48.2	68
E147263		136.5	0.006	0.32	2.42	11.6	2	7.5	139.5	0.55	0.16	13.8	0.224	0.38	28.9	64
E147264		159	0.004	0.13	2.89	10.4	2	8.6	69.3	0.78	0.39	16.8	0.253	0.39	19.5	68
E147265		154	0.007	0.16	2.78	11.7	2	9.5	76.4	0.53	0.13	16.7	0.251	0.44	31.7	74
E147266		109.5	0.004	0.15	2.8	16.1	3	11.3	53.6	0.52	0.62	11.7	0.178	0.26	25.1	82
E147267		147	0.004	0.17	1.89	10.7	2	6.7	75.3	0.35	0.2	15.8	0.208	0.36	21	68
E147268		187	0.004	0.14	1.49	11.4	2	6.7	48.9	0.36	0.09	16.6	0.239	0.42	19	75
E147269		169	0.005	0.27	1.14	11.4	2	6.2	258	0.2	<0.05	15.9	0.207	0.38	20.1	71
E147270		161.5	0.005	0.22	1.27	15.1	2	5.1	126.5	0.27	<0.05	14.7	0.208	0.38	23	71

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E147181		0.5	3.7	12	3.6		0.002	
E147182		9.7	16.7	10	62.8		0.064	
E147183		5.5	14.3	32	24.4		0.003	
E147184		5.7	25	52	35.3		0.006	
E147185		9.8	15.9	63	53.8		0.003	4.68
E147186		17.2	20.6	47	78.6		0.002	1.94
E147187		10.7	13.7	14	29.4		0.003	
E147188		9.5	11.1	13	11.6		0.002	3.69
E147189		16.1	20.9	26	40.3		0.002	
E147190		7.2	9.9	14	13.6		0.024	
E147191		6.9	11.9	7	5.8		0.014	4.14
E147192		13.1	16.7	47	45.6		0.013	
E147193		12.5	14.6	22	13.9	1.890	0.053	
E147194		15.1	18	37	13.7		0.029	
E147195		11.4	7.3	17	9.9		0.029	
E147196								
E147197		39.9	23.9	18	9.9	2.46	0.078	
E147198		30.7	36.8	42	33.8	2.43	0.088	
E147199		5.6	13.5	40	33.3		0.015	
E147200		7.1	10.4	30	42.3		0.011	
E147251		0.4	3.6	11	3.4		0.001	
E147252		6.7	14.7	10	22.9		0.115	
E147253		9.1	12	37	48.2		0.006	
E147254		12.2	14.2	62	51.1	1.995	0.017	
E147255		15	17.7	53	38.7	3.03	0.028	
E147256		22.4	25.6	49	40	5.01	0.067	
E147257		14.6	22.2	45	52.9	4.10	0.070	
E147258		12.9	16.8	51	54.8		0.013	
E147259		10.9	19.5	34	43.4		0.013	
E147260		10.1	16.6	16	57.3		0.009	
E147261		0.4	3.5	10	3.7		0.003	
E147262		7.1	19.1	20	50.8		0.011	
E147263		22.5	16.7	6	59.3		0.004	0.92
E147264		25.3	11.6	4	61.5		0.014	
E147265		21.8	16.1	10	78.7		0.007	
E147266		19.4	16.6	5	55.2		0.014	
E147267		12.7	13.4	6	67.3		0.008	0.57
E147268		14.8	12	3	81.2		0.006	
E147269		12.2	11.8	3	65.5		0.003	2.12
E147270		16.7	14.2	5	69.9		0.004	0.71

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Method / Analyte / Units / LOR / Sample Description	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E147271	0.23	0.18	0.34	<5	50	0.1	0.22	20.2	0.38	5.04	2.5	8	0.18	11	0.3
E147272	0.17	0.28	6.88	57.9	550	2.74	1.7	2.06	0.02	80.6	107	41	6.47	1590	7.53
E147273	1.09	0.07	6.37	8.1	1720	1.39	0.3	5.41	0.03	129	59.8	36	3.1	63.2	8.92
E147274	1.10	0.1	6.71	14.1	3450	2.22	0.48	2.43	<0.02	133.5	105.5	40	4.36	222	8.93
E147275	1.13	0.11	6.33	9.9	3570	1.83	0.53	2.5	<0.02	96.6	42.2	33	4.15	274	11.05
E147276	0.95	0.07	5.22	5.4	720	1.07	0.2	3.39	<0.02	132	23.8	24	2.11	45.9	7.3
E147277	0.98	0.13	7.39	5.6	1560	1.5	0.31	1.41	<0.02	273	20.4	57	3.94	50.1	6.35
E147278	1.23	0.18	6.86	5.6	1880	1.28	0.25	1.39	<0.02	178.5	33.9	46	2.83	46.2	5.98
E147279	1.16	0.09	7.85	18.1	1970	2.05	0.44	0.35	<0.02	102.5	191	53	5.82	64.1	10.95
E147280	1.21	0.28	6.84	11.1	4340	1.78	0.95	0.78	<0.02	156	87.9	52	4.2	2330	9.56
E147281	0.42	0.02	0.32	<5	30	0.11	0.02	20.4	0.16	5.56	2.2	8	0.16	6.6	0.27
E147282	1.19	0.22	6.68	10.2	1810	2.7	0.64	0.75	<0.02	138	59.3	36	6.54	734	10.75
E147283	1.39	0.21	5.84	7.6	5380	1.76	0.42	2.97	<0.02	128	48.7	29	4.78	164	10.85
E147284	1.03	3.46	5.09	12.6	810	1.49	2.05	3.01	<0.02	60.3	99.7	41	3.22	1070	9.12
E147285	1.22	0.11	5.48	6.1	1750	1.4	0.2	2.7	<0.02	66.3	57.8	32	3.1	215	8.95
E147286	0.96	0.17	7.03	7	3950	2.08	0.31	3.51	<0.02	57.4	66.6	35	4.93	288	9.61
E147287	0.95	0.23	5.99	9.5	7810	2.23	0.37	5.05	<0.02	193	28.8	32	8.07	37.9	10.85
E147288	1.07	0.14	4.03	12.5	4270	1.11	0.15	4.68	<0.02	192	20	20	3.11	40.8	14.05
E147289	1.18	0.07	5.52	9.2	9000	1.46	0.12	3.91	<0.02	195	27.5	35	3.36	22.1	9.74
E147290	1.17	0.09	5.64	10.5	2810	1.58	0.16	4.78	<0.02	104.5	113	33	3.41	427	7.88
E147291	0.32	0.01	0.32	5	120	0.08	0.01	19.5	0.16	5.4	2.1	8	0.16	5	0.26
E147292	0.20	1.13	5.19	56.4	300	1.98	2.76	1.81	<0.02	66.5	155.5	31	3.74	6790	9.09
E147293	1.00	0.07	5.51	3.9	5490	1.73	0.1	4.52	<0.02	69.8	32.8	29	3.37	535	6.58
E147294	1.35	0.13	5.73	8	2860	1.84	0.19	4.94	<0.02	133.5	79.8	31	3.83	100	7.29
E147295	1.38	0.03	3.98	3.8	6540	1.24	0.08	7.66	<0.02	20.8	48.8	20	2.12	27.2	7.88
E147296	0.94	0.04	3.99	5.8	5910	1.25	0.07	6.21	<0.02	134.5	39.1	25	2.1	12.4	7.67
E147297	1.31	0.16	7.04	8.9	3350	1.81	0.13	2.98	<0.02	121.5	52.3	42	4.85	8.9	8.34
E147298	0.95	0.11	7.52	6	6450	1.79	0.12	3.66	<0.02	50.4	46.2	43	3.75	197	8.75
E147299	0.83	0.04	7.07	6	5440	1.77	0.07	5.2	<0.02	142	38.1	44	4.3	90	7.19
E147300	1.07	0.06	7.51	6.6	1960	1.87	0.06	4.42	<0.02	142.5	43.7	43	5.47	195.5	7.56
E147351	0.25	0.01	0.31	8	40	0.1	0.01	19.45	0.15	5.38	2	8	0.15	4.7	0.26
E147352	0.90	0.04	7.9	3.8	1430	2.17	0.04	3.78	<0.02	167	23.7	44	7.28	21.2	8.11
E147353	1.33	0.03	7.51	3.7	3170	2.12	0.06	4.67	<0.02	103.5	22.8	42	5.99	15.6	6.97
E147354	1.46	0.02	6.11	5	2100	1.69	0.05	5.46	<0.02	55.7	20.4	33	5.01	10.1	7.05
E147355	1.14	0.05	5.68	4.3	8230	1.42	0.06	6.29	<0.02	42.2	27	30	3.67	70.1	7.56
E147356	1.21	0.05	5.77	3.3	8690	1.53	0.04	6.18	<0.02	94.4	20.3	29	3.89	143	7.7
E147357	0.96	0.06	5.82	5.3	4770	1.43	0.04	2.56	<0.02	75.8	16.1	38	4.1	163.5	7.41
E147358	1.72	0.13	3.16	7.6	450	0.79	0.15	1.82	0.02	72.7	63.6	15	3.25	90.2	13.55
E147359	1.33	0.17	2.06	7	350	0.61	0.11	2.47	<0.02	214	75.1	10	1.92	336	15.85
E147360	1.31	0.09	4.54	9.1	390	1.94	0.09	2.03	<0.02	168	70.6	40	3.48	121	14.05

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E147271		1.07	0.1	0.1	0.015	0.07	2.8	4.4	10.95	238	0.69	0.02	0.5	6.5	380	1.6
E147272		20.8	0.23	1.9	0.133	2.97	43.2	24.7	1.37	3290	20.3	0.58	2.4	25.7	770	2.3
E147273		17.55	0.3	2.1	0.114	3.71	76.8	23.6	2.31	6160	11.25	0.04	4.5	21.7	580	1.7
E147274		25.1	0.21	2.7	0.1	3.69	83.2	25.2	1.39	2790	13.2	0.04	9.5	27.7	870	3.7
E147275		17.9	0.21	2.7	0.073	3.2	55.2	29.2	1.69	2580	17.6	0.04	7.6	27.4	880	4.7
E147276		11.65	0.21	2.7	0.07	2.87	71.1	29.9	2.1	3320	9.24	0.04	5	17.3	650	5.1
E147277		22.5	0.29	2.7	0.059	3.91	153.5	28.1	1.32	1370	14.8	0.05	4.4	19.2	750	5.9
E147278		19.1	0.23	2.5	0.048	4.3	99.6	31.2	1.45	1330	15.45	0.05	3.3	22.6	660	5.3
E147279		26.2	0.22	2.9	0.042	3.26	56.2	68.2	2.46	376	7.99	0.03	3.5	49.3	860	4.2
E147280		25.7	0.26	2.6	0.073	3.66	88.8	46.8	1.69	1310	15.3	0.03	6.4	42.3	750	3.3
E147281		1	0.05	0.1	<0.005	0.06	2.6	3.4	11.05	229	0.29	0.02	0.5	3.8	390	2.6
E147282		21.8	0.25	2.9	0.12	2.67	89.3	62.1	1.93	2290	21	0.03	9.3	44.4	810	6.2
E147283		18.15	0.22	2.2	0.116	2.57	79.9	37.4	2.31	3770	40.8	0.03	8.7	32.6	1090	7.3
E147284		14.6	0.17	2.1	0.129	2.16	32.2	41.7	2.4	3480	276	0.03	6.9	43.8	630	20
E147285		14.9	0.16	2.2	0.084	2.81	39.2	32	1.77	2580	9.46	0.03	7.2	28.4	730	3.3
E147286		20.3	0.17	2.7	0.096	2.83	33.2	41.6	2.38	3090	8.39	0.44	7.9	35.9	670	4.8
E147287		19.45	0.24	2.4	0.175	2.91	138.5	39.3	2.9	5100	36.3	0.04	10.4	25.5	1190	5.2
E147288		14.55	0.25	1.5	0.129	2.13	122	24.6	2.17	4360	27.6	0.03	9.8	19.6	1200	2.6
E147289		20.8	0.23	1.8	0.089	3.09	131	29.4	1.83	3870	33.4	0.04	11.3	22.4	1410	2.2
E147290		20.5	0.19	1.9	0.112	3.28	68.3	28.1	2.05	5370	19.4	0.04	7.4	19.4	850	2.1
E147291		1.01	<0.05	0.1	<0.005	0.06	2.6	3.1	10.55	225	0.32	0.02	0.5	3.3	390	1.8
E147292		16.5	0.19	1.8	0.139	2.02	31	20.9	1.09	3110	63.6	0.86	4.1	32.4	790	22.3
E147293		19.2	0.16	1.8	0.112	3.22	44.2	30.8	1.95	4670	11.25	0.04	5.2	16	690	1.7
E147294		20.1	0.2	1.9	0.128	3.28	86.5	33.9	2.24	4600	18.95	0.04	7	19.3	970	2.1
E147295		12.1	0.13	1.6	0.094	2.28	12.9	24.8	3.08	8600	4.92	0.03	4.6	17.8	520	1.7
E147296		14.35	0.17	1.9	0.092	2.32	92	23.2	2.47	6520	4.62	0.03	8.8	16.3	730	1.8
E147297		21.7	0.2	2.5	0.083	3.17	83.7	34.6	1.71	2790	26.7	0.04	7.2	23.5	900	2.6
E147298		22.1	0.17	2.5	0.089	3.85	33.4	33.1	1.99	3140	25.95	0.05	5.6	23.2	790	2.8
E147299		24	0.21	2.3	0.113	3.68	91.6	30.8	2.48	4870	2.24	0.08	5.5	16.6	680	1.7
E147300		24.6	0.19	2.3	0.107	2.85	88.2	36.4	2.57	3930	1.13	0.08	5.1	18.9	610	1.8
E147351		0.94	<0.05	0.1	<0.005	0.06	2.5	3.1	10.55	222	0.28	0.02	0.5	3.8	400	1.5
E147352		26.3	0.22	2.5	0.107	2.86	94.5	42.8	2.54	3390	1.2	0.05	8	23.2	710	2.1
E147353		25.3	0.18	2.4	0.139	2.83	58.6	30.1	2.42	3810	0.96	0.04	5.6	15.8	690	1.8
E147354		19.7	0.17	2.2	0.127	2.7	30.1	22.6	2.55	4780	0.79	0.03	6	13.5	610	1.6
E147355		17.85	0.16	1.9	0.104	3.38	22.4	20.8	2.59	6230	1.14	0.04	5.6	14.3	560	1.6
E147356		18.65	0.19	1.9	0.127	3.42	51.6	21.3	2.62	5940	0.66	0.04	5.6	13.5	630	1.9
E147357		15.85	0.17	2.1	0.072	3.23	39.6	24.7	1.52	2250	1.07	0.04	4.8	13.6	710	1.8
E147358		10.95	0.19	1.1	0.05	1.05	40.7	29.8	1.67	2790	21.9	0.02	3.4	28.8	1120	2.3
E147359		9.39	0.28	0.9	0.068	0.5	123.5	19.3	2.12	6510	52.7	0.06	3.4	28.8	960	2.4
E147360		14.6	0.25	1.4	0.04	1.91	97.3	35.8	1.34	1930	25.1	0.18	5.1	21.2	930	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E147271		2.3	<0.002	0.03	0.6	1.4	2	0.2	104.5	<0.05	0.1	0.5	0.016	<0.02	0.1	4
E147272		131	0.007	1.3	1.13	10.7	3	8	463	0.13	0.19	13	0.106	0.36	18.2	66
E147273		137.5	0.004	0.15	1.18	12.3	2	4.6	49.4	0.29	0.07	16.2	0.201	0.35	24.9	67
E147274		142	<0.002	0.34	2.16	15.8	3	8.2	68.9	0.61	0.13	17.8	0.21	0.32	38.3	67
E147275		107	<0.002	0.16	2.82	14.1	2	5.6	72.5	0.52	0.08	15.2	0.178	0.28	63.6	67
E147276		90.4	<0.002	0.03	2.27	8.2	3	2.5	34.2	0.39	<0.05	16.3	0.168	0.21	82.8	43
E147277		115.5	<0.002	0.06	2.39	12.9	3	5	36.2	0.37	0.06	26.3	0.186	0.36	96.4	58
E147278		109	<0.002	0.09	2.44	12	2	4.2	39.3	0.28	0.07	18.6	0.16	0.3	115.25	54
E147279		113.5	0.004	0.49	2.54	17.4	3	6.8	38	0.29	0.07	19	0.201	0.29	124	77
E147280		125	0.011	0.5	2.21	19.6	5	6.9	77.2	0.4	0.16	17.1	0.178	0.32	93.3	66
E147281		1.6	<0.002	0.02	0.45	1.4	3	0.2	116.5	<0.05	<0.05	0.4	0.014	<0.02	0.3	3
E147282		121	0.056	0.23	2.59	14.1	4	8.7	54	0.61	0.15	17.1	0.203	0.28	186.5	67
E147283		110.5	0.059	0.28	1.87	10.9	4	7.5	103.5	0.54	0.27	13	0.185	0.22	139	57
E147284		87.4	0.191	0.54	2.29	8.9	7	5.7	247	0.47	0.98	12.2	0.16	0.6	560	44
E147285		102	<0.002	0.29	1.53	8.3	3	7.3	437	0.5	0.16	10	0.187	0.22	39.9	51
E147286		123.5	0.103	0.43	1.33	14.8	4	8.7	84.6	0.55	0.12	17	0.196	0.28	116.5	62
E147287		128.5	0.024	0.28	2.19	10.5	3	11.3	149	0.55	0.28	15.5	0.19	0.32	53.3	66
E147288		85.9	0.008	0.15	2.7	8.3	3	12.2	213	0.45	0.2	10.2	0.126	0.19	21.3	53
E147289		120	0.008	0.27	2.15	11	3	11.4	147	0.57	0.16	12.8	0.177	0.2	14.9	68
E147290		134	0.007	0.47	1.49	10.4	4	9.2	112	0.34	0.12	12.6	0.165	0.21	15.5	63
E147291		1.7	<0.002	0.03	0.4	1.3	3	0.2	112	<0.05	<0.05	0.4	0.015	<0.02	0.2	3
E147292		76.3	0.02	2.05	1.83	10.4	4	8.3	557	0.23	0.29	9.5	0.084	0.42	263	50
E147293		129.5	<0.002	0.28	1.31	10.1	2	8	298	0.27	0.18	10.6	0.155	0.2	11.8	57
E147294		136	<0.002	0.32	1.69	11.2	4	9.1	229	0.35	1.82	12.8	0.166	0.22	14.2	58
E147295		86.8	<0.002	0.23	1.42	7.5	2	5.1	145	0.27	<0.05	9.9	0.136	0.13	12.8	40
E147296		92.3	<0.002	0.21	2.05	8.8	2	7	132.5	0.52	0.11	10.3	0.134	0.14	10.5	51
E147297		144	0.005	0.2	1.64	13.4	3	10.5	71.6	0.45	0.13	17	0.215	0.35	38.8	69
E147298		151.5	0.006	0.32	1.32	15.7	3	11.8	116	0.35	0.16	15.7	0.195	0.35	63.2	69
E147299		152.5	<0.002	0.22	1.1	16.3	2	7.7	110.5	0.37	<0.05	14.4	0.208	0.32	21.1	75
E147300		131.5	<0.002	0.16	1.14	15.8	2	7.1	49.5	0.31	<0.05	16.4	0.22	0.31	29.9	76
E147351		1.6	<0.002	0.03	0.36	1.2	3	0.2	110.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	3
E147352		145	<0.002	0.05	1.15	15.6	2	7.3	45.1	0.53	<0.05	18.9	0.227	0.34	29.8	67
E147353		132.5	<0.002	0.13	1.19	14.5	2	6.3	93.8	0.35	<0.05	16.2	0.21	0.39	20.8	67
E147354		119	<0.002	0.09	1.43	13.2	3	5.5	77.5	0.43	<0.05	13.4	0.2	0.32	13.4	59
E147355		120	<0.002	0.29	1.1	12.3	2	4.8	250	0.42	<0.05	11.7	0.185	0.29	8.3	56
E147356		128	<0.002	0.29	1.14	12.2	3	5.3	295	0.39	<0.05	13.1	0.181	0.32	8.7	58
E147357		114.5	<0.002	0.23	1.22	9.4	2	5.2	764	0.33	<0.05	12.4	0.178	0.32	8.1	55
E147358		39.4	0.005	0.39	1.24	5.7	3	3.7	1275	0.16	0.06	6.2	0.076	0.11	22	39
E147359		15.8	0.006	0.48	1.04	5.6	3	4.6	1500	0.13	0.1	6.4	0.061	0.06	30.2	35
E147360		78.6	0.005	0.53	2.19	22.3	1	19.3	1235	0.18	0.1	6.1	0.221	0.24	4.9	121

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Cu	Au	Ba
	Units	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.001	0.01
E147271		0.5	3.5	11	4.1		0.002	
E147272		7.8	11.3	5	59		0.022	
E147273		19	15.1	5	64.8		0.006	
E147274		16.2	15.9	7	75		0.008	
E147275		18.6	15.4	13	78.5		0.008	
E147276		11.6	17.1	13	76.3		0.005	
E147277		10.4	20.5	11	76		0.011	
E147278		10.2	17.7	14	73.5		0.010	
E147279		11.6	14.5	30	83.3		0.005	
E147280		10	13.8	23	74.9		0.153	
E147281		0.5	3.8	13	3.6		0.002	
E147282		20.7	18.7	21	86.3		0.020	
E147283		21	16.7	13	67.7		0.024	0.57
E147284		20.1	20.8	21	65.4		0.301	
E147285		18.5	13.3	11	66.1		0.014	
E147286		21	16.8	13	79.6		0.009	
E147287		24.7	21.9	10	73		0.017	0.85
E147288		26.5	15.7	8	45.6		0.007	
E147289		19.1	16	7	53.7		0.007	1.12
E147290		18.8	14.7	3	56		0.008	
E147291		0.6	3.7	12	3.9		<0.001	
E147292		8.9	16	16	56.9		0.053	
E147293		18.1	13.4	3	53.9		0.005	2.71
E147294		20.1	16	5	57.9		0.057	
E147295		12.3	13.1	7	49.9		0.003	0.71
E147296		14.2	15.4	5	54.2		0.002	0.65
E147297		21.6	15.9	7	72.5		0.008	
E147298		22.1	13.9	8	77.6		0.007	0.70
E147299		15.6	15.7	6	71.2		0.003	0.60
E147300		15.2	16.6	10	70.1		0.001	
E147351		0.5	3.6	11	3.4		<0.001	
E147352		15.3	14.2	13	75.7		<0.001	
E147353		13.2	17.2	7	72.1		0.011	
E147354		11.4	15.4	5	65.3		0.003	
E147355		9.8	14.9	5	56.5		0.004	1.33
E147356		10.8	15.7	6	58.6		0.002	1.52
E147357		10.2	11.3	8	63		<0.001	
E147358		8.6	10.7	17	32.7		0.009	
E147359		8	12.8	15	28.1		0.004	
E147360		13.9	11.9	14	48.1		0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E147361		0.21	0.02	0.35	<5	610	0.09	<0.01	21	0.14	6.33	2.4	8	0.16	6.2	0.32
E147362		0.25	1.29	2.46	131	50	0.76	11.35	2.44	<0.02	185.5	378	13	2.73	9720	30.3
E147363		1.24	0.07	7.4	12	630	2.46	0.13	1.41	<0.02	36.8	135.5	69	4	24.5	13
E147364		1.33	0.07	9.2	10.2	1780	3.49	0.14	0.85	<0.02	62	134	97	4.09	39.6	12
E147365		0.98	0.09	8.31	8.2	1430	3.24	0.14	0.83	<0.02	43.3	119	83	4.69	38.3	11.95
E147366		1.15	0.05	5.27	7.1	3880	1.4	0.04	2.26	<0.02	305	18.5	37	2.96	3.8	16.2
E147367		1.51	0.06	6.08	9.7	390	1.98	0.19	1.48	<0.02	76.5	116.5	57	3.02	27.5	11.9
E147368		0.91	0.05	5.52	9.3	540	1.82	0.12	1.87	<0.02	67.6	90.3	42	2.48	22.2	10.95
E147369		1.56	0.06	6.3	11.4	530	1.84	0.06	2.09	0.02	59.6	105.5	46	6.29	17.7	11.65
E147370		1.21	0.04	5.05	9.3	500	2.09	0.08	1.16	<0.02	108	68.7	32	4.25	38.3	11.2
E147371		0.29	0.02	0.31	<5	160	0.15	<0.01	21	0.13	5.9	2.5	7	0.15	6.3	0.27
E147372		0.93	0.04	6.45	17.6	330	2.67	0.41	0.66	<0.02	50.3	97.3	56	5.75	83.6	9.18
E147373		1.25	0.03	7.02	14.6	830	2.84	0.22	1.28	<0.02	83.1	75.6	47	4.26	36.5	9.91
E147374		1.06	0.05	7.36	26.2	400	3.57	0.73	0.45	<0.02	26.1	96.6	59	4.18	71	7.43
E147375		1.22	0.89	7.37	42.3	490	3.61	2.46	0.79	<0.02	33.3	257	51	4.16	76.2	9.73
E147376		1.51	0.64	6.52	28.9	2170	2.87	3.77	1.03	<0.02	34.4	237	42	3.58	86.1	10.45
E147377		1.16	1.66	5.98	8.1	610	1.36	0.4	2.62	0.04	27.7	62.3	51	2.02	154	8.92
E147378		1.17	0.01	5.32	5.3	930	1.55	0.05	2.23	<0.02	39.1	56.1	40	2.54	20.3	9.06
E147379		0.93	0.05	4.8	7.4	490	2.07	0.16	1.81	<0.02	39.3	56.4	52	1.9	587	8.75
E147380		1.44	0.97	4.74	26.1	180	2.15	1.52	0.7	0.02	16.65	134.5	34	3.28	1645	7.34
E147381		0.24	0.02	0.31	<5	310	0.12	<0.01	20.8	0.14	5.74	2.4	7	0.13	7.5	0.28
E147382		0.19	0.29	6.77	57.2	210	2.73	1.6	2	<0.02	111.5	110.5	42	6.45	1590	7.36
E147383		1.10	0.94	3.44	23	240	1	1.39	2.22	<0.02	24.1	124.5	18	1.24	472	6.22
E147384		1.42	0.04	6.19	6.1	330	2.03	0.05	2.2	<0.02	75.6	93.4	41	2.41	90.9	8.49
E147385		1.28	0.02	4.61	13.7	440	1.63	0.06	1.76	<0.02	96.6	59	26	1.72	233	9.22
E147386		1.57	0.02	3.83	12.1	330	1.68	0.03	1.74	<0.02	159	64.5	19	1.37	37.9	9.8
E147387		0.88	0.07	5.54	7.7	670	2.56	0.08	2.58	<0.02	54.5	67	39	2.43	234	9.41
E147388		1.69	0.04	4.43	9.7	470	1.92	0.09	2.98	<0.02	53.2	62.1	24	1.96	531	9.64
E147389		0.91	0.07	5.5	10.4	1300	2.28	0.03	3.12	<0.02	86	55.9	30	2.65	26.1	10.8
E147390		1.13	0.16	4.85	10.1	520	2.06	0.05	3.32	<0.02	67.6	70.6	38	1.66	58.1	9.69
E147391		0.25	0.02	0.3	<5	320	0.1	<0.01	20.3	0.12	5.67	2.3	7	0.13	7	0.27
E147392		1.07	0.03	5.75	5.9	2320	2.91	0.03	3.72	<0.02	60.4	49.7	36	2.11	20.8	9.13
E147393		1.49	0.06	5.75	9.6	1340	2.91	0.03	2.96	<0.02	294	61.6	42	2.17	41.4	8.96
E147394		1.09	0.07	6.84	9.8	420	2.24	0.05	2.74	<0.02	490	105.5	36	2.53	502	9.96
E147395		1.15	0.18	4.87	21.4	150	0.95	0.22	2.95	<0.02	39.8	145.5	33	0.71	1130	10.2
E147396		1.16	0.35	4.68	10.1	120	0.44	0.18	5.17	<0.02	74.9	127.5	17	0.32	3540	12.7
E147397		1.44	0.22	5.48	8.5	230	1.3	0.17	4.29	<0.02	360	86	28	1.33	2320	10.6
E147398		1.11	0.18	5.45	6.2	230	0.92	0.12	4.44	<0.02	187	80.8	20	0.9	2960	11.6
E147399		1.02	0.2	5.9	9.6	250	1.43	0.13	4.09	<0.02	257	81.2	26	1.3	1905	10.6
E147400		1.20	0.07	6.6	10	700	2.35	0.12	0.7	<0.02	189	56.2	45	2.51	169	8.91

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E147361		0.97	<0.05	0.1	0.007	0.06	2.9	4.7	11.5	263	0.46	0.02	0.5	4.5	420	2.2
E147362		10.05	0.37	0.8	0.286	0.68	92	23.4	1.68	6680	64.1	0.25	5.6	49.6	2620	6.9
E147363		18.55	0.19	2.3	0.042	2.92	22.7	43.6	1.08	1205	21.2	1.19	3.1	19.6	930	1.9
E147364		23.5	0.2	2.7	0.062	4.15	45.7	45.3	0.82	743	19.45	1.41	3.4	17	710	2.4
E147365		21.3	0.19	2.2	0.056	4.61	29.2	39.8	0.77	671	26.7	0.72	4.4	15.4	890	2
E147366		14.65	0.32	1.7	0.035	1.74	227	28.5	1.24	1975	32	1.19	6.7	24.5	1710	2.1
E147367		15.95	0.2	1.9	0.041	2.68	51.2	34	0.84	1320	27.2	1.19	5.7	15.4	970	2.2
E147368		13.75	0.18	1.7	0.031	2.32	46.1	29.9	0.91	1550	23	1.1	5	12.3	990	2
E147369		14.6	0.17	2.1	0.035	2.86	39.1	51.6	1.78	1855	15.3	0.2	4.3	20.2	1060	2.1
E147370		14.7	0.2	1.6	0.03	2.07	66.4	48.6	1.31	1075	11.7	0.11	6.9	15.7	1200	2.9
E147371		0.96	<0.05	0.1	0.006	0.06	2.7	4.5	11.45	250	0.4	0.02	0.5	4.7	440	2
E147372		16.7	0.15	1.9	0.031	2.96	26	42.6	0.94	408	10.85	0.25	7.7	16	1070	3.3
E147373		18.05	0.18	2.1	0.04	3.26	48.5	40.1	1.03	993	19.3	0.41	8.5	12.2	1110	3.3
E147374		22.4	0.14	2.2	0.054	3.8	13	45.7	0.8	287	11.25	0.07	8.9	12.5	930	1.9
E147375		22.3	0.16	2.3	0.053	3.61	13	63.4	1.31	594	107	0.05	10	25.6	1130	57.5
E147376		20.3	0.17	2	0.055	3.01	12.4	50.5	1.16	846	118	0.04	8.7	24.6	1080	75.2
E147377		17.95	0.26	2.1	0.041	2.04	17.6	19.1	1.17	2220	15.55	1.85	6.8	12.7	640	3.3
E147378		14	0.15	1.8	0.024	2.19	26.7	33.2	1.46	1840	10.95	0.74	7.1	15.5	770	2.9
E147379		14	0.12	1.6	0.035	2.44	22.2	28.1	0.96	1515	13.55	0.3	7.8	10.7	650	2.6
E147380		12.15	0.14	1.6	0.033	2.03	3.7	25	0.61	509	117	0.38	7	19.9	780	32.8
E147381		0.9	<0.05	0.1	0.006	0.06	2.5	4.6	11.15	242	0.48	0.02	0.5	4.6	430	2.5
E147382		20	0.19	2.1	0.139	2.86	55.1	25.7	1.32	3360	19.75	0.57	3.4	24	780	3.1
E147383		6.75	0.13	1.3	0.038	0.9	5.5	10.3	0.83	1880	106	1.33	5.2	13.4	570	38.9
E147384		14.6	0.15	2.2	0.043	2.07	47.8	20.8	0.9	1970	9.09	1.88	7.3	10.3	770	2.3
E147385		11.7	0.18	1.7	0.035	1.73	55.5	16.6	0.68	1440	13.45	1.19	8.4	9.1	1230	2.6
E147386		11.35	0.2	1.2	0.032	1.86	84.5	16.4	0.72	1875	15.05	0.35	9.4	12.3	1230	3
E147387		15.95	0.17	1.9	0.049	2.43	36.4	25.6	1	2700	10.15	0.71	10.5	13.4	770	3.8
E147388		12.1	0.15	1.6	0.048	1.94	34.5	21.4	1.21	3460	9.01	0.67	9.2	11.5	990	3.4
E147389		15.5	0.17	1.9	0.061	2.51	58.4	32.1	1.35	3180	9.13	0.4	11	13.9	1060	5.3
E147390		13.2	0.18	1.7	0.054	1.97	44	20.5	1.09	3410	11.7	1.03	9.2	11.1	1000	5.6
E147391		0.89	<0.05	0.1	0.005	0.05	2.5	4.4	11.05	244	0.33	0.02	0.5	4.5	420	1.7
E147392		17.1	0.17	1.9	0.07	2.49	42	27.6	1.38	3910	7.74	0.97	10.1	10.7	790	2.6
E147393		18.75	0.28	2.1	0.068	2.8	199.5	30.6	1.1	3220	6.09	0.73	9.8	12.3	1000	4.6
E147394		18.95	0.45	2.3	0.063	2.59	375	27.4	1.24	3850	20.7	1.5	6.9	19.4	490	3.1
E147395		9.13	0.16	1.6	0.035	1.2	22.1	10.5	0.95	4670	52.2	2	3.3	22.3	500	5.6
E147396		8.93	0.26	1.5	0.055	0.65	51.1	6.9	1.46	7610	20.8	2.69	2	33.5	440	4.4
E147397		14.9	0.37	1.6	0.059	2.05	229	16.7	1.51	4970	18.35	1.36	5.3	22.8	560	14.1
E147398		12	0.25	1.6	0.057	1.21	132.5	12.6	1.47	6600	10.5	2.44	3.5	23	470	3.8
E147399		15.5	0.31	1.8	0.063	2.13	173	18.7	1.43	4800	23.6	1.49	5.9	20.6	640	8.3
E147400		19.55	0.25	2.3	0.044	2.95	137	26.1	0.44	645	28.3	0.84	8.3	14.7	1110	4.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E147361		2.1	<0.002	0.05	0.39	1.4	1	0.2	132	<0.05	<0.05	0.5	0.016	<0.02	0.4	5
E147362		38.8	0.019	7.72	2.3	4.8	5	7.9	151	0.12	1.34	6.6	0.032	0.56	16.7	68
E147363		120	0.003	0.9	1.5	27.2	2	21.5	509	0.19	0.14	4.2	0.358	0.35	9.1	227
E147364		160	0.004	0.93	1.45	34.3	2	27.7	150	0.13	0.16	7.9	0.426	0.39	39.8	294
E147365		152.5	0.006	0.83	1.5	41.8	2	27.6	184	0.15	0.24	3.8	0.385	0.38	17.4	246
E147366		65	0.012	0.16	1.49	20	1	13.7	290	0.29	0.06	13.6	0.167	0.19	15.8	113
E147367		99.4	0.006	0.83	1.82	27.8	2	19.3	243	0.27	0.13	6.8	0.291	0.26	5.9	159
E147368		83.8	0.005	0.67	1.68	21.8	2	16	298	0.26	0.11	7.6	0.238	0.24	5.2	131
E147369		98.4	0.003	0.75	1.05	17.7	2	11.1	558	0.38	0.08	12.1	0.199	0.33	9.2	94
E147370		82.1	0.004	0.53	1.27	13.1	1	13.3	806	0.44	0.08	13	0.159	0.25	12.2	65
E147371		2.1	<0.002	0.04	0.52	1.4	1	0.2	123	<0.05	<0.05	0.5	0.014	<0.02	0.3	4
E147372		118.5	0.004	1	1.2	13.1	1	15.7	983	0.52	0.25	13	0.208	0.37	18.6	72
E147373		127.5	0.006	0.75	1.08	15.8	1	18.9	1120	0.59	0.14	14.9	0.236	0.35	17.4	83
E147374		152.5	0.005	0.95	1.25	20.1	1	22.2	704	0.57	0.19	11.9	0.236	0.4	12.1	77
E147375		130	0.039	2.36	1.8	20.9	3	20.5	352	0.61	0.42	19.7	0.218	0.41	620	77
E147376		122	0.024	2.29	1.94	23.8	3	19.3	460	0.47	0.37	29.2	0.207	0.37	750	73
E147377		68.3	0.007	0.5	1.02	15.5	1	12.1	747	0.61	0.15	8.1	0.214	0.27	18.4	64
E147378		71.4	0.003	0.39	0.84	28.3	1	13.5	689	0.42	0.06	15.6	0.178	0.2	11.1	65
E147379		88.3	0.003	0.49	1.19	18.1	1	17.5	1145	0.44	0.07	12.2	0.194	0.18	7.1	63
E147380		78.9	0.028	1.13	1.99	11	3	12.3	1160	0.42	0.33	6.2	0.155	0.31	570	47
E147381		1.9	<0.002	0.04	0.37	1.3	1	0.2	123	<0.05	<0.05	0.5	0.014	<0.02	0.8	5
E147382		132	0.007	1.27	1.21	12.2	2	8.2	450	0.21	0.23	16.3	0.112	0.41	17.6	65
E147383		35.1	0.015	0.95	2.09	5.9	2	4.5	1365	0.36	0.28	6.8	0.122	0.17	910	27
E147384		83.1	0.004	0.64	0.88	13	2	11.8	821	0.49	0.09	12.7	0.197	0.22	12.4	47
E147385		71.4	0.005	0.45	1.52	8.5	2	11.4	1160	0.51	0.1	9.6	0.162	0.18	10.5	45
E147386		72.6	0.008	0.47	1.02	9.4	1	11.9	1310	0.46	0.11	8	0.123	0.19	13.6	50
E147387		104	0.005	0.5	1.36	12.9	1	15.6	837	0.55	0.1	10.1	0.179	0.28	20.8	63
E147388		75.8	0.004	0.47	1.4	9.4	1	12.1	836	0.53	0.1	10.5	0.161	0.2	14.9	57
E147389		99.4	0.004	0.36	1.59	11.7	1	15.5	465	0.6	0.12	12.3	0.198	0.27	29.6	72
E147390		77.9	0.005	0.49	1.78	10.5	2	13.1	385	0.58	0.13	12.3	0.183	0.2	24.6	59
E147391		1.9	<0.002	0.04	0.43	1.3	1	0.2	117.5	<0.05	<0.05	0.5	0.015	<0.02	0.4	4
E147392		104.5	0.005	0.35	1.47	13.6	1	15.5	211	0.6	0.08	13.6	0.218	0.21	12.5	67
E147393		115	0.003	0.41	1.35	14.2	2	16.1	254	0.59	0.13	18.6	0.219	0.24	19.9	70
E147394		108	0.003	0.87	0.56	12.7	2	12.7	655	0.48	0.09	22.3	0.148	0.3	11.2	53
E147395		44.7	0.004	1.13	0.61	6.5	2	4.8	722	0.28	0.49	8.2	0.084	0.15	49.7	35
E147396		22.1	0.002	1.23	0.63	5.5	4	2.9	564	0.18	0.24	8.8	0.051	0.08	28	31
E147397		83.1	0.003	0.85	0.59	9.1	3	10.5	1095	0.36	0.13	20.8	0.122	0.18	104.5	43
E147398		47.6	<0.002	0.85	0.5	6.7	3	7.2	731	0.25	0.11	11	0.098	0.12	18.7	34
E147399		89.6	0.003	0.78	0.55	9.2	3	11.1	1090	0.42	0.11	13.7	0.143	0.2	58.9	48
E147400		123.5	0.011	0.42	1.6	11.1	3	15.1	1040	0.53	0.15	13.1	0.203	0.28	21.6	59

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E147361		0.6	4	11	4.1		<0.001	
E147362		6.6	16.9	9	25.8		0.118	
E147363		13.7	12.7	12	73.5		0.003	
E147364		18.6	14.2	8	78.6		0.003	
E147365		15.4	12.4	8	67.8		0.002	
E147366		12.1	16.4	16	57.2		0.002	
E147367		12.8	11	9	62.1		0.002	
E147368		11.2	9.7	9	55.5		0.003	
E147369		7.2	11.5	22	69.4		0.002	
E147370		9.8	9.9	20	51.3		0.001	
E147371		0.5	4.1	11	3.9		<0.001	
E147372		10.7	9.8	13	63.3		0.003	
E147373		11.5	11	11	68.2		0.002	
E147374		12.3	9.3	9	69		0.003	
E147375		14.5	19.4	29	73.2		0.018	
E147376		12.9	21.4	25	64.1		0.019	
E147377		6.8	8.9	8	62.2		0.001	
E147378		7.7	9.6	20	58.4		<0.001	
E147379		9.7	7.5	9	51		0.002	
E147380		15.7	15.4	6	50.8		0.032	
E147381		0.5	3.9	11	3.7		0.001	
E147382		8.8	12.8	6	68		0.016	
E147383		14.3	20	4	41.9		0.032	
E147384		10.2	9.9	4	70.2		0.003	
E147385		11.7	9.9	6	56.9		0.002	
E147386		11.9	9.9	4	37.7		0.002	
E147387		14.1	11	5	59.6		0.002	
E147388		11.6	11	5	51.6		0.002	
E147389		14.8	13.9	9	58.8		0.003	
E147390		14.3	11.9	4	53		0.005	
E147391		0.5	3.8	11	3.9		<0.001	
E147392		14.4	12.3	4	58.5		0.004	
E147393		15.5	15.9	5	65.2		0.004	
E147394		11.9	20.8	6	69.7		0.007	
E147395		6.5	12	6	52.7		0.033	
E147396		4.4	11.7	5	44.9		0.042	
E147397		9.8	17	2	48.8		0.021	
E147398		7.3	12.8	4	47.3		0.034	
E147399		11.3	13.9	3	53.7		0.019	
E147400		15.8	11.6	2	65.6		0.007	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 22-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104814

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 15-OCT-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE EL07104812

Project: IGOR

P.O. No.:

This report is for 49 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-AUG-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim 'or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 15-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104812

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
E147001		0.23	0.113	1.18	2.52	110	20	0.61	10.3	2.25	<0.02	211	356	13	2.66	9610
E147002		1.13	0.005	0.31	5.82	35.9	660	0.8	0.66	5.54	<0.02	43	87.8	31	0.92	39.9
E147003		1.30	0.001	0.06	6.82	6	510	1	0.32	3.99	<0.02	66.8	15.4	42	1.44	7.4
E147004		1.14	0.001	0.01	6.79	3.9	140	1.03	0.14	4.87	<0.02	13	14.2	29	0.5	5.8
E147005		1.08	0.005	0.21	5.85	63.7	770	0.96	0.92	4.45	<0.02	29.4	135	25	0.49	13.4
E147006		1.16	<0.001	0.01	5.14	2.8	1060	0.48	0.05	4.8	<0.02	28.3	13.3	35	0.52	4.9
E147007		0.95	0.006	0.49	5.62	64.4	1240	1.04	1.24	4.93	<0.02	57.9	136	31	1.29	6
E147008		1.12	0.010	0.7	5.9	159.5	1000	1.82	1.19	5.61	<0.02	50.3	204	29	2.28	7.8
E147009		1.15	0.001	0.39	5.55	38.5	670	2.07	0.58	5.55	<0.02	68.6	82.6	33	1.94	9.8
E147010		1.28	0.003	0.16	5.44	12.7	1200	1.28	0.24	5.97	<0.02	63.3	49.8	24	1.54	29.7
E147011		0.23	<0.001	0.02	0.35	<5	30	0.09	0.01	19.75	0.13	4.61	2.1	7	0.13	3.9
E147012		1.14	0.007	0.23	5.54	68.1	430	1.74	0.63	5.39	<0.02	76.8	123.5	34	1.82	42.9
E147013		0.80	0.031	0.84	6.75	218	170	1.82	2.85	4.81	<0.02	18.35	484	31	1.96	30.3
E147014		1.13	0.033	1.19	6.13	305	330	0.89	3.51	6.02	<0.02	68.8	594	26	0.83	859
E147015		1.23	0.027	0.65	3.59	147.5	240	0.48	2.38	7.15	<0.02	11.85	758	20	0.71	275
E147016		1.15	0.029	0.85	3.59	240	210	0.27	3.07	7.2	<0.02	30.7	756	12	0.38	44.6
E147017		1.33	0.045	1.86	4.25	422	90	0.97	5.68	3.23	0.02	233	892	17	1.2	119
E147018		0.78	0.005	0.18	6.57	30.6	570	2.19	0.82	0.81	<0.02	72.5	240	41	4.21	9.2
E147019		1.21	0.047	1.8	4.43	230	110	0.66	6.67	1.83	0.02	77.8	797	23	1.54	23.5
E147020		0.92	0.078	1.7	6.39	228	180	1.05	6.02	0.63	<0.02	81.7	803	33	2.77	24
E147021		0.22	0.002	0.04	0.39	<5	20	0.11	0.07	20.4	0.14	5.59	7	10	0.16	4.2
E147022		0.18	0.017	0.29	7.01	52	240	2.82	1.47	1.84	<0.02	79.7	105	42	6.12	1570
E147023		1.02	0.005	0.09	6.01	15.1	1330	2.34	0.32	0.26	<0.02	113	49.7	22	3.26	25.3
E147024		0.84	0.003	0.06	4.11	4	1380	1.75	0.15	0.42	<0.02	31	31.2	21	2.8	47.6
E147025		0.87	0.002	0.01	7.19	2.9	1340	3.99	0.06	0.07	<0.02	330	9.4	27	4.76	31.7
E147026		0.90	0.004	0.01	7.91	2.6	1820	4.77	0.07	0.07	<0.02	292	9.8	30	8.38	12.1
E147027		1.05	0.004	0.05	6.62	8.2	1980	3.35	0.24	0.05	<0.02	77.6	22.1	56	4.85	16.1
E147028		0.59	<0.001	<0.01	7.64	1	1460	3.67	0.03	0.04	<0.02	75.3	3	29	4.77	9.2
E147029		1.44	<0.001	0.05	7.72	2	1280	3.64	0.1	0.08	<0.02	58.6	45.6	27	4.65	12.1
E147030		0.69	0.014	0.44	6.12	59.1	400	1.62	2.22	3.34	0.03	193	254	47	3.42	31
E147031		1.65	0.097	1.72	6.22	317	70	0.55	7.76	2.41	0.02	226	1080	37	0.44	26
E147032		0.27	0.001	0.04	0.36	<5	20	0.09	0.03	19.85	0.13	5.36	4.6	9	0.13	4.2
E147033		0.77	0.098	1.94	6.49	275	120	0.51	9.08	1.57	0.06	32.9	933	47	0.64	24.5
E147034		1.48	0.063	1.17	6.49	203	160	0.47	6.23	2.74	<0.02	169	745	41	0.73	21.6
E147035		1.28	0.073	1.8	6.7	262	200	0.41	6.95	1.33	<0.02	43.6	801	41	0.74	19.3
E147036		1.07	0.101	2.03	6.52	381	180	0.53	8.79	2.09	<0.02	56.1	867	29	0.56	25
E147037		1.51	0.095	2.29	4.22	392	100	0.3	8.28	6.13	<0.02	243	680	11	0.59	30.3
E147038		0.80	0.005	0.17	1.87	13	240	0.19	0.5	13.75	0.04	5.1	36.8	4	0.61	3.5
E147039		1.18	0.094	2.24	6.28	153.5	80	0.36	8.22	3.29	0.08	31.9	983	21	0.7	16.6
E147040		1.05	0.041	1.15	3.95	70.7	120	0.29	4.48	7.99	0.02	14.1	572	19	0.77	18.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 15-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104812

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
E147001		30.8	8.88	0.42	0.8	0.259	0.71	117.5	17.4	1.54	6730	62.9	0.24	5	59.6	2580
E147002		7.27	12.15	0.25	2.1	0.016	0.26	27.5	11.6	2.1	3710	0.73	3.82	1.7	24.4	630
E147003		5.03	15.25	0.25	2.6	0.017	0.32	40.9	18.6	1.88	2830	1.35	4.12	4.3	25.1	700
E147004		5.27	14.5	0.14	2.2	0.006	0.18	7.3	12.4	1.9	3570	3.73	4.21	3.6	19	620
E147005		5.48	13.1	0.12	1.9	<0.005	0.19	16.8	10.4	1.72	3150	4.12	3.61	2.1	22.1	560
E147006		5.38	6.94	0.06	1	<0.005	0.4	16.6	7.4	1.93	3610	2.2	2.71	1.1	11.5	530
E147007		7.45	13.85	0.13	1.8	0.009	0.71	33.1	22.4	2.16	3880	5.7	2.39	1.8	33.8	600
E147008		7.62	14.8	0.13	1.9	0.022	1.88	28.9	28.4	2.32	4570	6.54	1.19	1.7	38.2	570
E147009		6.18	13.4	0.13	2	0.025	1.49	40.7	22.7	2.15	4370	4.67	1.75	2.6	22.5	600
E147010		6.58	11.4	0.11	1.6	0.032	1.16	38.2	17.9	2.33	4780	4.64	1.93	2	21.2	560
E147011		0.28	0.88	0.09	0.1	<0.005	0.06	2.3	3.6	10.95	264	0.29	0.03	0.5	6.9	400
E147012		6.32	12.75	0.14	2	0.024	1.15	42.7	21.2	2.11	4280	13.2	2.12	2	24.2	570
E147013		8.8	15.45	0.11	2.1	0.017	1.18	10.5	21.1	1.91	3710	12.2	2.87	2.2	38.7	670
E147014		10.4	10.9	0.15	1.9	0.018	0.54	40.8	10.9	2.21	5270	28.5	3.38	2.1	39.1	570
E147015		17.15	8.54	0.2	1.1	0.056	0.29	6.5	13	3.37	9260	44.2	1.45	0.9	57.8	310
E147016		17.4	7.88	0.2	1.1	0.043	0.13	18.7	10.9	2.83	7270	32.4	1.83	1.1	71.7	340
E147017		11.8	9.52	0.26	1.9	0.032	0.71	113	13.9	1.46	2850	190.5	1.51	2.2	97.2	400
E147018		11.95	19.3	0.2	2.6	0.026	1.3	43.6	55.8	1.96	1935	6.5	0.15	1.3	71.5	490
E147019		19.2	11.7	0.25	1.4	0.038	0.19	49.8	28.7	1.7	4030	87.4	1.26	2	100	990
E147020		9.5	8.45	0.15	1.7	0.008	1.65	48.6	13.5	0.72	673	24.3	1.31	1.7	64.4	480
E147021		0.37	0.98	0.09	0.1	<0.005	0.06	2.9	3.9	11.35	263	0.71	0.02	0.5	7.7	430
E147022		6.84	18.8	0.16	2.1	0.113	2.86	42.7	22.8	1.27	3210	21.8	0.58	2.5	27.8	770
E147023		2.61	13.8	0.16	2.5	0.02	2.34	52.1	17.2	0.57	564	9.96	0.06	2.5	21.1	200
E147024		2.95	11.2	0.14	2.3	0.011	1.44	17.1	24.6	0.6	506	5.43	0.06	2.1	23.5	330
E147025		1.09	22.4	0.31	3.7	0.019	2.75	154.5	24.7	0.31	43	3.5	0.97	6.2	10.4	350
E147026		1.53	23.8	0.29	3.6	0.023	3.51	130	21.7	0.42	86	3.39	0.23	4.8	12	270
E147027		1.45	17.85	0.11	3.5	0.017	2.86	42	16.2	0.31	62	9.38	0.33	4.4	12.8	120
E147028		1.23	20.6	0.15	3.5	0.02	3.07	40.4	18.3	0.33	49	4.95	0.78	5.8	8.5	100
E147029		1.89	20.2	0.13	3.3	0.012	2.93	31.3	26	0.44	81	6.13	0.98	3.5	14.8	170
E147030		7.33	13.5	0.26	2.5	0.032	0.94	102.5	41.3	1.76	3200	2.45	2.03	1.5	58.4	310
E147031		13.9	10.6	0.27	2.4	0.018	0.12	129.5	13.7	0.88	2620	15.1	3.82	3.2	171.5	840
E147032		0.28	0.84	0.1	0.1	<0.005	0.06	2.7	3.5	11.05	244	0.34	0.03	0.5	6.8	420
E147033		12.95	9.83	0.19	2.1	0.01	0.15	17.1	14.6	0.73	1645	11.15	3.87	2.3	121	480
E147034		11.25	10.6	0.24	1.8	0.019	0.15	94.6	14.6	1.14	2730	33.6	3.79	1.7	102.5	690
E147035		12.75	10.8	0.18	1.6	<0.005	0.15	24.9	11.8	0.81	1720	17.9	3.93	1.8	109.5	610
E147036		10.6	9.83	0.2	1.8	0.006	0.15	31.9	8.2	0.77	2130	55.7	4.17	2.3	79.7	460
E147037		13.2	8.19	0.3	1	0.02	0.1	118.5	11.2	2.31	5980	40.3	2.37	1.3	80	520
E147038		14.05	5.49	0.23	0.2	0.061	0.04	2.6	11.1	4.97	12650	0.98	0.64	0.3	42.1	60
E147039		12.65	9.62	0.23	1.6	0.033	0.12	17.8	8.8	1.4	2950	4.57	4.03	1.5	105.5	410
E147040		13.6	6.73	0.21	0.7	0.108	0.09	6.8	11	4.09	8060	2.16	2.25	1.1	75.1	140

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 15-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104812

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
E147001		6.6	32.3	0.018	7.63	2.48	3.9	4	8.4	179	0.14	1.34	5.5	0.035	0.5	13.5
E147002		4.6	11.6	<0.002	1.06	0.66	10.8	2	3.6	163	0.16	0.19	6.3	0.068	0.67	5.3
E147003		2.8	14	<0.002	0.27	0.96	12.1	1	3.2	77.5	0.29	<0.05	13	0.091	0.09	7.8
E147004		2.5	7.7	0.004	0.08	1.01	9.4	<1	3.1	75.1	0.27	<0.05	11.6	0.086	0.03	9.3
E147005		3.4	8	0.002	1.02	1.12	8.6	<1	3.6	76.3	0.19	0.11	11.9	0.083	0.27	3
E147006		1.1	10.4	<0.002	0.15	0.44	5.1	<1	2.2	56.9	0.09	<0.05	6	0.078	0.02	2.6
E147007		3.1	28.8	0.005	1.11	1.78	9.5	<1	6	57.3	0.18	0.14	9.2	0.117	0.22	3.1
E147008		3.7	84.1	0.005	1.66	1.49	9.6	<1	7.5	51.9	0.14	0.12	9.7	0.085	1.48	6.7
E147009		2.6	72.2	0.003	0.64	1.38	8.7	<1	7.3	56.1	0.23	0.06	12.4	0.082	0.31	4.4
E147010		1.8	46.7	0.003	0.43	1.45	6.8	<1	5	63.2	0.16	<0.05	8.5	0.075	0.16	6.5
E147011		1.7	1.9	0.003	0.03	0.43	1.2	<1	0.2	106.5	<0.05	<0.05	0.4	0.015	<0.02	0.2
E147012		4.1	55.7	0.011	0.95	1.86	7.8	<1	5.3	58.3	0.16	<0.05	13.3	0.065	0.36	68
E147013		5	55.7	0.013	5.01	2.14	10.4	<1	6.6	68.4	0.18	0.14	9.2	0.071	0.48	34.6
E147014		6.7	24.5	0.031	5.45	2.6	6.7	<1	4.2	74	0.2	0.16	12	0.066	0.73	52
E147015		4.1	12.1	0.021	7.46	1.55	4.6	<1	2.6	39.8	0.08	0.07	5.8	0.03	0.5	12.8
E147016		6.5	5.2	0.028	8.33	1.77	6.8	<1	1.9	65.8	0.1	0.23	5.2	0.04	1.93	7.9
E147017		13.1	31.3	0.114	9.17	4.48	10.2	1	4.3	37.9	0.18	0.86	13.7	0.071	3.68	48.7
E147018		2.7	59.6	0.007	2.15	1.13	8.5	<1	5.7	9.8	0.11	0.06	13.3	0.068	0.23	23.2
E147019		16.9	7.2	0.035	8.71	4.4	7.2	1	1.7	24.6	0.17	0.87	18.5	0.041	3.73	141.5
E147020		12.3	46	0.016	8.4	1.78	3.9	<1	2.3	14	0.12	0.73	14.1	0.074	1.17	50.3
E147021		1.9	2.2	0.003	0.06	0.41	1.2	<1	0.2	108.5	<0.05	<0.05	0.5	0.016	<0.02	0.7
E147022		2.8	131	0.01	1.34	1.14	11	1	8.8	457	0.14	0.25	13.8	0.101	0.38	19.4
E147023		2	98.1	0.009	0.58	0.93	5	<1	4.2	8.1	0.19	0.05	16.4	0.096	0.29	9.3
E147024		2.2	65.7	0.007	0.28	0.88	4.2	<1	3.6	17.7	0.16	<0.05	10.8	0.072	0.18	7
E147025		2.4	137.5	0.004	0.08	0.98	8.1	<1	11.4	12.6	0.53	<0.05	25.7	0.16	0.35	11.6
E147026		2.3	163	0.005	0.07	0.95	7.4	<1	10.1	10.1	0.4	<0.05	25.9	0.144	0.43	12.9
E147027		2.1	126	0.008	0.33	0.87	5	<1	8.3	17.2	0.38	0.05	20	0.136	0.32	8.8
E147028		1.8	142.5	0.006	0.02	0.83	6.2	<1	9	10.3	0.49	<0.05	19	0.164	0.35	6.7
E147029		2.3	133	0.007	0.33	0.82	8.4	<1	10.6	13.4	0.26	<0.05	18.6	0.122	0.31	14.1
E147030		6.8	44.7	0.006	3.14	1.1	16.3	<1	4.6	46.8	0.1	0.35	17.2	0.04	0.27	12.3
E147031		14.6	4.2	0.014	>10.0	2.93	3.2	2	1	64.9	0.24	3.18	24.2	0.064	0.36	111
E147032		1.8	1.8	0.003	0.06	0.4	1.2	<1	0.2	106	<0.05	<0.05	0.5	0.015	<0.02	0.5
E147033		18.5	5.9	0.01	>10.0	3.37	2.2	2	1	63.8	0.18	3.28	9	0.053	1.3	17.6
E147034		10.1	5.2	0.011	8.81	2.24	3.8	1	1	62.3	0.13	1.56	13.1	0.071	1.12	18.4
E147035		13.7	5.5	0.008	9.97	3	2.3	1	1.3	55.7	0.13	2.32	7.4	0.088	1.12	10
E147036		13.4	5.2	0.009	9.31	2.37	2.7	1	0.8	75.4	0.16	1.97	11.6	0.044	5.01	31.9
E147037		17.1	3.9	0.007	7.52	2.17	6.8	1	0.6	80.1	0.1	1.58	12	0.028	8.04	12.7
E147038		2.7	1.4	<0.002	0.51	0.61	17.9	<1	0.3	102.5	<0.05	0.06	2.9	0.009	0.12	1.4
E147039		10.8	4.1	<0.002	>10.0	1.98	4.6	2	0.7	69.3	0.13	2	9.9	0.034	1.15	3.9
E147040		6	3.3	<0.002	7.24	1.77	16.5	3	0.9	50.6	0.1	0.84	3.7	0.041	0.37	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 15-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104812

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5
E147001		71	6.4	13.5	3	24.1
E147002		23	4.7	10.2	8	57.4
E147003		21	6.3	11.8	12	68.5
E147004		37	4.9	10.5	9	73.1
E147005		37	4.2	9	8	61.6
E147006		38	1.8	5.2	9	33.9
E147007		54	3.9	10.4	17	58.6
E147008		57	2.5	11.7	15	62.4
E147009		46	3	12.4	7	62.8
E147010		45	3.5	10.4	10	50.8
E147011		5	0.4	3.4	13	4
E147012		42	3.4	12.6	8	63.3
E147013		54	3.4	10.6	8	67.9
E147014		36	3	13.3	7	63.3
E147015		30	2.7	9.2	14	36
E147016		29	4	14.5	12	35.5
E147017		33	4.8	17.2	12	59.7
E147018		51	4.6	11.7	47	80.9
E147019		58	4.3	15.7	34	45
E147020		34	3.3	9.2	16	54.8
E147021		5	0.5	3.5	12	4.6
E147022		63	8.3	11.1	6	66.4
E147023		35	4.3	9.8	9	71.9
E147024		27	3.5	8.1	16	69.9
E147025		43	8.1	14.2	5	105.5
E147026		44	6.6	14.1	6	105
E147027		35	6.3	8.4	6	101
E147028		41	7.3	8.8	6	104
E147029		43	5.4	9.3	8	97.9
E147030		39	2.2	13	38	78.9
E147031		53	3.4	15.4	18	78.9
E147032		4	0.4	3.3	12	4.5
E147033		40	2.9	9.1	21	65.1
E147034		45	3.3	11	21	57
E147035		52	2.9	7.4	16	54.8
E147036		26	2.9	9.3	15	58.7
E147037		28	2.9	11.2	25	32.5
E147038		44	2	12.9	32	4.9
E147039		38	2.3	7.1	19	48.9
E147040		87	4.2	8.3	30	23.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 15-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104812

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
E147041		1.07	0.005	0.2	1.34	24	100	0.16	0.44	13.8	0.03	15.7	223	8	0.24	15
E147042		0.25	<0.001	0.16	0.32	<5	20	0.09	0.02	20	0.14	4.31	2.4	8	0.12	3.7
E147043		0.19	0.046	1.08	5.86	53.1	70	1.96	2.74	1.88	<0.02	59.1	161	36	3.38	7550
E147044		1.32	0.023	1.24	2.07	65	20	0.29	3.6	9.5	0.03	28	766	14	0.91	673
E147045		1.40	0.047	2.16	5.18	82	20	0.4	6.46	4.9	<0.02	81.2	919	21	1.35	32
E147046		1.89	0.006	1.89	3.93	29.1	70	0.86	1.78	5.99	0.02	52.9	583	21	2.42	15.9
E147047		1.38	<0.001	0.47	8.16	10	2350	3.08	0.99	0.06	0.03	180.5	44.2	52	5.49	17.4
E147048		2.03	0.098	1.85	3.35	218	90	0.28	6.99	4.39	<0.02	50.3	904	13	0.3	254
E147049		1.01	0.024	1.12	5.09	95.6	40	0.54	2.27	6.92	<0.02	153.5	477	23	0.44	23

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 15-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104812

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
E147041		11.95	2.54	0.17	0.2	0.084	0.03	8.6	3.5	5.63	11750	0.45	0.84	0.3	31.5	60
E147042		0.26	0.89	0.23	0.1	0.009	0.05	2.3	3.6	10.8	254	0.25	0.02	0.5	6.4	410
E147043		9.47	14.7	0.25	1.8	0.137	2.16	25.9	23	1.16	3500	60.5	0.85	3.2	37.1	880
E147044		14.65	4.49	0.27	1	0.228	0.09	13.1	13.5	4.59	8870	8.41	0.78	1.4	87.4	640
E147045		16.25	10.05	0.32	1.3	0.07	0.15	43.1	22.1	2.44	4660	42.6	2.44	2.4	120.5	480
E147046		14.55	10.9	0.25	1.1	0.056	1.01	26.1	14.7	2.37	5920	7.26	0.9	1.6	67.6	200
E147047		1.48	20.3	0.25	3.8	0.039	3.58	82.2	11.9	0.27	64	1.67	0.4	6.7	13.7	220
E147048		21.5	8.3	0.3	0.9	0.022	0.09	35	4.4	1.52	3710	60	2.14	1.2	99	470
E147049		11.55	8.92	0.28	1.4	0.031	0.15	96.3	7.1	2.3	5010	18.45	3.27	1.7	46.9	510

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 15-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104812

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
E147041		2.4	0.7	<0.002	2.64	0.35	17.4	1	0.2	79.5	<0.05	0.12	1.9	0.008	0.04	0.7
E147042		1.7	1.4	<0.002	0.04	0.25	1.2	<1	0.2	105	<0.05	0.05	0.4	0.015	<0.02	0.2
E147043		18.9	85.9	0.018	2.36	1.39	9.7	2	7.1	625	0.17	0.23	8.7	0.083	0.47	258
E147044		6.5	3.6	0.002	9.5	0.98	17.1	4	0.9	89.9	0.13	0.6	3.5	0.046	0.33	3.3
E147045		9.8	5.6	0.003	9.42	1.65	9.1	2	1.5	52.5	0.22	1.48	9.6	0.083	0.9	4
E147046		4.9	47	0.002	4.58	0.89	14.3	2	3	48.8	0.13	0.15	7.7	0.065	0.26	3.3
E147047		4.7	168.5	0.003	0.53	0.86	8.9	<1	4.3	13.9	0.55	<0.05	23.2	0.181	0.64	9.2
E147048		10.2	3.2	0.069	>10.0	1.4	5.4	3	1.2	55.6	0.08	3.07	4.3	0.023	0.73	34.1
E147049		14.2	5.7	0.013	5.03	1.09	9	2	3.8	146	0.14	0.9	9.4	0.056	1.27	115

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 15-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104812

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
E147041		45	1.6	11.7	13	7.2
E147042		5	0.4	3.3	11	3.6
E147043		52	7.8	14	11	59
E147044		75	2.9	11	30	32.1
E147045		206	6.7	8.9	42	39.9
E147046		203	7.5	9.3	24	33.2
E147047		50	7.6	11.4	17	105.5
E147048		40	2.5	8	8	30.2
E147049		18	5.5	12	8	47.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 15-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS EL07104812

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-OCT-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE VA07104745

Project: IGOR

P.O. No.: 195286

This report is for 75 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 30-AUG-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07104745

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E384657		2.34	0.3	6.69	76.9	600	2.27	1.86	5.33	<0.02	118	142.5	31	5.01	277	12.3
E384658		1.68	0.64	1.83	70.2	100	0.69	2.66	3.4	<0.02	292	153	13	1.48	>10000	24.6
E384659		1.48	0.36	2.6	47.8	490	1.06	1.61	4.48	<0.02	184.5	69	13	2.04	3890	23.9
E384660		1.36	0.4	2.63	73.5	130	0.99	2.78	4.31	<0.02	278	117	15	2.25	2150	24.4
E384661		0.47	0.04	0.36	<5	30	0.11	0.04	21.7	0.16	6.82	2.7	8	0.18	42.8	0.45
E384662		0.21	0.28	7.09	48.1	330	2.66	1.61	2.06	0.03	87.4	117	43	6.61	1660	7.77
E384663		1.41	0.29	4.23	80.4	210	1.53	1.94	4.07	<0.02	169	131.5	26	3.64	981	21.4
E384664/E384665		2.30	0.72	5.19	156	90	1.86	6.6	3.47	<0.02	54.3	287	32	4.6	5450	20.1
E384665		Empty Bag														
E384666		1.66	0.54	4.69	112.5	100	1.62	4.41	5.22	<0.02	143.5	148.5	25	4.19	3360	15.4
E384667		1.94	0.52	6.35	126.5	130	2.25	5.51	4.32	<0.02	115.5	201	38	5.93	1790	16.5
E384668		1.51	0.47	7.27	156	500	2.66	5.93	2.37	<0.02	51.1	205	44	7.66	504	8.55
E384669		1.85	0.48	4.21	136.5	120	1.29	4.33	4.59	<0.02	45.1	176.5	20	4.11	178.5	14.1
E384670		3.08	0.61	6.27	90.1	920	0.89	12.35	0.35	<0.02	151	146.5	41	10.05	8000	15.45
E384671		1.49	0.97	6.17	178.5	980	0.9	15.05	0.42	<0.02	99.9	208	32	9.8	9120	17.8
E384672		0.41	0.02	0.34	<5	40	0.12	0.09	20.7	0.15	5.16	2.7	8	0.19	38.3	0.29
E384673		2.34	2.32	2.43	385	50	0.45	25.2	0.9	<0.02	328	291	12	4.29	6500	31.3
E384674		1.86	1.82	0.17	667	60	0.07	25	0.72	<0.02	287	302	<1	0.4	>10000	39.2
E384675		1.89	3.13	0.16	1455	30	<0.05	38.4	1.15	0.02	275	388	<1	0.39	9190	39.7
E384676		2.61	1.88	0.17	1515	40	<0.05	38.9	0.65	0.04	363	399	<1	0.36	6320	37.7
E384677		1.72	2.61	2.69	831	240	0.44	54.5	0.67	<0.02	493	517	16	4.13	5890	30.3
E384678		1.42	3.43	1.48	933	240	0.23	69.3	0.57	<0.02	113	502	8	2.19	>10000	32.8
E384679		1.37	2.74	3.13	455	260	0.51	39.1	0.87	<0.02	294	377	22	4.05	>10000	21.4
E384680		1.86	4.21	2.79	540	240	0.4	63.6	0.66	0.02	361	480	18	3.56	8410	30.5
E384681		0.31	0.04	0.34	6	30	0.06	0.29	21.1	0.14	6.49	3.7	8	0.18	70.9	0.37
E384682		0.21	1.07	5.49	60.8	120	2.15	2.91	1.98	<0.02	61.2	166.5	33	3.69	7650	9.47
E384683		1.78	2.24	2.08	468	320	0.32	54.2	0.69	<0.02	204	390	14	2.76	1190	24.2
E384684		1.57	3.47	3.29	575	410	0.55	68.6	0.63	<0.02	151.5	565	20	4.54	5380	25.4
E384685		1.46	0.73	5.68	104.5	140	1.15	11.75	0.26	0.03	113.5	128	27	8.31	2410	13.4
E384686		2.36	0.18	6.81	543	1180	1.59	0.6	0.11	0.03	137.5	24.6	32	7.41	214	6.99
E384687		1.26	2.04	1.88	322	50	0.33	35.4	0.46	<0.02	199.5	346	9	2.82	9610	27.7
E384688		1.39	2.31	2.89	381	100	0.41	29	0.99	<0.02	>500	374	17	3.73	>10000	21.1
E384689		1.53	2.84	2.87	701	280	0.4	51.3	0.6	<0.02	352	569	20	3.77	>10000	23.6
E384690		1.82	2.72	3.12	628	140	0.47	42.1	0.43	<0.02	200	505	19	4	>10000	24.5
E384691		0.27	0.03	0.33	7	30	0.1	0.2	21.3	0.15	5.31	3.4	8	0.18	120.5	0.33
E384692		1.29	3.32	4.28	453	250	0.64	50.8	0.56	<0.02	186.5	529	26	5.4	>10000	19.75
E384693		0.99	2.17	4.71	322	120	0.74	41.4	3.26	<0.02	474	316	26	7.2	>10000	17.05
E384694		2.53	0.34	6.44	49.3	310	1.02	3.4	2.68	0.02	72.6	52.7	33	8.49	802	11.4
E384695		2.24	1.53	4.66	150	170	0.9	7.38	4.31	0.12	50.9	78.3	20	3.04	2570	8.62
E384696		1.49	0.93	6	87.3	140	1.07	7.21	7.53	<0.02	86	80.2	25	3.87	3390	9.51

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07104745

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384657		19.5	0.25	2.4	0.065	2.89	75.5	27.9	1.5	5670	29.4	0.31	2.9	33.7	690	4.5
E384658		10.85	0.5	0.7	0.077	0.65	185	12.2	1.01	4610	28	0.03	1.7	59.3	740	5.8
E384659		12.3	0.44	0.8	0.067	0.83	112.75	22.5	1.36	5590	34.8	0.09	1.8	56.2	930	9.1
E384660		12.4	0.49	0.9	0.058	0.99	180	16.9	1.25	5620	27.9	0.09	2	54.1	900	7.5
E384661		1	<0.05	0.1	0.008	0.06	3.7	4.3	11.6	295	0.71	0.02	0.5	6.4	420	3.7
E384662		21	0.18	2.4	0.132	3.04	48.1	26	1.35	3250	20.4	0.59	4.6	27.4	780	3.9
E384663		15.4	0.4	1.4	0.068	1.69	116.5	21	1.33	4780	17.2	0.06	2.3	49.3	1090	4.6
E384664/E384665		16.9	0.36	1.7	0.073	2.19	34.7	23.4	1.3	3510	31.3	0.07	2.5	62.9	740	5.2
E384665																
E384666		15.15	0.32	1.7	0.087	1.92	90.5	20.9	1.9	4960	17.45	0.06	3.2	44.4	1070	7.6
E384667		18.35	0.31	2.1	0.059	2.68	78.3	27.8	1.51	4390	21.6	0.08	3.7	50.2	1410	5.4
E384668		21.1	0.2	2.7	0.063	3.37	32.3	30.6	1.06	2030	16.15	0.1	3.4	43.7	1040	6.1
E384669		13.15	0.25	1.6	0.097	1.62	30.9	26.1	2.28	6490	36.4	0.06	2.4	47.3	780	8.3
E384670		19.65	0.33	2.4	0.138	2.67	107	20.4	1.15	8370	23.9	0.13	5	34.5	1220	7.6
E384671		19.45	0.34	2	0.14	2.48	66.3	21.8	0.86	5320	78.1	0.13	10.9	60.5	1710	16.4
E384672		1.01	<0.05	0.1	0.005	0.06	2.7	4.1	11.2	253	0.63	0.02	0.5	6.9	400	2
E384673		8.52	0.57	0.9	0.175	1.02	246	9	1.55	15250	56	0.06	9	80.9	3720	21.6
E384674		2.4	0.67	0.1	0.233	0.06	235	1.8	1.53	17550	70.5	0.01	4.7	109.5	2880	20.6
E384675		1.5	0.68	0.1	0.089	0.06	240	1.1	0.44	4490	53.8	0.01	5.5	140	5410	25.1
E384676		1.43	0.64	0.1	0.029	0.06	323	1.5	0.19	1670	55.7	0.01	4.1	172.5	3170	23.5
E384677		8.99	0.59	1.1	0.027	1.12	412	6.6	0.19	760	84.5	0.06	16.1	149.5	3330	24.9
E384678		5	0.55	0.5	0.057	0.61	105	3.2	0.06	364	204	0.04	8.1	194	2650	25.9
E384679		10.25	0.43	1.3	0.043	1.31	255	5.8	0.12	112	77.7	0.08	19.9	124.5	4130	20.5
E384680		8.56	0.54	1	0.04	1.13	276	3.9	0.08	132	47.8	0.07	7	176.5	3210	30.2
E384681		0.95	<0.05	0.1	0.005	0.06	4.1	4	11.45	238	0.78	0.02	0.6	8.1	430	2.1
E384682		16.05	0.2	2	0.14	2.07	30.2	26.3	1.18	3310	63.6	0.89	3.9	38.5	830	21.2
E384683		6.36	0.46	0.9	0.015	0.88	157	3.7	0.06	127	71.7	0.06	6	142	3270	26.9
E384684		9.61	0.47	1.3	0.026	1.35	112.5	5.9	0.11	203	86.3	0.08	6.9	154	2900	26.9
E384685		15.85	0.26	2.4	0.172	2.14	61.5	13.9	0.9	7060	14.35	0.12	4.5	44.9	930	8.5
E384686		18.2	0.23	2.9	0.087	2.49	65.1	11.5	0.81	4660	9.58	0.17	5	20.6	300	2.9
E384687		6.52	0.49	0.7	0.207	0.77	164.5	9	1.29	11750	64.1	0.04	7.5	108.5	1890	19.4
E384688		11	0.79	1.1	0.099	1.15	670	8.2	0.57	3360	84.1	0.06	11.8	165.5	4880	14.7
E384689		8.51	0.62	1.2	0.05	1.21	357	6.5	0.17	441	107	0.06	9.9	185	2860	16.4
E384690		9.1	0.58	1.1	0.213	1.27	150	6.3	0.55	4090	91.1	0.07	5.1	177.5	1930	16.5
E384691		0.87	0.13	0.1	0.011	0.06	3.1	3.9	11.3	250	0.62	0.02	0.5	<0.2	430	2
E384692		10.55	0.47	1.7	0.087	1.77	149.5	9.3	0.25	206	56.5	0.08	6.2	178	2560	22.7
E384693		14.1	0.64	2	0.157	2.04	355	13.7	0.87	4180	46.9	0.08	7.4	102.5	>10000	23.5
E384694		15.6	0.28	2.1	0.171	2.62	47.6	18.1	1.96	8630	8.88	0.12	3.3	21.9	820	15.5
E384695		10.65	0.22	2	0.059	1.94	29.9	9	1.63	3610	14.65	0.07	7.1	35.1	580	86.8
E384696		14.05	0.29	2.6	0.109	2.55	48	13.9	2.86	5850	10.35	0.08	8.4	55.6	740	8.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07104745

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E384657		127.5	0.003	1.16	2.12	16.6	1	7.9	61.6	0.15	0.14	13.2	0.092	0.53	68.8	64
E384658		29.6	0.002	2.8	2.21	5	3	2.9	36.4	0.09	0.16	12.8	0.035	0.16	16.2	48
E384659		38.3	0.002	1.18	2.3	6.1	2	3.7	46.3	0.08	0.08	11.9	0.04	0.21	35.8	45
E384660		44	0.003	2.11	2.27	5.6	2	4.3	47	0.08	0.14	12.7	0.041	0.19	17.2	49
E384661		2	<0.002	0.04	0.4	1.3	2	0.2	118.5	<0.05	<0.05	0.5	0.015	<0.02	0.5	5
E384662		143.5	0.006	1.28	1.38	11.3	2	8.7	450	0.3	0.22	13.8	0.132	0.39	19.6	67
E384663		74.3	0.003	1.7	2.14	9.1	2	7.6	46.6	0.1	0.1	9.9	0.06	0.64	12.5	70
E384664/E384665		98.3	0.002	4.96	2.72	11.5	2	9.5	30.2	0.11	0.32	6.7	0.075	0.38	18.4	72
E384665																
E384666		92.6	0.003	3.61	2.18	11.1	2	10.1	35.6	0.13	0.23	7.8	0.073	0.35	9.6	80
E384667		122.5	0.004	4.24	2.41	13.8	3	12.9	42.5	0.14	0.25	7.1	0.091	0.47	11.7	117
E384668		157	0.003	4.02	2.36	16.1	2	15.4	25.5	0.18	0.37	10.2	0.118	0.6	17.4	107
E384669		75.4	0.004	3.43	2.15	12.1	2	8.2	27.4	0.13	0.26	5.3	0.069	0.31	8.5	83
E384670		159	0.008	5.41	4.01	11.4	2	18.5	17.9	0.25	0.36	13.9	0.071	1.23	43	70
E384671		154	0.01	>10.0	5.38	10.7	3	20.2	15.7	0.29	0.76	11.4	0.083	1.68	382	98
E384672		2.3	<0.002	0.05	0.36	1.3	2	0.2	115.5	<0.05	<0.05	0.5	0.014	<0.02	0.8	5
E384673		64	0.019	>10.0	7.8	8.5	3	8.6	34.7	0.22	1.6	5.4	0.029	1.82	38	93
E384674		4	0.015	>10.0	7.77	5.1	6	4.9	20.9	0.16	3.08	1.2	<0.005	1.34	8.2	57
E384675		3.7	0.009	>10.0	15.55	2.1	5	9.7	35.3	0.21	2.86	1.8	0.005	0.39	12.3	14
E384676		3.8	0.009	>10.0	10.85	1.1	5	9.4	28.9	0.1	2.33	1.5	<0.005	0.4	8.8	8
E384677		70.3	0.013	>10.0	12.9	4.5	4	12.2	31.5	0.21	1.86	6.3	0.048	1.03	25.9	109
E384678		38.2	0.008	>10.0	17.15	2.3	6	9.5	17.6	0.11	2.57	4.4	0.025	0.66	18.4	59
E384679		78.6	0.01	>10.0	11.55	5.2	4	11.8	31.6	0.29	1	9.3	0.067	1.08	25.4	130
E384680		66.7	0.007	>10.0	12.6	3.6	4	7.9	21.4	0.19	1.83	8	0.044	0.8	11	93
E384681		2.1	<0.002	0.15	0.42	1.3	2	0.2	117.5	<0.05	<0.05	0.5	0.015	<0.02	0.3	5
E384682		92.1	0.024	2.15	1.65	9.8	3	8	547	0.2	0.26	8.6	0.082	0.47	285	52
E384683		50.3	0.014	>10.0	9.74	2.6	3	5.8	23.9	0.18	1.34	5.5	0.037	0.42	13	64
E384684		78.8	0.015	>10.0	12.25	4.3	4	10.1	22.4	0.18	2.06	6.6	0.049	0.9	19.6	82
E384685		129.5	0.005	5.38	3.35	9.4	2	6.9	32.3	0.23	0.28	12.7	0.068	0.65	18.8	65
E384686		145.5	<0.002	0.17	2.99	10.2	1	2.6	21.4	0.37	0.09	18.7	0.098	0.57	6.2	43
E384687		45.5	0.009	>10.0	10.6	5.8	3	9.2	43	0.18	1.29	5.1	0.038	0.42	10.2	54
E384688		72.7	0.02	>10.0	11.4	7.6	7	12.5	47.4	0.3	1.04	8.5	0.05	0.59	13.2	96
E384689		71.6	0.015	>10.0	16.75	6.7	5	12.6	19.7	0.26	1.29	5.9	0.059	0.71	13.3	95
E384690		74.3	0.008	>10.0	12.1	8.1	4	9.8	13.9	0.18	0.88	7.7	0.045	0.5	9.3	67
E384691		2	<0.002	0.09	0.38	1.5	1	0.2	111.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	5
E384692		95.8	0.012	>10.0	11.35	4.3	5	16.9	35.6	0.23	0.9	8.4	0.066	0.78	10.7	89
E384693		114.5	0.011	>10.0	10.95	9.6	5	15.2	60.7	0.39	0.94	22.1	0.069	0.99	29	99
E384694		135.5	0.006	1.99	2.08	11.6	1	8.4	24.3	0.23	0.09	12.4	0.076	0.73	5.6	58
E384695		80.8	0.005	5.14	7.01	8	2	6.3	41.2	0.48	0.38	9.3	0.141	0.42	47	44
E384696		104	0.004	3.67	3.1	10.4	2	8.1	185.5	0.59	0.19	13.1	0.168	0.41	10.2	58

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07104745

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E384657		9.3	17.9	3	73		0.019
E384658		4	17.8	6	24.4	1.405	0.086
E384659		4.9	18.3	9	27.4		0.025
E384660		6.2	16.9	7	31.2		0.037
E384661		0.5	3.9	11	4.1		<0.001
E384662		10.6	12.7	6	72.3		0.017
E384663		7.3	17	7	47.3		0.013
E384664/E384665		8.3	12.5	4	55.3		0.079
E384665							
E384666		9.3	15.5	2	54.1		0.061
E384667		11.1	14.8	5	63.1		0.042
E384668		13.7	12.8	4	82.8		0.043
E384669		8.7	13	8	50		0.027
E384670		12.3	12	6	72.9		0.013
E384671		19.4	19.5	6	65.7		0.025
E384672		0.5	3.7	11	4		<0.001
E384673		6.7	15.7	7	25.9		0.021
E384674		2.1	9.8	11	2.1	2.06	0.046
E384675		2.1	16.8	7	3.8		0.048
E384676		2	10	2	2.6		0.038
E384677		12.2	18.3	<2	34.6		0.042
E384678		7.8	9.1	5	14.8	1.640	0.076
E384679		14.2	15.1	5	39.3	1.330	0.043
E384680		9.4	14.9	2	31.7		0.073
E384681		0.5	3.8	11	4		0.002
E384682		9	15.5	8	61.2		0.050
E384683		10	16.6	3	25.9		0.076
E384684		12.9	16.5	3	38.6		0.096
E384685		8.5	13.8	5	71.8		0.018
E384686		4.4	11	26	88		0.001
E384687		8.3	8.8	9	22		0.044
E384688		11.6	19.6	8	34.6	3.55	0.062
E384689		11.9	14.5	5	36.3	3.30	0.092
E384690		8	11.6	9	34.1	3.01	0.074
E384691		0.4	3.5	11	4		<0.001
E384692		10.6	16.4	4	51.7	5.27	0.109
E384693		12	40.1	9	62.3	1.880	0.040
E384694		9.3	12.5	13	67.3		0.005
E384695		24.5	10.7	5	64.6		0.038
E384696		19.3	14	10	80.4		0.031

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07104745

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384697		1.34	1.03	3.92	92.3	70	0.68	7.53	4.71	<0.02	137.5	68.5	19	2.46	1750	19.8
E384698		1.71	0.81	5.69	135.5	130	1.1	9.18	7.08	<0.02	186	97.8	23	3.5	1860	10
E384699		1.36	0.83	4.4	202	120	0.85	11.35	3.62	<0.02	125.5	102	20	2.67	446	12.55
E384700		1.32	0.31	5.71	42.9	590	1.07	3.28	5.36	<0.02	47.9	39.1	26	3.24	74.2	7.85
E384701		0.23	0.07	0.33	<5	30	0.1	0.04	20.7	0.15	4.87	2.6	8	0.16	7.8	0.28
E384702		0.21	1.31	2.52	86.4	40	0.68	11.2	2.39	<0.02	185.5	338	12	2.68	9290	29.9
E384703		1.25	0.29	6.22	30.3	1170	1.33	2.16	3.49	<0.02	72.5	25.3	30	3.8	1040	7.51
E384704		1.53	0.22	6.16	16.3	1520	1.12	0.96	5.27	<0.02	60.1	12.8	30	3.71	1520	5.98
E384705		0.87	0.21	7.47	20.8	1920	1.55	1.1	5.52	<0.02	60.6	15.8	35	5.31	774	5.39
E384706		1.56	0.68	5.71	52.6	230	1.14	4.1	4.09	<0.02	54.9	57.5	26	3.9	1340	8.34
E384707		1.28	0.44	7.04	47.6	1420	1.44	4.93	4.37	<0.02	103	59.2	37	4.89	569	10.3
E384708		1.26	3.06	2.9	297	80	0.53	43.6	1.7	0.02	33.2	223	17	2.03	>10000	27.3
E384709		1.45	0.28	5.89	44.5	930	1.18	3.29	2.91	<0.02	40.8	36.2	29	4.14	251	7.44
E384710		1.14	0.29	5.54	51.2	660	1.02	4.42	5.95	<0.02	82.1	50.1	26	3.65	802	11.2
E384711		0.25	0.1	0.34	5	30	0.1	0.04	20.9	0.17	6.63	2.3	7	0.16	7.3	0.28
E384712		1.49	0.28	3.16	70.9	410	0.66	3.77	0.79	<0.02	24.3	65.6	30	2.42	270	15.9
E384713		1.19	0.2	6.42	44.5	1500	1.2	3.22	7.45	<0.02	101.5	36	28	4.58	33.9	9.08
E384714		1.07	0.24	6.11	54.2	940	1.06	3.22	3.68	<0.02	104.5	43	34	4.32	151	8.17
E384715		1.47	0.11	6.56	56.9	1440	1.36	2.17	7.33	<0.02	35.6	80.6	18	4.77	4.9	7.27
E384716		1.24	0.33	6.77	69.6	1200	1.31	5.02	8.5	<0.02	42.5	110	15	4.43	332	7.57
E384717		1.27	0.32	6.26	72.5	330	1.22	4.58	6.6	<0.02	128.5	66.5	23	4.25	353	11.25
E384718		1.64	0.48	1.62	103.5	60	0.27	6.36	2.49	<0.02	151	107.5	7	1.32	702	29.1
E384719		1.26	0.19	7.6	33.5	1930	1.49	2.32	4.76	<0.02	107	20.6	38	5.81	62	9.14
E384720		1.48	0.83	4.06	152.5	70	0.7	13.9	4.62	<0.02	144	107	21	3.2	2900	18.45
E384721		0.22	0.01	0.33	<5	20	0.1	0.07	20.9	0.16	5.29	2.5	6	0.16	10	0.3
E384722		0.20	0.28	7	40.9	590	2.65	1.49	2.04	<0.02	75.2	112	42	6.18	1660	7.15
E384723		1.55	0.32	3.65	58.3	410	0.7	2.99	1.63	<0.02	106.5	49.4	18	2.73	1290	28
E384724		1.40	0.36	3.58	64.4	960	0.81	2.99	1.29	<0.02	112.5	48	19	2.82	614	22.3
E384725		1.68	0.38	1.43	86.7	320	0.33	3.36	1.09	<0.02	103.5	31.9	5	1.11	1280	29.8
E384726		1.47	0.22	4.81	89.7	350	1.11	4.05	3.65	<0.02	207	50.9	29	3.99	264	13.3
E384727		1.48	0.33	3.4	121	110	0.74	5.22	3.61	<0.02	161.5	65.7	19	3.03	874	20
E384728		1.65	0.49	0.47	160.5	130	0.14	6.15	2.66	<0.02	165.5	71	4	0.53	1300	25.6
E384729		1.43	0.59	0.12	150	30	0.06	8.62	3.58	<0.02	97.9	80.4	<1	0.15	923	28.5
E384730		2.51	0.26	5.16	98.4	360	1.41	4.94	7.4	<0.02	47.2	46.8	27	4.6	187	9.27
E384731		0.21	0.05	0.3	<5	20	0.1	0.06	18.4	0.14	4.28	1.9	8	0.14	5.1	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07104745

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E384697		10.5	0.46	1.4	0.164	1.63	109	8.3	2.24	9350	24.9	0.06	8.6	52.4	1660	8.6
E384698		14.8	0.39	2.2	0.086	2.46	129.5	14.5	2.86	5730	18.95	0.08	11	58	1360	7.4
E384699		10.95	0.36	1.8	0.072	1.82	81.3	9.2	1.64	4620	15.25	0.07	6.2	78.6	840	17.8
E384700		13.5	0.22	2.3	0.087	2.31	30.6	7.3	2.3	5640	7.72	0.1	7.1	11.9	630	14.4
E384701		0.97	0.21	0.1	0.012	0.05	2.5	4.1	11.25	246	0.33	0.02	0.6	<0.2	400	2
E384702		10.5	0.68	0.9	0.266	0.68	114	20.2	1.65	6210	63.3	0.25	6.1	66.7	2480	6.3
E384703		15.45	0.26	2.5	0.103	2.64	46	9.7	1.74	5060	7.91	0.1	7.4	10.7	710	8.5
E384704		14.4	0.22	2.4	0.075	2.6	35.7	8.8	2.03	4560	5.33	0.1	7.5	7.2	680	7.1
E384705		18.6	0.24	3.1	0.064	3.22	35.5	10.1	1.71	3890	6.05	0.13	10.1	7.8	830	8.5
E384706		13.9	0.26	2.5	0.071	2.38	32.3	7.3	1.55	3860	13.5	0.1	6.6	21.8	670	12.6
E384707		19.55	0.57	2.7	0.082	3.1	63.7	10.3	1.61	4720	15.2	0.12	7.4	19.5	750	10.1
E384708		7.76	0.51	1	0.43	1.25	17	4.9	1.47	8500	12.4	0.05	2.4	123.5	300	27.2
E384709		14.55	0.24	2.5	0.06	2.41	25.7	7.6	0.92	3020	10	0.1	6.4	13.6	730	10.6
E384710		15.1	0.33	2.1	0.082	2.27	53.6	7.2	2.01	6140	12.4	0.11	6.4	20.2	640	5.1
E384711		1.01	0.19	0.1	0.012	0.06	3.5	4	11.3	247	0.32	0.02	0.5	<0.2	400	1.9
E384712		7.84	0.31	1.6	0.114	1.36	15	4.6	0.96	7320	3.73	0.06	3.3	22.2	540	6
E384713		16.45	0.3	2.6	0.071	2.56	71.2	7.9	2.14	5960	7.85	0.11	9	12.8	810	5.5
E384714		16	0.33	2.4	0.076	2.66	72.7	8	1.49	4650	4.93	0.1	7.2	15.2	730	6.5
E384715		20.4	0.22	2.4	0.068	2.89	23.2	8.8	2.6	5070	8.52	0.11	5.9	21.4	550	6.4
E384716		19.6	0.23	2.4	0.066	2.91	28.4	8.6	2.86	5360	53.5	0.11	4	28.2	550	6.9
E384717		18.25	0.36	2.5	0.105	2.63	99.1	15.7	2.86	7940	14.2	0.1	7.7	26.9	980	5.7
E384718		6.36	0.65	0.6	0.202	0.69	120	3.8	1.94	11850	15.4	0.03	7	46.5	1070	4.7
E384719		18.4	0.31	2.7	0.082	3.2	85.1	15.3	2.23	4610	4.39	0.13	12.1	16.4	900	3.3
E384720		11.9	0.53	1.5	0.18	1.83	106	7	2.41	8470	17.1	0.07	14.2	40.9	1340	7.6
E384721		1	0.18	0.1	0.016	0.05	2.7	4.1	11.35	253	0.35	0.02	0.6	<0.2	420	3.1
E384722		19.1	0.29	2.1	0.131	3.14	39.8	23.2	1.33	3210	19.25	0.63	3.6	26.8	760	2.8
E384723		10.9	0.61	1.3	0.169	1.62	87.3	5.8	1.39	10000	16.75	0.06	6.1	22.2	1110	3
E384724		10.9	0.51	1.3	0.139	1.6	96.5	6.3	1.44	8530	13.55	0.06	5.1	23.9	1000	3.8
E384725		5.4	0.56	0.6	0.212	0.61	94	6.5	1.48	11900	22.9	0.02	6	23.5	1080	5.6
E384726		13.5	0.42	2	0.094	2.15	183.5	10.4	2.13	5900	10.4	0.08	9.9	17.7	1220	5.2
E384727		9.1	0.43	1.4	0.107	1.54	140.5	9.6	2.14	6960	11.5	0.06	5.7	30.1	1370	4.8
E384728		2.77	0.52	0.4	0.121	0.21	167	2.3	1.73	8140	27	0.01	3.6	28.5	1240	6.6
E384729		1.74	0.51	0.2	0.151	0.05	110.5	1.1	2.26	9150	39.7	0.01	2.7	26.7	680	7.5
E384730		13.55	0.19	1.8	0.052	2.46	36.9	16	2.65	4300	12.4	0.1	3.2	32.4	610	6.1
E384731		0.66	<0.05	0.1	0.007	0.05	2.2	3.6	10.65	224	0.35	0.02	0.5	1.3	360	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07104745

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E384697		69.1	0.009	6.7	3.9	7.1	4	5.9	19.9	0.32	0.16	7.3	0.088	0.53	6	41
E384698		101	0.006	5.04	3.46	8.9	2	8.5	34.9	0.59	0.37	13.5	0.173	0.42	5.6	67
E384699		75.1	0.003	7.17	3.18	6.8	2	5.8	15.2	0.36	0.42	10.1	0.108	0.26	4.7	46
E384700		97	0.002	1.33	1.88	9.5	2	5.6	18.9	0.55	0.16	12.4	0.143	0.33	15.7	51
E384701		2	0.002	0.04	0.33	1.6	1	0.2	114.5	<0.05	0.05	0.5	0.015	<0.02	0.2	4
E384702		39	0.021	6.93	2.17	5.4	6	7.2	179	0.15	1.13	6.1	0.036	0.51	20	59
E384703		112	0.002	0.93	1.46	10.3	2	6	22.1	0.58	0.1	14.3	0.159	0.35	7.4	53
E384704		106	0.003	0.5	1.32	10.6	1	5.5	22.4	0.59	0.06	10.8	0.175	0.33	6.9	54
E384705		139	0.002	0.57	1.63	12.3	2	7.6	30.5	0.8	0.11	15.9	0.222	0.45	37.3	66
E384706		104	0.002	2.01	2.17	9.7	1	6.4	20.6	0.52	0.6	16	0.132	0.33	25.7	54
E384707		135	<0.002	1.52	2.27	14.4	<1	8.2	25.5	0.62	0.45	11.5	0.153	0.51	17.8	76
E384708		53.2	0.002	>10.0	10.8	6.4	2	3.7	17	0.17	1.16	4.6	0.047	0.18	6.4	33
E384709		110.5	0.003	1.04	1.96	8.7	1	6.6	21	0.5	0.09	13.6	0.124	0.34	13.4	53
E384710		99.5	0.005	1.31	1.84	12.1	2	6.3	24.7	0.46	0.12	11.3	0.128	0.3	11.9	60
E384711		2.1	<0.002	0.03	0.33	1.6	1	0.2	112	<0.05	0.06	0.7	0.014	<0.02	0.2	5
E384712		58.3	0.002	1.57	2.23	6.3	1	4.1	12	0.24	0.06	9	0.072	0.18	2.7	47
E384713		119	0.003	0.99	1.74	12.6	2	7.8	23.1	0.68	0.08	14.7	0.173	0.37	6.8	59
E384714		113.5	0.002	1.15	2.05	10.5	2	7.3	21.7	0.55	0.12	13.7	0.16	0.35	6.5	52
E384715		128.5	<0.002	0.95	2.21	30.6	2	8.1	24.2	0.48	0.1	5.2	0.554	0.4	3	267
E384716		123	0.005	1.24	2.89	34.3	3	9.2	22.7	0.27	0.12	1.6	0.716	0.39	2.5	337
E384717		119	0.007	1.88	2.78	21.1	2	11.3	28.5	0.47	0.15	9.2	0.26	0.37	4.8	188
E384718		32.3	0.006	6.4	2.35	4.1	2	4.1	10.1	0.17	0.25	4.2	0.037	0.16	2.7	39
E384719		150.5	0.004	0.89	2.8	10.8	2	13.7	24.4	0.72	0.11	16.4	0.192	0.47	8.4	76
E384720		82.2	0.006	4.78	4.35	7.8	3	7.3	17.1	0.28	0.52	10.9	0.08	0.29	11.4	59
E384721		1.9	0.002	0.04	0.34	1.7	1	0.2	115	<0.05	<0.05	0.5	0.015	<0.02	0.2	5
E384722		144	0.006	1.23	1.13	12	2	7.6	466	0.23	0.18	13.7	0.123	0.38	17.8	64
E384723		72.3	0.005	1.71	1.43	7.8	2	6.3	15.7	0.22	0.16	8.3	0.065	0.24	5	43
E384724		76.6	0.003	1.62	1.87	7.6	1	6.6	14.9	0.19	0.21	6.8	0.059	0.23	2.9	46
E384725		28.6	<0.002	4.68	3.14	3.8	2	3.5	8.4	0.13	0.16	4	0.03	0.18	3.5	29
E384726		95	0.003	2.89	3.37	8.7	2	10	20	0.41	0.24	10.7	0.107	0.3	9.7	67
E384727		69.8	0.004	6.12	2	6.2	2	6.9	21.4	0.22	0.31	7.4	0.052	0.24	6.3	52
E384728		9.9	0.003	7.36	2.34	1.5	3	1.8	10.5	0.09	0.36	4.4	0.021	0.12	2.3	37
E384729		2.4	0.003	7.02	2.84	0.7	2	1.1	7.3	0.05	0.23	2.2	0.01	0.11	3.1	17
E384730		107	0.008	3.44	2.26	9.9	2	6.5	73.3	0.17	0.08	9.6	0.064	0.32	20.8	49
E384731		1.9	<0.002	0.04	0.46	1.4	2	0.2	97.9	<0.05	<0.05	0.4	0.013	<0.02	0.2	4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07104745

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E384697		14.3	9.9	6	44.9		0.058
E384698		24.5	13.7	12	67.9		0.062
E384699		17.1	8.9	5	57.6		0.055
E384700		28.1	11.2	4	75.2		0.017
E384701		0.5	3.6	11	4		0.003
E384702		7.2	15.9	10	27.1		0.122
E384703		30.6	12.8	4	77.6		0.020
E384704		20.4	12.3	4	76.9		0.023
E384705		26.9	14.3	2	97.2		0.018
E384706		26.1	9.9	2	80.1		0.056
E384707		23.8	12	3	86.3		0.030
E384708		11.9	6.4	10	32.5	1.000	0.432
E384709		18.5	9.4	2	78.4		0.020
E384710		15.9	11.3	2	67.6		0.017
E384711		0.5	3.6	11	3.9		0.003
E384712		9	7	2	51.6		0.011
E384713		16.4	13.7	<2	79.7		0.008
E384714		11.7	12.5	3	76		0.009
E384715		34.5	17.3	3	68.4		0.007
E384716		44.6	18.7	4	69.5		0.014
E384717		33	15.8	9	74.1		0.013
E384718		7.2	9.7	4	17.5		0.023
E384719		26.4	16.9	5	84.8		0.011
E384720		12.3	13.8	5	48.5		0.077
E384721		0.5	3.7	11	4.5		0.003
E384722		8.9	11.5	6	68.7		0.021
E384723		13	11.2	7	42.7		0.022
E384724		9.4	9.6	7	39		0.016
E384725		8.1	7	11	17		0.027
E384726		19.4	13.2	6	56.9		0.018
E384727		8.9	11.6	6	42		0.036
E384728		14.4	7.1	6	10.1		0.029
E384729		4.9	5.1	6	4.5		0.029
E384730		8.5	11	5	54.3		0.013
E384731		0.4	3	10	3.7		0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07104745

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE VA07093114

Project: IGOR

P.O. No.: 195255

This report is for 228 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 22-AUG-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E210296		1.29	0.40	6.81	15.9	7730	1.92	3.67	3.44	<0.02	74.30	83.1	34	4.14	1270.0	14.60
E210297		1.35	1.35	0.56	70.5	30	0.23	17.85	2.36	0.16	39.00	138.0	2	0.89	679.0	24.50
E210298		1.57	1.51	0.24	71.2	20	0.09	25.70	1.39	<0.02	76.70	188.5	<1	0.43	912.0	32.20
E210299		1.66	0.72	0.12	51.7	20	<0.05	11.60	1.52	<0.02	83.20	155.0	<1	0.36	698.0	35.60
E210300		1.57	0.85	0.14	61.0	20	0.05	12.75	1.50	<0.02	86.60	187.5	<1	0.27	780.0	37.20
E210301		1.68	1.35	0.54	123.0	10	0.13	22.00	0.57	<0.02	99.60	219.0	<1	0.51	208.0	35.00
E210302		0.38	0.12	0.35	7	30	0.10	0.02	20.30	0.14	4.75	2.3	8	0.17	3.8	0.28
E210303		0.16	0.28	6.91	50.3	100	2.16	1.60	1.87	<0.02	72.50	112.0	42	6.10	1630.0	7.07
E210304		1.77	1.51	0.39	126.5	10	0.11	21.90	0.82	<0.02	98.50	274.0	<1	0.44	809.0	37.20
E210305		1.54	3.25	0.51	146.0	10	0.11	47.70	1.21	<0.02	176.50	375.0	<1	0.49	1670.0	36.10
E210306		1.26	1.21	1.39	67.6	40	0.47	16.75	1.11	<0.02	76.80	177.0	6	1.96	1280.0	31.40
E210307		1.23	1.10	6.79	58.4	80	2.77	15.30	0.83	<0.02	124.50	183.5	47	13.25	1610.0	14.55
E210308		2.04	0.08	6.72	5.5	5250	2.65	0.39	3.26	<0.02	101.00	37.1	40	10.05	109.5	7.68
E210309		2.28	0.08	6.55	9.6	6030	0.85	0.15	2.95	<0.02	186.00	18.4	36	0.94	87.5	2.82
E210310		0.82	0.05	9.12	14.7	2930	1.58	0.24	1.89	<0.02	49.10	27.3	47	1.47	36.4	1.88
E210311		1.12	0.27	8.32	27.3	2650	1.00	0.51	2.32	<0.02	113.00	89.5	43	0.86	57.8	4.67
E210312		0.60	1.12	6.98	50.2	210	0.71	1.57	2.28	<0.02	85.70	248.0	34	0.31	129.5	9.88
E210313		0.42	0.01	0.36	5	60	0.10	0.05	19.45	0.14	5.89	3.2	8	0.15	5.1	0.32
E210314		0.64	0.75	7.06	35.9	350	0.67	1.23	2.44	<0.02	96.20	218.0	31	0.25	130.0	9.28
E210315		1.24	0.22	6.75	181.0	50	0.65	1.69	2.62	<0.02	64.80	336.0	24	0.70	67.7	10.20
E210316		1.20	0.34	6.49	157.5	50	0.55	1.54	1.49	<0.02	16.70	358.0	18	0.30	83.8	11.10
E210317		1.08	0.25	5.57	114.0	50	0.46	1.20	2.66	<0.02	66.70	307.0	22	0.30	16.7	10.55
E210318		0.94	0.03	6.43	4.5	5120	0.70	0.04	3.58	<0.02	77.60	18.2	26	0.34	19.0	5.66
E210319		1.32	0.03	9.07	2.1	7060	1.62	0.03	1.81	<0.02	5.20	36.3	46	1.19	42.5	2.84
E210320		1.08	0.04	4.82	5.1	750	0.55	0.06	4.36	<0.02	139.00	56.2	41	0.33	14.1	7.47
E210321		0.74	0.18	8.83	4.0	2530	2.12	0.05	2.17	<0.02	35.90	53.9	46	1.85	18.8	3.29
E210322		1.33	0.10	7.71	8.2	2780	1.20	0.10	2.46	<0.02	64.00	73.0	40	0.66	10.2	5.08
E210323		0.41	0.01	0.34	<5	50	0.07	0.01	19.95	0.13	5.13	2.2	7	0.15	4.4	0.30
E210324		0.15	0.27	7.08	51.8	110	2.35	1.62	1.93	<0.02	63.80	115.0	43	6.40	1640.0	7.31
E210325		0.89	0.04	7.82	4.0	4500	0.98	0.06	3.61	<0.02	6.96	23.4	41	0.48	171.5	6.03
E210326		1.24	0.09	4.60	17.8	650	0.54	0.24	2.97	<0.02	18.35	65.9	22	1.09	39.2	13.80
E210327		1.25	0.26	5.83	148.0	80	0.58	1.22	2.63	<0.02	17.75	299.0	24	1.52	42.7	13.90
E210328		1.13	0.19	7.12	91.8	300	0.90	1.07	2.07	<0.02	19.75	185.0	34	0.88	51.6	6.75
E210329		1.68	0.75	4.58	143.5	40	0.39	1.53	3.46	<0.02	6.79	509.0	17	0.63	129.5	14.60
E210330		1.08	0.21	5.36	90.9	200	0.42	0.66	4.83	<0.02	14.55	261.0	22	0.35	98.2	13.20
E210331		1.49	0.45	5.51	332.0	40	0.38	1.55	3.19	<0.02	67.70	638.0	17	0.53	126.0	15.10
E210332		1.32	0.34	5.44	182.5	50	0.46	1.18	3.05	<0.02	28.30	242.0	15	0.64	104.0	14.25
E210333		0.65	0.22	5.91	38.3	900	0.44	0.65	3.75	<0.02	328.00	61.7	25	0.37	103.5	10.60
E210334		0.36	0.01	0.35	12	100	0.09	0.03	19.25	0.13	5.22	2.0	8	0.16	3.5	0.43
E210335		0.76	0.17	6.20	29.2	1770	0.35	0.52	4.01	<0.02	149.00	42.4	21	0.40	44.8	9.57

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E210296		16.30	0.22	1.9	0.102	1.06	49.6	97.8	4.80	3990	18.70	0.03	4.6	46.9	950	14.7
E210297		2.14	0.27	0.2	0.301	0.08	18.1	7.4	2.33	16750	24.80	0.01	17.7	27.9	950	18.2
E210298		1.56	0.36	0.1	0.382	0.04	45.6	3.7	2.16	19050	37.90	0.02	18.5	40.0	1680	13.3
E210299		1.33	0.40	<0.1	0.473	0.03	51.6	2.2	2.18	19950	41.70	0.02	9.8	43.7	2320	7.2
E210300		1.48	0.42	0.1	0.471	0.02	49.7	2.8	2.18	21300	41.80	0.01	11.0	57.8	2520	8.2
E210301		2.32	0.40	0.2	0.314	0.03	56.0	6.9	1.67	14650	98.20	0.01	10.8	52.6	1430	11.2
E210302		0.86	0.09	0.1	0.008	0.05	2.5	4.2	11.05	247	0.32	0.02	0.5	6.5	410	1.5
E210303		19.10	0.17	2.0	0.120	2.99	39.7	21.3	1.33	3260	22.50	0.55	3.0	28.4	750	2.7
E210304		2.13	0.42	0.1	0.323	0.03	55.1	5.1	1.63	15950	87.40	0.01	9.0	65.0	1980	11.6
E210305		2.91	0.47	0.2	0.389	0.03	97.3	6.1	2.05	18300	86.40	0.02	9.3	79.5	2050	20.8
E210306		4.91	0.35	0.5	0.451	0.23	40.0	19.1	2.18	17800	56.10	0.02	5.9	49.8	1460	9.5
E210307		20.60	0.24	2.3	0.171	2.01	73.4	62.6	1.73	6610	37.60	0.06	4.2	65.1	1250	10.1
E210308		18.55	0.19	2.2	0.114	3.21	60.3	32.0	2.05	4490	9.41	0.04	4.7	29.4	750	2.6
E210309		15.65	0.18	1.4	0.009	0.42	145.0	6.8	0.90	1965	5.54	4.38	2.3	5.3	800	3.1
E210310		20.50	0.10	2.5	0.009	1.03	37.6	12.1	0.65	1235	0.61	5.96	4.7	6.3	860	2.0
E210311		16.95	0.17	1.6	0.007	0.39	90.8	6.5	0.70	1600	30.80	5.84	2.9	11.6	910	6.8
E210312		14.95	0.21	1.1	0.011	0.19	64.7	8.9	0.79	1820	313.00	4.74	5.0	31.3	490	15.9
E210313		0.96	0.07	0.1	<0.005	0.05	3.2	4.0	11.10	256	2.70	0.05	0.5	8.7	400	1.9
E210314		14.40	0.17	0.9	0.006	0.16	76.9	8.5	0.83	1890	360.00	4.77	2.4	26.6	510	8.7
E210315		12.60	0.16	0.3	0.010	0.30	49.4	9.3	0.94	2100	43.70	4.34	1.0	30.1	540	4.3
E210316		13.25	0.14	0.3	0.012	0.24	10.9	11.0	0.61	1390	47.80	4.08	1.0	36.5	470	6.2
E210317		10.45	0.16	0.5	0.007	0.21	49.8	14.8	0.91	2290	50.20	3.41	0.8	31.4	560	5.3
E210318		11.75	0.13	1.3	0.005	0.27	63.6	7.6	1.03	3000	7.28	4.36	1.9	9.0	530	1.5
E210319		20.40	0.09	2.0	0.008	1.09	3.0	11.8	0.56	1240	3.98	5.75	5.2	4.5	950	1.5
E210320		11.40	0.18	1.4	0.011	0.19	110.5	8.6	1.38	3230	4.39	3.18	2.0	15.5	760	1.9
E210321		23.30	0.10	2.5	0.021	1.98	27.6	18.9	0.75	1535	11.70	4.28	3.8	8.6	1020	1.7
E210322		18.20	0.13	2.5	0.007	0.56	53.7	7.9	0.73	1675	18.10	5.17	2.9	9.1	700	1.9
E210323		0.97	0.08	0.1	<0.005	0.05	2.6	4.1	11.35	253	0.35	0.03	0.5	8.7	400	1.8
E210324		19.25	0.16	2.0	0.123	3.01	34.2	23.5	1.36	3310	21.70	0.60	3.0	27.4	850	2.6
E210325		14.45	0.10	2.5	0.017	0.39	4.4	6.1	1.08	2500	0.93	5.43	1.8	8.7	720	1.4
E210326		11.25	0.17	1.3	0.030	0.31	14.0	20.1	1.47	3010	3.65	2.16	1.5	40.5	380	2.5
E210327		12.15	0.17	1.6	0.033	0.45	13.1	18.2	1.35	2390	41.70	3.01	1.7	53.6	540	4.2
E210328		14.05	0.11	2.6	0.027	0.30	14.8	10.1	0.83	1430	41.20	4.56	5.3	27.8	830	2.8
E210329		9.65	0.18	1.0	0.028	0.29	3.6	14.5	1.49	3360	69.90	2.47	1.6	51.7	450	7.5
E210330		10.95	0.16	2.3	0.029	0.14	10.5	14.7	1.82	4110	32.30	3.16	1.2	42.7	660	3.4
E210331		10.75	0.21	1.2	0.027	0.25	54.8	12.5	1.24	2470	202.00	3.23	1.4	60.9	880	6.3
E210332		9.42	0.17	1.2	0.028	0.25	21.2	15.1	1.67	5100	38.20	3.05	1.8	45.9	670	6.1
E210333		11.10	0.33	1.5	0.016	0.18	277.0	10.5	1.46	2750	20.90	3.59	1.3	29.7	650	2.9
E210334		0.94	0.06	0.1	0.009	0.05	2.9	3.3	10.50	255	0.47	0.04	0.5	6.0	400	1.6
E210335		10.45	0.21	1.7	0.020	0.19	128.0	10.7	1.59	2920	20.50	3.82	1.3	25.4	660	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E210296		56.7	0.003	0.48	1.43	10.3	2	5.2	141.5	0.30	0.15	15.2	0.160	0.30	77.5	69
E210297		4.9	0.006	3.80	3.62	1.8	3	4.6	310.0	0.15	1.07	1.3	0.021	0.33	25.3	50
E210298		2.3	0.012	5.97	3.72	1.0	3	4.2	227.0	0.20	1.02	1.7	0.011	0.31	11.0	51
E210299		1.5	0.008	4.99	2.27	0.9	3	2.5	209.0	0.16	0.68	1.4	0.005	0.13	5.2	52
E210300		1.0	0.008	5.54	2.46	1.1	3	2.8	216.0	0.21	0.65	2.0	0.005	0.24	8.6	62
E210301		1.8	0.020	>10.0	5.31	1.3	5	5.8	194.0	0.12	1.83	1.1	0.013	0.29	20.9	54
E210302		1.7	<0.002	0.03	0.65	1.3	1	0.2	102.5	<0.05	<0.05	0.4	0.016	<0.02	1.0	4
E210303		131.0	0.008	1.32	1.07	11.2	3	7.1	432.0	0.18	0.17	14.2	0.117	0.37	20.3	66
E210304		2.2	0.017	>10.0	4.38	0.9	5	5.1	240.0	0.13	1.45	1.1	0.010	0.30	22.8	57
E210305		2.1	0.022	>10.0	4.26	1.3	5	4.8	204.0	0.17	1.31	1.9	0.014	0.43	26.3	66
E210306		11.9	0.014	2.97	2.76	2.8	3	6.6	311.0	0.12	0.63	3.3	0.026	0.17	46.7	70
E210307		115.0	0.271	2.01	2.55	12.6	3	13.9	206.0	0.20	0.35	14.2	0.107	0.76	59.6	109
E210308		154.5	0.005	0.22	1.61	11.5	2	4.5	149.5	0.28	0.07	15.3	0.178	0.39	15.8	67
E210309		15.7	<0.002	0.31	0.97	7.5	1	3.3	179.0	0.22	<0.05	10.6	0.075	0.06	18.8	22
E210310		38.4	0.002	0.26	1.32	20.4	1	8.1	128.5	0.35	0.06	6.8	0.105	0.10	27.4	25
E210311		12.0	0.009	0.71	1.27	7.4	2	2.9	130.5	0.32	0.12	47.2	0.091	0.11	247.0	23
E210312		4.8	0.086	2.03	1.85	5.1	3	1.5	85.2	0.62	0.21	77.5	0.069	0.19	650.0	45
E210313		1.7	<0.002	0.04	0.28	1.3	2	0.2	106.0	<0.05	<0.05	0.9	0.016	<0.02	4.0	5
E210314		4.0	0.091	1.75	1.06	4.5	3	1.6	89.7	0.28	0.19	29.5	0.045	0.21	229.0	42
E210315		8.2	0.003	2.99	0.57	4.9	2	1.4	147.5	0.09	0.17	4.3	0.028	0.13	13.8	38
E210316		6.5	<0.002	3.03	0.87	3.4	2	1.4	207.0	0.10	0.31	2.7	0.028	0.58	29.6	46
E210317		5.2	0.002	2.60	0.68	4.7	2	1.8	206.0	0.08	0.25	5.3	0.033	0.48	12.5	55
E210318		8.2	<0.002	0.27	0.46	9.2	1	3.8	277.0	0.20	<0.05	8.8	0.080	0.03	3.0	32
E210319		40.8	<0.002	0.41	0.57	30.0	1	10.9	203.0	0.40	<0.05	14.5	0.120	0.10	4.6	50
E210320		5.0	<0.002	0.38	0.60	9.8	2	2.4	285.0	0.18	<0.05	12.5	0.052	0.03	2.5	60
E210321		70.8	<0.002	0.43	0.61	33.5	2	12.6	259.0	0.32	<0.05	18.4	0.111	0.20	6.7	65
E210322		21.5	0.002	0.53	0.53	16.3	2	6.7	115.5	0.30	<0.05	9.3	0.122	0.06	3.3	54
E210323		1.7	<0.002	0.03	0.30	1.4	2	0.2	107.0	<0.05	<0.05	0.5	0.016	<0.02	0.2	6
E210324		131.5	0.006	1.40	1.05	11.0	3	7.7	453.0	0.19	0.17	13.5	0.118	0.35	19.4	68
E210325		13.6	<0.002	0.28	0.40	13.4	2	5.2	176.5	0.19	<0.05	1.2	0.119	0.04	2.9	43
E210326		8.4	0.002	0.48	0.68	3.9	2	1.8	214.0	0.14	<0.05	2.4	0.036	0.06	7.6	71
E210327		11.1	0.006	2.44	0.92	4.7	2	2.1	85.6	0.15	0.20	5.9	0.042	0.09	17.6	62
E210328		7.3	0.005	1.41	0.67	2.6	2	1.7	95.4	0.29	0.29	5.0	0.046	0.06	17.2	20
E210329		7.9	0.005	3.98	0.90	4.7	3	1.6	287.0	0.11	0.37	2.9	0.030	0.24	15.5	42
E210330		3.7	0.003	2.33	0.67	5.9	2	1.0	64.2	0.10	0.20	6.5	0.023	0.04	33.0	38
E210331		6.9	0.009	6.32	1.00	3.4	4	1.5	86.3	0.09	1.05	7.6	0.027	0.06	15.4	39
E210332		6.6	0.002	2.66	0.57	6.2	2	2.1	225.0	0.13	0.33	3.2	0.038	0.12	23.9	28
E210333		4.6	<0.002	0.69	0.54	4.2	1	1.9	215.0	0.09	0.14	7.5	0.036	0.05	8.4	25
E210334		1.5	<0.002	0.05	0.24	1.0	1	<0.2	99.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	5
E210335		4.8	<0.002	0.53	0.48	4.3	1	1.9	222.0	0.10	0.13	3.3	0.033	0.05	3.6	23

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001
E210296		13.0	17.2	73	62.9	0.014
E210297		13.1	10.9	38	5.9	0.013
E210298		8.0	12.3	36	2.5	0.013
E210299		4.5	14.1	40	1.4	0.010
E210300		6.0	14.8	38	1.6	0.011
E210301		6.7	10.4	40	5.9	0.021
E210302		0.4	3.4	11	3.5	
E210303		8.7	11.8	16	63.0	0.024
E210304		9.8	11.3	38	4.0	0.025
E210305		5.0	14.3	42	6.5	0.026
E210306		7.8	14.4	45	14.9	0.014
E210307		15.4	22.1	50	73.7	0.019
E210308		13.2	16.6	21	69.1	0.004
E210309		5.6	11.0	14	43.0	0.002
E210310		8.9	10.8	11	78.2	0.002
E210311		5.4	18.9	17	52.2	0.005
E210312		10.1	23.8	21	34.4	0.014
E210313		0.5	3.7	13	3.8	0.001
E210314		5.7	12.5	19	26.3	0.011
E210315		2.3	6.6	22	10.7	0.011
E210316		2.6	5.0	21	10.0	0.016
E210317		2.7	6.5	20	16.5	0.014
E210318		3.8	8.9	13	39.9	0.001
E210319		8.0	8.8	12	61.4	0.001
E210320		6.5	11.1	16	43.2	<0.001
E210321		8.2	10.3	13	77.5	<0.001
E210322		4.4	9.0	12	77.6	0.002
E210323		0.5	3.7	9	3.8	0.001
E210324		8.9	11.9	16	62.5	0.018
E210325		3.7	8.1	14	72.7	0.001
E210326		4.5	6.7	28	41.3	0.003
E210327		7.7	7.8	28	49.6	0.016
E210328		3.3	9.6	16	80.5	0.011
E210329		3.7	7.4	25	31.2	0.018
E210330		2.7	11.8	27	72.6	0.010
E210331		2.7	9.4	27	36.8	0.035
E210332		2.9	8.0	27	38.5	0.014
E210333		2.5	10.7	12	54.0	0.006
E210334		0.4	3.2	11	3.5	0.001
E210335		2.3	9.2	12	56.6	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E210336		1.52	0.79	6.08	129.0	110	0.39	1.43	2.98	<0.02	109.00	202.0	24	0.38	118.5	9.62
E210337		1.25	0.81	6.24	131.5	100	0.47	2.08	2.03	<0.02	239.00	271.0	21	0.64	149.0	10.05
E210338		1.43	0.42	6.19	70.3	170	0.54	1.09	1.40	<0.02	34.20	193.5	23	0.88	177.0	10.15
E210339		1.35	0.41	5.62	97.5	140	0.46	1.27	2.09	<0.02	45.70	210.0	28	1.06	169.5	13.45
E210340		1.34	0.55	6.13	254.0	110	0.41	1.77	4.44	<0.02	77.30	348.0	14	0.29	83.9	10.30
E210341		1.23	0.33	4.79	222.0	100	0.35	1.04	4.23	<0.02	66.60	251.0	21	0.45	51.2	13.80
E210342		1.57	0.34	5.04	246.0	130	0.34	1.39	3.44	<0.02	144.50	388.0	22	0.44	54.9	13.85
E210343		1.46	0.26	4.46	157.0	160	0.34	0.89	2.85	<0.02	32.90	233.0	22	0.36	80.0	16.00
E210344		0.31	0.01	0.41	11	150	0.10	0.02	20.10	0.12	5.21	3.2	8	0.14	5.2	0.44
E210345		0.20	0.97	5.61	77.6	90	1.46	2.83	1.93	<0.02	54.20	150.5	30	3.36	7340.0	9.66
E210346		1.45	0.45	6.07	102.5	160	0.48	0.94	3.24	<0.02	118.00	484.0	16	1.13	254.0	10.75
E210347		1.14	0.22	5.55	62.5	370	0.49	0.57	1.25	<0.02	20.70	218.0	24	0.63	49.6	15.70
E210348		1.06	0.16	9.20	12.7	270	1.69	0.29	0.51	<0.02	22.30	261.0	54	1.39	163.0	3.22
E210349		1.26	0.34	6.63	147.0	120	0.42	1.59	1.93	<0.02	44.80	269.0	28	0.38	95.7	9.21
E210350		1.25	0.12	4.20	62.8	280	0.32	0.25	3.02	<0.02	117.00	119.0	20	0.43	36.8	14.85
E210351		1.41	0.08	4.07	58.2	710	0.27	0.18	6.62	<0.02	111.50	67.6	23	0.21	57.8	13.05
E210352		1.47	0.11	2.92	13.4	630	0.25	0.17	3.76	<0.02	175.50	132.5	12	0.30	113.0	19.45
E210353		1.66	0.15	2.17	55.9	230	0.18	0.28	3.61	<0.02	98.60	210.0	7	0.26	22.6	22.70
E210354		0.64	0.10	3.95	83.6	130	0.33	0.23	3.51	<0.02	61.90	212.0	21	0.29	40.1	17.10
E210355		0.29	<0.01	0.33	8	50	0.10	0.01	20.60	0.13	4.68	2.0	10	0.14	4.2	0.28
E210356		0.67	0.08	3.61	78.7	140	0.25	0.22	3.32	<0.02	48.30	178.5	21	0.33	11.6	16.70
E210357		1.37	0.10	5.00	42.1	90	0.32	0.33	6.00	<0.02	330.00	219.0	20	0.19	14.2	11.15
E210358		1.32	0.09	2.36	11.4	130	0.17	0.14	2.60	<0.02	274.00	159.0	8	0.20	6.8	20.80
E210359		1.89	0.21	0.70	27.7	60	0.10	0.52	3.04	<0.02	83.80	478.0	7	0.11	7.6	31.50
E210360		2.09	0.09	0.75	9.5	3120	0.10	0.10	3.03	<0.02	389.00	63.2	4	0.12	15.0	26.60
E210361		0.87	0.10	1.46	7.0	1730	0.19	0.12	4.16	<0.02	174.00	25.4	5	0.49	19.1	29.70
E210362		1.32	0.22	4.93	63.0	120	0.70	1.09	0.52	<0.02	247.00	75.9	28	1.74	13.4	14.75
E210363		1.37	0.19	4.28	118.5	240	0.44	1.61	0.36	<0.02	>500	96.3	30	0.93	7.7	19.00
E210364		1.40	0.25	3.99	174.5	600	0.46	1.59	3.56	<0.02	455.00	113.0	25	1.00	14.8	17.95
E210365		0.30	<0.01	0.33	<5	40	0.05	0.02	20.60	0.13	6.46	2.2	9	0.15	5.2	0.30
E210366		0.20	1.24	2.51	72.1	60	0.65	11.45	2.37	<0.02	180.50	334.0	11	2.51	9000.0	29.00
E210367		1.28	1.55	3.44	168.5	70	0.38	8.33	3.19	<0.02	415.00	327.0	11	1.01	125.5	20.30
E210368		1.48	1.25	3.19	172.5	100	0.46	6.35	0.35	<0.02	304.00	400.0	9	1.23	59.8	23.30
E210369		1.98	0.44	3.85	388.0	70	0.53	2.46	0.39	<0.02	>500	409.0	11	1.76	42.7	22.60
E210370		0.97	0.26	4.98	132.5	110	0.67	1.66	1.41	<0.02	121.00	133.5	36	1.64	14.7	15.20
E210371		1.43	0.32	4.89	203.0	30	0.58	1.97	1.25	<0.02	283.00	129.5	31	1.49	24.6	16.20
E210372		1.24	0.80	3.12	301.0	30	0.33	4.83	4.48	0.18	303.00	325.0	6	0.99	144.0	22.50
E210373		1.45	0.70	2.28	248.0	30	0.30	3.69	3.57	0.26	491.00	285.0	6	0.74	154.0	22.90
E210374		1.22	0.13	2.75	120.0	390	0.29	0.60	4.74	<0.02	466.00	141.5	10	0.70	8.5	19.60
E210375		0.67	0.27	2.74	144.0	50	0.30	1.22	4.17	<0.02	>500	265.0	11	0.77	13.2	21.40

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E210336		9.55	0.20	1.4	0.013	0.25	83.9	9.7	1.13	2340	52.50	3.71	1.3	31.3	630	5.6
E210337		11.50	0.29	1.3	0.013	0.27	181.5	11.2	1.04	1710	27.60	3.71	2.3	36.2	790	10.9
E210338		10.95	0.19	1.3	0.032	0.31	25.0	8.4	0.95	2670	28.70	3.82	3.0	28.6	490	6.8
E210339		10.05	0.22	0.8	0.025	0.32	36.8	10.4	1.04	2130	39.00	3.25	1.4	40.3	700	4.7
E210340		8.23	0.20	0.8	0.033	0.20	59.8	10.3	1.56	3470	35.70	3.85	1.0	26.3	820	6.7
E210341		8.59	0.23	0.6	0.034	0.24	51.6	9.0	1.54	3490	53.40	2.91	1.3	32.9	570	4.2
E210342		8.97	0.25	0.6	0.028	0.23	122.5	7.8	1.36	3940	130.00	3.11	1.2	38.2	820	5.0
E210343		9.44	0.23	0.6	0.017	0.21	25.8	8.0	1.10	2930	59.50	2.66	2.2	39.1	640	3.7
E210344		0.98	0.05	0.1	<0.005	0.05	2.8	3.3	11.00	280	1.34	0.04	0.5	6.5	420	1.6
E210345		14.00	0.19	1.5	0.123	2.01	22.2	18.9	1.20	3480	64.30	0.85	3.0	34.1	870	20.7
E210346		9.56	0.23	1.3	0.036	0.37	95.7	6.9	1.31	2710	107.50	3.76	3.8	29.8	760	6.6
E210347		11.65	0.22	1.5	0.017	0.26	17.1	8.0	0.71	1730	65.80	3.37	3.5	37.9	590	2.9
E210348		21.40	0.11	2.8	0.016	1.25	16.2	10.8	0.27	233	106.00	5.58	6.2	12.7	930	2.9
E210349		9.92	0.18	2.0	0.011	0.15	33.6	7.7	0.75	1415	38.10	4.41	1.5	24.7	940	2.7
E210350		7.24	0.27	0.9	0.067	0.20	95.1	7.1	2.38	9990	111.00	2.60	1.0	17.9	600	2.1
E210351		7.08	0.24	1.1	0.037	0.13	95.3	5.0	3.21	7320	119.00	2.63	1.0	19.7	650	2.1
E210352		8.69	0.34	0.5	0.048	0.14	156.0	6.1	2.59	8530	66.90	1.64	1.7	34.0	770	3.7
E210353		9.62	0.37	0.4	0.044	0.11	83.0	6.6	2.28	7120	66.20	1.06	2.2	46.3	720	4.3
E210354		8.46	0.28	0.6	0.016	0.16	46.9	7.6	1.66	4170	71.30	2.31	1.2	36.6	460	4.2
E210355		0.87	0.06	0.1	<0.005	0.05	2.5	3.1	11.25	251	0.85	0.02	0.4	6.1	420	1.5
E210356		8.16	0.25	0.5	0.016	0.15	35.5	8.4	1.70	4260	92.50	2.01	1.0	34.6	560	3.6
E210357		8.37	0.34	1.3	0.013	0.12	255.0	4.5	2.15	4760	89.20	3.42	1.0	21.3	1000	3.9
E210358		8.63	0.43	0.3	0.044	0.08	231.0	7.3	2.08	8280	55.80	1.21	1.4	41.8	970	3.3
E210359		8.65	0.46	0.1	0.055	0.02	68.6	4.2	2.03	7060	90.00	0.18	2.1	66.8	550	4.6
E210360		9.22	0.59	0.1	0.112	0.02	334.0	5.9	1.96	8140	32.60	0.15	1.5	36.2	1660	4.1
E210361		10.15	0.46	0.2	0.160	0.09	135.5	17.0	3.18	12650	31.00	0.07	1.1	45.1	900	3.0
E210362		12.30	0.36	1.2	0.073	0.35	165.0	34.1	1.58	4980	16.15	1.55	1.1	47.4	1120	2.1
E210363		13.30	0.64	1.6	0.153	0.27	550.0	30.4	1.67	7800	46.20	1.20	1.0	55.6	1660	2.7
E210364		11.35	0.53	0.9	0.209	0.32	365.0	25.2	2.82	7590	52.00	1.24	1.2	53.6	1720	3.4
E210365		0.92	<0.05	0.1	<0.005	0.05	3.9	4.0	11.25	255	0.72	0.02	0.5	7.7	420	1.5
E210366		10.30	0.38	0.7	0.255	0.70	100.0	19.3	1.66	6590	63.90	0.26	6.2	63.2	2540	6.4
E210367		9.22	0.45	1.4	0.213	0.37	266.0	10.1	2.45	6720	377.00	1.60	1.6	60.2	1410	10.5
E210368		9.54	0.44	0.5	0.170	0.40	204.0	11.7	1.49	7380	45.40	1.27	1.8	60.4	1390	10.1
E210369		11.30	0.54	0.6	0.189	0.39	338.0	22.0	1.38	6400	19.50	1.55	1.4	61.4	1260	7.2
E210370		13.45	0.31	2.1	0.043	0.45	77.9	30.7	1.19	1175	14.95	1.81	1.4	66.1	800	5.1
E210371		12.70	0.38	1.3	0.011	0.52	184.5	27.5	1.08	978	13.90	1.63	1.5	56.3	1250	4.8
E210372		11.00	0.47	0.5	0.022	0.34	209.0	20.2	2.27	4120	42.60	0.91	3.1	72.2	1480	15.7
E210373		10.65	0.59	0.4	0.033	0.21	326.0	16.7	1.98	5260	45.70	0.63	3.7	65.2	1440	14.8
E210374		9.70	0.47	0.6	0.029	0.22	323.0	12.3	2.26	5450	42.30	1.19	2.4	48.9	1780	2.8
E210375		10.70	0.57	0.7	0.043	0.25	412.0	14.6	2.25	7070	21.10	1.08	1.9	55.0	1570	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E210336		6.1	<0.002	2.03	0.72	3.8	1	2.0	384.0	0.09	0.41	3.9	0.036	0.16	20.5	22
E210337		6.6	<0.002	2.52	1.14	3.2	2	1.7	405.0	0.11	0.47	14.8	0.037	0.30	136.5	27
E210338		8.0	<0.002	1.73	1.16	2.6	1	1.8	490.0	0.13	0.26	8.1	0.037	0.16	110.0	27
E210339		8.1	<0.002	2.25	0.71	3.2	1	2.0	229.0	0.10	0.27	2.5	0.038	0.11	12.2	55
E210340		5.6	<0.002	3.64	0.54	5.6	<1	2.0	218.0	0.06	0.68	3.4	0.037	0.13	10.9	18
E210341		6.3	<0.002	2.43	0.60	4.9	1	1.4	254.0	0.09	0.35	2.6	0.029	0.06	7.3	46
E210342		5.9	0.004	3.56	0.63	4.9	2	1.1	98.0	0.07	0.35	4.7	0.025	0.05	5.2	36
E210343		5.5	<0.002	1.90	0.75	2.7	2	1.3	149.0	0.11	0.23	2.5	0.030	0.07	13.4	54
E210344		1.4	<0.002	0.05	0.28	1.1	1	<0.2	105.5	<0.05	<0.05	0.4	0.016	<0.02	0.2	5
E210345		78.3	0.020	2.34	1.39	8.5	2	6.8	559.0	0.14	0.21	7.0	0.078	0.43	251.0	54
E210346		9.8	0.011	3.76	0.80	3.5	2	1.4	114.5	0.19	0.15	11.1	0.034	0.12	78.9	25
E210347		6.7	0.005	1.65	0.73	2.5	2	1.4	71.2	0.17	0.12	3.9	0.037	0.06	19.9	54
E210348		52.7	0.010	1.94	0.53	32.5	1	11.2	96.7	0.21	<0.05	5.2	0.064	0.14	31.4	43
E210349		3.5	<0.002	2.44	0.46	2.7	1	2.3	196.0	0.10	0.40	1.9	0.065	0.06	3.1	27
E210350		5.4	0.004	1.15	0.34	6.9	1	1.7	188.5	0.06	0.06	3.9	0.033	0.04	4.0	27
E210351		3.1	0.007	0.75	0.37	9.5	1	1.7	208.0	0.07	0.05	3.4	0.032	0.02	4.6	33
E210352		3.3	0.002	1.04	0.56	5.6	2	1.5	82.9	0.07	<0.05	5.3	0.025	0.02	11.1	53
E210353		2.8	0.003	1.72	0.76	3.9	2	1.4	132.5	0.06	0.05	3.2	0.024	0.03	12.7	69
E210354		4.0	0.007	1.87	0.52	4.9	2	1.9	307.0	0.05	0.07	2.1	0.030	0.04	9.0	52
E210355		1.3	<0.002	0.03	0.31	1.0	1	<0.2	104.0	<0.05	<0.05	0.3	0.015	<0.02	0.2	4
E210356		3.8	0.010	1.60	0.54	4.3	2	1.7	349.0	0.05	0.06	1.9	0.026	0.03	10.2	51
E210357		2.7	0.012	2.07	0.31	8.1	2	2.5	432.0	0.05	0.11	6.9	0.043	0.04	4.7	24
E210358		1.8	0.003	1.55	0.46	5.4	1	1.3	265.0	<0.05	<0.05	4.9	0.019	0.02	6.3	51
E210359		0.6	0.006	4.30	0.78	3.1	2	0.7	70.9	0.05	0.10	1.8	0.010	<0.02	12.4	97
E210360		0.5	0.003	0.57	0.93	1.0	<1	0.7	86.1	<0.05	<0.05	6.5	0.009	<0.02	24.7	91
E210361		2.5	0.002	0.19	0.82	3.2	1	1.6	376.0	<0.05	<0.05	3.1	0.028	0.02	8.6	91
E210362		13.9	<0.002	1.61	0.59	5.3	2	2.4	576.0	<0.05	0.21	4.3	0.046	0.06	17.5	54
E210363		8.6	0.008	2.00	0.62	6.3	2	3.1	72.8	<0.05	0.24	8.5	0.053	0.05	5.6	63
E210364		9.3	0.012	2.48	0.68	5.1	2	3.1	45.1	<0.05	0.24	8.0	0.058	0.07	8.4	51
E210365		1.4	<0.002	0.04	0.38	1.1	1	<0.2	106.0	<0.05	<0.05	0.4	0.015	<0.02	0.2	5
E210366		37.9	0.021	7.35	2.26	4.4	5	7.6	181.0	0.16	1.21	6.4	0.037	0.48	17.5	56
E210367		11.7	0.096	8.59	1.33	6.3	2	4.3	44.3	<0.05	2.59	11.5	0.061	0.16	22.2	41
E210368		12.1	0.013	7.81	1.54	3.4	2	3.3	37.6	<0.05	1.94	5.5	0.037	0.13	8.4	52
E210369		12.7	0.008	7.11	1.29	4.3	2	2.5	42.1	0.05	1.03	8.0	0.030	0.11	6.5	56
E210370		15.4	0.004	3.72	1.21	3.7	1	4.2	46.1	0.07	0.47	2.7	0.071	0.10	15.7	46
E210371		17.6	0.004	3.78	1.06	3.9	1	4.1	164.0	0.06	0.92	3.9	0.064	0.12	11.9	46
E210372		10.8	0.012	6.29	1.57	6.0	2	3.5	72.4	0.10	1.74	3.2	0.041	0.13	5.2	58
E210373		7.0	0.013	5.30	1.48	5.5	2	3.1	61.6	0.13	1.56	5.2	0.036	0.09	4.7	57
E210374		7.5	0.012	2.02	0.83	4.9	1	2.8	42.8	0.08	0.32	5.4	0.034	0.06	5.4	64
E210375		8.5	0.007	4.02	0.84	6.2	2	3.3	84.3	0.06	0.71	7.0	0.043	0.06	3.1	47

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001
E210336		2.3	8.5	11	50.4	0.013
E210337		3.6	11.1	13	47.1	0.018
E210338		2.9	8.0	10	46.7	0.010
E210339		4.3	7.0	12	28.8	0.012
E210340		2.2	8.1	13	29.4	0.023
E210341		2.8	6.9	10	23.0	0.015
E210342		2.2	8.3	12	21.2	0.020
E210343		2.7	7.3	10	22.4	0.016
E210344		0.4	3.3	11	3.4	0.002
E210345		7.4	14.1	7	50.7	0.053
E210346		2.8	10.7	8	45.3	0.013
E210347		3.6	7.2	8	55.1	0.008
E210348		5.3	9.1	6	91.6	0.007
E210349		2.5	8.5	6	69.8	0.016
E210350		2.5	7.3	9	33.9	0.012
E210351		3.6	8.1	7	40.7	0.014
E210352		4.6	9.8	12	19.3	0.004
E210353		9.9	8.6	12	15.6	0.008
E210354		3.5	5.9	12	22.1	0.019
E210355		0.4	3.3	12	3.3	0.001
E210356		3.3	5.9	11	19.3	0.017
E210357		2.4	12.5	9	44.9	0.019
E210358		4.3	9.0	15	9.7	0.004
E210359		8.4	6.1	11	5.0	0.006
E210360		14.2	12.2	13	3.3	0.001
E210361		19.1	10.7	21	6.4	0.003
E210362		3.3	10.4	25	40.6	0.020
E210363		4.8	14.1	26	51.1	0.012
E210364		5.9	14.3	22	30.0	0.015
E210365		0.4	3.4	12	3.3	0.002
E210366		7.4	15.4	14	23.4	0.110
E210367		9.1	16.5	11	43.8	0.089
E210368		8.9	11.3	13	16.5	0.062
E210369		8.5	11.9	17	19.1	0.024
E210370		6.6	14.1	19	63.2	0.017
E210371		6.3	12.6	18	39.9	0.026
E210372		9.7	13.3	45	17.6	0.054
E210373		10.4	13.1	51	13.7	0.049
E210374		7.0	15.1	9	18.2	0.015
E210375		7.4	15.7	11	22.6	0.023

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E210376		0.38	0.01	0.32	<5	20	0.09	0.03	19.35	0.16	6.64	3.2	6	0.17	4.5	0.29
E210377		0.70	0.19	2.77	101.5	50	0.29	0.80	4.43	<0.02	>500	205.0	9	0.76	7.2	18.45
E210378		1.26	0.07	0.84	30.4	400	0.13	0.18	2.99	<0.02	500.00	89.4	3	0.21	21.3	24.30
E210379		1.60	0.27	7.29	134.0	190	1.93	1.46	2.52	<0.02	194.00	212.0	45	2.51	25.8	12.05
E210380		1.40	0.21	5.43	168.0	30	0.61	1.13	2.83	<0.02	220.00	342.0	29	0.80	14.5	14.85
E210381		1.30	0.21	4.91	126.5	80	0.47	1.30	1.63	<0.02	462.00	395.0	25	0.50	10.9	15.40
E210382		1.71	0.36	2.13	332.0	180	0.18	1.29	1.58	<0.02	480.00	434.0	6	0.47	33.6	24.40
E210383		1.56	0.46	1.93	339.0	50	0.21	1.32	0.59	<0.02	487.00	479.0	5	0.43	20.5	25.80
E210384		1.51	0.20	2.38	70.8	80	0.29	0.46	1.27	<0.02	396.00	293.0	7	0.52	19.1	23.90
E210385		1.43	0.16	3.39	17.0	60	0.36	0.17	0.76	<0.02	410.00	124.5	10	0.91	40.4	20.70
E210386		0.26	0.01	0.31	<5	20	0.08	0.01	19.50	0.16	6.39	2.7	9	0.16	4.6	0.30
E210387		0.15	0.31	7.07	56.8	100	2.51	1.62	1.97	<0.02	68.90	118.5	40	6.91	1620.0	7.21
E210388		1.80	0.27	1.95	104.5	140	0.26	0.72	1.41	<0.02	470.00	348.0	9	0.73	31.1	22.90
E210389		1.20	0.13	1.75	70.6	530	0.21	0.33	2.52	<0.02	394.00	150.0	11	0.49	59.2	23.10
E210390		1.40	0.37	3.55	100.0	320	0.32	1.35	5.28	<0.02	481.00	214.0	15	0.61	169.5	16.50
E210391		1.43	0.98	3.60	230.0	100	0.41	3.70	2.69	<0.02	>500	503.0	11	1.17	143.5	20.20
E210392		1.18	0.14	5.50	86.8	90	0.57	0.42	2.92	<0.02	323.00	144.5	15	0.94	5.9	14.90
E210393		1.28	0.11	4.38	59.4	70	0.43	0.30	3.75	<0.02	406.00	180.5	15	0.70	9.4	14.30
E210394		1.54	0.11	3.26	68.7	210	0.37	0.33	4.96	<0.02	470.00	149.0	24	0.55	13.4	14.90
E210395		1.49	0.17	3.22	336.0	240	0.36	0.65	2.55	<0.02	363.00	252.0	15	0.70	12.5	17.60
E210396		0.63	0.12	2.57	68.8	160	0.28	0.29	0.57	<0.02	366.00	136.0	12	0.90	9.9	19.65
E210397		0.30	0.01	0.30	<5	30	0.08	0.01	19.55	0.16	6.10	2.6	6	0.16	4.6	0.29
E210398		0.70	0.10	2.86	53.4	220	0.37	0.20	0.59	<0.02	343.00	103.0	13	0.79	22.2	20.20
E210399		1.48	0.18	2.71	177.0	60	0.27	0.54	3.36	<0.02	125.00	193.5	8	0.82	42.0	20.70
E210400		1.38	0.18	4.16	96.0	340	0.52	0.63	3.38	<0.02	208.00	176.0	8	1.88	4.2	18.30
E210401		1.46	0.20	1.98	16.8	130	0.31	0.32	3.60	<0.02	161.00	209.0	15	0.91	4.0	20.70
E210402		1.41	0.09	5.27	7.8	460	0.63	0.08	5.02	<0.02	290.00	78.2	22	1.81	3.9	12.70
E210403		1.16	0.11	6.37	13.2	610	0.81	0.22	3.70	<0.02	299.00	87.3	23	3.82	126.5	12.75
E210404		1.34	0.12	3.15	3.2	310	0.41	0.08	3.12	<0.02	140.50	45.8	11	3.42	440.0	12.30
E210405		1.31	0.16	3.69	10.6	80	0.48	0.24	3.52	<0.02	305.00	239.0	13	1.86	112.5	17.50
E210406		1.22	0.11	4.11	9.7	80	0.44	0.24	3.06	<0.02	148.50	340.0	12	1.70	22.7	17.10
E210407		0.27	0.02	0.32	6	1000	0.10	0.04	19.25	0.15	5.73	3.0	5	0.17	24.8	0.31
E210408		0.22	1.04	5.76	72.6	70	2.10	2.81	1.99	<0.02	62.90	164.0	31	3.81	7650.0	9.75
E210409		0.99	0.08	4.15	8.7	80	0.46	0.19	3.41	<0.02	242.00	288.0	16	0.98	39.8	15.70
E210410		1.29	0.18	4.17	10.4	90	0.36	0.65	2.08	0.05	119.50	412.0	11	0.66	15.5	15.90
E210411		1.36	0.12	4.34	31.8	220	0.44	0.40	3.90	<0.02	131.50	182.5	14	0.94	43.5	14.80
E210412		1.41	0.08	3.72	43.6	510	0.83	0.36	3.92	<0.02	105.50	253.0	7	5.26	15.4	21.50
E210413		1.44	0.25	5.01	382.0	100	0.63	1.72	2.93	<0.02	264.00	358.0	17	2.40	19.5	15.05
E210414		1.54	0.70	3.13	473.0	30	0.31	7.62	3.76	<0.02	338.00	415.0	11	0.68	61.9	22.30
E210415		1.01	1.43	4.76	1560.0	50	1.41	9.97	1.47	0.19	481.00	643.0	33	2.20	242.0	20.60

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E210376		0.92	<0.05	0.1	<0.005	0.05	3.2	4.1	10.70	241	0.56	0.02	0.5	6.7	420	1.8
E210377		10.45	0.52	0.7	0.038	0.25	404.0	15.4	2.20	6150	23.10	1.11	1.8	48.6	1780	2.5
E210378		9.69	0.55	0.3	0.022	0.05	395.0	6.9	1.34	4310	12.95	0.21	1.7	44.1	1410	1.6
E210379		18.40	0.28	2.2	0.024	1.68	133.5	21.1	1.22	1980	21.20	2.60	6.1	51.8	1120	4.8
E210380		13.55	0.34	1.8	0.017	0.26	140.5	23.0	1.62	2770	4.44	2.59	1.7	64.2	730	2.5
E210381		11.55	0.42	2.2	0.015	0.19	318.0	11.4	1.03	3120	6.88	2.96	3.0	54.8	860	2.7
E210382		11.50	0.59	0.6	0.023	0.11	394.0	16.1	1.14	3500	55.00	0.69	5.4	69.6	1520	4.7
E210383		11.70	0.60	0.5	0.020	0.11	339.0	18.1	0.84	3640	63.20	0.45	4.6	74.9	2090	4.6
E210384		12.45	0.53	0.7	0.030	0.16	281.0	18.5	1.11	4160	54.80	0.74	4.9	64.6	1850	2.8
E210385		13.50	0.48	0.7	0.024	0.26	290.0	21.0	1.05	4110	81.90	1.19	5.7	52.7	1790	2.2
E210386		0.95	<0.05	0.1	<0.005	0.05	3.1	3.9	10.75	242	1.05	0.03	0.5	6.7	410	2.7
E210387		20.60	0.21	2.1	0.128	2.97	31.3	26.5	1.33	3270	18.80	0.56	2.9	28.4	790	3.0
E210388		12.25	0.56	0.6	0.028	0.18	376.0	21.7	1.14	3400	118.00	0.20	4.5	76.6	2160	2.8
E210389		10.90	0.50	0.6	0.035	0.13	277.0	20.4	1.25	3550	98.90	0.18	4.1	58.6	2900	2.3
E210390		10.65	0.46	2.0	0.021	0.21	350.0	14.7	2.06	4770	266.00	1.71	3.0	52.7	2450	3.8
E210391		11.75	0.57	1.2	0.031	0.31	480.0	22.1	1.53	3650	143.00	1.27	4.2	86.5	2270	7.2
E210392		12.05	0.34	1.3	0.027	0.30	234.0	18.8	1.60	3350	68.20	2.88	3.3	43.2	1870	2.3
E210393		11.20	0.38	0.9	0.039	0.23	287.0	15.5	1.84	3180	70.30	2.36	2.5	36.4	1660	2.0
E210394		10.70	0.45	1.5	0.039	0.16	365.0	14.5	2.35	3730	75.70	1.50	3.1	34.8	1960	2.4
E210395		11.10	0.43	1.4	0.029	0.21	239.0	19.0	1.39	2470	64.40	1.25	3.4	60.7	1320	2.5
E210396		11.80	0.46	1.4	0.049	0.14	225.0	29.1	1.20	3550	89.40	0.26	4.9	61.7	1580	1.7
E210397		0.88	<0.05	0.1	<0.005	0.05	2.6	3.8	10.80	233	1.18	0.02	0.5	6.8	400	1.8
E210398		12.50	0.44	1.4	0.057	0.14	207.0	33.1	1.25	3490	74.20	0.39	3.9	61.8	1510	1.8
E210399		11.40	0.40	1.0	0.129	0.13	71.0	25.6	2.65	5970	70.90	0.41	5.7	59.0	1260	3.0
E210400		11.95	0.41	0.8	0.064	0.42	130.0	22.8	2.20	4950	69.20	1.49	4.2	47.2	1550	3.0
E210401		9.20	0.41	0.5	0.092	0.11	98.1	22.6	1.90	3460	84.60	0.31	4.1	50.2	2020	3.4
E210402		11.45	0.32	1.5	0.043	0.28	194.5	31.2	2.50	3660	62.70	2.39	2.8	23.4	1610	1.9
E210403		13.20	0.32	2.2	0.047	0.43	204.0	45.7	2.73	2540	49.50	2.31	6.4	29.7	1340	2.2
E210404		7.52	0.25	0.7	0.084	0.22	65.2	44.8	2.50	2820	27.00	0.02	3.1	24.9	880	2.1
E210405		11.70	0.38	0.8	0.066	0.19	214.0	42.4	2.39	2760	84.40	0.68	4.3	53.7	2420	2.7
E210406		10.75	0.34	1.1	0.061	0.24	108.0	38.3	2.33	3290	28.80	1.07	2.7	53.1	1460	1.9
E210407		0.90	<0.05	0.1	<0.005	0.05	2.9	4.5	10.75	245	0.69	0.02	0.5	6.0	410	1.5
E210408		15.80	0.23	1.8	0.152	2.09	27.9	28.2	1.21	3470	64.40	0.96	3.1	37.8	880	19.8
E210409		9.99	0.37	1.2	0.050	0.16	174.5	44.3	2.32	3180	15.05	1.08	2.6	48.7	1660	1.9
E210410		9.29	0.31	0.8	0.057	0.16	87.8	30.5	1.43	3630	32.40	1.88	4.0	60.0	1320	4.0
E210411		9.90	0.30	1.2	0.033	0.16	96.3	27.4	2.00	4330	54.30	2.09	3.7	34.3	1750	2.0
E210412		12.55	0.39	0.8	0.048	0.13	78.8	60.8	3.40	3420	38.10	0.11	4.4	59.8	1120	1.6
E210413		10.85	0.35	1.6	0.046	0.26	196.0	20.0	1.66	2260	78.40	2.65	5.1	64.4	1440	2.6
E210414		9.70	0.47	0.6	0.074	0.11	243.0	36.7	1.77	4590	60.40	1.25	3.1	68.9	1270	9.0
E210415		13.70	0.55	1.1	0.064	1.21	324.0	44.2	1.07	2390	142.50	1.28	5.1	96.0	1670	37.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E210376		1.7	<0.002	0.03	0.36	1.3	<1	0.2	113.0	<0.05	<0.05	0.4	0.014	<0.02	0.2	5
E210377		8.9	0.006	2.88	0.76	6.7	2	3.5	91.5	0.05	0.47	6.9	0.041	0.06	3.2	43
E210378		1.8	0.005	0.93	1.10	3.8	1	2.7	82.7	<0.05	0.12	5.9	0.031	0.02	3.0	63
E210379		74.4	0.007	3.97	0.88	39.3	2	21.4	85.3	0.14	0.38	4.1	0.122	0.21	49.2	126
E210380		9.5	<0.002	4.87	0.74	7.6	3	4.2	164.5	0.06	0.69	4.1	0.067	0.05	9.6	25
E210381		6.3	0.002	4.92	0.65	5.8	3	5.1	46.6	0.07	0.62	6.8	0.101	0.04	4.3	23
E210382		3.8	0.013	5.23	1.25	2.8	4	2.2	24.5	0.14	0.67	7.7	0.025	0.05	11.0	50
E210383		4.1	0.016	5.55	1.05	2.0	4	2.1	18.7	0.12	0.60	7.7	0.023	0.04	21.3	51
E210384		6.1	0.011	2.80	0.90	3.4	3	3.0	22.7	0.12	0.40	8.5	0.031	0.04	19.8	52
E210385		9.0	0.017	0.99	0.72	2.8	2	3.2	23.1	0.22	0.12	4.6	0.042	0.05	14.0	49
E210386		1.8	<0.002	0.03	0.34	1.3	1	0.2	112.0	<0.05	<0.05	0.4	0.014	<0.02	0.2	4
E210387		145.0	0.007	1.41	1.16	11.5	1	8.2	409.0	0.18	0.21	12.8	0.110	0.40	20.1	64
E210388		6.7	0.027	3.59	0.88	2.5	6	2.9	19.9	0.14	0.56	9.8	0.031	0.05	8.5	56
E210389		4.9	0.021	1.65	0.82	2.9	3	2.5	33.7	0.12	0.27	6.3	0.028	0.03	2.8	69
E210390		6.4	0.052	2.41	0.84	8.2	2	2.5	53.9	0.12	0.96	8.0	0.045	0.07	15.6	39
E210391		10.4	0.026	5.57	1.18	4.6	4	3.0	35.3	0.15	3.24	10.8	0.043	0.11	10.6	40
E210392		10.3	0.015	1.57	0.60	4.4	2	3.1	47.8	0.15	0.31	6.8	0.048	0.06	7.0	44
E210393		7.8	0.014	1.77	0.65	5.6	2	3.5	39.8	0.13	0.30	8.1	0.052	0.05	3.1	47
E210394		5.3	0.016	1.46	0.70	7.6	1	3.2	39.8	0.18	0.17	10.4	0.064	0.04	4.8	48
E210395		6.9	0.013	3.01	0.76	3.6	2	2.3	38.3	0.16	0.46	7.6	0.030	0.04	6.1	62
E210396		5.0	0.018	1.24	0.84	2.4	1	2.7	69.2	0.23	0.17	8.4	0.038	0.04	3.4	61
E210397		1.6	<0.002	0.03	0.32	1.2	1	0.3	110.5	<0.05	<0.05	0.4	0.014	<0.02	0.2	4
E210398		4.9	0.014	0.89	0.88	2.5	1	3.6	162.0	0.17	0.13	6.9	0.045	0.04	4.1	71
E210399		4.7	0.014	2.24	0.83	2.6	2	2.2	68.8	0.21	0.34	5.9	0.036	0.04	14.9	72
E210400		14.2	0.017	1.86	0.85	3.6	2	2.4	42.5	0.18	0.25	5.4	0.044	0.09	15.1	63
E210401		4.0	0.028	1.71	0.93	3.5	2	2.3	61.1	0.22	0.23	3.9	0.030	0.03	7.2	86
E210402		10.2	0.025	0.60	0.52	10.8	1	3.6	245.0	0.16	0.07	6.9	0.054	0.07	4.0	38
E210403		16.6	0.017	0.73	0.64	7.7	1	5.4	128.0	0.51	0.12	7.9	0.148	0.09	14.3	54
E210404		10.3	0.012	0.42	0.47	4.7	<1	3.8	1250.0	0.18	0.08	3.8	0.073	0.05	11.3	46
E210405		7.2	0.030	1.94	0.79	3.2	2	2.6	102.0	0.18	0.28	6.8	0.037	0.04	5.8	78
E210406		8.7	0.008	2.86	0.63	4.4	2	2.3	52.9	0.13	0.10	3.2	0.035	0.05	2.9	56
E210407		1.8	<0.002	0.05	0.33	1.3	1	<0.2	123.5	<0.05	<0.05	0.4	0.015	<0.02	1.3	5
E210408		93.0	0.023	2.40	1.53	9.8	2	7.5	577.0	0.17	0.24	8.6	0.081	0.44	283.0	54
E210409		6.1	0.004	2.45	0.56	5.0	2	2.8	86.0	0.14	0.13	5.7	0.056	0.04	3.8	45
E210410		5.5	0.010	3.24	0.65	3.0	3	2.5	47.3	0.17	0.06	3.4	0.046	0.05	4.2	46
E210411		5.7	0.014	1.66	0.62	4.9	2	2.4	70.9	0.17	0.16	4.0	0.043	0.03	6.1	50
E210412		6.5	0.012	2.06	0.91	5.0	2	1.7	23.2	0.15	0.14	2.6	0.031	0.03	5.1	93
E210413		11.6	0.025	5.67	0.77	4.0	3	2.6	41.8	0.30	0.66	5.9	0.072	0.08	7.4	62
E210414		4.1	0.022	>10.0	1.13	3.7	4	1.9	39.1	0.08	1.19	4.9	0.047	0.10	12.2	100
E210415		57.7	0.078	>10.0	2.42	26.3	12	12.8	41.9	0.08	7.66	12.5	0.135	0.22	368.0	138

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001
E210376		0.4	3.9	9	3.6	0.002
E210377		6.7	17.1	10	25.3	0.017
E210378		6.3	13.1	5	8.8	0.005
E210379		8.0	15.9	7	66.7	0.013
E210380		4.4	11.1	14	55.0	0.022
E210381		5.9	13.5	6	67.5	0.020
E210382		7.6	13.5	12	18.9	0.024
E210383		5.9	13.1	14	15.9	0.026
E210384		4.5	14.2	14	22.4	0.013
E210385		3.8	12.0	15	23.4	0.005
E210386		0.4	3.7	9	3.6	0.001
E210387		8.2	13.0	4	68.1	0.020
E210388		5.5	15.2	14	21.8	0.023
E210389		5.5	17.8	15	21.0	0.016
E210390		4.8	20.5	10	64.3	0.030
E210391		10.1	19.3	17	38.9	0.068
E210392		4.4	14.1	12	42.7	0.023
E210393		4.4	14.3	8	29.7	0.017
E210394		4.9	17.1	8	49.9	0.014
E210395		5.9	12.4	11	43.9	0.023
E210396		7.1	13.3	18	44.8	0.020
E210397		0.4	3.7	9	3.5	0.001
E210398		9.7	12.8	19	45.3	0.010
E210399		8.7	13.3	19	33.5	0.014
E210400		4.9	12.5	17	27.7	0.015
E210401		10.2	13.7	19	18.3	0.006
E210402		2.1	14.3	18	49.5	0.004
E210403		4.0	16.7	30	70.9	0.005
E210404		4.7	10.9	32	23.7	0.003
E210405		3.5	15.7	31	24.5	0.004
E210406		2.9	11.3	24	36.0	0.003
E210407		0.4	3.7	9	4.0	0.001
E210408		7.8	15.6	5	60.2	0.052
E210409		2.4	11.9	21	38.7	0.003
E210410		3.1	9.2	19	26.8	0.004
E210411		3.0	12.0	12	37.2	0.012
E210412		3.6	10.2	51	27.5	0.008
E210413		4.5	12.6	10	52.2	0.028
E210414		5.9	13.2	10	19.6	0.037
E210415		10.0	25.9	35	34.9	0.152

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E210416		0.89	0.59	7.93	442.0	110	2.86	2.62	1.03	<0.02	206.00	362.0	61	4.23	69.0	11.25
E210417		0.69	0.71	6.71	945.0	190	1.77	2.98	1.44	<0.02	185.00	651.0	40	2.23	79.0	14.50
E210418		0.37	0.01	0.42	5	40	0.12	0.09	19.00	0.15	12.20	8.6	7	0.21	5.4	0.61
E210419		0.53	0.62	6.63	932.0	300	2.04	2.76	1.34	<0.02	156.00	608.0	41	2.50	65.8	14.30
E210420		1.00	0.59	6.42	936.0	40	1.40	2.68	0.77	<0.02	191.00	609.0	39	3.16	74.8	14.45
E210421		1.56	0.39	6.19	412.0	150	0.74	1.77	2.73	<0.02	>500	251.0	28	1.16	48.3	10.80
E210422		0.61	0.67	7.46	471.0	50	1.55	2.53	1.02	0.17	127.50	252.0	59	2.78	52.5	12.10
E210423		1.27	0.59	6.45	637.0	50	0.79	3.56	1.50	0.12	107.50	355.0	32	1.08	44.5	12.85
E210424		1.12	0.31	7.40	249.0	320	0.66	1.18	1.87	<0.02	>500	205.0	31	1.02	20.0	9.80
E210425		1.42	1.31	2.30	296.0	40	0.34	3.59	4.75	<0.02	376.00	560.0	8	0.68	120.5	23.90
E210426		1.82	0.78	3.79	50.4	60	0.82	1.32	2.45	<0.02	>500	274.0	11	3.80	1390.0	17.55
E210427		1.37	0.06	5.78	7.9	530	1.82	0.16	3.64	<0.02	104.00	29.9	26	8.03	42.5	8.54
E210428		0.30	0.01	0.34	<5	30	0.08	0.04	18.90	0.16	6.06	2.7	6	0.17	6.9	0.32
E210429		0.21	1.16	2.35	122.0	20	0.77	10.55	2.26	<0.02	214.00	336.0	10	2.94	8910.0	26.60
E210430		1.16	0.05	5.20	4.0	2480	1.89	0.14	4.40	<0.02	86.20	14.0	27	3.45	76.1	6.83
E210431		1.01	0.04	5.30	3.3	2860	2.09	0.12	5.23	<0.02	21.40	12.2	26	7.32	7.4	7.57
E210432		1.13	0.05	6.63	7.7	3660	2.61	0.21	2.48	<0.02	38.00	17.9	35	9.95	7.8	9.34
E210433		0.93	0.12	5.50	11.8	1050	1.46	0.73	0.85	<0.02	90.90	29.4	29	5.60	23.2	11.65
E210434		1.16	0.07	5.28	11.1	620	0.78	0.15	0.61	<0.02	135.00	36.3	28	3.75	21.2	13.90
E210435		0.97	0.15	7.15	13.8	230	1.62	0.63	0.39	<0.02	82.30	37.9	35	16.35	5.0	14.60
E210436		1.32	0.21	6.32	9.0	2600	2.32	0.37	3.53	<0.02	84.60	16.7	28	20.70	763.0	9.34
E210437		0.69	0.14	6.64	6.8	5030	2.50	0.11	3.50	<0.02	65.40	18.5	29	14.40	62.3	8.12
E210438		0.29	0.01	0.36	<5	40	0.13	0.03	19.25	0.16	5.03	2.2	6	0.27	4.4	0.34
E210439		0.69	0.14	6.78	5.6	4420	2.64	0.16	3.03	<0.02	82.30	14.3	31	14.15	18.7	7.70
E210440		1.13	0.06	6.95	7.7	5110	2.08	0.10	2.83	<0.02	44.10	17.6	29	19.15	26.9	8.84
E210441		0.89	0.22	7.43	15.3	450	2.12	0.61	2.18	<0.02	49.80	26.3	39	26.60	8.6	10.15
E210442		1.00	0.44	5.12	26.4	370	1.75	1.49	3.11	<0.02	21.20	46.2	29	18.05	25.9	11.50
E210443		1.04	0.16	7.08	14.6	350	2.17	0.37	2.61	<0.02	29.20	25.2	33	28.70	17.3	10.05
E210444		1.24	0.15	5.75	22.7	810	1.95	0.59	2.78	<0.02	43.90	36.3	33	17.85	35.1	8.45
E210445		1.16	0.04	6.35	3.6	130	2.63	0.09	4.81	<0.02	37.50	7.1	32	22.30	164.0	7.16
E210446		0.98	1.26	5.47	54.4	2440	1.03	2.83	2.12	<0.02	26.80	68.5	32	5.01	3290.0	10.40
E210447		0.63	3.83	7.22	10.2	50	0.88	7.13	4.60	<0.02	15.95	54.2	35	1.65	4740.0	19.00
E210448		0.41	0.04	0.35	<5	20	0.08	0.05	20.50	0.16	4.09	3.0	13	0.17	26.5	0.38
E210449		0.53	6.96	7.85	12.6	40	0.79	12.50	4.20	<0.02	16.70	60.7	34	1.90	3600.0	19.00
E210450		1.46	2.74	5.26	11.2	120	1.11	4.32	3.17	<0.02	21.30	23.4	30	6.49	9120.0	12.85
E210451		1.54	3.01	5.48	17.7	610	1.20	5.86	3.42	<0.02	22.40	35.1	35	4.79	7060.0	11.85
E210452		0.91	0.43	4.71	10.0	170	1.10	0.95	2.94	<0.02	67.50	20.3	30	2.82	584.0	10.75
E210453		1.35	0.23	4.16	17.3	1240	0.74	0.67	1.96	<0.02	73.70	82.0	27	1.61	242.0	10.75
E210454		1.02	0.48	4.77	19.5	1290	0.77	1.21	1.68	<0.02	41.40	54.1	27	1.47	150.0	12.05
E210455		1.59	0.35	3.81	33.8	710	0.84	0.98	0.93	<0.02	40.20	137.0	24	1.52	422.0	12.90

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E210416		21.30	0.30	2.4	0.059	2.30	131.5	58.7	1.12	667	43.50	2.28	6.5	65.1	1250	10.3
E210417		15.75	0.36	1.9	0.034	1.31	127.0	44.1	1.10	907	70.30	2.54	3.7	92.2	1770	6.2
E210418		1.12	<0.05	0.1	<0.005	0.06	7.7	4.6	10.55	279	2.86	0.07	0.7	6.0	420	1.5
E210419		16.10	0.34	1.8	0.034	1.51	108.0	54.0	1.20	784	56.60	2.07	3.0	95.5	1550	5.1
E210420		13.85	0.34	1.8	0.024	0.94	136.0	36.6	0.85	571	57.30	2.71	2.7	88.7	1460	8.6
E210421		13.80	0.46	1.2	0.033	0.38	570.0	24.4	1.46	1865	76.90	3.51	2.0	56.8	2030	6.1
E210422		16.45	0.26	2.4	0.027	1.06	78.3	26.8	0.81	640	55.40	3.56	4.6	55.6	1160	10.5
E210423		12.70	0.26	2.1	0.055	0.31	68.3	21.9	1.08	1885	47.50	3.75	3.3	59.6	1360	18.6
E210424		20.40	0.38	2.9	0.019	0.23	402.0	29.5	1.29	1195	42.90	4.14	4.7	43.0	1710	4.9
E210425		12.75	0.53	0.6	0.054	0.10	260.0	20.4	2.30	3980	82.60	0.62	6.1	94.4	2190	13.4
E210426		16.60	0.55	0.9	0.077	0.41	428.0	35.4	1.84	3760	73.30	0.96	5.9	60.7	1780	8.3
E210427		16.80	0.21	1.3	0.075	2.14	69.7	43.8	2.67	2480	9.33	0.19	4.1	28.3	750	1.7
E210428		0.95	<0.05	0.1	0.005	0.05	2.8	4.3	10.50	238	0.75	0.02	0.5	4.7	390	1.5
E210429		10.35	0.50	0.8	0.277	0.64	119.0	23.0	1.56	5900	63.90	0.23	5.7	62.3	2360	5.9
E210430		17.85	0.16	1.3	0.087	2.50	50.4	32.6	2.52	3040	3.68	0.04	5.1	17.5	600	1.8
E210431		14.65	0.17	1.3	0.100	2.20	13.0	36.5	3.07	3670	1.49	0.16	5.0	19.2	600	1.7
E210432		17.20	0.18	1.6	0.055	2.24	23.9	58.3	2.40	1755	1.07	0.04	3.5	30.9	770	1.8
E210433		15.70	0.24	1.4	0.034	1.52	49.1	63.3	1.97	760	11.45	0.02	4.7	24.7	960	3.0
E210434		12.40	0.30	1.4	0.024	0.47	75.4	91.3	2.50	733	17.30	0.01	5.3	26.8	1200	1.7
E210435		16.40	0.30	2.0	0.015	1.27	48.9	89.9	2.73	358	35.20	0.01	5.8	33.0	1320	2.3
E210436		17.50	0.23	1.6	0.042	2.46	52.9	38.3	2.45	2790	21.40	0.03	4.7	12.5	890	3.2
E210437		19.85	0.19	1.7	0.074	2.37	43.2	37.4	2.39	2880	6.60	0.43	4.6	14.2	790	2.0
E210438		1.01	<0.05	0.1	<0.005	0.06	2.4	4.6	10.65	241	0.57	0.02	0.5	3.8	400	2.2
E210439		23.40	0.20	1.7	0.059	2.67	54.8	40.6	2.33	2180	7.12	0.26	4.5	16.0	780	1.9
E210440		21.80	0.19	1.7	0.036	2.32	29.6	48.8	2.67	1755	8.49	0.33	5.7	20.1	870	2.9
E210441		20.10	0.15	1.8	0.044	2.54	36.5	50.3	2.60	1425	11.40	0.03	6.3	17.6	970	4.4
E210442		12.75	0.15	1.4	0.042	1.87	15.1	26.0	2.05	2050	14.55	0.34	4.6	14.5	800	4.0
E210443		19.65	0.15	1.8	0.054	2.75	22.2	40.6	2.55	1645	11.80	0.03	5.3	14.5	870	3.6
E210444		14.60	0.12	1.8	0.056	2.17	31.9	38.7	2.23	1950	20.90	0.03	4.8	15.6	960	3.5
E210445		15.10	0.13	1.5	0.045	2.78	26.6	29.1	2.83	2970	2.76	0.03	2.5	10.3	580	2.5
E210446		15.80	0.22	1.5	0.046	0.77	18.1	82.1	3.23	1750	51.60	0.03	4.7	24.2	600	16.7
E210447		22.60	0.43	1.4	0.039	0.06	9.1	117.5	5.80	2650	19.35	0.03	6.7	40.9	580	22.0
E210448		0.86	<0.05	0.1	0.006	0.04	2.1	3.9	11.15	239	0.36	0.03	0.6	9.2	390	1.7
E210449		24.80	0.52	1.5	0.038	0.06	9.2	127.0	5.96	2520	32.70	0.02	7.7	46.1	570	30.3
E210450		12.55	0.29	1.4	0.053	0.81	14.1	76.3	3.59	2050	9.20	0.02	4.3	18.2	670	14.7
E210451		14.55	0.30	1.5	0.051	1.05	14.6	73.3	3.43	2290	24.10	0.02	5.1	20.3	610	20.2
E210452		13.80	0.16	1.6	0.040	0.82	48.5	73.3	3.15	2090	11.80	0.02	5.7	17.0	1060	5.1
E210453		11.75	0.18	1.2	0.030	0.43	52.5	76.4	2.69	1445	37.90	0.02	6.7	21.7	820	7.7
E210454		14.15	0.16	1.4	0.081	0.78	31.0	72.9	2.38	1675	30.10	0.02	7.9	27.6	1120	10.6
E210455		11.65	0.19	1.3	0.089	1.32	28.4	43.2	1.07	1115	46.60	0.02	10.1	24.3	1590	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E210416		117.5	0.020	4.71	1.71	52.2	4	26.9	46.6	0.11	0.75	7.9	0.267	0.26	298.0	220
E210417		75.0	0.024	9.26	1.02	27.7	7	17.2	57.6	0.10	1.46	3.0	0.197	0.16	64.7	160
E210418		2.1	<0.002	0.13	0.37	1.4	1	<0.2	108.0	<0.05	<0.05	0.6	0.017	<0.02	0.8	6
E210419		87.8	0.019	8.81	0.85	32.4	6	19.9	44.9	0.08	1.37	2.0	0.197	0.17	23.9	179
E210420		49.5	0.021	8.74	0.84	17.2	6	12.4	65.3	0.08	1.30	3.4	0.207	0.14	42.3	166
E210421		16.6	0.038	4.17	0.86	9.4	3	4.7	64.8	0.06	0.83	7.8	0.095	0.10	55.1	90
E210422		48.6	0.030	4.16	1.05	28.4	4	14.8	82.8	0.10	0.94	2.4	0.301	0.22	45.6	176
E210423		12.2	0.018	6.15	1.12	5.9	4	4.5	68.0	0.09	1.25	4.6	0.110	0.13	69.7	64
E210424		8.5	0.016	2.78	0.88	5.2	2	4.3	55.7	0.15	0.46	10.4	0.098	0.08	70.8	42
E210425		3.8	0.030	6.68	1.60	5.2	4	1.8	69.1	0.12	0.68	8.1	0.037	0.14	103.5	104
E210426		20.0	0.037	2.48	1.68	4.7	3	2.7	148.0	0.12	0.18	16.8	0.048	0.35	90.4	58
E210427		113.0	0.007	0.15	0.90	9.5	1	3.3	29.9	0.26	0.08	12.7	0.130	0.23	18.7	51
E210428		1.9	<0.002	0.03	0.39	1.3	1	<0.2	110.5	<0.05	<0.05	0.5	0.014	<0.02	0.3	4
E210429		39.0	0.018	7.13	2.28	4.6	4	7.6	177.5	0.12	1.32	5.7	0.032	0.48	14.6	56
E210430		132.5	0.003	0.16	0.89	10.4	1	4.3	70.0	0.37	0.10	11.5	0.158	0.19	8.8	58
E210431		118.5	<0.002	0.26	0.88	11.5	<1	3.1	58.4	0.33	0.07	11.6	0.152	0.22	8.8	49
E210432		112.5	<0.002	0.44	1.09	14.4	<1	2.9	78.0	0.27	0.07	14.7	0.138	0.27	9.0	54
E210433		76.9	0.005	0.85	1.50	9.1	1	5.9	28.4	0.31	0.18	12.3	0.134	0.19	8.0	54
E210434		22.2	0.006	0.13	1.31	6.4	1	6.3	32.2	0.28	0.18	12.3	0.110	0.10	9.2	44
E210435		64.6	0.017	0.31	1.67	7.8	2	7.0	21.4	0.33	0.55	13.9	0.126	0.28	19.6	54
E210436		125.5	0.011	0.20	1.61	10.4	2	6.1	320.0	0.24	0.20	11.6	0.126	0.42	35.9	53
E210437		120.0	0.005	0.16	1.27	11.2	1	4.8	88.9	0.30	0.13	12.7	0.145	0.38	22.3	52
E210438		2.2	<0.002	0.02	0.37	1.3	1	<0.2	108.5	<0.05	<0.05	0.5	0.016	<0.02	0.3	4
E210439		131.0	0.006	0.12	1.21	11.8	1	5.4	85.6	0.28	0.11	13.1	0.146	0.39	20.9	58
E210440		116.0	0.006	0.16	1.18	10.0	1	4.3	120.0	0.37	0.11	12.6	0.155	0.35	18.3	54
E210441		133.5	0.010	0.20	1.39	9.4	3	4.5	29.9	0.45	0.19	16.1	0.163	0.43	29.5	57
E210442		90.4	0.017	0.61	1.29	9.3	4	10.8	19.5	0.34	0.30	11.8	0.129	0.36	22.1	75
E210443		137.5	0.008	0.14	1.34	11.0	3	5.1	20.6	0.31	0.15	14.1	0.143	0.49	29.0	55
E210444		108.5	0.016	0.34	1.29	11.4	3	5.3	25.1	0.28	0.20	15.0	0.133	0.48	28.2	49
E210445		134.5	0.003	0.03	1.14	15.1	2	3.1	19.6	0.18	0.06	13.1	0.107	0.44	11.0	59
E210446		40.9	0.045	0.48	1.45	8.6	19	4.5	36.2	0.27	0.29	11.8	0.114	0.37	374.0	49
E210447		2.4	0.006	0.53	1.37	14.5	50	4.5	15.1	0.43	0.71	14.0	0.155	0.02	640.0	76
E210448		1.4	<0.002	0.12	0.31	1.6	2	0.2	104.0	<0.05	<0.05	0.4	0.020	<0.02	0.5	6
E210449		2.5	0.009	0.42	1.69	14.7	74	4.3	15.9	0.47	0.85	21.5	0.169	0.02	860.0	74
E210450		35.1	0.006	1.08	1.36	9.7	43	4.1	13.8	0.26	0.44	15.4	0.123	0.11	251.0	54
E210451		42.4	0.029	1.00	1.61	9.9	45	4.4	21.3	0.34	0.57	17.6	0.138	0.22	440.0	53
E210452		39.2	0.013	0.09	1.37	8.7	6	6.0	21.9	0.31	0.22	10.7	0.122	0.10	91.0	42
E210453		19.3	0.010	0.55	1.44	6.0	5	5.6	34.8	0.33	0.41	9.5	0.110	0.07	141.5	36
E210454		40.1	0.019	0.33	1.36	7.4	6	8.5	38.8	0.27	0.48	10.2	0.097	0.15	152.0	44
E210455		69.9	0.024	1.28	1.05	6.9	10	14.0	21.6	0.33	2.67	8.5	0.105	0.12	35.2	46

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001
E210416		11.7	22.6	11	73.3	0.033
E210417		8.5	16.6	12	57.7	0.050
E210418		5.7	3.7	9	4.8	0.002
E210419		8.1	13.6	13	56.8	0.045
E210420		6.6	14.8	14	55.5	0.048
E210421		6.4	19.7	14	38.9	0.025
E210422		8.3	15.4	24	71.9	0.030
E210423		6.9	17.4	19	62.8	0.052
E210424		6.3	21.9	14	85.3	0.023
E210425		8.4	16.5	14	22.9	0.028
E210426		7.6	17.0	26	30.5	0.013
E210427		5.2	10.4	19	42.7	0.003
E210428		0.4	3.6	9	4.0	0.001
E210429		6.4	15.9	5	26.0	0.118
E210430		7.9	9.8	6	42.5	0.003
E210431		5.5	9.8	14	42.5	0.003
E210432		4.3	9.7	31	54.1	0.006
E210433		6.9	7.5	29	44.9	0.011
E210434		5.4	7.8	45	44.8	0.017
E210435		6.5	8.9	47	67.9	0.024
E210436		7.7	9.8	19	50.9	0.037
E210437		8.6	10.7	20	54.0	0.021
E210438		0.5	3.5	9	4.2	0.003
E210439		8.8	9.0	19	56.3	0.029
E210440		7.3	7.9	27	54.4	0.023
E210441		6.1	9.3	36	55.8	0.049
E210442		14.0	8.2	19	43.8	0.150
E210443		7.6	8.7	29	54.0	0.032
E210444		6.2	8.9	25	53.3	0.031
E210445		4.4	7.0	12	47.0	0.003
E210446		9.0	15.3	60	46.3	0.002
E210447		11.7	22.0	68	43.1	0.398
E210448		0.5	3.8	12	3.5	0.213
E210449		3.7	26.3	74	48.2	0.471
E210450		9.9	11.9	41	43.8	0.257
E210451		10.6	15.4	34	45.5	0.673
E210452		5.0	9.4	48	51.2	0.192
E210453		5.4	9.6	49	36.7	0.136
E210454		6.9	12.3	44	42.6	0.035
E210455		12.8	12.2	17	39.4	0.153

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E210456		1.22	0.27	4.07	23.0	340	0.59	0.72	0.49	<0.02	43.40	71.5	19	0.90	44.8	14.35
E210457		1.20	0.15	4.64	10.3	310	1.25	0.35	0.57	<0.02	78.50	33.4	29	2.33	51.5	12.35
E210458		0.26	0.01	0.31	12	20	0.09	0.02	20.00	0.15	4.87	2.3	7	0.15	5.2	0.27
E210459		0.18	0.28	7.05	58.8	250	2.70	1.52	1.88	<0.02	70.60	113.0	43	6.39	1590.0	7.16
E210460		1.23	0.26	7.40	9.0	330	2.21	0.60	0.26	<0.02	34.40	45.0	48	6.46	149.0	12.85
E210461		1.19	0.78	7.05	20.5	80	1.46	1.66	0.32	<0.02	20.40	45.3	49	4.58	128.0	16.00
E210462		1.20	0.26	5.33	12.4	160	0.95	0.63	2.02	<0.02	52.10	29.7	25	3.04	69.0	14.05
E210463		1.25	0.29	7.47	8.9	130	1.49	0.25	2.69	<0.02	32.00	27.0	36	6.17	39.4	12.80
E210464		1.40	0.42	5.93	21.3	300	1.45	1.35	2.81	<0.02	44.70	83.1	29	3.39	29.2	13.50
E210465		2.73	0.11	7.57	5.8	1320	2.99	0.33	0.58	<0.02	101.00	17.0	46	7.20	121.5	7.03
E210467		0.82	0.36	5.40	71.7	1190	1.58	1.20	6.47	0.02	31.80	90.1	26	2.37	14.7	5.55
E210469		0.27	0.01	0.31	<5	20	0.11	0.02	19.80	0.15	4.55	2.5	7	0.14	5.9	0.26
E210470		0.86	0.37	5.47	85.2	1230	1.71	1.24	6.25	0.03	28.40	101.0	27	2.54	13.6	5.88
E210471		1.15	0.14	8.20	41.9	2760	5.16	0.72	3.79	<0.02	160.50	74.6	43	7.22	12.3	4.88
E210472		1.17	0.05	7.55	17.5	2150	4.12	0.30	4.52	<0.02	117.50	46.0	38	5.92	7.3	4.95
E210473		1.16	0.14	6.61	18.1	1590	2.76	0.59	3.80	<0.02	124.50	55.8	34	5.69	21.8	9.68
E210474		0.94	0.57	3.72	113.0	110	0.41	2.85	5.79	0.02	71.70	346.0	17	0.36	25.0	15.60
E210475		1.18	0.46	5.55	58.7	460	1.45	2.39	5.97	<0.02	170.00	116.0	22	1.96	14.0	7.16
E210476		1.23	0.04	6.89	13.3	1350	3.41	0.09	5.91	<0.02	74.10	40.6	33	3.93	4.2	5.46
E210477		1.27	0.23	7.42	34.1	470	3.28	1.39	5.39	<0.02	37.40	95.4	33	3.58	9.6	6.40
E210478		1.16	0.53	6.46	64.9	190	1.20	2.98	5.52	<0.02	52.30	144.0	24	2.22	15.5	9.63
E210479		0.30	0.12	0.33	8	20	0.11	0.02	21.30	0.15	4.86	2.3	13	0.15	4.2	0.27
E210480		0.22	1.12	5.60	67.2	130	1.52	2.32	1.97	<0.02	54.20	162.5	34	3.21	7470.0	9.89
E210481		1.34	0.40	5.57	46.9	220	0.35	1.64	6.51	<0.02	43.30	93.6	27	0.43	82.1	8.27
E210483		1.03	0.50	6.27	51.5	150	0.66	1.94	5.39	<0.02	50.00	132.0	41	1.08	16.8	9.80
E210484		1.51	0.38	6.00	75.7	230	0.87	1.07	4.79	<0.02	46.50	166.5	23	2.91	35.1	8.24
E210485		1.65	0.44	1.74	68.9	40	0.11	1.42	4.91	0.02	90.30	434.0	6	0.16	57.6	23.20
E210486		1.58	0.67	1.39	94.8	20	0.13	1.51	3.74	0.02	81.10	514.0	5	0.17	118.0	30.10
E210487		1.55	0.65	2.28	82.1	50	0.17	1.29	4.85	<0.02	25.70	482.0	6	0.22	31.0	23.10
E210488		1.49	0.96	2.57	126.0	30	0.13	1.88	3.76	<0.02	117.50	546.0	8	0.16	48.5	21.60
E210489		0.75	0.52	2.37	83.8	20	0.14	1.40	3.65	<0.02	130.00	421.0	7	0.14	187.0	22.30
E210490		0.38	0.01	0.33	11	20	0.07	0.03	20.20	0.14	4.91	3.9	9	0.13	5.8	0.42
E210491		0.72	0.73	2.27	117.5	20	0.10	1.98	3.55	<0.02	124.50	566.0	6	0.15	234.0	23.90
E210492		1.33	0.01	6.02	7.4	190	0.55	0.06	3.45	<0.02	54.90	44.7	32	0.40	147.0	5.39
E210495		1.20	0.02	6.80	10.5	130	0.45	0.06	3.20	<0.02	51.40	64.5	27	0.29	12.0	6.70
E210496		1.39	0.64	2.04	66.3	80	0.19	2.10	2.59	0.03	198.00	313.0	9	0.19	233.0	28.60
E210497		1.55	0.28	2.73	28.0	90	0.23	0.51	5.38	<0.02	65.90	218.0	13	0.24	102.0	21.60
E210498		1.37	0.81	3.62	107.5	130	0.22	2.64	4.33	<0.02	20.30	318.0	14	0.23	27.1	20.30
E210499		1.60	1.20	4.09	252.0	120	0.28	5.48	3.25	<0.02	56.00	693.0	19	0.26	42.1	20.00
E210500		0.31	0.01	0.31	5	20	0.08	0.03	19.60	0.14	4.41	3.0	9	0.14	4.3	0.31

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E210456		12.10	0.20	1.3	0.071	0.16	32.2	70.9	2.02	756	35.50	0.01	9.1	34.9	1610	5.2
E210457		16.80	0.19	1.6	0.098	1.16	53.6	55.9	1.59	1405	23.10	0.03	9.0	25.9	1270	4.7
E210458		0.82	<0.05	0.1	0.005	0.05	2.4	3.8	10.85	234	0.43	0.02	0.5	6.6	400	1.7
E210459		19.50	0.17	2.1	0.134	2.97	38.6	23.9	1.32	3220	19.55	0.59	3.1	26.6	780	2.7
E210460		26.30	0.23	2.4	0.065	2.21	24.4	77.5	2.44	2930	15.50	0.02	8.0	35.9	610	10.4
E210461		21.10	0.24	1.8	0.047	0.81	13.0	95.8	3.60	2850	11.90	0.01	4.6	61.4	450	15.3
E210462		13.55	0.19	2.0	0.076	0.70	37.9	73.5	3.31	2080	22.40	0.01	6.2	24.9	930	5.6
E210463		27.40	0.18	2.1	0.069	1.89	23.3	75.2	3.88	1840	9.66	0.01	5.7	25.8	1040	5.8
E210464		18.10	0.19	1.7	0.060	1.28	34.4	63.8	3.27	2420	14.85	0.08	5.4	35.0	880	6.8
E210465		16.45	0.17	2.4	0.088	3.68	56.5	22.0	0.64	921	1.68	0.05	8.0	12.6	700	2.3
E210467		14.00	0.11	2.0	0.037	1.33	16.0	12.8	2.33	6950	4.55	2.03	2.2	23.2	620	7.6
E210469		0.87	<0.05	0.1	0.008	0.05	2.2	3.7	10.80	236	0.23	0.02	0.5	7.4	390	1.6
E210470		14.40	0.12	2.1	0.044	1.34	15.1	15.9	2.36	7010	5.14	2.06	2.5	30.6	600	8.1
E210471		25.50	0.18	2.6	0.067	3.43	90.1	36.8	1.48	4060	7.11	1.19	3.2	28.0	800	5.0
E210472		20.40	0.14	2.4	0.062	2.88	68.8	29.1	1.64	4710	9.23	1.43	3.3	23.0	680	2.6
E210473		17.00	0.19	2.1	0.149	1.69	73.2	48.0	3.07	7100	8.97	1.23	1.9	35.0	680	3.2
E210474		8.67	0.23	1.1	0.048	0.09	46.6	8.0	2.40	5950	20.30	2.38	2.2	48.2	690	7.9
E210475		12.40	0.19	1.7	0.028	0.93	102.0	17.7	2.18	5160	14.15	2.69	3.0	29.4	900	4.5
E210476		17.35	0.12	2.3	0.053	1.97	45.2	28.6	2.23	5510	1.62	1.99	4.0	25.2	650	1.5
E210477		19.90	0.12	2.3	0.045	1.91	21.5	24.9	2.02	4890	8.31	2.63	3.4	29.4	630	2.2
E210478		13.55	0.16	2.1	0.021	0.60	31.1	11.3	1.97	4290	16.00	3.76	3.6	29.1	710	5.1
E210479		0.85	0.15	0.1	0.008	0.05	2.6	4.1	11.65	244	0.36	0.02	0.5	6.4	420	1.5
E210480		13.85	0.16	1.7	0.120	2.01	19.3	19.0	1.21	3570	60.00	0.87	3.3	37.1	890	19.3
E210481		8.73	0.13	1.5	0.014	0.21	26.7	3.5	2.15	4940	12.95	3.81	2.7	22.4	610	4.0
E210483		11.30	0.15	1.9	0.013	0.34	33.9	6.7	1.84	3870	17.60	3.99	2.0	27.3	1170	4.9
E210484		9.87	0.11	1.5	0.010	0.42	31.1	5.4	1.66	3550	8.68	3.65	2.9	29.5	650	7.2
E210485		10.95	0.33	0.5	0.015	0.02	67.1	6.5	1.88	4880	40.30	0.85	1.6	64.1	930	4.8
E210486		12.40	0.33	0.4	0.010	0.01	61.4	7.3	1.51	3980	45.50	0.45	1.3	74.1	850	5.5
E210487		11.05	0.29	0.5	0.012	0.03	19.1	8.9	1.91	4730	39.20	0.93	1.8	59.6	860	5.4
E210488		11.10	0.30	0.6	0.014	0.04	87.8	9.0	1.57	3950	52.10	1.22	2.0	59.6	770	13.7
E210489		11.00	0.32	0.5	0.010	0.02	98.3	7.4	1.46	3850	51.60	1.18	1.1	61.0	890	5.5
E210490		0.88	<0.05	0.1	0.005	0.05	2.6	3.1	11.00	266	0.80	0.02	0.5	7.1	430	1.7
E210491		10.55	0.31	0.5	0.007	0.02	93.4	7.3	1.40	3680	68.70	1.12	1.2	65.3	900	7.0
E210492		9.88	0.10	1.6	0.006	0.19	37.0	5.5	1.16	2060	1.06	4.05	4.9	9.9	650	1.7
E210495		11.45	0.12	1.6	0.007	0.14	35.3	3.8	1.03	2190	3.08	4.76	2.8	17.0	650	1.8
E210496		11.60	0.37	0.5	0.013	0.04	148.0	5.6	0.99	2750	30.70	1.13	1.0	64.0	590	7.8
E210497		10.20	0.26	0.7	0.041	0.06	50.5	6.8	1.86	5650	40.00	1.59	1.6	49.8	670	4.6
E210498		9.89	0.27	0.7	0.014	0.05	15.2	5.1	1.57	3750	25.60	2.34	1.4	53.8	770	6.6
E210499		8.93	0.26	1.0	0.019	0.07	43.2	6.8	1.27	3020	15.95	2.51	1.7	72.7	790	11.1
E210500		0.85	<0.05	0.1	0.005	0.05	2.2	2.8	10.65	251	0.55	0.02	0.4	7.1	400	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E210456		7.8	0.019	0.48	1.08	4.2	7	4.5	17.0	0.37	2.33	10.0	0.087	0.03	70.6	31
E210457		64.5	0.014	0.14	1.28	8.5	4	7.2	17.7	0.45	0.38	17.0	0.140	0.13	93.7	47
E210458		1.7	<0.002	0.03	0.32	1.5	2	<0.2	104.5	<0.05	<0.05	0.4	0.015	<0.02	0.3	5
E210459		137.0	0.006	1.31	1.06	11.8	2	7.7	449.0	0.17	0.20	14.6	0.109	0.37	18.5	66
E210460		110.5	0.017	0.36	1.40	13.6	13	9.7	13.0	0.42	0.28	16.8	0.186	0.27	269.0	75
E210461		21.0	0.011	0.47	1.65	11.1	13	5.3	9.3	0.24	0.42	8.3	0.140	0.11	382.0	91
E210462		32.7	0.020	0.14	1.41	8.4	6	7.5	13.8	0.22	0.40	8.2	0.138	0.10	119.5	71
E210463		85.5	0.010	0.18	1.36	14.3	3	8.5	16.5	0.27	0.34	18.4	0.132	0.21	198.5	61
E210464		63.8	0.011	1.26	1.46	11.9	5	5.2	19.7	0.20	0.46	15.2	0.109	0.18	142.0	52
E210465		201.0	0.003	0.20	1.63	8.8	2	5.2	13.8	0.46	0.08	16.4	0.208	0.46	20.8	57
E210467		68.7	<0.002	1.36	1.60	10.6	2	3.0	52.8	0.17	0.06	13.7	0.072	0.75	6.5	55
E210469		1.8	<0.002	0.04	0.30	1.6	2	<0.2	106.5	<0.05	<0.05	0.5	0.014	0.02	0.2	4
E210470		72.0	<0.002	1.37	1.62	11.2	2	3.4	58.5	0.19	0.08	13.3	0.076	0.95	7.1	51
E210471		172.0	0.002	1.13	1.57	14.7	2	7.9	44.0	0.23	0.10	22.5	0.117	0.97	4.0	73
E210472		147.0	0.002	0.61	1.14	12.8	1	6.3	50.0	0.24	0.05	18.6	0.109	0.45	3.5	62
E210473		88.8	0.002	0.72	1.00	11.9	2	4.6	34.8	0.13	<0.05	16.5	0.064	0.31	6.9	57
E210474		3.7	0.010	6.49	2.25	8.4	2	0.9	45.7	0.10	0.11	7.7	0.027	0.37	22.0	40
E210475		47.3	0.005	3.27	1.96	9.8	2	3.1	70.7	0.16	0.18	14.6	0.056	0.21	7.8	37
E210476		103.0	<0.002	0.64	0.79	13.1	1	7.9	54.7	0.29	<0.05	15.3	0.105	0.24	4.2	58
E210477		102.0	0.003	2.78	1.40	13.2	2	8.9	58.7	0.26	0.10	14.4	0.099	0.25	4.8	67
E210478		28.1	0.007	6.42	1.70	9.5	2	4.2	67.5	0.25	0.25	14.3	0.090	0.11	25.1	44
E210479		1.7	<0.002	0.03	0.33	1.1	1	0.2	108.0	<0.05	0.05	0.4	0.015	<0.02	0.9	5
E210480		79.6	0.023	2.36	1.39	9.5	3	7.1	584.0	0.16	0.25	8.1	0.081	0.39	234.0	55
E210481		7.7	0.006	3.96	0.83	7.7	3	3.1	78.8	0.19	0.23	8.4	0.082	0.05	7.3	42
E210483		12.7	0.008	4.61	0.87	7.4	2	3.9	80.8	0.13	0.43	7.7	0.084	0.06	6.7	62
E210484		14.2	0.005	3.30	1.10	6.5	2	2.0	62.0	0.16	0.37	7.8	0.054	0.77	21.8	24
E210485		0.7	0.015	5.53	1.20	8.1	3	0.5	41.6	<0.05	0.44	10.9	0.015	0.10	83.1	43
E210486		0.4	0.013	4.79	1.27	7.6	3	0.5	29.4	<0.05	0.49	5.4	0.012	1.04	30.7	43
E210487		0.8	0.008	4.70	1.15	8.7	3	0.8	37.6	0.05	0.48	2.5	0.014	0.85	20.6	32
E210488		1.3	0.015	6.24	1.52	6.4	3	1.1	31.0	0.06	0.76	9.8	0.019	1.35	71.3	29
E210489		0.6	0.016	4.84	1.08	5.4	3	0.6	30.8	<0.05	0.58	5.7	0.011	0.49	17.1	38
E210490		1.4	<0.002	0.05	0.49	1.2	2	<0.2	102.5	<0.05	<0.05	0.4	0.015	0.02	0.3	5
E210491		0.5	0.020	6.47	1.37	5.2	3	1.1	30.3	<0.05	0.90	5.9	0.012	0.60	22.3	39
E210492		7.6	<0.002	0.58	0.68	6.8	1	2.8	58.7	0.23	<0.05	8.5	0.064	0.04	27.5	12
E210495		5.2	<0.002	0.74	0.69	6.3	2	1.7	60.7	0.15	<0.05	8.0	0.037	0.02	22.5	19
E210496		1.1	0.010	4.50	2.46	4.4	3	0.6	65.0	0.05	0.97	8.8	0.012	0.17	8.4	56
E210497		1.9	0.012	2.09	1.60	9.4	2	0.9	54.3	0.08	0.17	4.6	0.018	0.07	10.6	55
E210498		1.5	0.013	4.95	1.67	7.4	3	0.8	50.5	0.06	1.12	1.8	0.016	0.38	5.4	48
E210499		2.3	0.025	9.91	1.38	5.1	3	1.0	45.2	0.08	2.60	5.2	0.024	0.61	31.4	38
E210500		1.4	<0.002	0.04	0.46	1.9	2	<0.2	103.0	<0.05	<0.05	0.4	0.014	0.02	0.2	4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001
E210456		6.5	10.2	46	39.6	0.152
E210457		9.7	13.0	35	48.2	0.076
E210458		0.4	3.7	11	3.3	0.002
E210459		7.9	12.4	6	65.3	0.022
E210460		14.2	15.2	54	69.0	0.408
E210461		17.2	12.3	63	55.1	0.988
E210462		19.8	19.4	50	59.7	0.117
E210463		10.5	15.8	63	63.7	1.055
E210464		7.7	13.0	50	54.6	0.072
E210465		13.2	10.6	6	73.5	0.006
E210467		4.3	10.3	6	63.3	0.008
E210469		0.5	3.7	12	3.7	<0.001
E210470		3.6	11.3	7	65.9	0.008
E210471		5.7	17.6	6	79.7	0.005
E210472		5.3	16.1	5	71.3	0.002
E210473		3.3	15.7	31	64.5	0.004
E210474		4.5	14.4	8	36.6	0.016
E210475		3.8	14.3	5	55.3	0.024
E210476		7.4	15.6	7	68.6	0.005
E210477		7.1	14.9	4	70.4	0.019
E210478		4.9	14.2	7	62.7	0.036
E210479		0.4	3.4	11	3.3	
E210480		8.2	14.5	3	55.3	0.052
E210481		4.0	10.3	6	47.8	0.029
E210483		3.3	13.0	8	60.3	0.037
E210484		2.9	9.4	7	48.9	0.019
E210485		1.6	11.5	10	15.5	0.022
E210486		1.3	8.5	15	11.7	0.014
E210487		1.2	8.1	16	16.9	0.023
E210488		1.5	10.0	15	17.9	0.024
E210489		0.8	8.0	14	15.5	0.021
E210490		0.2	3.4	13	3.3	<0.001
E210491		0.8	7.8	15	14.4	0.031
E210492		4.1	9.6	5	52.4	0.006
E210495		2.7	9.2	7	49.9	0.004
E210496		1.5	7.7	12	16.4	0.034
E210497		1.6	12.3	13	22.7	0.011
E210498		1.4	8.4	11	21.7	0.035
E210499		2.2	8.3	12	31.5	0.076
E210500		0.2	3.4	12	3.5	0.004

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E918743		0.33	0.01	0.34	11	20	<0.05	0.02	20.50	0.14	4.43	2.3	7	0.13	3.9	0.27
E918753		0.32	0.03	0.40	13	20	0.07	0.13	19.10	0.14	5.44	12.1	7	0.13	4.9	0.66
E918764		0.30	<0.01	0.34	<5	20	0.05	0.02	20.10	0.15	4.59	2.0	7	0.13	4.2	0.27
E918774		0.29	0.01	0.33	8	20	0.08	0.02	20.20	0.15	4.54	2.1	6	0.13	4.0	0.27
E918785		0.31	<0.01	0.33	<5	20	0.06	0.02	20.40	0.13	4.45	2.2	8	0.13	5.3	0.28
E918795		0.37	<0.01	0.33	<5	20	0.07	0.02	19.90	0.13	4.31	2.0	7	0.13	3.6	0.26
E918806		0.37	<0.01	0.32	7	20	0.07	0.02	19.95	0.14	4.97	2.0	8	0.13	3.8	0.26
E918816		0.33	<0.01	0.32	7	20	0.09	0.02	19.95	0.14	4.14	2.0	7	0.13	4.1	0.26
E918827		0.32	<0.01	0.33	5	20	0.06	0.05	19.65	0.14	5.14	2.3	6	0.16	4.1	0.26
E918837		0.33	0.01	0.33	7	20	0.09	0.04	19.95	0.18	5.37	2.5	7	0.17	4.5	0.26
E918848		0.32	0.01	0.34	13	20	0.06	0.02	20.10	0.14	4.28	1.9	6	0.13	3.9	0.26
E918908		0.33	0.01	0.34	<5	20	0.07	0.01	20.20	0.14	4.39	2.2	7	0.13	4.0	0.27
E918950		0.33	0.02	0.33	7	20	0.07	0.05	20.20	0.14	4.34	2.2	7	0.14	3.7	0.26
E209560		0.32	0.01	0.33	5	20	0.05	0.02	19.55	0.13	4.45	2.0	6	0.13	3.6	0.26
E209768		0.30	0.01	0.32	<5	20	0.05	0.02	19.75	0.12	4.29	1.9	7	0.13	3.6	0.26
E209780		0.27	0.02	0.32	8	20	0.06	0.02	20.00	0.14	4.22	2.0	7	0.13	3.8	0.26
E210077		0.32	<0.01	0.33	9	20	0.05	0.02	19.65	0.13	4.51	2.2	6	0.13	4.0	0.26
E210089		0.33	<0.01	0.33	<5	20	0.08	0.02	20.00	0.14	4.94	2.0	8	0.14	3.7	0.26
E210133		0.34	0.07	0.32	<5	40	0.12	0.02	19.10	0.15	5.80	2.1	7	0.16	5.8	0.25
E210210		0.30	0.11	0.32	6	140	0.10	0.03	19.45	0.15	5.76	2.2	8	0.18	6.2	0.27
E210220		0.38	0.11	0.31	<5	30	0.14	0.01	18.80	0.14	4.96	2.0	7	0.16	5.5	0.24
E210230		0.38	0.09	0.32	8	40	0.12	0.01	19.25	0.15	4.85	2.3	7	0.16	6.2	0.25
E210240		0.35	0.14	0.31	<5	30	0.08	0.02	18.60	0.15	4.60	2.2	7	0.15	6.4	0.25
E210250		0.28	0.15	0.34	<5	50	0.09	0.03	20.40	0.16	5.30	2.1	7	0.17	7.8	0.28
E210260		0.30	0.19	0.33	<5	60	0.09	0.02	19.80	0.16	5.23	2.0	8	0.17	6.8	0.26
E210271		0.34	0.11	0.30	<5	40	0.09	0.01	18.25	0.15	4.67	1.9	6	0.15	5.4	0.23
E210281		0.32	0.07	0.31	<5	30	0.10	0.01	18.65	0.14	4.76	2.0	9	0.15	6.9	0.25
E210292		0.34	0.10	0.31	7	30	0.11	0.01	19.10	0.16	5.12	1.9	7	0.15	6.7	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E918743		0.87	<0.05	0.1	0.005	0.05	2.1	2.9	11.20	254	0.27	0.02	0.5	6.6	440	1.4
E918753		1.01	<0.05	0.1	0.005	0.05	3.0	3.1	10.50	314	0.60	0.07	0.5	8.1	420	1.7
E918764		0.84	<0.05	0.1	0.005	0.05	2.2	3.0	11.10	251	0.24	0.02	0.5	6.8	410	1.4
E918774		0.84	<0.05	0.1	<0.005	0.05	2.2	3.1	11.05	250	0.21	0.02	0.4	6.9	410	1.5
E918785		0.84	<0.05	0.1	0.006	0.05	2.1	3.1	11.10	255	0.21	0.02	0.4	7.1	430	1.5
E918795		0.82	<0.05	0.1	0.005	0.05	2.1	2.9	10.95	246	0.22	0.02	0.4	7.0	410	1.6
E918806		0.83	<0.05	0.1	<0.005	0.05	2.3	3.0	10.90	245	0.17	0.02	0.4	6.8	410	1.5
E918816		0.78	<0.05	0.1	0.006	0.05	2.0	3.0	10.90	244	0.16	0.02	0.4	7.2	410	1.5
E918827		0.94	<0.05	0.1	0.006	0.05	2.4	4.3	10.85	243	0.33	0.02	0.5	7.6	400	1.8
E918837		1.00	<0.05	0.1	0.007	0.05	2.6	4.3	10.95	247	0.26	0.02	0.5	7.7	430	2.2
E918848		0.79	<0.05	0.1	0.005	0.05	2.1	3.0	11.10	249	0.21	0.02	0.5	7.3	420	1.6
E918908		0.79	<0.05	0.1	0.005	0.05	2.1	3.1	11.10	249	0.16	0.02	0.4	8.0	420	1.4
E918950		0.79	<0.05	0.1	0.006	0.05	2.1	3.1	11.10	247	0.17	0.02	0.5	7.5	410	1.4
E209560		0.75	<0.05	0.1	0.005	0.05	2.1	2.9	10.80	241	0.15	0.02	0.4	7.0	400	1.3
E209768		0.79	<0.05	0.1	0.005	0.05	2.0	3.0	10.70	240	0.15	0.02	0.4	7.3	420	1.3
E209780		0.78	<0.05	0.1	0.005	0.05	2.1	2.9	10.85	243	0.15	0.02	0.4	7.5	420	1.3
E210077		0.78	<0.05	0.1	0.005	0.05	2.1	3.0	10.85	242	0.15	0.02	0.4	7.7	420	1.3
E210089		0.78	<0.05	0.1	0.005	0.05	2.3	3.0	10.90	246	0.14	0.02	0.4	7.2	420	1.3
E210133		0.98	0.20	0.1	0.013	0.05	2.9	3.6	10.25	236	1.66	0.02	0.6	7.6	390	1.7
E210210		1.05	0.25	0.1	0.013	0.05	3.1	3.6	10.55	242	1.79	0.02	0.6	7.6	400	1.6
E210220		1.04	0.28	0.1	0.011	0.05	2.6	3.2	10.15	232	0.42	0.02	1.0	7.4	390	1.5
E210230		1.05	0.30	0.1	0.009	0.05	2.6	3.2	10.40	242	0.76	0.02	0.5	7.8	400	1.5
E210240		1.03	0.31	0.1	0.010	0.05	2.4	3.1	10.00	230	1.08	0.02	0.6	7.8	370	1.6
E210250		1.09	0.32	0.1	0.012	0.05	2.8	3.2	11.10	252	0.61	0.02	0.6	8.5	410	1.7
E210260		1.13	0.36	0.1	0.013	0.05	2.7	3.1	10.65	247	0.41	0.02	0.6	7.9	420	1.6
E210271		1.01	0.32	0.1	0.008	0.05	2.5	2.7	9.85	225	0.26	0.02	0.6	7.0	370	1.7
E210281		1.04	0.36	0.1	0.009	0.05	2.3	2.6	9.98	229	0.25	0.02	0.5	8.4	380	1.6
E210292		1.03	0.34	0.1	0.009	0.05	2.5	2.5	10.30	237	0.26	0.02	0.5	7.4	390	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E918743		1.4	<0.002	0.03	0.25	1.7	2	<0.2	103.0	<0.05	<0.05	0.4	0.015	<0.02	0.2	5
E918753		1.4	<0.002	0.19	0.31	1.3	2	0.2	101.0	<0.05	0.06	0.5	0.015	0.02	0.9	5
E918764		1.5	<0.002	0.03	0.33	1.2	2	<0.2	105.0	<0.05	<0.05	0.4	0.015	<0.02	0.2	5
E918774		1.5	<0.002	0.03	0.26	1.4	2	<0.2	103.0	<0.05	<0.05	0.4	0.015	<0.02	0.2	5
E918785		1.4	<0.002	0.03	0.30	1.3	2	<0.2	106.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	5
E918795		1.4	<0.002	0.03	0.26	1.4	2	<0.2	102.0	<0.05	<0.05	0.4	0.015	<0.02	0.2	5
E918806		1.4	<0.002	0.03	0.25	1.4	2	<0.2	103.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	5
E918816		1.4	<0.002	0.04	0.31	1.1	2	<0.2	102.0	<0.05	<0.05	0.4	0.014	<0.02	0.2	5
E918827		1.7	<0.002	0.04	0.30	1.1	2	<0.2	113.0	<0.05	<0.05	0.5	0.015	0.02	0.2	4
E918837		1.7	<0.002	0.04	0.39	1.5	2	0.2	115.5	<0.05	<0.05	0.5	0.015	0.02	0.2	5
E918848		1.4	<0.002	0.02	1.51	1.0	2	<0.2	106.0	<0.05	<0.05	0.4	0.016	<0.02	0.2	5
E918908		1.5	<0.002	0.04	0.30	1.4	2	<0.2	104.0	<0.05	<0.05	0.4	0.015	<0.02	0.2	4
E918950		1.5	<0.002	0.03	0.29	1.1	2	<0.2	103.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	4
E209560		1.4	<0.002	0.03	0.24	1.2	2	<0.2	99.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	5
E209768		1.4	<0.002	0.03	0.25	1.1	2	<0.2	98.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	4
E209780		1.4	<0.002	0.04	0.26	1.2	2	<0.2	100.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	5
E210077		1.5	<0.002	0.04	0.30	1.1	2	<0.2	101.0	<0.05	<0.05	0.4	0.014	<0.02	0.2	5
E210089		1.4	<0.002	0.03	0.26	1.2	2	<0.2	100.5	<0.05	<0.05	0.4	0.015	<0.02	0.2	4
E210133		1.5	<0.002	0.03	0.32	1.3	1	0.2	104.0	<0.05	0.06	0.5	0.018	<0.02	0.2	5
E210210		1.5	<0.002	0.03	0.33	1.3	2	0.2	110.5	<0.05	0.06	0.5	0.017	<0.02	0.3	5
E210220		1.4	<0.002	0.03	0.33	1.3	2	0.2	102.0	<0.05	<0.05	0.4	0.018	<0.02	0.2	5
E210230		1.2	<0.002	0.03	0.29	1.3	1	<0.2	104.0	<0.05	0.07	0.4	0.016	<0.02	0.3	5
E210240		1.3	<0.002	0.03	0.30	1.3	1	<0.2	99.7	<0.05	0.06	0.4	0.017	<0.02	0.2	5
E210250		1.6	<0.002	0.04	0.33	1.3	2	0.2	112.0	<0.05	0.05	0.5	0.018	<0.02	0.2	5
E210260		1.5	<0.002	0.02	0.31	1.4	2	0.2	109.0	<0.05	0.06	0.4	0.017	<0.02	0.3	5
E210271		1.3	<0.002	0.03	0.34	1.2	1	<0.2	100.0	<0.05	0.07	0.5	0.016	<0.02	0.2	5
E210281		1.2	<0.002	0.03	0.33	1.3	2	0.2	99.6	<0.05	0.07	0.4	0.015	<0.02	0.2	5
E210292		1.3	<0.002	0.03	0.26	1.2	2	<0.2	102.5	<0.05	0.05	0.4	0.016	<0.02	0.2	4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001
Sample Description					
E918743	0.2	3.4	15	3.4	<0.001
E918753	0.2	3.5	13	4.2	0.003
E918764	0.3	3.4	13	3.6	<0.001
E918774	0.1	3.4	12	3.3	0.001
E918785	0.1	3.4	13	3.2	0.001
E918795	0.1	3.3	12	3.5	0.001
E918806	0.1	3.3	12	3.2	<0.001
E918816	0.1	3.3	12	3.3	0.011
E918827	0.3	3.7	11	3.8	0.004
E918837	0.3	3.9	13	3.9	0.001
E918848	0.2	3.4	13	3.3	0.001
E918908	0.2	3.4	16	3.5	0.001
E918950	0.1	3.4	12	3.3	0.001
E209560	0.1	3.2	12	3.3	<0.001
E209768	0.1	3.2	13	3.3	0.002
E209780	0.1	3.3	12	3.3	<0.001
E210077	0.3	3.3	12	3.2	<0.001
E210089	0.1	3.3	12	3.4	0.001
E210133	0.4	3.8	12	4.0	<0.001
E210210	0.6	3.9	10	4.4	0.003
E210220	0.7	3.7	10	4.0	0.005
E210230	0.4	3.7	10	4.1	0.006
E210240	0.4	3.6	10	3.8	<0.001
E210250	0.4	3.9	11	4.5	0.002
E210260	0.5	3.8	11	4.5	<0.001
E210271	0.5	3.5	10	4.2	0.001
E210281	0.4	3.6	10	4.6	0.002
E210292	0.4	3.7	14	4.1	0.001

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-SEP-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07093114

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE VA07098108

Project: IGOR

P.O. No.: 195280

This report is for 156 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-AUG-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384501		0.43	0.16	0.33	6	30	0.09	0.04	20.4	0.15	4.45	1.9	8	0.18	15.9	0.28
E384502		0.22	1.16	6.04	77.7	50	2.1	2.97	2.12	<0.02	64.1	173.5	35	3.67	8150	10.5
E384503		1.18	0.11	5.6	9.3	280	2.62	0.22	0.46	<0.02	83.4	55.6	36	2.29	1010	8.7
E384504		1.78	0.13	3.78	11.4	450	1.33	0.12	2	<0.02	136	22	22	1.4	823	10.8
E384505		1.28	0.14	4.2	14.5	340	1.13	0.14	2.62	<0.02	167.5	39.1	22	1.35	784	10.75
E384506		1.21	0.1	5.56	8.2	540	2.21	0.16	0.34	<0.02	109.5	36.5	42	2.32	85.1	8.39
E384507		1.50	0.08	6.29	12.8	230	2.84	0.13	0.26	<0.02	196.5	90	41	2.92	24.8	9.23
E384508		1.17	0.07	6.69	15.7	160	2.79	0.12	0.34	<0.02	114.5	122	54	2.72	11.5	10.95
E384509		0.92	0.08	10.2	13.7	260	5.02	0.13	0.21	<0.02	12.35	189	80	5.18	55.8	12.75
E384510		0.90	0.05	8.12	11.2	160	3.59	0.13	0.2	<0.02	19.7	175	61	3.97	74.5	10.55
E384511		0.46	0.1	0.37	13	180	0.11	0.02	21.2	0.13	4.47	2.4	9	0.17	4.6	0.31
E384512		1.24	0.07	4.87	5.3	230	1.25	0.07	0.36	<0.02	61.1	80.3	43	2.18	277	7.82
E384513		1.09	0.09	5.95	4.6	210	0.98	0.1	0.4	<0.02	29.9	79.5	35	1.31	581	7.72
E384514		1.49	0.1	6	5.2	350	1.71	0.12	1.95	<0.02	280	51.5	48	2.04	312	8.67
E384515		1.12	0.21	7.18	6.8	340	3	0.2	1.07	<0.02	296	76.6	53	4.35	49	11.2
E384516		1.09	0.19	7.53	9	220	2.24	0.3	0.96	<0.02	36.2	146.5	48	4.58	1440	11.9
E384517		1.41	0.14	6.23	12.7	180	2.79	0.21	2.11	<0.02	123	114	34	4.99	36.9	13.7
E384518		1.44	0.08	5.36	9.4	1000	2.29	0.09	2.14	<0.02	150	26.6	32	1.95	28.5	11.5
E384519		1.25	0.11	4.19	9.7	710	1.52	0.1	1.99	<0.02	173.5	27.3	23	1.23	518	11.55
E384520		1.76	0.48	2.39	12.1	210	0.85	0.28	0.7	<0.02	106.5	78.1	25	0.92	2710	15.8
E384521		0.37	0.21	0.33	<5	460	0.1	0.02	20.2	0.14	5.36	2.2	8	0.16	12.9	0.32
E384522		0.25	1.24	2.37	126.5	20	0.77	10.4	2.25	<0.02	191	330	13	2.63	9420	27.6
E384523		1.34	0.37	2.14	6.8	230	0.49	0.32	3.85	<0.02	152.5	34.1	13	0.41	5400	18.35
E384524		1.40	0.44	1.71	5.5	240	0.37	0.23	2.26	<0.02	161.5	26.6	9	0.21	5420	17.85
E384525		1.35	0.15	3.95	11.9	300	1.25	0.13	0.94	<0.02	97.1	68.1	30	1.19	855	15.2
E384526		1.59	0.21	2.92	11.5	300	1.15	0.19	1.88	<0.02	174.5	53.6	23	0.83	1710	16.2
E384527		1.40	0.09	8.24	9.3	330	4.3	0.14	0.23	<0.02	23.7	150	85	4.09	47	13.6
E384528		1.36	0.1	6.91	9.3	510	3.56	0.14	0.8	<0.02	36.4	75.4	74	2.97	195	15.55
E384529		1.48	0.14	2.22	7	480	0.64	0.09	1.64	<0.02	145	22	12	0.46	1190	14.9
E384530		1.58	0.08	3.51	10	1460	1.4	0.06	2.03	<0.02	128.5	23.4	28	1.16	59.1	16.7
E384531		0.34	0.08	0.34	12	1040	0.11	0.01	20.9	0.13	5.54	2.1	7	0.16	8.4	0.4
E384532		1.49	0.12	2.53	8.3	620	1.03	0.07	1.44	<0.02	101	31.2	21	0.84	237	17.45
E384533		1.53	0.1	3.39	8.7	1680	1.36	0.14	2.27	<0.02	127.5	20.4	21	1.63	47.6	16.15
E384534		1.31	0.15	3.82	9.7	950	1.74	0.14	2.01	<0.02	121.5	35.7	31	2.2	272	17.2
E384535		1.42	0.08	4.07	12.2	1450	1.86	0.09	1.89	<0.02	115	25.1	26	2.09	24.7	14.95
E384536		1.49	0.08	4.2	14.3	1050	1.78	0.08	1.87	<0.02	99.2	23.1	28	1.68	91.8	14.15
E384537		1.71	0.15	2.47	8.6	800	0.75	0.07	2.35	<0.02	191.5	17.3	15	0.82	109.5	14.3
E384538		1.12	0.12	2.43	7.5	660	0.72	0.07	1.97	<0.02	164.5	26.3	23	0.72	320	14.7
E384539		1.34	0.08	3.94	9.7	1270	1.41	0.06	2.09	<0.02	145.5	14.7	26	1.46	133.5	11.8
E384540		1.47	0.08	3.38	10.8	1260	1.1	0.05	2.73	<0.02	318	13.8	25	1.21	51	12.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384501		0.84	0.11	0.1	0.01	0.05	2.3	4	11.1	229	0.26	0.02	0.5	8.1	410	2.7
E384502		15.4	0.22	1.9	0.144	2.27	26	26.9	1.31	3690	68.8	0.93	2.5	39.1	940	22.3
E384503		15.7	0.24	1.9	0.067	2.56	49	22.2	0.37	311	24.3	0.65	8	15	840	2.8
E384504		10.85	0.27	1.3	0.035	1.39	81.2	18.2	0.85	1835	35	0.75	7.6	20.4	1880	2.1
E384505		10.75	0.34	1.5	0.038	1.25	111	13.9	1.07	2570	29	1.33	8.2	15.9	2570	2.3
E384506		15.2	0.25	2.2	0.037	2.37	72.5	21.1	0.36	491	39.5	0.9	8.6	14.2	870	2.5
E384507		19.4	0.38	2.4	0.033	2.9	119	25.4	0.31	50	24.9	0.79	10.4	17.9	1020	2.4
E384508		18.65	0.35	2.5	0.039	2.88	67.8	25.8	0.32	74	23.1	1.06	10.3	18.8	1310	2.7
E384509		32.1	0.29	4.2	0.075	4.97	7.1	49.2	0.52	39	1.48	1.02	14.1	30.4	920	1.9
E384510		22.9	0.3	3.2	0.052	3.37	12.1	34	0.41	54	3.15	1.49	9.7	27.4	820	1.8
E384511		0.93	0.12	0.2	0.009	0.07	2.5	4.3	11.45	236	0.29	0.02	0.4	7.9	410	1.5
E384512		10.75	0.19	1.9	0.024	1.52	30.8	14	0.28	224	3.52	1.49	4.4	12	650	1.9
E384513		10.2	0.19	2.4	0.014	1.16	16.4	8.4	0.2	224	1.71	2.89	3.9	7.8	790	1.3
E384514		15.35	0.4	2.3	0.035	1.75	201	19.3	0.83	1900	9.12	1.95	5.5	13	700	2.3
E384515		23.7	0.42	2.9	0.062	2.95	209	54.5	1.14	1075	25.6	0.65	8	24.4	980	2.8
E384516		18.85	0.28	2.6	0.036	2.09	24.3	53.7	1.2	1050	12.8	1.93	5.8	29.9	890	2
E384517		17	0.32	2.1	0.045	2.58	89.5	49.7	1.61	2130	43.7	0.22	8.7	29.9	1300	2.4
E384518		14.4	0.3	1.7	0.041	2.17	118	30	1.19	1935	27.8	0.63	9.4	17.1	1250	1.7
E384519		11.65	0.33	1.5	0.027	1.52	132	21.4	0.95	1995	23.6	0.79	7.7	19.5	1170	2.2
E384520		7.97	0.31	1	0.059	0.73	66.2	17.4	0.78	2700	88.1	0.36	4.5	38.2	920	7.9
E384521		0.89	0.08	0.1	0.011	0.05	3.1	4.2	11.05	234	0.87	0.02	0.5	7.6	400	1.4
E384522		10.45	0.51	0.8	0.258	0.69	117.5	22.9	1.56	6070	63.8	0.23	5.3	65.7	2390	6.2
E384523		7.4	0.35	0.7	0.076	0.3	104.5	11.7	2.16	6180	42.7	0.84	3	38	890	3.1
E384524		6.34	0.33	0.6	0.073	0.18	107.5	8	1.55	6390	33.4	0.72	2	36.3	670	4.4
E384525		10	0.26	1.2	0.061	1.4	60.5	14.5	0.98	4070	34.7	0.77	5.2	24.7	1040	1.6
E384526		9.19	0.32	0.9	0.036	1.01	109.5	13.9	1.06	2920	39.9	0.49	4.3	30.3	1190	1.9
E384527		24.3	0.24	2.2	0.059	4.4	17.3	36.3	0.53	343	18.15	0.17	8.4	24.7	430	2
E384528		18.4	0.26	2.1	0.051	3.47	28.5	29.3	0.62	968	30.3	0.3	8.7	19.1	600	2.4
E384529		5.89	0.28	0.6	0.017	0.68	104	12.6	0.9	2780	39	0.34	3.5	24.3	890	1.7
E384530		8.51	0.27	1	0.033	1.32	106.5	20.5	1.06	2610	42	0.36	6.6	21.3	1130	1.4
E384531		0.89	0.07	0.1	0.007	0.06	3.3	4.2	11.3	252	0.8	0.02	0.5	7.3	400	1.5
E384532		7.22	0.31	0.7	0.034	1.1	71.3	13.5	0.9	2860	37.2	0.09	4.7	23.4	830	1.6
E384533		9.21	0.25	1	0.049	1.42	105	19	1.3	3630	36.2	0.11	6.3	23.8	970	1.8
E384534		10.15	0.28	1.2	0.045	1.72	92.5	20.9	1.21	3280	35.4	0.06	7.5	24.3	1050	2.4
E384535		10.55	0.27	1.3	0.04	1.8	90.1	21.7	1.09	2470	32.1	0.13	8.1	20.4	1110	1.9
E384536		10.05	0.24	1.4	0.039	1.94	74.1	17.8	1.02	2620	33.9	0.18	7.6	16.9	1380	1.6
E384537		6.14	0.25	0.7	0.027	0.86	141	12.4	1.22	3820	41.7	0.19	5	20.9	920	2.8
E384538		6.62	0.26	0.8	0.023	0.82	118	13.2	1.06	3140	36	0.16	4.3	26.9	920	1.8
E384539		10.25	0.23	1.4	0.041	1.75	110.5	14.3	0.96	2930	29.8	0.16	8.7	14.8	930	1.5
E384540		9.3	0.32	1	0.046	1.57	237	11.9	1.09	3620	31.5	0.07	8	15.3	1130	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E384501		1.7	<0.002	0.04	0.64	1.3	1	0.2	113	<0.05	0.1	0.4	0.013	<0.02	0.2	3
E384502		95.1	0.021	2.55	1.55	9.7	3	7.6	606	0.13	0.27	8.4	0.075	0.5	300	57
E384503		110.5	0.004	0.52	1.53	9	2	12.3	1565	0.43	0.15	9	0.184	0.28	10.5	56
E384504		57.6	0.008	0.26	1.21	7.7	2	8.5	1620	0.29	0.13	6.8	0.108	0.12	5.6	53
E384505		51.2	0.008	0.37	1.65	7.4	2	8.8	913	0.34	0.17	7.3	0.123	0.11	5.2	53
E384506		99.7	0.006	0.34	1.74	9.3	2	11	1475	0.45	0.14	9.7	0.193	0.24	8.6	56
E384507		127	0.004	0.61	1.96	11.4	2	13.6	1325	0.53	0.18	13.4	0.219	0.29	5.5	65
E384508		122.5	0.004	0.83	1.8	11.1	2	14.9	924	0.57	0.17	14.7	0.243	0.29	8.5	65
E384509		194.5	<0.002	1.29	0.92	24	2	24.5	300	0.73	0.13	20.9	0.386	0.46	9	97
E384510		149	<0.002	1.19	0.93	17.9	2	17.5	428	0.52	0.11	15.1	0.283	0.32	8.1	69
E384511		2.3	<0.002	0.04	0.35	1.4	1	0.2	115	<0.05	0.07	0.5	0.014	<0.02	0.2	3
E384512		63.1	<0.002	0.62	1.09	5.7	2	7.2	1170	0.32	0.05	9.6	0.181	0.19	6.4	40
E384513		42.7	<0.002	0.68	0.78	5.3	2	6.8	998	0.33	0.07	10.5	0.213	0.14	7.8	45
E384514		72.1	<0.002	0.38	1.31	13.1	2	9.1	680	0.38	0.05	15.9	0.196	0.19	12.5	60
E384515		127	0.003	0.45	1.45	21.4	2	16.6	452	0.41	0.09	17.5	0.252	0.32	26.8	86
E384516		91.6	<0.002	1.09	0.95	13.3	2	11.3	244	0.38	0.18	11.5	0.209	0.26	13.8	61
E384517		111.5	0.011	0.73	1.4	13.3	2	14.6	533	0.39	0.18	10.7	0.177	0.25	15.1	66
E384518		90.7	0.009	0.24	1.37	11.9	2	15.4	1155	0.41	0.08	9.2	0.171	0.19	10.6	59
E384519		60.4	0.008	0.3	1.41	9.4	2	12	1090	0.33	0.14	8.7	0.137	0.14	9.9	46
E384520		29.2	0.012	0.84	1.46	4.5	3	6.2	968	0.21	0.33	6.8	0.081	0.1	77.1	33
E384521		1.7	<0.002	0.05	0.36	1.2	2	0.2	121.5	<0.05	0.07	0.4	0.014	<0.02	0.4	3
E384522		37.7	0.017	7.17	2.2	4.7	6	7.3	181	0.12	1.18	5.4	0.031	0.51	15.2	62
E384523		10.5	0.009	0.74	1.01	4.8	4	4	1025	0.13	0.2	4.6	0.046	0.03	20	35
E384524		5.7	0.005	0.67	0.89	3.6	3	3.3	1070	0.1	0.16	5.5	0.039	0.02	32.4	27
E384525		53.9	0.005	0.58	1.44	10.5	2	10.2	1055	0.21	0.17	4.2	0.148	0.14	6.3	65
E384526		38	0.005	0.57	1.69	8.4	3	8.4	1565	0.13	0.18	4.9	0.12	0.1	4.8	72
E384527		170.5	0.002	1.01	1.69	42	3	27.4	326	0.21	0.38	4.7	0.472	0.36	42.5	232
E384528		142	0.003	0.5	2.51	34.2	2	23.6	401	0.27	0.22	4.9	0.431	0.31	40.2	189
E384529		21.7	0.005	0.29	1.45	5.1	2	6.7	1680	0.1	0.12	3.2	0.082	0.08	6.8	47
E384530		50.3	0.006	0.19	2.17	10.2	2	12.7	1215	0.2	0.14	3.8	0.161	0.11	5.3	64
E384531		1.8	<0.002	0.06	0.63	1.2	2	0.2	131.5	<0.05	0.07	0.4	0.014	<0.02	0.2	3
E384532		40.4	0.004	0.25	1.83	7.2	2	9.1	1565	0.14	0.14	3.3	0.122	0.09	5.7	55
E384533		56.2	0.004	0.15	2.11	10.2	2	12.1	1140	0.2	0.11	4.3	0.155	0.12	6	62
E384534		68.2	0.006	0.24	2.34	11.3	2	13.9	1155	0.24	0.15	5.4	0.165	0.15	7.2	67
E384535		73.6	0.005	0.15	2.22	10.9	2	13.3	1160	0.27	0.1	5.3	0.165	0.16	5.4	64
E384536		76.1	0.006	0.16	1.68	9.6	2	12.2	1715	0.26	0.1	5	0.151	0.17	5.1	56
E384537		33.3	0.006	0.14	1.67	4.9	2	8.4	1670	0.15	0.13	4.9	0.091	0.09	5.8	41
E384538		31.5	0.006	0.17	1.29	4.9	2	7.2	1790	0.13	0.12	4.3	0.079	0.08	5.7	42
E384539		75.3	0.006	0.12	2.01	8.2	2	14.8	1210	0.31	0.13	4.9	0.17	0.14	3.9	56
E384540		63.6	0.006	0.1	1.92	6.8	2	12.7	1160	0.25	0.12	8.4	0.128	0.14	2.9	49

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384501		0.5	3.5	13	3.7		0.002	
E384502		7.9	15	8	53.6		0.056	
E384503		15.4	8	2	54.9		0.007	
E384504		10.8	11	3	35.8		0.008	
E384505		10.2	13.6	2	43.3		0.014	
E384506		11.6	8.8	3	61		0.009	
E384507		13.8	10.5	<2	66.6		0.006	
E384508		14.4	10.4	2	70.7		0.006	
E384509		24.5	9.7	<2	119		0.007	
E384510		18.1	8.2	2	92.1		0.003	
E384511		0.5	3.3	12	3.7		0.002	
E384512		9.1	6.8	3	53.6		0.004	
E384513		9.2	8.1	<2	66.2		0.005	
E384514		8.7	12.5	4	62.9		0.003	
E384515		14.8	16.4	18	83.3		0.008	
E384516		11.5	10.7	23	73.7		0.017	
E384517		14.2	12.1	21	56.8		0.006	
E384518		14.6	10.5	3	49.9		0.006	
E384519		11.9	9.9	3	40.5		0.009	
E384520		9.3	8.9	5	27.7		0.038	
E384521		0.5	3.4	12	3.4		0.002	
E384522		6.5	14.8	7	23.3		0.097	
E384523		9.7	9.3	2	18.8		0.031	
E384524		7.3	8.4	<2	15.9		0.047	
E384525		13	8.4	2	34.7		0.010	
E384526		14	9.7	2	23.5		0.009	
E384527		23.7	10.1	<2	55.7		0.010	
E384528		23.8	9.9	<2	53.9		0.008	
E384529		16.4	6.3	4	15.3		0.016	
E384530		22.9	8.3	4	27		0.007	
E384531		0.6	3.5	11	3.4		0.001	
E384532		25.8	6.4	2	17.5		0.010	
E384533		25	8.3	5	28		0.006	
E384534		31	8.5	6	31		0.008	
E384535		23.2	8.1	6	35.6		0.004	
E384536		22.6	8.3	4	39		0.005	
E384537		18.5	7.7	8	22.4		0.007	
E384538		15.7	7.3	7	24.8		0.006	
E384539		16.2	7.5	4	42		0.004	
E384540		15.5	8.9	4	31.2		0.003	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E384541		0.35	0.02	0.29	6	290	0.08	0.02	18.7	0.16	5.09	1.8	8	0.15	3.3	0.26
E384542		0.16	0.3	6.63	52.9	90	2.39	1.59	1.88	<0.02	74.5	97.7	41	6.15	1530	7
E384543		1.11	0.12	5.17	27.2	100	1.49	0.37	1.23	<0.02	81	42.6	33	2.14	115	9.02
E384544		1.31	0.08	6.25	15.7	160	1.98	0.36	0.58	<0.02	9.63	77.2	38	2.75	446	5.69
E384545		1.39	0.08	6.94	7.2	600	2.44	0.09	0.2	<0.02	17.7	37.1	59	3.4	529	5.56
E384546		1.71	0.09	5.76	7.5	1040	1.21	0.27	6.41	<0.02	16.35	57.3	28	1.89	818	8.64
E384547		0.79	0.13	6.19	35.8	110	1.35	0.87	2.64	<0.02	4.92	229	39	2.6	1750	7.2
E384548		1.56	0.38	7.13	10.7	190	3.16	2	1.6	<0.02	6.88	60.3	43	5.36	6400	7.91
E384549		1.16	0.42	7.42	53.3	90	2.57	14.55	1.5	<0.02	26.6	175.5	49	8.76	1370	6.17
E384550		1.17	0.13	7.67	29.3	150	1.72	1.33	0.26	<0.02	9.19	79.1	45	8.73	114	4.08
E384551		0.34	0.01	0.32	<5	450	0.07	0.02	20.1	0.15	4.48	1.9	10	0.19	5.5	0.26
E384552		1.07	0.11	3.15	15.7	150	0.72	1.32	0.24	<0.02	19.75	49.1	21	2.01	80.8	4.44
E384553		1.64	0.09	3.24	5.3	140	0.44	0.61	0.19	<0.02	60.9	80.9	15	0.43	400	8.97
E384554		1.23	0.06	3.44	5.1	290	0.52	0.2	2.69	<0.02	32	37.7	28	1.08	17.6	10.35
E384555		1.55	0.09	2.18	7.7	260	0.42	0.29	0.51	<0.02	26	33.6	16	0.85	124	11.8
E384556		1.63	0.17	1.75	10	280	0.47	0.43	0.47	<0.02	27.9	21.5	16	0.87	102	8.41
E384557		1.75	0.16	4.59	7.6	250	1.15	0.23	0.67	<0.02	278	60.4	30	1.93	1260	13.45
E384558		1.26	0.83	5.18	7.8	60	1.54	0.99	1.6	<0.02	260	59.5	37	1.88	>10000	15.55
E384559		1.42	0.58	4.27	11.8	80	0.56	0.74	2.07	<0.02	308	142.5	25	1.33	4880	15.6
E384560		1.33	0.29	3.65	18.1	70	0.44	0.44	0.42	<0.02	245	185.5	29	1.52	1855	20.3
E384561		0.31	0.02	0.3	<5	60	0.06	0.02	20	0.14	5.12	1.9	9	0.15	9.9	0.26
E384562		0.16	1.02	5.33	69.3	40	1.59	3.02	1.94	<0.02	59.2	155.5	33	3.43	7340	9.56
E384563		1.55	0.74	2.68	65.9	30	0.45	1.05	2	<0.02	305	399	21	1.72	6220	22.3
E384564		1.37	0.53	2.22	23.2	30	0.3	0.84	2.13	<0.02	126.5	184.5	10	0.69	4000	21.5
E384565		1.48	0.42	2.23	16.6	70	0.3	0.61	0.4	<0.02	122	116.5	19	0.78	3230	23
E384566		1.59	0.17	4.09	8.6	90	1.26	0.27	1.32	<0.02	84.1	107	29	1.76	292	16.7
E384567		1.51	0.32	2.24	10.8	70	0.59	0.34	0.16	<0.02	83.7	99.4	23	1.05	1785	17
E384568		1.49	0.45	2.22	9.5	120	0.38	0.32	0.27	<0.02	129	66.8	16	0.87	2780	22.7
E384569		1.61	0.36	2.01	4.4	220	0.38	0.23	0.2	<0.02	276	37	21	0.88	1725	20.2
E384570		1.58	0.58	5.33	8.2	80	1.57	0.66	0.76	<0.02	62.9	94.7	44	3.7	5460	17.7
E384571		0.26	0.02	0.32	<5	130	0.08	0.02	19.7	0.15	5.03	2	7	0.17	24.5	0.3
E384572		1.47	0.3	3.09	6.7	1370	0.41	0.22	2.21	<0.02	92.6	28	17	1.54	1725	18.25
E384573		1.38	0.56	3.24	4	200	0.25	0.37	4.22	<0.02	119.5	24.4	16	0.31	4650	15.35
E384574		2.16	0.58	2.78	4.9	100	0.19	0.42	5.14	<0.02	93.7	40.5	19	0.23	4570	14.05
E384575		1.45	0.73	3.15	6.5	70	0.3	0.5	2.27	<0.02	119	75.5	16	0.45	6370	16.95
E384576		1.52	0.46	4.63	7.1	70	0.78	0.45	0.35	<0.02	114	145	31	1.79	2760	19.05
E384577		1.65	0.27	2.11	3.7	490	0.34	0.16	4.42	<0.02	86	42	10	0.75	541	17.65
E384578		1.12	0.46	5.28	16	1830	0.96	0.2	2.06	<0.02	185.5	53.9	25	4.06	4.8	19.5
E384579		1.44	0.31	4.65	28.1	110	0.73	0.35	0.93	<0.02	309	148	25	4.71	4.9	21.2
E384580		1.09	0.28	2.89	10.7	130	0.57	0.32	1.26	<0.02	147.5	102	18	1.2	262	17.25

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E384541		0.71	<0.05	0.1	0.008	0.05	2.6	3.3	9.91	212	0.66	0.02	0.5	5.6	370	2.3
E384542		18.25	0.17	2.2	0.127	2.97	37.8	21.2	1.28	3020	21.6	0.6	3.2	26.1	700	4
E384543		12.95	0.19	1.9	0.04	2.11	41.8	12	0.5	1345	9.77	1.08	6.6	12.1	1520	2.3
E384544		17.25	0.12	2.4	0.053	2.71	3.8	13.3	0.36	493	6.27	1.03	4.6	16.9	870	2.3
E384545		19.2	0.14	2.5	0.057	3.06	9.4	15.8	0.25	92	3.54	1.06	5	12.9	770	1.9
E384546		11.5	0.14	2.1	0.099	1.66	7.8	11.1	2.72	9570	4.51	2.07	2.1	21.8	550	2.1
E384547		11.75	0.12	2.1	0.104	1.7	2.4	15.2	1.48	3980	6.05	2.16	2.1	30	680	2.5
E384548		21.5	0.16	2.5	0.136	3.57	2.8	16.6	1.1	2820	3.49	0.25	2.7	31	710	2.5
E384549		18.6	0.16	2.9	0.096	2.66	12.1	23.6	1.05	1815	54.4	1.55	2.4	37.7	840	4.8
E384550		19.4	0.11	2.9	0.033	1.79	3.1	12.8	0.33	140	9.64	3.64	2	12.1	820	2.8
E384551		0.73	<0.05	0.1	<0.005	0.05	2.1	3.2	10.55	219	0.41	0.02	0.4	6.8	380	1.7
E384552		9.17	0.1	1.3	0.074	0.57	4.4	6.4	0.55	2780	11.7	1.45	1.6	10.9	380	2.1
E384553		7.77	0.18	1.3	0.136	0.3	20.2	3.6	0.79	5700	13.45	2.04	1.9	10.8	520	2.9
E384554		8.55	0.17	1.5	0.13	0.46	14.4	19.5	2.05	4580	18.55	1.26	2.9	19.3	820	1.8
E384555		6.57	0.2	1	0.042	0.54	11.1	12.4	0.61	1410	14	0.4	4.6	16.5	830	3.5
E384556		4.72	0.14	0.7	0.042	0.41	10.7	6.7	0.53	2090	16.4	0.52	3.5	8.8	640	8.9
E384557		11.75	0.32	1.4	0.065	1.05	166.5	37.1	1.5	1950	35.5	0.57	6.1	24.7	1180	6.9
E384558		13.85	0.35	1.6	0.172	1.2	157	31.2	2.04	4680	73.7	0.98	8.6	25.8	1250	5.9
E384559		9.44	0.35	1.5	0.096	0.3	194.5	33.5	2.22	3460	45.1	1.27	6.8	30.5	1400	13.5
E384560		8.16	0.37	1.2	0.199	0.33	148	27.7	2.13	9070	38.2	0.79	5.7	32.2	1200	4.2
E384561		0.71	<0.05	0.1	0.005	0.05	2.5	3.5	10.6	223	0.77	0.02	0.5	6.7	420	1.7
E384562		13.45	0.19	1.8	0.133	2.04	22.1	22.5	1.17	3310	63.9	0.9	2.8	37.6	840	18.5
E384563		7.51	0.42	0.9	0.128	0.18	200	31.2	2.36	4670	66.1	0.08	5.7	44.2	1450	10.3
E384564		5.82	0.31	0.7	0.205	0.1	87.4	28.4	2.97	10050	45.3	0.02	4.3	37.7	1020	5.9
E384565		6.07	0.33	0.8	0.273	0.1	79.3	29.1	2.94	13950	38.7	0.06	4	39.2	1030	3.5
E384566		10.2	0.27	1.2	0.206	1.37	43.8	22.1	2.16	9280	17.75	0.37	3.5	28.6	570	2.4
E384567		6.54	0.28	0.6	0.172	0.54	28.3	19.8	2.06	9740	25.2	0.01	3.2	31.3	460	2.6
E384568		6.63	0.36	0.6	0.313	0.34	74.3	24.3	3.35	16050	23.7	0.01	5.5	37.8	740	3.2
E384569		6.15	0.39	0.6	0.291	0.24	157	24.5	2.76	11950	19.15	0.01	4.8	31.2	610	3.6
E384570		17.95	0.28	1.5	0.255	1.99	44.6	35.9	2.5	7660	17.8	0.02	6.9	38.3	640	5.8
E384571		0.85	<0.05	0.1	0.005	0.06	2.5	4	10.35	241	0.58	0.02	0.5	6.7	360	1.6
E384572		7.11	0.3	1	0.423	0.08	65.7	30.1	3.13	8670	42.1	0.92	7	24.2	1060	2.7
E384573		8.94	0.46	0.9	0.265	0.1	78.2	10.2	2.81	7410	30	1.95	5.8	14.5	770	2.7
E384574		7.54	0.41	0.8	0.219	0.11	60.4	6.7	2.8	5920	25.7	1.81	5.3	14.7	770	3.3
E384575		9.76	0.47	0.9	0.353	0.2	79.2	10.4	2.54	12450	25	1.75	5.5	21.7	850	2.8
E384576		14	0.53	1.6	0.335	0.7	77.4	27.8	2.45	12350	21.1	1.35	6.7	38.5	680	4.3
E384577		8.02	0.4	0.7	0.437	0.13	74.5	27.9	3.88	9980	26.9	0.07	5.4	26.9	660	2.9
E384578		15.2	0.56	1.5	0.175	0.24	153.5	70.4	3.87	2800	109.5	0.01	8.6	49.4	1880	3.5
E384579		14.8	0.75	1.5	0.061	0.04	218	60.5	2.95	1910	69.4	0.01	10.1	52.8	1940	3.1
E384580		10.85	0.48	0.9	0.14	0.23	95.7	39.9	2.05	3200	28.5	0.01	7.3	38.4	840	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384541		1.7	<0.002	0.04	0.39	1	2	0.2	111	<0.05	<0.05	0.4	0.013	<0.02	0.2	3
E384542		138	0.007	1.19	1.22	9.8	3	8.2	453	0.2	0.19	11.8	0.111	0.37	16.5	64
E384543		91.6	0.002	0.81	1.7	5.1	2	9.1	963	0.27	0.18	7.3	0.16	0.22	2.4	58
E384544		125	<0.002	0.73	1.28	4.8	2	6.9	939	0.27	0.14	11.5	0.176	0.28	8.1	67
E384545		141	<0.002	0.3	1.51	5	2	6.9	667	0.31	0.09	13.4	0.229	0.29	4.5	62
E384546		67.5	0.002	0.4	0.63	8.1	2	2.4	152.5	0.16	0.08	13.7	0.074	0.15	5.5	54
E384547		68.9	0.002	1.37	0.77	5.7	2	2.5	496	0.14	0.07	8.3	0.086	0.16	7.1	30
E384548		153	0.002	0.88	1.23	11.7	2	5.7	175.5	0.13	0.09	18.7	0.119	0.32	10.7	65
E384549		120.5	0.017	1.26	1.15	9.2	2	4.7	537	0.15	0.18	15.3	0.105	0.31	27.7	57
E384550		84	0.005	1.22	0.73	4	2	7	1295	0.15	0.14	12.1	0.101	0.24	47	62
E384551		1.9	<0.002	0.05	0.34	1	2	0.2	119	<0.05	0.05	0.5	0.014	<0.02	0.3	3
E384552		26.7	0.005	0.91	0.61	3	2	2.4	1595	0.09	0.13	3.5	0.043	0.09	41.9	29
E384553		10.8	0.006	0.74	0.43	3.3	2	1.8	1730	0.14	0.1	4.8	0.053	0.06	22.3	23
E384554		14.7	0.007	0.32	0.7	6.2	2	3.8	1525	0.2	0.13	5.7	0.094	0.07	11.3	37
E384555		17.8	0.005	0.37	1.12	3.6	2	4.6	2060	0.2	0.15	3	0.069	0.09	37.5	34
E384556		16.2	0.006	0.39	0.92	3.2	2	4.7	2190	0.14	0.16	2	0.056	0.08	83.3	26
E384557		44.1	0.01	0.54	1.24	6.1	4	12.3	980	0.29	0.24	9.8	0.126	0.12	32.5	47
E384558		50.6	0.02	1.56	1.15	9	6	19.3	368	0.35	0.32	9.2	0.147	0.12	36.8	54
E384559		10.3	0.015	1.55	1.08	6.1	6	12.4	245	0.31	0.4	9.8	0.118	0.06	36.3	43
E384560		9.6	0.009	1.58	0.83	6.1	4	9.7	373	0.28	0.47	8.9	0.107	0.05	30.9	44
E384561		1.6	<0.002	0.03	0.33	1.1	3	0.2	110.5	<0.05	0.1	0.4	0.013	<0.02	0.2	3
E384562		85.7	0.022	2.28	1.52	8.5	4	7.4	571	0.15	0.24	7.5	0.075	0.44	274	54
E384563		5.3	0.023	3.71	1.04	4.9	11	6.9	177.5	0.21	1.09	7.3	0.067	0.04	22.4	52
E384564		2.8	0.02	2.43	0.89	3.6	7	4.6	153	0.14	0.76	4.5	0.035	0.03	16.5	34
E384565		3	0.014	1.47	0.63	4	5	4.4	179.5	0.14	0.51	4.8	0.035	0.03	8.8	35
E384566		57.5	0.004	1.3	0.64	12.9	3	22.5	434	0.12	0.18	2.4	0.151	0.12	5.8	91
E384567		23.9	0.006	1.34	0.83	6.1	3	15.4	910	0.07	0.31	1	0.104	0.05	5.1	61
E384568		13.6	0.006	0.86	0.77	6.2	3	11.6	596	0.12	0.31	2.6	0.089	0.04	15.6	54
E384569		10	0.005	0.45	0.95	4.3	3	14.6	760	0.11	0.26	2.6	0.091	0.03	7.5	44
E384570		84.6	0.005	1.57	1.41	16.9	5	35.2	228	0.17	0.48	8.9	0.21	0.16	164.5	96
E384571		2	<0.002	0.04	0.38	1.2	2	0.4	110.5	<0.05	0.05	0.4	0.015	<0.02	0.8	3
E384572		2.7	0.01	0.26	1	4.7	3	10.2	47.4	0.24	0.23	4.9	0.081	0.02	12.6	36
E384573		3.2	0.007	0.61	0.95	5.6	4	11.1	685	0.22	0.3	4.4	0.103	0.02	14.3	39
E384574		3.8	0.005	0.82	1.02	5.4	5	10.4	826	0.19	0.5	4.8	0.087	0.02	15.8	38
E384575		6.6	0.008	1.27	0.81	5.9	5	11.3	230	0.21	0.49	5.2	0.086	0.03	8.4	36
E384576		28.8	0.007	1.56	0.82	9.1	5	17.8	146	0.32	0.42	10.8	0.132	0.09	66.7	45
E384577		5.5	0.007	0.37	1.23	5.7	3	10.1	532	0.18	0.1	3.4	0.057	0.02	10.7	31
E384578		11.6	0.028	0.32	1.42	7.2	4	10.4	69.9	0.29	0.33	10.1	0.088	0.04	46.2	58
E384579		2.4	0.016	1.2	1.23	4.4	5	11.1	155.5	0.39	0.55	7.9	0.113	<0.02	20.1	54
E384580		10.4	0.007	0.84	1.36	4.8	4	11.3	807	0.26	0.19	4.8	0.078	0.04	13	40

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384541		0.5	3.2	12	3.5		0.001	
E384542		8.3	10.8	8	68.1		0.021	
E384543		13	6.8	4	60.7		0.005	
E384544		11.5	5.4	4	77.6		0.006	
E384545		10.9	5.2	5	81.2		0.008	
E384546		5.1	8.3	11	64.2		0.004	
E384547		5.3	7.3	13	66.6		0.007	
E384548		11.7	9.3	12	79.6		0.032	
E384549		6.8	11.2	15	94.5		0.021	
E384550		7.5	9	8	96.1		0.005	
E384551		0.5	3.3	11	3.9		0.001	
E384552		4.3	5.8	9	42		0.002	
E384553		4	6.1	7	41.1		0.003	
E384554		4.1	8.2	16	45.7		0.003	
E384555		7.6	5.6	10	29.4		0.003	
E384556		7	5.1	8	23.5		0.003	
E384557		15	10.2	24	43.4		0.015	
E384558		13.1	11.6	22	49.9	1.175	0.034	
E384559		8.5	11.3	30	44.7		0.053	
E384560		5.5	8.8	26	37		0.024	
E384561		0.5	3.3	10	3.6		<0.001	
E384562		7.7	13.7	18	56.4		0.054	
E384563		6.7	9.4	32	26.3		0.108	
E384564		4.7	7.4	25	21		0.054	
E384565		3.6	7.5	27	24.7		0.035	
E384566		10.5	8.1	15	35.4		0.009	
E384567		11.1	5	20	17.5		0.020	
E384568		12.1	6.9	26	18.1		0.039	
E384569		18.5	6.8	27	17.9		0.014	
E384570		12.2	15.1	32	44		0.033	
E384571		0.6	3.4	10	3.9		0.002	
E384572		5.3	8.7	28	29.6		0.023	
E384573		6.1	8.2	12	30.3		0.032	
E384574		6	8	10	27.4		0.053	
E384575		7.9	8.5	13	32.3		0.053	
E384576		7.2	12	26	57.1		0.019	
E384577		7	10.3	22	24.2		0.008	
E384578		7.1	14.7	59	53.4		0.014	
E384579		7.6	14.5	55	50.2		0.018	
E384580		9.5	8.2	30	33.2		0.008	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384581		0.29	0.04	0.29	<5	30	0.08	0.1	19.3	0.14	4.16	2.3	7	0.14	3.3	0.26
E384582		0.21	1.29	2.26	123.5	10	0.68	10.3	2.17	<0.02	205	325	13	2.52	9100	28.1
E384583		1.37	0.28	3.61	26.9	60	0.53	0.55	1.84	<0.02	172.5	171	18	1.55	19.3	18
E384584		1.44	0.54	4.65	46.9	70	1.11	1.44	2.18	<0.02	122	157	24	4.05	58.1	15.35
E384585		0.90	0.07	7.41	4.7	2320	1.7	0.05	2.29	<0.02	40.6	15.1	45	6.79	5.7	7.21
E384586		1.45	0.06	6.73	4.1	3160	1.66	0.02	3.15	0.03	73.7	16.4	39	8.31	114.5	8.39
E384587		1.37	0.05	5.64	3.6	1230	1	0.05	4.67	<0.02	20.4	10.6	27	4.68	9.7	6.06
E384588		1.58	0.09	6.43	9.3	360	1.13	0.22	4.48	<0.02	34.8	13.6	36	4.12	12.2	5.55
E384589		1.46	0.1	6.58	6.7	860	1.2	0.14	5.04	<0.02	56.9	13.4	34	5.26	5	6.39
E384590		1.06	0.08	5.71	2.9	200	1.37	0.07	5.18	<0.02	74.8	11.9	28	6.02	3.3	6.9
E384591		0.32	0.01	0.28	<5	10	0.07	0.01	18.9	0.14	4.26	2.2	7	0.14	3.3	0.25
E384592		0.78	0.08	4.84	1.1	410	0.93	0.11	7.46	<0.02	45.8	10.3	23	2.99	253	6.87
E384593		0.66	0.62	5.23	16.5	370	1.63	1.5	4.55	<0.02	155	75.3	28	4.57	559	10.75
E384594		0.76	0.35	4.54	5.5	240	1.12	0.95	7.13	<0.02	16.15	120.5	26	5.89	39.7	11.95
E384595		0.98	1.03	3.8	27.3	30	1.22	2.9	5.85	<0.02	101.5	209	17	5.01	1135	9.68
E384596		0.98	0.23	5.02	7.3	1800	1.42	0.38	6.08	<0.02	61.7	24.6	23	6.83	14.4	7.56
E384597		1.11	0.06	5.94	0.8	520	1.51	0.02	7.32	<0.02	50.4	12.7	28	9.15	8.7	7.07
E384598		1.22	0.05	4.91	<0.2	150	1.42	0.03	7.02	<0.02	54.7	9.6	22	6.41	5.7	5.59
E384599		0.67	0.11	5.98	3.5	160	1.45	0.06	4.32	<0.02	81.9	15.2	23	3.87	<0.2	6.15
E384600		1.05	0.09	6.79	7	250	1.89	0.26	2.66	<0.02	47.5	83.1	37	6.45	34.6	8.95
E384601		0.27	0.06	0.31	<5	30	0.06	0.01	19.35	0.15	4.44	2.2	8	0.15	3.5	0.26
E384602		0.17	0.26	6.04	47.4	120	2.08	1.32	1.73	<0.02	66	94.7	38	5.44	1445	6.31
E384603		1.05	0.08	4.23	2	220	1.01	0.16	8.35	<0.02	40.3	28.7	19	2.18	12.2	7.27
E384604		0.41	0.18	3.31	38.6	370	0.81	0.19	2.62	<0.02	160.5	113.5	33	1.76	149.5	11.5
E384605		1.24	0.71	1.83	102.5	10	0.48	3.23	4.14	<0.02	139	279	10	0.82	443	19.6
E384606		1.48	0.14	4.84	8.5	80	1.06	0.29	2.82	<0.02	56.1	92.5	26	2.01	27.7	12.15
E384607		1.68	0.17	1.56	15.9	50	0.46	0.31	0.63	<0.02	54.7	87.2	8	0.58	157.5	15.5
E384608		1.59	0.19	0.78	18.9	50	0.22	0.7	0.23	<0.02	22.2	70.3	5	0.21	66.3	13.1
E384609		1.68	0.39	0.63	31.7	60	0.28	0.6	0.23	<0.02	33.2	76.6	5	0.17	553	15.15
E384610		1.44	0.88	1.25	229	50	0.47	3.74	0.45	<0.02	0.69	254	7	0.36	203	18.35
E384611		0.33	0.07	0.3	7	160	0.09	0.01	19.7	0.14	4.38	2.2	8	0.14	6.5	0.45
E384612		1.61	0.18	2.28	20.5	80	0.46	0.66	1.26	<0.02	8.99	51.5	12	0.6	51.8	18.85
E384613		1.15	0.13	2.92	11.2	110	0.97	0.47	0.48	<0.02	80	62.5	18	1.24	119	18
E384614		1.15	0.19	5.78	20.6	350	1.78	1.41	0.42	<0.02	5.55	95.9	35	2.85	131	12
E384615		1.28	0.49	5.43	97.4	1900	1.72	5.97	0.31	<0.02	2.25	180.5	29	2.68	138	14.25
E384616		1.75	0.09	0.95	17.6	80	0.28	0.34	0.54	<0.02	10.95	56.3	3	0.28	34.9	19.45
E384617		1.39	0.1	1.44	20.4	260	0.47	0.26	0.66	<0.02	60.7	42.8	10	0.59	32.6	16.9
E384618		1.27	0.1	2.56	25.3	1400	0.65	0.09	3.43	<0.02	115.5	48.7	14	0.97	8.3	16.25
E384619		1.37	0.12	2.64	32	4390	0.69	0.09	2.65	<0.02	220	52.5	11	1.01	13.8	18.5
E384620		1.58	0.12	2.86	24	660	0.79	0.1	0.78	<0.02	259	36.6	18	1.24	69	19

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384581		1.25	0.26	0.1	0.008	0.05	2.1	3.9	10.1	211	0.27	0.02	0.6	5	360	1.5
E384582		12.5	0.8	0.8	0.248	0.64	129	22.1	1.48	5640	59.1	0.24	5.9	69.6	2360	6.1
E384583		13.65	0.56	1.2	0.025	0.21	85	48.8	2.19	1485	30.5	0.33	7.3	51.8	1700	2.9
E384584		14.9	0.43	1.3	0.075	0.84	76.5	61.1	2.58	1895	26	0.06	4.9	48.9	1500	8
E384585		19.5	0.23	1.6	0.032	1.8	25	43	2.41	1400	0.57	1.64	3.6	32.4	760	1.3
E384586		16.3	0.27	1.4	0.041	1.68	41.9	49.5	3.11	1765	0.44	0.87	2.2	23.1	630	2.1
E384587		11.6	0.14	1.1	0.066	1.17	11.5	29.9	2.93	2780	0.26	1.62	2.2	16.2	660	1.7
E384588		14.2	0.19	1.4	0.055	1.37	19.5	28.5	2.68	2690	0.24	2.17	3.2	16.1	600	2.2
E384589		15.2	0.21	1.5	0.062	1.43	33.8	29.6	2.94	3190	0.24	2.17	3.4	16.9	620	2.6
E384590		15.75	0.22	1.4	0.078	1.86	47.8	30.2	3.16	3340	0.65	1	3.2	18.8	590	2
E384591		1.28	0.24	0.1	0.005	0.05	2.2	4.1	9.9	208	0.23	0.02	0.6	5.7	360	1.4
E384592		12.05	0.13	1.2	0.177	1.14	30.2	26.6	3.56	6150	0.67	1.35	3.7	15	430	2
E384593		16.05	0.36	1.9	0.21	1.37	116	63.2	3.15	4880	22.3	0.08	6.6	37.5	910	7
E384594		9.6	0.25	1.7	0.092	0.62	10.7	60.5	5.21	5460	10.9	0.02	1.4	126.5	770	4.9
E384595		9.75	0.26	1.3	0.098	1.04	65.4	48	3.4	5070	47.2	0.05	1.8	43.8	1000	11.4
E384596		12.65	0.15	1.4	0.105	1.81	39.7	37.7	3.72	4450	82.9	0.02	1.7	18.5	690	2.1
E384597		13.85	0.12	1.6	0.114	2.61	33.5	29.1	4.13	4730	7.07	0.03	1.4	17.9	680	1.3
E384598		12.65	0.12	1.2	0.092	2.11	36	22.5	3.71	4250	1.17	0.03	1.3	14.7	490	1.4
E384599		15.45	0.19	2.1	0.088	2.53	62.8	43.5	3.09	2770	27.3	0.03	3.6	18.5	680	1.5
E384600		19.6	0.23	2.4	0.065	2.26	36	82.8	3.27	1725	15.2	0.03	4.6	29.3	710	1.7
E384601		1.3	0.25	0.1	<0.005	0.06	2.3	4.2	10.1	220	0.39	0.02	0.6	5.6	380	1.5
E384602		17.55	0.2	1.8	0.111	2.73	37.4	20.8	1.19	2810	15.4	0.55	2.3	25.2	680	2.2
E384603		11.85	0.1	1.2	0.135	1.34	27.3	41.1	4.82	5210	3.34	0.03	2.5	33.2	400	1.7
E384604		12.15	0.29	1.3	0.246	1.72	134.5	27.2	1.7	4790	47.6	0.02	10.2	24.3	1310	2.8
E384605		9.11	0.49	0.7	0.517	0.86	88.6	19	3.5	12800	90.8	0.02	9.6	40.7	1380	6.7
E384606		14	0.25	1.4	0.221	1.98	25.4	42.2	2.43	5450	16.75	0.11	8.2	24.5	1060	1.8
E384607		5.88	0.31	0.5	0.044	0.52	20.7	16.1	1.25	3770	37.3	0.01	7.9	24.3	1560	1.5
E384608		3.01	0.22	0.2	0.016	0.14	6.2	8.3	0.78	2320	32.7	0.01	5.1	17.9	1010	1.3
E384609		2.65	0.26	0.2	0.039	0.11	12	6.5	0.82	2820	33.2	0.01	7.4	26.1	1010	3
E384610		3.53	0.31	0.4	0.021	0.32	<0.5	13	0.74	1560	100.5	0.01	5.5	42.1	1290	4.4
E384611		0.88	<0.05	0.1	<0.005	0.05	2.2	3.3	10.55	226	1.01	0.02	0.5	9.3	400	2.2
E384612		5.41	0.29	0.6	0.349	0.37	3.7	28.2	3.45	10900	66.2	0.02	5.6	35	1850	2.4
E384613		9.89	0.34	0.9	0.417	1.48	53.9	24	2.62	11350	26.6	0.02	11.4	23.7	1110	2.6
E384614		17.5	0.2	1.8	0.266	2.81	2.8	35.1	1.96	7490	69	0.04	11	32	880	3.1
E384615		17.05	0.26	1.8	0.159	2.51	0.9	33	1.38	4660	76.9	0.04	11.7	45	1140	4.8
E384616		3.03	0.31	0.2	0.274	0.26	3.6	7.8	3.03	13150	44.8	0.01	4.8	38.2	1580	1.6
E384617		5.48	0.31	0.3	0.168	0.66	40.4	12.1	2.02	7690	27.1	0.01	8.6	26.2	2000	1.9
E384618		8.5	0.31	0.5	0.139	1.25	97.6	18.6	2.24	6770	30	0.02	12.6	25.1	2210	1.8
E384619		10.1	0.41	0.6	0.263	1.21	184.5	20.6	2.69	8990	42.1	0.02	15.1	36.2	3200	1.8
E384620		10.2	0.45	0.6	0.268	1.23	209	18.1	2.21	8260	45.9	0.03	12.9	36.5	1720	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384581		1.4	<0.002	0.03	0.29	1.3	2	<0.2	105.5	<0.05	<0.05	0.4	0.013	<0.02	0.2	3
E384582		37	0.019	6.6	2.15	5.3	7	7.4	175.5	0.12	1.2	6.2	0.03	0.49	14.9	62
E384583		8.1	0.02	1.36	1.13	4.3	4	5.7	940	0.27	0.29	6.4	0.075	0.04	15.1	56
E384584		41	0.013	1.41	1.72	7.9	3	5.1	355	0.22	0.38	8.7	0.077	0.16	25.2	59
E384585		73.6	<0.002	0.1	1	12.6	2	2.7	81.2	0.31	<0.05	13.5	0.157	0.22	10.8	67
E384586		72.9	<0.002	0.12	0.77	12	2	2.1	102.5	0.17	<0.05	13.4	0.125	0.23	18	62
E384587		44.6	<0.002	0.21	0.73	11.1	2	1.6	45.9	0.18	<0.05	11.5	0.104	0.16	13.9	45
E384588		53.3	<0.002	0.76	0.91	13.1	2	2.1	33.5	0.26	<0.05	12.1	0.133	0.18	18.6	50
E384589		59.7	0.002	0.26	0.77	13.8	2	2.2	46	0.26	<0.05	13.3	0.133	0.19	21.6	48
E384590		88.8	<0.002	0.11	0.74	11.1	2	2.4	44.4	0.23	0.14	11.8	0.119	0.21	14.4	49
E384591		1.6	<0.002	0.03	0.35	1.4	2	0.2	105	<0.05	<0.05	0.4	0.014	<0.02	0.2	3
E384592		51	<0.002	0.08	0.61	9.6	2	2	54.7	0.31	0.88	9.6	0.103	0.15	6.7	38
E384593		64.9	0.013	0.81	1.36	10.2	3	10.2	111	0.29	0.26	11.1	0.117	0.26	36	59
E384594		33.3	0.032	3.16	0.64	13.3	10	4	30.2	0.12	0.25	9.3	0.095	0.11	10.9	56
E384595		45.7	0.031	4.05	1.49	8	8	4	137.5	0.07	1.91	7.8	0.043	0.3	30.9	45
E384596		86.3	0.017	0.11	0.68	9.1	2	3	40.4	0.09	0.37	10.7	0.075	0.24	8.7	42
E384597		96.7	0.003	0.03	0.56	10.2	2	2.6	30.2	0.07	0.1	11.8	0.077	0.29	9.1	46
E384598		88.2	<0.002	0.09	0.59	10	1	2.5	25.7	0.06	0.07	9.3	0.068	0.24	13.3	40
E384599		95.3	0.005	0.14	0.76	9.4	2	4.4	31.8	0.16	0.28	12.7	0.071	0.2	12.8	36
E384600		93.7	0.004	0.87	0.72	11.4	3	15.3	12.1	0.19	0.19	11.6	0.128	0.19	7.8	57
E384601		1.9	<0.002	0.03	0.29	1.3	2	0.2	104	<0.05	<0.05	0.4	0.014	<0.02	0.2	3
E384602		106.5	0.003	1.14	0.9	9.9	2	6.9	462	0.13	0.15	11.1	0.093	0.32	16.8	58
E384603		56.2	0.005	0.43	0.54	8.7	2	3.9	24.9	0.11	<0.05	6.9	0.069	0.11	7.4	35
E384604		80.4	0.014	1.35	1.31	5.2	7	32.3	25.9	0.24	0.7	7	0.093	0.18	10.1	61
E384605		41.3	0.015	6.1	1.09	4.1	8	22.9	141	0.21	3.66	5.5	0.043	0.11	18	56
E384606		97.3	0.006	1.42	0.55	7.4	4	34.2	711	0.26	0.17	7.5	0.093	0.14	5	57
E384607		25.6	0.01	1.49	0.68	3.4	3	20.3	796	0.16	0.33	1.9	0.031	0.05	5.1	49
E384608		7.5	0.008	1.81	0.75	1.4	3	8.8	827	0.08	0.42	0.9	0.017	0.06	5.2	28
E384609		7.3	0.005	1.88	0.82	1.6	3	7.8	926	0.08	0.8	1	0.013	0.06	4.2	25
E384610		17.9	0.008	9.46	1.69	2.6	5	10.7	145	0.1	5.62	<0.2	0.026	0.09	7.9	40
E384611		1.8	<0.002	0.04	0.36	1.3	2	0.3	113	<0.05	<0.05	0.4	0.013	<0.02	0.2	4
E384612		18	0.007	1.69	0.7	2.8	2	9	566	0.11	1.16	2.4	0.041	0.04	10.9	45
E384613		77.1	0.005	1.23	1.1	5.9	2	30.7	415	0.25	0.19	4.8	0.073	0.14	3.1	50
E384614		144	0.014	2.46	0.92	11.8	3	31.8	317	0.39	1.6	8.9	0.158	0.24	18	68
E384615		134	0.015	8.82	2.09	11.3	5	29.1	226	0.31	9.9	1.9	0.132	0.45	17	69
E384616		13.5	0.008	1.32	0.47	2.9	2	5.7	1035	0.11	0.46	0.5	0.022	0.03	2.1	29
E384617		33.5	0.006	0.44	0.81	3.1	2	12.5	1180	0.22	0.21	3.4	0.043	0.06	5.3	48
E384618		59.8	0.003	0.17	0.91	4.2	3	18.7	384	0.31	0.23	5.8	0.069	0.08	7.5	65
E384619		57.8	0.005	0.2	0.98	4.3	3	18.9	128.5	0.36	0.25	7.1	0.063	0.08	6.5	75
E384620		59.1	0.004	0.1	1.28	4.7	2	12.3	16.9	0.37	0.2	7.9	0.093	0.09	12.1	56

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384581		0.4	3.3	10	3.8		<0.001	
E384582		6.7	15.4	8	28.4		0.119	
E384583		7	12.1	34	40.9		0.008	
E384584		7.2	11.5	45	47.2		0.013	
E384585		5.5	7.4	27	56.5		0.001	
E384586		3.1	7.3	37	51.2		0.001	
E384587		3.4	8.3	20	39.5		<0.001	
E384588		4.9	8.1	17	49.1		0.001	
E384589		4.4	9	20	53		0.003	
E384590		3.8	8.2	19	48.2		0.003	
E384591		0.4	3.3	10	4		0.001	
E384592		3.1	11.2	18	41		0.002	
E384593		7.4	17.1	39	65.9		0.015	
E384594		2.4	12	39	59.9		0.009	
E384595		3.8	12.3	30	45.9		0.032	
E384596		4.9	9.4	21	49.8		0.017	
E384597		4.5	9.5	16	54.5		0.003	
E384598		4.8	7.4	7	43		0.003	
E384599		6.4	8.5	17	73.5		0.010	
E384600		8.7	9.2	33	84.2		0.007	
E384601		0.5	3.3	11	5.7		0.003	
E384602		7	9.9	7	65		0.020	
E384603		4.4	8.7	17	41.8		0.004	
E384604		12.7	11.3	7	44.3		0.012	
E384605		9.6	11	9	24		0.067	
E384606		12.3	9	12	51		0.004	
E384607		7.8	7.3	6	17.3		0.011	
E384608		5.3	4	4	7.4		0.014	
E384609		6.5	4.7	3	5.7		0.041	
E384610		12.5	5.3	4	11.4		0.091	
E384611		0.5	3.3	10	3.8		0.003	
E384612		7.1	10	11	18.3		0.018	
E384613		12.2	10.1	4	28.7		0.007	
E384614		18.4	9.6	5	56.3		0.025	
E384615		16	9.8	4	55.6		0.133	
E384616		6.1	8	4	6.7		0.009	
E384617		8.1	10.2	3	10.7		0.006	
E384618		11.2	11.5	4	16.9		0.005	
E384619		12.7	18.4	5	16.9		0.009	
E384620		14	12.5	7	20.3		0.007	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384621		0.30	0.03	0.31	<5	40	0.07	<0.01	20.4	0.15	5.66	2	8	0.14	4.1	0.28
E384622		0.20	1	5.84	79.6	90	1.87	2.62	1.96	<0.02	54.3	158.5	30	3.42	7610	9.77
E384623		2.22	0.11	9.31	8.7	1100	2.69	0.12	0.25	<0.02	315	52.3	60	5.2	321	10.4
E384624		1.32	0.05	8.72	4.3	1410	2.26	0.03	0.18	<0.02	44.1	17.8	54	4.29	175	9.63
E384625		0.92	0.14	8.24	4.3	7120	2.04	0.09	0.22	<0.02	44.9	20.5	46	4.31	417	10.05
E384626		1.58	0.16	8.28	4.7	850	2.06	0.08	0.18	<0.02	51.1	20.9	50	4.63	419	10.45
E384627		1.12	0.11	7.72	3.9	1110	2.15	0.04	0.18	<0.02	37.4	16.1	48	4.41	38.3	8.98
E384628		1.72	0.15	1.25	11.7	5920	0.29	0.07	0.32	<0.02	48.9	16.7	9	0.37	14.6	20.5
E384629		1.55	0.29	2.71	14.7	940	0.48	0.11	0.61	<0.02	117.5	32.7	10	0.55	13.1	23.3
E384630		1.52	0.24	2.23	11	2620	0.3	0.07	0.57	0.02	55.5	35.9	8	0.29	23	23.5
E384631		0.34	0.01	0.32	<5	40	0.1	<0.01	20.1	0.15	4.44	1.9	7	0.14	4.2	0.28
E384632		0.94	0.3	4.79	8	170	0.68	0.14	0.46	<0.02	80.3	45.4	22	1.23	1080	18.25
E384633		0.73	0.21	6.19	5.2	330	1.42	0.1	0.53	<0.02	58.8	25.1	33	2.52	266	10.9
E384634		1.13	0.26	7.73	6.8	370	1.94	0.25	0.19	<0.02	32.1	42.7	50	3.55	748	9.32
E384635		0.70	0.14	6.8	5.1	420	1.69	0.1	0.87	<0.02	66.1	18.1	40	3.16	218	9.91
E384636		0.89	0.51	4.75	8.9	3670	1.65	0.13	1.82	<0.02	282	24.9	26	2.84	1080	12.65
E384637		0.92	0.97	3.27	15	2110	0.88	0.29	1.05	<0.02	234	44.4	15	1.11	3460	19.05
E384638		0.85	0.49	4.69	13	570	1.36	0.23	1.81	<0.02	197	59.5	23	1.85	1860	14.75
E384639		0.21	0.19	6.95	15.7	860	2.1	0.13	1.63	<0.02	109.5	109	38	3.46	361	11.85
E384640		0.96	0.37	5.5	18	1010	1.8	0.54	0.85	<0.02	229	83.4	26	3.4	46.9	15.4
E384641		0.46	0.24	0.31	<5	30	0.1	<0.01	20.6	0.15	4.99	2.1	7	0.15	5	0.27
E384642		0.22	1.09	2.34	120	50	0.58	9.96	2.19	0.02	182	319	11	2.33	8590	26.8
E384643		0.77	0.49	6.85	12.7	620	2.45	0.79	1.1	<0.02	150.5	107	39	4.33	52	9.8
E384644		1.12	0.16	5.33	6.4	240	1.45	0.24	1.56	<0.02	125.5	114	30	2.93	6.3	11.95
E384645		2.11	0.09	6.7	5.4	990	2.43	0.25	3.41	<0.02	93.5	53.2	42	5.25	5.3	7.72
E384646		2.20	0.06	7.05	2.7	530	1.61	0.05	5.31	<0.02	54.3	37.6	40	2.07	42.9	6.75
E384647		1.52	1.01	5.79	156	120	0.68	2.85	5.22	0.04	61	647	24	0.68	88.2	11.45
E384648		1.22	0.07	7.39	25.2	80	0.91	0.32	4.62	<0.02	49.5	94.1	37	0.58	10.7	6.56
E384649		1.07	1.86	5.14	131.5	150	0.75	9.39	4.31	0.02	61.1	482	25	0.67	54.4	10.6
E384650		1.27	1.95	4.05	194.5	210	0.52	8.19	6.53	0.02	59.1	455	21	0.58	73.6	13
E384651		0.36	0.02	0.3	<5	20	0.08	0.06	19.45	0.15	5.11	2.4	8	0.16	4	0.24
E384652		1.26	0.72	6.03	95.7	300	0.71	2.54	4.82	0.02	184	176	24	0.91	49.9	9.06
E384653		1.36	0.28	5.24	46.5	440	0.39	1.25	7.51	<0.02	191	76.1	23	0.37	16.6	10.8
E384654		1.16	0.79	6.06	85.1	110	0.55	3.96	5.24	0.02	85.6	207	27	0.41	25	10.55
E384655		1.51	0.43	5.72	59.7	240	0.69	1.74	5.69	<0.02	115	143	27	0.32	13.7	9.44
E384656		2.14	0.04	6.05	11.2	930	0.94	0.16	5.07	<0.02	39.1	44.2	30	0.44	6	5.27

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384621		0.91	0.05	0.1	<0.005	0.05	2.8	3.3	11.05	236	0.49	0.02	0.5	8.4	420	1.6
E384622		15.6	0.22	1.8	0.136	2.13	23.4	19.8	1.16	3290	62.3	1	3.4	41.5	860	18.8
E384623		28.6	0.37	2.8	0.103	4.69	217	36.8	0.85	676	30.8	0.05	14.3	24.3	1020	1.9
E384624		25.7	0.21	1.7	0.065	3.82	30.2	57	1.5	173	4.91	0.07	11.4	50.6	730	1.8
E384625		21.7	0.21	1.8	0.057	3.58	35.7	53.4	1.44	187	5.09	0.03	12.3	39.3	990	1.7
E384626		22.2	0.21	1.9	0.078	3.8	40.2	54.2	1.38	160	72.1	0.03	9.2	34.1	840	2
E384627		21.4	0.18	2	0.065	3.5	28.7	47.1	1.14	163	62.1	0.04	7.2	26.7	820	1.7
E384628		4.16	0.36	0.4	0.343	0.26	39	14.5	2.19	10500	50.8	0.01	7.9	26.9	1140	2.2
E384629		6.9	0.46	0.7	0.516	0.34	87.7	29.1	3.43	14450	80.7	0.01	15	52.2	2580	2.1
E384630		5.29	0.44	0.6	0.508	0.11	39.3	26.4	3.43	14200	73.8	0.01	14	46.1	2320	1.9
E384631		0.92	<0.05	0.1	<0.005	0.05	2.2	3.4	10.9	239	0.66	0.02	0.5	8.5	400	1.7
E384632		9.99	0.32	1.4	0.278	0.88	62.6	50.2	3.07	8200	48.6	0.02	5.8	55.8	900	2.3
E384633		15.95	0.21	1.7	0.174	2.39	45.1	47.9	1.84	3830	49.3	0.03	6	27.3	820	1.9
E384634		21.7	0.19	2.4	0.05	3.17	24.9	53.8	1.53	185	21.7	0.03	7.4	26.6	790	3.3
E384635		17.9	0.21	2	0.086	2.76	52.7	50.4	1.63	904	23.8	0.03	10.8	26.4	830	1.9
E384636		16	0.39	1.3	0.236	2.13	213	31.3	1.79	7030	50.3	0.03	7.9	20.6	1830	2.4
E384637		10.4	0.45	0.8	0.217	1.01	187	26.9	2.21	9010	83.5	0.02	8.4	34.7	1860	1.8
E384638		14.65	0.39	1.2	0.209	1.71	149.5	37	2.27	7550	49.5	0.02	9.2	36.4	1720	1.9
E384639		20.7	0.27	1.9	0.157	2.81	82.7	54	2.16	3960	23.7	0.04	6.2	34.3	1020	1.6
E384640		17.95	0.41	1.8	0.054	1.12	155.5	67.6	2.13	1280	18.55	0.03	7.1	62.8	2670	9.4
E384641		0.89	0.05	0.1	<0.005	0.05	2.6	3.5	11.1	232	0.41	0.02	0.5	8.7	410	1.8
E384642		9.92	0.56	0.7	0.231	0.64	116.5	15.7	1.5	6090	61.5	0.23	5.6	65.8	2320	6.1
E384643		23.5	0.29	2.2	0.094	2.47	99.2	44.3	1.65	1945	9.49	0.05	7.9	67.6	1210	9.9
E384644		14.25	0.32	1.7	0.103	1.77	75.9	34.9	1.8	3470	18.3	0.02	6.4	57.5	1250	2.1
E384645		19.2	0.22	2	0.105	3.02	55.5	29.5	1.9	3510	4.77	0.04	5.2	37.2	770	2.4
E384646		16.1	0.16	2.1	0.036	1.43	33.9	12.6	1.77	4400	6.04	3.35	3.5	18.5	770	2.6
E384647		9.9	0.21	1.7	0.021	0.25	36.4	6.6	1.73	4300	17.25	3.85	3.1	37.7	540	20.1
E384648		13.5	0.15	2.1	0.012	0.24	31.6	5.8	1.53	3320	5.75	5.25	3	15.1	540	2.9
E384649		9.77	0.2	1.6	0.016	0.28	38.6	6	1.43	2760	20.1	3.44	3.4	63.4	740	14.8
E384650		8.7	0.24	1.5	0.057	0.1	39.2	16.7	2.79	5120	16.25	2.18	3.1	95	610	18.7
E384651		0.93	<0.05	0.1	<0.005	0.05	2.5	3.6	10.5	220	0.31	0.02	0.5	7.6	400	1.6
E384652		12.7	0.23	2	0.033	0.14	122.5	19	2.17	3230	17.25	3.57	4	46.6	810	9.3
E384653		10.2	0.25	1.6	0.049	0.13	130	8.9	2.59	6280	24.2	3.46	1.7	34.3	590	5.1
E384654		12.1	0.21	1.8	0.025	0.15	54.1	9.5	1.86	3800	30	4.13	1.6	50.3	530	9.1
E384655		12.05	0.19	1.6	0.025	0.14	73.4	6.7	1.93	4050	27.6	3.95	1.3	34.7	570	7.5
E384656		14.8	0.1	2.1	0.013	0.27	24.8	8.9	1.76	3460	4.3	4.07	2.8	16.6	580	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E384621		1.8	<0.002	0.03	0.33	1.3	2	0.2	114.5	<0.05	<0.05	0.4	0.014	<0.02	0.2	4
E384622		96.9	0.02	2.19	1.46	9.9	4	7.4	566	0.17	0.25	7.3	0.079	0.45	262	55
E384623		238	<0.002	0.3	1.14	15	3	22.4	15.7	0.9	0.38	24.1	0.306	0.43	7.7	84
E384624		158.5	<0.002	0.1	0.95	12.5	2	23.4	26.3	0.49	0.05	10.8	0.229	0.34	7.5	71
E384625		180	<0.002	0.29	0.88	11	3	18.7	86.3	0.59	0.07	6.1	0.214	0.33	12.6	67
E384626		191.5	<0.002	0.16	1.02	12.6	3	20.1	16.9	0.52	0.13	19.8	0.242	0.36	12.9	74
E384627		181.5	<0.002	0.07	1.08	13.5	2	20.1	24.7	0.38	0.11	16.4	0.23	0.32	5.8	69
E384628		13.3	0.006	0.17	1.55	3.5	2	11.1	133.5	0.21	0.25	2.7	0.05	0.03	3.8	32
E384629		17.4	0.008	0.08	0.97	4.2	3	10.8	36.8	0.38	1.06	5.9	0.063	0.03	8.2	36
E384630		5.4	0.008	0.13	1.15	3.5	2	7.9	190.5	0.34	0.41	3.8	0.056	0.02	2.5	36
E384631		1.7	<0.002	0.03	0.31	1.2	2	0.2	113.5	<0.05	<0.05	0.4	0.014	<0.02	0.2	4
E384632		43.6	0.005	0.21	0.97	5.9	4	7.3	17.2	0.17	0.17	7.8	0.058	0.07	8	40
E384633		120	0.006	0.08	1.11	9.3	2	15.3	14.1	0.21	0.12	10.5	0.087	0.2	12	63
E384634		162.5	0.005	0.27	1.19	12.1	4	25.6	9.6	0.38	0.19	12.5	0.18	0.3	34.7	69
E384635		135.5	0.009	0.08	1.07	9.8	2	21.8	14.8	0.36	0.16	10.3	0.161	0.23	19.4	62
E384636		121	0.032	0.21	0.7	8.7	4	20.6	108.5	0.19	0.75	13.4	0.101	0.19	17.3	50
E384637		51	0.026	0.41	0.72	5.5	6	13.1	47.3	0.14	1.13	6.2	0.041	0.08	6.9	42
E384638		89	0.016	0.35	0.89	8.2	5	17.9	14.8	0.18	0.64	9.8	0.059	0.14	8.3	57
E384639		150.5	0.005	0.53	1.04	12.6	3	24.7	20.8	0.21	0.32	13.3	0.096	0.26	10.2	74
E384640		54.2	0.014	0.68	1.37	7.4	3	8.6	32.7	0.24	0.23	16	0.095	0.17	197.5	55
E384641		1.8	<0.002	0.03	0.32	1.3	2	0.2	114.5	<0.05	<0.05	0.4	0.014	<0.02	0.4	4
E384642		36.1	0.017	6.44	1.99	4.3	6	6.8	190.5	0.12	1.18	5.5	0.031	0.48	15.7	60
E384643		124.75	0.008	1.62	1.63	12.4	4	8.3	24.2	0.37	0.26	17.5	0.159	0.34	308	66
E384644		93.5	0.008	1.62	0.73	9.2	3	5.1	80.4	0.28	0.23	9.8	0.104	0.2	10.5	49
E384645		141	<0.002	0.85	0.91	10.6	2	6	31.4	0.37	0.13	13.9	0.161	0.31	15.4	63
E384646		61.5	0.007	0.24	0.78	11	1	7.5	74.7	0.31	<0.05	13	0.105	0.15	17.2	60
E384647		8.7	0.047	4.36	1.67	6.5	3	5.8	80	0.29	0.31	12.6	0.109	0.89	243	35
E384648		8.4	0.004	0.51	0.79	7.7	1	4.9	80.9	0.28	0.06	10.2	0.107	0.04	10.1	50
E384649		11.2	0.031	8.07	1.8	7	3	3.3	68.7	0.22	1.38	10.9	0.074	0.14	41	27
E384650		3.6	0.028	5.82	1.4	7.3	4	2.3	66	0.17	0.66	7.3	0.049	0.87	39.2	27
E384651		1.5	<0.002	0.03	0.33	1.1	1	0.2	110	<0.05	<0.05	0.4	0.013	<0.02	0.2	4
E384652		5	0.014	2.68	1.24	7.9	3	2.6	66.4	0.27	0.34	16.6	0.053	0.81	58.3	35
E384653		4.5	0.009	1.19	1.05	10.5	2	2.3	85.3	0.17	0.18	10.9	0.041	0.16	18.9	62
E384654		4.9	0.022	3.36	1.34	7.7	2	2.7	109.5	0.17	0.66	8.7	0.046	0.64	48.1	54
E384655		4.5	0.016	1.77	0.97	8.7	2	3.2	157.5	0.14	0.29	10.5	0.045	0.6	38.8	59
E384656		11.2	<0.002	0.26	0.74	10.9	1	2.2	101.5	0.22	<0.05	12.1	0.06	0.05	3.9	43

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384621		0.5	3.5	11	3.4		0.001	
E384622		8.1	14.2	8	55.4		0.051	
E384623		27.2	20.8	3	89.9		0.017	
E384624		22.3	7.2	17	52.8		0.005	
E384625		18.3	10.6	17	53.8		0.005	0.77
E384626		21.8	10.3	17	61.7		0.012	
E384627		22.2	9	13	63.7		0.007	
E384628		23.4	6	11	13.1		0.009	0.83
E384629		7.1	14.6	24	20.9		0.021	
E384630		5.4	12.3	22	19.4		0.016	
E384631		0.5	3.3	10	3.4		0.003	
E384632		6.9	9.9	29	44.3		0.013	
E384633		12.9	8.4	20	55.2		0.013	
E384634		17.9	11.6	21	78.5		0.014	
E384635		13.2	10.9	17	66.1		0.016	
E384636		12.5	14.5	8	42.5		0.026	
E384637		8.5	11.3	13	28.3		0.032	
E384638		10.4	13	14	40.8		0.018	
E384639		14.6	10.7	16	59.5		0.014	
E384640		10.2	19.9	47	58		0.011	
E384641		0.5	3.4	10	3.5		0.003	
E384642		6.7	13.9	10	21.6		0.113	
E384643		10.7	21	18	72.8		0.015	
E384644		5.9	12.5	19	50.6		0.011	
E384645		8.5	12.9	9	63.1		0.007	
E384646		5.4	13.8	4	66.8		0.003	
E384647		6.3	14.6	6	55.7		0.033	
E384648		4.5	11.1	4	64.9		0.005	
E384649		3.8	11.1	4	48.3		0.119	
E384650		4	10.9	14	45.4		0.068	
E384651		0.4	3.6	10	3.8		0.001	
E384652		4	14.6	15	62.6		0.022	
E384653		6.3	16	6	50.3		0.014	
E384654		5.4	12.7	7	58.4		0.028	
E384655		4.9	12.9	5	51.4		0.013	
E384656		3.4	11	4	65.3		0.004	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07098108

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 17-OCT-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE VA07102606

Project: IGOR

P.O. No.:

This report is for 1 Drill Core sample submitted to our lab in Vancouver, BC, Canada on 27-AUG-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
U-XRF10	Fusion XRF - U Ore Grade	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 17-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07102606

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E147196		1.76	10.85	0.4	25	70	0.22	1520	5.66	0.09	15.25	93.3	<1	0.22	>10000	16.45

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 17-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07102606

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E147196		2.04	0.44	0.2	0.779	0.02	2.2	6.4	2.7	9740	62.5	0.02	7.2	56	390	1005

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 17-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07102606

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E147196		1.4	0.011	4.97	26.7	1.6	4	3.5	642	0.09	0.7	0.6	0.012	0.14	9430	12

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 17-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07102606

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	U-XRF10 U % 0.01
E147196		85.7	44.5	19	7.1	5.71	0.169	0.82

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 17-OCT-2007
Account: CASMIN

Project: IGOR

CERTIFICATE OF ANALYSIS VA07102606

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE EL07111771

Project: IGOR:16-2007-13

P.O. No.: 195428

This report is for 20 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 11-SEP-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim 'or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
Account: CASMIN

Project: IGOR:16-2007-13

CERTIFICATE OF ANALYSIS EL07111771

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
E383507		2.11	0.057	1.67	1.13	115.5	260	0.14	4.35	4.28	0.02	272	358	3	0.6	645
E383508		1.86	0.034	2.41	1.13	139	420	0.14	4.53	2.23	<0.02	369	467	14	0.43	1130
E383509		1.38	0.019	1.06	1.71	48	210	0.28	2.28	2.47	0.02	187.5	234	6	0.66	330
E383510		1.86	0.005	0.52	0.41	23.4	230	0.09	0.7	1.79	0.02	196	239	<1	0.2	281
E383511		1.59	0.004	0.4	0.23	20.4	200	0.07	0.5	2.42	<0.02	91.8	256	<1	0.08	229
E383512		1.74	0.008	0.78	0.62	26	180	0.15	1.22	3.06	<0.02	196	247	12	0.4	559
E383513		1.89	0.028	0.67	3.79	47.5	460	0.46	2.38	0.55	<0.02	357	90.7	12	1.32	1500
E383514		1.57	0.037	0.75	4.57	41.9	690	0.58	2.84	0.67	<0.02	319	97.1	17	1.85	2060
E383515		1.38	0.031	0.5	5.18	35	520	0.63	3.21	0.52	<0.02	47.8	121	24	1.67	808
E383516		0.22	0.001	0.09	0.13	<5	160	0.12	0.03	43.4	0.36	2.12	1.2	10	<0.05	3.1
E383517		1.45	0.028	0.49	3.69	38	270	0.45	3.04	1.55	<0.02	28.4	134	31	1.15	792
E383518		1.33	0.002	0.1	5.7	4	2750	0.72	0.04	2.58	0.02	16	15.9	23	1.19	100
E383519		1.47	0.010	0.24	3.16	24.9	320	0.59	0.9	0.52	<0.02	75.8	102	8	1.34	61.8
E383520		1.77	0.007	0.29	1.43	17.4	310	0.36	0.39	0.51	<0.02	358	104.5	30	0.52	555
E383521		1.65	0.037	0.89	2	45.9	190	0.41	3.46	0.82	<0.02	35	202	11	0.9	1020
E383522		3.74	0.018	0.41	1.41	23.6	310	0.33	0.73	0.7	<0.02	240	52.5	7	0.44	1430
E383523		2.95	0.014	0.43	4.26	64.9	420	1.22	6.8	2.07	<0.02	160	95.7	29	3.7	53.7
E383524		1.51	0.012	0.3	4.95	74	500	1.31	4.18	1.57	<0.02	125	94.6	28	3.9	855
E383525		1.53	0.036	0.56	2.19	127.5	410	0.64	9.28	0.55	<0.02	327	148.5	9	1.53	1550
E383526		2.35	0.021	0.41	2.5	58.1	650	0.68	6.67	0.78	<0.02	261	130	22	1.7	1300

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
Account: CASMIN

Project: IGOR:16-2007-13

CERTIFICATE OF ANALYSIS EL07111771

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
E383507		26.3	6.56	0.36	0.8	0.055	0.08	199.5	17.7	1.54	5420	80.8	0.09	13.6	53.7	4780
E383508		26.6	7.52	0.44	0.6	0.043	0.05	275	17.5	0.86	3750	118.5	0.04	12.1	62.9	4160
E383509		24.1	7.23	0.32	0.5	0.027	0.25	116.5	26.1	1.19	3610	42	0.06	8.7	64.9	2910
E383510		31.1	5.81	0.39	0.2	0.018	0.05	144.5	7	0.65	1930	3.98	0.02	12.8	71.6	3250
E383511		30.8	4.57	0.32	0.1	0.029	0.01	56.8	5.1	1.1	2810	7.45	0.01	9.5	72.5	3780
E383512		29	5.45	0.39	0.2	0.03	0.07	129	10	1.31	3820	22.5	0.05	10.5	59.2	3890
E383513		18.3	9.63	0.38	1	0.011	0.82	203	30.3	0.6	125	43.3	0.82	6	38.2	2540
E383514		16.1	9.86	0.35	1.1	0.022	1.33	183.5	33.9	0.83	603	43.9	0.83	3.7	36.7	1840
E383515		14.65	9.25	0.19	1.8	0.014	1.2	18.4	35	0.84	733	32	1.34	4.1	43.3	1920
E383516		0.07	0.59	0.12	0.1	<0.005	0.03	1.9	1.7	0.47	36	0.26	0.02	0.4	2.1	110
E383517		17	8.54	0.19	1.6	0.011	0.8	10.1	29	0.91	1330	60.1	0.92	4.8	43.5	2610
E383518		5.35	8.43	0.07	1.8	0.013	0.78	10.6	25.9	1.3	2670	12	2.61	4.7	18.8	970
E383519		19.3	9.31	0.24	0.5	0.008	1.16	29.8	15.1	0.38	276	50.8	0.4	5.3	41.4	2450
E383520		23.1	9.66	0.37	0.7	0.008	0.35	221	19	0.44	618	32.2	0.07	7.8	49.3	2400
E383521		20.9	8.5	0.24	0.7	0.015	0.78	10.6	16.7	0.4	363	76.8	0.07	5.7	53.1	3330
E383522		17.1	7.2	0.32	0.6	0.011	0.56	101.5	7.7	0.3	418	55.9	0.02	7.1	31.8	3340
E383523		17.3	12.2	0.26	1	0.124	1.89	130.5	13.7	1.43	9810	61.3	0.05	5.5	28.8	980
E383524		14.85	14.1	0.2	1.3	0.137	2.24	92.5	13.2	1.18	8450	26.9	0.05	5.4	32.7	1020
E383525		25.4	7.84	0.37	0.6	0.195	0.78	246	15.4	1.45	15500	23.8	0.02	3.4	64	1170
E383526		23.4	8.3	0.36	0.5	0.161	0.72	206	29.2	1.49	14150	25.8	0.02	3.1	46.9	780

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
Account: CASMIN

Project: IGOR:16-2007-13

CERTIFICATE OF ANALYSIS EL07111771

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
E383507		14.1	3.3	0.018	6.34	2.51	4.5	5	3	155.5	0.32	0.85	6.7	0.031	0.19	9
E383508		16.4	2.3	0.021	6.5	2.69	2.6	6	2.6	191.5	0.29	0.72	10.3	0.026	0.19	13.3
E383509		8.4	9.6	0.008	3.62	2.04	3.6	4	4.5	396	0.18	0.43	4.4	0.037	0.14	9.1
E383510		4.3	2.4	0.003	3.11	1.88	1.8	3	3.2	179.5	0.23	0.11	2.7	0.023	0.03	4.7
E383511		3.2	0.7	0.002	2.66	1.47	2.1	3	2.2	412	0.21	0.15	1	0.013	0.02	2.9
E383512		5.6	3.3	0.005	2.6	1.72	3	3	2.1	482	0.27	0.16	3	0.019	0.05	7.6
E383513		5.7	35.8	0.012	3.03	1.53	2.3	3	4.1	514	0.15	0.51	12.8	0.058	0.29	11.4
E383514		6	58.3	0.01	3.26	1.44	2.7	4	5.1	448	0.12	0.48	15.6	0.053	0.33	11.9
E383515		5.2	50.1	0.013	3.21	1.7	2.9	3	5.4	465	0.14	0.39	4.6	0.084	0.3	13.2
E383516		1.1	0.6	0.004	0.07	0.14	0.4	3	<0.2	260	<0.05	0.06	0.2	0.007	<0.02	0.7
E383517		4.8	33.2	0.016	4.03	1.47	3.5	4	4.5	364	0.15	0.62	3.4	0.065	0.22	16.3
E383518		3	33	0.003	0.32	0.69	4.3	1	4.7	1730	0.2	<0.05	6.5	0.075	0.16	4.7
E383519		3.4	42.8	0.018	1.74	1.47	1.8	3	3.4	1050	0.16	0.28	2.6	0.044	0.22	11.2
E383520		3.4	13.9	0.007	1.37	1.95	1.8	3	4.1	960	0.18	0.11	9.4	0.048	0.06	4.7
E383521		5.3	32.9	0.018	5.81	1.8	2.4	5	4.6	350	0.14	0.87	1.3	0.059	0.18	6.7
E383522		2.4	24.2	0.01	1.52	1.36	1.3	5	3.8	1050	0.15	0.31	4.4	0.033	0.13	3.1
E383523		3.1	72.7	0.006	2.7	2.63	10.3	2	10.7	27.5	0.2	0.44	8.2	0.077	0.25	16.2
E383524		2.7	84.8	0.007	2.27	1.76	8.5	2	10.6	20.4	0.2	0.24	7.3	0.082	0.25	7.1
E383525		3.8	29.5	0.005	3.42	2.51	5.8	3	4.7	25.6	0.11	0.29	7.9	0.043	0.13	13.9
E383526		3.2	27.8	0.004	2.41	2.56	5.4	2	5.4	12.5	0.12	0.23	7.2	0.061	0.11	8.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
Account: CASMIN

Project: IGOR:16-2007-13

CERTIFICATE OF ANALYSIS EL07111771

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
E383507		53	5.7	32.3	23	24.6
E383508		51	5	25.4	21	19
E383509		51	10.3	18.3	24	16.1
E383510		57	6.6	14.9	9	6.8
E383511		60	6.3	15.8	10	3.8
E383512		52	8.4	18.4	14	6.9
E383513		43	6.7	15.4	20	31.7
E383514		44	5.2	13	24	32.3
E383515		48	5.5	11.2	25	53.7
E383516		6	0.1	2.7	23	3.4
E383517		50	5.2	14.1	21	46.7
E383518		22	5.1	10.1	23	51.2
E383519		65	6.2	9.8	13	14.1
E383520		65	8	14	14	20.3
E383521		53	8.1	14.9	10	21.9
E383522		42	7.8	17.2	6	16.8
E383523		53	10.7	9.4	10	30.3
E383524		58	10.5	9.5	9	40.4
E383525		40	8	9.4	17	18.2
E383526		48	9	8	19	16.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 30-OCT-2007
Account: CASMIN

Project: IGOR:16-2007-13

CERTIFICATE OF ANALYSIS EL07111771

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07113708

Project: IGOR-16-2007-15

P.O. No.: 198714

This report is for 229 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 1-OCT-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E384778		1.10	0.1	4.23	6.1	2300	1.36	0.72	4.1	<0.02	115.5	68.4	24	3.06	268	12.3
E384779		0.82	5.93	3.39	22.3	170	1.2	6.69	2.5	0.05	53	257	18	1.5	>10000	16.6
E384780		1.44	4.03	4.2	31.8	220	1.02	5.52	1.81	<0.02	132	282	22	1.54	>10000	16.6
E384781		1.22	4.04	3.72	37.8	70	0.8	5.61	2.91	<0.02	45.4	492	20	0.94	>10000	17.65
E384782		1.28	4.12	3.92	20.7	60	0.68	5.61	1.91	<0.02	96.5	220	24	0.78	>10000	17.3
E384783		1.27	0.71	5.05	7.8	270	0.75	0.72	1.89	<0.02	80.6	94.5	26	0.77	7720	8.23
E384784		1.19	0.11	5.35	2.8	3530	0.95	0.13	2.34	<0.02	105	58.7	31	2.4	766	9.83
E384785		1.12	0.08	6.07	1.9	4750	1	0.11	3.37	0.02	74.9	59.5	30	1.55	212	8.55
E384786		1.01	0.03	7.24	1.5	4780	2.63	0.09	2.16	<0.02	48.9	67.1	38	3.48	74.8	8.45
E384787		0.17	0.01	0.15	<5	70	<0.05	0.01	47.2	0.39	2.22	0.9	6	<0.05	22.6	0.05
E384788		1.22	0.07	6.97	2.8	4550	2.34	0.07	2.6	0.02	77	53.5	35	3.39	236	8.6
E384789		0.99	0.05	6.93	3.6	3350	3	0.1	1.54	<0.02	83.8	53.9	39	4.47	136	8.91
E384790		0.71	0.08	6.69	3.4	1520	1.84	0.19	2.89	<0.02	68.7	89.1	35	2.97	895	9.33
E384791		1.16	0.23	6.09	2.6	1510	1.4	0.85	2.68	<0.02	131.5	62.6	33	1.74	2090	9.37
E384792		1.18	0.38	6.41	3.7	1260	0.76	0.83	2.92	<0.02	97.3	112.5	35	0.68	4640	9.56
E384793		1.10	0.2	6.04	2.6	1040	0.74	0.3	2.89	0.02	77.9	90.8	32	0.59	2660	8.95
E384794		1.34	0.22	6.45	2.9	2650	0.77	0.28	3.29	<0.02	125.5	98.8	28	0.73	3750	10.7
E384795		1.45	0.7	2.98	11.4	110	0.24	0.49	2.94	<0.02	175	210	13	0.27	>10000	21.6
E384796		1.15	0.46	3.79	6.1	490	0.59	0.39	2.53	<0.02	132	83.3	17	0.54	2690	11.65
E384797		0.16	0.01	0.11	6	50	0.07	0.01	40.7	0.34	1.93	0.8	4	<0.05	7.7	0.04
E384798		0.18	0.97	5.42	58	140	1.83	2.03	1.88	<0.02	56.3	149	33	3.14	7590	8.77
E384799		1.32	0.12	5.57	2.5	3570	0.88	0.18	2.36	<0.02	103	47	26	1.85	1470	11.75
E384800		1.26	0.03	5.92	0.5	3430	1	0.03	2.68	<0.02	52.5	24.1	26	0.96	110.5	7.8
E384801		1.48	1.22	4.2	6.2	140	0.7	1.16	3.07	<0.02	175	41.6	18	0.71	>10000	11.85
E384802		1.21	0.26	1.51	23.4	170	0.91	0.59	0.82	<0.02	140	229	4	1.05	2190	16.2
E384803		1.25	0.08	2.13	10.8	580	1.06	0.32	0.73	<0.02	176	69	7	1.92	387	17.55
E384804		2.00	0.09	1.43	9.9	470	0.84	0.4	0.85	<0.02	129.5	46.2	4	0.93	378	16.1
E384805		2.22	0.13	0.48	5.1	350	0.32	0.56	0.94	0.02	75.7	35.1	<1	0.26	594	13.95
E384806		1.64	0.27	1.45	11	170	0.93	3.35	3.93	<0.02	195	71.5	7	1.03	1295	19.9
E384807		1.47	0.07	0.81	7.6	340	0.97	0.98	2.56	<0.02	102	46.2	4	0.52	381	14.8
E384808		1.35	0.15	1.58	7	320	1.08	0.45	1.79	<0.02	145.5	64.8	8	1.15	591	13.95
E384809		0.17	<0.01	0.13	<5	110	0.09	0.01	45.3	0.37	2.03	1.4	5	<0.05	3	0.06
E384810		1.16	0.3	4.93	2	920	1.96	0.26	0.47	0.02	75.8	56.9	28	5.11	2910	17.1
E384811		1.18	0.08	5.11	1.5	1440	2.13	0.08	0.39	<0.02	96	65.1	28	5.96	761	13.85
E384812		1.46	0.03	5.56	4	2640	2.35	0.06	0.19	0.02	104	97.8	34	7.43	117	13.9
E384813		1.14	0.2	4.7	3.6	320	0.72	0.12	0.64	<0.02	83.3	67.7	22	1.15	2350	8.58
E384814		0.95	0.07	5.22	2.7	940	0.7	0.12	0.85	0.02	79.9	70.9	25	0.79	816	8.23
E384815		1.46	0.77	4.69	5.3	300	0.86	0.64	0.84	<0.02	99.8	105.5	22	1.39	1565	8.35
E384816		1.70	0.54	1.34	12.9	120	0.72	0.55	1.37	<0.02	176.5	186.5	8	0.79	3070	24.6
E384817		1.44	0.7	0.68	12.3	110	0.34	0.6	5.3	<0.02	146.5	132	<1	0.2	3890	17.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384778		9.9	0.16	1.2	0.162	1.32	75.8	27.2	2.13	8070	22.2	0.68	3.7	34.6	1160	3.4
E384779		10.45	0.31	1	1.385	0.87	24.9	22.6	1.14	5130	31.8	1.27	4.7	26.5	710	174.5
E384780		9.76	0.31	1.5	0.713	0.57	69.3	27.3	1.48	7720	48.4	1.87	5.1	35.5	720	296
E384781		7.66	0.18	1.1	0.95	0.42	15.8	22.8	1.88	8370	37.2	2.01	2.7	64.2	620	58.3
E384782		9.19	0.21	1.2	0.928	0.39	45	17.3	1.37	8100	36.4	2.43	2.2	41.4	850	34.5
E384783		11.55	0.14	1.3	0.177	0.34	38.5	15.4	1.22	5190	14.1	3.23	4.8	18	590	10.2
E384784		16	0.13	1.5	0.082	0.36	64.7	70.8	2.68	2920	3.44	1.52	3.1	34.8	600	5.2
E384785		16.35	0.2	1.4	0.078	0.47	47.6	39.2	1.96	4910	2.91	3.21	5.1	21	680	6.7
E384786		23.4	0.17	1.7	0.108	1.68	30.6	70.9	1.55	4130	2.21	2.6	4.7	20.4	690	4.5
E384787		0.47	<0.05	0.1	0.005	0.04	1.7	1.3	0.51	41	0.5	0.02	0.3	<0.2	130	0.7
E384788		19.6	0.22	1.6	0.094	1.67	49.2	64.6	1.55	3870	2.94	2.59	4.6	17.6	850	5.4
E384789		22	0.2	1.5	0.074	2.1	54.4	90.8	1.31	1355	2.71	1.64	4	20	980	5.4
E384790		17.1	0.22	1.4	0.087	1.19	43.5	59.8	1.55	2850	2.7	2.92	5.2	18.5	740	5
E384791		15.85	0.24	1.3	0.085	0.68	81.8	53.2	1.42	2540	18.45	2.75	5.1	24.7	900	6.4
E384792		16.3	0.24	1.3	0.107	0.21	64.6	22	1.18	2690	22	4.07	5.4	27.6	750	5.2
E384793		15.55	0.2	1.3	0.079	0.16	51.8	22.3	1.18	2280	7.28	3.81	4.5	24	750	3.6
E384794		17.35	0.22	1.2	0.115	0.19	84.6	29.5	1.37	2750	7.39	3.92	5.4	31.2	960	3.6
E384795		11.25	0.32	0.7	0.196	0.06	112.5	10	1.18	3600	12.25	1.86	3	50	1950	6.1
E384796		10.35	0.19	1.5	0.064	0.08	84.9	27.2	1.27	2250	19.25	1.95	6.9	31.4	1920	5.1
E384797		0.39	<0.05	0.1	<0.005	0.02	1.5	1.2	0.44	32	0.23	0.01	0.2	<0.2	90	0.5
E384798		14.55	0.15	1.5	0.127	1.98	21.4	23.2	1.11	3010	56.1	0.99	3.2	34.1	770	18
E384799		12.95	0.22	1.1	0.043	0.17	68.8	58.8	1.98	2180	4.6	2.53	4.4	35.9	1130	3.7
E384800		12	0.15	1.1	0.033	0.15	36.3	32.2	1.39	2720	2.83	3.55	2.8	21.6	820	3.6
E384801		10.9	0.23	1.1	0.134	0.15	95.1	20.7	1.41	3820	58.1	2.64	5.5	30.1	2050	11.7
E384802		5.82	0.23	0.5	0.131	0.15	73.6	32.6	1.68	7230	36.7	0.03	3.3	34.1	1920	3
E384803		6.9	0.25	1	0.057	0.19	110.5	46.9	1.64	3150	27.6	0.05	2.6	38.8	2470	2.1
E384804		6.82	0.24	0.5	0.043	0.03	83.5	30.8	1.31	2110	31.3	0.01	2.8	38.8	2370	2
E384805		3.61	0.16	0.1	0.22	<0.01	42.9	9.2	1.67	11600	30.8	0.01	1.3	18.5	960	3.7
E384806		7.51	0.34	0.5	0.089	0.02	105	35.3	2.23	6250	20.4	0.01	5.4	41.4	2050	3.3
E384807		3.87	0.17	0.2	0.057	0.01	63.6	18.9	1.61	5350	41.8	0.01	3.3	26.9	1750	1.8
E384808		5.54	0.18	0.4	0.077	0.02	90.5	37.4	2.08	4750	28.4	0.01	3.2	30	1700	3.1
E384809		0.56	<0.05	0.1	<0.005	0.03	1.7	1.3	0.49	36	0.25	0.01	0.3	1.6	110	0.7
E384810		12.15	0.16	1.3	0.105	0.07	53.8	141	4.16	2580	4.1	0.01	4.7	30.2	700	7.7
E384811		13.3	0.14	1.5	0.067	0.12	67.7	162	4.16	726	2.55	0.02	4.4	25.4	670	5.5
E384812		15.1	0.17	1.7	0.052	0.78	67.9	139.5	3.4	311	1.91	0.11	2.5	25.5	830	4.9
E384813		11.35	0.11	1.5	0.067	0.15	56.8	40.5	1.22	2080	2.34	2.44	2.1	12.4	590	2.7
E384814		12.45	0.11	1.4	0.104	0.2	56.5	26.8	1.17	3720	2.73	3.1	2.5	14	530	2.5
E384815		11.1	0.13	1.5	0.094	0.15	66.6	37.8	1.35	2340	67.4	2.42	4.4	17.3	640	12.4
E384816		8.93	0.28	0.5	0.093	0.02	95.3	34.4	1.62	3480	37.2	0.02	5.2	57.6	2630	3.3
E384817		5.16	0.25	0.2	0.156	0.01	86.3	12.8	2.51	7760	33	0.02	6.1	31.6	1810	24.9

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384778		71.2	0.005	0.16	1.38	7.3	1	3.9	1050	0.12	0.36	8.1	0.075	0.13	13.6	47
E384779		44.4	0.02	9.91	5.46	6	7	15.3	196.5	0.18	1.71	4.5	0.068	0.09	940	50
E384780		30.2	0.03	4.54	10.4	6	8	8.7	179	0.23	0.89	10.6	0.082	0.25	2850	44
E384781		21	0.02	7.86	3.21	5.8	4	9.2	162	0.12	1.39	6.5	0.049	0.1	900	45
E384782		19.9	0.01	5.71	2.37	6.4	7	11.8	188	0.09	1.05	7.9	0.041	0.07	327	52
E384783		17.9	0.005	0.97	1.98	5.6	2	5.1	1200	0.28	0.21	7.9	0.1	0.05	47.8	36
E384784		16.7	<0.002	0.34	1.51	8	1	4	635	0.22	<0.05	9.1	0.091	0.11	29.4	62
E384785		26	<0.002	0.35	1.81	11.4	2	5.9	567	0.34	<0.05	10.3	0.124	0.14	30.2	56
E384786		101	<0.002	0.22	1.54	19	2	12.9	510	0.35	<0.05	11.6	0.145	0.13	17	82
E384787		0.8	<0.002	0.07	0.1	0.5	2	0.2	281	<0.05	<0.05	0.2	0.007	<0.02	1.1	15
E384788		99.3	0.002	0.25	1.3	11.5	3	12	720	0.3	0.05	11.8	0.147	0.13	20.7	68
E384789		129	<0.002	0.26	1.27	13.7	3	14.3	782	0.26	<0.05	10.3	0.153	0.17	12	74
E384790		69.9	<0.002	0.36	1.28	11.4	3	10.9	771	0.34	0.07	11.6	0.165	0.1	16.1	63
E384791		42.2	0.005	0.37	1.54	9.8	3	8.4	993	0.33	0.14	13	0.133	0.06	45.2	59
E384792		9.8	0.009	0.74	1.54	8.1	4	5.6	458	0.36	0.19	9.7	0.12	0.03	44.9	62
E384793		7.6	0.002	0.53	1.1	7.4	3	5.1	1055	0.31	0.11	9.4	0.102	<0.02	31.6	62
E384794		9.5	0.002	0.59	1.27	7.8	3	5.8	407	0.35	0.12	9.5	0.1	0.03	43.5	57
E384795		2.4	0.003	1.49	0.95	4.1	3	3.8	360	0.12	0.28	6.6	0.033	0.02	41.6	48
E384796		3.7	0.007	0.51	1.17	5.7	2	3.3	1210	0.25	0.15	6.1	0.061	0.03	23.3	44
E384797		0.4	<0.002	0.06	0.07	0.4	2	<0.2	241	<0.05	<0.05	0.2	0.006	<0.02	0.5	13
E384798		75.8	0.022	2.19	1.45	9.8	3	6.8	633	0.17	0.21	7.7	0.079	0.36	256	52
E384799		9.9	0.002	0.33	1.01	6.8	3	4.4	890	0.26	0.07	8.1	0.075	0.03	20.8	54
E384800		8.8	0.002	0.22	0.9	6.5	2	4.2	1045	0.22	<0.05	6.2	0.077	0.02	13.7	47
E384801		7.8	0.022	1.1	1.86	8.4	5	3.7	1030	0.19	0.89	8.4	0.063	0.05	89.9	43
E384802		8.7	0.009	0.82	0.69	3	2	5.2	1570	0.06	0.27	2.6	0.016	0.03	25.5	35
E384803		12.1	0.005	0.28	0.6	3.4	2	3.9	1830	0.05	0.15	3.2	0.02	0.04	17.2	56
E384804		1.9	0.006	0.28	0.52	2.3	1	2.9	1920	<0.05	0.16	2.1	0.021	0.04	12.8	43
E384805		0.4	0.003	0.38	0.72	1.7	1	1	2320	<0.05	0.12	1.2	0.008	0.16	16.3	27
E384806		1.8	0.004	0.54	3.45	9	3	2.9	1295	0.14	0.19	4.1	0.019	0.99	27.4	51
E384807		0.8	0.009	0.32	0.81	4.2	2	1.6	1985	0.07	0.15	1.8	0.011	0.17	12.1	34
E384808		1.8	0.007	0.29	0.71	3.5	2	1.8	1875	0.1	0.17	3.3	0.017	0.05	11.8	36
E384809		0.6	<0.002	0.06	0.06	0.5	3	<0.2	279	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E384810		6.5	0.015	0.6	1.7	5.7	2	3.6	1310	0.28	0.11	6.6	0.08	0.05	20.9	49
E384811		8.6	0.005	0.44	1.66	4.5	2	3.8	1450	0.28	0.07	7.8	0.087	0.04	18.6	42
E384812		26.8	0.003	0.46	1.31	4.9	2	4.7	1000	0.17	0.07	10.6	0.075	0.15	19	64
E384813		7.4	<0.002	0.43	0.86	4	3	5	982	0.18	0.06	10.5	0.087	0.02	10.8	43
E384814		10.5	<0.002	0.29	0.8	5	2	4.8	836	0.18	0.05	9.6	0.064	0.03	13	36
E384815		8.5	0.027	0.49	1.81	4.6	3	5	906	0.25	0.2	16.2	0.071	0.12	133	26
E384816		1.3	0.006	0.87	0.75	2.6	4	2.9	1270	0.1	0.44	3.1	0.015	0.03	25.9	58
E384817		0.6	0.012	0.86	1.19	1.3	3	2.8	1340	0.1	0.38	1.5	0.012	0.1	42	38

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Method / Analyte / Units / LOR / Sample Description	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384778	14.6	11.3	8	38.5		0.021	
E384779	28.5	23.1	4	28.9	10.65	0.296	
E384780	46.1	55.1	9	41.3	4.41	0.174	
E384781	26.8	22.2	7	34.3	5.78	0.287	
E384782	13.7	17	<2	35.7	7.37	0.163	
E384783	16.7	9.5	6	37.3		0.024	
E384784	9.3	9.7	25	45		0.004	
E384785	12.6	11.4	13	43.6		0.002	
E384786	16	11.3	9	50.7		0.008	
E384787	0.1	2.6	29	3.4		0.001	
E384788	14.8	12.3	10	46.9		0.002	
E384789	16.6	12.6	12	44.3		0.002	
E384790	12.9	14.8	8	44.9		0.005	
E384791	15.7	15.3	12	40.5		0.015	
E384792	16.1	14	7	41.6		0.025	
E384793	10.5	13	8	39.5		0.020	
E384794	10.8	15.9	11	39.1		0.020	
E384795	5.6	15	8	19.8	1.180	0.065	
E384796	8.9	15.2	11	46.7		0.024	
E384797	0.1	2.2	21	2.3		0.002	
E384798	7.2	12	6	45.5		0.053	
E384799	9.8	12.4	22	32.6		0.008	
E384800	8.9	11.1	9	34.7		0.001	
E384801	15	18.3	4	29.4	1.065	0.072	
E384802	8.1	7.9	10	13.9		0.016	
E384803	6	11.8	12	29.8		0.006	
E384804	5.6	9.3	11	14.4		0.005	
E384805	3.1	5.9	12	4.4		0.006	
E384806	7.3	16.7	14	15.2		0.010	
E384807	6.5	8.8	9	7.2		0.006	
E384808	6.9	11.7	17	13.3		0.006	
E384809	0.1	2.7	23	3.1		0.001	
E384810	11	12.6	46	40		0.015	
E384811	9.4	13.3	48	44.6		0.004	
E384812	6.5	10.3	40	52.8		0.003	
E384813	5.2	8.2	10	45.9		0.005	
E384814	5.7	8	7	44.2		0.007	
E384815	11	13.5	12	46.4		0.045	
E384816	4.8	15.4	12	16.6		0.034	
E384817	8.4	16.9	13	6.7		0.041	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E384818		1.54	0.43	0.64	9.8	140	0.5	0.43	3.17	<0.02	124	114.5	<1	0.31	3540	14.45
E384819		1.13	0.47	5.66	50.6	230	2.09	0.69	3.55	<0.02	147.5	545	26	5.51	3220	15.5
E384820		0.20	0.06	0.14	9	100	0.12	<0.01	46	0.43	2.31	1.4	4	0.06	8.3	0.06
E384821		0.24	1.25	2.39	88.3	40	0.61	11.35	2.21	<0.02	175	331	11	2.5	8670	29.1
E384822		1.33	0.14	5.49	5.4	2490	1.96	0.09	2.32	<0.02	221	50.8	28	5.67	739	12.25
E384823		1.37	0.27	5.92	10	970	2.17	0.27	3.3	<0.02	187.5	125	30	5.85	1990	13.1
E384824		1.32	0.21	5.52	21.9	1200	2.01	0.26	2.59	<0.02	210	243	29	5.14	1065	14.05
E384825		1.24	1.23	3.33	46.1	60	1.04	1.59	1.63	<0.02	92.2	668	15	2.66	8660	20.5
E384826		1.24	0.26	5.24	8	700	1.89	0.28	2.32	<0.02	207	114	30	4.86	1250	12.55
E384827		1.32	0.25	5.48	4.3	950	1.99	0.25	2.67	<0.02	113.5	76.3	28	5.19	1395	10.1
E384828		1.55	0.81	3.54	12.8	230	1.13	0.88	1.56	<0.02	167.5	114	16	2.41	4410	15.8
E384829		1.40	0.38	3.75	7.2	810	1.23	0.39	1.45	<0.02	148	72.3	19	3.65	1810	11.65
E384830		1.42	0.18	4.77	10.7	1670	1.64	0.37	2.08	<0.02	207	94	24	4.49	88.7	14.85
E384831		1.29	0.14	5.75	9.2	1190	1.98	0.24	2.43	<0.02	164.5	128	29	5.27	27.3	12.4
E384832		0.15	0.04	0.14	<5	100	0.07	<0.01	45.2	0.39	2.42	1	7	0.05	2.8	0.07
E384833		3.02	0.16	2.45	16.5	1310	0.88	0.43	1.7	<0.02	190	79.5	10	2.01	22.1	18.15
E384834		2.03	0.86	5.33	5.4	4980	2.26	0.86	9.52	<0.02	31.3	89.2	28	3.51	3140	13.1
E384835		1.21	2.11	3.88	19.3	110	1.61	3	9	<0.02	35.1	148.5	24	2.39	>10000	13.7
E384836		1.77	1.65	2.99	12.2	210	1	2.94	8.78	<0.02	66.4	99.1	13	1.36	5380	13.65
E384837		1.12	0.31	0.46	3.5	610	0.25	0.7	3.39	<0.02	31.9	42.1	6	0.12	605	9.38
E384838		1.32	3.95	0.35	9.7	100	0.19	9.18	4.54	<0.02	14.5	92.6	<1	0.18	>10000	10.05
E384839		1.51	1.81	0.13	27	100	0.08	6.82	10.6	0.02	9.34	93.7	<1	0.08	>10000	9.04
E384840		1.26	1.37	0.1	16	610	0.11	6.06	16.15	0.03	33.5	66.5	<1	0.1	6500	9.82
E384841		1.47	1.65	3.61	15.6	450	1.38	7.31	2.1	<0.02	137	158	13	2.45	4710	19.3
E384842		2.86	0.37	2.12	15.3	780	0.9	1.43	0.67	<0.02	99.6	161.5	11	1.97	789	19.15
E384843		0.16	0.01	0.12	<5	140	0.19	0.01	43.2	0.36	2.24	0.8	7	0.05	2.2	0.07
E384844		0.17	0.29	7	47.2	1330	2.38	1.48	1.96	<0.02	74.9	118	46	6.16	1550	6.97
E384845		0.85	0.18	5.48	12.5	860	1.59	0.26	2.04	<0.02	59.3	54.6	36	1.36	683	9.37
E384846		1.43	0.2	7.44	10.3	2030	2.39	0.26	1.17	<0.02	26.3	55.7	61	2.26	1420	7.21
E384847		1.33	0.49	9.53	7.1	1340	3.58	0.4	0.14	<0.02	13.7	55.6	120	3.59	4150	9.23
E384848		1.24	0.19	5.4	17.4	560	1.01	0.81	1.78	<0.02	47.1	122	43	0.87	632	8.54
E384849		1.58	0.08	2.04	271	210	0.7	3.59	0.7	<0.02	130.5	63.3	15	0.35	159	13.45
E384850		1.86	0.05	0.57	43.9	730	0.47	0.28	0.6	<0.02	264	9	4	0.09	16.1	18.85
E384851		1.86	0.35	0.18	4.9	190	0.57	0.49	0.45	<0.02	71	56.1	<1	0.06	3830	14.6
E384852		1.60	0.19	0.06	7.4	190	0.53	0.4	0.68	<0.02	89.3	60.8	<1	<0.05	688	13.7
E384853		1.69	0.2	1.42	7.9	380	0.68	0.27	0.93	<0.02	343	29.2	8	0.34	563	17
E384854		1.65	0.15	0.83	7.1	1200	0.36	0.05	1.33	<0.02	388	14.3	3	0.12	52.2	22.3
E384855		0.17	0.01	0.12	<5	190	0.17	0.01	44.4	0.37	2.97	0.8	6	<0.05	2.4	0.09
E384856		1.73	0.14	0.34	5.2	710	0.27	0.06	0.93	0.02	206	17.1	1	0.07	196	20
E384857		1.49	0.14	0.51	6.8	270	0.27	0.06	0.98	0.02	456	59.7	1	0.09	22	22.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384818		4.3	0.22	0.2	0.082	0.01	63.5	10.8	1.47	3650	24.1	0.02	3.4	26.7	1550	2.3
E384819		14.7	0.29	1.4	0.177	1.24	93.6	109.5	4.23	3690	52.7	0.02	8.3	43.4	1220	4.9
E384820		0.6	0.19	0.1	<0.005	0.03	2.2	1.4	0.49	38	0.39	0.01	0.4	1	120	0.6
E384821		9.21	0.37	0.7	0.255	0.68	106	15.4	1.55	6020	56.8	0.25	6	53.7	2340	6
E384822		15.65	0.29	1.6	0.177	1.88	166.5	82.6	2.8	2940	5.53	0.02	7.6	21.9	1150	4.3
E384823		18.1	0.29	1.5	0.194	2.49	139	75.1	2.66	3790	6.78	0.03	8.6	22.5	1170	3.3
E384824		16.35	0.29	1.5	0.237	2.37	161.5	69	2.38	4630	7.52	0.02	9.5	22.1	1160	2.1
E384825		7.88	0.33	0.9	0.282	0.65	47.7	55	2.69	6200	14.1	0.01	8.3	43.2	1580	4.2
E384826		15.5	0.28	1.4	0.2	2.1	154	62	2.26	3900	9.78	0.02	10.1	23.4	1160	2.4
E384827		16.45	0.23	1.4	0.157	2.18	81.7	66	2.34	3070	4.55	0.02	8.6	16.9	810	2
E384828		10.05	0.29	1	0.186	1.19	111.5	43.6	1.79	3930	12.15	0.02	10.5	22.2	1830	3
E384829		10.8	0.24	1.2	0.149	1.4	111.5	46.1	1.69	3410	13.45	0.02	7.8	17.1	1280	2.8
E384830		14.75	0.28	1.4	0.17	1.79	167	59.2	2.23	3620	17.25	0.02	12.1	22.4	1770	2.2
E384831		18.6	0.23	1.7	0.168	2.33	127.5	65.9	2.42	3500	17.75	0.02	14.2	20.4	1040	2.2
E384832		0.57	0.15	0.1	<0.005	0.03	2.1	1.3	0.49	40	0.27	0.01	0.4	3	120	0.6
E384833		8.45	0.27	0.7	0.159	0.88	156	31.2	1.41	5180	20.5	0.01	11.4	20.1	2040	1.8
E384834		11.9	0.19	1	0.308	0.83	19.1	75.6	6.68	12850	30.4	<0.01	3.1	40.1	270	4.5
E384835		9.84	0.19	0.9	0.316	0.54	20	56.3	5.18	12700	22	0.02	4.3	44.5	570	11.4
E384836		7.93	0.21	0.8	0.282	0.23	39.5	41.8	4.79	11350	15.1	0.02	6.6	41.3	1020	7.9
E384837		1.9	0.12	0.1	0.106	0.03	20.4	4.8	1.31	5740	11	<0.01	4	21.4	470	4.7
E384838		1.6	0.14	0.1	0.259	0.03	3.5	4.3	1.85	9130	26.4	0.01	3.9	27.3	430	68.1
E384839		0.97	0.13	<0.1	0.263	0.01	3.2	1.5	3.63	13900	15.4	0.02	2	13.8	220	21.5
E384840		1.02	0.13	0.1	0.316	<0.01	21.2	1.4	6.81	19400	5.03	0.02	1.1	11.4	250	68.1
E384841		11.7	0.3	1.1	0.294	0.41	92.1	49.1	3.14	10900	40	0.01	6.1	50	1550	17.5
E384842		7.69	0.3	0.6	0.257	0.3	71.3	31.1	2.21	14100	15.1	0.01	5.1	41.3	1240	2.8
E384843		0.52	0.11	<0.1	<0.005	0.03	1.8	1.4	0.44	52	0.23	0.01	0.3	<0.2	110	0.8
E384844		19.25	0.15	1.7	0.123	2.96	41.4	21.6	1.3	3270	20.3	0.58	4.2	31.1	770	2.6
E384845		11.4	0.12	1.2	0.052	2.31	49.2	16.5	0.85	2190	10.5	0.71	5.9	12.7	920	3.8
E384846		18	0.12	1.5	0.046	2.97	20.9	20.3	0.62	1130	12.5	1.43	4.2	14.5	800	3.5
E384847		24.6	0.14	2.2	0.072	4.16	9.5	28	0.45	98	7.93	0.77	2	25.7	440	4
E384848		11.45	0.14	1.3	0.016	1.14	27.8	5.8	0.63	1305	13.9	2.53	1.8	19.6	680	4.8
E384849		5.45	0.2	0.4	0.011	0.42	68.1	3	0.29	787	19.2	0.89	1.5	28.8	490	1.8
E384850		3.19	0.29	<0.1	0.012	0.12	204	1.5	0.25	970	32.8	0.16	2.1	19	590	0.7
E384851		1.51	0.21	<0.1	0.031	0.03	42.8	1.3	0.21	920	25	0.02	2	33.1	410	5
E384852		1.47	0.2	<0.1	0.011	<0.01	52.9	0.5	0.31	1445	23.4	<0.01	2.2	33.2	220	5.2
E384853		3.92	0.3	0.2	0.013	0.33	266	7.9	0.51	1355	21.8	0.21	7.3	16.6	650	4.4
E384854		3.94	0.39	0.2	0.031	0.09	309	5.5	0.78	3500	48.7	0.19	8.2	24	1230	1.6
E384855		0.45	<0.05	<0.1	<0.005	0.03	2.4	1.2	0.45	40	0.36	0.01	0.3	<0.2	140	0.6
E384856		3.44	0.3	<0.1	0.044	0.03	164	3.6	0.83	4550	47.6	0.02	6	27.5	920	1.5
E384857		5.63	0.4	<0.1	0.038	0.04	329	4.8	1.02	6360	41.2	0.06	5.6	35	1340	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384818		0.6	0.005	0.83	0.59	1.6	3	1.7	1935	0.05	0.37	1.4	0.01	0.03	7.2	28
E384819		72.4	0.023	2.06	1.59	8.9	6	11.7	324	0.3	0.37	8.3	0.116	0.31	15.8	50
E384820		0.5	0.003	0.07	0.13	<0.1	2	<0.2	274	<0.05	0.19	0.2	0.007	<0.02	0.7	7
E384821		33.8	0.018	7.13	2.3	3.4	5	7.7	162.5	0.13	1.13	5.1	0.037	0.43	14.7	60
E384822		113.5	0.007	0.19	1.85	8.9	2	17.2	352	0.44	0.09	11.9	0.167	0.18	7.8	57
E384823		147	0.011	0.55	2.06	11.1	4	19.6	236	0.43	0.22	11.3	0.183	0.24	11.4	67
E384824		139	0.003	0.72	1.84	9.6	4	20.1	126	0.47	0.19	11.6	0.167	0.2	10.3	62
E384825		39.1	0.01	2.88	1.54	3.9	14	10.3	678	0.27	0.78	4.6	0.092	0.07	23.6	36
E384826		127.5	0.028	0.37	1.6	8.6	3	21.9	845	0.44	0.16	10.5	0.156	0.18	14.4	59
E384827		135	0.05	0.39	1.59	8.9	3	20.8	980	0.39	0.11	8.8	0.169	0.21	9.3	57
E384828		62.9	0.01	0.73	2.11	5.1	8	14.7	980	0.32	0.32	6.4	0.1	0.1	18.9	43
E384829		85.2	0.007	0.32	1.96	4.9	5	16.2	1125	0.26	0.17	7.5	0.115	0.15	8	38
E384830		104.5	0.004	0.2	2.11	7	2	25.8	888	0.4	0.34	8	0.131	0.18	14.4	53
E384831		138.5	0.002	0.32	1.71	8.4	3	31.3	764	0.46	0.23	9.5	0.166	0.23	14.6	58
E384832		0.6	0.003	0.06	0.09	<0.1	2	0.2	278	<0.05	0.11	0.2	0.007	<0.02	0.7	7
E384833		50.4	0.003	0.21	2.32	3.4	2	19.6	1650	0.28	0.38	4.6	0.066	0.09	7.5	46
E384834		46	0.011	0.5	4.93	19.5	2	2.1	281	0.1	0.08	0.9	0.259	0.12	67.2	165
E384835		29.9	0.004	1.27	3.95	14.1	2	2.6	611	0.13	0.1	1.8	0.161	0.09	114.5	122
E384836		11.7	0.002	0.63	2.37	8.6	2	5	1200	0.18	0.13	3	0.095	0.05	68.8	76
E384837		1.5	0.003	0.24	0.54	0.4	1	1.4	3290	0.07	0.09	0.6	0.006	<0.02	12.3	18
E384838		1.7	0.003	1.44	1.6	1	3	2.1	1525	0.06	0.11	0.5	0.01	0.06	211	19
E384839		0.2	0.002	1.29	0.53	2.4	2	0.7	1520	<0.05	0.1	0.3	<0.005	0.04	71.2	17
E384840		<0.1	0.006	0.58	1.76	2.5	2	1.6	557	<0.05	0.06	1.5	<0.005	0.03	219	28
E384841		19.5	0.013	0.51	1.92	4.5	4	12.3	1085	0.19	0.26	6.1	0.058	0.13	165.5	52
E384842		17	0.004	0.27	1.36	3.7	2	7.2	1545	0.15	0.19	3.6	0.041	0.07	30.5	38
E384843		0.7	<0.002	0.06	0.08	0.6	2	<0.2	257	<0.05	<0.05	0.2	0.006	<0.02	0.7	1
E384844		144	0.006	1.36	1.23	10.6	3	7.9	474	0.26	0.23	12	0.127	0.38	18.8	63
E384845		83.4	0.003	0.6	1.22	9.4	2	12	534	0.34	0.26	8.6	0.192	0.17	2.9	68
E384846		111	0.002	0.71	1.15	19.8	3	16.8	610	0.24	0.23	6	0.23	0.26	21	137
E384847		169.5	<0.002	0.92	0.86	36.8	4	28.5	470	0.07	0.28	3.6	0.435	0.43	41.9	264
E384848		42.9	0.003	1.44	1.07	10.8	2	9.5	862	0.13	0.62	2.1	0.221	0.12	3.4	152
E384849		17.2	0.002	1.05	0.86	4.6	2	6.8	1410	0.06	0.19	2	0.093	0.05	1.9	83
E384850		4.1	<0.002	0.2	0.75	1.3	1	3.3	2570	<0.05	<0.05	1.6	0.024	0.02	1	66
E384851		1.4	0.004	0.95	0.39	1.1	3	2.2	1810	<0.05	0.15	0.2	<0.005	<0.02	77	18
E384852		0.2	0.002	1	0.43	0.9	2	1.7	1575	<0.05	0.16	0.2	<0.005	<0.02	82.4	18
E384853		12.8	0.003	0.42	1.59	4.9	2	17.3	1805	0.08	0.16	1.5	0.052	0.05	41.2	29
E384854		3	0.008	0.17	1.39	2.6	1	8.9	1460	0.08	0.09	2.1	0.029	0.02	6.7	34
E384855		0.6	<0.002	0.07	0.07	0.5	2	<0.2	260	<0.05	<0.05	0.2	0.006	<0.02	0.7	1
E384856		1.2	0.007	0.2	0.94	1.2	2	3.7	1720	0.06	0.07	1.4	0.01	<0.02	5.6	28
E384857		1.4	0.008	0.45	0.91	1.5	2	4.3	1170	0.08	0.08	3.5	0.011	<0.02	5	24

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384818		6.5	12	6	5.3		0.030	
E384819		11.8	19	37	48.6		0.024	
E384820		0.1	2.8	22	3.4		0.002	
E384821		6.8	13.3	7	22.7		0.114	
E384822		14.5	15.1	23	54.4		0.007	
E384823		16.5	14.5	16	52.9		0.017	
E384824		15.5	13.6	15	49.9		0.019	
E384825		12.6	10.8	20	30.3		0.118	
E384826		16.1	13.1	17	49.7		0.014	
E384827		13.9	11.2	17	50.3		0.013	
E384828		15.6	10.9	16	34.4		0.049	
E384829		13.6	10.4	16	41.1		0.022	
E384830		17.8	13.9	22	46.1		0.011	
E384831		16.7	13.7	22	58.4		0.052	
E384832		0.1	2.7	22	3.7		0.003	
E384833		21.7	10.1	13	22		0.007	
E384834		26	15.7	72	34.6		0.019	
E384835		21.3	14.4	40	32.1	1.155	0.059	
E384836		16.3	14.6	41	29.1		0.026	
E384837		6	5.2	6	4.1		0.004	
E384838		10.5	11.4	6	3	1.380	0.051	
E384839		5.3	9.9	12	1	1.130	0.041	
E384840		10.6	22.9	11	1.7		0.009	
E384841		19.9	14.4	55	36.3		0.016	
E384842		10.3	8.6	30	17.7		0.004	
E384843		0.1	2.6	21	2.6		0.001	
E384844		9.3	11.4	5	51.7		0.020	
E384845		11.4	7.6	12	34.4		0.014	
E384846		13.5	9.4	4	43.8		0.013	
E384847		22	12.4	<2	57.7		0.029	
E384848		10.7	7.9	3	35.3		0.017	
E384849		10.6	5.4	2	12.3		0.007	
E384850		11.6	4.8	<2	2.6		0.002	
E384851		9.3	3.5	<2	1		0.042	
E384852		8	3.9	<2	0.8		0.011	
E384853		26.1	6.9	3	8.7		0.010	
E384854		23.9	9.1	5	6.4		0.005	
E384855		0.2	2.7	22	2.3		0.002	
E384856		14.2	6.3	6	3.2		0.006	
E384857		7.9	10.3	6	3.4		0.003	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384858		1.59	0.16	1.2	9	150	0.5	0.14	1.76	0.02	253	175.5	5	0.36	18.7	19.7
E384859		1.39	0.09	4.01	7.2	270	0.89	0.09	2.91	<0.02	46.7	96.7	20	0.77	34.9	12.35
E384860		1.43	0.14	4.16	2.8	460	0.69	0.07	3.03	0.02	87.1	70.5	20	0.54	182.5	13.55
E384861		1.42	0.09	3.29	29.1	2090	0.36	0.33	3.95	0.03	227	8.9	9	0.27	61.3	14.65
E384862		1.66	0.12	4.53	2.9	920	0.49	0.17	1.74	<0.02	133.5	53.9	12	0.7	5.4	13.7
E384863		1.25	0.06	6.59	2.6	3390	0.61	0.05	3.65	<0.02	117.5	41.5	24	0.29	61.8	8.64
E384864		1.55	0.08	3.28	4.3	2470	0.35	0.06	2.22	<0.02	360	28.3	11	0.43	6.9	16.55
E384865		1.64	0.07	2.4	5.8	200	0.37	0.1	3.81	0.02	276	85.4	10	0.88	5.7	17.35
E384866		0.19	0.01	0.12	10	130	0.17	0.01	44.4	0.39	2.6	0.7	6	<0.05	0.9	0.07
E384867		0.20	1.05	5.65	45.2	490	1.58	2.31	1.95	<0.02	51.2	155	36	3.47	8070	9.03
E384868		1.93	0.13	0.89	9.1	80	0.28	0.27	1.17	0.02	105.5	269	3	0.2	85.1	18.95
E384869		1.64	0.11	1.54	8.6	110	0.34	0.3	0.35	<0.02	71	201	5	0.34	73.6	15.75
E384870		1.42	0.06	1.61	8.7	220	0.34	0.09	0.86	<0.02	443	83.7	6	0.31	9.8	17.4
E384871		1.58	0.12	2.18	13.1	100	0.39	0.33	0.66	<0.02	179	282	5	0.28	7.8	17.55
E384872		1.69	0.17	1.21	11.5	80	0.31	0.39	1.12	<0.02	73.2	302	4	0.2	35.1	19.7
E384873		1.79	0.19	0.59	7.3	100	0.26	0.29	0.28	0.02	64.4	282	1	0.09	136	23.2
E384874		1.84	0.17	0.37	17.9	70	0.2	0.32	0.84	0.03	49.4	324	<1	0.07	12.9	28
E384875		1.78	0.28	0.36	32.4	130	0.18	0.62	0.99	0.04	33.4	651	<1	0.05	28.9	28.2
E384876		1.82	0.08	0.49	9.3	650	0.22	0.06	0.83	<0.02	299	48.5	1	0.09	43.5	26.8
E384877		1.42	0.12	3.55	14.5	240	1.07	0.19	2.54	<0.02	188.5	125	17	1.11	18.7	17.5
E384878		0.20	0.02	0.12	5	30	0.05	0.05	41.8	0.34	2.05	1.2	6	<0.05	2.5	0.06
E384879		1.28	0.09	4.17	14.3	240	1.59	0.13	2.96	<0.02	144.5	94.5	23	1.34	15.7	15.85
E384880		3.07	0.07	3.33	12.6	400	1.35	0.09	1.55	<0.02	139.5	42.9	18	1.21	26	14.6
E384881		2.79	0.15	1.57	15.5	1160	0.32	0.12	2.66	<0.02	196.5	11.2	32	0.25	34	16.95
E384882		1.11	0.08	5.98	13.5	380	1.28	0.21	1.91	0.03	123	38.3	33	1.61	14.6	11.8
E384883		1.17	0.01	9.23	9.7	1980	3.61	0.15	1.34	<0.02	3.03	16.6	58	3.65	7.8	9.73
E384884		1.00	0.03	8.62	6.3	2530	2.81	0.05	1.79	<0.02	3.48	26.8	48	2.56	7	8.84
E384885		1.13	0.27	7.29	33.4	740	1.41	0.32	0.33	0.03	121	195	41	1.66	84.9	7.76
E384886		1.22	0.03	6.3	8.6	820	2.04	0.06	0.43	<0.02	98.6	70.6	40	2.01	23.5	5.48
E384887		0.76	0.03	5.54	9.7	1950	2.13	0.05	0.42	<0.02	8.36	51.6	41	2	32.5	3.17
E384888		0.62	0.03	5.87	4.6	610	1.11	0.07	0.57	<0.02	27	65	44	1.23	5.8	6.79
E384889		0.17	0.05	0.14	<5	60	0.05	0.01	46.8	0.37	2.52	0.7	6	0.06	2.2	0.05
E384890		0.23	1.29	2.29	105.5	80	0.49	10.45	2.15	<0.02	197.5	325	9	2.59	9110	28.8
E384891		1.14	0.25	7.68	13.3	2520	1.79	0.38	0.27	<0.02	6.55	79.3	51	3.91	33.7	4.53
E384892		0.88	0.19	6.6	25.2	490	1.27	0.57	1.38	<0.02	7.03	191.5	41	1.47	12.6	6.25
E384893		1.17	0.06	6.34	22.7	840	1.52	0.69	0.99	<0.02	2.35	133.5	44	1.83	16.4	4.39
E384894		1.31	0.08	5.84	19.6	530	0.63	0.18	1.09	<0.02	4.64	149.5	33	0.69	7.2	6.09
E384895		0.80	0.06	7.05	7.4	630	0.94	0.08	1.34	<0.02	2.38	71.8	36	1.4	3	7.16
E384896		1.29	0.07	4.19	10	390	0.96	0.2	0.61	<0.02	6.94	81.6	46	1.24	6.6	6.63
E384897		1.18	0.08	5.02	4.5	750	1.19	0.84	0.66	<0.02	2.74	44.2	44	1.42	37.3	5.69

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384858		5.63	0.33	0.3	0.037	0.32	159.5	7.9	1.13	4600	49.8	0.17	7.1	33.3	1320	2
E384859		8.18	0.15	1	0.042	0.95	28.6	13	1.17	2450	25.9	1.3	6.6	15.8	600	2.2
E384860		7.83	0.17	1.1	0.024	0.65	68.4	11.5	1.17	2590	59.1	1.77	5.2	16.8	580	3
E384861		7.59	0.24	0.5	0.036	0.2	184.5	8.4	1.68	4500	86.2	1.74	1.6	21.4	660	2.1
E384862		8.73	0.19	0.7	0.036	0.38	110	18.3	1.39	3740	73.2	1.82	1.3	32.5	590	2.7
E384863		8.98	0.15	1.4	0.015	0.21	99.6	8.3	1.2	3100	22	4.38	1.3	14.7	640	2.1
E384864		9.21	0.35	0.5	0.014	0.14	288	14.9	1.16	2670	57.1	1.42	1.2	32.6	930	3.3
E384865		7.41	0.32	0.6	0.017	0.19	190	26.2	1.95	3480	33.4	0.1	1.5	35	1180	2.7
E384866		0.42	<0.05	<0.1	0.005	0.03	2.1	1.2	0.45	37	0.32	0.01	0.3	<0.2	130	0.5
E384867		13.5	0.14	1.6	0.129	2.09	21.9	18.5	1.11	3160	65.8	0.98	3.8	33.8	810	21.5
E384868		4.06	0.26	0.2	0.021	0.1	50.2	6.6	0.85	3520	25.4	0.13	1.8	37.3	970	4.8
E384869		5.11	0.2	0.2	0.011	0.24	29.7	12	0.51	1305	18.35	0.03	1.7	35.5	900	4.4
E384870		6.7	0.39	0.3	0.013	0.2	298	11.8	0.73	2070	20.7	0.12	1.6	34.4	1300	2.1
E384871		7.3	0.28	0.3	0.008	0.21	99.2	18.8	0.65	1115	30.4	0.21	1.3	60.3	1050	3.5
E384872		5.68	0.25	0.2	0.015	0.12	32.3	10.6	0.79	2260	25.3	0.04	1.2	44.5	650	6.9
E384873		6.95	0.27	<0.1	0.029	0.02	31.8	5.8	0.63	3210	28.1	0.01	1.1	52.3	570	6.6
E384874		6.43	0.35	<0.1	0.057	0.01	35.9	3.6	0.71	3430	46.2	0.01	1.3	51.8	590	3
E384875		6.21	0.36	<0.1	0.064	0.01	19.6	3.8	0.76	3630	65.3	0.01	0.9	66.4	510	4.8
E384876		7.03	0.41	<0.1	0.042	0.03	237	6.1	0.8	4080	28.4	0.01	3	36.6	1420	2
E384877		9.83	0.29	0.8	0.041	1.13	133	22	1.19	2420	53.5	0.51	10.5	20.6	1200	2.9
E384878		0.5	<0.05	0.1	<0.005	0.03	1.6	1.3	0.43	44	0.21	0.01	0.3	<0.2	90	0.9
E384879		10.8	0.22	1.2	0.043	1.64	109.5	22.7	1.17	2160	46.2	0.68	12.5	14.9	1170	3.2
E384880		9.47	0.22	0.9	0.029	1.05	97.4	21.2	0.85	1470	37.5	0.5	10.1	14.8	1160	2.8
E384881		6.22	0.24	1.1	0.007	0.2	156.5	8.6	0.75	2360	39.6	0.56	7.5	14.4	1490	6.6
E384882		14.75	0.18	1.7	0.019	1.24	90.6	10.1	0.64	1580	27.2	2.55	6.6	14.1	1420	3.8
E384883		28.5	0.12	2.5	0.054	3.4	1.7	17.4	0.67	1010	5.86	2.11	12.4	8.3	990	2.5
E384884		23	0.11	2.4	0.048	2.58	2	12.4	0.74	1440	19.6	2.92	8.6	6.5	900	1.9
E384885		15.65	0.15	2.7	0.02	1.16	74.1	9.7	0.17	121	40	4.07	5.9	12.7	760	15.7
E384886		18.15	0.13	2.3	0.034	2.5	68	22	0.36	285	0.83	1.54	4.5	12.1	760	4.9
E384887		15.75	0.08	1.9	0.035	2.55	5	18.8	0.34	301	2.57	0.88	3.8	7.6	630	1.8
E384888		12.65	0.12	2.2	0.021	1.35	17.3	7.5	0.26	428	1.18	2.75	2.4	10.2	590	2.3
E384889		0.55	0.09	0.1	0.005	0.03	2.4	1.2	0.51	35	0.24	0.02	0.3	2	110	0.7
E384890		8.38	0.29	0.7	0.252	0.66	123.5	16.8	1.53	6120	57.2	0.23	5.3	52	2350	6.4
E384891		16	0.09	2.5	0.03	2.19	2.7	13.4	0.28	86	62.1	3.14	6.1	10.7	830	8.3
E384892		14.35	0.1	2.2	0.022	1.69	3.3	8.9	0.54	1150	81.7	2.93	3.1	14.5	660	6.6
E384893		14.2	0.09	2.1	0.031	2.23	1	9	0.4	751	4.73	2.15	2.8	8.9	810	2.9
E384894		10.6	0.11	1.9	0.012	0.93	2.4	3.4	0.36	904	4.15	3.4	2.5	11.5	560	2.9
E384895		14.25	0.12	2.1	0.021	1.2	1.2	4.9	0.49	1090	5.33	3.89	2	8.3	940	2
E384896		9.8	0.11	1.7	0.018	1.37	3.6	8.2	0.31	440	4.63	1.35	2.2	9.3	740	2.3
E384897		11.45	0.09	1.7	0.021	1.24	1.5	9.1	0.32	521	5.13	2.18	2.9	6.9	580	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384858		13.8	0.007	1.29	1.38	4.6	2	10	943	0.16	0.18	3.5	0.034	0.03	4.5	30
E384859		40.1	0.003	0.78	0.6	13.8	2	15.7	888	0.32	0.12	2.3	0.114	0.08	4.4	39
E384860		24.4	0.004	0.68	0.52	9.2	2	10.5	873	0.32	0.05	3.8	0.11	0.07	12.8	33
E384861		5.4	0.008	0.2	0.64	4.6	1	3.1	808	0.1	<0.05	4.4	0.04	0.03	5.2	25
E384862		10.1	0.008	0.5	0.46	3.5	2	2.2	743	0.09	<0.05	4.3	0.033	0.06	7.3	22
E384863		5	0.003	0.49	0.39	4.6	2	2.8	514	0.12	<0.05	2.9	0.052	0.03	7.3	19
E384864		4	0.008	0.3	0.79	3.3	1	2.8	528	0.09	<0.05	7.7	0.033	0.02	12.8	34
E384865		5.2	0.006	0.8	0.66	4.7	2	3.3	905	0.1	0.05	5.1	0.046	0.03	4.6	27
E384866		0.6	<0.002	0.07	0.07	0.5	2	<0.2	258	<0.05	<0.05	0.2	0.006	<0.02	0.6	2
E384867		87.3	0.023	2.17	1.61	8.1	3	7.1	587	0.21	0.24	8.3	0.092	0.38	307	54
E384868		2.6	0.006	2.29	0.8	1.4	2	2.4	742	0.07	0.1	2.1	0.018	0.02	26	15
E384869		6.2	0.005	1.66	0.82	1.3	2	2.7	872	0.07	0.08	1.5	0.023	0.04	30.1	13
E384870		5.6	0.006	0.77	0.85	2.3	2	3	1385	0.08	0.07	6	0.027	0.03	5	16
E384871		5.9	0.007	2.37	0.83	2.2	3	3.1	606	0.07	0.15	3.3	0.026	0.04	12.5	17
E384872		3.2	0.007	2.48	0.86	2.2	2	2.7	614	0.06	0.13	2.2	0.023	0.03	71.2	20
E384873		0.7	0.003	2.24	0.76	1.1	2	1.3	678	<0.05	0.09	1.5	0.008	<0.02	67.3	22
E384874		0.4	0.004	2.64	0.9	1.3	2	1.4	330	<0.05	0.13	1.1	0.006	0.02	9.9	28
E384875		0.3	0.006	5.39	0.77	1.3	3	1.1	204	<0.05	0.25	0.9	<0.005	<0.02	16.7	26
E384876		1.1	0.005	0.36	0.92	2.4	2	2.9	966	0.05	0.06	3.2	0.013	<0.02	7.1	29
E384877		42.6	0.012	1.04	1.84	14.2	3	22.2	526	0.34	0.25	4.9	0.117	0.11	5.3	61
E384878		0.6	<0.002	0.07	0.23	0.4	3	<0.2	241	<0.05	0.05	0.2	0.006	<0.02	0.6	7
E384879		57.4	0.014	0.83	1.95	16.1	3	24.5	385	0.39	0.16	5.5	0.151	0.18	6	70
E384880		42	0.008	0.36	1.51	12.2	2	18.3	1385	0.25	0.13	4.2	0.104	0.13	9.6	54
E384881		6.4	0.004	0.18	1.5	4.7	2	7.8	1335	0.41	0.13	14	0.137	0.05	72.1	93
E384882		47.5	0.004	0.55	0.83	15.2	2	11.7	882	0.35	0.06	11.1	0.151	0.14	10.4	72
E384883		144	<0.002	0.34	0.77	43	2	27.9	917	0.65	0.06	17.3	0.245	0.35	6	107
E384884		106	0.003	0.25	0.43	30.7	2	19.9	806	0.53	0.06	13.1	0.233	0.27	8.8	90
E384885		44.8	0.017	1.38	1.22	8.1	2	8.3	561	0.41	0.05	13.9	0.192	0.21	400	38
E384886		92.9	<0.002	0.45	1.1	9.3	2	7.1	496	0.27	<0.05	11.2	0.126	0.28	82	45
E384887		91.4	<0.002	0.35	1.03	7.9	1	6.2	693	0.21	<0.05	12.1	0.117	0.25	5.6	47
E384888		48.8	<0.002	0.53	0.77	5	1	4.4	772	0.17	<0.05	6	0.129	0.17	5.1	48
E384889		0.4	0.002	0.07	0.1	0.4	1	<0.2	276	<0.05	0.21	0.3	0.007	<0.02	0.7	15
E384890		32.1	0.018	6.81	2.1	3.6	4	6.7	187.5	0.13	1.07	6.7	0.034	0.48	15	61
E384891		81.5	0.011	0.63	1.05	7.5	1	5.8	555	0.46	0.06	21.8	0.174	0.34	216	44
E384892		56.8	0.007	1.32	0.78	10.9	1	4.7	602	0.3	<0.05	11.3	0.169	0.23	114	57
E384893		74.6	<0.002	0.79	0.84	12.2	1	4.6	598	0.22	0.05	8.1	0.133	0.25	17.9	50
E384894		28.2	<0.002	1.29	0.53	6	1	3	905	0.38	<0.05	8.5	0.156	0.13	9.8	51
E384895		42	<0.002	0.77	0.42	9	1	5.2	1005	0.23	<0.05	13.3	0.176	0.14	4.7	64
E384896		48.5	<0.002	0.71	0.98	10.2	1	4.4	950	0.27	<0.05	10.5	0.15	0.18	7.4	63
E384897		47.8	<0.002	0.45	0.81	9.9	1	4.8	1025	0.25	<0.05	12.6	0.153	0.15	8.9	59

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384858		12.8	9.5	6	9.7		0.005	
E384859		10.4	6.7	7	30.5		0.003	
E384860		7.1	6.7	8	32.4		0.003	
E384861		6.4	9.6	7	16.1		0.002	
E384862		5.9	6.9	16	21.5		0.003	
E384863		2.6	7.1	7	40.6		0.001	
E384864		3.9	9.5	12	17		0.002	
E384865		3.8	9.8	16	20.3		0.007	
E384866		0.1	2.6	22	2.6		0.005	
E384867		8.6	14.6	4	43.8		0.059	
E384868		5.8	6.2	8	6.9		0.006	
E384869		5.4	5.3	9	8.1		0.004	
E384870		4.7	9.9	7	10		0.003	
E384871		5.8	7	12	11.4		0.005	
E384872		6.1	6	9	7.9		0.006	
E384873		6.3	4.6	9	3		0.005	
E384874		9.9	4.9	8	2.7		0.006	
E384875		6.7	4.7	8	2.3		0.008	
E384876		8.2	8.1	6	3.3		0.002	
E384877		18.8	9.8	9	23.2		0.011	
E384878		0.1	2.7	19	4		0.001	
E384879		19.7	10.8	7	40.9		0.007	
E384880		17.9	8.9	7	31.1		0.005	
E384881		5.3	9.8	9	38.1		0.004	
E384882		5.7	9.2	6	57		0.004	
E384883		10.2	7.5	<2	81.4		0.002	
E384884		9.1	7.2	<2	76.2		0.002	
E384885		9.8	19.7	14	86.8		0.005	
E384886		6.2	9.3	10	70.3		0.001	
E384887		5.2	5.6	7	61		0.003	
E384888		5.3	6.3	4	66		0.002	
E384889		0.1	2.8	23	3.1		0.002	
E384890		6.5	13.4	5	21.6		0.127	
E384891		8.4	12.9	7	78.7		0.006	
E384892		6	10.5	7	67.8		0.006	
E384893		5.9	7.7	5	67.9		0.005	
E384894		3.6	7.3	5	61.7		0.003	
E384895		4	6.8	4	61		0.003	
E384896		4.7	5.8	5	54.4		0.003	
E384897		5.7	5.4	4	54.5		0.003	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E384898		2.41	0.03	6.74	8	860	2.36	0.12	1.02	<0.02	1.95	74	39	2.53	47.4	6.95
E384899		2.77	0.05	4.38	2.1	1950	0.37	0.03	3.95	<0.02	113	8.8	23	0.21	268	10.3
E384900		1.33	0.13	4.74	4.5	1110	0.43	0.06	1.69	<0.02	11.5	18.2	22	0.22	20	8.58
E384901		0.18	0.06	0.12	<5	110	0.07	0.01	44.6	0.36	2.11	0.7	7	0.05	1.9	0.05
E384902		1.36	0.16	4.79	3.1	1070	0.46	0.07	1.31	<0.02	39.2	10.9	23	0.15	301	7.75
E384903		1.36	0.06	5.77	2.3	4110	0.43	0.02	1.95	<0.02	106	5.2	20	0.24	137	8.72
E384904		1.26	0.1	5.97	1.7	2400	0.42	0.06	2.22	<0.02	97.9	3.1	20	0.16	796	8.11
E384905		1.27	0.04	5.38	1.6	5840	0.52	0.01	3.59	<0.02	83.7	3.1	24	0.2	22.4	9.88
E384906		1.31	0.06	2.4	4.3	2550	0.26	0.03	3.51	<0.02	87.2	4.2	26	0.24	92.7	9.84
E384907		1.17	0.06	1.81	5.3	1100	0.43	0.05	1.48	<0.02	7.78	19	40	0.47	638	5.79
E384908		1.22	0.08	5.55	6.1	360	1.11	0.1	1.68	<0.02	3.84	68.8	36	1.23	311	6.28
E384909		1.51	0.12	7.83	9.5	400	3.03	0.3	0.3	<0.02	26.1	61.8	48	2.89	424	6.16
E384910		1.36	0.04	8.65	7.6	530	2.93	0.14	0.39	<0.02	3.71	81.6	55	5.86	75.8	6.55
E384911		0.98	0.1	10.2	10.3	1010	3.34	0.52	0.39	0.02	3.85	41.4	61	11.85	102.5	5.93
E384912		0.18	0.06	0.15	<5	90	0.09	0.11	45.5	0.39	2.38	0.8	5	0.1	2.7	0.06
E384913		0.17	0.25	7.17	56.4	410	2.5	1.64	1.99	<0.02	76.3	102.5	44	6.37	1660	7.27
E384914		1.14	0.17	4.79	4.3	710	0.8	0.21	2.02	0.02	2.26	51.2	28	0.69	1270	4.5
E384915		1.44	0.26	7.66	7.7	910	1.9	0.29	0.3	<0.02	4.49	103.5	34	5.36	2660	6.07
E384916		1.21	0.06	2.22	8.7	330	0.38	0.06	1.03	<0.02	132	55.9	10	0.37	21.8	11.2
E384917		2.04	0.11	3.56	5.4	510	0.77	0.13	1.86	<0.02	38	43	20	1.36	188	10.45
E384918		1.72	0.07	7.86	4.1	2180	2.98	0.08	1.48	0.03	113	11.3	50	6.43	1240	7.44
E384919		1.60	2.46	7.92	300	120	3.12	4.66	0.21	<0.02	86.3	648	61	6.02	6280	14.95
E384920		1.56	3.98	6.13	556	80	1.91	12.35	2.08	0.37	111.5	918	29	4.04	1800	22.4
E384921		0.97	0.08	6.23	6.4	1850	2.65	0.12	5.79	<0.02	81.4	16.9	31	5.03	477	5.68
E384922		1.41	0.05	6.74	4.4	1790	2.81	0.07	5.19	<0.02	94.1	13	37	5.64	81.3	5.07
E384923		1.16	0.03	6.53	3.5	1600	2.37	0.04	6.1	<0.02	82.1	23	34	4.78	140.5	6.03
E384924		0.18	0.07	0.16	6	50	0.08	0.01	49.7	0.43	2.57	1.2	8	0.07	3.5	0.07
E384925		1.59	0.02	6.98	2.7	1730	2.73	0.04	6.37	<0.02	94.3	22.3	35	5.36	7.3	6.3
E384926		1.10	0.02	7.57	2.1	1870	3.24	0.02	5.78	<0.02	112.5	23.4	40	6.34	10.5	5.89
E384927		0.88	0.06	6.61	2.2	1500	2.15	0.02	6.67	<0.02	87.1	16.7	31	4.43	10.9	5.96
E384928		1.20	0.03	6.99	2.3	1580	2.64	0.01	6.75	<0.02	97.6	14.6	34	5.2	53.9	6.02
E384929		1.26	0.11	6.21	2.3	2090	1.76	0.04	7.61	<0.02	77.7	11.1	30	3.22	1200	6.38
E384930		1.10	1.81	5.49	318	340	0.75	3.89	7.29	0.23	63.1	472	23	1.28	317	11.1
E384931		1.52	1.33	3.56	204	110	0.2	4.16	7.38	0.07	93	487	12	0.44	464	20.4
E384932		1.32	0.32	7.81	30.1	1400	2.61	1.55	4.56	<0.02	51.9	93.6	42	6.04	23.4	6.41
E384933		1.32	0.24	6.51	23.8	780	1.34	1.21	5.56	<0.02	27.4	116	33	3.03	18.4	9.31
E384934		1.03	0.39	9.29	29.7	1910	3.63	1.56	2.25	<0.02	71.9	80.8	60	9.91	20.5	6.76
E384935		0.17	0.05	0.16	<5	30	0.05	0.01	49.3	0.43	2.41	1.1	5	0.08	2.4	0.07
E384936		0.18	1.22	6.25	61.7	170	1.96	2.82	2.27	<0.02	60.7	178	35	4.05	8700	10.5
E384937		1.25	0.43	8.97	63.5	540	2.95	2.75	5.16	0.02	70.2	106	49	6.55	23	8.88

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384898		17.6	0.12	1.7	0.039	2.63	0.9	12.5	0.55	862	7.65	1.4	4.4	9.9	630	2.2
E384899		6.46	0.2	1.2	0.017	0.18	86.6	3.7	1.27	3360	9.09	3.01	2.5	8.8	640	2.2
E384900		7.5	0.14	1.3	0.007	0.2	7.7	4	0.57	1590	28.5	3.22	10	11	540	6.4
E384901		0.45	0.08	0.1	0.005	0.03	2	1	0.48	35	0.28	0.02	0.3	3	110	0.6
E384902		6.82	0.13	1.1	0.011	0.14	26.6	2.3	0.41	1090	4.6	3.46	3.1	7.4	560	20.8
E384903		8.66	0.18	1.2	0.013	0.14	83.4	5.9	0.7	2050	4.62	4.04	3.6	11.6	540	2.2
E384904		7.88	0.17	1.2	0.019	0.16	76.9	1.6	0.65	1920	2.68	4.43	2.4	5.1	490	2.8
E384905		7.54	0.19	1.3	0.013	0.19	66.6	2.5	1.03	3120	2.9	3.9	2.8	5.7	660	3.2
E384906		4.87	0.16	1.2	0.021	0.15	66.8	5.8	1.19	2900	12.5	1.45	4.6	10.3	790	2.1
E384907		4.2	0.09	2.1	0.016	0.35	5.2	7.2	0.58	1220	9.46	0.67	4.8	7	710	2.8
E384908		11.2	0.1	1.8	0.025	1.03	2.1	6	0.68	1340	6.73	2.66	2.7	9.8	640	2.4
E384909		22.4	0.12	2.2	0.041	2.71	12.4	15.1	0.37	146	6.1	2.31	3.4	12.4	740	4.2
E384910		24.1	0.13	2.3	0.044	3.05	1.7	16.3	0.46	244	6.77	2.7	2.5	13.4	770	2
E384911		27.6	0.12	2.8	0.042	3.32	1.6	26.8	0.56	182	9.52	2.99	2.9	13.2	1030	4.1
E384912		0.54	0.09	0.1	0.005	0.04	2.3	1.3	0.5	36	0.46	0.02	0.3	2	100	1.5
E384913		19.85	0.19	1.8	0.132	3.17	44.1	23	1.38	3330	20.2	0.58	3.7	24.4	760	9.2
E384914		12.9	0.08	1.4	0.022	0.52	0.8	7.1	0.97	1470	12	2.77	2.2	11	330	4
E384915		20.9	0.11	2.1	0.028	1.66	2.1	19.2	0.49	330	10.7	3.06	3	17.9	780	3.3
E384916		6.04	0.21	0.4	0.005	0.24	87.3	9.7	0.54	968	5.81	0.95	4.8	11.6	1010	1.9
E384917		9	0.15	1	0.016	0.71	24.5	7.9	0.82	1755	13.75	1.45	5.4	8.1	570	2.1
E384918		22.1	0.18	2.3	0.076	3.2	64.1	44.7	1.53	1635	13.2	0.09	1.9	50.6	950	4.3
E384919		24.2	0.25	2.7	0.066	2.78	39.6	67.5	1.48	192	112.5	0.06	2.8	112	1010	23.9
E384920		16.3	0.31	1.9	0.113	1.76	57.8	50.7	2.16	4710	56.9	0.07	1.9	137	680	28.3
E384921		17.7	0.17	2	0.085	2.8	44.8	18	1.88	6900	4.63	0.58	3.2	22.1	600	1.8
E384922		19.2	0.19	2.2	0.089	2.98	51.6	21	1.78	6160	2.38	0.74	3.6	22.2	610	2.6
E384923		16.9	0.18	2	0.077	2.68	44	17.4	1.92	7230	5.12	1.05	2.7	23.8	680	1.7
E384924		0.57	0.11	0.1	0.005	0.04	2.1	1.6	0.53	53	0.28	0.02	0.3	1	120	0.7
E384925		19.1	0.19	2.1	0.083	3.02	50.9	21.1	2.01	7380	2.41	1.09	2.6	24.9	690	1.8
E384926		21.6	0.19	2.2	0.082	3.3	61.5	25.3	2.01	6600	1.62	1	2.9	24.1	720	1.6
E384927		16.15	0.16	1.9	0.061	2.49	47.8	16.7	2.02	7600	5.44	1.47	2.8	20.5	650	2.3
E384928		19.85	0.17	2.1	0.07	2.81	53.6	19.2	2.03	8050	1.77	1.34	2.9	21.7	690	1.5
E384929		15.1	0.13	1.8	0.073	2.03	43	13.5	2.34	7780	1.79	1.82	2.7	15.9	630	1.9
E384930		11.2	0.19	1.6	0.047	0.68	37.2	9.2	2.27	7100	12.5	3.08	2.2	41.8	590	18.6
E384931		9.05	0.22	0.8	0.049	0.12	60.4	11.1	2.5	8170	38.5	2.04	1.9	70.8	1200	10.7
E384932		22.3	0.17	2.3	0.079	2.88	30.5	29.9	1.93	3980	10.15	2.03	2.9	30.9	730	3.3
E384933		14.5	0.15	1.9	0.055	1.42	16.1	16.5	2.22	5080	37.6	2.88	1.9	35.6	690	4
E384934		29.8	0.19	3	0.088	3.7	40.9	47.8	1.52	2560	99.3	1.94	3.3	39	970	4.7
E384935		0.67	0.1	0.1	<0.005	0.04	2.3	1.7	0.53	45	0.55	0.02	0.4	<0.2	140	0.6
E384936		16.95	0.18	1.9	0.167	2.42	29.7	26	1.28	3430	70.8	1.12	4.2	42.4	900	23.9
E384937		25.2	0.18	2.7	0.078	3.11	39.6	35	2.24	4610	14.7	2.36	3.2	37.3	810	4.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384898		98.7	<0.002	0.78	0.59	16.2	1	10.2	1605	0.38	0.05	10.3	0.17	0.28	20.2	71
E384899		5	0.005	0.29	0.34	6.2	1	4.3	1490	0.26	<0.05	5.8	0.098	0.03	8	40
E384900		6.3	0.011	0.35	0.54	3	1	3.2	1615	0.69	<0.05	14.6	0.075	0.06	139.5	36
E384901		0.3	0.003	0.07	0.08	0.4	1	<0.2	265	<0.05	0.19	0.2	0.006	<0.02	0.7	14
E384902		4	0.004	0.35	0.56	1.8	1	2.8	1550	0.31	<0.05	16.6	0.068	0.04	258	35
E384903		3.5	0.002	0.27	0.34	3	1	4.1	946	0.5	<0.05	5.1	0.085	0.03	10.6	37
E384904		4.4	0.002	0.29	0.35	3.6	1	5.8	1205	0.3	<0.05	6.5	0.12	0.03	15	38
E384905		5.7	0.003	0.25	0.38	6.4	1	6.9	893	0.35	<0.05	9	0.131	0.02	12.5	43
E384906		4.9	0.003	0.18	0.68	4.7	1	4.8	1115	0.33	<0.05	5.8	0.093	0.03	9.4	46
E384907		12.9	0.002	0.3	1.24	2.4	1	5	1165	0.32	<0.05	5.1	0.133	0.05	9.2	46
E384908		41	0.002	0.75	0.6	12.7	1	7.7	1105	0.23	<0.05	7.3	0.139	0.11	22.3	58
E384909		111	<0.002	1.06	0.54	10.6	1	13.9	1205	0.33	<0.05	13.1	0.195	0.27	34.3	63
E384910		121	<0.002	0.94	0.38	8.5	1	13.6	606	0.23	<0.05	13.1	0.199	0.27	11	73
E384911		135	<0.002	0.65	0.79	8.7	2	13.6	454	0.21	0.08	20.7	0.203	0.33	41.1	84
E384912		0.8	<0.002	0.07	0.17	0.4	2	0.4	269	<0.05	0.26	0.3	0.006	<0.02	0.7	14
E384913		131	0.005	1.28	1.33	9.9	2	8.5	457	0.21	0.16	13	0.122	0.35	18.2	67
E384914		21.9	0.002	0.85	0.91	5.9	1	2.6	1410	0.14	<0.05	7.2	0.047	0.1	65	32
E384915		75.2	0.002	1.11	0.74	9.7	2	8.4	1085	0.2	<0.05	9.7	0.119	0.24	48.6	61
E384916		9.4	<0.002	0.47	0.63	3.1	2	5.1	1665	0.22	<0.05	5	0.049	0.05	10.3	23
E384917		31	0.002	0.41	0.73	13.5	2	8.9	2060	0.33	<0.05	6.8	0.116	0.12	13.8	44
E384918		151.5	0.036	0.15	0.97	13.6	2	4.7	39	0.12	<0.05	14.9	0.102	0.46	5.7	78
E384919		86.6	0.172	6.05	3.07	14	6	7.8	22.5	0.17	1.36	10.4	0.108	2.49	133.5	84
E384920		60.2	0.05	>10.0	9.2	9.4	6	4.6	22.1	0.12	2.19	11.5	0.067	6.31	43.7	60
E384921		135.5	0.006	0.15	1.05	10.3	1	4.2	77	0.22	0.05	11.1	0.112	0.46	5.9	60
E384922		145.5	0.002	0.08	1.06	11	1	4.3	63.4	0.25	<0.05	12.7	0.123	0.44	3.6	68
E384923		129.5	0.003	0.14	0.77	10.4	1	3.7	76.5	0.15	<0.05	12.2	0.094	0.38	3.3	62
E384924		0.8	0.003	0.08	0.13	0.5	2	<0.2	292	<0.05	0.15	0.2	0.007	<0.02	0.7	6
E384925		142	0.002	0.11	0.9	11.3	1	4.4	76.9	0.17	<0.05	13.4	0.108	0.42	3.4	67
E384926		162.5	0.002	0.12	0.92	12.9	1	5.5	63	0.2	<0.05	14.4	0.12	0.45	4.2	75
E384927		114.5	0.002	0.08	0.89	9.9	1	3.9	84.6	0.2	<0.05	12.4	0.103	0.32	4.3	58
E384928		135.5	<0.002	0.07	0.87	12.2	1	5	83.6	0.2	<0.05	13.3	0.109	0.38	3.3	69
E384929		86.1	<0.002	0.21	0.91	9.8	1	3.9	98.2	0.18	<0.05	11.2	0.09	0.29	3.5	57
E384930		29.6	0.01	4.99	5.26	7.6	2	2.4	93.4	0.14	0.34	9.5	0.048	2.7	23	40
E384931		4.2	0.015	6.84	2.41	5	2	1.4	75.8	0.08	0.28	5.6	0.025	1.75	13	44
E384932		125.25	0.006	1.82	1.67	15.7	2	9.9	45.8	0.19	0.15	14.2	0.107	0.44	9.1	75
E384933		64.6	0.022	1.96	1.44	10.6	2	5.7	54.1	0.15	0.12	11.4	0.069	0.23	21.4	56
E384934		150	0.042	1.48	2.12	16.8	2	13.1	30.6	0.2	0.12	19.3	0.129	0.59	26.9	96
E384935		0.9	0.003	0.07	0.11	0.5	2	<0.2	295	<0.05	0.19	0.3	0.007	<0.02	0.7	5
E384936		97.4	0.024	2.53	1.9	11.3	3	8.2	689	0.21	0.25	8.7	0.1	0.45	331	60
E384937		150	0.004	2.58	2.41	16.5	2	11.8	51	0.23	0.2	17.4	0.122	0.59	7.1	88

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384898		7.5	5.5	3	53.6		0.003	
E384899		3.4	7.4	5	39.1		0.003	
E384900		3.2	10.9	6	41.8		0.003	
E384901		0.1	2.6	22	3.2		0.003	
E384902		5	9.2	6	35.6		0.003	
E384903		4.3	6.7	8	38.2		0.003	
E384904		5.2	6.7	3	35.8		0.003	
E384905		3.5	7.9	4	42.8		0.002	5.26
E384906		4.9	7.4	6	37.8		0.001	
E384907		5.2	7.9	6	68.7		0.002	
E384908		4.7	6	3	56.9		0.002	
E384909		9.8	7.9	3	69.6		0.003	
E384910		8.7	6.4	3	70.9		0.003	
E384911		9	8.6	13	97.6		0.002	
E384912		0.2	2.8	23	3.5		0.002	
E384913		9.6	11.3	6	68.9		0.023	
E384914		5.3	6.8	5	40.5		0.003	
E384915		7.5	6.8	6	58.2		0.004	
E384916		6.9	6	6	13.9		0.002	
E384917		6.8	5.3	3	29.9		0.002	
E384918		4.5	14.4	29	76.5		0.006	
E384919		5.4	15.8	47	94.9		0.127	
E384920		3.1	13.6	39	62.9		0.194	
E384921		4.4	14.3	5	65.6		0.004	
E384922		4.9	14	5	69.5		0.003	
E384923		4	15.9	4	63.4		0.003	
E384924		0.1	3.3	23	3.7		0.002	
E384925		4.3	16.5	4	68.4		0.002	
E384926		4.9	16.4	4	73.4		0.002	
E384927		4.3	13.9	3	58.7		0.003	
E384928		4.6	15.4	2	66.9		0.002	
E384929		3.7	14.2	4	60.1		0.002	
E384930		2	13.3	6	54.2		0.043	
E384931		4.9	12.2	11	27.3		0.044	
E384932		6.6	16.3	6	78.6		0.010	
E384933		5.9	14.2	7	64.9		0.009	
E384934		7.9	18.2	15	100.5		0.015	
E384935		0.1	3.1	26	3.9		<0.001	
E384936		9.6	17.3	8	64.2		0.060	
E384937		7.1	17.2	7	93.4		0.020	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E384938		1.28	0.98	7.56	120.5	440	2.15	3.85	4.63	<0.02	239	221	33	4.5	48.2	10.4
E384939		1.07	0.69	7.6	80	480	2.63	1.63	5.3	<0.02	112.5	154.5	37	6.63	31.1	8.65
E384940		1.02	3.33	4.5	619	250	1.39	12.45	4.81	0.14	172	636	19	2.87	65.1	15.55
E384941		1.49	0.27	5.86	84.9	1630	2.51	0.98	4.96	<0.02	21.4	72.9	29	4.85	16.1	6.23
E384942		1.28	0.17	7.79	36.6	2520	3.7	0.66	4.69	<0.02	72.6	77.6	41	7.03	13.2	7.73
E384943		1.22	0.07	7.85	17.8	2680	3.63	0.16	4.11	<0.02	132.5	47	40	8.01	13.7	6.37
E384944		1.08	0.06	7.27	8.7	2320	3.25	0.11	3.9	<0.02	110	38.6	39	6.54	10.9	8.05
E384945		1.25	0.06	6.53	10	2340	3	0.08	2.89	<0.02	99.8	49.2	37	5.75	54.4	10.5
E384946		1.13	0.09	7.14	20	2130	3.02	0.23	4.93	<0.02	114	38.5	36	5.5	79.4	6.9
E384947		0.19	0.05	0.15	<5	40	0.06	0.01	45.1	0.4	2.55	1.1	5	0.07	2.9	0.09
E384948		1.53	0.09	7.16	16	2130	3.03	0.22	5.15	<0.02	113.5	34.6	36	5.45	75.5	6.8
E384949		1.33	0.42	7.86	99.4	1480	3.37	1	5.02	0.04	133.5	82.1	42	5.97	23	6.17
E384950		0.64	2.18	4.1	511	200	0.7	7.01	5.17	0.1	39.9	513	17	1.29	88.8	10.8
E384951		1.22	1.06	5.46	327	140	1.06	3.39	6.94	<0.02	109.5	467	24	1.53	135.5	10.1
E384952		1.17	1.22	4.76	322	130	2.07	3.49	6.46	0.02	70.1	451	22	2.87	41.5	13.5
E384953		1.31	0.07	6.45	13.8	2400	4.07	0.18	5.77	<0.02	93.2	36.5	32	6.08	4.7	5.41
E384954		1.32	0.02	6.86	4.4	4450	4.71	0.02	5.2	<0.02	95.8	25.5	38	6.89	1.4	5.88
E384955		1.04	0.02	7.44	4	7390	5.18	0.01	4.79	<0.02	88.1	23	38	7.46	0.4	5.01
E384956		1.13	0.02	6.53	2.7	>10000	4.29	0.01	5.98	<0.02	91.3	15.8	31	6.21	2.4	4.89
E384957		1.35	0.02	6.79	2.8	6710	4.94	0.02	5.11	<0.02	91.2	20	33	7.12	8.8	5.08
E384958		0.16	0.02	0.14	<5	60	0.09	0.01	44.5	0.4	2.26	1.5	5	0.05	1.4	0.07
E384959		0.20	1.11	2.32	113	50	0.72	10.25	2.22	<0.02	195.5	322	9	2.62	8780	29.8
E384960		1.17	0.02	6.72	4.6	6760	4.67	0.04	5	<0.02	99.5	23.7	35	6.68	17.3	4.89
E384961		1.33	0.07	6.19	6.2	1720	3.13	0.17	5.62	<0.02	87.7	16	31	4.07	18.2	4.48
E384962		1.59	0.78	5.56	201	320	0.74	2.11	5.59	<0.02	58.1	264	24	0.55	58.6	8.16
E384963		1.35	0.4	2.48	147.5	70	0.4	0.66	5.76	<0.02	73.4	257	12	0.24	114.5	24
E384964		1.58	2.34	3.21	490	70	0.42	2.51	3.66	<0.02	82.7	494	10	0.36	232	24.4
E384965		1.21	0.58	6.6	98.3	570	1.75	1.14	2.29	<0.02	89.8	154	36	1.25	22.1	5.95
E384966		1.28	0.54	6.57	162.5	370	2.67	1.83	2.27	<0.02	124	171.5	34	2.14	43.7	7.19
E384967		1.47	2.47	2.63	372	100	0.34	6.05	5.64	<0.02	62.5	691	9	0.43	140.5	21.3
E384968		1.46	1.74	1.46	384	60	0.33	4.34	4.27	0.02	19.5	1115	4	0.25	649	32.8
E384969		1.33	0.94	2.8	188	70	0.16	1.76	6.96	<0.02	14.35	651	11	0.2	57.1	22.2
E384970		0.18	0.02	0.13	<5	30	0.07	0.01	46.4	0.4	2.25	2.5	5	<0.05	1.5	0.16
E384971		1.63	1.22	2.84	222	120	0.25	1.9	6.97	0.02	11.55	771	9	0.24	142.5	20.7
E384972		1.73	0.34	1.89	77.9	70	0.2	0.74	5.54	<0.02	7.62	489	5	0.21	29.8	28.9
E384973		1.38	0.38	1.89	96.2	30	0.26	1.17	3.26	<0.02	10.65	381	6	0.15	40.2	36.7
E384974		1.54	0.48	2.23	126.5	40	0.29	1.62	4.1	<0.02	15.6	537	7	0.17	421	30.5
E384975		1.78	0.83	2.35	178.5	110	0.38	1.96	3.8	<0.02	16.4	686	11	0.27	422	31.6
E384976		1.04	1.4	3.27	218	80	0.3	2.03	5.1	<0.02	48.8	641	13	0.29	122.5	19.95
E384977		1.27	1.17	3.13	264	70	0.31	1.82	3.47	<0.02	6.08	763	12	0.24	367	22.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384938		19.05	0.25	2.2	0.062	2.09	144.5	23.9	1.8	4140	72.3	2.62	3.2	45	790	18.4
E384939		20.7	0.2	2.2	0.077	2.58	65.3	32	2.19	5250	44.3	1.85	2.7	43.7	740	12.5
E384940		11.95	0.24	1.4	0.034	1.39	105.5	13.5	1.49	4930	88.6	1.4	1.8	103.5	830	31.6
E384941		17.05	0.13	1.9	0.045	2.45	11.7	20.4	1.58	5630	3.44	0.89	2.1	29.2	660	7.1
E384942		23	0.18	2.3	0.073	3.56	39.3	33.1	1.81	5590	8.83	0.86	2.7	33.9	830	5.3
E384943		23.5	0.2	2.2	0.086	3.63	73.4	30.8	1.68	5670	12.1	0.85	2.6	24.9	730	2
E384944		20.1	0.22	2.1	0.151	3.07	61	25	1.82	9320	5.92	1.1	2.1	26.2	650	2
E384945		19	0.22	1.9	0.188	2.8	54.9	20	1.79	12250	5.94	0.87	1.8	33	630	1.7
E384946		20.1	0.2	2	0.101	2.72	63.4	20.5	1.87	8890	7.49	1.47	2.1	23.9	640	2.2
E384947		0.55	0.1	0.1	<0.005	0.04	2.3	1.5	0.48	59	0.31	0.02	0.3	<0.2	110	1.1
E384948		19.05	0.16	1.9	0.098	2.72	63.6	22.2	1.93	8820	8.59	1.5	2.1	23.1	640	2.6
E384949		21.5	0.2	2.3	0.053	2.95	75.3	23	1.64	6270	10.5	1.77	2.7	32.7	700	13.5
E384950		8.93	0.21	1.5	0.023	0.59	21.1	6.3	1.51	6250	29	2.3	2.5	81.3	450	27.2
E384951		12.8	0.24	1.9	0.031	0.81	67.6	7.1	1.83	8530	33.4	3.1	2.8	76.5	700	16.5
E384952		14.85	0.29	1.5	0.035	1.41	42.7	14.1	1.84	7690	38.3	1.61	2.3	71.4	670	18.7
E384953		18.5	0.18	2.1	0.048	2.75	52.5	25	1.79	7990	6.32	0.77	3	21.6	620	3.5
E384954		19.2	0.22	2.2	0.051	3.24	53.4	29.6	1.72	6880	3.53	0.48	3.1	24.3	620	2
E384955		21	0.19	2.2	0.061	3.51	48.4	33.9	1.96	6130	0.43	0.42	3.4	20.8	640	1.9
E384956		18.15	0.19	2	0.052	2.91	50.4	28.3	2.22	6750	1.12	0.73	3.1	19	640	2
E384957		20.3	0.2	2.1	0.053	3.21	50.2	33.8	1.88	6330	0.62	0.34	3.3	21.8	620	2
E384958		0.52	0.05	0.1	<0.005	0.04	1.7	1.5	0.47	51	0.24	0.01	0.3	<0.2	100	0.8
E384959		10.1	0.5	0.8	0.241	0.65	121.5	23.3	1.51	6160	57	0.23	5.4	62.4	2320	6.2
E384960		19.55	0.17	2.2	0.05	2.96	54.5	30.8	2.06	5250	1.73	0.78	2.8	22	650	1.6
E384961		17.05	0.16	2	0.041	1.68	49.8	22.8	2	5780	4.66	2.14	3	15.5	640	2
E384962		10.55	0.15	1.6	0.012	0.21	36.6	4.1	1.77	3750	14.45	3.99	3.1	36.4	800	13.4
E384963		12	0.41	0.7	0.011	0.05	50.8	5.6	1.88	4360	40.7	1.56	1.3	56	1000	5.9
E384964		12.75	0.4	0.9	0.014	0.05	59.3	9.7	1.39	3240	52.3	1.85	1.7	80	760	39.6
E384965		19	0.2	2.1	0.008	0.55	57.2	23.1	0.88	1430	3.82	3.96	3.6	24.8	660	11.8
E384966		19.3	0.25	2.1	0.017	1.07	79.8	31.8	0.92	1390	10	3.3	2.7	27.9	720	8.5
E384967		8.51	0.35	0.8	0.011	0.08	43.4	7	1.78	4130	60.5	1.67	1.3	80.4	820	22.8
E384968		9.56	0.45	0.4	0.031	0.04	12.6	5.8	1.52	4500	55	0.85	0.8	136	420	18.2
E384969		10.6	0.34	0.7	0.013	0.04	8.8	7.3	2.17	4850	42.6	1.79	1.3	60.8	1140	9.8
E384970		0.5	<0.05	0.1	<0.005	0.03	1.7	1.6	0.48	51	0.44	0.02	0.3	2	110	0.8
E384971		10.15	0.29	0.7	0.017	0.04	5.6	12	2.29	5220	64.2	1.56	2.1	62.5	900	14
E384972		12.9	0.36	0.4	0.013	0.02	4.6	8.1	1.94	4450	37.7	1.03	0.9	57.6	510	5.6
E384973		15.9	0.47	0.5	0.007	0.03	7.6	7.3	1.19	3220	25.9	1.01	0.9	63.85	620	4.2
E384974		13.25	0.39	0.5	0.01	0.03	11.5	8.5	1.42	3470	37.1	1.21	1	72.2	740	5.4
E384975		12.75	0.4	0.8	0.011	0.09	11.2	8.1	1.31	3200	48.1	1.33	1.1	78.7	640	8.7
E384976		10.75	0.33	1.1	0.011	0.05	32.2	16.8	1.85	3680	55	1.59	1.3	61.3	870	11.5
E384977		12.4	0.31	0.9	0.014	0.05	3.1	10.7	1.22	2780	72.6	1.78	0.9	82.5	440	13.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384938		100	0.037	5.68	2.91	10.8	4	7.8	51.6	0.22	0.32	17	0.094	1.19	67.4	65
E384939		131	0.012	2.44	2.24	13.3	2	7.6	56.7	0.18	0.18	13	0.096	1	20.6	68
E384940		65.4	0.007	>10.0	6.81	7.4	3	3.8	52.3	0.12	0.82	11	0.058	4.15	46.9	59
E384941		118	0.002	1.07	1.96	10.2	1	4.9	58.9	0.15	0.08	12.2	0.093	1.81	3.6	63
E384942		174.5	0.006	1.04	2.21	13.9	2	7	50.7	0.18	0.09	13.1	0.125	0.88	3.9	86
E384943		184	0.007	0.61	1.03	13.7	2	6.5	46.3	0.18	<0.05	14.8	0.119	0.58	3.4	73
E384944		153	0.003	0.28	0.86	12.2	1	4.8	45.3	0.15	<0.05	13.9	0.101	0.47	3.4	67
E384945		137.5	0.003	0.24	0.84	12.5	1	4	38.1	0.12	<0.05	12.7	0.092	0.45	2.5	64
E384946		134.5	0.003	0.46	1.1	11.8	1	3.9	53.9	0.14	<0.05	13.3	0.092	0.53	3.5	66
E384947		0.9	0.002	0.06	0.12	0.5	2	<0.2	263	<0.05	0.06	0.2	0.007	<0.02	0.6	5
E384948		132	0.003	0.37	1.09	11.8	1	3.9	53.3	0.15	<0.05	14.2	0.093	0.51	3.9	65
E384949		142	0.003	1.41	2.07	12.7	1	5.1	56.3	0.19	<0.05	13.9	0.109	1.85	4.9	74
E384950		27.9	0.002	8.26	3.02	6.7	2	1.9	59.3	0.15	0.25	9.9	0.052	3.04	16.8	31
E384951		38.3	0.005	5.52	2.14	8.8	2	3.2	80.9	0.19	0.12	12.7	0.06	1.7	14.3	49
E384952		70.2	0.007	6.04	5.18	10.2	3	5.6	89.3	0.14	0.41	10.3	0.057	1.78	45.2	62
E384953		141	0.002	0.37	1.42	11.1	2	6	62.4	0.22	<0.05	14	0.103	0.57	5.3	57
E384954		157	<0.002	0.18	0.95	11.2	1	6.3	80.1	0.23	<0.05	14.3	0.117	0.49	3.7	64
E384955		160.5	<0.002	0.26	1	12.5	2	7.1	263	0.26	<0.05	14.2	0.123	0.58	3	65
E384956		147	<0.002	0.3	0.9	10.8	2	6.3	196	0.23	<0.05	13.2	0.108	0.46	2.6	59
E384957		169	<0.002	0.22	0.97	11.8	2	8.1	272	0.25	<0.05	13.1	0.114	0.55	2.9	61
E384958		1	<0.002	0.07	0.09	0.8	3	<0.2	266	<0.05	<0.05	0.2	0.007	<0.02	0.7	5
E384959		33.8	0.015	7.06	2.3	4.8	6	7.8	174	0.12	1.23	6.1	0.032	0.52	16.4	61
E384960		151.5	<0.002	0.26	0.92	11.8	1	7.8	109	0.21	<0.05	13.9	0.106	0.48	3.1	63
E384961		88	<0.002	0.16	1.11	11.5	2	6.7	59.3	0.24	<0.05	12.9	0.092	0.32	3.3	57
E384962		9.1	0.012	4.02	2.14	8.4	2	2.6	76.9	0.17	0.43	13.5	0.056	1.78	73.8	28
E384963		1.8	0.018	2.59	1.41	8.1	2	1.1	52.5	<0.05	0.12	4.4	0.015	1.6	24.3	46
E384964		1.9	0.048	5.38	4.11	5.4	3	1.1	38.3	0.08	0.43	9	0.021	5.57	281	42
E384965		29.4	0.003	2.03	1.69	15.2	2	6.2	62.5	0.19	0.26	13.6	0.061	2.16	81	42
E384966		55.9	0.007	3.8	1.67	17.3	2	11.3	57.4	0.19	0.34	14.3	0.08	1.44	15	50
E384967		3.4	0.051	>10.0	3.17	8.6	4	2	58.7	0.07	1.18	4.3	0.024	2.34	23.3	26
E384968		1.4	0.059	>10.0	2.09	8.1	5	1.4	43.6	<0.05	0.92	2.7	0.012	1.34	39.7	29
E384969		1.2	0.022	6.02	1.48	8	3	1	55.9	0.06	0.35	5.5	0.018	1.41	79	24
E384970		0.6	<0.002	0.08	0.09	0.8	2	<0.2	273	<0.05	<0.05	0.2	0.006	<0.02	0.8	4
E384971		1.3	0.039	6.83	1.89	8.5	4	1.1	54.9	0.1	0.37	14.9	0.027	1.46	244	19
E384972		0.7	0.006	4.24	1.23	8.6	3	0.6	40	<0.05	0.16	4.2	0.013	0.18	70.5	23
E384973		0.8	0.007	3.85	1.31	5.5	3	0.9	28.4	<0.05	0.19	1.3	0.014	0.29	14.4	42
E384974		1.1	0.012	4.77	1.35	6.4	3	0.9	34	0.05	0.32	1.5	0.014	0.55	17.8	37
E384975		3.8	0.023	5.7	1.51	6.5	4	1.1	35.8	0.05	0.46	5.1	0.02	1.86	74.8	40
E384976		1.7	0.043	5.05	1.62	8.2	4	1	70	0.06	0.79	6.5	0.021	1.66	89.6	28
E384977		1.8	0.071	5.47	1.57	5.5	6	0.9	60.4	0.06	0.7	7.7	0.018	1.49	156	40

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384938		6.9	17	4	69.6		0.041	
E384939		5.7	16.1	7	76.8		0.018	
E384940		4.5	12.5	5	46.3		0.103	
E384941		5	11.9	3	63.4		0.007	
E384942		6.9	15.4	4	72.6		0.006	
E384943		7.2	16.8	3	70.6		0.004	
E384944		5.7	12.7	4	65.9		0.004	
E384945		5.3	10.8	3	61.3		<0.001	
E384946		5	12.5	3	66.5		0.004	
E384947		0.1	2.8	22	3.4		0.001	
E384948		4.9	12.5	4	67.6		<0.001	
E384949		5.9	14.3	3	70.3		0.008	
E384950		3.5	7.8	<2	49.8		0.075	
E384951		3.5	11.7	<2	62.9		0.038	
E384952		3.9	14.7	<2	49.4		0.047	
E384953		6.3	13.6	<2	68.1		0.005	
E384954		6.6	14	<2	70.7		0.002	
E384955		7.4	13.8	<2	70.8		<0.001	1.69
E384956		6.7	12.6	<2	64.1		<0.001	1.29
E384957		7.7	13.5	<2	68.7		0.002	1.91
E384958		0.1	2.7	19	3.4		0.032	
E384959		6.6	14.5	8	23.7		0.115	
E384960		7.1	12.9	<2	70.5		0.003	0.75
E384961		6.8	12.4	<2	64.8		<0.001	
E384962		3.9	11.7	<2	53.9		0.030	
E384963		1.3	8.9	3	20.4		0.011	
E384964		2.2	11.5	10	28.1		0.034	
E384965		5.3	12.1	6	66.6		0.010	
E384966		5.6	11.8	4	65.8		0.022	
E384967		2.5	9.9	7	26.1		0.096	
E384968		3.9	6.7	7	13		0.076	
E384969		1.5	11.9	7	22.9		0.026	
E384970		0.1	2.8	27	3.7		0.003	
E384971		2.3	15.9	15	22.1		0.027	
E384972		1.3	8.9	9	12.9		0.008	
E384973		1.1	5.4	8	16.1		0.012	
E384974		1.3	6.7	7	15.8		0.021	
E384975		1.5	7.9	5	26.3		0.022	
E384976		1.5	10.7	10	36.2		0.025	
E384977		2	8.7	7	30.2		0.032	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384978		1.68	0.51	3.97	90.4	360	0.4	0.73	3.58	<0.02	34.6	351	18	0.22	482	24.8
E384979		1.30	0.56	5.64	124.5	170	0.59	1.45	6.27	<0.02	108	379	17	0.33	23.6	11.55
E384980		2.32	0.38	4.77	72.1	130	0.55	0.9	6.97	<0.02	110	246	15	0.32	27.3	14
E384981		0.18	0.02	0.14	<5	50	0.08	0.01	47	0.41	2.41	1.8	5	<0.05	1.2	0.11
E384982		0.20	0.27	6.73	52.2	220	2.46	1.49	1.93	<0.02	86.1	101.5	40	6.29	1580	7.19
E384983		1.24	0.12	7.72	10.5	950	1.55	0.29	3.85	<0.02	64.7	102	37	7.64	25.1	12.05
E384984		1.17	0.99	6.2	111	240	1.29	1.86	0.3	<0.02	107.5	217	49	2.2	81	12.4
E384985		1.17	0.11	6.22	12.5	6150	0.94	0.33	1.5	<0.02	97.2	67.5	35	2.51	16.8	11.1
E384986		0.96	0.66	6.04	58.2	150	1.22	1.54	0.17	<0.02	85.9	112.5	40	3.63	7.9	10.4
E384987		1.11	0.18	6.36	25.8	170	1.39	0.58	0.7	<0.02	87.2	98.2	41	3.12	5	10.05
E384988		1.14	0.76	5.84	130	150	1.6	3.78	4.23	0.02	105	278	25	9.08	33.8	11.75
E384989		1.07	0.54	4.24	74.7	120	0.58	2.26	7.43	<0.02	38.9	147.5	19	0.75	19.8	10.25
E384990		1.10	0.7	5.35	88.1	110	0.86	2.07	4.98	0.03	111	119.5	24	1.38	164	7.17
E384991		1.27	0.09	7.19	13.9	560	2.06	0.47	1.54	<0.02	75.8	61.4	43	3.75	11.4	6.17
E384992		1.34	0.06	4.86	5.9	340	1.42	0.27	4.58	<0.02	85.2	44.2	29	2.69	10.6	8.26
E384993		0.18	0.02	0.13	<5	20	0.08	0.01	47.3	0.4	2.37	1.3	9	<0.05	2.3	0.06
E384994		1.03	0.03	6.47	3.4	810	2.21	0.06	4.08	<0.02	156.5	20.5	37	3.58	33.3	7.17
E384995		1.02	0.22	6.46	90.2	960	2.12	1.47	2.67	<0.02	89.6	132	35	3.8	114	6.98
E384996		1.75	1.71	5.48	466	160	2.11	7.86	2.43	<0.02	95.1	532	28	3.53	30.6	10.15
E384997		1.07	2.79	5.4	732	100	1.3	13.8	2.42	<0.02	52	941	22	2.44	47.1	13.05
E384998		0.81	1.36	5.51	430	140	1.27	8.41	2.33	0.02	21.1	565	26	2.21	35.5	11.65
E384999		0.77	2.95	4.78	792	90	0.97	11.2	2.7	<0.02	91.8	1045	24	1.71	43.2	15.3
E385000		1.08	1.18	5.04	299	220	1.19	5.95	3.62	0.02	92.7	403	27	3.02	25.9	10.75
E383501		0.89	1.42	6.98	234	230	1.77	8.24	1	<0.02	86.3	446	35	2.66	14.9	8.65
E383502		1.11	0.63	7.18	161.5	330	2.78	4.18	0.95	<0.02	62.3	318	42	3.59	11.1	4.92
E383503		1.47	17.2	5.45	2060	240	1.66	27.7	0.34	0.16	81.9	2240	31	2.69	88.8	14.65
E383504		0.17	0.08	0.14	<5	30	0.08	0.03	43.3	0.43	2.35	2.2	5	0.06	2.7	0.06
E383505		0.19	1.03	5.89	70.2	100	2.01	2.65	2.1	<0.02	54.2	160.5	31	3.91	8340	9.74
E383506		2.10	0.37	7.59	76.6	1940	2.54	1.53	0.1	<0.02	82.7	124	29	5.26	42	1.79

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-15

CERTIFICATE OF ANALYSIS VA07113708

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384978		13.85	0.21	0.9	0.015	0.08	22.6	5.9	1.22	2850	51.1	2.58	1.5	74.9	460	10.6
E384979		10.95	0.23	1.7	0.013	0.15	72.2	3.7	2.22	4250	30.1	4.1	1	31	590	13
E384980		10.7	0.29	1.2	0.008	0.08	72.3	3.8	2.26	4280	30.7	3.5	0.8	39.3	610	5.6
E384981		0.51	<0.05	0.1	<0.005	0.03	1.8	1.7	0.49	47	0.34	0.02	0.3	<0.2	100	0.8
E384982		20.1	0.2	2	0.123	2.88	45.8	25.1	1.26	3100	19.1	0.55	3	26.4	750	2.7
E384983		18.55	0.24	2.4	0.078	1.23	42.8	98.3	3.89	3140	5.85	0.51	1.4	85	750	2.7
E384984		16.6	0.31	2.5	0.019	0.53	54	122	2.93	503	51.3	0.03	1.9	90.5	830	15.3
E384985		14.55	0.25	2.2	0.053	0.46	55.4	114	3.23	1750	4.24	0.02	1.4	72.5	610	2.1
E384986		14.1	0.15	2.4	0.008	0.61	47.5	95.1	2.53	235	17.1	0.02	2.3	61.6	650	5.3
E384987		15.6	0.12	2.4	0.039	0.91	51.1	103.5	2.7	728	3.47	0.02	1.8	62.7	720	2.9
E384988		12.35	0.17	2.3	0.063	1	57.4	55.4	2.83	3250	33.1	0.78	1.2	77	570	8.2
E384989		9.22	0.13	1.7	0.05	0.16	24.1	14.2	2.68	5330	17.25	2.57	0.8	42.9	500	5.5
E384990		12.4	0.14	1.9	0.035	0.19	68.6	20.7	2.02	3750	6.19	3.17	1.2	29.3	570	9.5
E384991		21.3	0.1	2.4	0.048	0.97	45.3	57.2	1.44	1900	0.87	2.91	4.4	32.9	690	3.5
E384992		12.35	0.14	1.8	0.048	0.99	51.3	35.5	1.86	3330	1.73	1.95	3.4	23.7	600	2.2
E384993		0.56	<0.05	0.1	<0.005	0.03	1.9	1.5	0.48	42	0.2	0.02	0.3	<0.2	100	1
E384994		17.95	0.17	2.1	0.06	1.77	98.9	43.5	1.72	3220	0.49	2.08	3	27.9	690	2.5
E384995		18.1	0.21	1.9	0.052	1.95	52.2	44.4	1.48	2330	4.45	1.49	2.4	42.3	630	3
E384996		17.4	0.27	1.9	0.045	1.46	52.2	41.6	1.35	2020	55.1	1.4	2.2	95.3	620	10.3
E384997		14.8	0.24	1.9	0.033	0.73	30.2	34.2	1.29	2000	100	2.45	2.1	149.5	670	15.4
E384998		14.55	0.2	1.9	0.031	0.65	11.4	37.8	1.32	1695	53.5	2.62	2	115	620	10.2
E384999		13.55	0.31	1.9	0.032	0.27	52.6	28.5	1.73	2650	74.3	2.21	1.9	178	500	34.9
E385000		15.75	0.27	1.9	0.077	0.59	53.4	39	2.29	2880	20	1.97	2.5	111	510	14.3
E383501		22.1	0.23	2.5	0.037	1.17	49.7	44.6	1.03	1045	3.98	2.81	3.3	105	530	9
E383502		24.8	0.18	2.7	0.037	1.87	35	49.8	0.79	860	6.01	2.38	3.2	79.5	640	6
E383503		14.95	0.34	1.9	0.024	1.31	46.1	21.1	0.35	311	102	2.1	2.9	250	540	69.2
E383504		0.53	<0.05	0.1	<0.005	0.03	1.8	1.7	0.45	34	0.31	0.01	0.3	1	110	2.2
E383505		16.7	0.2	1.9	0.149	2.2	22.9	24.5	1.17	3200	63.3	1.05	3.4	41.8	820	22.5
E383506		20.2	0.13	3.6	0.023	3.25	46.4	12.5	0.32	77	17.3	0.69	6.4	29.8	230	5.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
This copy reported on 12-FEB-2008
Account: CASMIN

CERTIFICATE EL07113419

Project: IGOR: 16-2007-16

P.O. No.: 195431

This report is for 144 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 17-SEP-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim 'or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385323		2.65	0.05	6.07	3.4	4800	2.05	0.06	4.33	0.05	25.7	55.5	31	9.11	103	8.09
E385324		1.17	0.13	7.06	3.2	5870	2.43	0.11	2.9	0.05	73.6	32.2	38	10.85	752	7.39
E385325		1.12	1.79	5.9	12.1	520	2.01	1.32	3.37	<0.02	103	47.4	32	11.5	>10000	13.6
E385326		1.08	0.21	5.94	6.1	4650	2.07	0.21	5.06	<0.02	45.2	32.4	31	10.7	1490	8.99
E385327		1.29	0.14	6.33	2.2	5020	1.96	0.1	4.83	0.02	35.5	14.5	31	10.15	1070	6.85
E385328		1.79	0.7	3.65	11.7	3010	1.29	0.47	3.32	<0.02	74.9	41.7	13	6.43	5440	17.8
E385329		1.20	0.45	5	7.8	4110	1.4	0.3	3.76	<0.02	57.1	30.8	22	6.96	3150	13.95
E385330		1.35	0.16	7.91	2.2	6320	2.59	0.15	3.97	<0.02	88.4	20.9	40	12.65	1370	5.81
E385331		0.19	0.01	0.15	5	40	0.1	0.01	47	0.42	2.67	1.1	12	0.05	8.9	0.07
E385332		1.23	0.08	6.09	1.9	4800	2.19	0.09	6.03	<0.02	176.5	24.95	26	10.4	244	6.74
E385333		2.82	0.06	6.37	1.7	4990	2.16	0.1	5.19	<0.02	125	24.6	29	10.5	153	6.28
E385334		2.82	0.58	6.71	101.5	1940	2.04	3.25	3.68	<0.02	72.7	171.5	25	2.82	750	8.61
E385335		1.25	0.92	6.27	187.5	570	2.09	2.92	5.78	<0.02	98.4	124.5	27	2.72	4260	8.97
E385336		1.31	0.92	6.11	377	950	2.36	5.14	0.44	<0.02	84	184	26	2.67	6160	12.05
E385337		1.01	1.23	6.51	639	870	2.67	9.51	0.19	0.02	61.1	261	34	3.03	515	12.75
E385338		1.05	0.84	8	567	850	3.12	5.88	0.28	<0.02	164	184	47	3.3	433	7.38
E385339		0.90	1.87	5.32	1450	740	1.98	14.75	0.21	<0.02	146	448	33	2.11	555	15.4
E385340		0.64	0.99	7.6	352	390	3.29	6.6	0.98	<0.02	146.5	185	38	3.72	899	7.51
E385341		0.19	0.01	0.16	<5	50	0.05	0.02	48.2	0.41	2.27	1.2	4	<0.05	4.2	0.07
E385342		0.18	0.29	7.1	63.3	1660	2.72	1.66	2.04	<0.02	70.5	120	37	6.68	1590	7.56
E385343		0.71	0.79	6.04	242	670	1.9	5.26	3.71	<0.02	88.9	178.5	22	2.27	492	10.4
E385344		0.74	0.58	6.42	248	800	2.65	5.98	4.01	0.03	125.5	139.5	26	3.1	165	9.09
E385345		0.89	0.34	5.58	189.5	330	2.17	3.88	3.37	<0.02	83.7	82.3	23	2.71	154	9.83
E385346		0.96	0.38	8.29	115.5	1100	2.91	2.73	4.26	<0.02	45.9	71.1	40	3.14	377	10.15
E385347		0.85	0.84	5.05	339	700	1.74	6.02	4.27	<0.02	64.9	181.5	17	2.15	604	16.4
E385348		0.88	2.25	7.75	318	820	3.03	3.7	4.77	<0.02	57.3	238	33	3.37	1490	8.4
E385349		1.08	1.26	6.45	471	900	2.33	5.9	3.55	<0.02	45.4	260	23	2.69	1600	9.75
E385350		1.26	0.14	5.96	50.9	1240	1.99	0.66	3.01	<0.02	43.5	37.5	26	2.53	457	5.68
E385351		0.23	0.01	0.14	<5	30	0.07	0.02	45	0.36	2.06	1.1	3	<0.05	3.5	0.06
E385352		1.54	0.57	3.54	106.5	540	1.21	1.68	0.94	<0.02	116	93.4	15	1.31	982	18.2
E385353		1.13	0.45	5.72	131	420	2.14	2.18	2.77	<0.02	74.3	97.8	26	3.28	406	11.1
E385354		1.49	0.28	7.98	80.9	250	2.54	1.39	3.13	0.11	117.5	64.8	42	3.58	229	9.71
E385355		1.19	0.29	8.8	65.4	250	3.02	1.61	4.59	0.07	130	75.1	43	3.71	95.1	6.28
E385356		0.82	0.45	8.88	92	160	3.14	2.3	3.6	0.09	79.9	127.5	48	4.43	73.4	7.7
E385357		1.02	0.49	7.9	85	150	2.63	2.2	2.59	0.07	69.2	120.5	45	4.37	211	9.12
E385358		0.92	0.23	8.1	43.1	400	2.33	0.99	2.44	0.05	94.7	71.5	43	4.03	452	6.61
E385359		0.85	0.2	7.23	45.9	720	3.08	0.95	4.18	0.1	67.6	65.4	36	3.66	363	5.99
E385360		1.45	0.65	8.06	116.5	150	2.4	2.5	3.5	0.05	113.5	133.5	42	3.55	550	7.69
E385361		0.24	0.03	0.16	<5	30	0.08	0.07	49.1	0.55	2.37	0.9	5	<0.05	1.8	0.07
E385362		0.19	1.02	5.84	61.2	320	1.49	2.45	2.08	0.03	50.8	150	33	3.48	8000	9.21

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385323		16.35	0.24	1.9	0.217	2.6	13.5	27	2.31	6630	4.05	0.1	3.3	24.6	590	2.1
E385324		19.45	0.3	2.1	0.212	3.1	38.4	34.2	2.28	6940	4.01	0.1	3.4	20.9	650	2.1
E385325		16.8	0.24	1.7	0.463	2.44	57.3	23.4	2.03	6550	77.5	0.1	3.5	22.2	1610	2.1
E385326		17.1	0.15	1.9	0.258	2.6	28.9	21.8	2.5	7680	7.3	0.1	5.5	24	790	1.4
E385327		16.3	0.12	1.8	0.198	2.77	22.7	18.8	2.25	6880	5.35	0.11	5.1	16.3	680	1.1
E385328		11.7	0.27	1	0.52	1.59	47.5	14.3	2.21	11150	30.8	0.07	3.3	35.9	2400	2
E385329		12.15	0.18	1.1	0.281	2.11	35.4	15.9	2.05	8720	19.3	0.08	3.1	24.7	1910	1.6
E385330		21	0.17	2.3	0.196	3.46	50.3	26.4	1.65	4050	3	0.12	5.7	16.4	700	1.4
E385331		0.63	<0.05	<0.1	<0.005	0.04	1.9	1.6	0.48	53	0.32	0.01	0.4	<0.2	120	0.6
E385332		17.8	0.24	1.9	0.162	2.65	99.5	25	2.07	5390	3.12	0.1	4.5	18.4	640	1.5
E385333		17.9	0.21	2	0.169	2.69	69.7	29.6	2.12	4890	2.9	0.1	4.2	19.8	690	1.8
E385334		17.25	0.19	2.5	0.074	3.37	48.5	19.5	1.43	3800	19.5	0.92	2.8	31.9	840	3.4
E385335		16.75	0.2	2.1	0.241	2.91	56.2	21.4	2.41	6120	68.5	0.12	2.4	52.1	820	2.7
E385336		17.15	0.23	2.1	0.559	3.04	45	13	0.75	5080	30.1	0.04	3.3	42.5	880	4
E385337		17.95	0.23	2.1	0.378	3.22	33.1	12.2	0.35	1160	12.75	0.04	4.1	46	700	6.7
E385338		22	0.23	2.8	0.093	4.05	101.5	10.6	0.28	60	16.85	0.06	5.1	42.6	1220	4.8
E385339		14.55	0.29	1.7	0.067	2.68	89.1	7.9	0.2	41	21.2	0.04	4.3	70.4	950	8.6
E385340		23.8	0.27	2.9	0.137	3.94	89.2	14.9	0.63	1160	151	0.05	4.9	37.6	1020	5.2
E385341		0.53	<0.05	<0.1	<0.005	0.04	1.7	1.5	0.49	40	0.29	0.01	0.4	<0.2	110	0.6
E385342		21	0.2	2	0.134	3.02	38.6	25.5	1.36	3320	20.9	0.6	3.7	27.5	750	2.7
E385343		15.15	0.17	1.9	0.103	3.11	53.9	9.8	1.19	3930	6.73	0.04	2.8	31.3	720	4
E385344		18.9	0.22	2.3	0.099	3.26	78.1	13.1	1.36	4390	6.72	0.05	3.5	29.6	740	4.5
E385345		15.85	0.19	1.9	0.083	2.68	54.3	14.8	1.27	4750	8.79	0.08	2.2	22.7	690	3.5
E385346		22.4	0.19	2.6	0.092	4.02	29.5	25.7	1.83	4760	11.55	0.12	2.7	22.4	710	3.1
E385347		14.15	0.24	1.6	0.095	2.43	44.3	16.3	1.91	5920	20.5	0.04	2.8	34.9	870	6.9
E385348		21.8	0.18	2.5	0.071	4.03	42.8	16.1	1.98	5350	60.7	0.05	3.6	55.5	860	27.2
E385349		17.65	0.17	2.2	0.075	3.32	29.3	12.8	1.61	3620	22.4	0.05	3.3	46.4	760	9.7
E385350		15.05	0.12	1.9	0.069	3.03	27.5	11.4	1.45	4980	7.72	0.04	2.7	13.7	710	1.5
E385351		0.52	<0.05	<0.1	<0.005	0.04	1.6	1.3	0.46	49	0.22	0.01	0.3	<0.2	100	0.6
E385352		12.65	0.3	1	0.071	1.27	68.2	27.2	1.05	9080	23.2	0.03	2.9	41.2	2800	3.4
E385353		17.05	0.19	2	0.103	2.72	44.3	16.2	1.46	5800	8.87	0.04	2.4	28.9	1220	3.8
E385354		19.05	0.32	3.4	0.09	3.41	81.1	35.2	1.65	5610	9.55	0.11	3.1	39.3	1360	3
E385355		22.8	0.27	3.5	0.092	4.18	87.6	19.6	1.93	4190	9.39	0.15	4.6	27.4	1230	3
E385356		23.2	0.28	3.7	0.097	4.25	49.1	23.2	1.76	3160	15.6	0.07	3.5	47.6	1210	3.5
E385357		18.7	0.23	3.4	0.087	3.65	40.4	27	1.53	3430	11	0.05	3.5	39.3	1040	3.4
E385358		16.95	0.19	3	0.081	3.77	56.7	19.8	1.44	4090	8.86	0.04	2.7	23.5	960	2.1
E385359		18.95	0.31	2.7	0.111	3.64	41.5	17.2	1.99	5230	11.8	0.04	3.5	15.7	850	1.6
E385360		17.8	0.21	2.8	0.077	3.98	78.5	18.3	1.62	4270	13.7	0.05	3.1	26.9	1410	5.8
E385361		0.48	0.13	0.3	0.026	0.04	1.8	1.3	0.52	46	0.38	0.01	0.4	2.5	120	0.9
E385362		13.65	0.2	2.2	0.141	2.13	20.5	20.2	1.14	3030	64.2	1.06	3.3	36.7	830	21

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385323		144	0.002	0.03	1.22	10.5	2	2.3	30.3	0.29	0.06	10.9	0.101	0.38	3	58
E385324		170	0.004	0.09	1.49	11.3	3	2.7	33.8	0.3	0.1	13.4	0.115	0.47	5.3	70
E385325		144	0.133	1.69	1.24	11.8	5	2.8	30.3	0.27	0.51	16.6	0.092	0.36	173.5	67
E385326		153.5	0.034	0.3	1.39	13.3	2	3	47.1	0.36	0.07	12.8	0.138	0.39	5.5	65
E385327		147	0.009	0.12	1.44	11.4	2	2.8	39.2	0.36	<0.05	12	0.148	0.37	3.3	70
E385328		96.7	0.005	0.45	1.19	11.2	3	1.9	38	0.28	0.24	13.3	0.068	0.23	5.1	64
E385329		105	0.004	0.3	1.05	8.7	3	2	33.8	0.25	0.12	12.5	0.092	0.26	4.9	67
E385330		193.5	0.002	0.1	1.8	12.6	2	3.5	41.2	0.42	0.05	13.4	0.174	0.45	4	76
E385331		1.1	<0.002	0.07	0.08	0.6	2	<0.2	276	<0.05	<0.05	0.6	0.007	<0.02	0.8	4
E385332		163.5	<0.002	0.03	1.58	11.2	2	2.8	66.8	0.33	<0.05	17.2	0.133	0.36	3.3	55
E385333		161	<0.002	0.03	1.48	11	2	3.1	50.1	0.32	<0.05	15.3	0.135	0.38	3.9	56
E385334		116	0.003	4.87	0.95	13.4	2	8.2	40.8	0.18	0.15	14.3	0.099	0.27	14.4	64
E385335		114	0.007	3.96	1.15	13.1	2	6.8	22.8	0.14	0.09	14.9	0.104	0.27	16.1	68
E385336		124	0.004	7.35	1.17	11.5	2	7.9	8	0.18	0.09	14.3	0.134	0.29	14.3	57
E385337		137.5	0.007	>10.0	1.68	9.8	2	8.3	7.1	0.24	0.06	11.4	0.146	0.31	12.9	57
E385338		162.5	0.003	6.44	0.99	10.3	2	9.4	10.2	0.27	<0.05	17	0.177	0.31	10.6	74
E385339		109	0.009	>10.0	1.11	6.5	2	7.5	8.9	0.21	0.19	10.9	0.129	0.22	15.5	62
E385340		174.5	0.006	5.71	0.96	12.5	2	11	10.5	0.26	0.08	20.6	0.161	0.37	26.8	69
E385341		0.8	<0.002	0.09	0.08	0.6	2	0.2	283	<0.05	<0.05	0.3	0.008	<0.02	0.7	4
E385342		148	0.006	1.43	1.21	12.4	3	8.2	451	0.22	0.18	13.6	0.126	0.39	20.2	65
E385343		95.9	0.002	7.86	0.79	10.4	2	6.4	19.1	0.16	0.12	11.6	0.119	0.23	8.6	73
E385344		138.5	0.002	5.73	0.93	12.4	2	8.3	26.3	0.19	0.12	15.6	0.125	0.35	13.6	66
E385345		112	0.002	4.17	0.73	10.7	2	7.7	15.2	0.11	0.12	10.3	0.094	0.32	15.1	53
E385346		134.5	<0.002	3.15	0.73	13.8	2	12.6	18.9	0.11	0.13	16.5	0.135	0.51	5.4	74
E385347		98.1	0.005	9.84	0.96	9.5	2	9	17.5	0.14	0.38	9	0.102	0.27	5.6	58
E385348		157	0.012	4.19	1.11	12.5	2	11.4	29.6	0.17	0.44	15.6	0.138	1.78	26	81
E385349		113.5	0.004	7.45	1.1	10.3	2	8.7	13.7	0.19	0.36	11	0.13	0.61	14.7	68
E385350		110.5	0.003	0.82	0.53	9.9	2	6.7	14.5	0.17	0.11	12.6	0.127	0.28	8	56
E385351		0.7	<0.002	0.06	0.07	0.5	2	<0.2	264	<0.05	<0.05	0.2	0.007	<0.02	0.6	4
E385352		55.1	0.004	1.86	1.18	7.5	2	5.6	18	0.1	0.13	8.1	0.064	0.16	22.2	60
E385353		112	0.005	2.98	0.88	10.6	2	7.9	18	0.13	0.2	13.2	0.103	0.32	13.4	57
E385354		126	0.003	1.84	0.95	11.4	1	10.2	29.2	0.31	0.28	13.6	0.114	0.42	9.8	72
E385355		151.5	0.003	2.01	0.99	12.2	2	10.7	22.2	0.39	0.24	17.1	0.161	0.48	6.3	89
E385356		155.5	0.004	2.39	1.17	12.8	2	12	18.3	0.34	0.4	25.5	0.147	0.63	8.6	100
E385357		129.5	0.004	2.29	1.18	10.2	2	9.3	22.7	0.31	0.25	13	0.138	0.42	5.5	82
E385358		120	0.005	1.26	0.77	9.8	1	8	18.4	0.23	0.17	15.9	0.131	0.38	5.7	76
E385359		140	0.003	1.2	0.88	13.6	2	8.5	17.6	0.37	0.25	14.6	0.132	0.42	6	68
E385360		126.5	0.003	2.41	0.76	10.3	1	8.7	17.7	0.19	0.27	17.4	0.131	0.48	5.9	80
E385361		0.8	<0.002	0.08	0.19	0.3	2	0.2	316	0.13	0.15	0.3	0.007	0.1	0.8	5
E385362		86.1	0.023	2.27	1.6	9	3	7.4	633	0.22	0.29	8.7	0.081	0.39	302	53

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Method / Analyte / Units / LOR / Sample Description	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385323	4.3	12	5	57.6		0.001	
E385324	14.1	13.1	7	65.5		0.011	0.60
E385325	5	14.3	7	54	1.450	0.087	
E385326	7.2	14.2	4	55.3		0.009	
E385327	6.7	11.9	3	49.1		0.007	0.53
E385328	4	15.3	3	31.2		0.025	
E385329	4.6	12.3	5	37.3		0.024	
E385330	8.7	14.4	3	65.8		0.007	0.65
E385331	0.1	2.9	22	3.8		0.001	
E385332	7.5	15.5	3	56.6		0.001	
E385333	7.7	14	6	60.2		0.002	
E385334	8.3	11.2	8	73		0.029	
E385335	9.2	13.5	10	60.8		0.033	
E385336	11.7	10.5	7	62.9		0.059	
E385337	13.7	10.5	3	62.3		0.076	
E385338	15.5	16.5	<2	80.3		0.021	
E385339	12	11.9	<2	50		0.077	
E385340	17.3	15.7	<2	86.2		0.041	
E385341	0.1	2.8	25	3.2		0.033	
E385342	9.2	11.4	6	62.2		0.018	
E385343	10.1	11.6	3	55.9		0.037	
E385344	12.5	14.9	3	68.8		0.019	
E385345	9.9	10.8	5	58.5		0.018	
E385346	13.7	10.9	9	79.6		0.015	
E385347	11.9	10.3	7	48.2		0.033	
E385348	15.1	12.6	2	72.7		0.061	
E385349	13.2	11.6	2	63.5		0.104	
E385350	12.3	12.1	5	57.7		0.019	
E385351	0.1	2.5	21	2.7		<0.001	
E385352	10.3	13.5	24	32.9		0.020	
E385353	13.2	13.1	9	57.3		0.037	
E385354	15.2	15	18	86		0.020	
E385355	18.8	17.9	4	94.1		0.030	
E385356	18.3	16.5	8	96.5		0.026	
E385357	16.3	14.4	15	89		0.025	
E385358	11.8	13.5	8	80.2		0.015	
E385359	14.7	15.3	4	81.9		0.012	
E385360	14.4	14.3	5	78.1		0.039	
E385361	0.1	3	24	3.4		0.011	
E385362	8.2	15.4	13	62		0.056	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E385363		1.04	0.48	7.96	88.7	310	3.22	2.02	3.38	0.03	158.5	106	43	4.33	326	6.3
E385364		1.45	0.56	4.71	122.5	80	1.89	2.52	5.25	0.03	137.5	134	26	2.26	480	10.65
E385365		0.83	0.53	5.48	143	70	1.65	1.66	1.3	0.04	176.5	158.5	30	2.54	434	14.6
E385366		0.54	0.59	4.98	110	100	1.39	1.98	0.53	0.02	210	176.5	26	2.58	489	19.15
E385367		1.20	1.89	3.63	423	10	1	9.16	0.27	0.06	71	613	18	1.92	1190	25.7
E385368		0.71	0.51	5.9	61.4	120	2.11	1.17	0.29	0.06	189.5	277	34	3.41	4300	15.8
E385369		1.73	0.94	4.91	211	40	1.37	3.54	0.25	0.05	189	601	30	2.49	2430	21.9
E385370		1.09	0.15	6.18	19.8	300	2.43	0.3	0.26	0.05	46.9	84.4	33	2.65	572	11.1
E385371		0.23	0.02	0.15	<5	30	0.06	0.02	>50	0.5	2.39	0.9	5	<0.05	2.1	0.07
E385372		1.11	0.07	7.57	6.3	2790	2.63	0.1	0.37	<0.02	141.5	57.6	41	5.28	148	13.55
E385373		0.92	1.03	8.1	195.5	230	2.64	3.57	0.38	0.02	158	294	44	6.55	1090	19
E385374		0.93	0.77	6.78	113.5	70	2.37	2.24	0.31	0.02	101.5	151.5	38	3.97	1390	12.45
E385375		0.82	0.61	7.16	49.8	190	2.29	2.8	4.87	0.04	74.9	119	45	4.21	774	12.35
E385376		1.58	0.14	7.24	14.6	1810	2.67	0.66	5.98	0.03	36.9	36.5	45	3.36	1880	9.81
E385377		1.58	0.14	6.76	16.4	1670	2.5	0.65	5.65	0.02	56.6	42.8	40	3.19	1820	8.83
E385378		0.92	0.29	6.09	57.7	400	2.15	1.42	8.34	0.04	68.5	81.8	32	2.6	1240	8.28
E385379		1.06	0.35	6.22	21.8	350	1.97	2.38	3.14	0.02	58.2	55.6	41	3.26	5670	12.6
E385380		1.37	0.26	5.18	20.9	660	1.63	1.8	5.59	0.03	43.1	49.4	32	2.27	2150	13.15
E385381		0.21	0.02	0.14	8	20	0.07	0.01	>50	0.46	2.19	0.9	5	<0.05	4.1	0.07
E385382		0.22	1.24	2.49	108.5	10	0.5	11.05	2.37	0.05	199	350	12	3.01	9380	29.3
E385383		1.07	0.32	7.68	28.8	690	2.7	2.4	7	<0.02	26.8	70.8	49	3.27	1480	9.59
E385384		0.86	0.26	7.7	18.5	1400	2.55	1.41	6.72	<0.02	21.2	44.6	44	3.42	1470	8.82
E385385		1.07	0.3	7.6	30.4	1240	2.62	1.62	7.84	0.02	24.6	66.7	48	3.2	2820	8.15
E385386		1.45	0.28	7.4	44.2	370	2.64	1.02	7.21	0.02	52.3	123	49	3.29	1950	10
E385387		1.10	0.09	6.95	13.1	1600	2.27	0.39	6.64	<0.02	28.8	50	41	3.11	147	10.7
E385388		1.08	0.11	5.61	8.8	2040	2.12	0.3	6.29	0.02	79.5	41.2	36	2.72	865	10.45
E385389		1.38	0.57	6.06	60.1	80	1.94	2.48	6.74	0.02	74.4	106	32	2.76	3960	11
E385390		0.86	0.21	4.64	51.3	1230	1.49	1.29	5.07	<0.02	77.3	93.5	25	1.9	1180	14
E385391		0.22	0.01	0.13	7	30	0.11	0.01	46.1	0.4	2.05	1.6	5	<0.05	4.2	0.06
E385392		0.94	0.4	8.06	60.8	770	3.43	2.75	3.09	<0.02	54.7	118.5	55	5.72	1800	9.38
E385393		0.95	0.19	8.17	50.1	2520	3.62	1.2	2.5	<0.02	38.6	98.2	59	4.69	788	5.74
E385394		1.38	0.26	6.44	70.8	750	2.31	1.6	4.29	<0.02	105	105	37	2.99	866	11.25
E385395		1.03	1.23	4.45	132.5	110	1.43	3.51	4.83	<0.02	182.5	181.5	23	1.78	4180	16.4
E385396		1.46	0.75	5.01	91	180	1.74	1.63	3.75	<0.02	110	142.5	31	2.13	6670	15.5
E385397		1.42	0.38	4.73	60.8	220	1.24	1.44	4.08	<0.02	132	101.5	22	1.64	5380	15.7
E385398		1.11	0.91	3.74	199	80	1.05	7.43	4.89	<0.02	121.5	257	18	1.5	2080	16.9
E385399		1.50	0.4	7.02	93.9	250	2.42	3.32	3.9	<0.02	56.7	138	52	2.96	1100	11.2
E385400		1.48	0.15	9.62	25.2	2290	3.73	0.64	3.56	<0.02	38.6	67.1	85	4.72	1410	6.65
E385401		0.19	0.01	0.14	<5	20	0.1	0.01	49.9	0.42	2.23	1.7	6	<0.05	6.1	0.06
E385402		0.18	0.24	6.97	57.4	200	2.43	1.58	1.95	<0.02	72.5	115.5	41	6.15	1580	7.19

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E385363		22.6	0.23	3.5	0.085	3.94	106.5	22.4	1.43	3740	12.35	0.05	3.9	27.4	1210	4.2
E385364		12.35	0.21	2.2	0.082	2.35	93.1	20.4	2.14	7700	13	0.03	2.6	32.5	1160	4.3
E385365		12.15	0.25	2.2	0.088	2.26	110	26.3	1.56	9880	14.85	0.03	2.2	34	1230	4.5
E385366		10.85	0.3	2.1	0.097	1.8	132.5	28.4	1.79	15050	35	0.02	1.9	43.2	1320	4.4
E385367		7.83	0.31	1.9	0.09	1.29	39	22	1.42	16100	51.1	0.01	1.6	65.8	760	12.3
E385368		14.3	0.29	2.8	0.103	2.33	124	32.4	1.24	12250	42.2	0.02	2.5	42	1130	2.7
E385369		10.85	0.3	2.7	0.087	1.53	119	34.7	1.43	16650	47.7	0.02	1.8	59.8	920	7.3
E385370		13.8	0.17	2.7	0.082	2.77	29.8	18.6	0.96	10300	7.49	0.03	2.4	23.7	860	2.1
E385371		0.49	0.08	0.2	0.011	0.03	1.9	1.2	0.56	56	0.31	0.01	0.3	1.6	120	0.8
E385372		16.9	0.23	3.5	0.056	2.32	96.3	71.1	1.51	4470	4	0.03	2.1	40.9	1350	1.4
E385373		12.75	0.27	3.5	0.047	1.7	103	110.5	1.85	917	21.6	0.02	1.7	81	1710	7.8
E385374		16.35	0.19	3	0.091	2.78	63.9	31.3	1.22	8900	10.45	0.03	2	56.8	1170	3.2
E385375		15	0.19	2.7	0.1	3.28	55	22	2.3	11200	13.3	0.04	1.4	61.2	990	4.1
E385376		15.2	0.15	2.6	0.096	3.66	22.4	9.7	2.56	9400	6.75	0.05	0.8	45.7	350	1.6
E385377		14.4	0.16	2.3	0.099	3.28	35	7.2	2.35	9180	9.11	0.05	1.2	37.8	440	1.4
E385378		12.95	0.17	2.2	0.086	2.87	45.5	7.4	2.47	7990	13.3	0.04	3.7	50.8	840	2.1
E385379		13.8	0.18	2.2	0.124	3.02	35.9	9.6	1.81	10550	21.1	0.04	1.9	45.2	590	2.1
E385380		10.35	0.16	1.9	0.119	2.38	27.7	7.4	2.16	13100	5.2	0.19	1.1	39.6	410	1.9
E385381		0.49	0.06	0.2	0.01	0.03	1.7	1.3	0.53	59	0.26	0.01	0.3	2.1	140	0.9
E385382		8.01	0.34	1	0.266	0.69	123.5	17.9	1.62	5850	65.8	0.24	5.4	53.3	2540	6.9
E385383		17.1	0.15	2.7	0.087	3.83	17.7	14.2	2.24	8700	3.47	0.15	0.7	55.6	350	1.6
E385384		15.2	0.14	2.7	0.081	3.21	13.2	13.8	2.45	7920	5.69	1.04	0.8	37.9	380	1.6
E385385		16	0.14	2.6	0.09	3.58	15.6	13	2.68	7010	5.96	0.32	0.9	43.5	430	1.5
E385386		15.65	0.15	2.4	0.091	3.55	35.7	15.6	2.37	6760	14	0.2	1.6	56.1	710	1.6
E385387		15.35	0.14	2.4	0.09	3.4	19.6	17	2.17	7150	8.77	0.05	1.2	39.6	590	1.6
E385388		13.25	0.18	2.1	0.084	2.91	60.4	14.9	2.27	5690	10.45	0.05	1.5	38.9	730	1.4
E385389		13.4	0.16	2.2	0.091	2.77	54	14.2	2.64	7010	23	0.1	2	42.9	840	2.5
E385390		13.1	0.23	1.4	0.113	1.79	55.9	35.3	2.89	9510	16.65	0.1	2.4	60.1	780	2
E385391		0.5	<0.05	0.1	<0.005	0.03	1.6	1.7	0.49	49	0.23	0.01	0.3	<0.2	100	0.8
E385392		22.9	0.19	2.4	0.082	4	39.3	39.5	1.58	3360	10.45	0.19	1.6	58.8	660	3
E385393		23	0.13	2.5	0.086	4.54	28.9	24.4	1.16	2950	12.25	0.08	1.6	41.7	590	1.7
E385394		18.2	0.23	1.7	0.084	3.08	82.9	27.5	1.82	4220	36.5	0.29	2.7	55	1230	1.9
E385395		13.7	0.35	1.3	0.08	2	134	28.4	1.96	4680	36.5	0.28	1.9	90.2	1770	4.5
E385396		14.75	0.28	1.4	0.073	2.43	84.8	25	1.36	4070	43.6	0.19	2.2	68.1	1830	2.5
E385397		13.45	0.28	1.2	0.058	2.3	104.5	22.9	1.3	4710	38.2	0.4	1.7	66.7	1340	2.3
E385398		12.05	0.33	1	0.062	1.7	84.7	25.8	1.76	5200	35.9	0.06	2.5	96.9	1010	5
E385399		18.25	0.21	1.5	0.072	3.35	43.2	22.3	1.49	4040	15.65	0.7	1.6	65.5	900	2.7
E385400		24	0.16	2.2	0.092	4.49	27.4	23.2	1.49	4020	3.33	1.65	1.2	38.8	410	1
E385401		0.5	<0.05	0.1	<0.005	0.03	1.7	1.7	0.53	48	0.4	0.01	0.3	<0.2	110	0.6
E385402		18.65	0.19	1.9	0.128	3.19	39.1	26.1	1.34	3310	20.3	0.62	3.1	25.4	740	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385363		148.5	0.005	1.71	0.83	11	2	10.1	21.1	0.25	0.27	17.4	0.135	0.49	7.2	79
E385364		87.9	0.004	2.13	0.84	8.4	1	7.6	26.8	0.17	0.19	14	0.077	0.35	5	63
E385365		77.9	0.002	1.84	0.74	6.8	1	6.7	27.3	0.14	0.14	14.5	0.071	0.39	6.2	61
E385366		61.3	0.005	1.81	0.78	5.9	1	5.6	28.2	0.14	0.17	14.7	0.057	0.36	10.3	57
E385367		43.8	0.011	>10.0	1.67	4.9	1	4.2	23	0.15	0.56	8.5	0.049	0.3	18.3	38
E385368		90	0.011	1.94	0.91	9.7	2	8.5	17.9	0.19	0.14	15.3	0.089	0.34	14.3	48
E385369		55.7	0.013	3.93	1.47	7.1	2	4.9	13.9	0.18	0.31	15.8	0.06	0.27	54.9	49
E385370		93.6	0.004	0.51	0.68	9.2	1	10.5	196.5	0.14	0.11	8.9	0.096	0.29	12	47
E385371		0.7	<0.002	0.07	0.13	0.3	2	0.2	309	0.07	0.08	0.3	0.007	0.04	0.8	3
E385372		90.6	0.002	0.59	0.78	11.9	1	9	35.2	0.16	<0.05	21.3	0.077	0.23	5.7	58
E385373		56.2	0.007	4.75	1.43	14.1	2	6.2	36.4	0.18	0.37	18.6	0.053	0.44	7.2	63
E385374		108.5	0.004	1.78	0.86	10.6	2	11.6	61	0.11	0.18	14.6	0.084	0.42	7.3	64
E385375		100	0.021	1.76	0.95	20.5	1	6	42.7	0.13	0.18	6.4	0.118	0.43	13.5	229
E385376		112.5	0.002	0.54	0.68	24.9	2	2.9	16.6	0.07	0.05	3.3	0.15	0.36	8	282
E385377		106.5	0.005	0.5	0.77	21.2	2	3	15.7	0.09	0.05	4.9	0.14	0.35	7.8	223
E385378		91.8	0.005	1.52	0.8	15.4	2	3.8	19.2	0.23	0.2	7.9	0.125	0.32	7.8	147
E385379		94.4	0.014	1.48	1.31	15.8	1	3.9	12.9	0.11	0.13	7.8	0.111	0.33	17.3	187
E385380		74.8	0.005	1.05	0.72	16.3	1	2.8	33.7	0.08	0.1	5.4	0.09	0.25	6.7	174
E385381		0.7	<0.002	0.08	0.12	0.3	2	0.2	292	0.05	0.06	0.2	0.006	0.03	0.8	4
E385382		33.2	0.022	7.24	2.56	3.5	4	8.7	175.5	0.16	1.11	6.4	0.032	0.54	15.5	61
E385383		119.5	0.003	1.34	0.85	29.8	2	3.7	34.1	0.06	0.1	2	0.161	0.34	6.2	334
E385384		105.5	0.002	0.76	1.08	28.8	1	3.3	49.3	0.08	0.07	1.7	0.15	0.34	4.6	311
E385385		119	0.003	1.14	0.97	27.8	2	4.3	36.2	0.08	0.08	1.9	0.165	0.38	5.6	289
E385386		114.5	0.004	1.42	1.05	25.2	2	5.9	37.5	0.1	0.12	3.7	0.177	0.35	7.2	264
E385387		107	0.003	0.71	0.84	21	1	6.7	55.8	0.09	0.07	4.4	0.147	0.31	3.4	227
E385388		95.2	0.003	0.7	0.8	18.1	2	6.6	30.1	0.09	0.05	5.8	0.124	0.27	8.7	191
E385389		93.1	0.005	2.32	0.9	15.8	2	7.6	27.3	0.13	0.27	7.6	0.114	0.31	10.4	165
E385390		60.4	0.005	1.02	1.03	16.6	3	4.3	27.5	0.11	0.11	8.7	0.08	0.21	7.2	130
E385391		0.6	<0.002	0.06	0.09	0.7	4	<0.2	278	<0.05	<0.05	0.2	0.007	<0.02	0.7	8
E385392		132	0.004	1.57	1.25	33.4	3	11.3	37.2	0.08	0.15	5.5	0.161	0.45	6.5	271
E385393		144.5	0.004	0.99	0.95	35.6	3	13.5	17.2	0.1	0.1	5	0.209	0.41	6.1	279
E385394		104	0.01	1.21	1.16	21.4	3	9.7	64.7	0.11	0.13	6.4	0.122	0.31	5.9	173
E385395		63.6	0.011	2.4	1.32	10.4	4	5.3	153	0.08	0.55	8.3	0.056	0.31	5	119
E385396		78.6	0.012	1.94	1.23	12.8	5	7.4	58.8	0.09	0.25	6.2	0.079	0.27	5.9	128
E385397		66.8	0.009	1.77	1.22	8.3	4	5.1	52.9	0.07	0.18	8	0.052	0.31	3.6	82
E385398		53.6	0.009	6.67	1.65	9.2	4	5.2	80.3	0.09	0.72	6.4	0.052	0.19	9.6	77
E385399		106.5	0.006	2.69	1.29	27.7	3	8.5	39.5	0.07	0.25	3.7	0.115	0.31	7.4	224
E385400		134	0.002	0.74	1.36	45	3	11	36.8	0.07	0.05	1.9	0.257	0.44	2.3	337
E385401		0.7	<0.002	0.07	0.08	0.8	4	<0.2	302	<0.05	<0.05	0.2	0.007	<0.02	0.7	9
E385402		125.5	0.006	1.32	1.05	11.5	3	7.5	450	0.18	0.18	12.2	0.115	0.36	17.7	68

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385363		16.8	16.1	4	93.7		0.031	
E385364		10.5	14.9	12	61.5		0.035	
E385365		9.9	13.2	23	60.7		0.019	
E385366		8	13.2	30	55.3		0.024	
E385367		6.1	9.6	29	47.8		0.111	
E385368		12	14.8	27	72		0.043	
E385369		7.4	15.1	36	69		0.044	
E385370		10.3	11.4	17	68.2		0.006	
E385371		0.1	3	25	3.7		0.001	
E385372		8.7	17.2	43	93.3		0.003	
E385373		6.3	18.7	66	95.4		0.039	
E385374		10.6	13.8	22	78.5		0.028	
E385375		7	15.5	19	67.5		0.019	
E385376		6	14.1	5	67		0.008	
E385377		6.7	12.6	2	60.4		0.008	
E385378		7.1	12.9	3	59.1		0.015	
E385379		6.1	11.3	3	56.6		0.024	
E385380		5.1	10.6	5	48		0.012	
E385381		0.1	2.9	22	3.2		0.002	
E385382		7.1	14.2	12	25.2		0.175	
E385383		8.1	15	7	69.3		0.014	
E385384		8.9	13.7	5	67.1		0.009	
E385385		9.1	14.7	4	66.7		0.014	
E385386		10.7	15.3	6	64.5		0.011	
E385387		10.5	13.9	10	59.5		0.003	
E385388		10.3	13.3	9	53.6		0.004	
E385389		10.9	13.2	7	58.8		0.031	
E385390		7.5	14.4	24	49.6		0.017	
E385391		0.1	3.1	22	3.3		0.001	
E385392		14.7	16	19	78.6		0.018	
E385393		16.9	13.4	7	80		0.011	
E385394		13	14.4	11	57.1		0.022	
E385395		7.6	15.4	19	42.7		0.052	
E385396		9.5	13.8	9	46		0.049	
E385397		6.4	12	16	40.3		0.051	
E385398		6.8	12.5	17	34		0.061	
E385399		10.6	12.3	12	47.1		0.026	
E385400		20.3	13.6	7	68.5		0.010	
E385401		0.1	3.2	24	3.9		0.001	
E385402		8.1	12.1	6	64.3		0.019	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Method / Analyte / Units / LOR — Sample Description	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385403	2.86	0.48	3.04	96.7	60	0.95	10.65	0.42	<0.02	91.5	123.5	16	2.1	128.5	27.5
E385404	1.29	0.5	2.22	101.5	60	0.76	10.05	0.9	<0.02	58.5	123	9	1.64	462	26
E385405	1.52	0.48	3.45	109.5	60	1.19	8.5	0.41	<0.02	20	120.5	23	2.72	954	21.1
E385406	0.79	0.87	7.66	243	550	2.57	16.45	0.41	<0.02	13.65	197	25	5.85	134.5	17.25
E385407	1.37	1.03	4.52	290	230	1.51	19.25	0.51	<0.02	57.6	212	10	3.58	1040	25
E385408	1.39	0.78	2.29	212	60	0.79	18.15	0.45	<0.02	112	192	4	1.81	536	31.8
E385409	1.68	0.67	2.87	151	50	0.98	17.35	1.51	<0.02	82.5	142.5	6	2.36	47.7	28.1
E385410	1.30	0.29	4.35	53	130	1.61	7.08	4.53	<0.02	53.4	59.9	9	3.67	19.1	17.65
E385411	1.28	0.54	1.35	129	70	0.49	9.62	0.99	<0.02	62.6	84.9	1	1.21	169	33.9
E385412	1.57	0.8	0.96	219	60	0.38	16.7	1.09	<0.02	56	124.5	<1	0.74	66.2	36.9
E385413	1.21	0.6	5.1	156	70	1.98	10.95	3.75	<0.02	73.9	100.5	15	4.35	522	17.9
E385414	1.11	0.69	7.05	197.5	3140	2.61	10.9	4.65	<0.02	16.4	135.5	17	6.26	326	10.15
E385415	1.50	0.46	5	113	150	1.89	5.84	6.9	<0.02	21.8	105	10	4.57	1790	12
E385416	0.92	0.9	8.43	169.5	840	3.08	9.56	2.86	<0.02	31.6	157	24	7.17	1380	10.1
E385417	1.35	0.33	8.51	63.4	460	3.26	4.15	2.69	<0.02	56.4	92.6	23	7.64	1200	7.82
E385418	0.83	0.29	9.78	73.2	190	4.08	4.01	1.34	<0.02	91.1	140.5	34	8.95	582	7.62
E385419	1.16	0.33	9.75	72.9	240	3.75	5.19	2.27	<0.02	16.9	104.5	31	8.73	1330	8.13
E385420	1.04	0.39	6.54	93.9	160	2.58	5.81	4.33	<0.02	25	82.2	17	6.07	2510	10.9
E385421	0.21	0.02	0.14	<5	30	0.08	0.03	47.9	0.41	2.24	1.6	5	<0.05	5	0.06
E385422	0.17	1.04	6	72	90	1.86	2.67	2.11	<0.02	52.3	164.5	33	3.8	8470	9.64
E385423	1.48	0.65	1.25	87.6	140	0.4	5.72	6.86	<0.02	233	56.7	1	1.4	8250	24.7
E385424	1.56	0.51	0.35	112	80	0.13	5.48	7.8	<0.02	162	47.4	<1	0.33	4110	23.5
E385425	1.89	0.73	2.89	118	60	1.04	10.2	5.81	<0.02	89.9	91.3	5	2.74	4190	20.8
E385426	1.22	0.97	6.21	157	40	1.61	16.25	5.16	0.03	13.15	120.5	15	5.35	1770	13.7
E385427	1.04	0.54	6.89	76.1	60	1.86	7.22	4.61	<0.02	21.6	64.7	20	5.51	431	11.4
E385428	0.99	0.55	6.93	91.9	110	1.95	8.75	4.86	<0.02	21.8	75.9	19	6.32	215	11.8
E385429	1.07	0.3	7.4	34.5	510	2	3	6.03	<0.02	44	44.6	17	6.83	2140	8.51
E385430	1.05	0.27	7.65	46.9	250	2.16	3.81	7.08	<0.02	33.4	54	19	6.77	748	8.33
E385431	0.21	0.02	0.14	<5	30	0.05	<0.01	48	0.4	2.02	0.9	5	0.05	3.5	0.07
E385432	1.48	0.39	6.25	64.1	90	1.74	6.08	4.72	<0.02	26.6	56.4	17	6.29	1030	10.1
E385433	1.30	0.49	6.65	76.1	60	1.78	9.65	6.7	<0.02	31.2	62.6	17	5.75	321	11.95
E385434	1.47	0.78	7.29	96.8	110	1.88	20.5	6.38	<0.02	70.5	85.8	19	6.55	337	12.2
E385435	1.39	0.36	6.94	69	140	1.81	8.54	6	<0.02	69.8	72	17	6.06	226	10.35
E385436	1.95	0.38	5.85	98.3	60	1.92	10.6	5.72	<0.02	41.8	86.2	11	5.46	521	13.7
E385437	0.91	0.47	3.95	135.5	40	1.36	11.55	4.82	<0.02	34.7	85.7	4	3.75	188	19.35
E385438	1.47	0.2	4.03	30.4	160	1.26	2.92	6.03	0.02	35.6	38.3	4	3.72	1585	17.2
E385439	1.54	0.19	5.02	48.6	100	1.81	4.77	5.49	<0.02	44.4	58.6	9	4.46	184	13.4
E385440	1.31	0.3	5.63	83.4	70	1.9	9.29	6.06	<0.02	55.3	91.2	11	5.1	256	12.55
E385441	0.18	0.02	0.14	10	20	0.09	0.02	45.8	0.42	2.24	1	5	<0.05	2.5	0.08
E385442	0.16	1.3	2.44	125	20	0.71	12.05	2.33	<0.02	216	367	11	2.95	9480	29.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385403		8.79	0.38	0.9	0.18	1.16	60	22.3	1.64	20900	51.3	0.03	4	50	1080	3.5
E385404		6.75	0.35	0.6	0.211	0.88	39.6	14.4	1.95	20600	42.2	0.02	3.2	42.6	1010	3.2
E385405		9.55	0.29	1.1	0.146	1.49	11.5	20.5	1.45	17200	36.7	0.03	3.6	40	490	3.3
E385406		22.5	0.27	3	0.102	3.48	6.1	42.2	1.05	6880	17.9	0.06	4.1	70.8	620	5.2
E385407		14.15	0.44	1.9	0.134	1.97	37.3	24.8	1.41	15350	26.8	0.03	3.6	67.7	1380	6.2
E385408		7.42	0.45	1.3	0.158	0.92	75.8	15.9	1.67	19450	29.7	0.02	6.2	63	1420	5.4
E385409		9.26	0.35	1	0.13	1.23	56.9	17.9	1.65	16000	21.7	0.03	3.7	49.7	1030	4
E385410		13.2	0.26	1.6	0.129	1.97	43.8	18.1	2.29	12300	8.26	0.04	3.4	28.3	770	2.4
E385411		4.88	0.48	0.5	0.217	0.58	50.4	9.7	1.62	17800	16.9	0.02	2.3	36.6	910	3.4
E385412		4	0.46	0.5	0.168	0.35	54.1	8.3	1.7	17700	32.3	0.01	3.2	49.1	880	4
E385413		15.9	0.28	1.8	0.105	2.47	59.9	20.2	1.83	8430	10.4	0.05	3.7	37.7	680	3.2
E385414		21.9	0.17	2.6	0.102	3.59	10.7	24.4	2.23	4860	8.84	0.09	3.2	39.5	620	4
E385415		15.65	0.18	1.7	0.134	2.51	13.9	15.4	3.31	8760	10.8	0.05	2.9	28.7	590	3.2
E385416		26	0.18	3.5	0.126	4.3	19.8	22.8	1.64	4400	20.5	0.09	4	44.6	660	5.1
E385417		26.9	0.2	3.5	0.129	4.3	39.3	21.7	1.54	3760	22.5	0.09	3.2	31	640	2.3
E385418		33.3	0.2	4.6	0.135	5.15	62	24.6	0.89	2290	13.65	0.1	5.3	45.8	650	2.7
E385419		29.6	0.15	3.9	0.132	5.08	10.5	23.8	1.3	3290	13.3	0.1	4.1	36.6	600	2.1
E385420		18.85	0.18	2.6	0.151	3.24	18.6	15.5	2.01	6350	8.31	0.07	4	27.6	630	2.7
E385421		0.54	<0.05	0.1	<0.005	0.04	1.7	1.6	0.51	50	0.23	0.01	0.2	<0.2	120	0.7
E385422		15.55	0.21	1.7	0.154	2.32	22.1	25.2	1.23	3390	65.5	1.11	3.4	36.9	880	23.4
E385423		4.47	0.43	0.4	0.195	0.52	204	6.8	2.57	11150	28.9	0.02	2.6	38.4	1210	3.4
E385424		3.09	0.38	0.2	0.178	0.1	144.5	3.3	2.7	9860	24.1	0.01	2.8	27	1590	3.9
E385425		9	0.32	1	0.143	1.29	75.1	11.8	2.8	9510	20.1	0.04	2.7	40.7	650	4
E385426		14.45	0.17	3.1	0.13	2.85	7.8	13.6	2.07	5390	5.38	0.07	3.4	47.4	420	4.3
E385427		16.4	0.15	3.1	0.112	3.01	13.2	13.7	2.46	5880	5.38	0.07	3.4	32.7	460	3
E385428		17.75	0.15	3.6	0.12	3.1	12.7	16.9	2.68	5670	5.49	0.07	3.1	37.8	480	3
E385429		19.1	0.13	3.5	0.125	3.5	29.4	18.5	2.76	5050	18.75	0.08	3.5	24.8	590	2
E385430		19.65	0.13	3.7	0.12	3.63	21.8	16	3.02	5400	6.09	0.08	3.6	26	560	2.2
E385431		0.44	<0.05	0.1	<0.005	0.03	1.6	1.1	0.5	50	0.45	0.01	0.3	2.6	120	0.8
E385432		17.5	0.16	3	0.129	2.91	16.1	13.4	2.24	5300	12.9	0.07	2.8	39.7	360	2.8
E385433		17.65	0.17	3.1	0.117	2.99	18.9	12.8	2.16	6150	5.98	0.07	3.1	46.5	320	3.6
E385434		20.1	0.2	3.6	0.101	3.4	43.2	12.3	1.58	4930	6.26	0.08	2.9	67.9	340	5
E385435		19.65	0.19	3.4	0.101	3.28	43.8	11.9	2.14	5500	13.35	0.08	3	46.7	360	2.7
E385436		18.5	0.2	2.2	0.107	2.82	24.2	11.6	2.95	7130	7.03	0.06	2.3	58.4	340	2.8
E385437		12.75	0.2	1.4	0.124	1.95	19.7	9.1	2.86	9470	9.27	0.04	2.6	63.6	490	3.1
E385438		12.65	0.17	1.5	0.164	1.97	22.7	7.6	3.26	10050	6.65	0.04	1.7	38.4	390	3.2
E385439		16.3	0.17	1.8	0.103	2.47	27.3	8.9	3.16	8370	7.42	0.05	1.8	39.4	430	2.8
E385440		18.45	0.21	2.2	0.09	2.66	32.8	11.7	3.19	7030	6.16	0.05	2.4	52	460	2.9
E385441		0.61	0.05	0.1	<0.005	0.03	1.8	1.5	0.51	48	0.2	<0.01	0.3	0.3	110	0.6
E385442		10.9	0.32	0.8	0.272	0.72	135.5	23.3	1.69	6440	71.7	0.25	5.6	69.4	2440	6.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385403		42.5	0.015	5.07	1.97	10.4	3	15.4	14.7	0.11	0.29	4.3	0.084	0.18	8.1	85
E385404		32.7	0.017	4.59	1.35	9.1	2	11.2	14.5	0.1	0.25	4.5	0.06	0.13	4.4	68
E385405		55	0.016	4.47	1.06	14.1	2	18.3	10.6	0.15	0.19	4.4	0.076	0.2	13.8	101
E385406		120.5	0.008	8.22	2.46	25.7	3	37.4	9.7	0.17	0.24	1	0.609	0.49	4.7	391
E385407		72.3	0.019	>10.0	3.17	16.8	3	22.4	10.1	0.1	0.3	1	0.354	0.3	3.4	241
E385408		33.5	0.022	8.49	3.1	11.4	3	14.3	16	0.1	0.37	1.8	0.253	0.16	17.2	124
E385409		44.5	0.009	7.09	3.33	13.8	2	15.2	16.1	0.06	0.25	1.3	0.179	0.21	4.7	153
E385410		72.6	0.005	2.24	3.86	22.3	3	19.7	35.4	0.12	0.15	1.1	0.365	0.3	8.9	275
E385411		20.1	0.006	3.64	3.28	13.1	2	7.1	20.5	<0.05	0.18	1	0.067	0.1	3.2	109
E385412		13.3	0.008	6.95	6.19	12.2	3	5.5	16.7	<0.05	0.26	0.6	0.056	0.1	1.4	87
E385413		87	0.003	5.43	2.52	22.8	3	18.6	24.5	0.12	0.15	1.2	0.396	0.33	4.1	324
E385414		118.5	0.003	4.79	1.71	31.2	3	21.8	22.3	0.18	0.1	1.3	0.604	0.54	6.2	459
E385415		86.1	0.003	2.46	1.38	30.4	3	14.8	28.9	0.14	0.07	1.2	0.429	0.35	6.7	348
E385416		140.5	0.004	3.36	1.5	35.9	3	20.6	31.7	0.2	0.13	1.8	0.566	1.15	10.4	573
E385417		143	0.003	1.68	1.46	38.6	3	19.6	19.7	0.19	0.07	2	0.565	0.67	16.2	552
E385418		178	0.004	2.4	2.15	43.5	4	25.5	20.2	0.35	0.07	2.4	0.998	0.79	11.1	673
E385419		161.5	0.003	2.12	1.88	41	3	22.3	20.8	0.27	0.08	1.1	0.815	0.72	7.9	639
E385420		110	0.002	2.58	1.7	32.9	3	16	22.9	0.2	0.07	1.5	0.637	0.48	17.1	412
E385421		0.7	<0.002	0.07	0.07	0.6	4	<0.2	293	<0.05	<0.05	0.3	0.007	<0.02	0.7	9
E385422		86.2	0.022	2.32	1.55	10.7	4	7.7	646	0.18	0.26	8	0.089	0.39	325	58
E385423		18	0.004	3.24	1.41	10.4	3	6	30.9	<0.05	0.1	2	0.083	0.1	16	130
E385424		3.4	0.004	3.82	1.92	7.5	3	1.9	59.3	<0.05	0.1	0.9	0.026	0.05	9.9	79
E385425		45.5	0.002	5.02	2.08	17	3	7.4	34.8	0.09	0.13	1.1	0.27	0.26	10.5	198
E385426		98.4	0.002	6.94	2.27	23.7	2	10.6	20.2	0.24	0.13	1.2	0.657	0.55	4.8	399
E385427		104	0.002	3.54	2.09	23.3	2	8.9	20.3	0.26	0.05	1.6	0.696	0.48	3.2	415
E385428		108	0.002	3.7	1.96	24.1	2	8.8	21.1	0.22	0.06	1.4	0.629	0.52	2.7	411
E385429		118	0.003	0.97	2.87	33.2	2	8.1	27.2	0.27	<0.05	1.7	0.737	0.49	3.1	463
E385430		121.5	0.002	1.29	2.45	28.7	2	7.5	36.7	0.27	0.05	1.6	0.792	0.5	2.7	465
E385431		0.8	<0.002	0.07	0.09	0.3	2	<0.2	273	<0.05	<0.05	0.2	0.007	<0.02	0.7	4
E385432		109.5	0.002	2.41	2.13	28.9	2	5.2	23.8	0.21	<0.05	1.2	0.604	0.44	2.6	412
E385433		109.5	0.002	3.64	2.56	35	2	4.5	73.1	0.24	0.05	1.4	0.679	0.45	2.6	409
E385434		123.5	0.002	5.64	3.12	37.2	2	4.7	90.5	0.22	0.07	2.1	0.643	0.48	2.9	414
E385435		118	0.002	3.14	2.3	37.5	1	4.4	58.4	0.24	<0.05	2.3	0.648	0.47	3.9	416
E385436		108	0.002	4.46	1.98	40.1	2	4	24.1	0.15	<0.05	1.5	0.507	0.45	3.5	376
E385437		73.9	0.002	5.02	1.79	25	2	3.4	23.6	0.13	<0.05	1.1	0.404	0.34	2	295
E385438		74.1	0.002	1.34	1.19	26	2	3.1	27.7	0.1	<0.05	1	0.324	0.3	2	285
E385439		93	<0.002	1.97	1.33	32.8	2	3.8	20.4	0.12	<0.05	1.5	0.375	0.4	2.4	358
E385440		104	0.002	3.85	1.78	36.3	2	4.7	20.5	0.14	<0.05	1.8	0.467	0.43	2.7	405
E385441		0.7	<0.002	0.07	0.09	<0.1	2	<0.2	272	<0.05	<0.05	0.2	0.007	<0.02	0.7	4
E385442		40.5	0.02	7.66	2.34	4.6	6	8.1	182	0.13	1.3	6.7	0.033	0.57	17.1	62

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385403		15	9.5	27	30.3		0.011	
E385404		14	10.1	21	20.4		0.010	
E385405		11	7.6	23	34.6		0.011	
E385406		34.7	17.5	23	91.3		0.017	
E385407		27.4	15	19	56.4		0.015	
E385408		21.8	14.3	19	40.5		0.013	
E385409		17.5	12.5	15	31.9		0.015	
E385410		23.9	16	7	49.5		0.004	
E385411		9.3	9.8	14	16.8		0.006	
E385412		10.1	8.8	12	15		0.010	
E385413		19.8	15.4	7	54.8		0.009	
E385414		22.4	16.9	8	80.2		0.011	
E385415		16.8	13.1	8	53		0.007	
E385416		21.5	18.3	6	103.5		0.010	
E385417		23.4	19.6	5	105		0.005	
E385418		30.8	23.6	4	135.5		0.003	
E385419		24.9	21.1	5	117.5		0.005	
E385420		21.2	17.3	5	77.8		0.007	
E385421		0.1	3	25	4.5		0.001	
E385422		8.2	16.3	9	58.1		0.056	
E385423		12.7	10.9	6	14		0.011	
E385424		14.4	10.6	11	5.7		0.013	
E385425		22	10.5	10	33.5		0.011	
E385426		19.1	14.4	6	73.5		0.014	
E385427		21.7	15.2	5	76.2		0.005	
E385428		26.5	17.1	6	83.4		0.006	
E385429		27.2	20.5	6	82.9		0.003	
E385430		24.2	19.7	4	89.6		0.003	
E385431		0.1	2.8	23	3.2		0.001	
E385432		19.4	16.3	5	72.5		0.005	
E385433		19.1	18.7	6	72.9		0.005	
E385434		15.5	18.2	4	85.1		0.007	
E385435		16.5	18.3	4	80.6		0.004	
E385436		13.4	16.3	9	66.3		0.006	
E385437		11.1	12.5	15	45.4		0.006	
E385438		8.9	12.8	15	45.3		0.001	
E385439		10.4	15.7	10	55.2		0.003	
E385440		13.7	17.6	9	67.8		0.004	
E385441		0.1	3.1	22	3.6		<0.001	
E385442		6.9	16.6	8	25.8		0.122	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385443		1.32	0.16	5.45	29	320	1.89	3.78	7.32	<0.02	39.5	51.5	11	4.99	456	10.5
E385444		1.62	6.28	6.36	25.8	380	2.22	2.46	6.35	<0.02	25.9	57.7	13	5.44	177.5	11.05
E385445		1.44	0.08	6.9	16.2	2280	2.51	1.39	2.11	<0.02	33.8	43.8	14	5.95	24	16
E385446		1.56	0.3	5.8	23.3	200	1.94	3.31	5.3	<0.02	17.75	51.4	13	5.41	6790	11.75
E385447		1.32	0.2	7.09	29.9	210	2.29	4.03	3.42	<0.02	26.3	68.4	17	6.27	909	12.4
E385448		1.47	0.56	4.84	104	30	1.86	10.55	0.69	<0.02	60.4	127.5	10	4.07	202	20.2
E385449		1.28	0.86	6.9	72	70	2.38	7.46	1.52	<0.02	66.3	120	24	6.38	9050	11.9
E385450		1.57	0.44	8.16	63.8	170	2.8	4.98	4.15	<0.02	26.3	104	20	6.82	1360	10.95
E385451		0.15	0.02	0.14	<5	30	0.1	0.02	43.1	0.41	2.21	1	5	<0.05	8.5	0.07
E385452		1.43	0.71	8.64	78.8	220	2.96	7.09	4.68	<0.02	20.1	89.3	24	8.18	165	8.27
E385453		0.95	1.1	7.92	169	70	2.68	14.7	0.5	<0.02	25.4	188	16	7.7	869	12.55
E385454		1.11	0.97	9.1	180	90	3.2	15.35	0.32	<0.02	31	168	7	8.46	929	13.05
E385455		1.86	0.77	8.48	134.5	90	3.26	10.6	0.29	<0.02	50.4	155	15	7.75	844	12.55
E385456		1.49	1.2	8.17	137.5	170	3.03	12.35	0.22	<0.02	35.2	150	23	7.07	2160	13.7
E385457		1.26	0.65	5.5	107.5	110	1.95	10.6	0.17	<0.02	25.9	101	11	4.58	671	19.45
E385458		1.07	0.8	7.84	160.5	90	2.58	11.05	0.19	<0.02	21.9	107.5	22	6.07	199	15.75
E385459		1.67	0.61	7.74	81.3	120	2.71	8	0.39	<0.02	39.6	99.9	21	6.31	616	14.75
E385460		1.26	0.93	7.33	142	60	2.61	9.93	1.07	<0.02	71.8	222	20	6.25	2750	12.4
E385461		0.23	0.02	0.14	5	30	0.09	0.03	44.1	0.4	2.32	1.2	4	<0.05	7.4	0.07
E385462		0.19	0.3	6.69	52.36	4960	2.58	1.52	1.79	<0.02	115	105	41	5.87	1370	7.11
E385463		1.64	0.53	6.37	86.3	1290	2.35	6.79	5.95	<0.02	52	129.5	15	5.15	1560	9.05
E385464		1.28	0.35	6.6	48.6	1160	3.4	5.57	4.71	<0.02	59.5	63.45	32	6.95	61.6	6.95
E385465		0.89	0.13	5.57	26.7	3500	3.06	2.86	5.89	<0.02	79.4	39.2	28	5.98	21.2	4.88
E385466		2.42	0.19	6.35	30.6	3880	3.32	3.11	4.51	<0.02	87.9	45.7	35	7.14	26.9	6.74

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385443		17.7	0.16	2.2	0.097	2.72	24.5	12.9	3.68	8210	4.54	0.05	2.5	29.3	440	2.6
E385444		20.2	0.15	2.4	0.094	3.17	17.1	12.9	3.3	8150	4.44	0.06	2.8	28.7	510	2.5
E385445		22.4	0.19	2.5	0.139	3.37	23.6	15.1	2.23	12350	4.93	0.06	2.8	27.6	450	2.8
E385446		18.45	0.16	2.2	0.156	2.87	13	11.9	2.71	7990	5.72	0.05	3	28.9	270	3.1
E385447		22.9	0.15	2.7	0.122	3.35	17.9	17.3	2.54	8210	5.85	0.07	3.7	37.3	340	2.2
E385448		17.25	0.22	2	0.165	2.15	40.4	16	1.92	16750	20.9	0.04	4	56.5	1050	3.3
E385449		22.8	0.2	2.6	0.192	3	42.2	25.2	1.57	6870	17.2	0.06	3.5	53.6	650	2.6
E385450		27.1	0.17	2.9	0.136	3.47	15.9	38.5	2.22	5470	10.85	0.07	2.4	53.1	530	1.9
E385451		0.58	<0.05	0.1	<0.005	0.03	1.7	1.5	0.47	51	0.33	<0.01	0.3	<0.2	110	0.6
E385452		29.3	0.16	3.2	0.117	4.08	12	26.1	2.01	4140	10.35	0.09	0.8	51	600	1.6
E385453		27.8	0.18	3.4	0.122	3.55	12.6	30	1	4060	11.4	0.07	0.8	98.5	1040	3.8
E385454		30.7	0.19	4.6	0.095	3.7	15.4	54.2	1.06	1640	10.65	0.07	1.2	102	1290	4.2
E385455		30.4	0.19	4	0.134	3.66	26.5	39.4	1	4090	14.8	0.07	2.5	95.5	1100	3.4
E385456		28.2	0.2	3.2	0.16	3.63	17.8	26.3	0.91	5390	9.41	0.07	2.5	86.9	690	3.5
E385457		19.9	0.21	2.1	0.324	2.24	14.6	28.1	1.71	12900	6.34	0.04	1.2	67.2	390	2.5
E385458		27	0.21	2.9	0.162	3.24	10.4	37.8	1.27	6320	11.9	0.06	1.2	73.4	580	2.6
E385459		26.5	0.22	2.6	0.167	3.24	22.6	37.5	1.4	6670	6.37	0.06	1.2	62.2	560	2.2
E385460		25.7	0.22	2.7	0.164	3.39	42.4	18.9	1.27	6300	29.3	0.06	2	85	570	2.4
E385461		0.63	<0.05	0.1	<0.005	0.03	1.8	1.6	0.49	48	0.26	<0.01	0.3	<0.2	110	0.7
E385462		19.3	0.19	1.6	0.118	2.73	64.5	24.2	1.25	3070	18.55	0.57	3.3	25.9	740	2.8
E385463		20.7	0.17	2	0.139	2.93	32.9	12.4	2.6	7470	14.3	0.07	2.6	46.9	440	2.3
E385464		20.3	0.18	1.9	0.109	2.94	33.9	27	2.04	5170	6.04	0.07	3.8	30	570	2
E385465		16	0.15	1.5	0.122	2.57	46.7	23.2	2.25	5340	2.93	0.06	3.2	12.2	580	1.6
E385466		17.85	0.17	1.6	0.145	2.77	54.2	31	2.16	5840	5.22	0.07	4.7	20.2	720	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385443		103.5	0.002	1.24	1.65	36.2	2	5.1	25.4	0.16	<0.05	1.6	0.533	0.42	3.1	382
E385444		115	<0.002	1.14	1.64	39.4	2	6.7	25.5	0.17	<0.05	1.3	0.58	0.44	2.9	438
E385445		128.5	0.002	0.57	1.5	44.9	2	9.5	18.6	0.17	<0.05	1.7	0.518	0.51	3.3	500
E385446		110	0.002	1.7	1.65	36.1	3	8.4	24.3	0.18	0.05	1.2	0.534	0.45	3.8	418
E385447		128.5	0.003	1.38	1.99	42.9	2	9.7	23	0.22	<0.05	1.4	0.645	0.53	4	501
E385448		88	0.004	5.14	2	30.8	2	9.2	15.5	0.15	0.21	2.3	0.348	0.37	5	333
E385449		124	0.005	3.27	2.38	37.6	3	9.1	18.9	0.18	0.1	3.9	0.427	0.48	5.9	386
E385450		135	0.003	1.77	2.53	50.1	2	4.3	25.4	0.17	<0.05	1.5	0.657	0.53	4.3	539
E385451		0.8	<0.002	0.07	0.07	0.1	3	<0.2	252	<0.05	<0.05	0.2	0.008	<0.02	0.7	5
E385452		163.5	0.002	2.51	1.9	47.7	2	3.1	23.4	0.06	<0.05	1.9	0.24	0.61	4.7	476
E385453		148.5	0.006	5.93	2.04	51.4	3	2.8	14.6	0.06	0.08	1.7	0.23	0.61	5.3	479
E385454		153.5	0.008	5.8	2.49	58.2	3	2.8	16.4	0.09	0.1	2.3	0.416	0.61	7.1	615
E385455		150.5	0.011	4.5	2.64	60.2	3	2.4	17.9	0.17	0.11	2.3	0.667	0.58	8.5	616
E385456		145.5	0.005	5.78	2.63	52.7	3	2.3	16.1	0.16	0.07	1.4	0.627	0.58	12.5	542
E385457		93.3	0.002	4.79	2.05	35.2	2	1.4	12.2	0.08	0.05	1.2	0.37	0.35	2.8	373
E385458		130.5	0.003	5.18	2.06	49.2	2	2.1	13.8	0.08	<0.05	1.5	0.44	0.5	3	535
E385459		137.5	0.003	3.07	2.2	50	2	2.3	14.8	0.08	<0.05	1.5	0.405	0.52	3.8	515
E385460		138	0.003	3.62	2.76	50.1	3	3.1	17.5	0.14	0.07	1.7	0.597	0.53	3.5	541
E385461		0.8	<0.002	0.06	0.07	0.2	2	<0.2	263	<0.05	<0.05	0.2	0.007	<0.02	0.7	5
E385462		133	0.006	1.38	1.17	11.7	2	7.6	452	0.2	0.2	14.5	0.115	0.37	16.9	60
E385463		119.5	0.002	2.16	2.58	43.8	2	2.9	26.4	0.17	<0.05	1.5	0.667	0.42	4	415
E385464		142	0.003	1.67	1.98	20.2	2	5.9	46.7	0.24	0.06	10.6	0.29	0.49	4.2	156
E385465		123	0.003	0.81	1.38	10.4	2	5.3	50.7	0.21	0.05	10.7	0.106	0.41	3.3	52
E385466		133.5	0.004	0.86	1.62	11.3	2	6.4	50.7	0.29	0.1	14.5	0.118	0.42	8.1	64

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385443		14.3	18.8	11	65.8		0.002	
E385444		15.7	19.9	10	74.3		0.002	
E385445		21.8	19.7	17	76.7		0.001	
E385446		19.7	16.8	13	67.9		0.012	
E385447		25.6	20.7	13	82.3		0.004	
E385448		16.8	17.1	24	61.3		0.010	
E385449		18.3	19.2	14	79.5		0.016	
E385450		20.7	22	19	85.8		0.006	
E385451		0.1	2.8	22	3.3		<0.001	
E385452		10	17.3	12	93.7		0.006	
E385453		10.4	22.7	20	101		0.014	
E385454		16.5	31.5	30	133		0.015	
E385455		14.6	32.4	25	118.5		0.010	
E385456		13	24.8	21	94.9		0.013	
E385457		8.1	16.6	22	64.9		0.009	
E385458		7.5	18.9	27	80		0.009	
E385459		9.1	18.9	27	73.7		0.009	
E385460		15.5	20.1	18	76.6		0.015	
E385461		0.1	3	21	3.5		<0.001	
E385462		8.1	11.6	7	55.4		0.019	
E385463		13.9	23.4	7	64.3		0.012	
E385464		12.6	16.9	7	64.8		0.008	
E385465		8.3	14.9	4	53		0.002	
E385466		9.4	14.1	8	57.7		0.003	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-NOV-2007
Account: CASMIN

Project: IGOR: 16-2007-16

CERTIFICATE OF ANALYSIS EL07113419

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07111000

Project: IGOR-16-2007-17

P.O. No.: 195317

This report is for 133 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 1-OCT-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E383527		0.16	0.02	0.13	6	30	0.08	0.01	41.6	0.35	2.31	0.9	6	0.05	1.9	0.07
E383528		0.21	1.31	2.49	120.5	70	0.58	10.9	2.35	<0.02	205	333	12	2.85	8710	28.5
E383529		0.64	0.29	4.41	63.1	950	0.94	1.41	2.29	<0.02	73.7	130	36	2.1	397	11.7
E383530		1.00	0.39	0.48	70.5	220	0.15	1.11	0.09	<0.02	59.3	72.8	1	0.19	567	38
E383531		0.58	0.59	1.91	79	1030	0.46	1.8	0.39	<0.02	73.9	127.5	22	0.53	980	27
E383532		0.64	2.01	1.94	162	100	0.41	3.64	0.11	<0.02	89.9	129	10	3.53	1030	27.9
E383533		1.01	0.57	2.69	74.3	470	0.42	1.49	0.49	<0.02	44	147	17	1.04	799	26.2
E383534		1.32	0.88	0.28	149	170	0.12	2.71	0.19	<0.02	80.8	41.5	2	0.12	199	33.6
E383535		0.83	1.09	1.3	234	70	0.17	4.58	1.5	<0.02	78.1	210	22	0.32	352	24
E383536		1.01	0.92	3.89	124.5	70	0.24	4.22	3.94	<0.02	102.5	354	13	0.41	324	19.9
E383537		1.47	0.62	7.43	83	280	0.6	3.43	0.35	<0.02	17.2	359	45	0.76	322	20.9
E383538		1.10	0.57	6.79	43.6	110	0.63	1.29	2.97	<0.02	10.5	156	33	0.6	113.5	9.41
E383539		0.16	0.05	0.13	<5	20	<0.05	0.02	43.7	0.36	2.17	1.1	5	0.05	2.8	0.09
E383540		1.39	0.04	7.2	4.1	920	2.16	0.03	2.89	<0.02	12.8	66.7	42	1.6	130.5	6.6
E383541		1.27	0.04	6.02	8.4	1050	3.75	0.1	3.28	<0.02	94.1	96.9	36	2.81	206	7.31
E383542		1.15	0.02	6.33	5.9	3320	5.01	0.04	3.99	<0.02	38.1	52.5	34	3.72	147.5	6.32
E383543		0.93	0.04	5.59	7	690	3.56	0.05	4.62	<0.02	114.5	89.1	34	2.84	308	8.92
E383544		0.66	0.21	5.31	59.9	1550	3.45	0.59	2.14	<0.02	114	72.2	32	2.85	467	12.8
E383545		0.65	0.47	2.51	111	1480	0.7	1.12	1.06	<0.02	187	51.6	21	0.59	412	24.8
E383546		0.68	1.23	0.21	309	90	0.07	2.62	0.03	<0.02	188	48.3	<1	0.05	464	39.4
E383547		0.35	1.07	0.24	297	30	0.11	3.01	0.02	<0.02	228	60.8	1	<0.05	623	40.1
E383548		0.27	1.19	0.17	308	40	0.11	2.41	0.02	<0.02	93.8	40.6	<1	<0.05	499	39.4
E383549		0.51	0.84	0.25	275	20	0.06	1.78	0.02	<0.02	480	61.4	3	<0.05	968	34.6
E383550		0.16	0.06	0.13	7	40	0.08	0.02	45.5	0.35	4.28	0.9	5	<0.05	5.8	0.23
E383551		0.20	0.29	6.44	40.7	980	2.16	1.55	1.89	<0.02	64.8	102	41	5.91	1480	6.59
E383552		0.66	1.09	0.42	282	60	0.11	2.3	0.03	<0.02	256	79.5	<1	0.06	1155	34.2
E383553		0.50	1.6	0.29	379	40	0.07	4.89	0.02	<0.02	144.5	68.5	4	0.07	659	36.9
E383554		1.71	2.01	0.17	307	50	0.07	5.46	0.02	<0.02	147	57.2	<1	0.05	421	37.5
E383555		1.36	2.05	0.11	243	20	0.08	4.36	0.02	<0.02	>500	14	9	0.06	89.5	31.9
E383556		1.85	0.86	4.17	103.5	120	0.35	2.1	0.38	<0.02	279	140.5	18	0.52	260	21.2
E383557		2.02	1.84	1.23	123.5	40	0.15	7.52	2.6	<0.02	>500	552	7	0.31	230	21.5
E383558		2.31	1.22	1.84	82	100	0.18	4.81	4.46	<0.02	193.5	336	2	0.3	144.5	23.3
E383559		1.65	1.2	6.25	67.1	160	1.98	2.47	1.31	<0.02	57.4	388	37	1.77	162.5	17
E383560		1.52	0.09	6.68	6.6	1340	5.4	0.09	1.78	<0.02	64	84	39	3.78	333	7.76
E383561		1.13	0.09	6.25	4.1	1550	5.15	0.05	2.59	<0.02	61.9	105	38	3.72	435	6.97
E383562		0.15	0.04	0.14	<5	210	0.08	0.01	41.5	0.38	2.79	1.3	5	0.05	3.3	0.09
E383563		1.05	0.1	7.17	7.3	7040	5.25	0.05	2.96	<0.02	21.9	80.9	38	3.77	450	6.96
E383564		0.75	0.48	6.8	19.1	1230	3.57	0.48	3.29	<0.02	74.1	136.5	39	2.88	2400	8.42
E383565		2.27	1.69	1.36	107.5	80	0.26	6.63	5.8	<0.02	105	466	3	0.38	205	28.9
E383566		1.35	1.09	3.38	94.9	100	0.67	5.13	5.61	<0.02	54.9	313	17	0.66	280	19

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E383527		0.68	0.15	0.1	<0.005	0.03	1.7	1.4	0.42	36	0.22	0.01	0.3	0.6	110	0.9
E383528		10.2	0.43	0.8	0.255	0.67	128	19.4	1.58	6680	64.2	0.25	5.5	58.1	2520	6.3
E383529		10.85	0.22	2	0.037	1.93	45.9	14.4	0.8	2950	32.9	1	4.7	37.6	730	4.3
E383530		4.95	0.44	0.1	0.075	0.19	43	1.6	0.05	587	44.3	0.08	7.3	36.7	560	5.3
E383531		7.15	0.34	0.5	0.062	1	57.3	8.4	0.21	1270	91.2	0.26	5.6	35	850	4.9
E383532		10.05	0.27	1.2	0.074	0.37	101	14.4	0.43	1260	82.6	0.02	7.2	46.8	1730	9
E383533		7.13	0.23	0.8	0.039	0.49	31.9	24.8	0.53	1455	42.6	0.32	5	59.3	1010	4.8
E383534		4.73	0.3	0.1	0.032	0.09	65	1.8	0.09	582	48.1	0.03	5.8	26.1	590	6.1
E383535		7.78	0.25	0.8	0.026	0.06	59.6	15.9	0.78	2600	65.2	0.01	6.6	56.1	1360	10.8
E383536		8.08	0.25	1.1	0.035	0.19	81.8	50.7	2.3	6120	23.9	0.02	4.1	103	910	8.6
E383537		15	0.24	2.4	0.008	0.5	10.6	124	2.45	524	39.5	0.04	3.3	167.5	920	7.4
E383538		11.55	0.13	1.8	0.008	0.36	6.6	38.7	1.64	2790	16	3.1	2	43.2	830	8.1
E383539		0.51	0.07	0.1	<0.005	0.03	2.1	1.3	0.45	36	0.33	0.02	0.3	<0.2	100	0.7
E383540		14.95	0.11	1.9	0.025	1.34	8.8	39.1	1.37	2510	1.98	2.97	2.4	16.8	680	1.2
E383541		14.75	0.18	1.7	0.043	2.49	64.1	37.9	1.26	3770	4.74	0.92	3.8	20.5	740	1.3
E383542		16.85	0.16	1.8	0.054	3.25	24.3	39.3	1.38	4660	1.09	0.33	2.8	16.9	630	1.2
E383543		14.3	0.18	1.5	0.051	2.55	71	34.7	1.49	5040	12.45	0.55	2.7	24.8	920	1.4
E383544		15.45	0.22	1.5	0.053	2.78	77	28.4	0.79	2560	13.35	0.46	3.2	22.2	780	2.2
E383545		9.09	0.26	0.6	0.046	1.3	150	4.5	0.22	1270	31.9	0.59	5.5	18.5	1170	3.9
E383546		6.41	0.36	<0.1	0.085	0.01	129.5	0.5	0.05	786	40.6	0.01	4.6	20.7	2100	6.6
E383547		6.48	0.38	<0.1	0.113	0.01	161.5	0.5	0.06	982	47.6	<0.01	4	21	2160	5.9
E383548		5.75	0.32	<0.1	0.067	0.01	66.5	0.6	0.04	557	40.4	0.01	3.2	20.4	2060	6
E383549		7.89	0.42	<0.1	0.074	<0.01	330	0.7	0.05	820	27.9	<0.01	2.9	18.5	2420	6.1
E383550		0.5	0.06	0.1	<0.005	0.03	3.7	1.1	0.46	38	0.4	0.01	0.3	<0.2	130	0.5
E383551		17.85	0.15	1.8	0.122	2.85	36.3	21	1.21	2880	18.35	0.55	3.5	25	670	2.5
E383552		9.15	0.32	0.1	0.086	0.01	179	1.1	0.05	801	38.3	0.01	1.8	19.8	2790	6.5
E383553		8.61	0.31	0.1	0.065	0.01	127	0.9	0.02	981	50.8	0.01	3	18.5	1970	12.2
E383554		3.03	0.34	0.1	0.044	0.02	115	0.8	<0.01	917	58.3	0.01	4.2	18.3	1130	12
E383555		11.65	1.19	0.3	0.009	0.01	1380	0.7	0.01	101	47.2	<0.01	11.8	21.1	1420	13.2
E383556		13.4	0.31	1.6	0.01	0.13	202	58.3	1.2	423	45.5	0.01	8.6	117.5	1540	6.1
E383557		11.7	0.99	0.5	0.049	0.04	2160	18.1	0.99	4070	106	0.01	2.9	61.9	1290	14.3
E383558		5.61	0.26	0.3	0.066	0.07	147.5	24.9	1.8	6090	62.8	0.01	4.9	47.7	1140	7.8
E383559		11.8	0.21	1.4	0.047	1.28	40.1	74.7	1.72	3700	44.7	0.04	2.1	48	940	7.4
E383560		17.4	0.16	1.7	0.055	3.12	40.7	59.7	1.1	2400	3.91	0.18	3.5	20.8	630	1.7
E383561		17.25	0.17	1.8	0.055	3.15	37.7	38.9	1.01	3960	1.33	0.24	3.9	18.3	580	1.2
E383562		0.54	0.05	0.1	<0.005	0.04	2.4	1.4	0.43	49	0.27	0.01	0.3	<0.2	100	0.5
E383563		18.8	0.16	2	0.058	3.78	14.5	42.1	1.23	4120	6.48	0.59	2.8	19.6	710	1.5
E383564		15.4	0.15	1.8	0.056	2.85	53.6	40.9	1.4	5210	37.9	1.07	3.2	22.6	980	3
E383565		5.92	0.24	0.3	0.03	0.12	83.8	8.3	1.7	6110	42.2	0.44	1.7	46.5	860	9.9
E383566		7.31	0.2	0.8	0.041	0.44	41.2	13.6	1.68	6410	29.8	1.52	3.2	40.5	1600	8.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E383527		0.6	<0.002	0.06	0.07	0.5	3	<0.2	250	<0.05	<0.05	0.2	0.006	<0.02	0.6	5
E383528		36.7	0.018	6.93	2.12	4.6	6	7.4	187	0.12	1.19	6.1	0.031	0.47	14.8	62
E383529		65	0.002	0.92	1.17	6.2	3	2.9	51.3	0.4	0.16	12.5	0.117	0.23	10.7	43
E383530		4.8	0.003	0.28	1.84	2.3	3	5.4	3.9	0.06	0.09	1.8	0.009	0.14	11.5	36
E383531		27.7	0.004	0.96	1.93	3.8	4	3.4	12.2	0.08	0.66	5	0.02	0.25	11.8	40
E383532		13.3	0.006	0.81	1.96	4.1	2	3.9	30.1	0.11	0.58	5.9	0.028	1.12	37.1	24
E383533		13.5	0.007	1.07	1.39	3.5	2	4.1	12.5	0.07	0.16	3	0.017	0.26	25.6	28
E383534		3.2	0.004	0.26	2.46	2.2	2	1.9	5.6	0.08	0.4	0.9	0.015	0.18	9.6	43
E383535		2.8	0.009	1.69	2.87	4.3	2	2.2	16.3	0.12	0.82	2.6	0.019	0.85	39	38
E383536		8	0.007	4.79	1.86	8	3	1.9	29.3	0.07	0.78	5.4	0.021	0.33	31.6	13
E383537		5.5	0.027	3.54	1.35	6.8	2	4.8	11.9	0.09	0.6	9.2	0.044	0.34	201	19
E383538		14.2	0.005	1.5	1.25	8.3	1	2.4	44.2	0.09	0.35	5.9	0.036	0.55	16.7	29
E383539		0.4	0.002	0.06	0.08	0.5	1	<0.2	259	<0.05	0.16	0.2	0.006	<0.02	0.7	5
E383540		51.5	<0.002	0.12	0.72	10.6	1	11.1	49.9	0.17	<0.05	9.2	0.088	0.23	7.1	51
E383541		102	<0.002	0.47	0.61	10.2	1	19.5	349	0.27	0.05	8.3	0.127	0.4	9.4	54
E383542		133	0.002	0.26	0.57	10.9	1	21	747	0.17	<0.05	10.4	0.121	0.4	7.4	61
E383543		104.5	0.002	0.54	0.54	8.9	1	14	649	0.15	<0.05	12.2	0.088	0.29	6.7	51
E383544		106.5	0.003	0.37	0.98	9.8	1	13.7	208	0.13	0.08	10.5	0.081	0.33	7.8	54
E383545		35.5	0.003	0.45	1.53	4.2	1	4.4	20.3	0.07	0.19	6.7	0.028	0.26	7.7	34
E383546		0.5	0.006	0.44	2.67	2.1	3	2.7	10.8	0.05	0.47	2.2	0.007	0.47	11.6	26
E383547		0.4	0.006	0.5	3.31	2.4	3	3	9.8	<0.05	0.51	2.3	0.007	0.31	12.2	28
E383548		0.2	0.006	0.41	2.44	1.8	2	2.6	12.4	<0.05	0.47	1.3	0.008	0.56	12.1	29
E383549		0.1	0.005	0.46	1.98	1.8	2	2.7	8.6	<0.05	0.32	5.8	0.006	0.38	14.4	23
E383550		0.4	0.003	0.07	0.07	0.3	1	<0.2	269	<0.05	0.11	0.2	0.006	<0.02	0.6	5
E383551		126	0.006	1.29	1.15	9.9	2	7.2	428	0.22	0.16	12	0.12	0.36	17.2	58
E383552		0.5	0.004	0.57	1.88	3	2	3.4	15.2	<0.05	0.43	3.2	0.005	0.67	18.7	16
E383553		0.5	0.006	0.49	2.65	2.1	3	5.8	22.9	<0.05	1.06	1.6	0.007	0.94	10.6	20
E383554		0.6	0.004	0.32	3.03	1.9	2	2.8	8.3	0.06	1.09	1.5	0.01	0.51	6.8	23
E383555		0.6	0.005	0.2	3.57	1.1	3	3.8	19.5	0.17	0.83	28.4	0.018	0.33	6.7	34
E383556		5.9	0.009	1.25	1.81	4.8	2	3.2	11.3	0.13	0.55	11.1	0.029	0.55	64.9	26
E383557		1.7	0.017	6.65	3.75	3.4	6	2.3	30.1	0.06	2.69	50.7	0.008	0.67	15.4	19
E383558		2.7	0.009	4.82	3.29	3.9	3	2.6	40.6	0.09	1.51	2.7	0.014	0.31	11.1	25
E383559		53	0.005	2.99	2.43	9	3	12.1	40.2	0.06	0.92	5.5	0.052	1.4	17	42
E383560		140	<0.002	0.49	0.7	13.4	1	29.5	380	0.23	<0.05	10.1	0.154	0.72	7.2	61
E383561		138	<0.002	0.36	0.66	10.7	1	28.2	726	0.24	<0.05	11	0.148	0.49	6.3	56
E383562		1	<0.002	0.07	0.07	0.4	1	0.2	255	<0.05	0.14	0.2	0.006	<0.02	0.7	4
E383563		144	0.002	0.45	0.65	12.4	1	29.1	223	0.17	<0.05	12	0.134	0.86	11.2	65
E383564		113	0.002	0.81	1.28	13	2	23.1	156.5	0.16	0.07	9.1	0.11	0.9	15.5	59
E383565		4.3	0.005	6.73	6.76	4.2	3	2.1	57.5	<0.05	0.87	2.3	0.011	0.57	17.5	36
E383566		16.5	0.003	5.06	4.33	5.5	3	4.3	61.4	0.08	0.61	5.9	0.026	0.26	21.9	34

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Au	Ba
	Units	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.01
E383527		<0.1	2.8	23	3.2	0.001	
E383528		6.6	15.7	7	24.1	0.121	
E383529		2.8	11.9	19	60.1	0.013	
E383530		22.8	2.5	7	3.3	0.012	
E383531		11.8	5	13	15.7	0.028	
E383532		9	12.4	20	40.6	0.051	
E383533		10.9	6.3	31	26.4	0.017	
E383534		6.9	2.2	8	4.3	0.026	
E383535		3	7.7	31	24.1	0.050	
E383536		2.3	12.8	84	35.1	0.052	
E383537		2.1	5.9	181	77.2	0.042	
E383538		2.6	9.2	67	60.5	0.015	
E383539		0.1	2.7	21	3.5	0.001	
E383540		4.8	9.5	35	63.1	<0.001	
E383541		7.7	13	13	53.6	0.003	
E383542		10.6	12.7	7	55.9	0.002	
E383543		7.4	16.5	12	50.4	0.005	
E383544		8.5	10.8	10	47.4	0.007	
E383545		8.5	6.2	6	20.1	0.011	
E383546		7.3	5.1	10	1.3	0.026	
E383547		7.1	7.7	11	1	0.026	
E383548		6.8	2.9	7	1.2	0.025	
E383549		5.1	5.5	7	1	0.021	
E383550		0.1	2.5	21	2.8	<0.001	
E383551		8.5	10.2	6	56.4	0.017	
E383552		4.5	4.5	10	2.4	0.026	
E383553		6.1	8.6	11	2.7	0.052	
E383554		8	7	8	3.8	0.058	
E383555		9	24.4	2	6	0.046	
E383556		3.3	12.9	77	52.4	0.026	
E383557		4.4	47.2	26	12.7	0.085	
E383558		3.5	15.6	40	8.8	0.054	
E383559		4.7	12.4	83	48.3	0.025	
E383560		10.8	11.6	23	55.7	<0.001	
E383561		11.2	13.6	10	58.1	0.004	
E383562		0.1	2.6	20	3	0.001	
E383563		12.4	14.2	11	64.3	0.002	1.38
E383564		9	15.4	21	61.6	0.021	
E383565		3.5	12.4	16	12	0.076	
E383566		4.7	14.1	18	27.2	0.056	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E383567		1.05	0.82	5.19	74.5	320	0.81	1.69	4.78	<0.02	221	137.5	27	0.95	251	9.21
E383568		1.23	1.45	2.37	147	100	0.53	6.97	3.59	<0.02	56	330	15	0.41	643	21.3
E383569		1.24	1.6	2.64	159.5	80	0.5	8.75	3.18	<0.02	81.1	397	11	0.51	544	22.6
E383570		1.10	2.55	3.24	202	80	0.56	7.32	4.87	<0.02	500	470	15	0.55	271	16.5
E383571		1.05	1.51	3.02	129.5	120	0.55	5.16	5.64	<0.02	83.9	271	17	0.45	235	18.05
E383572		1.79	1.25	2.09	102.5	150	0.46	3.81	4.43	<0.02	215	218	10	0.4	394	16.2
E383573		0.15	0.01	0.09	<5	20	0.05	0.04	31.8	0.29	2.8	1.8	5	<0.05	2.8	0.15
E383574		0.21	1.01	5.75	55.4	180	2.05	2.88	2.09	<0.02	60.4	145.5	35	4.05	7570	9.38
E383575		1.00	1.39	2.93	138.5	60	0.36	3.69	5.95	<0.02	177	316	11	0.38	1050	17.85
E383576		1.11	2.91	3.98	132.5	170	0.92	3.67	2.5	<0.02	190.5	315	23	1.44	4130	16.1
E383577		1.21	2.29	1.82	255	90	0.49	10.05	1.46	<0.02	187	825	12	0.98	968	22.9
E383578		1.19	1.6	2.79	282	100	0.73	8.53	1.14	<0.02	150.5	1050	12	3.38	944	23.7
E383579		1.40	1.24	0.54	240	40	0.18	5.53	0.16	<0.02	18.85	826	15	0.18	555	29
E383580		1.41	1.74	3.97	485	90	1.19	6.59	0.2	<0.02	220	309	8	6.09	578	23.7
E383581		0.64	0.82	0.23	157.5	40	0.13	6.02	0.04	<0.02	45.9	100.5	11	0.14	385	34.7
E383582		0.41	0.78	0.86	307	40	0.32	5.8	0.04	<0.02	144.5	112.5	<1	1.41	447	31.7
E383583		0.37	1.31	0.11	194.5	60	0.07	8.35	0.05	<0.02	302	57.8	7	0.07	239	33.5
E383584		0.42	1.03	0.15	179	30	0.09	5.75	0.01	<0.02	98.3	84.5	<1	0.06	555	33.7
E383585		0.16	0.02	0.12	<5	20	0.11	0.06	42.2	0.41	3.9	2	6	<0.05	5.3	0.29
E383586		0.26	1.81	0.11	83.6	40	0.11	7.74	0.04	<0.02	>500	65.4	14	0.07	227	32.9
E383587		0.51	2.5	0.05	113	30	0.1	8.77	0.01	<0.02	406	17.3	<1	0.06	85.2	36.3
E383588		1.15	4.07	0.07	128	100	0.1	10.85	0.01	<0.02	>500	21.3	12	0.07	107.5	32.2
E383589		1.16	12.35	0.05	174.5	130	0.13	8.38	0.01	<0.02	>500	4.2	<1	<0.05	16.1	37.2
E383590		1.24	6.65	0.12	386	20	0.08	9.84	0.01	<0.02	49.8	570	6	0.05	789	36
E383591		1.23	2.82	0.18	188	20	0.08	4.26	0.04	<0.02	25.1	1490	<1	0.06	2100	38.6
E383592		1.48	7.46	0.47	310	30	0.19	9.58	0.14	<0.02	37.7	2440	12	0.18	2750	35.6
E383593		1.32	3.74	0.59	257	10	0.16	5.42	0.19	<0.02	62	1280	<1	0.1	1800	33.2
E383594		2.52	2.48	0.45	159.5	20	0.14	9.07	0.35	<0.02	94.1	1005	7	0.09	1150	32.5
E383595		1.91	1.2	0.76	102.5	10	0.07	3.84	0.35	<0.02	31	903	<1	0.05	1020	31.6
E383596		0.16	0.01	0.12	<5	20	0.09	0.02	42.3	0.4	2.54	2.1	7	<0.05	3.5	0.13
E383597		0.22	1.11	2.32	92.1	50	0.68	11.05	2.2	<0.02	239	313	12	2.88	8540	26
E383598		1.59	2.94	3.4	205	90	0.28	8.73	0.54	<0.02	24.4	1245	11	0.32	1165	25.9
E383599		1.58	1.63	1.73	131.5	30	0.17	5.29	0.39	<0.02	17.25	702	2	0.17	915	25.3
E383600		1.83	1.44	0.27	138	20	0.08	2.91	0.25	<0.02	11.25	617	9	0.05	776	30
E383601		2.15	2.84	1.15	202	20	0.11	4	0.37	<0.02	20.1	1065	5	0.1	841	27.4
E383602		2.19	0.97	0.47	96.9	10	0.09	1.51	0.26	<0.02	50.1	696	18	0.08	136.5	26.4
E383603		2.66	4.32	0.57	148.5	10	0.15	13.05	0.33	<0.02	119.5	807	13	0.14	426	31.3
E383604		1.67	3.16	0.32	89.4	10	0.18	9.77	0.22	0.17	84.8	470	<1	0.1	933	30
E383605		2.46	0.71	0.23	61	10	0.08	1.3	0.27	0.07	74.9	451	18	0.08	624	30.2
E383606		2.05	1.2	0.5	143	10	0.13	2.26	0.29	0.07	104	683	<1	0.17	534	27.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E383567		7.56	0.19	1.6	0.018	2.08	180.5	14.1	1.55	4000	40.9	1.87	4.9	23.3	730	8.7
E383568		6.66	0.33	0.6	0.04	0.16	39.6	10.9	1.07	4140	32.4	1.14	2.9	57.3	2210	11
E383569		6.89	0.36	0.7	0.024	0.14	62.1	8.7	1.04	4040	52.7	1.41	2.6	57.1	1340	12
E383570		7.93	0.47	1.1	0.033	0.18	437	6.9	1.51	4980	49.7	1.97	4.6	47.9	2000	18.7
E383571		7.28	0.29	1	0.036	0.19	59	9.3	1.82	5160	48.5	1.67	5.1	45.2	1870	10.2
E383572		6.36	0.29	0.7	0.037	0.15	156.5	7.7	1.47	4400	39.2	1.05	4.2	37.4	1190	8.6
E383573		0.47	0.11	0.1	<0.005	0.02	2	1.1	0.33	44	0.52	0.01	0.3	2.1	80	0.6
E383574		15.3	0.21	1.9	0.164	2	25.8	24.4	1.1	3100	65.7	1.08	5	39.2	830	22.5
E383575		5.37	0.26	0.8	0.057	0.15	130	21	2.37	6000	59.5	0.68	4.1	40.2	1730	8.5
E383576		10.85	0.33	1.1	0.04	0.59	136.5	55.4	1.65	2610	59	0.02	4.1	71.3	1610	18.4
E383577		7.63	0.42	0.4	0.036	0.06	136	34.4	0.74	3600	50.6	0.01	8.3	93.2	3130	23.2
E383578		8.3	0.41	0.5	0.023	0.36	100	45.4	0.81	2610	48.9	0.01	5.9	115	3470	11.3
E383579		4.01	0.33	0.1	0.023	0.03	12.3	7.1	0.14	463	39.5	0.01	9.3	71.3	1440	11.7
E383580		16.05	0.42	1.6	0.042	0.97	170	45.7	0.54	504	58.1	0.02	13.9	72.4	3680	17.1
E383581		4.04	0.48	<0.1	0.048	0.02	30.7	2.8	0.04	873	76.6	<0.01	12.8	39.4	790	10.8
E383582		4.72	0.48	0.3	0.058	0.3	102	5.7	0.06	1530	74	0.01	8.9	37.4	1570	17.2
E383583		4.62	0.6	<0.1	0.047	0.02	197.5	0.7	0.01	983	83.9	0.02	7.1	31	1740	14.6
E383584		3.1	0.42	<0.1	0.062	0.01	66	1.3	0.02	1555	72.7	<0.01	6.1	27.5	990	11
E383585		0.6	0.07	0.1	<0.005	0.03	2.8	1.4	0.43	41	1.06	0.01	0.4	2.2	110	0.7
E383586		5.23	0.73	0.1	0.042	0.02	387	1.4	<0.01	477	69.8	0.01	13.6	24.6	770	19.2
E383587		5.38	0.64	<0.1	0.027	0.01	257	0.6	<0.01	264	70.5	0.01	12	30.7	800	32.2
E383588		8.12	1.05	0.2	0.025	0.02	640	0.8	<0.01	214	129	<0.01	11.7	24.8	1060	33.1
E383589		7.67	0.85	0.1	0.048	0.01	670	0.5	<0.01	58	61	<0.01	9.5	26.2	2650	7.8
E383590		4.21	0.51	<0.1	0.057	<0.01	31.3	0.4	<0.01	468	116.5	<0.01	7.6	40.9	2080	36
E383591		3.11	0.38	<0.1	0.041	<0.01	14.7	0.5	0.04	1535	104	<0.01	3.2	43.5	1030	39.2
E383592		7.58	0.6	0.2	0.073	0.01	19.3	5.1	0.1	1035	156.5	<0.01	4.7	86.8	1860	152.5
E383593		8.19	0.51	0.1	0.077	0.01	35.9	6.4	0.2	1630	219	<0.01	4.4	64.2	2610	48.8
E383594		5.44	0.47	<0.1	0.063	<0.01	53.9	4.8	0.48	4480	140	<0.01	5.1	57.2	2230	17.1
E383595		4.94	0.31	0.1	0.032	0.01	17.8	6	0.56	3750	135.5	<0.01	3.5	55.7	1670	27.9
E383596		0.5	0.05	0.1	<0.005	0.03	1.8	1.3	0.43	39	0.78	0.01	0.3	2.3	110	0.8
E383597		9.55	0.45	0.8	0.276	0.64	143.5	21.5	1.48	5710	63.4	0.23	7.2	59.2	2370	6.4
E383598		22.5	0.46	0.8	0.036	0.03	12.2	52	1.05	1325	95.3	<0.01	16.1	218	3170	36.6
E383599		9.9	0.38	0.5	0.023	0.02	8.6	25	0.62	1570	73.9	<0.01	17.1	110.5	2040	15.5
E383600		4.29	0.44	0.1	0.066	<0.01	5.4	3.2	0.57	4690	57.4	<0.01	5.5	55.4	1040	24.2
E383601		8.13	0.39	0.3	0.025	0.01	10.5	13.6	0.5	1830	67	<0.01	10.1	93.1	1690	28.2
E383602		5.28	0.4	0.2	0.016	0.01	29.8	5.5	0.2	847	125.5	<0.01	11.1	54.8	1230	6.2
E383603		6.95	0.5	0.2	0.028	0.01	99.2	6.6	0.2	750	417	<0.01	15.5	71.4	1830	30.3
E383604		5.43	0.49	0.2	0.049	0.01	59.6	2.9	0.13	825	202	<0.01	8	41.6	1450	24
E383605		5.4	0.46	0.1	0.034	0.01	48	2.6	0.1	639	63.9	<0.01	9.3	46	1480	5.2
E383606		6.91	0.43	0.1	0.014	0.01	65.3	6.6	0.15	254	63.7	<0.01	7	47.6	1430	10.9

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E383567		52.1	0.003	2.5	1.96	7.1	2	5.1	59.9	0.13	0.27	16.3	0.051	0.44	20.2	25
E383568		5.8	0.007	5.97	6.04	4.7	4	2.6	49.2	0.1	0.99	2.1	0.012	0.31	28.5	54
E383569		5.4	0.009	6.85	7.75	5.6	4	3.6	46.6	0.09	1.36	1.9	0.015	0.36	27.7	55
E383570		7	0.008	6.4	6.93	7.9	5	3.9	71.1	0.14	1.37	12.7	0.025	1.27	25.6	37
E383571		7.3	0.009	4.83	5.86	8.4	4	4	80.5	0.16	0.93	2.2	0.025	0.54	13.4	54
E383572		5.6	0.01	3.66	4.43	6	4	3.5	56.3	0.12	0.84	4.5	0.021	0.7	12.3	47
E383573		0.4	<0.002	0.07	0.14	0.3	3	<0.2	184.5	<0.05	<0.05	<0.2	<0.005	<0.02	0.5	3
E383574		91.7	0.028	2.13	2.04	10.9	4	9	615	0.29	0.28	11	0.092	0.39	276	53
E383575		5	0.015	5.08	2.7	5.6	4	3.4	54.6	0.13	0.78	3.2	0.023	0.78	9.9	29
E383576		29	0.028	4.48	2.65	11.3	7	10.4	30.4	0.11	1.07	4.2	0.03	1.29	23	40
E383577		4	0.024	6	4.64	8.7	7	3.2	35.5	0.19	1.67	3.5	0.019	0.76	33.9	43
E383578		14.8	0.039	7.63	4.09	8.3	9	3	26.6	0.14	2.31	3.3	0.017	0.69	30	47
E383579		1.2	0.029	5.97	2.73	4	7	1.4	9.6	0.1	1.39	0.7	0.01	0.45	15.6	59
E383580		32	0.019	2.48	4.8	11.2	8	5.2	89.4	0.17	2.33	8.3	0.033	1.23	135	24
E383581		0.8	0.011	0.44	5.59	3.9	5	2.6	5.7	0.13	1.72	0.7	0.01	0.1	13.3	49
E383582		9	0.011	0.4	4.96	7.4	6	2.8	23.5	0.06	2.1	3.4	0.015	0.24	51.3	35
E383583		0.8	0.004	0.16	4.56	6.1	6	2.3	9	<0.05	2.43	3.6	0.008	0.15	7.7	42
E383584		0.4	0.007	0.36	3.35	3.8	5	1.9	5	<0.05	1.71	1.3	0.007	0.14	10.5	38
E383585		0.6	<0.002	0.06	0.12	0.4	3	<0.2	257	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E383586		1.1	0.007	0.34	6.46	2.5	6	3.2	13.4	0.17	3.1	5.4	0.017	0.39	8.7	43
E383587		0.4	0.003	0.08	8.15	2.4	8	3.4	13.2	0.11	4.25	3	0.011	0.51	7.1	49
E383588		0.9	0.003	0.06	8.38	4.1	12	7	10.3	0.07	6.47	12.4	0.011	0.15	79.4	33
E383589		0.2	0.002	0.06	4.94	6.2	14	6.7	8	<0.05	8.19	6.6	0.009	0.1	21.2	36
E383590		0.2	0.024	4.23	4.68	8.8	9	2.5	2	<0.05	3.89	1.2	0.007	0.57	77.4	25
E383591		0.1	0.028	9.76	1.99	3.5	11	1	2.3	<0.05	0.93	1.7	<0.005	0.31	410	15
E383592		0.5	0.043	>10.0	6.01	7.6	24	2.1	9.3	<0.05	2.47	17.5	0.014	0.9	2050	12
E383593		0.3	0.045	7.91	3.21	7	13	2.1	7.6	<0.05	1.37	5.8	0.008	0.64	660	16
E383594		0.1	0.024	7.19	4.64	5.3	7	2.8	7.7	<0.05	3.25	1.8	<0.005	0.46	136.5	18
E383595		0.3	0.02	6.31	1.83	3.1	6	1.5	5.5	0.05	1.09	4	0.008	0.26	660	22
E383596		0.6	<0.002	0.07	0.14	0.4	3	<0.2	256	<0.05	<0.05	0.2	0.006	<0.02	1.5	5
E383597		36.7	0.02	6.45	2.61	4.5	6	8.8	212	0.17	1.24	6.6	0.036	0.48	13.1	58
E383598		1.5	0.023	8.92	4.96	5.3	7	2.3	15.2	0.53	3.53	21.8	0.037	0.73	880	13
E383599		1.1	0.018	4.91	3.83	3.2	5	2.2	9.6	0.53	2.07	11.7	0.033	0.43	405	23
E383600		0.2	0.02	4.03	2.27	5.7	4	1.2	6.2	0.12	0.82	5.4	0.012	1.54	373	28
E383601		0.7	0.023	6.15	2.55	3.7	7	1.6	7	0.24	1.52	4.4	0.015	2.01	259	18
E383602		0.4	0.027	3.86	1.49	4	7	1.6	5.4	0.22	0.88	2.2	0.014	0.45	21.6	17
E383603		0.3	0.048	4.39	4.62	4.6	7	3.3	19.9	0.2	1.54	3	0.013	0.83	42.8	19
E383604		0.7	0.017	2.51	2.59	5.1	4	2.5	8.2	0.08	0.77	1.6	0.008	0.65	57.3	17
E383605		0.3	0.006	2.35	1.41	2.9	4	2.1	5.3	0.09	0.14	0.8	0.005	0.14	34.9	20
E383606		0.5	0.006	3.67	2.87	1.6	3	2.2	5.6	0.08	0.5	1	0.006	1.47	24.3	21

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E383567		5.3	14.2	16	50.8	0.025	
E383568		3.6	15.3	17	16.5	0.081	
E383569		5	12.5	16	21.4	0.107	
E383570		4.9	20.9	12	28.5	0.100	
E383571		5	15.5	16	26.1	0.061	
E383572		4.8	13.2	14	17.8	0.058	
E383573		0.1	2.2	15	2	<0.001	
E383574		9.6	17.1	11	52.2	0.052	
E383575		3	13.7	44	21.3	0.058	
E383576		5.4	13.2	55	29.6	0.064	
E383577		7.9	17.8	36	9.9	0.061	
E383578		4.8	16.6	42	14.4	0.054	
E383579		10.1	3.7	14	1.8	0.048	
E383580		4.5	10.4	30	44.1	0.039	
E383581		13.5	3.7	12	1.2	0.052	
E383582		7.1	5.6	20	9.1	0.033	
E383583		8.9	4.2	7	1	0.051	
E383584		8	3.4	11	1.1	0.046	
E383585		0.2	3.1	20	2.7	<0.001	
E383586		8.3	6.8	8	2.3	0.075	
E383587		10.4	4	5	0.8	0.053	
E383588		13.3	12.9	6	5.9	0.187	
E383589		14.3	8.3	<2	2.2	0.427	
E383590		7.8	2.2	9	1.2	0.063	
E383591		4.5	3.5	19	0.7	0.064	
E383592		9.5	20.5	16	6.4	0.096	
E383593		7.7	9.8	19	3.7	0.065	
E383594		7.9	7.2	14	1	0.073	
E383595		4.8	7.3	16	3.2	0.048	
E383596		0.1	2.9	22	2.2	0.001	
E383597		7.4	16.1	8	21.3	0.109	
E383598		2.8	21.6	71	21	0.074	
E383599		2.9	11.8	39	13.2	0.046	
E383600		2.5	9.7	19	2.3	0.026	
E383601		2.3	9.9	30	8.3	0.033	
E383602		2.9	5.8	15	4.1	0.020	
E383603		4.8	8.6	19	4.8	0.075	
E383604		5.9	7.6	18	3.9	0.040	
E383605		7.7	6.5	8	1.2	0.004	
E383606		9.8	6.9	11	3	0.012	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E383607		2.48	0.78	0.34	92.6	<10	0.11	1.3	0.29	0.06	75.6	616	15	0.08	618	28.4
E383608		0.16	0.02	0.12	<5	30	0.08	0.02	43.2	0.43	2.78	3.6	6	<0.05	4.7	0.25
E383609		2.14	1.03	1	132	10	0.08	1.84	0.39	0.06	51.9	874	9	0.1	684	25.6
E383610		1.84	1.67	1.29	192.5	10	0.11	3.31	0.38	0.09	80.8	1565	<1	0.12	1170	26.5
E383611		1.55	1.67	1.29	127	10	0.21	3.79	0.29	0.07	141.5	997	6	0.17	1550	24.6
E383612		2.18	0.3	0.18	23.5	10	0.07	0.42	0.2	<0.02	19.4	265	<1	0.05	308	29.1
E383613		2.07	0.76	0.23	29	10	0.1	1.29	0.23	0.05	22	336	11	0.07	589	28.7
E383614		2.00	0.89	0.25	67.9	20	0.07	1.99	0.25	0.04	24.2	857	<1	0.06	783	30.6
E383615		1.96	1.62	0.14	71	20	0.14	3.35	0.21	0.04	32.1	623	8	0.06	1945	31
E383616		1.29	1.42	0.34	174	10	0.3	3.87	0.23	0.06	31.4	764	<1	0.07	1410	32
E383617		2.45	0.75	0.07	43.7	<10	0.11	1.61	0.23	0.04	23.7	535	8	0.05	362	29.8
E383618		2.04	0.86	0.09	45	<10	0.15	1.76	0.2	0.05	25.7	343	13	0.06	444	35.4
E383619		0.17	0.02	0.12	9	20	0.07	<0.01	45.6	0.42	2.51	2.8	8	<0.05	4.3	0.25
E383620		0.18	0.32	6.81	38.3	1060	2.96	1.68	1.9	0.03	82.1	126.5	45	6.74	1550	7.16
E383621		2.22	0.84	0.14	34.6	40	0.24	1.45	0.18	0.03	34.7	292	<1	0.09	578	38.5
E383622		2.16	0.63	0.09	34.3	20	0.09	1.11	0.26	0.04	49.6	446	12	0.05	346	32.9
E383623		1.88	0.31	0.07	25.3	10	0.09	0.45	0.27	0.02	45.3	230	<1	0.05	217	37.8
E383624		2.05	0.47	0.15	29	200	0.08	0.5	0.23	0.04	25.1	184	12	0.06	439	31.6
E383625		1.88	0.29	0.12	22.7	60	0.09	0.27	0.26	0.02	26.1	87.5	<1	0.05	245	38.3
E383626		2.06	0.52	0.09	34.8	340	0.07	0.76	0.22	0.04	36.9	257	12	0.05	401	37.9
E383627		2.35	0.6	0.15	50.2	480	0.05	0.87	0.27	0.04	128.5	401	<1	0.05	373	30
E383628		2.58	0.35	0.21	32.3	660	0.08	0.68	0.3	0.06	55.7	292	<1	0.06	326	35.9
E383629		2.07	0.62	0.53	46.8	260	0.09	1.08	0.31	0.07	30.8	434	<1	0.08	210	28
E383630		2.28	0.85	0.49	50.9	550	0.13	1.69	0.23	0.06	32.5	363	<1	0.11	468	29.7
E383631		0.16	0.02	0.12	7	40	0.07	<0.01	45.3	0.41	2.5	2.2	6	<0.05	4.6	0.2
E383632		2.32	1.7	0.32	146	130	0.08	4.06	0.34	0.08	19	746	<1	0.07	628	42.2
E383633		2.38	1.65	0.12	118	60	0.06	3.74	0.22	0.08	36.6	608	<1	0.07	329	40.6
E383634		2.24	1.06	0.31	66.9	100	0.12	2.3	0.24	0.06	35.4	472	3	0.08	339	31.5
E383635		1.93	1.55	2.09	116.5	50	0.17	3.69	0.36	0.05	24.3	1255	2	0.36	593	25.8
E383636		1.95	1.17	1.06	96.8	70	0.13	1.91	0.24	0.06	47.6	545	3	0.16	180.5	28.2
E383637		1.84	2.92	4.58	162.5	100	0.55	4.69	0.2	0.04	62.9	901	21	0.95	557	20.3
E383638		0.69	0.21	8.41	18.3	1570	1.23	0.16	0.55	0.03	11.7	39.6	21	1.54	340	9.74
E383639		1.77	0.32	7.75	14.5	200	1.39	0.47	2.9	0.03	8.75	155.5	26	0.92	103.5	4.92
E383640		1.64	0.08	6.9	5.6	160	1.05	0.03	4.05	0.03	8.1	197.5	35	0.66	96.8	4.99
E383641		1.54	0.66	7.08	102	360	0.89	1.82	4.63	0.1	31.9	419	26	0.75	257	6.79
E383642		0.17	0.01	0.14	<5	30	0.05	<0.01	46.9	0.35	1.89	1.6	6	<0.05	2.5	0.08
E383643		0.22	0.94	5.71	45.5	180	1.82	2.36	2.04	0.04	54.8	151.5	35	3.54	7650	9.37
E383644		1.21	0.06	6.12	3.2	260	0.96	0.03	4.28	<0.02	18	44.6	25	0.72	222	3.9
E383645		1.08	2.48	6.31	122	560	1.17	4.12	1.73	0.02	21.8	523	21	1.45	1020	8.39
E383646		1.28	4.44	5.89	119	380	1.13	3.89	2.55	0.03	>500	453	11	1.2	782	11.05

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E383607		5.28	0.41	0.1	0.026	0.01	47.2	3.7	0.18	1075	54.4	<0.01	6.4	48.9	1540	5.8
E383608		0.47	<0.05	0.1	0.012	0.03	1.9	1.4	0.45	37	0.58	0.01	0.3	0.5	100	0.8
E383609		9.09	0.38	0.2	0.028	0.01	32.6	12.8	0.47	1740	64.8	<0.01	4.5	66.9	1470	7.1
E383610		10.05	0.4	0.3	0.016	0.01	52.4	16	0.46	862	123.5	<0.01	4.4	84.6	1780	11.5
E383611		10.85	0.39	0.2	0.03	0.01	93.2	15.2	0.48	1220	97.8	<0.01	4.8	82.2	1370	10.7
E383612		5.35	0.4	<0.1	0.024	<0.01	11.2	2.1	0.25	1920	19.15	<0.01	7.6	40.3	820	2.3
E383613		4.88	0.38	<0.1	0.038	<0.01	12.6	2.6	0.46	3500	37.1	<0.01	6.5	38	900	5.7
E383614		5.61	0.41	<0.1	0.043	<0.01	13.7	2.8	0.55	4470	44.8	<0.01	5	53	1100	7.6
E383615		4.78	0.43	<0.1	0.04	<0.01	18.3	1.4	0.32	2840	45	<0.01	5.7	45	1130	11.1
E383616		7.7	0.45	<0.1	0.085	0.01	18.7	2.4	0.18	1435	75.8	<0.01	5.4	51.5	2050	12.8
E383617		4.7	0.42	<0.1	0.039	<0.01	13.4	0.8	0.29	2670	47.8	<0.01	5.5	38.7	1090	5.7
E383618		5.44	0.46	<0.1	0.028	<0.01	15	0.7	0.12	1225	55.3	<0.01	7.6	39	1100	6.7
E383619		0.47	<0.05	0.1	<0.005	0.03	1.7	1.4	0.47	41	0.69	0.01	0.4	<0.2	130	0.7
E383620		20.3	0.13	2.1	0.141	2.95	43.9	25.4	1.27	3200	20.9	0.57	3.9	25.2	750	4
E383621		6	0.49	<0.1	0.035	0.01	20.1	1.3	0.09	798	64.6	<0.01	7.8	38.1	1010	9
E383622		5.64	0.43	<0.1	0.046	<0.01	30.3	0.8	0.36	3330	74.1	<0.01	9.7	44.1	1200	4.5
E383623		6.54	0.47	<0.1	0.034	<0.01	27.6	0.6	0.25	2420	38.2	<0.01	8.9	43.9	1270	2.7
E383624		6.74	0.4	<0.1	0.026	<0.01	13.7	1.5	0.14	1125	53.5	<0.01	9.9	42	1150	8.3
E383625		8.29	0.5	<0.1	0.025	<0.01	14.6	1.1	0.17	1395	51.3	<0.01	9.9	46.8	1230	3.5
E383626		8.25	0.49	<0.1	0.024	<0.01	22.7	0.9	0.18	1660	52.2	<0.01	8	49.4	1060	4.8
E383627		6.85	0.42	<0.1	0.039	<0.01	83.7	1.4	0.23	1940	46.2	<0.01	8.1	50.7	1230	7.3
E383628		8.47	0.49	<0.1	0.042	<0.01	36.7	1.8	0.28	2270	48.6	0.01	9.9	57.3	1380	4.3
E383629		9.95	0.35	0.1	0.034	<0.01	18.6	4.8	0.37	2590	84.2	<0.01	6.3	72.3	1330	5
E383630		9.81	0.41	0.1	0.015	0.01	20.3	4.9	0.2	802	50.2	<0.01	6.1	65.2	1120	10
E383631		0.45	<0.05	0.1	<0.005	0.03	1.8	1.4	0.47	38	0.68	0.01	0.3	<0.2	120	0.9
E383632		11	0.54	0.1	0.026	0.01	10.7	3.3	0.27	2120	85.5	<0.01	5.4	96.4	1080	18.6
E383633		9.3	0.55	<0.1	0.018	<0.01	23	1.2	0.16	1595	127	<0.01	5.1	81.4	1000	12.5
E383634		7.85	0.4	0.1	0.022	0.01	23	3.2	0.24	1825	101	<0.01	4.1	66.2	1050	8.4
E383635		6.81	0.25	0.3	0.02	0.04	11.9	23.7	0.66	1510	122.5	0.01	1.6	73.6	1670	9.1
E383636		7.66	0.31	0.2	0.026	0.02	30.5	12.9	0.46	2010	102	0.01	2.3	64.1	1040	7.5
E383637		9.05	0.25	1.4	0.016	0.17	44.3	55.2	1.09	894	58.2	0.85	7.8	68.8	840	21.9
E383638		10.7	0.09	2.4	0.021	0.5	7.3	73.3	1.28	829	8.38	3.3	8.6	23.3	770	4.6
E383639		10.95	0.07	2.3	0.018	0.47	3.9	24.5	1.14	2500	6.77	5.17	7.2	15.5	660	7.8
E383640		10.25	0.08	2.2	0.017	0.47	4.2	14.1	1.29	2850	2.8	5.17	4.1	10.7	640	4.9
E383641		10.6	0.13	2.2	0.016	0.37	22.2	15.9	1.58	3000	28.5	4.77	4.7	18.3	720	20.2
E383642		0.43	<0.05	<0.1	<0.005	0.03	1.5	1.1	0.49	45	4.03	0.03	0.2	<0.2	120	0.9
E383643		14.55	0.16	1.8	0.14	2.12	25.5	21.7	1.14	3140	62.9	1.05	3.5	32.7	830	20.2
E383644		9.37	0.08	1.9	0.012	0.35	10.9	14	1.38	2770	3.25	4.42	7.2	8.5	710	7.5
E383645		9.17	0.15	2.8	0.019	0.35	13.9	33.6	0.86	1530	34.7	3.51	27.7	42.9	740	29.4
E383646		11.6	0.69	2.6	0.042	0.23	1370	19.2	1.05	2180	17.6	3.66	43	42	660	77.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E383607		0.4	0.006	3.42	1.46	1.9	3	1.3	5.6	0.09	0.3	0.6	0.005	0.47	23.4	26
E383608		0.6	<0.002	0.08	0.08	0.3	3	<0.2	260	<0.05	<0.05	0.2	0.005	<0.02	0.8	5
E383609		0.4	0.012	4.89	1.96	2.4	4	1.7	6.2	0.07	0.71	0.9	0.007	1.06	10.6	20
E383610		0.4	0.028	8.66	2.06	1.8	6	2.3	7.6	0.06	1.21	1.1	0.007	1.37	21.5	16
E383611		0.4	0.019	5.27	2.63	2.5	4	1.5	5.3	0.06	0.54	2.5	0.006	0.52	37.4	17
E383612		0.1	0.002	1.59	1.18	1.8	3	0.8	3.9	0.06	0.07	0.2	<0.005	0.07	7.6	17
E383613		0.1	0.007	1.92	1.67	3	2	0.8	4.3	0.05	0.09	0.2	<0.005	0.16	21.4	16
E383614		0.1	0.011	5.05	1.82	3.1	5	0.9	5.3	<0.05	0.34	0.2	<0.005	0.53	26.4	18
E383615		0.1	0.012	3.56	2.5	3.2	4	1	4.9	<0.05	0.3	0.4	<0.005	0.42	131.5	15
E383616		0.1	0.013	4.11	3.08	5.2	5	1.1	8.6	0.05	0.33	2.1	<0.005	0.56	396	18
E383617		<0.1	0.009	3.09	1.93	2.2	3	1.1	4.2	0.06	0.18	0.2	<0.005	0.41	15.5	20
E383618		0.1	0.01	1.82	2.69	2	3	1.1	4.3	0.09	0.13	0.5	<0.005	0.21	61.4	29
E383619		0.6	<0.002	0.07	0.08	0.3	3	<0.2	271	<0.05	<0.05	0.2	0.006	<0.02	1.1	5
E383620		142	0.008	1.37	1.22	10.7	3	7.4	459	0.24	0.24	12.7	0.119	0.39	17.8	63
E383621		0.3	0.007	1.47	2.97	2.1	3	1.7	5.2	0.07	0.05	0.6	<0.005	0.07	94.6	31
E383622		0.1	0.007	2.42	1.74	2.8	4	2.1	5.1	0.09	0.08	0.4	<0.005	<0.02	49.4	26
E383623		0.1	0.004	1.3	1.79	2.1	2	2.5	4.7	0.08	0.05	0.3	0.005	<0.02	19	38
E383624		0.1	0.007	0.93	1.73	1.9	2	1.3	7.1	0.1	0.05	1.3	<0.005	<0.02	228	37
E383625		0.1	0.006	0.45	1.67	1.4	2	1.4	5.1	0.1	0.06	0.7	<0.005	<0.02	84.8	45
E383626		0.1	0.008	1.36	2.12	1.4	3	1.2	8.8	0.08	0.17	0.7	0.006	0.31	44.9	41
E383627		0.1	0.007	2.49	1.98	1.3	3	1.8	13	0.06	0.21	1.9	<0.005	0.54	38	25
E383628		0.1	0.007	1.64	1.6	1.3	3	2.5	12.5	0.08	0.19	0.3	0.005	0.05	17.7	31
E383629		0.1	0.017	2.51	1.88	1.1	3	1	18.8	0.06	0.43	0.3	<0.005	0.67	29.3	24
E383630		0.4	0.013	2.04	2.62	1.3	3	1.2	16.2	0.06	0.41	0.7	0.006	0.68	69.9	31
E383631		0.5	<0.002	0.07	0.08	0.2	3	<0.2	270	<0.05	<0.05	0.2	0.006	<0.02	0.9	5
E383632		0.2	0.045	5	4.58	0.9	4	1	15.2	<0.05	1.64	0.5	0.006	2.04	101.5	41
E383633		0.1	0.044	4.44	2.19	0.6	6	1.2	58.9	<0.05	1.8	0.3	0.005	1.22	63.7	39
E383634		0.4	0.031	3.32	1.83	0.9	4	0.8	26.9	<0.05	1.14	0.4	0.005	0.66	41.4	36
E383635		1.6	0.039	8.49	2.97	2.7	5	1.2	133.5	<0.05	1.94	0.3	0.005	0.51	14.9	18
E383636		0.7	0.037	3.98	2.5	1.9	3	1.2	252	<0.05	0.82	0.5	0.006	0.42	38.4	30
E383637		9.1	0.025	6.77	2.36	5.1	5	1.6	24.6	0.14	2.61	1.7	0.019	1.48	30.4	13
E383638		30.4	0.002	0.14	0.85	6.5	1	2.1	59	0.11	0.06	2.7	0.026	0.11	57.8	4
E383639		22.2	0.006	0.87	1.14	7.2	2	2.9	74.9	0.21	0.27	7.6	0.051	0.16	98.1	7
E383640		15.8	<0.002	0.74	0.8	7.9	2	3.3	69.3	0.2	<0.05	5.9	0.041	0.06	22.5	12
E383641		17.3	0.012	2.79	1.59	12.2	4	3	73.9	0.19	0.73	9.8	0.042	0.77	60.3	7
E383642		0.5	<0.002	0.06	0.08	0.2	2	<0.2	279	<0.05	<0.05	0.2	0.006	<0.02	0.5	4
E383643		81.6	0.021	2.18	1.53	8.7	3	7.1	675	0.21	0.24	9.1	0.086	0.37	261	53
E383644		12.8	0.003	0.17	1.23	12.5	2	3.2	68.3	0.2	<0.05	10.8	0.053	0.11	81.1	6
E383645		16.1	0.012	4.38	3.21	13	5	3	56.3	0.61	1.39	18.2	0.069	0.62	311	5
E383646		6.3	0.111	4.11	11.65	18.9	5	2.3	66.8	0.76	1.56	116.5	0.174	0.93	2560	9

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E383607		5.7	6.9	8	1.5	0.012	
E383608		0.1	2.9	32	2.4	0.001	
E383609		3.1	6.7	19	6	0.013	
E383610		3.6	7.9	24	8.6	0.025	
E383611		9.5	7.6	26	6.3	0.021	
E383612		5.6	3.6	7	0.5	<0.001	
E383613		10.7	4	11	<0.5	0.006	
E383614		6.7	4.7	9	0.6	0.013	
E383615		15	5.1	7	0.8	0.011	
E383616		15.2	6	7	1.1	0.014	
E383617		10	4.6	4	<0.5	0.009	
E383618		16.4	4.7	5	0.7	0.004	
E383619		0.2	3	22	3	0.003	
E383620		8.9	12.8	9	63	0.019	
E383621		18.9	4.8	6	1.1	0.002	
E383622		7.9	5.4	6	<0.5	0.003	
E383623		6.7	5.5	5	<0.5	<0.001	
E383624		5.6	5	6	0.5	0.003	
E383625		4.5	5.4	6	<0.5	0.002	
E383626		4.5	4.9	4	0.9	0.004	
E383627		4.3	5.5	4	0.6	0.006	
E383628		4.9	5.7	9	0.6	0.005	
E383629		2.4	6.1	12	2.4	0.008	
E383630		5.2	5.2	16	2.6	0.011	
E383631		0.1	3	22	2.7	0.001	
E383632		1.9	5.7	11	2.7	0.022	
E383633		2.9	4.5	7	0.5	0.026	
E383634		3	5.2	10	2.2	0.024	
E383635		2.9	5.7	40	9.3	0.054	
E383636		4.3	5.1	23	6	0.029	
E383637		1.6	6.4	66	39.1	0.048	
E383638		1.9	8.7	73	68.3	0.002	
E383639		3.3	12.8	19	66.2	0.006	
E383640		3.5	9.7	11	60.8	0.002	
E383641		3.6	14	31	61.6	0.018	
E383642		0.1	2.4	23	2.5	<0.001	
E383643		8	14.4	9	52.3	0.050	
E383644		4.1	12.3	13	55.6	0.001	
E383645		4.3	19	26	75.9	0.042	
E383646		8.6	87.1	26	65.3	0.047	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E383647		0.77	0.89	4.34	42	210	0.55	1.02	10.4	0.04	80	140.5	3	0.62	291	7.83
E383648		1.74	0.73	5.95	39.9	100	0.67	1.41	6.29	<0.02	17.6	230	21	0.51	94.2	7.05
E383649		1.58	2.31	6.65	98.7	120	0.85	2.57	4.46	0.03	22.7	269	27	0.74	273	6.8
E383650		1.38	2.93	6.75	116	310	0.81	3.47	1.91	<0.02	72.5	293	42	0.9	478	10.75
E383651		1.24	0.49	7.17	32.8	2150	0.85	0.63	0.98	0.03	73	76.6	36	0.61	324	6.91
E383652		1.42	2.24	5.6	152.5	130	0.63	3.21	2.04	0.03	30.2	353	23	0.8	145.5	16
E383653		1.40	0.06	5.42	1.6	6210	0.55	0.02	2.21	<0.02	30.6	13.6	24	0.34	129.5	5.58
E383654		0.16	0.03	0.13	10	60	0.07	<0.01	45.1	0.42	2.43	1.1	7	<0.05	2.6	0.06
E383655		1.13	0.57	5.19	38.6	490	0.64	0.77	2.89	<0.02	72.7	144.5	23	0.78	84.6	13.45
E383656		1.96	2.12	3.18	141	60	0.64	2.25	1.72	0.06	147.5	394	16	0.76	259	19.9
E383657		1.45	0.07	6.66	3.1	5600	3.03	0.05	3.17	<0.02	98.6	19	42	2.65	145	5.27
E383658		1.10	0.04	6.65	4.2	5730	4.09	0.02	3.03	<0.02	68	25.2	39	3.57	206	5.25
E383659		1.66	0.09	6.36	13.8	3180	3.54	0.05	2.59	<0.02	84.9	46.3	38	3.9	391	7.75

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E383647		5.16	0.14	2.5	0.022	0.22	62.3	6	3.33	6990	24.3	2.99	20.4	14.8	630	21.7
E383648		7.95	0.11	2.5	0.013	0.25	10.7	5.6	1.92	3530	14.4	4.24	8	14.5	800	17.9
E383649		9.43	0.11	2.9	0.019	0.32	12.2	12.5	1.52	2390	17.9	4.72	16.4	25	1000	27.3
E383650		10.65	0.16	2.2	0.01	0.28	57.2	32.5	1.23	1200	31.4	3.96	5.8	47.2	1950	21.4
E383651		12.05	0.13	2.3	0.005	0.24	56.5	23.7	0.7	545	43.5	4.46	4.2	30	1870	7.8
E383652		10.4	0.23	1.7	0.008	0.21	21.3	22.4	1.14	1440	56.1	3.26	2.5	52.5	1330	14.1
E383653		8.36	0.09	1.4	0.007	0.22	21.9	9.1	0.82	1555	9.92	3.73	2.7	11.6	960	3.6
E383654		0.54	<0.05	<0.1	<0.005	0.03	1.9	1.4	0.47	37	0.43	0.02	0.3	<0.2	120	0.8
E383655		10.7	0.19	1.3	0.012	0.48	53.4	24.7	1.25	1905	31.9	2.79	2.4	34.5	1370	5
E383656		9.98	0.31	0.9	0.013	0.77	74.5	17	0.79	1920	145	0.98	3.1	50.4	1230	18
E383657		17.75	0.11	2.1	0.039	3.16	63.2	46.4	1.21	2970	14.85	1.55	2.8	12.9	700	3
E383658		18.35	0.11	2.1	0.057	3.41	42.2	47.6	1.19	3240	5.1	0.61	2.9	14.3	680	2
E383659		16.45	0.14	2	0.06	3.1	54.7	40.6	1.01	3080	142	0.55	2.7	20.5	740	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E383647		8.4	0.009	1.34	3.05	18.7	2	2.2	99.7	0.32	0.53	31.9	0.072	0.22	620	3
E383648		11.7	0.011	2.19	2.28	12.2	3	2.8	76.7	0.18	0.67	22.1	0.051	0.17	372	7
E383649		10.6	0.046	2.99	4.17	9.6	3	3.3	73.8	0.33	1.33	26.9	0.073	1.17	520	9
E383650		16	0.016	3.46	5.04	10.7	4	3.8	52.6	0.13	1.82	13.1	0.08	1.48	155	27
E383651		8.8	0.012	0.65	1.16	4.9	3	2.8	186.5	0.14	0.28	3.8	0.05	0.25	38.1	29
E383652		8.8	0.014	3.61	3.18	7.7	4	2.7	172	0.09	1.71	1.9	0.041	0.96	14.1	44
E383653		8.8	0.005	0.25	0.64	4.4	1	1.9	389	0.14	<0.05	5	0.027	0.05	45.3	20
E383654		0.6	<0.002	0.06	0.09	0.3	3	0.2	269	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E383655		23.2	0.01	1.03	1.38	9	3	3.1	510	0.09	0.38	4.2	0.035	0.32	21.2	33
E383656		26.1	0.049	3.09	3.12	5.4	6	3.4	409	0.13	1.17	16.8	0.039	1.15	134	37
E383657		111.5	0.01	0.28	0.7	14.8	2	13.6	775	0.17	0.06	11.5	0.088	0.39	10.3	62
E383658		135	<0.002	0.27	0.68	12.4	2	16.3	693	0.17	0.05	10.7	0.097	0.47	19.4	59
E383659		127.5	0.005	0.33	0.84	10.4	2	13.4	730	0.17	0.07	12.6	0.097	0.51	38.5	57

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E383647		3.6	33.4	12	66.3	0.013	
E383648		3.2	20	6	67	0.020	
E383649		4.1	25.9	9	75.9	0.035	
E383650		3.5	19.6	19	61.3	0.047	
E383651		3.3	12.5	18	65.3	0.007	
E383652		2.3	11.9	16	47	0.040	
E383653		2.2	10.7	5	38.8	0.002	2.51
E383654		0.1	3	22	3.1	0.001	
E383655		2	12.9	12	38.6	0.007	
E383656		2.2	13.8	12	26.5	0.023	
E383657		6.9	11.7	6	57	0.001	4.51
E383658		9	12.3	4	57.8	<0.001	4.20
E383659		9.2	12.6	5	54.6	<0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 12-NOV-2007
Account: CASMIN

Project: IGOR-16-2007-17

CERTIFICATE OF ANALYSIS VA07111000

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07132669

Project: IGOR HOLE 19

P.O. No.: 198670

This report is for 125 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E383935		1.36	5.14	0.16	164	40	0.08	5.36	0.03	<0.02	25	1420	<1	<0.05	1880	39
E383936		1.60	3.52	1.28	171.5	60	0.1	5.02	0.13	<0.02	20.3	1920	<1	0.12	2440	34.5
E383937		1.92	1.93	0.44	87.3	30	0.07	3.15	0.23	<0.02	92.7	861	<1	<0.05	2100	35.6
E383938		2.00	2.6	0.26	119.5	30	0.06	6.64	0.35	<0.02	101	821	<1	<0.05	500	35.1
E383939		2.04	1.45	0.5	148	20	0.05	4.69	0.27	<0.02	54.2	787	<1	0.05	1070	33.4
E383940		1.56	2.7	1.7	171	30	0.1	5.99	0.52	<0.02	17.35	1080	3	0.1	1500	27
E383941		0.18	0.02	0.13	10	40	<0.05	0.01	46.6	0.35	2.35	4.3	6	<0.05	4.3	0.08
E383942		0.20	1.12	5.53	63.2	230	1.61	2.53	1.92	<0.02	47.7	151.5	33	3.51	7560	9.06
E383943		1.96	1.75	1.43	133	60	0.12	5.07	0.36	<0.02	14.7	606	3	0.11	1060	27.5
E383944		2.06	2.93	0.21	227	50	<0.05	7.75	0.24	<0.02	10	840	<1	<0.05	268	32.2
E383945		2.46	3.13	0.76	184	40	0.05	6.31	0.27	<0.02	12.3	1175	<1	0.05	1490	29.7
E383946		2.38	1.67	0.65	158	20	0.13	2.36	0.3	<0.02	113	1090	5	0.06	207	32.6
E383947		2.46	1.17	0.45	140.5	10	0.07	2.27	0.31	<0.02	37.9	715	<1	0.05	141.5	35.1
E383948		1.60	1.01	0.13	123.5	<10	0.12	1.61	0.17	<0.02	58.2	475	<1	<0.05	344	37.3
E383949		1.76	0.94	0.21	94.2	<10	0.13	2.34	0.3	<0.02	75.1	399	<1	0.05	722	39.1
E383950		2.02	1.05	0.23	276	10	0.18	2.64	0.35	<0.02	103	769	2	0.05	832	38.5
E383951		2.18	0.61	0.17	62.2	10	0.14	1	0.27	<0.02	50	304	<1	<0.05	360	42.6
E383952		2.16	0.86	0.61	163	10	0.11	1.54	0.31	<0.02	34.1	721	1	0.05	769	39.6
E383953		0.16	0.02	0.13	9	30	0.09	<0.01	47.7	0.38	2.11	2.8	8	<0.05	4.8	0.46
E383954		1.80	2.04	1.07	343	10	0.13	4.7	0.61	<0.02	47.3	2110	4	0.1	1570	36.3
E383955		2.34	1.61	0.9	205	10	0.21	3.85	0.32	<0.02	126	1140	2	0.09	1125	33.8
E383956		2.10	0.24	0.08	27.3	30	0.13	0.48	0.22	<0.02	12.15	240	3	<0.05	429	38.4
E383957		2.14	0.64	0.12	53.9	10	0.09	1.12	0.21	<0.02	15.75	436	<1	<0.05	488	35.7
E383958		2.26	1.1	0.29	107.5	10	0.12	2.17	0.19	<0.02	27.1	664	<1	0.05	716	38.8
E383959		2.28	0.88	0.17	71.4	20	0.15	1.85	0.2	<0.02	20.3	436	<1	0.05	1125	37.8
E383960		2.44	0.55	0.11	57.8	10	0.15	1.15	0.27	<0.02	22.7	339	<1	<0.05	770	38.7
E383961		1.64	0.72	0.14	101	<10	0.13	1.57	0.33	<0.02	26.6	674	<1	<0.05	292	35
E383962		1.46	0.66	0.14	55.7	10	0.21	1.32	0.2	<0.02	21.7	293	<1	<0.05	490	38.4
E383963		1.88	0.77	0.09	42.3	30	0.19	1.42	0.25	<0.02	30.8	336	<1	<0.05	550	41.2
E383964		0.18	0.01	0.12	8	20	0.14	0.02	45.6	0.33	1.93	1.7	2	<0.05	3.4	0.44
E383965		0.22	1.13	2.26	121	220	0.72	10.25	2.46	<0.02	184	322	6	2.36	8700	27.4
E383966		3.06	0.35	0.09	48.1	20	0.13	0.49	0.31	<0.02	36.5	252	<1	<0.05	232	37.8
E383967		2.70	0.43	0.36	42.5	330	0.15	0.73	0.21	<0.02	12.95	378	<1	<0.05	739	37.6
E383968		1.58	0.36	0.17	43.3	150	0.12	0.42	0.24	<0.02	12.35	221	<1	<0.05	364	42.6
E383969		1.82	0.32	0.08	33.7	300	0.11	0.61	0.24	<0.02	27.2	348	<1	<0.05	445	42.3
E383970		2.36	0.45	0.1	73.3	330	0.13	0.89	0.26	<0.02	33.2	467	<1	<0.05	346	39
E383971		2.02	0.95	0.27	208	50	0.13	2.97	0.24	<0.02	22.7	1075	<1	<0.05	457	39.7
E383972		1.64	0.79	0.45	137.5	340	0.12	1.36	0.25	<0.02	23.4	546	<1	0.05	347	37
E383973		2.50	0.77	0.51	133.5	380	0.14	1.41	0.3	<0.02	28.7	520	<1	0.05	368	34.8
E383974		2.18	1.68	0.18	258	50	0.12	5.4	0.25	<0.02	16.65	1065	<1	<0.05	506	39.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	N	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E383935		3.81	0.48	<0.1	0.047	0.01	16.2	0.8	0.02	597	119.5	<0.01	3.8	47.5	710	73.4
E383936		10.15	0.47	0.2	0.049	0.02	13.6	14.7	0.41	1970	120.5	<0.01	2.6	85.6	920	80.3
E383937		6.01	0.5	0.1	0.049	0.01	62.8	5	0.42	3940	100.5	<0.01	4.6	57.7	1060	30.4
E383938		4.34	0.5	<0.1	0.055	0.01	65.3	2.6	0.45	4490	176.5	<0.01	3.9	43.5	1370	17.1
E383939		5.32	0.48	0.1	0.048	0.01	33.5	5.2	0.41	3170	155	<0.01	4.3	54.7	1020	9.9
E383940		11.05	0.36	0.6	0.032	0.03	9.9	21.3	0.64	1605	81.9	<0.01	9	123	2640	31.5
E383941		0.37	<0.05	0.1	0.006	0.03	1.8	1.4	0.49	38	0.94	0.01	0.3	<0.2	110	0.6
E383942		14	0.14	1.7	0.141	2.01	16.4	21.1	1.08	3010	67.9	1.01	3.4	36.9	770	21.3
E383943		8.59	0.33	0.4	0.034	0.02	7.9	18.7	0.53	1655	75.9	<0.01	12.8	84.5	1900	18.4
E383944		3.51	0.41	0.1	0.039	0.01	5.4	2.4	0.36	3180	62.1	<0.01	4.6	50	970	21.7
E383945		5.78	0.41	0.1	0.029	0.01	7.1	8.9	0.4	1895	42.3	<0.01	5.1	81.5	1150	28.5
E383946		7.51	0.31	0.3	0.013	<0.01	72.3	8.9	0.26	899	157	<0.01	12.8	79.3	1390	9.6
E383947		6.42	0.33	0.1	0.028	<0.01	25.6	5.3	0.28	1655	150	<0.01	9.7	62.4	1420	7.5
E383948		5.18	0.36	0.1	0.029	<0.01	37.1	1.2	0.14	1275	119	<0.01	9.5	49.6	1100	6.8
E383949		5.99	0.36	0.1	0.032	<0.01	50.5	2.2	0.11	939	133.5	<0.01	9.6	51.5	1840	6.6
E383950		6.2	0.38	0.1	0.032	<0.01	69.8	2.3	0.17	1400	116	<0.01	9.1	57.9	2110	10.9
E383951		7.14	0.39	<0.1	0.016	<0.01	31.4	2.2	0.11	869	27.9	<0.01	12	60.7	1430	5.8
E383952		8.94	0.35	0.1	0.017	<0.01	22.5	8.2	0.26	927	71.5	<0.01	6.9	78.3	1470	5.5
E383953		0.53	<0.05	0.1	<0.005	0.03	1.6	1.7	0.52	43	0.7	0.01	0.3	1	130	0.7
E383954		10.1	0.37	0.3	0.012	<0.01	31.6	15.1	0.37	687	154	<0.01	6.8	110	1810	13.9
E383955		10.35	0.36	0.2	0.013	<0.01	89	12.9	0.31	534	106	<0.01	8.9	92.6	1580	11.7
E383956		5.77	0.31	<0.1	0.024	<0.01	7.6	1.6	0.25	2210	18.1	<0.01	8.7	52.9	880	2.5
E383957		5.01	0.29	<0.1	0.029	<0.01	10.3	1.8	0.46	3840	36.7	<0.01	9.2	55.3	860	4.6
E383958		5.82	0.41	<0.1	0.017	<0.01	16.5	1.7	0.3	2100	42.6	0.01	8.5	59.9	1050	8
E383959		5.53	0.41	<0.1	0.045	<0.01	11.6	1.1	0.33	3080	33.6	<0.01	8.9	58.6	1110	7.1
E383960		5.49	0.4	<0.1	0.049	<0.01	13.4	0.7	0.31	3210	36.7	<0.01	8.1	55.6	1410	5.1
E383961		5.66	0.4	<0.1	0.038	<0.01	15.8	1.2	0.41	3840	95.4	<0.01	6.4	55.1	1670	6.2
E383962		5.47	0.42	<0.1	0.054	<0.01	12.4	0.9	0.21	2310	52.4	<0.01	6.3	47.7	1320	7.1
E383963		5.5	0.47	<0.1	0.031	<0.01	18.3	0.6	0.17	1725	75.6	<0.01	12.2	49.4	1410	7.2
E383964		0.47	<0.05	0.1	<0.005	0.03	1.4	1.3	0.49	47	0.53	0.01	0.4	<0.2	160	0.7
E383965		10.3	0.47	0.8	0.234	0.64	114	20.4	1.54	5860	65.5	0.23	8	68.9	2330	6.1
E383966		6.66	0.41	<0.1	0.015	<0.01	22.4	0.8	0.32	2950	62.8	<0.01	10.7	54.7	1290	3.4
E383967		9.57	0.42	<0.1	0.022	<0.01	7.2	3.6	0.3	1960	56.9	<0.01	7.4	74.9	1020	3.6
E383968		9.01	0.45	<0.1	0.014	<0.01	6.8	1.6	0.24	1880	51.8	<0.01	7.4	65.6	1090	4.9
E383969		8.19	0.47	<0.1	0.007	<0.01	17.3	0.7	0.2	1870	36.2	<0.01	10.4	67	1120	3.6
E383970		7.53	0.43	<0.1	0.013	<0.01	21.9	0.9	0.22	1880	61.3	<0.01	10.4	66.3	1310	3.2
E383971		9.1	0.49	<0.1	0.013	<0.01	13.9	2.6	0.23	1635	170.5	<0.01	8.9	83.8	1220	6
E383972		10.65	0.44	0.1	0.011	<0.01	15	4.4	0.33	2190	107.5	<0.01	8.2	95.2	1240	5.2
E383973		9.16	0.4	0.1	0.018	<0.01	19	4.7	0.36	2370	108	0.03	7.8	92.1	1450	5.2
E383974		8.28	0.47	<0.1	0.016	<0.01	9.9	1.9	0.24	2270	161	<0.01	5.5	97.8	1190	15.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E383935		0.3	0.032	9.6	2.51	2.5	11	1.2	3	<0.05	0.91	2.4	0.007	0.47	480	16
E383936		1	0.039	>10.0	2.15	5.2	11	1.4	5.3	<0.05	0.97	3.7	0.009	0.43	820	11
E383937		0.1	0.021	5.63	2.05	3.8	6	1.5	4	<0.05	0.52	1.6	0.006	0.29	338	16
E383938		0.1	0.028	6.23	3.98	4.1	5	2.5	5.6	<0.05	2.19	1.7	0.005	0.29	128	19
E383939		0.1	0.021	5.2	1.75	3.1	6	2.3	3.8	<0.05	1.28	0.7	0.006	0.22	69.9	21
E383940		1.4	0.018	7.77	2.94	5.3	5	2	8.4	0.3	1.8	6.1	0.021	0.49	520	15
E383941		0.5	0.003	0.07	0.05	0.4	3	<0.2	278	<0.05	<0.05	0.2	0.008	<0.02	1.8	6
E383942		89.1	0.023	2.15	1.52	9.4	3	7.3	599	0.18	0.23	7.9	0.084	0.34	280	51
E383943		0.8	0.018	4.54	3.36	3	4	2	9.5	0.38	1.58	8	0.028	0.39	420	26
E383944		0.2	0.016	6.03	3.6	2.9	4	1.6	7.5	0.1	3.08	3.2	0.013	1.58	226	34
E383945		0.6	0.013	7.43	3.2	3.4	6	2.1	5.3	0.09	2.16	2.1	0.01	1.25	251	19
E383946		0.3	0.026	6.37	1.37	3.3	7	1.5	6.1	0.28	0.88	5.3	0.017	0.81	34.8	21
E383947		0.2	0.023	4.38	1.36	5.2	4	2.2	5.4	0.07	0.48	2.5	0.008	0.54	40.1	18
E383948		0.2	0.01	2.8	1.75	3.6	3	1.8	4.4	0.06	0.2	1.3	0.007	0.53	38.9	21
E383949		0.2	0.009	2.16	1.6	3.3	3	2.9	6.4	0.06	0.15	1.5	0.007	0.14	63.7	25
E383950		0.2	0.012	4.11	2.93	3.9	4	2.7	7	0.06	0.38	1.8	0.007	1.9	68.3	28
E383951		0.1	<0.002	1.65	1.89	1.9	2	2.2	5.3	0.07	0.05	0.4	0.006	0.18	21.5	31
E383952		0.3	0.011	4.2	1.99	1.9	3	2.2	5.9	0.08	0.43	0.4	0.01	0.79	10.8	42
E383953		0.5	<0.002	0.08	0.06	0.4	<1	<0.2	294	<0.05	<0.05	0.2	0.006	<0.02	0.9	2
E383954		0.2	0.032	>10.0	2.75	1.9	8	1.8	6.8	0.09	1.75	1.2	0.012	1.31	52.1	28
E383955		0.1	0.019	6.33	3	1.9	5	1.7	6.2	0.06	0.51	2.1	0.009	0.68	51.4	26
E383956		0.1	0.002	1.53	1.58	2.7	2	0.8	4.2	<0.05	<0.05	0.2	0.005	0.07	15.9	23
E383957		0.1	0.006	2.73	1.41	2.3	3	0.8	4.3	<0.05	0.06	<0.2	0.005	0.2	20.2	21
E383958		0.3	0.01	3.91	2.68	2.5	2	1	3.8	0.07	0.26	0.3	0.006	0.51	56.8	27
E383959		0.2	0.006	2.61	2.44	3.3	2	1.4	4.4	0.06	0.14	0.2	<0.005	0.24	44.6	23
E383960		0.2	0.007	2.02	2.22	3.1	2	1.3	5.5	0.06	0.08	0.3	<0.005	0.21	37.3	27
E383961		0.1	0.015	3.97	2.43	3.6	3	1	6	0.05	0.24	0.2	<0.005	0.63	22.9	26
E383962		0.1	0.007	1.66	2.44	3.9	2	1.1	4.9	0.09	0.07	0.7	<0.005	0.1	89.5	40
E383963		0.1	0.007	1.59	2.41	3	2	2	5.5	0.09	<0.05	0.4	<0.005	0.08	79.9	34
E383964		0.6	<0.002	0.06	0.08	0.6	1	<0.2	276	<0.05	<0.05	0.2	0.006	<0.02	0.8	1
E383965		38.3	0.019	6.91	2.19	5	4	7.5	208	0.18	1.03	5.5	0.043	0.5	15	61
E383966		0.1	0.005	1.32	1.58	2.6	2	2.3	5.5	0.1	<0.05	0.3	0.005	0.02	44.6	40
E383967		0.1	0.007	2.34	1.47	2.2	2	1.2	7.6	0.07	0.06	0.3	0.006	0.04	37.7	40
E383968		0.1	0.008	1.24	1.45	1.4	1	0.9	6.3	0.07	0.07	0.3	0.013	0.21	39.5	52
E383969		0.1	0.003	2.21	1.48	1.6	3	1.8	8.1	0.11	0.06	0.4	0.005	0.04	34.5	48
E383970		0.1	0.009	2.78	1.51	1.8	3	1.7	9.4	0.09	0.22	0.3	0.005	0.22	22.2	39
E383971		0.1	0.034	5.96	2.05	1.8	12	1	11.9	0.08	1.42	0.3	0.005	0.37	34.9	38
E383972		0.1	0.019	3.19	2.87	1.7	4	1.2	11.2	0.08	0.46	0.3	0.005	0.88	35	38
E383973		0.4	0.028	3.29	2.21	1.6	4	1.2	11.9	0.05	0.45	0.4	0.006	0.6	33.8	35
E383974		0.2	0.063	7.54	2.98	1.1	7	1.1	17.7	<0.05	2.04	0.4	0.005	1.71	109.5	36

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E383935		7.6	4.1	15	1.3		0.048	
E383936		6.4	9.1	28	7.3		0.062	
E383937		8.5	5.7	14	2.2		0.037	
E383938		8.9	5.3	14	0.8		0.053	
E383939		6.1	4.2	18	1.5		0.036	
E383940		4.3	12.9	39	19.8		0.054	
E383941		0.1	2.8	32	3.4		0.001	
E383942		8.1	14.7	7	56.7		0.063	
E383943		3.3	10.6	34	14.1		0.041	
E383944		2.8	5.7	15	3.3		0.056	
E383945		3	6.5	22	4.1		0.050	
E383946		3.2	6.3	18	10		0.027	
E383947		4.4	5.5	12	2.6		0.022	
E383948		8.4	4.8	5	2.3		0.013	
E383949		9.2	7	3	2.2		0.015	
E383950		10.2	8.3	4	2.7		0.017	
E383951		10.6	5.7	<2	0.8		0.006	
E383952		6.2	5.7	8	3.6		0.012	
E383953		0.1	2.7	50	4.3		<0.001	
E383954		6	7.2	16	9.4		0.025	
E383955		16	7.5	14	6.1		0.022	
E383956		8.4	3.6	3	<0.5		0.003	
E383957		8.4	3.5	3	<0.5		0.007	
E383958		15.6	4.2	4	1		0.012	
E383959		17.5	4.7	4	0.6		0.009	
E383960		13.9	5.2	<2	<0.5		0.006	
E383961		7.8	6.7	3	0.6		0.015	
E383962		17.8	5.2	4	0.9		0.005	
E383963		16.6	5.5	3	0.7		0.006	
E383964		0.1	2.9	21	3.4		0.001	
E383965		8.2	15.1	11	24.4		0.120	
E383966		7.2	5.5	<2	<0.5		0.004	
E383967		6.5	4.3	5	1.9		0.006	
E383968		4.5	4.6	2	<0.5		0.006	
E383969		4.4	4.8	<2	<0.5		0.004	
E383970		5.4	5	<2	<0.5		0.007	
E383971		5.1	5.1	<2	0.8		0.031	
E383972		4.9	5.3	5	1.6		0.014	
E383973		4.1	5.9	8	1.9		0.013	
E383974		3.3	5.5	3	0.9		0.042	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E383975		2.50	1.66	0.23	208	50	0.1	4.11	0.18	<0.02	25.4	716	<1	<0.05	267	43
E383976		0.20	0.02	0.12	<5	30	0.13	<0.01	45.8	0.32	1.95	2.7	2	<0.05	3.1	0.41
E383977		2.24	0.69	0.37	86.2	130	0.11	0.97	0.5	<0.02	43.3	256	<1	<0.05	356	33.2
E383978		1.94	0.87	0.98	138	80	0.2	1.35	0.23	<0.02	34.8	347	<1	0.1	329	32.3
E383979		1.76	1.06	1.18	150.5	110	0.18	1.79	0.3	<0.02	29.2	552	<1	0.11	421	31.2
E383980		1.80	1.37	4.36	140.5	170	0.66	2.43	0.31	<0.02	124	573	12	0.8	562	20.5
E383981		0.94	0.12	7.89	8.3	150	1.22	0.05	2.69	<0.02	13.4	48.2	16	1.09	517	5.2
E383982		1.56	0.05	7.26	3	530	1.17	0.01	3.42	<0.02	15.8	61.7	25	0.8	65.2	4.06
E383983		0.92	0.04	7.3	2.6	6310	1.3	0.01	3.63	<0.02	29.1	46.2	22	0.9	63	4.24
E383984		1.42	0.06	6.93	4.1	1570	0.93	0.02	4.87	<0.02	66.5	99.6	21	0.62	109	5.41
E383985		1.42	4.46	5.73	280	310	0.86	7.59	0.86	<0.02	9.13	1360	30	1.38	291	19.9
E383986		1.20	3.96	3.38	254	60	0.6	5.95	2.79	<0.02	16.35	845	44	0.91	417	25.4
E383987		0.16	0.03	0.18	<5	30	0.14	0.02	>50	0.37	2.17	4.6	2	<0.05	3.7	0.31
E383988		0.20	0.29	6.85	53.6	380	2.68	1.53	2.26	<0.02	84.5	112	39	6.09	1550	7.27
E383989		0.88	1.76	5.85	95.4	240	0.76	2.47	4.85	<0.02	26.6	416	9	0.55	260	14.45
E383990		1.88	1.21	4.44	86.3	330	0.67	2.12	3.46	<0.02	265	363	26	0.53	238	17.2
E383991		1.30	0.88	6.09	56.2	130	0.75	1.37	5.6	<0.02	18.85	168	6	0.6	113	5.48
E383992		1.76	0.65	6.2	52	880	0.89	1.32	4.09	<0.02	17.3	144	23	0.81	175.5	5.86
E383993		1.24	1.8	6.13	93.2	200	0.76	2.76	2.42	<0.02	23.3	244	24	0.48	354	6.58
E383994		1.52	0.74	7.62	34.4	490	0.87	0.58	1.94	0.03	40.1	99.1	41	0.67	432	7.47
E383995		3.22	2.23	4.24	169.5	40	0.41	2.57	0.98	<0.02	85.7	404	22	0.69	307	21.7
E383996		2.84	1.4	6	205	60	2.98	3.78	1.88	<0.02	119.5	274	38	3.66	589	15.4
E383997		1.36	3.03	3.5	468	30	1.45	7.89	1.39	0.05	314	781	22	1.73	3850	29.4
E383998		2.36	0.52	0.34	33.4	300	0.2	0.72	0.67	0.02	307	150	<1	0.1	8370	48.4
E383999		0.18	0.02	0.13	<5	30	0.11	<0.01	49.1	0.41	2.75	1.2	9	<0.05	22	0.11
E384000		1.98	1.46	0.27	173	20	0.18	3.41	1.49	0.05	272	497	<1	0.06	>10000	47.5
E384001		2.46	0.11	0.27	9.9	110	0.11	0.22	0.12	<0.02	26.1	25.2	8	0.16	987	3.04
E384002		2.10	1.1	0.11	135	180	0.25	3.01	1.15	0.03	156.5	434	<1	<0.05	>10000	45.1
E384003		1.46	2.91	1.2	333	40	0.63	7.12	0.96	0.06	154	588	9	0.49	5430	39.6
E384004		3.28	4.27	3.98	496	40	1.58	9.03	0.96	0.03	188.5	596	29	1.97	364	26
E384005		2.72	0.31	5.19	83.1	90	2.03	3.83	4.02	<0.02	83.8	161	27	2.88	1800	10.7
E384006		1.26	0.29	6.32	123.5	80	2.27	8.09	6.25	<0.02	131	173.5	30	3.68	390	7.86
E384007		1.58	1.32	4.37	247	40	2.05	12.9	6.08	<0.02	31.6	334	20	2.16	4490	10.3
E384008		1.54	2.18	4.09	298	40	1.62	14.15	7.53	0.04	45.8	410	15	1.5	9510	10.85
E384009		1.42	2.69	3.22	300	30	1.33	13.55	1.16	0.06	37.8	431	21	1.22	>10000	19.9
E384010		0.18	0.03	0.14	<5	70	0.12	0.03	49.5	0.4	2.27	1.3	7	<0.05	40.4	0.09
E384011		0.18	0.99	5.93	57	70	1.73	2.41	2.09	<0.02	55.6	154	36	3.35	8010	9.5
E384012		1.20	5.88	3.18	576	20	1.15	23.4	0.25	0.09	23.3	694	17	1.49	>10000	23.2
E384013		1.56	4.01	5.66	335	50	2.42	11	2.99	0.04	58.3	382	30	2.45	5830	9.54
E384014		3.00	0.59	5.38	174.5	60	2.18	8.16	0.21	0.02	55.6	263	34	2.77	985	13.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E383975		9.66	0.49	<0.1	0.008	<0.01	16.6	2.2	0.19	1555	186	<0.01	6.9	107.5	850	11.2
E383976		0.51	<0.05	0.1	<0.005	0.03	1.4	1.4	0.49	44	1.3	0.01	0.3	<0.2	120	0.7
E383977		9.08	0.42	<0.1	0.01	<0.01	30.2	4.1	0.26	1860	134.5	<0.01	5.6	83.7	890	4.6
E383978		9.7	0.38	0.1	0.01	0.01	23.3	11.1	0.42	1730	96	<0.01	3.7	82	990	5.9
E383979		9.98	0.4	0.1	0.011	0.01	17.6	15.3	0.47	1390	87.8	<0.01	3.3	88.4	1290	5
E383980		10.3	0.31	1.2	0.008	0.22	91.7	38.6	0.85	931	57.4	1.43	8.2	76.7	970	13
E383981		10.5	0.09	2.3	0.015	0.65	7.4	31.2	1.2	2750	15.3	4.71	12.4	13.4	970	5.5
E383982		10.85	0.08	2.3	0.009	0.52	9.4	17.8	1.2	2790	1.56	5.2	6.1	11.9	710	4.2
E383983		12.6	0.08	2.1	0.01	0.7	18.9	21.8	1.31	2600	1.96	4.82	5.8	10.9	690	2.9
E383984		11.75	0.1	2.2	0.008	0.37	45.7	12.8	1.69	3490	3.43	4.89	5.4	12.9	720	4.5
E383985		10.4	0.27	2.1	0.005	0.25	4.2	25	0.74	1225	69.3	3.23	26.6	79.6	720	44.7
E383986		9.25	0.34	0.8	0.041	0.12	8.4	24.9	1.53	3430	37.2	1.32	7.8	95.2	410	39.8
E383987		0.56	<0.05	0.1	<0.005	0.03	1.6	1.6	0.57	67	0.59	0.03	0.4	<0.2	130	0.8
E383988		19.85	0.15	1.9	0.119	3.06	41.6	24.5	1.34	3270	20.9	0.58	2.6	29.1	760	2.8
E383989		9.84	0.19	1.7	0.026	0.12	17.6	24.5	2.39	4570	13.55	3.25	11.6	59	210	17.3
E383990		10.8	0.34	1.7	0.012	0.13	201	20.2	1.54	2730	16.25	2.43	13.8	61.2	810	12.6
E383991		7.9	0.09	2.3	0.008	0.3	9.8	8.7	1.87	3280	14.5	4.42	14.4	16.3	600	20
E383992		9.2	0.1	2.3	0.005	0.39	9.5	21.7	1.63	2200	13.3	4.06	4.2	25.7	840	13
E383993		10.9	0.11	2.4	0.011	0.16	16.3	17.7	1.08	1610	12.05	4.4	3.8	32.7	1060	13.8
E383994		14	0.17	2.5	<0.005	0.27	29.9	28.1	1.23	1360	20.2	4.73	4.8	38.5	1460	7.2
E383995		12.7	0.43	1.3	<0.005	0.34	52	23.8	0.86	692	63.2	1.96	3.5	73.5	1540	10.9
E383996		18.45	0.4	1.9	0.061	3.16	82.9	41.6	0.86	2450	47.6	0.12	5.8	51	1560	9.9
E383997		12.95	0.71	1.3	0.073	1.75	231	24.6	0.75	2320	93.6	0.11	8.3	83.1	1320	18
E383998		8.49	0.78	0.2	0.069	0.06	234	2.3	0.29	1600	26.1	0.01	8.6	101	1290	2.6
E383999		0.43	<0.05	0.1	<0.005	0.03	2.2	1.1	0.52	42	0.54	0.01	0.4	<0.2	110	0.7
E384000		8.08	0.79	0.1	0.135	0.03	208	2.1	0.54	2460	62.9	0.01	6.4	96.6	1550	7.9
E384001		1.26	0.06	0.2	<0.005	0.09	17.9	2.7	0.05	237	4.84	0.01	0.8	6.7	120	2
E384002		5.88	0.68	0.1	0.093	0.01	118.5	0.8	0.46	2270	37.2	<0.01	7.8	94.9	1530	6.4
E384003		8.24	0.64	0.5	0.089	0.45	114.5	9.2	0.59	2390	111	0.01	8.3	102	1360	19.1
E384004		13.25	0.56	1.2	0.046	1.95	138.5	29.2	0.76	2140	90	0.03	7.2	95.2	1400	24
E384005		15.55	0.25	2	0.129	2.33	47.3	18.3	2.59	10700	21.6	0.03	3.2	40.4	1180	4
E384006		19.3	0.28	2.6	0.12	2.71	72.4	24.6	3.23	5230	32.9	0.04	4	49.4	680	5.9
E384007		11.3	0.28	1.9	0.154	1.78	7.8	23.6	3.15	7550	67.8	0.03	2.7	57.3	460	16.1
E384008		8.9	0.26	1.7	0.127	1.45	19.5	22.5	3.86	6340	60.7	0.02	1.8	59.1	470	13.7
E384009		10.45	0.4	1.6	0.522	0.99	20.8	20.5	2.86	15250	151.5	0.01	2.2	67.8	670	14.5
E384010		0.42	<0.05	0.1	<0.005	0.03	1.8	1.2	0.53	65	1.17	0.01	0.3	0.2	100	1.4
E384011		15.4	0.19	2	0.129	2.23	23.9	19.7	1.19	3160	65.5	1.08	3.2	36.2	830	20
E384012		10.8	0.49	1.5	0.624	1.25	10.4	14.8	2.36	16200	259	0.01	3.3	99.1	840	322
E384013		17.5	0.26	1.7	0.176	2.54	18.5	19.8	2.37	5510	112	0.03	2.1	41.2	660	37.1
E384014		20.1	0.27	2	0.363	2.39	27.4	19.6	1.71	10050	17.9	0.03	2.2	38.1	780	12.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E383975		0.1	0.068	5.58	2.01	0.9	6	1.3	38.2	<0.05	2.12	0.3	0.006	1.52	64.4	44
E383976		0.7	<0.002	0.09	0.08	0.5	1	<0.2	276	<0.05	<0.05	0.2	0.006	<0.02	0.8	2
E383977		0.1	0.04	1.75	1.35	1	3	1.3	37	<0.05	0.5	0.4	0.005	0.56	33.9	39
E383978		0.8	0.029	2.67	2.26	2	4	1.8	69.9	<0.05	0.56	0.4	0.008	0.67	23.5	36
E383979		0.4	0.029	4.14	2.16	2.4	7	1.1	106	<0.05	0.98	0.2	0.006	0.43	12.5	40
E383980		11.8	0.019	4.54	2.09	5	3	1.7	28.9	0.11	1.08	8.2	0.03	0.76	138.5	21
E383981		34.9	0.002	0.07	1.22	7.6	<1	3.3	63.4	0.22	0.05	10.1	0.064	0.15	134.5	5
E383982		27.1	<0.002	0.16	0.97	7.6	<1	3.5	75.9	0.24	<0.05	6.8	0.057	0.07	38.8	10
E383983		40.1	<0.002	0.3	0.85	9.3	<1	4	169	0.25	<0.05	5.4	0.057	0.08	10.9	12
E383984		20.2	<0.002	0.47	0.78	13.3	<1	3.6	101.5	0.21	<0.05	5.4	0.053	0.07	27.2	9
E383985		9.9	0.022	>10.0	4.59	9.6	7	2.5	53.1	0.48	3.69	9.4	0.058	1.38	175	23
E383986		4.6	0.018	8.46	5.22	26.4	5	1.1	39.9	0.15	2.26	11.2	0.028	1.24	229	44
E383987		0.7	<0.002	0.12	0.12	0.7	1	<0.2	315	<0.05	<0.05	0.3	0.007	<0.02	1.4	2
E383988		144	0.006	1.3	1.08	11.4	1	7.6	475	0.14	0.19	13.3	0.103	0.38	17.7	64
E383989		5.2	0.005	4.19	2.59	38.6	3	2	66.8	0.21	1.06	10	0.058	0.58	275	12
E383990		6.7	0.003	3.74	2.58	24.1	3	2.4	54.4	0.2	0.9	11.9	0.057	0.42	178	19
E383991		15.8	0.019	1.84	2.99	13.8	1	2.7	86.8	0.22	0.65	24.7	0.065	0.2	460	2
E383992		21.7	0.018	1.56	2.22	12.9	1	3	82.6	0.13	0.64	16	0.059	0.18	263	10
E383993		5.6	0.005	2.64	2.9	12.1	3	3.2	74.9	0.16	1.46	9.6	0.052	0.92	102.5	14
E383994		11.7	0.008	0.63	1.42	8.7	1	3.6	246	0.19	0.37	3.2	0.068	0.25	42.1	32
E383995		16	0.016	3.47	3.12	6.7	4	2.7	269	0.09	1.37	4.5	0.041	0.94	18.2	58
E383996		130	0.015	3.51	2.28	10.1	2	21.7	51.6	0.16	0.64	6.8	0.107	1.03	48.5	69
E383997		79.9	0.034	7.99	4.03	6	6	14.7	25.2	0.16	1.59	16.2	0.067	1.28	182	55
E383998		2.6	0.008	1.95	1.61	0.3	3	2.3	14.9	0.12	0.12	4.3	0.013	0.05	13.2	47
E383999		0.6	<0.002	0.07	0.07	0.4	1	<0.2	290	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E384000		1	0.02	5.55	2.4	0.7	5	2.4	30.1	0.07	0.69	3.4	0.008	1.16	29.7	39
E384001		3	0.002	0.31	0.28	1	<1	0.3	6.8	<0.05	0.05	2.3	0.016	0.1	2.5	5
E384002		0.5	0.019	4.86	1.99	0.3	6	1.7	13.9	0.07	0.61	2	0.007	0.52	17.9	41
E384003		20.7	0.041	6.01	4.37	1.8	7	5.6	17.8	0.13	1	13.7	0.039	2.27	332	52
E384004		86.9	0.035	7.12	3.95	5	4	13.9	30.7	0.13	1.39	12.2	0.08	2.75	161	65
E384005		90.7	0.013	1.45	0.84	8.3	1	4.6	298	0.12	0.14	9.1	0.089	0.78	16.4	77
E384006		106	0.025	2.73	1.2	10.6	1	4.6	135.5	0.22	0.15	11.9	0.114	0.79	26.8	74
E384007		74.5	0.021	4.34	1.28	9.2	1	2.5	483	0.17	0.07	5.7	0.083	1.85	133.5	47
E384008		55.5	0.013	5.33	1.09	8.3	<1	1.8	219	0.12	0.05	8.6	0.063	2.06	39.2	38
E384009		43.7	0.072	5.29	1.08	8.4	1	3.2	146.5	0.11	0.12	6.5	0.054	2.43	160.5	55
E384010		0.7	<0.002	0.08	0.08	0.3	1	<0.2	293	<0.05	<0.05	0.2	0.007	<0.02	3.9	5
E384011		87.5	0.023	2.27	1.54	9.3	2	7.2	670	0.18	0.24	8.3	0.083	0.39	294	57
E384012		55	0.144	8.66	3.32	6.2	2	4.3	45.6	0.12	0.23	7.4	0.059	4.33	2790	53
E384013		95.1	0.07	3.49	1.36	9	1	6.2	346	0.12	0.13	9.4	0.106	2.25	316	70
E384014		106.5	0.018	2.37	1	9.9	<1	5.4	338	0.1	0.13	8.6	0.095	1.54	69	69

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E383975		3.4	3.7	3	0.7		0.042	
E383976		0.1	2.9	21	2.9		<0.001	
E383977		3.9	4	6	0.7		0.010	
E383978		7.5	4.3	14	4.4		0.013	
E383979		5.9	4.9	19	2.8		0.022	
E383980		3.7	10.6	39	36.2		0.025	
E383981		4.7	13	21	69.4		<0.001	
E383982		4.7	11.8	7	71.2		<0.001	
E383983		5.1	11	7	64.7		<0.001	0.69
E383984		4.3	15.1	9	66.2		<0.001	
E383985		6.4	18.6	27	64.3		0.085	
E383986		7.8	17.8	36	24.2		0.056	
E383987		0.1	3.2	23	3.5		<0.001	
E383988		7.9	11.4	2	57.5		0.017	
E383989		3.4	18.9	24	51		0.029	
E383990		7.8	21.1	19	52.8		0.027	
E383991		3.6	23.7	3	68.9		0.014	
E383992		2.8	18.9	8	69.6		0.016	
E383993		2.9	16.1	12	76.4		0.039	
E383994		3.9	12.9	32	82.1		0.005	
E383995		2.2	10.6	31	47.3		0.029	
E383996		11.6	16.5	19	61.4		0.034	
E383997		9	18.9	25	42.3		0.085	
E383998		6.5	11.6	3	6		0.051	
E383999		0.1	2.9	22	3.8		<0.001	
E384000		6.3	13.2	<2	3	1.385	0.156	
E384001		0.4	2.5	4	6.3		0.008	
E384002		3.5	9.8	<2	2.5	1.520	0.075	
E384003		12.4	16.3	7	16.4		0.088	
E384004		9	16.8	25	38.6		0.048	
E384005		9.5	13	19	64.2		0.006	
E384006		11.4	15.1	21	83.3		0.007	
E384007		8.6	13.9	22	61.7		0.010	
E384008		5.7	10.8	16	55.5		0.015	
E384009		5.9	11.6	29	54	1.530	0.035	
E384010		0.1	2.8	25	4		0.001	
E384011		8.3	14.5	7	64.6		0.055	
E384012		8.1	29.1	12	49.8	2.81	0.067	
E384013		9.9	14.7	14	57.2		0.020	
E384014		9.5	10.9	29	63.2		0.011	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384015		3.14	1.52	3.77	11.4	600	0.96	0.45	0.42	<0.02	242	51.9	24	1.69	3130	16
E384016		1.60	0.95	2.65	12.7	510	0.57	0.27	0.58	<0.02	221	52.8	17	0.92	1740	21.3
E384017		1.62	1.73	2.95	9.4	310	0.69	0.4	0.77	<0.02	254	49.8	18	1.21	3600	21.2
E384018		1.72	1.85	6.32	11.8	200	1.13	0.57	0.32	<0.02	269	62.3	37	2.08	7600	17.7
E384019		0.96	3.12	3.16	10.2	120	0.57	0.69	0.51	<0.02	497	51.1	17	1.04	8810	18.7
E384020		1.56	2.95	4.13	7.5	410	1.04	0.68	0.46	0.03	398	45.3	23	2.32	8900	16.85
E384021		1.60	0.42	3.51	8.2	880	0.78	0.23	0.39	<0.02	332	34.3	25	1.93	1320	18.5
E384022		0.18	0.03	0.14	<5	30	0.08	<0.01	49	0.4	2.92	0.7	5	<0.05	10.4	0.08
E384023		1.04	0.43	2.18	10.4	290	0.48	0.13	0.46	<0.02	291	47.2	24	0.89	780	21
E384024		1.58	0.64	3.52	11.2	210	0.5	0.22	0.52	<0.02	238	52.6	20	0.84	2810	21
E384025		1.32	0.27	8.97	2.3	770	3.1	0.17	0.22	<0.02	142.5	29.6	58	5.09	1230	9.06
E384026		1.32	0.13	9.1	3.4	1120	3.43	0.06	0.18	<0.02	170.5	21	61	6.18	292	7.28
E384027		1.32	0.31	8.88	3.5	740	2.75	0.52	0.2	<0.02	153.5	39	60	5.6	8110	9.16
E384028		0.92	0.15	8.71	5.7	740	2.68	0.11	0.36	<0.02	142.5	46.5	56	5.26	1770	11.55
E384029		1.36	0.07	7.57	3.6	2390	2.16	0.01	0.21	<0.02	123.5	82.1	48	4.13	474	14.6
E384030		1.80	0.05	7.68	3.6	810	1.91	0.03	0.19	0.03	121.5	69.2	46	6.27	341	11.7
E384031		0.96	0.07	8.77	7.4	2400	2.74	0.11	0.26	<0.02	126	32.6	60	10.25	237	6.46
E384032		0.96	0.08	8.87	7.6	630	3.13	0.2	0.25	<0.02	111.5	60.7	68	14.65	88	10.3
E384033		0.18	0.02	0.14	<5	30	0.08	<0.01	47.1	0.37	2.21	0.9	5	<0.05	2.9	0.06
E384034		0.20	1.18	2.29	109	20	0.53	10.35	2.25	<0.02	211	324	10	2.58	8430	26.1
E384035		1.30	0.2	9.05	6.8	9770	4.39	0.37	0.24	<0.02	97.8	30.9	65	9.5	199.5	4.52
E384036		1.34	0.49	8.83	126.5	110	3.55	1.84	0.22	<0.02	67.8	152	48	12.65	150	7.96
E384037		1.46	1.79	6.25	497	30	2.23	5.3	0.12	<0.02	81.7	215	36	6.24	438	13.8
E384038		1.30	0.18	6.98	67.9	340	2.86	0.61	0.21	<0.02	88.1	112.5	43	4.17	53.1	7.67
E384039		1.32	0.17	7.02	110.5	260	2.97	0.86	0.22	<0.02	106.5	72.6	40	4.81	144.5	7.12
E384040		1.50	0.15	7.04	32.5	200	1.96	0.53	0.41	<0.02	135	110	44	3.39	182	8.66
E384041		1.12	0.15	7.72	49.9	130	2.25	0.62	0.21	<0.02	112.5	136	50	4.79	434	13.05
E384042		0.96	0.37	6.49	399	60	2.25	2.17	0.25	<0.02	127	127	34	9.94	660	12.8
E384043		1.32	1.07	5.21	342	850	1.42	4.09	0.16	<0.02	72.2	253	25	5.51	237	16.55
E384044		1.38	0.32	6.84	116.5	50	2.54	2.08	0.19	<0.02	44.3	200	45	6.22	328	8.83
E384045		0.18	0.02	0.14	<5	50	0.1	<0.01	48.6	0.4	2.49	1.1	5	<0.05	2.7	0.06
E384046		1.66	1.09	3.46	454	10	0.76	7.87	0.39	<0.02	19.2	417	19	1.39	1550	18.9
E384047		1.62	0.1	2.23	14.4	90	0.29	0.27	6.51	<0.02	112	48.4	8	0.32	266	17.2
E384048		1.92	0.11	4.24	16.1	60	0.44	0.35	3.33	<0.02	40.3	155.5	18	0.87	209	13.95
E384049		1.30	0.08	5.29	5.2	180	0.44	0.1	5.17	<0.02	15.25	81.7	23	1.15	27.2	12.4
E384050		1.52	0.09	5.63	5.6	160	0.43	0.18	3.96	<0.02	93.6	55.2	25	0.52	16.3	11.85
E384051		1.20	0.11	5.11	7.9	100	0.33	0.4	5.47	<0.02	47	77.8	23	0.37	93.9	11.25
E384052		1.62	0.19	5.79	28.1	50	0.51	0.66	3.21	<0.02	128	145.5	27	0.77	52.3	8.79
E384053		1.28	1.16	4.01	273	10	0.59	6.52	1.32	<0.02	133	442	20	2.16	640	20.4
E384054		1.54	0.91	2.32	166	20	0.28	2.73	0.44	<0.02	142.5	240	14	0.7	2190	14.35

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method Analyte Units LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E384015		12.9	0.34	1.3	0.248	1.39	185.5	36.1	1.31	7630	56.4	0.02	16.8	40.5	1730	3
E384016		9.79	0.36	0.8	0.275	0.91	172	22.8	1.4	12950	53.2	0.01	16.6	44.5	2520	2.6
E384017		11.35	0.44	0.9	0.337	1.1	188.5	26	1.25	10900	48.4	0.01	19.8	36.2	3180	2.5
E384018		17.5	0.43	1.7	0.131	1.53	210	62.9	2	4870	54.8	0.01	9.1	72.7	1490	2.7
E384019		11.45	0.52	1	0.246	0.81	355	31	1.28	11050	85.7	0.01	11	42.5	2400	3.2
E384020		14.55	0.47	1.4	0.261	1.67	294	33.1	1.22	11200	71.6	0.02	12.4	33.7	2110	3.1
E384021		12.45	0.43	1.2	0.293	1.56	268	25.5	1.33	10800	33	0.02	9.9	29.9	1700	2.5
E384022		0.49	<0.05	0.1	<0.005	0.03	2.3	1.2	0.52	57	0.62	0.01	0.3	<0.2	120	0.9
E384023		8.89	0.37	0.9	0.314	0.77	235	21.8	1.29	13750	51.9	0.01	11.9	35.6	1960	2.3
E384024		8.81	0.38	1.3	0.263	0.64	195	35.1	1.77	13950	43.7	0.01	7.6	47.1	2270	3.1
E384025		28.7	0.24	2.9	0.136	4.41	89.4	52.8	1.32	2820	11.4	0.04	3.6	42.4	950	2.5
E384026		29.8	0.24	3	0.091	4.56	92.7	53.5	1.14	843	6.59	0.05	4.9	38.2	840	2.2
E384027		26.2	0.23	2.9	0.134	4.29	92.8	49.6	1.26	3110	5.05	0.04	3.9	37.2	930	2.8
E384028		22	0.26	3	0.08	3.13	88.2	72.4	1.82	1510	6.01	0.03	2.8	56.9	1620	2.4
E384029		21.3	0.27	2.6	0.122	2.67	74.4	74.6	1.91	6590	2.67	0.03	2	51.1	880	1.9
E384030		21	0.18	2.8	0.109	3.04	72.1	65	1.77	4820	1.42	0.03	2	44.5	760	3.1
E384031		25.9	0.15	3.4	0.075	3.99	74.2	64.6	1.56	219	1.95	0.03	3	34.9	1160	2.6
E384032		19.3	0.22	4.5	0.088	3.19	52.6	108	2.04	263	5.69	0.03	1.8	57.1	1200	2.1
E384033		0.49	<0.05	0.1	<0.005	0.03	1.7	1.3	0.5	35	0.22	0.01	0.3	2.1	120	0.6
E384034		9.27	0.39	0.8	0.246	0.65	124	16.2	1.54	6160	61.2	0.24	5.5	60.2	2300	5.7
E384035		37.4	0.09	3.7	0.082	4.63	55.6	85.7	1.36	109	61.5	0.06	3.3	31.2	1030	1.8
E384036		30.2	0.15	3.4	0.058	3.9	33.4	68.7	1.47	145	31.6	0.04	2	57.3	880	5.5
E384037		20.6	0.31	2.5	0.058	2.58	38.8	53.6	1.29	300	41.3	0.03	2.5	66.6	510	9.2
E384038		24.6	0.14	2.4	0.115	3.32	47.1	59	1.27	1195	4.34	0.04	2.9	37.1	780	2.2
E384039		25.3	0.16	2.4	0.076	3.24	55.8	58.5	1.18	251	5.29	0.04	3.1	32.4	980	3.1
E384040		23.9	0.17	2.3	0.091	2.65	80.4	66.3	1.74	266	9.39	0.03	4.1	38.9	1820	3
E384041		21.9	0.24	2.7	0.1	2.14	62.5	90.2	2.71	698	6.13	0.03	3.1	40.1	940	2.9
E384042		19.15	0.26	2.4	0.049	2.35	85.5	56.4	1.61	272	13.55	0.02	3	44.7	1030	5.7
E384043		16.4	0.3	1.9	0.127	1.94	35.5	43.9	1.42	3390	53.3	0.02	2.9	52.1	660	7
E384044		21.3	0.16	2.4	0.042	2.97	13.2	45.3	0.87	119	57.1	0.7	2.5	47.4	740	5.8
E384045		0.47	<0.05	0.1	<0.005	0.03	1.8	1.2	0.52	36	0.48	0.02	0.3	2.8	100	0.7
E384046		9.07	0.32	1.2	0.024	0.79	4.4	23.8	0.72	509	21.9	0.76	3.8	80.1	730	5.1
E384047		5.46	0.16	0.5	0.107	0.18	74.9	11.2	2.97	9000	49.4	0.73	6	22.2	1720	2.2
E384048		11.15	0.16	1.3	0.032	0.29	19.8	24.5	1.89	3390	24.6	1.66	7.4	43.1	940	2
E384049		8.46	0.1	1.7	0.038	0.3	8.9	12.6	2.02	4520	5.82	3.16	7.2	19.2	800	1.7
E384050		10.3	0.13	1.8	0.035	0.2	57.4	15.7	1.75	3730	3.19	3.38	7.2	17.3	1230	1.8
E384051		10.05	0.11	1.7	0.093	0.19	27.6	13.8	2.27	5180	14.3	3.11	4.3	29.2	660	2.7
E384052		10.9	0.14	2	0.038	0.43	74.4	15.5	1.45	3140	60.2	3.38	5	29.9	870	3
E384053		10.3	0.38	1.5	0.059	0.7	40.3	36.9	1.64	1370	133	0.32	6.7	74.2	1140	7.6
E384054		6.16	0.3	0.8	0.158	0.15	47.9	36.1	1.32	2900	184	0.01	4.9	57.7	1630	6.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384015		75	0.019	0.41	1.38	6.3	3	24.4	15.6	0.4	1.28	8.9	0.101	0.18	20.3	58
E384016		40.4	0.014	0.19	1.07	4.4	2	17.8	15	0.42	0.47	6.4	0.083	0.08	10.4	69
E384017		54	0.028	0.39	1.16	5.1	3	22.1	14.4	0.55	0.79	8.5	0.091	0.09	5.8	82
E384018		77.5	0.028	0.61	1.08	8.5	4	23.9	10.8	0.24	0.74	11.6	0.104	0.15	20	69
E384019		44.2	0.059	0.71	1.01	6.7	5	16.3	9.6	0.22	1.46	9.6	0.06	0.1	21.5	52
E384020		93.4	0.084	0.71	1.04	7.4	5	21.5	11	0.44	1.95	9.3	0.109	0.18	20.3	55
E384021		77.9	0.015	0.12	1.8	6.4	1	17.4	20.6	0.33	0.38	10.5	0.113	0.14	13.2	59
E384022		0.8	<0.002	0.07	0.07	0.3	1	<0.2	292	<0.05	<0.05	0.3	0.006	<0.02	0.7	5
E384023		38.2	0.021	0.08	1.78	4.3	1	16.2	11.8	0.35	0.3	8.4	0.077	0.07	7	58
E384024		27.8	0.009	0.25	1.55	4.9	2	9.9	11.9	0.23	0.21	8.9	0.087	0.07	9.8	81
E384025		209	0.012	0.12	0.87	15.3	1	10.6	7.2	0.18	0.14	19.4	0.2	0.34	17.4	92
E384026		221	0.003	0.03	1.25	13.9	1	10.7	8.7	0.26	0.11	19.7	0.237	0.37	27.7	88
E384027		203	0.011	0.71	1.14	13.5	3	9.4	6.2	0.21	0.15	18.7	0.207	0.43	32.8	98
E384028		144	0.005	0.12	1.06	12.1	1	6.5	12.7	0.16	0.13	18.6	0.145	0.3	43.3	90
E384029		117.5	<0.002	0.06	0.9	11.2	<1	6.6	24.1	0.13	<0.05	17.1	0.138	0.21	16.8	78
E384030		124.5	<0.002	0.02	0.93	12.8	<1	5.8	14.6	0.15	<0.05	19	0.116	0.29	24.7	72
E384031		164.5	0.015	0.18	1.16	16.5	<1	6.5	48.8	0.23	0.05	22.5	0.116	0.41	57.5	87
E384032		73.7	0.027	0.03	1.07	17.2	<1	3.7	19.1	0.15	<0.05	27	0.054	0.4	140	64
E384033		0.7	<0.002	0.07	0.07	0.5	1	<0.2	277	<0.05	<0.05	0.2	0.006	<0.02	0.8	5
E384034		30.7	0.018	6.71	2.02	3.8	4	6.9	187.5	0.12	1.05	5.7	0.032	0.47	14.5	67
E384035		206	0.242	0.44	1	27.1	<1	18.7	291	0.21	0.13	17.8	0.145	0.42	30.5	136
E384036		186	0.145	3.77	1.27	12.7	2	13.2	369	0.12	1.09	18.3	0.101	0.48	79.6	91
E384037		104.5	0.09	9.82	3.15	8.4	3	9.6	77.8	0.17	4.18	13	0.105	0.29	24.5	72
E384038		145.5	0.007	2.38	0.76	13.5	1	15	97.3	0.19	0.45	14.9	0.152	0.25	8.4	77
E384039		144	0.012	3.58	1.12	12.4	1	12.1	57.6	0.17	0.53	14.8	0.114	0.28	11.1	87
E384040		118	0.012	2.4	0.85	13.6	1	11.9	48.8	0.16	0.43	16.2	0.092	0.2	37.9	87
E384041		105	0.008	2.94	1.06	13.6	1	10.2	86.4	0.19	0.29	16.9	0.131	0.19	20.6	81
E384042		82.2	0.008	8.47	1.49	9.6	1	8	15.8	0.14	0.7	16.1	0.077	0.34	54.3	62
E384043		85.1	0.045	>10.0	1.85	10	2	11.2	79.6	0.13	2.36	9.1	0.07	0.25	35.2	62
E384044		121	0.078	7.09	1.44	10.2	1	15	297	0.14	0.54	7.9	0.088	0.32	54.9	68
E384045		0.8	<0.002	0.07	0.07	0.4	1	<0.2	288	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E384046		36.3	0.014	>10.0	2.22	4	3	6.2	141.5	0.2	2.32	1.8	0.071	0.15	9.5	45
E384047		5.5	0.017	1.1	0.49	5.6	1	3.7	655	0.18	0.09	3.1	0.047	0.02	6.3	46
E384048		10.4	0.005	1.69	0.75	5.7	3	6.3	745	0.33	0.12	6.2	0.106	0.07	7.3	50
E384049		9.2	0.002	0.95	0.79	6.8	1	6.7	457	0.44	0.08	8.5	0.15	0.05	8.5	42
E384050		6.7	<0.002	0.81	0.79	5.5	1	8.8	576	0.46	0.07	9.8	0.16	0.05	6.1	52
E384051		6.2	0.008	1.31	0.71	7.9	1	4.9	579	0.3	0.06	6.5	0.124	0.05	5.3	53
E384052		15.6	0.018	2.53	0.78	8.1	1	5.8	356	0.34	0.56	11.5	0.14	0.09	16.5	47
E384053		26.7	0.036	>10.0	1.67	5.6	4	7.1	122.5	0.3	2.42	6.2	0.118	0.19	22.2	60
E384054		5.5	0.085	7.15	1.26	4.1	3	2.7	221	0.18	1.44	6.4	0.064	0.09	31.2	43

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384015		11.6	13.7	40	41.3		0.073	
E384016		9.7	13.2	44	26.5		0.047	
E384017		11.5	16.8	42	29.2		0.080	
E384018		10.7	12.4	60	56.7		0.098	
E384019		8.2	15.9	29	31.8		0.153	
E384020		12.7	14.7	19	46.2		0.147	
E384021		12.6	12.1	34	38.8		0.023	
E384022		0.1	2.8	23	4		<0.001	
E384023		10.8	9.3	38	26.9		0.016	
E384024		8.3	11.5	59	41.2		0.017	
E384025		20.9	15.1	42	94.4		0.005	
E384026		23.5	14.9	34	96.1		0.002	
E384027		20.3	14.6	23	94		0.003	
E384028		11.1	17.3	74	96.3		0.004	
E384029		9	13.6	76	84		<0.001	
E384030		7.7	14.4	67	92.9		<0.001	
E384031		8	18.8	54	109.5		<0.001	
E384032		4.4	24.8	98	146.5		<0.001	
E384033		0.1	2.8	22	4.4		<0.001	
E384034		6.6	14.8	7	25.8		0.121	
E384035		15.2	16.5	35	119.5		0.007	1.10
E384036		11	14.9	36	111.5		0.029	
E384037		9.4	15.2	40	81.9		0.093	
E384038		13.2	11.6	28	79		0.008	
E384039		11.7	12.8	38	80.7		0.011	
E384040		9	15.9	48	75.8		0.007	
E384041		9.8	13.6	100	90.6		0.006	
E384042		8.4	16.1	57	82.4		0.022	
E384043		10.8	10.4	44	60.8		0.046	
E384044		10.3	14.1	25	78.3		0.019	
E384045		0.1	2.9	33	4.1		<0.001	
E384046		7.1	9.5	31	37.3		0.073	
E384047		3	15.6	33	16.4		0.044	
E384048		4.9	11.8	43	43.6		0.008	
E384049		6.3	12	32	57.8		0.002	
E384050		7.6	12.4	33	58.6		0.005	
E384051		6.7	12	35	55.9		<0.001	
E384052		6.9	13.5	30	66.5		0.013	
E384053		11	12.1	55	49.7		0.071	
E384054		4.5	9.7	49	25		0.044	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E384055		1.44	1.21	4.34	228	20	0.66	3.71	0.33	<0.02	344	288	24	3.86	447	14.05
E384056		0.16	0.03	0.13	5	80	0.07	0.01	46.2	0.37	2.64	1.5	5	<0.05	4.1	0.06
E384057		0.20	0.29	6.62	48.1	130	2.33	1.46	1.93	<0.02	85.8	99.1	37	6.44	1670	6.82
E384058		1.74	1.07	5.33	436	120	0.93	3.86	0.28	0.02	70.7	341	29	3.8	387	19.4
E384059		0.76	0.48	7.27	211	40	1.29	1.6	0.41	<0.02	118.5	240	40	5.1	388	20.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384055		9.83	0.38	1.8	0.038	0.78	196	48.8	1.4	208	160	0.02	4.5	65.9	1590	7.7
E384056		0.52	<0.05	0.1	<0.005	0.03	2	1.3	0.49	34	1.13	0.01	0.3	2.9	100	0.7
E384057		18.7	0.1	2.1	0.126	2.83	45.6	21.2	1.29	3040	20.5	0.58	3.3	24.9	710	2.6
E384058		11.85	0.34	1.8	0.035	0.82	37.6	54.7	1.71	187	66.8	0.06	6.7	103.5	1220	7.9
E384059		13	0.29	2.6	0.074	0.75	81.4	96.4	2.65	259	60.6	0.01	4.8	96.7	1870	5.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E384055		29.9	0.077	9	1.78	4.3	4	4.6	164	0.24	2.81	13.9	0.102	0.22	46.1	45
E384056		0.6	<0.002	0.08	0.07	0.4	1	<0.2	274	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E384057		120	0.005	1.17	1.14	9.9	1	7.6	428	0.19	0.19	12.5	0.105	0.35	18.9	61
E384058		29.1	0.02	>10.0	2.63	6	4	8.2	89.8	0.35	3.25	7.9	0.129	0.16	23.6	74
E384059		33.6	0.023	7.15	1.9	9	3	9	95.5	0.29	1.02	15.9	0.146	0.13	27.6	69

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384055		7.8	12.8	55	59.3		0.073	
E384056		0.1	2.9	27	3.7		<0.001	
E384057		8.3	11.5	14	69.8		0.018	
E384058		12.5	9.8	68	60.6		0.071	
E384059		7.9	15.7	112	87.9		0.030	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR HOLE 19

CERTIFICATE OF ANALYSIS VA07132669

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07132668

Project: IGOR : 20

P.O. No.: 198670

This report is for 122 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E384060		3.48	1.23	0.5	131.5	110	0.14	4.28	0.2	0.02	61.5	729	<1	0.15	1190	35.4
E384061		1.06	1.42	0.22	129	130	0.11	6.45	0.07	0.04	124.5	516	<1	0.1	678	36
E384062		1.04	3.59	0.08	353	130	0.16	11.05	<0.01	<0.02	408	23.7	<1	0.06	68.5	34
E384063		0.64	3.96	0.07	196	90	0.13	9.92	<0.01	0.04	106.5	39.7	<1	0.06	105.5	36.9
E384064		0.44	4.05	0.47	207	80	0.3	9.58	0.02	0.03	>500	109	10	0.19	520	33.2
E384065		0.54	5.81	0.43	399	100	0.36	17.7	0.02	0.04	380	71.2	10	0.25	289	32.4
E384066		0.64	3.23	0.1	372	80	0.1	7.19	<0.01	0.04	417	33.1	<1	<0.05	179	36.4
E384067		0.56	6.45	0.12	1220	170	0.1	20.3	<0.01	<0.02	>500	86.5	1	<0.05	301	40.7
E384068		0.18	0.02	0.14	10	20	0.07	0.05	49.8	0.45	9.23	2.4	4	<0.05	4.2	0.11
E384069		0.64	1.88	0.07	158.5	50	0.09	5.29	0.03	0.03	288	19.1	<1	0.05	80.7	38.1
E384070		2.04	6.7	0.06	444	80	0.1	11	0.01	0.02	438	20.3	<1	<0.05	111.5	38.9
E384071		0.86	4.91	0.12	250	40	0.12	5.94	<0.01	0.03	201	389	<1	<0.05	777	39.2
E384072		1.08	6.1	0.08	178.5	60	0.1	7.2	<0.01	0.04	314	1100	<1	<0.05	628	37.3
E384073		2.02	3.23	0.11	125	50	0.11	4.77	0.02	0.05	167.5	960	<1	0.06	2450	39.8
E384074		2.02	2.97	0.1	111.5	30	0.08	5.18	0.15	0.07	117.5	814	<1	0.06	918	37.7
E384075		1.78	1.42	0.11	67.5	270	0.05	3.05	0.31	0.07	149.5	646	<1	<0.05	761	35.4
E384076		1.38	2.56	0.22	326	20	0.18	5.33	0.14	0.14	120.5	480	<1	0.06	1270	34.2
E384077		1.68	2.05	0.2	157	30	0.11	5.35	0.11	0.13	23	678	<1	0.07	1250	35.2
E384078		1.88	1.79	1.11	109.5	30	0.1	3.35	0.41	0.05	49.6	636	<1	0.1	873	31
E384079		0.18	0.01	0.14	<5	40	0.06	0.02	48.7	0.39	2.46	2.6	5	<0.05	6.5	0.13
E384080		0.18	1.07	6.42	45.5	230	1.88	2.51	2.21	<0.02	54.2	169	36	3.79	8910	9.8
E384081		2.54	1.87	1.38	68.4	70	0.07	5.09	0.29	0.02	13.3	825	<1	0.11	960	27.3
E384082		1.88	3.18	0.96	117	50	0.08	3.32	0.35	0.02	26.6	1605	<1	0.13	3070	30.8
E384083		2.06	3.58	1.08	136.5	50	0.11	5.12	0.31	0.04	23.3	1525	<1	0.12	1780	31.2
E384084		2.12	2.42	0.9	224	30	0.07	3.35	0.42	<0.02	51.9	1235	12	0.1	1100	30.4
E384085		2.62	1.48	0.48	89.2	20	<0.05	2.47	0.32	<0.02	31.9	779	3	0.09	295	34.8
E384086		1.68	0.3	0.18	40.1	20	0.06	0.58	0.36	<0.02	27.8	383	<1	0.05	776	38.3
E384087		1.82	0.52	0.23	45	20	0.05	0.86	0.33	<0.02	32.9	431	2	0.05	589	33.6
E384088		1.62	1.02	0.68	60.1	30	0.05	1.77	0.33	<0.02	211	623	<1	0.08	851	28.2
E384089		1.96	1.34	1.38	88.4	20	0.09	3.86	0.36	0.03	102	877	<1	0.08	714	29.3
E384090		2.00	1.23	0.96	77.4	10	0.14	2.85	0.26	0.03	49.6	780	<1	0.09	1125	30.1
E384091		0.16	0.01	0.13	<5	30	0.05	0.03	45.6	0.38	1.99	1.5	6	<0.05	3.6	0.14
E384092		2.04	0.63	0.41	50.2	10	0.07	1.3	0.24	<0.02	22.8	496	<1	0.05	496	35.3
E384093		1.70	0.48	0.32	62.6	10	0.08	1.15	0.22	<0.02	22.4	693	<1	<0.05	636	35.2
E384094		1.84	1.43	0.53	172.5	10	0.07	3.44	0.31	0.02	27.2	1540	<1	0.06	804	34
E384095		3.18	0.64	0.24	47.4	40	0.1	1.5	0.22	<0.02	22.5	616	<1	0.05	506	37.1
E384096		2.32	0.69	0.18	72.7	20	0.07	1.64	0.3	0.02	22.9	755	<1	0.05	540	36.7
E384097		1.78	1.3	0.17	115.5	10	0.11	3.25	0.31	0.02	20.3	1180	<1	0.06	1100	39.4
E384098		2.16	0.9	0.13	53.9	100	0.15	2.19	0.27	<0.02	28.7	499	<1	0.06	604	40.4
E384099		1.86	0.73	0.09	36.5	10	0.12	1.32	0.22	<0.02	29.6	364	1	0.06	642	38.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384060		5.69	0.74	0.3	0.053	0.03	49.9	7	0.15	2030	43.4	<0.01	8.1	66.6	1770	8.4
E384061		5.47	0.75	0.3	0.055	0.02	87.6	1.8	0.03	1160	78.4	<0.01	6.9	41.1	1330	9.7
E384062		7.42	1.02	0.3	0.055	0.01	285	1.9	<0.01	266	67.5	<0.01	7.5	25.8	4240	21.8
E384063		4.79	0.76	0.3	0.062	0.02	83.2	1.4	<0.01	702	82.7	0.01	9.3	26.7	1180	29.8
E384064		17.7	0.93	0.7	0.035	0.07	820	2.8	0.06	594	85.7	0.01	21.4	34.8	1720	32.7
E384065		15.3	0.82	0.9	0.019	0.13	429	2.9	0.06	255	124	0.01	16.3	32.2	1520	52.4
E384066		7.26	1	0.2	0.034	0.02	305	1.1	<0.01	292	76	0.01	6.8	24.4	2280	22.7
E384067		38.7	4.56	0.5	0.058	0.03	3980	1.7	<0.01	203	72.5	0.01	6	18.6	>10000	29.2
E384068		1.15	0.15	0.3	<0.005	0.04	6.7	1.7	0.53	37	0.56	0.01	0.5	<0.2	130	0.7
E384069		7.2	0.91	0.3	0.02	0.02	208	1	<0.01	181	89.2	<0.01	12.5	23.8	1210	8.9
E384070		8.14	1.01	0.3	0.032	0.03	310	0.8	<0.01	165	96.6	<0.01	6.7	25.2	2600	43.2
E384071		5.65	0.81	0.3	0.035	0.01	140	0.6	<0.01	376	101	<0.01	8.7	30.8	930	85
E384072		6.84	1	0.3	0.023	0.01	218	0.6	<0.01	183	114.5	<0.01	8.5	47.7	1180	123
E384073		6.56	0.92	0.3	0.038	0.01	118	0.9	0.02	564	109	<0.01	7.6	57.5	900	84.6
E384074		6.3	0.84	0.2	0.035	0.01	77.3	0.6	0.04	603	119.5	<0.01	5.3	39.6	1630	27.9
E384075		5.89	0.78	0.2	0.056	<0.01	103.5	1.4	0.62	7280	113.5	<0.01	6.1	44.8	1420	13
E384076		6.36	0.85	0.2	0.069	0.05	81.1	2.5	0.13	1590	207	<0.01	6.6	42.2	2600	24.6
E384077		4.4	0.65	0.2	0.044	0.01	15.3	1.8	0.08	802	173	<0.01	5.7	41.9	1390	15.7
E384078		11	0.66	0.5	0.029	0.02	33.6	13.6	0.5	2020	102	<0.01	14	99.1	2140	22.5
E384079		0.95	0.12	0.3	<0.005	0.03	1.9	1.3	0.53	41	1.35	0.01	0.4	<0.2	120	0.7
E384080		16	0.25	1.7	0.141	2.36	21.8	24.4	1.24	3420	63.7	1.13	4	39.6	880	22.5
E384081		9.2	0.42	0.4	0.02	0.02	8.4	15.2	0.58	2180	60.6	<0.01	10.1	106.5	1250	18.3
E384082		7.45	0.61	0.6	0.043	0.02	11.5	10.3	0.53	3000	62.7	<0.01	9.7	101.5	1500	181
E384083		8.55	0.63	0.6	0.027	0.06	12.4	11.9	0.47	1870	103.5	<0.01	11.3	106	1530	100.5
E384084		8.37	0.41	1	0.025	0.02	35	9.6	0.38	1685	157.5	0.01	21.4	87.4	1870	29
E384085		7.25	0.34	0.1	0.023	0.01	21.7	5.4	0.22	1030	219	0.01	7.8	65.6	1570	9.6
E384086		6.01	0.35	<0.1	0.029	<0.01	17.9	1.8	0.24	1980	51.6	0.01	10.8	52.1	1610	3.2
E384087		5.08	0.31	0.1	0.046	<0.01	21.7	2.6	0.51	4320	72	0.01	6.9	48.9	1510	4
E384088		7.99	0.36	0.2	0.036	0.01	150	8.7	0.53	2950	91.5	0.01	4.4	68	1480	6.8
E384089		12.35	0.33	0.2	0.018	<0.01	72.8	18.1	0.58	1360	153.5	0.01	4.7	103.5	1730	10
E384090		10	0.32	0.1	0.013	<0.01	32.5	13.3	0.32	441	99.9	0.01	8.2	89.7	1380	9.2
E384091		0.51	<0.05	0.1	0.005	0.03	1.5	1.5	0.5	36	0.76	0.02	0.3	0.9	130	0.8
E384092		7.62	0.32	0.1	0.012	<0.01	14.9	4.7	0.17	571	51.5	0.01	10.2	65.6	1030	5.4
E384093		6.57	0.31	<0.1	0.032	<0.01	14.4	3.6	0.33	2440	35.9	0.01	8.7	64.6	1020	4.7
E384094		8.17	0.31	0.1	0.018	<0.01	17.4	7	0.3	1540	76.9	0.01	6	80.1	1480	12.6
E384095		6.14	0.33	<0.1	0.042	<0.01	14.4	2.6	0.55	4400	42.6	0.01	6.5	55.7	1010	5.7
E384096		6.15	0.33	<0.1	0.036	<0.01	14.5	2.1	0.45	3950	58.8	0.01	7.4	57.4	1290	5.6
E384097		5.93	0.37	<0.1	0.031	<0.01	12.7	2	0.23	2140	97.2	0.01	5.5	62.4	1640	10.3
E384098		5.82	0.33	<0.1	0.045	<0.01	18.4	1.4	0.25	2770	50.4	0.01	7.2	52.1	1410	8.7
E384099		5.38	0.38	<0.1	0.029	<0.01	19.6	0.9	0.13	1400	51.7	0.01	10.5	48.1	1110	9.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384060		1.2	0.01	5.55	2.25	6.7	9	1.4	12.8	0.09	1.08	1.6	0.01	0.23	21.6	44
E384061		1	0.01	3.81	3.61	3.9	10	1.6	8.3	0.06	1.69	1.7	0.009	0.16	13.1	37
E384062		0.4	0.002	0.09	5.58	15.3	11	5.2	12.6	<0.05	4.53	3.8	0.01	0.26	14.6	34
E384063		0.7	0.005	0.16	4.67	5	10	2.3	24.2	0.06	2.03	1.3	0.014	0.8	8.6	38
E384064		3	0.004	0.94	5.93	4.1	10	3.8	137.5	0.22	2.26	4.1	0.054	0.96	22.7	33
E384065		4.9	0.002	0.29	7.38	3.3	11	7.3	85.9	0.22	4.5	3.2	0.051	1.9	39.4	24
E384066		0.4	0.003	0.14	3.75	7.5	10	2.9	10.7	0.05	2.9	3.9	0.012	0.48	42.9	34
E384067		0.5	0.013	0.71	4.88	34.1	15	8.8	21.9	0.07	5.87	27.6	0.01	0.33	84.8	27
E384068		0.8	<0.002	0.07	0.09	0.7	3	<0.2	319	<0.05	<0.05	0.3	0.007	<0.02	0.8	10
E384069		0.5	<0.002	0.11	3.95	3.8	10	3.1	7.8	0.05	1.46	2.8	0.012	0.12	18.8	32
E384070		0.3	0.002	0.13	4.42	8.7	11	2.9	14.1	<0.05	2.89	3.4	0.01	0.55	28.2	30
E384071		0.2	0.007	2.31	3.73	4.1	13	2.2	5.1	<0.05	1.81	2.9	0.007	0.21	269	24
E384072		0.2	0.012	6.46	4.02	4.5	16	2.4	7.2	<0.05	2.2	5.2	0.007	0.41	470	22
E384073		0.2	0.013	6.02	3.08	4.4	13	1.8	5.4	<0.05	1.41	5.5	0.007	0.36	1010	21
E384074		0.1	0.012	5.66	2.77	2.8	12	1.6	5.9	<0.05	1.08	1.7	0.006	0.69	170	20
E384075		0.1	0.012	4.21	2.01	5.4	11	2.5	6.2	<0.05	0.65	0.7	0.005	0.89	87.5	14
E384076		1.6	0.013	3.19	2.77	6.4	12	2.7	8.6	<0.05	1.1	3.2	0.005	0.9	123	19
E384077		0.2	0.015	4.83	1.86	4.4	11	1.8	3.7	<0.05	1.29	2.1	0.007	0.39	310	22
E384078		0.8	0.015	4.14	2.19	4.2	10	2	9	0.36	0.56	4.8	0.024	0.87	365	22
E384079		0.5	<0.002	0.08	0.07	0.5	3	<0.2	312	<0.05	<0.05	0.2	0.007	<0.02	1.1	9
E384080		94.3	0.016	2.45	1.61	10.5	8	6.7	743	0.22	0.22	9.2	0.102	0.39	300	58
E384081		0.7	0.01	6.03	3.09	2.6	10	1.8	6.5	0.23	1.53	8.1	0.029	0.8	520	22
E384082		0.8	0.022	9.87	3.4	4.9	14	1.6	7.2	0.3	0.64	34.6	0.028	1.92	3720	14
E384083		2.4	0.026	9.37	3.23	5.2	12	1.8	8.3	0.22	0.85	13.8	0.022	1.53	1550	16
E384084		1.1	0.05	6.98	2.25	5.7	8	1.9	10.2	0.62	0.93	5.6	0.028	1.11	319	16
E384085		0.4	0.026	4.79	1.34	3.8	6	2.5	6.4	0.06	0.91	0.9	0.009	0.41	46.4	18
E384086		0.2	0.002	2.06	1.09	2.7	2	2.4	6.3	0.06	0.1	0.4	0.005	0.06	26.6	20
E384087		0.2	0.006	2.2	1.04	5	3	1.9	5.9	<0.05	0.14	0.5	<0.005	0.11	27.7	14
E384088		0.3	0.017	3.63	1.4	4.7	3	1.4	6.8	<0.05	0.51	7.5	0.007	0.44	12.5	21
E384089		0.1	0.024	4.68	2	2.7	4	1.2	7.4	0.06	0.66	2.7	0.009	0.38	18.9	26
E384090		0.2	0.012	4.17	2.01	1.8	3	1.5	5.4	0.06	0.26	0.9	0.007	0.34	43.4	24
E384091		0.6	<0.002	0.07	0.07	0.5	<1	<0.2	276	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E384092		0.2	0.004	2.94	2.04	1.6	3	1.3	5.1	0.06	0.11	0.3	0.006	0.38	19.5	21
E384093		0.1	0.004	3.94	1.58	2.6	2	1.2	4.4	0.06	0.11	0.4	0.005	0.25	53.9	23
E384094		0.1	0.015	8.36	3.67	2	5	1.4	6.4	0.06	0.53	0.4	0.006	1.52	46.3	25
E384095		0.1	0.004	3.58	2.44	3.4	3	0.9	4.8	0.05	0.16	0.2	<0.005	0.49	28.7	20
E384096		0.1	0.008	4.48	2.48	2.5	3	1.2	5.9	0.06	0.27	0.2	<0.005	0.67	14.1	27
E384097		0.1	0.014	6.7	4.25	2.5	5	1.2	6.1	<0.05	0.49	0.2	<0.005	1.42	32	26
E384098		0.1	0.004	2.87	3.09	2.6	3	1	5.9	0.08	0.13	0.5	<0.005	0.3	52.2	35
E384099		0.1	<0.002	2	2.48	2.3	2	1.6	4.7	0.09	0.08	1	<0.005	0.1	127.5	34

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Cu	Au	Ba
	Units	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.001	0.01
E384060		3.9	6.4	16	2.5		0.042	
E384061		5	5.2	14	3.2		0.058	
E384062		13.3	4	5	2.5		0.173	
E384063		9	2.2	13	1.6		0.071	
E384064		8.5	4.1	9	21.9		0.076	
E384065		7.7	3.6	9	32.2		0.132	
E384066		7.7	3.2	5	1.7		0.204	
E384067		10.3	24.2	9	2.6		0.522	
E384068		0.1	3.1	25	4		<0.001	
E384069		9.5	7.2	4	2.8		0.065	
E384070		10.7	3.7	6	2.5		0.116	
E384071		12	5.3	13	2.2		0.083	
E384072		14.6	8.2	7	2.9		0.113	
E384073		11.3	6.6	10	1.6		0.061	
E384074		8.8	4.5	10	1.1		0.050	
E384075		9.9	5	12	1		0.025	
E384076		8	4.6	15	1.8		0.044	
E384077		7.1	3	11	1.3		0.050	
E384078		5	9	31	11.3		0.030	
E384079		0.1	2.6	25	3		<0.001	
E384080		8.7	15.1	9	61.1		0.055	
E384081		3.3	7.2	32	7.2		0.051	
E384082		4.6	34.3	44	13		0.055	
E384083		5.3	15.2	34	16		0.054	
E384084		4.9	10.5	32	32.3		0.033	
E384085		6.1	5.7	16	5.8		0.036	
E384086		5.4	6.8	9	0.7		0.002	
E384087		4.6	6	14	3.8		<0.001	
E384088		2.9	7.6	18	6.2		0.012	
E384089		5.8	7.3	29	5.7		0.015	
E384090		8.9	6.6	17	5		0.013	
E384091		0.1	2.7	24	3.8		<0.001	
E384092		8.5	4.3	8	3		0.004	
E384093		6.2	4.8	10	1.7		<0.001	
E384094		8.8	6.6	11	3.9		0.015	
E384095		14.1	4.9	12	1.3		0.002	
E384096		8.3	5.2	8	0.8		0.007	
E384097		13.6	6.4	7	1.2		0.011	
E384098		17.9	5.9	7	0.7		0.003	
E384099		17.9	4.9	6	2.3		<0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384100		1.26	1.08	0.09	47.3	20	0.07	2.56	0.15	<0.02	21.8	472	<1	<0.05	690	38.2
E384101		1.96	0.31	0.17	29.2	20	0.05	0.68	0.23	0.02	21.5	446	<1	<0.05	425	34.1
E384102		0.18	0.01	0.13	<5	30	0.09	0.01	46	0.38	2	2.2	6	<0.05	3.7	0.14
E384103		0.22	1.2	2.47	77.4	10	0.63	10.7	2.32	<0.02	184	345	13	2.5	9210	28.8
E384104		1.92	0.27	0.14	28.8	30	<0.05	0.69	0.24	<0.02	20.5	432	<1	<0.05	461	36.2
E384105		2.24	0.36	0.2	34.6	20	0.07	0.84	0.19	<0.02	17.7	371	<1	0.05	843	41
E384106		2.08	0.5	0.16	42.9	30	0.05	0.89	0.22	<0.02	12.2	398	<1	<0.05	479	47.3
E384107		2.40	0.61	0.1	52.3	20	0.07	1.09	0.26	0.02	17.55	722	<1	<0.05	690	40.4
E384108		2.46	0.32	0.1	40.2	30	<0.05	0.55	0.25	0.02	35.5	436	<1	<0.05	332	41.1
E384109		2.30	0.36	0.08	66.2	50	<0.05	0.76	0.25	<0.02	42.2	304	<1	<0.05	287	38.9
E384110		2.22	0.36	0.08	56.8	30	<0.05	1.12	0.26	<0.02	21	506	2	<0.05	395	37
E384111		2.12	0.23	0.06	46.2	230	<0.05	1.01	0.28	0.03	36.5	364	2	<0.05	275	36.3
E384112		1.38	1.68	0.11	124.5	20	0.05	3.43	0.29	0.03	74.1	970	<1	0.05	492	35.4
E384113		2.64	1.51	0.21	147.5	20	0.05	3.69	0.24	0.04	46.2	782	<1	0.06	371	34.1
E384114		0.20	0.01	0.13	<5	30	0.09	0.02	48	0.4	2.22	2	6	<0.05	3.1	0.11
E384115		2.06	1.48	0.54	85.5	20	0.16	1.89	0.23	0.06	64.7	774	<1	0.06	258	34.6
E384116		2.46	1.36	1.35	88.4	20	0.14	2.17	0.25	0.02	140.5	625	3	0.23	765	32.5
E384117		1.80	0.74	1.92	61.6	30	0.16	1.92	0.26	<0.02	198	363	<1	0.19	353	29.7
E384118		1.44	1.13	2.31	78.7	30	0.22	2.15	0.26	0.03	131.5	415	14	0.28	378	28.7
E384119		1.26	0.6	7.86	61.9	220	1.06	1.44	1.42	0.04	20.7	249	26	1.47	596	6.89
E384120		0.92	0.05	7.76	5.3	400	1.03	0.06	3.15	0.03	10.65	54.4	36	0.68	156	3.86
E384121		1.36	0.09	7.66	3.9	4120	0.93	0.03	3.06	<0.02	70.2	56.2	36	0.76	138.5	4.91
E384122		1.44	0.4	8.54	17.1	4480	1.45	0.79	2.6	<0.02	10.2	202	20	3.83	209	10.4
E384123		0.76	2.67	7.03	268	30	0.87	6.39	0.75	0.02	32.2	1540	17	1.73	285	17.45
E384124		1.06	1.15	4.21	96.5	40	0.33	3	9.57	0.03	8.04	608	5	0.47	311	13.4
E384125		0.16	0.02	0.13	<5	30	0.07	0.02	48.4	0.39	2.09	2.1	6	<0.05	3.4	0.07
E384126		0.20	0.28	7.3	44.4	130	2.56	1.54	2.09	<0.02	75.7	114.5	48	6.19	1615	7.36
E384127		1.54	1.2	4.67	102.5	110	0.45	2.79	8.02	<0.02	10.25	607	10	0.43	87.1	12.6
E384128		2.50	1.79	2.02	88.3	150	0.25	2.42	1.95	<0.02	156.5	253	43	0.37	125	27.5
E384129		2.30	0.85	5.27	58.3	340	0.76	1.73	2.59	<0.02	178	212	40	0.66	299	13.2
E384130		0.76	1.67	5.47	86.3	50	0.72	2.46	3.65	0.02	46.9	261	27	0.65	653	12.7
E384131		1.46	1.34	6.44	62.9	80	0.71	1.74	2.39	0.02	43.7	182.5	33	0.5	447	8.76
E384132		1.08	0.36	7.39	30.6	450	0.62	0.28	1.6	<0.02	65.2	60.7	36	0.47	617	7.75
E384133		1.50	0.3	7.11	16.8	520	0.78	0.2	2.14	<0.02	79.3	58.2	37	0.52	589	8.47
E384134		1.06	2.37	4.93	191.5	20	0.74	2.64	1	<0.02	335	460	22	0.88	1180	16.25
E384135		0.96	2.45	4.09	179.5	30	0.57	2.09	0.65	<0.02	134.5	368	25	0.78	1345	19.15
E384136		0.72	0.56	6.7	74.5	160	1.39	0.54	1.72	<0.02	86.3	115	39	1.27	2020	10.1
E384137		0.20	0.01	0.14	5	60	0.11	0.01	>50	0.42	2.38	1.2	6	<0.05	4.8	0.06
E384138		1.14	0.06	6.9	4.1	2090	2.73	0.05	3.33	<0.02	57.5	21.5	38	2.49	172.5	5.7
E384139		1.56	0.05	6.47	5.2	640	3.71	0.04	2.53	<0.02	75.4	48.2	39	3.24	151.5	8.04

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384100		5.1	0.34	<0.1	0.046	<0.01	13.6	0.9	0.44	3990	61	0.01	9.4	48	770	11.1
E384101		6.27	0.32	<0.1	0.024	<0.01	13.7	1.8	0.48	3920	53.3	0.01	8.2	52.4	990	3.1
E384102		0.54	<0.05	0.1	<0.005	0.03	1.6	1.4	0.5	42	0.56	0.02	0.3	1.1	100	0.8
E384103		10.2	0.31	0.8	0.254	0.7	114.5	22.2	1.64	6480	62.4	0.26	6.2	65.2	2510	6.5
E384104		6.4	0.3	<0.1	0.023	<0.01	12.7	1.3	0.42	3510	41	0.01	7.8	51.7	1080	2.8
E384105		8.44	0.34	<0.1	0.024	<0.01	11	1.8	0.27	2140	43.5	0.01	10.5	65	910	4.5
E384106		8.36	0.35	<0.1	0.027	<0.01	7.4	1.5	0.2	1650	52.8	0.01	8	62.7	1030	5.3
E384107		7.59	0.34	<0.1	0.019	<0.01	9.9	1.1	0.25	2230	120.5	0.01	10	64.4	1260	7
E384108		9	0.36	<0.1	0.023	<0.01	24.4	1	0.28	2840	79.4	0.01	8.7	69	1190	2.9
E384109		8.71	0.35	<0.1	0.027	<0.01	29.1	0.7	0.13	1270	59.4	0.01	10.1	60.4	1260	4.3
E384110		7.55	0.33	<0.1	0.03	0.01	13.4	0.7	0.21	2300	53.4	0.01	8.6	60.5	1150	3.6
E384111		7.49	0.36	<0.1	0.029	0.01	28.1	0.5	0.19	2230	76.9	0.01	7.1	59.1	1250	2
E384112		6.92	0.36	<0.1	0.03	0.01	60.8	1	0.29	2790	291	0.01	4.9	75.5	1270	11.5
E384113		7.14	0.31	<0.1	0.019	0.01	35.1	2.1	0.23	1830	141	0.01	5.1	71.8	1120	13.3
E384114		0.53	<0.05	0.1	<0.005	0.03	1.7	1.4	0.52	41	1.38	0.02	0.3	1.2	130	0.8
E384115		9.33	0.44	0.1	0.026	0.01	50.7	5.8	0.38	2430	531	0.01	4.1	91.1	890	12
E384116		11.5	0.3	0.3	0.018	0.02	107	16.7	0.52	1760	211	0.01	3.6	102	1210	8.7
E384117		11.85	0.32	0.1	0.014	0.01	161	25.3	0.68	1200	78.2	0.01	4.2	105.5	1200	4.5
E384118		9.73	0.29	0.3	0.022	0.05	105.5	25.8	0.75	1830	45.6	0.36	5.4	81.5	1120	8.6
E384119		10.35	0.07	2.7	0.019	0.62	13.7	39	1.01	1470	31.3	4.24	17.5	28.8	750	12.8
E384120		10.4	<0.05	2.6	0.016	0.41	6.2	13.8	1.13	2840	5.64	5.71	6	11.7	690	5.4
E384121		11.2	0.08	2.2	0.02	0.41	55.5	16.8	1.24	2590	1.79	5.49	5.4	16	750	4.2
E384122		13.3	0.1	2.6	0.025	0.53	4.6	60.6	2.16	3030	6.26	3.54	41.9	64.3	750	13
E384123		7.84	0.18	1.6	0.011	0.38	21.3	16.7	0.57	1460	57.8	4.34	6.4	67.7	850	30.7
E384124		5.1	0.13	1.2	0.024	0.13	3.4	7.9	3.22	5310	11.6	2.81	10.5	31.9	760	13.6
E384125		0.46	<0.05	0.1	<0.005	0.03	1.6	1.4	0.52	45	0.32	0.03	0.4	0.9	110	0.7
E384126		19.35	0.12	2	0.13	3.25	39.8	24.2	1.41	3430	21.2	0.62	4.8	26.2	800	3.3
E384127		6.14	0.11	1.9	0.015	0.17	5.5	9.3	2.66	4540	20.1	3.28	36.2	30.6	900	14.7
E384128		8.21	0.28	0.4	0.02	0.06	132.5	11.1	0.94	2140	61.5	0.98	7	50.2	540	10.2
E384129		9.72	0.16	1.4	0.013	0.22	142.5	18.3	1.16	1880	29.2	3.12	9.2	42.6	1060	13.3
E384130		10.05	0.11	2.1	0.025	0.21	32.9	29.9	1.8	2890	22.2	2.86	3.8	53.4	1070	14.1
E384131		10.4	0.08	2	0.016	0.2	30.5	21.2	1.21	1620	48.6	3.92	3.8	37.6	1220	8.9
E384132		13.15	0.09	2	0.011	0.28	48.3	21.9	0.85	960	28.8	4.73	4.2	27.6	1700	3.7
E384133		13.5	0.1	1.8	0.013	0.31	60.6	20	0.99	1510	14.05	4.54	4.7	27.9	1220	3.7
E384134		14.45	0.3	1.5	0.019	0.56	188.5	22.9	0.67	563	73.4	2.4	5.3	54.3	2070	15.8
E384135		17.75	0.24	1.3	0.034	0.6	75.8	22.5	0.55	538	101.5	1.67	7	56.3	2370	12.4
E384136		16.3	0.15	1.8	0.032	2.47	52.5	32.1	0.91	1420	48.4	1.94	5.8	27.6	1740	4.8
E384137		0.53	<0.05	0.1	<0.005	0.03	1.8	1.5	0.55	41	0.43	0.02	0.3	1.1	130	0.7
E384138		17.25	0.08	1.9	0.041	2.98	35.7	47	1.3	3130	7.14	1.59	3.8	13.3	690	1.7
E384139		17.55	0.11	1.6	0.043	3.06	46.3	48.4	1	2820	4.4	0.9	2.2	18.1	720	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384100		0.1	<0.002	2.45	2.08	3.1	3	1.4	4	0.08	0.11	1.7	<0.005	0.07	118.5	32
E384101		0.1	<0.002	2.65	1.11	1.7	3	1.1	4.1	0.08	0.1	0.2	<0.005	0.03	19	27
E384102		0.6	<0.002	0.07	0.07	0.4	<1	<0.2	282	<0.05	<0.05	0.2	0.006	<0.02	0.8	5
E384103		37.7	0.014	7.18	2.1	4.6	4	7.4	182.5	0.12	1.11	5.8	0.036	0.53	15	60
E384104		0.1	<0.002	2.53	1.09	1.6	3	1.3	4.5	0.07	0.07	0.3	<0.005	0.03	25.3	33
E384105		0.1	<0.002	2.28	1.61	1.7	1	1	3.7	0.09	0.08	0.4	0.006	0.06	47.4	39
E384106		0.1	0.005	2.26	1.68	1.2	2	1	4	0.07	0.13	0.4	0.005	0.32	42.1	52
E384107		0.2	0.014	4.05	1.61	1.7	5	2.2	24.8	0.08	0.26	0.3	0.005	0.32	69.8	42
E384108		0.1	0.006	2.52	1.39	1.5	3	2.3	30.4	0.06	0.17	0.3	0.005	0.13	20.9	41
E384109		0.1	0.003	1.77	1.71	1.4	2	2.7	27.9	0.07	0.2	0.5	0.005	0.36	33.6	37
E384110		0.2	0.004	3.15	1.4	1.4	3	1.1	14.6	0.06	0.19	0.2	0.005	0.44	22	33
E384111		0.3	0.009	2.4	1.19	1	5	2.7	8.6	<0.05	0.26	0.2	0.005	0.14	9.7	32
E384112		0.2	0.067	6.84	1.96	0.9	7	3.1	10.9	<0.05	1.73	0.3	0.005	1.24	68.9	27
E384113		0.2	0.037	5.33	2.29	0.9	7	2	19	<0.05	1.37	0.4	0.006	0.96	109.5	27
E384114		0.6	<0.002	0.08	0.07	0.4	<1	<0.2	292	<0.05	<0.05	0.2	0.006	<0.02	0.9	5
E384115		0.2	0.16	5.02	2.01	<0.1	9	5.7	64.2	<0.05	1.81	0.4	0.006	0.92	92.2	29
E384116		0.9	0.061	4.27	2.35	1.7	3	1.6	46.5	<0.05	0.76	2	0.008	1.1	53.7	33
E384117		0.6	0.02	3.12	1.79	1.6	3	1.1	19.6	<0.05	0.48	2.9	0.009	0.2	21	38
E384118		2	0.011	3.27	2.63	2.6	3	1.1	19.7	0.06	0.67	6.8	0.021	0.39	157	43
E384119		32.3	0.012	1.95	2.24	6.1	2	3.1	52.9	0.24	0.55	17.9	0.077	0.7	266	5
E384120		17.7	<0.002	0.15	1.1	5.8	1	2.5	73.9	0.17	<0.05	11.3	0.054	0.11	117.5	11
E384121		19	0.003	0.3	0.98	6.6	<1	3.5	125	0.25	<0.05	7.3	0.074	0.1	38.8	16
E384122		18.4	0.019	0.73	1.82	20.7	1	4.7	169	0.64	0.11	9.6	0.102	0.31	156.5	11
E384123		12.9	0.026	>10.0	4.48	11.4	7	2	51.3	0.08	3.64	8.3	0.03	0.73	180	15
E384124		4.4	0.006	6.39	1.97	58.4	3	1.2	92.9	0.18	1.7	0.4	0.018	0.46	36.1	6
E384125		0.6	<0.002	0.08	0.07	0.5	<1	<0.2	284	<0.05	<0.05	0.2	0.006	<0.02	1.1	4
E384126		139.5	0.007	1.39	1.35	10.3	1	8.2	482	0.3	0.17	11.9	0.151	0.38	17.6	71
E384127		7.9	0.009	6.02	1.98	28.8	3	2.9	87.3	0.74	1.64	0.5	0.056	0.68	20.2	10
E384128		2.5	0.012	2.36	2.6	14.2	1	1.9	29.9	0.07	0.94	1.9	0.022	0.56	38.2	39
E384129		10	0.015	2.33	2.3	14.8	2	2.9	54.4	0.15	0.67	16	0.061	0.3	280	18
E384130		9.2	0.014	2.64	3.39	13.5	2	3	94.3	0.14	1.11	9.3	0.062	0.7	102	35
E384131		7.9	0.025	1.84	1.94	8.7	2	3	132.5	0.15	0.81	3.9	0.061	0.49	44.6	32
E384132		9.7	0.011	0.49	1.16	6.2	1	3.2	757	0.18	0.15	3.8	0.066	0.18	43.9	44
E384133		11.8	0.006	0.4	0.93	7.1	1	3	784	0.19	0.12	5	0.06	0.16	173	55
E384134		23.1	0.02	3.61	2.88	8.5	6	4	386	0.13	1.21	15.3	0.064	0.98	780	41
E384135		19.9	0.013	2.89	3.55	8.4	6	4.2	349	0.17	0.94	10.8	0.072	0.65	1240	44
E384136		74.5	0.007	1.04	1.35	13.4	2	9.6	637	0.27	0.34	7.5	0.108	0.49	135.5	65
E384137		0.7	<0.002	0.07	0.07	0.4	<1	<0.2	301	<0.05	<0.05	0.2	0.007	<0.02	1.5	6
E384138		116.5	0.006	0.17	0.7	14.8	<1	15.1	765	0.2	<0.05	7.8	0.111	0.35	18.5	67
E384139		132.5	0.003	0.36	0.6	10.8	<1	16.4	1280	0.11	<0.05	9.8	0.101	0.42	23	67

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384100		11.9	4	9	1.1		0.002	
E384101		4	4.3	9	1.1		<0.001	
E384102		0.1	2.8	23	4.6		<0.001	
E384103		6.7	14.9	17	28.2		0.056	
E384104		3.1	4.7	8	0.6		0.003	
E384105		4.7	4.4	8	1.7		0.003	
E384106		6.4	3.9	6	0.7		<0.001	
E384107		5.7	5.1	6	1.4		0.008	
E384108		4.7	4.6	6	<0.5		0.010	
E384109		3.5	4.4	5	0.9		0.004	
E384110		2.5	4.6	4	0.6		0.004	
E384111		3.1	4.5	4	0.5		0.002	
E384112		3.8	4.9	5	1.3		0.035	
E384113		4.5	4.6	7	1.3		0.024	
E384114		0.1	2.8	24	3.7		<0.001	
E384115		4.9	4	13	1.5		0.026	
E384116		6.4	6	26	11.1		0.021	
E384117		4.9	6.2	36	4.6		0.013	
E384118		3.7	11	39	11.3		0.020	
E384119		4.1	13.8	36	97.2		0.009	
E384120		3.7	13.5	12	89.8		<0.001	
E384121		4.8	13.4	15	77.1		<0.001	
E384122		6.7	21.9	95	92.1		0.002	
E384123		4.3	14.7	27	56		0.091	
E384124		1.6	21.5	14	41.5		0.046	
E384125		0.1	2.9	25	3.5		<0.001	
E384126		9.6	11.7	6	68.7		0.014	
E384127		3.2	16.9	10	64.1		0.037	
E384128		16.4	8.3	17	13.3		0.018	
E384129		7	20.7	18	51.1		0.014	
E384130		3.8	17	26	67.1		0.025	
E384131		3.3	13.3	17	63.9		0.020	
E384132		4.3	12	16	66.1		0.002	
E384133		3.7	11	13	63		0.001	
E384134		4.5	14.2	9	50.9		0.028	
E384135		4.6	11	10	46.5		0.021	
E384136		6.5	11.5	11	61.7		0.006	
E384137		0.1	2.9	25	3.9		<0.001	
E384138		7	10.5	4	63.9		<0.001	
E384139		8.3	11	3	55		<0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384140		1.70	0.14	5.04	34.8	160	2.15	0.35	0.85	<0.02	150	107.5	29	2.01	292	11.25
E384141		1.10	0.23	6.76	55.9	1470	3.92	0.52	1.42	<0.02	126	28.6	43	4.29	207	6.41
E384142		1.18	0.08	7.62	28	840	4.31	0.28	2.91	<0.02	82.4	44.1	47	4.23	273	8.9
E384143		1.12	0.03	7.03	7	350	3.82	0.05	2.26	<0.02	132.5	68.3	42	3.55	158	8.83
E384144		1.12	0.05	8.22	9.1	1350	5.15	0.09	1.52	<0.02	96.5	55.6	51	4.76	217	7.63
E384145		1.06	0.3	8.17	53.5	1170	5.03	0.51	0.93	<0.02	64	80	52	5.52	515	6.4
E384146		1.56	1.43	7.38	109.5	230	4.5	2.18	1.68	<0.02	159.5	243	48	4.4	240	8.19
E384147		1.52	2.27	6.12	207	40	3.59	4.35	1.67	<0.02	209	323	36	3.49	212	11.9
E384148		0.18	0.02	0.14	6	40	0.12	0.02	48	0.37	2.3	1.2	6	<0.05	5.2	0.06
E384149		0.20	1.11	6.18	51.7	50	1.95	2.65	2.23	<0.02	52.7	167	35	3.75	8510	9.88
E384150		1.76	2.6	2.47	228	20	1.27	5.43	2.63	<0.02	156	557	12	1.04	2520	36.6
E384151		1.86	1.39	0.34	87.2	110	0.27	3.22	2.08	<0.02	383	385	<1	0.1	>10000	45.1
E384152		2.20	1.58	1.12	134	40	0.55	3.73	1.59	<0.02	358	572	3	0.28	>10000	37.8
E384153		1.02	6.24	6.79	325	50	3.56	8.4	1.61	<0.02	30	510	38	3.55	986	15.25
E384154		1.56	2.61	1.3	152.5	10	0.72	5.93	2	<0.02	188	685	6	0.49	>10000	35.4
E384155		1.86	3.99	1.12	441	10	0.63	10.5	2.34	<0.02	422	840	5	0.46	9950	33.5
E384156		1.36	4.08	2.7	296	20	1.31	8.78	1.01	<0.02	152	656	15	1.16	1795	30.9
E384157		1.66	4.18	6.06	243	40	2.99	8.86	2.13	<0.02	51.7	423	39	2.99	332	17.85
E384158		1.32	2.18	6.14	143	50	2.75	4.83	3.04	<0.02	18.3	213	39	3.1	376	14.4
E384159		1.46	4.32	6.99	284	210	3.35	8.69	2.02	<0.02	37.1	473	41	3.88	241	11.55
E384160		0.20	0.02	0.14	<5	30	0.11	0.03	47.1	0.37	2.23	1.8	7	<0.05	3.4	0.06
E384161		1.74	1.17	5.92	110.5	40	2.77	4.33	2.78	<0.02	65.8	213	35	2.8	406	12.55
E384162		1.06	1.55	7.33	104	200	4.11	3.67	1.48	<0.02	45.5	175	47	4.55	1550	6.19
E384163		1.60	2.32	4.65	470	20	2.38	18.1	2.06	0.03	4	702	24	2.64	1725	11.45
E384164		1.44	4.38	4.94	1195	5410	1.9	36.9	1.25	0.02	12.5	1280	28	2.78	1355	16.9
E384165		1.46	1.92	5.58	794	2000	2.33	19.25	1.11	<0.02	6.65	1065	33	2.5	299	12.45
E384166		1.26	1.1	7.2	552	40	3.56	13.95	0.58	<0.02	27.5	807	44	3.23	362	11.25
E384167		1.56	7.04	5.58	1500	1570	3.15	35	0.31	<0.02	14.95	1890	41	2.46	>10000	17.95
E384168		1.76	7.31	3.48	1930	1250	1.52	46.3	1.18	<0.02	3.2	2220	22	1.77	9860	20.3
E384169		1.26	11.05	3.25	3230	1240	1.56	65.3	0.73	<0.02	24.5	3950	25	1.58	2570	23.7
E384170		1.54	3.89	6.13	1340	1640	3.24	34.8	0.55	<0.02	8.33	1770	32	2.96	707	13.55
E384171		0.18	0.02	0.13	13	70	0.11	0.06	48.6	0.41	2.17	2.8	7	<0.05	5.3	0.06
E384172		0.22	1.2	2.36	83.8	70	0.56	9.49	2.17	<0.02	173	329	16	2.45	8960	26.8
E384173		1.54	3.76	5.21	1380	630	2.61	39.4	1.58	<0.02	15.05	1725	29	2.58	3050	16
E384174		1.38	1.26	5.58	330	30	2.97	15.6	2.47	<0.02	6.6	607	25	2.85	4240	11.7
E384175		1.36	1.02	4.98	375	20	2.4	19.55	2.99	0.03	4.39	514	19	2.01	562	9.93
E384176		1.28	1.14	5.12	176.5	40	2.86	13.05	2.91	0.02	16.3	338	18	2.44	4140	9.96
E384177		1.58	0.91	4.88	157	30	2.79	9.47	1.61	<0.02	20.3	281	22	2.64	5640	10.4
E384178		0.98	1.05	5.1	392	20	2.45	19	2.08	<0.02	27.9	622	21	2.22	843	11
E384179		1.16	2.11	8.04	378	70	4.18	29.7	0.6	<0.02	10.05	595	28	4.18	1730	17.15

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384140		12.35	0.18	1.4	0.03	2.44	57.7	21.8	0.47	931	12.9	0.56	2.1	26.8	880	3.2
E384141		19.4	0.11	2	0.075	3.26	75.3	46.1	0.75	1630	23.2	0.61	3.5	14.9	1040	6.5
E384142		20.5	0.13	1.9	0.081	3.99	49.1	51.9	1.19	3750	23.1	0.48	4	19.6	910	3.3
E384143		18.1	0.16	1.8	0.066	3.71	79.2	44.7	1.02	2740	4.02	0.19	4.4	18.5	790	1.9
E384144		22.4	0.12	2.3	0.082	4.54	61.6	58.8	0.92	1790	4.26	0.18	6.9	17.7	840	1.7
E384145		22.9	0.11	2.3	0.082	4.19	42.3	58.1	0.77	1070	13.5	0.1	6.2	16.4	980	3.7
E384146		20.1	0.15	2.2	0.067	4.06	114	58	0.91	2040	8.89	0.15	7.2	26.5	670	9.1
E384147		16.8	0.2	1.7	0.065	3.19	144.5	49.8	0.84	2010	47.8	0.08	7.6	42.7	1190	14.6
E384148		0.5	<0.05	0.1	<0.005	0.04	1.7	1.5	0.51	39	0.33	0.02	0.3	1.4	110	0.8
E384149		16.25	0.12	1.8	0.152	2.29	19.7	23.6	1.27	3510	69.1	1.13	3.9	39.1	890	21.3
E384150		10.4	0.32	0.7	0.068	1.09	119.5	19.9	1.11	4190	58.8	0.1	6.7	87.6	1120	16.6
E384151		7.35	0.46	0.1	0.105	0.06	308	3.2	0.7	3520	47.8	0.02	10.2	89.5	1360	7.7
E384152		8.49	0.42	0.3	0.093	0.25	274	11.1	0.72	2950	101.5	0.04	4.5	94.3	1440	9.1
E384153		17.6	0.16	2	0.081	3.5	18.6	63.9	1	2070	71	0.05	7.6	51.9	1190	31.9
E384154		7.84	0.36	0.4	0.125	0.48	138	13.4	0.93	3950	114.5	0.02	5.4	91.7	1310	16.4
E384155		7.58	0.45	0.4	0.117	0.43	302	12.3	1.03	4140	114	0.01	6.2	101	1380	27.1
E384156		10.15	0.32	0.8	0.05	1.16	113	28.2	0.76	2140	53.1	0.04	9	109	1810	18
E384157		15.45	0.18	1.6	0.062	3.15	33.5	46.4	1.07	2790	39.2	0.07	9.7	74.5	1430	21.1
E384158		15.7	0.15	1.7	0.059	3.12	10.4	39.9	1.25	3600	31	0.06	6.8	51.7	1430	9.8
E384159		17.65	0.13	2	0.064	3.88	22	42.3	0.96	2470	14.2	0.09	6.2	53.5	980	17.8
E384160		0.52	<0.05	0.1	<0.005	0.04	1.7	1.4	0.5	39	0.33	0.02	0.3	1.7	110	0.8
E384161		14.4	0.14	1.8	0.054	3.08	30.8	35.3	1.1	3540	47.2	0.08	5.1	41.5	980	8.5
E384162		20.1	0.11	2.4	0.077	4.11	20.7	36.9	0.85	2010	17.5	0.05	6.7	32.2	790	7.6
E384163		12.1	0.1	1.3	0.051	2.45	0.7	18.4	0.8	3140	29.9	0.04	3.2	92	590	16.5
E384164		13.5	0.3	1.5	0.055	2.29	4.4	13.6	0.56	1780	38.7	0.1	5.6	166	790	36.3
E384165		13.8	0.18	1.7	0.05	2.92	2	13.9	0.51	1640	106	0.06	2.8	133.5	650	27.4
E384166		16.25	0.14	2.1	0.057	3.84	7.7	19.2	0.45	855	83.2	0.06	4.2	165.5	810	18.8
E384167		13.45	0.36	1.6	0.137	2.78	6	8.1	0.29	295	543	0.05	4.2	386	770	39.2
E384168		8.58	0.22	1	0.11	1.77	1.2	8.4	0.47	1470	209	0.06	2.7	498	510	55
E384169		7.96	0.27	1.2	0.048	1.63	11.7	11.8	0.33	892	501	0.09	5	481	590	227
E384170		14.25	0.26	1.9	0.058	3.21	4.4	9.4	0.38	663	734	0.07	3.8	250	730	36.7
E384171		0.47	<0.05	0.1	<0.005	0.03	1.7	1.5	0.52	39	1.74	0.02	0.3	2.3	120	0.8
E384172		9.12	0.28	0.7	0.242	0.67	96.4	17.5	1.58	6560	62.7	0.25	5.2	53.9	2360	5.8
E384173		13.3	0.18	1.7	0.076	2.53	5.2	16.7	0.68	2700	145.5	0.17	3.2	236	760	31.2
E384174		14	0.11	1.6	0.08	2.65	1.6	15.1	0.84	4210	57.1	0.07	2.7	102	640	13
E384175		11.45	0.08	1.6	0.037	2.32	0.9	8.8	0.76	6030	22.2	0.29	2.1	73.2	540	12
E384176		11.75	0.09	1.8	0.062	2.2	3.6	15.3	0.96	5820	32.7	0.09	3.4	67.2	710	7.6
E384177		12.35	0.12	1.8	0.076	2.16	4	17.1	0.87	3560	35.3	0.04	3.8	50.4	590	6.3
E384178		10.6	0.11	1.7	0.067	2.52	6.3	12.7	1.06	7980	37.6	0.04	3.7	53.5	670	12.6
E384179		26.4	0.15	2.8	0.095	3.87	2.8	23	0.68	4700	40.2	0.06	4	87.8	1110	11.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384140		94.4	0.004	0.76	1.01	6.9	1	7.9	1275	0.11	0.06	10.3	0.074	0.5	54.8	54
E384141		151	0.004	0.23	1.57	10.8	<1	14.7	637	0.2	0.13	14.4	0.127	0.67	94.6	64
E384142		174	0.017	0.29	0.95	12.4	1	17.8	484	0.21	0.06	11.7	0.137	0.66	48.1	74
E384143		158	0.005	0.54	0.85	11.4	1	18.4	478	0.2	<0.05	10.6	0.126	0.54	8.1	68
E384144		200	0.005	0.46	1.04	13.3	<1	25.9	161	0.35	<0.05	14.2	0.184	0.71	10.7	78
E384145		198.5	0.005	0.54	1.19	12.6	1	26.1	123.5	0.29	0.13	14.8	0.186	0.94	41.6	78
E384146		183	0.013	1.78	1.92	11.9	1	26.1	72.6	0.35	0.43	11.7	0.181	1.22	5.6	75
E384147		145	0.023	4.2	2.2	9.5	2	22.4	106	0.27	0.71	10.6	0.133	1.31	19.1	66
E384148		0.9	<0.002	0.07	0.06	0.4	<1	0.2	277	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E384149		94.7	0.023	2.4	1.67	9.9	2	8	615	0.21	0.26	8.3	0.094	0.43	305	59
E384150		46.4	0.017	6.33	3.2	4.3	4	7.9	35.4	0.13	0.82	14.4	0.058	1.13	105	41
E384151		2.2	0.016	5.18	2.23	1.2	4	1.8	26.7	0.1	0.43	6.5	0.01	0.52	26.9	28
E384152		11.1	0.029	6.06	2.53	1.8	6	3.3	24.5	0.07	0.66	13	0.023	0.75	68.2	32
E384153		160	0.03	7.04	4.32	11.1	3	28.8	45.7	0.19	1.65	3	0.129	3.17	92.9	70
E384154		21.8	0.042	7.75	3.48	2.6	7	5.5	31.2	0.08	0.86	12.3	0.032	1.18	147.5	28
E384155		20.3	0.042	>10.0	3.99	2.2	6	5.4	51.2	0.09	1.5	17.3	0.033	3.94	211	28
E384156		50.7	0.023	7.55	3.31	3.2	4	9	18.1	0.15	1.16	8.4	0.066	2.11	115	47
E384157		136	0.018	5.32	3.3	9.5	3	19.8	50.7	0.24	0.94	7.9	0.134	2.32	107.5	76
E384158		134.5	0.012	2.91	2.26	10.4	1	17.8	150	0.26	0.49	4.4	0.136	1.29	23.7	76
E384159		163.5	0.006	5.27	2.71	11.7	2	20.7	77.6	0.28	0.9	3.7	0.167	2.42	9.3	76
E384160		1	<0.002	0.08	0.08	0.4	<1	<0.2	278	<0.05	<0.05	0.2	0.006	<0.02	1.1	5
E384161		128.5	0.019	2.71	1.92	9.5	1	15.2	409	0.21	0.35	6.9	0.131	1.09	68.8	64
E384162		173.5	0.009	1.7	1.85	12	1	15.2	401	0.35	0.37	8.5	0.183	1.69	96.3	73
E384163		103	0.007	7.48	1.35	7.4	1	6.8	200	0.17	0.14	0.7	0.103	5.1	25.5	54
E384164		101	0.009	>10.0	2.26	7.7	1	6.9	231	0.19	0.46	2.3	0.109	8.21	44.7	55
E384165		99.6	0.011	8.47	1.45	11.7	1	7.1	192.5	0.16	0.17	2.2	0.111	4.3	15.7	54
E384166		150.5	0.026	4.92	1.53	11.9	1	9.8	347	0.22	0.1	5.7	0.165	5.14	16	75
E384167		107	0.094	>10.0	2.87	9.9	2	8.9	171	0.16	0.32	3.5	0.125	6.89	88.9	69
E384168		59.8	0.035	>10.0	2.03	5.9	1	5.9	87.9	0.13	0.27	0.8	0.079	13.3	68.3	34
E384169		56.6	0.241	>10.0	5.82	8.8	4	7.5	66.2	0.25	4.93	7.3	0.092	15.8	1520	37
E384170		120	0.153	>10.0	2.96	10.8	2	11.1	162	0.18	0.55	5.3	0.125	6.96	83.3	53
E384171		0.8	<0.002	0.09	0.08	0.5	1	<0.2	293	<0.05	<0.05	0.2	0.006	<0.02	1	5
E384172		30.4	0.017	7.02	2.04	4.3	4	6.7	154.5	0.14	1.11	6	0.035	0.45	16.2	59
E384173		91.7	0.027	>10.0	2.12	10.1	1	9.7	137	0.16	0.43	2.9	0.1	6.51	47.8	49
E384174		110	0.01	6.02	1.4	9.6	1	7.6	275	0.14	0.15	2.4	0.103	3.09	27.7	53
E384175		84.1	0.006	6.74	1.08	6.4	<1	3.3	189	0.12	<0.05	2.1	0.084	2.59	21.8	40
E384176		86	0.007	3.95	1.33	7.3	1	3.9	459	0.21	0.06	4	0.103	1.83	46.7	45
E384177		90	0.015	3.32	1.22	7	1	4.9	347	0.16	0.07	3.7	0.103	1.51	52.5	46
E384178		81.9	0.02	6.15	1.51	6.5	1	6.3	207	0.21	0.16	5.9	0.144	2	196	51
E384179		156.5	0.011	>10.0	2.18	13.7	1	15.7	144.5	0.14	0.41	1.5	0.254	3.84	102	248

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384140		6.1	9.8	3	50.3		<0.001	
E384141		10.9	10.6	2	66.9		<0.001	
E384142		11.9	14.3	3	64.8		<0.001	
E384143		10.8	13.7	4	58.7		<0.001	
E384144		15.4	12.9	3	77.2		<0.001	
E384145		16	11.6	4	73.4		0.006	
E384146		14.8	13	3	71.2		0.015	
E384147		11.9	15.5	5	57.2		0.037	
E384148		0.1	2.8	24	3.2		<0.001	
E384149		8.7	15.7	16	61.2		0.057	
E384150		6.7	18	8	25.9		0.050	
E384151		5.8	16.5	18	4	1.255	0.046	
E384152		4.6	18	10	11.4	1.025	0.098	
E384153		12.6	13.7	5	69.4		0.047	
E384154		7.5	17.2	14	17.9	1.430	0.096	
E384155		8.7	23	9	15.5		0.143	
E384156		6.8	15.8	7	28.5		0.064	
E384157		11.2	16	7	64.9		0.033	
E384158		10.9	14	4	70.1		0.020	
E384159		12.7	13	4	77.9		0.029	
E384160		0.1	2.9	23	4.2		0.001	
E384161		10.3	14.4	5	71.4		0.018	
E384162		14	12.7	2	94		0.013	
E384163		8.4	10	2	51		0.040	
E384164		10	9.9	2	47.2		0.095	6.46
E384165		10.2	7.6	<2	54.4		0.036	
E384166		12.6	9.9	4	85.4		0.019	
E384167		12.2	9.9	<2	55.7	1.325	0.079	
E384168		8	5	<2	31.1		0.102	
E384169		8.9	29.3	<2	37.4		0.167	
E384170		11.6	6.9	<2	62.5		0.073	
E384171		0.1	3	23	4		<0.001	
E384172		6.6	13.4	5	23		0.135	
E384173		9.6	9	<2	53.5		0.087	
E384174		9.2	10.2	2	62		0.024	
E384175		6.3	9.1	4	62.4		0.015	
E384176		8.8	10.7	4	70.3		0.013	
E384177		10.2	10.1	15	69.8		0.008	
E384178		12.1	13.2	5	73.8		0.015	
E384179		26.5	17.1	3	104		0.023	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384180		0.94	0.65	3.99	122.5	40	1.84	10.9	1.97	<0.02	36	194	20	2.27	478	12.05
E384181		1.22	1.24	3.62	239	20	1.55	19.1	0.34	<0.02	16.3	319	21	2.29	1295	15

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E384180		10.3	0.13	1.5	0.084	1.76	9.1	13.5	1.34	12750	46.6	0.03	5.1	35	900	6.1
E384181		8.96	0.12	1.3	0.089	1.65	3.9	13.5	0.79	12900	43.1	0.04	4	53.5	1130	10.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E384180		76.5	0.01	3.27	1.01	7.3	1	7.7	547	0.19	0.15	4.3	0.104	1.6	27.7	77
E384181		69.7	0.008	6.05	1.25	6.9	1	8.6	228	0.16	0.35	2.3	0.09	2.73	28.1	66

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384180		13.9	11.2	5	58		0.012	
E384181		14.7	10	6	52.4		0.018	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07132668

Project: IGOR : 20

P.O. No.: 198670

This report is for 122 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E384060		3.48	1.23	0.5	131.5	110	0.14	4.28	0.2	0.02	61.5	729	<1	0.15	1190	35.4
E384061		1.06	1.42	0.22	129	130	0.11	6.45	0.07	0.04	124.5	516	<1	0.1	678	36
E384062		1.04	3.59	0.08	353	130	0.16	11.05	<0.01	<0.02	408	23.7	<1	0.06	68.5	34
E384063		0.64	3.96	0.07	196	90	0.13	9.92	<0.01	0.04	106.5	39.7	<1	0.06	105.5	36.9
E384064		0.44	4.05	0.47	207	80	0.3	9.58	0.02	0.03	>500	109	10	0.19	520	33.2
E384065		0.54	5.81	0.43	399	100	0.36	17.7	0.02	0.04	380	71.2	10	0.25	289	32.4
E384066		0.64	3.23	0.1	372	80	0.1	7.19	<0.01	0.04	417	33.1	<1	<0.05	179	36.4
E384067		0.56	6.45	0.12	1220	170	0.1	20.3	<0.01	<0.02	>500	86.5	1	<0.05	301	40.7
E384068		0.18	0.02	0.14	10	20	0.07	0.05	49.8	0.45	9.23	2.4	4	<0.05	4.2	0.11
E384069		0.64	1.88	0.07	158.5	50	0.09	5.29	0.03	0.03	288	19.1	<1	0.05	80.7	38.1
E384070		2.04	6.7	0.06	444	80	0.1	11	0.01	0.02	438	20.3	<1	<0.05	111.5	38.9
E384071		0.86	4.91	0.12	250	40	0.12	5.94	<0.01	0.03	201	389	<1	<0.05	777	39.2
E384072		1.08	6.1	0.08	178.5	60	0.1	7.2	<0.01	0.04	314	1100	<1	<0.05	628	37.3
E384073		2.02	3.23	0.11	125	50	0.11	4.77	0.02	0.05	167.5	960	<1	0.06	2450	39.8
E384074		2.02	2.97	0.1	111.5	30	0.08	5.18	0.15	0.07	117.5	814	<1	0.06	918	37.7
E384075		1.78	1.42	0.11	67.5	270	0.05	3.05	0.31	0.07	149.5	646	<1	<0.05	761	35.4
E384076		1.38	2.56	0.22	326	20	0.18	5.33	0.14	0.14	120.5	480	<1	0.06	1270	34.2
E384077		1.68	2.05	0.2	157	30	0.11	5.35	0.11	0.13	23	678	<1	0.07	1250	35.2
E384078		1.88	1.79	1.11	109.5	30	0.1	3.35	0.41	0.05	49.6	636	<1	0.1	873	31
E384079		0.18	0.01	0.14	<5	40	0.06	0.02	48.7	0.39	2.46	2.6	5	<0.05	6.5	0.13
E384080		0.18	1.07	6.42	45.5	230	1.88	2.51	2.21	<0.02	54.2	169	36	3.79	8910	9.8
E384081		2.54	1.87	1.38	68.4	70	0.07	5.09	0.29	0.02	13.3	825	<1	0.11	960	27.3
E384082		1.88	3.18	0.96	117	50	0.08	3.32	0.35	0.02	26.6	1605	<1	0.13	3070	30.8
E384083		2.06	3.58	1.08	136.5	50	0.11	5.12	0.31	0.04	23.3	1525	<1	0.12	1780	31.2
E384084		2.12	2.42	0.9	224	30	0.07	3.35	0.42	<0.02	51.9	1235	12	0.1	1100	30.4
E384085		2.62	1.48	0.48	89.2	20	<0.05	2.47	0.32	<0.02	31.9	779	3	0.09	295	34.8
E384086		1.68	0.3	0.18	40.1	20	0.06	0.58	0.36	<0.02	27.8	383	<1	0.05	776	38.3
E384087		1.82	0.52	0.23	45	20	0.05	0.86	0.33	<0.02	32.9	431	2	0.05	589	33.6
E384088		1.62	1.02	0.68	60.1	30	0.05	1.77	0.33	<0.02	211	623	<1	0.08	851	28.2
E384089		1.96	1.34	1.38	88.4	20	0.09	3.86	0.36	0.03	102	877	<1	0.08	714	29.3
E384090		2.00	1.23	0.96	77.4	10	0.14	2.85	0.26	0.03	49.6	780	<1	0.09	1125	30.1
E384091		0.16	0.01	0.13	<5	30	0.05	0.03	45.6	0.38	1.99	1.5	6	<0.05	3.6	0.14
E384092		2.04	0.63	0.41	50.2	10	0.07	1.3	0.24	<0.02	22.8	496	<1	0.05	496	35.3
E384093		1.70	0.48	0.32	62.6	10	0.08	1.15	0.22	<0.02	22.4	693	<1	<0.05	636	35.2
E384094		1.84	1.43	0.53	172.5	10	0.07	3.44	0.31	0.02	27.2	1540	<1	0.06	804	34
E384095		3.18	0.64	0.24	47.4	40	0.1	1.5	0.22	<0.02	22.5	616	<1	0.05	506	37.1
E384096		2.32	0.69	0.18	72.7	20	0.07	1.64	0.3	0.02	22.9	755	<1	0.05	540	36.7
E384097		1.78	1.3	0.17	115.5	10	0.11	3.25	0.31	0.02	20.3	1180	<1	0.06	1100	39.4
E384098		2.16	0.9	0.13	53.9	100	0.15	2.19	0.27	<0.02	28.7	499	<1	0.06	604	40.4
E384099		1.86	0.73	0.09	36.5	10	0.12	1.32	0.22	<0.02	29.6	364	1	0.06	642	38.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384060		5.69	0.74	0.3	0.053	0.03	49.9	7	0.15	2030	43.4	<0.01	8.1	66.6	1770	8.4
E384061		5.47	0.75	0.3	0.055	0.02	87.6	1.8	0.03	1160	78.4	<0.01	6.9	41.1	1330	9.7
E384062		7.42	1.02	0.3	0.055	0.01	285	1.9	<0.01	266	67.5	<0.01	7.5	25.8	4240	21.8
E384063		4.79	0.76	0.3	0.062	0.02	83.2	1.4	<0.01	702	82.7	0.01	9.3	26.7	1180	29.8
E384064		17.7	0.93	0.7	0.035	0.07	820	2.8	0.06	594	85.7	0.01	21.4	34.8	1720	32.7
E384065		15.3	0.82	0.9	0.019	0.13	429	2.9	0.06	255	124	0.01	16.3	32.2	1520	52.4
E384066		7.26	1	0.2	0.034	0.02	305	1.1	<0.01	292	76	0.01	6.8	24.4	2280	22.7
E384067		38.7	4.56	0.5	0.058	0.03	3980	1.7	<0.01	203	72.5	0.01	6	18.6	>10000	29.2
E384068		1.15	0.15	0.3	<0.005	0.04	6.7	1.7	0.53	37	0.56	0.01	0.5	<0.2	130	0.7
E384069		7.2	0.91	0.3	0.02	0.02	208	1	<0.01	181	89.2	<0.01	12.5	23.8	1210	8.9
E384070		8.14	1.01	0.3	0.032	0.03	310	0.8	<0.01	165	96.6	<0.01	6.7	25.2	2600	43.2
E384071		5.65	0.81	0.3	0.035	0.01	140	0.6	<0.01	376	101	<0.01	8.7	30.8	930	85
E384072		6.84	1	0.3	0.023	0.01	218	0.6	<0.01	183	114.5	<0.01	8.5	47.7	1180	123
E384073		6.56	0.92	0.3	0.038	0.01	118	0.9	0.02	564	109	<0.01	7.6	57.5	900	84.6
E384074		6.3	0.84	0.2	0.035	0.01	77.3	0.6	0.04	603	119.5	<0.01	5.3	39.6	1630	27.9
E384075		5.89	0.78	0.2	0.056	<0.01	103.5	1.4	0.62	7280	113.5	<0.01	6.1	44.8	1420	13
E384076		6.36	0.85	0.2	0.069	0.05	81.1	2.5	0.13	1590	207	<0.01	6.6	42.2	2600	24.6
E384077		4.4	0.65	0.2	0.044	0.01	15.3	1.8	0.08	802	173	<0.01	5.7	41.9	1390	15.7
E384078		11	0.66	0.5	0.029	0.02	33.6	13.6	0.5	2020	102	<0.01	14	99.1	2140	22.5
E384079		0.95	0.12	0.3	<0.005	0.03	1.9	1.3	0.53	41	1.35	0.01	0.4	<0.2	120	0.7
E384080		16	0.25	1.7	0.141	2.36	21.8	24.4	1.24	3420	63.7	1.13	4	39.6	880	22.5
E384081		9.2	0.42	0.4	0.02	0.02	8.4	15.2	0.58	2180	60.6	<0.01	10.1	106.5	1250	18.3
E384082		7.45	0.61	0.6	0.043	0.02	11.5	10.3	0.53	3000	62.7	<0.01	9.7	101.5	1500	181
E384083		8.55	0.63	0.6	0.027	0.06	12.4	11.9	0.47	1870	103.5	<0.01	11.3	106	1530	100.5
E384084		8.37	0.41	1	0.025	0.02	35	9.6	0.38	1685	157.5	0.01	21.4	87.4	1870	29
E384085		7.25	0.34	0.1	0.023	0.01	21.7	5.4	0.22	1030	219	0.01	7.8	65.6	1570	9.6
E384086		6.01	0.35	<0.1	0.029	<0.01	17.9	1.8	0.24	1980	51.6	0.01	10.8	52.1	1610	3.2
E384087		5.08	0.31	0.1	0.046	<0.01	21.7	2.6	0.51	4320	72	0.01	6.9	48.9	1510	4
E384088		7.99	0.36	0.2	0.036	0.01	150	8.7	0.53	2950	91.5	0.01	4.4	68	1480	6.8
E384089		12.35	0.33	0.2	0.018	<0.01	72.8	18.1	0.58	1360	153.5	0.01	4.7	103.5	1730	10
E384090		10	0.32	0.1	0.013	<0.01	32.5	13.3	0.32	441	99.9	0.01	8.2	89.7	1380	9.2
E384091		0.51	<0.05	0.1	0.005	0.03	1.5	1.5	0.5	36	0.76	0.02	0.3	0.9	130	0.8
E384092		7.62	0.32	0.1	0.012	<0.01	14.9	4.7	0.17	571	51.5	0.01	10.2	65.6	1030	5.4
E384093		6.57	0.31	<0.1	0.032	<0.01	14.4	3.6	0.33	2440	35.9	0.01	8.7	64.6	1020	4.7
E384094		8.17	0.31	0.1	0.018	<0.01	17.4	7	0.3	1540	76.9	0.01	6	80.1	1480	12.6
E384095		6.14	0.33	<0.1	0.042	<0.01	14.4	2.6	0.55	4400	42.6	0.01	6.5	55.7	1010	5.7
E384096		6.15	0.33	<0.1	0.036	<0.01	14.5	2.1	0.45	3950	58.8	0.01	7.4	57.4	1290	5.6
E384097		5.93	0.37	<0.1	0.031	<0.01	12.7	2	0.23	2140	97.2	0.01	5.5	62.4	1640	10.3
E384098		5.82	0.33	<0.1	0.045	<0.01	18.4	1.4	0.25	2770	50.4	0.01	7.2	52.1	1410	8.7
E384099		5.38	0.38	<0.1	0.029	<0.01	19.6	0.9	0.13	1400	51.7	0.01	10.5	48.1	1110	9.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384060		1.2	0.01	5.55	2.25	6.7	9	1.4	12.8	0.09	1.08	1.6	0.01	0.23	21.6	44
E384061		1	0.01	3.81	3.61	3.9	10	1.6	8.3	0.06	1.69	1.7	0.009	0.16	13.1	37
E384062		0.4	0.002	0.09	5.58	15.3	11	5.2	12.6	<0.05	4.53	3.8	0.01	0.26	14.6	34
E384063		0.7	0.005	0.16	4.67	5	10	2.3	24.2	0.06	2.03	1.3	0.014	0.8	8.6	38
E384064		3	0.004	0.94	5.93	4.1	10	3.8	137.5	0.22	2.26	4.1	0.054	0.96	22.7	33
E384065		4.9	0.002	0.29	7.38	3.3	11	7.3	85.9	0.22	4.5	3.2	0.051	1.9	39.4	24
E384066		0.4	0.003	0.14	3.75	7.5	10	2.9	10.7	0.05	2.9	3.9	0.012	0.48	42.9	34
E384067		0.5	0.013	0.71	4.88	34.1	15	8.8	21.9	0.07	5.87	27.6	0.01	0.33	84.8	27
E384068		0.8	<0.002	0.07	0.09	0.7	3	<0.2	319	<0.05	<0.05	0.3	0.007	<0.02	0.8	10
E384069		0.5	<0.002	0.11	3.95	3.8	10	3.1	7.8	0.05	1.46	2.8	0.012	0.12	18.8	32
E384070		0.3	0.002	0.13	4.42	8.7	11	2.9	14.1	<0.05	2.89	3.4	0.01	0.55	28.2	30
E384071		0.2	0.007	2.31	3.73	4.1	13	2.2	5.1	<0.05	1.81	2.9	0.007	0.21	269	24
E384072		0.2	0.012	6.46	4.02	4.5	16	2.4	7.2	<0.05	2.2	5.2	0.007	0.41	470	22
E384073		0.2	0.013	6.02	3.08	4.4	13	1.8	5.4	<0.05	1.41	5.5	0.007	0.36	1010	21
E384074		0.1	0.012	5.66	2.77	2.8	12	1.6	5.9	<0.05	1.08	1.7	0.006	0.69	170	20
E384075		0.1	0.012	4.21	2.01	5.4	11	2.5	6.2	<0.05	0.65	0.7	0.005	0.89	87.5	14
E384076		1.6	0.013	3.19	2.77	6.4	12	2.7	8.6	<0.05	1.1	3.2	0.005	0.9	123	19
E384077		0.2	0.015	4.83	1.86	4.4	11	1.8	3.7	<0.05	1.29	2.1	0.007	0.39	310	22
E384078		0.8	0.015	4.14	2.19	4.2	10	2	9	0.36	0.56	4.8	0.024	0.87	365	22
E384079		0.5	<0.002	0.08	0.07	0.5	3	<0.2	312	<0.05	<0.05	0.2	0.007	<0.02	1.1	9
E384080		94.3	0.016	2.45	1.61	10.5	8	6.7	743	0.22	0.22	9.2	0.102	0.39	300	58
E384081		0.7	0.01	6.03	3.09	2.6	10	1.8	6.5	0.23	1.53	8.1	0.029	0.8	520	22
E384082		0.8	0.022	9.87	3.4	4.9	14	1.6	7.2	0.3	0.64	34.6	0.028	1.92	3720	14
E384083		2.4	0.026	9.37	3.23	5.2	12	1.8	8.3	0.22	0.85	13.8	0.022	1.53	1550	16
E384084		1.1	0.05	6.98	2.25	5.7	8	1.9	10.2	0.62	0.93	5.6	0.028	1.11	319	16
E384085		0.4	0.026	4.79	1.34	3.8	6	2.5	6.4	0.06	0.91	0.9	0.009	0.41	46.4	18
E384086		0.2	0.002	2.06	1.09	2.7	2	2.4	6.3	0.06	0.1	0.4	0.005	0.06	26.6	20
E384087		0.2	0.006	2.2	1.04	5	3	1.9	5.9	<0.05	0.14	0.5	<0.005	0.11	27.7	14
E384088		0.3	0.017	3.63	1.4	4.7	3	1.4	6.8	<0.05	0.51	7.5	0.007	0.44	12.5	21
E384089		0.1	0.024	4.68	2	2.7	4	1.2	7.4	0.06	0.66	2.7	0.009	0.38	18.9	26
E384090		0.2	0.012	4.17	2.01	1.8	3	1.5	5.4	0.06	0.26	0.9	0.007	0.34	43.4	24
E384091		0.6	<0.002	0.07	0.07	0.5	<1	<0.2	276	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E384092		0.2	0.004	2.94	2.04	1.6	3	1.3	5.1	0.06	0.11	0.3	0.006	0.38	19.5	21
E384093		0.1	0.004	3.94	1.58	2.6	2	1.2	4.4	0.06	0.11	0.4	0.005	0.25	53.9	23
E384094		0.1	0.015	8.36	3.67	2	5	1.4	6.4	0.06	0.53	0.4	0.006	1.52	46.3	25
E384095		0.1	0.004	3.58	2.44	3.4	3	0.9	4.8	0.05	0.16	0.2	<0.005	0.49	28.7	20
E384096		0.1	0.008	4.48	2.48	2.5	3	1.2	5.9	0.06	0.27	0.2	<0.005	0.67	14.1	27
E384097		0.1	0.014	6.7	4.25	2.5	5	1.2	6.1	<0.05	0.49	0.2	<0.005	1.42	32	26
E384098		0.1	0.004	2.87	3.09	2.6	3	1	5.9	0.08	0.13	0.5	<0.005	0.3	52.2	35
E384099		0.1	<0.002	2	2.48	2.3	2	1.6	4.7	0.09	0.08	1	<0.005	0.1	127.5	34

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Cu	Au	Ba
	Units	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.001	0.01
E384060		3.9	6.4	16	2.5		0.042	
E384061		5	5.2	14	3.2		0.058	
E384062		13.3	4	5	2.5		0.173	
E384063		9	2.2	13	1.6		0.071	
E384064		8.5	4.1	9	21.9		0.076	
E384065		7.7	3.6	9	32.2		0.132	
E384066		7.7	3.2	5	1.7		0.204	
E384067		10.3	24.2	9	2.6		0.522	
E384068		0.1	3.1	25	4		<0.001	
E384069		9.5	7.2	4	2.8		0.065	
E384070		10.7	3.7	6	2.5		0.116	
E384071		12	5.3	13	2.2		0.083	
E384072		14.6	8.2	7	2.9		0.113	
E384073		11.3	6.6	10	1.6		0.061	
E384074		8.8	4.5	10	1.1		0.050	
E384075		9.9	5	12	1		0.025	
E384076		8	4.6	15	1.8		0.044	
E384077		7.1	3	11	1.3		0.050	
E384078		5	9	31	11.3		0.030	
E384079		0.1	2.6	25	3		<0.001	
E384080		8.7	15.1	9	61.1		0.055	
E384081		3.3	7.2	32	7.2		0.051	
E384082		4.6	34.3	44	13		0.055	
E384083		5.3	15.2	34	16		0.054	
E384084		4.9	10.5	32	32.3		0.033	
E384085		6.1	5.7	16	5.8		0.036	
E384086		5.4	6.8	9	0.7		0.002	
E384087		4.6	6	14	3.8		<0.001	
E384088		2.9	7.6	18	6.2		0.012	
E384089		5.8	7.3	29	5.7		0.015	
E384090		8.9	6.6	17	5		0.013	
E384091		0.1	2.7	24	3.8		<0.001	
E384092		8.5	4.3	8	3		0.004	
E384093		6.2	4.8	10	1.7		<0.001	
E384094		8.8	6.6	11	3.9		0.015	
E384095		14.1	4.9	12	1.3		0.002	
E384096		8.3	5.2	8	0.8		0.007	
E384097		13.6	6.4	7	1.2		0.011	
E384098		17.9	5.9	7	0.7		0.003	
E384099		17.9	4.9	6	2.3		<0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384100		1.26	1.08	0.09	47.3	20	0.07	2.56	0.15	<0.02	21.8	472	<1	<0.05	690	38.2
E384101		1.96	0.31	0.17	29.2	20	0.05	0.68	0.23	0.02	21.5	446	<1	<0.05	425	34.1
E384102		0.18	0.01	0.13	<5	30	0.09	0.01	46	0.38	2	2.2	6	<0.05	3.7	0.14
E384103		0.22	1.2	2.47	77.4	10	0.63	10.7	2.32	<0.02	184	345	13	2.5	9210	28.8
E384104		1.92	0.27	0.14	28.8	30	<0.05	0.69	0.24	<0.02	20.5	432	<1	<0.05	461	36.2
E384105		2.24	0.36	0.2	34.6	20	0.07	0.84	0.19	<0.02	17.7	371	<1	0.05	843	41
E384106		2.08	0.5	0.16	42.9	30	0.05	0.89	0.22	<0.02	12.2	398	<1	<0.05	479	47.3
E384107		2.40	0.61	0.1	52.3	20	0.07	1.09	0.26	0.02	17.55	722	<1	<0.05	690	40.4
E384108		2.46	0.32	0.1	40.2	30	<0.05	0.55	0.25	0.02	35.5	436	<1	<0.05	332	41.1
E384109		2.30	0.36	0.08	66.2	50	<0.05	0.76	0.25	<0.02	42.2	304	<1	<0.05	287	38.9
E384110		2.22	0.36	0.08	56.8	30	<0.05	1.12	0.26	<0.02	21	506	2	<0.05	395	37
E384111		2.12	0.23	0.06	46.2	230	<0.05	1.01	0.28	0.03	36.5	364	2	<0.05	275	36.3
E384112		1.38	1.68	0.11	124.5	20	0.05	3.43	0.29	0.03	74.1	970	<1	0.05	492	35.4
E384113		2.64	1.51	0.21	147.5	20	0.05	3.69	0.24	0.04	46.2	782	<1	0.06	371	34.1
E384114		0.20	0.01	0.13	<5	30	0.09	0.02	48	0.4	2.22	2	6	<0.05	3.1	0.11
E384115		2.06	1.48	0.54	85.5	20	0.16	1.89	0.23	0.06	64.7	774	<1	0.06	258	34.6
E384116		2.46	1.36	1.35	88.4	20	0.14	2.17	0.25	0.02	140.5	625	3	0.23	765	32.5
E384117		1.80	0.74	1.92	61.6	30	0.16	1.92	0.26	<0.02	198	363	<1	0.19	353	29.7
E384118		1.44	1.13	2.31	78.7	30	0.22	2.15	0.26	0.03	131.5	415	14	0.28	378	28.7
E384119		1.26	0.6	7.86	61.9	220	1.06	1.44	1.42	0.04	20.7	249	26	1.47	596	6.89
E384120		0.92	0.05	7.76	5.3	400	1.03	0.06	3.15	0.03	10.65	54.4	36	0.68	156	3.86
E384121		1.36	0.09	7.66	3.9	4120	0.93	0.03	3.06	<0.02	70.2	56.2	36	0.76	138.5	4.91
E384122		1.44	0.4	8.54	17.1	4480	1.45	0.79	2.6	<0.02	10.2	202	20	3.83	209	10.4
E384123		0.76	2.67	7.03	268	30	0.87	6.39	0.75	0.02	32.2	1540	17	1.73	285	17.45
E384124		1.06	1.15	4.21	96.5	40	0.33	3	9.57	0.03	8.04	608	5	0.47	311	13.4
E384125		0.16	0.02	0.13	<5	30	0.07	0.02	48.4	0.39	2.09	2.1	6	<0.05	3.4	0.07
E384126		0.20	0.28	7.3	44.4	130	2.56	1.54	2.09	<0.02	75.7	114.5	48	6.19	1615	7.36
E384127		1.54	1.2	4.67	102.5	110	0.45	2.79	8.02	<0.02	10.25	607	10	0.43	87.1	12.6
E384128		2.50	1.79	2.02	88.3	150	0.25	2.42	1.95	<0.02	156.5	253	43	0.37	125	27.5
E384129		2.30	0.85	5.27	58.3	340	0.76	1.73	2.59	<0.02	178	212	40	0.66	299	13.2
E384130		0.76	1.67	5.47	86.3	50	0.72	2.46	3.65	0.02	46.9	261	27	0.65	653	12.7
E384131		1.46	1.34	6.44	62.9	80	0.71	1.74	2.39	0.02	43.7	182.5	33	0.5	447	8.76
E384132		1.08	0.36	7.39	30.6	450	0.62	0.28	1.6	<0.02	65.2	60.7	36	0.47	617	7.75
E384133		1.50	0.3	7.11	16.8	520	0.78	0.2	2.14	<0.02	79.3	58.2	37	0.52	589	8.47
E384134		1.06	2.37	4.93	191.5	20	0.74	2.64	1	<0.02	335	460	22	0.88	1180	16.25
E384135		0.96	2.45	4.09	179.5	30	0.57	2.09	0.65	<0.02	134.5	368	25	0.78	1345	19.15
E384136		0.72	0.56	6.7	74.5	160	1.39	0.54	1.72	<0.02	86.3	115	39	1.27	2020	10.1
E384137		0.20	0.01	0.14	5	60	0.11	0.01	>50	0.42	2.38	1.2	6	<0.05	4.8	0.06
E384138		1.14	0.06	6.9	4.1	2090	2.73	0.05	3.33	<0.02	57.5	21.5	38	2.49	172.5	5.7
E384139		1.56	0.05	6.47	5.2	640	3.71	0.04	2.53	<0.02	75.4	48.2	39	3.24	151.5	8.04

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384100		5.1	0.34	<0.1	0.046	<0.01	13.6	0.9	0.44	3990	61	0.01	9.4	48	770	11.1
E384101		6.27	0.32	<0.1	0.024	<0.01	13.7	1.8	0.48	3920	53.3	0.01	8.2	52.4	990	3.1
E384102		0.54	<0.05	0.1	<0.005	0.03	1.6	1.4	0.5	42	0.56	0.02	0.3	1.1	100	0.8
E384103		10.2	0.31	0.8	0.254	0.7	114.5	22.2	1.64	6480	62.4	0.26	6.2	65.2	2510	6.5
E384104		6.4	0.3	<0.1	0.023	<0.01	12.7	1.3	0.42	3510	41	0.01	7.8	51.7	1080	2.8
E384105		8.44	0.34	<0.1	0.024	<0.01	11	1.8	0.27	2140	43.5	0.01	10.5	65	910	4.5
E384106		8.36	0.35	<0.1	0.027	<0.01	7.4	1.5	0.2	1650	52.8	0.01	8	62.7	1030	5.3
E384107		7.59	0.34	<0.1	0.019	<0.01	9.9	1.1	0.25	2230	120.5	0.01	10	64.4	1260	7
E384108		9	0.36	<0.1	0.023	<0.01	24.4	1	0.28	2840	79.4	0.01	8.7	69	1190	2.9
E384109		8.71	0.35	<0.1	0.027	<0.01	29.1	0.7	0.13	1270	59.4	0.01	10.1	60.4	1260	4.3
E384110		7.55	0.33	<0.1	0.03	0.01	13.4	0.7	0.21	2300	53.4	0.01	8.6	60.5	1150	3.6
E384111		7.49	0.36	<0.1	0.029	0.01	28.1	0.5	0.19	2230	76.9	0.01	7.1	59.1	1250	2
E384112		6.92	0.36	<0.1	0.03	0.01	60.8	1	0.29	2790	291	0.01	4.9	75.5	1270	11.5
E384113		7.14	0.31	<0.1	0.019	0.01	35.1	2.1	0.23	1830	141	0.01	5.1	71.8	1120	13.3
E384114		0.53	<0.05	0.1	<0.005	0.03	1.7	1.4	0.52	41	1.38	0.02	0.3	1.2	130	0.8
E384115		9.33	0.44	0.1	0.026	0.01	50.7	5.8	0.38	2430	531	0.01	4.1	91.1	890	12
E384116		11.5	0.3	0.3	0.018	0.02	107	16.7	0.52	1760	211	0.01	3.6	102	1210	8.7
E384117		11.85	0.32	0.1	0.014	0.01	161	25.3	0.68	1200	78.2	0.01	4.2	105.5	1200	4.5
E384118		9.73	0.29	0.3	0.022	0.05	105.5	25.8	0.75	1830	45.6	0.36	5.4	81.5	1120	8.6
E384119		10.35	0.07	2.7	0.019	0.62	13.7	39	1.01	1470	31.3	4.24	17.5	28.8	750	12.8
E384120		10.4	<0.05	2.6	0.016	0.41	6.2	13.8	1.13	2840	5.64	5.71	6	11.7	690	5.4
E384121		11.2	0.08	2.2	0.02	0.41	55.5	16.8	1.24	2590	1.79	5.49	5.4	16	750	4.2
E384122		13.3	0.1	2.6	0.025	0.53	4.6	60.6	2.16	3030	6.26	3.54	41.9	64.3	750	13
E384123		7.84	0.18	1.6	0.011	0.38	21.3	16.7	0.57	1460	57.8	4.34	6.4	67.7	850	30.7
E384124		5.1	0.13	1.2	0.024	0.13	3.4	7.9	3.22	5310	11.6	2.81	10.5	31.9	760	13.6
E384125		0.46	<0.05	0.1	<0.005	0.03	1.6	1.4	0.52	45	0.32	0.03	0.4	0.9	110	0.7
E384126		19.35	0.12	2	0.13	3.25	39.8	24.2	1.41	3430	21.2	0.62	4.8	26.2	800	3.3
E384127		6.14	0.11	1.9	0.015	0.17	5.5	9.3	2.66	4540	20.1	3.28	36.2	30.6	900	14.7
E384128		8.21	0.28	0.4	0.02	0.06	132.5	11.1	0.94	2140	61.5	0.98	7	50.2	540	10.2
E384129		9.72	0.16	1.4	0.013	0.22	142.5	18.3	1.16	1880	29.2	3.12	9.2	42.6	1060	13.3
E384130		10.05	0.11	2.1	0.025	0.21	32.9	29.9	1.8	2890	22.2	2.86	3.8	53.4	1070	14.1
E384131		10.4	0.08	2	0.016	0.2	30.5	21.2	1.21	1620	48.6	3.92	3.8	37.6	1220	8.9
E384132		13.15	0.09	2	0.011	0.28	48.3	21.9	0.85	960	28.8	4.73	4.2	27.6	1700	3.7
E384133		13.5	0.1	1.8	0.013	0.31	60.6	20	0.99	1510	14.05	4.54	4.7	27.9	1220	3.7
E384134		14.45	0.3	1.5	0.019	0.56	188.5	22.9	0.67	563	73.4	2.4	5.3	54.3	2070	15.8
E384135		17.75	0.24	1.3	0.034	0.6	75.8	22.5	0.55	538	101.5	1.67	7	56.3	2370	12.4
E384136		16.3	0.15	1.8	0.032	2.47	52.5	32.1	0.91	1420	48.4	1.94	5.8	27.6	1740	4.8
E384137		0.53	<0.05	0.1	<0.005	0.03	1.8	1.5	0.55	41	0.43	0.02	0.3	1.1	130	0.7
E384138		17.25	0.08	1.9	0.041	2.98	35.7	47	1.3	3130	7.14	1.59	3.8	13.3	690	1.7
E384139		17.55	0.11	1.6	0.043	3.06	46.3	48.4	1	2820	4.4	0.9	2.2	18.1	720	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384100		0.1	<0.002	2.45	2.08	3.1	3	1.4	4	0.08	0.11	1.7	<0.005	0.07	118.5	32
E384101		0.1	<0.002	2.65	1.11	1.7	3	1.1	4.1	0.08	0.1	0.2	<0.005	0.03	19	27
E384102		0.6	<0.002	0.07	0.07	0.4	<1	<0.2	282	<0.05	<0.05	0.2	0.006	<0.02	0.8	5
E384103		37.7	0.014	7.18	2.1	4.6	4	7.4	182.5	0.12	1.11	5.8	0.036	0.53	15	60
E384104		0.1	<0.002	2.53	1.09	1.6	3	1.3	4.5	0.07	0.07	0.3	<0.005	0.03	25.3	33
E384105		0.1	<0.002	2.28	1.61	1.7	1	1	3.7	0.09	0.08	0.4	0.006	0.06	47.4	39
E384106		0.1	0.005	2.26	1.68	1.2	2	1	4	0.07	0.13	0.4	0.005	0.32	42.1	52
E384107		0.2	0.014	4.05	1.61	1.7	5	2.2	24.8	0.08	0.26	0.3	0.005	0.32	69.8	42
E384108		0.1	0.006	2.52	1.39	1.5	3	2.3	30.4	0.06	0.17	0.3	0.005	0.13	20.9	41
E384109		0.1	0.003	1.77	1.71	1.4	2	2.7	27.9	0.07	0.2	0.5	0.005	0.36	33.6	37
E384110		0.2	0.004	3.15	1.4	1.4	3	1.1	14.6	0.06	0.19	0.2	0.005	0.44	22	33
E384111		0.3	0.009	2.4	1.19	1	5	2.7	8.6	<0.05	0.26	0.2	0.005	0.14	9.7	32
E384112		0.2	0.067	6.84	1.96	0.9	7	3.1	10.9	<0.05	1.73	0.3	0.005	1.24	68.9	27
E384113		0.2	0.037	5.33	2.29	0.9	7	2	19	<0.05	1.37	0.4	0.006	0.96	109.5	27
E384114		0.6	<0.002	0.08	0.07	0.4	<1	<0.2	292	<0.05	<0.05	0.2	0.006	<0.02	0.9	5
E384115		0.2	0.16	5.02	2.01	<0.1	9	5.7	64.2	<0.05	1.81	0.4	0.006	0.92	92.2	29
E384116		0.9	0.061	4.27	2.35	1.7	3	1.6	46.5	<0.05	0.76	2	0.008	1.1	53.7	33
E384117		0.6	0.02	3.12	1.79	1.6	3	1.1	19.6	<0.05	0.48	2.9	0.009	0.2	21	38
E384118		2	0.011	3.27	2.63	2.6	3	1.1	19.7	0.06	0.67	6.8	0.021	0.39	157	43
E384119		32.3	0.012	1.95	2.24	6.1	2	3.1	52.9	0.24	0.55	17.9	0.077	0.7	266	5
E384120		17.7	<0.002	0.15	1.1	5.8	1	2.5	73.9	0.17	<0.05	11.3	0.054	0.11	117.5	11
E384121		19	0.003	0.3	0.98	6.6	<1	3.5	125	0.25	<0.05	7.3	0.074	0.1	38.8	16
E384122		18.4	0.019	0.73	1.82	20.7	1	4.7	169	0.64	0.11	9.6	0.102	0.31	156.5	11
E384123		12.9	0.026	>10.0	4.48	11.4	7	2	51.3	0.08	3.64	8.3	0.03	0.73	180	15
E384124		4.4	0.006	6.39	1.97	58.4	3	1.2	92.9	0.18	1.7	0.4	0.018	0.46	36.1	6
E384125		0.6	<0.002	0.08	0.07	0.5	<1	<0.2	284	<0.05	<0.05	0.2	0.006	<0.02	1.1	4
E384126		139.5	0.007	1.39	1.35	10.3	1	8.2	482	0.3	0.17	11.9	0.151	0.38	17.6	71
E384127		7.9	0.009	6.02	1.98	28.8	3	2.9	87.3	0.74	1.64	0.5	0.056	0.68	20.2	10
E384128		2.5	0.012	2.36	2.6	14.2	1	1.9	29.9	0.07	0.94	1.9	0.022	0.56	38.2	39
E384129		10	0.015	2.33	2.3	14.8	2	2.9	54.4	0.15	0.67	16	0.061	0.3	280	18
E384130		9.2	0.014	2.64	3.39	13.5	2	3	94.3	0.14	1.11	9.3	0.062	0.7	102	35
E384131		7.9	0.025	1.84	1.94	8.7	2	3	132.5	0.15	0.81	3.9	0.061	0.49	44.6	32
E384132		9.7	0.011	0.49	1.16	6.2	1	3.2	757	0.18	0.15	3.8	0.066	0.18	43.9	44
E384133		11.8	0.006	0.4	0.93	7.1	1	3	784	0.19	0.12	5	0.06	0.16	173	55
E384134		23.1	0.02	3.61	2.88	8.5	6	4	386	0.13	1.21	15.3	0.064	0.98	780	41
E384135		19.9	0.013	2.89	3.55	8.4	6	4.2	349	0.17	0.94	10.8	0.072	0.65	1240	44
E384136		74.5	0.007	1.04	1.35	13.4	2	9.6	637	0.27	0.34	7.5	0.108	0.49	135.5	65
E384137		0.7	<0.002	0.07	0.07	0.4	<1	<0.2	301	<0.05	<0.05	0.2	0.007	<0.02	1.5	6
E384138		116.5	0.006	0.17	0.7	14.8	<1	15.1	765	0.2	<0.05	7.8	0.111	0.35	18.5	67
E384139		132.5	0.003	0.36	0.6	10.8	<1	16.4	1280	0.11	<0.05	9.8	0.101	0.42	23	67

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384100		11.9	4	9	1.1		0.002	
E384101		4	4.3	9	1.1		<0.001	
E384102		0.1	2.8	23	4.6		<0.001	
E384103		6.7	14.9	17	28.2		0.056	
E384104		3.1	4.7	8	0.6		0.003	
E384105		4.7	4.4	8	1.7		0.003	
E384106		6.4	3.9	6	0.7		<0.001	
E384107		5.7	5.1	6	1.4		0.008	
E384108		4.7	4.6	6	<0.5		0.010	
E384109		3.5	4.4	5	0.9		0.004	
E384110		2.5	4.6	4	0.6		0.004	
E384111		3.1	4.5	4	0.5		0.002	
E384112		3.8	4.9	5	1.3		0.035	
E384113		4.5	4.6	7	1.3		0.024	
E384114		0.1	2.8	24	3.7		<0.001	
E384115		4.9	4	13	1.5		0.026	
E384116		6.4	6	26	11.1		0.021	
E384117		4.9	6.2	36	4.6		0.013	
E384118		3.7	11	39	11.3		0.020	
E384119		4.1	13.8	36	97.2		0.009	
E384120		3.7	13.5	12	89.8		<0.001	
E384121		4.8	13.4	15	77.1		<0.001	
E384122		6.7	21.9	95	92.1		0.002	
E384123		4.3	14.7	27	56		0.091	
E384124		1.6	21.5	14	41.5		0.046	
E384125		0.1	2.9	25	3.5		<0.001	
E384126		9.6	11.7	6	68.7		0.014	
E384127		3.2	16.9	10	64.1		0.037	
E384128		16.4	8.3	17	13.3		0.018	
E384129		7	20.7	18	51.1		0.014	
E384130		3.8	17	26	67.1		0.025	
E384131		3.3	13.3	17	63.9		0.020	
E384132		4.3	12	16	66.1		0.002	
E384133		3.7	11	13	63		0.001	
E384134		4.5	14.2	9	50.9		0.028	
E384135		4.6	11	10	46.5		0.021	
E384136		6.5	11.5	11	61.7		0.006	
E384137		0.1	2.9	25	3.9		<0.001	
E384138		7	10.5	4	63.9		<0.001	
E384139		8.3	11	3	55		<0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384140		1.70	0.14	5.04	34.8	160	2.15	0.35	0.85	<0.02	150	107.5	29	2.01	292	11.25
E384141		1.10	0.23	6.76	55.9	1470	3.92	0.52	1.42	<0.02	126	28.6	43	4.29	207	6.41
E384142		1.18	0.08	7.62	28	840	4.31	0.28	2.91	<0.02	82.4	44.1	47	4.23	273	8.9
E384143		1.12	0.03	7.03	7	350	3.82	0.05	2.26	<0.02	132.5	68.3	42	3.55	158	8.83
E384144		1.12	0.05	8.22	9.1	1350	5.15	0.09	1.52	<0.02	96.5	55.6	51	4.76	217	7.63
E384145		1.06	0.3	8.17	53.5	1170	5.03	0.51	0.93	<0.02	64	80	52	5.52	515	6.4
E384146		1.56	1.43	7.38	109.5	230	4.5	2.18	1.68	<0.02	159.5	243	48	4.4	240	8.19
E384147		1.52	2.27	6.12	207	40	3.59	4.35	1.67	<0.02	209	323	36	3.49	212	11.9
E384148		0.18	0.02	0.14	6	40	0.12	0.02	48	0.37	2.3	1.2	6	<0.05	5.2	0.06
E384149		0.20	1.11	6.18	51.7	50	1.95	2.65	2.23	<0.02	52.7	167	35	3.75	8510	9.88
E384150		1.76	2.6	2.47	228	20	1.27	5.43	2.63	<0.02	156	557	12	1.04	2520	36.6
E384151		1.86	1.39	0.34	87.2	110	0.27	3.22	2.08	<0.02	383	385	<1	0.1	>10000	45.1
E384152		2.20	1.58	1.12	134	40	0.55	3.73	1.59	<0.02	358	572	3	0.28	>10000	37.8
E384153		1.02	6.24	6.79	325	50	3.56	8.4	1.61	<0.02	30	510	38	3.55	986	15.25
E384154		1.56	2.61	1.3	152.5	10	0.72	5.93	2	<0.02	188	685	6	0.49	>10000	35.4
E384155		1.86	3.99	1.12	441	10	0.63	10.5	2.34	<0.02	422	840	5	0.46	9950	33.5
E384156		1.36	4.08	2.7	296	20	1.31	8.78	1.01	<0.02	152	656	15	1.16	1795	30.9
E384157		1.66	4.18	6.06	243	40	2.99	8.86	2.13	<0.02	51.7	423	39	2.99	332	17.85
E384158		1.32	2.18	6.14	143	50	2.75	4.83	3.04	<0.02	18.3	213	39	3.1	376	14.4
E384159		1.46	4.32	6.99	284	210	3.35	8.69	2.02	<0.02	37.1	473	41	3.88	241	11.55
E384160		0.20	0.02	0.14	<5	30	0.11	0.03	47.1	0.37	2.23	1.8	7	<0.05	3.4	0.06
E384161		1.74	1.17	5.92	110.5	40	2.77	4.33	2.78	<0.02	65.8	213	35	2.8	406	12.55
E384162		1.06	1.55	7.33	104	200	4.11	3.67	1.48	<0.02	45.5	175	47	4.55	1550	6.19
E384163		1.60	2.32	4.65	470	20	2.38	18.1	2.06	0.03	4	702	24	2.64	1725	11.45
E384164		1.44	4.38	4.94	1195	5410	1.9	36.9	1.25	0.02	12.5	1280	28	2.78	1355	16.9
E384165		1.46	1.92	5.58	794	2000	2.33	19.25	1.11	<0.02	6.65	1065	33	2.5	299	12.45
E384166		1.26	1.1	7.2	552	40	3.56	13.95	0.58	<0.02	27.5	807	44	3.23	362	11.25
E384167		1.56	7.04	5.58	1500	1570	3.15	35	0.31	<0.02	14.95	1890	41	2.46	>10000	17.95
E384168		1.76	7.31	3.48	1930	1250	1.52	46.3	1.18	<0.02	3.2	2220	22	1.77	9860	20.3
E384169		1.26	11.05	3.25	3230	1240	1.56	65.3	0.73	<0.02	24.5	3950	25	1.58	2570	23.7
E384170		1.54	3.89	6.13	1340	1640	3.24	34.8	0.55	<0.02	8.33	1770	32	2.96	707	13.55
E384171		0.18	0.02	0.13	13	70	0.11	0.06	48.6	0.41	2.17	2.8	7	<0.05	5.3	0.06
E384172		0.22	1.2	2.36	83.8	70	0.56	9.49	2.17	<0.02	173	329	16	2.45	8960	26.8
E384173		1.54	3.76	5.21	1380	630	2.61	39.4	1.58	<0.02	15.05	1725	29	2.58	3050	16
E384174		1.38	1.26	5.58	330	30	2.97	15.6	2.47	<0.02	6.6	607	25	2.85	4240	11.7
E384175		1.36	1.02	4.98	375	20	2.4	19.55	2.99	0.03	4.39	514	19	2.01	562	9.93
E384176		1.28	1.14	5.12	176.5	40	2.86	13.05	2.91	0.02	16.3	338	18	2.44	4140	9.96
E384177		1.58	0.91	4.88	157	30	2.79	9.47	1.61	<0.02	20.3	281	22	2.64	5640	10.4
E384178		0.98	1.05	5.1	392	20	2.45	19	2.08	<0.02	27.9	622	21	2.22	843	11
E384179		1.16	2.11	8.04	378	70	4.18	29.7	0.6	<0.02	10.05	595	28	4.18	1730	17.15

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384140		12.35	0.18	1.4	0.03	2.44	57.7	21.8	0.47	931	12.9	0.56	2.1	26.8	880	3.2
E384141		19.4	0.11	2	0.075	3.26	75.3	46.1	0.75	1630	23.2	0.61	3.5	14.9	1040	6.5
E384142		20.5	0.13	1.9	0.081	3.99	49.1	51.9	1.19	3750	23.1	0.48	4	19.6	910	3.3
E384143		18.1	0.16	1.8	0.066	3.71	79.2	44.7	1.02	2740	4.02	0.19	4.4	18.5	790	1.9
E384144		22.4	0.12	2.3	0.082	4.54	61.6	58.8	0.92	1790	4.26	0.18	6.9	17.7	840	1.7
E384145		22.9	0.11	2.3	0.082	4.19	42.3	58.1	0.77	1070	13.5	0.1	6.2	16.4	980	3.7
E384146		20.1	0.15	2.2	0.067	4.06	114	58	0.91	2040	8.89	0.15	7.2	26.5	670	9.1
E384147		16.8	0.2	1.7	0.065	3.19	144.5	49.8	0.84	2010	47.8	0.08	7.6	42.7	1190	14.6
E384148		0.5	<0.05	0.1	<0.005	0.04	1.7	1.5	0.51	39	0.33	0.02	0.3	1.4	110	0.8
E384149		16.25	0.12	1.8	0.152	2.29	19.7	23.6	1.27	3510	69.1	1.13	3.9	39.1	890	21.3
E384150		10.4	0.32	0.7	0.068	1.09	119.5	19.9	1.11	4190	58.8	0.1	6.7	87.6	1120	16.6
E384151		7.35	0.46	0.1	0.105	0.06	308	3.2	0.7	3520	47.8	0.02	10.2	89.5	1360	7.7
E384152		8.49	0.42	0.3	0.093	0.25	274	11.1	0.72	2950	101.5	0.04	4.5	94.3	1440	9.1
E384153		17.6	0.16	2	0.081	3.5	18.6	63.9	1	2070	71	0.05	7.6	51.9	1190	31.9
E384154		7.84	0.36	0.4	0.125	0.48	138	13.4	0.93	3950	114.5	0.02	5.4	91.7	1310	16.4
E384155		7.58	0.45	0.4	0.117	0.43	302	12.3	1.03	4140	114	0.01	6.2	101	1380	27.1
E384156		10.15	0.32	0.8	0.05	1.16	113	28.2	0.76	2140	53.1	0.04	9	109	1810	18
E384157		15.45	0.18	1.6	0.062	3.15	33.5	46.4	1.07	2790	39.2	0.07	9.7	74.5	1430	21.1
E384158		15.7	0.15	1.7	0.059	3.12	10.4	39.9	1.25	3600	31	0.06	6.8	51.7	1430	9.8
E384159		17.65	0.13	2	0.064	3.88	22	42.3	0.96	2470	14.2	0.09	6.2	53.5	980	17.8
E384160		0.52	<0.05	0.1	<0.005	0.04	1.7	1.4	0.5	39	0.33	0.02	0.3	1.7	110	0.8
E384161		14.4	0.14	1.8	0.054	3.08	30.8	35.3	1.1	3540	47.2	0.08	5.1	41.5	980	8.5
E384162		20.1	0.11	2.4	0.077	4.11	20.7	36.9	0.85	2010	17.5	0.05	6.7	32.2	790	7.6
E384163		12.1	0.1	1.3	0.051	2.45	0.7	18.4	0.8	3140	29.9	0.04	3.2	92	590	16.5
E384164		13.5	0.3	1.5	0.055	2.29	4.4	13.6	0.56	1780	38.7	0.1	5.6	166	790	36.3
E384165		13.8	0.18	1.7	0.05	2.92	2	13.9	0.51	1640	106	0.06	2.8	133.5	650	27.4
E384166		16.25	0.14	2.1	0.057	3.84	7.7	19.2	0.45	855	83.2	0.06	4.2	165.5	810	18.8
E384167		13.45	0.36	1.6	0.137	2.78	6	8.1	0.29	295	543	0.05	4.2	386	770	39.2
E384168		8.58	0.22	1	0.11	1.77	1.2	8.4	0.47	1470	209	0.06	2.7	498	510	55
E384169		7.96	0.27	1.2	0.048	1.63	11.7	11.8	0.33	892	501	0.09	5	481	590	227
E384170		14.25	0.26	1.9	0.058	3.21	4.4	9.4	0.38	663	734	0.07	3.8	250	730	36.7
E384171		0.47	<0.05	0.1	<0.005	0.03	1.7	1.5	0.52	39	1.74	0.02	0.3	2.3	120	0.8
E384172		9.12	0.28	0.7	0.242	0.67	96.4	17.5	1.58	6560	62.7	0.25	5.2	53.9	2360	5.8
E384173		13.3	0.18	1.7	0.076	2.53	5.2	16.7	0.68	2700	145.5	0.17	3.2	236	760	31.2
E384174		14	0.11	1.6	0.08	2.65	1.6	15.1	0.84	4210	57.1	0.07	2.7	102	640	13
E384175		11.45	0.08	1.6	0.037	2.32	0.9	8.8	0.76	6030	22.2	0.29	2.1	73.2	540	12
E384176		11.75	0.09	1.8	0.062	2.2	3.6	15.3	0.96	5820	32.7	0.09	3.4	67.2	710	7.6
E384177		12.35	0.12	1.8	0.076	2.16	4	17.1	0.87	3560	35.3	0.04	3.8	50.4	590	6.3
E384178		10.6	0.11	1.7	0.067	2.52	6.3	12.7	1.06	7980	37.6	0.04	3.7	53.5	670	12.6
E384179		26.4	0.15	2.8	0.095	3.87	2.8	23	0.68	4700	40.2	0.06	4	87.8	1110	11.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384140		94.4	0.004	0.76	1.01	6.9	1	7.9	1275	0.11	0.06	10.3	0.074	0.5	54.8	54
E384141		151	0.004	0.23	1.57	10.8	<1	14.7	637	0.2	0.13	14.4	0.127	0.67	94.6	64
E384142		174	0.017	0.29	0.95	12.4	1	17.8	484	0.21	0.06	11.7	0.137	0.66	48.1	74
E384143		158	0.005	0.54	0.85	11.4	1	18.4	478	0.2	<0.05	10.6	0.126	0.54	8.1	68
E384144		200	0.005	0.46	1.04	13.3	<1	25.9	161	0.35	<0.05	14.2	0.184	0.71	10.7	78
E384145		198.5	0.005	0.54	1.19	12.6	1	26.1	123.5	0.29	0.13	14.8	0.186	0.94	41.6	78
E384146		183	0.013	1.78	1.92	11.9	1	26.1	72.6	0.35	0.43	11.7	0.181	1.22	5.6	75
E384147		145	0.023	4.2	2.2	9.5	2	22.4	106	0.27	0.71	10.6	0.133	1.31	19.1	66
E384148		0.9	<0.002	0.07	0.06	0.4	<1	0.2	277	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E384149		94.7	0.023	2.4	1.67	9.9	2	8	615	0.21	0.26	8.3	0.094	0.43	305	59
E384150		46.4	0.017	6.33	3.2	4.3	4	7.9	35.4	0.13	0.82	14.4	0.058	1.13	105	41
E384151		2.2	0.016	5.18	2.23	1.2	4	1.8	26.7	0.1	0.43	6.5	0.01	0.52	26.9	28
E384152		11.1	0.029	6.06	2.53	1.8	6	3.3	24.5	0.07	0.66	13	0.023	0.75	68.2	32
E384153		160	0.03	7.04	4.32	11.1	3	28.8	45.7	0.19	1.65	3	0.129	3.17	92.9	70
E384154		21.8	0.042	7.75	3.48	2.6	7	5.5	31.2	0.08	0.86	12.3	0.032	1.18	147.5	28
E384155		20.3	0.042	>10.0	3.99	2.2	6	5.4	51.2	0.09	1.5	17.3	0.033	3.94	211	28
E384156		50.7	0.023	7.55	3.31	3.2	4	9	18.1	0.15	1.16	8.4	0.066	2.11	115	47
E384157		136	0.018	5.32	3.3	9.5	3	19.8	50.7	0.24	0.94	7.9	0.134	2.32	107.5	76
E384158		134.5	0.012	2.91	2.26	10.4	1	17.8	150	0.26	0.49	4.4	0.136	1.29	23.7	76
E384159		163.5	0.006	5.27	2.71	11.7	2	20.7	77.6	0.28	0.9	3.7	0.167	2.42	9.3	76
E384160		1	<0.002	0.08	0.08	0.4	<1	<0.2	278	<0.05	<0.05	0.2	0.006	<0.02	1.1	5
E384161		128.5	0.019	2.71	1.92	9.5	1	15.2	409	0.21	0.35	6.9	0.131	1.09	68.8	64
E384162		173.5	0.009	1.7	1.85	12	1	15.2	401	0.35	0.37	8.5	0.183	1.69	96.3	73
E384163		103	0.007	7.48	1.35	7.4	1	6.8	200	0.17	0.14	0.7	0.103	5.1	25.5	54
E384164		101	0.009	>10.0	2.26	7.7	1	6.9	231	0.19	0.46	2.3	0.109	8.21	44.7	55
E384165		99.6	0.011	8.47	1.45	11.7	1	7.1	192.5	0.16	0.17	2.2	0.111	4.3	15.7	54
E384166		150.5	0.026	4.92	1.53	11.9	1	9.8	347	0.22	0.1	5.7	0.165	5.14	16	75
E384167		107	0.094	>10.0	2.87	9.9	2	8.9	171	0.16	0.32	3.5	0.125	6.89	88.9	69
E384168		59.8	0.035	>10.0	2.03	5.9	1	5.9	87.9	0.13	0.27	0.8	0.079	13.3	68.3	34
E384169		56.6	0.241	>10.0	5.82	8.8	4	7.5	66.2	0.25	4.93	7.3	0.092	15.8	1520	37
E384170		120	0.153	>10.0	2.96	10.8	2	11.1	162	0.18	0.55	5.3	0.125	6.96	83.3	53
E384171		0.8	<0.002	0.09	0.08	0.5	1	<0.2	293	<0.05	<0.05	0.2	0.006	<0.02	1	5
E384172		30.4	0.017	7.02	2.04	4.3	4	6.7	154.5	0.14	1.11	6	0.035	0.45	16.2	59
E384173		91.7	0.027	>10.0	2.12	10.1	1	9.7	137	0.16	0.43	2.9	0.1	6.51	47.8	49
E384174		110	0.01	6.02	1.4	9.6	1	7.6	275	0.14	0.15	2.4	0.103	3.09	27.7	53
E384175		84.1	0.006	6.74	1.08	6.4	<1	3.3	189	0.12	<0.05	2.1	0.084	2.59	21.8	40
E384176		86	0.007	3.95	1.33	7.3	1	3.9	459	0.21	0.06	4	0.103	1.83	46.7	45
E384177		90	0.015	3.32	1.22	7	1	4.9	347	0.16	0.07	3.7	0.103	1.51	52.5	46
E384178		81.9	0.02	6.15	1.51	6.5	1	6.3	207	0.21	0.16	5.9	0.144	2	196	51
E384179		156.5	0.011	>10.0	2.18	13.7	1	15.7	144.5	0.14	0.41	1.5	0.254	3.84	102	248

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384140		6.1	9.8	3	50.3		<0.001	
E384141		10.9	10.6	2	66.9		<0.001	
E384142		11.9	14.3	3	64.8		<0.001	
E384143		10.8	13.7	4	58.7		<0.001	
E384144		15.4	12.9	3	77.2		<0.001	
E384145		16	11.6	4	73.4		0.006	
E384146		14.8	13	3	71.2		0.015	
E384147		11.9	15.5	5	57.2		0.037	
E384148		0.1	2.8	24	3.2		<0.001	
E384149		8.7	15.7	16	61.2		0.057	
E384150		6.7	18	8	25.9		0.050	
E384151		5.8	16.5	18	4	1.255	0.046	
E384152		4.6	18	10	11.4	1.025	0.098	
E384153		12.6	13.7	5	69.4		0.047	
E384154		7.5	17.2	14	17.9	1.430	0.096	
E384155		8.7	23	9	15.5		0.143	
E384156		6.8	15.8	7	28.5		0.064	
E384157		11.2	16	7	64.9		0.033	
E384158		10.9	14	4	70.1		0.020	
E384159		12.7	13	4	77.9		0.029	
E384160		0.1	2.9	23	4.2		0.001	
E384161		10.3	14.4	5	71.4		0.018	
E384162		14	12.7	2	94		0.013	
E384163		8.4	10	2	51		0.040	
E384164		10	9.9	2	47.2		0.095	6.46
E384165		10.2	7.6	<2	54.4		0.036	
E384166		12.6	9.9	4	85.4		0.019	
E384167		12.2	9.9	<2	55.7	1.325	0.079	
E384168		8	5	<2	31.1		0.102	
E384169		8.9	29.3	<2	37.4		0.167	
E384170		11.6	6.9	<2	62.5		0.073	
E384171		0.1	3	23	4		<0.001	
E384172		6.6	13.4	5	23		0.135	
E384173		9.6	9	<2	53.5		0.087	
E384174		9.2	10.2	2	62		0.024	
E384175		6.3	9.1	4	62.4		0.015	
E384176		8.8	10.7	4	70.3		0.013	
E384177		10.2	10.1	15	69.8		0.008	
E384178		12.1	13.2	5	73.8		0.015	
E384179		26.5	17.1	3	104		0.023	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384180		0.94	0.65	3.99	122.5	40	1.84	10.9	1.97	<0.02	36	194	20	2.27	478	12.05
E384181		1.22	1.24	3.62	239	20	1.55	19.1	0.34	<0.02	16.3	319	21	2.29	1295	15

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E384180		10.3	0.13	1.5	0.084	1.76	9.1	13.5	1.34	12750	46.6	0.03	5.1	35	900	6.1
E384181		8.96	0.12	1.3	0.089	1.65	3.9	13.5	0.79	12900	43.1	0.04	4	53.5	1130	10.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E384180		76.5	0.01	3.27	1.01	7.3	1	7.7	547	0.19	0.15	4.3	0.104	1.6	27.7	77
E384181		69.7	0.008	6.05	1.25	6.9	1	8.6	228	0.16	0.35	2.3	0.09	2.73	28.1	66

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384180		13.9	11.2	5	58		0.012	
E384181		14.7	10	6	52.4		0.018	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : 20

CERTIFICATE OF ANALYSIS VA07132668

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07132882

Project: IGOR : HOLE 20B

P.O. No.: 198670

This report is for 138 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384182		1.48	1.61	0.21	133	20	0.09	3.5	0.28	<0.02	87	700	10	0.05	939	33
E384183		0.20	0.02	0.13	<5	210	0.08	<0.01	44.2	0.38	2.61	2.4	6	<0.05	5.2	0.17
E384184		1.10	1.61	0.17	146.5	90	0.09	4.06	0.34	<0.02	114.5	665	<1	0.07	982	34.7
E384185		1.16	1.92	0.98	148	130	0.12	4.31	0.32	<0.02	31.4	694	6	0.08	1000	28.5
E384186		1.52	9.09	2.09	331	20	0.16	17	0.47	<0.02	27	1690	3	0.17	691	33.8
E384187		1.98	3.61	0.53	143.5	100	0.13	3	0.3	0.02	24.4	1275	5	0.1	2260	31.5
E384188		1.56	2.51	1.02	230	60	0.12	3.18	0.38	<0.02	17.75	919	2	0.11	1060	26.1
E384189		2.14	2.09	0.47	147	40	0.06	2.54	0.38	<0.02	41.5	721	10	0.05	608	25.3
E384190		1.62	0.48	0.18	47.9	30	0.07	0.86	0.32	<0.02	34.6	410	4	<0.05	509	28.1
E384191		1.62	1.07	0.16	56	30	0.08	2.16	0.34	<0.02	48.5	454	13	<0.05	627	28.1
E384192		1.60	1.31	2.13	168.5	50	0.14	3.28	0.35	0.03	328	976	3	0.09	743	23.6
E384193		1.44	1.37	0.94	118	30	0.15	2.93	0.22	0.03	89.7	718	1	0.11	1580	27.8
E384194		0.18	0.04	0.15	<5	30	0.09	0.01	47.7	0.42	2.6	1.9	6	<0.05	6.4	0.18
E384195		0.20	0.27	7.32	54.3	120	2.45	1.53	2.14	<0.02	72.2	100.5	46	6.4	1615	7.3
E384196		1.34	2.73	1.47	325	60	0.31	3.79	0.3	0.04	47.1	1250	7	0.2	1680	28
E384197		2.06	0.54	0.95	61.7	70	0.12	1.05	0.29	0.02	36.8	442	<1	0.06	476	29.8
E384198		1.96	0.85	0.36	67.3	20	0.06	1.87	0.23	<0.02	31.4	561	<1	<0.05	620	29.2
E384199		1.94	0.45	0.29	58.7	90	0.11	1.07	0.17	<0.02	27.1	331	7	0.05	659	31.2
E384200		2.34	0.57	0.19	63.7	30	0.07	1.23	0.2	<0.02	19.25	523	1	<0.05	569	32.4
E384201		1.92	1.35	0.27	197.5	20	0.05	2.78	0.43	0.06	39.6	1250	1	<0.05	1040	30.1
E384202		2.20	0.73	0.11	71.1	10	0.09	1.62	0.21	<0.02	22.1	482	8	<0.05	885	30.6
E384203		1.80	1.03	0.15	85.6	20	0.19	2.33	0.26	0.03	30.9	569	3	0.06	997	39.4
E384204		1.18	1.75	0.17	84.5	10	0.1	2.53	0.18	0.05	22.5	677	<1	<0.05	1305	30.7
E384205		2.42	0.67	0.27	40.5	40	0.07	1.32	0.27	0.02	27.4	532	4	<0.05	611	31.9
E384206		0.16	0.05	0.14	<5	30	0.11	<0.01	48	1.04	2.37	2.6	6	<0.05	6	0.21
E384207		2.22	0.95	0.15	64	10	0.06	1.17	0.29	0.03	21	685	<1	<0.05	722	39.8
E384208		1.38	1.12	0.18	41.6	40	0.09	0.69	0.23	0.02	18.5	341	<1	0.05	526	47.2
E384209		3.90	0.59	0.25	79.8	120	0.07	0.98	0.23	0.02	16.3	393	<1	<0.05	383	45.7
E384210		3.02	0.92	0.21	143.5	140	0.09	1.44	0.28	0.02	34.7	747	1	<0.05	578	44.4
E384211		2.88	0.5	0.15	110.5	50	0.11	0.75	0.32	0.03	51.5	529	2	<0.05	159.5	40.2
E384212		4.48	0.41	0.1	121	30	0.05	1.31	0.3	0.03	34.1	592	2	<0.05	421	43.6
E384213		3.34	1.53	0.16	208	10	0.06	2.82	0.25	0.1	68.2	1200	2	<0.05	340	38.2
E384214		2.60	1	0.34	101	50	0.13	1.43	0.19	0.06	36.1	308	2	0.05	648	44.6
E384215		2.46	2.01	0.37	238	20	0.06	3.3	0.22	0.11	42.3	1130	<1	<0.05	368	40.4
E384216		2.18	1.12	1.33	132.5	40	0.17	2.01	0.24	0.03	>500	403	4	0.14	515	34
E384217		0.20	0.04	0.17	<5	150	0.12	<0.01	48.7	0.41	4.38	2.2	6	<0.05	18.2	0.17
E384218		0.18	1.17	6.11	67.8	50	2.18	2.7	2.13	0.04	47.9	163	34	3.87	8450	9.7
E384219		1.90	1.5	2.29	159.5	20	0.29	3.42	0.24	0.03	217	717	12	0.34	777	28.1
E384220		1.06	0.56	7.2	69.7	130	0.81	0.84	1.26	0.03	15	232	19	0.92	323	8.11
E384221		0.92	0.82	8.98	77.4	130	1.74	3.06	1.44	0.06	13.45	371	18	3.86	952	8.43

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384182		4.26	0.49	<0.1	0.051	0.01	57.3	2.2	0.43	4500	128	<0.01	4.2	44	1320	10.7
E384183		0.52	<0.05	0.1	0.016	0.04	2	1.4	0.47	55	1.12	0.01	0.2	<0.2	100	1.4
E384184		4.48	0.49	<0.1	0.06	0.01	82.9	1.3	0.17	2030	118	<0.01	5.2	41.4	1620	11.6
E384185		8.52	0.38	0.3	0.035	0.01	26.1	12.1	0.53	2550	126	<0.01	9.7	84.1	1470	17.3
E384186		15.1	0.43	0.7	0.045	0.02	18.6	25.6	1.01	3570	154	<0.01	15	174.5	2150	38.2
E384187		5.2	0.46	0.4	0.068	0.02	9.8	6.2	0.49	3590	110.5	<0.01	8.6	73.5	1110	217
E384188		7.57	0.32	0.3	0.038	0.02	10.8	11.2	0.53	2480	61.1	<0.01	9.7	91.6	1740	33.7
E384189		5.02	0.37	0.5	0.023	0.01	26.5	5.2	0.23	1185	165	<0.01	6.8	53	1900	26.6
E384190		4.48	0.37	<0.1	0.025	<0.01	22.2	2	0.15	1075	46	<0.01	6.9	42.6	1590	4.3
E384191		3.65	0.38	<0.1	0.031	0.01	32.7	2.1	0.29	2300	57.9	<0.01	4.1	42.1	1600	8
E384192		17.25	0.51	0.4	0.012	0.01	243	22.7	0.85	1950	167.5	<0.01	2.9	107.5	1860	8
E384193		8.77	0.34	0.2	0.018	<0.01	67.8	8.9	0.34	947	109.5	<0.01	6	86.3	1260	8.4
E384194		0.58	0.12	0.2	<0.005	0.03	2.1	1.4	0.52	42	0.79	<0.01	0.3	2.9	130	1
E384195		20.1	0.21	2.1	0.123	3.22	41.5	21.6	1.33	3280	17.85	0.59	3.3	23.2	760	2.7
E384196		12.1	0.31	0.3	0.066	0.01	32.9	17.9	0.35	475	136	<0.01	4.7	88.9	2740	15.9
E384197		9.43	0.33	0.2	0.013	0.01	25.5	10.2	0.34	933	71.6	<0.01	5.4	61	1320	4.5
E384198		5.87	0.32	0.2	0.022	<0.01	21.8	4	0.26	1850	38.6	<0.01	5.7	53.3	1120	6.4
E384199		5.52	0.34	0.1	0.042	<0.01	18.5	3	0.25	2040	26.5	<0.01	5.8	43.9	970	5.3
E384200		5.23	0.34	0.1	0.024	<0.01	12.8	2.1	0.33	2630	27.9	<0.01	6.1	43	990	5.1
E384201		6.12	0.36	0.1	0.035	<0.01	27.6	3.5	0.49	4230	152.5	<0.01	5.2	50.2	2020	9.7
E384202		4.3	0.32	0.1	0.029	<0.01	15.4	1.1	0.21	2180	38.9	<0.01	5.2	34.9	1150	5.9
E384203		5.64	0.45	0.1	0.038	<0.01	21.2	1.6	0.14	1595	73.4	<0.01	7.5	43.1	1430	8.6
E384204		4.33	0.35	0.1	0.05	<0.01	14.4	1.7	0.34	3670	113	<0.01	8.3	37.7	1110	36.9
E384205		5.82	0.36	0.1	0.028	<0.01	18.6	2.5	0.61	4950	62.5	<0.01	6.1	42.2	1150	9
E384206		0.66	0.1	0.2	<0.005	0.03	1.9	1.5	0.52	57	0.99	<0.01	0.3	2.3	120	0.8
E384207		6.5	0.4	0.1	0.031	0.01	14	1.1	0.43	3820	69.4	<0.01	8.7	50.8	1050	32.5
E384208		7.99	0.45	0.1	0.02	0.02	12.1	1.1	0.28	2450	41.7	<0.01	10	51.4	1000	3.7
E384209		9.3	0.46	0.2	0.024	0.01	10.8	2.4	0.23	1835	49.4	<0.01	8.1	57.2	1140	7
E384210		9.7	0.43	0.2	0.019	0.01	25.9	2	0.27	2370	64	<0.01	9.7	61.3	1440	7.9
E384211		9.58	0.39	0.1	0.027	<0.01	40	1.4	0.26	2770	70.3	<0.01	7.6	66.5	1520	3.2
E384212		8.96	0.43	0.1	0.024	<0.01	24.5	1	0.22	2420	79.4	<0.01	7.8	61.5	1430	3.3
E384213		8.29	0.43	0.1	0.017	<0.01	56.2	1.5	0.21	2010	379	<0.01	4.7	73.3	1190	11.9
E384214		8.52	0.43	0.1	0.017	0.01	26.8	3.7	0.24	1620	155	<0.01	5.5	61.8	940	7.2
E384215		9.26	0.42	0.1	0.023	<0.01	31.8	3.6	0.3	2490	242	<0.01	5.3	75.5	1000	14.2
E384216		16.7	0.91	0.3	0.016	0.02	730	17.3	0.5	1715	60.2	<0.01	4.2	88.3	1360	7.5
E384217		0.61	0.07	0.2	<0.005	0.04	3.7	1.8	0.54	49	1.05	<0.01	0.3	3	120	0.8
E384218		16	0.2	1.8	0.153	2.34	17.8	28	1.17	3260	62.3	1.02	3	37.8	850	21.4
E384219		10.5	0.44	0.8	0.018	0.08	184.5	28.9	0.71	1455	62.2	0.25	7.6	75.4	1100	9
E384220		9.69	0.14	2.3	0.011	0.46	11.1	53.2	1.05	1215	8.02	3.2	10.1	23.4	830	9.5
E384221		12.4	0.16	2	0.01	0.67	7.9	58.8	1.08	1575	21.1	4.56	2.4	37.8	1130	13.9

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E384182		0.4	0.017	4.91	2.03	4.9	6	2.4	15.8	<0.05	0.92	1	0.006	1.12	68.8	13
E384183		0.8	<0.002	0.08	0.09	0.6	3	<0.2	264	<0.05	<0.05	0.2	0.006	<0.02	0.6	<1
E384184		0.4	0.019	4.81	2.39	4.9	6	3	6.7	<0.05	1.2	1.3	0.009	0.73	133	15
E384185		0.6	0.019	4.99	2.2	4.1	5	1.8	10.4	0.27	1.26	5.8	0.019	0.75	301	19
E384186		1.1	0.034	>10.0	8.57	4.9	7	3.7	17	0.48	8.7	16.5	0.039	1.11	760	18
E384187		0.8	0.068	7.84	3.81	6	8	2	7.4	0.24	0.6	40.3	0.021	1.49	4210	15
E384188		1	0.019	6.05	2.51	4.2	5	1.8	8	0.25	0.64	12.9	0.024	1.55	740	15
E384189		0.3	0.035	4.17	1.71	3.9	5	2	7.2	0.16	0.61	3.1	0.01	0.98	308	12
E384190		0.2	0.003	2.16	1.08	1.9	4	1.3	5.5	0.05	<0.05	0.6	<0.005	0.07	34	13
E384191		0.2	0.004	2.4	1.5	3.5	3	1.4	5.8	<0.05	0.1	0.6	<0.005	0.28	31.6	12
E384192		0.4	0.035	5.23	1.67	3.8	5	1.2	7.9	0.05	0.51	6.7	0.008	0.43	8.4	19
E384193		0.1	0.023	4.14	1.63	3.1	4	1.1	5	0.06	0.18	1.9	0.006	0.25	47.1	22
E384194		0.3	0.002	0.09	0.09	0.5	2	0.2	316	<0.05	0.18	0.2	0.006	<0.02	0.9	2
E384195		140.5	0.007	1.31	1.18	11.4	2	7.9	452	0.2	0.21	13.1	0.12	0.36	16	69
E384196		0.3	0.021	6.48	1.87	5.3	6	1.2	10.5	0.05	0.31	2.8	0.006	0.78	239	21
E384197		0.2	0.01	2.37	1.67	2.3	3	1.2	6.1	<0.05	0.06	0.4	0.006	0.08	26.2	18
E384198		<0.1	0.007	3.39	1.84	2.6	3	0.9	4.9	0.05	0.05	0.3	0.005	0.1	19.8	20
E384199		<0.1	0.005	1.82	1.8	3.5	2	1.1	4.5	0.05	<0.05	0.6	0.005	0.08	229	24
E384200		<0.1	0.006	3.09	1.87	2.4	3	0.9	4.4	0.05	0.06	0.2	<0.005	0.17	35.3	24
E384201		<0.1	0.03	7.04	3.72	3	5	1.4	7.8	0.05	0.42	0.3	<0.005	1.06	40.4	20
E384202		<0.1	0.008	2.82	2.3	2.4	3	0.9	3.9	0.06	0.06	0.3	<0.005	0.37	43.9	27
E384203		<0.1	0.015	3.15	2.68	2.6	3	1.4	5.1	0.07	0.06	0.4	<0.005	0.19	76	33
E384204		<0.1	0.015	3.12	2.38	4	4	0.9	4.5	0.07	0.07	5.7	<0.005	0.06	690	27
E384205		<0.1	0.006	3.01	1.39	3	4	0.9	4.9	0.07	<0.05	0.7	<0.005	<0.02	105.5	24
E384206		0.3	0.002	0.09	<0.05	0.5	2	0.2	304	<0.05	0.12	0.2	0.006	<0.02	1.5	3
E384207		<0.1	0.006	3.97	2.19	2.2	4	1.2	4.8	0.08	0.06	0.4	0.006	0.03	31	33
E384208		1.3	0.004	2.07	1.49	2	2	0.9	4.5	0.1	<0.05	0.3	0.007	0.05	13.7	50
E384209		<0.1	0.008	2.1	1.89	1.6	2	1.3	5.6	0.08	0.13	0.4	0.008	0.44	27.6	55
E384210		0.2	0.013	4.18	2.2	1.6	3	1.7	9.6	0.08	0.36	0.4	0.006	0.83	52.5	46
E384211		0.1	0.014	2.89	2.06	1.4	4	1.6	29.8	0.07	0.19	0.2	0.005	0.52	10.5	41
E384212		<0.1	0.017	3.61	1.5	1.3	5	1.8	30.2	0.06	0.23	0.3	0.006	0.38	17.6	44
E384213		0.1	0.099	7.69	1.73	0.9	9	3.2	43.3	<0.05	2.04	0.2	0.006	0.73	92.9	31
E384214		<0.1	0.045	2.03	2.27	1.4	3	1.6	55.6	<0.05	0.44	0.4	0.006	0.55	52.7	53
E384215		<0.1	0.078	7.47	1.94	0.9	8	2	53.5	<0.05	2.11	0.2	0.005	1.06	100.5	39
E384216		0.7	0.02	2.99	2.25	2	3	1.5	23.3	0.05	0.42	17.5	0.012	0.61	65.2	43
E384217		0.6	<0.002	0.1	<0.05	0.5	2	<0.2	327	<0.05	0.09	0.3	0.007	<0.02	1.3	3
E384218		95.8	0.023	2.39	1.6	11	2	7.8	593	0.16	0.22	8.1	0.081	0.4	299	57
E384219		4	0.025	5.65	1.88	3.1	4	1.5	15.8	0.12	1.01	4.3	0.022	0.49	23.1	38
E384220		25.6	0.003	1.75	1.33	6.1	2	2.3	55.1	0.17	0.35	4.9	0.033	0.39	98	6
E384221		24.8	0.012	2.9	1.74	13.5	4	1.9	63	0.07	0.76	6.7	0.021	0.45	132.5	7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Cu	Au	Ba
	Units	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.001	0.01
E384182		8.5	4.3	11	0.5		0.036	
E384183		0.1	2.8	22	3.4		0.002	
E384184		9.2	5	10	1.1		0.038	
E384185		5	7.8	25	10.6		0.025	
E384186		11.2	14.9	50	20.7		0.122	
E384187		7.1	44.8	38	10.5		0.072	
E384188		4.2	11.3	34	10.5		0.035	
E384189		4.9	8.1	17	16		0.033	
E384190		4.4	6.1	7	0.7		0.007	
E384191		5.2	5.9	10	0.8		0.016	
E384192		3.2	9.4	45	9		0.023	
E384193		8.9	6.7	27	3.2		0.017	
E384194		0.2	3.5	26	4.5		0.003	
E384195		8.5	11.5	7	71.2		0.021	
E384196		7.4	10.7	34	7.2		0.030	
E384197		11.5	5.2	21	3.2		0.008	
E384198		11.5	4.8	12	1.6		0.010	
E384199		12.9	4.8	15	1.1		0.006	
E384200		11.9	4.9	13	0.5		0.008	
E384201		7.1	7.8	13	0.9		0.023	
E384202		12.2	5	8	<0.5		0.012	
E384203		22.3	6.3	11	0.9		0.011	
E384204		11.6	8.5	14	2.2		0.018	
E384205		9.1	5.7	13	0.8		0.006	
E384206		0.2	3.3	41	4.1		<0.001	
E384207		7.1	5.2	12	0.6		0.020	
E384208		5.3	4.9	12	0.7		0.002	
E384209		6.1	5	12	1		0.007	
E384210		4.7	6.1	13	1.3		0.013	
E384211		4.3	6.3	10	<0.5		0.006	
E384212		3.1	6.1	10	0.5		0.009	
E384213		5.1	4.9	10	0.7		0.044	
E384214		9.1	4.2	13	1.5		0.014	
E384215		4.7	4.7	14	0.6		0.038	
E384216		6.2	15.3	29	7.3		0.018	
E384217		0.2	3.5	26	4.4		<0.001	
E384218		7.9	16.1	7	65.6		0.053	
E384219		3.1	7.8	36	25		0.032	
E384220		2.1	10.1	43	81.4		0.007	
E384221		1.5	14	41	72.2		0.019	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E384222		1.28	0.52	8.87	30	970	0.89	0.74	3.11	0.03	15.8	171.5	28	0.85	394	6.79
E384223		1.26	0.2	8.91	3.5	920	0.71	0.06	3.03	0.02	6.93	33.1	15	0.4	1030	5.44
E384224		1.16	1.44	8.34	133	110	0.83	3.11	2.41	0.02	21	586	7	0.9	427	11.55
E384225		1.26	2.02	6.38	217	40	0.59	4.76	5.58	0.03	19.95	1020	6	0.67	222	13.2
E384226		0.90	2.98	5.16	312	20	0.65	6.22	2.03	0.04	>500	988	24	0.75	468	16.3
E384227		1.58	1.86	6.95	121.5	170	0.95	3.61	1.24	0.02	35.4	728	18	4.96	255	10.75
E384228		1.44	1.36	6.56	81.8	540	0.84	2.59	3.07	<0.02	9.57	376	32	1.55	115.5	7.72
E384229		0.18	0.02	0.15	8	20	0.11	0.02	48.1	0.39	2.14	1.7	6	<0.05	5.8	0.05
E384230		1.24	0.89	7.54	47.5	1160	1.22	2.03	1.62	0.13	12.25	148	36	0.57	146	4.79
E384231		1.28	1.96	6.81	73.2	510	0.98	2.07	1.08	0.03	63.2	210	37	0.62	270	10.4
E384232		0.94	1.44	7.23	89.3	290	0.87	1.54	1.28	<0.02	121	168	32	0.57	624	7.78
E384233		1.24	0.11	7.23	10.6	1940	1.2	0.14	1.67	<0.02	75.7	45.3	47	0.76	241	5.39
E384234		1.24	0.69	4.78	58.9	130	0.58	0.7	1.57	<0.02	133.5	152.5	28	0.9	476	11.35
E384235		1.54	1.18	2.99	192	60	0.48	1.57	1.07	0.03	71.3	366	18	0.53	336	20.1
E384236		1.46	1.64	4.36	98.8	80	1.09	1.68	1.76	<0.02	63.8	198.5	22	1.04	118	12.45
E384237		1.58	0.11	6.15	8.9	2720	3.37	0.07	3.31	<0.02	64.4	25.8	37	2.95	383	5.77
E384238		1.22	0.09	5.75	10.9	210	2.83	0.07	2.57	0.02	71.9	114	30	2.67	569	7.93
E384239		1.36	0.15	5.01	32.4	370	2.71	0.13	2.19	<0.02	90.9	65.6	32	2.59	361	8.22
E384240		0.18	0.03	0.18	<5	200	0.12	0.06	42.5	0.4	3.92	6.3	6	0.05	30	0.23
E384241		0.24	1.29	2.24	111.5	40	0.44	10.5	2.14	0.05	179.5	314	10	2.59	8470	27.2
E384242		1.24	0.17	6.23	31.4	2280	3.44	0.15	2.71	<0.02	48.8	40.5	35	3.61	328	6.68
E384243		1.34	0.08	5.38	5.4	930	2.81	0.05	2.94	0.02	62.2	46.2	32	3.11	248	8.54
E384244		1.40	0.09	6.41	5.1	1220	3.55	0.07	2.99	<0.02	103.5	56	37	3.65	1140	7.72
E384245		1.26	0.05	7.02	4.4	1800	3.79	0.04	2.3	<0.02	100.5	45.6	42	4.23	152.5	8.4
E384246		1.22	0.27	6.28	23.4	540	3.27	0.41	3.36	<0.02	237	92.4	35	3.74	861	9.44
E384247		1.12	0.27	6.13	52.5	530	3.03	0.44	2.85	<0.02	128.5	91.9	38	3.41	1470	10.5
E384248		1.46	0.56	7.07	90	730	4.2	1.41	2.09	<0.02	75	151	43	4.43	487	7.77
E384249		1.68	4.26	3.18	466	50	1.27	8.23	2.28	0.05	102	737	20	1.69	1305	27.3
E384250		1.50	2.33	0.95	393	60	0.42	5.15	3.08	0.05	254	781	1	0.3	>10000	34.4
E384251		1.66	1.56	0.84	228	220	0.37	3.93	1.94	0.03	255	495	6	0.22	3750	23
E384252		0.18	0.02	0.13	<5	50	0.12	0.02	44.7	0.41	2.47	1.5	6	<0.05	10.5	0.08
E384253		2.12	3.92	2.59	428	70	1.05	9.04	2.04	0.02	94.5	665	11	1.21	1445	25.9
E384254		1.10	3.55	3.61	294	80	1.58	6.54	2.35	0.02	113.5	472	21	1.98	682	24.7
E384255		1.78	2.63	5.81	208	110	2.84	4.5	1.84	0.07	73.5	304	36	3.37	278	14.6
E384256		1.54	4.23	6.68	295	1670	3.37	7.12	2.73	<0.02	13.1	251	39	3.84	357	9.94
E384257		1.48	2.17	6.35	142.5	160	3.2	3.46	3.6	<0.02	28.1	145.5	35	3.68	167.5	10.95
E384258		1.42	0.12	6.06	8.7	1540	3.53	0.09	3.51	<0.02	85.4	21.8	33	3.86	528	5.86
E384259		1.38	0.07	6.14	14.1	740	3.22	0.13	1.66	<0.02	84.3	38.6	36	3.86	151	6.08
E384260		1.58	1.77	5.86	221	1540	2.97	4.94	1.91	0.02	156.5	364	32	3.52	1980	10.75
E384261		1.22	1.35	3.6	119	80	1.81	3.12	2.31	0.03	77.1	224	22	2.4	5060	19.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384222		11.1	0.16	2.8	0.012	0.21	8.7	23.8	1.35	2440	14.25	5.69	30.7	19.4	1050	13.6
E384223		10.1	0.11	2.4	0.006	0.14	4.5	12.3	1.15	2410	3.05	6.18	46.9	10	410	4
E384224		10.2	0.2	1.7	0.009	0.2	14.9	27.6	1.57	2090	48.9	4.64	5.9	54.6	250	17.4
E384225		7.01	0.23	1.9	0.011	0.23	12.9	10.3	1.92	3650	55.2	4.34	11.9	38.3	800	23.9
E384226		25.8	1.98	2.6	0.015	0.12	2130	14	0.83	2230	78.6	3.31	28	58.2	1060	29.3
E384227		11.1	0.19	2.6	0.008	1.39	25.3	146.5	2.51	934	56.3	3.88	18.9	71.8	320	15.1
E384228		10.2	0.15	2.3	0.016	0.58	4.5	53.5	1.63	1665	17.1	4.37	13.4	39.2	980	12.8
E384229		0.65	0.13	0.1	<0.005	0.03	1.6	1.8	0.51	36	0.32	0.02	0.3	<0.2	120	0.8
E384230		11.85	0.2	2.8	0.043	0.3	7.6	21.9	0.86	1160	7.72	5.29	3.9	25.5	890	8.6
E384231		11.8	0.18	2	0.011	0.27	46.1	33.6	1.18	728	22.8	3.54	2.5	52.5	1220	9.2
E384232		13.95	0.24	2.1	0.164	0.37	88.7	24.7	0.86	643	47.7	4.16	2.1	39.2	1440	7.6
E384233		16.95	0.17	2.7	0.168	0.75	54.5	21.3	0.79	1065	18.05	4.5	3.6	23.5	1180	3.3
E384234		12.1	0.31	1.6	0.208	0.43	78.2	25.6	0.83	952	19.6	2.85	2.3	35.2	1170	3.9
E384235		10.05	0.45	0.9	0.289	0.58	34.4	20.7	0.75	796	53.6	0.7	3.1	60.5	1290	6.3
E384236		12.6	0.32	1.5	0.138	1.37	30.7	24.6	0.93	1620	34.1	0.92	3.2	42	1220	8.3
E384237		16.15	0.09	2	0.685	2.81	39.9	40.8	1.25	3260	11.4	1.02	3.6	13.2	720	4.1
E384238		15.8	0.21	1.8	0.212	2.82	36.9	29.2	0.98	2840	6.3	0.52	2.5	21.4	700	4.1
E384239		14.7	0.22	1.6	0.231	2.44	51.4	28.3	0.83	2490	13	0.33	2.5	21.4	780	3.7
E384240		0.7	<0.05	0.1	0.404	0.06	2.9	1.5	0.47	68	0.93	0.01	0.4	1.5	100	0.9
E384241		9.7	0.54	0.8	0.626	0.62	107.5	15.1	1.42	5790	60.7	0.23	5.6	51.5	2310	6.3
E384242		17.65	0.13	2	0.164	3.04	29	38	1.05	3650	15.7	0.38	2.9	19.1	790	3.7
E384243		14.9	0.18	1.8	0.197	2.52	38.7	30.9	1.03	3840	11.2	0.6	2.8	18.7	650	1.8
E384244		18.15	0.21	2	0.294	3.24	63.7	37.4	1.1	3920	13.7	0.43	3.1	17.8	670	1.8
E384245		19.6	0.22	2	0.237	3.54	61.8	41.9	0.97	3110	20.9	0.33	3.8	17.2	660	1.7
E384246		18.7	0.36	2.2	0.272	3.13	152.5	38.1	1.19	4450	29.9	0.46	5.2	19.9	810	4.2
E384247		17.45	0.27	1.9	0.281	3.1	87.6	38.5	1.13	3650	22.1	0.22	4.6	24.2	980	4.5
E384248		20.4	0.2	2.4	0.259	3.77	52.4	49.1	0.97	2570	9.47	0.18	6.2	27.4	880	5.2
E384249		10.65	0.57	1.2	0.563	1.5	73.9	25.2	0.98	3320	93	0.11	4.8	81.6	1170	21.8
E384250		6.3	0.69	0.4	0.606	0.24	192.5	6.7	1.08	4320	65	0.05	4.3	68.4	1160	13.6
E384251		5.35	0.51	0.3	0.314	0.21	198.5	6.6	0.74	2820	47.7	0.02	4	52.4	800	8.1
E384252		0.5	<0.05	0.1	0.365	0.03	2	1.1	0.48	40	0.6	0.01	0.3	<0.2	110	0.9
E384253		8.42	0.48	0.8	0.49	1.19	66.6	20.3	0.9	3240	51.8	0.05	6.1	73.7	1460	20.2
E384254		11.75	0.54	1.3	0.507	1.74	79.7	29.2	1.02	3630	49	0.07	7	70.2	1410	21.5
E384255		16	0.33	2	0.317	2.96	48.6	36.8	0.83	2290	98.2	0.06	6.3	45.2	1600	13.2
E384256		17.35	0.23	2.4	0.33	3.5	7.8	40.6	1.1	3300	8.94	0.04	5.7	38.6	700	18.1
E384257		17.4	0.2	2.2	0.317	3.29	17.3	37.1	1.26	4430	19.55	0.1	5.7	32.9	1020	10.1
E384258		17.35	0.16	2.2	0.329	3.23	57.5	31	1.21	4270	10.5	0.13	5.1	15.1	770	2.7
E384259		16.25	0.12	1.8	0.317	3.2	52.3	28.6	0.74	2200	4.85	0.05	2.8	16.1	700	2.1
E384260		16.6	0.38	2	0.312	2.95	75	28	0.79	2680	43.8	0.06	3.3	38.2	760	9.2
E384261		12.15	0.4	1.3	0.238	1.77	29.9	13.7	0.8	3610	36	0.04	2	73.4	800	5.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384222		7.5	0.007	0.91	2.08	17.8	3	2.7	74	0.5	0.19	17.9	0.067	0.17	335	11
E384223		3.8	<0.002	0.14	0.66	18	1	3	74.8	0.98	<0.05	0.5	0.06	0.06	22.4	8
E384224		6.4	0.022	5.15	1.81	26.7	4	1.9	62.2	0.08	1.32	6	0.052	0.51	126	8
E384225		8.6	0.028	9.66	2.28	27.5	5	1.8	81.4	0.23	2.37	5.4	0.024	0.78	108	8
E384226		4.6	0.028	9.41	4.37	13.9	9	2.2	51.1	0.52	3.04	49.7	0.033	1.04	148	19
E384227		56.5	0.026	6.37	2.65	16.2	4	5.7	53.8	0.26	1.95	5.7	0.143	0.71	214	9
E384228		30.7	0.008	3.87	2.73	14.6	4	3.8	66	0.22	1.28	10.9	0.079	0.47	223	12
E384229		0.7	<0.002	0.06	0.08	0.5	2	<0.2	285	<0.05	<0.05	0.2	0.007	<0.02	0.8	1
E384230		11.5	0.003	1.87	2.55	7	2	4.4	112.5	0.21	0.88	1.9	0.064	0.45	24.9	11
E384231		10.4	0.013	2.1	2.51	7.2	3	3.5	138.5	0.1	0.93	4.3	0.065	0.9	28.3	34
E384232		14	0.028	1.37	1.41	5.9	3	2.5	457	0.08	0.76	6.4	0.043	0.64	26.8	32
E384233		34.8	0.014	0.37	0.84	8.2	2	4.5	861	0.16	0.1	11.1	0.057	0.14	10.6	48
E384234		28.3	0.006	1.13	0.93	4.9	3	2.1	671	0.09	0.41	8.3	0.034	0.31	6.6	27
E384235		24.1	0.013	2.68	1.62	5.3	5	3.4	407	0.06	1.07	5.3	0.036	0.52	63.4	33
E384236		57.3	0.011	1.82	1.71	9.6	4	7.5	498	0.11	0.72	6.6	0.054	0.59	21.6	42
E384237		126	0.009	0.23	0.87	9.8	1	15.9	720	0.19	0.08	10.4	0.098	0.37	21.6	54
E384238		114	0.003	0.87	0.88	9.4	2	11.5	692	0.13	0.06	10.1	0.085	0.44	11.8	51
E384239		101	0.003	0.43	0.81	8	2	9.4	635	0.13	0.09	11	0.081	0.42	52.4	49
E384240		2.1	<0.002	0.11	0.13	0.5	2	0.3	277	<0.05	<0.05	0.4	0.007	0.02	1.4	5
E384241		37.2	0.017	6.78	2.37	3.2	5	7.7	157.5	0.12	1.38	5.6	0.031	0.48	15.4	55
E384242		128.5	0.004	0.21	0.79	9.8	2	11.8	848	0.15	0.12	10.4	0.104	0.5	70.6	54
E384243		108.5	0.006	0.3	0.68	8.2	1	11	694	0.15	0.05	10.6	0.092	0.41	13.9	53
E384244		137.5	0.019	0.5	0.71	9.7	2	13.9	581	0.17	0.06	11.5	0.111	0.51	4.1	58
E384245		154.5	0.014	0.33	0.71	10.6	2	17.4	489	0.18	<0.05	9.9	0.124	0.58	7.9	65
E384246		138.5	0.015	0.72	1.08	10.5	2	18	217	0.29	0.11	15.6	0.115	0.65	11.9	58
E384247		133	0.01	0.71	1.07	9.5	3	18.7	338	0.2	0.13	10.6	0.113	0.72	40.8	59
E384248		169.5	0.005	1.25	1.51	11.3	3	24.8	84.5	0.29	0.36	9.7	0.153	0.81	107	65
E384249		73.8	0.029	6.97	5.21	4	6	12	41.5	0.09	1.8	8.1	0.058	2.13	50.3	45
E384250		10.7	0.021	9.08	3.45	2.1	7	3.3	38.8	0.07	0.96	12.2	0.019	1.09	94.5	24
E384251		9.6	0.014	5.33	1.79	1.4	4	2.8	20.3	0.06	0.71	9.3	0.017	0.49	31.4	19
E384252		0.6	<0.002	0.07	0.08	0.4	2	<0.2	276	<0.05	<0.05	0.2	0.006	<0.02	0.8	5
E384253		53.6	0.032	7.61	3.89	3.3	4	10	33.9	0.11	1.62	7.1	0.047	1.7	71.5	42
E384254		86	0.037	5.05	5.01	4.7	4	14.5	40.9	0.14	1.13	12.9	0.065	1.88	131	50
E384255		125	0.043	3.61	2.76	7.9	4	21.1	60.5	0.19	1.02	9.1	0.111	1.54	86.7	63
E384256		145	0.005	4.15	2.23	9.8	2	23.4	84.1	0.2	1.03	2.9	0.13	2.16	18.4	68
E384257		143.5	0.009	2.23	1.91	9.5	2	21.6	147.5	0.2	0.57	4.3	0.122	1.35	17.6	73
E384258		138	0.005	0.33	0.97	9.2	2	16.9	600	0.22	0.09	6.6	0.128	0.79	4.5	62
E384259		132	0.002	0.27	0.9	8.7	1	15.4	1065	0.13	<0.05	7.2	0.121	0.73	5.4	57
E384260		128	0.016	3.23	1.79	8.6	2	16.5	420	0.15	0.49	10.1	0.107	1.18	30.5	56
E384261		84.6	0.016	2.15	1.5	5.3	3	6.8	614	0.08	0.29	6.4	0.067	1.07	23.9	46

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Cu	Au	Ba
	Units	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.001	0.01
E384222		5.4	25.3	25	100.5		0.006	
E384223		4.6	10.7	15	82.5		<0.001	
E384224		2.2	12.1	29	59.2		0.037	
E384225		2	17.7	13	68		0.065	
E384226		3.6	53	17	91.8		0.083	
E384227		2.1	13.2	23	80.4		0.026	
E384228		3	17.1	12	71.9		0.034	
E384229		2.7	2.8	24	3.5		<0.001	
E384230		3.8	10.6	13	79.2		0.021	
E384231		2.5	10.6	27	62.8		0.024	
E384232		2.4	11.2	17	59.8		0.016	
E384233		3.7	11.7	8	78		0.001	
E384234		2.2	10.3	6	45.1		0.011	
E384235		1.3	9.3	12	26.1		0.030	
E384236		3.2	10.6	11	42.1		0.014	
E384237		7.3	11.4	7	59.3		0.002	
E384238		7.6	10.5	7	53		0.002	
E384239		7.5	9.7	3	46		<0.001	
E384240		0.2	3.1	23	3.9		<0.001	
E384241		6.5	15.1	5	23.8		0.108	
E384242		9.8	12.8	4	57.5		<0.001	
E384243		9	11.8	3	51.6		<0.001	
E384244		10.6	12.9	2	58		0.004	
E384245		11.7	13.5	2	59.6		0.001	
E384246		11.3	17.8	3	63.4		0.007	
E384247		11	14.1	5	55.1		0.009	
E384248		14.2	13.2	4	69.3		0.014	
E384249		6.8	14.4	4	33.1		0.071	
E384250		3.7	21.4	12	10.9	1.105	0.114	
E384251		3.4	12.7	4	9.2		0.084	
E384252		0.1	2.8	21	3.8		<0.001	
E384253		6.5	14.9	4	22.8		0.091	
E384254		7.4	18.5	5	37.2		0.049	
E384255		12	16.7	3	54.6		0.034	
E384256		12.1	11.3	2	65.3		0.031	
E384257		12.5	13.7	7	61.5		0.017	
E384258		12.4	11.1	4	60.8		0.001	
E384259		10.9	10.5	2	52.8		<0.001	
E384260		10.2	15.5	2	57.7		0.029	
E384261		6.9	12.3	<2	36.4		0.036	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E384262		1.34	2.62	4.8	540	60	2.76	14.65	0.65	0.02	12.65	755	25	3.01	1070	9.03
E384263		0.18	0.03	0.15	<5	630	0.1	0.09	44.8	0.41	2.48	4.5	6	<0.05	7.9	0.09
E384264		0.22	0.27	6.39	46.9	210	2.3	1.26	1.76	0.02	66	94.7	41	5.14	1395	6.9
E384265		2.06	3.71	4.33	1115	730	1.76	33.2	1.11	0.03	7.23	1360	22	1.88	507	20
E384266		1.16	2.52	5.4	1190	650	2.44	26.9	0.86	<0.02	12.35	1470	29	2.65	1100	17.7
E384267		1.50	5.07	4.84	1395	840	2.38	30.6	0.24	0.06	9.89	1520	35	2.39	>10000	14.4
E384268		1.52	5.98	5.51	1625	400	2.94	45	0.19	<0.02	3.85	1900	38	2.94	>10000	14.3
E384269		2.00	9.87	2.95	3080	7570	1.57	76.8	0.34	0.04	3.18	3440	17	1.55	8780	24.3
E384270		1.58	6.92	5.23	1695	790	3.07	51.9	0.23	<0.02	15.4	1930	34	2.84	2030	14.6
E384271		0.86	3.4	5.81	1295	730	3.37	37.8	0.65	0.02	10.55	1220	35	3.08	902	12.6
E384272		1.24	0.56	5.24	254	110	3.33	6.6	2.42	<0.02	73.7	273	31	3.01	236	6.8
E384273		1.72	2.96	5.16	499	50	3.62	21.2	2.26	0.06	7.2	608	29	3.62	>10000	13.95
E384274		1.88	2.16	4.46	702	70	2.64	33.1	1.44	0.03	5.66	862	23	1.89	2230	14.1
E384275		0.18	0.12	0.13	<5	230	0.19	0.26	45	0.4	2.42	5.2	6	0.05	19.6	0.08
E384276		1.58	1.39	5.06	489	40	3.3	18.2	2.13	0.02	1.5	626	23	2.15	808	12.35
E384277		1.44	1.12	5.29	334	50	2.93	18.1	2.42	<0.02	47.7	415	27	3.17	725	8.74
E384278		3.32	0.92	5.61	256	1210	2.9	16.7	1.02	<0.02	15.85	293	26	3.38	512	10.55
E384279		2.34	0.22	7.3	49	830	3.76	3.21	0.3	<0.02	74.9	71.6	50	5.58	1660	7.32
E384280		1.48	0.2	6.43	81.8	220	3.05	5.16	0.18	<0.02	144.5	112.5	34	5.18	253	5.64
E384281		1.76	0.34	6.56	59.5	240	3.09	3.4	0.33	<0.02	64.3	91.1	34	5.34	870	4.96
E384282		0.90	0.97	5.55	138	100	2.76	6.7	1.51	<0.02	64.1	180.5	31	4.26	4340	5.46
E384283		1.46	1.76	3.46	169.5	40	1.85	15.45	0.78	<0.02	13.55	202	21	2.46	>10000	9.77
E384284		1.54	3.31	4.55	545	40	3.53	31.1	1.38	<0.02	8.16	650	21	2.91	4160	12.9
E384285		1.58	3.14	5.85	364	260	4.54	18.95	0.26	<0.02	87.3	523	38	3.68	6850	14.7
E384286		0.18	0.12	0.14	8	450	0.18	0.25	43.7	0.39	2.69	4	7	0.05	36.15	0.13
E384287		0.20	1.24	5.51	70.8	70	2.01	2.63	1.94	<0.02	43.4	156	31	3.62	7480	9.15
E384288		1.46	4.1	5.6	581	210	4.33	23.8	0.34	<0.02	45.7	617	30	3.53	7570	13.6
E384289		1.66	2.39	3.86	341	110	1.83	11.95	0.23	<0.02	34.6	384	25	1.87	>10000	19.25
E384290		1.52	1.31	4.73	144	60	2.68	6.99	0.29	<0.02	30.3	201	33	2.69	1325	9.73
E384291		1.10	0.46	5.85	149.5	120	3.53	9.63	1	<0.02	29.2	196.5	35	3.54	213	7.26
E384292		1.38	2.48	3.98	431	60	1.62	17.5	2.79	0.04	34.5	494	23	1.82	8490	11.6
E384293		1.28	1.14	5.52	172.5	80	2.68	7.37	0.51	<0.02	26.1	247	30	3.25	563	8.27
E384294		0.96	0.43	6.44	72.1	200	2.38	4.06	0.22	<0.02	33.6	191.5	41	2.48	264	13.2
E384295		1.80	0.29	5.08	37.5	1800	1.44	0.95	0.36	<0.02	266	181.5	36	3.06	232	15.7
E384296		1.66	0.26	2.75	17	3320	0.71	0.59	0.36	<0.02	236	59.4	17	1.35	237	17.2
E384297		0.88	0.56	4.47	18.8	1220	1.14	0.56	0.33	<0.02	192.5	64.4	31	2.32	1555	16.4
E384298		0.22	0.07	0.13	5	40	0.14	0.01	43.5	0.41	3.02	1	5	<0.05	8.3	0.1
E384299		1.26	0.26	7.75	14.6	3650	2.17	0.28	0.27	<0.02	82.3	78.5	59	4.53	1270	12.6
E384300		1.34	0.77	2.69	23.8	630	0.82	0.91	0.48	<0.02	339	99.3	13	1.97	1910	19.85
E384301		2.18	0.44	0.87	26.6	180	0.25	0.37	0.44	<0.02	100.5	188.5	2	0.32	504	22.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384262		14	0.34	1.9	0.403	2.25	2.6	16.4	0.45	963	16.55	0.02	3	98.5	590	18.5
E384263		0.56	<0.05	0.1	0.424	0.04	1.9	1.2	0.48	39	0.38	0.01	0.4	0.5	110	0.8
E384264		15.95	0.13	1.6	0.113	2.74	37.5	19.1	1.25	3000	16.1	0.52	3.2	21.6	680	4.1
E384265		10.65	0.21	1.3	0.043	2.01	2.3	15.1	0.5	1740	56.1	0.17	2.1	213	470	40.6
E384266		12.15	0.17	1.6	0.058	2.56	3.7	16.5	0.45	1530	145.5	0.18	2.4	234	650	30.7
E384267		11.1	0.22	1.7	0.113	2.45	2.4	12.4	0.26	356	120	0.04	3.8	324	600	33.1
E384268		14.25	0.16	1.6	0.235	2.85	1.3	13	0.24	127	129.5	0.05	4	357	620	37.2
E384269		7.56	0.22	0.8	0.183	1.49	2.2	8	0.22	518	93.8	0.04	2.1	659	290	64
E384270		13.55	0.2	1.6	0.066	2.59	4.5	18	0.26	198	221	0.03	6.4	302	860	241
E384271		14.55	0.14	1.6	0.051	2.89	2.8	16.9	0.39	855	87.6	0.04	3.4	219	970	40.3
E384272		14.45	0.13	1.9	0.059	2.62	36.4	18.4	0.81	3640	18.1	0.05	3.3	66.3	550	14.2
E384273		14.05	0.16	1.6	0.251	2.21	2	17.5	1.07	5640	39.6	0.06	2.3	138.5	670	20.6
E384274		11.4	0.16	1.5	0.044	2.15	1.2	9.2	0.45	3590	25.7	0.04	2	93.2	520	22.2
E384275		0.52	<0.05	0.1	0.005	0.04	2.5	1.5	0.48	49	0.51	0.01	0.4	0.2	110	1
E384276		13.7	0.14	1.6	0.051	2.35	<0.5	11.2	0.68	4580	32.9	0.19	2.1	75.4	490	14.9
E384277		13.85	0.15	1.9	0.082	2.54	13.4	14.5	1.01	6300	37.4	0.05	2.8	52.2	660	9.8
E384278		15.75	0.1	1.9	0.084	2.7	5.1	15.7	0.82	8960	26.1	0.04	2.7	43.1	710	8.6
E384279		23.6	0.12	2.2	0.119	3.53	40.7	21.4	0.83	6790	21.9	0.05	3.4	27.4	1170	3.9
E384280		19.25	0.18	1.8	0.086	3.01	51.7	19.6	0.66	3610	7.74	0.04	3.1	28.7	740	3.4
E384281		19.9	0.12	1.8	0.11	2.94	23.1	22.6	0.71	2770	8.33	0.04	3.5	25.8	680	4.2
E384282		16.75	0.16	1.6	0.115	2.53	18.7	22.5	1.1	3500	31.4	0.04	3.6	32.6	550	14.2
E384283		9.35	0.13	1.2	0.217	1.38	2.9	18.7	1.1	6800	61.2	0.02	1.6	43.4	440	12.7
E384284		12.65	0.16	1.4	0.142	1.91	2	20.3	1.47	9540	86.5	0.04	2	68.1	500	20.3
E384285		16.85	0.2	2.1	0.301	2.65	36.8	23.2	1.33	13700	51.2	0.03	2.8	59.2	900	17.8
E384286		0.54	<0.05	0.1	0.005	0.04	2.4	1.6	0.47	85	0.95	0.01	0.4	2	130	0.9
E384287		15.45	0.13	1.6	0.152	1.99	16.8	23.3	1.13	3100	60.9	1.07	3.3	37.3	770	19.8
E384288		18.5	0.19	2.1	0.311	2.68	19.2	20.8	1.15	7170	246	0.04	3.2	72.8	1170	33.8
E384289		13.05	0.18	1.2	0.679	1.49	23.3	22.5	2.57	16550	91	0.02	2.9	59.6	840	21.2
E384290		15.85	0.12	1.3	0.192	2.03	8.2	19.5	1.07	7690	13.3	0.03	2.3	38.2	870	13.3
E384291		21.3	0.11	1.6	0.163	2.74	7.4	17.6	1.16	4700	12.1	0.03	3.3	31.2	650	11.9
E384292		11.3	0.14	1.3	0.246	1.39	10.9	28	2.57	6090	41.8	0.02	2.1	43	680	21.2
E384293		17.2	0.13	1.8	0.124	2.04	5.6	39.6	1.27	4150	45.3	0.02	2.2	41.5	590	18
E384294		17.75	0.16	1.8	0.093	1.65	15.7	74.7	2.21	3160	17.75	0.02	4.4	71	960	6.7
E384295		15.75	0.24	1.6	0.312	1.91	197	60.6	1.85	9640	35.8	0.02	12	46.1	1520	3.5
E384296		9.25	0.23	0.8	0.122	0.97	190	35.7	1.47	7540	37.8	0.01	8.8	24	1410	2.8
E384297		12.45	0.2	1.4	0.111	1.78	158.5	42.9	1.34	5170	49.1	0.02	7.6	31.6	1510	2.8
E384298		0.48	<0.05	0.1	0.005	0.03	2.8	1.5	0.47	48	0.55	0.01	0.4	3	130	0.7
E384299		21.5	0.15	2	0.123	3.81	61.3	66.5	1.24	5440	21.1	0.03	5.2	35.6	1030	2.1
E384300		8.72	0.49	0.9	0.146	0.91	237	28.1	1.39	8350	71.8	0.03	8.9	32.8	1910	3
E384301		4.4	0.42	0.3	0.116	0.13	52.5	8.9	0.8	10300	30.8	0.01	12.3	39.2	2000	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384262		97.7	0.008	5.58	1.66	7.3	2	7.1	298	0.13	0.25	2.1	0.098	4.36	32.9	47
E384263		1.3	<0.002	0.1	0.09	0.4	2	<0.2	287	<0.05	<0.05	0.3	0.007	0.03	0.9	5
E384264		114.5	0.004	1.21	1.14	9.1	<1	6.3	429	0.21	0.14	10	0.118	0.27	15	64
E384265		82.8	<0.002	>10.0	1.93	8	<1	4.7	109	0.12	0.17	2.8	0.071	4.77	11.3	43
E384266		102	0.011	9.33	2.18	9.4	<1	6.6	136	0.13	0.11	4.4	0.098	5.14	38.8	55
E384267		100.5	0.031	>10.0	2.17	8.7	2	6.8	147	0.18	0.19	1.9	0.11	10.3	41.9	58
E384268		114	0.024	>10.0	2.19	8.3	1	9.9	113	0.19	0.17	1.3	0.125	10.7	61.2	50
E384269		62.4	0.015	>10.0	2.42	4.8	2	7.1	182.5	0.11	0.27	0.9	0.064	15.6	41.6	29
E384270		107.5	0.168	>10.0	8.23	9.7	2	9.8	131.5	0.31	0.33	3.4	0.142	9.39	2410	52
E384271		119	0.042	9.12	2.14	9.9	1	10.3	151.5	0.15	0.27	2.4	0.119	7.66	74.4	61
E384272		114	0.002	1.65	1.41	10.2	<1	9.1	349	0.21	<0.05	11.5	0.115	2.6	14.7	50
E384273		94.1	0.004	6.06	1.75	9.6	1	8.6	219	0.15	0.58	3.8	0.092	3.24	66.1	55
E384274		79.7	<0.002	>10.0	1.2	7.1	<1	3.1	129.5	0.13	<0.05	0.7	0.078	3.49	37.6	36
E384275		1	0.004	0.08	0.09	0.5	<1	<0.2	273	<0.05	0.17	0.2	0.006	0.03	1.1	1
E384276		93.1	<0.002	6.08	1.02	8.9	<1	4	199	0.12	<0.05	1.5	0.085	2.47	15.9	51
E384277		105.5	0.01	4.64	0.94	8.1	<1	6.7	268	0.16	0.1	6.4	0.109	2.02	23.2	50
E384278		113	0.005	4.52	0.93	10	<1	8.9	270	0.13	0.14	3	0.124	1.97	23.7	102
E384279		164.5	0.012	0.64	1.11	13.3	<1	4.7	814	0.18	<0.05	12.2	0.16	1.05	67.3	81
E384280		142.5	0.012	1.38	1.27	10.7	<1	4.1	577	0.18	<0.05	8.5	0.133	0.8	33.9	64
E384281		149	0.009	0.85	1.33	11.8	<1	4.1	1170	0.21	<0.05	7.7	0.141	0.87	91.9	71
E384282		128	0.044	1.96	1.65	11	<1	3.8	538	0.22	<0.05	7.1	0.124	1.01	401	54
E384283		68.6	0.028	3.82	1.04	7.3	<1	2.1	470	0.1	<0.05	2.3	0.066	1.69	85.6	36
E384284		89.1	0.062	6.26	0.94	8.7	<1	2.9	254	0.11	0.05	2.6	0.082	4.08	47.3	45
E384285		125.5	0.031	4.02	1.02	12.6	<1	3.9	208	0.15	<0.05	11.5	0.112	2.64	59.5	61
E384286		1.2	0.002	0.09	0.09	0.6	<1	<0.2	266	<0.05	0.13	0.3	0.007	0.03	1.3	<1
E384287		85.7	0.02	2.23	1.46	9.9	1	7	512	0.17	0.19	7.2	0.08	0.36	266	54
E384288		120	0.266	7.1	1.54	14.5	1	6	91.5	0.17	0.1	12.2	0.122	4.78	344	70
E384289		69.9	0.06	4.31	0.99	9.3	1	4.4	111	0.15	0.07	10.7	0.077	2.1	290	55
E384290		97.7	0.031	1.99	0.77	8.5	<1	4.4	423	0.1	<0.05	7	0.086	1.87	19	60
E384291		131.5	0.018	2.13	0.92	11.1	<1	5.7	506	0.16	0.09	6.3	0.124	2.76	27.9	76
E384292		61.7	0.044	5.09	1.32	8.9	1	2.8	301	0.12	0.13	4.6	0.072	3.05	116.5	46
E384293		99.6	0.07	1.98	1.18	10.4	<1	4.1	661	0.14	0.09	6	0.097	1.89	157	65
E384294		29.7	0.015	1.54	1.03	8.5	<1	7.7	282	0.2	0.15	6.5	0.121	0.7	96.8	79
E384295		103.5	0.006	0.67	1.09	10.3	1	30.1	91.6	0.41	0.43	11.1	0.151	0.22	31.1	62
E384296		54.2	0.006	0.15	1.34	4.8	<1	23.6	83.8	0.27	0.62	7.2	0.073	0.09	16.9	47
E384297		98.5	0.009	0.17	1.28	10.6	1	27	28.2	0.23	0.41	5.9	0.133	0.17	22.4	93
E384298		0.7	0.003	0.06	0.08	0.5	<1	0.2	263	<0.05	0.19	0.2	0.006	<0.02	0.8	1
E384299		190	0.004	0.22	0.98	24	1	32.6	55	0.13	0.23	5.7	0.261	0.35	21.6	206
E384300		47.4	0.014	0.3	1.16	5	3	17	17.5	0.17	0.85	6.5	0.062	0.12	25.8	37
E384301		7.6	0.006	0.76	0.8	2.4	2	5.8	403	0.17	0.38	2.2	0.017	0.03	14.1	29

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384262		9.3	10.4	4	53.1		0.023	
E384263		0.1	2.9	21	3.9		<0.001	
E384264		7.2	9.4	9	51.8		0.016	
E384265		6.6	8.5	5	42.1		0.056	
E384266		8.7	9.2	4	53.4		0.045	
E384267		10.6	8.9	<2	51.1	1.240	0.070	
E384268		11.7	8.4	6	52.2	1.550	0.095	
E384269		6.9	3.9	<2	25.6		0.155	7.74
E384270		17.9	42.6	<2	51.8		0.109	
E384271		10.8	7.8	<2	53.2		0.071	
E384272		10	10.4	2	60		0.009	
E384273		8	11.7	11	50.4	1.165	0.062	
E384274		6.9	9.3	<2	47.7		0.023	
E384275		0.1	3	22	3.8		<0.001	
E384276		7.6	8.5	2	51.8		0.014	
E384277		11.1	11.2	3	60.8		0.015	
E384278		15.5	11.2	3	60.9		0.015	
E384279		13.7	12.4	4	73.3		0.001	
E384280		11.2	9.5	8	60		0.005	
E384281		13.4	10	6	61.4		<0.001	
E384282		11.5	14.7	2	56.8		0.009	
E384283		7.9	9.4	15	38.5	1.490	0.014	
E384284		9.4	11.1	9	46.2		0.020	
E384285		12.5	15.2	14	68.1		0.012	
E384286		0.2	2.9	22	3.9		<0.001	
E384287		7.6	14.4	20	54.7		0.056	
E384288		14	18.8	15	65.5		0.037	
E384289		7.1	12.4	13	38.3	1.485	0.021	
E384290		9.4	8.1	10	44.7		0.008	
E384291		12.1	9.7	6	52.9		0.011	
E384292		6.5	11.4	18	44.2		0.042	
E384293		10.3	14.6	20	55.9		0.012	
E384294		11	8.8	44	55		0.010	
E384295		16.4	13.8	34	52.3		0.024	
E384296		23.1	9.9	18	25		0.014	
E384297		21.6	12.3	16	43.8		0.022	
E384298		0.2	2.9	22	3.4		<0.001	
E384299		25.9	13.2	19	61.3		0.011	
E384300		10.4	12	20	28.6		0.040	
E384301		5.4	10.6	13	8.4		0.018	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384302		1.72	0.54	3.16	12.2	1160	1.06	0.37	0.37	<0.02	222	71.2	16	1.69	246	15.3
E384303		1.36	0.76	3.22	16.3	4160	0.84	0.71	0.39	<0.02	211	89.7	13	1.28	307	16.45
E384304		1.80	0.57	4.62	17.7	4160	1.78	0.35	0.39	<0.02	399	87.9	23	2.78	141.5	14.2
E384305		1.18	0.71	4.91	18	1860	1.96	0.57	0.34	<0.02	375	73.7	24	3.15	249	14.3
E384306		2.00	0.7	4.28	15.8	5530	1.42	0.44	0.39	<0.02	382	74.9	23	2.35	822	17.15
E384307		2.02	0.37	3.46	11.4	3130	1.04	0.23	0.35	<0.02	274	79.7	16	2.02	245	17.95
E384308		1.40	0.32	1.75	8	4200	0.64	0.2	0.79	<0.02	216	61.5	7	0.97	295	21.4
E384309		0.18	0.02	0.15	6	60	0.08	<0.01	46.1	0.4	3.86	1.3	4	<0.05	3.8	0.12
E384310		0.24	1.14	2.33	117	70	0.48	9.69	2.05	0.02	164.5	340	10	2.45	9170	28.5
E384311		1.96	0.42	1.41	9.3	330	0.34	0.53	0.72	0.02	140	75.7	4	0.57	270	21.9
E384312		1.36	0.28	1.75	6.8	1540	0.46	0.15	0.63	<0.02	215	37.9	8	0.75	266	16.45
E384313		3.74	0.57	2.45	8.5	3940	0.64	0.2	0.4	<0.02	273	56.7	12	1.32	1295	20.5
E384314		3.78	0.77	3.3	6.8	410	0.86	0.17	0.35	<0.02	277	52.4	19	2.01	2470	17.9
E384315		1.78	0.64	2.55	8.8	770	0.58	0.15	0.5	<0.02	282	43.5	15	1.57	1525	17.05
E384316		2.08	0.34	1.19	8.4	2700	0.29	0.09	0.33	<0.02	248	33.5	11	0.36	134	21.3
E384317		1.46	0.38	1.05	9.1	380	0.21	0.18	0.48	0.02	307	37.8	8	0.27	93.3	20.8
E384318		1.54	0.28	0.88	10.9	1960	0.23	0.09	0.33	<0.02	215	24.7	11	0.26	30.3	18.4
E384319		2.78	0.17	6.98	5.9	390	1.64	0.1	0.36	<0.02	151	39.3	45	4.21	201	12.15

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384302		9.69	0.33	1	0.043	0.96	147.5	34	0.84	3070	54	0.03	13.5	48.4	1770	2.3
E384303		9.57	0.37	0.8	0.063	0.62	148.5	36.6	1.17	5810	74.7	0.06	8.7	61.1	1800	2.5
E384304		14.25	0.43	1.5	0.052	1.47	266	49.1	1.06	2960	84.5	0.07	15.8	56.1	1960	2.6
E384305		14.85	0.39	1.5	0.054	1.63	248	50.5	1.07	1945	101	0.04	11.1	57.3	1740	2.9
E384306		14.05	0.46	1.4	0.093	1.23	262	44.5	1.19	4720	77	0.08	15.2	66.4	1950	2.2
E384307		10.9	0.37	0.9	0.127	0.85	193.5	41.5	1.19	7990	51.4	0.05	10.2	61.5	1610	2
E384308		6.73	0.42	0.5	0.202	0.6	145	19.1	1.09	11600	34.8	0.06	12.5	30.6	3710	2
E384309		0.49	<0.05	0.1	<0.005	0.03	2.7	1.6	0.49	63	0.66	0.02	0.4	<0.2	120	0.6
E384310		9.73	0.36	0.8	0.266	0.67	103	16.2	1.43	6030	54.8	0.24	5.9	57.8	2330	6.2
E384311		6.64	0.27	0.4	0.241	0.35	92.8	11.6	1.27	11900	43.5	0.01	15.1	41.1	3130	2.7
E384312		6.27	0.26	0.5	0.092	0.53	154	12.8	0.69	4960	26.6	<0.01	14.2	28.1	3060	2.4
E384313		8.51	0.31	0.8	0.39	0.81	221	21	1.95	13350	47.9	<0.01	10.4	33.9	1790	2.6
E384314		10.6	0.3	1.1	0.348	1.3	219	25.5	1.66	12300	34.7	0.02	9.5	31.2	1450	2.2
E384315		10.4	0.29	0.9	0.472	1.21	223	22.2	1.29	14550	32	0.01	14.9	22.1	2090	2.9
E384316		4.87	0.29	0.6	0.343	0.26	228	14	1.07	10650	24.1	<0.01	10.3	20.7	1480	2.4
E384317		4.52	0.31	0.5	0.363	0.18	281	14.2	1.08	10500	35.8	0.01	9.5	21.7	2390	2
E384318		3.33	0.26	0.5	0.226	0.19	219	14.9	0.64	6540	17.85	<0.01	8.4	12.4	1530	1.7
E384319		18.5	0.21	2.2	0.148	2.52	118	61.6	1.61	2860	12.6	0.02	6	47.7	1680	2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384302		51.4	0.011	0.13	0.96	4.8	1	25.2	481	0.2	0.28	7	0.055	0.1	20.6	41
E384303		32.9	0.017	0.18	0.96	4.7	2	16.2	84.1	0.17	0.52	6	0.052	0.07	11.3	43
E384304		80.4	0.02	0.2	1.21	6.6	2	38.6	148.5	0.34	0.41	11.2	0.101	0.16	14	55
E384305		87.4	0.023	0.16	1.12	6.9	2	38.4	303	0.24	0.48	11	0.085	0.19	19.9	53
E384306		64.9	0.02	0.22	1.11	6.8	2	26	140	0.29	0.53	9.3	0.103	0.13	13.1	53
E384307		43.9	0.012	0.11	0.96	6.4	1	19.9	68.1	0.18	0.22	7.5	0.062	0.09	20.7	48
E384308		29.4	0.007	0.18	0.79	4.8	1	15.2	135	0.21	0.2	4.8	0.043	0.06	10.6	37
E384309		0.7	<0.002	0.07	0.08	0.5	1	0.2	297	<0.05	<0.05	0.2	0.007	<0.02	0.8	3
E384310		35.5	0.016	7.01	2.18	4.3	4	7.5	168	0.14	1.15	5.3	0.034	0.45	13.1	62
E384311		17.4	0.013	0.64	1.08	2.9	1	13.1	167	0.27	0.28	2.8	0.032	0.1	11.1	43
E384312		25.8	0.005	0.13	0.84	2.9	<1	14.7	687	0.3	0.16	5.3	0.04	0.06	7.2	41
E384313		41.7	0.017	0.21	0.91	4.7	2	18.8	69.7	0.2	0.35	5.6	0.051	0.09	14	40
E384314		67.7	0.012	0.2	0.91	5.5	2	21	11.3	0.25	0.41	7.9	0.081	0.13	12.5	43
E384315		61.8	0.017	0.16	1.05	5.6	2	28.8	20.2	0.4	0.53	6.3	0.067	0.11	7.7	47
E384316		13	0.003	0.1	3.14	2.3	<1	18.8	50.7	0.24	0.44	3.7	0.061	0.03	4	42
E384317		9	0.003	0.07	2.6	2	<1	15.8	17.5	0.19	0.47	4	0.047	0.03	5.8	40
E384318		9.8	0.002	0.08	3.74	1.6	<1	15.4	47.3	0.19	0.56	3.1	0.052	0.03	3.5	37
E384319		99.2	0.004	0.04	1.32	11.1	<1	17	10.4	0.27	0.23	13.6	0.159	0.2	21.7	79

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384302		8.5	10.3	19	31.1		0.018	
E384303		7	9.2	30	26.7		0.018	
E384304		11.4	13.4	25	47.9		0.018	
E384305		12.6	12.3	28	49.4		0.025	
E384306		10.7	12.1	32	44.5		0.018	0.69
E384307		8.5	10.8	30	31.1		0.011	
E384308		7.6	13.8	16	16.5		0.009	
E384309		0.1	2.8	24	3.9		<0.001	
E384310		6.9	14.8	11	23.6		0.115	
E384311		6.8	14.9	20	12.6		0.013	
E384312		6.5	12.7	15	14.1		0.009	
E384313		7.8	11.6	20	23		0.022	
E384314		10.3	11.7	20	32.1		0.024	
E384315		13.7	13.5	19	25.5		0.038	
E384316		13.3	6.3	18	17.2		0.019	
E384317		9.2	7.1	18	14.8		0.020	
E384318		9.7	5.3	14	14.2		0.013	
E384319		14.7	14	55	67.2		0.006	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 4-JAN-2008
Account: CASMIN

Project: IGOR : HOLE 20B

CERTIFICATE OF ANALYSIS VA07132882

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07122580

Project: IGOR:HOLE 21

P.O. No.: 198670

This report is for 208 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 24-OCT-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384320		2.76	0.08	6.87	<0.2	2960	1.6	0.06	3.26	<0.02	86.5	18	36	5.03	38.9	8.51
E384321		0.18	0.01	0.15	7	70	0.08	0.01	47.4	0.4	2.31	1.1	5	<0.05	1.9	0.06
E384322		1.46	0.05	6.96	<0.2	6890	1.15	0.11	2.28	<0.02	73	19.8	31	2.65	37.6	10.3
E384323		1.48	0.05	4.86	5.5	360	0.81	0.09	2.54	<0.02	157	60.2	21	1.26	117	12.45
E384324		1.78	0.18	3.3	4.5	730	0.42	0.24	2.35	0.02	325	31.6	15	0.6	207	21
E384325		1.74	0.18	3.82	2.3	1390	0.45	0.22	2.38	<0.02	452	19.5	18	0.58	226	16.1
E384326		1.26	0.06	7.75	<0.2	4000	1.26	0.08	0.51	<0.02	49.6	22.4	36	3.55	49.5	14.65
E384327		1.28	0.14	4.49	10.2	870	1.41	0.21	0.49	<0.02	264	17	27	4.73	53.6	12.5
E384328		1.46	0.13	4.48	10.2	680	1.37	0.14	0.94	<0.02	280	31.6	22	5.03	352	12.65
E384329		1.64	0.12	5.1	10.3	1170	1.43	0.1	0.71	<0.02	156	39.9	27	5.63	476	12.7
E384330		1.36	0.15	4.46	10.7	850	1.04	0.11	0.84	<0.02	339	26.6	21	3.81	416	11.65
E384331		1.72	0.12	5.65	5.8	1500	1.27	0.08	0.89	<0.02	124	33.7	30	5	241	12.05
E384332		0.16	0.01	0.15	6	160	0.05	0.01	42.8	0.38	2.41	1	5	<0.05	1.9	0.07
E384333		0.20	0.32	6.99	58.5	90	2.61	1.56	1.93	0.03	96.1	111	39	6.39	1520	7.2
E384334		1.20	0.17	8.93	4.6	5950	4.16	0.12	0.59	<0.02	139	25	63	11.65	140	11.85
E384335		1.84	0.09	3.67	8.3	880	1.71	0.14	0.53	<0.02	352	21.1	22	4.37	28.4	11.25
E384336		1.80	0.12	2.14	12.9	1470	0.75	0.12	0.34	<0.02	300	20.6	16	1.22	36.1	15.75
E384337		1.82	0.18	1.31	17.5	360	0.44	0.28	1.8	<0.02	389	59.8	10	0.69	213	16.25
E384338		1.86	0.35	1.95	23	120	0.57	0.49	1.99	<0.02	264	128.5	11	1.32	86.6	16.1
E384339		1.58	0.19	5.96	17.5	360	2.24	0.23	0.53	<0.02	153	86.3	44	6.98	35.3	15.05
E384340		1.46	0.12	6.53	11	410	2.13	0.27	0.48	<0.02	58.3	88.1	47	6.47	73.6	15.85
E384341		1.60	0.33	2.9	17.8	2560	0.62	0.82	1.18	<0.02	131	134	17	1.19	2240	13.7
E384342		1.72	0.41	0.73	16.7	80	0.15	0.97	0.88	<0.02	94.2	216	3	0.15	2240	17.35
E384343		1.66	0.58	0.41	9.1	370	0.08	2.14	3.51	<0.02	265	27.3	1	0.07	4800	18.85
E384344		0.16	0.02	0.15	5	7800	0.08	0.04	40.5	0.39	10.4	6.9	6	<0.05	90.1	0.7
E384345		1.64	0.13	0.16	18.3	1270	0.07	0.62	4.77	0.02	248	28	<1	0.05	1040	17.65
E384346		1.58	0.15	0.53	9.8	730	0.11	0.39	2.79	<0.02	225	47	2	0.09	301	17.15
E384347		1.72	0.17	0.78	10.2	2290	0.26	0.84	4.95	<0.02	377	20.6	3	0.59	735	18.9
E384348		2.12	0.46	1.37	10.6	350	0.56	1.97	0.75	<0.02	352	40.6	7	1.22	3890	21.9
E384349		1.68	0.08	2.49	14.2	220	0.58	0.31	2.99	<0.02	132.5	74.1	13	1.58	247	14.05
E384350		1.66	0.01	6.4	8.5	3080	1.95	0.11	0.97	<0.02	45.8	12.1	45	6.27	79.5	11.4
E384351		1.64	0.2	2.7	15.1	2540	1.08	1.02	1.37	<0.02	120	83.6	11	2.85	1860	10.95
E384352		1.62	0.09	5.03	3.3	1790	1.71	0.24	1.58	<0.02	98.8	10.9	33	7.3	313	9.21
E384353		1.48	0.09	2.43	7.1	790	0.88	0.75	1.39	<0.02	129.5	15.3	17	3.08	731	10.55
E384354		1.86	0.09	4.08	0.9	530	0.79	0.19	0.66	<0.02	30.9	15.7	27	2.56	2350	9.83
E384355		0.18	0.01	0.26	7	470	0.07	<0.01	44.4	0.39	3.89	1.1	10	0.06	8.3	0.19
E384356		0.20	1.16	5.51	70.2	150	1.84	2.63	2.36	<0.02	58.1	154	28	3.43	7480	8.68
E384357		1.22	0.03	6.17	1.1	7240	0.72	0.06	0.15	<0.02	137.5	13.6	29	1.7	1490	7.53
E384358		1.34	0.08	6.25	1	3480	0.75	0.1	0.13	<0.02	71.1	12.1	33	1.61	3020	7.73
E384359		1.46	0.09	6.83	1.4	7800	1.01	0.18	1.94	<0.02	68.3	17.5	24	4.18	2810	9.97

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384320		17.75	0.23	1.9	0.085	1.66	55.3	45.7	1.62	3510	6.97	2.05	3.4	15.9	700	1.6
E384321		0.95	0.19	0.1	<0.005	0.04	1.7	1.3	0.5	41	2.88	0.02	0.4	<0.2	120	0.8
E384322		14.1	0.17	1.9	0.042	0.56	49.7	56	2.16	2240	2.34	2.17	2.8	23	690	2.2
E384323		11.15	0.23	1.5	0.043	0.24	113	27.7	1.75	3490	10.9	1.99	2.9	24	920	1.6
E384324		12.9	0.45	1	0.037	0.05	237	22	1.58	2860	60.2	0.86	4.3	40.8	2300	2.2
E384325		12.3	0.44	1.2	0.058	0.06	319	24.9	1.77	3490	53	1.01	4.3	34.2	2030	2.3
E384326		14.65	0.18	2.1	0.033	0.51	35.7	61.6	2.42	520	3.33	1.28	1.7	37.2	770	2.2
E384327		13.3	0.24	1.3	0.061	1.61	201	32.7	1.03	948	18.05	0.04	4.4	15.8	1100	2.5
E384328		13.6	0.29	1.3	0.087	1.74	216	28.8	1.06	1590	13.4	0.03	5.9	17.3	1930	2.6
E384329		15	0.21	1.6	0.134	2.02	129	28.3	0.98	2720	11.8	0.21	7.1	17.3	2220	2.2
E384330		12.9	0.29	1.3	0.079	1.4	276	25	0.85	1450	15	0.59	6.4	15.9	2920	2.1
E384331		14.3	0.19	1.8	0.126	1.86	106.5	30.4	1.09	2730	10.05	0.87	7.9	16.8	1520	1.7
E384332		0.8	0.08	0.1	<0.005	0.03	1.8	1.3	0.48	39	0.44	0.02	0.4	<0.2	100	0.9
E384333		19.05	0.17	2	0.136	2.99	48.8	25	1.33	3210	19.6	0.6	2.6	27	760	3.5
E384334		27.3	0.19	2.7	0.196	4.13	120.5	74.3	1.15	1460	10.25	0.34	13.1	21.2	1030	3
E384335		10.95	0.22	1.1	0.078	1.49	264	41.7	0.8	1585	15.55	0.04	5.5	13.2	1200	1.8
E384336		5.6	0.22	0.7	0.05	0.45	254	30.8	0.73	2400	21.7	0.21	6.2	10.2	1200	1.6
E384337		4.26	0.25	0.4	0.054	0.18	284	21.8	1.09	2790	36.6	0.02	5.4	16.5	1230	1.9
E384338		5.5	0.25	0.7	0.075	0.4	153.5	28.9	1.33	3220	127	0.03	7.5	25.5	1150	2.2
E384339		17	0.2	1.7	0.099	2.61	134	55.6	1.02	537	27.7	0.03	14	16.7	880	1.9
E384340		17.4	0.19	1.8	0.101	2.29	49.2	67.3	1.43	438	16.25	0.03	13.4	20.1	670	1.8
E384341		6.32	0.18	0.7	0.034	0.35	74.5	45	1.43	1145	30.6	0.03	5.6	19	800	1.7
E384342		2.49	0.22	0.2	0.457	0.02	56	13.2	2.31	13650	48.9	0.01	5.4	21.8	580	2.7
E384343		2.31	0.26	0.1	0.253	0.01	208	7.2	2.87	13350	65.4	0.01	5.9	15	1790	3.9
E384344		0.62	<0.05	0.1	0.022	0.03	9.5	1.8	0.53	501	1.95	0.07	0.5	1.5	110	1
E384345		2.01	0.25	0.1	0.171	<0.01	178	3.4	2.6	8700	40.3	0.02	10.6	15.5	4800	1.8
E384346		2.58	0.23	0.2	0.191	<0.01	161.5	8.9	2.38	10400	36.7	0.01	5.9	21	1840	2
E384347		3.36	0.29	0.2	0.15	0.18	315	9.7	3.05	8960	49.1	0.03	8.1	13.9	1860	1.5
E384348		5.38	0.3	0.6	0.278	0.33	271	15.8	2.57	13750	55.9	0.02	7.5	26	1630	2.1
E384349		4.95	0.2	0.8	0.096	0.69	70	24.6	1.87	4950	20.9	0.21	7.1	21	1040	1.5
E384350		14.4	0.14	2.1	0.089	2.95	39.4	37.8	0.98	828	6.52	0.22	11.6	11.7	570	1.8
E384351		7.67	0.18	1.1	0.078	0.86	62.4	24.7	0.98	2730	40.8	0.22	5.9	21.8	1510	1.7
E384352		14.2	0.16	1.7	0.107	2.15	78.2	46	1.19	2200	18.8	0.41	4.6	17.5	1070	1.5
E384353		8.07	0.2	0.7	0.078	0.95	81.7	25.6	1.03	3030	33.9	0.08	3.3	18.1	1210	1.3
E384354		9.25	0.12	1	0.105	0.59	15.9	42.4	1.51	3780	4.83	1.14	1.9	18.9	420	1.4
E384355		0.77	<0.05	0.1	<0.005	0.04	3	2.6	0.5	40	0.26	0.07	0.5	2.6	120	0.6
E384356		15.3	0.18	1.6	0.138	2.06	26.4	20	1.09	3060	72.3	1	4	35.3	770	24.3
E384357		12.6	0.13	1.5	0.011	0.22	94.5	47.9	1.36	173	2.26	2.43	2.7	25.5	710	1.4
E384358		12.25	0.14	1.4	0.016	0.22	50.1	44.5	1.24	172	1.75	2.66	3.2	23.3	610	1.3
E384359		13.8	0.13	1.4	0.035	0.44	49.2	58.1	2.3	1740	1.72	2.05	2.8	30.9	550	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384320		95.6	0.004	0.17	0.93	12.3	3	11	913	0.23	0.23	11.9	0.118	0.13	2.6	67
E384321		0.9	<0.002	0.07	0.09	0.5	4	<0.2	294	<0.05	<0.05	0.2	0.007	<0.02	0.6	2
E384322		32.7	<0.002	0.32	0.53	7.8	2	6.8	864	0.19	0.15	10.2	0.068	0.06	3.2	40
E384323		14.7	0.004	0.4	0.53	5.7	3	4.7	956	0.12	0.14	8.5	0.043	0.03	3.5	27
E384324		3	0.032	0.25	0.78	4.3	5	2.5	803	0.11	0.44	6.9	0.026	0.02	4.1	68
E384325		3.2	0.039	0.22	0.6	4.2	4	2.4	1135	0.12	0.33	9.2	0.03	0.02	14.7	56
E384326		31.1	0.002	0.27	0.59	6.6	2	6.5	1070	0.09	0.1	8.5	0.037	0.08	4.2	43
E384327		90.7	0.004	0.18	1.37	6.6	3	13.7	1895	0.19	0.28	12.4	0.096	0.19	2.7	48
E384328		98.8	0.003	0.23	1.39	6.8	4	14.1	1880	0.22	0.33	11	0.1	0.16	2.3	59
E384329		117	0.003	0.2	1.39	7.4	4	16.2	1235	0.23	0.2	8.2	0.117	0.19	2.5	66
E384330		81.4	0.004	0.19	1.39	5.4	4	12.1	2180	0.2	0.3	11.9	0.09	0.14	2.6	66
E384331		107	0.005	0.15	1.36	8.5	4	15.2	1605	0.29	0.2	8.4	0.134	0.16	3.2	66
E384332		0.9	<0.002	0.07	0.08	0.4	4	<0.2	299	<0.05	0.05	0.2	0.006	<0.02	0.6	2
E384333		118	0.007	1.35	1.13	11.1	3	7.6	454	0.14	0.2	13.8	0.103	0.36	17	63
E384334		215	0.006	0.21	1.81	17.8	3	35.7	891	0.6	0.22	17	0.263	0.39	6.1	99
E384335		87.9	0.002	0.23	1.56	7.3	2	15.4	2440	0.21	0.43	9.7	0.105	0.23	2.7	42
E384336		27	<0.002	0.16	2.55	4.2	2	11.6	2200	0.21	0.7	7.2	0.07	0.06	2.5	38
E384337		11.7	0.004	0.58	2.7	3.5	4	9.3	1870	0.16	1.01	6.8	0.05	0.35	3	32
E384338		24.3	0.011	1.46	2.2	3.9	10	13.2	866	0.24	1.62	5.3	0.066	0.07	5.7	28
E384339		122.8	0.003	0.7	3.26	10.2	5	29	288	0.71	0.71	8.6	0.209	0.23	3.7	69
E384340		105.6	<0.002	0.65	2.4	10.6	4	24.1	486	0.71	0.4	9.7	0.215	0.2	4.4	79
E384341		19.5	<0.002	1.14	1.67	4.1	8	11.8	1020	0.25	0.77	4.7	0.089	0.04	3	29
E384342		1.3	0.004	1.61	1	1.5	4	8.7	737	0.1	0.94	1.7	0.023	0.03	5.9	12
E384343		0.5	0.018	0.59	0.74	0.9	4	14	1010	0.08	1.42	1.1	0.009	0.02	6.6	18
E384344		0.8	<0.002	0.32	0.11	0.3	3	0.6	385	<0.05	<0.05	0.3	0.007	<0.02	0.9	8
E384345		0.2	0.016	0.26	0.76	0.9	4	10.9	853	0.19	0.44	1.6	<0.005	<0.02	2.4	43
E384346		0.2	0.012	0.4	0.87	1.6	4	10.5	1260	0.1	0.29	1.4	0.014	<0.02	1.9	25
E384347		11.2	0.017	0.2	1.39	1.5	3	21.1	520	0.14	0.57	2.2	0.025	0.03	4.5	25
E384348		20.8	0.014	0.58	1.3	2.8	6	17.1	676	0.14	1.06	3.8	0.038	0.05	4.8	24
E384349		40.3	0.003	1.03	1.43	5.3	4	8	940	0.26	0.37	3.9	0.088	0.07	2.3	28
E384350		141.5	<0.002	0.13	2.82	10.4	3	15	642	0.7	0.12	10.4	0.259	0.28	4	71
E384351		56.5	0.011	0.86	1.15	5.8	5	7.8	1840	0.18	0.95	4.8	0.056	0.1	3.2	36
E384352		123.5	0.004	0.24	1.3	7.9	2	14.8	1860	0.17	0.31	9.7	0.1	0.19	5.7	54
E384353		55.4	0.011	0.24	1.05	4.2	2	6.5	2360	0.11	0.58	5.5	0.048	0.09	3.5	39
E384354		32.5	<0.002	0.38	0.85	4.6	2	5	2110	0.12	0.06	5.7	0.048	0.06	2.3	30
E384355		1	<0.002	0.08	0.11	0.5	1	0.3	288	<0.05	<0.05	0.4	0.008	<0.02	0.7	4
E384356		82.1	0.025	2.09	1.77	10.8	3	7.8	670	0.22	0.28	8.7	0.087	0.38	284	55
E384357		10.3	<0.002	0.36	1.08	4.3	1	4.3	402	0.19	<0.05	11.2	0.062	0.04	2.9	27
E384358		10	<0.002	0.4	1.15	3.9	2	4.5	310	0.21	<0.05	8.6	0.07	0.04	2.7	33
E384359		18.2	<0.002	0.53	1.05	5.8	2	3.9	469	0.16	0.05	8.7	0.051	0.07	4	32

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Method / Analyte / Units / LOR — Sample Description	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384320	10.6	16.4	6	59.2		0.004	
E384321	0.1	3.2	23	3.9		0.001	
E384322	7.9	13.1	13	60.2		0.004	5.26
E384323	8.1	12.7	8	46.9		0.004	
E384324	5.1	18.6	9	29.3		0.014	
E384325	5	20	10	33.7		0.011	
E384326	4.9	12.1	22	61.6		0.003	
E384327	15.5	11	7	39.8		0.021	
E384328	18.9	13.3	6	40.3		0.008	
E384329	18.9	13.3	5	45.4		0.011	
E384330	16	14.7	5	38.8		0.010	
E384331	17.4	12.3	6	53.2		0.006	
E384332	0.1	3	21	3.5		0.001	
E384333	7.7	12.6	14	63.6		0.019	
E384334	31.3	15.3	3	81.9		0.007	5.03
E384335	15.9	10.8	3	34.6		0.004	
E384336	11.7	8.2	2	19.9		0.006	
E384337	10.8	10	2	13.2		0.013	
E384338	13.4	9.9	3	19.4		0.027	
E384339	21.8	10	4	52.7		0.014	
E384340	18.1	10	6	55.3		0.010	
E384341	11.7	6.8	6	22.9		0.027	
E384342	7.7	7.3	8	8.1		0.036	
E384343	5.8	11.5	5	3.9		0.042	
E384344	0.4	3.4	20	3.7		0.005	0.75
E384345	3.5	18.8	2	1.6		0.011	
E384346	8.4	10.6	5	4.8		0.010	
E384347	16.6	12	<2	6.8		0.012	
E384348	8.8	14.2	3	16.6		0.030	
E384349	9.8	10.6	2	25.5		0.010	
E384350	17.3	12.4	3	66		0.001	
E384351	11.6	12.5	2	35.9		0.015	
E384352	16.2	14	6	52.4		0.005	
E384353	9.9	9.9	5	23.3		0.010	
E384354	6.2	7.2	12	31.3		0.007	
E384355	0.3	3	22	4.6		0.001	
E384356	8.8	14.6	9	48.2		0.063	
E384357	6.1	8.3	13	41.3		0.005	2.45
E384358	6.9	7.2	11	42.3		0.005	
E384359	5	9.2	18	43.5		0.007	2.54

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E384360		1.38	0.86	4.4	56.5	80	0.53	4.91	5.3	<0.02	196.5	232	21	1.07	>10000	15.4
E384361		1.58	0.67	4.04	31.8	140	0.77	1.99	2.84	<0.02	198.5	146	18	1.52	7330	13.55
E384362		1.18	0.06	7.76	4.5	2310	0.98	0.16	1.14	<0.02	115	87.8	42	1.48	383	10.6
E384363		1.34	0.02	6.89	3.9	1020	0.79	0.08	1.55	<0.02	93.8	135	34	1.56	56.3	12
E384364		1.50	0.12	5.52	6	1290	0.89	0.64	2.59	<0.02	221	52.7	23	1.73	826	12
E384365		1.34	0.01	7.46	2	>10000	1.41	0.16	1.42	<0.02	135.5	14.2	39	1.98	227	7.64
E384366		1.40	0.01	7.45	1.9	5980	3.12	0.06	1.6	<0.02	128	26.6	50	7.5	97.3	7.37
E384367		0.16	0.01	0.18	28	160	0.1	0.01	42	0.41	2.77	1.8	5	0.1	7.6	0.16
E384368		1.48	0.01	6.33	1.7	4520	2.86	0.04	2.33	<0.02	123	36.4	37	7.63	31.7	8.44
E384369		1.18	0.02	6.75	2.4	9130	3.27	0.04	2.48	<0.02	64.7	39.8	38	8.91	45.7	8.35
E384370		1.46	0.06	6.18	2.4	3860	2.85	0.04	4.37	<0.02	68.6	26.8	37	7.7	38.9	8.65
E384371		1.38	0.05	4.42	1.6	780	1.82	0.09	2.19	0.02	33.5	31.6	23	4.5	732	9.38
E384372		1.14	0.04	5.23	1.8	2360	2.57	0.09	2.9	<0.02	47.1	26.4	30	6.54	252	7.54
E384373		1.58	0.03	6.11	1.7	>10000	3.13	0.06	3.65	0.02	59.1	38.2	38	7.93	94.3	7.75
E384374		1.24	0.04	6.32	2.2	8560	2.79	0.24	2.44	<0.02	100.5	28.5	40	7.72	162	7.34
E384375		1.42	0.12	3.94	5.9	820	1.58	0.71	2.77	0.02	61.3	42.3	22	4.51	338	8.97
E384376		1.62	0.05	4.21	3.4	1150	1.66	0.17	1.7	<0.02	31.1	24.4	23	4.73	439	7.82
E384377		1.56	0.04	5.75	3.5	4110	2.63	0.07	1.11	<0.02	41.1	22.1	37	7.29	206	8.46
E384378		0.18	0.01	0.11	6	440	0.06	0.01	45	0.38	2.1	1.2	6	0.05	3.3	0.06
E384379		0.22	1.18	2.38	123	60	0.76	10.9	2.3	<0.02	195	339	15	2.52	8860	27.3
E384380		1.52	0.06	3.63	2.1	1330	1.53	0.21	1.63	<0.02	52.2	17.7	21	4.58	472	8.9
E384381		1.78	0.06	4.01	5.1	1470	1.6	0.23	1.98	<0.02	123	16.7	21	4.88	299	8.19
E384382		1.64	0.09	4.06	14.5	650	1.71	0.22	4.5	<0.02	279	91	18	4.72	157	16.05
E384383		1.34	0.05	6.99	2.2	5060	2.87	0.11	2.42	<0.02	93.8	25.2	42	8.27	121	8.88
E384384		1.50	0.09	8.16	2.6	>10000	3.8	0.18	1.16	<0.02	64.6	29.6	57	9.63	171	9.98
E384385		1.62	0.09	7.59	3	6230	3.09	0.35	1.59	<0.02	99.4	31.2	52	9.41	615	8.41
E384386		1.60	0.08	4.26	4.9	780	1.76	0.34	1.87	<0.02	69.4	33.8	22	5.41	451	8.52
E384387		1.22	0.07	5.37	4	910	2.19	0.33	2.19	<0.02	79.2	29.7	33	6.44	525	7.94
E384388		1.16	0.07	5.26	4.4	1040	2.05	0.23	2.41	<0.02	97.6	36	30	5.9	498	9.95
E384389		1.14	0.12	7.64	3.3	8890	3.08	0.45	1.99	<0.02	82.5	30.4	46	9.11	553	9.25
E384390		0.20	0.02	0.11	13	280	0.11	0.01	44.6	0.4	2.52	1.2	6	0.06	3.7	0.06
E384391		0.82	0.12	7.23	3.1	8000	2.96	0.2	2.11	<0.02	112.5	36	43	9.28	140	10.15
E384392		1.70	0.06	7.48	3.5	7080	2.91	0.14	1.39	<0.02	103	29.2	45	9.91	77.3	10.45
E384393		1.54	0.07	7.81	3.2	>10000	3.08	0.15	1.35	<0.02	121.5	26	51	9.73	176	9.11
E384394		1.46	0.06	7.12	2.9	>10000	2.78	0.17	1.47	<0.02	154	20.5	47	9.25	111	9.06
E384395		1.34	0.06	6.8	2.4	3940	2.52	0.13	1.96	<0.02	161.5	48.9	38	6.86	73.4	9.56
E384396		1.54	0.05	8.66	2.1	>10000	4.19	0.13	1.09	<0.02	127	21.6	65	10.15	88.7	7.43
E384397		1.18	0.03	10.15	2.3	>10000	5.37	0.06	0.78	<0.02	112.5	20	71	12.2	45	6.59
E384398		1.48	0.05	7.18	2.5	3710	3.96	0.09	0.92	<0.02	108.5	32.4	42	8.65	46.9	9.97
E384399		1.66	0.18	5.02	3.8	530	1.83	0.07	0.85	0.2	83.3	24.6	19	5.4	82	10.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384360		11	0.25	1.1	0.112	0.08	128.5	29.5	2.68	5630	32.9	1.99	3.8	44.3	2210	3.9
E384361		11.2	0.24	1.1	0.127	0.28	102.3	36.1	1.95	4430	44.8	1.33	3.5	41.2	1430	2.7
E384362		18.6	0.16	1.9	0.017	0.15	69.1	42.5	1.5	1045	3.45	4.25	1.8	31.5	730	1.8
E384363		15.95	0.16	1.6	0.018	0.11	56.6	48.2	1.88	1345	1.48	3.07	1.1	37.1	640	1.5
E384364		12.95	0.21	1.4	0.042	0.28	153	39.9	1.83	2410	32.5	2.31	3.7	30.8	1410	2
E384365		18.25	0.14	2.2	0.024	0.47	96.3	30.2	1.15	1280	15.25	4.15	3.4	27.2	910	2
E384366		20.6	0.16	2.1	0.119	2.47	86.5	58.7	1.48	2000	4.05	1.31	3.7	26	710	1.8
E384367		0.6	<0.05	0.1	<0.005	0.04	2.1	1.7	0.48	53	0.23	0.03	0.3	1	110	1.3
E384368		15.65	0.18	1.7	0.157	2.91	63	35.9	1.42	4280	4.48	0.33	3.3	20.1	640	1.3
E384369		20.7	0.15	2.1	0.188	3.12	41.8	47.7	1.63	4240	5.17	0.31	2.9	24.4	620	1.5
E384370		16.4	0.19	1.8	0.13	2.89	45.6	50.3	1.96	4750	3.77	0.62	3.3	23.1	620	2.7
E384371		11.5	0.15	1.2	0.148	1.48	20	43.4	1.83	5430	5.29	0.43	2.6	25.8	530	1.8
E384372		14.75	0.17	1.4	0.123	2.29	30.7	54.4	1.99	3430	5.74	0.07	3.4	25.3	530	1.8
E384373		17.1	0.18	1.9	0.141	3.07	36.1	55.5	2.19	3550	5.05	0.08	3.1	28.4	580	1.7
E384374		18.95	0.21	1.9	0.151	3.21	60.3	51.7	1.8	2910	6.95	0.07	3.6	31.1	670	1.5
E384375		12	0.17	1.1	0.13	1.68	32.7	28.7	1.97	4000	35.2	0.03	4.5	33.9	1020	1.5
E384376		12.75	0.14	1.2	0.133	1.93	17.8	30.5	1.6	3080	5.69	0.03	3.2	30.3	730	1.5
E384377		17.2	0.18	1.6	0.19	2.85	24.8	34.4	1.57	5070	4.18	0.04	3.3	25.2	660	1.2
E384378		0.78	0.17	0.1	<0.005	0.04	1.5	1.6	0.49	48	0.22	0.02	0.3	<0.2	110	1.1
E384379		9.67	0.42	0.8	0.261	0.66	114.5	20.7	1.58	6300	62.2	0.25	6.3	63.3	2430	6.3
E384380		10.85	0.13	1.2	0.184	1.83	30	25.9	1.69	6330	6.03	0.03	3.9	22.9	450	1.4
E384381		11.55	0.17	1.2	0.118	1.84	84.3	32.4	1.46	3180	9.21	0.03	5.8	22.4	880	1.4
E384382		12	0.35	1.6	0.108	1.57	201	40.3	2.01	6050	26.9	0.36	5.8	29.8	2840	1.6
E384383		19.05	0.19	1.9	0.148	3.11	65.5	53.3	2.14	3030	8.69	0.07	4.4	34.2	780	1.4
E384384		22.9	0.19	2.6	0.17	4.07	42.2	68.4	2	3260	20.2	0.1	3.7	32.6	780	1.5
E384385		22.6	0.21	2.1	0.142	3.46	64.8	57	1.91	2470	16.4	0.06	4	30.5	810	1.7
E384386		12.35	0.16	1.2	0.101	1.7	41.9	37	1.66	2620	12.8	0.03	4.5	20.8	820	1.3
E384387		14.5	0.16	1.5	0.116	2.31	55	45.7	1.82	2570	10.85	0.04	5	21.1	770	1.4
E384388		13.75	0.18	1.4	0.113	2.19	70.3	50.8	2.05	2890	17.6	0.04	4.7	25.3	880	1.4
E384389		20.8	0.19	2	0.133	3.54	58.1	64.3	2.04	2020	33.1	0.07	4.5	29.7	830	1.9
E384390		0.8	0.17	0.1	<0.005	0.04	1.9	2	0.49	41	0.29	0.02	0.4	<0.2	110	0.9
E384391		22.1	0.21	2	0.148	3.46	74.3	56.6	2.15	3060	22.8	0.07	3.5	33.5	840	1.7
E384392		23.1	0.21	2.2	0.16	3.47	67.9	56.4	1.86	2850	8.72	0.06	3.9	32.3	810	1.6
E384393		24.7	0.22	2.3	0.154	3.88	79.8	60.6	1.84	2220	11.95	0.09	5.1	32.6	860	1.7
E384394		22.4	0.22	2	0.134	3.36	115	53	1.82	2220	10.6	0.08	6.1	31.2	820	1.7
E384395		18.8	0.24	2	0.082	2.08	98.8	85.7	2.28	2280	19.95	0.74	3	32.8	770	1.9
E384396		30.1	0.25	2.6	0.109	4.82	83.3	79.9	1.19	1775	10.7	0.85	4.4	17.5	900	1.8
E384397		40.9	0.24	2.6	0.132	5.67	79	89.8	1.18	1295	8.15	0.5	4.2	18.9	1050	1.6
E384398		22.8	0.23	1.7	0.105	3.19	78	79.9	1.67	3150	22.4	0.45	3.3	20.6	780	1.7
E384399		13.35	0.18	1.1	0.061	1.47	45.6	58.2	1.79	3380	17.1	0.06	4.4	17.6	740	4.9

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384360		3.6	0.017	3.17	2.17	9.5	6	4.3	214	0.2	2.71	10.4	0.034	0.04	6.8	72
E384361		17.2	0.02	1.62	1.37	7.1	5	5.4	782	0.13	0.88	9.2	0.034	0.06	9.8	57
E384362		7.7	<0.002	0.58	0.95	6.6	2	2.8	327	0.14	0.07	14.8	0.042	0.05	3.1	54
E384363		5.4	<0.002	0.76	0.86	7.6	2	2.1	209	0.1	0.05	13.5	0.03	0.02	2.2	56
E384364		16.7	0.018	0.37	1.03	9	3	5.9	439	0.15	0.68	11.8	0.049	0.04	5.7	47
E384365		27.2	0.011	0.29	0.92	20.1	2	10.1	228	0.14	0.11	16.6	0.075	0.05	2.8	60
E384366		139	0.002	0.19	1.16	20	2	17.9	298	0.21	0.07	13.9	0.119	0.21	3	71
E384367		1.6	<0.002	0.08	0.09	0.9	3	0.2	262	<0.05	<0.05	0.3	0.008	<0.02	0.7	9
E384368		149.5	0.005	0.11	1.11	10.2	2	8.1	68.9	0.22	0.05	13	0.132	0.22	2	56
E384369		187.5	0.003	0.26	1.1	11.8	2	11.2	136	0.17	<0.05	15.8	0.127	0.3	2.9	63
E384370		157	0.004	0.11	1.2	10.7	1	9.8	109.5	0.22	0.05	13.5	0.123	0.22	2.1	59
E384371		85.4	0.006	0.43	0.82	6.8	1	6.7	2280	0.16	0.06	4.9	0.073	0.13	2.1	40
E384372		135	0.006	0.28	1.04	9.3	1	11.4	1480	0.22	0.07	8.3	0.103	0.19	2.1	47
E384373		163.5	0.01	0.36	1.05	10.8	1	10.7	195.5	0.21	<0.05	12.6	0.126	0.23	2.3	56
E384374		169.5	0.009	0.32	1.14	10.9	1	10.8	471	0.23	0.23	12.6	0.128	0.23	2.6	63
E384375		93.5	0.019	0.32	0.82	6.7	2	5.9	1910	0.13	0.58	5.4	0.074	0.13	3.9	42
E384376		102.5	0.003	0.29	0.84	6.7	1	7.4	2310	0.13	0.14	5.8	0.083	0.14	2.6	47
E384377		164	0.004	0.24	0.9	9.4	1	9.9	1060	0.15	0.08	9.4	0.114	0.23	2.3	57
E384378		1.2	<0.002	0.08	0.08	0.5	2	0.2	280	<0.05	<0.05	0.2	0.007	<0.02	0.7	4
E384379		35.6	0.017	6.94	2.16	4	5	7.6	155	0.14	1.14	6.4	0.034	0.47	17	61
E384380		95.8	0.002	0.27	0.94	5.7	1	9.1	2150	0.15	0.17	4.7	0.081	0.14	1.7	40
E384381		103.5	0.003	0.24	1.37	6.3	1	12.8	2370	0.21	0.17	7	0.099	0.15	2.5	45
E384382		88.8	0.011	0.54	1.14	6.9	2	14	1010	0.18	0.22	11.2	0.067	0.12	3.5	61
E384383		164.5	0.005	0.32	1.48	10.8	1	12.4	1380	0.21	0.12	10.1	0.14	0.23	2.7	71
E384384		168.5	0.016	0.38	1.61	14.6	2	15	236	0.2	0.16	13.3	0.165	0.28	3.4	87
E384385		185.5	0.008	0.34	1.85	13.8	2	12.6	792	0.2	0.23	13.7	0.152	0.27	4.8	75
E384386		102.5	0.009	0.42	1.15	7.7	1	9.8	2220	0.17	0.14	5.7	0.089	0.14	2.5	46
E384387		132	0.008	0.42	1.18	9.3	1	11.7	1940	0.2	0.13	7.9	0.109	0.18	3	53
E384388		111	0.01	0.44	1.37	8.6	1	10.2	2070	0.19	0.13	7.6	0.107	0.16	2.5	54
E384389		181	0.015	0.37	1.82	12.6	2	12.6	498	0.23	0.3	11.8	0.147	0.28	3.4	72
E384390		1.1	<0.002	0.07	0.16	0.4	3	0.2	281	<0.05	<0.05	0.3	0.007	<0.02	0.8	3
E384391		146.5	0.01	0.27	2.08	12.9	1	10.1	114	0.2	0.14	15	0.138	0.26	4.4	72
E384392		184.5	0.005	0.17	2.26	13.4	1	11.2	88.8	0.22	0.11	15	0.148	0.26	3.5	72
E384393		174	0.01	0.37	2.12	12.7	1	13.8	227	0.26	0.14	14.4	0.156	0.3	4.4	75
E384394		182	0.008	0.29	2.09	12.5	1	15.4	288	0.29	0.13	14.4	0.149	0.26	3.4	69
E384395		115	0.005	0.35	1.33	13.2	2	10.5	671	0.16	0.14	14.2	0.094	0.17	4.7	58
E384396		216	0.008	0.4	1.8	18.7	1	23	395	0.27	0.12	15	0.172	0.32	4.2	88
E384397		236	0.008	0.46	1.84	22.5	1	28.9	376	0.19	0.09	13.1	0.173	0.4	4.1	89
E384398		174.5	0.01	0.36	1.25	14	1	28	1040	0.14	0.1	11.3	0.116	0.23	5.8	63
E384399		87.9	0.054	0.6	0.79	10.2	2	12.2	1890	0.22	0.07	5.2	0.092	0.66	2.1	68

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Cu	Au	Ba
	Units	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.001	0.01
E384360		6.1	20.3	9	33.3	1.090	0.076	
E384361		5.5	16.7	10	32.9		0.041	
E384362		4.7	12	10	59.7		0.003	
E384363		3.2	9.5	12	50.2		0.001	
E384364		6.2	14.8	8	44.6		0.017	
E384365		6.1	13.6	5	68.5		0.002	1.06
E384366		12.6	13.9	6	67.1		0.002	2.07
E384367		0.1	3	22	3.3		0.001	
E384368		12.1	11.7	2	52.7		0.003	
E384369		13.8	15.3	2	66.2		0.002	0.95
E384370		11.5	17	3	47.2		0.002	
E384371		8	10.7	2	31.4		0.002	
E384372		11.5	10.3	2	38		0.002	
E384373		13.5	13.8	3	47.3		0.002	1.33
E384374		14.5	13.8	3	49.3		0.003	3.46
E384375		10.6	10.8	4	29.3		0.014	
E384376		10.3	9.5	5	31.2		0.005	
E384377		13.5	10.6	2	41.2		0.002	
E384378		0.2	2.9	19	2.5		<0.001	
E384379		7.3	15.3	3	21.5		0.115	
E384380		10.4	10.3	3	30.5		0.003	
E384381		14.4	11.1	2	30.2		0.005	
E384382		15.6	23.2	<2	44.8		0.005	
E384383		21.4	13.2	5	48.9		0.009	8.73
E384384		26.2	14.1	7	67.1		0.020	1.80
E384385		23.2	13.3	4	56.3		0.018	6.38
E384386		14.5	10.2	3	31.6		0.010	
E384387		16.7	11.8	4	39.5		0.021	
E384388		16.3	11.7	5	36.2		0.009	
E384389		23.6	12.8	5	52.1		0.027	3.04
E384390		0.2	3.3	20	3.3		<0.001	
E384391		21.7	13.8	8	51.6		0.021	0.90
E384392		22.9	13.9	6	56.1		0.017	0.78
E384393		23.2	13.7	6	60.4		0.015	1.70
E384394		23	12.8	4	53.2		0.010	2.35
E384395		15.4	13.5	7	50.2		0.012	
E384396		22.4	15.6	<2	64.2		0.007	3.64
E384397		23.9	16.1	<2	67.5		0.004	3.48
E384398		18.1	13	4	44.5		0.006	
E384399		8.2	8.8	44	28.7		0.193	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384400		1.32	0.05	1.5	2.4	530	0.88	0.07	0.32	<0.02	44.7	50.3	11	1.62	139.5	9.37
E384401		0.16	0.01	0.1	15	1330	0.09	0.01	44.6	0.41	2.29	1.2	7	<0.05	3	0.07
E384402		0.20	0.29	6.73	58.2	350	3.37	1.71	1.99	<0.02	90.3	121.5	48	6.36	1680	7.23
E384403		1.44	0.04	7.54	2.6	6310	4.71	0.04	0.22	<0.02	96	23.2	52	8.77	28	11.45
E384404		1.40	0.07	7.27	2.1	5880	4.54	0.05	2.4	<0.02	82.9	20.3	46	8.17	46.1	11.95
E384405		1.86	0.07	5.03	3.1	850	2.91	0.14	0.64	<0.02	136	42.8	33	5.74	75.4	13
E384406		1.54	0.15	4.38	3	730	2.12	0.16	0.82	<0.02	68.3	43.4	24	5.85	81.5	10.65
E384407		1.42	0.1	3.17	4.9	1280	0.74	0.25	1.94	<0.02	200	22.9	15	2.04	128	12.15
E384408		1.70	0.1	2.63	6.9	780	0.38	0.2	2.2	<0.02	175	36.9	13	0.89	402	13.65
E384409		1.26	0.09	5.49	3.5	1310	0.42	0.15	2.02	<0.02	101.5	38.7	24	0.86	387	8.86
E384410		1.14	0.07	4.77	2.6	1000	0.49	0.12	2.22	<0.02	74.1	35.7	20	0.83	378	8.35
E384411		1.64	0.05	5.43	1.8	1450	0.86	0.05	0.69	<0.02	76.6	32.4	28	2.27	344	7.86
E384412		1.54	0.05	4.88	1.7	620	0.37	0.05	0.42	<0.02	68.2	28	26	0.87	765	6.53
E384413		0.16	0.02	0.12	<5	150	0.08	<0.01	44.3	0.37	2.17	0.6	5	<0.05	3.5	0.05
E384414		1.58	0.13	6.11	1.8	2140	0.47	0.15	1.39	<0.02	63.5	31.3	26	1.29	2850	8.43
E384415		1.50	0.26	6.55	0.5	5640	0.56	0.15	2.02	<0.02	74.9	12.9	29	1.58	3870	8.25
E384416		1.22	0.09	6.92	1.2	7820	0.7	0.1	1.95	<0.02	77	12.2	36	1.52	1870	7.68
E384417		1.06	0.17	3.61	3	800	0.66	0.18	1.96	<0.02	89.9	26.7	18	2.1	1320	8.97
E384418		1.34	0.27	3.02	5	730	0.71	0.25	1	<0.02	126	41.7	28	1.99	1000	11.65
E384419		1.24	0.17	6.37	1.7	3130	0.59	0.15	0.29	<0.02	85.6	15.4	32	2.61	2520	8
E384420		1.72	0.21	5.31	3.8	1290	0.67	0.53	1.55	<0.02	96.7	30.2	31	2.23	3690	8.29
E384421		1.40	0.14	5.62	2.9	2020	0.56	0.54	1.15	<0.02	71.3	25.1	35	1.77	3230	8.85
E384422		1.42	0.6	5.75	9.7	150	0.64	1.32	1.25	<0.02	57.6	126.5	32	1.65	>10000	9.44
E384423		1.34	1.04	5.49	14.2	360	0.51	2.8	2.34	<0.02	56.2	291	26	1.09	>10000	12.2
E384424		0.20	0.04	0.13	<5	80	0.07	<0.01	46.6	0.38	2.15	0.8	6	<0.05	33.9	0.06
E384425		0.18	1.01	5.7	68	140	1.72	2.46	2.03	<0.02	49.8	158	33	3.69	8080	9.23
E384426		1.04	0.47	6.61	6.6	300	0.63	1.54	2.5	<0.02	77.5	99.2	44	1.44	7560	13.8
E384427		0.86	0.32	6.65	5.8	230	0.83	1.65	1.72	<0.02	98.3	100.5	41	2.21	6210	15.4
E384428		1.30	0.33	4.72	12.5	150	0.37	1.35	2.05	<0.02	91.2	105	29	1.09	5620	11.95
E384429		1.88	0.88	4.87	27.5	220	0.4	3.42	0.48	<0.02	125.5	185	23	1.21	>10000	18.6
E384430		2.18	1.52	0.28	118	70	0.12	11.2	4.9	0.02	307	458	<1	0.14	>10000	26.5
E384431		1.80	1.2	2.41	91.1	110	0.2	7.48	3.8	0.02	255	457	8	0.31	>10000	21.5
E384432		1.40	0.95	2.16	28.8	60	0.16	2.63	6.58	0.04	142.5	176.5	7	0.28	>10000	20
E384433		1.18	0.86	4.81	21	140	0.36	2.19	4.79	<0.02	179	134	18	0.67	>10000	13.25
E384434		1.24	0.74	6.21	26.4	260	0.45	2.07	3.24	<0.02	144.5	141	33	1.19	>10000	11.6
E384435		1.64	2.5	3.32	97.6	90	0.62	9.17	4.93	0.05	239	439	14	3.6	>10000	19.45
E384436		0.18	0.03	0.13	<5	60	0.09	0.03	46.3	0.39	2.58	1.3	7	<0.05	62.3	0.07
E384437		1.52	2.04	3.67	29.3	90	0.72	4.96	3.22	0.02	146	291	18	3.68	>10000	22
E384438		1.42	2.19	4.47	87.6	110	0.26	6.17	3.98	<0.02	51	380	19	0.59	>10000	14.55
E384439		1.34	4.27	4.25	31.1	90	0.41	3.25	4.42	0.02	96.1	212	22	0.66	>10000	10.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384400		5.49	0.13	0.5	0.066	0.5	20.7	19.8	1.07	4940	7.25	0.02	2.6	11.9	660	1.6
E384401		0.72	0.12	0.1	<0.005	0.03	1.7	1.9	0.49	49	0.25	0.02	0.3	<0.2	120	0.8
E384402		20.2	0.17	2.2	0.132	3.31	48.6	27.2	1.35	3270	20.8	0.58	3	28.6	750	2.9
E384403		23.5	0.19	2.2	0.089	3.38	72.8	91.8	1.53	1890	8.45	0.23	5.4	20	880	1.6
E384404		21	0.2	2	0.099	2.96	63.3	86.1	2.17	2730	12.95	0.22	5.4	19.5	800	1.5
E384405		15.95	0.2	1.4	0.076	1.75	99.5	60.1	1.62	2630	8.54	0.18	4.2	26.1	780	1.4
E384406		16.1	0.16	1.5	0.077	1.71	46.1	48.3	1.21	2170	7.92	0.13	4	20.9	610	1.7
E384407		9.24	0.22	1.1	0.063	0.5	152	26.9	1.53	2640	24.8	0.86	5.2	19.7	1820	1.6
E384408		7.24	0.22	0.8	0.057	0.13	129.5	24.1	1.44	2590	26.1	0.75	5.6	25.2	1630	1.2
E384409		11.15	0.17	1.8	0.029	0.13	71.6	27.2	1.25	1910	9.93	3.03	3.4	20.6	910	1.4
E384410		9.92	0.14	1.5	0.037	0.11	51	27.6	1.26	2160	9.27	2.55	2.9	18.4	740	1.4
E384411		13.65	0.15	1.9	0.017	0.51	52	37.9	1.12	726	1.81	2.15	2.6	19.5	570	1.2
E384412		11.35	0.14	1.6	0.007	0.12	40.7	24.3	0.72	266	1.04	2.6	1.9	14.4	530	1.8
E384413		0.56	0.13	0.1	<0.005	0.03	1.8	1.3	0.46	34	0.15	0.02	0.2	2.4	140	0.6
E384414		11.85	0.12	1.9	0.018	0.11	42.8	29.5	1.35	1070	0.77	3.13	2	18.8	670	1.6
E384415		13.45	0.15	1.8	0.033	0.11	50.5	33.8	1.77	1715	3.66	3.27	2.6	22.5	640	2
E384416		14.55	0.15	2.2	0.03	0.12	52.8	31.2	1.61	1605	3.51	3.85	3.5	21.8	710	1.2
E384417		9.16	0.12	1.2	0.056	0.43	55.1	35.7	1.51	2130	11.7	0.98	4.3	23.1	910	1.1
E384418		9.29	0.16	1.1	0.047	0.34	80.6	49.9	1.38	1490	19.25	0.11	4.6	35.9	1280	1.3
E384419		12.85	0.12	2.1	0.018	0.21	57.7	48.2	1.41	480	4.8	2.56	3.4	20.8	830	1.5
E384420		11.65	0.16	1.9	0.045	0.21	66.6	45	1.79	1450	17.6	1.97	2.8	25	960	3.2
E384421		13.1	0.13	2	0.028	0.13	50	47.2	1.65	1105	5.46	2.15	1.8	29.2	730	1.5
E384422		12.9	0.14	2	0.063	0.13	31.4	39.2	1.5	1470	17.7	2.63	1.7	31	710	1.9
E384423		12.15	0.19	1.7	0.128	0.14	33.8	34.2	1.51	2890	4.56	2.8	1.2	41.4	530	3.1
E384424		0.51	0.06	0.1	<0.005	0.03	1.8	1.4	0.48	37	0.21	0.02	0.2	3.2	100	0.8
E384425		16.05	0.14	2.1	0.142	2.18	16.3	22.9	1.14	3100	62.8	1.11	3	39.8	820	18.5
E384426		13.9	0.16	1.9	0.07	0.11	51.3	91.9	2.42	3610	15.25	1.87	0.9	54	600	2.6
E384427		14.85	0.24	2	0.056	0.13	62.1	93	2.65	2170	8.05	1.17	1.6	64.5	640	2.8
E384428		9.85	0.16	1.4	0.043	0.09	49.2	89.9	2.12	2500	17.05	0.69	1.1	39.7	680	1.6
E384429		11.1	0.21	1.6	0.159	0.11	82.8	29.4	2.04	8050	55.2	2.03	2.1	52.9	1120	5.9
E384430		7.46	0.37	0.1	0.174	<0.01	213	2.9	1.64	8160	52.5	0.02	2.4	66.7	2520	5.2
E384431		8.9	0.31	0.7	0.188	0.03	182	15.3	1.88	8050	59.9	0.97	2.6	70.9	2450	4
E384432		8.26	0.23	0.7	0.204	0.02	93.2	24.3	2.56	12100	15.7	0.61	3.9	50.7	2080	4
E384433		11.25	0.27	1.7	0.161	0.07	118.5	16.9	2.01	5670	58.6	2.76	3.3	39.2	1370	4.3
E384434		13.8	0.19	2	0.117	0.11	102	39.6	2.12	4220	26.6	2.99	2.1	37.3	840	20.6
E384435		9.67	0.29	1.2	0.276	0.11	166.5	32.5	3.13	7040	237	0.65	4.4	76.9	1490	124.5
E384436		0.54	<0.05	0.1	<0.005	0.03	2	1.4	0.48	44	1.22	0.02	0.2	3.7	120	0.8
E384437		10.55	0.29	1.6	0.38	0.16	103	38	2.12	4950	39.9	0.77	3.8	84.4	1160	12.9
E384438		9.81	0.16	1.4	0.294	0.09	25.9	30.9	1.6	5400	54.6	2.44	2.6	55.7	620	26.6
E384439		8.97	0.21	1.6	0.239	0.13	39.5	11.5	1.74	4910	367	2.63	4.7	34.9	540	115.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E384400		28.8	0.003	0.46	0.57	3.7	1	7.1	1700	0.11	0.07	2.3	0.033	0.04	0.8	24
E384401		0.9	<0.002	0.1	0.08	0.3	3	<0.2	295	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E384402		144.5	0.006	1.32	1.14	11.6	2	7.9	454	0.18	0.19	14.4	0.113	0.39	19.4	69
E384403		187	0.002	0.27	1.55	14.5	1	41.1	650	0.29	0.05	14.8	0.143	0.23	3.4	74
E384404		169.5	0.004	0.31	1.27	16.4	1	38.8	785	0.24	0.05	12.4	0.126	0.23	4	66
E384405		98.4	<0.002	0.45	1.23	8.4	1	22.6	1350	0.17	0.06	9.2	0.084	0.15	3.1	52
E384406		108	0.003	0.41	1.46	8.8	2	20.7	1380	0.19	0.08	7.1	0.078	0.15	4.3	45
E384407		28.1	0.009	0.26	1.38	5.6	2	10.8	1020	0.2	0.1	7.7	0.056	0.06	2.5	38
E384408		7.8	0.007	0.31	1.17	4	2	6.9	1040	0.2	0.1	6	0.051	<0.02	2.4	37
E384409		6.2	0.003	0.35	0.82	6	2	4.2	862	0.2	0.05	10.7	0.048	0.02	2.3	38
E384410		5.1	0.003	0.36	0.8	6.3	2	3.4	1020	0.18	0.06	8	0.04	0.02	2.2	35
E384411		28.7	<0.002	0.32	1.04	6.1	2	8.8	965	0.18	0.05	10	0.056	0.04	2	46
E384412		5.6	<0.002	0.35	0.79	3.6	1	3.5	1205	0.15	<0.05	8.9	0.042	0.02	2.1	41
E384413		0.6	<0.002	0.06	0.14	0.4	2	<0.2	257	<0.05	<0.05	<0.2	0.006	<0.02	0.5	1
E384414		4.9	<0.002	0.51	0.93	6.8	2	3.2	226	0.18	<0.05	10.8	0.046	<0.02	2.1	39
E384415		5.7	0.004	0.53	1.01	7.8	2	3.2	149	0.2	0.06	11.4	0.06	<0.02	3.2	34
E384416		6.6	0.004	0.4	1.11	7.2	2	3.9	189.5	0.27	<0.05	12.4	0.088	<0.02	2.9	38
E384417		24.3	0.004	0.34	1.14	5.7	2	7.7	1520	0.19	0.09	5.8	0.069	0.03	2.9	36
E384418		19.9	0.008	0.34	1.34	5.6	2	7	1180	0.18	0.15	7.2	0.055	0.03	2.7	38
E384419		11.6	0.005	0.35	1.41	3.6	2	4.1	286	0.24	<0.05	10.7	0.072	0.03	2.8	28
E384420		12.5	0.01	0.55	1.28	5.6	2	4.5	244	0.18	0.09	9.6	0.052	0.03	9.3	33
E384421		7.5	0.003	0.47	1.04	4.9	2	3.9	321	0.13	<0.05	9.8	0.049	<0.02	4.1	48
E384422		9	0.012	2.54	1.13	5.4	6	4.3	280	0.14	0.29	8.8	0.034	0.03	11.8	38
E384423		8	0.005	5.81	1.17	6.7	9	6.1	131.5	0.1	0.74	6.9	0.027	0.04	2.7	42
E384424		0.6	<0.002	0.07	0.11	0.4	2	<0.2	270	<0.05	0.09	<0.2	0.006	<0.02	0.6	1
E384425		91.8	0.021	2.21	1.51	10.2	3	7.3	624	0.17	0.22	8	0.079	0.33	258	54
E384426		6.4	0.014	2.51	1.26	7.4	3	3.7	128	0.08	0.3	7.9	0.026	0.02	3	59
E384427		8.8	0.009	3.32	1.26	7	2	3.8	74	0.12	0.28	8.9	0.031	0.04	3.5	42
E384428		5.1	0.012	1.78	1.2	5.7	3	2.5	427	0.08	0.8	6.5	0.02	0.02	7.8	34
E384429		5.8	0.035	3.72	1.25	6.6	8	5.2	183.5	0.09	1.17	9	0.022	0.08	126.5	42
E384430		0.3	0.023	6.71	1.48	5.4	8	3.7	112	0.12	14.2	4.8	<0.005	0.16	4	58
E384431		1.4	0.028	6.29	1.21	5	9	2.7	101.5	0.12	6.35	7.1	0.012	0.04	16.8	50
E384432		0.9	0.022	3.73	0.96	7.2	8	3.8	216	0.19	0.75	6.2	0.02	0.03	6.2	78
E384433		2.9	0.056	3.34	1.2	9.2	7	5.5	84.5	0.17	0.8	11	0.031	0.06	58.6	44
E384434		5.5	0.012	2.93	1.8	7.5	6	5.8	94.8	0.11	0.78	12.5	0.036	0.05	317	41
E384435		6.2	0.121	7.45	5.01	10	11	10.5	65.7	0.2	2.5	16.2	0.047	0.2	1670	56
E384436		0.6	<0.002	0.08	0.14	0.4	2	<0.2	265	<0.05	0.05	0.2	0.006	<0.02	2.9	1
E384437		8.4	0.021	7.6	2.36	6.6	7	22.4	55.7	0.13	0.82	10.4	0.027	0.1	233	49
E384438		4	0.024	6.55	3.52	6.8	9	7.6	235	0.13	1.38	10.7	0.039	0.11	600	30
E384439		5.9	0.283	4.07	4.57	10.4	9	8	321	0.23	0.73	13.4	0.075	0.35	1600	27

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
Sample Description							
E384400	6.6	5.7	5	12.2		<0.001	
E384401	0.1	3	24	3		<0.001	
E384402	8.7	12.2	3	55.1		0.020	
E384403	19.3	12.9	6	57.9		<0.001	5.34
E384404	18.8	14.2	5	52		0.002	6.28
E384405	12.6	10.8	9	35.6		<0.001	
E384406	11.7	9.2	7	38.8		0.004	
E384407	8.2	13	6	28.2		0.003	
E384408	6.3	11.5	7	21.6		0.003	
E384409	6.9	11.3	7	46.8		<0.001	
E384410	6.4	10.2	8	39.6		0.002	
E384411	8.3	9.2	9	50.5		<0.001	
E384412	6.5	7.5	6	40.8		<0.001	
E384413	0.1	2.7	21	2.8		<0.001	
E384414	5.6	8.3	7	47.9		0.012	
E384415	5.6	8.9	8	48.6		0.019	0.69
E384416	8.3	9.5	8	56.8		0.007	0.92
E384417	6.3	9	8	32.2		0.008	
E384418	5.8	10.3	12	31.1		0.007	
E384419	7.5	9.7	11	56.7		0.005	
E384420	5.7	10.1	10	51		0.020	
E384421	5.7	9.8	11	52.7		0.014	
E384422	5.2	10.2	14	51.8	1.415	0.067	
E384423	4	9.9	22	44.9	2.69	0.114	
E384424	0.1	2.8	24	2.5		<0.001	
E384425	7.7	15.1	10	57.9		0.049	
E384426	3.2	10.2	33	51.8		0.036	
E384427	3.7	10.2	26	62.1		0.023	
E384428	2.7	8.5	14	35.6		0.034	
E384429	2.3	16.1	3	41.2	3.25	0.144	
E384430	2.5	20.5	<2	2.2	1.795	0.323	
E384431	2	20.6	3	18.9	2.37	0.187	
E384432	3.2	21.9	17	18.4	2.04	0.108	
E384433	4.8	21.5	9	49.9	2.83	0.089	
E384434	4.4	21.7	10	53.3	2.26	0.133	
E384435	6.8	51	7	32.7	3.71	0.279	
E384436	0.1	2.9	30	3		<0.001	
E384437	3.4	21.3	26	42.8	5.50	0.195	
E384438	4.7	25.7	18	39.4	4.32	0.176	
E384439	8.9	52.7	11	46.5	2.60	0.305	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384440		1.24	0.17	4.83	3.4	960	0.48	0.28	3.87	<0.02	118.5	13.7	22	0.71	1600	6.74
E384441		1.18	0.12	4.24	5.8	2510	0.48	0.32	3.75	0.02	126	23.2	20	0.81	885	10.55
E384442		1.82	0.12	4.17	4.8	850	0.65	0.12	0.74	<0.02	100.5	27.2	18	0.63	814	8.3
E384443		1.78	0.09	1.94	8.6	850	0.34	0.11	1.68	<0.02	346	51	7	0.39	635	22.6
E384444		1.30	0.14	4.02	5.2	2760	0.46	0.15	3.04	<0.02	272	14.8	16	0.46	1030	13.4
E384445		1.56	0.05	4.97	3.4	1950	0.84	0.04	0.58	<0.02	180	25.1	34	0.89	232	9.56
E384446		1.58	0.07	4.55	4.7	1480	1	0.04	0.74	<0.02	141	23.4	30	1.33	286	10.75
E384447		0.16	0.02	0.14	<5	880	0.09	<0.01	39.8	0.37	3.95	1.9	7	<0.05	8.7	0.12
E384448		0.22	1.07	2.1	106	170	0.63	9.39	1.95	<0.02	196	296	11	2.33	8120	24.6
E384449		1.70	0.06	4.49	7.5	1020	1.76	0.11	0.6	<0.02	153.5	39.7	27	3.04	285	10.65
E384450		1.46	0.15	4.75	5.5	480	0.87	0.45	1.36	<0.02	89.3	34.3	25	1.33	2160	8.51
E384451		1.28	1.73	4.21	119	430	0.39	8.98	3.11	<0.02	47.4	387	16	0.51	>10000	13
E384452		1.58	1.1	5.15	15	300	0.56	1.44	2.57	<0.02	52.1	91.5	29	0.58	>10000	10.7
E384453		1.68	0.17	4.8	2.6	780	0.51	0.24	1.37	<0.02	54	29.2	24	0.5	1325	6.27
E384454		1.44	0.1	5.34	2.7	660	0.74	0.19	0.5	<0.02	78.1	46.4	31	0.54	1800	6.59
E384455		1.84	0.19	4.14	5.3	510	1.32	0.24	0.3	<0.02	130.5	57.2	24	2.05	2640	10.85
E384456		1.60	0.29	3.77	8.2	330	1.8	0.33	0.47	<0.02	193	119.5	29	3.77	4960	19
E384457		0.88	0.24	5.13	2.5	1020	1.13	0.19	0.5	<0.02	85.3	30.4	32	3.14	3410	11.3
E384458		0.76	0.62	5.12	7.4	260	0.72	0.52	2.32	<0.02	258	37.6	23	1.02	8540	9.86
E384459		0.16	0.02	0.16	8	730	0.1	<0.01	43.9	0.39	3.34	2.2	7	0.06	41.8	0.15
E384460		1.16	0.23	5.9	2.3	1780	1.06	0.15	0.77	<0.02	122.5	19	36	1.65	1870	7.14
E384461		1.08	0.12	5.22	8.9	1150	1.93	0.14	0.5	<0.02	170	52.1	32	5.9	365	10.2
E384462		2.08	0.17	5.89	5.8	1060	1.39	0.4	0.58	<0.02	147	25.2	42	2.12	2440	7.69
E384463		1.84	0.67	5.18	10	260	0.6	0.96	1.41	<0.02	94	58.2	30	0.97	7050	9.46
E384464		1.54	0.48	5.07	2.6	870	0.75	0.28	1.98	<0.02	71.3	19.5	32	1.8	9390	10.95
E384465		1.46	2.01	4.76	31.2	410	0.55	2.98	2.97	<0.02	70.5	342	23	1.28	>10000	15.55
E384466		1.56	1.2	4.86	27.1	280	0.7	2.32	1.97	<0.02	59.4	203	33	1.78	>10000	13.65
E384467		1.76	0.14	4.65	1.5	700	0.68	0.16	0.93	<0.02	78	19	27	0.77	2220	6.99
E384468		1.24	0.22	4.31	2.9	760	0.61	0.2	1.14	<0.02	85.5	30.1	19	0.44	1375	5.92
E384469		1.98	0.08	3.9	5	560	0.54	0.1	0.84	<0.02	187.5	57.5	22	0.8	755	11.85
E384470		0.20	0.02	0.12	8	220	0.07	<0.01	41.5	0.38	2.75	2	6	<0.05	19	0.09
E384471		0.20	0.28	6.14	50.3	580	2.66	1.4	1.8	<0.02	85.2	102	39	5.7	1460	7.08
E384472		1.72	0.08	0.92	5.6	2810	0.18	0.08	2.26	<0.02	134.5	38.6	4	0.28	436	20.3
E384473		0.94	0.3	4.08	3.1	1090	0.8	0.13	0.45	<0.02	72.7	25.5	25	2.9	230	6.8
E384474		1.60	1.17	3.1	28.9	160	0.49	2.99	0.49	<0.02	27.2	412	15	3.74	>10000	19.1
E384475		1.58	0.29	4.23	8.6	270	0.47	0.27	1.97	<0.02	50.7	25.2	16	0.68	6050	11.55
E384476		1.42	0.1	3.84	5.2	500	1.14	0.19	1.84	<0.02	105.5	47.6	22	4.52	349	10.8
E384477		1.56	0.17	4.17	18.3	260	1.36	0.42	2.05	<0.02	111.5	204	21	4.08	287	12.35
E384478		1.96	0.77	1.83	17.3	60	0.5	2.41	0.75	<0.02	89	219	9	1.49	1560	14.85
E384479		1.54	0.54	1.39	15.6	90	0.37	1.38	0.87	<0.02	103.5	185	6	1.11	1530	13.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384440		9.51	0.12	1.6	0.049	0.12	83	15.6	1.28	4330	117.5	3.06	3.6	15.4	710	3.2
E384441		9.5	0.15	1.3	0.047	0.09	93.8	14.2	1.3	4420	100	2.45	3.8	26.1	1420	3
E384442		9.15	0.29	1.2	0.029	0.12	68.5	31.3	0.64	788	8.97	2.04	4.9	15.5	1340	2.1
E384443		11.2	0.82	0.4	0.051	0.03	252	20.2	0.83	2520	15.05	0.58	2.9	32.4	1670	1.9
E384444		10.65	0.53	0.9	0.056	0.11	213	14.2	0.93	3430	72.1	2.49	4.3	18.1	1930	3
E384445		12.3	0.39	1.5	0.018	0.24	144.5	22.6	0.49	400	6.09	2.9	5.2	15.6	1190	2
E384446		11.75	0.38	1.3	0.029	0.45	111.5	32.1	0.55	706	4.99	2.16	4.2	14.7	1210	1.6
E384447		0.52	<0.05	0.1	0.007	0.03	3.2	1.8	0.44	34	0.35	0.03	0.3	2	110	0.8
E384448		9.47	0.82	0.7	0.236	0.62	117	21.6	1.36	5610	56.3	0.23	5.7	55	2130	5.7
E384449		13.45	0.39	1.4	0.051	1.14	121.5	43	0.61	871	7.58	1.3	5	16.4	1340	1.7
E384450		11.2	0.3	1.3	0.055	0.45	55.4	23.4	0.7	1665	27.9	2.59	3.5	17.2	670	2
E384451		9.04	0.44	1.1	0.314	0.12	22.2	9.1	0.86	3680	70.6	2.88	4	43.1	510	56.4
E384452		10.5	0.35	1.5	0.257	0.14	25.4	9.3	0.76	2940	76.9	3.68	3.3	19.3	480	35.1
E384453		9.34	0.22	1.2	0.069	0.09	35.3	14.4	0.84	2670	5.47	3.18	2.6	10	470	2.3
E384454		11.9	0.25	1.6	0.053	0.09	49.4	10.5	0.59	1780	1.72	3.67	2.3	13.8	550	1.8
E384455		12.3	0.41	1.2	0.09	0.39	78.3	45.1	1.08	1590	16.05	1.31	2.8	24.5	880	1.9
E384456		15.9	0.68	1.3	0.07	0.71	121	52.3	1.55	362	7.62	0.06	2.9	45.3	1270	1.9
E384457		12.4	0.38	1.6	0.058	0.25	63.5	67.6	2.08	491	29.5	1.14	2.5	32.3	1000	1.8
E384458		11.5	0.44	1.3	0.116	0.08	169	45.4	1.72	1945	77.4	2.56	3	20.8	1190	2.4
E384459		0.58	<0.05	0.1	0.005	0.03	2.6	2.2	0.49	40	0.86	0.02	0.3	2	110	0.9
E384460		13.3	0.29	1.9	0.035	0.23	94.5	48.4	1.17	583	44.1	2.85	4.2	18.6	1050	1.9
E384461		14.95	0.4	1.6	0.047	0.85	131	68.5	1.22	257	3.75	1.25	3.6	21.2	1800	1.7
E384462		15.8	0.3	1.9	0.04	0.5	122.5	37.3	0.95	496	21.6	2.85	5	22.5	1210	1.9
E384463		11.9	0.35	1.5	0.103	0.09	54.8	22	0.96	1495	32.3	3.08	4.3	25.9	850	23.8
E384464		12.95	0.36	1.6	0.098	0.11	51.5	34.5	1.58	1860	8.56	2.23	2.2	27	740	6.2
E384465		11.35	0.52	1.2	0.397	0.08	45.9	26.1	1.53	3010	46.3	2.33	2.3	35.6	840	10.6
E384466		13.05	0.46	1.5	0.186	0.07	37.5	37.5	1.79	2200	58.9	1.91	2.2	42.3	640	5.9
E384467		10.55	0.26	1.2	0.033	0.08	52.5	19.3	0.8	785	14.95	2.66	2.2	17	560	1.3
E384468		8.71	0.23	1.1	0.054	0.1	66.8	10.3	0.76	2430	89.8	2.87	4.2	9.3	660	1.8
E384469		10.2	0.47	1.1	0.028	0.1	150	28.6	0.88	1290	6.7	1.77	2.3	17	1120	1.4
E384470		0.46	<0.05	0.1	0.005	0.03	2.2	1.6	0.45	36	0.42	0.01	0.3	1	100	0.8
E384471		17.8	0.29	1.9	0.12	2.81	49.8	23	1.23	3000	18.9	0.53	3.6	23.9	700	2.8
E384472		7.68	0.64	0.2	0.05	0.03	105	9.8	1.03	2440	11.8	0.24	3.7	23	1730	1.5
E384473		9.06	0.26	1.5	0.046	0.49	49.9	40.1	1	1170	5.18	0.95	3.1	15.1	430	1.3
E384474		8.15	0.64	0.9	0.224	0.08	6.9	32	1.91	4040	74.9	0.63	3.8	43.7	1400	6.5
E384475		9.15	0.36	0.9	0.123	0.18	32.9	17.4	1.11	3910	4.51	2.54	5.2	21	1930	1.3
E384476		12.15	0.37	1.1	0.128	1.59	60	42.8	1.66	3710	12.85	0.03	7.3	28.1	740	1.7
E384477		12.8	0.44	1.5	0.14	1.64	60.5	36.3	1.7	5420	26.4	0.3	10.6	19.5	1110	1.7
E384478		5.61	0.42	0.5	0.152	0.36	32.7	23	1.53	6530	59.5	0.11	4.9	22.6	830	2.8
E384479		4.52	0.4	0.4	0.127	0.22	33.2	18.3	1.34	5180	60	0.08	4.1	18.7	760	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384440		5.7	0.111	0.38	1.04	10.3	2	5.1	1090	0.18	0.11	8.3	0.054	0.03	64.9	31
E384441		4.2	0.078	0.32	1.13	8.9	2	3.6	596	0.12	0.13	8.5	0.041	0.02	16.4	34
E384442		5.7	0.006	0.31	0.88	3	2	3.1	1250	0.17	0.08	6.5	0.039	0.04	3.6	36
E384443		1.4	0.005	0.41	0.89	4.1	2	1.9	846	0.09	0.1	6.7	0.016	0.02	3.9	42
E384444		4.8	0.061	0.29	0.98	7.1	2	2.6	642	0.14	0.11	7.9	0.03	0.03	10.5	27
E384445		12	0.003	0.29	1.04	7.9	2	6.2	885	0.23	0.07	8.2	0.063	0.04	3.6	57
E384446		25.1	0.003	0.26	1.09	7.4	2	9	1200	0.2	0.09	7.7	0.073	0.06	3.5	56
E384447		0.7	<0.002	0.08	0.1	0.9	4	0.2	258	<0.05	0.06	0.3	0.007	<0.02	0.5	6
E384448		30	0.018	6.27	2.11	4.1	5	7.2	159	0.13	0.96	6.2	0.033	0.44	14.4	60
E384449		69.3	0.003	0.33	1.55	8.4	2	18.4	1025	0.25	0.11	9.9	0.103	0.12	2.5	57
E384450		24.3	0.013	0.57	0.84	5.5	2	6.5	1085	0.18	0.12	7	0.06	0.09	7	36
E384451		4.7	0.037	7.02	4.03	6.1	8	7.5	314	0.19	1.3	8.5	0.059	0.13	940	28
E384452		5.8	0.038	3.07	3.03	6.9	6	7.7	392	0.24	0.22	11.3	0.076	0.11	890	41
E384453		3.7	0.003	0.46	0.88	5.4	2	3.7	1490	0.17	0.07	5.2	0.051	0.03	14.4	34
E384454		3.6	0.003	0.6	0.75	4.6	2	5	1205	0.15	0.06	7.1	0.052	0.02	7.4	44
E384455		24.2	0.008	0.61	1.18	10.8	2	11.1	1180	0.13	0.07	8.4	0.053	0.05	19.1	63
E384456		41.1	0.002	1.05	1.58	19	3	16.7	688	0.1	0.08	8.3	0.065	0.06	3.4	118
E384457		13.7	0.017	0.65	0.81	7.7	2	6.6	1180	0.11	0.07	4.9	0.041	0.04	6.3	60
E384458		3.7	0.043	1.41	0.99	9.1	3	4.5	626	0.11	0.12	11.1	0.032	0.04	33.9	37
E384459		0.7	<0.002	0.09	0.08	1.1	4	0.2	280	<0.05	<0.05	0.3	0.008	<0.02	0.8	6
E384460		12.6	0.023	0.43	0.98	10	2	6.7	794	0.21	0.07	10.1	0.066	0.05	13.3	38
E384461		49.8	0.003	0.47	1.12	7	2	11	967	0.16	0.07	9.2	0.059	0.12	5	62
E384462		27.9	0.008	0.55	1.2	14.3	2	13.2	938	0.22	0.15	9.2	0.082	0.07	15.1	83
E384463		3.8	0.018	1.34	2.65	5.9	4	5.2	852	0.23	0.15	11.4	0.069	0.07	610	48
E384464		5.3	0.008	1.1	1.56	7.9	3	5.5	315	0.14	0.07	7.7	0.042	0.04	201	52
E384465		3.5	0.035	6.3	1.52	7.4	10	6.9	132.5	0.1	0.57	13	0.029	0.06	197.5	43
E384466		3.3	0.031	3.32	1.43	8	5	5.4	263	0.09	0.45	9.3	0.035	0.05	94.8	49
E384467		3.5	0.012	0.46	0.67	4.7	2	4.3	893	0.11	0.06	5.5	0.042	0.03	4.2	43
E384468		4.5	0.067	0.41	0.91	5.2	2	3.8	1125	0.16	0.15	6.8	0.044	0.03	13.9	25
E384469		4.5	0.004	0.42	1.02	4.5	2	3.4	707	0.14	0.07	8	0.038	0.02	2.2	45
E384470		0.5	<0.002	0.07	0.08	0.9	4	<0.2	258	<0.05	<0.05	0.3	0.007	<0.02	0.5	5
E384471		125.5	0.007	1.26	1.16	9.9	2	7.4	453	0.23	0.21	12.8	0.117	0.34	16.9	64
E384472		1.3	0.005	0.33	1.12	3.6	2	1.7	397	0.12	<0.05	4.1	0.014	<0.02	5.1	46
E384473		30.2	0.004	0.26	0.95	5.2	2	4.5	848	0.19	0.06	9	0.055	0.12	3.4	37
E384474		4.8	0.037	7.13	1.94	4.7	6	9.5	189.5	0.13	0.69	4.2	0.032	0.08	184.5	41
E384475		8.5	0.002	0.83	1.61	6.5	3	6.6	709	0.21	0.09	3.7	0.052	0.02	31	41
E384476		85.6	0.003	0.43	1.67	6.5	2	9.7	1020	0.34	0.19	6.9	0.121	0.15	4	45
E384477		84.2	0.004	1.04	1.78	7.3	4	18.3	611	0.49	0.42	8.6	0.129	0.15	4.8	49
E384478		19.4	0.056	1.92	1.04	3.1	4	11.9	648	0.17	1.26	1.9	0.056	0.07	11.5	20
E384479		12.7	0.053	1.71	0.96	2.4	3	10	759	0.12	1.21	1.6	0.041	0.06	10.1	15

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384440		8.4	14.8	6	42.9		0.010	
E384441		7.2	14.5	13	33.8		0.004	
E384442		6.3	10.8	12	35.1		0.004	
E384443		5.7	12.8	8	11.6		0.001	
E384444		8	16.1	8	27.8		0.008	
E384445		9.4	12	8	45.5		<0.001	
E384446		10.1	11.3	9	42.1		<0.001	
E384447		0.1	2.7	22	3.7		<0.001	
E384448		6.8	13.4	7	21.1		0.109	
E384449		12.2	11.3	7	43.7		<0.001	
E384450		7	11.4	9	39.8		0.007	
E384451		6	33.8	5	34.3	2.80	0.326	
E384452		8	31.1	7	45.6	2.54	0.176	
E384453		8.7	9.1	8	38.6		0.007	
E384454		8.6	9.3	8	49.4		0.005	
E384455		7.9	9.8	17	38.3		0.009	
E384456		9.7	10.9	23	39.4		0.024	
E384457		6.4	10.6	32	47.3		<0.001	
E384458		7.5	13.8	16	38.9		0.035	
E384459		0.1	2.8	23	3.7		<0.001	
E384460		10.3	12.4	18	56.6		0.005	
E384461		10.6	11.7	22	49		0.001	
E384462		13.9	12.2	16	56.9		0.012	
E384463		8.6	29.2	9	46		0.031	
E384464		5.8	16.2	15	47.9		0.038	
E384465		4.2	16.3	6	37.1	4.13	0.258	
E384466		5.3	11.1	15	45.7	2.15	0.121	
E384467		6.6	6.9	9	38.5		0.016	
E384468		10.3	8.9	5	35.7		0.019	
E384469		8.5	9.1	10	32.8		0.004	
E384470		<0.1	2.6	22	3.3		<0.001	
E384471		8.5	11	6	59.8		0.019	
E384472		13.4	9.5	6	7.3		0.002	
E384473		9.4	7.7	14	44.2		0.001	
E384474		6.9	16	16	25.2	2.01	0.265	
E384475		10.2	11.7	8	27.8		0.024	
E384476		12.8	8.2	9	33.8		0.005	
E384477		13.9	11	7	44.3		0.016	
E384478		11.4	5.9	2	14.7		0.034	
E384479		10.8	5.3	<2	10.9		0.033	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E384480		2.02	0.56	0.82	14.6	30	0.19	0.98	0.33	<0.02	63	239	3	0.38	2410	15.8
E384481		2.08	0.49	0.32	16.5	80	0.1	1.21	0.98	<0.02	225	154	<1	0.13	1080	18.6
E384482		0.16	0.04	0.12	<5	260	0.06	<0.01	43.1	0.37	2.69	1.6	6	<0.05	11.2	0.07
E384483		1.60	0.79	0.83	25.5	100	0.33	1.47	0.41	<0.02	>500	200	5	0.93	32.7	21.9
E384484		2.26	0.32	0.69	9.8	380	0.16	0.92	0.24	<0.02	464	43.6	3	0.3	769	18.7
E384485		1.18	0.24	2.77	13	70	0.59	0.32	0.26	<0.02	121	300	18	1.53	1210	20.7
E384486		2.16	0.18	2.3	12.8	120	0.56	0.37	0.34	<0.02	167.5	157	13	1.72	460	17.85
E384487		1.56	0.19	2.52	16.6	50	0.58	0.76	2.75	<0.02	106	310	14	2.2	477	16.1
E384488		1.50	0.13	4.32	10.1	150	1.28	0.24	2.75	<0.02	108	133.5	26	4.94	548	12.7
E384489		1.70	0.14	3.37	15.4	130	0.92	0.29	2.35	<0.02	111.5	113.5	18	3.58	954	12.35
E384490		1.72	0.87	2.16	29	30	0.31	1.94	4.38	<0.02	178	159.5	9	0.73	>10000	18.95
E384491		1.40	0.67	2.99	6.5	400	0.21	0.38	4.14	<0.02	324	22.9	14	0.4	>10000	21.3
E384492		1.84	1.03	3.31	9.2	50	0.27	1.25	3.76	<0.02	125.5	34.6	20	0.93	>10000	15.15
E384493		0.16	0.03	0.13	<5	140	0.07	<0.01	43.7	0.36	3.28	1.5	5	<0.05	67.2	0.07
E384494		0.20	1.01	5.68	66.1	100	1.95	2.4	2.54	<0.02	50.2	150	33	3.56	7970	9.49
E384495		1.82	0.79	2.81	13	80	0.22	1.91	2.89	<0.02	72.3	54.1	15	0.71	>10000	11.75
E384496		1.64	0.99	3.42	9	60	0.41	0.99	5.3	<0.02	180	115.5	19	0.34	>10000	15.95
E384497		1.40	1.23	2.97	10.5	80	0.51	1.43	4.74	<0.02	243	114.5	19	1.26	>10000	21.2
E384498		1.30	0.23	4.51	7.3	300	1.4	0.43	1.85	<0.02	118.5	36.4	28	2.6	4440	12.9
E384499		1.00	0.17	3.59	13.7	170	0.86	0.44	3.79	<0.02	97.7	151.5	20	1.81	1690	13
E384500		1.46	0.15	4.87	7.6	240	1.04	0.3	2.07	<0.02	120.5	126	28	2.71	2550	14.55
E385501		1.86	0.18	4.31	9	140	0.69	0.49	4.15	<0.02	190	172.5	23	1.72	1440	16.4
E385502		1.86	0.1	4.49	6.8	220	0.91	0.33	2.03	<0.02	161	133	24	2.41	624	14.1
E385503		1.40	0.08	6.81	3.1	300	1.35	0.15	2.91	<0.02	115	128	40	4.48	19.4	12.35
E385504		1.60	0.09	6.57	4.4	280	1.28	0.18	2.96	<0.02	102.5	125	35	4.26	20.8	13.65
E385505		0.16	0.42	0.17	<5	50	0.12	<0.01	46.7	0.41	3.86	0.9	6	0.06	2.3	0.08
E385506		1.76	0.1	7.06	3.8	1510	2.41	0.14	0.98	<0.02	127	109.5	45	7.56	19.2	8.5
E385507		1.64	0.09	5.47	3.8	870	1.44	0.1	1.44	<0.02	118.5	91.5	30	4.3	45	10.95
E385508		1.38	0.08	5.36	4.2	1270	1.46	0.12	2.17	<0.02	106.5	83.9	29	4.66	14.6	10.7
E385509		1.58	0.06	5.97	3.5	1980	1.87	0.13	2.33	<0.02	102.5	89.2	33	5.77	4.2	11.5
E385510		1.36	0.12	6.24	3	4000	1.94	0.12	2	<0.02	133	87.6	34	5.75	2.2	11.1
E385511		3.06	0.09	5.49	4.9	220	2.38	0.16	3.53	<0.02	134.5	93.5	24	7.05	124	10.75
E385512		1.10	0.11	6.21	6.8	1010	2.4	0.45	2.57	0.02	48.9	80.9	32	10.85	97	9.88
E385513		0.98	0.21	3.03	26	1480	1.26	1.8	10.55	0.02	32	37.7	11	8.78	521	9.18
E385514		1.02	0.02	0.06	<5	580	0.06	0.04	17.9	0.02	3.29	17.2	<1	0.19	137	6.69
E385515		2.04	0.06	0.05	<0.2	570	0.06	0.09	5.99	0.02	3.7	25.4	<1	0.12	926	22.2
E385516		0.18	0.01	0.12	8	30	0.09	0.01	43.1	0.41	2.32	1	5	<0.05	5	0.1
E385517		0.22	1.27	2.2	115	40	0.74	10.8	2.03	0.02	182.5	292	13	2.72	8280	24
E385518		1.82	0.11	0.08	16.2	460	0.05	0.2	0.74	0.02	1.27	85.7	<1	0.08	385	28.9
E385519		1.68	0.05	0.03	1.2	90	0.06	0.03	4.26	0.02	1.41	27.3	<1	0.06	570	23.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E384480		3.59	0.44	0.2	0.271	0.07	20.7	12.8	1.68	9970	67.5	0.01	3.1	28.8	530	2.1
E384481		3.64	0.57	0.1	0.269	0.01	124.5	5.7	2.25	14050	72.2	0.01	2.6	25.1	680	1.8
E384482		0.42	<0.05	0.1	0.006	0.03	2.1	1.5	0.47	46	0.48	0.01	0.2	<0.2	120	0.7
E384483		6.88	0.78	0.3	0.437	0.4	395	8	2.42	14600	112	0.01	6.2	34.1	1210	3.7
E384484		5.03	0.66	0.3	0.294	0.05	330	11.2	1.44	8910	41.8	0.01	5.3	25	970	1.6
E384485		10.45	0.51	0.9	0.313	0.54	82.5	37	2.38	11550	16.25	0.01	9.7	51	960	1.6
E384486		9.17	0.51	0.7	0.29	0.65	103	31.5	1.86	9900	25.6	0.01	8.2	24	1030	3
E384487		8.29	0.45	1.1	0.082	0.63	54.9	34.6	2.08	3190	22.5	0.02	8.7	33	1190	3
E384488		12.8	0.38	1.3	0.143	1.77	61.9	57.8	2.08	2830	18.15	0.04	8.9	34.8	1300	2
E384489		10.25	0.38	1	0.159	1.33	53.8	39.3	1.69	4170	20.6	0.28	7.4	30.5	2020	1.8
E384490		7.67	0.54	0.6	0.241	0.19	102.5	12.1	1.8	6380	89.4	1.02	3.2	35.6	2090	3.3
E384491		9.46	0.65	0.7	0.237	0.04	247	12.5	1.7	5650	53.6	1.69	2.9	32.3	3330	2.3
E384492		7.81	0.4	0.8	0.227	0.06	82.1	17.3	1.54	4500	40.7	1.75	3.8	24.3	1510	8.1
E384493		0.46	<0.05	0.1	<0.005	0.03	2.7	1.6	0.46	41	0.54	0.02	0.2	<0.2	120	0.6
E384494		15	0.29	1.8	0.142	2.12	17.8	22.6	1.13	3050	62.3	1.07	3.3	36.3	810	20
E384495		6.47	0.34	0.7	0.197	0.09	31.7	18.6	1.48	4440	33.2	1.1	4.9	22.9	1340	7.4
E384496		7.87	0.49	0.9	0.383	0.08	98.1	11.3	1.56	7170	131.5	1.8	6.3	29.1	2740	8.6
E384497		9.15	0.59	0.8	0.498	0.28	148	20.9	2.22	10650	127.5	0.95	5.6	42.8	2680	7.4
E384498		12.3	0.36	1.1	0.157	1.31	80.6	37.2	1.56	4360	14.25	0.54	9.4	20.5	1190	3.3
E384499		9.99	0.34	1	0.135	0.76	46.4	34.1	2.17	5260	20	0.75	8.7	31.4	1330	3.1
E384500		13.85	0.41	1	0.176	1.43	83.6	47.9	1.92	5110	15.1	0.75	9.1	31.4	1010	4.8
E385501		10	0.5	1.1	0.131	0.67	125	36.9	2.37	6030	19.7	1.24	8.6	35.4	2050	3.3
E385502		11.25	0.44	1.1	0.157	1.02	106	39.2	1.78	5780	18.15	1.12	7.7	27.1	1680	3
E385503		16.65	0.39	1.6	0.16	1.83	78.1	57	1.91	3510	16.3	1.58	10.1	33.9	780	3.1
E385504		14.3	0.42	1.6	0.108	1.53	66.7	73.6	2.42	2710	26.5	0.92	8	33.3	970	2.8
E385505		0.65	0.1	0.1	<0.005	0.04	2.9	1.6	0.48	38	0.2	0.02	0.3	4.3	120	1.2
E385506		24.3	0.21	2.2	0.161	3.54	89	93.9	1.38	543	20.4	0.04	11.5	30.2	1030	2.9
E385507		15.45	0.19	1.8	0.084	1.85	85.5	79.3	2	942	21.4	0.02	8	29	1030	2.7
E385508		15.8	0.19	1.5	0.117	2.04	77.1	69	2.01	1760	18.55	0.03	7.8	31.1	900	2.7
E385509		18.45	0.2	1.8	0.156	2.19	72.1	73.1	2.36	2290	11.5	0.03	8.8	45.6	900	2.6
E385510		17.7	0.23	1.8	0.145	2.55	89.8	65.7	2.11	2060	25.4	0.03	8	44.9	850	2.6
E385511		14.95	0.26	1.7	0.057	2.32	79.5	34.7	2.32	3780	17.45	0.06	7.3	20.7	1380	1.7
E385512		15.8	0.17	1.9	0.074	2.03	33.1	49.9	2.74	2790	6.36	0.03	4.4	26.9	740	2.7
E385513		8.53	0.16	1	0.25	1.33	18	17.3	5.38	8390	6.59	0.03	2.9	13	340	5.8
E385514		1.23	0.1	<0.1	0.174	0.02	1.4	0.7	9.56	11800	0.78	0.02	0.3	3.7	10	2.1
E385515		2.69	0.26	<0.1	1.03	0.01	1.7	0.8	7.39	33100	1.84	0.01	0.4	11.5	<10	2.1
E385516		0.76	<0.05	0.1	<0.005	0.03	1.7	1.4	0.49	107	0.25	0.01	0.3	2.3	100	0.7
E385517		10.25	0.43	0.8	0.267	0.63	122.5	23.3	1.44	5460	60.1	0.23	4.9	61.3	2030	6.7
E385518		4.79	0.36	<0.1	0.939	<0.01	0.7	1.5	3.74	26500	12.5	0.01	0.9	24.4	10	1.9
E385519		3.34	0.31	<0.1	0.938	<0.01	0.6	0.8	5.78	29200	3.09	0.01	0.4	20.9	10	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E384480		4.1	0.049	2.81	0.69	2.2	4	8	524	0.09	1.19	0.7	0.024	0.04	12.3	9
E384481		0.9	0.047	1.22	0.81	1.8	3	10.1	988	<0.05	1.23	0.7	0.008	0.04	7.3	7
E384482		0.6	<0.002	0.07	0.08	0.8	2	0.2	265	<0.05	0.05	0.2	0.006	<0.02	0.7	5
E384483		19.8	0.06	1.11	1.16	3.1	4	15.9	471	0.13	2.12	2.1	0.032	0.08	18.3	10
E384484		2.8	0.013	0.36	1.66	1.7	1	16.5	1170	0.09	1.09	2.1	0.025	0.03	5.2	9
E384485		26	0.005	1.75	1.31	6	2	15.3	217	0.32	0.53	4	0.092	0.05	4.7	29
E384486		31.5	0.008	0.98	1.78	4.5	1	15.1	543	0.26	0.47	4.4	0.072	0.07	4.4	25
E384487		30.1	0.008	2.35	1.88	4.9	4	14.7	396	0.31	0.6	5.8	0.089	0.06	7.6	31
E384488		94.1	0.006	1.01	1.57	7.1	2	11.4	682	0.5	0.3	7.8	0.141	0.14	9.5	43
E384489		68.1	0.004	0.95	1.33	5.5	2	9.2	825	0.36	0.22	6.5	0.102	0.11	7.8	39
E384490		9.1	0.066	2.94	0.95	5.4	3	5.4	414	0.13	0.7	4.1	0.028	0.03	11.1	46
E384491		1.5	0.034	1.26	0.87	7.6	2	4.9	148	0.13	0.28	6.2	0.017	<0.02	12.1	63
E384492		2.2	0.041	1.94	1.2	6.2	3	4.7	706	0.12	0.44	4.1	0.025	0.03	76.6	34
E384493		0.6	<0.002	0.07	0.08	0.8	2	0.2	263	<0.05	<0.05	0.2	0.006	<0.02	0.8	5
E384494		84.4	0.021	2.21	1.55	10.2	3	7.3	638	0.2	0.25	8	0.088	0.38	283	53
E384495		4.9	0.024	2.01	1.28	4.5	3	5.9	1065	0.13	0.32	2	0.027	0.03	68.4	31
E384496		3.5	0.118	3.32	1.2	7.7	7	7.4	517	0.15	0.62	6.7	0.027	0.03	111	44
E384497		14.8	0.094	3.11	1.3	7	7	9.9	591	0.19	0.64	7.5	0.042	0.06	79.1	56
E384498		76.2	0.002	0.65	1.9	6.4	4	23.5	696	0.46	0.21	8	0.135	0.1	5.1	50
E384499		41	0.003	1.18	1.95	5.9	3	14.1	1255	0.34	0.29	5.7	0.096	0.07	10.3	46
E384500		76.2	0.008	1.24	1.93	7.4	3	14.3	398	0.4	0.23	7.8	0.123	0.1	7.4	52
E385501		35.5	0.014	1.66	2.07	7.3	3	8.9	474	0.39	0.36	9.9	0.102	0.05	10.6	51
E385502		55.8	0.005	1.15	1.8	7.2	3	9.4	413	0.39	0.27	10.2	0.1	0.08	7.3	47
E385503		99.2	0.002	1.16	1.78	10.6	3	9.9	339	0.59	0.16	12.3	0.176	0.14	8.6	57
E385504		86.8	<0.002	1.22	1.68	9	3	7.9	386	0.5	0.16	11.3	0.152	0.13	7.8	56
E385505		1	<0.002	0.06	0.09	0.5	2	<0.2	275	<0.05	<0.05	0.3	0.007	<0.02	0.6	2
E385506		168.5	<0.002	0.99	2.35	10.8	2	12.9	235	0.67	0.26	14.7	0.195	0.21	11.9	68
E385507		101.5	0.004	0.76	1.63	8.3	3	7.1	265	0.47	0.26	10.4	0.13	0.12	10.9	47
E385508		112.5	<0.002	0.68	2.01	8.1	2	7.2	267	0.45	0.22	9.3	0.132	0.12	8.4	51
E385509		119.5	<0.002	0.76	2.03	9	2	6.9	218	0.56	0.17	9.8	0.166	0.14	9.6	54
E385510		116.5	0.026	0.8	2	9.3	2	5.7	123	0.5	0.22	12.1	0.171	0.16	17	51
E385511		108.5	0.005	0.82	0.99	17.2	2	12.4	1030	0.43	0.12	13.9	0.168	0.26	5	65
E385512		96.3	0.002	0.59	1.32	12.5	2	9.7	139.5	0.27	0.09	12.3	0.154	0.25	6.4	56
E385513		78.7	0.003	0.6	1.54	6.9	2	4.2	127	0.18	0.06	6.9	0.071	0.27	2.9	34
E385514		0.9	<0.002	0.07	0.17	3.5	2	0.3	46.6	<0.05	<0.05	<0.2	<0.005	0.02	0.2	2
E385515		0.4	<0.002	0.13	0.18	3.4	1	0.4	27.4	<0.05	0.06	<0.2	<0.005	<0.02	0.2	4
E385516		0.6	<0.002	0.06	0.07	0.6	2	<0.2	260	<0.05	<0.05	0.2	0.006	<0.02	0.7	6
E385517		35.8	0.019	5.87	2.27	4.7	6	7.4	160.5	0.07	1.21	6.3	0.031	0.5	16.3	56
E385518		0.3	0.01	0.23	0.39	1.4	1	1.5	20.5	<0.05	0.08	<0.2	<0.005	0.02	0.8	20
E385519		0.3	<0.002	0.06	0.27	2.1	1	0.7	14.5	<0.05	<0.05	<0.2	<0.005	<0.02	0.4	11

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E384480		9.6	4.2	<2	6.3		0.047	
E384481		12.1	5.3	<2	2.2		0.058	
E384482		0.1	2.5	41	3.5		<0.001	
E384483		13	9.5	<2	7.4		0.092	
E384484		7.9	6.9	<2	7.4		0.042	
E384485		6.5	7.6	5	28.8		0.014	
E384486		8.8	7.2	4	21.6		0.014	
E384487		10.9	7.7	2	37.1		0.017	
E384488		14.5	10.9	<2	40.8		0.011	
E384489		12.2	12.2	<2	31.8		0.013	
E384490		5.9	13.8	<2	17	1.625	0.153	
E384491		4.1	16.7	<2	21.3	1.415	0.082	
E384492		5.7	13.1	<2	25.9	1.895	0.125	
E384493		0.1	2.6	15	3.5		<0.001	
E384494		8.3	14.4	5	56.5		0.056	
E384495		10.7	11	6	23.1	1.395	0.035	
E384496		5.6	26.2	<2	31.8	2.07	0.126	
E384497		6.5	24.4	6	29.3	2.28	0.130	
E384498		13.3	10.4	16	39.3		0.017	
E384499		13.7	10.9	16	33		0.013	
E384500		16.3	9.5	16	37.3		0.018	
E385501		12.2	14.5	15	40		0.017	
E385502		11.6	12.6	13	39.9		0.011	
E385503		31.8	13.2	14	58.2		0.005	
E385504		19.4	12.1	18	55.9		0.006	
E385505		0.1	2.7	22	3.5		<0.001	
E385506		19.4	12.9	8	68.6		0.011	
E385507		11.9	11.6	14	54.7		0.008	
E385508		12.7	10.6	11	46		0.022	
E385509		14.4	13.2	16	54.5		0.004	
E385510		14.6	12.5	12	54.5		0.011	
E385511		10.8	13.7	12	50.1		0.002	
E385512		9.3	10.5	25	56.5		0.004	
E385513		8.1	12.4	9	30.5		0.006	
E385514		0.5	5.2	8	<0.5		0.003	
E385515		0.4	5.3	11	0.6		0.001	
E385516		0.1	2.7	21	4.1		<0.001	
E385517		6.7	15.2	8	23.9		0.123	
E385518		2.6	5.9	2	1.4		0.003	
E385519		0.7	5.9	2	<0.5		<0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385520		1.82	0.05	0.02	28	30	0.12	0.09	12.5	0.02	1.49	66.1	<1	0.08	146.5	13.85
E385521		1.28	0.06	0.02	12	80	0.06	0.2	15.25	0.03	1.76	18	1	0.09	194.5	10.15
E385522		1.32	0.06	0.11	13	60	0.11	0.27	14.9	0.05	7.02	17.2	3	0.13	259	10.8
E385523		1.04	0.09	5.51	47.8	440	0.68	0.55	5.09	0.02	144	319	26	2.41	146	8.4
E385524		2.04	0.26	4.14	14.1	400	0.58	0.43	9.79	<0.02	35.6	278	20	2.05	8850	7.65
E385525		1.58	0.34	6.18	42.2	750	1.22	2.52	4.35	<0.02	177	120.5	30	4.74	2310	9.15
E385526		1.02	0.19	6.59	4.9	410	1.66	0.13	3.59	<0.02	141	15	33	5.45	159.5	7.9
E385527		1.00	0.07	6.58	5.4	160	1.42	0.04	4.37	<0.02	129.5	12.6	34	4.95	14.8	8.68

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385520		2.25	0.19	<0.1	0.362	<0.01	0.5	0.4	6.89	13400	7.58	0.01	1.1	8.1	<10	2.2
E385521		1.78	0.11	<0.1	0.324	<0.01	0.5	0.5	7.99	13400	4.7	0.01	0.6	4.3	10	2.6
E385522		2.61	0.14	<0.1	0.42	0.03	3.3	1.6	8.02	13850	60.2	0.02	0.8	6.2	10	2.9
E385523		13.9	0.21	1.3	0.154	0.15	91.1	19.5	3.1	4320	18.65	3.42	1.4	26.6	710	2
E385524		9.35	0.08	1	0.208	0.18	21.8	13.6	4.76	6470	18.4	2.42	0.9	23.5	430	2.1
E385525		21.1	0.22	1.8	0.131	0.87	113.5	22.9	2.34	2950	31.4	3.01	5.2	46.8	1440	3.1
E385526		20.2	0.15	1.6	0.087	1.39	94.2	30.4	2.25	2290	15.35	2.58	5.2	37.5	890	1.9
E385527		16.7	0.16	1.6	0.073	0.87	85.8	28.9	2.76	2490	10.65	3.18	3.4	20.8	1010	2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385520		0.2	0.002	0.31	0.44	2.8	2	1.6	28.3	<0.05	<0.05	<0.2	<0.005	<0.02	2.2	11
E385521		0.2	<0.002	0.05	0.29	3.2	2	1.1	43.3	<0.05	0.05	<0.2	<0.005	0.02	0.3	3
E385522		2	0.028	0.09	0.23	3.4	3	1.1	46.3	<0.05	0.08	<0.2	<0.005	0.02	0.4	7
E385523		5.8	0.002	1.41	0.85	8.3	3	1.7	49	0.05	0.12	11.2	0.026	0.06	5.6	41
E385524		6.5	<0.002	2.13	0.76	8.8	6	1.5	60.8	<0.05	0.21	6.8	0.024	0.08	1.8	36
E385525		41.8	0.01	1.52	1.4	10.7	4	5.6	48.5	0.28	0.42	16.7	0.126	0.17	9.7	58
E385526		72.1	0.009	0.07	0.92	11	3	5.4	34.8	0.3	0.23	15.3	0.157	0.19	7.9	54
E385527		40.8	0.006	0.03	0.72	11.2	3	4.5	36.6	0.18	0.65	15.9	0.148	0.12	11.1	53

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385520		1.2	6.7	3	<0.5		0.001	
E385521		0.5	9.1	7	<0.5		<0.001	
E385522		0.8	10.9	6	1.3		0.003	
E385523		2	8.2	8	39.5		0.004	
E385524		1.2	9.8	8	31		0.034	
E385525		7.1	13.4	6	54.4		0.016	
E385526		6.5	10.3	10	50.6		0.003	
E385527		5	9.3	18	47		0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 20-DEC-2007
Account: CASMIN

Project: IGOR:HOLE 21

CERTIFICATE OF ANALYSIS VA07122580

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07122582

Project: IGOR:16-2007-22

P.O. No.: 198715

This report is for 186 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 24-OCT-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E385711		1.34	0.06	6.74	0.9	>10000	2.23	0.02	4.15	<0.02	81.3	16.3	42	10.7	7.6	7.2
E385712		0.16	0.02	0.15	10	100	0.06	<0.01	46.9	0.36	1.95	0.9	5	<0.05	2.2	0.07
E385713		1.24	0.05	6.17	1	8290	1.89	0.01	4.8	<0.02	58.6	17.6	33	9.39	12.3	6.74
E385714		1.48	0.06	6.48	3.1	8310	1.88	0.09	4.69	<0.02	35.5	22.5	34	9.8	5	6.58
E385715		1.30	0.07	5.7	2.2	4530	1.42	0.1	4.8	<0.02	78.5	28.4	28	7.6	94.3	6.3
E385716		1.78	0.12	6.43	7.6	2830	1.88	0.25	3.35	<0.02	81.3	60.6	37	9.76	234	7.89
E385717		0.72	0.05	7.26	3.6	>10000	2.7	0.05	2.02	<0.02	93.4	44.8	49	11.5	356	8.16
E385718		1.22	0.48	4.68	15.3	700	1.86	0.64	3.48	<0.02	110.5	63.8	28	7.28	5710	13.75
E385719		2.32	0.86	3.17	27.5	500	0.25	1.09	3.21	<0.02	116	66.6	19	1.04	3470	21.3
E385720		1.68	0.61	3.16	47.5	100	0.7	2.11	2.81	<0.02	226	143	15	2.37	1780	22.9
E385721		1.48	0.33	6.35	5.6	220	1.56	0.69	0.83	<0.02	22.8	75.7	40	4.29	2770	10.35
E385722		1.14	0.09	8.05	3.2	1540	3.65	0.15	0.62	<0.02	25.6	64	55	11.45	195	9.42
E385723		0.16	0.03	0.15	13	40	0.07	<0.01	49.7	0.4	2	1	8	<0.05	4.2	0.06
E385724		0.24	1.22	2.44	124.5	50	0.59	10.3	2.36	<0.02	193	331	15	2.48	9710	27.2
E385725		1.28	0.1	7.24	2.6	3630	3.06	0.11	0.56	<0.02	52.6	49.4	53	9.37	523	10.35
E385726		1.28	0.1	7.09	1.8	2820	2.64	0.04	0.57	<0.02	146	29.8	49	7.01	102	9.34
E385727		1.18	0.07	7.36	1.8	4510	2.22	0.05	0.84	<0.02	89	28.5	49	6.41	29.3	7.13
E385728		0.82	0.08	7.65	2.3	5190	2.18	0.08	1.25	<0.02	105	44.3	53	7.11	38.8	8.17
E385729		1.14	0.07	7.15	1.8	6390	0.97	0.04	1.17	<0.02	104	38.1	40	2.41	404	7.91
E385730		1.74	0.11	6.7	2.2	2510	0.78	0.07	1.27	<0.02	101.5	50.8	35	1.97	852	8.29
E385731		1.06	0.08	6.2	2.1	3590	0.65	0.07	0.86	<0.02	186.5	39.1	30	1.72	955	7.79
E385732		0.60	0.18	7.73	5.1	6080	0.77	0.47	2.16	<0.02	198.5	22.6	36	1.93	646	8.61
E385733		0.76	0.74	6.41	4.7	5850	0.65	1.13	3.08	<0.02	173	19	31	1.3	1640	9.32
E385734		1.18	0.32	6.63	7.2	4130	0.9	0.94	1.06	<0.02	137	38.8	42	2.31	698	10.9
E385735		0.14	0.02	0.15	11	40	0.05	<0.01	>50	0.39	2.24	1.1	11	<0.05	4.4	0.06
E385736		1.20	0.42	6.09	15.7	660	1.26	1.53	0.9	<0.02	103.5	68.8	41	4.87	514	12.9
E385737		1.28	0.69	5.21	89.6	140	1.77	7.27	0.43	<0.02	87.7	141	35	7	366	14.75
E385738		1.44	2.53	1.82	140.5	40	0.64	14.45	0.55	0.03	196.5	247	15	2.46	7880	26.7
E385739		1.72	2.87	2.28	260	30	0.66	21.5	0.55	0.02	151	502	16	2.6	7950	24.3
E385740		1.10	1.65	2.44	68.8	40	0.66	6.71	0.4	0.07	89.5	207	7	3.06	8470	23.4
E385741		1.70	0.13	5.96	11.6	1970	1.73	0.71	0.23	<0.02	77.2	78.4	33	8.15	125	11.05
E385742		1.70	0.44	5.08	48.7	100	1.63	6.11	0.26	<0.02	64.3	233	27	7.33	836	15.9
E385743		1.56	0.52	4.53	54.8	80	1.36	6.2	0.25	<0.02	60.7	228	23	6.58	1490	18.8
E385744		1.34	0.1	5.47	8.9	500	1.66	1.55	0.22	<0.02	40	83.9	30	6.99	98.6	10.45
E385745		1.70	0.1	5.71	8.6	850	2.13	0.88	0.19	<0.02	56.6	85.6	32	7.24	103.5	11.55
E385746		0.16	0.02	0.13	<5	130	0.07	0.1	43.1	0.38	2.04	1.3	6	<0.05	6.2	0.07
E385747		0.22	0.28	6.82	55.4	330	2.28	1.47	1.92	<0.02	75.7	105.5	37	5.75	1390	7.15
E385748		1.58	0.79	4.63	28	120	1.93	1.87	0.31	<0.02	106.5	95.1	23	4.95	539	11.45
E385749		1.64	0.4	5.05	13.8	90	1.55	3.01	0.37	<0.02	75	97.7	23	3.13	6910	11.75
E385750		1.42	0.58	4.18	55.9	60	0.88	12.7	0.35	0.03	29.4	370	15	1.34	4560	14.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385711		19.15	0.19	1.6	0.105	3.59	48.1	37.5	1.56	3840	2.03	0.32	3.3	16.7	640	1.4
E385712		0.51	<0.05	0.1	<0.005	0.04	1.5	1.2	0.51	47	0.14	0.01	0.3	1.5	100	<0.5
E385713		16.45	0.14	1.5	0.088	3.07	33.3	32.9	1.78	4330	0.92	0.3	3.3	15.4	610	1
E385714		17.6	0.15	1.6	0.1	2.81	19.9	34.2	1.61	4330	1.35	0.48	3.8	18.6	580	1.1
E385715		14.95	0.17	1.5	0.102	2.27	48.3	28.4	1.8	5450	16.65	0.81	2.8	16.6	590	1.2
E385716		17.75	0.2	1.7	0.16	2.68	49.5	39.4	1.65	5200	4.81	0.63	3	17.8	630	2
E385717		21.7	0.21	2.1	0.203	3.71	59.5	48.2	1.59	5050	5.64	0.35	3.7	15.9	670	1
E385718		15	0.26	1.2	0.222	2.17	82.4	34.4	1.63	6710	29.1	0.25	2.4	19.1	870	1.4
E385719		8.45	0.31	0.9	0.098	0.17	90.7	9.8	1.42	6370	39.6	1.86	1.7	33.5	1480	2.1
E385720		12.45	0.46	0.9	0.081	0.45	166	24.3	1.28	3950	48.6	1.02	3	36.9	2550	5.2
E385721		17.3	0.17	2	0.063	1.1	13.7	42.4	1.05	2200	9.25	2.53	1.8	23.7	860	2.2
E385722		27.3	0.19	2.8	0.075	3.26	16.3	85.5	0.97	576	3.58	1.14	3.2	25.3	890	1.1
E385723		0.54	<0.05	0.1	<0.005	0.03	1.6	1.3	0.54	38	0.21	0.01	0.3	1.9	130	1.3
E385724		9.86	0.43	0.7	0.236	0.69	129.5	19	1.53	6700	60.6	0.23	5	55.3	2460	6.2
E385725		22.8	0.22	2.2	0.057	2.59	33.3	70.4	0.8	502	3.98	1.51	2.4	23.4	910	1.3
E385726		21.5	0.23	2.1	0.046	1.9	92.6	59.4	0.74	887	5.77	2.47	2.3	20	870	1.5
E385727		21.8	0.18	2.1	0.041	1.46	58	54.7	0.93	1230	5.95	3.03	2.2	18	890	1.6
E385728		22.3	0.17	2.1	0.07	1.64	68.7	48.9	1.19	2440	12.1	3.27	2.2	18.2	1200	1.8
E385729		17.15	0.18	2	0.045	0.58	72	19.3	0.94	2270	12.55	4.5	2.1	16.4	770	1.5
E385730		15.75	0.17	1.8	0.044	0.42	69.4	16.1	0.95	2290	14.4	4.22	1.9	16.6	690	1.6
E385731		14.55	0.19	1.9	0.031	0.23	129.5	19.1	0.9	1510	7.93	3.58	2.3	17	780	1.4
E385732		18.05	0.21	2.1	0.052	0.31	140.5	41.8	1.34	2560	14.25	4.01	1.8	18.5	1030	2.5
E385733		14.9	0.22	1.8	0.06	0.17	126.5	50	1.66	2940	118.5	3.06	2.1	19	710	4.9
E385734		16.4	0.21	1.7	0.035	0.35	98.8	71.7	1.45	1400	10.8	2.18	1.5	26.1	810	3
E385735		0.48	<0.05	0.1	<0.005	0.03	1.8	1.3	0.55	39	0.3	0.01	0.3	1.8	110	<0.5
E385736		16.6	0.21	1.8	0.064	1.15	76.4	75.9	1.4	2650	12.5	0.89	2.9	28	1050	4.5
E385737		16	0.25	1.6	0.139	1.76	67.4	47	1.33	6550	41.3	0.03	4.5	26.8	1370	7.5
E385738		6.5	0.43	0.7	0.299	0.61	128	16.7	1.84	16400	142	0.04	5.3	37.7	1390	7.8
E385739		7.41	0.46	0.7	0.192	0.81	51.5	19.4	1.09	8760	114.5	0.13	5.8	45.7	1890	17.1
E385740		8.68	0.44	0.8	0.402	0.87	38.8	17.7	1.26	11350	85.1	0.16	3.7	46.7	1050	7.4
E385741		18.15	0.26	1.7	0.271	2.56	50.1	36.8	0.9	5190	5.08	0.3	4.5	25	610	2.2
E385742		15.65	0.32	1.5	0.306	2.2	27.4	31.8	1.08	7290	16.9	0.25	5	37.1	650	3.2
E385743		14.15	0.37	1.3	0.377	1.93	28.4	30.2	1.34	9580	20.6	0.18	4.3	40.9	610	3.6
E385744		15.75	0.23	1.5	0.23	2.27	22.5	32.7	0.8	4830	9.74	0.5	3.1	23.9	520	1.6
E385745		16.5	0.28	1.6	0.247	2.43	33.7	39	0.93	5140	6.84	0.37	3.6	25.7	500	1.8
E385746		0.56	<0.05	0.1	<0.005	0.03	1.5	1.3	0.44	42	0.25	0.02	0.3	1.9	100	0.8
E385747		19.4	0.19	1.9	0.116	2.76	40.5	21.3	1.26	3170	18.6	0.6	3	26.8	680	3
E385748		13.6	0.26	1.3	0.125	1.38	40	51.4	1.1	2260	27.5	0.45	2.5	33	1180	5
E385749		13.25	0.22	1.6	0.128	0.94	30.9	38.3	1.01	3500	17.95	1.98	4.9	28.2	1400	2.5
E385750		9.21	0.26	1.6	0.049	0.24	10.9	27.7	0.73	619	40.6	1.89	5.6	50.4	970	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385711		195	0.002	0.22	1.6	11.4	1	6	450	0.25	<0.05	12.4	0.146	0.31	2.2	64
E385712		1.2	<0.002	0.05	0.07	0.5	2	<0.2	268	<0.05	<0.05	0.2	0.006	<0.02	0.6	4
E385713		169.5	<0.002	0.18	1.63	10.4	1	5.2	522	0.25	<0.05	10.3	0.134	0.28	1.7	56
E385714		174	<0.002	0.21	1.73	10.7	1	6.1	590	0.27	<0.05	10.5	0.134	0.3	1.9	56
E385715		134	0.005	0.2	1.41	9.2	1	5.8	641	0.19	<0.05	9.9	0.106	0.23	3.4	46
E385716		158.5	0.003	0.31	1.42	10.2	1	9.4	577	0.2	0.07	11.7	0.117	0.28	2.6	55
E385717		204	0.003	0.25	1.76	11.3	1	17.3	125.5	0.23	<0.05	14.4	0.166	0.34	2.4	70
E385718		127	0.012	0.84	1.38	8.8	2	14.7	117.5	0.09	0.32	9.2	0.085	0.22	2.9	45
E385719		9.7	0.013	1.17	1.15	4.3	2	1.7	123	0.05	0.63	6.2	0.016	0.07	3.4	49
E385720		29.2	0.019	2.48	1.38	6.8	3	5.3	131.5	0.09	0.94	7.3	0.029	0.21	6.3	57
E385721		70.7	0.003	1.13	1.16	11.3	2	10.3	440	0.11	0.12	12.2	0.065	0.12	4.1	54
E385722		197	0.002	0.57	1.55	22.8	1	28.6	325	0.19	<0.05	11.3	0.144	0.28	3.5	76
E385723		0.8	<0.002	0.06	0.15	0.5	2	<0.2	292	<0.05	<0.05	0.2	0.007	<0.02	0.6	4
E385724		37.5	0.018	7.09	2.07	4.6	5	7.3	202	0.11	0.98	5.9	0.032	0.53	14.7	57
E385725		165.5	0.002	0.46	1.71	16.2	1	22.4	197.5	0.15	<0.05	12.2	0.112	0.23	2.8	69
E385726		124	0.002	0.26	1.36	15.1	1	18	452	0.14	<0.05	12.5	0.097	0.16	2.7	74
E385727		100.5	0.003	0.4	1.27	11.9	1	18.2	652	0.16	<0.05	11.7	0.089	0.14	3	64
E385728		103	0.011	0.57	1.29	14.1	1	20.4	397	0.14	<0.05	14.5	0.081	0.12	3.7	70
E385729		35.1	0.012	0.53	1.34	7.4	1	7.4	159	0.16	<0.05	13.9	0.065	0.05	5.2	47
E385730		25.7	0.015	0.63	1.25	6.6	1	5.8	144	0.15	<0.05	11.8	0.054	0.04	4.4	45
E385731		13.5	0.007	0.5	1.42	4.7	1	4.3	126	0.18	<0.05	14.6	0.065	0.03	2.5	40
E385732		17	0.085	0.54	1.43	10	1	4.5	159.5	0.13	<0.05	17.6	0.053	0.07	10	50
E385733		9.2	0.338	0.56	1.89	15.1	1	3.8	156	0.14	0.05	18.4	0.054	0.12	93.7	49
E385734		20.8	0.055	0.69	1.45	8.2	1	6	116.5	0.11	0.05	13.1	0.058	0.1	8.4	61
E385735		0.6	<0.002	0.06	0.07	0.5	2	<0.2	305	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E385736		65.7	0.023	0.85	1.63	8.4	2	13.1	154.5	0.13	0.12	11.7	0.081	0.3	10.8	68
E385737		116	0.004	3.01	2.28	7.3	4	28.7	172.5	0.11	0.53	8.2	0.09	1.19	15.3	65
E385738		36.1	0.022	5.85	2.7	3.5	5	11.9	177.5	0.09	1.61	4.2	0.041	0.48	14.7	26
E385739		48.7	0.029	>10.0	3.49	4.2	5	13	125.5	0.09	1.09	5.8	0.048	0.69	97.8	36
E385740		50.3	0.03	5.02	1.41	5.1	6	6	297	0.11	2.16	3.7	0.047	0.25	17	35
E385741		150	0.006	0.31	1.55	10.5	<1	10.5	723	0.22	0.11	10.8	0.135	0.31	2.7	59
E385742		128.5	0.013	2.25	3.66	9.7	1	11.2	318	0.2	0.87	8.1	0.117	0.25	5.8	55
E385743		112.5	0.012	2.72	2.37	9.1	1	9.4	244	0.15	0.83	7.8	0.097	0.22	10.4	55
E385744		131.5	0.01	0.45	1.65	9.3	<1	10.2	872	0.16	0.22	9.6	0.114	0.24	3.7	51
E385745		135.5	0.009	0.41	1.22	10	<1	14	759	0.18	0.1	9.7	0.126	0.25	2.9	57
E385746		0.8	<0.002	0.06	0.06	0.8	<1	0.2	248	<0.05	<0.05	0.2	0.006	<0.02	0.6	4
E385747		125.5	0.007	1.2	1.02	11.2	1	7.2	424	0.17	0.18	11.9	0.107	0.37	14.5	62
E385748		79.8	0.017	1.63	1.18	10.9	1	13.4	820	0.08	0.26	7.8	0.066	0.19	7.1	48
E385749		54	0.013	1.58	1.63	11.5	1	13.8	552	0.17	0.36	7.2	0.071	0.09	3.4	55
E385750		13	0.021	5.82	3.14	3.8	3	5.7	262	0.14	1.51	3	0.056	0.06	3.3	41

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Cu	Au	Ba
	Units	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.001	0.01
E385711		12.3	16.2	<2	54.9		0.001	2.97
E385712		0.2	2.7	21	3.3		<0.001	
E385713		11.4	15.7	<2	49.5		<0.001	3.35
E385714		13.3	15.3	<2	53.8		0.006	3.88
E385715		12.8	14.6	2	48.5		0.001	
E385716		15	15.5	4	57.3		0.004	
E385717		20.8	14.9	4	70.5		0.003	1.13
E385718		16.5	12.5	6	38.5		0.024	
E385719		4.6	14.1	3	29.7		0.047	
E385720		6.3	21.6	6	27.8		0.028	
E385721		10.5	12.4	12	67.6		0.010	
E385722		20.5	14	11	90.4		0.006	
E385723		0.2	2.9	25	3.3		0.001	
E385724		7.1	14.6	13	24		0.107	
E385725		16.1	14.5	7	72.6		0.006	
E385726		13.9	13.6	5	69.9		0.005	
E385727		15.4	13.7	11	69.3		0.004	
E385728		13.9	15.3	7	69.4		0.009	3.24
E385729		9.4	12.4	2	68.2		0.002	0.70
E385730		8.2	11.2	2	60.1		0.003	
E385731		10.3	11.4	5	61.6		0.003	
E385732		8.7	15.1	11	66.9		0.004	0.71
E385733		9.3	16.2	14	60.7		0.009	0.68
E385734		8.7	10.8	18	53.7		0.007	
E385735		0.1	2.8	23	3.2		<0.001	
E385736		12	11.4	18	55.4		0.008	
E385737		17.9	11.2	8	52		0.020	
E385738		21.2	10	11	21.6		0.068	
E385739		23.1	15.5	6	23.7		0.085	
E385740		11	11.4	6	23		0.099	
E385741		18.9	11	4	52.4		0.004	
E385742		17.3	10.9	4	47		0.035	
E385743		13.7	10.6	5	39.5		0.030	
E385744		17.3	9.7	2	47.6		0.003	
E385745		17.4	9.8	4	49.2		0.003	
E385746		<0.1	2.8	21	8.7		<0.001	
E385747		7.7	11.7	5	58.6		0.024	
E385748		13	12.4	8	39.3		0.012	
E385749		15.1	11.4	7	46.9		0.033	
E385750		16.8	8.4	6	46.4		0.059	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385751		1.50	0.33	4.59	20.5	70	0.8	3.11	0.59	<0.02	66.8	105	16	0.78	5350	11.4
E385752		1.98	1.11	0.32	103	20	0.33	18.1	4.55	0.03	385	378	<1	0.1	6750	25.5
E385753		2.28	1.54	0.06	56.2	50	0.1	4.25	3.34	0.06	120	231	<1	0.05	>10000	37.5
E385754		2.10	2.33	0.04	24.2	40	0.13	3.88	3.83	0.04	95.2	78.5	<1	<0.05	>10000	37.2
E385755		1.98	4.25	0.05	48	50	0.13	12.1	4.27	0.03	187.5	194.5	<1	0.05	>10000	34.3
E385756		1.72	1.01	4.38	47.2	50	0.85	17.3	0.82	0.02	107.5	277	23	0.83	3100	17.7
E385757		1.52	0.12	7.15	3.3	7060	0.68	0.5	0.36	<0.02	153.5	19.9	37	0.62	652	8.42
E385758		0.16	0.03	0.13	<5	60	0.05	0.1	43.4	0.37	2.15	1.2	5	<0.05	14.6	0.06
E385759		1.62	0.76	3.36	56.6	60	0.85	16.35	0.42	0.02	79.8	326	12	0.39	3650	15.45
E385760		1.54	0.19	6.25	8.9	480	0.91	0.26	0.43	0.05	117.5	60.4	31	0.79	576	9.92
E385761		1.46	0.06	7.05	5.5	1640	1.81	0.14	0.52	<0.02	86	58.1	42	3.3	206	11.9
E385762		1.62	0.06	7.29	4.1	2320	2.18	0.13	0.76	<0.02	90.4	59.1	43	5.05	149	11.6
E385763		0.72	0.07	7.48	3.9	1290	3.76	0.16	0.44	<0.02	91.1	76.3	52	7.06	188	12.45
E385764		0.90	0.14	7.95	4	6770	3.52	0.16	0.46	<0.02	112	57.8	47	9.14	183	14.5
E385765		1.14	0.18	7.16	6.5	3420	2.57	0.42	0.75	<0.02	94.4	101	36	8.35	287	13.35
E385766		0.64	0.09	6.73	4.2	4070	2.74	0.15	0.43	<0.02	79.6	63.7	36	9.8	46.8	13.85
E385767		0.86	0.1	6.6	4.7	4890	3.23	0.1	0.55	<0.02	83.4	43.4	40	9.28	31.4	13.45
E385768		1.12	0.06	6.37	4.6	2130	2.25	0.13	0.95	<0.02	64.5	48.5	32	7.44	50.1	13.35
E385769		0.16	0.01	0.15	5	60	0.07	0.01	45.2	0.35	2.17	0.9	5	<0.05	2.6	0.08
E385770		0.18	1.09	5.73	52.3	120	1.61	2.57	2.11	0.03	52.9	158.5	32	3.61	7960	9.2
E385771		0.94	0.14	6.93	2.8	5880	1.18	0.05	1.33	<0.02	48	25.3	33	3.54	68.6	8.6
E385772		1.14	0.07	6.91	3.2	6700	2.15	0.16	0.82	<0.02	77.9	38.8	37	6.16	103	9.72
E385773		0.82	0.06	7.22	2.7	7120	1.71	0.09	1.36	<0.02	86.1	41.9	39	5.33	130	10.8
E385774		0.96	0.06	7.37	3.2	6850	2.34	0.07	0.73	<0.02	99.6	47.4	42	5.39	139	10.05
E385775		1.48	0.09	5.99	4.2	1260	0.75	0.17	1.62	<0.02	80.9	69.4	31	1.77	460	9.51
E385776		1.66	0.08	7.14	3.8	2200	0.91	0.12	0.59	<0.02	99.6	71.5	36	2.18	531	10.1
E385777		1.08	0.08	6.36	3.5	1810	0.87	0.15	1.31	<0.02	95.6	52.5	28	1.91	506	11.7
E385778		0.98	0.07	6.58	4.1	1570	2.23	0.26	0.71	<0.02	91.6	76.5	36	9.79	146.5	13.45
E385779		0.92	0.09	7.4	3.1	2650	1.6	0.3	0.23	<0.02	199	51.6	40	7.26	533	11.65
E385780		0.86	0.11	6.3	2.8	960	0.75	0.22	0.23	<0.02	102.5	48.5	41	1.36	703	10.95
E385781		0.16	0.01	0.15	<5	90	0.08	0.01	43.6	0.35	2.18	0.8	5	<0.05	4.6	0.07
E385782		1.38	0.12	6.13	3.1	990	0.69	0.23	0.79	<0.02	91.4	56.1	31	0.98	1560	13.75
E385783		1.24	0.15	5.57	4.1	940	0.71	0.32	0.85	<0.02	117	88.4	32	1.39	1280	15.2
E385784		1.34	0.16	6.22	2.3	940	0.71	0.52	0.55	<0.02	166.5	38.5	35	1.02	2830	10.95
E385785		1.28	1.03	4.35	82.3	110	0.56	18.25	1.16	0.02	238	522	20	0.81	4520	18.55
E385786		1.28	0.56	4.98	57.2	190	0.62	12.15	0.89	<0.02	190.5	419	26	1.16	2400	16.6
E385787		1.46	0.1	6.46	1.9	2900	0.66	0.2	0.55	<0.02	136.5	23.9	39	0.98	1790	10.7
E385788		1.54	0.14	6.23	4.7	800	0.7	0.23	0.47	<0.02	128.5	62.6	35	0.85	2680	10.95
E385789		1.38	0.05	6.69	3.3	3050	0.64	0.07	0.35	<0.02	138.5	26.8	31	0.98	357	8.86
E385790		1.70	0.48	6.05	34.3	1480	1.04	5.72	0.31	<0.02	74.7	259	36	3.08	894	14.45

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385751		9.16	0.22	1.6	0.055	0.13	30.6	18.9	0.56	538	25.7	2.69	6.5	41.6	1470	2.6
E385752		3.91	0.55	0.2	0.184	0.01	275	3.3	1.6	5270	58.4	0.02	36.1	72.7	5630	6
E385753		3.04	0.62	<0.1	0.486	<0.01	89.9	0.5	1.43	6240	67	0.01	6	88.3	3890	3.7
E385754		3.06	0.58	<0.1	0.494	<0.01	62.6	0.4	1.24	4920	45.2	0.01	4.5	94.7	4830	4
E385755		3.62	0.41	<0.1	0.639	<0.01	140.5	0.8	1.34	5320	48.9	0.01	6.1	90.5	5760	17
E385756		8.88	0.33	1.3	0.072	0.12	51.6	27.4	0.96	1030	38	1.98	4.5	79.2	2140	4.9
E385757		11.35	0.18	1.9	0.059	0.1	125	14.7	0.74	1670	16.35	4.85	6.7	24.5	1320	2.3
E385758		0.52	<0.05	0.1	<0.005	0.02	1.6	1.2	0.44	36	0.3	0.02	0.3	1.3	90	0.9
E385759		7.22	0.29	0.8	0.044	0.07	31.3	14.4	0.49	841	61.5	2	3.7	44.1	1360	4
E385760		12.4	0.21	1.8	0.023	0.14	81.5	24.1	0.57	517	100	3.89	3.1	31.3	1430	2.1
E385761		17.45	0.22	1.8	0.037	0.86	59.6	45.3	0.91	389	1.72	3.26	1.7	35.1	670	4.2
E385762		20.4	0.23	1.9	0.046	1.3	61.4	55.6	1.13	552	0.74	2.82	2.4	27.4	650	3.1
E385763		25.3	0.26	2.2	0.055	2.27	60.3	73	0.96	277	1.16	1.89	3.8	27.9	610	2.4
E385764		25.9	0.3	2.3	0.061	2.19	76.3	84.6	1.37	341	0.34	1.57	3	34.3	650	2.9
E385765		19.95	0.27	1.9	0.05	1.66	64.4	69.8	1.4	651	14.85	1.62	2.6	32.7	860	4.2
E385766		19.5	0.18	1.6	0.049	2.03	55.8	66.7	1.33	466	1.41	0.94	2.2	30.2	780	2.9
E385767		21.4	0.18	1.7	0.063	2.39	58.6	62.7	1.16	441	6.35	0.84	2.4	29.3	860	1.9
E385768		17.9	0.15	1.6	0.059	1.65	44.5	60.9	1.67	697	5.97	1.06	2.5	32.9	860	2.2
E385769		0.53	0.09	0.1	<0.005	0.03	1.7	1.4	0.46	36	0.19	0.02	0.3	0.5	110	0.6
E385770		15.1	0.13	1.7	0.139	2.14	26	19.9	1.14	3100	66.3	1.08	4.1	36.6	800	21.3
E385771		13.65	0.1	1.6	0.038	0.7	33.1	36.5	1.27	1025	1.74	3.36	2.6	21.2	620	2.2
E385772		18.1	0.14	1.6	0.046	1.5	52.9	51.9	1.2	660	1.5	2.15	2.1	21.5	750	2.1
E385773		18.5	0.15	1.6	0.053	1.54	58.2	54.9	1.47	1190	0.68	2.4	2.4	22.8	650	2.3
E385774		20.7	0.18	1.8	0.043	1.8	68.7	53	1.13	586	0.82	2.38	2.8	21.8	730	3.1
E385775		13.2	0.14	1.3	0.038	0.46	56.1	28.4	1.04	1490	1.19	3.29	2.4	18.7	720	2.5
E385776		16.2	0.15	1.6	0.019	0.4	70.7	29.9	0.87	466	0.72	4.04	2.4	23.2	710	2.8
E385777		14.4	0.15	1.6	0.027	0.31	66.1	27.3	1.13	1000	7.65	3.41	2.6	24.8	930	2.8
E385778		18	0.17	1.8	0.056	1.52	64.1	65.8	1.75	720	2.09	0.94	2.2	33	720	2.6
E385779		16.1	0.21	2	0.026	0.92	145.5	52.1	1.44	157	6.42	2.46	1.4	27.3	830	2.4
E385780		13.2	0.17	1.7	0.016	0.17	74.6	45	1.14	161	17.2	2.81	1.5	23	760	2.3
E385781		0.47	0.05	0.1	<0.005	0.03	1.7	1.4	0.44	33	0.26	0.03	0.3	<0.2	110	0.7
E385782		13.6	0.16	1.3	0.046	0.1	65.8	47.6	1.28	620	33.1	2.68	1.3	25.9	950	1.8
E385783		13.45	0.17	1.5	0.046	0.13	86.1	64.6	1.74	652	41.7	1.43	1.2	32	970	2.1
E385784		12.75	0.16	1.6	0.026	0.13	127	46.1	1.1	276	4.18	2.96	1.3	22.7	710	2.3
E385785		10.2	0.28	1.1	0.073	0.11	161.5	24.9	0.89	996	62.3	2.27	3.1	38.7	1120	9.3
E385786		11.5	0.24	1.4	0.07	0.11	137.5	34.1	1.25	1240	28	2.27	2.7	39.6	1360	6.8
E385787		13.65	0.14	1.7	0.03	0.11	106	36.8	1.03	376	5.08	3.31	1.9	23.5	700	2.1
E385788		14.55	0.16	1.6	0.031	0.11	93.7	27	0.93	683	6.9	3.5	1.9	21	1120	1.6
E385789		15.2	0.15	1.7	0.02	0.12	104	30.4	0.91	639	3.92	3.78	2.1	18.8	940	1.6
E385790		13.8	0.18	1.9	0.028	0.48	47.3	36.4	1.12	278	12.1	2.45	1.8	36.1	790	9.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385751		6.1	0.017	1.82	1.44	3.2	2	5.3	627	0.14	0.32	6	0.048	0.04	5.6	46
E385752		0.5	0.013	7.3	5.4	2.3	3	7.8	267	0.23	1.63	1.2	0.014	0.09	5.4	50
E385753		0.3	0.025	4.36	1.87	1.8	5	7.3	233	0.08	0.99	0.4	<0.005	0.03	6	27
E385754		0.2	0.015	4.87	1.36	2	6	7.8	232	0.07	1.43	0.4	<0.005	0.02	4.9	24
E385755		0.2	0.014	7.82	2.01	4.7	13	16.4	190.5	0.08	3.08	0.7	<0.005	0.05	4.8	21
E385756		6.8	0.012	4.19	3.34	6.3	2	8.2	257	0.08	1.93	5.9	0.056	0.04	8.9	72
E385757		3.8	0.007	0.39	1.12	6.4	<1	6.1	305	0.17	0.08	8.9	0.073	0.02	12.3	52
E385758		0.5	<0.002	0.06	<0.05	0.7	<1	<0.2	244	<0.05	<0.05	0.2	0.006	<0.02	0.6	3
E385759		3.4	0.03	4.66	4.27	3	4	4.7	233	0.07	2.02	4	0.041	0.05	14.3	41
E385760		7.1	0.05	0.51	1.09	3.6	<1	5.3	754	0.14	0.14	8.8	0.063	0.03	15.6	62
E385761		50.4	0.003	0.4	1.02	10.9	<1	13.9	436	0.09	<0.05	9.8	0.067	0.09	2	58
E385762		74.2	0.002	0.38	1.14	18.1	<1	18.6	369	0.15	<0.05	12.2	0.094	0.14	2.1	67
E385763		127	0.002	0.46	1.44	27.3	<1	33.6	208	0.24	<0.05	14.4	0.138	0.19	2.2	87
E385764		124	<0.002	0.42	1.46	22.9	<1	30.2	158.5	0.19	0.05	14	0.129	0.22	2.3	80
E385765		86	0.01	0.61	1.43	13.6	1	19.5	99.3	0.16	0.28	14.2	0.106	0.2	3.6	60
E385766		115.5	0.002	0.37	1.4	12.5	1	19.4	151.5	0.13	<0.05	13.3	0.096	0.26	2.7	62
E385767		142.5	0.004	0.3	1.39	15.1	1	24.7	104	0.12	<0.05	14.9	0.109	0.22	2.7	67
E385768		92.8	0.004	0.3	1.24	11	1	16.5	336	0.13	0.08	13.3	0.091	0.15	2.5	52
E385769		0.8	<0.002	0.06	0.07	0.6	<1	<0.2	266	<0.05	<0.05	0.3	0.007	<0.02	0.7	4
E385770		91	0.024	2.06	1.51	11	<1	7	629	0.19	0.2	9.2	0.092	0.39	284	53
E385771		37.6	0.002	0.31	0.98	5.7	<1	6.5	436	0.16	<0.05	9.9	0.074	0.1	2.3	32
E385772		84.5	0.003	0.32	1.21	13.1	1	14.8	164	0.12	<0.05	14.1	0.083	0.18	2.8	52
E385773		75.7	0.002	0.35	1.1	14.3	1	12.3	232	0.15	<0.05	14.2	0.091	0.16	2.2	58
E385774		93.7	0.004	0.34	1.28	19.5	1	17.9	118.5	0.17	<0.05	15.8	0.113	0.18	2.3	66
E385775		20.6	<0.002	0.43	1.11	8.9	1	5	236	0.16	<0.05	12.4	0.065	0.06	2.3	42
E385776		19.5	0.002	0.44	1.14	7.9	1	6.5	186	0.16	<0.05	13.6	0.08	0.07	2.3	47
E385777		15.2	0.004	0.41	1.14	8.2	1	4.7	373	0.14	<0.05	11.2	0.061	0.05	4.5	44
E385778		78.9	0.002	0.45	1.48	15.5	1	13.1	236	0.12	<0.05	11.9	0.081	0.17	4	59
E385779		41.4	0.006	0.4	1.11	8.1	1	7	345	0.08	<0.05	16	0.06	0.13	4	48
E385780		8.3	0.016	0.44	1.01	5.2	1	4.4	543	0.08	<0.05	10.7	0.046	0.05	21.4	48
E385781		0.6	<0.002	0.06	0.06	0.5	<1	<0.2	256	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E385782		5	0.025	0.6	0.8	5.9	1	3.5	525	0.06	<0.05	6.3	0.03	0.03	7.4	59
E385783		7	0.035	0.72	0.9	7.3	1	5.6	399	0.06	<0.05	9	0.044	0.04	11.2	56
E385784		5.7	0.003	0.58	0.88	4	1	4.2	546	0.06	<0.05	9.9	0.041	0.03	5.9	41
E385785		5.6	0.02	7.93	3.79	6	6	4.8	219	0.09	2.57	12.2	0.03	0.05	33.9	38
E385786		6	0.011	6.04	1.87	8.2	4	5.1	110	0.08	1.5	12.6	0.034	0.04	25.6	34
E385787		5.6	0.006	0.42	0.88	6	1	5.3	293	0.09	<0.05	10.9	0.052	0.03	3.9	39
E385788		5	0.007	0.68	0.89	7.2	2	4.7	313	0.11	<0.05	12.1	0.049	0.02	2.2	48
E385789		5.7	0.004	0.32	0.81	6.3	1	4.3	463	0.11	<0.05	12.8	0.05	0.03	2.1	41
E385790		18.9	0.012	4.41	1.66	7.3	2	6.9	174.5	0.1	0.57	12	0.07	0.13	14.5	49

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385751		17.2	9	4	47.1		0.022	
E385752		52.8	17.5	<2	4.2		0.087	
E385753		47.6	11.9	3	<0.5	2.30	0.091	
E385754		20.8	12.1	2	<0.5	4.25	0.183	
E385755		14.9	15.2	<2	<0.5	6.61	0.331	
E385756		17.8	10.9	8	38.5		0.065	
E385757		15.5	9.7	4	53.9		0.004	2.31
E385758		<0.1	2.8	21	3.1		<0.001	
E385759		16.4	8.9	4	24.4		0.062	
E385760		11.7	12.3	7	51.9		0.004	
E385761		9.8	11.5	10	54.3		0.002	
E385762		10.7	12.7	8	57.4		<0.001	
E385763		15	13.1	7	67.9		0.001	
E385764		12.7	14.7	15	67.6		<0.001	0.96
E385765		11.2	14.7	20	58.4		0.005	
E385766		10.2	12.8	19	53.5		<0.001	
E385767		12.8	12.7	10	54.5		0.003	
E385768		11.1	12.9	18	51.7		0.001	
E385769		0.1	3	28	4.5		<0.001	
E385770		8.3	15.5	10	56.1		0.057	
E385771		8	13	14	50.3		<0.001	2.72
E385772		8.9	12.7	19	53.2		0.008	1.07
E385773		9.4	13	24	52.1		0.001	1.57
E385774		10.4	13	21	57.7		0.001	0.77
E385775		7.3	12.2	17	43.4		0.002	
E385776		6.7	12.3	17	54		0.004	
E385777		7.9	13.6	17	52.6		0.005	
E385778		9.5	14.3	30	65.2		0.003	
E385779		7.3	14.8	30	66.1		0.003	
E385780		6.5	11.5	29	56		0.002	
E385781		0.1	2.9	21	3.4		0.003	
E385782		5.1	11.8	23	41.8		0.003	
E385783		4.4	13.8	29	48.4		0.004	
E385784		5.2	13.5	21	52.6		0.004	
E385785		6.2	12.9	11	35.7		0.086	
E385786		4.6	14.5	17	45.4		0.048	
E385787		5.4	13.1	20	54.8		0.004	
E385788		6.9	12.8	12	53.4		0.005	
E385789		7	12.8	17	54.9		0.002	
E385790		5.9	12	22	60.5		0.026	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385791		1.00	0.09	6.79	2.1	1270	0.78	0.26	0.36	<0.02	101	23.3	36	1.19	2920	8.4
E385792		0.18	0.01	0.15	6	40	0.08	0.01	43.8	0.37	2.12	0.8	5	<0.05	7.6	0.06
E385793		0.22	1.08	2.28	88.2	50	0.58	10.45	2.23	0.04	173	322	6	2.47	8340	27.2
E385794		1.10	0.43	6.22	37.7	110	0.71	8.14	0.98	<0.02	140	235	34	0.76	1730	14.75
E385795		1.00	0.3	6.64	18.6	210	0.72	5.62	1.27	<0.02	131.5	143.5	36	0.58	3060	12.1
E385796		1.38	0.47	6.35	26.3	160	0.74	6.27	0.97	<0.02	204	176	38	1.04	6380	13.6
E385797		1.62	0.57	4.92	55.8	90	0.57	8.78	1.17	<0.02	231	248	30	1.07	5270	19.35
E385798		1.30	0.61	4.19	90.8	100	0.44	11.2	2.35	<0.02	183	248	18	1.08	3700	18.25
E385799		1.80	0.98	3.39	92.9	50	0.37	13.7	4.78	0.02	184	383	11	0.58	>10000	21.8
E385800		1.24	0.76	2.34	66.7	50	0.21	12.05	5.75	0.02	306	330	3	0.39	5770	29.3
E385801		1.42	0.48	3.42	33.6	180	0.28	4.99	3.87	<0.02	361	202	14	0.39	7450	19.95
E385802		1.60	0.52	2.48	51.9	210	0.07	15.55	3.81	<0.02	386	351	9	0.33	563	22
E385803		1.40	0.58	3.17	53.4	290	0.29	11.1	2.77	<0.02	286	318	13	1.13	5510	21.3
E385804		0.16	0.03	0.12	8	40	<0.05	0.03	42.1	0.37	2.6	1.1	5	<0.05	8.4	0.06
E385805		1.76	0.57	4.37	50.3	1130	0.4	12.5	1.28	<0.02	136	297	25	1.21	4980	18.45
E385806		2.18	1.25	2.91	82.6	720	0.32	22.2	1.53	<0.02	200	491	28	1	6770	22.1
E385807		1.74	1.59	1.13	66.6	90	0.08	21.6	3.08	<0.02	415	408	4	0.28	>10000	27
E385808		1.50	0.53	3.17	39.6	570	0.17	8.99	4.55	<0.02	225	185.5	12	0.41	3410	18.65
E385809		2.06	0.53	2.09	55	160	0.11	18.5	3.68	<0.02	433	270	6	0.56	633	20.9
E385810		1.90	0.52	2.64	56	200	0.17	14.55	4.39	<0.02	320	225	9	0.55	1460	17.75
E385811		1.44	0.61	1.85	67.8	180	0.18	19.55	4.87	<0.02	423	307	5	0.81	806	18.45
E385812		1.84	0.67	1.14	68.7	170	0.09	11.6	4.39	<0.02	>500	265	5	0.42	3250	23.9
E385813		1.70	0.81	1.87	59.3	190	0.15	9.66	4.95	<0.02	>500	207	6	0.6	7870	21
E385814		1.60	0.78	2.55	71.3	170	0.14	20.8	4.98	<0.02	430	289	7	0.68	2770	19.2
E385815		0.16	0.02	0.12	7	30	0.05	0.06	43.5	0.42	3.28	1.3	6	<0.05	9.6	0.07
E385816		0.20	0.29	6.58	44.2	2860	2.32	1.47	1.85	<0.02	76.6	100.5	40	6.17	1510	6.58
E385817		1.44	0.62	2.79	35.8	330	0.16	10.65	7.28	<0.02	203	137.5	12	0.46	6780	16.85
E385818		1.58	0.8	1.81	72	140	0.15	14.2	9.14	<0.02	265	238	7	0.44	6060	19.65
E385819		1.74	0.85	2.31	62.9	170	0.45	11.3	7.54	<0.02	410	216	13	1.28	7770	20
E385820		1.48	0.47	4.97	58.2	960	0.79	4.81	3.34	<0.02	429	131	27	1.98	5210	17.15
E385821		1.32	1.01	6.16	140	470	1.72	12.95	1.15	<0.02	430	554	35	4.64	4870	15.5
E385822		1.64	0.79	5.23	108	380	0.49	12.5	2.09	<0.02	461	289	22	1.29	2610	17.6
E385823		1.60	0.32	4.21	63.8	460	0.34	4.65	1.73	<0.02	194	146.5	18	0.81	3550	16.45
E385824		0.98	1.83	1.19	167	250	0.05	31.5	6.19	0.02	92.3	455	3	0.3	6240	25.1
E385825		1.78	1.45	1.1	110.5	160	<0.05	21.2	8.02	<0.02	500	333	3	0.25	>10000	23.3
E385826		1.70	1.4	0.77	103	90	0.06	21.5	10.15	<0.02	159	281	2	0.18	>10000	19.35
E385827		0.16	0.04	0.12	<5	40	0.06	0.04	44.4	0.42	2.51	1	7	<0.05	14.8	0.07
E385828		1.66	2.24	0.81	121	220	0.05	30	8.46	<0.02	>500	406	3	0.26	>10000	19.75
E385829		1.46	0.99	2.75	75.9	270	0.22	12.7	7.13	<0.02	225	204	14	0.74	4560	18.8
E385830		1.30	1.11	6.82	110.5	170	1.76	16	1.07	<0.02	196.5	388	44	4.48	7360	13.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385791		13.9	0.14	1.9	0.029	0.2	81.2	14.9	0.73	1230	0.67	4.34	1.4	18.2	930	1.7
E385792		0.43	<0.05	0.1	<0.005	0.03	1.7	1.3	0.44	35	0.25	0.03	0.3	<0.2	90	0.5
E385793		9.3	0.3	0.7	0.239	0.64	108.5	18.9	1.5	6030	59.5	0.24	5.9	57.3	2210	5.9
E385794		13.35	0.17	1.4	0.037	0.13	111	14.7	0.69	883	24	4.02	1.5	30.8	880	4.4
E385795		13.05	0.14	1.5	0.048	0.11	108	15.1	0.74	1075	8.77	4.35	2.1	25	650	3.4
E385796		13.1	0.19	1.7	0.051	0.13	169.5	29.5	0.96	641	12.8	3.5	1.4	29.2	790	4.8
E385797		11.8	0.27	1.3	0.05	0.11	207	25.9	1.03	947	29	2.41	2.6	38.9	1160	4.4
E385798		9.26	0.23	1.1	0.091	0.11	146.5	23	1.35	2570	48.3	1.89	2.8	36.7	890	5.3
E385799		8.37	0.25	0.8	0.204	0.1	144	11.3	1.44	5290	48.3	1.94	4.2	40.8	2920	5.4
E385800		8.97	0.34	0.6	0.237	0.05	239	9.9	1.63	6990	39.6	1.24	2.5	42.7	3200	4.9
E385801		9.71	0.31	1.1	0.121	0.07	298	9.5	0.96	3860	21.7	2.15	4.3	32.2	4910	3
E385802		7.91	0.44	0.7	0.106	0.05	284	10	1.25	3990	33.8	1.34	4	35.1	2090	5.2
E385803		8.16	0.39	0.8	0.113	0.12	216	16.1	1.54	3150	45.4	1.31	2.3	34.8	2580	5.2
E385804		0.46	0.08	0.1	0.005	0.02	1.9	1.1	0.45	35	0.36	0.01	0.3	1.9	90	0.7
E385805		9.45	0.32	1.1	0.108	0.13	97.2	18.7	1.38	2850	31.4	2.14	3.3	34	1430	5.6
E385806		8.76	0.38	1.2	0.121	0.09	146	19.3	1.66	2650	47.4	0.78	3.5	46.8	1210	9.4
E385807		5.4	0.51	0.5	0.428	0.03	293	5.4	2.59	8690	99.9	0.5	5.4	40.5	2120	9.4
E385808		7.62	0.32	1.7	0.176	0.08	159	6.8	2.46	5790	31.4	1.99	3.9	29.1	3270	4
E385809		6.87	0.45	1.2	0.219	0.09	285	10.6	3.06	10400	30.1	0.97	5.5	33.1	4940	6.1
E385810		6.61	0.34	0.8	0.186	0.08	248	13.6	3.17	7990	56	1.22	5.5	28.4	2590	4.7
E385811		5.24	0.35	0.6	0.232	0.12	320	11.9	3.7	9930	71.8	0.67	6.4	24.7	1270	6.3
E385812		7.95	0.5	0.7	0.193	0.04	590	10.6	2.97	7240	76.3	0.17	6.6	28.8	3970	5.1
E385813		7.96	0.49	0.5	0.2	0.08	550	12.5	3.04	6640	70.2	0.63	5.2	30	3140	4.8
E385814		7.78	0.4	1	0.128	0.09	301	18.4	2.12	4560	58.2	0.87	4.5	39.6	3780	5.7
E385815		0.48	0.07	0.1	<0.005	0.02	2.5	1.3	0.46	40	0.47	0.01	0.3	0.5	100	0.5
E385816		17.5	0.16	1.8	0.129	2.89	38.8	22.5	1.25	2970	19.6	0.56	3.4	22.9	700	2.4
E385817		6.6	0.28	1.1	0.193	0.1	148.5	8.2	2.13	7370	74.9	1.7	5.4	26.2	3150	3.9
E385818		5.55	0.34	0.7	0.251	0.07	180.5	8.5	2.45	9810	56.6	0.96	5	38.4	4210	4.4
E385819		8.22	0.4	1	0.356	0.36	260	19.8	2.36	9110	63.4	0.34	8.2	41.4	3710	4.6
E385820		11.35	0.34	1.5	0.124	0.5	309	27.7	1.59	3220	46.6	1.94	6.5	39.1	3260	3.2
E385821		14.85	0.37	1.9	0.08	1.41	290	34.3	0.88	867	46.3	2.06	9.4	44	2610	9.7
E385822		11.05	0.4	1.3	0.091	0.29	330	27.6	1.32	1570	27.4	2.3	7.3	46.2	3220	7.6
E385823		8.5	0.28	0.9	0.081	0.1	154	32.3	1.27	1350	10.45	1.45	5	38.9	2970	3.3
E385824		4.66	0.37	0.5	0.245	0.04	56.2	9.8	1.84	6110	43.6	0.2	4.9	55.3	2930	13
E385825		5.39	0.45	0.4	0.211	0.04	332	6.5	1.8	7310	44.1	0.37	6.7	42.6	3760	10
E385826		3.11	0.31	0.2	0.325	0.01	106.5	6.2	2.77	10900	40.8	0.19	5.4	32.3	4540	9.2
E385827		0.49	0.08	0.1	<0.005	0.03	2	1.3	0.48	43	0.29	0.01	0.3	<0.2	120	0.5
E385828		4.04	0.48	0.8	0.295	0.03	460	6.2	2.24	8750	37	0.28	17.3	44.7	7280	23.3
E385829		7.14	0.31	1.6	0.166	0.17	144.5	12	2.25	6530	28.8	1.16	13.3	44	6940	7.4
E385830		14.75	0.29	2.3	0.086	1.42	137	40.3	0.91	784	116	2.55	6.2	48.9	1890	7.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385791		8.1	0.002	0.48	0.95	7.8	1	6.5	118	0.08	<0.05	15.6	0.06	0.04	2.6	33
E385792		0.5	<0.002	0.06	0.06	0.5	<1	<0.2	254	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E385793		35.8	0.017	6.42	1.9	4.9	4	6.6	169.5	0.11	1	5.6	0.035	0.48	14.4	56
E385794		4.7	0.01	3.91	1.62	6.6	2	4.5	125	0.05	0.96	12.1	0.033	0.05	13.4	50
E385795		3.4	0.005	2.26	1.62	7.1	2	5.5	140.5	0.08	0.64	12	0.047	0.03	22.3	49
E385796		4.5	0.006	3.2	1.53	7.6	3	4.8	113	0.05	0.64	14.8	0.038	0.04	46.2	38
E385797		4.4	0.007	5.09	2.04	7.5	3	5.9	90.3	0.06	0.77	9.9	0.053	0.05	19.8	55
E385798		4.6	0.012	6.5	1.75	6.4	3	4.8	128	0.06	1.06	7.5	0.031	0.04	25.9	35
E385799		4.9	0.013	6.47	1.62	7.8	4	6.4	136	0.08	1.33	5.8	0.026	0.03	15.1	47
E385800		2.1	0.011	4.69	1.66	7.4	4	3.4	153	0.06	1	7.7	0.014	0.02	9.7	56
E385801		2.6	0.005	2.75	2	7.4	3	4.1	118.5	0.1	0.48	9.1	0.028	0.02	5	61
E385802		2.1	0.008	5.57	4.04	6.2	2	3.3	103.5	0.1	1.52	7.9	0.019	0.03	1.4	40
E385803		4.4	0.016	5.84	2.12	6	3	3.9	122	0.09	1.27	8	0.019	0.03	2.5	46
E385804		0.4	0.002	0.07	0.08	0.4	1	<0.2	253	<0.05	0.15	0.2	0.005	<0.02	0.6	3
E385805		4.3	0.01	5.33	2.65	6.8	2	6	85.5	0.1	0.99	6.1	0.044	0.05	9.2	45
E385806		3.6	0.014	9.1	3.38	8.5	4	8.9	47.1	0.11	1.8	11.4	0.071	0.05	71.8	40
E385807		1.3	0.027	9.72	2.52	5.2	4	7.4	45.5	0.1	1.54	4.8	0.015	0.03	36.8	27
E385808		2.9	0.01	3.3	1.57	7.9	2	5.3	72.2	0.14	0.59	6.2	0.04	0.02	17.7	59
E385809		3.3	0.008	5.39	3.11	7.6	2	4.5	77.6	0.21	1.4	7.3	0.028	0.03	11.7	45
E385810		2.5	0.011	4.45	4.19	7.3	1	4.2	63.5	0.13	1.68	4.6	0.026	0.03	1.6	42
E385811		4	0.012	5.72	4.64	8.8	1	3.8	83.2	0.1	2.68	3.8	0.021	0.04	3.2	19
E385812		1.8	0.021	4.35	3.07	4.8	2	4.4	66.7	0.18	1.27	7.3	0.022	0.03	2.6	39
E385813		2.4	0.015	4.28	3	7.2	3	4.5	78.2	0.1	1.26	8.5	0.022	0.03	2	42
E385814		2.9	0.014	4.74	3.44	6.9	2	4.5	89.5	0.13	1.93	7.7	0.022	0.03	7.6	63
E385815		0.4	0.002	0.06	0.09	0.4	1	<0.2	264	<0.05	0.1	0.2	0.006	<0.02	0.6	3
E385816		131.5	0.006	1.28	1.2	10.7	1	8	454	0.2	0.17	11.4	0.113	0.34	17.4	55
E385817		4	0.02	2.78	1.83	8.5	2	5.4	167.5	0.17	0.91	4.9	0.023	0.03	24.4	62
E385818		2.8	0.017	4.06	2.19	9.4	3	5.3	219	0.13	1.09	3.8	0.021	0.02	6.8	74
E385819		17.5	0.021	4.46	2.14	8.8	3	13.5	190.5	0.22	0.73	7.3	0.034	0.05	6.1	70
E385820		24.7	0.015	2.17	2.55	6.1	1	14.3	94.6	0.2	0.29	9.2	0.059	0.05	13.1	60
E385821		64.2	0.016	9.13	5.88	11.3	4	37.8	58.8	0.29	0.82	14	0.094	0.14	11	75
E385822		12.1	0.009	5.42	5.51	4.3	2	8.8	70.3	0.2	0.67	13.4	0.055	0.05	17.8	65
E385823		3.4	0.002	2.22	5.46	2.7	1	5.1	59.8	0.17	0.21	5.4	0.039	0.02	2.5	66
E385824		1.3	0.011	>10.0	3.42	3.5	3	3.6	179.5	0.14	1.79	2.7	0.016	0.03	15.8	60
E385825		1.3	0.011	9.22	2.61	6.2	3	5	135	0.14	0.92	7.6	0.014	0.03	23.4	72
E385826		0.3	0.009	7.75	3.07	7.6	3	5.7	145.5	0.12	1.01	2.6	0.009	0.02	33.4	53
E385827		0.4	<0.002	0.06	0.08	0.4	1	<0.2	271	<0.05	0.09	0.2	0.006	<0.02	0.7	3
E385828		1.1	0.013	>10.0	3.4	6.4	6	8.5	141.5	0.4	1.47	16.3	0.031	0.05	309	44
E385829		5.8	0.027	4.97	2.35	5.8	2	8.6	143	0.4	0.56	7.4	0.058	0.07	38.1	76
E385830		69.3	0.145	8.22	2.27	10.4	3	35.8	69.3	0.18	0.81	8.8	0.108	0.14	30.1	76

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385791		5.7	11.4	6	60.6		0.005	
E385792		0.1	2.8	20	3.2		0.002	
E385793		6.3	14.6	7	22.3		0.111	
E385794		4.2	10.9	5	45.1		0.034	
E385795		5.9	11.1	4	47.9		0.023	
E385796		4.5	13.8	11	54		0.035	
E385797		5	12.3	7	42.4		0.045	
E385798		3.8	13.8	8	35.1		0.052	
E385799		4.6	21.9	3	26.9	1.310	0.089	
E385800		3.1	27.6	4	21		0.068	
E385801		4.5	27.2	6	34.4		0.044	
E385802		4.3	16	3	20.3		0.043	
E385803		4.4	14.8	10	23.2		0.060	
E385804		0.1	2.7	20	3.1		<0.001	
E385805		4.7	11.1	5	34.2		0.062	
E385806		7.3	13	11	35.3		0.121	
E385807		5	16.7	8	14.2	1.390	0.140	
E385808		4.9	22.7	2	54.6		0.044	
E385809		6.6	30.1	7	38.9		0.045	
E385810		5.6	16.9	7	23.8		0.037	
E385811		6.3	13.1	8	19		0.040	
E385812		9.5	22.3	6	18.8		0.043	
E385813		8.8	19.7	7	13.6		0.042	
E385814		5.5	23.5	4	28.7		0.076	
E385815		0.1	2.8	20	3.1		0.001	
E385816		8.3	10.7	4	58.8		0.017	
E385817		6	23.9	<2	31.9		0.054	
E385818		5.7	33	<2	21.3		0.062	
E385819		6.3	32.6	2	29.9		0.061	
E385820		7.6	22.3	4	46.9		0.029	
E385821		15.5	17.1	2	60.3		0.073	
E385822		7.9	18.5	7	40.2		0.051	
E385823		5.3	13.4	10	30.4		0.016	
E385824		6.3	20	10	16.8		0.150	
E385825		4.9	34.8	4	11.8	1.320	0.103	
E385826		4.8	25.7	<2	7.2	1.490	0.097	
E385827		0.1	2.8	21	3.5		<0.001	
E385828		9.5	50.8	4	25.9	1.685	0.149	
E385829		8.6	41.4	2	52.2		0.045	
E385830		12.2	16.7	2	68.9		0.089	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E385831		1.30	0.47	6.56	26.4	1560	1.63	3.37	4.07	<0.02	267	79.6	35	3.9	5070	9.72
E385832		1.44	0.9	4.61	58.6	310	0.4	11.1	5.76	<0.02	247	223	21	0.95	6520	14.25
E385833		1.38	1.28	1.66	89.7	290	0.09	19.25	7.14	<0.02	460	252	5	0.55	>10000	21.8
E385834		1.52	1.38	2.12	123	260	0.36	34.6	7	<0.02	283	497	11	1.3	6460	21.5
E385835		1.70	1.55	2.64	63	290	0.61	16.35	3.54	<0.02	284	588	13	1.92	>10000	25.4
E385836		1.70	1.51	0.73	23.4	210	0.06	6.34	5.42	<0.02	195.5	247	1	0.3	>10000	29.7
E385837		1.36	4.83	1.41	47.3	270	0.18	28.2	5.48	<0.02	358	369	6	0.48	>10000	24.4
E385838		0.16	0.02	0.13	14	70	0.06	0.02	44.4	0.36	2.19	0.9	6	<0.05	7.2	0.06
E385839		0.18	1.11	5.43	59.8	90	1.69	2.29	1.82	0.04	42.7	150.5	34	3.17	7900	8.73
E385840		1.12	3.29	2.98	102	50	0.79	26.4	3.94	<0.02	229	553	16	1.08	>10000	22.5
E385841		1.14	3.72	0.39	138.5	30	0.15	38.5	7.12	0.03	117.5	573	<1	0.23	>10000	29
E385843		1.46	3.4	1.96	65.8	190	0.27	16.7	5.14	0.06	273	303	7	0.5	>10000	25
E385844		1.50	0.94	3.9	11.5	80	0.63	0.73	2.67	<0.02	82.9	113	17	0.41	>10000	16.05
E385848		1.84	0.84	3.94	9.8	730	0.34	0.48	2.04	<0.02	174	174	27	1.37	>10000	24.8
E385849		1.68	1.11	3.63	9.6	290	0.3	0.89	3.1	0.08	278	150	20	1.14	>10000	21.9
E385850		0.16	0.02	0.13	8	40	0.07	0.02	44.3	0.36	2.43	1.1	5	<0.05	28.8	0.1
E385851		1.58	0.32	3.51	7.7	1050	1.01	0.42	1.56	<0.02	219	99.9	18	1.42	740	25.4
E385852		1.36	0.36	4.75	6.3	460	0.72	0.31	1.15	<0.02	136.5	93.2	29	0.63	705	17.5
E385853		2.10	0.18	3.87	7.5	260	0.56	0.56	2.37	0.02	179.5	139	20	0.81	341	22.6
E385854		1.48	0.14	4.23	5.8	480	1.18	0.58	1.79	<0.02	120	58.7	28	1.18	90.6	15.2
E385855		1.36	0.1	2.93	4.3	990	1.15	1.71	1.79	<0.02	105.5	33.1	13	1.25	64.1	11.65
E385856		1.66	0.3	4.69	7.9	5020	1.75	0.44	3.35	<0.02	203	41.7	23	3.13	35.2	17.15
E385857		1.16	1.07	3.5	9.8	2780	0.78	0.42	3.62	<0.02	217	51.6	17	1.16	25.9	18.4
E385858		1.46	0.79	1.97	14.5	2360	0.29	0.77	2.89	<0.02	276	96.3	9	0.3	16.7	24.5
E385859		1.72	0.16	1.48	16.9	2590	0.27	0.37	4.01	<0.02	>500	46.9	5	0.28	20.9	24
E385860		1.90	1.31	1	21.6	1170	0.2	2.02	4.53	<0.02	398	121	4	0.22	20.9	30.4
E385861		0.16	0.02	0.13	5	80	0.08	0.12	44.6	0.37	2.66	2.2	5	<0.05	3.8	0.11
E385862		0.24	1.21	2.28	115.5	40	0.59	10.65	2.18	0.03	178.5	324	11	2.45	8360	26.6
E385863		1.82	2.01	0.72	21.8	980	0.16	3.01	4.78	0.02	311	138.5	1	0.15	138.5	29.8
E385864		1.96	0.8	1.13	19	3510	0.18	0.95	3.47	<0.02	351	70.2	3	0.23	164	26.1
E385865		1.52	0.3	1.25	16.2	2880	0.19	0.35	4.59	0.02	276	83.9	4	0.35	136	25.2
E385866		1.76	0.6	1.38	17.4	3110	0.3	1.08	5.22	<0.02	329	81.3	5	0.92	936	22
E385867		1.44	0.63	1.46	12	1380	0.22	0.27	6.34	<0.02	419	66.6	7	0.85	1700	22.4
E385868		1.50	0.26	3.03	3.8	1360	0.98	0.22	4.83	<0.02	99.3	37	15	4.21	849	13.6
E385869		1.54	0.12	3.26	4.2	1030	1.05	0.28	1.67	<0.02	113.5	40.3	17	3.88	152	13.1
E385870		1.50	0.19	6.33	2.5	4450	2.02	0.07	1.36	<0.02	108	36.7	36	9.45	271	10.15
E385871		1.64	0.44	2	22.7	220	0.35	0.31	3.44	<0.02	90.3	167.5	9	0.95	781	14.55
E385872		1.44	1.64	2.07	29.8	60	0.33	0.7	3.32	<0.02	101.5	244	9	1.14	>10000	16.15
E385873		0.18	0.02	0.13	<5	120	0.08	0.01	45.7	0.4	2.45	1	6	<0.05	14.8	0.09
E385874		1.92	0.26	1.72	24.3	160	0.26	0.52	2.27	<0.02	205	163	7	0.53	649	19.25

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385831		13.75	0.24	2.2	0.142	1.26	197	30.4	1.53	4260	43.9	2.95	5.2	26.9	1860	4.2
E385832		8.12	0.27	1.4	0.166	0.17	165	10.9	1.63	5350	34.8	2.94	5.8	35.6	3270	4.8
E385833		6.8	0.43	0.4	0.23	0.06	371	7.4	1.71	6730	44.9	0.88	4.7	47.2	5470	6.7
E385834		5.72	0.35	0.7	0.27	0.35	191.5	12.8	2.18	6970	43	0.72	6.8	48.4	3070	11.7
E385835		7.93	0.43	0.9	0.365	0.47	197.5	18	1.42	3520	70.9	0.57	6.6	49.2	3520	13.6
E385836		4.8	0.44	0.2	0.673	0.03	135	5.4	1.42	6520	139	0.23	3.5	41.8	3590	12.7
E385837		5.41	0.42	0.6	0.599	0.08	249	11.9	1.53	5430	124	0.33	6.3	52.6	4620	33.3
E385838		0.56	0.12	0.1	<0.005	0.03	1.7	1.4	0.47	35	0.36	0.02	0.3	1.8	110	1.5
E385839		13.6	0.18	1.7	0.126	2.15	15.6	20.3	1.05	2840	61.5	0.97	2.9	34.2	770	19.2
E385840		8.07	0.43	1.2	0.511	0.33	176	26.9	1.66	4160	27.2	0.97	8.2	57.6	3060	65.2
E385841		2.85	0.38	0.2	0.633	0.03	85.6	5.1	1.88	7930	37.5	0.08	8.1	53.5	4460	258
E385843		6.53	0.43	0.8	0.619	0.06	242	13.8	1.75	6490	105.5	0.94	6	45.9	1410	113.5
E385844		7.53	0.25	1	0.211	0.06	51.8	13.5	0.89	2580	11.1	2.43	2.3	27.2	1770	7.5
E385848		10.4	0.39	1.1	0.143	0.16	144.5	14.9	0.77	2150	5	2.53	2.3	43.5	1250	4.7
E385849		9.07	0.41	1	0.162	0.11	219	12.7	0.85	2860	115.5	2.37	2.7	36.5	2440	6.3
E385850		0.51	0.07	0.1	<0.005	0.03	1.9	1.4	0.46	40	0.65	0.02	0.3	0.3	110	0.6
E385851		10.6	0.3	1	0.028	0.59	174.5	23.3	0.51	777	14.25	1.46	5.4	31.3	2410	3.2
E385852		11.05	0.27	1.3	0.015	0.13	100	20.7	0.51	396	8.93	2.79	2.7	32.8	2150	2.7
E385853		10.5	0.36	1.2	0.022	0.15	131.5	15.9	0.66	1800	24.5	2.31	3.8	37.1	1730	2.1
E385854		10.55	0.26	1.3	0.022	0.31	86.2	23.7	0.63	1040	13.15	2.19	3.9	31.4	1490	2.1
E385855		6.18	0.2	0.9	0.045	0.4	73.7	26.7	0.86	2340	11.5	1	3.4	17.7	880	2
E385856		10.8	0.31	1.4	0.088	1.07	167	49.6	1.31	3350	21.6	1.25	6.4	24.2	2010	2.1
E385857		7.47	0.33	1	0.041	0.34	174.5	34.2	0.93	2010	20.3	1.07	5.3	25.7	3060	2
E385858		5.63	0.41	0.6	0.036	0.05	218	16.7	1.01	3240	35.5	0.6	5.9	29.9	4420	1.8
E385859		5.81	0.56	0.5	0.021	0.05	402	17.2	0.71	2310	38.5	0.21	6.1	31.5	>10000	1.8
E385860		5.12	0.55	0.4	0.033	0.04	309	10.4	0.81	3840	51.9	0.07	9	34	5790	1.6
E385861		0.54	0.09	0.1	0.011	0.03	2	1.5	0.47	45	0.46	0.02	0.3	1.2	130	0.6
E385862		9.45	0.42	0.8	0.256	0.64	105.5	21.9	1.48	6180	63.1	0.23	5.5	59.7	2420	6.1
E385863		3.41	0.55	0.3	0.075	0.02	225	7.8	1.21	7460	41.6	0.03	10.5	36	5370	1.9
E385864		4.06	0.47	0.4	0.06	0.03	270	12.4	1.06	5350	48.1	0.06	11.7	31.4	5410	2
E385865		3.81	0.42	0.4	0.103	0.06	221	13.1	1.46	8150	48.2	0.06	8.2	32.9	4930	1.8
E385866		4.5	0.42	0.8	0.158	0.18	248	18.1	1.62	9750	43.4	0.07	12.8	31.7	5190	2.3
E385867		5.9	0.48	0.7	0.211	0.17	305	13.8	1.8	11300	40.7	0.36	5.7	25.05	4320	2.2
E385868		9.83	0.23	1.2	0.305	1.44	74.3	26.7	1.78	9650	13.05	0.29	4.9	17	720	3
E385869		9.68	0.22	1.1	0.153	1.35	73.6	23.7	0.72	3570	17.35	0.66	2	20.9	1070	1.7
E385870		19.2	0.21	2	0.306	3.08	75.9	50.5	1.07	3700	10.35	0.52	2.7	19.4	840	2.1
E385871		4.84	0.22	0.7	0.148	0.31	45.9	14.9	1.1	4860	18.7	0.79	4.2	17.1	1310	1.6
E385872		5.88	0.31	0.7	0.351	0.34	47.5	16.2	1.18	5050	26.2	0.66	6.8	25.3	1430	2.6
E385873		0.57	0.08	0.1	<0.005	0.03	1.9	1.5	0.48	47	0.39	0.02	0.3	1.1	120	0.6
E385874		4.21	0.28	0.5	0.09	0.08	144.5	26.4	1.3	5490	41.7	0.1	6.8	23.8	1860	2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385831		68.9	0.023	1.63	1.5	11.7	1	30.2	129	0.19	0.19	16	0.095	0.09	76.1	62
E385832		8.4	0.01	3.77	1.57	5.6	2	8	153	0.19	0.65	9.2	0.049	0.02	3.4	45
E385833		3	0.012	5.64	2.52	3.1	3	7.1	140	0.14	0.7	10.3	0.023	0.02	2.1	69
E385834		18.3	0.014	9.44	3.67	4.6	3	12.4	146	0.16	1.28	6.2	0.04	0.11	6	56
E385835		23.2	0.023	9.39	2.69	4.3	3	18.4	83.9	0.18	0.5	6.9	0.048	0.17	21.1	59
E385836		1.5	0.024	6.28	1.4	3	3	8.7	114.5	0.12	0.2	2	0.012	0.04	28.7	44
E385837		3.5	0.028	8.43	3.13	3	3	15.4	129	0.17	0.41	4.8	0.041	0.07	159.5	41
E385838		0.6	<0.002	0.06	0.24	0.6	2	0.2	274	<0.05	<0.05	0.2	0.007	<0.02	0.6	3
E385839		79.5	0.019	2.11	1.48	9.9	3	6	638	0.15	0.28	7.5	0.08	0.33	271	53
E385840		17.6	0.017	>10.0	4.46	5.2	4	13.9	87.9	0.12	0.56	10.1	0.066	0.07	720	58
E385841		1.7	0.022	>10.0	6.23	2.1	5	5.9	122.5	0.07	1.01	1.7	0.008	0.05	2370	50
E385843		2.6	0.035	6.44	3.65	4.3	6	7.8	110.5	0.07	1.28	4.6	0.029	0.04	940	39
E385844		2.6	0.008	1.82	0.9	3.7	3	4.3	452	0.06	0.1	2.8	0.023	0.02	30.3	44
E385848		11	0.002	1.91	0.98	4.4	4	5.5	84.9	0.07	0.12	7.3	0.039	0.02	12.4	59
E385849		7.6	0.097	2.29	1.05	4.8	7	4.6	103.5	0.09	0.18	9.5	0.033	0.02	26.4	55
E385850		0.5	<0.002	0.07	0.08	0.5	2	<0.2	271	<0.05	<0.05	0.2	0.006	<0.02	0.8	3
E385851		28.6	<0.002	0.58	1.84	6.4	3	65.9	94.3	0.16	0.14	8.7	0.053	0.04	2.7	69
E385852		6.9	<0.002	0.69	0.92	5.2	2	6.2	567	0.11	0.18	6.4	0.044	0.02	8.1	65
E385853		8.8	0.008	0.78	0.92	5.4	3	5.6	558	0.12	0.29	6.6	0.043	0.02	6.3	65
E385854		19.6	<0.002	0.45	0.91	6.7	2	8.9	1005	0.11	0.32	4.8	0.051	0.03	7.6	55
E385855		25	0.002	0.2	0.69	5.4	2	8.8	1650	0.1	0.88	3.5	0.035	0.03	3.9	36
E385856		62.5	0.005	0.16	1.45	8.7	2	28.4	399	0.16	0.37	8.2	0.071	0.07	5.3	62
E385857		21.2	0.002	0.17	1.11	4.9	2	10.5	556	0.11	0.92	6.4	0.046	0.03	6.4	52
E385858		3	0.013	0.3	1.1	3.4	3	4.8	208	0.13	0.95	6.2	0.028	<0.02	4.3	56
E385859		3.4	0.006	0.13	1.08	2.9	3	4.5	347	0.14	0.27	7.3	0.021	<0.02	6.7	77
E385860		2.4	0.008	0.33	1.15	2.7	3	4.7	241	0.18	2	5.9	0.019	<0.02	3.5	72
E385861		0.6	<0.002	0.07	0.09	1.1	2	<0.2	281	<0.05	<0.05	0.2	0.006	<0.02	0.7	3
E385862		35.2	0.015	6.75	2.14	4.8	5	6.9	173.5	0.11	1.21	5.9	0.032	0.45	14.8	59
E385863		1.4	0.003	0.4	1.08	2.4	3	4.2	426	0.19	3.01	4.4	0.016	<0.02	3.2	64
E385864		2.3	0.004	0.18	1.2	2.2	3	8.9	484	0.19	0.99	4.6	0.022	<0.02	4	64
E385865		3.7	0.006	0.14	0.99	2.5	2	5.8	334	0.15	0.31	4.5	0.022	<0.02	3.8	56
E385866		11.4	0.005	0.19	1.16	2.7	4	8.5	433	0.28	0.73	5.5	0.034	0.02	4.1	61
E385867		9.6	0.013	0.23	1.12	3.8	4	3.9	614	0.14	0.26	9.1	0.02	0.02	4.6	57
E385868		75.4	0.003	0.17	1.53	7.9	2	11.9	1345	0.14	0.13	6.9	0.064	0.12	21.8	36
E385869		72.1	0.005	0.21	1.24	5.2	2	7.7	3630	0.06	0.26	7.6	0.051	0.12	8.5	42
E385870		167	<0.002	0.18	1.97	9.9	2	14.4	976	0.11	0.13	13.2	0.115	0.25	4.1	62
E385871		16.3	0.016	0.9	1.37	3.8	4	6.6	2720	0.11	0.41	3.6	0.04	0.04	3.5	28
E385872		18.6	0.006	2.4	2.01	4.4	9	11.3	784	0.18	0.79	4.1	0.045	0.04	5.6	31
E385873		0.7	<0.002	0.08	0.13	1	2	<0.2	285	<0.05	<0.05	0.2	0.006	<0.02	0.6	3
E385874		4.1	0.007	0.86	1.81	2.6	3	12.9	846	0.16	0.44	4.5	0.034	0.03	4.1	31

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385831		9.9	22.5	2	68.6		0.028	
E385832		3.9	26.4	2	42.8		0.073	
E385833		3.9	38.2	3	11.5	1.575	0.077	
E385834		7.5	23.4	<2	20.6		0.093	
E385835		7.3	21.2	10	27.3	1.530	0.074	
E385836		3.1	21.7	2	6.2	2.41	0.063	
E385837		11.9	25.1	7	22.4	2.97	0.233	
E385838		0.1	2.7	25	2.7		<0.001	
E385839		7.1	13.3	6	45.1		0.051	
E385840		25.5	24.1	9	31.3	2.18	0.134	
E385841		21.5	34.6	3	6.7	2.86	0.184	
E385843		20.7	22.5	2	19	3.03	0.104	
E385844		7.9	12.5	4	26.5	1.170	0.025	
E385848		4.5	9.9	<2	28.3	1.070	0.019	
E385849		4.5	19.1	<2	24.9	1.280	0.038	
E385850		0.1	2.7	22	3		<0.001	
E385851		8	16.6	<2	25.9		0.005	
E385852		9.6	15.4	<2	34.7		0.003	
E385853		20.8	18.5	<2	30.4		0.003	
E385854		20.6	15.2	<2	35.2		0.003	
E385855		10.5	10.1	<2	22.3		0.002	
E385856		15.5	17.9	2	38.1		0.002	2.64
E385857		11.9	24.5	2	28.4		0.004	
E385858		8.4	25.8	<2	15.7		0.004	
E385859		8	45.1	<2	11.4		0.003	
E385860		7	34.7	<2	9.2		0.005	
E385861		0.1	2.9	21	3.2		<0.001	
E385862		6.3	14.7	8	20.8		0.119	
E385863		9.2	29.6	<2	6.5		0.007	
E385864		5.8	25.6	<2	10.3		0.007	
E385865		5.2	24.2	<2	11.3		0.007	
E385866		7.8	27.4	<2	20		0.014	
E385867		9.7	32.2	<2	19.7		0.014	
E385868		23.3	16.9	<2	30.8		0.004	
E385869		43.4	9.6	<2	27.7		0.003	
E385870		18.4	13.3	<2	50.6		0.003	
E385871		7.8	11.1	<2	18.3		0.009	
E385872		7.3	11.8	5	18.4	1.155	0.052	
E385873		0.1	2.9	22	3		0.001	
E385874		7.6	10	2	13.7		0.010	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E385875		1.54	0.13	3.22	18.5	190	0.59	0.28	1.99	<0.02	127.5	140	16	2.89	105	16.25
E385876		1.70	0.15	3.44	12.8	1070	0.34	0.2	2.42	<0.02	168	66.9	17	1.29	482	14.3
E385877		1.32	0.22	5.87	7.3	1440	0.59	0.23	3.15	<0.02	179	56.1	30	2.94	696	10.25
E385878		1.44	0.48	1.55	25	1280	0.19	0.42	5.6	<0.02	279	98.1	5	0.32	1830	20.8
E385879		1.48	0.27	4.07	8.2	950	0.48	0.23	5.05	<0.02	120	108	19	2.37	1640	14.4
E385880		1.46	0.3	3.7	10.8	380	0.72	0.34	2.36	<0.02	166	167.5	19	3.52	2210	15.4
E385881		1.58	0.06	5.01	3.7	7790	0.77	0.08	6.86	<0.02	101	53.8	27	3.45	36.4	7.91
E385882		1.48	0.03	6.86	4.8	1970	1.92	0.07	4.93	<0.02	21.2	74.9	58	7.54	13.3	9.67
E385883		1.58	0.02	5.72	3.6	1050	1.82	0.05	3.56	<0.02	20.2	98.7	46	7.01	8.1	12.1
E385884		0.16	0.01	0.13	22	40	0.06	<0.01	45.4	0.36	2.06	1.1	6	<0.05	2.7	0.06
E385885		0.20	0.26	6.38	69.4	1890	2.35	1.49	1.83	<0.02	72.8	174	40	5.63	1460	7.68
E385886		1.52	0.04	6.97	3.1	1540	2.12	0.06	3.8	<0.02	43.7	69.3	54	7.83	9.4	9.74
E385887		1.34	0.05	6.11	3	4670	1.74	0.06	2.39	<0.02	65.5	49.1	39	6.66	6.3	9.32
E385888		1.36	0.03	6.8	3.1	>10000	1.97	0.04	2.51	<0.02	93.8	49.5	40	7.49	4.8	8.79
E385889		1.22	0.02	6.77	2.3	8340	1.85	0.01	3.63	<0.02	72.7	49.9	38	7	3.5	8.4
E385890		1.54	0.01	6.66	2.6	8200	1.52	0.01	2.64	<0.02	46.6	41.3	39	5.57	2.2	9.12
E385891		1.58	0.05	7.2	4.1	>10000	1.91	0.06	3.93	<0.02	113.5	36.2	43	8.52	3.6	8.67
E385892		1.38	0.11	4.79	5.1	3670	1.53	0.14	4.18	<0.02	170	42	27	6.92	4	10.25
E385893		1.34	0.12	4.42	6.8	1580	1.31	0.2	3.15	<0.02	136.5	70.5	27	6.29	8.6	14.2
E385894		1.28	0.1	4.67	7.2	3030	1.33	0.18	2.46	<0.02	179.5	67	26	7.06	3.2	13.4
E385895		1.46	0.08	6.17	4.3	7580	1.74	0.13	2.46	<0.02	179.5	45.5	35	7.59	2.1	10.05
E385896		0.16	0.01	0.13	8	50	0.07	<0.01	45.3	0.28	2.02	0.8	6	<0.05	1.3	0.06
E385897		1.28	0.06	6.99	3	4830	1.74	0.05	2.33	<0.02	77.2	38.2	42	8.25	3.2	10.6
E385898		0.96	0.08	7.02	2.9	7980	1.9	0.23	2.47	<0.02	80.4	39.6	42	8.03	4.5	10.1
E385899		1.40	0.05	6.23	4.1	5860	1.51	0.06	2.16	<0.02	103.5	20.1	38	6	2.3	9.65
E385900		1.30	0.47	9.1	0.9	200	7.49	0.09	1.35	<0.02	64.5	7.4	13	3.8	8.8	2.16

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385875		9.29	0.25	1	0.099	0.69	85.6	37.4	1.35	5690	31.5	0.49	7.5	24	1540	2
E385876		6.98	0.23	1.2	0.084	0.28	131.5	24.4	1.19	3930	24.5	1.47	4.9	15.7	810	2.5
E385877		14.6	0.21	2.1	0.106	0.75	138	24	1.19	3680	30.7	2.92	6	23.7	1110	2.2
E385878		4.69	0.31	0.5	0.204	0.02	235	19.4	2.48	8760	38.9	0.17	8.6	21.8	1870	2.2
E385879		10.7	0.2	1.4	0.167	0.65	91.8	29.3	2.03	6720	25.9	1.48	7	27.1	1200	1.7
E385880		10.5	0.23	1.3	0.273	1.18	116	24.5	1.35	7650	19.35	0.93	6.6	37.6	1410	2
E385881		11.7	0.17	1.3	0.176	1.22	66.6	17.6	2.67	7730	7.99	2.11	2.2	25.3	650	2.4
E385882		17.3	0.14	1.7	0.241	3.01	12.6	26	2.52	7600	4.98	0.92	1.3	47	340	2.2
E385883		14.9	0.18	1.4	0.338	2.72	10.7	17.8	2.96	9450	1.86	0.17	0.7	58.2	230	1.6
E385884		0.51	<0.05	0.1	<0.005	0.04	1.6	1.5	0.48	44	0.2	0.01	0.3	2	80	0.8
E385885		16.95	0.14	2.1	0.114	2.95	37.3	22.6	1.32	2970	17.3	0.57	3.1	23.8	620	2.7
E385886		18	0.16	1.7	0.259	3.42	24.7	19.6	2.39	6690	3.36	0.35	1.3	44.1	340	1.4
E385887		16.9	0.14	1.8	0.154	2.86	36.7	20.8	1.7	4330	1.77	0.33	2.8	36	560	1.5
E385888		18.45	0.17	2	0.153	3.17	54	17.1	1.49	3820	2.23	0.68	3.7	29.5	740	1.5
E385889		16.05	0.16	2.1	0.15	2.92	41.7	15	1.7	4430	1.13	1.16	3.3	26.4	610	1.3
E385890		12.8	0.12	1.5	0.127	3	30.2	13.4	1.59	4420	1.6	0.84	2.8	22.5	720	1
E385891		18.5	0.15	1.9	0.132	3.69	78.9	23	1.71	4160	7.15	0.36	5.7	24.7	810	2.4
E385892		13.5	0.18	1.6	0.141	2.43	123.5	23.1	1.73	4890	20.2	0.12	7.1	26	1110	1.9
E385893		12.25	0.21	1.5	0.164	2.19	97.3	28.4	1.75	5490	20.2	0.07	10.7	32.3	1250	1.8
E385894		13.6	0.22	1.6	0.223	2.17	133	53.6	1.7	4780	40.3	0.15	8.3	28.2	1450	1.9
E385895		16.9	0.19	2.1	0.148	2.56	118.5	62	1.68	2350	7.13	0.56	5.5	25.4	1060	1.9
E385896		0.4	<0.05	0.1	<0.005	0.03	1.5	1.2	0.48	37	0.32	0.01	0.2	<0.2	80	0.7
E385897		18.15	0.15	2.2	0.191	2.92	52.7	63.7	1.74	2980	4.18	0.79	4.6	24	920	1.8
E385898		19.45	0.17	2.6	0.163	2.54	55	71.7	1.82	2550	4.11	1.17	4.7	28.1	840	2.5
E385899		20.7	0.17	2.5	0.076	1.94	73.1	66.2	1.41	1730	4.04	1.76	6.2	31.6	1150	1.9
E385900		24.1	0.08	4.6	0.037	1.23	29.1	18.1	0.47	210	264	4.64	16.6	10.9	310	141

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385875		39.1	0.002	0.81	1.9	5.3	3	11.7	580	0.25	0.31	6.8	0.069	0.07	4.6	41
E385876		14.8	0.002	0.41	2.97	4.7	2	8.7	361	0.18	0.2	7.9	0.07	0.03	3.7	23
E385877		39.7	0.01	0.43	2.55	10.6	3	12.9	237	0.26	0.23	12.5	0.121	0.08	6.4	42
E385878		1.2	0.019	0.57	1.85	2.6	2	17.8	330	0.16	0.51	3.6	0.032	<0.02	5	24
E385879		33.4	0.009	0.71	1.79	6.4	2	10.1	289	0.26	0.38	7	0.096	0.06	5.5	38
E385880		59.9	0.005	0.85	1.48	6.2	2	7.8	549	0.23	0.36	7.8	0.077	0.12	6.5	36
E385881		61.9	0.005	0.27	1.66	11.5	<1	2.4	428	0.16	0.06	8.6	0.074	0.12	3.3	61
E385882		149	0.002	0.1	4.87	29.3	<1	1.7	84.9	0.09	0.07	3.1	0.212	0.28	2.6	204
E385883		137	<0.002	0.07	3.97	29.9	<1	0.6	50.6	0.05	0.05	0.8	0.177	0.23	1.8	224
E385884		0.9	<0.002	0.06	0.11	0.4	1	<0.2	254	<0.05	<0.05	0.2	0.006	<0.02	0.7	2
E385885		119	0.006	2.24	1.08	10.2	1	7	391	0.17	0.21	11.1	0.111	0.34	17.5	60
E385886		161.5	<0.002	0.07	3.46	30.1	<1	1.7	61.4	0.08	0.09	3.1	0.2	0.28	2.7	208
E385887		135.5	<0.002	0.13	2.77	13.6	1	2.8	140	0.19	0.12	10.2	0.158	0.24	3.5	81
E385888		148.5	<0.002	0.32	2.51	11.5	1	3.9	454	0.23	0.1	12.9	0.17	0.25	4.3	61
E385889		136	<0.002	0.25	2.29	11.3	1	3.6	256	0.21	0.1	14.2	0.168	0.21	2.7	54
E385890		111	<0.002	0.29	1.76	8.8	<1	3.1	704	0.18	0.06	9.5	0.159	0.18	2.3	58
E385891		159.5	0.003	0.36	2.49	11.2	<1	5.7	313	0.31	0.19	12.6	0.201	0.26	16.7	68
E385892		124	0.009	0.25	2.13	8.3	1	6.5	462	0.3	0.27	11	0.14	0.2	6.9	50
E385893		111	0.008	0.32	1.99	7.6	2	9.5	495	0.32	0.31	8.7	0.13	0.18	5.8	53
E385894		119.5	0.021	0.28	2.06	8.3	2	10.4	287	0.28	0.3	10.9	0.124	0.18	5	60
E385895		129	0.003	0.4	2.11	10.3	1	6.6	136	0.26	0.2	14.8	0.161	0.22	7.6	64
E385896		0.7	<0.002	0.05	0.06	0.3	1	<0.2	258	<0.05	<0.05	0.2	0.006	<0.02	1.1	1
E385897		143.5	<0.002	0.26	1.95	11.2	1	6.3	86.4	0.23	0.12	12	0.179	0.21	9	68
E385898		130	0.002	0.33	2.09	11.5	1	6.5	153	0.25	0.15	13.4	0.175	0.22	9.4	65
E385899		103	0.002	0.23	2.26	12.2	1	10.5	123	0.33	0.16	14	0.185	0.15	6.9	82
E385900		57.9	0.003	0.05	0.31	6.9	1	1.4	173	1.36	<0.05	74.6	0.19	0.32	295	34

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Method / Analyte / Units / LOR — Sample Description	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385875	8.1	11	3	26.3		0.006	
E385876	9	9.4	3	30.7		0.007	
E385877	11.7	14.2	<2	52.2		0.011	
E385878	7.1	11	<2	12.6		0.020	
E385879	11.1	13	2	35.2		0.019	
E385880	9.3	12.9	<2	32.3		0.022	
E385881	6.7	10.7	3	33.9		0.003	2.25
E385882	11.8	12.3	5	42.4		0.004	
E385883	7.3	10.4	4	34.4		0.002	
E385884	0.1	2.7	21	3.1		<0.001	
E385885	7.5	10.3	4	52		0.015	
E385886	9.2	11.5	5	41.9		0.002	
E385887	8.9	10.2	5	46		0.002	
E385888	11.5	10.8	2	50.5		0.001	1.71
E385889	11.3	11.2	2	50		0.002	0.91
E385890	9	7.8	2	36.7		0.004	2.84
E385891	16.4	11.8	3	49.3		0.010	1.21
E385892	14.7	14.5	2	39.4		0.020	
E385893	15.8	12.9	3	37.2		0.016	
E385894	16.5	13.8	4	40.8		0.072	
E385895	17.5	14.2	7	50.7		0.025	0.92
E385896	0.1	2.2	20	2.4		<0.001	
E385897	16.9	13.6	6	55.1		0.003	
E385898	17.6	15.2	9	62		0.003	0.89
E385899	16.8	16.1	5	60.1		0.002	0.65
E385900	1.9	48.5	32	89.3		0.002	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-DEC-2007
Account: CASMIN

Project: IGOR:16-2007-22

CERTIFICATE OF ANALYSIS VA07122582

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07132886

Project: IGOR : IG-2007-23

P.O. No.: 19528

This report is for 200 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385903		1.20	4.57	1.18	7	10	0.37	3.15	4.84	<0.02	252	66.2	10	0.19	>10000	26
E385904		1.10	3.99	2.13	9.6	20	0.85	2.81	4.28	<0.02	122.5	33.9	16	0.17	>10000	23.8
E385905		1.30	5	1.22	11.3	20	0.34	3.16	4.78	<0.02	253	52	7	0.08	>10000	27.8
E385906		5.72	1.55	2.61	51.3	10	0.72	13.2	1.43	<0.02	65.5	463	18	6.23	>10000	19.6
E385907		1.76	0.71	0.16	18.6	30	0.13	4.07	0.8	<0.02	183.5	192.5	<1	0.09	2990	19.4
E385908		1.44	0.54	2.43	55.5	20	0.6	9.39	0.62	<0.02	52.1	298	10	3.41	2700	14.7
E385909		1.28	0.08	6.14	3.3	3570	1.7	0.19	1.51	<0.02	105	43.8	34	10.15	434	9.06
E385910		1.06	0.17	7.12	16.1	1730	2.1	0.12	0.23	<0.02	83.3	51.4	46	13.3	574	8.27
E385911		0.16	0.02	0.15	9	100	0.07	0.02	43.3	0.4	2.54	1.1	6	0.05	7.2	0.06
E385912		1.26	0.13	7.38	73.3	930	2.31	0.13	0.27	<0.02	158	44.9	48	14.85	507	8.06
E385913		1.34	0.1	8.17	29.7	4830	2.39	0.12	0.3	<0.02	146	46.3	58	14.9	497	7.24
E385914		1.08	0.06	6.75	14.1	2460	1.89	0.1	0.3	<0.02	118.5	87.9	42	12.2	305	12.65
E385915		1.50	0.03	6.78	1.7	4560	1.8	0.03	0.22	<0.02	82.2	87.1	45	13.2	58.1	11.15
E385916		1.24	0.04	7.53	2.4	5650	2.14	0.03	1.45	<0.02	73.8	65.7	49	14.8	151	8.71
E385917		1.36	0.03	7.65	0.8	6520	2.15	0.02	3.08	<0.02	46.4	41	43	13.7	49.7	7.03
E385918		1.64	0.02	7.08	0.7	4270	1.81	0.03	1.94	<0.02	80.5	58.3	41	12.6	31.2	9.5
E385919		1.10	0.03	7.09	1.8	4430	1.92	0.03	1.69	<0.02	97.1	47.9	43	12.5	77.9	8.25
E385920		1.34	0.12	6.74	1.4	6860	1.97	0.07	1.73	<0.02	65.9	46.3	39	12.15	69	8.09
E385921		1.24	0.07	7.49	1.1	5910	2.1	0.06	0.97	<0.02	110	57.2	49	13.9	69.4	9.41
E385922		0.16	0.02	0.15	<5	90	0.08	0.01	48.4	0.41	2.72	1.1	6	0.06	9.3	0.06
E385923		0.20	1.02	5.77	49.7	70	1.76	2.44	2.07	<0.02	56.4	154	35	3.82	8650	9.12
E385924		1.72	0.05	6.36	1.7	3560	1.99	0.04	0.93	<0.02	107	69.2	38	11.8	63.2	9.67
E385925		1.24	0.06	6.51	2.2	2150	1.79	0.05	0.25	<0.02	53.9	107.5	40	12.85	58.6	11.85
E385926		1.78	0.07	7.38	1.6	4420	2.09	0.14	1.36	0.02	115	65	40	15.8	87.3	9.29
E385927		1.32	0.63	6.33	41.2	140	1.58	8.31	1.26	<0.02	157.5	223	36	6.24	356	16
E385928		1.52	0.49	5.36	38.2	190	1.21	6.11	2.06	<0.02	184.5	182	29	4.57	391	17.2
E385929		1.36	0.42	4.06	20.4	80	0.8	1.94	1.96	<0.02	198.5	135	16	3.64	276	16.35
E385930		1.48	0.27	3.91	15.1	880	0.64	0.36	2.74	<0.02	225	54.9	16	2.35	95.8	17.9
E385931		1.62	0.42	4.17	16.3	1040	0.59	0.4	2.9	<0.02	271	73.8	12	1.92	169.5	20.9
E385932		1.44	1.22	2.21	35.5	60	0.45	2.28	4.19	<0.02	148	220	5	1.08	9370	21.7
E385933		1.40	2.21	1.21	35.3	60	0.29	3.91	6.21	<0.02	165	139.5	<1	0.54	>10000	28.5
E385934		0.16	0.02	0.14	<5	110	0.05	<0.01	48.3	0.37	2.31	1	4	<0.05	33.9	0.09
E385935		1.04	1.93	0.8	97.7	80	0.3	10.05	3.88	<0.02	161	395	<1	0.32	>10000	33.5
E385936		1.40	3.02	0.93	182	100	0.23	14.1	5.48	<0.02	171.5	628	<1	0.37	>10000	31.5
E385937		1.48	1.24	0.82	64.4	90	0.28	8.24	4.72	<0.02	114	347	<1	0.32	>10000	31.2
E385938		2.08	1.17	2.26	129	80	0.76	23.8	1.54	<0.02	6.39	646	3	2.5	1240	20.6
E385939		1.52	0.37	1.29	63.6	50	0.51	6.66	2.51	<0.02	5.56	418	6	0.31	332	15.45
E385940		2.08	0.38	0.95	18.6	90	0.48	1.52	3.63	<0.02	37.4	103	2	0.14	5740	19.05
E385941		1.60	0.07	2.9	9	310	0.69	0.33	2.31	<0.02	14.55	45.3	11	0.39	351	14
E385942		1.46	0.05	3.94	5.3	1690	0.59	0.03	0.75	<0.02	16.1	27.2	29	0.72	115.5	21.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385903		5.99	0.36	0.5	1.43	0.05	163	3	1.08	6360	63.5	0.77	4	65.6	2820	31.4
E385904		9.17	0.43	0.7	1.21	0.05	64.9	4.9	0.89	5100	72.9	1.52	4.4	60	3990	15
E385905		6.52	0.36	0.4	1.475	0.02	161	2.4	0.99	6500	77.9	0.83	3.6	64.1	3410	14.9
E385906		7.93	0.32	0.7	0.593	1.06	18.8	16	2.41	6960	64.7	0.13	7.1	48.9	1630	39.9
E385907		2.46	0.35	<0.1	0.555	<0.01	99.5	2.2	4.17	19050	583	<0.01	2.7	33.6	900	3.3
E385908		8.13	0.25	0.7	0.317	0.77	14.4	15.3	2.85	8150	54.8	0.01	4.2	46.7	1010	3.1
E385909		17.75	0.18	1.9	0.278	2.49	73	31.1	2.22	8590	11.1	0.09	4.5	29.9	760	1.9
E385910		20	0.17	1.9	0.341	2.94	48.4	26.8	1.08	4770	11.6	0.09	2.8	24.9	810	1.7
E385911		0.43	<0.05	0.1	<0.005	0.03	1.9	1.2	0.51	39	0.36	0.01	0.3	<0.2	110	0.8
E385912		21.4	0.19	2	0.295	3.27	94.5	28.5	0.86	2970	11.05	0.09	3.1	22	810	1.9
E385913		23.8	0.17	2.2	0.296	3.34	99	34.3	0.89	2330	4.25	0.13	3.5	32.8	840	1.6
E385914		18.7	0.22	1.8	0.444	3.02	74	24.9	1.34	6960	9.51	0.1	3.7	40.8	1010	1.5
E385915		18.45	0.21	1.6	0.516	3.07	43	18.1	1.2	8050	0.78	0.13	1.5	27.6	640	1.3
E385916		20.9	0.19	2	0.39	3.49	38.8	25.5	1.56	6210	1.69	0.15	2.9	33.1	690	1.4
E385917		20.4	0.14	1.8	0.289	3.37	24.6	24.8	2.07	6420	1.02	0.17	2.8	26.8	620	1.1
E385918		18.6	0.17	1.7	0.377	3.24	44.9	18.4	1.86	7850	0.47	0.14	1.9	24	650	1.7
E385919		19.1	0.18	1.8	0.313	3.15	53.6	21.2	1.71	6700	4.11	0.13	2.1	24.4	680	1.3
E385920		17.7	0.15	1.9	0.295	2.9	35.2	19.4	1.68	6530	22.6	0.15	2.4	21.8	660	1.5
E385921		20.4	0.2	2	0.304	3.33	63.4	24.3	1.64	6950	7.2	0.14	2	27.9	710	1.8
E385922		0.47	<0.05	0.1	<0.005	0.03	2	1.3	0.56	43	0.24	0.01	0.3	<0.2	110	1
E385923		14.05	0.16	1.7	0.137	2.14	25.5	23.4	1.18	3070	60	1.1	3.9	34	800	19.4
E385924		17.25	0.19	2	0.311	2.76	61	19.4	1.52	7330	9.48	0.11	1.9	23	610	1.6
E385925		15.9	0.17	1.7	0.401	2.81	26.8	18.6	1.23	8050	8.64	0.09	1.9	27.4	640	1.2
E385926		18.5	0.17	2.1	0.276	2.98	66.9	36.7	1.79	5540	4.5	0.12	3.1	32.2	640	2.1
E385927		18.5	0.31	2	0.108	0.88	87.9	104	2.89	1140	29.3	0.02	9.6	117.5	1650	5
E385928		16.5	0.34	1.6	0.103	0.48	95.4	90.7	3.07	1545	30.1	0.01	10.5	118	2370	3.1
E385929		12.85	0.32	1.1	0.117	0.22	97.5	65.2	2.75	2770	54.1	<0.01	11.2	102.5	2340	2.6
E385930		12.25	0.3	1.7	0.128	0.02	174.5	63.4	3.08	2730	38.4	0.01	16.6	96.1	3160	2.3
E385931		13.4	0.29	1.4	0.144	0.04	212	67.4	3.51	4540	76.3	<0.01	12.1	107.5	2300	3.6
E385932		7.69	0.27	0.7	0.288	0.03	90.7	43.1	2.82	6640	52.9	<0.01	7	74.9	1920	25.6
E385933		6.28	0.32	0.5	0.77	0.02	106.5	16.8	3.1	9860	52.3	0.01	6.1	66.7	2650	8.3
E385934		0.48	<0.05	0.1	<0.005	0.03	1.8	1.5	0.52	51	0.5	0.01	0.3	<0.2	110	1
E385935		6.58	0.36	0.2	0.71	0.01	111	14.4	2.79	11100	31.8	<0.01	2.9	62.8	1750	11
E385936		5.84	0.34	0.4	0.441	0.02	118.5	13.3	2.64	8010	51.2	0.01	5.1	68.4	1600	18.2
E385937		5.68	0.36	0.3	0.541	0.02	68.7	14.6	2.64	9160	26.6	<0.01	3.1	61.7	2090	8.8
E385938		5.44	0.19	0.6	0.067	0.15	1.7	38.3	1.33	2000	18.85	0.02	1.9	54.4	960	9
E385939		4.22	0.14	0.1	0.044	0.02	1.5	19.4	1.22	2880	15.6	0.07	2.8	34.9	820	4.3
E385940		4.63	0.19	0.1	0.137	0.01	17.3	12.8	1.36	4730	14.3	0.15	1.9	30.8	830	2.4
E385941		6.08	0.13	0.2	0.033	0.03	7.8	29.3	1.13	2570	33.2	1.07	2.2	28.7	840	1.4
E385942		10.25	0.19	0.2	0.019	0.04	12.2	58.4	1.41	260	2.45	0.47	1.7	56.1	1050	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385903		2.2	0.012	5.31	1.02	6.6	5	13.5	190	0.1	0.94	3.4	0.015	<0.02	223	60
E385904		2.2	0.035	4.07	0.81	9.4	4	10.6	267	0.14	0.8	2.9	0.019	<0.02	148.5	82
E385905		0.9	0.018	4.86	0.73	13.6	5	9.9	254	0.09	0.74	4.1	0.012	<0.02	173.5	73
E385906		62.8	0.015	8.47	3.68	5	3	10.7	173	0.18	1.27	2.6	0.065	0.79	282	47
E385907		0.2	0.019	2.17	0.66	1.9	4	5.7	545	<0.05	0.69	0.3	<0.005	0.1	4.2	23
E385908		43.5	0.005	4.84	2.55	3.9	2	4.7	230	0.12	0.91	1.2	0.048	0.49	11	38
E385909		154.5	0.004	0.22	1.91	10.7	<1	8	139	0.26	0.19	12.4	0.108	0.32	11.6	57
E385910		188	0.002	0.3	1.72	12	<1	5.2	306	0.18	0.18	12.2	0.101	0.43	13.6	68
E385911		0.9	<0.002	0.07	0.12	0.4	1	<0.2	311	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E385912		200	<0.002	0.25	1.7	12.2	<1	5.1	590	0.19	0.09	14.7	0.112	0.42	12.2	74
E385913		209	<0.002	0.38	1.61	11.2	<1	5.5	347	0.19	0.1	13.7	0.125	0.45	11.9	81
E385914		169.5	0.005	0.15	1.48	10.4	<1	5.5	246	0.2	0.15	13	0.112	0.34	10	72
E385915		186	<0.002	0.09	1.32	10.9	<1	4.1	318	0.1	0.06	12.3	0.089	0.39	3.1	68
E385916		207	<0.002	0.22	1.63	11.8	<1	4.8	333	0.18	0.09	12.6	0.114	0.44	7.1	72
E385917		202	<0.002	0.16	1.55	12	<1	4.8	318	0.19	0.06	12.1	0.113	0.4	2.4	70
E385918		188	<0.002	0.1	1.4	11.4	<1	4.1	410	0.13	0.05	12.5	0.095	0.38	2	69
E385919		187	0.002	0.17	1.5	11.1	<1	4.1	467	0.14	0.07	12.2	0.096	0.37	4.4	70
E385920		177.5	0.01	0.24	1.58	10.6	<1	4.1	388	0.17	0.14	10.6	0.098	0.38	4.8	64
E385921		198	0.002	0.17	1.34	12.4	<1	4.8	366	0.13	0.17	13.3	0.095	0.42	3.1	72
E385922		1	<0.002	0.07	0.12	0.5	1	<0.2	329	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E385923		84.3	0.02	2.26	1.68	9.2	2	7.7	624	0.22	0.23	8.3	0.093	0.35	266	54
E385924		173	<0.002	0.13	1.39	10.2	<1	3.9	287	0.13	0.11	14.3	0.081	0.36	4.4	61
E385925		167.5	<0.002	0.15	1.43	9.6	<1	4.1	395	0.12	0.25	9.7	0.09	0.33	3.4	64
E385926		179	0.012	0.2	1.74	10.6	<1	4.3	421	0.22	0.05	13.1	0.113	0.37	10.6	67
E385927		32.1	0.025	4.96	2.28	9.3	2	9.5	304	0.33	1.08	9.7	0.1	0.23	17.1	88
E385928		28.3	0.015	3.79	2.25	6.8	2	10.8	409	0.34	0.76	8.7	0.098	0.1	9.9	85
E385929		12.6	0.03	1.31	1.83	5.2	2	11	633	0.26	0.55	5	0.069	0.09	13.7	69
E385930		1.7	0.012	0.31	2.22	4.9	1	14.6	621	0.5	0.58	7.1	0.095	0.02	14.2	74
E385931		2.4	0.021	0.38	2.09	4.9	3	14.9	383	0.32	0.96	9.5	0.083	0.02	28.6	73
E385932		1.8	0.01	3.31	2.1	4.4	4	10.7	534	0.18	0.66	4.8	0.036	0.19	181	52
E385933		1.2	0.009	5.51	1.67	4.2	4	11	316	0.15	0.5	2.8	0.018	0.14	39	86
E385934		0.6	<0.002	0.06	0.06	0.5	2	<0.2	288	<0.05	<0.05	0.2	0.006	<0.02	0.7	6
E385935		0.9	0.006	6.33	2.43	3.3	4	7.3	221	0.06	0.53	2.7	0.01	0.32	23.2	65
E385936		1.1	0.008	9.33	3.26	4.2	4	9.4	203	0.12	1.06	4.1	0.018	0.54	67.5	64
E385937		1.1	0.004	6.19	2.47	4	4	7.9	328	0.06	0.35	2.1	0.01	0.12	11.8	59
E385938		7.7	<0.002	9.27	3.26	3.1	2	2.5	179	<0.05	1.09	1	0.018	0.14	7.8	32
E385939		1.4	<0.002	4.19	4.6	3.6	1	3	444	0.05	0.33	0.7	0.029	<0.02	2.8	29
E385940		0.7	<0.002	1.56	1.37	2.8	3	3.2	924	<0.05	0.05	2.4	0.016	<0.02	2.7	29
E385941		1.2	0.007	0.4	0.68	2.3	2	2.7	1490	0.05	<0.05	1.4	0.026	<0.02	3.9	26
E385942		2.4	<0.002	0.15	0.78	7	2	8.2	684	0.07	<0.05	2.4	0.077	<0.02	2.5	49

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385903		11.9	28.2	<2	17.4	7.04	0.138	
E385904		9.1	32.1	6	27.6	5.54	0.112	
E385905		8.5	29.8	4	13.9	7.22	0.084	
E385906		11.7	15	4	25.9	1.430	0.088	
E385907		2	5.2	16	1.2		0.034	
E385908		5.2	8.3	12	24.4		0.043	
E385909		10.5	12.5	9	67.4		0.003	
E385910		6.4	10.7	6	67.4		0.005	
E385911		0.1	2.7	23	3.8		<0.001	
E385912		6.9	12	8	71.8		<0.001	
E385913		8.1	13	6	82.2		<0.001	
E385914		7.2	12.5	10	65.1		0.003	
E385915		4.6	9.4	5	59		<0.001	
E385916		6.9	12.6	8	73.9		<0.001	3.01
E385917		6.8	11.3	5	65.1		<0.001	2.98
E385918		4.9	10.3	4	64.2		<0.001	
E385919		5.4	11.7	5	66.8		0.001	
E385920		5.7	10.4	5	65.9		0.007	3.18
E385921		5.1	10.9	7	73.5		0.001	2.87
E385922		0.1	2.9	25	3.9		<0.001	
E385923		8.4	13.9	10	62.8		0.055	
E385924		3.6	10.8	5	70.4		0.002	
E385925		4.1	8.5	7	61.2		0.002	
E385926		5.6	11.8	12	75.4		<0.001	
E385927		12.2	14.7	31	72.9		0.064	
E385928		15.3	18.2	31	61		0.042	
E385929		14.1	15.2	28	43.5		0.025	
E385930		23.6	19.5	28	65.7		0.016	
E385931		11.6	16.1	26	47.5		0.026	
E385932		9.3	21.5	11	23		0.069	
E385933		6.9	22.7	7	16.3	3.27	0.159	
E385934		0.1	3	31	4		<0.001	
E385935		4.3	15.2	10	7	1.810	0.127	
E385936		9.5	18.2	<2	11.8	2.68	0.262	
E385937		6	17	<2	9.1	1.360	0.146	
E385938		5.1	7	11	20.4		0.084	
E385939		14.4	4.2	5	4.9		0.033	
E385940		9.1	5.1	4	2.5		0.027	
E385941		8.1	4.2	8	5.9		0.001	
E385942		9	4.7	22	8.5		<0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E385943	1.88	0.06	2.5	9	950	0.55	0.02	0.39	<0.02	63.2	18.6	21	0.35	162	17.9
E385944	1.52	0.02	5.01	4.1	1530	0.73	0.02	1.07	<0.02	74.5	11.3	26	0.5	38.7	6.68
E385945	1.58	0.04	6.84	3.1	1450	0.64	0.06	2.43	<0.02	18.8	34.6	25	0.65	43.2	7.31
E385946	0.16	0.01	0.15	<5	120	0.05	<0.01	49.2	0.41	2.21	1	5	<0.05	9.4	0.05
E385947	0.24	1.14	2.48	121.5	140	0.61	10.45	2.25	<0.02	190.5	341	5	2.53	8860	29.1
E385948	1.52	0.1	6.47	2.5	1380	0.55	0.19	2.84	<0.02	12.35	50.5	24	0.5	148	8.15
E385949	1.32	0.16	6.17	7.6	370	0.54	0.97	2.17	<0.02	13.2	75.4	21	0.5	674	7.76
E385950	1.20	0.13	6.89	13.2	360	0.6	1.35	2.61	<0.02	16.5	113.5	21	0.5	91.4	7.77
E385951	1.14	0.5	6.03	69.3	260	0.48	3.11	3.71	<0.02	21	338	25	0.43	833	10.4
E385952	1.50	0.77	5.91	101.5	190	0.55	2.97	2.66	<0.02	36.9	355	24	0.44	741	11.7
E385953	1.56	1.7	3.74	90.1	120	0.46	2.88	4.57	<0.02	165	318	12	0.22	>10000	18.65
E385954	1.60	1.18	2.14	70.25	50	0.31	1.67	5.35	<0.02	229	233	2	0.16	8590	20.6
E385955	1.48	0.76	2.54	99.3	70	0.3	2.61	5.09	<0.02	135	356	4	0.33	6750	18.1
E385956	1.42	0.11	4.47	6.6	2620	0.44	0.14	4.76	<0.02	91.1	27.4	15	0.43	168.5	10.8
E385957	1.48	0.03	6.73	4	3220	0.7	0.04	2.06	<0.02	159.5	15.1	25	0.69	85.4	5.17
E385958	0.16	0.01	0.15	<5	180	0.07	<0.01	46.5	0.42	2.56	1	4	<0.05	7.6	0.05
E385959	1.48	0.13	6.09	5.2	3150	0.67	0.27	2.52	<0.02	170	14.6	27	0.65	123.5	6.43
E385960	1.66	0.34	4.73	39.9	150	0.55	3.56	3.24	<0.02	54.4	204	15	0.56	465	9.75
E385961	1.60	0.61	4.44	178	190	0.54	9.45	3.22	<0.02	20.6	615	12	0.4	505	13.15
E385962	2.12	1.35	1.19	201	50	0.25	9.8	4.85	<0.02	153.5	788	<1	0.16	>10000	31.4
E385963	1.90	1.77	1.21	163	30	0.46	11.15	4.39	<0.02	115.5	651	<1	0.15	>10000	23.1
E385964	1.90	0.98	2.56	57.7	140	0.68	1.62	2.71	<0.02	15.35	318	7	0.44	>10000	11.05
E385965	1.32	0.11	6.25	5.6	860	0.83	0.25	2.66	<0.02	49.1	30.9	21	0.78	645	4.21
E385966	1.62	0.05	4.4	10.1	760	0.95	0.04	2.8	<0.02	29	36	17	1.16	257	9.15
E385967	1.62	0.07	5.9	6.5	1410	1.49	0.09	3.5	<0.02	37.2	24.7	27	2.73	45.1	6.72
E385968	1.50	0.02	6.92	2.8	2100	2.11	0.03	3.38	<0.02	53.9	32.1	34	4.27	158.5	5.22
E385969	0.16	0.01	0.16	5	180	0.08	0.01	46.6	0.34	2.09	1.2	5	<0.05	2.9	0.06
E385970	0.20	0.28	7.12	47.7	320	2.17	1.54	1.86	<0.02	70.1	104	41	5.75	1625	6.96
E385971	1.52	0.01	6.57	2.5	1650	1.61	0.04	3.58	<0.02	36.4	32.4	29	3.25	34.2	4.18
E385972	1.42	0.02	6.47	2	2930	2.02	0.06	2.57	<0.02	29.8	34.3	36	4.3	76.5	5.17
E385973	1.80	0.01	6.1	1.7	2900	2.35	0.03	2.99	<0.02	47.9	22.1	31	4.53	13.9	5.01
E385974	1.36	0.01	7.04	1.9	4710	2.64	0.02	2.97	<0.02	67.3	30.9	38	4.68	9.8	5.74
E385975	1.12	0.04	6.39	2	3840	2.27	0.03	1.99	<0.02	64.5	26.4	37	3.85	9.9	5.48
E385976	1.28	0.03	5.86	1.6	4480	1.04	0.02	2.95	<0.02	56.1	14	33	1.4	12.4	4.46
E385977	1.62	0.02	6.95	2.7	5120	1.33	0.03	2.71	<0.02	131	27.7	40	1.74	95.4	5.65
E385978	1.34	0.03	9.37	5.2	4640	4.06	0.08	1.38	<0.02	65.7	86.3	66	4.76	89.6	6.87
E385979	1.28	0.05	9.13	3.4	5020	3.67	0.05	1.77	<0.02	165.5	61.5	61	4.37	139	7.12
E385980	1.62	0.14	8.67	5.6	3040	3.89	0.08	1.97	<0.02	108	69.3	56	5.55	87.1	7.61
E385981	0.16	0.01	0.16	<5	160	0.11	0.01	47.1	0.38	2.21	1.5	8	<0.05	2.6	0.07
E385982	1.32	0.43	6.91	2	5140	1.81	0.03	1.49	0.02	115	21.3	48	3.08	119	7.13

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385943		6.41	0.19	0.2	0.007	0.03	46.2	26.7	0.59	268	2.05	0.8	1.8	27.2	1140	1.2
E385944		8.35	0.1	1.3	0.006	0.06	55.5	23.9	0.65	484	0.74	2.96	2.6	19.5	800	1.3
E385945		10.05	0.08	1.9	0.03	0.16	13.1	22.2	1.06	2130	12	4.38	1.6	17.9	850	2
E385946		0.5	<0.05	0.1	<0.005	0.03	1.8	1.6	0.54	40	0.3	0.01	0.3	<0.2	110	0.8
E385947		9.47	0.37	0.8	0.251	0.67	117.5	22	1.61	6130	61.4	0.25	5.5	62	2400	6.6
E385948		8.82	0.09	1.9	0.064	0.17	8.3	17.1	1.07	2620	40.8	4.29	1.3	18.6	630	2.2
E385949		9.35	0.08	1.8	0.064	0.14	8.3	25.1	1.07	1950	34	3.8	1.1	20.5	620	2
E385950		10.6	0.08	1.7	0.029	0.14	10.3	20.6	0.9	1680	38.6	4.51	1.5	22.1	940	2.3
E385951		9.74	0.13	1.7	0.074	0.12	11.7	14.2	1.15	2870	25.7	4.13	1.5	29.9	1170	4.8
E385952		10.6	0.16	1.7	0.047	0.12	19.3	14.2	0.85	2080	30.9	4.08	1	33.5	830	7
E385953		8.82	0.29	1	0.226	0.08	93.3	8	0.94	3030	44.3	2.58	2.3	48.8	3340	3.3
E385954		7.02	0.3	0.6	0.161	0.04	150.5	6.9	1.34	4770	81.4	1.36	4.8	47.3	1730	7.2
E385955		6.8	0.25	0.7	0.164	0.06	88.3	16.2	1.69	5120	75.2	1.35	3	47.1	1140	4
E385956		7.91	0.15	1.2	0.056	0.11	70.7	17.9	1.51	4040	79.4	2.74	2.8	27.6	1080	1.6
E385957		10.95	0.13	1.9	0.016	0.12	119.5	27.7	1.01	1400	7.13	4.35	3.6	18.5	1120	3
E385958		0.53	<0.05	0.1	<0.005	0.03	2	1.6	0.51	40	0.36	0.02	0.3	<0.2	110	1.3
E385959		10.3	0.15	1.6	0.013	0.1	130.5	28.6	1	1320	95.2	3.79	2.7	22.9	1290	3.2
E385960		8.91	0.13	1.3	0.088	0.14	30.6	21.6	1.29	2880	53.2	2.87	1.7	29.2	760	5
E385961		8.42	0.15	1.2	0.044	0.12	9.3	12.8	0.98	2620	47.4	2.92	2.3	43.1	1190	7
E385962		6.35	0.4	0.3	0.21	0.02	94.3	6.3	1.03	3680	130	0.64	2.3	73	1960	4.5
E385963		5.19	0.3	0.4	0.161	0.02	62.4	5.3	1.03	3460	68.2	0.73	2.8	88.4	1540	4.7
E385964		6.45	0.15	0.6	0.189	0.09	3.7	10.2	0.95	2540	181	1.77	1.2	42.4	460	2.4
E385965		12.75	0.07	1.5	0.016	0.16	35.9	21.9	1.08	2010	11.05	4.4	2.7	22.7	540	2.3
E385966		8	0.11	1.3	0.016	0.55	19.7	21.1	0.89	2090	4.74	2.47	1.9	18.2	800	1.2
E385967		12.6	0.14	1.4	0.043	1.12	26.8	36.5	1.11	2780	50.2	2.47	3	14	830	2.3
E385968		16.8	0.15	1.6	0.052	2.59	31.1	45.3	1.49	2870	3.15	1.48	3	18.2	670	2.3
E385969		0.52	0.07	0.1	<0.005	0.03	1.6	1.1	0.51	41	0.22	0.02	0.2	<0.2	120	1
E385970		17.8	0.16	1.9	0.117	2.92	37.6	22	1.27	3220	19.25	0.6	2.5	23.7	770	2.7
E385971		12.1	0.11	1.4	0.057	2.02	22.5	31	1.46	3040	7.4	1.94	2.1	18.3	630	1.7
E385972		17.45	0.13	1.5	0.088	3.03	17.7	54	1.4	2560	1.3	0.47	2.2	20.5	570	1.5
E385973		18.25	0.13	1.4	0.073	2.92	26.3	62	1.47	2220	1.3	0.17	2.6	19.5	530	1.5
E385974		20.8	0.15	1.5	0.056	3	38.8	72	1.64	2130	0.84	0.76	3.4	22.3	600	1.9
E385975		19.1	0.17	1.5	0.035	2.08	39.2	62	1.21	1555	0.89	1.34	3.4	20.7	550	2
E385976		14.85	0.12	1.3	0.014	0.5	34.8	30	1.26	2300	0.73	3.07	2.6	22.6	520	2
E385977		17.5	0.21	1.6	0.021	0.64	80.9	30	1.17	2180	1	3.77	3	26.3	610	2.2
E385978		22.7	0.2	2.3	0.061	2.59	40.3	61	0.97	1295	0.41	2.92	4	31.3	820	1.9
E385979		21.5	0.24	2.3	0.068	2.29	99.6	52	1.05	1890	0.53	3.05	3.2	43.3	810	2.3
E385980		19.7	0.2	1.9	0.081	2.71	63.7	70	1.18	2440	0.55	1.91	2.9	38.8	910	2.4
E385981		0.54	0.07	0.1	<0.005	0.03	1.7	1.3	0.51	42	0.19	0.02	0.2	<0.2	120	1
E385982		18.95	0.18	1.7	0.038	1.17	73.8	64	1.07	1335	1.53	2.6	2.8	31.7	690	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385943		1.7	<0.002	0.17	0.79	2.6	2	3.7	1030	0.07	<0.05	3.5	0.037	<0.02	1.2	36
E385944		3.2	<0.002	0.17	0.65	4.4	2	4.3	806	0.13	<0.05	5.9	0.052	<0.02	2.4	24
E385945		8.4	0.006	0.35	0.61	6.2	2	2.6	974	0.09	<0.05	7.2	0.031	0.02	12.8	36
E385946		0.6	<0.002	0.06	0.06	0.5	2	<0.2	308	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E385947		36.1	0.015	6.99	2.12	4.3	5	7.3	186	0.11	1.11	5.7	0.034	0.48	14.4	65
E385948		9.1	0.005	0.4	0.58	6.6	2	2.3	742	0.07	0.05	8.3	0.024	0.03	27.4	40
E385949		7.1	<0.002	0.75	0.61	4.4	2	2.1	768	0.05	0.5	5.2	0.023	0.04	11	38
E385950		7.1	<0.002	0.9	0.65	5.5	2	2.3	495	0.06	0.77	6.5	0.028	0.02	16.3	36
E385951		5.5	0.002	2.07	0.75	7.8	3	2.3	359	0.06	2.22	6.6	0.024	0.11	3.6	41
E385952		5.7	0.002	2.2	0.73	6.5	2	1.7	365	<0.05	1.86	6.6	0.018	0.41	8.6	52
E385953		3.7	0.005	3.64	0.87	5.5	10	3.3	306	0.08	1.99	7	0.019	0.03	3.8	72
E385954		2.1	0.013	2.29	0.78	5.4	7	2.6	479	0.07	0.95	5.1	0.015	0.32	2.3	48
E385955		3.2	0.014	2.52	0.92	5.4	5	2.1	414	0.06	1.39	4.9	0.016	0.02	2.6	42
E385956		6.1	0.024	0.22	0.72	6.4	2	2.2	889	0.09	0.07	6	0.027	0.02	2.9	54
E385957		6.6	<0.002	0.23	0.72	6.3	2	3.8	1060	0.12	0.07	10.3	0.051	0.02	25.3	25
E385958		0.6	<0.002	0.06	0.06	0.5	2	<0.2	309	<0.05	<0.05	0.2	0.006	<0.02	0.7	6
E385959		5.2	0.02	0.23	0.54	6.2	2	2.7	983	0.09	0.09	10.5	0.033	0.02	14	36
E385960		7.3	0.004	1.85	0.73	7.1	2	2.1	589	0.06	1.64	7	0.021	0.04	11.5	48
E385961		5.7	0.005	4.34	1.2	5	3	2.6	304	0.06	3.8	3.6	0.021	0.07	7.4	55
E385962		1	0.019	7.24	1.84	4	9	3.8	237	<0.05	2.28	4.7	0.009	0.02	7.8	87
E385963		1.1	0.009	7.06	1.43	3.6	6	3.2	287	0.05	1.53	2.7	0.009	0.03	3.3	59
E385964		6.2	0.01	3.11	0.48	5.3	7	2.9	434	<0.05	0.43	1.7	0.02	<0.02	8	43
E385965		11.4	<0.002	0.33	0.64	8.6	2	4.4	1020	0.15	0.09	7.9	0.062	<0.02	3.9	47
E385966		32.5	<0.002	0.26	0.55	6.3	2	5.6	1910	0.09	0.05	7.4	0.061	0.05	2.6	53
E385967		68.4	0.01	0.25	0.9	10	1	8.7	1360	0.17	0.1	8	0.097	0.12	3.5	61
E385968		136.5	<0.002	0.2	1.14	13.1	1	6.6	1570	0.21	0.06	11.8	0.124	0.2	3.7	68
E385969		0.7	<0.002	0.08	0.07	0.6	2	<0.2	304	<0.05	<0.05	0.2	0.007	<0.02	0.7	4
E385970		126	0.006	1.34	1.01	11.1	1	7.2	464	0.15	0.18	13.2	0.107	0.35	17.5	64
E385971		104.5	0.002	0.26	0.99	11.2	1	4.9	1825	0.15	0.08	8.1	0.089	0.18	3.1	57
E385972		154	<0.002	0.25	1.25	11.2	1	3.8	1330	0.15	<0.05	10.1	0.111	0.21	2.8	56
E385973		157	<0.002	0.17	1.18	11	1	5.1	987	0.17	<0.05	9.5	0.124	0.24	2.5	52
E385974		163	<0.002	0.25	1.15	12.9	1	7.1	706	0.23	<0.05	10.1	0.149	0.22	2.9	59
E385975		114.5	<0.002	0.19	1.02	15.1	1	9.4	420	0.24	<0.05	10.5	0.154	0.17	3.2	58
E385976		27.3	<0.002	0.2	0.84	13.3	1	5.8	476	0.19	<0.05	9.3	0.088	0.05	2.5	48
E385977		36.1	<0.002	0.3	0.76	13.5	1	9.5	569	0.23	<0.05	11.4	0.105	0.05	2.4	57
E385978		150	0.002	0.55	0.73	22.5	1	30	621	0.27	0.41	16.4	0.169	0.22	3.7	92
E385979		129.5	<0.002	0.41	0.71	19.2	1	23.2	493	0.2	0.17	18.6	0.121	0.16	2.6	79
E385980		162.5	<0.002	0.46	0.72	18.2	1	25.7	904	0.17	0.1	13.5	0.117	0.28	2.3	77
E385981		0.8	<0.002	0.08	0.07	0.7	2	<0.2	300	<0.05	<0.05	0.2	0.007	<0.02	0.7	3
E385982		70.3	<0.002	0.24	1.12	12.8	1	12.4	453	0.22	<0.05	11.5	0.136	0.12	2.3	66

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E385943		8.2	4	7	7.3		<0.001	
E385944		9.1	7.4	5	38.6		<0.001	
E385945		6.3	10.4	4	60.6		0.001	
E385946		0.1	3	23	4.4		<0.001	
E385947		6.5	15.1	5	25.7		0.118	
E385948		5.2	12	2	60.8		0.004	
E385949		4.6	8.9	4	56.4		0.009	
E385950		5.7	13.7	3	54.9		0.010	
E385951		4.6	17.3	2	55.7		0.035	
E385952		4.4	14	3	56.3		0.033	
E385953		6.9	30.6	5	32.3	1.785	0.085	
E385954		10.4	21.6	<2	20		0.058	
E385955		9.1	14.5	7	24.2		0.046	
E385956		9.3	16.2	8	39.3		0.002	
E385957		10.7	14.7	10	59.6		<0.001	
E385958		0.1	3	23	4.2		<0.001	
E385959		8.9	14.5	11	50.1		0.003	
E385960		6	13.2	7	41.8		0.023	
E385961		7.1	14.8	4	38.2		0.062	
E385962		6.7	23.7	2	11.1	1.305	0.141	
E385963		5.8	17.1	<2	12.9	1.170	0.120	
E385964		6.7	6.8	2	19	1.335	0.119	
E385965		10.8	10.1	5	49		<0.001	
E385966		8.7	8.6	<2	42.9		<0.001	
E385967		12.6	13.4	4	46.2		0.002	
E385968		13.3	13.3	4	53.6		<0.001	
E385969		0.1	2.8	27	4.2		<0.001	
E385970		7.6	10.5	5	62.3		0.016	
E385971		13.4	12.2	2	44.6		<0.001	
E385972		9.9	10.5	<2	49.2		0.001	
E385973		8.6	10.7	2	46.2		<0.001	
E385974		8.5	12	4	50.6		<0.001	
E385975		7	9.6	8	47.8		<0.001	
E385976		6.1	10.2	9	42.5		<0.001	
E385977		7.8	12.3	7	50.9		<0.001	4.38
E385978		14.3	12.7	6	78.3		0.001	
E385979		12.7	14.5	9	76.7		<0.001	3.99
E385980		14.3	14.3	11	63.7		<0.001	
E385981		0.1	2.8	25	3.9		<0.001	
E385982		8.2	10.9	16	56		0.010	3.78

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385983		1.36	0.18	7	2.6	3830	2.39	0.03	2.44	<0.02	93.4	35.5	41	3.47	45.1	7.93
E385984		1.14	0.01	6.63	1.7	4990	1.17	0.02	2.32	0.02	75.2	13.7	35	1.25	11.6	6.22
E385985		1.30	0.08	7.06	3	5330	1.98	0.03	3.4	<0.02	125	28.9	37	2.41	32.3	8.1
E385986		1.06	0.07	8.67	2.8	6340	2.78	0.05	1.26	<0.02	225	14.8	55	3.4	585	6.31
E385987		1.18	0.33	6.98	2.7	2040	1.94	0.26	1.48	<0.02	126.5	39.8	40	2.58	1390	7.22
E385988		1.02	0.14	6.96	2.7	2590	1.48	0.13	1.34	<0.02	101	40.2	46	1.92	1670	7.48
E385989		1.66	0.81	2.05	16	190	0.43	0.37	0.83	<0.02	248	140.5	11	0.46	3500	31.7
E385990		2.76	0.55	0.65	17.1	80	0.16	0.31	2.18	<0.02	352	301	1	0.14	5090	39.6
E385991		2.76	0.29	0.78	13.2	160	0.15	0.18	3.76	<0.02	451	228	<1	0.17	2170	43.1
E385992		0.16	0.02	0.14	6	140	0.08	0.01	44.8	0.36	2.67	1.8	7	<0.05	6.9	0.15
E385993		0.18	1.14	6.08	65.2	140	1.66	2.41	1.98	<0.02	45.6	161.5	40	3.4	8950	9.28
E385994		2.24	0.49	0.77	61.9	100	0.16	1.65	4.44	<0.02	339	475	<1	0.23	3850	44.3
E385995		2.26	0.59	0.54	256	60	0.17	4.54	4.16	<0.02	362	1395	<1	0.15	539	45.8
E385996		2.88	0.54	0.22	96.7	40	0.27	3.23	4.73	<0.02	233	757	<1	0.09	1765	31.9
E385997		2.20	0.2	0.12	16.2	130	0.12	0.85	1.51	<0.02	305	266	<1	<0.05	36.2	23.2
E385998		2.02	0.16	0.1	8.8	420	0.13	0.28	1.17	<0.02	155.5	115	<1	<0.05	10	26.1
E385999		2.42	0.16	0.12	10.8	440	0.15	0.29	1.57	<0.02	282	78.5	<1	<0.05	65.7	26.1
E386000		2.60	0.08	0.11	10.6	590	0.25	0.15	1.72	<0.02	257	23.6	<1	<0.05	23.6	17.6
E386001		1.84	0.09	0.09	13.3	120	0.18	0.32	1.43	<0.02	174.5	285	<1	<0.05	8.4	25.6
E386002		2.42	0.45	0.09	12.4	100	0.13	0.27	1.26	<0.02	170.5	301	<1	<0.05	13.4	25.4
E386003		2.02	0.13	0.1	17.8	130	0.14	0.17	2.42	<0.02	325	269	<1	<0.05	170.5	31.4
E386004		0.16	0.03	0.15	<5	190	0.1	<0.01	48.1	0.39	2.8	1.9	6	<0.05	3	0.12
E386005		1.70	0.15	0.08	16.6	110	0.17	0.19	1.81	<0.02	285	287	<1	<0.05	1300	30.6
E386006		2.10	0.27	0.11	17	90	0.16	0.3	2.7	<0.02	268	397	<1	<0.05	2840	40.4
E386007		2.40	0.29	0.12	18.5	50	0.1	0.35	2.59	<0.02	431	523	<1	0.05	2590	48.8
E386008		2.24	0.38	0.11	14.1	240	0.05	0.44	3.45	<0.02	486	253	<1	0.07	6310	>50
E386009		2.02	0.84	0.15	8.1	470	0.06	0.83	8.61	<0.02	148	83	<1	0.16	>10000	38.8
E386010		1.70	0.42	0.37	52.7	370	0.07	2.22	6.24	<0.02	260	574	<1	0.21	4860	42.1
E386011		1.80	0.32	1.14	53.6	370	0.18	3.02	4.97	<0.02	>500	618	7	0.47	1160	34.5
E386012		1.50	0.08	6.15	5.4	1960	0.78	0.49	1.65	<0.02	284	115	55	2.54	541	12.9
E386013		1.56	0.08	5.49	4.5	690	0.65	0.4	3.31	<0.02	221	78.8	45	1.83	683	12.85
E386014		1.84	0.1	6.58	3.8	3640	1.76	0.05	0.99	<0.02	197	17.4	45	3.63	126.5	17.8
E386015		0.16	0.01	0.15	8	120	0.07	<0.01	47.7	0.38	2.61	1.7	6	<0.05	4.3	0.1
E386016		0.22	1.38	2.68	95.5	70	0.6	10.9	2.45	<0.02	191.5	359	14	2.95	9790	32.2
E386017		1.60	0.05	5.53	2.9	1840	0.72	0.02	0.82	<0.02	242	20.2	35	0.89	107	17.05
E386018		1.72	0.02	5.63	3.3	2780	2.08	0.02	0.29	0.04	92.9	4.9	44	4.58	189	10.9
E386019		1.90	0.08	3.48	11.2	120	0.4	0.24	1.45	<0.02	107	381	19	1.05	339	30.4
E386020		1.30	0.02	6.81	1.3	8540	0.88	0.01	0.65	<0.02	117.5	13.7	37	1.8	92.1	11.1
E386021		2.12	0.06	3.41	4.1	1060	0.35	0.06	2.66	<0.02	210	45.5	19	0.9	169.5	24.5
E386022		1.76	0.04	4.92	7	900	0.45	0.06	1.56	<0.02	82.8	118.5	28	0.86	52.5	23.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E385983		20.3	0.18	1.6	0.047	1.81	59.9	54	1.16	2380	1.81	2.02	3.4	26.9	690	2.2
E385984		15.3	0.17	1.4	0.017	0.41	46.9	24	0.94	2060	0.47	3.74	3.3	23	610	1.7
E385985		16.35	0.21	1.5	0.044	1.02	77.3	35	1.31	3060	1.47	3.01	3.7	28.1	850	2.1
E385986		25.8	0.25	2.1	0.047	1.76	141	60	0.92	1085	0.58	3.44	3.2	23.7	780	2
E385987		20.5	0.24	1.8	0.056	0.89	80.7	60	1.2	1325	0.92	2.81	1.9	25.9	540	4.2
E385988		19.1	0.19	1.7	0.042	0.6	66.6	41	0.97	749	51.8	3.42	1.9	24.8	530	1.8
E385989		8.28	0.56	0.5	0.023	0.05	150.5	11	0.42	157	170.5	0.84	2.8	61.4	3240	1.8
E385990		7.39	0.7	0.2	0.075	0.01	197	4	0.58	1635	71	0.03	6.3	58.7	3980	1.2
E385991		8.16	1.06	0.3	0.049	0.01	299	5.4	0.67	1870	56.3	0.02	6.4	68	4360	1
E385992		0.56	0.05	0.1	<0.005	0.03	2.1	0.8	0.48	41	0.5	0.02	0.2	<0.2	130	0.9
E385993		14.75	0.2	1.7	0.132	2.17	16.3	18	1.12	3230	67.4	1.01	2.8	38.3	840	19.3
E385994		7.88	1.13	0.2	0.118	0.01	241	5.6	1.11	3970	161	0.02	3.9	78.9	3110	2.6
E385995		7.13	1.06	0.2	0.116	0.01	267	3.6	1.09	4400	87.8	0.02	3.6	98.7	2000	4.6
E385996		4.88	0.54	0.1	0.119	0.01	124	1.5	0.91	3980	77.5	0.01	3.2	61.3	1600	3.8
E385997		3.32	0.46	<0.1	0.017	<0.01	198.5	0.7	0.15	925	38.9	0.01	8.1	30.5	1520	0.9
E385998		3.09	0.45	<0.1	0.053	<0.01	101.5	0.5	0.37	3810	43.1	0.01	13.2	32.2	2060	1.1
E385999		3.78	0.5	<0.1	0.064	<0.01	201	0.6	0.42	3510	32.8	0.01	12.9	35.4	2160	1.1
E386000		2.72	0.37	<0.1	0.037	<0.01	187	0.5	0.22	1515	33.6	<0.01	8.2	24.1	1560	0.6
E386001		3.04	0.5	<0.1	0.113	<0.01	108	0.4	0.49	3780	17.05	0.01	8.3	38.7	1540	0.6
E386002		2.92	0.47	<0.1	0.115	<0.01	107	0.6	0.49	3590	18.65	0.01	8.9	36.4	1730	0.8
E386003		3.09	0.52	<0.1	0.112	0.01	212	1	0.38	2760	31.7	0.01	9.9	28.5	1990	1.4
E386004		0.51	<0.05	0.1	<0.005	0.03	2.2	1.9	0.51	43	0.31	0.02	0.2	<0.2	120	1
E386005		3.23	0.51	<0.1	0.097	0.01	180	1	0.39	2530	28.5	0.01	8.5	28.9	1750	1.7
E386006		4.62	0.56	<0.1	0.084	<0.01	172.5	1.2	0.42	2050	19.9	0.01	9.2	44	2100	1.9
E386007		5.93	0.74	<0.1	0.068	<0.01	297	1.3	0.43	1875	27.6	0.01	10.5	57.8	2110	1.9
E386008		6.64	1.19	<0.1	0.106	<0.01	355	1.3	0.6	2510	24.8	0.01	8	61.8	2050	2.1
E386009		4.97	0.57	0.1	0.237	0.01	118	2.2	2.03	8510	34.2	0.02	4.1	46.5	2600	2.4
E386010		6.54	0.66	0.2	0.13	0.01	201	5.2	1.51	6170	31.2	0.01	3.4	63.9	2600	3.4
E386011		9.07	0.7	0.7	0.105	0.02	600	18.2	1.52	4560	42.7	0.01	4.8	71.8	2510	4
E386012		10.55	0.29	2.4	0.023	0.07	225	77.1	1.93	526	3.2	1.52	9.5	65.3	900	2.2
E386013		9.98	0.29	1.9	0.029	0.09	169.5	55.9	1.74	1115	18.2	1.9	6.6	48	1060	2.2
E386014		18.05	0.35	1.6	0.031	1.01	148	78.8	0.98	433	15.15	2.28	3.9	35	1460	1.9
E386015		0.5	<0.05	0.1	<0.005	0.03	2	2.1	0.51	39	0.26	0.02	0.2	<0.2	110	0.9
E386016		9.24	0.36	0.9	0.287	0.74	118.5	17.4	1.65	6630	70.3	0.26	6.1	64.4	2620	7.2
E386017		12.9	0.35	1.3	0.01	0.05	179	47.1	0.89	454	9.37	2.48	3.4	36.8	1390	2.6
E386018		12.65	0.21	0.9	0.036	2.01	69.2	111.5	0.57	90	5.94	0.74	4.5	12.8	800	2.1
E386019		12.85	0.47	0.9	0.046	0.11	66.4	46.1	1.23	1210	10.2	0.91	4.1	52.4	1520	2.4
E386020		13.75	0.24	1.7	0.01	0.11	87.5	65.7	1.17	190	4.13	3.12	2.7	26.6	1160	2
E386021		12.75	0.47	0.8	0.125	0.04	151.5	51.5	1.61	2020	14.85	0.68	2.3	45	1670	2.2
E386022		15.2	0.39	1.2	0.058	0.08	58.9	38.4	1.08	1045	5.4	2.11	3.9	47	1360	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E385983		102.5	<0.002	0.27	0.88	21	1	16.9	654	0.25	0.06	11.5	0.136	0.17	2	75
E385984		25.4	<0.002	0.22	0.71	9.5	1	8.8	551	0.27	<0.05	11	0.114	0.04	1.7	55
E385985		60.5	<0.002	0.28	0.65	12	1	13.8	670	0.26	0.05	12.4	0.113	0.1	1.8	65
E385986		97.7	<0.002	0.36	0.89	21.6	1	18.1	658	0.24	<0.05	14.9	0.134	0.13	2.2	77
E385987		57.4	<0.002	0.41	0.83	19.4	1	12.1	592	0.12	<0.05	11.2	0.068	0.08	3	60
E385988		38.3	0.033	0.46	0.73	17.6	2	9.9	464	0.12	<0.05	9.9	0.064	0.06	2.3	59
E385989		3	0.104	0.99	0.79	2	5	3.2	771	0.07	0.28	3.7	0.019	0.05	21.5	74
E385990		0.4	0.013	1.89	0.8	2.4	4	3.8	418	0.11	0.26	3	0.012	<0.02	1.8	64
E385991		0.5	0.015	1.36	0.77	3.1	4	4	297	0.13	0.11	3.5	0.015	<0.02	2	82
E385992		0.6	<0.002	0.07	0.07	0.7	2	<0.2	276	<0.05	<0.05	0.2	0.007	<0.02	0.7	4
E385993		85.9	0.025	2.32	1.5	10.6	3	6.9	592	0.15	0.22	7.6	0.085	0.36	280	57
E385994		0.7	0.029	2.82	0.98	5.5	5	2.9	267	0.09	0.84	3.6	0.012	0.06	1.8	70
E385995		0.5	0.022	6.53	1.56	3.6	4	3.3	89.8	0.08	2.41	4.1	0.011	0.05	1.9	58
E385996		0.2	0.019	4.46	1.27	2.7	5	3.5	333	0.06	1.41	1.8	0.007	0.08	2.8	33
E385997		0.1	0.003	1.1	0.85	0.6	3	5.9	783	0.14	0.14	1.1	0.005	<0.02	4.3	31
E385998		0.1	<0.002	0.53	0.78	1.4	3	2.5	654	0.3	0.06	1.6	<0.005	<0.02	4.5	71
E385999		0.1	0.003	0.43	0.75	1.3	3	2.9	930	0.25	0.1	1.9	<0.005	<0.02	4.7	58
E386000		0.1	0.004	0.23	0.64	0.8	<1	6.4	1700	0.12	0.11	0.9	<0.005	<0.02	2.8	28
E386001		0.1	0.005	1.26	0.72	1.3	2	4.6	761	0.24	0.07	1.2	<0.005	<0.02	2.8	51
E386002		0.1	0.003	1.33	0.73	0.9	2	3.7	693	0.25	0.17	1.3	<0.005	<0.02	4.9	54
E386003		0.3	0.009	1.2	0.92	0.8	3	8.6	665	0.16	0.16	1.3	<0.005	<0.02	4	38
E386004		0.7	<0.002	0.07	0.07	0.7	2	<0.2	302	<0.05	<0.05	0.2	0.007	<0.02	0.7	3
E386005		0.2	0.012	1.44	0.98	0.9	3	7.3	647	0.2	0.11	1.3	<0.005	<0.02	4	47
E386006		0.1	0.006	2.13	1.2	1.2	3	8.3	344	0.24	0.13	1.5	<0.005	<0.02	4.6	58
E386007		0.1	0.01	2.47	1.24	1.5	4	8.3	182	0.21	0.16	1.8	<0.005	<0.02	4.7	64
E386008		0.2	0.012	2.06	1.08	3	4	7.7	49.4	0.18	0.13	2.9	<0.005	<0.02	4	85
E386009		0.4	0.015	2.97	0.65	14.7	7	6.3	94.8	0.11	0.27	1.7	0.005	0.02	1.7	56
E386010		0.4	0.008	4.24	1.4	8.6	4	3.9	79.8	0.1	1.19	3.2	0.01	0.03	2.1	64
E386011		1.1	0.01	4.18	1.49	6.6	4	4.2	63.9	0.16	1.72	11.3	0.03	0.02	1.9	47
E386012		4.6	<0.002	0.7	0.97	7.9	2	9.8	56.9	0.18	0.35	10.9	0.142	0.02	2.9	15
E386013		5.1	0.005	0.61	1.03	11.5	3	8.8	484	0.17	0.24	9	0.114	0.02	4.3	26
E386014		61.3	0.005	0.17	1.16	16.5	1	25.7	400	0.2	0.07	11.6	0.13	0.1	3.5	81
E386015		0.6	<0.002	0.08	0.06	0.7	2	<0.2	295	<0.05	<0.05	0.2	0.007	<0.02	0.7	4
E386016		38.3	0.021	7.56	3.08	4.5	5	8.3	181.5	0.16	1.23	6.6	0.04	0.52	18.6	64
E386017		2.5	0.003	0.19	0.86	3.6	2	3.9	713	0.13	0.07	8.9	0.046	<0.02	4.1	49
E386018		104	<0.002	0.14	1.45	16.3	2	23.6	573	0.25	<0.05	10.9	0.143	0.17	1.6	69
E386019		5.1	0.002	1.98	1.04	5.7	3	3.5	323	0.11	0.11	6.5	0.036	0.02	5.3	77
E386020		4.9	<0.002	0.28	0.76	5.2	2	4.2	282	0.14	<0.05	11.4	0.049	0.02	2.6	37
E386021		1.5	0.004	0.27	0.81	7.7	2	2.2	348	0.08	0.07	9.2	0.024	<0.02	3.6	90
E386022		3.7	<0.002	0.58	0.85	8.2	3	4.3	154	0.16	0.07	7.9	0.052	<0.02	2.7	65

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Cu	Au	Ba
	Units	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.001	0.01
E385983		9	11	9	54.6		0.007	
E385984		7.3	10.1	7	47.3		<0.001	
E385985		9	12.5	10	51.6		0.001	6.13
E385986		10.9	11.5	7	68.2		<0.001	6.21
E385987		10.2	10	18	60.1		0.005	
E385988		10.3	9.5	5	57.7		0.001	
E385989		3.8	14.3	4	14.9		0.027	
E385990		4.1	18.9	<2	5.9		0.029	
E385991		4.9	26.9	3	7.1		0.007	
E385992		0.1	2.7	24	4.4		<0.001	
E385993		7.5	14.1	12	59.7		0.051	
E385994		2.1	25.7	3	6.5		0.025	
E385995		3.7	21.5	6	4.2		0.027	
E385996		3.7	21.8	3	2		0.022	
E385997		4.6	10.5	2	0.9		0.004	
E385998		4.4	11.6	4	1		<0.001	
E385999		4.9	13.8	3	0.9		0.004	
E386000		5	10.8	<2	0.7		0.002	
E386001		5.2	10.3	2	0.7		0.002	
E386002		9.4	10.1	2	0.6		<0.001	
E386003		9.2	12.9	3	0.8		0.002	
E386004		0.1	2.7	32	3.6		<0.001	
E386005		11.1	11.1	3	0.6		0.012	
E386006		8.4	15.2	3	0.7		0.013	
E386007		6.6	17.3	4	0.7		0.016	
E386008		5	20.2	3	0.5		0.025	
E386009		2.8	29.5	6	1	1.625	0.067	
E386010		2.8	25.5	2	3.8		0.030	
E386011		3	28	7	19.4		0.027	
E386012		9.1	13.6	18	80.3		0.002	
E386013		8.4	16.9	14	62.5		0.005	
E386014		11.4	12.2	14	51.4		<0.001	
E386015		0.1	2.7	27	3.8		<0.001	
E386016		8.2	16.2	11	27		0.109	
E386017		6.6	11.8	24	40.9		<0.001	
E386018		11	5.5	9	28.8		<0.001	
E386019		6.2	10.5	15	27		0.003	
E386020		5	10.8	18	55.4		<0.001	1.65
E386021		6.3	14.7	15	25.4		<0.001	
E386022		6.5	12.4	11	39.2		<0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E386023		1.30	<0.01	8.41	0.5	>10000	0.81	0.01	1.27	<0.02	90.5	11.4	47	0.89	39.1	7.13
E386024		1.44	<0.01	8.28	1.3	7360	0.89	0.01	1.41	<0.02	127	14.7	52	1.16	46.9	8.46
E386025		1.40	0.02	8.09	2.2	3460	1.27	0.04	1.31	0.02	106	49.5	60	2.25	47.8	10.7
E386026		1.22	0.02	7.67	2.4	4610	0.84	0.05	1.32	<0.02	69.9	51.4	53	1.14	99.1	11.75
E386027		0.14	0.01	0.16	<5	90	0.09	0.01	48.7	0.39	2.3	1.7	6	<0.05	3.7	0.08
E386028		1.80	0.04	7.24	1.6	3010	1.65	0.06	2	<0.02	87.4	43.5	45	3.64	398	10.7
E386029		1.34	0.03	7.13	3	2540	2.75	0.05	1.72	<0.02	33.1	77.1	46	7.22	138	12.1
E386030		1.70	0.02	6.92	2	3690	3.24	0.04	1.18	<0.02	91.8	53.5	45	8.6	137	10.6
E386031		1.42	0.01	7.35	1.7	7990	3.36	0.04	0.65	<0.02	158.5	41.7	47	9.5	63.3	11.55
E386032		1.48	0.03	5.8	2.5	4000	2.1	0.03	0.76	<0.02	122	40.8	36	6.46	29.5	12.15
E386033		1.60	0.03	7.39	1.8	5560	3.55	0.02	0.26	<0.02	135.5	50.1	50	8.77	45.6	11.7
E386034		1.08	0.13	6.13	2.3	1510	2.59	0.08	0.34	<0.02	66.9	53.9	35	7.19	422	13.15
E386035		1.78	0.32	2.71	7.2	220	0.64	0.83	0.49	<0.02	104	103	13	1.36	34.5	16.7
E386036		1.74	0.52	5.28	6.6	110	0.6	0.49	0.73	<0.02	88.5	143	36	1.43	6610	12.8
E386037		1.28	0.05	6.73	5	530	0.58	0.08	0.64	<0.02	100	133.5	40	0.9	383	13
E386038		0.16	0.01	0.16	<5	90	0.07	<0.01	48.2	0.39	2.31	1.7	6	<0.05	4.7	0.08
E386039		0.20	0.18	7.12	38.4	300	1.84	1.04	1.94	<0.02	52.4	87	46	4.71	1720	7.31
E386040		1.42	0.05	6.57	5	680	0.62	0.03	0.6	<0.02	96.3	116.5	36	0.71	26.5	12.8
E386041		1.38	0.04	6.45	2.7	1280	0.67	<0.01	0.67	<0.02	69.8	50	38	0.73	43.7	13.15
E386042		1.54	0.69	5.04	22.7	110	0.55	4.37	1.52	<0.02	99.5	259	24	0.94	2560	17.45
E386043		1.70	2.23	3.64	47.2	90	0.35	16.15	1.75	<0.02	164.5	527	17	0.7	6800	26.6
E386044		1.66	0.14	7.04	4	510	0.92	0.34	0.39	<0.02	63.2	106.5	35	2.04	915	11.25
E386045		1.42	1.1	4.79	16.7	190	0.47	3.38	0.65	<0.02	239	94.6	19	1.4	>10000	20.2
E386046		1.44	5.5	0.34	177.5	40	0.15	36.4	1.21	<0.02	400	763	<1	0.43	>10000	34
E386047		1.92	2.01	2.75	103	70	0.92	19.3	2.32	<0.02	355	477	14	2.74	6310	28.1
E386048		1.06	0.38	7.61	20.6	430	2.57	2.89	0.22	<0.02	152	141.5	54	7.81	348	9.49
E386049		0.92	0.28	7.77	12.3	710	3.62	1.46	0.61	<0.02	111.5	83.4	51	10.45	1565	10.85
E386050		0.14	0.03	0.17	<5	60	0.13	<0.01	48.6	0.42	2.86	1.4	6	0.05	13.6	0.11
E386051		1.54	0.07	7.57	4.4	4970	3.52	0.07	1.27	<0.02	96.8	71.8	53	9.24	849	12
E386052		1.22	0.05	6.47	2.8	4750	2.59	<0.01	1.21	<0.02	137.5	69.4	39	7.98	94	12.05
E386053		1.54	0.01	6.71	2.5	8320	2.9	<0.01	0.44	<0.02	124.5	82.2	46	8.15	55.5	11.4
E386054		1.60	0.03	6.22	2.1	6490	2.09	<0.01	4.73	<0.02	65.1	39.8	35	7.64	59.1	7.33
E386055		1.44	0.06	6.29	5.1	3840	1.89	<0.01	3.97	<0.02	79.4	60.5	38	7.44	32.6	6.31
E386056		1.32	0.04	6.36	2.3	4860	2.25	<0.01	4.38	<0.02	86.9	35.2	35	8.08	21	6.74
E386057		1.50	0.07	8.4	5.9	5670	2.84	0.01	3.18	<0.02	136.5	59.6	49	11.6	24.4	6.77
E386058		1.28	0.02	6.93	2.9	>10000	2.27	<0.01	2.34	<0.02	50	39.7	37	10.3	19.7	8
E386059		1.78	0.04	6.79	4	6810	2.34	<0.01	3.46	<0.02	39.7	48.4	38	11.1	536	10.25
E386060		1.20	0.02	7.01	1.2	9990	2.35	<0.01	2.73	<0.02	81.5	45.9	43	10.1	8.4	9.99
E386061		0.16	0.02	0.19	<5	110	0.1	<0.01	>50	0.43	2.98	1.1	7	0.06	4.5	0.1
E386062		0.24	1.09	6.16	80.8	130	2.15	3.05	2.24	<0.02	64.3	176.5	36	3.93	8010	10.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386023		17.25	0.16	2.1	0.013	0.09	63.9	32.6	0.8	555	1.21	5.13	4.3	19.8	780	2.4
E386024		18.75	0.21	2.2	0.011	0.15	87.7	33.9	0.77	805	1.22	5.12	4.4	22.7	780	2.1
E386025		20.8	0.26	2.2	0.013	0.42	70.3	47.2	0.82	815	1.46	4.68	3.7	26.5	750	2.8
E386026		18.35	0.26	2.1	0.013	0.18	46.2	34.4	0.83	1005	1.96	4.61	3	27	790	2.8
E386027		0.52	0.05	0.1	0.006	0.03	1.8	2.3	0.52	40	0.21	0.03	0.2	<0.2	130	0.7
E386028		19.05	0.24	2	0.048	0.96	56.5	69.8	1	2030	4.16	3.48	2	22.8	650	2.5
E386029		19.95	0.23	1.8	0.093	2.2	20.4	123.5	1.2	1695	2.78	1.57	2.6	27	660	1.9
E386030		20.2	0.26	1.8	0.131	2.75	57.1	147	1.2	1190	3.32	0.57	2.4	25.4	630	2
E386031		22	0.29	1.9	0.142	3.09	102	154.5	1.18	1390	1.98	0.55	2.2	27.8	770	2.4
E386032		15.9	0.3	1.5	0.129	1.93	80.6	108	0.99	2140	4.48	0.93	2.2	27.4	930	2
E386033		21.4	0.28	1.9	0.166	3.06	91.2	80	0.93	2870	3.49	0.96	2.7	26.2	810	2.4
E386034		16.2	0.28	1.5	0.125	2.14	44.8	112	1.01	3260	5.87	0.89	3.4	28.5	850	2.3
E386035		7.09	0.33	0.7	0.061	0.24	46.2	31.8	0.62	2580	13.8	0.96	5.6	31.3	1770	1.4
E386036		13.15	0.28	1.4	0.077	0.25	42	28.6	0.78	2380	73.5	2.89	1.6	28.9	960	2.1
E386037		17.1	0.32	1.7	0.025	0.13	68	22.4	0.73	1705	9.08	4.04	1	30.6	840	2.4
E386038		0.52	<0.05	0.1	<0.005	0.03	1.8	2.1	0.52	42	0.32	0.03	0.2	<0.2	120	0.8
E386039		13.6	0.13	1.5	0.094	2.99	26	16.7	1.35	3180	14.85	0.58	1.8	19.1	730	2.6
E386040		17.45	0.25	1.8	0.02	0.1	60.9	15.4	0.52	1100	10.35	4.42	1.4	26.7	770	2.3
E386041		15.15	0.2	1.6	0.026	0.1	44.7	14.7	0.6	1420	7.01	4.33	1.1	24.2	820	1.9
E386042		11.7	0.27	1.5	0.045	0.16	53.9	18.2	0.89	2110	101.5	3.11	1	31.4	1390	3.6
E386043		12.85	0.41	1	0.149	0.07	118	21.4	1.43	4570	195.5	1.93	2.3	52.8	1550	9.7
E386044		13.7	0.2	2	0.076	0.44	44.5	30.6	0.98	3500	38.2	4.05	3.5	20.1	850	1.9
E386045		12.5	0.34	1.4	0.217	0.15	180	34.9	1.9	9340	98	2.23	2.8	41.4	1310	5.6
E386046		5.71	0.56	0.2	0.335	0.04	300	6.6	1.69	10700	115.5	0.04	3.4	66.7	3100	20.7
E386047		13.1	0.48	0.9	0.148	0.52	265	36	1.79	4310	81.3	0.51	5.1	68.3	2460	8.7
E386048		15.05	0.19	1.9	0.043	2.16	97.7	89.7	1.1	225	19.85	1.72	3.6	31.9	880	3.1
E386049		20.9	0.23	2.2	0.084	2.48	69.2	116.5	1.09	578	29.7	1.66	2.3	24	810	2.6
E386050		0.57	0.07	0.1	0.009	0.04	2.3	1.7	0.53	42	0.49	0.03	0.3	1.7	130	0.7
E386051		20.5	0.21	2.2	0.125	2.46	58.9	113	1.28	1680	8.12	1.51	2.1	26.9	690	1.9
E386052		17.05	0.26	1.8	0.242	2.46	82.1	73.7	1.16	4860	13.7	1.18	1.7	22.9	710	1.7
E386053		19.65	0.25	1.9	0.377	3.05	68.9	58.9	1.11	5620	2.45	0.54	3.1	23.5	650	1.4
E386054		16.35	0.15	1.9	0.21	2.51	35.5	46.8	2.39	6500	5.71	0.75	3.1	19.5	620	1.4
E386055		16.85	0.2	1.7	0.163	2.55	42.8	39.3	1.51	4640	21.6	0.86	4	18.1	600	1.6
E386056		17.15	0.21	1.8	0.166	2.62	46.8	34.7	1.65	5360	6.81	0.79	4.4	18.2	710	1.5
E386057		22.1	0.25	2.7	0.184	3.56	75.7	39.9	1.32	3980	98.6	0.82	4.2	29.5	910	1.8
E386058		18.65	0.17	2	0.214	2.99	27.3	42.6	1.39	4230	20.2	0.36	3.2	22.8	720	1.3
E386059		18.25	0.18	1.8	0.252	3.21	22	40.4	1.66	5490	4.16	0.31	2.1	22.4	730	1.4
E386060		18.7	0.2	2	0.262	3.31	47.2	39.3	1.45	5160	2.32	0.45	2.5	23.5	640	1.3
E386061		0.64	0.08	0.1	<0.005	0.05	2.4	1.9	0.56	61	0.31	0.02	0.3	2	160	0.7
E386062		16.05	0.21	2	0.151	2.3	20.4	27	1.3	3660	70.5	0.98	3.5	39.5	920	22.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386023		3.8	0.002	0.36	0.69	15.1	2	7.4	257	0.31	<0.05	14.4	0.095	<0.02	2.9	44
E386024		7.9	0.002	0.28	0.74	16	2	9.4	352	0.35	<0.05	15.9	0.1	<0.02	2.8	65
E386025		26.4	<0.002	0.36	0.78	29.9	2	14	337	0.32	<0.05	15.5	0.1	0.04	2.7	84
E386026		10.1	0.002	0.42	0.76	14.9	2	7.8	320	0.26	0.12	13	0.087	0.02	2.6	66
E386027		0.6	<0.002	0.08	0.07	0.8	3	<0.2	304	<0.05	<0.05	0.2	0.007	<0.02	0.7	3
E386028		60.4	0.002	0.33	0.77	17.6	3	15.6	218	0.18	0.05	15.4	0.089	0.09	2.6	57
E386029		132.5	0.002	0.43	1.05	13.3	2	20.5	165.5	0.19	<0.05	12.4	0.099	0.16	2.3	61
E386030		163.5	<0.002	0.28	1.22	12.8	3	21.9	172	0.16	0.05	15.3	0.101	0.2	2.1	58
E386031		184.5	0.002	0.26	1.33	14.1	1	23.3	125	0.14	0.05	18.3	0.115	0.23	2	66
E386032		119	<0.002	0.17	1.17	11	2	14.9	200	0.14	0.06	13.4	0.081	0.14	1.8	54
E386033		188	<0.002	0.18	1.09	14.8	2	22.6	80.9	0.12	<0.05	14.6	0.114	0.22	1.9	72
E386034		132	0.002	0.23	0.88	13	2	17.6	708	0.07	0.17	7	0.07	0.15	2.1	55
E386035		15.2	0.003	0.54	0.6	3.6	2	2.7	1115	0.05	0.8	4.4	0.019	0.02	4.3	32
E386036		16.1	0.091	1.32	0.77	7.6	5	3.1	523	0.08	0.4	8.5	0.029	0.04	2.8	41
E386037		7.1	0.006	0.7	0.69	7.5	3	2.2	220	0.07	0.09	13	0.031	0.02	2.4	50
E386038		0.6	<0.002	0.08	0.07	0.7	2	<0.2	306	<0.05	<0.05	0.2	0.007	<0.02	0.7	4
E386039		123	0.005	1.26	0.78	7.7	<1	5.5	438	0.1	0.14	9.1	0.104	0.26	15.6	65
E386040		5.2	0.011	0.6	0.73	7.7	<1	2.2	261	0.1	0.08	10.7	0.035	<0.02	2.5	55
E386041		5.8	0.009	0.34	0.73	5.4	<1	1.7	400	0.07	<0.05	9.5	0.025	<0.02	2.8	58
E386042		9.3	0.108	2.76	1.08	7.4	2	2.5	264	<0.05	2.24	9.3	0.016	0.04	5.8	59
E386043		3.7	0.133	7.48	2.55	7.9	4	2.8	112	0.07	8.02	7.2	0.02	0.07	11.6	56
E386044		26.7	0.061	0.85	1.46	8.4	1	8.2	204	0.22	0.1	12.7	0.074	0.06	3	44
E386045		7.2	0.074	2.18	1.68	7.5	2	2.6	97.8	0.09	1.17	9.3	0.026	0.08	11.6	39
E386046		2.8	0.052	>10.0	5.69	5.1	5	4.4	72.9	<0.05	18.9	4.1	0.008	0.18	2.2	31
E386047		34.2	0.046	7.91	4.77	8.4	4	9.7	45.4	0.09	7.85	7.1	0.039	0.12	5.1	63
E386048		125.5	0.024	2.07	2.28	9.6	1	19.4	56.8	0.13	0.32	11.3	0.127	0.15	10	83
E386049		158	0.05	1.12	2.01	13.8	1	26.5	57.6	0.12	0.2	12.6	0.122	0.22	18	77
E386050		0.4	0.002	0.07	0.09	0.5	1	<0.2	300	<0.05	0.13	0.2	0.007	<0.02	0.8	2
E386051		154	0.009	0.45	1.3	13.3	1	22.1	78	0.14	0.06	15.4	0.142	0.21	2.7	73
E386052		149	0.015	0.22	1.19	10.4	<1	13.1	69.8	0.1	<0.05	14.8	0.109	0.2	7.8	60
E386053		179	0.004	0.26	1.39	10.8	<1	12.6	88.5	0.22	<0.05	14.4	0.151	0.27	1.9	64
E386054		148.5	0.007	0.19	1.23	10.3	<1	7.4	285	0.2	0.05	12.9	0.121	0.22	4.7	57
E386055		148	0.02	0.29	1.54	10.1	<1	5.5	609	0.27	0.09	11.6	0.138	0.22	9.1	61
E386056		155.5	0.006	0.18	1.65	9.8	<1	5.4	641	0.31	0.11	11.7	0.149	0.24	1.9	60
E386057		204	0.011	0.25	1.77	11.7	<1	6.2	490	0.23	0.07	18	0.151	0.34	5.1	53
E386058		180	0.002	0.28	1.77	10.2	<1	5.3	318	0.21	0.06	13.7	0.131	0.3	2.8	57
E386059		189.5	0.004	0.16	1.44	10.9	<1	5.8	364	0.13	0.05	13.5	0.116	0.32	4.9	64
E386060		191.5	0.002	0.2	1.3	11.2	<1	4.6	418	0.16	<0.05	12.1	0.127	0.31	2.1	62
E386061		0.8	<0.002	0.06	0.08	0.5	1	<0.2	318	<0.05	0.11	0.3	0.008	<0.02	0.8	2
E386062		98.9	0.025	2.48	1.65	10	2	8.1	595	0.17	0.26	9	0.088	0.51	301	59

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Cu	Au	Ba
	Units	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.001	0.01
E386023		7.8	11.9	8	71.6		<0.001	1.45
E386024		9.8	13.7	3	73.7		<0.001	2.71
E386025		9.4	13.4	7	73.6		<0.001	
E386026		8.5	13.6	7	71.6		0.001	
E386027		0.1	2.8	26	4.1		<0.001	
E386028		5	16	6	67.5		0.002	
E386029		7.6	12.2	6	62.5		<0.001	
E386030		8.7	11	10	59		<0.001	
E386031		9.5	11.3	8	64		<0.001	0.85
E386032		7.7	10.7	6	52.2		<0.001	
E386033		11.1	11.1	6	63.7		<0.001	0.61
E386034		9.5	9.6	14	49.5		0.003	
E386035		7.2	8.4	9	21.7		0.004	
E386036		5.6	11.6	9	45		0.015	
E386037		4.1	13.4	10	57.8		<0.001	
E386038		0.1	2.9	26	4.6		0.004	
E386039		5.6	8.3	6	44.8		0.019	
E386040		4	12.9	6	55.9		0.002	
E386041		3.7	13.4	5	46.9		0.001	
E386042		3.6	14	3	43		0.059	
E386043		7	12.9	8	30		0.150	
E386044		11.7	10.9	9	61.9		0.005	
E386045		5.5	13.4	33	42.7	1.155	0.064	
E386046		24.7	15.9	8	5.2	1.615	0.535	
E386047		11.2	15.4	12	26.3		0.182	
E386048		10.2	9.6	10	63.3		0.025	
E386049		12.3	12	8	66.8		0.016	
E386050		0.1	3.3	24	3.6		<0.001	
E386051		12.6	12.4	5	64.6		0.004	
E386052		11.6	12.7	2	53.4		<0.001	
E386053		15.8	10.6	3	58.9		<0.001	0.88
E386054		15.1	15.3	4	56.5		<0.001	1.78
E386055		15.6	14.6	4	53.5		0.001	
E386056		15.7	13.9	3	53.4		0.004	
E386057		18	14.5	3	80.9		0.002	3.56
E386058		13	12.2	4	58.4		<0.001	2.24
E386059		11.4	13.8	2	54.8		<0.001	2.27
E386060		11.6	12	2	62.7		0.002	2.77
E386061		0.1	3.3	26	4.6		<0.001	
E386062		8.9	16.1	21	60.1		0.055	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386063		1.20	0.03	6.93	1.4	9000	2.42	<0.01	2.59	<0.02	147	35.1	40	10.55	52.6	8.53
E386064		1.40	0.01	7.81	1.3	>10000	2.6	<0.01	2.89	<0.02	42.2	34.8	45	11.9	11.7	9.18
E386065		1.30	0.01	7.07	1.1	>10000	2.06	<0.01	3.83	<0.02	59.6	18.6	42	9.29	10.4	8.02
E386066		1.42	0.01	6.72	1.8	8380	2.44	<0.01	4.16	<0.02	121	17.2	35	10.8	19.4	7.08
E386067		1.56	0.03	6.06	1.8	6570	2.27	0.06	4.34	<0.02	88.5	19	35	9.41	74.5	7.44
E386068		1.26	0.02	6.21	2.2	9350	2.37	<0.01	4.75	<0.02	74.5	17.9	34	9.99	17.2	7.4
E386069		1.42	0.05	6.37	1.7	7760	2.01	<0.01	4.94	<0.02	73.7	17.5	34	10.5	39.9	7.15
E386070		1.32	0.02	6.27	1.6	8170	1.9	<0.01	4.31	<0.02	63.5	16.6	33	11.45	15.1	7.05
E386071		1.54	0.06	6.04	4.4	3760	2.06	0.21	4.41	<0.02	87.6	49.5	35	11	175	8.18
E386072		1.24	0.07	6.51	8.9	2080	2.08	0.21	2.31	<0.02	87.9	72.1	41	9.7	345	9.9
E386073		0.16	0.03	0.15	<5	70	0.06	<0.01	45	0.36	2.46	0.9	7	0.07	3	0.07
E386074		1.40	0.23	4.98	35.4	300	1.57	1.4	1.96	<0.02	123	117	26	7.3	1020	18.55
E386075		1.94	0.49	4.4	26.7	130	1.11	1.77	4.8	<0.02	92.7	105	20	4.77	3600	17.55
E386076		1.64	1.05	2.18	80.4	50	0.37	7.85	3.96	<0.02	157	289	6	1.27	3270	24.1
E386077		1.68	0.06	6.2	5.3	3120	2.94	0.35	0.66	<0.02	92.7	58.3	38	9.42	47.5	10.45
E386078		1.14	0.07	6.69	4	7750	2.54	0.07	1.81	<0.02	87	40.7	38	9.85	356	12.05
E386079		1.22	0.06	7.44	3.9	8880	2.32	0.05	2.32	<0.02	91.3	21.6	41	10.55	338	8.57
E386080		1.44	0.04	6.8	3.1	8690	2.03	0.03	3.27	<0.02	109.5	19.3	37	9.73	233	7.92
E386081		1.66	0.05	6.58	5	1310	2.2	0.58	1.9	<0.02	114	39.4	39	9.75	121	9.69
E386082		1.38	0.15	5.7	10.5	260	1.89	2.52	1.44	<0.02	149.5	73.7	34	8.36	79.7	11.05
E386083		1.10	0.08	7.7	7.5	2450	2.24	0.88	2.62	<0.02	158.5	64.8	40	9.24	30.1	10.5
E386084		0.16	0.03	0.15	<5	70	0.12	<0.01	44.1	0.3	2.33	0.9	6	0.06	1.7	0.09
E386085		0.24	1.19	2.35	109.5	50	0.73	10.1	2.17	<0.02	176	316	13	2.48	8690	27.5
E386086		1.40	0.05	7.01	5	3690	1.82	0.26	1.51	<0.02	86.4	38.9	37	7.66	54.2	9.02
E386087		1.30	0.05	6.48	5.9	1030	1.64	0.53	1.23	<0.02	91.3	48.1	37	6.32	27.7	11.1
E386088		1.36	0.13	7.64	9.8	1140	2.39	1.1	1.71	<0.02	147	73.3	41	9.68	524	13.05
E386089		1.44	0.11	6.03	9.2	390	2.04	1.04	1.68	<0.02	116	53.2	34	8.44	170.5	8.48
E386090		1.72	0.21	7.79	14.4	750	2.63	0.97	1.11	<0.02	175	50.2	44	11.15	636	7.81
E386091		1.04	0.14	6.27	15.4	200	1.08	1.75	3.28	<0.02	23.7	65.1	29	3.74	647	9.34
E386092		1.34	0.52	4.11	74.4	210	0.61	8.7	4.09	<0.02	110	227	16	2.27	2630	20.2
E386093		1.32	0.35	4.98	27.9	160	1.23	2.85	1.58	<0.02	101.5	109	30	6.19	7260	15.35
E386094		1.54	0.84	3.54	56.9	1780	1.45	12.65	4.9	<0.02	355	332	16	5.25	2330	24
E386095		1.44	1.14	2.39	62.1	360	0.47	18.45	4.27	<0.02	328	369	11	1.77	4020	28.4
E386096		0.16	0.03	0.15	<5	120	0.09	0.06	44.6	0.34	3.35	2	7	0.05	19	0.16
E386097		1.68	1.15	2.39	60.2	290	0.47	20.1	4.82	<0.02	414	491	13	1.62	5430	29.2
E386098		1.56	1.11	3.53	55.4	400	0.75	20.4	3.79	<0.02	374	387	19	2.39	3860	28.1
E386099		1.70	1.1	3.19	44	80	0.3	15	5.25	<0.02	293	302	12	0.92	6800	27.6
E386100		1.92	1.31	1.88	64.5	290	0.44	25.4	3.74	<0.02	135.5	377	7	1.3	5120	33.7
E386101		1.84	2.13	1	85.1	110	0.19	36.1	1.99	<0.02	353	628	2	0.59	4680	38.2
E386102		1.68	1.68	1.27	52.9	50	0.23	20.8	4.73	<0.02	273	485	<1	0.77	>10000	33.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386063		19.1	0.24	2.1	0.208	3.25	77.7	42.6	1.27	3920	2.64	0.27	3.1	19.3	670	1.6
E386064		20.5	0.18	2.2	0.219	3.91	22.1	47.3	1.4	4290	1.49	0.18	3.2	21.1	730	1.2
E386065		15.95	0.16	1.7	0.121	3.47	31.5	37.4	1.47	3720	1.01	0.23	2.8	16.9	710	1
E386066		18.35	0.23	1.9	0.119	3.16	70.7	37.9	1.5	3840	1.07	0.32	4.2	18.5	630	1.3
E386067		16.45	0.18	1.8	0.105	2.58	51.5	38	1.54	3920	2.01	0.35	2.8	19.8	620	1.2
E386068		16.5	0.18	1.7	0.115	2.77	40.4	38.1	1.67	4450	1.57	0.45	2.6	19.2	550	1.2
E386069		16.45	0.16	1.8	0.115	2.95	40	43.4	1.78	4480	2.45	0.32	2.5	21.1	640	1.2
E386070		16.25	0.16	1.7	0.099	2.88	36.4	43.8	1.71	3790	1.48	0.17	2.6	20.2	640	1.1
E386071		16.15	0.19	1.8	0.177	2.55	48.8	50.6	2.35	5840	3.14	0.14	2.4	19.1	630	1.7
E386072		15.75	0.19	1.7	0.205	2.88	47.3	42.3	1.36	5330	5.83	0.28	2.3	20.5	900	1.5
E386073		0.51	0.06	0.1	<0.005	0.04	2	1.6	0.49	43	0.21	0.02	0.3	4.4	110	0.8
E386074		14.05	0.28	1.5	0.245	2.01	69.1	32.8	1.54	8380	33.4	0.65	2.2	31.1	1020	2.7
E386075		12.3	0.27	1.3	0.215	1.47	60.5	26.2	2.58	9290	21.2	0.96	3.2	28.6	1140	2.9
E386076		6.17	0.34	0.7	0.134	0.3	112	15.5	2.48	10200	55.7	0.85	5.4	40.3	2250	4.8
E386077		18	0.22	1.7	0.193	3.07	61.1	52.2	1.01	4400	5.81	0.12	2.8	18.4	680	1.6
E386078		19.35	0.23	2.1	0.184	2.95	53.9	46.9	1.61	5730	10.7	0.24	2.3	24.9	740	1.5
E386079		20	0.22	2.1	0.132	3.29	54.7	41.7	1.34	4140	9.98	0.61	2.6	18.9	740	1.3
E386080		18.15	0.22	2	0.106	3.05	65.1	33.9	1.2	4160	4.42	0.52	2.4	16.1	790	1.2
E386081		18.15	0.26	1.9	0.129	3.01	67.5	34.9	1.11	4460	5.2	0.37	1.9	22.8	720	1.4
E386082		16.25	0.28	1.8	0.122	2.37	86.9	34.9	1.06	4490	5.75	0.6	1.7	30.3	690	2.5
E386083		21.9	0.29	2.3	0.099	2.78	100.5	40.9	1.55	4880	5.31	1.43	2.3	39.2	830	2
E386084		0.5	0.06	0.1	<0.005	0.04	1.9	1.4	0.49	53	0.18	0.02	0.3	<0.2	130	0.6
E386085		9.27	0.4	0.8	0.251	0.65	100	19.9	1.51	6100	60.2	0.24	5.5	57	2310	6
E386086		17.75	0.22	2	0.099	2.31	52	35.4	1.61	5120	3.92	1.72	1.8	27.6	720	1.4
E386087		13.85	0.2	1.5	0.073	2.66	53.2	30.2	1.34	4310	6.09	0.85	1.3	23.7	740	1.4
E386088		21.3	0.29	2.3	0.124	3.06	92.1	45.2	1.6	5480	19.4	1.18	1.4	38	750	1.9
E386089		18.3	0.24	1.9	0.099	2.49	69.8	40.8	1.2	3570	21	0.65	1.4	30.6	670	2
E386090		22.8	0.27	2.4	0.074	2.54	111.5	87.8	1.49	1750	46.8	1.3	2	24.4	890	3.7
E386091		13.35	0.14	1.3	0.052	1.19	14.4	28	1.43	3180	16.4	2.81	1.5	19.7	690	2.6
E386092		10.15	0.34	1.1	0.053	0.4	74.5	21.4	1.69	3640	31.6	1.86	3.3	47.9	1910	7.4
E386093		11.4	0.25	1.7	0.051	0.68	69.3	43.4	1.57	1425	4.95	1.07	1.1	29.2	1240	3.3
E386094		14	0.5	1.3	0.168	1.24	253	40.7	1.96	4690	75.6	0.06	7	50.4	2940	7.8
E386095		8.85	0.58	0.8	0.089	0.35	245	20.9	1.45	3420	69.7	0.62	6.9	61.3	4500	7.8
E386096		0.52	0.05	0.1	<0.005	0.03	2.8	1.5	0.49	54	1.08	0.02	0.3	2.2	180	0.7
E386097		8.09	0.54	1	0.106	0.21	311	23	1.59	3800	95	0.62	8	62.6	4580	7.6
E386098		10.6	0.53	1.3	0.07	0.49	286	29.9	1.35	2920	121	1.13	9.8	65.5	3990	7.1
E386099		8.77	0.46	0.9	0.095	0.09	224	19	1.72	4720	110.5	1.42	4.5	45.7	4140	5.9
E386100		5.94	0.42	0.9	0.074	0.27	102.5	18.2	1.2	3140	61.2	0.46	8.2	68.7	2540	8.2
E386101		6.46	0.65	0.3	0.065	0.06	274	13.2	0.8	1740	141	0.04	5.7	92.4	2510	10.2
E386102		7.09	0.47	0.2	0.155	0.06	199	15.5	1.74	4530	136	0.07	2.9	62.8	2870	7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386063		196	0.002	0.18	1.63	10.5	<1	5.1	392	0.2	0.06	13.8	0.135	0.33	3.1	61
E386064		219	0.002	0.29	1.58	11.8	<1	5.4	268	0.2	<0.05	16.4	0.155	0.37	2.4	73
E386065		180	<0.002	0.28	1.28	9.3	<1	4.3	354	0.19	<0.05	12.6	0.144	0.27	1.9	66
E386066		191	<0.002	0.16	1.8	10.9	1	5.1	482	0.33	0.07	11.1	0.149	0.29	1.8	62
E386067		156	<0.002	0.19	1.33	9.9	<1	4.9	420	0.19	<0.05	10.7	0.114	0.28	1.9	57
E386068		172.5	0.002	0.22	1.3	10.4	<1	5.1	419	0.18	<0.05	11.6	0.113	0.27	1.8	56
E386069		175.5	0.002	0.16	1.5	10	<1	5.1	520	0.17	<0.05	13.4	0.117	0.31	2	58
E386070		171.5	<0.002	0.17	1.57	9.5	<1	5	427	0.17	<0.05	11.1	0.113	0.31	2.1	55
E386071		156	0.003	0.2	1.51	9.6	<1	8.8	435	0.16	0.05	12.3	0.109	0.27	2.7	54
E386072		160	0.006	0.39	1.16	8.8	<1	9.6	353	0.13	0.15	10.9	0.115	0.26	2.2	65
E386073		0.5	<0.002	0.05	0.12	0.5	1	<0.2	276	<0.05	0.11	0.2	0.007	<0.02	0.7	2
E386074		119.5	0.017	1.38	1.44	8	1	9	145.5	0.08	0.36	11.4	0.073	0.23	9.4	57
E386075		80.5	0.012	1.86	1.25	6.9	1	8.3	149	0.12	0.64	7.6	0.057	0.16	4.4	59
E386076		15.5	0.024	6.16	1.26	3.3	2	4.1	88.6	0.11	2.22	4.8	0.022	0.04	8.5	55
E386077		180	0.005	0.31	1.48	9.3	<1	16.8	182	0.09	0.06	10.5	0.108	0.3	2.1	70
E386078		179.5	0.012	0.26	1.37	10.8	<1	12.6	276	0.13	<0.05	10.2	0.111	0.33	3	68
E386079		190	0.013	0.25	1.49	9.8	<1	9.6	408	0.15	0.07	11.4	0.123	0.37	3.5	69
E386080		173.5	0.005	0.24	1.54	8.5	<1	7	302	0.15	<0.05	10.3	0.111	0.36	2.7	62
E386081		173	0.009	0.48	1.41	9.3	<1	7.3	318	0.09	<0.05	11.1	0.104	0.36	2.8	62
E386082		143	0.014	1.57	1.96	8.5	<1	6.7	87.5	0.09	0.19	11.9	0.085	0.35	6.3	52
E386083		160.5	0.031	0.68	1.59	14	<1	7.6	214	0.14	0.15	14.4	0.111	0.34	3.6	65
E386084		0.6	<0.002	0.05	0.06	0.4	<1	<0.2	274	<0.05	0.06	0.2	0.006	<0.02	0.6	2
E386085		34.7	0.016	6.68	1.96	4.1	3	7.1	158.5	0.12	0.97	5.2	0.034	0.48	14.2	59
E386086		136.5	0.022	0.38	1.34	11	<1	6.6	281	0.11	0.07	12.3	0.088	0.29	3.7	53
E386087		140.5	0.049	0.65	1.22	8.1	<1	6.1	82.8	0.07	0.07	9.4	0.097	0.22	2.3	62
E386088		177	0.21	0.96	1.38	12.2	1	8.7	64.9	0.07	0.1	13.7	0.101	0.34	4.6	67
E386089		148	0.193	1.02	1.64	10.5	1	8.5	53	0.09	0.12	12.3	0.086	0.29	2.9	53
E386090		150	0.057	0.98	1.78	12	<1	15.5	108	0.11	0.07	16.5	0.097	0.32	54.4	62
E386091		56.9	0.021	2.26	1.13	8.1	<1	7.5	90.3	0.1	0.1	7	0.059	0.1	33.1	66
E386092		20	0.017	>10.0	1.56	6.2	1	4.6	85	0.15	0.42	7.6	0.046	0.09	9.1	80
E386093		31.5	<0.002	4.03	1.62	3.7	1	4.9	66.8	0.05	0.14	8.1	0.032	0.14	6.2	53
E386094		68.4	0.015	>10.0	2.38	11.3	3	19.4	97.5	0.11	0.88	10	0.062	0.26	22.5	83
E386095		19.9	0.012	>10.0	2.72	5.2	3	7.8	88.7	0.15	1.36	8	0.036	0.21	17.8	80
E386096		0.4	<0.002	0.1	0.08	0.5	1	0.2	277	<0.05	0.11	0.2	0.006	<0.02	0.8	1
E386097		11.3	0.013	>10.0	2.53	4.6	4	6.1	96.4	0.2	1.72	10.3	0.043	0.1	26.1	77
E386098		29.5	0.018	>10.0	2.34	5.2	4	12.2	76.3	0.2	1.1	8.8	0.054	0.15	14.4	81
E386099		4.6	0.019	>10.0	2.25	5.4	4	5.9	102.5	0.11	1.15	7.7	0.032	0.15	28.5	75
E386100		15.5	0.009	>10.0	2.92	3.4	3	8.5	58.4	0.21	1.5	4.7	0.042	0.21	27.2	61
E386101		3.4	0.029	>10.0	3.95	2.2	5	4.6	42	0.12	3.96	4.9	0.024	0.21	5.3	68
E386102		2.6	0.035	>10.0	2.7	4.1	6	4.7	138	0.08	2.02	3.7	0.014	0.42	5.8	78

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386063		12.6	12.3	<2	61		0.001	2.51
E386064		12.7	14	2	68.1		0.005	1.61
E386065		10.5	12.6	2	49.9		<0.001	2.15
E386066		12.7	14.9	<2	57.7		<0.001	2.95
E386067		10.3	14.8	2	52.8		<0.001	2.66
E386068		10.9	16.2	2	52.1		<0.001	2.59
E386069		10.4	15.1	3	53.1		<0.001	3.14
E386070		10	13.6	4	53.4		<0.001	2.78
E386071		13.1	15.4	7	56.1		0.001	
E386072		13.6	13.4	3	53.2		0.007	
E386073		0.2	3	22	3.5		<0.001	
E386074		10.8	11.8	3	43.9		0.022	
E386075		11.1	12.9	<2	38.9		0.034	
E386076		9.9	13.8	3	20.5		0.069	
E386077		15.7	10.2	3	51.3		0.002	
E386078		18	13.5	7	62		0.008	2.50
E386079		20.7	14.4	3	64.6		0.011	3.78
E386080		19.3	15.2	3	59.6		0.005	2.48
E386081		17.6	12.8	4	55.5		0.007	
E386082		14.4	12.7	3	54.6		0.014	
E386083		16.9	16.8	4	68.7		0.008	
E386084		0.1	2.6	22	3		<0.001	
E386085		6.6	13.8	6	22.8		0.126	
E386086		14.1	13.9	5	62.3		0.007	
E386087		11.5	8.9	4	43.8		0.011	
E386088		15.6	11.6	3	66.3		0.016	
E386089		13.4	9.1	3	54.5		0.013	
E386090		14.2	13	13	72.4		0.012	
E386091		9.4	8.8	3	38.8		0.013	
E386092		10.3	15.9	2	32.9		0.046	
E386093		5.1	11.6	18	49.7		0.019	
E386094		13.5	24.9	3	37.4		0.059	
E386095		13.7	26.3	<2	24.4		0.093	
E386096		0.2	2.9	22	3.8		<0.001	
E386097		10.4	29.7	9	27.7		0.099	
E386098		10.5	24.4	<2	39.2		0.083	
E386099		5.8	24.5	13	28.5		0.079	
E386100		10.8	16.8	<2	28.6		0.083	
E386101		6.8	15	<2	8.7		0.161	
E386102		5	19.8	13	4.9	1.090	0.112	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 10-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132886

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07132887

Project: IGOR : IG-2007-23

P.O. No.: 19528

This report is for 172 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E386103		1.36	0.59	4.56	14.8	90	0.69	6	5.11	<0.02	243	122.5	24	4.87	935	16.7
E386104		1.14	0.29	6.59	5.5	460	1.79	1.54	0.42	<0.02	44.3	78.8	38	8.66	551	11.95
E386105		1.30	0.09	8.08	3.5	2370	2.16	0.53	0.21	<0.02	83.2	48.3	55	6.37	182	9.77
E386106		1.26	0.05	7.05	3.3	1750	1.01	0.06	0.23	<0.02	70.1	31.3	44	2.76	456	9.3
E386107		0.14	0.01	0.16	<5	150	0.05	<0.01	45.7	0.4	2.75	0.9	7	<0.05	8.9	0.06
E386108		0.18	0.28	7.1	48.4	600	2.28	1.66	1.94	<0.02	88.5	104	44	6.66	1610	6.89
E386109		1.36	0.17	5.58	7.6	190	0.73	0.63	1.57	<0.02	108.5	77.1	29	1.82	1610	14.55
E386110		1.74	0.29	2.77	11.5	90	0.46	0.79	2.69	<0.02	186	102	14	0.65	3340	22
E386111		1.74	0.36	2.72	14.6	80	0.33	1.36	1.7	<0.02	192.5	158	12	1.04	4130	22.4
E386112		1.46	0.56	3.17	18.8	90	0.21	2.76	4.15	<0.02	273	99.6	14	0.64	8200	20.6
E386113		1.66	0.66	1.3	50.2	50	0.12	7.98	4.65	<0.02	>500	264	8	0.42	3100	29
E386114		1.68	0.13	1.24	10.8	370	0.26	0.17	6.14	<0.02	415	34.1	4	0.48	691	22.9
E386115		1.70	0.03	7.03	3	3800	2.38	0.07	0.43	<0.02	135	19.4	50	8.03	166.5	7.87
E386116		1.50	0.04	8.22	2.1	8500	2.36	0.06	0.4	<0.02	142	29.2	54	10.7	140.5	11.2
E386117		1.52	0.04	9.81	1.5	>10000	2.95	<0.01	0.68	<0.02	103.5	23.6	68	12.7	73	10.15
E386118		1.26	0.03	8.37	1.5	9240	2.35	0.01	1.28	<0.02	113.5	33.7	52	10.25	216	11.95
E386119		0.16	0.01	0.14	10	70	0.08	<0.01	46.1	0.4	2.79	0.9	6	0.05	4.7	0.05
E386120		1.48	0.03	8.03	1.1	>10000	2.93	<0.01	1.13	<0.02	42.3	19.3	52	11.05	82	10
E386121		1.24	0.06	9.26	1.9	>10000	3.17	0.01	0.36	<0.02	63.8	19.2	65	10.95	9.2	9.49
E386122		1.40	0.04	6.28	2.1	7410	1.71	0.02	1.15	<0.02	115	28.1	37	8.52	38.2	9.04
E386123		1.28	0.06	7.47	3	9910	3.01	0.08	0.77	<0.02	140	26.6	53	11.65	72.3	10.3
E386124		1.32	0.04	6.47	3.7	6830	3.08	0.06	0.27	<0.02	188.5	25.4	49	11.4	20.4	9.18
E386125		1.56	0.04	5.14	6.7	480	1.7	0.08	0.9	<0.02	151	41.7	38	6.22	27.3	15.1
E386126		2.10	0.1	0.6	10.1	90	0.44	0.25	2.93	0.02	174.5	130	2	0.19	251	26
E386127		1.44	0.04	6.36	4.5	310	1.91	0.13	1.14	<0.02	119.5	74.5	42	6.23	13.5	16.15
E386128		1.52	0.02	8.93	2.9	7010	2.83	0.04	1.01	<0.02	22.1	33	51	5.2	42.3	8.82
E386129		1.52	0.07	6.59	5.7	500	2.34	0.16	1.29	<0.02	33.9	53.2	44	5.72	67.9	14.25
E386130		0.16	0.03	0.13	14	40	0.09	<0.01	44.9	0.36	2.05	0.7	5	<0.05	1.7	0.05
E386131		0.20	1.21	5.42	75.7	70	1.52	2.94	1.9	<0.02	56.9	155.5	31	3.72	7920	9.57
E386132		1.52	0.05	6.08	4.2	1550	2.74	0.15	0.49	<0.02	23.8	22.8	40	9.11	51.4	7.77
E386133		1.40	0.04	7.42	3.9	5970	3.09	0.03	0.48	<0.02	48.9	24.1	44	11.4	19.2	8.6
E386134		1.56	0.05	7.21	4	2980	2.69	0.03	0.44	<0.02	56.7	29.4	49	9.41	14.4	10.55
E386135		1.26	0.04	6.26	3.4	2540	2.67	0.06	0.37	<0.02	67.8	27	43	10.85	8.6	10.95
E386136		1.48	0.06	5.14	4.2	1550	1.89	0.06	0.49	<0.02	38.6	28.9	39	7.9	24.1	13.7
E386137		1.38	0.05	8.04	3.7	4770	3.43	0.05	0.25	<0.02	48.6	46.9	52	7.47	13	11.35
E386138		1.32	0.02	8.44	2.5	8920	3.05	0.06	0.26	<0.02	34.7	24.9	48	6.67	11.4	7.62
E386139		1.76	0.04	7.93	3.5	2970	2.14	0.07	0.47	<0.02	60.5	28	48	8.82	7.4	12.7
E386140		1.04	0.08	6.9	4	2210	2.84	0.1	0.65	<0.02	110	29.9	49	11.05	6.4	12.1
E386141		1.04	0.05	8.36	4.1	3320	3.46	0.08	0.46	<0.02	115	18.8	53	14.7	6	9.95
E386142		0.16	0.01	0.14	<5	90	0.11	<0.01	43.6	0.3	1.86	0.6	5	<0.05	1.5	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386103		12.3	0.36	1.3	0.127	0.45	156	54.8	2.76	6620	25.3	0.13	5.3	42	1370	5.8
E386104		17.3	0.14	1.7	0.039	1.49	22.7	78.2	1.46	860	2.09	0.39	1.7	31.7	710	3.6
E386105		22.3	0.17	2.4	0.04	1.52	49.2	56.4	1.06	513	9.07	2.81	2.3	35.3	730	2
E386106		16	0.18	2.1	0.027	0.53	43.3	29.6	0.93	1765	11.05	3.61	2.7	26.8	670	1.8
E386107		0.48	0.05	0.1	<0.005	0.03	1.8	1.3	0.48	40	0.44	0.03	0.3	2.1	120	0.7
E386108		19.25	0.15	2.2	0.119	2.98	40.5	19.2	1.31	3330	19.15	0.58	4.3	28.2	820	3
E386109		12.4	0.19	1.5	0.04	0.31	51	16.8	1.12	2440	20.6	3.05	2.5	27.4	1020	1.1
E386110		8.9	0.35	0.8	0.027	0.07	91.3	13.6	1.11	2530	40.9	1.07	6.8	36.5	2390	1.6
E386111		7.63	0.34	0.7	0.112	0.16	104	9.8	1.22	4590	68.5	1.29	3.1	29.1	2310	2.1
E386112		7.92	0.33	1	0.11	0.09	206	6.6	1.5	5500	51.3	1.86	3.4	33.5	1690	4.4
E386113		8.02	0.59	0.6	0.067	0.06	490	5.7	1.44	5380	74.4	0.6	5.7	40.1	2090	7.2
E386114		7.5	0.44	0.4	0.07	0.06	320	7.3	2.04	7180	38.3	0.45	6.8	26.5	2990	2.5
E386115		18.9	0.12	1.8	0.049	2.44	95.2	43.2	0.66	753	3.88	1.18	3.6	15.5	760	1.9
E386116		22.8	0.17	2	0.102	3.3	92	58.6	1.07	3320	1.44	0.88	2.6	18.6	820	2.2
E386117		30.2	0.15	2.4	0.113	4.5	66.3	77.5	1.28	1895	1.12	0.51	3.4	21.8	810	2
E386118		22.7	0.2	2.2	0.101	3.03	72.3	65.6	1.5	4480	2.44	1.47	2.9	23.3	790	2
E386119		0.51	0.07	0.1	<0.005	0.03	1.8	1.5	0.49	41	0.27	0.03	0.3	2.7	120	0.9
E386120		22.9	0.11	2.1	0.077	3.32	26.8	68.3	1.12	2090	2.01	0.77	3.7	16.6	790	1.5
E386121		24.8	0.18	2	0.087	4.71	44.6	68.9	0.86	571	1.24	0.51	3.3	13.4	780	1.6
E386122		19.55	0.2	1.7	0.068	2.41	76	67.5	1.02	1360	1.61	0.98	2.4	16	720	2.4
E386123		22.6	0.26	2.1	0.095	3.36	98.3	80.3	0.91	831	3.61	0.84	3.8	16.2	810	3
E386124		21.1	0.24	2	0.076	2.96	149.5	73.3	0.74	391	2.62	0.47	5.4	15	790	2.2
E386125		13	0.29	1.2	0.035	2.02	115.5	44.3	0.76	954	4.28	0.79	2.8	16.8	1110	1.9
E386126		5.88	0.56	0.2	0.058	0.03	110.5	3.6	0.7	2700	12.65	0.21	2.6	20.8	1660	1.5
E386127		14.9	0.32	1.7	0.039	1.96	88.4	36.5	0.96	1040	4.93	1.57	3.5	21.1	1440	2.2
E386128		21.2	0.13	1.9	0.033	2.09	15.4	39.7	1.62	893	2.28	1.52	2.7	49.8	990	1.8
E386129		21	0.26	1.6	0.025	1.68	22.9	39.2	1.33	1250	8.01	1.02	2.8	46.4	1040	2
E386130		0.48	0.05	0.1	0.027	0.03	1.6	1.1	0.5	34	0.19	0.02	0.2	4	110	0.8
E386131		14.45	0.23	1.8	0.137	2.19	22	19.4	1.18	3330	70.4	0.89	3.1	36.9	840	20.7
E386132		18.25	0.12	1.9	0.066	2.51	15.8	51.8	0.82	641	4.39	0.62	3.7	18.3	760	2.4
E386133		20.7	0.18	2.4	0.088	3.43	32.5	64	0.88	1560	5.55	0.93	4.1	17.5	750	2.7
E386134		17.85	0.19	2.1	0.062	3.03	37.5	53.3	0.92	1985	4.3	0.75	2.9	17.5	840	1.7
E386135		18.75	0.23	2.1	0.076	3.11	44.2	59.8	0.85	1490	6.62	0.39	3.5	19.7	940	1.5
E386136		15.15	0.23	1.7	0.05	2.14	25.6	47.4	0.77	1075	6.91	0.57	3.1	20.3	1010	1.6
E386137		31.4	0.24	2.2	0.058	1.99	32.3	54.8	1.65	1940	5.11	0.78	3.5	84.1	800	2
E386138		22.5	0.13	1.7	0.025	2.44	20.7	46.5	1.35	472	3.03	0.73	2.6	63.9	810	2.7
E386139		15.9	0.19	1.9	0.039	2.9	39.1	54.6	1.11	1555	4.8	1.54	2.6	16	970	2.6
E386140		20.3	0.32	2.3	0.057	2.77	69.7	64.8	0.82	1035	7.78	1.08	3.3	20.1	870	3.8
E386141		22.3	0.3	2.5	0.062	3.57	72	68.2	0.75	659	6.1	1.14	3.6	18.1	960	3
E386142		0.42	0.06	0.1	0.04	0.04	1.4	1	0.49	34	0.19	0.02	0.2	2.7	110	0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method Analyte Units LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E386103		26.9	0.011	2.87	1.91	8.5	1	6.8	133.5	0.18	0.35	12.5	0.059	0.31	6.3	71
E386104		96.7	<0.002	1.07	1.58	15.2	<1	20.3	182	0.14	0.06	15	0.086	0.24	3.3	64
E386105		90.75	0.01	0.56	1.38	23.3	<1	22.2	538	0.16	<0.05	14.3	0.095	0.19	3.4	79
E386106		32.9	0.015	0.4	1.22	8.9	<1	8.3	844	0.19	<0.05	11.1	0.079	0.08	4.2	53
E386107		0.8	<0.002	0.06	0.05	0.6	1	<0.2	279	<0.05	<0.05	0.3	0.006	<0.02	0.8	3
E386108		143	0.006	1.34	1.37	12.2	1	8.4	469	0.32	0.16	14.3	0.134	0.38	21.4	65
E386109		18.1	0.011	1.15	1.13	6.4	1	5.7	617	0.16	0.06	9.5	0.05	0.03	4.7	57
E386110		3.6	0.017	1.48	0.92	4.5	2	4.7	601	0.19	0.11	5.1	0.044	<0.02	7.1	55
E386111		10.2	0.026	2.09	1.2	4.7	2	3.9	434	0.09	0.14	5.6	0.023	0.02	3.7	57
E386112		4.4	0.018	2.37	1.75	4	2	2.7	182	0.09	0.31	6.8	0.025	0.05	13.4	41
E386113		3.2	0.023	4.76	4.21	3.6	4	2.8	169	0.11	0.94	6.9	0.027	0.09	14.3	28
E386114		3.6	0.01	0.34	1.79	4.1	1	2.7	674	0.12	<0.05	7.1	0.026	<0.02	2.8	48
E386115		148.5	<0.002	0.23	1.61	13.5	<1	21.9	704	0.16	<0.05	12	0.113	0.22	3.2	70
E386116		199	<0.002	0.33	2.3	14.5	<1	18.5	486	0.17	<0.05	16.4	0.123	0.28	3.7	80
E386117		250	<0.002	0.38	2.91	19.1	<1	23	494	0.23	0.05	16.9	0.162	0.38	3.6	94
E386118		179	<0.002	0.32	1.98	17.7	<1	18.8	273	0.18	0.06	17.8	0.124	0.26	4.7	74
E386119		1.1	<0.002	0.05	0.06	0.6	1	<0.2	283	<0.05	<0.05	0.2	0.006	<0.02	0.7	3
E386120		196.5	<0.002	0.37	1.98	16	<1	21	235	0.2	<0.05	14.6	0.131	0.3	3.1	71
E386121		212	<0.002	0.3	2.17	13.1	2	20.9	144	0.16	<0.05	13.6	0.157	0.33	4.1	84
E386122		124	<0.002	0.28	2.46	12	1	11.6	236	0.13	<0.05	14.9	0.087	0.22	4.5	57
E386123		173	0.003	0.3	2.57	12.2	<1	19	166.5	0.17	0.07	14.3	0.121	0.32	4.1	75
E386124		159	<0.002	0.21	2.44	12.6	1	27.1	214	0.18	0.07	13.3	0.119	0.26	3.1	70
E386125		109	<0.002	0.3	1.82	10.6	2	14.3	321	0.11	0.07	9.6	0.081	0.15	2.6	64
E386126		1.8	0.002	1.38	0.85	3.2	3	1.3	681	0.06	0.16	2.5	0.009	0.02	1.4	24
E386127		95.8	<0.002	0.63	1.45	13.3	2	21.8	144	0.12	0.05	11.9	0.088	0.13	4.5	68
E386128		84.4	<0.002	0.33	1.08	15.5	2	18.4	251	0.16	<0.05	11	0.14	0.13	4.9	73
E386129		89	0.002	0.39	1.69	13.8	2	13.2	330	0.16	0.14	12.2	0.109	0.13	4.2	73
E386130		0.8	<0.002	0.06	0.08	0.5	2	<0.2	290	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E386131		95.1	0.024	2.3	1.72	9	4	8.2	563	0.17	0.23	8.5	0.08	0.48	278	53
E386132		148	0.002	0.15	2.31	9.2	2	15.1	488	0.22	<0.05	12.8	0.118	0.23	12.1	54
E386133		174.5	0.002	0.17	2.37	12.1	2	17.4	161	0.22	<0.05	30.5	0.132	0.28	22.1	57
E386134		172	<0.002	0.17	1.92	11.2	2	15.2	218	0.15	<0.05	19.5	0.119	0.24	9.7	60
E386135		160	0.002	0.14	2.28	11.6	2	16.4	272	0.2	0.07	14.3	0.125	0.26	4.3	59
E386136		125.5	0.002	0.16	2.5	10	2	12.6	206	0.19	0.14	11.8	0.105	0.19	5.7	62
E386137		122.5	<0.002	0.26	2.29	17.9	2	15.7	290	0.24	0.08	13.3	0.15	0.17	4.5	78
E386138		86	<0.002	0.25	1.73	12.6	1	12.1	285	0.15	0.05	8.2	0.151	0.16	8.3	73
E386139		131.5	0.002	0.25	1.44	9.4	2	15.9	365	0.14	<0.05	8.2	0.118	0.19	4.1	73
E386140		175.5	0.003	0.21	2.1	10.9	2	19.5	464	0.17	<0.05	13.1	0.106	0.28	6	70
E386141		196.5	0.002	0.18	2.02	11.5	2	21.1	499	0.18	<0.05	14.7	0.134	0.37	8.2	73
E386142		0.9	<0.002	0.06	0.07	0.4	2	<0.2	281	<0.05	<0.05	0.2	0.006	<0.02	0.6	4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386103		9.4	17.9	22	38.7		0.013	
E386104		14	9	25	52.5		0.002	
E386105		17.1	13.8	11	73.6		<0.001	
E386106		14.4	12.4	10	65.3		<0.001	
E386107		0.1	3	24	3.8		<0.001	
E386108		10.6	12.3	6	67		0.018	
E386109		18.2	12.1	7	46.1		0.006	
E386110		23	17.6	7	25.3		0.016	
E386111		21.9	12.7	6	21.1		0.023	
E386112		26.9	15.4	8	28.1		0.031	
E386113		31.8	17.7	5	18.2		0.045	
E386114		52.1	17.5	7	11.2		0.003	
E386115		22.2	9.5	4	54.6		<0.001	
E386116		22.2	12.7	5	60.1		0.001	4.15
E386117		25.8	15.2	6	74		<0.001	3.63
E386118		22.2	16	6	70.7		0.005	2.10
E386119		0.1	3.1	24	3.5		<0.001	
E386120		21.2	12.4	5	63.9		0.001	1.78
E386121		20	9.4	4	60.9		<0.001	1.55
E386122		15.6	10.1	9	54.1		<0.001	1.80
E386123		18.4	12.8	7	64.1		0.007	1.47
E386124		23.3	11.2	6	65.9		0.003	2.01
E386125		22.9	9.5	4	36.2		0.002	
E386126		19.7	15.6	3	4.2		0.001	
E386127		16.2	12.5	9	51.5		<0.001	
E386128		12.6	10.2	14	59		0.001	1.37
E386129		20.8	10.7	13	48.2		0.004	
E386130		0.1	2.6	22	3.1		<0.001	
E386131		8.6	15	13	55		0.045	
E386132		26.8	10.1	12	58.9		0.001	
E386133		37.2	12.9	5	74.3		0.001	1.49
E386134		25.6	10.6	4	64.4		0.001	
E386135		26.6	10.4	5	65		0.002	
E386136		28.3	9.4	4	51.1		0.006	
E386137		19	12.2	11	69.1		0.001	
E386138		14.3	8.7	13	55.8		0.002	2.12
E386139		17.6	10.1	15	59.4		<0.001	
E386140		23.8	11.9	8	73.4		<0.001	
E386141		24.9	11.8	5	78.3		0.001	
E386142		0.1	2.2	22	2.4		<0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386143		1.28	0.03	6.87	3.3	3050	2.69	0.05	0.53	<0.02	124	18	44	11	2.9	7.36
E386144		1.18	0.05	5.57	3.5	1610	2.01	0.06	0.67	<0.02	152.5	22	37	8.96	3.3	7.68
E386145		1.04	0.05	6.58	2.7	3700	2.37	0.03	0.59	<0.02	147.5	18.7	41	10.5	7.3	9.7
E386146		1.32	0.06	5.04	3.6	1800	1.86	0.06	0.79	<0.02	142.5	29.3	28	8.65	1.9	12.2
E386147		1.28	0.04	6.35	2.5	4500	2.54	0.04	0.82	<0.02	139	18.4	41	11.25	3.1	10.2
E386148		1.08	0.02	6.4	2	4770	1.92	0.02	1.06	<0.02	91.3	15.9	36	7.89	2.9	9.02
E386149		1.84	0.07	7.06	3.7	6060	3.22	0.09	0.78	<0.02	125	25	42	13.35	7.2	9.17
E386150		1.00	0.1	6.79	5.9	1200	2.34	0.17	0.99	<0.02	115	35.8	42	10.2	20.8	11.45
E386151		1.44	0.11	8.61	9.5	4910	3.65	0.14	0.92	<0.02	160	43.2	53	14.45	12.1	12.35
E386152		1.08	0.06	6.45	7.6	1080	2.38	0.1	1.01	<0.02	115	39	38	9.39	3.5	11.6
E386153		0.16	0.02	0.13	13	110	0.11	<0.01	43.3	0.35	2.56	0.9	6	<0.05	6.8	0.07
E386154		0.24	1.36	2.22	113.5	50	0.46	11.3	2.09	0.02	205	308	12	2.82	8690	25.9
E386155		1.86	0.06	6.07	3.6	1940	2.16	0.09	1.16	<0.02	128	24.1	41	10	34	9.2
E386156		1.58	0.05	8.34	3.9	3510	2.84	0.1	1.23	<0.02	110.5	35.2	48	12.2	17	12.6
E386157		1.36	0.07	8.74	3.3	>10000	3.5	0.07	1.08	<0.02	141	20.1	53	17.5	8.1	9.44
E386158		1.76	0.04	6.06	2.6	5940	2.83	0.14	1.45	<0.02	131	12.3	38	10.2	9.7	9.59
E386159		1.20	0.04	6.93	2.3	9360	2.52	0.02	0.85	<0.02	162.5	13	42	11	28.2	8.99
E386160		1.30	0.05	8.02	2.8	8660	3.94	0.05	1.19	<0.02	161	34.1	47	12.3	4.3	10.1
E386161		1.10	0.05	5.58	2.3	1130	0.98	0.04	1.01	<0.02	83	53.5	34	2.15	36.7	10.1
E386162		1.18	0.07	5.66	2.9	1810	0.76	0.07	1.11	<0.02	75.9	68.5	30	1.98	129	13.7
E386163		1.44	0.03	5.87	2.7	890	0.88	0.03	1.08	<0.02	118	68.8	32	1.9	20.9	13.7
E386164		1.28	0.06	6.42	2.4	1480	0.8	0.03	0.66	<0.02	103	61.9	40	1.68	38.2	14.5
E386165		0.16	0.02	0.13	<5	40	0.11	<0.01	43.2	0.41	2.5	1	5	<0.05	2.9	0.07
E386166		1.42	0.06	6.57	3.3	660	0.73	0.07	1.62	<0.02	112	104.5	34	0.76	16.8	12.35
E386167		1.46	0.08	6.35	4	290	0.85	0.11	0.95	<0.02	89	140	39	1.74	293	17.8
E386168		1.36	0.14	6.48	3.4	260	0.73	0.15	2.05	<0.02	109.5	117	36	0.77	1080	10.65
E386169		1.52	0.37	4.21	13.5	180	0.36	0.42	2.94	<0.02	417	209	20	0.58	3440	19.8
E386170		1.76	0.25	3.34	20.7	170	0.2	0.72	3.59	0.03	311	258	10	0.47	330	31.9
E386171		1.50	0.2	2.92	15.7	100	0.13	0.46	6.53	0.02	251	178	10	0.27	1840	21.7
E386172		1.42	0.43	4.45	14.3	130	1.42	1.62	4.06	<0.02	160	98.6	21	3.07	4500	14.05
E386173		1.22	0.4	4.26	40.5	130	0.25	2.23	4.88	<0.02	136	178	17	0.37	2070	19.95
E386174		1.04	0.52	2.91	94.4	60	0.23	3.56	2.83	<0.02	121.5	421	20	0.57	1970	24.8
E386175		2.00	0.56	2.01	112.5	60	0.16	5.5	7.6	<0.02	228	235	7	0.67	1390	22.6
E386176		0.18	0.01	0.13	12	30	0.1	0.01	46.4	0.42	3.05	1.8	6	<0.05	7.7	0.08
E386177		0.16	0.34	6.75	55.6	210	2.52	1.66	1.91	<0.02	85.9	112	39	6.87	1500	7.07
E386178		1.88	0.86	3.01	119	70	0.32	14.75	7.3	<0.02	411	387	11	0.76	3110	21.3
E386179		1.60	1.59	0.46	178	40	0.07	30.5	11.85	<0.02	146.5	406	<1	0.38	5900	30.9
E386180		1.76	0.83	4.43	122.5	80	0.51	12.7	4.01	<0.02	100.5	327	22	0.71	5670	20
E386181		1.90	1.36	2.91	144.5	70	0.25	17.7	5.03	<0.02	175.5	440	13	0.47	9760	25.5
E386182		1.92	1.63	2.43	205	40	0.34	35.8	5.43	<0.02	98.4	681	10	0.67	4170	31.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386143		19.5	0.21	2.4	0.082	2.98	78	56.3	0.71	585	7.23	0.99	3.7	13.7	880	2.2
E386144		16.1	0.24	2	0.037	2.07	96	55.3	0.76	773	9.11	1	3.8	12.2	750	2.7
E386145		18.3	0.25	2.3	0.045	2.68	96.5	62.4	0.66	702	4.51	1.14	3.5	15	800	2.4
E386146		14.8	0.29	1.6	0.027	2.05	91	48.4	0.69	1055	11.2	0.39	3.2	18.4	890	2.2
E386147		18.1	0.31	2.1	0.045	3.03	91.2	55.4	0.69	931	7.95	0.64	3.7	15.7	820	2.2
E386148		13	0.16	1.6	0.01	3.04	59	44.4	0.76	1080	3.88	0.83	2.5	11.5	780	1.5
E386149		20.4	0.27	2.4	0.045	3.36	82	72.6	0.83	725	5.26	0.65	3.5	18.9	840	2.6
E386150		17.55	0.31	2	0.038	2.84	73.9	60.4	0.91	800	15.95	0.74	3.5	18.8	1080	3
E386151		25.6	0.3	2.6	0.097	3.86	112.5	91	0.97	777	17	0.83	3.9	22.3	1370	3.5
E386152		16.95	0.3	1.9	0.054	2.71	71.1	67.1	1.06	909	10.7	0.35	3.1	19.4	970	2.1
E386153		0.53	0.07	0.1	0.033	0.03	1.9	1.2	0.48	36	0.3	0.02	0.3	4	110	0.7
E386154		9	0.61	0.8	0.287	0.63	114	14.9	1.41	5790	64.2	0.23	5.4	56.4	2300	6.6
E386155		18.1	0.25	2.2	0.046	2.31	80.3	61.6	1.02	1160	7.02	0.73	4.1	18.5	800	2.4
E386156		20.3	0.28	2.2	0.087	3.42	68.1	72.5	1.34	1060	9.03	0.72	2.8	25.7	930	2
E386157		25.5	0.23	2.7	0.108	4.04	96.7	93.9	1.26	987	10.6	0.82	3.7	21.1	970	2.1
E386158		17.7	0.28	1.9	0.078	2.64	79.6	60.1	1	1320	7.18	0.7	3.3	15.6	840	1.9
E386159		18.55	0.22	2	0.065	3.04	113.5	65.9	0.84	1140	2.94	1.09	3.2	12.9	830	1.7
E386160		24.3	0.25	2.6	0.072	2.97	116.5	77.7	1.01	1140	11.7	1.74	2.4	20.5	910	2
E386161		15.1	0.21	1.8	0.025	0.47	61.5	31.8	0.94	1460	4.01	2.73	1.3	18.6	640	2
E386162		15.55	0.23	2	0.02	0.26	58.6	47.6	1.49	951	3.58	2.17	1.1	27.2	660	2.7
E386163		15.45	0.24	1.9	0.032	0.32	88.7	55	1.62	826	2.27	2.06	0.8	26.7	740	2.9
E386164		17.2	0.26	2.2	0.024	0.23	79.2	51.3	1.41	562	2.16	2.46	1.2	28.7	600	2.4
E386165		0.58	<0.05	0.1	<0.005	0.03	2	1.7	0.45	35	0.24	<0.01	0.2	<0.2	100	0.8
E386166		17.75	0.24	2	0.019	0.15	85.3	20	0.68	974	3.18	3.97	1.1	21.5	740	2.4
E386167		18.45	0.28	2.2	0.023	0.36	64.9	45.7	1.27	611	1.45	2.44	1	33.9	780	2.4
E386168		15.8	0.22	2.3	0.021	0.13	78.3	20.6	0.94	2070	0.85	3.71	2.2	20.1	790	2.2
E386169		13.4	0.45	1.3	0.047	0.08	300	14.4	1.05	2980	25.8	2.16	2.5	26.1	2440	2.3
E386170		13.75	0.64	0.8	0.074	0.07	216	11.4	1.14	3680	126	1.62	2.9	36	2840	3.5
E386171		9.97	0.41	0.9	0.152	0.08	187.5	8.3	1.71	7170	45.8	1.55	3.8	23.3	3110	3.5
E386172		12.35	0.32	1.4	0.134	0.82	105.5	50.7	1.84	4130	34.6	0.67	3.2	23.9	1630	4.9
E386173		10.1	0.34	1	0.097	0.07	110.5	14.4	1.49	4420	15.35	2.26	4.2	24.4	2310	4
E386174		10.5	0.39	1.1	0.063	0.05	98.9	22.8	1.21	2640	19.85	0.84	5.2	43.1	2210	5.2
E386175		8.56	0.42	0.7	0.157	0.05	178	19.5	2.39	7140	26.9	0.46	4.7	30.8	2300	6.3
E386176		0.59	<0.05	0.1	<0.005	0.03	2.5	1.6	0.49	43	0.42	<0.01	0.2	<0.2	120	0.7
E386177		19.6	0.19	2.2	0.132	2.87	46.4	26.1	1.26	3200	19.55	0.47	2.9	25.5	790	2.8
E386178		9.83	0.52	1.1	0.103	0.09	291	19.4	1.69	4710	51.9	1.13	5.9	39.3	5150	7.5
E386179		4.76	0.42	0.2	0.121	0.03	130.5	4.4	1.64	6160	32.8	0.11	3.1	33.2	2550	10.5
E386180		10.75	0.38	1.1	0.056	0.11	86.9	15.7	0.71	1300	18.95	2.36	3.9	37.3	2430	9.4
E386181		8.89	0.45	0.7	0.092	0.07	147.5	7.9	0.7	2320	38.4	1.7	4.2	40.4	2840	19.7
E386182		6.96	0.44	0.9	0.097	0.13	84.1	8.3	1.08	4300	27.2	1.26	4.9	46.2	1440	25.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386143		163	0.002	0.13	2.21	9.2	2	16.5	385	0.22	<0.05	15.2	0.123	0.26	9.5	59
E386144		139	0.002	0.17	2.15	7.7	2	11.5	376	0.23	<0.05	12.2	0.09	0.21	5.6	50
E386145		167	<0.002	0.15	2	9.2	2	14.4	283	0.19	<0.05	16.2	0.104	0.25	5.5	66
E386146		135.5	0.002	0.18	2.45	7.6	2	10.8	234	0.17	0.08	12.8	0.09	0.18	3.8	60
E386147		161	0.002	0.12	2.05	9.1	2	14.3	259	0.19	0.08	15.3	0.111	0.25	5.3	69
E386148		135.5	<0.002	0.12	1.45	7.1	2	9.6	275	0.13	<0.05	9.8	0.109	0.17	3.6	64
E386149		179.5	<0.002	0.18	2.31	11.5	2	15.8	154.5	0.2	0.06	15.6	0.125	0.31	5.7	71
E386150		162.5	0.002	0.32	2.02	9.4	2	14	306	0.18	0.21	14.8	0.113	0.23	35.4	74
E386151		201	0.002	0.4	2.04	12.1	1	23.7	217	0.13	0.18	14.6	0.137	0.3	29.4	79
E386152		153	0.002	0.29	1.56	8.6	2	14	388	0.15	0.12	11.1	0.105	0.2	9.2	67
E386153		1	<0.002	0.06	0.08	0.5	3	0.2	270	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E386154		37.1	0.019	6.58	2.47	3.7	6	8.3	176	0.14	1.57	6.2	0.031	0.48	17.7	57
E386155		160.5	<0.002	0.16	2.19	8.5	2	14.2	727	0.24	0.05	13.1	0.105	0.22	6.2	60
E386156		199	<0.002	0.33	1.19	11.3	2	16.5	411	0.12	0.11	13.7	0.121	0.26	8	73
E386157		208	0.002	0.31	1.69	13	1	20.9	374	0.12	0.13	17.3	0.146	0.31	8.4	73
E386158		139	<0.002	0.15	1.55	7.8	<1	11.3	265	0.15	0.18	13.1	0.095	0.24	4.8	66
E386159		145.5	<0.002	0.22	1.69	8.1	1	15.1	291	0.15	0.08	12.4	0.113	0.22	5.1	68
E386160		154.5	0.002	0.4	1.39	16.6	1	32.2	252	0.09	0.06	15.9	0.112	0.26	6.7	69
E386161		28.5	<0.002	0.43	1.47	8.9	<1	8.5	167.5	0.08	<0.05	12.9	0.053	0.04	3.4	43
E386162		12.2	<0.002	0.56	1.65	7.2	<1	5	141	0.06	0.05	12.9	0.047	0.03	5	45
E386163		15.2	<0.002	0.59	1.39	8.4	<1	5.3	188.5	0.05	<0.05	12.3	0.04	0.03	3.2	42
E386164		11.5	<0.002	0.57	1.31	7.9	1	5.4	170	0.07	<0.05	14.3	0.045	0.02	3.3	49
E386165		0.8	<0.002	0.06	0.16	0.2	1	<0.2	263	<0.05	<0.05	0.3	0.006	<0.02	0.7	10
E386166		6.9	<0.002	0.95	1.21	6.2	<1	4.7	156	0.06	0.05	14.7	0.04	<0.02	7	52
E386167		18.1	0.002	1.29	1.36	9.1	1	7.7	154	0.05	<0.05	13.1	0.047	0.03	3.1	64
E386168		6.2	<0.002	1.16	1.01	8.8	1	6.5	260	0.13	0.05	12	0.059	<0.02	4.7	41
E386169		3.3	0.007	2.34	0.93	8.7	2	4.5	158	0.07	0.13	18.4	0.032	<0.02	2.4	56
E386170		3.2	0.03	2.65	1.06	6.9	2	2.8	133	0.09	0.29	12.2	0.024	0.02	18.5	74
E386171		3.3	0.024	2.05	0.77	8.5	2	1.9	242	0.12	0.18	8.3	0.018	0.02	3	49
E386172		48.8	0.008	1.94	1.15	8.5	2	12.7	313	0.1	0.48	8.4	0.043	0.09	6.1	47
E386173		2.1	0.006	3.03	1.25	6.5	2	3.4	170.5	0.08	0.45	6.7	0.019	0.02	19.1	86
E386174		2	0.004	5.88	2.1	3.6	2	5.4	89	0.07	0.52	5.4	0.03	0.02	10.2	96
E386175		2.2	0.01	5.69	1.55	7.4	2	3.2	190	0.08	0.65	5.8	0.018	0.02	9	56
E386176		0.7	<0.002	0.07	0.11	0.1	1	<0.2	284	<0.05	<0.05	0.2	0.006	<0.02	0.7	11
E386177		120.5	0.008	1.32	1.29	10.7	2	8.9	434	0.17	0.21	14.1	0.103	0.37	19.4	64
E386178		4.5	0.027	7.18	2.13	5	3	4.7	155	0.1	1.68	9.5	0.032	0.03	14.6	69
E386179		1.5	0.011	>10.0	4.69	2	2	3	210	<0.05	1.41	1.9	0.01	0.03	13.7	47
E386180		5.3	0.018	6.72	4.14	3	2	7.2	112.5	<0.05	0.38	5.6	0.045	0.03	86.5	73
E386181		3.1	0.039	9.68	4.15	3.9	3	5.7	105	0.05	0.51	5.5	0.031	0.04	192	81
E386182		6.4	0.016	>10.0	6.12	4.2	2	7.4	106	0.07	0.66	5.3	0.039	0.03	243	53

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386143		23.9	11.4	6	71.3		0.001	
E386144		21.9	11.2	8	62.8		<0.001	
E386145		20.5	12.7	7	67.2		0.002	
E386146		23.7	11.3	6	49.7		0.001	
E386147		20.5	12.9	5	64.2		0.003	
E386148		13.6	9.9	3	48.2		0.004	
E386149		21.2	14.1	4	72.6		0.007	1.39
E386150		22	13.3	5	62.6		0.005	
E386151		28.2	16.5	5	84.6		0.003	
E386152		18.8	11.6	7	56.5		0.007	
E386153		0.1	2.7	25	3.2		<0.001	
E386154		7.3	14.9	2	23		0.100	
E386155		21.4	13.2	6	68.1		0.006	
E386156		20.1	12.7	7	68		0.003	
E386157		25.7	14.3	6	87.9		0.005	3.20
E386158		16.2	12.2	2	56.5		0.004	2.41
E386159		18.7	12.7	2	66.3		0.002	2.77
E386160		21.2	15	3	82.7		0.003	2.50
E386161		9.7	10.1	5	60.3		0.001	
E386162		6.2	10.1	11	67.6		<0.001	
E386163		4.8	10.9	14	63.6		<0.001	
E386164		6.5	10.4	13	73.9		0.001	
E386165		<0.1	2.9	21	4.2		<0.001	
E386166		6.1	14.4	4	66.6		<0.001	
E386167		5.2	11.7	12	72.9		<0.001	
E386168		6.5	12.7	6	77.3		0.001	
E386169		3.9	20.2	3	41.1		0.009	
E386170		4.1	23.4	6	23.9		0.007	
E386171		4.7	29.1	6	30.3		0.006	
E386172		7.9	18.5	13	41.5		0.013	
E386173		4	18.2	6	32.6		0.008	
E386174		5.7	14.9	11	34.6		0.015	
E386175		7.4	19.6	9	21.6		0.020	
E386176		<0.1	3.1	24	3.6		<0.001	
E386177		9.3	11.6	5	66		0.021	
E386178		8	34.6	6	30.2		0.058	
E386179		21.8	30.5	5	5		0.085	
E386180		9.9	22.6	3	34.5		0.033	
E386181		6.7	30.6	6	23.6		0.057	
E386182		7.2	26.1	3	27.4		0.048	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E386183		1.92	1.59	1.76	227	40	0.16	34.3	5.55	<0.02	258	577	12	0.41	7820	36.1
E386184		2.06	1.77	1.6	251	60	0.13	57.1	4.37	0.02	239	816	4	0.36	3190	37.5
E386185		1.82	1.61	3.81	149.5	50	0.32	27.7	4.6	<0.02	388	502	19	0.72	7410	25.4
E386186		1.50	1.58	5.01	82.5	100	0.46	16.6	2.84	<0.02	187	316	28	0.75	9000	21.9
E386187		1.50	0.88	7.26	60.7	100	1.1	11.7	1.36	<0.02	100	247	47	2.45	5070	19.05
E386188		0.14	0.02	0.12	<5	20	0.06	0.04	42.9	0.41	2.05	1	6	<0.05	6	0.05
E386189		1.58	0.4	5.6	21.3	810	1	3.05	2.64	<0.02	124	106	30	1.68	866	20.5
E386190		1.52	0.45	5.35	15	700	0.45	2.55	3.46	<0.02	133.5	99.7	32	0.73	4300	19.25
E386191		1.52	0.25	6.32	16.4	1380	0.49	2.96	4.74	<0.02	118.5	69.9	28	0.8	1530	14.25
E386192		1.48	1.46	6.95	23.5	420	0.94	4.17	0.97	<0.02	267	99.9	52	1.2	>10000	13.6
E386194		1.90	2.43	5.34	123.5	130	0.63	40.8	3.15	<0.02	252	672	26	0.79	>10000	20.4
E386195		1.60	1.53	4.27	100.5	110	0.35	27.6	5.78	<0.02	135.5	435	15	0.81	4630	20.1
E386196		1.58	0.92	10.35	33.5	210	6.12	6.7	0.8	<0.02	65.6	168.5	64	10.45	4800	8.27
E386197		1.76	1.83	5.21	93.7	80	0.82	23.1	3.31	<0.02	337	418	31	10.95	>10000	21.2
E386198		1.62	2.22	1	100	60	0.24	45.1	8.2	<0.02	377	507	<1	4.6	8170	37.1
E386199		0.16	0.01	0.14	<5	40	0.09	0.03	49.2	0.36	2.1	0.9	5	<0.05	12.1	0.11
E386200		0.22	1.07	5.98	57	100	1.61	2.92	2.18	<0.02	62.3	176.5	36	3.66	7900	10.6
E386201		1.98	1.43	1.42	89.2	70	0.18	36.7	9.38	<0.02	184.5	576	3	2.84	2810	33
E386202		1.74	2.25	2.05	78.7	60	0.34	31.2	4.78	<0.02	278	492	12	11.35	>10000	36.4
E386203		1.84	2.08	3.48	64.8	60	0.42	25.7	3.7	<0.02	261	651	15	8.35	>10000	33.2
E386204		1.54	1.66	6.51	123	630	1.02	20.8	0.89	<0.02	219	626	35	34.6	6320	16.8
E386205		1.86	2.98	4.5	119	290	0.57	27.8	1.53	<0.02	348	673	30	20.6	>10000	28.2
E386206		1.14	2.21	3.78	47.5	230	0.42	9.44	3.54	<0.02	461	231	15	5.3	>10000	29.6
E386207		1.26	0.8	7.53	52.4	520	0.65	12.15	0.89	<0.02	115.5	246	45	9.24	4820	13.5
E386208		1.52	0.34	5.58	11.1	1350	0.62	2.23	1.11	<0.02	363	68.2	47	9.24	2030	10.8
E386209		1.38	0.46	5.88	10.8	820	0.51	1.64	1.1	<0.02	123	54	44	9.31	6620	11.7
E386210		1.68	0.45	4.68	18.1	870	0.8	2.84	0.44	<0.02	261	83.4	45	28.4	4890	13.95
E386211		0.16	0.02	0.16	<5	40	0.2	0.02	>50	0.45	2.88	1.2	6	0.07	14.7	0.08
E386212		1.40	1.31	5.49	87.3	130	0.52	24.9	2.59	<0.02	186	397	41	10.45	8460	21.1
E386213		1.86	1.27	3.02	25.3	220	0.2	7.19	5	<0.02	156.5	230	13	3.73	>10000	26.9
E386214		2.04	2.47	1.17	26.8	50	0.12	10.2	5.02	<0.02	195.5	332	1	3.26	>10000	35.9
E386215		1.68	2.75	3.16	25.9	80	0.4	7.99	1.9	<0.02	162.5	249	22	11.7	>10000	30.7
E386216		1.88	3.71	3.65	86.6	620	0.51	20.2	1	<0.02	136	785	20	12.95	>10000	28.6
E386217		1.48	0.6	5.08	3.7	420	0.6	0.47	1.32	<0.02	173.5	62.3	38	5.05	6620	18.9
E386218		1.96	0.32	2.12	8.8	800	0.31	0.45	0.94	<0.02	269	279	12	1.49	2610	45.4
E386219		1.74	0.32	1.56	7.8	1090	0.2	0.48	1.36	<0.02	300	248	6	0.49	292	46.3
E386220		2.18	0.38	1.62	6.1	1080	0.11	0.43	1.61	<0.02	252	248	4	0.26	103	40.3
E386221		1.88	0.31	2.16	8.2	850	0.13	0.54	1.96	<0.02	265	237	7	0.58	366	41.9
E386222		0.16	0.01	0.14	<5	30	<0.05	0.01	49.8	0.27	1.82	1	5	<0.05	6.7	0.13
E386223		0.22	1.13	2.36	91.6	40	0.76	10.65	2.31	<0.02	192	355	12	2.66	9390	28.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386183		7.03	0.54	0.7	0.155	0.05	221	6.2	1	4510	72.6	0.88	5.8	45.5	1780	21.6
E386184		7.56	0.69	0.4	0.061	0.04	185	5.5	0.47	1490	80.3	0.78	4	62.4	2490	25
E386185		10.8	0.53	1.1	0.129	0.12	306	15.4	1.09	3140	56.9	1.85	6.8	51.2	3500	23.6
E386186		11.4	0.4	1.3	0.115	0.1	156	18.6	1.18	2770	59.1	2.6	3.4	47	2260	16
E386187		15.15	0.34	2.5	0.068	0.57	80.2	34.3	1.08	649	20.4	3.25	3.8	53.8	1910	12.3
E386188		0.48	<0.05	0.1	<0.005	0.03	1.7	1.2	0.45	36	0.41	<0.01	0.2	<0.2	100	0.6
E386189		12.75	0.21	1.3	0.054	0.44	99.9	27.2	1.2	2130	12.35	3.01	2.8	58	1910	6.8
E386190		11.5	0.23	1.4	0.098	0.14	109	19.5	1.34	3120	10.15	3.45	3.2	49.8	1620	5.5
E386191		10.2	0.18	1.4	0.168	0.19	97.7	14.6	1.73	4810	11.75	4.54	3.5	28.8	1460	7.1
E386192		14.05	0.25	2.5	0.188	0.17	206	52.7	1.39	641	65.1	3.91	9.3	50.4	1800	48.5
E386194		10.45	0.29	1.4	0.116	0.11	200	26	0.85	970	57.7	3.43	11.3	74	2620	79
E386195		8.5	0.26	0.9	0.072	0.11	111.5	11.5	1.09	3320	39.4	3.1	7.3	59.9	2820	27.8
E386196		29.7	0.14	2.7	0.132	4.89	41.4	97.4	1.13	226	50.7	1.41	15.2	37.5	1100	42.7
E386197		11.9	0.33	1.5	0.153	0.59	260	63.6	1.1	991	48.6	3.14	10.8	68.2	3360	61.5
E386198		8.7	0.49	0.4	0.224	0.24	289	25.4	1.04	4390	54	0.46	7.1	74.9	4120	93.2
E386199		0.52	0.06	0.1	<0.005	0.03	1.7	1.5	0.53	43	0.3	0.02	0.3	1.2	120	0.9
E386200		14.9	0.15	1.7	0.151	2.22	31.1	26.3	1.32	3890	64.4	0.97	3.9	43.6	920	22
E386201		5.89	0.27	0.5	0.166	0.22	152	15.4	1.69	8400	45.7	0.91	4.9	55.5	3490	23.1
E386202		10.1	0.42	0.8	0.294	0.51	210	52.1	1.41	4070	65.6	1.11	10.2	83.4	4760	55.4
E386203		9.6	0.31	0.9	0.296	0.5	207	43.4	1.12	2330	43.3	2.22	7.4	72.8	4010	44.5
E386204		14.85	0.28	2.4	0.108	1.89	148	224	2.52	259	29.1	3.6	13.1	87.1	1780	43.7
E386205		13.2	0.42	1.5	0.248	0.98	247	114	1.29	424	89.7	2.69	10.9	96.2	5350	38.8
E386206		12.2	0.42	0.8	0.276	0.37	331	38.1	0.96	2170	58.4	2.51	3.7	63.4	>10000	21.1
E386207		14.15	0.18	2.2	0.058	0.72	89.5	72.1	0.9	554	6.28	5.53	4.2	45.5	890	16.4
E386208		10.75	0.2	1.4	0.058	0.84	302	66.7	1.14	1815	48.6	3.58	1.9	30	780	20.4
E386209		9.93	0.14	1.2	0.066	0.82	97.3	74.4	1.18	1030	3.51	3.83	1.5	34.2	720	12.8
E386210		12.15	0.22	1.7	0.086	1.78	208	220	2.73	2300	3.03	2.3	4.5	60.8	1030	6.1
E386211		0.67	0.06	0.1	<0.005	0.03	2.2	2.2	0.56	43	0.38	0.02	0.3	1.4	130	0.8
E386212		12.15	0.27	1.2	0.107	0.68	146.5	72.1	1.16	1650	37	3.82	4.2	61.5	1620	15.4
E386213		6.55	0.19	0.5	0.178	0.35	126	25.7	1.63	4860	53.2	2.12	3.1	42	4050	18.2
E386214		5.96	0.27	0.2	0.536	0.28	160	25.5	1.66	5190	55.6	0.69	2.6	62.9	3230	67.9
E386215		10.55	0.35	0.8	0.453	0.73	129.5	91.2	1.33	1950	53.6	1.98	2.7	69.4	2630	12.7
E386216		9.47	0.32	1	0.33	0.8	107.5	93.8	1.23	812	185.5	2.14	5.4	94.4	1610	55.4
E386217		11.05	0.21	1.3	0.153	0.32	143	64.3	1.44	586	59.7	2.55	3.2	54.5	1390	9
E386218		11.4	1.05	0.5	0.03	0.09	220	22.7	0.6	268	32.4	0.93	3.3	65.7	2010	3.6
E386219		9.83	0.73	0.3	0.013	0.04	252	12.3	0.45	367	39.4	0.67	3.6	57.1	2730	2.7
E386220		6.72	0.58	0.3	0.026	0.03	224	9.3	0.67	1650	49.3	0.74	3.3	46.3	3740	1.7
E386221		8.62	0.75	0.8	0.03	0.06	214	9.4	0.47	1240	41.4	1.4	3.6	50.4	4380	1.9
E386222		0.36	<0.05	0.1	<0.005	0.03	1.4	1.2	0.53	40	0.34	0.02	0.2	<0.2	120	<0.5
E386223		9.94	0.32	0.7	0.255	0.69	117	22.2	1.56	6510	62.4	0.26	5.4	71.4	2430	6.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386183		2.2	0.044	>10.0	4.7	3.4	4	6.3	103	0.07	0.63	4.1	0.028	0.02	195	47
E386184		2.2	0.041	>10.0	6.38	2.2	3	4.7	66	0.07	0.95	3.5	0.022	0.03	120.5	48
E386185		6.1	0.047	>10.0	6.37	5.2	3	10.8	108	0.12	0.55	9.8	0.062	0.03	300	78
E386186		4	0.054	6.67	3.71	4.4	3	7.9	133	0.05	0.33	7.8	0.047	0.03	137	61
E386187		32.5	0.035	4.64	3.82	6.5	2	23.5	85	0.08	0.24	10.7	0.094	0.06	140.5	64
E386188		0.6	<0.002	0.06	0.17	<0.1	1	<0.2	266	<0.05	<0.05	0.2	0.006	<0.02	0.6	10
E386189		25.7	0.019	1.56	1.85	9.3	2	17	99.5	0.07	<0.05	8.4	0.076	0.04	75.2	58
E386190		6.7	0.02	1.68	1.46	7.4	2	7.6	123	0.08	0.05	8.2	0.055	0.02	23.7	56
E386191		8.9	0.02	1.21	1.7	8.7	1	5.6	164	0.11	0.07	8.1	0.036	0.02	52.3	41
E386192		7.7	0.141	2.05	7.39	4.8	3	12.1	118.5	0.25	0.1	32	0.151	0.06	1680	44
E386194		4.9	0.043	>10.0	11.05	3.4	4	10.2	118.5	0.3	0.8	12.9	0.115	0.06	1610	55
E386195		5.7	0.024	10	4.9	4.6	3	6.5	140	0.14	0.57	6.5	0.043	0.03	314	59
E386196		204	0.064	2.84	6.15	26.8	2	98	66.2	0.39	0.16	26.1	0.296	0.32	1810	141
E386197		61.9	0.025	8.88	6.45	6	4	14.3	103.5	0.22	0.6	15.2	0.115	0.11	920	68
E386198		28.4	0.038	>10.0	4.98	5	4	8.8	127.5	0.07	0.97	3.9	0.029	0.06	520	89
E386199		0.6	<0.002	0.1	0.08	0.7	1	<0.2	292	<0.05	<0.05	0.2	0.007	<0.02	0.9	3
E386200		92	0.021	2.49	1.83	9.7	3	9.3	609	0.2	0.23	8.5	0.099	0.45	345	57
E386201		19.2	0.017	9.62	6.5	4.7	3	5.1	146.5	0.08	0.7	3.3	0.031	0.06	98.3	73
E386202		61.4	0.024	8.24	4.94	4.5	5	11.9	101.5	0.18	0.7	7.2	0.061	0.17	480	96
E386203		47.8	0.021	9.88	4.48	2.7	4	10.3	92.6	0.16	0.78	10.9	0.082	0.06	740	76
E386204		164.5	0.009	9.09	4.85	4.7	3	21.7	108.5	0.29	0.73	15.9	0.199	0.19	700	51
E386205		125	0.027	>10.0	3.82	3	6	15.1	100	0.26	1.08	12.7	0.105	0.12	412	104
E386206		40	0.013	4.29	2.57	6	4	9.1	149.5	0.16	0.46	10.9	0.051	0.06	214	143
E386207		76.3	0.002	3.32	4.31	2.7	1	11.8	93.4	0.16	0.48	9.8	0.099	0.06	69.3	62
E386208		71.4	0.016	0.91	2.76	3.8	1	15.3	63	0.09	0.08	14.7	0.09	0.07	125.5	49
E386209		73.2	<0.002	1.12	2.13	2.8	1	11.5	57.8	0.06	0.05	6.7	0.086	0.06	85.4	52
E386210		212	<0.002	1.32	3.09	5.5	1	19.6	42.3	0.15	0.15	10.8	0.152	0.14	27.9	55
E386211		1	<0.002	0.09	0.11	0.8	2	0.2	315	<0.05	<0.05	0.3	0.008	<0.02	1	3
E386212		76.6	0.008	6.07	3.63	2.9	2	10.7	88	0.1	1.76	9.1	0.068	0.07	81.4	80
E386213		27.5	0.017	5.59	1.51	3.3	2	4.6	134.5	0.08	0.47	4.4	0.045	0.04	201	83
E386214		26.3	0.017	8	1.57	3.2	6	5.1	135	<0.05	0.95	2.6	0.027	0.03	410	71
E386215		92.7	0.021	4.7	1.39	2.9	5	9.5	76.6	0.06	0.89	4	0.055	0.07	36.8	80
E386216		99.9	0.154	>10.0	3.56	2.9	7	13.8	60.4	0.15	1.82	10.1	0.087	0.09	480	52
E386217		35	0.029	0.92	1.22	3.9	2	12.3	209	0.08	0.05	6.6	0.087	0.03	27.6	46
E386218		8.2	0.004	1.75	1.37	2.1	2	6.5	44.3	0.07	0.17	5.1	0.043	<0.02	4.2	77
E386219		2	0.008	1.33	1.1	1.6	1	4.4	39.1	0.08	0.27	5.2	0.036	<0.02	4.1	79
E386220		1	0.014	1.2	0.79	1.6	1	2.2	36.4	0.06	0.3	5	0.024	<0.02	2.1	77
E386221		4	0.013	1.17	1.05	1.5	2	2.6	51.6	0.09	0.29	6.2	0.025	<0.02	2.4	85
E386222		0.5	<0.002	0.09	0.05	0.4	<1	<0.2	298	<0.05	<0.05	0.2	0.007	<0.02	0.6	3
E386223		36.9	0.018	7.19	2.26	4.5	4	8.8	178	0.11	1.14	5.8	0.034	0.46	15.4	58

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386183		5.9	29.6	3	19.7		0.079	
E386184		5.3	32.5	<2	12.4		0.101	
E386185		9.1	36.3	4	36.3		0.057	
E386186		5.6	18.2	10	40.3		0.043	
E386187		8	16.5	8	76.4		0.032	
E386188		<0.1	2.7	25	3.2		<0.001	
E386189		5.3	14.3	4	39.8		0.007	
E386190		3.7	13.5	4	44.6		0.007	
E386191		5.1	12.7	3	45.5		0.006	
E386192		13.4	48.8	10	79.9	0.982	0.021	
E386194		37.3	48.9	6	42.7	1.040	0.085	
E386195		16.7	29.5	2	29.6		0.064	
E386196		64.9	29.1	2	88.1		0.015	
E386197		23.2	40.5	3	49.8	1.000	0.064	
E386198		11.7	63.6	3	13.6		0.084	
E386199		0.1	2.7	24	3.5		<0.001	
E386200		9.8	16.8	10	56.1		0.061	
E386201		7.7	43	3	16.3		0.064	
E386202		8.2	41.2	<2	27.7	1.335	0.091	
E386203		10.4	31.9	2	31.2	1.725	0.092	
E386204		15.3	23.1	9	78.5		0.074	
E386205		18.2	32.2	7	49.1	1.965	0.142	
E386206		112.5	54.4	6	26.4	2.44	0.062	
E386207		16.4	13.7	3	70.8		0.030	
E386208		7.2	16.1	6	42.5		0.012	
E386209		6.2	11.7	3	37.4		0.012	
E386210		17.1	8.9	5	55.6		0.013	
E386211		0.1	3.5	26	4.6		<0.001	
E386212		112	18.3	4	41		0.081	
E386213		10.9	17.4	<2	16.1	1.790	0.067	
E386214		12.3	18.6	<2	6.7	3.66	0.121	
E386215		23.1	14.8	<2	24.7	3.41	0.071	
E386216		12	18.3	<2	31.3	2.59	0.119	
E386217		8.1	12.8	7	41.2		0.008	
E386218		12.2	14.5	2	15.5		0.004	
E386219		11.6	17.1	2	11		<0.001	
E386220		7.2	17.5	2	10.5		0.001	
E386221		13	24.6	2	26.2		0.002	
E386222		0.1	2	24	2.4		<0.001	
E386223		6.9	15.2	6	23.4		0.120	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E386224		1.78	0.39	2.48	10.3	580	0.27	0.46	1.4	<0.02	319	208	7	4.35	763	45.3
E386225		1.50	0.14	4.4	6.1	2860	1.67	0.26	0.95	<0.02	345	109.5	29	10.95	249	26.5
E386226		1.46	0.06	6.03	1.8	7940	2.52	0.06	1.54	<0.02	121	34.6	35	11.5	79.8	11.7
E386227		1.34	0.22	6.42	3.1	7370	2.35	0.11	1.97	<0.02	90.6	52.6	36	9.25	123	15.9
E386228		1.36	0.06	6.8	1.9	4390	2.82	0.05	0.5	<0.02	111.5	45.5	42	12.05	42.1	10.45
E386229		1.20	0.05	6.98	2.4	7930	2.7	0.07	0.74	0.02	107.5	41.1	44	12	27.8	10.8
E386230		1.54	0.06	5.86	5.3	8600	2.28	0.31	0.89	<0.02	168	55	32	11.2	6.9	14.25
E386231		1.58	0.08	4.73	7.2	5290	1.77	0.72	1.77	<0.02	217	68.7	24	9.39	41.7	18.6
E386232		2.18	0.11	2.56	11.9	2000	1.01	0.65	1.94	<0.02	290	65	11	4.7	67.2	20.4
E386233		1.50	0.11	2.23	25.8	120	0.36	0.35	2.48	<0.02	125.5	182	7	1.04	82.6	16.85
E386234		0.16	0.01	0.19	10	2980	0.07	0.02	45.7	0.4	7.44	7.1	7	0.07	5.1	0.74
E386235		2.18	0.2	2.92	18	920	0.55	0.25	2.34	<0.02	204	90.6	14	2.58	272	17.55
E386236		1.82	0.75	2.34	21.6	380	0.27	0.41	3.94	<0.02	188.5	122	9	0.97	3020	18.45
E386237		1.60	0.29	4.09	12.2	670	0.77	0.42	2.24	0.03	199.5	99.8	19	3.73	446	14.35
E386238		1.40	0.27	4.24	12.2	510	1.08	0.4	1.45	<0.02	154.5	149.5	27	6.57	1330	15.4
E386239		2.50	0.04	6.44	1.5	5650	1.72	0.03	3.82	<0.02	112	27.4	35	7.6	52.3	7.75
E386240		1.26	0.06	6.41	2.3	7900	1.45	0.1	3.85	<0.02	112	32.2	34	6.83	10.1	7.41
E386241		1.42	0.33	4.82	27.4	430	0.71	2.58	1.98	<0.02	104	243	21	2.03	1110	17.85
E386242		1.72	0.43	4.73	39.5	310	0.47	3.81	0.96	<0.02	195	195	22	0.96	275	18.1
E386243		1.42	0.22	6.98	21.5	1050	0.89	2.33	0.45	<0.02	168.5	111.5	40	1.43	75.8	6.97
E386244		1.52	0.44	6.85	18.2	550	0.76	1.84	1.02	<0.02	92.2	131.5	38	0.91	118.5	5.95
E386245		0.16	0.01	0.12	<5	40	0.1	<0.01	42.9	0.37	2.63	1	5	<0.05	1.3	0.05
E386246		0.20	0.27	6.93	51.5	1020	2.88	1.48	1.89	<0.02	89.6	103.5	46	6.61	1590	7.03
E386247		1.54	0.24	5.12	31	180	0.47	2.09	1.71	<0.02	128	176.5	25	0.73	45.9	14.55
E386248		2.10	0.45	2.43	84.8	120	0.53	3.66	2.02	<0.02	374	283	9	0.97	227	27.3
E386249		1.90	0.54	0.86	86.4	110	0.12	3.97	1.3	<0.02	429	359	<1	0.23	146	28.5
E386250		1.68	0.66	0.64	96.1	170	0.12	5.95	2.63	<0.02	209	608	1	0.15	142.5	27.6
E386251		1.56	0.7	2.12	78.1	90	0.38	6.35	1.56	<0.02	366	551	8	0.56	111.5	22.4
E386252		1.16	0.26	5.19	22.9	220	1.37	1.47	2.92	<0.02	100	213	28	3.95	324	12.9
E386253		1.28	0.11	4.98	8.1	510	1.28	0.64	4.97	<0.02	119	149.5	22	3.51	99.2	12.75
E386254		1.48	0.56	6.42	45.3	2370	2.94	6.07	2.79	<0.02	112.5	255	31	8	160.5	12.75
E386255		1.48	0.02	7.9	1.3	9800	4.27	0.06	3.34	<0.02	82.1	20.3	48	11.4	11.8	4.58
E386256		1.44	0.02	6.73	1.2	8070	3.15	0.07	4.63	<0.02	153.5	21	37	9.61	8.8	5.88
E386257		0.18	0.01	0.12	5	50	0.09	<0.01	43.5	0.37	2.69	0.8	5	<0.05	0.9	0.06
E386258		1.14	0.02	6.39	0.9	8540	2.46	<0.01	4.83	<0.02	84.7	21.1	33	8.79	6.6	5.89
E386259		1.44	0.03	6.5	1.2	5500	2.54	0.01	4.22	<0.02	162.5	16.7	31	9.28	8.6	4.75
E386260		1.14	0.02	6.41	1.1	>10000	2.42	0.08	4.24	0.04	72.9	17.9	33	9.02	5.9	5.05
E386261		1.28	0.08	7.68	9.8	5550	3.28	0.81	4.1	<0.02	157.5	43.1	41	10.65	19.2	6.08
E386262		1.50	0.22	5.71	67.8	500	2.1	2.75	3.13	<0.02	89.2	176	33	7.45	557	13.75
E386263		1.44	0.07	8.43	18.6	4940	3.03	0.44	1.5	<0.02	122.5	41.7	53	10.25	87.1	10.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386224		11.2	1.12	0.8	0.014	0.32	240	37.6	0.54	191	37	1.51	3.8	69.5	4020	1.9
E386225		13.85	0.34	1.4	0.064	1.89	262	94.8	1.08	691	22.5	0.89	3	53.5	2110	2.6
E386226		16.55	0.22	2	0.214	3	88.9	101.5	1.11	3010	6.06	0.8	2.1	23.9	860	2
E386227		18.4	0.28	1.8	0.297	3.25	61.9	54.3	1.23	5090	10.75	0.61	2.3	29.1	910	3.2
E386228		21.5	0.26	1.9	0.368	3.67	75.7	56.8	1.09	3900	2.26	0.18	3.7	28.1	720	2.4
E386229		21.9	0.26	2.2	0.317	3.82	73.7	58.4	1.03	3300	2.45	0.22	3.3	26.5	810	2.3
E386230		17.95	0.23	1.7	0.283	2.95	130.5	64.4	1.14	4760	8.45	0.25	4.7	37	1380	2.1
E386231		16	0.29	1.3	0.299	2.35	169.5	59.8	1.37	7250	23.7	0.17	5.8	47.8	1550	1.9
E386232		9.41	0.34	0.8	0.169	1.03	240	38.4	1.08	5440	31.7	0.11	9.2	31.4	1820	1.7
E386233		5.17	0.24	0.6	0.045	0.21	78	19.3	1.07	3910	34.1	0.77	5.3	21.7	1650	1.5
E386234		0.69	0.06	0.1	0.005	0.04	6.4	2.2	0.5	136	1.2	0.05	0.5	<0.2	150	0.9
E386235		7.38	0.25	0.8	0.104	0.55	176.5	29.5	1.14	3360	29.8	0.62	7.8	22.9	1230	2.4
E386236		6.75	0.26	0.7	0.246	0.16	152.5	20.3	1.81	7210	55.5	0.84	8.1	41.3	1690	2.3
E386237		11.5	0.24	1	0.203	1.08	161	26.6	1.36	7170	41.8	0.95	8.5	36	1440	3
E386238		14.05	0.25	1.2	0.339	1.9	95.4	38.2	1.35	8150	16.6	0.29	8.1	42.3	1200	3.2
E386239		18.1	0.19	1.9	0.107	2.51	69	39.1	1.61	3860	4.71	1.2	4	25.9	650	1.9
E386240		17.7	0.18	1.9	0.09	2.14	72.2	42.6	1.59	4080	4.27	1.63	3.9	25.6	710	1.8
E386241		13.65	0.25	1.2	0.034	0.52	65.6	21.5	1.05	1980	40.1	2.41	2.3	44.3	1140	4.2
E386242		14.05	0.3	1.3	0.016	0.14	133	23.6	0.93	1400	36.5	2.42	2.9	47.7	1260	4.9
E386243		12.8	0.19	2.1	0.02	0.37	124	40.9	0.74	972	7.16	3.95	2.5	20	830	3.3
E386244		11.55	0.15	2.2	0.011	0.21	65.2	24.9	0.75	638	86.7	4.42	4.2	17.7	740	7.7
E386245		0.47	<0.05	0.1	<0.005	0.03	2	1.4	0.46	33	0.44	0.02	0.3	<0.2	100	0.7
E386246		18.8	0.15	1.8	0.13	3.14	56.3	26.4	1.34	3230	19.65	0.58	3.6	23.2	730	2.7
E386247		12.55	0.24	1.5	0.017	0.11	76.3	23.9	1.29	2030	43.9	2.89	3.3	37.4	1470	2.6
E386248		18.55	0.51	0.7	0.02	0.22	175.5	26.4	1.55	2660	75.7	0.26	4.5	78.7	2900	5.6
E386249		16.05	0.55	0.2	0.022	0.01	211	7.1	1.15	3550	64	0.01	3.4	75.4	2100	6.3
E386250		10.75	0.41	0.1	0.023	<0.01	109	5.5	1.36	3580	87.7	0.02	2.4	55.6	1880	7.4
E386251		15.45	0.44	0.5	0.018	0.03	167.5	24.1	1.53	2090	64.3	0.03	5	75.3	1910	7.7
E386252		14.9	0.2	1.3	0.049	0.75	67.4	58	2.34	2870	24.5	1.12	2.4	35.1	1190	4.1
E386253		11.55	0.18	1	0.08	1.07	76.3	42.5	2.7	4780	13	1.25	2.5	20.5	1230	2.2
E386254		18.45	0.2	1.5	0.083	2.22	72.7	69.8	2.1	2200	13.65	0.6	2.8	45.3	840	8.5
E386255		23.5	0.15	2	0.116	4.13	49.5	53.4	1.64	2650	2.7	0.15	3.4	17.7	650	1.5
E386256		18.85	0.2	1.9	0.11	3.24	87.4	41.4	2.09	4260	1.23	0.21	3.3	17.2	680	1.5
E386257		0.49	<0.05	0.1	<0.005	0.03	2	1.6	0.46	40	0.19	0.01	0.3	<0.2	110	0.6
E386258		17.3	0.17	1.9	0.094	2.95	46.9	30.2	1.91	4700	2.96	0.25	3.5	21.1	630	1.7
E386259		18.65	0.2	2	0.096	2.86	97.4	32	1.59	3550	2.27	0.12	3.6	16	650	1.9
E386260		17.4	0.14	1.9	0.109	3.01	41.5	31.1	1.73	3800	2.44	0.07	3.1	18.1	640	1.6
E386261		21.5	0.18	2.3	0.125	3.48	94.4	50.8	1.8	3600	5.79	0.12	3	19.9	720	2
E386262		15.65	0.23	1.7	0.182	2.63	54.2	27.3	2.2	7150	13.1	0.07	2.8	41.3	1020	2.1
E386263		24.8	0.21	2.6	0.215	4.11	83.1	34.9	1.82	5480	6.63	0.12	2.4	25.1	1000	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386224		35.2	0.013	1.06	1.19	1.9	2	5.8	58.8	0.09	0.4	7.8	0.043	0.03	2.2	92
E386225		134	0.006	0.5	1.75	7.6	1	20.8	68.5	0.1	0.3	15.2	0.099	0.13	4.8	69
E386226		154	<0.002	0.17	2.51	9.7	1	24.9	141.5	0.08	0.05	14.2	0.102	0.23	4.4	58
E386227		161.5	<0.002	0.16	1.89	9.9	2	14.4	150	0.11	0.07	15.2	0.112	0.24	2.7	66
E386228		201	<0.002	0.07	2.68	11.4	2	17.4	60.9	0.22	<0.05	15	0.148	0.33	3.4	62
E386229		203	<0.002	0.16	2.58	11.3	2	17.7	147	0.18	0.09	17.2	0.142	0.32	4.6	68
E386230		164	0.006	0.2	2.38	9.3	2	22.8	190.5	0.16	0.21	14.5	0.12	0.28	6.7	62
E386231		130	0.013	0.15	1.72	7.6	2	22.5	468	0.15	0.39	10.8	0.098	0.23	7.7	57
E386232		59.8	0.01	0.12	1.73	4.3	2	19	1145	0.23	0.33	7.7	0.056	0.11	5	39
E386233		11.9	0.005	1.07	1.63	3.4	4	8.3	1310	0.15	0.3	4.1	0.033	0.03	3.3	38
E386234		1.1	<0.002	0.18	0.17	0.6	2	0.5	340	<0.05	<0.05	0.4	0.008	<0.02	0.8	6
E386235		30	0.004	0.53	3.07	4.2	3	12.9	498	0.25	0.25	6.7	0.073	0.06	5.7	31
E386236		7.8	0.045	0.61	2.07	4	5	11.9	403	0.19	0.85	5.3	0.043	0.03	10.1	33
E386237		64	0.016	0.42	1.88	9.1	4	9.1	483	0.27	0.75	6.8	0.078	0.12	7.7	60
E386238		84.6	0.003	0.65	2.31	7	3	9	230	0.32	0.31	8.3	0.107	0.16	4.3	50
E386239		135.5	<0.002	0.32	1.3	10.9	2	5	264	0.27	0.08	12.2	0.163	0.19	6.4	59
E386240		113	<0.002	0.47	1.32	11.3	2	5.3	251	0.27	0.14	12.2	0.149	0.19	5.7	61
E386241		25.8	0.022	3.36	1.78	8.1	3	5.3	265	0.11	0.39	8	0.053	0.18	23.2	61
E386242		6.7	0.021	3.35	1.86	6.4	3	2.8	237	0.11	0.59	9.6	0.045	0.27	7.4	52
E386243		16.4	0.003	1.76	1.44	4	2	4.2	109	0.16	0.34	15.5	0.069	0.22	3.6	45
E386244		8.2	0.033	1.47	1.92	4.1	2	3.7	465	0.23	0.32	17.9	0.073	0.13	141.5	30
E386245		0.5	<0.002	0.06	0.1	0.4	2	<0.2	259	<0.05	<0.05	0.2	0.006	<0.02	0.7	15
E386246		121.5	0.006	1.28	1.19	10	2	7.8	508	0.22	0.17	12.1	0.122	0.36	17.9	68
E386247		4.3	0.026	2.51	1.25	8	3	1.9	436	0.13	0.38	6.8	0.032	0.09	25.4	45
E386248		11.4	0.077	4.82	1.91	13	7	4.1	305	0.06	0.63	5.5	0.033	0.41	2	77
E386249		0.4	0.04	5.04	2.12	6.6	6	1.5	391	0.05	0.64	3.9	0.032	0.46	2.5	82
E386250		0.2	0.094	8.62	2.17	10.3	7	1.4	178	<0.05	0.92	4	0.029	0.38	4.2	68
E386251		1.3	0.07	7.32	1.61	8.4	6	2.6	277	0.12	0.96	7.2	0.04	0.22	5.8	87
E386252		36.7	0.019	1.85	1.03	10.5	3	6.3	266	0.12	0.23	7.6	0.05	0.14	3.6	66
E386253		48	0.013	1.44	0.9	7.9	2	5.9	112	0.14	0.14	7.5	0.052	0.12	1.8	54
E386254		101	0.012	6.22	2.11	11	3	13	53.2	0.15	0.47	10.1	0.084	0.27	5.4	72
E386255		186	<0.002	0.32	0.99	12.8	1	8	147	0.26	0.05	14.2	0.134	0.42	3.1	76
E386256		156	<0.002	0.29	1.06	11.1	1	5.7	137	0.26	<0.05	13.6	0.114	0.33	2.6	64
E386257		0.8	<0.002	0.05	0.09	0.4	3	<0.2	255	<0.05	<0.05	0.2	0.006	<0.02	0.5	14
E386258		154.5	<0.002	0.28	1.01	11.3	1	4.5	375	0.29	<0.05	12.6	0.11	0.3	3	58
E386259		167.5	<0.002	0.17	1.14	11.4	2	4.9	384	0.3	<0.05	14	0.106	0.36	2.7	60
E386260		156	<0.002	0.31	0.97	11	1	4.7	233	0.24	<0.05	10	0.103	0.3	2.8	59
E386261		173	0.003	0.76	1.19	11.5	1	6	64.7	0.21	0.12	15.1	0.106	0.39	3.4	71
E386262		122	0.006	2.45	1.27	10	3	4.6	34.3	0.16	0.36	8.5	0.077	0.29	4.6	69
E386263		178.5	0.002	0.42	1.05	13.9	2	7.2	17.6	0.14	0.07	16.5	0.116	0.45	7.2	91

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386224		17.8	24.7	<2	31.7		<0.001	
E386225		12.9	16.3	2	46.7		<0.001	
E386226		14.5	15.7	2	63.8		<0.001	0.87
E386227		16	14.5	2	55.5		0.001	0.76
E386228		19.1	12.6	2	61.9		<0.001	
E386229		18.5	13.2	2	67.8		0.001	0.83
E386230		17.9	14.4	3	54.6		0.001	0.92
E386231		14.6	16.5	2	41.8		0.002	1.58
E386232		11.4	15	2	23.9		0.004	
E386233		7.1	10.9	2	19.5		0.005	
E386234		0.4	3.1	29	3.7		<0.001	
E386235		11.8	10.5	3	25.7		0.008	
E386236		7.5	13.3	3	22.1		0.028	
E386237		9.1	13.1	<2	33.4		0.022	
E386238		11.6	12.7	4	38.8		0.021	
E386239		13.2	15.6	<2	60		<0.001	1.43
E386240		13.2	17.4	2	59.6		0.001	1.50
E386241		6.7	14.7	3	42		0.025	
E386242		4.6	13.6	7	41.9		0.026	
E386243		8	12.1	9	66.8		0.016	
E386244		11	15.6	5	72.1		0.010	
E386245		0.1	2.8	20	3.1		<0.001	
E386246		8.6	12.1	4	63		0.018	
E386247		5.9	16	7	48.6		0.018	
E386248		6.2	21	9	24.3		0.032	
E386249		11.3	14.1	4	6.2		0.030	
E386250		26.4	12	5	4.8		0.048	
E386251		8.3	16	13	17.2		0.052	
E386252		7.3	14.3	23	44.5		0.011	
E386253		11.3	15.6	16	36.5		0.017	
E386254		8.5	13.6	12	53.2		0.046	
E386255		9.8	15.3	<2	69.4		<0.001	1.09
E386256		8.5	15.6	2	63.2		<0.001	0.89
E386257		0.1	2.9	19	3.2		<0.001	
E386258		8.7	15.2	<2	61.5		<0.001	2.67
E386259		9.5	14.4	<2	63		<0.001	3.12
E386260		8.7	13.4	2	59.9		<0.001	1.89
E386261		9.7	16.4	2	78		0.003	0.59
E386262		7.8	15.5	4	58		0.019	
E386263		11.3	16.7	5	87.5		0.002	0.54

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386264		1.16	0.24	7	39.3	1430	2.43	3.5	0.67	<0.02	77.6	129	45	9.09	120	10.4
E386265		1.50	0.08	6.43	16.4	4810	2.25	0.45	1.95	<0.02	109.5	78.1	39	8.45	49.7	9.29
E386266		1.46	0.07	8.51	11.3	5430	3.11	0.38	1.61	<0.02	89.6	68.6	54	9.01	41.4	10.55
E386267		1.42	0.06	8.26	10.2	4400	3.23	0.29	0.76	<0.02	70.2	74.9	52	8.17	43.2	17.75
E386268		0.16	0.01	0.18	<5	50	0.09	<0.01	45.8	0.37	2.04	0.9	8	<0.05	2.2	0.13
E386269		0.18	1.08	5.84	65.9	150	2.07	2.47	2.02	<0.02	47.9	162	41	3.31	8300	9.67
E386270		1.42	0.11	8.91	11.5	4550	3.67	0.49	1.45	<0.02	141	67	60	9	44.8	14.1
E386271		1.44	0.07	6.23	11.5	2630	2.39	0.41	2.57	<0.02	91.1	50.7	39	6.12	423	9.28
E386272		1.58	0.68	5.78	100.5	250	2.01	4.5	3.41	<0.02	34.4	339	35	5.29	6210	14.2
E386273		1.68	1.05	6.08	154.5	820	2.36	8.41	2.63	<0.02	86.3	383	35	5.99	5410	17.75
E386274		1.46	0.33	7	62.1	450	2.24	3.57	3.17	<0.02	88.5	171.5	38	7.46	2950	7.53
E386275		2.68	0.03	6.92	3.1	2440	2.45	0.1	4.82	<0.02	70	12.5	36	8.1	256	5.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E386264		21.9	0.19	2.1	0.198	3.34	57.3	24.7	1.37	5890	11.9	0.09	2.2	33.2	780	3
E386265		18.75	0.21	1.9	0.167	3.03	64.7	23.2	1.73	6000	11.45	0.11	2.4	25.9	980	1.6
E386266		25.3	0.15	2.4	0.164	3.41	66.4	40.8	1.91	6090	8.19	0.08	1.6	27.7	770	2.7
E386267		24.6	0.19	2.4	0.165	3.5	53.3	45.7	2.28	8220	2.09	0.07	1.4	41.8	750	1.5
E386268		0.55	0.06	0.1	<0.005	0.03	1.5	1.8	0.51	75	0.25	0.01	0.3	2.5	120	0.7
E386269		15.5	0.11	1.9	0.132	2.23	15.3	24.6	1.18	3200	65.3	1.1	2.5	39.9	810	20.7
E386270		28.4	0.19	2.7	0.177	3.7	98.8	47.4	2.21	7180	2.56	0.13	1.2	37.2	830	2.6
E386271		18.45	0.12	2	0.121	2.56	56.2	42.3	2.19	5120	12.15	0.06	2	27.6	910	1.5
E386272		15.9	0.14	1.9	0.162	2.39	19.5	37.9	2.73	7070	30.7	0.05	2.5	45.8	780	5.1
E386273		14.8	0.17	2.2	0.194	2.32	39.5	44.3	2.5	6490	19.7	0.06	2.3	63.8	670	83.4
E386274		20.4	0.1	2.1	0.101	2.98	53	48.9	1.94	2450	16.15	0.07	2.6	33.6	710	2.8
E386275		19.65	0.07	2.2	0.097	2.78	39.3	36.4	2.17	4310	8.03	0.15	3.6	14.6	720	2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method Analyte Units LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E386264		157	0.005	1.5	1.34	12	2	6.2	28.6	0.13	0.16	11.4	0.096	0.37	7.1	77
E386265		141	0.003	0.6	1.28	10.8	2	5.8	52.4	0.12	0.19	11.4	0.091	0.34	2.9	72
E386266		204	0.003	0.49	0.99	13.2	1	6.5	45.2	0.09	0.08	14.9	0.11	0.47	4	85
E386267		175	<0.002	0.45	0.63	13.4	1	5.9	16.4	0.07	0.08	13.6	0.086	0.44	3	84
E386268		0.8	<0.002	0.05	0.07	0.5	1	<0.2	283	<0.05	<0.05	0.2	0.006	<0.02	0.6	2
E386269		83.3	0.019	2.29	1.46	9.6	3	7.2	598	0.13	0.22	7.8	0.075	0.42	291	56
E386270		200	<0.002	0.41	0.79	15.8	1	7.2	20.4	0.06	0.06	18.3	0.093	0.51	3.8	89
E386271		141	0.008	0.38	1.06	9.9	1	5.2	20.4	0.11	0.08	12	0.084	0.31	2.5	65
E386272		116.5	0.024	3.95	1.32	11	2	4.3	18.8	0.14	0.29	11.9	0.084	0.32	113.5	60
E386273		113.5	0.023	6.86	3.34	9.6	2	3.5	21.7	0.15	0.27	12.9	0.081	0.36	1370	56
E386274		157.5	0.016	2.88	1.37	10.8	1	5.7	24	0.18	0.13	12.6	0.101	0.36	22.2	67
E386275		170.5	0.003	0.05	1.04	11	1	5.4	43.9	0.27	<0.05	12.4	0.118	0.37	12.7	67

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.00*	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386264		10.4	11.6	3	70.7		0.017	
E386265		9.6	12.1	2	62.3		0.005	
E386266		10.4	11.9	4	82.6		0.003	0.60
E386267		7.4	11.6	5	73.7		0.001	
E386268		0.1	2.6	21	4.1		<0.001	
E386269		7.4	14.1	8	54.9		0.056	
E386270		8.8	13	4	84.9		0.003	
E386271		8.6	11.3	4	56.6		0.003	
E386272		9.1	12.8	6	58.7		0.041	
E386273		12.4	24.8	4	65.7		0.062	
E386274		11.4	11.6	<2	62.1		0.027	
E386275		10.9	13.9	2	61.4		0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 14-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132887

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07132888

Project: IGOR : IG-2007-23

P.O. No.: 19528

This report is for 112 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132888

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386502		2.74	0.06	5.49	5.7	1700	1.17	0.26	5.18	<0.02	84.5	43.9	30	2.91	492	9.84
E386503		0.76	0.26	3.76	55.2	340	0.86	0.32	3.94	<0.02	238	184.5	19	2.98	1760	15.45
E386504		1.38	0.21	1.94	101	110	0.45	0.38	5.72	<0.02	231	292	9	1.26	1600	16.15
E386505		0.16	0.01	0.14	10	50	0.13	<0.01	48.7	0.49	3.28	1.7	6	<0.05	5.3	0.07
E386506		1.56	0.26	3.1	88.1	130	0.8	0.54	2.56	<0.02	291	270	15	2.41	705	17.95
E386507		1.56	0.21	2.58	35.4	280	0.58	0.31	1.56	<0.02	266	143	12	1.77	1810	19.6
E386508		1.74	0.28	1.96	45.6	250	0.49	0.28	0.65	<0.02	250	174	10	1.56	763	19.65
E386509		1.62	0.25	3.09	21.7	530	0.72	0.21	0.73	<0.02	233	115.5	16	2.66	1280	16.05
E386510		1.70	0.25	2.16	15.6	550	0.6	0.17	0.51	<0.02	206	105.5	11	1.82	1010	19.4
E386511		1.44	0.2	2.02	18.6	270	0.5	0.19	0.43	<0.02	215	105.5	12	1.28	1150	18
E386512		1.88	0.25	1.93	14.5	410	0.36	0.19	0.45	<0.02	235	86.8	11	1.47	1310	17.8
E386513		1.72	0.38	2.72	13.2	530	0.62	0.24	0.46	<0.02	275	83.3	16	2.23	1950	17.65
E386514		1.52	0.33	2.8	12.1	430	0.7	0.27	0.42	<0.02	267	81.6	16	2.32	2410	18
E386515		1.58	0.29	3.04	27	360	0.7	0.28	0.44	<0.02	244	129	16	2.48	1900	16.55
E386516		0.16	0.02	0.13	<5	50	0.12	<0.01	43.2	0.41	2.89	1.2	6	<0.05	6.8	0.06
E386517		0.26	1.07	2.27	115	30	0.58	9.24	2.08	<0.02	195.5	310	11	2.37	8310	25.9
E386518		1.74	0.36	4.46	40.9	340	1.05	0.32	0.42	<0.02	238	177	27	3.89	1330	15.25
E386519		1.32	0.17	1.88	12.8	580	0.35	0.13	0.51	<0.02	184.5	73	12	1.35	943	17
E386520		1.34	0.26	5.76	32.9	780	1.46	0.29	1.54	<0.02	408	130	28	4.81	1820	12.6
E386521		2.06	0.69	3.48	54.3	130	0.53	0.63	3.91	<0.02	259	197	19	2.38	7510	16.1
E386522		1.66	0.37	2.51	23.4	410	0.62	0.32	3.09	<0.02	308	117.5	14	1.93	2960	18.25
E386523		1.70	0.7	2.82	141	50	0.71	0.76	2.17	<0.02	165.5	549	16	2.12	8040	16.9
E386524		1.94	0.92	2.44	43	60	0.48	0.71	2.66	<0.02	78.2	266	13	1.6	>10000	15.2
E386525		1.48	0.72	2.63	8.4	140	0.72	0.22	2.79	<0.02	84.4	45.9	15	2.1	7160	10.75
E386526		1.92	0.12	5.91	7.2	2560	1.41	0.15	2.47	<0.02	178.5	36.6	34	4.86	551	9.65
E386527		1.36	0.02	6.52	3.7	8500	1.85	0.05	4.81	<0.02	95.3	29.9	36	5.59	133	8.82
E386528		0.16	0.04	0.12	<5	40	0.19	<0.01	40.3	0.43	2.32	0.8	5	<0.05	3.2	0.05
E386529		1.84	0.05	6.37	5.3	3860	1.86	0.2	4.37	<0.02	116.5	38	35	6.75	178	8.66
E386530		1.50	0.1	6.57	6.1	4160	1.84	0.53	4.46	<0.02	107	53.8	36	7.21	134	10.3
E386531		1.72	0.03	6.01	3.5	3690	1.71	0.02	4.87	<0.02	113.5	32.3	35	5.45	153	8.34
E386532		1.52	0.04	5.27	2.9	5510	1.46	0.06	5.25	<0.02	53.5	32.2	27	4.5	161.5	8.4
E386533		1.52	0.12	4.77	12.6	2400	1.42	0.4	4.06	<0.02	261	45.1	25	4.09	362	10.95
E386534		1.68	0.11	5.75	4	750	1.66	0.15	0.71	<0.02	160.5	27.5	36	4.73	894	6.68
E386535		1.44	0.04	5.85	8	3280	1.76	0.12	1.58	<0.02	133	17.7	34	6.36	474	10.35
E386536		1.46	0.05	7.37	7	3380	2.33	0.13	0.46	<0.02	77.7	57.9	48	6.58	450	11
E386537		1.22	0.04	7.25	7.9	4830	2.14	0.05	0.3	<0.02	61.6	79.1	48	6.18	271	11.55
E386538		1.60	0.06	7.24	8.8	8430	2.22	0.08	0.28	<0.02	35	85.7	46	5.71	126	11.45
E386539		0.16	0.01	0.13	6	80	0.09	0.01	44.7	0.38	2.33	1	6	<0.05	1.9	0.06
E386540		0.22	0.32	6.42	51.9	380	2.29	1.35	1.86	<0.02	74.8	102.5	38	5.96	1400	6.95
E386541		1.28	0.07	6.72	6.7	2610	2.32	0.07	0.48	<0.02	16.65	62.5	42	5.29	250	8.99

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132888

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386502		10.85	0.15	1.2	0.129	2.8	55.2	30.4	2.14	6520	7.75	0.05	3.4	25	750	1.5
E386503		12.35	0.32	1.3	0.144	1.74	168	41.2	2.12	5620	47.9	0.03	11.9	33.7	1970	2.4
E386504		7.29	0.3	0.6	0.137	0.84	162	20.9	2.74	9120	39.1	0.02	8.7	28.4	1750	1.8
E386505		0.54	<0.05	0.1	0.008	0.03	2.3	1.5	0.52	49	0.33	0.02	0.3	0.9	110	0.8
E386506		11.4	0.34	1.1	0.235	1.38	199.5	35.3	2.24	10350	45.7	0.03	9.9	33.1	1740	2.2
E386507		9.03	0.38	0.8	0.209	1.09	204	27.3	2.09	12100	42.4	0.03	9.9	29.3	1710	2.2
E386508		8.09	0.36	0.7	0.222	0.87	176	25	1.6	12000	34.1	0.02	9.8	24.2	1590	2.6
E386509		10.75	0.31	1.1	0.233	1.51	169.5	38.1	1.51	9740	25.6	0.03	9.5	23.8	1530	2
E386510		8.88	0.41	0.8	0.233	1	151	28.4	1.51	11500	33.2	0.02	11.2	23.8	1740	2.1
E386511		6.79	0.26	0.6	0.157	0.86	146.5	24	1.19	8810	29.3	0.02	9.8	20.4	1930	1.7
E386512		7.62	0.38	0.7	0.181	0.83	157.5	22.4	1.23	9270	38.3	0.02	10.3	21.8	1980	1.7
E386513		9.96	0.41	1	0.242	1.18	192.5	31.3	1.25	8490	35.6	0.03	12.7	26.8	2130	2.3
E386514		10.1	0.37	1	0.204	1.29	181	32.6	1.23	8800	32.5	0.03	11.7	25.8	1890	1.8
E386515		10.75	0.36	1	0.197	1.39	166.5	35.4	1.3	9410	33.5	0.03	10.5	27.4	1930	2
E386516		0.5	<0.05	0.1	0.008	0.03	2	1.5	0.48	41	0.31	0.02	0.3	<0.2	120	0.7
E386517		8.8	0.43	0.7	0.247	0.61	117.5	17.5	1.42	6040	52.4	0.22	5	50.4	2350	5.3
E386518		14.95	0.31	1.6	0.206	1.92	161	53.6	1.38	6440	41.4	0.03	13	39.8	1830	1.9
E386519		6.68	0.26	0.7	0.164	0.81	134	19.7	1.31	9320	22.6	0.02	8	18.3	1630	1.7
E386520		18.7	0.32	1.9	0.161	2.79	277	61.4	1.46	2990	45.2	0.05	15.4	33.6	2040	2.1
E386521		10.55	0.35	1	0.164	1.23	186.5	31.9	2.26	6700	83.5	0.03	7.9	35	1600	2.1
E386522		9.35	0.43	0.8	0.126	0.88	223	24.6	1.78	6120	61.1	0.02	9.6	30.4	1760	1.7
E386523		8.99	0.38	1	0.138	1.15	84.2	25.5	1.31	4120	36.5	0.02	11	34.4	1640	1.3
E386524		6.89	0.25	0.7	0.15	0.95	28.5	18.4	1.24	3800	36.1	0.02	6.9	32.7	1590	1.1
E386525		7.76	0.13	0.8	0.259	1.33	32	22.8	1.09	3920	22.6	0.02	5.5	18.8	1160	1
E386526		16.7	0.18	1.8	0.143	2.9	118.5	47.6	1.29	3210	11.9	0.06	8.9	23.8	1070	1.7
E386527		18.75	0.25	1.8	0.172	3.83	64.9	47.7	2.01	5920	11.35	0.11	5.7	25.8	890	1.6
E386528		0.52	0.15	0.1	0.005	0.03	2.2	1.4	0.44	35	0.32	0.02	0.3	<0.2	110	0.9
E386529		19.15	0.23	1.9	0.188	3.31	77.5	52.2	2.11	5060	8.67	0.07	5.1	33.4	950	1.8
E386530		18.5	0.24	1.9	0.189	3.28	70.7	57	2.34	5010	12.65	0.07	6.4	36.3	960	2.2
E386531		16.95	0.22	1.8	0.151	3.34	75.9	42	1.7	6640	6.33	0.07	4.7	25.1	790	1.9
E386532		14.25	0.18	1.5	0.144	2.76	35	35	1.79	7250	6.23	0.08	3.5	23.9	590	1.4
E386533		14.3	0.33	1.2	0.118	2.32	175	35	1.42	5940	27.7	0.05	8.7	24.3	1420	2
E386534		17.4	0.25	1.8	0.104	2.84	91.7	40	0.72	1030	13.2	0.04	3.3	24.7	850	1.8
E386535		17.25	0.26	1.8	0.109	2.9	96.8	53.6	0.88	2190	14.65	0.06	10.3	20.7	1670	2.3
E386536		19.6	0.26	2.1	0.184	3.83	47.1	50.5	1	3140	4.38	0.07	4.5	31	730	1.8
E386537		18.1	0.23	2.1	0.2	3.63	37.1	47	1.04	4460	3.72	0.08	4.2	31.3	650	1.5
E386538		18	0.2	2.3	0.174	3.78	21	48.9	1.11	4060	2.35	<0.01	3.5	30.3	650	1.5
E386539		0.44	<0.05	0.1	<0.005	0.03	1.6	1.5	0.47	36	0.17	0.01	0.3	3.4	100	1.1
E386540		17.35	0.15	2	0.103	2.85	41	22	1.25	3050	19.25	0.55	3	23.6	710	2.8
E386541		16.6	0.16	2	0.111	3.19	10.4	48	0.98	1340	1.5	0.03	3.7	23.6	570	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132888

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386502		91.1	0.007	0.28	0.93	7	2	5	272	0.17	0.15	9	0.159	0.19	3.4	58
E386503		88.8	0.026	0.68	1.49	7.5	6	21.5	188	0.34	0.84	8.6	0.092	0.19	7.2	59
E386504		39.9	0.02	0.97	1.06	6.1	5	12.1	210	0.24	0.9	6.4	0.059	0.09	5.1	51
E386505		0.7	<0.002	0.07	0.11	0.8	4	<0.2	300	<0.05	0.06	0.3	0.006	<0.02	0.8	2
E386506		69.7	0.028	0.95	1.18	5.6	5	21.3	141.5	0.24	0.95	8	0.068	0.15	6.3	49
E386507		55.6	0.02	0.44	0.96	5.9	4	18.5	264	0.27	0.58	7.2	0.067	0.12	6.3	45
E386508		45.2	0.019	0.47	1.17	4.5	4	16.6	369	0.27	0.55	6.2	0.059	0.11	4.9	37
E386509		78.3	0.015	0.32	1.25	6.1	3	24.6	278	0.32	0.4	8.2	0.074	0.16	7.2	43
E386510		53.2	0.02	0.25	1.3	5.1	3	18	380	0.35	0.38	6.7	0.061	0.11	5.9	42
E386511		38.8	0.017	0.37	1.17	3.6	3	15.4	582	0.33	0.59	6	0.059	0.08	3	43
E386512		42.7	0.021	0.28	1.24	4	4	17	571	0.35	0.44	6.2	0.056	0.09	2.8	41
E386513		62.6	0.019	0.31	1.43	5.2	5	24.3	431	0.41	0.53	8.3	0.072	0.12	6.6	49
E386514		66.9	0.02	0.34	1.45	5.2	4	24.5	483	0.38	0.41	8.5	0.069	0.14	4.6	49
E386515		70.5	0.018	0.44	1.31	5.7	4	23.9	438	0.32	0.56	8.6	0.073	0.16	4.4	43
E386516		0.7	<0.002	0.07	0.08	0.6	4	0.2	286	<0.05	0.06	0.2	0.006	<0.02	0.7	4
E386517		28.9	0.019	6.66	2.2	3.7	6	7.4	181	0.12	0.98	5.3	0.032	0.47	14.2	59
E386518		101.5	0.019	0.58	1.41	7.1	5	33.2	416	0.39	0.74	9.4	0.096	0.23	11.9	50
E386519		35.2	0.011	0.24	1.19	3.5	2	13.4	710	0.26	0.32	5.8	0.058	0.08	5.7	37
E386520		132.5	0.024	0.47	1.75	7.5	5	40.9	310	0.52	0.43	16.7	0.144	0.29	7.5	63
E386521		55.4	0.031	1.16	1.44	7.4	8	25	167.5	0.21	1.17	6.9	0.075	0.12	38.3	54
E386522		42.3	0.027	0.47	1.54	5.9	5	25.4	303	0.25	0.83	6	0.062	0.1	5.7	47
E386523		51.1	0.022	2.33	1.5	4.9	7	24.5	399	0.27	1.48	4.9	0.068	0.11	5.3	42
E386524		39.1	0.016	2.2	1.11	3.9	7	12.6	765	0.19	0.55	3.4	0.046	0.09	3.9	37
E386525		58.4	0.01	0.82	1.14	5	5	9.8	1830	0.22	0.39	4.1	0.061	0.12	3.7	41
E386526		137.5	0.011	0.22	1.98	9	4	12.9	733	0.4	0.09	11.5	0.163	0.29	4.1	62
E386527		166.5	0.01	0.24	1.52	12.8	3	11.2	205	0.25	0.2	16	0.183	0.33	10.1	64
E386528		0.9	0.005	0.06	0.08	0.5	3	<0.2	260	<0.05	0.19	0.2	0.005	<0.02	0.7	4
E386529		156.5	0.008	0.18	1.76	11.9	2	11.1	95.9	0.23	0.13	16.6	0.183	0.32	5.6	62
E386530		150	0.008	0.33	1.93	12.4	2	11.7	102	0.28	0.14	15.5	0.187	0.35	5.1	68
E386531		149	0.007	0.1	1.54	10.6	2	9.4	117	0.23	0.12	15.4	0.176	0.28	4.5	58
E386532		128	0.004	0.2	1.5	9.4	1	7.8	279	0.16	0.23	11.8	0.137	0.27	3.6	50
E386533		113	0.009	0.21	1.65	9.9	2	10.7	387	0.31	0.22	13.9	0.133	0.23	2.5	57
E386534		138	0.005	0.41	1.72	10.9	2	8.3	2320	0.15	0.12	14.4	0.104	0.33	4.2	53
E386535		150	0.007	0.19	2.22	11.3	2	13.7	594	0.38	0.52	11.5	0.153	0.35	8.2	68
E386536		179	0.002	0.31	1.71	15.2	2	10	611	0.22	0.09	16.1	0.192	0.38	5.1	73
E386537		173	0.002	0.37	1.51	14.7	2	9.4	367	0.21	0.08	15.2	0.178	0.37	3.9	69
E386538		178.5	<0.002	0.47	1.46	13.7	1	9.9	276	0.14	0.05	14.3	0.166	0.31	3	67
E386539		1.1	<0.002	0.06	0.07	0.6	1	<0.2	257	<0.05	<0.05	0.3	0.006	<0.02	0.6	5
E386540		127.5	0.005	1.21	1.06	9.9	1	7.4	456	0.18	0.2	12.6	0.105	0.33	16	61
E386541		156.5	<0.002	0.4	1.56	11.3	1	10.6	732	0.19	0.06	11.5	0.174	0.26	2.9	61

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132888

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386502		10.9	12.2	6	38.7		0.006	
E386503		19.1	17.5	6	39.2		0.031	
E386504		10.4	15.1	5	19.8		0.027	
E386505		0.1	3.5	23	4.1		<0.001	
E386506		15.5	15.9	7	34.6		0.019	
E386507		11.3	14.3	8	26.5		0.021	
E386508		12.8	12.5	6	21.7		0.018	
E386509		15.7	15.1	5	34.2		0.015	
E386510		13.5	14.6	6	24.9		0.013	
E386511		11.6	13	7	19.4		0.020	
E386512		11.8	14.5	7	20.6		0.020	
E386513		14.6	17.3	7	30.3		0.029	
E386514		15.7	15.9	6	30.5		0.045	
E386515		16	15.4	7	30.4		0.022	
E386516		0.1	3	22	3.5		0.001	
E386517		6.5	13.9	7	22.3		0.120	
E386518		19.4	16.7	8	49		0.029	
E386519		10.9	11.3	9	21.5		0.009	
E386520		24	19	6	59		0.025	
E386521		13.6	14.7	7	31.7		0.087	
E386522		13.7	13.9	8	24.6		0.042	
E386523		12.2	12.2	3	28.9		0.126	
E386524		9.8	10.2	5	20.4	1.330	0.144	
E386525		12.7	10.8	4	24.8		0.153	
E386526		22.3	14.5	3	55.7		0.007	
E386527		21.9	17.4	4	62.6		0.003	0.90
E386528		0.1	3	20	3.7		0.001	
E386529		22.3	18.4	7	66.1		0.004	
E386530		21.5	18.9	9	64		0.005	
E386531		18.7	17.4	4	61.5		0.001	
E386532		15.8	15.1	3	52.8		0.003	1.13
E386533		17.6	18.1	3	43.6		0.007	
E386534		16	11.7	4	61.2		0.029	
E386535		22.7	16.9	4	61.7		0.007	
E386536		22.3	11.9	6	71.8		0.012	
E386537		22	11.6	5	72		0.004	
E386538		21.8	10.1	6	69.3		0.004	1.69
E386539		0.1	2.8	22	3.6		0.001	
E386540		7.7	10.7	6	60.2		0.016	
E386541		19.8	9.2	6	59.6		0.003	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132888

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386542		1.46	0.13	3.37	11.8	380	1.17	0.22	1.39	<0.02	189	26.5	19	2.84	180.5	12.65
E386543		1.76	0.13	3.92	9	2050	1.48	0.1	1.04	<0.02	222	16.5	23	3.29	83.9	10.75
E386544		2.06	0.21	2.62	7.4	690	0.88	0.53	1.18	<0.02	263	35	16	1.85	837	17.15
E386545		1.40	0.13	4.71	4.2	1520	1.47	0.1	2.55	<0.02	124.5	21.3	29	4.11	703	8.09
E386546		1.66	0.09	4.13	6.9	980	1.43	0.08	0.57	<0.02	44.4	30.2	27	3.47	115.5	9.78
E386547		1.50	0.1	4.08	5.2	790	1.48	0.11	0.7	<0.02	37.8	24	24	3.46	178	8.89
E386548		1.76	0.11	2.23	8.2	370	0.79	0.27	0.36	<0.02	142.5	42	12	1.32	52.6	13.65
E386549		1.74	0.12	2.74	6.9	480	0.87	0.16	0.24	<0.02	275	38.6	14	1.58	82.5	13.15
E386550		1.34	0.11	8.27	2.5	5710	2.65	0.1	0.21	<0.02	45.5	12.9	63	5.31	314	5.85
E386551		0.16	0.01	0.12	10	140	0.06	0.01	44.4	0.36	2.48	1	6	<0.05	1.8	0.05
E386552		1.36	0.01	5.11	4.3	1150	1.57	0.18	0.26	<0.02	121.5	16	34	3.04	181.5	8.18
E386553		1.82	0.35	2.95	7.1	250	0.99	0.22	0.68	<0.02	123	38.7	18	2.17	3390	13.05
E386554		1.20	0.11	5.92	6.1	510	1.93	0.09	0.95	<0.02	42.6	76.9	38	4.71	292	10.55
E386555		1.88	0.1	1.88	6.1	290	0.74	0.1	1.1	<0.02	162	68.4	11	1.27	111	17.85
E386556		2.32	0.09	1.29	5.3	440	0.69	0.11	1.12	<0.02	147	41.7	5	0.97	35.2	25.4
E386557		1.28	0.1	3.3	7.5	240	1.63	0.15	1.92	<0.02	290	61.5	19	2.57	59.3	11.6
E386558		1.78	0.11	3.93	5.7	1780	1.43	0.25	1.68	<0.02	155.5	16.6	22	3.06	63.9	15.1
E386559		1.78	0.13	3.91	7.8	460	1.39	0.37	1.39	<0.02	146	43.1	23	3	181.5	11.05
E386560		1.08	0.12	4.96	6.1	990	1.63	0.42	0.22	<0.02	102.5	50	32	3.5	56.9	13.2
E386561		1.48	0.15	5.81	5.1	2240	2.07	0.35	0.24	<0.02	134.5	21.5	40	4.54	69.6	10.25
E386562		0.16	0.02	0.13	<5	160	0.08	0.01	45.4	0.4	2.67	1	6	<0.05	1.7	0.06
E386563		0.22	1.29	5.59	72.3	120	1.86	2.8	2.04	<0.02	62	160.5	33	3.74	7150	9.99
E386564		1.68	0.11	5.66	7.3	2020	2.06	0.17	0.56	<0.02	148.5	41.6	38	4.52	210	11.9
E386565		1.50	0.12	2.33	8	1680	1.02	0.2	0.66	<0.02	239	19.7	12	1.65	34.4	15.75
E386566		1.90	0.22	2.44	7.8	880	1.21	0.36	1.88	<0.02	294	28.4	13	1.75	99.9	15.85
E386567		1.48	0.15	3.04	7.5	850	1.5	0.31	2.28	<0.02	178.5	35.7	17	1.91	71.8	12.65
E386568		1.46	0.19	2.98	9	930	0.94	0.42	6.48	<0.02	269	52.2	11	1.85	2.9	12.25
E386569		1.50	0.11	5.16	8	1210	1.96	0.44	0.42	<0.02	100.5	42.7	39	4.12	7.2	11.7
E386570		1.58	0.17	2.71	11.2	900	1.28	0.55	1.5	<0.02	267	67.7	14	2.02	15.4	16.1
E386571		1.32	0.17	2.89	12.2	200	1.02	0.84	1.95	<0.02	134	99.1	14	1.81	13	19.2
E386572		3.20	0.13	5.9	2.8	3270	2.17	0.03	0.69	<0.02	144.5	17.3	33	5.37	25	9.32
E386573		2.40	0.1	6.69	23.2	450	1.31	3.94	3.06	<0.02	85.4	89.4	34	5.97	34.2	6.65
E386574		0.16	0.02	0.14	<5	50	0.07	<0.01	49.9	0.41	2.8	1.2	6	<0.05	2.1	0.05
E386575		1.74	0.07	4.87	20	190	1.03	4.19	2.51	0.02	54	72.6	27	4.27	12.5	5.37
E386576		1.36	0.06	5.39	25.8	500	0.91	3.87	1.81	<0.02	86	101	28	4.26	62.6	5.81
E386577		1.44	0.1	7.32	33.7	920	1.26	6	3.96	<0.02	125	126.5	41	6.62	227	8.33
E386578		1.60	0.11	7.8	46.1	870	1.42	5.3	3.06	<0.02	38.4	113.5	37	7.38	75.7	8.67
E386579		1.56	0.02	7.51	12	790	1.33	1.7	4.91	<0.02	102	34.7	42	6.77	56.2	6.74
E386580		1.14	0.15	5.8	57.2	3340	1.1	8.52	5.99	<0.02	183	157.5	27	5.18	156	12.35
E386581		1.68	0.09	5.96	28.4	610	1.3	2.74	6.66	<0.02	126.5	56.6	27	5.94	108.5	9.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132888

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386542		9.18	0.25	1.1	0.048	1.69	121.5	37.4	0.79	1490	24.7	0.02	8.1	15.2	1630	1.9
E386543		10.45	0.26	1.3	0.059	2.03	167.5	47.8	0.74	1475	34.7	0.02	7.9	11.4	1250	1.9
E386544		7.84	0.36	0.9	0.063	0.97	185	29.6	1.18	3740	39.5	0.01	5.5	26.9	1250	1.5
E386545		13.2	0.19	1.5	0.086	2.37	86.8	43.4	1.25	2240	5.92	0.03	7.1	14.6	780	2.1
E386546		10.3	0.18	1.3	0.058	2.06	28.4	38	0.58	408	12.15	0.02	7.2	13.8	890	1.2
E386547		10.4	0.17	1.2	0.066	1.91	23.1	43.2	0.74	587	13.55	0.02	8.1	14.3	770	1.3
E386548		5.55	0.24	0.7	0.039	0.75	87.3	28.6	0.77	2260	33.4	0.01	6.5	17.7	1320	1.9
E386549		7.9	0.31	0.8	0.053	0.94	176	26.1	0.88	2370	27.6	0.01	6.4	19.9	1080	1.6
E386550		23.7	0.14	2.8	0.072	4.09	28.9	37.9	0.76	163	31.4	0.02	4.1	20.3	860	1.3
E386551		0.45	<0.05	0.1	<0.005	0.03	1.8	1.5	0.46	33	0.32	0.01	0.3	3.3	90	0.9
E386552		13.05	0.25	1.1	0.049	2.47	83.1	38.8	0.56	364	3.21	0.02	7	12.4	960	1.5
E386553		8.6	0.23	1	0.06	1.35	68.2	31.1	0.87	2350	24.4	0.02	5.9	20.8	1110	1.9
E386554		15.25	0.19	1.8	0.059	2.58	23	52.6	1.21	1135	2.1	0.03	7.6	34.3	550	1.1
E386555		6.28	0.31	0.6	0.026	0.74	86.9	18.1	0.89	2960	47.5	0.01	5.8	26.2	1400	1.3
E386556		5.39	0.45	0.4	0.024	0.61	99.9	11	0.69	2790	51.3	0.01	5.2	27.7	1240	0.9
E386557		8.76	0.3	1	0.024	1.54	168	27.5	0.83	1780	34.2	0.02	8.7	18.7	1510	1.4
E386558		10.7	0.3	1.2	0.057	1.85	122	30.3	1.33	3670	35.4	0.02	6.6	18.3	1450	1.4
E386559		10	0.22	1.2	0.055	1.87	88.6	35.6	1.06	2290	31.4	0.02	7.1	20.1	1130	1.9
E386560		13.2	0.24	1.6	0.114	2.22	64.8	54.9	1.32	4140	6.26	0.03	7.6	29.3	750	1.8
E386561		15.6	0.22	1.8	0.063	2.86	89.1	61.9	0.84	564	14.75	0.02	9.8	22.8	990	1.7
E386562		0.48	<0.05	0.1	<0.005	0.03	1.9	1.7	0.48	35	0.37	0.01	0.3	3	100	1
E386563		14.95	0.18	1.9	0.142	2.14	23.6	26	1.22	3510	67.2	0.92	3	35.9	840	21.9
E386564		15	0.22	1.8	0.071	2.61	117.5	55.6	1.04	1305	31.3	0.03	7.5	24.9	1200	1.8
E386565		6.74	0.29	0.7	0.039	0.83	190	33.8	0.99	2980	38.9	0.01	8.6	18.4	1510	1.3
E386566		7.29	0.34	0.8	0.062	0.83	223	38.5	1.27	1775	53.4	0.07	8.6	19.9	1490	1.6
E386567		8.8	0.24	1	0.076	1.21	136	43.4	1.62	2430	43.1	0.02	8.2	21.5	1600	1.7
E386568		9.17	0.3	0.9	0.509	0.83	205	43.7	3.57	6510	38.3	0.02	9.6	34.1	1470	2.6
E386569		13.85	0.23	1.7	0.192	2.34	80.7	78.1	1.66	5120	14.65	0.02	6.4	26.9	900	1.9
E386570		7.87	0.33	1	0.307	1.36	210	34.1	2.01	10300	52.4	0.02	9.7	18.1	1870	2.3
E386571		7.47	0.29	0.8	0.34	1.41	103.5	20.8	2.62	12950	28.1	0.02	4.6	20.4	1160	3.2
E386572		16.45	0.18	1.7	0.276	2.93	103	35.1	1.66	7610	8.96	0.04	3.5	12.9	670	3.5
E386573		16.8	0.14	2	0.078	3.09	48.4	36.9	1.49	2360	3.93	0.06	3.3	20.1	810	2.7
E386574		0.43	<0.05	0.1	<0.005	0.03	2.1	1.7	0.54	41	0.22	0.02	0.3	<0.2	110	1.2
E386575		12.35	0.1	1.6	0.054	2.21	30	30.7	1.09	1770	2.71	0.05	2.8	18.5	640	2.5
E386576		12.4	0.11	1.4	0.066	2.47	49.8	26.7	0.88	1310	3.01	0.05	2.2	22.2	740	2.1
E386577		18.15	0.16	2.4	0.098	3.56	75.2	44.9	1.44	3430	9.06	0.06	3.9	31.3	990	2.8
E386578		18.95	0.15	2.2	0.105	3.84	18.7	50.8	1.15	2670	14.75	0.07	4.2	34.8	740	2.8
E386579		17.5	0.15	2.1	0.104	3.56	67.4	50.2	1.68	4130	16.05	0.06	5.8	12.4	1120	2.4
E386580		12.8	0.19	1.9	0.097	2.79	129	45.5	1.85	5820	12	0.04	4.2	41.2	1300	3.4
E386581		14.2	0.14	1.7	0.142	2.85	91.1	54.8	2.6	5940	39.9	0.05	5.3	16.7	1540	2.9

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132888

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386542		86.3	0.011	0.35	1.78	7	1	15.8	1205	0.24	0.24	8.6	0.104	0.16	3	58
E386543		104	0.018	0.15	1.72	8.5	1	20	1245	0.26	0.23	10.2	0.118	0.18	3	53
E386544		50.6	0.008	0.26	0.9	4.8	3	9.2	1485	0.15	0.47	7.3	0.058	0.08	3.7	35
E386545		121.5	0.006	0.26	1.51	8.4	1	13.2	1320	0.28	0.09	11.2	0.153	0.2	11.1	49
E386546		103	0.005	0.24	1.63	6.5	1	12.1	1575	0.35	0.13	6.8	0.135	0.18	2.4	50
E386547		99	0.006	0.22	1.23	8.1	1	16.8	1745	0.32	0.25	4.6	0.127	0.18	3.5	49
E386548		38.6	0.008	0.36	0.96	4.1	1	12.1	1695	0.17	0.26	4.9	0.05	0.08	2.6	34
E386549		46.6	0.008	0.27	1.05	4.2	1	10.7	1600	0.16	0.72	7.9	0.059	0.09	2.8	35
E386550		185	0.006	0.37	1.22	10.4	2	19.6	1240	0.18	0.07	13.8	0.175	0.4	6.1	74
E386551		0.9	0.003	0.06	0.06	0.5	2	<0.2	257	<0.05	<0.05	0.2	0.005	<0.02	0.6	5
E386552		106.5	0.005	0.29	1.28	7.8	2	16.5	1400	0.34	0.05	6.5	0.165	0.22	1.7	57
E386553		70.4	0.008	0.51	1.21	7.6	2	14.3	1025	0.23	0.19	6	0.08	0.1	3.7	52
E386554		130	<0.002	0.51	1.16	9.8	1	10.6	1280	0.41	0.18	12	0.174	0.21	2.6	54
E386555		38.1	0.009	0.53	0.64	3.3	1	8.5	1350	0.12	0.21	5.1	0.043	0.06	3.5	35
E386556		30.4	0.014	0.35	0.71	2.8	1	9.6	1100	0.05	0.27	4.2	0.025	0.05	3.1	35
E386557		77	0.012	0.51	0.9	6.4	2	21.3	1110	0.12	0.23	9.2	0.06	0.15	3.6	41
E386558		87.5	0.013	0.25	1.27	7.8	1	19.8	872	0.19	0.13	6.2	0.098	0.16	2.9	64
E386559		89.6	0.014	0.4	1.44	6.8	1	11.4	1180	0.28	0.59	10.7	0.11	0.17	2.9	48
E386560		111	0.011	0.47	1.87	8.8	1	9.3	353	0.4	0.21	12.7	0.155	0.21	2.3	56
E386561		146.5	0.008	0.31	2.01	9.6	1	14.1	631	0.5	0.31	12.6	0.175	0.25	2.7	64
E386562		1	0.003	0.06	0.06	0.5	1	0.2	263	<0.05	<0.05	0.3	0.006	<0.02	0.6	6
E386563		91.6	0.023	2.31	1.57	9.6	2	7.9	611	0.15	0.3	9.7	0.076	0.44	272	55
E386564		131	0.013	0.3	1.32	9.3	1	22.8	813	0.25	0.23	12	0.136	0.24	5.4	68
E386565		47.4	0.012	0.15	1.03	4.1	1	24.9	1040	0.2	0.25	5.6	0.05	0.07	2.1	30
E386566		46.1	0.017	0.18	1.25	4.3	1	28.7	837	0.18	0.44	6.6	0.049	0.07	3.1	35
E386567		60.9	0.013	0.29	1.07	5.8	1	35	773	0.17	0.32	5.1	0.067	0.1	2.3	45
E386568		42.4	0.015	0.45	1.2	5.8	1	14.5	41	0.26	0.37	6.8	0.062	0.09	3.7	47
E386569		127	0.014	0.42	1.82	14.9	1	29.8	20.9	0.2	0.39	3.8	0.149	0.26	7.9	126
E386570		66.6	0.024	1.16	1.45	6.1	1	22.2	20.2	0.25	0.45	8.8	0.073	0.17	2.1	55
E386571		57	0.013	2.99	1.31	5.1	1	14.1	17	0.13	0.34	7	0.063	0.28	1.7	49
E386572		138	0.002	0.11	0.89	10.4	1	12.3	23.9	0.21	<0.05	16	0.115	0.31	2.7	61
E386573		127	<0.002	3.51	1.65	10.5	1	6.8	16.9	0.19	0.14	14.7	0.12	0.46	9	65
E386574		0.9	<0.002	0.07	0.07	0.5	2	<0.2	295	<0.05	<0.05	0.3	0.006	<0.02	0.8	5
E386575		93.7	<0.002	2.8	1.35	7.8	1	5	22.7	0.18	0.13	10.1	0.094	0.28	13.7	39
E386576		93.4	<0.002	3.71	0.83	6.1	1	5.7	22.1	0.11	0.18	11	0.1	0.23	5.2	41
E386577		138.5	<0.002	4.29	1.02	14.3	1	8.9	61.4	0.2	0.28	16.4	0.135	0.36	21.8	83
E386578		150	<0.002	5.32	0.9	12.5	2	11.8	61.3	0.17	0.3	14.5	0.137	0.42	11	71
E386579		150.5	0.002	1.3	1.34	16	1	12.5	76.6	0.22	0.09	14.2	0.136	0.41	6	81
E386580		111	0.003	7.06	1.17	15.4	2	9.7	73.6	0.23	0.59	15.5	0.11	0.28	20.7	75
E386581		123.5	0.009	3.44	2.26	15.2	2	12.5	46.6	0.2	0.13	9.2	0.104	0.54	14.8	74

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132888

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386542		16.8	11.7	4	30.5		0.007	
E386543		16.7	11.9	4	37.6		0.004	
E386544		9.7	10.9	6	24.7		0.017	
E386545		18.9	11.4	11	46.5		0.004	
E386546		15.8	8	4	38.8		0.003	
E386547		15.2	8.2	6	35.7		0.005	
E386548		8.7	7.7	6	20.9		0.004	
E386549		10.6	8.6	8	23.6		0.004	
E386550		18.8	11.3	7	81.9		0.001	11.60
E386551		0.1	2.8	26	3.4		0.002	
E386552		14.5	8.2	4	40.1		0.004	
E386553		11.6	9.3	5	27.4		0.007	
E386554		14.9	10.6	7	51.4		0.003	
E386555		7.6	9.6	4	17.5		0.006	
E386556		6.8	8.8	2	12.2		0.005	
E386557		12.2	13.7	4	30.3		0.006	
E386558		14.5	10.5	6	33.8		0.005	
E386559		14.6	10	5	34.3		0.007	
E386560		14.9	9.7	8	47.2		0.005	
E386561		19.7	11.3	6	52.7		0.007	
E386562		0.2	2.9	22	3.9		0.002	
E386563		8.1	15	13	57		0.052	
E386564		17.9	11.1	6	50.6		0.006	
E386565		9.5	8.4	6	20.8		0.004	
E386566		12.4	10	8	21.5		0.007	
E386567		12.4	9.2	8	26.9		0.009	
E386568		12.4	21.4	21	24.9		0.015	
E386569		21.1	10.8	12	47.3		0.007	
E386570		13.4	13	7	28		0.018	
E386571		10.1	9.7	8	24.1		0.020	
E386572		14.8	12.8	4	54.2		0.003	
E386573		12	10.9	5	65.9		0.013	
E386574		0.2	2.9	24	3.3		0.001	
E386575		9.7	8.2	4	49.4		0.011	
E386576		9.7	8.1	4	45.2		0.016	
E386577		15.5	16	3	76.2		0.020	
E386578		16.9	13.1	3	71.1		0.018	
E386579		18.4	14.4	2	66.1		0.006	
E386580		14	19.1	3	60.6		0.036	
E386581		15.9	15.9	3	55.9		0.013	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132888

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386582		1.36	0.13	1.99	24	90	0.29	8.4	10.85	<0.02	88.7	115.5	9	2.76	164.5	17.7
E386583		1.32	0.1	5.29	38.3	210	0.96	6.73	7.15	<0.02	126.5	98.1	25	5.89	92.4	11.95
E386584		1.74	0.21	5.11	72.2	370	0.9	8.36	3.5	<0.02	144	98.8	25	5.36	395	15.2
E386585		0.18	0.01	0.13	8	20	0.05	<0.01	45.4	0.38	2.47	1.2	5	<0.05	2.3	0.05
E386586		0.24	1.15	2.43	113	70	0.75	11.25	2.32	<0.02	196	343	12	2.97	9020	29.6
E386587		1.54	0.24	4.5	61.9	450	0.79	12.25	6.27	<0.02	100	126.5	19	4.36	68.1	16.2
E386588		1.58	0.1	3.33	40.9	190	0.54	5.89	5.84	<0.02	49.4	93.5	21	3.23	65	12.1
E386589		1.40	0.07	5.86	31	400	1.14	4.39	10.7	<0.02	15.1	77.4	26	5.92	17.6	9.78
E386590		0.98	0.17	4.3	31.1	140	0.92	6.83	8.91	<0.02	17.1	97.4	28	5.62	138	13.25
E386591		1.72	0.06	2.61	29	370	0.61	1.92	11	<0.02	27.3	49.2	19	2.98	56	12
E386592		1.34	0.05	3.86	6	2370	0.82	1.39	10.75	<0.02	39	28.7	25	4.17	77	9.99
E386593		1.34	0.06	7.22	24.8	3510	1.56	2.11	4.44	<0.02	343	40.4	38	7.54	262	6.33
E386594		1.48	0.16	8.15	17.8	5630	1.83	2.01	2.75	<0.02	134	36.5	41	9.15	385	7.55
E386595		1.44	0.09	4.59	16.7	530	1.04	2.19	2.51	<0.02	56.1	50.4	25	5.37	349	5.96
E386596		1.48	0.18	5.44	44	830	0.96	8	5.09	<0.02	65.1	86.9	26	5.53	78.6	7.18
E386597		0.16	0.01	0.13	7	30	0.1	0.01	45.8	0.39	2.42	1.2	6	<0.05	2.2	0.05
E386598		1.26	0.26	4.76	82	460	0.97	13.55	10.2	<0.02	83.8	130.5	18	5.42	155.5	11.7
E386599		1.28	0.33	4.49	88.2	510	0.91	20.1	9.08	<0.02	112	164	19	5.13	267	12.1
E386600		1.36	0.21	3.6	63.5	110	0.85	8.97	9.39	<0.02	139	94.9	17	4.4	286	9.78
E386601		1.60	0.2	4.65	44.9	410	1.05	2.96	7.07	<0.02	138.5	53.3	24	5.46	2100	8.48
E386602		1.58	0.37	4.54	119	510	0.98	14.6	6.85	<0.02	156.5	164	21	5.32	679	10.6
E386603		1.36	0.18	7.07	101	510	1.18	10.75	4.15	<0.02	146	104	36	7.57	59.8	8.89
E386604		1.62	0.24	6.59	134.5	420	1.56	13.65	4.23	<0.02	99.1	135	34	9.33	138	11.9
E386605		1.24	0.48	5.08	139	1590	0.98	22.2	2.5	<0.02	38.5	170.5	23	6.15	781	12.25
E386606		1.34	0.29	4.77	62.4	590	1.14	10.9	4.44	<0.02	83.2	140	23	6.17	1260	9.97
E386607		1.62	0.34	3.94	87.2	1330	0.95	17.9	5.97	<0.02	137.5	247	16	5.44	267	17.05
E386608		0.16	0.02	0.13	9	30	0.05	0.02	44.6	0.37	2.14	1.1	14	<0.05	2.7	0.05
E386609		0.22	0.3	7.12	43.9	1100	2.69	1.64	2.04	<0.02	75.3	118.5	45	6.37	1540	7.23
E386610		1.70	0.12	4.47	20.2	220	0.97	2.18	6.84	<0.02	94.2	65.8	23	5.33	729	13.95
E386611		1.30	0.17	1.66	32.9	70	0.29	6.62	5.69	<0.02	86.9	58.2	10	2.13	37.3	20.3
E386612		1.54	0.61	3.19	136	300	0.81	25.8	6.46	<0.02	142.5	262	16	3.22	146	21.9
E386613		1.70	0.5	2.54	96.9	210	0.71	23.5	2.48	<0.02	55.7	187.5	13	2.6	119	24.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132888

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386582		4.47	0.19	0.5	0.115	0.99	65.3	32.4	3.36	10950	13.5	0.02	2.1	25.7	830	2.9
E386583		11.5	0.16	1.6	0.12	2.56	95.6	55.4	2.64	6490	24	0.05	4.3	27.7	1190	2.3
E386584		11.8	0.2	1.5	0.173	2.46	109	43.8	2.49	10950	24.5	0.05	3.9	27.5	1610	2.6
E386585		0.41	<0.05	0.1	<0.005	0.03	1.9	1.7	0.48	41	0.28	0.01	0.3	<0.2	110	0.9
E386586		9.56	0.34	0.7	0.291	0.65	129	30.4	1.63	6360	61.9	0.25	6.5	64.1	2470	6.7
E386587		10.7	0.19	1.2	0.152	2.06	75.8	36.3	3.6	11550	11.5	0.04	3.4	30.2	1030	3
E386588		7.66	0.1	0.9	0.123	1.59	32.9	23.7	2.84	9960	7.49	0.03	3.7	15.7	1090	1.5
E386589		13.55	0.11	1.5	0.113	2.76	9.5	43.1	3.85	8460	4.21	0.06	3.4	15.1	610	2.3
E386590		9.95	0.14	1.7	0.116	2.01	9.9	31.3	3.19	9220	5.61	0.05	1.9	18.9	370	4.4
E386591		6.09	0.12	1.2	0.096	1.24	18.2	20.2	3.66	10400	5.61	0.04	2.2	13.4	340	3.2
E386592		8.87	0.11	1.4	0.088	1.81	26.6	24.6	3.16	8540	6.32	0.04	2.3	10.3	440	2.6
E386593		18.35	0.24	2.1	0.097	3.4	219	39.2	1.56	4210	8.97	0.07	3.4	14.4	750	2.4
E386594		20.5	0.15	2.2	0.138	3.91	91	50.1	1.61	5240	66.4	0.07	3.2	14.8	750	4
E386595		11.95	0.12	1.4	0.057	2.13	37.4	27.3	1.04	2640	11.7	0.05	2.7	15.1	490	2.2
E386596		11.9	0.11	1.5	0.064	2.59	39.3	27.7	1.93	3830	7.6	0.06	2	20.7	600	3.3
E386597		0.37	<0.05	0.1	<0.005	0.03	1.8	1.9	0.49	40	0.22	0.01	0.3	<0.2	100	1.3
E386598		12.15	0.15	1.4	0.081	2.29	57.9	39.1	3.12	7490	13.55	0.05	3.3	29.2	920	3.3
E386599		12.3	0.15	1.3	0.089	2.21	85.7	41.2	3.08	6870	16.25	0.05	3.7	41.6	1340	3.1
E386600		10.75	0.14	1	0.085	1.7	109.5	34.9	3.35	7790	13.55	0.04	2.9	25.7	1140	2.3
E386601		13.2	0.15	1.3	0.105	2.16	111.5	38.1	2.77	6560	24.8	0.05	3.9	18.6	1290	2.3
E386602		13.35	0.16	1.4	0.075	2.03	118	38.6	2.51	5210	28.7	0.05	3.6	50.6	1380	2.7
E386603		19.3	0.38	2.3	0.08	3.57	84.3	37.1	1.29	2840	28.4	0.07	3.5	34.2	1330	2.2
E386604		18	0.18	2.1	0.096	3.39	60.9	51.4	1.19	2940	27.3	0.07	3	42.2	1260	2.6
E386605		13.3	0.16	1.7	0.06	2.39	23.4	36.3	1.01	2010	27.5	0.05	2.3	44.6	560	3.6
E386606		12.9	0.15	1.6	0.089	2.17	55.6	39.6	1.48	4190	36.4	0.05	3	36.1	850	2.8
E386607		10.5	0.22	1.3	0.09	1.78	98.2	45.7	1.65	5770	40.4	0.04	5.3	69.3	1850	3.2
E386608		0.52	<0.05	0.1	<0.005	0.03	1.7	1.4	0.48	35	0.24	0.01	0.3	6	110	1.2
E386609		19.9	0.22	1.5	0.139	3.24	37.5	24.1	1.35	3290	20.3	0.61	3.9	28.7	800	3.7
E386610		14.05	0.24	1.4	0.112	2.1	73.5	38.8	2.11	7490	16.5	0.04	6.1	28.25	1360	2.3
E386611		6.02	0.31	0.7	0.106	0.75	74	15.9	2.02	8830	52.7	0.02	6.2	39.55	2390	2.8
E386612		11.2	0.37	1.3	0.114	1.36	112.5	24.4	2.42	7010	70	0.03	11.2	98	3340	4.4
E386613		7.99	0.38	1	0.158	1.18	37.8	16.4	1.91	11950	63.3	0.02	7.4	79.7	1870	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132888

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386582		44	<0.002	4.92	1.28	9.9	2	2.9	167.5	0.09	0.27	4	0.036	0.11	9.6	39
E386583		111	0.003	4.23	1.33	12.9	2	11.8	60.1	0.17	0.25	9.1	0.098	0.27	11.6	57
E386584		108	0.005	4.32	1.28	10.4	2	12.1	21.9	0.12	0.27	9.7	0.087	0.29	14.2	68
E386585		0.7	<0.002	0.06	0.07	0.5	2	<0.2	263	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E386586		35.7	0.018	7.13	2.46	5.5	6	8.4	173	0.15	1.26	6.5	0.034	0.5	17.1	64
E386587		87.1	0.002	5.6	2.38	9.8	1	9.7	24	0.12	0.21	8.8	0.075	0.37	8.9	80
E386588		64.1	0.002	1.89	1.38	8.1	1	7.1	24.1	0.12	0.13	8	0.067	0.18	2.3	74
E386589		117.5	<0.002	1.67	0.97	12.5	1	10.9	88.8	0.19	0.1	12.2	0.101	0.32	2.9	87
E386590		86.6	<0.002	3.06	1.55	8.8	1	6.9	53.9	0.1	0.12	11.1	0.072	0.38	4	64
E386591		52.3	<0.002	1.34	1	8.4	1	3.3	80.1	0.12	0.05	7.8	0.058	0.15	3.7	54
E386592		75.5	<0.002	0.64	0.99	9.4	1	3.9	107.5	0.13	0.05	11.1	0.071	0.22	5.4	59
E386593		142.5	<0.002	0.57	1.49	12.8	2	7.7	55.4	0.16	0.08	18.6	0.116	0.42	13.1	74
E386594		169.5	<0.002	0.62	1.51	14.1	1	10	23.3	0.15	0.07	14.5	0.134	0.48	95.4	77
E386595		94.9	<0.002	1.18	1.58	9.6	2	6	30	0.19	0.06	8.7	0.094	0.29	27.1	49
E386596		97.4	<0.002	3.44	1.51	8	1	7.2	32.5	0.13	0.15	9.9	0.094	0.29	14.5	46
E386597		0.8	<0.002	0.06	0.09	0.5	2	<0.2	274	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E386598		96.7	<0.002	5.1	1.56	10.1	1	9.2	75.6	0.15	0.23	10.1	0.082	0.29	9.3	49
E386599		90.1	0.003	6.78	1.96	9.6	2	9.7	42.2	0.12	0.35	8.2	0.075	0.29	10.4	62
E386600		77.6	0.004	3.4	1.04	9.8	2	8.3	34	0.1	0.22	8	0.056	0.22	8.8	54
E386601		96.5	0.006	1.65	0.99	12.4	2	10.1	25.9	0.15	0.12	10.1	0.077	0.29	9.6	68
E386602		90	0.006	5.97	1.77	11.8	3	9.6	30.6	0.13	0.37	11.6	0.074	0.3	11.1	73
E386603		111	0.003	5.58	2.26	9.5	1	12.5	32.7	0.18	0.24	15.4	0.127	0.45	8.5	70
E386604		143	0.002	8.45	1.34	14.8	2	14	43	0.12	0.4	11.7	0.105	0.42	13.5	79
E386605		104.5	0.003	>10.0	3.97	10.9	2	9	17.4	0.13	0.4	10.6	0.086	0.79	8.2	58
E386606		99.9	0.003	5.73	1.5	13.3	2	10.1	51.5	0.14	0.28	11.8	0.085	0.34	8.4	64
E386607		79.8	0.006	>10.0	1.83	12.4	3	9.4	102	0.18	0.82	9.9	0.076	0.27	15.7	70
E386608		0.6	<0.002	0.06	0.13	0.5	2	<0.2	279	<0.05	<0.05	0.2	0.007	<0.02	0.7	4
E386609		129.5	0.007	1.44	1.42	11.5	1	8	483	0.25	0.2	12	0.13	0.39	17.6	64
E386610		102.5	0.003	2.22	1.22	10.8	1	9.5	122.5	0.22	0.1	8.5	0.092	0.24	9.4	98
E386611		38.4	0.012	6.52	2.81	5.1	2	2.7	76.7	0.15	0.21	4.9	0.043	0.26	6.6	139
E386612		66.6	0.014	>10.0	5.31	7.3	6	7.8	51.5	0.28	1.66	9.1	0.089	0.52	18.1	209
E386613		58.7	0.003	>10.0	5.21	5.2	3	5.8	18	0.17	0.92	6.5	0.065	0.42	12.2	132

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132888

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386582		8.2	12	5	15.3		0.016	
E386583		16.4	15	3	51.2		0.015	
E386584		15	14.5	3	47.7		0.023	
E386585		0.1	2.6	21	3		0.001	
E386586		7.9	15.2	<2	23.4		0.137	
E386587		12.8	10.5	5	36.9		0.028	
E386588		11.8	8.2	4	30.4		0.010	
E386589		14.3	10.7	5	48.2		0.006	
E386590		11.1	11.6	10	52.7		0.012	
E386591		7.4	11.7	7	38.2		0.004	
E386592		7.9	12.6	5	46.2		0.003	
E386593		13	15	3	66.9		0.003	
E386594		17.2	14.9	3	74.3		0.004	0.79
E386595		12	9.3	3	46.6		0.004	
E386596		9.7	10.3	4	47.2		0.011	
E386597		0.2	2.6	22	2.8		0.001	
E386598		13.6	14.2	4	46.1		0.018	
E386599		13.7	13.7	4	42.3		0.028	
E386600		10.3	12.8	3	34		0.017	
E386601		15	13.5	3	42.7		0.010	
E386602		11.8	13.4	4	43.6		0.031	
E386603		16.2	12.6	2	69.7		0.022	
E386604		15.9	14.9	3	65.8		0.029	
E386605		10.9	8.7	5	51		0.050	
E386606		10.9	13	4	49.6		0.028	
E386607		12.3	17.2	5	39.6		0.056	
E386608		0.1	2.8	23	3.5		0.001	
E386609		9.1	11.5	7	56.9		0.023	
E386610		14	16.9	4	45.6		0.011	
E386611		7.9	13.8	5	24.7		0.018	
E386612		16.1	17.9	7	41.9		0.069	
E386613		10.6	11.3	5	33.5		0.061	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 9-JAN-2008
Account: CASMIN

Project: IGOR : IG-2007-23

CERTIFICATE OF ANALYSIS VA07132888

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 19-DEC-2007
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07135188

Project: IGOR:IG-2007-23

P.O. No.: 19528

This report is for 3 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
U-XRF10	Fusion XRF - U Ore Grade	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 19-DEC-2007
Account: CASMIN

Project: IGOR:IG-2007-23

CERTIFICATE OF ANALYSIS VA07135188

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385901		0.92	16.4	0.91	47.5	10	0.1	77.2	2.51	<0.02	235	56.6	11	0.21	>10000	21.7
E385902		1.10	6.35	0.81	12.4	10	0.44	8.85	3.91	<0.02	330	109	12	0.14	>10000	30.4
E386193		1.74	2.84	5.28	129.5	90	0.89	21.3	0.74	<0.02	207	479	45	1.05	>10000	17.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 19-DEC-2007
Account: CASMIN

Project: IGOR:IG-2007-23

CERTIFICATE OF ANALYSIS VA07135188

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E385901		5.97	0.79	0.7	1.855	0.05	98.6	5.9	0.43	2950	221	0.64	29.9	43.7	2380	4180
E385902		7.09	0.64	0.5	1.45	0.03	238	7	0.87	5370	154.5	0.43	7.6	67.1	3070	518
E386193		13.45	0.35	1.9	0.177	0.13	152	43.3	1.08	371	23.5	2.73	11.5	70.9	1930	370

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 19-DEC-2007
Account: CASMIN

Project: IGOR:IG-2007-23

CERTIFICATE OF ANALYSIS VA07135188

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E385901		2.2	0.057	8.23	51.5	6.4	9	13.8	202	0.29	1.35	7.9	0.035	0.15	>10000	39
E385902		1.4	0.024	6.39	5.87	6.3	8	7.8	138.5	0.15	1.19	7	0.02	<0.02	3530	54
E386193		7.3	0.037	7.26	12.05	3.3	6	10.6	91.3	0.35	0.5	15.8	0.127	0.07	4130	49

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 19-DEC-2007
Account: CASMIN

Project: IGOR:IG-2007-23

CERTIFICATE OF ANALYSIS VA07135188

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	U-XRF10 U % 0.01
E385901		1000	140.5	<2	21	12.35	0.648	3.29
E385902		40.7	59.2	2	15.4	8.00	0.332	
E386193		18.8	64.8	11	56.3	1.310	0.089	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 19-DEC-2007
Account: CASMIN

Project: IGOR:IG-2007-23

CERTIFICATE OF ANALYSIS VA07135188

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 19-DEC-2007
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07135188

Project: IGOR:IG-2007-23

P.O. No.: 19528

This report is for 3 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
U-XRF10	Fusion XRF - U Ore Grade	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 19-DEC-2007
Account: CASMIN

Project: IGOR:IG-2007-23

CERTIFICATE OF ANALYSIS VA07135188

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E385901		0.92	16.4	0.91	47.5	10	0.1	77.2	2.51	<0.02	235	56.6	11	0.21	>10000	21.7
E385902		1.10	6.35	0.81	12.4	10	0.44	8.85	3.91	<0.02	330	109	12	0.14	>10000	30.4
E386193		1.74	2.84	5.28	129.5	90	0.89	21.3	0.74	<0.02	207	479	45	1.05	>10000	17.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 19-DEC-2007
Account: CASMIN

Project: IGOR:IG-2007-23

CERTIFICATE OF ANALYSIS VA07135188

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E385901		5.97	0.79	0.7	1.855	0.05	98.6	5.9	0.43	2950	221	0.64	29.9	43.7	2380	4180
E385902		7.09	0.64	0.5	1.45	0.03	238	7	0.87	5370	154.5	0.43	7.6	67.1	3070	518
E386193		13.45	0.35	1.9	0.177	0.13	152	43.3	1.08	371	23.5	2.73	11.5	70.9	1930	370

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 19-DEC-2007
Account: CASMIN

Project: IGOR:IG-2007-23

CERTIFICATE OF ANALYSIS VA07135188

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E385901		2.2	0.057	8.23	51.5	6.4	9	13.8	202	0.29	1.35	7.9	0.035	0.15	>10000	39
E385902		1.4	0.024	6.39	5.87	6.3	8	7.8	138.5	0.15	1.19	7	0.02	<0.02	3530	54
E386193		7.3	0.037	7.26	12.05	3.3	6	10.6	91.3	0.35	0.5	15.8	0.127	0.07	4130	49

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 19-DEC-2007
Account: CASMIN

Project: IGOR:IG-2007-23

CERTIFICATE OF ANALYSIS VA07135188

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	U-XRF10 U % 0.01
E385901		1000	140.5	<2	21	12.35	0.648	3.29
E385902		40.7	59.2	2	15.4	8.00	0.332	
E386193		18.8	64.8	11	56.3	1.310	0.089	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 19-DEC-2007
Account: CASMIN

Project: IGOR:IG-2007-23

CERTIFICATE OF ANALYSIS VA07135188

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 27-DEC-2007
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07132885

Project: IGOR : IG-2007-24

P.O. No.: 19527

This report is for 40 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA GEORDIE MARK	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 27-DEC-2007
Account: CASMIN

Project: IGOR : IG-2007-24

CERTIFICATE OF ANALYSIS VA07132885

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E386614		2.88	0.87	5.26	53.5	80	0.4	1.8	2.3	<0.02	86.1	390	20	0.44	146	12.9
E386615		1.84	2.88	2.49	199.5	60	0.27	13.9	2.1	<0.02	121	599	10	0.45	184	23.2
E386616		1.90	2.17	3.16	160	90	0.25	6.89	2.16	<0.02	128.5	583	10	0.31	140	21.3
E386617		1.46	0.8	4.58	169.5	120	0.38	1.97	2.65	<0.02	188	639	18	0.35	609	17.3
E386618		2.28	3.05	1.16	317	60	0.21	8.88	0.24	<0.02	181	1470	4	0.28	1010	30.8
E386619		2.08	2.77	0.89	191.5	50	0.12	5.02	0.85	<0.02	244	992	9	0.23	1780	28
E386620		0.14	0.02	0.12	5	40	0.09	0.04	42.3	0.37	2.69	3.4	6	<0.05	6.8	0.15
E386621		1.62	2.3	3.1	153	60	0.37	5.46	3.43	<0.02	493	804	12	1.86	268	24.6
E386622		1.60	1.74	3.49	181.5	70	0.4	4.7	2.46	<0.02	221	726	10	1.3	203	20.9
E386623		1.78	1.27	3.72	100.5	50	0.33	4.35	1.09	<0.02	72.1	381	9	0.5	167.5	20.6
E386624		1.42	1.35	2.05	105.5	30	0.24	4.73	2.73	<0.02	296	552	9	0.45	127	20.1
E386625		1.92	1.72	1.75	152.5	60	0.19	5.35	1.8	<0.02	170	970	5	0.37	137.5	24.7
E386626		1.60	2.24	1.46	85.3	80	0.21	4.88	2.6	<0.02	219	918	4	0.39	1180	23.6
E386627		1.36	2.33	1.87	87.4	80	0.26	3.8	4.12	<0.02	317	682	11	0.34	363	21.6
E386628		1.88	2.62	2.12	176.5	70	0.28	6.28	4.16	<0.02	404	887	13	0.37	371	23.9
E386629		2.22	1.97	1.78	87.3	60	0.25	2.48	1.97	<0.02	114.5	1095	7	0.23	994	25.3
E386630		2.20	2.51	0.8	135	40	0.35	4.7	4.5	<0.02	315	908	2	0.14	2190	22.7
E386631		0.16	0.03	0.15	11	370	0.12	0.02	44.6	0.39	3.18	3.9	5	<0.05	11.3	0.17
E386632		0.24	1.12	5.89	53.4	190	2.11	2.9	2.06	<0.02	61.7	169	36	3.63	7420	10.35
E386633		2.50	1.94	0.4	114	40	0.36	3.95	5.01	<0.02	351	752	3	0.11	683	20.4
E386634		1.94	4.74	2.62	154.5	100	0.59	5.47	3.17	<0.02	101.5	395	11	0.37	208	16.95
E386635		2.18	10.05	2.25	204	70	0.46	5.95	4.41	<0.02	133.5	489	10	0.35	429	19.35
E386636		1.78	13.15	2.36	273	80	0.42	5.44	5.01	<0.02	135.5	413	10	0.3	358	20.7
E386637		1.24	11.15	2.96	220	80	0.44	5.19	4.49	<0.02	88.7	298	12	0.36	255	18.45
E386638		1.60	8.16	2.8	221	80	0.34	5.42	5.91	<0.02	128.5	273	12	0.26	169.5	19.2
E386639		1.34	3.68	3.74	93.6	140	0.52	2.76	3.11	<0.02	47.2	261	17	0.37	212	15.3
E386640		1.56	4.35	3.7	145	100	0.79	4.79	3.95	<0.02	30.4	266	15	0.62	119	14.55
E386641		1.92	4.16	2.81	133.5	100	0.44	4.27	3.93	<0.02	121	290	13	0.29	152	19.9
E386642		1.78	3.9	3.92	324	250	0.42	9.23	4.09	<0.02	290	460	16	0.27	114	21.6
E386643		0.16	0.02	0.14	14	60	0.1	0.01	44.9	0.39	2.44	1.8	4	<0.05	2	0.09
E386644		2.08	5.13	2.1	292	110	0.28	6.45	2.93	<0.02	294	457	8	0.24	140.5	25
E386645		2.00	2.07	5.09	114.5	190	1.45	3.14	3.16	<0.02	186.5	324	31	1.27	121	15.6
E386646		1.36	0.83	6.99	50.9	320	2.48	1.58	3.81	<0.02	118.5	266	45	1.77	98.1	11.4
E386647		1.58	1.26	6.1	106.5	200	2.09	2.1	3.24	<0.02	112.5	378	35	1.92	66.2	12.5
E386648		1.22	0.99	4.63	93.7	140	1.01	1.79	3.46	<0.02	108.5	328	27	1.88	66.4	18.55
E386649		1.88	0.7	1.68	66.3	160	0.36	1.03	3.22	<0.02	80.3	250	9	1.26	42.6	25.8
E386650		1.96	1.63	3.57	138	210	0.92	2.5	3.09	<0.02	86.1	370	18	3.68	46.6	22.7
E386651		1.38	0.97	8.25	64.9	630	3.72	1.69	3.08	<0.02	39.9	201	55	5.6	30.5	13.45
E386652		1.92	0.84	9.57	72.7	720	4.8	2.12	2.53	<0.02	12.85	267	81	6.31	46.5	11.6
E386653		2.06	0.69	8.11	51	590	3.74	2.64	1.72	<0.02	47.4	304	60	6.21	40.9	12.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 27-DEC-2007
Account: CASMIN

Project: IGOR : IG-2007-24

CERTIFICATE OF ANALYSIS VA07132885

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386614		9.14	0.28	1.3	<0.005	0.34	47	11.7	1.1	3250	31.1	3.03	1.6	43.2	950	6.6
E386615		9.38	0.45	0.8	<0.005	0.1	92.9	11.3	1.12	2760	83.6	1.12	5.2	87	920	193
E386616		9.91	0.4	1.3	<0.005	0.09	106.5	10.2	0.92	2440	64.7	1.72	3.8	79	840	38.6
E386617		9.78	0.38	1.1	<0.005	0.17	156.5	13.5	1.15	2950	49.9	2.64	2.7	71.5	1180	26.7
E386618		7.8	0.54	0.4	<0.005	0.04	153	10.8	0.83	4270	204	0.17	3.3	191.5	920	63.7
E386619		8.71	0.51	0.5	0.014	0.03	203	10	0.99	4270	230	0.03	1.8	117.5	900	30.4
E386620		0.55	<0.05	0.1	0.056	0.03	2	1.5	0.46	48	1.45	0.01	0.3	<0.2	120	0.8
E386621		12.6	0.54	1	0.047	0.05	420	43.4	2.27	2610	95.2	0.05	2.1	123	2060	16
E386622		10.7	0.41	0.6	0.057	0.09	183	29.9	1.51	2190	105	1.08	1.3	82.5	1720	12.9
E386623		10.15	0.32	0.4	0.022	0.11	41.9	31	1.04	1130	52.7	1.08	1.6	83.5	780	6.8
E386624		8.77	0.47	0.6	<0.005	0.04	164	28	1.66	2870	33.1	0.05	2.4	81.1	1380	8.5
E386625		8.22	0.43	0.4	0.043	0.02	141.5	22.4	1.66	5800	112.5	0.01	2.6	101.5	1050	17
E386626		9.61	0.41	0.6	0.03	0.02	172.5	17.6	1.49	4290	155.5	0.01	3.5	108	1300	21.5
E386627		11.25	0.48	1.1	0.053	0.03	237	24.4	1.81	4090	125	0.05	4.8	103.5	1850	14.3
E386628		10.95	0.53	1.2	<0.005	0.09	313	19.2	1.82	3920	78.5	0.37	4	113.5	1800	12.4
E386629		9.32	0.4	0.5	<0.005	0.08	73.7	17.6	1.15	2700	60.3	0.22	3.6	135	1120	7.7
E386630		6.4	0.53	0.2	0.012	0.03	210	8.1	1.64	4540	69.1	0.1	2	138	1600	12.1
E386631		0.53	<0.05	0.1	0.042	0.03	2.6	1.6	0.51	59	0.74	0.02	0.4	<0.2	110	0.9
E386632		15.4	0.19	2.2	0.225	2.19	30.6	28.1	1.28	3770	67	0.93	4.1	39.1	900	22
E386633		5.03	0.48	0.4	0.072	0.04	216	4.1	1.69	5630	79.3	0.05	2.9	93.6	1520	11.1
E386634		7.56	0.31	0.7	0.046	0.33	52.6	16.1	1.19	3270	46.1	1.02	3	55.3	1450	12
E386635		7.04	0.33	0.7	0.059	0.26	75.6	15.7	1.61	4550	47.7	0.85	2.8	66.6	1350	18.3
E386636		6.64	0.35	0.6	0.006	0.22	75.4	10.3	1.69	4450	45.2	1.11	2.2	61	1810	18.3
E386637		6.52	0.31	0.8	0.068	0.31	40.5	12.1	1.67	4910	42.2	1.46	3.8	51.4	1250	17.7
E386638		6.18	0.34	0.9	0.037	0.16	70.6	7.4	1.99	5330	33.7	1.65	5.4	47.6	1270	17.7
E386639		6.57	0.22	0.9	0.077	0.37	23.7	8.6	1.07	3010	44.7	2.11	2	40.6	1080	6.3
E386640		7.26	0.24	1.1	0.045	0.55	12.7	11	1.4	3830	38.1	1.79	2.8	44.1	1010	8.5
E386641		8.55	0.31	0.8	0.037	0.17	77.9	9.2	1.33	4500	42.6	1.62	1.4	58.3	970	12.4
E386642		9.66	0.43	1.1	0.016	0.12	249	9.7	1.42	3490	29	2.5	2.5	75	870	18.1
E386643		0.48	<0.05	0.1	0.065	0.03	1.9	1.6	0.5	46	0.42	0.02	0.3	<0.2	110	0.8
E386644		8.69	0.48	0.5	0.065	0.09	212	11.5	1.04	3010	39	1.09	1.2	75.3	1390	17
E386645		12.1	0.29	1.3	0.081	1.17	153.5	25.1	1.82	3620	35.2	1.81	1.7	53.4	760	9.5
E386646		15.5	0.2	1.8	0.11	2.1	99.9	32.3	1.92	3560	26.8	2.24	2.9	40.2	980	3.5
E386647		14.9	0.22	1.8	0.1	1.6	95.1	33.4	1.91	2990	43.1	1.9	2.8	44.2	790	4.8
E386648		11.35	0.31	1.3	0.046	0.55	89.4	39.4	2.76	2780	41.1	1.2	1.5	56.8	760	3.8
E386649		10.05	0.37	0.6	0.059	0.07	67.8	25.3	2.38	4170	47.4	0.02	1	66.4	1400	4.3
E386650		11.15	0.33	0.9	0.04	0.27	73	50.6	3.35	3230	41.8	0.04	1.5	80.8	1070	5.1
E386651		20	0.22	2.6	0.075	3.18	33.2	57.6	3.16	2490	14.55	0.15	2.1	63.3	490	5.3
E386652		24.2	0.2	2.9	0.158	4.28	9.2	64.6	2.92	1970	16.4	0.1	1.8	68.2	520	4.2
E386653		22.4	0.23	2.6	0.125	2.73	35.1	89.7	3.36	2740	24.4	0.04	1.8	66.6	580	4.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 27-DEC-2007
Account: CASMIN

Project: IGOR : IG-2007-24

CERTIFICATE OF ANALYSIS VA07132885

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386614		9.4	0.01	3.48	0.79	4.2	3	1.1	577	0.08	0.36	5.2	0.025	0.32	71.4	27
E386615		2.8	0.014	7.1	6.08	3	6	0.8	84.5	0.17	1.35	38.7	0.046	0.63	2240	45
E386616		2.4	0.01	6.43	3.51	3.1	5	0.9	84.1	0.12	1.07	17	0.032	0.6	570	38
E386617		5	0.019	5.56	1.67	4.3	7	1.2	152.5	0.09	0.47	13.5	0.032	0.27	450	23
E386618		1.3	0.119	>10.0	2.97	1.9	8	0.8	19.4	0.08	1.81	11.7	0.025	0.79	650	33
E386619		0.9	0.117	8.63	2.41	2.3	6	0.8	35.9	<0.05	1.12	5.9	0.011	1.29	153	40
E386620		0.6	<0.002	0.08	0.09	0.4	3	<0.2	247	<0.05	<0.05	0.2	0.006	<0.02	1.7	3
E386621		2	0.035	7.45	2.1	4.8	5	1.3	30.4	0.06	1.46	9	0.019	0.46	80.3	55
E386622		3	0.032	7.69	1.27	3.5	5	1.1	94.9	<0.05	1.29	3.3	0.013	0.35	15.4	46
E386623		3.1	0.014	4.33	1.45	1.7	3	1	215	0.05	0.95	1.3	0.014	0.16	7	45
E386624		1.3	0.008	5.92	1.19	3.5	5	1.2	301	0.07	1.2	5.1	0.019	0.21	48.4	43
E386625		0.5	0.028	8.39	2.09	3.2	6	1.5	64.1	0.06	1.16	3.3	0.017	0.25	56.7	41
E386626		0.6	0.038	7.59	2.29	4	6	1	116.5	0.09	1.11	12.6	0.025	0.38	258	43
E386627		1.3	0.024	5.46	1.6	6.3	5	1.4	230	0.11	1.13	13	0.031	0.37	207	47
E386628		2.9	0.017	8.23	1.01	7.2	6	1.4	209	0.12	3.24	8.8	0.019	0.09	63	46
E386629		2.6	0.011	8.21	1.27	3.8	5	1.3	319	0.08	0.55	2.4	0.016	0.1	31.3	31
E386630		1	0.017	9.13	1.55	6.1	6	1.1	315	<0.05	1.57	5	0.011	0.24	76.2	23
E386631		0.6	<0.002	0.12	0.09	0.5	3	<0.2	297	<0.05	<0.05	0.2	0.006	<0.02	1.1	3
E386632		84.8	0.024	2.47	1.68	9.8	4	8	548	0.23	0.23	8.6	0.093	0.47	294	57
E386633		1.6	0.024	8.5	1.63	6.5	7	1.5	371	0.05	1.75	5.5	0.018	0.27	80.4	34
E386634		11.6	0.01	6.71	1.99	6.5	3	3.3	367	0.06	1.34	1.9	0.041	0.43	16.6	53
E386635		9.4	0.01	9.51	3.04	8.2	4	4	309	0.07	1.32	2.5	0.051	0.7	22.8	55
E386636		7.4	0.007	>10.0	2.83	8.3	4	3	228	0.07	0.73	2.5	0.04	0.87	15.9	66
E386637		10.2	0.007	>10.0	2.56	8.5	3	4.4	226	0.09	0.62	1.9	0.072	1.12	14	55
E386638		4.8	0.006	>10.0	2.46	9	3	2.7	245	0.15	0.55	3	0.059	0.96	43.7	55
E386639		10.6	0.009	4.93	1.32	4.9	3	3.6	660	0.1	0.32	1.2	0.086	0.29	4.8	51
E386640		21	0.008	8.1	1.76	10.8	3	7.4	275	0.12	0.44	1.2	0.103	0.4	13	58
E386641		5.2	0.009	7.86	1.78	7.8	3	1.9	406	0.05	0.31	2.3	0.037	0.67	14	81
E386642		3.5	0.007	>10.0	3.01	8.1	3	2.4	111	0.09	0.61	4.8	0.052	0.89	10.9	76
E386643		0.5	<0.002	0.1	0.07	0.5	3	<0.2	281	<0.05	<0.05	0.2	0.006	<0.02	0.7	3
E386644		2.8	0.01	>10.0	3.3	5.2	4	1.6	175	<0.05	0.63	4	0.022	1.31	6.3	80
E386645		44.7	0.005	5.56	1.45	22	3	14.6	109	0.06	0.17	4.1	0.152	0.47	14.9	112
E386646		80.9	0.002	2.57	0.95	35.9	2	26.1	64.3	0.1	0.08	3.1	0.26	0.25	7.6	147
E386647		67.5	0.004	3.96	1.11	30.6	3	20.9	43.6	0.12	0.13	3	0.178	0.25	5.4	128
E386648		21.2	0.004	4.03	1.17	14.8	2	7.2	43.7	0.07	0.08	3.3	0.093	0.11	8.1	124
E386649		2.9	0.004	2.86	1.15	4.4	3	1.7	17.1	<0.05	<0.05	2.6	0.026	0.14	4.2	105
E386650		11	0.004	5.26	1.25	8.3	3	5.2	18.7	0.05	0.08	5.4	0.073	0.08	6.5	116
E386651		124	0.002	2.88	1.2	33.9	2	23.6	32	0.08	0.09	5.7	0.235	0.41	32.5	221
E386652		147.5	<0.002	3.22	1.26	40.2	2	25.2	16.2	0.09	0.08	4.3	0.264	0.54	25.1	295
E386653		109.5	0.003	3.17	1.34	32.9	2	15.8	17.6	0.1	0.11	6.1	0.167	0.39	14.4	194

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 27-DEC-2007
Account: CASMIN

Project: IGOR : IG-2007-24

CERTIFICATE OF ANALYSIS VA07132885

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001
E386614		1.9	10.9	7	43	0.015
E386615		5.2	54.8	9	25.8	0.071
E386616		2.6	27	7	39.1	0.052
E386617		2.6	23.8	7	33.5	0.017
E386618		4	23.6	8	10.6	0.084
E386619		3.2	11.8	4	14.7	0.058
E386620		0.1	2.8	22	3.6	<0.001
E386621		1.8	17.5	24	31.2	0.052
E386622		1.8	10.9	17	19.2	0.047
E386623		1.6	5.3	15	13.9	0.035
E386624		2.2	12.8	15	18.2	0.043
E386625		3.8	9.8	14	12.5	0.052
E386626		2.7	18.9	15	18.9	0.059
E386627		2.7	24.2	16	36.8	0.049
E386628		2.3	19.4	10	40.5	0.106
E386629		2.7	9.9	8	17.4	0.031
E386630		4	19.1	4	6.2	0.059
E386631		0.1	3	25	4.5	<0.001
E386632		9.1	15.4	11	58.9	0.050
E386633		5.2	19.8	2	11.8	0.046
E386634		3.9	10.9	5	21.5	0.068
E386635		4.3	11.8	9	21.3	0.074
E386636		3.4	11.4	4	20.9	0.066
E386637		4.5	10.1	5	25.7	0.057
E386638		4.1	11.4	3	31.3	0.058
E386639		3.4	8.2	4	30.6	0.036
E386640		4.3	8.7	3	36.6	0.057
E386641		3.2	9.3	4	25.6	0.053
E386642		4.3	12.1	4	34.7	0.127
E386643		0.1	2.8	21	4.3	0.001
E386644		3.2	13.2	3	17.2	0.079
E386645		5	10.2	6	39.3	0.038
E386646		6.5	10.5	4	54	0.017
E386647		6.4	9.9	7	56.2	0.019
E386648		4.3	8.8	17	44.2	0.015
E386649		3.8	9.6	14	21	0.009
E386650		5.6	10	28	30.1	0.023
E386651		10.5	12	20	81.2	0.013
E386652		13.4	12.4	23	85.7	0.014
E386653		10.1	13.1	38	77.8	0.017

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 27-DEC-2007
Account: CASMIN

Project: IGOR : IG-2007-24

CERTIFICATE OF ANALYSIS VA07132885

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07132880

Project: IGOR: IG-2007-25

P.O. No.: 19529

This report is for 96 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-25

CERTIFICATE OF ANALYSIS VA07132880

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E386276		1.22	0.09	6.72	4.6	360	2.54	0.2	0.75	<0.02	46.4	81.3	46	2.52	164.5	9.46
E386277		1.42	0.07	5.8	4.5	790	2.61	0.07	2.54	<0.02	100.5	51.2	33	2.46	198	8.27
E386278		1.12	0.1	3.98	14	280	1.69	0.36	2.64	<0.02	323	90.9	23	1.51	346	9.82
E386279		1.32	0.08	6.43	5.5	880	2.71	0.1	0.71	<0.02	94.5	52.3	42	2.5	44.6	9.87
E386280		0.16	0.02	0.14	<5	270	0.09	<0.01	45.1	0.37	2.47	1.2	5	<0.05	3.1	0.08
E386281		1.60	0.08	3.34	9	500	1.3	0.17	1.71	<0.02	105	37.4	22	1.21	143.5	10.65
E386282		1.16	0.08	5.36	5.5	430	2.34	0.13	1.71	<0.02	78.8	62.2	33	2.24	111.5	9.66
E386283		1.32	0.1	4.66	8.8	830	1.92	0.18	2.11	<0.02	111	24.7	23	1.69	18.9	10.15
E386284		1.18	0.08	5.5	5.3	510	2.55	0.1	2.18	<0.02	49.6	40.3	29	2.33	706	8.6
E386285		1.46	0.07	5.24	6.2	340	2.27	0.13	2.38	<0.02	85.5	55.6	28	2.17	317	9.51
E386286		1.18	0.06	6.09	5.4	310	2.22	0.13	1.03	<0.02	63.4	64.9	31	2.34	289	8.86
E386287		1.50	0.05	5.06	4.9	990	1.88	0.05	1.75	<0.02	96.6	23.4	26	2.04	90.1	9.66
E386288		1.32	0.46	6.4	16.5	100	2.29	0.85	1.85	<0.02	41.2	67.2	41	2.69	6920	7.57
E386289		1.32	1.51	5.87	69.8	50	2.12	1.79	2.63	<0.02	92.6	231	34	2.25	5170	7.91
E386290		1.30	0.46	5.43	49	70	1.86	0.91	3.53	<0.02	119	179.5	30	1.89	2400	7.92
E386291		0.16	0.02	0.12	<5	80	0.1	<0.01	43.4	0.37	2.13	1.2	4	<0.05	8.8	0.05
E386292		0.24	1.15	2.25	73.4	<10	0.62	9.83	2.13	<0.02	176	310	11	2.27	8380	25.5
E386293		1.46	0.19	5.22	21.8	180	1.85	0.3	2.96	<0.02	125.5	84.2	26	1.92	1445	8.35
E386294		1.34	0.08	4.22	13.3	370	1.43	0.08	1.45	<0.02	106.5	26.2	22	1.44	1715	10.85
E386295		1.52	0.08	5.75	12.9	300	2.22	0.16	1.55	<0.02	81.1	45.6	29	2.31	1305	6.46
E386296		1.24	0.16	6.34	7.6	140	2.12	0.24	0.61	<0.02	30.4	80.6	41	2.51	4150	10.2
E386297		1.22	0.06	5.5	5.4	290	1.84	0.09	1.15	<0.02	7.89	42.1	31	2.36	1180	5.88
E386298		1.38	0.06	5.87	5.6	290	2	0.1	0.65	<0.02	25.5	64	42	2.22	1005	7.32
E386299		1.48	0.05	6.82	17.4	980	2.74	0.07	0.23	<0.02	37.7	26.9	47	2.53	314	5.71
E386300		1.08	0.19	4.56	20.3	120	1.27	0.38	2.05	<0.02	150.5	107	28	1.18	2740	13.15
E386301		2.12	0.3	3.4	14.9	80	0.98	0.53	1.07	<0.02	121	85.8	19	1.05	7820	15.75
E386302		1.02	0.43	5.56	34.5	80	1.7	1.11	1.31	<0.02	39.7	172.5	27	1.99	371	9.95
E386303		0.16	0.02	0.12	<5	80	0.09	<0.01	43.9	0.38	2.11	1.2	5	<0.05	7.5	0.05
E386304		0.88	0.1	5.51	13.9	230	2.03	0.15	2.07	<0.02	31.8	70.7	28	2.23	1085	9.43
E386305		0.92	0.1	6.41	8.5	440	2.29	0.23	1.95	<0.02	49.7	46.8	35	2.56	798	8.5
E386306		1.08	0.14	5.6	6.9	210	2.04	0.25	2.11	<0.02	81.1	62.8	29	2.45	1830	7.57
E386307		1.00	0.3	6.24	27.3	150	2.05	0.67	1.13	<0.02	45.1	115.5	35	2.73	1090	8.37
E386308		1.40	0.24	5.67	41.5	130	2.32	0.71	2.28	<0.02	167	174	31	2.78	413	7.98
E386309		1.28	0.33	5.72	25.4	160	1.15	0.41	2.23	<0.02	55.2	94.7	26	2.35	1315	8.76
E386310		1.64	1.53	4.84	145	40	1.17	2.24	2.66	<0.02	24.9	213	20	2.1	2910	11.5
E386311		1.18	1.15	7.1	127	70	1.89	3	2.99	0.03	17.85	168.5	32	3.61	1390	9.91
E386312		1.34	0.23	5.15	29.6	230	1.54	0.77	1.65	<0.02	60	76.1	15	2.79	273	6.02
E386313		1.26	0.24	5.93	35.6	210	2.1	0.81	1.97	<0.02	52.1	74	22	3.06	400	5.26
E386314		0.16	0.02	0.14	13	150	0.05	<0.01	48.2	0.41	2.37	1.2	5	<0.05	5.5	0.06
E386315		0.24	0.3	7.15	55.2	80	2.1	1.45	2.06	<0.02	73.1	110	43	6.5	1590	7.49

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-25

CERTIFICATE OF ANALYSIS VA07132880

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386276		16.55	0.16	1.7	0.046	2.85	29	43.7	1.23	651	18.55	0.12	6.9	19.2	760	1.7
E386277		15.45	0.16	1.6	0.066	2.67	66.3	37.8	1.55	2680	9.56	0.04	6.5	15.8	720	1.6
E386278		12.15	0.3	1	0.11	1.49	202	29.4	1.68	2310	19.05	0.03	6.8	30.8	1250	2.2
E386279		17.7	0.2	1.7	0.054	2.59	64.7	45.1	1.23	563	11.65	0.03	8.2	25.2	930	1.9
E386280		0.54	<0.05	0.1	<0.005	0.04	1.9	1.5	0.47	40	0.28	0.02	0.3	<0.2	120	0.9
E386281		9.54	0.17	1	0.044	1.1	70	30.2	1.25	1435	16.95	0.04	4.9	26.1	830	1.6
E386282		14.85	0.16	1.5	0.058	2.21	51.4	38.2	1.39	1530	16.7	0.03	6.7	27.4	780	1.4
E386283		12.6	0.18	1.3	0.047	1.86	75	36.9	1.29	2240	38.5	0.03	7.2	21.6	1310	1.5
E386284		15.85	0.14	1.5	0.059	2.32	31.2	37	1.45	1985	8.59	0.04	7.6	29.2	680	1.5
E386285		14.95	0.17	1.4	0.055	2.08	52.4	35.8	1.55	2290	13.4	0.03	6.8	34.3	870	2
E386286		15.2	0.16	1.7	0.054	2.29	36.9	39.1	1.29	1070	10.2	0.03	5	33.5	720	1.9
E386287		14.25	0.16	1.5	0.055	2.34	73.5	25.3	1.05	2210	42.2	0.04	4.4	22.1	810	1.4
E386288		17.4	0.14	2	0.082	3.02	21.6	30.2	1.06	2080	35.2	0.05	4.5	21.8	930	6.4
E386289		17.45	0.19	1.8	0.079	2.78	44.6	28	1.38	2610	40.1	0.06	4.5	32.1	1000	9.7
E386290		15.25	0.2	1.5	0.073	2.64	64.8	25.3	1.45	3970	23	0.11	3.3	23.5	1200	5.8
E386291		0.5	<0.05	0.1	<0.005	0.03	1.6	1.4	0.46	36	0.3	0.02	0.3	<0.2	110	0.7
E386292		9.55	0.39	0.7	0.243	0.62	115	21	1.44	6040	60.2	0.23	5.9	60.1	2290	5.7
E386293		14.45	0.18	1.5	0.053	2.29	74.9	27.2	1.26	3460	23.8	0.24	3.2	21.4	1360	2.7
E386294		12.05	0.18	1.5	0.042	1.7	66.9	20.9	0.8	1975	11.25	0.25	2.6	22.7	1100	1.7
E386295		16.1	0.14	2	0.056	2.68	51.4	25.4	0.93	1355	10.25	0.08	3.8	21.2	1070	2.1
E386296		16.4	0.15	1.8	0.056	2.88	15.7	27.2	0.69	513	12.05	0.07	2.7	26.2	630	1.9
E386297		13.3	0.09	1.7	0.051	2.69	4.4	22.3	0.76	1005	4.75	0.04	2.7	16.2	590	1.6
E386298		17.1	0.12	1.8	0.049	2.58	14.8	27.2	0.73	564	3.53	0.03	2.5	20.1	680	1.4
E386299		22.4	0.11	1.6	0.06	3.3	25.5	28.1	0.55	162	5.07	0.04	3.2	13.8	690	2
E386300		12.9	0.24	1.3	0.045	1.13	83.7	36.9	1.5	2160	17.45	0.22	2.4	38.1	1200	2.1
E386301		12.8	0.25	0.9	0.063	0.89	72.6	22.1	1.09	3300	14.35	0.27	1.9	44.1	1020	2.6
E386302		13.3	0.14	1.6	0.04	1.83	19.3	31.8	1.1	1530	47.3	0.38	2.1	35.1	700	5.5
E386303		0.5	<0.05	0.1	<0.005	0.03	1.6	1.5	0.46	34	0.36	0.02	0.3	<0.2	110	0.6
E386304		14.4	0.14	1.7	0.057	2.22	19.1	32.6	1.27	2050	13.35	0.04	3.1	25.2	680	2.2
E386305		18.65	0.14	1.8	0.076	2.78	33	33.2	1.38	1715	9.76	0.04	3.7	30.6	740	2.2
E386306		15.7	0.17	1.6	0.061	2.37	47.8	30.6	1.33	2040	16.4	0.03	3.2	26.5	820	2.1
E386307		17.6	0.15	1.8	0.055	2.4	26.1	37	1.25	1170	20.6	0.03	2.5	38.8	680	4.2
E386308		17.1	0.21	1.7	0.059	2.29	96.3	30.4	1.31	2220	25.7	0.19	5.3	32	1930	4.3
E386309		12.7	0.17	1.5	0.046	1.88	32.4	22.3	1.36	2270	15.05	0.74	2.7	26.8	800	3.6
E386310		12.4	0.2	1.2	0.061	1.66	7.3	23.4	1.67	2650	27.9	0.21	2.5	45.4	760	10.4
E386311		15.9	0.18	1.7	0.07	2.83	8.5	31.9	1.88	2700	49	0.11	2.8	49.2	720	11.2
E386312		11.3	0.15	2.5	0.041	2.18	27.3	24.4	0.98	1980	7.78	0.13	2.4	22.3	360	3.8
E386313		14.7	0.14	2.5	0.064	2.72	24.5	26.2	1.18	1655	6.28	0.04	2.7	25.7	510	3.5
E386314		0.57	0.12	0.1	<0.005	0.03	1.8	1.5	0.53	40	0.28	0.02	0.3	2.1	130	0.7
E386315		18.6	0.18	1.9	0.133	3.08	39.7	23.6	1.39	3330	19.7	0.6	2.5	26.4	780	2.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-25

CERTIFICATE OF ANALYSIS VA07132880

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386276		123.5	0.012	0.55	1.06	9.8	2	15.4	820	0.36	0.35	9.6	0.202	0.27	11	64
E386277		116.5	0.008	0.23	1.17	9.8	1	13.8	500	0.32	0.13	9.6	0.183	0.24	6.6	56
E386278		65.6	0.008	0.48	0.98	6.2	1	8.7	908	0.27	0.13	12.4	0.124	0.15	19.5	45
E386279		119	0.006	0.23	1.03	8.8	1	13.2	868	0.39	0.16	13	0.197	0.25	5.1	62
E386280		1.1	<0.002	0.07	0.07	0.5	1	<0.2	276	<0.05	<0.05	0.3	0.007	<0.02	0.7	5
E386281		50.5	0.006	0.21	1.26	5.1	1	7.2	1250	0.23	0.09	7.9	0.098	0.12	4.2	42
E386282		101	0.007	0.34	0.9	7.9	1	8.3	708	0.35	0.2	10.1	0.167	0.23	5.2	53
E386283		85.2	0.012	0.14	1.1	7.3	1	8.9	1380	0.24	0.29	8.4	0.119	0.19	3.8	54
E386284		111.5	0.004	0.28	0.73	9.6	1	9.2	1500	0.35	0.09	8.5	0.16	0.24	12.5	57
E386285		98.5	0.007	0.35	0.74	8.3	1	7.5	1270	0.34	0.11	9.8	0.152	0.21	9.9	53
E386286		105	0.006	0.43	0.59	6.8	1	7.3	1140	0.27	0.1	11.1	0.153	0.23	16.7	49
E386287		101	0.017	0.14	0.84	8	1	8.9	1270	0.19	0.05	9.3	0.122	0.24	4	73
E386288		128	0.02	1.12	1.41	12.4	4	11.5	1000	0.2	0.53	9.7	0.144	0.44	81.5	122
E386289		119	0.016	2.32	1.62	14.2	4	10.7	619	0.2	1.8	8.4	0.121	0.73	68.4	142
E386290		106.5	0.011	1.44	0.82	12.5	2	9.4	953	0.14	1.11	9.2	0.1	0.55	9.7	115
E386291		0.8	<0.002	0.06	0.07	0.5	1	<0.2	264	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E386292		35.8	0.016	6.65	2.03	4.3	4	7	187.5	0.13	1.02	5.6	0.034	0.48	13.8	55
E386293		95.4	0.008	0.59	0.76	12.1	1	8.2	1490	0.13	0.31	9.4	0.089	0.32	4.7	102
E386294		71.3	0.004	0.3	0.77	9.8	1	6	1780	0.11	0.08	7.9	0.072	0.19	14.4	88
E386295		118	0.005	0.4	0.73	10.8	1	9.6	1510	0.16	0.12	9.4	0.108	0.31	12.5	71
E386296		122.5	0.013	0.86	0.67	10	2	9.7	1380	0.11	0.11	10.8	0.105	0.34	15	63
E386297		109	0.004	0.39	0.78	8.8	1	8.1	1360	0.14	0.06	12	0.099	0.27	9.3	50
E386298		112	0.004	0.5	0.8	9	1	8.8	1190	0.15	0.06	8.4	0.108	0.3	11.8	61
E386299		146	<0.002	0.19	0.87	14.3	1	13.3	627	0.2	0.06	12.5	0.146	0.32	25.5	79
E386300		50.9	0.008	0.83	0.77	7.2	2	5.3	1000	0.09	0.07	7.4	0.053	0.2	12.4	51
E386301		38.2	0.005	1.11	0.79	4.7	3	4.5	758	0.06	0.09	5.7	0.044	0.19	9.1	51
E386302		73.9	0.009	1.24	0.96	7	1	7.4	795	0.08	0.18	9.7	0.072	0.32	34.5	43
E386303		0.7	<0.002	0.07	0.07	0.5	1	<0.2	268	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E386304		96.4	0.004	0.47	0.61	9.5	1	7.3	1430	0.14	0.07	8.2	0.095	0.26	10.1	70
E386305		119	0.004	0.37	0.69	11.7	1	9.9	1200	0.15	0.09	9.8	0.119	0.3	24.2	66
E386306		107	0.008	0.52	0.72	10.8	1	9.4	1360	0.14	0.08	7.8	0.099	0.31	16.6	63
E386307		106.5	0.007	0.75	0.87	10.6	1	9	1060	0.11	0.19	9.2	0.102	0.44	28.1	71
E386308		105	0.007	1.04	1.03	15.9	1	13.3	1240	0.2	0.26	9.4	0.102	0.36	32.1	79
E386309		71.5	0.008	0.7	0.8	8.2	1	6	1410	0.14	0.15	8	0.083	0.25	14.7	47
E386310		67.8	0.013	2.09	1.27	8.4	2	7	1010	0.12	0.38	4.9	0.072	1.41	71	53
E386311		111	0.018	1.63	1.05	11.1	2	9.6	1110	0.15	0.37	6.3	0.108	1.37	57.3	59
E386312		81.9	0.006	0.61	0.74	6.9	<1	4.9	1140	0.15	0.07	11.5	0.072	0.41	23.5	34
E386313		103.5	0.004	0.62	0.68	9.4	1	6.9	853	0.14	0.1	11.9	0.099	0.47	28.5	41
E386314		1	<0.002	0.08	0.08	0.6	1	<0.2	294	<0.05	<0.05	0.2	0.006	<0.02	0.8	5
E386315		130	0.006	1.34	1.08	11.3	1	7.9	464	0.14	0.18	12.2	0.107	0.37	17.7	64

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-25

CERTIFICATE OF ANALYSIS VA07132880

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E386276		12	7.4	7	57.9		0.005
E386277		13.3	9.3	5	53		0.002
E386278		11.3	11.7	9	34.7		0.003
E386279		14.4	8.7	9	57.7		0.002
E386280		0.1	2.8	22	3.3		<0.001
E386281		9.9	6.7	7	31.4		0.002
E386282		11.5	8.1	5	46.8		0.003
E386283		11	8.9	5	43.4		0.021
E386284		11.9	7.8	5	48.7		0.005
E386285		10.7	9	6	46		0.003
E386286		10.4	8.1	8	56.3		0.009
E386287		10.8	8.1	4	48.6		<0.001
E386288		12.9	10.8	3	65.7		0.054
E386289		10.8	11.8	4	59.6		0.080
E386290		9.2	11	4	47.1		0.046
E386291		0.1	2.7	22	3.2		<0.001
E386292		6.6	14.2	12	23.9		0.140
E386293		8.4	11	7	50.2		0.014
E386294		7.2	9.8	5	49.5		0.012
E386295		10.1	9.9	5	67.2		0.006
E386296		10.4	7.4	5	60.2		0.030
E386297		9.5	6.7	5	55.8		0.007
E386298		9.4	7.6	7	59.8		0.010
E386299		9.9	7.4	4	51.9		0.003
E386300		5.1	9.4	11	40.9		0.005
E386301		4.4	7.5	11	28.7		0.020
E386302		6.7	7.4	12	51.5		0.011
E386303		0.1	2.7	22	3.1		<0.001
E386304		8.4	8	8	55.5		0.002
E386305		10.6	9.2	10	58.3		0.003
E386306		9.4	9.1	7	50.8		0.006
E386307		8.9	8.2	12	57.4		0.007
E386308		11.1	11.6	9	53.8		0.005
E386309		8	7.5	9	52.6		0.009
E386310		7.6	8.5	9	44.7		0.797
E386311		10.8	8.8	13	59.6		0.020
E386312		7.8	12.1	9	79		0.002
E386313		9.4	12.4	9	81.6		0.004
E386314		0.1	2.8	24	4.1		<0.001
E386315		8	10.8	6	65.9		0.038

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-25

CERTIFICATE OF ANALYSIS VA07132880

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386316		1.22	1.93	4.98	68.6	80	1.78	4.01	2.09	<0.02	22	142	25	2.45	335	9.18
E386317		1.50	2.21	3.49	74.6	90	0.44	4.67	3.81	<0.02	66.2	205	17	0.44	290	14.75
E386318		1.22	0.42	4.08	27.2	30	0.65	1	3.67	<0.02	132	277	19	0.86	3470	20.1
E386319		0.90	0.44	4.09	11.3	220	0.61	0.74	0.89	<0.02	40.9	72.6	19	1.27	567	6.2
E386320		1.28	0.15	4.72	5.8	290	0.73	0.22	1.22	<0.02	116	55.4	17	0.73	941	8.49
E386321		1.44	0.43	5.3	13	130	1.17	1	1.47	<0.02	101.5	127	26	1.27	1070	13.7
E386322		1.12	0.55	4.6	22.2	170	0.83	2.15	0.21	<0.02	35.9	280	20	1.49	208	21.3
E386323		1.16	1.73	7.02	26.1	350	2.09	4.12	0.32	<0.02	84.2	174	46	4.15	>10000	13.55
E386324		1.26	0.51	7.46	29.6	750	1.77	1.54	0.19	<0.02	48.2	79.2	45	3.22	328	7.26
E386325		1.20	0.9	8.95	65.3	450	3.25	2.94	0.52	<0.02	62	178	65	4.28	592	8.49
E386326		0.16	0.03	0.15	<5	40	<0.05	<0.01	47	0.36	2.31	1.1	6	<0.05	8.9	0.07
E386327		1.62	1.07	4.4	25.6	50	1.54	6.9	1.24	<0.02	81.9	168.5	25	2.34	7640	13.15
E386328		1.28	0.36	4.88	11.2	120	1.86	1.81	0.37	<0.02	118	115	27	2.87	1260	13.95
E386329		1.64	0.1	6.68	13	270	2.21	1.03	0.28	<0.02	144	66.4	43	3.3	215	13.05
E386330		1.52	0.27	3.4	17.4	260	0.99	0.69	0.28	<0.02	218	55.6	26	1.5	3870	13.2
E386331		1.36	0.19	4.8	11.8	300	1.68	0.97	0.27	<0.02	166	102	25	2.88	541	12.25
E386332		1.38	0.09	5.19	9	310	1.8	0.42	0.16	<0.02	88.9	173	21	4.11	245	14.7
E386333		1.50	0.2	3.9	13.2	120	1.18	1.09	0.8	<0.02	51.6	379	21	3.2	657	20.6
E386334		1.04	1.53	5.6	90.1	2470	1.8	6.36	0.63	<0.02	121.5	435	27	5.05	657	18.9
E386335		1.64	1.04	4.97	73.5	1250	1.75	15	0.52	<0.02	87	377	30	3.44	185.5	16.9
E386336		0.98	0.5	5.88	43	1010	2.15	6.02	0.78	<0.02	55.9	169.5	37	4.56	7170	14.4
E386337		0.16	0.02	0.14	<5	40	<0.05	0.01	46.9	0.34	2.37	1.3	6	<0.05	11.2	0.06
E386338		0.20	1.14	6.26	51.6	130	2.1	2.64	2.13	<0.02	51	167	37	3.92	8340	9.22
E386339		1.28	0.48	5.72	49	250	2.12	6.46	0.28	<0.02	110	222	38	4.87	4750	12.85
E386340		1.42	2.07	6.65	122	170	2.44	15.4	0.22	<0.02	45.4	656	43	3.47	1670	16.7
E386341		1.26	1.02	5.63	69.1	430	1.86	11.85	0.29	<0.02	86.9	420	46	2.73	1870	18.5
E386342		2.44	0.47	5.87	52.4	3440	2.06	8.8	0.32	<0.02	105	209	32	4.75	330	12.5
E386343		2.50	0.55	4.51	66.5	110	0.89	10.55	1.69	<0.02	278	209	24	3.07	2720	12.9
E386344		1.42	0.29	4.54	31.5	290	0.77	1.73	3.54	<0.02	168.5	318	15	0.93	129	18.1
E386345		1.66	0.35	3.9	53.7	730	0.88	1.19	4.63	<0.02	176	197	17	1.4	751	17.6
E386346		1.06	0.46	5.03	57.3	670	1.28	2.51	2.22	<0.02	239	206	25	1.99	953	14.9
E386347		1.24	0.45	4.71	80.2	400	1.25	2.38	3.3	<0.02	121.5	361	24	1.55	1965	17.7
E386348		1.70	0.3	2.3	49	420	0.39	0.95	4.6	<0.02	238	235	6	0.61	742	20.4
E386349		0.12	0.01	0.13	6	30	0.09	<0.01	43.2	0.36	2.78	1.5	5	<0.05	4.8	0.07
E386350		1.48	0.67	3.29	78.1	140	1.17	4.09	2.88	<0.02	202	442	14	1.27	1215	18.1
E386351		1.28	0.86	3.43	110.5	180	1.11	1.59	4.12	<0.02	103	385	20	1.43	292	15.85
E386352		1.42	0.3	3.75	24.3	220	1.42	0.66	1.92	<0.02	252	96.4	18	1.56	2190	15.3
E386353		1.32	0.21	5.7	55.1	800	2.06	0.84	2.35	<0.02	278	148	30	2.06	1145	11.45
E386354		1.18	0.26	4.8	45.5	560	1.43	1.44	4.52	<0.02	145.5	179	22	1.76	385	15.2
E386355		1.34	0.64	6.24	221	640	0.9	6.62	2.24	<0.02	322	219	29	1.46	528	18.15

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-25

CERTIFICATE OF ANALYSIS VA07132880

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386316		12.25	0.19	1.7	0.064	1.81	8.5	21.5	1.42	4510	30.9	0.56	2.3	24.1	600	13.1
E386317		7.69	0.28	1	0.04	0.22	38.5	11.7	1.54	6150	45.6	1.73	1.5	32.4	770	14.8
E386318		13.25	0.35	1	0.082	0.57	98.6	21.7	1.98	3850	7.12	1.09	1.2	54.1	590	3.6
E386319		6.92	0.16	1.4	0.027	1.06	23.2	18.7	0.75	1400	110.5	0.94	1.6	15.8	520	5.9
E386320		9.07	0.23	1.1	0.025	0.54	74.7	16.4	0.78	1480	3.19	2.04	1.4	22.3	390	2.5
E386321		13.8	0.26	1.5	0.046	0.88	62.5	51	1.79	3180	5.99	0.31	1.8	60.4	810	4.2
E386322		10.4	0.31	1.4	0.103	0.16	29.4	61.7	2.15	10150	12.1	0.03	1.3	97	740	5
E386323		19.1	0.28	1.9	0.149	2.4	42.7	46.4	1.52	3820	19.55	0.03	2.7	90.1	960	4.2
E386324		16.1	0.16	2.3	0.051	2.88	27.9	57	1.03	788	13.9	0.06	1.9	35.9	800	3.3
E386325		29	0.08	2.8	0.092	3.91	36.4	42.4	1.25	1325	44.7	0.08	2.9	64.3	930	11.6
E386326		0.48	0.07	0.1	<0.005	0.04	1.9	1.6	0.49	49	0.34	0.02	0.3	4.4	140	0.7
E386327		11.45	0.24	1.3	0.114	1.18	34.2	40.4	1.56	3860	29.6	0.02	8.8	62.7	1640	4.1
E386328		12.85	0.3	1.6	0.107	1.66	62.2	40.5	1.15	7300	17.95	0.02	9.3	43.3	1600	1.8
E386329		15.65	0.28	2.1	0.049	1.91	89.5	62.6	1.44	525	6.32	0.02	5.7	45.3	1280	1.6
E386330		10.25	0.33	1.3	0.082	0.73	137.5	32.8	0.99	1745	21.4	0.01	6.5	50.3	1400	1.7
E386331		11.95	0.27	1.6	0.082	1.3	104.5	47.6	1.18	2150	43.6	0.01	4.6	46	1310	1.8
E386332		11.85	0.26	1.5	0.092	1.03	56.7	66	1.51	3020	17.05	0.01	3.4	56.3	720	2
E386333		10.5	0.34	1.1	0.121	0.58	29.9	42.8	1.84	4480	13.8	0.01	3.2	54.9	700	1.8
E386334		14.1	0.41	1.4	0.1	0.96	72.1	64	2.12	3080	32.6	0.01	3.3	93.8	1430	7.7
E386335		14.95	0.35	1.7	0.165	1.85	47.8	35	1.26	6310	33.5	0.03	3.2	79.5	2400	5.3
E386336		16.2	0.35	1.8	0.166	2.78	31.4	32.5	0.96	13100	15.7	0.04	2.4	46.4	3540	3.5
E386337		0.53	0.08	0.1	<0.005	0.03	2.2	1.5	0.49	51	0.37	0.01	0.3	<0.2	120	0.7
E386338		16	0.21	1.9	0.155	2.23	24	26	1.21	3360	66	1.1	3.9	40.8	900	22.7
E386339		15.5	0.3	2.2	0.205	2.65	60.9	35.6	0.98	10100	18.05	0.04	3.8	44.8	1160	3.3
E386340		20.9	0.29	2.1	0.151	2.42	25.7	40.6	1.45	6340	35.7	0.03	3.5	114.5	950	10
E386341		20.6	0.34	2.1	0.202	2.01	46	39.4	1.57	12500	21.9	0.02	3.7	106	1230	6.5
E386342		15.7	0.27	2	0.13	2.62	59.8	33.4	0.76	8320	27.2	0.04	3.6	57.6	1440	3.6
E386343		12.55	0.39	1.4	0.131	1.57	206	33.8	1.85	6830	39.1	0.03	3.5	46.2	1580	2.7
E386344		10.75	0.34	1.2	0.064	0.29	133.5	53.3	3.17	4070	43.6	0.01	2.5	65.5	1190	3.8
E386345		10.2	0.3	1.1	0.076	0.57	125	33.8	2.96	5250	38.2	0.04	4	59.3	1200	3.7
E386346		14.75	0.33	1.4	0.063	1.31	167.5	32	2.06	2830	35.2	0.04	4.7	60.7	950	4.2
E386347		11.5	0.32	1.4	0.051	1.17	88.6	29.9	2.21	3430	51	0.04	4.6	52	1280	3.5
E386348		7.66	0.38	0.6	0.082	0.2	168.5	19.6	2.67	6390	46.6	0.02	3.7	43	1090	2.7
E386349		0.41	0.05	0.1	<0.005	0.03	1.9	1	0.47	41	0.42	0.02	0.3	1.9	110	0.6
E386350		9.45	0.33	0.8	0.063	0.9	146	28.1	1.96	3670	63.8	0.02	6	53.2	1180	3.8
E386351		10	0.28	1.2	0.083	0.94	68.3	23.8	2.21	4880	39.9	0.03	6.6	55.7	1170	5.4
E386352		11.45	0.34	1.1	0.064	1.12	160	26.7	1.54	2800	28.3	0.03	10.4	39.3	1880	2.1
E386353		16.25	0.3	1.6	0.054	1.71	185	40.1	1.95	2470	27	0.04	4.6	45.4	910	2.5
E386354		13	0.28	1.3	0.097	1.28	98.7	36.6	2.66	4750	32.1	0.03	5.8	42.9	1320	2.4
E386355		12	0.4	2	0.032	0.51	209	56.3	3.06	1860	29.2	0.03	3.7	59.8	1260	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-25

CERTIFICATE OF ANALYSIS VA07132880

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386316		71.2	0.006	2.52	1.35	8.3	1	5.3	560	0.14	0.31	6.1	0.083	1.55	15.1	38
E386317		7.9	0.006	2.33	1.64	5.3	1	1.2	620	0.1	0.32	8.3	0.027	1.05	14.9	30
E386318		25.7	<0.002	2.63	1.27	7.6	1	2.6	186.5	0.08	<0.05	10.7	0.038	0.13	16.7	67
E386319		37	0.021	0.62	1.1	2.7	1	2.1	927	0.12	0.16	9.3	0.054	0.22	59.1	26
E386320		21.9	<0.002	0.54	0.57	2.6	1	2.3	1620	0.08	<0.05	8.7	0.039	0.1	13.2	34
E386321		35.2	0.002	1.15	0.85	8.6	1	3.5	810	0.09	<0.05	10.2	0.046	0.23	10.9	49
E386322		5.9	<0.002	2.38	1.46	6.2	1	1.3	136	0.1	0.14	8.1	0.033	0.24	9.4	44
E386323		89.7	0.008	2.62	1.04	10.8	3	6.7	280	0.12	0.26	7.7	0.09	0.48	31	74
E386324		104.5	0.008	0.8	0.73	10.3	1	4.7	441	0.12	0.18	10.6	0.077	0.54	42.1	56
E386325		123.5	0.025	1.53	1.11	17	2	11.7	222	0.18	0.97	18	0.13	0.74	53	107
E386326		0.6	<0.002	0.07	0.05	0.4	1	<0.2	294	<0.05	<0.05	0.2	0.007	<0.02	0.8	5
E386327		47.9	0.011	2.4	2.03	7	3	11.8	490	0.4	0.18	6.3	0.1	0.35	94.1	63
E386328		66.2	0.007	1.39	1.42	7.9	1	11	422	0.58	<0.05	11.3	0.128	0.3	19.5	67
E386329		76	0.002	0.87	1.71	9.8	1	11.9	423	0.36	<0.05	12.1	0.172	0.26	10.7	69
E386330		30	0.014	0.6	2.33	5.4	2	9.6	502	0.36	0.06	7	0.103	0.11	14.8	51
E386331		54.3	0.02	0.57	1.02	6.9	1	10.8	928	0.17	0.06	7.3	0.071	0.17	35.8	39
E386332		44.3	0.016	0.85	0.89	6.9	1	9.9	493	0.17	0.07	5.5	0.068	0.14	29.1	39
E386333		24.4	0.006	2.45	1.16	4.8	1	5	179	0.16	0.11	6.1	0.048	0.13	9.7	45
E386334		37.6	0.007	6.86	2.4	6.1	4	5	165	0.15	0.5	9.4	0.062	0.8	19.5	55
E386335		78.4	0.008	7.87	2.42	11	3	6.8	53.2	0.14	0.39	8.9	0.094	0.7	12.4	67
E386336		119.5	0.003	4.02	1.36	9	4	8.4	38.3	0.1	0.12	7.7	0.105	0.78	16.8	78
E386337		0.5	<0.002	0.08	0.06	0.4	2	<0.2	292	<0.05	<0.05	0.2	0.007	<0.02	0.7	5
E386338		89.6	0.024	2.34	1.62	10.4	3	7.7	598	0.23	0.21	8.3	0.092	0.42	319	55
E386339		115.5	0.012	4.12	1.45	9.7	4	8.8	29	0.18	0.28	11.7	0.112	0.68	16.6	74
E386340		94.9	0.024	8.44	3.68	11.8	4	8.4	17.5	0.15	0.34	12.2	0.109	1.6	91.2	86
E386341		72.8	0.017	6.12	2.34	12.5	3	9.2	59	0.16	0.23	12.3	0.101	0.88	44.4	81
E386342		114	0.049	5.5	1.21	9.4	2	7.8	75.9	0.16	0.17	9.2	0.117	0.63	20.7	77
E386343		67.7	0.013	3.81	1.03	8.3	2	9.4	15.7	0.11	0.37	8.6	0.062	0.36	17.7	79
E386344		11.1	0.009	2.81	1.12	5.2	2	3.6	16.6	0.09	0.24	6.8	0.039	0.09	54.4	42
E386345		23.5	0.011	1.54	1.3	7.2	1	7.3	24.4	0.13	0.28	7.9	0.081	0.13	34.3	50
E386346		54	0.008	1.92	1.8	6.9	2	9.1	14.2	0.18	0.29	11.2	0.092	0.25	46.5	56
E386347		46.5	0.012	2.92	1.78	6.6	3	11.5	19.4	0.15	0.61	4.8	0.084	0.18	17.8	48
E386348		8.1	0.008	1.79	1.04	4.9	2	2.7	17.2	0.09	0.27	4.9	0.028	0.06	9.2	30
E386349		0.5	<0.002	0.07	0.07	0.4	1	<0.2	282	<0.05	<0.05	0.2	0.006	<0.02	0.7	2
E386350		35.4	0.009	4.29	1.9	5.2	3	11.4	15.6	0.23	1.02	8.2	0.073	0.22	10.8	47
E386351		39.4	0.008	2.8	1.21	8.6	3	10.6	37.4	0.19	0.46	7.4	0.092	0.45	34.1	44
E386352		49.2	0.011	0.86	1.15	5.8	2	15	152.5	0.26	0.16	11.7	0.084	0.11	16.6	46
E386353		72.4	0.006	1.23	1.01	9.6	2	13.1	29.7	0.16	0.16	12.4	0.097	0.16	26.2	66
E386354		54.1	0.008	1.72	1.15	10	1	9.8	27.5	0.19	0.18	7	0.084	0.23	6.9	53
E386355		21.3	0.008	4.6	1.39	3.3	1	3.7	24.8	0.14	0.42	13.9	0.041	0.16	13.4	47

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-25

CERTIFICATE OF ANALYSIS VA07132880

Method / Analyte / Units / LOR — Sample Description	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E386316	7.6	8.8	8	48.4		0.022
E386317	2.5	7.7	8	28.9		0.027
E386318	3.6	8.9	16	35.1		0.016
E386319	3.9	6	9	40.4		0.020
E386320	3.7	5.9	10	30.3		0.002
E386321	3.5	8.5	45	43.1		0.006
E386322	2	6.1	67	39.7		0.012
E386323	7.4	8.9	36	52.9	1.070	0.203
E386324	4.6	7.6	23	63.6		0.007
E386325	10.6	10.8	33	85.3		0.016
E386326	0.1	2.9	23	3.6		<0.001
E386327	8.6	13.3	21	37		0.024
E386328	8.9	12	19	44.5		0.007
E386329	11	9.1	30	58		0.001
E386330	8.3	9.1	25	36.1		0.007
E386331	7.5	9.7	28	45.1		0.004
E386332	6.2	8.4	43	43		0.003
E386333	4.8	6.2	42	30.8		0.003
E386334	5.9	9.6	59	42.3		0.029
E386335	13.6	13.1	20	49.6		0.041
E386336	17	16.1	10	53.8		0.020
E386337	0.1	2.9	23	3.6		<0.001
E386338	9.1	15.5	2	59		0.056
E386339	17.5	14.1	8	61.8		0.020
E386340	10.9	12.5	30	61.9		0.049
E386341	10.2	11.5	35	61.2		0.028
E386342	18	13.2	14	58		0.021
E386343	11.1	11.5	13	38.5		0.030
E386344	4.5	11.6	30	33.2		0.012
E386345	5.3	11.9	25	36.7		0.007
E386346	6.4	11.1	23	46.1		0.012
E386347	7.3	10.6	18	46.8		0.016
E386348	3.4	9.9	14	18.1		0.006
E386349	0.1	2.6	22	5.5		<0.001
E386350	7.7	9.3	13	26.5		0.031
E386351	7	11.8	13	37.8		0.013
E386352	8.5	11.4	12	36.9		0.009
E386353	8.5	10.6	16	53		0.009
E386354	6.6	11.8	16	42.6		0.009
E386355	3.5	12.1	26	68.1		0.031

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-25

CERTIFICATE OF ANALYSIS VA07132880

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386356		1.38	0.47	7.46	112	2460	1.6	6.54	1.55	<0.02	182	213	37	6.36	602	10.35
E386357		1.18	0.86	4.24	172.5	330	1.32	10.3	1.24	<0.02	91.6	290	28	3.78	1530	10.85
E386358		1.46	0.36	4.94	57.5	170	1.54	2.2	3.2	0.02	156	161	24	2.64	320	14.6
E386359		1.20	0.41	6.59	31.4	1470	2.1	1.03	3.15	0.02	265	131	32	2.85	732	12.75
E386360		0.18	0.01	0.14	6	40	0.07	<0.01	45.9	0.39	3.14	1.5	5	0.05	4.4	0.07
E386361		0.24	1.17	2.36	118.5	80	0.6	10.75	2.19	0.03	240	319	11	2.91	9140	26.6
E386362		1.26	0.25	6.16	31.4	250	1.78	0.86	1.08	<0.02	252	291	28	1.99	236	15.5
E386363		1.78	0.56	0.7	32.6	110	0.23	0.86	1.2	0.05	>500	298	1	0.31	242	22.7
E386364		1.46	0.44	1.55	62.4	170	0.35	1.38	0.58	0.02	>500	618	4	0.44	382	24.5
E386365		1.54	0.46	2.95	65.3	160	0.67	1.6	0.4	<0.02	302	365	13	0.77	387	20.2
E386366		1.48	0.29	3.45	63.2	170	0.89	1.24	0.68	<0.02	129	400	15	0.96	366	18.85
E386367		1.68	0.28	3.1	45.6	230	0.73	0.91	0.43	0.02	>500	254	13	0.87	380	20.7
E386368		1.34	0.45	6.49	88.8	500	2.15	2	0.26	<0.02	246	360	37	2.01	226	15.25
E386369		1.22	0.81	7.9	111.5	760	2.32	3.26	0.84	<0.02	252	266	48	3.11	185	13.7
E386370		1.38	5.41	5.71	450	820	1.57	13.5	0.09	<0.02	72.5	548	44	1.76	992	16.05
E386371		2.48	0.33	6.53	18.6	610	2.68	0.69	0.91	<0.02	83.1	87.9	40	3.23	101	8.74

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-25

CERTIFICATE OF ANALYSIS VA07132880

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386356		18.25	0.27	2.2	0.09	3.01	101	31.6	1.19	1665	28.9	0.09	4	52	1560	2.9
E386357		10.85	0.22	1.6	0.059	1.72	53.3	17.1	0.64	764	50.2	0.05	4.1	68	1970	7
E386358		13.65	0.28	1.4	0.08	1.26	101	35.4	2.17	3780	42.5	0.03	3.8	54.2	1010	4.1
E386359		19.7	0.31	1.9	0.075	2.17	181.5	38.5	2.21	3550	47.3	0.05	6.6	47.3	1020	4.4
E386360		0.45	<0.05	0.1	<0.005	0.03	2.2	1.3	0.5	41	0.49	0.02	0.3	1.2	120	0.6
E386361		9.26	0.49	0.8	0.276	0.64	134.5	19.5	1.48	6160	63.4	0.24	6.2	54.9	2380	6.1
E386362		15.5	0.34	1.7	0.073	1.78	160	48.3	1.99	4330	24.4	0.03	6.3	49.7	820	2.7
E386363		7.48	0.9	0.3	0.16	0.15	600	4.8	1.57	12750	112.5	0.01	3	34.4	1390	3.5
E386364		8.57	0.69	0.5	0.197	0.28	441	12.5	1.96	15500	37.5	0.01	3.5	58.5	1220	3.8
E386365		10.35	0.41	0.9	0.076	0.47	191.5	27	1.59	7610	55.2	0.02	5.4	70.8	1780	3.1
E386366		10.8	0.33	1	0.08	0.74	85.3	29.6	1.61	7070	36.6	0.02	5.4	58.2	1390	2.8
E386367		13.45	0.64	0.9	0.107	0.63	436	26.6	1.64	8250	69.3	0.02	4.9	60.6	1560	2.8
E386368		19.25	0.35	2	0.05	1.85	172.5	48.5	1.59	2470	66.4	0.03	7.8	71.3	1230	3.2
E386369		25.5	0.38	2.5	0.068	2.47	168	51.4	1.83	1750	38.7	0.04	4.5	76.2	1150	6.6
E386370		14.15	0.35	2.4	0.035	1.15	35.9	61.3	1.56	200	14.85	0.04	4.1	106.5	360	61.1
E386371		17.25	0.23	1.9	0.073	2.8	53.2	30.7	1.39	2660	9.13	0.04	2.4	34.8	750	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-25

CERTIFICATE OF ANALYSIS VA07132880

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386356		145.5	0.008	5.72	1.07	10.2	2	14.5	16.8	0.12	0.45	12.2	0.12	0.74	10.8	84
E386357		84.8	0.014	8.22	1.79	6.9	2	8.7	18.8	0.13	0.54	7.5	0.089	0.79	52.5	60
E386358		55.9	0.01	1.58	1.29	8.1	2	7.1	27.1	0.13	0.26	10.2	0.075	0.3	28.6	54
E386359		88.4	0.009	0.86	1.04	11.5	2	11	46	0.26	0.19	13	0.122	0.27	35.2	64
E386360		0.8	<0.002	0.07	0.07	0.4	1	<0.2	297	<0.05	<0.05	0.2	0.006	<0.02	1	3
E386361		34.4	0.017	7.26	2.32	4	4	7.6	192.5	0.12	1.13	6	0.036	0.51	15.3	58
E386362		80.8	0.005	1.8	0.88	8.8	3	12.1	106.5	0.27	0.15	12.5	0.112	0.2	26.1	54
E386363		7	0.026	1.73	0.72	4.6	4	2	304	0.06	0.37	6.3	0.012	0.08	7.8	13
E386364		12.1	0.01	3.48	0.73	5	6	3.8	129.5	0.09	0.34	9.3	0.03	0.06	17.9	20
E386365		21.2	0.017	2.56	0.95	6.4	3	7.2	117.5	0.15	0.42	6.4	0.059	0.08	17.5	34
E386366		32.3	0.007	2.66	0.81	7.1	3	7.9	60.7	0.19	0.19	4.9	0.069	0.09	9.3	40
E386367		27.7	0.017	1.66	0.82	6.1	2	6.9	55.6	0.12	0.17	17.9	0.046	0.07	22.4	45
E386368		82.3	0.018	2.55	1.38	9	2	19	8.9	0.2	0.59	11	0.117	0.24	34.3	67
E386369		104	0.012	2.45	1.29	13	2	10.5	15.5	0.16	0.53	19.3	0.122	0.48	56.2	84
E386370		57	0.018	7.75	4.53	7.8	2	7.8	31	0.31	1.27	32	0.152	2.82	1540	63
E386371		109.5	0.004	0.7	0.82	10.9	1	8.7	228	0.14	0.22	11.1	0.1	0.45	10	61

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-25

CERTIFICATE OF ANALYSIS VA07132880

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001
E386356		15.4	11.9	7	72.5		0.033
E386357		10.7	12	5	53.6		0.047
E386358		7.6	14.7	26	47.5		0.011
E386359		9.5	16.6	29	63.8		0.009
E386360		0.1	2.8	23	3.9		<0.001
E386361		6.8	14.5	<2	25.8		0.141
E386362		8	9.6	31	50.6		0.008
E386363		7.1	11.3	15	7		0.013
E386364		5.9	10.4	29	15.9		0.012
E386365		6.1	9.6	32	30.6		0.012
E386366		7.6	9.9	33	33.2		0.025
E386367		10.1	12.3	31	27.6		0.009
E386368		10.5	11.7	36	68.3		0.008
E386369		8.4	12.9	37	83.5		0.015
E386370		8.8	38.5	26	77.5		0.071
E386371		8	11.4	32	67.3		0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 7-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-25

CERTIFICATE OF ANALYSIS VA07132880

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07137766

Project: IGOR: IG-2007-26

P.O. No.: 195462

This report is for 197 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 21-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386654		0.16	0.02	0.12	<5	40	0.05	0.23	40.6	0.36	1.96	0.9	5	<0.05	20.8	0.05
E386655		0.24	1.1	2.15	118.5	30	0.49	10.35	2.07	<0.02	170.5	297	10	2.34	8260	24.6
E386656		0.94	8.92	2.39	7.9	30	1.11	12.7	3.62	<0.02	61.3	53.5	14	0.89	>10000	15.65
E386657		1.24	6.59	0.76	18.4	40	0.47	48.8	1.58	<0.02	50.9	50.8	4	0.28	>10000	17.15
E386658		1.14	6.5	0.7	23.8	40	0.47	258	2.18	<0.02	104.5	78.4	3	0.11	>10000	17.45
E386659		1.68	5.02	0.5	11	30	0.67	310	2.09	<0.02	269	67	4	0.1	>10000	20.5
E386660		1.50	5.77	0.3	17.1	20	0.59	165	1.17	<0.02	139.5	157.5	<1	0.08	>10000	24.1
E386661		1.56	4.39	0.42	16.2	30	0.53	833	0.82	<0.02	164	186.5	<1	0.07	>10000	25.9
E386662		1.78	5.96	0.43	23.9	20	0.36	1210	1.03	<0.02	47.3	182.5	<1	0.07	>10000	23.5
E386663		1.60	8.02	0.11	30.3	20	0.33	2600	0.73	<0.02	47.8	243	<1	0.09	>10000	26.7
E386664		1.66	11.1	0.1	10.4	20	0.47	902	0.54	<0.02	11.7	103.5	<1	<0.05	>10000	19.75
E386665		1.20	7.95	0.77	5.3	20	0.59	28.8	0.53	0.03	25.2	42.4	3	0.14	>10000	18.7
E386666		0.16	0.04	0.13	<5	390	0.08	0.49	42	0.39	2.48	1.2	6	<0.05	231	0.1
E386667		1.04	0.15	5.71	30.4	190	2.11	6.37	2.78	<0.02	51.5	253	32	11.45	458	7.05
E386668		1.16	0.08	4.58	7.9	1110	1.64	2.45	4.65	<0.02	131	63.4	23	8.31	298	7.13
E386669		1.18	0.05	4.57	5.1	3420	1.58	1.06	4.78	<0.02	78.3	39	24	7.88	96	8.17
E386670		1.12	0.03	5.81	25	500	2.16	1.14	2.56	<0.02	87.5	209	32	11	62.1	8.45
E386671		1.00	0.03	5.22	14.4	450	1.8	0.65	3.97	<0.02	47.5	99	27	9.52	105.5	7.83
E386672		1.30	0.02	4.95	2.5	3390	1.64	0.42	3.38	<0.02	87.5	48	26	9.59	36.8	9.46
E386673		1.52	0.1	4.61	8.1	1550	1.48	0.39	0.44	<0.02	116.5	166.5	26	8.79	154	18.4
E386674		1.60	0.08	5.37	5.3	6170	1.43	0.36	0.32	<0.02	93.8	91.6	31	10.55	98.6	16.25
E386675		1.22	0.03	5.63	4.8	4870	1.8	0.19	0.17	<0.02	80.9	80.9	33	13.4	80.1	9.45
E386676		1.64	0.07	6.64	1.6	7390	1.98	0.18	0.2	<0.02	113.5	92.9	42	15.25	47.2	11.4
E386677		0.16	0.01	0.13	8	50	0.08	0.01	45.5	0.41	2.06	0.8	6	<0.05	2.4	0.06
E386678		0.20	0.26	6.41	36.7	830	2.36	1.52	1.78	<0.02	82.8	97.6	42	6.07	1470	6.37
E386679		1.46	0.02	6.73	6.2	>10000	2.2	0.09	0.18	<0.02	80.2	63.6	47	16.5	156	8.76
E386680		1.58	0.03	3.17	0.4	3460	0.97	0.1	0.2	<0.02	67.2	47.7	19	7.08	659	15.8
E386681		1.30	0.01	5.45	1.7	>10000	1.55	0.06	0.24	<0.02	158.5	79.8	37	12.3	79.8	14.55
E386682		2.94	0.03	6.46	1.6	>10000	1.99	0.09	0.2	<0.02	79.3	82.2	43	14.9	32.6	11.1
E386683		3.20	0.7	4.7	40.1	110	0.57	6.79	1.88	<0.02	157.5	330	21	1.6	1170	16.35
E386684		1.18	0.9	4.72	39.2	90	0.65	4.2	1.69	<0.02	54.9	265	29	1.23	7780	14.15
E386685		1.88	1.53	1.18	52.1	30	0.29	7.43	4.23	<0.02	220	708	3	0.27	>10000	28.9
E386686		1.94	1.64	0.43	48.6	40	0.21	6.69	3.26	<0.02	126	455	2	0.14	>10000	24.6
E386687		1.74	1.03	0.21	35.1	20	0.12	5.84	5.81	0.04	91.8	397	<1	0.08	8840	27.6
E386688		1.64	1.05	2.52	33.5	40	0.48	5.95	1.96	<0.02	43.4	506	10	2.74	7420	28.7
E386689		0.16	0.02	0.13	7	60	0.08	0.02	45.8	0.4	2.15	1.3	7	<0.05	11.7	0.07
E386690		1.80	0.82	2.66	34.2	40	0.46	4.54	0.78	<0.02	33	485	9	1.37	5640	18.05
E386691		1.48	0.76	5.64	30.3	190	0.92	4.13	0.5	<0.02	99.8	421	31	3.38	2390	14.5
E386692		1.60	0.31	3.04	12.5	210	0.76	0.86	1.22	<0.02	64.5	80.2	16	2.15	2060	11.65
E386693		1.94	0.2	3.57	10.4	540	0.72	0.4	0.5	<0.02	101	31.6	17	1.67	576	13.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386654		0.46	0.06	0.1	<0.005	0.03	1.5	1.3	0.42	34	0.19	0.02	0.3	<0.2	110	0.8
E386655		10.1	0.45	0.7	0.241	0.63	113.5	18.8	1.38	5800	59.9	0.24	5.9	56.9	2170	6.7
E386656		9.73	0.37	0.9	0.78	0.35	25	24.1	1.55	2160	599	0.95	6.4	47.1	1490	151.5
E386657		5.13	0.29	0.4	0.729	0.11	17.1	11	0.47	1540	183.5	0.17	5.4	43.8	1540	488
E386658		5.21	0.33	0.4	0.617	0.03	44	8.2	0.67	3520	181	0.23	10	59	2570	418
E386659		5.54	0.48	0.4	0.856	0.01	136.5	8.5	0.59	3380	62.3	0.07	7.4	74.4	4550	126
E386660		3.53	0.53	0.2	0.965	0.01	72.9	4.2	0.94	10150	168.5	0.08	4.9	89.5	2770	79.2
E386661		4.27	0.53	0.2	0.787	0.01	97	6.7	0.92	13450	110.5	0.1	7.4	100	2600	184
E386662		4.09	0.44	0.2	0.94	0.02	17.6	3	0.69	12750	87.3	0.26	7.3	73.5	2440	174.5
E386663		2.36	0.42	<0.1	1.1	0.01	19.3	2.4	0.71	14750	112	0.02	4.6	78.2	1360	66.3
E386664		1.73	0.37	<0.1	1.405	0.01	3.4	1.8	0.38	6540	66.3	0.03	3	50.3	910	99.4
E386665		3.76	0.38	0.3	1.86	0.03	8	11.1	0.31	1370	46.4	0.22	3.1	66.8	570	89.4
E386666		0.53	<0.05	0.1	0.006	0.03	2	1.5	0.44	41	2.94	0.02	0.4	<0.2	110	1.5
E386667		17.7	0.16	1.6	0.219	2.6	26.6	30	1.98	6210	7.29	0.09	5.2	26.1	520	2.8
E386668		13.8	0.22	1.5	0.21	2.04	74.7	20.7	2.97	7460	6.04	0.07	4.6	18.2	690	4.5
E386669		13.45	0.18	1.8	0.257	2.06	47	18.7	3.15	8380	4.97	0.06	4.8	20.8	730	3.1
E386670		17.55	0.21	1.9	0.247	2.71	51.5	23.6	1.85	6230	7.03	0.09	3.9	31.1	560	1.5
E386671		16	0.17	1.6	0.215	2.42	26.8	21.9	2.4	7550	8.73	0.08	3.2	23.7	580	1.4
E386672		15.6	0.22	1.4	0.265	2.34	51.5	21.1	2.71	10000	1.74	0.06	3.1	21.4	500	1.5
E386673		15.1	0.33	1.5	0.56	2.05	75.9	17.2	1.59	13950	30.3	0.06	2.9	44.7	770	1.9
E386674		15.95	0.27	1.5	0.39	2.59	63.9	16.7	1.19	10250	33.8	0.06	2.1	30.9	900	1.4
E386675		17.65	0.21	1.8	0.308	2.75	50.2	21.3	0.79	4970	4.47	0.06	2.1	23	540	1.4
E386676		18.95	0.17	1.9	0.398	2.97	64	22.9	0.99	6340	2.89	0.08	2.4	24	650	2.3
E386677		0.43	<0.05	0.1	<0.005	0.03	1.5	1.2	0.49	39	0.22	0.01	0.3	0.6	120	0.9
E386678		17.8	0.12	1.8	0.125	2.8	42.1	20.6	1.21	2970	19.4	0.57	3.4	21.4	700	2.7
E386679		20.8	0.15	2.1	0.379	3.19	41.4	25.9	0.84	4290	2.52	0.08	2.4	20.1	630	1.4
E386680		9.8	0.23	0.9	0.545	1.44	36.5	12.3	4.65	12400	0.71	0.04	2	21.8	330	2.1
E386681		16	0.22	1.5	0.464	2.48	84.2	19	1.87	8900	0.57	0.06	1.8	27.2	600	1.5
E386682		18.5	0.16	1.8	0.408	2.93	42.2	22	0.97	5700	2.26	0.08	2.2	22.8	680	1.4
E386683		12.15	0.24	1.2	0.049	0.13	90.8	33.5	1.76	3110	32.6	2.05	8.4	47.3	1890	11.1
E386684		10.7	0.2	1.4	0.095	0.2	26.3	55.6	1.78	1630	25.7	1.07	7.3	56.6	1420	9.5
E386685		7.3	0.37	0.5	0.301	0.02	132	13.9	2.37	6380	58.5	0.01	12.8	66	2920	11.9
E386686		4.61	0.45	0.2	0.188	0.01	75	5.9	1.52	4570	50.3	0.01	5.1	48	3410	8.5
E386687		3.56	0.29	0.1	0.321	0.01	58.3	2.8	2.6	6830	77.1	0.01	2.6	38.1	2060	6.5
E386688		11.15	0.34	0.9	0.198	0.1	20.7	32.2	2.32	4220	43.2	0.05	3.9	88	1580	7.3
E386689		0.47	<0.05	0.1	<0.005	0.03	1.6	1.4	0.49	40	0.32	0.01	0.3	<0.2	110	1.1
E386690		7.63	0.22	0.8	0.074	0.07	10.1	31	1.09	1225	47.7	0.75	3.6	50.4	1500	5.7
E386691		13.15	0.19	1.8	0.049	0.23	54.1	74.1	1.87	596	41.7	1.43	4.4	70.1	1180	7.8
E386692		8.44	0.15	0.9	0.051	0.49	29.3	41.4	1.19	1280	50.9	0.58	6.3	23.4	1310	3.9
E386693		8.76	0.18	1.1	0.033	0.42	68.8	52.4	0.89	1050	34.8	0.97	6.1	16.9	930	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386654		0.6	<0.002	0.06	0.08	0.4	2	<0.2	248	<0.05	<0.05	0.2	0.006	<0.02	0.7	6
E386655		37.4	0.017	6.32	1.93	4	5	6.7	184	0.12	1.02	5.9	0.031	0.45	13.7	57
E386656		21.1	0.143	3.92	2.65	6.1	4	13.9	267	0.16	0.52	2.9	0.056	0.08	1080	76
E386657		7.8	0.041	4.19	4.81	3	4	11.1	306	0.11	0.67	1.6	0.023	0.06	3420	41
E386658		1.8	0.033	3.59	7.41	3.7	5	8.9	432	0.18	0.7	2.3	0.017	0.06	2960	46
E386659		0.9	0.015	4.35	3.28	5.1	6	9.4	347	0.14	0.68	2.7	0.017	<0.02	720	43
E386660		0.8	0.037	4.61	2.43	2.9	7	5.9	329	0.1	0.41	1	0.008	<0.02	377	35
E386661		0.5	0.023	3.57	2.75	3	6	5.4	417	0.11	1	1.3	0.009	<0.02	428	42
E386662		0.9	0.026	5.27	5.49	2.6	5	5	271	0.1	0.66	1	0.011	<0.02	660	45
E386663		0.8	0.033	6.02	5.72	2.3	5	3.6	340	0.16	0.74	0.9	<0.005	<0.02	209	41
E386664		0.4	0.019	6.49	3.56	2.4	5	4.8	253	0.08	0.63	0.3	<0.005	<0.02	500	27
E386665		2.5	0.018	7.72	2.04	3.3	6	12.2	201	0.07	0.96	1.2	0.021	<0.02	740	31
E386666		0.7	<0.002	0.09	0.08	0.5	2	<0.2	256	<0.05	<0.05	0.2	0.006	<0.02	4	7
E386667		149	0.01	1.3	1.59	9.8	2	6.7	693	0.35	0.15	9.1	0.13	0.37	8.6	61
E386668		111.5	0.005	0.31	1.48	9.6	1	5.6	772	0.29	0.05	12.5	0.104	0.29	24	57
E386669		111	0.006	0.14	1.49	9.7	1	4.9	421	0.29	<0.05	10.2	0.107	0.26	21.4	55
E386670		153.5	0.004	0.97	1.62	10	2	6.2	28.8	0.28	0.15	12.1	0.116	0.37	10.1	59
E386671		134	0.004	0.53	1.32	9.3	2	5.4	423	0.22	0.11	9.3	0.094	0.31	3.2	54
E386672		125	<0.002	0.16	1.22	8.7	1	4.9	400	0.21	<0.05	9.6	0.089	0.29	2.3	48
E386673		104	0.004	0.39	1.32	8.3	2	3.9	82.4	0.16	0.1	10.3	0.074	0.27	8.4	59
E386674		129.5	0.006	0.14	1.34	8.5	1	3.9	24.7	0.12	0.07	10.7	0.08	0.3	7	60
E386675		156	<0.002	0.18	1.61	9.4	2	4.2	185.5	0.14	0.07	11.4	0.086	0.37	6.4	52
E386676		190.5	0.002	0.2	1.73	10.7	1	4.6	194	0.17	0.06	12.9	0.103	0.44	4.1	60
E386677		0.7	<0.002	0.07	0.08	0.5	2	<0.2	280	<0.05	<0.05	0.2	0.007	<0.02	0.6	5
E386678		127	0.006	1.23	1.14	9.7	2	7.5	390	0.21	0.14	11.8	0.114	0.37	16.7	60
E386679		204	0.003	0.27	1.62	11	1	5.1	70.6	0.17	<0.05	14.4	0.11	0.47	7.8	63
E386680		90.4	<0.002	0.25	1.07	6.5	2	2.2	428	0.15	<0.05	5.2	0.064	0.24	2.6	32
E386681		157	0.003	0.27	1.28	9.2	1	3.4	123.5	0.12	0.07	12.2	0.084	0.35	4.6	55
E386682		190	0.003	0.28	1.59	10.7	1	3.8	127	0.16	0.06	12.5	0.102	0.42	3.1	63
E386683		6.1	0.007	3.98	1.85	5.2	3	7.9	353	0.37	0.34	10	0.111	0.51	21.8	44
E386684		11.3	0.01	2.88	2.2	4.1	3	10	597	0.23	0.37	7.5	0.06	0.29	151.5	54
E386685		1.2	0.014	7.24	3.01	3.1	6	10	295	0.22	1.63	3.1	0.026	0.17	9	57
E386686		0.5	0.01	5.62	3.83	2.5	5	7.9	343	0.16	3.05	2.8	0.013	0.08	6.1	64
E386687		0.5	0.013	5.64	3.33	5.5	8	6.7	275	0.07	2.98	1.3	0.008	0.06	2.6	59
E386688		5.1	0.011	5.68	3.65	2.7	7	6.8	319	0.1	3.08	3.8	0.03	0.08	20.8	59
E386689		0.6	<0.002	0.07	0.08	0.5	2	<0.2	283	<0.05	<0.05	0.2	0.006	<0.02	0.6	5
E386690		3.4	0.016	4.54	2.43	2.1	5	4.5	365	0.09	2.61	1.7	0.024	0.05	5.3	44
E386691		9.8	0.014	3.68	1.45	5	3	7.7	603	0.13	2.09	7.7	0.064	0.08	12.2	32
E386692		27.6	0.008	0.64	1.26	5.1	3	8.4	1725	0.17	0.26	5.1	0.056	0.1	11.9	48
E386693		23.8	0.009	0.27	1.36	3.9	2	9.6	1760	0.21	0.13	6.2	0.072	0.09	7	33

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386654		0.1	2.9	20	3.6		<0.001	
E386655		6.4	14.6	2	23.6		0.097	
E386656		49.5	20.7	6	29.1	4.52	0.260	
E386657		55.1	35.4	<2	11.5	5.17	0.282	
E386658		63.2	42.8	<2	11.1	4.18	0.149	
E386659		14.3	37.4	<2	11.9	6.16	0.145	
E386660		12.7	18.5	2	5.4	6.33	0.224	
E386661		8.4	15.7	<2	6.8	4.81	0.105	
E386662		34.1	18.1	3	7	7.96	0.250	
E386663		5.5	10.3	<2	1.4	8.94	0.185	
E386664		8.4	9	<2	1.2	10.20	0.273	
E386665		10.4	15.2	<2	10.4	12.40	0.254	
E386666		0.2	3.2	21	3.6		<0.001	
E386667		13.5	10.5	3	57.3		0.003	
E386668		10.9	13.1	6	50.8		<0.001	
E386669		11	14.6	3	59.8		<0.001	
E386670		12.2	11.4	<2	60.7		0.001	
E386671		10	12.1	2	52.6		0.001	
E386672		9	10.5	3	45		<0.001	
E386673		7.8	11.4	5	46.5		0.018	
E386674		6.6	10.3	3	49.7		0.003	0.68
E386675		7.1	10	2	57.6		<0.001	
E386676		8.1	11.2	6	66.2		<0.001	2.42
E386677		0.1	2.8	24	3.9		<0.001	
E386678		8.5	11.2	6	61.9		0.018	
E386679		8.3	10.7	4	70.6		<0.001	1.37
E386680		4.5	8.2	7	30.9		<0.001	
E386681		5	10.8	5	52.9		<0.001	1.54
E386682		5.7	9.6	4	58.8		<0.001	1.65
E386683		7.2	13.8	15	41.4		0.049	
E386684		9.3	16.3	34	47.6		0.060	
E386685		14	19	18	15.5	1.215	0.120	
E386686		14.5	15.8	8	6.3	1.495	0.147	
E386687		22.6	13.9	<2	2.4		0.090	
E386688		26.4	12.6	19	30.4		0.104	
E386689		0.1	2.9	23	3.4		<0.001	
E386690		15.6	9.4	21	24.8		0.079	
E386691		8.1	11.9	29	59.3		0.059	
E386692		14.9	9.4	16	29.7		0.015	
E386693		14.9	7.3	20	34.3		0.009	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386694		1.66	0.05	3.12	9.2	1110	0.58	0.07	0.35	<0.02	203	11.9	14	1.51	75.9	15.4
E386695		1.46	0.15	4.77	11.9	510	1.2	0.35	0.72	<0.02	102	53.3	25	3.07	798	14.6
E386696		1.22	0.37	5.64	6.9	3130	1.74	0.6	0.28	<0.02	67.7	13.7	37	4.71	19.2	16.65
E386697		1.70	0.05	2.65	8.1	720	0.57	0.06	1.95	<0.02	117.5	22.5	10	0.55	143	15.5
E386698		1.52	0.26	0.91	13.5	250	0.29	0.65	0.96	<0.02	282	86.4	4	0.26	589	20.8
E386699		1.48	0.28	0.51	13.2	200	0.15	0.43	0.69	<0.02	257	135.5	1	0.13	631	23.3
E386700		0.14	0.02	0.12	<5	110	0.06	0.01	45.2	0.4	2.56	1	8	<0.05	4.4	0.07
E386701		0.22	1.01	5.37	50.7	130	1.66	2.7	1.91	<0.02	55.4	153.5	36	3.61	7430	9.14
E386702		1.92	0.28	0.99	11.4	100	0.2	0.41	1.22	<0.02	221	242	3	0.21	2830	29.4
E386703		1.94	0.32	2.61	6.3	160	0.34	0.45	0.98	<0.02	296	207	10	0.63	6970	32.1
E386704		1.48	0.44	4.8	3.6	290	0.64	0.6	0.74	<0.02	143.5	85.1	32	1.09	>10000	16.55
E386705		1.74	0.46	2.84	19.8	50	0.55	2.51	1.98	<0.02	222	1050	11	0.87	793	35.5
E386706		1.66	0.81	1.21	24	70	0.23	4.67	2.84	<0.02	193.5	912	15	0.38	1250	43.2
E386707		1.62	0.79	4.62	31.6	690	0.63	6.32	1.39	<0.02	32.3	1105	37	1.32	961	25.3
E386708		1.88	0.17	2.84	8.2	120	0.26	0.95	1.68	<0.02	128	143	14	0.5	1030	19.7
E386709		1.86	0.14	1.69	8	120	0.31	0.48	1.28	<0.02	157	146.5	10	0.39	253	26.1
E386710		2.14	0.21	0.17	8.7	280	0.32	0.3	0.69	<0.02	305	76.1	4	0.06	96.8	29.4
E386711		1.82	0.18	1.06	7.1	210	0.23	0.55	0.63	<0.02	259	120.5	3	0.17	17.5	35.1
E386712		1.54	0.18	0.59	6.1	220	0.18	0.22	0.55	<0.02	173	87	<1	0.15	7.5	41.5
E386713		1.40	0.18	2.13	9.2	210	0.41	0.31	0.42	<0.02	278	121.5	9	0.61	15.9	24.9
E386714		1.40	0.11	4.25	6.3	320	0.47	0.2	0.54	<0.02	301	78	24	0.55	53.3	21
E386715		1.38	0.09	5.99	2.7	800	0.67	0.13	0.56	<0.02	179.5	51.7	44	1.11	211	12.5
E386716		1.28	0.15	4.6	8.2	160	0.55	0.32	0.74	<0.02	138	200	23	0.62	318	19.1
E386717		1.36	0.04	6.38	0.9	4440	0.69	0.06	1.18	<0.02	110	9.9	48	1.11	37.7	9.64
E386718		1.68	0.16	3.34	8.3	200	0.44	0.29	1.03	<0.02	125.5	145.5	13	0.36	64.6	22.2
E386719		1.30	0.08	6.15	1.5	2990	0.59	0.09	1.18	<0.02	67.9	10.2	42	0.63	17.9	13.6
E386720		1.24	2.28	7.76	1.5	5630	0.79	0.72	1.69	<0.02	60.8	10.1	42	1.09	46.4	8.42
E386721		2.46	0.05	7.2	1.8	5510	2.36	0.07	0.92	<0.02	100	34.1	46	4.75	111	10.2
E386722		2.04	0.1	6.92	1.5	1020	0.68	0.12	2.24	<0.02	118.5	25.6	37	1.12	712	8.34
E386723		1.58	0.18	7.34	1.2	1160	0.72	0.09	2.49	<0.02	134.5	19.2	39	0.76	529	8.01
E386724		1.56	0.84	4.87	25.5	60	0.41	1.44	4.49	<0.02	132	264	23	0.9	9310	17.1
E386725		2.18	0.33	0.1	37	380	0.08	1.04	3.87	<0.02	83.4	51.4	<1	0.15	2950	41
E386726		1.72	1.05	1.23	46.3	40	0.23	2.04	3.87	<0.02	228	371	3	0.43	>10000	29.7
E386727		1.30	0.26	2.89	3.9	170	0.38	0.23	2.53	<0.02	126	49	8	0.97	6540	23.3
E386728		1.14	0.06	7.08	1.2	4220	0.67	0.06	2.68	<0.02	93.7	19.2	38	1.01	594	6.87
E386729		2.94	0.07	5.81	3.5	1530	0.7	0.08	5.1	<0.02	96.2	33.3	25	1.17	64.4	6.11
E386730		0.14	0.01	0.13	6	90	<0.05	0.01	46.9	0.44	2.5	1	7	<0.05	6.2	0.06
E386731		0.24	1.18	2.34	114.5	30	0.63	11.05	2.22	<0.02	202	331	12	2.8	9220	29.8
E386732		2.76	0.02	6.41	1	8050	2.41	0.04	4.23	<0.02	93.5	28.7	37	11.05	29.3	7.7
E386733		1.24	0.05	5.97	4.9	5850	2.26	0.2	3.24	<0.02	166.5	51.2	35	10.55	26.6	11.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386694		7.41	0.22	0.8	0.023	0.26	150	45.5	0.83	760	14.95	0.83	7.1	15.9	1130	2.5
E386695		13.25	0.2	1.4	0.032	0.83	68.3	68.3	1.22	805	39.5	0.83	7.9	30.9	1780	2.3
E386696		10.35	0.22	1.9	0.02	0.85	52.4	101.5	1.2	161	21.2	0.89	8.2	28.1	1260	3
E386697		6.16	0.21	0.6	0.034	0.06	79.3	45	1.51	2410	7.76	0.28	6.6	27.5	1830	2.1
E386698		4.68	0.31	0.3	0.045	0.02	192.5	12.6	0.83	2650	39.5	0.02	14.4	23.6	2720	2.9
E386699		4.66	0.34	0.2	0.028	0.01	171	7.4	0.47	1920	99.9	0.01	12.7	22.4	2870	1.5
E386700		0.47	<0.05	0.1	<0.005	0.03	1.9	1.4	0.49	37	0.46	0.01	0.3	<0.2	110	1.3
E386701		14.65	0.15	1.6	0.145	2	22.7	22.7	1.14	3330	64.2	0.94	4.1	31.7	820	20.9
E386702		7.89	0.37	0.3	0.023	0.01	144.5	12.4	0.45	811	78.4	0.04	8.6	41.8	2610	2.1
E386703		10.25	0.44	0.7	0.025	0.02	216	33.9	1.01	257	50.3	0.28	5.3	55.6	2670	147
E386704		10.15	0.26	1.6	0.033	0.06	111.5	62.1	1.47	232	12.4	1.08	5.3	47.8	1890	9.2
E386705		10.2	0.43	0.8	0.009	0.11	167.5	28.4	0.72	162	254	0.98	3.8	79.5	3080	13.1
E386706		9.36	0.46	0.6	0.04	0.01	143.5	12.5	0.58	1295	442	0.26	6.8	65.3	3700	11.2
E386707		11.7	0.34	2.8	0.045	0.06	19.6	59.2	1.94	945	117.5	0.73	8.1	71.8	3970	11.9
E386708		8.6	0.25	0.8	0.052	0.03	74	34.3	1.32	2360	66.7	0.72	5.2	33.4	2360	4.4
E386709		9.5	0.36	0.4	0.024	0.02	91.1	15.7	0.76	1680	83.6	0.52	6.2	43	2010	5.7
E386710		6.09	0.39	0.1	0.042	<0.01	209	2	0.5	3990	92	0.01	10.4	25.1	2120	5.4
E386711		11.85	0.49	0.3	0.024	0.01	181.5	14.1	0.48	1925	85.7	0.13	7.2	59.3	2580	2.9
E386712		12.45	0.48	0.2	0.022	0.01	117.5	5.6	0.31	1660	65	0.16	7.4	54.3	2230	1.9
E386713		11.2	0.33	0.6	0.01	0.03	188.5	22	0.66	920	100.5	0.7	4.2	40.5	1970	1.7
E386714		13.35	0.33	1	0.01	0.03	209	21.5	0.61	572	72.3	2.44	2.8	35.5	1910	1.2
E386715		13.3	0.19	1.8	0.013	0.09	129	38.1	1.04	1005	24.3	3.27	2.8	28.3	1640	1.7
E386716		12.6	0.28	1.1	0.006	0.04	81.8	24	0.52	393	43.6	2.78	3.2	33.7	1540	1.3
E386717		12.8	0.15	1.8	0.007	0.11	78.8	28	0.75	495	10.1	4.13	3.4	21.2	740	1.7
E386718		11.4	0.29	0.8	0.017	0.04	74.1	17.4	0.53	1360	40.7	1.99	3.8	34.6	2230	1.5
E386719		13.7	0.18	1.6	0.011	0.1	43.9	22.7	0.67	880	22.2	4.06	2.6	24.4	1350	1.8
E386720		14.6	0.16	1.9	<0.005	0.16	39.6	22.1	0.8	1300	506	5.61	2.8	17.7	920	6.2
E386721		20.4	0.13	2.3	0.047	1.36	64.3	57.8	0.67	798	17.4	3.74	2.9	23.4	690	1.8
E386722		18.5	0.14	2	0.037	0.2	74.2	29.1	1.28	2370	4.42	4.6	3.5	19	570	2
E386723		19.35	0.13	2	0.044	0.23	84	19.6	1.26	2820	23.1	5.27	3.7	17.7	690	2.3
E386724		15.2	0.25	1.3	0.127	0.14	81.1	27	2.11	4350	102.5	2.54	3.5	44.6	1440	3.9
E386725		10.85	0.45	<0.1	0.201	0.05	59.4	1.3	1.21	5040	9.37	0.02	7.7	58.5	1600	4.3
E386726		11.45	0.38	0.4	0.192	0.04	131	14.9	1.57	5180	110.5	0.08	6.6	64.7	3040	7.3
E386727		16.55	0.3	0.8	0.163	0.07	69.9	35.7	1.76	3850	21.9	0.47	5.7	70.8	2210	1.5
E386728		14.2	0.11	2.4	0.035	0.23	57.5	34.8	1.37	1920	3.08	4.51	3.3	18.9	720	1.8
E386729		13.75	0.13	1.5	0.041	0.36	52.6	18.2	1.91	4090	27.1	4.04	4.9	15.8	1000	1.4
E386730		0.48	<0.05	0.1	<0.005	0.04	1.8	1.4	0.5	42	0.33	0.02	0.3	<0.2	120	0.8
E386731		9.83	0.38	0.7	0.28	0.67	117.5	19.5	1.52	6260	59.8	0.25	5.5	54.3	2450	6.4
E386732		18.7	0.13	1.8	0.191	3.13	54.1	48.2	1.8	4800	0.66	0.08	3.1	19.5	590	1.3
E386733		17.6	0.2	1.6	0.239	2.86	102.5	43.2	1.53	5790	6.07	0.08	3.3	23.7	1580	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386694		14.3	0.004	0.14	1.49	3.6	2	9.6	1485	0.22	0.1	6	0.062	0.05	3.8	28
E386695		46.4	0.014	0.38	1.52	7.2	2	16.2	1280	0.28	0.14	7.4	0.104	0.12	3.4	66
E386696		50	0.006	0.15	1.47	6.7	3	34.3	578	0.44	0.11	11.9	0.204	0.11	4.1	53
E386697		3.3	0.002	0.18	1.01	3.2	2	4.3	1720	0.13	0.08	4.5	0.028	0.02	2.8	44
E386698		1.2	0.01	0.56	1.66	1.7	3	7.2	953	0.18	0.26	2.9	0.022	0.04	4.4	34
E386699		0.7	0.024	0.7	1.36	1.2	3	5.6	665	0.21	0.31	2.8	0.014	0.02	3.1	38
E386700		0.6	<0.002	0.07	0.07	0.4	2	<0.2	277	<0.05	<0.05	0.2	0.006	<0.02	0.6	5
E386701		83.7	0.021	2.29	1.62	8.9	3	7.7	548	0.21	0.25	8	0.089	0.45	269	52
E386702		0.8	0.011	1.52	1.3	1.2	4	5.2	320	0.13	0.28	3.2	0.016	0.02	3.6	42
E386703		1.1	0.004	1.67	1.21	2.4	5	3.8	103.5	0.11	0.2	6.3	0.031	0.03	2.7	63
E386704		3.4	0.002	1.32	1.12	4.7	7	6.1	92	0.13	0.13	4.3	0.06	0.03	17.7	28
E386705		7	0.083	8.57	1.43	3.3	8	5.9	43.7	0.07	0.91	4.3	0.037	0.1	2.9	62
E386706		0.7	0.107	8.06	1.88	2.2	8	2.7	41.5	0.14	2.54	3.7	0.017	0.23	3.1	83
E386707		1.4	0.032	9.24	2.63	6.6	8	7.8	64.8	0.18	3.37	1.2	0.078	0.12	3	34
E386708		1.3	0.02	1.17	1.36	5.4	3	4.1	502	0.14	0.37	5.1	0.033	0.03	4.1	47
E386709		0.7	0.027	1.06	1.3	6.2	4	3.7	685	0.15	0.34	4	0.023	0.02	2.4	69
E386710		0.1	0.015	0.46	1.2	2.5	4	8.1	1130	0.2	0.26	2.3	<0.005	0.02	4.2	52
E386711		0.2	0.034	0.7	1.03	2.2	4	1.5	431	0.21	0.22	4.4	0.01	<0.02	4.3	85
E386712		0.7	0.023	0.57	1.11	2.1	3	1.3	421	0.23	0.18	3.6	0.008	<0.02	3.5	106
E386713		2.1	0.022	0.71	1.03	3.3	4	3.6	666	0.09	0.17	5.3	0.024	0.02	5.6	50
E386714		1.2	0.049	0.52	0.67	2.7	3	2.7	503	0.07	0.14	8.2	0.021	0.02	3.2	52
E386715		2.8	0.014	0.31	0.56	5.7	2	4.3	620	0.1	0.09	9.5	0.04	0.02	5.5	42
E386716		2	0.022	1.01	0.79	3.9	4	3.5	402	0.11	0.23	6.8	0.032	0.02	3.6	52
E386717		6.5	0.005	0.17	0.62	7	2	5.4	384	0.16	<0.05	11.3	0.059	0.02	3.9	49
E386718		2.3	0.023	0.77	0.91	4.7	3	2.1	677	0.1	0.18	5.4	0.018	0.02	2.5	51
E386719		5.1	0.015	0.16	0.7	5.9	2	3.2	543	0.14	0.11	10.2	0.038	<0.02	3.2	77
E386720		9.1	0.559	0.25	1.14	7.9	10	4.9	384	0.18	0.96	13.9	0.057	0.2	52.2	51
E386721		88.3	0.004	0.28	0.96	12.3	2	17.6	134.5	0.19	<0.05	15.4	0.085	0.12	3	66
E386722		11.1	0.019	0.15	1.2	8.8	2	3.1	78.8	0.26	<0.05	14.3	0.082	0.02	3.2	49
E386723		12.2	0.161	0.12	1.01	9.3	2	2.7	91.4	0.27	<0.05	15.4	0.066	0.02	6.5	49
E386724		7.3	0.145	3.28	1.06	11.1	9	2.8	166.5	0.14	0.29	11	0.02	0.05	19.3	55
E386725		3	0.004	0.73	1.48	3.9	3	2.1	101.5	0.08	0.17	0.9	<0.005	0.17	3.5	76
E386726		3	0.094	3.74	1.32	5.1	10	2.7	335	0.17	0.4	4.5	0.013	0.14	18.4	77
E386727		4.2	0.015	0.77	0.71	5.2	4	1.9	606	0.15	0.11	4.5	0.011	0.02	8.4	73
E386728		14.2	0.002	0.28	0.8	9.9	2	3.2	592	0.17	0.05	8.7	0.04	0.02	4.2	24
E386729		22	0.018	0.28	1.17	9.2	2	4.1	916	0.33	0.13	9.6	0.091	0.03	3.9	49
E386730		1.3	<0.002	0.08	0.07	0.4	2	<0.2	289	<0.05	<0.05	0.2	0.006	<0.02	0.8	5
E386731		38.3	0.019	7.32	2.25	3.9	6	8	172	0.11	1.3	5.9	0.032	0.53	16.9	63
E386732		190.5	<0.002	0.17	1.48	10.4	1	7.4	309	0.2	<0.05	12.7	0.128	0.33	1.9	65
E386733		176.5	0.004	0.15	1.26	9.5	2	7	335	0.11	0.1	13	0.103	0.3	2.2	68

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386694		21.5	7.3	13	28.7		<0.001	
E386695		19.6	12.1	20	45.9		0.004	
E386696		20.2	10.7	26	64.7		<0.001	
E386697		10	11.4	18	19.5		<0.001	
E386698		17	12.6	10	10.4		0.009	
E386699		11.3	13	6	5.1		0.016	
E386700		0.1	2.9	23	3.2		<0.001	
E386701		8.7	14.7	7	56.5		0.049	
E386702		5.8	14	5	11.1		0.024	
E386703		4.2	16.8	18	22.3		0.057	
E386704		6.6	14	30	52.5	1.090	0.065	
E386705		4.5	23.7	13	27.2		0.027	
E386706		3.1	29.1	8	22		0.060	
E386707		3.9	23	22	93.7		0.076	
E386708		7.9	15.1	16	27		0.012	
E386709		8.8	14.4	9	14		0.015	
E386710		13.9	15.1	5	2.2		0.005	
E386711		5.3	16.5	9	9.7		0.002	
E386712		4.6	14.1	7	5.6		0.004	
E386713		7.7	13.1	10	19.3		0.003	
E386714		4.2	15.3	10	34.4		0.005	
E386715		3.7	14.3	15	60.3		0.002	
E386716		3.8	13.1	13	36.8		0.004	
E386717		4.3	11.8	12	61.2		<0.001	
E386718		3.9	16.4	11	27.1		0.005	
E386719		4.1	15.3	15	52.6		0.035	
E386720		5.2	15.1	8	59		0.047	2.49
E386721		7.6	13.6	6	78.9		<0.001	0.59
E386722		8.7	13.9	17	64.6		0.001	
E386723		6.8	14.9	11	66.3		0.003	
E386724		4.1	19.3	24	44.6		0.057	
E386725		4.8	17.4	6	1.1		0.023	
E386726		3.7	27.4	19	11.7	1.185	0.121	
E386727		2.6	19.9	13	25.8		0.031	
E386728		7.9	16.4	9	76.4		0.002	
E386729		11.5	15.7	5	48.8		0.002	
E386730		0.1	3.2	24	3.7		0.003	
E386731		6.7	16.3	13	25.1		0.139	
E386732		13.3	15.6	6	59.6		<0.001	1.76
E386733		12.5	17.8	5	56		<0.001	2.31

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386734		0.14	0.01	0.13	<5	50	0.08	0.01	47.9	0.43	2.57	1.1	6	<0.05	3.5	0.06
E386735		0.20	0.29	7.06	57.2	170	2.61	1.67	1.98	<0.02	82.2	113	42	6.92	1660	7.45
E386736		1.48	0.07	4.71	8.2	1650	1.95	0.1	2.85	<0.02	90.2	73.8	25	8.42	29.9	15.05
E386737		1.26	0.04	7.26	2.4	>10000	3.31	0.09	2.73	<0.02	241	29.8	44	13.6	17.6	7.89
E386738		1.48	0.03	6.65	1.1	8630	2.69	0.04	4.6	<0.02	59	38.1	34	11.7	11.8	8.91
E386739		1.28	0.04	6.06	2.1	7600	2.59	0.04	3.69	<0.02	31.3	26.9	36	10.1	8.6	8.21
E386740		1.02	0.03	5.76	1.2	8620	2.54	0.03	3.91	<0.02	73.9	23.7	31	9.16	17.4	8.24
E386741		1.26	0.01	7.06	1.3	7270	3.24	0.02	4.83	<0.02	75.2	22.9	37	11.7	15.2	8.41
E386742		0.78	0.02	6.54	2	5270	2.86	0.03	4.83	<0.02	91.9	24.3	33	10.9	57.5	9.83
E386743		1.32	0.09	5.1	7.3	1260	1.27	0.23	2.53	<0.02	131.5	85.9	25	4.65	2020	21.3
E386744		1.28	0.09	2.71	14.7	320	0.47	0.37	1.23	<0.02	324	136.5	13	2.72	563	35
E386745		1.88	0.21	2.42	14.1	100	0.56	1.05	0.77	<0.02	306	186	15	3.5	6130	31.6
E386746		0.16	0.01	0.13	12	40	0.09	0.02	47	0.45	2.64	1.2	6	<0.05	9.3	0.06
E386747		1.26	0.2	5.46	10.5	380	0.54	1.07	2.42	<0.02	93.2	119.5	27	1.84	5880	18.55
E386748		1.78	0.63	1.61	48.6	60	0.27	10.1	4.39	<0.02	168	343	5	1.43	981	30.2
E386749		1.50	0.04	6.81	3.7	>10000	3.32	0.19	0.72	<0.02	89	45.8	45	17.25	385	15.35
E386750		1.92	0.02	5.71	1.3	8780	2.61	0.11	3.43	<0.02	106	27	31	11.6	52.2	8.15
E386751		1.36	0.02	6.47	0.9	>10000	2.82	0.03	3.49	<0.02	78.7	27.5	35	13.5	13.8	8.39
E386752		1.60	0.02	6.75	1	>10000	2.95	0.05	2.49	<0.02	50.5	35.6	39	12.6	24.9	9.43
E386753		0.96	0.03	5.8	0.6	8940	2.38	0.07	4.59	0.04	34.8	27.9	30	10.8	44.6	9.55
E386754		1.40	0.01	6.67	0.6	>10000	2.6	0.03	2.46	<0.02	88.5	32.4	39	12.9	29.4	8.56
E386755		1.58	<0.01	6.3	1.1	>10000	1.84	0.02	0.81	<0.02	93.7	38.3	41	9.12	15.9	10.95
E386756		1.34	0.02	6.15	3.5	>10000	2.55	0.02	1.35	<0.02	56.3	53.1	36	11.3	9.6	11.45
E386757		0.16	0.01	0.09	7	50	0.06	0.01	42.2	0.35	1.97	1.1	6	<0.05	3.5	0.06
E386758		0.24	1.08	5.25	52.4	360	1.68	2.63	1.89	<0.02	49.7	152	31	3.33	7330	9.25
E386759		1.18	0.02	5.18	1.9	>10000	1.76	0.04	1.28	<0.02	63.8	46.6	30	9.36	72	12.35
E386760		1.92	0.01	6.54	1.4	9400	2.4	0.03	1.03	<0.02	78.4	55.6	42	11.75	9.6	12.1
E386761		1.22	0.02	6.89	2.6	>10000	3.03	0.04	0.91	<0.02	87.7	60.5	43	13.55	26.7	11.3
E386762		1.28	0.05	6.34	3	>10000	2.12	0.08	0.57	<0.02	72.8	64.4	40	11.1	118	10.55
E386763		1.28	0.08	4.9	9	4360	1.79	0.18	1.24	<0.02	210	77.4	27	9.1	797	14.55
E386764		1.88	0.15	1.61	17.6	230	0.62	0.4	1.53	<0.02	183.5	95.2	8	2.76	99	17.55
E386765		1.74	0.11	1.96	12.8	470	0.55	0.53	1.68	<0.02	239	50.8	10	3.18	739	15.55
E386766		2.12	1.15	1.46	72.8	40	0.59	10.25	1.39	<0.02	25.1	206	6	2.68	4740	18.75
E386767		1.48	1.73	2.28	113	220	0.71	17.65	1.97	<0.02	160.5	235	11	4.09	5120	28.9
E386768		1.52	1.11	3.06	76.7	1050	0.85	16.85	1.65	<0.02	307	233	14	5.26	5070	28.6
E386769		0.18	0.01	0.08	<5	60	0.08	0.03	41.4	0.36	2.31	1.3	6	<0.05	6.9	0.07
E386770		1.54	2.6	1.59	205	150	0.27	38.4	0.7	<0.02	301	421	7	1.46	5990	30.3
E386771		1.46	1.87	1.16	107	110	0.34	32.1	0.64	<0.02	110.5	296	5	1.61	2540	31.7
E386772		1.68	3.59	0.3	160.5	160	0.05	64.8	0.63	<0.02	193	371	<1	0.5	2800	36.5
E386773		1.66	0.8	0.43	43.4	60	0.11	9.81	0.77	<0.02	386	99.5	<1	0.36	3070	31.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386734		0.49	<0.05	0.1	<0.005	0.03	1.9	1.5	0.52	42	0.24	0.02	0.3	<0.2	120	0.7
E386735		20.4	0.13	2	0.141	3.1	42.2	25.5	1.35	3350	19.15	0.61	2.9	24.1	770	3.1
E386736		14.2	0.21	1.4	0.208	2.05	57.4	47.5	1.6	6430	7.71	0.09	3.3	23.8	1540	1.2
E386737		22.7	0.16	2	0.208	3.52	144.5	75.9	1.78	3190	0.62	0.15	2.5	18.5	720	1.8
E386738		18.8	0.14	1.8	0.227	3.2	32.5	61	2.21	5230	0.98	0.05	3.1	18.4	640	1.4
E386739		17	0.12	1.8	0.18	3.01	16.7	69.1	1.8	3780	1.08	0.06	3.4	16.2	650	1.2
E386740		15.55	0.12	1.7	0.142	2.6	42.3	70.7	1.59	3850	1.33	0.27	2.4	14.9	730	1.1
E386741		19.2	0.13	1.8	0.157	3.19	44.6	116.5	2.2	4750	0.25	0.42	3.9	14.5	650	1.2
E386742		16.7	0.14	1.8	0.121	2.39	59	106.5	2.2	4500	0.24	0.95	2.3	14.6	600	1.1
E386743		12.25	0.25	1.3	0.048	0.84	96.2	59.2	1.4	1900	15.25	1.53	2.2	24.1	2190	1.4
E386744		10.1	0.42	0.7	0.019	0.28	250	41.6	0.78	487	32.6	0.42	4.7	34.8	4380	1.7
E386745		10.75	0.62	0.7	0.03	0.48	264	44.4	0.6	460	20.8	0.4	5.5	40.5	2770	1.9
E386746		0.48	<0.05	0.1	<0.005	0.03	2	1.6	0.51	36	0.27	0.02	0.3	<0.2	120	0.9
E386747		10.45	0.36	1.3	0.042	0.28	78	32.7	1.05	2120	62.4	2.87	4.6	27.9	1870	2.4
E386748		7.83	0.39	0.6	0.098	0.12	135.5	25.8	1.57	4510	49.8	0.35	4.4	46	2540	4.3
E386749		19.85	0.24	1.8	0.088	3.29	64.5	134.5	1.29	664	18.15	0.18	3.3	28.4	1180	1.3
E386750		16.45	0.21	1.8	0.137	2.7	69.5	73.5	1.72	3450	4.06	0.32	3.2	16.8	710	1.4
E386751		19.5	0.2	1.9	0.211	3.32	49.9	73.2	1.7	4020	4.11	0.09	3.5	18.9	610	1.4
E386752		18.95	0.19	1.9	0.214	3.38	32.4	63	1.48	4000	4.81	0.06	3	18.2	670	1.4
E386753		16.65	0.18	1.5	0.199	2.66	21.1	56.3	2.4	5070	2.18	0.05	3.4	19.2	530	4.1
E386754		19.8	0.21	2	0.229	3.32	52.5	60.5	1.57	4360	2.5	0.05	2.9	18.6	670	1.7
E386755		15.1	0.2	1.4	0.296	3.15	56.5	39.9	1.26	5440	1.25	0.05	2.2	13.3	660	1.3
E386756		17.8	0.21	1.8	0.342	3.18	35.3	47.9	1.21	5540	0.98	0.05	3	17.5	620	1.5
E386757		0.49	<0.05	0.1	<0.005	0.03	1.6	1.6	0.47	41	0.19	0.01	0.3	<0.2	110	0.7
E386758		14	0.17	1.7	0.135	2.07	23.5	24.9	1.18	3340	61.2	0.86	3.7	35.5	850	19.4
E386759		15.35	0.19	1.6	0.335	2.63	39.7	40.6	1.31	5470	2.4	0.04	2.2	17.7	760	1.3
E386760		19.3	0.21	2	0.372	3.41	48.3	50.3	1.19	5390	1.1	0.05	3.6	18.4	670	1.9
E386761		20.1	0.21	1.9	0.386	3.49	55.5	58.8	1.21	5960	2.01	0.05	3.7	19.5	690	1.4
E386762		18.7	0.19	1.8	0.309	3.19	47.1	50.1	1.08	6410	14.4	0.05	2.8	21.6	800	1.3
E386763		17.5	0.34	1.6	0.328	2.25	145.5	48.1	1.27	7690	17.7	0.04	4.2	35.8	3500	1.6
E386764		6.65	0.31	0.5	0.317	0.63	116.5	18.2	1.54	10400	51.4	0.02	5.4	29.3	2550	2.3
E386765		7.96	0.29	0.7	0.313	0.66	192.5	21.2	1.63	10050	38.6	0.02	6.8	30.5	2930	1.5
E386766		5.14	0.26	0.5	0.277	0.54	8.2	16.6	1.24	8400	59.2	0.01	4.8	30.4	2400	4.1
E386767		8.01	0.41	0.7	0.333	0.93	111.5	24.9	1.7	8790	68.6	0.02	7.8	52.5	2760	7.2
E386768		11.6	0.49	1.1	0.402	1.03	229	33.5	2.1	11800	73.8	0.02	7.5	60	5110	8.1
E386769		0.46	<0.05	0.1	<0.005	0.03	1.8	1.8	0.46	44	0.38	0.01	0.3	<0.2	130	1
E386770		6.25	0.45	0.5	0.199	0.21	263	23.8	1.16	5740	50.4	0.01	14.3	72.2	2970	13.4
E386771		4.86	0.39	0.5	0.359	0.31	91.3	13.8	1.8	13300	50.3	0.01	11.6	42	2470	9.7
E386772		2.08	0.44	0.1	0.251	0.08	172.5	4.5	0.97	9260	34.9	0.01	7.9	68.4	2660	18.9
E386773		3.31	0.46	0.2	0.622	0.05	342	8	2.72	21600	44.7	0.01	11.6	22	2470	4.9

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E386734		0.9	<0.002	0.08	0.07	0.4	2	<0.2	297	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E386735		144.5	0.005	1.38	1.16	10.8	2	8.6	440	0.16	0.18	13.7	0.111	0.4	19.3	68
E386736		128	0.003	0.15	1.29	7.8	2	7.8	325	0.1	0.12	10.6	0.079	0.21	2.1	64
E386737		215	<0.002	0.27	1.52	11.9	1	11.5	181	0.14	0.29	16.7	0.134	0.42	2.4	74
E386738		196.5	0.002	0.22	1.41	11.4	1	7.1	253	0.21	0.05	12.6	0.13	0.32	2.2	63
E386739		176.5	<0.002	0.19	1.51	10	1	8.9	223	0.24	0.13	11.3	0.134	0.29	2	62
E386740		163	0.002	0.21	1.39	8.6	1	9.3	162.5	0.17	<0.05	12.1	0.105	0.25	1.7	55
E386741		199.5	<0.002	0.16	1.7	11.7	1	14.7	126.5	0.27	<0.05	12.9	0.141	0.3	1.7	66
E386742		162	<0.002	0.15	1.32	12.7	1	13.6	140.5	0.15	<0.05	12.9	0.099	0.22	1.9	62
E386743		55.3	0.005	0.71	1.41	7	3	8.1	90.5	0.07	0.08	9.6	0.05	0.08	3.8	62
E386744		19.2	0.014	1.02	1.95	1.4	2	3.3	86.4	0.1	0.12	9.1	0.025	0.03	2.9	81
E386745		31.3	0.011	2.35	1.88	2.5	4	5.5	48.2	0.14	0.16	9.7	0.039	0.05	2.3	59
E386746		0.7	<0.002	0.07	0.09	0.4	2	<0.2	287	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E386747		16.5	0.02	1.82	1.17	5.4	3	4.8	95.6	0.14	0.14	6.3	0.032	0.03	3	47
E386748		8.6	0.02	5.93	1.84	7.6	5	2.3	155	0.11	1.37	5.3	0.021	0.03	5.1	58
E386749		174.5	0.005	0.5	1.94	14.1	2	22.6	128.5	0.12	0.08	11.6	0.116	0.24	3.1	80
E386750		148	0.004	0.26	1.27	9.5	2	11.7	131.5	0.21	<0.05	14.5	0.121	0.24	2.2	53
E386751		185	0.002	0.32	1.22	11.5	2	11.6	217	0.22	<0.05	12.5	0.14	0.3	1.9	59
E386752		175.5	0.004	0.28	1.16	11.2	2	9.8	153.5	0.18	<0.05	14.9	0.145	0.31	2.2	61
E386753		145	0.002	0.24	1.21	10	2	8.3	266	0.21	<0.05	10.8	0.123	0.28	1.8	53
E386754		173	0.002	0.24	1.1	11.9	2	9.1	148.5	0.17	<0.05	15.2	0.142	0.32	2.1	60
E386755		127.5	<0.002	0.36	0.86	8.7	1	7	161	0.13	<0.05	10.2	0.144	0.25	1.6	58
E386756		167	<0.002	0.21	1.1	10.6	2	9.3	121.5	0.18	<0.05	12	0.141	0.31	1.9	60
E386757		0.9	<0.002	0.06	0.06	0.5	3	<0.2	265	<0.05	<0.05	0.2	0.006	<0.02	0.6	2
E386758		74.5	0.021	2.35	1.49	9.1	3	6.8	556	0.2	0.22	8.3	0.089	0.4	253	52
E386759		140.5	<0.002	0.24	1.12	9.2	2	7	125	0.13	<0.05	12.5	0.111	0.25	2	53
E386760		182	<0.002	0.14	1.32	11.3	2	9.1	82.4	0.22	<0.05	13.8	0.155	0.34	2.4	64
E386761		185	<0.002	0.21	1.25	11.1	2	12.1	91.1	0.21	0.07	13.1	0.163	0.35	2.1	68
E386762		167	0.014	0.3	1.14	10.5	2	11.6	197.5	0.12	0.13	9.9	0.124	0.3	3	68
E386763		129.5	0.014	0.26	1.1	9	3	11.1	404	0.16	0.14	11.6	0.088	0.24	4.3	80
E386764		43.7	0.023	0.64	0.71	3.4	4	3.8	906	0.14	0.8	4.7	0.033	0.1	6.7	37
E386765		45.3	0.017	0.33	0.71	3.8	2	6.5	881	0.12	0.15	4.4	0.039	0.09	2.6	40
E386766		36.7	0.012	7.78	2.23	2.3	6	8.7	132.5	0.08	1.92	1.3	0.03	0.3	6.9	33
E386767		58.4	0.016	>10.0	3.4	4.1	5	14.4	65.6	0.12	0.89	5.7	0.04	0.31	15	68
E386768		66.2	0.021	9.13	3.13	5.4	5	18.5	68	0.16	0.65	12.8	0.048	0.28	18.3	79
E386769		0.7	<0.002	0.06	0.07	0.5	3	<0.2	265	<0.05	<0.05	0.2	0.006	<0.02	0.7	2
E386770		14.4	0.013	>10.0	7.5	1.8	5	8.6	63.4	0.15	0.85	3.8	0.03	0.31	4.4	52
E386771		21.2	0.013	>10.0	7.55	2.7	4	10.9	40.6	0.15	0.58	3.3	0.028	0.16	5.5	58
E386772		5	0.007	>10.0	10.25	1	5	5.2	27.4	0.16	0.62	2.7	0.01	0.13	3.6	31
E386773		3.2	0.009	6.32	5.13	1.8	3	3.9	45.6	0.12	0.31	2.4	0.01	0.07	10.2	39

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386734		0.1	3.2	24	4.4		<0.001	
E386735		8.8	12.6	7	68.5		0.018	
E386736		11.4	16.1	7	46.5		<0.001	
E386737		14.5	17.5	8	69.1		0.001	1.38
E386738		14.3	17.8	6	61.8		<0.001	1.59
E386739		13.4	15.6	6	60.2		<0.001	1.69
E386740		11.3	16.2	5	57.3		<0.001	0.99
E386741		14.5	17.9	6	61.6		<0.001	0.73
E386742		12.2	16.4	5	59.7		<0.001	0.55
E386743		7.2	19.1	8	44.3		0.013	
E386744		7.1	24.1	10	25		0.004	
E386745		6.6	14.7	7	25.8		0.022	
E386746		0.1	3.1	24	3.8		<0.001	
E386747		4.9	15.8	11	44.4		0.029	
E386748		4.3	25.7	7	17.9		0.062	
E386749		14.6	13.3	6	58.1		0.002	1.26
E386750		13.5	17.3	4	53.2		<0.001	1.01
E386751		16.2	17.2	3	57.9		<0.001	1.73
E386752		14.6	14.2	5	59		0.001	1.38
E386753		13.5	15	20	47.8		<0.001	2.33
E386754		15.5	14.6	5	62.2		<0.001	1.46
E386755		11.3	9.1	3	43.5		<0.001	2.30
E386756		14.4	11.6	3	54.2		<0.001	1.35
E386757		0.1	2.9	29	3.8		<0.001	
E386758		7.9	14.8	4	53.6		0.057	
E386759		11.2	10.6	3	47.5		<0.001	1.40
E386760		14.5	13.7	3	66.5		<0.001	0.95
E386761		17.8	12.1	3	59.9		<0.001	1.27
E386762		14.7	11.5	4	57.1		0.003	2.43
E386763		14	24.9	3	51.7		0.005	
E386764		10.4	15.2	5	17.1		0.010	
E386765		9	15	5	20.6		0.007	
E386766		10.4	9.7	<2	17.9		0.070	
E386767		10.5	15.2	<2	23.4		0.067	
E386768		9.3	30.2	3	37.6		0.055	
E386769		0.1	2.9	22	3		<0.001	
E386770		9.9	12.5	<2	15		0.091	
E386771		8.6	11.3	4	15.6		0.094	
E386772		8.1	11.9	2	3.9		0.214	
E386773		4.3	15.5	2	5.8		0.025	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386774		1.74	0.74	0.35	40.4	60	0.08	8.78	0.86	<0.02	344	103	1	0.29	2170	23.7
E386775		1.52	0.62	1.51	47.9	80	0.37	7.17	0.58	<0.02	158	115.5	6	2.57	1460	25.4
E386776		1.64	0.64	1.48	47.3	60	0.45	7.59	0.66	<0.02	216	115.5	7	2.67	2150	23.3
E386777		1.32	0.42	4.67	49.7	1240	1.15	7.62	1.25	<0.02	135	131	24	7.82	956	17.6
E386778		1.44	0.2	4.22	40.8	220	1.22	2.96	1.9	<0.02	283	86.8	23	7.53	89.8	18.05
E386779		1.06	0.15	5.91	18	1040	1.65	1.15	0.71	<0.02	129.5	67	35	11.2	226	10.9
E386780		0.14	0.01	0.09	<5	50	0.06	0.02	42.4	0.37	2.37	1.2	5	<0.05	4.6	0.06
E386781		0.22	1.29	2.23	88.3	90	0.72	10.5	2.14	<0.02	179.5	325	10	2.59	9000	28
E386782		1.54	0.12	5.48	14.8	1410	1.47	0.71	1.11	<0.02	105.5	56.9	33	10.1	306	13.25
E386783		1.40	0.14	5.21	18.7	2850	1.44	0.64	0.82	<0.02	83.2	56.2	29	10.15	716	15.4
E386784		1.28	0.14	6.13	18	4250	1.35	0.44	0.78	<0.02	96.6	51.6	34	13.2	321	13.25
E386785		0.82	0.26	4.88	36.9	310	1.15	2.25	0.28	<0.02	77.7	67.9	34	11.35	72.8	10.05
E386786		1.84	0.37	5.16	105.5	110	1.28	4.98	0.89	<0.02	104	86	30	10.25	203	10.7
E386787		1.38	0.17	5.24	59.9	180	1.06	1.88	2	<0.02	137	55.2	29	9.34	165	12.1
E386788		1.24	0.91	3.9	315	80	0.84	15.35	1.3	<0.02	243	196.5	23	7.04	2360	18.45
E386789		2.02	1.38	0.8	441	30	0.17	26.4	1.62	<0.02	410	272	2	1.54	2460	30.8
E386790		1.70	0.88	0.52	188.5	260	0.16	17.6	1.38	<0.02	327	276	<1	1.08	2050	29.3
E386791		1.78	1.74	2.26	396	50	0.42	46.4	1.35	<0.02	466	617	13	4.08	6930	24.2
E386792		0.12	0.03	0.12	<5	30	0.07	0.12	42.3	0.38	2.68	1.7	6	<0.05	16.7	0.07
E386793		2.04	5.25	0.88	707	120	0.14	107	1.18	<0.02	207	781	2	1.59	>10000	34
E386794		2.70	4.25	1.07	435	50	0.25	66.5	1.26	<0.02	>500	557	4	2.13	>10000	30.1
E386795		1.66	2.06	2.2	434	40	0.47	47.5	1.41	<0.02	>500	538	12	4.09	6020	25.8
E386796		1.16	2.27	1.43	500	40	0.33	50.6	1.2	<0.02	>500	574	6	2.79	>10000	29.8
E386797		2.26	0.7	0.49	156.5	320	0.13	13.9	0.75	<0.02	260	116.5	<1	0.84	1100	36.2
E386798		1.52	0.67	0.77	153.5	470	0.18	8.36	1.18	<0.02	>500	91.7	1	1.54	4610	33.6
E386799		1.58	0.82	0.57	216	60	0.18	11.6	0.76	<0.02	250	117	<1	1.15	1230	34.2
E386800		1.38	0.79	4.44	168.5	70	1.02	11.85	0.7	<0.02	321	114.5	24	9.15	987	19.4
E386801		0.92	0.13	7.12	33.4	800	1.63	1.65	0.48	<0.02	129	68.1	48	13.9	144	12.5
E386802		0.70	0.33	4.31	45.7	280	0.94	2.14	0.74	<0.02	169	72.1	27	9.07	318	19.35
E386803		0.14	0.02	0.13	<5	30	0.08	0.04	45.5	0.41	2.7	1.4	6	<0.05	13.9	0.07
E386804		0.20	0.28	6.32	56.6	150	2.52	1.59	1.88	<0.02	73.6	117	38	6.46	1480	6.96
E386805		0.68	0.47	8.07	107	330	2.35	7.12	0.6	<0.02	254	132.5	53	14.45	1440	12.9
E386806		0.84	1.17	3.1	120	30	0.76	14.3	2.2	<0.02	168	162.5	14	5.09	3290	25.6
E386807		1.18	0.75	0.21	74.8	310	0.07	6.1	2.35	<0.02	117	95.2	<1	0.37	2870	35.1
E386808		1.24	2.33	0.29	133.5	150	0.07	9.71	2.04	<0.02	66.5	120.5	<1	0.5	1640	36.7
E386809		0.62	3.72	0.3	369	60	0.05	20.6	1.78	<0.02	101.5	273	3	0.48	2200	38.3
E386810		1.90	3.07	0.51	388	90	0.09	19.7	1.53	<0.02	83.1	375	<1	0.91	2360	37.5
E386811		1.42	0.42	6.18	76	730	1.64	4.92	0.38	<0.02	84	111	35	11.15	327	11.85
E386812		1.40	0.18	5.52	21.8	1050	1.6	1.01	0.37	0.02	76.9	59.4	36	10.25	39.6	11.1
E386813		1.66	0.09	5.68	16.5	3400	1.62	0.54	0.42	<0.02	101.5	41.2	33	10.7	88.8	9.52

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386774		3.05	0.4	0.2	0.496	0.04	276	9.6	3.05	20300	78.9	0.01	14.1	24.4	3410	4.8
E386775		5.52	0.36	0.6	0.501	0.55	130.5	14.4	2.19	18900	52.7	0.02	6.1	34.1	2080	3.9
E386776		5.75	0.35	0.8	0.491	0.55	182.5	15.6	2.07	16850	54.1	0.02	7.9	33.6	2130	4.2
E386777		13.5	0.26	1.6	0.217	2	105.5	30.2	1.92	7310	15.15	0.05	4.6	33.6	1320	3.3
E386778		13.7	0.32	1.3	0.186	2	221	25	1.48	8440	18.15	0.06	6.2	33.9	5590	2.3
E386779		17.55	0.21	2.3	0.123	2.73	96.2	31.6	1.11	4480	7.05	0.07	2.4	28.5	1020	3.4
E386780		0.52	<0.05	0.1	<0.005	0.03	1.9	2	0.47	42	0.29	0.01	0.3	<0.2	120	0.8
E386781		9.88	0.39	0.7	0.267	0.66	116.5	26	1.52	6140	61.5	0.24	6.1	62.5	2370	6.5
E386782		15.65	0.22	1.8	0.157	2.65	77.3	25.7	1.36	6430	3.73	0.07	1.6	23.7	780	1.9
E386783		15.45	0.24	1.6	0.161	2.47	57.5	24.5	1.39	7170	4.59	0.07	3.1	23.5	850	1.7
E386784		19.05	0.23	2.1	0.16	3.15	66.1	22.3	1.43	6830	4.87	0.06	1.7	27.4	1210	2.3
E386785		15.45	0.18	1.9	0.234	2.38	50.9	23.2	1.53	8410	22.5	0.07	1.9	21.6	660	3.5
E386786		16.4	0.23	1.9	0.096	2.43	70.3	23.6	1.02	3710	10.3	0.07	2.3	28.5	1300	4.9
E386787		16.15	0.26	1.7	0.139	2.49	94.7	22.9	1.42	5700	11.35	0.07	1.8	22.2	1370	3
E386788		14.1	0.44	1.4	0.14	1.84	180.5	14.8	0.96	6350	67.4	0.05	5.6	56.6	2300	8
E386789		5.46	0.63	0.5	0.221	0.35	310	4.1	1.04	10450	53.6	0.02	8.8	77.1	4550	12.7
E386790		4.4	0.57	0.3	0.274	0.24	258	3.4	1.27	15150	57.2	0.01	15.7	73.2	4270	6.9
E386791		10.7	0.58	0.8	0.182	0.97	384	12.2	0.78	5330	103.5	0.03	17.7	82.2	4110	12.3
E386792		0.52	<0.05	0.1	<0.005	0.03	2.1	1.3	0.44	42	1.16	0.01	0.4	<0.2	110	0.9
E386793		4.53	0.53	0.3	0.189	0.35	181.5	5.8	0.71	3430	43.7	0.02	10.2	127.5	2070	34.6
E386794		7.81	0.68	0.4	0.323	0.53	540	5.3	0.77	7950	88.6	0.02	15.2	79.7	4400	17.8
E386795		12.65	0.66	1.2	0.243	1.03	580	10.1	1.04	8210	133.5	0.03	31.4	70.4	4270	15
E386796		11.4	0.84	0.6	0.26	0.68	890	6.6	0.75	8310	117.5	0.02	22.1	79.9	5210	12.7
E386797		4	0.49	0.2	0.445	0.2	241	3.8	1.88	21300	44.3	0.01	17.7	22.2	2450	5.6
E386798		6.81	0.64	0.5	0.47	0.34	540	4.9	1.87	20500	80.1	0.01	19	22.6	2900	5.1
E386799		4.41	0.49	0.4	0.513	0.24	204	4.5	1.9	21800	73.2	0.01	15.6	24.7	2210	8.5
E386800		16	0.44	1.5	0.296	2.09	243	19.4	1.37	11050	37	0.06	6.7	29.1	1530	10.3
E386801		23	0.28	2.1	0.144	3.49	86.2	27.2	1.11	5490	8.5	0.09	2.1	28.9	820	2.2
E386802		12.8	0.34	1.4	0.249	1.93	124	21.4	1.4	10800	15.7	0.05	4.3	22.7	1670	6.2
E386803		0.6	<0.05	0.1	<0.005	0.03	2.1	1.5	0.47	45	0.58	0.02	0.4	<0.2	120	0.7
E386804		19.85	0.19	1.9	0.129	2.9	40.1	26.5	1.21	3130	21.2	0.59	3.4	26.5	690	3.1
E386805		27.8	0.34	2.6	0.184	4.13	182	30.2	0.71	3520	35.5	0.1	8.9	25.6	2410	4.2
E386806		10.9	0.44	0.9	0.286	1.4	126	13.8	1.76	11150	50.3	0.04	6.8	41.2	1750	8.8
E386807		1.9	0.44	0.1	0.38	0.06	99.7	2.8	2.37	17250	55.6	0.01	5	33.9	1230	4.6
E386808		2.01	0.45	0.1	0.309	0.11	55.9	2.4	1.82	13750	42.6	0.01	6.7	31.7	1190	9.4
E386809		1.84	0.53	0.1	0.144	0.11	83.3	1.8	0.77	2950	20.8	0.01	3.4	45	1500	23.6
E386810		2.44	0.51	0.2	0.21	0.22	67.7	2.7	0.73	2670	30.4	0.01	5.1	53.7	1210	22
E386811		19.4	0.25	2	0.153	3.06	55.5	23.6	0.73	2700	15.15	0.07	5.8	23.3	900	4.9
E386812		17.05	0.2	2	0.233	2.86	52.6	21.9	0.92	4850	7.61	0.07	3.5	18	800	4.9
E386813		17.45	0.21	1.9	0.193	2.82	70.7	24.7	0.93	4470	1.79	0.06	3.5	14.2	760	2.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E386774		2.7	0.018	5.5	5.92	1.4	4	4.7	66.7	0.18	0.74	2.6	0.01	0.07	4.1	36
E386775		36	0.021	5.99	5.15	3.2	3	11	22.1	0.09	0.59	4.4	0.024	0.11	5.4	45
E386776		36.7	0.02	5.99	5.03	3	3	11.6	22.1	0.11	0.63	5.4	0.026	0.11	5.3	46
E386777		97.2	0.004	6.23	2.85	7.4	2	22	17.5	0.11	0.37	9.6	0.074	0.25	3.9	64
E386778		105	0.005	2.33	1.9	7	2	16	41.8	0.12	0.14	9	0.061	0.28	2.8	84
E386779		148.5	0.006	1.14	2.07	9.6	2	17.4	22.4	0.12	0.13	14.7	0.088	0.34	16.8	59
E386780		1	<0.002	0.06	0.07	0.5	3	<0.2	270	<0.05	<0.05	0.2	0.006	<0.02	0.7	1
E386781		40.8	0.017	7.24	2.15	4.7	6	7.3	185	0.13	1.11	6.2	0.035	0.47	16.4	56
E386782		138	0.003	0.95	1.45	9.2	2	13.3	24.4	0.07	0.14	12.4	0.074	0.32	5.8	54
E386783		133.5	0.002	0.89	1.63	9	2	11.2	28.3	0.08	0.14	11	0.067	0.36	3	53
E386784		159	0.002	0.47	1.45	10.4	2	11.8	26.2	0.09	0.08	12.8	0.08	0.39	6.5	60
E386785		126	0.012	1.47	2.76	7.8	3	15.9	26.6	0.12	0.36	11.1	0.071	0.31	8.9	42
E386786		131	0.003	3.51	3.38	7.8	2	20.6	19.8	0.09	0.22	11.8	0.067	0.33	6.9	58
E386787		121.5	0.004	1.93	2.35	8.4	2	16.7	28.2	0.07	0.2	11.7	0.061	0.28	6.1	60
E386788		96.5	0.025	9.42	7.12	5.9	5	20.5	27	0.12	1	8.4	0.051	0.27	6	79
E386789		22.5	0.016	>10.0	9.16	1.9	6	10	41.4	0.19	1.33	5	0.016	0.1	3.6	62
E386790		15.2	0.014	7.63	7.05	1.5	4	7	37	0.5	0.9	4.6	0.016	0.07	3.6	87
E386791		61	0.023	>10.0	7.95	3	6	25	36	0.3	1.2	8.3	0.048	0.19	6.1	71
E386792		0.9	<0.002	0.07	0.11	0.5	2	<0.2	254	<0.05	<0.05	0.2	0.006	<0.02	0.7	6
E386793		22	0.007	>10.0	17.05	1.3	6	10.3	26	0.17	1.14	3.3	0.021	0.16	3	33
E386794		33.8	0.017	>10.0	15.8	1.7	8	17.2	41	0.18	1.61	5.3	0.022	0.25	7	63
E386795		68.6	0.031	>10.0	10.45	2.5	7	33.9	38.5	0.35	1.02	8.2	0.058	0.26	35.8	85
E386796		45.3	0.031	>10.0	11.6	2.2	7	23.9	48.7	0.3	1.48	9.4	0.032	0.19	17.6	83
E386797		12.6	0.012	3.96	4.96	1.4	2	5.7	18.6	0.16	0.34	1.7	0.013	0.15	3.6	64
E386798		22	0.02	3.35	2.02	2.3	4	8.9	28.6	0.2	0.39	4.6	0.019	0.13	4	67
E386799		16.4	0.019	5.12	3.24	2.2	3	5.9	55.6	0.19	0.63	2.4	0.016	0.12	7	57
E386800		102.5	0.011	4.76	2.87	7.8	3	12.2	23	0.12	0.37	10.2	0.055	0.36	7.4	67
E386801		183	0.005	1.36	1.76	12.3	1	15.7	18.9	0.08	0.15	14.7	0.078	0.49	7.4	68
E386802		93.4	0.01	1.53	1.79	8.1	2	9.1	30	0.13	0.23	10.7	0.06	0.5	54.7	66
E386803		0.9	<0.002	0.07	0.09	0.5	2	<0.2	277	<0.05	<0.05	0.2	0.006	<0.02	0.8	7
E386804		125.5	0.006	1.29	1.18	11	2	8	445	0.2	0.19	12.7	0.106	0.35	18.6	63
E386805		203	0.013	5.98	3.17	11.7	4	42.1	27.1	0.17	0.6	17.6	0.119	0.72	16.4	136
E386806		87.3	0.011	9.73	2.41	4.5	3	17.3	74.8	0.1	0.87	6.9	0.041	0.28	13.4	72
E386807		3.5	0.009	4.9	1.14	1.6	2	1.8	24.7	0.05	0.83	1.4	<0.005	0.06	4.5	32
E386808		6.9	0.008	>10.0	3.1	1.7	2	3.8	15.9	0.05	0.72	0.8	0.006	0.07	4.8	31
E386809		7.4	0.004	>10.0	8.35	0.8	3	3.6	23.1	0.06	0.44	1.1	0.008	0.13	3.6	16
E386810		14.4	0.006	>10.0	8.23	1.1	3	5.2	18.7	0.12	0.48	1.6	0.014	0.13	5.2	20
E386811		159.5	0.007	6.43	3.22	8.9	2	20.1	16	0.19	0.2	11	0.099	0.52	7.8	67
E386812		146	0.005	0.76	2.53	9.6	1	15	18.5	0.19	0.05	12.2	0.1	0.63	71.5	62
E386813		150	<0.002	0.51	2.14	8.4	1	15	16.8	0.22	<0.05	11.8	0.103	0.42	13.5	58

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386774		3.4	15.5	2	5.3		0.022	
E386775		5.3	12.1	3	20.2		0.023	
E386776		5.4	13.2	2	27.6		0.022	
E386777		9.5	12	4	51.8		0.026	
E386778		7.8	17	4	42.9		0.008	
E386779		10.6	11.4	3	70.7		0.006	
E386780		0.1	3.1	21	3.7		<0.001	
E386781		6.5	16	4	24.9		0.111	
E386782		8.7	9.7	2	56.2		0.011	
E386783		8.9	9.8	3	55.2		0.005	
E386784		9.3	11.7	3	66.2		0.003	
E386785		9.2	10.3	5	58.9		0.015	
E386786		10	11.6	2	59.1		0.015	
E386787		8.8	10.6	3	54.7		0.011	
E386788		10.2	14.3	2	43.2		0.046	
E386789		6.9	19.5	3	14.9		0.059	
E386790		5.4	19.6	4	7.6		0.035	
E386791		12.3	23.8	2	25.2		0.091	
E386792		0.1	3	21	3.4		<0.001	
E386793		11.7	9.3	3	8.9	2.05	0.273	
E386794		15.1	18.6	<2	10.9	4.01	0.191	
E386795		16.2	24.7	2	38.5		0.095	
E386796		12.1	29.4	<2	19.7	1.235	0.107	
E386797		6.3	9.9	8	6.6		0.020	
E386798		5.6	17.5	7	17.6		0.014	
E386799		5.1	12.4	8	12.5		0.022	
E386800		9.1	14	6	47.5		0.020	
E386801		11.1	9.9	4	66		0.004	
E386802		9.8	13.2	8	44.4		0.007	
E386803		0.1	3.3	24	3.5		<0.001	
E386804		8.4	12	5	65.1		0.017	
E386805		17.3	18.8	2	83.1		0.033	
E386806		8	13.9	5	30.2		0.046	
E386807		3.1	7.5	6	1.5		0.026	
E386808		5.7	6.3	5	3.4		0.030	
E386809		7.5	7	3	3.9		0.037	
E386810		8.1	6.5	3	5.9		0.086	
E386811		15.4	11.3	2	63.2		0.020	
E386812		18.4	11.6	3	62.6		0.004	
E386813		14.7	10.5	2	61		0.002	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386814		1.26	0.08	8.14	16.7	5460	2.38	0.43	0.47	<0.02	70.1	63.3	46	16.05	228	12.2
E386815		0.14	0.01	0.13	<5	20	0.09	0.01	43.9	0.41	2.35	1.2	6	<0.05	7	0.05
E386816		1.18	0.05	5.87	6.4	4220	1.66	0.11	0.52	<0.02	125	45.5	36	11.05	72.3	13.4
E386817		1.08	0.08	4.2	10.5	3000	1.26	0.39	0.37	<0.02	106.5	36.9	29	8.11	189.5	11.15
E386818		1.20	1.29	4.68	84	90	1.23	1.53	1.11	<0.02	396	59	32	8.58	>10000	12.25
E386819		1.22	1.36	6.03	117	250	1.61	2.94	1	<0.02	184	78.2	40	10.1	8890	12.75
E386820		1.66	1.8	1.86	99.9	290	0.57	5.7	0.34	<0.02	248	121.5	8	3.37	5120	24.5
E386821		1.58	1.48	1.49	65	70	0.46	4.92	0.54	<0.02	265	125.5	7	2.63	4630	29.8
E386822		1.30	0.35	2.79	20.1	500	0.87	1.31	1.2	<0.02	225	69.4	17	4.43	1060	32.9
E386823		1.92	0.8	2.19	51	170	0.49	4.25	0.64	<0.02	222	110.5	11	3.26	1380	24.5
E386824		1.96	0.56	0.25	26.1	80	0.07	3.37	0.35	<0.02	157	55.6	<1	0.43	254	37.2
E386825		1.74	0.52	1.88	28.9	230	0.57	3.17	0.33	<0.02	166.5	56.5	12	3.53	795	25.9
E386826		0.14	0.02	0.09	<5	40	0.12	0.03	47.4	0.44	2.7	1.5	7	<0.05	4.1	0.1
E386827		0.22	1.21	5.51	56.4	230	2.09	2.89	2.04	<0.02	62.9	161.5	34	3.83	7730	9.64
E386828		1.64	0.35	5.73	20.9	1560	2	2.33	0.41	<0.02	65.6	69.2	37	9.17	268	19.1
E386829		1.74	0.73	6.18	43.3	3210	1.95	7.36	1.15	<0.02	107	115.5	40	9.47	287	17.7
E386830		1.98	1.57	4.36	110.5	1430	1.3	15.45	2.04	<0.02	105.5	213	28	7.11	649	23
E386831		2.04	1.61	3.11	113	570	0.9	12.75	1.98	<0.02	78.6	178.5	21	5.21	663	26.4
E386832		1.58	1.71	2.04	200	370	0.6	12.45	1.91	<0.02	224	159	13	3.37	1030	30.3
E386833		1.34	0.55	5.34	50.9	1030	1.56	5.34	0.53	<0.02	261	81.1	31	8.68	188.5	11.9
E386834		1.24	0.4	5.02	48.5	580	1.78	4.04	0.49	<0.02	445	83.2	36	8.75	113.5	9.15
E386835		1.20	0.31	5.38	37.2	440	2.11	2.56	0.47	<0.02	234	71.3	37	9.36	131	9.93
E386836		1.38	0.18	2.52	19.5	420	1.04	0.8	0.76	<0.02	213	36.8	14	4.28	470	24.8
E386837		1.74	0.13	2	19	2040	0.85	0.26	0.72	<0.02	183	28.7	12	3.33	392	32.7
E386838		0.12	0.02	0.09	<5	50	0.07	0.01	47.5	0.41	2.6	1.2	7	<0.05	2.9	0.08
E386839		1.40	0.09	2.04	28.4	310	0.68	0.14	1.7	<0.02	60.9	61.7	12	3.2	656	18.5
E386840		1.58	0.23	3.95	15.4	640	1.54	0.51	1.73	<0.02	92.5	67.7	22	5.45	294	20.7
E386841		1.44	0.47	5.92	17.4	690	2.27	1.06	2.47	<0.02	205	60.5	33	9.06	167.5	16.7
E386842		1.22	0.48	5.56	12	1650	2.16	0.51	2.46	<0.02	201	45	33	8.16	363	15.85
E386843		1.80	0.3	4.43	11.3	3080	1.48	0.19	0.69	<0.02	85	42	23	5.34	31.5	22.5
E386844		1.58	0.24	2.99	10.3	380	1.17	0.47	2.86	<0.02	95.5	57.7	19	4.18	712	21.9
E386845		1.26	0.45	1.78	26.4	70	0.66	2.26	2.31	<0.02	159.5	92.3	11	3.09	1800	21.4
E386846		1.70	2.14	2.73	166.5	410	0.95	25	2.07	<0.02	118	419	15	4.59	709	22.6
E386847		1.48	1.33	2.39	95.2	420	0.91	14.2	1.26	<0.02	114.5	266	12	4.27	363	23.4
E386848		1.30	0.96	2.46	70.3	250	0.82	10.65	2.4	<0.02	74.3	208	13	3.98	263	19.3
E386849		0.12	0.02	0.07	<5	30	0.11	0.03	41.5	0.39	2.34	1.4	6	<0.05	2.8	0.06
E386850		0.24	1.36	2.28	81.3	90	0.84	10.95	2.22	<0.02	183	330	12	2.75	9210	26.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386814		24	0.23	2.8	0.294	4.21	48.8	31.7	1.29	6600	3.07	0.08	4.5	21.2	930	1.9
E386815		0.57	<0.05	0.1	<0.005	0.03	1.8	1.5	0.46	39	0.24	0.02	0.4	<0.2	110	0.7
E386816		18.25	0.26	1.8	0.282	3.03	87.2	24.9	1.32	8150	1.52	0.07	3.1	17.7	710	1.5
E386817		12.5	0.21	1.4	0.185	2.06	77.4	17.2	0.9	5470	2.94	0.05	3.1	13.8	610	1.6
E386818		15.3	0.43	1.7	0.208	2.25	266	19.9	1.19	5370	132.5	0.07	3.5	26	1140	3
E386819		16.9	0.3	1.8	0.171	2.87	138	23	1.11	4810	110.5	0.11	3.6	30.9	1260	3.2
E386820		5.89	0.38	0.4	0.146	0.92	192.5	7.2	1.25	9900	65.6	0.03	2	42.3	800	7.3
E386821		4.72	0.4	0.4	0.162	0.73	235	6.3	1.46	11850	71.9	0.03	2.7	37.1	880	4.7
E386822		7.8	0.49	0.9	0.229	1.38	185	11.4	2.52	18200	75.3	0.04	5	43.6	1390	3.1
E386823		5.16	0.31	0.5	0.123	1.07	210	7	1.37	11200	61	0.03	3.7	40.9	1630	4.8
E386824		1.81	0.4	0.1	0.354	0.1	135.5	3.2	2.23	20700	30.7	0.01	0.9	13	430	4.4
E386825		6.23	0.37	0.8	0.266	0.92	126.5	9.2	1.5	13700	29.3	0.03	1.6	17.2	650	4.2
E386826		0.52	<0.05	0.1	<0.005	0.05	2.2	1.8	0.53	60	0.42	0.02	0.3	<0.2	110	2
E386827		14.55	0.17	1.7	0.137	2.14	33.5	26.4	1.25	3530	64.6	0.9	3.9	38.6	890	21.3
E386828		14.75	0.27	1.6	0.158	2.58	47.2	26.2	1.38	8460	23.9	0.07	4.8	29.5	850	3.3
E386829		15.25	0.25	1.9	0.121	2.92	83.1	26.4	1.24	6030	257	0.08	6.2	43.5	1140	6.1
E386830		10.85	0.32	1.4	0.05	2.11	86	16	0.68	1390	41.7	0.06	5.7	47.9	990	15.3
E386831		7.67	0.37	1	0.036	1.52	65.4	13	0.81	1410	39.9	0.05	5.3	37.6	830	12.9
E386832		5.34	0.42	0.6	0.031	1.02	230	8.7	0.78	1495	55.6	0.03	4.8	31.3	1510	13.7
E386833		12.7	0.25	1.3	0.054	2.67	221	20	0.44	1350	30.5	0.06	7.2	16.6	1680	5.9
E386834		13.85	0.32	1.5	0.06	2.49	348	19.9	0.44	1890	31.1	0.06	8.1	18.7	1750	6.3
E386835		15.2	0.25	1.7	0.09	2.57	186	23.5	0.69	3700	25.7	0.07	8.3	24.8	1410	4.3
E386836		7.11	0.35	0.6	0.195	1.26	198	11.2	1.5	13950	5.31	0.03	4.8	16.4	940	3.3
E386837		5.76	0.46	0.6	0.231	0.99	169.5	9.1	1.72	16600	5.33	0.03	5	15.8	930	2.1
E386838		0.5	<0.05	0.1	<0.005	0.03	2.1	1.7	0.53	57	0.27	0.02	0.3	<0.2	140	1.7
E386839		5.21	0.22	0.5	0.216	0.92	51.2	13.2	1.97	12550	4.61	0.02	4.4	21.9	760	4.3
E386840		8.96	0.29	1	0.177	1.75	78.5	22.7	2.15	11450	16.95	0.05	4.5	30.9	840	3.1
E386841		14.45	0.3	1.6	0.14	2.83	173.5	25.6	2.14	8280	65.9	0.08	3.4	28.2	860	3.1
E386842		13.25	0.28	1.5	0.151	2.65	172	23	2.13	8720	107	0.07	2.5	24.5	750	2.9
E386843		9.19	0.31	1	0.18	1.83	72.2	30	2.05	12450	21.8	0.05	3.5	23.6	660	2
E386844		7.15	0.29	0.8	0.251	1.31	79.9	17.8	2.22	12450	14.8	0.04	7	31.5	690	3.2
E386845		4.99	0.31	0.5	0.213	0.91	129	8.4	1.66	11350	13.75	0.02	6.6	26.8	760	5.1
E386846		6.82	0.32	0.9	0.054	1.36	100	11	0.95	2180	36.7	0.03	7.9	69.9	1040	19.1
E386847		6.79	0.34	0.7	0.111	1.19	93.1	12.8	1	5950	41.9	0.03	6.6	67	1150	14.2
E386848		6.32	0.27	0.9	0.086	1.2	58.5	11.3	1.28	5380	31.7	0.03	7.2	49.5	1010	11.6
E386849		0.49	<0.05	0.1	<0.005	0.03	1.9	1.8	0.46	39	0.3	0.01	0.3	<0.2	80	1.4
E386850		9.74	0.39	0.7	0.251	0.66	118.5	24.4	1.58	5920	63.2	0.23	6.2	63.5	2420	7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E386814		210	0.002	0.4	2	15.4	2	19.8	22.3	0.26	0.07	16.8	0.143	0.51	7.9	83
E386815		0.9	<0.002	0.06	0.09	0.5	2	<0.2	267	<0.05	<0.05	0.2	0.006	<0.02	0.7	8
E386816		156.5	0.002	0.11	1.64	12	2	14.5	20.4	0.17	0.06	12.4	0.095	0.36	4.3	65
E386817		108	0.003	0.34	2.12	8.8	2	10.6	15.3	0.16	0.1	9.6	0.077	0.26	5.5	51
E386818		118	0.028	2.93	1.97	9	8	14.1	20	0.12	1.48	16	0.064	0.31	14.2	67
E386819		141	0.025	4.26	2.36	9.6	7	17.3	26.1	0.13	2.69	10.4	0.081	0.37	7.2	75
E386820		54.8	0.016	>10.0	2.59	5.4	9	6.9	11.7	0.07	5.02	6.5	0.03	0.15	8	39
E386821		40.9	0.019	9.63	2.24	3.7	7	6.4	14.5	0.07	4.23	4.4	0.026	0.18	9.7	36
E386822		76.6	0.032	2.05	1.15	6.1	3	10.8	15.7	0.15	0.81	7.4	0.05	0.2	25.5	79
E386823		51.6	0.016	9.82	3.06	3.2	4	11.5	14.6	0.08	2.39	3.9	0.038	0.24	7.7	50
E386824		6	0.005	5.32	3.36	3.3	2	3.1	46	<0.05	0.33	0.7	0.005	0.36	5.7	22
E386825		55.7	0.011	5.56	1.89	4.1	3	7	25.6	0.05	0.32	6.4	0.028	0.33	4.2	26
E386826		1.6	<0.002	0.08	0.08	0.5	3	<0.2	299	<0.05	<0.05	0.2	0.007	<0.02	0.7	2
E386827		73.8	0.023	2.43	1.61	9.8	4	7.6	613	0.21	0.24	9.7	0.092	0.44	269	53
E386828		108	0.013	3.45	1.97	9.7	3	17.5	27.1	0.19	0.54	8.9	0.104	0.44	7.8	69
E386829		132	0.092	7.97	2.59	11	4	17.7	22.9	0.22	1.03	12.7	0.114	0.4	24.7	87
E386830		95.7	0.015	>10.0	4.78	5.2	5	13.8	18.4	0.22	2.39	9.3	0.097	0.31	7.5	61
E386831		84.1	0.013	>10.0	4.71	4.1	4	11	17.5	0.17	2.36	5	0.072	0.23	11.7	59
E386832		55.8	0.02	>10.0	5.75	3.8	5	8.4	21.8	0.15	2.11	5.3	0.055	0.18	8.9	56
E386833		121.5	0.017	>10.0	4.36	7.6	3	16.4	24.4	0.26	0.84	10.2	0.105	0.47	8.1	105
E386834		117.5	0.026	6.62	4.31	8.2	3	16.8	29.1	0.29	0.69	17.2	0.107	0.35	21.6	90
E386835		123	0.043	3.38	3.31	9.3	3	19.8	22.2	0.27	0.65	13.4	0.109	0.41	13.5	97
E386836		73.2	0.004	1.42	1.48	4.7	2	10.9	14.6	0.11	0.51	6.7	0.052	0.16	1.8	49
E386837		55.9	0.004	0.53	1.07	4	2	9.4	15.3	0.11	0.17	6.7	0.05	0.12	1.1	36
E386838		0.8	<0.002	0.06	0.07	0.5	3	<0.2	301	<0.05	<0.05	0.2	0.007	<0.02	0.7	2
E386839		53.7	0.003	0.7	0.86	4.1	3	9.6	138.5	0.08	0.18	3.6	0.038	0.11	1.2	31
E386840		78.2	0.007	1.21	1.12	7	3	14.3	21.9	0.11	1.03	7.4	0.062	0.24	3.4	48
E386841		133	0.022	2.25	1.41	10.7	4	23.9	22.5	0.11	4.84	11.8	0.09	0.46	6	68
E386842		120.5	0.034	0.87	1.13	10.7	5	21.5	29.4	0.09	8.16	11.1	0.08	0.35	4.3	61
E386843		75.1	0.007	0.39	1.51	7	3	15.6	14.5	0.11	3.04	7.7	0.077	0.24	2.7	51
E386844		71.9	0.003	0.76	1.3	5.7	2	13.5	139	0.12	0.43	8.7	0.057	0.19	6.2	51
E386845		51.9	0.007	4.47	1.83	4.1	3	9.5	106.5	0.09	0.5	5.9	0.042	0.18	4.1	43
E386846		76.9	0.054	>10.0	6.33	3.6	5	14.8	17.3	0.18	1.51	6.7	0.072	0.25	17.1	45
E386847		71	0.051	>10.0	3.75	4.6	4	14.3	14.8	0.12	0.98	6.5	0.053	0.35	11.9	49
E386848		65	0.044	>10.0	3.68	5	4	13.1	24.9	0.17	0.8	6	0.068	0.34	9.4	43
E386849		0.7	<0.002	0.07	0.09	0.5	3	<0.2	260	<0.05	<0.05	0.2	0.006	<0.02	0.7	2
E386850		38.7	0.017	7.46	2.25	4.7	6	7.3	183	0.14	1.18	6.6	0.037	0.48	16.8	58

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386814		19.4	12.8	2	88.4		0.002	0.59
E386815		0.1	3.2	27	4		0.001	
E386816		13.4	10.9	2	56.5		0.001	
E386817		11.4	8.5	2	45.9		0.004	
E386818		11.8	15.7	<2	56.3	1.480	0.048	
E386819		13.4	11.9	<2	58.3		0.058	
E386820		7	7.6	<2	14		0.070	
E386821		12.6	8.3	2	13.5		0.064	
E386822		8.4	12.3	7	30.5		0.014	
E386823		7.6	6.7	3	17.3		0.036	
E386824		2.9	5.1	9	2.3		0.016	
E386825		5.7	9.1	6	26.1		0.019	
E386826		0.1	3.3	25	3.7		<0.001	
E386827		8.2	16.5	8	57.1		0.060	
E386828		14.7	11.3	5	52.2		0.019	
E386829		16.8	14.4	4	60.3		0.033	
E386830		16.1	12.8	<2	45.9		0.092	
E386831		24.4	9.2	<2	31.7		0.091	
E386832		11	9.1	<2	19.6		0.091	
E386833		16	11	2	40.9		0.035	
E386834		18.8	16.6	2	47.1		0.026	
E386835		18.5	14.7	4	55.5		0.018	
E386836		8.5	10	7	20.1		0.009	
E386837		9.7	10.4	9	19.3		0.005	
E386838		0.1	3.2	24	3.7		0.001	
E386839		7.1	8.2	8	16.9		0.016	
E386840		10.1	10.6	5	33.3		0.019	
E386841		13.5	14.5	4	52.9		0.035	
E386842		11.9	15.4	4	49.6		0.041	
E386843		11.4	9.6	8	35.1		0.017	
E386844		9.6	11.2	7	27.6		0.009	
E386845		13.4	9.8	4	16.2		0.021	
E386846		13	9.2	<2	29		0.177	
E386847		9.9	9.5	4	24.6		0.098	
E386848		11	9.6	3	29.9		0.064	
E386849		0.1	3.2	22	3.8		0.004	
E386850		6.6	16.3	<2	25.9		0.132	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 1-FEB-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137766

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07137767

Project: IGOR: IG-2007-26

P.O. No.: 195462

This report is for 200 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 21-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386851		1.66	0.92	5.24	72.9	1290	1.32	10	0.92	<0.02	102.5	202	32	8.33	451	19
E386852		1.90	0.77	2.85	59	60	0.82	7.76	1.39	<0.02	96.3	185.5	18	4.56	491	27.1
E386853		1.22	0.3	2.01	24.4	70	0.51	2.1	1.51	<0.02	57.2	83.1	11	2.93	247	28.9
E386854		1.64	1.08	4.57	86.5	460	1.29	9.03	0.47	<0.02	78	185	32	7.37	585	20.1
E386855		1.22	0.37	2.1	24.1	70	0.39	2.94	1.23	<0.02	84.6	94.2	12	2.2	1610	32.1
E386856		1.06	0.16	2.94	12.7	460	0.97	0.98	1.11	<0.02	162	57.9	18	4.72	220	29.8
E386857		2.06	0.49	1.16	33.9	60	0.37	5.17	4.27	<0.02	264	85.3	4	1.5	1510	31.5
E386858		1.78	0.85	0.4	60.4	130	0.05	11.15	3.62	0.06	275	124	<1	0.34	2090	34.4
E386859		1.82	2.4	2.02	127	130	0.83	29.3	2.36	<0.02	232	219	11	2.48	2940	34.6
E386860		1.98	1.38	0.57	78.2	30	0.13	16.35	2.55	<0.02	148.5	140	<1	0.51	1620	39.3
E386861		0.16	0.04	0.15	5	30	0.07	0.04	45.4	0.39	2.36	1.7	6	<0.05	4.3	0.1
E386862		1.70	0.86	0.2	47.9	40	0.06	7.96	2.94	<0.02	109.5	78.1	<1	0.19	528	37.7
E386863		1.90	0.92	0.3	55	40	0.06	8.97	2.96	<0.02	223	86.6	<1	0.22	699	37.6
E386864		1.96	0.98	0.14	63.3	20	0.07	9.04	2.31	<0.02	232	88.9	<1	0.1	399	39.4
E386865		1.58	1.12	0.08	67.2	80	0.09	8.86	3.17	<0.02	199	95.1	<1	0.08	1150	40.6
E386866		2.06	1.21	0.11	77.8	40	<0.05	11.25	2.41	<0.02	193.5	122.5	<1	0.09	889	41.1
E386867		1.74	1.37	0.21	79.2	60	0.09	10.9	2.96	<0.02	142.5	122.5	<1	0.1	1010	38.3
E386868		1.96	1.62	0.28	110	60	0.1	16.45	1.5	<0.02	187	158	<1	0.18	668	39.4
E386869		2.24	1.14	0.48	72.8	70	0.12	17.25	1.61	<0.02	248	143	<1	0.36	488	37.8
E386870		1.72	1.11	0.56	77.8	70	0.11	12.65	1.66	<0.02	149.5	138.5	<1	0.27	1080	38.7
E386871		1.16	1.92	2.16	85.6	60	0.49	18.35	1.63	<0.02	460	252	8	1.73	5700	31.9
E386872		0.14	0.02	0.13	<5	30	<0.05	0.04	43.9	0.41	2.6	1.7	5	<0.05	7.8	0.07
E386873		0.22	0.3	6.76	37.3	450	2.51	1.54	1.98	<0.02	71.7	112.5	41	6.27	1600	6.97
E386874		1.72	0.99	4.04	44.2	150	1.52	10.5	2.78	<0.02	430	181	21	4.21	6850	21.4
E386875		2.00	1.3	2.4	73.2	80	0.64	26	2.01	<0.02	117	236	11	2.43	879	29.4
E386876		1.30	1.14	1.82	87.5	50	0.39	25.6	2.08	<0.02	168.5	252	9	1.71	1350	32
E386877		1.28	0.93	1.07	71.1	60	0.22	18.65	2.59	<0.02	191.5	152.5	2	0.77	282	34
E386878		1.22	0.87	1.72	45.7	60	0.33	16.2	2.52	<0.02	226	181	9	1.15	5100	31.7
E386879		1.38	0.83	2.71	50.1	100	0.64	16.9	2.32	<0.02	156.5	201	10	2.2	1450	29.8
E386880		2.12	0.9	0.67	42.6	50	0.16	17.75	1.83	<0.02	239	181.5	<1	0.27	1230	35
E386881		2.18	0.86	3.14	42.2	90	0.32	15.6	3.07	<0.02	494	297	12	0.69	1930	24.5
E386882		1.16	1.13	5.16	37.9	160	0.44	11.4	2.14	<0.02	148.5	374	24	0.83	7100	20.6
E386883		1.50	0.63	4.55	22	110	0.36	6.06	5.1	<0.02	240	149	13	0.6	2940	17.35
E386884		0.14	0.02	0.13	7	30	0.12	0.03	44.6	0.39	2.56	1.8	6	<0.05	7.8	0.06
E386885		1.38	0.64	4.12	20.5	60	0.36	6.01	4.15	<0.02	302	148.5	20	0.94	4530	18.75
E386886		1.76	0.69	3.34	45.1	40	0.29	10.15	4.78	<0.02	344	205	12	0.87	940	20.5
E386887		1.48	1.1	3.96	58.4	150	0.46	15.25	1.02	<0.02	244	409	25	1.25	716	24.6
E386888		2.12	0.9	1.83	44.3	40	0.23	11.4	2.98	<0.02	418	303	4	0.72	587	30.5
E386889		1.60	0.38	0.7	19.5	60	0.06	3.03	5.38	<0.02	391	122	<1	0.26	510	32.4
E386890		1.70	0.79	3.75	60.1	80	0.45	10.25	0.74	<0.02	198	389	27	1.4	544	25

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386851		14.1	0.22	1.8	0.092	2.46	79	16.7	0.64	2770	47.9	0.06	10.8	61.5	1270	11.2
E386852		7.8	0.27	0.8	0.165	1.28	72.2	14	1.38	10400	42.7	0.03	7	53.1	1180	8.4
E386853		5.62	0.25	0.5	0.252	0.84	47.4	12	1.96	16400	36	0.02	5.5	37.1	1110	3.6
E386854		12.55	0.23	1.4	0.071	2.16	58.7	15.9	0.49	2050	33.6	0.04	6.8	43.7	1030	10.5
E386855		4.67	0.26	0.7	0.198	0.59	71.2	15.2	1.74	14500	32.2	0.31	4.6	33.7	930	3.9
E386856		8.48	0.35	0.9	0.242	1.24	147.5	15.3	1.52	14850	37.9	0.09	5.9	24.7	1270	2.1
E386857		3.91	0.32	0.4	0.226	0.39	238	10.5	1.48	13100	53.9	0.05	5	24.3	2010	5.2
E386858		1.89	0.35	0.2	0.205	0.06	255	5.8	1.49	11700	70.9	0.01	4.9	34.7	1690	8.4
E386859		6.67	0.68	0.7	0.134	0.72	202	16.2	1.22	5430	68.4	0.03	6.8	56.3	970	20.7
E386860		3.07	0.68	0.1	0.212	0.11	132	6.9	1.86	12800	56	0.01	3.5	38.3	1290	13.8
E386861		0.67	<0.05	0.1	0.006	0.03	1.8	1.7	0.54	49	0.39	0.02	0.3	1.6	120	0.8
E386862		2.26	0.58	0.1	0.24	0.03	99	2.6	2.22	14500	64	0.01	2.2	24.4	1110	10.2
E386863		2.86	0.64	0.1	0.233	0.03	201	3.6	2.2	13200	42.9	0.01	3.1	24.5	740	10.5
E386864		2.65	0.68	<0.1	0.218	0.01	214	1.9	1.73	13250	59.1	0.01	3.6	21.6	730	10.7
E386865		2.31	0.67	<0.1	0.196	0.01	176	1.5	1.37	12000	81	0.01	4.5	24.5	900	12.3
E386866		2.33	0.71	<0.1	0.223	0.01	172.5	1.6	1.36	12400	69.1	0.01	4.2	33	1240	12.7
E386867		2.39	0.64	<0.1	0.209	0.01	122	2.4	1.53	10700	70.2	0.01	4.3	31.3	1190	14.4
E386868		2.66	0.67	0.1	0.203	0.01	155.5	3.1	1.22	10050	57.1	0.01	5.8	38.3	1360	15.7
E386869		3.48	0.73	0.1	0.237	0.03	200	5.8	1.49	12550	46.6	0.01	4.9	41.1	1680	12.7
E386870		3	0.63	0.2	0.216	0.03	119	7.8	1.32	12050	43.8	0.01	4.5	37.4	1530	11.2
E386871		7.54	0.76	0.8	0.135	0.23	325	27.8	1.41	5700	74.1	0.02	9.8	66	2640	12.3
E386872		0.46	<0.05	0.1	0.005	0.03	2	1.3	0.49	42	0.63	0.02	0.3	<0.2	120	0.6
E386873		20.7	0.17	2	0.133	3.13	37.3	25.4	1.37	3200	21.3	0.61	3.3	26.7	740	2.9
E386874		15.25	0.64	1.3	0.147	1.18	296	41.9	1.34	4880	97.7	0.04	9.8	50.6	3260	7.3
E386875		6.8	0.53	0.7	0.091	0.66	74.1	28.7	1.05	4680	46.6	0.1	3.9	57.1	1110	10.1
E386876		5.11	0.6	0.4	0.131	0.43	120.5	17.9	1.11	8530	42.9	0.22	2.4	46.8	1080	9.7
E386877		4.06	0.63	0.3	0.156	0.16	156.5	10.1	1.23	10900	43.8	0.24	2.5	27.2	960	8.4
E386878		6.03	0.62	0.5	0.158	0.36	177.5	14.7	1.03	10450	49.2	0.45	2.3	31.6	1220	6.9
E386879		7.76	0.57	0.6	0.139	0.76	114.5	18.5	0.96	9270	99	0.69	2.2	35.8	1290	5.8
E386880		4.26	0.69	0.2	0.167	0.03	199	8.8	1.59	11550	41.6	0.11	3	30	1250	9.8
E386881		10	0.68	0.7	0.049	0.09	386	19.4	1.22	2650	76	1.61	4.2	44.9	3460	7.8
E386882		10.15	0.43	1.3	0.031	0.15	119	19.6	0.63	607	70.4	3.28	5.1	44.5	3310	7.2
E386883		9.52	0.42	0.8	0.067	0.08	187.5	13.3	1.22	3620	79.9	3.12	4.2	28.2	3550	4.9
E386884		0.5	<0.05	0.1	0.005	0.03	1.9	1.4	0.48	40	0.75	0.02	0.3	0.8	110	0.6
E386885		9.88	0.47	1.1	0.077	0.07	227	23.5	1.53	3790	46.2	2.35	4.7	28.6	2740	4.9
E386886		8.69	0.53	0.8	0.084	0.14	267	15.9	1.44	4590	32.7	1.91	3.9	29.9	3420	6
E386887		9.41	0.56	1.2	0.023	0.15	192.5	31.9	0.99	690	25.3	1.74	4.5	52.6	1870	7.9
E386888		9.36	0.71	0.5	0.051	0.07	315	20.4	1.14	2990	35.5	0.47	4.1	49.1	3470	6.4
E386889		7.49	0.59	0.1	0.063	0.01	356	7.8	1.59	4760	54.2	0.07	1.2	28.2	2850	3.3
E386890		9.86	0.5	1.2	0.014	0.08	152	47.4	1.33	382	26	0.91	2.8	48.6	2240	6.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E386851		113.5	0.086	>10.0	4.41	7.7	6	28.2	17	0.24	1.14	9.5	0.115	0.39	20.5	85
E386852		74.5	0.05	>10.0	3.14	6.5	4	15.8	18.2	0.13	0.82	6.4	0.057	0.24	12	70
E386853		48.4	0.037	4.16	1.31	6.7	3	11	22.5	0.1	0.22	4.8	0.04	0.15	8	60
E386854		100.5	0.053	>10.0	4.41	6.4	6	27.4	13.7	0.18	0.81	8.1	0.097	0.33	16.7	70
E386855		33.6	0.035	4.59	1.59	5.4	3	7.7	16.4	0.09	0.31	5.9	0.036	0.09	17.2	44
E386856		75.2	0.046	1.22	0.97	6.5	3	20.3	20.3	0.09	0.15	7	0.053	0.16	12.9	63
E386857		23.1	0.03	5.33	3.91	2.7	4	9.1	37	0.06	0.53	3.2	0.023	0.24	5.3	26
E386858		3.4	0.03	>10.0	5.3	1.3	4	5.1	32.3	0.05	0.5	1.6	0.01	0.08	7.2	17
E386859		39.4	0.018	>10.0	9.67	3.8	3	23.4	20	0.1	0.61	5.1	0.044	0.19	22	42
E386860		6.1	0.025	>10.0	5.95	1.5	2	5.7	20.2	<0.05	0.58	1.4	0.009	0.07	7.2	20
E386861		0.7	<0.002	0.09	0.12	0.8	2	<0.2	285	<0.05	<0.05	0.3	0.008	<0.02	0.9	9
E386862		1.6	0.034	>10.0	3.4	0.9	2	2.8	22	<0.05	0.67	0.6	<0.005	0.05	8.1	15
E386863		1.3	0.026	>10.0	3.88	1	2	3.7	30.3	<0.05	0.67	0.8	0.005	0.06	9.3	13
E386864		0.3	0.033	>10.0	4.67	0.7	2	3.4	20.7	<0.05	0.48	0.5	<0.005	0.04	9.5	12
E386865		0.3	0.054	>10.0	4.25	0.9	2	2.9	27.3	<0.05	0.54	0.6	<0.005	0.05	11.9	15
E386866		0.3	0.048	>10.0	4.45	1	3	3.1	28.9	<0.05	0.72	0.8	<0.005	0.04	7.9	17
E386867		0.3	0.048	>10.0	4.53	1.2	3	4.8	29.2	<0.05	0.58	0.6	<0.005	0.09	10.9	20
E386868		0.7	0.043	>10.0	5.92	1.1	3	4.4	29.6	0.05	0.97	1	0.006	0.08	6.5	17
E386869		1.6	0.044	>10.0	7.43	1.3	2	5	42.8	0.05	0.68	1.6	0.007	0.05	6.6	20
E386870		1.3	0.036	>10.0	4.25	2	2	2.6	46.5	0.05	0.39	1.6	0.009	0.06	7.3	27
E386871		12.7	0.063	>10.0	5.22	4.1	5	9.4	97	0.14	0.84	8.2	0.03	0.08	27	48
E386872		0.6	<0.002	0.08	0.1	0.7	1	<0.2	285	<0.05	<0.05	0.2	0.006	<0.02	0.7	7
E386873		140.5	0.006	1.28	1.15	11.6	1	7.9	450	0.19	0.18	12	0.111	0.38	19	63
E386874		65.2	0.093	>10.0	3.21	7	5	24.9	92	0.15	0.62	10.9	0.06	0.16	21.6	72
E386875		35.9	0.03	>10.0	4.8	4.7	2	11.1	62	0.09	0.74	4.8	0.034	0.11	11	33
E386876		21.9	0.028	>10.0	5.07	4.1	2	6.4	52.9	0.05	0.54	4.6	0.02	0.08	7.5	35
E386877		8.4	0.023	>10.0	3.86	3.4	1	3.1	41.5	<0.05	0.28	3.7	0.013	0.07	6.2	24
E386878		18.5	0.033	>10.0	3.58	4	2	6	47.4	<0.05	0.33	4.7	0.017	0.08	6.6	30
E386879		38.8	0.176	>10.0	3.14	5.7	2	10.1	47.5	<0.05	0.32	4.7	0.026	0.1	9	37
E386880		1.7	0.013	>10.0	4.23	3.8	2	3.4	79.8	<0.05	0.34	2.2	0.012	0.09	3.7	27
E386881		4.2	0.042	>10.0	3.27	4.4	4	6.2	88.7	0.1	0.63	8.4	0.045	0.05	6.4	69
E386882		6	0.051	>10.0	2.02	3.2	6	7.6	88	0.19	0.58	6	0.062	0.06	19.2	60
E386883		2.5	0.061	6.8	1.54	7.2	3	3.1	137	0.15	0.3	9.8	0.029	0.04	29.6	69
E386884		0.6	<0.002	0.07	0.09	0.7	2	<0.2	277	<0.05	<0.05	0.2	0.006	<0.02	0.8	8
E386885		2.4	0.035	6.21	1.75	7.4	3	3.8	135.5	0.14	0.29	12.1	0.035	0.06	22.8	70
E386886		6.3	0.022	9.37	2.03	6.3	2	3.2	117.5	0.09	0.52	13.9	0.026	0.07	20	69
E386887		6.3	0.016	>10.0	2.05	3.6	4	6.6	60.4	0.15	0.96	9.2	0.053	0.25	14	54
E386888		2.9	0.034	>10.0	1.83	5.9	4	3.4	74.9	0.16	0.62	8.3	0.03	0.23	4.5	64
E386889		0.4	0.04	5.68	1.09	5.7	2	1	124.5	0.06	0.16	7.3	0.011	0.08	1.7	72
E386890		3.5	0.018	>10.0	1.88	2.8	3	5.1	50.9	0.09	0.59	7.9	0.051	0.25	6.5	53

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386851		17.5	12.9	<2	57.8		0.070	
E386852		9.6	10.4	3	28.3		0.052	
E386853		7.1	9.7	6	18.1		0.016	
E386854		14.3	11.2	2	46.8		0.050	
E386855		8.8	10.2	7	22.5		0.014	
E386856		11.7	13.9	6	32.7		0.007	
E386857		59.7	17.6	7	13.5		0.036	
E386858		76.7	13.2	5	5.2		0.054	
E386859		14	10.2	3	24.7		0.136	
E386860		9.8	7.6	7	4.8		0.062	
E386861		0.1	2.9	24	4.3		0.001	
E386862		7.4	6.4	6	2		0.028	
E386863		5.6	6.5	7	2.6		0.030	
E386864		7	6.6	5	1.3		0.033	
E386865		7.9	8.7	6	1.1		0.041	
E386866		10.2	8	5	1.1		0.036	
E386867		29.6	8.6	4	1.6		0.048	
E386868		13.5	6.6	4	2.5		0.069	
E386869		9.2	8.2	6	4		0.055	
E386870		9.1	9.3	6	5.8		0.045	
E386871		11	17.1	7	25.4		0.082	
E386872		0.1	2.8	22	3.4		0.001	
E386873		8.5	11.8	6	66.3		0.019	
E386874		14.9	23.3	5	41.4		0.052	
E386875		10.3	11.4	6	22		0.076	
E386876		11.5	11.7	7	13.6		0.067	
E386877		41.4	11.9	7	11.2		0.045	
E386878		61.2	14.4	7	15.7		0.042	
E386879		18.2	14	8	21.3		0.048	
E386880		17.1	9.4	7	6.2		0.034	
E386881		19.4	22.3	8	21.6		0.073	
E386882		9.1	23.2	6	40.2		0.044	
E386883		6.8	27.1	5	27.2		0.071	
E386884		0.1	2.9	25	3.9		0.005	
E386885		8	21.2	7	36.9		0.035	
E386886		5.1	23.6	5	24.9		0.031	
E386887		6.8	15	8	41.2		0.047	
E386888		3.3	23	7	13.7		0.037	
E386889		2.3	17.5	4	4		0.015	
E386890		4.3	14.5	11	40.1		0.035	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E386891		1.52	0.23	3.97	12.9	190	0.58	1.95	2.8	<0.02	233	75.2	19	1.62	1150	22
E386892		1.60	0.2	3.94	9.3	100	0.61	1.66	1.39	<0.02	217	111.5	18	2.2	675	24.6
E386893		1.76	0.16	4.47	5.8	160	0.61	1.79	1.17	<0.02	216	148.5	20	2.41	371	24.6
E386894		1.14	0.07	5.18	3.5	180	0.58	0.36	0.44	<0.02	136	98.9	32	1.5	20.5	22.6
E386895		0.14	0.02	0.12	<5	30	0.06	<0.01	41.2	0.36	2.05	0.8	6	<0.05	4	0.05
E386896		0.24	1.11	5.22	56.7	170	1.8	2.92	1.95	<0.02	55.3	160.5	33	3.51	7090	9.16
E386897		1.94	0.49	4.02	35.5	770	0.52	8.88	0.49	<0.02	206	294	26	1.82	1070	22.1
E386898		2.14	1.27	1.69	107.5	200	0.24	30.1	0.49	<0.02	143	602	9	0.84	2400	30.8
E386899		1.54	0.98	2.87	76.3	200	0.51	23.1	0.39	<0.02	108	608	21	1.35	1210	25.3
E386900		1.74	0.45	4.55	34.5	1030	0.47	7.38	2.45	<0.02	202	271	19	1.2	673	18.3
E386901		1.38	0.24	5.83	4.2	1840	0.71	0.89	0.59	<0.02	179.5	28.9	39	1.38	1340	9.18
E386902		1.50	0.48	4.01	29	140	0.39	5.76	2.27	<0.02	414	155	11	0.98	1710	18.4
E386903		1.24	1.16	2.57	88.7	150	0.42	20.9	0.88	<0.02	216	458	14	1.27	522	25.3
E386904		2.20	1.84	1.2	160	140	0.3	37.2	0.64	<0.02	118.5	518	7	0.95	1240	32.7
E386905		2.10	1.42	1.42	98.4	140	0.25	23.2	0.7	<0.02	165.5	400	7	0.78	1550	32
E386906		1.94	0.78	3.08	56.5	160	0.62	13.1	0.66	<0.02	123	344	22	1.76	1090	23
E386907		0.14	0.01	0.12	5	30	0.05	0.05	42.6	0.36	2.35	1.5	7	<0.05	5.7	0.07
E386908		0.22	1.13	2.13	77.5	70	0.52	10	2.07	<0.02	185.5	310	10	2.37	8310	24.5
E386909		1.80	0.41	3.38	28.5	180	0.42	4.96	1.99	<0.02	292	161	8	1.63	606	29.7
E386910		1.92	0.52	2.44	33.7	110	0.32	8.07	1.41	<0.02	116	207	8	1.26	703	32.6
E386911		1.78	0.58	1.58	37.7	70	0.22	7.8	1.85	<0.02	169	258	6	0.58	307	34.6
E386912		1.62	0.27	3.37	16.4	140	0.47	3.33	0.85	<0.02	179	172	24	1.3	775	24.3
E386913		1.94	0.15	2.02	6.4	700	0.31	0.91	0.49	<0.02	184	64.8	12	1.44	997	32.3
E386914		1.72	0.11	3.85	5.6	530	0.61	0.62	0.68	<0.02	284	52	29	2.12	212	23.5
E386915		1.24	0.09	4.25	6.8	1490	0.62	0.59	0.66	<0.02	257	48.9	26	2.19	95.3	17.15
E386916		1.60	0.2	4.23	12	310	0.62	1.82	0.54	<0.02	277	107	31	1.8	122.5	22.9
E386917		1.48	0.27	3.55	12.9	480	0.4	2.94	0.67	<0.02	173	159	10	0.86	240	30.2
E386918		1.38	0.33	3.43	17.4	80	0.33	3.02	2.08	<0.02	158.5	160	12	2.67	116.5	29.1
E386919		0.12	0.01	0.12	<5	40	0.05	<0.01	42.5	0.37	2.39	1.1	6	<0.05	2.5	0.07
E386920		1.86	0.21	3.7	9.8	150	0.44	2.08	2.85	<0.02	174	108.5	14	1.31	127.5	24.7
E386921		1.70	0.45	2.64	21.9	100	0.34	6.2	1.59	<0.02	243	265	11	0.81	658	28.8
E386922		1.42	0.31	3.4	15.7	110	0.55	4.15	2.44	<0.02	241	189.5	16	1.16	326	21.6
E386923		1.22	0.17	2.56	7.9	200	0.33	1.93	4.69	<0.02	143.5	86.8	6	0.86	554	23
E386924		1.16	0.07	3.55	2.1	970	0.51	0.58	2.63	<0.02	106	22.2	16	1.08	1190	8.9
E386925		1.44	0.17	3.57	11.8	180	0.47	2.15	4.47	<0.02	271	83.6	15	0.91	684	16.15
E386926		1.94	1	1.34	78.3	40	0.44	16.3	5.51	<0.02	115.5	299	4	1.11	2250	22.8
E386927		1.40	0.52	5.42	42.6	>10000	2.57	7.97	2.44	<0.02	133.5	180	26	6.86	884	14.4
E386928		1.34	0.07	5.64	4.9	1060	2.7	1.16	0.94	<0.02	134	37	31	7	73.1	8.12
E386929		1.82	0.31	5.46	35	3560	2.47	8.88	1.02	<0.02	31.5	165	31	6.51	145	12
E386930		0.16	0.01	0.12	<5	110	0.05	0.02	41.5	0.35	2.19	1.1	4	<0.05	2.9	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386891		12.2	0.51	0.9	0.076	0.05	183	67.2	2.58	2350	35.9	0.37	2	35	1770	2.6
E386892		13.05	0.56	0.9	0.053	0.05	164.5	78.9	2.43	1245	54.2	0.06	1.2	41.7	1390	2.8
E386893		14.65	0.6	1.1	0.067	0.07	160.5	84.2	2.49	1205	22	0.28	1.9	44	1410	3.1
E386894		13.75	0.45	1.3	0.015	0.1	102	59.9	1.69	257	24.7	1.69	1.1	33.9	1290	1.6
E386895		0.49	<0.05	0.1	<0.005	0.03	1.6	1.4	0.45	33	0.41	0.01	0.3	0.8	100	1.5
E386896		15.1	0.18	1.7	0.142	2.01	25.3	24.2	1.16	3290	64.4	0.93	4	37.5	800	20.9
E386897		10.85	0.34	1.2	0.027	0.13	154	49.3	1.42	345	40.3	1.01	1.5	45.8	1220	7.5
E386898		6.1	0.37	0.4	0.024	0.12	104.5	16.6	0.48	244	41.8	0.6	2.8	70.3	1520	10.5
E386899		8.03	0.32	1	0.016	0.25	79	19.1	0.47	81	32.4	1.37	6.1	66.8	1510	13.2
E386900		10.65	0.32	1	0.052	0.15	155.5	30	1.2	1200	35.1	2.24	3.7	39.6	1620	6.8
E386901		13.35	0.19	1.9	0.016	0.15	143.5	36	1.11	231	11.5	3.14	3.3	21.6	1220	2.4
E386902		12.05	0.43	0.7	0.064	0.07	317	35.9	1.24	923	56.7	1.67	2.3	34.9	2180	5.1
E386903		8.02	0.43	0.7	0.031	0.26	159.5	23.7	0.66	473	49.1	1.01	4.7	58.7	2120	11.5
E386904		4.72	0.38	0.4	0.019	0.22	87.9	13.5	0.35	196	19.65	0.22	5.4	71.7	1310	15.3
E386905		6.57	0.44	0.3	0.019	0.08	123	16.8	0.56	241	22.3	0.25	4.4	67.1	1780	11.9
E386906		10.2	0.34	1.2	0.027	0.18	91.4	29	1.01	315	39.9	0.98	9.7	56.8	1140	8.6
E386907		0.55	<0.05	0.1	<0.005	0.03	1.8	1.4	0.46	33	0.85	0.01	0.4	0.8	100	0.7
E386908		9.76	0.38	0.7	0.24	0.63	123	18.1	1.45	5890	60.4	0.23	5.7	56.9	2180	6.1
E386909		12.65	0.69	0.5	0.044	0.04	227	40.7	1.43	517	87.2	0.87	4.4	55.7	2750	4.5
E386910		11.25	0.56	0.7	0.03	0.04	87.7	28.8	1.17	734	29.3	0.43	7.3	61.3	1850	5.7
E386911		8.35	0.43	0.5	0.023	0.03	129	17.6	0.9	1485	36.7	0.38	4.6	55.9	1860	6.1
E386912		11.3	0.37	1.2	0.009	0.07	140.5	27.2	1.08	192	30.7	1.15	6.8	53.3	1640	3.3
E386913		12.15	1.41	0.7	0.015	0.06	147.5	24	0.97	598	33.5	0.23	3.8	50.8	1390	1.7
E386914		13.4	0.46	1.4	0.013	0.13	229	39.4	1.63	540	33.3	0.75	4.6	46.8	1850	2.1
E386915		12.55	0.34	1.3	0.014	0.14	202	43.2	1.57	484	35.7	1.08	2.5	37.7	1890	2.2
E386916		13.55	0.47	1.4	0.014	0.11	217	39.6	1.5	314	34.7	1.1	2.6	46.5	1620	2.7
E386917		12.85	0.6	0.7	0.012	0.06	137	26.9	1.01	403	34.8	1.26	2.3	49.4	1730	3.8
E386918		12.35	0.44	0.8	0.041	0.05	121.5	30.1	1.31	1830	49.7	1.13	2.6	49.3	1530	5.7
E386919		0.54	<0.05	0.1	<0.005	0.03	1.9	1.4	0.46	34	0.53	0.02	0.3	0.4	100	0.6
E386920		13.5	0.36	0.9	0.035	0.09	138	30.5	1.71	2470	37.5	1.27	2.7	48.7	1370	3.2
E386921		11.9	0.45	0.8	0.017	0.05	188	19.4	1.01	1550	42.2	1.02	3.3	55	1610	3.9
E386922		11.9	0.35	1	0.031	0.06	190	34.3	1.66	2250	25.6	0.94	3.5	47.5	1530	3.5
E386923		9.86	0.32	0.5	0.078	0.04	108	31	2.16	4520	42.1	0.53	2.5	39.8	1790	2.2
E386924		7.64	0.15	1	0.043	0.1	79.3	35.4	1.46	2660	3.99	1.49	2.2	16	700	1.3
E386925		10.85	0.33	1.1	0.062	0.07	202	25.8	1.85	4650	25.6	1.64	5.2	34.9	2070	2.5
E386926		6.67	0.34	0.4	0.161	0.2	61.8	18.2	1.91	5760	51.6	0.17	3.5	56.9	1630	6.5
E386927		17.5	0.25	1.8	0.166	1.89	79.5	72.5	1.98	2510	31.4	0.05	5.5	44.7	1030	4.7
E386928		17.95	0.18	1.7	0.139	2.26	92.2	69.7	1.33	1910	5.98	0.21	5.2	17.6	690	1.9
E386929		16.05	0.2	1.7	0.125	1.8	11.7	70.7	1.66	1310	12.55	0.07	4.2	31.7	850	3.7
E386930		0.54	<0.05	0.1	<0.005	0.03	1.7	1.5	0.45	33	0.32	0.01	0.3	1.1	100	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386891		2.1	0.033	2.32	1.43	6.5	2	4	69.5	0.05	0.09	9	0.043	0.12	4.2	70
E386892		2.4	0.055	3.09	1.68	6.4	1	3.4	63.4	0.06	0.06	11.9	0.029	0.03	18.8	68
E386893		2.9	0.032	3.34	1.68	5.2	1	3.9	79.8	0.08	<0.05	11.9	0.034	0.03	4	83
E386894		3.3	0.025	1.99	1.17	2.8	1	4.5	103	<0.05	<0.05	9.7	0.035	0.02	4.8	74
E386895		0.7	<0.002	0.06	0.12	0.4	1	<0.2	256	<0.05	<0.05	0.2	0.006	<0.02	0.7	7
E386896		80.6	0.022	2.15	1.55	9.6	2	7.4	581	0.21	0.24	8.6	0.08	0.46	257	53
E386897		6.2	0.029	9.8	1.9	3.6	2	3.5	130	0.07	0.51	13.9	0.033	0.07	14.9	55
E386898		6.3	0.02	>10.0	2.22	2.2	4	3.4	46.1	0.1	2.09	6.4	0.024	0.05	7.4	53
E386899		14.1	0.015	>10.0	2.17	2.3	4	6.4	52	0.18	1.34	11.3	0.056	0.06	81.2	40
E386900		5.9	0.014	>10.0	1.51	5.9	2	3.2	107	0.14	0.29	14.3	0.036	0.04	20.6	74
E386901		7	0.011	1.09	1.16	3.1	1	6.6	104	0.14	<0.05	12.2	0.081	0.03	4	48
E386902		2.8	0.023	6.88	1.55	4.6	2	2.1	67.1	0.09	0.22	19.8	0.021	0.03	3.2	95
E386903		15.2	0.018	>10.0	2.73	2.9	4	5	60.6	0.17	1	12.1	0.036	0.07	18.1	53
E386904		13.2	0.008	>10.0	3.53	1	3	4.7	33.3	0.2	1.38	5.8	0.027	0.08	6.8	30
E386905		5.3	0.01	>10.0	2.75	1.1	3	3.4	36.7	0.19	1.18	7.5	0.029	0.05	4.5	64
E386906		11.5	0.015	>10.0	2.48	3.7	3	8.4	44.6	0.22	0.7	7.8	0.087	0.11	8.3	68
E386907		0.7	0.002	0.08	0.08	0.5	1	<0.2	260	<0.05	<0.05	0.2	0.006	<0.02	0.7	7
E386908		36.6	0.019	6.26	1.91	4	4	6.6	197.5	0.12	0.97	5.8	0.031	0.46	15.1	58
E386909		1.7	0.03	5.39	1.73	5.1	3	2.9	49.3	0.14	0.35	11.3	0.041	0.04	4.9	109
E386910		2.5	0.012	7.66	1.9	3.7	2	5.3	36.9	0.24	0.4	5.4	0.064	0.05	4.3	98
E386911		1.5	0.014	>10.0	1.73	3	2	3.1	56.6	0.16	0.44	6.4	0.036	0.03	9.5	90
E386912		3.6	0.013	5.2	1.24	3.8	2	7.7	43.8	0.19	0.28	8.5	0.092	0.03	16.7	76
E386913		2.6	0.012	1.58	1.18	2.4	1	4.6	30.6	0.1	0.08	7.3	0.055	0.02	1.6	100
E386914		4.4	0.011	1.21	1.21	3.7	1	6.9	42.6	0.14	0.06	12.9	0.092	0.02	4.1	90
E386915		4.6	0.011	1.04	1.15	3.9	1	4.9	65	0.06	0.08	13.2	0.057	0.02	9.8	59
E386916		3.5	0.013	2.96	1.34	3.6	1	5.4	58.1	0.08	0.16	12.5	0.067	0.02	3.7	75
E386917		2.2	0.013	4.03	1.39	2.3	2	3.2	61.2	0.08	0.24	9.3	0.045	0.04	20.2	102
E386918		2.3	0.018	4.45	1.57	3	2	3.8	99.9	0.09	0.25	8.2	0.047	0.11	18	88
E386919		0.6	<0.002	0.05	0.07	0.4	1	<0.2	263	<0.05	<0.05	0.2	0.006	<0.02	0.7	7
E386920		4	0.014	2.84	1.03	5.2	1	5.1	82.6	0.08	0.17	7.4	0.058	0.06	8.7	76
E386921		2.4	0.016	6.67	1.23	4.3	3	4.2	57.9	0.12	0.63	9.1	0.051	0.03	8.8	63
E386922		3	0.01	4.26	1.09	5.6	2	4.7	86.8	0.11	0.39	10	0.063	0.02	6.5	75
E386923		1.7	0.013	1.96	0.82	8.1	2	1.6	153.5	0.13	0.17	6.6	0.024	0.02	3.6	89
E386924		4.9	0.002	0.53	0.85	5.2	<1	2.1	110	0.08	0.05	7	0.032	0.02	2.3	30
E386925		3.3	0.01	2.18	1.1	7.7	1	3.1	158.5	0.25	0.18	12.3	0.047	0.04	3.3	70
E386926		12.8	0.017	>10.0	2.54	6.8	4	2.5	210	0.21	1.19	4.4	0.022	0.06	3	52
E386927		94.7	0.011	6.99	2.81	8.5	2	10.8	252	0.18	0.46	12.9	0.098	0.2	10.1	61
E386928		116.5	0.002	0.53	1.77	8.6	<1	9.4	491	0.21	0.05	10.7	0.107	0.22	12.6	59
E386929		97.9	0.005	4.64	1.78	9	1	7.8	330	0.16	0.3	7.3	0.091	0.19	24.4	63
E386930		0.8	<0.002	0.06	0.07	0.4	1	<0.2	257	<0.05	<0.05	0.2	0.005	<0.02	0.7	7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386891		3.9	14.2	15	28.8		0.009	
E386892		3.8	12.4	18	32.8		0.005	
E386893		4.6	12.7	19	35.2		0.004	
E386894		3.4	10.4	14	42.6		0.001	
E386895		0.1	2.8	23	3.3		0.001	
E386896		8.4	15.2	10	57.6		0.060	
E386897		5.1	11.1	12	39.3		0.028	
E386898		5.3	9.5	5	13.3		0.108	
E386899		8.4	13.1	5	34		0.080	
E386900		5.8	15.3	8	33.7		0.026	
E386901		9.8	12.6	9	59.2		0.004	
E386902		4.1	18.8	8	21		0.021	
E386903		7.3	14.5	5	22.9		0.058	
E386904		7.4	9.4	3	12.2		0.114	
E386905		4.8	11.4	5	10.9		0.073	
E386906		9.4	9.9	8	36.3		0.032	
E386907		0.1	2.9	21	3.5		0.002	
E386908		6.2	14.4	7	23.1		0.119	
E386909		2.7	18.9	10	17.1		0.020	
E386910		4.4	14.3	8	21.6		0.024	
E386911		2.8	14.3	5	15.1		0.020	
E386912		4.4	13.7	8	39		0.016	
E386913		4.5	10.3	7	22.1		0.005	
E386914		5.3	14.3	13	43.1		0.005	
E386915		3.8	15	13	41.7		0.007	
E386916		4.5	14.5	13	45.1		0.008	
E386917		3.5	13	11	21.5		0.010	
E386918		3.7	14.5	13	24.8		0.011	
E386919		0.1	2.9	21	3.2		0.040	
E386920		4.5	15.6	13	28.5		0.007	
E386921		4.5	15.1	7	25.2		0.024	
E386922		6.4	15.7	15	33.1		0.015	
E386923		5.4	18.6	11	15.7		0.008	
E386924		5.2	9.9	10	31.4		0.003	
E386925		10.3	24	8	32.8		0.008	
E386926		6.6	21.4	5	13.1		0.054	
E386927		16.3	17.6	11	54.2		0.026	2.67
E386928		17.7	12.6	9	54.7		0.003	
E386929		14.9	12.8	12	53.4		0.024	
E386930		0.1	2.8	21	3.2		0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E386931		0.22	0.36	6.38	52.8	630	2.45	1.54	1.88	<0.02	69.7	110	39	6.03	1540	7.01
E386932		1.70	0.25	4.8	44.3	70	1.38	7.45	0.68	<0.02	12.2	151.5	24	4.48	163	12.35
E386933		1.50	0.13	7.3	25.6	1390	3.27	3.52	0.84	<0.02	154.5	90.7	44	9.9	264	10
E386934		1.36	0.11	6.26	29.8	650	3.04	1.74	0.54	<0.02	65.1	66.2	40	8.67	494	7.08
E386935		1.54	0.11	6.55	30.3	1160	3.65	0.9	0.34	<0.02	140	71.1	43	9.41	144.5	8.13
E386936		1.58	0.12	3.95	14.5	1050	1.51	0.99	0.96	<0.02	122.5	71.8	19	4.59	127	19.5
E386937		1.46	0.05	4.44	2.6	3780	2.3	0.14	0.57	<0.02	152	39.5	24	6.46	28.9	13.55
E386938		1.72	0.18	4.74	14.1	920	1.81	0.66	4.6	<0.02	136	69.4	22	5.1	786	11.4
E386939		1.30	0.19	6	17.4	5080	2.37	0.96	2.61	<0.02	106	43.2	37	6.2	193	6.46
E386940		1.44	0.14	7.91	10.2	8620	3.55	0.94	1.22	<0.02	16.6	30.6	64	9.01	209	3.75
E386941		1.36	0.18	7.58	19.5	2550	3.44	1.7	0.8	<0.02	35.8	44	52	9.07	818	6.85
E386942		0.14	0.02	0.14	6	50	0.05	0.01	43.4	0.41	2.25	2	6	<0.05	4.1	0.06
E386943		1.54	0.1	7.65	5.3	9380	4.52	0.51	1.09	<0.02	50.4	21.9	49	9.07	230	6.72
E386944		1.04	0.36	6.95	56.9	300	1.84	5.53	2.58	<0.02	25.6	132.5	46	4.69	63	16.55
E386945		1.48	0.63	5.56	55.4	170	0.95	4.85	5.73	<0.02	183.5	103	31	2.02	50.4	14
E386946		1.42	0.43	4.47	70.9	460	0.43	6.3	6.5	<0.02	54.8	143.5	23	1.2	342	17
E386947		1.56	0.42	7.24	46.9	140	3.08	4.02	1.42	<0.02	136.5	121	53	5.91	495	12.2
E386948		1.12	1.13	6.6	41.8	120	1.63	4.11	1.72	<0.02	88	125.5	45	3.46	853	13.15
E386949		1.24	0.84	5.58	67.1	90	0.74	5.88	1.23	<0.02	191	181	33	1.92	315	18.05
E386950		1.34	0.77	6.51	20.3	510	1.26	0.83	0.75	<0.02	191.5	94.1	41	2.51	110	10.05
E386951		1.12	0.05	6.03	3.5	870	1.32	0.11	0.67	<0.02	146	81.6	38	3.11	31.3	10.8
E386952		1.30	0.05	6.17	4.3	520	1.71	0.19	0.46	<0.02	161	81.2	42	4.59	99.4	12.95
E386953		0.14	0.01	0.13	<5	40	0.05	0.01	42.4	0.4	2.77	2.2	6	<0.05	3.1	0.08
E386954		0.20	1.06	5.33	69.9	110	1.92	2.79	2.04	<0.02	48.3	165.5	30	3.4	7530	9.69
E386955		1.22	0.03	5.97	3.1	640	0.97	0.14	0.3	<0.02	163	94.9	40	2.02	61.8	13.6
E386956		1.50	0.05	5.91	3	900	0.87	0.11	0.3	<0.02	133	87.8	40	2.46	90.3	14.15
E386957		1.60	0.05	6	3.3	540	0.93	0.17	0.33	<0.02	155	95.9	38	2.28	90.3	16.35
E386958		1.62	0.06	5.28	6.2	310	0.56	0.3	0.89	<0.02	141	138	27	0.89	228	17
E386959		1.50	0.47	5.72	64	140	0.64	7.06	0.51	<0.02	138.5	285	31	1	194	13.55
E386960		1.54	0.8	4.93	123	150	0.66	14.1	0.52	<0.02	110	527	32	1.22	744	17.6
E386961		1.46	0.44	5.64	63.6	160	1.36	6.18	1	<0.02	173.5	270	32	2.37	342	14.4
E386962		1.30	0.48	5.63	61.4	690	0.82	4.48	0.82	<0.02	159.5	238	33	3.02	274	15.3
E386963		1.48	0.11	6.94	8.9	870	3.93	0.72	0.58	<0.02	94.1	71.3	49	8.72	342	9.56
E386964		1.42	1.23	5.79	8.3	2170	0.92	1.46	0.73	<0.02	34.4	42.7	45	1.56	168	6.71
E386965		0.12	0.02	0.13	<5	30	<0.05	0.03	43.9	0.42	2.25	2.1	6	<0.05	3.5	0.06
E386966		1.24	0.54	6.24	6.9	1450	0.7	0.99	0.91	<0.02	14.25	38	38	1.29	282	10.55
E386967		1.32	0.26	7.68	4.9	1960	2.24	0.68	0.68	<0.02	77.3	43.6	50	4.5	676	7
E386968		1.50	1.02	5.22	105.5	170	0.58	13.15	0.84	<0.02	144.5	382	27	1.01	826	19.35
E386969		1.62	0.55	5.66	51.4	250	0.62	7.2	0.9	<0.02	100	247	20	0.9	287	18.4
E386970		1.54	0.84	5.48	66.9	370	0.75	9.68	0.4	<0.02	183	416	34	1.11	299	20.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386931		18.35	0.26	1.8	0.129	2.99	37.3	23.5	1.3	3080	21	0.58	2.8	26	750	3.4
E386932		12.6	0.34	1.5	0.158	1.51	3.5	46.5	1.16	3430	9.73	0.75	2.7	27.8	610	3.1
E386933		22.8	0.4	2.1	0.237	3.57	94.7	66.2	1.29	3380	2.31	0.2	4.9	22	710	2.4
E386934		19.45	0.27	2	0.18	3.29	43	44.4	0.76	2510	4.44	0.15	5.1	19.1	770	2.2
E386935		21.1	0.35	2.1	0.238	3.61	101.5	49.4	0.9	3140	2.81	0.14	4.7	22.2	720	1.8
E386936		11.6	0.51	1.4	0.346	1.58	92.6	30.5	1.76	11200	5.85	0.47	3.4	26.9	1490	1.5
E386937		14.65	0.43	1.6	0.301	2.18	117	34.9	1.31	7820	0.65	0.03	4.4	20	580	1.3
E386938		13.9	0.37	1.5	0.228	1.66	105	41.1	2.58	4680	37.5	0.03	7	24.8	1670	1.5
E386939		20	0.28	2.1	0.176	2.88	84.7	39.3	1.54	2210	10.65	0.02	7.5	18.5	1420	1.8
E386940		28.7	0.17	2.8	0.136	4.33	12.7	45.8	0.99	772	2.86	0.01	7.1	15.8	800	1.5
E386941		27	0.26	2	0.121	3.69	25.6	59.4	1.3	867	5.83	0.04	3.5	22.7	690	1.6
E386942		0.57	0.07	0.1	<0.005	0.03	1.7	1.8	0.47	36	0.21	0.01	0.3	2.8	100	0.6
E386943		27.7	0.23	1.9	0.105	3.75	38.8	83.8	1.42	913	2.41	0.02	3.2	19.4	620	1.3
E386944		18.7	0.39	1.4	0.078	1.16	18.2	84.6	2.47	2370	14.15	1.39	1.8	44.3	820	2.5
E386945		14.35	0.43	1.3	0.116	0.61	141.5	30.3	2.22	5260	412	2.69	2.7	33.5	1810	6.1
E386946		10.8	0.4	1.5	0.08	0.38	41.6	15.4	2.01	5700	59.7	2.6	2.7	35.7	1250	4.8
E386947		26.9	0.4	2	0.071	2.21	95.6	69.3	1.39	1200	18.35	2.03	2.1	44.9	950	3.8
E386948		19.45	0.39	1.8	0.046	0.85	63.2	54.9	1.61	1530	12.45	2.65	2	42.9	970	3
E386949		17.2	0.55	1.3	0.023	0.23	140.5	38.1	1.27	982	62.2	2.56	1.2	55.7	1430	4.2
E386950		18.35	0.42	1.9	0.025	0.61	143.5	37.4	0.96	520	13	3.4	2.1	38	1360	2.5
E386951		17.35	0.42	1.8	0.028	0.71	108.5	41.2	0.92	578	13.3	2.94	1.6	33.2	980	2.2
E386952		20.3	0.45	1.8	0.036	0.8	123	48.3	1.05	348	12.1	2.71	1.5	43.2	1000	1.6
E386953		0.65	0.06	0.1	<0.005	0.03	2.2	1.9	0.47	33	0.32	0.02	0.3	2.8	110	0.5
E386954		14.6	0.27	1.7	0.137	2.13	15.9	24.9	1.21	3380	66.7	0.9	3	36.4	840	19.6
E386955		16.1	0.41	1.6	0.008	0.36	123.5	34.4	0.9	117	5.45	3.21	1.3	37.5	910	1.9
E386956		15.7	0.43	1.7	0.013	0.56	101	45.2	1.19	202	6.36	2.49	1.2	37	890	1.7
E386957		16.8	0.49	1.7	0.015	0.29	121	44.2	1.22	261	1.4	2.84	1.4	42.1	970	1.6
E386958		14.55	0.49	1.6	0.017	0.1	111	21.9	0.76	575	6.34	3.17	1.5	38.1	1350	1.8
E386959		13.75	0.45	1.8	0.01	0.13	109	21.2	0.66	290	26.1	3.7	2.2	37.9	1050	5.6
E386960		12.05	0.53	1.7	0.012	0.23	86.1	18.3	0.49	182	20.4	3.02	3	48.4	840	7.3
E386961		14.95	0.48	1.6	0.027	0.71	134.5	28.5	0.7	551	32.1	2.95	1.9	36.7	1180	4.5
E386962		14.2	0.46	1.4	0.021	0.36	124	54.1	1.31	427	22.3	2.11	1.4	43.9	1330	4.1
E386963		22	0.35	2.1	0.062	2.54	71.4	88.4	1.41	446	16.25	0.56	4.2	29.2	1180	2.2
E386964		12.45	0.25	1.8	0.02	0.3	24.5	29.4	0.72	305	575	3.26	4.7	21.4	690	16
E386965		0.54	0.06	0.1	<0.005	0.03	1.8	1.7	0.48	35	1.91	0.02	0.3	4.2	100	0.9
E386966		13.5	0.23	1.6	0.024	0.26	9.6	71.7	1.12	963	278	2.72	2.4	20.8	710	6.8
E386967		16.65	0.24	1.9	0.05	1.18	53.1	44.8	0.83	489	126	3.38	5.3	21.2	1050	4.3
E386968		9.92	0.44	1.2	0.027	0.13	98	15.1	0.57	563	23.9	3.13	2.7	49.9	1060	7
E386969		10.5	0.4	1.1	0.039	0.1	67	18.1	0.64	1150	15.3	3.44	2.4	37.6	1190	6.2
E386970		11.15	0.48	1.6	0.017	0.12	123	17.5	0.62	469	19.05	3.17	4.3	49.2	1370	7.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E386931		126.5	0.006	1.27	1.09	10.4	1	7.5	446	0.16	0.2	12.2	0.103	0.37	17	65
E386932		80.6	0.007	4.34	1.53	8.3	<1	5.1	245	0.14	0.24	3.2	0.074	0.16	12	48
E386933		184	0.002	1.26	2.04	12.1	<1	13.2	323	0.27	0.14	17.9	0.165	0.32	4.5	73
E386934		175	0.003	0.89	2.11	9.5	1	14	112.5	0.27	0.09	14.1	0.15	0.31	2.9	67
E386935		183.5	<0.002	0.77	2.02	10.6	1	15.9	64.9	0.21	0.09	17.4	0.151	0.35	4	74
E386936		79.2	0.003	0.5	1.34	7.9	1	7.4	71.4	0.13	0.16	10.3	0.069	0.15	2.6	56
E386937		115	<0.002	0.1	1.35	6.8	<1	11.5	29.4	0.15	<0.05	12.4	0.093	0.2	2.6	65
E386938		84.3	0.01	0.64	1.23	8.5	1	8.9	68.1	0.24	0.18	9.1	0.086	0.16	3	73
E386939		145	0.005	0.47	2.98	10	1	15.9	42.2	0.31	0.19	12.6	0.137	0.29	4.7	127
E386940		221	<0.002	0.37	2.62	14.1	1	19.7	62.6	0.44	0.13	17.1	0.199	0.39	4.3	90
E386941		167.5	0.002	0.65	2.42	13.1	1	18.4	61.5	0.18	0.3	17.4	0.141	0.35	2.3	93
E386942		0.9	<0.002	0.06	0.08	0.8	2	<0.2	269	<0.05	<0.05	0.3	0.006	<0.02	0.6	8
E386943		179	<0.002	0.34	1.85	16.4	<1	24.2	116.5	0.17	0.09	16.2	0.14	0.33	2.8	97
E386944		59.5	0.009	3.05	2.52	11.4	1	11.1	85.7	0.07	0.64	3	0.076	0.12	6.4	92
E386945		30.5	0.035	2.97	1.93	12	1	6.7	147.5	0.11	0.46	12	0.056	0.1	85.7	62
E386946		18	0.012	4.15	1.7	10.6	1	4.2	146.5	0.13	0.64	7.3	0.049	0.06	31.4	60
E386947		97.7	0.006	3.18	1.31	26.7	1	22.8	57.3	0.09	0.46	16.5	0.095	0.19	11	105
E386948		43.1	0.01	3.18	1.08	16.2	1	10.9	105.5	0.09	0.43	14.6	0.069	0.08	3.7	70
E386949		11.3	0.066	5.28	2.06	5.9	2	3.7	67.9	0.07	0.67	11.8	0.04	0.05	18.2	87
E386950		31.8	0.012	1.24	1.13	8.3	1	7.1	110	0.1	0.1	14.7	0.065	0.1	2.2	52
E386951		38.6	0.009	0.79	0.96	9.2	<1	8.2	283	0.09	<0.05	12.3	0.061	0.07	2	58
E386952		45.4	0.008	1.05	1.06	10.7	1	10.2	95.3	0.08	<0.05	12.5	0.062	0.08	1.9	69
E386953		0.7	<0.002	0.06	0.08	0.8	2	0.2	262	<0.05	<0.05	0.3	0.006	<0.02	0.7	8
E386954		82.4	0.02	2.27	1.47	9.4	2	7.2	533	0.15	0.25	7.6	0.077	0.44	278	57
E386955		16.5	0.003	1.04	0.95	6.7	1	4.8	175	0.08	<0.05	13.6	0.057	0.06	2.3	59
E386956		22.2	0.003	0.88	0.96	8.8	<1	5.7	167.5	0.07	<0.05	12.3	0.056	0.06	2.1	60
E386957		12.4	<0.002	1.13	0.97	7.6	1	4.9	115	0.07	<0.05	12.2	0.052	0.03	2.1	64
E386958		3.8	0.002	2.02	0.96	5.4	1	2.7	86.9	0.08	<0.05	13.2	0.043	0.02	2.2	69
E386959		5.2	0.009	7.76	2.54	4.5	1	4.4	73.2	0.12	0.61	11.7	0.061	0.1	7.5	42
E386960		12.1	0.006	>10.0	2.42	5.2	2	5.7	56	0.15	1.3	11.9	0.064	0.14	11.2	44
E386961		36.2	0.012	6.96	2.63	13.2	2	10.5	58.2	0.11	0.52	13.8	0.062	0.22	8.1	72
E386962		15.1	0.01	5.87	1.95	6.2	1	5.5	67.3	0.06	0.3	11.4	0.051	0.36	4.4	64
E386963		122	0.01	0.85	1.93	16.4	1	28.4	73.8	0.22	0.09	13.1	0.12	0.32	9	95
E386964		14.2	0.024	0.59	4.06	3.6	1	5.4	83.9	0.33	0.11	24.7	0.113	0.26	500	55
E386965		0.6	<0.002	0.06	0.12	0.8	2	<0.2	269	<0.05	<0.05	0.2	0.006	<0.02	1.1	8
E386966		12.2	0.009	0.46	2.91	4.1	<1	3.9	63.8	0.2	0.1	20.7	0.067	0.14	200	75
E386967		64.5	0.017	0.54	2.83	12.5	<1	17.7	81.8	0.38	0.09	18	0.147	0.18	65.6	70
E386968		5.7	0.007	>10.0	3.62	3.7	<1	4.6	73.5	0.13	2.31	10	0.062	0.24	5.2	49
E386969		4.2	0.005	6.53	2.2	3.8	<1	3.1	82.8	0.1	1.17	7.5	0.043	0.12	10.3	59
E386970		6	0.006	9.08	2.64	3.1	2	5.7	83.5	0.18	1.48	14.5	0.079	0.09	25.1	57

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386931		7.9	10.9	6	60.7		0.019	
E386932		13.7	9.3	6	47.7		0.019	
E386933		24.9	13.3	6	66.6		0.015	
E386934		28	11.3	2	63.4		0.012	
E386935		27.8	12.1	2	65.3		0.019	
E386936		10.5	11	6	44.6		0.005	
E386937		12.6	10.1	4	55.8		0.002	
E386938		12.9	16.5	8	49		0.008	
E386939		21.4	13.1	7	70.9		0.006	0.59
E386940		29.5	11.5	3	94		0.004	0.93
E386941		23.5	9.1	9	65.7		0.007	
E386942		0.1	2.7	22	3.1		0.001	
E386943		21.5	10	8	63.4		0.003	1.06
E386944		12	10.7	16	44.9		0.026	
E386945		8.3	24.2	7	43.3		0.023	
E386946		8	21.5	5	49		0.029	
E386947		14.4	12.7	12	66.1		0.018	
E386948		13	13.5	17	60.1		0.022	
E386949		6.4	15.4	16	41.4		0.031	
E386950		14	15.3	11	63.5		0.005	
E386951		11.1	12.5	11	57		0.003	
E386952		10.7	12.7	14	59.1		0.002	
E386953		0.1	2.7	23	3.9		0.006	
E386954		7.9	14.2	10	54.4		0.058	
E386955		6.9	11.3	11	52.9		0.002	
E386956		5.1	11	15	54.4		0.002	
E386957		3.6	11	20	54.2		0.002	
E386958		4	12.5	9	51.8		0.002	
E386959		6.7	10.5	9	57.5		0.031	
E386960		8.4	9.9	6	54.7		0.045	
E386961		6.9	12.6	7	52.6		0.026	
E386962		4.6	12.1	25	44.6		0.013	
E386963		16.3	12.3	20	67.2		0.009	
E386964		20.9	22.1	10	57.1		0.026	
E386965		0.1	2.7	22	3.6		0.001	
E386966		12.1	11.6	20	53.2		0.014	
E386967		16.1	12	10	55.7		0.006	
E386968		6.3	9.8	6	34.3		0.062	
E386969		5	9	8	32.6		0.034	
E386970		7.6	11.6	7	46.6		0.042	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E386971		1.74	0.43	5.16	31.7	270	1.77	4.44	0.54	<0.02	165	261	29	3.2	156	17.95
E386972		1.62	0.2	5.66	16.4	240	3.56	1.66	0.42	<0.02	162	154.5	37	5.89	103	12.4
E386973		1.30	0.1	6.68	7.2	660	4.78	0.64	0.32	<0.02	154	72.6	47	8.04	23.2	7.57
E386974		1.24	0.04	6.35	4.4	440	4.26	0.17	0.21	<0.02	106.5	109	45	7.42	167.5	8.65
E386975		1.60	0.04	6.25	5	980	3.2	0.09	0.18	<0.02	127	23.6	38	5.07	311	5.7
E386976		0.16	0.02	0.14	<5	70	0.08	0.01	45.8	0.4	2.28	1.8	6	<0.05	3.2	0.06
E386977		0.22	1.21	2.37	72.9	70	0.77	11.25	2.21	<0.02	210	337	12	2.89	9100	26.7
E386978		1.28	0.05	5.89	4.4	250	2.76	0.27	0.61	<0.02	113	104.5	37	4.68	329	9.73
E386979		1.68	0.11	5.74	5.7	450	3.75	0.41	0.33	<0.02	88.9	55.4	37	7.86	1990	11.35
E386980		1.38	0.08	5.71	5.4	890	3.73	0.45	0.2	<0.02	98.1	41.4	39	8.61	734	10.45
E386981		1.64	0.06	6.29	5.4	540	2.09	0.39	0.67	<0.02	172	68.4	31	4.61	427	12.55
E386982		1.54	0.13	6.14	10.1	350	3.43	0.85	0.49	<0.02	106	102.5	36	6.65	767	13.15
E386983		1.54	0.08	5.07	5.5	280	0.8	0.68	0.56	<0.02	62.4	131.5	31	2.44	573	18.65
E386984		1.68	0.55	1.32	40.9	100	0.22	5.02	3.95	<0.02	251	261	2	0.72	4810	33
E386985		1.68	0.93	3.03	58.9	70	0.95	11.25	2.62	<0.02	265	412	16	1.85	2420	25.3
E386986		1.38	0.76	6.03	62.9	840	2.26	13.3	1.05	<0.02	106.5	408	30	3.58	685	17.15
E386987		1.78	0.51	5.83	53.9	190	0.66	6.67	2.55	<0.02	151.5	254	28	1.24	756	17.05
E386988		0.12	0.01	0.14	<5	50	0.08	0.03	46.6	0.43	2.36	2.1	6	<0.05	7.7	0.09
E386989		1.50	0.05	6.12	4.5	480	1.09	0.41	2.43	<0.02	53.4	99.1	30	2	796	13.6
E386990		1.36	0.12	5.88	4.1	380	0.95	0.62	0.91	<0.02	22.4	82	34	1.46	3150	12.85
E386991		1.78	0.05	7.02	4.1	1360	1.04	0.28	0.44	<0.02	54.1	48.5	39	1.49	557	10
E386992		1.64	0.06	6.81	2.9	830	1.07	0.15	1.37	<0.02	56.5	42.9	35	1.53	894	8.07
E386993		1.20	0.22	5.05	5.9	140	0.63	1.01	0.96	<0.02	145.5	91.5	32	1.06	6070	14.8
E386994		1.70	3.37	2.77	48.9	80	0.38	23.6	1.9	<0.02	170.5	605	12	0.68	>10000	23.5
E386995		1.78	3.27	2.51	47.2	80	0.39	31.4	2.31	<0.02	205	406	12	0.42	>10000	22.7
E386996		2.18	2.84	0.34	63.2	30	0.59	39.4	3.97	<0.02	87.1	374	3	0.11	>10000	24.6
E386997		1.92	2.7	1.14	38.6	40	0.65	20.2	2.84	<0.02	129	541	4	0.15	>10000	23.1
E386998		1.92	4.06	3.54	7.2	140	0.47	3.67	3.96	<0.02	108	69.9	19	0.73	>10000	15.2
E386999		0.16	0.01	0.14	<5	40	0.13	<0.01	42.8	0.4	2.28	1.7	6	<0.05	8.8	0.07
E387000		0.18	0.38	6.57	42.5	1420	2.77	1.65	1.91	<0.02	101.5	110	46	6.9	1550	6.74
E387001		1.74	0.73	2.32	6.3	150	0.61	0.53	2.17	<0.02	114	67.7	11	2.07	10000	15
E387002		1.80	0.2	5.05	5.3	440	1.59	0.26	1.02	<0.02	138	40.4	33	6.83	1510	12.6
E387003		1.84	0.25	1.48	20	220	0.23	0.48	5.61	<0.02	194.5	137	2	0.71	517	21.9
E387004		2.10	0.28	1.96	21.5	720	0.22	0.64	2.04	<0.02	276	103.5	3	0.74	882	22.8
E387005		1.88	0.26	2.16	17.4	980	0.21	0.43	4.83	<0.02	222	90.1	5	0.69	849	20.2
E387006		1.36	0.22	3.57	19.2	170	0.38	0.53	3.58	<0.02	160.5	157	13	2.01	977	17.95
E387007		1.32	0.18	6.28	10.3	450	1.49	0.49	1.13	<0.02	163	104.5	31	10.5	2080	11.2
E387008		2.10	0.2	2.62	9.7	290	0.41	0.52	3.5	<0.02	73.6	50	9	2.81	552	18
E387009		1.24	0.45	4.51	7.4	1030	0.55	0.38	4.96	<0.02	194	44.9	18	3.01	185.5	14.1
E387010		1.34	0.2	5.27	5.9	1160	1.13	0.37	2.43	<0.02	172.5	55.5	25	6.89	1420	13.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E386971		12.8	0.43	1.3	0.046	0.97	104	28.9	0.66	771	23	2.1	3.9	37.8	1210	4.7
E386972		14.35	0.35	1.5	0.088	2.14	105	50	0.69	519	11	0.96	4.1	26.7	1310	3.8
E386973		17.55	0.28	1.7	0.081	3.13	101.5	57.6	0.67	219	8.86	0.58	6.2	17.4	1010	2.8
E386974		15.95	0.3	1.7	0.068	2.78	67.5	62.3	0.66	118	3.56	0.88	3.6	14	630	1.7
E386975		13.85	0.25	1.6	0.044	1.79	83.9	50.7	0.53	65	0.95	2.04	3	9.5	600	1.5
E386976		0.49	<0.05	0.1	<0.005	0.02	1.5	1.6	0.49	33	0.23	0.02	0.3	<0.2	100	0.6
E386977		9.63	0.57	0.7	0.291	0.67	113	22.2	1.54	6240	64	0.24	6.2	62.2	2400	6.5
E386978		13.4	0.25	1.6	0.039	1.45	68	51.3	0.72	108	0.49	1.81	2	14.2	630	2.3
E386979		14.05	0.27	1.3	0.078	2.54	58.1	58.7	0.71	66	2.61	0.37	3.2	13.6	740	2.8
E386980		13.65	0.27	1.5	0.071	2.42	66.2	60.5	0.77	65	3.69	0.38	3.7	13.7	730	2.1
E386981		13	0.36	1.5	0.05	1.13	115.5	44.4	0.99	566	4.32	2.3	2.9	22	1220	2.3
E386982		15.6	0.32	1.5	0.068	1.81	65.6	72.9	1.48	444	12.7	0.58	3.6	31.2	1250	2.2
E386983		11.35	0.38	1.3	0.03	0.12	37.7	73.3	2.05	545	21.4	0.35	1.8	41.2	1300	1.6
E386984		8.12	0.64	0.3	0.127	0.03	165	15.6	1.78	4810	67.2	0.21	3.3	47.9	2180	3.8
E386985		10.6	0.57	0.8	0.095	0.47	175.5	19.2	1.18	3120	55.6	1.04	3.2	54.6	2600	7.5
E386986		15.35	0.37	1.6	0.081	1.24	69.7	32.1	1.13	2450	19.2	2.54	2.8	38.3	970	9.2
E386987		12.9	0.37	1.4	0.097	0.15	106.5	27.6	1.75	2620	45.1	2.91	3.3	34.9	1370	6.3
E386988		0.52	<0.05	0.1	<0.005	0.02	1.6	1.7	0.5	40	0.38	0.02	0.3	<0.2	100	0.6
E386989		14.15	0.27	1.4	0.083	0.46	37.1	25.5	1.36	2220	4.64	3.39	3.4	22.8	700	2
E386990		14.4	0.25	1.4	0.042	0.3	15.2	25.7	0.86	713	66.9	3.27	2.1	22.1	590	2.4
E386991		16.2	0.24	1.9	0.023	0.34	36.2	24.6	0.64	300	12.4	4.2	2.6	18.2	740	2.5
E386992		15.65	0.2	1.6	0.04	0.43	37.6	22.3	0.94	1045	6	4.14	2.3	13.8	750	2.4
E386993		12.35	0.34	1.2	0.109	0.13	93.5	32.6	1.05	1175	9.56	2.32	2.5	29.1	1030	2.5
E386994		7.32	0.49	0.6	0.384	0.07	89.9	22	0.92	1940	80.9	1.08	6.6	48.9	1630	13.3
E386995		5.98	0.53	0.6	0.602	0.05	106.5	10.3	0.7	2670	61.2	1.46	5.8	40	1390	15.3
E386996		2.41	0.49	0.1	0.331	<0.01	33.7	3.7	0.66	4060	49.7	0.1	3.5	48.7	1370	8.2
E386997		3.6	0.47	0.3	0.992	0.03	54.3	7.4	0.5	2100	48.5	0.58	3.3	61.2	1640	8.3
E386998		7.24	0.35	1.2	0.994	0.18	61.9	12.7	1.11	5130	92.1	2.1	5.4	26	910	290
E386999		0.57	<0.05	0.1	<0.005	0.04	1.8	1.8	0.45	42	0.31	0.02	0.3	<0.2	120	0.9
E387000		18.75	0.23	2.1	0.145	2.99	48	24.7	1.31	3190	20.8	0.56	4.4	26.2	750	3.1
E387001		7.02	0.32	0.8	0.312	0.56	49.6	18.6	0.89	4170	16.45	0.6	6.2	21.6	1120	2.1
E387002		15.7	0.31	1.7	0.18	2.12	90.4	43.5	0.76	1285	17.9	0.62	12.3	18.3	1190	3.9
E387003		6.1	0.29	0.4	0.148	0.15	151.5	14.3	2.23	8920	41.5	0.15	13.4	38.1	2120	2.3
E387004		6.7	0.34	0.6	0.142	0.08	239	21.3	1.68	7200	54.1	0.18	10.3	29.8	2040	2.3
E387005		6.59	0.31	0.6	0.111	0.1	190.5	18.6	2.14	7090	35.9	0.49	10	22.1	1640	2.3
E387006		8.32	0.27	1	0.157	0.55	121.5	24.5	1.98	8250	32.3	1.06	9	22.7	1560	2.4
E387007		18.55	0.23	1.9	0.193	2.74	125	53.7	1	1540	15.2	0.39	10.4	19.4	1090	3
E387008		7.46	0.21	0.8	0.126	0.62	50.8	22.9	1.41	5100	14.95	0.39	11.4	17.8	1350	3.4
E387009		10.3	0.24	1.2	0.161	0.76	159.5	28.7	1.88	6350	51	1.54	8.8	22.3	1420	3
E387010		16.95	0.23	1.6	0.279	2.02	140	47.2	1.44	5350	30.1	0.51	7.9	29.2	1170	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E386971		52.1	0.007	5.04	2.3	9.3	1	15.9	60.4	0.18	0.59	13.6	0.082	0.13	13.7	63
E386972		117.5	0.006	2.32	1.87	8.1	<1	29.3	43.5	0.22	0.29	14.1	0.112	0.3	3.2	58
E386973		168	0.004	0.93	2.09	11.9	<1	40.5	65.6	0.32	0.12	16.5	0.163	0.32	3.7	72
E386974		152	0.002	0.96	1.82	10.8	<1	33.8	182.5	0.25	<0.05	16.3	0.13	0.27	2.6	63
E386975		103.5	<0.002	0.31	1.47	8.7	<1	19.3	565	0.2	<0.05	15.4	0.094	0.18	2.1	48
E386976		0.6	<0.002	0.07	0.08	0.6	1	0.2	282	<0.05	<0.05	0.2	0.006	<0.02	0.7	3
E386977		35.2	0.02	6.92	2.47	4.5	3	8.4	182.5	0.15	1.3	6.2	0.038	0.57	16.3	58
E386978		84	<0.002	1.07	1.47	8.4	<1	19.3	325	0.14	<0.05	13.8	0.077	0.16	2.1	47
E386979		140	<0.002	0.89	1.88	8.2	<1	27.2	76.1	0.23	<0.05	12.7	0.109	0.25	2	52
E386980		134	<0.002	0.61	1.93	8.4	<1	27.2	71.3	0.26	<0.05	12.8	0.113	0.23	2.5	51
E386981		61.6	0.002	0.73	1.34	8	<1	15.7	148	0.14	0.05	13.1	0.062	0.13	2.6	50
E386982		99.2	0.006	1.26	1.7	14.3	<1	29.6	179.5	0.17	0.1	12	0.094	0.22	4.5	58
E386983		5.9	0.014	1.57	1.6	3.1	<1	3.5	144	0.07	0.07	9.5	0.041	0.03	6.6	59
E386984		1.7	0.036	5.19	1.97	4.9	3	2.7	61	0.11	0.39	5.9	0.016	0.03	2.9	42
E386985		25.3	0.067	9.29	2.8	7.9	3	11.5	60.4	0.09	0.73	8.7	0.036	0.09	7.1	48
E386986		62.9	0.038	>10.0	2.49	13.7	2	25.6	55.6	0.13	1.93	9.6	0.071	0.6	18.8	60
E386987		7.4	0.036	5.12	1.82	7.2	2	4.2	107.5	0.14	1.34	10.8	0.041	0.87	10.8	56
E386988		0.6	<0.002	0.08	0.08	0.6	1	<0.2	289	<0.05	<0.05	0.2	0.006	<0.02	0.7	3
E386989		26	0.003	1.25	1.3	13.7	<1	10.1	112.5	0.17	0.05	9.8	0.051	0.06	5.2	55
E386990		16.4	0.003	1.28	2.01	8	1	7.9	94.2	0.15	0.06	9	0.053	0.06	4.1	54
E386991		19.6	0.003	0.74	1.63	6.5	<1	8.1	219	0.2	0.05	14.3	0.068	0.05	6.1	53
E386992		24.3	0.002	0.58	1.29	8.8	<1	9.4	249	0.17	<0.05	11.1	0.058	0.04	4.2	53
E386993		7.1	0.014	1.88	1.45	6.2	1	4.2	271	0.11	0.13	9.1	0.04	0.04	14.8	69
E386994		3.9	0.098	>10.0	3.13	4.5	5	7.9	128	0.13	10.55	6.3	0.031	0.14	96.7	40
E386995		2.5	0.078	>10.0	3.07	5.5	5	8.8	130	0.12	2.37	7	0.036	0.24	175	22
E386996		0.4	0.046	>10.0	2.1	5.8	2	4.7	108.5	0.05	1.9	0.7	0.006	0.16	18.7	16
E386997		1.8	0.035	>10.0	1.9	2.8	2	7.6	156.5	0.06	1.65	1.7	0.014	0.07	35.9	15
E386998		9	0.138	3.84	6.39	5.7	2	8.4	301	0.2	0.49	7.8	0.053	0.16	2660	26
E386999		1	<0.002	0.06	0.08	0.5	1	0.2	272	<0.05	<0.05	0.3	0.006	<0.02	0.8	4
E387000		139	0.006	1.34	1.35	11.1	<1	7.5	459	0.29	0.19	15.8	0.131	0.4	18.6	62
E387001		33.4	0.004	1.48	1.87	4.4	<1	9.5	1385	0.18	0.31	4.4	0.055	0.07	6	29
E387002		117.5	0.004	0.46	2.69	8	<1	22.4	1040	0.54	0.18	13.9	0.183	0.23	60.2	58
E387003		8.7	0.008	0.93	1.79	2.2	3	13.3	555	0.27	0.38	4	0.04	0.02	6.9	43
E387004		4.7	0.014	0.57	2.09	2.8	3	17.1	405	0.25	0.43	4.9	0.043	0.02	7.1	32
E387005		5.8	0.017	0.56	2.03	3.2	2	15.2	364	0.28	0.46	5.1	0.057	0.03	5.6	37
E387006		30.8	0.024	1.18	1.96	4.5	2	9.4	280	0.34	0.4	7.4	0.091	0.06	5.8	41
E387007		148.5	0.002	1.05	2.79	8.9	3	14.7	110.5	0.48	0.3	15.2	0.16	0.26	18.7	54
E387008		37.7	0.002	0.59	2.79	4.6	2	8.9	885	0.36	0.3	5.1	0.075	0.07	4.1	57
E387009		45.6	0.028	0.28	1.79	6.2	2	8.6	437	0.32	0.77	9	0.115	0.1	16.6	50
E387010		104.5	0.011	0.33	1.91	9.6	3	11.5	307	0.37	0.48	12.2	0.138	0.2	5.9	54

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E386971		11.8	10.3	5	38.3		0.017	
E386972		19	11.2	4	44.7		0.005	
E386973		26.3	11	5	55.4		<0.001	
E386974		17.7	9.6	4	50.7		<0.001	
E386975		14.1	8.7	4	47.2		0.003	
E386976		0.1	2.8	22	3		<0.001	
E386977		7.6	14.9	7	20.2		0.094	
E386978		10.3	10.6	8	48		<0.001	
E386979		14.1	8.8	7	40.8		0.003	
E386980		15	8.5	6	43.8		0.002	
E386981		8.4	9.6	9	43.2		0.001	
E386982		11.8	10.1	16	45.8		0.004	
E386983		5.9	9.2	21	37.2		0.002	
E386984		3.6	15.6	3	7.2		0.028	
E386985		6.3	16.9	4	24.7		0.052	
E386986		10.6	12.3	4	49.7		0.055	
E386987		8.1	12.7	7	42.5		0.037	
E386988		0.1	2.9	22	2.8		<0.001	
E386989		11.5	10.2	5	45.3		0.002	
E386990		38.7	7.3	4	42.7		0.008	
E386991		22.9	8.9	4	56.4		0.001	
E386992		14.3	8.8	3	51.1		<0.001	
E386993		9.8	9.4	10	36.6		0.009	
E386994		10.5	12.2	9	17.4	2.81	0.239	
E386995		14.1	16.3	9	18.5	4.78	0.259	
E386996		9.8	15.8	<2	3.1	2.99	0.282	
E386997		37.5	10.4	6	9.4	3.74	0.183	
E386998		16.4	29.6	7	31	4.09	0.127	
E386999		0.1	2.7	23	3.8		<0.001	
E387000		9.9	12.1	4	59.5		0.016	
E387001		12.3	9.1	9	20.6	1.035	0.035	
E387002		23.5	12.7	3	47.3		0.013	
E387003		7.4	14.5	4	14		0.007	
E387004		7.5	12.2	6	18.3		0.009	
E387005		7.5	12.1	5	19.6		0.011	
E387006		9.8	12.8	5	32.2		0.020	
E387007		19.9	13.9	2	59.1		0.021	
E387008		12.3	10.6	5	24.9		0.020	
E387009		12.3	17.5	7	40.3		0.024	
E387010		14.9	15.5	6	50.8		0.019	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E387011		0.14	0.01	0.14	<5	70	0.06	0.01	>50	0.38	2.4	0.8	3	<0.05	3.8	0.08
E387012		1.72	0.27	4.53	6.7	990	1.02	0.52	2.26	<0.02	180.5	58.3	22	5.64	453	13.9
E387013		1.06	0.16	5.58	6.2	6870	1.41	0.14	0.67	<0.02	132.5	49.1	29	8.74	23.9	14.65
E387014		1.24	0.13	5.73	7.2	7080	1.42	0.12	0.64	<0.02	149.5	58	27	9.08	8	13.25
E387015		1.62	0.17	4.93	8	1370	1.17	0.27	0.79	<0.02	144	70.6	26	7.81	12.5	15.3
E387016		2.30	0.05	6.34	3.9	8830	1.56	0.07	3.22	<0.02	97.4	40.8	33	8.76	8.3	9.46
E387017		2.74	0.02	7.35	2.7	4350	2.9	0.03	3.23	<0.02	78.6	31.6	40	8.68	9.7	7.05
E387018		1.26	0.1	6.87	32.5	760	2.6	1.01	3.84	<0.02	41.5	212	48	7.55	83.3	9.27
E387019		1.00	0.06	6.92	11.2	6320	2.51	0.3	5.84	<0.02	88.9	60.1	95	7.01	128	9.14
E387020		1.28	0.11	5.22	26.7	810	1.33	0.9	9.26	<0.02	15.9	92.4	63	3.48	2460	8.41
E387021		1.36	0.24	4.73	94.1	110	1.08	3.76	6.61	<0.02	219	255	36	3.85	3240	9.95
E387022		0.24	0.01	0.14	<5	50	0.07	<0.01	49.3	0.4	2.65	1	3	<0.05	6.3	0.06
E387023		0.36	1.03	5.71	71.6	110	1.69	2.69	2.01	<0.02	52.4	157	31	3.66	8040	9.51
E387024		0.98	0.43	4.73	94.5	150	1.39	10.4	6.59	<0.02	140.5	205	21	5.54	4310	9.08
E387025		1.08	0.04	6.47	16.4	3580	1.76	0.44	5.35	<0.02	46.2	23.2	32	6.14	868	4.83
E387026		1.36	0.99	5.26	163	1210	1.69	14.2	3.62	<0.02	127	232	29	5.7	>10000	12.2
E387027		1.22	0.25	6.05	86.1	1810	1.66	6.09	5.79	<0.02	113.5	114.5	27	6.39	851	9.73
E387028		1.34	0.1	7.61	17.7	5070	2.29	1.67	4.42	<0.02	60.1	32.1	41	8.51	318	4.96
E387029		1.40	0.06	6.06	61.9	290	1.68	1.58	5.85	<0.02	46.5	131	27	6.14	136.5	6.26
E387030		1.40	0.11	5.69	63.1	330	1.63	3.44	6.33	<0.02	110	131	27	5.84	83.9	7.58
E387031		1.20	0.15	6.25	59.8	1350	1.61	1.74	6.68	<0.02	60	174.5	28	6.43	545	8.19
E387032		1.74	0.27	3.54	74.2	100	0.91	3.92	7.46	<0.02	113.5	91.2	15	3.5	3550	13.7
E387033		1.08	0.34	5.65	48.3	240	1.4	6.72	6.08	<0.02	33.8	87.7	28	6.45	3340	7.92
E387034		0.22	0.01	0.14	6	50	0.06	0.01	49.2	0.35	2.05	0.8	3	<0.05	7.4	0.07
E387035		1.28	0.42	4.85	105	580	1.08	12.85	5.41	0.02	64.6	167.5	20	4.47	4680	10.65
E387036		1.74	0.6	5.43	106	1700	1.24	12.4	4.3	<0.02	66	151	30	5.28	>10000	9.52
E387037		1.32	0.11	5.92	18.6	3510	1.75	1.86	3.96	<0.02	90.8	28.3	39	6.36	894	4.26
E387038		1.40	0.25	6.68	40.8	360	1.72	4.8	6.04	<0.02	93.3	55.3	36	6.2	4720	7.35
E387039		1.52	0.37	5.83	94.5	890	1.73	9.79	5.94	<0.02	39.4	159.5	28	5.75	3430	9.32
E387040		1.50	0.97	4.17	194	120	0.97	32.4	8.07	<0.02	73.8	399	21	3.2	>10000	14.2
E387041		1.44	0.88	4.49	165	160	0.82	22.1	5.98	0.02	72.4	252	21	2.85	>10000	13.15
E387042		1.58	0.41	5.59	85.9	400	1.33	9.96	7.24	<0.02	88.3	203	24	4.27	1180	11.6
E387043		0.76	0.12	7.26	18.9	600	2.76	1.61	4.94	<0.02	41.5	98.5	39	8.76	106	9.04
E387044		1.28	0.17	7.59	28.5	200	2.69	2.63	3.3	<0.02	54.1	144	44	8.44	89.3	10.4
E387045		0.14	0.02	0.13	<5	30	0.12	0.02	43.7	0.36	2.29	1.1	3	<0.05	6	0.06
E387046		0.24	1.16	2.45	109	40	0.62	9.67	2.27	0.02	200	327	12	2.32	9270	29.5
E387047		1.54	0.1	7.76	29.3	140	2.88	2.54	4.19	<0.02	179.5	83.9	49	8.56	22.4	8.43
E387048		1.32	0.1	8.68	25.5	260	2.76	2.18	3.3	<0.02	114	80.7	47	8.59	17.6	7.33
E387049		1.26	0.15	8.49	33.4	260	2.8	3.48	4.19	<0.02	222	121.5	52	8.84	17	7.58
E387050		1.24	0.06	6.5	18.5	370	1.59	1.88	8.44	<0.02	87.3	76.7	31	5.16	61.2	10.85

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E387011		0.51	0.08	0.1	0.005	0.04	1.8	1.3	0.53	51	0.34	0.02	0.4	3.6	120	1.1
E387012		13.15	0.23	1.4	0.199	1.57	137	46.5	1.37	4400	59.1	0.31	8.2	28.2	1310	2.5
E387013		17.65	0.23	1.6	0.258	2.62	95.5	47	1.04	4000	25.3	0.07	10.1	29.8	1440	2.4
E387014		16.6	0.21	1.6	0.249	2.79	111.5	46.3	1.06	4090	21.7	0.04	9.8	30.3	1310	2.3
E387015		15.4	0.26	1.5	0.252	2.35	104	37.1	1.13	5520	25.3	0.09	10.2	34.8	1560	2.2
E387016		17.35	0.17	1.7	0.222	3.02	64.2	46.6	1.55	5580	7.34	0.2	3.6	25.4	840	1.9
E387017		20.2	0.14	2	0.167	3.47	44	22.5	1.31	4750	1.78	0.11	2.9	19.5	680	2.1
E387018		18.8	0.14	1.9	0.179	3.05	23.4	19.2	1.43	6630	23.8	0.35	2.2	29.4	720	2
E387019		18.6	0.18	1.7	0.171	3.02	41.4	21	2.22	7340	17.85	0.3	1.9	24.7	710	1.9
E387020		12.65	0.1	1.4	0.16	1.77	8.2	15.7	2.87	8190	7.13	1.08	2.4	21.8	370	1.7
E387021		12.7	0.3	1.2	0.197	1.57	102	14.1	2.17	7120	12.4	0.97	3.1	41.4	630	2.8
E387022		0.52	0.08	0.1	<0.005	0.03	1.9	1.4	0.52	51	0.23	0.02	0.4	<0.2	120	1
E387023		15.2	0.15	1.7	0.148	2.21	23.1	23.4	1.21	3560	64	0.92	3.3	35.8	890	21.9
E387024		14.55	0.21	1.3	0.13	2.12	73	15.5	2.03	5350	33.6	0.07	2.7	48.9	1250	5.2
E387025		17.2	0.07	1.7	0.097	2.96	32.2	17.3	1.92	4340	0.76	0.07	3.4	16.2	670	2
E387026		15.85	0.38	2	0.168	2.39	63.6	16.1	1.5	4710	42.3	0.06	2.3	49	820	6.7
E387027		18.05	0.19	1.8	0.116	2.67	64.1	19.9	2.03	5540	52.3	0.07	2.9	35.1	930	4.3
E387028		22.4	0.09	2.2	0.094	3.54	40.8	24.8	1.57	3490	2.62	0.08	5.6	21.5	720	2.3
E387029		16.95	0.1	1.7	0.079	2.73	30.3	16	1.78	4570	2.35	0.08	3.1	27	630	2.1
E387030		16.75	0.17	1.6	0.087	2.61	58.4	14.1	1.86	5010	5.59	0.07	2.8	30.5	620	2.4
E387031		17.9	0.12	1.8	0.106	2.8	36.5	16.3	2.03	5440	1.77	0.08	2.9	33.3	620	2.1
E387032		10.75	0.2	1	0.379	1.49	71.8	15.4	3.58	12250	36.8	0.04	5.3	28.2	1560	3.9
E387033		16.8	0.1	1.7	0.119	2.55	22.7	19.2	1.86	4780	132.5	0.1	3.8	25.7	770	3.7
E387034		0.44	<0.05	0.1	<0.005	0.04	1.5	1.2	0.52	49	0.57	0.02	0.4	<0.2	130	1
E387035		12.15	0.18	1.4	0.127	1.88	39.1	15.3	1.71	4450	148	0.57	2.8	38.5	690	3.9
E387036		14.45	0.16	1.7	0.131	2.21	37.8	18.3	1.44	3390	279	0.34	3.1	40.4	800	3.6
E387037		17.1	0.15	2.1	0.089	2.66	53.5	19.5	1.28	2630	40.2	0.1	5.5	15.7	630	3
E387038		18.9	0.17	2.3	0.136	2.96	56.4	20.7	1.97	4280	90.2	0.27	2.6	29.9	720	2.5
E387039		14.65	0.15	1.6	0.114	2.3	22.4	22.3	1.88	4740	68.5	0.39	2.4	37.4	760	3.7
E387040		8.67	0.2	1.1	0.153	1.36	42.4	13	2.21	5980	58.6	0.82	2.3	66.1	950	3.1
E387041		8.12	0.17	1.1	0.197	1.24	41.7	15.6	1.88	4940	63	1.19	2.3	62.3	710	2.6
E387042		11.7	0.16	1.5	0.103	1.84	50.6	19.3	2.11	6260	54.9	1.05	2.5	38.3	750	3.3
E387043		19.25	0.15	2	0.138	3.16	21.2	31.9	1.59	5360	11.45	0.22	2.3	22.2	670	1.6
E387044		18.55	0.16	2.2	0.122	2.56	26.5	42.4	1.52	3660	21	0.98	1.5	22.7	700	2.4
E387045		0.5	0.07	0.1	<0.005	0.03	1.6	1.4	0.48	39	0.38	0.02	0.3	3.1	100	0.7
E387046		8.34	0.33	0.7	0.236	0.67	121.5	20.1	1.6	6130	58.8	0.24	5.4	54.5	2420	6.1
E387047		21.2	0.22	2.4	0.124	3.22	77.1	23.1	1.18	4560	12.45	0.89	1.9	20.6	770	2.4
E387048		21.8	0.19	2.5	0.104	2.97	53	20.5	0.89	3300	14.4	1.59	2.4	18.9	770	2
E387049		24.8	0.26	2.7	0.107	3.48	99.1	22.9	1.07	4100	16.85	1.13	2	17.5	900	2.6
E387050		14.35	0.18	1.6	0.081	1.95	47.3	15.3	2.01	7240	7.31	1.61	1.3	16.1	590	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E387011		0.9	<0.002	0.07	0.2	0.5	1	<0.2	299	<0.05	<0.05	0.2	0.007	<0.02	0.6	5
E387012		84.9	0.02	0.28	2.11	7.1	4	9.4	367	0.36	0.49	10.4	0.115	0.15	6.8	45
E387013		140	0.007	0.25	2.78	9.3	1	9.6	164	0.47	0.36	12.3	0.158	0.21	6.2	59
E387014		148.5	0.004	0.3	2.42	8.3	2	9.4	138.5	0.4	0.34	13.7	0.157	0.24	10	55
E387015		127.5	0.007	0.27	2.21	8.2	2	9.3	309	0.4	0.38	10.6	0.134	0.2	8.9	54
E387016		152.5	0.002	0.33	1.72	9.8	1	5.4	165.5	0.17	0.12	12.9	0.149	0.24	10.5	60
E387017		172.5	<0.002	0.09	1.03	11.4	1	3.7	36.6	0.19	<0.05	16.9	0.131	0.29	1.9	67
E387018		153	0.019	1.22	1.35	14.1	1	3.3	45.7	0.14	0.24	11.5	0.121	0.29	2.8	89
E387019		147	0.014	0.44	2.43	29.9	1	3.3	102	0.11	0.05	3.4	0.241	0.29	4.9	223
E387020		83.2	0.004	0.79	2.65	27	1	2.1	195.5	0.14	0.05	2.1	0.228	0.16	3.7	204
E387021		76.9	0.007	3.05	1.53	13.4	2	2.4	292	0.16	0.18	9.6	0.115	0.15	5	107
E387022		0.9	<0.002	0.07	0.23	0.6	2	<0.2	296	<0.05	<0.05	0.2	0.007	<0.02	0.6	5
E387023		86.1	0.021	2.39	1.79	9.4	2	7.3	592	0.16	0.25	8.2	0.083	0.42	272	55
E387024		109	0.016	4.55	1.26	8.9	5	4.5	57.4	0.17	0.42	11.2	0.071	0.24	6.3	66
E387025		137	<0.002	0.62	0.84	10	1	5.1	43.7	0.22	<0.05	12.6	0.115	0.29	3.9	65
E387026		114.5	0.013	7.01	1.15	9.5	2	5.6	35	0.16	0.51	10.9	0.08	0.28	4.7	62
E387027		132.5	0.007	4.13	0.94	11.4	1	5.3	60.9	0.15	0.22	14.5	0.089	0.28	9.2	69
E387028		173	0.003	0.57	1.14	12.3	1	6.8	49.7	0.39	0.06	13.4	0.162	0.36	2.8	83
E387029		131	0.002	1.81	0.91	9.8	1	5.1	55.5	0.22	0.06	10.6	0.102	0.28	2.2	61
E387030		127	0.002	3.01	0.91	10.5	1	5.3	58.1	0.19	0.11	11.3	0.093	0.27	2.4	67
E387031		138	<0.002	3.5	0.74	10.3	1	5.7	56.6	0.18	0.07	10.8	0.095	0.29	3.4	64
E387032		72.8	0.012	3.87	0.7	6.5	2	3.1	31.9	0.23	0.15	8	0.058	0.16	8.3	65
E387033		129	0.017	3.26	1.05	9.7	1	5	52.7	0.21	0.18	9.5	0.1	0.29	16.9	65
E387034		0.9	<0.002	0.07	0.06	0.5	1	<0.2	297	<0.05	<0.05	0.2	0.007	<0.02	0.6	5
E387035		96	0.014	7.54	1	7.7	2	3.8	45.4	0.16	0.31	10	0.076	0.22	10.4	53
E387036		110	0.024	6.1	1.19	8.6	3	4.6	41.8	0.18	0.38	10.5	0.089	0.25	8.4	66
E387037		124.5	0.003	0.57	1.61	11.5	2	5.3	39.8	0.38	0.07	12.6	0.133	0.3	7	69
E387038		134	0.005	2.08	0.91	13.1	2	5	54.6	0.17	0.16	11.8	0.091	0.35	6.9	72
E387039		98.5	0.015	4.54	0.98	9.7	1	4.4	52.7	0.15	0.18	10.2	0.08	0.3	15.3	63
E387040		56.1	0.008	8.71	0.79	7.2	2	2.8	72.5	0.12	0.57	7.9	0.055	0.17	5.8	48
E387041		47.5	0.006	8.72	0.97	6.8	3	2.9	55	0.13	0.76	7.8	0.056	0.15	5.1	42
E387042		76.7	0.017	6.09	0.87	9.8	1	3.9	71.5	0.16	0.28	10.9	0.076	0.23	14	54
E387043		138.5	0.005	1.44	0.79	10.1	<1	7.5	57.9	0.14	0.09	10.6	0.096	0.35	3	74
E387044		95.7	<0.002	2.48	0.84	6.3	<1	5.7	64.3	0.08	0.14	14.8	0.069	0.3	3.7	65
E387045		0.7	<0.002	0.06	0.06	0.6	1	<0.2	270	<0.05	<0.05	0.2	0.006	<0.02	0.6	4
E387046		28.6	0.018	6.66	1.99	4.4	3	6.7	210	0.12	1.06	5.7	0.033	0.44	13.2	60
E387047		115	<0.002	2.4	0.67	10.8	<1	6.8	258	0.11	0.14	18.6	0.087	0.39	4.1	80
E387048		138	<0.002	2.45	0.82	10.1	<1	6.5	61.7	0.16	0.12	18	0.092	0.35	4.9	77
E387049		134.5	<0.002	2.54	0.82	15.3	<1	6.9	62.4	0.13	0.2	21.9	0.097	0.43	4	101
E387050		85.3	<0.002	1.58	0.59	14.3	<1	3.9	101	0.09	0.13	11.8	0.058	0.22	2.1	56

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Cu	Au	Ba
	Units	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.001	0.01
E387011		0.1	3	25	3.4		<0.001	
E387012		13.5	14.3	6	44.1		0.019	
E387013		18.6	13.1	4	50.8		0.008	1.07
E387014		19.9	12.7	3	50.4		0.011	0.90
E387015		18.5	13.6	3	46.2		0.010	
E387016		15.5	14.9	3	52.6		0.003	0.96
E387017		5.5	12.5	2	64.2		<0.001	
E387018		5.6	13.6	2	59.1		0.004	
E387019		11.5	14.8	4	56.3		<0.001	0.67
E387020		10	14	2	45.5		0.028	
E387021		6.3	13.9	2	39.9		0.043	
E387022		0.1	3.1	23	3.3		<0.001	
E387023		7.8	15.6	4	56.2		0.051	
E387024		6.3	18.5	2	43.7		0.024	
E387025		8.5	14.7	3	55.2		<0.001	
E387026		7.9	13.5	<2	58.9	1.640	0.092	
E387027		8.2	16.5	4	59.8		0.017	
E387028		12.1	15.8	3	73.6		0.001	0.52
E387029		8.1	14	3	53.4		0.001	
E387030		7.3	14.2	2	51.5		0.005	
E387031		7.9	15.5	3	57.6		0.002	
E387032		4.9	17.8	6	32.8		0.010	
E387033		8.8	14.1	3	56.6		0.016	
E387034		0.1	2.7	23	3.2		<0.001	
E387035		6.7	13.1	3	46.1		0.045	
E387036		8.4	12.8	<2	55.5	0.950	0.063	
E387037		13.1	12.9	5	69.4		0.006	
E387038		8.1	16.5	5	76.4		0.021	
E387039		7.3	12.9	5	51.1		0.027	
E387040		4.7	11.3	<2	36.9	1.125	0.131	
E387041		4.8	9.9	<2	35.2	1.805	0.135	
E387042		6	12.9	3	47.8		0.025	
E387043		8.2	13.4	4	60.7		0.003	
E387044		5.6	11.3	14	70.9		0.005	
E387045		0.1	2.5	21	3.5		<0.001	
E387046		6.5	12.3	3	21.5		0.121	
E387047		6.6	12.5	3	73.3		0.005	
E387048		7.3	10.9	<2	76.9		0.003	
E387049		7.6	12.6	2	79.9		0.005	
E387050		4.8	13.4	2	51.5		0.004	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 24-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137767

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07137768

Project: IGOR: IG-2007-26

P.O. No.: 195462

This report is for 196 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 21-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E387101		1.40	0.05	7.19	19	1220	2.02	1.33	7.04	<0.02	75.5	43.1	36	6.35	44.1	7.73
E387102		1.48	0.11	7.53	25.2	650	2.7	2.21	4.53	<0.02	156	41.2	47	8.59	25	6.52
E387103		1.28	0.06	7.34	38.3	230	2.47	2.35	3.04	<0.02	214	37.1	43	8.33	24.2	8.04
E387104		1.08	0.06	8.28	24.8	950	3.07	1.89	3.86	<0.02	77.2	38	48	9.04	33.6	7.92
E387105		1.32	0.07	6.84	16.2	4330	2.61	1.34	4.3	<0.02	297	31.7	38	7.81	21	5.22
E387106		1.14	0.09	5.59	30	400	1.86	1.74	7.66	<0.02	231	52.4	24	5.78	29.8	7.89
E387107		0.12	0.01	0.14	<5	30	0.1	0.01	46.2	0.4	2.54	1	4	<0.05	3	0.06
E387108		1.36	0.15	5.95	30.1	1030	2.3	1.75	6.21	<0.02	61.4	79.6	32	7.28	38.6	6.91
E387109		1.06	0.03	5.31	11.4	3210	2.14	0.21	6.85	<0.02	252	30.5	25	6.22	8.3	5.92
E387110		1.42	0.03	6.42	8.4	4000	2.66	0.12	5.87	<0.02	61.1	23.3	33	7.92	13.1	4.88
E387111		1.52	0.02	6.27	6.5	3750	2.62	0.08	6.23	<0.02	49.1	21.5	33	7.75	12.3	5.17
E387112		1.56	0.03	5.54	9.5	3230	2.23	0.1	6.62	<0.02	117.5	19.6	28	6.63	151	5.24
E387113		0.98	0.06	5.76	14.6	2350	2.33	0.31	6.31	<0.02	47.5	37.9	29	6.91	27.3	5.93
E387114		1.22	0.03	6.61	3.5	3440	2.45	0.05	5.32	<0.02	184.5	20.2	35	8.27	9.1	6.22
E387115		1.56	0.04	6.83	16.3	800	2.31	0.47	5.94	<0.02	100	130	43	8.12	37.6	7.1
E387116		1.38	0.1	6.03	29.8	230	1.94	2.5	5.49	<0.02	80.2	90.1	34	6.53	119.5	7.67
E387117		1.28	0.15	5.83	63.1	640	1.8	5.82	4.64	<0.02	112	183.5	30	6	807	9.27
E387118		0.12	0.02	0.13	<5	30	0.11	0.01	45.9	0.4	2.16	0.9	4	<0.05	2.7	0.05
E387119		0.20	0.28	6.67	51.1	290	2.68	1.47	1.91	<0.02	77.3	93.5	41	5.82	1580	7.12
E387120		1.24	0.14	6.17	49.8	160	1.97	5.88	5.41	<0.02	76.8	177.5	32	6.85	560	8.39
E387121		1.10	0.12	6.26	26.6	300	2.15	3.83	5.11	<0.02	124.5	80.6	34	6.83	112	6.4
E387122		1.28	0.06	6.81	16.2	580	2.29	2.28	4.67	<0.02	101.5	42	38	7.15	109	5.59
E387123		1.18	0.11	6.75	30.4	480	2.21	3.57	5.58	<0.02	69.5	93.9	38	6.85	81.6	6.72
E387124		1.52	0.15	6.66	27.2	360	2.5	3.6	4.56	<0.02	127.5	104.5	38	7.48	37.5	6.17
E387125		1.10	0.05	6.95	20.2	670	2.16	1.83	5.9	<0.02	76.1	78.5	37	7.07	45.3	6.46
E387126		1.28	0.11	6.69	17.8	1080	2.35	0.96	5.82	<0.02	60.3	65.4	38	7.16	45.4	6.41
E387127		1.08	0.09	6.74	14.7	1880	2.55	1	5.94	<0.02	67.8	73.8	38	7.57	43.2	6.23
E387128		1.32	1.15	6.33	38.1	210	2.07	2.98	4.1	<0.02	131	188.5	36	6.66	222	9.56
E387129		1.54	0.07	5.67	4.6	460	0.91	0.18	4.4	<0.02	98.2	62.8	28	2.94	53.1	9.84
E387130		0.12	0.02	0.14	<5	80	0.14	0.01	>50	0.42	2.47	1.7	7	<0.05	1.9	0.06
E387131		1.42	0.07	5.24	3.9	1210	0.3	0.15	4.51	<0.02	69.8	43.8	24	0.6	282	11
E387132		1.68	0.12	2.83	10.2	70	0.15	0.72	3.25	<0.02	50.3	341	12	0.28	12.5	20
E387133		1.28	0.06	4.59	8.3	60	0.47	0.76	0.54	<0.02	44.7	216	23	0.79	12.5	14.1
E387134		1.54	0.05	3.52	7.5	130	0.61	0.35	0.53	<0.02	31.7	116.5	20	1.67	36.7	8.93
E387135		1.30	0.24	4.35	9.9	130	0.51	0.63	1.71	<0.02	26.9	121	25	1.71	92.8	11.2
E387136		1.36	0.13	3.55	5.6	330	0.32	0.2	2.04	<0.02	61.3	86.5	24	0.74	7.8	12.6
E387137		1.68	0.02	4.29	6.1	460	0.48	0.15	1.49	<0.02	8.17	47	20	0.83	15	8.96
E387138		1.36	0.05	5.38	2.8	1480	0.5	0.06	2.68	<0.02	87.6	11.2	27	0.89	4	7.44
E387139		1.48	0.05	4.77	3.1	1120	0.32	0.06	5.39	<0.02	28.5	23.8	21	0.51	2.5	9.4
E387140		1.32	0.04	4.64	2.6	1030	0.46	0.08	2.65	<0.02	149	16.5	23	0.68	4.6	7.61

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E387101		16.05	0.16	1.7	0.082	2.73	38.3	16.9	1.77	5470	8.96	1	1.7	10.9	630	1.6
E387102		19.2	0.2	2.1	0.102	3.35	83.8	20.5	1.27	3760	9.91	0.13	2.9	17.9	780	1.9
E387103		18.35	0.22	2.2	0.122	3.32	111.5	18.6	1.13	3910	7.39	0.11	2.1	15.9	820	2
E387104		21.2	0.17	2.4	0.126	3.7	41.7	21.6	1.44	4640	11.35	0.12	2.7	16.6	760	1.5
E387105		19.55	0.26	2.2	0.097	3.13	146	19.3	1.18	3520	10.95	0.22	2.7	14.8	780	1.9
E387106		14.65	0.23	1.6	0.099	2.31	122.5	17.5	2.07	5830	16.7	0.22	3.3	18.8	950	2
E387107		0.5	0.06	0.1	<0.005	0.03	1.7	1.5	0.51	49	1.45	0.02	0.4	3.4	110	0.6
E387108		16.95	0.14	1.7	0.099	2.66	35.1	26.9	1.97	5170	9	0.09	4.3	29.3	750	1.8
E387109		14.35	0.21	1.6	0.079	2.36	150	21	2.14	5610	4.8	0.06	2.5	20.7	680	1.6
E387110		16.4	0.14	1.7	0.078	3.01	37.8	24.2	1.93	4880	1.93	0.07	2.9	20.6	630	1.2
E387111		16.1	0.12	1.6	0.078	2.87	29.2	23.4	2.04	5130	2.75	0.07	2.9	21.4	640	1.1
E387112		13.65	0.15	1.5	0.081	2.6	65.3	18.9	2.16	5220	3.13	0.06	2.5	17.3	590	1.5
E387113		14.4	0.14	1.6	0.082	2.64	29.3	21.2	2.11	5120	1.99	0.09	2.5	22.7	660	1.3
E387114		17.65	0.21	1.8	0.093	2.96	96.5	25.4	1.7	4580	4.02	0.1	3.2	23.2	720	1.5
E387115		18.3	0.16	1.7	0.101	3.16	50.5	28.7	1.86	5350	4.76	0.16	2.6	30.1	610	1.6
E387116		16.15	0.14	1.7	0.112	2.7	40.6	20.3	1.63	5170	17	0.3	2.6	31.9	550	1.9
E387117		15.15	0.19	1.5	0.098	2.64	53.5	21	1.53	5360	27.6	0.27	1.9	44.8	510	2.2
E387118		0.47	0.08	0.1	<0.005	0.03	1.6	1.3	0.5	39	0.21	0.01	0.3	4.1	90	0.6
E387119		16.65	0.14	1.8	0.124	2.87	41.1	22	1.3	3130	18.4	0.55	2.9	24.2	760	2.6
E387120		17.2	0.16	1.7	0.103	2.82	38	20	1.63	4900	15.85	0.24	2.5	49.2	550	1.8
E387121		18	0.17	1.7	0.085	3.09	65.7	21.8	1.73	4520	8.54	0.14	2.9	27.7	560	2
E387122		19.25	0.14	1.8	0.089	3.28	50.6	22.3	1.45	3910	7.8	0.28	2.8	26.4	630	1.7
E387123		18.2	0.16	1.9	0.108	3.21	35.9	21.5	1.71	4860	27.3	0.14	3.1	37.7	610	1.9
E387124		20.1	0.17	2.1	0.106	3.24	66.1	24.1	1.39	4020	72.5	0.2	2.8	37	680	2.4
E387125		18.35	0.24	1.9	0.108	3.04	43.6	23.9	1.59	5500	8.1	0.44	3.6	27	640	3.1
E387126		17.15	0.23	1.7	0.11	2.75	34.9	34.1	1.81	5710	22.5	0.43	4.1	23.9	640	3.8
E387127		17.75	0.21	1.7	0.098	2.84	40.4	33.6	1.83	5380	26.1	0.54	4.1	17.7	650	3.7
E387128		16.55	0.3	1.9	0.084	2.21	69.4	38.7	1.41	4110	162	1.1	3.5	33.5	770	20.4
E387129		12.85	0.27	1.7	0.046	0.85	65.6	33.2	1.47	4410	8.87	2.82	2.7	16.9	630	3.5
E387130		0.63	0.14	0.1	<0.005	0.03	1.8	2.1	0.53	42	0.36	0.02	0.3	<0.2	100	0.9
E387131		8.5	0.23	1.5	0.038	0.13	49.1	10.6	1.39	4170	21.4	3.71	1.9	17.8	820	3.5
E387132		7.47	0.34	0.8	0.047	0.04	30.2	13.8	1.09	3620	11.2	1.64	1.3	47	1000	4.1
E387133		9.31	0.32	1.3	0.006	0.09	21.2	28.7	0.62	370	2.84	2.36	2	42.6	1210	4
E387134		8.35	0.24	1.1	0.009	0.34	11.2	28.9	0.58	438	4.71	1.5	2.5	31.9	780	2.5
E387135		8.77	0.23	1.4	0.037	0.33	13.1	27.7	0.94	1320	28.6	2.07	2.5	42.6	560	7.2
E387136		6.95	0.25	1.2	0.013	0.08	41.5	24.5	0.78	1080	23.4	1.82	1.6	34.4	490	2.8
E387137		6.95	0.21	1.2	0.006	0.18	4.2	16.5	0.65	982	3.18	2.7	2.1	22	480	1.4
E387138		8.71	0.22	1.4	0.007	0.2	63.6	13.4	0.86	1890	2.9	3.68	3.5	9.6	680	2.4
E387139		6.82	0.19	1.1	0.016	0.18	18.5	7.9	1.55	4500	2.69	3.48	2.7	9.8	640	1.9
E387140		6.6	0.26	1.2	0.011	0.18	111.5	11.4	0.88	2160	1.98	3.21	3.4	9.4	700	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E387101		110	<0.002	1.14	0.88	13.8	<1	5.5	79	0.11	0.09	13.2	0.078	0.29	2.2	52
E387102		148	<0.002	1.42	0.96	14.9	<1	6.8	52.2	0.19	0.15	16.3	0.107	0.35	3.3	54
E387103		143.5	<0.002	2.41	0.75	11.8	<1	6.4	32.8	0.12	0.16	18.6	0.096	0.35	3.8	63
E387104		163	<0.002	1.28	0.82	16.7	<1	7.5	39.8	0.17	0.16	16.4	0.109	0.42	4.4	82
E387105		136	0.002	0.6	0.92	15.1	<1	6.7	47.7	0.18	0.12	20.7	0.095	0.35	3.8	74
E387106		99.1	0.003	1.22	0.75	10.4	<1	5.1	69.7	0.18	0.24	14.1	0.078	0.25	6.2	66
E387107		0.6	<0.002	0.06	0.06	0.7	1	<0.2	286	<0.05	<0.05	0.2	0.007	<0.02	0.7	5
E387108		121.5	0.005	0.9	1.09	10.8	<1	6.1	59.1	0.25	0.2	10.5	0.103	0.31	3.3	76
E387109		106.5	0.002	0.41	0.75	9.1	<1	5.5	60.4	0.18	<0.05	19.4	0.083	0.27	3.1	54
E387110		135	<0.002	0.26	0.79	10.5	<1	7.4	50.1	0.22	<0.05	13.6	0.106	0.32	2.1	62
E387111		131.5	0.002	0.21	0.8	10.7	<1	7.7	47.7	0.21	<0.05	12.8	0.102	0.3	1.9	61
E387112		112	0.002	0.25	0.75	8.9	<1	6.9	43.7	0.2	<0.05	12	0.092	0.26	1.5	53
E387113		113.5	0.002	0.76	0.92	10	<1	6.8	43.4	0.18	0.08	10.4	0.089	0.28	1.6	56
E387114		138.5	0.004	0.13	1.04	10.9	<1	7.4	41.6	0.24	<0.05	18.2	0.103	0.31	1.5	62
E387115		140	0.002	1.24	0.91	11.9	<1	6.8	50.5	0.18	<0.05	14	0.1	0.33	2.2	56
E387116		116	0.018	2.47	0.95	11.1	<1	4.6	41	0.18	0.1	12.6	0.096	0.26	4.9	56
E387117		111	0.027	3.63	0.94	10.8	<1	4	33.6	0.13	0.14	12.3	0.083	0.27	4.9	51
E387118		0.5	<0.002	0.06	0.06	0.6	1	<0.2	284	<0.05	<0.05	0.2	0.006	<0.02	0.6	5
E387119		111.5	0.007	1.2	1.05	10.9	1	7	472	0.18	0.17	12.1	0.108	0.34	16.8	63
E387120		121.5	0.006	3.67	1.01	11	<1	4.8	42	0.17	0.15	12.3	0.095	0.29	2.6	56
E387121		128.5	0.007	2.25	1.18	12.4	<1	5.2	42	0.2	0.11	13.4	0.107	0.3	3.2	59
E387122		140	0.008	1.38	1.15	11.8	<1	5.4	43.2	0.19	0.05	14.2	0.108	0.32	3.4	60
E387123		136	0.013	1.58	1.35	11.9	<1	5.7	57	0.19	0.14	13.3	0.108	0.3	11.1	63
E387124		145	0.016	1.78	1.4	12.8	<1	6.5	41.5	0.18	0.17	16.6	0.103	0.34	20.4	64
E387125		154.5	0.005	1.09	1.45	12.3	2	6.7	69.6	0.28	0.12	13.4	0.12	0.33	4.3	66
E387126		144.5	0.01	0.84	1.26	11.2	2	7	66.6	0.31	0.1	11.4	0.124	0.32	40	66
E387127		151.5	0.01	0.79	1.24	12.1	2	7.5	67.6	0.3	0.09	10.8	0.124	0.35	38.9	69
E387128		115	0.048	2.09	2.34	11.3	2	7.7	82.7	0.22	0.18	13.3	0.1	0.38	580	71
E387129		46.6	0.006	0.72	0.98	12	2	5.9	234	0.21	<0.05	13.1	0.056	0.09	11.6	57
E387130		0.7	<0.002	0.07	0.07	0.6	3	<0.2	300	<0.05	<0.05	0.2	0.007	<0.02	0.9	7
E387131		6	0.012	0.56	0.81	5.3	1	1.3	232	0.14	<0.05	9.8	0.037	<0.02	6.6	43
E387132		1.4	0.003	4	0.96	3.2	2	0.7	141	0.06	0.06	4.4	0.018	<0.02	8.1	44
E387133		4.9	<0.002	2.67	0.97	2	3	1.5	464	0.11	0.05	4.9	0.039	0.02	5.3	41
E387134		23.7	<0.002	1.37	1.01	4.2	2	3.4	882	0.13	0.05	3.2	0.05	0.07	6.6	33
E387135		19.4	0.008	1.49	1.57	4.6	2	2.2	693	0.13	0.07	10.4	0.062	0.07	105	28
E387136		4	0.006	0.98	1.1	3.2	2	1.7	414	0.09	<0.05	6.3	0.055	0.02	14.6	24
E387137		10.8	<0.002	0.57	0.88	3	2	2.5	1260	0.15	0.06	5	0.061	0.04	4.2	30
E387138		12.1	<0.002	0.22	0.81	4.2	2	5.5	1070	0.31	0.05	8.7	0.143	0.04	3.6	44
E387139		9.6	<0.002	0.35	0.7	4.8	2	4.3	1210	0.25	<0.05	6.8	0.116	0.03	2.9	39
E387140		9.5	<0.002	0.29	0.67	3.5	2	5.4	1410	0.31	<0.05	9.9	0.138	0.04	2.4	35

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Cu	Au	Ba
	Units	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.001	0.01
E387101		6.7	12.2	2	53.5		0.001	
E387102		9.7	13.1	<2	69		0.004	
E387103		8.5	13.5	<2	66.8		0.005	
E387104		10	12.9	<2	77.7		0.006	
E387105		9.2	14	2	65.9		0.003	
E387106		7.7	14	3	47.2		0.006	
E387107		0.1	2.8	21	4.1		<0.001	
E387108		10.6	14.5	4	52.1		0.004	
E387109		7.9	15.2	2	48.4		<0.001	
E387110		9.8	13	<2	51.6		<0.001	
E387111		9.4	13	<2	49		<0.001	
E387112		7.9	13.2	2	46.3		<0.001	
E387113		7.7	13.3	3	49.6		0.001	
E387114		9.2	15.8	<2	55		<0.001	
E387115		10.2	16.1	3	55		<0.001	
E387116		8.3	15.6	2	53.1		0.006	
E387117		7.3	14.4	2	48.8		0.016	
E387118		0.1	2.6	23	2.8		<0.001	
E387119		7.9	10.3	6	57.4		0.018	
E387120		8.6	15.6	2	53.8		0.013	
E387121		9.1	14.9	3	54.6		0.007	
E387122		9.3	15.4	<2	58		0.003	
E387123		9.5	17.1	2	59.8		0.005	
E387124		9.4	17.9	<2	65.1		0.006	
E387125		9.8	17.1	8	60.1		0.003	
E387126		11.5	15.2	11	55.3		0.003	
E387127		12.3	14.1	8	54.9		0.003	
E387128		13	20.8	12	58		0.012	
E387129		6.2	11.7	13	52.8		<0.001	
E387130		0.1	2.8	25	3.6		<0.001	
E387131		4	11.2	12	46.2		0.001	
E387132		2.2	9.3	18	24		0.002	
E387133		3.8	7.4	21	40.8		0.003	
E387134		5.3	5.5	13	38.1		<0.001	
E387135		5.2	10.9	21	45.8		0.002	
E387136		3.2	8.6	19	41		0.001	
E387137		5.1	6.1	12	38.9		<0.001	
E387138		4.7	8.8	12	44.1		<0.001	
E387139		4.6	9.9	9	36.4		<0.001	
E387140		4.5	8.5	14	36.5		<0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E387141		0.18	0.01	0.13	<5	140	0.12	0.01	44.4	0.34	2.21	1.5	6	<0.05	1.7	0.05
E387142		0.22	1.07	5.52	79.5	70	1.76	2.93	1.96	<0.02	57.7	159.5	31	3.34	7100	9.45
E387143		1.34	0.11	4.74	2.8	1120	0.55	0.08	1.94	0.02	104	20.6	32	1.19	4.3	7.98
E387144		1.02	0.06	4.44	3.6	1140	0.53	0.08	2.13	<0.02	142.5	12.7	27	0.91	3.3	7.42
E387145		1.56	0.05	3.55	5.2	310	0.3	0.19	3.31	<0.02	70.8	47.9	16	0.83	4.1	10.8
E387146		1.76	0.1	3	10.4	190	0.14	0.72	2.11	<0.02	63.6	126.5	11	0.45	5.1	20.9
E387147		1.86	0.26	0.89	16.3	80	<0.05	1.42	0.66	0.15	73.5	197	3	0.18	5.2	30.9
E387148		1.62	0.13	2.24	16.1	70	0.07	1.14	0.7	0.05	23.6	122	8	0.28	16.9	29.1
E387149		1.34	0.08	4.74	11.1	150	0.14	0.55	2.92	<0.02	23.1	84.5	12	0.48	10.7	13.7
E387150		1.18	0.04	7.35	1.8	4490	0.47	0.05	2.6	0.02	7.72	4	33	1.45	52.8	4.17
E387151		0.84	0.09	8.3	2.1	6170	1.08	0.08	1.37	0.04	9.99	2.3	40	3.35	65.7	2.69
E387152		1.08	0.05	7.86	1.8	8080	1.5	0.03	2.5	<0.02	25.9	5.2	42	4.85	8.4	3.51
E387153		0.16	0.01	0.13	14	60	0.14	0.01	44	0.36	2.16	1.5	5	<0.05	3.2	0.05
E387154		1.12	0.07	5.19	4.6	1340	1.02	0.15	5.86	<0.02	61.7	31.2	23	3.79	7.2	8.41
E387155		0.98	0.02	6.71	2.2	3570	1.81	0.05	4.7	<0.02	87.4	17.9	36	6.05	2.8	6.54
E387156		0.80	0.02	5.1	2.1	1110	1.35	0.02	4.25	<0.02	157.5	5.5	23	4.55	2.8	5.78
E387157		0.98	0.02	7.37	2.2	1450	2.55	0.03	3.8	<0.02	29	6	39	7.61	2.6	5.76
E387158		0.90	0.08	7.5	4.3	1180	2.49	0.22	3.87	<0.02	121.5	8.9	39	9.84	13.4	5.86
E387159		0.94	0.06	5.23	3.9	2250	1.58	0.15	6.05	0.02	123	9.4	22	6.71	138.5	7.17
E387160		1.22	0.06	6.46	4.7	1220	2.1	0.12	5.34	<0.02	109	8.2	32	8.96	108	6.12
E387161		1.46	0.07	5.28	5.8	550	1.74	0.13	5.58	<0.02	219	10.4	25	9.6	73.2	7.68
E387162		1.44	0.08	4.71	4.6	3490	1.58	0.15	6.82	<0.02	144.5	10.4	22	12.15	25	8
E387163		1.20	0.27	3.77	21.2	260	1.1	0.64	5.76	<0.02	128	21.2	22	11.4	78.6	11.05
E387164		0.14	0.01	0.12	17	90	0.06	<0.01	44.4	0.36	2.39	0.9	6	<0.05	2.6	0.06
E387165		0.22	1.16	2.32	109	30	0.67	10.45	2.19	0.02	215	324	11	2.47	8940	26.9
E387166		1.74	0.16	2.48	17.1	180	0.57	0.45	5.63	<0.02	225	72.5	10	3.2	113.5	11.5
E387167		1.04	0.07	4.52	9.6	460	1.54	0.11	5.18	<0.02	64.4	77	20	13.05	14.4	10.95
E387168		1.06	0.16	6.09	9.9	2390	2.5	0.52	5.46	<0.02	69.9	23.4	33	17.85	186	9.22
E387169		1.26	0.2	6.27	16.9	1290	2.5	0.38	4.01	<0.02	101.5	22.6	37	20.9	161	12.25
E387170		0.96	0.08	5.98	6.5	2370	2.57	0.17	3.68	<0.02	105.5	11.3	37	8.78	114	6.03
E387171		1.26	0.05	6	3.7	3270	2.74	0.09	4.38	<0.02	138.5	7	33	4.58	23.6	4.02
E387172		1.12	0.22	6.11	3.1	5970	2.66	0.14	4.85	<0.02	42	6.9	31	6.25	72.3	4.25
E387173		1.04	0.05	6.05	2.9	8920	3.16	0.16	6.82	<0.02	69.3	9.3	33	5.64	27	4.88
E387174		1.52	0.02	5.94	1.6	2460	2.59	0.01	5.17	<0.02	28.7	4.9	32	3.43	27.1	5.59
E387175		1.32	0.02	6.88	2.7	2500	3.64	0.01	4.36	<0.02	72.3	5.9	39	4.85	54.7	4.75
E387176		0.14	0.01	0.13	<5	60	0.05	<0.01	44.8	0.37	2.25	1	6	<0.05	2.3	0.05
E387177		1.10	0.03	6.73	3.1	2270	3.52	0.02	4.42	<0.02	69.3	6.6	40	5.18	105.5	5.82
E387178		1.28	0.86	2.71	182.5	50	1.27	5.46	7.17	<0.02	36.6	487	13	2.12	7510	15.95
E387179		1.32	0.13	5.52	40.8	430	2.63	1.5	5.1	<0.02	133	141.5	33	3.56	357	11.6
E387180		1.56	0.11	5.05	15.8	480	2.23	0.57	4.81	<0.02	109.5	102	27	3.17	346	11.5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E387141		0.55	0.09	0.1	<0.005	0.03	1.7	1.7	0.47	36	0.2	0.02	0.3	<0.2	110	0.7
E387142		14.25	0.22	1.7	0.129	2.02	22.8	22.2	1.16	3590	61.2	0.93	3	35.2	850	20.6
E387143		8.64	0.35	1.4	0.015	0.24	77.9	25.3	1.07	1405	1.87	2.71	3.4	19.1	720	3.9
E387144		7.48	0.37	1.3	0.011	0.19	105	19.5	0.98	1345	7.82	2.78	3.3	14.4	780	2.5
E387145		7.3	0.33	0.9	0.017	0.21	38.5	15	1.12	2300	3.02	2.13	4.2	22.4	1190	1.9
E387146		9.29	0.43	0.7	0.014	0.09	42.6	12.2	0.81	2720	36.1	1.68	2.4	58.3	1060	2.4
E387147		8.6	0.4	0.2	0.024	0.01	38.6	9.4	0.44	3390	56.6	0.18	2.9	59.5	1210	6.8
E387148		9.3	0.33	0.5	0.01	0.06	11.9	7.3	0.31	1700	60.7	1.31	2.9	53.9	1250	4.1
E387149		9.99	0.21	1	0.014	0.12	10.9	12.9	0.92	2580	24.2	3.01	4.1	30.7	1180	1.5
E387150		11.9	0.15	1.9	0.016	0.36	4.5	22.1	1.08	1880	11.45	4.76	5.3	18.1	700	2.2
E387151		14.75	0.13	2.4	0.017	1.22	5.8	42	0.73	1150	43.9	4.75	6.9	7.7	820	4.6
E387152		16.75	0.16	2.5	0.022	1.7	16	61.3	1.15	2150	12.8	3.8	7.3	10.6	740	2.5
E387153		0.54	0.09	0.1	<0.005	0.03	1.6	1.8	0.47	35	0.3	0.02	0.3	<0.2	110	0.7
E387154		12.05	0.2	1.5	0.049	1.43	37.2	34.4	2.03	5480	7.13	1.67	4.6	21.3	740	2.4
E387155		17.4	0.19	2.2	0.057	3.41	51.6	46.7	1.94	3620	4.39	0.45	4.1	20.7	640	1.8
E387156		12.65	0.24	1.8	0.039	2.19	91.8	35.1	1.57	3320	1.97	0.7	3.3	18.6	660	1.6
E387157		22.1	0.2	2.3	0.071	3.96	16.5	67	1.67	2520	1.67	0.1	4.6	25.8	710	1.6
E387158		21.3	0.27	2.7	0.069	3.85	65.8	64.2	2.07	2830	4.42	0.05	5.1	26.9	740	3.2
E387159		12.6	0.25	2.1	0.064	2.36	69	42.6	2.67	4570	1.88	0.03	3.4	25.2	600	3.1
E387160		18.1	0.23	2.8	0.072	3.16	63.4	54.1	2.64	4140	2.35	0.04	5.5	27.7	600	2.6
E387161		12.9	0.2	2.4	0.063	2.34	122	48.1	2.86	4540	2.2	0.03	4.1	31.6	650	4.4
E387162		9.98	0.16	2.1	0.062	1.93	83.3	39.5	3.39	5470	2.14	0.03	3.7	24.8	590	3.8
E387163		6.18	0.18	1.7	0.033	0.78	65.1	39.1	3.35	4430	8.42	0.02	9.1	39.9	1320	4.2
E387164		0.45	0.07	0.1	<0.005	0.03	1.7	1.3	0.48	41	0.2	0.01	0.3	4.5	100	0.8
E387165		8.87	0.36	0.7	0.239	0.68	132	20.2	1.56	6180	60.2	0.23	6.1	57.7	2460	6.8
E387166		5.99	0.2	0.8	0.047	0.57	107	22.1	2.62	4380	10.55	0.01	6.7	30.3	1570	2.2
E387167		7.71	0.16	1.4	0.043	1.34	35.9	35.5	2.82	3900	2.4	0.02	4.4	30.5	950	1.8
E387168		12.75	0.15	2.1	0.054	2.21	42.6	44.6	3.15	4670	0.83	0.03	4.2	35	900	3.1
E387169		11.35	0.17	2.3	0.043	1.75	65.3	56.6	3.04	2850	12.95	0.02	8.5	45.2	1670	3.8
E387170		15.1	0.13	1.8	0.068	2.68	60.1	31.8	2.11	3200	7.95	0.03	5.2	25.5	970	2
E387171		16.25	0.15	1.7	0.078	3.13	72.8	16.9	2.09	3870	0.65	0.04	3.8	13.8	580	1.6
E387172		15.45	0.11	1.8	0.099	3.22	21.8	17	2.35	3990	0.65	0.04	3.6	12.8	510	1.6
E387173		15.8	0.12	1.9	0.091	3.14	39.5	19.6	3.53	5560	9.18	0.03	4.8	14.4	710	1.2
E387174		12.45	0.09	1.4	0.063	3.16	16.5	15.9	3.07	6410	6.56	0.03	2.8	8.9	590	0.8
E387175		17.5	0.13	1.9	0.08	3.69	43.5	21.3	2.19	5110	4.45	0.04	4.1	11.1	720	1
E387176		0.48	0.05	0.1	<0.005	0.04	1.6	1.3	0.49	44	0.21	0.01	0.3	4	120	0.6
E387177		17.2	0.13	1.9	0.083	3.53	41.7	22.7	2.33	5770	5.53	0.04	3.7	13.1	710	1
E387178		7.56	0.21	0.9	0.09	1.25	20.7	12.5	3.24	7430	56.1	0.02	2.6	60.1	1190	3.2
E387179		14.7	0.19	1.3	0.071	2.83	94	19	2.28	5140	20.9	0.04	4.2	26.3	1190	2.1
E387180		13.55	0.17	1.3	0.072	2.39	73	20.5	2.37	5220	26.4	0.03	4.2	24.9	1100	1.7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E387141		0.6	<0.002	0.07	0.07	0.5	3	<0.2	266	<0.05	<0.05	0.2	0.006	<0.02	0.6	6
E387142		86.4	0.022	2.37	1.38	9.6	3	7.1	547	0.15	0.25	8.3	0.076	0.48	241	57
E387143		12.7	<0.002	0.35	0.72	3.6	1	6.4	1135	0.23	0.12	7.6	0.16	0.05	2.9	38
E387144		10.6	<0.002	0.31	0.74	3.2	2	6.5	1330	0.22	0.05	7.1	0.161	0.04	3.5	35
E387145		11.4	<0.002	0.59	0.81	3.4	2	3.9	1205	0.22	<0.05	5.6	0.085	0.04	2.2	43
E387146		4	0.006	1.91	1.03	2.1	2	2	373	0.07	0.1	5.1	0.044	0.02	2.8	46
E387147		0.2	0.008	3.73	1.28	1.2	1	1	254	0.08	0.14	2.8	0.013	<0.02	2.3	53
E387148		2.8	0.008	3.04	1.15	0.8	1	1.4	234	0.1	0.11	2.3	0.031	<0.02	4.8	63
E387149		4.5	0.005	1.79	0.98	3.5	1	2.7	602	0.22	0.1	7.1	0.068	0.03	5.4	40
E387150		18.8	0.003	0.24	1.01	6.2	<1	4.1	709	0.29	<0.05	16.3	0.088	0.07	7.2	28
E387151		56.2	0.003	0.17	1.91	8.6	<1	9.1	139.5	0.39	<0.05	19.3	0.128	0.18	27.8	41
E387152		89.7	0.011	0.23	1.95	13.1	1	14	189	0.57	<0.05	16.1	0.167	0.23	3.8	69
E387153		0.7	<0.002	0.07	0.07	0.6	3	<0.2	266	<0.05	<0.05	0.2	0.006	<0.02	0.7	6
E387154		74.5	0.002	0.39	1.11	8.4	2	5.7	170.5	0.27	0.1	9.8	0.119	0.19	4.3	52
E387155		165	0.003	0.26	1.12	10.5	2	6	78	0.28	0.05	13.2	0.187	0.32	4	72
E387156		121.5	<0.002	0.02	1.05	7.7	2	4.2	56.6	0.23	<0.05	13.4	0.134	0.25	7.3	49
E387157		227	<0.002	0.02	1.31	11.8	2	6.7	52.9	0.32	<0.05	16.4	0.195	0.42	6.5	67
E387158		212	0.002	0.19	1.67	11.3	2	6.5	45.7	0.38	0.05	19	0.197	0.45	9.5	68
E387159		124	<0.002	0.16	1.09	7.2	2	4.4	132.5	0.25	<0.05	13.4	0.134	0.27	13.9	48
E387160		174.5	<0.002	0.15	1.42	9.5	2	7.1	62.9	0.41	<0.05	14.3	0.178	0.34	8.7	58
E387161		110.5	<0.002	0.14	1.23	8.9	<1	6.2	52.6	0.31	0.05	15.2	0.146	0.24	7.4	49
E387162		86.8	<0.002	0.21	1.19	7.7	<1	5.2	118	0.26	<0.05	12.8	0.121	0.21	12.8	42
E387163		29.8	0.002	0.72	1.85	8.3	1	9.6	1480	0.38	0.18	7	0.122	0.14	7.9	55
E387164		0.7	<0.002	0.06	0.05	0.5	1	<0.2	263	<0.05	<0.05	0.2	0.006	<0.02	0.6	5
E387165		33.9	0.019	7.09	2.05	4.7	3	6.9	204	0.13	1.16	5.9	0.034	0.48	14.5	61
E387166		23.9	0.002	0.83	0.95	6.8	1	7.8	1670	0.17	0.42	3.1	0.07	0.08	3.6	69
E387167		55.9	<0.002	0.61	1.38	6.9	1	2.8	1570	0.26	0.1	5.8	0.073	0.18	9.7	52
E387168		84.3	<0.002	0.5	1.92	11.8	<1	8.4	778	0.25	0.07	9.1	0.095	0.28	22.2	63
E387169		69.4	0.004	0.66	2.18	9.4	<1	9.7	416	0.43	0.28	12.9	0.18	0.21	11.2	77
E387170		116	0.004	0.32	0.84	11.1	<1	6.3	930	0.28	0.07	11.7	0.158	0.27	6	66
E387171		132.5	<0.002	0.26	0.72	11.4	<1	5.3	922	0.25	<0.05	13.1	0.141	0.31	2.7	59
E387172		132.5	<0.002	0.29	0.71	9.9	<1	5	572	0.24	<0.05	11	0.136	0.36	2.8	54
E387173		129	0.004	0.28	0.85	10.6	<1	7.1	205	0.32	<0.05	10.8	0.137	0.3	7.7	62
E387174		110	0.007	0.03	0.5	8.7	<1	6.8	32.5	0.18	<0.05	10.5	0.123	0.26	3.4	56
E387175		155.5	0.004	0.02	0.65	11.3	<1	9.3	39.8	0.27	<0.05	15.9	0.146	0.36	3.4	65
E387176		1	<0.002	0.05	0.05	0.6	1	<0.2	266	<0.05	<0.05	0.2	0.006	<0.02	0.6	5
E387177		150	0.005	0.03	0.68	11	<1	9.2	35.4	0.24	<0.05	14.5	0.138	0.35	3.6	66
E387178		52.4	0.008	7.72	1.02	6.2	4	4.3	73	0.11	1.07	6.3	0.051	0.16	13.7	35
E387179		108.5	0.005	1.7	0.89	9.5	1	12.2	48.5	0.13	0.37	11.3	0.101	0.29	5.3	66
E387180		94.3	0.007	1.1	0.95	8.1	<1	10.3	81.8	0.17	0.1	9.9	0.095	0.22	4.6	60

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E387141		0.1	2.5	22	3		<0.001	
E387142		7.5	13.6	5	53.6		0.057	
E387143		4	7.6	23	40.1		<0.001	
E387144		3.8	8.4	14	37.2		<0.001	
E387145		3.7	11.5	8	27.2		0.001	
E387146		3.3	7.5	13	21.9		0.003	
E387147		4.4	6.9	39	7.4		0.007	
E387148		2.7	6.4	13	17.5		0.008	
E387149		4.6	10.6	7	34.3		0.003	
E387150		10.5	10.5	9	60.8		<0.001	4.42
E387151		13.2	10.6	20	76.7		0.002	0.65
E387152		18.1	10.6	12	79.9		<0.001	0.89
E387153		0.1	2.6	21	3.3		<0.001	
E387154		9	15.3	12	48.7		0.002	
E387155		12	14.8	7	70.6		0.008	
E387156		9.5	15	6	56.6		<0.001	
E387157		14.9	15.2	6	73		<0.001	
E387158		14.7	17.7	12	89.8		0.002	
E387159		10.1	18.1	16	67.3		0.002	
E387160		13.7	17.9	15	89.8		<0.001	
E387161		11.7	19	18	79.1		<0.001	
E387162		9.2	17.2	16	70.2		0.002	
E387163		12.4	16.2	29	72.1		0.003	
E387164		0.1	2.4	21	3		<0.001	
E387165		7.1	13.2	9	23.1		0.116	
E387166		7.7	11.7	14	27.7		0.005	
E387167		9.2	13	20	46.8		0.001	
E387168		10.3	18	21	71.2		0.001	
E387169		18.8	18	28	84.7		0.002	
E387170		16.1	13.6	10	63.1		<0.001	
E387171		11.7	13	4	59.2		<0.001	
E387172		10.4	12.9	5	57.5		<0.001	3.06
E387173		11.6	13.2	5	66.5		<0.001	0.97
E387174		10.3	8.6	3	45.7		<0.001	
E387175		14.2	11.5	2	60.5		<0.001	
E387176		0.1	2.5	22	3.6		<0.001	
E387177		13.5	11.7	3	61.1		0.001	
E387178		5.8	11.7	<2	29		0.094	
E387179		12.4	11.9	4	46.7		0.014	
E387180		11.3	10.9	7	44.6		0.007	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E387181		1.16	0.06	6.04	11.4	930	2.87	0.32	3.6	<0.02	55.5	49.1	34	3.98	94.7	9.11
E387182		1.16	0.1	4.8	21.7	370	1.84	0.83	5.81	<0.02	60.6	69.2	24	3.26	34.9	10.6
E387183		1.14	0.13	5.48	22	740	2.19	1.09	5.84	<0.02	48.6	67.7	31	3.81	129	10.1
E387184		1.36	0.06	4.87	17.6	1230	2.01	0.42	7.53	<0.02	52.6	52.2	25	3.08	167	8.79
E387185		0.84	0.25	5.39	51.6	260	2.5	2.87	5.31	<0.02	131	111	31	3.88	1940	9.17
E387186		2.08	0.94	4.14	143.5	80	1.37	10.2	7.07	<0.02	130.5	256	19	3.48	1340	16.1
E387187		0.12	0.01	0.12	<5	30	0.07	0.04	43.8	0.38	2.3	1.4	5	<0.05	5.5	0.06
E387188		0.20	0.27	6.3	52.6	230	2.49	1.5	1.8	<0.02	87.7	100.5	38	5.7	1500	6.4
E387189		1.90	1.44	2.46	231	120	0.48	14.3	7.35	0.02	171.5	357	9	1.4	2610	21.2
E387190		1.72	1.51	2.19	264	100	0.46	13.1	6.36	0.02	218	332	7	1.22	2990	23.5
E387191		1.86	1.04	2.26	128.5	170	0.52	5.77	6.21	0.02	83.4	173.5	9	2.1	4150	23.3
E387192		1.54	1.07	4.02	152.5	200	1.85	7.6	7.81	<0.02	100.5	201	15	9.72	873	17.15
E387193		1.64	0.88	4.03	197.5	220	1.73	8.4	8.81	0.03	135	213	19	7.54	582	15.85
E387194		1.86	0.73	4.84	216	90	1.97	7.37	4.03	<0.02	26.7	182	24	3.4	157	10.7
E387195		1.16	0.89	3.41	303	50	1.37	10.1	6.24	<0.02	96.7	254	18	2.54	166	14.1
E387196		1.14	0.33	8.49	28.6	2290	3.54	1.14	4.89	<0.02	74.6	53.9	46	8.06	488	8.97
E387197		0.98	0.42	8.12	123	1300	3.71	3.19	2.43	<0.02	88.1	92.5	41	8.17	35.3	7.72
E387198		0.72	0.1	6.1	30.3	2060	3.04	0.53	6.18	<0.02	48.9	39.6	28	4.98	58.7	7.18
E387199		0.12	0.02	0.14	11	40	0.15	<0.01	46.5	0.37	2.27	1.6	6	<0.05	3.5	0.06
E387200		1.42	0.76	2.87	126.5	210	1.11	6.08	7.76	<0.02	117	178.5	14	1.93	1190	15.3
E387201		1.46	1.05	1.79	315	70	0.42	8.35	7.96	<0.02	91.5	211	7	1.05	2120	19
E387202		1.10	1.22	2.01	414	110	0.47	10.7	7.39	<0.02	131	186.5	8	1.65	909	19.2
E387203		1.26	1.11	4.37	280	200	1.58	9.54	5.19	<0.02	55.3	210	20	3.85	1810	18
E387204		0.98	0.11	3.59	35.3	400	1.38	0.4	6.48	<0.02	167.5	72.9	16	2.52	800	11.95
E387205		1.38	0.27	2.98	57.7	150	1.09	2.17	7.96	<0.02	155.5	181.5	14	1.88	966	16.3
E387206		1.48	0.57	3.81	149	180	1.57	7.81	6.41	<0.02	175.5	265	18	2.7	120	17.6
E387207		1.10	0.17	4.39	20	1870	1.95	0.94	8.99	<0.02	55.4	34.4	22	3.75	437	8.41
E387208		1.02	0.03	5.36	9.3	3850	2.47	0.12	6	<0.02	89.9	22.2	27	5.42	28.4	9.65
E387209		1.24	0.02	4.9	9.5	2970	2.07	0.06	6.94	<0.02	93.1	26.6	24	4.44	379	8.37
E387210		0.14	0.01	0.12	6	50	0.12	<0.01	43.8	0.37	2.21	1.6	5	<0.05	4.2	0.06
E387211		0.22	1.06	5.29	72.8	120	2	2.83	1.81	<0.02	60.5	154.5	30	3.46	7270	9.56
E387212		1.16	0.15	4.04	25.3	190	1.5	0.73	6.06	<0.02	131	102.5	20	3.37	1130	13.2
E387213		1.26	0.19	4.43	48.7	330	1.76	1.95	6.3	<0.02	52.1	114.5	22	3.54	205	10.85
E387214		1.12	0.09	4.01	13.8	340	1.49	0.19	4.82	<0.02	126.5	60	21	2.96	687	11.45
E387215		1.22	0.62	7.1	50.2	410	3.11	3.13	2.86	<0.02	7.31	74.3	41	7	48.1	7.11
E387216		1.22	0.51	7.85	120	270	4.09	7.12	2.71	<0.02	6.24	179.5	40	9.18	44.8	9.08
E387217		1.24	0.08	6.25	22.2	1210	2.49	0.56	5.15	<0.02	51.5	45.4	35	6.14	428	11
E387218		1.26	0.05	7.3	11.8	6490	3.23	0.09	4.24	<0.02	12.5	27	40	7.39	94.1	9.95
E387219		1.40	0.06	5.59	12.6	2200	2.11	0.33	6.43	<0.02	24.8	44.3	26	5.68	950	13.9
E387220		1.18	0.66	4.34	201	190	1.67	9.89	6.63	<0.02	16.25	196	17	4.72	900	13.95

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E387181		18.05	0.14	1.5	0.081	2.99	35.8	25.7	1.84	4540	17.25	0.05	4.7	19	1080	1.4
E387182		12.5	0.15	1.3	0.062	2.09	39.1	23.1	2.81	6440	25.2	0.3	4.3	21.7	1320	1.3
E387183		14.4	0.15	1.6	0.074	2.56	30.6	23.5	2.93	5900	17.05	0.03	3.8	23.6	1100	1.6
E387184		12.55	0.14	1.4	0.12	2.45	30.9	19.5	3.21	8490	16.7	0.03	3.7	14.7	1000	1.5
E387185		15.45	0.19	1.5	0.088	2.55	84.5	25.2	2.63	5530	30.8	0.03	4.3	28.1	1320	2.4
E387186		9.95	0.21	1.3	0.057	1.05	90.5	26.8	3.76	6380	66.2	0.02	5.1	52.8	1630	5.1
E387187		0.44	<0.05	0.1	<0.005	0.03	1.7	1.3	0.48	42	0.45	0.01	0.3	3.8	110	0.6
E387188		16.85	0.15	1.7	0.113	2.8	46.7	21.5	1.23	2960	17.1	0.51	3.2	24.2	800	2.7
E387189		6.76	0.3	1	0.058	0.17	121	19.1	4.23	7340	70.4	0.01	4.5	60	1490	8
E387190		7.1	0.3	0.7	0.059	0.12	160.5	18.9	3.6	7300	67.3	0.01	4.1	57.5	1490	7.3
E387191		7.58	0.25	0.5	0.071	0.23	56.4	19	3.44	8200	52.3	0.04	2.3	44.6	1630	4.5
E387192		8.41	0.25	1.1	0.058	0.97	65.4	30.2	3.9	5970	47.1	0.03	4.1	46.6	2330	5.8
E387193		7.98	0.23	1.2	0.063	0.95	90.3	29	4.33	7110	61.1	0.03	3.8	46.1	2190	5.7
E387194		12.65	0.14	1.4	0.059	1.97	15.6	20.7	2.14	3870	85.3	0.05	3.2	34.3	920	4.2
E387195		9.34	0.19	1	0.084	1.44	56.3	16.5	3.28	7260	58.6	0.03	4.1	41.9	1410	6.8
E387196		21.6	0.15	2.3	0.094	3.66	45.2	34.4	2.96	4400	13.75	0.04	3.3	35.6	870	2.3
E387197		25.7	0.26	2.2	0.091	3.79	55.6	29.1	1.49	2150	40.8	0.07	4.1	31.6	800	4.8
E387198		19.6	0.23	1.7	0.098	3.07	35.6	18.6	2.79	6560	8.05	0.04	5.2	17.3	760	2.4
E387199		0.7	0.1	0.1	<0.005	0.05	1.8	1.5	0.49	46	0.25	0.03	0.3	<0.2	110	1.2
E387200		9.67	0.32	0.8	0.098	1.17	82	14.6	2.99	8160	35.3	0.06	4.3	28.9	1370	5.8
E387201		5.48	0.32	0.6	0.097	0.21	62.6	18.7	3.56	8000	35.9	0.03	5.4	34.2	1410	8.1
E387202		5.34	0.37	0.7	0.07	0.28	89.4	20.7	3.2	6730	41.9	0.02	6.9	38.1	1570	9.2
E387203		12.05	0.32	1.3	0.073	1.52	39.5	25.9	2.54	4960	29.9	0.03	6.4	42.5	1030	8.9
E387204		12.7	0.28	0.9	0.077	1.63	119	15.7	2.22	7830	23.2	0.03	5.4	18.5	1730	2.1
E387205		10.75	0.31	0.8	0.08	1.15	116	18.1	3.16	9820	63.6	0.06	3.7	27	1220	3.9
E387206		12.5	0.36	1	0.067	1.66	130.5	19.6	2.7	7610	53.9	0.04	4.4	37.1	1430	4.8
E387207		12.75	0.17	1.4	0.118	2.04	42.5	18	3.54	7870	18	0.04	3.3	14.7	730	2.8
E387208		16.2	0.24	1.6	0.088	2.51	64.1	21.9	2.56	6400	7.48	0.03	3.8	19.8	1280	1.4
E387209		13.5	0.2	1.4	0.08	2.32	69.6	23.3	2.82	5850	13	0.07	4.5	15.1	1150	1.4
E387210		0.55	0.08	0.1	<0.005	0.04	1.7	1.5	0.46	44	0.29	0.03	0.3	<0.2	110	0.8
E387211		15.2	0.23	1.6	0.136	1.96	28.9	22.6	1.06	3190	64	0.87	3.5	36.1	790	26.6
E387212		11.55	0.29	1.1	0.059	1.65	96.5	23.9	2.06	6840	63.3	0.35	3.6	21.7	1320	1.5
E387213		10.9	0.21	1.2	0.057	1.83	37.2	26.4	1.82	7240	18.95	0.44	3.3	19.6	950	1.6
E387214		10.1	0.26	1	0.048	1.43	93.3	50.3	1.6	5790	8.3	0.1	2.5	15.5	1510	1.2
E387215		15.5	0.16	1.8	0.055	2.92	4.2	32.5	1.57	2470	11.8	0.31	4	23.3	670	3.1
E387216		18	0.19	2	0.077	4.04	3	32.3	1.21	2460	90	0.15	3.3	33.4	890	3.2
E387217		11.1	0.23	1.4	0.058	2.69	38.3	26	1.99	4710	37.4	0.39	2.5	17.5	860	1.8
E387218		13.9	0.21	1.6	0.068	3.51	7.6	31.3	1.62	3940	19.7	0.07	2.8	16.7	890	1.3
E387219		10.4	0.22	1.2	0.055	2.2	17	22.4	2.08	6130	2.89	0.49	2.2	20	220	1.5
E387220		9.06	0.24	1	0.064	1.85	6.9	22.5	2.42	5650	23.4	0.07	2.4	29	330	7.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E387181		127	0.005	0.58	0.96	11.2	1	15.2	300	0.2	0.1	14	0.117	0.28	4.2	71
E387182		84.3	0.008	1.01	0.86	8.4	1	9.3	275	0.15	0.19	8.8	0.077	0.21	5	55
E387183		100	0.006	0.97	0.89	9.3	1	12.1	99.1	0.14	0.18	10.8	0.092	0.25	3.7	63
E387184		96.7	0.005	0.51	0.68	8.7	<1	12.1	402	0.14	0.05	8.8	0.091	0.25	3.1	58
E387185		109.5	0.011	2.07	1.02	10.3	2	15.9	35.7	0.13	0.28	12.3	0.092	0.3	7.5	57
E387186		43	0.013	6.93	1.66	6.6	2	6.2	59.4	0.16	1.01	8.8	0.053	0.18	7.7	49
E387187		0.7	<0.002	0.06	0.05	0.5	1	<0.2	263	<0.05	<0.05	0.2	0.005	<0.02	0.6	5
E387188		124.5	0.006	1.21	1.03	10.4	1	7.2	439	0.2	0.17	11.5	0.103	0.34	16.4	59
E387189		6.9	0.013	>10.0	2	3.9	3	2	51.6	0.12	1.46	7	0.029	0.11	14.8	41
E387190		5.1	0.011	>10.0	1.83	3.1	3	1.6	49.5	0.11	1.77	6.2	0.025	0.13	9.1	62
E387191		8.4	0.009	6.65	1.31	3.9	2	1.2	48.4	0.07	0.48	4.6	0.017	0.07	4	61
E387192		37.9	0.009	7.76	1.89	6.3	1	2.2	75	0.15	0.62	6.4	0.033	0.16	10.5	43
E387193		35.2	0.012	6.76	1.53	7.8	2	2.5	70.6	0.14	0.77	9.6	0.035	0.22	7.2	39
E387194		79.8	0.008	6.09	1.16	10.3	1	9.4	52.3	0.12	0.59	8.7	0.079	0.24	28.4	53
E387195		59.9	0.008	8.5	1.54	7.7	2	7.4	41.1	0.16	0.67	9	0.068	0.24	13.2	56
E387196		143	<0.002	0.78	0.9	12.9	<1	15.8	37	0.18	0.08	20.2	0.143	0.35	9.8	70
E387197		156	0.006	2.82	1.26	12.7	1	17.1	25.7	0.25	0.16	15.8	0.165	0.45	41.3	65
E387198		124	0.003	0.58	0.64	12.4	<1	14.2	40.8	0.26	0.05	10.7	0.128	0.32	4.8	77
E387199		0.9	<0.002	0.07	0.08	1	1	<0.2	271	<0.05	<0.05	0.3	0.007	<0.02	0.8	7
E387200		50.6	0.01	6.5	1.34	7.2	1	5.7	63.4	0.16	0.29	8.7	0.05	0.18	4.5	60
E387201		8.7	0.008	>10.0	1.54	4.1	1	1.7	51.5	0.12	0.5	6.1	0.031	0.07	4.4	41
E387202		11.8	0.011	>10.0	2.05	4.7	1	1.7	51.6	0.14	0.61	7.5	0.029	0.08	3.7	38
E387203		66.5	0.005	>10.0	1.72	7.3	1	8.2	39.8	0.21	0.43	8.8	0.083	0.2	9.9	53
E387204		72.6	0.008	0.74	0.52	7.1	1	9.1	129.5	0.21	0.06	8.8	0.067	0.16	3.1	69
E387205		46.5	0.01	2.78	0.66	5.8	1	6.4	72.6	0.11	0.22	8.3	0.049	0.14	11.3	60
E387206		70.7	0.122	6.58	1.14	7	2	10.2	80.9	0.26	0.87	9.8	0.068	0.22	7.9	63
E387207		91.1	0.007	0.72	0.64	8.1	<1	10.7	59.2	0.15	0.1	10.5	0.084	0.23	4.6	48
E387208		108	0.002	0.21	0.78	9.6	<1	13.5	75.3	0.17	<0.05	13.6	0.102	0.27	4.1	68
E387209		95	0.006	0.26	0.71	8.2	<1	12.2	293	0.18	0.06	11.3	0.087	0.25	3.1	58
E387210		0.8	<0.002	0.06	0.06	0.8	1	<0.2	249	<0.05	<0.05	0.2	0.006	<0.02	0.7	6
E387211		86.7	0.024	2.16	1.53	9.9	2	6.9	581	0.2	0.23	9.5	0.08	0.48	299	51
E387212		73.2	0.026	0.99	0.78	7	1	8.8	236	0.14	0.14	10.7	0.062	0.19	4.8	61
E387213		79.6	0.006	1.4	0.81	7.5	<1	9.9	143	0.14	0.27	6.4	0.072	0.21	5.6	49
E387214		64.8	0.003	0.51	0.92	6.2	<1	8.2	326	0.11	<0.05	10.4	0.059	0.18	2.2	48
E387215		125.5	0.003	1.24	1.83	12.8	<1	14.9	345	0.26	0.25	14.2	0.142	0.35	3.3	54
E387216		176	0.005	4.1	1.53	14.8	1	19.3	66	0.22	0.61	16.5	0.157	0.55	6.4	60
E387217		112	<0.002	0.51	1.17	8.9	<1	10.3	231	0.2	0.06	13.4	0.103	0.31	2.4	48
E387218		152	<0.002	0.3	0.98	10.3	<1	14.8	310	0.21	<0.05	11.6	0.13	0.43	2.7	54
E387219		97.1	<0.002	0.5	1.09	9.2	<1	8.8	158.5	0.19	<0.05	13.2	0.09	0.25	2.2	44
E387220		78.7	0.003	7.8	2.14	8.8	1	7.6	134	0.16	0.37	7.3	0.082	0.24	10.9	36

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E387181		15.2	11.3	6	48.9		0.003	
E387182		10	12.4	7	43.8		0.006	
E387183		11.5	12.4	8	56		0.006	
E387184		11.7	13.3	5	45.7		0.003	
E387185		14.5	13.4	6	53		0.013	
E387186		7.5	14.4	15	41.8		0.047	
E387187		0.1	2.4	21	3.1		<0.001	
E387188		8.1	10.7	5	58.3		0.015	
E387189		4.2	13.3	14	32.2		0.096	
E387190		4.2	12.8	12	23.7		0.086	
E387191		3.3	12.6	13	17		0.027	
E387192		4.6	17.4	16	37		0.044	
E387193		5.1	18.9	17	40.5		0.054	
E387194		9.2	11.2	8	45.7		0.051	
E387195		9.2	13.9	8	33.8		0.056	
E387196		17.5	13.7	14	76.4		0.004	
E387197		16.5	13.7	10	88.1		0.012	
E387198		15	15.4	6	68.6		0.001	
E387199		0.1	3	23	4.6		<0.001	
E387200		8	15.3	9	29.6		0.028	
E387201		4.1	12.9	16	26.7		0.036	
E387202		4.6	11.6	14	27		0.046	
E387203		9.8	11.8	16	46.8		0.031	
E387204		11.1	17.1	7	36		0.002	
E387205		7.3	14.3	13	32		0.013	
E387206		9.5	13.5	9	38.8		0.034	
E387207		10.4	14.8	9	48.8		0.003	
E387208		13	15.2	8	60.6		<0.001	
E387209		10.2	13.4	7	48.1		0.004	
E387210		0.1	2.7	21	3.8		0.002	
E387211		8	15.1	5	54.9		0.053	
E387212		8.9	15.4	7	41		0.008	
E387213		9.9	12.7	7	44.6		0.011	
E387214		9.9	13.5	8	38.7		0.003	
E387215		18.6	10.8	12	60.1		0.010	
E387216		22.4	13.8	6	65.8		0.024	
E387217		18.1	14.3	10	45.4		0.004	
E387218		18.1	14.1	7	54.6		<0.001	2.05
E387219		12.4	20.1	9	44.7		0.003	
E387220		9.7	10.7	11	37.4		0.049	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E387221		1.62	1.13	3.21	337	150	1.38	13.1	5.06	<0.02	59.4	325	14	3.18	194.5	16.65
E387222		0.12	0.01	0.12	<5	60	0.09	0.04	42.7	0.35	2.13	2	5	<0.05	3.5	0.06
E387223		1.12	0.01	7.09	5.8	9470	2.9	0.04	5.28	<0.02	51.6	11.2	36	6.9	124	6.39
E387224		0.92	0.03	5.16	4.9	2670	1.18	0.04	4.94	<0.02	60.6	20.2	23	3.18	339	6.84
E387225		1.40	0.09	3.85	28.4	2100	1.02	0.81	5.81	<0.02	55	58.3	22	2.58	244	7.47
E387226		1.36	0.17	4.43	85.3	460	1.56	2.07	5.21	<0.02	96.1	117.5	26	4.05	42.2	9.16
E387227		1.38	0.23	4.57	105.5	210	1.23	2.48	4.61	<0.02	297	120.5	22	3.43	94.2	9.66
E387228		1.38	0.33	5.2	65.7	230	1.74	3	4.13	<0.02	147.5	154	26	4.91	122	10.05
E387229		1.08	0.1	5.21	16.4	270	1.22	0.5	2.36	<0.02	14.95	40.7	24	4.03	1210	7.18
E387230		0.68	0.38	5.12	72.9	100	1.7	3.04	2.32	<0.02	40.4	117	25	6.55	884	8.36
E387231		1.32	0.21	4.92	110	100	1.63	2.64	3.38	<0.02	29.6	109	24	5.77	245	8.56
E387232		1.10	0.47	5.2	109	170	1.46	3.2	3.52	<0.02	135	136	23	4.87	872	9.11
E387233		0.14	0.02	0.27	<5	30	0.09	<0.01	44.9	0.43	2.36	0.9	6	0.15	2.6	0.08
E387234		0.24	1.37	2.34	112	70	0.43	10.2	2.21	0.03	168.5	324	11	2.78	8850	28.3
E387235		1.76	0.33	5.27	53.1	180	1.25	2.11	3.88	0.02	141.5	102.5	28	5.59	1340	11.5
E387236		1.16	0.42	4.62	55.8	210	1.27	2.19	2.92	0.07	79.4	120.5	22	4.99	1780	7.69
E387237		1.22	0.31	6.9	53	500	1.6	2.11	1.53	<0.02	46.4	129.5	33	6.24	2160	7.09
E387238		1.60	0.38	7.96	52.9	980	2.31	2.35	2.45	<0.02	138.5	153.5	43	9.6	1680	8.6
E387239		1.14	0.36	6.48	61.8	290	1.39	2.04	4.08	<0.02	163.5	186.5	29	6.68	4530	13.8
E387240		1.48	0.48	5.54	98.5	120	1.3	3.45	5.2	<0.02	157.5	242	26	6.03	1170	17.05
E387241		1.04	0.21	5.63	46.1	230	1.62	1.45	1.18	<0.02	183.5	76.1	34	7.09	160.5	4.67
E387242		0.70	0.47	8.91	79.5	460	2.53	2.85	1.9	<0.02	137	169	50	10.75	3940	9.87
E387243		1.54	0.34	7.14	47.1	280	2.03	1.7	1.21	<0.02	77.1	129	40	8.38	606	8.25
E387244		1.40	0.28	6.9	53.6	230	1.84	1.66	2.75	<0.02	155	138	39	8.94	695	11.9
E387245		0.16	0.01	0.14	16	50	0.1	<0.01	45.2	0.43	2.51	1	5	<0.05	4.2	0.06
E387246		1.38	0.23	7.29	42	570	1.93	1.2	2.22	<0.02	45.9	116.5	42	8.39	448	19.25
E387247		1.48	0.34	8.22	61.4	760	2.4	2.27	1.87	<0.02	130.5	158	45	9.8	460	9.74
E387248		0.96	0.41	6.41	85.9	110	1.45	3.47	3.75	<0.02	118	273	31	7.58	3520	14.5
E387249		1.28	0.27	5.74	41.5	190	1.5	1.94	3.6	<0.02	85.5	146	30	7.02	3190	12.7
E387250		1.28	0.33	6.67	109.5	140	1.75	2.85	4.37	<0.02	75.3	282	33	7.29	246	13.25
E387251		1.24	0.21	6.42	74.3	200	1.84	1	4.4	<0.02	81.4	126	32	7.89	600	10.35
E387252		1.34	0.07	6.19	73.8	200	1.67	1.82	3.19	<0.02	50.9	87.8	31	6.07	748	9.8
E387253		1.26	0.21	4.85	49	100	1.06	1.07	5.36	<0.02	32.5	150	23	4.77	1450	14.6
E387254		1.08	0.13	6.73	32.8	250	2.06	0.47	2.51	<0.02	119	96.9	39	8.5	1150	8.62
E387255		1.02	0.06	6.81	17.7	580	2.34	0.27	1.63	<0.02	64.4	50.6	40	9.05	368	5.65
E387256		0.14	0.01	0.14	<5	60	0.08	<0.01	45.6	0.41	2.29	0.8	16	<0.05	5	0.06
E387257		0.20	0.37	7.05	55.8	190	2.34	1.57	2.01	<0.02	80.6	103.5	38	6.63	1560	7.66
E387258		1.04	0.15	8.33	44.7	2340	2.99	1.2	2.2	<0.02	136	122	50	10.5	297	9.04
E387259		1.26	0.24	8.33	59	2480	3.32	2.48	1.65	0.02	140	147	47	11.1	297	8.61
E387260		1.58	0.49	4.45	87.3	90	1.14	3.88	4.09	<0.02	109.5	262	21	5.67	7290	20.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E387221		8.39	0.31	0.9	0.042	1.56	40.2	14.3	1.49	4440	42.6	0.08	2.7	35	810	10.7
E387222		0.53	0.08	0.1	<0.005	0.04	1.7	1.4	0.44	40	0.35	0.02	0.3	<0.2	110	0.9
E387223		19.25	0.17	2.1	0.06	3.46	34.8	28.1	1.66	4560	10.35	0.54	3	6.2	670	1.3
E387224		11.3	0.17	1.4	0.03	1.56	45.7	14.4	1.32	4480	6.77	1.75	1.6	6	550	1.8
E387225		8.95	0.17	1.3	0.031	1.23	38.1	13	1.65	5170	13.1	1.18	2.2	10.6	660	2.2
E387226		12.5	0.21	1.5	0.039	2.01	67.3	18.4	1.55	4850	9.6	0.51	2.2	17	610	4
E387227		12	0.34	1.3	0.039	1.57	198.5	20.1	1.44	4440	22.5	1.16	1.7	20.8	620	6.1
E387228		15.25	0.28	1.4	0.038	2.29	100.5	24.8	1.33	3690	20.7	0.64	2.6	29.5	890	4.4
E387229		10.25	0.12	1	0.026	2.26	7.9	16.2	0.81	2150	8.8	0.65	1.6	7.6	580	1.4
E387230		13.35	0.2	1.5	0.033	2.16	14	23.4	0.89	2170	16.25	0.56	2.2	21.1	650	4.2
E387231		13.5	0.19	1.4	0.038	2.47	13.6	19.4	1.01	2900	7.38	0.15	2.2	14.6	560	3.4
E387232		13.35	0.28	1.4	0.037	2.34	79.2	18.1	1.02	3000	8.28	0.59	2	18.7	540	4.1
E387233		0.87	<0.05	0.1	<0.005	0.19	1.6	1.8	0.47	39	0.25	0.04	0.4	2.8	110	1.1
E387234		10.1	0.47	0.8	0.267	0.66	100.5	14.3	1.48	5950	62.8	0.25	5.8	55.6	2300	6.7
E387235		15.6	0.26	1.6	0.043	2.65	86.7	18.5	1.2	3460	10.95	0.17	2.3	22	720	2.8
E387236		12.9	0.13	1.5	0.036	2.26	45.4	16.9	0.89	2420	90.3	0.1	2.9	17.7	980	3.2
E387237		15.45	0.05	1.7	0.041	3.39	27.3	22	0.77	1320	26.3	0.08	3	18.7	940	2.3
E387238		22.7	0.2	2.6	0.059	3.85	87.8	35.1	1.03	2490	15.85	0.08	4.4	24.6	1150	2.9
E387239		16.7	0.34	1.8	0.061	3.06	106	26.4	1.39	4210	20.6	0.23	4.3	25.3	1430	2.4
E387240		16.4	0.39	1.9	0.093	2.71	103	21.3	1.71	5390	29.4	0.19	4.7	34.6	1570	3.1
E387241		17.8	0.2	2.5	0.053	2.63	108.5	21.8	0.64	1230	4.64	0.09	4.3	19	820	2.8
E387242		27.9	0.22	2.8	0.094	4.73	67.7	31.8	1.15	2750	10.5	0.1	4.3	27.8	1120	3.1
E387243		20.1	0.14	2.2	0.045	3.5	34.3	31.9	0.76	1280	7.89	0.13	4.3	20.9	1050	2.3
E387244		19.85	0.23	2.3	0.061	3.47	94.8	27.2	1.04	2660	10.55	0.14	4.2	22.7	970	2.8
E387245		0.59	<0.05	0.1	<0.005	0.05	1.7	1.2	0.48	38	0.26	0.03	0.4	2.8	110	0.7
E387246		21.6	0.27	2.2	0.067	3.79	28.6	28.5	1.04	2900	5.71	0.06	2.9	32.7	770	2
E387247		23.5	0.19	2.7	0.061	4.29	81.5	30.5	0.83	1830	10.85	0.08	5.4	29	1240	3.2
E387248		19.9	0.26	2	0.088	2.8	71.1	31.2	1.52	4970	23.8	0.06	4.3	39.3	1730	2.6
E387249		15.65	0.21	1.8	0.073	2.52	47.5	27	1.64	4140	12.5	0.06	3.8	23.4	800	2
E387250		18.7	0.24	1.9	0.051	3.38	34.1	26.6	1.46	4090	46.3	0.05	3.5	29.4	610	2.7
E387251		18.15	0.17	1.9	0.064	3.32	43.1	27.4	1.42	4120	45.1	0.14	3.9	19.3	540	2.4
E387252		15.95	0.15	1.6	0.044	3.17	22	28.3	1.08	2920	30.3	0.14	3.3	18.2	590	1.3
E387253		11.7	0.2	1.5	0.056	2.35	12.6	20.8	1.64	5070	21.4	0.31	2.1	29.9	560	1.8
E387254		17.55	0.2	2	0.052	3.47	59.2	26.5	0.91	2220	9.18	0.17	2.7	18.3	880	1.4
E387255		17.5	0.08	1.9	0.056	3.48	33.8	25.2	0.65	1590	3.14	0.06	3	10.8	660	1.2
E387256		0.56	<0.05	0.1	<0.005	0.04	1.6	1.1	0.47	37	0.3	0.03	0.4	2.7	110	0.7
E387257		19.65	0.14	2.1	0.14	3.01	38.3	20.8	1.3	3330	20.7	0.61	3.2	25.7	720	2.9
E387258		25.9	0.22	2.6	0.063	4.38	67.6	36.5	1.02	2170	4.11	0.07	5.6	20.3	720	1.8
E387259		23.1	0.22	2.7	0.065	4.03	73.1	44.6	1.28	1790	4.27	0.07	6.1	18.4	860	2.8
E387260		12.35	0.38	1.3	0.085	1.93	64.4	27.2	1.58	4600	19	0.07	4.5	31.2	1520	3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E387221		68.7	0.014	>10.0	2.18	8.5	1	6.7	73.1	0.16	0.49	8	0.073	0.23	34.6	59
E387222		0.7	<0.002	0.08	0.08	0.7	1	<0.2	242	<0.05	<0.05	0.2	0.006	<0.02	0.7	5
E387223		149	0.003	0.29	0.8	7.8	<1	11	229	0.18	<0.05	14.9	0.12	0.42	3.7	56
E387224		68.7	<0.002	0.23	0.89	7.5	<1	5	195	0.15	<0.05	11.2	0.072	0.19	2.6	47
E387225		53.1	0.003	0.56	0.99	7.1	<1	3.8	113.5	0.15	0.07	10.5	0.063	0.15	3.4	46
E387226		88.6	<0.002	1.84	1.32	9.1	<1	6.4	78.3	0.16	0.16	9.7	0.083	0.25	7.4	57
E387227		71.2	0.008	2.66	1.16	7.2	1	5.6	92.4	0.13	0.19	18.4	0.063	0.2	11.9	50
E387228		96.4	0.005	1.97	1.19	8.7	1	8.9	111.5	0.14	0.23	11.7	0.086	0.31	5.6	67
E387229		81.3	<0.002	0.71	0.84	4.7	<1	6.6	794	0.11	0.05	9	0.088	0.24	3.7	45
E387230		96.1	0.002	2.1	1.47	7.8	<1	8.8	468	0.14	0.17	7.1	0.087	0.37	10.6	52
E387231		103.5	0.002	2.7	1.3	11.1	<1	8.3	275	0.16	0.13	8.4	0.097	0.33	5.5	63
E387232		104.5	0.002	3.19	1.27	13.1	<1	8.2	299	0.15	0.15	10.3	0.088	0.32	4.2	53
E387233		6.9	<0.002	0.07	0.12	0.7	1	<0.2	259	<0.05	<0.05	0.2	0.009	0.02	0.8	9
E387234		38.2	0.016	6.78	2.15	3.5	4	7.4	165.5	0.13	1.29	5.1	0.033	0.48	13.5	60
E387235		117	0.002	1.75	1.32	9.7	1	9.5	247	0.14	0.14	11	0.097	0.29	6.1	69
E387236		104.5	0.004	1.78	1.55	7.4	1	8.9	141	0.16	0.18	9.1	0.095	0.28	26.6	54
E387237		130.5	0.003	2.13	1.2	9.1	1	12.4	76.3	0.14	0.19	11.2	0.128	0.33	11.8	71
E387238		182	0.004	1.81	1.34	14	1	20.8	90.5	0.2	0.2	14.2	0.15	0.47	13.7	97
E387239		141.5	0.006	2.61	1.24	12	2	17	162.5	0.19	0.19	16	0.117	0.36	4.7	84
E387240		125	0.007	3.47	1.17	12	2	14.8	131.5	0.16	0.31	10.4	0.094	0.31	3.9	83
E387241		127	<0.002	1.01	1.76	7.5	1	12.4	375	0.24	0.11	16.2	0.117	0.35	10.7	46
E387242		200	0.002	3.59	1.18	16.3	1	26.4	271	0.17	0.26	14.5	0.172	0.62	21.5	88
E387243		168	0.003	2.02	1.34	11.7	1	19.1	429	0.22	0.18	11.3	0.145	0.45	16.2	66
E387244		166.5	0.002	2.13	1.49	13	1	20.9	99.2	0.21	0.19	14.3	0.142	0.42	22.4	65
E387245		1	<0.002	0.07	0.12	0.6	1	0.2	255	<0.05	<0.05	0.2	0.006	<0.02	0.7	6
E387246		177	0.002	1.57	1.36	14.6	1	20	54.4	0.12	0.1	5.3	0.129	0.51	14.9	80
E387247		192	0.004	2.3	1.49	14.3	1	23.5	49.4	0.25	0.24	14.8	0.171	0.46	54.8	79
E387248		137	0.01	3.04	1.37	13	2	18.9	90.7	0.18	0.25	11.3	0.111	0.35	4.3	82
E387249		117.5	0.004	1.58	1.31	13.2	1	14.9	212	0.17	0.1	11.1	0.107	0.29	16.5	59
E387250		155	0.003	3.31	1.07	16.4	<1	17.2	258	0.19	0.15	7.3	0.116	0.41	10.4	61
E387251		159	<0.002	1.09	1.21	13.4	1	15.1	349	0.23	<0.05	13.5	0.114	0.41	49	57
E387252		130	<0.002	1.06	1.23	11.2	2	12.1	718	0.19	<0.05	7.6	0.108	0.41	16.8	56
E387253		105.5	0.002	1.56	1.09	9.2	1	9.7	387	0.13	0.06	6.3	0.069	0.29	12.8	46
E387254		161	<0.002	0.97	0.91	10.2	1	11.5	509	0.14	<0.05	12.1	0.113	0.41	6.8	64
E387255		166	<0.002	0.58	0.94	9.9	<1	10.5	547	0.17	<0.05	11.7	0.123	0.44	10	61
E387256		0.8	<0.002	0.06	0.22	0.6	1	<0.2	258	<0.05	<0.05	0.2	0.007	<0.02	0.6	6
E387257		138.5	0.007	1.29	1.11	10.6	1	7.8	445	0.19	0.17	12.4	0.113	0.4	18.8	66
E387258		208	<0.002	1.86	0.96	16.5	1	18	309	0.36	0.07	14	0.192	0.62	9	84
E387259		196	0.002	2.69	1.37	13.7	1	22.4	240	0.34	0.07	17.5	0.188	0.59	14.8	65
E387260		95.2	0.007	4.77	1.55	7.1	2	16.2	113	0.17	0.17	8.3	0.08	0.27	6.1	60

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E387221		10.3	12	6	33.8		0.075	
E387222		0.1	2.6	20	3.4		0.002	
E387223		15.2	11.6	4	70.4		<0.001	1.36
E387224		10.7	8.5	4	46.1		0.001	
E387225		7.9	9.6	5	50.2		0.005	
E387226		9	11.3	6	54.8		0.013	
E387227		6.7	15.4	10	49.5		0.019	
E387228		8.5	13.7	9	45.6		0.019	
E387229		6.3	6.4	5	39.8		0.006	
E387230		8.1	10.3	7	51.7		0.021	
E387231		7.9	8.6	5	47.5		0.019	
E387232		7.3	11.8	5	44.4		0.028	
E387233		0.1	3	23	4.3		0.001	
E387234		6.9	15.3	2	24.5		0.118	
E387235		7.9	13.5	6	49.7		0.024	
E387236		7.9	11.5	6	47.2		0.028	
E387237		9.4	8.3	8	52.2		0.030	
E387238		13.5	14.6	9	77.6		0.028	
E387239		9.6	20	8	55.9		0.036	
E387240		9.2	25	11	58.1		0.037	
E387241		10.6	13.1	9	74.2		0.010	
E387242		14.4	16.4	10	86.9		0.052	
E387243		11.2	12.1	10	68.7		0.023	
E387244		11	16.9	8	71.6		0.020	
E387245		0.1	2.8	21	3.6		0.001	
E387246		10.8	15.3	7	69.1		0.011	
E387247		13.3	16.8	4	82.7		0.019	
E387248		10.9	20.5	11	60.4		0.037	
E387249		9.4	15.2	10	55.3		0.023	
E387250		10.9	14.2	6	58.3		0.021	
E387251		10.6	15.9	4	59.5		0.019	
E387252		8.4	12.3	4	54.5		0.043	
E387253		5.4	17.1	6	42.2		0.015	
E387254		9.3	14.5	3	60		0.008	
E387255		9.7	10.9	3	61.7		0.004	
E387256		0.1	2.9	22	3.1		0.001	
E387257		8.3	11.5	7	63.3		0.019	
E387258		12.2	15.7	5	79		0.010	
E387259		16.7	16.7	8	83.3		0.014	
E387260		8	16.7	10	39.7		0.051	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E387261		1.36	0.7	2.92	160	120	0.92	6.46	5.96	<0.02	169	349	13	3.98	7230	20.1
E387262		1.34	0.7	4.19	211	130	1.33	8.65	5.12	<0.02	54.3	403	17	5.57	3640	19.15
E387263		1.16	0.69	5.06	132.5	90	1.83	6.67	5.24	0.03	133	300	24	7.95	668	17.9
E387264		1.34	0.7	5.29	147	70	1.7	6.45	4.88	<0.02	150.5	315	23	7.61	3170	18.3
E387265		1.38	0.43	4.29	61.5	370	1.37	2.9	5.86	<0.02	51.9	155.5	19	5.64	2970	18.05
E387266		1.74	0.61	3.06	61.6	350	0.68	3.04	6.75	0.02	56.7	183.5	13	3.04	7350	23.1
E387267		1.46	0.77	4.18	102	60	1.4	8.16	4.08	<0.02	105.5	244	20	5.34	6500	19.75
E387268		0.14	0.05	0.14	7	20	0.08	<0.01	46.5	0.33	1.78	0.7	7	<0.05	2.8	0.05
E387269		1.18	1.4	2.98	290	180	1.23	29.9	4.33	<0.02	379	673	14	3.62	2750	22.6
E387270		1.58	1	3.39	219	90	1.11	19.25	5.05	<0.02	59.5	512	14	3.77	6730	18.3
E387271		1.44	1.75	3.39	284	150	1.45	32.3	5.43	<0.02	204	700	13	4.68	3050	17.55
E387272		1.48	1.18	2.87	164.5	80	1.1	20.2	2.16	<0.02	66.5	457	13	3.36	5730	21.1
E387273		1.54	0.88	1.83	71.2	230	0.43	5.9	1.42	0.02	60.1	216	5	1.3	>10000	29.3
E387274		1.68	1.11	1.73	85.4	240	0.45	9.14	5.27	<0.02	99.7	254	5	1.14	>10000	29
E387275		1.76	1.23	1.12	99.4	130	0.35	8.69	6.35	<0.02	158	291	3	0.68	>10000	27.7
E387276		1.76	0.91	2.28	124	50	0.39	10.4	4.13	<0.02	470	234	5	0.76	>10000	24.2
E387277		1.44	1.09	2.95	179.5	110	0.72	18.25	6.02	<0.02	356	376	13	2.07	>10000	20.8
E387278		1.10	0.62	4.6	393	140	1.82	22.3	2.95	<0.02	172.5	308	24	10.2	2170	13.5
E387279		0.12	0.02	0.13	<5	50	0.1	0.08	45	0.33	2.86	1.6	7	<0.05	20.9	0.08
E387280		0.22	0.98	5.4	70.6	100	1.63	2.86	1.94	<0.02	55	152.5	30	3.58	7120	9.17
E387281		1.48	0.12	7.58	44.3	1170	2.91	2.59	2.15	<0.02	114	61.1	48	13	174	3.92
E387282		0.52	0.06	7.68	20.4	3620	2.73	0.6	3.03	<0.02	89.9	29.8	45	12.8	53.5	3.85
E387283		1.28	0.02	6.54	0.8	3050	2.35	0.04	5.68	<0.02	78.2	6.4	36	10.7	49.2	5.01
E387284		1.30	0.02	6.98	0.3	3060	2.41	0.01	5.22	<0.02	84.8	6.7	38	11.3	13.4	4.43
E387285		1.16	0.03	6.46	2.1	2660	1.82	0.09	5.29	<0.02	64.1	8.5	35	9.29	29	4.52
E387286		1.32	0.05	6.64	10.1	2780	2.13	0.65	4.43	<0.02	91.6	23.5	37	10.55	37.4	3.7
E387287		1.30	0.1	6.77	43.9	710	2.28	2.62	4	<0.02	91.1	64.3	37	10.95	42.7	4.94
E387288		0.86	0.04	5.87	3.8	7450	2.56	0.15	5.07	<0.02	104.5	18.3	31	9.51	9.5	5
E387289		1.04	0.04	5.41	3.2	4930	2.37	0.11	5.26	<0.02	58.3	28.8	30	8.3	10.9	6.04
E387290		1.20	0.04	7.13	3.9	1310	2.44	0.23	1.48	<0.02	77	40.2	43	10.3	14.1	6.56
E387291		0.12	0.01	0.15	<5	40	0.06	0.01	>50	0.37	2.56	1.1	6	<0.05	1.7	0.06
E387292		0.98	0.05	7.28	7.4	1030	2.85	0.33	2.14	<0.02	82.2	71.3	43	11.05	43.4	8.1
E387293		1.10	0.03	8.1	3.2	6260	3.28	0.02	1.84	<0.02	106	12.3	51	12.45	40.5	4.81
E387294		1.14	0.08	7.77	33.8	790	2.61	1.23	1.35	<0.02	70	163	47	11.25	148	7.33
E387295		1.16	0.11	7.14	29.1	1340	2.19	2.3	3.29	<0.02	80.2	71.1	41	10.65	170.5	6.01
E387296		2.60	0.15	6.47	42.8	880	1.62	2.48	6.86	<0.02	51.7	58.7	33	8.41	121.5	5.62

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E387261		10	0.42	1	0.073	1.38	120	18.4	1.6	6160	35.9	0.11	4	35.2	2200	3.7
E387262		12.85	0.3	1.2	0.076	1.99	31.9	23.8	1.62	5500	37.6	0.11	3.8	42.9	1190	4
E387263		14.4	0.31	1.6	0.075	2.13	89.5	34.2	2	5220	56.5	0.21	3.9	36.8	1130	6.7
E387264		14.6	0.36	1.6	0.078	2.14	110	37.6	2.26	4720	45.5	0.1	3.9	35.5	1050	5.5
E387265		12.6	0.23	1.5	0.081	1.78	33.2	31.9	2.24	6060	55	0.26	3.5	28.4	1020	2.8
E387266		9.63	0.29	1	0.104	1.01	35.2	19.9	2.99	7210	52.9	0.42	2.8	31.7	970	3.6
E387267		12.7	0.32	1.3	0.101	1.85	69.5	29.9	2.37	5680	33.3	0.14	3.4	29.1	1130	3.6
E387268		0.42	<0.05	0.1	<0.005	0.04	1.4	1	0.48	36	0.19	0.03	0.2	2.3	120	1
E387269		9.24	0.42	0.9	0.056	1.15	284	30	1.43	4610	41.3	0.37	3.5	50.1	1090	12.6
E387270		8.02	0.16	0.9	0.088	1.39	44.9	26.1	1.77	5740	39.1	0.34	2.6	41.5	800	6.7
E387271		9.66	0.27	1	0.072	1.4	159	31.1	2.01	5230	41.6	0.43	3.2	57.4	910	9.3
E387272		8.25	0.22	0.9	0.145	0.88	47.7	28.4	3.06	10600	40.5	0.53	3.2	46.7	730	6.7
E387273		7.01	0.31	0.4	0.212	0.18	44	19.1	3.63	13850	54.7	0.48	2	37.3	780	5.5
E387274		7.12	0.32	0.4	0.167	0.17	73.8	24.1	2.97	9620	46.8	0.13	2.5	46	1000	5.3
E387275		6.67	0.36	0.3	0.164	0.05	122	13.8	2.38	9610	41.8	0.08	2.4	38.75	1020	4.7
E387276		8.92	0.56	0.4	0.103	0.03	369	22.5	1.89	6780	49.5	0.79	1.3	43.8	1200	5
E387277		8.44	0.39	0.8	0.113	0.36	273	30.4	2.28	7490	31.9	0.66	2	45.4	1040	4.9
E387278		14.55	0.24	1.3	0.145	1.91	116.5	27.4	1.57	5070	43.8	0.06	9	74.7	1800	5.3
E387279		0.51	<0.05	0.1	<0.005	0.03	2.2	1.5	0.47	51	0.6	0.02	0.3	<0.2	110	1.6
E387280		14.6	0.14	1.5	0.14	2.04	22.6	25.9	1.17	3470	59.4	0.83	3	33.4	880	19.3
E387281		23.5	0.13	2.1	0.111	3.63	70.8	40.9	1.12	1770	12.25	0.08	8.3	24	790	1.9
E387282		23.1	0.12	2.1	0.094	3.68	56.3	45	1.23	2970	9.25	0.08	8.5	17.4	770	1.6
E387283		18.45	0.1	1.6	0.123	3.22	49.1	36.4	2.31	6110	3.56	0.07	5.1	10.5	580	1.5
E387284		19.2	0.11	1.6	0.11	3.37	54.1	35.6	1.84	5260	0.93	0.08	5.1	10.9	590	1.3
E387285		15.9	0.09	1.4	0.113	3	40.5	30.2	2	5610	3.49	0.07	4.5	11.9	590	1.3
E387286		18.9	0.12	1.6	0.105	3.2	59	34.7	1.76	4660	8.4	0.08	5.5	14	650	1.6
E387287		19.4	0.14	1.5	0.096	3.29	57.6	37.2	1.57	4330	8.95	0.08	6	20.9	670	1.8
E387288		16.5	0.15	1.6	0.094	2.63	56.8	30.9	1.65	6590	1.55	0.06	3.3	17.2	650	1.5
E387289		15.3	0.09	1.4	0.118	2.46	34.1	30.6	1.97	6700	4.06	0.05	2.8	19.3	590	1.3
E387290		18.55	0.14	1.6	0.094	3.33	42.2	37.9	0.88	2390	6.19	0.07	2.4	20.8	700	1.2
E387291		0.62	0.08	0.1	0.006	0.04	1.9	1.8	0.52	43	0.24	0.02	0.4	<0.2	130	0.8
E387292		20.6	0.15	1.8	0.109	3.25	44	42.7	1.04	3500	2.71	0.07	3.6	26.5	690	1.6
E387293		25.5	0.16	2.2	0.109	4.04	58.1	44.4	0.87	2320	4.04	0.08	4.8	17.4	780	1.5
E387294		22.6	0.15	1.9	0.136	3.45	38.2	35.8	1.13	4260	3.74	0.07	4.5	24.7	690	1.8
E387295		20.5	0.14	1.8	0.135	3.16	48.2	43.4	1.76	4400	8.95	0.07	4.6	25.2	670	2.2
E387296		15.6	0.08	1.4	0.139	2.93	32.3	24.6	2.99	5900	7.15	0.08	6.7	20.4	660	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E387261		66.8	0.015	7.21	1.65	6.4	2	14.1	76	0.12	0.39	7	0.053	0.18	3.6	59
E387262		96.7	0.015	7.94	1.4	7.4	1	19.6	80.6	0.13	0.54	5.9	0.071	0.3	6.8	61
E387263		104	0.018	4.42	1.58	9.3	1	21.1	56	0.16	0.32	11.8	0.082	0.48	61.6	70
E387264		101	0.01	4.64	1.43	9.5	1	21.2	40	0.16	0.31	10.2	0.08	0.4	16.3	67
E387265		90.1	0.006	2.17	1.23	8.3	1	16.8	54.2	0.14	0.17	4.7	0.068	0.3	17.8	58
E387266		47.6	0.004	3.06	1.37	5.7	1	10.9	47.3	0.1	0.18	6	0.046	0.19	25.4	59
E387267		90.5	0.009	5.35	1.21	7.6	1	19.7	28.4	0.12	0.49	6.4	0.069	0.34	9	70
E387268		0.7	<0.002	0.06	0.14	0.4	1	<0.2	264	<0.05	<0.05	0.2	0.006	<0.02	0.5	6
E387269		55.8	0.013	>10.0	2.25	6.3	2	14.1	47.3	0.17	1.7	14.1	0.052	0.4	18.2	51
E387270		59.8	0.01	9.39	1.42	6.2	1	13.1	44.2	0.13	0.63	4.1	0.061	0.24	12	38
E387271		69.3	0.013	>10.0	1.95	8.8	1	15.3	47.9	0.13	0.78	8.6	0.055	0.28	12.9	41
E387272		46.6	0.011	7.61	1.49	6	1	10.1	25.1	0.13	0.47	4.3	0.041	0.24	8.6	36
E387273		9.8	0.012	3.94	1.13	3.8	2	4	19.2	0.07	0.26	3.3	0.016	0.08	20.9	36
E387274		8.6	0.013	5.22	1.6	3.8	2	4.7	40.4	0.1	0.28	3.5	0.02	0.1	20.4	50
E387275		2.6	0.011	5.27	1.91	3.3	2	3.1	67.1	0.08	0.33	3.8	0.015	0.13	27.9	43
E387276		1.5	0.014	5.08	2.18	2.5	2	1.3	54.1	0.05	0.29	11.1	0.011	0.11	33.1	45
E387277		19.4	0.011	7.36	2.25	4.8	2	3.5	62.4	0.07	0.77	8.1	0.025	0.27	20.5	42
E387278		104.5	0.018	8.58	1.68	8.5	3	10.6	30.4	0.31	0.51	7.8	0.08	0.33	8.3	74
E387279		0.9	0.002	0.08	0.08	0.4	1	<0.2	263	<0.05	<0.05	0.2	0.006	<0.02	0.6	5
E387280		84.5	0.023	2.29	1.45	9.3	2	7.2	552	0.17	0.22	7.7	0.074	0.43	232	52
E387281		185.5	0.008	1.51	1.52	11.5	1	18.9	21.4	0.52	0.11	14.9	0.136	0.61	4.9	79
E387282		188.5	0.007	0.72	1.46	12.4	1	18.2	32.8	0.62	<0.05	19	0.151	0.55	3.7	76
E387283		159	0.002	0.03	0.85	11.4	<1	13.1	44.4	0.37	<0.05	13.3	0.105	0.45	2.2	64
E387284		169.5	<0.002	0.01	0.9	11	1	13.2	47.2	0.38	<0.05	12.3	0.118	0.46	2.5	67
E387285		139	0.002	0.07	0.87	9.1	<1	10.1	33.4	0.34	<0.05	11.5	0.112	0.4	3.2	62
E387286		164.5	0.01	0.41	0.95	11.1	1	12.8	32.2	0.42	<0.05	15.2	0.118	0.47	2.4	62
E387287		163	0.004	1.24	0.95	11	1	13.5	40.6	0.42	0.1	14.1	0.116	0.48	3.7	66
E387288		135.5	0.002	0.21	1.08	9.4	<1	5.2	100	0.24	0.05	13.6	0.102	0.42	2.9	56
E387289		124	0.002	0.33	1.08	8.9	<1	3.8	63.2	0.18	<0.05	11	0.095	0.37	1.8	53
E387290		154	<0.002	0.67	1.58	10.9	1	5.2	27.9	0.17	<0.05	12.8	0.13	0.4	2.2	62
E387291		1	<0.002	0.07	0.08	0.5	2	<0.2	301	<0.05	<0.05	0.2	0.007	<0.02	0.7	6
E387292		164.5	<0.002	0.82	1.95	13.7	1	7	38.2	0.26	<0.05	14.3	0.14	0.43	2.3	65
E387293		184.5	<0.002	0.08	1.74	14.6	1	10.1	35.3	0.3	<0.05	17.2	0.148	0.51	2.3	74
E387294		176.5	0.002	1.09	1.32	12.7	1	9.3	18.5	0.23	0.05	14.2	0.113	0.46	3	69
E387295		161	0.005	1.03	1.18	11.5	1	11.9	27.2	0.29	0.1	13.3	0.106	0.46	5.4	67
E387296		132	0.002	1.42	0.92	9.4	1	13.1	28.7	0.43	0.13	10.4	0.127	0.37	4	69

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E387261		5.4	20.8	3	28.4		0.072	
E387262		6.4	15.5	8	36.7		0.073	
E387263		6.8	19.5	10	50.3		0.036	
E387264		7.3	17.7	16	49.1		0.035	
E387265		6	17.7	11	44.7		0.022	
E387266		4.1	17.5	8	30.8		0.033	
E387267		5.6	15.2	9	37.7		0.049	
E387268		<0.1	2.4	22	2.6		<0.001	
E387269		4.6	20.3	6	32.3		0.093	
E387270		4.2	13	6	32.3		0.099	
E387271		4.7	17.2	6	34.2		0.093	
E387272		3.7	12.1	10	30.9		0.078	
E387273		1.8	11.6	15	15.5	1.245	0.429	
E387274		2.7	15.4	16	13.7	1.550	0.131	
E387275		2.3	18.2	21	10.5	2.32	0.192	
E387276		2	22.3	12	13.6	1.890	0.131	
E387277		3.6	19.5	22	28.6	1.695	0.130	
E387278		11.2	14.4	7	45		0.047	
E387279		0.1	2.8	26	3.6		0.001	
E387280		8.1	15.3	15	53.8		0.051	
E387281		19.5	12.8	4	71		0.006	
E387282		21.1	13.6	3	68.6		0.003	
E387283		15.2	13.8	4	59.1		<0.001	
E387284		14.8	14.8	3	59.7		<0.001	
E387285		12.7	13.7	5	46.7		0.001	
E387286		15.4	13.6	3	59.3		0.003	
E387287		15	14.5	3	55.5		0.006	
E387288		10.4	14.9	4	54.7		0.001	0.86
E387289		11.2	14.3	5	49		<0.001	
E387290		14.8	10.9	4	57.8		<0.001	
E387291		0.1	3.2	24	3.6		<0.001	
E387292		17.5	12.6	5	65.6		0.001	
E387293		18.5	13.9	4	78.2		<0.001	0.71
E387294		13.6	12.2	6	68.1		0.001	
E387295		14.1	14.4	9	66.9		0.006	
E387296		16.1	12.9	6	52.7		0.008	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 29-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-26

CERTIFICATE OF ANALYSIS VA07137768

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07137760

Project: IGOR: IG-2007-27

P.O. No.: 195389

This report is for 100 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 21-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-27

CERTIFICATE OF ANALYSIS VA07137760

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E387301		2.54	0.18	6.11	18.7	7860	1.58	0.61	2.78	<0.02	93.3	17.9	36	12.1	1630	8.58
E387302		1.48	0.29	5.24	51.1	310	0.75	2.71	2.81	<0.02	83.5	50.9	31	10.4	3530	12.7
E387303		1.78	0.24	2.5	54.2	920	0.4	2.27	2.12	<0.02	81.2	60.5	10	3.13	2240	25.1
E387304		1.52	0.39	4.17	102.5	220	1.02	3.39	2.07	<0.02	154.5	108	25	8.92	2980	15
E387305		1.40	0.18	6.18	31.4	1740	1.83	1.51	0.59	<0.02	155	45.9	41	14.4	288	6.67
E387306		1.22	0.12	7.79	35.6	3860	2.4	1.49	0.22	<0.02	124	61.5	51	18.4	893	7.88
E387307		1.28	0.14	7.23	18.1	7210	2.07	1.02	0.23	<0.02	337	37.8	47	17.65	3140	10.1
E387308		1.32	0.25	4.52	85.5	660	1.22	4.01	0.47	<0.02	116.5	73.1	27	10.3	2220	21.7
E387309		1.18	0.28	5.61	44.6	490	1.43	1.95	1.14	<0.02	232	42.8	36	14.65	8780	11.45
E387310		1.70	0.1	7.32	9.1	>10000	2.13	0.46	0.16	<0.02	159	19.2	47	18.95	2580	5.24
E387311		0.16	0.01	0.13	6	50	0.07	<0.01	43.5	0.38	2.78	0.9	5	0.06	11.3	0.05
E387312		1.84	0.28	5.16	16.4	1920	1.61	1.54	2.04	<0.02	61.9	24.4	35	15.05	5580	7.01
E387313		2.96	0.37	6.1	13.3	1970	1.81	1.25	2.89	<0.02	155.5	27.1	40	16.45	7200	5.77
E387314		2.00	0.04	6.09	8.3	>10000	1.78	0.13	2.26	<0.02	120.5	27.9	38	16.75	234	5.76
E387315		1.22	0.04	5.1	5.7	>10000	1.47	0.09	2.55	<0.02	36.3	27.9	31	13.45	149.5	7
E387316		1.06	0.07	4.79	5.4	7870	1.48	0.15	2.3	0.05	46.3	19.5	29	12.1	191	5.92
E387317		2.30	0.04	5.7	10.4	8830	1.8	0.21	2.69	<0.02	100.5	30.5	34	14.6	172	7.2
E387318		2.88	0.42	6.88	45.6	660	1.04	1.78	0.76	<0.02	110	56.7	32	8.13	685	15.15
E387319		1.56	0.27	8.61	48.7	450	1.44	2.05	0.25	<0.02	15.45	67.7	30	10.15	579	10.6
E387320		1.66	0.31	8.08	63.1	330	1.33	2.61	0.41	<0.02	30	91.7	28	9.5	429	10.65
E387321		1.16	0.41	7.18	102	1160	1.15	4.25	0.39	<0.02	48.9	119.5	22	8.04	250	13.45
E387322		0.14	0.01	0.13	<5	40	0.08	0.01	44.9	0.4	2.67	1.1	7	<0.05	4.2	0.06
E387323		0.16	1.1	5.88	72.7	270	2.05	2.8	2.1	<0.02	58	160	36	4.29	8360	9.42
E387324		1.50	1.4	3.97	176	410	0.63	10.25	0.19	<0.02	16.7	122.5	16	4.92	936	22.5
E387325		1.60	0.56	7.25	131.5	940	1.25	5.54	0.56	<0.02	43.7	145.5	22	8.63	323	16.7
E387326		1.38	0.41	7.14	87	420	1.23	3.29	0.19	<0.02	22	109.5	24	8.17	230	13.75
E387327		1.24	0.46	8.38	89.9	300	1.45	3.84	0.19	<0.02	12.9	118.5	31	10.1	707	12.1
E387328		2.18	0.44	9.11	105.5	440	1.63	3.67	0.21	<0.02	23.1	119.5	32	11.15	771	14.35
E387329		1.36	1.83	5.4	248	430	0.76	9.36	0.17	<0.02	12.65	152.5	15	5.95	829	27.8
E387330		1.90	0.34	7.42	81.8	130	1.33	2.84	0.53	<0.02	30.5	100	31	8.63	212	15.95
E387331		1.52	0.32	6.48	85.6	220	1.04	3.27	0.34	<0.02	51.5	108	25	8	298	18.05
E387332		1.38	0.28	7.64	85.3	230	1.2	3.18	0.3	<0.02	58.4	110	29	9.18	170.5	12.05
E387333		1.62	0.49	5.75	98.5	140	0.92	3.3	0.64	<0.02	63.5	100	20	7.34	234	18.4
E387334		0.12	0.02	0.13	6	30	0.07	0.01	46.1	0.41	3.44	1.2	9	0.05	5.3	0.1
E387335		1.42	0.48	6.59	99.5	170	0.95	2.66	0.68	<0.02	72.5	106	21	8.4	111	16.55
E387336		1.40	0.23	7.72	41.5	200	1.13	1.16	1.11	<0.02	30.1	57.3	25	9.18	90.4	14.5
E387337		1.48	0.22	8.74	47.5	380	1.2	1.33	0.73	<0.02	33.6	61.6	26	10.4	29.9	15.35
E387338		1.54	1.08	5.79	133.5	130	0.72	2.88	0.21	<0.02	121	97.2	16	7.8	359	20.8
E387339		1.72	0.97	5.9	114	320	0.69	2.51	0.2	<0.02	28.8	75	15	7.1	451	21.7
E387340		1.32	0.31	7.6	60.7	100	0.94	1.26	0.31	<0.02	24	61.8	24	9.38	107	16.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-27

CERTIFICATE OF ANALYSIS VA07137760

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E387301		16.3	0.17	1.7	0.218	2.44	61	35.3	1.73	6680	21.9	0.34	3	27.1	1160	1.9
E387302		13.15	0.24	1.4	0.255	2.02	57.7	12.1	1.88	7580	25.5	0.37	1.7	30.6	1170	2.7
E387303		4.89	0.37	0.7	0.409	0.58	55.8	25.8	2.72	14750	42.2	0.44	1.4	48.2	1500	2.5
E387304		12.85	0.28	1.1	0.258	1.61	76.7	23.1	1.73	10150	23.9	0.17	1.5	55.3	810	2.6
E387305		20.5	0.2	1.7	0.194	2.51	104.5	26.1	0.89	4810	7.65	0.15	2.4	27	690	2
E387306		28.2	0.2	2	0.225	3.34	86.2	32.7	0.92	4480	9.83	0.19	1.7	29.6	670	1.6
E387307		27.4	0.33	2.2	0.262	3.08	199	29.1	1.09	5700	6.29	0.19	4.1	34.7	720	2.1
E387308		13.2	0.37	1.4	0.379	1.69	76.8	23.7	2.11	10550	52.6	0.11	1.9	52.2	1530	1.9
E387309		18.75	0.3	1.5	0.248	2.18	127	27.9	1.43	5560	12.4	0.16	2.6	32.3	1130	1.9
E387310		26	0.19	1.9	0.193	3.15	102	31.6	0.72	3100	7.18	0.18	3.1	13.7	530	1.5
E387311		0.51	<0.05	0.1	0.005	0.03	2	1.2	0.46	39	0.29	0.01	0.3	0.3	100	0.7
E387312		17	0.14	1.7	0.221	2.2	37.3	41	1.29	5260	11.9	0.11	2.5	17.3	1080	1.8
E387313		19.75	0.2	1.9	0.245	2.54	92.4	40.4	1.28	4850	4.27	0.13	3.1	16.7	740	2.1
E387314		19.55	0.17	1.8	0.22	2.61	71.8	39.4	1.2	4990	6.03	0.14	2.5	16.1	820	2.8
E387315		16.1	0.13	1.7	0.255	2.21	20.7	29.7	1.42	6430	4.15	0.11	2.1	18.6	700	1.4
E387316		15.3	0.13	1.6	0.194	2.03	25.7	28.1	1.19	5290	6.05	0.11	2.4	16.4	630	1.9
E387317		17.85	0.17	1.8	0.22	2.41	55.3	32.4	1.41	5810	6.09	0.14	2.9	19.9	680	1.5
E387318		21.6	0.26	2.5	0.181	3.16	66.3	6.1	1.13	9060	24.3	0.13	2.9	38.7	720	6
E387319		29.7	0.18	3.7	0.145	4	8.1	8.2	0.68	4810	7.85	0.16	4	37.3	500	3
E387320		28.8	0.2	3.6	0.118	3.76	16.4	7.5	0.63	4320	6.12	0.15	3.1	43.3	370	3.2
E387321		24	0.22	3	0.109	3.18	26.8	6	0.67	4630	6.34	0.13	3.7	61	440	3.4
E387322		0.57	<0.05	0.1	<0.005	0.04	1.9	1.2	0.47	40	0.23	0.01	0.3	0.3	100	0.9
E387323		16.75	0.18	1.9	0.162	2.2	22.6	22.4	1.21	3330	67.2	1.14	3.8	37.2	860	21.1
E387324		12.65	0.27	1.4	0.104	1.78	8.6	4	0.53	5460	8.39	0.08	2.3	111	290	5.2
E387325		25.2	0.27	3.2	0.135	3.27	22.9	6.8	0.81	6080	6.92	0.14	3.1	83.6	410	4
E387326		24.5	0.22	3	0.129	3.29	11.4	6.4	0.63	5880	5.81	0.13	2.9	54.2	500	3.2
E387327		28.9	0.2	4	0.141	3.87	6	7.5	0.53	4140	7.48	0.16	3.7	53.2	470	3.8
E387328		32	0.24	4.2	0.143	4.18	11.7	8.7	0.61	4860	7.84	0.17	3.7	63	450	4.7
E387329		17.9	0.32	2.1	0.136	2.38	5.9	6.1	0.73	6940	27.6	0.1	2.3	122	320	7.9
E387330		29.2	0.26	3.8	0.138	3.4	14.4	6.8	0.88	7680	9.17	0.15	3.5	59.4	440	3.9
E387331		22.7	0.27	3	0.134	2.91	28	6.2	0.93	8790	7.43	0.12	2.3	62.1	380	3.2
E387332		26.7	0.23	3.3	0.107	3.53	32.4	6.3	0.59	4300	6.14	0.15	2.4	56.8	480	3.1
E387333		21.6	0.31	2.5	0.155	2.59	34.6	6.3	1.34	10250	16.25	0.11	3.2	68.8	470	3.6
E387334		0.6	<0.05	0.1	<0.005	0.04	2.4	1.1	0.49	64	0.34	0.01	0.3	0.3	110	0.8
E387335		22.5	0.22	2.6	0.145	2.94	37.6	10.2	1.03	7640	18	0.13	2.9	67.4	590	5.4
E387336		25.5	0.15	2.9	0.125	3.51	15.7	9.3	0.96	7650	5.94	0.16	2.2	40.4	490	3.6
E387337		29.2	0.16	3.1	0.144	3.92	18	11.6	1.04	7710	5.04	0.17	3.9	46.3	520	3
E387338		19.35	0.29	2.3	0.132	2.61	59.3	7.6	0.81	8730	26	0.11	2.6	67.5	380	5.8
E387339		19.4	0.21	2.2	0.133	2.64	13.1	8.4	0.81	9510	21.9	0.12	3	58.4	240	5.2
E387340		26.6	0.19	2.9	0.141	3.49	10.2	8.9	0.85	8180	9.05	0.16	4.3	39.4	440	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-27

CERTIFICATE OF ANALYSIS VA07137760

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E387301		145.5	0.013	0.26	1.54	11.9	2	4.4	37.8	0.15	0.05	14.2	0.084	0.49	8.3	74
E387302		106	0.005	1.54	1.56	8.3	3	3.7	31.4	0.15	0.28	13	0.053	0.4	14	62
E387303		33.1	0.007	1.25	1.41	6.3	1	1.2	24.6	0.06	0.2	9.9	0.017	0.15	21.3	33
E387304		89.6	0.004	2.84	1.97	9.8	1	3.4	22.6	0.09	0.22	9.9	0.044	0.34	4.5	52
E387305		146	<0.002	0.56	1.71	11.7	<1	5.5	24.1	0.16	0.15	11.5	0.076	0.52	2.8	68
E387306		199.5	<0.002	0.8	1.34	17.7	<1	7.2	26.9	0.11	0.12	10.3	0.077	0.63	5.2	94
E387307		183	0.004	0.5	1.97	16.8	1	8.8	34.7	0.24	0.07	21.4	0.105	0.59	4.4	86
E387308		95.8	0.014	1.57	1.61	9.7	1	4.8	19.9	0.07	0.2	7.7	0.037	0.41	6.4	68
E387309		134	0.003	1.2	1.61	10.9	3	6	25.1	0.13	0.1	12.3	0.063	0.42	2.3	72
E387310		188.5	<0.002	0.29	2.13	14.4	1	8.3	51.6	0.21	<0.05	11	0.097	0.6	3.5	90
E387311		1	<0.002	0.06	0.08	0.3	1	<0.2	258	<0.05	<0.05	0.2	0.006	<0.02	0.6	5
E387312		134	0.005	0.43	3.93	9.6	2	5.7	60.7	0.16	<0.05	9.9	0.071	0.42	7.3	58
E387313		157.5	0.002	0.53	3.35	10.4	2	6.3	41	0.22	<0.05	13.6	0.087	0.48	3.4	66
E387314		156.5	0.002	0.05	1.79	10.1	<1	6	44.7	0.17	<0.05	13.8	0.085	0.48	3.3	65
E387315		128	<0.002	0.11	1.44	9.2	<1	4.9	64.6	0.14	<0.05	7.9	0.071	0.38	1.9	52
E387316		117	<0.002	0.06	1.8	8.6	<1	4.6	37	0.18	<0.05	9.6	0.076	0.37	4.1	51
E387317		141.5	<0.002	0.15	1.43	10.2	<1	5.6	38	0.2	<0.05	11.3	0.085	0.45	3.2	62
E387318		128.5	0.005	2.79	2.07	31.5	2	3.4	26.8	0.15	0.33	6.5	0.252	0.55	37	390
E387319		164.5	0.002	3.14	2.8	47	1	4.3	28.3	0.25	0.23	1.4	0.672	0.72	7	562
E387320		153.5	<0.002	4.26	3.12	58.2	1	4.1	27.1	0.21	0.07	1.3	0.597	0.7	5.1	584
E387321		128.5	0.002	7.28	4.08	50.7	1	3.8	21.7	0.24	0.1	1.4	0.622	0.59	3.9	504
E387322		1	<0.002	0.06	0.09	0.5	1	<0.2	267	<0.05	<0.05	0.2	0.007	<0.02	0.7	6
E387323		85.4	0.024	2.38	1.73	10.7	2	8.1	622	0.21	0.28	8.9	0.086	0.39	268	56
E387324		72.9	<0.002	>10.0	10.25	24.8	1	2.3	13.9	0.16	0.2	1.9	0.216	0.35	2.9	236
E387325		135.5	0.002	9.21	5.65	43.5	1	4.2	23.8	0.21	0.13	1.6	0.583	0.6	3.8	496
E387326		132.5	0.003	5.6	3.53	41.8	1	4.1	23	0.2	0.15	1.2	0.537	0.59	4.2	482
E387327		160.5	0.003	5.93	4.24	51.1	1	5.2	29.2	0.27	0.19	1	0.678	0.7	4.5	551
E387328		172	0.003	7.29	4.77	51.7	1	5.2	30.4	0.27	0.1	1.4	0.689	0.77	9.6	574
E387329		82.2	0.005	>10.0	12.7	31.5	1	2.9	14.7	0.15	0.2	0.6	0.438	0.45	3.2	361
E387330		111	0.003	5.55	3.71	47.4	1	4.7	23.9	0.24	0.16	1.3	0.584	0.68	18	572
E387331		116	0.002	5.9	3.63	41.8	1	3.8	20.1	0.14	0.15	1.4	0.434	0.55	4.9	456
E387332		141.5	<0.002	5.73	3.06	42.3	1	4.4	25.1	0.16	0.16	1.9	0.428	0.65	4.5	529
E387333		84.2	0.005	7.21	4.5	33.3	1	3.9	21.3	0.17	0.28	1.3	0.439	0.53	4.8	394
E387334		1	<0.002	0.06	0.1	0.4	1	<0.2	266	<0.05	<0.05	0.2	0.007	<0.02	0.7	5
E387335		134	0.008	7.2	3.48	35.1	3	4.3	23.3	0.16	0.28	1.9	0.395	0.6	6.9	426
E387336		146.5	0.002	3.11	2.42	44.8	2	4.8	31.7	0.16	0.14	1.3	0.358	0.65	4.4	500
E387337		178.5	0.002	3.2	2.95	49.2	2	5.7	31.2	0.28	0.22	1.7	0.644	0.75	4.4	558
E387338		110.5	0.002	9.7	5.27	31.4	2	3.8	19.9	0.19	0.32	2.6	0.484	0.53	4	398
E387339		117.5	<0.002	8.63	4.77	34.4	2	3.6	19	0.2	0.09	1.4	0.524	0.52	4.1	407
E387340		148.5	0.002	4.76	3.72	42.9	2	4.8	27.2	0.27	0.08	1.6	0.598	0.68	5.4	499

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-27

CERTIFICATE OF ANALYSIS VA07137760

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Au	Ba
	Units	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.01
E387301		7.7	12.7	<2	57.1	0.006	0.85
E387302		6.8	10.4	6	45.3	0.021	
E387303		3.2	11	7	26.7	0.014	
E387304		6.1	9.9	3	35.9	0.019	
E387305		9.9	9.2	2	54.6	0.006	
E387306		9.4	9.6	2	64	0.006	
E387307		13.6	11.4	2	69.6	0.007	1.17
E387308		5.6	9.4	9	47	0.012	
E387309		8.7	11.3	6	48.1	0.020	
E387310		12.5	9.1	<2	58.8	0.005	1.47
E387311		0.1	2.9	20	3	<0.001	
E387312		11.5	13.1	<2	51.2	0.013	
E387313		13	14.7	2	61	0.027	
E387314		11.9	13.2	2	56.4	<0.001	1.07
E387315		10.1	11.9	3	51.7	<0.001	1.12
E387316		11	11	11	48.4	<0.001	0.84
E387317		11.9	13.2	2	57.6	0.007	0.99
E387318		6.7	17.4	6	83.1	0.006	
E387319		14	22.8	6	117	0.005	
E387320		6.6	21.3	5	103	0.005	
E387321		9.6	17.1	5	86.6	0.009	
E387322		0.1	3	21	3.5	0.001	
E387323		8.9	16.3	7	59.1	0.051	
E387324		4.4	11.5	6	42.2	0.023	
E387325		7.9	18.8	5	94	0.009	
E387326		9.9	17.7	6	93.4	0.006	
E387327		11.9	23.8	5	121	0.007	
E387328		13	27.5	6	126	0.005	
E387329		8.1	15.4	9	67.8	0.021	
E387330		9.4	17.6	7	116	0.005	
E387331		6.4	18.4	7	92.8	0.005	
E387332		6	18.8	5	99.2	0.005	
E387333		8.2	15.6	8	79.2	0.006	
E387334		0.1	3.1	21	3.5	0.003	
E387335		6.8	17.2	6	84.2	0.007	
E387336		4.9	17.4	6	90.1	0.003	
E387337		8.1	19.2	5	101	0.003	
E387338		12.6	14	7	75.4	0.006	
E387339		9.9	14	7	72.4	0.005	
E387340		20.5	16.5	6	96	0.002	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-27

CERTIFICATE OF ANALYSIS VA07137760

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E387341		1.92	0.9	3.73	136	460	0.41	3.41	0.31	<0.02	9.68	66.1	9	4.7	259	26.6
E387342		1.72	2.33	4.37	394	460	0.5	5.83	0.56	<0.02	10.4	117.5	35	5.82	826	30.9
E387343		1.60	0.34	6.87	126.5	470	0.83	1.46	1.77	<0.02	59.9	60.3	34	10.9	72.6	9.05
E387344		1.12	0.44	5.79	127.5	180	0.77	1.88	0.79	<0.02	139.5	74.4	34	10.1	220	9.36
E387345		0.12	0.01	0.15	<5	50	0.05	0.07	46.5	0.41	2.93	1	7	0.05	2.5	0.07
E387346		0.22	1.25	2.47	124.5	30	0.5	11.15	2.27	<0.02	204	346	12	3.11	9320	28
E387347		1.66	0.43	7.39	147	170	1.08	2.21	0.87	<0.02	148.5	94.9	43	10.45	223	10.85
E387348		1.28	0.39	8.79	116	70	1.38	1.45	0.39	<0.02	280	95	51	11.65	93.2	8.47
E387349		1.48	0.36	8.4	90.1	90	1.36	1.59	0.75	<0.02	45.7	64.6	41	11.1	96.1	7.3
E387350		1.62	0.42	8.97	103	110	1.47	1.92	1.31	<0.02	92.3	73.2	48	11.2	177	7.83
E387351		1.50	0.35	8.35	129	150	1.31	1.4	1.36	<0.02	176	84.3	58	10.45	124	10.4
E387352		1.90	0.33	7.52	82.1	270	1.3	1.36	3.1	<0.02	129.5	63	36	9.68	58.4	6.98
E387353		1.98	0.2	7.39	49	290	1.15	0.84	2.77	<0.02	85.1	37.5	45	8.86	81.4	8.88
E387354		1.66	0.73	4.37	151.5	70	0.73	2.85	1.62	<0.02	184.5	70.9	23	6.34	689	20.4
E387355		1.24	1.08	2.19	286	40	0.32	4.23	0.76	<0.02	218	111	13	3.06	802	25.8
E387356		1.30	0.43	8.81	101.5	170	1.49	1.98	0.43	<0.02	171	71.5	49	11.8	160	10.95
E387357		0.14	0.01	0.14	8	20	0.08	0.19	45.4	0.44	3.02	1	6	<0.05	2.8	0.06
E387358		0.52	0.47	8.27	71.8	100	1.75	1.91	0.51	<0.02	135	59.4	48	12.25	391	9.48
E387359		0.90	0.31	6.22	44.3	200	1.04	1.27	0.57	<0.02	64.6	44.2	41	8.05	901	14.8
E387360		1.46	0.22	6	39	220	0.97	1.09	0.54	<0.02	38.2	43.6	34	7.39	250	15.3
E387361		1.24	0.34	7.82	31.1	830	1.52	0.63	0.55	<0.02	108	26.4	47	9.83	404	4.6
E387362		1.14	0.21	8.96	38.5	460	1.81	0.81	1.19	<0.02	484	44.9	56	11.35	564	9.1
E387363		1.48	0.45	6.04	64.5	100	1.04	1.8	1.09	<0.02	18.1	64.2	27	7.98	349	15.3
E387364		1.76	0.21	6.22	30	1430	1.26	0.71	0.84	<0.02	32.8	42.3	19	8.4	329	14.7
E387365		1.46	0.13	7.73	18.8	1920	1.41	0.34	1.47	<0.02	17.9	27.7	24	8.54	81.4	13
E387366		1.68	0.15	7.42	31.6	1850	1.46	0.48	1.55	<0.02	89.9	41.4	24	7.83	112	13.2
E387367		1.22	0.22	6.36	53.8	620	1.23	1.1	1.19	<0.02	7.24	61.3	21	6.52	76.9	15.95
E387368		0.14	0.01	0.13	5	20	<0.05	<0.01	43.5	0.4	2.46	0.8	5	<0.05	2.3	0.05
E387369		0.18	0.29	6.49	56.7	150	2.4	0.72	1.82	<0.02	78.6	108.5	39	6.89	1535	6.78
E387370		1.34	0.26	7.12	75.4	360	1.54	2.27	1.37	<0.02	13.25	78.2	27	7.35	119.5	13.15
E387371		1.42	0.27	7.47	59.7	300	1.6	2.01	0.41	<0.02	7.14	76.4	33	7.19	101.5	10.6
E387372		1.18	0.27	8.33	45	700	1.66	1.98	1.21	<0.02	14.7	64.6	27	7.57	96.7	13.35
E387373		1.24	0.28	7.51	42.8	440	1.48	1.53	1.19	<0.02	77.9	54.8	32	6.89	130	16
E387374		1.16	0.39	5.58	56.3	280	1.08	2.28	0.5	<0.02	28.1	76	25	4.95	65.5	15
E387375		1.42	0.48	6.61	72.3	280	1.38	3.66	0.96	<0.02	10.1	108	23	6.23	207	13.85
E387376		1.26	0.33	5.14	51.6	160	0.97	2.65	1	<0.02	6.38	85	21	4.61	121	16.95
E387377		1.40	0.36	5.45	44.6	160	0.99	2.32	2.24	<0.02	5.9	67.2	21	4.63	86.8	16.6
E387378		1.64	0.7	5	111.5	710	1.02	5.87	1.72	<0.02	23.2	139	19	4.48	250	18.15
E387379		1.40	0.32	6.84	36.1	270	1.42	2.01	2.26	<0.02	59.4	68.5	22	6.08	127.5	15.5
E387380		0.14	0.02	0.13	18	20	0.08	<0.01	43	0.4	2.54	0.9	6	<0.05	2	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-27

CERTIFICATE OF ANALYSIS VA07137760

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E387341		11.95	0.29	1.4	0.142	1.6	4.6	6.5	1.01	11600	16.85	0.07	3.7	63.2	440	9.3
E387342		12.6	0.31	1.1	0.108	1.89	4.7	6.1	0.63	4850	106	0.09	2	80.3	310	22.8
E387343		19.15	0.1	2.1	0.075	3.04	29	9.9	0.8	1895	15.65	0.14	5	33.4	740	5.6
E387344		16.3	0.16	1.8	0.066	2.47	68.2	11.8	0.49	1295	8.23	0.11	5.7	42.2	680	8.5
E387345		0.5	<0.05	0.1	<0.005	0.04	1.9	1.7	0.5	43	0.34	0.02	0.4	0.6	120	0.8
E387346		9.82	0.33	0.7	0.293	0.71	113	23.4	1.57	6580	59.8	0.25	6.3	56.3	2540	6.7
E387347		21.5	0.2	2.4	0.071	3.29	68.8	8.6	0.37	1060	12.65	0.16	4.8	47.4	890	5.7
E387348		28.2	0.28	3	0.086	3.98	122.5	7.7	0.3	941	15.45	0.19	5.6	41.9	1120	4.7
E387349		25.2	0.09	2.7	0.078	3.9	21.7	9.7	0.41	1515	8.63	0.18	5.1	35.8	890	3.4
E387350		26.4	0.14	2.6	0.097	4.08	41.8	12.3	0.51	1585	11	0.2	4	36.3	850	4.4
E387351		28	0.26	2.4	0.115	3.85	78.3	10.1	0.85	3680	12.85	0.18	3.5	38.5	760	4.6
E387352		23.1	0.16	2.4	0.074	3.39	63.9	8.5	0.86	2420	7.84	0.16	4	26.7	810	4.3
E387353		21.5	0.12	2.1	0.097	3.3	44.4	8.1	1.16	4850	5.14	0.16	4.2	22	700	2.9
E387354		12.95	0.28	1.4	0.148	1.94	128	8.3	1.46	10300	86.5	0.09	3.6	33.8	720	8.6
E387355		6.91	0.33	0.7	0.127	0.97	144.5	4.5	1.32	10250	142.5	0.05	3	48.4	710	9.6
E387356		25.2	0.16	2.8	0.089	3.9	105.5	10.2	0.61	3330	15.8	0.19	9.5	37.7	1010	5.4
E387357		0.55	<0.05	0.1	<0.005	0.03	2.1	1.3	0.48	40	0.38	0.02	0.4	0.4	140	0.7
E387358		25	0.16	2.9	0.108	3.65	75.9	10.7	0.62	3430	5.75	0.18	8.2	29.5	850	6.3
E387359		17.6	0.15	1.9	0.163	2.69	39.6	8.4	1.06	7920	6.52	0.13	3.7	24.9	700	4.2
E387360		16.9	0.14	1.7	0.141	2.67	24.2	7.7	1.03	7580	4.58	0.13	3.5	25.1	550	2.2
E387361		23.6	0.08	2.7	0.091	3.49	65.6	8.7	0.38	1700	3.26	0.17	7.4	17.5	730	2.9
E387362		29.9	0.46	3.1	0.145	4	234	11.6	0.96	4490	13.1	0.2	6.3	24.5	980	3.2
E387363		19.15	0.17	2.1	0.118	2.62	8.9	10.5	1.32	7950	5.09	0.13	2.8	35.5	520	4
E387364		21.8	0.17	2.5	0.129	2.73	18.8	8.6	1.12	8200	5.03	0.12	2.8	29.1	330	2.5
E387365		25.9	0.13	3	0.151	3.3	9.7	11.8	1.34	7570	4.41	0.15	2.5	24.2	400	1.7
E387366		24	0.17	3	0.133	3.22	54.2	8.1	1.34	7420	4.4	0.15	2.8	30	300	2.7
E387367		20.1	0.16	2.4	0.125	2.76	3.9	7.2	1.36	8440	4.71	0.14	1.7	37.3	280	2.3
E387368		0.53	<0.05	0.1	<0.005	0.03	1.7	1.1	0.46	38	0.2	0.01	0.3	<0.2	120	2
E387369		20.1	0.08	1.8	0.143	2.92	36.8	8.3	1.22	3050	20.3	0.56	2.9	23.4	740	2.9
E387370		22.7	0.11	2.8	0.118	3.11	7.1	8.4	1.17	6400	6.62	0.16	2.6	41.3	410	2.5
E387371		23.4	0.2	2.4	0.102	3.35	4	7.5	0.63	4340	7.03	0.17	4.2	42.9	290	3.7
E387372		25.7	0.24	3.2	0.121	3.65	8.4	9.8	1.11	6590	7.18	0.19	3.3	40.8	400	3.2
E387373		23.7	0.31	2.4	0.12	3.36	47.4	8.4	1.28	8180	53.3	0.17	4	37.4	570	3.5
E387374		16.9	0.26	1.9	0.1	2.35	15.4	7.7	0.98	7660	76.4	0.12	2.9	42.6	440	2.9
E387375		20.5	0.25	2.5	0.102	2.88	5	9.7	1.04	5880	7	0.15	2	56.9	330	3.3
E387376		15.7	0.29	1.9	0.117	2.22	3.2	7.1	1.22	8500	7.09	0.12	1.2	46.5	210	2.6
E387377		15.9	0.26	1.9	0.109	2.31	3.1	6.2	1.57	9080	6.31	0.13	1.7	43.3	260	2.9
E387378		14.9	0.3	1.7	0.102	2.12	13.3	6.2	1.14	6640	10.35	0.11	1.6	78.6	250	5.1
E387379		21.7	0.29	2.5	0.122	2.96	32.4	7.4	1.43	8030	4.72	0.16	2.4	50.7	430	3.5
E387380		0.53	0.05	0.1	<0.005	0.03	1.8	1.7	0.46	39	0.21	0.01	0.3	<0.2	110	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-27

CERTIFICATE OF ANALYSIS VA07137760

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E387341		71.2	0.002	>10.0	7.77	21.2	2	2.5	13.8	0.17	0.11	1.6	0.296	0.4	4.4	221
E387342		80.7	0.002	>10.0	9.32	14.8	2	2.4	15.7	0.11	0.07	1.6	0.159	0.55	3	151
E387343		139	0.002	8.34	2.81	7.9	1	4.2	31.2	0.38	0.07	16.2	0.131	0.62	9.2	61
E387344		115	0.004	8.99	2.78	5.9	2	3.9	26.1	0.41	0.09	13.1	0.129	0.57	7.8	49
E387345		1	<0.002	0.08	0.09	0.3	2	<0.2	292	<0.05	<0.05	0.3	0.007	<0.02	0.8	7
E387346		37.6	0.018	7.38	2.33	4.1	5	7.8	184.5	0.13	1.19	6.3	0.035	0.52	16.1	63
E387347		153	0.007	>10.0	2.84	8.2	2	5.1	31.8	0.34	0.16	19.3	0.118	0.65	9.3	47
E387348		182	0.021	7.59	3.28	12.8	2	6.3	35.2	0.36	0.13	18.2	0.136	0.75	15.2	81
E387349		176.5	0.009	5.35	3.29	12.1	2	6.1	35.4	0.34	0.11	14.3	0.128	0.71	9.8	62
E387350		179.5	0.005	6.32	2.95	11.6	2	6.2	37.4	0.25	0.11	16.7	0.109	0.74	10.5	66
E387351		159	0.002	5.66	2.67	17.1	2	6.1	35.2	0.21	0.14	16.8	0.097	0.72	10.1	86
E387352		157.5	<0.002	4.8	2.69	10.5	2	5.5	50.2	0.26	0.12	16.1	0.098	0.62	17.2	61
E387353		147	<0.002	2.57	1.97	12.7	2	5.1	42.6	0.29	0.11	13.5	0.102	0.58	8.9	65
E387354		87.8	0.007	7.34	3.15	9.6	2	4.9	29.2	0.19	0.18	8.6	0.071	0.45	7.6	67
E387355		47.1	0.007	>10.0	3.94	7.4	2	3.5	13.8	0.14	0.26	5.4	0.038	0.26	5.6	41
E387356		181.5	0.005	5.67	2.84	11.8	2	10.5	34.1	0.62	0.2	18.1	0.2	0.76	9.5	66
E387357		1	<0.002	0.06	0.09	0.4	2	<0.2	282	<0.05	<0.05	0.3	0.007	<0.02	0.7	7
E387358		176.5	0.002	4.42	2.54	15	2	9.6	33.3	0.61	0.16	17.7	0.169	0.75	13.1	78
E387359		127.5	0.003	2.53	1.95	13.8	2	6.2	24.1	0.25	0.12	13.8	0.088	0.55	13.1	68
E387360		125	0.003	2.31	1.7	13	2	5.7	22.5	0.23	0.12	11.4	0.077	0.5	9.8	66
E387361		168.5	<0.002	1.59	1.82	14.2	2	7.8	35.7	0.6	0.1	14.7	0.172	0.66	15.2	88
E387362		188	0.01	2.07	1.75	19.8	2	8.6	37.8	0.44	0.1	21.5	0.233	0.78	10.5	127
E387363		125.5	<0.002	3.85	2.18	29	2	4.8	24.5	0.18	0.11	5.7	0.211	0.55	5.7	240
E387364		132	<0.002	1.13	2.24	43.5	2	4.7	23.4	0.21	0.05	1.9	0.531	0.56	5.3	418
E387365		158.5	<0.002	0.42	1.62	44.3	2	5.1	26.2	0.19	<0.05	2.2	0.489	0.64	5.9	469
E387366		154	0.002	0.64	2	39.6	2	4.9	29	0.23	<0.05	4.4	0.485	0.61	11	404
E387367		131	0.002	1.31	2.16	35.9	2	4.1	23.1	0.13	0.06	2.2	0.266	0.53	7.6	344
E387368		0.8	<0.002	0.06	0.16	0.3	2	<0.2	270	<0.05	<0.05	0.2	0.007	<0.02	0.7	6
E387369		139	0.007	1.33	1.17	11.4	3	7.8	441	0.16	0.2	12.6	0.101	0.36	18.6	62
E387370		145.5	<0.002	2.37	3.27	35.6	2	4.7	27.2	0.19	0.05	4.3	0.329	0.58	5	370
E387371		150.5	<0.002	2.69	3.72	30.9	2	5	24.9	0.36	0.08	5.4	0.328	0.64	3.6	290
E387372		165.5	<0.002	2.14	3.64	41.2	2	5.4	30.7	0.24	0.1	2.9	0.411	0.68	4.8	425
E387373		146.5	0.002	2.32	3.04	34.9	2	5.3	29.5	0.29	0.11	5.4	0.31	0.63	5.8	361
E387374		106	0.015	3.18	3.45	25	2	3.5	17.2	0.25	0.1	6.1	0.213	0.45	7.6	250
E387375		131	<0.002	4.71	4.03	31.9	2	3.7	22	0.19	0.06	2.8	0.293	0.55	3	301
E387376		100.5	<0.002	3.16	3.07	24.6	2	2.7	20.2	0.14	<0.05	3	0.151	0.42	2.5	225
E387377		100.5	<0.002	3.48	3.23	24.6	2	2.7	23.5	0.17	0.05	2.6	0.22	0.42	2.1	242
E387378		94.5	<0.002	9.2	5.84	23.2	2	2.4	22.2	0.19	0.05	4.3	0.213	0.41	1.8	213
E387379		134	<0.002	2.78	3.29	38.7	2	3.1	34.8	0.19	0.05	3.6	0.327	0.56	2.5	366
E387380		0.9	<0.002	0.06	0.09	0.4	2	<0.2	270	<0.05	<0.05	0.2	0.006	<0.02	0.7	7

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-27

CERTIFICATE OF ANALYSIS VA07137760

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E387341		10.5	10.5	7	45.4	0.006	
E387342		6.9	13.3	6	35.8	0.014	
E387343		8	15.5	3	70.6	0.005	
E387344		7.7	15.1	3	62.5	0.006	
E387345		0.1	3.2	23	4.4	<0.001	
E387346		7	16.2	6	24.2	0.110	
E387347		8.5	19.3	2	81.4	0.009	
E387348		9.1	18.5	2	99.1	0.008	
E387349		7.5	16.3	3	91.1	0.008	
E387350		7	15.9	3	85	0.008	
E387351		5.9	13.9	4	79.3	0.007	
E387352		6.2	16.8	3	81.7	0.006	
E387353		6	13.3	4	72.2	0.008	
E387354		8	11.5	6	48.5	0.013	
E387355		5.7	8.2	7	24.3	0.012	
E387356		11.6	14.5	3	91.6	0.009	
E387357		0.1	3.4	23	4	0.001	
E387358		10.5	14.7	4	95.3	0.009	
E387359		5.6	13.3	6	65.9	0.006	
E387360		5.3	11.6	5	57.7	0.006	
E387361		11.7	14	2	87	0.005	
E387362		16.4	18.7	4	95.9	0.006	
E387363		8.2	15.1	8	68.5	0.007	
E387364		11.5	19.6	6	80.6	0.004	
E387365		12.3	22.8	7	96.5	0.002	
E387366		13.1	22.2	6	99.4	0.003	
E387367		12	15.7	6	78	0.004	
E387368		0.1	3.1	26	3.3	0.001	
E387369		7.9	12.4	6	60.9	0.023	
E387370		17	16.2	6	87.1	0.009	
E387371		12.7	11.9	5	75.4	0.009	
E387372		29.8	18.6	5	100.5	0.008	
E387373		21.1	13.2	6	75.2	0.007	
E387374		11	10.5	6	61.6	0.008	
E387375		12.2	14.6	6	80.6	0.014	
E387376		7.7	12.4	7	64.9	0.010	
E387377		7.4	13.2	6	62.8	0.008	
E387378		6.2	10.2	5	53.8	0.025	
E387379		8.5	16.4	6	77	0.007	
E387380		0.1	3	22	3.8	<0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-27

CERTIFICATE OF ANALYSIS VA07137760

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E387381		1.56	0.26	6.55	31.3	280	1.45	1.92	2.62	<0.02	110	56.3	19	6.06	69.8	13.9
E387382		1.30	0.52	8.52	68.4	150	1.92	3.7	3.24	<0.02	146.5	92.4	24	8.43	321	9.85
E387383		1.64	0.43	7.89	67.8	190	1.78	3.28	2.4	<0.02	147	107	23	7.79	194	11.35
E387384		1.70	0.16	6.5	20.3	1420	1.37	0.83	2.17	<0.02	11.35	44.2	17	6.14	31.2	15.15
E387385		1.74	0.24	6.07	28.9	440	1.12	1.47	2.57	<0.02	49.9	58.9	17	5.15	47.4	15.75
E387386		1.84	0.14	7.39	12.8	1740	1.38	0.6	3.65	<0.02	72.8	29.1	19	6.48	273	11.8
E387387		1.64	0.29	7.25	34.1	340	1.35	1.89	2.08	<0.02	36.7	61.1	20	6.57	184	12.6
E387388		1.60	0.45	6.38	65.6	150	1.27	3.01	2.33	<0.02	157.5	85	18	6.13	134.5	15
E387389		1.44	0.22	7.31	32.9	380	1.41	1.67	2.87	<0.02	20.6	66.8	22	6.86	69.2	12.4
E387390		1.52	0.26	6.6	42.6	280	1.25	1.96	1.71	<0.02	115.5	69.4	17	6.17	57.7	12.45
E387391		0.16	0.01	0.13	<5	50	0.06	0.02	42.5	0.38	2.73	1	6	<0.05	4.6	0.06
E387392		0.22	1.12	5.68	51.1	110	1.81	3	1.96	<0.02	69.2	157	34	3.74	7500	9.7
E387393		1.60	0.25	6.9	39.9	410	1.32	1.51	1.65	<0.02	90.1	72.8	20	6.39	64.8	13.65
E387394		3.12	0.19	6.17	16.1	1380	1.12	0.8	2.1	<0.02	75.8	39.9	16	5.38	48.5	14.5
E387395		2.42	0.39	5.08	93.1	90	0.78	7.09	7.69	<0.02	21.5	98.6	9	4.95	117.5	11.85
E387396		1.26	0.37	6.16	95.7	610	1.02	6.99	7.45	<0.02	33.1	102.5	13	5.84	162.5	12.4
E387397		1.38	0.44	5.05	95	90	0.89	7.09	7.66	<0.02	20.2	105.5	9	5.01	609	13.45
E387398		1.80	1.01	3.69	234	80	0.67	8.65	7.73	<0.02	19.65	88.7	6	3.64	1065	17.35
E387399		1.90	0.25	5.76	73.4	100	1.11	6.33	7.88	<0.02	12.15	87.7	12	5.21	75.3	12.3
E387400		3.34	0.31	6.11	95.3	460	1.11	8.37	6.64	<0.02	51.3	102	14	4.86	65.8	13.35

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-27

CERTIFICATE OF ANALYSIS VA07137760

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E387381		22.5	0.29	2.6	0.11	2.84	53.5	9.7	1.32	7530	4.69	0.15	2.4	41.6	370	3.2
E387382		29.8	0.31	3.5	0.103	3.88	67.3	12.2	1.01	4040	5.77	0.2	3.8	60.5	500	4.1
E387383		27	0.33	3.2	0.1	3.47	66.3	8.5	1.05	4830	5.51	0.19	3	62.1	480	3.4
E387384		21.3	0.22	2.5	0.119	2.8	5.6	7.3	1.68	9100	3.64	0.14	2.3	37.6	310	2.6
E387385		19.5	0.28	2.1	0.127	2.63	23.7	6.3	1.7	9270	6.75	0.14	2.6	46.2	290	2.8
E387386		24	0.24	2.6	0.111	3.17	35.2	7.9	1.41	7700	3.26	0.17	3.8	29.9	420	2.2
E387387		22.8	0.25	2.4	0.1	3.14	17.2	6.7	1.02	6320	4.16	0.17	2.9	48.4	350	2.9
E387388		22.7	0.42	2.4	0.106	2.74	63.9	5.7	1.16	6760	6.49	0.16	2.5	59.7	330	3.5
E387389		24.1	0.24	2.6	0.097	3.18	10.2	7.4	1.22	6530	5.38	0.18	3.1	45.3	440	3.3
E387390		21.8	0.3	2.1	0.103	2.85	54.9	6.6	1.23	6440	4.55	0.16	2.7	46.8	400	3.4
E387391		0.55	0.06	0.1	<0.005	0.03	1.9	0.5	0.45	44	0.21	0.01	0.4	<0.2	100	0.7
E387392		15.9	0.21	1.7	0.159	2.19	27	28.5	1.19	3580	68.5	0.87	4.6	33.4	870	21.2
E387393		22.5	0.29	2.2	0.115	2.97	46.6	6.6	1.17	7120	4.66	0.17	2.7	45.7	310	3
E387394		20.3	0.29	2.1	0.123	2.59	37.9	5.5	1.49	8760	4.57	0.14	2.5	35.5	300	2.1
E387395		16.6	0.22	1.9	0.084	2.06	9.8	9.5	2.27	6790	6.39	0.13	1.8	55.5	270	3.6
E387396		20.4	0.24	2.5	0.079	2.5	15.7	7.9	1.86	6180	9.52	0.16	1.7	56	310	3.6
E387397		16.6	0.23	1.9	0.099	2.06	9.5	7.6	2.02	7070	11.2	0.13	1.8	62.4	250	3.5
E387398		12.25	0.26	1.5	0.101	1.53	9.2	5.7	1.7	6380	28.7	0.1	1.3	69.2	200	5.3
E387399		19.45	0.21	2.2	0.07	2.37	6	6.1	1.52	6830	7.9	0.16	2.7	45.9	320	3.1
E387400		19.55	0.25	2.4	0.073	2.52	25.4	6.1	2.05	6750	6.03	0.17	2.8	52.6	250	5

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-27

CERTIFICATE OF ANALYSIS VA07137760

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E387381		133.5	<0.002	2.33	2.97	41.6	2	2.9	39.5	0.18	<0.05	2.1	0.402	0.55	2.4	404
E387382		157	0.002	5.01	5.14	42.3	2	4.2	49.6	0.3	0.05	3.8	0.706	0.73	3	499
E387383		155	0.002	4.68	4.32	44.3	2	3.8	40.7	0.23	0.05	3.8	0.566	0.66	2.9	481
E387384		127	<0.002	1.3	2.32	43.9	2	2.7	30.8	0.17	<0.05	1	0.462	0.53	3.6	396
E387385		115	<0.002	2.03	2.76	34.8	2	2.2	28.5	0.19	<0.05	1.6	0.522	0.49	3.8	376
E387386		144.5	<0.002	0.74	1.76	43.2	2	2.7	47.2	0.27	<0.05	2.4	0.741	0.57	3.4	442
E387387		145	<0.002	2.55	2.42	44.6	2	2.5	39	0.21	<0.05	1.4	0.592	0.59	2	462
E387388		132.5	<0.002	5.07	3.83	41.1	2	2.3	36.7	0.18	<0.05	2.5	0.434	0.53	1.9	433
E387389		149	<0.002	2.26	2.71	43.7	2	2.5	43.7	0.22	<0.05	1.2	0.584	0.61	1.8	478
E387390		132.5	<0.002	2.54	2.8	40	2	2.2	29.7	0.18	<0.05	2.3	0.513	0.56	1.5	434
E387391		1	<0.002	0.06	0.08	0.4	2	<0.2	265	<0.05	<0.05	0.2	0.006	<0.02	0.8	7
E387392		94.6	0.022	2.34	1.77	10.2	4	8.2	661	0.24	0.23	9.3	0.095	0.49	275	54
E387393		142	<0.002	2.12	2.58	42.4	2	2.2	34.7	0.18	<0.05	2	0.54	0.58	2.2	425
E387394		123.5	<0.002	1.03	1.7	40.4	2	1.9	29.3	0.18	<0.05	1.6	0.501	0.51	2.7	369
E387395		104	<0.002	7.17	3.67	29	2	1.8	63	0.12	<0.05	1	0.359	0.44	3.1	307
E387396		129	<0.002	7.77	3.86	34	2	2.2	73.4	0.12	<0.05	1.3	0.348	0.53	3.4	348
E387397		106	<0.002	7.82	4.1	26.6	2	1.9	69	0.13	<0.05	0.9	0.404	0.44	3	286
E387398		77.9	<0.002	>10.0	3.79	19.6	2	1.4	67.8	0.08	0.05	0.7	0.235	0.35	2.3	221
E387399		122	0.002	5.95	3.07	30.7	2	2.2	86.6	0.18	<0.05	0.9	0.515	0.48	3.5	349
E387400		122	0.002	8.45	3.41	34.1	2	2.1	58	0.2	<0.05	1.4	0.571	0.49	3.9	362

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-27

CERTIFICATE OF ANALYSIS VA07137760

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E387381		8	17	5	78.3	0.006	
E387382		14.9	20.1	5	106	0.013	
E387383		8	19.9	5	98.6	0.015	
E387384		7.2	17.9	7	75.6	0.004	
E387385		14.9	16.5	8	69.3	0.008	
E387386		9.6	17	4	80.3	0.003	
E387387		4.7	16.3	5	72.8	0.008	
E387388		3.8	16.5	5	72.5	0.013	
E387389		5.2	17.4	5	80	0.005	
E387390		6.7	14.6	5	64.4	0.008	
E387391		0.1	3	21	3.7	0.001	
E387392		9.5	16.8	8	58.7	0.075	
E387393		5.2	15.8	5	69.8	0.007	
E387394		19.2	14.4	5	65.9	0.004	
E387395		6	12.3	5	61.5	0.020	
E387396		5.6	14.3	4	77.9	0.022	
E387397		5.7	12.9	5	59.8	0.014	
E387398		4.1	9.6	6	47.1	0.028	
E387399		5.3	12.8	4	69.4	0.014	
E387400		6.4	14.1	5	74.9	0.018	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-27

CERTIFICATE OF ANALYSIS VA07137760

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07131313

Project: IGOR:IG-2007-28

P.O. No.: 195345

This report is for 100 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 21-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
Account: CASMIN

Project: IGOR:IG-2007-28

CERTIFICATE OF ANALYSIS VA07131313

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E387401		2.28	0.12	4.47	10.3	8110	1.04	0.67	1.37	<0.02	129	107	23	9.77	19.2	16.05
E387402		1.10	0.81	2.51	17.3	900	0.46	1.06	0.73	2.9	230	299	11	3.16	111.5	22.8
E387403		1.60	0.15	1.1	14.8	790	0.14	0.82	1.8	0.07	313	85.3	3	0.22	61.7	19.35
E387404		1.94	0.32	0.61	9.8	1710	0.09	0.75	1.02	<0.02	243	36.5	1	0.25	10.6	19.35
E387405		1.46	0.1	0.05	7.4	2940	0.05	0.3	0.29	<0.02	312	29.2	<1	0.09	22	20.5
E387406		2.10	0.1	0.03	5.4	7020	0.06	0.27	0.66	<0.02	104	63.3	<1	0.17	32	28.2
E387407		1.70	0.14	0.46	18.7	3110	0.09	0.69	2.42	<0.02	242	93	<1	0.43	38.8	23.5
E387408		2.18	0.23	0.47	13.7	3570	0.11	0.78	1.56	<0.02	308	43.4	1	0.18	39.2	23.9
E387409		1.96	0.17	1.13	11.5	1370	0.23	0.57	0.95	<0.02	337	63.9	5	0.45	23.3	21.6
E387410		1.82	0.14	0.2	10.7	3320	0.06	0.32	2.64	<0.02	280	67.1	<1	0.16	38.9	23.6
E387411		0.18	0.01	0.11	<5	170	0.09	0.04	42.6	0.33	2.5	0.8	5	<0.05	2.6	0.11
E387412		1.84	0.29	0.9	9.2	1570	0.17	0.66	4.62	<0.02	500	81.8	1	0.4	3870	24.5
E387413		1.70	0.16	1.83	9.8	2040	0.34	0.29	1.2	<0.02	332	107	5	1.05	3380	28.3
E387414		1.74	0.1	1.01	8	1080	0.43	0.28	1.16	<0.02	176	64.3	4	0.67	106	16.7
E387415		2.14	0.39	0.18	5	1050	0.25	0.4	2.17	<0.02	236	53.9	<1	0.07	5.4	20.3
E387416		1.72	0.13	0.2	9.8	1680	0.16	0.45	1.2	<0.02	357	48.6	<1	0.08	20.5	18.3
E387417		2.04	2.03	0.57	32.2	110	0.16	11.85	1.43	<0.02	290	438	<1	0.36	>10000	22.8
E387418		1.56	0.31	2.89	10.7	600	0.84	2.23	0.95	<0.02	243	124	16	5.14	2320	18.5
E387419		2.58	0.06	6.06	2.1	>10000	1.78	1.03	0.58	<0.02	97.8	77.6	36	10.9	62.4	12.45
E387420		2.64	0.05	5.86	8.8	5780	1.18	0.18	3.05	<0.02	67.6	29	34	3.06	23.7	8.21
E387421		1.54	0.07	6.53	5	9250	1.37	0.22	2.06	<0.02	112.5	28.1	38	3.73	381	8.12
E387422		0.16	0.01	0.12	<5	50	0.06	0.04	43	0.35	2.05	0.7	5	<0.05	3	0.05
E387423		0.22	0.98	5.4	48.3	1090	1.68	2.9	1.89	<0.02	54.8	156	30	3.51	7210	9.07
E387424		1.26	0.08	7.42	5.6	5420	1.3	0.14	2.16	<0.02	66.2	25	42	4.03	139	8.3
E387425		1.42	0.08	7.36	4	3520	1.32	0.14	1.56	<0.02	106	35.5	47	4.09	281	7.77
E387426		1.32	0.08	5.64	4.9	6970	1.67	0.08	6.36	<0.02	118	33.8	29	3.15	211	9.34
E387427		1.44	0.07	7.38	3.7	4880	2.38	0.17	4.74	<0.02	56.8	32.8	40	4.18	560	7.57
E387428		1.42	0.07	5.65	4.8	2240	1.47	0.17	4.26	<0.02	124	26.7	31	3.07	1230	8.25
E387429		1.28	0.06	6.5	8	3460	2.12	0.31	3.08	<0.02	142.5	25.7	41	3.38	277	7.9
E387430		1.20	0.03	6.93	5.1	5330	1.85	0.09	2.14	<0.02	141	22.1	41	3.34	23.9	7.78
E387431		1.40	0.05	6.72	7.6	9000	1.63	0.23	3.05	<0.02	231	24.9	37	3.49	183.5	8.97
E387432		1.10	0.04	6.12	9	3500	1.49	0.23	2.93	<0.02	152.5	27.4	37	3.32	38.8	8.68
E387433		1.34	0.06	5.62	5.1	2350	1.04	0.21	2.53	<0.02	170.5	27.4	32	3.16	158.5	9.26
E387434		0.14	<0.01	0.14	<5	70	0.14	<0.01	48.7	0.39	2.35	0.8	6	<0.05	2.8	0.06
E387435		1.32	0.07	4.67	8.3	3250	1.1	0.22	3.14	<0.02	87.1	21.2	27	2.1	157.5	8.12
E387436		1.46	0.08	7.63	8.9	5740	1.56	0.31	0.91	0.05	99.7	18.9	46	4.52	35.9	6.39
E387437		1.30	0.05	6.89	3.1	1780	1.04	0.09	6.61	0.03	103.5	31.1	34	2.86	6.9	8.68
E387438		1.22	0.05	7.17	3.8	2210	0.88	0.07	4.81	<0.02	45.5	22.3	38	2.49	19.2	8.55
E387439		1.30	0.04	6.07	3.7	3530	0.77	0.08	4.43	<0.02	54.6	23.6	36	2.32	3.9	7.22
E387440		1.78	0.06	7.37	4.9	>10000	1.14	0.12	2.84	<0.02	106.5	21.5	43	3.63	20.5	8.33

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
Account: CASMIN

Project: IGOR:IG-2007-28

CERTIFICATE OF ANALYSIS VA07131313

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E387401		11.35	0.3	1.3	0.314	1.84	93.3	26.3	1.37	9700	5.46	0.1	2.7	26.7	1100	2.3
E387402		6.53	0.47	0.9	0.366	0.63	209	21.2	1.36	15050	19.2	0.03	4.2	29.4	1230	204
E387403		3.86	0.39	0.4	0.144	0.03	243	13.4	0.86	8200	26.7	0.01	9.9	19.8	4100	9.3
E387404		2.66	0.35	0.2	0.112	0.03	184.5	5.9	0.73	7860	16.45	0.02	9.7	14.3	2550	1.6
E387405		1.52	0.36	<0.1	0.12	<0.01	246	0.3	0.54	5850	24.6	0.02	6.2	7.8	1230	1.3
E387406		1.27	0.38	<0.1	0.256	<0.01	84.3	0.2	1.3	13800	24.2	0.05	10.4	19.5	2240	2.2
E387407		2.54	0.39	0.2	0.266	<0.01	196	4.1	0.78	10600	40	0.03	12.9	32.3	4500	1.7
E387408		2.51	0.42	0.2	0.093	<0.01	268	4.1	0.49	4060	76.5	0.02	13.2	16.2	2480	1.8
E387409		3.84	0.39	0.5	0.086	0.01	269	12.5	0.6	3350	70.4	0.01	14.1	28.9	3110	1.4
E387410		2.15	0.39	0.1	0.208	<0.01	237	1.3	0.72	10750	66.6	0.02	9.1	17.2	3550	1.6
E387411		0.42	0.05	0.1	<0.005	0.03	2	0.9	0.46	59	0.9	0.02	0.4	<0.2	110	1.5
E387412		3.44	0.46	0.3	0.374	0.01	421	8.9	0.85	9160	104.5	0.02	4.5	23.1	2560	1.9
E387413		4.63	0.44	0.4	0.3	0.13	286	20.4	1.05	7420	31.7	0.02	5.5	22.6	2790	1.5
E387414		2.44	0.25	0.3	0.126	0.08	140	12.5	0.57	4060	26.6	0.01	6.3	9.6	1640	1
E387415		1.37	0.31	0.1	0.093	<0.01	190	1.8	0.43	3310	44.5	0.01	9.9	7.9	1360	1
E387416		2.02	0.33	0.2	0.146	<0.01	291	1.9	0.59	4990	28.4	0.01	8.8	8.8	3040	1.6
E387417		3.04	0.43	0.3	0.499	0.01	173.5	4.4	1.29	9500	108	0.01	6.4	26.3	2740	2.3
E387418		8.88	0.32	1.1	0.47	1.12	194.5	19	1.63	11800	47.3	0.03	4.7	20.1	1390	1.6
E387419		15.85	0.22	1.8	0.284	2.69	68.1	42.1	1.21	4950	6.18	0.17	2.4	18.3	840	1.6
E387420		14.15	0.18	1.8	0.081	3.78	46.5	29	1.46	3370	12.2	0.07	6.6	16.9	1310	2.4
E387421		16.2	0.2	2.1	0.086	3.42	75.7	32.3	1.38	2230	13.3	0.38	8.3	19.1	990	2.9
E387422		0.41	<0.05	0.1	<0.005	0.03	1.6	1	0.46	39	0.27	0.01	0.3	<0.2	100	0.9
E387423		13.6	0.18	1.7	0.144	2.01	24	21.5	1.17	3410	62.4	0.86	4	33.3	820	21.9
E387424		21.4	0.37	2.3	0.095	4.46	43.3	41.1	1.48	2490	10.7	0.06	7.4	19.4	840	1.4
E387425		20.2	0.42	2.6	0.083	4.47	66.6	49.8	1.49	2080	6.22	0.05	4.6	25.3	790	1.7
E387426		16.55	0.34	1.9	0.124	3.15	82.2	46.2	2.7	6890	16.6	0.01	7.2	20.4	900	2
E387427		23.3	0.27	2.5	0.144	4.25	36.1	45.7	2.22	4890	14.9	0.02	8.5	25.4	890	2.3
E387428		17	0.34	1.7	0.118	3.16	82.9	36.9	1.8	4920	18.3	0.02	7.4	18.1	830	3.7
E387429		22.2	0.34	2.2	0.124	3.64	98.3	41.9	1.49	3580	13.4	0.02	9.6	19.2	920	2.4
E387430		20.3	0.34	2.4	0.11	4.17	96.2	44.4	1.19	2530	11.55	0.02	12.9	17.4	850	2.1
E387431		19.75	0.41	2.2	0.107	3.88	157	44	1.53	3050	18.75	0.01	12.5	18.7	1270	2.2
E387432		17.8	0.37	2.1	0.097	3.73	107	40	1.37	3350	27.4	0.03	9.9	18.2	1290	1.8
E387433		13.55	0.22	1.7	0.091	3.1	107	26.9	1.58	4020	15.4	0.03	5.1	19.9	910	2.1
E387434		0.51	0.05	0.1	<0.005	0.03	1.7	1.4	0.53	45	0.25	0.02	0.3	9.9	150	0.9
E387435		13.05	0.21	0.9	0.076	2.61	56.3	28.7	1.46	3560	20.5	0.05	6	15.3	670	2.4
E387436		21.1	0.17	2.3	0.077	4.69	61.6	38.1	0.81	1040	8.65	0.08	6.1	16.9	840	2.4
E387437		16.25	0.19	2.3	0.121	4.64	60.2	21.9	2.57	7480	8.78	0.06	4.7	17.5	720	1.9
E387438		13.9	0.17	2.2	0.082	5.76	26.2	19.7	2.03	4830	7.57	0.07	4.6	15	680	2.2
E387439		12.6	0.28	2	0.07	4.64	32.4	23.2	1.89	4310	9.02	0.05	3.8	13.3	620	1.8
E387440		16.75	0.21	2.3	0.089	5.01	66.3	24.6	1.37	3470	8.52	0.07	4.8	14.1	830	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
Account: CASMIN

Project: IGOR:IG-2007-28

CERTIFICATE OF ANALYSIS VA07131313

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E387401		91	0.005	0.29	1.26	7.4	1	10.2	322	0.13	0.54	7.9	0.066	0.23	2.2	53
E387402		36.1	0.005	0.9	1.37	4.3	6	10	278	0.13	0.66	2.8	0.035	0.16	1.8	33
E387403		1.4	0.005	0.25	0.86	2	2	6.9	1120	0.21	0.46	3	0.016	0.02	2.1	48
E387404		1.8	0.005	0.15	0.98	1.1	1	8.7	1260	0.11	1.58	1.6	0.01	0.02	2.3	31
E387405		0.1	0.007	0.18	0.89	0.1	1	16.4	935	<0.05	0.49	0.3	<0.005	<0.02	2.3	8
E387406		0.1	0.006	0.19	0.77	0.2	1	3.7	264	0.1	0.29	0.7	<0.005	<0.02	2.9	29
E387407		0.2	0.01	0.17	0.88	0.6	1	11.9	834	0.18	0.63	2.5	0.01	<0.02	3.7	39
E387408		0.2	0.025	0.17	1.35	0.5	2	32.3	755	0.13	0.67	1.8	0.015	0.03	4.6	38
E387409		0.5	0.016	0.14	1.49	0.8	2	12.9	1440	0.21	0.67	2.7	0.033	0.02	4.2	36
E387410		0.1	0.01	0.17	0.63	0.6	1	10.9	850	0.13	0.19	1.4	<0.005	<0.02	4.1	34
E387411		0.6	<0.002	0.06	0.07	0.4	1	<0.2	253	<0.05	0.06	0.2	0.006	<0.02	0.6	8
E387412		0.2	0.015	0.4	0.89	0.9	2	8.6	423	0.06	0.15	3.9	0.01	0.02	6.8	47
E387413		7.8	0.006	0.47	1.12	1	2	11.4	238	0.11	0.11	4.6	0.017	0.02	1.8	80
E387414		4.9	0.007	0.18	0.63	0.9	1	8.3	2140	0.07	0.13	1.6	0.011	0.02	3.4	23
E387415		0.1	0.012	0.2	0.47	0.4	1	6.8	2520	<0.05	0.58	0.5	<0.005	0.02	3.5	12
E387416		0.1	0.009	0.23	0.6	0.3	1	8.7	1720	0.11	0.32	1.2	<0.005	0.02	2.9	20
E387417		0.6	0.026	4.25	1.34	0.8	8	7.5	411	0.11	1.14	1.6	0.008	0.07	3.9	29
E387418		64.1	0.011	0.64	1.2	4.6	2	12.1	736	0.1	0.37	5	0.043	0.14	2.4	34
E387419		144.5	0.002	0.32	1.71	9.1	1	17.2	589	0.12	0.77	11.5	0.083	0.29	2.2	72
E387420		137	0.002	0.15	2.02	7.3	1	6.9	109.5	0.35	0.22	12.3	0.172	0.21	21.9	61
E387421		141.5	0.004	0.31	1.65	7.7	1	7.9	264	0.42	0.12	15	0.187	0.23	16.1	61
E387422		0.6	<0.002	0.06	0.1	0.4	1	<0.2	250	<0.05	<0.05	0.2	0.006	<0.02	0.6	8
E387423		77.9	0.022	2.23	1.55	8.7	2	7.2	526	0.23	0.25	8.7	0.082	0.45	279	51
E387424		191	0.003	0.2	1.93	10.9	2	8	229	0.4	0.05	11.8	0.216	0.25	6.6	68
E387425		186.5	<0.002	0.21	1.52	9.1	2	6.2	470	0.23	0.07	13.6	0.182	0.27	6.3	56
E387426		146.5	0.002	0.25	1.54	11.1	2	8.4	264	0.35	0.1	11.7	0.164	0.21	8.6	59
E387427		196.5	<0.002	0.3	1.87	13.2	2	7.5	731	0.53	0.17	14.2	0.21	0.3	16.8	69
E387428		144.5	0.002	0.3	1.62	10.2	2	8.1	929	0.37	0.17	10.4	0.164	0.23	11.1	57
E387429		174.5	0.003	0.27	2.01	11.5	3	9.7	527	0.48	0.15	13.8	0.193	0.25	18.4	68
E387430		176.5	0.002	0.16	1.7	9.8	2	10.6	93.2	0.68	0.07	13.7	0.23	0.23	17.9	64
E387431		167	0.003	0.34	1.91	10.2	2	10.9	173	0.6	0.1	15.5	0.209	0.23	12.2	64
E387432		155.5	0.007	0.1	2.09	9.7	2	9.5	60.4	0.47	0.14	13.3	0.202	0.24	10	61
E387433		127	0.004	0.29	1.92	7.6	1	7.9	1670	0.3	0.12	10	0.171	0.19	11.7	56
E387434		0.8	<0.002	0.07	0.1	0.1	2	<0.2	290	<0.05	<0.05	0.2	0.007	<0.02	0.7	5
E387435		114	0.003	0.14	2.66	9.5	2	9.1	692	0.36	0.42	9.9	0.153	0.16	12.4	44
E387436		186	<0.002	0.14	2.61	9.2	2	8.8	90.1	0.33	0.29	14.6	0.215	0.3	8.9	62
E387437		162.5	<0.002	0.04	1.57	10.5	1	4.4	52.5	0.32	0.05	14.7	0.206	0.3	15.3	66
E387438		160	<0.002	0.05	1.66	7.7	1	4.6	43.1	0.36	0.09	13.1	0.221	0.25	9.5	69
E387439		140	<0.002	0.09	1.41	6.5	1	3.7	63.9	0.24	0.12	13.5	0.167	0.25	8.2	54
E387440		170.5	<0.002	0.32	1.82	7.7	2	5.7	168	0.27	0.13	13.6	0.207	0.31	6.7	71

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
Account: CASMIN

Project: IGOR:IG-2007-28

CERTIFICATE OF ANALYSIS VA07131313

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E387401		9.5	11.7	8	34.1		0.005	3.07
E387402		6	11.4	1525	24.1		0.022	
E387403		7.6	20.2	50	11.9		0.004	
E387404		8	9	6	5.7		0.004	
E387405		10	5.5	3	0.5		0.002	
E387406		6.6	9.7	6	0.5		<0.001	1.93
E387407		8.6	19.1	6	5.7		0.002	
E387408		22.5	12.8	5	5.4		0.003	
E387409		16.4	14.4	5	12.2		0.002	
E387410		9.7	17.3	6	1.9		<0.001	
E387411		0.2	2.8	21	2.9		<0.001	
E387412		10.1	26.5	8	8.2		0.005	
E387413		8	14.5	9	10.5		0.003	
E387414		11	7.8	4	7.5		<0.001	
E387415		24.2	10.2	2	3.8		0.001	
E387416		27.1	11.4	3	5		0.001	
E387417		8	14.5	<2	8.7	2.08	0.114	
E387418		8.9	13	8	29.1		0.011	
E387419		11.6	11.8	5	48		0.001	4.18
E387420		15	12.3	4	49.3		0.001	0.62
E387421		16.4	13.1	5	57.8		0.001	1.73
E387422		0.1	2.7	25	2.6		<0.001	
E387423		8.2	15	8	47.6		0.050	
E387424		17.5	11.3	3	71.5		<0.001	1.24
E387425		14.1	12.3	5	81.1		0.001	2.92
E387426		17.8	14	<2	56.1		0.002	1.31
E387427		18.7	14.7	2	74		0.001	4.25
E387428		15.5	12.2	2	51		0.002	
E387429		19.9	14.2	<2	65.7		0.005	
E387430		20.6	15.5	<2	74.1		0.005	0.59
E387431		19.2	15.8	<2	65.2		0.004	1.09
E387432		17.2	14.1	<2	62		0.007	
E387433		12.5	10.4	3	51.3		0.005	
E387434		0.1	2.7	25	3.4		<0.001	
E387435		14.3	7.4	2	28.9		0.014	
E387436		14.7	9.1	2	72		0.006	0.61
E387437		10.3	11.9	2	70.8		0.002	
E387438		10.6	11.7	3	71.1		0.002	
E387439		9.1	10.6	2	62.4		0.002	
E387440		12.5	12.3	3	73.3		0.003	1.23

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
Account: CASMIN

Project: IGOR:IG-2007-28

CERTIFICATE OF ANALYSIS VA07131313

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E387441		1.44	0.03	5.37	3.2	3450	0.72	0.07	9.23	<0.02	79.5	34.4	24	2.21	98.7	9.94
E387442		1.22	0.03	6.28	1.9	5170	0.98	0.21	7.25	<0.02	68.9	32.4	28	2.45	58.7	8.63
E387443		1.34	0.03	7.65	4.3	7340	0.81	0.11	4.94	<0.02	94.4	25.9	39	2.7	9.4	9.78
E387444		1.36	0.06	7.09	3.4	>10000	1.07	0.13	4.68	<0.02	67.7	26.6	35	3.07	165.5	9.13
E387445		0.18	<0.01	0.14	<5	40	0.08	<0.01	49.5	0.34	1.88	0.6	6	<0.05	1.8	0.06
E387446		0.20	1.28	2.5	114.5	70	0.55	11	2.33	<0.02	207	358	12	2.94	9190	28.6
E387447		1.42	0.07	4.2	4.5	1180	0.96	0.2	2.87	<0.02	66.3	19.4	21	2.05	839	7.04
E387448		1.04	0.06	8.26	2.9	5940	1.87	0.17	2.69	<0.02	122.5	21.1	51	5.1	423	6.02
E387449		1.00	0.6	8.03	9.4	1460	2.15	4.55	0.44	<0.02	111.5	32.7	59	9.02	>10000	9.65
E387450		1.02	0.55	6.71	12.5	970	1.57	3.76	2.48	0.02	143	33.3	44	9.25	>10000	12.85
E387451		0.68	0.22	7.88	4.3	1140	1.49	0.89	1.76	<0.02	130	32.8	50	4.96	5640	9.88
E387452		1.30	0.1	8.15	5.8	2390	1.43	0.21	2.33	0.02	80.3	16.9	44	3.71	938	5.81
E387453		1.12	0.07	5.75	2.2	6540	1.18	0.11	1	<0.02	81	29.3	35	3.06	474	10
E387454		1.40	0.03	7.92	5.2	>10000	1.12	0.15	2.62	<0.02	126.5	17.4	48	3.05	82.2	6.21
E387455		1.36	0.05	6.14	3.8	4980	1.07	0.17	4.51	<0.02	149	21.4	35	3.26	522	8.04
E387456		1.28	0.02	6.73	2.6	1730	1.46	0.05	4.05	<0.02	123	21.6	41	3.45	33.4	6.29
E387457		0.22	<0.01	0.14	<5	20	0.08	<0.01	49.7	0.29	1.77	0.6	6	<0.05	2.2	0.05
E387458		1.30	0.09	5.41	8	1830	1.35	0.2	4.45	0.03	235	26.2	29	3.06	260	12.2
E387459		1.18	0.79	4.6	8.6	3580	1.01	1.27	7.43	0.03	69.5	33	25	3.16	4390	12.7
E387460		1.12	0.14	4.51	12.1	1810	0.92	0.6	6.81	<0.02	99.6	20.2	22	2.35	2180	9.22
E387461		1.12	1.35	5.05	11.4	2980	1.04	2.65	5.74	<0.02	80	27	26	3.08	3200	8.3
E387462		0.94	0.04	6.49	4.6	8910	1.25	0.17	5.07	<0.02	72.8	25.2	34	3.25	813	8.34
E387463		1.10	0.17	4.03	14.8	3270	0.86	0.56	5.71	<0.02	164.5	24.8	19	2.66	1340	11.55
E387464		1.04	0.06	3.43	14.2	6030	0.82	0.24	2.17	<0.02	273	25.2	16	2.21	614	14.8
E387465		1.02	0.11	2.49	10.6	1670	0.51	0.37	5.91	<0.02	140	22.5	12	1.16	1160	14.45
E387466		1.52	0.02	3.29	11.8	3420	0.67	0.16	4.53	<0.02	129	16.8	18	1.39	300	13.65
E387467		1.40	0.19	1.71	10.9	200	0.4	0.88	3.47	<0.02	142	42.9	8	0.88	4580	20.4
E387468		0.18	0.01	0.12	<5	50	0.07	<0.01	45.1	0.35	2.38	0.8	6	<0.05	10.3	0.06
E387469		0.22	0.27	6.78	53.6	430	2.28	1.56	1.82	<0.02	74.5	109	43	6.12	1425	7.03
E387470		1.54	0.12	1.8	15.4	440	0.42	0.45	1.83	<0.02	127.5	44.1	9	0.92	3490	21.1
E387471		1.52	0.09	3.85	10.4	2440	0.79	0.54	5.8	<0.02	124.5	19.5	20	2.07	650	12.6
E387472		0.86	0.06	3.57	12.1	6650	0.84	0.3	6.86	<0.02	176	14.7	18	2.28	518	13.15
E387473		1.52	0.04	3.24	14.6	3620	0.75	0.31	5.77	<0.02	132.5	19.4	16	1.81	74.9	13.3
E387474		0.98	0.05	4.07	10.6	3020	0.94	0.49	5.4	<0.02	100	22.3	20	2.22	1430	11.4
E387475		1.18	0.03	4.37	11.2	6120	1.01	0.23	5.06	<0.02	109	22.8	22	2.43	51.6	12.8
E387476		0.98	0.04	4.93	10.9	4270	1.18	0.21	4.95	<0.02	140	15.9	24	3.09	30.2	9.92
E387477		0.78	0.19	5.39	14.4	600	1.22	2.12	4.55	<0.02	116.5	35.9	26	2.61	38.6	11.55
E387478		1.36	0.64	3.9	28	320	0.91	6.81	6.34	<0.02	67.9	71.8	16	2.12	61.5	17.2
E387479		0.86	0.03	6.46	7.8	2620	1.44	0.25	4.51	<0.02	66.5	17.9	35	3.67	44	8.79
E387480		0.14	0.02	0.13	<5	40	0.07	<0.01	46	0.37	2.23	0.8	6	<0.05	3.3	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
Account: CASMIN

Project: IGOR:IG-2007-28

CERTIFICATE OF ANALYSIS VA07131313

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E387441		10.95	0.2	1.6	0.147	2.77	44.7	22	3.72	11100	5.26	0.18	3.1	20.5	580	1.8
E387442		15.05	0.31	1.9	0.113	4.1	40.6	30.1	3.2	6910	4.1	0.03	3.8	19.9	560	1.5
E387443		13.55	0.19	2.3	0.074	5.53	53.2	26.6	2.62	4630	5.17	0.06	3	19.5	700	1.9
E387444		15.85	0.19	2.1	0.102	4.19	38.1	32.3	2.4	5790	9.15	0.06	3.8	21.2	690	2
E387445		0.43	<0.05	0.1	<0.005	0.04	1.4	1.2	0.53	45	0.15	0.01	0.2	8.1	110	0.7
E387446		9.31	0.43	0.8	0.28	0.67	118	21.2	1.61	6750	62.1	0.24	5.3	58.5	2550	6.4
E387447		12.7	0.16	1.3	0.07	1.98	32.5	25.2	1.49	3130	9.69	0.02	4.3	19.8	540	2.2
E387448		25.5	0.18	2.7	0.133	5.11	65.3	36.1	1.44	3570	4.84	0.05	4.9	20.5	780	2.4
E387449		24.7	0.2	2.9	0.15	4.36	71.7	44.5	0.93	1620	16.15	0.04	9.7	29.8	1270	2.5
E387450		16.45	0.25	2.3	0.152	3.38	95.1	36.5	1.81	4640	21.9	0.03	12.9	32.3	1640	2.5
E387451		20.2	0.2	2.5	0.132	4.23	76.8	36	1.75	4680	8.2	0.04	4.7	37	880	2.2
E387452		19.8	0.15	2.1	0.089	4.5	45.8	29.3	1.42	2630	7.15	0.04	3.5	19.1	570	2.3
E387453		16.2	0.16	1.7	0.188	3.27	44.1	22	1.65	10400	8.53	0.04	2.4	24.3	460	2.2
E387454		18.4	0.16	2.3	0.083	5.45	68.3	23.7	1.44	2640	3.31	0.06	3.1	16.5	720	2.1
E387455		15.85	0.22	2	0.1	3.73	82.6	24.7	2.32	5620	4.83	0.04	3.8	18.9	570	2.2
E387456		20	0.29	2.2	0.1	4.51	69.5	32.8	1.84	4030	5.03	0.04	4	15.9	660	1.6
E387457		0.36	<0.05	0.1	<0.005	0.03	1.2	1.1	0.54	43	0.16	0.01	0.2	7.3	140	0.8
E387458		15.65	0.27	1.6	0.162	3.04	138.5	32	2.39	8650	24	0.03	7.9	22.1	1240	2.5
E387459		11.2	0.18	1.5	0.199	2.41	42.8	23	4.03	13100	150	0.03	4.2	25.2	760	6.5
E387460		12.4	0.18	1.3	0.112	2.59	67.4	26.3	2.89	6550	30.7	0.03	7.6	16.1	1330	8.6
E387461		12.95	0.17	1.5	0.106	2.86	55.1	31.5	2.73	5440	344	0.03	6.8	20.9	1120	17.1
E387462		16.8	0.15	1.8	0.117	3.53	48.2	32.1	2.57	5350	5.96	0.04	5.5	25.6	850	2.2
E387463		11.6	0.22	1.2	0.119	2.2	123.5	25.3	2.71	6810	32.7	0.03	9.3	21.8	1460	2.9
E387464		10.25	0.29	0.9	0.15	1.9	206	25.3	1.83	8630	26.3	0.03	11	23.4	1620	1.8
E387465		7.09	0.22	0.6	0.125	1.4	107	16.7	2.87	8520	33.9	0.02	10.6	16.3	1060	2.2
E387466		8.02	0.2	0.7	0.106	1.84	99.3	19.2	2.04	7200	20.7	0.03	11	14.5	1140	1.7
E387467		5.55	0.28	0.4	0.218	0.98	96.6	12	2.76	15650	17.6	0.02	8.8	22.2	1120	3.3
E387468		0.49	0.05	0.1	<0.005	0.03	1.8	1.2	0.48	47	0.34	0.01	0.3	1.2	110	0.9
E387469		18.15	0.15	1.8	0.119	2.84	41.8	21.8	1.31	3170	18.25	0.58	2.4	24.6	710	3
E387470		6.02	0.26	0.6	0.262	1.04	92.2	13.8	2.64	18100	22.8	0.02	9.4	26.9	1510	2.5
E387471		10.4	0.21	1	0.156	2.15	91.9	25.9	2.47	7810	22	0.03	10.8	16	1120	2.8
E387472		9.91	0.26	0.9	0.162	1.97	130.5	23	2.61	8570	32	0.04	12.2	14.8	1140	2.3
E387473		8.96	0.22	0.8	0.124	1.78	102	22.3	2.45	7630	27.7	0.03	10.6	15.5	1170	2
E387474		11.7	0.2	1.1	0.112	2.27	71.7	26.5	2.35	6490	21.4	0.03	10	19.2	870	2.1
E387475		12.15	0.22	1.2	0.132	2.44	79.5	27.7	2.3	7180	25.2	0.04	12.6	22.2	1370	1.9
E387476		13.65	0.22	1.6	0.12	2.77	104.5	29.2	2.03	5640	22.5	0.04	11.3	15.9	1080	2.4
E387477		14.45	0.23	1.6	0.108	3.05	85.3	33.1	2.14	5150	26.8	0.03	11.8	22	1290	4.9
E387478		11.2	0.24	1.1	0.133	2.2	46.4	22.2	2.71	6000	21.4	0.03	11	23.1	960	12.2
E387479		17	0.16	1.6	0.129	3.57	45.7	32.6	2.1	5170	14.8	0.04	8.2	20.9	890	2.2
E387480		0.5	<0.05	0.1	<0.005	0.03	1.6	1.4	0.49	40	0.29	0.01	0.3	1.3	110	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
Account: CASMIN

Project: IGOR:IG-2007-28

CERTIFICATE OF ANALYSIS VA07131313

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E387481		0.80	0.1	6.65	9.1	4610	1.19	0.32	3.11	<0.02	75.3	93.7	39	2.89	1215	9.61
E387482		1.12	0.04	6.92	3.8	5570	1.16	0.16	2.72	<0.02	79.1	42.6	42	2.8	999	9.37
E387483		1.00	0.07	7.61	5	6620	1.44	0.21	0.5	<0.02	150.5	81.6	47	2.93	1375	11.2
E387484		1.38	0.06	6.62	4.8	4840	1.41	0.12	2.69	<0.02	92.6	56.1	39	2.75	426	10.25
E387485		1.52	0.13	6.21	6.7	1750	1.19	0.5	1.87	<0.02	24.9	97.6	35	2.66	1510	11.95
E387486		1.42	0.08	6.87	3.9	4150	1.26	0.25	2.26	<0.02	38.4	41.3	38	2.66	632	11.95
E387487		1.22	0.06	6.06	3.3	1800	1.3	0.14	1.73	<0.02	43.8	53.3	36	2.41	662	11.6
E387488		1.46	0.03	5.99	5.2	3440	1.18	0.13	1.58	<0.02	232	46.2	38	2.33	633	9.85
E387489		1.38	0.05	7.52	3.5	7000	1.58	0.31	1.57	<0.02	335	42.5	43	2.86	660	10.45
E387490		1.24	0.09	7.6	6.5	3730	1.68	0.22	0.91	<0.02	148.5	80.5	45	2.86	1025	10.9
E387491		0.14	0.01	0.13	6	50	0.06	<0.01	45.8	0.31	2.28	0.8	6	<0.05	4.8	0.06
E387492		0.18	1.09	5.52	70.4	160	1.92	2.73	1.93	<0.02	55.9	153.5	33	3.6	6920	9.57
E387493		1.38	0.31	5.55	6.5	3380	1.15	0.34	2.5	<0.02	68.2	71.7	31	2.3	1210	13.15
E387494		1.48	0.09	1.64	14.7	920	0.4	0.5	2.76	<0.02	84.7	23.1	10	0.74	113	15.55
E387495		0.98	0.03	8.14	3.9	8050	1.59	0.22	1.49	<0.02	221	43	49	3.24	1085	10.4
E387496		1.40	0.11	7.57	7.8	2350	1.58	0.61	1.36	<0.02	425	98.3	46	3.42	1065	11.65
E387497		1.22	0.21	6.67	6.2	990	1.34	1.75	2.11	<0.02	85.9	53.1	45	2.84	3580	11.3
E387498		1.64	0.1	5.83	5.6	1340	1.21	0.63	2.61	<0.02	188	47.6	34	2.6	2430	11.25
E387499		1.44	0.13	4.92	4.7	910	1.02	0.43	0.57	<0.02	84.3	28.3	33	1.97	3430	12.2
E387500		1.38	0.24	5.67	5.2	390	1.21	0.94	2.5	<0.02	152	54.9	38	2.56	7920	10.85

***** See Appendix Page for comments regarding this certificate *****
***** e Appe Page f(nment: arding ertifica **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
Account: CASMIN

Project: IGOR:IG-2007-28

CERTIFICATE OF ANALYSIS VA07131313

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E387481		16.5	0.18	1.6	0.1	4.26	47.8	27.1	1.55	3810	16.3	0.05	7.8	24.4	760	2.7
E387482		16.3	0.19	1.7	0.084	4.45	49	24.3	1.39	3290	22.9	0.05	8.3	22.8	610	1.9
E387483		18.65	0.26	1.8	0.105	4.82	94	28.8	1.03	3350	27.9	0.05	8.8	30.2	680	2.1
E387484		16.7	0.2	1.6	0.076	3.75	57.9	32.9	1.59	2880	68.2	0.04	9.3	25.8	630	2.9
E387485		13.2	0.17	1.7	0.081	3.28	15.2	37.2	1.5	3320	33	0.12	7.8	25.7	630	2.5
E387486		15.3	0.17	1.8	0.073	3.66	25.8	34.8	1.65	2830	54.9	0.04	10	27.1	600	1.9
E387487		15.45	0.17	1.6	0.106	3.18	27.8	33.1	1.4	5010	21.7	0.03	8.5	22.9	500	2.3
E387488		15.85	0.29	1.5	0.066	3.31	146.5	33.2	1.18	1990	4.79	0.04	8.8	21.8	620	4.5
E387489		18.25	0.36	2	0.069	4.08	213	37.2	1.41	1590	3.52	0.05	9.9	26.1	700	4.9
E387490		20.3	0.26	1.8	0.088	4.47	96.7	35	1.15	2510	2.75	0.04	9.3	30.3	640	4.9
E387491		0.44	<0.05	0.1	<0.005	0.04	1.6	1.1	0.49	40	0.22	0.01	0.3	1.2	100	0.9
E387492		14.85	0.18	1.6	0.143	2.07	22.5	23.4	1.2	3500	61.5	0.89	2.7	36.1	830	20.2
E387493		14.5	0.19	1.2	0.108	2.71	45.4	33.5	1.59	4640	4.79	0.04	9.2	33.2	700	4.3
E387494		5.38	0.22	0.3	0.122	0.71	57.1	15.9	1.08	6390	22.4	0.02	11.5	16.2	1060	5
E387495		21.7	0.3	2.1	0.079	4.75	142	46.2	1.18	1700	5.21	0.14	11.5	26.7	610	3
E387496		20.8	0.38	1.9	0.094	4.46	256	48.1	1.31	2400	6.58	0.07	10.3	37.3	740	5.3
E387497		17.95	0.2	1.7	0.108	3.73	55.5	41.5	1.46	3600	19.95	0.03	9.7	37.5	890	4.3
E387498		16.65	0.26	1.5	0.115	3.02	121.5	42.4	1.72	4750	8.63	0.05	10.4	42.7	820	4
E387499		13.45	0.21	1.3	0.114	2.58	54.5	33.5	1.09	4390	46	0.03	10.1	29.8	680	3.7
E387500		16.7	0.24	1.5	0.171	3.32	84.5	37.2	1.53	5600	14.6	0.03	7.7	35.6	760	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
Account: CASMIN

Project: IGOR:IG-2007-28

CERTIFICATE OF ANALYSIS VA07131313

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E387481		151.5	0.003	0.69	1.1	10.7	3	5.4	93.2	0.53	0.23	12.9	0.207	0.35	18.6	61
E387482		160	<0.002	0.4	0.88	11.7	2	5.1	86.3	0.63	0.1	13.7	0.22	0.33	10.6	60
E387483		173.5	0.002	0.66	0.84	11.3	2	5.2	161.5	0.6	0.15	14.8	0.22	0.33	13	61
E387484		155	0.007	0.4	0.95	12.3	2	6.4	192	0.57	0.12	10.9	0.198	0.28	26.8	59
E387485		131	0.006	0.67	1.22	7.9	3	5	164.5	0.56	0.16	11.6	0.187	0.26	13.5	48
E387486		151	0.01	0.32	0.84	10.8	2	6.8	61.2	0.68	0.11	14.8	0.213	0.26	8.2	58
E387487		141.5	0.007	0.34	0.83	10.8	2	6.2	566	0.59	0.16	11.2	0.174	0.32	7.8	53
E387488		140.5	0.003	0.37	1.36	9.3	2	6	407	0.61	0.1	13.9	0.178	0.25	51.5	52
E387489		175.5	<0.002	0.44	1.35	10.3	2	5.7	108	0.74	<0.05	19.5	0.203	0.28	59.3	57
E387490		190	0.002	0.53	1.2	11.3	2	6.2	296	0.62	0.1	14.8	0.2	0.31	67.2	59
E387491		1	<0.002	0.06	0.07	0.4	2	<0.2	264	<0.05	<0.05	0.2	0.006	<0.02	0.7	6
E387492		86.4	0.022	2.34	1.48	9.7	3	7.4	559	0.13	0.24	8.4	0.074	0.42	269	54
E387493		122	0.002	0.54	1.34	7.8	2	6.4	88.1	0.49	0.31	13.7	0.158	0.24	43.6	60
E387494		36	0.004	0.38	2.02	3.1	2	8.3	327	0.29	0.12	4.7	0.052	0.11	37.4	42
E387495		186	0.002	0.51	1.03	13	2	6.9	107	0.66	0.08	15.1	0.239	0.41	24.1	66
E387496		185.5	0.004	0.88	1.48	10.9	2	6.8	187	0.71	0.17	16	0.243	0.41	45.3	66
E387497		158	0.005	1.35	1.2	11	3	7.6	171.5	0.58	0.09	10.5	0.222	0.39	15	73
E387498		134	0.005	0.63	1.14	9	2	6.3	351	0.54	0.12	11.3	0.189	0.31	30.7	65
E387499		116.5	0.012	0.48	1.12	7.2	2	6.8	965	0.51	0.13	7.2	0.16	0.22	24.8	57
E387500		146	0.005	1.27	1.13	10	4	6.5	718	0.4	0.15	14.5	0.179	0.29	9.9	61

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
Account: CASMIN

Project: IGOR:IG-2007-28

CERTIFICATE OF ANALYSIS VA07131313

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E387481		16.1	10.9	3	56.3		0.017	
E387482		14.2	10.3	2	56.4		0.012	0.63
E387483		12.6	10.6	3	58.8		0.015	1.16
E387484		15.6	10.5	3	53.1		0.008	
E387485		12.5	9.2	6	55.6		0.019	
E387486		15.1	11.1	5	61.1		0.016	
E387487		12.7	10.6	5	54.3		0.011	
E387488		14.4	12.4	5	51		0.004	
E387489		13.3	14.2	5	63.4		0.009	0.78
E387490		14.5	13.3	4	61.4		0.013	
E387491		0.1	2.5	22	3		0.001	
E387492		7.4	15.3	7	53.2		0.057	
E387493		15.6	11.2	7	43.1		0.012	
E387494		16.8	10.2	6	10.5		0.016	
E387495		15.8	11.8	3	66.4		0.009	0.90
E387496		17.6	14.1	2	58.9		0.015	
E387497		25.3	11.5	<2	50.2		0.011	
E387498		20	13.7	3	45.7		0.011	
E387499		16.2	8.9	<2	39.8		0.010	
E387500		29	12.3	<2	45.6		0.023	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
Account: CASMIN

Project: IGOR:IG-2007-28

CERTIFICATE OF ANALYSIS VA07131313

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

CERTIFICATE VA07137739

Project: IGOR: IG-2007-28

P.O. No.: 195345

This report is for 200 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 21-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: MICHAEL CAREW
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E307501		1.54	0.09	5.79	3.2	4870	1.62	0.28	3.51	<0.02	48.2	24.3	34	3.19	1710	9.47
E307502		0.94	0.32	5.24	6.9	460	1.01	1.77	2.62	<0.02	118	55.9	33	3.22	5980	10.95
E307503		0.14	0.02	0.13	<5	70	0.06	0.02	44.5	0.39	2.38	1.1	6	<0.05	7.5	0.05
E307504		1.48	0.7	4.46	6	180	0.7	3.86	0.56	<0.02	81.2	25	29	1.93	8630	13.2
E307505		1.28	0.17	6.64	4.3	6700	1.07	0.33	0.49	<0.02	133.5	25.2	37	2.49	392	10.4
E307506		1.56	0.18	5.26	3.5	3300	0.8	0.37	2.73	<0.02	109.5	17.8	32	1.82	191	8.2
E307507		1.26	0.07	6.51	4.4	1280	1.13	0.18	2.98	<0.02	93.6	21.1	31	2.5	365	8.59
E307508		1.22	0.08	5.27	8.9	4340	0.63	0.26	4.86	<0.02	94.8	22.2	26	1.54	715	10.45
E307509		1.34	0.05	5.09	7.7	2090	0.58	0.17	4.38	<0.02	107	43.7	29	1.41	306	8.92
E307510		0.92	0.06	5.35	4	5240	0.67	0.22	5.53	<0.02	58.4	33.2	26	2.16	51	8.74
E307511		1.12	0.11	3.27	3.4	690	0.37	0.2	3.42	<0.02	26	22.2	14	1.31	980	6.22
E307512		1.24	0.3	5.23	9	2910	0.78	0.18	3.37	<0.02	84.8	42	34	2.09	100.5	7.82
E307513		1.14	0.15	5.08	16.8	380	0.95	0.33	3.72	<0.02	67	162.5	25	1.94	531	7.26
E307514		0.16	0.02	0.13	9	70	0.07	0.02	45.1	0.38	2.34	1.1	6	<0.05	4.2	0.05
E307515		0.22	1.12	2.37	114.5	70	0.62	10.7	2.26	0.02	205	332	12	2.64	8480	27.5
E307516		1.34	0.06	6.97	8.6	3980	0.92	0.47	3.42	<0.02	71.6	42.9	38	2.39	195.5	6.7
E307517		2.62	0.15	5.36	4.6	1650	0.66	0.24	3.72	<0.02	51.7	21.2	30	1.8	35.8	5.32
E307518		2.48	0.02	5.09	2.4	840	1.32	0.06	5.04	<0.02	57.5	17.9	23	2.92	6.4	5.81
E307519		2.26	0.02	5.82	2	1120	1.57	0.03	6.22	<0.02	43.1	24.9	28	3.2	20	7.85
E307520		1.38	0.03	6.81	5.7	3730	2.27	0.08	3.54	<0.02	92.9	57	40	3.66	45.1	8.28
E307521		1.52	0.1	4.61	7.7	660	1.33	0.33	5.36	<0.02	44.8	60.7	24	2.74	214	9.56
E307522		1.86	0.05	4.65	7.7	520	1.36	0.21	4.4	<0.02	111	69.8	25	2.65	27	10
E307523		1.58	0.09	4.87	19	330	1.51	0.16	3.38	<0.02	84.4	128	29	2.74	484	10.65
E307524		1.82	0.1	4.47	27.2	210	1.39	0.22	3.47	<0.02	83.3	174	24	2.5	409	11.8
E307525		1.22	0.84	2.25	27.8	90	0.6	0.98	3.8	<0.02	264	200	10	1.18	5550	16.9
E307526		0.20	0.02	0.13	5	70	0.07	0.01	46.2	0.4	2.57	1.3	6	<0.05	5.4	0.06
E307527		1.88	0.4	3.52	10.8	140	1.16	0.42	1.84	<0.02	15	70.6	19	2.01	3750	8.99
E307528		1.42	0.07	7.52	3.3	5010	2.51	0.04	2.34	<0.02	55.7	46.6	39	3.95	986	6.25
E307529		1.30	0.81	4.06	43.9	110	1.42	0.76	1.64	<0.02	184.5	283	24	2.29	7340	11.6
E307530		0.76	0.13	7.81	4.4	5620	3.1	0.11	0.24	<0.02	34.7	27.7	56	4.47	998	5.13
E307531		1.46	1.66	7.06	5.1	1350	3.05	0.37	0.23	<0.02	51.8	53.5	43	4.02	6750	5.6
E307532		1.74	0.22	4.86	17.3	1840	1.97	0.14	0.49	<0.02	344	72.5	24	2.75	661	13.35
E307533		1.32	0.38	3.5	40.6	450	1.41	0.32	0.52	<0.02	379	181.5	20	1.9	251	15.9
E307534		1.64	0.33	6.12	29.5	2990	2.47	0.16	0.74	<0.02	142	114	30	3.68	221	11
E307535		1.60	0.77	3.5	53.4	390	1.32	0.32	3.82	<0.02	146	221	19	2.07	74.6	13.65
E307536		1.48	0.24	5.02	26.1	1060	1.67	0.15	3.43	<0.02	115.5	132.5	28	2.56	25.5	11.7
E307537		0.14	0.02	0.14	<5	150	0.08	<0.01	47.6	0.37	2.83	1.1	5	<0.05	3	0.08
E307538		0.20	0.31	6.67	61.6	640	3.02	1.82	1.83	<0.02	109.5	110.5	38	8.31	1520	6.84
E307539		1.54	0.25	5.4	22.4	1220	2.1	0.1	2.72	<0.02	115.5	104.5	26	3.24	67.6	10.7
E307540		1.64	0.35	4.54	12.3	1780	1.58	0.26	2.1	<0.02	201	69.9	21	2.74	149.5	12.95

See A lix Pa comi regar ıls ce e ****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E307501		17.05	0.16	1.6	0.11	3.16	34.7	51.8	1.45	4900	18.8	0.05	9.4	27.7	710	2.5
E307502		15.65	0.21	1.3	0.099	2.44	77.9	51.4	1.64	3710	46.3	0.03	8.1	42	690	4.8
E307503		0.51	0.05	0.1	<0.005	0.03	2	1.6	0.48	37	0.4	0.01	0.3	1	100	0.7
E307504		10.7	0.21	1.4	0.098	1.74	43.2	37.2	0.83	1980	20.6	0.46	7.6	17.3	520	3.8
E307505		17	0.18	2.1	0.055	3.31	96.4	50.7	1.07	1870	34.6	0.35	10.4	21.3	830	1.9
E307506		13.25	0.16	1.7	0.063	2.64	76.3	21.7	1.34	3430	77.3	0.88	7.9	14.5	770	1.6
E307507		18.85	0.17	2.1	0.077	3.67	65	27.6	1.46	3440	8.93	0.63	8.7	18.7	710	1.5
E307508		11.7	0.18	1.6	0.069	1.86	63.7	24.5	2.23	5720	7.78	1.46	5.7	14.7	600	1.6
E307509		11.25	0.19	1.7	0.045	1.48	71.3	28.8	2.1	4540	5.67	1.67	4.9	17.8	600	1.7
E307510		12	0.16	1.7	0.07	2.72	39.5	32.2	2.58	6430	5.45	0.65	3.2	15	600	1.7
E307511		6.28	0.11	1	0.08	0.99	15.9	21.4	1.5	5290	2.59	0.9	2.4	7.5	360	1.6
E307512		13.55	0.16	1.6	0.063	3.63	54.2	25.4	1.68	4120	8.87	0.08	5.1	16.4	550	1.9
E307513		15.6	0.17	1.5	0.078	2.77	30.8	29.6	2.07	5050	2.7	0.08	3.8	27.5	540	2.4
E307514		0.51	<0.05	0.1	0.006	0.03	2	1.5	0.49	39	0.25	0.01	0.3	3	110	0.9
E307515		9.42	0.38	0.7	0.259	0.67	120.5	21.7	1.6	6300	61.3	0.25	5.1	59.1	2400	11.5
E307516		19.3	0.15	2.2	0.063	5.28	43.7	20.9	1.35	3960	5.26	0.33	5	16.2	740	1.7
E307517		12.95	0.13	1.8	0.052	4.37	30.5	16.5	1.37	4130	4.45	0.26	3.2	11.6	550	1.5
E307518		12.7	0.14	1.8	0.097	2.81	31.5	21.8	2.08	4610	5.59	0.03	3.4	15.1	560	1.2
E307519		15.8	0.15	2	0.115	3.45	24.8	31.1	2.4	6260	1.84	0.03	5	19.9	610	1
E307520		20.4	0.16	2	0.106	3.94	67	45.4	1.53	3810	6.07	0.03	10.2	19.6	860	1.4
E307521		12.65	0.14	1.4	0.124	2.42	27.3	30.3	2.37	5270	12.2	0.03	7.3	23.8	910	2.3
E307522		13	0.19	1.3	0.098	2.44	73.3	30.5	1.56	6080	17.35	0.03	6.1	26.6	810	1.5
E307523		13.55	0.18	1.4	0.098	2.49	52.4	35.3	1.42	4580	13.05	0.03	8.6	26.3	1150	1.5
E307524		12.55	0.2	1.3	0.092	2.23	43.5	31.8	1.42	4880	15.85	0.03	8.9	28.6	1290	1.6
E307525		8.14	0.31	0.7	0.098	0.85	146.5	20.6	1.54	7100	33.6	0.02	10.6	50.9	2030	2.2
E307526		0.52	0.05	0.1	<0.005	0.03	2.2	1.5	0.5	42	0.33	0.01	0.3	2	110	0.7
E307527		9.75	0.16	1	0.075	1.63	3.6	25	0.96	2620	6.11	0.02	4.4	20.3	780	2
E307528		19.5	0.13	2.4	0.105	3.76	41.4	55.5	1.59	2420	3.09	0.03	4.1	23.4	940	1.3
E307529		11.65	0.28	1.3	0.084	1.89	87.3	29.5	1.08	2280	29.5	0.03	5.9	32.8	1380	2.3
E307530		20.9	0.12	2.5	0.109	4.27	25.1	54.7	0.79	470	26.1	0.03	5.3	16.1	790	1.4
E307531		19.3	0.16	1.9	0.183	3.96	31.2	38	0.67	1440	9.95	0.08	5.3	13.5	670	3.5
E307532		14.65	0.32	1.1	0.062	2.35	261	29.8	0.69	1060	46.9	0.07	13.3	21.3	2140	2.4
E307533		11.4	0.36	0.9	0.041	1.61	258	22.9	0.62	957	89	0.02	12	20.4	2370	2.7
E307534		17.15	0.22	1.6	0.082	3.13	110.5	36	1	2320	39.1	0.06	13.6	15.7	1570	1.8
E307535		10.65	0.25	0.9	0.094	1.89	90.7	22.6	2.16	5260	30.8	0.03	6.1	23.5	1130	2
E307536		12.65	0.19	1.2	0.08	2.81	84.2	24.2	1.66	5130	21.7	0.04	7.1	18.2	1120	1.6
E307537		0.56	0.05	0.1	<0.005	0.05	2	1.2	0.51	48	0.29	0.02	0.3	<0.2	120	0.8
E307538		24.1	0.22	2	0.166	2.99	58.6	25.4	1.31	3170	22.7	0.54	3.7	27.2	720	3.2
E307539		15.75	0.2	1.3	0.092	3.13	84	31.3	1.41	4520	22.6	0.04	6.4	19.7	1130	1.6
E307540		13.8	0.22	1.2	0.085	2.03	144	26.3	1.58	3490	40.6	0.04	8.9	22.8	1420	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E307501		152.5	0.016	0.35	1.02	9.9	3	9.9	190.5	0.55	0.18	12	0.212	0.26	27	58
E307502		114.5	0.038	1.08	1.27	9.2	4	7.6	289	0.44	0.19	10	0.152	0.3	29.1	54
E307503		0.7	0.002	0.06	0.08	0.5	3	<0.2	272	<0.05	0.08	0.2	0.006	<0.02	0.7	7
E307504		81.3	0.004	1.7	1.67	5.3	5	6.1	317	0.49	0.28	7.7	0.151	0.29	4	43
E307505		141.5	0.007	0.29	1.24	7.5	2	7.3	216	0.61	0.43	13.7	0.191	0.4	10.3	53
E307506		102	0.013	0.15	1.31	10	2	4.5	65.8	0.45	0.26	12.2	0.174	0.21	6.3	46
E307507		146.5	0.002	0.14	1.32	12.9	2	6.3	40	0.63	0.07	15.6	0.208	0.29	5.6	59
E307508		75.5	0.002	0.26	1.4	9.2	2	4.1	121.5	0.42	<0.05	11.9	0.184	0.2	4.2	52
E307509		61.1	0.002	0.17	1.43	8.9	2	3.8	54.2	0.37	0.09	12.2	0.179	0.14	5.3	53
E307510		92.9	<0.002	0.25	1.32	10.2	2	3.2	112.5	0.24	0.07	10.3	0.159	0.27	9.7	59
E307511		38.5	0.002	0.28	1.04	4.3	2	1.9	1430	0.16	0.08	4.8	0.101	0.14	6.1	28
E307512		123.5	0.011	0.32	1.16	9.4	2	4.7	704	0.34	0.23	9.9	0.153	0.31	11.2	51
E307513		117.5	<0.002	0.73	0.9	10.4	3	5.3	1330	0.23	0.3	12.4	0.13	0.26	8.5	52
E307514		0.6	0.003	0.06	0.08	0.5	3	<0.2	278	<0.05	0.08	0.2	0.006	<0.02	0.7	7
E307515		37.6	0.019	6.82	2	4.4	5	7	163.5	0.11	1.07	6	0.031	0.52	15.1	62
E307516		133.5	0.002	0.21	1.56	12.5	2	6.2	72.5	0.38	0.16	16.3	0.204	0.38	6.3	65
E307517		120.5	<0.002	0.06	1.54	7.2	1	3.2	40.8	0.22	0.09	12.4	0.141	0.28	5.7	45
E307518		124.5	0.002	0.03	1.26	7.8	1	3.3	31	0.23	0.07	12.1	0.157	0.24	6.1	44
E307519		151.5	0.002	0.03	1.03	10.3	1	6.3	44.7	0.27	<0.05	14.3	0.188	0.25	4.8	55
E307520		187.5	0.005	0.43	1.07	12.1	2	11.7	741	0.5	0.16	14	0.226	0.29	9.5	70
E307521		113.5	0.006	0.66	1.09	8.2	2	7.8	829	0.38	0.11	8.5	0.157	0.23	6	56
E307522		116.5	0.009	0.57	0.81	8.2	2	8.1	949	0.27	0.17	8.1	0.148	0.2	4.7	48
E307523		122	0.007	0.71	1.06	8.4	2	10.8	737	0.4	0.17	8.6	0.156	0.19	4.8	54
E307524		108.5	0.008	0.95	1.05	7.7	3	10.1	745	0.38	0.27	7.9	0.139	0.16	5.2	52
E307525		42.6	0.013	1.66	1.47	4.4	5	7.7	723	0.24	0.46	6.8	0.058	0.12	5	39
E307526		0.6	<0.002	0.06	0.07	0.5	3	<0.2	287	<0.05	0.09	0.2	0.007	<0.02	0.7	7
E307527		81.2	0.002	2.3	1.89	5.3	4	8.7	820	0.16	0.13	2.8	0.077	0.28	17	33
E307528		176	<0.002	0.26	1.16	11.4	2	15.5	105.5	0.1	0.08	12.9	0.131	0.3	10.8	46
E307529		93.3	0.014	1.88	1.31	5	8	13.8	633	0.15	0.71	8.5	0.08	0.17	3.3	38
E307530		201	0.009	0.27	1.8	7.9	2	26.3	106.5	0.17	0.12	11.6	0.172	0.34	15.5	55
E307531		154.5	0.006	0.7	1.59	8.1	10	27	1400	0.14	0.31	8.9	0.135	0.27	7.4	50
E307532		96.9	0.021	0.25	1.83	4.5	3	27.2	460	0.29	0.38	9.6	0.098	0.18	9.6	53
E307533		65.8	0.053	0.68	1.7	4	5	27.8	759	0.23	0.73	8.8	0.069	0.13	15.5	37
E307534		129.5	0.012	0.51	1.64	8.9	3	35.2	61.2	0.39	0.65	8.4	0.149	0.22	5.8	60
E307535		70.5	0.011	0.92	1.19	9.4	4	15.7	864	0.18	0.98	7	0.076	0.13	5.7	52
E307536		93.4	0.009	0.59	1.33	9.1	3	17.5	310	0.26	0.52	8.5	0.125	0.16	5.2	59
E307537		0.7	<0.002	0.07	0.09	0.5	2	<0.2	286	<0.05	0.05	0.2	0.008	<0.02	0.6	18
E307538		140.5	0.008	1.21	1.35	12.1	3	9.7	465	0.21	0.23	13.8	0.106	0.42	21.4	65
E307539		118	0.008	0.4	1.38	10	3	20.6	409	0.21	0.36	9	0.107	0.2	5.2	63
E307540		83.2	0.012	0.25	1.42	7.9	2	21.3	806	0.29	0.49	9.3	0.099	0.18	6.1	55

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E307501		19.5	13.9	<2	45		0.035	
E307502		15.7	10.9	<2	40.5		0.028	
E307503		0.1	3.1	19	3.5		0.002	
E307504		13.3	7	<2	42.2		0.020	
E307505		13.6	10.9	3	66		0.023	1.50
E307506		11.7	9.6	<2	52.8		0.022	
E307507		19.7	10.6	<2	62.3		0.010	
E307508		11.9	9	<2	50		0.012	
E307509		9.3	10.3	<2	52.7		0.010	
E307510		10	12.1	2	54.2		0.005	0.57
E307511		6.1	9.2	2	30.3		0.004	
E307512		10.1	10.5	<2	48.9		0.007	
E307513		8.2	10.5	4	47.9		0.029	
E307514		0.1	3.1	21	3.3		0.001	
E307515		6	15.5	<2	22.7		0.115	
E307516		11	13.3	<2	70.2		0.012	
E307517		8.7	10	<2	56.2		0.016	
E307518		13.1	12.5	<2	57.1		0.006	
E307519		15.3	12.7	<2	62.7		0.002	
E307520		20.6	13.6	<2	60.9		0.005	
E307521		15.8	12.7	<2	44.2		0.005	
E307522		17.2	14	<2	42.4		0.005	
E307523		16.1	15.3	<2	43.8		0.008	
E307524		15.1	16.2	<2	40		0.008	
E307525		9.3	18.9	<2	21.6		0.031	
E307526		0.1	3.2	19	3.3		0.004	
E307527		11	9.1	<2	33.2		0.015	
E307528		18	12.2	<2	74.5		0.006	0.54
E307529		15.1	12.9	<2	39.4		0.067	
E307530		23.9	9.3	<2	80.2		0.012	0.61
E307531		21.7	8.3	6	66.4		0.049	
E307532		19.3	15.2	2	37.3		0.018	
E307533		19.8	15.7	3	28.9		0.028	
E307534		24.5	12.3	<2	49.7		0.017	
E307535		14.9	11.1	3	29.2		0.021	
E307536		17.4	12.2	<2	37.1		0.016	
E307537		0.1	3.2	26	3.5		0.002	
E307538		9.8	14.5	3	68.2		0.018	
E307539		19.9	13.8	2	42.6		0.010	
E307540		18.6	15.1	7	40.2		0.011	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E307541		1.58	0.49	4.56	13.8	1690	1.79	0.08	1.47	<0.02	345	54.1	24	2.68	131	11.15
E307542		1.74	0.36	3.62	11.7	1020	1.37	0.04	1.38	<0.02	167.5	60.2	17	2.02	52.8	12.1
E307543		1.70	0.23	2.97	12.9	680	1.13	0.11	1.39	<0.02	140.5	74.4	14	1.56	789	12.45
E307544		1.88	0.94	2.47	7.3	1110	1.09	0.02	1.77	<0.02	218	46.9	13	1.36	58.4	12.8
E307545		1.74	0.15	2.15	6.5	920	1.01	0.02	1.52	<0.02	137	48.7	10	1.19	57.5	12.1
E307546		1.72	0.35	3.37	9.4	1450	1.47	0.01	1.61	<0.02	210	42.8	17	1.87	39.1	12.05
E307547		1.80	0.18	4.52	17.2	2080	1.86	0.02	1.2	<0.02	220	66.8	24	2.43	154	12.25
E307548		1.78	0.12	5.22	12.7	2690	2.01	0.01	0.82	<0.02	191.5	59.8	24	2.81	72.7	12.15
E307549		0.12	0.01	0.13	6	120	0.09	<0.01	43.3	0.37	2.87	1	10	<0.05	3.4	0.09
E307550		1.46	0.14	5.54	5.2	2350	2.52	0.02	0.99	<0.02	146	46.1	26	2.7	129	10
E307551		1.52	0.19	4.2	10.2	1190	1.69	0.12	1.22	<0.02	251	54.4	21	2.38	94.3	10.95
E307552		1.26	0.25	3.61	15.8	1750	1.56	0.12	1.77	<0.02	223	64.2	19	2.04	116.5	10.9
E307553		1.26	0.23	5.4	14.6	2520	2.44	0.64	1.11	<0.02	179	49.5	26	3.04	140	9.21
E307554		1.52	0.17	4.46	9.1	2490	1.78	0.07	0.39	<0.02	201	57.7	21	2.5	89.2	12.85
E307555		1.90	0.11	6.01	7.2	2210	2.55	0.07	0.72	<0.02	121.5	43.8	28	3.52	196.5	8.34
E307556		1.20	0.11	5.17	7.4	1730	2.2	0.15	1.62	<0.02	212	49.2	27	2.89	65.5	8.99
E307557		1.40	0.07	3.09	9	820	1.32	0.05	1.79	<0.02	239	47.6	13	1.78	139	6.71
E307558		1.28	0.1	6.47	6.3	5270	2.92	0.04	1.84	<0.02	178.5	45.3	35	3.47	102	8.04
E307559		1.74	0.27	2.81	14.2	1820	1.43	0.12	0.57	<0.02	195	49.1	12	1.78	409	13.35
E307560		0.12	0.02	0.13	<5	110	0.06	<0.01	45.7	0.36	2.78	0.9	5	<0.05	2.7	0.07
E307561		0.22	1.06	5.53	72.5	310	2.06	2.87	1.98	<0.02	64.7	161.5	30	4.07	7830	9.52
E307562		1.56	0.63	2.42	25.4	250	1.19	0.64	0.42	<0.02	164.5	119	12	1.6	2430	13.7
E307563		1.44	0.77	2.46	12.6	1670	1.1	0.08	0.43	<0.02	182.5	53.6	10	1.51	231	15.4
E307564		1.70	0.31	3.15	10.8	1890	1.43	0.1	0.86	<0.02	228	41.5	14	2.02	301	12.65
E307565		1.14	0.26	2.97	13.8	1240	1.51	0.05	0.49	<0.02	157.5	39.7	13	1.95	92.1	11.6
E307566		2.20	0.15	2.75	12.6	1160	1.23	0.05	0.62	<0.02	224	34.1	10	1.74	100.5	11.75
E307567		1.64	0.34	2.42	12.2	940	1.21	0.12	1.41	<0.02	192.5	37	9	1.32	62	14
E307568		1.66	2.22	3.91	11.6	2110	1.78	3.27	1.93	<0.02	207	38.2	22	2.02	232	11.9
E307569		1.30	1.31	3.97	11.6	2160	1.79	0.67	1.68	<0.02	176	32.5	23	2.08	201	11.7
E307570		1.68	1.08	5.08	12.3	3740	2.22	0.32	1.81	<0.02	152.5	33.6	28	2.51	89.4	10.95
E307571		1.48	1.4	5.28	10.8	4470	2.25	0.42	2.38	<0.02	132	31.2	29	2.64	118	9.54
E307572		0.20	0.02	0.13	5	90	0.06	0.01	45.4	0.36	2.08	0.7	5	<0.05	2.2	0.06
E307573		1.50	1.2	3.71	9	2160	1.54	0.77	3.17	<0.02	109	26.5	20	1.83	169	12.3
E307574		1.76	0.77	1.46	10.9	650	0.83	0.1	1.42	<0.02	215	38.3	7	0.73	583	13.8
E307575		2.12	0.36	0.42	12.1	290	0.35	0.11	2.77	<0.02	198.5	102.5	<1	0.15	164	18.35
E307576		1.20	0.16	1.63	7.1	930	0.78	0.06	2.19	<0.02	236	43.1	9	0.7	238	16.85
E307577		1.66	0.14	4.03	5.1	740	1.66	0.1	2.62	<0.02	128	40.8	23	1.74	37.1	11.6
E307578		1.34	0.11	5.11	3.9	1960	1.88	0.06	2.85	<0.02	75.3	33.6	28	2.1	284	8.06
E307579		1.42	0.08	5.28	3.7	2780	2.05	0.05	2.96	<0.02	73.6	30.3	32	2.23	190	7.69
E307580		1.80	0.53	3.9	15.2	280	1.46	0.26	3.61	<0.02	179.5	148.5	19	1.64	4050	14.4

See A lx Pa comi regai nis ce e ****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E307541		13.85	0.28	1.2	0.075	2.5	246	28.7	0.99	3120	41.7	0.04	10.8	15.1	1590	1.7
E307542		10.5	0.22	0.9	0.05	1.99	107.5	22.6	0.88	2740	25.2	0.03	5.8	16.9	1150	1.2
E307543		8.37	0.2	0.7	0.046	1.41	76.9	17.9	0.76	2730	23.6	0.02	4.7	18.1	1020	1.2
E307544		7.51	0.23	0.6	0.041	1.3	137.5	15.1	0.67	2580	16.5	0.02	4.3	15	1140	1.1
E307545		6.59	0.18	0.5	0.037	1.07	80.4	13.7	0.64	2530	14.85	0.02	4.2	14.3	900	0.9
E307546		10.05	0.24	0.8	0.049	1.88	136.5	20.8	0.88	1930	16.5	0.03	6.6	14	1360	1.1
E307547		12.9	0.24	1	0.063	2.36	162	24.3	0.88	1520	19	0.04	11.1	14.8	1730	1.3
E307548		14.75	0.22	1.3	0.075	2.81	144.5	28.6	0.87	1980	17.65	0.05	12.2	16.2	1560	1.2
E307549		0.55	0.06	0.1	<0.005	0.05	2	1.2	0.47	42	0.3	0.01	0.4	1.7	120	0.7
E307550		14.8	0.18	1.2	0.071	2.92	110.5	34.8	0.8	1590	19.8	0.05	5.8	15.8	1130	1.2
E307551		12.4	0.23	1	0.062	2.27	180	26.3	0.85	2080	29.5	0.04	8.2	14.1	1410	1.6
E307552		11.05	0.2	1	0.052	1.97	151.5	23.3	0.68	1470	30.3	0.04	8.1	14.8	1550	2.9
E307553		15.95	0.2	1.4	0.08	2.8	135	33	0.66	895	33.9	0.05	9	13.8	1290	1.6
E307554		13.75	0.23	1.1	0.087	2.31	153.5	25.7	0.99	3840	31	0.04	7.9	16.3	1240	1.5
E307555		16.8	0.18	1.5	0.084	3.08	91.4	35.5	0.78	1540	26.2	0.05	7.2	17	1050	1.5
E307556		14.4	0.23	1.2	0.078	2.8	157	32.1	0.9	2740	44.3	0.04	5.6	17.1	1370	1.6
E307557		9.51	0.2	0.8	0.1	1.7	151	19	0.96	3560	15.7	0.03	4.2	10	740	1.9
E307558		17.8	0.2	1.6	0.091	3.51	137	38.8	1.03	2770	26.1	0.08	6.8	17.5	1320	1.6
E307559		8.8	0.23	0.7	0.067	1.57	142.5	21.8	0.66	3110	31.7	0.03	12.4	17.4	1810	1.3
E307560		0.47	<0.05	0.1	<0.005	0.04	1.9	1.1	0.49	43	0.32	0.01	0.3	<0.2	100	0.5
E307561		16.35	0.18	1.6	0.158	2.25	25.6	23.5	1.21	3450	63.8	0.91	3.6	34.7	840	22.1
E307562		7.93	0.25	0.7	0.067	1.28	82.5	20.3	0.74	3810	23.5	0.02	11.2	20.5	1670	2.2
E307563		7.81	0.25	0.6	0.07	1.25	129.5	18	0.86	4950	42.2	0.03	11	18	1430	1.4
E307564		9.87	0.24	0.9	0.054	1.79	160.5	25	0.68	2230	35.7	0.03	12.6	19	1550	1.5
E307565		8.95	0.22	0.8	0.046	1.67	106	21.7	0.42	956	27.5	0.03	13.9	15.1	1930	1.4
E307566		8.14	0.22	0.7	0.039	1.38	152	18.5	0.47	902	19.4	0.03	12.8	16	1830	1.1
E307567		7.13	0.2	0.7	0.033	1.13	142.5	19.6	0.82	2150	24.7	0.03	9.9	17.3	1870	1.5
E307568		10.4	0.25	1.3	0.047	1.96	155.5	31.9	0.88	2740	28.2	0.03	12	19.9	1520	2.8
E307569		10.75	0.24	1.2	0.049	2	135	29.9	0.91	2630	28.4	0.03	10.8	18	1540	2.1
E307570		13.2	0.22	1.6	0.064	2.53	118	35.9	0.98	2830	26.5	0.04	13.1	16	1450	1.7
E307571		13.6	0.2	1.7	0.066	2.67	104.5	35.4	1	3020	28.8	0.04	13.1	14.4	1520	1.7
E307572		0.53	0.11	0.2	<0.005	0.03	1.6	1.3	0.49	39	0.29	0.01	0.3	0.3	120	0.7
E307573		9.71	0.23	1.2	0.052	1.85	83	26.2	1.3	4290	33.5	0.03	10.7	20.2	1380	4.3
E307574		5.02	0.25	0.5	0.034	0.69	134	11	1	3750	36.2	0.01	7.6	20.7	1630	1.7
E307575		2.62	0.3	0.2	0.032	0.14	116	4.4	1.47	5390	41.8	<0.01	7.6	29.6	1550	1.5
E307576		6.49	0.33	0.6	0.023	0.77	156	12.2	0.73	3140	38.6	0.01	6.6	28.3	1470	1.1
E307577		11.2	0.2	1.3	0.054	1.99	80.1	25.2	1.13	4200	28.6	0.02	6.4	19.4	1390	1.3
E307578		12.6	0.16	1.6	0.053	2.55	52	28.6	1.22	3750	13.3	0.03	4.9	14.1	890	1.2
E307579		13.2	0.16	1.8	0.055	2.69	49.4	30.6	1.25	3810	12.2	0.03	4.9	14.9	820	1.2
E307580		10.35	0.27	1.2	0.06	1.86	122	26.2	1.38	5370	31	0.02	7.9	22.5	1950	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E307541		100.5	0.011	0.22	1.34	7.7	2	27.4	1220	0.26	0.66	8.6	0.105	0.18	6.6	51
E307542		74.6	0.006	0.22	0.86	5.9	2	18.7	2610	0.13	0.35	5.2	0.065	0.13	5.3	45
E307543		57.1	0.007	0.43	0.7	4.5	3	15.4	3100	0.11	0.37	5	0.049	0.11	4.9	38
E307544		53.6	0.004	0.23	0.69	4.8	2	15.5	3830	0.09	0.66	6	0.045	0.1	3	35
E307545		45.9	0.004	0.26	0.67	4.1	2	13.1	3990	0.09	0.23	3.6	0.039	0.09	2.5	31
E307546		73.6	0.005	0.17	1.16	6.4	2	18.9	2760	0.19	0.38	6.7	0.076	0.13	3	42
E307547		93.6	0.004	0.2	1.59	7.4	2	23.4	1670	0.34	0.19	8.5	0.117	0.17	5	47
E307548		106.5	0.004	0.2	1.66	8.4	2	24.4	1310	0.41	0.15	8.1	0.134	0.2	4.2	51
E307549		0.8	<0.002	0.07	0.11	0.4	2	0.2	265	<0.05	<0.05	0.2	0.007	<0.02	0.6	16
E307550		109.5	0.005	0.26	1.04	8.8	2	22.1	1870	0.17	0.15	9.4	0.103	0.2	6.3	52
E307551		88.4	0.008	0.31	1.37	8.3	2	20.8	1250	0.25	0.2	7.6	0.097	0.19	6.5	46
E307552		76.1	0.011	0.22	1.39	8.3	2	18.8	2020	0.25	0.26	7	0.092	0.15	6.4	48
E307553		116	0.014	0.22	1.37	10.7	2	25.9	1730	0.27	0.25	9.5	0.122	0.23	6.2	46
E307554		95.2	0.011	0.18	1.25	9.3	2	21.8	974	0.23	0.21	9	0.099	0.19	4.6	45
E307555		127.5	0.007	0.32	1.23	10.6	2	25.6	2180	0.22	0.13	9.9	0.111	0.26	6.3	52
E307556		107.5	0.008	0.29	0.99	9.3	2	20.5	2060	0.15	0.25	10.3	0.089	0.21	6.8	49
E307557		67	0.004	0.21	0.82	7.1	1	13	2620	0.13	0.11	8.3	0.059	0.12	3.2	29
E307558		134.5	0.007	0.22	1.22	10.6	2	24.8	854	0.2	0.1	11.8	0.117	0.26	8.9	54
E307559		63.5	0.016	0.19	1.49	4.9	2	16.1	1200	0.32	0.27	5.3	0.073	0.12	3	44
E307560		0.7	<0.002	0.07	0.07	0.4	2	<0.2	282	<0.05	<0.05	0.2	0.006	<0.02	0.5	15
E307561		79.7	0.024	2.27	1.69	9.5	3	7.8	610	0.19	0.24	8.3	0.083	0.44	274	59
E307562		52.8	0.012	0.89	1.78	4.4	4	14.1	1130	0.31	0.61	4.8	0.066	0.16	4.4	41
E307563		53.6	0.017	0.17	1.28	5.2	2	15.5	1250	0.27	0.7	4.4	0.059	0.11	5.4	38
E307564		71.2	0.019	0.19	1.37	5.7	3	18.9	1710	0.36	0.34	6.6	0.089	0.13	5.5	44
E307565		68.7	0.015	0.19	1.47	4.3	2	18.4	2590	0.34	0.25	5	0.082	0.13	5.3	46
E307566		58.5	0.009	0.18	1.47	3.9	2	16	2490	0.32	0.21	5.7	0.072	0.11	3.8	43
E307567		56	0.012	0.18	1.13	3.6	2	12.4	2640	0.28	0.27	5.1	0.065	0.09	4	37
E307568		95.1	0.017	0.2	1.3	6.2	6	15.9	1610	0.39	0.65	8.5	0.109	0.16	4.6	47
E307569		96.2	0.021	0.19	1.27	6.1	3	14.7	1610	0.34	0.76	8.6	0.112	0.17	6.1	49
E307570		124.5	0.013	0.17	1.47	7.9	2	17.7	893	0.5	0.61	9.8	0.151	0.22	5.5	56
E307571		127	0.016	0.17	1.43	8.4	2	17.5	748	0.54	0.86	11	0.156	0.23	5.2	57
E307572		0.8	<0.002	0.06	0.06	0.4	<1	<0.2	270	<0.05	<0.05	0.2	0.007	<0.02	0.6	4
E307573		86.5	0.011	0.17	1.19	6	5	14	1530	0.39	0.55	8	0.112	0.15	7.3	48
E307574		34.1	0.01	0.26	0.6	2.6	3	9.1	2920	0.14	0.6	3	0.04	0.07	9	24
E307575		7.5	0.009	0.52	0.47	1.2	2	7.7	2440	0.06	0.48	1.2	0.011	0.02	5.5	18
E307576		36.5	0.021	0.26	0.62	2.8	2	7.9	2550	0.09	0.12	4.9	0.033	0.08	3.6	31
E307577		89.5	0.012	0.35	0.95	6.5	1	12.3	1740	0.16	0.07	7.6	0.082	0.22	3.3	54
E307578		113	0.004	0.28	1.09	9.3	1	10.6	1760	0.17	0.07	9.2	0.116	0.22	4.6	48
E307579		120	0.004	0.24	1.19	10.3	1	11.1	1750	0.19	0.06	10.4	0.121	0.23	4.9	49
E307580		81.3	0.012	1.09	1	7.3	5	12.4	361	0.2	0.24	8.3	0.085	0.16	2.7	50

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E307541		19.7	15.1	3	39		0.011	
E307542		15	10.8	3	28.9		0.008	
E307543		12.9	9.7	<2	22.4		0.010	
E307544		20.4	11.1	<2	19.3		0.006	
E307545		13.6	9.5	<2	17.3		0.005	
E307546		25.3	11.7	<2	26.7		0.005	
E307547		31	13.5	<2	31.8		0.008	
E307548		24.9	13.7	2	40.3		0.005	
E307549		0.1	3	23	4.1		0.003	
E307550		18.7	11	2	38.9		0.005	
E307551		17.4	11.9	2	32.8		0.007	
E307552		17.4	15.3	12	32.2		0.007	
E307553		21.7	13.4	<2	42.7		0.009	
E307554		17.6	12	2	34.4		0.007	
E307555		20.8	10.3	<2	46.4		0.004	
E307556		18.6	13	2	37.3		0.007	
E307557		13.8	10.9	2	26.2		0.003	
E307558		26.1	13.9	<2	49.2		0.005	3.78
E307559		15.4	10.4	<2	22.2		0.010	
E307560		0.1	2.8	22	3		0.001	
E307561		8.6	16.7	11	53.2		0.061	
E307562		16.6	10.4	<2	21.9		0.026	
E307563		13.7	10.8	<2	19.6		0.014	
E307564		16.1	12.2	<2	27.1		0.010	
E307565		16.8	9.5	<2	25.6		0.009	
E307566		15.6	9.7	<2	21.1		0.007	
E307567		15	9.8	11	20		0.008	
E307568		17.2	14	<2	39.2		0.012	
E307569		17.6	12.5	2	35.9		0.010	
E307570		20.5	13.6	2	49.9		0.009	
E307571		20	14.5	2	53.6		0.006	
E307572		0.1	2.6	23	3.5		0.003	
E307573		14.4	14	2	36.9		0.007	
E307574		8	10.6	2	13.8		0.014	
E307575		6.9	11.7	3	3.8		0.014	
E307576		7.8	13.1	2	15.3		0.009	
E307577		12.6	12.2	3	37.8		0.007	
E307578		13.9	11.2	3	49.8		0.005	
E307579		14.7	11.6	3	55		0.004	
E307580		12.6	14.4	3	37.9		0.036	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E307581		1.50	0.22	1.45	19.3	130	0.53	0.23	4.28	<0.02	218	373	4	0.57	473	17.8
E307582		1.40	0.15	3.46	5.2	2550	1	0.1	3.75	<0.02	131	34.3	18	1.16	433	13.1
E307583		0.16	0.01	0.15	<5	120	0.08	0.01	49.9	0.41	2.68	1	7	<0.05	3.8	0.07
E307584		0.20	1.16	2.38	108.5	110	0.59	10.5	2.28	<0.02	202	338	12	2.43	8660	27.5
E307585		1.32	0.15	6.77	5.8	7790	2.77	0.13	2.95	<0.02	53.5	30.4	36	4.5	317	10.05
E307586		1.36	0.17	2.88	8.7	1060	1.2	0.25	2.5	<0.02	160	38	14	1.5	168.5	12.35
E307587		1.56	0.11	5.53	7.2	4170	2.17	0.14	3.07	<0.02	126	25.6	30	2.79	192.5	10.7
E307588		0.88	0.63	2.83	13	370	0.93	1.47	2.77	<0.02	169.5	90	11	1.71	5030	18.2
E307589		1.24	0.24	5.52	8.3	2080	2.09	0.5	1.93	<0.02	211	35.8	31	3.59	851	11.5
E307590		1.92	0.1	4.51	9.7	4640	2.02	0.13	2.56	<0.02	182	21.9	25	2.66	367	10.5
E307591		0.98	0.08	5.46	7.2	5000	2.38	0.13	2.76	<0.02	193.5	25.9	32	3.08	221	9.09
E307592		1.24	0.19	5.11	8.9	1420	1.86	0.25	4.2	<0.02	105.5	46.1	27	2.98	294	10.95
E307593		1.02	0.13	6.41	3.4	5430	2.78	0.12	4.15	<0.02	61.8	24.2	36	4.8	508	8.23
E307594		0.56	0.05	6.45	2	>10000	2.77	0.03	4.4	<0.02	65.3	13	34	4.68	48.3	6.24
E307595		0.12	0.01	0.14	<5	70	0.05	0.01	49.4	0.39	2.31	0.8	7	<0.05	3.3	0.06
E307596		0.84	0.4	5.5	4.4	1700	2.26	0.29	5.12	<0.02	90.7	22.5	32	3.94	2840	10.1
E307597		0.52	0.12	6.32	6.7	4650	2.77	0.04	2.6	<0.02	96.6	22.7	38	3.97	263	8.7
E307598		1.16	0.21	4.39	8.2	2950	1.8	0.04	2.94	<0.02	84.1	20.1	24	2.44	528	11.85
E307599		1.00	0.29	6.28	19.6	1830	2.24	0.58	3.94	<0.02	61.9	68	35	3.52	142.5	11
E307600		1.24	1.2	5.13	36.9	220	1.85	1.16	2.21	<0.02	75.3	119	33	2.44	>10000	11.7
E307601		1.26	0.26	4.39	7.5	2730	1.76	0.11	3.61	<0.02	124.5	30	20	2.27	1670	12.05
E307602		1.38	0.15	4.5	8.6	4370	1.82	0.08	2.99	<0.02	265	26.2	24	2.17	613	11.5
E307603		1.64	0.34	4.39	10	1440	1.75	0.18	4.47	<0.02	149	61.9	24	2.12	2210	12.75
E307604		1.44	0.06	6.35	2.7	3540	2.88	0.03	5.09	<0.02	69	20.5	38	3.57	224	9.31
E307605		1.66	0.08	2.19	6.4	1200	0.98	0.04	5.62	0.03	259	17.7	9	1.47	376	12.4
E307606		0.14	0.02	0.14	<5	90	0.07	0.02	46.6	0.38	2.4	0.9	6	<0.05	5.8	0.06
E307607		0.22	0.31	6.3	61.9	180	2.43	1.57	1.78	<0.02	96.4	110	37	6.87	1510	6.54
E307608		1.42	0.25	3.35	8.3	970	1.61	0.13	2.35	<0.02	173.5	28.4	19	2.16	2560	12.65
E307609		0.82	0.23	3.26	11.8	990	1.37	0.18	2.84	<0.02	274	25.8	15	2.42	741	12.9
E307610		1.58	0.09	3.94	12.4	2500	1.66	0.11	2.12	<0.02	245	21.3	20	2.75	331	12.55
E307611		1.16	0.08	4.06	12	3400	1.62	0.05	2.74	<0.02	223	19.5	20	2.63	266	11.1
E307612		1.56	0.06	3.75	11	3220	1.32	0.03	2.74	<0.02	77.4	18.8	20	2.38	103.5	11.75
E307613		2.52	0.13	5.81	6.1	3460	2.61	0.16	2.4	<0.02	84.6	33.2	36	4.23	209	9.54
E307614		2.94	0.02	6.5	9.8	2250	3.87	0.11	3.31	<0.02	113.5	45.3	32	4.37	7.5	4.38
E307615		1.22	0.05	5.45	9.6	2090	2.4	0.08	3.69	<0.02	50.4	74.7	28	4.78	5.5	5.76
E307616		1.56	0.08	7.76	9.9	8400	5.16	0.09	2.86	<0.02	74	70.3	44	10	21	6.33
E307617		1.24	0.05	7.46	3.9	2420	5.59	0.09	2.69	<0.02	63.1	36.4	44	6.32	3.9	4.89
E307618		0.12	0.02	0.13	<5	70	0.08	0.02	43.7	0.37	2.26	1	7	<0.05	3.8	0.05
E307619		1.58	0.15	6.67	22.2	430	3.2	0.49	4.11	<0.02	62.1	116.5	35	12.6	6.3	7.54
E307620		1.20	0.13	4.29	14	520	1.52	0.46	4.72	<0.02	71.5	94.1	22	4.93	3.7	11.05

***** See Appendix F for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E307581		6.38	0.35	0.5	0.047	0.54	115	12.2	1.53	7190	56.7	0.01	6.2	40.8	2050	2
E307582		7.51	0.18	0.9	0.034	1.56	99.1	19.1	1.37	5350	25.6	0.02	7.9	15.9	1470	1.1
E307583		0.6	0.12	0.2	<0.005	0.03	2.1	1.5	0.54	47	0.39	0.02	0.4	0.7	120	0.8
E307584		9.31	0.4	0.8	0.234	0.63	132	19.1	1.53	6300	59.3	0.23	5.5	61.8	2420	6.3
E307585		16.15	0.17	2.1	0.075	3.39	39.4	32.7	1.23	3820	10.35	0.05	11.9	13.2	860	1.5
E307586		9.01	0.22	0.9	0.064	1.27	101	19.7	1.55	4270	34.1	0.02	8.5	22	2010	1.6
E307587		14.15	0.21	1.7	0.071	2.64	89.2	30.3	1.57	2940	20.8	0.04	10.8	17.8	1660	1.2
E307588		9.92	0.3	0.7	0.066	0.94	102.5	22.8	1.98	5170	53.4	0.02	15.1	39.7	3220	2.6
E307589		15.05	0.24	1.7	0.06	2.44	143	33.8	1.4	2180	57.4	0.03	9.3	27.8	2710	1.7
E307590		12.2	0.22	1.4	0.061	2.23	128.5	23.7	1.37	3340	21.2	0.03	7.6	14.9	2450	1.2
E307591		14.8	0.2	1.6	0.073	2.78	136.5	28.5	1.32	3490	16.1	0.04	6.8	14.4	1400	1.8
E307592		13.45	0.19	1.4	0.081	2.2	72.4	35.1	2.67	3840	18.7	0.03	5.8	26.4	1210	1.6
E307593		16.5	0.16	1.9	0.088	3.16	41.5	31.3	2.15	4750	5.85	0.04	4.1	18.6	720	1.4
E307594		16.5	0.16	2	0.1	3.24	42.8	30.5	2.33	4560	3.12	0.05	3.6	15.5	600	1.2
E307595		0.59	0.1	0.2	<0.005	0.03	1.8	1.4	0.53	43	0.25	0.01	0.3	0.7	110	0.8
E307596		14.45	0.18	1.7	0.1	2.54	60.7	30.3	2.75	5180	9.25	0.03	4.5	20.3	1010	1.9
E307597		16.2	0.18	1.9	0.077	3.11	69.3	30.4	1.44	3020	8.98	0.04	9.6	15.4	1640	1.1
E307598		11.7	0.19	1.2	0.07	2.17	57.7	22.7	1.46	3310	12.9	0.03	7.8	13.7	1910	1.2
E307599		15.7	0.18	1.9	0.086	2.63	43.6	38.9	2.48	4320	8.2	0.03	6.2	25.1	1210	2.3
E307600		13.3	0.21	1.6	0.073	2.19	32.1	34.5	1.6	2570	31.8	0.02	5.8	30.4	1240	2.4
E307601		11.6	0.21	1.2	0.07	2.2	90.4	25.8	1.74	4950	32.3	0.03	8.7	18.1	1560	1.3
E307602		12.85	0.27	1.4	0.053	2.23	181.5	28.9	1.31	3180	30.8	0.03	11.3	17.2	2890	1.4
E307603		12.8	0.24	1.4	0.089	2.08	95.7	27.1	2.03	5000	23.3	0.03	8.2	21.3	2620	1.7
E307604		20.2	0.18	2.1	0.152	3.39	49.5	37.3	2.37	6300	8.54	0.06	12.4	18.3	1010	4.1
E307605		8.74	0.29	0.7	0.126	1.01	147.2	18.5	2.41	6650	24.7	0.02	9.1	21.1	1840	4.2
E307606		0.61	0.06	0.1	<0.005	0.03	1.8	1.4	0.51	44	0.33	<0.01	0.3	<0.2	110	1.6
E307607		19.65	0.2	1.9	0.133	2.79	51.4	22.1	1.21	3020	21.1	0.52	3.1	26.5	730	3.7
E307608		11.7	0.25	0.9	0.08	1.66	111	21.9	1.37	3460	28.3	0.01	13	19.6	1640	1.9
E307609		11.2	0.29	0.9	0.066	1.47	174.5	21.9	1.29	2510	66.8	0.02	13.4	20.1	2120	2.4
E307610		12.8	0.28	1.2	0.103	1.87	163.5	25.8	1.47	5000	45	0.03	15.8	18.5	2020	2
E307611		12.8	0.26	1.2	0.087	1.94	149.5	29.1	1.28	3490	44.1	0.03	14.1	17.7	2040	1.9
E307612		11.5	0.2	1	0.111	1.63	47.6	31.6	1.39	3820	29.6	0.03	13	20.4	1920	1.7
E307613		17.45	0.18	1.6	0.085	2.63	55.7	35.3	1.62	4140	13.45	0.05	7.8	20.1	1150	1.9
E307614		22.5	0.2	2.1	0.055	2.97	57.9	48.2	1.53	3180	5.23	0.84	4.8	30.8	610	1.8
E307615		13.4	0.14	1.4	0.037	1.9	28.4	38	1.98	3860	17.65	1.06	3.1	22.4	550	1.7
E307616		25.7	0.17	2.2	0.073	3.75	44	78.2	2.46	2870	10	0.14	4.4	29	740	1.6
E307617		27.9	0.16	2.2	0.079	3.92	35.8	66.8	1.67	2560	3.35	0.52	5.2	23.8	750	1.3
E307618		0.67	0.05	0.1	<0.005	0.03	1.7	1.6	0.48	38	0.26	<0.01	0.3	<0.2	100	0.8
E307619		21	0.2	2.1	0.057	2.43	32.6	64.4	3.08	3910	39.4	0.27	5.4	30.2	670	3
E307620		12.95	0.22	1.3	0.055	0.94	29.4	64.3	3.47	5520	2.93	0.22	7.3	25.4	440	3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method Analyte Units LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E307581		24.6	0.013	1.83	0.67	3.1	3	4.4	750	0.16	0.28	9	0.028	0.05	4.7	37
E307582		55.9	0.005	0.22	0.87	4.9	2	8.5	703	0.2	0.12	4.3	0.099	0.11	1.8	50
E307583		0.8	<0.002	0.08	0.08	0.4	1	<0.2	306	<0.05	<0.05	0.2	0.007	<0.02	0.7	6
E307584		33.8	0.016	7.02	1.98	4.1	5	6.8	204	0.11	1.06	5.7	0.034	0.48	13.8	61
E307585		147	0.002	0.29	1.63	9.6	1	15	273	0.46	0.14	9.9	0.225	0.32	4.9	63
E307586		59.3	0.005	0.18	0.9	6.1	1	7.6	1390	0.23	0.11	7.8	0.07	0.13	3	52
E307587		116.5	0.004	0.2	1.28	8.6	1	13	526	0.39	0.09	10.9	0.173	0.24	2.9	65
E307588		42.3	0.009	0.75	1.59	4.6	2	7.4	610	0.62	0.26	8.3	0.072	0.11	5.3	74
E307589		111.5	0.013	0.3	1.31	6.8	2	13.3	714	0.31	0.13	12.4	0.132	0.27	7.5	69
E307590		103.5	0.007	0.22	1.33	7.2	1	9.7	564	0.28	0.09	10.7	0.13	0.2	2.7	57
E307591		129.5	0.003	0.23	1.14	8.2	3	10.8	500	0.26	0.06	12	0.154	0.25	3.8	62
E307592		100	0.005	0.38	1.14	8.1	2	8.5	436	0.23	0.08	9.5	0.127	0.23	3	58
E307593		149	0.002	0.28	0.97	10.4	2	9.3	463	0.16	0.07	11.2	0.157	0.28	5.1	62
E307594		150.5	0.003	0.31	0.83	9.6	2	8.4	231	0.18	<0.05	11.5	0.165	0.3	4.9	58
E307595		0.9	<0.002	0.07	0.08	0.3	2	<0.2	291	<0.05	<0.05	0.2	0.007	<0.02	0.7	5
E307596		115	0.003	0.43	1.16	9	3	9.5	516	0.16	0.11	9.4	0.136	0.24	3.9	59
E307597		146.5	0.003	0.24	0.95	9.7	2	17	642	0.28	<0.05	12.1	0.123	0.28	3.4	79
E307598		99	0.003	0.24	1.01	6.7	2	12.7	878	0.24	0.07	9.1	0.109	0.19	2.3	66
E307599		120	0.002	0.74	0.95	9.7	2	13.4	112	0.2	0.09	11.9	0.13	0.24	4.2	68
E307600		99.9	0.007	1.99	1.25	8.2	5	11.8	602	0.19	0.53	7.6	0.103	0.21	3.4	61
E307601		98.2	0.007	0.26	1.15	7.2	2	13.2	307	0.27	0.08	7.6	0.11	0.18	3.2	64
E307602		102	0.006	0.2	1.22	7.4	3	15.2	436	0.37	0.06	11.1	0.128	0.18	3	77
E307603		94.1	0.004	0.43	1.01	7.2	3	13.4	773	0.25	0.13	8.9	0.12	0.16	3.1	72
E307604		153	0.004	0.11	1.25	10.3	2	21	104	0.47	0.05	10.4	0.172	0.27	4.5	91
E307605		55	0.007	0.14	1.02	5.1	2	8.7	1360	0.3	0.07	9	0.059	0.09	2.6	55
E307606		0.9	<0.002	0.07	0.12	0.5	3	<0.2	302	<0.05	<0.05	0.2	0.007	<0.02	0.7	<1
E307607		141	0.006	1.3	1.14	12.3	2	7.5	469	0.19	0.19	14.4	0.107	0.38	19.6	60
E307608		76.5	0.008	0.34	1.38	5.5	3	12.7	1020	0.41	0.12	8.5	0.101	0.14	2.8	48
E307609		80.4	0.02	0.17	1.51	6.9	2	13.3	708	0.43	0.18	9.6	0.1	0.15	2.9	51
E307610		101	0.013	0.14	1.33	8.2	2	15.8	603	0.48	0.26	10.3	0.123	0.19	3.4	59
E307611		100.5	0.012	0.14	1.36	8.2	2	16.1	241	0.43	0.25	10.9	0.12	0.19	3.1	60
E307612		86.9	0.008	0.11	1.55	7.3	2	14.4	276	0.38	0.15	10.9	0.105	0.16	3	56
E307613		120.5	0.004	0.29	1.45	9.2	2	11	1440	0.3	0.12	10.5	0.137	0.27	5.1	61
E307614		167	<0.002	0.31	1.06	13.5	2	8	602	0.36	0.07	16	0.152	0.36	5.4	58
E307615		89.6	0.003	0.32	0.81	7	2	4.7	828	0.26	0.08	11.5	0.125	0.21	10	42
E307616		181	<0.002	0.42	1.19	12.6	2	10.8	236	0.31	0.05	16.8	0.185	0.44	5.7	67
E307617		171	<0.002	0.16	1.03	13.7	2	12.8	66.7	0.34	<0.05	15.3	0.187	0.46	3.8	69
E307618		1.1	<0.002	0.07	0.11	0.5	2	<0.2	285	<0.05	<0.05	0.3	0.007	<0.02	0.7	<1
E307619		138.5	0.004	1.25	1.82	15.8	2	10.3	216	0.41	0.05	16.4	0.172	0.43	11.9	60
E307620		50.3	<0.002	2.41	2.76	10.4	2	13.2	657	0.57	<0.05	8	0.157	0.23	5.6	43

ee A ix Pa_ comr regar _ is ce e ***

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62	Au-ICP21	ME-XRF10
	Analyte	W	Y	Zn	Zr	Cu	Au	Ba
	Units	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.1	0.1	2	0.5	0.001	0.001	0.01
E307581		6.3	21.3	6	12.7		0.013	
E307582		9.4	10.1	4	27.9		0.009	
E307583		0.1	3	25	4.3		0.001	
E307584		6	14.4	5	24.7		0.111	
E307585		20.2	11.2	4	66.5		0.005	1.43
E307586		18	13.8	7	27		0.006	
E307587		20.5	13.9	4	51.3		0.003	
E307588		13.7	20.5	9	22.3		0.041	
E307589		15.9	17.8	7	51.9		0.009	
E307590		15.7	14.5	4	41.7		0.005	
E307591		17.7	12.8	3	49.2		0.004	3.32
E307592		14.3	13.5	16	44.4		0.006	
E307593		16	13.3	6	58.9		0.004	2.38
E307594		15.8	12.8	6	61.3		<0.001	1.19
E307595		0.1	2.9	28	3.6		<0.001	
E307596		15.1	12.9	9	51.5		0.009	
E307597		16.7	13.2	4	58.1		0.001	
E307598		14.5	11.2	3	37.9		0.004	
E307599		13	12.2	13	57.7		0.006	
E307600		14.2	11.3	14	47.6	1.205	0.084	
E307601		15.9	12	3	38.1		0.012	
E307602		16.6	17.9	3	42.6		0.005	
E307603		14.8	18.7	6	43.4		0.010	
E307604		22.3	17.2	7	62.4		<0.001	
E307605		10.7	19.2	7	21		0.002	
E307606		0.1	3.2	23	3.4		<0.001	
E307607		8	12.8	5	58.7		0.015	
E307608		18.7	13.8	9	29.7		0.010	
E307609		17.5	16.8	5	30.7		0.009	
E307610		17.8	15.9	7	38.3		0.005	
E307611		17.4	16.9	8	37		0.008	
E307612		15.3	15.4	12	34.4		0.004	
E307613		13.5	13.8	12	50.8		0.002	
E307614		10.7	16.8	3	61		0.001	
E307615		6.5	12.4	8	44		<0.001	
E307616		11.4	15	13	63.9		<0.001	0.92
E307617		12.7	13.7	5	66.8		<0.001	
E307618		0.1	3.3	22	4.7		<0.001	
E307619		13.1	16.9	18	64.4		0.006	
E307620		10.7	11.8	20	40.2		0.016	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CASH MINERALS LTD.
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E307621		1.56	0.4	1.83	31.1	380	0.36	1.29	2.93	<0.02	0.78	165	9	1.25	5.7	13.05
E307622		1.44	0.26	2.56	10.2	170	0.41	0.38	5.52	<0.02	18.4	172	12	0.64	29.3	10.5
E307623		1.16	0.29	3.5	16.3	180	0.52	1.29	6.51	<0.02	10.05	123.5	17	0.9	10.7	12.8
E307624		1.10	0.17	5.14	11	920	2.08	0.63	5.2	<0.02	25.6	112	24	11.65	4	12.35
E307625		1.24	0.06	5.66	13.9	800	3.02	0.07	4.85	<0.02	29.9	106	31	24	9.8	12.6
E307626		1.02	0.17	5.44	11.7	430	0.8	0.89	5.67	<0.02	12.85	159.5	26	2.42	3.9	11.8
E307627		1.14	0.08	7.19	4.9	3320	2.11	0.13	3.04	<0.02	29.3	50.5	50	2.57	2.1	9.32
E307628		1.72	0.15	6.91	10.8	4910	2.04	0.17	3.55	<0.02	25.2	87.5	49	2.84	2.4	9.27
E307629		0.18	0.01	0.13	<5	60	0.08	0.02	45.5	0.41	2.34	1.1	6	<0.05	2.7	0.06
E307630		0.22	1.1	5.68	47.5	560	2.12	3.02	2	<0.02	64.3	158.5	36	3.83	7710	9.72
E307631		1.06	0.41	5.52	10.8	1440	1.3	1.49	5.81	<0.02	6.46	127	29	6.26	16.7	10.85
E307632		1.26	0.13	7.28	6.3	450	2.57	0.52	5.88	<0.02	7.64	81.9	39	19.5	4.2	11.75
E307633		0.96	0.11	6.54	7.2	330	2.2	0.18	5.04	<0.02	7.9	120	31	16.35	2.7	13.85
E307634		1.40	0.15	6.86	7.8	300	3.75	0.3	4.34	<0.02	10.85	108	38	16	4.4	11.9
E307635		1.14	0.12	4.4	4.2	310	1.97	0.13	7.24	<0.02	30.6	68.1	22	10.2	2.5	13.5
E307636		1.22	0.22	6.02	28	300	1.98	0.55	4.73	<0.02	162	138	33	5.77	3.7	13.95
E307637		0.96	0.19	4.88	15	360	2.06	0.89	4.16	<0.02	132.5	41.9	26	2.98	2.1	10.3
E307638		1.72	0.21	4.75	12.9	670	2.03	0.72	4.46	<0.02	122.5	39.1	26	2.8	7.8	10.8
E307639		1.54	0.16	5.13	12.8	2220	2.32	0.36	3.64	<0.02	141	21.7	28	3.98	2.4	9.48
E307640		0.70	0.33	5.58	12.2	4160	2.72	0.51	4.22	<0.02	134	27.7	29	3.61	2.4	9.42
E307641		0.12	0.02	0.14	5	70	0.11	0.02	47.1	0.42	2.64	1.7	7	<0.05	3.8	0.07
E307642		0.96	0.1	4.7	6.2	6860	1.97	0.17	4.87	0.02	152	18.5	25	3.05	3.6	9.58
E307643		1.40	0.05	4.82	7.2	6680	2.35	0.21	5.5	<0.02	126	14.9	27	3.51	182	10.7
E307644		1.24	0.12	4.3	14.8	600	1.64	1.09	5.25	<0.02	267	28.1	22	2.43	4.4	12.95
E307645		1.38	0.12	4.59	19.9	520	2	1.19	3.91	<0.02	152.5	27.6	25	3.18	4.7	10.45
E307646		1.22	0.26	4.93	17.8	500	2.25	1.82	4.23	<0.02	128.5	42.6	27	3.48	55.7	10.1
E307647		1.36	0.27	4.18	20.5	230	1.42	1.8	1.62	<0.02	167.5	45	22	2.14	16.2	10.75
E307648		1.30	0.06	3.96	9.2	5610	1.47	0.17	5.16	<0.02	119.5	19.9	21	2.14	1.9	10.7
E307649		1.44	0.11	3.45	11.6	980	1.28	0.81	5.85	<0.02	102.5	24	17	1.9	2.9	10.95
E307650		1.44	0.11	4	13.2	640	1.13	1.13	4.9	<0.02	135	34.6	18	1.78	2.4	12.4
E307651		1.72	0.08	2.34	20.6	290	0.37	0.92	3.68	<0.02	283	29.4	11	0.5	3.4	14.95
E307652		0.08	0.02	0.14	<5	140	0.11	0.03	49	0.46	2.83	1.7	7	<0.05	4	0.08
E307653		0.26	1.1	2.24	74.9	270	0.57	10.25	2.24	<0.02	218	336	13	2.53	8780	26.4
E307654		1.50	0.13	2.58	14.2	240	0.28	0.98	3.57	<0.02	49.4	30.9	10	0.42	10.2	16.3
E307655		1.88	0.19	0.86	14.7	220	0.16	0.86	1.99	<0.02	38	32.1	7	0.14	4.9	22.3
E307656		1.90	0.1	0.64	11.4	1140	0.09	0.19	1.21	<0.02	44.1	52.1	3	0.14	2.5	23.9
E307657		1.36	0.06	2.44	6	1370	0.21	0.17	2.87	<0.02	27.6	19.3	9	0.29	3.4	17.4
E307658		1.84	0.21	2.07	12.4	170	0.18	1.31	3.24	<0.02	26.6	37.1	9	0.32	4.8	17.9
E307659		1.70	0.2	2.15	9.9	310	0.19	0.99	4.16	<0.02	29.1	27.1	11	0.3	2.9	19.05
E307660		1.54	0.16	3.08	11.6	1780	0.31	0.45	4.82	<0.02	57.8	50	19	1.19	7.1	18.2

ee A ix Pa comr regar iis ce e ****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: CASH MINERALS LTD.
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E307621		4.58	0.15	0.6	0.038	0.08	<0.5	28.5	2	4710	3.43	0.22	3.3	20.9	270	4.1
E307622		5.12	0.14	0.9	0.026	0.13	5.8	20.7	2.19	5050	37.9	1.2	3.9	31.5	490	3.1
E307623		7.09	0.14	1.1	0.046	0.15	4.5	27.7	2.85	5690	17.65	1.49	5.2	29.6	480	4.3
E307624		9.45	0.15	1.5	0.023	1.16	14.7	28.8	2.56	4320	19.1	1.29	4.9	28.2	600	4.3
E307625		10.95	0.2	2.5	0.037	1.92	15.6	25.7	2.68	3960	11.5	0.39	5.4	29.5	620	2.6
E307626		12.15	0.14	1.5	0.032	0.22	6.6	25.8	2.73	4910	19.4	2.95	7.6	33.1	560	3.1
E307627		19.2	0.15	2.4	0.03	1.19	17.4	36.3	1.56	2650	6.84	3.73	7.5	14.1	580	1.8
E307628		18	0.13	2.4	0.024	1	14.8	28.3	1.56	2940	9.19	3.97	7.8	15.6	620	2.1
E307629		0.62	<0.05	0.1	<0.005	0.03	1.8	1.6	0.5	39	0.26	<0.01	0.3	0.3	110	0.9
E307630		15.75	0.18	1.7	0.149	2.13	33.7	27.7	1.24	3550	64.5	0.89	4.3	36.8	870	22.7
E307631		11.3	0.14	1.7	0.091	0.49	3.4	57.8	3.75	5200	36.1	1.54	7.3	34.7	620	4.7
E307632		14.6	0.15	2.5	0.106	1.72	3.8	80.7	5.44	5820	40.2	0.04	7.9	30	790	3.1
E307633		12.75	0.16	2.3	0.074	1.61	4.2	64.1	4.63	4910	25.1	0.02	5.2	25.4	720	2.6
E307634		16.75	0.16	2.6	0.064	2.58	6.4	60.5	3.3	3950	27.3	0.02	7.9	27.4	710	2.3
E307635		8.94	0.16	1.6	0.07	1.37	19.7	34.6	3.71	6730	13	0.14	6.2	24	750	2.1
E307636		16.1	0.25	2.2	0.086	1.23	114.5	94	4.22	4520	8.94	0.01	11.3	33.3	1580	2.8
E307637		14.7	0.21	1.7	0.137	1.85	103.5	53.9	2.64	3860	13.8	0.02	10	19.7	1380	2.5
E307638		14	0.21	1.5	0.131	1.91	86.5	50.2	2.65	3870	9.38	0.01	10	21.2	1380	2.3
E307639		15.7	0.2	1.8	0.103	2.48	92	40.6	2.11	3190	8.58	0.03	10	20.9	1240	2.4
E307640		15.65	0.22	1.9	0.103	2.75	96.6	42.2	2.21	3390	37.6	0.07	11.1	22.5	1130	2.5
E307641		0.65	0.05	0.1	<0.005	0.04	2	1.8	0.47	42	0.3	<0.01	0.3	3.4	110	0.9
E307642		13.2	0.19	1.5	0.105	2.19	112	33.7	2.38	3920	14.85	0.09	8.4	21.9	1130	1.8
E307643		14.65	0.21	1.5	0.138	2.48	93.6	31.3	2.53	4790	10.1	0.1	11.9	19.2	1110	2
E307644		11.9	0.28	1.3	0.132	1.93	193.5	29.4	2.4	5300	18.95	0.01	13	26	2100	2.6
E307645		12.95	0.21	1.6	0.129	2.07	101	30.6	2.07	4250	14.2	0.01	12.2	21.3	1290	2.7
E307646		15.05	0.21	1.8	0.107	2.35	84.2	32.7	2.13	3200	33.4	0.01	12.4	21.3	1020	2.9
E307647		11.4	0.25	1.4	0.062	1.47	79.2	36.7	1.49	1290	16.15	<0.01	8.5	23.1	1310	3.2
E307648		10.9	0.2	1.2	0.091	1.73	87.9	29.8	2.57	3710	12.2	0.07	9.5	19.2	1040	1.8
E307649		9.53	0.19	1.1	0.08	1.5	71.3	27.6	2.78	3870	11.6	0.01	9.6	20.3	1210	2.5
E307650		10.45	0.23	1.3	0.06	1.3	96.9	37.5	2.75	3590	17.85	0.01	10	25	1430	2.4
E307651		6.15	0.28	0.9	0.043	0.19	171	31.8	1.89	2890	14.45	0.03	13.9	19.7	2750	2.1
E307652		0.68	<0.05	0.1	<0.005	0.04	2.1	1.7	0.49	44	0.3	<0.01	0.3	3.6	110	1.2
E307653		9.29	0.42	0.7	0.252	0.67	130	18.1	1.45	5980	60.9	0.21	5.6	58.5	2140	6.2
E307654		7.75	0.25	0.8	0.017	0.05	25.6	39	1.67	2660	25.4	0.05	4.1	32.2	2420	2.7
E307655		8.85	0.31	0.9	0.019	0.02	22.6	9.9	0.98	3760	26.2	<0.01	11.5	39.7	2350	2.5
E307656		9.96	0.32	0.6	0.028	0.01	28.3	6	0.87	5220	37.9	<0.01	15	44.6	2260	1.7
E307657		7.44	0.23	0.6	0.016	0.05	20.7	25.2	1.6	5170	46.3	0.61	2.5	29.3	1120	1.3
E307658		8.12	0.23	0.5	0.014	0.05	14.4	20.5	1.36	3460	49.3	0.3	4.6	38.6	1340	2.3
E307659		8.79	0.28	0.6	0.021	0.04	16.9	18.8	1.44	3970	26.2	0.62	3.1	38.1	2140	2.3
E307660		8.02	0.27	1.3	0.112	0.07	40.6	36.1	2.6	8990	24.2	0.47	3.2	32.9	4100	1.8

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E307621		4.2	<0.002	6.63	7.98	2.8	2	3.5	144	0.26	0.08	1.1	0.074	0.36	2.6	19
E307622		5.3	0.003	1.64	1.09	4.5	2	5.9	662	0.32	0.51	6.3	0.101	0.07	16.3	26
E307623		5.9	<0.002	2.76	2.79	5	2	8.1	366	0.43	0.07	7.9	0.139	0.16	8.9	32
E307624		40.2	<0.002	1.17	1.65	5.9	2	9.3	161	0.43	0.05	11	0.177	0.21	22.5	38
E307625		77.2	<0.002	0.62	1.19	6.9	2	10.5	232	0.53	0.05	16.7	0.209	0.26	16	43
E307626		8.6	<0.002	1.67	1.27	6.6	2	8.6	255	0.64	0.07	11.4	0.168	0.09	12.6	39
E307627		49.1	<0.002	0.34	0.9	19.9	2	20.4	97.8	0.66	0.05	14.8	0.234	0.17	7.3	58
E307628		36.6	<0.002	0.53	0.92	15.7	2	17.5	142	0.64	<0.05	17.7	0.24	0.16	6.5	58
E307629		0.7	<0.002	0.07	0.09	0.5	3	<0.2	295	<0.05	<0.05	0.3	0.006	<0.02	0.7	<1
E307630		88	0.023	2.26	1.74	9.3	3	7.9	613	0.24	0.27	9.7	0.092	0.44	298	54
E307631		20.5	0.002	1.74	2.23	6.7	2	9.6	81.4	0.59	0.07	13.6	0.188	0.16	9.2	43
E307632		82.4	0.003	0.68	1.52	9.7	2	12.3	49.6	0.71	0.05	18.1	0.233	0.36	18	52
E307633		74.5	<0.002	0.7	1.29	7.5	2	9.8	42	0.52	0.05	15.4	0.204	0.31	13.5	44
E307634		115	<0.002	0.65	1.28	16.7	2	17.6	42.8	0.65	0.05	17.9	0.225	0.38	16.1	57
E307635		53.3	<0.002	0.36	1.07	6.8	2	9	68.4	0.5	0.07	11.7	0.175	0.22	16.4	45
E307636		58.8	0.002	0.8	1.39	9.6	4	11.4	35.5	0.61	0.16	14.8	0.189	0.16	6.5	86
E307637		83.7	0.003	1.06	1.48	7.4	2	9.4	29	0.49	0.11	10.8	0.152	0.27	4.9	89
E307638		89.6	0.002	0.84	1.44	7.5	2	9.1	181	0.49	0.33	10	0.146	0.26	4.4	92
E307639		125.5	0.003	0.51	1.2	9.4	2	11.4	94.2	0.5	0.32	12.9	0.17	0.35	5.3	113
E307640		134.5	0.043	0.66	1.23	10.3	2	12.3	85.3	0.51	0.74	10.1	0.179	0.34	7.7	115
E307641		1	<0.002	0.06	0.07	0.7	3	<0.2	274	<0.05	<0.05	0.2	0.008	<0.02	0.8	4
E307642		105.5	0.009	0.26	1.17	8.2	2	9.5	116	0.38	0.47	10.4	0.153	0.29	7.4	79
E307643		120	0.003	0.31	1.32	9	2	12.6	248	0.51	0.2	8.8	0.166	0.31	4.1	75
E307644		84.8	0.004	0.9	1.83	6.6	2	12	328	0.47	0.19	10.6	0.143	0.29	3.9	84
E307645		101	0.004	1.46	1.73	6.9	2	12.4	351	0.5	0.23	9.4	0.147	0.33	14.8	70
E307646		122	0.022	1.31	1.97	9.1	2	13.3	417	0.51	0.84	8.9	0.154	0.45	8.7	80
E307647		72.5	0.005	1.5	2	6.1	2	8.8	538	0.35	2.85	7.9	0.113	0.35	10.6	101
E307648		80.6	0.004	0.29	1.02	7.1	2	9	267	0.32	0.28	8.2	0.12	0.21	5.5	63
E307649		67.7	0.003	0.67	1.26	7.1	2	8.5	286	0.34	0.34	6.4	0.101	0.24	3.3	65
E307650		57.7	0.006	1.12	1.46	7.4	2	9.3	177.5	0.35	0.51	7.3	0.112	0.24	5.9	80
E307651		8.6	0.005	0.74	1.43	3.2	2	6.5	1060	0.51	0.12	4.6	0.082	0.07	5.6	144
E307652		0.8	<0.002	0.06	0.1	0.7	4	0.2	287	<0.05	<0.05	0.2	0.007	<0.02	0.8	4
E307653		35.3	0.016	6.25	2.05	4.4	5	7	161.5	0.12	1.17	5.9	0.033	0.51	15.1	58
E307654		2.4	0.007	0.64	1.15	5.8	2	4.7	1120	0.17	0.1	5.7	0.055	0.06	15.2	89
E307655		0.8	0.007	0.64	1.3	4	2	2.9	495	0.5	0.05	4.3	0.039	0.08	11.4	160
E307656		0.5	0.006	0.47	0.91	3.4	2	1.5	419	0.48	0.05	2.4	0.02	0.02	11.4	156
E307657		1.9	0.005	0.23	0.66	5.5	2	2.4	770	0.1	0.05	9.8	0.034	0.03	4.4	52
E307658		2.1	0.007	1.19	2.04	4.9	1	2	489	0.15	0.07	4	0.027	0.12	8.2	57
E307659		1.6	0.004	0.75	1.08	5.7	2	2.3	695	0.14	0.07	4.8	0.029	0.07	4.8	57
E307660		3	0.007	0.47	0.93	5.4	2	3.9	207	0.12	0.2	8.9	0.048	0.04	4.2	58

See . . . dix P _ r corr ; rega _ this c ite ***

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: CASH MINERALS LTD.
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR; IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E307621		3.5	4.7	14	18.1		0.056	
E307622		6.3	8.2	8	27.9		0.016	
E307623		7.4	9	12	33.3		0.017	
E307624		6.6	10.3	13	46.8		0.003	
E307625		7	14.9	15	75.9		<0.001	
E307626		5.8	11.7	13	44.2		0.005	
E307627		8.3	10.7	7	72.1		<0.001	
E307628		7.1	11.1	6	69.7		0.002	
E307629		0.1	3.3	23	3.4		<0.001	
E307630		9.4	16.3	7	51.7		0.055	
E307631		7.2	12.7	25	48.4		0.013	
E307632		6	15	37	72.8		0.004	
E307633		4.9	13.2	33	70.3		0.089	
E307634		9.9	13.7	19	76.3		0.004	
E307635		8.6	12.9	16	48.8		0.001	
E307636		10.1	17.3	31	63.9		0.005	
E307637		9.9	13.7	13	46.4		0.007	
E307638		11.1	13.5	11	45.2		0.007	
E307639		12.9	14.1	9	54.3		0.006	
E307640		14.6	13.5	8	57.4		0.019	
E307641		0.1	3.1	24	3.6		<0.001	
E307642		12.7	12.5	8	44.6		0.010	0.76
E307643		14.8	13	7	46.2		0.002	1.32
E307644		13.3	15.1	11	39.3		0.007	
E307645		12.7	12.3	11	45.9		0.013	
E307646		13.8	12	8	47.25		0.022	
E307647		11.3	9.9	14	40		0.036	
E307648		10.5	9.9	9	35		0.005	1.66
E307649		7.9	9.4	9	31.1		0.012	
E307650		8.1	10.3	14	37		0.005	
E307651		5.7	13.7	13	28		0.007	
E307652		0.1	3.3	25	4.1		<0.001	
E307653		6.6	14.2	8	21.9		0.115	
E307654		7.7	11.9	14	24.6		0.005	
E307655		3.4	12.8	8	27.4		0.003	
E307656		2.9	12.9	9	21		0.001	
E307657		3.8	6.6	13	18.5		0.001	
E307658		4.1	7.3	12	15.5		0.015	
E307659		4.8	10.6	9	17.7		0.006	
E307660		5.3	20.1	18	38.7		0.008	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
Sample Description LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E307661	1.50	0.18	2.35	23.7	560	0.42	0.22	1.86	<0.02	364	98.4	10	0.98	2.9	22.1
E307662	1.50	0.19	2.22	33.8	940	0.49	0.22	2.24	<0.02	>500	45	11	1.17	1.6	19.45
E307663	1.84	0.13	3.53	25.5	430	0.68	0.29	5.27	<0.02	382	87.7	13	4.71	2.5	18
E307664	0.10	0.01	0.13	9	50	0.1	0.02	45.6	0.4	2.58	1.6	6	<0.05	3.5	0.09
E307665	1.34	0.18	5.44	17.7	150	0.76	0.82	4.34	<0.02	145	94	25	4.08	3.5	12.35
E307666	1.06	0.25	5.02	17.9	1060	0.71	0.29	3.58	<0.02	185	85	23	1.85	4.5	11.4
E307667	1.38	0.14	4.59	15.9	930	1.27	1.37	3.01	<0.02	128	42.6	24	2.49	3	11.25
E307668	1.04	0.22	5.14	21.5	900	1.84	0.95	2.61	<0.02	157	96.1	28	3.41	5.3	9.7
E307669	2.70	0.14	5.4	10.7	1460	2.22	0.64	1.54	<0.02	109.5	38.5	31	4.15	5.9	8.62
E307670	1.46	0.21	5.37	17	6980	1.62	3.44	3.63	<0.02	135.5	54.9	28	2.82	13.3	12.55
E307671	1.18	0.12	4.51	14.6	1020	1.05	1.25	4.63	<0.02	163	51.8	22	1.94	3.8	13.95
E307672	1.24	0.27	5.18	28.1	430	1.06	3.9	1.96	<0.02	121	142	26	1.8	26.8	16.45
E307673	1.34	0.43	4.65	57.6	1040	0.68	7.49	1.43	<0.02	326	137.5	19	1.51	133.5	24.4
E307674	1.68	0.38	0.84	60.9	80	0.16	6.25	1.08	<0.02	247	269	2	0.25	11.5	31.3
E307675	0.08	0.02	0.14	<5	40	0.08	0.05	45.5	0.44	3.49	2	5	<0.05	4	0.17
E307676	0.20	0.28	6.76	52	190	2.69	1.48	1.88	<0.02	75.4	109.5	40	5.8	1620	6.92
E307677	1.56	0.27	1.81	52.3	210	0.22	2.93	1.42	<0.02	246	231	5	0.37	26.8	27.3
E307678	1.64	0.15	4.1	9.2	3640	0.52	0.35	1.57	<0.02	189	31.7	20	2.05	6.7	18.35
E307679	1.16	0.24	6.11	35.9	250	1.99	0.62	3.49	<0.02	125.5	194.5	33	4.11	236	10.35
E307680	1.58	0.21	6.72	7.3	970	2.72	0.4	1.57	<0.02	167	33.3	39	5.39	65.8	6.2
E307681	1.18	0.1	7.13	2.9	3460	3.04	0.13	1.57	<0.02	153.5	11.2	43	4.97	12.3	5.78
E307682	1.04	0.07	6.63	2.5	2960	2.66	0.07	1.76	<0.02	93.9	10.4	40	4.24	15.6	5.55
E307683	1.04	0.1	8.05	3.9	5280	3.78	0.27	1.87	<0.02	191	15.8	47	5.95	30.7	7
E307684	1.16	0.12	6.68	3.8	2920	3.29	0.16	1.48	<0.02	147.5	10.8	39	5.03	11.7	5.95
E307685	1.26	0.08	7.33	2.7	2720	3.45	0.1	4.41	<0.02	134	12.9	39	5.84	2.1	6.48
E307686	1.40	0.06	7.72	2.9	6510	3.8	0.08	3.06	<0.02	117	10.6	44	6.65	3.3	6.19
E307687	0.12	0.01	0.16	18	40	0.05	0.01	46.8	0.36	2.23	2.5	10	0.05	9.7	0.06
E307688	1.12	0.06	7.14	3.4	3320	4.27	0.07	2.01	<0.02	115.5	8.9	39	6.4	2.1	5.06
E307689	1.22	0.05	8.36	3.9	2990	5.55	0.06	0.31	<0.02	168	7.8	54	7.58	2.5	5.02
E307690	1.14	0.06	8.27	3.8	4040	5.24	0.08	0.44	<0.02	146	8.7	54	7.74	2.1	5.38
E307691	1.56	0.11	7.32	5.1	8070	4.03	0.18	2.43	<0.02	91.5	13.5	38	6.66	30.6	7.48
E307692	1.16	0.05	7.38	2.9	9830	4.11	0.06	4.26	<0.02	110.5	14	38	6.46	8.1	6.61
E307693	1.42	0.05	6.12	4.1	4710	3.51	0.04	4.75	<0.02	75	14.8	32	5.46	3	6.51
E307694	1.36	0.05	6.91	3.3	4010	3.9	0.06	4.7	<0.02	85.5	15.1	37	6.15	7.9	6.49
E307695	1.26	0.05	6.46	2.9	6970	3.17	0.06	5.73	<0.02	81.4	17	36	5.17	8.9	7.37
E307696	1.14	0.04	6.92	2.3	2970	3.46	0.05	5.97	<0.02	81	15.9	36	6.4	30.2	6.39
E307697	1.12	1.15	6.12	37.2	1470	2.6	0.96	7.9	<0.02	74.7	72	29	5.58	788	6.94
E307698	0.12	0.01	0.16	<5	50	0.06	0.02	45.2	0.35	2.36	2.3	15	<0.05	10.5	0.07
E307699	1.24	2.64	7.53	450	290	3.47	6.75	3.51	0.06	18.55	472	41	5.69	4070	6.94
E307700	1.88	0.08	6.15	11.4	7300	2.55	0.22	5.18	<0.02	63.3	22.8	32	5.34	39.6	7.27

ee A ix Pa comr regar lis ce e ****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: CASH MINERALS LTD.
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E307661		8.27	0.41	0.8	0.198	0.13	284	24.3	2.35	13500	52.1	0.2	6.9	45.2	3440	1.8
E307662		9.42	0.45	0.6	0.11	0.07	540	21	2.05	7510	55.3	0.1	6.3	55.5	3370	1.7
E307663		8.89	0.34	1.1	0.136	0.35	302	32.6	3.36	8870	46.5	0.08	5	33.1	2040	2.1
E307664		0.56	<0.05	0.1	<0.005	0.03	2	1.5	0.47	54	0.42	<0.01	0.3	2.4	100	0.8
E307665		10.75	0.21	1.6	0.039	0.47	113.5	41.8	2.56	3840	14.7	1.49	4.3	17.8	830	3.2
E307666		10.7	0.22	1.5	0.038	0.49	137.5	70.2	2.3	3520	17.8	0.8	4.1	21.2	830	2
E307667		12.65	0.2	1.5	0.04	1.28	95	40.3	2.06	2780	10.85	0.04	5.7	22.7	740	2.3
E307668		16.3	0.21	1.6	0.071	1.75	117.5	43.7	1.79	2560	15.9	0.03	5.1	22.5	860	2.3
E307669		18.95	0.18	1.9	0.071	2.09	79.6	43.9	1.36	1480	13	0.03	6.3	18.9	710	1.9
E307670		16.25	0.22	1.6	0.082	1.91	102	39	2.16	3270	18.7	0.12	8.1	24.3	840	3.3
E307671		13.4	0.24	1.3	0.08	1.11	125.5	43.6	2.73	4910	20	0.02	7.4	21.75	1240	2.1
E307672		14.25	0.26	1.9	0.037	0.76	94.3	67.5	2.19	2200	29.5	0.01	6.9	34.4	1060	4.5
E307673		11.65	0.43	1.6	0.083	0.48	248	58.1	2.34	7570	39.5	0.01	6.6	34.3	1820	8.1
E307674		4.93	0.47	0.3	0.148	0.08	195	9.8	2.02	15850	51.1	<0.01	3.2	30.9	1240	7
E307675		0.67	<0.05	0.1	<0.005	0.03	2.7	1.9	0.46	78	0.75	<0.01	0.3	3.4	100	1.2
E307676		17.3	0.19	1.8	0.117	2.83	40.2	19.9	1.31	3190	19.1	0.56	3	24.7	750	2.8
E307677		7.63	0.47	0.4	0.187	0.03	201	17.4	2.61	20100	58.7	0.02	2.2	33.9	1580	3.9
E307678		8.83	0.35	1	0.087	0.17	151.5	46.6	2.74	10550	55.8	0.16	2.1	23.9	1880	1.9
E307679		15.55	0.25	1.5	0.057	1.94	87.5	43	1.83	4450	25.8	0.9	4	17.9	880	2
E307680		18.5	0.22	2	0.06	2.57	110.5	30.1	0.94	2660	111.5	0.91	2.9	15.6	750	1.5
E307681		20.9	0.21	2.1	0.063	2.95	98.8	31.1	0.87	2560	26.5	0.77	2.8	16.3	710	1.2
E307682		18.15	0.18	1.7	0.052	2.72	57.9	27.4	0.82	2630	9.24	0.73	2.1	15.5	670	1.1
E307683		24.7	0.26	2.1	0.076	3.6	115.5	40.1	1.27	2420	17.75	0.18	2.6	23.8	840	1.6
E307684		22.2	0.21	1.8	0.07	3.02	90.9	32.2	0.86	2220	12.3	0.19	3.3	20.4	720	1.5
E307685		22	0.2	1.9	0.061	3.36	81	25.7	1.55	6680	5.72	0.5	3	18.6	750	1.5
E307686		25.3	0.22	2.2	0.085	3.81	67.4	27.6	1.3	4110	2.73	0.15	3.6	18.8	740	1.5
E307687		0.7	0.09	0.1	<0.005	0.05	1.7	1.5	0.49	37	1.11	0.03	0.4	1	130	0.8
E307688		27.3	0.18	2.2	0.08	3.52	67.3	27.3	0.96	2700	1.65	0.11	3.1	18.9	720	1.3
E307689		40.5	0.23	2.7	0.08	4.04	96	26.6	0.53	256	1.44	0.13	3.4	27.4	900	1.5
E307690		42.8	0.22	2.4	0.084	4.11	84.3	26.3	0.59	743	1.91	0.13	3.5	28.2	900	2.2
E307691		35.1	0.21	2	0.079	3.08	53.8	24.1	0.95	3950	3.32	0.52	4.8	20.7	800	3.6
E307692		23.7	0.2	2.1	0.088	3.6	64.6	28.4	1.52	6270	3.7	0.25	2.9	21	750	1.3
E307693		18.1	0.18	1.7	0.074	3	43	21.8	1.48	6870	0.62	0.2	3	20.9	710	1.3
E307694		19.35	0.19	1.9	0.092	3.5	47.9	23.4	1.55	6520	0.63	0.15	3.2	22.6	660	1.4
E307695		16.95	0.21	1.8	0.087	3.16	46	20.3	1.76	8770	0.94	0.26	2.6	27.1	650	1.2
E307696		17.8	0.19	1.9	0.092	3.34	45.8	18.5	1.87	9330	1.8	0.11	2.5	25	670	1.1
E307697		12.9	0.18	1.7	0.1	2.71	43.4	13.9	2.31	12450	78.4	0.43	2.1	25.1	610	6.1
E307698		0.66	0.06	0.1	0.005	0.05	1.8	1.4	0.48	43	0.57	0.03	0.4	6	100	0.8
E307699		15.5	0.17	1.8	0.119	3.75	9.5	17.7	1.34	5270	35.1	0.12	3.3	35.7	630	33.4
E307700		14.65	0.16	1.7	0.115	2.63	36.8	24.6	2.34	6890	5.31	0.13	2.1	27.5	640	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E307661		6.6	0.016	0.5	0.69	3.5	3	7	29.7	0.18	0.4	5.7	0.038	0.03	7	57
E307662		3.6	0.015	0.1	0.81	3.4	2	10.6	38.6	0.19	0.7	6.1	0.041	0.02	5.9	48
E307663		18.5	0.017	0.26	0.96	6.8	3	10.2	35.1	0.19	0.84	8.2	0.069	0.08	8.4	46
E307664		0.6	<0.002	0.06	0.09	0.5	3	0.2	277	<0.05	<0.05	0.2	0.007	<0.02	0.7	4
E307665		21.7	0.004	0.99	1.19	7.4	3	8	35.9	0.29	0.36	12	0.149	0.12	7.8	43
E307666		23.7	0.006	0.44	1.08	5.7	2	6.7	35.6	0.27	0.26	10.9	0.124	0.11	7.9	44
E307667		58.4	<0.002	1.64	1.65	6.8	2	10	34.5	0.33	0.18	9.8	0.142	0.24	8.3	52
E307668		97.4	0.004	1.19	1.45	9.1	3	11.9	65	0.25	0.51	10.5	0.125	0.33	8.3	52
E307669		122	0.002	0.75	1.68	10.3	2	13.4	134	0.34	0.14	10.9	0.159	0.35	6.5	55
E307670		92.9	<0.002	3.3	2.62	10.2	2	13.7	144	0.37	0.29	10.7	0.151	0.58	16.1	66
E307671		55.9	0.003	1.5	1.44	8.6	2	11.4	48.2	0.3	0.21	8.5	0.102	0.25	5.1	59
E307672		40.7	0.011	4.28	2.11	7.8	4	13	27.4	0.33	0.36	12.2	0.134	0.3	7.9	49
E307673		24.7	0.008	8.63	4.53	5.8	3	10.3	33.9	0.31	0.23	9.8	0.12	0.59	4.7	41
E307674		4.2	0.007	>10.0	5.76	3.8	3	3.6	20.1	0.08	0.79	3	0.016	0.88	3.8	21
E307675		0.8	<0.002	0.07	0.11	0.6	4	0.2	264	<0.05	<0.05	0.3	0.007	<0.02	0.8	4
E307676		127.5	0.006	1.36	1.08	10.3	1	7	456	0.18	0.21	12.7	0.109	0.34	15.7	63
E307677		1.7	0.006	4.74	1.87	2.9	2	1.5	23.1	0.06	0.35	4.9	0.019	0.27	3.9	32
E307678		9.1	0.006	0.38	0.84	4.7	<1	2.4	72.4	0.11	0.1	10.2	0.039	0.06	8.9	42
E307679		93.5	0.002	1.18	1.24	12.2	5	8.3	131	0.23	0.2	12.9	0.119	0.34	13.2	63
E307680		125.5	0.002	0.27	1.04	11.8	2	7.6	588	0.17	0.18	14.8	0.132	0.42	4.8	60
E307681		147.5	0.007	0.14	1.06	12.5	1	7.7	781	0.17	0.05	13.8	0.149	0.49	6.8	67
E307682		133.5	0.003	0.13	0.89	10.9	<1	6.3	963	0.12	0.05	11.5	0.118	0.45	4.8	60
E307683		177	0.007	0.28	0.99	13.6	1	8.2	361	0.14	0.06	14.7	0.144	0.58	5.1	77
E307684		147	0.002	0.13	1.01	11.4	<1	6.1	542	0.17	0.26	12.8	0.119	0.51	8.7	64
E307685		155	<0.002	0.07	1.04	11.9	<1	5	111	0.19	0.11	14.1	0.137	0.52	7.4	65
E307686		182.5	<0.002	0.16	1.18	13	<1	5.7	126	0.21	0.1	15.6	0.182	0.6	4.4	69
E307687		1.5	<0.002	0.07	0.1	0.8	2	<0.2	285	<0.05	<0.05	0.2	0.007	<0.02	0.6	8
E307688		175.5	<0.002	0.06	1.15	12	<1	5.5	73.6	0.18	0.05	14.7	0.17	0.57	4.5	60
E307689		201	<0.002	0.04	1.17	15.1	<1	6.2	40.6	0.18	0.07	19.6	0.203	0.66	5.2	80
E307690		202	<0.002	0.07	1.21	19.4	<1	6	57	0.2	0.05	18	0.181	0.66	26.5	85
E307691		164.5	0.002	0.2	1.35	19.7	<1	4.8	186.5	0.29	<0.05	16	0.125	0.55	133	76
E307692		175.5	0.003	0.25	0.82	13.2	<1	4.5	271	0.16	<0.05	14.5	0.12	0.6	3.8	72
E307693		148.5	<0.002	0.1	1.05	10.4	<1	3.8	202	0.19	<0.05	12.9	0.141	0.5	3.7	61
E307694		166	<0.002	0.07	1.04	11.4	<1	4.1	155.5	0.21	<0.05	14.6	0.145	0.57	4.1	67
E307695		144.5	0.002	0.16	0.97	10.4	<1	3.3	249	0.18	<0.05	14.5	0.12	0.52	3.8	63
E307696		157	<0.002	0.05	0.89	11.1	<1	3.4	161	0.17	<0.05	13.7	0.119	0.58	3.9	64
E307697		119	0.032	0.43	0.77	9.6	1	2.4	172.5	0.14	0.06	10.4	0.09	0.75	28.2	52
E307698		1.5	<0.002	0.07	0.09	0.7	2	<0.2	278	<0.05	<0.05	0.2	0.007	<0.02	0.6	8
E307699		174	0.02	3.28	1.68	13	4	4.8	60.3	0.2	0.47	14	0.159	4.4	213	66
E307700		118	0.004	0.3	0.68	10.1	<1	3.5	134	0.13	<0.05	12.1	0.101	0.62	11.4	57

See A... lix Pa... com... regar... his ce...e ****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E307661		4.4	16.7	16	23.5		0.024	
E307662		3	17.6	17	16.9		0.029	
E307663		4	14.5	22	32.9		0.026	
E307664		0.1	2.8	23	3		0.001	
E307665		4.8	9.2	23	52.1		0.008	
E307666		6	9.7	19	44.2		0.012	
E307667		8	8.6	16	44.6		0.014	
E307668		9.8	10.3	12	46.5		0.021	
E307669		12	10	13	48.3		0.006	
E307670		9.7	11.3	16	46.5		0.020	1.07
E307671		7.9	11.8	16	38.5		0.012	
E307672		6.8	10.1	26	54.6		0.023	
E307673		4.9	13.8	26	47.8		0.027	
E307674		2	8.8	10	8.4		0.046	
E307675		0.1	3	22	3.5		0.004	
E307676		7.6	10.8	6	58		0.022	
E307677		1.6	11	18	15.3		0.024	
E307678		1.9	11.5	24	36.3		0.007	
E307679		7.8	11.9	11	50.6		0.018	
E307680		8.3	12.8	6	63.4		0.011	
E307681		9.5	12.8	5	68		0.007	
E307682		8.2	9.8	4	54.7		0.019	
E307683		10.7	13.5	9	68.8		0.024	2.70
E307684		9.3	12.2	6	59.8		0.055	
E307685		8.8	14.5	5	60.5		0.029	
E307686		10.6	13.9	4	70.2		0.064	0.70
E307687		0.1	3.1	24	3.6		<0.001	
E307688		9.6	13.6	3	69.3		0.019	
E307689		11.9	14.8	2	82.9		0.002	
E307690		10.9	14.1	3	76.4		0.002	
E307691		9.2	16.4	3	66.7		0.010	0.89
E307692		8	14.7	4	65.5		0.001	1.09
E307693		7.4	12.3	4	55.6		<0.001	
E307694		7.9	13.3	4	62.9		<0.001	
E307695		6.2	13.7	5	58.1		<0.001	0.73
E307696		6	13.7	5	60.9		<0.001	
E307697		4.7	14.1	5	56.3		0.013	
E307698		0.1	3	24	3.8		0.001	
E307699		8.6	14	4	57.3		0.088	
E307700		5.2	12.9	10	54.3		0.001	0.78

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 16-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-28

CERTIFICATE OF ANALYSIS VA07137739

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07137763

Project: IGOR: IG-2007-29

P.O. No.: 195472

This report is for 211 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 21-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
E307901		1.64	0.14	4.05	3.3	1350	1.24	0.32	1.47	<0.02	51.9	56.7	22	9.03	238	10.05
E307902		0.86	0.03	6.26	2.5	7510	1.95	0.09	0.96	<0.02	40.4	53.2	37	13.35	34	9.75
E307903		1.22	0.04	4.78	1.7	4350	1.6	0.09	0.43	<0.02	114	61.3	32	9.92	72	10.95
E307904		1.02	0.04	5.16	2.6	6160	1.9	0.09	2.51	<0.02	82.3	61.1	29	12.45	73.2	11.25
E307905		1.32	0.04	6.33	1.3	>10000	2.36	0.02	3.38	<0.02	53.5	54.3	37	15.2	19.1	8.7
E307906		0.08	0.01	0.09	<5	70	0.06	<0.01	15.1	0.29	1.74	0.8	7	<0.05	6.3	0.05
E307907		0.20	0.33	6.3	29.8	1720	2.57	1.64	1.85	<0.02	87.2	105.5	42	5.84	1490	6.66
E307908		1.32	0.08	5.72	1.5	>10000	2.36	0.06	4.13	<0.02	78.1	46.5	32	15.85	13.8	7.91
E307909		1.24	0.05	5.46	1	>10000	2.17	0.03	5.3	<0.02	40.1	19.3	27	14.15	3.5	6.29
E307910		1.42	0.05	5.27	1	9380	2.17	0.03	5.39	<0.02	49.4	25.7	26	15.05	30.4	6.41
E307911		0.90	0.06	4.68	1.1	1880	1.96	0.07	2.5	<0.02	50.6	24.8	22	11.3	67.9	5.32
E307912		1.34	0.03	4.39	0.6	2400	1.78	0.02	1.01	<0.02	48.9	14.4	24	10.95	69.4	5.11
E307913		1.50	0.05	6.62	1.1	9940	2.8	0.03	1.22	<0.02	142.5	55.8	39	16.85	32	9
E307914		1.18	0.06	6.5	0.9	>10000	2.95	0.04	3.19	<0.02	109	32.3	36	16.4	5.9	6.67
E307915		1.60	0.04	5.73	1.7	>10000	2.1	0.05	3.74	<0.02	65.9	43	31	12.85	4.5	7.89
E307916		1.34	0.05	5.84	1.5	>10000	2.76	0.05	4.67	<0.02	90.9	29.4	30	16.2	6	6.66
E307917		0.04	0.03	0.12	<5	120	0.09	0.01	36.4	0.33	1.91	0.9	6	<0.05	5.6	0.06
E307918		1.40	0.06	6.23	1.1	>10000	2.61	0.03	2.06	<0.02	74.1	21.3	35	16.1	20.5	6.33
E307919		1.40	0.05	5.09	0.3	3520	1.92	0.01	3.12	<0.02	43.3	17.2	28	12.2	129.5	5.82
E307920		1.18	0.07	5.37	0.4	>10000	2.18	0.02	2.7	<0.02	52.6	61.6	29	14	2.6	9.01
E307921		1.48	0.07	4.31	0.3	3790	1.77	0.02	5.22	<0.02	18.3	23.8	21	9.86	715	9.18
E307922		1.10	0.05	6.72	0.5	>10000	2.84	0.01	2.68	<0.02	70.6	12.4	38	16.3	17.3	4.96
E307923		1.22	0.2	4.32	0.9	1860	1.74	0.02	1.89	<0.02	105.5	17.5	23	10.2	289	6.02
E307924		1.42	0.04	5.63	1	5180	2.3	0.02	1.14	<0.02	46.5	20	35	14.05	40	6.48
E307925		1.80	0.05	5.4	0.9	7860	2.36	0.03	0.23	<0.02	73	90.1	36	13.55	58.7	10.7
E307926		1.02	0.06	5.81	1.2	9040	2.65	0.04	0.91	<0.02	126.5	104.5	34	14.7	129.5	11.2
E307927		0.06	0.03	0.13	<5	150	0.16	<0.01	43	0.4	2.39	1.2	6	0.05	4.9	0.07
E307928		0.20	1.4	5.53	42.8	930	2.15	3.03	2.11	<0.02	60.8	166	34	3.72	7770	9.96
E307929		1.44	0.06	5.98	1.5	>10000	2.45	0.06	0.25	<0.02	53.2	135.5	38	14.85	263	13.55
E307930		1.04	0.07	5.84	1.2	>10000	2.5	0.03	0.24	<0.02	160.5	124	37	14.7	96	13.95
E307931		1.58	0.07	5.72	1.1	>10000	2.65	0.03	0.24	<0.02	52.7	120	36	14.65	32.4	14.35
E307932		0.98	0.06	5.89	1.4	>10000	2.55	0.03	0.22	<0.02	171.5	112.5	39	15.4	44.9	14
E307933		1.22	0.06	5.72	1.3	>10000	2.48	0.03	0.28	<0.02	122.5	107.5	35	15.25	63	13.25
E307934		1.26	0.05	5.86	0.8	>10000	2.7	0.02	0.38	<0.02	240	96.1	36	15.6	16.3	12.15
E307935		1.32	0.05	4.13	1.6	1250	1.69	0.02	3.25	<0.02	41.4	29.9	20	8.96	31.7	3.78
E307936		1.58	0.04	1.31	0.6	850	0.57	0.03	1.89	<0.02	45.8	18.1	7	2.83	233	3.82
E307937		1.24	0.05	5.71	1	9160	2.46	0.02	4.27	<0.02	62.6	16.2	31	13.6	3	5.01
E307938		0.06	0.03	0.14	<5	190	0.13	0.01	42.8	0.37	2.43	1.2	6	0.05	10.7	0.08
E307939		1.46	0.05	3.98	0.5	1660	1.66	0.01	3.94	<0.02	94.5	13.5	20	9.15	221	4.25
E307940		1.10	0.06	6.33	0.6	>10000	2.32	0.01	4.39	<0.02	180	13.3	37	14.9	35.5	4.58

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E307901		12.1	0.27	1.1	0.249	1.7	29.1	26.3	1.12	5130	8.87	0.05	2.7	24.4	690	1.9
E307902		18.05	0.26	1.6	0.362	2.92	25.5	38	1.21	4490	2.37	0.07	2.5	24.4	600	1.7
E307903		13.65	0.18	1	0.308	2.01	72.3	27.5	1	5320	7.27	0.03	3.1	21.8	710	1.2
E307904		15.25	0.18	1.2	0.305	2.31	55.2	37.4	1.47	7370	12.5	0.03	3.6	25.4	740	1.4
E307905		16.85	0.13	1.5	0.257	3.1	34	42.9	1.53	1905	1.72	0.03	3.5	19.2	580	1.2
E307906		0.47	<0.05	<0.1	<0.005	0.03	1.4	1.2	0.31	28	0.26	0.01	0.3	1.6	60	0.5
E307907		19.85	0.11	1.6	0.118	2.88	52.2	22.9	1.28	3050	19.05	0.6	3	26.1	700	4.7
E307908		17.6	0.09	1.6	0.261	2.89	46.1	42.3	2.06	5650	1.5	0.02	3.5	19.4	580	2.3
E307909		15.95	0.05	1.6	0.184	2.93	23.5	38.4	2.51	4980	0.84	0.02	3.1	15.9	520	1.7
E307910		15.9	0.05	1.5	0.204	2.71	28.4	38.7	2.45	5180	0.94	0.03	3.1	15.6	540	1.3
E307911		14.45	0.05	1.1	0.18	2.33	30.1	29	1.66	4020	3.45	0.04	2.6	15.3	480	1.3
E307912		14.15	<0.05	1.1	0.184	2.19	26.8	29.9	1.03	3750	1.97	0.04	2.4	14.3	480	1.8
E307913		21.3	0.21	1.7	0.296	3.41	74.4	47.8	1.09	5520	2	0.03	2.3	19	670	2
E307914		20.6	0.16	1.5	0.236	3.48	64.1	49.2	1.47	4500	3.07	0.02	2.8	16.1	610	1.8
E307915		15.5	<0.05	1.3	0.209	2.97	40.9	42.3	1.59	5350	0.65	0.02	2.5	19.5	540	1.4
E307916		18.9	0.09	1.8	0.223	3.13	53.7	52.9	1.85	5210	1.35	0.02	3.6	19	550	2.2
E307917		0.53	<0.05	<0.1	<0.005	0.03	1.5	1.3	0.39	39	0.2	0.02	0.3	2.3	90	1.2
E307918		19.4	0.05	1.7	0.244	3.32	44.1	47.8	1.56	4970	2.94	0.02	2.4	16.5	630	1.9
E307919		15.9	<0.05	1.2	0.189	2.51	26.1	37.4	1.85	4060	1.92	0.04	2.8	17.4	470	1.5
E307920		17	0.07	1.4	0.338	2.78	31.3	42.9	1.81	6940	2.28	0.01	1.9	21.2	560	1.6
E307921		13.15	<0.05	1	0.256	2.2	10.5	28.7	3.3	9530	1.99	0.03	2.1	18.3	440	2.5
E307922		22	0.09	1.8	0.182	3.53	44.1	45.5	1.64	2760	1.89	0.03	3.5	15.9	660	1.6
E307923		14.7	0.11	1.2	0.191	2.19	56.2	32.8	1.57	5570	0.6	0.03	2.1	18.6	550	1.7
E307924		18	0.05	1.2	0.234	2.96	28.3	41	1.27	5490	2.11	0.04	2.7	18.8	630	1.5
E307925		18.35	0.13	1.3	0.319	2.71	42.9	41.7	0.86	6660	0.82	0.02	1.7	29.8	580	1.6
E307926		20.1	0.21	1.5	0.383	2.81	72.2	46.5	1.22	7280	1.17	0.02	1.6	39.5	580	1.6
E307927		0.62	<0.05	<0.1	<0.005	0.04	1.8	1.5	0.46	47	0.24	0.02	0.3	3.9	110	1.1
E307928		16.5	0.13	1.6	0.151	2.13	29.2	24.6	1.27	3560	68.7	0.99	3.5	39.6	890	22.1
E307929		19.9	0.17	1.4	0.42	2.99	31	46.1	0.83	8320	0.7	0.01	1.3	35.3	600	1.5
E307930		19.9	0.24	1.4	0.399	2.88	95	43.3	0.94	8190	0.74	0.01	1.6	33.5	630	1.7
E307931		18.4	0.16	1.3	0.407	2.88	28.4	41.6	0.9	7860	1.08	<0.01	1.5	33.2	590	1.3
E307932		19.6	0.28	1.5	0.394	3.02	101	41	0.88	7860	1.71	0.01	1.7	32.7	620	1.7
E307933		18.5	0.22	1.4	0.395	2.94	71.1	38.4	0.89	7280	1.79	<0.01	1.6	31	550	1.7
E307934		20.1	0.3	1.7	0.413	2.98	138.5	39.6	0.98	7260	2.17	0.02	2.2	28.8	590	2
E307935		13.1	<0.05	1	0.142	1.93	26.2	29.8	1.7	3390	3.24	0.04	3.2	15.6	380	1.5
E307936		4.95	<0.05	0.3	0.121	0.58	27.8	8.2	1.23	4580	1.03	0.01	1.3	8.9	160	1.9
E307937		18.1	0.06	1.5	0.162	2.97	38.7	38.1	2.2	3900	2.34	0.03	3.3	14.1	640	1.1
E307938		0.61	<0.05	<0.1	<0.005	0.04	1.9	1.6	0.47	49	0.31	0.02	0.4	2.3	110	0.8
E307939		12.55	0.05	0.9	0.149	1.94	52.5	28.2	2.01	4290	1.37	0.03	3.1	11.7	430	1.7
E307940		19.9	0.12	1.6	0.251	3.27	103.5	47.3	2.27	4150	1.9	0.03	4.2	17.6	740	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E307901		112.5	0.002	0.14	1.4	6.9	2	5.7	1670	0.14	0.14	10	0.076	0.2	1.9	45
E307902		150.5	<0.002	0.2	1.66	10.2	1	7.7	557	0.14	0.11	8.8	0.105	0.31	2.2	62
E307903		125.5	<0.002	0.19	1.76	7.1	2	5.8	999	0.18	0.14	7.9	0.098	0.25	1.6	47
E307904		148.5	0.002	0.19	1.73	8.6	2	6.2	683	0.21	0.26	8.5	0.104	0.3	1.7	53
E307905		181.5	<0.002	0.28	2.01	9.4	1	7.3	473	0.23	0.05	10.2	0.136	0.34	2	66
E307906		0.8	<0.002	0.1	0.08	0.4	2	<0.2	154	<0.05	<0.05	0.2	0.006	<0.02	0.6	6
E307907		128.5	0.006	1.31	1.17	10.5	2	7.5	462	0.17	0.19	12	0.111	0.36	19.8	61
E307908		155.5	0.002	0.3	2.2	9.7	1	6.6	486	0.24	0.05	11.1	0.128	0.34	3.8	57
E307909		164	<0.002	0.28	1.9	9	2	5	325	0.23	<0.05	10.4	0.122	0.32	2.8	51
E307910		161.5	<0.002	0.25	2.08	9.2	1	5	442	0.23	0.16	10.2	0.117	0.33	4.6	49
E307911		136.5	<0.002	0.24	1.54	7.3	1	4	1180	0.17	0.1	6.4	0.093	0.26	3.9	44
E307912		138	<0.002	0.15	1.64	7.2	2	3.8	1690	0.16	0.05	7.9	0.092	0.26	1.9	40
E307913		188	<0.002	0.18	1.67	11.4	2	5	153.5	0.14	<0.05	16.9	0.133	0.39	3.7	58
E307914		179.5	0.003	0.31	1.97	11.8	2	5	442	0.19	0.22	12.8	0.142	0.38	2.6	60
E307915		162.5	<0.002	0.29	1.68	8.8	2	5.7	298	0.22	<0.05	10.1	0.121	0.3	1.8	57
E307916		191	<0.002	0.29	2.29	10.8	2	6.4	279	0.27	0.05	13.4	0.136	0.38	2	59
E307917		0.9	<0.002	0.06	0.13	0.5	2	<0.2	216	<0.05	<0.05	0.2	0.006	<0.02	0.6	6
E307918		177.5	0.002	0.25	1.91	10.7	2	6.2	172	0.16	<0.05	13.5	0.124	0.37	2.2	56
E307919		153	<0.002	0.23	1.7	8.3	2	4.9	1265	0.19	<0.05	8.9	0.102	0.27	2.2	49
E307920		169.5	<0.002	0.28	1.57	10.1	1	5.5	263	0.13	<0.05	12.1	0.103	0.34	1.8	50
E307921		128	<0.002	0.18	1.36	7.9	2	3.9	632	0.14	<0.05	7.1	0.081	0.24	1.9	40
E307922		191	<0.002	0.31	2.52	10.8	2	7.7	328	0.23	<0.05	12.8	0.134	0.4	2.9	64
E307923		132	<0.002	0.21	1.32	7.3	1	6.5	1395	0.11	0.08	9.7	0.072	0.25	1.9	42
E307924		173	<0.002	0.25	1.71	9.6	1	7.5	1235	0.15	<0.05	9	0.108	0.31	1.9	56
E307925		169	<0.002	0.2	1.42	9.4	2	8.2	461	0.09	<0.05	11	0.092	0.32	2	57
E307926		178	0.002	0.29	1.36	10.8	2	8.3	668	0.09	<0.05	12.1	0.09	0.35	2.2	57
E307927		1.1	<0.002	0.06	0.1	0.6	2	0.2	255	<0.05	<0.05	0.2	0.007	<0.02	0.7	7
E307928		90.4	0.021	2.28	1.69	9.9	4	7.8	557	0.18	0.28	9.1	0.087	0.42	285	57
E307929		184.5	0.002	0.39	1.36	10.5	2	7.9	350	0.06	0.05	12.2	0.095	0.35	2	59
E307930		178.5	<0.002	0.33	1.45	10.6	2	7.3	385	0.09	<0.05	13.8	0.101	0.34	1.7	58
E307931		169	0.002	0.42	1.41	10.6	1	6.8	370	0.08	<0.05	10.1	0.097	0.34	1.7	58
E307932		184.5	<0.002	0.25	1.52	10.8	2	6.7	203	0.09	<0.05	15.8	0.107	0.36	1.7	61
E307933		178.5	0.002	0.38	1.34	10.5	2	6.4	383	0.08	<0.05	13.4	0.102	0.34	1.7	58
E307934		186.5	<0.002	0.22	1.6	11.1	2	6.4	188	0.13	0.05	17.2	0.112	0.37	1.9	57
E307935		120	0.002	0.24	1.65	7.4	1	7.2	1945	0.21	0.05	5.8	0.095	0.23	1.5	41
E307936		40.9	<0.002	0.19	0.62	2.7	1	1.7	1920	0.08	<0.05	3.7	0.032	0.09	0.6	14
E307937		176.5	0.002	0.24	2.01	10.1	1	5.9	420	0.23	<0.05	11.9	0.117	0.34	1.7	58
E307938		1.1	<0.002	0.07	0.11	0.6	2	0.2	260	<0.05	<0.05	0.3	0.007	<0.02	0.9	7
E307939		118	<0.002	0.18	1.5	6.5	1	5	1345	0.18	<0.05	6.6	0.09	0.23	1.3	40
E307940		190.5	<0.002	0.26	2.2	10.3	1	7.7	349	0.25	0.05	13.4	0.137	0.35	2.1	63

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E307901		8.9	9.4	4	36.5	0.001	
E307902		11.3	10.5	5	51.5	<0.001	4.13
E307903		10.5	8.1	4	35.9	0.001	
E307904		12.4	10.6	5	40.8	0.001	5.20
E307905		13.8	11.1	4	49.9	<0.001	3.39
E307906		0.1	2.1	18	2.5	<0.001	
E307907		7.9	10.9	9	51.1	0.019	
E307908		13.1	12.9	4	48.3	<0.001	2.94
E307909		11.9	12.8	3	48.9	<0.001	2.02
E307910		11.7	13.7	3	46.4	<0.001	2.95
E307911		9	8.6	3	33.4	0.001	
E307912		8.6	7.5	4	33.7	<0.001	
E307913		11.4	10.7	2	52.6	<0.001	1.10
E307914		12.1	12	2	49.7	<0.001	2.69
E307915		10.2	10.8	3	42.3	<0.001	2.04
E307916		12.6	15.5	3	56.7	<0.001	1.49
E307917		0.1	2.3	19	2.5	<0.001	
E307918		11	10.8	3	51.1	<0.001	1.31
E307919		9.7	8.8	3	38.1	<0.001	
E307920		9.7	10.2	2	45.1	<0.001	1.49
E307921		7.6	8.1	6	32.2	0.001	
E307922		13	11.4	2	57.2	0.001	2.58
E307923		7.6	8.6	3	37.7	<0.001	
E307924		10.4	9	3	40.7	<0.001	9.08
E307925		10	8.3	3	43.4	<0.001	3.45
E307926		10.2	10.3	4	45.9	<0.001	5.43
E307927		0.1	2.9	22	3	<0.001	
E307928		8.5	15.5	8	50.7	0.051	
E307929		10.2	8.8	3	43.1	0.002	2.10
E307930		10.4	9.3	3	42.5	<0.001	2.44
E307931		10.2	7.9	2	41.8	<0.001	2.11
E307932		10.2	9.9	3	48.7	<0.001	1.27
E307933		9.7	9	3	44.8	<0.001	2.12
E307934		10.9	10.8	3	54.4	<0.001	1.20
E307935		10.2	9.3	4	31.9	<0.001	
E307936		3.1	4	6	11.9	0.001	
E307937		11.2	10.6	2	45.8	<0.001	3.06
E307938		0.1	2.8	22	3.3	<0.001	
E307939		8.5	8.3	4	30.7	<0.001	
E307940		13.3	14.2	3	51.7	<0.001	2.92

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E307941		1.50	0.04	5.36	0.5	4860	2.29	0.01	3.2	<0.02	79.5	12	30	13.3	51.8	4.74
E307942		1.18	0.05	5.13	1	4350	2.31	0.03	3.47	<0.02	63.9	14.9	31	12.35	37.9	5.15
E307943		1.48	0.13	5.61	1.3	3470	1.85	0.03	2.09	<0.02	141.5	18.4	30	13.3	90.9	5.43
E307944		1.20	0.05	4.73	2	2050	1.67	0.04	3.34	<0.02	49.6	18.2	26	11.65	81.6	5.48
E307945		1.26	0.05	4.59	0.9	1800	1.73	0.03	0.26	<0.02	45.8	16.6	26	12.2	75.9	6.22
E307946		1.36	0.1	5.05	0.8	2030	1.79	0.01	0.54	<0.02	47.6	17.9	31	10.95	108	7.33
E307947		1.40	0.05	5.14	0.9	5550	1.78	0.02	3.53	<0.02	60.3	13.3	30	12.8	73.7	5.97
E307948		0.06	0.01	0.12	<5	140	0.11	<0.01	41.1	0.34	2.09	1	5	<0.05	3.8	0.06
E307949		0.22	1.21	2.2	79.4	170	0.58	10.8	2.12	<0.02	201	309	11	2.53	8250	24.8
E307950		1.38	0.05	5.67	0.6	5960	2.05	0.04	3.22	<0.02	81.4	18.1	33	13.7	78.5	6.48
E307951		1.28	0.04	5.4	0.4	5870	2.04	0.02	4.16	<0.02	68	29.8	27	12.95	15.9	6.9
E307952		1.46	0.06	4.88	1.2	9450	1.72	0.02	5.17	<0.02	64.2	36.5	24	12.25	7	7.55
E307953		1.22	0.05	6.38	6.4	3670	2.2	0.04	3.29	<0.02	20.5	58.5	34	11.7	18.6	4.46
E307954		1.22	0.04	6.07	2.3	5940	2.12	0.02	3.05	<0.02	107	24.1	36	12.05	21.4	5.77
E307955		1.34	0.04	6.14	4.9	5960	2.34	0.03	3.48	<0.02	91.5	22.3	34	14.45	109.5	6.99
E307956		1.24	0.04	6.35	1.6	9940	2.36	0.01	4.6	<0.02	178.5	24.6	34	13.05	12.5	4.46
E307957		1.06	0.04	6.91	0.9	>10000	2.6	<0.01	5.1	<0.02	67.9	20.3	36	14.45	8.6	4.98
E307958		1.10	0.03	5.09	0.5	6740	1.92	0.02	3.66	<0.02	27.9	17.1	28	10.5	19.3	5.02
E307959		0.08	0.01	0.14	<5	110	0.12	<0.01	43.5	0.39	2.23	1	6	<0.05	4.1	0.06
E307960		1.42	0.06	5	1.1	3070	1.79	0.01	0.57	<0.02	36.2	26	28	10.05	51.3	8.63
E307961		1.42	0.05	5.66	0.9	7600	2.17	0.02	3.49	<0.02	53.3	27.2	33	12.25	9.5	6.76
E307962		1.02	0.08	5.56	1.2	2620	2.69	0.06	1.45	<0.02	42.8	21.3	36	9.43	491	6.51
E307963		1.40	0.05	4.98	3.5	1860	2.07	0.06	0.55	<0.02	60.8	30.2	28	8.58	526	7.72
E307964		1.38	0.11	3.69	4.5	1120	1.39	0.04	0.31	<0.02	76.4	29.3	21	6.59	346	10.6
E307965		1.38	0.03	2.13	0.5	1290	0.95	0.01	0.84	<0.02	30.4	9.1	11	3.73	264	3.56
E307966		1.52	0.04	5.25	1.1	4950	1.93	0.04	5.31	<0.02	22.2	15.5	26	10.95	225	5.13
E307967		1.50	0.05	5.78	0.8	9190	2.45	0.02	4.42	<0.02	49.7	20.5	33	13.2	113	6.61
E307968		1.30	0.04	5.9	0.8	>10000	1.91	0.02	4.73	<0.02	154	19.3	34	12.9	24.7	5.05
E307969		0.08	0.01	0.15	<5	140	0.14	<0.01	40.9	0.36	2.43	1.1	7	0.11	4.6	0.08
E307970		0.20	0.32	6.6	46.4	950	2.59	1.62	1.93	<0.02	75	117	42	6.42	1525	7.06
E307971		1.58	0.06	5.82	0.9	>10000	1.84	0.03	5.86	<0.02	93.4	20	30	12.15	21.7	5.75
E307972		1.22	0.05	6.46	1.1	9960	2.08	0.02	4.4	<0.02	76.3	15.7	35	13.55	63.3	5.52
E307973		1.12	0.03	3.79	0.9	1880	0.99	0.01	5.18	<0.02	32.2	19.9	17	6.77	75.1	4.91
E307974		1.28	0.06	2.97	1.8	860	1.2	0.02	0.41	<0.02	36.6	34.3	16	5.08	325	12.2
E307975		1.14	0.04	4.18	1.5	1340	1.27	0.02	2.75	<0.02	45.5	14.3	19	5.7	165.5	5.36
E307976		1.60	0.05	5.94	1.1	6800	2.53	0.02	4.86	<0.02	70.4	25.2	32	9.66	123	6.82
E307977		1.24	0.05	5.56	0.8	5580	2.25	0.04	6.01	<0.02	30.5	21.7	27	10.65	434	5.87
E307978		1.36	0.06	5.24	2.4	4730	2.15	0.03	2.83	<0.02	79.1	20.8	32	7.98	344	7.43
E307979		1.38	<0.01	6.47	0.8	4580	1.89	0.04	3.08	<0.02	81	16.6	35	12.1	26.6	4.7
E307980		0.06	0.01	0.14	8	120	0.07	0.02	39.6	0.33	2.29	0.8	5	<0.05	3.8	0.06

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E307941		17.1	0.06	1.4	0.198	2.76	46.9	38.3	1.7	3610	2.21	0.04	3	13.1	610	1.4
E307942		16.4	<0.05	1.3	0.157	2.55	39.3	37.6	1.93	3840	1.98	0.03	3.3	15.4	590	1.4
E307943		19	0.21	1.6	0.167	2.79	84.2	40.6	1.42	3130	3.43	0.04	3	18.8	620	2.4
E307944		14.65	0.08	1.3	0.169	2.35	30	32.1	1.86	4130	2.4	0.04	3	14.9	530	1.8
E307945		15.25	0.11	1.1	0.186	2.28	24.8	35.5	0.89	4550	1.93	0.04	1.8	17.2	460	1.7
E307946		16.3	0.11	1.2	0.206	2.52	27.6	34.7	1.29	6880	0.87	0.04	2.4	18.1	560	1.5
E307947		15.7	0.11	1.4	0.173	2.68	36.8	37.4	1.95	4020	2.16	0.03	3.2	14.1	540	1.4
E307948		0.49	<0.05	0.1	<0.005	0.03	1.6	1.5	0.44	40	0.2	0.02	0.3	1.5	100	0.7
E307949		10.15	0.36	0.7	0.259	0.62	124	21.5	1.49	5840	59	0.24	5.8	54.9	2210	6.1
E307950		17.9	0.13	1.6	0.222	2.9	49	42.2	1.84	4490	3.7	0.03	3.3	19.6	580	1.5
E307951		16.15	0.1	1.5	0.218	2.63	40.2	39.5	1.71	5190	1.99	0.03	3.4	17.5	520	1.3
E307952		14.7	0.11	1.4	0.222	2.5	37.3	36.6	1.97	6210	2.43	0.02	3	18.9	490	1.4
E307953		19.2	<0.05	1.6	0.147	3.29	12	38.1	1.79	2970	7.13	0.06	5.5	18.3	710	2.2
E307954		19.55	0.18	1.6	0.153	3.09	57.6	37.7	1.88	3110	1.2	0.04	4.8	22.7	630	1.8
E307955		20.4	0.18	1.6	0.207	3.12	58.7	48.9	2.16	4390	1.72	0.04	5.4	21.4	950	1.6
E307956		20.9	0.22	1.9	0.155	3.27	102	43.8	2.21	3760	0.72	0.03	6.9	19.6	580	1.6
E307957		22.2	0.13	1.9	0.179	3.55	39	50.5	2.53	4060	0.82	0.03	6.5	21.6	620	1.3
E307958		16.1	0.07	1.3	0.158	2.6	16.4	35.2	1.93	4320	0.62	0.02	4.6	17.4	410	1.1
E307959		0.58	<0.05	0.1	<0.005	0.03	1.7	1.6	0.48	42	0.21	0.02	0.3	1.8	110	0.7
E307960		16.65	0.11	1.3	0.244	2.42	21.7	33.6	1.8	9510	1.22	0.03	3.2	20.3	450	1.3
E307961		18	0.11	1.6	0.209	3.08	29.6	34.7	2.09	5950	1.17	0.03	4.2	19.8	440	1.3
E307962		19.75	0.12	1.5	0.153	2.96	25.1	41.6	1.52	4360	3.07	0.04	3.8	29.1	590	1.7
E307963		17.15	0.13	1.3	0.187	2.55	39.8	36.7	1.34	6500	2.41	0.03	3.2	24	700	1.4
E307964		13.35	0.13	0.9	0.212	1.62	49.9	29.3	1.43	8060	14.25	0.03	4.2	32	1130	1.5
E307965		7.5	<0.05	0.6	0.08	1.04	17.8	14.5	0.84	2970	1	0.01	2.3	8.8	180	1.3
E307966		15.6	0.07	1.4	0.137	2.63	12.7	35.5	2.67	4130	1.8	0.04	5.1	15.1	600	1.3
E307967		19	0.12	1.8	0.194	3.1	28.6	42.8	2.49	4680	1.92	0.02	5.4	20.8	590	1.4
E307968		18.85	0.23	1.8	0.15	3.04	87.4	45.7	2.35	3730	1.86	0.02	5.9	18	540	1.6
E307969		0.73	<0.05	0.1	0.005	0.04	1.8	1.9	0.45	42	0.27	0.02	0.4	1.2	110	0.8
E307970		20.3	0.14	1.8	0.137	2.98	40.4	23.8	1.34	3160	20.2	0.6	3.1	25	720	2.8
E307971		17.7	0.14	1.6	0.17	2.91	53.6	42.1	2.79	4670	2.65	0.02	4.9	16.3	620	1.6
E307972		19.85	0.11	1.7	0.184	3.41	43.9	47	2.2	3590	0.86	0.03	4.3	18.3	630	1.7
E307973		10.45	0.06	1.1	0.123	1.82	17.5	25.5	2.18	4610	0.78	0.04	3.6	17.3	420	1.4
E307974		10.6	0.14	0.8	0.264	1.43	20.5	19.9	1.95	12450	2.92	0.02	3.3	30.6	550	1.3
E307975		11	0.05	0.8	0.083	2.07	26.7	21.1	1.5	2660	2.38	0.03	4.2	15.5	560	0.9
E307976		18.9	0.13	1.6	0.197	3.06	43	43.5	2.44	4710	1.66	0.02	4.6	28.2	560	1.5
E307977		17.85	0.09	1.5	0.203	2.96	17.5	38.8	2.77	5530	1.59	0.03	5	21.9	520	1.2
E307978		17.7	0.13	1.3	0.142	2.83	49.8	34.8	1.79	4350	3.36	0.03	5.4	26	950	1.2
E307979		18.5	0.15	1.6	0.148	3.13	44.3	37.7	1.68	3550	1.72	0.07	4.6	17.2	580	2.2
E307980		0.57	0.13	0.1	<0.005	0.03	1.7	1.3	0.44	42	0.2	0.02	0.3	3.3	90	1.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E307941		168	<0.002	0.21	1.97	9	2	6.2	1015	0.2	0.05	10.1	0.112	0.32	2.1	53
E307942		159	0.002	0.21	1.99	8.7	2	6.2	1100	0.21	0.1	9.5	0.106	0.32	1.7	51
E307943		163.5	<0.002	0.16	1.8	9.6	2	5.9	1360	0.21	<0.05	13.3	0.113	0.33	2	57
E307944		132	<0.002	0.23	1.67	8	1	4.4	1515	0.2	<0.05	8.9	0.104	0.29	1.9	47
E307945		135.5	<0.002	0.16	1.28	7.6	1	5.3	1860	0.11	<0.05	7.2	0.082	0.29	1.6	46
E307946		142.5	<0.002	0.27	1.46	8.6	1	4.4	2050	0.17	0.11	6.9	0.099	0.33	1.6	49
E307947		146	<0.002	0.23	1.97	9.1	1	4.4	1095	0.22	<0.05	10.2	0.121	0.3	1.9	54
E307948		0.8	<0.002	0.06	0.09	0.5	2	<0.2	233	<0.05	<0.05	0.2	0.006	<0.02	0.6	7
E307949		32.1	0.017	6.26	2.14	4.1	5	7.2	166	0.13	1.22	6.1	0.035	0.47	14.2	56
E307950		160	0.002	0.18	1.93	9.5	1	5.6	592	0.23	<0.05	10.6	0.124	0.34	2.5	55
E307951		153	<0.002	0.14	2.06	9.1	2	4.8	575	0.24	<0.05	11.3	0.126	0.3	2	49
E307952		138	<0.002	0.22	2.01	8.4	1	4	340	0.23	0.05	10.3	0.118	0.28	1.9	48
E307953		176	0.002	0.27	3.17	9.7	2	6.1	533	0.41	<0.05	11.8	0.175	0.49	1.9	62
E307954		169	<0.002	0.18	2.75	10.5	2	5.8	408	0.34	<0.05	14.4	0.149	0.39	2.3	61
E307955		183	0.002	0.19	2.57	11.8	2	8.4	647	0.34	<0.05	13.4	0.149	0.39	3	64
E307956		182.5	<0.002	0.26	3.32	11.5	2	6.2	293	0.53	<0.05	17.5	0.193	0.42	2.5	63
E307957		206	<0.002	0.3	3.22	12.5	2	6.5	344	0.49	<0.05	12.9	0.188	0.44	2.2	67
E307958		145.5	<0.002	0.25	2.29	8.9	1	4.6	824	0.33	<0.05	7.7	0.138	0.34	2.1	51
E307959		0.8	<0.002	0.07	0.11	0.6	2	<0.2	260	<0.05	<0.05	0.2	0.007	<0.02	0.7	8
E307960		143	<0.002	0.22	1.77	8.7	1	4.3	1120	0.22	<0.05	8.1	0.107	0.31	2	48
E307961		167.5	<0.002	0.15	2.28	9.8	1	3.9	121.5	0.32	0.1	11.4	0.154	0.35	2.6	56
E307962		160	<0.002	0.28	1.81	10.1	2	4.8	1565	0.24	0.11	9.5	0.145	0.29	9.6	65
E307963		142.5	<0.002	0.25	1.45	8.7	2	6.6	1270	0.19	0.06	8	0.114	0.27	3.6	50
E307964		97.2	0.003	0.25	1.56	6.5	2	5.4	1840	0.18	0.15	5.2	0.072	0.2	1.7	43
E307965		63.4	<0.002	0.18	0.97	4.1	1	1.9	2610	0.15	<0.05	4.1	0.068	0.11	2.8	23
E307966		147	<0.002	0.15	2.55	9.6	2	4.1	557	0.38	<0.05	9.5	0.146	0.3	2.9	53
E307967		174.5	<0.002	0.24	2.77	11.2	2	5	321	0.42	0.06	12.4	0.159	0.35	3.4	61
E307968		174.5	<0.002	0.35	3.18	10.8	1	4.7	312	0.45	0.09	14.9	0.173	0.35	2.5	61
E307969		1.6	<0.002	0.06	0.12	0.6	2	0.2	240	<0.05	<0.05	0.3	0.007	<0.02	0.8	8
E307970		126	0.006	1.31	1.12	10.7	2	7.8	441	0.19	0.2	12.7	0.117	0.35	18.9	63
E307971		167	<0.002	0.35	2.79	10.8	1	4.7	346	0.38	0.08	13.1	0.153	0.35	2.2	63
E307972		176.5	<0.002	0.29	2.72	11.6	2	5.5	573	0.34	0.05	12.6	0.147	0.4	2.4	66
E307973		102	<0.002	0.19	1.98	6.3	1	3	1640	0.27	<0.05	7.9	0.107	0.21	1.4	34
E307974		83.1	<0.002	0.21	1.22	5.7	1	3.9	1920	0.17	0.07	4.2	0.072	0.16	2.1	33
E307975		93.1	<0.002	0.2	1.5	5.9	1	4.7	1940	0.23	<0.05	5.4	0.114	0.17	2.2	45
E307976		162	<0.002	0.23	1.94	10.8	2	4.8	539	0.29	0.07	11.4	0.152	0.28	5.5	61
E307977		157.5	<0.002	0.23	2.33	10.3	1	4.1	646	0.37	<0.05	9.7	0.152	0.28	3.1	55
E307978		143	<0.002	0.27	1.9	9.1	2	6.2	797	0.29	0.09	9.7	0.133	0.24	4.2	59
E307979		163	<0.002	0.22	2.42	10.3	1	6.1	400	0.34	0.06	11.6	0.134	0.35	2.4	59
E307980		1	<0.002	0.06	0.09	0.7	3	<0.2	241	<0.05	<0.05	0.2	0.006	<0.02	0.7	4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E307941		11.1	10.3	2	43.4	<0.001	
E307942		10.5	9.4	2	41.1	<0.001	
E307943		10.8	9.7	3	54.2	<0.001	
E307944		9.3	9	3	45.8	<0.001	
E307945		7.9	8.2	3	39.9	<0.001	
E307946		8.6	8.1	3	42.1	<0.001	
E307947		9.9	10	2	48.6	<0.001	6.71
E307948		0.1	2.6	42	3.1	<0.001	
E307949		6.2	14.5	5	23.6	0.125	
E307950		10.9	12.2	3	52.8	<0.001	5.00
E307951		10.6	11.8	3	51	<0.001	3.56
E307952		10.2	13	3	50.3	<0.001	1.72
E307953		14.8	10.3	3	54.5	<0.001	
E307954		12.8	10.8	3	58.2	<0.001	2.66
E307955		14.6	12.5	4	60.3	<0.001	4.62
E307956		15.6	14.5	2	66.6	0.002	2.05
E307957		14.7	15.3	2	66.8	<0.001	1.97
E307958		11	10.9	3	48.5	<0.001	6.54
E307959		0.1	2.8	22	3.4	<0.001	
E307960		9.8	8.3	4	45.5	<0.001	
E307961		12.1	11	2	58.6	<0.001	0.87
E307962		12.3	10.3	4	54.3	0.001	
E307963		10.8	8.7	3	45.2	<0.001	
E307964		8.6	9	5	31.6	0.005	
E307965		5.3	4.1	2	21	<0.001	
E307966		11.3	10.6	2	49.4	<0.001	
E307967		13.5	11.4	2	60.9	<0.001	1.88
E307968		12.9	14.6	2	63.8	<0.001	1.73
E307969		0.1	2.8	21	4.2	0.004	
E307970		7.6	11.5	6	63.2	0.020	
E307971		12.4	15	2	53.7	<0.001	1.77
E307972		12.5	12.7	3	57.1	<0.001	2.93
E307973		7.5	10.6	3	37.6	<0.001	
E307974		7.1	7	5	26.4	<0.001	
E307975		9.5	6.8	2	31	0.002	
E307976		12.5	14.2	3	57.8	<0.001	3.68
E307977		12.6	12.7	2	53.7	<0.001	4.91
E307978		12.4	11.1	2	47.1	0.001	
E307979		11.9	11.2	3	47.4	<0.001	
E307980		0.1	2.8	20	3.2	<0.001	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E307981		1.46	0.02	6.9	0.6	>10000	2.32	0.03	4.83	<0.02	71.2	22.2	35	13.45	11	6.39
E307982		1.20	0.01	5.35	0.4	1410	1.7	0.03	3.62	<0.02	38	13.6	27	9.66	240	5.26
E307983		1.60	0.04	3.36	0.3	650	1.2	0.02	2.22	<0.02	22.6	17.9	17	6.06	354	7.24
E307984		1.14	0.01	5.41	<0.2	1070	1.99	0.03	2.83	<0.02	30.6	10.8	28	9.36	161	4.26
E307985		1.02	0.03	7.23	0.6	3610	3.28	0.03	3.37	<0.02	73	15.7	39	7.36	27.8	6.11
E307986		1.36	0.02	5.9	0.7	2880	2.47	0.04	3.15	<0.02	85.6	19.9	32	6.56	196	6.29
E307987		1.14	0.02	8	1.4	3680	3.16	0.07	1.6	<0.02	106	26.5	50	11.15	110.5	6.37
E307988		0.92	0.01	5.4	1	4090	2.44	0.04	3.28	<0.02	63.5	17.6	33	6.79	297	6.84
E307989		1.74	0.06	3.34	7.5	1620	1.25	0.15	3.05	<0.02	135	20.4	19	5.56	29.1	10.1
E307990		1.46	0.03	5.07	0.2	3100	1.85	0.06	4.15	<0.02	25.4	14.1	29	9.41	251	5.08
E307991		0.08	0.01	0.12	13	120	0.09	0.01	42.9	0.37	2.27	0.7	6	<0.05	2.2	0.05
E307992		0.20	1.19	5.3	51.3	330	2.01	3.14	1.99	<0.02	62.2	158	34	3.66	7060	9.24
E307993		1.20	0.02	4.72	0.4	2110	1.6	0.03	3.01	<0.02	64.2	12.6	25	8.04	174.5	4.69
E307994		1.68	0.04	4.96	0.8	1670	2.25	0.07	2.68	<0.02	199	20.4	27	6.68	367	5.4
E307995		1.20	0.03	5.56	1.9	4990	1.96	0.03	4.41	<0.02	94.4	43.4	31	5.04	93.7	8.61
E307996		1.24	0.04	6.99	2.2	9170	3.08	0.05	2.88	<0.02	142.5	37.8	42	7.07	37	7.19
E307997		1.38	0.01	6.05	0.6	>10000	2.34	0.02	4.79	<0.02	106.5	15.2	35	10.9	11.1	5.36
E307998		1.56	0.03	4.75	1.4	810	2.37	0.06	2.14	<0.02	91	29.6	27	5.06	376	6
E307999		1.46	0.01	6.34	0.7	>10000	2.08	0.02	4.68	<0.02	106.5	21.3	33	5.65	22.4	6.46
E308000		1.42	0.16	1.33	<0.2	170	0.67	0.08	1.22	<0.02	7.78	8	11	1.84	7820	2.47
E308001		1.48	0.1	2.08	2	290	0.97	0.2	3.38	<0.02	33.7	57.1	11	1.62	1780	7.92
E308002		0.10	0.01	0.14	<5	160	0.08	0.01	48.2	0.38	2.51	0.8	6	<0.05	4.7	0.05
E308003		1.78	0.03	5.39	0.7	7070	1.92	0.02	4.8	<0.02	35.2	15.5	30	10.05	10.9	5.39
E308004		1.12	0.05	5.2	0.7	3640	2.01	0.06	4.8	<0.02	71	15	28	10	848	5.11
E308005		1.40	0.05	4.34	2.5	1120	1.58	0.12	3.83	<0.02	87.5	54.1	23	5.61	446	8.65
E308006		1.58	0.1	2.29	6	240	0.85	0.18	2.19	<0.02	70.3	112.5	17	2.77	316	12.55
E308007		1.72	0.05	5.61	5.7	2050	2.02	0.14	3.24	<0.02	96.7	85.9	35	9.41	68.7	7.7
E308008		1.30	0.02	5.83	0.8	1340	2.62	0.02	5.32	<0.02	113	16.1	33	3.87	8	5.61
E308009		1.12	0.02	5.78	0.5	2220	3.04	0.02	4.65	<0.02	77.1	14.1	34	4.75	13.8	5.51
E308010		1.64	0.02	5.4	1	>10000	3.12	0.03	2.52	<0.02	67.1	10.4	36	4.63	239	7.51
E308011		1.12	0.05	3.74	2.2	1100	1.83	0.08	0.65	<0.02	46	23.8	24	4.13	406	8.81
E308012		0.10	0.01	0.12	5	110	0.07	0.01	41.9	0.36	2.32	0.7	5	<0.05	3.9	0.05
E308013		0.20	1.25	2.34	82.1	130	0.64	10.9	2.26	<0.02	205	334	15	2.57	8970	28.5
E308014		1.56	0.06	3.07	2.4	410	1.03	0.12	1.22	<0.02	44.5	35.3	22	4.33	1690	10.55
E308015		1.28	0.06	6.43	1.2	9100	3.3	0.04	2.71	<0.02	77.7	10.4	47	5.98	128.5	6.46
E308016		1.18	0.05	4.04	2.4	590	1.35	0.08	4.27	<0.02	41.8	27	24	2.44	1150	6.64
E308017		1.32	0.05	5.98	1.9	5960	2.38	0.06	3.46	<0.02	118	23.1	39	4.48	886	8.13
E308018		1.46	0.01	5.78	1.3	5490	3.19	0.04	3.28	<0.02	62.7	22.8	40	6.1	100.5	6.62
E308019		1.16	0.04	5.06	3.6	2510	1.78	0.1	5.55	<0.02	99.5	56.3	28	3.73	65.6	9.21
E308020		1.16	0.01	6.07	1.7	>10000	2.02	0.05	2.17	<0.02	134.5	16.6	41	10.5	95	5.91

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E307981		19.1	0.14	1.8	0.172	3.33	40.8	46.1	2.03	4660	0.98	0.08	4.7	23.2	640	1.9
E307982		14.9	0.13	1.4	0.131	2.56	21.4	33.7	1.73	3880	0.61	0.05	4	16	480	1.9
E307983		10.15	0.1	0.9	0.153	1.62	11.2	18.7	1.78	7140	1.01	0.03	2.6	21	360	1.7
E307984		15.3	0.11	1.3	0.115	2.61	15.6	31.3	1.61	3040	0.78	0.05	4.5	14.6	480	1.9
E307985		21.9	0.16	2	0.156	3.69	41.3	51.5	1.93	4550	6.02	0.05	4.2	27.2	610	2.2
E307986		16.75	0.17	1.7	0.123	2.77	45.9	50.4	2.07	3970	3.5	0.07	3.4	27	530	1.8
E307987		24.8	0.19	2.1	0.164	3.84	60.4	53.7	1.54	2970	2.95	0.06	5.1	28	650	2.2
E307988		18.45	0.14	1.4	0.16	2.9	38.1	35.1	2.07	5480	1.95	0.04	4.1	26.6	640	1.8
E307989		11.35	0.19	0.8	0.098	1.53	88.7	21.3	1.56	3620	6.49	0.03	6.2	25.8	1320	1.8
E307990		15.4	0.11	1.3	0.137	2.56	15.7	30.4	2.06	4450	1.17	0.05	4	19.5	500	2.2
E307991		0.58	0.13	0.1	<0.005	0.03	1.7	1.7	0.47	36	0.18	0.03	0.3	3.6	100	1.2
E307992		15.3	0.17	1.6	0.14	2.04	27.6	26.9	1.22	3460	67.8	0.84	3.8	38.6	850	21.5
E307993		14.45	0.13	1.3	0.138	2.42	32.1	30.6	1.61	4230	1.13	0.05	3.8	16.1	500	2.2
E307994		16.2	0.21	1.4	0.133	2.43	104.5	39.3	1.56	3630	2.47	0.05	3.5	22.2	720	2.3
E307995		16.1	0.17	1.4	0.111	2.08	58.7	66.4	2.73	4210	2.16	0.48	3.8	43.1	800	1.9
E307996		24.7	0.21	1.9	0.145	3.66	84.7	62.6	1.82	2670	15.85	0.03	6.9	47	910	2.2
E307997		18.65	0.15	1.7	0.144	3.15	58.4	43.2	2.12	4010	0.64	0.04	5.2	18.3	620	1.8
E307998		15.65	0.16	1.3	0.09	2.06	45.5	41.6	1.57	2340	2.95	0.04	3.6	26.3	570	2
E307999		15.1	0.18	1.8	0.083	2.14	58.5	40.7	2.36	4160	1.42	1.53	2.9	24.4	520	2
E308000		4.34	0.08	0.4	0.07	0.55	3.2	15.2	0.65	1145	0.38	0.02	1.1	7.1	140	2
E308001		6.92	0.12	0.5	0.109	0.88	12.1	18.9	1.62	4260	23.6	0.03	3.9	25.9	490	2.2
E308002		0.6	0.07	0.1	<0.005	0.03	1.8	1.9	0.54	40	0.24	0.03	0.4	4.2	120	1.2
E308003		16.1	0.1	1.4	0.175	2.69	22.2	48.5	2.3	4760	1.38	0.04	5.3	18.7	560	1.7
E308004		16.45	0.12	1.4	0.178	2.65	43.6	46.2	2.3	4970	1.02	0.05	5.1	18	540	2
E308005		12.65	0.16	1.1	0.158	1.93	51.4	45.4	2.37	5780	8.62	0.04	4.9	26	690	1.9
E308006		7.8	0.19	0.7	0.18	1.05	34.1	22.1	1.92	7570	14.75	0.03	5.1	31.1	880	2.1
E308007		18.45	0.16	1.6	0.164	2.54	61.9	45.8	1.99	4160	11.7	0.07	4.4	49.5	760	2.1
E308008		16	0.16	1.7	0.091	2.56	58.7	29.7	2.15	4890	1.29	1.14	3.1	21.9	540	2
E308009		18.65	0.14	1.8	0.105	3.09	41.9	35.8	1.96	4360	1.38	0.28	3.7	22.5	520	1.9
E308010		18.9	0.14	1.6	0.212	3.03	35.7	37.7	1.82	6670	1.25	0.02	2.3	21.6	530	2.2
E308011		12.45	0.14	1	0.221	1.83	23.4	29	1.23	7410	13.4	0.04	2.8	20.5	490	2.3
E308012		0.56	0.1	0.1	<0.005	0.03	1.7	1.7	0.46	38	0.21	0.02	0.3	4	100	1.1
E308013		10.35	0.37	0.7	0.258	0.67	124	24.3	1.57	6270	60.7	0.25	5.8	63	2400	7.1
E308014		9.24	0.13	0.8	0.238	1.4	21.7	28.9	1.69	9340	5.24	0.04	3.3	26.6	590	2.4
E308015		21.2	0.14	1.7	0.119	3.18	43.5	58.6	1.83	3190	2.02	0.41	2.7	24.9	870	1.8
E308016		10.25	0.11	1	0.102	1.37	18.8	29.7	1.85	4580	3.87	0.94	2.6	21	550	2.2
E308017		17.3	0.16	1.6	0.146	2.47	67.9	63.2	2.16	5610	2.53	0.78	3.3	28.9	690	2.2
E308018		20.4	0.14	1.7	0.167	2.91	36.7	57.5	1.89	4760	2.19	0.26	3.7	29.6	630	1.5
E308019		13.95	0.17	1.3	0.143	1.95	54.9	69.5	2.54	6600	5.52	0.53	4.1	39.7	670	1.6
E308020		17.85	0.17	2.2	0.184	2.94	90.3	51.7	1.39	2650	1.36	0.05	5	30.9	890	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
E307981		174	<0.002	0.36	2.4	11.6	2	7.6	316	0.35	0.08	12.6	0.145	0.38	2.1	64
E307982		129	<0.002	0.25	1.83	8.6	1	7.2	1565	0.28	0.06	9	0.128	0.29	2.1	51
E307983		80.5	<0.002	0.23	1.24	6.4	1	3.8	2200	0.16	0.08	5	0.071	0.18	1.2	34
E307984		133	<0.002	0.26	2.05	8.9	1	4.9	2750	0.32	0.06	8.3	0.129	0.28	1.7	50
E307985		175	<0.002	0.27	1.47	12.7	2	5.9	851	0.27	0.11	12.5	0.164	0.24	6.2	68
E307986		130.5	<0.002	0.21	1.51	9.9	1	4.6	648	0.21	0.1	10.5	0.128	0.2	7.5	49
E307987		191.5	<0.002	0.29	2.08	13.2	2	6.8	510	0.34	0.08	15	0.18	0.36	6.9	75
E307988		131.5	<0.002	0.29	1.27	10.5	1	5.4	1180	0.2	0.07	9	0.132	0.21	4.3	61
E307989		77.6	0.003	0.2	1.99	6.1	2	8	1240	0.19	0.31	6.7	0.074	0.16	1.8	42
E307990		127.5	<0.002	0.26	1.85	9.1	1	5.4	1660	0.25	0.08	8.1	0.115	0.27	1.8	51
E307991		0.8	<0.002	0.06	0.07	0.6	2	<0.2	257	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E307992		70.7	0.024	2.23	1.59	9.9	3	7.5	568	0.19	0.28	9.1	0.087	0.45	290	55
E307993		117.5	<0.002	0.19	1.72	7.9	1	5	2120	0.26	0.07	8.6	0.113	0.26	2.2	47
E307994		116	<0.002	0.27	1.33	8.6	2	5.3	1710	0.2	0.1	12.9	0.111	0.21	5.6	52
E307995		92	<0.002	0.38	1.4	9.8	2	5.2	704	0.25	0.09	10.3	0.134	0.15	10.6	53
E307996		168.5	0.004	0.41	1.81	13.1	2	8.9	301	0.33	0.26	14.2	0.195	0.27	9.7	76
E307997		154.5	<0.002	0.34	2.15	10.8	1	7.7	398	0.35	0.06	12.7	0.158	0.31	2	60
E307998		96.9	0.002	0.35	1.12	9.1	1	5.6	2070	0.21	0.1	8	0.123	0.16	4	55
E307999		91.9	<0.002	0.39	1.15	9	1	3.5	359	0.21	0.05	14	0.127	0.18	7.7	50
E308000		34.9	<0.002	0.72	0.39	2.8	2	2	1800	0.07	0.05	2.4	0.035	0.05	3	15
E308001		47.6	0.006	0.7	1.05	4.1	2	4	2450	0.13	0.14	2.9	0.061	0.05	2.6	30
E308002		0.7	<0.002	0.07	0.07	0.6	2	<0.2	307	<0.05	<0.05	0.2	0.007	<0.02	0.7	5
E308003		131.5	<0.002	0.25	2.11	9.2	1	14.8	669	0.31	<0.05	8.4	0.133	0.28	2	57
E308004		133	<0.002	0.3	1.86	8.8	1	15.5	1410	0.29	0.07	10	0.123	0.29	2.4	55
E308005		91.5	0.002	0.46	1.4	7.4	2	8.9	1300	0.21	0.13	8.5	0.092	0.17	3.9	42
E308006		58.6	0.005	0.76	1.4	4.9	3	6.5	1840	0.18	0.21	4.9	0.06	0.08	2.2	35
E308007		127	0.007	0.48	1.61	10.1	2	8.5	404	0.23	0.14	12.9	0.12	0.26	3.7	56
E308008		113	<0.002	0.04	1.42	9.6	1	3.5	74.5	0.21	0.09	14.1	0.147	0.17	7.4	54
E308009		138.5	<0.002	0.06	1.51	11.5	1	4.2	85	0.25	0.11	12.6	0.155	0.2	5.6	60
E308010		133	<0.002	0.29	1.19	11.1	1	4.9	184.5	0.13	0.08	11.7	0.132	0.18	5.3	58
E308011		86.9	0.003	0.27	1	7.2	2	4.4	1850	0.13	0.11	6.1	0.088	0.15	3.2	41
E308012		0.7	<0.002	0.06	0.06	0.6	2	<0.2	257	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E308013		36.6	0.016	6.69	2.1	4.7	5	7.3	184.5	0.12	1.13	6.1	0.035	0.5	16.6	61
E308014		68.4	<0.002	0.4	1.15	5.6	2	4.6	1740	0.15	0.1	5.1	0.066	0.14	2.2	35
E308015		139.5	<0.002	0.37	1.21	12.2	1	7.1	814	0.17	0.05	11.1	0.137	0.24	9	75
E308016		62.8	<0.002	0.45	1.16	6.4	1	3.7	2280	0.14	0.1	7.1	0.081	0.13	5.8	36
E308017		115	<0.002	0.33	1.38	10.2	2	5.7	495	0.2	0.09	12.2	0.119	0.21	9.3	57
E308018		145	<0.002	0.35	1.4	12.3	2	7.9	899	0.25	0.07	11.5	0.133	0.23	7	67
E308019		94.6	0.002	0.48	1.47	8.7	2	5.2	630	0.22	0.09	9.8	0.117	0.17	6.8	46
E308020		152	<0.002	0.32	2	9.5	2	13.1	236	0.27	0.15	15.2	0.126	0.28	3.9	70

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E307981		13.4	13.6	3	54.9	<0.001	1.57
E307982		11.6	9.8	3	41.7	<0.001	
E307983		7.1	6.1	2	28	<0.001	
E307984		11.7	8	2	38.9	<0.001	
E307985		18.8	14.2	2	59.7	0.005	
E307986		14.4	12.7	4	50.8	0.004	
E307987		19.2	12.3	3	63.4	<0.001	
E307988		14	10.9	2	43.4	<0.001	
E307989		13.3	9.4	3	27	0.009	
E307990		10.3	9.2	2	41.1	<0.001	
E307991		0.1	2.9	21	3.1	<0.001	
E307992		9.7	16.1	9	52.3	0.058	
E307993		9.6	8.6	2	39.8	<0.001	
E307994		11.4	11.1	2	43.3	<0.001	
E307995		11.2	13.5	7	43.3	0.001	
E307996		17.6	14.4	5	56.5	0.004	2.20
E307997		12.8	13.3	2	52.2	<0.001	2.41
E307998		10.5	8.9	4	37.3	<0.001	
E307999		11.3	14.6	5	54.1	<0.001	1.65
E308000		3.5	3.7	<2	12.3	0.001	
E308001		7.7	7.7	4	17.2	0.004	
E308002		0.1	3.2	23	3.4	<0.001	
E308003		12	11.9	2	43	<0.001	4.95
E308004		11.5	12.4	2	43.7	<0.001	
E308005		11.4	11.5	3	34.3	0.005	
E308006		9.8	8	4	22	0.006	
E308007		13.2	13.6	4	50.6	0.002	
E308008		13.6	15.1	<2	52.2	<0.001	
E308009		15.5	14	<2	52.5	<0.001	
E308010		12.5	12	5	49.3	<0.001	1.13
E308011		9.2	8.1	7	30.4	0.003	
E308012		0.1	2.9	20	2.9	<0.001	
E308013		6.4	15.7	9	22.6	0.114	
E308014		6.6	7.3	5	26.1	0.002	
E308015		12.9	14.2	5	48.5	<0.001	4.34
E308016		8.2	10.9	5	29	0.001	
E308017		10.8	14.1	4	48	0.002	2.90
E308018		13	13.9	2	48.9	0.003	5.91
E308019		12.9	15.4	4	39.8	0.016	
E308020		13.7	14.9	4	60.1	<0.001	1.67

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E308021		1.24	0.02	4.03	1.5	1790	1.39	0.04	3.03	<0.02	121	16.8	21	3.99	488	7
E308022		1.26	0.01	7	0.9	8120	2.34	0.06	2.38	<0.02	149	21.5	43	7.56	155.5	6.13
E308023		0.10	0.03	0.13	<5	80	0.06	0.02	45.4	0.41	2.5	0.7	7	<0.05	2.5	0.05
E308024		1.32	0.05	3.21	4.7	800	0.95	0.08	2.09	<0.02	118.5	23.9	19	6.95	403	8.68
E308025		1.38	0.04	3.74	4.1	470	1.25	0.1	2.28	<0.02	79.2	25.8	23	5.26	870	7.25
E308026		1.28	0.11	6.18	2.8	2860	0.82	0.12	2.8	<0.02	108.5	27.7	34	3.19	570	7.22
E308027		1.14	0.06	4.16	1.9	600	0.49	0.03	1.5	<0.02	79.5	17.2	29	0.75	969	6.2
E308028		0.98	0.06	4.61	4.5	580	1	0.09	0.53	<0.02	83.1	41.9	27	4.08	1100	8
E308029		0.98	0.04	5.38	2.1	5140	1.92	0.08	4.81	<0.02	75.7	26.5	31	3.98	456	7
E308030		1.32	0.05	6.36	0.8	2900	3.1	0.03	4.56	<0.02	107.5	21.9	41	3.59	18.5	5.84
E308031		1.26	0.02	6.23	0.6	2560	3.1	0.02	4.15	<0.02	105.5	9.9	37	3.29	30.6	4.78
E308032		1.48	0.03	3.92	2.8	870	1.31	0.07	3.46	<0.02	78.7	19.7	24	4.61	361	8.39
E308033		0.12	0.02	0.12	7	120	0.09	0.01	43.1	0.4	2.46	0.7	6	<0.05	2.6	0.05
E308034		0.22	0.28	6.81	54	1780	2.78	1.86	2.04	<0.02	83.7	131	43	6.85	1560	7.02
E308035		1.32	0.09	4.22	4	870	1.37	0.1	2.83	<0.02	133	27.7	29	8.32	536	6.98
E308036		1.16	0.03	4.4	1.2	950	1.64	0.03	4.01	<0.02	50.4	18.4	25	5.74	194	5.97
E308037		1.54	0.03	4.68	1	1060	2.36	0.03	2.35	<0.02	44.4	15.3	28	5.51	296	5.8
E308038		1.12	0.04	5.87	2.5	5390	1.94	0.06	3.67	<0.02	58.2	22.8	38	10.65	662	7.24
E308039		1.58	0.03	5.47	2.6	2720	2.12	0.06	3.96	<0.02	88	27.5	34	8.92	297	6.68
E308040		1.52	0.05	4.55	5.8	770	1.37	0.15	1.9	<0.02	61.5	35.2	26	8.83	296	7.29
E308041		1.32	0.03	4.24	5.4	450	1.39	0.18	2.21	<0.02	51.7	43.3	27	6.02	225	6.87
E308042		1.56	0.03	5.14	2.3	1050	1.84	0.06	2.85	<0.02	66.9	31.2	33	4.63	418	8.04
E308043		1.12	0.08	5.52	4.5	1180	1.81	0.13	1.15	<0.02	219	38.6	35	10.2	1450	8.16
E308044		0.08	0.01	0.13	15	140	0.07	0.01	46	0.4	2.57	0.8	7	<0.05	3.3	0.06
E308045		1.60	0.04	5.66	2.9	2890	2.14	0.07	4.02	<0.02	76.2	36.1	35	10.7	90.8	5.99
E308046		1.02	0.01	6.94	0.8	>10000	2.72	0.03	4.47	<0.02	105.5	23.7	43	13.45	3.8	3.75
E308047		1.54	0.06	5.05	4.7	1040	1.6	0.13	1.96	<0.02	77.5	55.2	30	7.44	1480	9.03
E308048		1.38	0.03	4.84	3.8	750	1.54	0.07	1.93	<0.02	84.5	35.4	32	7.33	1040	7.4
E308049		1.18	0.02	5.83	1.6	3110	2.23	0.05	4.2	<0.02	102.5	26.5	37	7.34	486	8.22
E308050		1.58	0.08	6.06	0.6	2500	3.45	0.1	4.1	<0.02	79.1	13.9	42	5.67	3250	6.44
E308051		1.24	0.07	6.71	1	5740	4.03	0.09	5.41	<0.02	63.6	34	39	6.05	1840	7.07
E308052		0.86	0.05	7.38	2.2	6880	5.11	0.15	4.91	<0.02	88.5	29.4	40	13.95	57.4	6.64
E308053		1.36	0.05	5.58	0.6	2510	2.49	0.08	6.53	<0.02	107.5	30.9	26	4.91	418	8
E308054		0.04	0.01	0.14	<5	80	0.05	0.01	47.6	0.45	2.92	0.9	6	<0.05	3.7	0.06
E308055		0.22	1.14	5.98	58.1	210	2.15	3.31	2.23	<0.02	61.9	174.5	39	4	8250	10.25
E308056		0.78	0.02	7.68	0.4	7760	4.53	0.05	4.73	<0.02	84	12.4	43	7.92	423	6.75
E308057		1.72	0.26	3.88	13.5	300	1.12	0.71	3.15	<0.02	154.5	97.5	17	2.8	689	14.65
E308058		0.98	0.15	2.58	14.5	1410	0.29	0.45	1.07	<0.02	98.9	66.3	9	0.79	275	20.7
E308059		1.60	0.16	1.59	11.4	570	0.2	0.63	0.64	<0.02	114.5	53.9	9	0.49	117.5	21.8
E308060		1.56	0.17	1.39	10.9	730	0.21	0.55	0.88	<0.02	142.5	43.2	7	0.42	73	22.4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E308021		11.95	0.16	1.2	0.122	1.3	73.8	44.5	1.61	3770	2.38	0.61	3.5	32.7	880	1.5
E308022		21.4	0.18	2.2	0.123	2.57	90.6	53.2	1.59	2480	2.41	1.11	4.8	43.8	790	1.7
E308023		0.56	0.13	0.1	0.005	0.03	1.8	1.6	0.5	36	0.19	0.03	0.3	3.7	100	1.4
E308024		10.7	0.13	1	0.187	1.55	66.4	30.2	1.42	6040	4.73	0.04	4.9	20	1310	1.8
E308025		10.7	0.12	1.1	0.063	1.55	38.9	33.7	1.43	1770	14.1	0.09	4.5	20.5	690	1.7
E308026		15.5	0.15	1.7	0.044	0.91	62.7	39.3	1.81	2080	5.83	2.76	5.6	28.5	660	3.4
E308027		8	0.12	1.3	0.016	0.16	45.7	17.7	0.82	1185	2.27	2.57	3.7	12.2	560	1.8
E308028		11.6	0.13	1.5	0.151	1.24	50.8	31.4	1	3940	8.37	1.34	5.1	20.5	920	1.4
E308029		14.95	0.13	1.5	0.113	1.97	42.6	34.9	2.34	4420	2.9	1.24	4.7	24.6	590	1.7
E308030		20.5	0.15	2	0.097	2.64	53.6	39.4	1.94	3850	3.17	1.55	3.1	24.3	700	1.8
E308031		18.5	0.15	1.9	0.088	2.04	52.8	33.6	1.76	3370	2.5	2.35	2.6	20.6	620	2.6
E308032		12.55	0.14	1.2	0.117	1.42	46.8	40.8	2.08	3880	3	0.3	4.6	24.7	1110	2.1
E308033		0.56	0.1	0.1	<0.005	0.03	1.7	1.7	0.47	37	0.2	0.02	0.3	4.2	110	0.8
E308034		19.5	0.15	2.1	0.144	2.95	45.4	25.3	1.38	3280	20.3	0.59	3.6	30.3	790	3
E308035		12.15	0.14	1.5	0.165	2.05	84.2	43.3	1.53	3400	4.23	0.06	7	18.4	1000	1.9
E308036		12.65	0.1	1.3	0.099	1.88	28.1	40.8	2.14	3380	2.28	0.08	3.3	24.4	600	1.9
E308037		15.65	0.11	1.3	0.131	2.46	21.6	36	1.38	3150	2.58	0.05	3.3	20.7	500	1.5
E308038		16.6	0.12	1.6	0.163	2.55	35.9	40.3	2.11	4300	4.22	0.45	4.6	30.6	620	1.7
E308039		17.6	0.15	1.6	0.146	2.46	50.1	42.9	2.15	3490	6.16	0.28	5.8	30.2	680	1.9
E308040		13.6	0.12	1.3	0.165	2.2	37.9	34.6	1.47	3720	7.03	0.04	5.6	22.2	700	1.4
E308041		12.9	0.12	1.2	0.124	2.06	22.9	36.2	1.42	2160	6.66	0.04	6.3	25.3	580	1.9
E308042		14.15	0.14	1.6	0.107	2.09	39.1	49.2	2	2500	4.69	0.04	5.2	31.9	690	1.7
E308043		18.35	0.22	1.6	0.218	2.8	135.5	43.3	1.35	4360	9.33	0.05	7.3	32	1440	2
E308044		0.56	0.1	0.1	<0.005	0.03	1.8	1.6	0.5	38	0.19	0.03	0.3	4.4	120	0.7
E308045		17.1	0.12	1.6	0.162	2.87	44.5	38	1.94	3660	31.5	0.05	7	23.5	730	1.5
E308046		21.8	0.13	2	0.175	3.7	56.5	44.3	2.07	3570	16.5	0.05	7	18.3	580	1.7
E308047		15.65	0.14	1.5	0.212	2.59	47.7	42.8	1.71	4780	9.78	0.04	9.2	31.8	780	1.6
E308048		15	0.14	1.4	0.166	2.48	43.9	42.4	1.33	3080	5.95	0.04	8.1	23.3	790	1.8
E308049		16.3	0.16	1.7	0.111	2.36	54.9	62.6	2.59	3460	3.13	0.25	3.8	32.8	610	1.7
E308050		18.6	0.15	1.7	0.137	2.8	42.9	53.9	2.19	3340	1.81	0.43	3.9	26.3	610	1.9
E308051		19.4	0.14	2	0.158	3.61	36.7	40.7	2.57	4720	15.35	0.05	4.7	26.9	620	2.3
E308052		22.1	0.16	2.2	0.159	4.01	48.9	42.8	2.42	4550	2.46	0.05	4.9	27.1	630	3.1
E308053		13.5	0.16	1.7	0.125	2.27	56.7	54.4	3.44	5610	16.4	0.04	3.2	31.7	580	1.7
E308054		0.58	0.08	0.1	<0.005	0.04	2.2	2	0.53	42	0.27	0.03	0.4	6	110	0.6
E308055		16.7	0.16	2.1	0.143	2.3	31.5	31.9	1.33	3700	69.3	0.99	4.4	44.4	960	22.6
E308056		21.6	0.15	2.2	0.156	3.97	47.4	48.6	2.47	4420	2.44	0.04	4.2	28.3	710	1.6
E308057		12.45	0.22	1.1	0.087	0.73	98.2	41.3	2.76	3510	65.7	0.02	11.7	77.2	1760	1.9
E308058		9.36	0.24	0.6	0.132	0.03	70.6	27.5	2.27	7750	40	0.01	9.7	83.2	1940	1.3
E308059		6.12	0.21	0.5	0.228	0.03	79.7	16.6	2.17	14100	39.6	0.02	10.2	55.9	1660	1.1
E308060		5.38	0.22	0.3	0.235	0.01	99.2	13.4	2.21	12650	46.2	0.02	10.7	51.7	1790	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E308021		65.8	<0.002	0.28	1.17	6.1	1	6.1	1940	0.17	0.1	9.1	0.074	0.12	3.8	46
E308022		123.5	<0.002	0.25	1.57	11	1	8.8	141.5	0.28	0.29	16.4	0.154	0.24	5.7	68
E308023		0.8	<0.002	0.06	0.12	0.5	2	<0.2	272	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E308024		85.6	0.002	0.23	1.37	5.3	2	9.6	3090	0.15	0.34	6.4	0.057	0.17	1.9	47
E308025		72.9	0.006	0.37	1.84	6.8	2	6.3	2940	0.19	0.16	7.7	0.087	0.14	4.2	45
E308026		46.7	0.002	0.43	2.81	8.3	2	4.7	1330	0.36	0.09	11.5	0.142	0.08	7.3	48
E308027		7.9	<0.002	0.47	1.24	4.1	1	3.3	3050	0.27	0.06	7.8	0.116	0.03	2.2	35
E308028		72	0.003	0.45	1.72	5.2	2	6.7	1560	0.22	0.22	7.7	0.09	0.11	2.8	38
E308029		91	<0.002	0.32	1.55	9.5	1	5.4	359	0.28	0.07	10.2	0.118	0.16	5	57
E308030		114.5	<0.002	0.16	1.35	11.6	2	5.2	120	0.24	0.06	14.8	0.146	0.2	6.5	71
E308031		87.6	<0.002	0.08	1.2	10.4	1	4.6	86.8	0.19	0.06	13.5	0.116	0.17	5.4	56
E308032		68	<0.002	0.36	1.6	8.5	1	7.1	2900	0.21	0.13	8	0.078	0.12	5.3	57
E308033		0.9	<0.002	0.06	0.07	0.6	2	<0.2	262	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E308034		120	0.006	1.67	1.55	11.2	3	8.2	482	0.22	0.24	13.2	0.123	0.39	18.5	65
E308035		109.5	0.002	0.37	2	6.9	2	12.5	2530	0.26	0.23	8.1	0.095	0.22	2.7	55
E308036		93.2	<0.002	0.34	1.33	8	1	6.1	3570	0.2	0.07	8.1	0.096	0.17	3.5	45
E308037		116.5	<0.002	0.35	1.17	8.5	1	8.4	2400	0.21	0.08	8.3	0.125	0.16	3	55
E308038		123.5	<0.002	0.34	1.92	10.4	1	6.5	867	0.23	0.12	9.1	0.117	0.26	4	62
E308039		124.5	0.002	0.37	1.82	10.6	2	6.9	1610	0.29	0.11	10	0.131	0.22	4.9	61
E308040		111.5	0.003	0.44	1.71	7.7	2	8.7	1480	0.25	0.18	7.2	0.105	0.21	4	48
E308041		101	0.002	0.54	1.72	6.9	2	6.3	1850	0.3	0.18	6.8	0.132	0.15	5.1	44
E308042		97.8	0.002	0.45	1.55	7.8	2	5.4	1940	0.28	0.17	9.6	0.135	0.14	5.9	53
E308043		142.5	0.002	0.51	2.18	9.1	2	10.6	1480	0.31	0.86	12.3	0.126	0.25	3.7	59
E308044		0.9	<0.002	0.07	0.08	0.6	3	<0.2	275	<0.05	<0.05	0.2	0.006	<0.02	0.7	4
E308045		147	0.009	0.39	2.12	10	2	6.6	1020	0.4	0.18	10.3	0.152	0.26	5.3	60
E308046		149	<0.002	0.33	2.49	11.5	2	6.5	268	0.52	0.06	12.9	0.196	0.37	3	75
E308047		126.5	0.003	0.63	1.85	8.2	2	9.2	771	0.42	0.19	9.8	0.146	0.2	6	53
E308048		125.5	0.002	0.5	2.25	7.6	2	9.2	2590	0.43	0.12	8.4	0.146	0.21	4.4	55
E308049		110	<0.002	0.4	1.22	9.3	2	5.3	1380	0.22	0.1	11	0.118	0.19	6	54
E308050		132	<0.002	0.49	1.31	11.1	2	6	1120	0.23	0.1	11.4	0.143	0.2	5.8	63
E308051		177	<0.002	0.45	1.61	12.5	2	5.8	181.5	0.29	0.19	16.2	0.181	0.24	9.3	71
E308052		193	<0.002	0.31	1.61	14.5	2	4.8	462	0.32	0.05	18.1	0.193	0.37	12.9	74
E308053		109	0.002	0.22	1.26	9.9	2	3.1	684	0.18	0.12	12.8	0.115	0.15	10.4	46
E308054		1.2	<0.002	0.06	0.09	0.6	3	<0.2	295	<0.05	<0.05	0.3	0.007	<0.02	0.8	4
E308055		87.8	0.024	2.45	1.74	11.1	4	8.6	551	0.22	0.26	9.6	0.1	0.48	307	61
E308056		194	<0.002	0.24	1.39	13.7	2	5.2	204	0.27	0.05	16.9	0.193	0.25	11.9	77
E308057		45.5	0.009	0.68	2.65	6	5	10.6	678	0.26	0.85	6.7	0.078	0.08	9.5	47
E308058		1.8	0.008	0.43	3.06	3.2	3	8.8	144	0.23	0.44	4.5	0.045	<0.02	3.3	46
E308059		1.9	0.007	0.36	2.43	3.1	3	7.6	589	0.19	0.58	4.5	0.038	0.02	3.8	37
E308060		0.6	0.005	0.27	2.53	2.9	3	7.7	891	0.16	0.59	3.6	0.03	<0.02	3.3	33

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E308021		7.7	12.1	5	33.4	0.002	
E308022		13.4	15.1	5	61.2	0.003	0.96
E308023		0.1	3.1	20	3.3	<0.001	
E308024		8.9	11.3	3	27.6	0.008	
E308025		11.4	7.7	3	30.6	0.005	
E308026		9	10.7	6	47.9	0.003	
E308027		4.5	7.3	3	39.6	0.001	
E308028		8.8	9	5	42.5	0.004	
E308029		10.3	12.2	4	43.2	0.002	1.66
E308030		9.5	15.2	2	57.3	0.001	
E308031		8.8	14.5	2	53.6	0.001	
E308032		9.1	12.5	5	34.2	0.005	
E308033		0.1	3.1	22	3	0.004	
E308034		8.8	12.6	5	59.4	0.018	
E308035		11.7	11.9	2	41.3	0.004	
E308036		9.6	11.3	4	38	<0.001	
E308037		11.1	9.7	3	37.9	0.001	
E308038		10.6	12.5	4	46.5	0.003	4.05
E308039		13.3	13.8	3	47.9	0.002	
E308040		13.5	9.1	2	37.4	0.006	
E308041		12.8	8.2	2	36.1	0.005	
E308042		12.8	10.7	4	42.8	0.003	
E308043		16.8	12.9	2	44.4	0.008	
E308044		0.1	3.1	21	3.5	0.003	
E308045		15.2	12.3	<2	44.3	0.004	
E308046		18.9	14.2	<2	58.9	0.002	2.72
E308047		16.5	9.7	2	41.1	0.005	
E308048		15.3	9.6	2	39.9	0.003	
E308049		11.4	14	6	47.6	0.003	
E308050		11.9	14	4	51.6	0.003	
E308051		14.7	15.2	3	63.4	0.006	0.59
E308052		16.2	18.4	5	74.9	0.002	1.87
E308053		9.5	15.4	7	49.1	0.016	
E308054		0.1	3.5	22	4.6	0.002	
E308055		9.3	18.5	7	66.7	0.015	
E308056		15.6	15.8	3	69.9	0.002	0.78
E308057		12.4	12.2	14	34.9	0.025	
E308058		11.2	9.5	15	20.1	0.015	
E308059		21.9	8.8	12	16	0.017	
E308060		23.1	9.4	10	11.7	0.016	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E308061		1.64	0.27	2.68	16.7	660	0.24	0.83	1.16	<0.02	232	58.5	11	0.99	102.5	20.6
E308062		1.54	0.34	2.81	20.6	220	0.4	0.86	2.37	0.02	264	98.2	12	1.36	26.1	18.85
E308063		1.26	0.38	2.55	18.7	390	0.35	1.12	3.19	<0.02	267	61	10	1.72	88.2	19.25
E308064		2.02	0.16	4.12	8.2	210	0.91	0.24	3.25	<0.02	70.8	80.5	18	3.59	193.5	12.65
E308065		0.08	0.06	0.13	<5	110	0.07	<0.01	43.8	0.38	2.5	1	3	<0.05	3.8	0.07
E308066		1.18	0.19	5.17	7	190	1.37	0.44	3.34	<0.02	111	121	26	5.8	131.5	12.45
E308067		1.34	0.14	6	5.1	470	1.61	0.22	4.11	<0.02	111	95.9	31	6.99	38.9	12.25
E308068		1.18	0.11	4.49	5.4	150	1.15	0.8	3.83	<0.02	132	144.5	22	5.54	438	12.2
E308069		1.40	0.08	3.35	6.2	310	0.98	0.43	2.69	<0.02	120.5	59.8	16	3.81	113	11.95
E308070		1.22	0.08	4.06	4.6	530	1.11	0.3	2.28	<0.02	88.6	45.5	20	4.54	360	11.65
E308071		1.52	0.11	3.88	7.9	190	1	0.53	1.61	<0.02	105	125	17	3.31	322	11.85
E308072		1.88	0.11	2.96	7.2	140	0.82	0.47	0.71	<0.02	103	149	18	3.04	627	13
E308073		0.98	0.3	4.04	9.8	140	0.95	0.98	0.82	<0.02	104.5	184.5	23	3.8	9200	12.85
E308074		1.24	0.13	4.88	7.6	1280	1.2	0.22	1	<0.02	160.5	46.3	25	4.26	47.9	13.45
E308075		0.06	0.01	0.14	17	90	0.08	0.01	48.7	0.46	2.8	0.9	6	<0.05	6.9	0.06
E308076		0.20	1.26	2.38	126.5	60	0.53	11.65	2.28	<0.02	200	352	13	2.78	9600	29.3
E308077		0.84	0.16	4.47	8.3	2130	1.2	1.14	0.72	<0.02	132	39.6	24	4.56	429	15.3
E308078		0.92	0.25	4.28	12.8	470	0.97	2.76	1.34	<0.02	135.5	68.1	23	3.66	297	16.7
E308079		0.98	0.13	3.1	9.6	600	0.65	0.54	0.59	<0.02	116.5	52.6	15	2.63	82.4	19.1
E308080		0.90	0.13	5.54	21.2	580	1.61	1.63	0.6	<0.02	144	73.6	35	6.2	341	13.75
E308081		1.02	0.86	3.39	46.3	120	0.54	7.85	0.52	<0.02	91.3	332	17	2.6	8650	19.9
E308082		1.54	0.35	2.7	8.5	190	0.5	1.51	0.54	<0.02	124.5	128.5	12	2.11	2850	23.2
E308083		1.20	0.2	3.64	12.4	240	0.45	2.07	0.44	<0.02	70	108	18	2.42	1160	20.6
E308084		1.54	0.15	1.88	8.7	200	0.27	0.47	0.42	<0.02	96.2	130	9	0.83	361	20.2
E308085		1.32	0.11	2.33	8.2	230	0.38	0.37	0.32	<0.02	86.3	127	13	1.39	777	18.4
E308086		0.06	0.02	0.15	9	140	0.06	0.02	48.7	0.49	3.2	1.2	6	<0.05	7	0.09
E308087		1.02	0.26	4.47	22.5	180	0.46	3.58	0.34	0.02	107	184.5	16	1.38	184	20.3
E308088		1.68	0.56	2.42	39.6	70	0.27	6.56	1.51	0.02	98.5	179	6	0.95	1640	23.3
E308089		1.40	1.04	3.53	39.7	70	0.45	7.9	0.72	<0.02	127.5	195.5	17	1.22	5340	18.5
E308090		1.64	0.73	3.42	41.1	60	0.56	7.02	0.5	<0.02	51.4	321	21	1.78	2650	15.5
E308091		1.60	0.16	2.97	9	190	0.57	0.42	1.77	<0.02	78.6	80.1	13	2.3	951	10.95
E308092		1.72	0.2	4.01	11.9	160	1.01	1.47	2.46	<0.02	69	53.2	15	3.56	2880	8.96
E308093		1.38	0.27	1.96	11.9	280	0.28	0.55	6.75	<0.02	182.5	48.6	5	1.2	823	14.35
E308094		1.64	0.15	3.61	10.8	230	0.6	0.38	1.92	<0.02	94.7	77.8	14	1.78	509	12.2
E308095		1.46	0.13	3.31	7	260	0.61	0.4	2.45	<0.02	73.2	54.5	13	2.22	1040	10.5
E308096		0.08	0.08	0.14	<5	130	<0.05	<0.01	46.6	0.43	2.59	1.1	4	<0.05	6.2	0.07
E308097		0.20	0.3	6.65	47.7	1240	2.47	1.54	1.97	<0.02	72.9	110.5	47	6.45	1650	6.75
E308098		1.42	0.14	2.57	10.8	190	0.61	0.7	0.91	<0.02	93.8	70.8	12	2.68	637	12.3
E308099		1.20	0.13	4.08	8.8	180	1.06	0.58	1.86	<0.02	69.3	67.3	19	3.65	1310	8.4
E308100		1.94	0.38	4.5	25.7	80	1.39	5.03	3.79	<0.02	38.9	146	16	10.8	3300	11.75

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E308061		9.65	0.23	0.6	0.113	0.04	167	22.8	2.26	5640	70.3	0.02	12.3	80.1	2590	1.1
E308062		9.5	0.26	0.7	0.069	0.01	180	25	2.72	3870	46.5	0.01	10.9	89.1	2300	1.3
E308063		8.55	0.26	0.8	0.08	0.11	187	22.2	2.79	4120	83	0.01	10.7	64.7	3030	1.2
E308064		11.75	0.16	1.2	0.111	1.2	33.5	37.7	2.51	2610	23.9	0.02	11.3	37.4	1570	1
E308065		0.52	0.06	0.1	<0.005	0.03	2.2	1.3	0.5	42	0.44	0.02	0.4	1.9	80	0.9
E308066		16.65	0.15	1.7	0.13	1.99	68.8	44.1	2.59	2440	15.4	0.02	11.5	44.6	930	1.7
E308067		20.6	0.18	1.8	0.174	2.78	75.6	47	2.75	3330	12.15	0.03	10.6	36.8	780	2.2
E308068		14.55	0.19	1.3	0.143	1.6	69.2	45.1	2.76	4120	18.2	0.03	10.4	43.4	1070	1.5
E308069		10.85	0.17	1	0.126	1.09	69.1	34.2	2.23	4280	16.75	0.02	7.9	40.8	1100	1.1
E308070		11.7	0.14	1.2	0.118	1.33	52.8	36.7	2.23	4110	13.95	0.03	7.5	42	1300	1.1
E308071		11.35	0.17	1.2	0.134	1.15	46.5	45.1	2.04	4800	24.4	0.03	7.1	47.2	1210	1.5
E308072		9.93	0.18	0.9	0.18	1.03	43.1	32.5	1.51	7380	15.4	0.03	7.3	34.5	1300	1.5
E308073		12.55	0.19	1.2	0.226	1.28	54.9	46.1	1.87	7440	11.4	0.03	6	48.3	780	2.2
E308074		14.45	0.19	1.3	0.204	1.37	116.5	57.5	2.38	6060	20.4	0.03	7.5	66.2	1610	1.4
E308075		0.52	0.05	0.1	<0.005	0.03	2.1	2	0.55	43	0.37	0.03	0.4	4.7	130	0.5
E308076		11.35	0.56	0.8	0.283	0.7	107	17.5	1.56	6520	71.3	0.23	6	53.8	2490	6.7
E308077		12.85	0.16	1.6	0.36	1.39	104	52.2	2.6	11450	12.15	0.03	6.8	52.4	1510	2.6
E308078		11.85	0.17	1.4	0.275	1.11	96.5	56.4	2.58	11000	11.55	0.03	6.4	36.7	1200	3.4
E308079		9.59	0.2	1.1	0.35	0.75	83.3	35.3	2.54	14100	10.75	0.02	7.6	45.6	1340	1.9
E308080		17.8	0.17	1.9	0.222	2.45	111.5	47.3	1.78	6210	13.9	0.04	12.5	37.6	1640	2.6
E308081		10.05	0.24	0.9	0.264	0.6	49.9	41	2.42	10850	104.5	0.02	6.2	76.7	1800	5.8
E308082		8.67	0.26	0.8	0.514	0.35	77.8	38.4	3.48	21400	46.4	0.02	5.6	49.3	1730	3.5
E308083		10.95	0.2	1.2	0.435	0.65	47.5	47	3.44	20300	17.15	0.03	5.8	45.3	890	2.6
E308084		5.61	0.2	0.6	0.346	0.13	54.2	26.8	2.56	13800	23.3	0.02	4.6	43.8	1590	2.1
E308085		7.35	0.19	1	0.314	0.33	51.5	29.1	2.41	12950	19.2	0.02	6	43.9	1160	1.9
E308086		0.57	<0.05	0.1	<0.005	0.04	2.4	2	0.55	57	0.42	0.03	0.4	4.6	110	0.7
E308087		10.7	0.26	1.5	0.24	0.19	77.5	54.6	3.46	10950	8.59	0.01	4.3	56.3	790	2.3
E308088		6.85	0.28	0.8	0.48	0.18	67.6	26.6	3.96	18950	26.9	0.01	4.1	53.3	1370	5.1
E308089		8.17	0.25	1.1	0.28	0.15	89.6	44.7	2.83	8940	37.1	0.01	8.7	47.9	1840	21
E308090		8.24	0.18	1.3	0.157	0.4	15.2	40.9	2.12	5480	29.7	0.01	7.1	50.4	1180	7.8
E308091		7.9	0.14	0.9	0.073	0.74	29.8	31.9	1.81	2190	13.95	0.01	6.9	31.3	1090	1.7
E308092		11.15	0.14	1.1	0.087	1.25	25.7	37.4	1.84	2440	14.5	0.19	6	25.5	1020	2.6
E308093		6.15	0.21	0.5	0.101	0.33	112	23.5	3.62	6750	69.8	0.02	7.5	24.6	1450	2.3
E308094		9.17	0.16	0.9	0.069	0.46	46	28.3	1.87	4490	19.9	1.12	7.9	30.5	1350	2.1
E308095		8.66	0.14	0.8	0.07	0.59	32.9	24.7	1.85	4680	12.95	0.82	5.1	26	860	2
E308096		0.57	0.08	0.1	<0.005	0.03	2.9	1.3	0.54	46	0.44	0.02	0.4	3	110	1
E308097		19.65	0.14	1.9	0.118	3.04	35.5	23	1.31	3140	19.95	0.61	4	26.9	700	2.9
E308098		8.24	0.16	0.8	0.075	0.59	39.5	32.1	1.54	3680	15	0.1	6.3	28.9	1210	2.6
E308099		11.3	0.12	1.1	0.077	1.31	29.8	34.2	1.41	2210	11.4	0.48	4.5	22.1	860	2.5
E308100		9.58	0.16	1.4	0.095	1.13	12.2	37.5	2.15	4760	14.9	0.4	4.7	32.1	980	6.3

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E308061		2.5	0.011	0.35	2.77	2.8	3	10.9	394	0.28	0.83	5.6	0.05	0.02	4.9	49
E308062		0.1	0.009	0.75	2.4	2.9	3	9.9	859	0.25	0.76	5.4	0.056	0.04	4.1	50
E308063		5.4	0.038	0.49	2.42	3.6	2	11.3	639	0.25	1.34	5.9	0.055	0.04	4.7	48
E308064		65.9	0.011	0.74	1.31	6.5	2	12.2	954	0.39	0.29	5.5	0.117	0.11	2.8	45
E308065		0.4	<0.002	0.07	0.1	0.5	1	<0.2	282	<0.05	0.14	0.2	0.007	<0.02	0.7	4
E308066		112.5	0.006	1.16	1.46	8.5	2	14	767	0.52	0.22	10.6	0.157	0.17	5.7	55
E308067		153.5	0.002	0.88	1.35	10.9	1	16.8	440	0.54	0.16	11.8	0.184	0.23	10.3	58
E308068		84.7	0.003	1.21	1.36	8.9	3	13	949	0.47	0.35	8.3	0.138	0.18	4.6	48
E308069		70.8	0.004	0.46	1.46	6.2	2	10.1	1750	0.29	0.26	7.3	0.089	0.14	2.8	37
E308070		82.7	0.002	0.35	1.29	7.1	3	11.1	1900	0.25	0.21	7	0.107	0.12	3.5	44
E308071		71.7	0.007	1.13	1.41	6.1	3	9.8	959	0.29	0.32	6.3	0.087	0.11	4.6	39
E308072		68.2	0.006	1.33	1.12	5.4	3	9.9	958	0.3	0.23	5.2	0.08	0.1	2.4	33
E308073		73.7	0.003	1.93	1.49	7	8	12.8	426	0.23	0.27	7	0.092	0.15	4.2	40
E308074		85.1	0.006	0.31	1.42	6.6	3	13.8	509	0.2	0.27	8.4	0.09	0.13	7.1	58
E308075		0.9	<0.002	0.08	0.07	0.5	3	<0.2	308	<0.05	<0.05	0.3	0.007	<0.02	0.8	5
E308076		40.1	0.019	7.42	2.52	4.2	6	8.2	161	0.14	1.32	6	0.036	0.56	18.6	62
E308077		88.1	<0.002	0.3	1.51	7.2	2	13.8	173	0.19	0.25	8.9	0.083	0.16	13.7	59
E308078		66.6	0.002	0.56	1.6	6.3	2	12.1	271	0.25	0.24	6.9	0.105	0.16	16.6	63
E308079		48.9	<0.002	0.33	1.52	5.4	2	10.2	356	0.24	0.2	6.7	0.078	0.08	7.6	43
E308080		126	0.003	0.8	2.11	9.1	2	21.4	64.7	0.49	0.32	10.9	0.157	0.22	27	76
E308081		39.9	0.023	4.51	1.72	6.5	6	9.2	171.5	0.2	0.9	6	0.061	0.13	30.3	41
E308082		23.2	0.02	1.09	1.36	5.9	3	6.9	592	0.18	0.25	5.7	0.049	0.07	20.1	37
E308083		39.2	0.003	1.05	1.12	6.6	3	6.7	445	0.25	0.22	6.9	0.068	0.07	8.7	38
E308084		7.9	0.005	0.91	0.95	4.6	3	4.9	713	0.16	0.22	4.6	0.037	<0.02	3.8	31
E308085		21.2	0.003	0.81	1.2	5.2	3	6.7	484	0.23	0.18	6.1	0.059	0.03	5.9	34
E308086		0.9	<0.002	0.08	0.1	0.6	3	0.2	312	<0.05	<0.05	0.3	0.007	<0.02	0.9	5
E308087		10.2	0.003	1.58	1.07	6.2	2	5.4	168.5	0.15	0.27	5.1	0.045	0.03	10.5	36
E308088		8.5	0.017	2.49	1.37	5.6	2	5.2	97.1	0.11	0.45	4.7	0.036	0.05	6.6	35
E308089		7.9	0.012	2.26	3.88	3.7	3	8.7	158	0.24	0.79	7.4	0.078	0.07	710	42
E308090		21.2	0.015	3.11	2.83	4.6	3	7.6	372	0.24	0.63	5.6	0.081	0.08	361	40
E308091		38.2	0.005	0.71	1.47	4.4	2	7.8	1260	0.26	0.14	4.7	0.077	0.07	7.1	35
E308092		71.9	0.006	0.87	1.72	6.3	2	11.9	1060	0.22	0.4	6.4	0.095	0.1	12.3	47
E308093		16.7	0.016	0.53	1.42	4.9	2	11.3	1055	0.2	0.35	5.1	0.05	0.03	4.8	40
E308094		24.8	0.007	0.62	1.51	4.1	2	9.4	984	0.31	0.21	5.6	0.088	0.04	4.5	39
E308095		32.1	0.006	0.5	1.37	4.3	2	5.6	1065	0.2	0.15	5.9	0.077	0.06	3.4	36
E308096		0.6	0.003	0.08	0.09	0.4	1	0.2	305	<0.05	0.21	0.3	0.007	<0.02	0.8	5
E308097		137.5	0.005	1.25	1.25	11.1	2	8.2	468	0.23	0.17	12.2	0.132	0.34	19.2	64
E308098		33	0.004	0.67	1.49	3.9	2	8.7	1650	0.21	0.22	4.7	0.06	0.05	3.7	39
E308099		76.5	0.005	0.7	1.33	6.8	1	12.1	1050	0.18	0.16	6.5	0.079	0.1	10.2	44
E308100		61.7	0.009	2.3	1.84	7	2	9.6	602	0.2	0.22	5.6	0.063	0.15	42.9	49

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E308061		10.6	11.1	16	21.2	0.023	
E308062		9.7	9.8	17	21.7	0.024	
E308063		11.9	10.9	13	23.1	0.025	
E308064		9.4	9.5	10	36.4	0.008	
E308065		0.1	2.9	22	3.4	0.002	
E308066		13.3	11	11	51.1	0.006	
E308067		16.7	11.2	7	53.9	0.003	
E308068		15.1	13	7	44.1	0.007	
E308069		11.7	11.8	8	34.8	0.006	
E308070		13.2	11.8	10	38.9	0.006	
E308071		10.2	9.9	11	37.6	0.006	
E308072		9.7	9.2	8	29.1	0.008	
E308073		13.5	10.6	5	39.7	0.011	
E308074		11.5	13.1	16	45.4	0.009	
E308075		0.1	3.6	22	4	0.003	
E308076		7	15.5	<2	25.8	0.134	
E308077		12.7	13.7	14	52	0.012	
E308078		11.8	13.8	16	43.9	0.012	
E308079		12.2	12.1	13	37.5	0.009	
E308080		19.3	15.4	9	62.3	0.019	
E308081		8.4	13.5	4	32.4	0.066	
E308082		8	13.1	17	25.6	0.015	
E308083		7.8	10.7	15	39	0.017	
E308084		9.7	10	13	18.9	0.013	
E308085		7.6	9.9	12	29.2	0.012	
E308086		0.2	3.7	22	4.1	<0.001	
E308087		6.5	9	22	44.3	0.023	
E308088		7.7	10.6	17	24.4	0.054	
E308089		13.1	26.4	2	35.4	0.052	
E308090		11.6	16.9	15	40.8	0.046	
E308091		10.1	7.2	10	25.8	0.009	
E308092		11.8	9.1	11	35.3	0.010	
E308093		21.5	10.9	9	16.2	0.014	
E308094		9.5	9.7	11	27.3	0.008	
E308095		7.7	8.7	9	26.5	0.006	
E308096		0.1	3.1	24	3.8	<0.001	
E308097		8.6	10.7	7	61.7	0.018	
E308098		9.5	7.9	13	24.1	0.008	
E308099		9.4	9.1	10	33.9	0.006	
E308100		8.4	14.2	24	43.1	0.024	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E308101		0.78	0.19	6	12.2	210	0.97	3.04	3.71	<0.02	41.8	92.7	23	2.16	1210	8.35
E308102		0.98	0.3	5.78	17.8	350	0.96	3.01	2.77	0.06	54.4	98.9	23	1.93	487	7.41
E308103		1.28	0.09	5.04	7.6	730	0.64	0.68	4.63	<0.02	56.6	45.6	19	1.21	403	8.66
E308104		1.16	0.11	5.47	14	380	1.53	1.25	3.95	<0.02	92.7	80.9	25	3.38	299	14
E308105		1.54	0.2	6.25	22.8	520	2.21	2.24	1.84	0.03	79.3	107.5	33	4.46	36.5	7.92
E308106		1.04	0.12	6.68	7	1380	2.93	0.48	2.25	0.02	93.9	42.6	40	5.98	94.2	6.71
E308107		0.08	0.03	0.13	6	30	0.11	0.01	44.2	0.37	2.04	0.8	3	<0.05	1	0.05
E308108		1.44	0.13	5.35	14.9	120	0.89	2.89	4.39	<0.02	28.5	93.2	21	1.62	45.1	9.58
E308109		1.44	0.03	6.95	1.9	6000	2.96	0.14	2.51	0.02	94.1	27.9	40	6.11	168.5	6.81
E308110		1.10	0.03	7.33	3	3620	3.47	0.24	2.08	<0.02	157	31.3	46	6.28	228	7.1
E308111		1.38	0.11	5.34	12.8	210	0.88	1.03	4.04	<0.02	72.2	66.4	23	1.68	473	8.1

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
E308101		14	0.11	1.9	0.051	0.8	23.8	30.4	1.82	4140	4.16	2.79	3.6	22.3	720	3.8
E308102		13.6	0.12	1.6	0.038	0.73	29.7	26	1.25	3190	7.28	2.8	3.8	22.1	800	4.5
E308103		11.7	0.12	1.4	0.038	0.45	34.5	15.3	1.49	5730	2.32	2.98	2.3	18.2	610	3
E308104		17.9	0.19	1.5	0.067	1.38	58.5	26.3	1.42	4970	3.47	2.09	2.2	29.5	1010	4.2
E308105		18.55	0.13	1.7	0.057	1.66	43.5	39.8	1.21	2110	7.35	1.87	3.2	34.8	690	4.4
E308106		20.2	0.14	2.3	0.091	2.31	63.2	49.9	1.16	2620	4.29	1.77	3.6	21	690	3.5
E308107		0.41	<0.05	0.1	<0.005	0.03	1.6	1.5	0.49	36	0.57	0.02	0.3	2	100	1
E308108		11.95	0.16	2.3	0.06	0.59	16.8	19	1.97	5140	8.32	3.03	3.4	21	520	4.1
E308109		19.55	0.15	2.2	0.09	2.44	62.9	53.6	1.52	2570	2.12	1.57	3	19.5	870	3.4
E308110		22.3	0.21	2.3	0.089	2.73	104	56.1	1.47	2230	2.8	1.54	2.9	21.3	890	3.4
E308111		10.9	0.15	1.8	0.04	0.57	39.5	21.2	1.65	4230	19.4	2.84	4.1	22.2	940	4

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
E308101		43	0.002	1.4	1.8	7.6	1	10.1	495	0.2	0.07	12.5	0.078	0.08	6.2	51
E308102		39.2	0.005	1.6	1.56	6.6	1	8.2	511	0.22	0.11	11.2	0.088	0.1	9.2	47
E308103		22.6	0.002	0.62	1	6.4	1	4.3	300	0.14	0.06	10.7	0.051	0.06	2.8	43
E308104		79.9	0.003	1.13	1.34	9.4	1	12.6	167	0.12	0.09	12.2	0.069	0.15	2	64
E308105		89.7	0.005	1.78	1.24	12	1	17.6	372	0.16	0.22	11.9	0.104	0.16	3.5	66
E308106		130.5	0.004	0.61	1.69	13.1	<1	24.7	364	0.28	0.06	12.8	0.123	0.22	2.9	69
E308107		0.9	<0.002	0.06	0.09	0.3	<1	<0.2	272	<0.05	<0.05	0.2	0.006	<0.02	0.6	4
E308108		39	0.007	1.65	1.22	6.8	<1	6.8	350	0.29	0.27	10.5	0.064	0.06	6.7	47
E308109		142	0.003	0.4	1.31	12.4	<1	24.4	172.5	0.24	0.05	12.8	0.122	0.18	2.1	75
E308110		136	0.004	0.44	1.29	14.6	<1	28.6	252	0.21	<0.05	15.8	0.129	0.19	2.1	94
E308111		34.8	0.007	1.1	1.23	6.6	1	6.9	550	0.26	0.17	9.1	0.077	0.06	7.1	62

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-ICP21 Au ppm 0.001	ME-XRF10 Ba % 0.01
E308101		11.1	11.1	12	56	0.011	
E308102		11.4	10.6	13	49.9	0.011	
E308103		6.3	11.9	10	46	0.003	
E308104		7.9	16.2	8	45	0.005	
E308105		10.3	12.2	18	52.9	0.009	
E308106		15.3	13.7	11	66.3	0.001	
E308107		0.1	2.5	21	3.7	<0.001	
E308108		8.3	12.5	8	62.6	0.008	
E308109		14.2	13.7	14	65.1	<0.001	1.20
E308110		15.1	13.8	16	66.7	<0.001	
E308111		9.9	12	13	49.6	0.006	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 28-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137763

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
This copy reported on 13-FEB-2008
Account: CASMIN

CERTIFICATE VA07137761

Project: IGOR: IG-2007-29

P.O. No.: 195472

This report is for 200 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 21-NOV-2007.

The following have access to data associated with this certificate:

BASIL BOTHA	MICHAEL CAREW	DAMIEN FOSTER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
CRU-31	Fine crushing - 70% <2mm
PUL-31d	Pulverize Split - duplicate
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF10	Fusion XRF - Ore Grade	XRF
ME-MS61	48 element four acid ICP-MS	

To: **CASH MINERALS LTD.**
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137761

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
E307701		1.32	0.05	6.21	1.5	8900	1.63	0.05	0.22	<0.02	113	64.6	40	17.95	25	9.39
E307702		1.48	0.04	5.64	0.9	8050	1.44	0.01	0.2	<0.02	68.3	72.3	37	15.5	4.5	11.25
E307703		1.62	0.05	5.46	1.5	4130	1.33	0.03	0.23	<0.02	86.4	72.3	34	14.6	3	12.1
E307704		1.02	0.04	5.67	1	6100	1.32	0.02	0.22	<0.02	133.5	75.2	35	15.3	10.7	12.55
E307705		1.44	0.05	5.61	1.5	6410	1.33	0.02	0.21	<0.02	176	61.4	39	14.85	8.7	10.85
E307706		1.80	0.08	2.82	3.7	1210	0.67	0.15	0.36	<0.02	65.7	77	15	8.14	4.7	17.45
E307707		1.34	0.19	4.97	1.8	4870	1.35	0.06	0.24	<0.02	98.2	78.9	29	15.85	3.5	13.4
E307708		1.42	0.06	5.23	0.6	7680	1.35	0.03	2.83	<0.02	91	42.4	33	17.4	1	8.99
E307709		1.20	0.04	6.05	0.9	9000	1.65	<0.01	4.83	<0.02	119	19.9	31	18.45	1.7	5.66
E307710		1.02	0.04	5.58	3	3590	1.56	0.03	4.83	<0.02	180	58.8	32	17.1	2.1	7.7
E307711		0.10	0.02	0.14	<5	50	<0.05	<0.01	47.1	0.39	3.15	0.9	6	0.05	2.8	0.06
E307712		1.24	0.03	5.54	2	5310	1.86	0.02	4.19	<0.02	95.9	51.7	33	16.9	1.6	7.36
E307713		1.30	0.02	6.31	0.6	>10000	2.1	<0.01	4.41	<0.02	64.6	23.9	35	19.6	<0.2	5.47
E307714		1.16	0.02	5.44	0.6	9310	1.81	<0.01	4.39	<0.02	80.5	24.8	29	16.3	0.8	6.46
E307715		1.44	0.02	6.04	0.4	9640	1.98	<0.01	3.64	<0.02	113	37.8	35	18.5	2.1	6.72
E307716		1.24	0.03	5.95	0.5	7320	1.81	<0.01	4.13	<0.02	82.1	44.9	32	18	3.5	7.18
E307717		1.26	0.02	5.99	0.2	6960	1.96	<0.01	4.66	<0.02	86.3	25.7	33	17.6	5.2	5.63
E307718		1.30	0.03	4.83	0.8	5390	1.42	0.03	5.39	<0.02	68.5	34.8	25	12.9	4.3	6.49
E307719		1.08	0.08	5.33	24	140	1.57	1.3	5.32	<0.02	60	219	26	14.25	10	10.7
E307720		1.66	0.11	5.9	23.4	2290	1.84	1.74	4.79	<0.02	76.7	202	29	16.7	11.2	9.59
E307721		1.32	0.26	5.13	47.3	1880	1.63	4.62	6.4	<0.02	64.9	163	22	14.15	44	11.05
E307722		0.16	0.02	0.14	<5	50	0.05	0.02	44.6	0.41	2.97	1.4	5	0.07	2.1	0.07
E307723		0.24	1.16	5.8	74.4	70	2.12	3.19	2.08	<0.02	68.9	163	34	4.35	8040	9.69
E307724		1.14	0.06	6.55	6.2	470	2.27	0.81	5.36	<0.02	83	66	33	16.3	28.5	6.73
E307725		1.22	0.03	6.85	1	7950	2.63	0.04	4.81	<0.02	116.5	20.9	38	19.55	13.1	5.09
E307726		1.30	0.03	6.38	1.3	8490	2.19	0.06	3.63	<0.02	99.9	50.9	39	20.3	19.2	7.46
E307727		1.06	0.04	6.13	3.8	8170	2.03	0.29	4.58	<0.02	140.5	43.9	35	19.3	40.2	7.4
E307728		1.36	0.02	5.59	0.3	9590	2	0.01	5.84	<0.02	109.5	21.3	33	17.1	23.2	5.3
E307729		1.22	0.02	4.76	1	6860	1.67	0.01	6.29	<0.02	71.6	30.7	24	14.55	5.1	5.96
E307730		1.54	0.02	5.28	0.6	7160	1.93	0.03	7.33	<0.02	99.5	29.2	27	17.2	11.1	6.96
E307731		1.74	0.03	6.24	0.8	8140	2.1	0.03	7.32	<0.02	91.9	27.1	32	19.7	13.8	7.37
E307732		1.32	0.13	3.48	8.9	130	1.07	1.54	5.08	<0.02	106.5	65	18	11	18.8	16.9
E307733		1.42	0.12	3.06	7.1	380	0.85	1.38	1.67	<0.02	178	71.4	15	10.4	16.6	23.5
E307734		0.10	0.02	0.13	<5	40	<0.05	<0.01	43.4	0.39	3.04	1	6	<0.05	2.9	0.07
E307735		1.44	0.04	5.66	1.7	>10000	1.75	0.05	0.65	<0.02	96.5	89.7	34	20.1	3	15.35
E307736		1.50	0.03	5.56	2	4840	1.69	0.04	0.34	<0.02	95.7	84.5	35	18.3	1.5	14.3
E307737		1.62	0.04	5.83	2.7	2800	1.83	0.05	0.38	<0.02	81.3	108.5	38	21.2	1.4	13.9
E307738		1.48	0.12	3.75	8.8	160	1.13	1.11	2.48	<0.02	228	139	19	12.05	13.1	20
E307739		1.48	0.31	1.79	21.1	310	0.47	3.26	3.03	<0.02	209	118.5	7	5	61.6	26.9
E307740		1.40	0.13	2.42	10.4	710	0.58	1.06	3.1	<0.02	182	91.2	9	6.49	52	23

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **CASH MINERALS LTD.**
SUITE 1890 OCEANIC PLAZA
1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X1

Finalized Date: 23-JAN-2008
Account: CASMIN

Project: IGOR: IG-2007-29

CERTIFICATE OF ANALYSIS VA07137761

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
E307701		20.2	0.21	1.9	0.372	2.97	64.8	51.4	0.85	5750	19.75	0.04	1.5	22.4	710	1.4
E307702		17.6	0.19	1.6	0.335	2.62	38.8	41.5	0.92	6280	1.28	0.04	1.4	24.3	540	1.4
E307703		16.25	0.22	1.5	0.336	2.43	46.7	40	0.97	6720	1.47	0.06	1.6	25.5	690	1.3
E307704		17	0.24	1.5	0.365	2.47	75	37	1.03	7460	1.45	0.05	1.3	24.9	620	1.4
E307705		16.7	0.25	1.5	0.336	2.56	109	37.8	0.9	6100	1.34	0.05	2.2	21.6	740	1.6
E307706		9.39	0.27	0.7	0.334	1.25	38.8	22.6	1.08	9000	5.18	0.04	2.3	33.6	1000	1.2
E307707		13.3	0.21	1.4	0.339	2.17	53	36	0.9	6710	1.9	0.05	1.8	27.8	760	3.6
E307708		13.75	0.17	1.3	0.219	2.38	49.7	38	1.23	5070	1.04	0.04	2	23.4	540	2.2
E307709		15.25	0.16	1.5	0.132	2.77	58.2	33.2	1.64	4360	0.69	0.05	2.6	18.6	590	1.8
E307710		14.9	0.22	1.4	0.18	2.44	93.3	35.7	1.63	5620	4.33	0.07	2.1	23	870	2.3
E307711		0.48	0.07	0.1	<0.005	0.03	2.1	1.6	0.5	41	0.22	0.02	0.4	<0.2	130	1
E307712		14.9	0.16	1.5	0.187	2.5	48.9	36.9	1.45	5390	1.76	0.06	2.6	21.1	710	1.9
E307713		16.95	0.12	1.7	0.145	2.83	33.8	49.8	1.46	4270	1.21	0.02	3	19.6	590	1.4
E307714		15.15	0.14	1.4	0.138	2.43	42.1	37.3	1.42	4310	1.69	0.03	2.5	21.4	570	1.4
E307715		16.55	0.18	1.8	0.199	2.71	59.6	36.7	1.27	5020	0.82	0.04	3.9	17.9	640	2.2
E307716		16.3	0.16	1.6	0.226	2.71	44.1	36.8	1.52	5890	1.36	0.06	2.9	19.2	570	1.6
E307717		16.25	0.15	1.7	0.174	2.61	45.8	33.5	1.45	4920	2.43	0.06	3.4	16.8	600	1.3
E307718		13	0.16	1.5	0.166	2.09	36.1	28.7	1.62	5930	8.31	0.05	2.1	16.1	630	1.3
E307719		14.5	0.2	1.5	0.209	2.3	29.4	29.9	1.61	6410	6.3	0.09	2	68.5	530	1.8
E307720		16.8	0.2	1.8	0.179	2.47	39.1	38.3	1.57	5140	9.71	0.08	2.5	62.4	620	1.8
E307721		14.8	0.21	1.6	0.175	2.23	33.5	34.6	2.24	6080	28.2	0.08	2.4	56	560	6.6
E307722		0.48	0.06	0.1	<0.005	0.04	2	1.8	0.48	51	0.33	0.01	0.4	<0.2	120	0.8
E307723		15.85	0.18	1.7	0.177	2.24	25	26.4	1.24	3690	71.3	0.92	3.2	37.9	900	24
E307724		17.65	0.15	1.8	0.186	2.74	43.7	44.1	1.71	5640	3.9	0.1	3	26.4	640	2.3
E307725		19.95	0.16	2.2	0.17	2.91	61.7	50.8	1.45	4470	1.52	0.06	3.6	17.6	690	1.8
E307726		18.65	0.17	1.8	0.279	2.83	54	46.2	1.4	5710	2.32	0.06	2.6	19.5	610	1.6
E307727		17.45	0.17	1.8	0.24	2.72	79.6	49.2	1.8	5770	8.31	0.05	4.2	20.7	850	1.7
E307728		15.6	0.14	1.6	0.161	2.49	59	51.6	1.87	5070	0.95	0.03	3.1	15.3	570	1.3
E307729		13	0.13	1.3	0.14	2.1	39	41.9	1.71	5680	2.38	0.04	2.9	14.7	480	1.1
E307730		14.7	0.15	1.4	0.163	2.29	55.4	52	1.87	6460	14.45	0.05	3.3	16	500	1.5
E307731		16.7	0.15	1.6	0.196	2.68	51.9	60.3	2.1	6600	5.43	0.07	4.7	18.8	670	1.7
E307732		9.82	0.26	0.9	0.287	1.35	65.9	45.9	2.02	9440	19.75	0.06	2.8	31.5	1040	1.9
E307733		9.68	0.37	0.8	0.464	1.22	118	40.2	1.79	11950	15.85	0.04	2.1	34.7	780	2.1
E307734		0.45	<0.05	0.1	<0.005	0.03	2.1	1.7	0.46	45	0.25	0.02	0.4	<0.2	110	1.1
E307735		17.05	0.22	1.5	0.424	2.53	57.7	57.7	1.08	8140	1.58	0.01	2.8	25.3	610	1.8
E307736		16.25	0.2	1.4	0.359	2.34	56.4	59.7	0.88	6770	1.41	0.07	1.9	23.2	660	1.4
E307737		16.95	0.21	1.5	0.397	2.5	47.8	63.1	0.92	6510	6.84	0.07	3.4	22.9	690	1.4
E307738		11.55	0.31	1.1	0.396	1.42	133	45.1	1.7	11000	32.8	0.06	2.7	36	1250	2.4
E307739		6.73	0.37	0.5	0.388	0.55	139.5	22.5	1.98	14500	60	0.15	2.2	55	1640	2.7
E307740		7.65	0.32	0.6	0.376	0.78	121.5	24.2	1.98	13500	47.1	0.22	2.2	47.2	1440	1.9

***** See Appendix Page for comments regarding this certificate *****