APPENDIX J:

ALS Chemex & ACME Assay Certificates (Drilling)

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Submitted By: William Hay
Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
Received: April 18, 2008
Report Date: April 30, 2008
Page: 1 of 2

CERTIFICATE OF ANALYSIS VAN08005307.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 16

SAMPLE DISPOSAL

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES


Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
P150	12	Pulverize To 150 Mesh		
Split Reject	12	Reject sample split/packet		
3B	12	Fire assay fusion Au by ICP-ES	30	Completed
1ED	12	4 Acid digestion ICP-ES analysis	0.25	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: StrataGold Corporation
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2
Canada

CC:





This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: April 30, 2008

CERTIFICATE OF ANALYSIS VAN08005307.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G018668	Rock Chip	3.49	<2	<2	10	9	51	<0.5	10	11	528	3.21	19	<20	<4	21	619	<0.4	<5	<5	59
G018688	Rock Chip	2.97	2	<2	37	11	55	<0.5	11	12	482	3.28	10	<20	<4	21	582	<0.4	<5	<5	61
G018708	Rock Chip	1.17	4	<2	5	<5	8	<0.5	6	4	154	0.82	18	<20	<4	8	108	<0.4	<5	<5	22
G018728	Rock Chip	1.82	2	<2	31	<5	53	<0.5	37	15	424	4.34	24	27	<4	20	132	<0.4	<5	<5	83
G018748	Rock Chip	2.41	8	<2	23	<5	36	<0.5	31	15	307	3.74	19	<20	<4	15	105	<0.4	<5	<5	77
G018768	Rock Chip	4.61	4	<2	37	6	95	<0.5	38	18	714	5.11	6	21	<4	26	194	<0.4	<5	<5	87
E688828	Rock Chip	2.26	2316	7	16	9	22	<0.5	20	9	239	2.31	260	20	<4	25	503	<0.4	<5	<5	37
E688848	Rock Chip	2.37	391	<2	16	12	32	<0.5	18	9	233	2.19	64	<20	<4	20	492	<0.4	<5	<5	37
E688868	Rock Chip	2.29	1190	5	30	9	17	<0.5	23	9	202	2.22	409	<20	<4	17	452	<0.4	<5	9	37
E688888	Rock Chip	2.34	489	5	13	9	18	<0.5	23	12	188	2.15	361	<20	<4	25	481	<0.4	<5	<5	35
C270508	Rock Chip	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
C270528	Rock Chip	1.94	67	<2	47	<5	55	<0.5	33	16	289	4.09	43	<20	<4	13	95	<0.4	<5	<5	88
C270548	Rock Chip	2.90	11	<2	34	<5	35	<0.5	35	14	377	3.68	34	<20	<4	18	149	<0.4	<5	5	78
C270568	Rock Chip	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
C270582	Rock Chip	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
C270588	Rock Chip	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: April 30, 2008

CERTIFICATE OF ANALYSIS VAN08005307.1

	Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G018668	Rock Chip	3.20	0.073	50	41	1.33	1508	0.35	8.08	1.83	3.08	5	26	<2	12	14	3	10
G018688	Rock Chip	3.07	0.071	51	44	1.32	1532	0.35	8.18	1.54	3.20	5	37	<2	14	14	3	11
G018708	Rock Chip	1.56	0.009	22	23	0.22	344	0.12	2.98	0.22	1.44	7	26	<2	4	5	<1	3
G018728	Rock Chip	0.58	0.024	59	62	1.02	920	0.44	11.09	0.69	4.00	5	114	<2	17	14	3	17
G018748	Rock Chip	0.64	0.022	44	48	0.85	760	0.37	9.69	0.63	3.27	<4	96	<2	12	11	2	14
G018768	Rock Chip	0.59	0.034	80	75	1.25	845	0.49	11.98	0.87	3.28	<4	105	<2	16	16	3	19
E688828	Rock Chip	2.67	0.062	74	21	0.87	1722	0.31	9.00	1.64	4.31	79	32	4	14	13	3	8
E688848	Rock Chip	2.38	0.059	51	24	0.85	1584	0.31	8.11	1.63	4.22	25	30	3	13	13	3	7
E688868	Rock Chip	2.26	0.064	42	23	0.80	1828	0.33	7.66	1.53	5.34	>200	17	4	12	15	3	8
E688888	Rock Chip	2.29	0.062	66	25	0.88	1787	0.30	8.77	1.60	4.40	200	33	4	14	13	3	8
C270508	Rock Chip	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
C270528	Rock Chip	1.29	0.055	51	49	1.50	751	0.34	8.53	0.89	2.90	<4	87	3	14	13	3	15
C270548	Rock Chip	0.94	0.090	55	54	1.01	805	0.40	10.56	0.90	3.23	10	109	2	18	13	3	16
C270568	Rock Chip	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
C270582	Rock Chip	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
C270588	Rock Chip	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: April 30, 2008

QUALITY CONTROL REPORT VAN08005307.1

	Method	WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
Pulp Duplicates																					
G018668	Rock Chip	3.49	<2	<2	10	9	51	<0.5	10	11	528	3.21	19	<20	<4	21	619	<0.4	<5	<5	59
REP G018668	QC			<2	11	8	55	<0.5	11	11	529	3.23	13	<20	<4	21	634	<0.4	<5	<5	59
Reference Materials																					
STD DST6	Standard			10	117	26	162	<0.5	30	13	933	3.74	22	<20	<4	5	309	5.9	9	<5	97
STD DST6	Standard			11	118	30	161	<0.5	30	14	946	3.87	19	<20	<4	6	313	6.0	<5	<5	103
STD OXD57	Standard		414																		
STD OXD57	Standard		411																		
STD OXD57 Expected			413																		
STD DST6 Expected				12.7	129.7	36.7	176	0.365	30.4	13.7	980	3.91	24.3	7.8	0	6.9	298	5.6	5.39	4.7	115
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
Prep Wash																					
G1	Prep Blank	<0.01	<2	<2	<2	15	49	<0.5	2	5	762	2.38	<5	<20	<4	8	733	<0.4	<5	<5	49
G1	Prep Blank	<0.01	<2	<2	<2	16	46	<0.5	3	5	722	2.25	<5	<20	<4	8	712	<0.4	<5	<5	47

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: April 30, 2008

QUALITY CONTROL REPORT VAN08005307.1

	Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
Pulp Duplicates																		
G018668	Rock Chip	3.20	0.073	50	41	1.33	1508	0.35	8.08	1.83	3.08	5	26	<2	12	14	3	10
REP G018668	QC	3.27	0.074	53	44	1.36	1556	0.35	8.58	1.83	3.15	<4	30	<2	13	15	3	11
Reference Materials																		
STD DST6	Standard	2.13	0.088	25	220	1.03	667	0.39	7.03	1.63	1.49	11	68	4	15	9	3	12
STD DST6	Standard	2.15	0.091	24	238	1.07	684	0.40	6.96	1.68	1.53	11	68	3	15	10	3	12
STD OXD57	Standard																	
STD OXD57	Standard																	
STD OXD57 Expected																		
STD DST6 Expected		2.26	0.099	25.7	230	1.03	702	0.387	6.92	1.673	1.42	7.4	50.1	6.3	15.2	8.11	3.3	10.1
BLK	Blank																	
BLK	Blank																	
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
Prep Wash																		
G1	Prep Blank	2.50	0.075	28	19	0.69	973	0.23	9.13	2.62	3.12	<4	21	<2	14	20	2	6
G1	Prep Blank	2.41	0.073	37	20	0.66	952	0.22	9.01	2.50	3.05	<4	19	<2	15	21	2	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Submitted By: William Hay
Receiving Lab: Canada-Vancouver
Received: June 20, 2008
Report Date: July 11, 2008
Page: 1 of 3

CERTIFICATE OF ANALYSIS VAN08006654.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 38

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
P200	38	Pulverize to 85% passing 200 mesh		
3B	38	Fire assay fusion Au by ICP-ES	30	Completed
1ED	38	4 Acid digestion ICP-ES analysis	0.25	Completed

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2
Canada

CC: Jeff Scully
Hugh Coyle

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

CERTIFICATE OF ANALYSIS VAN08006654.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G986008	Rock Chip	0.70	3	<2	21	14	359	1.8	31	11	442	3.90	39	<20	<4	14	109	1.4	21	<5	72
G986028	Rock Chip	0.80	3	<2	32	36	796	1.0	32	12	549	3.78	147	<20	<4	15	91	1.2	328	9	66
G986048	Rock Chip	0.66	<2	<2	21	16	64	0.6	21	8	285	2.46	308	<20	<4	13	225	<0.4	<5	<5	56
G986068	Rock Chip	0.81	4	<2	50	15	85	<0.5	35	15	481	4.00	<5	<20	<4	17	187	<0.4	<5	<5	75
G986088	Rock Chip	0.90	<2	<2	44	12	48	0.6	27	12	596	3.34	<5	<20	<4	14	143	<0.4	<5	<5	54
G986108	Rock Chip	1.07	<2	<2	<2	20	46	<0.5	17	6	298	1.62	<5	<20	<4	18	588	<0.4	<5	7	34
G986128	Rock Chip	1.23	<2	<2	7	15	37	<0.5	16	6	300	1.67	6	<20	<4	12	676	<0.4	<5	<5	37
G986188	Rock Chip	0.95	<2	<2	3	5	16	<0.5	7	<2	263	0.69	<5	<20	<4	16	614	<0.4	<5	8	27
G986208	Rock Chip	1.12	<2	<2	18	11	76	<0.5	29	11	355	3.52	16	<20	<4	14	151	<0.4	11	<5	67
G986228	Rock Chip	0.98	<2	<2	30	8	62	0.6	22	9	460	2.98	<5	<20	<4	14	186	<0.4	<5	<5	59
G986248	Rock Chip	0.95	<2	<2	28	8	80	<0.5	32	12	446	3.81	<5	<20	<4	16	174	<0.4	<5	6	74
G986268	Rock Chip	1.05	<2	<2	10	30	73	<0.5	19	7	347	2.28	5	<20	<4	23	497	0.5	<5	10	34
G986288	Rock Chip	0.81	<2	<2	7	22	42	<0.5	16	7	296	2.19	10	<20	<4	21	448	<0.4	<5	<5	33
G987608	Rock Chip	0.98	<2	<2	6	19	51	<0.5	16	6	339	2.22	7	<20	<4	21	589	<0.4	<5	<5	36
G987628	Rock Chip	1.03	<2	<2	5	12	37	<0.5	17	6	304	2.01	55	<20	<4	20	676	<0.4	<5	8	37
G088108	Rock Chip	0.94	<2	<2	29	<5	43	<0.5	18	7	398	2.52	12	<20	<4	15	215	<0.4	<5	<5	52
G088128	Rock Chip	0.83	<2	<2	2	13	88	<0.5	36	11	568	3.05	32	<20	<4	21	596	<0.4	<5	<5	60
G088148	Rock Chip	0.54	<2	<2	4	26	40	<0.5	12	7	152	1.42	175	<20	<4	16	359	<0.4	<5	10	28
E037048	Rock Chip	1.23	<2	<2	17	20	63	<0.5	27	10	417	3.18	<5	<20	<4	15	187	<0.4	<5	12	58
E037068	Rock Chip	1.12	<2	<2	8	7	47	<0.5	24	9	211	2.93	19	<20	<4	13	256	<0.4	<5	10	58
E037088	Rock Chip	1.19	<2	<2	22	10	79	<0.5	28	13	771	3.81	45	<20	<4	16	249	0.5	<5	11	71
E037108	Rock Chip	1.11	4	<2	14	7	53	<0.5	18	7	273	2.20	34	<20	<4	13	161	<0.4	<5	7	45
E037128	Rock Chip	1.05	<2	<2	21	6	42	<0.5	31	14	309	3.53	233	<20	<4	18	144	<0.4	9	<5	70
E037148	Rock Chip	0.92	<2	<2	40	19	89	<0.5	39	13	492	3.61	61	<20	<4	19	197	0.6	<5	<5	79
G987508	Rock Chip	0.62	6	3	25	30	107	2.6	40	21	2458	9.77	129	41	<4	11	31	0.7	15	<5	46
G987528	Rock Chip	0.81	7	6	44	30	1383	<0.5	51	5	94	2.14	35	26	<4	15	43	1.4	16	<5	234
G987548	Rock Chip	1.46	<2	<2	2	11	279	<0.5	28	9	456	2.63	43	<20	<4	16	417	<0.4	8	<5	43
G987568	Rock Chip	0.77	<2	<2	3	19	127	<0.5	21	8	319	2.43	14	<20	<4	20	575	0.4	<5	<5	39
G987668	Rock Chip	1.07	<2	<2	29	7	96	<0.5	39	15	487	4.72	24	<20	<4	21	133	<0.4	<5	7	93
G987688	Rock Chip	0.85	<2	<2	33	14	112	<0.5	34	13	593	4.07	21	<20	<4	18	228	0.5	29	6	76

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

CERTIFICATE OF ANALYSIS VAN08006654.1

	Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G986008	Rock Chip	0.56	0.024	40	52	0.87	1048	0.26	8.07	0.08	3.70	11	20	5	7	11	2	13
G986028	Rock Chip	0.71	0.030	41	52	0.66	745	0.28	7.72	0.07	2.96	16	35	6	12	12	2	11
G986048	Rock Chip	1.10	0.038	38	41	0.63	873	0.27	6.90	1.36	3.34	<4	31	6	9	10	2	9
G986068	Rock Chip	1.38	0.024	51	49	0.97	791	0.27	7.84	1.17	3.15	>200	35	<2	11	10	3	14
G986088	Rock Chip	1.77	0.046	36	40	1.38	793	0.20	7.09	1.30	3.46	<4	27	5	11	6	2	10
G986108	Rock Chip	3.54	0.052	31	24	0.85	957	0.27	7.55	2.37	2.51	>200	18	3	15	19	7	7
G986128	Rock Chip	3.64	0.062	29	25	0.95	1183	0.29	7.95	2.69	2.24	129	15	10	15	19	7	7
G986188	Rock Chip	7.11	0.016	28	17	0.45	224	0.15	6.84	2.52	0.55	>200	38	<2	23	17	7	5
G986208	Rock Chip	0.62	0.017	39	49	0.81	776	0.29	7.53	1.36	3.06	10	16	6	7	12	2	11
G986228	Rock Chip	1.72	0.027	35	43	0.74	1040	0.29	6.73	1.58	2.62	21	21	6	10	13	2	11
G986248	Rock Chip	1.08	0.053	41	56	0.95	775	0.39	8.57	1.00	1.94	<4	20	7	10	13	2	12
G986268	Rock Chip	2.51	0.058	57	23	0.80	1485	0.31	7.57	2.02	2.12	<4	15	6	13	14	3	7
G986288	Rock Chip	2.24	0.053	35	22	0.79	1493	0.28	7.62	1.96	2.15	<4	15	5	12	15	3	7
G987608	Rock Chip	2.88	0.058	40	24	0.81	1413	0.32	7.79	2.20	2.51	<4	17	5	12	15	4	7
G987628	Rock Chip	3.01	0.061	40	23	0.80	1549	0.32	7.88	2.45	1.98	15	15	6	12	15	3	8
G088108	Rock Chip	1.20	0.032	31	37	0.73	934	0.27	6.40	1.14	1.73	6	28	6	8	8	2	9
G088128	Rock Chip	3.48	0.067	40	80	1.80	1318	0.36	7.95	2.15	1.82	<4	47	6	15	15	3	10
G088148	Rock Chip	1.21	0.050	20	15	0.28	1257	0.25	7.67	1.61	1.87	8	20	3	9	13	3	5
E037048	Rock Chip	0.78	0.031	36	49	0.87	704	0.31	7.72	2.03	1.95	9	19	3	8	11	2	10
E037068	Rock Chip	0.43	0.051	33	44	0.57	1220	0.28	6.46	2.05	1.69	6	8	5	9	9	2	11
E037088	Rock Chip	2.09	0.027	38	61	0.95	597	0.41	7.41	1.48	2.03	7	24	5	12	13	2	11
E037108	Rock Chip	1.06	0.014	30	43	0.59	674	0.25	5.53	1.20	2.05	8	19	4	7	7	1	7
E037128	Rock Chip	0.54	0.027	44	54	0.96	774	0.37	8.11	0.99	2.31	6	22	6	8	12	2	12
E037148	Rock Chip	2.02	0.045	45	59	1.01	1045	0.41	9.29	1.07	2.37	8	29	7	12	14	3	14
G987508	Rock Chip	0.29	0.023	34	48	0.42	543	0.16	4.78	0.04	2.03	>200	31	<2	8	6	3	7
G987528	Rock Chip	0.19	0.049	35	29	0.23	1900	0.20	5.96	0.14	2.38	103	25	4	13	10	4	7
G987548	Rock Chip	2.35	0.062	34	45	1.04	1470	0.30	7.78	1.79	2.00	6	24	4	12	13	3	8
G987568	Rock Chip	2.86	0.067	43	27	0.87	1697	0.35	8.12	2.16	2.34	<4	13	5	16	17	4	8
G987668	Rock Chip	0.87	0.050	52	70	1.00	972	0.42	10.04	0.94	2.93	9	39	6	11	14	3	15
G987688	Rock Chip	1.87	0.057	42	59	1.07	691	0.41	8.88	1.53	2.49	11	27	7	12	13	3	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

CERTIFICATE OF ANALYSIS VAN08006654.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G987708	Rock Chip	1.34	<2	<2	3	14	66	<0.5	19	7	301	2.25	16	<20	<4	19	497	<0.4	<5	<5	36
G987728	Rock Chip	1.00	<2	<2	3	20	41	<0.5	14	6	280	1.76	22	<20	<4	17	519	<0.4	<5	5	28
G987748	Rock Chip	0.92	<2	<2	3	14	48	<0.5	19	7	305	2.43	18	<20	<4	19	525	<0.4	<5	6	37
G019408	Rock Chip	0.80	<2	<2	34	<5	45	<0.5	45	17	299	3.78	87	<20	<4	18	312	0.7	<5	6	85
G019428	Rock Chip	0.39	<2	<2	15	<5	28	<0.5	10	3	201	1.94	23	<20	<4	12	59	<0.4	<5	<5	30
G019448	Rock Chip	0.81	<2	<2	17	<5	31	<0.5	12	4	512	1.58	<5	<20	<4	12	181	<0.4	<5	<5	35
G987768	Rock Chip	0.90	<2	<2	<2	20	41	<0.5	22	8	317	2.21	7	<20	<4	18	518	0.6	<5	6	38
G987788	Rock Chip	0.81	<2	<2	<2	15	10	<0.5	4	<2	106	0.65	25	<20	<4	21	414	<0.4	<5	8	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Submitted By: William Hay
Receiving Lab: Canada-Vancouver
Received: June 20, 2008
Report Date: July 11, 2008
Page: 1 of 3

CERTIFICATE OF ANALYSIS VAN08006654.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 38

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
P200	38	Pulverize to 85% passing 200 mesh		
3B	38	Fire assay fusion Au by ICP-ES	30	Completed
1ED	38	4 Acid digestion ICP-ES analysis	0.25	Completed

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2
Canada

CC: Jeff Scully
Hugh Coyle

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

CERTIFICATE OF ANALYSIS VAN08006654.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G986008	Rock Chip	0.70	3	<2	21	14	359	1.8	31	11	442	3.90	39	<20	<4	14	109	1.4	21	<5	72
G986028	Rock Chip	0.80	3	<2	32	36	796	1.0	32	12	549	3.78	147	<20	<4	15	91	1.2	328	9	66
G986048	Rock Chip	0.66	<2	<2	21	16	64	0.6	21	8	285	2.46	308	<20	<4	13	225	<0.4	<5	<5	56
G986068	Rock Chip	0.81	4	<2	50	15	85	<0.5	35	15	481	4.00	<5	<20	<4	17	187	<0.4	<5	<5	75
G986088	Rock Chip	0.90	<2	<2	44	12	48	0.6	27	12	596	3.34	<5	<20	<4	14	143	<0.4	<5	<5	54
G986108	Rock Chip	1.07	<2	<2	<2	20	46	<0.5	17	6	298	1.62	<5	<20	<4	18	588	<0.4	<5	7	34
G986128	Rock Chip	1.23	<2	<2	7	15	37	<0.5	16	6	300	1.67	6	<20	<4	12	676	<0.4	<5	<5	37
G986188	Rock Chip	0.95	<2	<2	3	5	16	<0.5	7	<2	263	0.69	<5	<20	<4	16	614	<0.4	<5	8	27
G986208	Rock Chip	1.12	<2	<2	18	11	76	<0.5	29	11	355	3.52	16	<20	<4	14	151	<0.4	11	<5	67
G986228	Rock Chip	0.98	<2	<2	30	8	62	0.6	22	9	460	2.98	<5	<20	<4	14	186	<0.4	<5	<5	59
G986248	Rock Chip	0.95	<2	<2	28	8	80	<0.5	32	12	446	3.81	<5	<20	<4	16	174	<0.4	<5	6	74
G986268	Rock Chip	1.05	<2	<2	10	30	73	<0.5	19	7	347	2.28	5	<20	<4	23	497	0.5	<5	10	34
G986288	Rock Chip	0.81	<2	<2	7	22	42	<0.5	16	7	296	2.19	10	<20	<4	21	448	<0.4	<5	<5	33
G987608	Rock Chip	0.98	<2	<2	6	19	51	<0.5	16	6	339	2.22	7	<20	<4	21	589	<0.4	<5	<5	36
G987628	Rock Chip	1.03	<2	<2	5	12	37	<0.5	17	6	304	2.01	55	<20	<4	20	676	<0.4	<5	8	37
G088108	Rock Chip	0.94	<2	<2	29	<5	43	<0.5	18	7	398	2.52	12	<20	<4	15	215	<0.4	<5	<5	52
G088128	Rock Chip	0.83	<2	<2	2	13	88	<0.5	36	11	568	3.05	32	<20	<4	21	596	<0.4	<5	<5	60
G088148	Rock Chip	0.54	<2	<2	4	26	40	<0.5	12	7	152	1.42	175	<20	<4	16	359	<0.4	<5	10	28
E037048	Rock Chip	1.23	<2	<2	17	20	63	<0.5	27	10	417	3.18	<5	<20	<4	15	187	<0.4	<5	12	58
E037068	Rock Chip	1.12	<2	<2	8	7	47	<0.5	24	9	211	2.93	19	<20	<4	13	256	<0.4	<5	10	58
E037088	Rock Chip	1.19	<2	<2	22	10	79	<0.5	28	13	771	3.81	45	<20	<4	16	249	0.5	<5	11	71
E037108	Rock Chip	1.11	4	<2	14	7	53	<0.5	18	7	273	2.20	34	<20	<4	13	161	<0.4	<5	7	45
E037128	Rock Chip	1.05	<2	<2	21	6	42	<0.5	31	14	309	3.53	233	<20	<4	18	144	<0.4	9	<5	70
E037148	Rock Chip	0.92	<2	<2	40	19	89	<0.5	39	13	492	3.61	61	<20	<4	19	197	0.6	<5	<5	79
G987508	Rock Chip	0.62	6	3	25	30	107	2.6	40	21	2458	9.77	129	41	<4	11	31	0.7	15	<5	46
G987528	Rock Chip	0.81	7	6	44	30	1383	<0.5	51	5	94	2.14	35	26	<4	15	43	1.4	16	<5	234
G987548	Rock Chip	1.46	<2	<2	2	11	279	<0.5	28	9	456	2.63	43	<20	<4	16	417	<0.4	8	<5	43
G987568	Rock Chip	0.77	<2	<2	3	19	127	<0.5	21	8	319	2.43	14	<20	<4	20	575	0.4	<5	<5	39
G987668	Rock Chip	1.07	<2	<2	29	7	96	<0.5	39	15	487	4.72	24	<20	<4	21	133	<0.4	<5	7	93
G987688	Rock Chip	0.85	<2	<2	33	14	112	<0.5	34	13	593	4.07	21	<20	<4	18	228	0.5	29	6	76

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

CERTIFICATE OF ANALYSIS VAN08006654.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G986008	Rock Chip	0.56	0.024	40	52	0.87	1048	0.26	8.07	0.08	3.70	11	20	5	7	11	2	13
G986028	Rock Chip	0.71	0.030	41	52	0.66	745	0.28	7.72	0.07	2.96	16	35	6	12	12	2	11
G986048	Rock Chip	1.10	0.038	38	41	0.63	873	0.27	6.90	1.36	3.34	<4	31	6	9	10	2	9
G986068	Rock Chip	1.38	0.024	51	49	0.97	791	0.27	7.84	1.17	3.15	>200	35	<2	11	10	3	14
G986088	Rock Chip	1.77	0.046	36	40	1.38	793	0.20	7.09	1.30	3.46	<4	27	5	11	6	2	10
G986108	Rock Chip	3.54	0.052	31	24	0.85	957	0.27	7.55	2.37	2.51	>200	18	3	15	19	7	7
G986128	Rock Chip	3.64	0.062	29	25	0.95	1183	0.29	7.95	2.69	2.24	129	15	10	15	19	7	7
G986188	Rock Chip	7.11	0.016	28	17	0.45	224	0.15	6.84	2.52	0.55	>200	38	<2	23	17	7	5
G986208	Rock Chip	0.62	0.017	39	49	0.81	776	0.29	7.53	1.36	3.06	10	16	6	7	12	2	11
G986228	Rock Chip	1.72	0.027	35	43	0.74	1040	0.29	6.73	1.58	2.62	21	21	6	10	13	2	11
G986248	Rock Chip	1.08	0.053	41	56	0.95	775	0.39	8.57	1.00	1.94	<4	20	7	10	13	2	12
G986268	Rock Chip	2.51	0.058	57	23	0.80	1485	0.31	7.57	2.02	2.12	<4	15	6	13	14	3	7
G986288	Rock Chip	2.24	0.053	35	22	0.79	1493	0.28	7.62	1.96	2.15	<4	15	5	12	15	3	7
G987608	Rock Chip	2.88	0.058	40	24	0.81	1413	0.32	7.79	2.20	2.51	<4	17	5	12	15	4	7
G987628	Rock Chip	3.01	0.061	40	23	0.80	1549	0.32	7.88	2.45	1.98	15	15	6	12	15	3	8
G088108	Rock Chip	1.20	0.032	31	37	0.73	934	0.27	6.40	1.14	1.73	6	28	6	8	8	2	9
G088128	Rock Chip	3.48	0.067	40	80	1.80	1318	0.36	7.95	2.15	1.82	<4	47	6	15	15	3	10
G088148	Rock Chip	1.21	0.050	20	15	0.28	1257	0.25	7.67	1.61	1.87	8	20	3	9	13	3	5
E037048	Rock Chip	0.78	0.031	36	49	0.87	704	0.31	7.72	2.03	1.95	9	19	3	8	11	2	10
E037068	Rock Chip	0.43	0.051	33	44	0.57	1220	0.28	6.46	2.05	1.69	6	8	5	9	9	2	11
E037088	Rock Chip	2.09	0.027	38	61	0.95	597	0.41	7.41	1.48	2.03	7	24	5	12	13	2	11
E037108	Rock Chip	1.06	0.014	30	43	0.59	674	0.25	5.53	1.20	2.05	8	19	4	7	7	1	7
E037128	Rock Chip	0.54	0.027	44	54	0.96	774	0.37	8.11	0.99	2.31	6	22	6	8	12	2	12
E037148	Rock Chip	2.02	0.045	45	59	1.01	1045	0.41	9.29	1.07	2.37	8	29	7	12	14	3	14
G987508	Rock Chip	0.29	0.023	34	48	0.42	543	0.16	4.78	0.04	2.03	>200	31	<2	8	6	3	7
G987528	Rock Chip	0.19	0.049	35	29	0.23	1900	0.20	5.96	0.14	2.38	103	25	4	13	10	4	7
G987548	Rock Chip	2.35	0.062	34	45	1.04	1470	0.30	7.78	1.79	2.00	6	24	4	12	13	3	8
G987568	Rock Chip	2.86	0.067	43	27	0.87	1697	0.35	8.12	2.16	2.34	<4	13	5	16	17	4	8
G987668	Rock Chip	0.87	0.050	52	70	1.00	972	0.42	10.04	0.94	2.93	9	39	6	11	14	3	15
G987688	Rock Chip	1.87	0.057	42	59	1.07	691	0.41	8.88	1.53	2.49	11	27	7	12	13	3	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

CERTIFICATE OF ANALYSIS VAN08006654.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G987708	Rock Chip	1.34	<2	<2	3	14	66	<0.5	19	7	301	2.25	16	<20	<4	19	497	<0.4	<5	<5	36
G987728	Rock Chip	1.00	<2	<2	3	20	41	<0.5	14	6	280	1.76	22	<20	<4	17	519	<0.4	<5	5	28
G987748	Rock Chip	0.92	<2	<2	3	14	48	<0.5	19	7	305	2.43	18	<20	<4	19	525	<0.4	<5	6	37
G019408	Rock Chip	0.80	<2	<2	34	<5	45	<0.5	45	17	299	3.78	87	<20	<4	18	312	0.7	<5	6	85
G019428	Rock Chip	0.39	<2	<2	15	<5	28	<0.5	10	3	201	1.94	23	<20	<4	12	59	<0.4	<5	<5	30
G019448	Rock Chip	0.81	<2	<2	17	<5	31	<0.5	12	4	512	1.58	<5	<20	<4	12	181	<0.4	<5	<5	35
G987768	Rock Chip	0.90	<2	<2	<2	20	41	<0.5	22	8	317	2.21	7	<20	<4	18	518	0.6	<5	6	38
G987788	Rock Chip	0.81	<2	<2	<2	15	10	<0.5	4	<2	106	0.65	25	<20	<4	21	414	<0.4	<5	8	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Submitted By: William Hay
Receiving Lab: Canada-Vancouver
Received: June 20, 2008
Report Date: July 11, 2008
Page: 1 of 3

CERTIFICATE OF ANALYSIS VAN08006654.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 38

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
P200	38	Pulverize to 85% passing 200 mesh		
3B	38	Fire assay fusion Au by ICP-ES	30	Completed
1ED	38	4 Acid digestion ICP-ES analysis	0.25	Completed

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2
Canada

CC: Jeff Scully
Hugh Coyle

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

CERTIFICATE OF ANALYSIS VAN08006654.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G986008	Rock Chip	0.70	3	<2	21	14	359	1.8	31	11	442	3.90	39	<20	<4	14	109	1.4	21	<5	72
G986028	Rock Chip	0.80	3	<2	32	36	796	1.0	32	12	549	3.78	147	<20	<4	15	91	1.2	328	9	66
G986048	Rock Chip	0.66	<2	<2	21	16	64	0.6	21	8	285	2.46	308	<20	<4	13	225	<0.4	<5	<5	56
G986068	Rock Chip	0.81	4	<2	50	15	85	<0.5	35	15	481	4.00	<5	<20	<4	17	187	<0.4	<5	<5	75
G986088	Rock Chip	0.90	<2	<2	44	12	48	0.6	27	12	596	3.34	<5	<20	<4	14	143	<0.4	<5	<5	54
G986108	Rock Chip	1.07	<2	<2	<2	20	46	<0.5	17	6	298	1.62	<5	<20	<4	18	588	<0.4	<5	7	34
G986128	Rock Chip	1.23	<2	<2	7	15	37	<0.5	16	6	300	1.67	6	<20	<4	12	676	<0.4	<5	<5	37
G986188	Rock Chip	0.95	<2	<2	3	5	16	<0.5	7	<2	263	0.69	<5	<20	<4	16	614	<0.4	<5	8	27
G986208	Rock Chip	1.12	<2	<2	18	11	76	<0.5	29	11	355	3.52	16	<20	<4	14	151	<0.4	11	<5	67
G986228	Rock Chip	0.98	<2	<2	30	8	62	0.6	22	9	460	2.98	<5	<20	<4	14	186	<0.4	<5	<5	59
G986248	Rock Chip	0.95	<2	<2	28	8	80	<0.5	32	12	446	3.81	<5	<20	<4	16	174	<0.4	<5	6	74
G986268	Rock Chip	1.05	<2	<2	10	30	73	<0.5	19	7	347	2.28	5	<20	<4	23	497	0.5	<5	10	34
G986288	Rock Chip	0.81	<2	<2	7	22	42	<0.5	16	7	296	2.19	10	<20	<4	21	448	<0.4	<5	<5	33
G987608	Rock Chip	0.98	<2	<2	6	19	51	<0.5	16	6	339	2.22	7	<20	<4	21	589	<0.4	<5	<5	36
G987628	Rock Chip	1.03	<2	<2	5	12	37	<0.5	17	6	304	2.01	55	<20	<4	20	676	<0.4	<5	8	37
G088108	Rock Chip	0.94	<2	<2	29	<5	43	<0.5	18	7	398	2.52	12	<20	<4	15	215	<0.4	<5	<5	52
G088128	Rock Chip	0.83	<2	<2	2	13	88	<0.5	36	11	568	3.05	32	<20	<4	21	596	<0.4	<5	<5	60
G088148	Rock Chip	0.54	<2	<2	4	26	40	<0.5	12	7	152	1.42	175	<20	<4	16	359	<0.4	<5	10	28
E037048	Rock Chip	1.23	<2	<2	17	20	63	<0.5	27	10	417	3.18	<5	<20	<4	15	187	<0.4	<5	12	58
E037068	Rock Chip	1.12	<2	<2	8	7	47	<0.5	24	9	211	2.93	19	<20	<4	13	256	<0.4	<5	10	58
E037088	Rock Chip	1.19	<2	<2	22	10	79	<0.5	28	13	771	3.81	45	<20	<4	16	249	0.5	<5	11	71
E037108	Rock Chip	1.11	4	<2	14	7	53	<0.5	18	7	273	2.20	34	<20	<4	13	161	<0.4	<5	7	45
E037128	Rock Chip	1.05	<2	<2	21	6	42	<0.5	31	14	309	3.53	233	<20	<4	18	144	<0.4	9	<5	70
E037148	Rock Chip	0.92	<2	<2	40	19	89	<0.5	39	13	492	3.61	61	<20	<4	19	197	0.6	<5	<5	79
G987508	Rock Chip	0.62	6	3	25	30	107	2.6	40	21	2458	9.77	129	41	<4	11	31	0.7	15	<5	46
G987528	Rock Chip	0.81	7	6	44	30	1383	<0.5	51	5	94	2.14	35	26	<4	15	43	1.4	16	<5	234
G987548	Rock Chip	1.46	<2	<2	2	11	279	<0.5	28	9	456	2.63	43	<20	<4	16	417	<0.4	8	<5	43
G987568	Rock Chip	0.77	<2	<2	3	19	127	<0.5	21	8	319	2.43	14	<20	<4	20	575	0.4	<5	<5	39
G987668	Rock Chip	1.07	<2	<2	29	7	96	<0.5	39	15	487	4.72	24	<20	<4	21	133	<0.4	<5	7	93
G987688	Rock Chip	0.85	<2	<2	33	14	112	<0.5	34	13	593	4.07	21	<20	<4	18	228	0.5	29	6	76

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

CERTIFICATE OF ANALYSIS VAN08006654.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G986008	Rock Chip	0.56	0.024	40	52	0.87	1048	0.26	8.07	0.08	3.70	11	20	5	7	11	2	13
G986028	Rock Chip	0.71	0.030	41	52	0.66	745	0.28	7.72	0.07	2.96	16	35	6	12	12	2	11
G986048	Rock Chip	1.10	0.038	38	41	0.63	873	0.27	6.90	1.36	3.34	<4	31	6	9	10	2	9
G986068	Rock Chip	1.38	0.024	51	49	0.97	791	0.27	7.84	1.17	3.15	>200	35	<2	11	10	3	14
G986088	Rock Chip	1.77	0.046	36	40	1.38	793	0.20	7.09	1.30	3.46	<4	27	5	11	6	2	10
G986108	Rock Chip	3.54	0.052	31	24	0.85	957	0.27	7.55	2.37	2.51	>200	18	3	15	19	7	7
G986128	Rock Chip	3.64	0.062	29	25	0.95	1183	0.29	7.95	2.69	2.24	129	15	10	15	19	7	7
G986188	Rock Chip	7.11	0.016	28	17	0.45	224	0.15	6.84	2.52	0.55	>200	38	<2	23	17	7	5
G986208	Rock Chip	0.62	0.017	39	49	0.81	776	0.29	7.53	1.36	3.06	10	16	6	7	12	2	11
G986228	Rock Chip	1.72	0.027	35	43	0.74	1040	0.29	6.73	1.58	2.62	21	21	6	10	13	2	11
G986248	Rock Chip	1.08	0.053	41	56	0.95	775	0.39	8.57	1.00	1.94	<4	20	7	10	13	2	12
G986268	Rock Chip	2.51	0.058	57	23	0.80	1485	0.31	7.57	2.02	2.12	<4	15	6	13	14	3	7
G986288	Rock Chip	2.24	0.053	35	22	0.79	1493	0.28	7.62	1.96	2.15	<4	15	5	12	15	3	7
G987608	Rock Chip	2.88	0.058	40	24	0.81	1413	0.32	7.79	2.20	2.51	<4	17	5	12	15	4	7
G987628	Rock Chip	3.01	0.061	40	23	0.80	1549	0.32	7.88	2.45	1.98	15	15	6	12	15	3	8
G088108	Rock Chip	1.20	0.032	31	37	0.73	934	0.27	6.40	1.14	1.73	6	28	6	8	8	2	9
G088128	Rock Chip	3.48	0.067	40	80	1.80	1318	0.36	7.95	2.15	1.82	<4	47	6	15	15	3	10
G088148	Rock Chip	1.21	0.050	20	15	0.28	1257	0.25	7.67	1.61	1.87	8	20	3	9	13	3	5
E037048	Rock Chip	0.78	0.031	36	49	0.87	704	0.31	7.72	2.03	1.95	9	19	3	8	11	2	10
E037068	Rock Chip	0.43	0.051	33	44	0.57	1220	0.28	6.46	2.05	1.69	6	8	5	9	9	2	11
E037088	Rock Chip	2.09	0.027	38	61	0.95	597	0.41	7.41	1.48	2.03	7	24	5	12	13	2	11
E037108	Rock Chip	1.06	0.014	30	43	0.59	674	0.25	5.53	1.20	2.05	8	19	4	7	7	1	7
E037128	Rock Chip	0.54	0.027	44	54	0.96	774	0.37	8.11	0.99	2.31	6	22	6	8	12	2	12
E037148	Rock Chip	2.02	0.045	45	59	1.01	1045	0.41	9.29	1.07	2.37	8	29	7	12	14	3	14
G987508	Rock Chip	0.29	0.023	34	48	0.42	543	0.16	4.78	0.04	2.03	>200	31	<2	8	6	3	7
G987528	Rock Chip	0.19	0.049	35	29	0.23	1900	0.20	5.96	0.14	2.38	103	25	4	13	10	4	7
G987548	Rock Chip	2.35	0.062	34	45	1.04	1470	0.30	7.78	1.79	2.00	6	24	4	12	13	3	8
G987568	Rock Chip	2.86	0.067	43	27	0.87	1697	0.35	8.12	2.16	2.34	<4	13	5	16	17	4	8
G987668	Rock Chip	0.87	0.050	52	70	1.00	972	0.42	10.04	0.94	2.93	9	39	6	11	14	3	15
G987688	Rock Chip	1.87	0.057	42	59	1.07	691	0.41	8.88	1.53	2.49	11	27	7	12	13	3	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

CERTIFICATE OF ANALYSIS VAN08006654.1

	Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G987708	Rock Chip	2.41	0.060	35	25	0.80	1540	0.31	8.05	2.14	2.32	<4	20	3	12	15	4	7
G987728	Rock Chip	2.48	0.045	28	19	0.62	1170	0.25	7.74	2.30	2.11	<4	20	5	19	17	4	6
G987748	Rock Chip	2.67	0.060	37	26	0.83	1579	0.32	7.69	2.11	1.82	<4	14	5	13	15	3	7
G019408	Rock Chip	0.65	0.035	48	63	1.11	908	0.42	10.23	1.88	2.95	4	29	9	9	13	3	15
G019428	Rock Chip	2.18	0.033	24	23	0.30	430	0.13	4.15	0.04	1.21	15	23	3	8	4	1	5
G019448	Rock Chip	2.56	0.022	26	21	1.04	672	0.14	4.40	0.82	1.61	<4	20	2	8	4	1	5
G987768	Rock Chip	2.87	0.061	39	26	0.83	1815	0.31	7.94	1.95	2.32	<4	14	6	12	15	3	8
G987788	Rock Chip	1.27	0.009	13	17	0.20	940	0.06	6.73	2.32	2.56	<4	30	<2	14	13	5	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Submitted By: William Hay
Receiving Lab: Canada-Vancouver
Received: June 20, 2008
Report Date: July 11, 2008
Page: 1 of 3

CERTIFICATE OF ANALYSIS VAN08006654.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 38

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
P200	38	Pulverize to 85% passing 200 mesh		
3B	38	Fire assay fusion Au by ICP-ES	30	Completed
1ED	38	4 Acid digestion ICP-ES analysis	0.25	Completed

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2
Canada

CC: Jeff Scully
Hugh Coyle

BRITISH COLUMBIA CERTIFIED ASSAYER
Raymond Chan

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

CERTIFICATE OF ANALYSIS VAN08006654.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G986008	Rock Chip	0.70	3	<2	21	14	359	1.8	31	11	442	3.90	39	<20	<4	14	109	1.4	21	<5	72
G986028	Rock Chip	0.80	3	<2	32	36	796	1.0	32	12	549	3.78	147	<20	<4	15	91	1.2	328	9	66
G986048	Rock Chip	0.66	<2	<2	21	16	64	0.6	21	8	285	2.46	308	<20	<4	13	225	<0.4	<5	<5	56
G986068	Rock Chip	0.81	4	<2	50	15	85	<0.5	35	15	481	4.00	<5	<20	<4	17	187	<0.4	<5	<5	75
G986088	Rock Chip	0.90	<2	<2	44	12	48	0.6	27	12	596	3.34	<5	<20	<4	14	143	<0.4	<5	<5	54
G986108	Rock Chip	1.07	<2	<2	<2	20	46	<0.5	17	6	298	1.62	<5	<20	<4	18	588	<0.4	<5	7	34
G986128	Rock Chip	1.23	<2	<2	7	15	37	<0.5	16	6	300	1.67	6	<20	<4	12	676	<0.4	<5	<5	37
G986188	Rock Chip	0.95	<2	<2	3	5	16	<0.5	7	<2	263	0.69	<5	<20	<4	16	614	<0.4	<5	8	27
G986208	Rock Chip	1.12	<2	<2	18	11	76	<0.5	29	11	355	3.52	16	<20	<4	14	151	<0.4	11	<5	67
G986228	Rock Chip	0.98	<2	<2	30	8	62	0.6	22	9	460	2.98	<5	<20	<4	14	186	<0.4	<5	<5	59
G986248	Rock Chip	0.95	<2	<2	28	8	80	<0.5	32	12	446	3.81	<5	<20	<4	16	174	<0.4	<5	6	74
G986268	Rock Chip	1.05	<2	<2	10	30	73	<0.5	19	7	347	2.28	5	<20	<4	23	497	0.5	<5	10	34
G986288	Rock Chip	0.81	<2	<2	7	22	42	<0.5	16	7	296	2.19	10	<20	<4	21	448	<0.4	<5	<5	33
G987608	Rock Chip	0.98	<2	<2	6	19	51	<0.5	16	6	339	2.22	7	<20	<4	21	589	<0.4	<5	<5	36
G987628	Rock Chip	1.03	<2	<2	5	12	37	<0.5	17	6	304	2.01	55	<20	<4	20	676	<0.4	<5	8	37
G088108	Rock Chip	0.94	<2	<2	29	<5	43	<0.5	18	7	398	2.52	12	<20	<4	15	215	<0.4	<5	<5	52
G088128	Rock Chip	0.83	<2	<2	2	13	88	<0.5	36	11	568	3.05	32	<20	<4	21	596	<0.4	<5	<5	60
G088148	Rock Chip	0.54	<2	<2	4	26	40	<0.5	12	7	152	1.42	175	<20	<4	16	359	<0.4	<5	10	28
E037048	Rock Chip	1.23	<2	<2	17	20	63	<0.5	27	10	417	3.18	<5	<20	<4	15	187	<0.4	<5	12	58
E037068	Rock Chip	1.12	<2	<2	8	7	47	<0.5	24	9	211	2.93	19	<20	<4	13	256	<0.4	<5	10	58
E037088	Rock Chip	1.19	<2	<2	22	10	79	<0.5	28	13	771	3.81	45	<20	<4	16	249	0.5	<5	11	71
E037108	Rock Chip	1.11	4	<2	14	7	53	<0.5	18	7	273	2.20	34	<20	<4	13	161	<0.4	<5	7	45
E037128	Rock Chip	1.05	<2	<2	21	6	42	<0.5	31	14	309	3.53	233	<20	<4	18	144	<0.4	9	<5	70
E037148	Rock Chip	0.92	<2	<2	40	19	89	<0.5	39	13	492	3.61	61	<20	<4	19	197	0.6	<5	<5	79
G987508	Rock Chip	0.62	6	3	25	30	107	2.6	40	21	2458	9.77	129	41	<4	11	31	0.7	15	<5	46
G987528	Rock Chip	0.81	7	6	44	30	1383	<0.5	51	5	94	2.14	35	26	<4	15	43	1.4	16	<5	234
G987548	Rock Chip	1.46	<2	<2	2	11	279	<0.5	28	9	456	2.63	43	<20	<4	16	417	<0.4	8	<5	43
G987568	Rock Chip	0.77	<2	<2	3	19	127	<0.5	21	8	319	2.43	14	<20	<4	20	575	0.4	<5	<5	39
G987668	Rock Chip	1.07	<2	<2	29	7	96	<0.5	39	15	487	4.72	24	<20	<4	21	133	<0.4	<5	7	93
G987688	Rock Chip	0.85	<2	<2	33	14	112	<0.5	34	13	593	4.07	21	<20	<4	18	228	0.5	29	6	76

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

CERTIFICATE OF ANALYSIS VAN08006654.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G986008	Rock Chip	0.56	0.024	40	52	0.87	1048	0.26	8.07	0.08	3.70	11	20	5	7	11	2	13
G986028	Rock Chip	0.71	0.030	41	52	0.66	745	0.28	7.72	0.07	2.96	16	35	6	12	12	2	11
G986048	Rock Chip	1.10	0.038	38	41	0.63	873	0.27	6.90	1.36	3.34	<4	31	6	9	10	2	9
G986068	Rock Chip	1.38	0.024	51	49	0.97	791	0.27	7.84	1.17	3.15	>200	35	<2	11	10	3	14
G986088	Rock Chip	1.77	0.046	36	40	1.38	793	0.20	7.09	1.30	3.46	<4	27	5	11	6	2	10
G986108	Rock Chip	3.54	0.052	31	24	0.85	957	0.27	7.55	2.37	2.51	>200	18	3	15	19	7	7
G986128	Rock Chip	3.64	0.062	29	25	0.95	1183	0.29	7.95	2.69	2.24	129	15	10	15	19	7	7
G986188	Rock Chip	7.11	0.016	28	17	0.45	224	0.15	6.84	2.52	0.55	>200	38	<2	23	17	7	5
G986208	Rock Chip	0.62	0.017	39	49	0.81	776	0.29	7.53	1.36	3.06	10	16	6	7	12	2	11
G986228	Rock Chip	1.72	0.027	35	43	0.74	1040	0.29	6.73	1.58	2.62	21	21	6	10	13	2	11
G986248	Rock Chip	1.08	0.053	41	56	0.95	775	0.39	8.57	1.00	1.94	<4	20	7	10	13	2	12
G986268	Rock Chip	2.51	0.058	57	23	0.80	1485	0.31	7.57	2.02	2.12	<4	15	6	13	14	3	7
G986288	Rock Chip	2.24	0.053	35	22	0.79	1493	0.28	7.62	1.96	2.15	<4	15	5	12	15	3	7
G987608	Rock Chip	2.88	0.058	40	24	0.81	1413	0.32	7.79	2.20	2.51	<4	17	5	12	15	4	7
G987628	Rock Chip	3.01	0.061	40	23	0.80	1549	0.32	7.88	2.45	1.98	15	15	6	12	15	3	8
G088108	Rock Chip	1.20	0.032	31	37	0.73	934	0.27	6.40	1.14	1.73	6	28	6	8	8	2	9
G088128	Rock Chip	3.48	0.067	40	80	1.80	1318	0.36	7.95	2.15	1.82	<4	47	6	15	15	3	10
G088148	Rock Chip	1.21	0.050	20	15	0.28	1257	0.25	7.67	1.61	1.87	8	20	3	9	13	3	5
E037048	Rock Chip	0.78	0.031	36	49	0.87	704	0.31	7.72	2.03	1.95	9	19	3	8	11	2	10
E037068	Rock Chip	0.43	0.051	33	44	0.57	1220	0.28	6.46	2.05	1.69	6	8	5	9	9	2	11
E037088	Rock Chip	2.09	0.027	38	61	0.95	597	0.41	7.41	1.48	2.03	7	24	5	12	13	2	11
E037108	Rock Chip	1.06	0.014	30	43	0.59	674	0.25	5.53	1.20	2.05	8	19	4	7	7	1	7
E037128	Rock Chip	0.54	0.027	44	54	0.96	774	0.37	8.11	0.99	2.31	6	22	6	8	12	2	12
E037148	Rock Chip	2.02	0.045	45	59	1.01	1045	0.41	9.29	1.07	2.37	8	29	7	12	14	3	14
G987508	Rock Chip	0.29	0.023	34	48	0.42	543	0.16	4.78	0.04	2.03	>200	31	<2	8	6	3	7
G987528	Rock Chip	0.19	0.049	35	29	0.23	1900	0.20	5.96	0.14	2.38	103	25	4	13	10	4	7
G987548	Rock Chip	2.35	0.062	34	45	1.04	1470	0.30	7.78	1.79	2.00	6	24	4	12	13	3	8
G987568	Rock Chip	2.86	0.067	43	27	0.87	1697	0.35	8.12	2.16	2.34	<4	13	5	16	17	4	8
G987668	Rock Chip	0.87	0.050	52	70	1.00	972	0.42	10.04	0.94	2.93	9	39	6	11	14	3	15
G987688	Rock Chip	1.87	0.057	42	59	1.07	691	0.41	8.88	1.53	2.49	11	27	7	12	13	3	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

QUALITY CONTROL REPORT VAN08006654.1

	Method	WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
Pulp Duplicates																					
G986208	Rock Chip	1.12	<2	<2	18	11	76	<0.5	29	11	355	3.52	16	<20	<4	14	151	<0.4	11	<5	67
REP G986208	QC		5																		
E037068	Rock Chip	1.12	<2	<2	8	7	47	<0.5	24	9	211	2.93	19	<20	<4	13	256	<0.4	<5	10	58
REP E037068	QC			<2	7	7	46	<0.5	24	9	215	2.92	17	<20	<4	14	254	<0.4	<5	6	59
Reference Materials																					
STD DST6	Standard			10	114	29	165	0.7	29	12	916	3.97	20	<20	<4	6	311	6.2	<5	<5	94
STD DST6	Standard			11	110	51	164	<0.5	29	12	938	3.75	23	<20	<4	5	318	6.3	7	<5	92
STD DST6	Standard			11	121	26	158	<0.5	30	12	976	3.82	22	<20	<4	7	321	6.4	<5	14	94
STD DST6	Standard			11	115	25	154	<0.5	30	12	946	3.82	20	<20	<4	8	315	6.3	<5	10	93
STD DST6	Standard			13	123	34	159	0.9	32	12	899	3.61	19	24	<4	6	291	6.6	<5	<5	111
STD DST6	Standard			12	119	41	157	0.9	32	12	900	3.63	20	33	<4	5	293	6.6	<5	<5	110
STD OXD57	Standard		418																		
STD OXD57	Standard		441																		
STD OXD57	Standard		422																		
STD OXD57	Standard		420																		
STD OXD57	Standard		411																		
STD OXD57	Standard		410																		
STD OXD57	Standard		388																		
STD OXD57	Standard		416																		
STD OXD57 Expected			413																		
STD DST6 Expected				12.7	129.7	36.7	176	0.365	30.4	13.7	980	3.91	24.3	7.8	0	6.9	298	5.6	5.39	4.7	115
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

QUALITY CONTROL REPORT VAN08006654.1

	Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
Pulp Duplicates																		
G986208	Rock Chip	0.62	0.017	39	49	0.81	776	0.29	7.53	1.36	3.06	10	16	6	7	12	2	11
REP G986208	QC																	
E037068	Rock Chip	0.43	0.051	33	44	0.57	1220	0.28	6.46	2.05	1.69	6	8	5	9	9	2	11
REP E037068	QC	0.43	0.051	33	44	0.58	1203	0.28	6.36	2.00	1.94	<4	8	5	9	8	2	11
Reference Materials																		
STD DST6	Standard	2.10	0.090	24	222	1.04	700	0.37	6.81	1.61	1.55	10	63	9	14	10	3	12
STD DST6	Standard	2.17	0.086	24	217	1.04	666	0.35	7.13	1.65	1.48	8	59	9	14	11	3	12
STD DST6	Standard	2.15	0.089	24	231	1.06	674	0.37	7.08	1.69	1.50	11	55	10	14	10	3	12
STD DST6	Standard	2.14	0.087	23	230	1.03	677	0.36	6.99	1.66	1.50	9	57	11	14	9	3	12
STD DST6	Standard	2.03	0.090	23	196	0.98	627	0.37	6.56	1.56	1.39	10	50	8	13	11	3	11
STD DST6	Standard	2.02	0.091	22	184	0.98	632	0.37	6.46	1.59	1.41	14	51	8	12	11	3	11
STD OXD57	Standard																	
STD OXD57	Standard																	
STD OXD57	Standard																	
STD OXD57	Standard																	
STD OXD57	Standard																	
STD OXD57	Standard																	
STD OXD57	Standard																	
STD OXD57	Standard																	
STD OXD57 Expected																		
STD DST6 Expected		2.26	0.099	25.7	230	1.03	702	0.387	6.92	1.673	1.42	7.4	50.1	6.3	15.2	8.11	3.3	10.1
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

QUALITY CONTROL REPORT VAN08006654.1

		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
BLK	Blank		<2																		
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
Prep Wash																					
G1	Prep Blank	<0.01	<2	<2	2	25	54	<0.5	3	5	763	2.51	<5	<20	<4	6	688	<0.4	<5	<5	51
G1	Prep Blank	<0.01	<2	<2	2	24	55	<0.5	4	5	772	2.30	<5	<20	<4	6	708	0.5	<5	<5	50

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

QUALITY CONTROL REPORT VAN08006654.1

		1E Ca % 0.01	1E P % 0.002	1E La ppm 2	1E Cr ppm 2	1E Mg % 0.01	1E Ba ppm 1	1E Ti % 0.01	1E Al % 0.01	1E Na % 0.01	1E K % 0.01	1E W ppm 4	1E Zr ppm 2	1E Sn ppm 2	1E Y ppm 2	1E Nb ppm 2	1E Be ppm 1	1E Sc ppm 1
BLK	Blank																	
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	0.07	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
Prep Wash																		
G1	Prep Blank	2.47	0.080	23	8	0.69	987	0.24	7.71	2.54	3.03	<4	7	4	13	24	3	6
G1	Prep Blank	2.46	0.077	22	8	0.66	945	0.24	7.66	2.49	3.05	<4	8	3	13	23	2	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

CERTIFICATE OF ANALYSIS VAN08006654.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G987708	Rock Chip	1.34	<2	<2	3	14	66	<0.5	19	7	301	2.25	16	<20	<4	19	497	<0.4	<5	<5	36
G987728	Rock Chip	1.00	<2	<2	3	20	41	<0.5	14	6	280	1.76	22	<20	<4	17	519	<0.4	<5	5	28
G987748	Rock Chip	0.92	<2	<2	3	14	48	<0.5	19	7	305	2.43	18	<20	<4	19	525	<0.4	<5	6	37
G019408	Rock Chip	0.80	<2	<2	34	<5	45	<0.5	45	17	299	3.78	87	<20	<4	18	312	0.7	<5	6	85
G019428	Rock Chip	0.39	<2	<2	15	<5	28	<0.5	10	3	201	1.94	23	<20	<4	12	59	<0.4	<5	<5	30
G019448	Rock Chip	0.81	<2	<2	17	<5	31	<0.5	12	4	512	1.58	<5	<20	<4	12	181	<0.4	<5	<5	35
G987768	Rock Chip	0.90	<2	<2	<2	20	41	<0.5	22	8	317	2.21	7	<20	<4	18	518	0.6	<5	6	38
G987788	Rock Chip	0.81	<2	<2	<2	15	10	<0.5	4	<2	106	0.65	25	<20	<4	21	414	<0.4	<5	8	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: July 11, 2008

CERTIFICATE OF ANALYSIS VAN08006654.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G987708	Rock Chip	2.41	0.060	35	25	0.80	1540	0.31	8.05	2.14	2.32	<4	20	3	12	15	4	7
G987728	Rock Chip	2.48	0.045	28	19	0.62	1170	0.25	7.74	2.30	2.11	<4	20	5	19	17	4	6
G987748	Rock Chip	2.67	0.060	37	26	0.83	1579	0.32	7.69	2.11	1.82	<4	14	5	13	15	3	7
G019408	Rock Chip	0.65	0.035	48	63	1.11	908	0.42	10.23	1.88	2.95	4	29	9	9	13	3	15
G019428	Rock Chip	2.18	0.033	24	23	0.30	430	0.13	4.15	0.04	1.21	15	23	3	8	4	1	5
G019448	Rock Chip	2.56	0.022	26	21	1.04	672	0.14	4.40	0.82	1.61	<4	20	2	8	4	1	5
G987768	Rock Chip	2.87	0.061	39	26	0.83	1815	0.31	7.94	1.95	2.32	<4	14	6	12	15	3	8
G987788	Rock Chip	1.27	0.009	13	17	0.20	940	0.06	6.73	2.32	2.56	<4	30	<2	14	13	5	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Submitted By: William Hay
Receiving Lab: Canada-Vancouver
Received: July 04, 2008
Report Date: August 04, 2008
Page: 1 of 4

CERTIFICATE OF ANALYSIS VAN08007001.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 61

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
P200	61	Pulverize to 85% passing 200 mesh		
Split Reject	61	Reject sample split/packet		
3B	61	Fire assay fusion Au by ICP-ES	30	Completed
1ED	61	4 Acid digestion ICP-ES analysis	0.25	Completed

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2
Canada

CC: Jeff Scully

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

CERTIFICATE OF ANALYSIS VAN08007001.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G986368	Rock Chip	0.68	<2	<2	45	30	60	<0.5	24	9	332	2.91	6	<20	<4	20	216	<0.4	<5	<5	65
G986388	Rock Chip	1.07	<2	<2	6	13	52	<0.5	26	9	150	3.29	5	<20	<4	14	130	<0.4	<5	<5	70
G986408	Rock Chip	1.27	<2	<2	38	17	46	<0.5	8	<2	141	3.40	176	<20	<4	19	310	<0.4	11	6	49
G986428	Rock Chip	1.62	<2	<2	13	14	46	<0.5	17	5	389	2.08	10	<20	<4	13	154	0.6	<5	<5	41
G986448	Rock Chip	0.93	<2	3	5	6	62	<0.5	26	11	1314	4.28	8	<20	<4	13	442	1.2	7	<5	50
G986468	Rock Chip	1.08	<2	<2	39	33	122	<0.5	47	17	592	5.29	45	<20	<4	20	181	0.9	7	<5	109
G986488	Rock Chip	1.17	<2	<2	27	24	47	<0.5	25	12	339	2.45	28	<20	<4	16	138	0.6	5	<5	46
G986508	Rock Chip	1.28	<2	<2	47	13	74	<0.5	29	13	833	3.90	33	<20	<4	15	176	1.1	<5	<5	76
G986528	Rock Chip	1.29	<2	21	26	<5	43	<0.5	73	6	182	1.37	23	<20	<4	4	193	0.6	<5	<5	575
G986548	Rock Chip	1.15	<2	<2	<2	29	19	<0.5	9	3	186	1.06	<5	<20	<4	19	529	0.7	<5	<5	20
G986568	Rock Chip	0.86	<2	<2	6	25	68	<0.5	19	7	357	2.20	7	<20	<4	22	554	0.7	<5	<5	43
G986588	Rock Chip	1.14	<2	<2	5	34	60	<0.5	17	5	296	1.80	40	<20	<4	18	460	0.6	<5	<5	34
G987588	Rock Chip	0.87	<2	<2	3	37	53	<0.5	17	7	289	2.05	7	<20	<4	17	485	0.9	<5	<5	37
G986668	Rock Chip	0.99	<2	<2	22	15	75	<0.5	30	10	472	3.43	23	<20	<4	17	200	0.7	<5	<5	73
G986688	Rock Chip	1.07	<2	<2	11	17	28	<0.5	24	11	258	2.10	18	<20	<4	12	218	<0.4	7	6	54
G986708	Rock Chip	0.76	5	12	27	16	47	<0.5	25	9	526	2.55	33	<20	<4	17	262	<0.4	8	<5	70
G986728	Rock Chip	0.97	<2	<2	10	<5	63	<0.5	37	10	304	4.89	14	<20	<4	19	240	<0.4	6	<5	104
G986748	Rock Chip	1.04	2	<2	21	18	68	<0.5	27	9	639	3.54	18	<20	<4	17	245	<0.4	5	<5	73
G986768	Rock Chip	0.88	<2	<2	11	8	32	<0.5	15	4	240	1.81	6	<20	<4	11	73	<0.4	<5	<5	35
G986788	Rock Chip	1.09	<2	<2	34	<5	109	<0.5	46	18	1879	7.46	7	<20	<4	20	490	0.6	<5	<5	98
G986808	Rock Chip	1.16	4	<2	27	<5	88	<0.5	44	13	469	4.78	<5	<20	<4	21	269	<0.4	<5	<5	113
G986828	Rock Chip	1.13	<2	<2	3	<5	52	<0.5	36	10	639	3.16	9	<20	<4	19	612	0.5	10	<5	74
G986848	Rock Chip	0.99	<2	<2	<2	<5	42	<0.5	14	8	564	2.78	11	<20	<4	23	742	<0.4	6	<5	74
G986868	Rock Chip	0.84	<2	<2	19	<5	75	<0.5	28	10	642	3.81	<5	<20	<4	19	253	0.5	5	<5	90
G986888	Rock Chip	1.09	<2	<2	18	<5	47	<0.5	15	6	351	2.17	18	<20	<4	19	582	0.5	7	<5	41
G986908	Rock Chip	0.84	<2	<2	<2	8	19	<0.5	13	4	244	1.38	10	<20	<4	19	439	<0.4	6	<5	27
G986968	Rock Chip	0.99	<2	<2	16	<5	32	<0.5	19	7	459	2.32	96	<20	<4	14	97	<0.4	5	<5	55
G986988	Rock Chip	1.21	2	<2	6	13	25	<0.5	17	5	314	1.67	5	<20	<4	23	519	<0.4	<5	<5	36
E037268	Rock Chip	1.26	<2	<2	17	<5	36	<0.5	14	4	631	2.39	11	<20	<4	11	91	<0.4	8	<5	48
E037288	Rock Chip	0.82	<2	<2	16	<5	25	<0.5	17	4	428	1.95	8	<20	<4	9	132	<0.4	<5	<5	41

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

CERTIFICATE OF ANALYSIS VAN08007001.1

		Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
		Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G986368	Rock Chip		1.65	0.020	39	42	0.81	966	0.28	7.59	1.84	3.43	9	34	3	10	10	2	10
G986388	Rock Chip		0.35	0.041	32	45	0.60	869	0.30	6.21	1.71	2.74	<4	8	2	8	9	2	12
G986408	Rock Chip		0.56	0.019	31	34	0.50	566	0.20	7.69	1.90	2.60	12	27	5	10	10	4	8
G986428	Rock Chip		1.54	0.030	30	29	0.56	467	0.23	4.88	0.86	2.02	10	21	<2	10	7	1	6
G986448	Rock Chip		6.09	0.021	42	35	0.89	204	0.22	4.18	1.38	0.64	>200	25	6	12	12	6	7
G986468	Rock Chip		1.22	0.071	52	72	1.29	750	0.49	9.96	1.36	2.53	24	27	3	14	15	3	15
G986488	Rock Chip		0.67	0.025	30	31	0.77	818	0.21	6.38	1.58	2.79	9	28	<2	7	5	2	7
G986508	Rock Chip		2.28	0.035	36	45	1.06	872	0.35	6.50	0.74	2.76	18	25	<2	13	10	2	11
G986528	Rock Chip		1.72	0.083	18	34	0.64	1754	0.14	2.81	0.76	0.87	>200	20	<2	17	5	2	6
G986548	Rock Chip		2.38	0.024	18	16	0.44	770	0.13	6.93	2.37	2.73	50	26	<2	18	13	5	4
G986568	Rock Chip		2.97	0.059	34	24	0.80	1550	0.33	8.17	2.29	3.10	11	17	<2	15	15	4	7
G986588	Rock Chip		2.55	0.051	28	19	0.61	1301	0.28	7.63	2.07	3.08	12	20	3	11	14	4	6
G987588	Rock Chip		2.73	0.053	31	22	0.70	1533	0.28	7.59	1.91	3.06	<4	16	<2	12	13	3	6
G986668	Rock Chip		0.49	0.021	38	48	0.87	827	0.34	7.58	1.58	2.65	4	24	<2	8	10	2	11
G986688	Rock Chip		1.56	0.123	28	26	0.65	783	0.22	6.10	1.98	2.74	5	18	4	12	8	2	9
G986708	Rock Chip		2.53	0.050	38	25	0.72	1057	0.33	7.38	1.89	2.78	7	31	<2	13	13	2	11
G986728	Rock Chip		0.72	0.101	49	41	0.92	1123	0.44	8.87	1.56	3.77	<4	13	<2	11	14	3	15
G986748	Rock Chip		1.59	0.045	33	36	0.91	605	0.37	6.81	1.29	2.64	8	27	<2	11	13	2	10
G986768	Rock Chip		0.82	0.041	23	16	0.42	364	0.20	3.91	1.03	1.52	<4	10	<2	5	6	<1	5
G986788	Rock Chip		7.66	0.052	49	43	1.37	879	0.38	8.09	1.26	2.48	>200	40	<2	14	16	4	13
G986808	Rock Chip		2.11	0.085	56	47	1.20	883	0.48	9.57	1.72	3.55	12	23	<2	14	17	3	15
G986828	Rock Chip		4.72	0.113	51	29	1.50	1588	0.47	8.34	2.31	2.80	<4	16	3	14	17	4	14
G986848	Rock Chip		4.44	0.104	54	22	1.50	1470	0.40	8.43	2.48	2.50	8	12	<2	12	18	4	11
G986868	Rock Chip		1.81	0.046	46	41	1.09	901	0.40	7.92	1.65	3.10	67	21	<2	13	15	2	14
G986888	Rock Chip		2.76	0.068	43	19	0.85	1960	0.28	8.13	1.95	3.22	<4	19	<2	12	15	3	6
G986908	Rock Chip		2.23	0.049	31	14	0.52	926	0.19	6.55	2.01	2.55	>200	15	2	14	14	4	5
G986968	Rock Chip		0.37	0.040	30	24	0.56	866	0.28	5.39	0.85	2.58	9	19	<2	6	9	2	8
G986988	Rock Chip		3.10	0.063	43	12	0.71	1297	0.28	7.67	2.04	3.07	5	20	4	13	13	3	6
E037268	Rock Chip		0.44	0.052	28	24	0.68	497	0.24	5.48	1.37	1.94	<4	18	<2	7	8	1	7
E037288	Rock Chip		1.31	0.026	21	22	0.77	397	0.18	4.16	0.99	1.29	10	16	3	7	8	2	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

CERTIFICATE OF ANALYSIS VAN08007001.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
E037308	Rock Chip	0.95	<2	12	28	<5	133	<0.5	55	7	358	2.24	25	<20	<4	9	85	1.5	7	<5	324
E037328	Rock Chip	0.94	6	61	15	7	824	<0.5	27	17	1301	4.32	862	<20	<4	16	39	6.7	131	<5	82
E037348	Rock Chip	0.99	<2	<2	<2	23	183	<0.5	16	5	292	1.63	11	<20	<4	21	498	1.4	6	<5	34
E037368	Rock Chip	0.99	<2	<2	<2	5	38	<0.5	19	5	319	1.97	19	<20	<4	20	537	<0.4	9	<5	42
G987808	Rock Chip	0.88	<2	3	24	<5	80	<0.5	27	10	728	3.46	37	<20	<4	16	234	<0.4	10	<5	75
G987828	Rock Chip	1.29	<2	8	14	<5	89	<0.5	64	16	1844	7.18	43	<20	<4	11	243	0.4	8	<5	144
G987848	Rock Chip	0.88	<2	<2	19	7	40	<0.5	25	8	297	2.17	93	<20	<4	19	261	<0.4	15	<5	76
G987868	Rock Chip	0.87	<2	<2	2	<5	19	<0.5	17	6	248	1.70	22	<20	<4	21	533	<0.4	8	<5	36
G987888	Rock Chip	0.95	<2	<2	3	12	40	<0.5	20	6	288	1.72	<5	<20	<4	15	682	0.5	<5	<5	43
G987909	Rock Chip	0.97	<2	<2	4	18	47	<0.5	19	7	308	2.04	<5	<20	<4	20	572	<0.4	<5	<5	39
G987928	Rock Chip	0.84	<2	<2	4	16	37	<0.5	15	5	344	1.76	<5	<20	<4	19	712	0.4	<5	<5	40
G987948	Rock Chip	0.84	<2	<2	11	36	81	<0.5	19	8	398	2.36	7	<20	<4	19	456	<0.4	<5	<5	41
E038268	Rock Chip	1.03	<2	5	4	<5	174	<0.5	27	15	3073	7.46	<5	<20	<4	13	493	1.2	<5	9	81
E038288	Rock Chip	1.11	11	<2	3	<5	38	<0.5	20	11	474	2.25	2257	<20	<4	25	494	<0.4	<5	<5	36
E038308	Rock Chip	1.06	<2	12	12	<5	114	<0.5	29	19	2748	8.47	<5	<20	<4	13	516	0.7	<5	5	74
E038328	Rock Chip	1.06	<2	<2	27	8	128	<0.5	18	6	250	1.73	46	<20	<4	15	209	<0.4	<5	<5	42
E038348	Rock Chip	0.96	2	<2	66	10	100	<0.5	52	21	437	4.06	9	<20	<4	16	237	<0.4	<5	<5	99
E038368	Rock Chip	0.78	<2	<2	21	17	64	<0.5	27	11	1072	3.28	10	<20	<4	16	53	<0.4	7	<5	71
G989508	Rock Chip	0.99	<2	<2	2	19	9	<0.5	3	<2	73	0.34	37	<20	<4	19	393	<0.4	<5	<5	3
G989528	Rock Chip	0.83	3	<2	3	30	6	<0.5	3	<2	77	0.32	11	<20	<4	20	331	<0.4	<5	<5	<2
G989548	Rock Chip	0.99	<2	<2	43	<5	43	<0.5	29	11	883	2.55	6	<20	<4	14	469	1.2	<5	<5	65
G989568	Rock Chip	0.98	<2	3	7	7	38	<0.5	21	8	438	2.28	7	<20	<4	19	188	<0.4	<5	<5	55
G989588	Rock Chip	0.89	<2	<2	13	21	12	<0.5	9	4	207	1.28	11	<20	<4	22	554	<0.4	<5	<5	38
E037008	Rock Chip	1.01	<2	<2	36	9	43	<0.5	24	10	442	2.31	6	<20	<4	15	299	0.8	<5	<5	48
E037028	Rock Chip	0.91	<2	<2	9	12	22	<0.5	16	7	270	1.66	8	<20	<4	11	171	<0.4	<5	<5	35
E037168	Rock Chip	0.94	<2	<2	19	12	39	<0.5	25	8	504	3.12	7	<20	<4	19	395	<0.4	<5	<5	71
E038008	Rock Chip	0.87	<2	<2	28	19	28	<0.5	19	7	500	2.17	30	<20	<4	14	307	<0.4	<5	<5	57
E038028	Rock Chip	1.00	<2	<2	3	16	28	<0.5	10	7	380	2.06	8	<20	<4	18	783	0.6	<5	<5	60
E038048	Rock Chip	0.88	<2	19	31	<5	78	<0.5	75	6	121	1.29	74	<20	<4	7	111	0.8	<5	<5	579
E037188	Rock Chip	1.10	<2	<2	3	30	44	<0.5	17	5	311	1.89	12	<20	<4	21	547	0.4	<5	<5	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

CERTIFICATE OF ANALYSIS VAN08007001.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
E037308	Rock Chip	1.39	0.070	24	32	0.65	665	0.13	4.14	0.64	1.88	98	19	<2	13	5	2	6
E037328	Rock Chip	1.04	0.068	100	28	0.05	180	0.20	4.42	0.02	0.42	>200	21	7	20	7	2	8
E037348	Rock Chip	2.70	0.052	35	17	0.61	1186	0.27	7.47	2.20	2.94	29	18	<2	12	13	3	6
E037368	Rock Chip	2.74	0.062	38	17	0.75	1527	0.30	7.71	2.01	3.19	10	18	<2	13	15	3	7
G987808	Rock Chip	2.48	0.037	40	36	0.99	712	0.33	7.20	0.99	2.45	169	30	<2	11	12	2	11
G987828	Rock Chip	6.59	0.034	48	26	1.26	741	0.16	3.64	0.95	1.07	>200	13	<2	11	9	4	7
G987848	Rock Chip	1.39	0.044	58	28	0.81	949	0.31	7.07	1.38	2.59	>200	16	5	10	14	3	12
G987868	Rock Chip	2.64	0.056	38	13	0.67	1384	0.27	7.50	2.24	2.94	>200	19	<2	15	15	3	6
G987888	Rock Chip	3.51	0.063	30	29	0.81	1168	0.33	6.82	2.60	2.00	12	15	<2	11	17	4	8
G987909	Rock Chip	2.73	0.059	39	28	0.86	1514	0.31	6.93	2.33	2.95	10	13	3	14	19	4	7
G987928	Rock Chip	3.39	0.062	45	23	0.88	988	0.30	6.60	2.76	2.04	24	17	5	16	21	6	7
G987948	Rock Chip	2.28	0.058	38	25	0.87	1445	0.30	6.73	2.06	3.57	<4	16	3	13	17	4	7
E038268	Rock Chip	18.11	0.050	31	38	2.11	63	0.31	4.96	0.41	0.12	>200	37	12	19	16	3	10
E038288	Rock Chip	4.64	0.058	37	27	0.71	953	0.31	6.93	2.14	1.94	6	15	2	13	18	5	7
E038308	Rock Chip	11.74	0.067	38	37	1.44	431	0.30	6.50	1.23	0.78	>200	28	10	23	19	7	12
E038328	Rock Chip	0.99	0.022	29	27	0.68	933	0.19	5.34	1.13	2.50	11	22	2	9	7	2	6
E038348	Rock Chip	0.74	0.038	44	63	1.39	1070	0.32	8.76	1.35	2.83	<4	46	<2	10	7	3	16
E038368	Rock Chip	1.64	0.028	42	46	0.54	817	0.36	7.26	0.18	2.51	18	26	3	10	15	2	12
G989508	Rock Chip	1.06	0.004	8	12	0.08	517	0.04	6.14	2.63	2.09	6	22	<2	16	13	7	2
G989528	Rock Chip	0.85	0.002	5	8	0.05	458	0.03	6.29	2.72	2.67	<4	24	3	19	14	6	1
G989548	Rock Chip	4.88	0.074	34	45	2.15	952	0.30	6.93	1.38	2.04	<4	37	<2	19	7	3	11
G989568	Rock Chip	0.94	0.024	38	45	0.77	926	0.33	7.15	1.31	2.83	<4	27	<2	8	9	3	10
G989588	Rock Chip	2.37	0.032	35	17	0.46	1070	0.16	6.90	2.01	2.46	<4	26	<2	10	10	3	4
E037008	Rock Chip	2.38	0.039	33	38	0.63	582	0.24	5.71	1.66	1.78	>200	25	<2	13	6	2	8
E037028	Rock Chip	0.58	0.014	22	27	0.44	334	0.19	5.19	1.88	1.60	<4	12	<2	5	5	1	5
E037168	Rock Chip	1.68	0.037	41	50	0.92	603	0.42	7.38	1.93	2.33	5	21	<2	13	11	3	11
E038008	Rock Chip	2.72	0.022	29	34	0.99	727	0.26	6.12	1.35	1.94	39	17	<2	13	8	3	8
E038028	Rock Chip	4.24	0.075	36	28	1.26	1258	0.35	7.21	2.37	1.56	>200	18	<2	11	13	3	9
E038048	Rock Chip	0.69	0.062	16	58	0.60	2515	0.15	3.51	0.74	1.56	<4	23	<2	11	2	2	6
E037188	Rock Chip	2.78	0.059	39	35	0.73	1330	0.30	7.66	2.10	2.99	5	16	<2	13	13	3	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

CERTIFICATE OF ANALYSIS VAN08007001.1

	Method	WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
E037208	Rock Chip	0.75	<2	<2	<2	17	31	<0.5	17	5	150	1.66	85	<20	<4	21	509	0.5	<5	<5	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

CERTIFICATE OF ANALYSIS VAN08007001.1

	Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
E037208	Rock Chip	1.72	0.059	32	22	0.49	1783	0.30	7.67	1.88	3.03	18	15	<2	9	13	4	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

QUALITY CONTROL REPORT VAN08007001.1

	Method	WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
Pulp Duplicates																					
G986728	Rock Chip	0.97	<2	<2	10	<5	63	<0.5	37	10	304	4.89	14	<20	<4	19	240	<0.4	6	<5	104
REP G986728	QC		<2																		
G986828	Rock Chip	1.13	<2	<2	3	<5	52	<0.5	36	10	639	3.16	9	<20	<4	19	612	0.5	10	<5	74
REP G986828	QC			<2	3	16	52	<0.5	37	10	642	3.21	14	<20	<4	20	611	0.6	<5	<5	75
E037368	Rock Chip	0.99	<2	<2	<2	5	38	<0.5	19	5	319	1.97	19	<20	<4	20	537	<0.4	9	<5	42
REP E037368	QC		<2																		
E038368	Rock Chip	0.78	<2	<2	21	17	64	<0.5	27	11	1072	3.28	10	<20	<4	16	53	<0.4	7	<5	71
REP E038368	QC		<2																		
E037168	Rock Chip	0.94	<2	<2	19	12	39	<0.5	25	8	504	3.12	7	<20	<4	19	395	<0.4	<5	<5	71
REP E037168	QC			<2	19	14	38	<0.5	24	9	489	3.04	14	<20	<4	15	384	0.5	<5	<5	69
Reference Materials																					
STD DST6	Standard			12	120	25	165	<0.5	31	13	898	3.88	23	<20	<4	8	296	6.4	<5	7	105
STD DST6	Standard			13	123	24	167	0.6	31	13	987	3.92	24	<20	<4	8	326	6.8	6	<5	110
STD DST6	Standard			11	112	26	141	0.5	30	9	918	3.68	33	<20	<4	8	305	6.0	10	<5	108
STD DST6	Standard			11	121	26	147	<0.5	30	11	928	3.78	33	<20	<4	7	306	5.9	12	<5	112
STD DST6	Standard			10	106	43	154	<0.5	28	11	888	3.59	25	<20	<4	7	301	5.6	<5	<5	89
STD DST6	Standard			11	118	28	148	<0.5	30	12	923	3.58	18	<20	<4	7	313	6.1	<5	<5	100
STD OREAS45P	Standard			<2	735	25	148	<0.5	390	122	1356	20.37	6	<20	<4	12	34	<0.4	<5	<5	292
STD OXD57	Standard		417																		
STD OXD57	Standard		400																		
STD OXD57	Standard		416																		
STD OXD57	Standard		415																		
STD OXD57	Standard		418																		
STD OXD57	Standard		475																		
STD OXE56	Standard		585																		
STD OXE56	Standard		608																		
STD OXH55	Standard		1180																		
STD OXH55	Standard		1236																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Submitted By: William Hay
Receiving Lab: Canada-Vancouver
Received: July 04, 2008
Report Date: August 04, 2008
Page: 1 of 4

CERTIFICATE OF ANALYSIS VAN08007001.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 61

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
P200	61	Pulverize to 85% passing 200 mesh		
Split Reject	61	Reject sample split/packet		
3B	61	Fire assay fusion Au by ICP-ES	30	Completed
1ED	61	4 Acid digestion ICP-ES analysis	0.25	Completed

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2
Canada

CC: Jeff Scully

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

CERTIFICATE OF ANALYSIS VAN08007001.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G986368	Rock Chip	0.68	<2	<2	45	30	60	<0.5	24	9	332	2.91	6	<20	<4	20	216	<0.4	<5	<5	65
G986388	Rock Chip	1.07	<2	<2	6	13	52	<0.5	26	9	150	3.29	5	<20	<4	14	130	<0.4	<5	<5	70
G986408	Rock Chip	1.27	<2	<2	38	17	46	<0.5	8	<2	141	3.40	176	<20	<4	19	310	<0.4	11	6	49
G986428	Rock Chip	1.62	<2	<2	13	14	46	<0.5	17	5	389	2.08	10	<20	<4	13	154	0.6	<5	<5	41
G986448	Rock Chip	0.93	<2	3	5	6	62	<0.5	26	11	1314	4.28	8	<20	<4	13	442	1.2	7	<5	50
G986468	Rock Chip	1.08	<2	<2	39	33	122	<0.5	47	17	592	5.29	45	<20	<4	20	181	0.9	7	<5	109
G986488	Rock Chip	1.17	<2	<2	27	24	47	<0.5	25	12	339	2.45	28	<20	<4	16	138	0.6	5	<5	46
G986508	Rock Chip	1.28	<2	<2	47	13	74	<0.5	29	13	833	3.90	33	<20	<4	15	176	1.1	<5	<5	76
G986528	Rock Chip	1.29	<2	21	26	<5	43	<0.5	73	6	182	1.37	23	<20	<4	4	193	0.6	<5	<5	575
G986548	Rock Chip	1.15	<2	<2	<2	29	19	<0.5	9	3	186	1.06	<5	<20	<4	19	529	0.7	<5	<5	20
G986568	Rock Chip	0.86	<2	<2	6	25	68	<0.5	19	7	357	2.20	7	<20	<4	22	554	0.7	<5	<5	43
G986588	Rock Chip	1.14	<2	<2	5	34	60	<0.5	17	5	296	1.80	40	<20	<4	18	460	0.6	<5	<5	34
G987588	Rock Chip	0.87	<2	<2	3	37	53	<0.5	17	7	289	2.05	7	<20	<4	17	485	0.9	<5	<5	37
G986668	Rock Chip	0.99	<2	<2	22	15	75	<0.5	30	10	472	3.43	23	<20	<4	17	200	0.7	<5	<5	73
G986688	Rock Chip	1.07	<2	<2	11	17	28	<0.5	24	11	258	2.10	18	<20	<4	12	218	<0.4	7	6	54
G986708	Rock Chip	0.76	5	12	27	16	47	<0.5	25	9	526	2.55	33	<20	<4	17	262	<0.4	8	<5	70
G986728	Rock Chip	0.97	<2	<2	10	<5	63	<0.5	37	10	304	4.89	14	<20	<4	19	240	<0.4	6	<5	104
G986748	Rock Chip	1.04	2	<2	21	18	68	<0.5	27	9	639	3.54	18	<20	<4	17	245	<0.4	5	<5	73
G986768	Rock Chip	0.88	<2	<2	11	8	32	<0.5	15	4	240	1.81	6	<20	<4	11	73	<0.4	<5	<5	35
G986788	Rock Chip	1.09	<2	<2	34	<5	109	<0.5	46	18	1879	7.46	7	<20	<4	20	490	0.6	<5	<5	98
G986808	Rock Chip	1.16	4	<2	27	<5	88	<0.5	44	13	469	4.78	<5	<20	<4	21	269	<0.4	<5	<5	113
G986828	Rock Chip	1.13	<2	<2	3	<5	52	<0.5	36	10	639	3.16	9	<20	<4	19	612	0.5	10	<5	74
G986848	Rock Chip	0.99	<2	<2	<2	<5	42	<0.5	14	8	564	2.78	11	<20	<4	23	742	<0.4	6	<5	74
G986868	Rock Chip	0.84	<2	<2	19	<5	75	<0.5	28	10	642	3.81	<5	<20	<4	19	253	0.5	5	<5	90
G986888	Rock Chip	1.09	<2	<2	18	<5	47	<0.5	15	6	351	2.17	18	<20	<4	19	582	0.5	7	<5	41
G986908	Rock Chip	0.84	<2	<2	<2	8	19	<0.5	13	4	244	1.38	10	<20	<4	19	439	<0.4	6	<5	27
G986968	Rock Chip	0.99	<2	<2	16	<5	32	<0.5	19	7	459	2.32	96	<20	<4	14	97	<0.4	5	<5	55
G986988	Rock Chip	1.21	2	<2	6	13	25	<0.5	17	5	314	1.67	5	<20	<4	23	519	<0.4	<5	<5	36
E037268	Rock Chip	1.26	<2	<2	17	<5	36	<0.5	14	4	631	2.39	11	<20	<4	11	91	<0.4	8	<5	48
E037288	Rock Chip	0.82	<2	<2	16	<5	25	<0.5	17	4	428	1.95	8	<20	<4	9	132	<0.4	<5	<5	41

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

CERTIFICATE OF ANALYSIS VAN08007001.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G986368	Rock Chip	1.65	0.020	39	42	0.81	966	0.28	7.59	1.84	3.43	9	34	3	10	10	2	10
G986388	Rock Chip	0.35	0.041	32	45	0.60	869	0.30	6.21	1.71	2.74	<4	8	2	8	9	2	12
G986408	Rock Chip	0.56	0.019	31	34	0.50	566	0.20	7.69	1.90	2.60	12	27	5	10	10	4	8
G986428	Rock Chip	1.54	0.030	30	29	0.56	467	0.23	4.88	0.86	2.02	10	21	<2	10	7	1	6
G986448	Rock Chip	6.09	0.021	42	35	0.89	204	0.22	4.18	1.38	0.64	>200	25	6	12	12	6	7
G986468	Rock Chip	1.22	0.071	52	72	1.29	750	0.49	9.96	1.36	2.53	24	27	3	14	15	3	15
G986488	Rock Chip	0.67	0.025	30	31	0.77	818	0.21	6.38	1.58	2.79	9	28	<2	7	5	2	7
G986508	Rock Chip	2.28	0.035	36	45	1.06	872	0.35	6.50	0.74	2.76	18	25	<2	13	10	2	11
G986528	Rock Chip	1.72	0.083	18	34	0.64	1754	0.14	2.81	0.76	0.87	>200	20	<2	17	5	2	6
G986548	Rock Chip	2.38	0.024	18	16	0.44	770	0.13	6.93	2.37	2.73	50	26	<2	18	13	5	4
G986568	Rock Chip	2.97	0.059	34	24	0.80	1550	0.33	8.17	2.29	3.10	11	17	<2	15	15	4	7
G986588	Rock Chip	2.55	0.051	28	19	0.61	1301	0.28	7.63	2.07	3.08	12	20	3	11	14	4	6
G987588	Rock Chip	2.73	0.053	31	22	0.70	1533	0.28	7.59	1.91	3.06	<4	16	<2	12	13	3	6
G986668	Rock Chip	0.49	0.021	38	48	0.87	827	0.34	7.58	1.58	2.65	4	24	<2	8	10	2	11
G986688	Rock Chip	1.56	0.123	28	26	0.65	783	0.22	6.10	1.98	2.74	5	18	4	12	8	2	9
G986708	Rock Chip	2.53	0.050	38	25	0.72	1057	0.33	7.38	1.89	2.78	7	31	<2	13	13	2	11
G986728	Rock Chip	0.72	0.101	49	41	0.92	1123	0.44	8.87	1.56	3.77	<4	13	<2	11	14	3	15
G986748	Rock Chip	1.59	0.045	33	36	0.91	605	0.37	6.81	1.29	2.64	8	27	<2	11	13	2	10
G986768	Rock Chip	0.82	0.041	23	16	0.42	364	0.20	3.91	1.03	1.52	<4	10	<2	5	6	<1	5
G986788	Rock Chip	7.66	0.052	49	43	1.37	879	0.38	8.09	1.26	2.48	>200	40	<2	14	16	4	13
G986808	Rock Chip	2.11	0.085	56	47	1.20	883	0.48	9.57	1.72	3.55	12	23	<2	14	17	3	15
G986828	Rock Chip	4.72	0.113	51	29	1.50	1588	0.47	8.34	2.31	2.80	<4	16	3	14	17	4	14
G986848	Rock Chip	4.44	0.104	54	22	1.50	1470	0.40	8.43	2.48	2.50	8	12	<2	12	18	4	11
G986868	Rock Chip	1.81	0.046	46	41	1.09	901	0.40	7.92	1.65	3.10	67	21	<2	13	15	2	14
G986888	Rock Chip	2.76	0.068	43	19	0.85	1960	0.28	8.13	1.95	3.22	<4	19	<2	12	15	3	6
G986908	Rock Chip	2.23	0.049	31	14	0.52	926	0.19	6.55	2.01	2.55	>200	15	2	14	14	4	5
G986968	Rock Chip	0.37	0.040	30	24	0.56	866	0.28	5.39	0.85	2.58	9	19	<2	6	9	2	8
G986988	Rock Chip	3.10	0.063	43	12	0.71	1297	0.28	7.67	2.04	3.07	5	20	4	13	13	3	6
E037268	Rock Chip	0.44	0.052	28	24	0.68	497	0.24	5.48	1.37	1.94	<4	18	<2	7	8	1	7
E037288	Rock Chip	1.31	0.026	21	22	0.77	397	0.18	4.16	0.99	1.29	10	16	3	7	8	2	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

CERTIFICATE OF ANALYSIS VAN08007001.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
E037308	Rock Chip	0.95	<2	12	28	<5	133	<0.5	55	7	358	2.24	25	<20	<4	9	85	1.5	7	<5	324
E037328	Rock Chip	0.94	6	61	15	7	824	<0.5	27	17	1301	4.32	862	<20	<4	16	39	6.7	131	<5	82
E037348	Rock Chip	0.99	<2	<2	<2	23	183	<0.5	16	5	292	1.63	11	<20	<4	21	498	1.4	6	<5	34
E037368	Rock Chip	0.99	<2	<2	<2	5	38	<0.5	19	5	319	1.97	19	<20	<4	20	537	<0.4	9	<5	42
G987808	Rock Chip	0.88	<2	3	24	<5	80	<0.5	27	10	728	3.46	37	<20	<4	16	234	<0.4	10	<5	75
G987828	Rock Chip	1.29	<2	8	14	<5	89	<0.5	64	16	1844	7.18	43	<20	<4	11	243	0.4	8	<5	144
G987848	Rock Chip	0.88	<2	<2	19	7	40	<0.5	25	8	297	2.17	93	<20	<4	19	261	<0.4	15	<5	76
G987868	Rock Chip	0.87	<2	<2	2	<5	19	<0.5	17	6	248	1.70	22	<20	<4	21	533	<0.4	8	<5	36
G987888	Rock Chip	0.95	<2	<2	3	12	40	<0.5	20	6	288	1.72	<5	<20	<4	15	682	0.5	<5	<5	43
G987909	Rock Chip	0.97	<2	<2	4	18	47	<0.5	19	7	308	2.04	<5	<20	<4	20	572	<0.4	<5	<5	39
G987928	Rock Chip	0.84	<2	<2	4	16	37	<0.5	15	5	344	1.76	<5	<20	<4	19	712	0.4	<5	<5	40
G987948	Rock Chip	0.84	<2	<2	11	36	81	<0.5	19	8	398	2.36	7	<20	<4	19	456	<0.4	<5	<5	41
E038268	Rock Chip	1.03	<2	5	4	<5	174	<0.5	27	15	3073	7.46	<5	<20	<4	13	493	1.2	<5	9	81
E038288	Rock Chip	1.11	11	<2	3	<5	38	<0.5	20	11	474	2.25	2257	<20	<4	25	494	<0.4	<5	<5	36
E038308	Rock Chip	1.06	<2	12	12	<5	114	<0.5	29	19	2748	8.47	<5	<20	<4	13	516	0.7	<5	5	74
E038328	Rock Chip	1.06	<2	<2	27	8	128	<0.5	18	6	250	1.73	46	<20	<4	15	209	<0.4	<5	<5	42
E038348	Rock Chip	0.96	2	<2	66	10	100	<0.5	52	21	437	4.06	9	<20	<4	16	237	<0.4	<5	<5	99
E038368	Rock Chip	0.78	<2	<2	21	17	64	<0.5	27	11	1072	3.28	10	<20	<4	16	53	<0.4	7	<5	71
G989508	Rock Chip	0.99	<2	<2	2	19	9	<0.5	3	<2	73	0.34	37	<20	<4	19	393	<0.4	<5	<5	3
G989528	Rock Chip	0.83	3	<2	3	30	6	<0.5	3	<2	77	0.32	11	<20	<4	20	331	<0.4	<5	<5	<2
G989548	Rock Chip	0.99	<2	<2	43	<5	43	<0.5	29	11	883	2.55	6	<20	<4	14	469	1.2	<5	<5	65
G989568	Rock Chip	0.98	<2	3	7	7	38	<0.5	21	8	438	2.28	7	<20	<4	19	188	<0.4	<5	<5	55
G989588	Rock Chip	0.89	<2	<2	13	21	12	<0.5	9	4	207	1.28	11	<20	<4	22	554	<0.4	<5	<5	38
E037008	Rock Chip	1.01	<2	<2	36	9	43	<0.5	24	10	442	2.31	6	<20	<4	15	299	0.8	<5	<5	48
E037028	Rock Chip	0.91	<2	<2	9	12	22	<0.5	16	7	270	1.66	8	<20	<4	11	171	<0.4	<5	<5	35
E037168	Rock Chip	0.94	<2	<2	19	12	39	<0.5	25	8	504	3.12	7	<20	<4	19	395	<0.4	<5	<5	71
E038008	Rock Chip	0.87	<2	<2	28	19	28	<0.5	19	7	500	2.17	30	<20	<4	14	307	<0.4	<5	<5	57
E038028	Rock Chip	1.00	<2	<2	3	16	28	<0.5	10	7	380	2.06	8	<20	<4	18	783	0.6	<5	<5	60
E038048	Rock Chip	0.88	<2	19	31	<5	78	<0.5	75	6	121	1.29	74	<20	<4	7	111	0.8	<5	<5	579
E037188	Rock Chip	1.10	<2	<2	3	30	44	<0.5	17	5	311	1.89	12	<20	<4	21	547	0.4	<5	<5	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

CERTIFICATE OF ANALYSIS VAN08007001.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
E037308	Rock Chip	1.39	0.070	24	32	0.65	665	0.13	4.14	0.64	1.88	98	19	<2	13	5	2	6
E037328	Rock Chip	1.04	0.068	100	28	0.05	180	0.20	4.42	0.02	0.42	>200	21	7	20	7	2	8
E037348	Rock Chip	2.70	0.052	35	17	0.61	1186	0.27	7.47	2.20	2.94	29	18	<2	12	13	3	6
E037368	Rock Chip	2.74	0.062	38	17	0.75	1527	0.30	7.71	2.01	3.19	10	18	<2	13	15	3	7
G987808	Rock Chip	2.48	0.037	40	36	0.99	712	0.33	7.20	0.99	2.45	169	30	<2	11	12	2	11
G987828	Rock Chip	6.59	0.034	48	26	1.26	741	0.16	3.64	0.95	1.07	>200	13	<2	11	9	4	7
G987848	Rock Chip	1.39	0.044	58	28	0.81	949	0.31	7.07	1.38	2.59	>200	16	5	10	14	3	12
G987868	Rock Chip	2.64	0.056	38	13	0.67	1384	0.27	7.50	2.24	2.94	>200	19	<2	15	15	3	6
G987888	Rock Chip	3.51	0.063	30	29	0.81	1168	0.33	6.82	2.60	2.00	12	15	<2	11	17	4	8
G987909	Rock Chip	2.73	0.059	39	28	0.86	1514	0.31	6.93	2.33	2.95	10	13	3	14	19	4	7
G987928	Rock Chip	3.39	0.062	45	23	0.88	988	0.30	6.60	2.76	2.04	24	17	5	16	21	6	7
G987948	Rock Chip	2.28	0.058	38	25	0.87	1445	0.30	6.73	2.06	3.57	<4	16	3	13	17	4	7
E038268	Rock Chip	18.11	0.050	31	38	2.11	63	0.31	4.96	0.41	0.12	>200	37	12	19	16	3	10
E038288	Rock Chip	4.64	0.058	37	27	0.71	953	0.31	6.93	2.14	1.94	6	15	2	13	18	5	7
E038308	Rock Chip	11.74	0.067	38	37	1.44	431	0.30	6.50	1.23	0.78	>200	28	10	23	19	7	12
E038328	Rock Chip	0.99	0.022	29	27	0.68	933	0.19	5.34	1.13	2.50	11	22	2	9	7	2	6
E038348	Rock Chip	0.74	0.038	44	63	1.39	1070	0.32	8.76	1.35	2.83	<4	46	<2	10	7	3	16
E038368	Rock Chip	1.64	0.028	42	46	0.54	817	0.36	7.26	0.18	2.51	18	26	3	10	15	2	12
G989508	Rock Chip	1.06	0.004	8	12	0.08	517	0.04	6.14	2.63	2.09	6	22	<2	16	13	7	2
G989528	Rock Chip	0.85	0.002	5	8	0.05	458	0.03	6.29	2.72	2.67	<4	24	3	19	14	6	1
G989548	Rock Chip	4.88	0.074	34	45	2.15	952	0.30	6.93	1.38	2.04	<4	37	<2	19	7	3	11
G989568	Rock Chip	0.94	0.024	38	45	0.77	926	0.33	7.15	1.31	2.83	<4	27	<2	8	9	3	10
G989588	Rock Chip	2.37	0.032	35	17	0.46	1070	0.16	6.90	2.01	2.46	<4	26	<2	10	10	3	4
E037008	Rock Chip	2.38	0.039	33	38	0.63	582	0.24	5.71	1.66	1.78	>200	25	<2	13	6	2	8
E037028	Rock Chip	0.58	0.014	22	27	0.44	334	0.19	5.19	1.88	1.60	<4	12	<2	5	5	1	5
E037168	Rock Chip	1.68	0.037	41	50	0.92	603	0.42	7.38	1.93	2.33	5	21	<2	13	11	3	11
E038008	Rock Chip	2.72	0.022	29	34	0.99	727	0.26	6.12	1.35	1.94	39	17	<2	13	8	3	8
E038028	Rock Chip	4.24	0.075	36	28	1.26	1258	0.35	7.21	2.37	1.56	>200	18	<2	11	13	3	9
E038048	Rock Chip	0.69	0.062	16	58	0.60	2515	0.15	3.51	0.74	1.56	<4	23	<2	11	2	2	6
E037188	Rock Chip	2.78	0.059	39	35	0.73	1330	0.30	7.66	2.10	2.99	5	16	<2	13	13	3	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

CERTIFICATE OF ANALYSIS VAN08007001.1

	Method	WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
E037208	Rock Chip	0.75	<2	<2	<2	17	31	<0.5	17	5	150	1.66	85	<20	<4	21	509	0.5	<5	<5	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

CERTIFICATE OF ANALYSIS VAN08007001.1

	Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
E037208	Rock Chip	1.72	0.059	32	22	0.49	1783	0.30	7.67	1.88	3.03	18	15	<2	9	13	4	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

QUALITY CONTROL REPORT VAN08007001.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
Pulp Duplicates																					
G986728	Rock Chip	0.97	<2	<2	10	<5	63	<0.5	37	10	304	4.89	14	<20	<4	19	240	<0.4	6	<5	104
REP G986728	QC		<2																		
G986828	Rock Chip	1.13	<2	<2	3	<5	52	<0.5	36	10	639	3.16	9	<20	<4	19	612	0.5	10	<5	74
REP G986828	QC			<2	3	16	52	<0.5	37	10	642	3.21	14	<20	<4	20	611	0.6	<5	<5	75
E037368	Rock Chip	0.99	<2	<2	<2	5	38	<0.5	19	5	319	1.97	19	<20	<4	20	537	<0.4	9	<5	42
REP E037368	QC		<2																		
E038368	Rock Chip	0.78	<2	<2	21	17	64	<0.5	27	11	1072	3.28	10	<20	<4	16	53	<0.4	7	<5	71
REP E038368	QC		<2																		
E037168	Rock Chip	0.94	<2	<2	19	12	39	<0.5	25	8	504	3.12	7	<20	<4	19	395	<0.4	<5	<5	71
REP E037168	QC			<2	19	14	38	<0.5	24	9	489	3.04	14	<20	<4	15	384	0.5	<5	<5	69
Reference Materials																					
STD DST6	Standard			12	120	25	165	<0.5	31	13	898	3.88	23	<20	<4	8	296	6.4	<5	7	105
STD DST6	Standard			13	123	24	167	0.6	31	13	987	3.92	24	<20	<4	8	326	6.8	6	<5	110
STD DST6	Standard			11	112	26	141	0.5	30	9	918	3.68	33	<20	<4	8	305	6.0	10	<5	108
STD DST6	Standard			11	121	26	147	<0.5	30	11	928	3.78	33	<20	<4	7	306	5.9	12	<5	112
STD DST6	Standard			10	106	43	154	<0.5	28	11	888	3.59	25	<20	<4	7	301	5.6	<5	<5	89
STD DST6	Standard			11	118	28	148	<0.5	30	12	923	3.58	18	<20	<4	7	313	6.1	<5	<5	100
STD OREAS45P	Standard			<2	735	25	148	<0.5	390	122	1356	20.37	6	<20	<4	12	34	<0.4	<5	<5	292
STD OXD57	Standard		417																		
STD OXD57	Standard		400																		
STD OXD57	Standard		416																		
STD OXD57	Standard		415																		
STD OXD57	Standard		418																		
STD OXD57	Standard		475																		
STD OXE56	Standard		585																		
STD OXE56	Standard		608																		
STD OXH55	Standard		1180																		
STD OXH55	Standard		1236																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

QUALITY CONTROL REPORT VAN08007001.1

	Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
Pulp Duplicates																		
G986728	Rock Chip	0.72	0.101	49	41	0.92	1123	0.44	8.87	1.56	3.77	<4	13	<2	11	14	3	15
REP G986728	QC																	
G986828	Rock Chip	4.72	0.113	51	29	1.50	1588	0.47	8.34	2.31	2.80	<4	16	3	14	17	4	14
REP G986828	QC	4.75	0.116	50	30	1.52	1616	0.46	8.47	2.32	2.81	<4	16	3	14	17	4	14
E037368	Rock Chip	2.74	0.062	38	17	0.75	1527	0.30	7.71	2.01	3.19	10	18	<2	13	15	3	7
REP E037368	QC																	
E038368	Rock Chip	1.64	0.028	42	46	0.54	817	0.36	7.26	0.18	2.51	18	26	3	10	15	2	12
REP E038368	QC																	
E037168	Rock Chip	1.68	0.037	41	50	0.92	603	0.42	7.38	1.93	2.33	5	21	<2	13	11	3	11
REP E037168	QC	1.63	0.037	39	52	0.90	585	0.41	7.07	1.85	2.27	<4	22	<2	13	12	3	11
Reference Materials																		
STD DST6	Standard	2.08	0.090	23	235	1.07	698	0.36	6.49	1.58	1.53	10	56	10	14	9	3	12
STD DST6	Standard	2.19	0.092	24	220	1.09	710	0.38	6.96	1.75	1.59	11	57	6	14	8	3	12
STD DST6	Standard	2.15	0.095	24	171	1.01	644	0.36	6.85	1.61	1.43	9	57	4	14	11	3	11
STD DST6	Standard	2.14	0.091	25	177	1.04	664	0.36	6.93	1.67	1.48	13	60	6	14	10	3	12
STD DST6	Standard	2.07	0.085	23	227	1.00	626	0.34	6.69	1.58	1.37	6	53	<2	13	7	3	11
STD DST6	Standard	2.00	0.083	23	225	0.99	627	0.37	6.51	1.70	1.46	10	53	6	14	11	3	11
STD OREAS45P	Standard	0.29	0.044	28	1103	0.19	281	1.07	6.98	0.09	0.35	<4	140	<2	13	24	1	71
STD OXD57	Standard																	
STD OXD57	Standard																	
STD OXD57	Standard																	
STD OXD57	Standard																	
STD OXD57	Standard																	
STD OXD57	Standard																	
STD OXE56	Standard																	
STD OXE56	Standard																	
STD OXH55	Standard																	
STD OXH55	Standard																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

QUALITY CONTROL REPORT VAN08007001.1

		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
STD OXD57 Expected			413																		
STD OXE56 Expected			611																		
STD OXH55 Expected			1282																		
STD DST6 Expected				13	130	37	176	0.4	30	14	980	3.91	24	8	0	7	298	5.6	5	5	115
STD OREAS45P Expected				1.9	749	22	141	0.32	385	120	1270	19.22	13.4	2.4	0.055	9.8	32.6	0.2	0.92	0.21	267
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
Prep Wash																					
G1	Prep Blank	<0.01	<2	<2	<2	21	54	<0.5	4	5	820	2.42	<5	<20	<4	9	747	0.6	<5	<5	59
G1	Prep Blank	<0.01	<2	<2	<2	21	56	<0.5	6	5	808	2.41	<5	<20	<4	8	763	0.6	<5	<5	59

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 04, 2008

QUALITY CONTROL REPORT VAN08007001.1

		1E Ca % 0.01	1E P % 0.002	1E La ppm 2	1E Cr ppm 2	1E Mg % 0.01	1E Ba ppm 1	1E Ti % 0.01	1E Al % 0.01	1E Na % 0.01	1E K % 0.01	1E W ppm 4	1E Zr ppm 2	1E Sn ppm 2	1E Y ppm 2	1E Nb ppm 2	1E Be ppm 1	1E Sc ppm 1
STD OXD57 Expected																		
STD OXE56 Expected																		
STD OXH55 Expected																		
STD DST6 Expected		2.26	0.099	26	230	1.03	702	0.387	6.92	1.673	1.42	7	50	6	15	8	3	10
STD OREAS45P Expected		0.3	0.047	24.8	1140	0.22	281	1.18	6.82	0.081	0.35	1.1	279	3.1	18	24		20.19
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
Prep Wash																		
G1	Prep Blank	2.70	0.089	25	5	0.74	1043	0.26	7.80	2.59	3.07	<4	8	<2	14	26	3	6
G1	Prep Blank	2.64	0.084	24	5	0.72	1016	0.26	7.96	2.80	3.04	<4	8	<2	14	20	3	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Submitted By: William Hay
Receiving Lab: Canada-Vancouver
Received: July 11, 2008
Report Date: August 09, 2008
Page: 1 of 4

CERTIFICATE OF ANALYSIS VAN08007208.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 72

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
P200	72	Pulverize to 85% passing 200 mesh		
Split Reject	72	Reject sample split/packet		
3B	72	Fire assay fusion Au by ICP-ES	30	Completed
1ED	72	4 Acid digestion ICP-ES analysis	0.25	Completed

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2
Canada

CC: Hugh Coyle
Jeff Scully

BRITISH COLUMBIA CERTIFIED ASSAYER
RAYMOND CHAN

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 09, 2008

CERTIFICATE OF ANALYSIS VAN08007208.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
E038108	Rock Chip	0.57	3	<2	26	<5	76	<0.5	30	11	624	4.32	268	<20	<4	18	223	<0.4	16	<5	87
E038128	Rock Chip	0.80	<2	<2	3	10	66	<0.5	20	2	629	2.07	29	<20	<4	18	598	<0.4	<5	<5	33
E038148	Rock Chip	0.94	<2	<2	<2	13	58	<0.5	24	4	420	2.62	21	<20	<4	18	549	0.5	<5	<5	44
E038168	Rock Chip	0.75	6	<2	48	<5	65	<0.5	35	11	798	3.71	16	<20	<4	17	213	<0.4	6	<5	69
E038188	Rock Chip	0.77	2	3	26	<5	60	<0.5	27	<2	655	2.92	<5	<20	<4	17	356	0.7	<5	<5	80
E038208	Rock Chip	1.06	<2	<2	<2	<5	53	<0.5	14	5	436	2.97	420	<20	<4	20	656	<0.4	<5	<5	65
E037408	Rock Chip	0.83	<2	<2	12	7	61	<0.5	24	4	659	3.06	8	<20	<4	15	293	<0.4	<5	<5	58
E037428	Rock Chip	0.95	<2	<2	32	<5	42	<0.5	26	5	306	2.36	12	<20	<4	16	295	<0.4	<5	<5	58
E037448	Rock Chip	1.10	<2	<2	4	17	50	<0.5	17	<2	339	1.80	9	<20	<4	18	546	<0.4	<5	<5	31
E037468	Rock Chip	1.27	<2	<2	2	5	35	<0.5	24	3	317	2.16	<5	<20	<4	22	630	<0.4	<5	<5	43
E037488	Rock Chip	0.66	<2	<2	30	8	57	<0.5	22	4	490	2.94	57	<20	<4	16	410	<0.4	10	<5	56
G991108	Rock Chip	1.21	<2	<2	58	9	86	<0.5	52	14	429	3.86	10	<20	<4	18	415	<0.4	<5	<5	90
G991128	Rock Chip	1.14	7	<2	15	6	29	<0.5	12	3	198	1.65	7	<20	<4	12	142	<0.4	<5	<5	35
G991148	Rock Chip	1.09	2	<2	32	<5	73	<0.5	32	11	832	4.65	<5	<20	<4	17	171	<0.4	<5	<5	64
G991168	Rock Chip	1.16	<2	3	12	<5	129	<0.5	34	20	3145	10.10	<5	<20	<4	12	389	2.2	<5	<5	47
G991188	Rock Chip	1.58	5	5	46	7	75	<0.5	41	10	427	3.65	<5	<20	<4	18	256	<0.4	6	<5	81
G991208	Rock Chip	1.55	6	<2	21	<5	25	<0.5	19	5	444	1.64	16	<20	<4	11	127	<0.4	7	<5	36
G991228	Rock Chip	1.04	<2	<2	20	6	45	<0.5	20	5	141	2.24	<5	<20	<4	19	105	<0.4	<5	<5	46
G991248	Rock Chip	0.94	<2	<2	32	<5	45	<0.5	29	10	760	2.31	<5	<20	<4	14	233	<0.4	36	<5	54
G991268	Rock Chip	0.63	<2	<2	19	5	52	<0.5	25	8	433	2.76	<5	<20	<4	14	190	0.7	8	<5	51
G989908	Rock Chip	1.00	<2	<2	19	13	73	<0.5	23	8	765	3.71	<5	<20	<4	18	312	0.6	<5	<5	52
G989928	Rock Chip	0.89	<2	<2	21	<5	70	<0.5	26	7	748	3.38	5	<20	<4	18	169	<0.4	<5	<5	55
G989948	Rock Chip	0.87	<2	<2	25	7	56	<0.5	26	8	507	2.83	<5	<20	<4	17	118	<0.4	9	<5	50
G989968	Rock Chip	0.68	<2	<2	46	<5	79	<0.5	36	8	834	3.74	17	<20	<4	17	194	<0.4	10	<5	77
G989988	Rock Chip	1.38	<2	<2	2	6	42	<0.5	28	6	329	2.46	<5	<20	<4	19	608	<0.4	<5	<5	47
G991008	Rock Chip	1.01	<2	<2	23	<5	39	<0.5	24	7	412	2.47	<5	<20	<4	15	247	<0.4	<5	<5	56
G991028	Rock Chip	1.05	<2	5	13	<5	38	<0.5	17	3	264	2.00	<5	<20	<4	17	215	<0.4	<5	<5	41
G991048	Rock Chip	1.06	<2	17	21	<5	32	<0.5	24	<2	523	2.30	<5	<20	<4	12	288	0.6	<5	<5	59
E039068	Rock Chip	0.70	<2	10	28	<5	125	0.6	68	10	911	4.23	9	<20	<4	12	121	1.2	<5	<5	364
E039088	Rock Chip	1.32	<2	<2	17	<5	62	<0.5	23	7	1129	3.38	5	<20	<4	12	238	0.6	<5	<5	45

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 09, 2008

CERTIFICATE OF ANALYSIS VAN08007208.1

	Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
E038108	Rock Chip	0.52	0.025	37	62	1.19	1466	0.54	8.68	1.52	3.55	30	31	<2	8	14	3	19
E038128	Rock Chip	3.67	0.059	36	25	0.73	804	0.32	7.15	2.24	1.71	14	18	4	15	14	6	7
E038148	Rock Chip	4.43	0.081	41	26	0.91	1168	0.37	7.85	2.37	2.10	<4	15	<2	10	15	5	9
E038168	Rock Chip	2.03	0.045	39	52	1.63	720	0.29	7.63	0.68	3.17	<4	33	<2	12	5	2	13
E038188	Rock Chip	3.96	0.039	39	54	1.14	911	0.31	6.35	1.08	2.29	>200	25	<2	18	9	3	12
E038208	Rock Chip	3.64	0.089	45	34	1.42	1515	0.38	7.60	2.57	2.49	12	16	<2	15	15	5	11
E037408	Rock Chip	3.08	0.031	43	35	0.96	702	0.28	5.46	1.14	1.98	>200	20	<2	13	8	3	11
E037428	Rock Chip	1.49	0.034	36	41	0.88	954	0.25	6.40	1.08	2.28	6	24	<2	11	6	2	10
E037448	Rock Chip	2.91	0.055	33	20	0.65	1053	0.29	6.71	2.25	1.98	11	16	<2	13	14	4	7
E037468	Rock Chip	3.56	0.072	38	29	0.89	1608	0.38	7.48	2.38	2.57	<4	15	<2	15	16	5	8
E037488	Rock Chip	2.80	0.042	34	33	1.39	997	0.30	6.82	1.48	2.21	9	21	<2	14	10	3	10
G991108	Rock Chip	1.26	0.043	38	70	1.05	880	0.44	8.75	2.20	2.77	4	31	<2	11	11	4	13
G991128	Rock Chip	0.72	0.012	25	31	0.39	447	0.20	4.43	1.36	1.55	<4	15	<2	7	6	1	6
G991148	Rock Chip	2.57	0.025	41	50	0.93	557	0.28	6.72	0.83	2.22	128	29	<2	9	8	2	11
G991168	Rock Chip	10.10	0.030	32	37	0.74	517	0.21	5.34	0.95	1.13	>200	24	<2	12	6	3	8
G991188	Rock Chip	1.98	0.044	38	66	1.10	727	0.36	8.21	1.56	2.84	6	31	<2	12	9	3	13
G991208	Rock Chip	1.55	0.023	25	28	0.63	614	0.15	4.30	0.58	1.71	6	21	<2	8	4	1	6
G991228	Rock Chip	0.46	0.027	43	41	0.62	894	0.22	6.31	0.69	2.75	<4	27	<2	8	7	2	8
G991248	Rock Chip	3.40	0.041	32	31	1.73	899	0.20	5.53	0.68	2.07	6	26	<2	13	5	2	8
G991268	Rock Chip	2.70	0.033	32	37	1.20	292	0.15	6.09	0.54	2.50	<4	21	<2	10	3	2	9
G989908	Rock Chip	3.55	0.037	36	37	0.88	540	0.31	6.42	1.25	1.97	27	31	<2	13	10	2	10
G989928	Rock Chip	3.26	0.040	37	37	1.02	1376	0.27	6.17	1.14	2.44	154	23	<2	12	7	2	10
G989948	Rock Chip	1.92	0.022	37	36	0.73	750	0.23	6.10	0.58	2.71	>200	24	<2	12	6	2	9
G989968	Rock Chip	0.70	0.038	37	52	1.17	1242	0.37	7.20	0.94	3.44	<4	32	<2	9	8	3	13
G989988	Rock Chip	3.41	0.083	43	29	1.04	1787	0.43	7.87	2.33	2.79	<4	14	<2	12	16	4	9
G991008	Rock Chip	2.08	0.038	31	36	0.93	898	0.24	5.58	0.83	2.20	19	19	<2	10	7	2	9
G991028	Rock Chip	1.62	0.025	33	53	0.67	697	0.23	5.38	1.10	1.59	<4	20	<2	11	8	2	7
G991048	Rock Chip	4.09	0.036	49	32	1.35	347	0.15	4.08	0.93	1.10	>200	14	<2	12	<2	5	7
E039068	Rock Chip	3.34	0.059	28	50	0.95	3478	0.13	3.98	0.59	1.69	133	25	<2	18	4	2	6
E039088	Rock Chip	4.31	0.019	26	33	1.17	652	0.20	4.89	0.94	1.22	56	19	<2	13	7	3	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 09, 2008

CERTIFICATE OF ANALYSIS VAN08007208.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
E039108	Rock Chip	1.14	<2	<2	<2	56	23	<0.5	5	<2	154	0.50	9	<20	<4	17	249	<0.4	<5	<5	7
E039128	Rock Chip	1.15	<2	<2	32	22	57	0.7	26	9	562	2.58	<5	<20	<4	10	178	<0.4	<5	<5	68
E039148	Rock Chip	1.15	<2	<2	<2	52	15	<0.5	3	<2	138	0.53	8	29	<4	19	443	<0.4	<5	<5	7
E039168	Rock Chip	0.96	<2	<2	11	13	55	<0.5	26	8	198	2.13	<5	23	<4	8	197	<0.4	<5	7	98
E039188	Rock Chip	0.86	<2	8	5	<5	18	<0.5	12	<2	300	1.22	<5	<20	<4	16	548	<0.4	17	18	46
E039368	Rock Chip	0.97	<2	<2	16	25	47	<0.5	17	7	261	1.83	13	<20	<4	15	185	<0.4	<5	<5	42
E039388	Rock Chip	0.91	<2	<2	36	21	89	<0.5	30	12	898	4.24	78	24	<4	13	432	<0.4	<5	<5	71
E039408	Rock Chip	0.86	<2	4	22	46	96	0.6	18	7	444	2.64	16	<20	<4	19	350	<0.4	<5	<5	54
E039428	Rock Chip	0.91	<2	<2	29	33	73	<0.5	36	12	630	3.57	14	<20	<4	15	351	<0.4	<5	8	82
E039448	Rock Chip	1.06	35	3	19	33	79	<0.5	29	10	618	3.53	9	<20	<4	17	261	<0.4	<5	<5	75
E039468	Rock Chip	1.03	<2	<2	14	26	67	0.5	33	12	379	3.19	10	22	<4	14	244	<0.4	<5	<5	78
E039208	Rock Chip	0.97	<2	<2	15	10	40	<0.5	14	5	450	1.88	13	<20	<4	11	168	<0.4	<5	<5	44
E039228	Rock Chip	1.15	<2	3	8	21	25	<0.5	9	3	189	1.14	8	<20	<4	16	384	<0.4	<5	<5	19
E039248	Rock Chip	0.92	<2	<2	18	7	67	<0.5	20	8	782	2.87	6	<20	<4	9	328	<0.4	<5	14	45
E039268	Rock Chip	1.19	<2	<2	20	13	149	<0.5	28	15	1733	5.68	<5	<20	<4	10	457	0.8	<5	<5	66
E039288	Rock Chip	1.64	<2	<2	26	13	76	0.5	25	10	607	3.20	<5	<20	<4	13	164	<0.4	<5	<5	64
E039308	Rock Chip	1.42	7	<2	18	239	1518	1.4	39	17	3134	6.71	334	24	<4	9	368	7.5	157	<5	91
G991768	Rock Chip	0.79	33	2	34	195	668	1.6	24	9	254	3.98	309	30	<4	9	50	7.3	93	7	124
G991788	Rock Chip	0.77	<2	<2	3	26	53	<0.5	20	7	276	1.91	8	<20	<4	16	581	<0.4	<5	<5	41
G991868	Rock Chip	0.93	3	<2	47	23	131	0.6	39	25	567	3.40	6	21	<4	12	109	<0.4	<5	<5	76
G991888	Rock Chip	0.92	<2	22	14	13	80	<0.5	36	9	949	4.23	<5	<20	<4	13	675	<0.4	54	56	118
G991908	Rock Chip	0.99	<2	<2	3	17	33	<0.5	22	7	284	1.87	<5	<20	<4	16	746	<0.4	<5	<5	46
G991928	Rock Chip	1.09	<2	<2	31	10	51	<0.5	32	15	548	2.47	<5	<20	<4	9	200	<0.4	<5	<5	59
G991948	Rock Chip	0.82	<2	<2	2	10	73	<0.5	34	10	585	2.94	<5	<20	<4	15	554	<0.4	8	5	97
G989608	Rock Chip	0.48	<2	<2	11	<5	83	<0.5	23	10	1665	4.69	8	<20	<4	12	401	<0.4	8	10	38
G989628	Rock Chip	1.01	<2	<2	21	29	52	<0.5	20	7	378	1.90	8	<20	<4	13	187	<0.4	<5	8	47
G989648	Rock Chip	0.70	<2	12	14	23	55	<0.5	25	10	259	2.49	8	<20	<4	13	178	<0.4	<5	5	64
G989668	Rock Chip	1.00	<2	<2	21	36	77	<0.5	34	12	758	3.60	6	<20	<4	15	281	<0.4	6	8	76
G989688	Rock Chip	1.56	<2	<2	9	22	58	<0.5	24	7	313	2.25	7	<20	<4	14	571	<0.4	<5	<5	46
G989708	Rock Chip	1.79	<2	<2	16	21	90	<0.5	47	16	502	5.16	11	25	<4	17	244	<0.4	12	<5	108

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 09, 2008

CERTIFICATE OF ANALYSIS VAN08007208.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
E039108	Rock Chip	1.20	0.008	10	16	0.12	613	0.05	6.98	2.23	3.72	<4	36	<2	12	11	4	2
E039128	Rock Chip	2.47	0.025	38	56	0.87	905	0.27	6.46	0.76	2.64	5	40	3	11	10	2	10
E039148	Rock Chip	1.67	0.006	11	22	0.11	275	0.05	6.53	2.62	2.12	>200	26	<2	17	13	6	3
E039168	Rock Chip	1.29	0.041	39	67	0.86	1177	0.35	6.96	1.10	2.85	<4	33	3	15	11	3	13
E039188	Rock Chip	4.46	0.037	55	33	0.85	436	0.13	6.29	1.95	1.65	>200	28	<2	17	20	6	7
E039368	Rock Chip	1.11	0.021	33	52	0.53	481	0.24	6.12	1.70	2.16	41	31	3	11	11	2	7
E039388	Rock Chip	6.16	0.049	48	67	0.98	778	0.35	8.51	1.59	2.17	180	52	3	16	15	3	12
E039408	Rock Chip	2.45	0.038	36	53	0.95	933	0.26	6.67	1.72	2.66	69	29	3	11	12	3	9
E039428	Rock Chip	1.18	0.034	48	74	1.00	823	0.40	9.70	2.27	3.35	15	41	4	11	17	3	13
E039448	Rock Chip	0.77	0.017	49	66	0.86	1154	0.34	8.94	1.64	3.71	17	42	4	10	15	2	12
E039468	Rock Chip	0.94	0.015	45	66	0.90	819	0.35	8.72	1.98	3.44	<4	35	<2	9	13	2	12
E039208	Rock Chip	1.95	0.041	30	51	0.67	467	0.20	5.31	0.82	2.14	<4	37	<2	7	8	1	7
E039228	Rock Chip	2.11	0.026	25	28	0.40	778	0.15	6.93	1.99	3.26	<4	30	3	10	12	4	4
E039248	Rock Chip	6.04	0.037	32	45	0.82	528	0.22	5.72	0.75	1.55	17	29	<2	11	8	2	7
E039268	Rock Chip	12.45	0.036	35	51	0.79	345	0.30	6.82	0.34	1.03	98	46	<2	14	11	2	9
E039288	Rock Chip	2.44	0.029	40	50	0.72	694	0.30	7.22	1.04	2.67	9	45	3	11	11	2	11
E039308	Rock Chip	8.60	0.045	31	40	0.80	676	0.27	5.21	0.64	1.34	>200	34	<2	14	11	3	9
G991768	Rock Chip	0.72	0.039	33	69	0.12	326	0.23	5.07	0.03	0.93	127	33	<2	14	8	2	8
G991788	Rock Chip	2.92	0.061	34	31	0.77	1459	0.32	7.93	2.31	3.00	4	21	3	11	16	4	7
G991868	Rock Chip	0.61	0.058	37	65	0.94	1016	0.26	6.85	0.37	2.91	>200	50	<2	10	8	2	11
G991888	Rock Chip	6.38	0.075	81	62	1.71	891	0.48	8.33	1.91	2.00	>200	48	<2	21	43	8	23
G991908	Rock Chip	3.91	0.071	52	35	0.91	1187	0.37	8.58	2.65	1.93	50	13	9	11	17	5	8
G991928	Rock Chip	2.08	0.025	31	53	0.95	881	0.30	6.04	0.95	2.40	27	28	<2	9	11	2	11
G991948	Rock Chip	3.65	0.067	43	76	1.62	1381	0.38	8.42	2.23	2.70	<4	41	5	16	18	4	11
G989608	Rock Chip	8.83	0.044	30	45	0.60	268	0.20	4.98	1.11	0.97	>200	32	<2	10	10	3	6
G989628	Rock Chip	1.31	0.014	34	59	0.53	766	0.26	6.59	1.84	2.80	44	44	3	9	9	2	8
G989648	Rock Chip	1.22	0.031	36	50	0.63	921	0.30	7.00	1.75	2.94	6	26	3	10	11	3	11
G989668	Rock Chip	0.42	0.040	51	65	0.68	569	0.35	8.63	2.10	2.42	<4	33	3	12	12	3	11
G989688	Rock Chip	3.36	0.068	37	31	0.87	1578	0.39	7.71	2.19	2.63	<4	20	3	10	17	4	8
G989708	Rock Chip	0.57	0.030	61	77	1.16	1144	0.52	10.61	1.64	3.58	<4	41	3	11	18	3	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 09, 2008

CERTIFICATE OF ANALYSIS VAN08007208.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G989728	Rock Chip	0.96	<2	<2	22	23	58	<0.5	24	9	565	2.83	<5	<20	<4	11	135	<0.4	<5	<5	58
G989748	Rock Chip	1.02	<2	<2	9	49	45	<0.5	24	9	269	2.67	26	<20	<4	16	257	<0.4	<5	<5	55
G989768	Rock Chip	1.30	<2	<2	12	27	49	<0.5	19	8	249	2.18	<5	<20	<4	11	104	<0.4	<5	<5	53
G989788	Rock Chip	1.72	<2	<2	4	22	70	<0.5	13	10	458	3.25	<5	<20	<4	16	580	<0.4	<5	<5	65
G989808	Rock Chip	1.08	<2	4	20	15	96	<0.5	36	16	1597	6.72	<5	<20	<4	12	277	<0.4	8	<5	61
G989828	Rock Chip	0.99	<2	<2	11	22	41	<0.5	18	7	239	2.35	7	<20	<4	11	74	<0.4	<5	<5	47
G989848	Rock Chip	1.12	<2	<2	18	43	43	<0.5	13	5	240	1.58	8	<20	<4	18	185	0.4	<5	10	29
G989868	Rock Chip	0.60	2	<2	<2	13	51	<0.5	15	5	269	1.88	21	<20	<4	12	412	<0.4	5	16	30
G020068	Rock Chip	1.06	2	<2	21	<5	68	<0.5	19	8	401	2.49	5	<20	<4	11	89	<0.4	<5	8	48
G020088	Rock Chip	1.08	<2	3	31	<5	47	<0.5	30	11	832	3.45	<5	<20	<4	9	411	<0.4	<5	27	68
G020108	Rock Chip	1.02	<2	<2	7	26	67	<0.5	17	6	324	2.00	6	<20	<4	15	441	0.4	<5	18	33
G020128	Rock Chip	1.79	<2	<2	3	19	40	<0.5	17	6	247	1.98	5	<20	<4	16	533	<0.4	<5	<5	33

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 09, 2008

CERTIFICATE OF ANALYSIS VAN08007208.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G989728	Rock Chip	0.78	0.012	33	55	0.71	508	0.28	6.04	1.17	2.11	<4	19	<2	7	10	2	8
G989748	Rock Chip	1.09	0.031	44	41	0.70	993	0.34	8.02	1.31	3.92	<4	24	<2	9	14	3	10
G989768	Rock Chip	0.81	0.013	30	46	0.53	625	0.27	5.34	1.23	2.56	<4	26	<2	7	10	2	7
G989788	Rock Chip	3.33	0.075	49	50	1.34	1588	0.38	8.69	1.90	2.96	<4	14	<2	10	17	3	11
G989808	Rock Chip	6.14	0.028	38	53	0.83	431	0.29	5.63	1.06	1.66	>200	28	<2	10	13	4	10
G989828	Rock Chip	0.45	0.012	29	55	0.68	555	0.27	5.38	1.11	2.15	4	21	3	7	10	2	7
G989848	Rock Chip	0.98	0.023	26	22	0.55	694	0.18	6.76	1.82	4.13	11	26	4	18	20	5	6
G989868	Rock Chip	2.15	0.050	25	22	0.62	1368	0.28	6.94	1.94	3.55	5	20	7	13	16	4	5
G020068	Rock Chip	0.73	0.022	30	39	0.76	991	0.24	5.54	0.59	2.26	8	27	5	9	8	2	8
G020088	Rock Chip	5.80	0.041	35	52	1.38	525	0.26	5.79	1.20	1.10	>200	34	4	20	10	3	11
G020108	Rock Chip	2.37	0.054	30	29	0.73	1526	0.28	7.30	1.97	3.39	8	17	2	13	14	3	6
G020128	Rock Chip	2.66	0.055	34	20	0.76	1632	0.31	7.33	2.08	3.12	7	11	<2	12	14	3	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 09, 2008

QUALITY CONTROL REPORT VAN08007208.1

	Method	WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
Pulp Duplicates																					
REP G1	QC			<2	<2	13	51	<0.5	9	3	809	2.57	<5	<20	<4	9	699	<0.4	<5	<5	55
E039448	Rock Chip	1.06	35	3	19	33	79	<0.5	29	10	618	3.53	9	<20	<4	17	261	<0.4	<5	<5	75
REP E039448	QC		27																		
G991908	Rock Chip	0.99	<2	<2	3	17	33	<0.5	22	7	284	1.87	<5	<20	<4	16	746	<0.4	<5	<5	46
REP G991908	QC			<2	4	9	33	<0.5	21	7	291	1.92	7	<20	<4	18	751	<0.4	<5	<5	47
Reference Materials																					
STD DST6	Standard			11	124	30	163	<0.5	33	9	977	3.88	26	<20	<4	11	318	6.4	8	<5	104
STD DST6	Standard			11	124	27	168	<0.5	32	9	957	3.90	19	<20	<4	9	325	6.6	<5	<5	106
STD DST6	Standard			10	121	33	161	<0.5	31	12	946	3.80	24	<20	<4	4	315	6.1	<5	10	104
STD DST6	Standard			10	117	41	158	0.5	30	12	906	3.77	23	<20	<4	5	308	5.9	<5	8	102
STD DST6	Standard			8	108	31	154	<0.5	27	9	882	3.50	20	<20	<4	4	290	5.4	<5	23	86
STD OREAS45P	Standard			<2	693	12	143	<0.5	374	113	1288	18.43	6	<20	<4	11	30	<0.4	<5	13	252
STD OXE56	Standard		564																		
STD OXE56	Standard		567																		
STD OXE56	Standard		666																		
STD OXH55	Standard		1245																		
STD OXH55	Standard		1233																		
STD OXH55	Standard		1318																		
STD OXE56 Expected			611																		
STD OXH55 Expected			1282																		
STD DST6 Expected				13	130	37	176	0.4	30	14	980	3.91	24	8	0	7	298	5.6	5	5	115
STD OREAS45P Expected				1.9	749	22	141	0.32	385	120	1270	19.22	13.4	2.4	0.055	9.8	32.6	0.2	0.92	0.21	267
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
BLK	Blank		12																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 09, 2008

QUALITY CONTROL REPORT VAN08007208.1

	Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
Pulp Duplicates																		
REP G1	QC	2.56	0.089	22	10	0.76	958	0.27	7.62	2.60	2.85	<4	7	<2	15	22	3	6
E039448	Rock Chip	0.77	0.017	49	66	0.86	1154	0.34	8.94	1.64	3.71	17	42	4	10	15	2	12
REP E039448	QC																	
G991908	Rock Chip	3.91	0.071	52	35	0.91	1187	0.37	8.58	2.65	1.93	50	13	9	11	17	5	8
REP G991908	QC	3.96	0.074	50	39	0.94	1199	0.37	8.54	2.72	1.95	46	13	6	11	18	5	8
Reference Materials																		
STD DST6	Standard	2.13	0.093	25	200	1.06	680	0.40	6.70	1.72	1.53	12	52	3	15	9	3	13
STD DST6	Standard	2.12	0.094	25	198	1.08	681	0.39	6.98	1.75	1.53	13	53	4	15	9	3	12
STD DST6	Standard	2.14	0.088	25	249	1.03	652	0.39	7.15	1.69	1.46	13	64	6	14	11	3	12
STD DST6	Standard	2.14	0.086	25	242	1.03	648	0.38	7.12	1.64	1.46	10	59	7	14	11	3	12
STD DST6	Standard	2.03	0.080	21	221	0.98	624	0.35	6.60	1.57	1.38	16	49	8	14	9	3	11
STD OREAS45P	Standard	0.28	0.042	24	1050	0.19	267	1.01	6.80	0.08	0.34	<4	130	4	14	18	1	65
STD OXE56	Standard																	
STD OXE56	Standard																	
STD OXE56	Standard																	
STD OXH55	Standard																	
STD OXH55	Standard																	
STD OXH55	Standard																	
STD OXE56 Expected																		
STD OXH55 Expected																		
STD DST6 Expected		2.26	0.099	26	230	1.03	702	0.387	6.92	1.673	1.42	7	50	6	15	8	3	10
STD OREAS45P Expected		0.3	0.047	24.8	1140	0.22	281	1.18	6.82	0.081	0.35	1.1	279	3.1	18	24		67
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 09, 2008

QUALITY CONTROL REPORT VAN08007208.1

		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
Prep Wash																					
G1	Prep Blank		2	<2	<2	7	49	<0.5	10	3	810	2.42	<5	<20	<4	9	732	<0.4	<5	<5	53
G1	Prep Blank		3																		
G1	Prep Blank			<2	<2	12	50	<0.5	9	2	774	2.46	<5	<20	<4	10	728	<0.4	<5	<5	54

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: August 09, 2008

QUALITY CONTROL REPORT VAN08007208.1

		1E Ca % 0.01	1E P % 0.002	1E La ppm 2	1E Cr ppm 2	1E Mg % 0.01	1E Ba ppm 1	1E Ti % 0.01	1E Al % 0.01	1E Na % 0.01	1E K % 0.01	1E W ppm 4	1E Zr ppm 2	1E Sn ppm 2	1E Y ppm 2	1E Nb ppm 2	1E Be ppm 1	1E Sc ppm 1
BLK	Blank																	
BLK	Blank																	
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
Prep Wash																		
G1	Prep Blank	2.52	0.087	26	11	0.77	1001	0.27	7.50	2.61	2.85	5	8	<2	15	21	3	6
G1	Prep Blank																	
G1	Prep Blank	2.53	0.088	23	10	0.74	927	0.26	7.56	2.68	2.77	<4	7	<2	14	20	3	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Submitted By: William Hay
Receiving Lab: Canada-Vancouver
Received: August 06, 2008
Report Date: September 12, 2008
Page: 1 of 4

CERTIFICATE OF ANALYSIS VAN08007998.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 69

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
P200	69	Pulverize to 85% passing 200 mesh		
Split Reject	69	Reject sample split/packet		
3B	69	Fire assay fusion Au by ICP-ES	30	Completed
1ED	69	4 Acid digestion ICP-ES analysis	0.25	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: StrataGold Corporation
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2
Canada

CC: Hugh Coyle
Jeff Scully

BRITISH COLUMBIA CERTIFIED ASSAYER
RAYMOND CHAN

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

CERTIFICATE OF ANALYSIS VAN08007998.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G020548	Rock Chip	1.07	6	<2	62	34	66	<0.5	40	13	380	3.18	45	<20	<4	9	298	<0.4	<5	<5	77
G020568	Rock Chip	1.55	4	2	25	12	45	<0.5	25	10	489	2.43	<5	<20	<4	14	343	<0.4	<5	<5	65
G020588	Rock Chip	0.61	3	<2	48	15	89	<0.5	38	16	805	3.72	<5	<20	<4	15	173	<0.4	<5	6	82
G991508	Rock Chip	0.44	8	<2	17	24	44	<0.5	11	2	158	2.05	10	<20	<4	14	80	<0.4	<5	8	37
G991528	Rock Chip	0.57	11	<2	21	20	67	<0.5	28	10	565	3.13	6	<20	<4	14	186	<0.4	<5	<5	63
G991548	Rock Chip	0.99	19	14	16	11	89	0.6	93	19	2120	6.96	17	<20	<4	4	237	0.6	<5	<5	462
G991568	Rock Chip	0.94	18	<2	39	17	41	<0.5	28	13	338	2.52	<5	<20	<4	12	209	<0.4	<5	<5	52
G991588	Rock Chip	0.76	15	<2	14	23	22	<0.5	11	4	159	1.16	13	<20	<4	14	194	<0.4	<5	5	18
G987088	Rock Chip	0.70	10	<2	40	21	56	<0.5	24	9	351	2.99	<5	<20	<4	13	164	<0.4	<5	7	58
G987108	Rock Chip	0.75	20	<2	20	21	60	<0.5	26	9	380	3.11	6	<20	<4	14	126	<0.4	<5	<5	63
G987188	Rock Chip	0.82	12	3	31	16	99	<0.5	44	15	442	4.08	33	<20	<4	15	224	<0.4	<5	<5	104
G021508	Rock Chip	1.26	11	<2	28	12	60	0.5	25	9	348	2.93	9	<20	<4	15	136	0.4	<5	<5	63
G021528	Rock Chip	0.86	7	<2	3	41	7	<0.5	4	<2	68	0.44	6	22	<4	26	259	<0.4	<5	<5	6
G021408	Rock Chip	0.93	15	<2	15	14	56	<0.5	24	7	293	2.49	6	<20	<4	13	248	<0.4	<5	<5	57
G021428	Rock Chip	0.99	10	<2	5	8	29	<0.5	36	7	619	2.83	<5	<20	<4	14	843	<0.4	<5	<5	61
G021448	Rock Chip	0.49	10	<2	13	8	40	<0.5	19	6	361	2.28	<5	<20	<4	12	151	<0.4	<5	6	44
G021468	Rock Chip	1.07	7	<2	20	14	90	<0.5	41	15	290	4.21	<5	<20	<4	11	158	<0.4	<5	<5	101
G021488	Rock Chip	1.21	9	<2	15	8	24	<0.5	11	3	375	1.36	<5	<20	<4	10	157	<0.4	<5	<5	29
G018858	Rock Chip	0.65	9	<2	6	24	45	<0.5	19	6	269	2.13	316	<20	<4	20	284	<0.4	<5	<5	43
G018878	Rock Chip	0.87	9	<2	17	15	204	<0.5	33	14	1739	5.67	38	<20	<4	13	546	0.4	<5	<5	116
G018898	Rock Chip	0.65	9	<2	7	<5	94	<0.5	34	8	1477	4.32	<5	<20	<4	14	552	0.5	<5	<5	106
G019808	Rock Chip	0.80	12	<2	12	23	56	<0.5	20	7	416	2.30	115	<20	<4	14	347	0.6	<5	<5	51
G019828	Rock Chip	0.44	14	<2	5	25	37	<0.5	18	6	329	1.93	171	<20	<4	19	533	<0.4	<5	<5	36
G019848	Rock Chip	0.80	16	<2	7	27	59	<0.5	19	6	239	2.08	259	<20	<4	19	446	<0.4	<5	<5	38
G020008	Rock Chip	0.97	17	3	30	26	48	<0.5	23	9	248	2.42	8	<20	<4	15	165	<0.4	<5	<5	39
E039008	Rock Chip	1.07	10	<2	28	<5	46	<0.5	26	9	1000	3.07	17	<20	<4	9	270	<0.4	<5	<5	55
G991708	Rock Chip	0.73	15	<2	42	10	49	<0.5	29	11	366	2.77	22	<20	<4	10	123	<0.4	<5	<5	54
E038408	Rock Chip	0.76	16	<2	6	1173	890	1.5	19	5	1712	1.83	83	<20	<4	16	14	4.6	36	<5	33
E038428	Rock Chip	0.34	125	<2	26	2216	5171	3.2	51	12	6302	9.36	1093	<20	<4	10	35	34.4	291	<5	66
E038448	Rock Chip	1.13	9	<2	25	14	48	<0.5	14	3	219	1.46	23	<20	<4	8	179	<0.4	23	<5	34

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

CERTIFICATE OF ANALYSIS VAN08007998.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G020548	Rock Chip	2.20	0.030	28	64	0.89	843	0.29	7.76	1.73	2.36	9	27	<2	9	8	<1	9
G020568	Rock Chip	4.28	0.035	68	42	1.23	1292	0.23	5.53	0.99	1.65	>200	30	3	13	12	<1	9
G020588	Rock Chip	2.04	0.035	36	50	1.37	1484	0.33	7.47	0.74	2.49	6	39	<2	10	8	<1	12
G991508	Rock Chip	0.21	0.018	27	33	0.47	638	0.19	5.57	1.14	2.29	10	32	<2	5	5	<1	6
G991528	Rock Chip	1.35	0.020	37	43	0.79	662	0.29	7.09	1.43	2.40	22	21	2	7	10	<1	9
G991548	Rock Chip	7.58	0.063	18	32	1.12	>10000	0.12	2.49	0.55	0.46	>200	17	<2	13	5	<1	4
G991568	Rock Chip	2.43	0.037	32	48	1.15	1018	0.17	6.46	0.92	2.44	12	38	<2	11	4	<1	9
G991588	Rock Chip	0.95	0.015	18	24	0.42	874	0.06	5.51	1.08	2.53	23	28	<2	21	12	3	4
G987088	Rock Chip	1.55	0.028	32	60	0.72	953	0.28	6.44	1.47	2.41	<4	42	<2	10	8	<1	9
G987108	Rock Chip	0.61	0.017	34	48	0.80	720	0.32	6.73	1.50	2.62	<4	22	<2	7	11	<1	9
G987188	Rock Chip	0.84	0.036	37	69	0.59	963	0.40	9.61	1.64	2.55	6	28	<2	7	14	<1	12
G021508	Rock Chip	1.23	0.031	36	50	0.79	624	0.31	6.43	1.42	2.36	<4	21	<2	9	10	<1	8
G021528	Rock Chip	1.20	0.010	23	6	0.16	736	0.06	6.66	1.80	2.87	<4	35	<2	12	12	3	2
G021408	Rock Chip	1.11	0.021	31	34	0.79	1075	0.25	5.83	1.48	2.41	6	28	2	9	8	<1	8
G021428	Rock Chip	6.87	0.046	55	33	1.05	244	0.24	5.61	2.22	0.38	>200	33	<2	13	13	2	8
G021448	Rock Chip	0.96	0.026	25	35	0.60	507	0.24	5.20	1.47	1.83	6	34	<2	7	7	<1	6
G021468	Rock Chip	0.35	0.037	32	67	0.83	967	0.42	7.28	1.38	2.74	8	20	<2	5	15	<1	10
G021488	Rock Chip	1.52	0.009	21	27	0.44	363	0.16	3.64	0.89	1.33	<4	12	<2	6	5	<1	3
G018858	Rock Chip	0.82	0.064	36	21	0.40	1588	0.31	7.54	1.35	2.52	32	18	<2	10	14	1	7
G018878	Rock Chip	9.72	0.061	45	60	1.51	151	0.44	7.54	0.17	0.19	>200	55	<2	23	15	<1	12
G018898	Rock Chip	8.27	0.030	51	45	1.81	230	0.34	5.68	1.05	0.25	9	33	3	15	12	<1	7
G019808	Rock Chip	1.39	0.062	36	26	0.59	1364	0.30	6.76	1.44	2.32	48	27	<2	13	12	<1	7
G019828	Rock Chip	2.06	0.058	46	18	0.65	1286	0.30	7.58	2.03	2.67	12	18	<2	14	15	2	7
G019848	Rock Chip	1.61	0.061	39	19	0.57	1472	0.30	7.75	1.88	2.72	11	17	<2	12	14	2	6
G020008	Rock Chip	0.97	0.053	34	34	0.51	312	0.09	6.66	1.05	2.56	<4	45	<2	15	3	<1	7
E039008	Rock Chip	5.43	0.067	27	41	1.81	531	0.20	4.24	0.65	1.46	>200	24	<2	12	5	<1	6
G991708	Rock Chip	0.40	0.028	23	56	0.80	613	0.23	5.95	1.14	2.17	<4	21	<2	4	6	<1	7
E038408	Rock Chip	0.17	0.062	39	15	0.14	629	0.29	7.11	0.03	2.37	40	20	<2	6	16	3	4
E038428	Rock Chip	0.33	0.038	39	22	0.10	347	0.10	3.43	0.02	1.39	>200	17	5	16	7	<1	7
E038448	Rock Chip	1.26	0.045	19	30	0.59	587	0.11	3.97	0.81	1.31	5	27	<2	9	3	<1	4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

CERTIFICATE OF ANALYSIS VAN08007998.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
E038468	Rock Chip	1.00	7	3	15	12	21	<0.5	11	4	156	1.08	10	<20	<4	12	109	<0.4	<5	<5	18
E038488	Rock Chip	1.01	18	<2	17	12	32	<0.5	13	4	155	1.43	8	<20	<4	12	222	<0.4	<5	<5	27
G020168	Rock Chip	0.59	8	<2	7	95	1218	<0.5	7	<2	361	0.84	36	<20	<4	17	191	3.1	7	<5	12
G020188	Rock Chip	1.28	<2	4	13	12	135	<0.5	31	28	3933	13.23	<5	<20	<4	9	281	1.3	<5	<5	43
G020208	Rock Chip	0.91	10	<2	25	8	36	<0.5	15	6	549	2.32	<5	<20	<4	9	41	<0.4	8	<5	36
G020228	Rock Chip	0.85	8	<2	34	7	67	<0.5	30	12	338	2.28	10	<20	<4	12	77	0.6	26	<5	74
G020248	Rock Chip	0.67	12	<2	18	8	20	<0.5	10	4	82	1.74	84	<20	<4	12	138	<0.4	50	<5	28
G020268	Rock Chip	1.25	5	<2	32	6	33	<0.5	19	6	221	1.85	7	<20	<4	9	183	<0.4	<5	<5	49
G020288	Rock Chip	1.44	<2	<2	15	12	35	<0.5	17	6	129	1.81	6	<20	<4	12	122	<0.4	<5	<5	36
G020308	Rock Chip	0.89	<2	<2	<2	12	7	<0.5	3	<2	84	0.39	6	<20	<4	12	436	0.4	<5	<5	3
G020328	Rock Chip	0.90	3	<2	68	8	73	<0.5	45	16	561	3.99	<5	<20	<4	9	368	0.4	<5	6	82
G991608	Rock Chip	0.48	<2	<2	13	12	47	<0.5	18	6	359	1.77	7	<20	<4	9	86	<0.4	<5	<5	33
G991628	Rock Chip	0.58	4	<2	16	10	85	<0.5	21	8	224	2.94	8	<20	<4	13	152	<0.4	<5	<5	65
G991648	Rock Chip	0.65	<2	<2	4	12	130	<0.5	14	7	189	1.87	11	<20	<4	15	497	0.9	<5	<5	40
G991668	Rock Chip	0.77	4	<2	36	<5	47	<0.5	16	7	317	3.02	101	<20	<4	15	135	<0.4	6	<5	68
G991688	Rock Chip	1.02	3	<2	23	16	50	<0.5	21	8	568	2.39	17	<20	<4	10	185	0.5	<5	5	43
G991728	Rock Chip	1.01	<2	<2	14	9	49	<0.5	19	7	329	2.06	<5	<20	<4	10	71	0.5	<5	<5	41
G991308	Rock Chip	0.84	<2	<2	41	9	96	<0.5	33	13	441	3.80	6	<20	<4	15	311	<0.4	<5	<5	88
G991328	Rock Chip	1.06	<2	<2	2	15	31	<0.5	17	5	242	1.57	6	<20	<4	14	500	0.6	<5	<5	33
G991348	Rock Chip	0.52	3	3	53	13	101	<0.5	36	15	877	3.09	9	<20	<4	9	194	<0.4	<5	5	130
G991368	Rock Chip	0.60	<2	<2	39	14	90	<0.5	43	24	311	4.05	17	<20	<4	12	112	0.6	<5	<5	121
G991388	Rock Chip	1.22	2	<2	59	9	80	<0.5	46	17	938	3.76	5	<20	<4	11	258	0.5	<5	6	80
G991408	Rock Chip	0.38	<2	<2	11	<5	69	<0.5	37	9	706	3.33	11	<20	<4	13	953	<0.4	<5	<5	108
G991428	Rock Chip	0.72	<2	<2	20	7	29	<0.5	14	5	221	1.31	45	<20	<4	10	145	<0.4	<5	<5	33
G991448	Rock Chip	0.69	<2	<2	2	33	32	<0.5	6	3	197	1.20	8	<20	<4	15	398	<0.4	<5	<5	22
G987008	Rock Chip	1.11	<2	<2	9	43	68	<0.5	7	3	91	1.10	<5	<20	<4	7	434	0.5	<5	<5	16
G987028	Rock Chip	0.87	2	<2	18	6	46	<0.5	23	8	265	2.26	<5	<20	<4	12	159	<0.4	<5	<5	56
G987048	Rock Chip	1.21	2	<2	25	25	86	<0.5	34	12	331	3.67	<5	<20	<4	13	172	<0.4	<5	<5	73
G987068	Rock Chip	1.03	<2	<2	17	22	57	<0.5	25	8	333	2.52	<5	<20	<4	12	113	0.6	<5	<5	55
G987128	Rock Chip	0.96	<2	<2	25	7	74	<0.5	31	11	374	3.71	<5	<20	<4	13	139	0.4	<5	<5	65

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

CERTIFICATE OF ANALYSIS VAN08007998.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
E038468	Rock Chip	0.91	0.015	24	35	0.39	546	0.08	3.39	0.62	1.36	<4	18	<2	5	2	<1	2
E038488	Rock Chip	1.12	0.026	25	17	0.56	792	0.10	5.72	1.29	2.22	<4	22	<2	7	4	<1	5
G020168	Rock Chip	1.48	0.024	20	5	0.14	530	0.12	6.73	0.92	2.32	7	30	<2	11	12	3	3
G020188	Rock Chip	11.66	0.045	26	27	0.94	215	0.15	3.82	0.57	0.80	>200	17	2	12	6	3	6
G020208	Rock Chip	3.70	0.015	26	30	0.46	222	0.14	4.32	0.04	0.76	35	22	<2	9	4	1	6
G020228	Rock Chip	1.88	0.037	39	52	0.40	707	0.17	5.72	0.14	2.39	19	25	<2	11	5	2	9
G020248	Rock Chip	0.18	0.030	20	33	0.29	825	0.10	4.61	1.14	2.45	12	22	<2	7	7	2	3
G020268	Rock Chip	1.64	0.028	24	39	0.81	726	0.13	4.95	0.77	1.95	<4	24	<2	8	3	1	7
G020288	Rock Chip	0.61	0.032	31	28	0.57	214	0.11	5.48	0.51	2.71	<4	30	<2	7	3	1	5
G020308	Rock Chip	3.01	<0.002	5	5	0.13	299	0.03	6.13	2.52	0.70	<4	41	<2	18	7	11	1
G020328	Rock Chip	2.89	0.058	26	59	1.88	185	0.30	7.82	1.33	3.67	<4	42	<2	12	7	2	14
G991608	Rock Chip	0.24	0.011	23	29	0.26	367	0.18	4.52	1.06	1.22	<4	11	<2	5	5	<1	5
G991628	Rock Chip	0.34	0.018	33	51	0.65	549	0.35	7.13	0.87	3.00	<4	25	<2	6	12	2	9
G991648	Rock Chip	2.22	0.055	31	22	0.74	1459	0.31	7.37	2.09	3.46	9	21	3	9	16	3	6
G991668	Rock Chip	0.57	0.084	35	47	0.77	981	0.29	8.27	0.57	3.85	51	34	5	10	7	2	12
G991688	Rock Chip	2.82	0.028	25	41	0.95	585	0.23	5.37	0.91	2.32	9	29	<2	11	8	2	7
G991728	Rock Chip	0.45	0.014	28	39	0.55	423	0.25	4.71	1.19	2.26	<4	14	<2	5	8	1	6
G991308	Rock Chip	1.70	0.028	43	67	1.05	878	0.41	9.91	1.59	3.37	12	42	<2	12	11	3	15
G991328	Rock Chip	3.47	0.054	29	19	0.63	1455	0.31	6.99	2.13	3.21	5	24	2	7	15	3	6
G991348	Rock Chip	3.80	0.031	26	49	1.02	186	0.27	5.70	0.75	2.36	<4	32	6	12	8	2	10
G991368	Rock Chip	1.71	0.034	36	67	1.08	1342	0.51	7.80	0.99	4.08	5	25	<2	10	14	2	15
G991388	Rock Chip	3.34	0.039	30	54	1.47	239	0.33	7.65	1.10	3.56	5	39	3	14	9	3	14
G991408	Rock Chip	7.51	0.055	64	52	1.70	715	0.42	7.84	2.18	1.09	>200	35	7	24	18	7	14
G991428	Rock Chip	1.17	0.031	31	27	0.55	735	0.11	4.72	0.75	1.91	16	22	<2	8	4	2	5
G991448	Rock Chip	1.34	0.034	20	14	0.53	1058	0.15	6.13	1.83	3.15	<4	19	<2	8	9	3	4
G987008	Rock Chip	1.31	0.034	15	4	0.34	2632	0.18	7.44	2.07	3.35	6	34	<2	3	12	4	2
G987028	Rock Chip	0.77	0.034	34	41	0.52	887	0.32	7.01	1.34	3.09	8	27	2	8	11	2	8
G987048	Rock Chip	0.53	0.039	39	56	0.84	764	0.39	8.00	1.18	3.90	<4	30	2	7	14	2	12
G987068	Rock Chip	0.80	0.023	35	43	0.71	680	0.30	6.23	1.51	2.49	<4	21	<2	7	10	2	8
G987128	Rock Chip	1.04	0.020	35	59	0.89	1023	0.35	6.81	1.94	2.90	5	23	<2	8	12	2	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

CERTIFICATE OF ANALYSIS VAN08007998.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G987148	Rock Chip	0.95	3	<2	40	9	64	<0.5	39	11	491	3.36	18	<20	<4	15	271	0.5	<5	<5	89
G987168	Rock Chip	0.91	<2	<2	11	8	36	<0.5	14	6	329	1.72	<5	<20	<4	12	122	<0.4	<5	<5	37
G987208	Rock Chip	0.87	3	<2	8	34	13	<0.5	4	<2	43	0.77	45	<20	<4	24	249	<0.4	<5	<5	9
G020368	Rock Chip	0.43	3	<2	32	13	120	<0.5	48	17	478	5.22	17	<20	<4	17	266	<0.4	<5	<5	104
G020388	Rock Chip	0.69	<2	<2	8	<5	132	<0.5	31	31	4736	16.02	<5	<20	<4	5	374	2.4	<5	9	24
G020408	Rock Chip	0.80	<2	<2	36	8	34	<0.5	39	13	243	3.26	10	<20	<4	17	240	<0.4	<5	<5	71
G020428	Rock Chip	0.59	2	<2	50	<5	86	<0.5	52	17	599	4.45	16	<20	<4	13	178	<0.4	<5	<5	76
G020448	Rock Chip	0.76	<2	<2	31	<5	78	<0.5	28	11	494	3.25	<5	<20	<4	12	241	0.6	<5	6	68
G020468	Rock Chip	0.75	<2	<2	32	6	79	<0.5	32	14	932	3.77	<5	<20	<4	12	275	0.5	<5	<5	91

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Submitted By: William Hay
Receiving Lab: Canada-Vancouver
Received: August 06, 2008
Report Date: September 12, 2008
Page: 1 of 4

CERTIFICATE OF ANALYSIS VAN08007998.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 69

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
P200	69	Pulverize to 85% passing 200 mesh		
Split Reject	69	Reject sample split/packet		
3B	69	Fire assay fusion Au by ICP-ES	30	Completed
1ED	69	4 Acid digestion ICP-ES analysis	0.25	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: StrataGold Corporation
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2
Canada

CC: Hugh Coyle
Jeff Scully

BRITISH COLUMBIA CERTIFIED ASSAYER
RAYMOND CHAN

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

CERTIFICATE OF ANALYSIS VAN08007998.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G020548	Rock Chip	1.07	6	<2	62	34	66	<0.5	40	13	380	3.18	45	<20	<4	9	298	<0.4	<5	<5	77
G020568	Rock Chip	1.55	4	2	25	12	45	<0.5	25	10	489	2.43	<5	<20	<4	14	343	<0.4	<5	<5	65
G020588	Rock Chip	0.61	3	<2	48	15	89	<0.5	38	16	805	3.72	<5	<20	<4	15	173	<0.4	<5	6	82
G991508	Rock Chip	0.44	8	<2	17	24	44	<0.5	11	2	158	2.05	10	<20	<4	14	80	<0.4	<5	8	37
G991528	Rock Chip	0.57	11	<2	21	20	67	<0.5	28	10	565	3.13	6	<20	<4	14	186	<0.4	<5	<5	63
G991548	Rock Chip	0.99	19	14	16	11	89	0.6	93	19	2120	6.96	17	<20	<4	4	237	0.6	<5	<5	462
G991568	Rock Chip	0.94	18	<2	39	17	41	<0.5	28	13	338	2.52	<5	<20	<4	12	209	<0.4	<5	<5	52
G991588	Rock Chip	0.76	15	<2	14	23	22	<0.5	11	4	159	1.16	13	<20	<4	14	194	<0.4	<5	5	18
G987088	Rock Chip	0.70	10	<2	40	21	56	<0.5	24	9	351	2.99	<5	<20	<4	13	164	<0.4	<5	7	58
G987108	Rock Chip	0.75	20	<2	20	21	60	<0.5	26	9	380	3.11	6	<20	<4	14	126	<0.4	<5	<5	63
G987188	Rock Chip	0.82	12	3	31	16	99	<0.5	44	15	442	4.08	33	<20	<4	15	224	<0.4	<5	<5	104
G021508	Rock Chip	1.26	11	<2	28	12	60	0.5	25	9	348	2.93	9	<20	<4	15	136	0.4	<5	<5	63
G021528	Rock Chip	0.86	7	<2	3	41	7	<0.5	4	<2	68	0.44	6	22	<4	26	259	<0.4	<5	<5	6
G021408	Rock Chip	0.93	15	<2	15	14	56	<0.5	24	7	293	2.49	6	<20	<4	13	248	<0.4	<5	<5	57
G021428	Rock Chip	0.99	10	<2	5	8	29	<0.5	36	7	619	2.83	<5	<20	<4	14	843	<0.4	<5	<5	61
G021448	Rock Chip	0.49	10	<2	13	8	40	<0.5	19	6	361	2.28	<5	<20	<4	12	151	<0.4	<5	6	44
G021468	Rock Chip	1.07	7	<2	20	14	90	<0.5	41	15	290	4.21	<5	<20	<4	11	158	<0.4	<5	<5	101
G021488	Rock Chip	1.21	9	<2	15	8	24	<0.5	11	3	375	1.36	<5	<20	<4	10	157	<0.4	<5	<5	29
G018858	Rock Chip	0.65	9	<2	6	24	45	<0.5	19	6	269	2.13	316	<20	<4	20	284	<0.4	<5	<5	43
G018878	Rock Chip	0.87	9	<2	17	15	204	<0.5	33	14	1739	5.67	38	<20	<4	13	546	0.4	<5	<5	116
G018898	Rock Chip	0.65	9	<2	7	<5	94	<0.5	34	8	1477	4.32	<5	<20	<4	14	552	0.5	<5	<5	106
G019808	Rock Chip	0.80	12	<2	12	23	56	<0.5	20	7	416	2.30	115	<20	<4	14	347	0.6	<5	<5	51
G019828	Rock Chip	0.44	14	<2	5	25	37	<0.5	18	6	329	1.93	171	<20	<4	19	533	<0.4	<5	<5	36
G019848	Rock Chip	0.80	16	<2	7	27	59	<0.5	19	6	239	2.08	259	<20	<4	19	446	<0.4	<5	<5	38
G020008	Rock Chip	0.97	17	3	30	26	48	<0.5	23	9	248	2.42	8	<20	<4	15	165	<0.4	<5	<5	39
E039008	Rock Chip	1.07	10	<2	28	<5	46	<0.5	26	9	1000	3.07	17	<20	<4	9	270	<0.4	<5	<5	55
G991708	Rock Chip	0.73	15	<2	42	10	49	<0.5	29	11	366	2.77	22	<20	<4	10	123	<0.4	<5	<5	54
E038408	Rock Chip	0.76	16	<2	6	1173	890	1.5	19	5	1712	1.83	83	<20	<4	16	14	4.6	36	<5	33
E038428	Rock Chip	0.34	125	<2	26	2216	5171	3.2	51	12	6302	9.36	1093	<20	<4	10	35	34.4	291	<5	66
E038448	Rock Chip	1.13	9	<2	25	14	48	<0.5	14	3	219	1.46	23	<20	<4	8	179	<0.4	23	<5	34

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

CERTIFICATE OF ANALYSIS VAN08007998.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G020548	Rock Chip	2.20	0.030	28	64	0.89	843	0.29	7.76	1.73	2.36	9	27	<2	9	8	<1	9
G020568	Rock Chip	4.28	0.035	68	42	1.23	1292	0.23	5.53	0.99	1.65	>200	30	3	13	12	<1	9
G020588	Rock Chip	2.04	0.035	36	50	1.37	1484	0.33	7.47	0.74	2.49	6	39	<2	10	8	<1	12
G991508	Rock Chip	0.21	0.018	27	33	0.47	638	0.19	5.57	1.14	2.29	10	32	<2	5	5	<1	6
G991528	Rock Chip	1.35	0.020	37	43	0.79	662	0.29	7.09	1.43	2.40	22	21	2	7	10	<1	9
G991548	Rock Chip	7.58	0.063	18	32	1.12	>10000	0.12	2.49	0.55	0.46	>200	17	<2	13	5	<1	4
G991568	Rock Chip	2.43	0.037	32	48	1.15	1018	0.17	6.46	0.92	2.44	12	38	<2	11	4	<1	9
G991588	Rock Chip	0.95	0.015	18	24	0.42	874	0.06	5.51	1.08	2.53	23	28	<2	21	12	3	4
G987088	Rock Chip	1.55	0.028	32	60	0.72	953	0.28	6.44	1.47	2.41	<4	42	<2	10	8	<1	9
G987108	Rock Chip	0.61	0.017	34	48	0.80	720	0.32	6.73	1.50	2.62	<4	22	<2	7	11	<1	9
G987188	Rock Chip	0.84	0.036	37	69	0.59	963	0.40	9.61	1.64	2.55	6	28	<2	7	14	<1	12
G021508	Rock Chip	1.23	0.031	36	50	0.79	624	0.31	6.43	1.42	2.36	<4	21	<2	9	10	<1	8
G021528	Rock Chip	1.20	0.010	23	6	0.16	736	0.06	6.66	1.80	2.87	<4	35	<2	12	12	3	2
G021408	Rock Chip	1.11	0.021	31	34	0.79	1075	0.25	5.83	1.48	2.41	6	28	2	9	8	<1	8
G021428	Rock Chip	6.87	0.046	55	33	1.05	244	0.24	5.61	2.22	0.38	>200	33	<2	13	13	2	8
G021448	Rock Chip	0.96	0.026	25	35	0.60	507	0.24	5.20	1.47	1.83	6	34	<2	7	7	<1	6
G021468	Rock Chip	0.35	0.037	32	67	0.83	967	0.42	7.28	1.38	2.74	8	20	<2	5	15	<1	10
G021488	Rock Chip	1.52	0.009	21	27	0.44	363	0.16	3.64	0.89	1.33	<4	12	<2	6	5	<1	3
G018858	Rock Chip	0.82	0.064	36	21	0.40	1588	0.31	7.54	1.35	2.52	32	18	<2	10	14	1	7
G018878	Rock Chip	9.72	0.061	45	60	1.51	151	0.44	7.54	0.17	0.19	>200	55	<2	23	15	<1	12
G018898	Rock Chip	8.27	0.030	51	45	1.81	230	0.34	5.68	1.05	0.25	9	33	3	15	12	<1	7
G019808	Rock Chip	1.39	0.062	36	26	0.59	1364	0.30	6.76	1.44	2.32	48	27	<2	13	12	<1	7
G019828	Rock Chip	2.06	0.058	46	18	0.65	1286	0.30	7.58	2.03	2.67	12	18	<2	14	15	2	7
G019848	Rock Chip	1.61	0.061	39	19	0.57	1472	0.30	7.75	1.88	2.72	11	17	<2	12	14	2	6
G020008	Rock Chip	0.97	0.053	34	34	0.51	312	0.09	6.66	1.05	2.56	<4	45	<2	15	3	<1	7
E039008	Rock Chip	5.43	0.067	27	41	1.81	531	0.20	4.24	0.65	1.46	>200	24	<2	12	5	<1	6
G991708	Rock Chip	0.40	0.028	23	56	0.80	613	0.23	5.95	1.14	2.17	<4	21	<2	4	6	<1	7
E038408	Rock Chip	0.17	0.062	39	15	0.14	629	0.29	7.11	0.03	2.37	40	20	<2	6	16	3	4
E038428	Rock Chip	0.33	0.038	39	22	0.10	347	0.10	3.43	0.02	1.39	>200	17	5	16	7	<1	7
E038448	Rock Chip	1.26	0.045	19	30	0.59	587	0.11	3.97	0.81	1.31	5	27	<2	9	3	<1	4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

CERTIFICATE OF ANALYSIS VAN08007998.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
E038468	Rock Chip	1.00	7	3	15	12	21	<0.5	11	4	156	1.08	10	<20	<4	12	109	<0.4	<5	<5	18
E038488	Rock Chip	1.01	18	<2	17	12	32	<0.5	13	4	155	1.43	8	<20	<4	12	222	<0.4	<5	<5	27
G020168	Rock Chip	0.59	8	<2	7	95	1218	<0.5	7	<2	361	0.84	36	<20	<4	17	191	3.1	7	<5	12
G020188	Rock Chip	1.28	<2	4	13	12	135	<0.5	31	28	3933	13.23	<5	<20	<4	9	281	1.3	<5	<5	43
G020208	Rock Chip	0.91	10	<2	25	8	36	<0.5	15	6	549	2.32	<5	<20	<4	9	41	<0.4	8	<5	36
G020228	Rock Chip	0.85	8	<2	34	7	67	<0.5	30	12	338	2.28	10	<20	<4	12	77	0.6	26	<5	74
G020248	Rock Chip	0.67	12	<2	18	8	20	<0.5	10	4	82	1.74	84	<20	<4	12	138	<0.4	50	<5	28
G020268	Rock Chip	1.25	5	<2	32	6	33	<0.5	19	6	221	1.85	7	<20	<4	9	183	<0.4	<5	<5	49
G020288	Rock Chip	1.44	<2	<2	15	12	35	<0.5	17	6	129	1.81	6	<20	<4	12	122	<0.4	<5	<5	36
G020308	Rock Chip	0.89	<2	<2	<2	12	7	<0.5	3	<2	84	0.39	6	<20	<4	12	436	0.4	<5	<5	3
G020328	Rock Chip	0.90	3	<2	68	8	73	<0.5	45	16	561	3.99	<5	<20	<4	9	368	0.4	<5	6	82
G991608	Rock Chip	0.48	<2	<2	13	12	47	<0.5	18	6	359	1.77	7	<20	<4	9	86	<0.4	<5	<5	33
G991628	Rock Chip	0.58	4	<2	16	10	85	<0.5	21	8	224	2.94	8	<20	<4	13	152	<0.4	<5	<5	65
G991648	Rock Chip	0.65	<2	<2	4	12	130	<0.5	14	7	189	1.87	11	<20	<4	15	497	0.9	<5	<5	40
G991668	Rock Chip	0.77	4	<2	36	<5	47	<0.5	16	7	317	3.02	101	<20	<4	15	135	<0.4	6	<5	68
G991688	Rock Chip	1.02	3	<2	23	16	50	<0.5	21	8	568	2.39	17	<20	<4	10	185	0.5	<5	5	43
G991728	Rock Chip	1.01	<2	<2	14	9	49	<0.5	19	7	329	2.06	<5	<20	<4	10	71	0.5	<5	<5	41
G991308	Rock Chip	0.84	<2	<2	41	9	96	<0.5	33	13	441	3.80	6	<20	<4	15	311	<0.4	<5	<5	88
G991328	Rock Chip	1.06	<2	<2	2	15	31	<0.5	17	5	242	1.57	6	<20	<4	14	500	0.6	<5	<5	33
G991348	Rock Chip	0.52	3	3	53	13	101	<0.5	36	15	877	3.09	9	<20	<4	9	194	<0.4	<5	5	130
G991368	Rock Chip	0.60	<2	<2	39	14	90	<0.5	43	24	311	4.05	17	<20	<4	12	112	0.6	<5	<5	121
G991388	Rock Chip	1.22	2	<2	59	9	80	<0.5	46	17	938	3.76	5	<20	<4	11	258	0.5	<5	6	80
G991408	Rock Chip	0.38	<2	<2	11	<5	69	<0.5	37	9	706	3.33	11	<20	<4	13	953	<0.4	<5	<5	108
G991428	Rock Chip	0.72	<2	<2	20	7	29	<0.5	14	5	221	1.31	45	<20	<4	10	145	<0.4	<5	<5	33
G991448	Rock Chip	0.69	<2	<2	2	33	32	<0.5	6	3	197	1.20	8	<20	<4	15	398	<0.4	<5	<5	22
G987008	Rock Chip	1.11	<2	<2	9	43	68	<0.5	7	3	91	1.10	<5	<20	<4	7	434	0.5	<5	<5	16
G987028	Rock Chip	0.87	2	<2	18	6	46	<0.5	23	8	265	2.26	<5	<20	<4	12	159	<0.4	<5	<5	56
G987048	Rock Chip	1.21	2	<2	25	25	86	<0.5	34	12	331	3.67	<5	<20	<4	13	172	<0.4	<5	<5	73
G987068	Rock Chip	1.03	<2	<2	17	22	57	<0.5	25	8	333	2.52	<5	<20	<4	12	113	0.6	<5	<5	55
G987128	Rock Chip	0.96	<2	<2	25	7	74	<0.5	31	11	374	3.71	<5	<20	<4	13	139	0.4	<5	<5	65

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

CERTIFICATE OF ANALYSIS VAN08007998.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
E038468	Rock Chip	0.91	0.015	24	35	0.39	546	0.08	3.39	0.62	1.36	<4	18	<2	5	2	<1	2
E038488	Rock Chip	1.12	0.026	25	17	0.56	792	0.10	5.72	1.29	2.22	<4	22	<2	7	4	<1	5
G020168	Rock Chip	1.48	0.024	20	5	0.14	530	0.12	6.73	0.92	2.32	7	30	<2	11	12	3	3
G020188	Rock Chip	11.66	0.045	26	27	0.94	215	0.15	3.82	0.57	0.80	>200	17	2	12	6	3	6
G020208	Rock Chip	3.70	0.015	26	30	0.46	222	0.14	4.32	0.04	0.76	35	22	<2	9	4	1	6
G020228	Rock Chip	1.88	0.037	39	52	0.40	707	0.17	5.72	0.14	2.39	19	25	<2	11	5	2	9
G020248	Rock Chip	0.18	0.030	20	33	0.29	825	0.10	4.61	1.14	2.45	12	22	<2	7	7	2	3
G020268	Rock Chip	1.64	0.028	24	39	0.81	726	0.13	4.95	0.77	1.95	<4	24	<2	8	3	1	7
G020288	Rock Chip	0.61	0.032	31	28	0.57	214	0.11	5.48	0.51	2.71	<4	30	<2	7	3	1	5
G020308	Rock Chip	3.01	<0.002	5	5	0.13	299	0.03	6.13	2.52	0.70	<4	41	<2	18	7	11	1
G020328	Rock Chip	2.89	0.058	26	59	1.88	185	0.30	7.82	1.33	3.67	<4	42	<2	12	7	2	14
G991608	Rock Chip	0.24	0.011	23	29	0.26	367	0.18	4.52	1.06	1.22	<4	11	<2	5	5	<1	5
G991628	Rock Chip	0.34	0.018	33	51	0.65	549	0.35	7.13	0.87	3.00	<4	25	<2	6	12	2	9
G991648	Rock Chip	2.22	0.055	31	22	0.74	1459	0.31	7.37	2.09	3.46	9	21	3	9	16	3	6
G991668	Rock Chip	0.57	0.084	35	47	0.77	981	0.29	8.27	0.57	3.85	51	34	5	10	7	2	12
G991688	Rock Chip	2.82	0.028	25	41	0.95	585	0.23	5.37	0.91	2.32	9	29	<2	11	8	2	7
G991728	Rock Chip	0.45	0.014	28	39	0.55	423	0.25	4.71	1.19	2.26	<4	14	<2	5	8	1	6
G991308	Rock Chip	1.70	0.028	43	67	1.05	878	0.41	9.91	1.59	3.37	12	42	<2	12	11	3	15
G991328	Rock Chip	3.47	0.054	29	19	0.63	1455	0.31	6.99	2.13	3.21	5	24	2	7	15	3	6
G991348	Rock Chip	3.80	0.031	26	49	1.02	186	0.27	5.70	0.75	2.36	<4	32	6	12	8	2	10
G991368	Rock Chip	1.71	0.034	36	67	1.08	1342	0.51	7.80	0.99	4.08	5	25	<2	10	14	2	15
G991388	Rock Chip	3.34	0.039	30	54	1.47	239	0.33	7.65	1.10	3.56	5	39	3	14	9	3	14
G991408	Rock Chip	7.51	0.055	64	52	1.70	715	0.42	7.84	2.18	1.09	>200	35	7	24	18	7	14
G991428	Rock Chip	1.17	0.031	31	27	0.55	735	0.11	4.72	0.75	1.91	16	22	<2	8	4	2	5
G991448	Rock Chip	1.34	0.034	20	14	0.53	1058	0.15	6.13	1.83	3.15	<4	19	<2	8	9	3	4
G987008	Rock Chip	1.31	0.034	15	4	0.34	2632	0.18	7.44	2.07	3.35	6	34	<2	3	12	4	2
G987028	Rock Chip	0.77	0.034	34	41	0.52	887	0.32	7.01	1.34	3.09	8	27	2	8	11	2	8
G987048	Rock Chip	0.53	0.039	39	56	0.84	764	0.39	8.00	1.18	3.90	<4	30	2	7	14	2	12
G987068	Rock Chip	0.80	0.023	35	43	0.71	680	0.30	6.23	1.51	2.49	<4	21	<2	7	10	2	8
G987128	Rock Chip	1.04	0.020	35	59	0.89	1023	0.35	6.81	1.94	2.90	5	23	<2	8	12	2	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

CERTIFICATE OF ANALYSIS VAN08007998.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G987148	Rock Chip	0.95	3	<2	40	9	64	<0.5	39	11	491	3.36	18	<20	<4	15	271	0.5	<5	<5	89
G987168	Rock Chip	0.91	<2	<2	11	8	36	<0.5	14	6	329	1.72	<5	<20	<4	12	122	<0.4	<5	<5	37
G987208	Rock Chip	0.87	3	<2	8	34	13	<0.5	4	<2	43	0.77	45	<20	<4	24	249	<0.4	<5	<5	9
G020368	Rock Chip	0.43	3	<2	32	13	120	<0.5	48	17	478	5.22	17	<20	<4	17	266	<0.4	<5	<5	104
G020388	Rock Chip	0.69	<2	<2	8	<5	132	<0.5	31	31	4736	16.02	<5	<20	<4	5	374	2.4	<5	9	24
G020408	Rock Chip	0.80	<2	<2	36	8	34	<0.5	39	13	243	3.26	10	<20	<4	17	240	<0.4	<5	<5	71
G020428	Rock Chip	0.59	2	<2	50	<5	86	<0.5	52	17	599	4.45	16	<20	<4	13	178	<0.4	<5	<5	76
G020448	Rock Chip	0.76	<2	<2	31	<5	78	<0.5	28	11	494	3.25	<5	<20	<4	12	241	0.6	<5	6	68
G020468	Rock Chip	0.75	<2	<2	32	6	79	<0.5	32	14	932	3.77	<5	<20	<4	12	275	0.5	<5	<5	91

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

CERTIFICATE OF ANALYSIS VAN08007998.1

	Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G987148	Rock Chip	1.52	0.034	41	66	1.12	934	0.34	8.69	1.42	4.19	5	33	<2	10	9	2	15
G987168	Rock Chip	0.74	0.011	26	32	0.46	506	0.23	4.41	1.44	1.83	<4	11	<2	5	7	1	5
G987208	Rock Chip	0.36	0.012	25	6	0.15	1072	0.08	7.02	1.13	3.63	6	36	<2	10	11	3	2
G020368	Rock Chip	1.07	0.078	49	78	1.34	969	0.55	10.24	1.63	4.03	6	34	<2	12	18	3	16
G020388	Rock Chip	14.25	0.022	15	19	0.73	103	0.12	2.88	0.79	0.20	>200	13	5	8	6	2	4
G020408	Rock Chip	0.84	0.025	39	64	1.13	809	0.30	9.21	2.06	3.42	<4	35	6	9	12	3	13
G020428	Rock Chip	0.64	0.050	38	68	1.19	353	0.28	10.41	1.54	3.21	8	33	3	9	7	3	15
G020448	Rock Chip	1.74	0.031	34	49	0.92	691	0.34	7.58	1.63	3.00	9	24	2	9	11	2	11
G020468	Rock Chip	4.03	0.051	32	52	1.13	554	0.39	7.23	1.02	3.14	5	32	<2	12	14	2	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

QUALITY CONTROL REPORT VAN08007998.1

	Method	WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
Pulp Duplicates																					
E038468	Rock Chip	1.00	7	3	15	12	21	<0.5	11	4	156	1.08	10	<20	<4	12	109	<0.4	<5	<5	18
REP E038468	QC			<2	16	11	20	<0.5	11	3	157	1.09	12	<20	<4	13	115	<0.4	<5	<5	19
G020188	Rock Chip	1.28	<2	4	13	12	135	<0.5	31	28	3933	13.23	<5	<20	<4	9	281	1.3	<5	<5	43
REP G020188	QC		7																		
G991728	Rock Chip	1.01	<2	<2	14	9	49	<0.5	19	7	329	2.06	<5	<20	<4	10	71	0.5	<5	<5	41
REP G991728	QC			<2	14	9	51	<0.5	19	7	347	2.21	7	<20	<4	10	75	<0.4	<5	<5	42
G991308	Rock Chip	0.84	<2	<2	41	9	96	<0.5	33	13	441	3.80	6	<20	<4	15	311	<0.4	<5	<5	88
REP G991308	QC		<2																		
Reference Materials																					
STD DST6	Standard			11	119	33	155	<0.5	30	12	919	3.78	21	<20	<4	6	316	5.9	<5	9	105
STD DST6	Standard			11	128	37	170	<0.5	32	13	915	3.83	24	<20	<4	5	301	6.7	<5	<5	129
STD DST6	Standard			10	117	40	163	<0.5	30	13	939	3.84	22	<20	<4	5	305	6.2	<5	6	105
STD OREAS45P	Standard			<2	733	20	131	1.8	373	114	1335	20.74	6	<20	<4	8	33	<0.4	<5	<5	296
STD OREAS45P	Standard			2	752	18	150	<0.5	409	127	1298	20.35	6	<20	4	9	30	<0.4	<5	<5	333
STD OREAS45P	Standard			<2	729	22	147	<0.5	354	109	1236	18.40	7	<20	<4	8	30	<0.4	<5	<5	267
STD OXE56	Standard		599																		
STD OXE56	Standard		600																		
STD OXE56	Standard		574																		
STD OXE56	Standard		558																		
STD OXH55	Standard		1310																		
STD OXH55	Standard		1245																		
STD OXH55	Standard		1231																		
STD OXH55	Standard		1085																		
STD OXE56 Expected			611																		
STD OXH55 Expected			1282																		
STD DST6 Expected				13	130	37	176	0.4	30	14	980	3.91	24	8	0	7	298	5.6	5	5	115
STD OREAS45P Expected				1.9	749	22	141	0.32	385	120	1270	19.22	13.4	2.4	0.055	9.8	32.6	0.2	0.92	0.21	267
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

QUALITY CONTROL REPORT VAN08007998.1

	Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
Pulp Duplicates																		
E038468	Rock Chip	0.91	0.015	24	35	0.39	546	0.08	3.39	0.62	1.36	<4	18	<2	5	2	<1	2
REP E038468	QC	0.95	0.016	24	29	0.40	554	0.08	3.49	0.65	1.39	5	16	<2	5	2	<1	2
G020188	Rock Chip	11.66	0.045	26	27	0.94	215	0.15	3.82	0.57	0.80	>200	17	2	12	6	3	6
REP G020188	QC																	
G991728	Rock Chip	0.45	0.014	28	39	0.55	423	0.25	4.71	1.19	2.26	<4	14	<2	5	8	1	6
REP G991728	QC	0.47	0.014	28	38	0.57	443	0.26	5.18	1.23	2.31	<4	15	<2	5	8	1	6
G991308	Rock Chip	1.70	0.028	43	67	1.05	878	0.41	9.91	1.59	3.37	12	42	<2	12	11	3	15
REP G991308	QC																	
Reference Materials																		
STD DST6	Standard	2.13	0.089	23	204	1.03	664	0.37	6.79	1.67	1.48	10	60	3	14	9	<1	11
STD DST6	Standard	2.11	0.092	23	252	1.07	662	0.37	6.65	1.65	1.52	7	49	3	15	9	3	12
STD DST6	Standard	2.17	0.086	22	236	1.03	669	0.39	6.73	1.63	1.49	11	56	4	14	10	3	12
STD OREAS45P	Standard	0.28	0.043	25	1093	0.20	269	1.05	7.08	0.08	0.35	<4	150	4	11	20	<1	62
STD OREAS45P	Standard	0.29	0.045	27	1126	0.19	268	1.03	6.90	0.08	0.36	<4	124	<2	14	19	<1	70
STD OREAS45P	Standard	0.27	0.038	23	1084	0.18	272	1.05	6.65	0.08	0.35	<4	143	<2	12	20	<1	69
STD OXE56	Standard																	
STD OXE56	Standard																	
STD OXE56	Standard																	
STD OXE56	Standard																	
STD OXH55	Standard																	
STD OXH55	Standard																	
STD OXH55	Standard																	
STD OXH55	Standard																	
STD OXE56 Expected																		
STD OXH55 Expected																		
STD DST6 Expected		2.26	0.099	26	230	1.03	702	0.387	6.92	1.673	1.42	7	50	6	15	8	3	10
STD OREAS45P Expected		0.3	0.047	24.8	1140	0.22	281	1.18	6.82	0.081	0.35	1.1	279	3.1	18	24		67
BLK	Blank																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

QUALITY CONTROL REPORT VAN08007998.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1E Mo ppm 2	1E Cu ppm 2	1E Pb ppm 5	1E Zn ppm 2	1E Ag ppm 0.5	1E Ni ppm 2	1E Co ppm 2	1E Mn ppm 5	1E Fe % 0.01	1E As ppm 5	1E U ppm 20	1E Au ppm 4	1E Th ppm 2	1E Sr ppm 2	1E Cd ppm 0.4	1E Sb ppm 5	1E Bi ppm 5	1E V ppm 2
BLK	Blank		<2																		
BLK	Blank		6																		
BLK	Blank		4																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
Prep Wash																					
G1	Prep Blank	<0.01	8	<2	2	87	53	<0.5	6	4	745	2.37	<5	<20	<4	7	715	<0.4	<5	<5	52
G1	Prep Blank	<0.01	10	<2	3	110	56	<0.5	5	4	749	2.42	<5	<20	<4	6	708	<0.4	<5	<5	55

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: September 12, 2008

QUALITY CONTROL REPORT VAN08007998.1

		1E Ca % 0.01	1E P % 0.002	1E La ppm 2	1E Cr ppm 2	1E Mg % 0.01	1E Ba ppm 1	1E Ti % 0.01	1E Al % 0.01	1E Na % 0.01	1E K % 0.01	1E W ppm 4	1E Zr ppm 2	1E Sn ppm 2	1E Y ppm 2	1E Nb ppm 2	1E Be ppm 1	1E Sc ppm 1
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
BLK	Blank																	
BLK	Blank																	
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	0.11	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
Prep Wash																		
G1	Prep Blank	2.44	0.081	22	11	0.66	947	0.24	7.63	2.50	2.52	<4	8	<2	12	20	<1	5
G1	Prep Blank	2.48	0.084	24	12	0.69	938	0.25	7.60	2.53	2.49	<4	8	<2	14	21	<1	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Submitted By: William Hay
Receiving Lab: Canada-Vancouver
Received: September 22, 2008
Report Date: November 18, 2008
Page: 1 of 4

CERTIFICATE OF ANALYSIS VAN08009575.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 74

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
P200	74	Pulverize to 85% passing 200 mesh		
3B	74	Fire Assay fusion Au by ICP-ES	30	Completed
1ED	74	4 Acid digestion ICP-ES analysis	0.25	Completed

ADDITIONAL COMMENTS



Invoice To: StrataGold Corporation
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2
Canada

CC: Hugh Coyle
Jeff Scully



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 18, 2008

CERTIFICATE OF ANALYSIS VAN08009575.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G021188	Core Chip	1.13	21	<2	104	<5	72	<0.5	713	91	1434	8.30	200	<20	6	7	297	1.8	16	<5	99
G021208	Core Chip	0.57	97	<2	196	7	71	<0.5	68	34	769	6.40	10	<20	6	13	295	1.1	16	<5	112
G021228	Core Chip	1.00	19	<2	489	<5	63	<0.5	67	45	1417	9.19	<5	<20	5	7	850	1.8	16	<5	199
G021248	Core Chip	0.97	103	<2	235	<5	66	<0.5	122	41	1251	7.17	<5	26	<4	4	771	1.3	15	<5	186
G021268	Core Chip	0.98	13	<2	189	<5	79	<0.5	184	42	1502	7.44	<5	<20	6	<2	604	1.4	7	<5	168
H235608	Core Chip	0.93	<2	<2	19	10	73	<0.5	19	10	163	2.05	12	<20	<4	18	208	<0.4	16	<5	50
H235628	Core Chip	1.07	<2	<2	21	12	33	<0.5	13	5	120	1.11	7	22	<4	17	251	0.6	6	<5	19
G018848	Core Chip	0.86	133	3	49	14	41	<0.5	20	11	262	2.37	321	27	<4	18	434	0.7	10	11	33
G020608	Core Chip	0.55	3	<2	28	7	69	<0.5	44	16	372	4.16	12	21	<4	17	96	0.6	9	<5	78
G020628	Core Chip	0.86	3	<2	15	<5	29	0.7	21	8	294	2.23	32	<20	<4	15	85	0.5	10	<5	49
G020648	Core Chip	1.18	3	<2	20	<5	37	<0.5	20	7	227	2.14	5	<20	<4	13	78	0.5	7	<5	37
G020668	Core Chip	1.14	4	<2	16	13	44	<0.5	20	10	248	2.48	9	<20	<4	11	82	0.4	10	<5	44
G020688	Core Chip	1.26	2	<2	36	12	76	<0.5	44	17	330	4.58	20	<20	<4	18	106	0.7	7	<5	92
G088408	Core Chip	1.29	3	<2	12	9	46	<0.5	18	7	252	2.14	153	<20	<4	11	49	<0.4	8	<5	40
G088428	Core Chip	0.84	21	<2	27	7	54	<0.5	27	12	369	2.89	134	22	<4	14	164	<0.4	8	<5	58
G021288	Core Chip	1.28	78	3	10	13	34	<0.5	20	7	236	2.28	121	<20	<4	15	475	0.7	6	<5	36
G021308	Core Chip	0.96	14	<2	6	11	37	<0.5	21	8	301	2.30	14	20	<4	18	449	0.4	13	<5	34
G021328	Core Chip	1.19	22	<2	8	8	32	<0.5	22	9	252	2.15	28	20	<4	15	469	0.6	10	<5	37
G021348	Core Chip	1.03	487	3	95	2292	4491	10.5	16	7	2858	5.24	978	<20	<4	17	49	25.4	365	21	28
G020768	Core Chip	0.86	19	<2	51	<5	40	<0.5	38	14	296	3.92	10	<20	<4	17	196	0.7	<5	<5	76
G020788	Core Chip	1.37	2	<2	26	<5	61	<0.5	33	16	252	3.55	<5	<20	<4	12	110	<0.4	8	<5	58
H229008	Core Chip	0.83	12	<2	25	15	98	<0.5	38	15	362	4.20	13	<20	<4	17	111	0.7	13	<5	86
H229028	Core Chip	0.91	291	<2	15	<5	84	<0.5	28	11	286	2.25	55	<20	<4	16	85	0.9	18	<5	79
H229048	Core Chip	1.17	24	<2	15	6	30	<0.5	22	8	211	2.09	15	22	<4	14	106	<0.4	11	<5	48
G021088	Core Chip	0.99	12	3	16	6	90	<0.5	33	13	251	2.97	69	<20	<4	16	43	0.5	10	<5	62
G021108	Core Chip	0.85	18	<2	26	11	31	<0.5	23	9	282	2.37	<5	<20	<4	13	88	<0.4	18	<5	51
G021128	Core Chip	0.60	31	<2	66	7	28	<0.5	33	9	235	3.46	51	<20	<4	10	96	0.5	10	<5	47
G021148	Core Chip	1.02	62	<2	41	<5	53	<0.5	39	19	365	3.64	18	22	<4	17	181	0.5	11	<5	73
G021168	Core Chip	1.24	18	<2	44	<5	80	<0.5	231	39	822	6.03	76	<20	<4	11	225	0.6	14	<5	107
G020808	Core Chip	1.08	19	9	76	33	153	0.7	47	20	835	5.71	17	24	<4	9	177	1.1	30	<5	89

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 18, 2008

CERTIFICATE OF ANALYSIS VAN08009575.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G021188	Core Chip	5.41	0.076	27	555	9.89	261	0.43	5.29	0.57	1.20	<4	28	<2	16	15	<1	16
G021208	Core Chip	2.32	0.052	32	89	1.87	643	0.51	8.13	1.42	3.32	48	23	<2	12	18	<1	17
G021228	Core Chip	7.12	0.246	38	51	3.42	507	0.94	8.49	2.26	1.35	8	17	<2	24	38	<1	21
G021248	Core Chip	7.32	0.109	18	241	4.11	543	0.64	8.84	1.79	1.63	61	13	2	14	19	<1	27
G021268	Core Chip	8.00	0.101	15	284	5.08	583	0.57	8.40	1.50	2.02	<4	12	5	12	17	<1	25
H235608	Core Chip	0.37	0.046	39	42	0.52	1132	0.25	6.72	1.37	3.12	<4	33	<2	12	8	<1	7
H235628	Core Chip	0.90	0.014	23	17	0.32	695	0.06	5.62	1.40	2.38	10	24	<2	11	5	2	4
G018848	Core Chip	2.16	0.058	36	31	0.78	1501	0.29	7.54	1.62	3.47	8	23	<2	12	14	2	6
G020608	Core Chip	0.17	0.037	36	68	0.92	987	0.45	8.32	0.59	3.70	<4	43	<2	8	14	<1	12
G020628	Core Chip	0.89	0.024	40	42	0.61	798	0.26	6.45	0.50	3.44	14	28	<2	9	8	<1	8
G020648	Core Chip	0.72	0.021	25	50	0.50	437	0.21	4.54	0.87	2.19	<4	20	<2	7	7	<1	5
G020668	Core Chip	0.46	0.014	28	46	0.55	593	0.23	5.26	1.14	2.49	<4	24	<2	5	8	<1	6
G020688	Core Chip	0.47	0.029	44	76	1.05	794	0.46	8.00	1.10	4.05	<4	34	<2	8	14	<1	14
G088408	Core Chip	0.14	0.013	25	34	0.50	505	0.21	4.35	0.52	2.40	11	19	<2	5	7	<1	5
G088428	Core Chip	1.46	0.016	30	54	0.69	559	0.31	6.50	1.08	2.32	15	31	<2	9	10	<1	8
G021288	Core Chip	2.39	0.060	35	26	0.80	1800	0.30	7.79	1.72	3.58	32	19	<2	10	14	1	7
G021308	Core Chip	2.25	0.059	35	33	0.77	1713	0.27	7.71	1.65	3.72	8	21	<2	11	12	2	6
G021328	Core Chip	2.69	0.061	35	28	0.77	1626	0.31	7.60	1.77	3.84	9	20	5	11	14	2	6
G021348	Core Chip	1.33	0.055	38	24	0.74	352	0.15	7.26	0.03	3.47	60	20	6	10	7	1	5
G020768	Core Chip	1.37	0.036	42	65	1.14	894	0.36	8.14	1.19	3.36	<4	35	3	11	13	<1	12
G020788	Core Chip	0.77	0.039	28	69	0.89	606	0.36	5.85	1.22	2.31	<4	20	<2	7	13	<1	9
H229008	Core Chip	0.42	0.073	42	69	1.02	998	0.42	8.00	0.97	3.81	<4	35	<2	9	14	<1	12
H229028	Core Chip	1.43	0.032	42	59	0.39	982	0.31	8.97	0.59	3.33	28	37	3	11	10	<1	12
H229048	Core Chip	1.01	0.014	32	47	0.59	640	0.24	5.70	0.86	2.64	6	22	2	8	8	<1	7
G021088	Core Chip	0.53	0.043	38	50	0.59	767	0.29	6.85	0.26	3.07	12	33	<2	8	10	<1	9
G021108	Core Chip	0.78	0.020	29	53	0.64	735	0.24	5.56	0.46	2.40	7	25	<2	6	7	<1	8
G021128	Core Chip	1.07	0.033	33	49	0.70	159	0.15	6.47	0.53	2.87	7	25	5	7	5	<1	8
G021148	Core Chip	1.49	0.034	42	67	1.15	829	0.40	8.17	0.77	3.60	<4	38	<2	12	13	<1	12
G021168	Core Chip	2.44	0.052	41	231	3.76	1291	0.48	7.80	1.30	3.88	7	20	<2	11	16	<1	16
G020808	Core Chip	1.41	0.071	36	100	1.16	291	0.39	6.82	0.04	2.77	23	20	<2	12	17	<1	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 18, 2008

CERTIFICATE OF ANALYSIS VAN08009575.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G020828	Core Chip	1.40	80	<2	55	<5	72	<0.5	458	57	1104	7.32	69	<20	5	5	308	1.1	20	<5	106
G020848	Core Chip	1.08	251	4	26	52	76	<0.5	19	6	445	2.89	53	<20	<4	17	222	0.7	11	<5	33
G020868	Core Chip	0.95	810	2	104	2194	>10000	4.7	21	8	1286	3.43	411	21	<4	16	311	57.9	697	25	31
G020888	Core Chip	1.01	>10000	4	70	401	911	9.2	18	11	1043	3.73	902	<20	19	17	125	5.3	48	89	27
G021008	Core Chip	0.74	19	<2	34	12	89	<0.5	51	20	464	5.50	18	<20	<4	18	96	1.0	<5	8	105
G021028	Core Chip	0.89	5	<2	9	<5	31	<0.5	8	4	187	1.54	11	<20	<4	11	43	<0.4	<5	<5	24
G021048	Core Chip	0.55	5	<2	14	<5	47	<0.5	28	10	260	3.02	11	<20	5	16	116	<0.4	<5	9	65
G021068	Core Chip	0.79	189	<2	24	<5	21	<0.5	25	9	246	2.26	22	<20	<4	13	136	<0.4	7	12	54
H228568	Core Chip	0.57	8	<2	12	26	65	<0.5	21	8	406	2.32	556	<20	<4	22	328	0.5	<5	7	41
H228548	Core Chip	0.84	6	2	8	12	44	<0.5	22	8	393	2.37	468	<20	<4	17	311	0.5	6	6	40
H235528	Core Chip	0.84	<2	<2	24	<5	84	<0.5	24	10	844	3.54	<5	<20	<4	11	261	0.5	<5	7	52
H235508	Core Chip	0.99	3	<2	25	<5	111	<0.5	37	27	2812	11.91	134	<20	<4	13	371	1.7	<5	<5	53
H229128	Core Chip	1.41	3	<2	16	<5	40	<0.5	22	10	264	2.46	14	<20	<4	14	93	<0.4	12	13	53
H229148	Core Chip	0.93	11	4	20	46	154	<0.5	36	15	522	3.14	27	<20	5	18	82	1.1	28	15	78
H229168	Core Chip	0.73	79	3	20	94	483	<0.5	21	8	574	2.42	79	<20	<4	17	159	2.9	22	<5	34
H229188	Core Chip	0.84	83	3	21	11	29	<0.5	21	8	255	2.34	80	<20	<4	17	462	<0.4	<5	7	35
H229208	Core Chip	0.77	118	4	22	11	23	<0.5	21	8	211	2.28	1133	<20	<4	16	453	0.4	<5	13	34
G088208	Core Chip	0.35	325	3	94	526	245	1.3	19	10	220	3.25	1220	<20	<4	17	402	1.9	120	41	34
G088248	Core Chip	0.74	31	<2	31	19	39	<0.5	22	10	312	2.55	490	<20	<4	18	432	<0.4	7	11	36
G088068	Core Chip	1.07	613	2	78	11	29	<0.5	21	10	240	2.56	91	<20	<4	16	411	0.5	11	67	34
G088088	Core Chip	0.65	52	2	35	22	55	<0.5	20	9	391	2.53	47	<20	<4	17	401	<0.4	16	10	35
G088308	Core Chip	0.79	176	3	34	62	109	<0.5	18	7	346	2.37	30	<20	<4	17	324	0.6	22	8	32
G088328	Core Chip	1.27	285	<2	106	44	139	<0.5	11	6	203	1.88	245	<20	<4	14	326	1.0	26	7	35
G088348	Core Chip	0.83	54	3	24	33	65	<0.5	22	9	371	2.59	33	<20	<4	19	476	<0.4	9	<5	38
G088368	Core Chip	0.93	246	4	27	269	397	1.2	21	8	919	2.91	27	<20	4	20	314	2.6	44	<5	35
G987308	Core Chip	1.07	<2	<2	11	99	192	<0.5	12	5	485	1.61	62	<20	<4	16	180	0.6	52	<5	36
G987328	Core Chip	0.53	2	2	28	10	87	<0.5	24	7	168	2.11	14	<20	<4	18	171	0.5	10	7	50
H231008	Core Chip	0.68	14	<2	20	<5	33	<0.5	23	10	301	2.38	50	<20	<4	19	112	<0.4	<5	7	62
H231128	Core Chip	0.99	30	<2	50	<5	83	<0.5	57	23	1017	4.75	39	<20	<4	17	120	<0.4	<5	8	94
H231148	Core Chip	0.74	<2	<2	28	<5	86	<0.5	43	21	332	4.67	9	<20	<4	13	74	<0.4	6	14	75

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 18, 2008

CERTIFICATE OF ANALYSIS VAN08009575.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G020828	Core Chip	5.22	0.067	26	375	6.20	675	0.42	6.59	0.74	2.31	29	19	4	10	15	<1	14
G020848	Core Chip	1.21	0.056	39	25	0.68	1393	0.24	7.61	0.43	3.74	22	19	4	12	11	1	6
G020868	Core Chip	2.21	0.055	36	25	0.77	673	0.25	7.22	0.90	3.21	59	18	<2	12	12	2	6
G020888	Core Chip	1.80	0.049	35	25	0.65	306	0.18	6.33	0.05	3.17	23	17	7	10	8	1	5
G021008	Core Chip	0.14	0.026	37	85	1.21	1140	0.51	9.07	0.64	3.63	<4	40	3	7	17	<1	15
G021028	Core Chip	0.22	0.007	19	29	0.29	208	0.14	2.90	0.97	0.79	<4	15	<2	4	4	<1	3
G021048	Core Chip	0.92	0.016	29	56	0.76	778	0.35	6.77	1.12	2.91	<4	33	<2	7	12	<1	9
G021068	Core Chip	1.66	0.029	30	48	0.52	598	0.28	5.76	0.65	2.48	18	36	4	12	9	<1	7
H228568	Core Chip	0.98	0.060	43	24	0.44	1494	0.28	7.77	1.68	3.36	85	23	<2	12	14	2	7
H228548	Core Chip	0.73	0.049	45	22	0.36	1064	0.27	7.07	1.71	2.58	>200	17	<2	11	13	2	6
H235528	Core Chip	3.31	0.035	25	40	0.74	561	0.24	5.36	0.72	2.00	25	29	<2	11	7	<1	7
H235508	Core Chip	7.36	0.035	33	36	0.75	501	0.24	5.64	1.13	0.95	>200	26	5	15	9	<1	7
H229128	Core Chip	0.68	0.020	30	40	0.60	615	0.28	5.64	1.25	2.27	8	27	<2	7	8	<1	7
H229148	Core Chip	1.17	0.030	47	51	0.62	727	0.32	8.58	0.33	3.78	40	34	6	9	11	<1	12
H229168	Core Chip	2.07	0.058	38	19	0.60	836	0.26	7.41	0.52	3.43	25	24	<2	12	12	2	6
H229188	Core Chip	2.38	0.059	31	25	0.77	1594	0.30	6.94	1.71	3.10	54	21	<2	10	13	2	6
H229208	Core Chip	2.29	0.058	34	24	0.74	1696	0.29	7.20	1.62	3.03	46	21	3	11	13	2	6
G088208	Core Chip	1.16	0.056	36	26	0.72	1469	0.27	6.89	1.25	3.78	28	21	7	10	12	1	6
G088248	Core Chip	2.35	0.060	32	23	0.75	1691	0.28	7.28	1.64	3.58	7	21	2	11	13	2	6
G088068	Core Chip	2.24	0.055	30	27	0.75	1545	0.27	6.72	1.53	3.69	19	20	3	11	12	2	6
G088088	Core Chip	2.71	0.060	32	24	0.74	1527	0.28	7.01	1.48	3.46	19	22	3	12	13	2	6
G088308	Core Chip	2.08	0.055	34	23	0.69	1322	0.24	7.11	1.09	3.37	20	22	7	11	11	2	6
G088328	Core Chip	1.56	0.043	25	18	0.57	1455	0.15	7.45	1.50	3.32	13	56	5	7	29	3	4
G088348	Core Chip	2.73	0.063	38	27	0.86	1528	0.31	7.52	1.60	3.72	55	20	2	12	15	2	7
G088368	Core Chip	2.52	0.060	40	23	0.75	1395	0.25	7.33	0.69	3.14	34	20	3	12	11	2	6
G987308	Core Chip	0.73	0.036	33	36	0.33	817	0.16	5.45	0.95	2.03	8	20	<2	8	10	1	5
G987328	Core Chip	0.35	0.026	32	41	0.53	1308	0.15	6.77	0.94	3.15	<4	35	3	9	4	<1	6
H231008	Core Chip	0.66	0.016	37	54	0.56	649	0.33	6.45	0.95	3.08	<4	34	<2	8	10	<1	9
H231128	Core Chip	0.49	0.060	41	71	1.51	979	0.44	7.83	0.66	3.19	9	51	4	10	16	<1	14
H231148	Core Chip	0.45	0.051	44	67	1.44	810	0.39	7.53	0.41	3.19	9	34	<2	10	14	<1	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 18, 2008

CERTIFICATE OF ANALYSIS VAN08009575.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
H231168	Core Chip	0.98	356	2	56	<5	38	<0.5	27	15	669	3.77	29	<20	5	12	189	<0.4	<5	<5	87
H231188	Core Chip	1.15	278	7	34	60	32	0.5	23	9	174	2.34	42	<20	<4	18	449	<0.4	21	57	34
H231208	Core Chip	1.31	222	3	26	23	31	<0.5	21	8	275	2.31	141	<20	4	18	431	0.5	<5	8	36
G088388	Core Chip	0.56	58	3	20	29	64	<0.5	21	7	316	2.53	19	<20	<4	19	481	<0.4	9	7	39
G088468	Core Chip	1.13	294	2	15	37	51	<0.5	13	4	368	1.57	22	<20	<4	16	264	<0.4	10	<5	20
G020708	Core Chip	0.93	<2	<2	11	<5	13	<0.5	18	4	178	1.87	6	<20	<4	11	60	<0.4	<5	<5	29
G020728	Core Chip	0.61	2	2	21	<5	38	<0.5	17	6	423	2.33	<5	<20	<4	11	82	<0.4	<5	7	34
G020748	Core Chip	1.04	5	2	84	<5	80	<0.5	40	19	463	4.84	<5	<20	<4	14	159	<0.4	<5	9	102
G987408	Core Chip	0.18	<2	<2	14	19	69	<0.5	26	7	402	2.45	84	<20	<4	17	438	<0.4	5	<5	48
H229228	Core Chip	0.77	279	11	39	63	86	1.1	22	7	424	2.90	707	<20	<4	18	277	0.5	17	17	30
H229248	Core Chip	0.91	172	<2	24	17	35	<0.5	20	7	264	2.34	56	24	<4	17	438	0.6	<5	10	33
H229268	Core Chip	0.99	249	<2	19	13	34	<0.5	21	7	244	2.25	58	29	<4	18	449	0.5	<5	12	34
H229288	Core Chip	0.71	26	<2	13	14	38	<0.5	21	8	266	2.31	43	23	<4	16	456	0.7	<5	<5	36
H229308	Core Chip	0.87	168	<2	100	797	1611	4.2	14	3	1670	3.80	166	29	<4	19	76	9.8	32	15	31

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 18, 2008

CERTIFICATE OF ANALYSIS VAN08009575.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
H231168	Core Chip	3.48	0.055	36	57	2.46	431	0.26	5.94	0.78	1.74	6	39	<2	16	10	<1	10
H231188	Core Chip	2.54	0.058	33	23	0.79	1546	0.29	7.38	1.68	3.41	23	24	3	13	13	2	6
H231208	Core Chip	2.73	0.057	30	22	0.79	1504	0.30	7.13	1.64	2.81	11	24	<2	12	14	2	6
G088388	Core Chip	2.83	0.064	36	21	0.84	1742	0.32	7.57	1.44	3.06	39	19	<2	12	14	1	7
G088468	Core Chip	1.95	0.048	24	15	0.48	982	0.16	6.97	1.05	3.34	11	20	<2	10	9	2	6
G020708	Core Chip	0.97	0.015	19	33	0.32	334	0.16	3.54	0.47	1.45	<4	20	<2	5	5	<1	4
G020728	Core Chip	0.93	0.014	24	38	0.53	462	0.20	4.45	0.76	1.89	<4	19	<2	5	6	<1	5
G020748	Core Chip	1.33	0.099	43	57	1.12	919	0.55	7.37	0.89	3.19	8	27	<2	13	16	<1	13
G987408	Core Chip	1.70	0.062	29	32	0.61	1026	0.31	7.01	1.66	1.73	15	33	<2	14	14	1	7
H229228	Core Chip	2.21	0.053	35	20	0.68	965	0.21	6.75	0.75	2.88	37	20	3	10	10	1	6
H229248	Core Chip	2.34	0.059	34	24	0.74	1594	0.30	7.17	1.59	3.96	36	17	7	12	15	3	6
H229268	Core Chip	2.34	0.058	34	28	0.78	1598	0.31	7.38	1.72	4.06	36	21	7	12	15	3	7
H229288	Core Chip	2.42	0.060	31	28	0.73	1616	0.32	7.24	1.71	3.92	36	19	5	11	15	3	7
H229308	Core Chip	1.72	0.057	39	23	0.75	693	0.16	7.29	0.04	3.62	37	19	12	11	8	3	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 18, 2008

QUALITY CONTROL REPORT VAN08009575.1

	Method	WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
G020628	Core Chip	0.86	3	<2	15	<5	29	0.7	21	8	294	2.23	32	<20	<4	15	85	0.5	10	<5	49
H231208	Core Chip	1.31	222	3	26	23	31	<0.5	21	8	275	2.31	141	<20	4	18	431	0.5	<5	8	36
Pulp Duplicates																					
G020668	Core Chip	1.14	4	<2	16	13	44	<0.5	20	10	248	2.48	9	<20	<4	11	82	0.4	10	<5	44
REP G020668	QC			<2	15	11	42	<0.5	20	9	240	2.40	<5	20	<4	11	81	0.5	10	<5	41
G020808	Core Chip	1.08	19	9	76	33	153	0.7	47	20	835	5.71	17	24	<4	9	177	1.1	30	<5	89
REP G020808	QC		17																		
G088308	Core Chip	0.79	176	3	34	62	109	<0.5	18	7	346	2.37	30	<20	<4	17	324	0.6	22	8	32
REP G088308	QC		192																		
H231008	Core Chip	0.68	14	<2	20	<5	33	<0.5	23	10	301	2.38	50	<20	<4	19	112	<0.4	<5	7	62
REP H231008	QC			<2	21	7	33	<0.5	24	10	306	2.40	53	<20	<4	17	113	<0.4	<5	<5	64
Reference Materials																					
STD CDN-PGMS-8	Standard		756																		
STD CDN-PGMS-8	Standard		874																		
STD CDN-PGMS-8	Standard		712																		
STD FA10R	Standard		433																		
STD FA10R	Standard		484																		
STD FA10R	Standard		488																		
STD FA10R	Standard		465																		
STD OREAS24P	Standard			<2	45	<5	114	<0.5	132	39	1082	7.60	<5	22	<4	3	390	1.5	<5	<5	153
STD OREAS24P	Standard			<2	47	<5	117	<0.5	151	44	1104	7.95	<5	<20	<4	5	387	1.5	15	<5	151
STD OREAS24P	Standard			<2	45	<5	114	<0.5	150	42	1110	8.02	<5	<20	<4	5	392	1.0	<5	6	156
STD OREAS45P	Standard			<2	724	19	138	<0.5	357	111	1276	18.12	7	29	<4	9	32	1.1	<5	<5	263
STD OREAS45P	Standard			<2	757	20	143	<0.5	408	122	1343	20.30	17	<20	<4	9	33	0.8	10	<5	259
STD OREAS45P	Standard			3	741	20	140	<0.5	397	119	1310	19.24	17	<20	<4	11	33	<0.4	<5	8	256
STD OREAS24P Expected				1.5	52	2.9	114	0.06	141	44	1100	7.97	2	0.75		2.85	403	0.15	0.14		183
STD OREAS45P Expected				1.9	749	22	141	0.32	385	120	1270	19.22	13.4	2.4	0.055	9.8	32.6	0.2	0.92	0.21	267
STD CDN-PGMS-8 Expected			820																		
STD FA10R Expected			485																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 18, 2008

QUALITY CONTROL REPORT VAN08009575.1

	Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
G020628	Core Chip	0.89	0.024	40	42	0.61	798	0.26	6.45	0.50	3.44	14	28	<2	9	8	<1	8
H231208	Core Chip	2.73	0.057	30	22	0.79	1504	0.30	7.13	1.64	2.81	11	24	<2	12	14	2	6
Pulp Duplicates																		
G020668	Core Chip	0.46	0.014	28	46	0.55	593	0.23	5.26	1.14	2.49	<4	24	<2	5	8	<1	6
REP G020668	QC	0.47	0.014	28	47	0.54	573	0.22	5.26	1.10	2.44	<4	23	<2	6	8	<1	6
G020808	Core Chip	1.41	0.071	36	100	1.16	291	0.39	6.82	0.04	2.77	23	20	<2	12	17	<1	12
REP G020808	QC																	
G088308	Core Chip	2.08	0.055	34	23	0.69	1322	0.24	7.11	1.09	3.37	20	22	7	11	11	2	6
REP G088308	QC																	
H231008	Core Chip	0.66	0.016	37	54	0.56	649	0.33	6.45	0.95	3.08	<4	34	<2	8	10	<1	9
REP H231008	QC	0.68	0.016	38	52	0.59	664	0.34	6.52	0.97	3.09	<4	34	3	8	10	<1	9
Reference Materials																		
STD CDN-PGMS-8	Standard																	
STD CDN-PGMS-8	Standard																	
STD CDN-PGMS-8	Standard																	
STD FA10R	Standard																	
STD FA10R	Standard																	
STD FA10R	Standard																	
STD FA10R	Standard																	
STD OREAS24P	Standard	5.87	0.126	17	184	4.02	267	1.03	7.88	2.37	0.71	<4	125	<2	20	20	1	21
STD OREAS24P	Standard	5.80	0.133	18	208	4.05	266	1.03	8.07	2.40	0.70	<4	125	<2	20	20	<1	20
STD OREAS24P	Standard	5.87	0.132	18	191	4.06	268	1.06	7.91	2.35	0.71	<4	129	<2	20	19	<1	20
STD OREAS45P	Standard	0.28	0.040	23	1061	0.18	267	0.99	6.85	0.08	0.35	<4	130	4	12	19	<1	67
STD OREAS45P	Standard	0.30	0.044	25	1121	0.20	279	0.98	7.26	0.08	0.36	<4	139	2	11	19	<1	70
STD OREAS45P	Standard	0.29	0.044	26	1083	0.19	278	0.98	7.06	0.08	0.36	<4	142	5	12	19	<1	68
STD OREAS24P Expected		6.07	0.136	17.4	221	4.13	285	1.1	7.66	2.31	0.7	0.5	141	1.6	22.9	21		20
STD OREAS45P Expected		0.3	0.047	24.8	1140	0.22	281	1.18	6.82	0.081	0.35	1.1	154	2.4	13	24		67
STD CDN-PGMS-8 Expected																		
STD FA10R Expected																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 18, 2008

QUALITY CONTROL REPORT VAN08009575.1

		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
Prep Wash																					
G1	Prep Blank	<0.01	<2	<2	<2	19	53	<0.5	4	6	807	2.69	<5	<20	<4	10	739	1.0	8	<5	53
G1	Prep Blank	<0.01	<2	<2	<2	13	55	<0.5	4	6	805	2.60	<5	22	5	8	752	0.9	12	<5	52

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 18, 2008

QUALITY CONTROL REPORT VAN08009575.1

		1E Ca % 0.01	1E P % 0.002	1E La ppm 2	1E Cr ppm 2	1E Mg % 0.01	1E Ba ppm 1	1E Ti % 0.01	1E Al % 0.01	1E Na % 0.01	1E K % 0.01	1E W ppm 4	1E Zr ppm 2	1E Sn ppm 2	1E Y ppm 2	1E Nb ppm 2	1E Be ppm 1	1E Sc ppm 1
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
Prep Wash																		
G1	Prep Blank	2.66	0.090	21	6	0.74	1039	0.26	8.15	2.66	3.13	<4	8	<2	14	23	<1	5
G1	Prep Blank	2.69	0.086	22	6	0.76	976	0.26	8.14	2.67	3.07	<4	8	<2	14	23	<1	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Submitted By: William Hay
Receiving Lab: Canada-Vancouver
Received: October 29, 2008
Report Date: November 17, 2008
Page: 1 of 4

CERTIFICATE OF ANALYSIS VAN08010597.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 70

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
P200	70	Pulverize to 85% passing 200 mesh		
Split Reject	70	Reject sample split/packet		
3B	70	Fire assay fusion Au by ICP-ES	30	Completed
1ED	70	4 Acid digestion ICP-ES analysis	0.25	Completed

ADDITIONAL COMMENTS





Invoice To: StrataGold Corporation
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2
Canada

CC: Jeff Scully
Hugh Coyle

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 17, 2008

CERTIFICATE OF ANALYSIS VAN08010597.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
H233 008	Rock Chip	0.60	2	<2	14	11	64	<0.5	18	10	350	2.48	22	<20	<4	13	73	<0.4	<5	<5	44
H233 028	Rock Chip	1.00	6	<2	13	21	21	<0.5	23	8	165	2.38	162	<20	<4	10	378	<0.4	<5	6	42
H231 288	Rock Chip	0.74	381	2	31	41	122	<0.5	20	8	249	2.36	21	<20	<4	13	444	<0.4	<5	37	35
H231 308	Rock Chip	0.96	63	3	21	32	68	<0.5	20	8	274	2.48	53	<20	<4	14	457	<0.4	<5	17	37
H231 228	Rock Chip	1.19	164	68	32	13	36	<0.5	21	9	230	2.59	229	<20	<4	20	474	<0.4	<5	20	39
H231 248	Rock Chip	1.12	146	5	37	18	34	<0.5	20	8	223	2.46	76	<20	<4	14	479	<0.4	5	16	36
H231 268	Rock Chip	1.08	54	5	36	22	52	<0.5	20	8	260	2.43	14	<20	<4	14	481	<0.4	<5	10	36
H225 808	Rock Chip	0.92	101	<2	43	80	63	<0.5	20	9	247	2.50	80	<20	<4	17	406	<0.4	<5	14	35
H225 828	Rock Chip	1.05	52	<2	26	16	43	<0.5	20	9	317	2.44	28	<20	<4	16	472	<0.4	7	11	37
H225 848	Rock Chip	1.23	43	<2	22	11	31	<0.5	22	10	255	2.53	74	<20	<4	16	493	<0.4	<5	17	37
H225 868	Rock Chip	1.44	5	<2	15	21	47	<0.5	20	8	303	2.46	11	<20	<4	14	493	<0.4	<5	<5	37
H225 888	Rock Chip	1.07	414	4	31	21	40	<0.5	20	10	248	2.46	35	<20	<4	17	482	<0.4	<5	38	37
H225 908	Rock Chip	0.92	220	4	37	25	48	<0.5	21	10	265	2.51	39	<20	<4	16	488	<0.4	<5	28	38
H225 928	Rock Chip	1.00	45	<2	20	30	63	<0.5	21	8	305	2.40	15	<20	<4	16	436	<0.4	<5	17	37
H225 948	Rock Chip	0.82	80	5	18	35	65	<0.5	19	9	317	2.42	43	<20	<4	15	491	<0.4	<5	10	37
H225 968	Rock Chip	0.93	559	2	25	22	37	<0.5	15	7	241	1.91	86	<20	<4	17	446	<0.4	<5	31	31
H225 988	Rock Chip	0.71	174	5	42	22	19	<0.5	17	9	247	2.15	358	<20	<4	17	553	<0.4	<5	9	41
H231 028	Rock Chip	0.62	17	<2	31	<5	20	<0.5	14	8	226	2.10	264	<20	<4	12	146	<0.4	<5	<5	46
H231 048	Rock Chip	0.67	67	<2	38	<5	28	<0.5	12	13	640	3.74	13	<20	<4	10	524	<0.4	<5	11	82
H231 068	Rock Chip	0.91	28	<2	21	<5	9	<0.5	7	3	81	0.77	48	<20	<4	9	44	<0.4	<5	5	17
H231 088	Rock Chip	1.07	43	<2	5	33	54	<0.5	12	11	447	2.42	126	<20	<4	13	447	<0.4	<5	<5	41
H231 108	Rock Chip	1.13	3	<2	12	7	25	<0.5	12	4	193	1.28	20	<20	<4	12	65	<0.4	<5	<5	28
H233 408	Rock Chip	0.63	201	3	62	24	18	<0.5	17	9	179	2.26	25	<20	<4	13	446	<0.4	<5	6	38
H233 428	Rock Chip	1.02	561	<2	59	17	23	<0.5	17	11	212	2.19	<5	<20	<4	15	568	<0.4	<5	17	44
H233 508	Rock Chip	1.19	158	3	67	33	81	<0.5	18	12	225	2.43	1044	<20	<4	16	418	<0.4	8	23	33
H233 528	Rock Chip	0.77	166	<2	99	19	26	<0.5	21	12	214	2.49	1326	<20	<4	14	470	<0.4	14	26	39
H233 548	Rock Chip	0.74	32	<2	27	29	52	<0.5	19	8	285	2.32	161	<20	<4	15	461	<0.4	<5	9	35
H233 268	Rock Chip	0.76	35	4	45	20	27	<0.5	19	7	179	1.90	119	<20	<4	15	451	<0.4	<5	<5	32
H233 288	Rock Chip	0.83	17	<2	44	44	53	<0.5	18	8	461	2.44	189	<20	<4	19	384	<0.4	11	12	42
H233 308	Rock Chip	0.92	44	3	49	14	60	<0.5	15	10	333	2.75	41	<20	<4	20	495	<0.4	<5	15	48

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 17, 2008

CERTIFICATE OF ANALYSIS VAN08010597.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
H233 008	Rock Chip	0.46	0.014	27	49	0.52	504	0.32	4.28	1.10	1.73	5	23	2	6	11	<1	6
H233 028	Rock Chip	2.07	0.068	24	29	0.84	1293	0.36	7.35	1.73	3.28	7	15	4	12	13	<1	7
H231 288	Rock Chip	2.64	0.062	29	26	0.78	1436	0.32	6.90	1.71	2.62	15	19	<2	10	14	1	6
H231 308	Rock Chip	2.21	0.062	30	26	0.80	1632	0.33	7.20	1.76	3.32	11	19	<2	10	14	2	7
H231 228	Rock Chip	2.56	0.061	47	27	0.88	1644	0.31	7.79	1.73	2.77	15	26	<2	14	15	1	8
H231 248	Rock Chip	2.56	0.060	31	30	0.81	1501	0.32	7.02	1.74	2.96	6	23	3	11	15	2	7
H231 268	Rock Chip	2.53	0.061	30	29	0.80	1541	0.32	7.08	1.81	3.24	13	25	3	10	15	1	7
H225 808	Rock Chip	2.58	0.060	35	26	0.85	1632	0.31	7.11	1.58	2.69	12	21	4	11	15	2	6
H225 828	Rock Chip	2.64	0.061	34	29	0.83	1500	0.33	7.22	1.76	2.88	9	27	4	12	15	2	7
H225 848	Rock Chip	2.50	0.063	31	29	0.82	1614	0.33	7.32	1.90	3.39	12	20	3	11	15	2	7
H225 868	Rock Chip	2.58	0.063	29	28	0.79	1672	0.33	7.25	1.88	3.40	5	23	<2	12	15	2	7
H225 888	Rock Chip	2.43	0.061	38	31	0.78	1519	0.33	7.02	1.76	3.39	<4	19	2	11	15	2	7
H225 908	Rock Chip	2.35	0.062	37	30	0.81	1564	0.33	7.29	1.84	3.42	5	20	<2	11	14	1	7
H225 928	Rock Chip	2.73	0.065	35	25	0.82	1325	0.33	7.40	1.71	3.25	22	18	4	11	15	1	7
H225 948	Rock Chip	2.41	0.061	32	22	0.80	1480	0.32	7.20	1.96	3.00	<4	20	3	12	15	2	7
H225 968	Rock Chip	2.25	0.051	29	22	0.67	1385	0.26	6.88	1.70	3.24	9	20	2	11	12	2	5
H225 988	Rock Chip	2.45	0.062	33	31	0.93	1561	0.32	7.31	1.80	2.77	27	22	3	11	15	1	7
H231 028	Rock Chip	0.70	0.024	28	37	0.69	728	0.22	5.19	0.99	2.62	<4	36	3	7	7	<1	7
H231 048	Rock Chip	3.40	0.085	24	50	1.59	1271	0.43	6.72	1.71	2.65	<4	49	2	13	15	<1	12
H231 068	Rock Chip	0.26	0.008	20	22	0.22	566	0.07	2.69	0.74	1.36	<4	18	<2	4	<2	<1	2
H231 088	Rock Chip	2.66	0.056	27	31	0.91	1214	0.26	6.42	1.64	2.83	<4	24	<2	9	13	1	7
H231 108	Rock Chip	0.43	0.008	27	32	0.34	421	0.17	3.40	0.62	1.70	6	20	3	4	6	<1	4
H233 408	Rock Chip	2.66	0.058	30	32	0.88	1366	0.29	6.94	1.65	2.72	13	22	4	11	14	1	7
H233 428	Rock Chip	2.58	0.065	33	33	1.02	1567	0.33	7.34	1.89	2.99	19	21	5	10	14	<1	8
H233 508	Rock Chip	1.82	0.055	29	27	0.78	1442	0.29	6.70	1.55	2.76	104	22	3	11	14	1	6
H233 528	Rock Chip	2.28	0.065	26	33	0.82	1666	0.33	6.84	1.63	2.53	33	18	4	9	15	1	7
H233 548	Rock Chip	2.38	0.059	27	28	0.77	1490	0.30	6.91	1.80	2.90	13	24	3	11	15	2	6
H233 268	Rock Chip	2.00	0.054	27	25	0.78	1403	0.29	7.20	1.69	3.42	22	21	3	12	14	2	6
H233 288	Rock Chip	2.84	0.063	34	42	0.73	1285	0.31	7.57	1.34	3.15	10	23	4	11	14	1	7
H233 308	Rock Chip	2.60	0.065	33	47	1.04	1213	0.32	6.85	1.75	3.03	10	38	2	10	16	1	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 17, 2008

CERTIFICATE OF ANALYSIS VAN08010597.1

Method	WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
H233 328	Rock Chip	0.90	34	<2	15	26	45	<0.5	14	9	434	2.71	5	<20	<4	18	513	<0.4	<5	7	50
H233 348	Rock Chip	0.91	144	4	70	20	22	<0.5	19	10	215	2.74	10	<20	<4	15	555	<0.4	<5	14	48
H233 368	Rock Chip	0.84	1846	5	89	63	33	<0.5	16	14	174	2.52	604	<20	<4	15	421	<0.4	9	96	43
H233 388	Rock Chip	0.91	83	<2	48	25	26	<0.5	13	7	285	2.25	24	<20	<4	26	406	<0.4	17	8	38
H233 068	Rock Chip	0.67	4	<2	3	45	10	<0.5	3	3	72	0.65	258	<20	<4	19	151	<0.4	<5	10	7
H233 088	Rock Chip	1.02	956	<2	23	10	35	<0.5	23	9	184	2.74	98	<20	<4	14	133	<0.4	<5	43	57
H233 108	Rock Chip	0.97	172	<2	33	11	16	<0.5	19	7	123	2.10	106	<20	<4	16	468	<0.4	<5	21	38
H233 128	Rock Chip	0.93	125	<2	44	45	24	<0.5	21	10	236	2.56	216	<20	<4	15	491	<0.4	13	40	38
H233 148	Rock Chip	0.99	764	<2	84	748	1029	6.3	18	12	990	3.26	795	<20	<4	17	123	6.0	71	74	34
H233 168	Rock Chip	0.97	143	3	47	18	29	<0.5	21	17	213	2.44	323	<20	4	16	432	<0.4	6	35	34
H233 188	Rock Chip	0.99	25	<2	21	31	60	<0.5	18	8	300	2.36	99	<20	<4	18	445	<0.4	<5	10	34
H233 208	Rock Chip	0.97	35	2	58	21	32	<0.5	22	10	257	2.86	120	<20	<4	15	470	<0.4	<5	21	38
H233 228	Rock Chip	0.89	37	<2	42	29	51	<0.5	16	7	269	2.27	54	<20	<4	17	429	<0.4	5	12	31
H233 248	Rock Chip	0.96	60	<2	31	25	60	<0.5	21	8	339	2.48	38	<20	<4	16	453	<0.4	<5	12	35
H231 328	Rock Chip	1.23	316	2	34	85	53	<0.5	18	9	254	2.22	36	<20	<4	19	459	<0.4	7	24	32
H231 348	Rock Chip	0.69	1687	5	70	122	88	2.5	19	9	456	3.85	101	<20	<4	19	244	0.5	11	53	40
H225 608	Rock Chip	0.96	3	<2	21	12	60	<0.5	35	13	340	4.26	38	<20	<4	14	112	<0.4	<5	16	86
H225 628	Rock Chip	0.97	68	<2	36	14	82	<0.5	42	14	682	4.88	26	<20	<4	13	381	<0.4	<5	7	90
H225 648	Rock Chip	0.49	5	<2	28	12	65	<0.5	34	15	470	4.51	84	<20	<4	15	117	<0.4	<5	9	84
H225 668	Rock Chip	1.04	36	<2	6	<5	22	<0.5	16	6	215	2.17	37	<20	<4	14	90	<0.4	<5	<5	39
H228 728	Rock Chip	0.89	125	<2	25	24	37	<0.5	20	9	226	2.39	112	<20	<4	15	499	<0.4	<5	20	38
H228 748	Rock Chip	1.00	14	<2	14	32	189	<0.5	23	9	327	2.87	78	<20	<4	19	377	0.7	<5	14	54
H228 768	Rock Chip	0.84	83	<2	23	22	59	<0.5	21	10	280	2.49	124	<20	<4	16	501	<0.4	<5	19	38
H228 788	Rock Chip	0.96	412	3	94	443	856	7.1	26	29	444	4.86	7106	<20	<4	14	336	5.1	106	51	34
H228 808	Rock Chip	1.22	150	3	133	26	22	<0.5	21	12	192	2.44	84	<20	<4	17	444	<0.4	10	18	38
H228 828	Rock Chip	1.05	12	<2	43	33	72	<0.5	22	9	363	2.55	19	<20	<4	18	491	<0.4	12	<5	38
H228 848	Rock Chip	1.04	202	3	34	27	40	<0.5	20	9	260	2.48	296	<20	<4	16	474	<0.4	<5	47	35
H228 868	Rock Chip	0.99	66	8	57	18	41	<0.5	20	7	216	2.42	54	<20	<4	17	481	<0.4	<5	9	35
H228 888	Rock Chip	0.90	136	<2	64	35	56	<0.5	22	11	271	2.53	127	<20	<4	14	475	<0.4	<5	19	35
H228 708	Rock Chip	0.89	21	<2	29	14	74	<0.5	27	11	214	2.84	309	<20	<4	16	248	<0.4	<5	11	60

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 17, 2008

CERTIFICATE OF ANALYSIS VAN08010597.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
H233 328	Rock Chip	2.90	0.067	32	52	1.14	1175	0.35	7.16	1.96	3.29	<4	37	<2	11	17	1	8
H233 348	Rock Chip	2.48	0.069	35	41	1.06	1615	0.36	7.30	1.90	3.00	11	19	<2	10	15	1	8
H233 368	Rock Chip	2.12	0.060	40	33	1.11	1549	0.28	6.65	1.27	3.20	19	18	<2	10	12	1	7
H233 388	Rock Chip	2.44	0.057	36	29	0.93	1210	0.27	7.34	1.50	3.33	24	27	3	10	13	1	7
H233 068	Rock Chip	0.56	0.020	23	12	0.14	624	0.06	6.10	1.69	2.47	<4	31	4	9	8	1	3
H233 088	Rock Chip	0.48	0.026	35	52	0.63	711	0.31	5.51	1.01	1.44	4	24	<2	8	10	<1	8
H233 108	Rock Chip	2.26	0.062	38	24	0.78	1739	0.32	7.66	1.68	1.54	16	18	3	10	14	1	7
H233 128	Rock Chip	2.57	0.064	35	26	0.83	1714	0.34	7.56	1.74	1.51	4	17	2	10	14	1	7
H233 148	Rock Chip	2.77	0.057	36	26	0.51	699	0.26	7.43	0.10	1.86	30	20	8	12	13	1	6
H233 168	Rock Chip	2.40	0.058	35	26	0.81	1523	0.32	7.23	1.69	1.64	17	20	<2	11	14	2	7
H233 188	Rock Chip	2.18	0.055	32	25	0.76	1445	0.31	7.43	1.83	1.47	<4	26	2	12	16	2	7
H233 208	Rock Chip	2.14	0.062	35	32	0.88	1616	0.34	7.61	1.76	1.58	<4	22	3	12	15	2	7
H233 228	Rock Chip	2.20	0.050	34	22	0.70	1333	0.28	7.24	1.84	1.49	6	23	4	12	15	2	6
H233 248	Rock Chip	2.51	0.059	34	29	0.86	1524	0.32	7.33	1.67	1.55	5	20	3	11	15	2	6
H231 328	Rock Chip	2.45	0.054	32	20	0.76	1422	0.29	7.19	1.89	1.59	14	20	5	12	15	2	6
H231 348	Rock Chip	2.46	0.060	34	34	0.74	1142	0.27	7.26	0.77	2.11	46	22	9	11	13	1	7
H225 608	Rock Chip	0.50	0.048	37	67	0.96	979	0.51	8.19	0.83	1.46	<4	47	<2	7	17	<1	12
H225 628	Rock Chip	8.32	0.035	39	68	1.00	884	0.47	9.37	1.09	1.47	<4	65	3	17	16	<1	13
H225 648	Rock Chip	0.38	0.051	35	64	1.02	692	0.44	8.11	0.84	1.56	<4	41	<2	7	15	<1	12
H225 668	Rock Chip	0.61	0.009	26	42	0.47	469	0.27	4.68	1.18	1.87	<4	25	<2	6	10	<1	5
H228 728	Rock Chip	2.33	0.064	32	25	0.81	1671	0.35	7.34	1.78	1.41	13	22	<2	10	15	1	7
H228 748	Rock Chip	1.78	0.047	39	40	0.90	1658	0.39	7.83	1.70	1.50	12	32	<2	11	17	<1	9
H228 768	Rock Chip	2.51	0.064	34	28	0.84	1618	0.34	7.55	1.88	1.61	4	22	2	11	16	1	7
H228 788	Rock Chip	1.99	0.060	35	34	0.76	71	0.30	7.07	1.18	2.17	18	17	8	9	14	1	6
H228 808	Rock Chip	2.19	0.063	35	31	0.78	1608	0.33	7.31	1.60	1.54	16	19	8	10	14	2	7
H228 828	Rock Chip	2.60	0.061	37	28	0.90	1530	0.33	7.49	1.81	1.53	5	27	3	11	16	1	8
H228 848	Rock Chip	2.43	0.060	35	26	0.79	1486	0.32	7.29	1.81	1.48	10	26	3	12	16	2	7
H228 868	Rock Chip	2.49	0.059	34	35	0.80	1512	0.31	7.35	1.76	1.48	9	23	3	12	15	2	7
H228 888	Rock Chip	2.42	0.058	31	27	0.78	1463	0.31	7.19	1.87	1.50	15	22	4	11	15	2	6
H228 708	Rock Chip	1.19	0.027	38	51	0.79	1292	0.39	7.03	1.18	1.46	20	33	<2	10	17	<1	9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 17, 2008

CERTIFICATE OF ANALYSIS VAN08010597.1

Method		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
H228 928	Rock Chip	0.89	66	3	57	18	27	<0.5	19	8	197	2.32	24	<20	<4	14	476	<0.4	<5	14	35
H228 948	Rock Chip	0.98	83	<2	34	26	37	<0.5	14	9	323	2.60	27	<20	<4	17	492	<0.4	<5	6	48
H228 968	Rock Chip	1.03	396	3	45	35	67	<0.5	12	9	267	2.28	113	<20	<4	14	389	<0.4	6	24	41
H228 988	Rock Chip	1.01	70	<2	23	28	44	<0.5	13	8	339	2.63	55	<20	<4	18	437	<0.4	7	<5	43
H225 688	Rock Chip	1.18	91	<2	6	<5	11	<0.5	8	3	152	1.05	34	<20	<4	8	67	<0.4	<5	<5	22
H225 708	Rock Chip	1.09	19	<2	5	<5	23	<0.5	20	8	136	2.56	16	<20	<4	13	85	<0.4	<5	7	42
H225 728	Rock Chip	1.04	143	<2	20	8	44	<0.5	19	8	344	2.38	24	<20	<4	11	89	<0.4	<5	16	41
H225 748	Rock Chip	0.96	952	2	32	<5	32	<0.5	22	9	207	1.82	22	<20	<4	9	64	<0.4	<5	41	52
H225 768	Rock Chip	1.06	29	<2	14	26	57	<0.5	30	12	352	3.15	18	<20	<4	14	108	<0.4	<5	<5	67
H225 788	Rock Chip	0.81	527	3	32	17	78	<0.5	37	16	685	3.83	17	<20	<4	13	136	<0.4	13	11	66

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 17, 2008

CERTIFICATE OF ANALYSIS VAN08010597.1

Method		1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
Unit		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
H228 928	Rock Chip	2.28	0.057	31	32	0.77	1458	0.31	7.37	1.78	1.46	20	19	<2	11	14	2	7
H228 948	Rock Chip	2.61	0.063	31	46	1.01	1242	0.32	7.29	1.75	1.46	12	46	4	10	18	1	8
H228 968	Rock Chip	2.50	0.055	32	31	0.88	1363	0.24	7.42	1.43	1.66	27	50	3	9	22	2	6
H228 988	Rock Chip	2.58	0.058	34	34	1.04	1477	0.30	7.20	1.57	1.41	23	25	4	10	15	<1	7
H225 688	Rock Chip	0.49	0.066	19	27	0.24	317	0.13	3.15	0.97	1.34	5	17	<2	6	5	<1	3
H225 708	Rock Chip	0.52	0.018	27	38	0.57	744	0.23	5.60	1.25	1.61	<4	22	<2	5	8	<1	6
H225 728	Rock Chip	0.75	0.027	25	39	0.51	510	0.22	4.99	0.76	1.55	5	22	5	6	8	<1	6
H225 748	Rock Chip	0.48	0.022	24	38	1.06	555	0.18	4.43	0.91	1.61	6	28	2	6	6	<1	6
H225 768	Rock Chip	0.55	0.163	32	59	0.79	707	0.35	6.48	0.92	1.29	<4	32	<2	10	12	<1	10
H225 788	Rock Chip	1.83	0.038	35	57	1.68	751	0.37	7.24	0.71	1.40	13	36	<2	10	15	<1	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 17, 2008

QUALITY CONTROL REPORT VAN08010597.1

	Method	WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
Pulp Duplicates																					
H231 268	Rock Chip	1.08	54	5	36	22	52	<0.5	20	8	260	2.43	14	<20	<4	14	481	<0.4	<5	10	36
REP H231 268	QC			5	39	27	50	<0.5	20	9	257	2.39	13	<20	<4	15	474	<0.4	<5	8	35
H225 608	Rock Chip	0.96	3	<2	21	12	60	<0.5	35	13	340	4.26	38	<20	<4	14	112	<0.4	<5	16	86
REP H225 608	QC		10																		
H228 748	Rock Chip	1.00	14	<2	14	32	189	<0.5	23	9	327	2.87	78	<20	<4	19	377	0.7	<5	14	54
REP H228 748	QC			<2	15	38	187	<0.5	23	9	318	2.79	72	<20	<4	19	379	1.0	<5	11	54
H225 748	Rock Chip	0.96	952	2	32	<5	32	<0.5	22	9	207	1.82	22	<20	<4	9	64	<0.4	<5	41	52
REP H225 748	QC		1007																		
Reference Materials																					
STD OREAS24P	Standard			<2	47	<5	107	<0.5	139	40	1117	7.86	<5	<20	<4	2	392	<0.4	<5	11	152
STD OREAS24P	Standard			<2	48	6	111	<0.5	146	41	1143	8.17	<5	<20	4	<2	394	<0.4	<5	12	159
STD OREAS45P	Standard			<2	712	19	131	<0.5	363	109	1290	18.11	7	<20	<4	11	32	<0.4	<5	13	244
STD OREAS45P	Standard			<2	718	24	124	<0.5	365	110	1309	18.18	11	<20	<4	8	32	<0.4	<5	<5	251
STD OXE56	Standard		576																		
STD OXE56	Standard		596																		
STD OXE56	Standard		605																		
STD OXE56	Standard		599																		
STD OXE56	Standard		631																		
STD OXH55	Standard		1234																		
STD OXH55	Standard		1321																		
STD OXH55	Standard		1257																		
STD OXH55	Standard		1293																		
STD OXH55	Standard		1339																		
STD OREAS24P Expected				1.5	52	2.9	114	0.06	141	44	1100	7.97	2	0.75		2.85	403	0.15	0.14		183
STD OREAS45P Expected				1.9	749	22	141	0.32	385	120	1270	19.22	13.4	2.4	0.055	9.8	32.6	0.2	0.92	0.21	267
STD OXE56 Expected			611																		
STD OXH55 Expected			1282																		
BLK	Blank		9																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 17, 2008

QUALITY CONTROL REPORT VAN08010597.1

	Method	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Y	Nb	Be	Sc
	Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.002	2	2	0.01	1	0.01	0.01	0.01	0.01	4	2	2	2	2	1	1
Pulp Duplicates																		
H231 268	Rock Chip	2.53	0.061	30	29	0.80	1541	0.32	7.08	1.81	3.24	13	25	3	10	15	1	7
REP H231 268	QC	2.51	0.060	29	29	0.78	1497	0.32	7.05	1.83	2.88	14	24	<2	10	15	1	7
H225 608	Rock Chip	0.50	0.048	37	67	0.96	979	0.51	8.19	0.83	1.46	<4	47	<2	7	17	<1	12
REP H225 608	QC																	
H228 748	Rock Chip	1.78	0.047	39	40	0.90	1658	0.39	7.83	1.70	1.50	12	32	<2	11	17	<1	9
REP H228 748	QC	1.72	0.047	36	42	0.88	1639	0.38	7.77	1.67	1.40	12	31	<2	10	17	<1	8
H225 748	Rock Chip	0.48	0.022	24	38	1.06	555	0.18	4.43	0.91	1.61	6	28	2	6	6	<1	6
REP H225 748	QC																	
Reference Materials																		
STD OREAS24P	Standard	5.77	0.129	18	198	4.03	262	1.05	7.80	2.33	0.69	<4	122	<2	19	20	<1	20
STD OREAS24P	Standard	6.01	0.133	19	188	4.09	270	1.12	7.95	2.39	0.71	<4	128	<2	19	22	<1	20
STD OREAS45P	Standard	0.28	0.041	25	1061	0.19	265	0.99	6.69	0.08	0.35	<4	137	<2	11	19	<1	66
STD OREAS45P	Standard	0.28	0.041	25	1075	0.19	268	1.05	6.80	0.08	0.35	<4	139	<2	11	20	<1	67
STD OXE56	Standard																	
STD OXE56	Standard																	
STD OXE56	Standard																	
STD OXE56	Standard																	
STD OXE56	Standard																	
STD OXH55	Standard																	
STD OXH55	Standard																	
STD OXH55	Standard																	
STD OXH55	Standard																	
STD OXH55	Standard																	
STD OREAS24P Expected		6.07	0.136	17.4	221	4.13	285	1.1	7.66	2.31	0.7	0.5	141	1.6	22.9	21		20
STD OREAS45P Expected		0.3	0.047	24.8	1140	0.22	281	1.18	6.82	0.081	0.35	1.1	154	2.4	13	24		67
STD OXE56 Expected																		
STD OXH55 Expected																		
BLK	Blank																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 17, 2008

QUALITY CONTROL REPORT VAN08010597.1

		WGHT	3B	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E	1E
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	2	2	5	2	0.5	2	2	5	0.01	5	20	4	2	2	0.4	5	5	2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
BLK	Blank			<2	<2	<5	<2	<0.5	<2	<2	<5	<0.01	<5	<20	<4	<2	<2	<0.4	<5	<5	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
Prep Wash																					
G1	Prep Blank	<0.01	30	<2	3	18	50	<0.5	3	4	779	2.54	<5	<20	<4	5	713	<0.4	<5	6	52
G1	Prep Blank	<0.01	10	<2	2	14	49	<0.5	4	4	758	2.42	<5	<20	<4	5	685	<0.4	<5	11	49

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **StrataGold Corporation**
P.O. Box 12542
2550 - 1066 W. Hastings St.
Vancouver BC V6E 3X2 Canada

Project: None Given
Report Date: November 17, 2008

QUALITY CONTROL REPORT VAN08010597.1

		1E Ca % 0.01	1E P % 0.002	1E La ppm 2	1E Cr ppm 2	1E Mg % 0.01	1E Ba ppm 1	1E Ti % 0.01	1E Al % 0.01	1E Na % 0.01	1E K % 0.01	1E W ppm 4	1E Zr ppm 2	1E Sn ppm 2	1E Y ppm 2	1E Nb ppm 2	1E Be ppm 1	1E Sc ppm 1
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
BLK	Blank	<0.01	<0.002	<2	<2	<0.01	<1	<0.01	<0.01	<0.01	<0.01	<4	<2	<2	<2	<2	<1	<1
BLK	Blank																	
BLK	Blank																	
Prep Wash																		
G1	Prep Blank	2.50	0.081	20	6	0.69	961	0.27	7.55	2.48	2.94	4	8	113	13	23	<1	5
G1	Prep Blank	2.42	0.081	20	5	0.66	867	0.25	7.32	2.44	2.84	15	8	112	12	22	<1	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2008
This copy reported on 9-DEC-2008
Account: STRGOL

CERTIFICATE VA08142914

Project: Dublin Gulch

P.O. No.:

This report is for 103 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 1-OCT-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: GRAHAM KUBALE
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08142914

Sample Description / Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233697	10.16	0.09	0.19	0.09	0.003	15.94	1096.0	0.09	0.09
H233698	11.96	0.20	0.24	0.20	0.003	12.27	1057.0	0.13	0.27
H233699	12.96	0.06	<0.05	0.07	<0.001	27.47	1107.0	0.06	0.07
H233700	4.76	0.06	<0.05	0.07	<0.001	15.57	1057.0	0.06	0.07
H233701	7.34	<0.05	<0.05	0.05	<0.001	24.22	1104.0	0.04	0.05
H233702	6.00	0.06	0.11	0.06	0.002	18.36	1020.5	0.05	0.06
H233703	11.54	<0.05	<0.05	0.05	<0.001	23.52	865.0	0.04	0.05
H233704	10.94	0.11	0.63	0.11	0.012	19.19	1003.5	0.10	0.11
H233705	3.66	<0.05	<0.05	<0.05	<0.001	13.96	1283.0	0.01	0.01
H233706	13.24	<0.05	<0.05	<0.05	<0.001	24.51	905.3	0.03	0.04
H233707	14.20	<0.05	<0.05	<0.05	<0.001	25.75	1190.5	0.02	0.03
H233708	11.32	<0.05	<0.05	<0.05	<0.001	29.64	1068.0	0.02	0.02
H233709	<0.02	<0.05	<0.05	<0.05	<0.001	17.62	1015.0	0.02	0.03
H233710	0.14							4.31	
H233711	8.72	<0.05	<0.05	0.05	<0.001	15.63	872.3	0.05	0.04
H233712	8.68	2.46	8.91	2.37	0.116	13.02	884.2	2.37	2.37
H233713	14.12	<0.05	<0.05	<0.05	<0.001	16.00	872.4	0.04	0.04
H233714	11.22	<0.05	<0.05	<0.05	<0.001	18.59	967.3	0.03	0.04
H233715	11.98	0.06	0.67	0.05	0.012	17.79	1098.0	0.04	0.05
H233716	0.28	<0.05	<0.05	<0.05	<0.001	16.20	185.6	<0.01	0.02
H233717	8.42	0.13	0.31	0.13	0.007	22.60	945.7	0.11	0.14
H233718	12.88	<0.05	<0.05	<0.05	<0.001	15.59	800.8	0.02	0.02
H233719	14.48	<0.05	<0.05	<0.05	<0.001	15.79	1003.0	0.02	0.03
H233720	10.90	0.05	0.24	0.05	0.004	16.88	911.9	0.05	0.04
H233721	6.54	0.07	<0.05	0.08	<0.001	9.86	1082.0	0.07	0.08
H233722	6.42	0.09	<0.05	0.10	<0.001	4.81	1116.5	0.09	0.10
H233723	12.94	0.14	<0.05	0.15	<0.001	19.14	873.9	0.14	0.15
H233724	10.94	0.14	<0.05	0.15	<0.001	14.64	928.3	0.13	0.16
H233725	14.64	0.08	<0.05	0.08	<0.001	21.44	916.4	0.07	0.09
H233726	12.94	0.45	6.47	0.31	0.120	18.54	816.1	0.27	0.35
H233727	12.54	0.70	1.83	0.69	0.019	10.39	956.3	0.78	0.59
H233728	12.60	0.08	<0.05	0.09	<0.001	17.83	951.7	0.09	0.08
H233729	<0.02	0.07	<0.05	0.07	<0.001	7.77	946.6	0.08	0.06
H233730	0.14							0.86	
H233731	11.40	0.44	0.29	0.44	0.006	20.36	930.1	0.40	0.48
H233732	12.98	0.14	<0.05	0.15	<0.001	23.90	933.0	0.14	0.15
H233733	13.08	0.47	10.20	0.35	0.168	16.48	1257.0	0.30	0.39
H233734	11.76	0.28	0.28	0.28	0.005	18.14	1044.0	0.31	0.24
H233735	13.80	<0.05	<0.05	<0.05	<0.001	19.49	808.2	0.01	0.02
H233736	0.78	<0.05	<0.05	<0.05	<0.001	9.43	664.4	<0.01	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08142914

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233737		11.52	3.09	35.6	2.60	0.425	11.93	779.6	2.94	2.25
H233738		7.82	0.05	<0.05	0.06	<0.001	2.24	1062.5	0.05	0.06
H233739		11.96	0.19	<0.05	0.19	<0.001	11.96	1027.5	0.27	0.11
H233740		16.12	0.06	<0.05	0.07	<0.001	21.85	1037.5	0.07	0.06
H233741		6.10	0.34	<0.05	0.35	<0.001	19.65	993.2	0.36	0.34
H233742		6.60	0.42	0.34	0.42	0.007	20.54	943.2	0.42	0.42
H233743		12.10	0.05	<0.05	0.05	<0.001	29.49	971.0	0.05	0.05
H233744		12.28	0.23	1.49	0.23	0.007	4.71	1021.0	0.22	0.23
H233745		14.58	0.05	<0.05	0.05	<0.001	18.93	962.9	0.04	0.06
H233746		13.06	0.32	1.67	0.29	0.039	23.34	1014.0	0.26	0.31
H233747		6.24	1.26	8.05	1.18	0.098	12.17	998.7	1.00	1.36
H233748		13.84	0.20	0.71	0.20	0.007	9.84	1037.0	0.20	0.20
H233749		<0.02	0.21	<0.05	0.22	<0.001	22.47	981.6	0.21	0.22
H233750		0.14							0.09	
H233751		12.00	0.09	0.30	0.09	0.007	23.20	963.3	0.08	0.10
H233752		12.90	0.14	0.14	0.14	0.005	35.45	953.9	0.15	0.12
H233753		12.76	<0.05	<0.05	<0.05	<0.001	39.05	988.8	0.02	0.03
H233754		13.10	0.17	0.43	0.16	0.020	46.85	935.5	0.19	0.13
H233755		11.48	<0.05	<0.05	<0.05	<0.001	38.31	963.1	0.02	0.02
H233756		0.26	<0.05	<0.05	<0.05	<0.001	21.02	128.6	<0.01	0.01
H233757		13.76	<0.05	<0.05	<0.05	<0.001	45.63	905.1	0.04	0.04
H233758		12.12	<0.05	<0.05	<0.05	<0.001	31.90	982.2	0.01	0.02
H233759		10.94	<0.05	<0.05	<0.05	<0.001	40.04	942.9	0.01	0.02
H233760		12.54	0.05	0.12	0.05	0.008	68.69	891.7	0.04	0.06
H233761		6.16	0.13	0.46	0.12	0.017	37.08	954.7	0.13	0.11
H233762		5.98	0.10	0.12	0.10	0.004	34.32	948.2	0.08	0.11
H233763		13.22	<0.05	<0.05	<0.05	<0.001	27.03	950.7	0.04	0.04
H233764		13.22	0.51	0.97	0.50	0.028	28.84	1039.0	0.52	0.47
H233765		13.58	0.52	2.05	0.46	0.098	47.81	1159.0	0.47	0.45
H233766		12.36	0.45	1.15	0.43	0.045	39.19	1116.5	0.41	0.45
H233767		12.82	0.27	0.40	0.27	0.016	40.30	1108.0	0.29	0.25
H233768		10.74	0.25	0.07	0.26	0.003	40.17	1111.5	0.30	0.22
H233769		<0.02	0.23	0.37	0.23	0.009	24.13	1165.5	0.19	0.27
H233770		0.14							0.63	
H233771		9.00	0.08	<0.05	0.09	<0.001	19.20	1024.5	0.08	0.09
H233772		12.68	0.54	8.66	0.37	0.139	16.05	759.3	0.42	0.31
H233773		11.04	<0.05	0.22	<0.05	0.009	40.16	744.6	0.03	0.03
H233774		6.88	0.12	<0.05	0.13	<0.001	17.71	555.8	0.13	0.12
H233775		14.22	0.05	<0.05	0.06	<0.001	47.01	903.0	0.05	0.06
H233776		0.42	<0.05	<0.05	<0.05	<0.001	2.09	191.5	0.02	0.04

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08142914

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233777		11.24	0.10	<0.05	0.11	<0.001	26.91	920.8	0.10	0.11
H233778		11.22	0.18	1.16	0.16	0.020	17.29	919.6	0.17	0.15
H233779		11.28	0.06	<0.05	0.07	<0.001	19.69	891.2	0.06	0.07
H233780		11.98	0.21	0.30	0.21	0.008	26.47	911.4	0.19	0.22
H233781		6.22	0.17	1.26	0.13	0.042	33.43	915.0	0.11	0.15
H233782		6.10	0.23	0.13	0.23	0.006	46.29	912.8	0.25	0.21
H233783		11.84	0.40	0.70	0.38	0.039	55.47	834.3	0.38	0.38
H233784		14.12	0.37	0.59	0.37	0.013	22.09	1125.0	0.36	0.37
H233785		10.82	0.22	1.05	0.19	0.045	42.91	1060.0	0.18	0.20
H233786		10.60	0.57	0.57	0.57	0.020	34.81	1189.0	0.47	0.66
H233787		9.20	0.27	0.30	0.27	0.015	50.13	1073.5	0.27	0.27
H233788		9.34	0.36	0.36	0.37	0.008	22.02	1112.5	0.36	0.37
H233789		<0.02	0.38	0.34	0.38	0.022	63.79	1083.0	0.41	0.35
H233790		0.14							4.56	
H233791		7.70	<0.05	<0.05	<0.05	<0.001	17.58	1198.5	0.04	0.04
H233792		13.28	0.23	0.27	0.23	0.008	29.64	1266.5	0.22	0.23
H233793		9.34	0.10	1.37	0.07	0.038	27.77	1169.0	0.07	0.06
H233794		15.90	0.12	0.16	0.12	0.006	37.24	901.8	0.11	0.12
H233795		12.28	0.06	<0.05	0.06	<0.001	33.02	1179.0	0.05	0.07
H233796		0.42	<0.05	<0.05	<0.05	<0.001	0.98	314.5	<0.01	0.01
H233797		13.26	0.11	<0.05	0.12	<0.001	39.14	1397.0	0.12	0.11
H233798		12.36	0.15	0.25	0.15	0.006	24.15	1138.5	0.15	0.15
H233799		12.32	0.18	<0.05	0.18	<0.001	21.18	1437.0	0.21	0.15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-NOV-2008
Account: STRGOL

CERTIFICATE TR08161810

Project: Dublin Gulch

P.O. No.:

This report is for 179 Drill Core samples submitted to our lab in Terrace, BC, Canada on 14-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE TERRY TUCKER	ANDY RANDELL	SHANE STEVENS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: ANDY RANDELL
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08161810

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G088201		6.05	0.10	<0.05	0.11	<0.001	14.55	1093.0	0.13	0.08
G088202		6.46	0.10	1.25	0.09	0.015	12.03	986.1	0.07	0.10
G088203		11.08	0.12	2.83	0.07	0.052	18.38	869.9	0.07	0.06
G088204		13.70	0.15	<0.05	0.15	<0.001	23.87	966.8	0.15	0.15
G088205		9.43	0.08	6.67	0.05	0.025	3.75	784.9	0.04	0.05
G088206		8.98	0.66	23.6	0.48	0.198	8.40	1051.5	0.55	0.40
G088207		8.99	0.12	<0.05	0.12	<0.001	6.22	971.7	0.15	0.09
G088208		14.87	0.33	<0.05	0.33	<0.001	1.38	899.8	0.35	0.31
G088209		<0.02	0.37	1.78	0.36	0.012	6.75	838.0	0.39	0.32
G088210		0.09							NSS	
G088211		13.09	0.15	4.28	0.13	0.024	5.61	858.8	0.15	0.10
G088212		10.34	0.28	1.45	0.26	0.024	16.57	914.9	0.26	0.26
G088213		13.43	0.09	0.77	0.08	0.012	15.65	773.3	0.07	0.09
G088214		10.24	0.06	0.52	0.05	0.010	19.12	838.0	0.05	0.05
G088215		12.16	0.12	<0.05	0.13	<0.001	28.28	779.5	0.13	0.12
G088216		0.67							0.04	
G088217		9.81	0.13	<0.05	0.13	<0.001	30.10	879.5	0.12	0.14
G088218		12.42	0.27	0.25	0.27	0.007	28.57	722.7	0.26	0.28
G088219		9.96	<0.05	<0.05	<0.05	<0.001	31.41	804.7	0.03	0.03
G088220		14.15	0.05	<0.05	0.06	<0.001	8.08	759.6	0.06	0.05
G088221		5.44	<0.05	<0.05	<0.05	<0.001	20.50	803.3	0.04	0.04
G088222		5.39	0.09	<0.05	0.09	<0.001	16.53	731.7	0.09	0.09
G088223		12.84	<0.05	<0.05	<0.05	<0.001	19.21	765.0	0.02	0.02
G088224		12.21	0.07	<0.05	0.08	<0.001	17.94	944.8	0.08	0.07
G088225		14.20	0.05	<0.05	0.06	<0.001	10.04	1042.5	0.06	0.05
G088226		10.72	<0.05	<0.05	<0.05	<0.001	13.31	1196.5	0.05	0.03
G088227		14.41	<0.05	<0.05	0.05	<0.001	17.19	1111.5	0.04	0.05
G088228		11.35	0.25	1.03	0.23	0.023	22.35	990.5	0.25	0.21
G088229		12.47	0.27	5.16	0.21	0.068	13.17	986.2	0.19	0.22
G088230		0.59							<0.01	
G088231		9.64	0.08	<0.05	0.09	<0.001	17.67	848.1	0.09	0.08
G088232		12.47	0.09	<0.05	0.09	<0.001	25.26	1067.0	0.10	0.08
G088233		8.62	0.07	<0.05	0.08	<0.001	24.32	878.3	0.08	0.07
G088234		15.57	0.27	0.73	0.27	0.017	23.16	1106.0	0.23	0.30
G088235		9.04	0.48	4.95	0.45	0.037	7.47	947.3	0.47	0.42
G088236		15.28	0.10	<0.05	0.10	<0.001	13.42	756.9	0.11	0.09
G088237		8.48	0.19	0.33	0.19	0.005	15.26	826.3	0.18	0.19
G088238		10.97	0.39	4.78	0.30	0.095	19.89	912.5	0.30	0.29
G088239		13.12	0.12	<0.05	0.13	<0.001	24.51	872.1	0.12	0.13
G088240		12.44	0.11	<0.05	0.12	<0.001	11.31	881.8	0.13	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08161810

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G088241		3.45	<0.05	<0.05	<0.05	<0.001	20.98	835.5	0.02	0.02
G088242		4.26	<0.05	<0.05	<0.05	<0.001	17.29	614.7	0.02	0.02
G088243		12.78	0.11	<0.05	0.11	<0.001	15.90	906.8	0.12	0.10
G088244		13.88	0.15	0.34	0.15	0.007	20.43	948.4	0.15	0.14
G088245		10.69	0.07	<0.05	0.08	<0.001	11.66	708.2	0.06	0.09
G088246		12.49	<0.05	<0.05	0.05	<0.001	11.48	859.2	0.04	0.05
G088247		13.31	<0.05	<0.05	<0.05	<0.001	13.84	826.7	0.04	0.03
G088248		8.99	<0.05	<0.05	<0.05	<0.001	11.16	657.6	0.03	0.03
G088249		<0.02	<0.05	<0.05	<0.05	<0.001	16.41	766.7	0.03	0.03
G088250		0.08							NSS	
G088051		14.81	<0.05	<0.05	<0.05	<0.001	13.03	703.4	0.03	0.03
G088052		13.10	<0.05	<0.05	<0.05	<0.001	15.34	636.1	0.02	0.03
G088053		10.42	<0.05	<0.05	<0.05	<0.001	17.45	814.0	0.03	0.04
G088054		13.06	0.10	<0.05	0.10	<0.001	9.13	808.7	0.10	0.10
G088055		9.14	0.08	<0.05	0.08	<0.001	14.39	659.5	0.07	0.09
G088056		0.43							0.02	
G088057		13.05	0.18	7.78	0.16	0.014	1.80	672.3	0.14	0.17
G088058		9.44	0.25	0.79	0.24	0.015	19.10	789.3	0.24	0.24
G088059		15.73	0.12	0.73	0.12	0.007	9.58	613.8	0.11	0.12
G088060		14.67	0.84	2.55	0.82	0.035	13.75	899.9	0.81	0.82
G088061		4.64	1.22	6.46	1.15	0.070	10.84	738.0	0.91	1.38
G088062		3.62	0.43	0.69	0.43	0.005	7.24	600.3	0.41	0.44
G088063		12.63	0.93	1.05	0.93	0.013	12.43	856.7	0.97	0.88
G088064		13.94	0.07	<0.05	0.07	<0.001	13.53	857.8	0.07	0.07
G088065		8.89	0.11	<0.05	0.11	<0.001	9.81	648.8	0.11	0.11
G088066		13.90	0.05	<0.05	0.05	<0.001	17.89	901.8	0.05	0.05
G088067		12.47	0.11	0.54	0.11	0.008	14.69	838.7	0.09	0.12
G088068		14.40	0.35	0.62	0.34	0.011	17.88	843.5	0.31	0.37
G088069		<0.02	0.93	9.96	0.78	0.134	13.45	764.5	0.76	0.79
G088070		0.09							NSS	
G088071		10.43	0.17	<0.05	0.18	<0.001	20.03	846.2	0.17	0.18
G088072		14.23	0.15	<0.05	0.15	<0.001	13.89	748.4	0.15	0.15
G088073		11.40	<0.05	<0.05	0.05	<0.001	3.90	857.6	0.04	0.05
G088074		8.58	0.21	<0.05	0.22	<0.001	15.67	665.0	0.24	0.19
G088075		14.53	0.15	0.21	0.15	0.003	14.23	738.2	0.15	0.15
G088076		0.50							<0.01	
G088077		13.96	<0.05	<0.05	<0.05	<0.001	9.42	757.4	0.02	0.02
G088078		10.85	0.22	0.57	0.22	0.008	14.08	703.1	0.25	0.18
G088079		11.06	0.21	<0.05	0.21	<0.001	10.11	631.5	0.21	0.21
G088080		13.83	1.00	1.28	1.00	0.020	15.60	708.1	1.04	0.95

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08161810

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G088081		5.59	0.26	0.25	0.27	0.003	12.00	767.1	0.29	0.24
G088082		5.98	0.37	0.29	0.38	0.003	10.20	894.2	0.36	0.39
G088083		11.19	1.61	8.76	1.55	0.062	7.08	818.6	1.48	1.62
G088084		15.23	0.90	0.70	0.91	0.009	12.90	748.7	0.93	0.88
G088085		12.39	0.21	0.63	0.20	0.014	22.22	651.0	0.15	0.24
G088086		13.20	0.39	2.12	0.37	0.012	5.67	644.7	0.35	0.39
G088087		13.16	0.18	0.26	0.18	0.005	19.50	704.2	0.15	0.20
G088088		12.56	<0.05	<0.05	<0.05	<0.001	20.00	681.0	0.04	0.04
G088089		<0.02	<0.05	<0.05	<0.05	<0.001	10.16	664.8	0.04	0.04
G088090		0.08							0.45	
G088091		11.14	<0.05	<0.05	0.05	<0.001	14.47	712.7	0.05	0.04
G088092		13.20	0.09	<0.05	0.09	<0.001	15.61	655.8	0.11	0.07
G088093		12.57	0.09	<0.05	0.09	<0.001	20.49	730.1	0.08	0.10
G088094		14.18	1.39	8.19	1.20	0.126	15.39	549.0	1.07	1.33
G088095		10.70	2.62	13.95	2.50	0.124	8.90	777.6	2.57	2.42
G088096		0.50							0.04	
G088097		19.54	0.26	<0.05	0.27	<0.001	11.92	752.4	0.22	0.31
G088098		13.64	1.92	1.91	1.93	0.023	12.05	751.2	1.89	1.96
G088099		13.37	0.32	4.38	0.25	0.060	13.71	782.7	0.27	0.23
G088100		13.25	0.83	13.95	0.65	0.134	9.61	699.3	0.66	0.63
G088301		6.63	0.48	6.47	0.40	0.074	11.43	785.9	0.34	0.45
G088302		5.87	0.91	13.20	0.63	0.262	19.87	858.9	0.50	0.75
G088303		12.95	0.56	5.86	0.52	0.033	5.63	675.6	0.51	0.53
G088304		10.93	1.38	11.15	1.25	0.125	11.19	784.2	1.29	1.20
G088305		12.85	0.16	5.66	0.07	0.093	16.42	930.2	0.07	0.06
G088306		13.61	<0.05	<0.05	<0.05	<0.001	25.10	515.0	0.03	0.03
G088307		11.21	0.13	<0.05	0.14	<0.001	24.71	646.9	0.12	0.15
G088308		15.18	0.27	<0.05	0.27	<0.001	13.75	775.4	0.28	0.26
G088309		<0.02	0.23	0.47	0.22	0.012	25.58	585.8	0.23	0.20
G088310		0.08							1.42	
G088311		9.87	0.08	0.16	0.08	0.004	25.76	816.4	0.08	0.07
G088312		14.64	1.16	16.75	0.79	0.334	19.96	837.8	0.86	0.72
G088313		9.31	0.05	<0.05	0.05	<0.001	4.40	636.6	0.06	0.04
G088314		15.33	1.10	14.45	1.05	0.051	3.53	791.4	1.03	1.06
G088315		11.85	0.12	1.12	0.11	0.008	7.12	889.0	0.11	0.11
G088316		0.60							<0.01	
G088317		11.84	0.09	0.70	0.09	0.010	14.30	947.2	0.11	0.06
G088318		11.80	0.10	<0.05	0.11	<0.001	13.97	1013.5	0.14	0.07
G088319		14.77	<0.05	<0.05	<0.05	<0.001	19.10	953.1	0.03	0.03
G088320		9.64	<0.05	<0.05	<0.05	<0.001	9.24	781.0	0.02	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08161810

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G088321		6.78	0.21	0.30	0.21	0.007	23.48	1076.5	0.21	0.20
G088322		6.18	0.10	<0.05	0.11	<0.001	12.23	1043.0	0.10	0.11
G088323		10.44	<0.05	<0.05	<0.05	<0.001	10.60	794.1	0.04	0.04
G088324		12.19	0.14	0.14	0.15	0.003	21.71	653.7	0.15	0.14
G088325		12.25	0.46	2.90	0.43	0.033	11.36	790.9	0.46	0.39
G088326		11.81	0.63	7.27	0.52	0.102	14.03	853.8	0.51	0.53
G088327		13.95	0.24	<0.05	0.24	<0.001	3.99	673.9	0.24	0.24
G088328		9.84	<0.05	<0.05	<0.05	<0.001	21.00	1033.0	0.02	0.02
G088329		<0.02	0.36	0.63	0.36	0.005	7.94	733.7	0.33	0.38
G088330		0.08							2.72	
G088331		10.41	0.12	<0.05	0.13	<0.001	6.31	731.4	0.10	0.15
G088332		15.41	0.13	21.3	0.09	0.051	2.40	1162.0	0.09	0.08
G088333		13.10	0.06	<0.05	0.06	<0.001	15.51	992.2	0.06	0.06
G088334		11.09	0.10	1.19	0.08	0.026	21.77	1016.5	0.07	0.09
G088335		13.11	0.18	0.58	0.17	0.015	25.74	1032.5	0.18	0.15
G088336		0.54							<0.01	
G088337		12.73	0.14	<0.05	0.15	<0.001	19.57	1127.0	0.13	0.16
G088338		13.10	0.18	2.13	0.16	0.018	8.47	1065.5	0.16	0.16
G088339		13.10	0.15	0.77	0.15	0.012	15.67	1147.0	0.15	0.14
G088340		11.93	0.21	5.05	0.18	0.031	6.14	1079.0	0.18	0.18
G088341		6.99	0.22	1.56	0.21	0.011	7.03	902.9	0.18	0.23
G088342		7.20	0.11	<0.05	0.11	<0.001	9.44	844.4	0.10	0.12
G088343		10.49	0.47	3.16	0.43	0.038	12.01	861.1	0.38	0.48
G088344		10.19	0.05	<0.05	0.05	<0.001	19.05	919.2	0.04	0.06
G088345		13.11	0.17	0.18	0.17	0.005	27.76	1051.0	0.15	0.18
G088346		10.75	0.24	1.44	0.23	0.012	8.36	975.1	0.20	0.26
G088347		14.11	0.09	<0.05	0.09	<0.001	11.98	1074.0	0.09	0.09
G088348		14.54	0.26	1.74	0.25	0.008	4.61	780.8	0.27	0.23
G088349		<0.02	0.18	<0.05	0.18	<0.001	3.98	821.9	0.19	0.17
G088350		0.08							4.58	
G088351		10.70	0.11	<0.05	0.11	<0.001	5.07	784.5	0.12	0.10
G088352		11.19	0.22	1.63	0.21	0.013	7.99	841.1	0.22	0.20
G088353		13.85	<0.05	<0.05	<0.05	<0.001	15.28	831.4	0.04	0.03
G088354		12.44	<0.05	<0.05	<0.05	<0.001	16.66	929.3	0.04	0.04
G088355		12.23	<0.05	<0.05	<0.05	<0.001	16.05	835.7	0.02	0.01
G088356		0.63							<0.01	
G088357		13.03	0.09	<0.05	0.09	<0.001	14.40	825.9	0.11	0.07
G088358		11.52	0.05	<0.05	0.05	<0.001	8.05	885.0	0.04	0.06
G088359		14.30	<0.05	<0.05	<0.05	<0.001	10.86	812.2	0.04	0.03
G088360		12.32	0.15	0.41	0.15	0.006	14.50	816.6	0.12	0.18

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08161810

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G088361		7.57	2.46	15.50	2.26	0.162	10.46	692.7	2.25	2.27
G088362		7.17	1.13	10.15	1.02	0.117	11.53	894.9	0.95	1.08
G088363		11.71	0.28	7.79	0.18	0.088	11.30	828.0	0.20	0.15
G088364		13.49	0.29	<0.05	0.29	<0.001	13.08	816.2	0.29	0.29
G088365		12.56	0.24	<0.05	0.25	<0.001	13.47	782.9	0.25	0.24
G088366		8.05	0.19	1.38	0.17	0.021	15.23	786.2	0.13	0.20
G088367		11.96	0.13	<0.05	0.14	<0.001	17.61	798.5	0.12	0.15
G088368		12.88	0.12	<0.05	0.13	<0.001	14.57	815.4	0.16	0.09
G088369		<0.02	0.08	<0.05	0.08	<0.001	5.00	764.8	0.07	0.09
G088370		0.09							NSS	
G088371		14.23	0.08	<0.05	0.09	<0.001	7.91	627.1	0.08	0.09
G088372		11.81	0.44	<0.05	0.45	<0.001	9.81	832.9	0.46	0.44
G088373		12.77	0.12	<0.05	0.13	<0.001	6.55	453.3	0.12	0.13
G088374		13.80	0.07	<0.05	0.08	<0.001	15.69	897.6	0.07	0.08
G088375		12.46	0.38	<0.05	0.39	<0.001	7.81	797.2	0.37	0.40
G088376		0.43							NSS	
G088377		11.50	0.12	0.69	0.11	0.009	13.01	769.7	0.10	0.12
G088378		13.00	0.09	<0.05	0.10	<0.001	9.50	765.2	0.09	0.10
G088379		12.98	0.16	<0.05	0.17	<0.001	12.22	806.9	0.15	0.18

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08161810

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2008
Account: STRGOL

CERTIFICATE VA08142915


Project: Dublin Gulch

P.O. No.:

This report is for 146 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-SEP-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS



SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08142915

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233551		6.00	0.36	2.77	0.32	0.050	18.07	1082.0	0.31	0.32
H233552		11.10	0.62	1.21	0.62	0.023	19.05	1121.0	0.50	0.73
H233553		11.72	0.08	<0.05	0.09	<0.001	21.34	1070.5	0.10	0.07
H233554		14.02	0.05	0.05	0.06	0.001	19.93	1032.0	0.07	0.04
H233555		10.82	0.18	0.27	0.18	0.005	18.47	1073.0	0.19	0.17
H233556		0.58	<0.05	<0.05	<0.05	<0.001	19.67	464.2	0.01	<0.01
H233557		10.62	0.27	0.44	0.27	0.012	27.28	947.9	0.33	0.20
H233558		11.20	0.11	<0.05	0.12	0.001	22.71	841.3	0.10	0.13
H233559		6.24	0.22	0.46	0.21	0.011	23.81	1160.5	0.23	0.19
H233560		13.98	0.11	<0.05	0.11	<0.001	18.58	1048.0	0.12	0.10
H233561		4.78	<0.05	<0.05	<0.05	<0.001	25.20	946.6	0.04	0.03
H233562		5.74	0.05	0.17	0.05	0.004	23.13	1143.0	0.04	0.05
H233563		10.84	0.13	<0.05	0.13	<0.001	19.45	954.9	0.10	0.16
H233564		17.40	0.24	0.32	0.24	0.008	24.89	1239.0	0.24	0.23
H233565		9.48	0.15	<0.05	0.15	<0.001	12.37	927.6	0.08	0.22
H233566		11.04	0.06	<0.05	0.06	<0.001	22.65	1055.0	0.05	0.07
H233567		9.66	<0.05	<0.05	<0.05	<0.001	18.31	1079.5	0.03	0.02
H233568		12.16	<0.05	<0.05	<0.05	<0.001	15.10	1149.0	0.04	0.03
H233569		<0.02	<0.05	<0.05	<0.05	<0.001	9.93	988.1	0.03	0.03
H233570		0.14							0.88	
H233571		12.32	0.12	<0.05	0.12	<0.001	9.54	1093.0	0.10	0.14
H233572		12.06	0.13	<0.05	0.13	<0.001	6.04	1130.5	0.10	0.16
H233573		12.82	0.17	4.26	0.16	0.018	4.23	991.0	0.13	0.18
H233574		10.84	0.29	4.61	0.20	0.102	22.12	1057.5	0.24	0.15
H233575		11.82	<0.05	<0.05	<0.05	<0.001	18.50	1072.5	0.03	0.03
H233576		0.68	<0.05	<0.05	<0.05	<0.001	12.83	573.9	0.01	<0.01
H233577		12.06	0.09	<0.05	0.09	<0.001	9.30	899.5	0.11	0.07
H233578		5.78	<0.05	<0.05	<0.05	<0.001	8.03	1157.0	0.03	0.03
H233579		14.90	0.06	<0.05	0.06	<0.001	15.03	947.4	0.07	0.05
H233580		11.42	<0.05	<0.05	<0.05	<0.001	16.76	891.9	0.05	0.03
H233581		7.18	0.14	<0.05	0.15	<0.001	15.10	1249.0	0.15	0.14
H233582		5.86	0.13	0.24	0.13	0.004	16.90	1156.0	0.16	0.09
H233583		14.02	0.27	<0.05	0.28	<0.001	12.35	965.3	0.21	0.34
H233584		10.42	0.08	<0.05	0.08	<0.001	6.61	1118.5	0.09	0.07
H233585		9.96	<0.05	<0.05	<0.05	<0.001	13.49	1049.0	0.05	0.03
H233586		15.54	0.11	0.80	0.11	0.008	9.96	1068.0	0.11	0.10
H233587		13.20	0.19	3.95	0.17	0.021	5.31	969.6	0.16	0.18
H233588		12.54	0.05	<0.05	0.06	<0.001	6.32	1178.0	0.06	0.05
H233589		<0.02	0.06	<0.05	0.06	<0.001	6.22	990.8	0.07	0.05
H233590		0.14							0.66	

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08142915

Sample Description	Method	WEI-21	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26	Au-AA26D
	Analyte	Recvd Wt.	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
	Units	kg	ppm	ppm	ppm	mg	g	g	ppm	ppm
	LOR	0.02	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
H233591		12.72	0.11	<0.05	0.12	<0.001	3.83	910.8	0.13	0.10
H233592		12.76	0.07	<0.05	0.08	<0.001	11.24	761.7	0.08	0.07
H233593		11.56	<0.05	<0.05	<0.05	<0.001	10.29	1196.5	0.04	0.03
H233594		12.08	0.76	28.8	0.61	0.143	4.97	903.7	0.63	0.58
H233595		11.14	0.12	<0.05	0.12	<0.001	13.50	1134.5	0.13	0.11
H233596		0.28	<0.05	<0.05	<0.05	<0.001	5.51	182.1	0.02	<0.01
H233597		11.42	0.05	<0.05	0.05	<0.001	21.37	1135.0	0.06	0.04
H233598		12.62	0.10	<0.05	0.10	<0.001	7.79	1097.5	0.10	0.10
H233599		9.76	0.11	<0.05	0.11	<0.001	19.98	1244.5	0.12	0.10
H233600		16.12	<0.05	<0.05	<0.05	<0.001	9.76	1102.5	0.03	0.02
H233601		5.74	<0.05	<0.05	0.05	<0.001	3.36	1055.5	0.05	0.04
H233602		6.02	<0.05	<0.05	<0.05	<0.001	25.88	919.0	0.04	0.03
H233603		12.56	0.07	<0.05	0.08	<0.001	18.07	1002.5	0.07	0.08
H233604		13.04	<0.05	<0.05	<0.05	<0.001	6.32	1127.5	0.03	0.03
H233605		12.96	0.11	<0.05	0.11	<0.001	26.41	1161.5	0.11	0.11
H233606		12.34	0.09	<0.05	0.09	<0.001	6.65	940.9	0.09	0.09
H233607		12.74	<0.05	<0.05	<0.05	<0.001	15.68	1041.5	0.01	0.01
H233608		10.44	<0.05	<0.05	<0.05	<0.001	5.28	938.2	0.01	0.01
H233609		<0.02	<0.05	<0.05	<0.05	<0.001	5.33	968.2	0.01	0.01
H233610		0.14							4.63	
H233611		14.62	<0.05	<0.05	<0.05	<0.001	16.73	1021.0	0.04	0.02
H233612		11.98	<0.05	<0.05	<0.05	<0.001	13.46	1141.0	0.03	0.03
H233613		14.64	<0.05	<0.05	<0.05	<0.001	4.46	1092.5	0.02	0.02
H233614		13.36	<0.05	<0.05	<0.05	<0.001	6.97	1076.5	0.02	0.01
H233615		11.74	<0.05	<0.05	<0.05	<0.001	5.98	1093.0	0.01	<0.01
H233616		0.40	<0.05	<0.05	<0.05	<0.001	8.56	321.7	<0.01	<0.01
H233617		9.76	<0.05	<0.05	<0.05	<0.001	8.92	978.5	0.02	0.02
H233618		13.66	<0.05	<0.05	<0.05	<0.001	9.02	963.7	0.01	0.01
H233619		11.12	<0.05	<0.05	<0.05	<0.001	7.70	981.2	0.01	0.01
H233620		13.66	<0.05	<0.05	<0.05	<0.001	6.38	935.1	0.03	0.01
H233621		6.88	<0.05	<0.05	<0.05	<0.001	11.63	845.3	0.02	0.02
H233622		6.04	<0.05	<0.05	<0.05	<0.001	15.97	918.4	0.02	0.02
H233623		12.56	0.05	<0.05	0.05	<0.001	9.35	1068.0	0.05	0.05
H233624		11.76	<0.05	<0.05	<0.05	<0.001	5.02	886.5	0.02	0.02
H233625		8.84	0.07	<0.05	0.08	<0.001	10.97	1043.5	0.07	0.08
H233626		12.60	<0.05	<0.05	<0.05	<0.001	9.23	1058.0	0.03	0.03
H233627		12.04	0.05	<0.05	0.06	<0.001	4.65	820.0	0.06	0.05
H233628		13.32	0.09	<0.05	0.10	<0.001	9.72	877.8	0.10	0.09
H233629		<0.02	0.08	<0.05	0.08	<0.001	6.03	948.0	0.08	0.08
H233630		0.14							1.02	

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08142915

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233631		10.32	<0.05	<0.05	<0.05	<0.001	8.62	884.0	0.04	0.04
H233632		12.60	<0.05	<0.05	<0.05	<0.001	11.07	733.7	0.01	0.02
H233633		12.70	<0.05	<0.05	<0.05	<0.001	13.49	791.6	0.01	0.02
H233634		13.66	<0.05	<0.05	<0.05	<0.001	10.53	785.6	0.01	0.01
H233635		12.18	0.09	<0.05	0.09	<0.001	6.45	915.7	0.10	0.08
H233636		0.24	<0.05	<0.05	<0.05	<0.001	9.58	179.8	<0.01	0.01
H233637		12.02	0.06	<0.05	0.06	<0.001	8.62	1119.0	0.09	0.03
H233638		11.48	<0.05	<0.05	<0.05	<0.001	4.22	781.5	0.02	0.03
H233639		12.56	<0.05	<0.05	<0.05	<0.001	13.56	1124.5	0.01	0.01
H233640		12.00	<0.05	<0.05	<0.05	<0.001	2.47	996.4	0.01	0.01
H233641		6.18	<0.05	<0.05	<0.05	<0.001	6.30	832.5	0.02	0.03
H233642		6.68	<0.05	<0.05	<0.05	<0.001	3.27	1017.0	0.01	0.04
H233643		11.78	<0.05	<0.05	<0.05	<0.001	8.28	1102.5	0.03	0.03
H233644		12.02	0.05	<0.05	0.06	<0.001	2.69	840.5	0.05	0.06
H233645		13.78	<0.05	<0.05	<0.05	<0.001	4.78	1000.0	0.01	0.04
H233646		13.10	<0.05	<0.05	<0.05	<0.001	8.45	1113.0	0.01	0.02
H233647		13.60	<0.05	<0.05	<0.05	<0.001	7.24	1061.5	0.01	0.02
H233648		12.48	0.26	<0.05	0.27	<0.001	2.46	1139.5	0.20	0.33
H233649		<0.02	0.19	<0.05	0.20	<0.001	2.32	993.7	0.18	0.21
H233650		0.14							1.61	
H233651		10.98	<0.05	<0.05	<0.05	<0.001	10.44	1086.0	0.01	0.01
H233652		11.36	<0.05	<0.05	<0.05	<0.001	6.20	1209.5	<0.01	0.01
H233653		11.82	<0.05	<0.05	<0.05	<0.001	6.39	1153.0	0.02	0.03
H233654		11.14	<0.05	<0.05	<0.05	<0.001	6.48	1156.5	0.02	0.03
H233655		8.46	0.35	0.55	0.35	0.006	10.84	1010.5	0.33	0.36
H233656		0.60	<0.05	<0.05	<0.05	<0.001	24.00	512.3	<0.01	<0.01
H233657		11.76	<0.05	<0.05	<0.05	<0.001	12.28	1217.0	0.01	0.02
H233658		12.76	<0.05	<0.05	<0.05	<0.001	4.07	1172.5	0.01	0.01
H233659		12.08	<0.05	<0.05	<0.05	<0.001	15.25	1193.0	0.01	0.02
H233660		10.60	<0.05	<0.05	<0.05	<0.001	3.79	1072.5	0.01	0.02
H233661		6.42	<0.05	<0.05	<0.05	<0.001	9.17	1039.0	0.01	0.01
H233662		6.70	<0.05	<0.05	<0.05	<0.001	2.56	1008.0	0.01	0.01
H233663		12.68	<0.05	<0.05	<0.05	<0.001	21.60	1108.0	0.02	0.05
H233664		11.98	<0.05	<0.05	<0.05	<0.001	7.41	1207.0	0.01	0.04
H233665		15.20	0.83	17.85	0.53	0.359	20.09	1129.5	0.49	0.56
H233666		12.16	<0.05	<0.05	0.05	<0.001	20.97	1238.0	0.04	0.05
H233667		12.80	<0.05	0.30	<0.05	0.007	23.19	1101.5	0.03	0.04
H233668		10.00	<0.05	<0.05	<0.05	<0.001	11.72	1012.0	0.03	0.03
H233669		<0.02	<0.05	<0.05	<0.05	<0.001	7.89	987.1	0.03	0.03
H233670		0.14							0.87	

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

D: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08142915

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233671		13.40	<0.05	<0.05	<0.05	<0.001	17.94	1138.5	0.01	0.02
H233672		8.18	<0.05	<0.05	<0.05	<0.001	16.10	1131.0	0.01	0.01
H233673		11.24	<0.05	<0.05	<0.05	<0.001	9.79	1176.5	0.01	0.01
H233674		14.26	0.18	0.13	0.18	0.003	23.15	1198.5	0.18	0.18
H233675		11.16	0.13	<0.05	0.13	<0.001	16.13	1188.5	0.11	0.15
H233676		0.68	<0.05	<0.05	<0.05	<0.001	10.66	612.8	<0.01	<0.01
H233677		12.00	<0.05	<0.05	<0.05	<0.001	17.95	1208.0	0.02	0.02
H233678		13.02	<0.05	<0.05	<0.05	<0.001	15.90	1064.0	0.03	0.03
H233679		13.22	<0.05	<0.05	<0.05	<0.001	16.76	1193.0	0.03	0.03
H233680		10.54	<0.05	<0.05	<0.05	<0.001	16.78	1142.5	<0.01	0.01
H233681		7.38	<0.05	<0.05	<0.05	<0.001	3.13	1176.5	0.01	0.01
H233682		7.28	<0.05	<0.05	<0.05	<0.001	4.25	1067.5	<0.01	0.01
H233683		12.82	<0.05	<0.05	<0.05	<0.001	8.06	1074.0	0.01	0.03
H233684		11.98	0.07	<0.05	0.07	<0.001	19.06	1152.0	0.07	0.07
H233685		11.78	<0.05	<0.05	<0.05	<0.001	12.60	1212.5	0.02	0.04
H233686		14.84	0.05	<0.05	0.06	<0.001	16.41	1133.0	0.08	0.03
H233687		13.36	<0.05	<0.05	<0.05	<0.001	16.51	1111.0	0.01	0.01
H233688		12.92	0.19	0.45	0.19	0.005	11.05	962.3	0.19	0.19
H233689		<0.02	0.20	0.52	0.19	0.009	17.34	963.5	0.19	0.19
H233690		0.14							0.64	
H233691		11.20	<0.05	0.20	<0.05	0.003	15.06	1023.5	0.03	0.05
H233692		10.36	1.86	12.30	1.74	0.172	14.01	1220.5	1.84	1.64
H233693		10.56	0.21	0.42	0.21	0.008	18.86	1139.5	0.22	0.19
H233694		18.42	0.05	<0.05	0.06	<0.001	18.11	1034.0	0.05	0.06
H233695		21.12	0.10	0.23	0.10	0.002	8.54	873.3	0.09	0.10
H233696		0.80	<0.05	<0.05	<0.05	<0.001	20.56	648.7	<0.01	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-OCT-2008
Account: STRGOL

CERTIFICATE TR08136310

Project: Dublin Gulch

P.O. No.:

This report is for 31 Drill Core samples submitted to our lab in Terrace, BC, Canada on 1-SEP-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08136310

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H231282		4.98	0.20	<0.05	0.22	<0.001	49.11	901.2	0.23	0.20
H231283		9.03	0.34	1.58	0.29	0.070	44.31	1092.5	0.28	0.29
H231284		12.42	0.65	4.62	0.45	0.227	49.13	964.6	0.49	0.40
H231285		11.91	0.41	0.56	0.41	0.021	37.18	909.1	0.37	0.44
H231286		13.04	0.61	0.43	0.62	0.021	49.13	918.1	0.54	0.69
H231287		10.30	0.29	0.63	0.27	0.020	31.85	502.9	0.26	0.28
H231288		12.87	0.50	1.11	0.47	0.044	39.68	750.2	0.45	0.48
H231289		<0.02							0.70	
H231290		0.10							4.52	
H231291		10.76	0.31	0.13	0.32	0.007	52.36	1002.5	0.27	0.37
H231292		10.08	0.25	0.24	0.26	0.011	46.28	794.9	0.25	0.26
H231293		10.32	0.70	1.73	0.64	0.085	49.23	804.8	0.80	0.48
H231294		13.73	0.22	0.23	0.22	0.011	48.06	879.4	0.20	0.24
H231295		12.05	0.48	3.33	0.29	0.163	48.93	724.8	0.28	0.29
H231296		0.27							<0.01	
H231297		13.26	0.29	0.55	0.27	0.026	47.34	805.7	0.36	0.18
H231298		11.45	0.26	0.10	0.27	0.004	38.33	661.9	0.25	0.28
H231299		11.26	0.19	0.34	0.19	0.016	47.40	810.6	0.15	0.22
H231300		11.27	0.13	0.15	0.13	0.007	47.14	690.9	0.12	0.14
H231301		7.09	0.68	2.14	0.60	0.088	41.18	710.6	0.57	0.62
H231302		6.76	0.54	0.77	0.53	0.033	42.90	777.6	0.50	0.55
H231303		13.68	0.42	0.62	0.41	0.019	30.85	506.8	0.34	0.48
H231304		11.33	0.17	0.10	0.17	0.005	49.94	826.8	0.18	0.16
H231305		10.45	2.23	13.25	1.40	0.567	42.79	566.8	1.28	1.51
H231306		11.46	0.07	<0.05	0.07	<0.001	44.55	725.0	0.06	0.08
H231307		10.97	0.83	1.38	0.79	0.056	40.68	638.8	0.82	0.76
H231308		13.57	0.07	<0.05	0.07	<0.001	50.21	853.6	0.05	0.09
H231309		<0.02							0.04	
H231310		0.09							0.09	
H231311		10.00	0.87	3.49	0.72	0.120	34.41	573.2	0.40	1.03
H231312		14.86	0.50	1.39	0.45	0.067	48.23	898.4	0.33	0.57

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-NOV-2008
Account: STRGOL

CERTIFICATE TR08135669

Project: Dublin Gulch

P.O. No.:

This report is for 68 Drill Core samples submitted to our lab in Terrace, BC, Canada on 1-SEP-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE TERRY TUCKER	ANDY RANDELL	SHANE STEVENS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: ANDY RANDELL
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08135669

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H231214		10.89	0.14	<0.05	0.15	<0.001	32.94	1076.5	0.20	0.09
H231215		11.04	0.16	0.19	0.16	0.011	58.15	925.0	0.17	0.15
H231216		0.43							<0.01	
H231217		10.49	<0.05	0.15	<0.05	0.008	52.72	823.0	0.04	0.03
H231218		15.21	0.17	0.64	0.14	0.027	42.08	676.2	0.18	0.10
H231219		10.36	0.12	0.25	0.11	0.013	51.54	811.7	0.13	0.09
H231220		12.86	0.07	0.18	0.07	0.007	37.67	751.7	0.05	0.08
H231221		4.99	0.08	<0.05	0.09	<0.001	31.55	758.4	0.09	0.08
H231222		4.63	0.15	0.26	0.15	0.013	49.35	1082.0	0.23	0.07
H231223		14.27	0.17	0.58	0.16	0.018	30.91	996.1	0.16	0.15
H231224		11.84	0.24	0.88	0.21	0.048	54.24	889.2	0.19	0.22
H231225		13.79	0.36	1.10	0.32	0.057	51.84	1057.5	0.38	0.26
H231226		11.94	0.12	<0.05	0.13	<0.001	38.13	989.8	0.12	0.13
H231227		12.72	0.18	0.23	0.18	0.010	42.73	862.8	0.18	0.18
H231228		13.24	0.22	1.10	0.19	0.047	42.85	1075.5	0.18	0.19
H231229		<0.02	0.23	<0.05	0.24	<0.001	41.98	1225.5	0.18	0.29
H231230		0.09							1.48	
H231231		11.43	0.16	0.76	0.14	0.031	41.00	990.4	0.12	0.16
H231232		13.02	0.27	0.57	0.25	0.030	52.85	672.7	0.29	0.21
H231233		10.81	0.68	4.99	0.51	0.206	41.31	1040.5	0.46	0.55
H231234		11.32	0.18	1.08	0.14	0.039	36.24	906.9	0.16	0.12
H231235		11.33	0.23	0.31	0.23	0.016	52.23	951.7	0.18	0.27
H231236		0.37							<0.01	
H231237		12.57	0.08	0.21	0.07	0.007	32.87	663.4	0.10	0.04
H231238		12.21	0.06	0.67	<0.05	0.024	35.75	883.3	0.04	0.03
H231239		12.60	0.15	0.56	0.13	0.020	35.54	878.4	0.16	0.10
H231240		12.12	0.14	0.58	0.12	0.021	36.37	792.8	0.16	0.08
H231241		5.78	0.20	0.52	0.18	0.027	52.09	715.7	0.18	0.17
H231242		5.22	0.25	0.52	0.24	0.019	36.67	993.7	0.21	0.27
H231243		10.35	0.17	0.34	0.17	0.017	50.19	844.3	0.19	0.14
H231244		11.61	0.35	0.97	0.33	0.035	36.14	983.4	0.36	0.30
H231245		13.85	0.15	0.99	0.13	0.034	34.18	1040.5	0.13	0.12
H231246		12.92	0.08	0.34	0.07	0.017	50.54	958.2	0.04	0.10
H231247		13.61	0.22	1.42	0.18	0.065	45.62	1171.5	0.26	0.09
H231248		13.43	0.17	0.55	0.16	0.023	41.73	968.9	0.12	0.19
H231249		<0.02	0.05	<0.05	0.06	<0.001	38.58	1160.0	0.05	0.06
H231250		0.08							1.43	
H231251		12.39	0.28	1.02	0.24	0.052	51.17	1041.5	0.28	0.20
H231252		9.41	0.13	0.38	0.12	0.016	41.56	1017.0	0.14	0.10
H231253		12.57	0.14	0.09	0.15	0.004	42.66	1047.0	0.13	0.16

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08135669

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H231254		12.82	0.17	0.17	0.17	0.007	41.59	1042.5	0.18	0.16
H231255		11.33	0.14	0.08	0.14	0.003	36.29	937.2	0.17	0.11
H231256		0.42							<0.01	
H231257		10.51	0.23	1.11	0.18	0.063	56.93	1103.5	0.22	0.14
H231258		13.23	0.34	1.63	0.30	0.057	34.91	1196.5	0.31	0.29
H231259		13.04	0.09	0.08	0.10	0.004	48.63	974.9	0.10	0.09
H231260		7.25	<0.05	<0.05	<0.05	<0.001	50.48	1050.5	0.03	0.03
H231261		7.14	0.14	1.65	0.08	0.068	41.13	988.2	0.05	0.10
H231262		7.27	0.10	0.87	0.08	0.031	35.56	1040.5	0.09	0.06
H231263		11.88	0.14	0.52	0.12	0.030	57.67	1102.5	0.12	0.11
H231264		12.75	0.30	0.68	0.28	0.027	39.63	951.4	0.21	0.35
H231265		12.24	0.13	0.40	0.12	0.016	39.52	1029.0	0.12	0.12
H231266		10.94	0.36	0.51	0.35	0.028	54.69	1086.0	0.32	0.38
H231267		11.39	0.05	0.12	0.05	0.007	56.79	1076.0	0.05	0.04
H231268		12.18	0.05	<0.05	0.06	<0.001	49.19	861.0	0.05	0.06
H231269		<0.02	0.06	<0.05	0.06	<0.001	39.71	1097.5	0.07	0.05
H231270		0.10							2.82	
H231271		12.18	0.08	<0.05	0.09	<0.001	42.80	1271.0	0.08	0.09
H231272		12.49	0.17	0.37	0.16	0.013	35.00	752.0	0.12	0.20
H231273		12.23	0.20	0.17	0.21	0.005	30.27	943.5	0.21	0.20
H231274		11.88	0.13	<0.05	0.14	0.001	42.56	988.8	0.10	0.17
H231275		12.39	0.29	0.17	0.29	0.008	46.50	1094.5	0.30	0.28
H231276		0.55							<0.01	
H231277		14.51	0.10	0.35	0.09	0.014	40.16	901.5	0.09	0.09
H231278		10.31	0.13	0.06	0.14	0.002	34.65	668.5	0.16	0.11
H231279		12.30	0.13	<0.05	0.13	0.002	46.91	975.6	0.12	0.14
H231280		15.94	0.22	0.43	0.21	0.014	32.24	818.2	0.27	0.15
H231281		4.30	0.28	0.70	0.26	0.028	40.02	866.9	0.30	0.22

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-NOV-2008
This copy reported on 9-DEC-2008
Account: STRGOL

CERTIFICATE TR08132876

Project: Dublin Gulch

P.O. No.:

This report is for 61 Drill Core samples submitted to our lab in Terrace, BC, Canada on 22-SEP-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
FND-03	Find Reject for Addn Analysis
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: GRAHAM KUBALE
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08132876

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233346		11.55	0.56	0.60	0.56	0.029	48.68	818.6	0.52	0.60
H233347		12.85	0.14	0.20	0.14	0.010	50.77	852.6	0.15	0.12
H233348		12.27	0.19	0.08	0.19	0.003	36.99	857.4	0.19	0.19
H233349		<0.02	0.21	0.08	0.22	0.004	51.28	739.0	0.24	0.20
H233350		0.09							0.85	
H233351		12.66	0.47	0.16	0.49	0.008	49.89	936.5	0.51	0.47
H233352		12.01	0.12	0.06	0.13	0.003	49.27	828.2	0.13	0.12
H233353		13.23	0.17	0.26	0.17	0.013	49.87	865.3	0.19	0.14
H233354		12.15	0.47	0.26	0.48	0.013	49.30	736.1	0.50	0.46
H233355		13.45	0.20	0.25	0.20	0.012	48.87	753.4	0.22	0.18
H233356		0.67	NSS	NSS	NSS	NSS	NSS	NSS	<0.01	<0.01
H233357		12.93	0.09	0.10	0.09	0.005	48.35	850.0	0.09	0.08
H233358		11.62	0.08	<0.05	0.08	0.002	50.47	852.7	0.08	0.08
H233359		11.81	<0.05	<0.05	<0.05	<0.001	48.35	865.1	0.02	0.02
H233360		11.53	0.07	0.08	0.07	0.004	47.55	829.0	0.07	0.06
H233361		6.29	0.05	0.06	0.05	0.003	46.98	735.4	0.05	0.04
H233362		12.93	0.28	0.15	0.29	0.007	45.29	939.8	0.25	0.32
H233363		5.91	0.06	0.08	0.06	0.004	49.88	827.3	0.07	0.05
H233364		11.42	0.28	0.16	0.29	0.007	42.79	925.5	0.29	0.28
H233365		13.46	0.17	1.22	0.12	0.051	41.91	910.2	0.10	0.14
H233366		11.69	0.17	0.23	0.17	0.012	51.62	804.6	0.18	0.16
H233367		12.31	0.68	0.43	0.69	0.015	35.10	872.6	0.69	0.68
H233368		12.65	2.05	2.39	2.03	0.118	49.29	828.1	1.95	2.10
H233369		<0.02	2.07	1.47	2.10	0.054	36.82	770.0	2.35	1.85
H233370		0.10							0.65	
H233371		12.42	0.44	0.35	0.44	0.016	46.10	881.1	0.44	0.44
H233372		12.15	0.13	0.08	0.13	0.004	50.20	883.2	0.12	0.14
H233373		12.62	0.66	0.43	0.68	0.017	39.45	910.7	0.69	0.66
H233374		12.72	0.13	0.08	0.14	0.004	49.50	937.8	0.17	0.10
H233375		12.75	0.07	0.09	0.07	0.004	45.61	862.1	0.07	0.07
H233376		0.70	<0.05	<0.05	<0.05	<0.001	47.28	363.8	<0.01	<0.01
H233377		12.03	0.08	0.30	0.07	0.013	42.68	819.4	0.06	0.08
H233378		13.55	0.09	0.13	0.09	0.005	39.18	949.9	0.08	0.09
H233379		12.09	0.05	0.05	0.05	0.002	42.63	813.5	0.04	0.05
H233380		11.60	0.06	0.09	0.06	0.004	46.59	880.7	0.06	0.06
H233381		6.46	0.10	0.08	0.10	0.004	49.17	738.2	0.12	0.08
H233382		5.22	0.08	0.12	0.08	0.004	33.78	814.4	0.08	0.07
H233383		12.07	0.55	0.85	0.54	0.038	44.48	923.6	0.61	0.46
H233384		10.36	0.31	0.97	0.28	0.041	42.48	912.8	0.22	0.33
H233385		14.81	0.83	0.71	0.84	0.035	49.03	778.4	0.85	0.82

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08132876

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233386		5.62	2.27	5.33	2.10	0.258	48.37	855.5	2.12	2.07
H233387		12.16	1.03	2.44	0.96	0.116	47.51	940.1	0.86	1.05
H233388		11.31	0.16	0.10	0.17	0.005	48.08	929.2	0.15	0.18
H233389		<0.02	0.17	0.37	0.17	0.015	40.74	914.7	0.21	0.12
H233390		0.10							4.56	
H233391		14.22	0.43	0.72	0.42	0.033	46.13	936.0	0.35	0.49
H233392		13.52	0.45	0.62	0.44	0.024	38.76	925.0	0.45	0.43
H233393		14.44	0.42	2.02	0.35	0.084	41.49	913.6	0.42	0.27
H233394		12.61	0.36	0.32	0.37	0.016	49.40	896.3	0.42	0.31
H233395		13.62	2.79	5.89	2.63	0.248	42.13	823.1	2.63	2.63
H233396		0.34	<0.05	<0.05	<0.05	<0.001	42.81	144.3	<0.01	0.01
H233397		8.36	0.09	0.10	0.09	0.005	48.09	839.2	0.09	0.09
H233398		14.38	0.61	1.03	0.59	0.043	41.70	921.7	0.62	0.56
H233399		23.78	0.45	1.18	0.42	0.055	46.61	909.2	0.37	0.46
H233400		Not Recvd								
H233401		6.09	0.93	1.02	0.92	0.050	48.82	917.4	0.98	0.86
H233402		7.20	0.50	0.37	0.51	0.017	45.51	927.3	0.48	0.54
H233403		11.39	0.92	1.43	0.89	0.071	49.81	830.3	0.96	0.82
H233404		12.89	1.50	3.08	1.41	0.151	49.07	836.7	1.40	1.41
H233405		9.88	2.19	6.70	1.93	0.316	47.18	818.0	1.83	2.02
H233406		14.99	0.17	0.07	0.17	0.003	42.88	835.0	0.15	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08132876

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-OCT-2008
Account: STRGOL

CERTIFICATE TR08132875

Project: Dublin Gulch

P.O. No.:

This report is for 90 Drill Core samples submitted to our lab in Terrace, BC, Canada on 22-SEP-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
FND-03	Find Reject for Addn Analysis
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08132875

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233256		0.54	<0.05	<0.05	<0.05	<0.001	48.18	307.2	<0.01	0.01
H233257		11.70	0.18	0.71	0.15	0.034	47.96	829.4	0.21	0.09
H233258		12.09	0.08	0.27	0.08	0.013	49.02	914.2	0.08	0.07
H233259		11.97	<0.05	<0.05	<0.05	<0.001	49.27	798.8	0.03	0.03
H233260		12.39	0.05	<0.05	0.05	<0.001	47.69	851.5	0.04	0.06
H233261		5.63	<0.05	<0.05	<0.05	0.001	41.11	744.0	0.02	0.05
H233262		5.92	0.06	0.62	<0.05	0.020	32.13	774.7	0.04	0.04
H233263		12.21	0.06	<0.05	0.06	<0.001	41.56	774.5	0.08	0.04
H233264		12.85	0.13	0.09	0.13	0.004	42.79	802.5	0.06	0.20
H233265		13.31	0.45	0.50	0.45	0.025	49.87	852.9	0.40	0.50
H233266		11.70	0.06	<0.05	0.06	<0.001	31.05	850.6	0.05	0.07
H233267		12.32	0.21	0.06	0.22	0.003	48.89	845.1	0.11	0.32
H233268		9.46	<0.05	<0.05	<0.05	<0.001	46.66	853.4	0.03	0.05
H233269		<0.02							0.05	
H233270		0.12							0.63	
H233271		11.78	0.19	0.76	0.16	0.038	50.16	853.2	0.12	0.20
H233272		11.51	0.28	2.81	0.15	0.137	48.84	909.4	0.15	0.14
H233273		10.91	0.11	0.34	0.10	0.017	49.83	937.6	0.08	0.12
H233274		10.71	0.10	0.55	0.09	0.021	38.22	929.2	0.07	0.10
H233275		13.50	0.14	<0.05	0.15	<0.001	47.18	830.2	0.14	0.16
H233276		0.80	<0.05	<0.05	<0.05	<0.001	42.19	453.0	<0.01	0.01
H233277		12.82	0.59	0.35	0.61	0.014	39.57	845.5	0.59	0.62
H233278		12.14	<0.05	<0.05	<0.05	<0.001	49.00	841.9	0.02	0.04
H233279		12.37	<0.05	<0.05	<0.05	<0.001	50.93	856.5	0.01	0.03
H233280		13.31	0.05	<0.05	0.06	<0.001	38.79	889.3	0.04	0.07
H233281		5.65	0.19	<0.05	0.20	<0.001	49.82	900.6	0.19	0.21
H233282		5.80	0.14	<0.05	0.15	<0.001	45.52	941.9	0.12	0.18
H233283		9.90	0.18	0.68	0.16	0.029	42.55	956.6	0.17	0.14
H233284		16.00	0.95	1.66	0.91	0.075	45.17	861.9	0.82	1.00
H233285		13.13	0.08	<0.05	0.09	<0.001	50.75	894.9	0.07	0.10
H233286		10.61	0.06	<0.05	0.07	<0.001	49.28	901.4	0.07	0.06
H233287		11.79	<0.05	<0.05	0.05	<0.001	36.91	853.2	0.03	0.06
H233288		12.99	<0.05	<0.05	<0.05	<0.001	36.51	863.9	0.01	0.03
H233289		<0.02							0.01	
H233290		0.10							4.54	
H233291		13.33	0.07	<0.05	0.07	<0.001	45.34	919.0	0.08	0.06
H233292		12.24	0.16	0.16	0.17	0.008	50.05	937.1	0.11	0.22
H233293		12.79	0.16	0.05	0.17	0.002	38.29	938.1	0.16	0.17
H233294		13.02	0.09	0.05	0.10	0.002	38.89	945.2	0.08	0.11
H233295		12.98	0.11	<0.05	0.12	<0.001	34.10	791.3	0.09	0.14

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08132875

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233296		0.49	<0.05	<0.05	<0.05	<0.001	37.55	269.6	<0.01	0.02
H233297		11.59	<0.05	<0.05	<0.05	<0.001	48.84	857.4	0.03	0.05
H233298		12.58	0.08	<0.05	0.08	<0.001	45.30	871.1	0.06	0.10
H233299		12.83	0.10	<0.05	0.11	<0.001	35.71	951.4	0.10	0.11
H233300		12.99	<0.05	<0.05	0.05	<0.001	48.48	928.6	0.03	0.06
H233301		5.83	<0.05	<0.05	<0.05	0.001	37.59	942.8	0.02	0.03
H233302		5.71	<0.05	<0.05	<0.05	<0.001	36.34	961.0	0.01	0.02
H233303		13.02	<0.05	<0.05	<0.05	0.001	42.54	919.6	0.02	0.03
H233304		12.98	<0.05	<0.05	<0.05	<0.001	38.27	934.1	0.03	0.05
H233305		12.65	<0.05	<0.05	<0.05	<0.001	40.28	925.3	0.01	0.03
H233306		12.77	<0.05	<0.05	<0.05	<0.001	42.98	907.5	0.02	0.05
H233307		13.25	0.05	<0.05	0.05	<0.001	31.92	955.6	0.04	0.06
H233308		10.27	0.06	<0.05	0.07	0.001	31.70	948.8	0.05	0.08
H233309		<0.02							0.06	
H233310		0.10							0.98	
H233311		12.16	<0.05	<0.05	<0.05	0.001	33.75	928.4	0.02	0.01
H233312		11.49	0.13	0.18	0.13	0.007	38.53	916.6	0.15	0.10
H233313		11.95	0.05	0.08	0.05	0.003	37.50	908.1	0.05	0.04
H233314		11.55	0.13	0.13	0.14	0.004	30.26	923.8	0.15	0.12
H233315		14.47	<0.05	<0.05	<0.05	<0.001	30.78	875.4	0.04	0.01
H233316		0.31	NSS	NSS	NSS	NSS	NSS	NSS	0.01	<0.01
H233317		10.95	0.05	0.09	0.05	0.004	42.24	879.0	0.04	0.06
H233318		13.21	0.15	0.12	0.16	0.005	40.62	946.5	0.16	0.15
H233319		11.25	0.19	0.13	0.20	0.006	45.88	916.2	0.18	0.21
H233320		12.74	0.22	0.23	0.22	0.009	39.82	835.3	0.15	0.29
H233321		6.15	<0.05	<0.05	0.05	0.001	36.59	869.5	0.05	0.04
H233322		6.10	<0.05	0.07	<0.05	0.002	29.99	886.1	0.04	0.03
H233323		5.68	0.09	0.11	0.09	0.004	37.82	890.6	0.09	0.08
H233324		1.85	1.95	2.39	1.94	0.096	40.21	928.2	2.18	1.69
H233325		12.58	<0.05	<0.05	<0.05	<0.001	35.57	919.8	0.02	0.01
H233326		12.72	<0.05	<0.05	<0.05	<0.001	38.95	875.2	0.03	0.02
H233327		12.72	<0.05	<0.05	<0.05	0.001	35.32	866.8	0.03	0.01
H233328		11.59	<0.05	<0.05	0.05	<0.001	50.68	830.6	0.05	0.04
H233329		<0.02							0.04	
H233330		0.10							1.60	
H233331		13.55	<0.05	<0.05	<0.05	<0.001	34.36	952.7	0.02	0.01
H233332		11.69	0.05	<0.05	0.06	<0.001	32.22	935.9	0.05	0.06
H233333		13.29	<0.05	<0.05	<0.05	<0.001	33.56	921.5	0.03	0.02
H233334		12.08	0.06	<0.05	0.06	<0.001	36.86	865.2	0.07	0.05
H233335		13.65	0.12	0.15	0.12	0.005	33.59	847.8	0.10	0.13

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08132875

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233336		0.62	NSS	NSS	NSS	NSS	NSS	NSS	0.01	<0.01
H233337		11.91	0.20	0.22	0.20	0.008	36.45	866.7	0.21	0.18
H233338		10.67	0.61	0.74	0.60	0.026	35.02	879.1	0.63	0.57
H233339		13.26	0.07	<0.05	0.08	<0.001	32.22	909.2	0.07	0.08
H233340		11.94	0.05	<0.05	0.05	<0.001	36.28	951.0	0.05	0.05
H233341		6.55	0.12	0.15	0.12	0.005	33.70	928.4	0.16	0.07
H233342		6.02	0.13	0.84	0.10	0.030	35.67	900.1	0.06	0.14
H233343		12.57	0.10	<0.05	0.10	<0.001	36.51	884.7	0.10	0.10
H233344		12.63	0.17	0.13	0.18	0.004	31.46	847.6	0.21	0.14
H233345		12.14	0.15	0.15	0.15	0.005	33.31	772.9	0.19	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08132875

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-NOV-2008
Account: STRGOL

CERTIFICATE TR08132874

Project: Dublin Gulch

P.O. No.:

This report is for 90 Drill Core samples submitted to our lab in Terrace, BC, Canada on 22-SEP-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE TERRY TUCKER	ANDY RANDELL	SHANE STEVENS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
FND-03	Find Reject for Addn Analysis
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: ANDY RANDELL
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08132874

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233407		11.38	0.43	0.86	0.40	0.030	34.91	471.0	0.45	0.35
H233408		13.11	0.12	0.11	0.13	0.004	36.57	436.2	0.12	0.13
H233409		<0.02	0.15	0.63	0.13	0.020	31.74	649.7	0.15	0.11
H233410		0.08							1.00	
H233411		17.38	0.28	0.41	0.27	0.022	53.39	696.5	0.27	0.26
H233412		12.21	1.98	5.92	1.78	0.198	33.42	629.9	1.86	1.69
H233413		10.57	16.30	102.5	10.90	3.901	38.06	610.3	10.95	10.85
H233414		12.79	0.20	0.15	0.20	0.006	39.80	556.1	0.20	0.20
H233415		11.68	0.22	0.17	0.23	0.008	47.09	612.4	0.26	0.19
H233416		0.84							0.01	
H233417		10.67	0.79	2.56	0.65	0.133	51.94	644.9	0.65	0.64
H233418		11.40	0.48	0.48	0.48	0.024	49.66	586.3	0.49	0.46
H233419		13.64	0.44	0.50	0.44	0.018	36.23	637.2	0.47	0.40
H233420		13.57	0.51	0.41	0.52	0.022	53.70	656.2	0.56	0.47
H233421		5.60	1.96	6.95	1.67	0.312	44.89	762.4	1.54	1.79
H233422		6.73	0.87	0.98	0.87	0.046	46.81	698.4	0.88	0.85
H233423		11.85	1.97	2.66	1.93	0.099	37.26	735.0	1.96	1.90
H233424		14.20	0.28	0.29	0.28	0.015	51.58	757.9	0.28	0.27
H233425		14.35	0.93	1.21	0.91	0.060	49.45	628.2	1.03	0.78
H233426		12.51	0.68	1.20	0.65	0.060	50.01	826.9	0.63	0.66
H233427		8.78	0.76	0.80	0.76	0.038	47.65	728.0	0.83	0.69
H233428		14.73	0.52	2.41	0.42	0.114	47.33	870.1	0.45	0.38
H233429		<0.02	2.32	20.8	1.64	0.740	35.63	954.7	1.90	1.37
H233430		0.08							1.52	
H233431		10.89	2.14	8.43	1.88	0.279	33.08	778.6	1.89	1.86
H233432		11.74	0.49	0.45	0.49	0.023	51.06	894.7	0.57	0.41
H233433		11.99	0.31	0.76	0.29	0.035	45.79	846.0	0.28	0.29
H233434		14.56	0.12	0.10	0.12	0.005	48.11	925.6	0.11	0.13
H233435		13.47	0.32	0.40	0.32	0.018	45.54	751.0	0.34	0.29
H233436		0.78							0.01	
H233437		12.19	0.20	<0.05	0.22	<0.001	50.74	970.1	0.26	0.17
H233438		13.97	0.58	0.65	0.58	0.031	48.03	761.6	0.69	0.47
H233439		12.39	0.71	1.10	0.69	0.047	42.77	878.9	0.71	0.67
H233440		12.36	0.29	0.25	0.29	0.011	43.93	981.5	0.28	0.30
H233441		5.05	2.56	11.05	2.22	0.374	33.88	827.7	2.36	2.07
H233442		5.77	1.64	3.63	1.54	0.183	50.41	1001.5	1.75	1.33
H233443		14.44	0.93	0.89	0.93	0.045	50.55	796.5	0.98	0.88
H233444		11.89	1.08	0.71	1.11	0.036	50.35	857.0	1.13	1.08
H233445		9.16	0.53	0.46	0.54	0.014	30.57	833.2	0.52	0.55
H233446		7.22	0.36	0.34	0.37	0.017	49.46	882.3	0.39	0.34

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08132874

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233501		5.67	0.09	0.08	0.09	0.003	38.84	637.2	0.09	0.09
H233502		5.49	0.08	<0.05	0.09	<0.001	31.76	764.5	0.10	0.07
H233503		11.55	0.09	<0.05	0.10	<0.001	50.28	896.0	0.11	0.08
H233504		10.92	0.10	<0.05	0.11	<0.001	50.60	1001.5	0.12	0.09
H233505		11.24	0.10	<0.05	0.11	<0.001	49.90	626.7	0.16	0.06
H233506		13.67	0.40	2.63	0.30	0.087	33.06	703.5	0.24	0.35
H233507		11.97	0.06	<0.05	0.07	<0.001	49.14	618.4	0.06	0.08
H233508		11.17	0.16	0.08	0.17	0.004	50.62	409.8	0.16	0.18
H233509		<0.02	0.17	<0.05	0.19	<0.001	49.85	455.4	0.16	0.21
H233510		0.11							4.52	
H233511		13.07	0.31	1.46	0.25	0.073	49.88	966.5	0.24	0.26
H233512		9.43	0.08	<0.05	0.08	<0.001	50.07	1054.5	0.06	0.10
H233513		11.58	0.12	<0.05	0.13	0.001	49.45	889.2	0.16	0.09
H233514		13.26	0.13	<0.05	0.14	0.001	50.25	969.6	0.17	0.11
H233515		8.22	0.16	0.10	0.16	0.003	31.33	868.7	0.13	0.19
H233516		0.72							<0.01	
H233517		11.84	0.09	<0.05	0.09	<0.001	48.39	1002.5	0.09	0.09
H233518		10.84	0.05	<0.05	0.06	<0.001	36.93	1060.5	0.06	0.05
H233519		13.34	0.18	0.15	0.18	0.007	48.16	899.3	0.19	0.17
H233520		12.63	0.20	0.46	0.19	0.021	45.95	896.6	0.23	0.15
H233521		5.10	0.18	0.50	0.17	0.018	35.92	945.3	0.15	0.18
H233522		5.79	0.15	0.23	0.15	0.011	48.03	939.0	0.11	0.18
H233523		13.46	0.13	<0.05	0.14	<0.001	50.12	1136.5	0.13	0.15
H233524		11.60	0.34	0.30	0.34	0.013	42.72	1070.5	0.32	0.36
H233525		13.36	1.15	3.30	1.05	0.141	42.71	911.3	1.08	1.01
H233526		11.88	0.14	0.42	0.13	0.021	50.37	953.9	0.11	0.14
H233527		13.68	0.48	0.44	0.48	0.019	43.49	960.2	0.68	0.28
H233528		15.12	0.18	0.12	0.19	0.006	48.96	1021.5	0.17	0.20
H233529		<0.02	0.25	0.18	0.26	0.006	34.15	989.9	0.24	0.27
H233530		0.11							1.01	
H233531		11.95	1.32	1.51	1.31	0.064	42.45	1037.5	1.43	1.19
H233532		10.43	0.13	<0.05	0.13	0.002	49.94	982.1	0.13	0.13
H233533		13.72	0.40	0.41	0.40	0.017	41.96	901.4	0.39	0.40
H233534		12.69	0.36	0.99	0.32	0.048	48.53	848.9	0.29	0.35
H233535		13.43	0.17	0.43	0.16	0.022	50.97	881.2	0.19	0.13
H233536		0.65							<0.01	
H233537		10.21	0.14	0.16	0.14	0.008	49.86	1042.5	0.28	0.14
H233538		14.29	0.08	0.51	<0.05	0.025	48.70	449.0	0.04	0.03
H233539		10.35	0.11	0.12	0.11	0.004	33.91	634.1	0.09	0.13
H233540		12.25	0.27	0.51	0.25	0.024	47.10	622.7	0.28	0.22

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 11-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08132874

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233541		6.57	0.18	0.07	0.19	0.003	40.66	743.4	0.17	0.20
H233542		6.72	0.23	0.99	0.18	0.049	49.27	688.3	0.17	0.18
H233543		14.31	0.13	0.10	0.13	0.004	38.45	699.0	0.12	0.14
H233544		9.32	<0.05	<0.05	<0.05	<0.001	49.42	836.0	0.03	0.04
H233545		17.55	0.20	1.16	0.14	0.049	42.19	644.9	0.17	0.10
H233546		13.01	1.11	7.81	0.69	0.369	47.25	761.5	0.71	0.67
H233547		6.30	0.31	0.25	0.32	0.012	48.87	725.7	0.31	0.32
H233548		12.79	0.15	1.32	0.07	0.061	46.25	649.5	0.07	0.07
H233549		<0.02	<0.05	<0.05	<0.05	<0.001	35.39	806.8	0.02	0.03
H233550		0.09							1.57	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-OCT-2008
Account: STRGOL

CERTIFICATE TR08132647

Project: Dublin Gulch

P.O. No.:

This report is for 47 Drill Core samples submitted to our lab in Terrace, BC, Canada on 17-SEP-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08132647

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H233001		4.34	0.008
H233002		6.04	0.019
H233003		12.54	<0.005
H233004		11.53	0.017
H233005		2.52	0.031
H233006		3.53	0.007
H233007		3.97	<0.005
H233008		2.25	<0.005
H233009		<0.02	<0.005
H233010		0.08	4.41
H233011		2.41	<0.005
H233012		5.21	0.030
H233013		6.38	0.074
H233014		4.89	0.005
H233015		2.35	0.014
H233016		0.32	<0.005
H233017		6.78	0.006
H233018		4.35	0.059
H233019		18.97	<0.005
H233020		17.80	<0.005
H233021		5.72	<0.005
H233022		6.70	<0.005
H233023		10.89	<0.005
H233024		9.55	<0.005
H233025		8.85	<0.005
H233026		8.90	0.014
H233027		7.47	<0.005
H233028		6.98	0.008
H233029		<0.02	0.005
H233030		0.10	2.80
H233031		8.21	0.005
H233032		0.95	0.009
H233033		0.98	0.115
H233034		0.32	0.040
H233035		1.12	0.025
H233036		0.22	<0.005
H233037		0.53	0.066
H233038		0.60	0.010
H233039		0.96	<0.005
H233040		1.53	<0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08132647

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H233041		3.03	<0.005
H233042		3.03	<0.005
H233043		7.62	0.008
H233044		9.49	0.011
H233045		9.83	0.014
H233046		8.13	<0.005
H233047		10.98	0.207

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-OCT-2008
Account: STRGOL

CERTIFICATE TR08130175

Project: Dublin Gulch

P.O. No.:

This report is for 90 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-SEP-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08130175

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233166		10.73	0.17	0.76	0.14	0.034	44.83	968.9	0.15	0.13
H233167		10.82	0.25	2.36	0.15	0.110	46.68	935.3	0.14	0.16
H233168		12.43	0.13	<0.05	0.14	0.002	47.82	1028.5	0.13	0.14
H233169		<0.02							0.15	
H233170		0.09							0.64	
H233171		12.25	0.06	<0.05	0.06	<0.001	44.54	910.1	0.06	0.06
H233172		9.55	<0.05	<0.05	<0.05	<0.001	54.39	957.8	0.02	0.02
H233173		10.73	<0.05	<0.05	<0.05	<0.001	42.67	842.6	0.01	0.01
H233174		10.48	1.84	8.09	1.49	0.415	51.32	914.0	1.52	1.46
H233175		10.07	0.93	3.11	0.81	0.152	48.94	838.6	0.85	0.76
H233176		0.24							0.01	
H233177		8.86	<0.05	<0.05	<0.05	<0.001	44.63	975.0	0.01	0.04
H233178		10.68	0.26	4.13	0.12	0.170	41.14	1145.0	0.13	0.11
H233179		8.53	0.33	0.51	0.32	0.024	46.94	1180.5	0.32	0.32
H233180		7.67	0.87	2.88	0.78	0.140	48.62	1151.0	0.93	0.63
H233181		5.58	0.09	<0.05	0.09	<0.001	41.32	1102.0	0.12	0.06
H233182		6.16	0.09	0.72	0.07	0.033	45.84	1069.5	0.05	0.08
H233183		13.86	0.08	0.50	0.07	0.023	46.27	1129.0	0.09	0.04
H233184		14.06	0.66	0.44	0.67	0.020	45.45	1070.5	0.60	0.74
H233185		10.27	0.19	0.31	0.19	0.012	38.86	985.4	0.26	0.11
H233186		7.99	0.07	1.56	0.17	0.079	50.52	1114.5	0.14	0.20
H233187		12.18	<0.05	<0.05	<0.05	<0.001	50.42	973.0	0.03	0.03
H233188		13.45	<0.05	<0.05	<0.05	<0.001	35.19	863.5	0.01	0.01
H233189		<0.02							0.01	
H233190		0.09							4.54	
H233191		10.27	0.14	0.43	0.13	0.016	36.89	801.8	0.14	0.11
H233192		12.69	0.14	<0.05	0.15	<0.001	47.83	867.5	0.13	0.16
H233193		12.62	0.07	0.06	0.08	0.003	50.73	1107.0	0.08	0.07
H233194		11.51	0.10	0.14	0.10	0.007	50.65	1118.0	0.11	0.09
H233195		11.37	<0.05	<0.05	<0.05	<0.001	30.90	772.0	0.04	0.03
H233196		0.68							<0.01	
H233197		10.52	0.12	0.37	0.11	0.017	45.74	915.8	0.13	0.09
H233198		15.44	0.06	<0.05	0.06	<0.001	34.59	887.2	0.05	0.07
H233199		11.28	<0.05	<0.05	0.05	0.002	50.83	780.4	0.04	0.05
H233200		8.60	0.18	0.16	0.19	0.006	37.30	1011.0	0.19	0.18
H233201		5.88	0.07	0.17	0.06	0.008	48.00	919.8	0.04	0.08
H233202		5.63	0.19	0.10	0.19	0.005	48.63	818.7	0.18	0.20
H233203		10.36	0.10	0.14	0.10	0.007	48.98	844.0	0.05	0.14
H233204		11.25	0.07	<0.05	0.07	<0.001	49.26	919.1	0.07	0.07
H233205		12.28	<0.05	<0.05	0.05	<0.001	46.94	1076.5	0.04	0.05

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08130175

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233206		11.58	0.08	<0.05	0.08	<0.001	33.93	823.0	0.10	0.06
H233207		12.59	<0.05	0.05	<0.05	0.002	42.80	747.6	0.04	0.04
H233208		10.37	0.08	<0.05	0.08	<0.001	45.33	860.1	0.11	0.05
H233209		<0.02							0.09	
H233210		0.07							1.00	
H233211		11.15	0.08	0.51	0.06	0.024	46.73	826.4	0.05	0.07
H233212		9.68	0.24	0.54	0.22	0.026	47.97	805.1	0.21	0.23
H233213		6.65	0.14	1.16	0.08	0.041	35.28	603.8	0.07	0.08
H233214		8.24	0.06	0.24	0.06	0.008	33.14	595.4	0.03	0.08
H233215		12.12	0.06	<0.05	0.06	<0.001	46.44	568.3	0.08	0.04
H233216		0.57							<0.01	
H233217		13.79	0.42	0.21	0.43	0.009	42.45	801.5	0.40	0.46
H233218		3.74	4.13	5.86	4.05	0.188	32.06	694.2	4.07	4.02
H233219		13.40	0.14	0.13	0.15	0.005	39.82	721.6	0.15	0.14
H233220		11.17	0.07	<0.05	0.07	0.001	37.65	599.2	0.06	0.08
H233221		5.98	0.07	0.12	0.07	0.004	34.57	662.2	0.05	0.09
H233222		6.21	0.05	<0.05	0.05	<0.001	44.84	701.3	0.07	0.03
H233223		11.22	0.07	<0.05	0.07	0.001	47.52	760.5	0.10	0.04
H233224		12.73	<0.05	<0.05	<0.05	<0.001	43.53	556.5	0.03	0.03
H233225		9.88	0.06	0.10	0.06	0.004	39.89	612.4	0.07	0.04
H233226		12.83	0.05	0.13	0.05	0.004	31.97	600.1	0.05	0.04
H233227		13.72	0.08	0.06	0.09	0.002	33.39	639.7	0.10	0.07
H233228		12.32	<0.05	<0.05	<0.05	<0.001	34.48	661.6	0.04	0.03
H233229		<0.02							0.03	
H233230		0.09							1.61	
H233231		12.78	<0.05	0.09	<0.05	0.004	46.43	676.8	0.05	0.02
H233232		12.20	0.07	0.19	0.06	0.009	46.79	831.4	0.06	0.06
H233233		12.60	<0.05	<0.05	<0.05	<0.001	46.91	671.6	0.02	0.03
H233234		12.85	0.07	0.29	0.06	0.014	48.38	759.8	0.05	0.07
H233235		12.19	<0.05	<0.05	<0.05	<0.001	42.89	638.0	0.01	0.02
H233236		0.63							<0.01	
H233237		11.83	<0.05	<0.05	<0.05	<0.001	47.09	861.4	0.01	0.02
H233238		12.91	0.07	0.40	<0.05	0.018	44.49	576.1	0.05	0.03
H233239		12.76	0.15	0.97	0.10	0.031	32.06	525.2	0.13	0.07
H233240		12.70	<0.05	<0.05	<0.05	<0.001	45.73	786.9	0.05	0.02
H233241		6.01	<0.05	<0.05	<0.05	<0.001	34.64	655.1	0.01	0.01
H233242		6.30	<0.05	<0.05	<0.05	<0.001	35.30	663.0	0.01	0.01
H233243		12.01	0.06	<0.05	0.06	<0.001	47.69	745.6	0.05	0.07
H233244		12.59	0.10	0.15	0.10	0.005	34.23	578.2	0.10	0.09
H233245		11.36	0.15	<0.05	0.16	<0.001	37.84	787.7	0.25	0.07

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 27-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08130175

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H233246		11.29	<0.05	<0.05	<0.05	<0.001	36.17	733.1	0.03	0.03
H233247		13.46	0.09	0.05	0.09	0.002	41.03	720.1	0.09	0.09
H233248		13.11	0.07	0.08	0.07	0.003	39.34	548.8	0.07	0.07
H233249		<0.02							0.06	
H233250		0.09							0.85	
H233251		11.67	0.06	0.05	0.07	0.002	37.51	767.8	0.06	0.07
H233252		13.02	0.08	<0.05	0.09	<0.001	47.87	778.7	0.10	0.08
H233253		12.26	0.08	0.53	0.06	0.018	33.77	597.9	0.08	0.03
H233254		12.61	0.16	0.42	0.15	0.019	45.37	701.7	0.10	0.19
H233255		12.75	0.06	<0.05	0.06	0.002	50.91	912.5	0.09	0.03

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-OCT-2008
Account: STRGOL

CERTIFICATE TR08130171

Project: Dublin Gulch

P.O. No.:

This report is for 69 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-SEP-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08130171

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	Au-AA26D Au Check ppm 0.01
H233092		11.42	0.16	0.24	0.16	0.010	42.48	797.8	0.17	0.15	
H233093		10.82	0.09	0.06	0.09	0.003	50.64	749.1	0.09	0.09	
H233094		12.01	0.06	<0.05	0.06	<0.001	49.11	820.8	0.05	0.07	
H233095		5.72	<0.05	<0.05	<0.05	<0.001	40.31	793.2	0.03	0.03	
H233101		2.12	0.52	0.49	0.52	0.024	48.54	791.9	0.41	0.63	
H233102		1.74	0.05	<0.05	0.05	<0.001	47.00	627.6	0.04	0.06	
H233103		3.99	0.17	<0.05	0.18	0.001	51.05	830.9	0.05	0.30	
H233104		4.31	0.12	<0.05	0.13	<0.001	45.51	887.5	0.13	0.13	
H233105		3.98	<0.05	<0.05	0.05	<0.001	51.16	749.2	0.05	0.04	
H233106		6.44	0.24	0.23	0.24	0.012	52.94	872.4	0.18	0.36	0.17
H233107		8.67	0.35	0.33	0.36	0.016	48.23	922.6	0.33	0.38	
H233108		10.15	0.34	0.44	0.34	0.021	47.56	985.9	0.33	0.35	
H233109		<0.02							0.28		
H233110		0.09							1.03		
H233111		8.51	0.86	1.19	0.84	0.061	51.14	810.4	0.87	0.81	
H233112		7.59	0.31	0.44	0.31	0.018	40.76	843.7	0.30	0.31	
H233113		10.98	1.01	16.75	0.17	0.806	48.17	903.4	0.14	0.20	
H233114		9.21	0.26	0.56	0.24	0.029	52.00	783.1	0.33	0.17	0.23
H233115		7.32	0.47	0.15	0.52	0.008	52.04	396.1	0.53	0.50	
H233116		0.25							0.01		
H233117		6.17	0.54	1.46	0.47	0.070	48.03	589.5	0.53	0.41	
H233118		7.50	0.07	<0.05	0.07	<0.001	47.10	783.7	0.04	0.14	0.04
H233119		10.34	0.38	1.77	0.31	0.074	41.89	794.7	0.32	0.30	
H233120		9.81	0.08	<0.05	0.08	<0.001	49.98	884.0	0.07	0.09	
H233121		3.93	0.66	1.33	0.62	0.059	44.21	733.8	0.59	0.64	
H233122		4.11	0.29	0.56	0.28	0.020	35.92	734.3	0.30	0.26	
H233123		8.86	0.05	<0.05	0.05	<0.001	50.49	652.0	0.04	0.06	
H233124		10.45	0.11	0.22	0.11	0.009	40.34	900.3	0.11	0.10	
H233125		8.50	<0.05	0.06	<0.05	0.003	50.36	827.0	0.04	0.04	
H233126		11.92	0.74	2.22	0.62	0.101	45.49	570.5	0.47	0.70	0.68
H233127		13.26	0.31	1.41	0.24	0.070	49.79	730.1	0.24	0.23	
H233128		13.03	0.35	1.01	0.31	0.050	49.37	924.4	0.24	0.38	
H233129		<0.02							0.34		
H233130		0.09							1.60		
H233131		11.27	0.24	0.06	0.25	0.003	46.28	708.4	0.20	0.30	
H233132		12.79	0.21	0.60	0.19	0.024	39.99	766.0	0.18	0.19	
H233133		12.48	0.36	1.04	0.33	0.053	50.80	1004.5	0.31	0.35	
H233134		11.37	0.08	0.05	0.09	0.003	55.97	925.7	0.09	0.08	
H233135		10.58	0.16	0.08	0.17	0.003	35.83	850.8	0.16	0.17	
H233136		0.30							<0.01		

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08130171

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	Au-AA26D Au Check ppm 0.01
H233137		13.44	0.08	<0.05	0.09	<0.001	46.42	645.5	0.08	0.10	
H233138		14.19	0.45	1.27	0.41	0.047	37.14	805.0	0.52	0.30	0.42
H233139		11.76	0.53	1.26	0.49	0.061	48.55	884.0	0.48	0.50	
H233140		12.96	0.20	0.16	0.21	0.008	49.27	795.4	0.20	0.21	
H233141		5.69	0.15	0.14	0.16	0.005	36.54	815.6	0.16	0.15	
H233142		6.06	0.12	0.18	0.12	0.009	49.31	703.2	0.10	0.14	
H233143		12.29	0.07	<0.05	0.08	0.002	50.57	816.8	0.08	0.07	
H233144		12.83	0.05	<0.05	0.06	<0.001	42.19	946.1	0.05	0.06	
H233145		12.54	<0.05	<0.05	0.05	<0.001	51.48	923.3	0.04	0.05	
H233146		12.74	0.07	<0.05	0.07	0.002	48.52	676.7	0.07	0.07	
H233147		9.42	0.07	<0.05	0.08	0.002	48.04	904.8	0.08	0.07	
H233148		9.06	1.50	4.52	1.33	0.203	44.90	770.8	1.35	1.30	
H233149		<0.02							1.46		
H233150		0.08							0.89		
H233151		3.91	2.15	2.25	2.15	0.109	48.41	632.6	2.17	2.12	
H233152		13.19	1.37	2.18	1.33	0.089	40.80	744.2	1.36	1.30	
H233153		11.96	1.25	1.68	1.21	0.085	50.48	518.5	1.30	1.11	
H233154		12.08	0.43	0.38	0.44	0.015	39.19	850.4	0.44	0.43	
H233155		12.48	0.24	0.33	0.24	0.014	42.93	764.2	0.22	0.25	
H233156		0.36							0.01		
H233157		11.96	0.16	0.11	0.17	0.004	35.16	884.9	0.17	0.16	
H233158		13.21	0.29	0.31	0.29	0.015	47.88	762.1	0.31	0.27	
H233159		10.15	0.48	0.19	0.49	0.008	41.84	1067.5	0.56	0.42	
H233160		7.78	0.08	<0.05	0.09	<0.001	30.04	543.0	0.09	0.08	
H233161		4.62	0.08	0.07	0.09	0.003	40.60	865.2	0.10	0.07	
H233162		4.69	0.44	1.25	0.41	0.039	31.16	842.4	0.45	0.36	
H233163		8.98	<0.05	0.05	<0.05	0.002	38.61	1062.5	0.03	0.02	
H233164		7.82	0.12	0.07	0.12	0.002	30.64	853.5	0.16	0.08	
H233165		6.70	0.32	0.06	0.33	0.002	33.09	680.8	0.22	0.44	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-OCT-2008
Account: STRGOL

CERTIFICATE TR08130170

Project: Dublin Gulch

P.O. No.:

This report is for 46 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-SEP-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08130170

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H233051		11.65	0.005
H233052		12.40	0.006
H233053		10.55	<0.005
H233054		8.00	0.005
H233055		11.23	<0.005
H233056		0.21	<0.005
H233057		9.04	<0.005
H233058		6.41	0.019
H233059		5.65	0.023
H233060		6.16	0.017
H233061		2.37	0.005
H233062		2.37	0.005
H233063		4.72	0.006
H233064		2.52	0.012
H233065		1.80	0.012
H233066		3.48	0.009
H233067		1.90	<0.005
H233068		1.98	0.007
H233069		<0.02	0.009
H233070		0.08	2.87
H233071		2.83	0.006
H233072		2.82	0.023
H233073		3.16	0.011
H233074		2.71	0.007
H233075		6.46	<0.005
H233076		0.26	<0.005
H233077		4.00	0.010
H233078		4.60	<0.005
H233079		2.53	<0.005
H233080		0.38	<0.005
H233081		0.44	0.026
H233082		0.32	<0.005
H233083		2.31	0.017
H233084		3.41	<0.005
H233085		7.88	0.007
H233086		10.05	0.051
H233087		10.32	0.005
H233088		10.13	0.836
H233089		<0.02	1.715
H233090		0.08	4.69

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08130170

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H233091		10.80	0.134
H233096		0.26	0.005
H233097		10.16	0.201
H233098		8.53	0.034
H233099		9.25	0.220
H233100		4.50	0.044

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-NOV-2008
Account: STRGOL

CERTIFICATE TR08129864


Project: Dublin Gulch

P.O. No.:

This report is for 106 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-SEP-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS



To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08129864

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H229218		13.05	<0.05	<0.05	0.05	<0.001	8.25	1115.0	0.05	0.04
H229219		11.04	0.12	<0.05	0.13	<0.001	8.73	995.9	0.10	0.15
H229220		12.84	<0.05	<0.05	<0.05	<0.001	10.67	780.8	0.04	0.03
H229221		6.47	0.18	0.86	0.17	0.006	6.97	744.7	0.17	0.17
H229222		6.54	0.25	<0.05	0.25	<0.001	9.99	813.9	0.28	0.22
H229223		11.89	0.15	2.13	0.14	0.014	6.56	969.4	0.14	0.14
H229224		11.27	0.54	5.10	0.51	0.031	6.08	878.0	0.52	0.50
H229225		14.63	0.16	<0.05	0.16	<0.001	3.87	1044.0	0.15	0.17
H229226		16.73	<0.05	<0.05	<0.05	<0.001	4.25	815.8	0.02	0.02
H229227		12.37	0.35	1.01	0.35	0.005	4.97	1039.0	0.30	0.39
H229228		7.10	0.48	9.90	0.41	0.066	6.67	814.2	0.46	0.35
H229229		<0.02	0.46	4.90	0.43	0.027	5.51	833.3	0.44	0.42
H229230		0.08							NSS	
H229231		11.73	<0.05	<0.05	0.05	<0.001	5.17	870.9	0.05	0.04
H229232		12.53	0.54	<0.05	0.55	<0.001	6.19	1008.5	0.54	0.55
H229233		14.24	0.08	<0.05	0.08	<0.001	20.37	931.0	0.09	0.07
H229234		6.32	0.09	<0.05	0.10	<0.001	8.00	937.7	0.09	0.10
H229235		8.00	0.05	<0.05	0.06	<0.001	15.07	867.9	0.08	0.03
H229236		0.91							0.01	
H229237		7.44	0.32	<0.05	0.33	<0.001	12.96	1054.5	0.35	0.30
H229238		6.49	0.09	<0.05	0.10	<0.001	8.21	951.9	0.10	0.09
H229239		7.16	0.09	<0.05	0.10	<0.001	11.54	1016.0	0.11	0.08
H229240		4.97	0.07	<0.05	0.08	<0.001	24.69	941.5	0.08	0.07
H229241		5.10	0.05	<0.05	0.06	<0.001	6.29	773.7	0.06	0.05
H229242		4.94	<0.05	<0.05	<0.05	<0.001	11.51	871.5	0.04	0.04
H229243		5.11	<0.05	<0.05	<0.05	<0.001	24.71	1200.5	0.04	0.03
H229244		6.61	<0.05	<0.05	<0.05	<0.001	16.74	1015.0	0.05	0.03
H229245		7.57	0.05	<0.05	0.05	<0.001	10.27	1015.0	0.07	0.03
H229246		6.94	0.07	<0.05	0.07	<0.001	6.80	780.9	0.11	0.04
H229247		6.78	0.27	<0.05	0.27	<0.001	4.41	810.7	0.30	0.25
H229248		6.52	0.23	<0.05	0.24	<0.001	7.75	760.0	0.23	0.24
H229249		<0.02	0.19	<0.05	0.19	<0.001	7.20	855.8	0.19	0.19
H229250		0.08							1.40	
H229251		7.03	0.13	<0.05	0.13	<0.001	10.01	822.2	0.12	0.14
H229252		6.10	0.11	<0.05	0.11	<0.001	6.40	864.2	0.11	0.11
H229253		7.07	0.28	<0.05	0.28	<0.001	9.15	861.2	0.28	0.28
H229254		6.66	0.05	<0.05	0.06	<0.001	6.25	880.7	0.06	0.05
H229255		8.65	2.30	47.7	1.96	0.295	6.19	824.8	1.78	2.13
H229256		0.92							<0.01	
H229257		6.98	0.06	<0.05	0.06	<0.001	5.32	919.2	0.07	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08129864

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H229258		5.50	<0.05	<0.05	<0.05	<0.001	10.67	770.8	0.02	0.03
H229259		8.00	0.24	<0.05	0.25	<0.001	6.18	737.7	0.29	0.20
H229260		4.69	0.67	2.59	0.66	0.015	5.80	977.3	0.81	0.50
H229261		3.19	0.14	<0.05	0.15	<0.001	6.47	856.4	0.12	0.17
H229262		3.28	0.12	<0.05	0.13	<0.001	10.20	861.0	0.13	0.12
H229263		7.40	0.15	<0.05	0.16	<0.001	9.07	585.2	0.18	0.13
H229264		8.41	0.05	<0.05	0.05	<0.001	17.67	893.1	0.05	0.05
H229265		7.57	<0.05	<0.05	0.05	<0.001	13.79	935.5	0.05	0.04
H229266		12.95	<0.05	<0.05	0.05	<0.001	16.11	831.1	0.04	0.05
H229267		5.25	<0.05	<0.05	0.05	<0.001	13.31	1042.0	0.04	0.05
H229268		7.28	0.24	<0.05	0.24	<0.001	16.27	981.7	0.25	0.23
H229269		<0.02	0.20	1.41	0.19	0.009	6.40	662.6	0.19	0.18
H229270		0.08							NSS	
H229271		8.40	<0.05	<0.05	<0.05	<0.001	21.70	1009.0	0.04	0.04
H229272		11.69	<0.05	<0.05	<0.05	<0.001	2.20	976.3	0.04	0.04
H229273		7.33	0.06	<0.05	0.06	<0.001	16.15	881.5	0.05	0.07
H229274		4.16	<0.05	<0.05	<0.05	<0.001	15.46	949.1	0.04	0.04
H229275		5.11	<0.05	<0.05	<0.05	<0.001	21.20	1063.0	0.04	0.04
H229276		0.43							0.01	
H229277		6.88	0.05	<0.05	0.05	<0.001	15.07	1006.0	0.05	0.05
H229278		6.64	0.05	<0.05	0.05	<0.001	13.82	1001.5	0.07	0.03
H229279		6.49	0.14	<0.05	0.15	<0.001	16.30	1018.5	0.14	0.15
H229280		8.22	<0.05	<0.05	<0.05	<0.001	13.98	816.5	0.03	0.02
H229281		3.45	<0.05	<0.05	<0.05	<0.001	11.46	794.8	0.05	0.03
H229282		3.32	<0.05	<0.05	<0.05	<0.001	20.14	923.6	0.04	0.03
H229283		5.96	0.17	<0.05	0.17	<0.001	11.98	936.8	0.20	0.14
H229284		7.39	0.05	<0.05	0.05	<0.001	15.46	803.5	0.05	0.05
H229285		4.76	0.17	<0.05	0.18	<0.001	14.15	990.0	0.18	0.17
H229286		7.44	<0.05	<0.05	<0.05	<0.001	17.31	1062.0	0.03	0.03
H229287		5.40	<0.05	<0.05	<0.05	<0.001	6.94	755.6	0.02	0.02
H229288		7.41	<0.05	<0.05	<0.05	<0.001	9.72	726.0	0.02	0.03
H229289		<0.02	<0.05	<0.05	<0.05	<0.001	18.07	1005.0	0.03	0.02
H229290		0.08							4.38	
H229291		8.09	<0.05	<0.05	<0.05	<0.001	24.69	1165.5	0.02	0.02
H229292		5.23	<0.05	<0.05	<0.05	<0.001	29.25	1135.5	0.02	0.01
H229293		8.74	2.09	<0.05	2.11	<0.001	5.97	759.5	2.23	1.98
H229294		7.46	0.42	<0.05	0.43	<0.001	13.64	966.7	0.46	0.39
H229295		4.87	0.12	<0.05	0.12	<0.001	10.01	982.0	0.12	0.12
H229296		0.47							0.01	
H229297		6.84	<0.05	<0.05	<0.05	<0.001	14.17	888.6	0.03	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08129864

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H229298		7.25	0.08	<0.05	0.09	<0.001	12.09	1003.0	0.08	0.09
H229299		6.87	0.05	<0.05	0.06	<0.001	18.87	1200.0	0.07	0.04
H229300		6.82	0.26	<0.05	0.27	<0.001	6.84	898.4	0.26	0.27
H229301		3.27	0.80	7.18	0.74	0.061	8.50	939.1	0.76	0.72
H229302		3.39	1.56	45.4	1.12	0.580	12.78	1284.0	1.08	1.16
H229303		7.10	0.08	<0.05	0.08	<0.001	11.95	962.2	0.08	0.08
H229304		7.80	0.11	<0.05	0.12	<0.001	10.83	991.6	0.10	0.13
H229305		4.72	<0.05	<0.05	<0.05	<0.001	17.98	1118.0	0.03	0.05
H229306		6.10	0.29	<0.05	0.29	<0.001	6.02	769.8	0.33	0.25
H229307		4.26	0.26	7.17	0.22	0.040	5.58	1077.0	0.22	0.22
H229308		6.88	0.27	9.76	0.25	0.020	2.05	870.8	0.25	0.25
H229309		<0.02	0.28	3.01	0.26	0.025	8.31	976.7	0.26	0.26
H229310		0.07							2.81	
H229311		8.61	0.67	1.07	0.67	0.004	3.73	898.1	0.62	0.71
H229312		5.13	0.06	2.80	0.05	0.009	3.22	845.2	0.05	0.04
H229313		7.43	<0.05	<0.05	<0.05	<0.001	10.80	1040.5	0.04	0.04
H229314		4.16	0.18	3.59	0.17	0.015	4.18	883.1	0.16	0.17
H229315		8.82	0.10	2.88	0.07	0.028	9.72	932.4	0.08	0.06
H229316		0.66							<0.01	
H229317		5.43	<0.05	<0.05	<0.05	<0.001	13.07	852.1	0.01	0.01
H229318		6.31	<0.05	<0.05	<0.05	<0.001	9.34	928.4	0.01	0.02
H229319		7.76	<0.05	<0.05	<0.05	<0.001	10.85	1017.5	<0.01	0.01
H229320		7.37	<0.05	<0.05	<0.05	<0.001	12.12	848.0	0.03	0.03
H229321		3.67	2.03	46.7	1.77	0.254	5.44	916.4	1.68	1.85
H229322		3.74	1.06	8.02	1.02	0.043	5.36	854.0	0.98	1.05
H229323		4.45	<0.05	0.42	<0.05	0.008	18.86	742.6	0.02	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08129864

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-OCT-2008
Account: STRGOL

CERTIFICATE TR08129326

Project: Dublin Gulch

P.O. No.:

This report is for 74 Drill Core samples submitted to our lab in Terrace, BC, Canada on 8-SEP-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08129326

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H225937		12.04	0.25	1.04	0.21	0.043	41.34	817.0	0.22	0.19
H225938		12.11	0.30	0.34	0.30	0.015	44.11	773.7	0.46	0.14
H225939		14.71	0.14	0.15	0.14	0.007	47.25	665.1	0.17	0.11
H225940		9.70	0.10	0.08	0.11	0.003	36.74	725.2	0.12	0.09
H225941		5.77	0.17	0.43	0.16	0.019	44.50	710.3	0.17	0.14
H225942		6.09	0.13	0.08	0.13	0.004	50.12	823.1	0.17	0.09
H225943		12.70	0.09	0.07	0.09	0.003	41.37	793.7	0.09	0.09
H225944		12.30	0.09	<0.05	0.10	<0.001	32.21	693.0	0.07	0.12
H225945		12.00	0.33	<0.05	0.34	0.001	31.24	685.3	0.41	0.27
H225946		11.67	0.16	0.19	0.16	0.008	42.14	689.8	0.14	0.17
H225947		12.57	0.06	<0.05	0.06	<0.001	48.80	724.9	0.06	0.06
H225948		12.94	0.21	0.14	0.22	0.007	50.53	695.3	0.12	0.31
H225949		<0.02							0.11	
H225950		0.12							1.43	
H225951		12.15	0.24	0.17	0.25	0.007	41.41	866.9	0.30	0.19
H225952		13.74	0.08	<0.05	0.09	<0.001	43.06	898.0	0.07	0.10
H225953		11.53	0.24	0.43	0.24	0.015	35.22	872.3	0.22	0.25
H225954		12.82	0.67	0.68	0.67	0.031	45.79	848.7	0.79	0.55
H225955		12.35	0.34	0.49	0.33	0.024	48.73	730.6	0.40	0.26
H225956		0.28							NSS	
H225957		12.21	0.17	0.14	0.17	0.007	51.69	1026.5	0.17	0.17
H225958		11.97	0.11	<0.05	0.12	<0.001	37.82	939.9	0.11	0.12
H225959		10.60	0.13	<0.05	0.14	<0.001	48.66	996.8	0.14	0.14
H225960		11.75	0.48	0.80	0.46	0.039	48.73	756.4	0.46	0.46
H225961		5.69	0.65	1.33	0.62	0.053	39.74	934.8	0.64	0.60
H225962		5.53	0.27	1.37	0.21	0.063	46.07	817.4	0.20	0.21
H225963		10.97	0.40	0.40	0.40	0.021	52.57	1041.5	0.43	0.36
H225964		12.63	0.28	0.72	0.26	0.034	47.38	881.8	0.30	0.21
H225965		11.43	0.28	2.01	0.24	0.066	32.86	1151.0	0.21	0.26
H225966		14.88	0.70	0.57	0.71	0.022	38.61	693.1	0.73	0.69
H225967		11.32	0.17	0.26	0.17	0.010	38.66	906.5	0.18	0.16
H225968		13.14	1.44	2.54	1.39	0.108	42.47	906.0	1.58	1.20
H225969		<0.02							1.21	
H225970		0.11							1.92	
H225971		10.15	0.12	0.14	0.12	0.005	35.38	781.1	0.12	0.12
H225972		13.17	0.53	0.55	0.53	0.023	41.84	648.4	0.56	0.49
H225973		11.89	0.75	1.28	0.71	0.066	51.62	747.5	0.65	0.77
H225974		12.77	0.08	0.10	0.08	0.004	40.94	841.6	0.07	0.09
H225975		10.14	0.27	0.89	0.24	0.027	30.36	595.5	0.26	0.21
H225976		0.31							<0.01	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08129326

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H225977		12.39	0.86	6.31	0.59	0.268	42.47	848.4	0.51	0.66
H225978		12.22	0.84	3.44	0.71	0.155	45.06	902.2	0.70	0.71
H225979		13.23	0.72	1.37	0.69	0.059	43.04	883.7	0.74	0.64
H225980		10.42	1.15	0.97	1.16	0.041	42.08	830.2	1.09	1.23
H225981		7.71	0.35	0.50	0.35	0.022	44.20	898.7	0.34	0.35
H225982		7.59	0.35	0.48	0.34	0.020	41.53	995.7	0.33	0.35
H225983		11.24	0.99	1.10	0.99	0.045	40.78	1014.5	0.96	1.02
H225984		12.83	0.46	0.82	0.44	0.025	30.35	405.5	0.45	0.42
H225985		9.33	0.87	2.24	0.80	0.076	33.90	610.3	0.79	0.80
H225986		15.28	1.36	0.45	1.42	0.018	40.25	638.5	1.43	1.40
H225987		10.70	0.18	0.21	0.18	0.006	28.46	640.7	0.18	0.18
H225988		13.44	0.12	0.23	0.12	0.004	17.19	712.2	0.12	0.12
H225989		<0.02							0.16	
H225990		0.11							4.55	
H225991		10.17	0.29	1.01	0.27	0.024	23.72	722.9	0.30	0.23
H225992		13.56	0.52	0.94	0.50	0.027	28.81	457.2	0.48	0.51
H225993		10.46	0.45	0.47	0.45	0.016	34.17	632.8	0.44	0.46
H225994		14.77	0.44	0.20	0.45	0.006	30.73	826.6	0.45	0.44
H225995		7.85	0.73	0.86	0.73	0.040	46.62	688.6	0.77	0.68
H225996		0.24							0.02	
H225997		15.28	1.00	1.80	0.95	0.089	49.55	749.0	0.90	0.99
H225998		7.22	0.31	0.63	0.30	0.022	35.01	829.4	0.29	0.30
H225999		15.99	1.02	1.63	0.99	0.081	49.61	852.1	1.04	0.93
H226000		12.45	0.67	0.50	0.68	0.022	44.18	923.0	0.73	0.62
H229451		11.36	0.53	0.31	0.54	0.015	48.95	849.7	0.58	0.50
H229452		12.35	0.79	1.46	0.75	0.062	42.44	659.5	0.77	0.72
H229453		11.01	0.63	1.85	0.58	0.066	35.77	850.0	0.66	0.49
H229454		11.06	0.59	2.59	0.46	0.128	49.45	744.6	0.57	0.35
H229455		13.59	0.62	0.37	0.64	0.017	46.14	775.8	0.71	0.57
H229456		0.33							0.02	
H229457		12.44	0.63	0.30	0.65	0.014	46.70	795.9	0.69	0.60
H229458		11.59	0.87	0.89	0.87	0.037	41.40	853.0	0.89	0.85
H229459		11.74	0.41	0.60	0.40	0.028	46.66	766.9	0.39	0.41
H229460		11.84	0.53	0.46	0.54	0.023	49.73	708.6	0.54	0.54

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08129326

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-SEP-2008
Account: STRGOL

CERTIFICATE TR08128799

Project: Dublin Gulch

P.O. No.:

This report is for 46 Drill Core samples submitted to our lab in Terrace, BC, Canada on 4-SEP-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128799

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H225752		13.27	0.045
H225753		13.28	<0.005
H225754		12.76	0.006
H225755		12.74	0.013
H225756		0.31	<0.005
H225757		12.35	0.011
H225758		13.08	0.145
H225759		12.90	0.021
H225760		12.55	0.060
H225761		5.51	0.017
H225762		6.10	0.030
H225763		12.38	<0.005
H225764		12.24	<0.005
H225765		13.31	<0.005
H225766		10.35	0.077
H225767		12.14	0.017
H225768		11.74	<0.005
H225769		<0.02	<0.005
H225770		0.08	0.110
H225771		10.57	0.008
H225772		9.73	<0.005
H225773		11.15	0.134
H225774		11.45	0.309
H225775		11.45	0.790
H225776		0.53	0.009
H225777		10.26	0.285
H225778		12.61	0.022
H225779		13.34	<0.005
H225780		13.28	<0.005
H225781		4.72	0.144
H225782		5.82	0.105
H225783		13.19	0.326
H225784		12.16	0.200
H225785		11.86	0.228
H225786		13.78	0.155
H225787		12.80	0.105
H225788		10.93	0.892
H225789		<0.02	0.821
H225790		0.09	1.400
H225791		12.78	<0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128799

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H225792		12.83	<0.005
H225793		12.62	<0.005
H225794		12.58	<0.005
H225795		10.31	0.031
H225796		0.34	<0.005
H225797		13.87	0.039

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-OCT-2008
Account: STRGOL

CERTIFICATE TR08128798

Project: Dublin Gulch

P.O. No.:

This report is for 75 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128798

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H225677		11.60	<0.005
H225678		10.89	<0.005
H225679		7.38	0.274
H225680		7.62	0.023
H225681		9.15	0.043
H225682		9.67	0.065
H225683		17.86	0.005
H225684		5.92	0.008
H225685		8.76	<0.005
H225686		9.83	0.008
H225687		7.13	0.012
H225688		5.01	0.006
H225689		<0.02	<0.005
H225690		0.09	0.997
H225691		4.23	0.011
H225692		6.12	<0.005
H225693		10.63	0.005
H225694		9.88	<0.005
H225695		12.45	<0.005
H225696		0.41	<0.005
H225697		11.70	<0.005
H225698		11.58	<0.005
H225699		13.30	0.005
H225700		10.95	<0.005
H225701		7.51	0.009
H225702		6.20	0.074
H225703		11.55	0.005
H225704		11.44	0.020
H225705		14.25	0.011
H225706		12.65	<0.005
H225707		12.47	2.13
H225708		12.53	0.017
H225709		<0.02	0.038
H225710		0.09	1.640
H225711		12.85	0.713
H225712		12.53	0.194
H225713		11.23	0.029
H225714		12.49	0.287
H225715		9.54	<0.005
H225716		0.28	<0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128798

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H225717		9.91	<0.005
H225718		10.28	<0.005
H225719		14.50	<0.005
H225720		10.97	<0.005
H225721		4.88	0.006
H225722		6.40	<0.005
H225723		12.20	<0.005
H225724		11.34	0.007
H225725		11.37	0.058
H225726		13.71	1.150
H225727		10.52	1.320
H225728		13.32	0.178
H225729		<0.02	0.330
H225730		0.09	0.849
H225731		11.77	0.018
H225732		11.15	<0.005
H225733		8.77	0.015
H225734		4.85	0.019
H225735		15.57	0.018
H225736		0.38	0.005
H225737		14.01	0.069
H225738		9.81	0.005
H225739		14.43	0.006
H225740		10.90	0.005
H225741		4.07	0.006
H225742		3.92	0.012
H225743		11.22	0.015
H225744		12.84	0.019
H225745		12.04	0.013
H225746		12.19	0.071
H225747		13.03	0.051
H225748		10.38	0.427
H225749		<0.02	0.973
H225750		0.08	0.715
H225751		12.98	0.545

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-OCT-2008
Account: STRGOL

CERTIFICATE TR08128797

Project: Dublin Gulch

P.O. No.:

This report is for 98 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128797

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H228918		13.51	0.10	0.47	0.08	0.021	44.63	702.0	0.08	0.07
H228919		12.20	0.05	0.30	<0.05	0.013	42.92	706.2	0.04	0.02
H228920		12.42	<0.05	<0.05	<0.05	<0.001	45.69	758.3	0.01	0.02
H228921		6.39	<0.05	0.06	<0.05	0.003	47.37	764.8	0.03	0.05
H228922		4.96	0.08	<0.05	0.08	<0.001	44.27	920.9	0.08	0.08
H228923		13.64	<0.05	<0.05	<0.05	<0.001	51.47	891.0	0.02	0.03
H228924		13.59	<0.05	<0.05	<0.05	<0.001	45.74	955.2	0.03	0.02
H228925		11.85	<0.05	<0.05	<0.05	<0.001	45.75	820.3	0.02	0.02
H228926		12.68	<0.05	<0.05	<0.05	<0.001	49.46	786.5	0.01	0.01
H228927		9.34	<0.05	0.08	<0.05	0.004	52.06	928.6	0.02	0.02
H228928		14.45	0.18	0.37	0.17	0.018	49.06	859.0	0.20	0.14
H228929		<0.02	0.11	0.31	0.10	0.015	49.15	976.8	0.07	0.12
H228930		0.10							NSS	
H228931		11.84	0.09	<0.05	0.09	<0.001	46.96	798.9	0.10	0.08
H228932		11.95	0.05	<0.05	0.06	0.002	49.19	866.6	0.06	0.05
H228933		13.19	<0.05	<0.05	<0.05	<0.001	50.81	978.9	0.02	0.03
H228934		12.82	<0.05	<0.05	<0.05	<0.001	53.70	970.2	0.02	0.03
H228935		12.21	1.36	1.23	1.38	0.065	52.72	686.9	1.41	1.34
H228936		0.34							<0.01	
H228937		12.86	1.17	2.11	1.12	0.109	51.60	971.5	1.08	1.15
H228938		12.30	0.24	0.11	0.25	0.005	46.81	766.5	0.29	0.20
H228939		12.54	0.13	0.20	0.13	0.008	40.70	821.6	0.13	0.13
H228940		12.93	0.06	0.05	0.06	0.002	42.46	932.7	0.06	0.06
H228941		6.27	0.06	<0.05	0.07	<0.001	31.22	753.8	0.07	0.06
H228942		7.63	<0.05	<0.05	0.05	<0.001	47.23	789.5	0.05	0.04
H228943		11.15	<0.05	<0.05	0.05	<0.001	45.87	864.7	0.05	0.04
H228944		13.44	0.12	<0.05	0.13	<0.001	39.34	718.6	0.10	0.15
H228945		15.32	0.87	1.96	0.81	0.093	47.46	889.2	0.80	0.82
H228946		14.87	0.15	0.11	0.16	0.004	35.80	897.0	0.16	0.15
H228947		10.38	0.75	8.84	0.35	0.372	42.09	838.4	0.35	0.34
H228948		14.15	0.06	0.09	0.06	0.004	44.00	668.2	0.05	0.07
H228949		<0.02	NSS	NSS	NSS	NSS	NSS	NSS	0.05	0.08
H228950		0.09							1.02	
H228951		12.79	0.27	0.21	0.28	0.008	38.67	894.4	0.30	0.25
H228952		13.86	1.85	3.52	1.76	0.156	44.29	760.4	1.77	1.74
H228953		10.97	1.13	2.43	1.07	0.103	42.47	834.1	0.89	1.24
H228954		11.62	0.58	5.14	0.32	0.249	48.47	819.0	0.27	0.36
H228955		10.00	4.00	5.53	3.89	0.270	48.84	625.3	3.92	3.85
H228956		0.38							0.01	
H228957		12.37	0.80	3.90	0.66	0.144	36.90	797.3	0.62	0.69

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128797

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H228958		9.54	0.43	2.11	0.37	0.092	43.69	1178.5	0.33	0.41
H228959		11.43	0.13	0.09	0.14	0.004	43.38	1122.5	0.14	0.13
H228960		10.27	0.25	0.26	0.25	0.013	50.89	986.4	0.21	0.28
H228961		7.03	0.47	2.15	0.41	0.102	47.40	1198.0	0.32	0.49
H228962		6.27	0.22	0.75	0.20	0.037	49.32	1193.0	0.20	0.19
H228963		12.57	0.07	0.19	0.06	0.010	53.11	1148.5	0.05	0.07
H228964		12.17	0.05	0.06	0.05	0.003	51.38	909.1	0.04	0.05
H228965		10.85	0.08	0.14	0.08	0.007	50.73	1051.5	0.07	0.08
H228966		11.73	0.17	0.37	0.17	0.018	48.76	1073.0	0.14	0.19
H228967		12.76	1.17	1.20	1.17	0.063	52.32	1045.0	1.09	1.24
H228968		13.86	0.40	0.31	0.41	0.016	51.69	1075.0	0.41	0.40
H228969		<0.02	0.42	0.32	0.43	0.016	50.42	1084.0	0.44	0.41
H228970		0.09							NSS	
H228971		10.23	0.23	0.10	0.24	0.005	48.95	1036.0	0.23	0.24
H228972		13.01	0.15	0.16	0.15	0.008	50.53	997.6	0.16	0.13
H228973		11.49	1.01	4.14	0.86	0.207	50.03	994.9	0.77	0.94
H228974		12.91	0.38	0.38	0.38	0.019	50.42	1099.5	0.37	0.38
H228975		12.58	0.37	0.20	0.38	0.010	50.77	1038.0	0.30	0.45
H228976		0.36							<0.01	
H228977		11.00	0.48	0.76	0.47	0.038	50.28	930.5	0.48	0.46
H228978		12.09	0.21	0.08	0.22	0.004	49.33	1136.0	0.16	0.28
H228979		12.37	1.14	3.78	1.03	0.150	39.65	926.2	1.01	1.04
H228980		12.35	0.13	0.14	0.13	0.007	51.07	1080.0	0.10	0.16
H228981		6.85	0.51	0.33	0.52	0.017	51.70	1065.5	0.57	0.47
H228982		5.32	0.86	0.86	0.86	0.043	50.02	799.3	0.85	0.86
H228983		11.17	0.28	0.57	0.27	0.028	49.32	795.3	0.33	0.20
H228984		12.25	0.11	0.11	0.12	0.006	52.31	1037.5	0.10	0.13
H228985		11.68	0.06	0.06	0.06	0.003	52.37	1026.5	0.08	0.04
H228986		12.76	0.67	1.50	0.63	0.080	53.17	1066.5	0.76	0.50
H228987		11.92	0.10	<0.05	0.10	0.002	51.22	1054.5	0.10	0.10
H228988		12.57	<0.05	<0.05	<0.05	0.001	50.82	996.2	0.03	0.03
H228989		<0.02	<0.05	<0.05	<0.05	<0.001	50.92	1005.5	0.03	0.03
H228990		0.09							NSS	
H228991		10.94	0.05	0.06	0.05	0.003	51.09	1041.5	0.05	0.04
H228992		13.10	0.10	<0.05	0.11	0.001	51.79	959.7	0.09	0.12
H228993		11.73	1.70	7.58	1.41	0.381	50.28	1032.0	1.47	1.35
H228994		15.55	0.36	0.84	0.34	0.042	49.80	1032.5	0.31	0.37
H228995		13.51	0.25	0.33	0.25	0.017	51.94	1046.0	0.32	0.17
H228996		0.32							0.01	
H228997		9.62	<0.05	0.06	<0.05	0.003	51.23	911.4	0.04	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128797

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H228998		14.04	0.93	4.31	0.72	0.223	51.78	817.0	0.76	0.67
H228999		10.22	0.39	0.54	0.39	0.028	51.46	839.8	0.39	0.38
H229000		13.47	0.25	0.57	0.23	0.028	49.16	1016.5	0.23	0.23
H229351		12.10	1.88	2.03	1.88	0.104	51.34	853.9	1.74	2.01
H229352		11.61	0.53	0.99	0.51	0.049	49.39	1068.5	0.48	0.53
H229353		13.76	0.64	0.46	0.65	0.023	50.01	936.3	0.63	0.67
H229354		12.91	0.13	0.10	0.13	0.005	51.38	1091.5	0.14	0.12
H229355		12.06	0.31	0.33	0.31	0.017	51.79	1019.5	0.30	0.32
H229356		0.34							<0.01	
H229357		12.67	0.31	0.64	0.29	0.033	51.54	1042.0	0.27	0.31
H229358		12.01	0.40	0.27	0.41	0.013	48.61	957.5	0.43	0.38
H229359		11.29	0.24	0.19	0.24	0.010	54.03	1360.0	0.22	0.26
H229360		13.40	0.42	0.54	0.41	0.026	48.59	1024.0	0.41	0.41
H229361		4.85	0.13	0.12	0.13	0.007	58.55	632.9	0.15	0.11
H229362		5.66	0.07	<0.05	0.08	0.002	46.27	852.8	0.09	0.06
H229363		13.26	0.11	0.06	0.11	0.003	46.45	1048.0	0.10	0.12
H229364		10.66	0.24	0.69	0.23	0.035	50.42	1156.0	0.19	0.26
H229365		13.56	0.27	0.95	0.24	0.048	50.29	1273.5	0.26	0.22

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128797

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-SEP-2008
Account: STRGOL

CERTIFICATE TR08128796

Project: Dublin Gulch

P.O. No.:

This report is for 11 Drill Core samples submitted to our lab in Terrace, BC, Canada on 29-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128796

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H228701		7.06	0.030
H228702		7.73	0.027
H228703		12.29	0.172
H228704		8.75	0.568
H228705		4.52	0.018
H228706		6.48	0.167
H228707		4.11	0.620
H228708		3.35	0.021
H228709		<0.02	0.021
H228710		0.09	0.088
H228711		11.30	0.164

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-OCT-2008
Account: STRGOL

CERTIFICATE TR08128795

Project: Dublin Gulch

P.O. No.:

This report is for 196 Drill Core samples submitted to our lab in Terrace, BC, Canada on 29-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32d	Pulverize Split -Dup 85% <75um
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128795

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	Au-AA26D Au Check ppm 0.01
H228712		8.51	0.67	1.93	0.60	0.088	45.49	771.1	0.57	0.63	
H228713		12.00	<0.05	<0.05	<0.05	<0.001	42.24	606.6	0.03	0.04	
H228714		5.12	<0.05	<0.05	<0.05	<0.001	45.49	487.0	0.04	0.04	
H228715		3.09	0.07	0.11	0.07	0.005	47.52	592.7	0.06	0.07	
H228716		0.34							<0.01		
H228717		3.49	0.23	0.57	0.21	0.023	40.25	703.6	0.22	0.20	
H228718		6.59	0.16	0.28	0.15	0.010	36.21	609.4	0.18	0.12	
H228719		8.51	0.05	<0.05	0.05	<0.001	42.90	803.5	0.06	0.04	
H228720		11.07	0.61	4.69	0.40	0.185	39.45	756.5	0.36	0.43	
H228721		5.90	<0.05	<0.05	<0.05	0.001	49.23	725.2	0.01	0.01	
H228722		5.28	<0.05	<0.05	<0.05	<0.001	34.80	501.3	0.01	0.02	
H228723		8.02	0.05	0.07	0.05	0.003	40.33	598.6	0.04	0.05	
H228724		8.28	0.09	0.08	0.09	0.004	49.98	694.4	0.09	0.09	
H228725		9.65	0.09	0.06	0.10	0.002	35.63	452.4	0.06	0.13	
H228726		8.06	<0.05	<0.05	<0.05	<0.001	38.28	508.9	0.03	0.03	
H228727		3.38	0.51	1.12	0.47	0.048	42.85	610.3	0.43	0.50	
H228728		5.49	0.17	0.68	0.14	0.023	33.94	566.9	0.15	0.12	
H228729		<0.02							0.09		
H228730		0.09							1.39		
H228731		9.67	0.05	<0.05	0.06	<0.001	46.82	790.7	0.04	0.07	
H228732		8.56	0.05	<0.05	0.05	0.001	47.15	672.5	0.05	0.05	
H228733		7.03	0.14	0.08	0.14	0.003	38.17	587.2	0.14	0.14	
H228734		6.66	0.27	0.41	0.26	0.018	44.34	610.8	0.27	0.25	
H228735		9.05	<0.05	<0.05	<0.05	<0.001	40.60	607.8	0.02	0.03	
H228736		0.43							<0.01		
H228737		6.19	0.05	0.07	0.05	0.003	44.22	754.6	0.06	0.03	
H228738		10.62	0.05	0.13	0.05	0.005	38.23	559.8	0.05	0.04	
H228739		9.83	0.23	<0.05	0.25	0.001	51.28	875.3	0.27	0.22	
H228740		6.96	1.58	2.46	1.52	0.116	47.13	643.9	1.47	1.57	
H228741		3.63	0.07	0.31	0.06	0.014	44.98	665.1	0.06	0.05	
H228742		3.67	0.21	0.10	0.22	0.005	49.51	666.4	0.29	0.15	
H228743		8.38	0.12	0.08	0.12	0.004	50.19	746.5	0.10	0.14	
H228744		10.79	0.41	1.14	0.37	0.056	49.33	884.6	0.33	0.41	
H228745		12.50	0.30	1.62	0.23	0.051	31.47	588.8	0.28	0.17	
H228746		7.13	0.06	<0.05	0.07	<0.001	36.90	668.7	0.06	0.07	
H228747		10.45	<0.05	<0.05	<0.05	<0.001	31.25	752.0	0.01	0.01	
H228748		12.81	<0.05	<0.05	<0.05	<0.001	42.78	721.1	0.01	0.04	
H228749		<0.02							0.02		
H228750		0.09							2.64		
H228751		9.98	0.10	0.12	0.10	0.004	33.60	540.5	0.09	0.10	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128795

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	Au-AA26D Au Check ppm 0.01
H228752		11.28	<0.05	0.30	<0.05	0.010	33.31	638.6	0.02	0.03	
H228753		12.89	0.19	1.95	0.09	0.096	49.11	880.0	0.07	0.11	
H228754		12.93	3.02	4.70	2.91	0.212	45.08	678.7	2.83	2.99	
H228755		11.93	0.31	0.17	0.32	0.007	41.82	889.3	0.28	0.36	
H228756		0.33							0.03		
H228757		11.62	0.35	1.56	0.28	0.078	50.03	889.3	0.31	0.25	
H228758		14.74	0.11	0.45	0.09	0.019	42.66	723.8	0.09	0.09	
H228759		11.48	0.68	2.00	0.60	0.084	41.96	689.3	0.66	0.53	
H228760		9.14	0.43	2.46	0.33	0.088	35.70	729.8	0.25	0.41	
H228761		5.26	0.29	2.24	0.18	0.102	45.48	836.4	0.18	0.18	
H228762		4.89	0.29	0.28	0.30	0.012	42.85	672.6	0.18	0.41	
H228763		8.86	0.69	5.85	0.36	0.275	47.00	725.1	0.33	0.39	
H228764		10.08	1.44	4.12	1.22	0.194	47.04	565.8	1.25	1.18	
H228765		11.29	0.58	0.40	0.59	0.019	47.51	850.2	0.62	0.55	
H228766		9.64	0.27	0.60	0.26	0.022	36.63	638.5	0.22	0.29	
H228767		10.43	0.38	1.81	0.34	0.060	33.08	1309.5	0.38	0.30	
H228768		10.81	0.42	1.40	0.38	0.066	47.08	1084.0	0.38	0.37	
H228769		<0.02							0.09		
H228770		0.09							NSS		
H228771		8.87	0.09	0.52	0.06	0.022	42.49	721.4	0.07	0.05	
H228772		12.59	0.44	1.12	0.40	0.056	50.13	939.9	0.50	0.30	
H228773		8.46	0.17	0.20	0.17	0.009	45.11	977.7	0.17	0.16	
H228774		13.97	0.11	0.22	0.11	0.009	41.73	1199.0	0.10	0.12	
H228775		12.68	0.27	1.38	0.24	0.071	51.60	1658.0	0.26	0.22	
H228776		0.30							0.10		
H228777		11.00	0.47	2.33	0.41	0.112	48.04	1446.0	0.47	0.34	
H228778		13.42	0.67	1.58	0.62	0.089	56.18	1027.0	0.54	0.70	
H228779		10.58	0.42	2.16	0.37	0.078	36.10	1157.5	0.34	0.40	
H228780		14.83	1.55	8.70	1.24	0.434	49.89	1139.0	1.07	1.40	
H228781		7.63	0.19	0.43	0.18	0.020	46.88	893.3	0.17	0.18	
H228782		3.65	0.16	0.09	0.16	0.004	42.61	1088.0	0.07	0.25	
H228783		8.00	0.15	0.91	0.13	0.043	47.17	1218.5	0.11	0.14	
H228784		15.24	0.19	0.33	0.18	0.013	39.92	715.2	0.15	0.21	
H228785		10.76	0.68	4.83	0.47	0.229	47.42	916.5	0.52	0.42	
H228786		17.09	0.17	0.06	0.18	0.003	49.89	961.4	0.19	0.16	
H228787		12.98	0.38	1.14	0.34	0.048	42.02	891.9	0.30	0.38	
H228788		10.80	0.58	0.40	0.59	0.017	42.71	816.8	0.63	0.54	
H228789		<0.02							0.70		
H228790		0.10							1.02		
H228791		5.27	0.06	0.06	0.06	0.003	49.60	1037.5	0.06	0.06	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128795

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	Au-AA26D Au Check ppm 0.01
H228792		15.51	<0.05	<0.05	0.05	0.001	48.64	1037.0	0.06	0.03	
H228793		11.35	0.05	0.06	0.05	0.003	50.30	1082.0	0.04	0.06	
H228794		13.27	0.05	<0.05	0.06	<0.001	49.19	1158.0	0.05	0.06	
H228795		13.58	0.11	0.67	0.09	0.030	44.48	933.3	0.10	0.07	
H228796		0.40							<0.01		
H228797		9.75	0.37	0.25	0.38	0.011	43.44	919.8	0.38	0.37	
H228798		14.27	<0.05	<0.05	<0.05	<0.001	49.17	911.3	0.03	0.02	
H228799		12.85	0.07	0.05	0.07	0.002	43.95	699.3	0.08	0.06	
H228800		13.14	<0.05	0.06	<0.05	0.003	48.01	890.4	0.04	0.04	
H228801		6.10	<0.05	<0.05	<0.05	<0.001	47.70	868.4	0.03	0.04	
H228802		5.96	<0.05	<0.05	<0.05	<0.001	41.60	384.7	0.02	0.02	
H228803		11.46	<0.05	<0.05	<0.05	<0.001	48.30	925.7	0.03	0.04	
H228804		13.95	0.81	8.20	0.49	0.361	44.00	1010.5	0.48	0.50	
H228805		20.76	0.17	1.03	0.11	0.052	50.51	682.1	0.15	0.07	
H228806		11.92	1.36	1.82	1.34	0.089	48.86	1131.5	1.39	1.28	
H228807		12.48	0.23	0.16	0.24	0.007	42.82	1069.5	0.22	0.25	
H228808		11.43	0.10	0.33	0.09	0.012	36.36	868.3	0.10	0.08	
H228809		<0.02							0.08		
H228810		0.09							0.18		
H228811		12.15	0.22	0.54	0.21	0.026	47.77	1188.0	0.21	0.20	
H228812		12.95	<0.05	<0.05	0.05	<0.001	35.67	1130.5	0.02	0.07	
H228813		11.07	0.09	0.09	0.09	0.004	45.07	875.0	0.09	0.08	
H228814		11.91	<0.05	<0.05	<0.05	<0.001	46.94	1127.0	0.02	0.02	
H228815		11.61	<0.05	<0.05	<0.05	<0.001	58.36	1216.0	0.02	0.04	
H228816		0.48							<0.01		
H228817		10.61	<0.05	<0.05	<0.05	<0.001	65.68	1259.0	<0.01	0.02	
H228818		12.67	0.09	<0.05	0.09	0.002	56.96	1058.5	0.05	0.13	
H228819		12.06	0.13	0.07	0.13	0.003	45.27	838.4	0.10	0.16	
H228820		12.89	<0.05	<0.05	<0.05	<0.001	58.52	990.2	0.05	0.03	
H228821		6.35	0.07	<0.05	0.08	<0.001	55.93	1074.5	0.08	0.07	
H228822		6.24	0.11	1.25	0.06	0.067	53.45	1130.5	0.06	0.06	
H228823		11.05	0.20	0.12	0.21	0.004	33.25	960.9	0.18	0.23	
H228824		12.99	<0.05	<0.05	<0.05	<0.001	39.23	1181.0	0.05	0.03	
H228825		12.06	<0.05	<0.05	<0.05	<0.001	50.05	1057.0	0.03	0.02	
H228826		13.16	<0.05	<0.05	<0.05	<0.001	49.78	1262.5	0.05	0.03	
H228827		10.46	<0.05	<0.05	<0.05	<0.001	45.33	1146.5	<0.01	<0.01	
H228828		9.48	<0.05	<0.05	<0.05	0.001	53.58	1195.0	0.04	0.01	
H228829		<0.02							<0.01		
H228830		0.09							0.81		
H228831		16.69	0.06	0.18	0.06	0.009	48.84	1167.0	0.07	0.05	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128795

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	Au-AA26D Au Check ppm 0.01
H228832		11.62	0.07	<0.05	0.07	0.002	55.75	880.5	0.10	0.04	
H228833		11.99	0.20	<0.05	0.21	0.001	53.00	993.8	0.23	0.19	
H228834		13.06	0.06	<0.05	0.06	0.001	52.20	1107.5	0.07	0.05	
H228835		15.02	0.08	0.11	0.08	0.006	54.23	1084.0	0.07	0.08	
H228836		0.35							0.01		
H228837		10.03	0.17	<0.05	0.18	<0.001	32.83	1127.0	0.32	0.04	0.04
H228838		12.48	0.16	<0.05	0.17	<0.001	47.36	1088.0	0.15	0.19	
H228839		12.56	0.06	<0.05	0.07	<0.001	51.17	1012.5	0.07	0.06	
H228840		13.22	0.07	<0.05	0.07	<0.001	35.33	989.8	0.07	0.07	
H228841		5.72	0.08	0.30	0.08	0.015	49.97	1130.0	0.08	0.07	
H228842		5.56	0.08	<0.05	0.08	<0.001	45.30	932.5	0.10	0.06	
H228843		9.29	<0.05	<0.05	<0.05	<0.001	52.87	940.9	0.03	0.04	
H228844		13.37	0.05	<0.05	0.06	<0.001	53.50	1099.5	0.07	0.04	
H228845		11.31	0.15	0.06	0.16	0.003	50.75	899.0	0.15	0.17	
H228846		12.78	0.23	0.89	0.20	0.038	42.90	1028.0	0.20	0.20	
H228847		12.11	<0.05	<0.05	<0.05	<0.001	52.01	924.0	0.04	0.03	
H228848		13.63	0.59	3.75	0.44	0.191	51.00	1066.5	0.25	0.63	
H228849		<0.02							0.22		
H228850		0.09							0.62		
H228851		13.16	0.22	3.34	0.11	0.114	34.13	971.7	0.08	0.14	
H228852		17.54	<0.05	<0.05	<0.05	<0.001	51.81	1083.5	0.03	0.04	
H228853		13.93	<0.05	<0.05	<0.05	<0.001	34.95	999.1	0.02	0.02	
H228854		13.62	0.10	<0.05	0.11	<0.001	51.03	1167.5	0.14	0.07	
H228855		13.12	0.17	0.30	0.16	0.015	49.63	1158.0	0.17	0.15	
H228856		0.44							0.04		
H228857		15.22	<0.05	<0.05	<0.05	<0.001	41.97	949.4	0.03	0.02	
H228858		12.20	0.08	0.08	0.08	0.004	49.15	911.9	0.09	0.07	
H228859		14.89	0.10	0.05	0.10	0.002	38.21	906.0	0.08	0.12	
H228860		15.26	0.36	1.77	0.30	0.087	49.21	1046.5	0.34	0.25	
H228861		7.00	<0.05	<0.05	<0.05	<0.001	35.88	1243.5	0.05	0.03	
H228862		7.29	0.07	<0.05	0.07	<0.001	36.24	1102.5	0.04	0.10	
H228863		12.95	0.08	0.38	0.08	0.012	31.80	1186.5	0.08	0.07	
H228864		13.78	0.13	<0.05	0.13	<0.001	34.32	983.7	0.21	0.05	0.08
H228865		14.82	<0.05	<0.05	<0.05	<0.001	56.00	965.9	0.05	0.03	
H228866		11.10	<0.05	0.28	<0.05	0.014	50.37	1157.0	0.02	0.02	
H228867		13.91	<0.05	<0.05	<0.05	<0.001	51.48	1182.5	0.03	0.02	
H228868		11.67	<0.05	<0.05	0.05	<0.001	48.58	1186.5	0.04	0.05	
H228869		<0.02							0.05		
H228870		0.09							0.10		
H228871		11.39	0.05	0.05	0.05	0.003	57.76	1147.0	0.05	0.05	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128795

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01	Au-AA26D Au Check ppm 0.01
H228872		12.59	0.06	0.06	0.06	0.003	52.31	936.3	0.06	0.06	
H228873		14.12	0.10	<0.05	0.11	0.001	52.27	1028.0	0.09	0.12	
H228874		10.51	<0.05	<0.05	<0.05	<0.001	52.43	908.2	0.01	0.02	
H228875		12.79	<0.05	<0.05	<0.05	<0.001	39.03	797.5	0.03	0.04	
H228876		0.38							0.01		
H228877		11.37	<0.05	<0.05	<0.05	<0.001	49.46	780.6	0.03	0.02	
H228878		10.39	<0.05	<0.05	<0.05	<0.001	50.06	857.7	0.01	0.03	
H228879		13.48	<0.05	<0.05	<0.05	<0.001	33.72	851.0	0.02	0.02	
H228880		9.96	<0.05	<0.05	<0.05	<0.001	49.03	945.7	0.01	0.02	
H228881		7.41	0.08	<0.05	0.08	<0.001	53.47	991.5	0.10	0.06	
H228882		6.56	<0.05	<0.05	<0.05	<0.001	55.22	980.4	0.02	0.03	
H228883		10.86	<0.05	<0.05	<0.05	<0.001	42.72	886.3	0.01	0.02	
H228884		13.63	<0.05	<0.05	<0.05	<0.001	46.85	979.5	0.01	0.06	
H228885		12.40	<0.05	<0.05	<0.05	<0.001	46.88	939.9	0.04	0.04	
H228886		11.47	0.07	0.08	0.07	0.004	50.89	1109.0	0.08	0.05	
H228887		13.10	0.16	0.21	0.16	0.011	52.58	995.0	0.16	0.16	
H228888		13.17	<0.05	<0.05	<0.05	<0.001	55.70	1164.0	0.04	0.04	
H228889		<0.02							0.09		
H228890		0.09							1.45		
H228891		11.01	0.08	0.28	0.07	0.015	53.82	1074.5	0.06	0.08	
H228892		11.22	0.06	0.06	0.06	0.003	49.76	1153.5	0.05	0.06	
H228893		12.93	<0.05	<0.05	0.05	<0.001	53.77	1023.0	0.04	0.05	
H228894		14.17	0.06	<0.05	0.07	<0.001	49.67	1092.5	0.06	0.07	
H228895		13.68	4.38	7.01	4.25	0.356	50.77	1011.0	4.35	4.14	
H228896		0.36							0.01		
H228897		14.09	0.07	<0.05	0.07	<0.001	49.09	1181.5	0.07	0.07	
H228898		13.69	0.05	<0.05	0.05	<0.001	50.26	1072.0	0.06	0.04	
H228899		15.04	0.41	0.82	0.40	0.028	34.14	951.8	0.49	0.30	
H228900		13.42	0.23	0.12	0.24	0.006	50.71	1030.5	0.33	0.14	
H228901		5.27	0.14	0.40	0.13	0.020	49.88	991.5	0.07	0.18	
H228902		5.45	0.09	0.20	0.08	0.009	44.54	995.1	0.11	0.05	
H228903		11.21	0.05	0.16	0.05	0.008	50.12	1061.5	0.05	0.04	
H228904		17.05	0.26	0.61	0.24	0.031	50.45	1050.0	0.28	0.20	
H228905		13.38	<0.05	<0.05	<0.05	<0.001	26.26	1184.5	0.04	0.02	
H228906		12.77	0.13	<0.05	0.14	<0.001	46.15	1003.5	0.14	0.13	
H228907		14.18	<0.05	<0.05	<0.05	<0.001	44.67	1009.0	0.05	0.02	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128795

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-SEP-2008
Account: STRGOL

CERTIFICATE TR08128794

Project: Dublin Gulch

P.O. No.:

This report is for 76 Drill Core samples submitted to our lab in Terrace, BC, Canada on 25-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128794

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H225601		6.44	<0.005
H225602		6.32	<0.005
H225603		10.81	<0.005
H225604		9.32	<0.005
H225605		10.67	<0.005
H225606		13.71	<0.005
H225607		7.81	<0.005
H225608		7.66	<0.005
H225609		<0.02	<0.005
H225610		0.16	0.092
H225611		7.77	<0.005
H225612		11.77	<0.005
H225613		2.35	<0.005
H225614		6.23	<0.005
H225615		5.55	0.021
H225616		0.29	<0.005
H225617		2.83	0.030
H225618		7.30	0.005
H225619		9.37	<0.005
H225620		12.89	0.021
H225621		8.16	0.071
H225622		6.63	0.044
H225623		15.41	0.143
H225624		9.87	0.044
H225625		12.26	0.107
H225626		12.12	0.011
H225627		12.87	0.226
H225628		11.11	0.092
H225629		<0.02	0.086
H225630		0.10	1.395
H225631		14.77	0.118
H225632		12.03	0.130
H225633		16.32	0.114
H225634		10.97	0.114
H225635		6.86	0.006
H225636		0.31	<0.005
H225637		8.77	<0.005
H225638		10.89	<0.005
H225639		10.28	<0.005
H225640		11.26	<0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128794

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H225641		3.84	<0.005
H225642		3.83	<0.005
H225643		7.85	<0.005
H225644		9.17	<0.005
H225645		7.57	<0.005
H225646		5.32	0.006
H225647		7.41	<0.005
H225648		3.54	0.006
H225649		<0.02	0.007
H225650		0.09	2.76
H225651		7.90	<0.005
H225652		11.03	<0.005
H225653		9.20	0.010
H225654		9.89	0.005
H225655		7.18	0.006
H225656		0.37	<0.005
H225657		7.08	<0.005
H225658		10.34	<0.005
H225659		12.24	<0.005
H225660		11.76	0.006
H225661		5.95	0.116
H225662		6.43	0.020
H225663		13.36	0.005
H225664		9.11	0.039
H225665		9.40	0.129
H225666		11.47	0.977
H225667		14.70	0.025
H225668		8.94	0.065
H225669		<0.02	0.056
H225670		0.09	4.52
H225671		9.24	0.017
H225672		12.64	0.037
H225673		11.10	<0.005
H225674		14.16	0.010
H225675		11.38	<0.005
H225676		0.36	<0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-OCT-2008
Account: STRGOL

CERTIFICATE TR08128793

Project: Dublin Gulch

P.O. No.:

This report is for 45 Drill Core samples submitted to our lab in Terrace, BC, Canada on 25-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
SPL-21t	Split Sample - Triplicate
PUL-32d	Pulverize Split -Dup 85% <75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128793

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H231313		12.76	0.05	<0.05	0.05	<0.001	46.81	847.3	0.05	0.05
H231314		12.49	0.23	0.72	0.21	0.036	49.91	1207.0	0.16	0.25
H231315		12.62	1.02	1.84	0.98	0.092	50.08	945.1	0.95	1.00
H231316		0.32							0.01	
H231317		12.40	0.25	1.14	0.20	0.057	50.22	941.8	0.25	0.15
H231318		10.52	0.13	0.47	0.11	0.024	50.62	820.9	0.10	0.11
H231319		10.49	0.20	0.84	0.17	0.042	49.81	975.7	0.17	0.16
H231320		12.11	0.10	0.10	0.11	0.005	50.19	1046.5	0.11	0.10
H231321		7.36	0.24	0.34	0.23	0.017	50.42	857.2	0.21	0.25
H231322		6.73	0.31	1.14	0.27	0.057	50.11	966.9	0.27	0.27
H231323		12.30	0.34	0.30	0.35	0.015	50.10	1011.0	0.35	0.34
H231324		6.48	0.15	0.13	0.15	0.006	47.85	1003.0	0.16	0.14
H231325		13.02	0.34	0.57	0.33	0.029	50.79	960.2	0.38	0.28
H231326		10.15	0.41	2.07	0.31	0.105	50.67	829.0	0.34	0.28
H231327		12.71	0.52	0.53	0.52	0.025	47.00	916.5	0.51	0.52
H231328		9.81	0.24	0.28	0.24	0.014	50.05	1063.5	0.19	0.28
H231329		<0.02	0.22	0.24	0.22	0.010	42.47	1124.5	0.22	0.22
H231330		0.09							NSS	
H231331		10.45	0.25	0.58	0.24	0.026	44.88	1081.5	0.25	0.23
H231332		13.32	0.27	0.29	0.27	0.014	48.24	1014.0	0.23	0.31
H231333		14.53	0.41	0.69	0.40	0.035	50.95	1097.5	0.39	0.41
H231334		9.77	0.73	0.57	0.74	0.026	45.52	1060.5	0.70	0.77
H231335		13.22	0.49	1.60	0.45	0.067	41.82	983.4	0.45	0.44
H231336		0.37							0.31	
H231337		10.84	0.67	0.22	0.69	0.011	49.88	1138.0	0.69	0.68
H231338		13.38	0.73	0.75	0.73	0.032	42.58	1125.5	0.82	0.63
H231339		12.36	0.14	0.06	0.15	0.003	48.79	677.4	0.15	0.15
H231340		14.81	0.26	0.23	0.26	0.010	42.68	788.9	0.24	0.28
H231341		4.35	0.72	0.57	0.73	0.027	47.36	875.4	0.68	0.78
H231342		4.37	0.85	0.89	0.85	0.043	48.36	877.0	0.87	0.82
H231343		11.28	0.89	1.27	0.87	0.062	49.01	820.8	0.92	0.81
H231344		12.72	0.85	0.51	0.87	0.023	45.49	643.0	0.88	0.86
H231345		11.42	0.89	0.92	0.89	0.043	46.52	786.9	0.78	1.00
H231346		12.51	0.87	0.97	0.86	0.044	45.29	798.5	0.80	0.92
H231347		13.41	0.46	0.24	0.48	0.012	50.74	762.7	0.45	0.50
H231348		12.82	2.44	6.71	2.14	0.323	48.11	697.3	2.21	2.07
H231349		<0.02	2.15	2.91	2.11	0.133	45.77	785.2	1.97	2.25
H231350		0.10							NSS	
H231351		12.35	0.49	0.33	0.50	0.016	48.22	863.4	0.49	0.51
H231352		13.08	0.65	0.69	0.65	0.028	40.33	739.0	0.66	0.63

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128793

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H231353		12.79	0.21	0.26	0.21	0.011	42.84	901.4	0.15	0.26
H231354		10.67	0.14	0.10	0.15	0.005	50.28	804.4	0.13	0.16
H231355		13.60	1.40	1.52	1.39	0.061	40.04	787.5	1.21	1.57
H231356		0.32							0.02	
H231357		15.17	0.81	0.26	0.84	0.013	50.24	929.0	0.93	0.75

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08128793

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

CERTIFICATE TR08126243

Project: Acme Check

P.O. No.:

This report is for 74 Drill Core samples submitted to our lab in Terrace, BC, Canada on 8-SEP-2008.

The following have access to data associated with this certificate:

JEFF SCULLY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

Project: Acme Check

CERTIFICATE OF ANALYSIS TR08126243

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02
G021188		1.13
G021208		0.57
G021228		1.00
G021248		0.97
G021268		0.98
H235608		0.93
H235628		1.07
G018848		0.86
G020608		0.55
G020628		0.86
G020648		1.18
G020668		1.14
G020688		1.26
G088408		1.29
G088428		0.84
G021288		1.28
G021308		0.96
G021328		1.19
G021348		1.03
G020768		0.86
G020788		1.37
H229008		0.83
H229028		0.91
H229048		1.17
G021088		0.99
G021108		0.85
G021128		0.60
G021148		1.02
G021168		1.24
G020808		1.08
G020828		1.04
G020848		1.08
G020868		0.95
G020888		1.01
G021008		0.74
G021028		0.89
G021048		0.55
G021068		0.79
H228568		0.57
H228548		0.84

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

Project: Acme Check

CERTIFICATE OF ANALYSIS TR08126243

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02
H235528		0.84
H235508		0.99
H229128		1.41
H229148		0.93
H229168		0.73
H229188		0.84
H229208		0.77
G088208		0.35
G088248		0.74
G088068		1.07
G088088		0.65
G088308		0.79
G088328		1.27
G088348		0.83
G088368		0.93
G987308		1.07
G987328		0.53
H231008		0.68
H231128		0.99
H231148		0.74
H231168		0.98
H231188		1.15
H231208		1.31
G088388		0.56
G088468		1.13
G020708		0.93
G020728		0.61
G020748		1.04
G987408		0.18
H229228		0.77
H229248		0.91
H229268		0.99
H229288		0.71
H229308		0.87

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

CERTIFICATE TR08117142

Project: Dublin Gulch

P.O. No.:

This report is for 106 Drill Core samples submitted to our lab in Terrace, BC, Canada on 19-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08117142

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H229218		13.05	0.097
H229219		11.04	0.057
H229220		12.84	0.043
H229221		6.47	0.144
H229222		6.54	0.221
H229223		11.89	0.155
H229224		11.27	0.556
H229225		14.63	0.143
H229226		16.73	0.024
H229227		12.37	0.410
H229228		7.10	0.453
H229229		<0.02	0.414
H229230		0.08	NSS
H229231		11.73	0.048
H229232		12.53	0.531
H229233		14.24	0.071
H229234		6.32	0.094
H229235		8.00	0.040
H229236		0.91	<0.005
H229237		7.44	0.398
H229238		6.49	0.098
H229239		7.16	0.087
H229240		4.97	0.097
H229241		5.10	0.046
H229242		4.94	0.037
H229243		5.11	0.026
H229244		6.61	0.050
H229245		7.57	0.113
H229246		6.94	0.076
H229247		6.78	0.241
H229248		6.52	0.193
H229249		<0.02	0.220
H229250		0.08	NSS
H229251		7.03	0.083
H229252		6.10	0.116
H229253		7.07	0.237
H229254		6.66	0.064
H229255		8.65	1.125
H229256		0.92	<0.005
H229257		6.98	0.055

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08117142

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H229258		5.50	0.026
H229259		8.00	0.132
H229260		4.69	0.409
H229261		3.19	0.155
H229262		3.28	0.102
H229263		7.40	0.100
H229264		8.41	0.046
H229265		7.57	0.049
H229266		12.95	0.046
H229267		5.25	0.047
H229268		7.28	0.185
H229269		<0.02	0.195
H229270		0.08	2.69
H229271		8.40	0.079
H229272		11.69	0.075
H229273		7.33	0.040
H229274		4.16	0.036
H229275		5.11	0.031
H229276		0.43	<0.005
H229277		6.88	0.051
H229278		6.64	0.055
H229279		6.49	0.172
H229280		8.22	0.025
H229281		3.45	0.043
H229282		3.32	0.044
H229283		5.96	0.059
H229284		7.39	0.087
H229285		4.76	0.160
H229286		7.44	0.037
H229287		5.40	0.033
H229288		7.41	0.030
H229289		<0.02	0.030
H229290		0.08	4.55
H229291		8.09	0.021
H229292		5.23	0.024
H229293		8.74	2.10
H229294		7.46	0.038
H229295		4.87	0.166
H229296		0.47	<0.005
H229297		6.84	0.324

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08117142

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H229298		7.25	0.104
H229299		6.87	0.062
H229300		6.82	0.231
H229301		3.27	1.320
H229302		3.39	1.425
H229303		7.10	0.071
H229304		7.80	0.172
H229305		4.72	0.069
H229306		6.10	0.281
H229307		4.26	0.140
H229308		6.88	0.237
H229309		<0.02	0.350
H229310		0.07	2.74
H229311		8.61	0.596
H229312		5.13	0.063
H229313		7.43	0.078
H229314		4.16	0.300
H229315		8.82	0.044
H229316		0.66	<0.005
H229317		5.43	0.020
H229318		6.31	0.016
H229319		7.76	0.007
H229320		7.37	0.057
H229321		3.67	1.770
H229322		3.74	0.883
H229323		4.45	0.016

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08117142

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-OCT-2008
Account: STRGOL

CERTIFICATE TR08117140

Project: Dublin Gulch

P.O. No.:

This report is for 101 Drill Core samples submitted to our lab in Terrace, BC, Canada on 19-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08117140

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H231011		11.67	<0.005
H231012		9.37	<0.005
H231013		13.39	0.049
H231014		11.81	0.007
H231015		12.13	0.031
H231016		0.43	<0.005
H231017		12.02	0.041
H231018		12.61	0.034
H231019		12.99	0.059
H231020		11.42	0.045
H231021		5.06	<0.005
H231022		5.56	0.006
H231023		12.38	<0.005
H231024		9.92	0.005
H231025		9.41	0.033
H231026		6.71	0.030
H231027		11.70	0.059
H231028		10.81	0.020
H231029		<0.02	0.020
H231030		0.09	0.434
H231031		9.46	0.011
H231032		8.78	0.050
H231033		13.65	<0.005
H231034		11.04	<0.005
H231035		4.50	0.005
H231036		0.40	<0.005
H231037		14.65	0.174
H231038		10.07	0.011
H231039		7.35	<0.005
H231040		10.88	0.057
H231041		3.13	<0.005
H231042		2.86	<0.005
H231043		12.07	0.007
H231044		12.37	<0.005
H231045		11.92	0.055
H231046		11.01	0.052
H231047		14.58	0.040
H231048		13.31	0.070
H231049		<0.02	0.066
H231050		0.09	1.040

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08117140

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H231051		13.82	0.036
H231052		10.60	0.011
H231053		13.22	<0.005
H231054		12.40	0.021
H231055		9.90	0.042
H231056		0.43	<0.005
H231057		14.30	0.092
H231058		12.57	0.029
H231059		10.99	0.024
H231060		16.40	0.043
H231061		4.07	0.010
H231062		4.47	<0.005
H231063		9.11	0.006
H231064		10.49	0.095
H231065		9.32	0.012
H231066		6.12	0.013
H231067		5.76	0.035
H231068		10.80	0.005
H231069		<0.02	0.005
H231070		0.09	2.84
H231071		10.68	0.010
H231072		10.98	0.018
H231073		11.98	0.015
H231074		10.48	0.005
H231075		9.68	0.033
H231076		0.31	<0.005
H231077		8.16	0.006
H231078		8.00	<0.005
H231079		11.78	0.011
H231080		12.99	<0.005
H231081		5.71	<0.005
H231082		4.88	<0.005
H231083		11.50	0.009
H231084		12.54	0.007
H231085		12.56	0.010
H231086		12.72	<0.005
H231087		10.62	<0.005
H231088		14.24	0.036
H231089		<0.02	0.028
H231090		0.09	4.50

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 7-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08117140

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H231091		13.40	0.009
H231092		11.81	0.007
H231093		12.41	0.015
H231094		13.65	0.408
H231095		11.85	<0.005
H231096		0.35	<0.005
H231097		12.72	<0.005
H231098		6.73	<0.005
H231099		8.87	0.008
H231100		13.81	0.024
H231101		6.52	0.021
H231102		6.18	0.036
H231103		12.15	0.006
H231104		12.20	<0.005
H231105		9.11	<0.005
H231106		9.29	<0.005
H231107		12.50	<0.005
H231108		11.73	<0.005
H231109		<0.02	<0.005
H231110		0.09	0.087
H231111		11.83	0.006

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-OCT-2008
Account: STRGOL

CERTIFICATE TR08116968

Project: Dublin Gulch

P.O. No.:

This report is for 77 Drill Core samples submitted to our lab in Terrace, BC, Canada on 19-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
PUL-QC	Pulverizing QC Test
FND-03	Find Reject for Addn Analysis
WEI-21	Received Sample Weight
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08116968

Sample Description / Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H231187	12.18	0.10	<0.05	0.10	<0.001	31.34	959.1	0.10	0.10
H231188	13.06	0.34	1.89	0.27	0.069	36.53	819.4	0.27	0.27
H231189	<0.02	0.24	1.53	0.17	0.077	50.40	896.7	0.15	0.19
H231190	0.09							4.55	
H231191	10.86	<0.05	0.22	<0.05	0.008	35.89	708.1	0.04	0.02
H231192	12.08	0.05	<0.05	0.05	<0.001	59.64	931.2	0.03	0.07
H231193	13.27	<0.05	0.15	<0.05	0.008	52.45	955.3	0.01	0.05
H231194	12.19	<0.05	<0.05	<0.05	<0.001	33.97	816.7	<0.01	0.01
H231195	13.58	0.06	0.56	0.05	0.019	33.84	840.9	0.05	0.04
H231196	0.40							<0.01	
H231197	10.26	0.09	<0.05	0.10	<0.001	42.71	892.2	0.13	0.06
H231198	15.27	0.06	0.30	0.05	0.013	42.65	803.1	0.05	0.05
H231199	11.14	0.15	0.09	0.16	0.003	33.96	789.2	0.15	0.16
H231200	14.51	1.24	2.28	1.19	0.113	49.67	861.0	1.24	1.13
H231201	5.15	0.15	2.33	0.08	0.099	42.51	1163.5	0.07	0.08
H231202	5.43	0.17	<0.05	0.18	<0.001	40.41	1314.0	0.20	0.15
H231203	11.76	1.22	1.03	1.23	0.040	38.91	1326.0	1.24	1.21
H231204	14.28	0.17	0.34	0.16	0.011	32.58	725.7	0.17	0.15
H231205	9.46	0.07	<0.05	0.08	0.002	48.84	887.3	0.08	0.07
H231206	12.41	0.19	0.33	0.18	0.016	48.74	1278.0	0.18	0.18
H231207	11.74	0.06	0.06	0.06	0.002	33.51	688.3	0.07	0.05
H231208	12.41	0.05	0.25	<0.05	0.016	63.89	1257.0	0.04	0.04
H231209	<0.02	0.10	<0.05	0.11	<0.001	53.74	962.5	0.18	0.04
H231210	0.08							0.10	
H231211	<0.02	0.59	1.21	0.56	0.050	41.30	920.8	0.66	0.46
H231212	12.16	0.23	1.27	0.19	0.044	34.58	881.2	0.20	0.17
H231213	5.30	0.52	0.54	0.52	0.022	41.03	670.9	0.44	0.59
G088380	13.49	0.07	<0.05	0.08	<0.001	32.88	614.9	0.09	0.06
G088381	4.79	0.12	0.90	0.09	0.036	40.21	924.0	0.09	0.09
G088382	4.24	0.17	2.50	0.07	0.095	37.99	820.4	0.08	0.05
G088383	13.05	0.25	1.39	0.18	0.079	56.98	844.0	0.16	0.19
G088384	13.88	0.14	0.47	0.12	0.023	48.57	1077.5	0.13	0.11
G088385	12.51	0.24	0.59	0.22	0.030	50.65	667.4	0.22	0.21
G088386	11.26	0.42	1.69	0.38	0.043	25.44	790.5	0.43	0.32
G088387	12.93	1.59	22.3	0.70	0.917	41.17	956.1	0.60	0.79
G088388	13.46	0.07	<0.05	0.07	<0.001	36.24	887.7	0.05	0.09
G088389	<0.02	0.11	<0.05	0.12	<0.001	49.33	906.1	0.15	0.08
G088390	0.09							0.43	
G088391	12.84	0.35	1.39	0.32	0.029	20.90	633.0	0.30	0.34
G088392	10.10	0.17	0.32	0.17	0.010	31.02	627.7	0.14	0.19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08116968

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G088393		12.85	0.21	0.16	0.21	0.003	18.65	520.3	0.22	0.20
G088394		10.64	0.15	0.07	0.15	0.002	27.40	748.8	0.16	0.14
G088395		5.04	0.50	0.15	0.52	0.008	54.94	1077.5	0.43	0.60
G088396		0.30							0.01	
G088397		20.66	0.17	0.66	0.15	0.028	42.59	901.1	0.16	0.14
G088398		12.45	0.62	2.06	0.56	0.074	35.87	941.2	0.62	0.50
G088399		11.01	0.27	0.08	0.28	0.004	52.26	1000.5	0.33	0.23
G088400		11.59	0.25	0.56	0.23	0.046	82.59	1145.0	0.23	0.23
G088451		12.47	0.20	0.07	0.20	0.002	27.04	964.9	0.16	0.24
G088452		7.96	0.68	3.61	0.56	0.153	42.42	977.2	0.55	0.56
G088453		15.26	0.29	0.50	0.28	0.023	46.32	1541.0	0.28	0.28
G088454		11.45	0.71	2.57	0.57	0.180	70.13	896.0	0.55	0.59
G088455		12.65	0.09	0.05	0.10	0.003	65.66	1011.5	0.10	0.09
G088456		0.42							0.01	
G088457		11.34	0.12	0.11	0.12	0.006	52.96	700.1	0.12	0.12
G088458		12.76	0.32	0.81	0.30	0.026	32.01	711.6	0.27	0.32
G088459		14.42	1.38	5.10	1.12	0.309	60.62	833.8	1.23	1.00
G088460		11.82	0.10	<0.05	0.11	0.003	69.75	799.7	0.11	0.11
G088461		6.03	0.18	0.98	0.16	0.045	45.83	1299.5	0.18	0.13
G088462		5.94	0.16	0.58	0.12	0.038	65.32	761.1	0.12	0.12
G088463		11.40	0.16	0.46	0.15	0.021	45.79	1093.0	0.18	0.12
G088464		13.40	0.29	0.82	0.26	0.068	82.88	1137.0	0.20	0.31
G088465		11.67	0.15	0.15	0.16	0.007	47.23	973.5	0.12	0.19
G088466		13.68	0.07	<0.05	0.07	0.001	39.56	899.5	0.06	0.08
G088467		11.87	0.84	7.37	0.54	0.347	47.10	1017.5	0.41	0.66
G088468		11.07	0.18	0.35	0.17	0.011	31.52	1028.0	0.15	0.19
G088469		<0.02	0.72	3.08	0.58	0.201	65.21	1094.0	0.73	0.43
G088470		0.09							1.43	
G088471		11.64	0.17	0.41	0.16	0.020	49.24	931.7	0.19	0.12
G088472		13.82	0.15	0.21	0.15	0.020	94.48	875.0	0.15	0.14
G088473		11.52	0.06	0.08	0.06	0.004	50.45	827.6	0.05	0.06
G088474		17.10	0.14	0.28	0.12	0.018	63.95	606.6	0.10	0.14
G088475		14.02	0.09	0.08	0.10	0.004	52.99	565.1	0.12	0.07
G088476		0.26							<0.01	
G088477		11.26	<0.05	<0.05	<0.05	<0.001	59.17	450.4	0.03	0.05
G088478		4.96	0.05	<0.05	0.05	<0.001	91.35	934.8	0.05	0.05
G088479		18.14	0.17	0.73	0.13	0.027	36.96	544.0	0.16	0.10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-SEP-2008
Account: STRGOL

CERTIFICATE TR08116967

Project: Dublin Gulch

P.O. No.:

This report is for 162 Drill Core samples submitted to our lab in Terrace, BC, Canada on 19-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08116967

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H231001		6.52	0.006
H231002		6.60	0.007
H231003		8.88	0.005
H231004		11.18	<0.005
H231005		11.43	<0.005
H231006		9.72	0.005
H231007		10.70	0.036
H231008		11.13	0.010
H231009		<0.02	0.014
H231010		0.10	0.098
H231112		10.29	0.008
H231113		10.53	0.007
H231114		11.61	0.006
H231115		9.93	0.261
H231116		0.61	<0.005
H231117		13.55	<0.005
H231118		7.93	<0.005
H231119		9.52	0.005
H231120		13.07	0.021
H231121		6.71	0.005
H231122		5.61	<0.005
H231123		8.78	0.005
H231124		11.76	0.005
H231125		12.59	<0.005
H231126		11.39	0.005
H231127		11.87	<0.005
H231128		15.88	<0.005
H231129		<0.02	0.005
H231130		0.09	0.442
H231131		12.04	0.005
H231132		12.67	0.010
H231133		9.71	0.005
H231134		14.69	0.050
H231135		10.28	0.009
H231136		0.34	<0.005
H231137		9.69	<0.005
H231138		12.44	0.005
H231139		15.54	<0.005
H231140		10.24	<0.005
H231141		6.98	<0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08116967

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H231142		6.49	<0.005
H231143		12.59	0.006
H231144		13.58	0.112
H231145		12.10	0.005
H231146		10.38	<0.005
H231147		12.46	<0.005
H231148		11.67	<0.005
H231149		<0.02	<0.005
H231150		0.09	1.465
H231151		13.06	0.007
H231152		11.75	0.006
H231153		10.59	0.006
H231154		11.60	0.006
H231155		13.46	<0.005
H231156		0.50	<0.005
H231157		11.54	0.007
H231158		11.77	0.007
H231159		14.60	0.139
H231160		8.23	0.259
H231161		5.65	0.113
H231162		5.58	0.117
H231163		12.90	0.163
H231164		12.30	0.136
H231165		20.14	0.504
H231166		9.12	0.703
H231167		17.93	0.485
H231168		20.14	0.327
H231169		<0.02	0.310
H231170		0.09	2.85
H231171		5.55	0.010
H231172		5.68	<0.005
H231173		14.17	0.092
H231174		19.05	0.657
H231175		13.28	0.280
H231176		0.42	0.008
H231177		12.98	2.13
H231178		8.91	1.985
H231179		12.88	0.255
H231180		14.56	0.023
H231181		6.18	0.033

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08116967

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H231182		5.99	0.014
H231183		11.26	0.247
H231184		10.95	0.090
H231185		13.67	0.039
H231186		12.69	0.065
H231187		12.18	
H231188		13.06	
H231189		<0.02	
H231190		0.09	
H231191		10.86	
H231192		12.08	
H231193		13.27	
H231194		12.19	
H231195		13.58	
H231196		0.40	
H231197		10.26	
H231198		15.27	
H231199		11.14	
H231200		14.51	
H231201		5.15	
H231202		5.43	
H231203		11.76	
H231204		14.28	
H231205		9.46	
H231206		12.41	
H231207		11.74	
H231208		12.41	
H231209		<0.02	
H231210		0.08	
H231211		Destroyed	
H231212		12.16	
H231213X		5.30	
G088380		13.49	
G088381		4.79	
G088382		4.24	
G088383		13.05	
G088384		13.88	
G088385		12.51	
G088386		11.26	
G088387		12.93	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08116967

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
G088388		13.46	
G088389		<0.02	
G088390		0.09	
G088391		12.84	
G088392		10.10	
G088393		12.85	
G088394		10.64	
G088395		5.04	
G088396		0.30	
G088397		20.66	
G088398		12.45	
G088399		11.01	
G088400		11.59	
G088451		12.47	
G088452		7.96	
G088453		15.26	
G088454		11.45	
G088455		12.65	
G088456		0.42	
G088457		11.34	
G088458		12.76	
G088459		14.42	
G088460		11.82	
G088461		6.03	
G088462		5.94	
G088463		11.40	
G088464		13.40	
G088465		11.67	
G088466		13.68	
G088467		11.87	
G088468		11.07	
G088469		<0.02	
G088470		0.09	
G088471		11.64	
G088472		13.82	
G088473		11.52	
G088474		17.10	
G088475		14.02	
G088476		0.26	
G088477		11.26	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 29-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08116967

Sample Description	Method	WEI-21	Au-AA24
	Analyte	Recvd Wt.	Au
	Units	kg	ppm
	LOR	0.02	0.005
G088478		4.96	
G088479		18.14	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2008
Account: STRGOL

CERTIFICATE TR08116965

Project: Dublin Gulch

P.O. No.:

This report is for 59 Drill Core samples submitted to our lab in Terrace, BC, Canada on 19-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE TERRY TUCKER	KEVIN PIEPGRASS	JEFF SCULLY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
SCR-21	Screen to -100 um
WEI-21	Received Sample Weight
FND-03	Find Reject for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS



To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08116965

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H229118		12.56	<0.05	<0.05	<0.05	<0.001	52.08	1114.5	0.01	0.01
H229119		12.11	<0.05	<0.05	<0.05	<0.001	50.89	821.6	0.02	0.01
H229120		13.08	<0.05	<0.05	<0.05	<0.001	56.46	730.4	0.02	0.02
H229121		5.32	<0.05	<0.05	<0.05	<0.001	59.88	732.5	0.03	0.03
H229122		6.14	<0.05	<0.05	<0.05	<0.001	61.99	900.8	0.03	0.04
H229123		13.28	<0.05	<0.05	<0.05	<0.001	58.80	914.8	0.02	0.01
H229165		13.37	0.06	<0.05	0.07	<0.001	55.84	970.6	0.06	0.07
H229166		13.55	<0.05	<0.05	<0.05	<0.001	50.29	936.4	0.04	0.03
H229167		11.36	0.10	0.06	0.10	0.003	51.09	810.0	0.10	0.10
H229168		11.18	0.09	0.08	0.10	0.004	49.76	913.8	0.08	0.11
H229169		<0.02	0.12	0.10	0.12	0.003	28.81	787.1	0.15	0.09
H229170		0.11							2.88	
H229171		12.74	0.13	0.13	0.14	0.005	37.43	957.9	0.13	0.14
H229172		7.67	0.48	4.28	0.39	0.093	21.71	894.5	0.47	0.31
H229173		12.31	0.31	0.87	0.28	0.047	54.13	847.0	0.28	0.27
H229174		13.44	<0.05	<0.05	<0.05	<0.001	54.79	985.7	0.05	0.02
H229175		10.99	0.05	<0.05	0.05	<0.001	49.46	849.0	0.05	0.05
H229176		0.57							<0.01	
H229177		13.26	0.13	0.56	0.10	0.029	51.99	747.7	0.13	0.07
H229178		12.81	0.09	0.10	0.09	0.005	48.61	1050.5	0.08	0.09
H229179		11.42	0.81	4.93	0.66	0.178	36.08	979.0	0.59	0.72
H229180		13.37	<0.05	0.17	<0.05	0.010	59.49	1133.0	0.05	0.02
H229181		5.61	0.64	2.17	0.56	0.093	42.81	783.5	0.51	0.61
H229182		5.79	0.25	0.61	0.23	0.028	46.04	743.8	0.25	0.21
H229183		13.13	0.18	0.36	0.17	0.014	39.37	757.5	0.21	0.13
H229184		4.58	0.51	1.54	0.46	0.075	48.64	912.0	0.50	0.41
H229185		12.54	<0.05	<0.05	<0.05	<0.001	33.52	763.5	0.03	0.03
H229186		12.34	0.29	0.99	0.25	0.048	48.44	885.5	0.33	0.17
H229187		12.02	<0.05	<0.05	<0.05	<0.001	28.08	660.4	0.02	0.02
H229188		11.92	0.06	0.17	0.05	0.006	34.51	557.0	0.06	0.04
H229189		<0.02	0.07	0.08	0.07	0.002	25.90	620.3	0.08	0.06
H229190		0.08							4.16	
H229191		14.16	1.56	8.49	1.27	0.250	29.43	712.8	1.33	1.21
H229192		13.59	<0.05	0.07	<0.05	0.002	29.53	540.2	0.04	0.02
H229193		10.36	0.06	0.10	0.06	0.003	29.99	485.8	0.05	0.06
H229194		11.77	<0.05	0.08	<0.05	0.002	26.35	624.7	0.04	0.04
H229195		13.51	0.05	0.14	0.05	0.006	41.50	850.9	0.06	0.04
H229196		0.64							0.03	
H229197		11.21	<0.05	0.05	<0.05	0.002	42.78	849.6	0.04	<0.01
H229198		11.67	0.10	0.14	0.10	0.005	35.68	779.2	0.12	0.08

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 4-NOV-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08116965

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
H229199		7.51	0.06	<0.05	0.07	<0.001	46.28	738.1	0.05	0.08
H229200		12.17	0.13	0.11	0.13	0.005	47.45	870.8	0.14	0.12
H229201		5.39	0.15	0.08	0.16	0.003	37.67	567.2	0.13	0.19
H229202		4.53	0.14	0.16	0.14	0.008	50.56	794.8	0.11	0.16
H229203		12.89	0.08	0.08	0.08	0.004	51.84	635.1	0.10	0.06
H229204		5.90	0.05	<0.05	0.05	<0.001	33.12	584.4	0.06	0.04
H229205		11.85	0.24	0.71	0.22	0.023	32.38	653.0	0.21	0.23
H229206		11.43	0.08	0.08	0.09	0.003	35.78	393.6	0.07	0.10
H229207		13.98	0.16	0.19	0.16	0.008	41.91	724.4	0.13	0.19
H229208		11.38	0.09	0.06	0.10	0.002	35.43	545.9	0.10	0.09
H229209		<0.02	0.12	0.12	0.13	0.004	32.67	721.1	0.12	0.13
H229210		0.08							0.12	
H229211		12.23	0.42	1.36	0.38	0.049	36.15	688.8	0.45	0.30
H229212		12.52	0.14	0.11	0.15	0.004	35.30	658.6	0.15	0.14
H229213		12.96	<0.05	0.13	<0.05	0.004	30.43	410.5	0.03	0.03
H229214		11.88	0.07	<0.05	0.07	0.002	47.38	550.7	0.08	0.06
H229215		11.52	<0.05	0.07	<0.05	0.002	30.71	576.6	0.04	0.03
H229216		1.13							<0.01	
H229217		12.59	<0.05	<0.05	<0.05	0.002	48.53	834.0	0.03	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-SEP-2008
Account: STRGOL

CERTIFICATE TR08116964

Project: Dublin Gulch

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Terrace, BC, Canada on 19-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08116964

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H229118		12.56	0.011
H229119		12.11	0.017
H229120		13.08	0.030
H229121		5.32	0.044
H229122		6.14	0.031
H229123		13.28	0.027
H229124		11.34	0.057
H229125		13.33	<0.005
H229126		11.66	0.030
H229127		14.30	0.013
H229128		10.82	<0.005
H229129		<0.02	<0.005
H229130		0.08	0.477
H229131		13.12	0.017
H229132		11.75	0.007
H229133		10.86	0.006
H229134		13.72	0.093
H229135		11.71	0.009
H229136		0.57	<0.005
H229137		11.68	0.010
H229138		14.00	0.010
H229139		11.13	0.061
H229140		7.87	0.007
H229141		0.79	<0.005
H229142		0.81	<0.005
H229143		8.89	0.028
H229144		5.70	<0.005
H229145		12.30	0.005
H229146		12.61	0.011
H229147		13.16	0.016
H229148		9.44	0.008
H229149		<0.02	0.008
H229150		0.09	1.480
H229151		15.61	0.008
H229152		12.09	<0.005
H229153		12.32	0.018
H229154		7.81	0.012
H229155		17.55	0.014
H229156		0.41	<0.005
H229157		17.07	0.626

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08116964

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H229158		12.63	0.185
H229159		12.74	0.008
H229160		11.55	0.014
H229161		6.08	0.024
H229162		6.34	0.006
H229163		9.76	0.017
H229164		14.87	0.074
H229165		13.37	0.077
H229166		13.55	0.035
H229167		11.36	0.107
H229168		11.18	0.065
H229169		<0.02	0.056
H229170		0.11	2.90
H229171		12.74	0.198
H229172		7.67	0.414
H229173		12.31	0.260
H229174		13.44	0.046
H229175		10.99	0.056
H229176		0.57	<0.005
H229177		13.26	0.078
H229178		12.81	0.112
H229179		11.42	0.508
H229180		13.37	0.054
H229181		5.61	0.363
H229182		5.79	0.256
H229183		13.13	0.256
H229184		4.58	0.594
H229185		12.54	0.048
H229186		12.34	1.510
H229187		12.02	0.032
H229188		11.92	0.050
H229189		<0.02	0.075
H229190		0.08	4.21
H229191		14.16	1.945
H229192		13.59	0.049
H229193		10.36	0.052
H229194		11.77	0.032
H229195		13.51	0.047
H229196		0.64	<0.005
H229197		11.21	0.031

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 8-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08116964

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H229198		11.67	0.111
H229199		7.51	0.034
H229200		12.17	0.118
H229201		5.39	0.081
H229202		4.53	0.331
H229203		12.89	0.084
H229204		5.90	0.050
H229205		11.85	0.278
H229206		11.43	0.050
H229207		13.98	0.104
H229208		11.38	0.104
H229209		<0.02	0.105
H229210		0.08	0.089
H229211		12.23	0.329
H229212		12.52	0.150
H229213		12.96	0.057
H229214		11.88	0.073
H229215		11.52	0.035
H229216		1.13	<0.005
H229217		12.59	0.036

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-SEP-2008
Account: STRGOL

CERTIFICATE TR08114157

Project: Dublin Gulch

P.O. No.:

This report is for 37 Drill Core samples submitted to our lab in Terrace, BC, Canada on 14-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE	ANISSA NOAKES	JEFF SCULLY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
PUL-32	Pulverize 1000g to 85% < 75 um
SCR-21	Screen to -100 um
FND-03	Find Reject for Addn Analysis
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: STRATAGOLD CORPORATION
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08114157

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
E260267			0.13	0.32	0.11	0.031	98.37	800.3	0.08	0.13
E260268			0.11	0.14	0.11	0.013	95.15	759.5	0.12	0.09
E260269			0.07	0.43	0.05	0.015	34.92	711.6	0.05	0.05
E260270		Not Recvd								
E260271			0.08	0.11	0.06	0.004	34.98	817.6	0.08	0.08
E260272			0.05	0.24	<0.05	0.012	50.02	925.7	0.04	0.04
H229115			<0.05	<0.05	<0.05	<0.001	41.56	674.8	0.01	<0.01
H229116		Not Recvd								
H229117			<0.05	<0.05	<0.05	<0.001	42.79	988.9	<0.01	<0.01
G018801			0.22	3.19	0.10	0.119	37.26	911.2	0.09	0.10
G018802			0.12	0.69	0.10	0.031	44.89	903.4	0.02	0.17
G018803			<0.05	<0.05	0.05	<0.001	33.20	925.7	0.04	0.05
G018804			0.07	0.05	0.08	0.002	37.90	964.7	0.07	0.08
G018805			0.53	0.76	0.52	0.029	38.37	790.9	0.57	0.47
G018806			0.09	0.89	0.06	0.032	35.85	772.4	0.03	0.08
G018807			0.11	0.57	0.09	0.026	45.27	856.5	0.07	0.11
G018808			0.18	0.48	0.17	0.022	46.18	981.2	0.09	0.24
G018809			0.18	0.60	0.16	0.027	45.08	924.9	0.19	0.12
G018810		Not Recvd								
G018811			0.63	2.24	0.55	0.103	46.04	939.0	0.56	0.54
G018812			0.20	0.97	0.17	0.035	36.01	841.9	0.12	0.21
G018813			0.21	0.69	0.19	0.029	41.93	679.0	0.17	0.20
G018814			0.08	0.65	0.06	0.023	35.51	916.8	0.06	0.05
G018815			0.24	0.36	0.24	0.017	47.69	839.2	0.17	0.30
G018816		Not Recvd								
G018817			<0.05	<0.05	<0.05	<0.001	45.39	963.6	0.03	0.02
G018818			0.08	0.28	0.07	0.010	36.25	866.3	0.07	0.07
G018819			0.09	0.27	0.08	0.017	63.04	790.0	0.05	0.11
G018820			0.08	0.31	0.07	0.012	38.37	881.0	0.04	0.09
G018821			<0.05	<0.05	<0.05	<0.001	41.75	714.5	0.02	0.04
G018822			0.05	<0.05	0.06	<0.001	49.83	902.3	0.05	0.06
G018823			<0.05	0.19	<0.05	0.008	42.53	800.0	0.03	0.02
G018824			0.08	0.15	0.08	0.005	33.73	665.5	0.08	0.08
G018825			0.06	<0.05	0.07	<0.001	39.99	920.7	0.06	0.07
G018826			0.33	1.69	0.27	0.059	34.91	718.9	0.24	0.29
G018827			0.11	0.98	0.08	0.037	37.58	846.8	0.08	0.07
G018828			0.05	<0.05	0.05	<0.001	46.04	798.8	0.07	0.03

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2008
Account: STRGOL

CERTIFICATE TR08114156

Project: Dublin Gulch

P.O. No.:

This report is for 139 Drill Core samples submitted to our lab in Terrace, BC, Canada on 14-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08114156

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
E260251		6.25	0.009
E260252		3.87	0.009
E260253		2.94	0.014
E260254		3.01	0.006
E260255		2.59	0.011
E260256		0.56	<0.005
E260257		2.45	<0.005
E260258		1.84	<0.005
E260259		2.84	<0.005
E260260		4.19	0.005
E260261		3.88	0.007
E260262		3.72	0.007
E260263		5.71	<0.005
E260264		12.38	0.009
E260265		6.24	0.006
E260266		13.11	0.013
E260267		8.48	0.147
E260268		9.40	0.110
E260269		0.09	0.096
E260270		<0.02	0.188
E260271		10.27	0.083
E260272		9.53	0.047
G987252		8.42	0.006
G987253		9.51	0.006
G987254		9.38	0.006
G987255		5.82	0.006
G987256		0.56	<0.005
G987257		7.54	0.007
G987258		7.38	0.005
G987259		12.74	<0.005
G987260		4.39	<0.005
G987261		2.99	0.005
G987262		2.42	0.008
G987263		7.83	<0.005
G987264		8.63	<0.005
G987265		8.20	0.009
G987266		7.11	0.006
G987267		10.67	0.007
G987268		7.01	0.005
G987269		<0.02	<0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08114156

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
G987270		0.08	0.095
G987271		6.97	0.007
G987272		9.79	0.005
G987273		7.14	0.005
G987274		7.95	<0.005
G987275		7.85	0.013
G987276		0.63	<0.005
H229054		10.93	0.068
H229055		11.55	0.959
H229056		0.47	<0.005
H229057		12.51	0.014
H229058		16.50	0.964
H229059		7.82	3.77
H229060		6.78	0.692
H229061		5.00	0.648
H229062		4.86	0.085
H229063		12.74	0.038
H229064		7.28	0.101
H229065		19.13	0.045
H229066		9.62	0.050
H229067		14.79	0.199
H229068		10.94	0.221
H229069		<0.02	0.139
H229070		0.09	2.92
H229071		10.83	0.054
H229072		7.87	0.014
H229073		14.35	0.020
H229074		12.69	0.089
H229075		8.03	0.153
H229076		0.38	0.005
H229077		13.21	0.103
H229078		9.45	0.046
H229079		9.45	0.723
H229080		9.48	0.079
H229081		2.90	0.061
H229082		3.01	0.046
H229083		9.68	0.012
H229084		13.83	3.26
H229085		10.47	0.094
H229086		13.95	0.249

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08114156

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H229087		11.56	0.496
H229088		12.54	0.935
H229089		<0.02	1.060
H229090		0.11	4.46
H229091		12.70	1.900
H229092		11.77	0.292
H229093		12.67	0.039
H229094		10.24	0.286
H229095		8.92	0.026
H229096		0.43	0.006
H229097		3.71	0.029
H229098		7.69	0.038
H229099		27.46	0.051
H229100		14.54	0.013
H229101		5.40	0.092
H229102		4.98	0.016
H229103		16.33	0.043
H229104		4.43	0.010
H229105		12.11	0.027
H229106		10.78	0.236
H229107		8.88	0.566
H229108		11.54	0.025
H229109		<0.02	0.028
H229110		0.09	0.102
H229111		12.16	0.013
H229112		10.52	0.012
H229113		14.35	0.008
H229114		14.75	0.010
H229115		12.81	0.008
H229116		0.41	0.006
H229117		11.83	<0.005
G018801		5.38	0.175
G018802		5.23	0.045
G018803		11.88	0.132
G018804		4.41	0.080
G018805		11.27	0.449
G018806		8.46	0.076
G018807		10.41	0.353
G018808		12.39	0.260
G018809		<0.02	0.331

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 12-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08114156

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
G018810		0.08	0.097
G018811		14.86	0.679
G018812		9.69	0.147
G018813		12.37	0.133
G018814		6.74	0.104
G018815		10.60	0.064
G018816		0.42	<0.005
G018817		9.08	0.021
G018818		12.06	0.066
G018819		6.78	0.065
G018820		15.96	0.057
G018821		4.82	0.051
G018822		4.70	0.049
G018823		7.91	0.023
G018824		14.75	0.059
G018825		12.77	0.047
G018826		12.77	0.259
G018827		13.71	0.046
G018828		12.07	0.057

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

CERTIFICATE TR08114153

Project: Dublin Gulch

P.O. No.:

This report is for 179 Drill Core samples submitted to our lab in Terrace, BC, Canada on 14-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08114153

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005
G088201		6.05	0.083	
G088202		6.46	0.085	
G088203		11.08	0.035	
G088204		13.70	0.179	
G088205		9.43	0.057	
G088206		8.98	1.785	
G088207		8.99	0.126	
G088208		14.87	0.334	
G088209		<0.02	0.360	
G088210		0.09	2.63	
G088211		13.09	0.064	
G088212		10.34	0.292	
G088213		13.43	0.076	
G088214		10.24	0.049	
G088215		12.16	0.119	
G088216		0.67	<0.005	
G088217		9.81	0.116	
G088218		12.42	0.079	
G088219		9.96	0.229	
G088220		14.15	0.057	
G088221		5.44	0.054	
G088222		5.39	0.148	
G088223		12.84	0.038	
G088224		12.21	0.058	
G088225		14.20	0.117	
G088226		10.72	0.024	
G088227		14.41	0.042	
G088228		11.35	0.239	
G088229		12.47	0.301	
G088230		0.59	<0.005	
G088231		9.64	0.094	
G088232		12.47	0.064	
G088233		8.62	0.076	
G088234		15.57	0.379	
G088235		9.04	0.218	
G088236		15.28	0.199	
G088237		8.48	0.403	
G088238		10.97	0.289	
G088239		13.12	0.124	
G088240		12.44	0.139	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08114153

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005
G088241		3.45	0.024	
G088242		4.26	0.024	
G088243		12.78	0.119	
G088244		13.88	0.207	
G088245		10.69	0.065	
G088246		12.49	0.032	
G088247		13.31	0.045	
G088248		8.99	0.032	
G088249		<0.02	0.036	
G088250		0.08	4.71	
G088051		14.81	0.034	
G088052		13.10	0.036	
G088053		10.42	0.043	
G088054		13.06	0.095	
G088055		9.14	0.068	
G088056		0.43	<0.005	
G088057		13.05	0.174	
G088058		9.44	0.324	
G088059		15.73	0.098	
G088060		14.67	1.210	
G088061		4.64	0.858	
G088062		3.62	0.672	
G088063		12.63	1.005	
G088064		13.94	0.075	
G088065		8.89	0.116	
G088066		13.90	0.053	
G088067		12.47	0.080	
G088068		14.40	0.392	
G088069		<0.02	0.706	
G088070		0.09	NSS	
G088071		10.43	0.457	
G088072		14.23	0.229	
G088073		11.40	0.079	
G088074		8.58	0.179	
G088075		14.53	0.144	
G088076		0.50	<0.005	
G088077		13.96	0.023	
G088078		10.85	0.231	
G088079		11.06	0.221	
G088080		13.83	0.969	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08114153

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005
G088081		5.59	0.413	
G088082		5.98	0.374	
G088083		11.19	1.650	
G088084		15.23	0.839	
G088085		12.39	0.164	
G088086		13.20	0.498	
G088087		13.16	0.203	
G088088		12.56	0.035	
G088089		<0.02	0.051	
G088090		0.08	0.444	
G088091		11.14	0.051	
G088092		13.20	0.101	
G088093		12.57	0.168	
G088094		14.18	1.430	
G088095		10.70	1.965	
G088096		0.50	0.048	
G088097		19.54	0.379	
G088098		13.64	2.61	
G088099		13.37	0.480	
G088100		13.25	0.634	
G088301		6.63	0.316	
G088302		5.87	0.973	
G088303		12.95	1.055	
G088304		10.93	0.891	
G088305		12.85	0.412	
G088306		13.61	0.037	
G088307		11.21	0.144	
G088308		15.18	0.275	
G088309		<0.02	0.308	
G088310		0.08	1.485	
G088311		9.87	0.076	
G088312		14.64	0.076	
G088313		9.31	0.027	
G088314		15.33	2.74	
G088315		11.85	0.412	
G088316		0.60	<0.005	
G088317		11.84	0.302	
G088318		11.80	0.016	
G088319		14.77	0.033	
G088320		9.64	0.072	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08114153

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005
G088321		6.78	0.251	
G088322		6.18	0.104	
G088323		10.44	0.042	
G088324		12.19	0.163	
G088325		12.25	0.427	
G088326		11.81	0.439	
G088327		13.95	0.251	
G088328		9.84	0.418	
G088329		<0.02	0.418	
G088330		0.08	2.72	
G088331		10.41	0.121	
G088332		15.41	0.224	
G088333		13.10	0.061	
G088334		11.09	0.057	
G088335		13.11	0.106	
G088336		0.54	0.012	
G088337		12.73	0.260	
G088338		13.10	0.259	
G088339		13.10	0.165	
G088340		11.93	0.342	
G088341		6.99	0.192	
G088342		7.20	0.112	
G088343		10.49	0.295	
G088344		10.19	0.044	
G088345		13.11	0.132	
G088346		10.75	0.158	
G088347		14.11	0.116	
G088348		14.54	0.194	
G088349		<0.02	0.175	
G088350		0.08	4.56	
G088351		10.70	0.099	
G088352		11.19	0.236	
G088353		13.85	0.028	
G088354		12.44	0.039	
G088355		12.23	0.021	
G088356		0.63	<0.005	
G088357		13.03	0.086	
G088358		11.52	0.066	
G088359		14.30	0.065	
G088360		12.32	0.219	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08114153

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA24 Au Check ppm 0.005
G088361		7.57	2.71	
G088362		7.17	1.510	
G088363		11.71	0.818	
G088364		13.49	0.273	
G088365		12.56	0.239	
G088366		8.05	0.086	
G088367		11.96	0.074	
G088368		12.88	0.092	0.103
G088369		<0.02	0.073	0.083
G088370		0.09	0.090	0.102
G088371		14.23	0.081	0.079
G088372		11.81	0.407	0.446
G088373		12.77	0.189	
G088374		13.80	0.092	
G088375		12.46	0.714	
G088376		0.43	<0.005	
G088377		11.50	0.115	
G088378		13.00	0.166	
G088379		12.98	0.208	

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08114153

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2008
Account: STRGOL

CERTIFICATE TR08114152

Project: Dublin Gulch

P.O. No.:

This report is for 22 Drill Core samples submitted to our lab in Terrace, BC, Canada on 14-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE	ANISSA NOAKES	JEFF SCULLY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
SCR-21	Screen to -100 um
FND-03	Find Reject for Addn Analysis
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08114152

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G018831		<0.05	<0.05	<0.05	<0.001	84.57	986.6	0.02	0.03
G018832		0.09	0.11	0.09	0.004	35.79	1096.0	0.11	0.06
G018833		0.06	0.49	0.05	0.036	73.43	1599.5	0.04	0.05
G018834		17.10	272	0.10	22.230	81.64	1224.5	0.07	0.12
G018835		0.12	1.52	0.05	0.085	55.99	1092.0	0.05	0.05
G018837		<0.05	0.05	<0.05	0.003	54.80	863.4	0.03	0.03
G018838		0.13	0.27	0.12	0.013	49.02	897.5	0.10	0.14
G018839		0.06	0.17	0.06	0.010	57.82	939.5	0.06	0.05
G018840		0.10	0.30	0.09	0.021	70.33	966.5	0.07	0.10
G018841		0.19	0.40	0.17	0.029	72.70	914.9	0.13	0.21
G018842		0.12	0.18	0.12	0.013	74.20	950.6	0.12	0.12
G018843		0.22	0.65	0.18	0.049	75.19	885.6	0.19	0.17
G018844		0.30	0.64	0.26	0.052	81.76	666.8	0.21	0.30
G018845		0.10	0.28	0.09	0.024	84.96	807.2	0.07	0.10
G018846		0.21	0.30	0.20	0.022	74.29	751.6	0.15	0.25
G018847		0.05	<0.05	0.05	0.002	78.89	831.8	0.05	0.05
G018848		0.16	0.39	0.14	0.025	63.38	925.4	0.18	0.10
G018850								NSS	NSS

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08114152

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-SEP-2008
Account: STRGOL

CERTIFICATE TR08114151

Project: Dublin Gulch

P.O. No.:

This report is for 22 Drill Core samples submitted to our lab in Terrace, BC, Canada on 14-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08114151

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
G018829		Not Recvd	
G018830		0.08	0.445
G018831		10.41	0.015
G018832		11.53	0.106
G018833		13.35	0.064
G018834		11.85	0.045
G018835		15.02	0.026
G018836		0.50	<0.005
G018837		10.62	0.030
G018838		12.18	0.150
G018839		11.64	0.053
G018840		14.17	0.222
G018841		4.99	0.114
G018842		5.64	0.102
G018843		14.70	0.311
G018844		10.77	0.219
G018845		13.08	0.081
G018846		12.93	0.223
G018847		11.47	0.071
G018848		12.77	0.104
G018849		<0.02	0.127
G018850		0.08	1.445

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

CERTIFICATE TR08112420

Project: Dublin Gulch

P.O. No.:

This report is for 73 Drill Core samples submitted to our lab in Terrace, BC, Canada on 12-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE	JEFF SCULLY	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08112420

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G020831		0.08	0.10	0.08	0.012	118.95	704.9	0.08	0.08
G020832		1.27	1.61	1.24	0.113	70.35	898.5	1.35	1.13
G020833		0.07	0.11	0.07	0.007	61.37	855.1	0.05	0.08
G020834		1.07	5.21	0.94	0.139	26.70	834.3	1.00	0.87
G020835		0.57	1.27	0.56	0.020	15.76	821.0	0.61	0.51
G020837		0.20	0.71	0.17	0.033	46.27	772.2	0.15	0.18
G020838		0.32	0.43	0.32	0.022	50.79	888.0	0.36	0.27
G020839		0.12	0.18	0.11	0.013	73.66	674.4	0.12	0.10
G020840		0.29	1.08	0.24	0.054	50.01	716.5	0.21	0.26
G020841		0.12	0.19	0.12	0.010	53.19	826.5	0.14	0.10
G020842		0.09	0.11	0.09	0.005	45.22	751.6	0.10	0.07
G020843		0.14	0.14	0.15	0.004	29.38	854.6	0.16	0.13
G020844		<0.05	0.06	<0.05	0.002	32.99	976.6	0.03	0.05
G020845		0.11	0.15	0.11	0.008	53.01	800.0	0.09	0.12
G020846		0.13	0.26	0.12	0.017	66.04	820.7	0.11	0.13
G020847		0.05	<0.05	0.06	<0.001	27.55	651.4	0.04	0.07
G020848		0.21	0.21	0.21	0.009	42.53	713.9	0.24	0.17
G020851		0.07	0.09	0.07	0.006	68.38	733.1	0.07	0.07
G020852		0.24	0.30	0.24	0.019	63.52	716.2	0.24	0.23
G020853		0.67	1.17	0.63	0.072	61.55	683.1	0.61	0.65
G020854		0.23	0.26	0.23	0.020	77.58	707.2	0.22	0.23
G020855		0.70	0.79	0.70	0.027	34.18	649.0	0.69	0.71
G020857		0.50	1.04	0.45	0.072	69.31	700.8	0.44	0.45
G020858		0.84	1.22	0.80	0.091	74.55	713.3	0.80	0.79
G020859		1.65	9.28	1.05	0.644	69.43	879.3	0.91	1.18
G020860		0.60	0.80	0.59	0.038	47.78	842.9	0.57	0.61
G020861		0.16	0.41	0.14	0.024	58.29	933.4	0.14	0.14
G020862		0.12	0.08	0.12	0.005	59.23	982.1	0.12	0.12
G020863		0.19	0.16	0.19	0.010	63.19	966.0	0.15	0.23
G020864		0.21	0.52	0.19	0.032	61.08	866.3	0.20	0.17
G020865		0.52	0.65	0.51	0.040	61.46	752.1	0.54	0.47
G020866		0.29	0.27	0.30	0.016	60.35	791.5	0.31	0.28
G020867		0.30	0.47	0.30	0.014	29.93	771.6	0.28	0.31
G020868		1.13	4.47	0.98	0.166	37.17	801.3	0.89	1.07
G020871		1.41	1.51	1.41	0.104	68.78	872.2	1.37	1.44
G020872		0.40	0.49	0.40	0.026	53.33	701.5	0.43	0.36
G020873		0.42	0.39	0.42	0.018	46.30	951.3	0.40	0.44
G020874		0.33	0.49	0.33	0.019	38.91	934.2	0.32	0.33
G020875		0.27	0.78	0.24	0.036	46.23	945.6	0.26	0.22
G020877		0.50	1.40	0.47	0.058	41.51	1079.5	0.42	0.52

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08112420

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G020878		0.29	1.77	0.25	0.042	23.71	776.8	0.27	0.22
G020879		0.05	0.07	0.05	0.003	45.35	777.2	0.06	0.04
G020880		2.39	10.45	1.91	0.447	42.70	720.8	1.94	1.88
G020881		1.48	1.41	1.49	0.048	34.16	663.8	1.52	1.45
G020882		1.16	1.89	1.13	0.067	35.36	738.3	1.03	1.23
G020883		0.49	0.46	0.49	0.037	80.76	1066.5	0.55	0.43
G020884		0.88	5.21	0.64	0.279	53.54	957.2	0.62	0.66
G020885		0.63	1.32	0.59	0.089	67.42	1092.0	0.60	0.58
G020886		0.21	0.37	0.20	0.023	61.84	1154.0	0.19	0.21
G020887		0.11	0.17	0.10	0.014	80.43	1096.5	0.12	0.08
G020888		6.82	42.0	4.64	2.573	61.19	987.0	4.61	4.67
G020891		0.34	0.57	0.33	0.028	48.72	1118.5	0.32	0.34
G020892		1.98	3.00	1.95	0.122	40.65	1211.5	1.97	1.92
G020893		0.37	0.81	0.35	0.058	72.01	1203.5	0.40	0.29
G020894		1.57	2.84	1.50	0.206	72.41	1310.0	1.50	1.49
G020895		0.43	0.53	0.42	0.044	82.29	1056.0	0.46	0.38
G020897		0.42	1.52	0.38	0.080	52.72	1229.0	0.42	0.33
G020898		2.76	3.55	2.75	0.116	32.68	1379.5	2.92	2.57
G020899		0.09	0.13	0.09	0.011	82.80	1096.5	0.09	0.09
G020900		0.25	0.20	0.26	0.016	78.92	1117.0	0.22	0.29
G020901		0.17	0.12	0.17	0.009	75.93	1208.5	0.17	0.17
G020902		0.13	0.23	0.12	0.017	73.65	1083.5	0.13	0.11
G020903		0.31	0.36	0.31	0.029	80.66	1200.5	0.30	0.31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

CERTIFICATE TR08112420

Project: Dublin Gulch

P.O. No.:

This report is for 73 Drill Core samples submitted to our lab in Terrace, BC, Canada on 12-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE	JEFF SCULLY	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08112420

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G020831		0.08	0.10	0.08	0.012	118.95	704.9	0.08	0.08
G020832		1.27	1.61	1.24	0.113	70.35	898.5	1.35	1.13
G020833		0.07	0.11	0.07	0.007	61.37	855.1	0.05	0.08
G020834		1.07	5.21	0.94	0.139	26.70	834.3	1.00	0.87
G020835		0.57	1.27	0.56	0.020	15.76	821.0	0.61	0.51
G020837		0.20	0.71	0.17	0.033	46.27	772.2	0.15	0.18
G020838		0.32	0.43	0.32	0.022	50.79	888.0	0.36	0.27
G020839		0.12	0.18	0.11	0.013	73.66	674.4	0.12	0.10
G020840		0.29	1.08	0.24	0.054	50.01	716.5	0.21	0.26
G020841		0.12	0.19	0.12	0.010	53.19	826.5	0.14	0.10
G020842		0.09	0.11	0.09	0.005	45.22	751.6	0.10	0.07
G020843		0.14	0.14	0.15	0.004	29.38	854.6	0.16	0.13
G020844		<0.05	0.06	<0.05	0.002	32.99	976.6	0.03	0.05
G020845		0.11	0.15	0.11	0.008	53.01	800.0	0.09	0.12
G020846		0.13	0.26	0.12	0.017	66.04	820.7	0.11	0.13
G020847		0.05	<0.05	0.06	<0.001	27.55	651.4	0.04	0.07
G020848		0.21	0.21	0.21	0.009	42.53	713.9	0.24	0.17
G020851		0.07	0.09	0.07	0.006	68.38	733.1	0.07	0.07
G020852		0.24	0.30	0.24	0.019	63.52	716.2	0.24	0.23
G020853		0.67	1.17	0.63	0.072	61.55	683.1	0.61	0.65
G020854		0.23	0.26	0.23	0.020	77.58	707.2	0.22	0.23
G020855		0.70	0.79	0.70	0.027	34.18	649.0	0.69	0.71
G020857		0.50	1.04	0.45	0.072	69.31	700.8	0.44	0.45
G020858		0.84	1.22	0.80	0.091	74.55	713.3	0.80	0.79
G020859		1.65	9.28	1.05	0.644	69.43	879.3	0.91	1.18
G020860		0.60	0.80	0.59	0.038	47.78	842.9	0.57	0.61
G020861		0.16	0.41	0.14	0.024	58.29	933.4	0.14	0.14
G020862		0.12	0.08	0.12	0.005	59.23	982.1	0.12	0.12
G020863		0.19	0.16	0.19	0.010	63.19	966.0	0.15	0.23
G020864		0.21	0.52	0.19	0.032	61.08	866.3	0.20	0.17
G020865		0.52	0.65	0.51	0.040	61.46	752.1	0.54	0.47
G020866		0.29	0.27	0.30	0.016	60.35	791.5	0.31	0.28
G020867		0.30	0.47	0.30	0.014	29.93	771.6	0.28	0.31
G020868		1.13	4.47	0.98	0.166	37.17	801.3	0.89	1.07
G020871		1.41	1.51	1.41	0.104	68.78	872.2	1.37	1.44
G020872		0.40	0.49	0.40	0.026	53.33	701.5	0.43	0.36
G020873		0.42	0.39	0.42	0.018	46.30	951.3	0.40	0.44
G020874		0.33	0.49	0.33	0.019	38.91	934.2	0.32	0.33
G020875		0.27	0.78	0.24	0.036	46.23	945.6	0.26	0.22
G020877		0.50	1.40	0.47	0.058	41.51	1079.5	0.42	0.52

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08112420

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G020878		0.29	1.77	0.25	0.042	23.71	776.8	0.27	0.22
G020879		0.05	0.07	0.05	0.003	45.35	777.2	0.06	0.04
G020880		2.39	10.45	1.91	0.447	42.70	720.8	1.94	1.88
G020881		1.48	1.41	1.49	0.048	34.16	663.8	1.52	1.45
G020882		1.16	1.89	1.13	0.067	35.36	738.3	1.03	1.23
G020883		0.49	0.46	0.49	0.037	80.76	1066.5	0.55	0.43
G020884		0.88	5.21	0.64	0.279	53.54	957.2	0.62	0.66
G020885		0.63	1.32	0.59	0.089	67.42	1092.0	0.60	0.58
G020886		0.21	0.37	0.20	0.023	61.84	1154.0	0.19	0.21
G020887		0.11	0.17	0.10	0.014	80.43	1096.5	0.12	0.08
G020888		6.82	42.0	4.64	2.573	61.19	987.0	4.61	4.67
G020891		0.34	0.57	0.33	0.028	48.72	1118.5	0.32	0.34
G020892		1.98	3.00	1.95	0.122	40.65	1211.5	1.97	1.92
G020893		0.37	0.81	0.35	0.058	72.01	1203.5	0.40	0.29
G020894		1.57	2.84	1.50	0.206	72.41	1310.0	1.50	1.49
G020895		0.43	0.53	0.42	0.044	82.29	1056.0	0.46	0.38
G020897		0.42	1.52	0.38	0.080	52.72	1229.0	0.42	0.33
G020898		2.76	3.55	2.75	0.116	32.68	1379.5	2.92	2.57
G020899		0.09	0.13	0.09	0.011	82.80	1096.5	0.09	0.09
G020900		0.25	0.20	0.26	0.016	78.92	1117.0	0.22	0.29
G020901		0.17	0.12	0.17	0.009	75.93	1208.5	0.17	0.17
G020902		0.13	0.23	0.12	0.017	73.65	1083.5	0.13	0.11
G020903		0.31	0.36	0.31	0.029	80.66	1200.5	0.30	0.31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-SEP-2008
Account: STRGOL

CERTIFICATE TR08112349

Project: Dublin Gulch

P.O. No.:

This report is for 101 Drill Core samples submitted to our lab in Terrace, BC, Canada on 12-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08112349

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
G020803		5.28	0.030
G020804		4.98	0.047
G020805		6.15	0.030
G020806		4.97	0.181
G020807		6.68	0.022
G020808		6.08	0.018
G020809		<0.02	0.021
G020810		0.09	0.442
G020811		7.05	0.235
G020812		7.79	0.478
G020813		5.66	0.118
G020814		5.73	0.219
G020815		7.63	0.015
G020816		0.47	<0.005
G020817		6.64	0.082
G020818		5.89	0.006
G020819		7.23	0.008
G020820		8.14	0.013
G020821		2.65	0.011
G020822		2.60	0.019
G020823		8.91	0.032
G020824		7.04	0.241
G020825		7.49	0.017
G020826		8.87	0.012
G020827		6.56	<0.005
G020828		8.64	0.067
G020829		<0.02	0.062
G020830		0.08	1.455
G020831		6.37	0.074
G020832		6.93	1.565
G020833		6.34	0.045
G020834		8.04	1.140
G020835		6.49	0.603
G020836		0.41	<0.005
G020837		8.54	0.138
G020838		4.40	0.361
G020839		6.88	0.095
G020840		6.92	0.312
G020841		3.52	0.154
G020842		3.71	0.112

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08112349

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
G020843		6.12	0.137
G020844		7.16	0.041
G020845		7.56	0.113
G020846		6.73	0.170
G020847		6.82	0.037
G020848		6.29	0.208
G020849		<0.02	0.248
G020850		0.08	2.93
G020851		6.47	0.108
G020852		6.43	0.274
G020853		5.72	0.632
G020854		7.60	0.244
G020855		7.74	0.690
G020856		0.39	0.006
G020857		6.52	0.530
G020858		7.00	0.959
G020859		6.45	1.125
G020860		6.34	0.795
G020861		3.72	0.154
G020862		3.52	0.198
G020863		5.92	0.072
G020864		6.99	0.189
G020865		7.13	0.646
G020866		6.87	0.274
G020867		6.81	0.300
G020868		7.24	1.180
G020869		<0.02	1.460
G020870		0.08	4.23
G020871		6.01	1.325
G020872		7.12	0.346
G020873		7.21	0.423
G020874		7.13	0.320
G020875		10.00	0.235
G020876		0.34	0.011
G020877		7.50	0.455
G020878		6.95	0.267
G020879		10.00	0.040
G020880		7.20	2.06
G020881		2.87	1.605
G020882		3.07	0.882

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 2-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08112349

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
G020883		6.17	0.425
G020884		7.64	0.751
G020885		7.00	0.773
G020886		7.08	0.237
G020887		7.00	0.110
G020888		7.05	6.81
G020889		<0.02	6.35
G020890		0.08	0.116
G020891		6.42	0.328
G020892		5.63	1.770
G020893		6.80	0.340
G020894		8.53	1.545
G020895		6.59	0.289
G020896		0.65	0.012
G020897		7.17	0.370
G020898		7.82	3.52
G020899		5.63	0.093
G020900		7.08	0.236
G020901		4.08	0.114
G020902		4.11	0.177
G020903		6.50	0.272

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2008
Account: STRGOL

CERTIFICATE TR08109328

Project: Dublin Gulch

P.O. No.:

This report is for 67 Drill Core samples submitted to our lab in Terrace, BC, Canada on 6-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE	ANISSA NOAKES	JEFF SCULLY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
SCR-21	Screen to -100 um
FND-03	Find Reject for Addn Analysis
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08109328

Sample Description	Method Analyte Units LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G021283		0.42	0.51	0.41	0.021	41.06	308.9	0.41	0.40
G021284		0.13	0.13	0.13	0.008	62.38	292.6	0.13	0.12
G021285		0.07	0.14	0.06	0.004	28.51	337.5	0.06	0.06
G021286		0.12	0.15	0.12	0.011	75.76	266.2	0.13	0.10
G021287		0.14	0.17	0.13	0.016	95.78	193.2	0.15	0.11
G021288		0.06	0.06	0.06	0.003	46.92	320.1	0.05	0.07
G021291		0.17	0.20	0.16	0.015	74.39	158.6	0.15	0.16
G021292		<0.05	<0.05	<0.05	0.002	78.45	263.6	0.02	0.02
G021293		<0.05	0.07	<0.05	0.003	40.37	325.6	0.02	0.02
G021294		<0.05	<0.05	<0.05	0.002	54.45	232.6	0.01	0.02
G021295		<0.05	<0.05	<0.05	0.002	72.98	203.0	0.03	0.02
G021296		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
G021297		<0.05	0.06	<0.05	0.002	34.68	269.3	0.01	<0.01
G021298		<0.05	<0.05	<0.05	0.001	75.82	236.2	0.02	0.04
G021299		0.17	0.15	0.18	0.011	72.74	227.3	0.17	0.18
G021300		<0.05	<0.05	<0.05	0.002	77.15	234.9	0.03	0.02
G021301		<0.05	<0.05	<0.05	<0.001	37.76	307.2	0.02	0.01
G021302		<0.05	<0.05	<0.05	0.002	65.54	260.5	0.02	<0.01
G021303		0.08	0.05	0.09	0.004	80.82	206.2	0.08	0.10
G021304		<0.05	0.07	<0.05	0.003	45.75	231.3	0.03	0.03
G021305		0.05	0.09	<0.05	0.005	55.01	289.0	0.04	0.04
G021306		<0.05	0.07	<0.05	0.002	30.41	179.6	0.02	0.01
G021307		0.05	0.05	0.05	0.002	41.09	202.9	0.05	0.04
G021308		<0.05	<0.05	<0.05	<0.001	76.85	190.2	0.01	0.01
G021311		0.12	0.23	0.10	0.013	57.09	229.9	0.08	0.11
G021312		0.07	0.11	0.06	0.009	84.16	192.8	0.05	0.07
G021313		<0.05	<0.05	<0.05	<0.001	87.56	179.4	0.01	0.04
G021314		<0.05	0.06	<0.05	0.003	50.91	227.1	0.05	0.03
G021315		<0.05	<0.05	<0.05	<0.001	54.71	190.3	0.01	<0.01
G021316		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
G021317		0.05	0.05	0.05	0.003	57.36	253.6	0.06	0.04
G021318		0.55	<0.05	0.61	<0.001	33.71	290.3	0.62	0.60
G021319		0.06	0.18	<0.05	0.012	64.87	169.1	0.01	0.02
G021324		0.28	0.21	0.29	0.007	33.04	234.0	0.29	0.28
G021325		0.37	2.27	0.15	0.092	40.46	346.5	0.15	0.15
G021326		0.14	0.16	0.13	0.009	57.43	209.6	0.14	0.12
G021327		0.08	0.12	0.07	0.008	68.32	187.7	0.07	0.07
G021328		<0.05	<0.05	<0.05	0.002	45.54	298.5	0.01	0.01
G021331		<0.05	<0.05	<0.05	0.003	84.26	199.7	0.02	<0.01
G021332		0.36	0.73	0.29	0.033	45.29	247.7	0.21	0.37

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08109328

Sample Description	Method Analyte Units LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G021333		0.36	0.94	0.31	0.025	26.58	290.4	0.28	0.34
G021334		0.09	0.11	0.09	0.003	26.23	321.8	0.10	0.08
G021335		0.05	0.08	<0.05	0.003	39.58	226.4	0.04	0.04
G021336		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
G021337		0.14	0.18	0.14	0.006	33.32	233.7	0.11	0.16
G021338		<0.05	<0.05	<0.05	0.003	93.82	161.2	0.04	0.03
G021339		<0.05	<0.05	<0.05	<0.001	70.67	274.3	0.02	0.01
G021340		0.11	<0.05	0.13	0.002	45.01	194.0	0.17	0.09
G021341		1.30	2.12	1.14	0.081	38.21	198.8	1.04	1.24
G021342		1.03	2.12	0.87	0.099	46.59	309.4	0.93	0.80
G021343		0.08	0.19	0.07	0.006	31.95	345.1	0.07	0.06
G021344		0.64	2.29	0.31	0.123	53.82	268.2	0.33	0.28
G021345		1.49	1.33	1.52	0.056	41.98	325.0	1.53	1.50
G021346		0.29	0.45	0.27	0.016	35.91	320.1	0.24	0.30
G021347		0.26	0.36	0.25	0.013	35.87	306.1	0.25	0.24
G021348		0.81	1.90	0.40	0.113	59.60	153.4	0.42	0.37
G021351		0.49	0.41	0.50	0.012	28.95	294.1	0.48	0.51
G021352		0.39	0.33	0.41	0.014	42.86	286.1	0.39	0.42
G020797		<0.05	0.07	<0.05	0.004	59.80	260.2	0.01	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08109328

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-AUG-2008
Account: STRGOL

CERTIFICATE TR08109327

Project: Dublin Gulch

P.O. No.:

This report is for 175 Drill Core samples submitted to our lab in Terrace, BC, Canada on 6-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08109327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
G021277		12.65	0.236
G021278		14.64	0.037
G021279		11.81	0.147
G021280		13.53	0.066
G021281		3.26	0.415
G021282		2.77	0.296
G021283		12.45	0.616
G021284		12.55	0.142
G021285		12.38	0.066
G021286		12.41	0.076
G021287		13.19	0.059
G021288		12.79	0.071
G021289		<0.02	0.053
G021290		0.08	4.50
G021291		9.31	0.112
G021292		11.24	0.013
G021293		14.01	0.024
G021294		11.62	0.029
G021295		12.55	0.018
G021296		0.59	<0.005
G021297		12.68	0.010
G021298		11.51	0.029
G021299		12.40	0.309
G021300		12.80	0.030
G021301		5.62	0.013
G021302		6.32	0.014
G021303		12.29	0.069
G021304		12.30	0.016
G021305		13.11	0.057
G021306		11.30	0.013
G021307		11.87	0.030
G021308		12.91	0.009
G021309		<0.02	0.010
G021310		0.09	0.086
G021311		14.22	0.040
G021312		10.90	0.059
G021313		12.33	0.008
G021314		12.11	0.028
G021315		13.76	0.006
G021316		0.68	<0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08109327

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
G021317		12.16	0.045
G021318		11.75	1.070
G021319		14.93	0.014
G021320		12.34	0.163
G021321		6.07	0.095
G021322		6.63	0.110
G021323		15.41	0.317
G021324		11.89	0.305
G021325		14.03	0.199
G021326		12.37	0.164
G021327		12.16	0.072
G021328		12.46	0.014
G021329		<0.02	0.016
G021330		0.09	0.418
G021331		12.93	0.015
G021332		13.22	0.191
G021333		12.24	0.618
G021334		10.77	0.366
G021335		13.16	0.104
G021336		0.65	<0.005
G021337		12.55	0.243
G021338		12.83	0.060
G021339		11.89	0.021
G021340		13.00	0.091
G021341		5.77	0.791
G021342		6.70	0.826
G021343		8.32	0.065
G021344		14.66	0.264
G021345		14.93	1.215
G021346		11.14	0.258
G021347		12.55	0.297
G021348		12.36	0.793
G021349		<0.02	0.431
G021350		0.09	1.435
G021351		12.68	0.442
G021352		9.90	0.373
G020757		11.90	0.006
G020758		9.51	<0.005
G020759		9.51	<0.005
G020760		13.58	<0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08109327

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
G020761		5.68	<0.005
G020762		5.87	<0.005
G020763		12.96	0.007
G020764		11.28	0.008
G020765		12.97	0.014
G020766		10.63	0.308
G020767		13.31	0.009
G020768		13.82	0.013
G020769		0.09	0.011
G020770		0.09	4.39
G020771		12.87	0.020
G020772		10.02	0.023
G020773		13.14	0.029
G020774		13.14	0.006
G020775		12.95	0.492
G020776		0.55	<0.005
G020777		11.48	0.009
G020778		13.24	0.344
G020779		11.75	0.012
G020780		14.04	0.011
G020781		5.83	0.540
G020782		5.68	<0.005
G020783		11.57	0.006
G020784		13.43	0.024
G020785		12.10	0.007
G020786		13.50	0.102
G020787		10.40	0.008
G020788		10.74	<0.005
G020789		<0.02	<0.005
G020790		0.10	0.086
G020791		12.87	0.008
G020792		17.75	<0.005
G020793		15.27	<0.005
G020794		7.84	0.008
G020795		6.66	0.024
G020796		0.41	<0.005
G020797		8.91	0.008
G020798		7.73	<0.005
G020799		5.95	1.905
G020800		5.13	0.654

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08109327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
G020801		2.01	0.724
G020802		2.25	0.681
H229001		6.60	0.033
H229002		6.10	0.063
H229003		14.52	0.007
H229004		9.48	0.007
H229005		11.55	0.015
H229006		7.79	0.020
H229007		18.61	0.035
H229008		7.47	0.009
H229009		<0.02	0.010
H229010		0.11	0.091
H229011		13.67	<0.005
H229012		9.77	0.010
H229013		14.97	0.005
H229014		14.00	<0.005
H229015		12.79	<0.005
H229016		0.53	<0.005
H229017		10.83	0.015
H229018		13.91	0.011
H229019		8.65	<0.005
H229020		13.99	0.033
H229021		6.34	0.005
H229022		6.35	0.006
H229023		8.63	0.008
H229024		9.87	0.006
H229025		8.84	0.006
H229026		12.72	0.011
H229027		10.73	0.127
H229028		6.93	0.232
H229029		<0.02	0.313
H229030		0.09	0.483
H229031		13.32	3.45
H229032		11.37	0.044
H229033		6.49	0.442
H229034		11.83	0.044
H229035		13.95	0.061
H229036		0.60	0.005
H229037		5.13	0.010
H229038		10.92	0.007

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 25-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08109327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
H229039		11.38	0.111
H229040		12.12	0.020
H229041		5.77	0.126
H229042		5.78	0.153
H229043		14.47	0.030
H229044		5.89	0.019
H229045		7.69	0.007
H229046		14.88	0.112
H229047		12.41	0.218
H229048		12.75	0.026
H229049		<0.02	0.051
H229050		0.10	1.430
H229051		12.67	0.145
H229052		11.52	0.237
H229053		15.88	0.086

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

CERTIFICATE TR08108583

Project: Dublin Gulich

P.O. No.:

This report is for 1 Drill Core sample submitted to our lab in Terrace, BC, Canada on 7-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE	ANISSA NOAKES	JEFF SCULLY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
PUL-32	Pulverize 1000g to 85% < 75 um
SCR-21	Screen to -100 um
FND-03	Find Reject for Addn Analysis
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulich

CERTIFICATE OF ANALYSIS TR08108583

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G021244		<0.05	<0.05	<0.05	<0.001	68.35	187.6	0.03	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-AUG-2008
Account: STRGOL

CERTIFICATE TR08108582

Project: Dublin Gulch

P.O. No.:

This report is for 1 Drill Core sample submitted to our lab in Terrace, BC, Canada on 30-JUL-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE	ANISSA NOAKES	JEFF SCULLY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08108582

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G020698		<0.05	<0.05	<0.05	<0.001	31.93	885.1	0.07	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-AUG-2008
Account: STRGOL

CERTIFICATE TR08108581

Project: Dublin Gulch

P.O. No.:

This report is for 13 Drill Core samples submitted to our lab in Terrace, BC, Canada on 5-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE	ANISSA NOAKES	JEFF SCULLY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08108581

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G088419		0.06	<0.05	0.06	<0.001	61.92	706.2	0.01	0.11
G088420		<0.05	<0.05	0.05	0.003	72.66	919.7	<0.01	0.09
G088421		0.18	0.12	0.19	0.004	32.02	479.7	0.19	0.18
G088422		<0.05	0.12	<0.05	0.003	24.97	561.7	<0.01	0.07
G088423		0.35	0.93	0.29	0.032	34.44	327.8	0.25	0.32
G088424		0.06	<0.05	0.06	0.002	52.51	553.2	0.05	0.07
G088425		<0.05	<0.05	<0.05	0.001	42.10	863.4	0.02	0.02
G088426		<0.05	<0.05	<0.05	<0.001	33.98	815.4	<0.01	<0.01
G088427		<0.05	<0.05	<0.05	<0.001	49.83	536.7	<0.01	<0.01
G088428		<0.05	<0.05	<0.05	<0.001	25.38	565.7	0.02	0.01
G088429		<0.05	<0.05	0.05	<0.001	32.59	629.1	0.07	0.02
G088430		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
G088431		0.11	0.24	0.10	0.013	54.76	655.2	0.10	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08108581

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-AUG-2008
Account: STRGOL

CERTIFICATE TR08108580

Project: Dublin Gulch

P.O. No.:

This report is for 1 Drill Core sample submitted to our lab in Terrace, BC, Canada on 5-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE	ANISSA NOAKES	JEFF SCULLY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR24	Au Screen FA Double Minus -50g	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: ANISSA NOAKES
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08108580

Sample Description	Method / Analyte / Units / LOR	Au-SCR24 Au Total ppm 0.05	Au-SCR24 Au (+) F ppm 0.05	Au-SCR24 Au (-) F ppm 0.05	Au-SCR24 Au (+) m mg 0.001	Au-SCR24 WT. + Fr g 0.01	Au-SCR24 WT. - Fr g 0.1	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G021147		<0.05	<0.05	<0.05	<0.001	23.90	893.8	0.05	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2008
Account: STRGOL

CERTIFICATE TR08105349

Project: Dublin Gulch

P.O. No.:

This report is for 102 Drill Core samples submitted to our lab in Terrace, BC, Canada on 1-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-XRF05	Trace Level XRF Analysis	XRF

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08105349

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-XRF05 W ppm 10
G021081		3.13	<0.005		10
G021082		2.91	<0.005		10
G021083		9.28	<0.005		10
G021084		8.91	0.005		10
G021085		10.60	0.010		10
G021086		11.93	0.052		10
G021087		12.70	0.256		10
G021088		10.17	0.017		20
G021089		<0.02	0.025		20
G021090		0.10	4.49		<10
G021091		10.10	0.048		130
G021092		13.61	<0.005		10
G021093		11.01	<0.005		10
G021094		10.87	<0.005		10
G021095		9.99	0.005		10
G021096		0.53	<0.005		10
G021097		12.24	0.005		10
G021098		13.08	<0.005		<10
G021099		12.91	<0.005		10
G021100		12.77	<0.005		10
G021101		5.26	0.005		20
G021102		5.84	0.005		10
G021103		11.52	<0.005		10
G021104		11.27	0.009		10
G021105		12.98	0.007		10
G021106		11.21	0.009		20
G021107		11.21	0.008		20
G021108		11.89	0.013		10
G021109		<0.02	0.014		10
G021110		0.11	0.088		40
G021111		12.35	0.024		20
G021112		11.87	0.310		20
G021113		13.28	6.44		20
G021114		11.65	0.665		20
G021115		11.84	0.601		20
G021116		0.49	<0.005		<10
G021117		12.02	3.94		20
G021118		10.86	>10.0	16.20	20
G021119		9.81	2.51		20
G021120		8.78	3.55		30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08105349

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-XRF05 W ppm 10
G021121		6.68	0.668		10
G021122		7.13	0.393		10
G021123		11.88	0.155		10
G021124		14.15	0.039		20
G021125		10.22	0.277		10
G021126		12.48	0.345		10
G021127		10.02	0.025		10
G021128		9.65	0.022		20
G021129		<0.02	0.024		20
G021130		0.11	0.444		10
G021131		9.90	0.010		20
G021132		10.39	0.017		20
G021133		13.56	0.008		10
G021134		12.53	0.041		20
G021135		9.67	0.047		10
G021136		0.37	<0.005		<10
G021137		11.41	0.354		50
G021138		8.43	0.009		20
G021139		11.44	0.006		30
G021140		13.56	0.153		30
G021141		5.09	0.214		280
G021142		6.09	0.320		60
G021143		12.90	0.228		60
G021144		12.55	0.007		10
G021145		11.19	0.032		20
G021146		14.12	0.209		70
G021147		13.23	0.023		10
G021148		12.02	0.043		10
G021149		<0.02	0.043		10
G021150		0.10	1.470		20
G021151		11.93	0.010		10
G021152		13.80	0.146		60
G021153		11.47	0.076		60
G021154		12.57	0.009		10
G021155		0.54	<0.005		<10
G021156		12.00	0.005		10
G021157		12.34	0.006		10
G021158		13.03	0.006		10
G021159		12.81	0.008		10
G021160		13.56	0.009		10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08105349

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-GRA22 Au ppm 0.05	ME-XRF05 W ppm 10
G021161		5.79	0.011		10
G021162		6.27	0.018		10
G021163		12.68	0.005		10
G021164		12.65	0.012		10
G021165		12.94	3.56		110
G021166		12.29	0.117		10
G021167		12.93	0.093		20
G021168		11.62	0.021		10
G021169		<0.02	0.019		10
G021170		0.12	2.71		30
G021171		14.16	0.039		10
G021172		12.01	0.153		10
G021173		13.56	0.014		10
G021174		13.69	0.029		10
G021175		13.12	0.006		10
G021176		0.42	<0.005		<10
G021177		13.36	0.028		20
G021178		12.70	0.088		30
G021179		12.61	<0.005		10
G021180		12.80	<0.005		10
G021181		6.55	0.021		10
G021182		5.85	0.011		10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2008
Account: STRGOL

CERTIFICATE TR08104814

Project: Dublin Gulch

P.O. No.:

This report is for 66 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-JUL-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-36	Fine Crushing - 85% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-XRF05	Trace Level XRF Analysis	XRF

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08104814

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-XRF05 W ppm 10
G020691		12.82	0.007	<10
G020692		13.08	<0.005	<10
G020693		12.06	<0.005	<10
G020694		12.52	0.005	<10
G020695		12.93	0.028	10
G020696		0.45	<0.005	<10
G020697		9.05	0.012	10
G020698		9.73		10
G020699		18.16	0.018	10
G020700		14.86	<0.005	10
G020701		5.87	<0.005	10
G020702		5.71	0.005	10
G020703		12.33	<0.005	10
G020704		11.32	0.075	150
G020705		13.62	0.008	<10
G020706		13.09	<0.005	10
G020707		12.93	<0.005	10
G020708		13.27	<0.005	<10
G020709		<0.02	<0.005	<10
G020710		0.11	0.387	<10
G020711		11.94	0.007	10
G020712		13.62	0.006	10
G020713		12.33	0.015	10
G020714		13.71	0.611	<10
G020715		11.46	0.039	10
G020716		0.38	<0.005	<10
G020717		12.42	<0.005	<10
G020718		13.14	0.005	<10
G020719		13.29	0.048	10
G020720		12.42	0.007	<10
G020721		5.77	<0.005	10
G020722		5.67	<0.005	10
G020723		12.91	0.019	<10
G020724		14.53	<0.005	10
G020725		10.40	<0.005	10
G020726		12.29	<0.005	10
G020727		12.04	<0.005	10
G020728		14.10	0.007	10
G020729		<0.02	<0.005	10
G020730		0.09	NSS	NSS

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08104814

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-XRF05 W ppm 10
G020731		10.40	<0.005	<10
G020732		14.50	0.005	<10
G020733		12.95	0.008	<10
G020734		12.72	0.006	10
G020735		12.74	0.016	10
G020736		0.43	<0.005	<10
G020737		12.46	0.052	10
G020738		10.52	0.012	10
G020739		13.14	0.008	10
G020740		13.18	0.016	10
G020741		6.02	0.010	<10
G020742		5.88	0.013	<10
G020743		14.42	0.021	10
G020744		13.02	0.045	10
G020745		13.97	0.022	10
G020746		12.31	0.008	10
G020747		13.17	0.006	10
G020748		14.64	0.009	<10
G020749		<0.02	0.012	10
G020750		0.09	3.01	NSS
G020751		12.86	<0.005	10
G020752		12.19	0.010	10
G020753		13.40	0.006	10
G020754		11.60	0.012	10
G020755		14.10	0.013	20
G020756		0.54	<0.005	<10

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08104814

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2008
Account: STRGOL

CERTIFICATE TR08104813

Project: Dublin Gulch

P.O. No.:

This report is for 80 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-JUL-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-XRF05	Trace Level XRF Analysis	XRF

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08104813

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-XRF05 W ppm 10
G021001		4.48	<0.005	10
G021002		5.56	0.005	10
G021003		8.35	0.005	10
G021004		9.24	0.008	10
G021005		11.77	<0.005	10
G021006		11.59	<0.005	10
G021007		12.21	<0.005	10
G021008		13.45	<0.005	10
G021009		<0.02	<0.005	10
G021010		0.12	0.088	40
G021011		10.47	<0.005	<10
G021012		10.71	<0.005	<10
G021013		10.41	0.005	10
G021014		8.98	0.092	760
G021015		11.72	0.150	820
G021016		0.52	<0.005	10
G021017		11.71	<0.005	10
G021018		12.42	<0.005	<10
G021019		11.60	<0.005	<10
G021020		12.08	<0.005	<10
G021021		5.94	<0.005	<10
G021022		6.74	<0.005	<10
G021023		12.65	<0.005	10
G021024		12.57	<0.005	<10
G021025		10.89	<0.005	10
G021026		10.53	<0.005	<10
G021027		11.71	<0.005	<10
G021028		7.54	<0.005	10
G021029		<0.02	<0.005	10
G021030		0.11	0.331	<10
G021031		15.14	<0.005	<10
G021032		13.38	<0.005	10
G021033		12.63	<0.005	<10
G021034		10.47	<0.005	<10
G021035		11.17	<0.005	10
G021036		0.41	<0.005	<10
G021037		12.98	<0.005	<10
G021038		12.06	<0.005	<10
G021039		11.83	<0.005	<10
G021040		11.32	<0.005	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 24-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08104813

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-XRF05 W ppm 10
G021041		5.00	<0.005	10
G021042		5.08	<0.005	10
G021043		12.62	<0.005	10
G021044		10.77	<0.005	10
G021045		11.86	<0.005	10
G021046		12.62	<0.005	10
G021047		11.58	<0.005	10
G021048		12.51	<0.005	10
G021049		<0.02	<0.005	10
G021050		0.11	1.025	20
G021051		12.91	0.015	10
G021052		13.04	<0.005	10
G021053		12.19	0.006	<10
G021054		11.66	<0.005	<10
G021055		12.90	<0.005	10
G021056		0.52	<0.005	<10
G021057		12.68	<0.005	10
G021058		11.27	0.011	<10
G021059		10.98	<0.005	10
G021060		11.19	<0.005	10
G021061		5.96	<0.005	10
G021062		6.33	<0.005	10
G021063		8.56	<0.005	10
G021064		7.53	0.008	10
G021065		9.89	0.009	10
G021066		7.70	<0.005	10
G021067		9.75	0.085	10
G021068		13.48	0.173	20
G021069		<0.02	0.163	20
G021070		0.10	1.715	30
G021071		6.98	0.042	20
G021072		8.61	0.005	10
G021073		11.26	<0.005	10
G021074		10.27	<0.005	10
G021075		13.90	<0.005	10
G021076		0.40	<0.005	<10
G021077		12.71	<0.005	10
G021078		12.17	<0.005	10
G021079		11.90	<0.005	<10
G021080		8.67	<0.005	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2008
Account: STRGOL

CERTIFICATE TR08098524

Project: Dublin Gulch

P.O. No.:

This report is for 121 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-JUL-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-AA26D	Ore Grade Au 50g FA AA Dup	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08098524

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G020601		4.94	<0.005		
G020602		4.53	<0.005		
G020603		13.25	<0.005		
G020604		10.85	<0.005		
G020605		9.58	<0.005		
G020606		9.68	<0.005		
G020607		9.12	<0.005		
G020608		13.86	<0.005		
G020609		<0.02	<0.005		
G020610		0.12	0.089		
G020611		14.54	<0.005		
G020612		9.99	<0.005		
G020613		8.54	<0.005		
G020614		11.15	<0.005		
G020615		10.12	<0.005		
G020616		Not Recvd			
G020617		9.03	<0.005		
G020618		12.11	<0.005		
G020619		15.90	<0.005		
G020620		11.77	<0.005		
G020621		5.41	<0.005		
G020622		5.25	<0.005		
G020623		14.63	<0.005		
G020624		10.38	<0.005		
G020625		10.77	<0.005		
G020626		9.50	<0.005		
G020627		10.73	<0.005		
G020628		9.07	<0.005		
G020629		<0.02	<0.005		
G020630		0.11	0.432		
G020631		7.87	<0.005		
G020632		6.29	0.008		
G020633		10.39	<0.005		
G020634		12.43	<0.005		
G020635		10.93	<0.005		
G020636		0.48	<0.005		
G020637		13.70	<0.005		
G020638		15.53	<0.005		
G020639		10.43	<0.005		
G020640		11.75	<0.005		

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08098524

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G020641		4.12	0.015		
G020642		4.17	0.021		
G020643		14.85	<0.005		
G020644		12.59	<0.005		
G020645		12.86	<0.005		
G020646		14.73	0.005		
G020647		10.78	<0.005		
G020648		12.40	<0.005		
G020649		<0.02	<0.005		
G020650		0.12	1.455		
G020651		11.75	0.005		
G020652		11.35	<0.005		
G020653		13.25	0.005		
G020654		12.63	<0.005		
G020655		16.04	0.013		
G020656		0.58	0.010		
G020657		17.81	0.005		
G020658		9.61	0.006		
G020659		13.52	<0.005		
G020660		13.28	0.005		
G020661		5.69	0.009		
G020662		5.10	0.010		
G020663		11.96	0.194		
G020664		10.74	0.009		
G020665		11.99	<0.005		
G020666		8.93	<0.005		
G020667		13.37	0.005		
G020668		13.10	<0.005		
G020669		<0.02	<0.005		
G020670		0.10	2.58		
G020671		12.86	0.262		
G020672		13.16	0.016		
G020673		12.08	<0.005		
G020674		12.45	0.212		
G020675		13.16	0.407		
G020676		0.42	<0.005		
G020677		11.48	0.794		
G020678		12.90	0.637		
G020679		11.44	4.55		
G020680		10.46	0.494		

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08098524

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G020681		5.28	1.120		
G020682		5.68	0.985		
G020683		12.70	0.646		
G020684		11.36	0.015		
G020685		12.94	0.007		
G020686		13.25	0.546		
G020687		11.90	0.010		
G020688		10.78	0.005		
G020689		<0.02	<0.005		
G020690		0.12	0.067		
G088401		3.79	<0.005		
G088402		4.13	<0.005		
G088403		7.90	<0.005		
G088404		8.36	<0.005		
G088405		8.86	<0.005		
G088406		4.59	0.068		
G088407		4.34	<0.005		
G088408		5.07	<0.005		
G088409		<0.02	<0.005		
G088410		0.12	0.092		
G088411		5.64	0.006		
G088412		2.10	<0.005		
G088413		2.42	0.007		
G088414		7.56	<0.005		
G088415		9.13	<0.005		
G088416		0.47	<0.005		
G088417		2.83	<0.005		
G088418		6.23	<0.005		
G088419		9.75		0.02	0.01
G088420		8.70		0.06	0.05
G088421		3.54		0.18	0.18
G088422		3.71		0.10	0.07
G088423		6.37		0.26	0.25
G088424		7.56		0.08	0.05
G088425		11.12		0.02	0.02
G088426		7.10		0.01	0.01
G088427		7.81		0.01	0.01
G088428		8.02		0.03	0.02
G088429		<0.02		0.02	0.03
G088430		0.10		NSS	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08098524

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	Au-AA26 Au ppm 0.01	Au-AA26D Au ppm 0.01
G088431		8.51		0.10	0.09

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 20-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08098524

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.

APPENDIX K:

ALS Chemex Assay Certificates (Trenches)

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

CERTIFICATE TR08117141

Project: Mar-Tungsten

P.O. No.:

This report is for 39 Rock samples submitted to our lab in Terrace, BC, Canada on 19-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
ME-XRF05	Trace Level XRF Analysis	XRF

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08117141

Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
Sample Description LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
G987351	3.19	<0.005	<0.5	7.08	6	860	2.3	<2	5.71	<0.5	12	56	14	5.18	20
G987352	1.67	<0.005	<0.5	6.44	22	920	2.1	<2	2.05	<0.5	11	56	22	3.70	20
G987353	2.33	<0.005	<0.5	6.72	9	790	2.2	<2	3.06	<0.5	12	60	25	4.84	20
G987354	3.06	<0.005	<0.5	6.34	<5	760	1.9	<2	3.90	<0.5	8	54	19	3.48	20
G987355	5.33	<0.005	<0.5	7.13	45	650	2.3	<2	5.70	<0.5	12	59	21	5.48	20
G987356	0.41	<0.005	<0.5	0.17	<5	40	<0.5	<2	19.50	<0.5	2	8	2	0.18	<10
G987357	3.69	<0.005	<0.5	5.78	14	640	1.8	3	2.66	<0.5	8	51	15	4.08	20
G987358	3.27	<0.005	<0.5	6.06	6	770	1.7	<2	3.48	<0.5	8	50	16	3.16	20
G987359	2.50	<0.005	<0.5	4.78	9	560	1.3	<2	1.96	<0.5	7	36	13	3.04	10
G987360	2.30	0.005	<0.5	5.86	13	720	1.6	<2	2.61	<0.5	10	47	19	3.78	20
G987361	1.53	<0.005	<0.5	5.56	15	640	2.2	<2	2.87	<0.5	9	54	15	3.78	20
G987401	2.83	0.005	<0.5	4.70	83	600	2.4	<2	0.46	<0.5	4	36	18	1.78	10
G987402	1.11	<0.005	<0.5	5.26	51	720	2.4	<2	0.65	<0.5	5	41	18	2.00	10
G987403	2.78	<0.005	<0.5	5.05	58	770	2.5	<2	0.84	<0.5	8	41	20	2.21	10
G987404	1.77	<0.005	<0.5	4.11	73	760	1.4	<2	0.40	<0.5	7	51	24	2.02	10
G987405	1.95	<0.005	<0.5	5.21	65	810	2.2	<2	0.85	<0.5	6	56	16	2.37	10
G987406	1.34	<0.005	<0.5	6.30	69	830	3.6	2	1.92	<0.5	4	41	13	2.41	20
G987407	1.23	<0.005	<0.5	5.72	44	800	3.0	<2	1.32	<0.5	5	34	13	1.97	10
G987408	1.21	<0.005	<0.5	6.73	87	1010	3.4	<2	1.60	<0.5	7	42	16	2.49	20
G987409	<0.02	<0.005	<0.5	6.91	82	1040	3.5	<2	1.65	<0.5	7	43	16	2.55	20
G987410	0.14	0.456	2.5	2.24	8	50	12.3	915	6.75	<0.5	69	44	5080	32.3	10
G987411	1.35	0.005	<0.5	6.67	73	1140	3.7	3	2.52	<0.5	8	50	19	2.89	20
G987412	1.37	0.008	<0.5	6.82	62	1260	3.1	4	1.51	<0.5	8	53	14	2.47	20
G987413	3.37	<0.005	<0.5	6.22	80	1060	3.4	<2	1.15	<0.5	7	50	19	2.45	10
G987414	3.26	<0.005	<0.5	6.38	37	960	3.5	2	0.83	<0.5	4	30	11	1.61	20
G987415	3.90	0.005	<0.5	6.81	74	1170	2.8	<2	1.14	<0.5	9	51	17	2.73	20
G987416	0.38	<0.005	<0.5	0.19	<5	20	<0.5	<2	18.15	<0.5	2	9	3	0.19	<10
G987417	5.77	<0.005	<0.5	6.65	28	1210	4.5	<2	2.36	<0.5	5	37	5	2.10	20
G987418	4.50	<0.005	<0.5	7.18	21	1200	4.2	<2	2.47	<0.5	6	36	5	2.06	20
G987419	3.92	<0.005	<0.5	6.22	63	960	2.7	<2	0.84	<0.5	6	41	15	2.26	20
G987420	4.46	<0.005	<0.5	6.71	64	1210	3.2	<2	1.36	<0.5	7	40	13	2.18	20
G987421	2.57	<0.005	<0.5	6.78	58	1200	3.6	2	1.24	<0.5	5	40	11	2.02	20
G987422	2.67	0.005	<0.5	6.80	28	690	4.3	<2	3.05	<0.5	13	39	153	5.04	20
G987423	1.17	<0.005	<0.5	6.90	114	1180	3.8	<2	1.43	<0.5	6	47	12	2.00	20
G987424	1.30	<0.005	<0.5	7.50	44	1090	4.1	<2	2.29	<0.5	4	33	5	1.36	20
G987425	1.37	<0.005	<0.5	6.59	58	1210	3.3	<2	1.53	<0.5	6	35	9	1.83	20
G987426	5.45	<0.005	<0.5	6.83	72	1240	3.3	<2	1.51	<0.5	6	31	8	2.23	20
G987427	3.96	<0.005	<0.5	7.01	20	1130	3.9	<2	1.88	<0.5	4	26	7	1.83	20
G987428	3.58	<0.005	<0.5	7.29	80	1520	3.5	<2	1.46	0.5	7	34	9	2.36	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08117141

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sn	Sr	Th
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	10	1	20
G987351		1.20	40	0.79	1130	<1	1.80	33	300	7	0.01	<5	10	<10	615	20
G987352		2.17	30	0.52	804	<1	1.58	25	430	41	0.01	5	9	<10	249	20
G987353		1.75	30	0.75	752	<1	1.53	33	360	10	0.01	<5	10	<10	348	20
G987354		1.77	30	0.71	749	<1	1.47	27	330	7	0.01	<5	8	<10	402	20
G987355		1.11	40	0.69	1160	1	1.91	34	410	7	0.01	<5	9	<10	573	20
G987356		0.04	<10	11.45	159	<1	0.03	3	590	5	<0.01	<5	<1	<10	115	<20
G987357		1.41	20	0.44	793	<1	1.65	23	310	16	<0.01	7	7	<10	402	20
G987358		1.71	30	0.49	623	<1	1.25	24	330	13	<0.01	<5	8	<10	390	20
G987359		1.09	20	0.32	685	<1	1.05	18	280	14	<0.01	5	5	<10	325	<20
G987360		1.75	30	0.40	681	<1	1.31	21	1030	19	<0.01	<5	7	<10	310	20
G987361		1.03	30	0.52	729	<1	1.56	27	320	17	<0.01	<5	7	<10	372	20
G987401		1.85	20	0.19	303	2	0.78	16	250	188	0.01	33	5	<10	126	20
G987402		2.06	20	0.23	338	1	0.90	19	340	84	0.01	11	5	<10	195	20
G987403		1.33	20	0.25	621	<1	0.90	22	330	39	0.01	13	5	<10	183	20
G987404		1.17	20	0.30	551	5	0.65	27	420	42	0.01	15	6	<10	116	<20
G987405		1.36	20	0.37	571	<1	1.12	24	310	23	<0.01	8	6	<10	193	20
G987406		1.87	20	0.32	438	<1	1.48	22	590	21	<0.01	<5	6	<10	388	20
G987407		1.56	20	0.44	340	<1	1.41	18	430	17	<0.01	<5	5	<10	333	20
G987408		1.54	30	0.55	372	<1	1.51	24	640	20	<0.01	<5	7	<10	442	20
G987409		1.58	30	0.55	383	<1	1.56	24	670	199	<0.01	<5	8	<10	458	20
G987410		0.39	10	2.64	2560	12	0.16	112	580	<2	>10.0	<5	3	20	103	<20
G987411		1.70	30	0.63	562	<1	1.49	30	660	20	0.02	5	8	10	429	20
G987412		2.17	30	0.58	362	<1	1.48	25	660	21	<0.01	<5	7	<10	436	20
G987413		1.80	30	0.51	460	<1	1.25	22	580	33	<0.01	7	7	<10	327	20
G987414		2.35	30	0.29	264	<1	1.74	15	390	45	<0.01	<5	5	<10	338	20
G987415		2.20	40	0.60	422	<1	1.39	25	550	47	<0.01	8	8	<10	299	20
G987416		0.04	<10	10.85	134	<1	0.03	4	350	5	0.01	<5	<1	<10	94	<20
G987417		1.40	30	0.61	399	<1	2.14	22	750	31	<0.01	6	7	<10	665	20
G987418		1.72	30	0.60	383	<1	2.04	20	750	18	<0.01	6	7	<10	624	20
G987419		1.71	30	0.44	377	<1	1.20	18	440	61	<0.01	7	7	<10	242	20
G987420		2.23	30	0.47	375	<1	1.37	21	530	75	<0.01	9	6	<10	372	20
G987421		2.18	40	0.43	393	<1	1.56	20	520	49	<0.01	5	7	<10	383	20
G987422		0.91	40	1.09	837	4	2.17	23	1000	17	0.01	18	15	<10	554	20
G987423		2.03	40	0.49	378	<1	1.66	24	520	54	<0.01	<5	7	<10	450	20
G987424		1.77	20	0.56	318	<1	2.28	16	560	25	<0.01	<5	6	<10	700	20
G987425		2.31	30	0.48	313	<1	1.66	17	580	35	<0.01	<5	6	<10	449	20
G987426		2.43	30	0.53	342	<1	1.62	20	540	40	0.01	<5	7	<10	419	20
G987427		2.55	30	0.52	275	<1	1.94	15	520	23	<0.01	<5	6	<10	497	20
G987428		2.47	40	0.63	356	<1	1.56	23	620	36	<0.01	<5	8	<10	422	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08117141

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10
G987351		0.31	<10	<10	55	250	122	250
G987352		0.28	<10	<10	58	200	143	190
G987353		0.30	<10	<10	56	40	110	40
G987354		0.27	<10	<10	46	60	88	70
G987355		0.32	<10	<10	55	850	99	840
G987356		0.01	<10	<10	3	<10	9	10
G987357		0.25	<10	<10	42	190	100	190
G987358		0.26	<10	<10	45	70	83	80
G987359		0.18	<10	<10	31	200	85	210
G987360		0.23	<10	<10	43	100	91	100
G987361		0.26	<10	<10	48	200	89	200
G987401		0.13	<10	<10	82	20	89	20
G987402		0.14	<10	<10	65	30	77	40
G987403		0.17	<10	<10	63	80	88	90
G987404		0.19	<10	<10	73	20	86	30
G987405		0.27	<10	<10	41	10	65	20
G987406		0.19	<10	<10	35	20	56	30
G987407		0.21	<10	<10	33	10	51	10
G987408		0.32	<10	<10	49	10	70	20
G987409		0.32	10	<10	50	20	72	20
G987410		0.08	<10	<10	28	>10000	114	9850
G987411		0.35	10	<10	52	40	77	30
G987412		0.32	10	<10	46	10	67	20
G987413		0.29	<10	<10	55	30	80	40
G987414		0.19	<10	<10	27	20	61	20
G987415		0.32	<10	<10	55	30	105	40
G987416		0.01	<10	<10	3	<10	9	<10
G987417		0.34	<10	<10	40	20	58	30
G987418		0.34	<10	<10	40	10	46	20
G987419		0.24	<10	<10	47	50	101	50
G987420		0.29	<10	<10	40	40	108	50
G987421		0.28	10	<10	43	40	79	50
G987422		0.71	<10	<10	73	1870	87	1860
G987423		0.28	<10	<10	39	30	93	40
G987424		0.29	<10	<10	33	20	49	40
G987425		0.26	<10	<10	36	30	66	30
G987426		0.26	<10	<10	39	30	71	40
G987427		0.24	<10	<10	29	10	54	20
G987428		0.30	<10	<10	43	40	94	50

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

CERTIFICATE TR08116966

Project: Dublin Gulch

P.O. No.:

This report is for 60 Rock samples submitted to our lab in Terrace, BC, Canada on 19-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF05	Trace Level XRF Analysis	XRF
ME-XRF10	Fusion XRF - Ore Grade	XRF

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08116966

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 W ppm 10	ME-XRF10 W % 0.01
H235651		4.79	1290	
H235652		3.32	130	
H235653		3.67	30	
H235654		4.96	100	
H235655		3.46	20	
H235656		0.38	10	
H235657		3.72	40	
H235658		3.39	1120	
H235659		4.54	850	
H235660		4.60	110	
H235661		2.33	80	
H235662		4.48	230	
H235663		4.52	40	
G987301		2.69	130	
G987302		1.96	160	
G987303		3.36	10	
G987304		3.00	10	
G987305		3.45	20	
G987306		2.69	10	
G987307		3.50	60	
G987308		2.92	10	
G987309		<0.02	10	
G987310		0.14	9830	
G987311		2.22	20	
G987312		4.73	40	
G987313		4.07	10	
G987314		2.54	10	
G987315		2.37	10	
G987316		0.42	<10	
G987317		2.22	10	
G987318		1.68	10	
G987319		2.29	<10	
G987320		2.47	10	
G987321		2.08	10	
G987322		3.38	10	
G987323		3.23	10	
G987324		1.80	10	
G987325		2.75	10	
G987326		2.55	10	
G987327		2.30	10	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS TR08116966

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 W ppm 10	ME-XRF10 W % 0.01
G987328		1.93	10	
G987329		<0.02	10	
G987330		0.14	>10000	2.79
G987331		2.95	10	
G987332		3.09	10	
G987333		3.76	10	
G987334		4.54	20	
G987335		5.68	10	
G987336		0.41	<10	
G987337		3.61	20	
G987338		3.89	30	
G987339		3.91	10	
G987340		4.25	20	
G987341		2.18	10	
G987342		3.07	10	
G987343		2.28	10	
G987344		2.04	10	
G987345		2.34	10	
G987346		2.22	10	
G987347		1.95	10	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

CERTIFICATE TR08114154

Project: Mar-Tungsten

P.O. No.:

This report is for 136 Rock samples submitted to our lab in Terrace, BC, Canada on 14-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
ME-XRF05	Trace Level XRF Analysis	XRF

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08114154

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
H235501		1.13	<0.005	<0.5	3.56	9	290	2.1	<2	8.90	<0.5	24	24	3	11.85	20
H235502		1.79	<0.005	<0.5	3.71	9	270	2.4	<2	8.70	<0.5	24	20	5	12.10	10
H235503		3.21	<0.005	<0.5	5.45	10	630	1.5	<2	1.57	<0.5	6	35	22	2.69	10
H235504		3.05	<0.005	<0.5	3.45	18	340	0.8	<2	0.30	<0.5	3	31	15	1.91	10
H235505		2.97	<0.005	<0.5	3.57	17	280	1.5	<2	5.12	<0.5	12	27	8	6.61	10
H235506		2.62	<0.005	0.8	5.01	27	430	2.8	<2	7.27	<0.5	21	33	23	10.55	20
H235507		2.78	<0.005	<0.5	6.18	90	530	1.7	<2	1.38	<0.5	9	51	32	2.93	20
H235508		2.98	0.010	1.1	5.27	136	480	3.2	<2	6.95	<0.5	23	36	22	11.10	20
H235509		<0.02	<0.005	<0.5	5.31	121	500	3.2	<2	7.17	<0.5	23	39	23	11.40	20
H235510		0.10	0.098	<0.5	6.96	120	560	2.6	<2	0.49	<0.5	57	1130	384	7.82	20
H235511		2.48	<0.005	<0.5	4.79	38	300	3.0	<2	9.37	<0.5	21	28	10	11.40	20
H235512		3.38	<0.005	0.6	5.21	68	410	3.2	<2	7.42	<0.5	18	30	7	9.21	20
H235513		1.99	0.005	<0.5	5.99	76	480	3.3	<2	7.41	<0.5	17	39	18	7.91	20
H235514		2.81	0.005	<0.5	5.51	114	420	3.8	<2	6.51	<0.5	16	22	8	7.48	20
H235515		1.86	<0.005	<0.5	6.31	27	760	4.1	<2	1.40	<0.5	1	11	7	1.12	20
H235516		0.67	<0.005	<0.5	0.11	<5	50	<0.5	2	18.10	<0.5	<1	1	<1	0.10	<10
H235517		1.54	<0.005	<0.5	7.04	24	1130	3.7	<2	1.20	<0.5	2	12	10	1.57	20
H235518		2.42	<0.005	<0.5	4.84	41	510	1.9	<2	0.88	<0.5	3	26	8	1.76	10
H235519		3.41	<0.005	<0.5	6.50	45	430	3.3	<2	5.64	<0.5	15	40	12	7.39	20
H235520		2.45	<0.005	0.5	8.32	144	650	3.2	<2	5.90	<0.5	19	55	23	8.79	30
H235521		1.03	<0.005	<0.5	7.90	96	820	1.8	<2	0.68	<0.5	9	57	21	3.36	20
H235522		1.06	<0.005	<0.5	7.77	95	810	1.8	<2	0.65	<0.5	8	56	19	3.41	20
H235523		2.98	<0.005	<0.5	4.75	38	500	1.0	<2	0.74	<0.5	5	35	14	2.05	10
H235524		3.18	<0.005	<0.5	7.52	37	770	4.2	<2	1.87	<0.5	4	30	10	2.23	20
H235525		2.44	<0.005	<0.5	7.35	32	780	4.4	<2	2.14	<0.5	2	22	12	1.89	20
H235526		2.51	<0.005	<0.5	7.40	90	750	2.3	<2	1.44	<0.5	9	53	12	3.57	20
H235527		2.14	<0.005	<0.5	7.16	38	670	2.3	<2	4.60	<0.5	10	49	13	4.59	20
H235528		2.76	<0.005	<0.5	5.95	14	540	1.4	<2	3.21	<0.5	8	46	22	3.58	10
H235529		<0.02	<0.005	<0.5	6.10	18	570	1.4	<2	3.21	<0.5	8	46	22	3.54	20
H235530		0.09	0.460	2.3	9.08	11	1060	1.2	<2	1.47	<0.5	6	13	7010	3.24	20
H235531		2.27	<0.005	<0.5	7.79	20	480	2.7	<2	5.52	<0.5	14	52	34	6.50	20
H235532		3.09	<0.005	<0.5	7.91	30	730	1.8	<2	0.41	<0.5	10	60	18	3.19	20
H235533		2.25	<0.005	<0.5	2.84	26	220	1.9	<2	6.16	<0.5	17	20	14	8.80	10
H235534		3.20	<0.005	<0.5	7.29	17	470	1.9	<2	6.51	<0.5	15	54	20	5.48	20
H235535		2.89	<0.005	<0.5	7.93	18	640	2.0	<2	1.81	<0.5	10	58	28	3.14	20
H235536		0.81	0.007	<0.5	0.16	<5	20	<0.5	4	19.00	<0.5	<1	3	<1	0.13	<10
H235537		2.93	<0.005	<0.5	11.05	25	1020	2.5	<2	0.59	<0.5	7	87	42	3.74	30
H235538		2.49	<0.005	<0.5	10.60	30	900	2.5	<2	0.79	<0.5	11	83	45	3.85	30
H235539		2.66	<0.005	<0.5	8.67	11	650	1.8	<2	2.75	<0.5	12	73	40	3.89	20
H235540		3.13	<0.005	<0.5	11.10	23	930	2.6	<2	0.60	<0.5	7	88	36	4.04	30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08114154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sn	Sr	Th
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	10	1	20
H235501		0.57	20	0.54	3310	1	0.92	20	750	3	<0.01	<5	5	<10	427	<20
H235502		0.55	20	0.51	3350	1	0.93	23	570	2	<0.01	<5	4	<10	380	<20
H235503		1.77	30	0.57	507	<1	1.03	21	220	5	0.04	<5	7	<10	233	20
H235504		1.24	20	0.41	296	<1	0.72	8	100	3	0.02	<5	5	<10	59	<20
H235505		0.86	20	0.52	1770	<1	0.82	16	640	6	<0.01	6	4	<10	264	<20
H235506		1.30	30	0.62	2810	<1	0.91	26	450	5	0.02	<5	8	<10	391	20
H235507		1.77	30	0.66	447	<1	1.22	26	230	10	0.04	<5	8	<10	230	<20
H235508		0.92	30	0.69	2500	<1	1.08	33	380	4	0.01	<5	8	<10	360	<20
H235509		0.93	30	0.71	2630	<1	1.09	33	380	3	0.01	<5	8	10	363	<20
H235510		2.13	40	0.53	359	9	0.12	454	350	147	0.03	9	15	<10	57	20
H235511		0.46	20	0.93	3650	2	1.00	24	290	6	<0.01	<5	6	10	436	<20
H235512		0.79	30	0.66	2650	2	1.19	22	710	4	<0.01	<5	6	<10	441	<20
H235513		0.79	30	0.75	2460	2	0.89	20	230	3	0.02	<5	7	10	543	<20
H235514		0.82	30	0.56	2330	1	1.36	15	330	10	0.01	<5	5	10	468	20
H235515		2.59	20	0.19	169	1	1.72	4	210	19	<0.01	<5	2	<10	371	20
H235516		0.03	10	10.95	147	<1	0.01	2	530	<2	<0.01	<5	<1	<10	116	<20
H235517		3.25	20	0.30	188	1	1.84	8	340	28	<0.01	<5	3	<10	407	20
H235518		1.62	20	0.42	254	1	1.14	11	170	13	<0.01	<5	4	<10	219	20
H235519		1.26	30	0.82	2040	<1	1.17	19	400	8	0.01	<5	7	10	369	20
H235520		2.20	40	0.91	2390	4	1.13	28	390	10	0.01	<5	12	<10	388	20
H235521		2.62	40	0.82	375	1	0.93	22	170	12	<0.01	<5	10	<10	186	20
H235522		2.68	40	0.80	374	1	1.01	22	200	12	<0.01	<5	10	<10	190	20
H235523		1.58	30	0.52	332	<1	0.93	12	190	7	0.01	<5	6	<10	142	<20
H235524		1.76	30	0.56	384	1	1.94	8	380	14	<0.01	<5	6	<10	531	20
H235525		1.66	20	0.47	348	<1	2.14	6	390	14	<0.01	<5	5	<10	640	40
H235526		2.20	40	0.68	469	1	1.12	25	750	10	<0.01	<5	10	<10	272	20
H235527		2.09	40	0.77	1130	1	0.94	19	440	9	0.02	<5	8	10	450	20
H235528		1.77	30	0.69	845	1	0.69	20	390	7	0.03	<5	8	<10	293	<20
H235529		1.81	30	0.71	827	1	0.69	23	390	9	0.03	5	8	<10	299	<20
H235530		3.54	10	1.10	480	4	3.26	8	1970	10	0.25	5	8	10	745	<20
H235531		1.98	40	1.01	1770	1	0.95	22	510	6	0.04	<5	11	10	460	20
H235532		2.69	40	0.69	328	1	0.82	24	280	11	0.01	<5	11	<10	142	20
H235533		0.62	10	0.57	2490	3	0.64	18	200	6	<0.01	<5	4	10	211	<20
H235534		1.51	40	0.97	1460	1	0.92	31	440	8	0.02	<5	10	<10	515	20
H235535		2.16	40	0.75	556	1	1.16	32	350	6	0.09	<5	10	<10	328	20
H235536		0.04	10	11.40	175	1	0.02	<1	510	<2	0.01	<5	<1	<10	122	<20
H235537		3.30	50	1.01	370	1	1.28	17	370	7	0.21	<5	15	<10	250	20
H235538		3.08	40	0.99	346	1	1.49	24	360	7	0.07	<5	13	<10	269	20
H235539		1.92	30	0.95	602	1	1.05	46	500	8	0.11	<5	11	<10	296	20
H235540		3.08	50	0.96	387	1	1.43	12	450	10	0.14	<5	14	<10	270	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08114154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10
H235501		0.17	<10	<10	30	560	136	570
H235502		0.15	<10	<10	28	800	132	800
H235503		0.20	<10	<10	40	20	47	20
H235504		0.14	<10	<10	29	10	32	10
H235505		0.16	<10	<10	28	180	76	180
H235506		0.20	<10	<10	47	670	123	690
H235507		0.26	<10	<10	54	10	52	10
H235508		0.23	<10	<10	51	420	109	430
H235509		0.24	<10	<10	52	400	110	410
H235510		0.25	<10	<10	85	30	651	40
H235511		0.19	<10	10	39	1100	174	1140
H235512		0.18	<10	10	39	550	119	570
H235513		0.24	<10	<10	45	370	107	360
H235514		0.16	<10	<10	27	20	91	30
H235515		0.11	<10	<10	10	<10	16	10
H235516		<0.01	<10	20	4	<10	6	<10
H235517		0.16	<10	<10	15	<10	32	10
H235518		0.15	<10	<10	24	10	28	10
H235519		0.25	<10	10	46	20	97	20
H235520		0.32	<10	<10	70	1190	153	1190
H235521		0.34	<10	<10	64	<10	81	10
H235522		0.32	<10	<10	63	10	78	10
H235523		0.19	<10	<10	34	20	39	20
H235524		0.21	<10	<10	35	<10	38	10
H235525		0.17	<10	<10	24	<10	25	10
H235526		0.29	<10	<10	58	<10	65	10
H235527		0.27	<10	<10	54	170	91	160
H235528		0.23	<10	<10	50	30	90	30
H235529		0.24	<10	<10	52	20	89	30
H235530		0.33	<10	<10	165	<10	62	<10
H235531		0.37	<10	<10	67	230	125	240
H235532		0.35	<10	<10	67	10	76	10
H235533		0.11	<10	<10	25	1080	110	1100
H235534		0.31	<10	<10	63	80	105	80
H235535		0.28	<10	<10	61	40	68	40
H235536		0.01	<10	20	5	<10	7	<10
H235537		0.38	<10	<10	90	<10	85	10
H235538		0.39	<10	<10	84	<10	86	10
H235539		0.36	<10	<10	75	<10	83	10
H235540		0.42	<10	<10	90	<10	85	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08114154

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
H235541		4.61	<0.005	<0.5	8.37	6	420	2.4	<2	10.05	<0.5	17	58	12	6.37	30
H235542		3.01	<0.005	<0.5	8.35	16	440	2.2	<2	9.70	<0.5	17	61	20	6.17	30
H235543		3.88	<0.005	<0.5	6.92	16	360	2.2	<2	7.52	<0.5	17	47	15	7.76	20
H235544		3.13	<0.005	<0.5	6.64	7	500	1.7	<2	4.81	<0.5	11	56	21	4.17	20
H235545		3.35	<0.005	<0.5	7.96	11	720	2.0	<2	2.10	<0.5	11	65	40	3.34	20
H235546		3.74	<0.005	<0.5	8.37	5	810	2.2	<2	2.18	<0.5	11	69	26	3.23	20
H235547		3.56	<0.005	<0.5	7.19	15	770	1.5	<2	0.43	<0.5	4	58	21	2.77	20
H235548		4.45	<0.005	<0.5	9.04	23	950	2.6	<2	4.83	<0.5	27	74	43	6.41	30
H235549		<0.02	<0.005	<0.5	6.79	1240	680	6.2	<2	0.02	<0.5	4	214	35	3.78	20
H235550		0.09	1.535	<0.5	7.87	7	850	1.8	<2	0.53	<0.5	4	64	28	3.18	20
H235551		4.11	<0.005	0.5	8.08	19	830	2.0	<2	2.20	<0.5	8	61	36	3.80	20
H235552		2.49	<0.005	<0.5	6.78	191	1270	3.9	<2	0.57	<0.5	3	16	5	1.56	20
H228501		4.06	<0.005	0.6	6.89	199	1280	3.9	<2	0.58	<0.5	4	17	5	1.57	20
H228502		4.20	<0.005	<0.5	6.76	167	1120	3.9	<2	0.54	<0.5	2	15	2	1.29	20
H228503		4.85	<0.005	<0.5	7.10	240	1210	2.9	<2	0.59	<0.5	5	24	3	2.12	20
H228504		6.49	<0.005	<0.5	7.30	246	1280	3.4	<2	0.75	<0.5	4	32	2	2.51	20
H228505		6.59	<0.005	<0.5	6.47	143	1620	3.9	<2	0.72	<0.5	3	16	1	1.38	20
H228506		4.59	<0.005	<0.5	6.66	182	1310	3.3	<2	0.60	<0.5	3	17	<1	1.52	20
H228507		5.52	0.078	0.9	6.97	3740	890	4.6	2	1.05	<0.5	3	27	3	2.04	20
H228508		4.95	0.271	1.3	7.18	5980	1140	4.7	8	0.77	1.4	3	30	21	3.77	20
H228509		<0.02	0.295	1.0	7.15	6140	1120	4.7	10	0.79	1.3	2	30	21	3.91	20
H228510		0.08	1.490	<0.5	6.60	1225	660	5.9	<2	0.01	<0.5	5	205	35	3.66	20
H228511		6.07	<0.005	<0.5	7.09	268	1040	3.5	<2	0.64	<0.5	3	16	<1	1.41	20
H228512		4.59	<0.005	<0.5	7.16	308	1620	3.3	<2	1.39	<0.5	5	30	2	2.08	20
H228513		4.26	<0.005	<0.5	7.20	393	1480	3.2	<2	1.28	<0.5	7	26	5	2.64	20
H228514		3.97	<0.005	<0.5	7.00	224	1860	2.9	<2	0.75	<0.5	5	24	2	1.78	20
H228515		5.78	<0.005	<0.5	7.19	275	1420	3.6	<2	0.87	<0.5	6	25	2	2.05	20
H228516		0.98	<0.005	<0.5	0.16	8	20	<0.5	<2	17.85	<0.5	1	1	<1	0.14	<10
H228517		3.45	<0.005	<0.5	7.65	283	1470	3.5	<2	2.03	<0.5	6	28	<1	1.74	20
H228518		4.45	<0.005	<0.5	6.77	373	1210	3.6	<2	1.05	<0.5	6	28	3	1.99	20
H228519		5.28	<0.005	<0.5	7.75	438	1420	4.0	2	0.57	<0.5	8	37	4	2.68	20
H228520		5.21	<0.005	<0.5	6.86	290	1040	3.7	<2	1.85	<0.5	4	28	1	1.73	20
H228521		3.29	<0.005	<0.5	8.13	356	1240	4.0	<2	1.96	<0.5	6	27	2	2.17	20
H228522		1.92	<0.005	<0.5	7.28	303	1170	3.9	<2	1.78	<0.5	6	23	1	2.07	20
H228523		5.97	0.037	<0.5	7.06	1870	1430	3.7	2	0.36	<0.5	9	30	48	3.56	20
H228524		6.46	0.029	<0.5	7.20	1530	1710	3.5	<2	0.76	<0.5	13	29	4	2.57	20
H228525		5.92	<0.005	<0.5	6.86	294	1470	3.9	<2	0.86	<0.5	4	30	1	1.68	20
H228526		4.63	<0.005	<0.5	7.01	325	1390	3.7	<2	1.60	<0.5	7	36	2	1.84	20
H228527		6.31	0.012	<0.5	4.88	960	1710	2.6	<2	0.60	0.5	6	37	3	2.15	10
H228528		4.82	0.022	<0.5	6.01	2440	2250	3.1	<2	0.33	0.9	8	45	6	3.56	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08114154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sn	Sr	Th
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	10	1	20
H235541		1.41	40	0.97	1575	1	0.81	38	500	2	0.02	<5	10	<10	664	20
H235542		1.22	40	1.02	1590	1	0.88	33	380	5	0.08	<5	10	<10	674	20
H235543		0.82	40	0.70	2030	2	1.34	35	440	4	0.02	<5	9	<10	697	20
H235544		1.71	40	0.65	909	1	0.80	29	330	5	0.03	<5	8	<10	413	20
H235545		2.52	40	0.82	503	1	0.95	36	350	11	0.14	<5	11	<10	314	20
H235546		2.81	40	0.98	448	<1	1.14	32	510	10	0.07	<5	12	<10	298	20
H235547		2.57	30	0.70	272	<1	1.38	12	260	10	0.07	<5	10	<10	169	20
H235548		3.15	40	4.95	1115	<1	1.76	49	1170	11	0.15	<5	11	<10	373	20
H235549		2.72	40	0.37	87	1	0.12	20	320	25	0.01	115	13	<10	93	<20
H235550		3.11	40	0.97	303	<1	1.00	9	1000	9	0.18	<5	11	<10	196	<20
H235551		2.58	40	2.20	625	<1	1.02	21	560	8	0.30	<5	12	<10	319	<20
H235552		2.70	30	0.33	298	<1	1.27	11	290	22	<0.01	<5	4	<10	257	20
H228501		2.71	30	0.33	302	<1	1.29	11	290	22	<0.01	7	4	<10	263	20
H228502		2.73	30	0.29	214	<1	1.43	9	280	23	<0.01	<5	4	<10	253	20
H228503		2.76	30	0.33	396	<1	0.51	12	420	20	<0.01	9	6	<10	195	20
H228504		2.65	30	0.39	393	<1	0.85	12	520	17	<0.01	5	7	<10	239	20
H228505		3.15	20	0.32	230	<1	1.48	8	290	16	<0.01	<5	4	<10	286	20
H228506		3.63	30	0.26	314	<1	0.90	8	260	20	<0.01	<5	4	<10	207	20
H228507		2.87	30	0.30	190	<1	1.66	12	330	60	<0.01	8	5	<10	301	20
H228508		2.73	50	0.35	319	1	1.09	12	470	191	<0.01	26	5	10	194	20
H228509		2.69	50	0.35	322	1	1.07	11	470	188	<0.01	27	5	10	194	20
H228510		2.66	40	0.35	82	1	0.11	16	300	24	0.01	116	13	<10	88	<20
H228511		2.33	30	0.35	395	<1	0.86	11	400	31	<0.01	7	5	<10	193	20
H228512		2.78	40	0.44	338	<1	1.52	16	620	26	<0.01	<5	7	<10	410	20
H228513		3.13	40	0.54	360	<1	1.23	17	570	31	<0.01	9	7	<10	341	20
H228514		3.48	30	0.42	294	<1	1.25	13	480	21	<0.01	<5	5	<10	297	20
H228515		2.59	40	0.35	322	<1	1.53	16	600	17	<0.01	11	6	<10	324	20
H228516		0.04	<10	10.50	154	1	0.02	2	500	3	<0.01	<5	1	<10	106	<20
H228517		2.74	30	0.62	411	<1	2.06	19	600	20	<0.01	<5	7	<10	580	20
H228518		2.60	40	0.46	252	<1	1.57	17	600	19	<0.01	<5	7	<10	374	20
H228519		3.24	50	0.30	234	1	1.39	23	720	22	<0.01	8	7	<10	203	20
H228520		1.79	40	0.58	244	<1	1.91	17	620	15	<0.01	<5	6	<10	559	20
H228521		2.90	40	0.68	309	<1	1.89	20	690	28	<0.01	<5	7	<10	479	20
H228522		2.72	30	0.61	283	<1	1.77	17	610	27	<0.01	5	6	<10	450	20
H228523		3.30	50	0.36	1145	5	0.67	17	590	71	<0.01	32	7	10	110	20
H228524		3.23	40	0.46	884	<1	1.05	20	550	47	0.01	8	7	<10	293	20
H228525		2.66	30	0.32	175	<1	1.80	13	490	20	<0.01	<5	6	<10	362	20
H228526		2.40	40	0.61	525	<1	1.81	21	690	18	<0.01	<5	8	10	519	20
H228527		2.17	40	0.25	1410	4	0.84	19	390	33	<0.01	13	5	<10	221	<20
H228528		2.84	50	0.24	2320	11	0.90	32	440	45	<0.01	25	6	<10	189	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08114154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10
H235541		0.36	<10	<10	79	190	160	190
H235542		0.37	<10	<10	76	140	140	150
H235543		0.29	<10	<10	61	480	113	470
H235544		0.30	<10	<10	61	50	97	50
H235545		0.31	<10	<10	72	<10	82	10
H235546		0.37	<10	<10	80	<10	74	10
H235547		0.27	<10	<10	58	<10	43	<10
H235548		0.32	<10	<10	88	<10	128	10
H235549		0.28	<10	<10	86	10	44	10
H235550		0.24	<10	<10	66	<10	56	10
H235551		0.23	<10	<10	66	<10	57	10
H235552		0.14	<10	<10	21	20	28	10
H228501		0.15	<10	<10	21	20	29	20
H228502		0.13	<10	<10	19	10	25	20
H228503		0.22	<10	<10	31	30	33	40
H228504		0.25	<10	<10	35	40	40	50
H228505		0.14	<10	<10	20	10	25	20
H228506		0.13	10	<10	19	30	23	20
H228507		0.15	<10	10	27	110	41	100
H228508		0.18	<10	10	46	100	194	110
H228509		0.18	<10	10	46	90	194	100
H228510		0.26	<10	<10	85	10	43	20
H228511		0.19	<10	<10	25	440	31	420
H228512		0.29	<10	<10	37	20	43	20
H228513		0.27	<10	<10	36	20	52	30
H228514		0.22	<10	<10	29	20	40	20
H228515		0.28	<10	<10	37	40	30	40
H228516		0.01	<10	10	2	<10	5	<10
H228517		0.30	<10	<10	34	10	36	30
H228518		0.27	<10	<10	35	190	40	180
H228519		0.34	<10	10	49	30	54	40
H228520		0.29	<10	10	34	310	43	310
H228521		0.33	<10	<10	37	880	52	900
H228522		0.28	<10	<10	33	200	44	190
H228523		0.23	<10	<10	47	90	74	110
H228524		0.26	<10	<10	44	90	60	100
H228525		0.22	<10	<10	30	20	35	20
H228526		0.31	<10	<10	38	50	51	60
H228527		0.18	<10	<10	39	160	51	150
H228528		0.19	<10	<10	56	260	108	280

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08114154

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
H228529		<0.02	0.047	<0.5	5.93	2520	2210	3.1	<2	0.33	1.1	8	29	5	3.63	20
H228530		0.09	0.095	0.6	6.71	101	570	2.5	<2	0.50	0.5	55	1160	356	7.63	20
H228531		5.40	0.016	<0.5	2.99	467	520	1.8	<2	0.26	<0.5	2	43	23	2.02	10
H228532		2.98	<0.005	<0.5	6.74	286	1350	3.3	<2	1.39	<0.5	6	27	4	1.62	20
H228533		3.05	<0.005	<0.5	7.91	415	1490	3.8	<2	0.77	<0.5	8	41	8	2.31	20
H228534		5.03	<0.005	<0.5	6.62	373	1240	2.6	<2	0.39	0.5	8	30	7	2.10	20
H228535		0.88	0.005	<0.5	8.50	412	1810	3.1	<2	0.45	<0.5	9	37	8	2.27	20
H228536		0.87	<0.005	<0.5	0.25	6	40	<0.5	<2	18.50	<0.5	2	2	2	0.16	<10
H228537		4.02	0.005	<0.5	6.38	431	1250	2.9	<2	0.52	<0.5	12	27	7	2.32	20
H228538		3.64	0.008	<0.5	3.44	1090	480	2.0	<2	0.16	0.5	4	20	6	2.22	10
H228539		5.07	<0.005	<0.5	7.85	430	1980	3.2	<2	0.60	<0.5	7	33	8	2.29	20
H228540		3.80	0.019	0.5	8.32	725	1540	4.1	<2	0.29	0.8	10	35	15	2.86	20
H228541		5.63	0.510	3.1	7.51	>10000	3620	4.1	5	1.61	4.4	2	41	67	10.15	20
H228542		3.22	0.132	1.7	8.61	>10000	1770	4.5	5	0.83	3.7	3	34	100	8.70	20
H228543		4.85	0.009	<0.5	8.41	442	3460	3.6	<2	0.42	<0.5	5	30	10	1.98	20
H228544		2.62	<0.005	<0.5	7.91	287	1560	3.2	<2	1.02	<0.5	8	30	8	2.29	20
H228545		3.68	<0.005	<0.5	8.04	316	1610	3.6	<2	1.24	<0.5	7	33	10	2.50	20
H228546		2.59	<0.005	<0.5	8.12	291	1930	4.2	<2	1.70	<0.5	5	28	5	1.94	20
H228547		3.27	<0.005	<0.5	7.99	336	1680	3.6	<2	1.34	<0.5	6	28	7	2.11	20
H228548		5.32	<0.005	<0.5	7.33	483	1070	3.3	<2	0.71	<0.5	7	29	8	2.56	20
H228549		<0.02	<0.005	<0.5	7.31	481	1090	3.4	<2	0.72	<0.5	7	33	8	2.78	20
H228550		0.09	2.78	<0.5	7.66	2160	760	14.7	<2	0.01	<0.5	1	162	101	3.35	20
H228551		2.80	0.005	<0.5	8.38	773	1780	3.6	<2	0.99	<0.5	12	82	10	3.25	20
H228552		3.06	<0.005	<0.5	7.83	370	1550	3.6	<2	1.38	<0.5	7	30	9	2.37	20
H228553		2.47	<0.005	<0.5	7.86	354	1490	3.7	<2	1.38	<0.5	6	28	8	2.08	20
H228554		4.22	<0.005	<0.5	7.57	378	1710	3.4	<2	1.09	<0.5	6	29	8	2.11	20
H228555		4.54	<0.005	<0.5	7.93	314	1430	3.8	<2	1.45	<0.5	7	28	6	2.10	20
H228556		0.73	<0.005	<0.5	0.13	10	20	<0.5	<2	18.60	<0.5	1	2	1	0.13	<10
H228557		4.18	<0.005	<0.5	7.45	331	1430	3.8	<2	1.05	<0.5	7	24	9	1.87	20
H228558		2.06	<0.005	<0.5	7.75	478	1590	3.6	<2	1.04	<0.5	7	31	15	2.27	20
H228559		4.45	<0.005	<0.5	6.98	424	1390	3.2	<2	1.04	<0.5	6	28	10	2.08	20
H228560		3.66	0.012	0.8	8.51	1055	1180	4.6	<2	0.18	0.8	6	36	33	3.07	20
H228561		3.63	<0.005	<0.5	8.28	620	1230	3.7	<2	0.37	<0.5	9	32	10	2.40	20
H228562		2.34	0.006	<0.5	8.35	630	1040	3.7	<2	0.21	<0.5	8	32	9	2.34	20
H228563		3.16	0.044	<0.5	5.58	4770	1020	2.8	<2	0.28	0.5	6	33	9	2.81	10
H228564		5.24	0.008	<0.5	7.05	575	1210	3.3	<2	0.47	<0.5	6	34	12	2.31	20
H228565		4.55	0.005	<0.5	7.68	534	1030	3.8	<2	0.54	<0.5	5	34	8	2.19	20
H228566		5.28	<0.005	<0.5	7.26	502	860	3.4	<2	0.22	<0.5	7	32	9	2.84	20
H228567		3.50	0.011	<0.5	7.34	856	1200	3.4	<2	0.33	<0.5	7	28	9	2.49	20
H228568		3.42	0.006	<0.5	7.13	509	1330	3.1	<2	0.91	<0.5	7	27	9	2.56	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08114154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sn	Sr	Th
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	10	1	20
H228529		2.80	40	0.24	2360	13	0.88	25	440	45	<0.01	28	6	<10	185	<20
H228530		1.94	40	0.52	365	8	0.11	457	350	146	0.03	12	16	<10	51	<20
H228531		0.82	30	0.14	171	<1	0.52	11	240	38	<0.01	19	3	<10	125	<20
H228532		2.22	40	0.43	297	2	1.45	19	570	18	<0.01	9	6	<10	460	20
H228533		3.13	50	0.33	515	<1	1.22	25	590	30	<0.01	5	8	<10	308	20
H228534		2.28	40	0.22	687	<1	0.67	18	460	19	<0.01	11	6	<10	182	20
H228535		3.72	50	0.23	552	<1	0.82	21	740	56	<0.01	13	8	<10	240	20
H228536		0.07	<10	11.30	171	<1	0.05	5	550	3	<0.01	<5	1	<10	129	<20
H228537		1.91	60	0.33	838	<1	0.50	20	480	20	<0.01	16	7	<10	187	20
H228538		1.06	30	0.11	421	1	0.51	11	260	29	<0.01	14	3	<10	53	<20
H228539		3.58	50	0.24	521	<1	1.44	24	630	25	<0.01	<5	7	<10	337	20
H228540		3.14	60	0.24	925	1	1.04	22	610	136	<0.01	20	8	<10	145	20
H228541		3.13	60	0.28	780	10	0.38	11	630	294	0.02	147	10	10	171	20
H228542		3.59	60	0.33	839	8	0.56	16	570	560	<0.01	158	9	10	193	20
H228543		4.18	50	0.27	753	2	1.58	20	680	68	<0.01	13	7	<10	387	20
H228544		3.11	40	0.62	424	<1	1.17	20	610	26	<0.01	7	7	<10	389	20
H228545		2.98	40	0.61	390	<1	1.28	26	670	29	<0.01	6	8	<10	405	20
H228546		3.14	40	0.62	324	<1	1.89	23	720	23	<0.01	<5	7	<10	585	20
H228547		2.80	40	0.51	336	<1	1.63	19	690	20	<0.01	<5	7	<10	492	20
H228548		2.17	50	0.29	414	1	1.50	23	530	22	<0.01	6	7	<10	317	20
H228549		2.24	50	0.29	434	1	1.50	23	530	21	<0.01	5	7	<10	323	20
H228550		3.14	50	0.35	71	2	0.08	10	350	34	0.02	159	15	<10	153	20
H228551		4.05	60	0.62	615	1	1.39	31	730	33	<0.01	7	12	<10	385	20
H228552		2.98	40	0.49	314	<1	1.44	23	670	25	<0.01	<5	7	<10	424	20
H228553		2.80	40	0.48	366	<1	1.60	26	670	23	<0.01	<5	7	<10	461	20
H228554		2.45	40	0.26	620	<1	1.72	22	620	19	<0.01	10	7	<10	467	20
H228555		2.41	40	0.35	446	<1	1.74	16	650	22	<0.01	5	7	<10	529	20
H228556		0.03	<10	11.10	158	<1	0.02	4	540	<2	<0.01	<5	<1	<10	113	<20
H228557		3.21	30	0.28	504	<1	1.66	17	500	34	<0.01	8	6	<10	398	20
H228558		3.06	40	0.35	256	<1	1.65	22	680	29	<0.01	8	7	<10	442	20
H228559		2.34	40	0.37	282	<1	1.40	20	590	29	<0.01	<5	7	<10	392	20
H228560		3.21	60	0.21	808	2	0.75	18	640	514	<0.01	37	8	<10	61	20
H228561		2.92	50	0.21	449	7	1.26	19	550	69	<0.01	15	7	<10	143	30
H228562		2.65	50	0.19	445	<1	1.28	20	550	62	<0.01	15	7	<10	99	30
H228563		1.77	40	0.17	468	1	0.63	13	380	123	<0.01	16	5	<10	62	<20
H228564		2.44	40	0.23	371	1	1.19	18	600	30	<0.01	14	7	<10	192	20
H228565		2.34	50	0.26	463	1	1.34	19	580	29	<0.01	9	7	<10	166	20
H228566		2.65	50	0.20	670	2	0.89	15	590	63	<0.01	5	7	<10	48	20
H228567		2.91	60	0.23	613	2	1.06	15	560	38	<0.01	12	7	<10	127	20
H228568		2.85	40	0.34	401	<1	1.51	14	570	27	<0.01	<5	7	<10	306	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08114154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10
H228529		0.18	<10	10	57	260	111	280
H228530		0.23	<10	<10	84	30	618	40
H228531		0.11	<10	<10	21	320	54	310
H228532		0.28	<10	<10	32	2160	38	2140
H228533		0.33	<10	<10	49	50	70	50
H228534		0.27	<10	<10	37	270	60	270
H228535		0.35	<10	<10	46	80	97	80
H228536		0.01	<10	<10	3	<10	8	<10
H228537		0.25	<10	<10	37	610	74	600
H228538		0.12	<10	<10	26	440	57	430
H228539		0.32	<10	<10	43	20	59	20
H228540		0.33	<10	<10	50	60	218	70
H228541		0.18	<10	40	69	260	433	280
H228542		0.21	<10	20	61	230	633	250
H228543		0.30	<10	<10	45	1480	77	1470
H228544		0.32	<10	<10	38	30	56	40
H228545		0.33	<10	<10	41	30	67	40
H228546		0.32	<10	<10	37	10	46	20
H228547		0.30	<10	<10	37	10	46	20
H228548		0.27	<10	<10	41	520	46	510
H228549		0.28	<10	<10	42	470	48	480
H228550		0.27	<10	<10	105	20	20	30
H228551		0.35	10	<10	64	20	84	30
H228552		0.32	<10	<10	39	10	55	20
H228553		0.31	<10	<10	38	150	51	150
H228554		0.29	<10	<10	39	80	40	80
H228555		0.30	<10	<10	35	60	40	60
H228556		0.01	<10	<10	2	<10	7	<10
H228557		0.24	<10	<10	30	40	52	40
H228558		0.31	<10	<10	42	20	68	20
H228559		0.28	<10	<10	36	90	59	90
H228560		0.31	<10	<10	53	470	414	470
H228561		0.31	<10	<10	44	2610	121	3970
H228562		0.31	<10	<10	44	140	116	140
H228563		0.20	<10	10	39	190	102	190
H228564		0.28	<10	<10	42	100	78	100
H228565		0.30	<10	<10	44	180	60	180
H228566		0.29	<10	<10	44	70	124	70
H228567		0.27	<10	<10	44	100	86	110
H228568		0.27	<10	<10	37	60	60	70

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08114154

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
H228569		<0.02	0.007	<0.5	7.04	514	1350	3.1	<2	0.88	<0.5	6	26	9	2.42	20
H228570		0.08	0.093	<0.5	6.45	106	550	2.6	<2	0.53	<0.5	56	1150	377	8.17	20
H228571		3.94	<0.005	<0.5	6.56	381	1160	3.3	<2	1.18	<0.5	5	22	8	1.93	20
H228572		4.32	<0.005	<0.5	7.31	413	1520	3.2	<2	1.63	<0.5	6	25	9	2.29	20
H228573		4.23	<0.005	<0.5	7.14	433	1500	3.0	<2	1.04	<0.5	7	29	7	2.36	20
H228574		2.98	0.015	<0.5	4.75	425	570	2.2	<2	0.20	<0.5	3	18	5	2.04	10
H228575		4.89	<0.005	<0.5	6.68	314	1000	3.1	<2	0.24	<0.5	5	26	7	2.78	20
H228576		0.71	<0.005	<0.5	0.15	9	20	<0.5	<2	17.55	<0.5	<1	2	<1	0.15	<10
H228577		4.88	0.006	<0.5	7.42	462	1550	3.5	<2	0.56	<0.5	8	28	4	2.35	20
H228578		6.43	<0.005	<0.5	7.48	400	1710	3.2	<2	0.58	<0.5	16	29	5	2.32	20
H228579		6.37	0.095	<0.5	6.17	5040	960	3.2	<2	0.60	1.0	11	28	8	3.85	20
H228580		4.85	<0.005	<0.5	6.71	297	1060	3.6	<2	2.00	<0.5	5	24	3	1.83	20
H228581		2.94	<0.005	<0.5	6.99	283	1390	3.0	<2	1.84	<0.5	6	25	4	2.30	20
H228582		3.68	<0.005	<0.5	6.91	286	1280	3.4	<2	2.06	<0.5	5	25	3	1.89	20
H228583		3.24	<0.005	<0.5	6.31	298	1120	3.1	<2	1.19	<0.5	5	24	4	2.03	20
H228584		5.30	<0.005	<0.5	6.95	236	1380	3.8	<2	0.91	<0.5	5	27	3	1.61	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08114154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sn	Sr	Th
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	10	1	20
H228569		2.91	40	0.34	379	1	1.51	15	580	26	<0.01	<5	7	<10	308	20
H228570		2.15	40	0.54	358	7	0.13	444	340	141	0.02	<5	15	<10	50	20
H228571		2.56	30	0.38	267	<1	1.61	13	500	22	<0.01	<5	6	<10	380	20
H228572		2.96	40	0.54	329	1	1.74	14	640	23	<0.01	<5	8	<10	483	20
H228573		3.17	40	0.36	479	<1	1.63	16	610	22	<0.01	6	7	<10	373	20
H228574		1.84	30	0.16	235	<1	0.20	6	320	74	<0.01	25	4	<10	41	<20
H228575		2.46	40	0.21	522	<1	1.07	11	490	45	<0.01	12	6	<10	93	20
H228576		0.03	<10	10.45	178	<1	0.02	1	440	<2	<0.01	<5	<1	<10	106	<20
H228577		3.49	40	0.20	475	<1	1.42	12	580	64	<0.01	10	7	<10	235	20
H228578		3.23	40	0.22	815	<1	1.47	15	610	50	<0.01	11	7	<10	311	20
H228579		2.41	50	0.23	780	2	0.95	12	530	576	<0.01	80	6	<10	128	20
H228580		2.07	30	0.57	311	<1	2.01	12	570	35	<0.01	<5	6	<10	564	20
H228581		2.73	40	0.63	327	<1	1.81	15	610	25	<0.01	<5	7	<10	494	20
H228582		2.24	30	0.63	316	<1	2.10	14	610	23	<0.01	<5	7	<10	593	20
H228583		2.14	40	0.47	337	<1	1.74	13	530	24	<0.01	<5	6	<10	420	20
H228584		2.44	40	0.40	422	1	2.26	12	560	23	<0.01	<5	6	<10	451	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 9-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08114154

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10
H228569		0.27	<10	<10	38	60	61	70
H228570		0.24	<10	<10	85	30	607	40
H228571		0.23	<10	<10	30	30	47	30
H228572		0.30	<10	<10	37	30	52	30
H228573		0.28	<10	<10	38	50	48	50
H228574		0.16	<10	<10	27	70	152	80
H228575		0.24	<10	<10	35	60	93	70
H228576		0.01	<10	10	2	<10	7	<10
H228577		0.27	<10	10	37	50	127	60
H228578		0.29	<10	<10	39	90	86	90
H228579		0.22	<10	20	41	60	262	70
H228580		0.27	<10	<10	31	50	44	50
H228581		0.29	<10	<10	32	30	48	30
H228582		0.29	<10	<10	33	70	44	60
H228583		0.23	<10	<10	31	30	45	40
H228584		0.23	10	<10	32	540	38	530

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2008
Account: STRGOL

CERTIFICATE TR08114150

Project: Mar-Tungsten

P.O. No.:

This report is for 45 Rock samples submitted to our lab in Terrace, BC, Canada on 14-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF05	Trace Level XRF Analysis	XRF
ME-XRF10	Fusion XRF - Ore Grade	XRF

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08114150

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 W ppm 10	ME-XRF10 W % 0.01
H235601		3.16	10	
H235602		3.26	10	
H235603		2.94	10	
H235604		2.73	10	
H235605		6.36	10	
H235606		6.66	10	
H235607		2.69	10	
H235608		5.32	40	
H235609		<0.02	50	
H235610		0.14	9830	
H235611		6.20	10	
H235612		5.30	10	
H235613		6.45	10	
H235614		2.79	10	
H235615		3.56	10	
H235616		0.47	<10	
H235617		4.90	10	
H235618		2.36	10	
H235619		4.82	10	
H235620		4.17	10	
H235621		3.16	10	
H235622		3.71	10	
H235623		3.95	10	
H235624		4.44	10	
H235625		4.15	10	
H235626		2.78	<10	
H235627		5.09	10	
H235628		1.99	10	
H235629		<0.02	10	
H235630		0.14	>10000	2.79
H235631		4.92	20	
H235632		2.73	20	
H235633		6.62	30	
H235634		2.54	30	
H235635		5.08	10	
H235636		0.45	<10	
H235637		3.18	10	
H235638		3.86	680	
H235639		2.96	3590	
H235640		2.54	650	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08114150

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 W ppm 10	ME-XRF10 W % 0.01
H235641		2.54	310	
H235642		2.78	2170	
H235643		2.58	1530	
H235644		2.88	650	
H235645		3.27	140	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-AUG-2008
Account: STRGOL

CERTIFICATE TR08097757

Project: Mar-Tungsten

P.O. No.:

This report is for 103 Drill Core samples submitted to our lab in Terrace, BC, Canada on 18-JUL-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
SPL-21d	Split sample - duplicate
SPL-21t	Split Sample - Triplicate
PUL-32	Pulverize 1000g to 85% < 75 um
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
OA-GRA06	LOI for ME-XRF06	WST-SIM
ME-XRF05	Trace Level XRF Analysis	XRF
ME-XRF10	Fusion XRF - Ore Grade	XRF

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-AUG-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08097757

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
G018851		1.60	<0.005	<0.5	7.64	277	1790	3.3	<2	1.64	<0.5	6	27	6	2.45	20
G018852		0.61	0.015	<0.5	7.27	74	1610	3.3	<2	2.07	<0.5	7	29	4	2.36	20
G018853		0.46	0.022	<0.5	7.37	141	1810	3.3	<2	1.94	<0.5	7	30	5	2.46	20
G018854		1.41	<0.005	<0.5	7.20	269	1810	3.2	<2	1.61	<0.5	6	24	3	1.90	20
G018855		1.57	<0.005	<0.5	7.40	291	2210	3.0	<2	1.11	<0.5	5	24	4	1.77	20
G018856		1.74	<0.005	<0.5	7.19	137	1570	3.7	<2	1.94	<0.5	5	25	1	1.92	20
G018857		2.30	0.005	<0.5	7.21	333	2070	3.2	<2	1.08	<0.5	5	24	3	2.03	20
G018858		2.78	<0.005	<0.5	7.52	334	1610	2.9	<2	0.84	<0.5	7	28	4	2.24	20
G018859		<0.02	<0.005	<0.5	7.63	347	1600	3.0	<2	0.86	<0.5	7	28	4	2.27	20
G018860		0.15	0.331	3.0	6.34	18	490	3.4	356	2.48	2.1	21	59	1310	8.60	10
G018861		2.62	<0.005	<0.5	7.16	267	1420	2.3	<2	0.67	<0.5	7	26	6	1.95	20
G018862		2.15	<0.005	<0.5	6.96	229	1460	3.1	<2	1.39	<0.5	5	23	2	1.87	20
G018863		2.10	<0.005	<0.5	7.04	164	1730	3.2	<2	1.55	<0.5	6	23	3	1.85	20
G018864		3.20	0.008	<0.5	7.21	485	1900	2.9	<2	1.42	<0.5	6	24	4	2.04	20
G018865		2.57	<0.005	<0.5	7.58	13	770	4.5	<2	4.15	<0.5	9	45	23	2.91	20
G018866		0.45	<0.005	<0.5	0.14	11	20	<0.5	<2	18.25	<0.5	<1	3	7	0.44	<10
G018867		2.97	<0.005	<0.5	7.06	10	1470	2.3	<2	1.30	<0.5	15	68	48	3.49	20
G018868		2.93	<0.005	<0.5	7.41	16	1350	2.3	<2	1.30	<0.5	12	69	22	2.71	20
G018869		1.97	<0.005	<0.5	6.99	10	1320	2.2	<2	0.87	<0.5	10	69	26	3.26	20
G018870		2.72	<0.005	<0.5	7.87	7	1320	2.4	<2	0.55	<0.5	14	73	37	3.14	20
G018871		1.07	0.007	<0.5	5.03	<5	790	1.6	<2	0.63	<0.5	7	47	26	2.79	20
G018872		1.42	0.007	<0.5	7.14	9	1210	2.3	2	0.52	<0.5	10	66	24	3.43	20
G018873		2.89	<0.005	<0.5	6.28	33	910	3.3	<2	3.68	<0.5	21	49	13	5.77	20
G018874		2.29	<0.005	<0.5	4.87	24	790	1.4	<2	0.67	<0.5	8	40	19	2.08	10
G018875		3.71	<0.005	<0.5	5.40	33	730	1.5	<2	0.19	0.6	6	42	12	2.12	10
G018876		2.78	0.005	1.1	6.70	143	710	2.3	<2	0.19	2.0	5	50	16	2.93	20
G018877		2.87	0.013	1.3	1.41	506	210	0.6	<2	0.05	2.2	2	23	26	3.54	10
G018878		5.05	<0.005	<0.5	6.99	37	140	3.6	<2	9.60	<0.5	12	61	14	5.38	30
G018879		<0.02	<0.005	<0.5	7.29	36	140	3.7	<2	9.93	<0.5	13	62	15	5.52	20
G018880		0.16	0.459	2.1	2.02	9	40	11.3	827	6.33	<0.5	66	36	4470	29.3	20
G018881		4.61	<0.005	<0.5	4.67	45	310	3.3	<2	5.18	<0.5	14	46	17	7.69	20
G018882		4.09	<0.005	<0.5	6.37	10	1040	2.5	<2	2.96	<0.5	7	55	17	2.30	20
G018883		3.19	<0.005	<0.5	6.75	14	1200	1.9	2	0.24	<0.5	12	57	44	3.35	10
G018884		3.83	<0.005	<0.5	6.30	8	1050	1.8	3	0.24	<0.5	10	56	9	3.12	20
G018885		2.96	<0.005	<0.5	4.74	5	700	1.6	<2	0.94	<0.5	7	42	11	2.21	10
G018886		0.62	<0.005	<0.5	0.09	<5	20	<0.5	<2	18.05	<0.5	<1	2	3	0.44	<10
G018887		3.57	<0.005	<0.5	4.68	15	620	1.8	<2	0.41	<0.5	7	42	7	2.63	10
G018888		2.19	<0.005	<0.5	5.39	5	810	1.5	<2	0.60	<0.5	11	49	11	3.22	10
G018889		2.82	<0.005	<0.5	6.44	10	1150	1.8	<2	0.24	<0.5	12	58	14	3.73	10
G018890		3.02	<0.005	<0.5	6.66	7	1200	2.0	2	0.57	<0.5	14	59	25	3.81	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-AUG-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08097757

Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sn	Sr	Th
Sample Description Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	10	1	20
G018851	3.40	30	0.62	296	<1	1.67	19	680	25	<0.01	<5	8	<10	450	20
G018852	3.20	30	0.78	361	<1	1.82	19	660	24	<0.01	<5	7	<10	466	<20
G018853	3.12	30	0.79	405	1	1.75	20	700	22	<0.01	<5	8	<10	477	20
G018854	3.36	30	0.61	282	<1	1.68	19	620	21	<0.01	<5	7	<10	444	20
G018855	4.10	40	0.44	242	1	1.53	16	650	20	<0.01	<5	7	<10	381	20
G018856	3.10	30	0.65	281	<1	1.91	17	610	18	<0.01	<5	7	<10	509	20
G018857	3.54	40	0.43	328	<1	1.66	15	640	18	<0.01	<5	7	<10	402	20
G018858	3.16	40	0.38	267	<1	1.23	19	670	23	<0.01	7	8	<10	272	20
G018859	3.17	40	0.39	273	<1	1.24	20	690	22	<0.01	5	8	<10	278	20
G018860	1.76	20	1.18	916	991	1.31	23	610	204	3.55	<5	11	10	214	<20
G018861	2.80	30	0.41	425	3	0.75	17	600	18	<0.01	<5	7	<10	215	20
G018862	2.74	30	0.49	245	1	1.66	14	610	18	<0.01	<5	7	<10	429	20
G018863	3.10	30	0.53	274	<1	1.58	16	620	20	<0.01	<5	7	<10	439	20
G018864	3.47	30	0.59	243	<1	1.52	17	630	21	<0.01	<5	7	<10	410	20
G018865	1.13	30	1.53	601	<1	2.32	29	640	7	0.01	<5	13	<10	771	20
G018866	0.05	<10	12.05	201	<1	0.03	3	180	3	0.02	<5	<1	<10	44	<20
G018867	2.59	30	1.26	381	<1	1.32	50	390	7	0.05	<5	12	<10	385	<20
G018868	3.02	30	1.18	274	1	1.47	26	400	10	0.04	<5	12	<10	297	20
G018869	2.86	30	1.03	411	<1	1.05	32	310	14	0.01	<5	12	<10	263	20
G018870	3.24	40	0.97	315	<1	0.92	34	340	21	0.12	<5	13	<10	142	20
G018871	2.28	30	0.96	231	<1	0.93	16	310	7	0.04	<5	10	<10	116	<20
G018872	3.01	30	1.13	256	<1	1.39	27	320	8	0.03	<5	12	<10	171	<20
G018873	2.25	40	1.31	1020	17	1.18	36	380	11	0.01	<5	11	<10	293	20
G018874	2.31	30	0.43	355	<1	0.48	18	240	11	0.01	<5	7	<10	91	<20
G018875	1.90	30	0.22	338	<1	0.31	16	220	17	<0.01	17	7	<10	54	20
G018876	3.08	40	0.19	1120	<1	0.05	14	870	343	<0.01	21	9	<10	17	20
G018877	0.62	10	0.05	1845	<1	0.02	6	60	369	0.01	27	2	<10	13	<20
G018878	0.17	40	1.48	1535	<1	0.15	27	620	9	0.01	9	12	<10	575	20
G018879	0.17	50	1.53	1580	<1	0.15	31	630	10	0.01	8	13	<10	602	20
G018880	0.39	10	2.46	2320	10	0.15	106	530	10	>10.0	<5	3	10	93	<20
G018881	0.51	50	0.90	1700	6	0.71	48	450	4	0.03	9	9	<10	390	<20
G018882	1.91	20	0.98	531	<1	1.03	25	140	4	0.05	<5	12	<10	395	<20
G018883	2.74	40	0.70	503	<1	0.34	25	200	6	<0.01	<5	11	<10	76	20
G018884	2.82	30	0.71	477	<1	0.43	28	270	6	<0.01	<5	9	<10	85	20
G018885	1.58	20	0.67	456	<1	0.88	16	270	6	0.01	<5	7	<10	235	<20
G018886	0.03	<10	11.75	203	<1	0.01	<1	180	<2	0.03	<5	<1	<10	46	<20
G018887	1.61	20	0.58	381	<1	1.02	18	330	7	<0.01	10	8	<10	181	<20
G018888	2.00	30	0.76	617	<1	0.72	22	290	10	0.01	<5	8	<10	114	20
G018889	2.84	30	0.86	529	<1	0.25	25	440	4	0.01	<5	11	<10	67	<20
G018890	2.72	30	0.93	530	<1	0.32	29	260	7	0.06	<5	12	<10	104	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-AUG-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08097757

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-XRF05	ME-XRF10
	Analyte	Ti	Tl	U	V	W	Zn	W	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	10	1	10	2	10	0.01
G018851		0.31	<10	<10	39	10	58	20	
G018852		0.31	<10	<10	40	10	51	20	
G018853		0.32	<10	<10	42	490	48	480	
G018854		0.29	<10	<10	35	10	44	10	
G018855		0.28	<10	<10	36	180	43	180	
G018856		0.30	<10	<10	35	70	41	70	
G018857		0.28	<10	<10	39	20	42	30	
G018858		0.31	<10	<10	41	30	48	40	
G018859		0.31	<10	<10	42	30	49	40	
G018860		0.22	<10	<10	74	3330	354	3510	
G018861		0.28	<10	<10	38	30	41	40	
G018862		0.28	<10	<10	34	50	37	40	
G018863		0.29	<10	<10	35	40	41	50	
G018864		0.28	<10	<10	36	20	49	30	
G018865		0.35	<10	<10	70	30	46	30	
G018866		0.01	<10	<10	2	<10	21	<10	
G018867		0.37	<10	<10	83	<10	80	10	
G018868		0.37	<10	<10	89	<10	78	10	
G018869		0.42	<10	<10	82	<10	75	10	
G018870		0.42	<10	<10	86	<10	92	10	
G018871		0.27	<10	<10	55	<10	69	10	
G018872		0.36	<10	<10	77	<10	83	10	
G018873		0.36	<10	<10	74	5240	89	7000	
G018874		0.21	<10	<10	43	20	71	30	
G018875		0.23	<10	<10	42	40	129	50	
G018876		0.25	<10	<10	59	40	480	40	
G018877		0.04	<10	<10	14	760	408	750	
G018878		0.41	<10	<10	107	270	209	260	
G018879		0.43	<10	<10	112	270	218	270	
G018880		0.07	<10	<10	25	6950	108	9830	
G018881		0.28	<10	<10	85	2530	114	2520	
G018882		0.37	<10	<10	69	10	37	20	
G018883		0.39	<10	<10	74	10	60	20	
G018884		0.33	<10	<10	58	<10	49	10	
G018885		0.27	<10	<10	45	<10	35	10	
G018886		<0.01	<10	<10	1	<10	13	<10	
G018887		0.26	<10	<10	49	<10	43	10	
G018888		0.29	<10	<10	53	<10	61	10	
G018889		0.38	<10	<10	70	<10	57	10	
G018890		0.42	<10	<10	75	10	77	10	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-AUG-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08097757

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
G018891		1.48	0.019	<0.5	6.64	9	1310	2.0	2	0.87	<0.5	14	57	32	4.22	20
G018892		1.41	0.012	<0.5	6.94	12	1140	1.9	<2	1.39	<0.5	14	58	39	4.43	20
G018893		4.33	<0.005	<0.5	5.85	5	260	5.6	<2	6.47	<0.5	10	49	6	5.00	20
G018894		2.30	<0.005	<0.5	7.55	11	1480	2.8	<2	4.16	<0.5	12	79	30	3.05	30
G018895		3.47	<0.005	<0.5	5.53	92	1010	1.6	<2	0.77	<0.5	13	50	40	2.50	20
G018896		2.39	<0.005	<0.5	3.79	11	520	2.1	2	6.75	<0.5	10	33	18	3.71	10
G018897		2.30	<0.005	<0.5	3.80	11	530	1.4	<2	5.21	<0.5	6	38	18	2.56	10
G018898		2.27	0.016	<0.5	5.07	7	210	3.5	<2	7.45	<0.5	8	47	4	3.92	10
G018899		<0.02	<0.005	<0.5	5.08	7	220	3.5	<2	7.48	<0.5	8	48	5	3.98	10
G018900		0.16	1.715	2.8	1.87	15	40	13.7	3100	6.12	<0.5	47	17	4330	25.3	20
G019801		2.11	<0.005	<0.5	6.44	162	1260	3.1	2	1.45	<0.5	6	28	10	2.12	20
G019802		1.77	0.036	<0.5	7.70	249	1610	3.3	<2	1.37	<0.5	6	26	8	2.50	20
G019803		1.66	0.040	<0.5	7.81	240	1690	3.2	<2	1.43	<0.5	5	27	6	2.50	20
G019804		2.35	<0.005	<0.5	7.57	135	1780	3.2	<2	1.73	<0.5	4	22	6	2.02	10
G019805		4.69	<0.005	<0.5	7.49	152	1540	2.9	<2	2.02	<0.5	5	27	10	2.32	10
G019806		3.41	<0.005	<0.5	7.38	89	1510	2.9	<2	2.22	<0.5	5	28	8	2.33	20
G019807		2.24	<0.005	<0.5	7.75	61	1590	3.2	<2	2.47	<0.5	6	30	7	2.48	20
G019808		3.14	<0.005	<0.5	6.71	119	1430	2.2	<2	1.43	<0.5	5	33	11	2.52	10
G019809		<0.02	<0.005	<0.5	6.80	121	1440	2.3	<2	1.47	<0.5	6	34	11	2.63	10
G019810		0.15	0.488	1.8	2.23	<5	60	11.7	870	7.12	<0.5	70	39	4890	32.6	10
G019811		3.74	<0.005	<0.5	7.66	158	1540	2.9	<2	1.97	<0.5	6	29	17	2.71	20
G019812		3.42	<0.005	<0.5	7.29	87	1410	2.3	<2	1.81	<0.5	6	33	20	2.82	10
G019813		4.15	<0.005	<0.5	7.67	102	1500	2.7	<2	2.08	<0.5	6	30	15	2.62	10
G019814		4.81	<0.005	<0.5	7.74	142	1750	2.8	<2	1.70	<0.5	5	29	13	2.55	10
G019815		2.40	<0.005	<0.5	7.49	129	1480	2.8	<2	2.03	<0.5	6	31	13	2.54	20
G019816		0.55	<0.005	0.6	0.19	<5	30	<0.5	2	21.1	<0.5	<1	2	2	0.60	<10
G019817		3.66	0.009	<0.5	7.41	288	1640	2.7	<2	1.78	<0.5	7	30	9	2.64	10
G019818		1.27	0.010	<0.5	7.74	300	1900	3.1	<2	1.67	<0.5	6	31	9	2.60	20
G019819		2.06	0.015	<0.5	7.11	2460	1330	2.8	<2	0.93	<0.5	3	21	11	2.01	10
G019820		1.92	<0.005	<0.5	7.77	324	2830	2.5	<2	0.55	<0.5	3	28	7	2.03	20
G019821		3.03	0.028	<0.5	8.89	952	2300	3.3	<2	0.84	<0.5	3	28	6	2.24	20
G019822		1.08	0.037	<0.5	8.08	273	2140	2.9	<2	1.51	<0.5	5	27	5	2.29	20
G019823		1.02	0.046	<0.5	8.22	386	2000	3.2	<2	1.62	<0.5	5	29	5	2.47	20
G019824		2.82	0.006	<0.5	7.98	270	2290	2.8	<2	1.40	<0.5	5	28	5	2.07	20
G019825		2.78	0.219	<0.5	5.67	7310	2580	2.5	2	0.75	<0.5	3	34	12	4.94	10
G019826		3.45	<0.005	<0.5	7.57	575	1370	3.9	<2	0.88	<0.5	6	28	8	2.48	20
G019827		2.83	0.005	0.6	6.84	196	480	1.1	<2	0.20	<0.5	<1	6	2	1.08	10
G019828		2.20	<0.005	<0.5	7.42	210	1360	3.1	<2	2.16	<0.5	4	27	4	2.19	10
G019829		<0.02	<0.005	<0.5	7.85	198	1360	3.2	<2	2.25	<0.5	4	27	5	2.30	20
G019830		0.16	1.465	3.1	2.07	19	60	14.3	3330	6.89	<0.5	50	20	4820	30.2	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-AUG-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08097757

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sn	Sr	Th
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	10	1	20
G018891		3.13	30	0.94	563	<1	0.55	34	290	11	0.07	<5	14	<10	141	<20
G018892		2.75	30	1.03	600	<1	0.36	32	250	10	0.13	<5	14	<10	154	20
G018893		0.31	60	1.55	1060	<1	1.89	35	590	2	0.02	<5	10	<10	963	20
G018894		2.82	30	0.81	548	<1	1.47	30	400	11	0.10	<5	12	<10	595	20
G018895		2.51	30	0.47	241	1	1.02	27	470	5	0.40	<5	8	<10	243	20
G018896		0.75	30	2.24	1380	3	0.78	37	420	4	0.22	<5	7	<10	386	<20
G018897		1.09	20	2.42	914	4	0.73	36	350	2	0.35	<5	6	<10	325	<20
G018898		0.23	50	1.65	1260	<1	0.97	30	300	3	0.01	<5	7	10	524	20
G018899		0.24	50	1.69	1275	<1	0.98	29	300	<2	0.01	<5	7	10	529	20
G018900		0.55	10	2.72	2800	18	0.15	19	810	250	>10.0	<5	3	10	52	<20
G019801		2.98	30	0.49	321	<1	1.47	16	530	21	0.01	<5	6	<10	349	20
G019802		3.23	40	0.49	407	<1	1.58	20	610	26	<0.01	6	7	<10	369	20
G019803		3.32	40	0.50	432	<1	1.62	18	620	26	<0.01	5	7	<10	380	20
G019804		3.51	30	0.56	293	<1	1.72	16	500	24	<0.01	<5	7	<10	461	20
G019805		3.28	30	0.68	323	<1	1.73	19	590	26	<0.01	<5	7	<10	443	20
G019806		3.13	30	0.72	338	<1	1.87	19	600	26	<0.01	<5	7	<10	461	20
G019807		2.82	30	0.82	364	<1	2.02	20	670	23	<0.01	<5	7	<10	521	20
G019808		2.37	30	0.56	413	<1	1.38	18	650	16	<0.01	<5	8	<10	342	20
G019809		2.45	30	0.59	433	<1	1.42	20	650	17	<0.01	<5	8	<10	349	20
G019810		0.41	10	2.73	2560	10	0.18	108	560	<2	>10.0	<5	4	10	102	<20
G019811		3.01	30	0.70	346	<1	1.73	19	610	21	0.03	<5	7	<10	442	20
G019812		2.81	40	0.73	421	<1	1.53	23	650	25	0.01	<5	8	<10	381	20
G019813		3.08	40	0.74	372	<1	1.73	20	610	22	<0.01	<5	7	<10	451	20
G019814		3.18	30	0.64	348	<1	1.70	19	640	23	<0.01	<5	7	<10	439	20
G019815		3.06	30	0.73	346	<1	1.78	20	640	26	<0.01	<5	8	<10	466	20
G019816		0.03	<10	12.70	241	1	0.04	<1	160	4	0.01	<5	1	<10	44	<20
G019817		3.16	30	0.67	343	<1	1.63	20	600	25	<0.01	<5	7	<10	419	20
G019818		3.26	50	0.72	306	<1	1.70	19	660	24	<0.01	<5	9	<10	425	20
G019819		3.49	20	0.37	224	<1	1.54	13	370	56	<0.01	<5	5	<10	216	20
G019820		3.94	50	0.41	242	<1	0.89	15	580	21	<0.01	5	7	<10	263	20
G019821		3.54	50	0.49	344	<1	2.02	16	690	27	<0.01	6	8	<10	339	20
G019822		3.16	40	0.60	439	<1	1.70	20	660	19	<0.01	<5	8	<10	429	20
G019823		3.12	40	0.64	381	<1	1.76	22	670	20	<0.01	<5	8	<10	455	20
G019824		3.50	30	0.56	305	<1	1.57	18	650	20	<0.01	6	8	<10	414	20
G019825		3.12	80	0.33	245	2	0.83	13	430	43	<0.01	21	7	<10	242	20
G019826		3.02	40	0.40	569	<1	0.89	16	580	28	<0.01	17	7	<10	246	20
G019827		3.86	20	0.15	140	<1	0.26	2	40	67	<0.01	<5	2	<10	92	30
G019828		2.78	30	0.63	341	<1	2.01	17	610	18	<0.01	<5	7	<10	530	20
G019829		2.85	40	0.67	354	<1	2.05	17	630	18	<0.01	<5	7	<10	551	20
G019830		0.59	10	3.03	3100	17	0.18	12	820	272	>10.0	<5	3	20	57	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-AUG-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08097757

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-XRF05	ME-XRF10
	Analyte	Ti	Tl	U	V	W	Zn	W	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	10	1	10	2	10	0.01
G018891		0.41	<10	<10	78	<10	88	10	
G018892		0.40	<10	<10	78	<10	89	10	
G018893		0.36	<10	<10	98	430	63	430	
G018894		0.43	<10	<10	128	860	51	850	
G018895		0.21	<10	<10	107	<10	34	10	
G018896		0.17	<10	<10	123	1110	79	1100	
G018897		0.18	<10	<10	155	20	55	20	
G018898		0.30	<10	<10	95	10	91	20	
G018899		0.31	<10	<10	94	10	93	10	
G018900		0.05	<10	<10	23	8080	134	>10000	2.78
G019801		0.24	<10	<10	32	310	55	320	
G019802		0.28	<10	<10	36	20	65	30	
G019803		0.29	<10	<10	36	20	64	30	
G019804		0.24	<10	<10	26	30	63	30	
G019805		0.28	<10	<10	35	10	70	10	
G019806		0.29	<10	<10	37	<10	69	10	
G019807		0.32	<10	<10	40	20	61	20	
G019808		0.29	<10	<10	49	40	55	40	
G019809		0.30	<10	<10	51	40	60	40	
G019810		0.08	<10	<10	22	4010	114	9830	
G019811		0.29	<10	<10	36	20	62	10	
G019812		0.30	<10	<10	47	40	67	40	
G019813		0.29	<10	<10	39	40	55	30	
G019814		0.29	<10	<10	39	20	55	20	
G019815		0.30	<10	<10	37	10	68	10	
G019816		0.01	<10	<10	2	<10	16	<10	
G019817		0.28	<10	<10	37	20	52	20	
G019818		0.30	<10	<10	43	40	57	40	
G019819		0.17	<10	<10	23	170	48	170	
G019820		0.20	<10	<10	37	30	35	40	
G019821		0.25	<10	<10	38	840	51	820	
G019822		0.28	<10	<10	37	20	41	30	
G019823		0.30	<10	<10	41	20	44	20	
G019824		0.28	<10	<10	38	40	47	40	
G019825		0.18	<10	<10	57	80	57	90	
G019826		0.28	<10	<10	40	30	61	40	
G019827		0.03	<10	<10	4	10	20	20	
G019828		0.29	<10	<10	35	10	39	10	
G019829		0.30	<10	<10	37	10	40	20	
G019830		0.05	<10	<10	22	2750	147	>10000	2.79

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-AUG-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08097757

Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
Sample Description LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
G019831	1.84	<0.005	<0.5	7.91	135	1770	2.8	2	2.04	<0.5	5	27	19	2.43	20
G019832	2.00	0.025	<0.5	7.74	479	2160	2.9	<2	1.60	<0.5	5	29	13	2.59	10
G019833	4.36	0.021	<0.5	7.56	2030	1860	2.6	4	1.82	<0.5	5	32	14	2.76	10
G019834	3.09	<0.005	<0.5	7.90	229	1650	2.8	<2	2.17	<0.5	7	27	9	2.59	20
G019835	2.14	<0.005	<0.5	7.68	226	1560	2.7	<2	2.03	<0.5	6	29	10	2.65	20
G019836	0.56	<0.005	<0.5	0.14	8	30	<0.5	5	21.1	<0.5	<1	1	3	0.48	<10
G019837	2.11	0.077	<0.5	5.88	1755	1290	1.9	<2	1.17	<0.5	5	25	9	2.87	10
G019838	2.24	0.036	<0.5	6.79	1705	1700	2.5	<2	0.70	0.5	5	30	9	2.31	20
G019839	1.39	0.105	<0.5	7.33	5640	1810	3.5	<2	2.03	<0.5	4	27	4	2.53	20
G019840	3.02	0.013	<0.5	7.33	614	1090	2.7	<2	0.45	<0.5	5	30	6	2.14	20
G019841	1.21	0.036	<0.5	7.19	370	1540	3.2	2	1.46	<0.5	7	34	8	2.20	20
G019842	1.09	0.038	<0.5	7.14	349	1490	3.1	4	1.59	<0.5	6	31	8	2.17	20
G019843	2.33	<0.005	<0.5	7.14	320	1270	3.2	6	1.74	<0.5	6	30	6	2.22	20
G019844	2.14	0.005	<0.5	7.36	393	1270	4.8	5	1.18	<0.5	5	32	7	2.03	20
G019845	1.85	0.005	<0.5	7.18	359	1380	3.2	4	1.44	<0.5	7	35	10	2.40	20
G019846	1.37	<0.005	<0.5	6.97	210	1490	3.1	3	1.86	<0.5	7	35	9	2.29	20
G019847	1.22	0.026	<0.5	7.25	891	1830	3.1	<2	1.73	<0.5	6	28	5	2.16	20
G019848	2.53	0.030	<0.5	7.59	273	1520	3.3	<2	1.62	<0.5	6	29	4	2.23	20
G019849	<0.02	<0.005	<0.5	7.51	266	1490	3.3	<2	1.60	<0.5	5	30	4	2.22	20
G019850	0.15	1.815	2.6	1.66	<5	30	15.6	2100	5.20	<0.5	73	15	4350	33.9	10
G019851	2.16	<0.005	<0.5	1.62	31	70	4.1	<2	11.85	<0.5	14	13	7	9.27	10
G019852	2.50	<0.005	<0.5	7.64	9	260	6.4	<2	6.24	<0.5	5	46	14	2.96	20
G019853	2.40	<0.005	<0.5	5.44	<5	530	3.5	<2	5.94	<0.5	11	44	12	4.37	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-AUG-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08097757

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sn	Sr	Th
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	10	1	20
G019831		3.28	30	0.77	342	<1	1.90	20	620	22	0.01	<5	7	<10	491	20
G019832		3.47	40	0.66	336	<1	1.70	20	660	21	0.01	<5	8	<10	443	20
G019833		3.24	40	0.71	352	<1	1.62	20	620	19	0.01	<5	7	<10	433	20
G019834		3.42	30	0.79	346	<1	1.82	20	650	22	<0.01	<5	7	<10	470	20
G019835		3.27	30	0.75	334	<1	1.64	21	670	22	<0.01	<5	7	<10	442	20
G019836		0.06	<10	12.85	215	<1	0.03	<1	150	3	<0.01	<5	<1	<10	43	<20
G019837		2.39	50	0.46	375	4	0.87	17	480	61	<0.01	14	6	<10	253	20
G019838		3.02	50	0.36	363	1	0.76	14	520	35	0.01	11	6	<10	211	20
G019839		3.12	30	0.60	331	1	1.85	16	590	24	0.02	8	6	<10	435	20
G019840		2.63	50	0.28	241	<1	0.27	14	590	20	<0.01	5	7	<10	125	20
G019841		3.06	40	0.57	320	<1	1.53	21	700	30	0.01	<5	7	<10	388	20
G019842		2.81	40	0.57	362	<1	1.55	21	650	33	<0.01	<5	7	<10	418	20
G019843		2.78	40	0.60	292	<1	1.48	21	660	23	<0.01	<5	7	<10	412	20
G019844		2.37	50	0.35	305	<1	1.93	20	710	18	<0.01	<5	7	10	409	20
G019845		2.77	40	0.53	393	<1	1.59	24	690	22	<0.01	<5	7	<10	373	20
G019846		3.00	30	0.67	321	<1	1.65	23	670	23	<0.01	<5	7	<10	427	20
G019847		3.42	30	0.63	318	<1	1.69	17	640	18	0.02	<5	7	10	402	20
G019848		3.31	30	0.56	247	<1	1.83	17	640	21	<0.01	<5	6	<10	416	20
G019849		3.25	30	0.55	244	<1	1.80	18	630	19	<0.01	<5	7	10	408	20
G019850		0.30	<10	2.05	2700	17	0.17	2	460	105	>10.0	<5	3	10	35	<20
G019851		0.08	100	3.47	1895	2	0.57	68	140	<2	0.04	<5	3	<10	262	<20
G019852		0.22	50	1.24	659	<1	2.55	26	300	<2	0.03	7	9	10	1120	20
G019853		1.22	30	2.05	1065	<1	1.35	32	230	<2	0.08	<5	9	10	447	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-AUG-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08097757

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-XRF05	ME-XRF10
	Analyte	Ti	Tl	U	V	W	Zn	W	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	10	1	10	2	10	0.01
G019831		0.30	<10	<10	36	50	40	50	
G019832		0.29	<10	<10	39	20	57	30	
G019833		0.29	<10	<10	40	30	47	30	
G019834		0.31	<10	<10	37	10	50	20	
G019835		0.31	<10	<10	37	10	58	10	
G019836		0.01	<10	<10	<1	<10	16	<10	
G019837		0.22	<10	<10	38	1430	71	1410	
G019838		0.25	<10	<10	38	140	68	130	
G019839		0.26	<10	<10	33	30	46	30	
G019840		0.27	<10	<10	42	30	56	40	
G019841		0.30	<10	<10	39	10	78	20	
G019842		0.30	<10	<10	38	10	71	20	
G019843		0.30	<10	<10	36	10	55	10	
G019844		0.31	<10	<10	40	120	42	120	
G019845		0.31	<10	<10	43	20	58	30	
G019846		0.30	<10	<10	38	20	53	30	
G019847		0.28	<10	<10	35	50	42	50	
G019848		0.30	<10	<10	37	10	60	20	
G019849		0.30	<10	<10	36	10	60	20	
G019850		0.05	<10	<10	18	7680	105	>10000	1.68
G019851		0.08	<10	<10	116	1320	97	1340	
G019852		0.40	<10	<10	83	20	37	20	
G019853		0.30	<10	<10	87	40	68	40	

APPENDIX L:

ALS Chemex Assay Certificates (Soils)

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-OCT-2008
Account: STRGOL

CERTIFICATE VA08131620

Project: Dublin Gulch

P.O. No.:

This report is for 44 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-SEP-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE	ANISSA NOAKES	JEFF SCULLY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08131620

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
H237001		0.53	0.015	<0.2	1.69	49	<10	230	2.1	<2	0.34	<0.5	19	45	29	4.27
H237002		0.46	0.015	<0.2	1.40	49	<10	150	0.6	<2	0.10	<0.5	11	27	20	2.75
H237003		0.48	0.210	0.5	1.82	2210	<10	140	0.9	2	0.15	<0.5	19	56	64	4.10
H237004		0.37	0.028	0.2	1.97	226	<10	150	0.7	<2	0.14	<0.5	16	46	37	3.64
H237005		0.47	0.085	<0.2	1.40	432	<10	250	<0.5	<2	0.25	<0.5	11	26	30	2.96
H237006		0.47	0.012	<0.2	1.72	118	<10	250	0.5	3	0.31	<0.5	11	46	47	2.91
H237007		0.73	0.032	1.0	1.55	288	<10	210	0.6	3	0.29	<0.5	8	26	17	2.71
H237008		0.38	0.020	0.5	1.56	162	<10	410	0.5	3	0.45	<0.5	7	28	21	2.67
H237009		0.54	0.015	<0.2	2.44	260	<10	170	1.1	3	0.37	<0.5	11	54	41	4.51
H237010		0.47	0.014	<0.2	1.07	294	<10	80	<0.5	2	0.14	<0.5	5	23	9	2.62
H237011		0.49	1.205	6.3	1.11	2740	<10	220	0.5	21	0.26	<0.5	4	15	39	4.12
H237012		0.54	0.242	1.5	1.43	1630	<10	240	0.7	3	0.71	<0.5	8	25	22	3.29
H237013		0.65	0.175	2.1	1.42	2320	<10	190	0.9	3	0.56	0.5	10	26	15	3.36
H237014		0.28	0.014	0.3	2.43	406	<10	120	0.7	2	0.12	<0.5	8	34	14	3.64
H237015		0.37	0.016	0.2	1.28	482	<10	310	0.6	<2	1.21	<0.5	6	22	11	2.05
H237016		0.45	0.006	<0.2	1.25	65	<10	240	<0.5	2	0.31	<0.5	7	23	9	1.99
H237017		0.46	0.008	<0.2	1.47	51	<10	320	0.5	2	0.34	<0.5	9	25	13	2.34
H237018		0.42	0.009	0.2	1.15	27	<10	100	<0.5	2	0.11	<0.5	5	23	11	2.06
H237019		0.48	0.105	0.2	0.87	312	<10	120	0.5	7	0.28	<0.5	10	19	28	2.65
H237427		0.48	0.005	<0.2	1.45	75	<10	160	0.5	4	0.19	<0.5	7	23	13	2.38
H237428		0.59	0.083	<0.2	1.84	969	<10	170	1.6	<2	0.19	0.5	16	24	17	3.90
H237429		0.50	0.100	1.4	1.26	208	<10	70	1.5	2	0.12	<0.5	9	12	34	4.52
H237430		0.35	0.060	<0.2	1.31	713	<10	90	0.6	<2	0.21	<0.5	7	21	12	2.81
H237431		0.44	0.009	<0.2	1.68	69	<10	100	0.5	2	0.17	<0.5	9	27	12	2.86
H237432		0.42	1.875	4.6	1.25	2970	<10	140	0.6	5	0.20	1.2	11	25	44	3.90
H237433		0.35	0.026	0.5	1.06	381	<10	80	<0.5	<2	0.06	<0.5	3	19	12	2.19
H237434		0.45	0.073	0.3	1.51	621	<10	70	0.6	<2	0.11	<0.5	15	37	18	3.93
H237435		0.43	0.012	0.2	1.19	63	<10	90	0.6	<2	0.08	<0.5	11	29	23	3.54
H237436		0.19	0.014	<0.2	1.37	242	<10	100	<0.5	2	0.29	<0.5	9	30	16	3.00
H237437		0.30	0.027	0.7	1.45	377	<10	70	<0.5	2	0.05	<0.5	5	23	17	2.91
H237438		0.24	0.053	<0.2	0.89	855	<10	100	<0.5	<2	0.13	<0.5	4	20	12	2.08
H237439		0.52	0.006	<0.2	1.99	133	<10	140	0.6	2	0.14	<0.5	9	27	9	2.86
H237472		0.61	0.007	<0.2	1.42	21	<10	180	0.5	<2	0.17	<0.5	8	24	16	2.47
H237473		0.60	0.008	<0.2	1.79	272	<10	260	0.9	<2	0.54	<0.5	11	34	8	3.05
H237474		0.32	0.107	<0.2	1.43	1730	<10	260	0.7	3	0.63	<0.5	7	24	9	2.55
H237475		0.27	0.282	7.7	1.11	1220	<10	110	<0.5	3	0.52	<0.5	3	15	16	1.83
H237476		0.53	0.016	<0.2	1.51	696	<10	170	0.5	<2	0.30	<0.5	8	24	14	2.44
H237477		0.40	0.495	0.4	1.21	1040	<10	170	0.5	2	0.28	<0.5	5	18	11	2.72
H237478		0.46	0.092	0.4	1.17	549	<10	110	<0.5	<2	0.19	<0.5	5	20	15	2.17
H237479		0.48	0.024	<0.2	1.19	521	<10	100	<0.5	<2	0.10	<0.5	7	23	15	2.61

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08131620

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
H237001		10	<1	0.40	30	0.54	706	7	0.02	54	900	14	<0.01	<2	8	16
H237002		<10	<1	0.10	20	0.34	355	3	0.01	26	470	14	<0.01	<2	3	11
H237003		<10	<1	0.15	20	0.50	494	2	0.01	67	620	121	0.05	14	6	27
H237004		<10	<1	0.09	20	0.58	428	2	0.01	41	540	34	0.01	7	5	16
H237005		<10	<1	0.08	10	0.47	335	1	0.01	23	680	13	0.01	4	2	18
H237006		10	<1	0.06	10	0.62	248	2	0.02	35	810	13	0.02	2	4	25
H237007		10	1	0.07	30	0.47	364	3	0.01	18	710	109	0.01	8	4	19
H237008		10	<1	0.10	60	0.52	258	2	0.02	23	720	38	0.02	<2	5	30
H237009		10	<1	0.88	20	1.16	474	11	0.01	37	500	40	0.11	16	8	28
H237010		10	<1	0.08	20	0.28	185	7	0.01	12	250	31	<0.01	13	2	13
H237011		<10	1	0.21	30	0.19	238	21	0.01	11	790	1690	0.36	439	2	77
H237012		10	<1	0.15	40	0.50	457	10	0.01	22	950	218	0.03	73	5	47
H237013		<10	1	0.12	40	0.52	591	6	<0.01	23	960	555	0.01	208	5	36
H237014		10	1	0.07	90	0.54	263	4	<0.01	23	420	43	0.01	4	5	13
H237015		<10	1	0.07	30	0.43	258	7	0.01	17	930	22	0.08	<2	3	71
H237016		<10	<1	0.06	20	0.40	278	5	<0.01	15	670	16	0.01	<2	1	28
H237017		<10	<1	0.07	20	0.43	453	7	0.01	18	730	23	0.01	2	2	31
H237018		<10	<1	0.07	10	0.38	185	2	0.01	15	490	21	0.01	<2	1	12
H237019		<10	<1	0.24	30	0.39	278	1	0.01	25	540	28	<0.01	9	2	23
H237427		<10	<1	0.08	20	0.42	265	1	<0.01	18	640	11	<0.01	<2	3	15
H237428		<10	<1	0.17	40	0.41	511	3	0.01	40	800	126	<0.01	33	7	13
H237429		<10	<1	0.10	30	0.07	488	2	0.01	29	890	439	0.12	174	5	20
H237430		<10	<1	0.06	20	0.36	278	2	0.01	20	820	114	0.01	6	3	14
H237431		<10	<1	0.07	10	0.45	261	1	0.01	21	640	35	<0.01	<2	3	12
H237432		<10	1	0.21	20	0.41	601	2	0.01	24	720	2230	0.11	882	3	21
H237433		10	1	0.06	10	0.13	176	<1	<0.01	9	410	138	0.03	53	1	9
H237434		10	<1	0.16	20	0.37	896	1	<0.01	29	680	300	0.02	116	3	14
H237435		<10	<1	0.11	20	0.30	705	1	0.01	21	390	31	0.02	8	3	12
H237436		10	<1	0.11	10	0.41	356	4	<0.01	21	420	19	0.01	8	3	22
H237437		10	1	0.08	10	0.23	238	1	0.01	12	410	214	0.03	63	2	7
H237438		<10	<1	0.09	10	0.27	160	2	0.01	14	710	17	0.02	2	2	13
H237439		10	<1	0.14	20	0.46	326	1	0.01	18	540	16	<0.01	<2	4	13
H237472		<10	<1	0.05	20	0.41	248	2	0.01	19	620	13	<0.01	<2	3	15
H237473		10	<1	0.34	50	0.82	491	4	0.02	27	1200	19	<0.01	14	6	36
H237474		10	<1	0.08	40	0.54	236	8	0.01	20	840	23	0.04	24	4	48
H237475		<10	<1	0.06	20	0.18	137	4	0.01	9	590	399	0.07	45	1	48
H237476		<10	<1	0.08	20	0.43	256	7	<0.01	20	730	32	0.01	9	3	20
H237477		<10	<1	0.06	20	0.25	261	16	<0.01	13	650	155	0.04	54	2	24
H237478		10	<1	0.06	20	0.29	210	4	<0.01	14	600	176	0.02	49	1	17
H237479		<10	<1	0.09	20	0.26	323	4	<0.01	14	470	56	0.01	32	1	12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08131620

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
H237001		<20	0.12	<10	<10	58	60	73
H237002		<20	0.04	<10	<10	39	20	60
H237003		<20	0.04	<10	<10	61	<10	107
H237004		<20	0.06	<10	<10	65	10	97
H237005		<20	0.04	<10	<10	52	<10	65
H237006		<20	0.07	<10	<10	64	<10	75
H237007		<20	0.06	<10	<10	40	<10	242
H237008		<20	0.09	<10	<10	43	10	114
H237009		<20	0.20	<10	<10	50	10	130
H237010		<20	0.07	<10	<10	54	10	68
H237011		<20	0.02	<10	<10	20	20	222
H237012		<20	0.08	<10	<10	36	40	143
H237013		<20	0.07	<10	<10	34	40	376
H237014		<20	0.07	<10	<10	56	10	95
H237015		<20	0.05	<10	10	31	10	70
H237016		<20	0.05	<10	<10	35	20	70
H237017		<20	0.05	<10	<10	41	30	72
H237018		<20	0.04	<10	<10	38	20	68
H237019		<20	0.05	<10	<10	21	30	77
H237427		<20	0.06	<10	<10	39	10	56
H237428		20	0.05	<10	<10	31	20	290
H237429		30	<0.01	<10	<10	15	10	543
H237430		<20	0.03	<10	<10	35	20	182
H237431		<20	0.06	<10	<10	40	10	77
H237432		<20	0.06	<10	<10	37	<10	222
H237433		<20	0.03	<10	<10	42	<10	48
H237434		<20	0.05	<10	<10	50	<10	167
H237435		<20	0.06	<10	<10	44	<10	73
H237436		<20	0.11	<10	<10	51	<10	62
H237437		<20	0.05	<10	<10	50	<10	59
H237438		<20	0.06	<10	<10	39	<10	47
H237439		<20	0.09	<10	<10	50	20	77
H237472		<20	0.06	<10	<10	44	20	55
H237473		20	0.15	<10	<10	45	90	102
H237474		<20	0.06	<10	<10	36	40	69
H237475		<20	0.03	<10	<10	23	10	86
H237476		<20	0.06	<10	<10	40	10	62
H237477		<20	0.03	<10	<10	33	<10	95
H237478		<20	0.04	<10	<10	34	<10	70
H237479		<20	0.03	<10	<10	39	<10	99

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08131620

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
H237480		0.29	<0.005	0.4	0.04	7	<10	10	<0.5	<2	19.2	<0.5	<1	2	<1	0.10
H237481		0.41	0.005	<0.2	1.70	129	<10	130	0.5	<2	0.17	<0.5	7	31	19	3.02
H237482		0.57	0.012	<0.2	1.69	105	<10	120	0.7	<2	0.18	<0.5	9	31	22	3.07
H237483		0.49	0.021	<0.2	1.27	94	<10	140	0.5	<2	0.15	<0.5	9	28	28	2.88

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08131620

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
H237480		<10	<1	0.01	<10	10.90	155	<1	<0.01	2	670	10	<0.01	<2	<1	109
H237481		10	<1	0.19	20	0.51	302	3	<0.01	20	460	24	0.02	8	3	14
H237482		10	<1	0.15	20	0.50	393	2	<0.01	22	570	26	0.01	5	4	15
H237483		10	<1	0.08	20	0.38	401	2	<0.01	26	630	20	0.01	6	4	15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 10-OCT-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08131620

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
H237480		<20	<0.01	<10	10	2	<10	7
H237481		<20	0.09	<10	<10	49	<10	85
H237482		<20	0.07	<10	<10	46	<10	76
H237483		<20	0.05	<10	<10	42	<10	86

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

CERTIFICATE VA08104558

Project: Dublin Gulch

P.O. No.:

This report is for 177 Soil samples submitted to our lab in Vancouver, BC, Canada on 30-JUL-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE	ANISSA NOAKES	JEFF SCULLY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
H237101		0.54	0.115	<0.2	1.56	51	<10	260	0.5	3	0.27	<0.5	11	32	16	2.79
H237102		0.32	0.090	<0.2	1.23	265	<10	170	0.7	3	0.46	<0.5	10	32	24	3.09
H237103		0.30	0.102	0.2	1.06	533	<10	250	1.3	3	1.05	0.5	12	34	29	3.51
H237104		0.10	0.038	0.4	0.86	26	<10	210	<0.5	3	0.49	<0.5	4	19	7	1.33
H237105		0.24	0.038	0.4	1.16	58	<10	210	<0.5	2	0.17	<0.5	4	22	9	1.73
H237106		0.14	0.050	0.2	1.60	184	<10	420	0.7	4	0.73	0.6	12	33	22	2.91
H237107		0.44	0.080	0.4	1.43	167	<10	260	0.6	3	0.45	<0.5	11	32	16	2.60
H237108		0.50	0.017	<0.2	1.47	690	<10	200	0.8	2	0.39	<0.5	9	32	15	3.13
H237109		0.42	0.039	<0.2	1.35	787	<10	190	1.0	4	0.23	<0.5	22	39	32	4.08
H237110		0.54	0.040	<0.2	1.95	446	<10	160	1.1	2	0.36	<0.5	7	30	11	3.41
H237111		0.42	0.008	<0.2	1.80	95	<10	130	0.7	2	0.14	<0.5	11	32	14	3.35
H237112		0.48	0.031	0.3	1.43	224	<10	140	0.5	2	0.09	<0.5	8	31	19	3.12
H237113		0.56	0.024	<0.2	1.26	354	<10	150	0.8	2	0.32	<0.5	9	26	17	2.94
H237114		0.44	0.015	0.3	1.39	773	<10	100	0.6	3	0.12	<0.5	6	23	12	2.67
H237115		0.38	<0.005	<0.2	1.83	26	<10	210	0.7	3	0.09	<0.5	10	32	22	3.05
H237116		0.36	0.046	<0.2	1.11	176	<10	80	<0.5	5	0.09	<0.5	8	31	20	2.98
H237117		0.52	0.021	<0.2	1.93	162	<10	200	0.6	4	0.15	<0.5	10	35	21	3.08
H237118		0.24	0.007	<0.2	1.66	200	<10	150	0.5	3	0.11	<0.5	9	43	24	3.15
H237119		0.18	0.059	0.5	1.36	264	<10	220	0.6	3	0.51	<0.5	14	40	25	3.42
H237120		0.08	2.81	<0.2	0.92	2110	<10	150	1.0	3	0.01	<0.5	<1	33	103	3.21
H237121		0.34	0.063	1.1	1.54	644	<10	280	0.6	3	0.44	0.8	11	46	19	3.19
H237122		0.34	0.045	0.8	1.41	294	<10	240	<0.5	3	0.32	0.5	8	27	12	2.36
H237123		0.34	0.079	0.6	1.60	526	<10	280	0.5	4	0.30	0.5	9	30	14	2.91
H237124		0.30	0.021	0.3	1.34	234	<10	320	<0.5	3	0.53	0.5	9	29	10	2.36
H237125		0.38	0.010	<0.2	1.15	106	<10	250	1.5	3	0.60	<0.5	10	36	15	3.45
H237126		0.24	0.026	0.6	1.63	303	<10	300	0.9	<2	0.46	<0.5	13	28	23	2.99
H237127		0.38	0.013	<0.2	2.68	801	<10	280	1.3	<2	0.31	<0.5	37	148	108	7.11
H237128		0.40	0.281	1.0	1.35	1325	<10	140	2.1	2	0.79	1.5	12	35	28	3.59
H237129		0.44	0.142	1.2	1.89	1200	<10	240	0.7	2	0.40	0.5	10	29	36	3.45
H237130		0.26	0.032	<0.2	1.44	216	<10	120	<0.5	<2	0.20	<0.5	6	24	19	3.04
H237131		0.08	0.064	3.3	1.39	807	<10	410	1.5	<2	2.64	2.7	5	16	42	1.90
H237132		0.18	0.033	0.2	1.48	353	<10	230	0.5	<2	0.50	<0.5	7	27	10	2.59
H237133		0.64	0.013	<0.2	1.54	247	<10	280	0.6	<2	0.38	<0.5	9	29	17	2.85
H237134		0.44	0.459	<0.2	1.47	800	<10	140	0.5	<2	0.14	<0.5	10	32	24	3.28
H237135		0.06	0.041	0.5	1.38	290	<10	150	<0.5	<2	0.23	<0.5	7	45	34	2.58
H237136		0.34	0.222	1.7	1.55	1620	<10	240	0.9	<2	0.44	5.6	20	71	84	5.85
H237137		0.32	0.047	0.3	1.58	622	<10	210	0.5	<2	0.34	<0.5	22	43	21	3.56
H237138		0.24	0.043	0.5	1.64	423	<10	260	0.5	<2	0.29	<0.5	21	42	22	3.59
H237139		0.22	0.012	0.2	1.33	51	<10	230	0.8	<2	0.78	0.7	7	43	29	1.99
H237140		0.28	<0.005	<0.2	0.04	3	<10	10	<0.5	<2	18.7	<0.5	1	3	3	0.43

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
H237101		10	<1	0.12	20	0.59	476	2	0.01	22	790	21	0.03	<2	4	21
H237102		10	<1	0.18	40	0.62	299	2	0.01	25	950	28	0.02	2	5	47
H237103		<10	1	0.20	60	0.44	480	3	0.01	32	900	39	0.04	4	7	87
H237104		<10	<1	0.04	20	0.26	107	1	<0.01	12	650	11	0.07	<2	1	38
H237105		<10	1	0.04	20	0.31	121	1	<0.01	12	620	17	0.03	<2	2	17
H237106		<10	<1	0.10	40	0.52	523	2	0.01	31	820	27	0.05	<2	4	57
H237107		<10	<1	0.08	30	0.55	368	3	<0.01	24	810	27	0.02	<2	4	32
H237108		10	1	0.14	30	0.45	370	1	<0.01	21	620	27	0.01	3	4	37
H237109		<10	<1	0.35	50	0.45	720	2	<0.01	40	560	19	0.01	<2	6	18
H237110		10	<1	0.20	40	0.61	137	8	<0.01	27	750	18	0.01	<2	7	25
H237111		<10	1	0.13	30	0.52	368	5	<0.01	23	640	12	0.01	<2	4	12
H237112		<10	<1	0.13	20	0.46	242	3	<0.01	21	430	69	0.02	21	3	13
H237113		10	<1	0.14	30	0.42	250	9	<0.01	24	750	11	0.02	<2	5	28
H237114		10	<1	0.07	20	0.28	184	5	<0.01	15	420	11	0.01	<2	3	16
H237115		<10	<1	0.06	20	0.47	305	2	<0.01	24	240	14	0.01	<2	5	12
H237116		<10	<1	0.13	20	0.34	208	6	<0.01	27	430	31	0.02	4	2	11
H237117		10	<1	0.07	20	0.52	318	1	<0.01	23	360	20	<0.01	<2	5	14
H237118		10	<1	0.09	20	0.46	265	2	<0.01	31	430	24	0.01	4	4	12
H237119		<10	1	0.06	30	0.52	718	7	<0.01	38	970	58	0.04	19	5	48
H237120		<10	<1	0.39	20	0.04	59	3	0.01	6	180	25	0.02	126	6	58
H237121		10	<1	0.09	30	0.65	549	4	0.01	37	910	181	0.04	32	4	30
H237122		10	<1	0.07	20	0.50	307	2	<0.01	17	700	69	0.03	<2	3	24
H237123		10	<1	0.11	30	0.58	320	4	0.01	20	750	102	0.04	<2	4	25
H237124		10	1	0.09	40	0.54	572	8	0.01	19	780	41	0.03	<2	4	39
H237125		10	1	0.14	60	0.51	412	6	<0.01	24	1160	26	0.01	3	7	37
H237126		10	1	0.06	60	0.42	634	4	0.01	27	850	53	0.06	4	6	36
H237127		10	<1	0.68	30	1.58	945	2	0.02	181	1100	12	0.19	17	12	52
H237128		<10	<1	0.12	60	0.40	492	4	0.01	61	1310	133	0.03	22	11	40
H237129		10	<1	0.09	40	0.56	524	4	0.02	25	910	133	0.04	7	5	28
H237130		10	<1	0.06	20	0.40	170	3	0.01	18	580	12	0.02	<2	3	15
H237131		<10	<1	0.05	150	0.30	386	7	0.04	34	1140	78	0.18	5	4	184
H237132		10	<1	0.08	30	0.50	322	5	0.02	18	680	33	0.02	5	4	34
H237133		10	<1	0.10	40	0.53	381	3	0.01	22	790	15	0.02	3	4	25
H237134		<10	<1	0.17	20	0.44	342	1	0.01	28	540	18	0.03	6	4	16
H237135		<10	<1	0.08	10	0.42	136	2	0.01	43	1110	22	0.09	10	2	30
H237136		10	<1	0.36	30	0.71	1050	2	0.01	64	1460	606	0.22	87	8	48
H237137		10	<1	0.07	20	0.48	1030	2	0.01	29	980	70	0.04	25	5	29
H237138		10	<1	0.08	20	0.49	1640	2	0.01	30	930	43	0.04	15	5	26
H237139		<10	<1	0.07	20	0.38	1270	1	0.01	35	700	34	0.09	4	7	46
H237140		<10	<1	0.01	<10	11.15	223	<1	0.01	1	240	2	<0.01	2	<1	35

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
H237101		<20	0.11	<10	<10	45	10	84
H237102		20	0.11	<10	<10	43	10	93
H237103		20	0.07	<10	<10	39	10	121
H237104		<20	0.04	<10	<10	18	<10	38
H237105		<20	0.03	<10	<10	29	<10	42
H237106		<20	0.07	<10	<10	42	10	93
H237107		<20	0.08	<10	<10	40	30	101
H237108		<20	0.07	<10	<10	41	10	69
H237109		20	0.08	<10	<10	45	<10	71
H237110		20	0.07	<10	<10	43	50	55
H237111		<20	0.09	<10	<10	49	20	53
H237112		<20	0.08	<10	<10	47	10	78
H237113		<20	0.06	<10	<10	37	50	73
H237114		<20	0.03	<10	<10	38	10	49
H237115		<20	0.06	<10	<10	49	<10	57
H237116		<20	0.04	<10	<10	40	60	69
H237117		<20	0.07	<10	<10	49	<10	64
H237118		<20	0.05	<10	<10	57	<10	62
H237119		<20	0.05	<10	<10	48	20	126
H237120		<20	<0.01	<10	<10	15	<10	11
H237121		<20	0.08	<10	<10	47	10	239
H237122		<20	0.07	<10	<10	38	<10	121
H237123		<20	0.10	<10	<10	45	<10	124
H237124		<20	0.10	<10	<10	40	20	127
H237125		20	0.12	<10	<10	45	10	109
H237126		<20	0.04	<10	<10	42	<10	133
H237127		<20	0.12	<10	<10	99	<10	193
H237128		30	0.03	<10	<10	32	50	321
H237129		<20	0.07	<10	<10	46	10	245
H237130		<20	0.11	<10	<10	48	10	44
H237131		<20	0.02	<10	40	20	<10	268
H237132		<20	0.10	<10	<10	45	20	125
H237133		<20	0.08	<10	<10	44	50	80
H237134		<20	0.07	<10	<10	44	<10	81
H237135		<20	0.03	<10	<10	45	<10	68
H237136		<20	0.06	<10	<10	70	<10	1050
H237137		<20	0.03	<10	<10	61	<10	130
H237138		<20	0.04	<10	<10	59	<10	110
H237139		<20	0.03	<10	<10	44	10	107
H237140		<20	<0.01	<10	<10	1	<10	13

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
H237141		0.36	0.025	<0.2	1.28	412	<10	220	0.7	<2	0.37	<0.5	14	46	35	3.42
H237142		0.40	0.026	<0.2	1.46	379	<10	120	1.1	<2	0.11	<0.5	19	27	43	4.35
H237143		0.62	0.083	0.4	1.74	451	<10	130	0.5	<2	0.10	<0.5	8	30	26	3.31
H237144		Empty Bag														
H237145		Empty Bag														
H237146		Empty Bag														
H237147		0.54	0.017	0.2	1.43	346	<10	130	0.6	<2	0.20	<0.5	7	23	12	3.03
H237148		Not Recvd														
H237149		0.66	0.012	<0.2	1.30	65	<10	240	<0.5	<2	0.24	<0.5	8	23	15	2.35
H237150		0.34	0.007	<0.2	1.78	211	<10	180	0.5	<2	0.16	<0.5	6	31	10	2.92
H237151		0.36	0.017	<0.2	1.97	275	<10	240	0.6	<2	0.22	<0.5	11	39	20	3.46
H237152		0.36	0.010	<0.2	1.19	163	<10	110	<0.5	<2	0.35	<0.5	11	30	15	2.85
H237153		0.42	<0.005	<0.2	1.63	227	<10	270	0.8	<2	0.39	<0.5	9	36	12	3.97
H237154		0.28	0.006	<0.2	1.92	103	<10	110	0.6	<2	0.12	<0.5	9	29	13	2.91
H237155		0.48	0.020	0.2	1.63	441	<10	230	0.7	<2	0.36	<0.5	8	28	18	2.82
H237156		0.64	0.006	<0.2	1.99	15	<10	180	0.5	<2	0.14	<0.5	10	33	18	2.89
H237157		0.50	0.007	<0.2	1.55	16	<10	110	<0.5	<2	0.15	<0.5	6	26	16	2.36
H237158		0.54	0.005	<0.2	1.75	27	<10	280	0.7	<2	0.22	<0.5	12	29	35	2.92
H237159		0.36	0.008	<0.2	1.71	21	<10	130	0.5	<2	0.17	<0.5	10	27	29	2.66
H237160		0.08	1.040	<0.2	1.04	1575	<10	70	<0.5	<2	0.92	<0.5	24	25	51	4.66
H237161		0.48	0.005	<0.2	1.82	55	<10	210	0.6	<2	0.18	<0.5	8	31	25	2.76
H237162		0.58	0.006	<0.2	1.66	19	<10	110	0.5	<2	0.14	<0.5	6	26	13	2.41
H237163		0.54	0.006	<0.2	1.94	39	<10	180	0.6	<2	0.14	<0.5	8	31	19	2.88
H237164		0.70	0.008	<0.2	2.44	303	<10	500	1.1	<2	0.34	0.5	12	37	27	3.37
H237165		0.60	0.012	<0.2	1.54	71	<10	180	0.5	<2	0.18	<0.5	8	23	24	2.50
H237166		0.56	0.005	<0.2	1.46	177	<10	160	0.6	<2	0.22	<0.5	8	25	19	2.58
H237167		0.52	0.013	<0.2	2.43	154	<10	210	1.0	<2	0.21	<0.5	11	37	18	2.88
H237168		0.62	0.005	0.2	1.84	944	<10	140	0.5	2	0.11	<0.5	13	30	10	2.42
H237169		0.66	0.008	0.2	1.57	437	<10	180	0.6	2	0.24	0.5	8	27	17	2.36
H237170		0.66	0.008	<0.2	1.65	75	<10	240	0.6	2	0.23	<0.5	10	27	20	2.57
H237171		0.50	0.268	<0.2	1.50	37	<10	110	<0.5	2	0.17	<0.5	7	24	12	2.00
H237172		0.54	0.009	0.2	1.85	40	<10	100	0.5	<2	0.10	<0.5	8	27	12	2.57
H237173		0.50	0.011	<0.2	1.46	56	<10	100	0.5	2	0.21	<0.5	9	24	12	2.17
H237174		0.48	0.005	<0.2	1.63	47	<10	110	0.5	<2	0.21	<0.5	8	25	11	2.24
H237175		Not Recvd														
H237176		0.60	0.099	0.3	1.83	392	<10	250	0.6	2	0.35	<0.5	8	31	7	2.33
H237177		0.64	0.013	0.2	1.59	544	<10	260	0.6	<2	0.40	<0.5	7	27	6	2.27
H237178		0.64	0.005	0.3	1.54	415	<10	250	0.5	2	0.44	<0.5	7	28	8	2.13
H237179		0.62	0.007	0.2	1.74	155	<10	170	0.6	2	0.26	<0.5	6	29	10	2.45
H237180		0.50	<0.005	<0.2	0.03	<2	<10	10	<0.5	<2	19.5	<0.5	1	<1	<1	0.38

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
H237141		<10	<1	0.15	20	0.54	509	2	0.01	63	840	19	0.01	6	5	29
H237142		10	<1	0.35	30	0.48	576	9	0.01	40	260	19	0.01	5	6	14
H237143		<10	<1	0.18	20	0.46	231	2	0.01	22	350	74	0.03	23	4	20
H237144																
H237145																
H237146																
H237147		10	<1	0.08	20	0.37	571	4	0.01	18	660	88	0.03	20	3	18
H237148																
H237149		<10	<1	0.07	20	0.40	285	1	0.01	20	720	32	0.02	3	3	18
H237150		10	<1	0.08	20	0.46	196	3	0.01	18	470	24	0.03	3	3	16
H237151		10	<1	0.14	20	0.72	403	1	0.01	29	380	53	0.01	2	5	18
H237152		10	<1	0.12	20	0.33	899	1	0.01	21	460	13	0.03	<2	3	25
H237153		10	<1	0.19	30	0.48	413	2	0.02	19	620	22	0.03	2	6	32
H237154		10	<1	0.06	10	0.50	207	1	0.01	20	290	10	0.01	2	3	14
H237155		10	<1	0.06	40	0.47	272	3	0.01	24	610	19	0.02	3	4	29
H237156		<10	<1	0.07	20	0.51	299	1	0.01	22	600	9	0.02	<2	3	15
H237157		10	<1	0.06	10	0.42	166	1	0.01	17	610	15	0.01	2	2	13
H237158		<10	<1	0.08	20	0.49	488	1	0.01	31	570	33	0.02	3	5	24
H237159		<10	<1	0.06	20	0.42	370	1	0.01	28	770	43	0.01	8	3	14
H237160		<10	<1	0.06	10	2.07	671	1	0.21	110	1190	5	0.50	2	2	65
H237161		10	<1	0.10	20	0.44	391	2	0.01	29	650	29	0.02	8	3	16
H237162		<10	<1	0.04	20	0.38	204	1	0.01	16	760	14	0.02	2	2	12
H237163		10	<1	0.06	20	0.44	240	1	0.01	22	740	17	0.02	2	3	14
H237164		10	1	0.36	40	0.71	558	1	0.01	35	970	23	0.01	6	8	28
H237165		<10	<1	0.06	20	0.39	285	1	0.01	22	720	15	0.01	4	4	15
H237166		<10	<1	0.08	20	0.42	384	1	0.01	21	820	13	0.01	3	3	17
H237167		10	<1	0.37	30	0.67	424	<1	0.01	30	800	16	0.01	<2	5	15
H237168		10	<1	0.06	10	0.41	463	2	0.01	16	630	11	0.03	<2	1	12
H237169		<10	<1	0.21	20	0.51	307	<1	0.01	24	860	9	0.01	<2	4	16
H237170		10	1	0.13	30	0.51	268	<1	0.01	24	740	12	0.01	<2	5	20
H237171		<10	<1	0.05	20	0.39	139	<1	0.01	16	650	13	0.01	<2	2	14
H237172		10	1	0.06	20	0.44	334	1	0.01	17	600	10	0.02	<2	2	11
H237173		<10	1	0.08	20	0.43	266	<1	0.01	19	770	7	0.01	<2	3	17
H237174		<10	<1	0.07	10	0.44	217	<1	0.01	18	660	23	0.01	<2	2	16
H237175																
H237176		10	<1	0.06	20	0.55	352	2	0.01	20	670	10	0.02	<2	4	26
H237177		<10	<1	0.04	20	0.46	363	2	0.01	15	670	9	0.02	<2	3	31
H237178		<10	<1	0.05	20	0.49	360	2	0.01	18	700	9	0.03	<2	3	30
H237179		<10	<1	0.05	20	0.46	276	2	0.01	18	620	19	0.01	3	3	20
H237180		<10	1	0.01	<10	11.95	186	<1	0.02	<1	240	2	<0.01	<2	<1	39

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
H237141		<20	0.07	<10	<10	51	30	111
H237142		<20	0.08	<10	<10	38	20	92
H237143		<20	0.07	<10	<10	48	10	85
H237144								
H237145								
H237146								
H237147		<20	0.05	<10	<10	37	10	151
H237148								
H237149		<20	0.06	<10	<10	38	20	71
H237150		<20	0.09	<10	<10	60	20	76
H237151		<20	0.10	<10	<10	52	<10	95
H237152		<20	0.04	<10	<10	45	<10	70
H237153		<20	0.15	<10	<10	66	<10	72
H237154		<20	0.07	<10	<10	50	10	56
H237155		<20	0.05	<10	<10	44	10	90
H237156		<20	0.06	<10	<10	53	10	66
H237157		<20	0.05	<10	<10	42	<10	59
H237158		<20	0.06	<10	<10	45	10	106
H237159		<20	0.05	<10	<10	44	<10	101
H237160		<20	0.13	<10	<10	23	<10	67
H237161		<20	0.05	<10	<10	62	40	96
H237162		<20	0.04	<10	<10	45	10	63
H237163		<20	0.05	<10	<10	49	20	73
H237164		20	0.17	<10	<10	53	30	113
H237165		<20	0.06	<10	<10	39	20	74
H237166		<20	0.06	<10	<10	39	20	72
H237167		<20	0.15	<10	<10	44	10	83
H237168		<20	0.04	<10	<10	39	<10	64
H237169		<20	0.10	<10	<10	37	<10	63
H237170		<20	0.08	<10	<10	43	<10	74
H237171		<20	0.05	<10	<10	31	<10	57
H237172		<20	0.05	<10	<10	42	<10	78
H237173		<20	0.07	<10	<10	36	10	54
H237174		<20	0.05	<10	<10	38	10	55
H237175								
H237176		<20	0.08	<10	10	40	20	77
H237177		<20	0.05	<10	10	39	30	52
H237178		<20	0.05	<10	10	39	10	65
H237179		<20	0.05	<10	<10	41	10	72
H237180		<20	<0.01	<10	<10	<1	<10	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
H237181		0.66	0.010	<0.2	1.59	57	<10	190	0.6	3	0.33	<0.5	11	28	22	2.59
H237182		0.56	0.005	<0.2	1.46	15	<10	130	<0.5	3	0.18	<0.5	7	25	15	2.21
H237183		0.76	0.005	<0.2	1.13	135	<10	190	0.5	2	0.35	<0.5	6	22	7	1.96
H237184		0.68	0.018	<0.2	1.59	319	<10	190	0.5	2	0.28	<0.5	7	26	8	2.27
H237185		0.68	0.008	<0.2	1.63	124	<10	160	0.6	2	0.22	<0.5	8	25	9	2.51
H237186		0.58	<0.005	<0.2	1.77	44	<10	190	0.7	2	0.17	<0.5	12	29	17	2.97
H237187		0.72	0.006	<0.2	1.44	14	<10	90	<0.5	<2	0.12	<0.5	6	23	10	2.15
H237188		0.76	<0.005	0.2	1.64	21	<10	140	0.5	2	0.24	<0.5	9	26	14	2.30
H237189		0.62	0.185	<0.2	1.36	311	<10	230	0.6	<2	0.54	<0.5	10	36	7	2.77
H237190		0.60	0.050	0.5	2.30	2210	<10	620	1.0	<2	0.47	<0.5	9	41	10	3.02
H237191		0.56	0.023	<0.2	1.27	402	<10	120	<0.5	2	0.23	<0.5	8	21	15	2.43
H237201		0.50	0.005	<0.2	1.87	44	<10	130	0.5	<2	0.13	<0.5	10	32	17	2.96
H237202		0.46	0.006	0.2	1.62	30	<10	110	0.5	2	0.12	<0.5	8	29	15	2.71
H237203		0.46	0.010	0.4	2.21	642	<10	220	0.8	<2	0.26	<0.5	15	37	19	3.40
H237204		0.56	0.008	0.2	1.67	184	<10	120	0.5	<2	0.15	<0.5	7	26	13	2.44
H237205		0.34	0.006	<0.2	1.65	88	<10	110	0.6	2	0.17	<0.5	11	27	7	2.45
H237206		0.56	0.008	0.2	1.49	107	<10	200	0.8	<2	0.31	<0.5	9	24	11	2.50
H237207		0.52	<0.005	<0.2	1.47	54	<10	90	<0.5	<2	0.17	<0.5	8	22	13	2.12
H237208		0.58	0.006	<0.2	1.52	19	<10	150	0.5	<2	0.18	<0.5	9	25	18	2.56
H237209		0.46	0.007	<0.2	1.96	119	<10	150	0.6	2	0.22	<0.5	9	30	10	2.68
H237210		0.54	0.013	<0.2	1.61	131	<10	230	0.6	<2	0.15	<0.5	10	28	14	2.71
H237211		0.40	0.008	<0.2	1.21	35	<10	80	<0.5	2	0.14	<0.5	4	20	6	1.48
H237212		0.72	0.039	<0.2	1.61	49	<10	110	<0.5	<2	0.21	<0.5	7	24	16	2.25
H237213		0.54	0.005	<0.2	1.57	38	<10	120	<0.5	<2	0.15	<0.5	9	26	19	2.51
H237214		0.46	0.022	<0.2	1.64	94	<10	90	<0.5	<2	0.13	<0.5	7	24	12	2.52
H237215		0.56	0.007	<0.2	1.74	60	<10	100	0.5	<2	0.12	<0.5	7	27	10	2.54
H237216		0.62	<0.005	<0.2	1.67	64	<10	100	0.5	<2	0.12	<0.5	7	24	14	2.52
H237217		0.42	0.008	<0.2	1.68	67	<10	140	<0.5	<2	0.11	<0.5	6	26	12	2.54
H237218		0.70	0.008	<0.2	1.72	67	<10	120	0.5	<2	0.18	<0.5	6	28	9	2.42
H237219		0.56	0.007	<0.2	1.60	338	<10	200	1.1	<2	0.55	<0.5	8	33	6	2.57
H237220		0.08	1.245	<0.2	0.92	1160	<10	110	0.8	<2	0.01	<0.5	4	41	34	3.24
H237221		0.52	0.010	<0.2	1.43	16	<10	90	<0.5	<2	0.16	<0.5	5	22	13	2.07
H237222		0.62	0.005	<0.2	1.57	15	<10	100	<0.5	<2	0.14	<0.5	6	26	14	2.36
H237223		0.44	0.006	<0.2	1.73	67	<10	90	<0.5	<2	0.12	<0.5	6	26	12	2.58
H237224		0.36	<0.005	<0.2	1.71	50	<10	110	0.6	<2	0.18	<0.5	9	26	9	3.54
H237225		0.44	0.008	<0.2	1.56	30	<10	100	<0.5	<2	0.13	<0.5	5	24	10	2.30
H237226		0.52	<0.005	<0.2	2.12	16	<10	250	0.5	<2	0.18	<0.5	10	40	25	3.42
H237227		0.50	0.009	<0.2	1.78	22	<10	90	<0.5	<2	0.12	<0.5	7	32	18	2.92
H237228		0.52	<0.005	<0.2	1.55	13	<10	120	<0.5	<2	0.11	<0.5	5	25	8	2.39
H237229		0.56	0.007	<0.2	1.48	11	<10	110	<0.5	<2	0.10	<0.5	6	25	12	2.33

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
H237181		10	<1	0.17	20	0.54	470	1	0.01	26	950	11	<0.01	<2	4	25
H237182		<10	<1	0.05	10	0.38	228	<1	0.01	16	590	9	0.01	<2	2	15
H237183		<10	<1	0.05	20	0.43	185	1	0.01	15	780	22	0.01	6	2	24
H237184		<10	1	0.08	20	0.45	197	1	0.01	16	680	29	0.01	7	2	21
H237185		<10	<1	0.06	20	0.43	239	1	0.01	16	650	24	0.01	2	3	17
H237186		10	<1	0.06	20	0.41	558	1	0.01	17	690	12	0.01	<2	3	16
H237187		10	<1	0.07	10	0.35	236	<1	0.02	13	560	9	0.02	<2	1	13
H237188		10	<1	0.15	20	0.51	256	<1	0.01	20	840	10	0.01	<2	4	17
H237189		10	<1	0.20	40	0.65	557	3	0.02	21	1040	20	0.01	3	5	30
H237190		10	<1	0.45	40	0.81	321	<1	0.02	22	1310	10	<0.01	2	5	25
H237191		<10	<1	0.05	20	0.40	285	1	0.01	19	690	11	0.01	<2	3	19
H237201		10	<1	0.09	20	0.47	386	1	0.01	18	740	15	0.02	2	2	13
H237202		<10	<1	0.07	20	0.42	291	1	0.01	18	590	18	0.01	<2	3	12
H237203		10	<1	0.15	20	0.52	439	3	0.01	25	650	17	0.03	5	4	22
H237204		10	1	0.08	10	0.40	399	1	0.01	17	620	15	0.01	<2	2	13
H237205		<10	<1	0.08	20	0.47	548	1	0.01	16	630	11	0.02	2	3	14
H237206		<10	<1	0.09	30	0.41	279	<1	0.01	19	860	12	<0.01	2	4	25
H237207		<10	1	0.05	20	0.33	344	<1	0.01	17	770	9	0.02	<2	2	14
H237208		<10	<1	0.05	20	0.46	353	<1	0.01	20	720	11	0.01	<2	3	17
H237209		<10	<1	0.18	30	0.56	320	<1	0.01	21	810	10	<0.01	6	4	17
H237210		<10	<1	0.07	20	0.44	546	1	0.01	18	580	20	0.01	<2	3	16
H237211		10	1	0.05	20	0.30	104	<1	0.01	11	510	6	0.01	<2	1	16
H237212		<10	<1	0.07	20	0.45	266	1	0.01	22	830	13	0.03	<2	3	14
H237213		<10	<1	0.06	20	0.42	340	1	0.01	20	680	11	0.02	2	3	12
H237214		10	<1	0.05	10	0.39	256	1	0.01	16	640	16	0.02	2	2	11
H237215		<10	<1	0.06	20	0.41	250	1	0.01	15	570	23	0.02	3	2	10
H237216		<10	<1	0.06	20	0.39	208	<1	0.01	18	620	12	0.02	2	2	10
H237217		10	<1	0.04	20	0.39	208	1	0.01	14	680	11	0.02	<2	2	11
H237218		10	<1	0.13	20	0.46	206	1	0.01	17	660	10	0.01	<2	3	15
H237219		10	<1	0.26	70	0.63	356	2	0.02	22	1000	8	0.02	<2	7	29
H237220		<10	<1	0.32	20	0.04	70	2	0.03	15	210	20	0.02	88	5	35
H237221		<10	<1	0.05	10	0.36	170	<1	0.01	16	640	8	0.01	<2	2	12
H237222		<10	<1	0.07	20	0.37	187	1	0.01	16	630	9	0.02	<2	2	11
H237223		<10	<1	0.06	10	0.43	230	1	0.01	15	490	8	0.02	<2	2	11
H237224		<10	<1	0.08	20	0.46	503	1	0.01	17	690	9	0.01	3	3	12
H237225		<10	<1	0.05	20	0.39	170	<1	0.01	16	520	9	0.02	2	2	10
H237226		10	<1	0.29	20	0.62	339	<1	0.02	27	600	9	0.01	<2	5	15
H237227		10	<1	0.16	20	0.49	221	<1	0.01	20	500	12	0.01	<2	3	10
H237228		10	<1	0.05	10	0.33	180	1	0.01	13	530	10	0.03	<2	1	10
H237229		10	<1	0.04	10	0.36	147	1	0.01	15	560	10	0.02	<2	2	11

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
H237181		<20	0.10	<10	<10	42	20	78
H237182		<20	0.05	<10	<10	40	<10	54
H237183		<20	0.06	<10	<10	32	20	59
H237184		<20	0.05	<10	<10	39	20	87
H237185		<20	0.04	<10	<10	39	20	77
H237186		<20	0.05	<10	<10	45	10	56
H237187		<20	0.05	<10	<10	40	20	54
H237188		<20	0.09	<10	<10	37	10	72
H237189		<20	0.13	<10	<10	43	160	71
H237190		30	0.16	<10	<10	43	30	52
H237191		<20	0.04	<10	<10	35	10	57
H237201		<20	0.05	<10	<10	48	50	91
H237202		<20	0.05	<10	<10	44	30	77
H237203		<20	0.07	<10	10	50	30	97
H237204		<20	0.05	<10	<10	39	40	68
H237205		<20	0.08	<10	<10	40	30	70
H237206		<20	0.05	<10	<10	37	20	57
H237207		<20	0.04	<10	<10	33	10	56
H237208		<20	0.05	<10	<10	38	<10	68
H237209		<20	0.11	<10	<10	42	<10	65
H237210		<20	0.06	<10	<10	44	10	74
H237211		<20	0.05	<10	<10	32	<10	32
H237212		<20	0.07	<10	<10	36	10	68
H237213		<20	0.06	<10	<10	40	10	72
H237214		<20	0.05	<10	<10	39	10	70
H237215		<20	0.05	<10	<10	43	10	64
H237216		<20	0.05	<10	<10	39	10	57
H237217		<20	0.04	<10	<10	44	<10	53
H237218		<20	0.07	<10	<10	40	20	53
H237219		20	0.12	<10	20	38	30	54
H237220		<20	<0.01	<10	<10	13	<10	37
H237221		<20	0.06	<10	<10	34	<10	51
H237222		<20	0.05	<10	<10	40	<10	60
H237223		<20	0.07	<10	<10	41	<10	75
H237224		<20	0.08	<10	<10	39	<10	75
H237225		<20	0.06	<10	<10	37	<10	57
H237226		<20	0.11	<10	<10	54	10	75
H237227		<20	0.06	<10	<10	43	<10	64
H237228		<20	0.04	<10	<10	42	20	44
H237229		<20	0.04	<10	<10	41	10	53

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
H237230		0.56	<0.005	<0.2	1.64	19	<10	150	<0.5	<2	0.20	<0.5	8	25	11	2.19
H237231		0.60	<0.005	<0.2	1.61	27	<10	150	0.5	<2	0.17	<0.5	8	25	20	2.50
H237232		0.64	<0.005	<0.2	1.69	23	<10	140	<0.5	<2	0.22	<0.5	6	27	12	2.38
H237233		0.66	<0.005	<0.2	1.89	42	<10	210	0.5	<2	0.16	<0.5	8	28	21	2.87
H237234		0.50	0.013	<0.2	1.75	18	<10	160	0.5	<2	0.16	<0.5	8	27	18	2.62
H237235		0.66	<0.005	<0.2	1.40	14	<10	100	<0.5	<2	0.13	<0.5	5	23	10	2.14
H237236		0.38	<0.005	<0.2	1.87	23	<10	140	0.5	<2	0.13	<0.5	8	27	17	2.84
H237237		0.22	0.016	<0.2	1.70	26	<10	220	0.5	<2	0.31	<0.5	10	28	20	2.92
H237238		0.38	<0.005	<0.2	1.64	14	<10	160	<0.5	<2	0.45	<0.5	6	32	20	2.05
H237239		0.46	0.006	<0.2	1.70	17	<10	100	0.5	<2	0.08	<0.5	7	27	13	3.05
H237240		0.36	<0.005	<0.2	0.02	<2	<10	10	<0.5	<2	18.3	<0.5	1	1	<1	0.43
H237241		0.34	0.006	<0.2	1.29	17	<10	80	<0.5	<2	0.23	<0.5	7	23	12	2.39
H237242		0.36	0.006	<0.2	1.42	52	<10	120	<0.5	<2	0.15	<0.5	7	24	13	2.55
H237243		0.32	0.018	0.2	1.05	281	<10	140	<0.5	<2	0.38	0.8	6	24	12	2.44
H237244		0.40	0.228	<0.2	1.47	430	<10	180	0.5	<2	0.36	<0.5	8	30	7	2.69
H237245		0.56	0.007	<0.2	1.41	236	<10	240	0.5	<2	0.29	<0.5	8	25	14	2.54
H237246		0.42	0.005	<0.2	1.47	50	<10	310	0.5	<2	0.35	<0.5	8	26	14	2.72
H237247		0.18	0.041	0.4	1.60	1095	<10	160	0.7	<2	0.31	<0.5	6	25	9	2.74
H237248		0.92	0.260	0.7	1.38	2420	<10	170	0.7	<2	0.47	0.5	9	23	17	3.18
H237249		0.40	0.119	0.3	1.53	862	<10	270	0.8	<2	0.49	<0.5	10	29	13	3.19
H237250		0.36	2.06	2.5	0.96	1885	<10	240	0.9	7	0.41	1.7	7	22	41	4.71
H237251		0.54	0.008	<0.2	1.46	105	<10	100	<0.5	<2	0.12	<0.5	5	26	11	2.79
H237252		0.68	0.017	<0.2	1.99	41	<10	170	0.7	<2	0.12	<0.5	8	30	12	3.10
H237253		0.46	0.279	2.4	1.34	1845	<10	160	0.6	5	0.64	<0.5	5	22	24	3.48
H237254		0.52	0.011	<0.2	2.65	107	<10	150	0.8	<2	0.16	<0.5	17	43	22	3.59
H237255		0.58	0.034	<0.2	1.17	94	<10	110	<0.5	<2	0.14	<0.5	6	25	15	2.71
H237256		0.52	0.024	<0.2	1.21	110	<10	110	<0.5	<2	0.16	<0.5	7	26	14	2.76
H237257		0.50	0.018	0.4	2.10	87	<10	260	0.9	<2	0.46	<0.5	19	71	41	4.68
H237258		0.80	<0.005	<0.2	1.71	32	<10	110	<0.5	<2	0.12	<0.5	6	27	13	2.40
H237259		0.88	<0.005	<0.2	1.61	19	<10	90	<0.5	<2	0.12	<0.5	6	25	13	2.42
H237260		0.06	4.40	8.4	2.25	9	<10	100	<0.5	<2	2.04	1.2	14	18	113	3.56
H237261		0.76	0.007	<0.2	1.65	22	<10	110	<0.5	<2	0.13	<0.5	7	26	10	2.53
H237262		0.76	<0.005	<0.2	1.54	31	<10	110	0.5	<2	0.17	<0.5	8	23	11	2.35
H237263		0.70	<0.005	<0.2	1.53	47	<10	120	<0.5	<2	0.08	<0.5	5	26	5	2.58
H237264		0.62	<0.005	<0.2	1.89	36	<10	110	0.6	<2	0.12	<0.5	8	28	12	2.72
H237265		0.76	0.007	<0.2	1.44	40	<10	80	<0.5	<2	0.12	<0.5	5	24	11	2.30
H237266		0.78	0.008	<0.2	1.56	40	<10	90	<0.5	<2	0.10	<0.5	5	25	11	2.28
H237267		0.82	0.005	<0.2	1.43	50	<10	90	0.5	<2	0.11	<0.5	7	22	10	2.41
H237268		0.64	0.005	<0.2	1.56	31	<10	100	<0.5	<2	0.12	<0.5	6	27	13	2.55
H237269		0.84	<0.005	<0.2	1.41	19	<10	120	<0.5	<2	0.14	<0.5	6	25	16	2.36

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
H237230		<10	<1	0.04	20	0.41	221	2	0.01	17	640	11	0.03	<2	2	14
H237231		<10	<1	0.08	20	0.42	260	<1	0.01	22	630	10	0.01	2	3	13
H237232		10	<1	0.08	20	0.47	182	1	0.01	18	590	10	0.02	<2	3	15
H237233		<10	<1	0.09	20	0.46	321	1	0.01	25	590	16	0.01	3	3	16
H237234		<10	<1	0.10	20	0.45	237	<1	0.01	21	590	10	0.01	<2	3	13
H237235		<10	<1	0.05	10	0.35	139	1	0.01	14	590	7	0.02	<2	1	11
H237236		10	<1	0.08	20	0.44	220	1	0.01	21	540	11	0.02	<2	3	13
H237237		10	<1	0.14	20	0.44	354	1	0.02	27	860	11	0.03	<2	3	22
H237238		<10	<1	0.52	20	0.46	239	<1	0.04	17	470	4	0.01	<2	3	29
H237239		10	<1	0.08	10	0.36	238	1	0.01	20	290	30	0.02	2	3	9
H237240		<10	<1	<0.01	<10	10.90	202	<1	0.02	<1	150	<2	<0.01	<2	<1	39
H237241		<10	<1	0.06	20	0.40	383	1	0.01	17	780	9	0.03	2	1	13
H237242		10	<1	0.05	20	0.39	255	1	0.01	17	590	14	0.02	<2	2	13
H237243		<10	<1	0.06	20	0.39	277	5	0.02	16	730	44	0.03	9	2	26
H237244		10	<1	0.15	30	0.65	310	3	0.02	22	920	12	0.02	2	4	24
H237245		<10	<1	0.08	30	0.47	322	2	0.02	22	800	11	0.01	2	4	20
H237246		<10	<1	0.10	30	0.51	343	3	0.02	22	860	19	0.01	5	4	26
H237247		10	<1	0.07	40	0.47	189	4	0.02	19	710	40	0.05	46	3	30
H237248		10	<1	0.09	40	0.47	649	5	0.02	23	900	115	0.03	94	4	31
H237249		10	<1	0.36	60	0.69	698	6	0.02	29	1090	44	0.02	50	7	37
H237250		<10	<1	0.19	50	0.27	339	11	0.02	38	950	337	0.18	103	7	71
H237251		10	<1	0.08	20	0.44	219	2	0.01	18	480	21	0.03	4	2	12
H237252		10	<1	0.09	20	0.44	292	2	0.01	21	540	26	0.01	5	4	11
H237253		<10	<1	0.13	30	0.38	383	13	0.02	17	990	405	0.11	112	4	49
H237254		10	<1	0.33	20	1.01	985	1	0.02	33	630	15	0.02	5	5	12
H237255		<10	<1	0.09	20	0.29	269	2	0.01	19	460	27	0.02	12	2	15
H237256		10	<1	0.07	20	0.28	295	2	0.01	17	450	25	0.02	10	3	16
H237257		10	<1	0.31	20	0.86	614	4	0.02	54	900	21	0.06	14	9	48
H237258		10	<1	0.07	10	0.40	217	<1	0.01	17	700	10	0.02	<2	2	10
H237259		<10	<1	0.06	10	0.37	190	<1	0.01	16	570	10	0.02	<2	2	9
H237260		10	<1	0.23	10	1.07	840	12	0.13	11	810	18	0.63	<2	8	129
H237261		<10	<1	0.07	10	0.41	288	1	0.01	16	650	9	0.02	<2	2	10
H237262		<10	<1	0.07	10	0.39	253	<1	0.01	17	680	11	0.02	4	2	12
H237263		<10	<1	0.04	10	0.37	296	1	0.01	12	640	11	0.03	3	1	9
H237264		10	<1	0.10	20	0.45	429	1	0.01	18	630	11	0.03	<2	2	11
H237265		<10	<1	0.05	10	0.35	196	1	0.01	15	630	10	0.02	<2	2	9
H237266		10	<1	0.05	10	0.39	156	1	0.01	16	550	10	0.02	<2	2	9
H237267		<10	<1	0.05	10	0.34	323	1	0.01	16	560	18	0.02	2	2	9
H237268		10	<1	0.07	10	0.38	174	1	0.01	16	900	17	0.04	2	1	10
H237269		<10	<1	0.05	20	0.38	192	1	0.01	16	640	19	0.02	3	2	12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2
H237230		<20	0.05	<10	<10	38	<10	56
H237231		<20	0.06	<10	<10	37	<10	67
H237232		<20	0.07	<10	<10	39	<10	63
H237233		<20	0.05	<10	<10	48	<10	91
H237234		<20	0.07	<10	<10	45	<10	68
H237235		<20	0.04	<10	<10	38	<10	47
H237236		<20	0.06	<10	<10	44	<10	62
H237237		<20	0.08	<10	<10	45	<10	71
H237238		<20	0.10	<10	<10	28	<10	34
H237239		<20	0.07	<10	<10	50	<10	65
H237240		<20	<0.01	<10	<10	1	<10	11
H237241		<20	0.05	<10	<10	37	20	59
H237242		<20	0.05	<10	<10	42	10	59
H237243		<20	0.05	<10	<10	39	10	152
H237244		<20	0.13	<10	<10	42	70	74
H237245		<20	0.07	<10	<10	40	30	63
H237246		<20	0.09	<10	<10	43	20	73
H237247		<20	0.06	<10	<10	36	50	71
H237248		<20	0.06	<10	<10	36	30	162
H237249		20	0.13	<10	<10	39	70	150
H237250		30	0.04	<10	10	32	<10	858
H237251		<20	0.06	<10	<10	47	20	77
H237252		<20	0.06	<10	<10	53	20	90
H237253		<20	0.04	<10	10	29	20	258
H237254		<20	0.13	<10	<10	61	10	116
H237255		<20	0.04	<10	<10	40	10	74
H237256		<20	0.04	<10	<10	42	10	61
H237257		<20	0.11	<10	<10	84	10	101
H237258		<20	0.06	<10	<10	38	<10	59
H237259		<20	0.05	<10	<10	40	<10	58
H237260		<20	0.10	<10	<10	88	<10	83
H237261		<20	0.06	<10	<10	40	<10	61
H237262		<20	0.06	<10	<10	34	<10	60
H237263		<20	0.03	<10	<10	43	<10	61
H237264		<20	0.07	<10	<10	46	<10	70
H237265		<20	0.05	<10	<10	37	<10	60
H237266		<20	0.05	<10	<10	38	<10	53
H237267		<20	0.04	<10	<10	35	10	64
H237268		<20	0.03	<10	<10	39	10	54
H237269		<20	0.05	<10	<10	40	10	65

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
H237270		0.84	0.009	<0.2	1.43	31	<10	90	<0.5	<2	0.13	<0.5	6	24	19	2.34
H237271		Empty Bag														
H237272		0.70	0.006	<0.2	1.84	32	<10	210	0.7	<2	0.19	<0.5	11	33	31	2.76
H237273		Empty Bag														
H237274		0.52	0.006	0.3	1.91	52	<10	170	0.7	<2	0.30	<0.5	8	31	34	2.97
H237275		0.56	0.012	<0.2	2.36	55	<10	190	0.8	<2	0.17	<0.5	11	33	34	3.32
H237276		0.54	<0.005	<0.2	1.24	102	<10	70	<0.5	<2	0.08	<0.5	3	26	4	2.51
H237277		0.78	<0.005	<0.2	1.42	132	<10	90	<0.5	<2	0.11	<0.5	5	21	7	2.18
H237278		0.66	0.051	0.4	1.91	1800	<10	140	0.7	<2	0.14	<0.5	9	31	24	3.58
H237279		0.64	<0.005	<0.2	1.71	61	<10	100	0.5	<2	0.12	<0.5	5	25	6	2.61
H237280		0.42	<0.005	<0.2	0.02	<2	<10	10	<0.5	<2	18.5	<0.5	1	1	<1	0.44
H237281		0.70	<0.005	<0.2	1.78	20	<10	160	0.6	<2	0.17	<0.5	8	27	8	2.95
H237282		0.58	<0.005	<0.2	1.26	15	<10	110	<0.5	<2	0.11	<0.5	5	23	11	2.36
H237283		Empty Bag														
H237284		Empty Bag														
H237285		0.70	0.025	<0.2	1.15	263	<10	90	<0.5	<2	0.15	<0.5	4	20	5	2.12
H237286		0.56	0.013	0.2	1.70	629	<10	350	0.7	<2	0.74	<0.5	10	30	11	2.81

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
H237270		<10	<1	0.05	20	0.37	170	<1	0.01	18	600	39	0.02	4	3	10
H237271																
H237272		10	<1	0.10	20	0.54	369	1	0.01	33	540	20	0.02	8	5	20
H237273																
H237274		10	<1	0.14	10	0.62	293	1	0.02	29	540	163	0.08	16	3	52
H237275		10	<1	0.15	10	0.67	326	1	0.02	36	510	9	0.09	<2	4	43
H237276		10	<1	0.04	10	0.24	109	1	0.01	11	310	16	0.03	2	1	9
H237277		<10	<1	0.04	20	0.33	174	1	0.01	12	590	14	0.02	2	1	10
H237278		10	<1	0.08	30	0.46	363	1	0.01	22	610	197	0.02	60	5	13
H237279		10	<1	0.06	20	0.39	228	1	<0.01	13	650	14	0.02	2	2	11
H237280		<10	<1	<0.01	<10	11.30	194	<1	0.01	<1	150	<2	<0.01	<2	<1	50
H237281		<10	<1	0.07	20	0.47	340	1	0.01	17	450	12	0.02	2	3	12
H237282		<10	<1	0.04	10	0.36	165	1	0.01	16	430	11	0.02	<2	2	10
H237283																
H237284																
H237285		<10	<1	0.04	10	0.29	153	2	0.01	11	460	25	0.03	8	1	13
H237286		10	<1	0.07	50	0.57	767	6	0.02	23	890	36	0.08	9	4	48

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2008
Account: STRGOL

Project: Dublin Gulch

CERTIFICATE OF ANALYSIS VA08104558

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
H237270		<20	0.05	<10	<10	39	10	67
H237271								
H237272		<20	0.08	<10	<10	73	20	109
H237273								
H237274		<20	0.07	<10	<10	48	<10	126
H237275		<20	0.07	<10	<10	50	10	62
H237276		<20	0.05	<10	<10	52	20	38
H237277		<20	0.04	<10	<10	35	10	47
H237278		<20	0.04	<10	<10	48	20	159
H237279		<20	0.06	<10	<10	42	10	50
H237280		<20	<0.01	<10	<10	1	<10	11
H237281		<20	0.06	<10	<10	48	10	53
H237282		<20	0.04	<10	<10	39	20	50
H237283								
H237284								
H237285		<20	0.03	<10	<10	36	20	56
H237286		<20	0.07	<10	10	42	10	88

APPENDIX M:

ALS Chemex Assay Certificates (Rocks)

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2008
Account: STRGOL

CERTIFICATE TR08122061

Project: Mar-Tungsten

P.O. No.:

This report is for 6 Rock samples submitted to our lab in Terrace, BC, Canada on 26-AUG-2008.

The following have access to data associated with this certificate:

GRAHAM KUBALE JEFF SCULLY	ANISSA NOAKES TERRY TUCKER	KEVIN PIEPGRASS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-36	Fine Crushing - 85% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF05	Trace Level XRF Analysis	XRF

To: **STRATAGOLD CORPORATION**
ATTN: JEFF SCULLY
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 6-SEP-2008
Account: STRGOL

Project: Mar-Tungsten

CERTIFICATE OF ANALYSIS TR08122061

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 W ppm 10
H228651		2.62	830
H228652		1.12	2040
H228653		1.36	390
H228654		4.08	590
H228655		4.93	790
H228656		2.35	800

APPENDIX N:

SRK PRELIMINARY ECONOMIC ASSESSMENT EXECUTIVE SUMMARY

NI 43-101 Preliminary Assessment
Dublin Gulch Property – Mar-Tungsten Zone
Mayo District, Yukon Territory, Canada

Prepared for:

StrataGold Corporation
2550-1066 Hastings Street
Vancouver, British Columbia
Canada, V6E 3X2
1.604.682.5122

SRK Project Number: 173203

Prepared by:

SRK Consulting
Engineers and Scientists

7175 W. Jefferson Ave.
Suite 3000
Lakewood, CO 80235

Effective Date: December 1, 2008
Report Date: December 1, 2008

Contributors:
Dr. Bart Stryhas, PhD, CPG
Syver W. More, RG, CPG
Alva Kuestermeyer, MS Mineral Economics, CP, SME
Stuart Collins, P.E.
Bret Swanson, B.E., AusIMM
Kenneth P. Black, P. Eng.
Michael Levy, P.E., P.G.
Terry Mandziak, P.E.
Valerie Obie, B.Sc., M.A., SME

Endorsed by QP:
Dr. Bart Stryhas, PhD, CPG
Syver W. More, RG, CPG
Bret Swanson, B.E., AusIMM
Michael Levy, P.E., P.G.
Kenneth P. Black, P. Eng.

Executive Summary (Item 3)

Property Description and Location

The Mar-Tungsten Zone (or the Project) is an advanced stage exploration project located in the central Yukon Territory, Canada in the Mayo Mining District. The property is located approximately 85km by road north-northeast of the village of Mayo, that is in turn sited 350km due north of the Territorial capital of Whitehorse. The approximate center of the Mar-Tungsten Zone is located at 64° 01' 40" N. latitude and 135° 45' 04" W longitude (UTM coordinates 7,100,325 N and 463,298 W, Zone 8, N).

Ownership

The Mar-Tungsten Zone comprises a small portion of the Dublin Gulch Property, which consists of 1,896 quartz claims, 10 quartz leases, and one Federal Crown Grant quartz claim. These form a contiguous claim group covering 34,576ha (data as of October 15, 2007). The Mar-Tungsten Zone is defined within the Dublin Gulch Property by a total of 15 claims and leases covering the tungsten skarns. StrataGold Corporation (StrataGold) purchased the Mar-Tungsten Property in December 2004, and has full ownership except for a $1/8^{th}$ interest in the Olive Federal Crown Grant.

StrataGold Corporation (StrataGold) purchased from New Millennium Mining Ltd a 100% interest in 30 claims and a $7/8^{th}$ interest in the Olive Crown Grant, referred to during the transaction as the 'Mar-Tungsten Property', and a 51% interest in 22 claims and 10 leases, collectively the 'Mar Tungsten Leases', in December 2004. In July 2006 StrataGold purchased the remaining 49% interest in the Mar Tungsten Leases and the remaining rights on the Mar Tungsten Property, which were held by Queenstake Resources Ltd.

History and Exploration

The Dublin Gulch properties have been explored and prospected since the mid-1890's, initially for placer gold and later for hard-rock tungsten, tin, gold, silver, and minor base metals. The Mar-Tungsten Zone comprises a portion of the Dublin Gulch mineralization system. The exploration history of the Mar-Tungsten Zone and the shifting ownership of the various sub-districts are linked to the overall exploration efforts directed across the larger Dublin Gulch Property.

At the Mar-Tungsten Zone, prospector Harvey Ray first located scheelite ($CaWO_4$)-bearing float in 1942. The Geologic Survey of Canada investigated the property from 1942-1944. They located the source of the scheelite float in 1943 in several skarn zones at the headwaters of Ray Gulch plus several other drainages cutting the steep outcropping southern face of Potato Hill Ridge. Stride Exploration and Development Co. prospected and sampled the skarns in 1956. Both the Mar-Tungsten Zone and the Dublin Gulch areas were re-staked by C. Provencher in 1968 and the ground was subsequently optioned to Great Plains Development Ltd in 1968, Tam Mining in 1969, and Connaught Mines Ltd. from 1969 to 1971.

In 1977 Gordon Gutrath of Queenstake staked claims over the tungsten-bearing skarns in the Mar-Tungsten Zone and conducted a small program of geological mapping and sampling of the skarn zones in the vicinity of Ray Gulch. In 1978 Queenstake optioned the ground to Canada Tungsten Mining Corporation. They explored the Mar-Tungsten Zone for tungsten and gold

between 1978 and 1986, retaining BEMA Industries, Ltd. (Bema) in 1980 to manage the program. During their tenure, Bema excavated over 10km of bulldozer trenches and drilled a total of 86 diamond core holes totaling to 13,737m. Upon completion of the drilling, Bema conducted a cross sectional polygon resource estimate which identified a drill indicated resource of 4.1Mt @ 0.56% WO_3 using a 0.2% WO_3 cut-off (Kaye, 1981). This resource estimate is historical in nature and not compliant with today's Canadian Institute of Mining, Metallurgy and Petroleum (CIM) standards for Canadian National Instrument 43-101 (NI 43-101).

The Yukon Geological Survey MINfiles (106D 027, 10-2007) note that Canada Tungsten Mining (CanTung) drilled an additional three holes, totaling 751m in 1982, and continued geochemical sampling, trenching, VLF-EM surveying and geological mapping. CanTung returned the Mar-Tungsten Zone along with the adjacent Dublin Gulch Property to Queenstake in 1986.

In 1996 First Dynasty Mining, to whom Queenstake transferred its interest in the property, formed a subsidiary, New Millennium Mining Limited (NMML) and transferred the Dublin Gulch Property, including the Mar-Tungsten Zone, into its project portfolio. NMML conducted a revised resource estimation accompanied by a preliminary open-pit mining plan of the Mar-Tungsten Zone that year.

StrataGold acquired the Dublin Gulch Property in 2004, and currently holds 100% of the Mar-Tungsten Zone claims. The historical CanTung drill core from the Mar-Tungsten Zone has been stored on the property since 1979-1980. During 2006, StrataGold re-logged and re-sampled five of the historic drillholes in order to evaluate their gold potential. No significant gold zone was found. In 2007, they collected 120 samples from 18 drillholes to provide verification of the historical tungsten assays. The results of this work showed that the historical tungsten analyses were very accurate. During this same year, 26 samples were collected and tested for specific gravity and an NI 43-101 resource estimation was completed. In 2008, StrataGold drilled 34 diamond core holes totaling to 4,058m. These were targeted at the up dip projection of the mineralization and infill within wider spaced drilling.

Geology and Mineralization

The Dublin Gulch Property, which includes the Mar-Tungsten Zone, is located within the northern portion of the Selwyn Basin. The property consists of metasedimentary rocks of Late Proterozoic to lower Cambrian age that were folded and thrust faulted during the collision of Wrangellia with the North American craton during the early Cretaceous. The metasedimentary rocks were intruded by mid-Cretaceous stocks and sills at estimated depths of 5-8km. The main intrusion is termed the Dublin Gulch stock and is affiliated with tungsten, tin, and gold mineralization.

The Mar-Tungsten Zone consists of skarn-hosted scheelite mineralization within a roof pendant of calcareous metasediments. The metasediments are altered to calc-silicate exoskarn and the intrusive sills contain local zones of endoskarn. Exploration drilling to date has delineated a zone of tungsten mineralization along 800m of strike length and 300m down dip. The deposit remains unconfined in nearly all directions.

Metallurgical Testing and Mineral Processing

To date, two metallurgical test programs on composite samples from the Mar-Tungsten Zone were completed at Lakefield Research (1980) and SGS (2008). Preliminary studies by Lakefield

Research entailed bench scale metallurgical lab tests on a 136kg bulk sample collected from outcropping mineralization. Only gravity tests were conducted in the Lakefield program. Overall, the higher-grade scheelite mineralization in the Mar-Tungsten Zone responded remarkably well to the gravity separation in this limited metallurgical investigation. Scheelite gravity recoveries in excess of 75% are predicted from the test results. Most of the tungsten losses occurred in the fine fractions of -200 mesh, which Lakefield believed could probably be recovered by simple flotation treatment. The resultant concentrates were relatively free of contaminants. However, this outcrop sample for the Lakefield program is not considered representative at 1.0%WO_3 which is significantly higher than the current average mine grade of 0.30%WO_3.

The most recent program at SGS in Vancouver, Canada was conducted on a 50kg composite of 26 individual samples from Mar-Tungsten. The SGS metallurgical test program evaluated the following parameters:

- Bond ball mill work index;
- Gravity recovery of the WO_3;
- Flotation recovery of the WO_3; and
- Combined gravity and flotation recovery of the WO_3.

The head grade assay for the sample composite was determined by chemical analysis at 0.39%WO_3. The chemical analysis indicates that tungsten as WO_3 is the only economically recoverable metal or mineral as the others were of a low sample content. Mineralogical analysis showed that tungsten is present as scheelite and principal gangue minerals are quartz, feldspar and pyroxenes.

The Bond work index for the Mar-Tungsten composite was calculated to be 14.1kWh/t which is considered to be a medium hardness ore.

Two gravity tests were done to evaluate a gravity-only flow sheet yielded WO_3 concentrate grades as high as 50-60%WO_3 at an overall recovery of about 65%. Flotation tests were done on 2kg samples for: two rougher tests at different grind sizes, K_{80} 77µm and K_{80} 125µm; and one cleaner test. Results of the two rougher tests demonstrated that a finer grind size to flotation was necessary to achieve a viable recovery with recoveries of 90% and 55% for the grind sizes of K_{80} 77µm and K_{80} 125µm, respectively. These flotation tests in combination with gravity test results demonstrate that the coarse WO_3 as scheelite is recoverable by gravity methods and the finer fractions are amenable to recovery by flotation. One cleaner test was completed with a good recovery of about 90% was obtained; however, the recovery decreased significantly in the cleaning stages. Three tests were performed using a combination of gravity concentration and flotation which showed that the combination of gravity and flotation indicates that an overall recovery of about 80-85% is achievable with 60-65% from gravity and an additional 20% from flotation. For this analysis, SRK has used an average LoM WO_3 recovery of 82.5% and a 58%WO_3 concentrate grade.

Based on the SGS preliminary metallurgical test program, the indicated flow sheet for mineral processing at Mar-Tungsten would be comprised of the following unit processes:

- Blending of RoM ore to provide a consistent WO_3 feed grade to the processing plant;

- Primary crushing of RoM ore;
- SAG-ball mill grinding;
- Gravity recovery and cleaning of gravity concentrate;
- Sulfide and non-sulfide rougher flotation with regrind ball mill;
- Cleaner flotation with regrind ball mill; and
- WO_3 final concentrate thickening, filtering and packaging for shipment.

Resource Estimation

The Mar-Tungsten Zone resource estimation is based on information from 120 drillholes totaling 17,825m. The drillhole database was compiled and verified by StrataGold personnel and is determined to be of high quality. Modern assay duplicates indicate good correlation of historical WO_3 results between different analysis techniques. All modern analyses were accompanied by an industry standard QA/QC program. The resource estimation employed a categorical indicator technique to develop a 0.05% WO_3 grade shell used to limit the projection of mineralization. A very generalized geologic model consisting of five rock types that strike north and dip moderately to the west were also used as density and estimation domains. The deposit was modeled only for WO_3 content. The model blocks are uniform 4m x 4m x 4m cubes and all block grade estimates were made using 2m down hole composites. An Inverse Distance Squared algorithm was employed using a two pass estimation method.

The results of the resource estimation provided a CIM classified Indicated Mineral Resource of 12.7Mt of material with 0.31% WO_3 and an additional Inferred Mineral Resource of 1.3Mt of material with 0.30% WO_3 both using a 0.1% WO_3 cut-off. The quality of the Mar-Tungsten Zone drilling and data is very good and the Mineral Resource was classified mainly according to the general drillhole spacing.

Table 1: Mar-Tungsten Zone Mineral Resource Statement

Resource Category	% WO_3 Cut-off	Total Mt	% WO_3 Grade	Contained WO_3 (Mlbs)
Indicated	0.10	12.7	0.31	86.2
Inferred	0.10	1.3	0.30	8.9

Mining

Mining capital costs for this study were not estimated because the option of employing a mining contractor was selected. The mining contractor would be responsible for all mining equipment and infrastructure associated with the open pit mining and project support (grading, snow removal etc.).

Mineable resources will be difficult to liberate given the thin and dipping orientation of the mineralization leading to possible grade control and dilution risk.

The preliminary pit design was determined to be approximately 0.5km diameter, 250m deep with a volume of 27.6Mm^3. The pit design was broken into three phases for scheduling purposes, with 25m wide ramps at a maximum in pit grade of 10%.

The Project is sensitive to the market price of WO_3 for NPV evaluation and this will drive the economic viability of the Project followed closely by operating costs. To a lesser extent capital cost will also affect the Project, but with less severity than WO_3 price variation. Table 4 illustrates the Mar-Tungsten project NPV sensitivity using an 8% discount rate.

Table 4: Project Sensitivity ($NPV_{8\%}$, US$000s)

Description	-10%	-5%	Base Case	5%	10%
Market Price	(7,359)	8,333	24,026	39,719	55,412
Operating costs	30,464	27,245	24,026	20,807	17,588
Capital costs	46,185	35,106	24,026	12,947	1,867

Exploration Potential

The Mar-Tungsten Zone has excellent opportunities for significant resource expansion. The mineralization has currently been tested along an 800m strike length and remains unconfined in several areas. In the northern part, the mineralization remains unconfined both along strike and down dip. In the central portion, the deposit remains untested down dip from the current drilling. In this area, there are many sections that also remain unconfined down dip. In the southern part, the mineralization remains unconfined mainly down dip.

The Mar-Tungsten Zone is a component of the much larger Dublin Gulch hydrothermal system. The Eagle Gold Zone is located 2.5km along strike from the Mar-Tungsten Zone. The continuity from earlier tungsten-bearing calc-silicate skarns to later-formed gold veins within similar structural regimes provides excellent opportunities to explore for extensions of both tungsten and gold mineralization in the metasediments and within the intrusives. StrataGold currently holds an extensive claim position at its Dublin Gulch Property that incorporates the targets described above.

Conclusions and Recommendations

The Mar-Tungsten Property contains an Indicated and Inferred Mineral Resource based on well-documented exploration work. The results of 121 diamond drillholes completed during an eleven year exploration history have delineated a north striking, moderately west dipping zone of skarn mineralization. The mineralization is defined over an 800m strike length and remains open in several directions. Further exploration drilling is warranted on the north and south extensions of the mineralization and further down dip to the west.

The pit optimization, mine plan and production model were constructed by SRK using the latest economic and resource knowledge at the time of pit optimization. Results indicate a small sized, moderately high cost open pit with the potential for further minable pit resources along strike and at depth. In SRK's opinion, there is sufficient information to commence detailed pit design and scheduling for the generation of a pre-feasibility level reserve statement. SRK recommends analysis of possible mining recovery and dilution issues be conducted in addition to refinement of costs during pre-feasibility.

The current metallurgical test work indicates that a recovery of about 80-85% can be achieved using a combination of gravity and flotation processing techniques. However, this is based on only limited metallurgical test work performed at SGS in 2008. Additional metallurgical test

work is recommended for future engineering studies to confirm the design criteria and processing flow sheet to include:

- Crushing and grinding work indices;
- Optimize gravity and flotation grind sizes for WO_3 recovery;
- Optimize flotation retention times, reagents and reagent consumptions; and cleaning stages;
- Determine regrind parameters,
- Abrasion indices;
- Tailings and concentrate settling characteristics; and
- Concentrate filtration rate.

There is potential for optimization of pit slope angles at the Mar-Tungsten Zone provided additional geotechnical data is collected. The existing geotechnical data are based on field estimates of rock properties, no laboratory testing or discontinuity orientation has been performed. Additional geotechnical data collection and analysis will be necessary for further mine planning. Additional geotechnical core drilling programs should be conducted with a triple tube coring system where logging can be conducted in the splits, before additional core damage occurs during boxing and transport. Future geotechnical core logging programs should also include the orientation of discontinuities and Point Load Testing (PLT). A laboratory strength testing program including Uniaxial Compressive Strength (UCS), Triaxial Compressive Strength (TCS) and Small Scale Direct Shear (SSDS) testing should also be conducted encompassing each major rock type at the site.

Ground water monitoring wells and dewatering wells should also be constructed. These will be used to collect base line data required for permitting and to assess the costs associated with pit dewatering. Continued work is also recommended to advance the environmental monitoring required for permitting of the Project.

Confirmation of an updated contractor mining cost and equipment list should be sought in conjunction with the geotechnical factor of safety analysis relating to future pit designs.

The data collected above will support a Pre-feasibility Study which could be initiated simultaneously with the proposed studies. The Pre-feasibility Study could be completed in 12-18 months.