

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

**GEOLOGICAL MAPPING, PROSPECTING
AND GEOCHEMICAL SAMPLING**

at the

ROD PROPERTY

Rod 1-8 YC98411-418
9-60 YD33529-579

NTS 106D/01 and 106C/04
Latitude 64°10'N; Longitude 133°57'W

in

Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

W. D. Eaton, B.Sc. Geology
and
M. Kammerer, Geol. Tech.

January 2011

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY	4
REGIONAL GEOLOGY	4
PROPERTY GEOLOGY	7
MINERALIZATION	8
SOIL AND STREAM SEDIMENT GEOCHEMISTRY	11
DISCUSSION AND CONCLUSIONS	14
REFERENCES	17

APPENDICES

I	STATEMENTS OF QUALIFICATIONS
II	SAMPLING AND ANALYTICAL PROCEDURES
III	ROCK SAMPLE DESCRIPTIONS
IV	CERTIFICATES OF ANALYSIS

TABLES

<u>No.</u>	<u>Description</u>	<u>Page</u>
I	Exploration History of Rod Property	3
II	Lithological Units	6
III	Geochemical Data for Rock Samples	8
IV	Geochemical Data for Soil Samples	12

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	In pocket
3	Historical Claim Locations	1
4	Tectonic Setting	4
5	Bedrock Geology	7
6	Rock Geochemistry	8
7	Soil Sample Locations	In pocket
8	Silver Soil Geochemistry	11
9	Lead Soil Geochemistry	11
10	Zinc Soil Geochemistry	11
11	Gold Soil Geochemistry	11
12	Arsenic Soil Geochemistry	11
13	Mercury Soil Geochemistry	11
14	Antimony Soil Geochemistry	11
15	Copper Soil Geochemistry	11
16	Manganese Soil Geochemistry	11
17	Molybdenum Soil Geochemistry	11
18	Cross Section	15

INTRODUCTION

The Rod property is a silver-lead-zinc +/- gold prospect located in central Yukon within a district of important precious metal enriched, vein and replacement style deposits, which include the Tiger and Osiris deposits of ATAC Resources Ltd. and the Crag deposit of Xstrata. The Rod property is owned by Strategic Metals Ltd.

This report describes a field program conducted between August 15 and 29, 2010 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The program consisted of geological mapping, prospecting and geochemical sampling performed by a two person crew working under the direction of the authors. Appendix I contains the authors' Statements of Qualifications.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Rod property lies about 112 km northeast of the community of Mayo and is centred at latitude 64°10' north and longitude 133°57' west on NTS map sheets 106D/01 and 106C/04 (Figure 1).

The property comprises 675 mineral claims that cover an area of approximately 13,869 ha (138.7 sq. km.). The Rod 1-60 claims were staked prior to the 2010 exploration program, while the remainder of the claims were staked in fall after positive results were obtained from that program. All of the claims are registered in the name of Archer Cathro, which holds them in trust for Strategic Metals. Details concerning the claims are listed below, while their locations are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Rod 1-8	YC98411-YC98418	March 15, 2015
9-60	YD33529-YD33579	March 15, 2015
61-340	YD71951-YD71000	September 27, 2011
341-490	YD109021-YD109170	September 27, 2011
491-675	YD111491-YD111675	October 6, 2011


Expiry dates do not include 2010 work that has not yet been filed for assessment credit.

In 2010 access to and from the property was provided by a Hughes 500D helicopter and a Bell 206B Jet Ranger III helicopter, both operated by Fireweed Helicopters Ltd. from a temporary staging area at McQuesten Lakes.


The McQuesten Lakes staging area is located 70 km NNE of the village of Mayo on a privately owned farm accessed by an 18 km gravel road from the Silver Trails Highway.

HISTORY AND PREVIOUS WORK

The property was originally staked as Rod 1-100 claims in June 1977 by McIntyre Mines Ltd to cover several mineral showings identified by prospecting (Figure 3). McIntyre explored the area



Claims owned by
ATAC Resources Ltd




STRATEGIC METALS LTD.

FIGURE 2
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CLAIM LOCATIONS
ROD PROPERTY

0 1 km 2 km
UTM ZONE 8, NAD 83, 300 000 000 000

FILE: 2010R000figures DATE: JANUARY 2011



later that year with geological, prospecting and geochemical surveys. Those surveys identified several, strong silver-lead-zinc anomalies that encompassed mineralized float occurrences and vegetation kill zones associated with black shales. Apparently barren shale collected from the kill zones assayed up to 1% zinc and 43.8 g/t silver (Arnold & Floyd, 1977).

In 1979, McIntyre entered into a joint venture with Canadian Superior Exploration Ltd, which conducted geological mapping and hand trenching later that year. The hand trenching exposed mineralization in two areas on “Discovery Ridge”. Numerous cobbles of argentiferous galena were found within black shale talus in one of the areas, and a northeast trending structure hosting argentiferous galena and sphalerite was exposed in the other area (James, 1980).

In 1980, the McIntyre-Canadian Superior joint venture drilled four holes (CSR1-4) totalling 325 m to test the showings exposed in the 1979 trenches. Three holes beneath the northeast trending structure encountered several highly oxidized, poorly mineralized zones (James, 1980). The fourth hole, which was drilled into black shale, was abandoned after 40 m due to poor ground conditions, so the source of the mineralization at this location remained untested.

In 1982, the claims were transferred to SEREM Inc. SEREM performed soil sampling and mapping in 1983, which outlined a “virtually continuous” 2 km long lead-silver anomaly associated with galena float occurrences (Carne, 1984). In 1984, SEREM contracted Archer Cathro to evaluate the mineralized float occurrences on the property with hand trenching. That trenching exposed numerous narrow, northwest trending quartz veins, which are stained with yellow oxide (plumbojarosite?) and which contain isolated lenses of fine-grained, massive argentiferous galena (Carne, 1984).


In 1998, Manson Creek Resources Ltd. performed regional-scale silt sampling in the area and identified an extensive geochemical anomaly on the lapsed Rod claims. As a result, in 2001 Manson restaked the area as the JRS claims (Figure 3) and carried out geological mapping and sampling. That program identified a drill target at the head of a gossanous creek about 500 m west of the Discovery Ridge showings. This blind target was theorized to be a volcanogenic massive sulphide (VMS) prospect similar to Yukon Zinc Corporation’s Marg deposit, which is located 30 km to the southwest. In 2002 Manson drilled 384.5 m in 3 holes and successfully intersected low-grade gold ± silver ± copper ± zinc mineralization associated with exhalative style, pyrite dominated, semi-massive to massive sulphide lenses. Manson recommended further work to “vector into potentially thicker and richer sections of the system” (Jutras, 2003). The recommended work, including detailed soil geochemical and ground geophysical surveys, was not carried out.

Strategic Metals restaked the Discovery Ridge area in 2008 as the Rod 1-8 claims and added another 52 claims early in 2010.

Table I summarizes the information presented in the previous paragraphs.

Table I – Exploration History of Rod Property

Year of Work (Report #)	Owner/ Operator	Claim Group	Work Performed	Results
1977 (090306)	McIntyre Mines Ltd.	ROD 1-100	-Reconnaissance mapping and prospecting -Silt sampling -Soil sampling -Rock sampling -Geophysics (not discussed in report)	-Ridge-line soil sampling identified several strong Ag-Pb-Zn anomalies -Prospecting located abundant mineralized float associated with soil anomalies, mostly in vegetation kill zones within black shales -“Barren shales” within kill zones assayed up to 1% Zn and 1.4 oz/ton Ag
1979 (090611)	Joint Venture: McIntyre Mines Ltd. & Canadian Superior Exploration Ltd.	ROD 1-100	-Detailed mapping -Hand trenching	-Hand trenching exposed Ag-Pb mineralization at two locations on Discovery Ridge
1980 (090687)	Joint Venture: McIntyre Mines Ltd. & Canadian Superior Exploration Ltd.	ROD 1-100	-325m of drilling in four holes to explore mineralization exposed by trenching in 1979	-Three holes intersected several highly oxidized, poorly mineralized zones in a NE trending structure -The second target remained untested due to abandonment of hole CSR-3 in Paleozoic shales
1982	SEREM Inc.	ROD 1-100	-Claims transferred to SEREM Inc.	
1983	SEREM Inc.	ROD 1-100	-Reconnaissance mapping and prospecting -Soil sampling	-Outlined “virtually continuous” 2km long Pb-Ag soil anomaly associated with galena-float occurrences
1984 (091545)	SEREM Inc.	ROD 1-100	-Blast trenching -Channel sampling	-Trenching exposed numerous narrow northwest trending quartz veins stained with yellow oxide (plumbojarosite?), and containing isolated massive, argentiferous galena
1998	Manson Creek Resources Ltd.	-	-Regional scale stream sediment sampling	-Identified extensive stream geochemical anomaly in area of lapsed ROD claims
2001 (094359)	Manson Creek Resources Ltd.	JRS 1-25	-Reconnaissance mapping and prospecting -Rock sampling -Water sampling	-Identified VMS style drill target associated with stream geochemical anomaly found in 1998
2002 (094359)	Manson Creek Resources Ltd.	JRS 1-25	-384.5m of drilling in 3 holes to test for blind VMS Marg style mineralization	-Successfully identified low-grade Au, Ag, Cu, Zn mineralization associated with blind exhalative style, pyrite dominated massive sulphides
2008-2010	Strategic Metals Ltd.	ROD 1-675	- Claims staked -Soil sampling -Prospecting	-Results described in current report



GEOMORPHOLOGY

The Rod property is situated in the Nadaleen Range of the Selwyn Mountains within the Canadian Cordillera. The Nadaleen Range is a chain of ridges and peaks that runs east-west. It is bounded on the north by a broad valley containing the confluence of the North Rackla and the East Rackla Rivers. The claims straddle the east trending Dawson Thrust Fault, which marks a significant change in geography, with its south side composed of resistant rocks that form cliffs and unstable talus slopes, and its north side composed of relatively recessive rocks that form subdued, rolling landscapes.

Elevations range from 700 m above sea level (asl) at the Rackla River in the northwest corner of the property to 1750 m asl on the peaks. Treeline is at approximately 1400 m asl, and about half of the property is above that elevation. The lower slopes are thickly treed with spruce, fir and shrub willow, while upper slopes and ridge crests have alpine vegetation characterized by grasses, moss, lichen and a mix of dwarf alder and willow brush.

There is abundant evidence of past glaciation including north facing cirques and deep U-shaped valleys. Glaciofluvial deposits commonly blanket valley floors, while glacial till and moraines are found on lower slopes. Soil development is generally poor at higher elevations, and talus slopes are common.



The property hosts multiple tributary creeks that flow north into the Rackla River or south into the Beaver River. Both of these rivers are tributaries of the Stewart River, which is part of the Yukon River watershed.

The climate in the Rod area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, arctic cold fronts often cover the area and snowfall can occur in any month. The property is mostly snow free from early June to late September.

REGIONAL GEOLOGY

The Geological Survey of Canada performed geological mapping in the vicinity of the Rod property at 1:250,000 scale in the early 1970s (Blusson, 1974). The Yukon Geological Survey conducted a 1:50,000 scaled mapping in the area in the 1990's (Abbott, 1990). In 2003, Gordey and Makepeace completed a compilation of Yukon-wide geology, which updated the lithological unit names in the Rod area.

The Rod property lies on the northern edge of Selwyn Basin, a predominantly off-shelf meta-sedimentary and meta-volcanic sequence that formed on the western margin of the North American craton during Paleozoic times. The property is situated near the boundary between deep water units of Selwyn Basin and continental shelf strata of MacKenzie Platform (Figure 4). Selwyn Basin stratigraphy consists of regionally metamorphosed, basinal sediments of Neoproterozoic to Paleozoic age. Mackenzie Platform stratigraphy comprises dominantly shallow water carbonate and clastic sediments that were deposited from Mid-Proterozoic through



ANCESTRAL NORTH AMERICA

- MP Mackenzie Platform
- SB Selwyn Basin
- RT Richardson Trough

TERRANES

DISPLACED CONTINENTAL MARGIN

- AA Arctic Alaska
- CA Cassiar
- PC Porcupine

PERICRATONIC TERRANES

- YT Yukon-Tanana / Slide Mountain


ACCRETED TERRANES

- ST Stikinia / Cache Creek
- AX Alexander
- WR Wrangellia
- CG Chugach

STRATEGIC METALS LTD.

FIGURE 4
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING ROD PROPERTY



DRAWN BY: M.Kammerer

PROJECT: ROD

FILE:P:\2010\ROD

DATE: JANUARY 2011

to Mesozoic times. Both packages of sediments were deposited on the western margin of ancestral North America.

Geology in the immediate vicinity of Rod property includes six predominantly sedimentary units classified by Gordey and Makepeace (2003) as Hyland Group, Bouvette Formation, Earn Group, Keno Hill Formation, Tsichu Formation and Jones Lake Formation, and numerous small igneous bodies of the Galena and Selwyn Suites. The major structural feature in the area is the Dawson Thrust Fault, which is a north directed structure that post-dates emplacement of the Galena Suite but predates the Selwyn Suite Intrusives.

Hyland Group comprises the stratigraphic floor of the region. It dominantly consists of coarse turbiditic clastics characterized by a quartz-rich succession of evenly interbedded sandstone and shale. Thin sub-units of conformable limestone (PCH2), fine clastics typified by maroon and green shale (PCH3), and intermediate volcanics (PCH5) are distinguished within the Rod area. The Hyland Group hosts the Osiris gold deposit owned by ATAC Resources, approximately 50 km to the west of the Rod property.

Bouvette Formation unconformably(?) overlies Hyland Group. It comprises grey- and buff-weathering dolomite and limestone with rare black shale. This formation has only been recognized north of the Dawson Thrust Fault, where it forms extensive, partially fault-controlled masses with several narrow, generally east-west trending outliers. The Bouvette Formation hosts the Tiger Zone gold deposit owned by ATAC Resources, approximately 15 km to the east of the Rod property.

Earn Group overlies the Bouvette Formation. It mainly comprises a complex assemblage of submarine fan and channel deposits within black siliceous shale and chert. Limestone horizons and volcanic flows and tuffs are minor but locally abundant subunits of the Earn Group.

Keno Hill Formation overlies the Earn Group. It predominantly consists of quartz arenite.

Tsichu Formation is a calcareous unit composed mostly of dolomite, calcarenite and limestone.

Jones Lake Formation comprises quartzite, fine clastic horizons and minor limestone.

The nearest intrusive rocks belong to the Galena Suite and the Selwyn Suite. The Galena Suite is Triassic aged and is composed mainly of diorite and gabbro sills. The Selwyn Suite is mid-Cretaceous and forms sills, plugs and dykes composed of biotite quartz monzonite, granodiorite and quartz diorite.

The rock units in the Rod area are further described in Table II.

Table II – Lithological Units (after Gordey and Makepeace, 1999)

Unit Name	Age	Map Name	Description
Selwyn Suite	Mid-Cretaceous	mKgS	Resistant, blocky, fine to coarse grained equigranular to porphyritic (K-feldspar) biotite quartz monzonite and granodiorite and minor quartz diorite.
Galena Suite	Triassic	TrG	Massive, medium-grained hornblende diorite and gabbro sills; massive chloritic and locally serpentinized greenstone sills.
Jones Lake	Middle to Upper Triassic	TrJ	Brown to buff weathering, calcareous fine grained sandstone, argillite and shale; extensive ripple cross-lamination and bioturbation; massive, light grey weathering, fine crystalline, dark grey limestone; minor orange weathering platy limestone.
Tsichu Formation	Carboniferous to Permian	CPT	Thin to medium bedded, siliceous calcarenite, dolomite, sandy dolomite and minor grey quartzite; buff and grey weathering, thick bedded, dark grey bioclastic limestone.
Keno Hill Formation	Mississippian	MK	Massive to thick bedded quartz arenite; thin to medium bedded quartz arenite interstratified with black shale or carbonaceous phyllite.
Earn Group	Devonian to Mississippian	DME (undifferentiated)	Complex assemblage of submarine fan and channel deposits within black siliceous shale and chert and including separated small occurrences of felsic volcanic rocks; barite common; rare limestone.
		DME3	Massive felsic to intermediate volcanic flows, tuffs and subvolcanic plug(s); locally highly altered; greenish chert and minor black slate; quartz eye quartz-sericite chlorite phyllite; local vesicular or amygdaloidal basalt, locally pillowed.
Bouvette Formation	Upper Cambrian to Lower Devonian	CDB1	Grey- and buff-weathering dolomite and limestone, medium to thick bedded; white to light grey weathering, massive dolomite; minor platy black argillaceous limestone, limestone conglomerate and black shale; massive bluish-grey weathering dolostone.
Unconformity (?)			
Hyland Group	Upper Proterozoic to Lower Cambrian	PCH (undifferentiated)	Consists upwards of coarse turbiditic clastics, limestone (PCH2) and fine clastics typified by maroon and green shale (PCH3); may include younger units; includes scattered mafic volcanic rocks (PCH5).
		PCH5	Dark brown- and green- to light grey-weathering, dark green volcanic rocks, commonly with calcite-filled vesicles, breccia, tuff, and agglomerate; minor interbedded shale, chert, siltstone and limestone.
		PCH2	Grey weathering, dark grey to grey-white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble.
		PCH3	Distinctive, recessive, maroon weathering, interbedded maroon and apple-green slate; "Oldhamia" trace fossils; rare grey chert; locally basal member and interbeds of quartz siltstone, sandstone and quartz-pebble conglomerate.

PROPERTY GEOLOGY

Some property-scale mapping was done by McIntyre Mines (Arnold & Floyd, 1977), Canadian Superior (Kim, 1979), and SEREM (Carne, 1984). This mapping primarily focussed on the Discovery Ridge area in core of the property.

The following geological summary is largely based on Canadian Superior's work. It also includes observations made by Strategic Metals in 2010. Property geology is shown on Figure 5.

Hyland Group – PCH

The southeastern part of the property is underlain by Hyland Group rocks, which make up the hanging wall of the east-west trending, south dipping Dawson Thrust Fault. The unit mainly comprises quartzite, quartz-pebble conglomerate, limestone and fine clastics typified by maroon and green shale.

The quartzite is commonly thick bedded and light buff to gray-brown in colour. It consists of fine quartz grains with minor sericite and brown flecks of limonite. The quartzite grades to quartz-pebble conglomerate with grains up to 10 mm in diameter. Limestones are usually micritic, fine grained, grey to dark grey, and massive to thickly bedded. Shales, locally altered to schists or slates, are distinctively maroon and green coloured with strong paper-thin cleavage.

Basaltic volcanoclastic rocks occur in the Hyland Group near the Dawson Thrust Fault. They include dark greenish-grey, coarse agglomerates and breccias with minor interlayered tuffaceous beds. The sequence averages 120 m in thickness, but it locally swells and elsewhere nearly pinches out.

An orange coloured, crackled ferrodolomite sub-unit also occurs frequently in the hanging wall of the thrust fault. It has light tan and brownish micritic clasts in a darker brown recrystallized carbonate matrix. It locally contains weak tectonic breccias, often with strong silicification, mariposite and sulphide minerals. The origin of the ferrodolomite is uncertain.

Earn Group - DME


The northern and western parts of the property are mainly underlain by Earn Group rocks. In the Discovery Ridge area, Earn Group is confined to the footwall of the Dawson Thrust Fault, but to the west it occurs above and below the thrust.

The uppermost horizon in the Discovery Ridge area is a very recessive, soft brownish black to dark grey shale with low silica content. It forms a topographic saddle on the ridge near the thrust contact. Most of the Earn Group consists of siliceous argillites and shales that feature black chert laminations. In the lower part of the exposed section, limestone occurs as thin bedded layers and lenses within the argillites and shales. Minor barite with some coarse sphalerite is found within the limestone horizons.

JRS Zone										
Type	Sample #	Interval (m)	Ag (g/t)	Pb (%)	Zn (%)	Cu (ppm)	Au (g/t)	As (ppm)	Hg ppm	Sb ppm
■	H248834	—	11.7	0.32	0.15	31	0.01	41	1	14
□	H248835	—	2.5	0.03	0.06	59	<0.001	31	1	11
■	H248836	—	1.1	0.03	0.04	61	0	15	1	2
□	H248847	—	2.3	0.01	0.00	9	0.01	21	1	8
□	G285905	—	301	6.14	0.05	411	0	1,765	4	348

Other Areas										
Type	Sample #	Interval (m)	Ag (g/t)	Pb (%)	Zn (%)	Cu (ppm)	Au (g/t)	As (ppm)	Hg ppm	Sb ppm
■	H248823	—	2.6	0.00	1.44	798	<0.001	253	4	15
■	H248824	—	2.1	0.00	1.18	173	0	56	6	35
□	H248821	—	0.2	0.00	0.01	10	<0.001	<2	<1	<2
□	H248825	—	9.2	0.47	1.55	340	0	793	19	239
□	H248826	—	3.6	0.02	0.16	53	0.3	4,850	1	66
■	H248849	—	1.4	0.04	0.05	94	0	302	<1	11
■	G285901	—	13.2	0.37	0.19	47	0	1,720	<1	26

Odysseus Zone										
Type	Sample #	Interval (m)	Ag (g/t)	Pb (%)	Zn (%)	Cu (ppm)	Au (g/t)	As (ppm)	Hg ppm	Sb ppm
■	H248830	—	1,760	6.12	0.25	2,730	0.09	3,730	36	9,400
■	H248831	—	1,670	70.88	0.28	1,115	0.01	725	34	2,350
■	H248838	—	33	0.84	0.17	241	0.01	252	2	210
■	H248839-40	11.00	32	0.74	0.02	99	0.007	146	3	109
■	H248841-46	25.45	32	0.65	0.01	56	0.006	48	1.2	54
■	H248842	0.37	1,390	30.73	0.11	1,565	0.01	549	7	2,100
□	H248848	—	869	37.20	0.19	259	0.08	33,200	8	1,040
■	G285902	—	1,855	43.03	0.20	3,060	0	1,165	22	2,660
□	G285903	—	245	3.23	0.54	2,460	0.01	1,180	17	>10,000
■	G285904	—	2,370	76.85	0.13	1,260	0.01	520	18	3,140



STRATEGIC METALS LTD.

FIGURE 6
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ROCK GEOCHEMISTRY
ROD PROPERTY

0 200 400 600 800m
NTS: 108D/01, 108C/04

Structure

The Rod property straddles the Dawson Thrust Fault for a length of 25 km. Typically this fault strikes about 080° and dips moderately to the south. Both Hyland Group and Earn Group rocks are slightly warped but generally strike east to southeast and dip southerly at 20° to 50°.

No major or minor folds have been mapped on the Rod property. Foliation is locally well developed in the Hyland Group, but is absent in the Earn Group. This foliation strikes east to southeast and dips southward at a steeper angle than the bedding.

A number of minor cross faults have been observed in the Hyland Group, but they are not traced north of the thrust fault due to lack of exposure. These structures are northeast striking, normal faults that dip steeply to the southeast.

MINERALIZATION

Since 1977, prospecting and rock sampling have been conducted within the Rod property boundary by several operators. All of the mineralized zones discussed below were discovered prior to 2010. However in previous reports, showings were not given specific names with the exception of the JRS Zone. For the purposes of clarity and ease of discussion, the showings on Discovery Ridge have been designated the Calypso Vein, Mentor Showing and Odysseus Zone. The JRS Zone which lies 500 m to the west of Discovery Ridge has retained its traditional name. Showing locations and rock sample geochemical data are presented on Figure 6.

The following showing descriptions summarize observations by Strategic Metals in 2010 and incorporates data reported in old assessment reports. Sampling and Analytical Procedures are explained in Appendix II. Rock descriptions are in Appendix III and Certificates of Analysis appear in Appendix IV. Table III lists anomalous threshold used to interpret rock sample data and compares peak values from historical work to those obtained in 2010.

Table III – Geochemical Data for Rock Samples

Element	Anomalous Threshold	Peak Values	
		Historical	2010
Silver (Ag)	≥ 30 g/t	2314 g/t	2370 g/t
Lead (Pb)	≥ 2.0 %	80.70 %	76.85 %
Zinc (Zn)	≥ 2.0 %	11.20 %	33.62 %

The Odysseus Zone comprises an area approximately 700 by 300 m within Earn Group rocks in the immediate footwall of the Dawson Thrust Fault. Mineralization in this zone is both structurally and stratigraphically controlled. Significant assays have been obtained from northeast trending veins containing quartz and galena and from black shales, which sometimes feature secondary oxides on fractures but often appear to be barren.

The host unit is a dusty grey weathering black shale which locally exhibits a pale green hue on weathered surfaces. The unit weathers recessively and outcrops are rare, but are abundantly

represented as near-source fine talus within vegetation kill zones up to several tens of metres in diameter. Historical sampling of “barren shales” within kill zones returned up to 1% Zn and 1.4 oz/ton (48 g/t) Ag (Arnold & Floyd, 1977). Quartz vein and massive galena float up to cobble sized is scattered throughout the zone, in some places occurring with strong malachite staining. An historical sample of galena float assayed 67.5 oz/ton (2314 g/t) Ag, 66% Pb, and 0.38% Zn.

In 1979, drill hole CSR-3 was collared within the Odysseus Zone. It presumably targeted an area of massive galena float, which lies 70 to 100 m north of the collar. This hole was abandoned at 40 m due to poor ground conditions (James, 1980). No assays were reported from this hole and no further drilling has been done at this zone.

Hand trenching was carried out in 1984 within the galena rich area targeted by CSR-3. Two trenches 20 m apart were dug and exposed a swarm of northwest trending quartz veins and veinlets that are stained with yellow oxide, possibly plumbojarosite (Carne, 1984). The vein showing is 1.3 m width in one trench and includes a 20 cm wide core of massive, fine grained galena, which assayed 57.56 oz/ton (1973 g/t) Ag, and 66.2% Pb (Carne, 1984).

In 2010 Strategic Metals collected float and chip samples from the Odysseus Zone (Figure 6). Highlights from that sampling are described in the following paragraphs.

A series of chip samples taken across one of the kill zones in the core of the Odysseus Zone, which is underlain by apparently barren shale talus, yielded a weighted average of 32 g/t Ag over 11 m (H248839-40). A selective composite sample composed of moderately abundant fragments of green stained quartz vein and quartz breccia from that same kill zone assayed 1760 g/t Ag and 6.12% Pb (H248830).

Chip samples across a bedrock exposure of shale, 250 m to the south of the kill zone described above, returned a weighted average of 32 g/t Ag over 25.45 m (H248841-46), including a sample containing a few thin seams of galena with malachite crusts, which assayed 1390 g/t Ag and 30.73% Pb over 0.37 m (H248842).

A grab sample of massive galena taken from an historical trench about 100 m east of the kill zone assayed 2370 g/t Ag and 76.85% Pb. The historical trenches were not thoroughly evaluated because they have sloughed in.

All rock samples taken from the Odysseus Zone in 2010 had low zinc contents, with the highest being 0.54% Zn.

The Calypso Vein is a 2 to 4 m thick siderite vein exposed in two hand trenches 250 m apart. The trace of the vein between the trenches is marked by abundant, mineralized sub-crop and talus. Locally the vein contains blebby galena and sphalerite, with smaller isolated occurrences of oxidized zinc and weathered massive galena. The vein is coincident with a northeast trending fault structure within the Hyland Group (Arnold & Floyd, 1977). It exhibits conspicuously dark brown weathering that distinguishes it from the surrounding limestone and shale.

Historical channel sampling of the vein returned 6.9 oz/ton (236.6 g/t) Ag, 13.25% Pb and 1.15% Zn over 15 m in one trench and an average of 4 to 5 oz/ton (137.1 to 171.4 g/t) Ag over 38 m in another (James, 1980). Drill holes CSR-1, 2 and 4 tested the depth extension of this structure. All three holes encountered “numerous highly oxidized but poorly mineralized zones” (James, 1980).

In 2010 Strategic Metals collected float and chip samples from the Calypso Vein (Figure 6). Chip sampling of the vein exposure in the western trench returned 256 g/t Ag, 10.7% Pb and 4.4% Zn over 2.01 m. This trench is at the top of an approximately 150 m long by 4 m wide area of sub-crop and near source float, which contains abundant siderite boulders and cobbles. Grab samples from surface within this area returned up to 50.5 g/t Ag, 0.7% Pb and 21.2% Zn. The eastern trench did not reach bedrock and was not sampled.

Numerous cobbles of highly oxidized material were found a few hundred metres northeast along strike of the Calypso Vein, within a well vegetated area. It is not clear if these oxidized cobbles are related to the structure hosting the Calypso Vein. A sample of the oxidized material (H248850) returned 97.3 g/t Ag, 2.7% Pb and 33.6% Zn.

The Mentor Showing is located just south of the Dawson Thrust Fault within Hyland Group rocks, and consists of an 8 by 6 m area of gossanous shale talus and two small hand trenches. Numerous cobble sized fragments of highly oxidized zinc- and galena-rich vein material are present in and around one of the trenches, but no mineralization was found in the other trench 5 m away. The high zinc content and position to the south of the thrust fault distinguish this showing from occurrences at the nearby Odysseus Zone. An historical sample from this showing assayed 2.95 oz/ton (101.1 g/t) Ag, 4.05% Pb and 1.48% Zn (James, 1980).

A composite grab sample of the high-grade vein material taken by Strategic Metals in 2010 assayed 722 g/t Ag, 29.5, Pb% and 7.95% Zn (H248832) but a sample of the rusty shale wallrock did not return significant assay values for silver, lead or zinc.

The JRS Zone lies within Earn Group shales, in roughly the same position relative to the thrust fault as the Odysseus Zone. The area was first identified by Manson Creek Resources Ltd. It appears to be the source of a transported gossan deposited in a northwest flowing creek. Manson drilled three holes (JRS-1, -2 and -3) near the head of the gossan, which intersected numerous thin intervals of pyrite-dominated, syngenetic massive sulphide, which assayed up to 0.38 g/t Au and 27.6 g/t Ag. Thicknesses of sulphide intervals ranged from 5 to 40 cm. The occurrence was described as being blind-to-surface (Jutras, 2003).

In 2010 Strategic Metals prospected and collected rock samples from the JRS Zone (Figure 6). Most of the rocks at surface in the JRS area closely resemble the black shale at the Odysseus Zone to the east, but there is also some highly graphitic material. Two rock samples of the shale taken in areas of historical soil anomalies did not return significant assay values (H248847 and H248835), nor did samples taken from bedrock shale exposures beside a gossanous seep (H248834 & H248836).

Only one of five other rock samples taken elsewhere at the JRS Zone returned anomalous values. That sample (G285905) was an isolated, approximately acorn sized piece of shale float with crackle breccia texture and malachite in the matrix, which was found on a steep shale talus slope near historical drill hole JRS-1. It assayed 301 g/t Ag and 6.14% Pb.

SOIL AND STREAM SEDIMENT GEOCHEMISTRY

Geochemical surveys were conducted within the area now covered by the Rod property in 1977, 1979 and 2010. Sample locations and results for silver, lead, zinc, gold, arsenic, mercury, antimony, copper, manganese, and molybdenum are compiled on Figures 7 to 17, respectively. Sampling and Analytical Procedures are provided in Appendix II and Certificates of Analysis for 2010 samples are given in Appendix IV.

Historical Soil and Silt Sampling

In 1977 soil sampling was carried at 50 m intervals along a series of north-south ridges within the footwall of the thrust fault. The sampling provided widely spaced coverage for about 8 km along the fault. In 1979 this data was augmented by numerous compass-line soil surveys on the flanks of the same ridges. Moderately anomalous values for silver, lead and zinc were found across the survey area, with a zone of highly anomalous values in the Discovery Ridge area.


In 1977, silt sampling was carried out at 500 to 1000 m intervals along several of the creeks draining the northern part of the property. Anomalous values for silver, lead and zinc were found in a number of the creeks. Extremely high zinc concentrations were found in Hotrod Creek (named in this report), which hosts the transported gossan downstream from the JRS Zone. Hotrod Creek returned peak values of 74,000 ppm Zn in three consecutive samples.


2010 Sampling


The 2010 geochemical survey was conducted over the initial sixty claims. A total of 708 samples were collected including 140 contour samples at 100 m spacing, 531 grid samples at 50 m spacing, 31 silt samples at 200 m spacing, and 6 scattered samples taken on property traverses. The contour sampling was done on ridges to the east and south of Discovery Ridge, while the grid sampling covered Discovery Ridge and part of an adjacent ridge immediately to the west. The silt samples were taken from two creeks to the west of Discovery Ridge.


Sampling on the property has identified four distinct soil geochemical anomalies (Anomalies A, B, C and D), and two anomalous drainages Hotrod Creek and a tributary of Rod Creek. All but one of these anomalies (A) appears to be sourcing from Earn Group rocks in close proximity to the Dawson Thrust Fault.


Anomalous thresholds and peak values for soil samples are listed in Table IV.





























Table IV – Geochemical Data for Soil Samples

Element	Anomalous Thresholds				Peak Values	
	Weak	Moderate	Strong	Very Strong	Historical	2010
Silver (ppm)	$\geq 2 < 5$	$\geq 5 < 10$	$\geq 10 < 20$	≥ 20	313	293
Lead (ppm)	$\geq 100 < 500$	$\geq 500 < 1000$	$\geq 1000 < 5000$	≥ 5000	16500	20700
Zinc (ppm)	$\geq 500 < 1000$	$\geq 1000 < 5000$	$\geq 5000 < 10000$	≥ 10000	74000	60400
Gold (ppb)	$\geq 5 < 10$	$\geq 10 < 20$	$\geq 20 < 50$	≥ 50	---	0.106
Arsenic (ppm)	$\geq 100 < 200$	$\geq 200 < 500$	$\geq 500 < 2000$	≥ 2000	---	10400
Mercury (ppm)	$\geq 1 < 2$	$\geq 2 < 5$	$\geq 5 < 20$	≥ 20	---	92
Antimony (ppm)	$\geq 5 < 10$	$\geq 10 < 20$	$\geq 20 < 50$	≥ 50	---	918
Copper (ppm)	$\geq 50 < 100$	$\geq 100 < 200$	$\geq 200 < 500$	≥ 500	---	1105
Manganese (ppm)	$\geq 1000 < 2000$	$\geq 2000 < 5000$	$\geq 5000 < 20000$	≥ 20000	---	50001
Molybdenum (ppm)	$\geq 5 < 20$	$\geq 20 < 50$	$\geq 50 < 100$	≥ 100	---	594

Anomalous thresholds for many of the elements have been set much higher than is typical in the district to distinguish particularly prospective areas within the large area of uncommonly high backgrounds. Silver, antimony, arsenic, lead and mercury soil values are especially high. Zinc, copper and manganese are notably enriched in samples from the transported gossan.

Anomaly A

Anomaly A is centred on the Odysseus Zone. It lies 100 to 200 m north of the Dawson Thrust and comprises a broad, crescent shaped region that follows a northward bulge in the fault. The anomaly is roughly 200 m wide by 700 m long and is northeasterly elongated.

The anomaly is made up of a continuous zone of extremely high values for silver, lead, mercury and antimony. Zinc is weakly to moderately anomalous in isolated locations, but is conspicuously low within the overall zone. Anomalous values for arsenic, copper and molybdenum are also scattered across the zone.

A total of forty-five samples from Anomaly A returned greater than 10 ppm silver and, fourteen of those exceeded 20 ppm. The peak silver value of 293 ppm silver occurs near the centre of the anomaly.

Lead shows a similar distribution to silver, with 12 samples in the highest category (≥ 5000 ppm), and a peak value of 20,700 ppm, coincident with the peak silver value.

Twenty samples in Anomaly A yield higher than 5 ppm mercury, and 90 samples exceeded 20 ppm antimony.

Anomaly B

Anomaly B is a linear trend which follows the surface trace of the Calypso Vein, located in Hyland Group rocks within the hanging wall of the thrust fault. This anomaly is northeast trending, narrow, and approximately 400 m long. It is comprised of coincident silver, lead, zinc, antimony, mercury, manganese and arsenic highs. It is distinguished from the soil anomalies on the north side of the fault by notably high zinc values and by background levels of molybdenum.

Anomaly C

Anomaly C lies directly north of the thrust fault within the same stratigraphic unit as Anomaly A, but is 300 m to the east in the area of the JRS Zone. It is a broad, amoeboid area that is about 400 by 600 m with the long axis running roughly north-south. This anomaly comprises more-or-less continuous zone of coincident silver, copper, arsenic, molybdenum, antimony and mercury highs. Silver values are mostly moderately anomalous but include numerous strongly anomalous peaks to a maximum of 27.1 ppm. Lead values are conspicuously lower in comparison to Anomalies A and B, but there are still several higher than 1000 ppm. Zinc response is subdued, resembling Anomaly A.

Anomaly D

Anomaly D is located about 2.5 km west of Anomaly C and, like Anomalies A and C, it lies directly north of the Dawson Thrust Fault in Earn Group shales. This anomaly was identified by two soil contours lines with samples spaced at 100 m intervals. Several samples within a 600 by 600 m area returned elevated values for silver, lead, zinc, copper, arsenic, antimony, mercury and molybdenum. Silver values are rated as moderately anomalous for ten samples, and strongly anomalous for three.

2010 Silt Sampling

Rod Creek Main

Rod Creek (named in this report) flows north-northwesterly, and drains a large valley 2 km west of Discovery Ridge. Sampling was carried out on the upper section of the creek, where it flows more westward, draining a large west-facing alpine bowl underlain in the Hyland Group rocks. Silt samples from the main creek returned background levels for all elements.

Rod Creek Tributary

Silt sampling yielded anomalous values from a small tributary to Rod Creek draining the east slope of the ridge containing soil anomaly D. This tributary lies downhill of the Dawson Thrust Fault in an area underlain by Earn Group. Two historical samples with very strongly anomalous zinc are supported by three silt samples taken in 2010 from nearby seepages.

Hotrod Creek

Hotrod Creek is the intensely gossanous, northwest flowing creek that lies immediate west of Discovery Ridge. This creek features a thick, rusty precipitate originating from seepages on the west side of the valley in the region of the JRS Zone (Anomaly C). Three historical silt samples taken at 500 to 700 m spacing showed uniformly high zinc concentrations. Manson Creek's drilling program that was carried out in 2002 targeted the apparent source of metaliferous seepage near the top of the creek. That drilling encountered several thin, non-economic horizons of pyrite dominated VMS (Jutras, 2003). Prospecting and silt sampling carried out in 2010

identified two other highly anomalous seepages, both of which yielded zinc and manganese values much higher than the area targeted by the 2002 drilling.

Ten out of twelve samples taken from Hotrod Creek in 2010 returned zinc values greater than the upper detection threshold (10,000 ppm). Manganese and copper were also very strongly enriched in those samples. The distribution of high zinc and manganese values suggests at least two source areas on the west side of the valley, which contribute directly to the metal in the creek, and another isolated spring on the east side of the valley, which does not directly contribute to the creek.

The first source area is near the head of the creek, close to the historical JRS drill holes. Zinc values in that area are mostly between 8,660 and 13,400 ppm, with a peak value of 18,700 ppm. Manganese values are between 3900 and 10,650 ppm in the same area. About 600 m downstream the values are significantly higher, with an average of 16,175 ppm zinc and 22,330 ppm manganese over six consecutive samples, with peak values of 22,800 ppm zinc and 29,900 ppm manganese. The presence of two source areas along the creek is supported by prospecting observations.

The third possible source was found on the east side of the valley where a rust-laden spring does not flow directly into the main creek. This seep is at the base of the west-facing slope of Discovery Ridge, below the Odysseus Zone, and consists of a spring about 2 m in diameter, which feeds a small stream that disappears underground within 100 m. A sample of sediment from the spring returned values of 60,400 ppm zinc and 50,000 ppm manganese, considerably higher than peak values obtained from the main creek.

DISCUSSION AND CONCLUSIONS

The Rod property lies within an established belt of hydrothermal silver-lead-zinc deposits on the northern edge of Selwyn Basin. The potential for gold mineralization in this belt has recently been recognized with discoveries by ATAC Resources Ltd. at its replacement style Tiger and Osiris deposits, which lie roughly equidistant from the Rod Property, 50 km to the west (Tiger) and 50 km to the east (Osiris). The Osiris discovery is particularly noteworthy because it is the first Carlin-type occurrence found in Canada.

Soil geochemical surveys and prospecting in 2010 confirmed and significantly augmented historical data for the property. The most significant developments are: 1) the identification of a broad area of low grade mineralization with bulk tonnage potential at the Odysseus Zone; 2); the possibility of blind-to-surface Carlin-type mineralization, which may be marked by strong anomalous soil values for Key pathfinder elements such as arsenic, antimony and mercury; 3) the recognition of potential source areas for the highly metaliferous transported gossans in Hotrod and Rod Creeks; 4) the potential of other similarly mineralized areas existing along the Dawson Thrust Fault to the east or west.

The 2010 soil sampling outlined a broad area with highly anomalous concentrations of silver, lead, arsenic, antimony and numerous other elements within the Odysseus Zone. Chip sampling within the anomalous zone showed that the black shales have high concentrations of metals over

significant widths. The presence of mineralization in this area was identified by earlier operators, but the detailed grid sampling carried out in 2010 outlined more breadth and continuity to the anomaly than was previously recognized. Also, the extremely high concentrations of antimony, mercury and silver in soil that mark this anomaly have not been previously recognized in the region.

The isolated small galena veins identified within the Odysseus Zone are insufficient to explain the broad polymetallic soil anomaly. The high metals concentrations could be explained by upward leakage of mobile metal ions through the highly fractured shale. These anomalies could indicate a buried Carlin-style gold deposit, as shown in Figure 18.



The shales sampled on surface at the Odysseus Zone contain low-grade concentrations of silver over significant widths (32 g/t Ag over 25 m, open-ended). Only one historical drill hole was attempted at this site, but it was abandoned before reaching the mineralized horizon so its depth continuity remains untested. A drill program is recommended within the Odysseus Zone to accomplish two objectives: 1) to test the depth continuity of low-grade silver mineralization in black shales; and 2) to test for deeper Carlin-style mineralization.

Prospecting observations and silt sampling results suggest the presence of at least three distinct source areas for highly metaliferous seepages in the Hotrod Creek valley. Historical drilling targeted only one of these locations, and the 2010 sampling shows that the two unexplored locations have significantly higher zinc and manganese concentrations. Any drilling program on the property should include holes to test for blind-to-surface mineralization causing the seepage at the two newly identified locations.

The position and shape of the soil geochemical anomalies relative to the Dawson Thrust Fault, strongly imply that the fault was a localizer for mineralization. After positive results were obtained from the 2010 field program, Strategic Metals staked an additional 614 claims covering a combined length of 25 km of prospective stratigraphy along the thrust fault. Future exploration on the property should involve detailed prospecting, rock sampling and soil sampling along the entire length of the thrust fault on the property.

Lower slopes and valley bottoms in the area are generally covered in thick glacial till or glacio-fluvial deposits. Metal concentrations from till samples on the property are typically low and may mask buried mineralization. It is recommended that airphoto interpretation be used to identify areas of shallow soil within the prospective trends to aid in the design of the soil sampling program. That soil sampling program should expand the existing detailed soil grid to the immediate east and west, and include medium density sampling of ridge-tops further east and west to identify additional areas for more detailed coverage. Systematic prospecting and rock sampling should be carried out in concert with the soil program.

Airphoto interpretation should also be used to direct prospecting activities by identifying possible structures that may have acted as localizers for mineralization.



STRATEGIC METALS LTD.

FIGURE 18
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CROSS SECTION ROD PROPERTY

SCALE 1:20,000 1H = 1V
0 200 400 600 800 1000 m

DRAWN BY: M.Kammerer

PROJECT: ROD

FILE:P:2010/ROD

DATE: JANUARY 2011

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

W. Douglas Eaton, B.Sc. Geology

M. Kammerer, Geol.Tech.

REFERENCES

- Abbott, J.G., 1990.
Geological map of Mt. Westman map area (106D/1); Exploration and Geological Services Division, Yukon, Indian and Northern Affairs, Canada, Open File 1990-1.
- Arnold, R and Floyd, A., 1977
Summary Report on Rod Claims; McIntyre Mines Ltd., April 1978, Assessment Report No. 090306.
- Blusson, S., 1974
Drafts of five geological maps of northern Selwyn basin (Operation Stewart), Yukon and District of Mackenzie, N.W.T. (includes NTS 106A, B, C and 105N, O); Geological Survey of Canada, Open File 205, Scale 1:250,000.
- Carne, R.C., 1984
Report on Hand Trenching on Rod 35 Claim in the Mayo Mining District; Serem Inc., July 1984, Assessment Report No. 091545.
- Gordey, S.P. and Makepeace, A.J., 2003
Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- James, Shelley C., 1980
Diamond Drilling Report on the Rod Claim Group; Canadian Superior Exploration Ltd., November 1980, Assessment Report No. 090687.
- Jutras, Jean-Pierre, 2003
JRS 1-25 Claims; Manson Creek Resources Ltd, January 2003, Assessment Report No. 094359.
- Kim, B.Y., 1979
Geological and Geochemical Report on the Rod Claims 1-100; Canadian Superior Exploration Ltd., November 1979, Assessment Report No. 090611.

APPENDIX I
STATEMENTS OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, W. Douglas Eaton, Geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in North Vancouver, British Columbia, do hereby declare that:

1. I graduated from the University of British Columbia in 1980 with a B.Sc. majoring in Geological sciences.
2. From 1971 to present, I have been actively engaged in mineral exploration in Yukon Territory, Northwest Territories and British Columbia and on June 1, 1981, I became a partner in Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in or supervised the fieldwork reported herein and have interpreted all data resulting from this work.

W. Douglas Eaton, B.Sc. Geology

STATEMENT OF QUALIFICATIONS

I, Mike Kammerer, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from the Sir Sandford Fleming College in 1996 with a Geological Technician Diploma, and in 1998 with a Geotechnical Engineering Technologist Diploma.
2. From 2007 to present, I have been actively engaged in mineral exploration in Yukon Territory and Northwest Territories.
3. I have personally participated in the field work reported herein and have interpreted all data resulting from this work.

Mike Kammerer, Geol. Tech.

APPENDIX II

SAMPLING AND ANALYTICAL PROCEDURES

2010 Rock and Soil Geochemical Sampling

Rock Samples

Rock geochemical sample sites on the property were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit.

Multi-element analyses for rock samples were carried out at ALS Chemex in North Vancouver, B.C. Each sample was dried, fine crushed to better than 70% passing -2mm and then a 250 g split was pulverized to better than 85% passing 75 micron. The fine fraction was then analyzed for gold using fire assay followed by inductively coupled plasma-atomic emission spectroscopy analysis and for 35 other elements using an aqua regia digestion and inductively coupled plasma-atomic emission spectroscopy analysis (Au-ICP21 and ME-ICP41).

Soil Samples

All 2010 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 5 to 30 cm deep holes dug by mattock or hand-held auger. They were placed into individually pre-numbered Kraft paper bags.

The soil samples were sent to ALS Chemex, where they were dried, screened to -180 microns, dissolved in aqua regia solution and then analyzed for 35 elements using the inductively coupled plasma with atomic emission spectroscopy technique (ME-ICP41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21).

APPENDIX III
ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions			Project: Rod		Property: Rod	
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - In Situ	Dimension:
H248821	UTM:	550845 E	UTM:	7114824 N	Sample Width: n/a	Abundance: 12 x 5 m area
	Elevation:	m				
Comments: Grab sample from zone of gossanous sandstone chips with abundant rusty quartz fragments.						
Sample Number:	Grid East:	E	Grid North:	N	Type:	Dimension: fist sized
H248822	UTM:	E	UTM:	N	Sample Width:	Abundance: 1 only
	Elevation:	m				
Comments: Boxwork limonite found within creek. Mild zinc zap response.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - In Situ	Dimension: 5 - 10 cm
H248823	UTM:	547766 E	UTM:	7116298 N	Sample Width: n/a	Abundance: rare
	Elevation:	m				
Comments: Quartz vein fragments with white hydrozincite in small fractures and up to 5% honey sphalerite. Found within shale talus below short bluffs.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - In Situ	Dimension: 5 - 10 cm
H248824	UTM:	547842 E	UTM:	7116080 N	Sample Width: n/a	Abundance: low
	Elevation:	m				
Comments: Quartz vein fragments with white hydrozincite in small fractures and up to 5% decayed sphalerite. Found within shale talus on ridge top.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - Float	Dimension: fist sized
H248825	UTM:	548409 E	UTM:	7115978 N	Sample Width: n/a	Abundance: 1 piece
	Elevation:	m				
Comments: Quartz float with <10% galena and sphalerite found within creek. Well rounded, one piece only.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - Float	Dimension: kiwi sized
H248826	UTM:	548374 E	UTM:	7115935 N	Sample Width: n/a	Abundance: 1 piece
	Elevation:	m				
Comments: Well rounded quartz float with abundant fine grained pyrite found within creek.						

Rock Sample Descriptions			Project: <u>Rod</u>		Property: <u>Rod</u>	
Sample Number:	Grid East:	E	Grid North:	N	Type: <u>Grab - Float</u>	Dimension: <u>kiwi sized</u>
H248827	UTM:	551312 E	UTM:	7116624 N	Sample Width: <u>n/a</u>	Abundance: <u>1 piece</u>
	Elevation:	m				
Comments: <u>Near source quartz float with thin seams of limonite, trace cubic pyrite, trace galena, mild malachite staining. Found within in situ rubble from siderite vein.</u>						
Sample Number:	Grid East:	E	Grid North:	N	Type: <u>Grab - Near Source</u>	Dimension: <u>cobbles to medium boulders</u>
H248828	UTM:	551272 E	UTM:	7116581 N	Sample Width: <u>n/a</u>	Abundance: <u>Vein rubble & sub-crop 2-4m X ~200m</u>
	Elevation:	m				
Comments: <u>Dark brown weathering siderite vein rubble with up to 10% red sphalerite, trace galena, trace hydrozincite. Large, composite sample of material found in considerable abundance. Two to four meters apparent vein thickness.</u>						
Sample Number:	Grid East:	E	Grid North:	N	Type: <u>Grab - In Situ</u>	Dimension: <u>up to grapefruit sized</u>
H248829	UTM:	551272 E	UTM:	7116581 N	Sample Width: <u>n/a</u>	Abundance: <u>Moderate, local</u>
	Elevation:	m				
Comments: <u>Selective sample of decayed, cavity filled zinc oxide with trace galena in small blebs, collected from hand trench. Moderately abundant within trench. Rare but present in vein rubble below trench.</u>						
Sample Number:	Grid East:	E	Grid North:	N	Type: <u>Grab - In Situ</u>	Dimension: <u>kiwi sized and less</u>
H248830	UTM:	550950 E	UTM:	7117022 N	Sample Width: <u>n/a</u>	Abundance: <u>moderate to uncommon</u>
	Elevation:	m				
Comments: <u>Quartz and quartz/shale breccia with moderate lime coloured staining. Selective composite of like material found within large flat-lying kill zone comprized of in situ shale talus.</u>						
Sample Number:	Grid East:	E	Grid North:	N	Type: <u>Grab - In Situ</u>	Dimension: <u>fist sized</u>
H248831	UTM:	551093 E	UTM:	7117014 N	Sample Width: <u>n/a</u>	Abundance: <u>10 - 15 pieces</u>
	Elevation:	m				
Comments: <u>Highly weathered and bleached fine grained massive galena. Found within southmost of two historical blast trenches. 10-15 pieces within zone of abundant quartz vein material.</u>						
Sample Number:	Grid East:	E	Grid North:	N	Type: <u>Grab - In Situ</u>	Dimension:
H248832	UTM:	550984 E	UTM:	7116634 N	Sample Width: <u>n/a</u>	Abundance:
	Elevation:	m				
Comments: <u>Strongly rusted vein material including cavity filled zinc oxide, galena and limonite. Abundant fist to head sized pieces found within ~3m hand trench.</u>						

Rock Sample Descriptions			Project: Rod		Property: Rod	
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - In Situ	Dimension: cobbles
H248833	UTM:	550984 E	UTM:	7116634 N	Sample Width: n/a	Abundance: High
	Elevation:	m				
Comments: Pervasively rusty shale from within and surrounding hand trench. Abundant material associated with vein from sample H248832.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - In Situ	Dimension: bedrock
H248834	UTM:	550477 E	UTM:	7116514 N	Sample Width: n/a	Abundance: very high
	Elevation:	m				
Comments: Black shale from zone of abundant rusty seepage above prominent gossanous creek.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - Float	Dimension:
H248835	UTM:	550225 E	UTM:	7116530 N	Sample Width: n/a	Abundance: 1 piece
	Elevation:	m				
Comments: Rusty quartz vein float with greenish residue. Found within creek.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - In Situ	Dimension: bedrock
H248836	UTM:	550415 E	UTM:	7116586 N	Sample Width: n/a	Abundance: very high
	Elevation:	m				
Comments: Grey fissile shale from directly above very strong rusty seep.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension: 2.01 m vein width
H248837	UTM:	551202 E	UTM:	7116511 N	Sample Width:	Abundance:
	Elevation:	m				
Comments: Dark brown weathering siderite vein exposed in bedrock with ~10% galena, ~5% sphalerite, trace malachite, trace local zinc oxide.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - In Situ	Dimension:
H248838	UTM:	550889 E	UTM:	7116790 N	Sample Width: n/a	Abundance: moderate
	Elevation:	m				
Comments: Moderately iron altered black shale with crackle texture. Found within kill zone.						

Rock Sample Descriptions			Project: Rod	Property: Rod		
Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
H248839	UTM:	550950 E	UTM:	7117022 N	Sample Width: 6.0 m	Abundance: High
	Elevation:	m				
Comments: Chip sample across flat lying shale veg kill zone. In situ shale talus.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
H248840	UTM:	550950 E	UTM:	7117022 N	Sample Width: 5.0 m	Abundance: High
	Elevation:	m				
Comments: Chip sample across flat lying shale veg kill zone. Continuation of sample H248839.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
H248841	UTM:	550849 E	UTM:	7116802 N	Sample Width: 1.75 m	Abundance: High
	Elevation:	m				
Comments: Shale with light green staining. First of six samples making up 25.45 m chip sample across broad shale outcrop (including samples H248841 to H248846).						
Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
H248842	UTM:	550849 E	UTM:	7116802 N	Sample Width: 0.37 m	Abundance: High
	Elevation:	m				
Comments: Shale with seams of galena and malachite. Second of six samples making up 25.45 m chip sample across broad shale outcrop (including samples H248841 to H248846).						
Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
H248843	UTM:	550849 E	UTM:	7116802 N	Sample Width: 3.77 m	Abundance: High
	Elevation:	m				
Comments: Shale with light green staining and quartz veins. Third of six samples making up 25.45 m chip sample across broad shale outcrop (including samples H248841 to H248846).						
Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
H248844	UTM:	550849 E	UTM:	7116802 N	Sample Width: 11.75 m	Abundance: High
	Elevation:	m				
Comments: Shale with light green staining. Fourth of six samples making up 25.45 m chip sample across broad shale outcrop (including samples H248841 to H248846).						

Rock Sample Descriptions			Project: <u>Rod</u>	Property: <u>Rod</u>		
Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
H248845	UTM:	550849 E	UTM:	7116802 N	Sample Width: 6.51 m	Abundance: High
	Elevation:	m				
Comments: Shale with light green staining. Fifth of six samples making up 25.45 m chip sample across broad shale outcrop (including samples H248841 to H248846).						
Sample Number:	Grid East:	E	Grid North:	N	Type: Chip	Dimension:
H248846	UTM:	550849 E	UTM:	7116802 N	Sample Width: 1.3 m	Abundance: High
	Elevation:	m				
Comments: Shale crackle breccia zone. Sixth of six samples making up 25.45 m chip sample across broad shale outcrop (including samples H248841 to H248846).						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - In Situ	Dimension:
H248847	UTM:	550300 E	UTM:	7116487 N	Sample Width: n/a	Abundance: High
	Elevation:	m				
Comments: Grey weathering black shale with light green staining. Found within large talus veg kill zone with abundant black shale and coal.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - Float	Dimension: kiwi to fist sized
H248848	UTM:	551306 E	UTM:	7116949 N	Sample Width: n/a	Abundance: few
	Elevation:	m				
Comments: Quartz vein float with galena and strong malachite staining. Found within veg kill zone in forested area.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - Float	Dimension:
H248849	UTM:	551405 E	UTM:	7116720 N	Sample Width: n/a	Abundance: few
	Elevation:	m				
Comments: Pervasively rusty shale found within forested area.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - In Situ	Dimension:
H248850	UTM:	551387 E	UTM:	7116791 N	Sample Width: n/a	Abundance:
	Elevation:	m				
Comments: Cavity filled zinc oxide with ~15% galena. Numerous pieces found closely spaced within forested area. 98% of area vegetation covered.						

Rock Sample Descriptions			Project: Rod		Property: Rod	
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - In Situ	Dimension: 2 - 3 m wide zone
G285901	UTM:	550750 E	UTM:	7116504 N	Sample Width: n/a	Abundance:
	Elevation:	m				
Comments: Coarsely crystalline siderite with pervasive dark iron staining. No visible mineralization. 2-3 m wide in situ talus exposure found within thickly forested area.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - In Situ	Dimension:
G285902	UTM:	550849 E	UTM:	7116802 N	Sample Width: n/a	Abundance:
	Elevation:	m				
Comments: Selective grab sample of galena and malachite seam within broad shale out crop. From same zone as sample H248842.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - Float	Dimension:
G285903	UTM:	550860 E	UTM:	7116785 N	Sample Width: n/a	Abundance: 1 piece
	Elevation:	m				
Comments: Highly oxidized talus with light green staining.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - In Situ	Dimension: kiwi sized
G285904	UTM:	551072 E	UTM:	7117047 N	Sample Width: n/a	Abundance: 2 pieces
	Elevation:	m				
Comments: Highly weathered and bleached fine grained massive galena. Found within northmost trench of two historical blast trenches. Only two pieces found.						
Sample Number:	Grid East:	E	Grid North:	N	Type: Grab - Float	Dimension: 2 X 2 cm
G285905	UTM:	550467 E	UTM:	7116471 N	Sample Width: n/a	Abundance: 1
	Elevation:	m				
Comments: Very small piece of shale with strong malachite staining found in deep talus. Found adjacent to historical drill pad.						

APPENDIX IV
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 6- SEP- 2010
Account: MTT

CERTIFICATE VA10117956

Project: ROD

P.O. No.:

This report is for 122 Soil samples submitted to our lab in Vancouver, BC, Canada on 23- AUG- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 6- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10117956

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111001		0.32	<0.2	0.23	8	<10	40	0.6	<2	0.64	<0.5	18	9	51	3.49	<10
CC111002		0.28	0.2	0.52	10	<10	40	0.6	<2	0.52	<0.5	19	7	46	3.15	<10
CC111003		0.26	0.2	0.67	8	<10	60	0.7	<2	1.09	<0.5	11	9	39	3.35	<10
CC111004		0.24	0.3	0.94	3	<10	50	0.7	<2	0.21	<0.5	20	12	46	3.90	<10
CC111005		0.26	<0.2	1.00	7	<10	60	0.6	<2	0.15	<0.5	11	14	42	3.98	<10
CC111006		0.30	<0.2	1.44	9	<10	80	1.0	<2	0.08	<0.5	11	22	51	4.35	<10
CC111007		0.26	<0.2	1.34	7	<10	180	0.5	<2	0.10	<0.5	7	19	36	3.68	<10
CC111008		0.24	0.2	0.74	28	<10	80	0.7	<2	0.13	<0.5	19	10	56	3.99	<10
CC111009		0.28	<0.2	1.57	11	<10	340	0.5	<2	0.33	<0.5	16	44	63	3.63	10
CC111010		0.22	<0.2	0.71	17	<10	50	0.5	<2	0.89	<0.5	16	7	41	2.98	<10
CC111011		0.26	<0.2	0.78	14	<10	120	0.6	<2	0.21	<0.5	15	9	34	3.68	<10
CC111012		0.32	<0.2	0.77	10	<10	50	0.6	<2	0.51	<0.5	16	9	44	3.73	<10
CC111013		0.18	<0.2	1.01	10	<10	40	0.7	<2	1.16	<0.5	15	11	43	3.90	<10
CC111014		0.34	<0.2	0.37	5	<10	30	0.5	<2	11.7	<0.5	8	9	22	2.48	<10
CC111015		0.24	<0.2	1.18	6	<10	40	0.8	<2	0.88	<0.5	13	13	41	3.30	<10
CC111016		0.26	<0.2	1.10	7	<10	40	0.7	<2	0.56	<0.5	15	13	43	3.57	<10
CC111017		0.24	<0.2	1.30	2	<10	60	0.7	<2	0.38	<0.5	18	20	57	4.11	<10
CC111018		0.38	<0.2	1.22	10	<10	40	0.7	<2	0.80	<0.5	19	18	48	4.21	<10
CC111019		0.32	<0.2	0.49	12	<10	170	<0.5	<2	0.11	0.9	11	10	37	4.68	<10
CC111020		0.28	5.1	0.78	120	<10	960	1.0	<2	0.22	8.4	8	36	260	3.74	<10
CC111021		0.26	3.7	0.92	273	<10	1820	0.7	<2	0.14	1.6	3	84	121	1.10	<10
CC111022		0.24	5.5	1.45	191	<10	>10000	1.1	<2	1.33	35.8	13	64	350	2.31	<10
CC111023		0.24	10.6	1.28	430	<10	1790	1.1	<2	0.58	29.8	10	92	269	3.11	<10
CC111024		0.30	8.5	1.32	2160	<10	1070	1.5	2	0.48	46.3	17	80	420	3.37	<10
CC111025		0.32	6.6	1.42	763	<10	120	1.2	<2	0.28	10.0	8	136	367	4.57	<10
CC111026		0.34	18.0	1.74	1040	<10	1110	1.0	<2	0.91	9.1	9	76	331	3.68	<10
CC111027		0.30	5.3	0.66	112	<10	480	0.9	3	0.32	2.3	7	30	219	4.98	<10
CC111028		0.28	<0.2	0.78	15	<10	100	0.6	<2	0.53	<0.5	15	11	42	3.53	<10
CC111029		0.24	<0.2	0.81	12	<10	120	0.6	<2	0.58	<0.5	16	11	40	3.64	<10
CC111030		0.26	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC111031		0.36	<0.2	0.82	11	<10	100	0.6	<2	0.56	<0.5	19	12	43	3.86	<10
CC111032		0.34	<0.2	0.79	11	<10	70	0.6	<2	0.75	<0.5	18	11	41	3.85	<10
CC111033		0.30	<0.2	0.76	10	<10	60	0.7	<2	0.85	<0.5	18	28	55	4.03	<10
CC111034		0.34	<0.2	0.81	12	<10	60	0.7	<2	0.95	<0.5	16	11	43	3.86	<10
CC111035		0.26	<0.2	0.27	2	<10	30	0.5	<2	4.77	<0.5	11	7	33	2.20	<10
CC111036		0.28	<0.2	0.37	6	<10	60	0.7	<2	3.10	<0.5	15	9	48	3.38	<10
CC111037		0.32	<0.2	1.86	10	<10	80	0.9	<2	0.36	<0.5	14	21	58	4.87	10
CC111038		0.30	<0.2	0.57	6	<10	30	0.6	<2	3.89	<0.5	13	6	42	3.38	<10
CC111039		0.26	<0.2	0.27	59	<10	150	<0.5	2	0.01	<0.5	<1	32	46	10.75	10
CC111040		0.30	0.2	1.01	12	<10	200	0.6	<2	0.69	0.5	15	18	34	3.69	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 6- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10117956

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111001		<1	0.06	<10	0.07	535	<1	0.01	39	480	33	0.04	<2	4	31	<20
CC111002		<1	0.06	10	0.17	579	<1	0.01	40	790	36	0.06	<2	3	33	<20
CC111003		<1	0.05	10	0.16	316	<1	0.01	29	660	30	0.06	<2	3	55	<20
CC111004		<1	0.06	<10	0.21	744	<1	0.01	33	370	28	0.04	<2	3	26	<20
CC111005		<1	0.05	10	0.28	338	<1	0.01	25	370	27	0.03	<2	3	24	<20
CC111006		<1	0.05	10	0.43	405	1	0.01	24	560	34	0.06	<2	3	25	<20
CC111007		<1	0.08	<10	0.29	254	1	0.01	17	510	28	0.05	<2	2	20	<20
CC111008		<1	0.08	<10	0.17	548	<1	0.01	31	740	41	0.12	<2	2	47	<20
CC111009		1	0.07	10	0.51	423	3	0.02	43	1300	35	0.03	<2	2	27	<20
CC111010		<1	0.05	10	0.20	326	1	0.02	32	720	26	0.05	<2	3	63	<20
CC111011		<1	0.06	<10	0.16	590	<1	0.02	27	530	42	0.03	<2	3	24	<20
CC111012		<1	0.05	<10	0.24	571	<1	0.02	30	670	29	0.04	<2	3	38	<20
CC111013		1	0.05	10	0.39	311	<1	0.02	37	880	31	0.07	<2	4	71	<20
CC111014		<1	0.05	10	1.47	641	<1	0.03	15	1190	18	0.04	<2	4	386	<20
CC111015		1	0.06	10	0.46	286	<1	0.02	29	510	18	0.04	<2	3	30	<20
CC111016		<1	0.06	10	0.45	372	<1	0.02	30	470	22	0.02	<2	3	27	<20
CC111017		<1	0.04	10	0.58	515	<1	0.02	35	550	23	0.02	<2	3	19	<20
CC111018		<1	0.04	<10	0.46	625	<1	0.02	35	470	25	0.02	<2	3	29	<20
CC111019		<1	0.07	10	0.10	633	1	0.02	36	1060	22	0.04	<2	2	14	<20
CC111020		2	0.09	20	0.05	508	42	0.01	189	2490	193	0.12	27	2	101	<20
CC111021		2	0.12	10	0.08	125	96	0.02	48	1540	116	0.10	23	1	205	<20
CC111022		2	0.10	20	0.24	783	42	0.07	574	3640	32	0.02	16	5	281	<20
CC111023		2	0.12	10	0.09	848	76	0.02	260	5320	1140	0.13	59	3	204	<20
CC111024		4	0.15	40	0.07	1885	331	0.02	304	3830	2220	0.18	65	5	375	<20
CC111025		1	0.35	10	0.15	511	170	0.02	174	4160	121	0.58	45	9	156	<20
CC111026		1	0.13	20	0.25	1510	75	0.02	252	6840	2320	0.20	136	5	361	<20
CC111027		1	0.17	10	0.13	176	20	0.02	79	2260	85	0.45	28	6	251	<20
CC111028		<1	0.07	<10	0.29	591	<1	0.02	28	470	39	0.04	<2	2	40	<20
CC111029		<1	0.07	<10	0.30	606	<1	0.02	26	450	38	0.05	<2	2	41	<20
CC111030		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC111031		<1	0.08	<10	0.29	887	<1	0.02	32	470	30	0.05	<2	3	41	<20
CC111032		<1	0.09	<10	0.26	826	<1	0.02	30	440	31	0.02	<2	3	46	<20
CC111033		<1	0.06	10	0.28	613	1	0.02	36	670	27	0.04	<2	3	54	<20
CC111034		<1	0.05	10	0.26	494	1	0.02	29	660	27	0.04	<2	3	66	<20
CC111035		<1	0.04	<10	1.79	460	<1	0.03	18	1120	21	0.04	<2	6	83	<20
CC111036		<1	0.05	20	0.84	721	<1	0.02	30	760	14	0.02	<2	5	57	<20
CC111037		1	0.10	<10	0.58	283	<1	0.02	31	430	38	0.09	<2	3	70	<20
CC111038		<1	0.05	10	0.28	364	<1	0.02	27	720	21	0.04	<2	4	156	<20
CC111039		1	0.55	<10	0.02	49	7	0.02	<1	140	53	1.09	3	5	6	<20
CC111040		<1	0.06	10	0.49	592	<1	0.02	31	620	28	0.03	<2	3	51	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 6- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10117956

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %	Au- ICP21 Au ppm
		0.01	10	10	1	10	2	0.001	0.001
CC111001		<0.01	<10	<10	6	<10	79		0.004
CC111002		<0.01	<10	<10	7	<10	101		<0.001
CC111003		<0.01	<10	<10	10	<10	84		0.004
CC111004		<0.01	<10	<10	8	<10	83		0.001
CC111005		<0.01	<10	<10	12	<10	82		0.002
CC111006		0.01	<10	<10	25	<10	90		0.002
CC111007		0.01	<10	<10	30	<10	74		0.001
CC111008		<0.01	<10	<10	10	<10	66		0.003
CC111009		0.01	<10	<10	33	<10	72		0.002
CC111010		<0.01	<10	<10	8	<10	86		0.005
CC111011		<0.01	<10	<10	15	<10	75		0.002
CC111012		<0.01	<10	<10	10	<10	79		0.004
CC111013		<0.01	<10	<10	12	<10	86		0.002
CC111014		<0.01	<10	<10	8	<10	83		0.004
CC111015		<0.01	<10	<10	12	<10	65		0.011
CC111016		<0.01	<10	<10	13	<10	73		0.001
CC111017		<0.01	<10	<10	18	<10	82		0.001
CC111018		<0.01	<10	<10	15	<10	86		0.002
CC111019		0.01	<10	<10	26	<10	130		0.004
CC111020		0.01	<10	10	185	<10	1100		0.010
CC111021		0.03	<10	30	1565	<10	166		0.015
CC111022		0.02	<10	20	672	10	4280		0.009
CC111023		0.02	<10	30	1065	<10	1540		0.023
CC111024		0.04	20	50	1510	10	884		0.045
CC111025		0.09	10	70	2850	<10	698		0.017
CC111026		0.03	10	20	652	<10	1035		0.019
CC111027		<0.01	<10	10	179	<10	431		0.015
CC111028		<0.01	<10	<10	18	<10	85		0.004
CC111029		<0.01	<10	<10	11	<10	79		0.003
CC111030		NSS	NSS	NSS	NSS	NSS	NSS		<0.001
CC111031		<0.01	<10	<10	11	<10	80		0.004
CC111032		<0.01	<10	<10	7	<10	108		0.004
CC111033		0.01	<10	<10	14	<10	84		0.006
CC111034		<0.01	<10	<10	10	<10	76		0.004
CC111035		<0.01	<10	<10	7	<10	73		0.003
CC111036		0.01	<10	<10	12	<10	83		0.004
CC111037		<0.01	<10	<10	18	<10	84		0.004
CC111038		<0.01	<10	<10	7	<10	85		0.001
CC111039		<0.01	<10	<10	30	<10	13		0.013
CC111040		<0.01	<10	<10	27	<10	106		0.002



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 6- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10117956

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC111041		0.18	1.1	1.03	28	<10	1770	0.7	<2	1.56	7.0	9	35	80	2.55	<10
CC111042		0.16	1.6	0.93	54	<10	2740	0.6	<2	1.44	21.7	15	47	92	2.39	<10
CC111043		0.30	2.3	1.32	127	<10	2400	1.0	<2	0.98	33.6	32	58	157	4.12	<10
CC111044		0.32	2.9	0.90	800	<10	1160	0.8	<2	0.78	64.3	27	29	154	5.11	<10
CC111045		0.26	1.2	0.82	144	<10	1290	0.5	<2	1.36	22.3	10	31	54	3.38	<10
CC85644		0.20	0.2	0.41	11	<10	120	0.5	<2	0.97	<0.5	10	7	36	2.89	<10
CC85645		0.26	<0.2	0.40	9	<10	70	0.6	<2	0.49	<0.5	13	7	41	3.13	<10
CC85646		0.20	<0.2	0.72	6	<10	90	0.6	<2	1.21	<0.5	12	8	34	2.82	<10
CC85647		0.22	<0.2	0.57	6	<10	40	0.6	<2	0.58	<0.5	11	8	32	3.03	<10
CC85648		0.22	<0.2	1.05	6	<10	160	0.8	<2	0.35	0.8	9	13	42	3.53	<10
CC85649		0.40	<0.2	1.27	9	<10	170	0.8	<2	0.52	<0.5	10	17	45	3.79	<10
CC85650		0.48	<0.2	1.77	4	<10	220	3.1	<2	0.15	<0.5	28	11	73	5.34	<10
CC85651		0.34	0.2	1.34	8	<10	150	0.6	<2	0.48	0.6	11	20	22	3.21	10
CC85652		0.40	0.2	1.18	20	<10	180	0.8	<2	0.35	0.5	22	14	45	3.62	<10
CC85653		0.26	0.3	1.50	14	<10	280	0.7	<2	0.09	0.5	14	25	40	3.97	10
CC85654		0.20	0.2	1.51	10	<10	710	0.8	<2	0.24	<0.5	11	17	42	3.47	<10
CC85655		0.38	0.2	1.23	6	<10	70	0.8	<2	0.32	<0.5	15	14	44	3.43	<10
CC85656		0.40	0.3	1.41	12	<10	160	1.2	<2	0.16	<0.5	24	26	139	4.38	<10
CC85657		0.46	0.2	1.01	9	<10	120	0.7	<2	0.19	<0.5	17	12	44	3.90	<10
CC85658		0.44	<0.2	1.40	3	<10	80	0.9	<2	0.35	<0.5	20	22	58	4.10	<10
CC85659		0.22	<0.2	1.03	4	<10	60	0.7	<2	1.00	<0.5	16	14	43	3.29	<10
CC85660		0.28	0.5	1.04	43	<10	700	0.5	<2	0.17	<0.5	11	35	45	3.60	10
CC85661		0.28	0.4	1.14	46	<10	380	<0.5	<2	0.06	<0.5	5	29	30	3.13	<10
CC85662		0.24	0.8	1.75	25	<10	550	0.7	<2	0.13	0.5	9	35	44	3.24	<10
CC85663		0.28	14.6	1.20	56	<10	1010	0.6	2	0.57	3.5	6	41	129	4.04	<10
CC85664		0.28	2.7	1.52	334	<10	2230	0.8	<2	0.16	4.7	5	65	98	2.83	<10
CC85665		0.44	8.8	1.69	440	<10	1590	1.1	<2	0.91	17.7	16	79	253	4.00	<10
CC85666		0.30	8.6	0.84	194	<10	2520	0.9	<2	0.99	11.9	4	60	185	2.45	<10
CC85667		0.18	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC85668		0.34	4.1	0.59	84	<10	1720	0.7	<2	0.88	2.5	1	72	69	1.68	<10
CC85669		0.52	2.1	1.10	63	<10	1720	0.5	<2	0.34	1.5	5	37	67	2.70	<10
CC85670		0.34	1.1	1.13	49	<10	630	<0.5	<2	0.09	0.7	3	30	30	2.37	<10
CC85671		0.34	2.6	0.96	79	<10	1730	<0.5	<2	0.16	1.7	5	25	59	2.93	<10
CC85672		0.28	1.4	0.81	52	<10	1660	<0.5	<2	0.20	2.3	3	30	45	2.37	<10
CC85673		0.26	2.5	1.05	50	<10	1350	0.7	<2	0.06	0.9	1	92	68	1.52	10
CC85674		0.32	4.2	1.07	55	<10	1660	1.0	<2	0.75	12.7	8	69	146	3.30	<10
CC85675		0.32	5.5	1.45	50	10	1490	1.5	<2	1.62	12.6	6	152	241	2.61	<10
CC85676		0.24	1.7	0.36	24	<10	520	<0.5	<2	1.60	3.9	12	12	156	3.73	<10
CC85677		0.36	1.0	0.64	48	<10	1200	<0.5	<2	0.46	1.7	28	34	93	5.74	<10
CC85678		0.28	0.8	1.02	32	<10	1220	0.6	<2	0.42	1.7	10	58	69	3.11	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 6- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10117956

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC111041		<1	0.09	10	0.44	552	5	0.02	181	1730	88	0.10	6	4	148	<20
CC111042		1	0.09	10	0.57	2520	9	0.02	415	3110	142	0.09	16	3	230	<20
CC111043		1	0.14	20	0.35	7220	39	0.02	542	4550	157	0.15	27	5	273	<20
CC111044		2	0.08	10	0.37	4960	23	0.02	619	2460	387	0.13	74	4	157	<20
CC111045		<1	0.07	10	0.63	575	8	0.03	136	2590	98	0.09	24	3	119	<20
CC85644		<1	0.05	<10	0.10	376	<1	0.01	30	570	30	0.07	<2	3	40	<20
CC85645		<1	0.06	<10	0.10	358	<1	0.01	32	550	26	0.05	<2	3	30	<20
CC85646		<1	0.05	<10	0.19	431	<1	0.01	25	1150	16	0.15	<2	2	52	<20
CC85647		<1	0.05	<10	0.19	497	<1	0.01	26	640	25	0.09	<2	2	34	<20
CC85648		<1	0.05	<10	0.25	186	1	0.01	22	810	23	0.09	<2	2	48	<20
CC85649		<1	0.06	<10	0.39	478	1	0.01	27	770	24	0.08	<2	2	76	<20
CC85650		<1	0.05	<10	0.45	543	<1	0.01	47	240	31	0.03	<2	2	20	<20
CC85651		<1	0.06	<10	0.35	810	<1	0.02	19	1570	30	0.12	<2	1	37	<20
CC85652		<1	0.09	<10	0.32	1135	<1	0.01	25	1370	61	0.05	<2	2	31	<20
CC85653		<1	0.06	10	0.43	619	<1	0.01	32	710	45	0.04	<2	2	18	<20
CC85654		<1	0.08	<10	0.39	720	<1	0.02	25	720	41	0.10	<2	3	30	<20
CC85655		<1	0.06	<10	0.43	510	<1	0.01	27	400	29	0.04	<2	3	35	<20
CC85656		<1	0.06	<10	0.64	1070	2	0.01	41	370	90	0.04	<2	3	15	<20
CC85657		<1	0.06	10	0.28	865	<1	0.01	30	610	36	0.04	<2	3	26	<20
CC85658		<1	0.06	<10	0.62	784	<1	0.01	39	440	27	0.04	<2	3	26	<20
CC85659		<1	0.06	<10	0.45	555	<1	0.01	32	590	21	0.06	<2	3	44	<20
CC85660		<1	0.06	10	0.16	1620	3	0.02	25	1970	39	0.10	3	1	23	<20
CC85661		<1	0.07	10	0.17	214	4	0.01	23	1070	48	0.06	4	1	26	<20
CC85662		<1	0.08	10	0.43	427	2	0.02	39	1030	34	0.08	<2	2	32	<20
CC85663		2	0.12	10	0.21	487	14	0.03	82	1650	126	0.16	26	3	125	<20
CC85664		1	0.09	10	0.08	306	97	0.04	175	3340	65	0.17	16	<1	81	<20
CC85665		1	0.15	20	0.14	3090	87	0.03	281	7360	1595	0.19	47	6	295	<20
CC85666		1	0.15	10	0.14	516	74	0.05	95	5750	1190	0.12	96	3	318	<20
CC85667		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC85668		1	0.09	10	0.03	48	9	0.04	44	6040	57	0.20	38	2	448	<20
CC85669		<1	0.09	10	0.22	342	8	0.03	38	2310	117	0.09	4	1	113	<20
CC85670		1	0.06	10	0.17	188	4	0.01	22	1430	75	0.06	2	1	76	<20
CC85671		1	0.08	20	0.13	274	7	0.03	46	2190	115	0.15	10	1	142	<20
CC85672		<1	0.13	10	0.15	143	5	0.03	44	1830	65	0.26	7	1	74	<20
CC85673		<1	0.17	30	0.18	78	32	0.02	23	1070	104	0.10	11	1	94	<20
CC85674		1	0.12	30	0.42	283	32	0.03	270	3970	33	0.06	16	2	110	<20
CC85675		1	0.18	20	1.48	248	24	0.03	345	6210	16	0.07	17	5	157	<20
CC85676		<1	0.09	10	0.53	683	9	0.02	58	2400	26	0.14	4	3	169	<20
CC85677		<1	0.12	10	0.21	970	4	0.03	119	1790	30	0.22	3	7	75	<20
CC85678		<1	0.08	20	0.39	592	8	0.03	72	2770	52	0.09	4	3	99	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 6- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10117956

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %	Au- ICP21 Au ppm
		0.01	10	10	1	10	2	0.001	0.001
CC111041		0.01	<10	<10	195	<10	1520		0.009
CC111042		0.02	<10	<10	336	10	6430		0.012
CC111043		0.01	<10	10	333	10	6070		0.012
CC111044		0.01	<10	<10	144	30	>10000	0.982	0.027
CC111045		0.01	<10	<10	155	<10	1185		0.003
CC85644		<0.01	<10	<10	13	<10	73		0.001
CC85645		<0.01	<10	<10	14	<10	79		0.001
CC85646		<0.01	<10	<10	11	<10	69		0.017
CC85647		<0.01	<10	<10	8	<10	74		0.003
CC85648		<0.01	<10	<10	16	<10	92		0.004
CC85649		<0.01	<10	<10	20	<10	93		0.001
CC85650		<0.01	<10	<10	8	<10	135		0.001
CC85651		0.01	<10	<10	25	<10	93		0.004
CC85652		0.01	<10	<10	21	<10	99		0.004
CC85653		0.01	<10	<10	40	<10	124		0.002
CC85654		<0.01	<10	<10	25	<10	70		0.008
CC85655		<0.01	<10	<10	12	<10	77		0.002
CC85656		0.01	<10	<10	20	<10	85		0.001
CC85657		<0.01	<10	<10	12	<10	85		0.003
CC85658		<0.01	<10	<10	17	<10	93		0.001
CC85659		<0.01	<10	<10	12	<10	76		0.001
CC85660		0.01	<10	<10	104	<10	132		0.003
CC85661		0.01	<10	<10	97	<10	162		0.003
CC85662		0.02	<10	<10	83	<10	150		0.006
CC85663		0.01	<10	<10	93	<10	476		0.020
CC85664		<0.01	<10	20	883	<10	540		0.021
CC85665		0.02	<10	20	759	<10	1480		0.017
CC85666		0.01	<10	<10	976	<10	660		0.014
CC85667		NSS	NSS	NSS	NSS	NSS	NSS		NSS
CC85668		<0.01	<10	10	112	<10	319		0.009
CC85669		0.01	<10	<10	262	<10	242		0.011
CC85670		0.02	<10	<10	123	<10	146		0.005
CC85671		0.01	<10	<10	98	<10	304		0.016
CC85672		0.01	<10	<10	111	<10	241		0.012
CC85673		0.02	<10	<10	2770	<10	149		0.008
CC85674		0.01	<10	<10	300	<10	1105		0.011
CC85675		0.03	<10	<10	723	<10	1575		0.012
CC85676		0.01	<10	<10	71	<10	330		0.018
CC85677		0.01	<10	<10	116	<10	301		0.016
CC85678		0.02	<10	<10	284	<10	343		0.003



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 6- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10117956

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %	ME- ICP41 Ga ppm
		0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC85679		0.30	0.3	1.81	25	<10	910	<0.5	<2	0.66	0.6	28	32	79	8.01	10
CC85680		0.30	<0.2	0.50	12	<10	60	0.6	<2	0.43	<0.5	12	7	42	3.68	<10
CC85681		0.36	0.2	0.40	7	<10	50	<0.5	<2	1.09	<0.5	12	6	31	2.71	<10
CC85682		0.24	<0.2	0.53	11	<10	100	0.5	<2	1.21	<0.5	11	7	34	2.79	<10
CC85683		0.38	<0.2	0.42	16	<10	110	0.5	<2	0.36	<0.5	15	6	47	3.33	<10
CC85684		0.40	0.2	0.42	15	<10	80	0.6	<2	1.25	<0.5	19	4	55	3.63	<10
CC85685		0.40	<0.2	0.33	10	<10	40	0.5	<2	1.07	<0.5	15	6	41	3.66	<10
CC85686		0.52	<0.2	0.26	15	<10	50	0.6	<2	3.75	<0.5	17	5	46	3.25	<10
CC85687		0.28	<0.2	0.67	16	<10	70	0.8	<2	0.27	<0.5	20	10	53	3.88	<10
CC85688		0.24	<0.2	0.74	14	<10	60	0.6	<2	1.32	<0.5	16	8	47	3.28	<10
CC85689		0.30	0.2	1.01	14	<10	100	0.7	<2	0.31	<0.5	12	13	44	3.89	<10
CC85690		0.24	0.2	1.19	15	<10	100	0.8	<2	0.42	<0.5	17	15	49	4.05	<10
CC85691		0.34	0.2	1.49	12	<10	110	0.7	<2	0.08	<0.5	24	18	50	4.19	<10
CC85692		0.52	<0.2	1.02	19	<10	110	0.7	<2	0.12	<0.5	24	13	43	3.58	<10
CC85693		0.38	0.2	1.36	10	<10	80	0.7	<2	0.12	<0.5	20	14	43	4.27	<10
CC85694		0.34	<0.2	0.85	17	<10	90	0.9	<2	0.14	<0.5	12	11	75	4.09	<10
CC85695		0.46	<0.2	0.87	19	<10	60	0.8	<2	0.01	<0.5	12	35	116	5.23	<10
CC85696		0.38	<0.2	0.83	7	<10	90	0.7	<2	0.13	<0.5	19	10	40	3.38	<10
CC85697		0.22	0.2	0.75	10	<10	90	0.8	<2	0.39	<0.5	15	9	38	3.75	<10
CC85698		0.40	<0.2	1.06	8	<10	70	0.6	<2	0.12	<0.5	21	12	46	4.08	<10
CC85699		0.32	0.2	0.40	7	<10	40	0.5	<2	5.85	<0.5	13	5	39	2.95	<10
CC85700		0.20	0.2	0.47	7	<10	50	0.5	<2	1.98	<0.5	15	6	40	3.12	<10
CC85701		0.28	<0.2	0.51	10	<10	50	0.5	<2	0.22	<0.5	15	8	41	3.56	<10
CC85702		0.38	0.2	0.28	14	<10	40	0.5	<2	5.37	<0.5	13	5	36	2.83	<10
CC85703		0.28	0.2	0.45	9	<10	50	0.5	<2	0.62	<0.5	14	7	30	2.82	<10
CC85704		0.38	0.3	0.38	7	<10	40	0.5	<2	4.25	<0.5	10	16	33	2.89	<10
CC85705		0.26	<0.2	0.37	8	<10	40	0.5	<2	4.00	<0.5	11	5	38	2.89	<10
CC85706		0.26	<0.2	0.58	5	<10	60	0.6	<2	0.74	<0.5	11	9	34	3.01	<10
CC85707		0.30	<0.2	0.63	6	<10	50	0.5	<2	0.41	<0.5	13	11	38	3.55	<10
CC85708		0.36	<0.2	1.18	7	<10	60	0.6	<2	0.07	<0.5	15	16	41	3.86	<10
CC85709		0.42	<0.2	1.57	10	<10	90	0.7	<2	0.13	<0.5	13	22	33	3.92	<10
CC85710		0.36	<0.2	0.97	13	<10	80	0.7	<2	0.11	<0.5	14	13	45	3.80	<10
CC85711		0.22	<0.2	1.05	9	<10	120	0.6	<2	0.38	<0.5	11	15	31	3.32	<10
CC85712		0.18	0.2	1.07	8	<10	170	<0.5	<2	0.12	<0.5	11	16	24	3.06	<10
CC85713		0.20	0.2	0.52	5	<10	140	<0.5	<2	0.21	0.9	8	10	18	2.05	<10
CC85714		0.28	0.2	1.05	11	<10	70	0.6	<2	0.22	<0.5	12	12	40	3.63	<10
CC85715		0.34	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC85716		0.32	0.2	0.58	14	<10	50	0.6	<2	0.61	<0.5	21	7	57	3.76	<10
CC85717		0.32	0.2	0.58	9	<10	50	0.6	<2	0.83	<0.5	12	8	45	3.29	<10
CC85718		0.40	0.2	0.98	13	<10	130	0.6	<2	0.45	<0.5	15	15	48	2.94	<10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 6- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10117956

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC85679		<1	0.07	20	0.84	1150	3	0.02	58	1840	12	0.04	2	15	50	<20
CC85680		<1	0.06	<10	0.09	216	1	<0.01	37	570	27	0.03	<2	4	28	<20
CC85681		<1	0.05	10	0.10	204	1	0.01	29	640	24	0.04	<2	3	62	<20
CC85682		<1	0.04	<10	0.07	384	1	0.01	25	760	19	0.09	<2	2	74	<20
CC85683		<1	0.07	<10	0.08	488	1	<0.01	31	860	28	0.07	<2	3	47	<20
CC85684		<1	0.05	10	0.12	649	1	0.01	38	910	28	0.11	<2	3	82	<20
CC85685		<1	0.05	10	0.12	479	1	0.01	30	680	23	0.03	<2	4	70	<20
CC85686		<1	0.05	<10	0.73	483	1	0.01	32	1040	26	0.06	<2	4	115	<20
CC85687		<1	0.06	<10	0.22	547	1	0.01	38	740	33	0.04	<2	4	29	<20
CC85688		<1	0.06	10	0.25	426	2	0.01	33	1210	25	0.06	<2	3	113	<20
CC85689		<1	0.07	10	0.26	349	2	0.01	27	890	27	0.06	<2	3	38	<20
CC85690		<1	0.08	<10	0.29	402	2	0.01	32	900	34	0.06	<2	3	37	<20
CC85691		<1	0.07	<10	0.53	1155	<1	0.01	35	340	41	0.03	2	2	22	<20
CC85692		<1	0.11	10	0.18	1195	1	0.01	22	820	54	0.06	2	2	23	<20
CC85693		<1	0.09	<10	0.30	1090	<1	<0.01	28	450	49	0.03	<2	3	25	<20
CC85694		<1	0.09	<10	0.12	439	2	<0.01	19	500	44	0.08	2	2	26	<20
CC85695		<1	0.08	<10	0.09	290	2	<0.01	21	410	42	0.07	<2	3	13	<20
CC85696		<1	0.06	<10	0.26	999	<1	<0.01	27	370	22	0.03	<2	2	16	<20
CC85697		<1	0.07	<10	0.20	703	1	0.01	27	740	35	0.06	<2	2	35	<20
CC85698		<1	0.06	10	0.37	655	<1	<0.01	37	470	32	0.03	<2	2	22	<20
CC85699		<1	0.05	<10	0.18	229	<1	0.01	25	750	23	0.08	<2	4	253	<20
CC85700		<1	0.06	<10	0.24	340	1	0.01	25	720	23	0.08	<2	3	81	<20
CC85701		<1	0.06	<10	0.14	337	1	0.01	27	370	25	0.06	2	2	22	<20
CC85702		<1	0.05	10	0.13	224	1	0.01	31	830	43	0.09	<2	3	185	<20
CC85703		<1	0.06	10	0.12	294	1	0.01	28	630	54	0.08	<2	3	34	<20
CC85704		<1	0.06	10	0.22	235	2	0.01	33	610	26	0.06	<2	3	206	<20
CC85705		<1	0.06	10	0.22	238	1	0.01	24	730	22	0.06	<2	3	190	<20
CC85706		<1	0.08	<10	0.15	270	1	0.01	24	640	24	0.06	<2	2	41	<20
CC85707		<1	0.06	<10	0.17	304	1	0.01	28	410	21	0.03	<2	3	30	<20
CC85708		<1	0.06	<10	0.41	492	<1	<0.01	33	290	24	0.02	<2	2	15	<20
CC85709		<1	0.06	10	0.40	644	1	0.01	25	630	36	0.04	<2	2	17	<20
CC85710		<1	0.08	<10	0.22	542	1	0.01	25	510	39	0.07	<2	2	23	<20
CC85711		<1	0.09	<10	0.27	458	1	0.01	23	660	30	0.06	<2	2	31	<20
CC85712		<1	0.06	<10	0.25	269	1	0.01	20	410	35	0.04	<2	2	16	<20
CC85713		<1	0.08	10	0.06	682	1	0.01	10	510	18	0.05	<2	1	16	<20
CC85714		<1	0.09	<10	0.24	350	1	0.01	25	390	37	0.03	<2	2	27	<20
CC85715		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC85716		<1	0.05	10	0.19	511	1	0.01	37	680	28	0.05	<2	4	52	<20
CC85717		<1	0.05	10	0.15	358	1	0.01	27	680	21	0.07	<2	3	51	<20
CC85718		<1	0.05	10	0.22	292	1	0.01	29	1020	35	0.06	<2	1	39	<20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 6- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10117956

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Zn- OG46	Au- ICP21
		Ti	Ti	U	V	W	Zn	Zn	Au
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	ppm 0.001
CC85679		0.01	<10	<10	112	<10	185		0.001
CC85680		<0.01	<10	<10	13	<10	83		0.002
CC85681		<0.01	<10	<10	9	<10	72		0.001
CC85682		<0.01	<10	<10	12	<10	59		0.001
CC85683		<0.01	<10	<10	8	<10	69		0.002
CC85684		<0.01	<10	<10	5	<10	77		0.004
CC85685		<0.01	<10	<10	8	<10	80		0.001
CC85686		<0.01	<10	<10	7	<10	81		0.001
CC85687		<0.01	<10	<10	9	<10	84		0.002
CC85688		<0.01	<10	<10	8	<10	77		0.002
CC85689		<0.01	<10	<10	16	<10	81		0.002
CC85690		<0.01	<10	<10	14	<10	80		0.001
CC85691		<0.01	<10	<10	13	<10	79		0.002
CC85692		0.01	<10	<10	16	<10	78		0.002
CC85693		<0.01	<10	<10	11	<10	83		0.002
CC85694		<0.01	<10	<10	8	<10	64		0.003
CC85695		0.01	<10	<10	14	<10	63		0.005
CC85696		<0.01	<10	<10	8	<10	35		0.002
CC85697		<0.01	<10	<10	7	<10	63		0.002
CC85698		<0.01	<10	<10	8	<10	90		0.001
CC85699		<0.01	<10	<10	6	<10	71	<0.001	
CC85700		<0.01	<10	<10	5	<10	64	0.001	
CC85701		<0.01	<10	<10	6	<10	60	0.001	
CC85702		<0.01	<10	<10	6	<10	48	<0.001	
CC85703		<0.01	<10	<10	7	<10	58	<0.001	
CC85704		<0.01	<10	<10	6	<10	56	0.002	
CC85705		<0.01	<10	<10	6	<10	61	0.001	
CC85706		<0.01	<10	<10	7	<10	71	<0.001	
CC85707		<0.01	<10	<10	7	<10	64	<0.001	
CC85708		<0.01	<10	<10	9	<10	77	0.001	
CC85709		0.01	<10	<10	31	<10	74	0.001	
CC85710		<0.01	<10	<10	12	<10	72	0.003	
CC85711		0.01	<10	<10	16	<10	71	0.001	
CC85712		0.01	<10	<10	20	<10	62	<0.001	
CC85713		0.02	<10	<10	34	<10	82	<0.001	
CC85714		<0.01	<10	<10	9	<10	70	0.002	
CC85715		NSS	NSS	NSS	NSS	NSS	NSS	0.001	
CC85716		<0.01	<10	<10	7	<10	79	0.002	
CC85717		<0.01	<10	<10	7	<10	62	0.001	
CC85718		0.01	<10	<10	25	<10	131	0.004	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Page: 5 - A
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 6- SEP- 2010
 Account: MTT

CERTIFICATE OF ANALYSIS VA10117956

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg 0.02	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.5	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01	ME- ICP41 Ga ppm 10
CC85719		0.34	0.2	0.65	13	<10	70	0.6	<2	0.67	<0.5	11	10	37	3.07	<10
CC85720		0.36	<0.2	1.20	12	<10	120	0.5	<2	0.14	<0.5	8	17	20	2.87	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Page: 5 - B
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 6- SEP- 2010
 Account: MTT

CERTIFICATE OF ANALYSIS VA10117956

Sample Description	Method Analyte Units LOR	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1	ME- ICP41 Th ppm 20
CC85719		<1	0.05	10	0.14	408	1	0.01	26	800	20	0.06	<2	3	50	<20
CC85720		<1	0.05	10	0.22	319	1	0.01	20	840	15	0.06	<2	1	13	<20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Page: 5 - C
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 6- SEP- 2010
 Account: MTT

CERTIFICATE OF ANALYSIS VA10117956

Sample Description	Method Analyte Units LOR	ME- ICP41 Ti %	ME- ICP41 Ti ppm	ME- ICP41 U ppm	ME- ICP41 V ppm	ME- ICP41 W ppm	ME- ICP41 Zn ppm	Zn- OG46 Zn %	Au- ICP21 Au ppm
		0.01	10	10	1	10	2	0.001	0.001
CC85719		<0.01	<10	<10	9	<10	62		0.002
CC85720		0.01	<10	<10	29	<10	60		0.002



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6- SEP- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10117956

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 2- SEP- 2010
Account: MTT

CERTIFICATE VA10117957

Project: ROD

P.O. No.:

This report is for 6 Rock samples submitted to our lab in Vancouver, BC, Canada on 23- AUG- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 2- SEP- 2010
 Account: MTT

CERTIFICATE OF ANALYSIS VA10117957

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
H248821		0.66	<0.001	0.2	0.83	<2	<10	60	0.6	<2	0.02	<0.5	13	9	10	2.27
H248822		0.22	0.001	0.2	0.06	64	<10	170	<0.5	<2	2.32	11.4	42	66	21	3.78
H248823		0.44	<0.001	2.6	0.25	253	<10	410	<0.5	<2	3.02	138.5	8	26	798	0.43
H248824		0.52	0.001	2.1	0.13	56	<10	1250	<0.5	<2	4.34	152.0	4	28	173	0.45
H248825		0.14	0.002	9.2	0.10	793	<10	240	<0.5	<2	10.1	181.5	3	7	340	3.44
H248826		0.08	0.299	3.6	0.09	4850	<10	20	<0.5	<2	1.35	25.0	1	14	53	9.60



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 2- SEP- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10117957

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
H248821		<10	<1	0.05	<10	0.07	118	<1	0.01	31	110	9	0.01	<2	2	6
H248822		<10	<1	0.01	<10	4.89	724	<1	<0.01	456	220	8	0.01	9	3	77
H248823		<10	4	0.05	<10	1.65	995	8	<0.01	136	300	2	0.21	15	3	568
H248824		<10	6	0.05	<10	2.30	719	5	0.01	76	2530	25	0.26	35	1	755
H248825		<10	19	0.02	<10	4.28	25400	6	0.01	297	700	4740	0.87	239	2	368
H248826		<10	1	0.02	10	0.25	4470	2	0.01	55	1030	249	7.7	66	2	47



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 2- SEP- 2010
 Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10117957

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Zn- OG46
		Th	Ti	Tl	U	V	W	Zn	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	%
		20	0.01	10	10	1	10	2	0.001
H248821		<20	<0.01	<10	<10	4	<10	79	
H248822		<20	<0.01	<10	<10	10	<10	1445	
H248823		<20	0.01	<10	<10	1710	<10	>10000	1.440
H248824		<20	<0.01	<10	<10	83	<10	>10000	1.175
H248825		<20	<0.01	<10	10	143	<10	>10000	1.550
H248826		<20	<0.01	<10	<10	23	<10	1645	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 16- SEP- 2010
Account: MTT

CERTIFICATE VA10125222

Project: ROD

P.O. No.:

This report is for 88 Soil samples submitted to our lab in Vancouver, BC, Canada on 4- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125222

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC111504		0.22	0.011	22.9	0.89	145	<10	300	0.6	<2	0.06	1.1	5	46	89	2.52
CC111505		0.18	0.002	3.6	0.52	65	<10	250	<0.5	<2	0.06	0.8	2	33	19	1.75
CC111506		0.34	0.015	6.6	0.57	80	<10	120	1.2	2	0.04	1.8	8	10	44	3.57
CC111507		0.30	0.005	0.5	0.31	25	<10	220	<0.5	<2	0.11	<0.5	4	12	30	2.70
CC111508		0.18	0.006	0.2	2.79	84	<10	430	1.9	<2	1.18	0.5	54	192	77	9.16
CC111509		0.28	<0.001	<0.2	2.16	24	<10	490	1.4	<2	1.17	<0.5	22	145	43	5.45
CC111510		0.10	<0.001	1.4	1.21	31	<10	270	0.6	<2	0.79	1.3	12	74	27	3.62
CC111511		0.20	<0.001	<0.2	0.26	50	<10	90	0.7	<2	2.68	1.0	25	7	36	2.78
CC111512		0.24	0.002	0.4	0.61	41	<10	130	0.8	<2	0.61	0.8	24	11	36	3.60
CC111513		0.20	0.006	0.3	1.14	28	<10	240	1.1	<2	0.46	0.5	14	21	31	4.66
CC111514		0.18	0.001	<0.2	1.29	19	<10	170	0.8	<2	0.75	1.0	9	21	20	3.81
CC111515		0.16	<0.001	<0.2	1.13	<2	<10	80	0.8	<2	0.08	<0.5	15	25	56	3.48
CC111516		0.26	0.003	<0.2	1.80	3	<10	120	0.9	<2	0.08	<0.5	18	34	57	5.10
CC111517		0.22	0.002	<0.2	0.95	9	<10	70	<0.5	2	0.02	<0.5	16	25	31	4.59
CC111518		0.20	<0.001	2.0	0.84	41	<10	120	1.0	<2	0.52	0.9	15	24	45	4.65
CC111519		0.30	<0.001	<0.2	0.63	11	<10	190	0.9	<2	0.26	<0.5	20	11	35	4.38
CC111520		0.20	<0.001	0.9	2.30	71	<10	220	1.2	<2	0.97	0.8	21	158	36	6.08
CC111521		0.16	0.002	<0.2	3.66	34	<10	510	1.7	<2	3.76	<0.5	52	371	81	8.73
CC111522		0.24	0.001	<0.2	3.41	10	<10	420	2.1	<2	2.06	<0.5	37	258	61	7.98
CC111523		0.14	0.001	<0.2	2.45	11	<10	510	1.3	<2	1.65	<0.5	20	154	39	6.26
CC111524		0.22	<0.001	<0.2	1.11	2	<10	130	0.6	<2	0.20	<0.5	19	44	29	5.76
CC111525		0.28	<0.001	<0.2	1.35	4	<10	220	0.8	<2	0.20	<0.5	19	35	57	4.84
CC111526		0.26	0.002	0.2	1.09	17	<10	310	0.9	<2	0.33	<0.5	14	30	35	4.14
CC111527		0.26	0.024	3.5	0.40	43	<10	200	0.5	<2	0.04	1.5	7	13	32	3.40
CC111528		0.18	0.006	2.6	0.36	29	<10	330	<0.5	<2	0.04	1.7	1	21	12	1.07
CC111529		0.28	0.010	38.4	0.70	433	<10	230	0.5	<2	0.08	2.0	6	46	187	2.56
CC111530		0.28	0.011	>100	1.33	421	<10	310	<0.5	<2	0.07	1.9	4	50	155	3.43
CC111531		0.26	0.006	3.2	0.84	88	<10	210	<0.5	<2	0.09	1.1	5	24	58	2.24
CC111532		0.36	0.003	1.7	1.30	118	<10	210	0.6	2	0.04	0.8	6	24	54	4.40
CC111533		0.28	0.001	1.8	0.98	41	<10	230	<0.5	<2	0.04	<0.5	4	18	20	4.07
CC111534		0.22	0.014	2.9	1.03	602	<10	480	1.0	<2	0.32	3.9	5	23	86	4.77
CC111535		0.32	0.025	6.1	0.50	242	<10	260	0.5	<2	0.08	4.6	5	16	80	3.11
CC111536		0.26	0.010	11.0	0.33	415	<10	240	0.6	<2	0.06	1.1	1	26	180	2.35
CC111537		0.28	0.012	22.3	1.00	744	<10	520	1.8	<2	0.20	3.9	3	87	475	4.24
CC111538		0.24	0.008	39.9	0.42	96	<10	1070	0.6	<2	0.03	1.2	1	69	121	0.51
CC111539		0.28	0.006	5.6	0.63	138	<10	110	0.9	<2	0.10	1.9	7	20	43	3.81
CC111540		0.30	0.016	2.4	0.29	111	<10	160	0.7	2	0.02	1.7	5	11	34	3.56
CC111541		0.24	0.006	2.9	0.86	61	<10	260	0.6	<2	0.11	1.6	10	23	37	3.75
CC111542		0.28	<0.001	<0.2	2.22	39	<10	710	1.9	<2	1.25	<0.5	30	94	52	7.63
CC111543		0.20	0.002	<0.2	2.04	72	<10	700	2.0	<2	1.42	<0.5	36	109	64	8.61



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125222

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC111504		<10	7	0.09	10	0.12	300	19	0.01	12	1390	3040	0.12	82	2	149
CC111505		<10	<1	0.09	10	0.05	111	10	0.01	7	1490	117	0.16	13	<1	105
CC111506		<10	1	0.07	10	0.05	375	2	0.01	35	760	976	0.08	22	3	18
CC111507		<10	1	0.09	10	0.11	194	12	0.01	15	320	69	0.18	7	2	16
CC111508		10	1	0.15	40	2.42	1980	3	0.02	102	2710	71	0.08	6	15	137
CC111509		10	<1	0.16	30	1.76	939	1	0.02	67	1500	36	0.07	<2	7	117
CC111510		10	<1	0.07	20	0.60	719	<1	0.01	30	1330	109	0.05	11	4	73
CC111511		<10	1	0.05	10	0.11	781	<1	0.01	34	690	59	0.06	4	4	56
CC111512		<10	<1	0.06	10	0.13	1110	2	0.01	40	490	164	0.04	6	4	25
CC111513		<10	<1	0.04	10	0.23	1555	<1	0.01	32	550	81	0.03	3	6	17
CC111514		<10	<1	0.05	10	0.26	681	1	0.01	20	690	104	0.05	2	3	24
CC111515		<10	<1	0.05	<10	0.38	636	<1	0.01	23	1250	19	0.10	<2	2	8
CC111516		10	<1	0.03	10	0.73	773	<1	0.01	35	480	16	0.01	<2	3	11
CC111517		<10	<1	0.04	<10	0.32	1375	<1	0.01	22	710	100	0.04	5	1	6
CC111518		<10	<1	0.05	10	0.32	617	<1	0.01	32	630	176	0.03	7	5	29
CC111519		<10	<1	0.05	<10	0.19	744	<1	0.01	37	450	27	0.01	3	4	14
CC111520		10	1	0.07	30	1.70	1540	1	0.02	60	2070	639	0.05	6	7	77
CC111521		20	<1	0.37	30	3.93	1610	<1	0.02	196	2990	23	0.02	<2	13	197
CC111522		20	<1	0.33	50	3.26	1365	<1	0.02	118	3960	18	0.02	<2	11	176
CC111523		10	1	0.16	30	2.41	1055	1	0.03	57	1880	17	0.12	2	6	155
CC111524		<10	<1	0.05	<10	0.62	676	<1	0.01	38	430	15	0.02	2	2	26
CC111525		<10	<1	0.05	<10	0.70	747	1	0.01	40	480	38	0.01	2	3	21
CC111526		<10	<1	0.08	20	0.49	804	3	0.01	29	680	99	0.02	5	3	43
CC111527		<10	<1	0.11	10	0.03	322	3	0.01	28	1340	241	0.20	12	1	20
CC111528		<10	<1	0.06	10	0.02	43	18	0.01	7	1240	642	0.09	13	<1	123
CC111529		<10	13	0.09	10	0.11	205	38	0.01	35	1180	7310	0.19	297	2	59
CC111530		10	52	0.07	10	0.20	260	69	0.01	16	2300	>10000	0.28	434	2	124
CC111531		<10	2	0.05	10	0.18	299	7	<0.01	13	1280	246	0.04	17	2	47
CC111532		<10	1	0.05	10	0.14	316	7	0.01	21	790	214	0.05	15	3	65
CC111533		10	1	0.07	10	0.10	326	3	0.01	13	690	174	0.08	7	2	69
CC111534		<10	2	0.09	10	0.05	379	10	0.01	59	5640	333	0.13	43	2	546
CC111535		<10	2	0.07	10	0.10	487	15	0.01	33	940	1630	0.09	34	3	36
CC111536		<10	7	0.10	10	0.01	95	23	<0.01	30	1380	2890	0.19	53	4	121
CC111537		<10	14	0.18	10	0.03	95	109	0.01	94	4650	5940	0.40	158	6	604
CC111538		<10	14	0.04	10	0.02	49	594	0.01	6	2500	>10000	0.07	229	4	236
CC111539		<10	<1	0.08	10	0.15	419	4	0.01	31	1040	1550	0.09	26	2	33
CC111540		<10	1	0.13	10	0.02	133	3	0.01	30	580	279	0.29	15	2	33
CC111541		<10	1	0.07	10	0.33	686	10	0.01	25	520	527	0.11	17	3	19
CC111542		10	<1	0.08	50	1.36	1575	1	0.02	61	3330	40	0.03	4	11	141
CC111543		10	1	0.10	70	1.49	1575	1	0.02	85	4110	47	0.04	3	13	165



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125222

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Pb- OG46
		Th	Ti	Ti	U	V	W	Zn	Ag	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		20	0.01	10	10	1	10	2	1	0.001
CC111504		<20	0.01	<10	<10	94	<10	113		
CC111505		<20	0.01	<10	<10	69	<10	60		
CC111506		<20	<0.01	<10	<10	21	<10	637		
CC111507		<20	0.01	<10	<10	26	<10	104		
CC111508		<20	0.25	<10	<10	167	<10	226		
CC111509		<20	0.17	<10	<10	121	<10	105		
CC111510		<20	0.07	<10	<10	101	<10	350		
CC111511		<20	<0.01	<10	<10	8	<10	280		
CC111512		<20	0.01	<10	<10	15	<10	181		
CC111513		<20	0.01	<10	<10	23	<10	141		
CC111514		<20	0.01	<10	<10	32	<10	360		
CC111515		<20	0.01	<10	<10	22	<10	62		
CC111516		<20	<0.01	<10	<10	26	<10	90		
CC111517		<20	0.01	<10	<10	26	<10	113		
CC111518		<20	0.01	<10	<10	26	<10	324		
CC111519		<20	<0.01	<10	<10	11	<10	156		
CC111520		<20	0.38	<10	<10	140	<10	336		
CC111521		<20	0.71	<10	<10	209	<10	140		
CC111522		<20	0.74	<10	<10	203	<10	126		
CC111523		<20	0.30	<10	<10	143	<10	108		
CC111524		<20	0.06	<10	<10	40	<10	94		
CC111525		<20	0.01	<10	<10	29	<10	112		
CC111526		<20	0.03	<10	<10	39	<10	137		
CC111527		<20	0.01	<10	<10	23	<10	531		
CC111528		<20	0.01	<10	<10	55	<10	67		
CC111529		<20	0.02	<10	10	107	<10	239	293	1.970
CC111530		<20	0.02	<10	10	156	<10	176		
CC111531		<20	0.01	<10	<10	48	<10	122		
CC111532		<20	0.01	<10	<10	85	<10	209		
CC111533		<20	0.02	<10	<10	48	<10	108		
CC111534		<20	0.01	<10	10	103	<10	483		1.460
CC111535		<20	0.01	<10	<10	59	<10	549		
CC111536		<20	<0.01	<10	<10	99	<10	290		
CC111537		<20	<0.01	<10	20	365	<10	470		
CC111538		<20	0.01	<10	30	142	<10	66		
CC111539		<20	0.01	<10	<10	31	<10	558		
CC111540		<20	<0.01	<10	<10	15	<10	426		
CC111541		<20	0.02	<10	<10	40	<10	341		
CC111542		<20	0.11	<10	<10	126	<10	155		
CC111543		<20	0.14	<10	<10	138	<10	207		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125222

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC111544		0.30	<0.001	<0.2	2.39	25	<10	280	1.2	<2	0.85	<0.5	26	161	41	6.48
CC111545		0.36	0.001	0.4	0.37	9	<10	530	1.0	2	0.06	<0.5	16	10	56	5.19
CC111546		0.34	0.001	0.2	0.58	20	<10	110	0.7	<2	0.36	<0.5	13	10	38	3.98
CC111547		0.28	<0.001	0.6	0.39	74	<10	120	0.8	3	1.83	1.0	19	7	37	4.13
CC111548		0.26	<0.001	0.3	0.87	25	<10	210	0.9	<2	0.99	1.0	13	14	27	4.25
CC111549		0.22	0.002	0.4	0.81	25	<10	140	0.8	2	0.78	0.5	12	12	28	3.89
CC111550		0.26	0.001	0.4	1.14	15	<10	130	0.9	<2	0.49	0.7	8	20	32	3.56
CC111551		0.24	0.003	3.6	0.90	54	<10	240	<0.5	2	0.05	<0.5	4	28	36	2.29
CC111552		0.22	0.007	14.8	1.09	274	<10	940	2.0	3	0.42	32.7	6	87	626	4.95
CC111553		0.16	0.007	3.6	1.47	114	<10	280	0.6	<2	0.18	0.9	5	48	74	3.53
CC111554		0.26	0.003	3.4	0.87	76	<10	590	0.5	<2	0.20	1.6	5	35	57	2.98
CC111555		0.22	0.004	2.5	0.75	94	<10	360	0.5	2	0.05	0.9	6	32	79	3.56
CC111556		0.24	0.004	2.0	1.07	69	<10	380	0.5	2	0.13	1.0	8	36	73	4.40
CC111557		0.34	0.004	2.0	1.08	69	<10	390	0.5	3	0.12	1.0	7	35	69	4.42
CC111558		0.36	0.004	2.2	1.17	76	<10	520	0.7	<2	0.18	1.3	10	36	79	4.75
CC111559		0.32	0.008	1.9	0.47	144	<10	530	0.5	<2	0.14	2.6	6	13	44	3.26
CC111560		0.36	0.009	3.4	0.48	57	<10	630	<0.5	<2	0.12	<0.5	2	14	23	1.66
CC111561		0.32	0.022	4.3	0.49	128	<10	770	<0.5	<2	0.07	1.6	1	34	34	3.12
CC111562		0.24	0.013	3.8	0.27	59	<10	750	<0.5	<2	0.14	1.9	1	11	32	1.51
CC111563		0.24	0.006	5.2	0.81	188	<10	1370	0.7	2	0.37	30.3	10	33	182	3.19
CC111564		0.26	0.007	1.9	0.81	87	<10	500	0.6	2	0.48	7.1	9	22	71	3.77
CC111565		0.16	0.008	3.9	0.58	185	<10	1340	0.6	<2	0.60	3.5	3	78	128	2.88
CC111566		0.30	0.005	4.7	0.60	162	<10	550	0.7	2	0.60	9.4	7	37	142	3.38
CC111567		0.22	0.012	3.8	0.66	240	<10	1240	0.8	<2	0.34	14.2	9	33	134	3.44
CC111568		0.28	0.008	5.6	0.81	147	<10	670	0.7	2	0.56	9.6	11	32	116	3.50
CC111569		0.26	<0.001	1.2	0.72	5	<10	3660	<0.5	<2	0.48	1.3	2	78	29	0.94
CC111570		0.18	<0.001	1.8	0.95	31	<10	3330	0.5	<2	0.42	2.1	5	65	65	2.44
CC111571		0.10	<0.001	3.6	2.01	23	<10	4310	1.1	<2	1.07	11.3	5	132	131	1.69
CC111572		0.20	0.010	3.0	1.06	32	<10	2340	1.0	2	0.58	5.4	2	203	172	1.51
CC111573		0.24	0.003	1.8	1.11	27	<10	3380	0.7	<2	0.34	5.3	6	48	67	2.04
CC111574		0.20	0.012	5.0	0.57	328	<10	670	0.8	<2	1.22	7.9	30	37	93	5.61
CC111575		0.18	0.016	5.4	0.50	307	<10	710	0.6	<2	0.89	3.5	11	25	82	5.55
CC111576		0.24	0.030	5.3	0.53	411	<10	810	0.7	<2	1.01	4.4	11	27	96	6.37
CC111577		0.28	0.002	0.7	0.54	44	<10	190	0.7	<2	0.28	<0.5	16	32	39	6.18
CC111578		0.26	0.001	0.2	0.33	40	<10	70	0.7	3	1.04	<0.5	19	7	44	3.93
CC111579		0.24	<0.001	0.3	0.34	36	<10	80	0.5	2	0.80	<0.5	11	7	27	3.16
CC111580		0.22	0.003	<0.2	1.11	21	<10	510	0.7	<2	0.14	0.6	17	52	37	4.53
CC111581		0.30	0.004	0.5	1.42	111	<10	760	0.9	<2	0.26	<0.5	11	33	56	4.20
CC111582		0.16	0.002	<0.2	0.33	26	<10	130	0.6	<2	1.58	<0.5	9	6	21	2.82
CC111583		0.18	0.001	0.6	0.41	97	<10	160	0.6	<2	2.02	0.9	8	5	19	2.40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125222

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC111544		10	<1	0.15	30	2.02	1035	1	0.01	69	2080	34	0.02	<2	6	75
CC111545		<10	<1	0.04	<10	0.10	969	<1	0.01	26	240	12	0.01	<2	6	11
CC111546		<10	<1	0.04	10	0.12	407	<1	0.01	37	560	68	0.01	<2	4	19
CC111547		<10	1	0.06	10	0.08	1375	<1	0.01	43	970	107	0.01	4	5	52
CC111548		<10	<1	0.05	10	0.20	2110	<1	0.01	26	1000	64	0.05	<2	3	35
CC111549		<10	1	0.04	10	0.14	905	<1	0.01	30	610	54	0.04	<2	4	30
CC111550		<10	<1	0.05	10	0.30	435	<1	0.01	21	800	60	0.03	<2	3	20
CC111551		<10	1	0.05	10	0.10	226	9	<0.01	15	1300	290	0.07	12	1	43
CC111552		<10	2	0.07	10	0.16	4470	34	0.01	247	2040	785	0.12	76	7	117
CC111553		10	<1	0.06	10	0.31	320	12	0.01	31	1650	150	0.07	9	1	49
CC111554		<10	<1	0.06	10	0.18	399	21	0.01	30	2580	303	0.09	7	2	126
CC111555		<10	<1	0.10	10	0.15	340	12	0.01	25	830	102	0.22	7	2	67
CC111556		10	<1	0.06	10	0.31	488	8	0.01	38	1300	95	0.05	7	2	36
CC111557		10	1	0.06	10	0.30	495	8	0.01	37	1340	100	0.04	6	2	34
CC111558		<10	1	0.06	10	0.39	668	8	0.01	47	1260	126	0.04	7	3	45
CC111559		<10	1	0.13	10	0.11	720	7	0.01	37	1240	169	0.24	11	2	144
CC111560		<10	1	0.10	10	0.06	131	5	0.01	12	1510	296	0.15	12	1	99
CC111561		10	1	0.27	10	0.03	363	16	0.01	16	1600	342	0.60	25	1	295
CC111562		<10	1	0.11	10	0.04	130	8	0.01	11	1160	410	0.23	18	1	132
CC111563		<10	3	0.10	10	0.16	1705	31	0.01	109	1870	268	0.16	24	2	168
CC111564		<10	<1	0.08	10	0.25	385	12	0.01	92	1120	133	0.09	10	4	121
CC111565		<10	2	0.11	10	0.04	99	29	0.01	64	1510	113	0.19	50	1	145
CC111566		<10	1	0.10	10	0.19	681	15	0.01	102	1880	346	0.18	25	3	173
CC111567		<10	1	0.08	10	0.17	1210	25	0.01	127	1580	246	0.10	48	4	163
CC111568		<10	2	0.09	10	0.23	891	13	0.01	127	1540	321	0.12	27	4	143
CC111569		<10	<1	0.06	10	0.20	43	2	0.02	40	1490	37	0.11	2	2	142
CC111570		<10	1	0.06	10	0.26	257	7	0.02	47	1510	53	0.09	<2	3	81
CC111571		10	1	0.08	10	1.19	126	7	0.03	388	6020	28	0.12	<2	3	147
CC111572		<10	1	0.10	10	0.19	53	32	0.02	121	2290	21	0.18	13	2	174
CC111573		<10	1	0.07	20	0.28	328	9	0.02	51	1220	66	0.09	7	5	76
CC111574		<10	2	0.09	10	0.22	1645	7	0.01	111	1790	560	0.09	44	8	276
CC111575		<10	2	0.22	10	0.15	948	13	0.01	57	3940	368	0.58	36	5	565
CC111576		<10	2	0.24	10	0.16	1195	14	0.01	65	4990	461	0.59	41	5	603
CC111577		<10	<1	0.03	10	0.07	836	1	0.01	10	270	44	0.01	5	3	25
CC111578		<10	<1	0.06	10	0.15	534	<1	<0.01	34	620	31	0.01	<2	4	32
CC111579		<10	<1	0.04	<10	0.07	701	<1	0.01	25	670	92	0.06	<2	3	32
CC111580		<10	<1	0.05	10	0.39	2460	2	0.01	43	800	170	0.03	6	3	17
CC111581		<10	<1	0.05	10	0.36	878	2	0.01	26	560	127	0.02	8	4	25
CC111582		<10	<1	0.05	10	0.09	391	<1	0.01	26	720	44	0.08	2	2	47
CC111583		<10	1	0.04	<10	0.15	800	<1	0.01	19	820	155	0.09	2	1	59



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125222

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Pb- OG46
		Th	Ti	Ti	U	V	W	Zn	Ag	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		20	0.01	10	10	1	10	2	1	0.001
CC111544		<20	0.45	<10	<10	158	<10	109		
CC111545		<20	0.01	<10	<10	12	<10	93		
CC111546		<20	0.01	<10	<10	14	<10	161		
CC111547		<20	<0.01	<10	<10	9	<10	550		
CC111548		<20	0.01	<10	<10	20	<10	195		
CC111549		<20	0.01	<10	<10	19	<10	145		
CC111550		<20	0.01	<10	<10	23	<10	299		
CC111551		<20	0.01	<10	<10	91	<10	134		
CC111552		<20	0.01	<10	<10	260	<10	2450		
CC111553		<20	0.02	<10	<10	136	<10	189		
CC111554		<20	0.02	<10	<10	115	<10	181		
CC111555		<20	0.01	<10	<10	77	<10	181		
CC111556		<20	0.02	<10	<10	80	<10	243		
CC111557		<20	0.02	<10	<10	86	<10	232		
CC111558		<20	0.02	<10	<10	73	<10	316		
CC111559		<20	0.01	<10	<10	33	<10	336		
CC111560		<20	0.01	<10	<10	40	<10	78		
CC111561		<20	0.01	<10	<10	109	<10	130		
CC111562		<20	0.01	<10	<10	46	<10	87		
CC111563		<20	0.01	<10	10	166	<10	1055		
CC111564		<20	0.01	<10	<10	61	<10	1175		
CC111565		<20	0.01	<10	10	464	<10	347		
CC111566		<20	0.01	<10	<10	102	<10	1300		
CC111567		<20	0.01	<10	10	133	<10	1290		
CC111568		<20	0.01	<10	<10	101	<10	1750		
CC111569		<20	0.01	<10	<10	313	<10	161		
CC111570		<20	0.01	<10	<10	505	<10	252		
CC111571		<20	0.01	<10	10	529	<10	2320		
CC111572		<20	0.02	<10	10	1310	<10	420		
CC111573		<20	0.01	<10	<10	271	<10	311		
CC111574		<20	<0.01	<10	<10	60	<10	1260		
CC111575		<20	0.01	<10	<10	68	<10	580		
CC111576		<20	0.01	<10	<10	78	<10	724		
CC111577		<20	0.01	<10	<10	39	<10	83		
CC111578		<20	<0.01	<10	<10	7	<10	126		
CC111579		<20	<0.01	<10	<10	8	<10	119		
CC111580		<20	0.02	<10	<10	44	<10	120		
CC111581		<20	0.01	<10	<10	53	<10	86		
CC111582		<20	<0.01	<10	<10	7	<10	181		
CC111583		<20	<0.01	<10	<10	6	<10	277		



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 16- SEP- 2010
 Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125222

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC111584		0.32	0.001	1.3	0.88	110	<10	930	0.8	<2	0.57	<0.5	9	25	21	3.91
CC111585		0.26	0.004	<0.2	1.12	72	<10	290	0.5	<2	0.28	<0.5	9	26	18	3.88
CC111586		0.32	0.003	<0.2	0.42	5	<10	90	0.8	<2	0.54	<0.5	7	17	20	3.54
CC111587		0.26	0.001	<0.2	0.67	4	<10	130	0.8	<2	0.26	<0.5	12	14	27	3.62
CC111588		0.20	<0.001	0.2	0.69	35	<10	230	0.8	<2	1.78	<0.5	7	9	31	2.16
CC111589		0.20	0.002	<0.2	0.80	5	<10	200	0.8	<2	1.59	<0.5	9	12	30	2.73
CC111590		0.20	0.001	<0.2	0.39	18	<10	110	0.5	<2	1.01	0.8	10	4	21	2.86
CC111501		0.26	0.014	47.0	0.78	355	<10	340	1.1	<2	0.10	1.7	3	79	214	2.33



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125222

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC111584		<10	1	0.05	10	0.17	720	4	0.01	17	970	244	0.06	13	3	44
CC111585		<10	<1	0.04	10	0.23	504	2	0.01	18	590	173	0.02	8	2	30
CC111586		<10	<1	0.04	<10	0.12	357	<1	0.01	14	300	21	0.03	3	3	23
CC111587		<10	<1	0.03	10	0.18	371	<1	0.01	21	210	28	0.01	2	4	18
CC111588		<10	1	0.04	10	0.13	352	<1	0.01	20	1050	71	0.11	2	1	65
CC111589		<10	<1	0.04	10	0.22	417	<1	0.01	19	810	32	0.09	2	2	58
CC111590		<10	<1	0.05	10	0.07	371	<1	0.01	20	800	72	0.07	<2	2	36
CC111501		<10	14	0.11	10	0.07	183	59	0.01	19	3290	>10000	0.23	172	3	456



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 16- SEP- 2010
 Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125222

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Pb- OG46
		Th	Ti	Tl	U	V	W	Zn	Ag	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		20	0.01	10	10	1	10	2	1	0.001
CC111584		<20	0.01	<10	<10	43	<10	150		
CC111585		<20	0.01	<10	<10	45	<10	110		
CC111586		<20	0.01	<10	<10	17	<10	81		
CC111587		<20	<0.01	<10	<10	14	<10	67		
CC111588		<20	<0.01	<10	<10	10	<10	100		
CC111589		<20	<0.01	<10	<10	13	<10	84		
CC111590		<20	<0.01	<10	<10	6	<10	311		
CC111501		<20	0.01	<10	20	211	<10	160		1.035



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 20- SEP- 2010
Account: MTT

CERTIFICATE VA10125745

Project: ROD

P.O. No.:

This report is for 29 Rock samples submitted to our lab in Vancouver, BC, Canada on 4- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag- GRA21	Ag 30g FA- GRAV finish	WST- SIM
Pb- VOL70	Pb by Titration	
Zn- VOL50	Zn by titration	
As- OG46	Ore Grade As - Aqua Regia	VARIABLE
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 20- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125745

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
H248827		0.14	0.001	<0.2	0.63	<2	<10	30	<0.5	<2	0.04	2.3	6	7	10	2.30
H248828		1.60	<0.001	26.3	0.05	307	<10	10	<0.5	4	15.7	625	<1	<1	71	5.03
H248829		0.46	<0.001	50.5	0.04	1100	<10	20	<0.5	3	0.96	>1000	2	<1	566	5.28
H248830		0.28	0.094	>100	0.23	3730	<10	80	<0.5	<2	0.07	54.6	<1	16	2730	1.73
H248831		0.90	0.011	>100	0.09	725	<10	20	<0.5	<2	0.01	54.5	<1	7	1115	0.25
H248832		1.00	0.004	>100	0.43	878	<10	70	0.5	2	0.45	653	25	18	178	3.24
H248833		0.34	0.001	11.6	1.02	221	20	290	1.5	<2	12.2	6.0	29	102	71	7.39
H248834		0.46	0.006	11.7	0.35	41	<10	220	<0.5	<2	0.15	5.2	3	28	31	8.05
H248835		0.54	<0.001	2.5	0.19	31	<10	170	<0.5	<2	0.07	5.2	1	27	59	0.97
H248836		0.50	0.004	1.1	0.47	15	<10	270	<0.5	<2	1.29	4.0	3	11	61	2.45
H248837		4.04	0.001	>100	0.08	1360	<10	50	<0.5	3	14.6	277	<1	<1	889	9.56
H248838		0.60	0.006	32.6	0.76	252	<10	340	1.2	<2	0.10	2.9	1	119	241	3.74
H248839		3.64	0.007	41.8	0.46	189	<10	1250	<0.5	<2	0.08	2.3	1	18	127	1.16
H248840		4.16	0.007	23.7	0.39	111	<10	2050	<0.5	<2	0.06	1.6	1	12	75	1.01
H248841		2.52	0.006	6.2	0.35	82	<10	810	<0.5	<2	0.09	2.9	<1	73	38	1.06
H248842		1.92	0.006	>100	0.78	549	<10	40	0.9	<2	0.14	21.7	<1	147	1565	3.76
H248843		3.26	0.005	7.5	0.19	44	<10	260	<0.5	<2	0.02	1.0	<1	34	30	0.85
H248844		8.40	0.008	17.5	0.19	37	<10	210	<0.5	<2	0.01	1.4	<1	31	36	0.68
H248845		4.06	0.005	6.4	0.26	31	<10	220	<0.5	<2	0.01	<0.5	<1	36	33	0.71
H248846		1.42	0.002	11.7	0.17	52	<10	120	<0.5	<2	0.01	<0.5	<1	29	26	0.94
H248847		0.46	0.005	2.3	0.17	21	<10	230	<0.5	<2	0.06	0.6	<1	19	9	1.31
H248848		0.34	0.081	>100	0.82	>10000	<10	70	1.2	<2	0.05	27.6	1	14	259	9.50
H248849		0.38	0.003	1.4	0.98	302	10	280	1.2	<2	1.82	2.7	49	70	94	9.82
H248850		0.58	0.005	97.3	0.13	4460	<10	120	<0.5	2	0.23	>1000	22	46	1805	9.44
G285901		0.62	0.002	13.2	0.24	1720	<10	450	<0.5	12	0.10	15.6	<1	17	47	28.3
G285902		0.82	0.003	>100	1.75	1165	<10	20	1.8	<2	0.07	26.2	<1	294	3060	5.88
G285903		0.38	0.007	>100	0.62	1180	<10	80	1.0	<2	0.12	114.5	<1	102	2460	6.84
G285904		0.16	0.007	>100	0.11	520	<10	10	<0.5	<2	0.01	57.0	<1	9	1260	0.44
G285905		0.02	0.003	>100	0.73	1765	<10	460	0.5	2	0.04	5.5	76	519	411	24.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 20- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125745

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
H248827		<10	1	0.04	<10	0.14	565	<1	0.01	10	130	105	0.03	<2	2	4
H248828		<10	34	0.01	<10	4.31	40200	<1	0.02	2	250	>10000	2.51	22	<1	101
H248829		<10	126	0.01	<10	0.38	19550	<1	0.01	5	190	6830	0.69	247	<1	17
H248830		<10	36	0.05	<10	0.02	297	37	0.01	2	1130	>10000	1.04	9400	1	50
H248831		<10	34	0.01	<10	<0.01	83	79	0.01	<1	750	>10000	>10.0	2350	<1	33
H248832		<10	36	0.19	10	0.05	20800	<1	0.01	89	1970	>10000	3.97	719	15	84
H248833		<10	2	0.36	40	1.83	3280	<1	0.02	84	3200	1400	0.14	51	16	686
H248834		<10	1	0.12	<10	0.04	386	8	0.01	56	590	3180	0.33	14	1	45
H248835		<10	1	0.04	<10	0.02	131	1	0.01	61	520	288	0.07	11	1	16
H248836		<10	1	0.24	10	0.65	267	<1	0.01	31	160	337	0.67	2	5	71
H248837		<10	30	0.03	<10	1.66	31400	<1	0.02	4	300	>10000	3.23	573	1	110
H248838		10	2	0.16	<10	0.03	274	25	0.01	52	2940	8350	0.23	210	9	313
H248839		<10	3	0.17	10	0.07	103	24	0.02	10	610	>10000	0.22	122	2	41
H248840		<10	3	0.18	10	0.03	210	13	0.02	4	260	3310	0.12	98	1	18
H248841		<10	1	0.14	10	0.02	38	9	0.01	<1	3210	416	0.08	25	2	315
H248842		<10	7	0.14	<10	0.02	52	349	0.01	26	>10000	>10000	4.41	2100	8	362
H248843		<10	1	0.10	<10	0.01	53	10	0.01	<1	870	417	0.08	24	1	88
H248844		<10	1	0.11	10	0.01	51	10	0.01	1	410	3130	0.12	29	1	64
H248845		<10	1	0.13	10	0.02	43	7	0.01	2	390	1580	0.07	15	1	43
H248846		<10	3	0.10	<10	0.01	50	14	0.01	3	1010	1780	0.12	25	1	104
H248847		<10	1	0.23	<10	0.01	40	5	0.01	<1	950	89	0.34	8	1	39
H248848		<10	8	0.30	<10	0.01	57	27	0.02	12	>10000	>10000	5.48	1040	11	75
H248849		<10	<1	0.25	40	0.22	2170	<1	0.04	101	7080	364	0.22	11	16	157
H248850		10	337	0.04	<10	0.05	36100	1	0.02	28	440	>10000	0.31	544	2	71
G285901		<10	<1	0.05	<10	0.17	24400	44	<0.01	17	2410	3660	0.07	26	4	122
G285902		10	22	0.14	<10	0.01	192	1820	0.01	48	>10000	>10000	6.3	2660	8	388
G285903		<10	17	0.11	<10	0.01	997	172	<0.01	29	3640	>10000	0.47	>10000	9	141
G285904		<10	18	0.01	<10	<0.01	233	42	<0.01	1	800	>10000	>10.0	3140	<1	25
G285905		<10	4	0.22	<10	0.24	29700	250	0.01	1110	2640	>10000	1.05	348	9	52



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 20- SEP- 2010
 Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125745

Sample Description	Method Analyte Units LOR	ME- ICP41 Th ppm 20	ME- ICP41 Ti % 0.01	ME- ICP41 Tl ppm 10	ME- ICP41 U ppm 10	ME- ICP41 V ppm 1	ME- ICP41 W ppm 10	ME- ICP41 Zn ppm 2	Ag- OG46 Ag ppm 1	Pb- OG46 Pb % 0.001	Zn- OG46 Zn % 0.001	Ag- GRA21 Ag ppm 5	Pb- VOL70 Pb % 0.01	Zn- VOL50 Zn % 0.01	As- OG46 As % 0.01
H248827		<20	<0.01	<10	<10	5	<10	549							
H248828		<20	<0.01	20	<10	<1	<10	>10000		0.990	8.62				
H248829		<20	<0.01	<10	<10	<1	<10	>10000			21.2				
H248830		<20	<0.01	<10	10	106	<10	2520	>1500	6.12		1760			
H248831		<20	<0.01	<10	10	29	<10	2830	>1500	>20.0		1670	70.88		
H248832		<20	<0.01	<10	<10	21	20	>10000	722	>20.0	7.95		29.50		
H248833		<20	0.01	<10	<10	79	<10	1085							
H248834		<20	<0.01	<10	<10	53	<10	1475							
H248835		<20	<0.01	<10	<10	26	<10	647							
H248836		<20	<0.01	<10	<10	14	<10	365							
H248837		<20	<0.01	<10	<10	2	20	>10000	256	10.70	4.39				
H248838		<20	<0.01	<10	10	258	<10	1665							
H248839		<20	0.01	<10	10	152	<10	226		1.230					
H248840		<20	<0.01	<10	<10	71	<10	190							
H248841		<20	<0.01	<10	10	278	<10	69							
H248842		<20	<0.01	<10	40	522	<10	1120	1390	>20.0			30.73		
H248843		<20	<0.01	<10	10	95	<10	51							
H248844		<20	<0.01	<10	<10	80	<10	55							
H248845		<20	<0.01	<10	<10	62	<10	41							
H248846		<20	<0.01	<10	10	68	<10	37							
H248847		<20	<0.01	<10	<10	47	<10	20							
H248848		40	<0.01	<10	<10	64	<10	1915	869	>20.0			37.20		3.32
H248849		<20	<0.01	<10	<10	114	<10	463							
H248850		<20	0.01	<10	<10	18	10	>10000		2.74	>30.0			33.62	
G285901		<20	<0.01	<10	<10	86	<10	1875							
G285902		<20	<0.01	<10	110	959	<10	2030	>1500	>20.0		1855	43.03		
G285903		<20	<0.01	<10	30	339	<10	5380	245	3.23					
G285904		<20	<0.01	<10	<10	25	<10	1255	>1500	>20.0		2370	76.85		
G285905		<20	<0.01	<10	20	135	<10	492	301	6.14					



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 16- SEP- 2010
Account: MTT

CERTIFICATE VA10125746

Project: ROD

P.O. No.:

This report is for 149 Soil samples submitted to our lab in Vancouver, BC, Canada on 4- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
As- OG46	Ore Grade As - Aqua Regia	VARIABLE
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125746

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC85841		0.20	0.005	0.5	0.64	169	<10	570	0.5	<2	0.15	2.1	10	15	86	3.56
CC85842		0.26	0.009	0.6	0.72	158	<10	460	0.5	<2	0.14	2.1	10	18	71	4.32
CC85843		0.24	0.005	0.4	0.45	145	<10	400	<0.5	<2	0.05	1.6	6	14	104	3.42
CC85844		0.32	0.002	0.4	0.66	116	<10	620	<0.5	<2	0.11	1.9	10	13	40	3.70
CC85845		0.28	0.004	1.0	0.77	127	<10	270	<0.5	<2	0.06	1.4	12	19	38	4.61
CC85846		0.18	0.008	1.1	0.67	92	<10	340	<0.5	<2	0.12	0.9	6	15	34	3.31
CC85847		0.22	<0.001	0.3	0.59	58	<10	150	<0.5	<2	0.03	0.8	6	12	36	3.23
CC85848		0.26	<0.001	1.2	1.03	70	<10	120	<0.5	<2	0.04	1.0	9	20	30	3.56
CC85849		0.26	0.010	4.0	0.97	114	<10	480	0.5	<2	0.12	3.4	6	33	60	2.91
CC85850		0.24	0.004	4.9	0.77	98	<10	160	<0.5	<2	0.06	0.9	4	32	23	2.96
CC85851		0.30	0.005	5.6	0.32	52	<10	260	<0.5	<2	0.03	<0.5	1	19	24	1.28
CC85852		0.26	0.006	4.7	0.50	72	<10	130	<0.5	<2	0.03	0.7	2	15	15	2.11
CC85853		0.20	0.007	11.8	0.24	41	<10	140	<0.5	<2	0.03	1.9	1	20	39	0.95
CC85854		0.22	0.008	8.0	0.36	36	<10	120	<0.5	<2	0.02	<0.5	1	21	8	1.16
CC85855		0.40	0.009	22.4	0.71	111	<10	480	0.7	<2	0.28	4.8	4	61	95	2.90
CC85856		0.20	0.028	3.8	0.31	77	<10	110	<0.5	<2	0.03	0.9	2	18	35	2.03
CC85857		0.20	0.007	8.7	1.27	595	<10	400	0.5	<2	0.17	1.5	3	83	77	4.14
CC85858		0.28	0.002	3.7	0.58	507	<10	110	<0.5	<2	0.03	1.4	4	22	25	3.35
CC85859		0.34	0.005	0.6	1.27	98	<10	300	0.6	<2	0.19	1.1	11	29	28	4.17
CC85860		0.30	0.003	0.9	1.21	106	<10	110	0.8	<2	0.32	8.3	12	33	34	3.90
CC85861		0.22	0.004	5.1	0.95	70	<10	340	0.7	<2	0.73	5.1	12	35	49	3.91
CC85862		0.32	0.004	0.3	1.08	29	<10	150	0.7	<2	0.05	<0.5	13	29	32	3.92
CC85863		0.16	0.002	0.2	0.46	17	<10	90	0.8	<2	1.84	<0.5	10	8	27	2.76
CC85864		0.20	0.007	6.2	0.96	102	<10	220	0.8	<2	0.78	18.3	7	23	48	2.69
CC85865		0.32	0.002	<0.2	2.35	63	<10	370	1.7	<2	0.77	0.5	31	132	57	6.88
CC85866		0.16	0.002	0.4	2.30	122	<10	310	1.6	<2	1.20	1.1	27	178	36	6.13
CC85867		0.20	0.002	0.2	2.52	17	<10	270	1.5	<2	0.91	<0.5	27	189	37	6.98
CC85868		0.36	0.008	1.5	0.96	26	<10	410	1.0	<2	0.28	<0.5	14	26	46	4.21
CC85869		0.20	0.005	4.3	0.45	85	<10	160	<0.5	<2	0.03	<0.5	4	22	16	2.60
CC85870		0.18	0.029	12.2	0.56	178	<10	530	1.5	<2	0.14	2.4	3	40	231	3.11
CC85871		0.32	0.007	13.6	0.38	59	<10	540	0.5	<2	0.08	1.2	1	38	37	1.73
CC85872		0.30	0.011	6.4	0.48	55	<10	330	<0.5	<2	0.12	2.2	3	12	23	1.96
CC85873		0.24	0.008	5.0	0.75	124	<10	810	0.5	<2	0.19	1.9	6	25	35	2.41
CC85874		0.32	0.006	10.1	1.45	126	<10	160	<0.5	<2	0.07	0.6	7	30	41	3.38
CC85875		0.26	0.003	0.9	1.45	72	<10	240	<0.5	<2	0.06	1.3	7	29	27	3.37
CC85876		0.30	0.004	1.0	0.96	106	<10	210	0.8	<2	0.03	3.2	17	20	79	6.33
CC85877		0.26	0.004	0.6	1.29	70	<10	180	0.5	<2	0.08	0.9	14	22	39	4.19
CC85878		0.28	0.012	2.0	0.54	91	<10	480	0.5	<2	0.03	1.2	9	9	39	3.18
CC85879		0.22	0.010	0.9	0.55	49	<10	550	<0.5	<2	0.06	<0.5	3	11	35	2.27
CC85880		0.28	0.003	1.7	1.19	57	<10	1080	0.5	<2	0.04	1.1	9	24	54	4.24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125746

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC85841		<10	<1	0.08	10	0.09	381	2	0.01	50	1420	59	0.13	<2	4	193
CC85842		<10	<1	0.06	10	0.12	534	8	0.01	46	1740	98	0.08	4	2	111
CC85843		<10	<1	0.06	20	0.04	207	18	0.01	48	1270	73	0.07	3	2	145
CC85844		<10	<1	0.10	20	0.08	394	5	0.01	31	1530	67	0.19	2	3	166
CC85845		<10	<1	0.07	10	0.17	580	4	0.01	45	1430	91	0.06	7	2	83
CC85846		<10	<1	0.08	20	0.05	218	3	0.01	27	2410	118	0.11	6	1	188
CC85847		<10	<1	0.05	10	0.05	615	4	0.01	26	890	47	0.04	2	1	84
CC85848		<10	<1	0.05	10	0.13	817	4	0.01	18	1060	215	0.05	10	1	37
CC85849		<10	<1	0.08	10	0.13	432	12	0.01	18	1760	553	0.10	20	1	69
CC85850		<10	1	0.06	10	0.12	316	10	0.01	12	1240	365	0.09	23	1	71
CC85851		<10	1	0.08	10	0.04	80	7	<0.01	4	830	254	0.13	24	1	36
CC85852		<10	1	0.06	10	0.03	109	8	<0.01	9	960	325	0.08	16	1	51
CC85853		<10	1	0.05	10	0.02	45	19	<0.01	10	1070	1145	0.09	59	1	68
CC85854		<10	<1	0.04	20	0.03	33	7	0.01	4	990	240	0.08	12	1	33
CC85855		<10	1	0.12	20	0.08	462	37	0.01	28	5840	2650	0.24	82	3	278
CC85856		<10	<1	0.06	10	0.03	84	15	0.01	21	1340	551	0.11	21	1	59
CC85857		10	1	0.11	10	0.25	1920	13	0.01	16	6630	179	0.22	14	1	99
CC85858		<10	<1	0.06	10	0.05	262	6	0.01	19	940	348	0.07	14	1	38
CC85859		<10	<1	0.04	10	0.32	737	1	0.01	22	620	213	0.03	4	2	20
CC85860		<10	<1	0.05	10	0.53	609	<1	0.01	36	660	139	0.03	2	4	29
CC85861		<10	1	0.05	10	0.39	697	<1	0.02	33	860	537	0.06	6	3	39
CC85862		<10	<1	0.04	10	0.29	788	<1	0.01	22	610	96	0.04	2	1	8
CC85863		<10	<1	0.04	<10	0.09	307	<1	0.01	31	650	31	0.09	<2	2	55
CC85864		<10	2	0.05	10	0.22	489	1	0.01	24	1680	901	0.11	9	2	40
CC85865		10	<1	0.07	20	1.50	1315	<1	0.02	68	1710	38	0.02	<2	6	80
CC85866		10	1	0.10	30	1.86	2350	<1	0.02	85	2320	69	0.11	<2	6	111
CC85867		10	1	0.14	20	2.15	1480	<1	0.02	70	1840	22	0.08	<2	7	98
CC85868		<10	1	0.05	10	0.34	1060	<1	0.02	29	530	130	0.03	8	3	40
CC85869		<10	<1	0.07	10	0.05	204	12	0.01	10	620	276	0.15	24	1	25
CC85870		<10	3	0.07	10	0.02	172	14	0.02	24	2140	2040	0.13	52	3	212
CC85871		<10	2	0.16	20	0.02	46	11	0.02	4	2880	890	0.30	41	2	416
CC85872		<10	<1	0.09	10	0.06	187	5	0.01	11	960	235	0.16	15	2	67
CC85873		<10	1	0.06	10	0.15	454	7	0.03	16	1330	617	0.06	22	2	77
CC85874		<10	2	0.06	10	0.22	304	11	0.01	20	910	356	0.04	21	2	37
CC85875		<10	<1	0.05	10	0.27	348	4	0.01	16	840	184	0.05	5	1	19
CC85876		<10	<1	0.05	10	0.14	3080	8	0.01	49	1170	200	0.06	16	4	55
CC85877		<10	<1	0.05	10	0.21	935	2	0.01	33	1370	107	0.03	3	2	35
CC85878		<10	<1	0.08	20	0.09	303	5	0.01	32	550	58	0.03	5	3	31
CC85879		<10	<1	0.11	20	0.04	104	4	0.02	13	1820	76	0.21	2	1	325
CC85880		<10	<1	0.07	10	0.18	527	3	0.04	22	1100	108	0.12	2	2	89



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125746

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Zn- OG46	Pb- OG46	As- OG46
		Th	Ti	Ti	U	V	W	Zn	Ag	Zn	Pb	As
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
		20	0.01	10	10	1	10	2	1	0.001	0.001	0.01
CC85841		<20	<0.01	<10	<10	33	<10	336				
CC85842		<20	0.01	<10	<10	56	<10	374				
CC85843		<20	0.01	<10	<10	69	<10	406				
CC85844		<20	0.01	<10	<10	42	<10	286				
CC85845		<20	0.01	<10	<10	51	<10	402				
CC85846		<20	0.01	<10	<10	47	<10	248				
CC85847		<20	0.02	<10	<10	48	<10	235				
CC85848		<20	0.02	<10	<10	57	<10	172				
CC85849		<20	0.01	<10	<10	86	<10	259				
CC85850		<20	0.01	<10	<10	87	<10	99				
CC85851		<20	0.01	<10	<10	40	<10	38				
CC85852		<20	0.01	<10	<10	53	<10	125				
CC85853		<20	<0.01	<10	<10	50	<10	147				
CC85854		<20	0.01	<10	<10	65	<10	39				
CC85855		<20	0.01	<10	10	120	<10	443				
CC85856		<20	0.01	<10	<10	63	<10	267				
CC85857		<20	0.01	<10	<10	115	<10	103				
CC85858		<20	0.01	<10	<10	58	<10	201				
CC85859		<20	0.02	<10	<10	42	<10	197				
CC85860		<20	0.04	<10	<10	35	<10	3360				
CC85861		<20	0.03	<10	<10	38	<10	673				
CC85862		<20	0.02	<10	<10	38	<10	169				
CC85863		<20	<0.01	<10	<10	9	<10	112				
CC85864		<20	0.01	<10	<10	23	<10	1710				
CC85865		<20	0.27	<10	<10	109	<10	155				
CC85866		<20	0.19	<10	<10	136	<10	324				
CC85867		<20	0.61	<10	<10	191	<10	115				
CC85868		<20	0.01	<10	<10	29	<10	168				
CC85869		<20	0.03	<10	<10	87	<10	139				
CC85870		<20	<0.01	<10	<10	77	<10	539				
CC85871		<20	<0.01	<10	<10	50	<10	102				
CC85872		<20	<0.01	<10	<10	22	<10	270				
CC85873		<20	0.01	<10	<10	55	<10	376				
CC85874		<20	0.01	<10	<10	99	<10	195				
CC85875		<20	0.02	<10	<10	67	<10	112				
CC85876		<20	0.01	<10	<10	48	<10	475				
CC85877		<20	0.01	<10	<10	42	<10	263				
CC85878		<20	<0.01	<10	<10	20	<10	246				
CC85879		<20	0.01	<10	<10	40	<10	96				
CC85880		<20	0.01	<10	<10	65	<10	167				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125746

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC85881		0.10	<0.001	3.1	0.75	35	<10	2480	0.5	<2	1.80	8.7	5	24	132	1.21
CC85882		0.14	NSS	1.7	0.49	30	<10	2500	<0.5	<2	2.81	3.6	3	13	89	0.80
CC85883		0.22	0.003	2.6	1.31	39	<10	1020	0.6	<2	1.32	7.0	12	53	51	2.83
CC85884		0.18	0.003	0.3	0.76	45	<10	260	<0.5	<2	0.02	<0.5	7	16	30	4.01
CC85885		0.18	0.002	0.8	0.93	65	<10	650	0.6	<2	0.04	0.6	12	20	44	4.43
CC85886		0.28	0.006	0.5	0.90	91	<10	580	0.6	<2	0.11	1.2	13	16	41	4.70
CC85887		0.26	0.009	0.5	1.54	72	<10	250	0.5	<2	0.07	1.5	12	24	31	4.03
CC85888		0.30	0.003	0.9	0.76	38	<10	200	<0.5	<2	0.02	<0.5	5	12	22	2.77
CC85889		0.28	0.010	10.4	0.45	178	<10	220	<0.5	<2	0.03	0.8	1	20	109	1.73
CC85890		0.28	0.017	19.1	0.45	308	<10	460	1.0	<2	0.07	2.7	2	50	252	3.08
CC85891		0.22	0.005	5.0	2.22	158	<10	160	0.8	<2	0.16	1.2	22	40	50	5.50
CC85892		0.42	0.010	2.1	1.19	45	<10	180	<0.5	<2	0.17	1.1	8	24	25	2.86
CC85893		0.32	0.018	3.6	0.64	98	<10	140	<0.5	<2	0.02	1.1	5	12	22	2.74
CC85894		0.18	0.106	5.5	0.37	79	<10	250	1.2	<2	0.17	26.4	27	13	74	6.66
CC85895		0.30	0.009	<0.2	3.13	13	<10	390	1.8	<2	1.33	<0.5	32	181	50	7.49
CC85896		0.24	0.003	0.2	3.42	33	<10	590	2.5	<2	1.59	<0.5	36	227	63	8.38
CC85897		0.24	0.001	0.2	2.47	116	<10	1370	3.3	<2	2.82	0.6	53	225	83	9.49
CC85898		0.26	0.001	<0.2	3.14	27	<10	360	1.8	<2	1.46	<0.5	32	215	48	7.09
CC85899		0.20	<0.001	2.3	0.95	274	<10	490	1.9	<2	5.50	1.8	67	132	130	9.55
CC85900		0.26	0.003	0.8	0.63	50	<10	140	0.9	2	1.12	1.3	19	17	50	4.74
CC85901		0.26	0.002	0.5	0.68	38	<10	170	0.9	<2	1.38	0.7	18	12	36	4.04
CC85902		0.30	0.001	0.7	1.36	21	<10	230	1.1	<2	1.09	0.9	13	22	25	3.85
CC85903		0.30	0.001	<0.2	1.20	16	<10	80	0.5	<2	0.03	0.7	19	28	23	5.32
CC85904		0.18	0.006	<0.2	0.53	11	<10	130	0.7	<2	0.44	<0.5	14	8	35	3.09
CC85905		0.24	0.001	<0.2	1.36	8	<10	290	1.8	<2	0.19	<0.5	16	25	50	3.66
CC85906		0.18	0.008	0.2	0.41	27	<10	80	0.7	<2	0.50	0.6	17	6	49	3.55
CC85907		0.20	0.002	<0.2	0.46	11	<10	100	0.6	<2	1.20	<0.5	10	6	33	3.11
CC85908		0.26	0.003	<0.2	0.71	9	<10	180	0.5	<2	1.55	<0.5	8	11	20	2.66
CC85909		0.30	0.001	<0.2	0.83	3	<10	150	0.8	<2	0.30	<0.5	19	20	61	4.10
CC85910		0.26	0.001	<0.2	1.01	11	<10	230	0.9	<2	0.30	<0.5	16	21	60	3.90
CC85911		0.24	0.001	0.4	1.05	35	<10	380	0.7	<2	0.55	1.0	11	20	24	3.60
CC85912		0.22	0.001	<0.2	0.54	8	<10	320	1.2	<2	0.19	<0.5	20	29	18	5.63
CC85913		0.28	0.002	4.5	0.97	67	<10	490	0.8	<2	0.21	1.1	8	25	48	3.70
CC85914		0.30	0.007	5.4	0.11	61	<10	240	<0.5	2	0.06	<0.5	1	4	6	1.95
CC85915		0.32	0.008	7.7	0.95	296	<10	250	0.8	<2	0.24	12.0	9	23	55	3.53
CC85916		0.30	0.010	3.3	0.94	170	<10	370	0.6	<2	0.25	11.7	20	33	67	3.28
CC85917		0.22	0.007	4.6	1.09	169	<10	380	0.8	<2	0.45	6.3	8	23	59	3.16
CC85918		0.22	0.005	2.0	1.29	81	<10	410	0.9	<2	0.23	5.6	13	32	71	4.64
CC85919		0.24	0.003	0.9	1.25	63	<10	340	0.6	<2	0.13	3.3	14	29	40	4.74
CC85920		0.14	0.007	3.0	1.40	70	<10	660	0.9	<2	0.17	5.8	13	30	59	3.65



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125746

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC85881		<10	1	0.05	10	0.06	215	5	0.09	63	2150	51	0.23	2	2	105
CC85882		<10	1	0.04	10	0.06	75	3	0.09	43	1880	25	0.27	<2	1	99
CC85883		<10	1	0.07	10	0.40	448	9	0.04	98	1960	52	0.09	2	5	74
CC85884		<10	<1	0.06	10	0.09	361	2	0.01	15	560	52	0.05	<2	2	8
CC85885		<10	<1	0.06	10	0.13	523	3	0.02	24	660	60	0.06	3	3	12
CC85886		<10	<1	0.12	10	0.12	468	3	0.02	37	1660	73	0.23	8	4	262
CC85887		<10	<1	0.05	20	0.28	546	2	0.01	41	1230	61	0.03	4	1	12
CC85888		<10	<1	0.07	10	0.08	276	2	0.01	13	510	46	0.12	3	2	52
CC85889		<10	3	0.10	10	0.04	58	19	0.01	6	810	2410	0.19	59	1	47
CC85890		<10	10	0.22	10	0.01	119	87	0.02	33	2120	4840	0.52	131	3	230
CC85891		10	1	0.06	10	0.67	1795	4	0.01	36	1280	351	0.05	8	5	35
CC85892		<10	1	0.09	10	0.38	433	1	0.01	22	1190	215	0.10	5	3	23
CC85893		<10	<1	0.08	10	0.03	180	2	0.01	17	720	463	0.14	12	1	18
CC85894		<10	<1	0.07	10	0.06	2210	5	0.01	124	1240	212	0.08	23	5	33
CC85895		10	1	0.16	40	3.00	1420	<1	0.03	84	3620	33	0.04	<2	8	193
CC85896		20	<1	0.26	50	3.48	1430	<1	0.03	97	2980	23	0.05	<2	14	187
CC85897		10	<1	0.28	90	2.22	3290	2	0.06	126	3730	22	0.06	2	15	172
CC85898		10	1	0.09	40	2.16	1315	<1	0.03	85	2770	37	0.03	<2	9	138
CC85899		<10	1	0.16	80	0.41	5620	<1	0.03	197	4630	249	0.02	16	24	153
CC85900		<10	1	0.06	10	0.18	842	<1	0.02	43	650	261	0.03	6	6	42
CC85901		<10	<1	0.06	10	0.15	1465	<1	0.02	36	590	102	0.02	4	4	42
CC85902		<10	1	0.07	10	0.30	1035	<1	0.02	23	980	84	0.07	2	4	37
CC85903		<10	<1	0.05	<10	0.37	1850	<1	0.01	24	640	110	0.02	3	2	7
CC85904		<10	<1	0.07	10	0.12	338	<1	0.01	22	650	27	0.05	<2	4	26
CC85905		<10	1	0.07	10	0.53	2080	<1	0.02	36	660	27	0.02	3	3	20
CC85906		<10	1	0.08	10	0.10	617	<1	0.01	33	710	72	0.04	3	5	29
CC85907		<10	1	0.05	10	0.11	309	<1	0.01	22	860	35	0.07	<2	3	67
CC85908		<10	1	0.05	10	0.13	326	<1	0.02	14	870	25	0.11	2	2	89
CC85909		<10	1	0.06	10	0.43	1305	<1	0.01	33	430	33	0.03	<2	4	20
CC85910		<10	<1	0.06	<10	0.46	928	<1	0.02	32	560	33	0.03	2	4	22
CC85911		<10	<1	0.05	10	0.20	779	<1	0.02	16	810	69	0.06	5	3	23
CC85912		<10	<1	0.05	<10	0.13	918	<1	0.02	16	420	26	0.02	2	6	20
CC85913		<10	1	0.06	10	0.24	426	<1	0.03	20	500	247	0.03	30	5	30
CC85914		<10	<1	0.19	<10	0.03	62	22	0.02	2	140	230	0.43	23	<1	23
CC85915		<10	4	0.08	10	0.23	642	10	0.02	56	890	786	0.07	30	3	41
CC85916		<10	1	0.09	10	0.15	1890	5	0.02	77	1160	192	0.08	8	3	74
CC85917		<10	3	0.08	10	0.24	625	5	0.02	59	1120	426	0.08	13	4	67
CC85918		<10	1	0.07	10	0.39	652	5	0.02	60	930	158	0.03	7	6	34
CC85919		<10	1	0.06	10	0.32	858	5	0.02	49	780	143	0.03	5	3	22
CC85920		<10	2	0.08	10	0.23	773	4	0.03	55	1070	223	0.06	6	4	33



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125746

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Zn- OG46	Pb- OG46	As- OG46
		Th	Ti	Ti	U	V	W	Zn	Ag	Zn	Pb	As
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
		20	0.01	10	10	1	10	2	1	0.001	0.001	0.01
CC85881		<20	0.01	<10	<10	83	<10	353				
CC85882		<20	0.01	<10	<10	52	<10	291				
CC85883		<20	0.02	<10	<10	81	<10	694				
CC85884		<20	<0.01	<10	<10	37	<10	112				
CC85885		<20	<0.01	<10	<10	47	<10	136				
CC85886		<20	0.01	<10	<10	38	<10	309				
CC85887		<20	0.01	<10	<10	49	<10	363				
CC85888		<20	0.01	<10	<10	28	<10	130				
CC85889		<20	<0.01	<10	<10	83	<10	65				
CC85890		<20	<0.01	<10	10	199	<10	251				
CC85891		<20	0.01	<10	<10	84	<10	266				
CC85892		<20	0.03	<10	<10	40	<10	228				
CC85893		<20	0.01	<10	<10	35	<10	314				
CC85894		<20	<0.01	<10	<10	50	10	3680				
CC85895		<20	0.28	<10	<10	155	<10	154				
CC85896		<20	0.42	<10	<10	203	<10	143				
CC85897		<20	0.29	<10	<10	164	<10	139				
CC85898		<20	0.49	<10	<10	172	<10	124				
CC85899		<20	0.01	<10	<10	136	<10	873				
CC85900		<20	0.01	<10	<10	18	<10	443				
CC85901		<20	0.01	<10	<10	16	<10	225				
CC85902		<20	0.01	<10	<10	33	<10	164				
CC85903		<20	0.01	<10	<10	27	<10	117				
CC85904		<20	<0.01	<10	<10	11	<10	58				
CC85905		<20	0.03	<10	<10	32	<10	83				
CC85906		<20	<0.01	<10	<10	8	<10	159				
CC85907		<20	<0.01	<10	<10	8	<10	85				
CC85908		<20	0.01	<10	<10	15	<10	64				
CC85909		<20	0.01	<10	<10	19	<10	122				
CC85910		<20	0.01	<10	<10	21	<10	128				
CC85911		<20	0.01	<10	<10	33	<10	263				
CC85912		<20	0.01	<10	<10	33	<10	101				
CC85913		<20	0.01	<10	<10	35	<10	258				
CC85914		<20	<0.01	<10	<10	19	<10	41				
CC85915		<20	0.01	<10	<10	42	<10	1635				
CC85916		<20	0.01	<10	<10	54	<10	1515				
CC85917		<20	0.01	<10	<10	35	<10	1100				
CC85918		<20	0.01	<10	<10	50	<10	761				
CC85919		<20	0.02	<10	<10	59	<10	539				
CC85920		<20	0.01	<10	<10	58	<10	624				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125746

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC85921		0.22	0.002	<0.2	1.13	43	<10	120	0.6	<2	0.03	1.0	12	25	47	5.11
CC85922		0.24	0.004	1.0	1.13	64	<10	230	1.1	<2	0.14	3.3	18	29	92	6.04
CC85923		0.14	0.003	1.5	1.09	92	<10	140	0.7	<2	0.09	1.5	18	33	66	5.21
CC85924		0.26	0.002	<0.2	1.19	48	<10	200	1.0	<2	0.05	1.4	26	25	63	5.68
CC85925		0.22	0.008	5.1	1.11	176	<10	280	0.8	<2	0.42	7.1	10	28	93	3.42
CC85926		0.18	0.003	0.2	0.66	33	<10	50	<0.5	<2	0.02	<0.5	4	16	28	3.35
CC85927		0.18	0.003	1.0	0.68	45	<10	70	<0.5	<2	0.03	<0.5	5	15	45	3.74
CC85928		0.32	0.013	1.5	0.48	182	<10	800	0.8	<2	1.03	14.3	9	15	99	5.40
CC85929		0.24	0.010	1.1	1.04	140	<10	820	1.3	<2	0.27	17.3	15	22	152	7.40
CC85930		0.24	<0.001	<0.2	1.07	25	<10	100	0.6	<2	0.01	0.6	10	21	46	4.91
CC85931		0.18	0.003	5.7	0.97	170	<10	270	0.8	<2	0.65	25.1	10	20	60	3.05
CC85932		0.24	0.006	5.3	1.02	192	<10	320	0.9	6	0.50	14.6	12	22	55	3.79
CC85933		0.20	0.001	7.0	1.23	194	<10	420	0.7	<2	1.18	12.7	11	22	79	4.18
CC85934		0.30	0.001	4.7	1.04	151	<10	220	1.0	<2	0.20	7.0	18	28	60	5.75
CC85935		0.30	0.002	0.6	1.04	34	<10	260	0.9	<2	0.35	0.8	12	30	27	4.12
CC85936		0.28	0.001	0.4	0.69	26	<10	370	1.3	<2	0.36	1.0	14	32	33	4.59
CC85937		0.14	0.002	<0.2	1.51	51	<10	140	0.5	<2	0.05	0.5	13	45	34	6.14
CC85938		0.18	<0.001	1.6	0.61	97	<10	260	0.6	<2	1.03	5.2	13	11	27	2.97
CC85939		0.20	<0.001	0.2	0.39	101	<10	640	0.7	<2	0.73	0.6	17	7	24	3.16
CC85940		0.34	<0.001	<0.2	0.85	54	<10	250	0.9	<2	0.08	0.6	25	15	37	4.11
CC85941		0.32	<0.001	0.2	0.66	12	<10	110	0.7	<2	0.45	<0.5	12	10	38	3.25
CC85942		0.22	<0.001	<0.2	0.36	13	<10	70	0.6	<2	1.04	<0.5	14	5	39	3.22
CC85943		0.24	<0.001	<0.2	0.57	5	<10	140	<0.5	<2	0.39	<0.5	11	9	25	2.56
CC85944		0.24	<0.001	<0.2	0.68	8	<10	130	0.8	<2	0.16	<0.5	15	12	32	3.39
CC85945		0.28	<0.001	<0.2	0.73	9	<10	100	0.5	<2	0.20	<0.5	11	10	15	2.24
CC85946		0.18	<0.001	0.5	0.66	29	<10	170	0.8	<2	0.33	1.2	14	11	25	3.74
CC85947		0.26	<0.001	<0.2	1.05	51	<10	150	0.6	<2	0.17	0.8	12	26	32	5.10
CC85948		0.20	0.030	6.7	0.35	760	<10	1280	1.8	2	0.29	57.1	45	23	38	5.91
CC85949		0.22	0.012	5.4	0.89	336	<10	240	1.0	<2	0.30	4.6	17	32	43	5.22
CC85950		0.18	<0.001	1.7	0.88	32	<10	60	<0.5	<2	0.02	<0.5	9	23	32	4.49
CC85951		0.14	0.005	1.4	0.18	37	<10	130	<0.5	<2	0.03	<0.5	2	5	15	1.34
CC85952		0.20	<0.001	19.3	1.26	58	<10	520	1.3	<2	0.96	<0.5	19	28	70	3.78
CC85953		0.36	<0.001	0.9	1.53	44	<10	80	<0.5	<2	0.05	0.5	5	28	16	4.27
CC85954		0.30	0.023	2.5	0.23	99	<10	370	<0.5	<2	0.01	<0.5	1	5	15	2.09
CC85955		0.16	0.060	0.9	0.61	142	<10	110	<0.5	<2	0.04	<0.5	4	13	9	2.88
CC85956		0.16	0.008	2.6	0.32	97	<10	260	0.8	<2	0.08	5.3	7	20	139	2.61
CC85957		0.26	0.012	2.1	0.27	100	<10	240	0.7	<2	0.07	20.3	9	23	145	4.15
CC85958		0.18	<0.001	1.7	1.30	56	<10	120	<0.5	<2	0.04	0.8	10	33	35	4.82
CC85959		0.32	0.004	2.3	1.15	51	<10	120	0.7	<2	0.02	0.9	13	20	50	4.16
CC85960		0.28	<0.001	10.8	0.54	300	<10	330	1.0	<2	0.07	1.3	4	30	115	2.56



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125746

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC85921		<10	<1	0.04	10	0.25	507	1	0.01	26	510	69	0.02	3	4	11
CC85922		<10	<1	0.06	10	0.39	993	4	0.02	49	940	147	0.02	8	7	25
CC85923		<10	1	0.05	10	0.30	978	7	0.01	37	920	173	0.04	11	4	32
CC85924		<10	1	0.05	10	0.33	1445	1	0.02	32	590	116	0.02	5	5	16
CC85925		<10	3	0.08	10	0.28	696	8	0.02	83	1080	403	0.05	16	4	58
CC85926		<10	<1	0.05	10	0.05	203	2	0.01	9	840	38	0.03	3	2	25
CC85927		10	1	0.04	10	0.06	185	2	0.01	13	770	49	0.03	6	2	49
CC85928		<10	1	0.20	10	0.23	3640	25	0.04	64	2750	108	0.37	21	6	494
CC85929		<10	1	0.12	10	0.14	3830	30	0.04	75	2890	126	0.16	17	6	433
CC85930		<10	<1	0.04	10	0.22	459	<1	0.01	21	340	51	0.01	3	3	10
CC85931		<10	3	0.07	10	0.27	455	5	0.02	113	870	571	0.13	19	3	52
CC85932		<10	2	0.08	10	0.29	798	9	0.02	137	1010	311	0.06	19	5	55
CC85933		<10	2	0.08	10	0.36	912	7	0.03	76	3180	668	0.10	22	5	102
CC85934		<10	2	0.06	10	0.30	1770	4	0.02	45	1200	1520	0.04	35	5	49
CC85935		<10	1	0.05	10	0.41	474	1	0.02	29	750	68	0.03	3	6	38
CC85936		<10	1	0.06	10	0.41	621	4	0.02	28	680	74	0.03	4	6	32
CC85937		<10	<1	0.04	10	0.44	777	2	0.01	30	820	62	0.03	5	3	11
CC85938		<10	2	0.06	<10	0.18	1865	<1	0.02	18	910	308	0.11	5	2	38
CC85939		<10	1	0.05	<10	0.09	763	<1	0.03	21	520	18	0.07	<2	3	45
CC85940		<10	<1	0.06	10	0.21	1630	1	0.01	32	590	46	0.03	<2	3	12
CC85941		<10	<1	0.05	10	0.15	409	1	0.01	24	640	47	0.03	<2	4	33
CC85942		<10	<1	0.05	10	0.17	401	1	0.01	30	850	37	0.05	<2	3	53
CC85943		<10	1	0.06	<10	0.16	448	<1	0.01	16	790	27	0.06	<2	1	24
CC85944		<10	<1	0.05	10	0.29	567	<1	0.01	30	440	30	0.02	<2	3	13
CC85945		<10	1	0.05	<10	0.20	225	<1	0.01	19	450	25	0.03	<2	2	16
CC85946		<10	1	0.05	10	0.11	1440	<1	0.01	22	720	244	0.05	2	3	15
CC85947		<10	1	0.03	10	0.23	732	<1	0.01	20	460	91	0.02	7	3	15
CC85948		<10	10	0.06	10	0.13	13950	<1	0.05	60	990	1960	0.05	23	6	60
CC85949		<10	1	0.06	20	0.32	1780	1	0.02	32	1320	574	0.03	21	5	51
CC85950		<10	1	0.04	10	0.16	534	3	0.01	13	570	70	0.03	7	1	8
CC85951		<10	1	0.08	<10	0.02	125	17	0.01	3	190	95	0.18	12	1	19
CC85952		<10	1	0.07	20	0.37	1610	1	0.03	24	1770	28	0.12	26	3	111
CC85953		10	1	0.06	10	0.20	250	2	0.01	13	670	55	0.04	2	2	15
CC85954		<10	1	0.21	10	0.01	22	3	0.02	3	450	66	0.48	5	2	57
CC85955		<10	<1	0.07	10	0.11	162	2	0.01	7	460	270	0.08	8	1	24
CC85956		<10	3	0.10	10	0.01	362	38	0.01	66	940	259	0.18	29	4	133
CC85957		<10	3	0.09	10	0.01	894	14	0.01	74	1010	357	0.16	23	6	87
CC85958		<10	1	0.05	10	0.31	565	3	0.01	38	700	93	0.02	6	2	18
CC85959		<10	1	0.05	10	0.23	500	3	0.01	28	430	137	0.03	12	3	13
CC85960		<10	5	0.13	10	0.02	198	69	0.01	47	1800	597	0.26	55	1	270



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125746

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Zn- OG46	Pb- OG46	As- OG46
		Th	Ti	Ti	U	V	W	Zn	Ag	Zn	Pb	As
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
		20	0.01	10	10	1	10	2	1	0.001	0.001	0.01
CC85921		<20	0.01	<10	<10	41	<10	241				
CC85922		<20	0.02	<10	<10	43	<10	495				
CC85923		<20	0.01	<10	<10	62	<10	319				
CC85924		<20	0.01	<10	<10	37	<10	299				
CC85925		<20	0.01	<10	10	54	<10	1495				
CC85926		<20	0.01	<10	<10	42	<10	89				
CC85927		<20	0.02	<10	<10	57	<10	158				
CC85928		<20	<0.01	<10	<10	43	<10	690				
CC85929		<20	0.01	<10	<10	60	<10	913				
CC85930		<20	0.01	<10	<10	29	<10	256				
CC85931		<20	0.01	<10	<10	35	<10	2960				
CC85932		<20	0.01	<10	<10	40	<10	3280				
CC85933		<20	<0.01	<10	<10	54	<10	1610				
CC85934		<20	0.01	<10	<10	67	<10	1165				
CC85935		<20	0.02	<10	<10	43	<10	239				
CC85936		<20	0.02	<10	<10	36	<10	131				
CC85937		<20	0.05	<10	<10	92	<10	167				
CC85938		<20	0.01	<10	<10	14	<10	1035				
CC85939		<20	0.01	<10	<10	10	<10	177				
CC85940		<20	0.01	<10	<10	21	<10	191				
CC85941		<20	<0.01	<10	<10	13	<10	91				
CC85942		<20	<0.01	<10	<10	7	<10	105				
CC85943		<20	0.01	<10	<10	14	<10	54				
CC85944		<20	0.01	<10	<10	15	<10	83				
CC85945		<20	0.01	<10	<10	16	<10	50				
CC85946		<20	0.01	<10	<10	17	<10	391				
CC85947		<20	0.01	<10	10	37	<10	195				
CC85948		<20	0.01	<10	10	25	<10	5110				
CC85949		<20	0.02	<10	<10	42	<10	1290				
CC85950		<20	0.02	<10	<10	56	<10	134				
CC85951		<20	<0.01	<10	<10	24	<10	34				
CC85952		<20	0.03	<10	<10	47	<10	75				
CC85953		<20	0.03	<10	10	58	<10	109				
CC85954		<20	<0.01	<10	<10	18	<10	70				
CC85955		<20	0.02	<10	<10	35	<10	93				
CC85956		<20	<0.01	<10	10	105	<10	554				
CC85957		<20	<0.01	<10	10	75	<10	1155				
CC85958		<20	0.03	<10	<10	73	<10	281				
CC85959		<20	0.01	<10	<10	34	<10	294				
CC85960		<20	<0.01	<10	20	220	<10	326				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125746

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC85961		0.20	0.012	9.5	0.57	921	<10	380	<0.5	<2	0.10	3.4	3	42	61	2.65
CC85962		0.26	0.026	7.0	0.32	283	<10	210	<0.5	2	0.01	0.8	3	11	28	2.36
CC85963		0.22	<0.001	0.7	1.18	53	<10	70	<0.5	<2	0.03	0.5	7	21	15	3.38
CC85964		0.26	<0.001	<0.2	3.50	10	<10	550	1.8	<2	1.35	<0.5	29	135	38	7.62
CC85965		0.22	<0.001	<0.2	1.58	47	<10	160	1.2	<2	0.20	0.5	26	47	63	5.94
CC85966		0.20	0.021	>100	1.24	2860	<10	260	2.0	<2	0.66	134.5	79	30	581	12.20
CC85967		0.18	<0.001	0.4	0.57	21	<10	350	0.9	<2	1.62	0.8	9	8	30	2.58
CC85968		0.28	0.002	7.5	0.25	870	<10	410	1.0	<2	0.22	47.3	33	6	94	7.12
CC85969		0.30	0.001	2.5	0.69	71	<10	310	1.0	<2	0.34	5.2	21	12	48	4.41
CC85970		0.24	<0.001	<0.2	1.23	13	<10	130	0.7	<2	0.03	<0.5	14	20	26	4.27
CC85971		0.22	<0.001	<0.2	1.19	<2	<10	90	0.8	<2	0.06	<0.5	20	28	68	4.41
CC85972		0.20	<0.001	<0.2	1.00	<2	<10	50	<0.5	<2	0.01	<0.5	18	30	25	4.93
CC85973		0.18	0.001	0.5	0.86	65	<10	140	0.9	<2	0.10	3.9	27	15	40	5.08
CC85974		0.20	<0.001	0.4	0.80	41	<10	150	0.8	<2	4.35	1.3	20	12	44	3.89
CC85975		0.20	<0.001	1.0	0.24	19	<10	130	0.6	<2	1.32	0.7	28	4	36	3.66
CC85976		0.20	<0.001	<0.2	3.82	61	<10	700	2.4	<2	1.08	<0.5	43	271	64	8.35
CC85977		0.18	<0.001	<0.2	3.90	12	<10	290	1.7	<2	1.46	<0.5	38	103	39	8.37
CC85978		0.22	<0.001	1.9	1.77	173	<10	190	1.6	<2	0.30	0.9	28	49	62	6.32
CC85979		0.24	<0.001	<0.2	1.61	6	<10	210	1.2	<2	0.21	<0.5	24	42	47	5.88
CC85980		0.20	0.001	0.4	0.85	8	<10	440	0.9	<2	1.16	<0.5	9	19	37	2.16
CC85981		0.28	0.004	4.9	1.39	140	<10	180	0.6	<2	0.07	1.5	9	30	25	3.84
CC85982		0.30	0.010	12.6	0.75	332	<10	320	2.1	<2	0.69	128.5	14	48	608	3.39
CC85983		0.26	0.007	6.6	0.77	152	<10	310	0.7	<2	0.13	5.2	6	36	108	2.81
CC85984		0.24	0.004	3.0	1.32	90	<10	140	0.7	<2	0.01	1.0	13	37	58	5.11
CC85985		0.26	0.005	1.6	0.83	119	<10	180	0.6	<2	0.10	1.5	11	26	58	3.84
CC85986		0.30	0.001	0.7	1.16	74	<10	140	<0.5	<2	0.02	0.8	7	27	39	4.46
CC85987		0.20	0.081	48.7	0.46	>10000	<10	1050	0.9	<2	0.05	8.0	10	7	96	4.23
CC85988		0.30	0.013	17.9	0.36	871	<10	200	0.6	<2	0.02	1.6	5	22	132	3.12
CC85502		0.24	<0.001	<0.2	0.41	21	<10	30	<0.5	<2	7.7	<0.5	11	5	34	2.75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 16- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125746

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC85961		<10	31	0.13	10	0.08	153	20	0.02	17	1770	2070	0.30	49	2	206
CC85962		<10	3	0.14	10	0.02	67	3	0.01	9	790	739	0.25	20	2	48
CC85963		<10	1	0.05	10	0.14	261	1	0.01	15	530	77	0.02	5	2	24
CC85964		10	1	0.14	40	3.15	1395	<1	0.04	50	3620	9	0.05	<2	7	184
CC85965		<10	1	0.05	10	0.69	1930	1	0.01	41	1050	61	0.02	2	5	25
CC85966		<10	25	0.08	40	0.40	13950	4	0.02	75	4330	>10000	0.10	918	17	125
CC85967		<10	<1	0.05	10	0.09	822	<1	0.01	16	950	36	0.11	<2	2	61
CC85968		<10	6	0.05	<10	0.07	16950	<1	0.02	45	430	2830	0.02	33	5	36
CC85969		<10	1	0.05	10	0.16	10250	<1	0.02	39	590	966	0.02	9	5	22
CC85970		<10	1	0.04	10	0.20	903	<1	0.01	20	290	52	0.02	3	3	8
CC85971		<10	<1	0.04	<10	0.64	971	<1	0.01	36	370	31	0.02	<2	3	10
CC85972		<10	<1	0.04	<10	0.53	865	<1	0.01	30	400	24	0.02	<2	1	6
CC85973		<10	<1	0.05	10	0.18	3230	<1	0.01	31	380	689	0.02	4	4	12
CC85974		<10	<1	0.06	10	0.19	1465	<1	0.02	33	1270	154	0.06	3	4	88
CC85975		<10	1	0.07	10	0.19	951	<1	0.01	33	850	427	0.03	4	6	41
CC85976		10	1	0.20	30	3.44	1585	<1	0.04	122	2670	25	0.04	2	16	132
CC85977		20	1	0.31	50	3.51	1580	<1	0.03	44	4770	8	0.02	<2	8	234
CC85978		<10	<1	0.06	10	0.84	2330	1	0.02	46	1230	324	0.03	7	6	38
CC85979		<10	<1	0.05	10	0.80	1240	<1	0.02	45	570	33	0.01	2	4	24
CC85980		<10	1	0.06	10	0.28	488	2	0.03	18	1260	31	0.13	3	2	121
CC85981		<10	2	0.07	10	0.26	459	14	0.02	29	960	601	0.05	16	2	44
CC85982		<10	8	0.11	10	0.08	3740	55	0.02	258	3890	1180	0.06	112	10	299
CC85983		<10	5	0.10	10	0.13	443	16	0.02	31	1720	1140	0.14	53	2	146
CC85984		<10	2	0.07	10	0.22	483	11	0.01	27	760	366	0.07	26	3	36
CC85985		<10	1	0.06	10	0.17	755	10	0.01	26	980	589	0.05	45	2	58
CC85986		10	<1	0.06	10	0.17	369	6	0.01	18	940	126	0.03	14	2	40
CC85987		<10	92	0.09	10	0.01	262	2	0.04	32	1970	>10000	0.13	228	5	38
CC85988		<10	6	0.10	10	0.02	110	17	0.01	24	1150	4490	0.17	87	4	99
CC85502		<10	1	0.05	10	0.42	351	<1	0.01	23	1050	40	0.05	<2	4	302



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - C
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 16- SEP- 2010
 Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125746

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Zn- OG46	Pb- OG46	As- OG46
		Th	Ti	Tl	U	V	W	Zn	Ag	Zn	Pb	As
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
		20	0.01	10	10	1	10	2	1	0.001	0.001	0.01
CC85961		<20	0.01	<10	<10	88	<10	338				
CC85962		<20	<0.01	<10	<10	23	<10	231				
CC85963		<20	0.01	<10	<10	43	<10	171				
CC85964		<20	0.31	<10	<10	184	<10	112				
CC85965		<20	0.01	<10	<10	47	<10	215				
CC85966		<20	0.01	<10	<10	72	<10	>10000	124	1.155	1.485	
CC85967		<20	<0.01	<10	<10	10	<10	186				
CC85968		<20	<0.01	<10	<10	10	<10	7480				
CC85969		<20	0.01	<10	<10	18	<10	705				
CC85970		<20	0.01	<10	<10	37	<10	109				
CC85971		<20	0.01	<10	<10	26	<10	83				
CC85972		<20	0.01	<10	<10	29	<10	73				
CC85973		<20	0.01	<10	10	20	<10	859				
CC85974		<20	0.01	<10	<10	18	<10	407				
CC85975		<20	<0.01	<10	<10	5	<10	247				
CC85976		<20	0.24	<10	<10	206	<10	141				
CC85977		<20	0.32	<10	<10	199	<10	122				
CC85978		<20	0.02	<10	<10	52	<10	298				
CC85979		<20	0.02	<10	<10	39	<10	111				
CC85980		<20	0.01	<10	<10	24	<10	51				
CC85981		<20	0.01	<10	<10	61	<10	1100				
CC85982		<20	<0.01	<10	10	566	<10	2890				
CC85983		<20	0.01	<10	10	94	<10	418				
CC85984		<20	0.01	<10	<10	78	<10	251				
CC85985		<20	0.01	<10	<10	77	<10	366				
CC85986		<20	0.01	<10	<10	78	<10	171				
CC85987		<20	<0.01	<10	<10	14	<10	698			1.850	1.04
CC85988		<20	<0.01	<10	10	54	<10	430				
CC85502		<20	<0.01	<10	<10	5	<10	55				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16- SEP- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10125746

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 15- SEP- 2010
Account: MTT

CERTIFICATE VA10125747

Project: ROD

P.O. No.:

This report is for 113 Soil samples submitted to our lab in Vancouver, BC, Canada on 4- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125747

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC85721		0.16	0.003	<0.2	0.47	17	<10	40	0.6	<2	3.39	<0.5	13	7	44	3.02
CC85722		0.20	0.002	<0.2	0.66	13	<10	60	0.7	2	0.41	<0.5	18	10	49	4.00
CC85723		0.16	0.002	<0.2	0.66	13	<10	50	0.6	<2	0.98	<0.5	13	9	35	3.13
CC85724		0.20	0.002	<0.2	0.39	9	<10	60	0.8	<2	1.08	<0.5	21	8	45	3.62
CC85725		0.14	0.002	<0.2	0.29	7	<10	50	0.7	<2	0.99	<0.5	20	5	38	3.38
CC85726		0.18	0.008	0.5	0.37	39	<10	80	0.5	<2	1.71	1.4	8	4	20	1.88
CC85727		0.20	0.006	<0.2	0.25	20	<10	70	0.6	<2	2.76	<0.5	15	4	34	3.11
CC85728		0.22	0.002	<0.2	0.55	7	<10	90	0.8	<2	0.85	<0.5	13	11	40	3.63
CC85729		0.22	0.001	0.3	0.45	20	<10	100	<0.5	<2	0.26	<0.5	14	9	21	3.10
CC85730		0.22	0.001	0.3	0.49	13	<10	60	0.6	<2	2.35	<0.5	13	5	36	3.23
CC85731		0.20	0.002	<0.2	0.56	16	<10	80	0.6	3	1.09	<0.5	19	9	51	3.89
CC85732		0.24	0.006	0.2	0.53	56	<10	320	0.8	<2	2.80	<0.5	29	13	87	4.26
CC85733		0.26	0.004	<0.2	0.81	14	<10	80	0.7	<2	0.24	<0.5	17	10	47	4.22
CC85734		0.16	0.003	<0.2	0.59	13	<10	50	0.7	<2	1.11	<0.5	16	8	43	3.79
CC85735		0.24	0.003	<0.2	0.58	16	<10	70	0.8	<2	0.39	<0.5	21	7	49	4.19
CC85736		0.24	0.002	<0.2	0.44	11	<10	60	0.6	2	1.76	<0.5	12	8	40	2.89
CC85737		0.28	0.002	<0.2	0.79	7	<10	110	0.7	<2	0.74	<0.5	11	11	30	2.85
CC85738		0.28	0.001	<0.2	0.93	4	<10	80	<0.5	<2	0.50	<0.5	12	20	18	3.36
CC85745		0.26	0.002	<0.2	0.61	8	<10	70	0.7	<2	0.54	<0.5	16	7	38	3.46
CC85746		0.20	0.001	<0.2	0.55	8	<10	60	0.7	2	0.33	<0.5	17	7	41	3.59
CC85747		0.28	0.002	<0.2	1.40	13	<10	80	0.8	<2	0.12	<0.5	19	50	60	4.01
CC85748		0.28	0.002	0.2	0.63	9	<10	70	0.5	<2	1.28	<0.5	7	14	21	2.24
CC85749		0.22	0.002	<0.2	0.33	10	<10	40	0.5	2	5.73	<0.5	12	4	33	2.82
CC85750		0.26	0.002	<0.2	0.48	7	<10	70	0.6	2	2.49	<0.5	12	6	40	3.21
CC85751		0.24	0.002	0.2	0.42	14	<10	70	0.5	2	1.17	<0.5	12	6	35	2.85
CC85752		0.32	0.003	<0.2	0.60	19	<10	60	0.8	<2	0.80	<0.5	14	9	50	3.52
CC85753		0.18	0.003	<0.2	0.77	17	<10	80	0.7	<2	0.18	<0.5	18	10	41	3.83
CC85754		0.24	0.002	<0.2	0.53	7	<10	70	0.7	<2	0.33	<0.5	19	8	51	3.66
CC85755		0.32	0.003	<0.2	0.65	13	<10	80	0.7	<2	0.28	<0.5	12	8	39	3.62
CC85756		0.22	0.002	<0.2	0.39	17	<10	60	0.6	<2	0.42	<0.5	15	5	39	3.28
CC85757		0.30	0.004	<0.2	0.48	13	<10	50	0.7	<2	0.40	<0.5	21	6	48	4.04
CC85758		0.38	0.005	<0.2	0.45	14	<10	60	0.7	<2	0.19	<0.5	21	6	54	4.30
CC85759		0.44	0.005	<0.2	0.55	13	<10	50	0.7	<2	0.22	<0.5	22	7	52	4.33
CC85760		0.32	0.004	<0.2	0.74	13	<10	60	0.7	<2	0.38	<0.5	23	10	52	4.33
CC85761		0.26	0.004	<0.2	0.40	27	<10	50	0.6	<2	1.77	<0.5	17	6	45	3.62
CC85762		0.34	0.003	<0.2	0.42	10	<10	40	0.6	<2	0.39	<0.5	13	5	37	2.80
CC85763		0.22	0.009	3.3	0.55	39	<10	220	<0.5	<2	0.07	<0.5	5	36	52	3.00
CC85764		0.22	0.011	6.3	0.38	131	<10	250	<0.5	<2	0.20	1.7	2	52	51	2.15
CC85765		0.22	0.007	7.1	0.45	185	<10	310	<0.5	2	0.16	0.9	4	44	53	3.21
CC85766		0.20	0.008	4.2	0.63	135	<10	140	<0.5	<2	0.14	0.8	5	31	47	3.26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125747

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC85721		<10	1	0.06	10	0.20	336	<1	0.01	29	700	29	0.03	<2	3	144
CC85722		<10	1	0.06	10	0.24	461	<1	0.01	34	500	32	0.04	<2	4	25
CC85723		<10	1	0.06	10	0.23	357	<1	0.01	26	690	49	0.05	<2	3	33
CC85724		<10	<1	0.08	10	0.17	585	<1	0.01	30	480	30	0.02	<2	4	29
CC85725		<10	1	0.08	10	0.11	374	<1	0.01	26	410	22	0.01	<2	4	27
CC85726		<10	1	0.06	10	0.06	283	<1	0.02	15	670	71	0.10	<2	2	55
CC85727		<10	1	0.06	10	0.09	353	<1	0.02	33	830	39	0.05	<2	3	143
CC85728		<10	<1	0.06	10	0.17	395	<1	0.01	27	580	43	0.04	<2	3	39
CC85729		<10	<1	0.05	<10	0.06	525	1	0.01	18	510	109	0.02	<2	2	11
CC85730		<10	<1	0.06	10	0.15	284	<1	0.01	30	630	29	0.05	<2	3	134
CC85731		<10	<1	0.06	10	0.23	642	<1	0.01	36	660	38	0.04	<2	4	61
CC85732		<10	1	0.07	10	0.49	470	1	0.02	61	1840	49	0.13	2	7	94
CC85733		<10	1	0.07	10	0.24	467	<1	0.01	32	450	30	0.02	<2	3	25
CC85734		<10	<1	0.07	20	0.22	312	<1	0.01	33	790	31	0.05	<2	4	63
CC85735		<10	1	0.07	10	0.22	655	<1	0.01	37	540	28	0.03	<2	4	25
CC85736		<10	<1	0.04	10	0.43	488	<1	0.01	30	1060	22	0.05	<2	3	63
CC85737		<10	1	0.04	10	0.21	569	1	0.01	22	920	23	0.07	<2	3	27
CC85738		<10	<1	0.04	<10	0.38	688	<1	0.01	19	680	20	0.05	<2	2	24
CC85745		<10	<1	0.07	10	0.15	515	<1	0.01	26	560	28	0.04	<2	3	24
CC85746		<10	<1	0.06	10	0.15	618	1	<0.01	28	480	26	0.03	<2	3	19
CC85747		<10	1	0.05	10	0.41	739	1	0.01	42	710	35	0.04	<2	2	19
CC85748		<10	1	0.04	10	0.14	310	1	0.01	22	800	26	0.05	<2	2	57
CC85749		<10	<1	0.05	10	0.12	275	1	0.01	26	730	27	0.05	<2	4	298
CC85750		<10	<1	0.05	10	0.13	199	1	0.01	36	770	26	0.06	<2	3	139
CC85751		<10	1	0.05	10	0.10	188	1	0.01	33	540	31	0.04	<2	3	67
CC85752		<10	<1	0.05	10	0.21	305	<1	0.01	32	860	22	0.03	2	4	39
CC85753		<10	<1	0.08	<10	0.20	510	<1	<0.01	33	500	29	0.04	<2	3	16
CC85754		<10	<1	0.07	10	0.22	626	1	<0.01	33	430	23	0.03	<2	3	23
CC85755		<10	<1	0.05	10	0.15	323	<1	<0.01	27	510	24	0.03	<2	3	20
CC85756		<10	1	0.06	10	0.10	373	1	0.01	29	590	33	0.05	<2	3	27
CC85757		<10	<1	0.05	10	0.18	599	<1	<0.01	36	640	33	0.04	<2	4	30
CC85758		<10	<1	0.05	10	0.15	695	<1	<0.01	36	540	33	0.04	<2	3	27
CC85759		<10	<1	0.05	10	0.18	727	1	<0.01	36	570	34	0.04	2	3	26
CC85760		<10	<1	0.06	10	0.24	782	<1	<0.01	39	680	35	0.04	<2	4	32
CC85761		<10	<1	0.05	10	0.14	470	1	0.01	39	850	46	0.10	3	3	100
CC85762		<10	<1	0.05	10	0.11	324	<1	<0.01	30	340	35	0.05	<2	3	25
CC85763		<10	1	0.08	10	0.08	274	12	<0.01	13	900	84	0.21	8	1	34
CC85764		<10	1	0.09	10	0.04	284	29	0.01	20	3060	563	0.20	32	1	96
CC85765		<10	1	0.11	10	0.07	420	29	0.01	22	3080	899	0.33	84	1	168
CC85766		<10	1	0.05	10	0.10	406	20	0.01	26	2510	543	0.12	24	1	73



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125747

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC85721		<20	<0.01	<10	<10	7	<10	66
CC85722		<20	<0.01	<10	<10	11	<10	75
CC85723		<20	<0.01	<10	<10	8	<10	95
CC85724		<20	<0.01	<10	<10	10	<10	79
CC85725		<20	<0.01	<10	<10	6	<10	58
CC85726		<20	<0.01	<10	<10	5	<10	312
CC85727		<20	<0.01	<10	<10	4	<10	159
CC85728		<20	0.01	<10	<10	13	<10	79
CC85729		<20	0.01	<10	<10	18	<10	89
CC85730		<20	<0.01	<10	<10	6	<10	88
CC85731		<20	<0.01	<10	<10	9	<10	86
CC85732		<20	<0.01	<10	<10	13	<10	138
CC85733		<20	<0.01	<10	<10	9	<10	85
CC85734		<20	<0.01	<10	<10	7	<10	84
CC85735		<20	<0.01	<10	<10	6	<10	83
CC85736		<20	<0.01	<10	<10	7	<10	74
CC85737		<20	0.01	<10	<10	14	<10	81
CC85738		<20	0.01	<10	<10	26	<10	70
CC85745		<20	<0.01	<10	<10	8	<10	59
CC85746		<20	<0.01	<10	<10	6	<10	61
CC85747		<20	0.01	<10	<10	26	<10	82
CC85748		<20	0.01	<10	<10	16	<10	45
CC85749		<20	<0.01	<10	<10	4	<10	55
CC85750		<20	<0.01	<10	<10	6	<10	75
CC85751		<20	<0.01	<10	<10	9	<10	54
CC85752		<20	<0.01	<10	<10	9	<10	76
CC85753		<20	<0.01	<10	<10	9	<10	68
CC85754		<20	<0.01	<10	<10	7	<10	68
CC85755		<20	<0.01	<10	<10	8	<10	63
CC85756		<20	<0.01	<10	<10	6	<10	69
CC85757		<20	<0.01	<10	<10	5	<10	79
CC85758		<20	<0.01	<10	<10	6	<10	92
CC85759		<20	<0.01	<10	<10	6	<10	93
CC85760		<20	<0.01	<10	<10	7	<10	99
CC85761		<20	<0.01	<10	<10	5	<10	82
CC85762		<20	<0.01	<10	<10	6	<10	38
CC85763		<20	0.01	<10	<10	94	<10	61
CC85764		<20	0.01	<10	<10	116	<10	112
CC85765		<20	0.01	<10	<10	140	<10	149
CC85766		<20	0.01	<10	<10	87	<10	154



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125747

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC85767		0.20	0.005	3.0	0.49	152	<10	80	<0.5	<2	0.01	0.5	2	33	75	3.75
CC85768		0.22	0.010	3.6	0.89	136	<10	150	0.9	<2	0.04	2.1	7	41	174	4.83
CC85769		0.18	0.007	0.4	1.08	89	<10	150	<0.5	<2	0.03	<0.5	4	22	29	3.39
CC85770		0.14	0.031	4.4	0.31	120	<10	150	<0.5	<2	0.03	<0.5	2	15	27	2.93
CC85771		0.22	0.007	0.9	1.66	48	<10	900	0.9	<2	0.12	0.9	12	31	70	3.43
CC85772		0.18	0.004	0.5	1.43	36	<10	180	0.5	<2	0.07	0.5	7	26	27	3.30
CC85773		0.12	0.015	4.7	0.33	122	<10	420	<0.5	<2	0.05	1.5	4	23	65	2.95
CC85774		0.32	0.008	1.7	0.72	92	<10	950	0.7	<2	0.45	6.8	10	26	119	3.57
CC85775		0.24	0.010	1.5	0.78	80	<10	740	0.6	<2	0.30	6.6	10	25	89	3.45
CC85776		0.26	0.016	3.3	0.90	183	<10	1890	0.8	<2	0.40	3.8	9	32	86	4.02
CC85777		0.20	0.006	0.8	0.58	41	<10	960	<0.5	<2	0.69	2.9	5	20	34	2.87
CC85778		0.20	0.016	2.9	0.48	326	<10	390	0.5	2	0.20	1.0	17	14	56	4.76
CC85779		0.20	0.035	0.5	0.32	121	<10	140	0.5	<2	0.03	0.8	9	11	117	4.48
CC85780		0.12	0.011	0.6	0.82	58	<10	210	1.2	<2	0.11	10.4	9	27	190	6.26
CC85781		0.24	0.013	6.4	0.38	196	<10	580	1.2	<2	0.28	9.4	5	47	347	5.02
CC85782		0.12	0.018	7.6	0.39	86	<10	970	0.7	2	0.57	9.1	3	65	169	2.59
CC85783		0.26	0.014	8.0	0.45	137	<10	680	1.0	<2	0.09	9.2	4	63	333	3.93
CC85784		0.20	0.015	7.9	0.53	219	<10	920	0.8	3	0.52	17.8	3	65	308	2.92
CC85785		0.26	0.006	5.0	0.58	185	<10	370	0.7	<2	0.56	1.2	12	20	82	3.67
CC85786		0.20	0.007	1.4	0.26	15	<10	70	<0.5	<2	0.05	<0.5	1	8	12	0.71
CC85787		0.30	0.008	1.7	0.59	751	<10	570	0.9	<2	0.04	0.5	14	17	51	4.97
CC85788		0.18	0.006	27.1	0.50	870	<10	810	1.0	2	0.05	0.7	15	15	118	4.33
CC85789		0.22	0.019	6.8	0.34	116	<10	620	0.5	<2	0.14	1.5	2	61	180	2.97
CC85790		0.14	0.018	8.2	0.23	102	<10	710	<0.5	<2	0.07	1.0	<1	47	100	1.48
CC85791		0.24	0.013	11.4	0.32	179	<10	630	<0.5	2	0.15	2.7	2	61	83	2.61
CC85792		0.22	0.006	5.4	0.25	466	<10	180	<0.5	3	0.11	0.6	<1	154	92	21.7
CC85793		0.26	0.018	2.7	0.16	250	<10	170	<0.5	<2	0.12	0.9	4	14	77	4.15
CC85794		0.30	0.022	1.2	0.22	55	<10	280	0.5	2	0.34	1.5	7	8	86	3.95
CC85795		0.24	0.019	1.3	0.29	125	<10	190	0.5	2	0.15	1.8	12	8	96	3.83
CC85796		0.20	0.022	15.9	0.53	97	<10	750	0.5	<2	0.25	2.0	2	69	99	4.03
CC85797		0.16	0.013	6.4	0.32	189	<10	620	<0.5	<2	0.04	1.3	9	34	39	2.58
CC85798		0.16	0.010	7.6	0.31	694	<10	490	0.6	<2	0.26	1.5	18	36	61	4.50
CC85799		0.36	0.019	17.7	0.21	237	<10	790	<0.5	3	0.10	2.8	8	20	98	3.90
CC85800		0.16	0.009	3.6	0.43	84	<10	90	<0.5	<2	0.03	<0.5	10	20	30	4.07
CC85801		0.16	0.015	9.4	0.30	64	<10	440	<0.5	<2	0.12	0.7	2	18	33	2.07
CC85802		0.16	0.011	19.1	0.63	276	<10	500	0.8	2	0.22	5.5	13	71	225	4.95
CC85803		0.20	0.006	2.2	1.05	123	<10	280	0.6	<2	0.36	1.4	10	30	48	3.96
CC85804		0.34	0.006	2.1	0.83	81	<10	130	<0.5	<2	0.08	0.8	6	23	27	2.69
CC85805		0.16	0.007	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC85806		0.24	0.010	9.2	0.67	114	<10	380	<0.5	<2	0.13	0.7	4	38	35	3.42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125747

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC85767		<10	1	0.06	10	0.04	96	15	<0.01	48	900	113	0.09	12	1	41
CC85768		<10	1	0.05	10	0.09	435	8	<0.01	55	1730	128	0.10	16	3	122
CC85769		<10	1	0.05	10	0.17	230	3	<0.01	18	530	131	0.04	8	2	26
CC85770		<10	8	0.07	10	0.03	138	12	<0.01	19	820	596	0.13	47	<1	28
CC85771		<10	1	0.06	20	0.44	670	5	0.01	44	900	119	0.04	7	5	37
CC85772		<10	<1	0.05	10	0.27	333	3	<0.01	23	670	92	0.03	4	2	21
CC85773		<10	1	0.13	10	0.02	215	26	0.01	44	1540	115	0.28	23	2	191
CC85774		<10	1	0.05	10	0.23	372	32	0.01	72	1310	81	0.05	20	5	85
CC85775		<10	1	0.05	10	0.25	360	15	0.01	88	980	83	0.03	12	5	62
CC85776		<10	1	0.06	10	0.28	492	6	0.02	64	1290	398	0.06	64	5	74
CC85777		<10	<1	0.04	10	0.20	171	5	0.01	41	960	29	0.08	8	3	76
CC85778		<10	1	0.10	10	0.07	2340	13	<0.01	29	1830	1105	0.10	33	2	258
CC85779		<10	1	0.08	10	0.01	230	4	<0.01	52	740	59	0.06	6	5	118
CC85780		<10	1	0.07	10	0.05	1135	2	<0.01	82	1390	46	0.11	8	9	132
CC85781		<10	2	0.07	20	0.04	251	45	<0.01	176	1410	43	0.07	26	8	89
CC85782		<10	2	0.12	10	0.02	390	27	<0.01	109	5480	304	0.21	24	3	297
CC85783		<10	3	0.18	20	0.02	411	42	<0.01	127	2850	49	0.47	21	5	202
CC85784		<10	3	0.12	10	0.05	630	42	<0.01	123	4290	290	0.24	43	4	271
CC85785		<10	2	0.06	10	0.13	836	4	<0.01	31	840	107	0.06	18	3	37
CC85786		<10	1	0.04	10	0.02	24	4	0.01	7	670	26	0.04	6	<1	9
CC85787		<10	1	0.06	10	0.10	1505	3	<0.01	25	430	113	0.03	14	4	24
CC85788		<10	1	0.06	10	0.08	3230	2	<0.01	31	550	160	0.04	67	3	27
CC85789		<10	4	0.21	20	0.01	78	31	<0.01	61	3870	54	0.48	25	4	212
CC85790		<10	3	0.10	10	0.01	48	29	<0.01	23	2080	259	0.22	42	1	129
CC85791		<10	3	0.16	20	0.02	385	53	<0.01	41	3280	474	0.37	37	2	211
CC85792		10	2	0.06	<10	0.08	100	56	<0.01	43	>10000	115	1.82	53	5	77
CC85793		<10	2	0.07	10	0.02	148	10	<0.01	40	790	79	0.11	15	3	31
CC85794		<10	1	0.05	10	0.08	371	3	<0.01	55	460	43	0.05	7	5	48
CC85795		<10	1	0.07	10	0.03	557	4	<0.01	47	1220	217	0.04	13	3	60
CC85796		<10	6	0.23	20	0.02	111	41	<0.01	62	7450	71	0.49	30	3	242
CC85797		<10	2	0.09	10	0.20	854	9	<0.01	43	1460	120	0.16	12	1	63
CC85798		<10	3	0.06	10	1.33	1680	8	<0.01	230	910	133	0.06	24	3	33
CC85799		<10	5	0.08	10	0.04	920	14	<0.01	104	950	130	0.12	56	2	42
CC85800		<10	1	0.04	10	0.04	657	5	<0.01	21	1140	141	0.05	8	1	19
CC85801		<10	2	0.10	10	0.02	150	15	<0.01	28	2630	112	0.17	19	1	54
CC85802		<10	4	0.08	20	0.10	1155	39	<0.01	118	3110	482	0.06	90	3	52
CC85803		<10	1	0.06	10	0.22	701	5	<0.01	26	1000	504	0.05	15	2	47
CC85804		<10	1	0.05	10	0.15	395	4	<0.01	14	830	462	0.03	25	1	26
CC85805		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC85806		<10	2	0.06	10	0.19	236	11	<0.01	18	2180	573	0.08	23	1	63



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125747

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC85767		<20	0.01	<10	<10	88	<10	323
CC85768		<20	0.01	<10	<10	121	<10	333
CC85769		<20	0.02	<10	<10	58	<10	125
CC85770		<20	0.01	<10	<10	31	<10	186
CC85771		<20	0.02	<10	<10	66	<10	228
CC85772		<20	0.03	<10	<10	64	<10	142
CC85773		<20	0.01	<10	<10	123	<10	259
CC85774		<20	0.01	<10	10	83	<10	797
CC85775		<20	0.01	<10	<10	66	<10	854
CC85776		<20	0.01	<10	<10	104	<10	442
CC85777		<20	<0.01	<10	<10	22	<10	489
CC85778		<20	0.01	<10	<10	48	<10	351
CC85779		<20	<0.01	<10	<10	15	<10	288
CC85780		<20	0.01	<10	<10	42	<10	581
CC85781		<20	<0.01	<10	10	164	<10	993
CC85782		<20	<0.01	<10	10	191	<10	646
CC85783		<20	<0.01	<10	10	216	<10	701
CC85784		<20	<0.01	<10	10	256	<10	732
CC85785		<20	0.01	<10	<10	39	<10	192
CC85786		<20	0.01	<10	<10	36	<10	27
CC85787		<20	0.01	<10	<10	35	<10	135
CC85788		<20	0.01	<10	<10	28	<10	145
CC85789		<20	<0.01	<10	10	197	<10	271
CC85790		<20	<0.01	<10	10	160	<10	102
CC85791		<20	<0.01	<10	10	256	<10	225
CC85792		<20	<0.01	<10	10	437	<10	245
CC85793		<20	<0.01	<10	<10	29	<10	281
CC85794		<20	<0.01	<10	<10	13	<10	270
CC85795		<20	<0.01	<10	<10	18	<10	369
CC85796		<20	0.01	<10	10	222	<10	278
CC85797		<20	0.01	<10	<10	54	<10	181
CC85798		<20	<0.01	<10	<10	27	<10	224
CC85799		<20	<0.01	<10	<10	39	<10	283
CC85800		<20	0.01	<10	<10	37	<10	117
CC85801		<20	<0.01	<10	<10	59	<10	160
CC85802		<20	0.01	<10	10	203	<10	653
CC85803		<20	0.01	<10	<10	54	<10	314
CC85804		<20	0.02	<10	<10	48	<10	230
CC85805		NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC85806		<20	0.02	<10	<10	98	<10	177



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125747

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC85807		0.28	0.011	3.6	0.49	105	<10	350	<0.5	<2	0.05	0.9	4	14	50	2.79
CC85808		0.26	0.017	5.5	0.69	224	<10	270	<0.5	<2	0.10	0.9	4	31	65	2.74
CC85809		0.20	0.019	5.8	0.45	187	<10	320	0.6	<2	0.05	1.2	2	37	106	2.35
CC85810		0.22	0.008	0.7	0.49	131	<10	160	<0.5	2	0.05	0.8	6	12	55	4.04
CC85811		0.34	0.006	0.6	0.76	72	<10	290	<0.5	<2	0.02	0.9	5	14	34	2.57
CC85812		0.24	0.008	0.8	1.06	104	<10	160	0.5	<2	0.11	0.6	12	26	33	4.78
CC85813		0.26	0.013	1.3	0.60	194	<10	600	0.8	2	0.51	3.2	14	12	90	5.19
CC85814		0.28	0.009	1.1	0.40	99	<10	860	0.5	<2	0.17	0.6	4	10	42	2.10
CC85815		0.28	0.006	1.4	0.87	55	<10	320	<0.5	<2	0.14	0.7	4	15	20	1.95
CC85816		0.24	0.004	0.6	1.49	85	<10	340	0.6	<2	0.05	<0.5	14	33	28	5.42
CC85817		0.24	0.005	1.0	1.74	53	<10	1690	0.9	<2	0.19	1.1	15	41	53	3.98
CC85818		0.28	0.009	4.2	1.48	62	<10	1370	0.5	<2	0.23	0.7	6	63	86	4.18
CC85819		0.26	0.006	2.8	1.55	54	<10	1260	0.8	<2	0.80	26.3	17	78	57	4.04
CC85820		0.24	0.005	3.7	1.17	48	<10	2630	0.6	<2	1.46	13.3	10	67	57	3.31
CC85821		0.36	0.008	1.3	1.15	49	<10	1780	0.6	<2	0.12	1.7	14	36	60	4.07
CC85822		0.22	0.010	3.9	1.10	57	<10	3160	0.5	2	0.58	10.7	14	27	56	3.66
CC85823		0.24	0.004	0.4	1.60	31	<10	290	0.5	<2	0.06	0.6	7	31	18	3.86
CC85824		0.20	0.006	0.8	0.85	24	<10	280	<0.5	<2	0.04	0.7	7	14	27	2.30
CC85825		0.22	0.010	1.2	0.66	95	<10	410	0.6	<2	0.12	1.5	13	16	66	4.05
CC85826		0.18	0.005	0.4	0.56	75	<10	230	<0.5	<2	0.03	1.0	4	16	29	2.25
CC85827		0.26	0.012	1.6	0.39	150	<10	210	0.5	<2	0.07	2.1	10	14	78	3.80
CC85828		0.26	0.005	0.6	0.75	46	<10	120	<0.5	<2	0.01	0.5	3	15	29	2.44
CC85829		0.22	0.012	4.0	0.58	164	<10	180	<0.5	2	0.10	0.6	4	23	47	3.36
CC85830		0.26	0.007	3.6	0.58	104	<10	150	<0.5	<2	0.03	<0.5	2	43	32	1.85
CC85831		0.22	0.012	7.5	0.31	109	<10	180	<0.5	<2	0.02	2.3	1	30	84	2.53
CC85832		0.30	0.015	6.3	0.48	702	<10	470	0.5	2	0.05	2.0	2	56	94	3.30
CC85833		0.20	0.008	4.8	0.17	36	<10	210	<0.5	<2	0.03	<0.5	<1	23	13	0.63
CC85834		0.22	0.004	3.5	0.56	52	<10	150	<0.5	<2	0.07	0.9	2	47	26	1.88
CC85835		0.24	0.003	2.3	0.89	110	<10	110	<0.5	2	0.05	0.5	5	40	28	3.77
CC85836		0.32	0.003	2.5	0.97	177	<10	330	0.7	2	0.12	1.6	13	50	61	4.22
CC85837		0.16	0.003	3.8	0.72	279	<10	180	<0.5	3	0.06	0.7	5	29	26	3.00
CC85838		0.28	0.008	15.1	0.52	104	<10	370	0.5	<2	0.15	2.1	5	20	64	2.79
CC85839		0.34	0.002	0.3	1.57	39	<10	220	0.8	2	0.44	0.6	13	37	32	4.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125747

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC85807		<10	1	0.11	10	0.04	474	11	<0.01	16	1480	1370	0.23	27	1	223
CC85808		<10	2	0.10	10	0.15	199	11	<0.01	18	1470	877	0.18	31	2	126
CC85809		<10	3	0.10	10	0.05	84	28	<0.01	56	1440	316	0.17	42	2	187
CC85810		<10	1	0.07	10	0.05	287	6	<0.01	28	1190	192	0.06	12	2	55
CC85811		<10	1	0.06	10	0.07	219	4	<0.01	17	520	121	0.04	6	1	29
CC85812		<10	1	0.07	10	0.20	686	4	<0.01	28	1590	222	0.06	9	2	53
CC85813		<10	1	0.11	20	0.19	1350	9	<0.01	64	1400	232	0.11	12	5	129
CC85814		<10	<1	0.14	20	0.03	160	8	<0.01	15	2010	65	0.31	5	1	672
CC85815		<10	1	0.07	10	0.09	294	3	<0.01	14	1580	192	0.11	3	1	120
CC85816		<10	1	0.06	10	0.26	976	4	<0.01	27	1390	86	0.05	4	3	38
CC85817		10	<1	0.06	10	0.49	663	2	0.01	47	1320	64	0.06	3	4	45
CC85818		10	<1	0.14	10	0.19	312	27	0.02	56	1240	50	0.25	9	1	73
CC85819		<10	<1	0.06	20	0.34	648	29	0.02	241	2640	33	0.03	8	6	136
CC85820		<10	<1	0.09	30	0.13	417	21	0.04	167	2370	28	0.14	4	4	98
CC85821		<10	<1	0.08	10	0.25	1070	8	0.03	51	1640	69	0.09	2	2	55
CC85822		<10	<1	0.10	30	0.09	657	6	0.04	134	1760	41	0.11	<2	4	93
CC85823		10	<1	0.05	10	0.20	495	4	0.01	27	560	48	0.02	<2	2	16
CC85824		<10	<1	0.06	20	0.07	316	4	0.01	26	820	28	0.03	<2	2	49
CC85825		<10	<1	0.07	10	0.10	979	7	0.01	42	1670	68	0.07	4	3	126
CC85826		<10	<1	0.09	10	0.04	210	9	0.01	19	1360	132	0.15	6	<1	102
CC85827		<10	<1	0.08	10	0.06	668	7	0.01	36	1150	346	0.14	17	3	92
CC85828		<10	<1	0.05	10	0.04	117	5	0.01	14	1090	100	0.04	4	1	30
CC85829		<10	<1	0.06	10	0.07	197	11	0.01	24	1690	586	0.10	33	2	118
CC85830		<10	<1	0.09	10	0.06	65	11	0.01	20	960	417	0.12	14	<1	69
CC85831		<10	1	0.06	10	0.02	146	20	0.01	16	920	846	0.11	43	2	83
CC85832		<10	1	0.14	10	0.04	149	18	0.01	15	2900	813	0.36	53	3	248
CC85833		<10	<1	0.04	10	0.01	13	12	0.01	5	1090	499	0.06	16	<1	65
CC85834		10	<1	0.07	10	0.06	103	12	0.01	13	1710	614	0.09	22	<1	84
CC85835		10	<1	0.06	10	0.15	329	6	0.01	18	1260	342	0.05	9	1	40
CC85836		<10	<1	0.06	10	0.28	852	4	0.01	52	920	347	0.05	12	2	40
CC85837		<10	<1	0.07	10	0.12	262	6	0.01	20	940	309	0.08	13	1	51
CC85838		<10	3	0.08	20	0.07	900	10	0.01	31	680	1380	0.11	37	2	64
CC85839		<10	<1	0.05	10	0.51	689	<1	0.01	32	710	112	0.02	<2	3	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125747

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC85807		<20	0.01	<10	<10	46	<10	206
CC85808		<20	0.01	<10	<10	59	<10	210
CC85809		<20	0.01	<10	<10	101	<10	268
CC85810		<20	0.01	<10	<10	41	<10	284
CC85811		<20	0.01	<10	<10	44	<10	155
CC85812		<20	0.01	<10	<10	62	<10	224
CC85813		<20	0.01	<10	<10	27	<10	537
CC85814		<20	<0.01	<10	<10	27	<10	113
CC85815		<20	0.01	<10	<10	57	<10	98
CC85816		<20	0.02	<10	<10	95	<10	197
CC85817		<20	0.02	<10	<10	117	<10	233
CC85818		<20	0.02	<10	<10	349	<10	203
CC85819		<20	0.02	<10	<10	108	<10	2070
CC85820		<20	0.01	<10	<10	84	<10	1310
CC85821		<20	0.01	<10	<10	163	<10	290
CC85822		<20	<0.01	<10	<10	47	<10	801
CC85823		<20	0.01	<10	<10	99	<10	169
CC85824		<20	0.02	<10	<10	44	<10	169
CC85825		<20	0.01	<10	<10	40	<10	278
CC85826		<20	0.01	<10	<10	45	<10	146
CC85827		<20	<0.01	<10	<10	30	<10	368
CC85828		<20	0.01	<10	<10	40	<10	127
CC85829		<20	0.01	<10	<10	62	<10	226
CC85830		<20	0.01	<10	<10	90	<10	101
CC85831		<20	0.01	<10	<10	83	<10	217
CC85832		<20	<0.01	<10	10	115	<10	133
CC85833		<20	<0.01	<10	<10	58	<10	35
CC85834		<20	0.01	<10	<10	109	<10	71
CC85835		<20	0.02	<10	<10	96	<10	173
CC85836		<20	0.02	<10	<10	49	<10	293
CC85837		<20	0.01	<10	<10	49	<10	170
CC85838		<20	<0.01	<10	<10	36	<10	370
CC85839		<20	0.02	<10	<10	43	<10	202



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 15- SEP- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10125747

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 15- SEP- 2010
Account: MTT

CERTIFICATE VA10125748

Project: ROD

P.O. No.:

This report is for 236 Soil samples submitted to our lab in Vancouver, BC, Canada on 4- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC111046		0.22	0.015	32.2	0.88	502	<10	310	0.5	<2	0.11	2.2	4	24	171	2.63
CC111047		0.12	0.006	1.4	2.76	89	<10	210	4.6	3	0.97	160.0	46	47	1075	19.7
CC111048		0.12	0.008	5.3	0.16	709	<10	90	<0.5	5	0.04	<0.5	<1	179	80	30.3
CC111049		0.36	0.007	1.1	0.88	105	<10	1320	1.1	<2	2.25	106.0	210	36	217	7.65
CC111050		0.34	0.005	1.2	1.01	97	<10	1090	1.4	<2	1.58	126.0	246	34	254	9.33
CC111051		0.28	0.006	1.1	0.98	114	<10	1200	1.4	4	1.77	127.0	296	29	246	9.12
CC111052		0.38	0.004	1.3	1.20	94	<10	910	1.9	3	1.56	187.5	345	27	381	15.6
CC111053		0.34	0.002	0.7	0.94	72	<10	270	1.4	2	0.97	79.4	122	16	240	10.00
CC111054		0.28	0.001	1.3	1.44	104	<10	390	2.4	6	1.20	192.5	292	21	498	19.3
CC111055		0.32	NSS	0.9	0.98	85	<10	260	1.5	3	1.21	102.5	158	16	273	11.70
CC111056		0.26	0.004	0.9	0.86	83	<10	260	1.1	4	0.80	31.0	103	16	204	16.3
CC111057		0.32	0.006	1.4	0.87	115	<10	570	1.4	3	1.46	84.2	104	21	244	9.32
CC111058		0.32	0.005	1.1	1.18	101	<10	290	1.9	4	1.31	109.5	117	21	347	11.05
CC111059		0.22	0.003	1.1	1.60	87	<10	170	3.1	5	0.82	116.5	75	21	636	21.7
CC111060		0.30	0.006	1.9	1.41	116	<10	280	2.7	<2	0.89	108.5	117	25	518	16.5
CC111061		0.30	0.028	1.0	1.27	146	<10	130	3.4	2	2.04	38.8	23	19	319	16.8
CC111062		0.34	0.013	0.4	0.71	36	<10	90	0.6	<2	3.01	1.5	15	14	49	3.74
CC111063		0.32	0.015	0.9	0.72	90	<10	160	0.6	<2	3.17	3.2	15	22	54	4.17
CC111064		0.34	0.002	<0.2	0.60	12	<10	50	0.5	<2	2.42	<0.5	14	8	39	3.44
CC111065		0.28	0.008	<0.2	0.55	12	<10	60	0.5	<2	4.39	<0.5	13	43	36	3.30
CC111066		0.08	0.005	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC111067		0.20	0.028	5.3	0.92	248	<10	1410	0.7	<2	0.47	2.3	9	29	75	3.23
CC111068		0.18	0.007	2.8	0.94	152	<10	2090	0.9	<2	0.69	22.6	20	36	120	4.09
CC111069		0.18	0.003	1.8	1.11	24	<10	2350	0.6	<2	0.88	4.6	10	48	55	2.49
CC111070		0.16	0.003	0.6	0.98	43	<10	3620	<0.5	<2	0.46	1.8	7	68	39	2.86
CC111071		0.18	0.004	0.6	1.23	46	<10	1440	0.5	<2	0.10	1.3	7	38	63	3.77
CC111072		0.16	0.004	1.3	1.40	38	<10	3190	0.8	<2	1.28	2.8	8	97	78	2.49
CC111073		0.22	0.005	1.5	1.40	40	<10	4400	0.8	<2	0.34	4.5	13	74	79	3.53
CC111074		0.30	0.005	1.1	1.33	49	<10	3160	1.1	<2	0.24	2.3	8	77	145	3.38
CC111075		0.20	0.002	1.0	1.01	43	<10	1730	<0.5	<2	0.05	0.9	4	33	35	3.44
CC111076		0.22	0.003	1.4	0.85	36	<10	1640	<0.5	<2	0.36	2.5	7	43	42	2.77
CC111077		0.08	0.003	0.8	0.91	52	<10	1100	0.6	<2	1.46	6.4	9	177	23	3.87
CC111078		0.14	0.004	2.1	1.19	55	<10	1870	0.6	<2	0.54	3.7	13	64	62	3.16
CC111079		0.24	0.010	2.2	0.75	108	<10	1200	0.5	<2	0.24	2.0	9	29	51	3.28
CC111080		0.22	0.014	2.7	0.81	162	<10	1120	0.5	2	0.54	1.9	7	26	54	3.22
CC111081		0.08	0.021	0.2	1.02	56	<10	210	<0.5	<2	0.07	<0.5	8	25	18	3.17
CC111082		0.26	0.005	0.5	0.49	76	<10	350	<0.5	<2	0.10	0.7	10	52	57	3.53
CC111083		0.20	0.017	1.7	0.81	61	<10	700	0.7	<2	0.77	2.1	12	22	70	3.63
CC111084		0.22	0.021	2.1	0.81	75	<10	820	0.6	<2	0.66	2.0	11	22	70	3.60
CC111085		0.20	0.012	2.6	0.80	82	<10	600	0.6	<2	0.94	4.9	9	22	89	3.37



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC111046		<10	10	0.10	10	0.16	247	35	0.01	23	1320	7400	0.19	259	3	60
CC111047		<10	2	0.04	10	0.13	3900	4	0.02	780	860	127	0.34	8	6	129
CC111048		10	1	0.03	<10	0.01	60	84	0.02	43	>10000	100	2.82	72	4	41
CC111049		<10	1	0.06	10	0.41	19700	24	0.03	1425	1790	87	0.14	10	4	214
CC111050		<10	1	0.05	10	0.28	22000	23	0.03	1610	1470	298	0.15	10	4	182
CC111051		<10	1	0.06	10	0.26	26200	23	0.03	1660	1650	92	0.13	7	4	209
CC111052		<10	1	0.05	10	0.23	29900	16	0.02	1975	1150	83	0.17	5	4	176
CC111053		<10	1	0.04	10	0.25	9480	4	0.02	836	800	72	0.12	3	3	98
CC111054		<10	2	0.03	10	0.17	26700	5	0.02	1610	740	70	0.17	2	4	140
CC111055		<10	1	0.04	10	0.23	13050	4	0.02	986	760	87	0.15	4	3	110
CC111056		<10	1	0.06	10	0.23	4540	6	0.02	511	740	100	0.34	9	3	80
CC111057		<10	1	0.07	10	0.25	9330	8	0.02	745	1060	117	0.14	14	4	115
CC111058		<10	1	0.05	10	0.21	10500	5	0.02	856	910	125	0.19	8	4	115
CC111059		<10	<1	0.03	<10	0.14	6470	4	0.02	848	610	59	0.30	<2	4	102
CC111060		<10	1	0.05	10	0.26	10650	8	0.02	713	1110	302	0.39	16	4	100
CC111061		<10	1	0.06	10	0.26	1520	9	0.02	324	880	52	0.50	<2	5	137
CC111062		<10	<1	0.06	10	0.33	759	1	0.02	50	630	61	0.06	<2	3	165
CC111063		<10	1	0.06	10	0.35	1455	5	0.02	58	860	160	0.07	4	3	173
CC111064		<10	<1	0.04	10	0.29	398	<1	0.01	31	600	27	0.06	<2	3	129
CC111065		<10	<1	0.06	10	0.33	544	3	0.01	52	530	25	0.05	<2	3	218
CC111066		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC111067		<10	2	0.08	10	0.17	650	11	0.02	51	2120	366	0.12	21	3	253
CC111068		<10	1	0.07	20	0.15	2870	26	0.01	193	1700	775	0.04	8	6	79
CC111069		<10	1	0.07	20	0.28	775	13	0.02	56	1290	49	0.09	<2	4	82
CC111070		<10	<1	0.07	10	0.35	194	18	0.03	74	1890	51	0.09	4	3	133
CC111071		10	<1	0.06	10	0.25	542	7	0.01	35	1210	54	0.03	<2	2	20
CC111072		<10	1	0.10	10	0.43	602	14	0.02	118	4720	57	0.12	4	4	176
CC111073		<10	1	0.09	10	0.36	709	17	0.03	89	1830	52	0.08	3	5	107
CC111074		<10	<1	0.10	10	0.31	357	25	0.02	81	1760	48	0.09	5	3	112
CC111075		10	<1	0.04	10	0.13	358	15	0.01	34	1070	52	0.07	<2	1	29
CC111076		10	<1	0.09	20	0.18	371	20	0.01	32	990	45	0.12	2	3	79
CC111077		<10	1	0.06	20	0.29	502	15	0.01	50	2230	47	0.09	<2	3	114
CC111078		<10	1	0.09	20	0.32	523	16	0.01	84	1780	53	0.06	4	4	109
CC111079		<10	1	0.08	10	0.16	520	8	0.01	44	1720	95	0.09	4	2	118
CC111080		<10	1	0.10	10	0.19	334	7	0.01	45	1590	250	0.09	10	3	151
CC111081		10	<1	0.06	10	0.18	1100	3	<0.01	16	970	79	0.04	<2	1	17
CC111082		<10	<1	0.07	10	0.13	221	11	<0.01	67	730	90	0.06	5	3	58
CC111083		<10	1	0.07	10	0.24	603	5	<0.01	49	810	138	0.03	4	5	72
CC111084		<10	1	0.08	10	0.22	664	4	0.01	48	1000	255	0.06	6	5	88
CC111085		<10	1	0.07	10	0.23	759	3	0.01	49	1060	263	0.07	8	4	90



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Zn- OG46	Pb- OG46
		Th	Ti	Ti	U	V	W		Ag	Zn	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		20	0.01	10	10	1	10	2	1	0.001	0.001
CC111046		<20	0.01	<10	<10	107	<10	236			
CC111047		<20	<0.01	<10	40	107	10	>10000		1.870	
CC111048		<20	<0.01	<10	10	616	<10	663			
CC111049		<20	<0.01	<10	10	136	10	>10000		1.355	
CC111050		<20	<0.01	<10	10	141	10	>10000		1.630	
CC111051		<20	<0.01	<10	10	113	10	>10000		1.340	
CC111052		<20	<0.01	<10	20	128	20	>10000		2.10	
CC111053		<20	<0.01	<10	10	50	<10	>10000		1.010	
CC111054		<20	<0.01	<10	20	72	20	>10000		2.28	
CC111055		<20	<0.01	<10	10	49	<10	>10000		NSS	
CC111056		<20	<0.01	<10	20	41	<10	7680			
CC111057		<20	<0.01	<10	10	48	<10	8660			
CC111058		<20	<0.01	<10	20	64	<10	>10000		1.065	
CC111059		<20	<0.01	<10	30	117	20	>10000		1.340	
CC111060		<20	<0.01	<10	20	111	<10	>10000		1.055	
CC111061		<20	<0.01	<10	30	78	<10	5720			
CC111062		<20	<0.01	<10	<10	11	<10	455			
CC111063		<20	<0.01	<10	<10	16	<10	577			
CC111064		<20	<0.01	<10	<10	6	<10	106			
CC111065		<20	<0.01	<10	<10	7	<10	107			
CC111066		NSS	NSS	NSS	NSS	NSS	NSS	NSS			
CC111067		<20	0.01	<10	<10	135	<10	381			
CC111068		<20	0.01	<10	<10	305	<10	1810			
CC111069		<20	0.01	<10	<10	240	<10	323			
CC111070		<20	0.04	<10	<10	718	<10	352			
CC111071		<20	0.04	<10	<10	272	<10	191			
CC111072		<20	0.02	<10	<10	681	<10	513			
CC111073		<20	0.01	<10	<10	796	<10	437			
CC111074		<20	0.02	<10	<10	1480	<10	350			
CC111075		<20	0.02	<10	<10	477	<10	147			
CC111076		<20	0.02	<10	<10	200	<10	211			
CC111077		<20	0.02	<10	<10	162	<10	564			
CC111078		<20	0.01	<10	<10	203	<10	559			
CC111079		<20	0.01	<10	<10	128	<10	290			
CC111080		<20	0.01	<10	<10	57	<10	389			
CC111081		<20	0.02	<10	<10	84	<10	110			
CC111082		<20	0.02	<10	<10	105	<10	436			
CC111083		<20	0.01	<10	<10	36	<10	354			
CC111084		<20	0.01	<10	<10	34	<10	348			
CC111085		<20	0.01	<10	<10	36	<10	454			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC111086		0.06	0.007	2.4	0.06	22	<10	260	0.5	11	1.27	243	203	4	22	28.2
CC111087		0.24	0.011	5.8	0.92	98	<10	370	0.7	<2	0.41	2.4	12	30	43	3.77
CC111088		0.24	0.005	2.8	1.04	105	<10	320	0.8	<2	0.35	3.0	14	29	70	4.39
CC111089		0.22	0.007	4.3	0.79	176	<10	240	0.6	<2	0.14	1.5	7	28	75	3.90
CC111090		0.22	0.017	2.8	0.50	201	<10	390	0.5	2	0.18	4.6	6	17	123	3.80
CC111091		0.28	0.017	1.1	0.81	101	<10	710	0.9	<2	0.21	8.6	16	18	119	5.20
CC111092		0.22	0.020	0.6	0.59	94	<10	400	0.7	<2	0.07	5.4	26	13	112	6.02
CC111093		0.28	0.006	0.8	1.02	96	<10	530	0.6	<2	0.15	1.4	10	25	49	4.16
CC111094		0.26	0.006	1.1	0.70	161	<10	600	0.9	<2	0.25	3.6	18	24	130	4.12
CC111095		0.22	0.006	1.1	1.10	212	<10	1060	0.5	<2	0.07	1.0	6	33	43	4.35
CC111096		0.18	0.004	0.7	0.77	95	<10	280	<0.5	<2	0.03	0.8	4	29	32	3.63
CC111097		0.18	0.004	1.9	1.35	82	<10	530	0.5	<2	0.13	0.9	9	51	51	4.65
CC111098		0.24	0.003	1.2	1.51	58	<10	1000	1.2	<2	0.08	3.3	13	127	97	4.83
CC111099		0.20	0.005	1.9	1.58	35	<10	1520	0.7	<2	1.28	10.7	10	144	49	2.93
CC111100		0.22	0.005	1.9	0.69	27	<10	1520	0.8	<2	0.56	4.4	1	111	62	1.15
CC111101		0.14	0.004	2.0	0.98	45	<10	2450	0.9	<2	0.69	3.6	9	93	75	2.21
CC111102		0.16	0.003	0.6	1.48	35	<10	810	0.7	<2	0.80	3.1	10	47	30	3.71
CC111103		0.20	0.002	1.0	0.45	36	<10	400	<0.5	<2	0.05	<0.5	2	13	13	2.26
CC111104		0.14	0.004	5.4	0.87	130	<10	410	0.5	<2	0.07	1.1	6	37	67	4.16
CC111105		0.22	0.003	0.3	0.94	50	<10	160	<0.5	<2	0.06	0.9	9	21	26	3.54
CC111106		0.22	0.003	0.3	0.47	116	<10	160	<0.5	<2	0.01	<0.5	6	9	14	3.78
CC111107		0.18	NSS	0.9	0.98	62	<10	160	<0.5	<2	0.03	<0.5	2	17	15	1.92
CC111108		0.24	0.011	3.0	0.33	373	<10	210	0.9	<2	0.02	2.2	7	9	79	3.67
CC111109		0.22	0.013	19.5	0.44	244	<10	470	0.6	<2	0.04	1.3	3	53	102	2.98
CC111110		0.22	0.017	11.1	0.52	126	<10	390	<0.5	<2	0.02	<0.5	2	26	63	1.56
CC111111		0.24	0.003	0.7	0.58	227	<10	90	0.7	<2	0.03	1.7	8	16	31	4.18
CC111112		0.24	0.007	2.6	1.30	166	<10	140	0.7	<2	0.13	1.9	10	30	33	4.41
CC111113		0.24	0.007	2.5	0.09	26	<10	170	<0.5	<2	0.03	<0.5	1	5	14	1.66
CC111114		0.24	0.003	0.2	0.95	6	<10	260	1.1	<2	0.37	<0.5	22	50	37	5.88
CC111115		0.18	0.002	<0.2	3.36	14	<10	530	1.7	<2	2.02	<0.5	31	274	51	7.68
CC111116		0.26	0.002	<0.2	3.75	12	<10	210	1.8	<2	2.05	<0.5	43	303	61	8.04
CC111117		0.24	0.001	1.0	0.34	43	<10	130	0.9	<2	1.16	0.9	26	9	62	3.32
CC111118		0.26	0.002	0.3	1.00	20	<10	220	1.0	<2	0.37	0.5	18	20	47	4.87
CC111119		0.28	0.001	0.8	0.89	27	<10	200	0.8	<2	0.12	0.7	15	18	35	4.46
CC111120		0.16	0.002	2.0	0.71	34	<10	150	0.9	<2	1.01	1.0	20	13	35	4.33
CC111121		0.24	0.001	<0.2	0.32	31	<10	230	1.1	<2	0.25	<0.5	20	16	23	4.21
CC111122		0.26	0.001	<0.2	1.55	2	<10	240	0.7	<2	0.10	<0.5	18	28	36	4.71
CC111123		0.26	0.003	<0.2	0.99	<2	<10	110	0.8	<2	0.10	<0.5	17	38	71	6.46
CC111124		0.24	<0.001	<0.2	0.95	2	<10	100	0.7	<2	0.08	<0.5	13	26	34	4.24
CC111125		0.20	0.003	13.3	0.82	78	<10	210	0.8	3	0.96	57.6	9	11	60	10.90



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC111086		<10	2	0.03	<10	0.04	>50000	1	0.01	2270	150	23	0.11	<2	1	226
CC111087		<10	1	0.05	10	0.24	886	5	<0.01	63	1240	706	0.04	19	3	55
CC111088		<10	1	0.06	10	0.35	1070	5	<0.01	53	1400	556	0.04	13	4	70
CC111089		<10	1	0.08	10	0.16	483	12	<0.01	35	1630	955	0.07	26	2	89
CC111090		<10	1	0.09	10	0.09	285	7	<0.01	33	950	724	0.14	25	4	105
CC111091		<10	1	0.08	20	0.17	914	6	<0.01	78	1080	145	0.06	6	5	80
CC111092		<10	1	0.08	20	0.07	1925	5	0.01	80	1010	82	0.09	2	4	51
CC111093		10	1	0.08	20	0.23	493	4	<0.01	44	1010	134	0.03	5	3	38
CC111094		<10	1	0.07	10	0.21	677	7	<0.01	65	1710	245	0.09	9	5	99
CC111095		10	<1	0.07	10	0.12	427	11	<0.01	44	1600	67	0.08	3	2	79
CC111096		10	<1	0.06	10	0.08	392	10	<0.01	26	1330	61	0.07	3	1	45
CC111097		10	<1	0.07	10	0.27	346	12	<0.01	70	2900	47	0.06	7	3	56
CC111098		<10	<1	0.12	20	0.27	730	22	<0.01	114	1210	38	0.21	5	4	78
CC111099		<10	1	0.06	20	0.66	497	23	0.01	145	2200	49	0.08	2	4	119
CC111100		<10	1	0.17	20	0.28	43	35	0.01	41	2460	16	0.20	9	5	251
CC111101		<10	1	0.11	20	0.34	745	21	0.02	50	1880	74	0.08	6	4	164
CC111102		<10	1	0.06	10	0.27	506	6	0.01	47	1380	44	0.04	<2	3	47
CC111103		<10	<1	0.16	10	0.05	121	5	<0.01	9	410	66	0.31	<2	1	11
CC111104		<10	1	0.07	10	0.08	439	15	0.01	41	2360	284	0.10	9	1	72
CC111105		<10	1	0.06	10	0.12	376	3	<0.01	30	1060	77	0.05	<2	<1	31
CC111106		<10	<1	0.09	20	0.04	156	5	<0.01	33	1510	61	0.03	4	3	8
CC111107		<10	<1	0.05	10	0.08	117	5	<0.01	9	710	143	0.03	4	1	31
CC111108		<10	1	0.07	10	0.02	217	4	<0.01	32	890	400	0.10	12	4	37
CC111109		<10	4	0.14	20	0.03	138	22	<0.01	18	2620	4330	0.31	72	3	249
CC111110		<10	2	0.09	10	0.04	121	73	<0.01	5	580	1490	0.15	65	2	33
CC111111		<10	<1	0.08	10	0.06	525	2	<0.01	30	1350	154	0.08	8	1	27
CC111112		<10	1	0.09	10	0.34	614	3	<0.01	28	970	1020	0.07	23	3	27
CC111113		<10	1	0.12	10	0.02	82	22	0.01	5	100	221	0.34	13	1	5
CC111114		<10	<1	0.06	20	0.53	1065	1	0.01	33	990	33	0.02	<2	6	39
CC111115		10	<1	0.35	40	3.59	1105	<1	0.02	99	3180	12	0.06	<2	10	195
CC111116		10	<1	0.23	40	3.08	1385	<1	0.02	140	3950	16	0.02	<2	8	189
CC111117		<10	<1	0.07	10	0.08	1120	<1	<0.01	35	860	131	0.02	4	5	30
CC111118		<10	<1	0.06	10	0.23	961	<1	0.01	31	360	70	0.01	<2	6	19
CC111119		<10	<1	0.05	10	0.20	907	<1	<0.01	25	310	186	0.01	<2	4	9
CC111120		<10	<1	0.04	10	0.17	2350	<1	0.01	33	570	608	0.04	<2	5	28
CC111121		<10	<1	0.06	<10	0.06	1170	<1	<0.01	30	350	52	0.02	<2	4	12
CC111122		<10	<1	0.04	10	0.55	656	<1	0.01	31	500	17	0.01	<2	3	10
CC111123		<10	<1	0.03	<10	0.57	1315	<1	<0.01	26	390	31	<0.01	<2	3	10
CC111124		<10	<1	0.04	<10	0.41	482	<1	0.01	20	490	18	0.02	<2	2	5
CC111125		<10	7	0.06	10	0.21	23300	1	0.01	23	1270	7120	0.11	12	4	41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Zn- OG46	Pb- OG46
		Th	Ti	Ti	U	V	W		Ag	Zn	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		20	0.01	10	10	1	10	2	1	0.001	0.001
CC111086		<20	<0.01	<10	<10	5	30	>10000		6.04	
CC111087		<20	0.01	<10	<10	53	<10	1055			
CC111088		<20	0.02	<10	<10	46	<10	663			
CC111089		<20	0.01	<10	<10	82	<10	412			
CC111090		<20	0.01	<10	<10	29	<10	433			
CC111091		<20	0.01	<10	<10	35	<10	814			
CC111092		<20	0.01	<10	<10	31	<10	595			
CC111093		<20	0.02	<10	<10	72	<10	370			
CC111094		<20	0.02	<10	<10	53	<10	454			
CC111095		<20	0.01	<10	<10	181	<10	331			
CC111096		<20	0.01	<10	<10	214	<10	168			
CC111097		<20	0.02	<10	<10	224	<10	466			
CC111098		<20	0.01	<10	<10	155	<10	875			
CC111099		<20	0.01	<10	<10	144	<10	1040			
CC111100		<20	0.01	<10	<10	1670	<10	235			
CC111101		<20	0.02	<10	<10	1270	<10	329			
CC111102		<20	0.01	<10	<10	115	<10	283			
CC111103		<20	<0.01	<10	<10	27	<10	49			
CC111104		<20	0.01	<10	<10	206	<10	209			
CC111105		<20	0.01	<10	<10	59	<10	244			
CC111106		<20	0.01	<10	<10	27	<10	391			
CC111107		<20	0.01	<10	<10	59	<10	82			
CC111108		<20	<0.01	<10	<10	18	<10	564			
CC111109		<20	<0.01	<10	10	86	<10	185			
CC111110		<20	0.01	<10	10	92	<10	56			
CC111111		<20	0.01	<10	<10	35	<10	680			
CC111112		<20	0.02	<10	<10	49	<10	563			
CC111113		<20	<0.01	<10	<10	25	<10	60			
CC111114		<20	0.05	<10	<10	52	<10	102			
CC111115		<20	0.55	<10	<10	208	<10	114			
CC111116		<20	0.63	<10	<10	201	<10	125			
CC111117		<20	0.01	<10	<10	10	<10	315			
CC111118		<20	0.01	<10	<10	24	<10	194			
CC111119		<20	0.01	<10	<10	25	<10	305			
CC111120		<20	0.01	<10	<10	17	<10	220			
CC111121		<20	0.01	<10	<10	18	<10	149			
CC111122		<20	0.01	<10	<10	26	<10	103			
CC111123		<20	0.02	<10	<10	38	<10	82			
CC111124		<20	0.01	<10	<10	27	<10	60			
CC111125		<20	0.01	<10	<10	19	10	>10000		NSS	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC111126		0.24	0.002	0.5	0.83	25	<10	180	1.0	<2	0.19	0.7	25	19	53	5.86
CC111127		0.26	0.001	4.3	1.01	84	<10	240	1.1	<2	0.34	14.4	18	19	45	4.85
CC111128		0.26	0.003	0.7	0.31	77	<10	200	0.9	<2	6.82	2.1	36	5	46	3.58
CC111129		0.22	0.002	<0.2	1.92	39	<10	770	1.1	<2	0.09	<0.5	16	44	28	5.19
CC111130		0.22	0.002	2.8	2.51	131	<10	390	1.7	<2	1.46	1.6	23	147	50	6.69
CC111131		0.24	0.004	0.2	1.94	42	<10	500	2.8	2	0.49	0.7	36	78	74	7.31
CC111132		0.18	<0.001	<0.2	1.40	9	<10	160	0.8	<2	0.36	<0.5	21	46	51	5.68
CC111133		0.16	0.010	10.4	0.67	162	<10	170	0.5	<2	0.03	1.7	3	14	36	2.55
CC111134		0.24	0.009	11.5	0.71	338	<10	340	<0.5	<2	0.04	1.1	4	51	52	3.35
CC111135		0.26	0.004	11.1	0.88	151	<10	380	0.6	<2	0.57	1.3	4	58	82	2.97
CC111136		0.26	0.007	13.3	0.29	163	<10	210	<0.5	<2	0.04	0.7	1	23	111	1.85
CC111137		0.22	0.013	22.3	0.90	388	<10	210	1.0	<2	0.09	2.0	4	55	291	3.12
CC111138		0.20	0.005	2.2	1.19	99	<10	120	<0.5	<2	0.04	0.6	6	29	33	3.65
CC111139		0.18	0.003	2.3	0.82	76	<10	170	<0.5	<2	0.03	1.1	3	21	40	2.48
CC111140		0.26	0.006	10.1	1.36	200	<10	1140	1.6	<2	0.52	36.8	7	54	1105	3.58
CC111141		0.20	<0.001	0.2	0.74	251	<10	150	<0.5	<2	0.04	1.3	6	16	28	3.01
CC111142		0.24	0.006	1.6	1.88	62	<10	2040	1.0	<2	0.15	1.5	18	41	38	4.64
CC111143		0.24	0.003	1.7	0.49	77	<10	530	<0.5	<2	0.06	<0.5	2	19	17	2.32
CC111144		0.16	0.002	2.0	1.07	57	<10	1220	0.7	<2	2.14	19.3	12	55	58	2.93
CC111145		0.24	0.001	0.4	1.40	34	<10	1840	0.8	<2	0.67	1.0	14	34	54	4.84
CC111146		0.22	0.002	1.1	0.67	49	<10	1210	<0.5	<2	0.11	2.7	5	22	27	3.00
CC111147		0.20	<0.001	1.6	1.29	47	<10	360	<0.5	<2	0.04	0.7	8	30	26	4.31
CC111148		0.30	0.008	4.7	0.55	156	<10	340	0.5	<2	0.14	7.1	4	23	148	2.86
CC111149		0.34	0.017	1.4	0.22	107	<10	280	<0.5	<2	0.17	10.3	3	16	136	2.72
CC111150		0.24	<0.001	0.5	0.90	42	<10	110	<0.5	<2	0.03	0.7	9	24	34	4.65
CC111151		0.22	0.002	4.5	1.25	53	<10	120	0.5	<2	0.02	0.7	8	26	40	4.45
CC111152		0.24	0.008	1.8	0.91	177	<10	250	0.6	<2	0.09	2.4	7	25	76	3.77
CC111153		0.26	0.014	67.6	0.54	523	<10	220	1.1	<2	0.04	4.5	2	42	392	3.78
CC111154		0.28	0.020	9.9	0.30	2590	<10	290	<0.5	<2	0.05	3.0	2	9	29	2.13
CC111155		0.20	0.006	3.0	0.35	327	<10	110	<0.5	<2	0.02	0.7	4	9	19	2.51
CC111156		0.24	0.001	0.4	1.36	130	<10	220	1.3	<2	0.28	<0.5	16	35	39	4.93
CC111157		0.24	0.001	<0.2	1.63	22	<10	270	1.5	<2	0.67	<0.5	30	58	45	6.50
CC111158		0.20	0.001	0.3	2.91	61	<10	830	2.1	<2	1.26	0.9	46	162	104	9.96
CC111159		0.26	<0.001	<0.2	0.30	22	<10	110	0.5	<2	0.43	<0.5	19	6	31	2.65
CC111160		0.18	0.003	0.3	0.57	32	<10	170	0.7	<2	1.15	0.9	22	7	45	3.80
CC111161		0.26	0.002	29.5	0.32	1210	<10	270	0.8	2	2.52	153.0	15	3	175	9.61
CC111162		0.26	0.001	0.3	0.98	26	<10	120	0.5	<2	0.06	1.0	14	18	29	5.23
CC111163		0.26	0.001	<0.2	1.03	2	<10	60	<0.5	<2	0.05	<0.5	16	24	29	4.11
CC111164		0.30	0.002	<0.2	1.09	<2	<10	200	1.0	<2	0.12	<0.5	21	37	100	6.24
CC111165		0.22	0.004	<0.2	0.92	12	<10	80	0.5	<2	0.10	<0.5	24	15	54	3.15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC111126		<10	<1	0.04	10	0.20	1370	<1	<0.01	32	370	124	0.01	<2	7	8
CC111127		<10	1	0.05	10	0.21	5090	<1	0.01	34	380	939	0.03	2	5	15
CC111128		<10	1	0.07	10	0.11	1850	1	0.01	45	1570	158	0.04	5	5	120
CC111129		10	<1	0.12	20	0.45	832	1	0.01	23	550	37	0.03	<2	4	8
CC111130		10	<1	0.14	30	2.15	1215	<1	0.01	66	2180	361	0.09	4	12	154
CC111131		10	<1	0.10	30	1.07	2750	2	0.01	57	1650	72	0.05	<2	8	57
CC111132		10	<1	0.06	10	0.66	1175	<1	0.01	35	750	28	0.03	<2	5	38
CC111133		<10	2	0.07	10	0.07	106	9	<0.01	12	830	1440	0.10	94	2	12
CC111134		<10	3	0.10	20	0.09	205	25	<0.01	10	1560	1620	0.17	40	1	106
CC111135		<10	2	0.10	10	0.08	302	9	0.01	15	6350	861	0.12	47	1	339
CC111136		<10	5	0.11	10	0.02	77	14	<0.01	10	1740	4180	0.21	130	1	137
CC111137		<10	10	0.12	10	0.08	267	35	<0.01	44	2130	5330	0.18	92	2	181
CC111138		<10	1	0.07	10	0.19	313	6	<0.01	21	690	217	0.04	9	2	31
CC111139		<10	1	0.07	10	0.07	161	9	<0.01	14	1410	345	0.05	17	1	35
CC111140		<10	5	0.12	10	0.09	838	74	0.01	153	5900	509	0.03	109	6	1370
CC111141		<10	<1	0.06	10	0.05	259	3	<0.01	18	810	44	0.02	2	1	37
CC111142		<10	1	0.08	10	0.45	944	4	0.01	49	1040	198	0.05	3	4	35
CC111143		<10	1	0.20	10	0.05	67	13	0.01	12	860	145	0.40	4	1	69
CC111144		<10	1	0.07	20	0.25	671	14	0.01	124	2240	37	0.06	2	4	128
CC111145		<10	<1	0.06	10	0.38	1605	7	0.01	34	800	51	0.03	<2	5	33
CC111146		<10	1	0.06	10	0.05	408	7	0.01	37	1250	82	0.03	<2	1	26
CC111147		<10	<1	0.05	10	0.21	458	4	<0.01	26	950	90	0.02	<2	2	14
CC111148		<10	2	0.08	10	0.11	625	23	<0.01	32	920	870	0.11	62	2	90
CC111149		<10	1	0.08	10	0.05	323	2	<0.01	21	790	82	0.19	9	4	89
CC111150		<10	<1	0.05	10	0.14	680	3	<0.01	15	670	86	0.02	2	2	10
CC111151		<10	<1	0.06	10	0.19	519	5	<0.01	19	660	130	0.03	6	3	14
CC111152		<10	1	0.09	10	0.15	413	7	<0.01	31	1340	253	0.10	12	1	66
CC111153		<10	7	0.16	10	0.01	100	18	0.01	23	1960	>10000	0.53	452	5	160
CC111154		<10	3	0.11	10	0.03	80	4	<0.01	7	1590	2380	0.24	27	9	55
CC111155		<10	<1	0.09	30	0.03	253	2	<0.01	9	1570	319	0.09	15	3	28
CC111156		<10	<1	0.05	10	0.47	1135	1	0.01	28	1230	157	0.04	<2	4	32
CC111157		10	<1	0.11	20	1.28	1730	1	0.01	44	1410	15	0.02	<2	6	81
CC111158		10	<1	0.18	50	2.41	1815	2	0.02	76	3460	44	0.04	3	17	162
CC111159		<10	<1	0.04	<10	0.06	470	<1	<0.01	23	320	19	0.03	<2	3	15
CC111160		<10	1	0.09	10	0.14	1070	1	0.01	31	1390	86	0.08	<2	5	30
CC111161		<10	7	0.06	10	0.53	>50000	<1	0.01	22	930	8900	0.12	93	4	116
CC111162		<10	<1	0.04	10	0.14	1065	<1	<0.01	18	400	107	0.01	<2	3	5
CC111163		<10	<1	0.04	<10	0.48	796	<1	0.01	26	650	26	0.04	<2	1	5
CC111164		<10	<1	0.03	<10	0.64	1830	<1	0.01	32	410	36	<0.01	<2	4	14
CC111165		<10	<1	0.03	10	0.37	1220	<1	0.01	41	190	93	0.03	<2	3	15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Zn- OG46	Pb- OG46
		Th	Ti	Ti	U	V	W	Zn	Ag	Zn	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		20	0.01	10	10	1	10	2	1	0.001	0.001
CC111126		<20	0.01	<10	<10	22	<10	270			
CC111127		<20	0.01	<10	<10	24	<10	2070			
CC111128		<20	<0.01	<10	<10	7	<10	511			
CC111129		<20	0.06	<10	<10	79	<10	91			
CC111130		<20	0.07	<10	<10	147	<10	564			
CC111131		<20	0.06	<10	<10	86	<10	225			
CC111132		<20	0.02	<10	<10	47	<10	126			
CC111133		<20	<0.01	<10	<10	31	<10	229			
CC111134		<20	0.01	<10	<10	169	<10	131			
CC111135		<20	0.01	<10	10	102	<10	147			
CC111136		<20	0.01	<10	<10	55	<10	125			
CC111137		<20	0.01	<10	10	217	<10	363			
CC111138		<20	0.01	<10	<10	84	<10	169			
CC111139		<20	<0.01	<10	<10	69	<10	178			
CC111140		<20	0.01	<10	20	568	<10	996			
CC111141		<20	0.01	<10	<10	62	<10	163			
CC111142		<20	0.02	<10	<10	90	<10	277			
CC111143		<20	<0.01	<10	<10	93	<10	67			
CC111144		<20	0.01	<10	<10	105	<10	901			
CC111145		<20	0.01	<10	<10	140	<10	178			
CC111146		<20	0.01	<10	<10	61	<10	253			
CC111147		<20	0.01	<10	<10	80	<10	208			
CC111148		<20	0.01	<10	<10	101	<10	596			
CC111149		<20	<0.01	<10	<10	28	<10	380			
CC111150		<20	0.02	<10	<10	64	<10	137			
CC111151		<20	0.01	<10	<10	56	<10	177			
CC111152		<20	0.01	<10	<10	81	<10	386			
CC111153		<20	<0.01	<10	<10	89	<10	554		0.993	
CC111154		<20	<0.01	<10	<10	15	<10	263			
CC111155		<20	<0.01	<10	<10	15	<10	206			
CC111156		<20	0.01	<10	<10	41	<10	139			
CC111157		<20	0.14	<10	<10	86	<10	104			
CC111158		<20	0.23	<10	<10	205	<10	219			
CC111159		<20	<0.01	<10	<10	7	<10	71			
CC111160		<20	0.01	<10	<10	11	<10	505			
CC111161		<20	<0.01	<10	<10	7	10	>10000		2.32	
CC111162		<20	0.02	<10	<10	43	<10	264			
CC111163		<20	0.01	<10	<10	23	<10	73			
CC111164		<20	0.02	<10	<10	38	<10	93			
CC111165		<20	<0.01	<10	<10	10	<10	75			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC111166		0.28	<0.001	<0.2	0.70	10	<10	150	0.7	<2	0.16	<0.5	23	13	73	3.88
CC111167		0.20	0.001	<0.2	0.51	12	<10	100	0.7	<2	0.72	<0.5	13	6	29	2.97
CC111168		0.24	<0.001	<0.2	1.01	3	<10	70	0.6	<2	0.06	<0.5	17	30	43	5.10
CC111169		0.30	<0.001	<0.2	0.96	15	<10	150	0.7	<2	0.05	<0.5	13	18	40	4.46
CC111170		0.22	<0.001	0.6	0.55	52	<10	120	0.9	<2	0.15	2.0	20	8	36	4.01
CC111171		0.16	0.001	2.3	0.80	64	<10	200	0.9	<2	1.00	7.6	15	15	43	4.67
CC111172		0.24	0.002	0.3	1.92	61	<10	330	1.2	2	0.25	0.6	19	55	34	5.55
CC111173		0.24	0.001	1.0	1.89	129	<10	390	1.1	<2	0.24	0.8	18	62	32	6.23
CC111174		0.20	0.003	<0.2	3.13	63	<10	720	2.4	<2	1.09	1.0	38	261	48	7.54
CC111175		0.18	0.010	11.3	1.04	527	<10	250	1.7	<2	0.65	24.5	49	35	142	9.22
CC111176		0.28	0.003	0.2	1.70	16	<10	150	1.1	<2	0.24	<0.5	24	47	54	6.08
CC111177		0.22	0.002	0.6	0.96	82	<10	150	<0.5	<2	0.10	2.0	6	20	17	3.31
CC111178		0.28	0.021	2.8	0.41	262	<10	110	<0.5	<2	0.02	<0.5	2	11	15	2.54
CC111179		0.26	0.022	33.0	0.82	4190	<10	1030	1.7	<2	0.09	102.5	67	71	314	10.15
CC111180		0.20	0.008	8.4	0.76	181	<10	370	0.7	<2	0.21	5.6	7	33	106	3.04
CC111181		0.20	0.006	14.0	0.80	428	<10	420	1.4	<2	0.17	2.8	3	113	349	3.60
CC111182		0.20	0.006	10.1	1.19	412	<10	590	2.0	2	0.07	6.8	10	47	483	5.61
CC111183		0.22	0.011	5.4	0.71	127	<10	710	1.0	<2	1.09	5.7	2	42	135	2.27
CC111184		0.16	0.003	1.9	1.25	123	<10	950	1.0	<2	0.93	14.9	15	150	53	4.06
CC111185		0.18	0.011	6.4	1.09	165	<10	760	1.0	<2	1.92	23.3	10	350	47	5.20
CC111186		0.14	0.004	4.5	1.62	61	<10	8240	1.5	<2	0.68	24.4	12	110	181	2.92
CC111187		0.16	0.003	0.9	1.10	55	<10	500	<0.5	<2	0.04	0.7	8	29	51	5.06
CC111188		0.20	0.012	2.3	0.39	92	<10	280	0.6	<2	0.16	8.6	5	26	183	2.82
CC111189		0.22	0.003	1.4	0.71	41	<10	670	<0.5	<2	1.00	13.4	10	31	29	2.48
CC111190		0.18	0.005	3.1	1.05	113	<10	970	0.8	<2	1.22	9.7	12	115	68	3.59
CC111191		0.26	0.015	2.0	0.63	77	<10	390	0.6	<2	0.28	5.6	8	21	100	2.76
CC111192		0.16	0.006	1.1	0.50	57	<10	120	<0.5	<2	0.04	0.8	3	12	43	2.16
CC111193		0.14	0.010	2.6	0.42	84	<10	310	<0.5	<2	0.12	5.1	3	16	83	2.22
CC111194		0.20	0.010	5.5	0.30	162	<10	250	<0.5	<2	0.14	4.7	8	9	44	3.28
CC111195		0.34	0.008	1.1	0.43	80	<10	180	0.8	<2	0.02	1.3	6	9	31	4.63
CC111196		0.20	0.008	2.1	0.59	176	<10	120	1.0	<2	0.03	1.6	14	12	69	4.12
CC111197		0.24	0.001	0.7	1.30	105	<10	270	0.8	<2	0.27	1.1	12	31	29	4.30
CC111198		0.16	0.002	0.7	1.11	52	<10	110	0.5	<2	0.12	0.7	10	27	29	4.09
CC111199		0.28	0.003	6.1	0.97	148	<10	420	1.2	<2	0.49	3.2	14	31	56	5.19
CC111200		0.14	0.014	1.9	1.23	162	<10	600	1.6	<2	0.98	2.6	26	51	70	5.39
CC111201		0.28	0.002	<0.2	0.42	11	<10	200	1.1	<2	0.08	<0.5	26	25	9	6.20
CC111202		0.20	<0.001	1.1	0.67	12	<10	50	<0.5	<2	0.03	<0.5	5	14	17	2.85
CC111203		0.22	0.002	0.7	0.36	46	<10	190	0.9	<2	0.57	0.6	18	5	38	3.58
CC111204		0.24	0.002	2.4	0.49	1570	<10	380	0.8	<2	0.38	14.5	27	8	35	6.09
CC111205		0.28	<0.001	0.2	0.65	107	<10	160	0.8	<2	0.05	0.8	16	16	32	4.44



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC111166		<10	<1	0.05	10	0.39	1510	<1	<0.01	39	360	48	0.01	<2	3	12
CC111167		<10	<1	0.08	10	0.11	594	<1	<0.01	21	630	44	0.04	<2	3	20
CC111168		<10	<1	0.04	<10	0.52	708	<1	0.01	28	420	24	0.01	<2	2	7
CC111169		<10	<1	0.05	10	0.18	614	<1	<0.01	21	350	39	0.01	<2	3	5
CC111170		<10	<1	0.05	10	0.11	2080	<1	0.01	34	420	211	0.02	2	3	9
CC111171		<10	1	0.06	10	0.18	7320	<1	0.01	31	1060	854	0.06	3	3	35
CC111172		<10	<1	0.06	20	0.63	1305	1	0.01	39	970	120	0.02	<2	4	25
CC111173		10	<1	0.08	20	0.31	859	4	0.01	37	1610	66	0.04	9	5	39
CC111174		10	1	0.10	30	2.37	1645	<1	0.02	97	1930	39	0.05	<2	14	107
CC111175		<10	3	0.10	50	0.28	4750	7	0.01	96	3630	1450	0.05	93	8	97
CC111176		10	<1	0.06	10	0.76	1110	1	0.01	46	840	39	0.01	<2	5	25
CC111177		10	<1	0.07	10	0.15	288	2	0.01	16	870	39	0.03	<2	1	20
CC111178		<10	<1	0.08	10	0.02	81	2	<0.01	9	1070	152	0.07	15	2	31
CC111179		<10	71	0.16	10	<0.01	34600	206	0.01	530	5410	8180	0.33	174	6	337
CC111180		<10	4	0.10	10	0.14	617	15	0.01	47	1570	1060	0.15	44	2	126
CC111181		<10	9	0.13	10	0.04	163	69	<0.01	111	3370	770	0.20	92	2	534
CC111182		<10	6	0.10	10	0.04	1755	240	<0.01	285	2280	1770	0.10	72	3	135
CC111183		<10	3	0.17	10	0.06	189	37	0.01	53	6360	727	0.11	27	2	442
CC111184		<10	1	0.07	20	0.22	1245	29	0.01	138	1970	385	0.05	8	5	158
CC111185		<10	2	0.08	30	0.15	2700	27	0.01	118	4090	737	0.07	30	6	151
CC111186		<10	1	0.10	10	0.24	722	20	0.02	365	3320	44	0.03	4	3	197
CC111187		<10	<1	0.05	10	0.20	471	4	0.01	27	620	66	0.02	<2	3	11
CC111188		<10	1	0.10	10	0.03	416	35	<0.01	65	1310	185	0.15	19	3	209
CC111189		<10	1	0.06	10	0.15	889	3	0.01	45	780	154	0.06	<2	3	58
CC111190		<10	1	0.07	10	0.21	1220	25	0.01	55	2010	339	0.08	4	5	144
CC111191		<10	1	0.07	10	0.12	786	21	<0.01	42	860	113	0.03	11	3	95
CC111192		<10	<1	0.05	10	0.05	114	10	<0.01	17	490	108	0.03	5	1	16
CC111193		<10	2	0.08	10	0.06	203	20	<0.01	36	650	198	0.07	11	2	45
CC111194		<10	2	0.15	10	0.04	1300	5	0.01	44	750	409	0.29	15	2	43
CC111195		<10	<1	0.09	10	0.06	151	2	<0.01	19	680	56	0.02	9	4	11
CC111196		<10	2	0.07	10	0.03	327	3	<0.01	39	760	350	0.05	6	4	32
CC111197		<10	<1	0.06	10	0.38	653	2	0.01	24	820	163	0.03	3	2	34
CC111198		<10	<1	0.06	10	0.31	525	8	0.01	21	510	101	0.03	6	2	22
CC111199		<10	1	0.08	10	0.38	1535	1	0.01	32	1350	431	0.04	15	5	50
CC111200		<10	<1	0.08	10	0.76	2540	1	0.01	40	1540	104	0.07	8	8	98
CC111201		<10	<1	0.05	<10	0.05	1185	<1	0.01	21	680	22	0.01	<2	3	15
CC111202		<10	1	0.05	10	0.07	244	<1	0.01	9	480	176	0.02	<2	1	4
CC111203		<10	<1	0.05	10	0.05	1325	<1	<0.01	30	650	97	0.04	2	4	18
CC111204		<10	3	0.06	10	0.09	16900	<1	<0.01	38	680	491	0.02	5	5	44
CC111205		<10	<1	0.04	10	0.15	1170	<1	<0.01	29	340	95	0.01	2	3	5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Zn- OG46	Pb- OG46
		Th	Ti	Ti	U	V	W	Zn	Ag	Zn	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		20	0.01	10	10	1	10	2	1	0.001	0.001
CC111166		<20	0.01	<10	<10	14	<10	174			
CC111167		<20	<0.01	<10	<10	8	<10	95			
CC111168		<20	0.01	<10	<10	30	<10	79			
CC111169		<20	0.01	<10	<10	28	<10	91			
CC111170		<20	<0.01	<10	<10	12	<10	493			
CC111171		<20	0.01	<10	<10	20	<10	1285			
CC111172		<20	0.04	<10	<10	71	<10	261			
CC111173		<20	0.02	<10	<10	115	<10	423			
CC111174		<20	0.43	<10	<10	208	<10	575			
CC111175		<20	0.01	<10	<10	44	<10	3040			
CC111176		<20	0.02	<10	<10	51	<10	149			
CC111177		<20	0.03	<10	<10	66	<10	168			
CC111178		<20	0.01	<10	<10	36	<10	141			
CC111179		<20	0.01	<10	30	215	<10	5930			
CC111180		<20	0.01	<10	<10	91	<10	548			
CC111181		<20	0.01	<10	30	565	<10	613			
CC111182		<20	<0.01	<10	30	413	<10	1880			
CC111183		<20	<0.01	<10	10	236	<10	378			
CC111184		<20	0.01	<10	<10	77	<10	1500			
CC111185		<20	0.01	<10	<10	97	<10	2670			
CC111186		<20	0.01	<10	10	688	<10	1405			
CC111187		<20	0.01	<10	<10	145	<10	189			
CC111188		<20	<0.01	<10	<10	169	<10	624			
CC111189		<20	<0.01	<10	<10	29	<10	1090			
CC111190		<20	0.01	<10	<10	120	<10	652			
CC111191		<20	<0.01	<10	<10	93	<10	393			
CC111192		<20	<0.01	<10	<10	40	<10	193			
CC111193		<20	<0.01	<10	<10	66	<10	292			
CC111194		<20	<0.01	<10	<10	28	<10	1375			
CC111195		<20	<0.01	<10	<10	12	<10	805			
CC111196		<20	<0.01	<10	<10	17	<10	740			
CC111197		<20	0.01	<10	<10	46	<10	269			
CC111198		<20	0.02	<10	<10	51	<10	136			
CC111199		<20	0.01	<10	<10	42	<10	802			
CC111200		<20	<0.01	<10	<10	64	<10	901			
CC111201		<20	0.01	<10	<10	30	<10	161			
CC111202		<20	0.01	<10	<10	31	<10	96			
CC111203		<20	<0.01	<10	<10	8	<10	219			
CC111204		<20	0.01	<10	<10	13	<10	3050			
CC111205		<20	0.01	<10	<10	22	<10	234			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC111206		0.26	<0.001	<0.2	1.02	9	<10	110	0.6	<2	0.09	<0.5	17	24	40	4.32
CC111207		0.18	0.019	<0.2	1.00	12	<10	160	0.9	<2	0.35	<0.5	18	17	104	4.22
CC111208		0.18	<0.001	<0.2	1.04	5	<10	130	1.2	<2	0.19	<0.5	21	20	51	3.96
CC111209		0.18	0.004	0.2	0.44	14	<10	60	0.6	<2	0.60	<0.5	15	7	50	3.23
CC111210		0.26	0.002	0.8	1.42	35	<10	200	0.9	<2	0.46	0.7	15	31	40	4.33
CC111211		0.26	0.001	1.2	1.46	80	<10	210	0.6	<2	0.31	1.0	10	42	24	3.91
CC111212		0.24	0.004	4.3	0.77	265	<10	90	<0.5	<2	0.05	0.7	8	30	27	4.69
CC111213		0.20	0.002	4.1	0.56	268	<10	110	<0.5	<2	0.07	<0.5	5	26	30	3.47
CC111214		0.22	0.006	13.9	1.06	187	<10	300	0.9	<2	0.15	6.9	9	44	171	4.17
CC111215		0.20	0.003	5.5	0.52	68	<10	250	<0.5	<2	0.08	0.8	2	29	53	2.18
CC111216		0.14	0.011	8.5	0.27	49	<10	480	<0.5	<2	0.03	<0.5	<1	21	19	1.30
CC111217		0.24	0.007	34.4	0.49	170	<10	720	<0.5	<2	0.06	1.2	1	96	82	2.58
CC111218		0.20	0.009	8.4	0.34	84	<10	240	<0.5	<2	0.03	<0.5	1	32	36	1.94
CC111219		0.26	0.008	31.8	0.42	121	<10	250	<0.5	<2	0.10	20.6	1	50	195	1.90
CC111220		0.24	0.004	5.7	0.44	117	<10	170	<0.5	<2	0.06	<0.5	3	26	39	2.26
CC111221		0.26	0.005	5.7	0.41	151	<10	290	<0.5	2	0.03	<0.5	<1	60	44	2.14
CC111222		0.22	0.007	3.3	1.42	130	<10	220	0.7	<2	0.06	<0.5	8	30	43	4.68
CC111223		0.28	0.006	1.1	0.89	88	<10	210	0.5	<2	0.04	<0.5	8	18	50	4.13
CC111224		0.28	0.006	0.6	1.71	63	<10	230	0.7	<2	0.10	0.6	12	27	31	4.23
CC111225		0.26	0.004	1.7	0.78	102	<10	450	<0.5	<2	0.13	<0.5	4	20	21	3.84
CC111226		0.20	0.006	0.8	0.55	277	<10	600	0.7	<2	0.11	1.7	13	12	64	4.54
CC111227		0.20	0.018	4.0	0.36	276	<10	100	0.6	<2	0.20	0.6	6	27	74	6.49
CC111228		0.16	0.002	0.3	1.19	59	<10	250	<0.5	<2	0.03	<0.5	6	21	29	4.06
CC111229		0.18	0.011	2.4	0.62	189	<10	250	0.6	<2	0.11	1.4	16	21	91	5.13
CC111230		0.16	0.006	0.6	1.39	80	<10	270	0.8	<2	0.08	1.8	10	26	64	3.87
CC111231		0.26	0.006	5.8	1.29	133	<10	280	0.8	<2	0.12	<0.5	11	35	46	3.95
CC111232		0.20	0.009	12.4	1.01	60	<10	1010	0.8	<2	0.15	1.8	3	53	53	1.93
CC111233		0.18	0.008	8.6	0.60	84	<10	250	<0.5	<2	0.11	<0.5	2	23	28	2.61
CC111234		0.26	0.015	>100	0.71	768	<10	140	0.7	<2	0.17	4.2	1	227	260	7.90
CC111235		0.16	0.007	7.4	0.33	91	<10	170	<0.5	<2	0.04	<0.5	2	30	23	1.69
CC111236		0.20	0.009	15.5	0.82	224	<10	740	0.9	<2	0.30	3.2	7	46	62	4.63
CC111237		0.16	0.004	12.1	0.47	67	<10	210	<0.5	<2	0.09	1.4	1	37	26	2.11
CC111238		0.24	<0.001	<0.2	1.46	<2	<10	220	1.0	<2	0.14	<0.5	23	37	44	6.02
CC111239		0.20	<0.001	<0.2	1.90	114	<10	280	2.2	<2	0.47	<0.5	37	162	44	9.58
CC111240		0.24	<0.001	0.2	1.16	47	<10	530	0.7	<2	0.04	<0.5	21	38	18	5.93
CC111241		0.16	0.002	0.8	1.79	74	<10	420	1.1	<2	0.82	1.0	17	81	24	5.29
CC111242		0.20	0.001	1.7	1.36	40	<10	200	1.2	<2	0.59	1.1	19	52	44	5.20
CC111243		0.24	0.009	9.3	0.43	190	<10	240	<0.5	<2	0.05	<0.5	4	18	42	3.51
CC111244		0.22	0.012	13.9	0.65	170	<10	210	0.8	<2	0.52	0.9	1	108	185	5.22
CC111245		0.26	0.008	5.5	0.33	71	<10	590	<0.5	<2	0.17	0.9	1	56	203	1.63



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC111206		<10	<1	0.04	<10	0.49	879	<1	0.01	31	440	27	0.01	<2	2	8
CC111207		<10	<1	0.07	10	0.41	871	<1	0.01	36	690	38	0.03	<2	6	17
CC111208		<10	<1	0.06	<10	0.64	1725	<1	0.01	41	820	36	0.03	<2	3	10
CC111209		<10	<1	0.06	10	0.13	504	<1	<0.01	25	600	37	0.03	<2	5	22
CC111210		<10	<1	0.06	10	0.47	800	<1	0.01	37	710	107	0.01	<2	5	30
CC111211		<10	<1	0.06	10	0.22	586	2	0.01	26	880	205	0.02	4	2	25
CC111212		10	<1	0.06	10	0.15	742	4	<0.01	17	1070	350	0.05	13	1	28
CC111213		10	<1	0.06	10	0.10	467	7	<0.01	13	1470	386	0.07	15	1	42
CC111214		<10	2	0.06	10	0.19	2420	17	<0.01	47	2120	1460	0.08	71	3	156
CC111215		10	<1	0.09	10	0.04	94	16	<0.01	15	2490	337	0.12	11	1	115
CC111216		<10	2	0.15	20	0.02	41	45	0.01	2	1020	159	0.25	25	1	242
CC111217		<10	1	0.15	20	0.03	135	87	<0.01	29	2380	2220	0.29	147	2	346
CC111218		<10	<1	0.12	20	0.02	171	38	<0.01	9	1080	1150	0.24	59	<1	178
CC111219		<10	3	0.09	10	0.05	209	53	<0.01	17	2270	7910	0.18	555	2	183
CC111220		<10	1	0.08	10	0.06	110	11	<0.01	18	1130	653	0.10	24	1	95
CC111221		<10	1	0.16	10	0.03	48	18	<0.01	14	2200	513	0.30	34	2	174
CC111222		<10	2	0.07	10	0.21	462	17	<0.01	19	1030	429	0.07	23	3	63
CC111223		<10	<1	0.08	10	0.16	382	6	<0.01	22	870	248	0.06	10	2	35
CC111224		10	<1	0.07	10	0.40	761	2	<0.01	26	840	128	0.02	5	3	31
CC111225		<10	<1	0.10	10	0.09	227	5	<0.01	18	3230	144	0.14	9	2	242
CC111226		<10	<1	0.09	20	0.05	451	7	<0.01	48	1900	131	0.08	9	4	256
CC111227		10	<1	0.44	10	0.01	141	33	0.01	53	3160	75	0.96	32	5	865
CC111228		10	<1	0.09	10	0.14	527	4	<0.01	18	770	116	0.07	8	3	74
CC111229		<10	1	0.08	10	0.12	690	17	<0.01	35	1870	1150	0.11	31	2	98
CC111230		<10	1	0.07	10	0.30	632	4	<0.01	26	740	292	0.02	12	4	27
CC111231		<10	2	0.07	10	0.25	742	9	<0.01	19	1530	1760	0.05	29	3	77
CC111232		10	3	0.10	10	0.14	200	15	<0.01	6	4000	1830	0.10	63	2	580
CC111233		10	1	0.09	10	0.06	133	30	<0.01	10	1890	1290	0.11	40	2	112
CC111234		10	6	0.52	20	0.04	250	252	0.01	11	>10000	>10000	1.11	439	9	1260
CC111235		10	<1	0.09	10	0.02	70	21	<0.01	6	1510	587	0.10	27	<1	64
CC111236		<10	2	0.13	10	0.10	583	27	0.01	30	6470	1690	0.14	79	3	196
CC111237		10	1	0.10	10	0.04	69	25	<0.01	7	3340	990	0.15	39	1	78
CC111238		10	<1	0.04	<10	0.67	1100	<1	<0.01	40	490	21	<0.01	<2	5	18
CC111239		10	<1	0.05	30	0.78	1880	2	<0.01	82	2160	58	0.02	5	9	51
CC111240		10	<1	0.05	10	0.29	2090	1	<0.01	22	730	147	0.03	6	2	15
CC111241		10	1	0.06	10	0.87	969	<1	0.01	35	1100	512	0.04	3	4	37
CC111242		10	<1	0.06	20	0.74	947	<1	<0.01	38	920	224	0.02	4	6	36
CC111243		10	2	0.09	10	0.05	254	9	<0.01	24	1140	142	0.14	21	2	104
CC111244		10	1	0.32	20	0.03	109	18	0.01	24	>10000	71	0.70	41	9	318
CC111245		<10	2	0.09	20	0.02	72	22	<0.01	47	3000	68	0.14	16	3	110



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Zn- OG46	Pb- OG46
		Th	Ti	Ti	U	V	W	Zn	Ag	Zn	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		20	0.01	10	10	1	10	2	1	0.001	0.001
CC111206		<20	0.01	<10	<10	27	<10	107			
CC111207		<20	<0.01	<10	<10	21	<10	202			
CC111208		<20	0.01	<10	<10	22	<10	142			
CC111209		<20	<0.01	<10	<10	9	<10	130			
CC111210		<20	0.02	<10	<10	36	<10	229			
CC111211		<20	0.01	<10	<10	50	<10	203			
CC111212		<20	0.02	<10	<10	60	<10	265			
CC111213		<20	0.02	<10	<10	69	<10	161			
CC111214		<20	0.01	<10	<10	94	<10	761			
CC111215		<20	0.01	<10	<10	99	<10	141			
CC111216		<20	0.01	10	<10	315	<10	35			
CC111217		<20	0.01	<10	<10	255	<10	189			
CC111218		<20	0.01	<10	<10	145	<10	112			
CC111219		<20	0.01	<10	<10	108	<10	309			
CC111220		<20	0.01	<10	<10	71	<10	158			
CC111221		<20	0.01	<10	<10	78	<10	81			
CC111222		<20	0.01	<10	<10	89	<10	232			
CC111223		<20	0.01	<10	<10	48	<10	278			
CC111224		<20	0.02	<10	<10	55	<10	229			
CC111225		<20	0.02	<10	<10	77	<10	147			
CC111226		<20	<0.01	<10	<10	56	<10	456			
CC111227		<20	0.01	<10	<10	92	<10	254			
CC111228		<20	0.02	<10	<10	56	<10	184			
CC111229		<20	0.01	<10	<10	54	<10	378			
CC111230		<20	0.01	<10	<10	55	<10	303			
CC111231		<20	0.01	<10	<10	77	<10	213			
CC111232		<20	0.01	<10	<10	115	<10	118			
CC111233		<20	0.02	<10	<10	82	<10	149			
CC111234		<20	0.01	10	20	539	<10	349	93		2.07
CC111235		<20	0.01	<10	<10	139	<10	114			
CC111236		<20	0.01	<10	<10	136	<10	576			
CC111237		<20	0.01	<10	<10	91	<10	128			
CC111238		<20	0.01	<10	<10	35	<10	104			
CC111239		<20	0.01	<10	<10	190	<10	173			
CC111240		<20	0.05	<10	<10	55	<10	153			
CC111241		<20	0.09	<10	<10	83	<10	691			
CC111242		<20	0.08	<10	<10	51	<10	425			
CC111243		<20	0.01	<10	<10	57	<10	220			
CC111244		<20	0.01	10	<10	153	<10	165			
CC111245		<20	<0.01	<10	10	206	<10	170			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - A
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC111246		0.16	0.049	12.8	0.65	234	<10	550	2.0	<2	0.62	31.1	11	105	672	7.03
CC111247		0.20	0.007	13.0	0.51	142	<10	590	1.0	<2	0.54	19.2	4	55	191	3.46
CC111248		0.20	0.006	5.9	0.32	89	<10	210	<0.5	<2	0.10	1.3	3	25	97	3.09
CC111249		0.22	0.018	2.3	0.21	49	<10	180	<0.5	<2	0.23	1.8	5	15	88	3.66
CC111250		0.26	0.026	1.1	0.22	97	<10	180	<0.5	<2	0.11	<0.5	8	5	99	4.09
CC111251		0.24	0.018	5.1	0.31	278	<10	290	0.6	<2	0.34	3.5	7	12	121	4.97
CC111252		0.22	0.022	5.6	0.38	184	<10	620	0.5	<2	0.42	0.8	8	14	58	3.53
CC111253		0.16	0.009	2.5	0.51	97	<10	430	0.5	<2	0.55	1.9	16	18	73	4.45
CC111254		0.18	0.010	7.8	0.50	196	<10	750	0.7	<2	0.24	6.0	3	66	181	4.07
CC111255		0.30	0.005	7.5	0.45	97	<10	590	0.6	<2	0.26	0.8	2	69	157	2.79
CC111256		0.22	0.007	8.4	0.59	206	<10	670	0.6	<2	0.22	0.8	4	49	79	3.72
CC111257		0.22	0.008	8.9	0.62	218	<10	680	0.5	<2	0.07	0.5	4	46	40	3.56
CC111258		0.20	0.013	13.0	0.37	867	<10	1120	0.5	<2	0.10	1.0	8	31	53	4.10
CC111259		0.20	0.004	3.3	0.91	571	<10	230	0.8	<2	0.18	<0.5	16	22	29	4.11
CC111260		0.20	0.006	6.7	0.42	103	<10	280	0.7	<2	0.23	1.2	7	23	58	4.83
CC111261		0.20	0.017	9.1	0.50	247	<10	940	0.8	<2	0.19	2.7	18	58	160	6.23
CC111262		0.18	0.006	10.2	0.46	366	<10	630	0.6	<2	0.08	5.0	10	44	85	5.18
CC111263		0.20	0.008	10.4	0.67	270	<10	720	0.7	<2	0.26	6.0	8	56	142	4.16
CC111264		0.30	0.016	8.6	0.32	120	<10	550	<0.5	<2	0.13	0.9	1	65	112	3.01
CC111265		0.20	<0.001	0.5	0.59	34	<10	300	0.8	<2	0.56	<0.5	12	14	31	2.74
CC111266		0.14	0.014	3.5	0.74	75	<10	220	<0.5	<2	0.22	<0.5	4	22	20	2.58
CC111267		0.16	<0.001	4.7	0.84	243	<10	130	<0.5	<2	0.03	<0.5	5	36	36	5.61
CC111268		0.18	0.018	6.3	0.47	74	<10	390	0.6	<2	0.05	1.9	<1	83	118	4.05
CC111269		0.20	0.010	12.4	0.71	100	<10	280	0.9	<2	0.05	1.5	<1	102	84	4.42
CC111270		0.26	0.012	8.1	0.55	324	<10	370	2.0	<2	0.07	0.9	8	48	523	4.25
CC111271		0.16	0.014	6.0	0.63	266	<10	230	0.5	<2	0.05	<0.5	1	68	136	3.05
CC111272		0.20	0.008	0.6	0.11	11	<10	90	<0.5	<2	<0.01	<0.5	<1	4	5	0.69
CC111273		0.24	0.024	0.5	0.50	118	<10	180	0.6	<2	0.03	<0.5	15	17	133	5.56
CC111274		0.20	0.014	3.6	0.13	91	<10	550	<0.5	<2	0.10	1.0	1	8	19	1.24
CC111275		0.14	0.007	4.0	1.15	138	<10	510	0.7	<2	0.34	4.8	12	33	54	4.04
CC111276		0.12	0.015	9.0	0.45	142	<10	570	<0.5	<2	0.74	2.3	5	16	61	2.43
CC111277		0.18	0.008	9.8	0.28	55	<10	380	<0.5	<2	0.29	1.0	<1	37	23	0.67
CC111278		0.18	0.008	3.4	0.38	126	<10	510	<0.5	<2	0.14	2.8	5	23	81	2.91
CC111279		0.14	0.013	1.6	0.81	96	<10	870	0.7	<2	0.26	3.6	13	19	67	3.49
CC111280		0.18	0.005	2.7	0.73	214	<10	550	1.0	<2	0.49	16.0	14	45	149	5.40
CC111281		0.12	0.008	2.4	0.88	105	<10	790	0.7	<2	1.10	7.4	11	26	56	3.40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - B
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC111246		<10	3	0.13	20	0.09	1280	31	<0.01	399	5040	1960	0.23	35	10	230
CC111247		<10	2	0.12	20	0.14	576	18	<0.01	139	2620	566	0.16	27	5	202
CC111248		<10	1	0.07	20	0.04	171	29	<0.01	65	1020	88	0.08	19	2	52
CC111249		<10	1	0.07	10	0.04	157	5	<0.01	35	640	58	0.07	8	5	68
CC111250		<10	<1	0.07	10	0.03	221	2	<0.01	45	440	57	0.03	8	4	27
CC111251		<10	2	0.08	10	0.04	545	16	<0.01	60	2170	1000	0.07	49	5	168
CC111252		<10	2	0.13	10	0.07	631	11	<0.01	39	2360	504	0.16	36	2	206
CC111253		<10	<1	0.09	10	0.12	887	7	<0.01	48	1720	412	0.05	16	6	159
CC111254		<10	2	0.14	20	0.06	554	34	<0.01	89	3850	517	0.27	34	3	216
CC111255		<10	2	0.13	20	0.05	165	33	<0.01	71	4340	49	0.23	25	4	175
CC111256		<10	3	0.14	20	0.08	565	14	<0.01	29	4120	120	0.28	21	3	160
CC111257		10	2	0.14	10	0.06	353	12	<0.01	16	2670	149	0.29	23	2	173
CC111258		<10	2	0.12	10	0.05	822	14	<0.01	89	2070	89	0.18	26	3	107
CC111259		<10	1	0.06	10	0.20	4010	2	<0.01	40	660	153	0.02	12	3	32
CC111260		<10	2	0.07	10	0.08	528	32	<0.01	71	1220	103	0.05	18	3	44
CC111261		<10	2	0.05	10	0.05	2520	22	<0.01	138	3260	154	0.06	56	3	110
CC111262		<10	5	0.07	10	0.04	3720	28	<0.01	112	1780	365	0.05	27	3	32
CC111263		<10	3	0.12	20	0.12	926	32	<0.01	121	3630	128	0.17	23	3	123
CC111264		<10	3	0.19	20	0.02	108	27	<0.01	34	4530	118	0.45	31	4	228
CC111265		<10	<1	0.07	<10	0.16	424	1	<0.01	21	550	74	0.04	<2	3	33
CC111266		<10	<1	0.06	10	0.04	505	8	<0.01	11	1190	368	0.07	14	1	63
CC111267		<10	1	0.06	20	0.10	353	7	<0.01	18	920	343	0.09	19	2	37
CC111268		<10	1	0.26	20	0.02	115	19	<0.01	9	9990	185	0.58	14	6	448
CC111269		<10	1	0.34	30	0.02	59	19	<0.01	5	>10000	194	0.66	13	8	564
CC111270		10	4	0.08	50	0.05	155	114	<0.01	264	1450	319	0.04	49	7	88
CC111271		<10	1	0.14	30	0.04	48	28	<0.01	50	2290	752	0.28	31	3	174
CC111272		<10	<1	0.10	10	0.01	8	1	<0.01	<1	90	30	0.17	<2	1	24
CC111273		<10	<1	0.08	10	0.07	395	3	<0.01	68	800	77	0.05	7	4	126
CC111274		<10	10	0.05	10	0.01	96	9	<0.01	6	1780	665	0.06	32	2	65
CC111275		<10	1	0.07	10	0.25	555	7	<0.01	53	880	765	0.06	31	4	79
CC111276		<10	2	0.09	10	0.15	974	9	0.01	27	1320	1770	0.13	39	2	243
CC111277		<10	4	0.08	20	0.02	52	28	<0.01	11	980	833	0.08	48	1	370
CC111278		<10	1	0.13	10	0.06	200	46	<0.01	73	1910	111	0.18	23	2	177
CC111279		<10	1	0.09	10	0.19	452	12	<0.01	80	940	89	0.02	7	4	71
CC111280		<10	1	0.17	10	0.15	1070	15	<0.01	163	1890	131	0.42	42	5	172
CC111281		<10	1	0.07	10	0.23	626	7	0.01	85	1280	269	0.05	37	5	87



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
Total # Pages: 7 (A - C)
Plus Appendix Pages
Finalized Date: 15- SEP- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10125748

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	Ag- OG46	Zn- OG46	Pb- OG46
		Th	Ti	Ti	U	V	W	Ag	Zn	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	%
		20	0.01	10	10	1	10	1	0.001	0.001
CC111246		<20	<0.01	<10	20	272	<10	2010		
CC111247		<20	<0.01	<10	<10	121	<10	1730		
CC111248		<20	<0.01	<10	<10	93	<10	461		
CC111249		<20	<0.01	<10	<10	31	<10	209		
CC111250		<20	<0.01	<10	<10	12	<10	196		
CC111251		<20	<0.01	<10	<10	47	<10	667		
CC111252		<20	0.01	<10	<10	52	<10	365		
CC111253		<20	0.01	<10	<10	45	<10	350		
CC111254		<20	<0.01	<10	<10	232	<10	600		
CC111255		<20	<0.01	<10	<10	203	<10	345		
CC111256		<20	0.01	<10	<10	121	<10	192		
CC111257		<20	0.01	<10	<10	114	<10	127		
CC111258		<20	0.01	<10	<10	62	<10	188		
CC111259		<20	0.01	<10	<10	39	<10	122		
CC111260		<20	<0.01	<10	<10	48	<10	698		
CC111261		<20	0.01	<10	<10	159	<10	854		
CC111262		<20	0.01	<10	<10	112	<10	597		
CC111263		<20	0.01	<10	<10	177	<10	619		
CC111264		<20	0.01	<10	<10	192	<10	198		
CC111265		<20	<0.01	<10	<10	21	<10	89		
CC111266		<20	0.01	<10	<10	77	<10	112		
CC111267		<20	0.02	<10	<10	80	<10	168		
CC111268		<20	0.01	<10	<10	184	<10	111		
CC111269		<20	0.01	<10	10	131	<10	127		
CC111270		<20	<0.01	<10	20	357	<10	1375		
CC111271		<20	0.01	<10	<10	178	<10	254		
CC111272		<20	<0.01	<10	<10	4	<10	6		
CC111273		<20	0.01	<10	<10	30	<10	286		
CC111274		<20	0.01	<10	<10	23	<10	93		
CC111275		<20	0.01	<10	<10	78	<10	627		
CC111276		<20	0.01	<10	<10	49	<10	262		
CC111277		<20	0.01	<10	<10	205	<10	69		
CC111278		<20	0.01	<10	<10	161	<10	391		
CC111279		<20	0.01	<10	<10	67	<10	754		
CC111280		<20	<0.01	<10	<10	86	<10	2790		
CC111281		<20	0.01	<10	<10	71	<10	1225		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 15- SEP- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10125748

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 7- OCT- 2010
Account: MTT

CERTIFICATE VA10137367

Project: ROD

P.O. No.:

This report is for 6 Rock samples submitted to our lab in Vancouver, BC, Canada on 24- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7- OCT- 2010
 Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10137367

Sample Description	Method Analyte Units LOR	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2
H248821		0.02	0.85	2.5	<0.2	<10	60	0.60	0.06	0.10	0.36	4.35	13.8	6	0.30	13.6
H248822		0.23	0.06	57.0	<0.2	<10	170	0.06	0.03	2.25	12.25	1.13	43.5	64	0.15	24.3
H248823		2.31	0.25	239	<0.2	<10	420	0.30	0.02	2.84	137.0	6.00	7.9	25	0.66	769
H248824		2.03	0.13	55.7	<0.2	<10	1290	0.10	0.03	4.14	155.0	2.43	4.2	25	0.06	166.0
H248825		8.40	0.10	779	<0.2	<10	170	0.19	0.05	9.91	187.5	2.35	4.4	8	0.10	339
H248826		3.45	0.09	4750	<0.2	<10	10	0.09	0.07	1.29	24.6	9.29	1.8	14	0.14	53.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7- OCT- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10137367

Sample Description	Method Analyte Units LOR	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm	ME- MS41 Ni ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
H248821		2.21	1.38	0.05	0.21	0.02	0.009	0.05	1.9	20.6	0.07	117	0.24	0.01	<0.05	37.1
H248822		3.58	0.21	0.06	<0.02	0.09	0.007	0.01	0.7	0.7	4.64	731	0.95	0.01	0.11	452
H248823		0.40	4.36	0.12	0.22	3.02	0.056	0.04	4.7	2.8	1.55	965	8.70	0.01	0.47	133.5
H248824		0.42	2.66	0.06	0.07	5.07	0.057	0.05	2.2	0.3	2.17	704	5.03	0.01	0.18	72.6
H248825		3.30	2.65	0.13	0.02	18.25	0.040	0.02	1.0	0.7	4.16	25200	7.89	0.01	0.08	298
H248826		9.08	1.05	0.10	0.04	0.65	5.63	0.02	8.7	0.3	0.23	4230	3.79	0.01	0.15	53.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7- OCT- 2010
 Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10137367

Sample Description	Method Analyte Units LOR	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02
H248821		110	11.1	3.0	<0.001	0.01	0.26	2.0	0.2	<0.2	6.4	<0.01	<0.01	3.6	<0.005	<0.02
H248822		220	14.2	1.1	<0.001	0.02	8.18	3.2	0.3	<0.2	75.0	<0.01	0.02	<0.2	<0.005	0.04
H248823		290	4.0	6.8	0.002	0.22	11.90	3.4	16.4	0.2	584	<0.01	0.02	0.4	0.010	0.77
H248824		2440	27.3	2.6	<0.001	0.27	31.2	1.3	12.1	0.4	749	<0.01	0.02	0.3	<0.005	0.08
H248825		700	4760	1.0	0.001	0.89	233	2.0	19.0	1.3	374	<0.01	0.03	<0.2	<0.005	0.30
H248826		1010	252	1.4	0.019	7.63	57.8	2.4	7.6	3.9	45.4	<0.01	0.05	0.6	<0.005	0.10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7- OCT- 2010
 Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10137367

Sample Description	Method Analyte Units LOR	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	Zn- OG46 Zn % 0.001
H248821		0.72	4	<0.05	5.14	81	11.6	
H248822		0.31	10	0.05	1.24	1420	0.5	
H248823		1.92	1590	0.10	11.20	>10000	15.5	2.01
H248824		0.64	79	0.06	5.31	>10000	7.5	1.200
H248825		2.74	137	0.14	11.90	>10000	1.3	1.565
H248826		5.23	22	0.29	5.74	1620	1.6	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7- OCT- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10137367

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**

C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Page: 1
Finalized Date: 9- OCT- 2010
Account: MTT

CERTIFICATE VA10137368

Project: ROD

P.O. No.:

This report is for 29 Rock samples submitted to our lab in Vancouver, BC, Canada on 24- SEP- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag- OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Pb- OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
As- OG46	Ore Grade As - Aqua Regia	VARIABLE
Ag- GRA21	Ag 30g FA- GRAV finish	WST- SIM
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9- OCT- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10137368

Sample Description	Method Analyte Units LOR	Ag- GRA21 Ag ppm 5	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05
H248827			0.07	0.61	3.1	<0.2	<10	40	0.16	0.34	0.05	2.21	1.25	7.3	6	0.31
H248828			23.8	0.05	284	<0.2	<10	20	0.19	0.05	15.55	602	4.07	1.3	<1	0.09
H248829			46.2	0.04	1085	<0.2	<10	30	0.06	0.29	0.96	>1000	1.05	3.4	1	0.08
H248830		1780	>100	0.23	3750	<0.2	<10	100	0.19	0.15	0.08	57.1	2.32	0.2	16	0.15
H248831		1640	>100	0.09	717	<0.2	<10	30	0.06	0.27	0.02	61.8	0.76	<0.1	7	<0.05
H248832			>100	0.58	865	<0.2	<10	120	0.51	0.87	0.46	647	14.30	24.9	23	1.77
H248833			8.56	1.01	215	<0.2	20	320	1.05	0.05	12.35	5.00	83.7	30.0	103	3.73
H248834			10.75	0.35	33.5	<0.2	<10	250	0.18	0.10	0.14	4.73	6.42	3.6	29	0.24
H248835			2.66	0.20	29.4	<0.2	<10	200	0.17	0.03	0.07	5.22	4.37	1.1	28	0.08
H248836			1.47	0.50	16.7	<0.2	<10	310	0.49	0.18	1.37	4.36	13.05	4.4	12	0.47
H248837			>100	0.08	1360	<0.2	<10	60	0.15	1.33	15.30	288	2.69	2.6	1	0.20
H248838			30.9	0.79	242	<0.2	<10	370	1.08	0.16	0.07	2.47	7.84	1.7	123	0.39
H248839			39.4	0.49	195.5	<0.2	10	1450	0.51	0.13	0.08	2.31	14.65	1.2	19	0.36
H248840			23.3	0.38	105.5	<0.2	<10	2180	0.30	0.10	0.06	1.43	12.45	1.1	11	0.18
H248841			5.71	0.35	74.0	<0.2	<10	850	0.38	0.11	0.09	2.68	8.21	0.2	72	0.34
H248842			>100	0.79	543	<0.2	<10	30	0.68	0.17	0.14	25.3	7.87	0.3	146	0.36
H248843			6.79	0.18	39.9	<0.2	<10	280	0.21	0.06	0.02	0.95	4.33	0.2	32	0.18
H248844			16.10	0.19	35.2	<0.2	<10	220	0.22	0.08	0.01	1.42	7.58	0.2	29	0.17
H248845			5.83	0.26	29.9	<0.2	<10	250	0.28	0.09	0.01	0.24	11.40	0.2	37	0.13
H248846			11.15	0.18	49.0	<0.2	<10	150	0.20	0.06	0.01	0.24	2.46	0.3	31	0.21
H248847			2.42	0.18	20.3	<0.2	<10	250	0.12	0.13	0.07	0.54	5.84	0.2	17	0.15
H248848			>100	0.84	>10000	<0.2	<10	60	1.42	1.11	0.05	27.6	11.25	2.3	14	1.27
H248849			1.09	0.92	269	<0.2	<10	300	0.90	0.10	1.83	2.49	90.0	46.0	68	3.14
H248850			92.7	0.12	4610	<0.2	<10	130	0.25	1.60	0.23	>1000	2.51	16.3	7	1.14
G285901			12.60	0.25	1800	<0.2	<10	460	0.19	8.74	0.10	15.85	5.87	0.6	16	0.24
G285902		1790	>100	1.79	1120	<0.2	<10	30	1.79	0.47	0.08	22.5	10.00	0.8	307	0.24
G285903			>100	0.65	1180	<0.2	<10	70	1.03	0.47	0.15	109.0	1.97	1.5	105	0.21
G285904		2330	>100	0.11	500	<0.2	<10	10	0.11	0.24	0.01	57.8	0.32	0.1	9	<0.05
G285905			>100	0.71	1690	<0.2	<10	340	0.37	0.31	0.04	5.04	3.49	75.5	472	0.68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9- OCT- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10137368

Sample Description	Method Analyte Units LOR	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01	ME- MS41 Nb ppm 0.05
H248827		11.2	2.24	1.59	0.05	0.02	0.06	0.010	0.04	0.5	33.5	0.14	552	0.54	<0.01	<0.05
H248828		66.6	4.90	4.42	0.08	<0.02	33.5	0.282	0.01	2.0	0.7	4.12	41700	0.16	<0.01	0.06
H248829		560	5.28	1.95	0.05	0.02	119.0	2.76	0.01	0.3	0.7	0.37	19900	0.24	0.01	0.05
H248830		2720	1.76	0.87	0.17	0.08	31.8	0.082	0.05	1.8	0.4	0.02	309	33.3	<0.01	0.10
H248831		1110	0.24	0.22	0.27	0.02	33.1	0.025	0.01	0.5	0.1	<0.01	89	72.6	<0.01	<0.05
H248832		176.5	3.27	3.66	0.09	0.05	36.2	0.177	0.25	6.7	0.5	0.04	20900	0.96	<0.01	0.23
H248833		62.4	7.44	3.40	0.14	0.06	0.42	0.072	0.36	42.6	2.5	1.77	3280	0.54	0.02	0.26
H248834		28.6	8.06	0.88	0.08	0.17	0.70	0.010	0.12	5.2	2.3	0.04	386	8.58	0.01	0.11
H248835		64.9	1.02	1.69	<0.05	0.06	0.61	0.040	0.04	2.6	0.4	0.02	139	1.70	<0.01	0.06
H248836		63.6	2.56	1.49	0.05	0.07	0.24	0.028	0.25	6.6	1.1	0.66	279	0.76	0.01	0.05
H248837		900	9.97	1.59	0.13	0.06	28.6	0.595	0.03	1.0	0.4	1.66	33200	0.47	0.02	0.13
H248838		238	3.91	5.57	0.21	0.07	2.15	0.153	0.17	3.7	1.2	0.02	205	27.8	<0.01	0.08
H248839		131.5	1.21	1.84	0.09	0.17	3.57	0.027	0.19	8.6	1.9	0.08	91	27.1	<0.01	0.41
H248840		69.9	1.05	1.21	0.05	0.13	1.80	0.012	0.17	6.8	1.4	0.03	215	12.75	0.02	0.09
H248841		37.8	1.05	2.72	0.10	0.03	0.74	0.067	0.14	6.4	1.2	0.02	37	9.73	0.01	<0.05
H248842		1550	3.81	3.81	0.76	0.03	6.77	0.440	0.14	5.2	0.9	0.02	53	350	<0.01	0.05
H248843		28.6	0.78	0.91	0.07	0.13	0.52	0.019	0.10	4.0	1.0	0.01	45	10.35	0.01	<0.05
H248844		34.8	0.67	0.83	0.07	0.18	0.68	0.017	0.11	8.2	1.0	0.01	50	10.50	<0.01	0.05
H248845		33.3	0.73	1.01	0.07	0.19	0.55	0.013	0.13	12.1	1.3	0.02	44	7.50	<0.01	<0.05
H248846		27.4	1.02	0.74	0.07	0.10	1.98	0.016	0.11	2.5	0.6	0.01	55	14.65	<0.01	0.06
H248847		10.5	1.36	0.80	0.06	0.06	0.34	0.019	0.23	4.4	1.0	0.01	42	6.43	<0.01	0.05
H248848		258	9.66	1.22	0.44	0.02	7.57	0.257	0.31	4.5	1.4	0.01	55	30.3	0.01	0.62
H248849		83.9	9.74	2.68	0.16	0.07	0.04	0.118	0.23	43.7	2.2	0.21	2150	1.32	0.03	0.68
H248850		1840	9.27	9.09	0.14	0.04	329	4.80	0.05	1.3	0.4	0.05	34100	2.45	0.01	0.15
G285901		30.9	28.3	2.37	0.24	0.05	0.72	15.30	0.06	3.2	0.3	0.20	25100	47.0	<0.01	0.21
G285902		3240	6.08	12.10	1.84	0.04	19.60	1.075	0.14	6.8	0.4	0.01	133	1895	<0.01	0.14
G285903		2590	6.96	1.99	0.42	0.06	18.95	0.187	0.11	1.9	0.5	0.03	1030	177.0	<0.01	0.08
G285904		1175	0.42	0.32	0.20	<0.02	16.25	0.129	0.01	0.3	0.1	<0.01	225	41.4	<0.01	0.09
G285905		391	23.9	3.62	0.39	0.05	3.31	3.03	0.21	1.4	0.6	0.23	28100	242	0.01	0.42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9- OCT- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10137368

Sample Description	Method Analyte Units LOR	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2	ME- MS41 Ti % 0.005
H248827		12.6	130	96.2	2.9	<0.001	0.02	0.11	2.6	0.2	<0.2	5.1	<0.01	0.04	0.4	<0.005
H248828		<0.2	240	9750	0.5	<0.001	2.46	20.3	0.7	13.0	59.5	89.0	<0.01	0.03	0.3	<0.005
H248829		4.1	190	6810	0.7	<0.001	0.70	243	0.4	10.8	145.5	15.8	<0.01	0.02	<0.2	<0.005
H248830		1.7	1180	>10000	3.0	0.005	1.07	9120	0.8	47.3	37.8	50.5	<0.01	0.10	0.8	<0.005
H248831		0.4	770	>10000	0.6	0.004	>10.0	2300	0.2	73.1	54.6	33.9	<0.01	0.17	<0.2	<0.005
H248832		89.6	2040	>10000	18.1	<0.001	3.97	704	17.2	11.4	26.4	90.7	0.01	0.06	1.2	0.007
H248833		77.8	3290	1330	24.6	<0.001	0.14	27.6	16.7	0.5	0.4	670	0.01	0.01	3.2	0.006
H248834		48.3	610	3210	5.9	0.011	0.35	15.00	1.0	3.3	0.7	41.8	<0.01	0.08	1.4	<0.005
H248835		62.0	570	318	2.3	0.002	0.08	10.45	1.1	1.6	0.4	18.1	<0.01	0.02	1.1	<0.005
H248836		33.0	180	373	11.9	<0.001	0.72	0.94	6.0	1.6	0.4	74.1	<0.01	0.03	3.3	<0.005
H248837		5.0	320	>10000	1.9	<0.001	3.35	581	1.2	3.2	48.4	108.0	<0.01	0.05	0.5	<0.005
H248838		54.9	3070	8250	6.7	0.009	0.22	205	9.4	39.6	2.0	318	0.01	0.18	2.8	<0.005
H248839		11.8	660	>10000	10.4	0.013	0.22	122.0	2.3	17.3	3.2	49.0	<0.01	0.08	2.2	0.009
H248840		4.8	260	3370	9.0	0.008	0.15	39.4	1.1	7.4	1.8	17.6	<0.01	0.04	1.8	<0.005
H248841		2.2	3320	421	7.6	0.090	0.11	21.2	1.8	18.4	0.9	311	<0.01	0.16	1.3	<0.005
H248842		16.4	>10000	>10000	6.8	0.049	4.42	2070	4.8	230	20.4	352	<0.01	0.36	1.4	<0.005
H248843		1.3	900	457	5.0	0.054	0.07	21.4	1.2	12.0	0.5	87.2	<0.01	0.11	0.9	<0.005
H248844		2.7	430	3130	5.8	0.038	0.11	27.3	0.9	15.7	0.7	67.3	<0.01	0.12	1.2	<0.005
H248845		3.0	430	1635	5.9	0.023	0.07	12.30	1.1	12.5	0.8	44.5	<0.01	0.08	1.5	<0.005
H248846		3.6	1140	1925	5.2	0.025	0.12	24.4	0.9	16.7	1.4	110.5	<0.01	0.06	0.6	<0.005
H248847		1.3	1010	90.0	5.8	0.034	0.33	9.49	1.0	9.4	0.3	41.2	<0.01	0.18	1.4	<0.005
H248848		13.0	>10000	>10000	12.7	0.003	5.56	1010	10.0	89.1	7.8	72.0	<0.01	0.47	47.3	<0.005
H248849		91.8	7270	373	19.6	<0.001	0.21	8.21	15.2	0.9	<0.2	148.5	0.01	0.02	4.3	<0.005
H248850		13.5	460	>10000	3.6	<0.001	0.31	513	2.6	23.4	103.5	71.1	<0.01	0.07	0.2	<0.005
G285901		14.7	2480	3610	2.5	0.004	0.08	26.8	2.7	8.6	2.2	117.0	<0.01	0.10	1.5	<0.005
G285902		47.1	>10000	>10000	3.9	0.013	6.37	2690	8.2	430	54.5	391	0.01	0.67	2.3	<0.005
G285903		27.9	3580	>10000	4.6	0.050	0.50	>10000	8.9	101.0	9.1	148.5	0.01	0.17	0.6	<0.005
G285904		0.8	800	>10000	0.3	0.001	>10.0	2940	0.5	52.6	31.5	22.8	<0.01	0.13	<0.2	<0.005
G285905		1005	2620	>10000	13.7	0.002	1.05	314	9.2	52.0	17.1	49.2	<0.01	0.08	0.5	<0.005



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9- OCT- 2010
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS VA10137368

Sample Description	Method Analyte Units LOR	ME- MS41 TI ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5	Ag- OG46 Ag ppm 1	Pb- OG46 Pb % 0.001	Zn- OG46 Zn % 0.001	As- OG46 As % 0.01
H248827		0.02	0.19	4	<0.05	1.99	529	1.4				
H248828		0.05	0.48	<1	0.05	3.41	>10000	0.8		1.020	9.17	
H248829		0.20	0.42	<1	<0.05	3.14	>10000	0.7			21.5	
H248830		0.52	7.04	105	0.25	2.82	2130	4.5	>1500	6.28		
H248831		0.58	4.60	28	0.24	0.55	2800	1.2	>1500	>20.0		
H248832		0.70	0.70	24	0.30	6.18	>10000	2.7	706	>20.0	8.24	
H248833		0.32	0.27	78	0.18	11.55	719	2.4				
H248834		0.31	3.12	53	0.14	4.11	1440	11.3				
H248835		0.07	1.70	27	0.11	1.70	673	3.0				
H248836		0.15	0.80	15	<0.05	7.33	380	3.1				
H248837		0.15	0.69	3	0.09	7.78	>10000	2.5	255	10.65	4.62	
H248838		0.49	12.35	265	0.45	16.30	1060	6.0				
H248839		0.29	7.50	160	0.40	7.93	209	11.6		1.235		
H248840		0.13	3.58	68	0.16	3.81	191	6.9				
H248841		0.26	12.35	268	0.30	8.21	62	2.5				
H248842		0.72	36.2	522	1.48	13.20	1110	2.7	1340	>20.0		
H248843		0.33	4.64	92	0.25	3.32	50	7.7				
H248844		0.34	4.54	79	0.23	3.98	53	10.7				
H248845		0.17	5.01	61	0.21	4.11	41	10.5				
H248846		0.40	6.02	73	0.25	3.29	43	6.6				
H248847		0.17	2.49	47	0.30	6.93	20	3.3				
H248848		0.47	2.29	64	0.13	7.02	1900	1.7	858	>20.0		3.42
H248849		0.30	0.61	109	0.12	17.10	440	3.6				
H248850		0.18	0.74	10	0.07	5.04	>10000	1.3		3.10	>30.0	
G285901		0.14	3.92	87	0.91	6.76	1990	3.3				
G285902		0.66	86.3	993	5.51	20.8	1730	2.1	>1500	>20.0		
G285903		0.27	23.1	355	0.52	14.40	5610	5.3	245	3.34		
G285904		0.60	3.34	26	0.12	1.04	1220	0.7	>1500	>20.0		
G285905		0.29	12.45	127	1.09	4.27	491	2.9	295	6.19		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9- OCT- 2010
Account: MTT

CERTIFICATE OF ANALYSIS VA10137368

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41 ME- MS41	Interference: Ca> 10% on ICP- MS As,ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g). Interference: Mo> 400ppm on ICP- MS Cd,ICP- AES results shown.