



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
604 - 700 WEST PENDER STREET ,
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 29-JUL-2010
This copy reported on
19-JAN-2011
Account: OVERRE

CERTIFICATE WH10094733

Project: YBMP

P.O. No.: 11

This report is for 30 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 12-JUL-2010.

The following have access to data associated with this certificate:

HUGH BRESSER

ALEX TOLSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME-MS41	51 anal. aqua regia ICPMS	

To: OVERLAND RESOURCES LTD.
ATTN: ALS CHEMEX

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
604 - 700 WEST PENDER STREET ,
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 29-JUL-2010
Account: OVERRE

Project: YBMP

CERTIFICATE OF ANALYSIS WH10094733

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm	ME-MS41 Cs ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
G0681693		2.81	0.78	0.35	468	<0.2	<10	80	0.61	0.47	0.68	2.22	40.6	22.6	3	2.42
G0681694		2.55	0.96	0.46	527	<0.2	<10	70	0.62	0.35	0.94	2.78	35.2	21.2	4	1.86
G0681695		2.85	25.7	0.35	1180	<0.2	<10	30	0.46	2.77	2.23	160.0	10.80	51.6	3	1.30
G0681696		2.42	8.28	0.35	701	<0.2	<10	60	0.58	0.96	3.06	36.1	16.15	19.3	3	1.75
G0681697		2.50	4.06	0.36	1115	<0.2	<10	50	0.61	0.35	1.41	6.44	16.20	30.4	3	1.98
G0681698		2.55	1.75	0.36	1000	<0.2	<10	60	0.62	0.30	1.51	1.74	17.75	30.8	3	1.96
G0681699		2.72	2.49	0.35	684	<0.2	<10	80	0.51	0.34	1.26	37.9	30.7	20.9	3	1.86
G0681700		0.03	6.44	1.96	104.5	1.5	<10	40	0.28	2.95	0.95	10.35	16.35	38.5	108	0.69
G0681701		2.65	14.30	0.41	1000	<0.2	<10	40	0.82	0.82	0.46	172.0	41.1	26.9	3	2.76
G0681702		2.67	28.2	0.36	1095	<0.2	<10	30	0.53	0.68	0.60	502	15.90	25.3	3	1.57
G0681703		3.27	6.02	0.39	848	<0.2	<10	40	0.76	0.33	0.91	99.8	27.4	23.7	3	2.61
G0681704		2.36	17.70	0.30	805	<0.2	<10	30	0.49	0.38	1.25	488	18.95	30.4	3	1.64
G0681705		1.76	0.20	1.12	12	<0.2	<10	80	0.59	0.13	10.15	0.97	45.0	7.7	15	1.72
G0681706		2.73	11.75	0.30	512	<0.2	<10	60	0.37	0.23	1.66	337	24.0	25.0	3	1.30
G0681707		2.35	3.25	0.26	159.5	<0.2	<10	60	0.24	0.13	2.48	78.6	19.90	12.2	3	0.58
G0681708		2.68	2.86	0.31	290	<0.2	<10	60	0.34	0.20	3.64	22.3	21.8	17.9	3	0.73
G0681709		1.42	1.39	0.31	205	<0.2	<10	80	0.36	0.11	4.85	36.9	32.0	10.3	3	0.81
G0681710		1.28	1.48	0.33	229	<0.2	<10	70	0.40	0.11	3.45	33.1	30.2	11.1	3	1.00
G0681711		2.37	1.61	0.47	609	<0.2	<10	60	0.55	0.24	2.18	27.8	39.1	23.8	6	1.25
G0681712		2.44	1.66	0.44	491	<0.2	<10	60	0.56	0.19	0.59	13.70	47.2	20.5	5	1.26
G0681713		2.79	7.42	0.31	800	<0.2	<10	40	0.28	0.25	1.58	103.0	13.90	27.9	3	0.63
G0681714		2.51	24.5	0.31	1305	<0.2	<10	20	0.25	0.95	1.47	67.9	14.75	37.9	3	1.49
G0681715		2.40	1.58	0.37	947	<0.2	<10	60	0.47	0.43	0.88	4.63	34.7	25.0	3	2.57
G0681716		3.31	1.59	0.38	901	<0.2	<10	30	0.43	0.29	1.17	7.61	25.9	25.7	3	2.18
G0681717		2.77	3.70	0.36	599	<0.2	<10	70	0.42	0.16	3.10	49.0	25.8	22.1	3	2.40
G0681718		2.90	5.30	0.38	296	<0.2	<10	80	0.50	0.13	4.24	78.7	40.6	12.3	3	2.42
G0681719		2.40	3.20	0.34	321	<0.2	<10	80	0.44	0.16	3.12	61.3	40.5	14.2	3	2.12
G0681720		0.03	5.71	1.95	97.9	1.4	<10	40	0.23	3.13	0.93	9.54	17.05	36.2	105	0.76
G0681721		2.55	4.64	0.52	308	<0.2	<10	70	0.50	0.31	0.96	25.3	21.6	35.3	12	1.96
G0681712b		<0.02	4.26	0.46	302	<0.2	<10	70	0.48	0.30	0.97	26.0	21.0	35.3	10	1.90



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
604 - 700 WEST PENDER STREET ,
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 29-JUL-2010
Account: OVERRE

Project: YBMP

CERTIFICATE OF ANALYSIS WH10094733

Sample Description	Method Analyte Units LOR	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %	ME-MS41 Nb ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
G0681693		6.4	5.77	1.09	0.09	0.13	0.04	0.017	0.24	19.7	2.2	0.35	1220	0.55	0.01	<0.05
G0681694		9.1	4.99	1.41	0.08	0.12	0.01	0.026	0.31	16.7	2.3	0.40	1560	0.45	0.01	<0.05
G0681695		81.4	10.80	1.15	0.15	0.14	0.79	0.978	0.24	4.9	2.0	0.37	2410	0.42	0.01	0.08
G0681696		40.9	6.50	1.05	0.09	0.13	0.13	0.228	0.24	7.1	1.9	0.36	2970	0.22	0.01	<0.05
G0681697		40.3	8.76	1.03	0.11	0.15	0.03	0.048	0.23	7.4	2.4	0.42	1830	0.72	0.01	0.07
G0681698		48.9	7.69	1.02	0.10	0.15	0.01	0.027	0.22	8.5	2.1	0.48	1600	0.33	0.01	0.06
G0681699		38.6	5.93	1.09	0.08	0.15	0.13	0.272	0.25	14.5	1.8	0.39	1510	0.38	0.01	<0.05
G0681700		1610	6.78	7.71	0.13	0.80	0.24	0.661	0.09	7.5	5.4	0.91	882	72.4	0.17	0.19
G0681701		82.9	7.91	1.26	0.11	0.19	0.36	0.897	0.27	19.9	3.2	0.14	827	0.50	0.01	0.05
G0681702		447	10.75	1.60	0.14	0.16	1.03	3.66	0.24	7.5	2.8	0.18	1230	0.55	0.01	0.07
G0681703		183.0	7.35	1.27	0.10	0.16	0.17	0.727	0.27	12.0	2.1	0.27	1370	0.54	0.01	0.06
G0681704		594	7.78	1.38	0.11	0.15	0.79	3.23	0.19	8.4	1.9	0.40	2940	0.64	0.01	0.06
G0681705		13.0	2.69	3.85	0.07	0.16	0.01	0.027	0.13	22.0	28.4	0.51	982	0.35	0.03	0.06
G0681706		440	5.75	1.26	0.08	0.18	0.87	2.44	0.21	10.9	1.5	0.40	3610	0.46	0.01	<0.05
G0681707		209	3.95	0.89	0.06	0.09	0.20	0.546	0.18	8.7	1.6	0.47	5050	1.22	0.01	<0.05
G0681708		94.8	5.12	0.88	0.07	0.10	0.06	0.163	0.18	9.4	2.2	0.44	4870	0.53	0.01	0.05
G0681709		61.9	3.59	1.05	0.07	0.10	0.07	0.256	0.19	14.5	2.3	0.34	7220	0.47	0.01	<0.05
G0681710		60.5	3.67	0.97	0.06	0.10	0.06	0.216	0.20	13.9	2.4	0.33	5230	0.54	0.01	<0.05
G0681711		71.1	6.02	1.49	0.09	0.15	0.06	0.184	0.23	18.3	4.1	0.38	4210	0.64	0.01	0.05
G0681712		90.4	4.74	1.33	0.08	0.12	0.04	0.106	0.24	22.0	3.3	0.26	2070	0.60	0.01	<0.05
G0681713		235	7.80	0.98	0.10	0.12	0.27	0.788	0.19	6.2	1.9	0.34	3490	0.72	0.01	0.06
G0681714		167.0	11.30	0.91	0.15	0.16	0.20	0.566	0.20	6.3	1.4	0.33	2650	0.81	0.01	0.13
G0681715		33.7	6.67	1.17	0.10	0.12	0.02	0.046	0.25	17.0	1.7	0.26	1360	0.51	0.01	0.07
G0681716		24.3	6.82	1.25	0.10	0.15	0.04	0.061	0.27	13.0	1.5	0.27	2010	0.65	0.01	0.09
G0681717		109.5	5.83	1.20	0.10	0.20	0.16	0.433	0.26	12.7	1.3	0.29	5190	0.42	0.02	0.08
G0681718		237	3.21	1.33	0.08	0.17	0.33	0.753	0.28	19.9	1.5	0.32	6860	0.38	0.01	0.06
G0681719		197.5	3.34	1.17	0.08	0.17	0.27	0.549	0.25	19.0	1.5	0.29	5610	0.40	0.01	0.06
G0681720		1585	6.38	7.91	0.15	0.72	0.22	0.676	0.08	7.8	5.1	0.87	860	62.0	0.16	0.23
G0681721		147.5	6.63	2.07	0.12	0.29	0.14	0.222	0.21	9.5	6.9	0.45	3520	20.6	0.01	0.10
G0681712b		138.5	6.43	1.85	0.11	0.30	0.14	0.218	0.19	9.4	6.4	0.46	3520	19.95	0.01	0.09



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
 604 - 700 WEST PENDER STREET ,
 VANCOUVER BC V6C 1G8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 29-JUL-2010
 Account: OVERRE

Project: YBMP

CERTIFICATE OF ANALYSIS WH10094733

Sample Description	Method Analyte Units LOR	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2	ME-MS41 Ti % 0.005
G0681693		31.6	290	125.5	14.8	<0.001	4.60	2.54	2.5	0.5	5.1	74.3	<0.01	0.05	7.5	<0.005
G0681694		29.0	290	196.5	17.6	<0.001	3.60	2.32	2.9	0.5	9.3	92.9	<0.01	0.02	6.8	<0.005
G0681695		26.5	230	>10000	13.0	<0.001	>10.0	15.00	2.5	7.6	11.3	155.0	<0.01	0.62	3.8	<0.005
G0681696		24.9	270	4050	13.3	<0.001	6.72	5.79	2.9	2.7	10.0	173.0	<0.01	0.18	4.2	<0.005
G0681697		36.7	250	1800	12.8	<0.001	9.01	6.09	3.1	1.3	9.8	135.5	<0.01	0.12	5.0	<0.005
G0681698		40.0	250	293	12.9	<0.001	6.94	3.79	3.1	0.6	12.8	135.5	<0.01	0.04	5.7	<0.005
G0681699		30.8	280	981	14.8	<0.001	4.90	3.24	2.7	1.0	13.7	114.5	<0.01	0.05	6.8	<0.005
G0681700		47.8	420	511	8.8	0.001	2.07	8.73	6.5	5.6	1.3	37.4	<0.01	0.10	2.1	0.185
G0681701		36.7	280	9610	15.9	<0.001	9.24	9.50	2.4	3.5	23.8	46.2	<0.01	0.14	8.2	<0.005
G0681702		24.6	240	>10000	13.8	<0.001	>10.0	17.10	2.0	7.3	58.3	49.6	<0.01	0.30	4.8	<0.005
G0681703		30.0	330	2240	16.0	<0.001	7.88	4.83	3.0	1.9	23.9	74.4	<0.01	0.10	7.1	<0.005
G0681704		35.2	220	6130	10.9	<0.001	9.49	10.15	3.2	4.8	54.9	96.1	<0.01	0.15	5.1	<0.005
G0681705		14.3	700	29.6	9.0	<0.001	0.37	0.18	3.6	0.5	0.7	418	<0.01	0.01	6.7	0.006
G0681706		32.6	240	3710	11.6	<0.001	6.28	7.20	2.9	3.4	59.3	123.5	<0.01	0.11	5.9	<0.005
G0681707		19.1	220	818	9.9	0.001	2.30	4.37	3.7	1.2	17.7	179.5	<0.01	0.03	4.4	<0.005
G0681708		28.2	200	791	10.1	<0.001	4.11	5.16	3.5	1.1	9.0	212	<0.01	0.04	4.1	<0.005
G0681709		23.1	240	298	10.5	<0.001	2.86	5.18	3.0	1.0	10.5	232	<0.01	0.03	4.4	<0.005
G0681710		23.2	270	319	11.2	<0.001	2.77	4.08	2.9	0.8	10.3	182.5	<0.01	0.02	4.9	<0.005
G0681711		34.4	300	192.0	13.7	0.001	5.07	5.92	3.8	0.9	11.1	115.0	<0.01	0.04	6.4	<0.005
G0681712		33.4	320	220	13.9	0.001	3.83	6.66	3.1	0.6	12.2	50.6	<0.01	0.03	7.2	<0.005
G0681713		27.6	240	2270	11.0	0.001	8.39	5.20	3.2	2.2	31.6	129.5	<0.01	0.12	4.7	<0.005
G0681714		36.8	230	>10000	10.3	<0.001	>10.0	17.00	2.9	4.1	20.2	113.0	<0.01	0.35	4.7	<0.005
G0681715		43.4	300	352	13.4	<0.001	7.32	4.23	3.4	0.8	16.7	84.4	<0.01	0.05	7.6	<0.005
G0681716		39.9	290	412	13.4	<0.001	7.58	3.63	3.4	0.7	12.6	102.0	<0.01	0.07	7.1	<0.005
G0681717		38.2	290	1210	13.7	<0.001	6.66	5.83	3.4	1.1	22.5	192.0	<0.01	0.07	9.2	<0.005
G0681718		30.5	310	1570	14.4	<0.001	3.20	8.67	3.7	1.4	33.3	241	<0.01	0.06	10.1	<0.005
G0681719		34.2	300	874	12.6	0.001	3.22	6.31	3.5	1.1	28.0	174.5	0.01	0.04	10.0	<0.005
G0681720		49.9	400	491	7.9	0.001	2.03	8.16	6.5	4.7	1.3	34.7	<0.01	0.09	2.3	0.185
G0681721		87.1	1170	943	12.3	0.015	5.34	16.05	4.5	2.4	12.7	133.5	<0.01	0.23	5.0	<0.005
G0681712b		86.7	1160	923	11.1	0.012	5.12	17.15	4.3	2.3	11.6	134.0	<0.01	0.22	5.1	<0.005



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
604 - 700 WEST PENDER STREET ,
VANCOUVER BC V6C 1G8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 29-JUL-2010
Account: OVERRE

Project: YBMP

CERTIFICATE OF ANALYSIS WH10094733

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Pb-OG46 Pb % 0.001	Zn-OG46 Zn % 0.001
G0681693		0.12	0.75	4	0.05	5.49	163	4.9		
G0681694		0.14	0.36	6	0.07	6.30	291	4.7		
G0681695		0.13	0.26	4	0.05	7.57	>10000	5.1	1.190	1.285
G0681696		0.10	0.23	3	0.05	10.65	2590	5.2		
G0681697		0.11	0.46	4	0.06	7.22	539	5.5		
G0681698		0.09	0.49	4	0.07	6.53	182	5.7		
G0681699		0.11	0.48	4	0.06	6.06	2820	5.4		
G0681700		0.50	0.53	62	1.08	10.45	5210	32.3		
G0681701		0.13	0.36	4	0.06	5.21	>10000	6.7		1.240
G0681702		0.16	0.38	4	0.06	4.08	>10000	5.7	1.750	3.83
G0681703		0.12	0.58	3	0.12	7.26	7460	6.1		
G0681704		0.11	0.34	4	0.25	7.86	>10000	5.5		3.85
G0681705		0.05	0.74	13	0.79	11.75	258	6.4		
G0681706		0.10	0.27	3	0.06	7.21	>10000	5.8		2.60
G0681707		0.10	0.26	3	0.15	8.66	5650	2.9		
G0681708		0.09	0.22	3	0.11	13.00	1780	3.5		
G0681709		0.09	0.23	3	0.05	17.80	2620	3.5		
G0681710		0.09	0.26	3	0.05	12.95	2570	3.6		
G0681711		0.13	0.74	7	0.06	11.95	2140	5.9		
G0681712		0.13	0.46	6	0.08	7.74	1090	4.9		
G0681713		0.14	0.26	4	0.16	6.11	8030	4.2		
G0681714		0.12	0.31	5	0.12	8.50	5610	6.3	1.265	
G0681715		0.13	0.55	4	<0.05	8.21	445	5.3		
G0681716		0.14	0.44	4	0.05	7.76	662	6.6		
G0681717		0.13	0.45	4	<0.05	12.95	4170	8.4		
G0681718		0.14	0.41	4	0.52	18.00	6640	6.9		
G0681719		0.14	0.43	4	0.05	13.95	5050	6.2		
G0681720		0.50	0.57	61	1.11	10.55	5030	30.7		
G0681721		0.23	2.25	29	0.07	12.80	2230	13.6		
G0681712b		0.22	2.24	27	0.06	12.55	2200	12.9		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: OVERLAND RESOURCES LTD.
604 - 700 WEST PENDER STREET ,
VANCOUVER BC V6C 1G8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 29-JUL-2010
Account: OVERRE

Project: YBMP

CERTIFICATE OF ANALYSIS WH10094733

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).