



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZINCCORP RESOURCES INC.  
711 - 675 W. HASTINGS ST.  
VANCOUVER BC V6B 1N2

Page: 1  
Finalized Date: 18-AUG-2010  
This copy reported on  
22-FEB-2011  
Account: ZINCRE

**CERTIFICATE WH10103284**

Project: Michelle

P.O. No.:

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 28-JUL-2010.

The following have access to data associated with this certificate:

J. M. DEJONG

WILLIAM D. MANN

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Pb-VOL70	Pb by Titration	
ME-MS61	48 element four acid ICP-MS	

To: ZINCCORP RESOURCES INC.  
ATTN: WILLIAM D. MANN  
19 HAYES CRES.  
WHITEHORSE YT Y1A 0E1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZINCCORP RESOURCES INC.  
711 - 675 W. HASTINGS ST.  
VANCOUVER BC V6B 1N2

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 18-AUG-2010  
Account: ZINCRE

Project: Michelle

**CERTIFICATE OF ANALYSIS WH10103284**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
I065301		0.87	0.24	0.16	4.1	7450	0.13	0.01	4.52	4.78	10.15	0.8	13	0.18	17.9	0.62
I065302		1.17	3.29	0.50	455	2770	0.87	0.01	13.80	51.3	5.54	57.7	32	0.16	143.5	16.20
I065303		1.09	0.87	0.42	171.5	2750	1.56	0.11	0.38	3.48	12.90	24.6	104	0.50	100.5	16.25
I065304		0.66	1.35	0.08	558	2730	0.06	0.05	0.29	11.55	20.6	0.9	<1	0.05	125.5	>50
I065305		0.89	7.14	0.10	143.5	3330	0.05	0.03	0.18	34.1	1.42	2.8	56	0.10	97.2	48.8
I065306		0.47	2.01	0.05	65.2	5370	0.41	0.01	0.22	3.07	0.99	7.1	18	<0.05	68.1	3.48
I065307		0.70	0.68	0.05	10	3570	<0.05	<0.01	18.55	49.5	0.88	0.9	2	0.11	25.0	2.45
I065308		0.42	49.0	0.12	41.4	5220	<0.05	0.89	6.66	560	1.83	0.7	1	0.11	244	3.30
I065309		0.76	1.70	0.05	30	1490	0.11	0.04	13.00	50.3	3.96	1.0	2	0.14	19.8	15.30
I065310		0.77	12.35	0.24	2240	600	0.07	1.37	0.32	33.4	3.75	0.6	<1	0.27	279	49.5
I065311		1.08	18.15	0.05	26	180	0.05	0.36	13.50	272	0.50	0.6	1	0.16	81.4	3.79
I065312		0.47	5.97	0.38	692	1660	0.79	2.24	0.41	17.95	9.56	3.6	13	0.47	243	>50
I065313		0.88	4.92	0.48	1420	180	0.09	22.6	0.13	7.91	5.37	1.6	7	0.41	69.2	47.0
I065314		0.79	0.66	0.19	49	760	0.20	0.19	16.15	7.96	5.67	1.4	5	0.49	41.2	7.47
I065315		0.63	3.37	0.23	619	180	0.38	20.5	1.08	9.31	6.26	8.8	1	0.25	146.0	>50
I065316		0.51	6.06	0.04	98	90	0.06	4.02	12.85	75.6	1.99	1.7	<1	0.10	57.5	11.70
I065317		0.84	10.70	0.08	448	40	<0.05	1.40	0.22	14.45	1.28	0.1	<1	<0.05	1150	>50
I065318		0.92	7.81	0.29	184.5	4880	<0.05	0.03	0.16	38.7	2.08	0.4	5	0.12	327	48.1
I065319		0.91	19.65	0.02	5	110	<0.05	0.06	13.15	357	0.31	0.4	<1	0.09	64.7	0.46
I065320		1.29	4.86	0.23	615	7210	0.13	0.03	0.21	25.7	1.21	0.4	27	<0.05	158.0	48.2
I065321		0.86	>100	0.10	139.5	320	0.06	0.67	0.15	17.80	0.99	0.2	<1	0.05	719	48.9
I065322		0.71	4.55	0.21	465	3790	0.06	0.46	0.18	21.9	1.91	0.4	<1	0.14	53.1	48.1
I065323		0.89	3.58	0.10	107.5	1150	<0.05	0.80	3.27	20.3	1.47	0.5	<1	0.07	45.2	42.7
I065324		0.49	0.40	0.07	36	460	0.06	0.47	19.10	4.35	1.57	0.6	2	0.08	5.9	1.56
I065325		0.63	9.41	0.10	101.5	400	<0.05	0.88	0.24	24.1	0.81	0.2	<1	<0.05	46.2	49.5
I065326		1.19	2.41	0.30	463	1980	0.08	0.01	0.18	32.1	1.07	0.1	22	<0.05	322	49.0
I065327		1.01	2.82	0.17	182.0	60	<0.05	0.02	0.15	12.80	2.41	0.3	<1	0.12	111.0	>50
I065328		0.77	42.5	0.04	<5	120	<0.05	0.06	17.80	11.50	0.65	0.6	1	0.12	2.7	1.43
I065329		0.69	5.08	0.07	13.2	590	0.05	0.01	5.11	232	2.76	1.2	1	0.10	74.8	15.85
I065330		1.00	>100	0.20	702	480	0.05	0.11	0.13	13.50	1.04	0.1	2	0.12	312	41.4
I065331		1.15	>100	0.01	7.7	40	<0.05	0.07	0.12	21.0	0.47	<0.1	2	<0.05	56.7	0.90
I065332		0.82	>100	0.01	3.7	30	<0.05	0.08	0.04	15.00	0.33	<0.1	2	<0.05	66.5	0.53
I065333		1.66	>100	0.01	7.0	30	<0.05	0.10	0.03	16.20	0.10	<0.1	2	<0.05	36.9	0.63
I065334		1.11	>100	0.01	5.0	20	<0.05	0.11	0.13	19.10	0.23	<0.1	2	<0.05	119.0	0.55
I065335		0.46	28.9	0.52	841	140	0.62	0.39	0.21	1.17	18.00	10.1	26	0.40	58.6	49.9
I065336		0.64	12.80	0.28	880	350	0.98	0.09	0.21	4.97	17.80	10.2	23	0.52	71.8	>50



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZINCCORP RESOURCES INC.  
711 - 675 W. HASTINGS ST.  
VANCOUVER BC V6B 1N2

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 18-AUG-2010  
Account: ZINCRE

Project: Michelle

**CERTIFICATE OF ANALYSIS WH10103284**

Sample Description	Method Analyte Units LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
I065301		0.67	<0.05	0.1	0.020	0.04	5.1	3.1	0.23	161	4.80	0.08	0.4	58.7	430	33.3
I065302		2.88	0.39	0.3	<0.005	0.02	3.9	1.0	0.79	563	483	0.04	0.4	1540	2250	77.1
I065303		5.58	0.32	0.9	0.028	0.04	10.0	2.6	0.19	556	757	0.03	1.8	1230	770	199.5
I065304		1.95	0.93	<0.1	0.440	0.02	15.3	<0.2	0.05	367	7.31	0.04	0.5	25.8	560	797
I065305		1.18	3.69	0.1	0.106	0.04	1.1	0.2	0.13	324	71.8	0.04	0.8	105.0	2590	3220
I065306		1.18	0.14	0.2	0.006	0.01	1.6	0.4	0.06	153	188.0	0.06	0.2	295	440	376
I065307		0.30	0.07	<0.1	0.005	0.02	0.7	0.5	11.05	785	3.38	0.05	0.1	15.6	130	133.0
I065308		114.0	0.16	0.1	1.775	0.04	1.7	0.4	4.05	1030	5.66	0.06	0.3	8.0	220	>10000
I065309		1.81	0.23	<0.1	0.016	0.02	3.7	0.5	8.07	1630	13.05	0.03	0.2	39.1	740	2220
I065310		42.5	2.93	0.2	1.440	0.08	3.2	0.5	0.16	231	18.60	0.02	0.6	15.8	570	9650
I065311		0.71	0.05	<0.1	0.130	0.02	0.5	1.5	8.42	1680	7.89	0.02	0.1	4.4	50	>10000
I065312		9.98	1.28	1.0	0.991	0.13	9.6	1.2	0.28	1500	46.3	0.02	1.7	39.7	1170	3370
I065313		6.87	0.91	0.2	0.266	0.13	3.1	2.4	0.13	968	8.80	0.05	1.3	10.8	210	2840
I065314		1.60	0.14	0.2	<0.005	0.08	2.9	1.6	9.72	745	3.07	0.02	1.0	5.5	500	679
I065315		1.76	1.34	0.3	0.483	0.09	4.1	0.9	0.29	1860	22.8	0.01	1.3	58.0	620	3930
I065316		16.25	0.21	<0.1	13.80	0.02	1.3	0.6	7.74	3400	3.03	0.01	0.3	<0.2	80	370
I065317		32.3	2.21	<0.1	10.10	0.01	0.9	<0.2	0.10	83	14.65	0.01	1.0	3.1	670	2760
I065318		106.0	4.17	0.1	8.95	0.04	1.3	0.5	0.08	172	19.90	0.07	1.1	15.2	1460	2150
I065319		3.07	0.07	<0.1	0.260	0.01	<0.5	0.5	8.44	764	0.82	0.01	0.1	5.0	30	>10000
I065320		18.80	2.71	0.2	2.32	0.01	0.8	0.3	0.09	253	66.1	0.08	0.7	52.8	4900	3090
I065321		470	144.0	0.1	68.7	0.02	0.7	0.5	0.08	497	4.97	0.01	0.7	5.7	180	2100
I065322		11.30	2.65	0.1	1.785	0.04	1.4	0.9	0.10	341	8.90	0.06	0.9	4.5	200	1130
I065323		7.92	2.31	0.1	2.66	0.02	1.2	0.3	1.98	512	45.4	0.02	0.8	6.4	160	1320
I065324		0.90	0.07	<0.1	0.040	0.03	0.9	0.5	10.85	410	0.88	0.02	0.2	4.0	490	159.0
I065325		44.7	8.17	<0.1	4.28	0.01	0.6	<0.2	0.12	211	16.25	0.01	0.9	5.4	350	9860
I065326		57.5	1.99	0.1	6.95	0.03	0.6	0.2	0.07	241	3.29	0.03	0.9	4.4	3330	2070
I065327		2.69	1.03	0.1	0.217	0.04	1.4	0.7	0.06	298	2.47	0.02	1.2	2.3	100	1740
I065328		0.97	0.06	<0.1	0.115	0.02	<0.5	0.8	11.60	1440	0.41	0.02	0.2	3.0	30	>10000
I065329		2.42	0.22	<0.1	0.138	0.02	2.0	0.8	2.84	4120	3.01	0.01	0.3	18.4	130	1480
I065330		83.3	1.95	0.2	16.45	0.06	0.9	0.7	0.07	110	10.55	0.01	0.9	1.3	150	>10000
I065331		4.22	0.15	<0.1	1.195	<0.01	0.8	<0.2	0.05	130	0.43	<0.01	<0.1	0.9	<10	>10000
I065332		2.35	0.10	<0.1	0.516	<0.01	0.7	<0.2	0.01	62	0.22	<0.01	<0.1	0.7	<10	>10000
I065333		2.66	0.11	<0.1	0.555	<0.01	<0.5	<0.2	0.01	107	0.23	<0.01	<0.1	1.0	<10	>10000
I065334		2.36	0.10	<0.1	0.667	<0.01	0.6	<0.2	0.01	84	0.61	<0.01	<0.1	1.1	<10	>10000
I065335		1.62	0.66	0.5	0.022	0.18	10.9	1.4	0.29	739	71.4	0.01	2.4	92.3	830	4330
I065336		1.50	1.11	0.3	0.020	0.08	14.8	1.3	0.24	2040	76.1	0.02	1.3	67.0	1340	1820



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZINCCORP RESOURCES INC.  
711 - 675 W. HASTINGS ST.  
VANCOUVER BC V6B 1N2

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 18-AUG-2010  
Account: ZINCRE

Project: Michelle

**CERTIFICATE OF ANALYSIS WH10103284**

Sample Description	Method Analyte Units LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
I065301		2.2	<0.002	0.04	7.73	1.3	3	<0.2	590	<0.05	0.05	0.2	0.012	0.27	1.9	44
I065302		1.4	0.019	0.19	110.0	1.5	15	<0.2	701	<0.05	0.06	0.2	0.006	1.01	32.1	323
I065303		3.6	0.015	0.08	50.6	11.6	3	1.0	773	0.08	1.00	0.5	0.016	1.33	4.1	209
I065304		0.9	<0.002	0.16	7.00	0.1	9	<0.2	14.1	<0.05	0.09	<0.2	<0.005	0.11	20.7	34
I065305		1.7	0.004	0.17	17.95	0.4	21	0.2	146.0	<0.05	0.10	<0.2	0.005	0.71	16.8	79
I065306		0.4	0.080	0.04	37.0	1.1	20	<0.2	788	<0.05	0.11	<0.2	<0.005	0.25	18.5	107
I065307		0.8	<0.002	0.09	1.87	0.2	9	<0.2	122.5	<0.05	<0.05	<0.2	<0.005	0.08	0.8	13
I065308		1.9	0.002	0.23	18.30	0.2	53	4.8	98.7	<0.05	0.07	0.2	0.006	0.49	2.2	8
I065309		0.9	<0.002	0.05	10.95	0.3	8	<0.2	85.0	<0.05	<0.05	<0.2	<0.005	0.14	11.0	36
I065310		4.2	<0.002	0.17	253	0.4	29	4.0	6.8	<0.05	0.63	0.4	0.008	0.19	32.0	14
I065311		0.9	<0.002	0.09	12.40	0.2	12	<0.2	85.8	<0.05	<0.05	<0.2	<0.005	0.10	7.8	2
I065312		7.3	0.003	0.13	109.0	2.1	4	1.5	11.9	0.05	0.45	1.0	0.022	0.33	23.5	150
I065313		7.1	<0.002	0.09	29.7	0.9	9	0.3	9.4	<0.05	0.72	0.7	0.021	0.14	18.4	17
I065314		4.1	<0.002	0.03	12.20	1.0	4	<0.2	117.0	0.06	<0.05	0.3	0.016	0.17	1.4	16
I065315		5.3	<0.002	0.08	37.6	0.8	44	0.3	9.9	<0.05	0.78	0.6	0.008	0.49	17.8	47
I065316		0.8	<0.002	0.05	8.64	<0.1	10	1.2	76.7	<0.05	0.05	<0.2	<0.005	0.07	4.4	2
I065317		0.6	<0.002	0.15	105.0	<0.1	3	0.6	2.6	<0.05	0.05	0.2	<0.005	0.10	7.6	1
I065318		1.8	0.002	0.24	46.5	0.2	15	1.2	29.2	<0.05	0.05	0.5	0.008	0.05	6.2	37
I065319		0.4	<0.002	0.53	13.05	<0.1	16	1.2	49.6	<0.05	<0.05	<0.2	<0.005	0.12	2.4	1
I065320		0.7	0.005	0.21	35.5	0.3	92	1.1	32.4	<0.05	0.08	0.3	<0.005	0.15	10.0	290
I065321		0.8	0.003	0.24	121.5	0.1	55	73.3	3.9	<0.05	0.16	0.3	<0.005	0.41	5.0	19
I065322		2.1	<0.002	0.34	12.40	0.1	7	4.6	9.3	<0.05	0.11	0.3	0.008	0.14	6.6	5
I065323		0.7	0.002	0.22	11.20	<0.1	10	0.8	17.1	<0.05	0.09	0.2	<0.005	0.11	12.4	6
I065324		1.5	<0.002	0.02	1.50	0.1	3	0.2	91.3	<0.05	<0.05	<0.2	<0.005	0.03	1.1	3
I065325		0.6	<0.002	0.44	18.40	<0.1	18	1.1	4.2	<0.05	<0.05	<0.2	<0.005	0.07	4.8	6
I065326		0.5	0.002	0.17	3.38	0.2	46	0.2	7.7	<0.05	<0.05	0.7	<0.005	0.18	7.7	109
I065327		1.9	<0.002	0.14	45.4	0.2	3	<0.2	4.8	<0.05	0.11	0.4	0.007	0.05	5.4	6
I065328		0.9	<0.002	0.25	38.7	<0.1	4	0.3	106.0	<0.05	<0.05	<0.2	<0.005	0.27	0.3	<1
I065329		0.8	<0.002	0.03	9.46	<0.1	26	<0.2	22.1	<0.05	<0.05	<0.2	<0.005	0.10	3.7	2
I065330		2.5	<0.002	0.15	809	<0.1	26	16.4	9.9	<0.05	0.38	0.2	0.008	0.07	4.0	14
I065331		0.2	<0.002	>10.0	2220	<0.1	24	2.9	6.4	<0.05	0.17	<0.2	<0.005	2.28	0.8	<1
I065332		0.1	<0.002	>10.0	2540	<0.1	21	2.7	4.3	<0.05	0.17	<0.2	<0.005	2.34	0.7	<1
I065333		0.1	<0.002	9.60	1880	<0.1	23	1.2	3.7	<0.05	0.49	<0.2	<0.005	2.47	0.5	<1
I065334		0.1	<0.002	>10.0	2750	<0.1	19	3.4	4.3	<0.05	0.20	<0.2	<0.005	2.63	0.7	<1
I065335		7.6	<0.002	0.16	40.4	2.3	3	0.4	5.7	0.12	0.13	1.6	0.057	1.13	6.4	106
I065336		3.8	0.002	0.09	86.9	2.1	3	0.2	12.6	<0.05	0.12	0.8	0.015	4.50	2.5	232



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZINCCORP RESOURCES INC.  
 711 - 675 W. HASTINGS ST.  
 VANCOUVER BC V6B 1N2

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 18-AUG-2010  
 Account: ZINCRE

Project: Michelle

**CERTIFICATE OF ANALYSIS WH10103284**

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Ag-GRA21 Ag ppm 5	Pb-VOL70 Pb % 0.01
I065301		0.1	6.6	406	8.3					
I065302		0.2	14.2	6110	18.3					
I065303		0.9	31.0	2430	40.9					
I065304		<0.1	1.6	>10000	1.8			1.795		
I065305		0.1	1.9	>10000	3.9			1.080		
I065306		0.2	4.7	1400	11.1					
I065307		<0.1	0.9	>10000	1.0			3.25		
I065308		0.1	0.7	>10000	2.8		1.920	28.0		
I065309		0.3	1.8	>10000	3.3			4.07		
I065310		0.1	1.0	>10000	6.2			2.07		
I065311		<0.1	0.4	>10000	1.0		4.83	9.53		
I065312		1.0	14.6	8490	47.5					
I065313		0.3	1.8	4360	7.4					
I065314		0.3	2.7	6430	7.4					
I065315		1.3	6.0	9580	13.9					
I065316		0.2	0.4	>10000	1.1			6.29		
I065317		0.1	0.4	>10000	1.4			2.14		
I065318		0.1	0.9	>10000	4.3			2.29		
I065319		0.1	0.2	>10000	0.5		6.04	11.25		
I065320		0.2	1.8	>10000	11.7			1.715		
I065321		0.2	0.7	>10000	5.0	112		2.08		
I065322		0.2	1.2	>10000	3.3			1.870		
I065323		0.1	1.1	>10000	3.1			2.12		
I065324		0.1	0.6	2740	1.1					
I065325		0.1	0.6	>10000	1.5			1.935		
I065326		0.1	0.8	>10000	4.6			1.820		
I065327		0.1	1.1	>10000	2.6			1.435		
I065328		0.1	0.3	7840	0.7		1.480			
I065329		0.1	1.3	>10000	1.9			22.7		
I065330		0.3	0.3	>10000	5.1	175	12.40	1.930		
I065331		0.1	0.1	7600	<0.5	>1500	>20.0		3650	80.35
I065332		<0.1	<0.1	2890	<0.5	>1500	>20.0		4120	82.41
I065333		<0.1	<0.1	2620	<0.5	>1500	>20.0		2960	82.78
I065334		<0.1	<0.1	5020	<0.5	>1500	>20.0		4180	82.14
I065335		0.6	9.9	610	27.3					
I065336		1.0	17.2	2860	13.5					



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ZINCCORP RESOURCES INC.  
711 - 675 W. HASTINGS ST.  
VANCOUVER BC V6B 1N2

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 18-AUG-2010  
Account: ZINCRE

Project: Michelle

**CERTIFICATE OF ANALYSIS WH10103284**

Method	CERTIFICATE COMMENTS
ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS61	Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown.
ME-MS61	REE's may not be totally soluble in this method.