



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 1
Finalized Date: 24-OCT-2010
Account: GOPRED

CERTIFICATE TR10145291

Project: Gold Dome

P.O. No.: AuDom-2010-JC-1390

This report is for 36 Percussion samples submitted to our lab in Whitehorse, YT, Canada on 12-OCT-2010.

The following have access to data associated with this certificate:

COR COE
KARIN FECOVA

JACK COTE
BILL SHERIFF

GILLES DESSUREAU

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: GOLDEN PREDATOR CANADA CORP.
ATTN: GILLES DESSUREAU
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 24-OCT-2010
Account: GOPRED

Project: Gold Dome

CERTIFICATE OF ANALYSIS TR10145291

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
RC12505		4.26	0.156	<0.2	0.74	231	<10	60	<0.5	3	0.71	<0.5	17	10	57	3.44
RC12506		4.17	0.134	<0.2	1.65	94	<10	60	0.6	3	0.48	<0.5	13	23	44	3.40
RC12507		6.36	0.007	<0.2	2.37	15	<10	50	1.0	<2	0.27	<0.5	17	27	37	4.39
RC12508		4.75	0.095	<0.2	1.16	2590	<10	60	0.5	3	0.39	<0.5	22	16	63	3.51
RC12509		6.51	0.017	<0.2	0.95	463	<10	50	<0.5	<2	0.49	<0.5	7	13	17	1.81
RC12510		6.63	0.036	<0.2	0.90	610	<10	50	<0.5	<2	0.52	<0.5	7	13	21	1.73
RC12511		4.74	0.027	<0.2	0.96	158	<10	40	0.6	2	0.25	<0.5	23	13	72	3.92
RC12512		4.16	0.005	<0.2	1.45	92	<10	40	0.6	<2	0.36	<0.5	15	19	43	3.77
RC12513		6.09	0.056	0.3	0.93	757	<10	50	<0.5	<2	0.72	<0.5	8	17	33	2.47
RC12514		5.78	0.072	0.5	0.49	283	<10	30	<0.5	<2	0.62	<0.5	45	10	25	2.27
RC12515		11.29	0.043	0.2	1.02	502	<10	40	0.5	<2	0.47	<0.5	69	18	31	3.03
RC12516		3.99	0.033	0.2	1.65	505	<10	40	0.7	<2	0.38	<0.5	18	21	62	4.28
RC12517		3.39	0.231	0.9	1.14	2650	<10	40	0.6	<2	0.50	<0.5	25	13	89	4.32
RC12518		7.66	0.101	0.4	1.37	450	<10	30	0.8	2	0.61	<0.5	20	18	60	4.58
RC12519		4.21	0.095	0.4	1.57	2000	<10	30	0.6	<2	0.31	<0.5	20	21	59	4.40
RC00014		0.09	2.24	0.7	1.21	1005	<10	160	<0.5	<2	1.20	<0.5	26	38	101	6.72
RC12520		4.41	0.241	0.3	1.78	1275	<10	40	0.8	<2	0.36	<0.5	22	22	63	4.76
RC12521		7.32	0.443	0.2	0.99	5390	<10	40	0.5	4	0.27	<0.5	12	15	29	2.67
RC12522		2.49	0.059	0.2	1.31	538	<10	50	0.6	<2	0.41	<0.5	22	18	42	3.29
RC12523		5.61	0.233	<0.2	1.16	466	<10	20	0.7	4	0.64	<0.5	8	18	47	2.73
RC12524		6.84	0.017	<0.2	1.85	193	<10	30	0.7	<2	0.13	<0.5	14	29	24	3.51
RC12525		3.27	0.133	<0.2	1.48	80	<10	40	0.7	<2	0.60	<0.5	13	21	40	3.47
RC12526		4.08	0.084	0.2	1.20	58	<10	40	0.6	<2	0.90	<0.5	11	22	43	2.70
RC12527		6.87	0.008	<0.2	2.23	251	<10	80	0.7	<2	0.71	<0.5	17	37	25	3.74
RC12528		8.78	0.017	<0.2	1.70	261	<10	40	0.7	<2	0.62	<0.5	20	25	55	3.75
RC12529		7.47	0.072	0.2	0.54	1055	<10	30	<0.5	<2	0.44	<0.5	6	10	26	1.72
RC12530		0.39	0.005	<0.2	0.22	14	<10	100	<0.5	<2	0.04	<0.5	1	7	5	0.49
RC12531		3.21	0.169	<0.2	0.81	2300	<10	40	0.5	<2	0.76	<0.5	14	12	33	3.13
RC12532		6.15	0.005	<0.2	0.97	64	<10	40	<0.5	<2	0.41	<0.5	10	12	27	2.59
RC12533		6.45	0.040	<0.2	0.54	953	<10	20	<0.5	<2	0.60	<0.5	3	10	9	1.46
RC12534		7.38	0.223	<0.2	1.07	747	<10	40	0.6	5	0.58	<0.5	9	12	22	2.17
RC12535		3.21	0.080	<0.2	0.79	159	<10	40	<0.5	<2	0.25	<0.5	9	11	24	2.19
RC12536		7.43	0.049	0.2	0.93	733	<10	40	<0.5	<2	0.66	<0.5	8	13	17	2.23
RC12537		6.34	<0.005	0.3	1.44	77	<10	40	0.5	<2	0.37	<0.5	14	25	37	3.43
RC12538		6.99	0.007	<0.2	0.74	74	<10	30	<0.5	<2	0.74	<0.5	15	11	57	3.22
RC12539		5.50	0.368	0.6	1.24	2120	<10	150	<0.5	<2	1.07	<0.5	11	30	31	3.16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 24-OCT-2010
Account: GOPRED

Project: Gold Dome

CERTIFICATE OF ANALYSIS TR10145291

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
RC12505		<10	<1	0.27	20	0.62	494	<1	0.02	37	300	7	0.52	27	1	60
RC12506		<10	<1	0.37	20	0.76	526	<1	0.02	32	330	6	0.44	4	2	37
RC12507		10	<1	0.30	40	1.19	622	<1	0.02	46	430	5	0.38	3	2	21
RC12508		<10	<1	0.29	30	0.59	510	<1	0.02	47	270	8	1.24	6	1	29
RC12509		<10	<1	0.18	10	0.39	280	<1	0.02	15	210	3	0.30	2	1	38
RC12510		<10	<1	0.17	10	0.35	263	<1	0.03	13	160	5	0.36	2	1	39
RC12511		<10	<1	0.17	30	0.57	534	1	0.02	48	360	9	1.56	9	1	30
RC12512		<10	<1	0.19	30	0.81	809	1	0.02	39	390	5	0.54	10	1	33
RC12513		<10	<1	0.23	10	0.52	466	<1	0.02	20	160	10	0.56	4	2	58
RC12514		<10	<1	0.18	10	0.41	518	<1	0.01	21	210	8	0.72	30	1	57
RC12515		<10	<1	0.21	20	0.59	617	1	0.02	33	240	8	0.52	14	1	42
RC12516		10	<1	0.18	20	0.95	884	<1	0.01	43	500	10	0.82	4	2	46
RC12517		<10	<1	0.21	20	0.74	832	1	0.01	55	560	7	1.64	17	1	56
RC12518		<10	<1	0.17	20	0.87	1000	<1	0.01	50	560	10	1.10	67	2	61
RC12519		<10	<1	0.16	20	0.88	830	<1	0.01	48	540	11	1.07	7	1	40
RC00014		<10	1	0.08	10	2.26	1595	3	0.24	118	1710	4	1.72	<2	3	68
RC12520		<10	<1	0.21	20	0.98	941	<1	0.01	54	590	10	1.04	19	2	49
RC12521		<10	1	0.18	20	0.52	316	<1	0.01	20	210	9	0.64	32	1	43
RC12522		<10	<1	0.21	20	0.68	550	<1	0.01	33	340	7	0.68	17	2	54
RC12523		<10	<1	0.13	20	0.58	502	<1	0.01	18	170	9	0.54	49	2	54
RC12524		<10	<1	0.18	30	0.87	309	<1	0.01	31	250	10	0.15	30	2	29
RC12525		10	<1	0.18	30	0.89	460	<1	0.01	35	550	10	0.89	46	2	65
RC12526		<10	<1	0.22	20	0.63	515	<1	0.01	23	500	12	0.60	31	2	78
RC12527		10	1	0.50	10	0.99	468	<1	0.02	31	190	10	0.31	6	3	93
RC12528		10	<1	0.24	20	0.94	492	<1	0.01	41	260	10	0.88	99	2	59
RC12529		<10	<1	0.12	10	0.32	288	<1	0.01	12	80	7	0.41	13	1	39
RC12530		<10	<1	0.07	10	0.07	67	<1	0.02	4	40	6	0.03	<2	<1	5
RC12531		<10	<1	0.21	20	0.57	538	<1	0.01	26	500	11	0.62	38	1	57
RC12532		<10	<1	0.20	20	0.55	380	<1	0.01	23	180	9	0.19	16	1	40
RC12533		<10	<1	0.08	10	0.37	278	<1	0.01	6	90	7	0.12	5	1	44
RC12534		<10	<1	0.15	20	0.43	209	<1	0.01	16	2310	10	0.16	25	1	36
RC12535		<10	<1	0.13	20	0.37	372	<1	0.01	18	160	10	0.42	47	1	26
RC12536		<10	<1	0.17	20	0.54	471	<1	0.01	16	180	8	0.34	8	1	54
RC12537		<10	<1	0.21	20	0.76	581	<1	0.02	38	250	10	0.74	<2	2	42
RC12538		<10	<1	0.17	20	0.51	569	<1	0.01	33	610	8	1.03	7	1	57
RC12539		<10	<1	0.34	10	0.82	606	<1	0.03	22	490	10	0.64	6	4	77



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 24-OCT-2010
Account: GOPRED

Project: Gold Dome

CERTIFICATE OF ANALYSIS TR10145291

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
RC12505		<20	0.01	<10	<10	7	<10	55
RC12506		<20	0.04	<10	<10	17	10	68
RC12507		20	0.05	<10	<10	18	<10	105
RC12508		<20	0.02	<10	<10	11	<10	44
RC12509		<20	0.02	<10	<10	9	<10	28
RC12510		<20	0.01	<10	<10	9	<10	23
RC12511		<20	0.01	<10	<10	10	<10	39
RC12512		<20	0.01	<10	<10	12	<10	73
RC12513		<20	0.01	<10	<10	11	<10	34
RC12514		<20	<0.01	<10	<10	4	210	34
RC12515		<20	0.01	<10	<10	10	290	50
RC12516		<20	0.01	<10	<10	12	10	82
RC12517		<20	<0.01	<10	<10	7	10	56
RC12518		<20	<0.01	<10	<10	12	<10	93
RC12519		<20	0.01	<10	<10	12	<10	83
RC00014		<20	0.14	<10	<10	38	<10	83
RC12520		<20	0.01	<10	<10	14	<10	90
RC12521		<20	0.01	<10	<10	10	<10	34
RC12522		<20	0.01	<10	<10	12	40	55
RC12523		<20	<0.01	<10	<10	13	<10	32
RC12524		<20	0.01	<10	<10	21	<10	72
RC12525		<20	0.01	<10	<10	15	<10	69
RC12526		<20	0.01	<10	<10	16	<10	48
RC12527		<20	0.05	<10	<10	27	<10	77
RC12528		<20	0.01	<10	<10	18	<10	77
RC12529		<20	<0.01	<10	<10	6	<10	27
RC12530		<20	0.01	<10	<10	3	<10	7
RC12531		<20	0.01	<10	<10	9	<10	53
RC12532		<20	0.01	<10	<10	9	<10	55
RC12533		<20	<0.01	<10	<10	5	<10	21
RC12534		<20	<0.01	<10	<10	10	<10	46
RC12535		<20	<0.01	<10	<10	8	<10	44
RC12536		<20	0.01	<10	<10	9	<10	44
RC12537		<20	0.02	<10	<10	17	<10	67
RC12538		<20	<0.01	<10	<10	7	<10	46
RC12539		<20	0.04	<10	<10	33	10	54