



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 1
Finalized Date: 21-AUG-2010
Account: GOPRED

CERTIFICATE WH10107092

Project: Gold Dome

P.O. No.: AuDom-2010-JC-0143

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6-AUG-2010.

The following have access to data associated with this certificate:

COR COE
KARIN FECOVA

JACK COTE
BILL SHERIFF

GILLES DESSUREAU

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: GOLDEN PREDATOR CANADA CORP.
ATTN: GILLES DESSUREAU
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 21-AUG-2010
 Account: GOPRED

Project: Gold Dome

CERTIFICATE OF ANALYSIS WH10107092

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005
I038787		0.24	<0.005
I038788		5.02	0.011
I038789		5.11	<0.005
I038790		5.04	<0.005
I038791		5.06	<0.005
I038792		5.23	<0.005
I038793		5.06	<0.005
I038794		4.96	0.006
I038795		4.92	<0.005
I038796		4.63	<0.005
I038797		4.95	0.025
I038798		2.39	0.017
I038799		2.29	0.013
I038800		5.51	0.010
I038801		4.42	0.026
I038802		4.87	0.057
I038803		5.30	0.244
I038804		5.24	<0.005
I038805		4.39	0.313
I038806		3.16	0.418
I038807		0.08	1.010
I038808		5.30	0.014
I038809		5.04	0.034
I038810		4.97	0.036
I038811		4.62	<0.005
I038812		4.89	0.069
I038813		5.19	0.024
I038814		5.46	0.029
I038815		5.17	0.005
I038816		5.10	<0.005
I038817		5.81	0.006
I038818		4.70	<0.005
I038819		5.38	<0.005
I038820		4.92	<0.005
I038821		5.12	<0.005
I038822		0.21	<0.005