



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 1  
Finalized Date: 7-SEP-2010  
Account: GOPRED

**CERTIFICATE WH10112264**

Project: Gold Dome

P.O. No.: AuDom-2010-JC-1182

This report is for 36 Percussion samples submitted to our lab in Whitehorse, YT, Canada on 12-AUG-2010.

The following have access to data associated with this certificate:

COR COE  
KARIN FECOVA

JACK COTE  
BILL SHERIFF

GILLES DESSUREAU

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41L	51 anal. aqua regia ICPMS	

To: GOLDEN PREDATOR CANADA CORP.  
ATTN: GILLES DESSUREAU  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 2 - A  
Total # Pages: 2 (A - D)  
Finalized Date: 7-SEP-2010  
Account: GOPRED

Project: Gold Dome

**CERTIFICATE OF ANALYSIS WH10112264**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41L Au ppm	ME-MS41L Ag ppm	ME-MS41L Al %	ME-MS41L As ppm	ME-MS41L B ppm	ME-MS41L Ba ppm	ME-MS41L Be ppm	ME-MS41L Bi ppm	ME-MS41L Ca %	ME-MS41L Cd ppm	ME-MS41L Ce ppm	ME-MS41L Co ppm	ME-MS41L Cr ppm
		0.02	0.005	0.0002	0.002	0.01	0.1	10	0.5	0.05	0.01	0.01	0.01	0.02	0.1	0.5
I0404		6.10	0.069	0.207	0.142	2.78	378	<10	114.5	1.13	0.37	0.16	0.02	107.5	15.1	47.7
I0405		3.86	0.025	0.0270	0.058	3.21	363	<10	102.5	1.20	0.44	0.22	0.03	108.5	17.0	49.1
I0406		3.66	0.006	0.0094	0.047	3.27	276	<10	156.0	2.31	0.42	0.15	0.04	121.0	19.3	54.1
I0407		4.53	0.031	0.0318	0.071	2.81	498	<10	94.0	1.22	0.71	0.18	0.02	116.0	18.6	41.9
I0408		8.02	0.022	0.0127	0.047	2.67	261	<10	118.0	1.54	0.32	0.17	0.02	94.2	15.3	43.5
I0409		2.82	0.016	0.0118	0.061	2.56	408	<10	93.1	1.07	0.25	0.24	0.03	86.1	14.8	40.6
I0410		0.06	2.15	2.30	0.340	1.34	985	<10	158.0	0.43	0.14	1.30	0.11	30.1	28.2	40.4
I0411		4.95	0.025	0.0225	0.052	2.49	423	<10	92.2	1.06	0.27	0.18	0.03	83.0	14.9	40.0
I0412		1.62	0.030	0.126	0.084	2.03	491	<10	86.8	0.86	0.40	0.20	0.05	70.5	13.4	34.9
I0413		3.11	0.048	0.0350	0.082	1.98	547	<10	82.8	0.91	0.54	0.18	0.06	78.6	13.9	35.6
I0414		3.30	0.017	0.0161	0.079	2.80	826	<10	117.0	1.68	0.47	0.19	0.03	104.5	20.2	41.3
I0415		6.42	0.008	0.0165	0.063	3.05	721	<10	108.0	1.73	0.53	0.23	0.03	112.0	22.3	45.6
I0416		4.86	0.095	0.0497	0.054	3.16	733	<10	116.0	1.55	0.32	0.26	0.04	110.0	24.4	49.0
I0417		3.61	0.011	0.0193	0.054	3.31	572	<10	140.0	1.70	0.42	0.22	0.06	114.0	23.4	53.8
I0418		7.43	0.011	0.0094	0.040	3.81	278	<10	117.0	1.98	0.48	0.31	0.02	106.5	21.0	55.4
I0419		10.37	0.005	0.0080	0.035	3.58	236	<10	126.5	1.81	0.64	0.30	0.02	105.0	21.5	53.7
I0420		0.13	<0.005	0.0014	0.006	0.17	19	<10	15.2	0.06	0.05	19.30	0.08	3.77	1.6	3.4
I0421		2.26	<0.005	0.157	0.064	2.84	238	<10	83.4	1.35	0.40	0.34	0.03	124.0	23.3	41.3
I0422		3.14	<0.005	0.0045	0.045	3.30	161.0	<10	139.0	1.44	0.41	0.42	0.03	99.9	20.6	45.6
I0423		4.44	<0.005	0.0075	0.062	3.83	136.0	<10	222	2.41	0.33	0.17	0.03	115.5	25.5	62.5
I0424		8.83	0.008	0.0077	0.051	3.80	119.5	<10	170.5	2.59	0.57	0.13	0.02	109.5	21.3	41.3
I0425		9.27	<0.005	0.0071	0.054	2.86	111.5	<10	148.5	1.78	0.82	0.15	0.03	109.5	17.8	44.5
I0426		7.20	0.050	0.0195	0.056	2.19	397	<10	99.6	1.00	0.58	0.19	0.01	87.8	13.5	36.0
I0427		9.36	0.010	0.0148	0.069	1.69	79.8	<10	59.5	0.68	0.78	0.31	0.02	45.1	9.2	32.7
I0428		9.38	0.011	0.0128	0.055	1.73	241	<10	81.0	0.69	0.48	0.19	0.01	49.3	9.7	35.7
I0429		7.27	0.011	0.0087	0.057	2.85	217	<10	117.5	1.08	0.30	0.20	0.02	82.6	17.8	65.6
I0430		7.38	<0.005	0.0105	0.054	2.92	193.0	<10	119.0	1.16	0.29	0.19	0.01	90.6	18.5	65.8
I0431		7.79	0.021	0.0083	0.042	2.21	146.0	<10	100.0	0.85	0.51	0.20	0.01	69.9	12.4	55.1
I0432		6.36	0.007	0.0187	0.046	1.87	291	<10	68.5	0.68	0.29	0.20	0.01	58.6	11.7	39.8
I0433		8.10	<0.005	0.0050	0.051	2.72	134.5	<10	84.8	0.94	0.33	0.22	0.02	103.0	16.0	71.6
I0434		9.30	0.195	0.0899	0.168	1.52	413	<10	63.4	0.82	3.70	0.37	0.02	68.2	16.4	34.8
I0435		7.57	0.142	0.185	0.224	0.62	664	<10	41.3	0.48	1.47	0.08	0.02	58.1	11.3	14.0
I0436		7.13	0.093	0.114	0.109	1.20	448	<10	50.3	0.62	2.52	0.21	0.02	44.0	10.0	18.1
I0437		6.38	0.068	0.0767	0.175	1.10	254	<10	39.2	0.47	1.48	0.26	0.01	38.5	7.3	17.4
I0438		8.31	0.017	0.0243	0.086	1.21	193.0	<10	52.3	0.52	0.47	0.11	0.01	49.3	9.1	24.4
I0439		9.78	0.241	0.0616	0.107	1.92	305	<10	85.4	0.95	2.27	0.18	0.01	68.5	10.9	27.1



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 2 - B  
Total # Pages: 2 (A - D)  
Finalized Date: 7-SEP-2010  
Account: GOPRED

Project: Gold Dome

**CERTIFICATE OF ANALYSIS WH10112264**

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01
		0.05	0.01	0.01	0.05	0.05	0.02	0.005	0.005	0.01	0.2	0.1	0.01	1	0.01
I0404		15.15	31.5	4.57	8.15	0.12	0.35	0.006	0.008	0.77	59.0	91.3	1.06	599	0.76
I0405		13.40	39.6	5.08	9.45	0.12	0.29	<0.005	0.011	0.56	59.1	96.8	1.23	743	1.04
I0406		17.70	43.3	4.94	10.25	0.15	0.38	0.006	0.015	0.96	67.1	90.5	1.06	532	0.72
I0407		23.2	60.0	4.79	8.09	0.13	0.32	0.005	0.009	0.82	64.2	83.4	0.96	626	0.98
I0408		15.55	38.1	3.99	7.81	0.12	0.25	0.007	0.012	0.76	50.5	88.5	0.85	407	1.17
I0409		25.6	30.3	3.66	7.41	0.11	0.23	0.005	0.010	0.78	45.6	82.5	0.87	473	0.89
I0410		1.69	92.2	6.92	3.93	0.15	0.12	<0.005	0.022	0.08	16.3	4.9	2.33	1600	3.83
I0411		28.7	35.7	3.89	7.13	0.10	0.21	<0.005	0.012	0.80	43.4	77.4	0.87	494	1.17
I0412		26.1	31.5	3.33	5.91	0.08	0.25	<0.005	0.009	0.69	36.9	64.5	0.67	516	1.15
I0413		24.1	31.7	3.25	6.06	0.10	0.25	0.012	0.011	0.67	43.2	55.8	0.61	506	1.03
I0414		26.9	54.3	4.61	9.28	0.16	0.44	<0.005	0.022	0.88	61.2	65.2	0.66	401	1.12
I0415		24.3	66.8	4.78	10.05	0.16	0.43	<0.005	0.017	0.86	66.0	75.5	0.80	505	1.07
I0416		22.3	57.9	4.87	10.20	0.16	0.44	<0.005	0.018	0.84	65.9	79.8	0.90	621	1.16
I0417		27.8	67.6	5.09	11.25	0.18	0.47	<0.005	0.024	1.06	66.5	89.1	0.89	766	1.34
I0418		27.9	48.7	4.93	12.85	0.17	0.40	<0.005	0.020	1.02	62.6	109.0	1.02	525	0.94
I0419		26.3	63.0	4.94	11.35	0.17	0.37	0.006	0.016	0.85	60.2	96.9	1.11	652	1.62
I0420		1.05	3.76	0.66	0.45	<0.05	0.02	0.006	0.006	0.05	2.1	3.6	11.90	269	0.16
I0421		23.5	48.4	4.48	8.80	0.14	0.43	0.007	0.013	0.59	71.7	89.3	0.99	722	1.41
I0422		19.55	48.1	4.64	10.45	0.14	0.35	0.007	0.020	0.74	57.5	97.2	1.11	607	0.86
I0423		26.0	64.8	5.48	12.65	0.17	0.44	0.007	0.027	1.42	67.0	90.5	1.06	802	1.14
I0424		22.8	43.4	4.76	11.30	0.17	0.19	0.011	0.014	1.06	64.9	118.5	0.92	602	0.55
I0425		18.00	36.1	4.36	9.61	0.16	0.39	0.006	0.018	0.85	63.7	81.2	0.81	588	0.66
I0426		26.7	31.0	3.60	6.69	0.12	0.35	0.006	0.010	0.76	51.0	60.0	0.65	367	2.01
I0427		12.10	55.1	2.54	5.44	0.08	0.15	0.028	0.010	0.33	23.5	44.3	0.45	279	0.58
I0428		13.90	45.4	2.99	5.82	0.08	0.15	<0.005	0.013	0.47	25.8	53.0	0.48	364	0.88
I0429		26.5	49.8	4.77	10.05	0.13	0.16	0.006	0.020	0.70	46.0	106.5	1.02	431	0.64
I0430		29.2	48.2	4.84	10.95	0.16	0.18	0.007	0.021	0.73	50.2	110.5	1.07	397	0.59
I0431		20.8	30.2	3.48	8.15	0.12	0.19	0.011	0.015	0.64	37.9	86.1	0.80	334	0.94
I0432		11.25	37.4	3.23	6.54	0.10	0.18	0.005	0.011	0.37	31.7	63.0	0.64	357	0.54
I0433		17.00	49.4	4.42	9.23	0.14	0.33	<0.005	0.013	0.53	58.7	81.3	1.04	483	0.52
I0434		17.60	60.8	4.21	5.03	0.12	0.17	0.008	0.016	0.38	37.2	38.5	0.49	598	1.11
I0435		9.41	30.3	2.67	1.95	0.08	0.15	0.006	0.011	0.27	30.8	10.0	0.11	385	0.71
I0436		13.80	47.8	2.97	3.22	0.08	0.14	0.020	0.013	0.27	22.9	21.6	0.21	277	0.58
I0437		9.82	34.1	2.36	3.07	0.07	0.09	<0.005	0.018	0.20	19.8	20.4	0.25	306	0.46
I0438		10.05	40.1	2.78	4.15	0.09	0.17	<0.005	0.013	0.30	26.3	31.6	0.37	371	0.46
I0439		15.55	38.9	3.39	5.14	0.10	0.26	<0.005	0.010	0.56	38.2	42.6	0.56	431	0.60



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 2 - C  
Total # Pages: 2 (A - D)  
Finalized Date: 7-SEP-2010  
Account: GOPRED

Project: Gold Dome

**CERTIFICATE OF ANALYSIS WH10112264**

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.1	0.001	0.01	0.1	0.001	0.01	0.02	0.1	0.1	0.2	0.2	0.01	0.01	0.1
I0404		0.21	41.4	0.056	7.23	79.0	0.001	<0.01	4.15	4.3	0.4	0.5	16.7	0.01	0.05	18.1
I0405		0.15	50.2	0.068	9.85	54.4	0.002	<0.01	12.15	4.4	0.5	0.5	20.2	0.01	0.05	18.7
I0406		0.23	58.6	0.046	7.99	96.7	0.002	<0.01	7.84	6.1	0.4	0.8	23.4	<0.01	0.05	20.2
I0407		0.23	47.5	0.058	7.04	97.9	0.002	<0.01	13.10	3.9	0.5	0.6	19.3	0.01	0.06	18.7
I0408		0.20	40.9	0.048	5.34	77.8	0.002	<0.01	5.91	4.0	0.4	0.6	21.6	<0.01	0.04	17.6
I0409		0.19	41.4	0.055	5.23	99.0	0.001	<0.01	11.70	3.5	0.4	0.8	23.5	<0.01	0.02	15.3
I0410		0.85	121.0	0.176	6.17	5.4	0.003	1.65	1.31	3.4	1.8	0.6	75.4	0.03	0.10	2.3
I0411		0.19	37.8	0.038	5.80	100.5	0.002	0.01	17.80	3.5	0.3	0.8	18.3	0.01	0.03	15.0
I0412		0.20	36.7	0.050	6.01	81.7	0.001	0.01	17.50	3.1	0.4	0.7	17.8	<0.01	0.04	14.1
I0413		0.23	37.2	0.043	4.63	68.5	<0.001	<0.01	30.9	3.5	0.4	0.6	17.4	<0.01	0.04	15.1
I0414		0.22	59.3	0.042	12.90	77.3	<0.001	<0.01	33.4	5.6	0.5	0.8	24.7	<0.01	0.04	18.8
I0415		0.23	69.7	0.062	9.08	77.1	<0.001	<0.01	22.5	5.3	0.5	0.7	28.0	<0.01	0.04	19.8
I0416		0.23	71.8	0.068	13.50	69.5	<0.001	<0.01	19.85	5.8	0.4	0.6	25.3	<0.01	0.05	20.6
I0417		0.26	86.3	0.044	13.35	84.0	<0.001	<0.01	17.45	7.0	0.5	0.9	25.3	<0.01	0.04	21.1
I0418		0.24	61.4	0.070	8.64	92.1	<0.001	<0.01	11.50	6.0	0.5	0.9	24.1	<0.01	0.04	18.2
I0419		0.21	63.8	0.081	8.34	80.5	<0.001	<0.01	10.05	5.3	0.5	0.8	26.6	<0.01	0.05	18.0
I0420		0.14	2.1	0.017	1.61	3.5	<0.001	0.02	2.05	0.6	0.2	<0.2	50.8	<0.01	<0.01	0.6
I0421		0.25	65.4	0.111	9.02	61.4	<0.001	0.01	12.15	4.2	0.4	0.5	22.0	0.01	0.04	21.8
I0422		0.20	53.2	0.038	8.64	57.6	<0.001	0.02	8.46	6.2	0.4	0.7	36.2	<0.01	0.03	18.9
I0423		0.29	66.6	0.045	11.20	112.5	<0.001	0.03	4.25	9.3	0.4	1.2	36.7	<0.01	0.04	22.8
I0424		0.29	57.5	0.027	4.86	87.2	0.001	0.08	3.42	5.7	0.4	0.8	36.4	<0.01	0.03	19.8
I0425		0.25	53.3	0.048	8.32	64.7	<0.001	0.03	5.39	6.0	0.4	0.8	26.2	0.01	0.05	19.2
I0426		0.23	38.2	0.054	4.82	78.4	0.001	0.02	7.09	3.8	0.5	0.7	20.6	0.01	0.03	16.1
I0427		0.21	24.7	0.021	4.29	24.3	<0.001	0.15	8.49	3.1	0.9	0.6	25.1	<0.01	0.03	11.4
I0428		0.20	30.1	0.025	3.78	35.9	<0.001	0.02	9.13	3.7	0.5	0.6	20.4	<0.01	0.03	11.1
I0429		0.27	53.2	0.060	5.07	56.8	<0.001	0.02	4.13	6.6	0.6	0.7	19.6	0.01	0.02	15.3
I0430		0.31	55.2	0.057	5.03	64.0	<0.001	0.02	4.05	7.3	0.6	0.7	21.0	0.01	0.02	16.8
I0431		0.34	37.7	0.045	3.73	59.7	<0.001	0.02	2.80	5.2	0.5	0.7	18.6	0.01	0.02	13.8
I0432		0.19	28.7	0.044	4.33	27.2	<0.001	0.04	2.70	3.7	0.5	0.5	16.0	<0.01	0.02	13.1
I0433		0.22	43.5	0.060	5.71	46.5	<0.001	0.01	1.93	5.2	0.5	0.5	19.3	0.01	0.03	19.7
I0434		0.18	43.7	0.042	5.07	30.9	<0.001	0.11	25.9	4.6	0.8	0.4	40.6	<0.01	0.11	13.9
I0435		0.11	28.4	0.029	3.42	20.5	<0.001	0.02	172.5	2.5	0.3	0.2	18.5	<0.01	0.08	11.4
I0436		0.11	25.0	0.040	4.50	19.6	0.001	0.11	34.3	2.9	0.8	0.4	23.3	<0.01	0.09	10.4
I0437		0.11	19.8	0.018	4.21	17.2	<0.001	0.06	36.4	2.7	0.5	0.4	24.6	<0.01	0.07	9.3
I0438		0.16	24.7	0.020	4.80	21.3	<0.001	0.03	34.4	2.9	0.5	0.4	15.3	<0.01	0.04	10.7
I0439		0.17	32.5	0.048	4.99	40.2	<0.001	0.01	35.3	3.4	0.4	0.4	17.2	<0.01	0.09	12.5



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 2 - D  
Total # Pages: 2 (A - D)  
Finalized Date: 7-SEP-2010  
Account: GOPRED

Project: Gold Dome

**CERTIFICATE OF ANALYSIS WH10112264**

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.001	0.02	0.05	1	0.05	0.05	0.1	0.5
I0404		0.125	0.89	2.89	38	1.77	8.52	76.4	15.5
I0405		0.081	0.64	2.68	40	0.87	9.59	86.9	13.2
I0406		0.161	0.81	2.81	44	0.88	7.99	86.6	17.2
I0407		0.100	0.92	2.95	32	0.58	8.58	85.8	14.6
I0408		0.105	0.68	2.07	33	1.62	8.57	64.5	11.5
I0409		0.068	0.96	1.68	29	2.00	8.48	68.1	10.4
I0410		0.152	0.05	0.57	40	0.40	14.85	83.8	8.9
I0411		0.064	0.95	1.52	29	1.12	7.21	67.7	10.1
I0412		0.055	0.81	1.46	24	1.07	6.99	61.9	11.1
I0413		0.051	0.85	1.76	23	7.93	7.18	64.1	10.0
I0414		0.092	0.89	3.13	32	0.47	7.46	92.7	19.0
I0415		0.117	0.84	3.19	34	0.92	8.69	96.0	17.9
I0416		0.122	0.80	2.77	37	0.45	8.51	105.0	19.1
I0417		0.147	0.98	3.00	42	0.50	7.92	114.5	19.3
I0418		0.138	0.99	2.60	41	0.39	8.72	95.5	17.2
I0419		0.124	0.95	2.53	39	0.44	8.86	92.4	15.8
I0420		0.006	0.03	0.74	3	0.17	1.07	44.2	0.9
I0421		0.073	0.77	2.63	29	0.72	11.45	87.8	17.2
I0422		0.097	0.59	2.19	38	0.41	7.14	83.4	14.2
I0423		0.220	1.06	2.91	54	1.15	7.85	87.4	18.9
I0424		0.189	0.89	2.67	31	0.71	7.10	90.7	8.1
I0425		0.125	0.67	2.33	34	0.39	7.04	78.9	15.3
I0426		0.075	0.96	2.26	24	2.77	8.13	55.4	14.1
I0427		0.051	0.33	0.95	20	24.5	6.05	34.8	5.7
I0428		0.042	0.43	1.01	21	3.15	6.08	41.1	6.0
I0429		0.083	0.70	1.54	46	3.38	9.50	69.0	6.2
I0430		0.085	0.77	1.63	48	2.23	9.94	69.3	6.9
I0431		0.089	0.76	1.14	36	8.88	7.54	55.5	7.4
I0432		0.035	0.35	1.20	26	3.90	7.79	47.4	7.4
I0433		0.061	0.65	2.54	40	1.00	10.20	82.2	12.9
I0434		0.021	0.48	1.94	21	6.45	7.35	69.8	7.3
I0435		0.008	0.30	1.39	7	4.92	5.27	48.7	6.7
I0436		0.010	0.29	1.02	10	17.00	5.79	38.5	6.4
I0437		0.012	0.22	0.73	9	2.19	4.52	36.4	3.9
I0438		0.026	0.28	0.94	14	1.73	4.88	44.8	6.7
I0439		0.041	0.51	1.23	18	0.92	6.22	58.1	10.6