



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 1
Finalized Date: 6-SEP-2010
Account: GOPRED

CERTIFICATE WH10118963

Project: Gold Dome

P.O. No.: AuDom-2010-1232

This report is for 36 Percussion samples submitted to our lab in Whitehorse, YT, Canada on 24-AUG-2010.

The following have access to data associated with this certificate:

COR COE
KARIN FECOVA

JACK COTE
BILL SHERIFF

GILLES DESSUREAU

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: GOLDEN PREDATOR CANADA CORP.
ATTN: GILLES DESSUREAU
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 6-SEP-2010
 Account: GOPRED

Project: Gold Dome

CERTIFICATE OF ANALYSIS WH10118963

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23
		Recvd Wt. kg 0.02	Au ppm 0.005
RC10733		7.63	0.034
RC10734		6.66	0.022
RC10735		9.88	0.111
RC10736		9.71	0.007
RC10737		10.22	0.087
RC10738		10.12	0.008
RC10739		12.93	<0.005
RC10740		5.99	<0.005
RC10741		9.69	<0.005
RC10742		12.86	<0.005
RC10743		9.00	<0.005
RC10744		9.28	0.005
RC10745		11.91	0.006
RC10746		9.56	0.009
RC10747		7.38	0.005
RC10748		6.56	<0.005
RC10749		10.16	<0.005
RC10750		0.09	2.08
RC10751		10.47	0.013
RC10752		5.25	0.014
RC10753		8.61	0.317
RC10754		10.52	0.028
RC10755		11.62	0.028
RC10756		6.91	0.007
RC10757		5.70	<0.005
RC10758		7.96	<0.005
RC10759		13.29	<0.005
RC10760		0.35	<0.005
RC10761		6.45	<0.005
RC10762		5.50	0.005
RC10763		5.67	<0.005
RC10764		8.72	<0.005
RC10765		6.11	<0.005
RC10766		3.51	0.017
RC10767		8.87	0.011
RC10768		9.26	0.686