



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 1
Finalized Date: 9-SEP-2010
Account: GOPRED

CERTIFICATE WH10118968

Project: Gold Dome

P.O. No.: AuDom-2010-1229

This report is for 36 RC Drill Chip samples submitted to our lab in Whitehorse, YT, Canada on 24-AUG-2010.

The following have access to data associated with this certificate:

COR COE
KARIN FECOVA

JACK COTE
BILL SHERIFF

GILLES DESSUREAU

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: GOLDEN PREDATOR CANADA CORP.
ATTN: GILLES DESSUREAU
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
 888 DUNSMUIR STREET
 11TH FLOOR
 VANCOUVER BC V6C 3K4

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 9-SEP-2010
 Account: GOPRED

Project: Gold Dome

CERTIFICATE OF ANALYSIS WH10118968

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005
RC10625		8.30	0.010
RC10626		9.10	0.008
RC10627		7.26	0.007
RC10628		7.77	<0.005
RC10629		7.24	0.009
RC10630		0.35	<0.005
RC10631		7.65	0.007
RC10632		5.86	0.021
RC10633		9.60	0.067
RC10634		8.39	0.184
RC10635		7.72	0.008
RC10636		5.10	0.043
RC10637		6.10	0.015
RC10638		6.51	<0.005
RC10639		6.76	0.023
RC10640		0.08	0.801
RC10641		5.23	0.006
RC10642		7.16	0.009
RC10643		0.78	<0.005
RC10644		6.09	0.007
RC10645		7.63	0.011
RC10646		4.38	0.055
RC10647		4.26	0.021
RC10648		5.60	0.032
RC10649		2.82	0.026
RC10650		0.08	2.16
RC10651		2.67	0.017
RC10652		5.05	0.019
RC10653		2.89	0.091
RC10654		3.42	0.060
RC10655		6.44	0.112
RC10656		3.35	0.037
RC10657		3.64	0.034
RC10658		3.30	0.015
RC10659		5.85	0.015
RC10660		5.71	0.017