



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 1  
Finalized Date: 8-SEP-2010  
Account: GOPRED

**CERTIFICATE WH10118969**

Project: Gold Dome

P.O. No.: AuDom-2010-1230

This report is for 36 Percussion samples submitted to our lab in Whitehorse, YT, Canada on 24-AUG-2010.

The following have access to data associated with this certificate:

COR COE  
KARIN FECOVA

JACK COTE  
BILL SHERIFF

GILLES DESSUREAU

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: GOLDEN PREDATOR CANADA CORP.  
ATTN: GILLES DESSUREAU  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
 888 DUNSMUIR STREET  
 11TH FLOOR  
 VANCOUVER BC V6C 3K4

Page: 2 - A  
 Total # Pages: 2 (A)  
 Finalized Date: 8-SEP-2010  
 Account: GOPRED

Project: Gold Dome

**CERTIFICATE OF ANALYSIS WH10118969**

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23
		Recvd Wt. kg 0.02	Au ppm 0.005
RC10661		4.79	0.087
RC10662		10.56	0.036
RC10663		7.99	0.064
RC10664		3.66	0.072
RC10665		5.72	0.022
RC10666		5.62	0.019
RC10667		5.33	0.033
RC10668		6.35	0.029
RC10669		8.68	0.011
RC10670		5.85	0.014
RC10671		7.29	0.057
RC10672		7.05	0.027
RC10673		9.01	0.019
RC10674		5.94	0.011
RC10675		9.91	0.097
RC10676		4.59	0.014
RC10677		9.16	0.008
RC10678		7.96	0.012
RC10679		7.85	0.012
RC10680		0.08	1.015
RC10681		10.06	0.006
RC10682		9.48	0.005
RC10683		5.60	0.006
RC10684		6.59	0.008
RC10685		6.40	0.011
RC10686		10.53	0.011
RC10687		9.16	0.106
RC10688		8.33	0.161
RC10689		7.93	0.018
RC10690		Not Recvd	
RC10691		5.33	0.065
RC10692		9.07	0.222
RC10693		9.91	0.125
RC10694		8.33	0.018
RC10695		11.46	0.034
RC10696		5.88	0.029