



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 1
Finalized Date: 3-OCT-2010
Account: GOPRED

CERTIFICATE WH10132899

Project: Gold Dome

P.O. No.: AuDom2010-JC-1310

This report is for 36 Percussion samples submitted to our lab in Whitehorse, YT, Canada on 18-SEP-2010.

The following have access to data associated with this certificate:

COR COE
KARIN FECOVA

JACK COTE
BILL SHERIFF

GILLES DESSUREAU

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |
| LOG-24 | Pulp Login - Rcd w/o Barcode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-ICP41 | 35 Element Aqua Regia ICP-AES | ICP-AES |

To: GOLDEN PREDATOR CANADA CORP.
ATTN: GILLES DESSUREAU
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 3-OCT-2010
Account: GOPRED

Project: Gold Dome

CERTIFICATE OF ANALYSIS WH10132899

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.02 | 0.005 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| GDRC-12069 | | 3.34 | 0.241 | 0.2 | 1.72 | 4980 | <10 | 100 | 0.8 | 6 | 0.54 | <0.5 | 27 | 21 | 61 | 3.68 |
| GDRC-12070 | | 4.24 | 0.094 | 0.5 | 2.24 | 2070 | <10 | 90 | 0.9 | 5 | 0.39 | <0.5 | 21 | 30 | 47 | 4.76 |
| GDRC-12071 | | 5.74 | 0.027 | 0.2 | 1.18 | 321 | <10 | 80 | 0.6 | 4 | 0.45 | <0.5 | 12 | 19 | 25 | 3.17 |
| GDRC-12072 | | 4.76 | 0.034 | 0.2 | 0.84 | 544 | <10 | 90 | <0.5 | 4 | 0.31 | <0.5 | 8 | 14 | 21 | 1.87 |
| GDRC-12073 | | 4.56 | 0.019 | <0.2 | 0.34 | 46 | <10 | 40 | <0.5 | 3 | 0.28 | <0.5 | 4 | 11 | 17 | 0.93 |
| GDRC-12074 | | 4.34 | 0.006 | 0.3 | 0.63 | 76 | <10 | 90 | <0.5 | 3 | 0.45 | <0.5 | 7 | 9 | 23 | 1.78 |
| GDRC-12075 | | 5.84 | 0.009 | <0.2 | 1.28 | 55 | <10 | 100 | 0.7 | 3 | 0.39 | <0.5 | 13 | 20 | 41 | 3.01 |
| GDRC-12076 | | 6.76 | 0.008 | 0.2 | 0.96 | 53 | <10 | 80 | <0.5 | 3 | 0.60 | <0.5 | 6 | 18 | 19 | 2.02 |
| GDRC-12077 | | 8.30 | 0.404 | 0.4 | 0.41 | 1200 | <10 | 60 | <0.5 | 6 | 0.36 | <0.5 | 6 | 10 | 14 | 1.32 |
| GDRC-12078 | | 7.48 | 0.038 | 0.2 | 0.65 | 891 | <10 | 70 | 0.5 | 4 | 0.51 | <0.5 | 8 | 13 | 25 | 2.05 |
| GDRC-12079 | | 4.96 | 0.103 | 0.3 | 1.33 | 2150 | <10 | 80 | 0.6 | 3 | 0.78 | <0.5 | 11 | 23 | 26 | 2.91 |
| GDRC-12080 | | 0.08 | 2.18 | 0.5 | 1.37 | 964 | <10 | 160 | <0.5 | 3 | 1.32 | <0.5 | 28 | 44 | 96 | 6.97 |
| GDRC-12081 | | 5.20 | 0.152 | <0.2 | 1.40 | 1570 | <10 | 110 | <0.5 | 5 | 0.44 | <0.5 | 12 | 24 | 36 | 2.71 |
| GDRC-12082 | | 5.58 | 0.123 | 0.9 | 1.11 | 1830 | <10 | 110 | <0.5 | 3 | 0.61 | <0.5 | 10 | 20 | 19 | 2.60 |
| GDRC-12083 | | 5.50 | 0.015 | <0.2 | 1.24 | 213 | <10 | 120 | <0.5 | 4 | 0.32 | <0.5 | 9 | 22 | 16 | 2.38 |
| GDRC-12084 | | 5.90 | 0.115 | 0.4 | 1.52 | 790 | <10 | 100 | 0.7 | 2 | 0.48 | <0.5 | 14 | 22 | 37 | 3.55 |
| GDRC-12085 | | 6.66 | 0.148 | 1.5 | 0.75 | 1830 | <10 | 80 | <0.5 | 5 | 0.44 | <0.5 | 10 | 14 | 27 | 2.24 |
| GDRC-12086 | | 6.44 | 0.203 | 0.3 | 0.95 | 968 | <10 | 70 | <0.5 | 6 | 0.64 | <0.5 | 9 | 20 | 30 | 2.18 |
| GDRC-12087 | | 7.08 | 0.025 | <0.2 | 1.07 | 165 | <10 | 90 | <0.5 | 3 | 0.65 | <0.5 | 9 | 18 | 18 | 2.17 |
| GDRC-12088 | | 7.84 | 0.008 | <0.2 | 0.99 | 138 | <10 | 100 | <0.5 | 3 | 0.26 | <0.5 | 14 | 19 | 14 | 1.84 |
| GDRC-12089 | | 8.06 | 0.127 | 0.2 | 1.15 | 1340 | <10 | 110 | <0.5 | 4 | 0.38 | <0.5 | 13 | 22 | 21 | 2.35 |
| GDRC-12090 | | 0.40 | 0.007 | <0.2 | 0.32 | 93 | <10 | 120 | <0.5 | 3 | 0.04 | <0.5 | 3 | 10 | 7 | 0.79 |
| GDRC-12091 | | 6.34 | 0.013 | 0.3 | 1.12 | 64 | <10 | 100 | 0.7 | 3 | 0.53 | <0.5 | 16 | 25 | 45 | 3.33 |
| GDRC-12092 | | 6.52 | 0.114 | 0.4 | 0.81 | 3240 | <10 | 100 | 0.7 | 4 | 0.42 | <0.5 | 16 | 12 | 38 | 3.44 |
| GDRC-12093 | | 7.68 | 0.072 | 0.4 | 0.79 | 478 | <10 | 80 | 0.6 | 4 | 0.66 | <0.5 | 13 | 11 | 33 | 3.27 |
| GDRC-12094 | | 6.14 | 0.070 | 0.7 | 0.73 | 276 | 10 | 80 | 0.7 | 4 | 0.60 | <0.5 | 18 | 10 | 52 | 4.08 |
| GDRC-12095 | | 9.78 | 0.071 | 0.3 | 0.70 | 177 | 10 | 60 | 0.7 | 3 | 0.38 | <0.5 | 18 | 9 | 59 | 5.37 |
| GDRC-12096 | | 7.26 | 0.075 | 0.3 | 0.71 | 427 | 10 | 60 | 0.6 | 3 | 0.31 | <0.5 | 15 | 8 | 51 | 4.72 |
| GDRC-12097 | | 9.42 | 0.048 | 0.3 | 0.75 | 152 | 10 | 60 | 0.7 | 3 | 0.29 | <0.5 | 16 | 7 | 47 | 5.31 |
| GDRC-12098 | | 7.58 | 0.056 | 0.3 | 0.74 | 290 | 10 | 70 | 0.6 | 4 | 0.21 | <0.5 | 21 | 8 | 58 | 5.12 |
| GDRC-12099 | | 5.60 | 0.188 | 0.5 | 0.80 | 958 | 10 | 70 | 0.7 | 4 | 0.39 | <0.5 | 22 | 8 | 88 | 5.06 |
| GDRC-12100 | | 4.04 | 0.203 | 0.4 | 0.72 | 1370 | 10 | 60 | 0.7 | 4 | 0.35 | <0.5 | 25 | 7 | 86 | 4.90 |
| GDRC-12101 | | 5.84 | 0.067 | 0.5 | 0.75 | 474 | 10 | 70 | 0.6 | 4 | 0.26 | <0.5 | 19 | 8 | 86 | 4.77 |
| GDRC-12102 | | 7.92 | 0.046 | 0.3 | 0.87 | 176 | <10 | 70 | 0.6 | 4 | 0.21 | <0.5 | 17 | 10 | 54 | 4.35 |
| GDRC-12103 | | 6.66 | 0.137 | 0.8 | 0.74 | 1040 | 20 | 70 | 0.7 | 4 | 0.35 | <0.5 | 16 | 8 | 37 | 3.78 |
| GDRC-12104 | | 6.36 | 0.056 | 0.4 | 0.48 | 167 | 10 | 60 | <0.5 | 4 | 0.69 | <0.5 | 7 | 9 | 17 | 1.89 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 3-OCT-2010
Account: GOPRED

Project: Gold Dome

CERTIFICATE OF ANALYSIS WH10132899

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| GDRC-12069 | | <10 | <1 | 0.69 | 30 | 0.70 | 497 | 1 | 0.03 | 57 | 510 | 4 | 0.93 | 5 | 2 | 52 |
| GDRC-12070 | | 10 | <1 | 0.48 | 20 | 1.06 | 953 | 1 | 0.04 | 53 | 750 | 8 | 1.18 | 8 | 3 | 51 |
| GDRC-12071 | | <10 | <1 | 0.38 | 20 | 0.61 | 501 | 1 | 0.02 | 27 | 310 | 7 | 0.47 | 29 | 2 | 55 |
| GDRC-12072 | | <10 | <1 | 0.37 | 10 | 0.31 | 261 | 1 | 0.03 | 15 | 120 | 7 | 0.24 | 16 | 1 | 40 |
| GDRC-12073 | | <10 | <1 | 0.12 | 10 | 0.11 | 132 | 1 | 0.02 | 5 | 50 | 4 | 0.13 | 16 | <1 | 29 |
| GDRC-12074 | | <10 | <1 | 0.30 | 20 | 0.27 | 294 | 1 | 0.02 | 13 | 130 | 6 | 0.13 | 22 | 1 | 51 |
| GDRC-12075 | | <10 | <1 | 0.43 | 30 | 0.57 | 384 | 1 | 0.02 | 27 | 460 | 8 | 0.11 | 30 | 2 | 51 |
| GDRC-12076 | | <10 | <1 | 0.30 | 20 | 0.38 | 352 | 1 | 0.03 | 13 | 410 | 8 | 0.17 | 12 | 2 | 64 |
| GDRC-12077 | | <10 | <1 | 0.20 | 10 | 0.17 | 196 | 1 | 0.03 | 10 | 310 | 6 | 0.29 | 16 | 1 | 40 |
| GDRC-12078 | | <10 | <1 | 0.29 | 20 | 0.34 | 352 | 1 | 0.02 | 15 | 160 | 6 | 0.25 | 25 | 1 | 57 |
| GDRC-12079 | | <10 | <1 | 0.36 | 20 | 0.60 | 491 | 1 | 0.04 | 23 | 260 | 8 | 0.29 | 22 | 2 | 89 |
| GDRC-12080 | | <10 | <1 | 0.07 | 20 | 2.32 | 1610 | 4 | 0.25 | 121 | 1710 | 8 | 1.61 | 2 | 3 | 76 |
| GDRC-12081 | | <10 | <1 | 0.58 | 20 | 0.55 | 360 | 1 | 0.04 | 24 | 270 | 4 | 0.31 | 4 | 2 | 43 |
| GDRC-12082 | | <10 | <1 | 0.56 | 20 | 0.53 | 368 | 1 | 0.04 | 21 | 160 | 6 | 0.57 | 33 | 2 | 71 |
| GDRC-12083 | | <10 | <1 | 0.60 | 20 | 0.48 | 303 | 1 | 0.04 | 19 | 240 | 7 | 0.09 | 6 | 2 | 39 |
| GDRC-12084 | | <10 | <1 | 0.61 | 30 | 0.74 | 658 | 1 | 0.03 | 33 | 490 | 8 | 0.39 | 43 | 2 | 63 |
| GDRC-12085 | | <10 | <1 | 0.37 | 20 | 0.37 | 292 | 1 | 0.03 | 19 | 160 | 7 | 0.60 | 45 | 1 | 52 |
| GDRC-12086 | | <10 | <1 | 0.39 | 20 | 0.37 | 325 | 1 | 0.04 | 19 | 490 | 8 | 0.50 | 56 | 2 | 65 |
| GDRC-12087 | | <10 | <1 | 0.51 | 20 | 0.39 | 354 | 1 | 0.04 | 21 | 830 | 9 | 0.41 | 11 | 2 | 59 |
| GDRC-12088 | | <10 | <1 | 0.42 | 20 | 0.34 | 255 | 1 | 0.04 | 15 | 140 | 9 | 0.06 | 6 | 1 | 32 |
| GDRC-12089 | | <10 | <1 | 0.50 | 20 | 0.45 | 280 | 1 | 0.04 | 19 | 130 | 10 | 0.27 | 10 | 2 | 45 |
| GDRC-12090 | | <10 | <1 | 0.13 | <10 | 0.08 | 74 | 1 | 0.02 | 4 | 70 | 2 | 0.01 | <2 | 1 | 8 |
| GDRC-12091 | | <10 | <1 | 0.50 | 30 | 0.61 | 407 | 1 | 0.03 | 36 | 450 | 6 | 0.48 | 18 | 2 | 72 |
| GDRC-12092 | | <10 | <1 | 0.50 | 30 | 0.65 | 407 | 1 | 0.03 | 37 | 220 | 7 | 0.61 | 8 | 2 | 65 |
| GDRC-12093 | | <10 | <1 | 0.40 | 30 | 0.66 | 870 | 1 | 0.03 | 27 | 490 | 10 | 0.44 | 33 | 2 | 88 |
| GDRC-12094 | | <10 | <1 | 0.41 | 20 | 0.80 | 674 | 1 | 0.03 | 38 | 410 | 12 | 1.10 | 97 | 2 | 99 |
| GDRC-12095 | | <10 | <1 | 0.40 | 20 | 0.98 | 961 | 1 | 0.03 | 45 | 1100 | 22 | 1.28 | 94 | 2 | 48 |
| GDRC-12096 | | <10 | <1 | 0.43 | 10 | 0.68 | 728 | 2 | 0.02 | 46 | 540 | 8 | 2.61 | 71 | 2 | 47 |
| GDRC-12097 | | <10 | <1 | 0.40 | 20 | 0.99 | 935 | 1 | 0.04 | 45 | 730 | 8 | 1.73 | 53 | 2 | 42 |
| GDRC-12098 | | <10 | <1 | 0.43 | 20 | 0.97 | 883 | 1 | 0.03 | 47 | 420 | 8 | 1.56 | 55 | 2 | 34 |
| GDRC-12099 | | <10 | <1 | 0.44 | 20 | 0.68 | 645 | 2 | 0.03 | 53 | 780 | 16 | 2.43 | 69 | 2 | 49 |
| GDRC-12100 | | <10 | <1 | 0.40 | 10 | 0.66 | 603 | 2 | 0.03 | 56 | 580 | 15 | 2.47 | 68 | 2 | 46 |
| GDRC-12101 | | <10 | <1 | 0.41 | 20 | 0.73 | 606 | 2 | 0.03 | 47 | 260 | 9 | 1.78 | 50 | 2 | 41 |
| GDRC-12102 | | <10 | <1 | 0.42 | 20 | 0.77 | 751 | 2 | 0.03 | 40 | 220 | 7 | 1.04 | 42 | 2 | 34 |
| GDRC-12103 | | <10 | <1 | 0.43 | 20 | 0.44 | 492 | 1 | 0.02 | 42 | 720 | 8 | 1.71 | 35 | 2 | 40 |
| GDRC-12104 | | <10 | <1 | 0.30 | 20 | 0.32 | 414 | 1 | 0.01 | 13 | 160 | 8 | 0.69 | 23 | 1 | 67 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.
888 DUNSMUIR STREET
11TH FLOOR
VANCOUVER BC V6C 3K4

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 3-OCT-2010
Account: GOPRED

Project: Gold Dome

CERTIFICATE OF ANALYSIS WH10132899

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|----------|-----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 |
| GDRC-12069 | | <20 | 0.04 | <10 | <10 | 14 | <10 | 39 |
| GDRC-12070 | | <20 | 0.02 | <10 | <10 | 21 | <10 | 80 |
| GDRC-12071 | | <20 | 0.01 | <10 | <10 | 12 | <10 | 58 |
| GDRC-12072 | | <20 | 0.02 | <10 | <10 | 8 | <10 | 28 |
| GDRC-12073 | | <20 | <0.01 | <10 | <10 | 3 | <10 | 9 |
| GDRC-12074 | | <20 | <0.01 | <10 | <10 | 5 | <10 | 25 |
| GDRC-12075 | | <20 | 0.01 | <10 | <10 | 13 | <10 | 52 |
| GDRC-12076 | | <20 | 0.02 | <10 | <10 | 11 | <10 | 31 |
| GDRC-12077 | | <20 | <0.01 | <10 | <10 | 3 | <10 | 19 |
| GDRC-12078 | | <20 | <0.01 | <10 | <10 | 7 | <10 | 29 |
| GDRC-12079 | | <20 | 0.01 | <10 | <10 | 16 | <10 | 49 |
| GDRC-12080 | | <20 | 0.16 | <10 | <10 | 40 | <10 | 83 |
| GDRC-12081 | | <20 | 0.04 | <10 | <10 | 16 | 10 | 42 |
| GDRC-12082 | | <20 | 0.03 | <10 | <10 | 13 | <10 | 45 |
| GDRC-12083 | | <20 | 0.04 | <10 | <10 | 14 | <10 | 43 |
| GDRC-12084 | | <20 | 0.02 | <10 | <10 | 14 | <10 | 69 |
| GDRC-12085 | | <20 | 0.01 | <10 | <10 | 8 | 10 | 40 |
| GDRC-12086 | | <20 | 0.02 | <10 | <10 | 12 | 20 | 37 |
| GDRC-12087 | | <20 | 0.03 | <10 | <10 | 12 | <10 | 39 |
| GDRC-12088 | | <20 | 0.03 | <10 | <10 | 10 | 30 | 36 |
| GDRC-12089 | | <20 | 0.03 | <10 | <10 | 14 | 20 | 43 |
| GDRC-12090 | | <20 | 0.01 | <10 | <10 | 4 | <10 | 12 |
| GDRC-12091 | | <20 | 0.01 | <10 | <10 | 11 | <10 | 69 |
| GDRC-12092 | | <20 | 0.01 | <10 | <10 | 7 | <10 | 54 |
| GDRC-12093 | | <20 | <0.01 | <10 | <10 | 6 | <10 | 64 |
| GDRC-12094 | | <20 | <0.01 | <10 | <10 | 6 | <10 | 80 |
| GDRC-12095 | | <20 | <0.01 | <10 | <10 | 6 | <10 | 111 |
| GDRC-12096 | | <20 | <0.01 | <10 | <10 | 6 | <10 | 93 |
| GDRC-12097 | | <20 | <0.01 | <10 | <10 | 6 | <10 | 125 |
| GDRC-12098 | | <20 | <0.01 | <10 | <10 | 6 | <10 | 106 |
| GDRC-12099 | | <20 | <0.01 | <10 | <10 | 6 | <10 | 67 |
| GDRC-12100 | | <20 | <0.01 | <10 | <10 | 6 | <10 | 68 |
| GDRC-12101 | | <20 | <0.01 | <10 | <10 | 6 | <10 | 82 |
| GDRC-12102 | | <20 | <0.01 | <10 | <10 | 8 | <10 | 83 |
| GDRC-12103 | | <20 | <0.01 | <10 | <10 | 6 | <10 | 64 |
| GDRC-12104 | | <20 | <0.01 | <10 | <10 | 4 | <10 | 30 |