



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 1  
Finalized Date: 26-OCT-2010  
Account: GOPRED

**CERTIFICATE WH10137337**

Project: Gold Dome

P.O. No.: AuDom-2010-JC-1342

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23-SEP-2010.

The following have access to data associated with this certificate:

COR COE  
KARIN FECOVA

JACK COTE  
BILL SHERIFF

GILLES DESSUREAU

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: GOLDEN PREDATOR CANADA CORP.  
ATTN: GILLES DESSUREAU  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 2 - A  
Total # Pages: 2 (A - C)  
Finalized Date: 26-OCT-2010  
Account: GOPRED

Project: Gold Dome

**CERTIFICATE OF ANALYSIS WH10137337**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
I097059		5.02	<0.005	<0.2	3.15	62	<10	110	1.1	2	0.50	<0.5	25	45	66	5.31
I097060		6.12	0.006	<0.2	3.30	63	<10	210	1.4	<2	0.93	<0.5	26	78	81	5.11
I097061		4.68	0.148	<0.2	2.64	463	<10	50	0.7	<2	0.85	<0.5	22	37	84	4.68
I097062		5.22	0.074	<0.2	3.10	668	<10	80	1.1	<2	0.55	<0.5	30	37	84	5.16
I097063		5.42	0.168	0.4	2.46	1590	<10	40	0.6	<2	0.48	<0.5	21	35	73	5.01
I097064		4.26	0.073	<0.2	3.21	215	<10	70	1.0	<2	0.74	<0.5	20	44	59	5.13
I097065		5.34	0.055	0.3	2.72	1860	<10	40	0.6	<2	0.24	<0.5	22	28	77	5.29
I097066		4.72	3.19	0.2	2.99	1720	<10	70	0.8	<2	0.36	<0.5	17	38	51	4.78
I097067		3.28	0.183	<0.2	2.16	1550	<10	50	0.8	<2	0.86	<0.5	15	34	97	4.16
I097068		4.66	0.011	0.2	4.51	112	<10	640	1.9	<2	4.24	<0.5	18	358	33	5.19
I097069		6.92	0.124	0.2	1.87	2320	<10	40	0.7	<2	0.41	<0.5	17	23	68	3.98
I097070		2.58	0.034	<0.2	2.73	138	<10	60	1.0	<2	0.30	<0.5	22	32	80	5.36
I097071		2.64	0.030	<0.2	2.52	216	<10	40	0.7	2	0.29	<0.5	23	31	85	5.30
I097072		6.14	3.54	0.7	2.54	2230	<10	60	1.1	<2	0.54	<0.5	22	30	97	5.02
I097073		4.88	0.346	0.2	2.43	827	<10	40	0.8	<2	0.27	<0.5	21	23	75	4.93
I097074		0.44	0.139	0.2	0.27	16	<10	140	<0.5	<2	0.05	<0.5	1	10	8	0.58
I097075		1.62	0.005	0.2	4.38	71	<10	460	2.5	<2	3.37	1.1	19	262	17	5.92
I097076		8.18	0.406	0.3	2.82	1055	<10	40	0.7	<2	0.28	<0.5	27	30	67	5.56
I097077		5.78	0.569	1.6	2.26	1880	<10	90	0.7	<2	0.35	<0.5	16	33	41	3.95
I097078		5.70	0.316	0.2	2.26	2350	<10	50	0.6	<2	0.29	<0.5	24	31	60	4.69
I097079		6.46	0.071	0.2	2.70	140	<10	90	1.1	<2	0.30	<0.5	25	35	121	5.00
I097080		5.44	1.695	0.2	2.53	2430	<10	40	0.6	<2	0.58	<0.5	27	31	90	5.34
I097081		7.44	3.12	0.4	2.47	3060	<10	60	0.8	<2	0.26	<0.5	24	47	107	4.76
I097082		6.00	0.234	<0.2	2.39	1770	<10	40	0.7	<2	0.42	<0.5	26	25	95	4.97
I097083		4.64	0.050	<0.2	3.05	180	<10	70	0.9	<2	0.19	<0.5	24	34	86	5.12
I097084		5.68	0.048	<0.2	2.91	150	<10	50	0.6	<2	0.39	<0.5	19	39	43	5.04
I097085		8.30	0.047	<0.2	3.15	215	<10	80	0.9	<2	0.16	<0.5	22	42	60	5.13
I097086		3.00	0.028	0.4	1.85	85	<10	40	0.5	3	0.20	<0.5	21	22	97	4.60
I097087		5.74	0.379	<0.2	3.24	1390	<10	60	1.0	<2	0.19	<0.5	23	34	58	5.32
I097088		5.38	0.148	<0.2	2.09	242	<10	40	0.8	<2	0.23	<0.5	20	22	66	5.03
I097089		5.34	0.013	<0.2	3.19	110	<10	60	0.9	<2	0.16	<0.5	26	38	76	5.62
I097090		6.00	2.22	<0.2	2.51	2170	<10	30	0.6	<2	0.19	<0.5	22	31	51	5.09
I097091		6.12	0.160	0.3	2.59	1390	<10	70	0.8	<2	0.23	<0.5	23	32	105	5.16
I097092		5.74	1.220	0.6	1.33	2560	<10	30	0.6	<2	0.47	<0.5	18	15	83	4.05
I097093		0.54	<0.005	<0.2	0.27	15	<10	150	<0.5	<2	0.03	<0.5	1	8	7	0.58
I097094		5.94	0.143	0.2	2.41	736	<10	120	0.6	<2	0.53	<0.5	16	44	46	3.93

Comments: Additional Au-AA23 check results for sample I097076 are 0.630 ppm and 1.150 ppm.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 26-OCT-2010  
Account: GOPRED

Project: Gold Dome

**CERTIFICATE OF ANALYSIS WH10137337**

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
I097059		10	<1	0.47	40	1.26	1195	<1	0.02	64	700	14	0.23	8	4	52
I097060		10	<1	0.74	30	1.61	1080	<1	0.04	53	730	18	0.29	10	5	70
I097061		10	<1	0.30	30	1.14	1040	1	0.02	56	450	11	0.28	8	3	63
I097062		10	<1	0.41	40	1.19	1100	1	0.03	64	680	13	0.70	61	3	61
I097063		10	<1	0.22	30	1.05	763	<1	0.02	54	480	9	0.86	104	2	51
I097064		10	<1	0.39	40	1.24	975	2	0.04	55	930	15	0.39	36	4	68
I097065		10	<1	0.21	30	1.24	526	<1	0.05	60	520	9	0.97	43	2	35
I097066		10	<1	0.39	40	1.15	659	1	0.04	50	500	9	0.35	19	3	47
I097067		10	<1	0.30	20	1.11	764	<1	0.01	48	730	16	0.80	24	2	80
I097068		10	<1	1.92	20	3.54	1140	2	0.10	14	1710	35	0.38	12	22	203
I097069		<10	<1	0.26	20	0.91	531	<1	0.02	45	570	10	0.94	42	2	42
I097070		10	<1	0.32	30	1.23	731	<1	0.03	57	480	8	1.07	9	2	52
I097071		10	<1	0.21	30	1.24	718	<1	0.02	58	500	8	1.04	10	2	48
I097072		10	<1	0.37	30	1.06	796	<1	0.02	56	780	15	1.13	40	3	75
I097073		<10	<1	0.24	30	1.14	702	<1	0.02	54	440	8	0.59	28	2	34
I097074		<10	<1	0.07	<10	0.13	55	<1	<0.01	3	120	4	0.01	<2	1	7
I097075		10	<1	1.47	20	3.31	1200	<1	0.03	17	1450	10	0.26	10	18	183
I097076		10	<1	0.23	30	1.39	857	<1	0.02	63	830	14	0.68	25	2	32
I097077		10	<1	0.45	30	0.90	817	<1	0.04	42	360	8	0.51	4	3	35
I097078		10	<1	0.32	20	1.05	1375	<1	0.02	66	390	21	0.84	12	2	47
I097079		10	<1	0.39	30	1.16	1385	<1	0.06	66	380	18	0.90	14	3	52
I097080		<10	<1	0.20	20	1.19	1660	<1	0.02	72	420	18	1.09	22	2	75
I097081		10	<1	0.33	30	1.07	896	1	0.02	61	340	12	0.86	23	2	39
I097082		10	1	0.18	20	1.11	957	3	0.02	64	740	13	0.96	41	2	51
I097083		10	<1	0.32	30	1.25	958	<1	0.06	62	370	10	0.57	20	2	49
I097084		10	<1	0.27	30	1.27	1220	<1	0.03	49	350	7	0.19	<2	3	47
I097085		10	<1	0.37	30	1.16	1455	<1	0.05	56	330	10	0.27	2	4	39
I097086		<10	<1	0.19	20	0.89	739	<1	0.03	50	490	51	1.21	3	1	25
I097087		10	<1	0.35	40	1.29	1190	<1	0.04	58	730	7	0.38	13	2	31
I097088		<10	<1	0.20	40	1.16	1380	<1	0.02	57	810	7	0.18	26	2	25
I097089		10	<1	0.33	40	1.38	1150	<1	0.04	60	670	6	0.53	15	2	25
I097090		10	<1	0.22	30	1.17	942	<1	0.03	58	410	6	0.55	<2	2	27
I097091		10	<1	0.41	30	1.17	637	<1	0.06	59	430	9	1.19	<2	3	34
I097092		<10	<1	0.21	20	0.76	493	<1	0.02	48	290	13	1.35	22	1	50
I097093		<10	<1	0.12	10	0.05	49	<1	0.01	3	80	2	0.02	<2	<1	6
I097094		10	<1	0.74	20	1.09	557	<1	0.03	43	560	7	0.34	<2	4	46

Comments: Additional Au-AA23 check results for sample I097076 are 0.630 ppm and 1.150 ppm.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GOLDEN PREDATOR CANADA CORP.  
888 DUNSMUIR STREET  
11TH FLOOR  
VANCOUVER BC V6C 3K4

Page: 2 - C  
Total # Pages: 2 (A - C)  
Finalized Date: 26-OCT-2010  
Account: GOPRED

Project: Gold Dome

**CERTIFICATE OF ANALYSIS WH10137337**

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
I097059		<20	0.10	<10	<10	38	<10	116
I097060		<20	0.14	<10	<10	54	<10	105
I097061		<20	0.07	<10	<10	29	<10	102
I097062		<20	0.03	<10	<10	28	<10	111
I097063		<20	0.02	<10	<10	25	<10	108
I097064		20	0.03	<10	<10	33	<10	107
I097065		<20	0.02	<10	<10	20	<10	105
I097066		20	0.03	<10	<10	28	<10	107
I097067		<20	0.03	<10	<10	22	<10	85
I097068		<20	0.40	<10	<10	169	<10	118
I097069		<20	0.02	<10	<10	16	<10	69
I097070		<20	0.03	<10	<10	22	<10	94
I097071		<20	0.03	<10	<10	21	<10	96
I097072		<20	0.02	<10	<10	21	<10	101
I097073		<20	0.02	<10	<10	16	<10	104
I097074		<20	<0.01	<10	<10	5	<10	10
I097075		<20	0.25	<10	<10	131	<10	114
I097076		<20	0.02	<10	<10	21	<10	117
I097077		<20	0.05	<10	<10	23	<10	70
I097078		<20	0.04	<10	<10	21	<10	95
I097079		<20	0.03	<10	<10	24	<10	111
I097080		<20	0.03	<10	<10	23	<10	94
I097081		<20	0.02	<10	<10	25	<10	86
I097082		<20	0.01	<10	<10	17	<10	93
I097083		<20	0.03	<10	<10	23	<10	110
I097084		<20	0.04	<10	<10	28	<10	101
I097085		<20	0.04	<10	<10	34	<10	112
I097086		<20	0.01	<10	<10	14	<10	80
I097087		<20	0.02	<10	<10	24	<10	110
I097088		<20	0.01	<10	<10	16	<10	102
I097089		<20	0.02	<10	<10	24	<10	118
I097090		<20	0.02	<10	<10	21	<10	104
I097091		20	0.03	<10	<10	24	<10	105
I097092		<20	0.01	<10	<10	9	<10	69
I097093		<20	<0.01	<10	<10	4	<10	8
I097094		<20	0.12	<10	<10	35	<10	98

Comments: Additional Au-AA23 check results for sample I097076 are 0.630 ppm and 1.150 ppm.