

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

STREAM SEDIMENT AND SOIL GEOCHEMICAL SAMPLING

at the

LARRY PROPERTY

Larry 1-24 YD29837-YD29860
24-48 YD109755-YD109778

NTS 105N/16

Latitude 63°51'N; Longitude 132°06'W

located in the

Mayo Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

S. Eaton, B.Sc., GIT

April 2011

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY AND CLIMATE	2
GEOLOGY	2
STREAM SEDIMENT AND SOIL GEOCHEMISTRY	4
DISCUSSION AND CONCLUSIONS	5
REFERENCES	6

APPENDICES

- I STATEMENT OF QUALIFICATIONS
- II CERTIFICATE OF ANALYSIS

TABLES

- I Lithological Units 3

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	2
4	Geology	2
5	Sample Locations	4

INTRODUCTION

The Larry property lies within an area of strongly anomalous mercury±gold stream sediment geochemistry that is located within a favourable geological belt, 30 km south of the Osiris Zone on ATAC Resources Ltd.'s highly prospective Rau property. The Larry property is owned by Strategic Metals Ltd.

This report describes stream sediment and soil sampling conducted on August 16, 2010 by Archer, Cathro and Associates (1981) Limited on behalf of Strategic Metals. The author directed the program, and her Statement of Qualifications is in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Larry property comprises 48 contiguous quartz claims, located in east-central Yukon at latitude 63°51' north and longitude 132°06' west on NTS map sheet 105N/16 (Figure 1). The property covers an area of about 970 hectares (9.7 km²). The claims are registered with the Mayo Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Larry 1-24	YD29837-YD29860	August 31, 2011
24-48	YD109755-YD109778	October 06, 2011

* Expiry dates do not include 2010 work that has not yet been filed for assessment credit.

Access to and from the property was provided by a Bell 206B helicopter operated by Trans North Helicopters from the Faro airport, which is located approximately 200 km to the south-southwest of the property. All personnel stayed at a hotel in Faro.

The nearest supply centers are the communities of Mayo and Faro, which lie 185 km west-southwest and 200 km south-southwest of the property, respectively. The closest road access is from the North Canal Road, which at its nearest point is 125 km to the southeast of the property, or from the Silver Trail Highway at Keno City, which is situated 150 km to the west of the property. The North Canal Road is usable in all seasons by two wheel drive vehicles during summer and fall, while the Silver Trail Highway is usable year-round.

HISTORY AND PREVIOUS WORK

There is no Minfile occurrence or public record of previous exploration on the Larry property.

In 1990, the Geological Survey of Canada performed a regional stream sediment survey on NTS map sheet 105N (Friske *et.al.*, 1991). Samples were collected from three creeks draining the area of the Larry property. The sample from the western creek returned 99th percentile mercury (1264 ppb) and 98th percentile gold (33 ppb), relative to other samples on that map sheet. The northern creek yielded 95th percentile mercury (496 ppb) and background gold values, while the eastern creek returned subdued values for both metals.

STRATEGIC METALS LTD.

FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION

LARRY PROPERTY



UTM ZONE 8, NAD 83, 105N/16

FILE: ...2010/LARRY/FIGURES/LOCATION

DATE: APRIL 2011


NORTHWEST TERRITORIES



★ LARRY PROPERTY

BRITISH COLUMBIA

ALASKA

PACIFIC OCEAN






Larry 47 YD109777	Larry 48 YD109778	Larry 29 YD109759	Larry 30 YD109760		
Larry 45 YD109775	Larry 46 YD109776	Larry 27 YD109757	Larry 28 YD109758		
Larry 43 YD109773	Larry 44 YD109774	Larry 25 YD109755	Larry 26 YD109756		
Larry 41 YD109771	Larry 42 YD109772	Larry 11 YD29847	Larry 12 YD29848	Larry 23 YD29859	Larry 24 YD29860
Larry 39 YD109769	Larry 40 YD109770	Larry 9 YD29845	Larry 10 YD29846	Larry 21 YD29857	Larry 22 YD29858
Larry 37 YD109767	Larry 38 YD109768	Larry 7 YD29843	Larry 8 YD29844	Larry 19 YD29855	Larry 20 YD29856
Larry 35 YD109765	Larry 36 YD109766	Larry 5 YD29841	Larry 6 YD29842	Larry 17 YD29853	Larry 18 YD29854
Larry 33 YD109763	Larry 34 YD109764	Larry 3 YD29839	Larry 4 YD29840	Larry 15 YD29851	Larry 16 YD29852
Larry 31 YD109761	Larry 32 YD109762	Larry 1 YD29837	Larry 2 YD29838	Larry 13 YD29849	Larry 14 YD29850

STRATEGIC METALS LTD.

FIGURE 2
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATIONS
LARRY PROPERTY



GEOMORPHOLOGY AND CLIMATE

The Larry property lies within the Hess Range of the Selwyn Mountains and is drained by creeks that flow into Lansing River, which ultimately connects to the Pacific Ocean via the Stewart and Yukon Rivers.

Local elevations on the property range from 1240 to 1920 m above sea level (asl). Topographic relief is moderate to steep, with mountains on the north and south sides of the property separated by a broad U-shaped valley. Outcrop is abundant at higher elevations and within deeply incised creek cuts. Lower elevations, particularly the floor of the U-shaped valley, are blanketed by Pleistocene colluvium deposits and glacial till.

The property setting is characterized as alpine to subalpine. Treeline in the area is at about 1500 m asl. Slopes above that elevation are vegetated with low lying grass and moss. Vegetation gradually increases downslope and comprises stunted black spruce with an understory of low shrubs and grass.

The climate in the Larry property area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, arctic cold fronts often cover the area and snowfall can occur in any month. The property is mostly snow free from early June to late September.


GEOLOGY

In 1995 and 2003, the Geological Survey of Canada and Yukon Geological Survey published geological maps of the Lansing Range map sheet (NTS 105N) at 1:125,000 and 1:250,000 scales, respectively (Roots *et.al.*, 1995 and Roots, 2003). In 2003, Gordey and Makepeace incorporated this data as part of a Yukon-wide geological compilation. The following geological descriptions are based on the published data.

The Larry property is located within Selwyn Basin (Figure 3), a tectonic element comprising deep water clastic rocks, chert and minor carbonate accumulated along the North American continental margin during Paleozoic time (Pigage, 2004).

The geology in the region includes two main sedimentary units classified by Gordey and Makepeace (2003) as Hyland Group and Gull Lake Formation (Figure 4).

Hyland Group, which consists of Yusezyu Formation and the conformably overlying Narchilla Formation, comprises the stratigraphic floor of the region. Yusezyu Formation is typified by a variably metamorphosed, fine to coarse grained, gritty, quartz-rich succession of evenly interbedded sandstone and shale (PCH1) capped by a thin discontinuous limestone member (PCH2) (Lindsay, 2006). The sedimentary fabric and general morphology of Yusezyu Formation are consistent with deposition by sedimentary gravity flows in an upper or mid submarine fan setting in shallow to moderately deep water (Gordey and Anderson, 1993). Primitive trace fossils found within the formation suggest that it is Upper Proterozoic in age (Fritz *et. al.*, 1983). Narchilla Formation (PCH3) is characterized by recessive, maroon to green




STRATEGIC METALS LTD.

FIGURE 3
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


TECTONIC SETTING
LARRY PROPERTY





RGS Samples by Hg (ppb)

- $\geq 1,000 \leq 14,000$
- $\geq 500 < 1,000$
- $\geq 200 < 500$
- $\geq 100 < 200$
- $0 < 100$




- ICG1** Lower Cambrian - Gull Lake Shale, siltstone and mudstone.
- PCH** Upper Proterozoic to Lower Cambrian - Hyland Group
Consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3);
 1. Yusezyu Formation
 2. Limestone member of Yusezyu Formation
 3. Narchilla Formation
- Thrust fault**
- Fault with normal or transcurrent displacement**

After Roots et al, 1995, Gordey and Makepeace, 2003 and Roots, 2003.

STRATEGIC METALS LTD.

FIGURE 4
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
**GEOLOGY WITH RGS
 Hg GEOCHEMISTRY**
 LARRY PROPERTY



FILE: ...2010/Larry/F_4-Geology.wor

DATE: APRIL 2011

shale and sandstone. The sedimentary structures observed in this formation are indicative of deposition from sedimentary gravity flows, likely turbidites, under calm, relatively deep water conditions (Gordey and Anderson, 1993). Based on trace fossil evidence, Narchilla Formation is classified as Late Precambrian to Early Cambrian in age (Fritz *et. al.*, 1983).

Hyland Group is conformably overlain by Lower Cambrian Gull Lake Formation, which is typified by locally bioturbated shale, siltstone and mudstone.

A third unit, Bouvette Formation, unconformably overlies Hyland Group 30 km to the northwest of the Larry property (four kilometres to the west of Osiris Zone). It comprises grey- and buff-weathering dolomite and limestone with rare black shale.

Table I – Lithological Units (Gordey and Makepeace, 2003)

Unit Name	Age	Map Name	Description
Bouvette Formation	CDB1	Upper Cambrian to Lower Devonian	Grey- and buff-weathering dolomite and limestone, medium to thick bedded; white to light grey weathering, massive dolomite; minor platy black argillaceous limestone, limestone conglomerate and black shale; massive bluish-grey weathering dolostone.
Unconformity (?)			
Gull Lake Formation	Lower Cambrian	ICG1	Shale, siltstone and mudstone, locally bioturbated, with minor quartz sandstone; rare green-grey chert; local basal limestone and limestone conglomerate; phyllite to quartz-muscovite-biotite schist (\pm garnet \pm sillimanite \pm staurolite \pm andalusite).
Hyland Group	Upper Proterozoic to Lower Cambrian	PCH	Consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3).
		PCH1 Yusezyu Formation	Thin to thick bedded, brown to pale green shale, fine to coarse grained quartz-rich sandstone, grit, and quartz-pebble conglomerate; minor argillaceous limestone; phyllite, quartzofeldspathic and micaceous psammite, gritty psammite and minor marble.
		PCH2 Yusezyu Formation (Limestone)	Grey weathering, dark grey to grey white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble; may locally include carbonate members within PCH1.
		PCH3 Narchilla Formation	Distinctive, recessive, maroon weathering, interbedded maroon and apple-green slate; "Oldhamia" trace fossils; rare grey chert; locally basal member and interbeds of quartz siltstone, sandstone and quartz-pebble conglomerate.

The Larry property lies 25 km southeast of the furthest mapped eastern end of the Dawson Thrust Fault. The Dawson Thrust Fault is a crustal break of probable Cambrian age that formed

the edge of Selwyn Basin and later reactivated as a north directed thrust (Pyle et al., 2007). It juxtaposes rocks of Selwyn Basin to the south against Mackenzie Platform to the north (Figure 3).

Local, variably oriented, smaller-scale thrust faults are present closer to the Larry property, within 10 km to the west, south and east. Several normal faults with west to northwest trends have also been observed.

Bedding in the vicinity of the property generally trends in a northerly direction, but appears to be locally folded.

STREAM SEDIMENT AND SOIL GEOCHEMISTRY

Stream Sediment Geochemistry

Regional stream sediment samples collected by the GSC around the periphery of the Larry property yielded elevated values for mercury±gold from the creeks draining to the west and north (see History and Previous Work section for results).

In 2010, eight stream sediment samples were collected from the upper portion of the westerly flowing creek. The samples were spaced approximately 250 m apart and the sample locations were recorded using hand-held GPS units. Sample sites were marked by orange flagging tape labelled with the sample numbers. The samples were placed into individually pre-numbered Kraft paper bags.


The stream sediment samples were sent to ALS Chemex in North Vancouver, B.C. They were dried, screened to -180 microns, dissolved in aqua regia solution and then analyzed for 35 elements using the inductively coupled plasma with atomic emission spectroscopy technique (ME-ICP41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21).

The 2010 stream sediment samples yielded subdued values for mercury and gold.

Soil Geochemistry

In 2010, Strategic Metals collected 107 contour soil samples immediately uphill from the break in slope of the U-shaped valley on both sides of the westerly flowing creek. Sample locations are shown on Figure 5. The Certificate of Analysis is provided in Appendix II.

The 2010 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 10 to 40 cm deep holes dug by hand-held auger. They were placed into individually pre-numbered Kraft paper bags.



STRATEGIC METALS LTD.

FIGURE 5
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SAMPLE LOCATIONS

LARRY PROPERTY

0 0.5 1 km

UTM ZONE 8, NAD 83, 105N/16

The soil samples were sent to ALS Chemex, where they were dried, screened to -180 microns, dissolved in aqua regia solution and then analyzed for 35 elements using ME-ICP41. An additional 30 g charge was further analysed for gold Au-ICP21.

Results from the 2010 soil samples were background for mercury and gold.

DISCUSSION AND CONCLUSIONS

Strategic Metals' 2010 exploration program was designed to evaluate the source of elevated mercury±gold values from regional stream sediment samples collected in the vicinity of the Larry property. Stream sediment and soil sampling near the headwater of the westerly flowing creek failed to constrain a source for the anomaly.

Despite the subdued nature of the 2010 results, the Larry property warrants additional work for several reasons, including:

- 1) The strongly anomalous GSC stream sediment sample lies two kilometres downstream from Strategic Metals' work, which leaves a large area that has not been explored;
- 2) The property lies in a favourable geological setting, within the same package of rocks as ATAC Resources' highly prospective Osiris Zone;
- 3) Mercury is a pathfinder element for gold at Osiris Zone; and
- 4) The GSC stream sediment values for mercury (1264 ppb) and gold (33 ppb) from the creek draining west from the Larry property are significantly stronger than those for the same elements from a creek draining the Osiris Zone (567 ppb mercury and 12 ppb gold).

Stream sediment sampling at 250 m spacings should be carried out between the GSC sample and Strategic Metals' samples, and in the adjoining tributary creeks. The contour soil sample lines should both be extended to the west at the same elevation. If either the stream sediment or soil sampling demarcate an anomaly, follow-up prospecting should be conducted.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Sarah Eaton, B.Sc., GIT

REFERENCES

- Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galleta, A.C. and Durham, C.C.
 1991 National Geochemical Reconnaissance Stream Sediment and Water Data, East Central Yukon, NTS 105N; Geological Survey of Canada; Open File 2363.
- Fritz, W.H., Narbonne, G.M., and Gordey, S.P.
 1983 Strata and trace fossils near the Precambrian-Cambrian boundary, Mackenzie, Selwyn and Wernecke Mountains, Yukon and Northwest Territories. *In* Current Research, Part B, Geological Survey of Canada, Paper 83-1B, p. 365-375.
- Gordey, S.P. and Anderson, R.G.
 1993 Evolution of the northern Cordilleran miogeocline, Nahanni map area (105I), Yukon and Northwest Territories. Geological Survey of Canada, Memoir 428, 214p. + maps.
- Gordey, S.P. and Makepeace, A.J.
 2003 Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- Lindsay, M.J.
 2006 The structural and hydrothermal evolution of intrusion-related gold mineralization at the Brewery Creek Mine, Yukon, Canada. Thesis submitted for the degree of Doctor of Philosophy (geology) in School of Earth Sciences at James Cook University of North Queensland.
- Nelson, J.L. and Colpron, M.
 2007 Tectonics and metallogeny of the Canadian and Alaskan Cordillera, 1.8 Ga to present; *in* Mineral Deposits of Canada: A Synthesis of Major Deposit Types, District Metallogeny, the Evolution of Geological Provinces, and Exploration Methods; W.D. Goodfellow (ed.), Mineral Deposit Division, Geological Association of Canada, Special Publication 5, p. 755-791. Available at: http://gsc.nrcan.gc.ca/mindep/synth_prov/cord/pdf/nelson_colpron_cordillera_n_metallogeny.pdf
- Pigage, L.C.
 2004 Bedrock geology compilation of the Anvil District (parts of 105K/2, 3, 5, 7 and 11), central Yukon; Yukon Geological Survey, Bulletin 15.
- Pyle, L., Roots, C., Allen, T., Fraser, T., Bond, J., Jones, A. and Gal, L.
 2007 Roadside Geology of the Dempster Highway, Northwest Territories and Yukon: A traveler's guide to the Geology of Canada's most north-western road; Yukon Geological Survey; Department of Energy, Mines and Resources, YGS Open File 2007-10 (http://www.geology.gov.yk.ca/pdf/of2007_10.pdf).

Roots, C.F., Abbott, J.G., Cecile, M.P. and Gordey, S.P.

1995 Bedrock geology of Lansing Range map area (105N) east half, Hess Mountains, Yukon; Indian and Northern Affairs Canada Open File 1995-7 or Geological Survey of Canada Open File 3171.

Roots, C.F.

2003 Bedrock geology of Lansing Range map area (NTS 105N), central Yukon, 1:250000 scale; Yukon Geological Survey Geoscience Map 2003-1 or Geological Survey of Canada Open File 1616.

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Sarah Eaton, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in North Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2007 with a B.Sc. in Honours Geological Sciences.
2. From 2002 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia and Northwest Territories.
3. I am a Geoscientist in Training (GIT) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 154922).
4. I have interpreted all data resulting from this work.

Sarah Eaton, B.Sc. (Hon.) Geology, GIT

APPENDIX II
CERTIFICATE OF ANALYSIS



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
 Finalized Date: 6- SEP- 2010
 Account: MTT

CERTIFICATE VA10120430

Project: Lansing - Larry
 P.O. No.:
 This report is for 115 Soil samples submitted to our lab in Vancouver, BC, Canada on 26- AUG- 2010.
 The following have access to data associated with this certificate:
 JOAN MARIACHER BILL WENZYNOWSKI

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 6- SEP- 2010
 Account: MTT

Project: Lansing - Larry

CERTIFICATE OF ANALYSIS VA10120430

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC91284		0.16	0.001	<0.2	0.71	18	<10	110	1.0	<2	0.02	<0.5	17	23	34	3.64
CC91285		0.18	<0.001	<0.2	0.64	25	<10	100	1.2	<2	0.03	<0.5	20	24	42	4.36
CC91286		0.20	0.005	<0.2	0.54	19	<10	130	1.1	<2	0.08	<0.5	15	23	36	4.21
CC91287		0.20	<0.001	0.3	0.39	17	<10	100	0.8	<2	0.03	<0.5	13	20	40	3.39
CC91288		0.18	0.010	<0.2	0.97	20	<10	270	1.2	<2	0.06	<0.5	13	27	28	3.44
CC91289		0.22	0.001	<0.2	0.80	13	<10	70	0.7	<2	0.02	<0.5	18	24	32	4.21
CC91290		0.18	<0.001	<0.2	0.94	19	<10	70	0.7	<2	0.01	<0.5	12	26	45	5.16
CC91291		0.18	0.002	<0.2	0.91	8	<10	320	0.8	<2	0.08	<0.5	9	23	19	3.48
CC91292		0.16	0.005	<0.2	0.61	11	<10	330	1.0	<2	0.14	<0.5	11	26	33	4.30
CC91293		0.20	0.001	<0.2	0.84	13	<10	90	0.6	<2	0.03	<0.5	10	23	23	3.53
CC91294		0.24	<0.001	<0.2	0.83	16	<10	80	1.0	<2	0.01	<0.5	14	25	38	3.88
CC91295		0.20	<0.001	0.2	0.59	30	<10	130	0.8	<2	0.02	<0.5	18	13	31	3.24
CC91296		0.20	<0.001	<0.2	0.74	15	<10	60	0.6	<2	0.03	<0.5	8	21	24	3.44
CC91297		0.24	0.006	<0.2	0.76	21	<10	70	0.8	<2	0.01	<0.5	21	20	35	4.12
CC91298		0.20	<0.001	<0.2	0.57	13	<10	130	1.5	<2	0.03	<0.5	14	24	40	3.81
CC91299		0.28	<0.001	<0.2	0.52	13	<10	60	1.3	<2	0.04	<0.5	26	15	59	3.70
CC91300		0.22	<0.001	<0.2	0.39	13	<10	80	0.9	<2	0.03	<0.5	11	18	36	3.33
CC91551		0.18	<0.001	<0.2	0.39	11	<10	120	0.9	<2	0.05	<0.5	6	11	24	2.24
CC91552		0.26	<0.001	<0.2	0.43	28	<10	80	1.2	<2	0.02	<0.5	24	14	58	3.57
CC91553		0.22	<0.001	<0.2	0.34	41	<10	220	1.7	<2	0.07	<0.5	32	14	51	4.66
CC91554		0.18	<0.001	<0.2	0.36	35	<10	90	1.1	<2	0.03	<0.5	16	12	39	3.63
CC91555		0.26	<0.001	0.2	0.51	15	<10	250	1.3	<2	0.09	<0.5	12	16	35	3.38
CC91556		0.26	<0.001	0.2	0.29	31	<10	70	1.5	<2	0.04	<0.5	23	27	62	4.54
CC91557		0.30	<0.001	<0.2	0.36	19	<10	270	1.7	<2	0.07	<0.5	21	27	44	4.95
CC91558		0.44	0.002	<0.2	1.30	16	<10	560	2.0	<2	0.08	<0.5	26	35	83	5.15
CC91559		0.24	0.002	0.2	1.32	15	<10	180	1.7	<2	0.09	<0.5	28	27	57	4.39
CC91560		0.26	0.003	<0.2	0.86	3	<10	80	1.4	<2	0.01	<0.5	15	39	25	4.82
CC91561		0.22	0.001	0.2	0.71	16	<10	90	1.1	<2	0.02	<0.5	15	22	35	3.99
CC91562		0.20	<0.001	<0.2	0.57	13	<10	80	0.5	<2	0.02	<0.5	10	21	31	3.81
CC91563		0.20	<0.001	0.2	0.71	17	<10	70	0.5	<2	0.01	<0.5	12	21	32	4.19
CC91564		0.22	<0.001	<0.2	0.51	8	<10	50	0.6	<2	0.01	<0.5	13	24	31	5.61
CC91565		0.20	<0.001	<0.2	0.49	16	<10	160	0.6	<2	0.02	<0.5	11	14	21	2.54
CC91566		0.18	<0.001	0.3	0.75	28	<10	100	0.5	<2	0.01	<0.5	13	23	28	4.04
CC91567		0.20	<0.001	0.3	0.57	20	<10	150	<0.5	<2	0.03	<0.5	8	16	35	2.67
CC91568		0.22	<0.001	0.2	0.42	35	<10	60	<0.5	<2	0.01	<0.5	10	17	30	3.88
CC91569		0.20	<0.001	<0.2	0.67	25	<10	70	0.7	<2	0.01	<0.5	12	24	36	4.71
CC91570		0.20	<0.001	<0.2	0.98	10	<10	90	<0.5	<2	0.01	<0.5	11	22	19	3.29
CC91571		0.20	<0.001	<0.2	1.01	10	<10	80	<0.5	<2	0.01	<0.5	12	36	16	4.85
CC91572		0.20	<0.001	0.3	1.06	18	<10	70	1.0	<2	0.01	<0.5	18	26	43	4.67
CC91573		0.26	0.001	<0.2	0.79	15	<10	110	1.0	<2	0.01	<0.5	20	25	40	4.81



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 6- SEP- 2010
 Account: MTT

Project: Lansing - Larry

CERTIFICATE OF ANALYSIS VA10120430

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC91284		<10	<1	0.09	<10	0.08	1305	1	0.01	22	600	26	0.04	<2	3	10
CC91285		<10	1	0.07	<10	0.09	1150	1	0.01	27	390	28	0.02	<2	4	10
CC91286		<10	1	0.08	<10	0.12	893	1	0.01	23	560	19	0.04	<2	3	10
CC91287		<10	1	0.09	<10	0.05	629	1	0.01	26	490	16	0.04	<2	3	8
CC91288		<10	1	0.12	10	0.13	735	1	0.01	23	800	22	0.05	<2	3	10
CC91289		<10	1	0.07	<10	0.11	1410	1	0.01	18	740	26	0.04	<2	2	6
CC91290		<10	1	0.05	<10	0.12	563	1	0.01	21	580	18	0.02	<2	2	5
CC91291		<10	1	0.09	<10	0.12	1215	1	0.01	13	810	22	0.06	<2	2	8
CC91292		<10	<1	0.09	<10	0.16	526	1	0.01	19	460	19	0.03	<2	4	14
CC91293		<10	<1	0.06	<10	0.10	929	1	0.01	13	900	18	0.08	<2	<1	5
CC91294		<10	<1	0.07	<10	0.12	906	1	0.01	19	530	21	0.03	<2	3	9
CC91295		<10	<1	0.07	<10	0.04	3110	1	0.01	16	590	23	0.03	<2	3	7
CC91296		<10	<1	0.07	10	0.09	318	1	0.01	16	680	15	0.05	<2	1	7
CC91297		<10	<1	0.07	10	0.11	1540	1	0.01	18	610	30	0.02	<2	3	7
CC91298		<10	<1	0.08	<10	0.11	782	<1	0.01	22	410	26	0.02	<2	4	9
CC91299		<10	1	0.07	<10	0.06	1535	<1	0.01	25	490	31	0.02	<2	4	7
CC91300		<10	<1	0.07	<10	0.05	281	<1	0.01	18	300	24	0.01	<2	3	9
CC91551		<10	<1	0.09	10	0.07	209	<1	0.01	13	260	13	0.01	<2	3	13
CC91552		<10	1	0.08	<10	0.04	1260	<1	<0.01	28	460	35	0.01	<2	4	9
CC91553		<10	1	0.07	10	0.08	2370	<1	<0.01	32	530	43	0.02	<2	6	21
CC91554		<10	<1	0.07	10	0.04	717	<1	<0.01	20	490	24	0.03	<2	3	19
CC91555		<10	1	0.09	10	0.19	370	<1	<0.01	22	340	14	0.02	<2	5	16
CC91556		<10	<1	0.07	10	0.11	919	<1	<0.01	36	390	27	0.01	<2	7	21
CC91557		<10	2	0.08	<10	0.10	1045	<1	<0.01	29	270	16	0.01	<2	8	13
CC91558		<10	1	0.07	<10	0.40	1595	<1	<0.01	29	450	37	0.02	<2	6	12
CC91559		<10	1	0.08	10	0.42	1650	<1	<0.01	29	390	41	0.03	<2	5	10
CC91560		<10	<1	0.09	<10	0.21	446	<1	<0.01	18	540	30	0.02	<2	1	6
CC91561		<10	1	0.07	10	0.12	567	<1	<0.01	22	500	20	0.03	<2	1	8
CC91562		<10	<1	0.08	10	0.06	492	<1	<0.01	16	540	17	0.03	<2	1	7
CC91563		10	1	0.06	10	0.10	598	<1	<0.01	17	450	15	0.03	<2	2	6
CC91564		<10	<1	0.08	<10	0.06	524	<1	<0.01	23	510	13	0.03	<2	4	6
CC91565		<10	1	0.07	10	0.04	801	<1	<0.01	13	500	8	0.04	<2	3	18
CC91566		<10	1	0.07	10	0.10	1055	<1	<0.01	17	470	23	0.03	<2	1	7
CC91567		<10	1	0.07	<10	0.06	554	<1	<0.01	12	710	9	0.04	<2	<1	6
CC91568		<10	1	0.05	<10	0.04	346	<1	<0.01	17	440	10	0.02	<2	1	6
CC91569		<10	1	0.06	<10	0.10	534	<1	<0.01	19	450	13	0.02	<2	3	5
CC91570		10	1	0.06	10	0.09	1250	<1	<0.01	10	410	9	0.02	<2	2	4
CC91571		10	1	0.08	<10	0.14	799	<1	<0.01	11	330	18	0.02	<2	2	3
CC91572		<10	1	0.06	<10	0.16	1365	<1	<0.01	17	770	34	0.04	<2	2	5
CC91573		<10	1	0.07	<10	0.14	1325	<1	<0.01	22	420	16	0.02	<2	4	6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 6- SEP- 2010
 Account: MTT

Project: Lansing - Larry

CERTIFICATE OF ANALYSIS VA10120430

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
CC91284		<20	0.01	<10	<10	31	<10	80
CC91285		<20	<0.01	<10	<10	32	<10	91
CC91286		<20	0.01	<10	<10	35	<10	93
CC91287		<20	0.01	<10	<10	27	<10	75
CC91288		<20	0.01	<10	<10	33	<10	74
CC91289		<20	0.01	<10	<10	40	<10	76
CC91290		<20	0.01	<10	<10	41	<10	92
CC91291		<20	0.01	<10	<10	39	<10	67
CC91292		<20	0.01	<10	<10	36	<10	82
CC91293		<20	0.01	<10	<10	38	<10	59
CC91294		<20	0.01	<10	<10	33	<10	72
CC91295		<20	<0.01	<10	<10	23	<10	75
CC91296		<20	0.01	<10	<10	38	<10	69
CC91297		<20	0.01	<10	<10	35	<10	80
CC91298		<20	0.01	<10	<10	33	<10	73
CC91299		<20	<0.01	<10	<10	24	<10	97
CC91300		<20	0.01	<10	<10	27	<10	71
CC91551		<20	<0.01	<10	<10	17	<10	48
CC91552		<20	0.01	<10	<10	24	<10	94
CC91553		<20	<0.01	<10	<10	22	<10	98
CC91554		<20	<0.01	<10	<10	21	<10	81
CC91555		<20	<0.01	<10	<10	24	<10	74
CC91556		<20	<0.01	<10	<10	27	<10	104
CC91557		<20	0.01	<10	<10	41	<10	96
CC91558		<20	0.01	<10	<10	35	<10	72
CC91559		<20	0.01	<10	<10	25	<10	86
CC91560		<20	0.01	<10	<10	42	<10	53
CC91561		<20	0.01	<10	<10	35	<10	81
CC91562		<20	0.01	<10	<10	43	<10	74
CC91563		<20	0.01	<10	<10	42	<10	76
CC91564		<20	0.01	<10	<10	39	<10	96
CC91565		<20	<0.01	<10	<10	26	<10	62
CC91566		<20	0.01	<10	<10	45	<10	80
CC91567		<20	<0.01	<10	<10	40	<10	64
CC91568		<20	0.01	<10	<10	42	<10	82
CC91569		<20	0.01	<10	<10	37	<10	86
CC91570		<20	0.01	<10	<10	48	<10	58
CC91571		<20	0.02	<10	<10	44	<10	52
CC91572		<20	0.01	<10	<10	35	<10	84
CC91573		<20	0.01	<10	<10	35	<10	90



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 6- SEP- 2010
 Account: MTT

Project: Lansing - Larry

CERTIFICATE OF ANALYSIS VA10120430

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC91574		0.24	<0.001	<0.2	0.76	16	<10	70	0.6	<2	0.01	<0.5	9	21	27	3.49
CC91575		0.28	<0.001	<0.2	0.69	9	<10	180	1.1	<2	0.02	<0.5	19	27	36	4.51
CC91576		0.24	<0.001	<0.2	0.73	18	<10	80	0.7	<2	0.02	<0.5	16	22	37	4.33
CC91577		0.20	<0.001	<0.2	0.97	13	<10	70	<0.5	<2	0.03	<0.5	8	22	21	2.87
CC91578		0.24	<0.001	0.2	0.73	14	<10	80	0.6	<2	0.02	<0.5	11	21	30	3.81
CC91579		0.22	<0.001	<0.2	0.67	14	<10	80	0.6	<2	0.02	<0.5	12	21	32	3.81
CC91580		0.20	0.001	<0.2	0.82	13	<10	80	0.6	<2	0.02	<0.5	7	20	22	2.87
CC91581		0.22	<0.001	<0.2	1.19	13	<10	100	0.6	<2	0.03	<0.5	8	26	25	3.40
CC91582		0.24	0.001	<0.2	0.69	17	<10	100	0.8	<2	0.02	<0.5	16	23	33	4.19
CC91583		0.36	<0.001	<0.2	0.71	16	<10	340	1.6	<2	0.15	<0.5	22	25	45	5.26
CC91584		0.40	<0.001	<0.2	0.67	13	<10	360	1.6	<2	0.14	<0.5	24	25	46	5.45
CC91585		0.32	<0.001	0.2	0.77	14	<10	360	1.6	<2	0.18	<0.5	20	25	41	4.95
CC91586		0.34	<0.001	0.3	0.73	10	<10	440	1.4	<2	0.31	<0.5	13	21	28	3.69
CC91587		0.34	<0.001	<0.2	0.79	15	<10	310	1.6	<2	0.23	<0.5	19	25	46	4.80
CC91588		0.30	<0.001	0.2	0.97	10	<10	350	1.8	<2	0.21	<0.5	18	29	45	4.88
CC91589		0.30	<0.001	<0.2	1.12	11	<10	380	2.1	<2	0.18	<0.5	15	32	37	4.40
CC91590		0.28	<0.001	<0.2	1.29	13	<10	630	2.0	<2	0.36	<0.5	22	30	40	6.52
CC91473		0.38	<0.001	<0.2	1.01	7	<10	340	1.3	<2	0.09	<0.5	16	34	29	4.57
CC91474		0.42	<0.001	<0.2	0.45	41	<10	190	1.3	<2	0.03	<0.5	22	22	38	4.59
CC91475		0.50	<0.001	<0.2	0.70	12	<10	150	1.2	<2	0.02	<0.5	22	26	40	4.56
CC91476		0.52	<0.001	<0.2	0.74	11	<10	80	0.7	<2	0.01	<0.5	15	22	150	3.73
CC91477		0.52	<0.001	0.5	0.71	10	<10	70	0.8	<2	0.01	<0.5	11	30	31	4.86
CC91478		0.44	<0.001	<0.2	0.77	6	<10	130	0.7	<2	0.01	<0.5	24	25	37	4.27
CC91479		0.48	<0.001	<0.2	0.60	29	<10	50	<0.5	<2	0.01	<0.5	10	14	33	3.06
CC91480		0.38	<0.001	<0.2	0.52	25	<10	170	0.7	<2	0.05	<0.5	13	15	33	3.33
CC91481		0.48	<0.001	<0.2	0.70	19	<10	140	1.1	<2	0.02	<0.5	19	20	37	4.28
CC91482		0.52	<0.001	<0.2	0.53	34	<10	60	0.6	<2	0.01	<0.5	18	12	37	3.09
CC91483		0.38	<0.001	<0.2	0.62	19	<10	60	<0.5	<2	0.01	<0.5	10	18	31	3.67
CC91484		0.36	<0.001	0.2	0.47	41	<10	50	0.6	<2	0.01	<0.5	15	17	47	4.37
CC91485		0.46	<0.001	<0.2	0.48	30	<10	160	1.2	<2	0.05	<0.5	14	17	33	3.61
CC91486		0.42	<0.001	0.3	0.66	27	<10	80	0.8	<2	0.02	<0.5	16	20	36	4.04
CC91487		0.40	<0.001	<0.2	0.33	46	<10	250	1.4	<2	0.07	<0.5	21	12	52	4.14
CC91488		0.36	<0.001	<0.2	0.37	8	<10	200	1.3	<2	0.04	<0.5	26	37	11	5.60
CC91489		0.48	<0.001	<0.2	0.70	27	<10	60	0.9	<2	0.02	<0.5	15	19	37	4.22
CC91490		0.42	<0.001	<0.2	0.66	16	<10	70	0.8	<2	0.01	<0.5	22	32	22	5.21
CC91491		0.44	<0.001	<0.2	0.46	13	<10	240	2.1	<2	0.04	<0.5	28	42	6	5.84
CC91492		0.48	<0.001	<0.2	0.63	7	<10	110	0.9	<2	0.01	<0.5	17	27	29	4.75
CC91493		0.52	<0.001	<0.2	0.76	5	<10	100	<0.5	<2	0.01	<0.5	9	35	12	4.57
CC91494		0.42	<0.001	<0.2	0.53	27	<10	130	1.7	<2	0.02	<0.5	16	19	69	3.91
CC91445		0.32	<0.001	0.2	1.26	10	<10	200	1.4	<2	0.04	<0.5	14	28	32	4.07



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 6- SEP- 2010
 Account: MTT

Project: Lansing - Larry

CERTIFICATE OF ANALYSIS VA10120430

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC91574		<10	1	0.06	<10	0.08	424	<1	<0.01	11	360	8	0.03	<2	2	4
CC91575		<10	1	0.07	<10	0.11	1170	<1	<0.01	18	320	12	0.02	<2	4	6
CC91576		<10	<1	0.05	<10	0.10	927	<1	<0.01	19	510	15	0.02	<2	3	6
CC91577		<10	<1	0.05	10	0.17	317	<1	<0.01	13	610	9	0.04	<2	1	6
CC91578		<10	<1	0.06	<10	0.08	754	<1	<0.01	17	650	17	0.05	<2	1	6
CC91579		<10	<1	0.06	<10	0.08	910	<1	<0.01	17	530	12	0.04	<2	2	6
CC91580		<10	1	0.05	10	0.13	318	<1	<0.01	12	510	9	0.03	<2	2	7
CC91581		10	1	0.06	10	0.21	418	<1	<0.01	16	540	12	0.04	<2	1	7
CC91582		<10	<1	0.07	<10	0.12	974	<1	<0.01	20	530	16	0.04	<2	2	7
CC91583		<10	1	0.07	<10	0.31	1585	<1	<0.01	29	410	26	0.03	<2	6	14
CC91584		<10	1	0.07	<10	0.29	1750	<1	<0.01	32	400	26	0.03	<2	6	13
CC91585		<10	1	0.08	<10	0.31	1640	<1	<0.01	25	410	24	0.03	<2	5	15
CC91586		<10	1	0.10	<10	0.33	1005	<1	0.01	22	500	17	0.07	<2	5	19
CC91587		<10	<1	0.07	<10	0.35	1385	<1	0.01	24	480	25	0.04	<2	5	17
CC91588		<10	2	0.09	<10	0.35	1785	<1	0.01	32	440	32	0.04	<2	5	18
CC91589		<10	1	0.11	<10	0.36	946	<1	0.01	23	630	30	0.04	<2	5	17
CC91590		<10	1	0.11	<10	0.50	3250	<1	0.01	28	690	28	0.07	<2	6	28
CC91473		<10	<1	0.09	<10	0.26	927	<1	<0.01	19	480	23	0.03	<2	2	12
CC91474		<10	1	0.07	<10	0.07	1445	<1	<0.01	25	270	22	0.02	<2	6	17
CC91475		<10	1	0.07	10	0.12	1260	<1	<0.01	21	420	18	0.02	<2	4	10
CC91476		<10	1	0.06	<10	0.09	832	<1	<0.01	14	640	15	0.03	<2	2	7
CC91477		<10	<1	0.07	<10	0.13	751	<1	<0.01	22	580	28	0.02	<2	2	4
CC91478		<10	1	0.08	<10	0.09	1815	<1	<0.01	16	540	22	0.02	<2	2	8
CC91479		<10	1	0.05	10	0.04	360	<1	<0.01	14	340	12	0.02	<2	3	13
CC91480		<10	1	0.08	10	0.07	759	<1	<0.01	16	400	13	0.03	<2	3	20
CC91481		<10	1	0.07	<10	0.09	1395	<1	<0.01	19	410	19	0.02	<2	4	13
CC91482		<10	1	0.06	10	0.04	803	<1	<0.01	17	360	16	0.01	<2	3	15
CC91483		<10	1	0.06	<10	0.05	259	<1	<0.01	14	410	9	0.02	<2	2	10
CC91484		<10	1	0.06	<10	0.05	301	<1	<0.01	21	350	14	0.02	<2	4	14
CC91485		<10	1	0.06	10	0.08	711	<1	<0.01	18	270	15	0.02	<2	4	23
CC91486		<10	1	0.06	10	0.08	899	<1	<0.01	18	470	18	0.03	<2	2	12
CC91487		<10	2	0.06	10	0.09	1135	<1	<0.01	29	350	20	0.01	<2	7	31
CC91488		<10	<1	0.07	<10	0.06	988	<1	<0.01	23	150	21	0.01	<2	7	16
CC91489		<10	<1	0.06	<10	0.11	533	<1	<0.01	22	450	14	0.02	<2	3	9
CC91490		<10	1	0.08	<10	0.09	612	<1	0.01	17	310	28	0.02	<2	3	9
CC91491		<10	1	0.08	<10	0.09	1345	<1	<0.01	26	150	29	0.01	<2	7	20
CC91492		<10	<1	0.10	<10	0.05	484	<1	<0.01	17	360	11	0.02	<2	3	7
CC91493		<10	1	0.08	<10	0.08	241	<1	<0.01	13	280	17	0.02	<2	2	10
CC91494		<10	<1	0.07	10	0.09	927	<1	<0.01	20	480	23	0.02	<2	4	16
CC91445		10	1	0.09	10	0.22	859	<1	<0.01	19	790	25	0.06	<2	2	9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 6- SEP- 2010
 Account: MTT

Project: Lansing - Larry

CERTIFICATE OF ANALYSIS VA10120430

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
CC91574		<20	0.01	<10	<10	35	<10	56
CC91575		<20	0.01	<10	<10	39	<10	77
CC91576		<20	0.01	<10	<10	40	<10	86
CC91577		<20	0.02	<10	<10	42	<10	58
CC91578		<20	0.01	<10	<10	39	<10	81
CC91579		<20	0.01	<10	<10	42	<10	79
CC91580		<20	0.01	<10	<10	33	<10	54
CC91581		<20	0.02	<10	<10	48	<10	77
CC91582		<20	0.01	<10	<10	41	<10	88
CC91583		<20	0.01	<10	<10	33	<10	106
CC91584		<20	0.01	<10	<10	33	<10	111
CC91585		<20	0.01	<10	<10	31	<10	98
CC91586		<20	<0.01	<10	<10	23	<10	66
CC91587		<20	0.01	<10	<10	29	<10	93
CC91588		<20	0.01	<10	<10	34	<10	96
CC91589		<20	0.01	<10	<10	35	<10	76
CC91590		<20	0.01	<10	<10	31	<10	95
CC91473		<20	0.01	<10	<10	41	<10	68
CC91474		<20	0.01	<10	<10	35	<10	89
CC91475		<20	0.02	<10	<10	44	<10	89
CC91476		<20	0.01	<10	<10	40	<10	68
CC91477		<20	0.01	<10	<10	40	<10	75
CC91478		<20	0.01	<10	<10	40	<10	79
CC91479		<20	0.01	<10	<10	33	<10	63
CC91480		<20	<0.01	<10	<10	25	<10	64
CC91481		<20	0.01	<10	<10	34	<10	91
CC91482		<20	<0.01	<10	<10	26	<10	72
CC91483		<20	0.01	<10	<10	39	<10	64
CC91484		<20	<0.01	<10	<10	31	<10	92
CC91485		<20	<0.01	<10	<10	33	<10	68
CC91486		<20	0.01	<10	<10	37	<10	79
CC91487		<20	<0.01	<10	<10	23	<10	100
CC91488		<20	0.02	<10	<10	56	<10	90
CC91489		<20	0.01	<10	<10	32	<10	89
CC91490		<20	0.01	<10	<10	49	<10	78
CC91491		<20	0.02	<10	<10	62	<10	100
CC91492		<20	0.01	<10	<10	37	<10	67
CC91493		<20	0.01	<10	<10	41	<10	51
CC91494		<20	<0.01	<10	<10	29	<10	78
CC91445		<20	0.01	<10	<10	34	<10	67



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 6- SEP- 2010
 Account: MTT

Project: Lansing - Larry

CERTIFICATE OF ANALYSIS VA10120430

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC91446		0.28	<0.001	<0.2	0.97	8	<10	190	1.6	<2	0.07	<0.5	21	25	32	3.96
CC91447		0.36	<0.001	<0.2	1.03	11	<10	200	1.6	<2	0.06	<0.5	18	26	37	4.24
CC91448		0.38	<0.001	0.2	1.11	14	<10	160	1.8	<2	0.03	<0.5	25	21	64	4.01
CC91449		0.36	<0.001	<0.2	1.60	26	<10	210	2.6	<2	0.04	<0.5	21	39	41	4.94
CC91450		0.46	<0.001	<0.2	1.69	17	<10	290	2.0	<2	0.12	<0.5	21	37	59	5.21
CC91601		0.36	<0.001	<0.2	1.49	13	<10	290	2.9	<2	0.11	<0.5	27	35	75	5.06
CC91602		0.42	<0.001	<0.2	1.61	15	<10	240	3.0	<2	0.09	<0.5	30	41	80	5.39
CC91603		0.38	<0.001	<0.2	0.52	16	<10	230	1.8	<2	0.07	<0.5	22	31	103	4.85
CC91604		0.38	<0.001	0.2	0.62	12	<10	220	2.0	<2	0.05	<0.5	16	30	19	4.69
CC91605		0.34	<0.001	0.2	0.98	12	<10	120	1.4	<2	0.02	<0.5	14	27	38	4.55
CC91606		0.28	<0.001	<0.2	1.10	17	<10	150	1.4	<2	0.03	<0.5	17	35	64	4.14
CC91607		0.36	<0.001	<0.2	1.12	15	<10	200	1.7	3	0.04	<0.5	15	37	43	4.54
CC91608		0.34	<0.001	0.2	1.22	16	<10	110	1.1	<2	0.01	<0.5	16	37	40	4.62
CC91609		0.28	<0.001	<0.2	0.65	26	<10	200	1.4	2	0.07	<0.5	15	20	41	3.76
CC91610		0.32	<0.001	<0.2	0.52	34	<10	70	1.6	2	0.06	<0.5	18	18	51	4.53
CC91611		0.32	<0.001	<0.2	0.73	11	<10	260	2.1	2	0.03	<0.5	19	26	48	4.79
CC91612		0.28	<0.001	0.2	1.26	11	<10	210	1.7	2	0.02	<0.5	20	32	53	4.48
CC91613		0.32	<0.001	0.2	1.59	12	<10	180	1.5	2	0.01	<0.5	20	33	51	4.76
CC91614		0.34	<0.001	0.2	1.06	14	<10	70	0.5	2	0.01	<0.5	7	27	25	4.14
CC91615		0.32	<0.001	0.3	0.97	14	<10	120	0.7	2	0.01	<0.5	12	30	34	4.49
CC91616		0.28	<0.001	<0.2	1.08	12	<10	110	0.9	2	0.01	<0.5	8	24	20	3.43
CC91617		0.24	<0.001	<0.2	1.00	16	<10	100	0.7	<2	0.01	<0.5	8	22	30	3.45
CC91618		0.20	<0.001	0.2	0.76	15	<10	60	<0.5	2	<0.01	<0.5	9	20	27	3.62
CC91619		0.24	<0.001	0.3	1.04	12	<10	220	0.9	2	0.06	<0.5	9	26	27	3.56
CC91620		0.30	<0.001	0.2	1.19	9	<10	210	1.4	2	0.05	<0.5	10	30	29	3.68
CC91621		0.24	<0.001	<0.2	1.10	13	<10	200	1.5	<2	0.05	<0.5	16	30	38	4.11
CC91622		0.34	<0.001	<0.2	1.04	18	<10	260	1.9	3	0.02	<0.5	22	37	45	4.63
CC91623		0.44	<0.001	0.3	0.72	17	<10	210	1.9	<2	0.07	<0.5	15	32	39	4.20
CC91624		0.34	0.002	0.3	0.45	9	<10	150	1.4	2	0.05	<0.5	7	36	23	4.53
CC91625		0.34	0.001	0.2	0.49	22	<10	120	1.2	<2	0.04	<0.5	12	22	29	3.40
CC91626		0.34	0.002	<0.2	0.74	23	<10	140	1.7	2	0.03	<0.5	19	27	48	4.45
CC91627		0.32	0.001	<0.2	1.00	17	<10	130	1.3	2	0.02	<0.5	12	27	34	3.94
CC91628		0.38	0.001	<0.2	1.15	16	<10	90	0.9	<2	0.03	<0.5	11	27	26	3.41
CC91629		0.32	0.001	0.2	1.13	16	<10	140	1.9	<2	0.04	<0.5	20	32	43	4.57
CC91630		0.34	0.001	<0.2	0.74	25	<10	140	2.0	2	0.06	<0.5	23	28	57	4.87



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 6- SEP- 2010
 Account: MTT

Project: Lansing - Larry

CERTIFICATE OF ANALYSIS VA10120430

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	
CC91446		<10	1	0.10	10	0.23	1320	<1	<0.01	22	470	28	0.03	<2	3	12
CC91447		<10	1	0.08	<10	0.24	1070	<1	<0.01	23	510	25	0.02	<2	3	11
CC91448		<10	<1	0.07	10	0.27	1585	<1	<0.01	22	550	41	0.03	<2	4	11
CC91449		10	1	0.09	<10	0.39	2010	<1	0.01	22	660	43	0.03	<2	4	9
CC91450		<10	<1	0.09	<10	0.57	1425	<1	0.01	32	390	33	0.02	<2	7	20
CC91601		<10	1	0.10	<10	0.40	2320	<1	0.01	27	820	51	0.04	<2	5	15
CC91602		<10	1	0.10	<10	0.43	3120	<1	0.01	28	1340	58	0.06	<2	4	12
CC91603		<10	1	0.07	<10	0.20	1855	<1	<0.01	23	380	29	0.01	<2	6	13
CC91604		<10	<1	0.08	<10	0.15	712	<1	<0.01	19	350	28	0.01	<2	5	15
CC91605		<10	1	0.07	<10	0.18	986	<1	<0.01	17	680	21	0.05	<2	2	8
CC91606		<10	<1	0.13	10	0.25	966	<1	<0.01	50	550	29	0.04	<2	3	9
CC91607		<10	<1	0.09	<10	0.32	1005	<1	<0.01	25	410	28	0.01	<2	4	8
CC91608		10	<1	0.08	<10	0.28	1095	<1	<0.01	20	670	31	0.01	<2	2	6
CC91609		<10	<1	0.07	<10	0.19	738	<1	<0.01	24	440	24	<0.01	<2	4	14
CC91610		<10	1	0.08	10	0.15	1020	<1	<0.01	31	460	24	<0.01	<2	6	11
CC91611		<10	<1	0.08	<10	0.18	1260	<1	0.01	21	380	25	0.01	5	5	9
CC91612		10	1	0.08	<10	0.29	1580	<1	<0.01	24	550	21	<0.01	<2	4	5
CC91613		10	1	0.08	<10	0.44	1570	<1	<0.01	25	520	43	<0.01	<2	5	6
CC91614		10	<1	0.06	10	0.14	491	<1	<0.01	14	640	17	0.04	2	1	5
CC91615		10	<1	0.06	<10	0.12	1345	<1	<0.01	13	940	27	0.04	<2	1	5
CC91616		10	<1	0.08	<10	0.16	415	<1	<0.01	15	460	17	0.01	<2	3	6
CC91617		10	<1	0.07	<10	0.08	834	<1	<0.01	15	710	15	0.03	<2	2	7
CC91618		10	<1	0.06	<10	0.07	677	<1	<0.01	13	660	17	0.01	2	1	5
CC91619		<10	1	0.09	<10	0.20	659	<1	<0.01	19	740	17	0.02	<2	2	9
CC91620		<10	<1	0.10	<10	0.19	873	<1	<0.01	19	990	18	0.03	2	2	8
CC91621		<10	1	0.08	<10	0.30	1335	<1	<0.01	23	510	25	<0.01	<2	4	11
CC91622		<10	1	0.09	<10	0.29	2770	<1	<0.01	23	680	52	0.01	<2	4	6
CC91623		<10	<1	0.08	<10	0.25	1810	<1	<0.01	21	390	37	0.01	<2	4	16
CC91624		<10	<1	0.09	<10	0.11	532	<1	<0.01	16	240	21	0.01	<2	4	16
CC91625		<10	<1	0.07	<10	0.08	913	<1	<0.01	17	540	33	<0.01	<2	3	12
CC91626		<10	<1	0.07	<10	0.17	1310	<1	<0.01	26	630	35	<0.01	<2	3	11
CC91627		10	<1	0.06	10	0.17	815	<1	<0.01	20	760	20	0.01	<2	3	9
CC91628		10	1	0.06	10	0.21	666	<1	<0.01	17	740	21	0.01	<2	2	8
CC91629		<10	<1	0.07	<10	0.29	1405	<1	<0.01	28	490	33	<0.01	<2	4	12
CC91630		10	<1	0.07	10	0.24	1095	<1	<0.01	31	430	34	0.01	<2	6	14

